

Centre for Entomological Studies Ankara

Memoirs

(online)

ISSN 1015-8227

10 12 2015

Volume 7

<http://zoobank.org/urn:lsid:zoobank.org:pub:D7F97845-6A71-4765-B681-5A2B1A82AF1B>

Annotated list of the lepidopterological taxa in the info-system of the Cesa

Part I

Ahmet Ömer Koçak Muhabbet Kemal

2015

Annotated list of the lepidopterological taxa in the info-system of the Cesa Part I

Ahmet Ömer Koçak Muhabbet Kemal

Abstract: Annotated list of the lepidopterological taxa in the info-system of the Cesa - Part I. Cent. ent. Stud., *Memoirs* 7: 1-4792, 1 Tab.

In this study, about 25-30% of the contents of the database files in the info-system of the Cesa are listed. Totally, 9181 genus group names, and 94618 species group names of the Lepidoptera are given with synonyms, and distributional information as codes. Original references are also added to 18909 taxa. Similarly, bionomic information are given for 5761 taxa. Totally, 9328 publications used in these database files are listed. Nomenclaturally, one new subgenus name, *Hecqia* in the genus *Euphaedra* Hbn (*Argynnidae*), one new genus name, *Muhabbetkemalia* (*Psychidae*), one new species name, *Furcula schintlmeisteri* (*Notodontidae*) are proposed. Taxonomically, one new subgenus, *Jseppia* is established in the family *Pyralidae*.

Key words: list, bibliography, nomenclature, new name, *Euphaedra*, *Jseppia*, *Muhabbetkemalia*, *Furcula schintlmeisteri*, *Argynnidae*, *Psychidae*, *Pyralidae*, *Notodontidae*, *Lepidoptera*.

Several independent database files on the World Lepidoptera have been preparing by the first author, since 1998. Among them, the taxonomical and faunistical data submitted here as a list of more than 100000 lepidopteran taxa hitherto personally typed into his database files. It has never been argued to give here a complete list of any regional fauna. On the contrary, giving an idea of the present informative situation, and sharing his personal basic collection of information on the Lepidoptera diversity with all of the readers are intended. Certainly, the first author cannot complete this task within the 10-15 years in the future – possibly the rest of his active studying lifetime. However, it is hoped that an update of this list may be possible after 3-4 years.

In the present list, due to the technical problems, only 25-30% of the total information on the taxonomic and faunal database files can be filtered. The rest of the information and the updated list will be prepared for the coming parts.

Brief numerical evaluations of the present study are given below (**Table 1**).

Table 1 – Numerical evaluations of the lepidopterological taxa on the selected topics, used in this study.

A- Number of the genus group names, **B**- Number of the species group names, **C** – Number of the genus- and species group names containing synonymous information, **D** - Number of the genus- and species group names containing original reference, **E** - Number of the genus- and species group names containing distributional information as codes, **F**- Number of the genus- and species group names containing bionomic information (especially larval food-plants).

group\values	A	B	C	D	E	F
Butterflies	1316	26517 (10115 spp. + 16402 sspp.)	27485	7878	26195	1288
Moths	7865	68101 (61335 spp. + 6766 sspp.)	75662	11031	70330	4473
Total	9181	94618	103147	18909	96525	5761

At the end of this study, totally 9328 publications used in these database files are listed alphabetically.

New Nomenclatural Acts in this study

Argynnidæ

***Euphaedra (Hecqia)* Koçak & Kemal (nom. nov.)**

<http://zoobank.org/urn:lsid:zoobank.org:act:DB8CC982-2821-4FDD-98E9-E294AAC56C31>

This homonymy case has already been seen by the authors in 2008, and placed in the database file, but it has not been published so far.

In 1985, Hecq proposed the name *Neophronia* (Lambillionea 85 (1/4): 7) as a subgenus of *Euphaedra* Hübner, [1819]. The subgenus *Neophronia* Hecq is currently used at a subgenus level. Unfortunately, this name cannot be used as valid, as it is junior homonym of *Neophronia* Saxena, 1968 (Zool. Anz. 179: 473) [*Vermes (Cestoda)*].

We propose here a replacement name ***Hecqia*** (nom. nov.) for *Neophronia* Hecq, 1985 nec Saxena, 1968. Type-species: *Romaleosoma neophron* Hopffer, 1855 (Ber. Verh. Akad. Berlin 1855: 640).

This new subgenus name is dedicated to the author of the preoccupied name.

Psychidæ

***Muhabbetkemalia* Koçak (nom. nov.)**

<http://zoobank.org/urn:lsid:zoobank.org:act:39351FA7-D664-41E8-A3F5-3D1AE48D2F12>

Psomocolax Das, 1956 (Ann. Mag. nat. Hist. (12) 9: 526) nec *Psomocolax* Peters, 1929 (Proc. biol. Soc. Washington 42: 122 (Aves)).

This homonymy case has been seen by the authors. Koçak & Kemal (2010, Cesa News 60) listed "*Muhabbetkemalia katani* (Das, 1956)" on page 143, nr. 3354.

As a genus name, ***Muhabbetkemalia*** is proposed here as nomen novum for *Psomocolax* Das, 1956 nec Peters, 1929, as the name *Psomocolax* Das, 1956 cannot be used validly, due to the junior homonymy, according to the Homonymy Rules of the ICZN.

Type-species: *Psomocolax katani* Das, 1956.

Pyralidæ

***Conchylodes (Jseppia)* Koçak & Kemal (subgen. nov.)**

<http://zoobank.org/urn:lsid:zoobank.org:act:0D66B58B-90F3-4538-AC34-D71721E3829A>

Type-species: *Phalaena zebra* Sepp, 1850, by original designation.

The genus *Conchylodes* was described by Guenée (1854, [in] Boisduval & Guenée, Hist. nat. Ins., Spec. gén. Lépid. 8: 288). Type-species: *Lypotigris diphteralis* Geyer, 1832, by subsequent designation by Hampson (1898, Proc. zool. Soc. Lond. 1898: 674).

The current classification of the species of *Conchylodes* is, in fact, based upon Hampson's classification (loc. cit.). Hampson divided *Conchylodes* into two sections, based upon the following features: Sect. I. Fore wing with vein 7 curved and approximated to veins 8, 9. This section contains: *diphteralis* Geyer (type), *nolckenialis* Sn. (type), *hebraealis* Gn., *salamisalis* Druce, and *bryophilalis* Hmps. Sect. II. Fore wing vein 7 straight and well separated from veins 8 and 9. This section contains *zebra* Sepp, *striginalis* Gn., *argentalis* Cr., *concinna* Hmps., *platinalis* Gn., *ovulalis* Gn. and *hedonialis* Wlk.

New attempt was made since Hampson's classification in 1898. Moreover, Hampson's classification is currently overlooked by the authors.

We see Hampson's two divisions and their diagnostic characters significant. The first group is currently named by nominate *Conchylodes* Guenée with its synonym *Ledereria* Snellen. But the second group species under the Hampson's Sect. II, remains unnamed. Therefore, it is here named as ***Jseppia*** at the subgenus level with the diagnostic features defined by Hampson as Sect. II (see above). The type-species is designated here as *Phalaena zebra* Sepp, 1850 (Natuurlijke Historie van Surinaamsche Vlinders: 221, pl. 99 from French Guiana, Cayenne).

We dedicate of this new subgenus to J. Sepp, author of the type-species, *Phalaena zebra*, at the same time, the author of the monumental work on the Lepidoptera of Surinam between 1828 and 1855.

Notodontidae

***Furcula schintlmeisteri* Koçak & Kemal (nom. nov.)**

<http://zoobank.org/urn:lsid:zoobank.org:act:DEF210AB-61E7-478B-8802-1B80DD915BDD>

Brandt described *Cerura turbida* in 1938 (Ent. Rdsch. 55: 574, pl.4 fig.6) from Iran (Fars). But, this name cannot be used validly, as it is junior primary homonym of *Cerura turbida* Walker, 1865 (List Specimens lepid. Colln Br. Mus: 407) (ICZN, Art. 57.2, on primary homonymy). Therefore, we propose here a replacement name ***Furcula schintlmeisteri*** (nom. nov.) for *Cerura turbida* Brandt, 1938 nec *Cerura turbida* Walker, 1865 in the currently used genus *Furcula* Lamarck, 1816.

The new species name is dedicated to Dr. Alexander Schintlmeister, a well-known specialist on the World Notodontidae.

List of the genus group taxa

Butterflies

1. **Acraea (Abananote) Potts, 1943** (Acraeidae) Synonym(s): *Abananote* Potts, 1943
2. **Acraea (Actinote) Hübner, [1819]** (Acraeidae) Synonym(s): *Actinote* Hübner, [1819]; *Hyalites* Doubleday, [1848]; *Planema* Doubleday, [1848]; *Gnesia* Doubleday, [1848] Original Reference: *Actinote* Hübner, [1819], Verz. bekannt. Schmett. (2): 27. Type-species: *Papilio thalia* Linnaeus, 1758, by subsequent designation by the Commission by the Ruling given under its Plenary Powers in Opinion 214 (1954, Opin. int. Comm. zool. Nom. 4: 41-50).
3. **Acraea (Altinote) Potts, 1943** (Acraeidae) Synonym(s): *Altinote* Potts, 1943
4. **Acraea (s.str.) Fabricius, 1807** (Acraeidae) Synonym(s): *Acraea* Fabricius, 1807; *Solenites* Mabille, 1887; *Phanopeltis* Mabille, 1887; *Aphanopeltis* Mabille, 1887; *Bematistes* Hemming, 1935 Original Reference: *Acraea* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio horta* Linnaeus, 1764, Mus. Lud. Ulr.: 234, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 101.
5. **Acraea Fabricius, 1807** (Acraeidae) Synonym(s): *Acraea* Fabricius, 1807; *Solenites* Mabille, 1887; *Phanopeltis* Mabille, 1887; *Aphanopeltis* Mabille, 1887; *Bematistes* Hemming, 1935 Original Reference: *Acraea* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio horta* Linnaeus, 1764, Mus. Lud. Ulr.: 234, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 101.
6. **Actinote Hübner, [1819]** (Acraeidae) Synonym(s): *Actinote* Hübner, [1819]; *Calornis* Billberg, 1820 *Actinote* Hübner, [1819], Verz. bekannt. Schmett.: 27. Type-species: *Papilio thalia* Linnaeus, 1758, by subsequent designation by ICZN (1954, Opinion 214).
7. **Pardopsis Trimen, 1887** (Acraeidae) Synonym(s): *Pardopsis* Trimen, 1887 Original Reference: *Pardopsis* Trimen, 1887, [in] Trimen & Bowker, S. Afr. Butts 1: 182. Type-species: *Acraea punctatissima* Boisduval, 1833, by monotypy.
8. **Pareba Doubleday, [1848]** (Acraeidae) Synonym(s): *Pareba* Doubleday, [1848] Original Reference: *Pareba* Doubleday, [1848], Gen diurn. Lep. (1): 142. Type-species: *Papilio vesta* Fabricius, 1787, Mantissa Ins. 2: 14, by monotypy.
9. **Aemona Hewitson, [1868]** (Amathusiidae) Synonym(s): *Aemona* Hewitson, [1868] Original Reference: *Aemona* Hewitson, [1868], Ill. exot. Butts. 4: [64]. Type-species: *Clerome amathusia* Hewitson, 1867, by monotypy.
10. **Amathusia Fabricius, 1807** (Amathusiidae) Synonym(s): *Amathusia* Fabricius, 1807 Original Reference: *Amathusia* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 279. Type-species: *Papilio phidippus* Linnaeus, 1763, by monotypy.

11. **Amathuxidia Staudinger,[1887]** (Amathusiidae) Synonym(s): *Amathuxidia Staudinger,[1887]* Original Reference: Amathuxidia Staudinger,[1887], Exot. Schmett. 1(1): 88. Type-species: Amathusia amynthaon Doubleday,1847, by monotypy.
12. **Discophora Boisduval,[1836]** (Amathusiidae) Synonym(s): *Discophora Boisduval,[1836]*
13. **Enispe Doubleday,[1848]** (Amathusiidae) Synonym(s): *Enispe Doubleday,[1848]*
14. **Faunis Hübner,[1819]** (Amathusiidae) Synonym(s): *Faunis Hübner,[1819]* Original Reference: Faunis Hübner,[1819], Verz. bekannt. Schmett.: 55. Type-species: Papilio eumeus Drury,1773, by subsequent designation by Hemming,1933.
15. **Melanocyma Westwood,[1858]** (Amathusiidae) Synonym(s): *Melanocyma Westwood,[1858]*
16. **Morpho Fabricius,1807** (Amathusiidae) Synonym(s): *Morpho Fabricius,1807; #Potamis Hübner,[1807]; #Brassolis [Illiger],1807; Megamede Hübner,[1819]; Heliornis Billberg,1820; Iphimedeia Fruhstorfer,1912; Iphixibia Le Moul & Réal,1962; Cytheritis Le Moul & Réal,1962; Balachowskyna Le Moul & Réal,1962; Cypritis Le Moul & Réal,1962; Pessonia Le Moul & Réal,1962; Grasseia Le Moul & Réal,1962; Schwartzia Le Moul & Réal,1962* Original Reference: Morpho Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: Papilio achilles Linnaeus,1758, by subsequent designation by Westwood,[1858], [in] Doubleday, Gen. diurn. Lep. (2): 341.
17. **Stichophthalma C.Felder & R.Felder,1862** (Amathusiidae) Synonym(s): *Stichophthalma C.Felder & R.Felder,1862*
18. **Taenaris Hübner,[1819]** (Amathusiidae) Synonym(s): *Taenaris Hübner,[1819]; Drusilla Swainson,1820 nec Samoul,1819; Hyades Boisduval,1832; Morphotenaris Fruhstorfer,1893; Elymnotaenaris Fruhstorfer,1911* Original Reference: Taenaris Hübner,[1819], Verz. bekannt. Schmett.: 52. Type-species: Taenaris nysa Hübner,[1819], by subsequent designation by Hemming,1964.
19. **Thaumantis Hübner,[1826]** (Amathusiidae) Synonym(s): *Thaumantis Hübner,[1826]*
20. **Thauria Moore,1894** (Amathusiidae) Synonym(s): *Thauria Moore,1894* Original Reference: Thauria Moore,1894, Lep. ind. 2: 173. Type-species: Thaumantis aliris Westwood,1858, by subsequent designation by Moore,1895.
21. **Xanthotaenia Westwood,[1858]** (Amathusiidae) Synonym(s): *Xanthotaenia Westwood,[1858]*
22. **Zeuxidia Hübner,[1826]** (Amathusiidae) Synonym(s): *Zeuxidia Hübner,[1826]*
23. **Abrota Moore,1857** (Argynnididae) Synonym(s): *Abrota Moore,1857* Original Reference: Abrota Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (I): 176. Type-species: Abrota ganga Moore,1857, by monotypy.
24. **Agatasa Moore,1899** (Argynnididae) Synonym(s): *Agatasa Moore,1899*
25. **Aglais Dalman,1816** (Argynnididae) Synonym(s): *Aglais Dalman,1816; Ichnusa Reuss,1939* Original Reference: Aglais Dalman,1816, K. svenska Vetensk-Akad. Handl., Stockholm 1816 (1): 56. Type-species: Papilio urticae Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by original designation.
26. **Aldania Moore,[1896]** (Argynnididae) Synonym(s): *Aldania Moore,[1896]* Original Reference: Aldania Moore,[1896], Lepid. ind. 3 (26): 46. Type-species: Diadema raddei Bremer,1861, Bull. Acad. Sci. St. Petersburg. 3: 467, by original designation.
27. **Allaemona Nishimura,1999** (Argynnididae) Synonym(s): *Allaemona Nishimura,1999*
28. **Amnosia Doubleday,[1849]** (Argynnididae) Synonym(s): *Amnosia Doubleday,[1849]*
29. **Amuriana Korshunov & Dubatolov,1984** (Argynnididae) Synonym(s): *Bremeria Moore,[1896] nec Alpheraky,1892; Amuriana Korshunov & Dubatolov,1984.* Original Reference: Amuriana Korshunov & Dubatolov,1984, Nov. Maloizvestiye Vidy Fauny Sib. 17: 52. Type-species: Adolias schreckii Ménétriés,1858, by original designation (nomen novum pro Bremeria Moore,[1896] nec Alpheraky,1892).
30. **Anartia Hübner,[1819]** (Argynnididae) Synonym(s): *Anartia Hübner,[1819]*
31. **Antanartia Rothschild & Jordan,1903** (Argynnididae) Synonym(s): *Antanartia Rothschild & Jordan,1903*
32. **Anthanassa Scudder,1875** (Argynnididae) Synonym(s): *Anthanassa Scudder,1875; Tritanassa W.Forbes,1945*
33. **Apatura Fabricius,1807** (Argynnididae) Synonym(s): *Apatura Fabricius,1807* Original Reference: Apatura Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: Papilio iris Linnaeus,1758, Syst. Nat. (Ed.10) 1: 476, by subsequent designation by Curtis, 1831, Brit. Ent. 8: pl.338.
34. **Apaturopsis Aurivillius,1898** (Argynnididae) Synonym(s): *Apaturopsis Aurivillius,1898*
35. **Araschnia Hübner,[1819]** (Argynnididae) Synonym(s): *Araschnia Hübner,[1819]* Original Reference: Araschnia Hübner,[1819], Verz. bekannt. Schmett. (3): 37. Type-species: Papilio

- levana Linnaeus, 1758, Syst. Nat. (Ed.10)1: 480, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 117.
36. **Argynnis (Argyreus) Scopoli, 1777** (Argynnididae) Synonym(s): *Argyreus Scopoli, 1777*; *Acidalia Hübner, [1818]*. Original Reference: *Argyreus Scopoli, 1777*, Introd. Hist. nat.: 431. Type-species: *Papilio niphe* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 785, by subsequent designation by Reuss, 1928, Int. ent. Z. 22: 146.
37. **Argynnis (Argyronome) Hübner, [1819]** (Argynnididae) Synonym(s): *Argyronome Hübner, [1819]*; *Eudaphne Reuss, 1922*. Original Reference: *Argyronome Hübner, [1819]*, Verz. bekannt. Schmett. (2): 32. Type-species: *Papilio laodice* Pallas, 1771, Reise durch verschied. Prov. Russisch. Reichs 1: 471, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 120.
38. **Argynnis (Childrena) Hemming, 1931** (Argynnididae) Synonym(s): *Eudryas Reuss, 1926 nec Boisd., 1836 nec Harr., 1841 nec Fitzing., 1843 non Gistel, 1848*; *Childrena Hemming, 1931*. Original Reference: *Childrena Hemming, 1931*, Proc. R. ent. Soc. Lond. (B) 12: 30. Type-species: *Argynnis childreni* Gray, 1831, by designation through Section (i) (replacement names) of Article 67.
39. **Argynnis (Damora) Nordmann, 1851** (Argynnididae) Synonym(s): *Damora Nordmann, 1857*. Original Reference: *Damora Nordmann, 1851*, Bull. Soc. imp. Nat. Moscou 24 (4): 439. Type-species: *Damora paulina* Nordmann, 1851, by monotypy.
40. **Argynnis (Fabriciana) Reuss, 1920** (Argynnididae) Synonym(s): *Fabriciana Reuss, 1920*; *Profabriciana Reuss, 1926*. Original Reference: *Fabriciana Reuss, 1920*, Ent. Mitt. 9: 92, nota. Type-species: *Papilio niobe* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 481, by original designation.
41. **Argynnis (Pandoriana) B.C.S. Warren, 1942** (Argynnididae) Synonym(s): *Pandoriana B.C.S. Warren, 1942*. Original Reference: *Pandoriana B.C.S. Warren, 1942*, Entomologist 75: 245-246. Type-species: *Papilio maja* Cramer, [1775], Uitl. Kapellen 1(1): 39, Pl.25, figs. B, C, by original designation.
42. **Argynnis (Proacidalia) Reuss, 1926** (Argynnididae) Synonym(s): *Proacidalia Reuss, 1926*. Original Reference: *Proacidalia Reuss, 1926*, Dt. ent. Z. 1926 (1): 69. Type-species: *Argynnis clara* Blanchard, [1844], by original designation.
43. **Argynnis (Protodryas) Reuss, 1928** (Argynnididae) Synonym(s): *Protodryas Reuss, 1928*. Original Reference: *Protodryas Reuss, 1928*, Int. ent. Z. 22: 146. Type-species: *Argynnis kamala* Moore, 1857, by designation through Section (i) (replacement names) of Article 67.
44. **Argynnis (Speyeria) Scudder, 1872** (Argynnididae) Synonym(s): *Speyeria Scudder, 1872*; *Mesoacidalia Reuss, 1926*. Original Reference: *Speyeria Scudder, 1872*, 4th Ann. Rep. Peabody Acad. Sc. 1871: 44. Type-species: *Papilio idalia* Drury, [1773], by original designation.
45. **Argynnis (s.str.) Fabricius, 1807** (Argynnididae) Synonym(s): *Argynnis Fabricius, 1807*; *Mesodryas Reuss, 1927*. Original Reference: *Argynnis Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: *Papilio paphia* Linnaeus, 1758, Syst. Ent. (Ed.10)1: 481, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 440.
46. **Argynnis Fabricius, 1807** (Argynnididae) Synonym(s): *Argynnis Fabricius, 1807*; *Mesodryas Reuss, 1927*. Original Reference: *Argynnis Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 283. Type-species: *Papilio paphia* Linnaeus, 1758, Syst. Ent. (Ed.10)1: 481, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 440.
47. **Ariadne Horsfield, 1829** (Argynnididae) Synonym(s): *Ariadne Horsfield, 1829*; *Ergolis Boisdual, 1836*.
48. **Asterocampa Röber, 1915** (Argynnididae) Synonym(s): *Asterocampa Röber, 1915*; *Celtiphaga Barnes & Lindsey, 1922*.
49. **Aterica Boisdual, 1833** (Argynnididae) Synonym(s): *Aterica Boisdual, 1833*.
50. **Athyma (Chendrana) Moore, [1898]** (Argynnididae) Synonym(s): *Chendrana Moore, [1898]*.
51. **Athyma (Kirona) Moore, [1898]** (Argynnididae) Synonym(s): *Kirona Moore, [1898]*.
52. **Athyma (Tacoraea) Moore, [1898]** (Argynnididae) Synonym(s): *Tacoraea Moore, [1898]*; *#Tacorea Pinratana & Eliot, 1996*.
53. **Athyma (Tatisia) Moore, [1898]** (Argynnididae) Synonym(s): *Tatisia Moore, [1898]*. Original Reference: *Tatisia Moore, [1898]*, Lep. ind. 3: 146. Type-species: *Athyma kanwa* Moore, 1858, by original designation.
54. **Athyma (s.str.) Westwood, [1850]** (Argynnididae) Synonym(s): *Athyma Westwood, [1850]*. Original Reference: *Athyma Westwood, [1850]*, [in] Doubleday, Gen. diurn. Lep. (2): 272. Type-species: *Papilio leucothoe* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 123.

55. **Athyma Westwood,[1850]** (Argynnidae) Synonym(s): *Athyma Westwood,[1850]* Original Reference: *Athyma Westwood,[1850]*, [in] Doubleday, Gen. diurn. Lep. (2): 272. Type-species: *Papilio leucothoe* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 123.
56. **Athymodes Moore,[1896]** (Argynnidae) Synonym(s): *Athymodes Moore,[1896]* Original Reference: *Athymodes Moore,[1896]*, Lepid. ind. 3 (25): 10. Type-species: *Atyma nycteis* Ménétriés,1858, by original designation.
57. **Auzakia Moore,[1898]** (Argynnidae) Synonym(s): *Auzakia Moore,[1898]* Original Reference: *Auzakia Moore,[1898]*, Lepid. ind. 3 (32): 146, 148. Type-species: *Limenitis danava* Moore,1857, by monotypy.
58. **Bebearia Hemming,1960** (Argynnidae) Synonym(s): *Bebearia Hemming,1960*; *Apectinaria Hecq,1988*
59. **Bhagadatta Moore,[1898]** (Argynnidae) Synonym(s): *Bhagadatta Moore,[1898]*
60. **Bimbisara Moore,[1898]** (Argynnidae) Synonym(s): *Bimbisara Moore,[1898]* Original Reference: *Bimbisara Moore,[1898]*, Lepid. ind. 3 (32): 146. Type-species: *Neptis amba* Moore,1858, by original designation.
61. **Boloria (Clossiana) Reuss,1920** (Argynnidae) Synonym(s): *Clossiana Reuss,1920* Original Reference: *Clossiana Reuss,1920*, Ent. Mitt. 9: 192, nota. Type-species: *Papilio selene* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 321, by original designation.
62. **Boloria (Proclassiana) Reuss,1926** (Argynnidae) Synonym(s): *Proclassiana Reuss,1926* Original Reference: *Proclassiana Reuss,1926*, Dt. ent. Z. 1926 (1): 69. Type-species: *Papilio aphirape* Hübner,[1800], by original designation.
63. **Boloria (s.str.) Moore,[1900]** (Argynnidae) Synonym(s): *Boloria Moore,[1900]*; *Smoljana Slivov,1995*. Original Reference: *Boloria Moore,[1900]*, Lepid. ind. 4(48): 243. Type-species: *Papilio pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177, by original designation.
64. **Boloria Moore,[1900]** (Argynnidae) Synonym(s): *Boloria Moore,[1900]*; *Smoljana Slivov,1995*. Original Reference: *Boloria Moore,[1900]*, Lepid. ind. 4(48): 243. Type-species: *Papilio pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177, by original designation.
65. **Brenthis Hübner,[1819]** (Argynnidae) Synonym(s): *Brenthis Hübner,[1819]*; *Neobrenthis Koçak,1980*. Original Reference: *Brenthis Hübner,[1819]*, Verz. bekannt. Schmett.: 30. Type-species: *Papilio hecate* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 179, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 45
66. **Byblia Hübner,[1819]** (Argynnidae) Synonym(s): *Byblia Hübner,[1819]*; *Hypanis Boisduval,1833* Original Reference: *Byblia Hübner,[1819]*, Verz. bekannt. Schmett. (2): 28. Type-species: *Papilio ilityia* Drury,[1773], by monotypy.
67. **Calinaga Moore,1857** (Argynnidae) Synonym(s): *Calinaga Moore,1857* Original Reference: *Calinaga Moore,1857*, [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India Coy 81): 162. Type-species: *Calinaga buddha* Moore,1857, by monotypy.
68. **Catuna Kirby,1871** (Argynnidae) Synonym(s): *Jaera Hübner,[1819] nec Lch.,1815*; *#Evena Westwood,1850*; *Euomma Felder & Felder,[1867] nec Boh.,1858*; *Catuna Kirby,1871*
69. **Cethosia Fabricius,1807** (Argynnidae) Synonym(s): *Cethosia Fabricius,1807*
70. **Charaxes Ochsenheimer,1816** (Argynnidae) Synonym(s): *Charaxes Ochsenheimer,1816*; *Paphia Fabricius,1807 nec Röding,1798 (rejected)*; *Jasia Swainson,1832*. Original Reference: *Charaxes Ochsenheimer,1816*, Schmett. Eur. 4: 18. Type-species: *Papilio jasius* Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): Errata, by monotypy.
71. **Chersonesia Distant,1883** (Argynnidae) Synonym(s): *Chersonesia Distant,1883*
72. **Chlosyne Butler,1870** (Argynnidae) Synonym(s): *Synchloe Doubleday,1844 nec Hbn.,1818*; *Chlosyne Butler,1870*; *Coatlantona Kirby,1871*
73. **Cirrochroa Doubleday,[1847]** (Argynnidae) Synonym(s): *Cirrochroa Doubleday,[1847]*
74. **Crenidomimas Karsch,1894** (Argynnidae) Synonym(s): *Crenidomimas Karsch,1894*
75. **Cupha Billberg,1820** (Argynnidae) Synonym(s): *Cupha Billberg,1820*
76. **Cyllopsis C.Felder,1869** (Argynnidae) Synonym(s): *Cyllopsis C.Felder,1869*
77. **Cymothoe Hübner,[1819]** (Argynnidae) Synonym(s): *Cymothoe Hübner,[1819]*; *Amphidema C.Felder,1861*; *Pallene Doubleday,[1848]*; *Paradiadema Distant,1880*; *Euptera Staudinger,1891*

78. **Cynandra Schatz,[1887]** (Argynnidae) Synonym(s): *Cynandra Schatz,[1887]*
79. **Cynitia Snellen,1895** (Argynnidae) Synonym(s): *Cynitia Snellen,1895*
80. **Cyrestis (Azania) Martin,1903** (Argynnidae) Synonym(s): *Azania Martin,1903* Original Reference: *Azania Martin,1903, Dt. ent. Z., Iris 16: 160. Type-species: Papilio camillus Fabricius,1781, by subsequent designation by Hemming (1939, Proc. R. ent. Soc. Lond. (B) 8 (7): 133).*
81. **Cyrestis Boisduval,1832** (Argynnidae) Synonym(s): *Cyrestis Boisduval,1832* Original Reference: *Cyrestis Boisduval,1832 [in] d'Urville, Voy. "Astrolabe", Ent. 1(Lép.): 117. Type-species: Papilio thyonaeus Cramer,[1779], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 152.*
82. **Diagora Snellen,1894** (Argynnidae) Synonym(s): *Diagora Snellen,1894* Original Reference: *Diagora Snellen,1894, Tijdschr. Ent. 37: 67. Type-species: Apatura japonica Felder & Felder,1862, by subsequent designation by Hemming,1934, Stylops 3: 143.*
83. **Dichorragia Butler,1869** (Argynnidae) Synonym(s): *Dichorragia Butler,1869*
84. **Dilipa Moore,1857** (Argynnidae) Synonym(s): *Dilipa Moore,1857* Original Reference: *Dilipa Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 201. Type-species: Apatura ? morgiana Westwood,[1850], by monotypy.*
85. **Doleschallia C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *Doleschallia C.Felder & R.Felder,1860*
86. **Doxocopa Hübner,[1819]** (Argynnidae) Synonym(s): *Doxocopa Hübner,[1819]; Catargyria Hübner,[1823]; Chlorippe Doubleday,1844; #Chlorippe Boisduval,1870.*
87. **Dymasia Higgins,1960** (Argynnidae) Synonym(s): *Dymasia Higgins,1960*
88. **Dynamine Hübner,[1819]** (Argynnidae) Synonym(s): *Dynamine Hübner,[1819]; Sironia Hübner,[1823]; Eubagis Boisduval,[1832]; Arisba Doubleday,1847*
89. **Eriboea Hübner,[1819]** (Argynnidae) Synonym(s): *Eriboea Hübner,[1819]* Original Reference: *Eriboea Hübner,[1819], Verz. bekannt. Schmett. (3): 46. Type-species: Papilio etheocles Cramer,[1777], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 166.*
90. **Euapatura Ebert,1971** (Argynnidae) Synonym(s): *Euapatura Ebert,1971; Protapatura Igarashi,1971.* Original Reference: *Euapatura Ebert,1971, Beitr. naturk. Forsch. SWDtl. 30(1): 65. Type-species: Euapatura mirza Ebert,1971, Beitr. naturk. Forsch. SWDtl.30(1): 65, by original designation.*
91. **Eulaceura Butler,[1872]** (Argynnidae) Synonym(s): *Eulaceura Butler,[1872]*
92. **Eunica Hübner,[1819]** (Argynnidae) Synonym(s): *Eunica Hübner,[1819]; Evonyme Hübner,[1819]; Eunice Geyer,[1832]*
93. **Euphaedra (Euphaedrana) Hecq,1976** (Argynnidae) Synonym(s): *Euphaedrana Hecq,1976*
94. **Euphaedra (Gausapia) Hecq,1976** (Argynnidae) Synonym(s): *Gausapia Hecq,1976*
95. **Euphaedra (Hecqia) Koçak & Kemal,2015** (Argynnidae) Synonym(s): *Neophronia Hecq,1985 nec Saxena,1968; Hecqia Koçak & Kemal,2015* [see page 2]
96. **Euphaedra Hübner,[1819]** (Argynnidae) Synonym(s): *#Najas Hübner,[1807]; Euphaedra Hübner,[1819]; Romaleosoma Blanchard,1840; Romaleosoma Röber,[1888]; Proteuphaedra Hecq,1976; Medoniana Hecq,1976; gausapia Hecq,1976; Xypetana Hecq,1976; Radia Hecq,1976; Euphaedrana Hecq,1976; Neophronia Hecq,1985*
97. **Euphydryas (Eurodryas) Higgins,1978** (Argynnidae) Synonym(s): *Eurodryas Higgins,1978; Oreodryas Lastukhin,2008; Taigadryas Lastukhin,2008; Protodryas Lastukhin,2008 nec Reuss,1928; Afrodryas Lastukhin,2008 nec Stoneham,1957* Original Reference: *Eurodryas Higgins,1978, Entomologist's Gaz. 29: 114. Type-species: Papilio aurinia Rottemburg,1775, by original designation.*
98. **Euphydryas (Hypodryas) Higgins,1978** (Argynnidae) Synonym(s): *Hypodryas Higgins,1978; Neodryas Lastukhin,2008; Cryodryas Lastukhin,2008* Original Reference: *Hypodryas Higgins,1978, Entomologist's Gaz. 29: 110. Type-species: Papilio maturna Linnaeus,1758, by original designation.*
99. **Euphydryas (Occidryas) Higgins,1978** (Argynnidae) Synonym(s): *Occidryas Higgins,1978; Anthodryas Lastukhin,2008*
100. **Euphydryas Scudder,1872** (Argynnidae) Synonym(s): *Euphydryas Scudder,1872* Original Reference: *Euphydryas Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 48. Type-species: Papilio phaeton Drury,[1773], by original designation.*

101. **Euriphene (Euriphene) Boisduval,1847** (Argynnidae) Synonym(s): *Euriphene Boisduval,1847; Euryphene Westwood,[1850]; Diestogyna Karsch,1893*
102. **Euriphene (Euryphura) Staudinger,1891** (Argynnidae) Synonym(s): *Euryphura Staudinger,1891*
103. **Euriphene Boisduval,1847** (Argynnidae) Synonym(s): *Euriphene Boisduval,1847; Euryphene Westwood,[1850]; Diestogyna Karsch,1893*
104. **Euripus Doubleday,1848** (Argynnidae) Synonym(s): *Euripus Doubleday,1848; Idrusia Corbet,1943*
105. **Euryphaedra Staudinger,1891** (Argynnidae) Synonym(s): *Euryphaedra Staudinger,1891*
106. **Eurytela Boisduval,1833** (Argynnidae) Synonym(s): *Eurytela Boisduval,1833* Original Reference: *Eurytela Boisduval,1833, Nouv. Ann. Mus. Hist. nat., Paris 2 (2): 202. Type-species: Papilio dryope Cramer,[1775], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 175.*
107. **Euthalia (Aconthea) Horsfield,[1829]** (Argynnidae) Synonym(s): *Aconthea Horsfield,[1829]* Original Reference: *Aconthea Horsfield,[1829], Cat. lep. Ins. Mus. East India Coy.: explic. pl.8, fig.6. Type-species: Aconthea primaria Horsfield,[1829], by subsequent designation by Hemming (1934, Gen. names hol. Butts. 1: 93).*
108. **Euthalia (Bassarona) Moore,[1897]** (Argynnidae) Synonym(s): *Bassarona Moore,[1897]* Original Reference: *Bassarona Moore,[1897], Lepid. ind. 3(27): 49,59. Type-species: Adolias teuta Doubleday,[1848], by original designation.*
109. **Euthalia (Dophla) Moore,[1880]** (Argynnidae) Synonym(s): *Dophla Moore,[1880]*
110. **Euthalia (Limbusa) Moore,[1897]** (Argynnidae) Synonym(s): *Limbusa Moore,[1897]*
111. **Euthalia Hübner,[1819]** (Argynnidae) Synonym(s): *Euthalia Hübner,[1819]* Original Reference: *Euthalia Hübner,[1819], Verz. bekannt. Schmett. (3): 41. Type-species: Papilio lubentina Cramer,[1777], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 176.*
112. **Hamadryas Hübner,[1806]** (Argynnidae) Synonym(s): *Hamadryas Hübner,[1806]; #Apatura [Illiger],[1807]; Ageronia Hübner,[1819]; Philocala Billberg,1820; Peridromia Boisduval,1836; Amphichlora C.Felder,1861*
113. **Hamanumida Hübner,[1819]** (Argynnidae) Synonym(s): *Hamanumida Hübner,[1819]; Canopus Felder,1861; Leucotricha Rothschild & Jordan,1903.* Original Reference: *Hamanumida Hübner,[1819], Verz. bekannt. Schmett. (2): 18. Type-species: Papilio meleagris Cramer,[1775], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 183.*
114. **Helcyra C.Felder,1860** (Argynnidae) Synonym(s): *Helcyra C.Felder,1860* Original Reference: *Helcyra C.Felder,1860, S.B. Akad. Wiss. Wien 40: 450. Type-species: Helcyra chionippe C.Felder,1860, by monotypy.*
115. **Herona Doubleday,1848** (Argynnidae) Synonym(s): *Herona Doubleday,1848*
116. **Hestina Westwood,[1850]** (Argynnidae) Synonym(s): *Hestina Westwood,[1850]* Original Reference: *Hestina Westwood,[1850], [in] Doubleday, Gen. diurn. Lep. (2): 281. Type-species: Papilio assimilis Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 189.*
117. **Hestinalis Bryk,1938** (Argynnidae) Synonym(s): *Hestinalis Bryk,1938*
118. **Historis Hübner,[1819]** (Argynnidae) Synonym(s): *Historis Hübner,[1819]*
119. **Hypanartia Hübner,[1821]** (Argynnidae) Synonym(s): *Hypanartia Hübner,[1821]; Eurema Doubleday,[1845] nec Hbn.,[1819]*
120. **Hypolimnas Hübner,[1819]** (Argynnidae) Synonym(s): *Hypolimnas Hübner,[1819]; Diadema Boisduval,[1832]; Eucalia Felder,1861; Euralia Westwood,[1850]* Original Reference: *Hypolimnas Hübner,[1819], Verz. bekannt. Schmett. (3): 45. Type-species: Papilio pipleis Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 194.*
121. **Inachis Hübner,[1819]** (Argynnidae) Synonym(s): *Inachis Hübner,[1819]* Original Reference: *Inachis Hübner,[1819], Verz. bekannt. Schmett. (3):37. Type-species: Papilio io Linnaeus,1758, Syst. Nat. (Ed.10)1: 472, by monotypy.*
122. **Issoria Hübner,[1819]** (Argynnidae) Synonym(s): *Issoria Hübner,[1819]; Rathora Moore,[1900]; Yramea Reuss,1920; Kukenthaliella Reuss,1921; Prokuekenthaliella Reuss,1926; Pseudorathora Reuss,1926; Chilargynnis Bryk,1945* Original Reference: *Issoria Hübner,[1819], Verz. bekannt. Schmett. (2): 31. Type-species: Papilio lathonia Linnaeus,1758, Syst. Nat. (Ed.10)1: 481, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:198.*
123. **Kallima Doubleday,[1849]** (Argynnidae) Synonym(s): *Kallima Doubleday,[1849]; #Kallimna Chen,1974* Original Reference: *Kallima Doubleday,[1849], Gen. diurn. Lep. (2): 52, pl.52 figs.*

- 2,3. Type-species: *Paphia paralekta* Horsfield,[1828], by subsequent designation by Scudder,1875, Proc. am. Acad Arts Sci., Boston 10: 200.
- 124. Kallimoides Shirozu & Nakanishi,1984** (Argynnidae) Synonym(s): *Kallimoides Shirozu & Nakanishi,1984*
- 125. Kamilla Collins & Larsen,1991** (Argynnidae) Synonym(s): *Kamilla Collins & Larsen,1991*
- 126. Kaniska Moore,[1899]** (Argynnidae) Synonym(s): *Kaniska Moore,[1899]* Original Reference: Kaniska Moore,[1899], Lepid. ind. 4 (41): 91. Type-species: *Papilio canace* Linnaeus,1763, by original designation.
- 127. Kumothales Overlaet,1940** (Argynnidae) Synonym(s): *Kumothales Overlaet,1940*
- 128. Lachnoptera Doubleday,[1847]** (Argynnidae) Synonym(s): *Lachnoptera Doubleday,[1847]*
- 129. Laringa Moore,[1901]** (Argynnidae) Synonym(s): *Laringa Moore,[1901]*
- 130. Lebadea C.Felder,1861** (Argynnidae) Synonym(s): *Lebadea C.Felder,1861*
- 131. Lelecella Hemming,1929** (Argynnidae) Synonym(s): *Lelecella Hemming,1929* Original Reference: Lelecella Hemming,1929, Proc. R. ent. Soc. Lond. (B) 8: 39. Type-species: *Zanessa limenitoides* Oberthür,1890, by designation through Section (i) (replacement names) of Article 67.
- 132. Lexias Boisduval,[1832]** (Argynnidae) Synonym(s): *Lexias Boisduval,[1832]*
- 133. Limenitis (Azuritis) Boudinot,1986** (Argynnidae) Synonym(s): *Azuritis Boudinot,1986* Original Reference: Azuritis Boudinot,1986, Nouv. Rev. ent. (n.s.) 2 (4): 405. Type-species: *Limenitis camilla* var. *reducta* Staudinger,1901, by original designation.
- 134. Limenitis (Ladoga) Moore,[1898]** (Argynnidae) Synonym(s): *Ladoga Moore,[1898]* Original Reference: Ladoga Moore,[1898], Lep. ind. 3: 146 [key]. Type-species: *Papilio camilla* Linnaeus,1764, by original designation.
- 135. Limenitis (Parasarpa) Moore,[1898]** (Argynnidae) Synonym(s): *Parasarpa Moore,[1898]*
- 136. Limenitis (Sumalia) Moore,[1898]** (Argynnidae) Synonym(s): *Sumalia Moore,[1898]*
- 137. Limenitis (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Limenitis Fabricius,1807; Nymphalus Boitard,1828; Limonetes Billberg,1820; Nympha Krause,1839.* Original Reference: Limenitis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio populi* Linnaeus,1758, by subsequent designation by Dalman (1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 55).
- 138. Limenitis Fabricius,1807** (Argynnidae) Synonym(s): *Limenitis Fabricius,1807; Nymphalus Boitard,1828; Limonetes Billberg,1820; Nympha Krause,1839.* Original Reference: Limenitis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio populi* Linnaeus,1758, by subsequent designation by Dalman (1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 55).
- 139. Mallika Collins & T.Larsen,1991** (Argynnidae) Synonym(s): *Mallika Collins & T.Larsen,1991* Original Reference: Mallika Collins & T.Larsen,1991, Butterflies of Kenya: 443. Type-species: *Kallima jacksoni* Sharpe,1896, by original designation.
- 140. Melitaea (Cinclidia) Hübner,[1819]** (Argynnidae) Synonym(s): *Cinclidia Hübner,[1819]* Original Reference: Cinclidia Hübner,[1819], Verz. bekannt. Schmett. (2): 29. Type-species: *Papilio phoebe* [Denis & Schiffermüller],1775, by subsequent designation by Scudder,1875, Bull. Buffalo Soc. nat. Sci. 2: 266.
- 141. Melitaea (Didymaeformis) Verity,1950** (Argynnidae) Synonym(s): *Didymaeformis Verity,1950.* Original Reference: Didymaeformis Verity,1950, Farfalle diurne d'Italia 4: 89, 90. Type-species: *Papilio didyma* Esper,[1777], by original designation.
- 142. Melitaea (Melicta) Billberg,1820** (Argynnidae) Synonym(s): *Melicta Billberg,1820* Original Reference: Melicta Billberg,1820, Enum. Ins. Mus. Billb.: 77. Type-species: *Papilio athalia* Rottemburg,1775, Der Naturforscher 6: 5, by subsequent designation by Moore,[1901], Lep. ind. 5(49):2.
- 143. Melitaea (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Melitaea Fabricius,1807* Original Reference: Melitaea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio cinxia* Linnaeus,1758, Syst. Nat. (Ed.10)1: 480, by subsequent designation by Westwood,1840, Introd. Class. Ins. 2, syn.: 88.
- 144. Melitaea Fabricius,1807** (Argynnidae) Synonym(s): *Melitaea Fabricius,1807; Lucina Rafinesque,1815; Schoenis Hübner,[1819]; Melinaea Sodoffsky,1837.* Original Reference: Melitaea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: *Papilio cinxia* Linnaeus,1758,

Syst. Nat. (Ed.10)1: 480, by subsequent designation by Westwood,1840, Introd. Class. Ins. 2, syn.: 88.

145. **Mesoxantha Aurivillius,1898** (Argynnidae) Synonym(s): *Mesoxantha Aurivillius,1898*
146. **Microtia Bates,1864** (Argynnidae) Synonym(s): *Microtia Bates,1864*
147. **Moduza Moore,1881** (Argynnidae) Synonym(s): *Moduza Moore,1881*
148. **Neptidopsis Aurivillius,1898** (Argynnidae) Synonym(s): *Neptidopsis Aurivillius,1898*
149. **Neptis (Lasippa) Moore,[1898]** (Argynnidae) Synonym(s): *Lasippa Moore,[1898]; Pandassana Moore,[1898]; Bisappa Moore,[1898]; Palanda Moore,[1898]; Bacalora Moore,[1898].*
150. **Neptis (Pantoporia) Hübner,[1819]** (Argynnidae) Synonym(s): *Pantoporia Hübner,[1819]; Acca Hübner,[1819]; Rahinda Moore,1881; Marosia Moore,[1898]; Tagatsia Moore,[1898]; Atharia Moore,[1898].*
Original Reference: Pantoporia Hübner,[1819], Verz. bekannt. Schmett. (3): 44. Type-species: Papilio hordonia Stoll,[1790], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 238.
151. **Neptis (Phaedyman) C.Felder,1861** (Argynnidae) Synonym(s): *Phaedyman C.Felder,1861; Andrapana Moore,[1898]; Andasenodes Moore,[1898].*
152. **Neptis (s.str.) Fabricius,1807** (Argynnidae) Synonym(s): *Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920.* Original Reference: Neptis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: Papilio aceris Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
153. **Neptis Fabricius,1807** (Argynnidae) Synonym(s): *Neptis Fabricius,1807; Philonoma Billberg,1820; Paraneptis Moore,[1898]; Kalkasia Moore,[1898]; Hamadryodes Moore,[1898]; Bimbisara Moore,[1898]; Stabrobates Moore,[1898]; Rasalia Moore,[1898]; Neptidomina Holland,1920.* Original Reference: Neptis Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: Papilio aceris Esper,[1783], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 142, pl.81, figs.3,4, by subsequent designation by Crotch,1872, Cistula ent. 1: 66.
154. **Neurosigma Butler,1868** (Argynnidae) Synonym(s): *Neurosigma Butler,1868*
155. **Nymphalis Kluk,1802** (Argynnidae) Synonym(s): *Nymphalis Kluk,1802; Hamadryas Hübner,[1806]; Scudderia Grote,1873 nec Stal,1873; Euwanessa Scudder,1889; Antiopana Korb,2005* Original Reference: Nymphalis Kluk,1802, Zwierz. Hist. nat. pocz. gospod. 4: 86. Type-species: Papilio polychloros Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by subsequent designation by Hemming, 1933, Entomologist 66: 223.
156. **Paduca Moore,1886** (Argynnidae) Synonym(s): *Paduca Moore,1886*
157. **Palla Hübner,[1819]** (Argynnidae) Synonym(s): *Palla Hübner,[1819]; Philognoma Doubleday,1844*
158. **Pandita Moore,[1858]** (Argynnidae) Synonym(s): *Pandita Moore,[1858]*
159. **Parthenos Hübner,[1819]** (Argynnidae) Synonym(s): *Parthenos Hübner,[1819]*
160. **Phalanta Horsfield,[1829]** (Argynnidae) Synonym(s): *Phalanta Horsfield,[1829]; Atella Doubleday,[1847]* Original Reference: Phalanta Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): pl.7. Type-species: Papilio phalanthia Drury,[1773], by monotypy.
161. **Phyciodes Hübner,[1819]** (Argynnidae) Synonym(s): *Phyciodes Hübner,[1819]; Anthanassa Scudder,1875; Tritanassa Forbes,1945*
162. **Poladryas Bauer,1961** (Argynnidae) Synonym(s): *Poladryas Bauer,1961*
163. **Polygonia (Comma) Rennie,1832** (Argynnidae) Synonym(s): *Comma Rennie,1832.* Original Reference: Comma Rennie,1832, Conspectus Butts Moths: 8. Type-species: Papilio c-album Linnaeus,1758, by monotypy.
164. **Polygonia Hübner,[1819]** (Argynnidae) Synonym(s): *Polygonia Hübner,[1819]; Eugonia Hübner,[1819]; Grapta Kirby,1837.* Original Reference: Polygonia Hübner,[1819], Verz. bekannt. Schmett. (3):36. Type-species: Papilio c-aureum Linnaeus,1758, Syst. Nat. (Ed.10)1: 477, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1872: 30.
165. **Polyura Billberg,1820** (Argynnidae) Synonym(s): *Polyura Billberg,1820* Original Reference: Polyura Billberg,1820, Enum. Ins. Mus. Billb.: 79. Type-species: Papilio pyrrhus Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 255.
166. **Precis (Junonia) Hübner,[1819]** (Argynnidae) Synonym(s): *Junonia Hübner,[1819]* Original Reference: Junonia Hübner,[1819], Verz. bekannt. Schmett.: 34. Type-species: Papilio lavinia Cramer,1775, by subsequent designation by Scudder,1872.

- 167. *Precis Hübner*,[1819]** (Argynnidae) Synonym(s): *Precis Hübner*,[1819] Original Reference: *Precis Hübner*,[1819], Verz. bekannt. Schmett. (3): 33. Type-species: *Papilio octavia* Cramer,[1777], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 256.
- 168. *Prothoe Hübner*,[1824]** (Argynnidae) Synonym(s): *Prothoe Hübner*,[1824]
- 169. *Pseudacraea Westwood*,[1850]** (Argynnidae) Synonym(s): *Panopea Hübner*,[1819] nec Menard,1807; *Pseudacraea Westwood*,[1850]; *Chloropoea Aurivillius*,1898
- 170. *Pseudargynnis Karsch*,1892** (Argynnidae) Synonym(s): *Pseudargynnis Karsch*,1892
- 171. *Pseudathyma Staudinger*,1891** (Argynnidae) Synonym(s): *Pseudathyma Staudinger*,1891
- 172. *Pseudergolis C.Felder & R.Felder*,[1867]** (Argynnidae) Synonym(s): *Pseudergolis C.Felder & R.Felder*,[1867] Original Reference: *Pseudergolis C.Felder & R.Felder*,[1867], Reise österr. Fregatte Novara, Lep., Rhop. (3): 404. Type-species: *Pseudergolis avesta* Felder & Felder,[1867], by monotypy.
- 173. *Pseudohypolimnas Moore*,[1898]** (Argynnidae) Synonym(s): *Pseudohypolimnas Moore*,[1898] Original Reference: *Pseudohypolimnas Moore*,[1898], Lepid. ind. 3(32): 146. Type-species: *Athyma punctata* Leech,1890, by original designation.
- 174. *Pseudoneptis Snellen*,1882** (Argynnidae) Synonym(s): *Pseudoneptis Snellen*,1882
- 175. *Rhinopalpa C.Felder & R.Felder*,1867** (Argynnidae) Synonym(s): *Rhinopalpa C.Felder & R.Felder*,1867
- 176. *Rohana Moore*,1880** (Argynnidae) Synonym(s): *Rohana Moore*,1880
- 177. *Salamis Boisduval*,1833** (Argynnidae) Synonym(s): *Salamis Boisduval*,1833; *Protogoniomorpha Wallengren*,1857 Original Reference: *Salamis Boisduval*,1833, Nouv. Ann. Mus. Hist. nat., Paris 2 (2): 194. Type-species: *Salamis angustina* Boisduval,1833, by monotypy.
- 178. *Seokia Sibatani*,1943** (Argynnidae) Synonym(s): *Seokia Sibatani*,1943
- 179. *Sephisa Moore*,1882** (Argynnidae) Synonym(s): *Sephisa Moore*,1882 Original Reference: *Sephisa Moore*,1882, Proc. zool. Soc. Lond. 1882: 240. Type-species: *Limenitis dichroa* Kollar,[1844], by designation through Section (i) (replacement names) of Article 67.
- 180. *Sevenia Koçak*,1996** (Argynnidae) Synonym(s): *Crenis Boisduval*,1833 nec Hübn.,[1821]; *Sallya Hemming*,1964 nec Yochelson,1956; *Sevenia Koçak*,1997. Original Reference: *Sevenia Koçak*,1996, Cent. ent. Stud., Misc. Pap. 27/28: 13. Type-species: *Crenis madagascariensis* Boisduval,1833, by original designation (nomen novum pro *Sallya Hemming*,1964 nec Yochelson,1956).
- 181. *Siproeta Hübner*,[1823]** (Argynnidae) Synonym(s): *Siproeta Hübner*,[1823]; *Victorina Blanchard*,1840; *Amphirene Doubleday*,1844; *Amphirene Boisduval*,1870 nec Dobl.,1844
- 182. *Smerina Hewitson*,1874** (Argynnidae) Synonym(s): *Smerina Hewitson*,1874
- 183. *Smyrna Hübner*,[1823]** (Argynnidae) Synonym(s): *Smyrna Hübner*,[1823]
- 184. *Stibochiona Butler*,[1869]** (Argynnidae) Synonym(s): *Stibochiona Butler*,[1869] Original Reference: *Stibochiona Butler*,[1869], Proc. zool. Soc. Lond. 1868 (3): 614. Type-species: *Hypolimnas coresia* Hübner,[1826], by original designation.
- 185. *Sumalia Moore*,[1898]** (Argynnidae) Synonym(s): *Sumalia Moore*,[1898]
- 186. *Symbrenthia Hübner*,[1819]** (Argynnidae) Synonym(s): *Symbrenthia Hübner*,[1819]; *Laogona Boisduval*,1836 Original Reference: *Symbrenthia Hübner*,[1819], Verz. bekannt. Schmett. (3): 43. Type-species: *Symbrenthia hippocle* Hübner,[1819], by monotypy.
- 187. *Tanaecia (Cynitia) Snellen*,1895** (Argynnidae) Synonym(s): *Cynitia Snellen*,1895
- 188. *Tanaecia (Kirontisa) Moore*,[1897]** (Argynnidae) Synonym(s): *Kirontisa Moore*,[1897]
- 189. *Tanaecia (s.str.) Butler*,1869** (Argynnidae) Synonym(s): *Tanaecia Butler*,1869
- 190. *Tanaecia Butler*,1869** (Argynnidae) Synonym(s): *Tanaecia Butler*,1869
- 191. *Terinos Boisduval*,1836** (Argynnidae) Synonym(s): *Terinos Boisduval*,1836
- 192. *Texola Higgins*,[1959]** (Argynnidae) Synonym(s): *Texola Higgins*,[1959]
- 193. *Thaleropis Staudinger*,1871** (Argynnidae) Synonym(s): *Thaleropis Staudinger*,1871 Original Reference: *Thaleropis Staudinger*,1871, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 17. Type-species: *Vanessa ionia* Fischer de Waldheim & Eversmann,1851, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2, by monotypy.
- 194. *Thessalia Scudder*,1875** (Argynnidae) Synonym(s): *Thessalia Scudder*,1875
- 195. *Timelea Lucas*,1883** (Argynnidae) Synonym(s): *Timelea Lucas*,1883
- 196. *Vagrans Hemming*,1934** (Argynnidae) Synonym(s): *Vagrans Hemming*,1934
- 197. *Vanessa (Cynthia) Fabricius*,1807** (Argynnidae) Synonym(s): *Cynthia Fabricius*,1807; *Neopyrameis Scudder*,1889; *Fieldia Niculescu*,1979 (praeocc.); *Neofieldia Özdikmen*,2008. Original Reference: *Cynthia Fabricius*,1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio*

cardui Linnaeus, 1758, Syst. Nat. (Ed.10)1: 475, by subsequent designation by Westwood, 1840, Introd. class. Ins. 2, syn.: 87.

198. **Vanessa (s.str.) Fabricius, 1807** (Argynnidae) Synonym(s): *Vanessa Fabricius, 1807*; *Pyrameis Hübner, [1819]*; *Ammiralis Rennie, 1832*; *Phanessa Sodoffsky, 1837*. Original Reference: *Vanessa Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio atalanta* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 478, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 354, 440.
199. **Vanessa Fabricius, 1807** (Argynnidae) Synonym(s): *Vanessa Fabricius, 1807*; *Pyrameis Hübner, [1819]*; *Ammiralis Rennie, 1832*; *Phanessa Sodoffsky, 1837*. Original Reference: *Vanessa Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: *Papilio atalanta* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 478, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 354, 440.
200. **Vanessula Dewitz, 1887** (Argynnidae) Synonym(s): *Vanessula Dewitz, 1887*
201. **Vindula Hemming, 1934** (Argynnidae) Synonym(s): *Vindula Hemming, 1934*
202. **Yoma Doherty, 1886** (Argynnidae) Synonym(s): *Yoma Doherty, 1886*
203. **Zalapia Moore, [1897]** (Argynnidae) Synonym(s): *Zalapia Moore, [1897]* Original Reference: *Zalapia Moore, [1897]*, Lepid. ind. 3(27): 49. Type-species: *Adolias patala* Kollar, [1844], by original designation.
204. **Amauris (Amaura) Geyer, 1837** (Danaiidae) Synonym(s): *Amaura Geyer, 1837*; *Conoploea Guenée, 1865*; *Cadytis Moore, 1883*; *Berethis Moore, 1883*; *Nebroda Moore, 1883*; *Amaurina Aurivillius, 1910*; *Panamauris Bryk, 1937*; *Egialea Hemming, 1964*
205. **Chittira Moore, [1880]** (Danaiidae) Synonym(s): *Chittira Moore, [1880]* Original Reference: *Chittira Moore, [1880]*, Lep. Ceylon 1 (1): 8. Type-species: *Danaïs fumata* Butler, 1866, Proc. zool. Soc. Lond. 1866: 52, by original designation.
206. **Danaus (Anosia) Hübner, [1816]** (Danaiidae) Synonym(s): *Limnas Hübner, [1806]* (rejected; Opinion 278, 1954); *Anosia Hübner, [1816]*; *Panlymnas Bryk, 1937*. Original Reference: *Anosia Hübner, [1816]*, Verz. bekannt. Schmett. (1): 16. Type-species: *Papilio gilippus* Cramer, [1775], Uitl. Kapellen 1(3): 41, Pl. 26, figs. E, F, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci, Boston 10: 113.
207. **Danaus (Salatura) Moore, [1880]** (Danaiidae) Synonym(s): *Salatura Moore, [1880]*
208. **Danaus (s.str.) Kluk, 1802** (Danaiidae) Synonym(s): *Danaus Kluk, 1802*; *Danaida Latreille, 1804*; *Danaïs Latreille, 1807*; *Festivus Crotch, 1872*; *Tasitia Moore, 1883*; *Danaomorpha Kremky, 1925*; *Panlymnas Bryk, 1937*. Original Reference: *Danaus Kluk, 1802*, Zwierz. Hist. nat. pocz. gospod. 4: 84. Type-species: *Papilio plexippus* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 471, by subsequent designation by Hemming, 1933, Entomologist 66: 222.
209. **Danaus Kluk, 1802** (Danaiidae) Synonym(s): *Danaus Kluk, 1802*; *Danaida Latreille, 1804*; *Danaïs Latreille, 1807*; *Festivus Crotch, 1872*; *Tasitia Moore, 1883*; *Danaomorpha Kremky, 1925*; *Panlymnas Bryk, 1937*. Original Reference: *Danaus Kluk, 1802*, Zwierz. Hist. nat. pocz. gospod. 4: 84. Type-species: *Papilio plexippus* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 471, by subsequent designation by Hemming, 1933, Entomologist 66: 222.
210. **Dircenna Doubleday, 1847** (Danaiidae) Synonym(s): *Oleria Hübner, 1816*; *Dircenna Doubleday, 1847*
211. **Euploea (Crastia) Hübner, [1816]** (Danaiidae) Synonym(s): *Crastia Hübner, [1816]* Original Reference: *Crastia Hübner, [1816]*, Verz. bekannt. Schmett. (1): 16. Type-species: *Papilio core* Cramer, [1780], Uitl. Kapellen 3 (23): 133, Pl. 266, figs. E, F, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci, Boston 10: 148.
212. **Euploea (Salpinx) Hübner, [1819]** (Danaiidae) Synonym(s): *Salpinx Hübner, [1819]* Original Reference: *Salpinx Hübner, [1819]*, Verz. bekannt. Schmett. (2): 17. Type-species: *Limnas nemertes* Hübner, [1807], Samml. exot. Schmett. 1: pl. [26], by monotypy.
213. **Euploea (Stictoploea) Butler, [1878]** (Danaiidae) Synonym(s): *Stictoploea Butler, [1878]* Original Reference: *Stictoploea Butler, [1878]*, J. linn. Soc. Lond., Zool. 14: 291, 301. Type-species: *Euploea gloriosa* Butler, 1866, Proc. zool. Soc. Lond. 1866: 293, Pl. 29 fig. 4, by original designation.
214. **Euploea Fabricius, 1807** (Danaiidae) Synonym(s): *Euploea Fabricius, 1807*; *Isamia Moore, 1880*; *Narmada Moore, 1880*; *Nipara Moore, 1883*; *Vonona Moore, 1883*; *Oranasma Moore, 1883*; *Patosa Moore, 1883*; *Sarobia Moore, 1883*; *Vadebra Moore, 1883*; *Lontara Moore, 1883*; *Gamatoba Moore, 1883*; *Menama Moore, 1883*; *Tronga Moore, 1883*; *Adigama Moore, 1883*; *Sabanosa Moore, 1883*; *Andasena Moore, 1883*; *Chanapa Moore, 1883*; *Deragena Moore, 1883*; *Betanga Moore, 1883*; *Bibisana Moore, 1883*; *Penoa Moore, 1883*; *Mahintha Moore, 1883*; *Karadira Moore, 1883*; *Pramesta Moore, 1883*; *Tagata Moore, 1883*; *Rasuma Moore, 1883*; *Chirosa Moore, 1883*;

- Mestapra* Moore,1883; *Glinama* Moore,1883; *Danisepa* Moore,1883; *Saphara* Moore,1883; *Satanga* Moore,1883; *Tabada* Moore,1883; *Selinda* Moore,1883; *Hirdapa* Moore,1883; *Pademma* Moore,1883; *Nacamsa* Moore,1883; *Tiruna* Moore,1883; *Anadara* Moore,1883; *Doricha* Moore,1883 Original Reference: *Euploea* Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 280. Type-species: *Papilio corus* Fabricius,1793, Ent. Syst.3(1): 41, by subsequent designation by the Commission under the Plenary Powers in Opinion 163.
215. **Idea Fabricius,1807** (Danaiidae) Synonym(s): *Idea* Fabricius,1807; *Hestia* Hübner,1816
216. **Ideopsis Horsfield,[1858]** (Danaiidae) Synonym(s): *Ideopsis* Horsfield,[1858]
217. **Lycorea Doubleday & Hewitson,[1847]** (Danaiidae) Synonym(s): *Lycorea* Doubleday & Hewitson,[1847]; *Lycorella* Hemming,1933
218. **Miriamica Vane-Wright Boppré & Ackery,2002** (Danaiidae) Synonym(s): *Miriamica* Vane-Wright Boppré & Ackery,2002
219. **Parantica Moore,[1880]** (Danaiidae) Synonym(s): *Parantica* Moore,[1880]; *Caduga* Moore,1883; *Bahore* Moore,1883 Original Reference: *Parantica* Moore,[1880], Lep. Ceylon 1(1). Type-species *Papilio aglea* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4(32): 173, Pl.377 fig.E, by original designation.
220. **Tellervo Kirby,1894** (Danaiidae) Synonym(s): *Tellervo* Kirby,1894
221. **Tirumala Moore,[1880]** (Danaiidae) Synonym(s): *Tirumala* Moore,[1880]; *Melinda* Moore,1883; *Elsa* Honrath,1892 Original Reference: *Tirumala* Moore,[1880], Lep. Ceylon 1 (1): 4. Type-species: *Papilio limniace* Cramer,[1775], Uitl. Kapellen 1(5): 92, Pl.59, figs. D,E, by original designation.
222. **Abantis Hopffer,1855** (Hesperiidae) Synonym(s): *Abantis* Hopffer,1855; *Sapaea* Plötz,1879; *Abantiades* Fairmaire,1894. Original Reference: *Abantis* Hopffer,1855, Ber. Verhandl. K. Preuss. Akad. Wissenschaften Berlin 1855: 643. Type-species: *Abantis tettensis* Hopffer,1855, ibid. 1855: 643, by monotypy.
223. **Abraximorpha Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Abraximorpha* Elwes & Edwards,1897
224. **Acada Evans,1937** (Hesperiidae) Synonym(s): *Acada* Evans,1937 Original Reference: *Acada* Evans,1937, A Catalogue of African Hesperiidae...: 108. Type-species: *Pamphila biseriata* Mabilie,1893, by original designation.
225. **Acerbas De Nicéville,1895** (Hesperiidae) Synonym(s): *Acerbas* De Nicéville,1895
226. **Achalarus Scudder,1872** (Hesperiidae) Synonym(s): *Achalarus* Scudder,1872; *Murgaria* E.Y.Watson,1893
227. **Achlyodes Hübner,[1819]** (Hesperiidae) Synonym(s): *Achlyodes* Hübner,[1819]; *Eantis* Boisduval,1836; *Sebaldia* Mabilie,1903
228. **Acleros Mabilie,[1886]** (Hesperiidae) Synonym(s): *Acleros* Mabilie,[1886] Original Reference: *Acleros* Mabilie,[1886], [in] Grandidier, Hist. phys. nat. pol. Madagascar 18 (2): pl.54. Type-species: *Cyclopides leucopyga* Mabilie,1877, by monotypy.
229. **Actinor E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Actinor* E.Y.Watson,1893 Original Reference: *Actinor* Watson,1893, Proc. zool. Soc. Lond. 1893: 92, 108. Type-species: *Halpe radians* Moore,1878, by original designation.
230. **Adopaeoides Godman,1900** (Hesperiidae) Synonym(s): *Adopaeoides* Godman,1900; *Neadopea* Hayward,1941
231. **Aegiale C.Felder & R.Felder,1860** (Hesperiidae) Synonym(s): *Aegiale* C.Felder & R.Felder,1860; *Teria* Blasquez,1870; *Acentrocne* Scudder,1875
232. **Aeromachus De Nicéville,1890** (Hesperiidae) Synonym(s): *Aeromachus* De Nicéville,1890; *Machacus* Swinhoe,1912 Original Reference: *Aeromachus* De Nicéville,1890, J. Bombay nat. Hist. Soc. 5(3): 214. Type-species: *Thanaos stigmata* Moore,1878, by original designation.
233. **Aethilla Hewitson,1868** (Hesperiidae) Synonym(s): *Aethilla* Hewitson,1868
234. **Agathymus Freeman,1959** (Hesperiidae) Synonym(s): *Agathymus* Freeman,1959
235. **Aguna R.C.Williams,1927** (Hesperiidae) Synonym(s): *Tmetocerus* Poujade,1895 *nec* Hartert,1891; *Aguna* R.C.Williams,1927
236. **Aides Billberg,1820** (Hesperiidae) Synonym(s): *Aides* Billberg,1820; *Paraides* Godman,1900
237. **Alenia Evans,1935** (Hesperiidae) Synonym(s): *Alenia* Evans,1935 Original Reference: *Alenia* Evans,1935, [in] Charpenter, Trans. R. ent. Soc. Lond. 83 (3): 409. Type-species: *Pyrgus sandaster* Trimen,1868, by original designation.
238. **Allora Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Allora* Waterhouse & Lyell,1914
239. **Amblyscirtes Scudder,1872** (Hesperiidae) Synonym(s): *Amblyscirtes* Scudder,1872; *Stomyles* Scudder,1872; *Mastor* Godman,1900; *Epiphyes* Dyar,1905

- 240. Amenis E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *Amenis E.Y.Watson,1893*
- 241. Ampittia Moore,[1882]** (Hesperiidae) **Synonym(s):** *Ampittia Moore,[1882]* **Original Reference:** *Ampittia Moore,[1882]*, *Lepid. Ceylon* 1(4): 171. Type-species: *Hesperia maro* Fabricius,1798, *Suppl. Ent. Syst.*: 432, by original designation.
- 242. Amysoria Mielke,2002** (Hesperiidae) **Synonym(s):** *Amysoria Mielke,2002*
- 243. Anastrus Hübner,[1824]** (Hesperiidae) **Synonym(s):** *Anastrus Hübner,[1824]*; *Echelatus* Godman & Salvin,1894; *gorgophone* Godman & Salvin,1894
- 244. Anatrytone Dyar,1905** (Hesperiidae) **Synonym(s):** *Anatrytone Dyar,1905*; *Mellana* Hayward,1948
- 245. Ancistroides Butler,1874** (Hesperiidae) **Synonym(s):** *Ancistroides Butler,1874*; *Kerana* Distant,1886; *Tamela* Swinhoe,1913
- 246. Ancyloxypha C.Felder,1862** (Hesperiidae) **Synonym(s):** *Ancyloxypha C.Felder,1862*
- 247. Andronymus Holland,1896** (Hesperiidae) **Synonym(s):** *Andronymus Holland,1896*; *Acromecis* Mabilie,1904 **Original Reference:** *Andronymus Holland,1896*, *Proc. zool. Soc. Lond.* 1896: 80. Type-species: *Pamphila philander* Hopffer,1855, by original designation.
- 248. Anisochoria Mabilie,[1877]** (Hesperiidae) **Synonym(s):** *Anisochoria Mabilie,[1877]*; *Dichrosema* Bryk,1953
- 249. Anisynta Lower,1911** (Hesperiidae) **Synonym(s):** *Anisynta Lower,1911*
- 250. Ankola Evans,1937** (Hesperiidae) **Synonym(s):** *Ankola Evans,1937* **Original Reference:** *Ankola Evans,1937*, *A Catalogue of African Hesperiidae...*: 106. Type-species: *Osmodes ? fan* Holland,1894, by original designation.
- 251. Anthoptus Bell,1942** (Hesperiidae) **Synonym(s):** *Anthoptus Bell,1942*
- 252. Antigonus Hübner,[1819]** (Hesperiidae) **Synonym(s):** *Antigonus Hübner,[1819]*; *Chaetoneura* C.Felder & R.Felder,1862; *Systaspes* Weeks,1905
- 253. Apostictopterus Leech,1894** (Hesperiidae) **Synonym(s):** *Apostictopterus Leech,1894*; *Tecupa* Swinhoe,1917
- 254. Apyrrothrix Lindsey,1921** (Hesperiidae) **Synonym(s):** *Apyrrothrix Lindsey,1921*
- 255. Ardaris E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *Ardaris E.Y.Watson,1893*
- 256. Argon Evans,1955** (Hesperiidae) **Synonym(s):** *Argon Evans,1955*
- 257. Arita Evans,1955** (Hesperiidae) **Synonym(s):** *Arita Evans,1955*
- 258. Arnetta E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *Arnetta E.Y.Watson,1893*
- 259. Arrhenes Mabilie,1874** (Hesperiidae) **Synonym(s):** *Arrhenes Mabilie,1874*; *Arrhenella* Waterhouse,1937
- 260. Arteurotia Butler & Druce,1872** (Hesperiidae) **Synonym(s):** *Arteurotia Butler & Druce,1872*
- 261. Artitropa Holland,1896** (Hesperiidae) **Synonym(s):** *Artitropa Holland,1896* **Original Reference:** *Artitropa Holland,1896*, *Proc. zool. Soc. Lond.* 1896: 92. Type-species: *Pamphila erynnis* Trimen,1862, by original designation.
- 262. Astictopterus C.Felder & R.Felder,1860** (Hesperiidae) **Synonym(s):** *Astictopterus C.Felder & R.Felder,1860* **Original Reference:** *Astictopterus C.Felder & R.Felder,1860*, *Wien. ent. Monatschr.* 4: 401. Type-species: *Astictopterus jama* Felder & Felder,1860, by subsequent designation by Butler,1870, *Entomologist's mon. Mag.* 7: 95.
- 263. Astraptus Hübner,[1819]** (Hesperiidae) **Synonym(s):** *Astraptus Hübner,[1819]*; *Telegonus* Hübner,[1819]; *Euthymele* Mabilie,1879
- 264. Atalopedes Scudder,1872** (Hesperiidae) **Synonym(s):** *Atalopedes Scudder,1872*; *Pansydia* Scudder,1872
- 265. Atarnes Godman & Salvin,1897** (Hesperiidae) **Synonym(s):** *Atarnes Godman & Salvin,1897*
- 266. Atrytonopsis Godman,1900** (Hesperiidae) **Synonym(s):** *Atrytonopsis Godman,1900*
- 267. Aurina Evans,1937** (Hesperiidae) **Synonym(s):** *Aurina Evans,1937* **Original Reference:** *Aurina Evans,1937*, *A Catalogue of African Hesperiidae...*: 2, 26. Type-species: *Aurina dida* Evans,1937, by original designation.
- 268. Autochton Hübner,[1823]** (Hesperiidae) **Synonym(s):** *Autochton Hübner,[1823]*; *Cecropterus* Herrich-Schäffer,1869; *Rhabdoides* Scudder,1869
- 269. Azonax Godman & Salvin,1893** (Hesperiidae) **Synonym(s):** *Azonax Godman & Salvin,1893*
- 270. Badamia Moore,[1881]** (Hesperiidae) **Synonym(s):** *Badamia Moore,[1881]*; *#Badhamia* Burns,1933 **Original Reference:** *Badamia Moore,[1881]*, *Lep. Ceylon* 1(4): 156. Type-species: *Papilio exclamationis* Fabricius,1775, *Syst. Ent.*: 530, by original designation.
- 271. Banta Evans,1949** (Hesperiidae) **Synonym(s):** *Banta Evans,1949*

- 272. Baoris Moore,[1881]** (Hesperiidae) Synonym(s): *Baoris Moore,[1881]* Original Reference: *Baoris Moore,[1881]*, Lep. Ceylon 1(4): 165. Type-species: *Hesperia oceia* Hewitson,1868, Descr. One Hundred new Spec. Hesp. (2): 31, by original designation.
- 273. Barachus Moore,1881** (Hesperiidae) Synonym(s): *Barachus Moore,1881*
- 274. Barca De Nicéville,1902** (Hesperiidae) Synonym(s): *Dejeania Oberthür,1896 nec Robineau-Desvoidy,1830; Barca De Nicéville,1902.*
- 275. Bibasis Moore,[1881]** (Hesperiidae) Synonym(s): *Bibasis Moore,[1881]; Ismene Swainson,1820; Burara Swinhoe,1893; Pola Swinhoe,1912; Sartora Swinhoe,1912; Zehala Swinhoe,1912; Gecana Swinhoe,1912; Tothrix Swinhoe,1912.* Original Reference: *Bibasis Moore,[1881]*, Lep. Ceylon 1(4): 160. Type-species: *Goniloba sena Moore,[1866]*, Proc. zool. Soc. Lond. 1865: 778, by original designation.
- 276. Bolla Mabille,1903** (Hesperiidae) Synonym(s): *Bolla Mabille,1903*
- 277. Borbo Evans,1949** (Hesperiidae) Synonym(s): *Borbo Evans,1949* Original Reference: *Borbo Evans,1949*, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 44, 436. Type-species: *Hesperia borbonica* Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6, by original designation.
- 278. Brusa Evans,1937** (Hesperiidae) Synonym(s): *Brusa Evans,1937* Original Reference: *Brusa Evans,1937*, A Catalogue of African Hesperiidae...: 8, 173. Type-species: *Parnara saxicola* Neave,1910, by original designation.
- 279. Bungalotis E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Bungalotis E.Y.Watson,1893*
- 280. Cabares Godman & Salvin,1894** (Hesperiidae) Synonym(s): *Cabares Godman & Salvin,1894*
- 281. Caenides Holland,1896** (Hesperiidae) Synonym(s): *Caenides Holland,1896; Leona Evans,1937.* Original Reference: *Caenides Holland,1896*, Proc. zool. Soc. Lond. 1896: 85. Type-species: *Hesperia dacela* Hewitson,1876, by original designation.
- 282. Calleagris Aurivillius,[1925]** (Hesperiidae) Synonym(s): *Calleagris Aurivillius,[1925].* Original Reference: *Calleagris Aurivillius,[1925]*, [in] Seitz,A., Die Grossschmett. Erde 13: 571. Type-species: *Antigonus jamesoni* Sharpe,1890, by monotypy.
- 283. Calliades Mabille & Boulet,1912** (Hesperiidae) Synonym(s): *Calliades Mabille & Boulet,1912*
- 284. Callimormus Scudder,1872** (Hesperiidae) Synonym(s): *Callimormus Scudder,1872*
- 285. Calpodes Hübner,[1819]** (Hesperiidae) Synonym(s): *Calpodes Hübner,[1819]*
- 286. Caltoris Swinhoe,1893** (Hesperiidae) Synonym(s): *Caltoris Swinhoe,1893; Milena Evans,1913*
- 287. Camptopleura Mabille,1877** (Hesperiidae) Synonym(s): *Camptopleura Mabille,1877*
- 288. Capila Moore,[1866]** (Hesperiidae) Synonym(s): *Capila Moore,[1866]; Pisola Moore,[1866], Calliana Moore,1878; Crossiura De Nicéville,1892; Pteroxys Watson,1893 nec Hamps.,1893; Orthophoetus Watson,1895.*
- 289. Caprona Wallengren,1857** (Hesperiidae) Synonym(s): *Caprona Wallengren,1857; Abaratha Moore,1881; Stethotrix Mabille,1890* Original Reference: *Caprona Wallengren,1857*, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4:51. Type-species: *Caprona pillaana* Wallengren,1857, op.cit., 51, by monotypy.
- 290. Carcharodus (Lavatheria) Verity,1940** (Hesperiidae) Synonym(s): *Lavatheria Verity,1940* Original Reference: *Lavatheria Verity,1940*, Le Farfalle diurn. d'Italia 1: 11,22. Type-species: *Papilio lavatherae* Esper, [1783], Die Schmett. 1(Bd 2) Forst. Tagschmett.: 148, pl.82, fig.4, by original designation.
- 291. Carcharodus (Reverdinus) Ragusa,1919** (Hesperiidae) Synonym(s): *Reverdinus Ragusa,1919* Original Reference: *Reverdinus Ragusa,1919*, Nat. sicil. 23(7/12): 172. Type-species: *Papilio altheae* Hübner,[1803], Samml. eur. Schmett.: pl. Pap.90, figs.452-453. by subsequent designation by Lindsey,1925, Ann. ent. Soc. Amer. 18: 100.
- 292. Carcharodus (s.str.) Hübner,[1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner,[1819]; Spilothyrsus Duponchel,1835* Original Reference: *Carcharodus Hübner,[1819]*, Verz. bekannt. Schmett. (7): 110. Type-species: *Papilio alceae* Esper,[1780], by the Commission under its Plenary Power (Opinion 181 (1947, Opin. int. Comm. zool. Nom. 2: 589-621)).
- 293. Carcharodus Hübner,[1819]** (Hesperiidae) Synonym(s): *Carcharodus Hübner,[1819]; Spilothyrsus Duponchel,1835* Original Reference: *Carcharodus Hübner,[1819]*, Verz. bekannt. Schmett. (7):110. Type-species: *Papilio alceae* Esper,[1780], Die Schmett. 1(Bd 2) Forts Tagschmett.:4, pl.51 fig.3, by subsequent designation by ICZN, Op.181.
- 294. Carrhenes Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Carrhenes Godman & Salvin,1895*

- 295. *Carterocephalus Lederer, 1852* (Hesperiidae) Synonym(s):** *Carterocephalus Lederer, 1852*; *Aubertia Oberthür, 1896*; *Pamphilida Lindsey, 1925*. Original Reference: *Carterocephalus Lederer, 1852*, Verh. zool.-bot. Ver. Wien 2: 26. Type-species: *Papilio paniscus* Fabricius, 1775, Syst. Ent.: 531. by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10:134.
- 296. *Carystoides Godman, 1901* (Hesperiidae) Synonym(s):** *Carystoides Godman, 1901*; *Themesion Godman, 1901*
- 297. *Carystus Hübner, [1819]* (Hesperiidae) Synonym(s):** *Carystus Hübner, [1819]*
- 298. *Celaenorrhinus Hübner, [1819]* (Hesperiidae) Synonym(s):** *Celaenorrhinus Hübner, [1819]*; *Ancistrocampta C.Felder & R.Felder, 1862*; *Hantana Moore, 1881*; *Gehlota Doherty, 1889*; *Apallaga Strand, 1891*; *Narga Mabille, 1891*; *Charmion De Nicéville, 1894*; *Orneates Godman & Salvin, 1894* Original Reference: *Celaenorrhinus Hübner, [1819]*, Verz. bekannt. Schmett. (7): 106. Type-species: *Papilio eligius* Stoll, [1781], [in] Cramer, Uitl. Kapellen 4(30): 123, Pl.354, fig.H, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 137.
- 299. *Celotes Godman & Salvin, 1899* (Hesperiidae) Synonym(s):** *Celotes Godman & Salvin, 1899*
- 300. *Cephise Evans, 1952* (Hesperiidae) Synonym(s):** *Cephise Evans, 1952*
- 301. *Cephrenes Waterhouse & Lyell, 1914* (Hesperiidae) Synonym(s):** *Corone Mabille, 1904 nec Hemp, 1829*; *Cephrenes Waterhouse & Lyell, 1914*
- 302. *Ceratrachia Butler, [1870]* (Hesperiidae) Synonym(s):** *Ceratrachia Butler, [1870]* Original Reference: *Ceratrachia Butler, [1870]*, Cat. diurn. Lep. Fabricius: 274. Type-species: *Papilio nothus* Fabricius, 1787, by original designation.
- 303. *Chaetocneme Felder, 1860* (Hesperiidae) Synonym(s):** *Chaetocneme Felder, 1860*; *Casyapa Kirby, 1871*; *Phoenicops Watson, 1893*.
- 304. *Chalypyge Mielke, 2002* (Hesperiidae) Synonym(s):** *Chalypyge Mielke, 2002*
- 305. *Chamunda Evans, 1949* (Hesperiidae) Synonym(s):** *Chamunda Evans, 1949*
- 306. *Chioides Lindsey, 1921* (Hesperiidae) Synonym(s):** *Chioides Lindsey, 1921*
- 307. *Chiomara Godman & Salvin, 1899* (Hesperiidae) Synonym(s):** *Chiomara Godman & Salvin, 1899*
- 308. *Choaspes Moore, [1881]* (Hesperiidae) Synonym(s):** *Choaspes Moore, [1881]* Original Reference: *Choaspes Moore, [1881]*, Lep. Ceylon 1 (4): 158. Type-species: *Hesperia (Thymele) benjaminii* Guérin-Ménéville, 1843, [in] Delessert, Souvenirs Voy. Inde (2): 79, Pl.22 fig. 2, by original designation.
- 309. *Chondrolepis Mabille, 1904* (Hesperiidae) Synonym(s):** *Chondrolepis Mabille, 1904*; *Chioneigia Heron, 1909*. Original Reference: *Chondrolepis Mabille, 1904*, [in] Wytsman, P.A.G., Genera Insectorum 17: 170. Type-species: *Pamphila murga* Mabille, 1890, by monotypy.
- 310. *Chrysoplectrum E.Y.Watson, 1893* (Hesperiidae) Synonym(s):** *Chrysoplectrum E.Y.Watson, 1893*
- 311. *Cobalopsis Godman, 1900* (Hesperiidae) Synonym(s):** *Cobalopsis Godman, 1900*
- 312. *Cobalus Hübner, [1819]* (Hesperiidae) Synonym(s):** *Cobalus Hübner, [1819]*
- 313. *Codatractus Lindsey, 1921* (Hesperiidae) Synonym(s):** *Heteropia Mabille, 1889 nec Cart., 1886*; *Codatractus Lindsey, 1921*
- 314. *Coeliades Hübner, 1818* (Hesperiidae) Synonym(s):** *Coeliades Hübner, 1818*; *Rhopalocampta Wallengren, 1857*. Original Reference: *Coeliades Hübner, 1818*, Zutr. z. Samml. exot. Schmett. 1: 31. Type-species: *Papilio forestan* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4(33): 210, Pl.391 figs. E, F, by subsequent designation by Hemming, 1935, Trans. R. ent. Soc. Lond. 83: 436.
- 315. *Cogia Butler, 1870* (Hesperiidae) Synonym(s):** *Cogia Butler, 1870*; *Phoedinus Godman & Salvin, 1894*; *Caicella Hemming, 1934*
- 316. *Coladenia Moore, [1881]* (Hesperiidae) Synonym(s):** *Coladenia Moore, [1881]* Original Reference: *Coladenia Moore, [1881]*, Lep. Ceylon 1(4): 180. Type-species: *Plesioneura indrani* Moore, [1866], Proc. zool. Soc. Lond. 1865: 789, by original designation.
- 317. *Conga Evans, 1955* (Hesperiidae) Synonym(s):** *Conga Evans, 1955*
- 318. *Copaeodes Speyer, 1877* (Hesperiidae) Synonym(s):** *Copaeodes Speyer, 1877*
- 319. *Corticea Evans, 1955* (Hesperiidae) Synonym(s):** *Corticea Evans, 1955*
- 320. *Croitana Waterhouse, 1932* (Hesperiidae) Synonym(s):** *Croitana Waterhouse, 1932*
- 321. *Croniades Mabille, 1904* (Hesperiidae) Synonym(s):** *Croniades Mabille, 1904*
- 322. *Ctenoptilum De Nicéville, 1890* (Hesperiidae) Synonym(s):** *Ctenoptilum De Nicéville, 1890*
- 323. *Cupitha Moore, 1884* (Hesperiidae) Synonym(s):** *Cupitha Moore, 1884*
- 324. *Cycloglypha Mabille, 1903* (Hesperiidae) Synonym(s):** *Cycloglypha Mabille, 1903*
- 325. *Cyclosemia Mabille, 1878* (Hesperiidae) Synonym(s):** *Cyclosemia Mabille, 1878*

- 326. Cymaenes Scudder,1872** (Hesperiidae) **Synonym(s):** *Cymaenes Scudder,1872; Megistias Godman,1900*
- 327. Cynea Evans,1955** (Hesperiidae) **Synonym(s):** *Cynea Evans,1955*
- 328. Cyrina Hemming,1939** (Hesperiidae) **Synonym(s):** *Creteus Nicéville,1895 nec Westw.,1852; Cyrina Hemming,1939*
- 329. Daimio Murray,1875** (Hesperiidae) **Synonym(s):** *Daimio Murray,1875; Catodaulis Speyer,1878.*
Original Reference: Daimio Murray,1875, Entomologist's mon. Mag. 11: 171. Type-species: *Pyrgus tethys* Ménétriés,1857, by monotypy.
- 330. Dalla Mabilie,1904** (Hesperiidae) **Synonym(s):** *Dalla Mabilie,1904*
- 331. Damas Godman,1901** (Hesperiidae) **Synonym(s):** *Damas Godman,1901*
- 332. Dardarina Evans,1937** (Hesperiidae) **Synonym(s):** *Dardarina Evans,1937*
- 333. Darpa Moore,[1866]** (Hesperiidae) **Synonym(s):** *Darpa Moore,[1866]*
- 334. Decinea Evans,1955** (Hesperiidae) **Synonym(s):** *Decinea Evans,1955*
- 335. Diaeus Godman & Salvin,1895** (Hesperiidae) **Synonym(s):** *Diaeus Godman & Salvin,1895*
- 336. Dispar Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *Dispar Waterhouse & Lyell,1914*
- 337. Doberes Godman & Salvin,1895** (Hesperiidae) **Synonym(s):** *Doberes Godman & Salvin,1895; Masices Godman & Salvin,1895*
- 338. Drephalys E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *Drephalys E.Y.Watson,1893; Paradros E.Y.Watson,1893*
- 339. Dubiella Evans,1936** (Hesperiidae) **Synonym(s):** *Dubiella Evans,1936*
- 340. Dyscophellus Godman & Salvin,1893** (Hesperiidae) **Synonym(s):** *Dyscophellus Godman & Salvin,1893*
- 341. Eagris Guenée,1863** (Hesperiidae) **Synonym(s):** *Eagris Guenée,1863; Tricosemeia Holland,1892.*
Original Reference: Eagris Guenée,1863, [in] Maillard, Notes Ile Réunion 2 (Lép.): 6, 19. Type-species: *Thymele sabadius* Boisduval,1833, by monotypy.
- 342. Eanthis Boisduval,1836** (Hesperiidae) **Synonym(s):** *Eanthis Boisduval,1836*
- 343. Ebrietas Godman & Salvin,1896** (Hesperiidae) **Synonym(s):** *Ebrietas Godman & Salvin,1896*
- 344. Ebusus Evans,1955** (Hesperiidae) **Synonym(s):** *Ebusus Evans,1955*
- 345. Eetion De Nicéville,1895** (Hesperiidae) **Synonym(s):** *Eetion De Nicéville,1895*
- 346. Enosis Mabilie,1889** (Hesperiidae) **Synonym(s):** *Enosis Mabilie,1889; Metiscus Godman,1900; Epinosis Schaus,1913*
- 347. Entheus Hübner,[1819]** (Hesperiidae) **Synonym(s):** *Entheus Hübner,[1819]; Peleus Swainson,1831; Brachyneme C.Felder & R.Felder,1862*
- 348. Eogenes Mabilie,1909** (Hesperiidae) **Synonym(s):** *Eogenes Mabilie,1909; Elwesia Evans,1926 nec Hampsn,1894; Chitralia Evans,1932*
Original Reference: Eogenes Mabilie,1909, [in] Seitz, Gross-Schmett. Erde 1: 349. Type-species: *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:38, by monotypy.
- 349. Epargyreus Hübner,[1819]** (Hesperiidae) **Synonym(s):** *Epargyreus Hübner,[1819]; Eridamus Burmeister,1875.*
- 350. Eprius Godman,1901** (Hesperiidae) **Synonym(s):** *Eprius Godman,1901*
- 351. Eretis Mabilie,1891** (Hesperiidae) **Synonym(s):** *Eretis Mabilie,1891*
Original Reference: Eretis Mabilie,1891, Bull. C. R. Soc. ent. Belg. 35: lxxi. Type-species: *Eretis melania* Mabilie,1891, by monotypy.
- 352. Erionota Mabilie,1878** (Hesperiidae) **Synonym(s):** *Erionota Mabilie,1878*
Original Reference: Erionota Mabilie,1878, Annls Soc. ent. Belg. 21: 34. Type-species: *Papilio thrax* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 794, by subsequent designation by Watson,1893, Proc. zool. Soc. Lond. 1893: 72, 86.
- 353. Erynnis (Erynnides) Burns,1964** (Hesperiidae) **Synonym(s):** *Erynnides Burns,1964*
- 354. Erynnis (Hesperopegasus) Seven,2002** (Hesperiidae) **Synonym(s):** *Hallia Tutt,[1906] nec Edwards & Haime,1850; Hesperopegasus Seven,2002.*
Original Reference: Erynnis (Hesperopegasus) Seven,2002, [in] Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 27. Type-species: *Thanaos marloyi* Boisduval,1834, by original designation [proposed as subgenus].
- 355. Erynnis (s.str.) Schrank,1801** (Hesperiidae) **Synonym(s):** *Erynnis Schrank,1801*
Original Reference: Erynnis Schrank,1801, Fauna boica 2(1): 152,157. Type-species: *Papilio tages* Linnaeus,1758, Syst. Nat. (Ed.10)1: 485. by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:71.

- 356. Erynnis Schrank, 1801** (Hesperiidae) Synonym(s): *Erynnis Schrank, 1801* Original Reference: *Erynnis Schrank, 1801, Fauna boica 2(1): 152, 157. Type-species: Papilio tages Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 485. by subsequent designation by Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 71.*
- 357. Euphyes Scudder, 1872** (Hesperiidae) Synonym(s): *Euphyes Scudder, 1872; Arotis Mabil, 1904; Pereneia Lindsey, 1925*
- 358. Euschemon Doubleday, 1846** (Hesperiidae) Synonym(s): *Euschemon Doubleday, 1846*
- 359. Eutocus Godman, 1901** (Hesperiidae) Synonym(s): *Eutocus Godman, 1901*
- 360. Eutyche Godman, 1900** (Hesperiidae) Synonym(s): *Eutyche Godman, 1900*
- 361. Exometoea Meyrick, 1887** (Hesperiidae) Synonym(s): *Exometoea Meyrick, 1887*
- 362. Felicena Waterhouse, 1932** (Hesperiidae) Synonym(s): *Felicena Waterhouse, 1932*
- 363. Flaccilla Godman, 1901** (Hesperiidae) Synonym(s): *Flaccilla Godman, 1901; Aecas Hemming, 1939*
- 364. Fresna Evans, 1937** (Hesperiidae) Synonym(s): *Fresna Evans, 1937* Original Reference: *Fresna Evans, 1937, A Catalogue of African Hesperiidae...: 164. Type-species: Hesperia netopha Hewitson, 1878, by original designation.*
- 365. Fulda Evans, 1937** (Hesperiidae) Synonym(s): *Fulda Evans, 1937* Original Reference: *Fulda Evans, 1937, A Catalogue of African Hesperiidae...: 86. Type-species: Hesperia coroller Boisduval, 1833, by original designation.*
- 366. Galerga Mabil, 1898** (Hesperiidae) Synonym(s): *Galerga Mabil, 1898* Original Reference: *Galerga Mabil, 1898, Annls Soc. ent. Fr. 66: 210. Type-species: Galerga hyposticta Mabil, 1898, by monotypy.*
- 367. Gamia Holland, 1896** (Hesperiidae) Synonym(s): *Gamia Holland, 1896* Original Reference: *Gamia Holland, 1896, Proc. zool. Soc. Lond. 1896: 84. Type-species: Proteides palua Holland, 1891, by original designation.*
- 368. Gangara Moore, 1881** (Hesperiidae) Synonym(s): *Gangara Moore, 1881; Paduka Distant, 1886.*
- 369. Ge De Nicéville, 1895** (Hesperiidae) Synonym(s): *Ge De Nicéville, 1895*
- 370. Gegendes Hübner, [1819]** (Hesperiidae) Synonym(s): *Gegendes Hübner, [1819]; Philoodyus Rambur, 1842* Original Reference: *Gegendes Hübner, [1819], Verz. bekannt. Schmett. (7): 107. Type-species: Papilio pumilio Hoffmansegg, 1803, Mag. f. Insektenk. (Illiger) 3: 202, by subsequent designation by ICZN.*
- 371. Gerosis Mabil, 1903** (Hesperiidae) Synonym(s): *Gerosis Mabil, 1903*
- 372. Gesta Evans, 1953** (Hesperiidae) Synonym(s): *Gesta Evans, 1953*
- 373. Gindanes Godman & Salvin, 1895** (Hesperiidae) Synonym(s): *Gindanes Godman & Salvin, 1895*
- 374. Gomalia Moore, 1879** (Hesperiidae) Synonym(s): *Gomalia Moore, 1879; Tavetana Picard, 1949* Original Reference: *Gomalia Moore, 1879, Proc. zool. Soc. Lond. 1879: 144. Type-species: Gomalia albofasciata Moore, 1879, by monotypy.*
- 375. Gorgyra Holland, 1896** (Hesperiidae) Synonym(s): *Gorgyra Holland, 1896; Oedaloneura Mabil, 1904.* Original Reference: *Gorgyra Holland, 1896, Proc. zool. Soc. Lond. 1896: 31. Type-species: Apaustus aburae Plötz, 1879, by original designation.*
- 376. Gorgythion Godman & Salvin, 1896** (Hesperiidae) Synonym(s): *Gorgythion Godman & Salvin, 1896*
- 377. Grais Godman & Salvin, 1894** (Hesperiidae) Synonym(s): *Grais Godman & Salvin, 1894*
- 378. Granila Mabil, 1904** (Hesperiidae) Synonym(s): *Granila Mabil, 1904*
- 379. Gretna Evans, 1937** (Hesperiidae) Synonym(s): *Gretna Evans, 1937* Original Reference: *Gretna Evans, 1937, A Catalogue of African Hesperiidae...: 7, 149. Type-species: Hesperia cylinda Hewitson, 1876, by original designation.*
- 380. Gyrogra Lindsey & Miller, 1965** (Hesperiidae) Synonym(s): *Gyrogra Lindsey & Miller, 1965.* Original Reference: *Gyrogra Lindsey & Miller, 1965, [in] Fox et al., Butterflies of Liberia: 84. Type-species: Parnara ? subnotata Holland, 1894, by original designation.*
- 381. Halotus Godman, 1900** (Hesperiidae) Synonym(s): *Halotus Godman, 1900*
- 382. Halpe Moore, 1878** (Hesperiidae) Synonym(s): *Halpe Moore, 1878*
- 383. Hasora (Lizetta-gr.)** (Hesperiidae) Synonym(s):
- 384. Hasora (s.str.) Moore, [1881]** (Hesperiidae) Synonym(s): *Hasora Moore, [1881]; Prata Moore, [1881]*
- 385. Hasora Moore, [1881]** (Hesperiidae) Synonym(s): *Hasora Moore, [1881]; Prata Moore, [1881]*

- 386. Helias Fabricius, 1807** (Hesperiidae) Synonym(s): *Helias Fabricius, 1807*; *Achna Billberg, 1820*; *Diphoridas Godman & Salvin, 1896*
- 387. Heliopetes Billberg, 1820** (Hesperiidae) Synonym(s): *Heliopetes Billberg, 1820*; *Leucoscirtes Scudder, 1872*
- 388. Heliopyrgus Herrera, 1957** (Hesperiidae) Synonym(s): *Heliopyrgus Herrera, 1957*
- 389. Hesperia Fabricius, 1793** (Hesperiidae) Synonym(s): *Hesperia Fabricius, 1793*; *Pamphila Fabricius, 1807*; *Diorthosus Rafinesque, 1815*; *Symmachia Sodoffsky, 1837 nec Hübn., 1819*; *Anthomaster Scudder, 1872*; *Ocytes Scudder, 1872*; *Urbicola Tutt, 1905* Original Reference: *Hesperia Fabricius, 1793*, Ent. Syst. 3(1): 258. Type-species: *Papilio comma* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 484. by subsequent designation by Dalman, 1816, K. svenka VetenskAkad. Handl. 1816(2): 200.
- 390. Hesperilla Hewitson, 1867** (Hesperiidae) Synonym(s): *Hesperilla Hewitson, 1867*
- 391. Hesperopsis Dyar, 1905** (Hesperiidae) Synonym(s): *Hesperopsis Dyar, 1905*
- 392. Heteropterus Duméril, 1806** (Hesperiidae) Synonym(s): *Heteropterus Duméril, 1806* Original Reference: *Heteropterus Duméril, 1806*, Zool. analyt.: 271. Type-species: *Papilio aracinthus* Fabricius, 1777, by subsequent designation by Hemming, 1934, Gen. Names hol. Butts 1: 167, under Article 69(a) (ii) (3). Originally no nominal species cited.
- 393. Hewitsoniella Shepard, 1931** (Hesperiidae) Synonym(s): *Hewitsonia Evans, 1926 nec Kirb., 1871*; *Hewitsoniella Shepard, 1931*
- 394. Hidari Distant, 1886** (Hesperiidae) Synonym(s): *Hidari Distant, 1886*
- 395. Hovala Evans, 1937** (Hesperiidae) Synonym(s): *Hovala Evans, 1937* Original Reference: *Hovala Evans, 1937*, A Catalogue of African Hesperiidae...: 4, 64. Type-species: *Cyclopides pardalina* Butler, 1879, by original designation.
- 396. Hyalothyrus Mabilie, [1879]** (Hesperiidae) Synonym(s): *Hyalothyrus Mabilie, [1879]*; *lignyostola Mabilie, 1888*; *Plagiathyrsus Mabilie & Boulet, [1919]*; *Onzis Lindsey, 1925*
- 397. Hyarotis Moore, [1881]** (Hesperiidae) Synonym(s): *Hyarotis Moore, [1881]*; *Itys De Nicéville, 1895 nec Wagler, 1831*; *Kineta Lindsey, 1925* Original Reference: *Hyarotis Moore, [1881]*, Lep. Ceylon 1(4): 174. Type-species: *Papilio adrastus* Stoll, [1780], [in] Cramer, Utl. Kapellen 4(27): 62, Pl. 319, figs. F, G, by original designation.
- 398. Hylephila Billberg, 1820** (Hesperiidae) Synonym(s): *Hylephila Billberg, 1820*; *Euthymus Scudder, 1872*; *Andinus Hayward, 1940*; *Cordillana Hayward, 1941*
- 399. Hypoleucis Mabilie, 1891** (Hesperiidae) Synonym(s): *Hypoleucis Mabilie, 1891* Original Reference: *Hypoleucis Mabilie, 1891*, Bull. C. R. ent. Soc. Belg. 35: lxix. Type-species: *Hypoleucis tripunctata* Mabilie, 1891, by subsequent designation by Watson, 1893.
- 400. Iambrix E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Iambrix E.Y. Watson, 1893*; *Idmon De Nicéville, 1895*.
- 401. Ilma Swinhoe, 1905** (Hesperiidae) Synonym(s): *Ilma Swinhoe, 1905*
- 402. Isma Distant, 1886** (Hesperiidae) Synonym(s): *Isma Distant, 1886*; *Lophoides Watson, 1893*; *Sepa De Nicéville, 1894*
- 403. Isoteinon C. Felder & R. Felder, 1862** (Hesperiidae) Synonym(s): *Isoteinon C. Felder & R. Felder, 1862* Original Reference: *Isoteinon Felder & Felder, 1862*, Wien. ent. Monatschr. 6: 30. Type-species: *Isoteinon lamprospilus* Felder & Felder, 1862, by monotypy.
- 404. Iton De Nicéville, 1895** (Hesperiidae) Synonym(s): *Iton De Nicéville, 1895*
- 405. Jemadia E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Jemadia E.Y. Watson, 1893*
- 406. Joanna Evans, 1955** (Hesperiidae) Synonym(s): *Joanna Evans, 1955*
- 407. Jonaspyge Mielke, 2002** (Hesperiidae) Synonym(s): *Jonaspyge Mielke, 2002*
- 408. Justinia Evans, 1955** (Hesperiidae) Synonym(s): *Justinia Evans, 1955*
- 409. Katreus E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Christoneura Mabilie, 1890 nec Led., 1859*; *Katreus E.Y. Watson, 1893*; *Ortholexis Karsch, 1895*; *Loxolexis Karsch, 1895*; *Acallopiestes Holland, 1896*; *Daratus Lindsey, 1925*. Original Reference: *Katreus Watson, 1893*, Proc. zool. Soc. Lond. 1893: 115. Type-species: *Astictopterus johnstonii* Butler, 1888, by original designation.
- 410. Kedestes E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Kedestes E.Y. Watson, 1893* Original Reference: *Kedestes E.Y. Watson, 1893*, Proc. zool. Soc. Lond. 1893: 96. Type-species: *Hesperia lepenula* Wallengren, 1857, by original designation.
- 411. Kobrona Evans, 1934** (Hesperiidae) Synonym(s): *Kobrona Evans, 1934*
- 412. Koruthaialos E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Koruthaialos E.Y. Watson, 1893*; *Arunena Swinhoe, 1919*.
- 413. Lento Evans, 1955** (Hesperiidae) Synonym(s): *Lento Evans, 1955*

- 414. *Lepella Evans, 1937*** (Hesperiidae) Synonym(s): *Lepella Evans, 1937* Original Reference: *Lepella Evans, 1937*, A Catalogue of African Hesperiidae...: 4, 76. Type-species: *Hesperia lepeletier* Latreille, [1824], by original designation.
- 415. *Leptalina Mabilles, 1904*** (Hesperiidae) Synonym(s): *Leptalina Mabilles, 1904* Original Reference: *Leptalina Mabilles, 1904*, [in] Wytzman's Gen. Ins. 17 (B): 92, 110. Type-species: *Steropes unicolor* Bremer & Grey, [1852], [in] Motschulsky, Etüd. ent. 1: 61, by subsequent designation by Lindsey, 1925, Ann. ent. Soc. Amer. 18: 90.
- 416. *Lerema Scudder, 1872*** (Hesperiidae) Synonym(s): *Lerema Scudder, 1872*; *Sarega Mabilles, 1904*
- 417. *Lerodea Scudder, 1872*** (Hesperiidae) Synonym(s): *Lerodea Scudder, 1872*
- 418. *Leucochitonea Wallengren, 1857*** (Hesperiidae) Synonym(s): *Leucochitonea Wallengren, 1857* Original Reference: *Leucochitonea Wallengren, 1857*, K. svenska VetenskAkad. Handl. Stockholm (n.f.) 2 (1) 4: 52. Type-species: *Leucochitonea levubu* Wallengren, 1857, by subsequent designation by Wallengren, 1858.
- 419. *Librita Evans, 1955*** (Hesperiidae) Synonym(s): *Librita Evans, 1955*
- 420. *Lobocla Moore, 1884*** (Hesperiidae) Synonym(s): *Lobocla Moore, 1884* Original Reference: *Lobocla Moore, 1884*, J. asiat. Soc. Bengal Pt.II 53 (1): 51. Type-species: *Plesioneura lilliana* Atkinson, 1871, by original designation.
- 421. *Lotongus Distant, 1886*** (Hesperiidae) Synonym(s): *Lotongus Distant, 1886*
- 422. *Lychnuoides Godman, 1901*** (Hesperiidae) Synonym(s): *Lychnuoides Godman, 1901*
- 423. *Mahotis E.Y. Watson, 1893*** (Hesperiidae) Synonym(s): *Mahotis E.Y. Watson, 1893*
- 424. *Malaza Mabilles, 1904*** (Hesperiidae) Synonym(s): *Malaza Mabilles, 1904*; *Manarina Mabilles, 1904* Original Reference: *Malaza Mabilles, 1904*, [in] Wytzman, P.A.G., Genera Insectorum 17: 95. Type-species: *Cyclopides catocalinus* Mabilles, 1878, by subsequent designation by Lindsey, 1965, Butterflies of Liberia: 96.
- 425. *Matapa Moore, [1881]*** (Hesperiidae) Synonym(s): *Matapa Moore, [1881]* Original Reference: *Matapa Moore, [1881]*, Lep. Ceylon 1(4): 163. Type-species: *Ismene aria* Moore, [1866], Proc. zool. Soc. Lond. 1865: 784.
- 426. *Megathymus Scudder, 1872*** (Hesperiidae) Synonym(s): *Megathymus Scudder, 1872*
- 427. *Melanopyge Mielke, 2002*** (Hesperiidae) Synonym(s): *Melanopyge Mielke, 2002*
- 428. *Mellana Hayward, 1948*** (Hesperiidae) Synonym(s): *Mellana Hayward, 1948*
- 429. *Melphina Evans, 1937*** (Hesperiidae) Synonym(s): *Melphina Evans, 1937* Original Reference: *Melphina Evans, 1937*, A Catalogue of African Hesperiidae...: 8, 162. Type-species: *Parnara melphis* Holland, 1893, by original designation.
- 430. *Mesodina Meyrick, 1901*** (Hesperiidae) Synonym(s): *Mesodina Meyrick, 1901*
- 431. *Metardaris Mabilles, 1904*** (Hesperiidae) Synonym(s): *Metardaris Mabilles, 1904*
- 432. *Methion Godman, 1900*** (Hesperiidae) Synonym(s): *Methion Godman, 1900*
- 433. *Methionopsis Godman, 1901*** (Hesperiidae) Synonym(s): *Methionopsis Godman, 1901*
- 434. *Metisella Hemming, 1934*** (Hesperiidae) Synonym(s): *Watsonia Tutt, [1906] nec Elw. & Edw., 1897 non Folin, [1880]; Metisella Hemming, 1934* Original Reference: *Metisella Hemming, 1934*, Stylops 3: 99. Type-species: *Papilio metis* Linnaeus, 1764, by original designation.
- 435. *Metron Godman, 1900*** (Hesperiidae) Synonym(s): *Metron Godman, 1900*; *Metrocles Godman, 1900*; *Ametron Hayward, 1940*
- 436. *Meza Hemming, 1939*** (Hesperiidae) Synonym(s): *Gastrochaeta Holland, 1893 nec Dujard., 1841; Meza Hemming, 1939.* Original Reference: *Meza Hemming, 1939*, Proc. R. ent. Soc. Lond. (B) 8: 39. Type-species: *Hesperia meza* Hewitson, 1877, by original designation.
- 437. *Microceris E.Y. Watson, 1893*** (Hesperiidae) Synonym(s): *Microceris E.Y. Watson, 1893*
- 438. *Mictris Evans, 1955*** (Hesperiidae) Synonym(s): *Mictris Evans, 1955*
- 439. *Mimene Joicey & Talbot, 1917*** (Hesperiidae) Synonym(s): *Mimas De Nicéville, 1895 nec Hbn., 1822; Mimene Joicey & Talbot, 1917*
- 440. *Mimia Evans, 1953*** (Hesperiidae) Synonym(s): *Mimia Evans, 1953*
- 441. *Mimoniades Hübner, 1823*** (Hesperiidae) Synonym(s): *Mimoniades Hübner, 1823*
- 442. *Miraja Evans, 1937*** (Hesperiidae) Synonym(s): *Miraja Evans, 1937* Original Reference: *Miraja Evans, 1937*, A Catalogue of African Hesperiidae...: 6, 133. Type-species: *Trapezites varians* Oberthür, 1916, by original designation.
- 443. *Mnaseas Godman, 1901*** (Hesperiidae) Synonym(s): *Mnaseas Godman, 1901*
- 444. *Mnasicles Godman, 1901*** (Hesperiidae) Synonym(s): *Mnasicles Godman, 1901*
- 445. *Mnasilus Godman, 1900*** (Hesperiidae) Synonym(s): *Mnasilus Godman, 1900*
- 446. *Mnasinous Godman, 1900*** (Hesperiidae) Synonym(s): *Mnasinous Godman, 1900*

447. **Mnasitheus Godman,1900** (Hesperiidae) Synonym(s): *Mnasitheus Godman,1900*; *Mnasalcas Godman,1900*
448. **Moeris Godman,1900** (Hesperiidae) Synonym(s): *Moeris Godman,1900*
449. **Moltena Evans,1937** (Hesperiidae) Synonym(s): *Moltena Evans,1937* Original Reference: Moltena Evans,1937, A Catalogue of African Hesperiidae...: 7, 139. Type-species: *Proteides fiara* Butler,1870, by original designation.
450. **Monca Evans,1955** (Hesperiidae) Synonym(s): *Monca Evans,1955*
451. **Monza Evans,1937** (Hesperiidae) Synonym(s): *Monza Evans,1937* Original Reference: Monza Evans,1937, A Catalogue of African Hesperiidae...: 7, 160. Type-species: *Goniloba cretacea* Snellen,1872, by original designation.
452. **Mooreana Evans,1926** (Hesperiidae) Synonym(s): *Mooreana Evans,1926* Original Reference: Mooreana Evans,1926, J. Bombay nat. Hist. Soc. 31: 51. Type-species: *Pterygospidea trichoneura* Felder & Felder,1860, by original designation.
453. **Mopala Evans,1937** (Hesperiidae) Synonym(s): *Mopala Evans,1937* Original Reference: Mopala Evans,1937, A Catalogue of African Hesperiidae...: 7, 148. Type-species: *Ismene ? orma* Plötz,1879, by original designation.
454. **Morvinia Evans,1953** (Hesperiidae) Synonym(s): *Morvinia Evans,1953*
455. **Morys Godman,1900** (Hesperiidae) Synonym(s): *Morys Godman,1900*; *Euroto Godman,1900*
456. **Motasingha E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Motasingha E.Y.Watson,1893*
457. **Mucia Godman,1900** (Hesperiidae) Synonym(s): *Mucia Godman,1900*
458. **Muschampia Tutt,[1906]** (Hesperiidae) Synonym(s): *Muschampia Tutt,[1906]* Original Reference: Muschampia Tutt,[1906], Nat. Hist. Br. Butts 1: 218. Type-species: *Papilio proto* Esper,[1808], by original designation.
459. **Mylon Godman & Salvin,1894** (Hesperiidae) Synonym(s): *Mylon Godman & Salvin,1894*; *Eudamias Godman & Salvin,1895*
460. **Myrinia Evans,1953** (Hesperiidae) Synonym(s): *Myrinia Evans,1953*
461. **Myscelus Hübner,[1819]** (Hesperiidae) Synonym(s): *Myscelus Hübner,[1819]*
462. **Mysoria E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Mysoria E.Y.Watson,1893*; *Agara Mabille & Boulet,1908*
463. **Naevolus Hemming,1939** (Hesperiidae) Synonym(s): *Naevolus Hemming,1939*
464. **Narcosius Steinhäuser,1986** (Hesperiidae) Synonym(s): *Narcosius Steinhäuser,1986*
465. **Narcus E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Narcus E.Y.Watson,1893*
466. **Nastra Evans,1955** (Hesperiidae) Synonym(s): *Nastra Evans,1955*
467. **Neohesperilla Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Neohesperilla Waterhouse & Lyell,1914*
468. **Neoxeniades Hayward,1938** (Hesperiidae) Synonym(s): *Neoxeniades Hayward,1938*
469. **Netrobalane Mabille,1903** (Hesperiidae) Synonym(s): *Netrobalane Mabille,1903* Original Reference: Netrobalane Mabille,1903, [in] Wytzman,P.A.G., Genera Insectorum 17: 46, 76. Type-species: *Caprona canopus* Trimen,1864, by monotypy.
470. **Netrocoryne Felder,1867** (Hesperiidae) Synonym(s): *Netrocoryne Felder,1867*
471. **Nisoniades Hübner,[1819]** (Hesperiidae) Synonym(s): *Nisoniades Hübner,[1819]*; *Goniloba Westwood,1852*
472. **Noctuana Bell,1937** (Hesperiidae) Synonym(s): *Noctuana Bell,1937*
473. **Nosphittia Mabille & Boulet,1908** (Hesperiidae) Synonym(s): *Nosphittia Mabille & Boulet,1908*
474. **Notocrypta De Nicéville,1889** (Hesperiidae) Synonym(s): *Notocrypta De Nicéville,1889*; *Plesioneura Felder & Felder,1862* Original Reference: Notocrypta De Nicéville,1889, J. Bombay nat. Hist. Soc. 4: 188. Type-species: *Plesioneura curvifascia* Felder & Felder,1862, by designation through Section (i) (replacement names) of Article 67.
475. **Nyctelius Hayward,1948** (Hesperiidae) Synonym(s): *Nyctelius Hayward,1948*
476. **Oarisma Scudder,1872** (Hesperiidae) Synonym(s): *Oarisma Scudder,1872*; *Paradopaea Godman,1900*
477. **Ochlodes Scudder,1872** (Hesperiidae) Synonym(s): *Ochlodes Scudder,1872* Original Reference: Ochlodes Scudder,1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 78. Type-species: *Hesperia nemorum* Boisduval,1852, Annls Soc. ent. Fr. (2)10: 314, by original designation.
478. **Ochus De Nicéville,1894** (Hesperiidae) Synonym(s): *Ochus De Nicéville,1894*
479. **Ocyba Lindsey,1925** (Hesperiidae) Synonym(s): *Ocyba Lindsey,1925*
480. **Ocybadistes Heron,1894** (Hesperiidae) Synonym(s): *Ocybadistes Heron,1894*
481. **Odina Mabille,1891** (Hesperiidae) Synonym(s): *Odina Mabille,1891*

- 482. Odontoptilum De Nicéville,1890** (Hesperiidae) Synonym(s): *Odontoptilum De Nicéville,1890* Original Reference: *Odontoptilum De Nicéville,1890*, J. Bombay nat. Hist. Soc. 5: 217. Type-species: *Achlyodes sura* Moore,[1866], by original designation.
- 483. Oeonus Godman,1900** (Hesperiidae) Synonym(s): *Oeonus Godman,1900*
- 484. Oerane Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Oerane Elwes & Edwards,1897*
- 485. Onenses Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Onenses Godman & Salvin,1895*
- 486. Onespa Steinhäuser,1974** (Hesperiidae) Synonym(s): *Onespa Steinhäuser,1974*
- 487. Onophas Godman,1900** (Hesperiidae) Synonym(s): *Onophas Godman,1900*
- 488. Onryza E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Onryza E.Y.Watson,1893*
- 489. Oreisplanus Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Oreisplanus Waterhouse & Lyell,1914*
- 490. Oriens Evans,1932** (Hesperiidae) Synonym(s): *Oriens Evans,1932*
- 491. Orses Godman,1901** (Hesperiidae) Synonym(s): *Orses Godman,1901*
- 492. Orthos Evans,1955** (Hesperiidae) Synonym(s): *Orthos Evans,1955*
- 493. Osmodes Holland,1892** (Hesperiidae) Synonym(s): *Osmodes Holland,1892* Original Reference: *Osmodes Holland,1892*, Ann. Mag. nat. Hist. (6) 10: 291 et nota. Type-species: *Hesperia laronia* Hewitson,1868, by original designation.
- 494. Osphantes Holland,1896** (Hesperiidae) Synonym(s): *Osphantes Holland,1896* Original Reference: *Osphantes Holland,1896*, Proc. zool. Soc. Lond. 1896: 46. Type-species: *Plastingia ogowena* Mabilie,1891, by original designation.
- 495. Ouleus Lindsey,1925** (Hesperiidae) Synonym(s): *Ouleus Lindsey,1925*
- 496. Oxynetra Felder,1862** (Hesperiidae) Synonym(s): *Oxynetra Felder,1862*
- 497. Oxyntes Godman,1900** (Hesperiidae) Synonym(s): *Oxyntes Godman,1900*
- 498. Paches Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Paches Godman & Salvin,1895*
- 499. Pachyneuria Mabilie,1888** (Hesperiidae) Synonym(s): *Pachyneuria Mabilie,1888*
- 500. Panoquina Hemming,1934** (Hesperiidae) Synonym(s): *Prenes Scudder,1871 nec Gist.,1848; Panoquina Hemming,1934*
- 501. Papias Godman,1900** (Hesperiidae) Synonym(s): *Papias Godman,1900*
- 502. Paracleros Berger,1978** (Hesperiidae) Synonym(s): *Paracleros Berger,1978* Original Reference: *Paracleros Berger,1978*, Lambillionea 78: 6. Type-species: *Acleros biguttulus* Mabilie,1890, by original designation.
- 503. Paratrytone Godman,1900** (Hesperiidae) Synonym(s): *Paratrytone Godman,1900*
- 504. Pardaleodes Butler,1870** (Hesperiidae) Synonym(s): *Pardaleodes Butler,1870* Original Reference: *Pardaleodes Butler,1870*, Entomologist's mon. Mag. 7: 96. Type-species: *Papilio edipus* Stoll,[1781], by original designation.
- 505. Parelbella Mielke,1995** (Hesperiidae) Synonym(s): *Parelbella Mielke,1995*
- 506. Parnara Moore,[1881]** (Hesperiidae) Synonym(s): *Parnara Moore,[1881]; Baorynnis Waterhouse,1932* Original Reference: *Parnara Moore,[1881]*, Lep. Ceylon 1(4): 166. Type-species: *Eudamus guttatus* Bremer & Grey,[1852], [in] Motschulsky, Etüd. Ent. 1: 60, by original designation.
- 507. Paronymus Aurivillius,[1925]** (Hesperiidae) Synonym(s): *Paronymus Aurivillius,[1925]* Original Reference: *Paronymus Aurivillius,[1925]*, [in] Seitz,A., Die Grossschmett. Erde 13: 520. Type-species: *Hesperia ligora* Hewitson,1876, by subsequent designation by Evans,1937.
- 508. Parosmodes Holland,1896** (Hesperiidae) Synonym(s): *Parosmodes Holland,1896* Original Reference: *Parosmodes Holland,1896*, Proc. zool. Soc. Lond. 1896: 45. Type-species: *Pamphila morantii* Trimen,1873, by original designation.
- 509. Parphorus Godman,1900** (Hesperiidae) Synonym(s): *Parphorus Godman,1900; Vorates Godman,1900*
- 510. Pasma Waterhouse,1932** (Hesperiidae) Synonym(s): *Pasma Waterhouse,1932*
- 511. Pastria Evans,1949** (Hesperiidae) Synonym(s): *Pastria Evans,1949*
- 512. Pedesta Hemming,1934** (Hesperiidae) Synonym(s): *Pedestes E.Y.Watson,1893 nec Gray,1842; Pedesta Hemming,1934* Original Reference: *Pedesta Hemming,1934*, Entomologist 67: 38. Type-species: *Isoteinon masuriensis* Moore,1878, by designation through Section (i) (replacement names) of Article 67.
- 513. Pellicia Herrich-Schäffer,1870** (Hesperiidae) Synonym(s): *Pellicia Herrich-Schäffer,1870; Hemipteris Mabilie,1889*

- 514. Pelopidas Walker, 1870** (Hesperiidae) Synonym(s): *Pelopidas Walker, 1870*; *Chapra Moore, [1881]* Original Reference: *Pelopidas Walker, 1870, Entomologist 5: 56*. Type-species: *Pelopidas midea Walker, 1870, Ibid. 5: 56*, by monotypy.
- 515. Pemara Eliot, 1978** (Hesperiidae) Synonym(s): *Pemara Eliot, 1978*
- 516. Perichares Scudder, 1872** (Hesperiidae) Synonym(s): *Perichares Scudder, 1872*
- 517. Perrotia Oberthür, 1916** (Hesperiidae) Synonym(s): *Perrotia Oberthür, 1916* Original Reference: *Perrotia Oberthür, 1916, Etüd. Lépid. comp. 11: 240*. Type-species: *Perrotia albiplaga Oberthür, 1916*, by subsequent designation by Evans, 1937.
- 518. Phanes Godman, 1901** (Hesperiidae) Synonym(s): *Phanes Godman, 1901*; *Tarmia Lindsey, 1925*
- 519. Phanus Hübner, [1819]** (Hesperiidae) Synonym(s): *Phanus Hübner, [1819]*
- 520. Pheraeus Godman, 1900** (Hesperiidae) Synonym(s): *Pheraeus Godman, 1900*
- 521. Phocides Hübner, [1819]** (Hesperiidae) Synonym(s): *Phocides Hübner, [1819]*; *Erycides Hübner, [1819]*; *Dysenius Scudder, [1871]*. Original Reference: *Phocides Hübner, [1819], Verz. bekannt. Schmett. (7): 103*. Type-species: *Phocides cruentus Hübner, [1819]* (= *Papilio palemon Cramer*), by subsequent designation by Scudder, 1875.
- 522. Pholisora Scudder, 1872** (Hesperiidae) Synonym(s): *Pholisora Scudder, 1872*
- 523. Pintara Evans, 1932** (Hesperiidae) Synonym(s): *Pintara Evans, 1932*
- 524. Pirdana Distant, 1886** (Hesperiidae) Synonym(s): *Pirdana Distant, 1886*
- 525. Piruna Evans, 1955** (Hesperiidae) Synonym(s): *Piruna Evans, 1955*
- 526. Pithauria Moore, 1878** (Hesperiidae) Synonym(s): *Pithauria Moore, 1878*; *Pithauriopsis Wood-Mason & De Nicéville, [1887]*
- 527. Plastingia Butler, 1870** (Hesperiidae) Synonym(s): *Plastingia Butler, 1870*
- 528. Platylesches Holland, 1896** (Hesperiidae) Synonym(s): *Platylesches Holland, 1896* Original Reference: *Platylesches Holland, 1896, Proc. zool. Soc. Lond. 1896: 72*. Type-species: *Parnara ? picanini Holland, 1894*, by original designation.
- 529. Ploetzia Saalmüller, 1884** (Hesperiidae) Synonym(s): *Ploetzia Saalmüller, 1884*; *Systole Mabille, 1885 nec Wlk., 1832* Original Reference: *Ploetzia Saalmüller, 1884, Lepid. Madagascar 1: 115*. Type-species: *Hesperia amygdalis Mabille, 1877*, by monotypy.
- 530. Poanes Scudder, 1872** (Hesperiidae) Synonym(s): *Poanes Scudder, 1872*; *Phycanassa Scudder, 1872*; *Paratrytone Dyar, 1905 nec Godm., 1900*
- 531. Polites Scudder, 1872** (Hesperiidae) Synonym(s): *Polites Scudder, 1872*; *Hedone Scudder, 1872*; *Limochores Scudder, 1872*; *Pyrrhosidia Scudder, 1874*; *Yvretta Hemming, 1935*; *Poanopsis Evans, 1955*
- 532. Polycitor Evans, 1953** (Hesperiidae) Synonym(s): *Polycitor Evans, 1953*
- 533. Polygonus Hübner, [1819]** (Hesperiidae) Synonym(s): *Polygonus Hübner, [1819]*; *Acolastus Scudder, 1871 nec Gerstäcker, [1855]*; *Nennius Kirby, [1902]*.
- 534. Polythrix E.Y. Watson, 1893** (Hesperiidae) Synonym(s): *Polythrix E.Y. Watson, 1893*
- 535. Polytremis Mabille, 1904** (Hesperiidae) Synonym(s): *Polytremis Mabille, 1904*; *Zinaida Evans, 1937* Original Reference: *Polytremis Mabille, 1904, [in] Wystman's Genera Insectorum 17(B): 136*. Type-species: *Gegenes contigua Mabille, 1877*, by original designation.
- 536. Pompeius Evans, 1955** (Hesperiidae) Synonym(s): *Pompeius Evans, 1955*
- 537. Potamanaxas Lindsey, 1925** (Hesperiidae) Synonym(s): *Potamanaxas Lindsey, 1925*
- 538. Potanthus Scudder, 1872** (Hesperiidae) Synonym(s): *Potanthus Scudder, 1872*; *Padraona Moore, 1881*; *Inessa De Nicéville, 1897*. Original Reference: *Potanthus Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 75*. Type-species: *Hesperia omaha Edwards, 1863*, by original designation.
- 539. Prada Evans, 1949** (Hesperiidae) Synonym(s): *Prada Evans, 1949*
- 540. Praescobura Devyatkin, 2002** (Hesperiidae) Synonym(s): *Praescobura Devyatkin, 2002*
- 541. Procampta Holland, 1892** (Hesperiidae) Synonym(s): *Procampta Holland, 1892* Original Reference: *Procampta Holland, 1892, Ann. Mag. nat. Hist. (6) 10: 293 et nota*. Type-species: *Procampta rara Holland, 1892, ibid. (6) 10: 294*, by original designation.
- 542. Prosopalpus Holland, 1896** (Hesperiidae) Synonym(s): *Prosopalpus Holland, 1896* Original Reference: *Prosopalpus Holland, 1896, Proc. zool. Soc. Lond. 1896: 53*. Type-species: *Cobalus duplex Mabille, 1890*, by original designation.
- 543. Proteides Hübner, [1819]** (Hesperiidae) Synonym(s): *Proteides Hübner, [1819]*; *Dicranaspis Mabille, 1878*.
- 544. Prusiana Evans, 1937** (Hesperiidae) Synonym(s): *Prusiana Evans, 1937*
- 545. Pseudoborbo Lee, 1966** (Hesperiidae) Synonym(s): *Pseudoborbo Lee, 1966*

- 546. Pseudocoladenia Shirozu & Saigusa, 1962** (Hesperiidae) Synonym(s): *Pseudocoladenia Shirozu & Saigusa, 1962* Original Reference: *Pseudocoladenia Shirozu & Saigusa, 1962*, Nature Life Southeast Asia 2: 26. Type-species: *Coladenia dan fabia* Evans, 1949, by original designation.
- 547. Pseudokerana Eliot, 1978** (Hesperiidae) Synonym(s): *Pseudokerana Eliot, 1978*
- 548. Pteroteinon E.Y.Watson, 1893** (Hesperiidae) Synonym(s): *Tanyptera Mabilles, 1877* nec Latr., 1804; *Pteroteinon E.Y.Watson, 1893* Original Reference: *Pteroteinon Watson, 1893*, Proc. zool. Soc. Lond. 1893: 7, 124. Type-species: *Hesperia laufella* Hewitson, 1868, by monotypy.
- 549. Pudicitia De Nicéville, 1895** (Hesperiidae) Synonym(s): *Pudicitia De Nicéville, 1895*
- 550. Pyrgus Hübner, [1819]** (Hesperiidae) Synonym(s): *Pyrgus Hübner, [1819]*; *Scelotrix Rambur, 1858*; *Teleomorpha B.C.S.Warren, 1926*; *Hemiteleomorpha B.C.S.Warren, 1926*; *Ateleomorpha B.C.S.Warren, 1926*; *Scelothrix Scudder, 1875*; *Bremeria Tutt, 1906* nec Mre., [1896] non Alph., 1892. Original Reference: *Pyrgus Hübner, [1819]*, Verz. bekannt. Schmett. (7): 109. Type-species: *Pyrgus alveolus* Hübner, [1803], Samml. eur. Schmett.: pl. Pap. 92, figs. 466, 467. by subsequent designation by Westwood, 1841, in Humprey & Westwood, Br. Butts Transformations (ed.1): 12
- 551. Pyroneura Eliot, 1978** (Hesperiidae) Synonym(s): *Pyroneura Eliot, 1978*
- 552. Pyrrhiades Lindsey & Miller, 1965** (Hesperiidae) Synonym(s): *Pyrrhiades Lindsey & Miller, 1965* Original Reference: *Pyrrhiades Lindsey & Miller, 1965*, [in] Fox et al., Butterflies of Liberia: 53. Type-species: *Papilio lucagus* Cramer, [1777], by original designation.
- 553. Pyrrhochalcia Mabilles, 1904** (Hesperiidae) Synonym(s): *Pyrrhochalcia Mabilles, 1904* Original Reference: *Pyrrhochalcia Mabilles, 1904*, [in] Wytsman, P.A.G., Genera Insectorum 17: 85, 89. Type-species: *Papilio iphis* Drury, [1773], by subsequent designation by Lindsey, 1965, Butterflies of Liberia: 99.
- 554. Pyrrhopyge Hübner, [1819]** (Hesperiidae) Synonym(s): *Pyrrhopyge Hübner, [1819]*; *Tamyris Swainson, [1821]*; *#Pyrrhopyga Westwood, 1852*; *Pachyrhopala Wallengren, 1858*; *Yanguna E.Y.Watson, 1893*; *Apyrrothrix Lindsey, 1921* Original Reference: *Pyrrhopyge Hübner, [1819]*, Verz. bekannt. Schmett. (7): 103. Type-species: *Papilio bixae* Linnaeus, 1758, by subsequent designation by Scudder, [1871].
- 555. Pythonides Hübner, [1819]** (Hesperiidae) Synonym(s): *Pythonides Hübner, [1819]*; *Ate Godman & Salvin, 1895*
- 556. Quadrus Lindsey, 1925** (Hesperiidae) Synonym(s): *Quadrus Lindsey, 1925*
- 557. Quasimellana Burns, 1994** (Hesperiidae) Synonym(s): *Quasimellana Burns, 1994*
- 558. Quedara Swinhoe, 1907** (Hesperiidae) Synonym(s): *Quedara Swinhoe, 1907*
- 559. Quinta Evans, 1955** (Hesperiidae) Synonym(s): *Quinta Evans, 1955*
- 560. Rachelia Hemming, 1964** (Hesperiidae) Synonym(s): *Protogenes Mabilles & Boulet, 1912* nec Saalmüller, 1884; *Vlasta Lindsey, 1925* nec Barrande, 1881; *Rachelia Hemming, 1964*.
- 561. Remella Hemming, 1939** (Hesperiidae) Synonym(s): *Remella Hemming, 1939*
- 562. Rhabdomantis Holland, 1896** (Hesperiidae) Synonym(s): *Rhabdomantis Holland, 1896* Original Reference: *Rhabdomantis Holland, 1896*, Proc. zool. Soc. Lond. 1896: 44. Type-species: *Hesperia galatia* Hewitson, 1868, by original designation.
- 563. Rhinthon Godman, 1900** (Hesperiidae) Synonym(s): *Rhinthon Godman, 1900*
- 564. Ridens Evans, 1952** (Hesperiidae) Synonym(s): *Ridens Evans, 1952*
- 565. Sabera Swinhoe, 1908** (Hesperiidae) Synonym(s): *Sabera Swinhoe, 1908*
- 566. Salanoemia Eliot, 1978** (Hesperiidae) Synonym(s): *Salanoemia Eliot, 1978*
- 567. Saliana Evans, 1955** (Hesperiidae) Synonym(s): *Saliana Evans, 1955*
- 568. Sancus De Nicéville, 1891** (Hesperiidae) Synonym(s): *#Psolos Staudinger, 1889*; *Sancus De Nicéville, 1891* Original Reference: *Sancus De Nicéville, 1891*, J. Bombay nat. Hist. Soc. 6: 395. Type-species: *Astictopterus subfasciatus* Moore, [1879], by original designation.
- 569. Sarangesa Moore, [1881]** (Hesperiidae) Synonym(s): *Sarangesa Moore, [1881]*; *Hyda Mabilles, 1890* nec Wlk., 1854; *Sape Mabilles, 1891*; *Tabraca Holland, 1896*; *Ulva Lindsey, 1925*. Original Reference: *Sarangesa Moore, [1881]*, Lepid. Ceylon 1 (14): 176. Type-species: *Sarangesa albicilia* Moore, [1881], by monotypy.
- 570. Sarbia E.Y.Watson, 1893** (Hesperiidae) Synonym(s): *Sarbia E.Y.Watson, 1893*
- 571. Satarupa Moore, [1866]** (Hesperiidae) Synonym(s): *Satarupa Moore, [1866]* Original Reference: *Satarupa Moore, [1866]*, Proc. zool. Soc. London [1866]: 780. Type-species: *Satarupa gopala* Moore, [1866], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts. Sci., Boston 10: 265.
- 572. Saturnus Evans, 1955** (Hesperiidae) Synonym(s): *Saturnus Evans, 1955*

- 573. Scobura Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *Scobura Elwes & Edwards,1897*; *Mimambrix Riley,1923*
- 574. Sebastonyma E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Sebastonyma E.Y.Watson,1893*
- 575. Semalea Holland,1896** (Hesperiidae) Synonym(s): *Semalea Holland,1896* Original Reference: *Semalea Holland,1896, Proc. zool. Soc. Lond. 1896: 64. Type-species: Hesperia pulvina Plötz,1879, by original designation.*
- 576. Sесeria Matsumura,1919** (Hesperiidae) Synonym(s): *Sесeria Matsumura,1919* Original Reference: *Sесeria Matsumura,1919, Thous. Ins. Japan, Addit. 3: 683. Type-species: Suastus nigroguttatus Matsumura,1910, by original designation.*
- 577. Signeta Waterhouse & Lyell,1914** (Hesperiidae) Synonym(s): *Signeta Waterhouse & Lyell,1914*
- 578. Sostrata Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Sostrata Godman & Salvin,1895*
- 579. Sovia Evans,1949** (Hesperiidae) Synonym(s): *Sovia Evans,1949* Original Reference: *Sovia Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 27, 246. Type-species: Hesperilla lucasii Mabille,1876, by original designation.*
- 580. Spathilepia Butler,1870** (Hesperiidae) Synonym(s): *Spathilepia Butler,1870*
- 581. Spialia (Neospialia) Koçak,1989** (Hesperiidae) Synonym(s): *Powellia Tutt,[1906] nec Maskell,1879; Neospialia Koçak,1989.* Original Reference: *Neospialia Koçak,1989, Priamus 5 (1/2): 67 (pro Powellia Tutt,1906 nec Maskell,1879). Type-species: Papilio sertorius Hofmannsegg,1804. by original designation.*
- 582. Spialia (s.str.) Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912* Original Reference: *Spialia Swinhoe,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: Hesperia galba Fabricius,1793, by original designation.*
- 583. Spialia Swinhoe,[1912]** (Hesperiidae) Synonym(s): *Spialia Swinhoe,1912* Original Reference: *Spialia Swinhoe,[1912], [in] Moore, Lepid. india 10 (113): 99. Type-species: Hesperia galba Fabricius,1793, by original designation.*
- 584. Stallingsia Freeman,1959** (Hesperiidae) Synonym(s): *Stallingsia Freeman,1959*
- 585. Staphylus Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Staphylus Godman & Salvin,1896; Scantilla Godman & Salvin,1896*
- 586. Stimula De Nicéville,1898** (Hesperiidae) Synonym(s): *Watsonia Elwes & Edwards,1897 nec Folin,1879; Stimula De Nicéville,1898; Watsoniella Berg,1898.*
- 587. Stinga Evans,1955** (Hesperiidae) Synonym(s): *Stinga Evans,1955*
- 588. Suada De Nicéville,1895** (Hesperiidae) Synonym(s): *Suada De Nicéville,1895*
- 589. Suastus Moore,1881** (Hesperiidae) Synonym(s): *Suastus Moore,1881*
- 590. Suniana Evans,1934** (Hesperiidae) Synonym(s): *Suniana Evans,1934*
- 591. Synale Mabille,1904** (Hesperiidae) Synonym(s): *Synale Mabille,1904*
- 592. Synapte Mabille,1904** (Hesperiidae) Synonym(s): *Synapte Mabille,1904; Godmania Skinner & Ramsden,1923 nec Horvath,1919*
- 593. Systasea Edwards,1877** (Hesperiidae) Synonym(s): *Systasea Edwards,1877*
- 594. Tagiades (Nestus-gr)** (Hesperiidae) Synonym(s):
- 595. Tagiades Hübner,[1819]** (Hesperiidae) Synonym(s): *Tagiades Hübner,[1819]; Pterygospidea Wallengren,1857.* Original Reference: *Tagiades Hübner,[1819], Verz. bekannt. Schmett. (7): 108. Type-species: Papilio japetus Stoll,[1781], by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7: 99.*
- 596. Talides Hübner,[1819]** (Hesperiidae) Synonym(s): *Talides Hübner,[1819]*
- 597. Tapena Moore,1881** (Hesperiidae) Synonym(s): *Tapena Moore,1881*
- 598. Taractrocera Butler,[1870]** (Hesperiidae) Synonym(s): *Taractrocera Butler,[1870]; Bibla Mabille,1904* Original Reference: *Taractrocera Butler,[1870], Cat. diurn. Lep. Fabricius Br. Mus.: 279. Type-species: Hesperia maevius Fabricius,1793, by monotypy.*
- 599. Telemiades Hübner,[1819]** (Hesperiidae) Synonym(s): *Telemiades Hübner,[1819]*
- 600. Telicota Moore,[1881]** (Hesperiidae) Synonym(s): *Telicota Moore,[1881]* Original Reference: *Telicota Moore,[1881], Lep. Ceylon 1(4): 169. Type-species: Papilio colon Fabricius,1775, by subsequent designation by the Commission under its Plenary Power.*
- 601. Telles Godman,1900** (Hesperiidae) Synonym(s): *Telles Godman,1900*
- 602. Teniorhinus Holland,1892** (Hesperiidae) Synonym(s): *Teniorhinus Holland,1892; Oxypalpus Holland,1892; Teinorhinus Watson,1893.* Original Reference: *Teniorhinus Holland,1892, Ann. Mag. nat. Hist. (6) 10: 292. Type-species: Teniorhinus watsoni Holland,1892, by monotypy.*

- 603. Thargella Godman,1900** (Hesperiidae) Synonym(s): *Thargella Godman,1900*
- 604. Theagenes Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Theagenes Godman & Salvin,1896*
- 605. Thespheus Godman,1900** (Hesperiidae) Synonym(s): *Thespheus Godman,1900*
- 606. Thessia Steinhäuser,1989** (Hesperiidae) Synonym(s): *Thessia Steinhäuser,1989*
- 607. Thoon Godman,1900** (Hesperiidae) Synonym(s): *Thoon Godman,1900*
- 608. Thoressa Swinhoe,1913** (Hesperiidae) Synonym(s): *Thoressa Swinhoe,1913*
- 609. Thorybes Scudder,[1871]** (Hesperiidae) Synonym(s): *Thorybes Scudder,[1871]*
- 610. Thracides Hübner,[1819]** (Hesperiidae) Synonym(s): *Thracides Hübner,[1819]*
- 611. Thymelicus Hübner,[1819]** (Hesperiidae) Synonym(s): *Thymelicus Hübner,[1819]*; *Adopoea Billberg,1820*; *Pelion Kirby,1858*. Original Reference: *Thymelicus Hübner,[1819]*, Verz. bekannt. Schmett. (8): 113. Type-species: *Papilio acteon* Rottemburg,1775, Der Naturforscher 6: 30. by subsequent designation by Butler,1870, Entomologist's mon. Mag. 7:94.
- 612. Tiacellia Evans,1949** (Hesperiidae) Synonym(s): *Tiacellia Evans,1949*
- 613. Tigasis Godman,1900** (Hesperiidae) Synonym(s): *Tigasis Godman,1900*; *Alerema Hayward,1942*
- 614. Timochares Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Timochares Godman & Salvin,1896*
- 615. Tirynthia Godman,1900** (Hesperiidae) Synonym(s): *Tirynthia Godman,1900*
- 616. Toxidia Mabilie,1891** (Hesperiidae) Synonym(s): *Toxidia Mabilie,1891*; *Oxytoxia Mabilie,1904*; *Timoconia Strand,1909*.
- 617. Trapezites Hübner,[1819]** (Hesperiidae) Synonym(s): *Trapezites Hübner,[1819]*; *Steropes Boisduval,1832* nec Steven,1806; *Patlasingha Watson,1893*; *Anisynthoides Waterhouse,1932*.
- 618. Tromba Evans,1955** (Hesperiidae) Synonym(s): *Tromba Evans,1955*
- 619. Tsitana Evans,1937** (Hesperiidae) Synonym(s): *Tsitana Evans,1937* Original Reference: *Tsitana Evans,1937*, A Catalogue of African Hesperiidae...: 4, 75. Type-species: *Cyclopides tsita* Trimen,1870, by original designation.
- 620. Turesis Godman,1901** (Hesperiidae) Synonym(s): *Turesis Godman,1901*
- 621. Turnerina Freeman,1959** (Hesperiidae) Synonym(s): *Turnerina Freeman,1959*
- 622. Typhedanus Butler,[1870]** (Hesperiidae) Synonym(s): *Typhedanus Butler,[1870]*
- 623. Udaspes Moore,[1881]** (Hesperiidae) Synonym(s): *Udaspes Moore,[1881]* Original Reference: *Udaspes Moore,[1881]*, Lepid. Ceylon 1 (4): 177. Type-species: *Papilio folus* Cramer,[1775], by original designation.
- 624. Udranomia Butler,1870** (Hesperiidae) Synonym(s): *Udranomia Butler,1870*; *Hydraenomia Butler,1870*
- 625. Unkana Distant,1886** (Hesperiidae) Synonym(s): *Unkana Distant,1886*; *Zea Distant,1886*
- 626. Urbanus Hübner,[1807]** (Hesperiidae) Synonym(s): *Urbanus Hübner,[1807]*; *Goniurus Hübner,[1819]*; *Eudamus Swainson,1821*; *Lyroptera Plötz,1881*
- 627. Vacerra Godman,1900** (Hesperiidae) Synonym(s): *Vacerra Godman,1900*
- 628. Venada Evans,1952** (Hesperiidae) Synonym(s): *Venada Evans,1952*
- 629. Vettius Godman,1901** (Hesperiidae) Synonym(s): *Vettius Godman,1901*
- 630. Vidius Evans,1955** (Hesperiidae) Synonym(s): *Vidius Evans,1955*
- 631. Vinius Godman,1900** (Hesperiidae) Synonym(s): *Vinius Godman,1900*
- 632. Vinpeius Austin,1998** (Hesperiidae) Synonym(s): *Vinpeius Austin,1998*
- 633. Virga Evans,1955** (Hesperiidae) Synonym(s): *Virga Evans,1955*; *Megistias Godman,1900*
- 634. Vlasta Lindsey,1925** (Hesperiidae) Synonym(s): *Vlasta Lindsey,1925*; *Protogenes Mabilie & Boullet,1912*.
- 635. Wallengrenia Berg,1897** (Hesperiidae) Synonym(s): *Wallengrenia Berg,1897*; *Catia Godman,1900*
- 636. Windia Freeman,1969** (Hesperiidae) Synonym(s): *Windia Freeman,1969*
- 637. Xanthodisca Aurivillius,[1925]** (Hesperiidae) Synonym(s): *Xanthodisca Aurivillius,[1925]* Original Reference: *Xanthodisca Aurivillius,[1925]*, [in] Seitz,A., Die Grossschmett. Erde 13: 528. Type-species: *Astictopterus vibius* Hewitson,1878, by monotypy.
- 638. Xanthoneura Eliot,1978** (Hesperiidae) Synonym(s): *Xanthoneura Eliot,1978* Original Reference: *Xanthoneura Eliot,1978*, [in] Corbet & Pendlebury, The butterflies of Malay Peninsula (3rd rev. edn.): 383.
- 639. Xeniades Godman,1900** (Hesperiidae) Synonym(s): *Xeniades Godman,1900*
- 640. Xenophanes Godman & Salvin,1895** (Hesperiidae) Synonym(s): *Xenophanes Godman & Salvin,1895*

641. **Yanguna E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Yanguna E.Y.Watson,1893*
642. **Yanoancistroides H.Huang,1999** (Hesperiidae) Synonym(s): *Yania H.Huang,1997 nec Roewer,1914; Yanoancistroides H.Huang,1999*
643. **Zariaspes Godman,1900** (Hesperiidae) Synonym(s): *Zariaspes Godman,1900; Aella Mabilie,1904*
644. **Zela De Nicéville,1895** (Hesperiidae) Synonym(s): *Zela De Nicéville,1895; Zampa De Nicéville,1895; Matapoides Druce,1913.*
645. **Zenis Godman,1900** (Hesperiidae) Synonym(s): *Zenis Godman,1900*
646. **Zenonia Evans,1935** (Hesperiidae) Synonym(s): *Zenonia Evans,1935* Original Reference: *Zenonia Evans,1935, [in] Charpenter, Trans. R. ent. Soc. Lond. 83: 405. Type-species: Pamphila zeno Trimen,1864, by original designation.*
647. **Zera Evans,1953** (Hesperiidae) Synonym(s): *Zera Evans,1953*
648. **Zestusa Lindsey,1925** (Hesperiidae) Synonym(s): *Zestusa Lindsey,1925*
649. **Zobera Freeman,1970** (Hesperiidae) Synonym(s): *Zobera Freeman,1970*
650. **Zographetus E.Y.Watson,1893** (Hesperiidae) Synonym(s): *Zographetus E.Y.Watson,1893; Gehenna E.Y.Watson,1893*
651. **Zophopetes Mabilie,1904** (Hesperiidae) Synonym(s): *Zophopetes Mabilie,1904* Original Reference: *Zophopetes Mabilie,1904, [in] Wytsman, P.A.G., Genera Insectorum 17: 183. Type-species: Pamphila dysmephila Trimen,1868, by subsequent designation by Lindsey,1965, Butterflies of Liberia: 106.*
652. **Zopyrion Godman & Salvin,1896** (Hesperiidae) Synonym(s): *Zopyrion Godman & Salvin,1896*
653. **Libythea (Jera) Lindsey,1925** (Libytheidae) Synonym(s): *Dichora Scudder,1889 nec Paetel,1875; Jera Lindsey,1925* Original Reference: *Jera Lindsey,1925, Ann. ent. Soc. Am. 18 (1): 90. Type-species: Dichelura tricuspidata Mabilie,1902, by original designation (for Dichora Scudder,1889).*
654. **Libythea Fabricius,1807** (Libytheidae) Synonym(s): *Libythea Fabricius,1807; Hecarge Ochsenheimer,1816; Hypatus Hübner,1822; Libythaeus Boitard,1828; Dichora Scudder,1889.* Original Reference: *Libythea Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 284. Type-species: Papilio celtis Laicharting,1782, [in] Fuessly, Arch. Insectengesch. (2)(4):1, pl.8, f.1-3, by subsequent designation by Latreille,1810, Consid. gén. Anim. Crust. Arach. Ins.: 440*
655. **Libytheana Michener,1943** (Libytheidae) Synonym(s): *Libytheana Michener,1943*
656. **Actizera Chapman,1910** (Lycaenidae) Synonym(s): *Actizera Chapman,1910* Original Reference: *Actizera Chapman,1910, Trans. ent. Soc. Lond. 1910: 483. Type-species: Lycaena atrigemmata Butler,1878, by subsequent designaton by Hemming,1929, Ann. Mag. nat. Hist. (10) 3: 220.*
657. **Acupicta Eliot,1973** (Lycaenidae) Synonym(s): *Acupicta Eliot,1973*
658. **Acytolepis Toxopeus,1927** (Lycaenidae) Synonym(s): *Acytolepis Toxopeus,1927* Original Reference: *Acytolepis Toxopeus,1927, Tijdschr. Ent. 70: 271, 288. Type-species: Polyommatus puspa Horsfield,[1828], by original designation.*
659. **Aethiopana Bethune-Baker,1915** (Lycaenidae) Synonym(s): *Aethiopana Bethune-Baker,1915*
660. **Ahmetia Özdikmen,2008** (Lycaenidae) Synonym(s): *Cowania Eliot,1973 nec Reinhard,1952; Ahmetia Özdikmen,2008* Original Reference: *Ahmetia Özdikmen,2008, Mun. ent. Zool. 3 (1): 322. Type-species: Horaga achaja Fruhstorfer,[1912], by original designation.*
661. **Alaena Boisduval,1847** (Lycaenidae) Synonym(s): *Alaena Boisduval,1847*
662. **Allosmaitia Clench,1964** (Lycaenidae) Synonym(s): *Allosmaitia Clench,1964*
663. **Allotinus (Fabitaras) Eliot,1986** (Lycaenidae) Synonym(s): *Fabitaras Eliot,1986*
664. **Allotinus (Paragerydus) Distant,1884** (Lycaenidae) Synonym(s): *Paragerydus Distant,1884*
665. **Allotinus (s.str.) C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *Allotinus C.Felder & R.Felder,[1865]*
666. **Allotinus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *Allotinus C.Felder & R.Felder,[1865]*
667. **Aloeides Hübner,[1819]** (Lycaenidae) Synonym(s): *Aloeides Hübner,[1819]; #Aloeidas Hemming,1967.* Original Reference: *Aloeides Hübner,[1819], Verz. bekannt. Schmett. (5) 73. Type-species: Papilio pierus Cramer,[1779, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci, Boston 10: 107.*
668. **Amblopala Leech,1893** (Lycaenidae) Synonym(s): *Amblopala Leech,1893*

- 669. Amblypodia Horsfield,[1829]** (Lycaenidae) Synonym(s): *Amblypodia* Horsfield,[1829]; *Horsfieldia* Riley,1922 Original Reference: *Amblypodia* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 98. Type-species: *Thecla narada* Horsfield,[1828], by subsequent designation by Boisduval,1870, Consid. Lépid. Guatemala: 14.
- 670. Ancema Eliot,1973** (Lycaenidae) Synonym(s): *Camena* Hewitson,[1865] nec Martens,1860; *Ancema* Eliot,1973 Original Reference: *Ancema* Eliot,1973, Bull. Br. Mus. nat. Hist. (Ent.) 28(6): 438. Type-species: *Camena ctesia* Hewitson,[1865], by designation through Section (i) (replacement names), Article 67.
- 671. Anthene Doubleday,1847** (Lycaenidae) Synonym(s): *Anthene* Doubleday,1847; *Lycaenesthes* Moore,1866; *Pseudoliptena* Stempffer,1946 Original Reference: *Anthene* Doubleday,1847, List Specimens lepid. Insects Colln Br. Mus. 2: 27. Type-species: *Papilio larydas* Cramer,[1780], by subsequent designation by Hemming,1933, Trans. R. ent. Soc. Lond. 83: 435.
- 672. Antigius Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Antigius* Sibatani & Ito,1942 Original Reference: *Antigius* Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 318. Type-species: *Thecla attilla* Bremer,1861, Bull. Acad. Sci. St. Petersburg. 3: 469, by original designation.
- 673. Aphnaeus (Paraphnaeus) Thierry-Mieg,1904** (Lycaenidae) Synonym(s): *Paraphnaeus* Thierry-Mieg,1904
- 674. Aphnaeus Hübner,[1819]** (Lycaenidae) Synonym(s): *Aphnaeus* Hübner,[1819]; *Aphnaemorphia* De Nicéville,1890
- 675. Apporasa Moore,1884** (Lycaenidae) Synonym(s): *Apporasa* Moore,1884
- 676. Araotes Doherty,1889** (Lycaenidae) Synonym(s): *Araotes* Doherty,1889 Original Reference: *Araotes* Doherty,1889, J. asiat. Soc. Bengal (2) 58 (4): 413. Type-species: *Myrina lapithis* Moore,1857, by original designation.
- 677. Araragi Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Araragi* Sibatani & Ito,1942 Original Reference: *Araragi* Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 318. Type-species: *Thecla enthea* Janson,1877, Cistula ent. 2: 157, by original designation.
- 678. Arawacus Kaye,[1904]** (Lycaenidae) Synonym(s): *Arawacus* Kaye,[1904]; *Dolymorpha* Holland,1931
- 679. Arcas Swainson,1832** (Lycaenidae) Synonym(s): *Arcas* Swainson,1832
- 680. Argyraspodes Tite & Dickson,1973** (Lycaenidae) Synonym(s): *Argyraspodes* Tite & Dickson,1973.
- 681. Argyrocheila Staudinger,1892** (Lycaenidae) Synonym(s): *Argyrocheila* Staudinger,1892
- 682. Arhopala Boisduval,1832** (Lycaenidae) Synonym(s): *Arhopala* Boisduval,1832; *Narathura* Moore,[1879]; *Panchala* Moore,1882; *Aurea* Evans,1957
- 683. Artipe Boisduval,1870** (Lycaenidae) Synonym(s): *Artipe* Boisduval,1870
- 684. Artopoetes Chapman,1909** (Lycaenidae) Synonym(s): *Artopoetes* Chapman,1909 Original Reference: *Artopoetes* Chapman,1909, Proc. zool. Soc. Lond. 1909: 473. Type-species: *Lycaena pryri* Murray,1873, Entomologist's mon. Mag. 10: 126, by monotypy.
- 685. Aslauga Kirby,1890** (Lycaenidae) Synonym(s): *Aslauga* Kirby,1890
- 686. Athysanota Karsch,1895** (Lycaenidae) Synonym(s): *Athysanota* Karsch,1895
- 687. Atlides Hübner,[1819]** (Lycaenidae) Synonym(s): *Atlides* Hübner,[1819]; *Riojana* D'Abrera & Balint,2001
- 688. Austrozephyrus Howarth,1957** (Lycaenidae) Synonym(s): *Austrozephyrus* Howarth,1957
- 689. Axiocerses Hübner,[1819]** (Lycaenidae) Synonym(s): *Axiocerses* Hübner,[1819]; *Chrysorychia* Wallengren,1857; *Chrysorychia* Wallengren,1858. Original Reference: *Axiocerses* Hübner,[1819], Verz. bekannt. Schmett. (5): 72. Type-species: *Papilio perion* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4(32): 176, Pl. 379, figs. B, C, by monotypy.
- 690. Azanus (Azanisis) Kemal,2004** (Lycaenidae) Synonym(s): *Azanisis* Kemal,2004 Original Reference: *Azanus* (Azanisis) Kemal,2004, Cent. ent. Stud., Misc. Pap. 88/89: 11. Type-species: *Papilio isis* Drury,1773, by original designation.
- 691. Azanus (s.str.) Moore,[1881]** (Lycaenidae) Synonym(s): *Azanus* Moore,[1881] Original Reference: *Azanus* Moore,[1881], Lep. Ceylon 1 (2): 79. Type-species: *Papilio ubaldus* Stoll,[1782], by original designation.
- 692. Azanus Moore,[1881]** (Lycaenidae) Synonym(s): *Azanus* Moore,[1881] Original Reference: *Azanus* Moore,[1881], Lep. Ceylon 1 (2): 79. Type-species: *Papilio ubaldus* Stoll,[1782], by original designation.

- 693. Bindahara Moore,1881** (Lycaenidae) Synonym(s): *Bindahara Moore,1881* Original Reference: Bindahara Moore,1881, Lepid. Ceylon 1 (3): 111. Type-species: *Hesperia phocides* Fabricius,1793, by monotypy.
- 694. Bothrinia Chapman,1909** (Lycaenidae) Synonym(s): *Bothrinia Chapman,1909*
- 695. Brangas Hübner,[1819]** (Lycaenidae) Synonym(s): *Brangas Hübner,[1819]*
- 696. Brepidium Scudder,1876** (Lycaenidae) Synonym(s): *Brepidium Scudder,1876* Original Reference: Brepidium Scudder,1876, Bull. Buffalo Soc. nat. Sci. 3: 123. Type-species: *Lycaena exilis* Boisduval,1852, by original designation.
- 697. Britomartis De Nicéville,[1895]** (Lycaenidae) Synonym(s): *Britomartis De Nicéville,[1895]*
- 698. Bullis De Nicéville,1897** (Lycaenidae) Synonym(s): *Bullis De Nicéville,1897*
- 699. Cacyreus Butler,[1898]** (Lycaenidae) Synonym(s): *Cacyreus Butler,[1898]*; *Hyreus Hübner,[1819]* Original Reference: Cacyreus Butler,[1898], Proc. zool. Soc. Lond. 1897 (4): 845. Type-species: *Papilio lingens* Stoll,[1782], by original designation.
- 700. Caleta Fruhstorfer,1922** (Lycaenidae) Synonym(s): *Caleta Fruhstorfer,1922*
- 701. Callenya Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Callenya Eliot & Kawazoe,1984*
- 702. Callophrys Billberg,1820** (Lycaenidae) Synonym(s): *Lycus Hübner,[1819] nec Fabr.,1787*; *Callophrys Billberg,1820*; *Licis Hübner,[1823]*; *Incisalia Scudder,1872*; *Mitoura Scudder,1872*; *Satsuma Murray,1875 nec Adams,1868*; *Ahlbergia Bryk,1946*; *Ginzia Okano,1947*; *#Callophrys Barragué,1954*; *Sandia Clench & Ehrlich,1960*; *Xamia Clench,1961*; *Cisincisalia K.Johnson,1992*; *Loranthomitoura Ballmer & Pratt,1992*; *Novosatsuma K.Johnson,1992*; *Cissatsuma K.Johnson,1992*; *Deciduphagus K.Johnson,1992* Original Reference: Callophrys Billberg,1820, Enum. Ins. Mus. Billberg: 80. Type-species: *Papilio rubi* Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10:132.
- 703. Calycopis Scudder,1876** (Lycaenidae) Synonym(s): *Calycopis Scudder,1876*
- 704. Castalius Hübner,[1819]** (Lycaenidae) Synonym(s): *Castalius Hübner,[1819]* Original Reference: Castalius Hübner,[1819], Verz. bekannt. Schmett. (5): 70. Type-species: *Papilio rosimon* Fabricius,1775, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 135.
- 705. Catapaecilma Butler,1879** (Lycaenidae) Synonym(s): *Catapaecilma Butler,1879* Original Reference: Catapaecilma Butler,1879, Trans. linn. Soc. Lond. (2) Zool. 1(8): 547. Type-species: *Hypochrysops elegans* Druce,1873, by monotypy.
- 706. Catochrysops Boisduval,1832** (Lycaenidae) Synonym(s): *Catochrysops Boisduval,1832* Original Reference: Catochrysops Boisduval,1832 [in] d'Urville, Voy. "Astrolabe", Ent. 1 (Lép.): 8. Type-species: *Hesperia strabo* Fabricius,1793, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 136.
- 707. Catopyrops Toxopeus,1929** (Lycaenidae) Synonym(s): *Catopyrops Toxopeus,1929*
- 708. Cebrella (Chelakina) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Chelakina Eliot & Kawazoe,1984*
- 709. Cebrella (s.str.) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Cebrella Eliot & Kawazoe,1984*
- 710. Cebrella Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Cebrella Eliot & Kawazoe,1984*
- 711. Celarchus (Armentulus) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Armentulus Eliot & Kawazoe,1984*
- 712. Celarchus (s.str.) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Celarchus Eliot & Kawazoe,1984*
- 713. Celarchus Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Celarchus Eliot & Kawazoe,1984*
- 714. Celastrina Tutt,1906** (Lycaenidae) Synonym(s): *Celastrina Tutt,1906*; *Cyaniriodes Matsumura,1919 nec De Nicéville,1890*; *Maslowskia Kurenzov,1974*. Original Reference: Celastrina Tutt,1906, Entomologist's Rec. J. Var. 18: 131. Type-species: *Papilio argiolus* Linnaeus,1758, by original designation.
- 715. Celatoxia Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Celatoxia Eliot & Kawazoe,1984* Original Reference: Celatoxia Eliot & Kawazoe,1984, Blue butterflies of the Lycaenopsis group: 198. Type-species: *Cyaniris albidisca* Moore,1883, by original designation.
- 716. Cesa Seven,1997** (Lycaenidae) Synonym(s): *Cesa Seven,1997*; *Jacksonia Heath,1997 nec Jacksonia Collen.,1937 non Theobald,1923*. Original Reference: Cesa Seven,1997, Cent. ent. Stud., Misc. Pap. 43: 4. Type-species: *Spindasis waggae* Sharpe,1898, by monotypy.

- 717. Chaetoprocta De Nicéville, 1890** (Lycaenidae) Synonym(s): *Chaetoprocta De Nicéville, 1890*
Original Reference: *Chaetoprocta De Nicéville, 1890*, [in] Marshall & De Nicéville, Butts India Burmah Ceylon 3: 17, 311. Type-species: *Dipsas odata* Hewitson, [1865], by monotypy.
- 718. Charana De Nicéville, 1890** (Lycaenidae) Synonym(s): *Charana De Nicéville, 1890*
- 719. Cheritra Moore, [1881]** (Lycaenidae) Synonym(s): *Cheritra Moore, [1881]* Original Reference: *Cheritra Moore, [1881]*, Lep. Ceylon 1(3): 109. Type-species: *Myrina jafra* Godart, [1824], by original designation.
- 720. Cheritrella De Nicéville, 1887** (Lycaenidae) Synonym(s): *Cheritrella De Nicéville, 1887*
- 721. Chilades (Freyeria) Courvoisier, 1920** (Lycaenidae) Synonym(s): *Freyeria Courvoisier, 1920* Original Reference: *Freyeria Courvoisier, 1920*, Dt. ent. Z., Iris 34:234. Type-species: *Lycaena trochylus* Freyer, 1845, Neue. Beitr. Schmett. 5(74): 98, pl. 440, fig. 1, by monotypy.
- 722. Chilades (Lachides) Nekrutenko, 1984** (Lycaenidae) Synonym(s): *Lachides Nekrutenko, 1984* Original Reference: *Lachides Nekrutenko, 1984*, Vestn. zool. 1984 (3): 30-31. Type-species: *Lycaena galba* Lederer, 1855, by original designation.
- 723. Chilades (Luthrodes) Druce, 1895** (Lycaenidae) Synonym(s): *Luthrodes Druce, 1895* Original Reference: *Luthrodes Druce, 1895*, Proc. zool. Soc. Lond. 1895 (3): 576. Type-species: *Polyommatus cleotas* Guérin-Ménéville, [1831], by original designation.
- 724. Chilades Moore, [1881]** (Lycaenidae) Synonym(s): *Chilades Moore, [1881]* Original Reference: *Chilades Moore, [1881]*, Lep. Ceylon 1 (2): 76. Type-species: *Papilio lajus* Stoll, [1780], by original designation.
- 725. Chliaria Moore, 1884** (Lycaenidae) Synonym(s): *Chliaria Moore, 1884*
- 726. Chloroselas Butler, [1886]** (Lycaenidae) Synonym(s): *Chloroselas Butler, [1886]* Original Reference: *Chloroselas Butler, [1886]*, Proc. zool. Soc. Lond. 1885 (4): 765. Type-species: *Chloroselas esmeralda* Butler, [1886], by original designation.
- 727. Chrysoritis (Oxychaeta) Tite & Dickson, 1973** (Lycaenidae) Synonym(s): *Oxychaeta Tite & Dickson, 1973*
- 728. Chrysoritis (Poecilmitis) Butler, 1899** (Lycaenidae) Synonym(s): *Poecilmitis Butler, 1899*; *Boukeria Quickelberg, 1972*. Original Reference: *Poecilmitis Butler, 1899*, Entomologist 32: 78. Type-species: *Zeritis lycegenes* Trimen, 1874, by original designation.
- 729. Chrysoritis (s.str.) Butler, [1898]** (Lycaenidae) Synonym(s): *Chrysoritis Butler, [1898]*. Original Reference: *Chrysoritis Butler, [1898]*, Proc. zool. Soc. Lond. 1897: 848. Type-species: *Zeritis oreas* Trimen, 1891, by original designation.
- 730. Chrysoritis Butler, [1898]** (Lycaenidae) Synonym(s): *Chrysoritis Butler, [1898]* Original Reference: *Chrysoritis Butler, [1898]*, Proc. zool. Soc. Lond. 1897: 848. Type-species: *Zeritis oreas* Trimen, 1891, by original designation.
- 731. Chrysozephyrus Shirozu & Yamamoto, 1956** (Lycaenidae) Synonym(s): *Chrysozephyrus Shirozu & Yamamoto, 1956* Original Reference: *Chrysozephyrus Shirozu & Yamamoto, 1956*, Sieboldia 1 (4): 381. Type-species: *Thecla smaragdina* Bremer, 1861, by original designation.
- 732. Cigaritis Donzel, 1847** (Lycaenidae) Synonym(s): *Cigaritis Donzel, 1847*; *Spindasis Wallengren, 1857*; *Apharitis Riley, 1925*; *#Zigaritis Pfeiffer, 1932* Original Reference: *Cigaritis Donzel, 1847*, Anns Soc. ent. Fr. (2) 5: 528. Type-species: *Cigaritis zohra* Donzel, 1847, ibid. (2) 5: 528, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci, Boston 10: 142.
- 733. Cooksonia Druce, 1905** (Lycaenidae) Synonym(s): *Cooksonia Druce, 1905*
- 734. Cordelia Shirozu & Yamamoto, 1956** (Lycaenidae) Synonym(s): *Cordelia Shirozu & Yamamoto, 1956*
- 735. Coreana Tutt, [1907]** (Lycaenidae) Synonym(s): *Coreana Tutt, [1907]* Original Reference: *Coreana Tutt, [1907]*, Nat. Hist. Br. Butts. 2: 276. Type-species: *Thecla raphaelis* Oberthür, 1880, by original designation.
- 736. Creon De Nicéville, [1896]** (Lycaenidae) Synonym(s): *Creon De Nicéville, [1896]* Original Reference: *Creon De Nicéville, [1896]*, J. Bombay nat. Hist. Soc. 10 (2): 179. Type-species: *Polyommatus cleobis* Godart, [1864], by original designation.
- 737. Cupido (Everes) Hübner, [1819]** (Lycaenidae) Synonym(s): *Everes Hübner, [1819]*; *Tiora Evans, 1912*; *Ununcula van Eecke, 1915* Original Reference: *Everes Hübner, [1819]*, Verz. bekannt. Schmett. (5): 69. Type-species: *Papilio amyntas* [Denis & Schiffermüller], 1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 185, by subsequent designation by Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871:

- 738. Cupido (Sinocupido) Lee, 1963** (Lycaenidae) Synonym(s): *Sinocupido Lee, 1963* Original Reference: *Sinocupido Lee, 1963, Acta zool. sinica 15(1): 104-105, pl.1 figs.5-8; pl.2 figs.15-16.* Type-species: *Sinocupido lokiangensis Chuan-Lung, 1963*, by original designation. Proposed originally as a genus. Its taxonomical status needs investigations.
- 739. Cupido (s.str.) Schrank, 1801** (Lycaenidae) Synonym(s): *Cupido Schrank, 1801* Original Reference: *Cupido Schrank, 1801, Fauna boica 2(1): 153, 206.* Type-species: *Papilio minimus Fuessly, 1775*, Verz. bekannt. schweiz. Ins.: 31, by subsequent designation by ICZN, Op. 503.
- 740. Cupido Schrank, 1801** (Lycaenidae) Synonym(s): *Cupido Schrank, 1801* Original Reference: *Cupido Schrank, 1801, Fauna boica 2(1): 153, 206.* Type-species: *Papilio minimus Fuessly, 1775*, Verz. bekannt. schweiz. Ins.: 31, by subsequent designation by ICZN, Op. 503.
- 741. Cupidopsis Karsch, 1895** (Lycaenidae) Synonym(s): *Cupidopsis Karsch, 1895* Original Reference: *Cupidopsis Karsch, 1895, Ent. Nachr. 21: 298.* Type-species: *Lycaena jobates Hopffer, 1855*, by original designation.
- 742. Curetis Hübner, [1819]** (Lycaenidae) Synonym(s): *Curetis Hübner, [1819]* Original Reference: *Curetis Hübner, [1819], Verz. bekannt. Schmett. (7): 102.* Type-species: *Papilio aesopus Fabricius, 1781*, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 150.
- 743. Cyaniriodes De Nicéville, 1890** (Lycaenidae) Synonym(s): *Cyaniriodes De Nicéville, 1890*
- 744. Cyclirius Butler, [1897]** (Lycaenidae) Synonym(s): *Cyclirius Butler, [1897]* Original Reference: *Cyclirius Butler, [1897], Proc. zool. Soc. Lond. 1896 (4): 830.* Type-species: *Polyommatus webbianus Brullé, [1840]*, by original designation.
- 745. Dacalana Moore, 1884** (Lycaenidae) Synonym(s): *Dacalana Moore, 1884*
- 746. Dapidodigma Karsch, 1895** (Lycaenidae) Synonym(s): *Dapidodigma Karsch, 1895* Original Reference: *Dapidodigma Karsch, 1895, Ent. Nachr. 21: 310.* Type-species: *Papilio liger Cramer, [1779]*, Uitl. Kap. 3 (22): 109, pl. 105, figs. E-F, by original designation.
- 747. Deramas Distant, 1886** (Lycaenidae) Synonym(s): *Deramas Distant, 1886*
- 748. Desmolycaena Trimen, 1898** (Lycaenidae) Synonym(s): *Desmolycaena Trimen, 1898* Original Reference: *Desmolycaena Trimen, 1898, Trans. ent. Soc. Lond. 1898: 7.* Type-species: *Desmolycaena mazoensis Trimen, 1898*, by original designation.
- 749. Deudorix (Virachola) Moore, [1881]** (Lycaenidae) Synonym(s): *Virachola Moore, [1881]* Original Reference: *Virachola Moore, [1881], Lep. Ceylon 1(3): 104.* Type-species: *Deudorix perse Hewitson, [1863]*, by original designation.
- 750. Deudorix (s.str.) Hewitson, [1863]** (Lycaenidae) Synonym(s): *Deudorix Hewitson, [1863]* Original Reference: *Deudorix Hewitson, [1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 16.* Type-species: *Moore, 1857*, by original designation.
- 751. Deudorix Hewitson, [1863]** (Lycaenidae) Synonym(s): *Deudorix Hewitson, [1863]* Original Reference: *Deudorix Hewitson, [1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 16.* Type-species: *Moore, 1857*, by original designation.
- 752. Discolampa Toxopeus, 1929** (Lycaenidae) Synonym(s): *Discolampa Toxopeus, 1929*
- 753. Drina De Nicéville, 1890** (Lycaenidae) Synonym(s): *Drina De Nicéville, 1890* Original Reference: *Drina De Nicéville, 1890, [in] Marshall & De Nicéville, Butts India Burmah Ceylon 3: 20, 442.* Type-species: *Myrina donina Hewitson, [1865]*, by original designation.
- 754. Drupadia Moore, 1884** (Lycaenidae) Synonym(s): *Drupadia Moore, 1884; Biduanda Distant, 1884; Marmessus auct.* Original Reference: *Drupadia Moore, 1884, J. asiat. Soc. Bengal 2, 53 (1): 31.* Type-species: *Myrina ravindra Horsfield, [1829]*, by original designation.
- 755. Egumbia Bethune-Baker, 1924** (Lycaenidae) Synonym(s): *Egumbia Bethune-Baker, 1924; Euliphyrodes Romieux, 1937*
- 756. Eicochrysops Bethune-Baker, 1924** (Lycaenidae) Synonym(s): *Eicochrysops Bethune-Baker, 1924* Original Reference: *Eicochrysops Bethune-Baker, 1924, Ann. Mag. nat. Hist. (9) 14: 132.* Type-species: *Eicochrysops eicotrochilus Bethune-Baker, 1924*, by original designation.
- 757. Electrostrymon Clench, 1961** (Lycaenidae) Synonym(s): *Electrostrymon Clench, 1961*
- 758. Enos K. Johnson, Kruse & Kroenlein, 1997** (Lycaenidae) Synonym(s): *#Chopinia D'Abbrera, 2001; Enos K. Johnson, Kruse & Kroenlein, 1997; Falerinota K. Johnson, Austin, Le Crom & Salazar, 1997*
- 759. Eooxylides Doherty, 1889** (Lycaenidae) Synonym(s): *Eooxylides Doherty, 1889* Original Reference: *Eooxylides Doherty, 1889, J. asiat. Soc. Bengal 2, 58 (4): 410 & nota.* Type-species: *Oxylides tharis Geyer, [1837]*, by monotypy.
- 760. Epitola Westwood, 1851** (Lycaenidae) Synonym(s): *Epitola Westwood, 1851*
- 761. Epitolina Aurivillius, 1895** (Lycaenidae) Synonym(s): *Epitolina Aurivillius, 1895*

762. **Eresina Aurivillius,1898** (Lycaenidae) Synonym(s): *Eresina Aurivillius,1898*
763. **Eresinopsides Strand,1911** (Lycaenidae) Synonym(s): *Eresinopsides Strand,1911*
764. **Eresiomera Clench,1965** (Lycaenidae) Synonym(s): *Eresiomera Clench,1965*
765. **Erikssonia Trimen,1891** (Lycaenidae) Synonym(s): *Erikssonia Trimen,1891*
766. **Erora Scudder,[1871]** (Lycaenidae) Synonym(s): *Erora Scudder,[1871]*
767. **Euaspa Moore,1884** (Lycaenidae) Synonym(s): *Euaspa Moore,1884* Original Reference: Euaspa Moore,1884, J. asiat. Soc. Bengal Pl.II 53 (1): 29. Type-species: *Myrina milionia* Hewitson,[1869], by original designation.
768. **Euchrysops Butler,1900** (Lycaenidae) Synonym(s): *Euchrysops Butler,1900* Original Reference: *Euchrysops* Butler,1900, Entomologist 33: 1. Type-species: *Hesperia cnejus* Fabricius,1798, by original designation.
769. **Euliphyra Holland,1890** (Lycaenidae) Synonym(s): *Euliphyra Holland,1890*
770. **Eumaeus Hübner,[1819]** (Lycaenidae) Synonym(s): *Eumaeus Hübner,[1819]*; *Eumenia* Godart,[1824]; *Eumaea* Geyer,[1834]; *Epula* Gistel,1848
771. **Euthecta Bennett,1954** (Lycaenidae) Synonym(s): *Euthecta Bennett,1954*
772. **Evenus Hübner,[1819]** (Lycaenidae) Synonym(s): *Evenus Hübner,[1819]*; *Endymion* Swainson,1831; *Macusia* Kaye,1904; *Cryptaenota* K.Johnson,1992; *Ipocia* Brévignon,2000; *Poetukulunma* Brévignon,2002; #*Poetukulunma* Brévignon,2002
773. **Falcuna Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *Falcuna Stempffer & Bennett,1963*
774. **Famegana Eliot,1973** (Lycaenidae) Synonym(s): *Famegana Eliot,1973*
775. **Favonius Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Favonius Sibatani & Ito,1942* Original Reference: *Favonius* Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 327. Type-species: *Dipsas orientalis* Murray,1875, by original designation.
776. **Feniseca Grote,1869** (Lycaenidae) Synonym(s): *Feniseca Grote,1869*
777. **Flos Doherty,1889** (Lycaenidae) Synonym(s): *Flos Doherty,1889*
778. **Glaucopsyche (Apelles) Hemming,1931** (Lycaenidae) Synonym(s): *Apelles* Hemming,1931 Original Reference: *Apelles* Hemming,1931, Trans. ent. Soc. Lond. 79:323. Type-species: *Polyommatus melanops* Boisduval,[1828], Eur. Lepid. Index: 13, by original designation.
779. **Glaucopsyche (Bajluana) Korshunov,1990** (Lycaenidae) Synonym(s): *Bajluana* Korshunov,1990 Original Reference: *Bajluana* Korshunov,1990, [in] Korshunov & Ivonin, Nov Maloizvestiye Vidy Fauny Sib. 22: 70. Type-species: *Lycaena argali* Elwes,1899, by original designation.
780. **Glaucopsyche (Iolana) Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Iolana* Bethune-Baker,1914 Original Reference: *Iolana* Bethune-Baker,1914, Entomologist's Rec. J. Var. 26: 162. Type-species: *Lycaena iolas* Ochsenheimer,1816, by original designation.
781. **Glaucopsyche (s.str.) Scudder,1872** (Lycaenidae) Synonym(s): *Glaucopsyche* Scudder,1872 Original Reference: *Glaucopsyche* Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 54. Type-species: *Polyommatus lygdamus* Doubleday,1841, by original designation.
782. **Glaucopsyche Scudder,1872** (Lycaenidae) Synonym(s): *Glaucopsyche* Scudder,1872 Original Reference: *Glaucopsyche* Scudder,1872, 4th Ann. Rep. Peabody Acad. Sc. 1871: 54. Type-species: *Polyommatus lygdamus* Doubleday,1841, by original designation.
783. **Goldia Dubatolov & Korshunov,1990** (Lycaenidae) Synonym(s): *Goldia Dubatolov & Korshunov,1990*
784. **Habrodais Scudder,1876** (Lycaenidae) Synonym(s): *Habrodais Scudder,1876*
785. **Heliophorus (Kulua) Zhdanko,1995** (Lycaenidae) Synonym(s): *Kulua Zhdanko,1995*
786. **Heliophorus (Nesa) Zhdanko,1995** (Lycaenidae) Synonym(s): *Nesa Zhdanko,1995* Original Reference: *Nesa* Zhdanko,1995, Ent. Obozr. 74 (3): 654. Type-species: *Polyommatus sena* Kollar,[1844], by original designation.
787. **Heliophorus (s.str.) Geyer,[1832]** (Lycaenidae) Synonym(s): *Heliophorus* Geyer,[1832] Original Reference: *Heliophorus* Geyer,[1832], [in] Hübner, Zutr. z. Samml. exot. Schmett. 4: 40. Type-species: *Heliophorus belenus* Geyer,[1832], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 186.
788. **Heliophorus Geyer,[1832]** (Lycaenidae) Synonym(s): *Heliophorus* Geyer,[1832] Original Reference: *Heliophorus* Geyer,[1832], [in] Hübner, Zutr. z. Samml. exot. Schmett. 4: 40. Type-species: *Heliophorus belenus* Geyer,[1832], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 186.

- 789. Hewitsonia Kirby,1871** (Lycaenidae) Synonym(s): *Corydon Hewitson,1869 nec Lesson,1828; Hewitsonia Kirby,1871*
- 790. Horaga Moore,[1881]** (Lycaenidae) Synonym(s): *Horaga Moore,[1881]* Original Reference: Horaga Moore,[1881], Lep. Ceylon 1(3): 98. Type-species: *Thecla onyx* Moore,1857, by original designation.
- 791. Hypochrysops C.Felder & R.Felder,1860** (Lycaenidae) Synonym(s): *Hypochrysops C.Felder & R.Felder,1860*
- 792. Hypolycaena (Hemiolaus) Aurivillius,1923** (Lycaenidae) Synonym(s): *Hemiolaus Aurivillius,1923*
- 793. Hypolycaena (s.str.) C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *Hypolycaena C.Felder & R.Felder,1862; Tatura Butler,1896* Original Reference: Hypolycaena C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 293. Type-species: *Myrina sipylus* C.Felder,1860, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 195.
- 794. Hypolycaena C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *Hypolycaena C.Felder & R.Felder,1862; Tatura Butler,1896* Original Reference: Hypolycaena C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 293. Type-species: *Myrina sipylus* C.Felder,1860, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 195.
- 795. Hypothecla Semper,1890** (Lycaenidae) Synonym(s): *Hypothecla Semper,1890* Original Reference: Hypothecla Semper,1890, Reise Archipel. Philipp. II (5) (Schmett.) 1 (5): 204. Type-species: *Hypolycaena astyla* Felder & Felder,1862, by monotypy.
- 796. Iolaus (Aphniolaus) Druce,1902** (Lycaenidae) Synonym(s): *Aphniolaus Druce,1902*
- 797. Iolaus (Argiolaus) Druce,1891** (Lycaenidae) Synonym(s): *Argiolaus Druce,1891; Philiolaus Stempffer & Bennett,1958*
- 798. Iolaus (Epamera) Druce,1891** (Lycaenidae) Synonym(s): *Epamera Druce,1891* Original Reference: Epamera Druce,1891, Ann. Mag. nat. Hist. (6) 8: 141. Type-species: *Iolaus sidus* Trimen,1864, by original designation.
- 799. Iolaus (Epamera) Druce,1891** (Lycaenidae) Synonym(s): *Epamera Druce,1891*
- 800. Iolaus (Etesiolaus) Stempffer & Bennett,1959** (Lycaenidae) Synonym(s): *Etesiolaus Stempffer & Bennett,1959*
- 801. Iolaus (Iolaphilus) Stempffer & Bennett,1958** (Lycaenidae) Synonym(s): *Iolaphilus Stempffer & Bennett,1958*
- 802. Iolaus (Pseudiolaus) Riley,1928** (Lycaenidae) Synonym(s): *Pseudiolaus Riley,1928*
- 803. Iolaus (Stugeta) Druce,1891** (Lycaenidae) Synonym(s): *Stugeta Druce,1891*
- 804. Iolaus (Tanuetheira) Druce,1891** (Lycaenidae) Synonym(s): *Tanuetheira Druce,1891*
- 805. Iolaus (Trichiolaus) Aurivillius,1898** (Lycaenidae) Synonym(s): *Trichiolaus Aurivillius,1898*
- 806. Iolaus (s.str.) Hübner,[1819]** (Lycaenidae) Synonym(s): *Iolaus Hübner,[1819]*
- 807. Ionolyce Toxopeus,1929** (Lycaenidae) Synonym(s): *Ionolyce Toxopeus,1929*
- 808. Iraota Moore,[1881]** (Lycaenidae) Synonym(s): *Iraota Moore,[1881]* Original Reference: Iraota Moore,[1881], Lep. Ceylon 1(3): 101. Type-species: *Hesperia maecenas* Fabricius,1793, by monotypy.
- 809. Iridana Aurivillius,1921** (Lycaenidae) Synonym(s): *Iris Staudinger,1891 nec Sauss.,1872; Iridopsis Aurivillius,1898 nec Warr.,1894; Iridana Aurivillius,1921*
- 810. Jacoona Distant,1884** (Lycaenidae) Synonym(s): *Jacoona Distant,1884*
- 811. Jamides Hübner,[1819]** (Lycaenidae) Synonym(s): *Jamides Hübner,[1819]* Original Reference: Jamides Hübner,[1819], Verz. bekannt. Schmett. (5): 71. Type-species: *Papilio bochus* Stoll,[1782], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 199.
- 812. Japonica Tutt,[1907]** (Lycaenidae) Synonym(s): *Japonica Tutt,[1907]* Original Reference: Japonica Tutt,[1907], Nat. Hist. Br. Butts. 2: 277. Type-species: *Dipsas saepestriata* Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8, by original designation.
- 813. Keraunogramma Röber,1887** (Lycaenidae) Synonym(s): *Keraunogramma Röber,1887*
- 814. Laeosopis Rambur,1858** (Lycaenidae) Synonym(s): *Laeosopis Rambur,1858.* Original Reference: Laeosopis Rambur,1858, Cat. syst. Lépid. Andal.: 33. Type-species: *Papilio roboris* Esper,[1793], by monotypy.
- 815. Lamasina Robbins,2002** (Lycaenidae) Synonym(s): *Eucharhia Boisduval,1870 nec Hbn.,[1820]; #Annamaria D'Abrera & Balint,2001; Lamasina Robbins,2002*

- 816. Lampides Hübner,[1819]** (Lycaenidae) Synonym(s): *Lampides Hübner,[1819]*; *Cosmolyce Toxopeus,1927*. Original Reference: Lampides Hübner,[1819], Verz. bekannt. Schmett. (5): 70. Type-species: Papilio boeticus Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): 789, by subsequent designation by Grote,1873, Bull. Buffalo Soc. nat. Sci. (3): 179.
- 817. Larinopoda Butler,1871** (Lycaenidae) Synonym(s): *Larinopoda Butler,1871*
- 818. Lepidochrysops Hedicke,1923** (Lycaenidae) Synonym(s): *Neochrysops Bethune-Baker,1923* nec Szilady,1922; *Lepidochrysops Hedicke,1923* Original Reference: Lepidochrysops Hedicke,1923, Berl. ent. Z. 1923 (2): 226. Type-species: Papilio parsimon Fabricius,1775, by designation through Section (i) (replacement names) of Article 67.
- 819. Leptotes Scudder,1876** (Lycaenidae) Synonym(s): *Leptotes Scudder,1876*; *Syntarucus Butler,[1901]*; *Syntarucoides Kaye,1904*; *Langia Tutt,[1906]* nec Moore,1872; *Raywardia Tutt,1908*. Original Reference: Leptotes Scudder,1876, Bull. Buffalo Soc. nat. Sci. 3: 124. Type-species: Lycaena theonus Lucas,1857, [in] Sagra, Hist. fis. pol. nat. Isla Cuba 7: 611, pl. Art.16, figs. 8, 8a, 8b, by original designation.
- 820. Lestranicus Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Lestranicus Eliot & Kawazoe,1984*
- 821. Leucantigius Shirozu & Murayama,1951** (Lycaenidae) Synonym(s): *Leucantigius Shirozu & Murayama,1951*
- 822. Liphyra Westwood,1864** (Lycaenidae) Synonym(s): *Liphyra Westwood,1864*
- 823. Logania Distant,1884** (Lycaenidae) Synonym(s): *Logania Distant,1884*
- 824. Loxura Horsfield,[1829]** (Lycaenidae) Synonym(s): *Loxura Horsfield,[1829]* Original Reference: Loxura Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 119,120. Type-species: Papilio athymnus Stoll,[1780], by original designation.
- 825. Lycaena (Alciphronia) Koçak,1992** (Lycaenidae) Synonym(s): *Alciphronia Koçak,1992* Original Reference: Alciphronia Koçak,1992, Cent. ent. Stud., Misc. Pap. 16: 2. Type-species: Papilio alciphron Rottentburg,1775, by original designation (proposed originally as a subgenus of the genus Heodes Dalman,1816).
- 826. Lycaena (Antipodolycaena) Smart,1975** (Lycaenidae) Synonym(s): *Antipodolycaena Smart,1975*
- 827. Lycaena (Chalceria) Scudder,1876** (Lycaenidae) Synonym(s): *Chalceria Scudder,1876*
- 828. Lycaena (Epidemia) Scudder,1876** (Lycaenidae) Synonym(s): *Epidemia Scudder,1876*
- 829. Lycaena (Gaeides) Scudder,1876** (Lycaenidae) Synonym(s): *Gaeides Scudder,1876*
- 830. Lycaena (Helleia) Verity,1943** (Lycaenidae) Synonym(s): *Helleia Verity,1943* Original Reference: Helleia Verity,1943, Farfalle diurn. d'Italia 2: 20, 48. Type-species: Papilio helle [Denis & Schiffermüller],1775, by original designation.
- 831. Lycaena (Hellolycaena) Koçak,1983** (Lycaenidae) Synonym(s): *Hellolycaena Koçak,1983* Original Reference: Hellolycaena Koçak,1983, Priamus 3 (1): 4-5. Type-species: Polyommatus thoe Guérin-Ménéville,[1831], by original designation.
- 832. Lycaena (Heodes) Dalman,1816** (Lycaenidae) Synonym(s): *Heodes Dalman,1816*; *Chrysoptera Zincken,1817*. Original Reference: Heodes Dalman,1816, K. svenska VetenskAkad. Handl., Stockholm 1816 (1):63. Type-species: Papilio virgaureae Linnaeus,1758, Syst. Nat. (Ed.10)1: 484, by monotypy.
- 833. Lycaena (Hermelycaena) L.Miller & F.M.Brown,1979** (Lycaenidae) Synonym(s): *Hermelycaena L.Miller & F.M.Brown,1979*
- 834. Lycaena (Hyrceanana) Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Hyrceanana Bethune-Baker,1914*; *Sarthusia Verity,1943* Original Reference: Hyrceanana Bethune-Baker,1914, Entomologist's Rec. J. Var. 26: 135. Type-species: Polyommatus caspius Lederer,1870, by original designation.
- 835. Lycaena (Loweia) Tutt,[1906]** (Lycaenidae) Synonym(s): *Loweia Tutt,[1906]*; *Palaeoloweia Verity,1934*. Original Reference: Loweia Tutt,[1906], Nat. Hist. Br. Butts. 1: 314. Type-species: Papilio dorilis Hufnagel,1766, Berlin. Mag. 2: 68, by original designation.
- 836. Lycaena (Margelycaena) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Phoenicurusia auct. nec Verity,1943*; *Margelycaena Koçak & Kemal,2001* Original Reference: Margelycaena Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 75: 2. Type-species: Polyommatus phoenicurus var. margelanica Staudinger,1881, by original designation.
- 837. Lycaena (Mirzakhania) Koçak,1996** (Lycaenidae) Synonym(s): *Mirzakhania Koçak,1996* Original Reference: Mirzakhania Koçak,1996, Priamus 7 (4): 144. Type-species: Chrysophanus

- kasyapa Moore, 1865, by original designation (Mirzakhania is proposed as a subgenus of Thersamolycaena Verity, 1957).
- 838. Lycaena (Palaeochrysophanus) Verity, 1943** (Lycaenidae) **Synonym(s):** *Palaeochrysophanus* Verity, 1943 **Original Reference:** *Palaeochrysophanus* Verity, 1943, *Le Farfalle diurn. d'Italia* 2: 23, 64. Type-species: *Papilio hippothoe* Linnaeus, 1761, *Fauna suecica* (ed.2): 274, by original designation.
- 839. Lycaena (Phoenicurusia) Verity, 1943** (Lycaenidae) **Synonym(s):** *Phoenicurusia* Verity, 1943; *Athamanthia* Zhdanko, 1983 **Original Reference:** *Phoenicurusia* Verity, 1943, *Le Farfalle diurn. d'Italia* 2: 21. Type-species: *Polyommatus phoenicurus* Lederer, 1870, *Horae Soc. ent. ross.* 8: 8, pl. 1 figs. 4, 5, by original designation.
- 840. Lycaena (Tharsalea) Scudder, 1876** (Lycaenidae) **Synonym(s):** *Tharsalea* Scudder, 1876
- 841. Lycaena (Thersamolycaena) Verity, 1957** (Lycaenidae) **Synonym(s):** *Disparia* Verity, 1943 *nec* Nagano, 1916; *Thersamolycaena* Verity, 1957; *#Thersamonolycaena* Churkin, 1999 **Original Reference:** *Thersamolycaena* Verity, 1957, *Entomologist's Rec. J. Var.* 69: 225 (pro *Disparia* Verity, 1943 *nec* Nagano, 1916). Type-species: *Papilio dispar* Haworth, [1802], *Prodr. Lep. Br.*: 3 & *nota.* by original designation.
- 842. Lycaena (Thersamonia) Verity, 1919** (Lycaenidae) **Synonym(s):** *Thersamonia* Verity, 1919; *Hyllolycaena* & L. Miller & F. M. Brown, 1979 **Original Reference:** *Thersamonia* Verity, 1919, *Entomologist's Rec. J. Var.* 31: 28. Type-species: *Papilio thersamon* Esper, [1784], *Die Schmett.* 1 (Bd.2) *Forts. Tagschmett.*: 176, pl. 89, fig. 6, by original designation.
- 843. Lycaena (s.str.) Fabricius, 1807** (Lycaenidae) **Synonym(s):** *Lycaena* Fabricius, 1807 **Original Reference:** *Lycaena* Fabricius, 1807, *Mag. f. Insektenk. (Illiger)* 6: 285. Type-species: *Papilio phlaeas* Linnaeus, 1761, *Faun. suec. (ed.2)*: 285, by subsequent designation by Curtis, 1828, *Br. Ent.* 5: pl. 12.
- 844. Lycaena Fabricius, 1807** (Lycaenidae) **Synonym(s):** *Lycaena* Fabricius, 1807; *Lycia* Sodoffsky, 1837; *Migonitis* Sodoffsky, 1837; *Rumicia* Tutt, 1906. **Original Reference:** *Lycaena* Fabricius, 1807, *Mag. f. Insektenk. (Illiger)* 6: 285. Type-species: *Papilio phlaeas* Linnaeus, 1761, *Faun. suec. (ed.2)*: 285, by subsequent designation by Curtis, 1828, *Br. Ent.* 5: pl. 12.
- 845. Lycaenopsis C. Felder & R. Felder, [1865]** (Lycaenidae) **Synonym(s):** *Lycaenopsis* C. Felder & R. Felder, [1865] **Original Reference:** *Lycaenopsis* C. Felder & R. Felder, 1865, *Reise österr. Fregatte Novara* (2) (Rhopalocera): 257. Type-species: *Lycaenopsis ananga* Felder & Felder, 1865, by original designation [Gender feminine].
- 846. Mahathala Moore, 1878** (Lycaenidae) **Synonym(s):** *Mahathala* Moore, 1878
- 847. Manto De Nicéville, 1895** (Lycaenidae) **Synonym(s):** *Manto De Nicéville*, 1895 **Original Reference:** *Manto De Nicéville*, 1895, *J. Bombay nat. Hist. Soc.* 9 (3): 312. Type-species: *Myrina hypoleuca* Hewitson, [1865], by original designation.
- 848. Mantoides Druce, 1896** (Lycaenidae) **Synonym(s):** *Mantoides* Druce, 1896
- 849. Megalopalpus Röber, 1886** (Lycaenidae) **Synonym(s):** *Megalopalpus* Röber, 1886
- 850. Megisba Moore, 1881** (Lycaenidae) **Synonym(s):** *Megisba* Moore, 1881; *Pathalia* Moore, 1884
- 851. Micropentila Aurivillius, 1895** (Lycaenidae) **Synonym(s):** *Micropentila* Aurivillius, 1895
- 852. Micropsyche Mattoni, 1981** (Lycaenidae) **Synonym(s):** *Micropsyche* Mattoni, 1981 **Original Reference:** *Micropsyche* Mattoni, 1981, *J. Res. Lepid.* 18 (4): 256. Type-species: *Micropsyche ariana* Mattoni, 1981, by original designation.
- 853. Miletus Hübner, [1819]** (Lycaenidae) **Synonym(s):** *Miletus* Hübner, [1819]
- 854. Mimacraea Butler, 1872** (Lycaenidae) **Synonym(s):** *Mimacraea* Butler, 1872
- 855. Mimeresia Stempffer, 1961** (Lycaenidae) **Synonym(s):** *Mimeresia* Stempffer, 1961
- 856. Mithras Hübner, [1819]** (Lycaenidae) **Synonym(s):** *Mithras* Hübner, [1819]; *Paraspiculatus* K. Johnson & Constantino, 1997
- 857. Monodontides (Buakraengius) Eliot & Kawazoe, 1984** (Lycaenidae) **Synonym(s):** *Buakraengius* Eliot & Kawazoe, 1984
- 858. Monodontides (s.str.) Toxopeus, 1927** (Lycaenidae) **Synonym(s):** *Monodontides* Toxopeus, 1927
- 859. Monodontides Toxopeus, 1927** (Lycaenidae) **Synonym(s):** *Monodontides* (s.str.) Toxopeus, 1927
- 860. Mota De Nicéville, 1890** (Lycaenidae) **Synonym(s):** *Mota De Nicéville*, 1890
- 861. Myrina Fabricius, 1807** (Lycaenidae) **Synonym(s):** *Myrina* Fabricius, 1807 **Original Reference:** *Myrina* Fabricius, 1807, *Mag. f. Insektenk. (Illiger)* 6: 286. Type-species: *Papilio*

- alcides Cramer,[1776], by subsequent designation by Kirby,1870, J. linn. Soc. Lond., Zool. 10: 500.
- 862. Nacaduba Moore,1881** (Lycaenidae) Synonym(s): *Nacaduba Moore,1881*
- 863. Neocheritra Distant,1885** (Lycaenidae) Synonym(s): *Neocheritra Distant,1885* Original Reference: *Neocheritra Distant,1885*, Rhop. malayana: 252. Type-species: *Myrina amrita* Felder & Felder,1860, by monotypy.
- 864. Neoepitola Jackson,1964** (Lycaenidae) Synonym(s): *Neoepitola Jackson,1964*
- 865. Neolycaena (Rhymnaria) Zhdanko,1983** (Lycaenidae) Synonym(s): *Rhymnaria Zhdanko,1983* Original Reference: *Rhymnaria Zhdanko,1983*, Ent. Obozr. 62 (1): 135, 150. Type-species: *Lycaena rhymnus* Eversmann,1832, by original designation (proposed as a subgenus of *Neolycaena* De Nicev.).
- 866. Neolycaena De Nicéville,1890** (Lycaenidae) Synonym(s): *Neolycaena De Nicéville,1890* Original Reference: *Neolycaena De Nicéville,1890*, Butts India Burmah Ceylon 3: 15, 64. Type-species: *Lycaena sinensis* Alpheraky,1881, by original designation.
- 867. Neomyrina Distant,1884** (Lycaenidae) Synonym(s): *Neomyrina Distant,1884*
- 868. Neopithecops Distant,1884** (Lycaenidae) Synonym(s): *Neopithecops Distant,1884*; *Parapithecops Moore,1884*; *Papua Röber,1892*. Original Reference: *Neopithecops Distant,1884*, Rhop. malayana: 197, 209. Type-species: *Pithecops dharma* Moore,[1881], by original designation [Gender masculine].
- 869. Neozephyrus Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Neozephyrus Sibatani & Ito,1942* Original Reference: *Neozephyrus Sibatani & Ito,1942*, Tenthredo 3(4): 324. Type-species: *Thecla taxila* Bremer,1861, by original designation.
- 870. Neurellipes Bethune-Baker,1910** (Lycaenidae) Synonym(s): *Neurellipes Bethune-Baker,1910*; *Monile Ungemach,1932*
- 871. Neurypexina Bethune-Baker,1910** (Lycaenidae) Synonym(s): *Neurypexina Bethune-Baker,1910*
- 872. Niphanda Moore,[1875]** (Lycaenidae) Synonym(s): *Niphanda Moore,[1875]* Original Reference: *Niphanda Moore,[1875]*, Proc. zool. Soc. Lond. 1874 (4): 572. Type-species: *Niphanda tessellata* Moore,[1875], ibid. 1874: 572, pl.66 fig.6, by monotypy.
- 873. Notarthrinus Chapman,1908** (Lycaenidae) Synonym(s): *Notarthrinus Chapman,1908*
- 874. Oboronia Karsch,1893** (Lycaenidae) Synonym(s): *Oboronia Karsch,1893*
- 875. Orachrysops Vari,1986** (Lycaenidae) Synonym(s): *Orachrysops Vari,1986*
- 876. Oraidium Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Oraidium Bethune-Baker,1914* Original Reference: *Oraidium Bethune-Baker,1914*, Trans. ent. Soc. London 1914: 331. Type-species: *Lycaena barberae* Trimen,1868, by original designation.
- 877. Oreolyce (Arletta) Hemming,1935** (Lycaenidae) Synonym(s): *Moorea Toxopeus,1927* nec Jones & Kirby,1869; *Arletta Hemming,1935*. Original Reference: *Arletta Hemming,1935*, Stylops 4: 3. Type-species: *Polyommatus vardhana* Moore,[1875], designated through Section (i) (replacement names) of Article 67.
- 878. Oreolyce (s.str.) Toxopeus,1927** (Lycaenidae) Synonym(s): *Oreolyce Toxopeus,1927* Original Reference: *Oreolyce Toxopeus,1927*, Tijdschr. Ent. 70: 256, 277. Type-species: *Lycaena quadriplaga* Snellen,1892, by original designation.
- 879. Oreolyce Toxopeus,1927** (Lycaenidae) Synonym(s): *Oreolyce Toxopeus,1927* Original Reference: *Oreolyce Toxopeus,1927*, Tijdschr. Ent. 70: 256, 277. Type-species: *Lycaena quadriplaga* Snellen,1892, by original designation.
- 880. Ornipholidotos Bethune-Baker,1914** (Lycaenidae) Synonym(s): *Ornipholidotos Bethune-Baker,1914*
- 881. Orthomiella De Nicéville,1890** (Lycaenidae) Synonym(s): *Orthomiella De Nicéville,1890*
- 882. Otnjukovia Zhdanko,1997** (Lycaenidae) Synonym(s): *Otaria Zhdanko,1984* nec Blainville,1820; *Otnjukovia Zhdanko,1997*; *Zhdankoana Koçak,1998*; *Apsara Korb,1999* Original Reference: *Otnjukovia Zhdanko,1997*, Zoosyst. ross. 5(2): 312. Type-species: *Turanana (Otaria) tatjana* Zhdanko,1984, Trudy zool. Inst. Leningr. 122: 104, designation through Section (i) of Article 67 (replacement name).
- 883. Oxyliodes Hübner,[1819]** (Lycaenidae) Synonym(s): *Oxyliodes Hübner,[1819]*. Original Reference: *Oxyliodes Hübner,[1819]*, Verz. bekannt. Schmett. (5): 77. Type-species: *Papilio faunus* Drury,[1773], Ill. nat. Hist. 2: index et 2, pl.1, figs. 4,5., by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 234.

- 884. *Paiwarria* Kaye,1904** (Lycaenidae) Synonym(s): *Paiwarria* Kaye,1904; *Radissima* K.Johnson,1992
- 885. *Palaeophilotes* (Inderskia) Korshunov,2000** (Lycaenidae) Synonym(s): *Inderskia* Korshunov,2000
- 886. *Palaeophilotes* (s.str.) Forster,1938** (Lycaenidae) Synonym(s): *Palaeophilotes* Forster,1938 Original Reference: *Palaeophilotes* Forster,1938, Mitt. münch. ent. Ges. 28: 105. Type-species: *Lycaena triphysina* Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2, by original designation.
- 887. *Palaeophilotes* Forster,1938** (Lycaenidae) Synonym(s): *Palaeophilotes* Forster,1938 Original Reference: *Palaeophilotes* Forster,1938, Mitt. münch. ent. Ges. 28: 105. Type-species: *Lycaena triphysina* Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2, by original designation.
- 888. *Pamela* Hemming,1935** (Lycaenidae) Synonym(s): *Listeria* De Nicéville,1894 (*praeocc.*); *Pamela* Hemming,1935 Original Reference: *Pamela* Hemming,1935, Stylops 4: 3. Type-species: *Listeria dudgeonii* De Nicéville,1894, by designation through Section (i) (replacement names) of Article 67.
- 889. *Paraslauga* Bethune-Baker,1925** (Lycaenidae) Synonym(s): *Paraslauga* Bethune-Baker,1925
- 890. *Parelodina* Bethune-Baker,1904** (Lycaenidae) Synonym(s): *Parelodina* Bethune-Baker,1904
- 891. *Parrhasius* Hübner,[1819]** (Lycaenidae) Synonym(s): *Parrhasius* Hübner,[1819]; *Eupsyche* Scudder,1876
- 892. *Paruparo* Takanami,1982** (Lycaenidae) Synonym(s): *Paruparo* Takanami,1982 Original Reference: *Paruparo* Takanami,1982, Memoirs Tuskada Colln No.4: 52.
- 893. *Pentila* (Liptenara) Bethune-Baker,1915** (Lycaenidae) Synonym(s): *Liptenara* Bethune-Baker,1915
- 894. *Pentila* (s.str.) Westwood,[1851]** (Lycaenidae) Synonym(s): *Pentila* Westwood,[1851]; *Tingra* Boisduval,1847 [suppressed]
- 895. *Petrelaea* Toxopeus,1929** (Lycaenidae) Synonym(s): *Petrelaea* Toxopeus,1929
- 896. *Phasis* Hübner,[1819]** (Lycaenidae) Synonym(s): *Phasis* Hübner,[1819]. Original Reference: *Phasis* Hübner,[1819], Verz. bekannt. Schmett. (5): 73. Type-species: *Papilio salmoneus* Stoll,[1781], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 247.
- 897. *Phengaris* Doherty,1891** (Lycaenidae) Synonym(s): *#Argus* Boisduval,[1832] *nec* *Bohadsch*,1761; *Phengaris* Doherty,1891; *Maculinea* van Eecke,1915 Original Reference: *Phengaris* Doherty,1891, J. asiat. Soc. Bengal 60 (2): 36. Type-species: *Lycaena atroguttata* Oberthür,1876, by monotypy.
- 898. *Philiris* Röber,1891** (Lycaenidae) Synonym(s): *Philiris* Röber,1891
- 899. *Phlyaria* Karsch,1895** (Lycaenidae) Synonym(s): *Phlyaria* Karsch,1895
- 900. *Phytala* Westwood,[1851]** (Lycaenidae) Synonym(s): *Phytala* Westwood,[1851]; *Hypophytala* Clench,1965
- 901. *Pithecops* Horsfield,[1828]** (Lycaenidae) Synonym(s): *Pithecops* Horsfield,[1828]
- 902. *Plautella* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Plautella* Eliot & Kawazoe,1984
- 903. *Plebejus* (Alpherakya) Zhdanko,1994** (Lycaenidae) Synonym(s): *Alpherakya* Zhdanko,1994 Original Reference: *Pamiria* Zhdanko,1994, Selevinia 2: 94-95. Type-species: by original designation.
- 904. *Plebejus* (Icaricia) Nabakov,[1945]** (Lycaenidae) Synonym(s): *Icaricia* Nabakov,[1945]
- 905. *Plebejus* (Kretania) Beuret,1959** (Lycaenidae) Synonym(s): *Kretania* Beuret,1959 Original Reference: *Kretania* Beuret,1959, Mitt. ent. Ges. Basel (n.f.) 9:83. Type-species: *Lycaena psylorita* Freyer,1845, Neue. Beitr. Schmett. 5(79): 146, pl. 469, figs. 3-4, by original designation.
- 906. *Plebejus* (Lycacides) Hübner,[1819]** (Lycaenidae) Synonym(s): *Lycacides* Hübner,[1819] Original Reference: *Lycacides* Hübner,[1819], Verz. bekannt. Schmett. (5): 69. Type-species: *Papilio argyrognomon* Bergträger,[1779], Nom. Beschr. Ins. Graftschaft Hanau-Munzenburg 2: 76, pl.46, figs. 1-2, by subsequent designation by ICZN, Op. 169.
- 907. *Plebejus* (Plebejides) Sauter,1968** (Lycaenidae) Synonym(s): *Plebejides* Sauter,1968 Original Reference: *Plebejides* Sauter,1968, Mitt. ent. Ges. Basel (n.f.) 18 (1): 4. Type-species: *Lycaena pylaon* Fischer von Waldheim,1832, by original designation.
- 908. *Plebejus* (Plebulina) Nabakov,[1945]** (Lycaenidae) Synonym(s): *Plebulina* Nabakov,[1945]

- 909. Plebejus (s.str.) Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802* Original Reference: *Plebejus Kluk,1802*, Zwierr. Hist. nat. pocz. gospod. 4:89. Type-species: *Papilio argus* Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 910. Plebejus Kluk,1802** (Lycaenidae) Synonym(s): *Plebejus Kluk,1802*; *Plebeius Kirby,1871 nec Tschudi,1846*. Original Reference: *Plebejus Kluk,1802*, Zwierr. Hist. nat. pocz. gospod. 4:89. Type-species: *Papilio argus* Linnaeus,1758, Syst. Nat. (Ed.10)1: 483, by subsequent designation by Hemming, 1933, Entomologist 66: 224.
- 911. Polyommatus (Agriades (Mestore)) Koçak & Kemal,2007** (Lycaenidae) Synonym(s): *Himalaya Koçak & Seven,1998 nec Malhqttra, Capoor & Ghildiyal,1983; Mestore Koçak & Kemal,2007* Original Reference: *Polyommatus (Agriades (Mestore)) Koçak & Kemal,2007*, Centr. ent. Stud., Misc. Pap. 105: 5. Type-species: *Polyommatus jaloka* Moore,1874, by original designation (for *Himalaya Koçak & Seven,1998*).
- 912. Polyommatus (Agriades (s.str.)) Hübner,[1819]** (Lycaenidae) Synonym(s): *Agriades Hübner,[1819]; Latorina Tutt,[1909]* Original Reference: *Agriades Hübner,[1819]*, Verz. bekannt. Schmett. (5): 68. Type-species: *Papilio glandon* De Prunner,1798, Lepidopt. pedemont.: 76, by subsequent designation by ICZN, Op. 173.
- 913. Polyommatus (Albulina (Pamiria)) Zhdanko,1995** (Lycaenidae) Synonym(s): *Pamiria Zhdanko,1995* Original Reference: *Pamiria Zhdanko,1995*, Zool. Zh. 74 (10): 122. Type-species: *Lycaena chrysopsis* Groum-Grshimailo,1888, by original designation.
- 914. Polyommatus (Albulina (Patricius)) Balint,1991** (Lycaenidae) Synonym(s): *Patricius Balint,1991*
- 915. Polyommatus (Albulina (Plebejidea)) Koçak,1983** (Lycaenidae) Synonym(s): *Plebejidea Koçak,1983; Glabroculus Lvovsky,1993; Elviria Zhdanko,1994*. Original Reference: *Plebejidea Koçak,1983*, Priamus 3 (1): 29. Type-species: *Lycaena loewii* Zeller,1847, by original designation. (proposed as a subgenus).
- 916. Polyommatus (Albulina (Vacciniina)) Tutt,[1909]** (Lycaenidae) Synonym(s): *Vacciniina Tutt,[1909]; Farsia Zhdanko,1994* Original Reference: *Vacciniina Tutt,[1909]*, Nat. Hist. Br. Butts 3: 154. Type-species: *Papilio optilete* Knoch,1781, Beitr. Insektengesch. 1: 76, pl.5, figs.5-6, by original designation.
- 917. Polyommatus (Albulina (s.str.)) Tutt,[1909]** (Lycaenidae) Synonym(s): *Albulina Tutt,[1909]* Original Reference: *Albulina Tutt,[1909]*, Nat. Hist. Br. Butts 3(6): 154. Type-species: *Papilio pheretes* Hübner,[1806], Samml. eur. Schmett. 1: 45 (nec Hoffmannsegg,1804; vide *Papilio orbitulus* De Prunner,1798), by original designation.
- 918. Polyommatus (Aricia (Eumedonia)) Forster,1938** (Lycaenidae) Synonym(s): *Eumedonia Forster,1938* Original Reference: *Eumedonia Forster,1938*, Mitt. münch. ent. Ges. 28: 113. Type-species: *Papilio eumedon* Esper,[1780], Die Schmett. 1(Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3. by original designation.
- 919. Polyommatus (Aricia (Pseudoaricia)) Beuret,1959** (Lycaenidae) Synonym(s): *Pseudoaricia Beuret,1959* Original Reference: *Pseudoaricia Beuret,1959*, Mitt. ent. Ges. Basel (n.f.) 9:84. Type-species: *Polyommatus nicias* Meigen,1829, Syst. Besch. eur. Schmett. 2(1): 10, pl.45, figs.3a,b. by original designation.
- 920. Polyommatus (Aricia (Ultraaricia)) Beuret,1959** (Lycaenidae) Synonym(s): *Ultraaricia Beuret,1959* Original Reference: *Ultraaricia Beuret,1959*, Mitt. ent. Ges. Basel (n.f.) 9:84. Type-species: *Lycaena anteros* Freyer,1839, Neue. Beitr. Schmett. 1(45): 101, pl.265, fig.1. by original designation.
- 921. Polyommatus (Aricia (Umpria)) Zhdanko,1994** (Lycaenidae) Synonym(s): *Umpria Zhdanko,1994* Original Reference: *Umpria Zhdanko,1994*, Selevinia 2: 94-95. Type-species: by original designation.
- 922. Polyommatus (Aricia (s.str.)) Reichenbach,1817** (Lycaenidae) Synonym(s): *Aricia s.str. Reichenbach,1817* Original Reference: *Aricia R.L.,1817*, Jena allg. Lit.-Ztg. Jena 1(14): 280. Type-species: *Papilio agestis* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 184, by subsequent designation by Tutt,1906, Entomologist's Rec. J. Var. 18: 1
- 923. Polyommatus (Aricia) [Reichenbach],1817** (Lycaenidae) Synonym(s): *Aricia [Reichenbach],1817; Gynomorphia Verity,1929*. Original Reference: *Aricia [Reichenbach],1817*, Jenaische Allgem. Lit. Ztg., Jena 14(1): 280. Type-species: *Papilio agestis* [Denis &

- Schiffermüller],1775, by subsequent designation by Tutt,1906, Entomologist's Rec. J. Var. 18: 131.
- 924. Polyommatus (s.str. (Agrodiaetus (Actisia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Actisia Koçak & Kemal,2001* Original Reference: *Actisia Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 8. Type-species: *Lycaena actis* Herrich-Schäffer,[1851], by original designation.
- 925. Polyommatus (s.str. (Agrodiaetus (Admetusia))) Koçak & Seven,1998** (Lycaenidae) Synonym(s): *Admetusia Koçak & Seven,1998* Original Reference: *Admetusia Koçak & Seven,1998*, Cent. ent. Stud., Misc. Pap. 49: 4. Type-species: *Papilio admetus* Esper,[1783], Die Schmett. 1(2): Forts. 148, Taf.82 figs. 2, 3, by original designation [proposed originally as a section].
- 926. Polyommatus (s.str. (Agrodiaetus (Antidolus))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Antidolus Koçak & Kemal,2001* Original Reference: *Antidolus Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena antidolus* Rebel,1901, by original designation.
- 927. Polyommatus (s.str. (Agrodiaetus (Dagmara))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Dagmara Koçak & Kemal,2001* Original Reference: *Dagmara Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena dagmara* Groum-Grshimailo,1888, by original designation.
- 928. Polyommatus (s.str. (Agrodiaetus (Damaia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Damaia Koçak & Kemal,2001* Original Reference: *Damaia Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena dama* Staudinger,[1892], by original designation.
- 929. Polyommatus (s.str. (Agrodiaetus (Juldus))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Juldus Koçak & Kemal,2001* Original Reference: *Juldus Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 9. Type-species: *Lycaena kindermanni* var. *juldusa* Staudinger,1886, by original designation.
- 930. Polyommatus (s.str. (Agrodiaetus (Musa))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Musa Koçak & Kemal,2001* Original Reference: *Musa Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: *Polyommatus (Agrodiaetus) musa* Koçak & Hosseinpour,1996, by original designation.
- 931. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) Rose & Schurian,[1978]** (Lycaenidae) Synonym(s): *Paragrodiaetus Rose & Schurian,[1978]* Original Reference: *Paragrodiaetus Rose & Schurian,[1978]*, J. ent. Soc. Iran 4: 68. Type-species: *Lycaena glaucias* Lederer,1871, by original designation [proposed originally as a subgenus].
- 932. Polyommatus (s.str. (Agrodiaetus (Peileia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Peileia Koçak & Kemal,2001* Original Reference: *Peileia Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: *Polyommatus peilei* Bethune-Baker,1921, by original designation.
- 933. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Phyllisia Koçak & Kemal,2001* Original Reference: *Phyllisia Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Type-species: *Lycaena damon* var. *phyllis* Christoph,1877, by original designation.
- 934. Polyommatus (s.str. (Agrodiaetus (Transcaspus))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Transcaspus Koçak & Kemal,2001* Original Reference: *Transcaspus Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: *Lycaena kindermanni* var. *transcaspica* Staudinger,1899, by original designation.
- 935. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *Xerxesia Koçak & Kemal,2001* Original Reference: *Xerxesia Koçak & Kemal,2001*, Cent. ent. Stud., Misc. Pap. 78 / 79: 11. Type-species: *Lycaena damone* var. *xerxes* Staudinger,1899, by original designation.
- 936. Polyommatus (s.str. (Agrodiaetus)) Hübner,1822** (Lycaenidae) Synonym(s): *Agrodiaetus Hübner,1822; Hirsutina Tutt,[1909]*. Original Reference: *Agrodiaetus Hübner,1822*, Syst. alph. Verz.: 1-10. Type-species: *Papilio damon* [Denis & Schiffermüller],1775, by subsequent designation by Hemming,1934, Gen. Names hol. Butts 1: 109.
- 937. Polyommatus (s.str. (Cyaniris)) Dalman,1816** (Lycaenidae) Synonym(s): *Cyaniris Dalman,1816; Nomiades Hübner,[1819]*. Original Reference: *Cyaniris Dalman,1816*, K. svenska

- VetenskAkad. Handl., 1816(1):63. Type-species: *Cyaniris argianus* Dalman, 1816, *ibid.*:95, by monotypy.
- 938. *Polyommatus* (s.str. (*Lysandra*)) Hemming, 1933** (Lycaenidae) Synonym(s): *Lysandra* Hemming, 1933 Original Reference: *Lysandra* Hemming, 1933, *Entomologist* 66: 277. Type-species: *Papilio coridon* Poda, 1761, by selection through Section (i) (replacement names) of Article 67.
- 939. *Polyommatus* (s.str. (*Meleageria*)) De Sagarra, 1925** (Lycaenidae) Synonym(s): *Meleageria* De Sagarra, 1925 Original Reference: *Meleageria* De Sagarra, 1925, *Bull. Inst. catal. Hist. nat.* (2) 5: 271. Type-species: *Papilio meleager* Esper, [1777], by monotypy.
- 940. *Polyommatus* (s.str. (*Neolysandra*)) Koçak, 1977** (Lycaenidae) Synonym(s): *Neolysandra* Koçak, 1977 Original Reference: *Neolysandra* Koçak, 1977, *Atalanta* 8 (1): 52. Type-species: *Lycaena diana* Miller, 1912, by original designation.
- 941. *Polyommatus* (s.str. (*Plebicula*)) Higgins, 1969** (Lycaenidae) Synonym(s): *Plebicula* Higgins, 1969 Original Reference: *Plebicula* Higgins, 1969, *Entomologist* 102: 67. Type-species: *Papilio argester* Bergsträßer, [1779], by original designation.
- 942. *Polyommatus* (s.str. (*Sublysandra*)) Koçak, 1977** (Lycaenidae) Synonym(s): *Sublysandra* Koçak, 1977 Original Reference: *Sublysandra* Koçak, 1977, *Atalanta* 8 (1): 52-53. Type-species: *Polyommatus candalus* Herrich-Schäffer, [1851], by original designation.
- 943. *Polyommatus* (s.str. (*Thersitesia*)) Koçak & Seven, 1998** (Lycaenidae) Synonym(s): *Thersitesia* Koçak & Seven, 1998 Original Reference: *Thersitesia* Koçak & Seven, 1998, *Cent. ent. Stud., Misc. Pap.* 49: 4. Type-species: *Argus thersites* Canterer, [1835], *Hist. Nat. Lépid. Rhop. et Bas-Rhin...*: 53-54, Pl. 11, figs. 1, 2, by original designation (proposed as a section).
- 944. *Polyommatus* (s.str.) Latreille, 1804** (Lycaenidae) Synonym(s): *Polyommatus* Latreille, 1804 Original Reference: *Polyommatus* Latreille, 1804, *Nouv. Dict. Hist. nat.* 24(tab.): 185, 200. Type-species: *Papilio icarus* Rottemburg, 1775, *Der Naturforscher* 6:31, by subsequent designation by ICZN, Op. 270.
- 945. *Polyommatus* Latreille, 1804** (Lycaenidae) Synonym(s): *Polyommatus* Latreille, 1804 Original Reference: *Polyommatus* Latreille, 1804, *Nouv. Dict. Hist. nat.* 24(tab.): 185, 200. Type-species: *Papilio icarus* Rottemburg, 1775, *Der Naturforscher* 6:31, by subsequent designation by ICZN, Op. 270.
- 946. *Poriskina* Druce, 1895** (Lycaenidae) Synonym(s): *Poriskina* Druce, 1895
- 947. *Poritia* Moore, [1866]** (Lycaenidae) Synonym(s): *Poritia* Moore, [1866]
- 948. *Powellana* Bethune-Baker, 1908** (Lycaenidae) Synonym(s): *Powellana* Bethune-Baker, 1908; *Satyrimima* Holland, 1913
- 949. *Praephilotes* Forster, 1938** (Lycaenidae) Synonym(s): *Praephilotes* Forster, 1938 Original Reference: *Praephilotes* Forster, 1938, *Mitt. münch. ent. Ges.* 28: 105. Type-species: *Lycaena anthracias* Christoph, 1877, by original designation.
- 950. *Pratapa* Moore, [1881]** (Lycaenidae) Synonym(s): *Pratapa* Moore, [1881] Original Reference: *Pratapa* Moore, [1881], *Lep. Ceylon* 1(3): 108. Type-species: *Amblypodia deva* Moore, 1857, by original designation.
- 951. *Prosotas* Druce, 1891** (Lycaenidae) Synonym(s): *Prosotas* Druce, 1891 Original Reference: *Prosotas* Druce, 1891, *Proc. zool. Soc. Lond.* 1891: 366. Type-species: *Prosotas caliginosa* Druce, 1891, by original designation.
- 952. *Protantigius* Shirozu & Yamamoto, 1956** (Lycaenidae) Synonym(s): *Protantigius* Shirozu & Yamamoto, 1956 Original Reference: *Protantigius* Shirozu & Yamamoto, 1956, *Sieboldia* 1 (4): 339, 357. Type-species: *Drina superans* Oberthür, 1914, by original designation.
- 953. *Pseudaletis* Druce, 1888** (Lycaenidae) Synonym(s): *Pseudaletis* Druce, 1888
- 954. *Pseuderesia* Butler, 1874** (Lycaenidae) Synonym(s): *Pseuderesia* Butler, 1874
- 955. *Pseudonacaduba* Stempffer, 1944** (Lycaenidae) Synonym(s): *Pseudonacaduba* Stempffer, 1944
- 956. *Pseudoneaveia* Stempffer, 1964** (Lycaenidae) Synonym(s): *Pseudoneaveia* Stempffer, 1964
- 957. *Pseudophilotes* Beuret, 1958** (Lycaenidae) Synonym(s): *Pseudophilotes* Beuret, 1958 Original Reference: *Pseudophilotes* Beuret, 1958, *Mitt. ent. Ges. Basel (n.f.)* 8(6):100. Type-species: *Papilio baton* Bergsträßer, [1779], *Nom. Ins.* 3:18, pl. 60, figs. 6-8, by original designation.
- 958. *Pseudotajuria* Eliot, 1973** (Lycaenidae) Synonym(s): *Pseudotajuria* Eliot, 1973 Original Reference: *Pseudotajuria* Eliot, 1973, *Bull. Br. Mus. nat. Hist. Ent.* 28 (6): 451. Type-species: *Tajuria donatana* De Nicéville, 1888, by original designation.
- 959. *Ptelina* Clench, 1965** (Lycaenidae) Synonym(s): *Ptelina* Clench, 1965

- 960. Ptox Toxopeus, 1928** (Lycaenidae) Synonym(s): *Ptox Toxopeus*, 1928
- 961. Purlisa Distant, 1881** (Lycaenidae) Synonym(s): *Purlisa Distant*, 1881; *#Purisa Pinratana*, 1981
- 962. Quercusia Verity, 1943** (Lycaenidae) Synonym(s): *Quercusia Verity*, 1943 Original Reference: *Quercusia Verity*, 1943, *Le Farfalle diurn. d'Italia* 2: 343. Type-species: *Papilio quercus* Linnaeus, 1758, *Syst. Nat.* (Ed.10)1: 482. by original designation.
- 963. Rachana Eliot, 1978** (Lycaenidae) Synonym(s): *Rachana Eliot*, 1978; *Eliotia Hayashi*, 1978 *nec Vayssiere*, 1909; *Eliotiana Koçak & Seven*, 1997
- 964. Rapala Moore, [1881]** (Lycaenidae) Synonym(s): *Rapala Moore*, [1881] Original Reference: *Rapala Moore*, [1881], *Lep. Ceylon* 1 (3): 105. Type-species: *Thecla varuna* Horsfield, [1829], by original designation.
- 965. Rathinda Moore, 1881** (Lycaenidae) Synonym(s): *Rathinda Moore*, 1881
- 966. Ravenna Shirozu & Yamamoto, 1956** (Lycaenidae) Synonym(s): *Ravenna Shirozu & Yamamoto*, 1956
- 967. Remelana Moore, 1884** (Lycaenidae) Synonym(s): *Remelana Moore*, 1884
- 968. Rhinelephas Toxopeus, 1927** (Lycaenidae) Synonym(s): *Rhinelephas Toxopeus*, 1927
- 969. Ritra De Nicéville, 1890** (Lycaenidae) Synonym(s): *Ritra De Nicéville*, 1890 Original Reference: *Ritra De Nicéville*, 1890, [in] Marshall & De Nicéville, *Butts India Burmah Ceylon* 3: 411, nota. Type-species: *Sithon aurea* Druce, 1873, by original designation.
- 970. Rubrapterus Korshunov, 1987** (Lycaenidae) Synonym(s): *Rubrapterus Korshunov*, 1987 Original Reference: *Rubrapterus Korshunov*, 1987, *Nov. Maloizvestiye Vidy Fauny Sib.* 19: 9. Type-species: *Lycaena bavius* Eversmann, 1832, by original designation.
- 971. Rysops Eliot, 1973** (Lycaenidae) Synonym(s): *Rysops Eliot*, 1973 Original Reference: *Rysops Eliot*, 1973, *Bull. Br. Mus. nat. Hist. (Ent.)* 28 (6): 445, 452. Type-species: *Lycaena scintilla* Mabille, 1877, by original designation.
- 972. Sancterila Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *Sancterila Eliot & Kawazoe*, 1984
- 973. Satyrium (Armenia) Dubatolov & Korshunov, 1984** (Lycaenidae) Synonym(s): *Armenia Dubatolov & Korshunov*, 1984 Original Reference: *Armenia Dubatolov & Korshunov*, 1984, *Nov. maloizv. Vidy Fauny Sib.* (17): 53 (nom. nov. pro *Argus* Gerhard, [1850] *nec* Bohadsch, 1761). Type-species: *Lycaena ledereri* Boisduval, 1848.
- 974. Satyrium (Nordmannia) Tutt, [1907]** (Lycaenidae) Synonym(s): *Nordmannia Tutt*, [1907] Original Reference: *Nordmannia Tutt*, [1907], *Nat. Hist. Br. Butts* 2: 143. Type-species: *Lycaena myrtale* Klug, 1834, by original designation.
- 975. Satyrium (Strymonidia) Tutt, [1908]** (Lycaenidae) Synonym(s): *Strymonidia Tutt*, [1908] Original Reference: *Strymonidia Tutt*, [1908], *Nat. Hist. Br. Butts* 2: 483. Type-species: *Thecla thalia* Leech, [1893], by designation through Section (i) (replacement names) of Article 67.
- 976. Satyrium (Superflua) Strand, 1910** (Lycaenidae) Synonym(s): *Superflua Strand*, 1910 Original Reference: *Superflua Strand*, 1910, *Ent. Rdsch.* 27: 162. Type-species: *Thecla sassanides* Kollar, [1849], selection through Section (i) of Article 67.
- 977. Satyrium Scudder, 1876** (Lycaenidae) Synonym(s): *Satyrium Scudder*, 1876; *Callipsyche Scudder*, 1876. Original Reference: *Satyrium Scudder*, 1876, *Bull. Buffalo Soc. nat. Sci.* 3: 106. Type-species: *Lycaena fuliginosa* Edwards, 1861, *Proc. Acad. nat. Sci. Philad.* 1861: 164, by original designation.
- 978. Scolitantides Hübner, [1819]** (Lycaenidae) Synonym(s): *Scolitantides Hübner*, [1819] Original Reference: *Scolitantides Hübner*, [1819], *Verz. bekannt. Schmett.* (5): 68. Type-species: *Papilio battus* [Denis & Schiffermüller], 1775, *Ankündigung eines syst. Werkes Schmett. Wienergegend*: 185, by subsequent designation by Hemming, 1934, *Gen. Names hol. Butts*. 1: 110.
- 979. Semanga Distant, 1884** (Lycaenidae) Synonym(s): *Semanga Distant*, 1884 Original Reference: *Semanga Distant*, 1884, *Rhop. malayana*: 233, 239. Type-species: *Ilerda* ? *superba* Druce, 1873, by original designation.
- 980. Shijimia Matsumura, 1919** (Lycaenidae) Synonym(s): *Shijimia Matsumura*, 1919
- 981. Shijimiaeoides Beuret, 1958** (Lycaenidae) Synonym(s): *Shijimiaeoides Beuret*, 1958 Original Reference: *Shijimiaeoides Beuret*, 1958, *Mitt. ent. Ges. Basel (n.f.)* 8 (6): 100. Type-species: *Lycaena barine* Leech, 1893, by original designation.
- 982. Shirozua Sibatani & Ito, 1942** (Lycaenidae) Synonym(s): *Shirozua Sibatani & Ito*, 1942 Original Reference: *Shirozua Sibatani & Ito*, 1942, *Tenthredo*, *Kyote* 3 (4): 322. Type-species: *Thecla jonasi* Janson, 1877, by original designation.
- 983. Sidima Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *Sidima Eliot & Kawazoe*, 1984

- 984. Simiskina Distant,1886** (Lycaenidae) Synonym(s): *Simiskina Distant,1886; Massaga Doherty,1889 nec Wlk.,1854*
- 985. Sinia Forster,1940** (Lycaenidae) Synonym(s): *Sinia Forster,1940* Original Reference: *Sinia Forster,1940, Mitt. münch. ent. Ges. 30: 875, 876. Type-species: Glaucopsyche (Sinia) leechi Forster,1940, ibid. 30: 875, pl.22,23 figs.6,7, by original designation.*
- 986. Sinthusa Moore,1884** (Lycaenidae) Synonym(s): *Sinthusa Moore,1884* Original Reference: *Sinthusa Moore,1884, J. asiat. Soc. Bengal Pt.II 53 (1): 33. Type-species: Thecla nasaka Horsfield,[1829], by original designation.*
- 987. Sithon Hübner,[1819]** (Lycaenidae) Synonym(s): *Sithon Hübner,[1819]*
- 988. Spalgis Moore,1879** (Lycaenidae) Synonym(s): *Spalgis Moore,1879*
- 989. Stempfferia Jackson,1962** (Lycaenidae) Synonym(s): *Stempfferia Jackson,1962*
- 990. Suasa De Nicéville,1890** (Lycaenidae) Synonym(s): *Suasa De Nicéville,1890* Original Reference: *Suasa De Nicéville,1890, Butts India Burmah Ceylon 3: 18, 386. Type-species: Myrina lisides Hewitson,[1863], by original designation.*
- 991. Surendra Moore,1879** (Lycaenidae) Synonym(s): *Surendra Moore,1879*
- 992. Syrmoptera Karsch,1895** (Lycaenidae) Synonym(s): *Syrmoptera Karsch,1895* Original Reference: *Syrmoptera Karsch,1895, Ent. Nachr. 21: 308. Type-species: Syrmoptera melanomitra Karsch,1895, by original designation.*
- 993. Tajuria Moore,[1881]** (Lycaenidae) Synonym(s): *Tajuria Moore,[1881]* Original Reference: *Tajuria Moore,[1881], Lep. Ceylon 1(3): 108. Type-species: Hesperia longinus Fabricius,1798, by original designation.*
- 994. Talicada Moore,[1881]** (Lycaenidae) Synonym(s): *Talicada Moore,[1881]*
- 995. Taraka Doherty,1889** (Lycaenidae) Synonym(s): *Taraka Doherty,1889*
- 996. Tarucus (Thespis-gr)** (Lycaenidae) Synonym(s):
- 997. Tarucus Moore,[1881]** (Lycaenidae) Synonym(s): *Tarucus Moore,[1881]* Original Reference: *Tarucus Moore,[1881], Lep. Ceylon 1(3): 81. Type-species: Hesperia theophrastus Fabricius,1793, Ent. Syst. 3(1):281, by original designation.*
- 998. Telipna Aurivillius,1895** (Lycaenidae) Synonym(s): *Telipna Aurivillius,1895*
- 999. Teratoneura Dudgeon,1909** (Lycaenidae) Synonym(s): *Teratoneura Dudgeon,1909*
- 1000. Teratozephyrus Sibatani,1946** (Lycaenidae) Synonym(s): *Teratozephyrus Sibatani,1946*
- 1001. Tetrarhanis Karsch,1893** (Lycaenidae) Synonym(s): *Tetrarhanis Karsch,1893; Lectiles Birket-Smith,1960*
- 1002. Thaduka Moore,[1879]** (Lycaenidae) Synonym(s): *Thaduka Moore,[1879]*
- 1003. Thaeides K.Johnson, Kruse & Kroenlein,1997** (Lycaenidae) Synonym(s): *Thaeides K.Johnson, Kruse & Kroenlein,1997*
- 1004. Thamala Moore,[1879]** (Lycaenidae) Synonym(s): *Thamala Moore,[1879]*
- 1005. Thecla Fabricius,1807** (Lycaenidae) Synonym(s): *Thecla Fabricius,1807; #Theclaria Rafinesque,1815; Zephyrus Dalman,1816; Aurotis Dalman,1816; Zephyrius Billberg,1820; Ruralis Tutt,[1906].* Original Reference: *Thecla Fabricius,1807, Mag. f. Insektenk. (Illiger) 6: 286. Type-species: Papilio betulae Linnaeus,1758, Syst. Nat. (Ed.10)1: 482. by subsequent designation by Swainson,[1821], Zool. Illustr. 1(2): pl.69.*
- 1006. Theorema Hewitson,1865** (Lycaenidae) Synonym(s): *Theorema Hewitson,1865*
- 1007. Thermoniphas Karsch,1895** (Lycaenidae) Synonym(s): *Thermoniphas Karsch,1895*
- 1008. Thestor Hübner,[1819]** (Lycaenidae) Synonym(s): *Thestor Hübner,[1819].* Original Reference: *Thestor Hübner,[1819], Verz. bekannt. Schmett. (5): 73. Type-species: Papilio petalus Cramer,[1779], Utitl. Kap. 3 (31): 84, pl.243, figs.C,D., by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 281.*
- 1009. Thrix Doherty,1891** (Lycaenidae) Synonym(s): *Thrix Doherty,1891*
- 1010. Ticherra De Nicéville,1887** (Lycaenidae) Synonym(s): *Ticherra De Nicéville,1887* Original Reference: *Ticherra De Nicéville,1887, Proc. zool. Soc. Lond. 1887 (3): 457. Type-species: Myrina acte Moore,1857, by original designation.*
- 1011. Tomares Rambur,[1840]** (Lycaenidae) Synonym(s): *Tomares Rambur,[1840]* Original Reference: *Tomares Rambur,[1840], Faune ent. Andalusie 2 (5): 261. Type-species: Papilio ballus Fabricius,1787, Mantissa Ins. 2: 80, by monotypy.*
- 1012. Tongeia Tutt,[1908]** (Lycaenidae) Synonym(s): *Tongeia Tutt,[1908]* Original Reference: *Tongeia Tutt,[1908], Nat. Hist. Br. Butts 3: 41, 43. Type-species: Lycaena fischeri Eversmann,1843, by original designation.*

- 1013. Trimenia Tite & Dickson,1973** (Lycaenidae) Synonym(s): *Trimenia Tite & Dickson,1973*; *Argyrocupha Tite & Dickson,1973*.
- 1014. Turanana Bethune-Baker,1916** (Lycaenidae) Synonym(s): *Turanania Bethune-Baker,1914 nec Rag.,1890*; *Turanana Bethune-Baker,1916* Original Reference: *Turanana Bethune-Baker,1916, Ann. Mag. nat. Hist. (8) 17: 379. Type-species: Lycaena cytis Christoph,1877, by designation through Section (i) (replacement names) of Article 67.*
- 1015. Tuxentius T.Larsen,1982** (Lycaenidae) Synonym(s): *Tuxentius T.Larsen,1982* Original Reference: *Tuxentius Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 45-47. Type-species: Lycaena melaena Trimen,1887, by original designation.*
- 1016. Tylopaedia Tite & Dickson,1973** (Lycaenidae) Synonym(s): *Tylopaedia Tite & Dickson,1973*
- 1017. Udara (Penudara) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Penudara Eliot & Kawazoe,1984* Original Reference: *Penudara Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 13, 152. Type-species: Polyommatus albocaeruleus Moore,1879, by original designation [proposed as a subgenus of Udara Tox.].*
- 1018. Udara (Perivaga) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Perivaga Eliot & Kawazoe,1984*
- 1019. Udara (Selmanix) Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *Selmanix Eliot & Kawazoe,1984*
- 1020. Udara (Vaga) Zimmermann,1958** (Lycaenidae) Synonym(s): *Vaga Zimmermann,1958*
- 1021. Udara (s.str.) Toxopeus,1928** (Lycaenidae) Synonym(s): *Udara Toxopeus,1928*; *Akasinula Toxopeus,1928*. Original Reference: *Udara Toxopeus,1928, Tijdschr. Ent. 71: 181, 219. Type-species: Polyommatus dilectus Moore,1879, Proc. zool. Soc. Lond. 1879: 139, by original designation.*
- 1022. Udara Toxopeus,1928** (Lycaenidae) Synonym(s): *Udara Toxopeus,1928*; *Akasinula Toxopeus,1928*. Original Reference: *Udara Toxopeus,1928, Tijdschr. Ent. 71 (3): 181, 219. Type-species: Polyommatus dilectus Moore,1879, by original designation.*
- 1023. Una De Nicéville,1890** (Lycaenidae) Synonym(s): *Una De Nicéville,1890*
- 1024. Uranobothria Toxopeus,1927** (Lycaenidae) Synonym(s): *Uranobothria Toxopeus,1927*
- 1025. Ussuriana Tutt,[1907]** (Lycaenidae) Synonym(s): *Ussuriana Tutt,[1907]* Original Reference: *Ussuriana Tutt,[1907], Nat. Hist. Br. Butts. 2: 276. Type-species: Thecla michaelis Oberthür,1880, by original designation.*
- 1026. Vansomerenia A.Heath,1997** (Lycaenidae) Synonym(s): *Vansomerenia A.Heath,1997* Original Reference: *Vansomerenia A.Heath,1997, Metamorphosis Suppl.2: 13. Type-species: Desmolycena rogersi Riley,1932, by original designation.*
- 1027. Wagimo Sibatani & Ito,1942** (Lycaenidae) Synonym(s): *Wagimo Sibatani & Ito,1942* Original Reference: *Wagimo Sibatani & Ito,1942, Tenthredo, Kyoto 3 (4): 319. Type-species: Thecla signata Butler,[1882], by original designation.*
- 1028. Yasoda Doherty,1889** (Lycaenidae) Synonym(s): *Yasoda Doherty,1889*
- 1029. Yettekizia Kemal & Koçak,2006** (Lycaenidae) Synonym(s): *Xinjiangia Huang & Murayama,1988 nec Zang,1981 non Hong,1983*; *Yettekizia Kemal & Koçak,2006* Original Reference: *Yettekizia Kemal & Koçak,2006, Centr. ent. Stud., Misc. Pap. 100: 4 (nom. nov pro Xinjiangia Huang & Murayama,1988 nec Zang,1981 non Hong,1983).*
- 1030. Zeltus De Nicéville,1890** (Lycaenidae) Synonym(s): *Zeltus De Nicéville,1890* Original Reference: *Zeltus De Nicéville,1890, Butts India Burmah Ceylon 3: 399. Type-species: Papilio etolus Fabricius,1787, by original designation.*
- 1031. Zesius Hübner,[1819]** (Lycaenidae) Synonym(s): *Zesius Hübner,[1819]*
- 1032. Zinaspa De Nicéville,1890** (Lycaenidae) Synonym(s): *Zinaspa De Nicéville,1890*
- 1033. Zintha Eliot,1973** (Lycaenidae) Synonym(s): *Zintha Eliot,1973* Original Reference: *Zintha Eliot,1973, Bull. Br. Mus. nat. Hist. Ent. 28 (6): 453. Type-species: Lycaena hintza Trimen,1864, by original designation.*
- 1034. Zizeeria (Pseudozizeeria) Beuret,1955** (Lycaenidae) Synonym(s): *Pseudozizeeria Beuret,1955* Original Reference: *Pseudozizeeria Beuret,1955, Mitt. ent. Ges. Basel (n.f.) 5: 125. Type-species: Lycaena maha Kollar,[1844], by original designation.*
- 1035. Zizeeria Chapman,1910** (Lycaenidae) Synonym(s): *Zizeeria Chapman,1910* Original Reference: *Zizeeria Chapman,1910, Trans. ent. Soc. Lond. 1910: 480,482. Type-species: Polyommatus karsandra Moore,1865, Proc. zool. Soc. Lond. 1865(2):505, pl.31, fig.7, by original designation.*

- 1036. Zizina Chapman,1910** (Lycaenidae) Synonym(s): *Zizina Chapman,1910* Original Reference: *Zizina Chapman,1910*, Trans. ent. Soc. Lond. 1910: 482. Type-species: *Polyommatus labradus* Godart,[1824], by original designation.
- 1037. Zizula Chapman,1910** (Lycaenidae) Synonym(s): *Zizula Chapman,1910* Original Reference: *Zizula Chapman,1910*, Trans. ent. Soc. Lond. 1910: 483. Type-species: *Lycaena gaika* Trimen,1862, by original designation.
- 1038. Archon Hübner,1822** (Papilionidae) Synonym(s): *Archon Hübner,1822*; *Dorarchon Rothschild,1918*. Original Reference: *Archon Hübner,1822*, Syst.-alph. Verz.: 2,6,8,9. Type-species: *Papilio thia* Hübner,[1806], Samml. eur. Schmett.: pl. Pap.124, figs. 635-636; [1806], ibid.(Ziefer):60. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 117.
- 1039. Atrophaneura (Pharmacophagus) Haase,1892** (Papilionidae) Synonym(s): *Pharmacophagus Haase,1892* Original Reference: *Pharmacophagus Haase,1892*, Bibl. zool. 8: 120. Type-species: *Papilio antenor* Drury,[1773], by subsequent designation by Kirby,1896 [in] Allen's Nat. Libr., Lepid. 2: 306.
- 1040. Atrophaneura (s.str. (Byasa)) Moore,1882** (Papilionidae) Synonym(s): *Byasa Moore,1882* Original Reference: *Byasa Moore,1882*, Proc. zool. Soc. Lond. 1882: 258. Type-species: *Papilio philoxenus* Gray,1831, by original designation.
- 1041. Atrophaneura (s.str. (Losaria)) Moore,[1902]** (Papilionidae) Synonym(s): *Losaria Moore,[1902]*; *Balignina Moore,[1902]*. Original Reference: *Losaria Moore,[1902]*, Lep. ind. 5 (57): 184. Type-species: *Papilio coon* Fabricius,1793, by original designation.
- 1042. Atrophaneura (s.str. (Pachliopta)) Reakirt,[1865]** (Papilionidae) Synonym(s): *Polydorus Swainson,1833 nec Blainville,1826*; *Pachliopta Reakirt,[1865]*; *Tros Kirby,1896*. Original Reference: *Pachliopta Reakirt,[1865]*, Proc. ent. Soc. Philad. 3: 503. Type-species: *Papilio diphilus* Esper,[1793], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 235.
- 1043. Atrophaneura (s.str. (Pangerana)) Moore,1886** (Papilionidae) Synonym(s): *Pangerana Moore,1886*; *Karanga Moore,[1902]*. Original Reference: *Pangerana Moore,1886*, J. linn. Soc. Lond., Zool. 21: 51. Type-species: *Papilio varuna* White,1842, by monotypy.
- 1044. Atrophaneura Reakirt,[1865]** (Papilionidae) Synonym(s): *Atrophaneura Reakirt,[1865]* Original Reference: *Atrophaneura Reakirt,[1865]*, Proc. ent. Soc. Philad. 3: 446. Type-species: *Atrophaneura erythrosoma* Reakirt,[1865], ibid. 3: 447, by monotypy.
- 1045. Battus Scopoli,1777** (Papilionidae) Synonym(s): *Battus Scopoli,1777*
- 1046. Bhutanitis Atkinson,1873** (Papilionidae) Synonym(s): *Armandia Atkinson,1871 nec Filippi,1862*; *Bhutanitis Atkinson,1873*. Original Reference: *Bhutanitis Atkinson,1873*, Proc. zool. Soc. Lond. 1873: 570. Type-species: *Bhutanitis lidderdalii* Atkinson,1873, by monotypy.
- 1047. Chilasa (Agehana) Matsumura,1936** (Papilionidae) Synonym(s): *Agehana Matsumura,1936* Original Reference: *Agehana Matsumura,1936*, Ins. matsumur. 10 (3): 86. Type-species: *Papilio maraho* Shiraki & Sonan,1934, Zephyrus 5 (4): 177, by original designation.
- 1048. Chilasa (s.str. (Cadugoides)) Moore,1882** (Papilionidae) Synonym(s): *Cadugoides Moore,1882*; *Menamopsis De Nicéville,[1887]* Original Reference: *Cadugoides Moore,1882*, Proc. zool. Soc. Lond. 1882: 260. Type-species: *Papilio agestor* Gray,1831, by original designation.
- 1049. Chilasa Moore,[1881]** (Papilionidae) Synonym(s): *Clytia Swainson,[1833] nec Lamouroux,1812*; *Chilasa Moore,[1881]*; *Euploeopsis De Nicéville,[1887]*; *Isamiopsis Moore,1888*. Original Reference: *Chilasa Moore,[1881]*, Lep. Ceylon 1 (4): 153. Type-species: *Papilio dissimilis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479, by original designation.
- 1050. Cressida Swinhoe,1832** (Papilionidae) Synonym(s): *Cressida Swinhoe,1832*. Original Reference: *Cressida Swinhoe,1832*, Zool. Illustr. (2) 3 (21): pl.94. Type-species: *Swinhoe,1832*, Zool. Illustr. (2) 3 (21): pl.94, by subsequent designation by Bryk,1929, [in] Strand, E., Lep. Cat. 35: 8.
- 1051. Eurytides Hübner,[1821]** (Papilionidae) Synonym(s): *Eurytides Hübner,[1821]*; *Protesilaus Swainson,[1821]*; *Cosmodesmus Haase,[1891]*. Original Reference: *Eurytides Hübner,[1821]*, Samml. exot. Schmett. 2: pl.[92]. Type-species: *Eurytides iphitas* Hübner,[1821], by monotypy.
- 1052. Graphium (Arisbe) Hübner,[1819]** (Papilionidae) Synonym(s): *Arisbe Hübner,[1819]*; *leonidas Group sensu Aurivillius,1899 et seq.* Original Reference: *Arisbe Hübner,[1819]*, Verz. bekannt. Schmett. (6): 89. Type-species: *Papilio leonidas* Fabricius,1793, by subsequent designation by ICZN.

- 1053. Graphium (Pathysa (Paranticopsis)) Wood-Mason & De Nicéville, 1887** (Papilionidae) Synonym(s): *Paranticopsis* Wood-Mason & De Nicéville, 1887 Original Reference: *Paranticopsis* Wood-Mason & De Nicéville, 1887, J. asiat. Soc. Bengal (2) 55 (4): 376. Type-species: *Papilio macareus* Godart, [1819], by monotypy.
- 1054. Graphium (Pathysa (s.str.)) Reakirt, [1865]** (Papilionidae) Synonym(s): *Pathysa* Reakirt, [1865]; *Deoris* Moore, [1903]. Original Reference: *Pathysa* Reakirt, [1865], Proc. ent. Soc. Philad. 3: 503. Type-species: *Papilio antiphates* Cramer, [1775], by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 242.
- 1055. Graphium (Pazala (s.str.)) Moore, 1888** (Papilionidae) Synonym(s): *Pazala* Moore, 1888 Original Reference: *Pazala* Moore, 1888, Descr. new Ind. Lep. Coll. Atkinson (3): 283. Type-species: *Papilio glycerion* Gray, 1831, by original designation.
- 1056. Graphium (s.str. (Eurypyleana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Eurypyleana* Niculescu, 1989
- 1057. Graphium (s.str. (Macfarlaneana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Macfarlaneana* Niculescu, 1989
- 1058. Graphium (s.str. (Wallaceana)) Niculescu, 1989** (Papilionidae) Synonym(s): *Wallaceana* Niculescu, 1989
- 1059. Graphium (s.str. (Zetides)) Hübner, [1819]** (Papilionidae) Synonym(s): *Zetides* Hübner, [1819]; *Idaides* Hübner, [1819]; *Chlorisses* Swainson, 1832; *Dalchina* Moore, [1881]; *Klinzigia* Niculescu, 1977 nec *Lehrer*, 1870; *Klinzigiana* Niculescu, 1989. Original Reference: *Zetides* Hübner, [1819], Verz. bekannt. Schmett. (6): 85. Type-species: *Papilio sarpedon* Linnaeus, 1758, by subsequent designation by Scudder, 1875, Proc. am. Acad. Arts Sci., Boston 10: 292.
- 1060. Graphium (s.str. (mendana-gr))** (Papilionidae) Synonym(s):
- 1061. Graphium Scopoli, 1777** (Papilionidae) Synonym(s): *Graphium* Scopoli, 1777 Original Reference: *Graphium* Scopoli, 1777, Introd. Hist. nat.: 433. Type-species: *Papilio sarpedon* Linnaeus, 1758, by subsequent designation by Hemming, 1933, Entomologist 66: 199.
- 1062. Heraclides Hübner, [1819]** (Papilionidae) Synonym(s): *Heraclides* Hübner, [1819]
- 1063. Hypermnestra Ménétriés, 1848** (Papilionidae) Synonym(s): *Hypermnestra* Ménétriés, 1848 Original Reference: *Hypermnestra* Ménétriés, 1848, Descr. Ins. rec. feu Lehmann: explic. pl. 6 fig. 1. Type-species: *Ismene helios* Nickerl, 1846, by subsequent designation through Section (i) of Art. 67.
- 1064. Iphiclides Hübner, [1819]** (Papilionidae) Synonym(s): *Iphiclides* Hübner, [1819]; *Podalirius* Swainson, [1833] nec *Latreille*, 1802. Original Reference: *Iphiclides* Hübner, [1819], Verz. bekannter Schmett. (6): 82. Type-species: *Papilio podalirius* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 463, nota, by subsequent designation by Scudder, 1872, 4th Ann. Rep. Peabody Acad. Sci. 1871: 65.
- 1065. Lamproptera Gray, 1832** (Papilionidae) Synonym(s): *Lamproptera* Gray, 1832
- 1066. Luehdorfia Crüger, 1878** (Papilionidae) Synonym(s): *Luehdorfia* Crüger, 1878; *#Luedorfia* Lang, 1884 Original Reference: *Luehdorfia* Crüger, 1878, Verh. Ver. naturw. Unterhalt. Hamburg 3: 128. Type-species: *Luehdorfia eximia* Crüger, 1878, ibid. 3: 128, by monotypy.
- 1067. Meandrusa Moore, 1888** (Papilionidae) Synonym(s): *Meandrusa* Moore, 1888 [p. 284]; *Dabasa* Moore, 1888 [p. 283]. Original Reference: *Meandrusa* Moore, 1888, Descr. new ind. Lep. Coll. Atkinson (3): 284. Type-species: *Papilio evan* Doubleday, 1845, by original designation.
- 1068. Mimoides Brown, 1991** (Papilionidae) Synonym(s): *Mimoides* Brown, 1991
- 1069. Papilio (s.str. (Alexanoria)) Koçak & Kemal, 2002** (Papilionidae) Synonym(s): *Alexanoria* Koçak & Kemal, 2002 Original Reference: *Papilio* (s.str. (Alexanoria)) Koçak & Kemal, 2002, Cent. ent. Stud., Misc. Pap. 82/85: 2. Type-species: *Papilio alexanor* Esper, [1800], by original designation [proposed as a section of *Papilio* Linnaeus, 1758, s.str.].
- 1070. Papilio (s.str.) Linnaeus, 1758** (Papilionidae) Synonym(s): *Papilio* Linnaeus, 1758; *Amaryssus* Dalman, 1816; *Aernauta* Berge, 1842. Original Reference: *Papilio* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 458. Type-species: *Papilio machaon* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 462, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 350, 440.
- 1071. Papilio Linnaeus, 1758** (Papilionidae) Synonym(s): *Papilio* Linnaeus, 1758; *Amaryssus* Dalman, 1816; *Aernauta* Berge, 1842. Original Reference: *Papilio* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 458. Type-species: *Papilio machaon* Linnaeus, 1758, Syst. Nat. (Ed. 10) 1: 462, by subsequent designation by Latreille, 1810, Consid. gén. Anim. Crust. Arach. Ins.: 350, 440.
- 1072. Parides Hübner, [1819]** (Papilionidae) Synonym(s): *Parides* Hübner, [1819]
- 1073. Parnassius (Driopa) Korshunov, 1988** (Papilionidae) Synonym(s): *Driopa* Korshunov, 1988; *Erythrodriopa* Korshunov, 1988; *Adoritis* Koçak, 1989; *Eversmanniodriopa* Korb, 2005

- Original Reference: Driopa Korshunov,1988, [in] Zolotarenko, Taksonomija zhiwotnych Sibiri. Nowje i maloiwestnyje widy fauny Sibiri, 20: 65. Type-species: *Papilio mnemosyne* Linnaeus,1758, by original designation.
- 1074. Parnassius (Kailasius) Moore,1902** (Papilionidae) Synonym(s): *Kailasius Moore,1902*
Original Reference: *Kailasius Moore,1902*, Lep. ind. 5: 118. Type-species: *Parnassius carltonius* Gray,1853, by original designation.
- 1075. Parnassius (Koramius) Moore,1902** (Papilionidae) Synonym(s): *Koramius Moore,1902*
Original Reference: *Koramius Moore,1902*, Lep. ind. 5: 120. Type-species: *Doritis delphius* Eversmann,1843, by original designation.
- 1076. Parnassius (s.str.) Schneider,1785** (Papilionidae) Synonym(s): *Parnassius Schneider,1785*; *Parnassius Latreille,1804*; *Doritis Fabricius,1807*; *Parnassis Hübner,[1819]*; *Therius Billberg,1820*; *Tadumia Moore,1902*; *Kailasius Moore,1902*; *Koramius Moore,1902*; *Lingamius Bryk,1935*; *Eukoramius Bryk,1935*; *Sachaia Korshunov,1988*; *Quinhaicus Korshunov,1988*; *Krezbergius Korshunov,1988*
Original Reference: *Parnassius Schneider,1785*, Nom. Ent.: 34. Type-species: *Papilio apollo* Linnaeus,1758, Syst. Nat. (Ed.10)1: 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.
- 1077. Parnassius Schneider,1785** (Papilionidae) Synonym(s): *Parnassius Schneider,1785*; *Parnassius Latreille,1804*; *Doritis Fabricius,1807*; *Parnassis Hübner,[1819]*; *Therius Billberg,1820*; *Tadumia Moore,1902*; *Kailasius Moore,1902*; *Koramius Moore,1902*; *Lingamius Bryk,1935*; *Eukoramius Bryk,1935*; *Sachaia Korshunov,1988*; *Quinhaicus Korshunov,1988*; *Krezbergius Korshunov,1988*
Original Reference: *Parnassius Schneider,1785*, Nom. Ent.: 34. Type-species: *Papilio apollo* Linnaeus,1758, Syst. Nat. (Ed.10)1: 465, by subsequent designation by Koçak,1981, Priamus 1(2): 51.
- 1078. Princes (Druryia (Iterus)) Donitz,1899** (Papilionidae) Synonym(s): *Icarus Röber,1898* nec Forbes,1844; *Iterus Donitz,1899*
Original Reference: *Iterus Donitz,1899*, Berl. ent. Z. 44: SitzBer.: (22). Type-species: *Papilio zalmoxis* Hewitson,[1864], by selection through Section (i) (replacement names) of Article 67.
- 1079. Princes (Druryia (Melindopsis)) Aurivillius,[1899]** (Papilionidae) Synonym(s): *Melindopsis Aurivillius,[1899]*
Original Reference: *Melindopsis Aurivillius,[1899]*, K. svenska VetenskAkad. Handl. 31 (5): 461. Type-species: *Papilio rex* Oberthür,1886, by monotypy.
- 1080. Princes (Druryia (nireus-gr))** (Papilionidae) Synonym(s): *Eques Kirby,1896* nec Bloch,1793.
- 1081. Princes (Druryia (s.str.)) Aurivillius,1881** (Papilionidae) Synonym(s): *Druryia Aurivillius,1881*.
Original Reference: *Druryia Aurivillius,1881*, Ent. Tidskr. 2: 44. Type-species: *Papilio antimachus* Drury,[1782], by original designation.
- 1082. Princes (Eleppone) Hancock,1979** (Papilionidae) Synonym(s): *Eleppone Hancock,1979*
Original Reference: *Eleppone Hancock,1979*, Aust. ent. Mag. 6 (3): 49. Type-species: *Papilio anactus* Macleay,1826, by original designation.
- 1083. Princes (Menelaides (Charus)) Moore,[1881]** (Papilionidae) Synonym(s): *Charus Moore,[1881]*
Original Reference: *Charus Moore,[1881]*, Lep. Ceylon 1 (4): 149. Type-species: *Papilio helenus* Linnaeus,1758, by original designation.
- 1084. Princes (Menelaides (Iliades)) Hübner,[1819]** (Papilionidae) Synonym(s): *Iliades Hübner,[1819]*; *Panosmiopsis Wood-Mason & De Nicéville,[1887]*.
Original Reference: *Iliades Hübner,[1819]*, Verz. bekannt. Schmett. (6): 88. Type-species: *Papilio memnon* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 196.
- 1085. Princes (Menelaides (Nestorides)) Hübner,[1819]** (Papilionidae) Synonym(s): *Nestorides Hübner,[1819]*
Original Reference: *Nestorides Hübner,[1819]*, Verz. bekannt. Schmett. (6): 86. Type-species: *Papilio gambrius* Cramer,[1777], Uitl. Kapellen 2 (14): 95, pl.157, figs. A.B, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 227.
- 1086. Princes (Menelaides (Sainia)) Moore,1882** (Papilionidae) Synonym(s): *Sainia Moore,1882*; *Araminta Moore,1886*; *Mimbyasa Evans,1912*.
Original Reference: *Sainia Moore,1882*, Proc. zool. Soc. Lond. 1882: 260. Type-species: *Papilio protenor* Cramer,[1775], by monotypy.
- 1087. Princes (Menelaides (Tamera)) Moore,1888** (Papilionidae) Synonym(s): *Tamera Moore,1888*; *Sadengia Moore,[1902]*.
Original Reference: *Tamera Moore,1888*, Descr. new Ind. Lep. Coll. Atkinson (3): 284. Type-species: *Papilio castor* Westwood,1842, by original designation.
- 1088. Princes (Menelaides) Hübner,[1819]** (Papilionidae) Synonym(s): *Menelaides Hübner,[1819]*; *Heterocreon Kirby,[1904]*.
Original Reference: *Menelaides Hübner,[1819]*, Verz. bekannt. Schmett. (6): 84. Type-species: *Papilio polytes* Linnaeus,1758, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 216.

- 1089. *Princeps* (*Sinoprinceps*) *Hancock*,1983** (Papilionidae) Synonym(s): *Sinoprinceps Hancock*,1983 Original Reference: *Sinoprinceps Hancock*,1983, *Smithersia* 2: 35-36. Type-species: *Papilio xuthus* Linnaeus,1767, by original designation [proposed as a subgenus of the genus *Princeps* Hübner,[1807]].
- 1090. *Princeps* (s.str. (*Achillides*)) *Hübner*,[1819]** (Papilionidae) Synonym(s): *Achillides Hübner*,[1819]; *Pangeranopsis Wood-Mason & De Nicéville*,[1887]. Original Reference: *Achillides Hübner*,[1819], *Verz. bekannt. Schmett.* (6): 85. Type-species: *Papilio paris* Linnaeus,1758, by subsequent designation by Scudder,1875, *Proc. am. Acad. Arts Sci.*, Boston 10: 100.
- 1091. *Princeps* (s.str.) *Hübner*,[1807]** (Papilionidae) Synonym(s): *Princeps Hübner*,[1807] Original Reference: *Princeps Hübner*,[1807], *Samml. exot. Schmett.* 1: pl.[116]. Type-species: *Papilio demodocus* Esper,[1798], by subsequent designation by the Commission under its Plenary Powers under Article 70(a).
- 1092. *Princeps* *Hübner*,[1807]** (Papilionidae) Synonym(s): *Princeps Hübner*,[1807] Original Reference: *Princeps Hübner*,[1807], *Samml. exot. Schmett.* 1: pl.[116]. Type-species: *Papilio demodocus* Esper,[1798], by subsequent designation by the Commission under its Plenary Powers under Article 70(a).
- 1093. *Protesilaus* *Swainson*,1832** (Papilionidae) Synonym(s): *Protesilaus Swainson*,1832
- 1094. *Protographium* *Munroe*,1951** (Papilionidae) Synonym(s): *Protographium Munroe*,1951
- 1095. *Pterourus* (*Pyrrhosticta*) *Butler*,1872** (Papilionidae) Synonym(s): *Pyrrhosticta Butler*,1872
- 1096. *Pterourus* *Scopoli*,1777** (Papilionidae) Synonym(s): *Pterourus Scopoli*,1777; *Jasoniades Hübner*,[1819]; *Euphoeades Hübner*,[1819]; *Pterurus Kirby*,1903; *Motasiona Niculescu*,1979
- 1097. *Sericinus* *Westwood*,1851** (Papilionidae) Synonym(s): *Sericinus Westwood*,1851 Original Reference: *Sericinus Westwood*,1851, *Trans. ent. Soc. Lond. (n.s.)* 1: 173. Type-species: *Papilio telamon* Donovan,1798, *Epitome Ins. China*: pl.27 fig.1, by original designation.
- 1098. *Teinopalpus* *Hope*,1843** (Papilionidae) Synonym(s): *Teinopalpus Hope*,1843; *Teinoprosopus C.Felder & R.Felder*,1864; *Teinorhinus Watson*,1893. Original Reference: *Teinopalpus Hope*,1843, *Trans. linn. Soc. Lond.* 19 (2): 13. Type-species: *Teinopalpus imperialis* Hope,1843, by subsequent designation by Scudder, 1875, *Proc. am. Acad. Arts Sci.*, Boston 10: 276.
- 1099. *Trogonoptera* *Rippon*,[1890]** (Papilionidae) Synonym(s): *Trogonoptera Rippon*,[1890] Original Reference: *Trogonoptera Rippon*,[1890], *Icon. Ornithopt.* 1: 4. Type-species: *Ornithoptera brookiana* Wallace,[1856], by original designation.
- 1100. *Troides* (*Ornithoptera* (*Schoenbergia*)) *Pagenstecher*,1893** (Papilionidae) Synonym(s): *Schoenbergia Pagenstecher*,1893; *Phalaenosoma Rippon*,[1906] Original Reference: *Schoenbergia Pagenstecher*,1893, *Jb. nassau Naturk.* 1893: 35. Type-species: *Schoenbergia schoenbergi* Pagenstecher,1893, by monotypy.
- 1101. *Troides* (*Ornithoptera* (s.str.)) *Boisduval*,[1832]** (Papilionidae) Synonym(s): *Ornithoptera Boisduval*,[1832]; *Ornithopterus Westwood*,1840; *Aetheoptera Rippon*,[1890]; *Priamoptera Rippon*,[1890]. Original Reference: *Ornithoptera Boisduval*,[1832], [in] d'Urville, "Voy...Astrolabe", *Fauna ent.* 1 (Lép.): 33. Type-species: *Papilio priamus* Linnaeus,1758, by subsequent designation by Scudder,1875, *Proc. am. Acad. Arts Sci.*, Boston 10: 234.
- 1102. *Troides* (*Ripponia*) *Haugum & Low*,1975** (Papilionidae) Synonym(s): *Ripponia Haugum & Low*,1975
- 1103. *Troides* (s.str.) *Hübner*,[1819]** (Papilionidae) Synonym(s): *Troides Hübner*,[1819]; *Pompeoptera Rippon*,[1890]. Original Reference: *Troides Hübner*,[1819], *Verz. bekannt. Schmett.* (6): 88. Type-species: *Papilio helena* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 461, by subsequent designation by Scudder,1875, *Proc. am. Acad. Arts Sci.*, Boston 10: 286.
- 1104. *Zerynthia* (*Allancastris*) *Bryk*,1934** (Papilionidae) Synonym(s): *Allancastris Bryk*,1934 Original Reference: *Allancastris Bryk*,1934, *Das Tierreich* 64: 19, 61-62. Type-species: *Thais cerisyi* Godart,1822, *Mém. Soc. linn. Paris* 2: 234, pl.20, figs.3,4. by original designation.
- 1105. *Zerynthia* (s.str.) *Ochsenheimer*,1816** (Papilionidae) Synonym(s): *Thais Fabricius*,1807 nec *Röding*,1798; *Zerynthia Ochsenheimer*,1816; *Eugraphis Billberg*,1820; Original Reference: *Zerynthia Ochsenheimer*,1816, *Schmett. Europa* 4: 29. Type-species: *Papilio hypsipyle* Fabricius,1777, *Gen. Ins.*: 265. through Art.67, sect.(i).
- 1106. *Zerynthia* *Ochsenheimer*,1816** (Papilionidae) Synonym(s): *Thais Fabricius*,1807 nec *Röding*,1798; *Zerynthia Ochsenheimer*,1816; *Eugraphis Billberg*,1820; Original Reference: *Zerynthia Ochsenheimer*,1816, *Schmett. Europa* 4: 29. Type-species: *Papilio hypsipyle* Fabricius,1777, *Gen. Ins.*: 265. through Art.67, sect.(i).

- 1107. Abaeis Hübner,[1819]** (Pieridae) Synonym(s): *Abaeis Hübner,[1819]*; *Xanthidia Boisduval & Le Conte,[1830]*
- 1108. Anteos Hübner,[1819]** (Pieridae) Synonym(s): *Anteos Hübner,[1819]*; *Amynthia Swainson,1831*; *Klotsius Hemming,1964*
- 1109. Anthocharis Boisduval, Rambur, Duméril & Graslin,1833** (Pieridae) Synonym(s): *Anthocharis Boisduval, Rambur, Duméril & Graslin,1833* Original Reference: *Anthocharis Boisduval, Rambur, Duméril & Graslin,1833, Coll. icon. hist. Chenilles Eur. (21): pl.5. Type-species: Papilio cardamines Linnaeus,1758, Syst. Nat. (Ed.10)1: 468, by monotypy.*
- 1110. Aphrissa Butler,1873** (Pieridae) Synonym(s): *Aphrissa Butler,1873*
- 1111. Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001** (Pieridae) Synonym(s): *Turanoporia Koçak & Kemal,2001* Original Reference: *Aporia (Metaporia (Turanoporia)) Koçak & Kemal,2001, Priamus 10 (3/4): 115. Type-species: Pontia leucodice Eversmann,1843, by original designation (proposed as a section).*
- 1112. Aporia (Metaporia) Butler,1870** (Pieridae) Synonym(s): *Metaporia Butler,1870* Original Reference: *Metaporia Butler,1870, Cistula ent. 1: 38, 51. Type-species: Pieris agathon Gray,1831, Zool. Miscell. (Gray) 1: 33, by original designation.*
- 1113. Aporia (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Aporia Hübner,[1819]*; *Leuconea Donzel,1837.* Original Reference: *Aporia Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Type-species: Papilio crataegi Linnaeus,1758, by monotypy.*
- 1114. Aporia Hübner,[1819]** (Pieridae) Synonym(s): *Aporia Hübner,[1819]*; *Leuconea Donzel,1837.* Original Reference: *Aporia Hübner,[1819], Verz. bekannt. Schmett. (6): 90. Type-species: Papilio crataegi Linnaeus,1758, by monotypy.*
- 1115. Appias (Catophaga) Hübner,[1819]** (Pieridae) Synonym(s): *Catophaga Hübner,[1819]*
- 1116. Appias (Glutophrissa) Butler,1887** (Pieridae) Synonym(s): *Glutophrissa Butler,1887*
- 1117. Appias (Lade) De Nicéville,1887** (Pieridae) Synonym(s): *Lade De Nicéville,1887*
- 1118. Appias (Phrissura) Butler,1870** (Pieridae) Synonym(s): *Phrissura Butler,1870*; *Udaiana Distant,1885*
- 1119. Appias (Tachyris) Wallace,1867** (Pieridae) Synonym(s): *Trigonia Geyer,[1837] nec Brug.,1789*; *Tachyris Wallace,1867.*
- 1120. Appias (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Appias Hübner,[1819]*; *Hiposcrita Geyer,[1837]* Original Reference: *Appias Hübner,[1819], Verz. bekannt. Schmett. (6): 91. Type-species: Papilio zelmira Stoll,[1780], by subsequent designation by Butler (1870, Cistula ent. 1: 49).*
- 1121. Appias Hübner,[1819]** (Pieridae) Synonym(s): *Appias Hübner,[1819]*; *Hiposcrita Geyer,[1837]* Original Reference: *Appias Hübner,[1819], Verz. bekannt. Schmett. (6): 91. Type-species: Papilio zelmira Stoll,[1780], by subsequent designation by Butler (1870, Cistula ent. 1: 49).*
- 1122. Ascia Scopoli,1777** (Pieridae) Synonym(s): *Ascia Scopoli,1777* Original Reference: *Ascia Scopoli,1777, Introd. Hist. nat.: 434. Type-species: Papilio monuste Linnaeus,1764, Mus. Lud. Ulr.: 237, by subsequent designation by Scudder,1872.*
- 1123. Baltia Moore,1878** (Pieridae) Synonym(s): *Baltia Moore,1878* Original Reference: *Baltia Moore,1878, Ann. Mag. nat. Hist. (5)1: 228. Type-species: Mesapia shawii Bates,1873 [in] Henderson & Hume, Lahore to Yarkand: 305.*
- 1124. Belenois Hübner,[1819]** (Pieridae) Synonym(s): *Belenois Hübner,[1819]*; *Anaphaeis Hübner,[1819]*; *Pseudohuphina Stoneham,1940*; *Pseudonaphaeis Bernardi,1953* Original Reference: *Belenois Hübner,[1819], Verz. bekannt. Schmett. (6): 92. Type-species: Papilio calypso Drury,[1773], by monotypy.*
- 1125. Calopieris Aurivillius,1898** (Pieridae) Synonym(s): *Calopieris Aurivillius,1898* Original Reference: *Calopieris Aurivillius,1898, K. svenska VetenskAkad Handl., Stockholm 31(5): 385, 415. Type-species: Pontia eulimene Klug,1829, by monotypy.*
- 1126. Catasticta Butler,1870** (Pieridae) Synonym(s): *Catasticta Butler,1870*; *Archonoia Reissinger,1972*; *Hesperochoia Reissinger,1972*; *Leodontoia Reissinger,1972*; *Pierinoia Reissinger,1972*
- 1127. Catopsilia Hübner,[1819]** (Pieridae) Synonym(s): *Catopsilia Hübner,[1819]*; *Murtia Hübner,[1819]* Original Reference: *Catopsilia Hübner,[1819], Verz. bekannt. Schmett. (7): 98. Type-species: Papilio crocale Cramer,[1777], Uitl. Kapellen 1(5): 87, Pl.55 figs. C,D, by subsequent designation by Scudder,1872, 4th Ann. Rep. Peabody Acad. Arts Sci. 1871: 58.*
- 1128. Cepora Billberg,1820** (Pieridae) Synonym(s): *Acraea Hübner,[1819] nec Fabr.,1807*; *Cepora Billberg,1820*; *Huphina Moore,1881*

- 1129. Colias (Eriocolias) Watson,1895** (Pieridae) Synonym(s): *Eriocolias* Watson,1895
Original Reference: *Eriocolias* Watson,1895, *Entomologist* 28: 167. Type-species: *Papilio edusa* Fabricius,1787, by original designation.
- 1130. Colias (Eucolias) Berger,1986** (Pieridae) Synonym(s): *Eucolias* Berger,1986
- 1131. Colias (Neocolias) Berger,1986** (Pieridae) Synonym(s): *Neocolias* Berger,1986 Original Reference: *Neocolias* Berger,1986, *Lambillionea* 86 (7/8) (Suppl.): 21. Type-species: *Papilio erate* Esper,1805, by original designation.
- 1132. Colias (Palaeocolias) Berger,1986** (Pieridae) Synonym(s): *Palaeocolias* Berger,1986
- 1133. Colias (Paracolias) Berger,1986** (Pieridae) Synonym(s): *Paracolias* Berger,1986
- 1134. Colias (Scalidoneura) Butler,1871** (Pieridae) Synonym(s): *Scalidoneura* Butler,1871
- 1135. Colias (Similicolias) Berger,1986** (Pieridae) Synonym(s): *Similicolias* Berger,1986
- 1136. Colias (s.str.) Fabricius,1807** (Pieridae) Synonym(s): *Colias* Fabricius,1807; *Eurymus* Horsfield,1829; *Coliastes* Hemming,1931; *Protocolias* Petersen,1963; *Mesocolias* Petersen,1963 Original Reference: *Colias* Fabricius,1807, *Mag. f. Insektenk. (Illiger)* 6: 284. Type-species: *Papilio hyale* Linnaeus,1758, *Syst. Nat. (Ed.10)* 1: 469, by subsequent designation by ICZN, Op.146.
- 1137. Colias Fabricius,1807** (Pieridae) Synonym(s): *Colias* Fabricius,1807; *Eurymus* Horsfield,1829; *Coliastes* Hemming,1931; *Protocolias* Petersen,1963; *Mesocolias* Petersen,1963 Original Reference: *Colias* Fabricius,1807, *Mag. f. Insektenk. (Illiger)* 6: 284. Type-species: *Papilio hyale* Linnaeus,1758, *Syst. Nat. (Ed.10)* 1: 469, by subsequent designation by ICZN, Op.146.
- 1138. Colotis (Cuneacolotis) Henning et al.,1997** (Pieridae) Synonym(s): *Cuneacolotis* Henning et al.,1997
- 1139. Colotis (Teracolus) Swainson,[1833]** (Pieridae) Synonym(s): *Teracolus* Swainson,[1833] Original Reference: *Teracolus* Swainson,[1833], *Zool. Illustr.* 3: pl.115. Type-species: *Teracolus subfasciatus* Swainson,[1833], by monotypy.
- 1140. Colotis Hübner,[1819]** (Pieridae) Synonym(s): *Colotis* Hübner,[1819]; *Aphrodite* Hübner,[1819]; *Idmais* Boisduval,1836; *Callosune* Doubleday,1847; *Anthopsyche* Wallengren,1857; *Ptychopteryx* Wallengren,1857; *Thespia* Wallengren,1858; *Calicharis* Oberthür,1876; *Madais* Swinhoe,1909. Original Reference: *Colotis* Hübner,[1819], *Verz. bekannt. Schmett.* (7): 97. Type-species: *Papilio amata* Fabricius,1775, by subsequent designation by Scudder,1875, *Proc. am. Acad. Arts Sci., Boston* 10: 146-147.
- 1141. Delias Hübner,[1819]** (Pieridae) Synonym(s): *Delias* Hübner,[1819] Original Reference: *Delias* Hübner,[1819], *Verz. bekannt. Schmett.* (6): 91. Type-species: *Papilio egialea* Cramer,[1777], *Uitl. Kapellen* 2(16): 141, Pl.189, figs. D, E, by subsequent designation by Butler,1870, *Cistula ent.* 1: 40.
- 1142. Dercas Doubleday,1847** (Pieridae) Synonym(s): *Dercas* Doubleday,1847
- 1143. Dismorphia Hübner,[1816]** (Pieridae) Synonym(s): *Dismorphia* Hübner,[1816]; *Acaptera* Billberg,1820; *Leptalis* Dalman,1823; *#Hemerocharis* Boisduval,1836
- 1144. Dixeia Talbot,1932** (Pieridae) Synonym(s): *Dixeia* Talbot,1932 Original Reference: *Dixeia* Talbot,1932, *Entomologist* 65: 36. Type-species: *Pieris charina* Boisduval,1836, by original designation.
- 1145. Elodina C.Felder & R.Felder,1865** (Pieridae) Synonym(s): *Elodina* C.Felder & R.Felder,1865; *Parelodina* Fruhstorfer,19190 nec *Bet.-Bak.*,1904; *Elodinesthes* Fruhstorfer,1914; *Metelodina* Seitz,1927
- 1146. Enantia Hübner,[1819]** (Pieridae) Synonym(s): *Enantia* Hübner,[1819]; *Licina* Swainson,1820
- 1147. Eronia Hübner,[1823]** (Pieridae) Synonym(s): *Eronia* Hübner,[1823] Original Reference: *Eronia* Hübner,[1823], *Samml. exot. Schmett.* 2: pl. [130]. Type-species: *Eronia cleodora* Hübner,[1823], *ibid.* 2: pl. [130], by monotypy.
- 1148. Euchloe (Elphinstonia) Klots,1930** (Pieridae) Synonym(s): *Elphinstonia* Klots,1930 Original Reference: *Elphinstonia* Klots,1930, *Bull. Brooklyn ent. Soc.* 25: 87. Type-species: *Anthocharis charltonia* Donzel,1842, *Annls Soc. ent. Fr.* 11(2): 197, pl.8, fig.1, by original designation.
- 1149. Euchloe (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe* Hübner,[1819]; *Phyllocharis* Schatz,[1886] nec *Dalman*,1824 Original Reference: *Euchloe* Hübner,[1819], *Verz. bekannt. Schmett.* (66):94. Type-species: *Euchloe ausonia* var. *esper*i Kirby,1871, *Syn. Cat. diurn. Lep.*: 506, by subsequent designation by ICZN, Op.177.
- 1150. Euchloe Hübner,[1819]** (Pieridae) Synonym(s): *Euchloe* Hübner,[1819]; *Phyllocharis* Schatz,[1886] nec *Dalman*,1824 Original Reference: *Euchloe* Hübner,[1819], *Verz. bekannt. Schmett.* (66):94. Type-species: *Euchloe ausonia* var. *esper*i Kirby,1871, *Syn. Cat. diurn. Lep.*: 506, by subsequent designation by ICZN, Op.177.

- 1151. Eurema (Terias) Swainson,[1821]** (Pieridae) Synonym(s): *Terias Swainson,[1821]*
Original Reference: *Terias Swainson,[1821]*, Zool. Illustr. (1) 1: pl.22. Type-species: *Papilio hecabe* Linnaeus,1758, by original designation.
- 1152. Eurema (s.str.) Hübner,[1819]** (Pieridae) Synonym(s): *Eurema Hübner,[1819]*; *Maiva Grose-Smith & Kirby,1893*.
Original Reference: *Eurema Hübner,[1819]*, Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio delia* Cramer,[1780], Uitl. Kapellen 3(23): 144, Pl.273, fig.A, by subsequent designation by Butler,1870, Cistula ent. 1: 35.
- 1153. Eurema Hübner,[1819]** (Pieridae) Synonym(s): *Eurema Hübner,[1819]*; *Maiva Grose-Smith & Kirby,1893*.
Original Reference: *Eurema Hübner,[1819]*, Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio delia* Cramer,[1780], Uitl. Kapellen 3(23): 144, Pl.273, fig.A, by subsequent designation by Butler,1870, Cistula ent. 1: 35.
- 1154. Gandaca Moore,[1906]** (Pieridae) Synonym(s): *Gandaca Moore,[1906]*
- 1155. Gideona Klots,1933** (Pieridae) Synonym(s): *Gideona Klots,1933* Original Reference: *Gideona Klots,1933*, Ent. am., Brooklyn (n.s.) 12 (3): 153, 196. Type-species: *Callidryas lucasi* Grandidier,1867, by original designation.
- 1156. Gonepteryx (Isogonepteryx) Nekrutenko,1968** (Pieridae) Synonym(s): *Isogonepteryx Nekrutenko,1968*
Original Reference: *Isogonepteryx Nekrutenko,1968*, Phylogeny and geographical distribution of the genus *Gonepteryx*: 27, 46-47. Type-species: *Papilio cleopatra* Linnaeus,1767, Systema Naturae (Edn 12) 1(2): 105, by original designation.
- 1157. Gonepteryx (s.str.) [Leach],[1815]** (Pieridae) Synonym(s): *Gonepteryx [Leach],[1815]*; *Rhodocera Boisduval & Leconte,[1830]*; *Earina Speyer,1839*; *Eugonepteryx Nekrutenko,1968*.
Original Reference: *Gonepteryx [Leach],[1815]*, [in] Brewster Edinburgh Encycl. 9(1): 127. Type-species: *Papilio rhamni* Linnaeus,1758, Syst. Nat. (Ed.10)1: 470, by monotypy.
- 1158. Gonepteryx [Leach],[1815]** (Pieridae) Synonym(s): *Gonepteryx [Leach],[1815]*; *Rhodocera Boisduval & Leconte,[1830]*; *Earina Speyer,1839*; *Eugonepteryx Nekrutenko,1968*.
Original Reference: *Gonepteryx [Leach],[1815]*, [in] Brewster Edinburgh Encycl. 9(1): 127. Type-species: *Papilio rhamni* Linnaeus,1758, Syst. Nat. (Ed.10)1: 470, by monotypy.
- 1159. Hebomoia Hübner,[1819]** (Pieridae) Synonym(s): *Hebomoia Hübner,[1819]*; *Iphias Boisduval,1836*
Original Reference: *Hebomoia Hübner,[1819]*, Verz. bekannt. Schmett. (6): 96. Type-species: *Papilio glaucippe* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 469, by subsequent designation by Butler,1870, Cistula ent. 1: 48.
- 1160. Ixias Hübner,[1819]** (Pieridae) Synonym(s): *Ixias Hübner,[1819]*; *Thestias Boisduval,1847*
Original Reference: *Ixias Hübner,[1819]*, Verz. bekannt. Schmett. (6): 95. Type-species: *Papilio pyrene* Linnaeus,1764, Mus. Lud. Ulr.: 241, by subsequent designation by Butler,1870, Cistula ent. 1: 48.
- 1161. Leptidea Billberg,1820** (Pieridae) Synonym(s): *Leptidea Billberg,1820*; *Leucophasia Stephens,1827*
Original Reference: *Leptidea Billberg,1820*, Enum. Ins. Mus. Billb.: 76. Type-species: *Papilio sinapis* Linnaeus, 1758, Syst. Nat. (Ed.10)1: 468, by monotypy.
- 1162. Leptosia Hübner,[1818]** (Pieridae) Synonym(s): *Leptosia Hübner,[1818]*; *Nina Horsfield,1829*; *Nychitona Butler,1870*.
Original Reference: *Leptosia Hübner,[1818]*, Zutr. z. Samml. exot. Schmett. 1: 13. Type-species: *Leptosia chlorographa* Hübner,[1818], by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 204.
- 1163. Leuciactria Rothschild & Jordan,1905** (Pieridae) Synonym(s): *Leuciactria Rothschild & Jordan,1905*
- 1164. Lieinix Gray,1832** (Pieridae) Synonym(s): *Lieinix Gray,1832*; *Acmepteron Godman & Salvin,1889*
- 1165. Mesapia Gray,1856** (Pieridae) Synonym(s): *Mesapia Gray,1856* Original Reference: *Mesapia Gray,1856*, List Specimens lepid. Insects Colln Br. Mus. 1: 92. Type-species: *Pieris peloria* Hewitson,[1853], by monotypy.
- 1166. Microzegrus Alpheraky,1913** (Pieridae) Synonym(s): *Microzegrus Alpheraky,1913*
Original Reference: *Microzegrus Alpheraky,1913*, [in] Oberthür, Etüd. Lépid. comp. 7: 232. Type-species: *Pontia pyrothoe* Eversmann,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 352, Pl.20 figs. 3, 4, by monotypy.
- 1167. Moschoneura Butler,1870** (Pieridae) Synonym(s): *Moschoneura Butler,1870*
- 1168. Mylothris Hübner,[1819]** (Pieridae) Synonym(s): *Mylothris Hübner,[1819]*; *Pseudomylothris Neustetter,1929*.
Original Reference: *Mylothris Hübner,[1819]*, Verz. bekannt. Schmett. (6): 90. Type-species: *Papilio poppea* Cramer,[1777], Uitl. Kapellen 2(10): 21, Pl.110 fig.D, by subsequent designation by Butler,1870, Cistula ent. 1: 42.

- 1169. *Nepheronia* Butler, 1870** (Pieridae) **Synonym(s):** *Nepheronia* Butler, 1870; *Leuceronia* Aurivillius, 1895; *Lepteronia* Stoneham, 1957. **Original Reference:** *Nepheronia* Butler, 1870, *Cistula* ent. 1: 38, 53. Type-species: *Pieris idotea* Boisduval, [1836], (Roret's Suite a Buffon), *Hist. nat. Ins., Spec. gén. Lépid.* 1: 441, by original designation.
- 1170. *Paramidea* Kuznetsov, 1929** (Pieridae) **Synonym(s):** *Paramidea* Kuznetsov, 1929 **Original Reference:** *Paramidea* Kuznetsov, 1929, *Faune URSS, Ins., Lépid.* 1 (2): 58, nota. Type-species: *Anthocharis scolymus* Butler, [1866], by original designation.
- 1171. *Pareronia* Bingham, 1907** (Pieridae) **Synonym(s):** *Valeria* Horsfield, [1829] *nec* Stph., [1829]; *Pareronia* Bingham, 1907 **Original Reference:** *Pareronia* Bingham, 1907, *Fauna Br. India, Butts.* 2: 276. Type-species: *Papilio valeria* Cramer, [1776], selection through Section (i) of Article 67 (1961).
- 1172. *Patia* Klots, 1933** (Pieridae) **Synonym(s):** *Patia* Klots, 1933
- 1173. *Phoebis* Hübner, [1819]** (Pieridae) **Synonym(s):** *Phoebis* Hübner, [1819]; *Colias* Hübner, [1819] *nec* Fabr., 1807; *Callidryas* Boisduval & Le conte, [1830]; *Metura* Butler, 1873 *nec* Wlk., 1855; *Parura* W.F. Kirby, 1896
- 1174. *Pieris* (Artogeia) Verity, 1947** (Pieridae) **Synonym(s):** *Artogeia* Verity, 1947 **Original Reference:** *Artogeia* Verity, 1947, *Farfalle diurn. d'Ital.* 3: 192, 193. Type-species: *Papilio napi* Linnaeus, 1758, *Syst. Nat. (Edn. 10)* 1: 468, by original designation.
- 1175. *Pieris* (s.str.) Schrank, 1801** (Pieridae) **Synonym(s):** *Pieris* Schrank, 1801; *Ganoris* Dalman, 1816; *Andropodum* Hübner, 1822 **Original Reference:** *Pieris* Schrank, 1801, *Fauna boica* 2(1): 152, 161. Type-species: *Papilio brassicae* Linnaeus, 1758, *Syst. Nat. (Ed. 10)* 1: 467, by subsequent designation by Latreille, 1810, *Consid. gén. Anim. Crust. Arach. Ins.*: 351, 440.
- 1176. *Pieris* Schrank, 1801** (Pieridae) **Synonym(s):** *Pieris* Schrank, 1801; *Ganoris* Dalman, 1816; *Andropodum* Hübner, 1822 **Original Reference:** *Pieris* Schrank, 1801, *Fauna boica* 2(1): 152, 161. Type-species: *Papilio brassicae* Linnaeus, 1758, *Syst. Nat. (Ed. 10)* 1: 467, by subsequent designation by Latreille, 1810, *Consid. gén. Anim. Crust. Arach. Ins.*: 351, 440.
- 1177. *Pinacopteryx* Wallengren, 1867** (Pieridae) **Synonym(s):** *Pinacopteryx* Wallengren, 1867; *Herpaenia* Butler, 1870 **Original Reference:** *Pinacopteryx* Wallengren, 1867, *K. svenska VetenskAkad. Handl., Stockholm (n.f.)* 2(1): (No.4): 7. Type-species: *Pieris eriphia* Godart, [1819], *Ency. méth.* 9 (ins.) (1): 157, by subsequent designation by Scudder, 1875, *Proc. am. Acad. Arts Sci.* Boston 10: 250.
- 1178. *Pontia* Fabricius, 1807** (Pieridae) **Synonym(s):** *Pontia* Fabricius, 1807; *Synchlœ* Hübner, 1818; *Mancipium* Stephens, 1827; *Parapieris* Nicéville, 1897; *Leucochloe* Röber, 1907; *Pontieuchloia* Verity, 1929. **Original Reference:** *Pontia* Fabricius, 1807, *Mag. f. Insektenk. (Illiger)* 6: 283. Type-species: *Papilio daplidice* Linnaeus, 1758, *Syst. Nat. (Ed. 10)* 1: 468. by subsequent designation by Curtis, 1834, *Brit. Ent.* 5: pl.48.
- 1179. *Prestonia* Schaus, 1920** (Pieridae) **Synonym(s):** *Prestonia* Schaus, 1920
- 1180. *Prioneris* Wallace, 1867** (Pieridae) **Synonym(s):** *Prioneris* Wallace, 1867 **Original Reference:** *Prioneris* Wallace, 1867, *Trans. ent. Soc. Lond.* (3) 4: 383. Type-species: *Pieris thestylis* Doubleday, 1842, *Zool. Misc. (Gray)* (5): 76, by subsequent designation by Butler, 1870, *Cistula* ent. 1: 39.
- 1181. *Pseudopieris* Godman & Salvin, 1889** (Pieridae) **Synonym(s):** *Pseudopieris* Godman & Salvin, 1889
- 1182. *Pseudopontia* Plötz, 1870** (Pieridae) **Synonym(s):** *Pseudopontia* Plötz, 1870 [Sept.]; *Globiceps* C.Felder & R.Felder, 1869 *nec* Le Peletier & Serville, 1825; *Gonophlebia* C.Felder & R.Felder, 1870 [June] (see Hemming, 1967: 385). **Original Reference:** *Pseudopontia* Plötz, 1870, *Stettin ent. Ztg.* 31: 348. Type-species: *Pseudopontia calabarica* Plötz, 1870, by monotypy.
- 1183. *Pyrisitia* Butler, 1870** (Pieridae) **Synonym(s):** *Pyrisitia* Butler, 1870
- 1184. *Rhabdodryas* Godman & Salvin, 1889** (Pieridae) **Synonym(s):** *Rhabdodryas* Godman & Salvin, 1889
- 1185. *Saletara* Distant, 1885** (Pieridae) **Synonym(s):** *Saletara* Distant, 1885 **Original Reference:** *Saletara* Distant, 1885, *Rhop. malayana*: 287, 316. Type-species: *Pieris nathalia* Felder & Felder, 1862, *Wien. ent. Monatschr.* 6: 285, by original designation.
- 1186. *Zegris* Boisduval, 1836** (Pieridae) **Synonym(s):** *Zegris* Boisduval, 1836; *Zegris* Rambur, [1837]. **Original Reference:** *Zegris* Boisduval, [1836], *Hist. nat. Ins., Sp. Gén. Lépid.* 1: 552. Type-species: *Papilio eupheme* Esper, [1805], *Die Schmett.* 1 Absch. Tagschmett.: 105, pl.113, figs.2,3, by subsequent designation by Blanchard, 1840, *Hist. nat. Ins.* 3: 428.
- 1187. *Zerene* Hübner, [1819]** (Pieridae) **Synonym(s):** *Zerene* Hübner, [1819]; *Megonostoma* Reakirt, 1863; #*Megonostoma* Butler & Druce, 1874

- 1188. Abisara C.Felder & R.Felder,1860** (Riodinidae) Synonym(s): *Abisara C.Felder & R.Felder,1860*; *Sospita Hewitson,[1860] nec Mulsant,1846*; *Sosibia Fruhstorfer,1914 nec Stal,1875* Original Reference: *Abisara C.Felder & R.Felder,1860*, Wient. ent. Monatschr. 4: 397. Type-species: *Abisara kausambi C.Felder & R.Felder,1860*, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 99.
- 1189. Ancylyris Hübner,[1819]** (Riodinidae) Synonym(s): *Ancylyris Hübner,[1819]* Original Reference: *Dodona Hewitson,[1861]*, Ill. exot. Butts 2: [91]. Type-species: *Melitaea durga Kollar,[1844]*, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 158.
- 1190. Dodona Hewitson,[1861]** (Riodinidae) Synonym(s): *Dodona Hewitson,[1861]* Original Reference: *Dodona Hewitson,[1861]*, Ill. exot. Butts 2: [91]. Type-species: *Melitaea durga Kollar,[1844]*, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 158.
- 1191. Hamearis Hübner,[1819]** (Riodinidae) Synonym(s): *Hamearis Hübner,[1819]* Original Reference: *Hamearis Hübner,[1819]*, Verz. bekannt. Schmett. (2): 19. Type-species: *Papilio lucina Linnaeus,1758*, Syst. Nat. (Ed.10)1: 480. by subsequent designation by Curtis,1830, Br. Ent. 7: pl.316.
- 1192. Laxita Butler,1869** (Riodinidae) Synonym(s): *Laxita Butler,1869*
- 1193. Paralaxita Eliot,1978** (Riodinidae) Synonym(s): *Paralaxita Eliot,1978*
- 1194. Polycena Staudinger,1886** (Riodinidae) Synonym(s): *Polycena Staudinger,1886* Original Reference: *Polycena Staudinger,1886*, Stettin ent. Ztg. 47: 227. Type-species: *Polycena tamerlana Staudinger,1886*, Stettin ent. Ztg. 47: 227, by monotypy.
- 1195. Saribia Butler,1878** (Riodinidae) Synonym(s): *Saribia Butler,1878*
- 1196. Stiboges Butler,1876** (Riodinidae) Synonym(s): *Stiboges Butler,1876*
- 1197. Taxila Doubleday,1847** (Riodinidae) Synonym(s): *Taxila Doubleday,1847*
- 1198. Zemeris Boisduval,[1836]** (Riodinidae) Synonym(s): *Zemeris Boisduval,[1836]* Original Reference: *Zemeris Boisduval,[1836]*, Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: pl.21 [=pl.5C] fig.5. Type-species: *Papilio allica Fabricius,1787*, by monotypy.
- 1199. Admiratio Hemming,1964** (Satyridae) Synonym(s): *Smithia Mabille,[1880] (praeocc.)*; *Admiratio Hemming,1964* Original Reference: *Admiratio Hemming,1964*, Annot. lep. (4): 137. Type-species: *Smithia paradoxa Mabille,[1880]*, designation through Section (i) of Article 67 (1961).
- 1200. Aeropetes Billberg,1820** (Satyridae) Synonym(s): *Aeropetes Billberg,1820*; *Meneris Doubleday,1844*. Original Reference: *Aeropetes Billberg,1820*, Enum. Ins. Mus. Billberg: 79. Type-species: *Papilio tulbaghia Linnaeus,1764*, by subsequent designation by Hemming,1943, Proc. R. ent. Soc. Lond. (B) 12: 23.
- 1201. Aphantopus Wallengren,1853** (Satyridae) Synonym(s): *Aphantopus Wallengren,1853* Original Reference: *Aphantopus Wallengren,1853*, Skand. Dadjär.: 9,30. Type-species: *Papilio hyperantus Linnaeus,1758*, by monotypy.
- 1202. Aphysoneura Karsch,1894** (Satyridae) Synonym(s): *Aphysoneura Karsch,1894*; *Raphiceropsis Sharpe,1894*. Original Reference: *Aphysoneura Karsch,1894*, Ent. Nachr. 20: 190. Type-species: *Aphysoneura pigmentaria Karsch,1894*, by monotypy.
- 1203. Arethusana De Lesse,1951** (Satyridae) Synonym(s): *Arethusana De Lesse,1951* Original Reference: *Arethusana Lesse,1951*, Revue fr. Lépid. 13(3/4): 40. Type-species: *Papilio arethusana [Denis & Schiffermüller],1775*, Ankündigung eines syst. Werkes Schmett. Wienergegend:169. by original designation.
- 1204. Argestina Riley,1923** (Satyridae) Synonym(s): *Argestina Riley,1923* Original Reference: *Argestina Riley,1923*, Trans. ent. Soc. Lond. 1923: 469. Type-species: *Callerebia waltoni Elwes,1906*, Proc. zool. Soc. Lond. 1906: 482, pl.36 figs.14,15, by original designation.
- 1205. Aulocera Butler,1867** (Satyridae) Synonym(s): *Aulocera Butler,1867* Original Reference: *Aulocera Butler,1867*, Entomologist's mon. Mag. 4: 121. Type-species: *Satyrus brahminus Blanchard,[1844]*, by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 1206. Berberia De Lesse,1951** (Satyridae) Synonym(s): *Berberia De Lesse,1951* Original Reference: *Berberia De Lesse,1951*, Revue fr. lépid. 13 (3/4): 41. Type-species: *Satyrus abdelkader Pierret,1837*, Annls Soc. ent. Fr. (1) 6: 19, Pl. 5, 6, by original designation.
- 1207. Bicyclus Kirby,1871** (Satyridae) Synonym(s): *Idiomorphus Doumet,1861 nec De Chaudoir,1846*; *Bicyclus Kirby,1871*; *Monotrichtis Hampson,1891*; *Dicothyris Karsch,1893*. Original Reference: *Bicyclus Kirby,1871*, Syn. cat. diurn. lepid.: 47. Type-species: *Idiomorphus hewitsoni Doumet,1861*, designation through Section (i) Article 67 (1961).

- 1208. Boeberia Prout,1901** (Satyridae) Synonym(s): *Boeberia Prout,1901* Original Reference: Boeberia Prout,1901, Entomologist's Rec. J. Var. 12: 233, nota. Type-species: Papilio parmenio Böber,1809, Mém. Soc. imp. Nat. Moscou 2: 306, Pl. 19, selection through Section (i) of Article 67 (replacement name).
- 1209. Brintesia Fruhstorfer,1911** (Satyridae) Synonym(s): *Brintesia Fruhstorfer,1911* Original Reference: Brintesia Fruhstorfer,1911, [in] Seitz, Gross-Schmett. Erde 9: 307. Type-species: Papilio proserpina [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend:179. through Art.67, Sect.(i).
- 1210. Calinaga Moore,1857** (Satyridae) Synonym(s): *Calinaga Moore,1857* Original Reference: Calinaga Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 162. Type-species: Calinaga buddha Moore,1857, ibid. 163, pl.3a, fig.5, by monotypy.
- 1211. Callerebia Butler,1867** (Satyridae) Synonym(s): *Callerebia Butler,1867* Original Reference: Callerebia Butler,1867, Ann. Mag. nat. Hist. (3) 20: 217. Type-species: Erebia scanda Kollar,[1844], by original designation.
- 1212. Cassionympha Van Son,1955** (Satyridae) Synonym(s): *Cassionympha Van Son,1955* Original Reference: Cassionympha Van Son,1955, Butts S. Africa 2: 96. Type-species: Satyrus cassius Godart,[1824], by original designation.
- 1213. Chazara (Neochazara) Koçak,1989** (Satyridae) Synonym(s): *Philareta Moore,1893 nec Mr.,; Neochazara Koçak,1989* Original Reference: Neochazara Koçak,1989, Priamus 5 (1/2): 49. Type-species: Papilio anthe Hoffmansegg,1804, by original designation (proposed as section).
- 1214. Chazara (s.str.) Moore,[1893]** (Satyridae) Synonym(s): *Chazara Moore,[1893]* Original Reference: Chazara Moore,[1893], Lepid. ind. 2(13): 21. Type-species: Papilio briseis Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- 1215. Chazara Moore,[1893]** (Satyridae) Synonym(s): *Chazara Moore,[1893]* Original Reference: Chazara Moore,[1893], Lepid. ind. 2(13): 21. Type-species: Papilio briseis Linnaeus,1764, Mus. Lud. Ulr.: 276, by original designation.
- 1216. Chonala Moore,1893** (Satyridae) Synonym(s): *Chonala Moore,1893* Original Reference: Chonala Moore,1893, Lepid. Indica 2 (13): 14. Type-species: Debis masoni Elwes,1882.
- 1217. Coelites Westwood,1850** (Satyridae) Synonym(s): *Coelites Westwood,1850; #Coerites Pinratana,1988*
- 1218. Coenonympha (Lyela) Swinhoe,1908** (Satyridae) Synonym(s): *Lyela Swinhoe,1908* Original Reference: Lyela Swinhoe,1908, Ann. Mag. nat. Hist. (8) 1: 60. Type-species: Lyela macmachoni Swinhoe,1908, ibid. (8) 1: 60, by original designation.
- 1219. Coenonympha (s.str.) Hübner,[1819]** (Satyridae) Synonym(s): *Coenonympha Hübner,[1819]; Chortobius [Dunning & Pickard],1859; Sicca Verity,1953* Original Reference: Coenonympha Hübner,[1819], Verz. bekannt. Schmett. (5): 65. Type-species: Papilio geticus Esper,[1793], Die Schmett. Suppl. Band 1 Abschn. Tagschmett.: 51, pl.102, fig.2 by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 1220. Coenonympha Hübner,[1819]** (Satyridae) Synonym(s): *Coenonympha Hübner,[1819]; Chortobius [Dunning & Pickard],1859; Sicca Verity,1953* Original Reference: Coenonympha Hübner,[1819], Verz. bekannt. Schmett. (5): 65. Type-species: Papilio geticus Esper,[1793], Die Schmett. Suppl. Band 1 Abschn. Tagschmett.: 51, pl.102, fig.2 by subsequent designation by Butler,1868, Entomologist's mon. Mag. 4: 194.
- 1221. Coenyra Hewitson,1865** (Satyridae) Synonym(s): *Coenyra Hewitson,1865* Original Reference: Coenyra Hewitson,1865, Trans. ent. Soc. London (3) 2 (4): 281. Type-species: Ypthima hebe Trimen,1862, by monotypy.
- 1222. Coenyropsis Van Son,1958** (Satyridae) Synonym(s): *Coenyropsis Van Son,1958* Original Reference: Coenyropsis Van Son,1958, Lepid. News 12: 6. Type-species: Satyrus natalii Boisdual,1847, by original designation.
- 1223. Crebeta Moore,[1893]** (Satyridae) Synonym(s): *Crebeta Moore,[1893]* Original Reference: Crebeta Moore,[1893], Lepid. ind. 2 (13): 11. Type-species: Hipparchia (Pararga) daidamia Eversmann,1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617, by original designation.
- 1224. Dallacha Moore,[1893]** (Satyridae) Synonym(s): *Dallacha Moore,[1893]* Original Reference: Dallacha Moore,[1893], Lepid. ind. 2(14): 58. Type-species: Ypthima hyagriva Moore,1857, by original designation.

- 1225. Dingana Van Son,1955** (Satyridae) Synonym(s): *Dingana Van Son,1955* Original Reference: *Dingana Van Son,1955*, Butts S. Africa 2: 70. Type-species: *Leptoneura dingana* Trimen,1873, by original designation.
- 1226. Dira Hübner,[1819]** (Satyridae) Synonym(s): *Dira Hübner,[1819]* Original Reference: *Dira Hübner,[1819]*, Verz. bekannt. Schmett. (4): 60. Type-species: *Papilio clytus* Linnaeus,1764, by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 157.
- 1227. Elymnias Hübner,[1818]** (Satyridae) Synonym(s): *Elymnias Hübner,[1818]*; *Bruasa Moore,1894*; *Elymniopsis Fruhstorfer,1907* Original Reference: *Elymnias Hübner,[1818]*, Zutr. z. Samml. exot. Schmett. 1: 12. Type-species: *Elymnias jynx* Hübner,[1818], by subsequent designation by Hemming,1943, Proc. R. ent. Soc. Lond. (B) 12: 24.
- 1228. Erebia Dalman,1816** (Satyridae) Synonym(s): *Erebia Dalman,1816*; *Epigea Hübner,1819*; *Phorcis Hübner,1819*; *Syngea Hübner,1819*; *Marica Hübner,1819*; *Oreina Humphrey & Westwood,1841 nec Chevr.,1835*; *Medusia Verity,1953*; *Triariia Verity,1953*; *Simplicia Verity,1953 nec Gn.,1854*; *Truncaefalcia Verity,1953*; *Simplospinosia Verity,1957* Original Reference: *Erebia Dalman,1816*, K. svenska VetenskAkad. Handl., Stockholm 1816 (1): 58. Type-species: *Papilio ligea* Linnaeus,1758, Syst. Nat. (Ed.10)1: 473. by original designation.
- 1229. Erites Westwood,1851** (Satyridae) Synonym(s): *Erites Westwood,1851*
- 1230. Esperarge (Marginarge) Korb,2005** (Satyridae) Synonym(s): *Marginarge Korb,2005* Original Reference: *Marginarge Korb,2005*, Cat. butts ex-USSR: 34. Type-species: *Hipparchia eversmanni* Eversmann,1847, by original designation.
- 1231. Esperarge (s.str.) Nekrutenko,1988** (Satyridae) Synonym(s): *Esperia Nekrutenko,1987 nec Hübn.,[1825]*; *Esperella Nekrutenko,1987 nec Vosmaer,1885*; *Esperarge Nekrutenko,1988*. Original Reference: *Esperarge Nekrutenko,1988*, Vestn. zool. 1988 (1): 50. Type-species: *Papilio climene* Esper,[1783], by original designation for *Esperia Nekrutenko,1987* (nomen novum pro *Esperella Nekrutenko,1987*).
- 1232. Esperarge Nekrutenko,1988** (Satyridae) Synonym(s): *Esperia Nekrutenko,1987 nec Hübn.,[1825]*; *Esperella Nekrutenko,1987 nec Vosmaer,1885*; *Esperarge Nekrutenko,1988*. Original Reference: *Esperarge Nekrutenko,1988*, Vestn. zool. 1988 (1): 50. Type-species: *Papilio climene* Esper,[1783], by original designation for *Esperia Nekrutenko,1987* (nomen novum pro *Esperella Nekrutenko,1987*).
- 1233. Ethope Moore,[1866]** (Satyridae) Synonym(s): *Theope Moore,1857 nec Doubl.,1847*; *Ethope Moore,[1866]*
- 1234. Eugrumia Bruna et al.,2000** (Satyridae) Synonym(s): *Grumia Bruna et al.,2000 nec Alph.,1892 non Oppenheim,1899*; *Eugrumia Bruna et al.,2000* Original Reference: *Eugrumia Bruna et al.,2000*, Fragm. ent. 32 (2): 297. Type-species: *Erebia herse* Grum-Grshimailo,1891, by original designation.
- 1235. Gnophodes Doubleday,[1849]** (Satyridae) Synonym(s): *Gnophodes Doubleday,[1849]* Original Reference: *Gnophodes Doubleday,[1849]*, Gen. diurn. Lep. (2): pl.61 fig.2. Type-species: *Gnophodes parmeno* Doubleday,[1849], by monotypy.
- 1236. Hallelesis Condamin,1961** (Satyridae) Synonym(s): *Hallelesis Condamin,1961* Original Reference: *Hallelesis Condamin,1961*, Bull. Inst. Afrique Noire (A) 23: 783. Type-species: *Mycalesis asochis* Hewitson,[1866], by original designation.
- 1237. Henotesia Butler,1879** (Satyridae) Synonym(s): *Henotesia Butler,1879* Original Reference: *Henotesia Butler,1879*, Ann. Mag. nat. Hist. (5) 4: 228. Type-species: *Henotesia wardii* Butler,1879, by monotypy.
- 1238. Hermeuptychia Forster,1964** (Satyridae) Synonym(s): *Hermeuptychia Forster,1964*
- 1239. Heteropsis Westwood,[1850]** (Satyridae) Synonym(s): *Heteropsis Westwood,[1850]* Original Reference: *Heteropsis Westwood,[1850]*, [in] Doubleday, Gen. diurn. lep. (2): 323, pl.63 fig.5. Type-species: *Heteropsis drepana* Westwood,[1850], by monotypy.
- 1240. Hipparchia (Euhipparchia) Kudrna,1977** (Satyridae) Synonym(s): *Euhipparchia Kudrna,1977* Original Reference: *Euhipparchia Kudrna,1977*, A revision of the genus *Hipparchia* Fabricius: 13. Type-species: *Satyrus stulta* Staudinger,1882, by original designation (*Euhipparchia* is proposed as a subgenus of the genus *Hipparchia* Fabricius).
- 1241. Hipparchia (Neohipparchia) De Lesse,1951** (Satyridae) Synonym(s): *Neohipparchia De Lesse,1951* Original Reference: *Neohipparchia Lesse,1951*, Rev. fr. Lépid. 13(3/4): 40. Type-species: *Papilio statilinus* Hufnagel,1766, Berlin. Mag. 2: 84, by original designation.
- 1242. Hipparchia (Parahipparchia) Kudrna,1977** (Satyridae) Synonym(s): *Parahipparchia Kudrna,1977* Original Reference: *Parahipparchia Kudrna,1977*, A revision of the genus

Hipparchia Fabricius: 12. Type-species: Papilio semele Linnaeus, 1758, by original designation (Parahipparchia is proposed as a subgenus of the genus Hipparchia Fabricius).

- 1243. Hipparchia (Pseudotergumia) Agenjo, 1947** (Satyridae) Synonym(s): *Pseudotergumia Agenjo, 1947* Original Reference: *Pseudotergumia* Agenjo, 1947, Graellsia 5(3): [septuages, secund. Fam.1]. Type-species: Papilio fidia Linnaeus, 1767, Syst. Nat. (Ed.12) 1(2):770. by monotypy.
- 1244. Hipparchia (s.str.) Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807* Original Reference: *Hipparchia* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio hermione Linnaeus, 1764, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 1245. Hipparchia Fabricius, 1807** (Satyridae) Synonym(s): *Hipparchia Fabricius, 1807* Original Reference: *Hipparchia* Fabricius, 1807, Mag. f. Insektenk. (Illiger) 6: 281. Type-species: Papilio hermione Linnaeus, 1764, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 1246. Houlbertia Oberthür, 1916** (Satyridae) Synonym(s): *Houlbertia Oberthür, 1916* Original Reference: *Houlbertia* Oberthür, 1916, Etüd. Lep. comp. 11: 199-201. Type-species: Erebia passandava Wrad, 1871, by subsequent designation by Hemming, 1964, Annot. lep. (4): 120.
- 1247. Hyponephele (s.str. (Caspinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Caspinephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Caspinephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: Epinephele dysdora Lederer, 1869, by original designation (proposed as a section).
- 1248. Hyponephele (s.str. (Coenonephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Coenonephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Coenonephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: Epinephele coenonympha Felder & Felder, [1867], by original designation (proposed as a section).
- 1249. Hyponephele (s.str. (Ereminephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Ereminephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Ereminephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: Hyponephele huebneri Koçak, 1980, by original designation (proposed as a section).
- 1250. Hyponephele (s.str. (Iranonephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Iranonephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Iranonephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 127. Type-species: Epinephele amardaea Lederer, 1869, by original designation (proposed as a section).
- 1251. Hyponephele (s.str. (Orientinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Orientinephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Orientinephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 129. Type-species: Epinephele pulchella Felder & Felder, [1867], by original designation (proposed as a section).
- 1252. Hyponephele (s.str. (Tengrinephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Tengrinephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Tengrinephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 128. Type-species: Epynephele kirghisa Alpheraky, 1881, by original designation (proposed as a section).
- 1253. Hyponephele (s.str. (Turaninephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Turaninephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Turaninephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 130. Type-species: Epinephele davendra Moore, 1865, by original designation (proposed as a section).
- 1254. Hyponephele (s.str. (Turkestaninephele)) Koçak & Kemal, 2001** (Satyridae) Synonym(s): *Turkestaninephele Koçak & Kemal, 2001* Original Reference: *Hyponephele* (s.str. (Turkestaninephele)) Koçak & Kemal, 2001, Priamus 10 (3/4): 128. Type-species: Epinephele haberhaueri Staudinger, 1886, by original designation (proposed as a section).
- 1255. Hyponephele (s.str.) Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele Muschamp, 1915* Original Reference: *Hyponephele* Muschamp, 1915, Entomologist's Rec. J. Var. 27: 156. Type-species: Papilio lycaon Rottentburg, 1775, Der Naturforscher 6: 17, by monotypy.
- 1256. Hyponephele Muschamp, 1915** (Satyridae) Synonym(s): *Hyponephele Muschamp, 1915* Original Reference: *Hyponephele* Muschamp, 1915, Entomologist's Rec. J. Var. 27: 156. Type-species: Papilio lycaon Rottentburg, 1775, Der Naturforscher 6: 17, by monotypy.

- 1257. Idata De Lesse,1952** (Satyridae) Synonym(s): *Idata De Lesse,1952* Original Reference: Idata De Lesse,1952, Annls Soc. ent. Fr. 121: 71. Type-species: *Epinephele ida* Esper, var. *cecilia* Vallentin,1894, Le Naturaliste 16: 260. by original designation.
- 1258. Kanetisa Moore,[1893]** (Satyridae) Synonym(s): *Kanetisa Moore,[1893]* Original Reference: Kanetisa Moore,[1893], Lepid. ind. 2(14): 42. Type-species: *Hipparchia digna* Marshall,1883, J. asiat. Soc. Bengal Pt.II 51(4): 67, by original designation.
- 1259. Karanasa Moore,[1893]** (Satyridae) Synonym(s): *Karanasa Moore,[1893]* Original Reference: Karanasa Moore,[1893], Lepid. ind. 2(14): 38. Type-species: *Satyrus huebneri* C.Felder & R.Felder,[1867], Reise österr. Fregatte Novara, Lep. Rhop. (3): 494, Pl.69 figs. 8,9, by original designation.
- 1260. Kirinia (Melike) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Melike Koçak & Kemal,2002* Original Reference: Kirinia (Melike) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 15. Type-species: *Papilio roxelana* Cramer,[1777], by original designation [proposed as subgenus].
- 1261. Kirinia Moore,[1893]** (Satyridae) Synonym(s): *Kirinia Moore,[1893]* Original Reference: Kirinia Moore,[1893], Lepid. ind. 2(13): 14. Type-species: *Lasiommata epimenides* Ménétriés,1859, [in] Schrenck, Reise Forschungen Amur-Lande 2(1): 39, pl.3, figs. 8,9, by original designation.
- 1262. Lasiommata Westwood,1841** (Satyridae) Synonym(s): *Lasiommata Westwood,1841* Original Reference: Lasiommata Westwood,1841, [in] Humpreys & Westwood, Br. Butt. Transformations [ed.1]: 65. Type-species: *Papilio megera* Linnaeus,1767, Syst. Nat. (Ed.12) 1(2): 771. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 202-203.
- 1263. Lethe Hübner,[1819]** (Satyridae) Synonym(s): *Lethe Hübner,[1819]* Original Reference: Lethe Hübner,[1819], Verz. bekannt. Schmett. (4): 56. Type-species: *Papilio europa* Fabricius,1775, Syst. ent.: 500, by monotypy.
- 1264. Lopinga Moore,[1893]** (Satyridae) Synonym(s): *Lopinga Moore,[1893]* Original Reference: Lopinga Moore,[1893], Lepid. ind. 2 (13): 11. Type-species: *Pararge dumetorum* Oberthür,1886, Etüd. ent. 11: 23, Pl.4 fig.20, by original designation.
- 1265. Loxerebia Watkins,1925** (Satyridae) Synonym(s): *Loxerebia Watkins,1925* Original Reference: Loxerebia Watkins,1925, Ann. Mag. nat. Hist. (9) 16: 237. Type-species: *Callerebia pratorum* Oberthür,1886, by original designation.
- 1266. Mandarinina Leech,1892** (Satyridae) Synonym(s): *Mandarinina Leech,1892*
- 1267. Maniola (Telmessiola) Koçak & Kemal,2002** (Satyridae) Synonym(s): *Telmessiola Koçak & Kemal,2002* Original Reference: Maniola (Telmessiola) Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 14. Type-species: *Hipparchia telmessia* Zeller,1847, by original designation [proposed as subgenus].
- 1268. Maniola (s.str.) Schrank,1801** (Satyridae) Synonym(s): *Maniola Schrank,1801; Epinephele Hübner,[1819]* Original Reference: Maniola Schrank,1801, Fauna boica 1(2): 152, 170. Type-species: *Papilio jurtina* Linnaeus,1758, Syst. Nat. (Ed.10)1: 475. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 211.
- 1269. Maniola Schrank,1801** (Satyridae) Synonym(s): *Maniola Schrank,1801; Epinephele Hübner,[1819]* Original Reference: Maniola Schrank,1801, Fauna boica 1(2): 152, 170. Type-species: *Papilio jurtina* Linnaeus,1758, Syst. Nat. (Ed.10)1: 475. by subsequent designation by Scudder,1875, Proc. am. Acad. Arts Sci., Boston 10: 211.
- 1270. Mashuna Van Son,1955** (Satyridae) Synonym(s): *Mashuna Van Son,1955; Ypthimorpha Overlaet,1955.* Original Reference: Mashuna Van Son,1955, Butts S. Africa 2: 159. Type-species: *Ypthima mashuna* Trimen,1895, by original designation.
- 1271. Masoura Hemming,1964** (Satyridae) Synonym(s): *Gallienia Oberthür,1910 (praeocc.); Masoura Hemming,1964* Original Reference: Masoura Hemming,1964, Annot. lep. (4): 138. Type-species: *Melanitis masour* Hewitson,1875, designation through Section (i) of Article 67 (1961).
- 1272. Megisto Hübner,[1819]** (Satyridae) Synonym(s): *Megisto Hübner,[1819]*
- 1273. Melampias Hübner,[1819]** (Satyridae) Synonym(s): *Melampias Hübner,[1819]* Original Reference: Melampias Hübner,[1819], Verz. bekannt. Schmett.: 63. Type-species: *Papilio hyperbius* Linnaeus,1764, by subsequent designation by Scudder,1875, Proc. am. Acad Arts Sci., Boston 10: 214.

- 1274. Melanargia (Parce) Oberthür & Houlbert, 1922** (Satyridae) Synonym(s): *Parce Oberthür & Houlbert, 1922* Original Reference: *Parce Oberthür & Houlbert, 1922*, C. R. Acad. Sci., Paris 174: 192. Type-species: *Parce fergana Oberthür & Houlbert, 1922*, by original designation.
- 1275. Melanargia (Turcargia) Koçak & Kemal, 2002** (Satyridae) Synonym(s): *Turcargia Koçak & Kemal, 2002* Original Reference: *Melanargia (Turcargia) Koçak & Kemal, 2002*, Cent. ent. Stud., Misc. Pap. 82/85: 10-11. Type-species: *Papilio larissa Geyer, [1832]*, by original designation [proposed as subgenus].
- 1276. Melanargia (s.str.) Meigen, 1828** (Satyridae) Synonym(s): *Agapetes Billberg, 1820 (rejected); Melanargia Meigen, 1828; Lachesis Oberthür & Houlbert, 1922 nec Daudin, 1803.* Original Reference: *Melanargia Meigen, 1828*, Syst. Besch. Eur. Schmett. 1(3):97. Type-species: *Papilio galathea Linnaeus, 1758*, Syst. Nat. (Ed.10)1: 474, by subsequent designation by Kirby, 1894, in Allen's Nat. Libr., Lepid.1: 240.
- 1277. Melanargia Meigen, 1828** (Satyridae) Synonym(s): *Agapetes Billberg, 1820 (rejected); Melanargia Meigen, 1828; Lachesis Oberthür & Houlbert, 1922 nec Daudin, 1803.* Original Reference: *Melanargia Meigen, 1828*, Syst. Besch. Eur. Schmett. 1(3):97. Type-species: *Papilio galathea Linnaeus, 1758*, Syst. Nat. (Ed.10)1: 474, by subsequent designation by Kirby, 1894, in Allen's Nat. Libr., Lepid.1: 240.
- 1278. Melanitis Fabricius, 1807** (Satyridae) Synonym(s): *Melanitis Fabricius, 1807; Cyllo Boisduval, 1832* Original Reference: *Melanitis Fabricius, 1807*, Mag. f. Insektenk. (Illiger) 6: 282. Type-species: *Papilio leda Linnaeus, 1758*, Syst. Nat. (Edn. 10)1: 474, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 1279. Minois Hübner, [1819]** (Satyridae) Synonym(s): *Minois Hübner, [1819]* Original Reference: *Minois Hübner, [1819]*, Verz. bekannt. Schmett. (4): 57. Type-species: *Papilio phaedra Linnaeus, 1764*, Mus. Lud. Ulr.: 280, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 194.
- 1280. Mycalesis Hübner, 1818** (Satyridae) Synonym(s): *Mycalesis Hübner, 1818; Dasyomma C. Felder & R. Felder, 1860 nec Macquart, 1841; Culapa Moore, 1879; Mydosama Moore, 1880; Calysisme Moore, 1880; Dalapa Moore, 1880; Gareris Moore, 1880; Indalasa Moore, 1880; Jatana Moore, 1880; Kabanda Moore, 1880; Loesa Moore, 1880; Lohora Moore, 1880; Martanda Moore, 1880; Nasapa Moore, 1880; Nebdara Moore, 1880; Nissanga Moore, 1880; Pachama Moore, 1880; Sadarga Moore, 1880; Samanta Moore, 1880; Satoa Moore, 1880; Sevanda Moore, 1880; Suralaya Moore, 1880; Virapa Moore, 1880; Telinga Moore, 1880; Myrtilus De NicÜville, 1891; Samundra Moore, [1891]; Physcon De NicÜville, 1898; Celebina Fruhstorfer, [1899].* Original Reference: *Mycalesis Hübner, 1818*, Zutr. z. Samml. exot. Schmett. 1: 17. Type-species: *Papilio francisca Stoll, [1780]*, by subsequent designation by Hemming, 1937, Proc. R. ent. Soc. Lond. (B) 6: 149.
- 1281. Neita Van Son, 1955** (Satyridae) Synonym(s): *Neita Van Son, 1955* Original Reference: *Neita Van Son, 1955*, Butts S. Africa 2: 101. Type-species: *Pseudonympha neita Wallengren, 1875*, by original designation.
- 1282. Neocoenyra Butler, 1886** (Satyridae) Synonym(s): *Neocoenyra Butler, 1886*
- 1283. Neominois Scudder, 1875** (Satyridae) Synonym(s): *Neominois Scudder, 1875*
- 1284. Neonympha Hübner, 1818** (Satyridae) Synonym(s): *Neonympha Hübner, 1818*
- 1285. Neope Moore, [1866]** (Satyridae) Synonym(s): *Enope Moore, 1857 nec Walk., 1854; Neope Moore, [1866]; Neope Butler, 1867.* Original Reference: *Neope Moore, [1866]*, Proc. zool. Soc. Lond. 1865 (3): 770. Type-species: *Lasiommata (?) bhadra Moore, 1857*, by designation through Section (i) (replacement names) of Article 67.
- 1286. Neorina Westwood, 1850** (Satyridae) Synonym(s): *Neorina Westwood, 1850*
- 1287. Ninguta Moore, 1892** (Satyridae) Synonym(s): *Ninguta Moore, 1892*
- 1288. Nirvanopsis Vane-Wright, 2003** (Satyridae) Synonym(s): *Nirvana Tsukada & Nishiyama, 1979 nec Kirk., 1900; Nirvanopsis Vane-Wright, 2003*
- 1289. Oeneis Hübner, [1819]** (Satyridae) Synonym(s): *Oeneis Hübner, [1819]; Chionobas Boisduval, [1833]; Paroeneis Moore, 1891* Original Reference: *Oeneis Hübner, [1819]*, Verz. bekannt. Schmett. (4): 58. Type-species: *Papilio norna Thunberg, 1791*, by subsequent designation by Butler, 1868, Entomologist's mon. Mag. 4: 196.
- 1290. Orinoma Gray, 1846** (Satyridae) Synonym(s): *Orinoma Gray, 1846* Original Reference: *Orinoma Gray, 1846*, Descr. figs. lep. Ins. Nepal: 14. Type-species: *Orinoma damaris Gray, 1846*, loc. cit., pl. 7 figs. 2, 2a, by monotypy.
- 1291. Orsotriaena Wallengren, 1858** (Satyridae) Synonym(s): *Orsotriaena Wallengren, 1858*

- 1292. *Paralasa Moore,[1893]*** (Satyridae) **Synonym(s):** *Paralasa Moore,[1893]* **Original Reference:** *Paralasa Moore,[1893]*, *Lepid. ind.* 2(16): 103. Type-species: *Erebia kalinda Moore,1865*, by original designation.
- 1293. *Paralethe Van Son,1955*** (Satyridae) **Synonym(s):** *Paralethe Van Son,1955*. **Original Reference:** *Paralethe Van Son,1955*, *Butts S. Africa* 2: 51. Type-species: *Satyrus dendrophilus Trimen,1862*, by original designation.
- 1294. *Pararge Hübner,[1819]*** (Satyridae) **Synonym(s):** *Pararge Hübner,[1819]* **Original Reference:** *Pararge Hübner,[1819]*, *Verz. bekannt. Schmett.* (4): 59. Type-species: *Papilio aegeria Linnaeus,1758*, *Syst. Nat. (Ed.10)* 1: 473, by subsequent designation by *Butler,1868*, *Entomologist's mon. Mag.* 4:195.
- 1295. *Penthema Doubleday,1848*** (Satyridae) **Synonym(s):** *Penthema Doubleday,1848*
- 1296. *Physcaeneura Wallengren,1857*** (Satyridae) **Synonym(s):** *Physcaeneura Wallengren,1857*; *Periplysia Gerstraecker,1871*.
- 1297. *Proterebia Roos & Arnscheid,1980*** (Satyridae) **Synonym(s):** *Proterebia Roos & Arnscheid,1980* **Original Reference:** *Proterebia Roos & Arnscheid,1980*, *Mitt. münch. ent. Ges.* 70: 11. Type-species: *Papilio phegea Borkhausen,1788*, by original designation.
- 1298. *Pseudochazara (Achazara) Koçak,1996*** (Satyridae) **Synonym(s):** *Achazara Koçak,1996* **Original Reference:** *Achazara Koçak,1996*, *Priamus* 7 (4): 137. Type-species: *Papilio anthelea Hübner,[1824]*, by original designation (proposed as a section).
- 1299. *Pseudochazara (s.str.) De Lesse,1951*** (Satyridae) **Synonym(s):** *Pseudochazara De Lesse,1951* **Original Reference:** *Pseudochazara De Lesse,1951*, *Revue fr. lépid.* 13(3/4): 42. Type-species: *Hipparchia pelopea Klug,1832*, [in] *Ehrenberg, Symbolae physic. Ins.3, sign.K: 1, pl.29, figs. 5-8*, by original designation.
- 1300. *Pseudochazara De Lesse,1951*** (Satyridae) **Synonym(s):** *Pseudochazara De Lesse,1951* **Original Reference:** *Pseudochazara De Lesse,1951*, *Revue fr. lépid.* 13(3/4): 42. Type-species: *Hipparchia pelopea Klug,1832*, [in] *Ehrenberg, Symbolae physic. Ins.3, sign.K: 1, pl.29, figs. 5-8*, by original designation.
- 1301. *Ptychandra C.Felder & R.Felder,1861*** (Satyridae) **Synonym(s):** *Ptychandra C.Felder & R.Felder,1861*
- 1302. *Pyronia Hübner,[1819]*** (Satyridae) **Synonym(s):** *Pyronia Hübner,[1819]*; *Pasiphana De Lesse,1952*. **Original Reference:** *Pyronia Hübner,[1819]*, *Verz. bekannt. Schmett.* (4): 59. Type-species: *Pyronia tithone Hübner,[1819]*, *ibidem* (4): 59, by subsequent designation by *Scudder,1875*, *Proc. am. Acad. Arts Sci., Boston* 10:261.
- 1303. *Ragadia Westwood,1851*** (Satyridae) **Synonym(s):** *Ragadia Westwood,1851*
- 1304. *Rhaphicera Butler,1867*** (Satyridae) **Synonym(s):** *Rhaphicera Butler,1867* **Original Reference:** *Rhaphicera Butler,1867*, *Ann. Mag. nat. Hist.* (3) 19: 164. Type-species: *Lasiommata satricus Doubleday,[1849]*, *Gen diurn. Lep.* (2): pl.64, fig.4; *ibid.* (2): 387, by subsequent designation by *Butler,1868*, *Entomologist's mon. Mag.* 4: 196.
- 1305. *Satyrus (Asatyrus (Asatyrodes)) Koçak & Kemal,2002*** (Satyridae) **Synonym(s):** *Asatyrodes Koçak & Kemal,2002* **Original Reference:** *Satyrus (Asatyrus (Asatyrodes)) Koçak & Kemal,2002*, *Cent. ent. Stud., Misc. Pap.* 82/85: 13. Type-species: *Satyrus effendi Nekrutenko,1989*, by original designation [proposed as a section].
- 1306. *Satyrus (Asatyrus) Koçak & Kemal,2002*** (Satyridae) **Synonym(s):** *Asatyrus Koçak & Kemal,2002* **Original Reference:** *Satyrus (Asatyrus) Koçak & Kemal,2002*, *Cent. ent. Stud., Misc. Pap.* 82/85: 13. Type-species: *Satyrus cordula var. amasina Staudinger,1861*, by original designation [proposed as subgenus].
- 1307. *Satyrus (s.str.(s.str.)) Latreille,1810*** (Satyridae) **Synonym(s):** *Satyrus Latreille,1810* **Original Reference:** *Satyrus Latreille,1810*, *Consid. gén. Anim. Crust. Arach. Ins.*: 335,440. Type-species: *Papilio actaea Esper,[1780]*, *Die Schmett.* 1(Bd.2) *Forst. Tagschmett.*: 37, pl.57, figs.1a,1b. by subsequent designation by *ICZN, Op.142*.
- 1308. *Satyrus Latreille,1810*** (Satyridae) **Synonym(s):** *Satyrus Latreille,1810* **Original Reference:** *Satyrus Latreille,1810*, *Consid. gén. Anim. Crust. Arach. Ins.*: 335,440. Type-species: *Papilio actaea Esper,[1780]*, *Die Schmett.* 1(Bd.2) *Forst. Tagschmett.*: 37, pl.57, figs.1a,1b. by subsequent designation by *ICZN, Op.142*.
- 1309. *Sinonympha Lee,1974*** (Satyridae) **Synonym(s):** *Sinonympha Lee,1974* **Original Reference:** *Sinonympha Lee,1974*, *Acta ent. sin.* 17(2): 198. Type-species: *Sinonympha amoena Lee,1974*, by original designation and by monotypy.

- 1310. Strabena Mabilie, 1877** (Satyridae) Synonym(s): *Strabena Mabilie*, 1877; *Callyphthima Butler*, 1880.
- 1311. Stygionympha Van Son, 1955** (Satyridae) Synonym(s): *Stygionympha Van Son*, 1955
- 1312. Tarsocera Butler, [1899]** (Satyridae) Synonym(s): *Tarsocera Butler*, [1899]; *Cassus Van Son*, 1955 Original Reference: Tarsocera Butler, [1899], Proc. zool. Soc. London 1898: 903. Type-species: *Leptoneura cassina* Butler, 1868, by monotypy.
- 1313. Torynesis Butler, [1899]** (Satyridae) Synonym(s): *Torynesis Butler*, [1899]; *Mintha Van Son*, 1955 Original Reference: Torynesis Butler, [1899], Proc. zool. Soc. London 1898: 903. Type-species: *Dira mintha* Geyer, [1837], by monotypy.
- 1314. Triphysa Zeller, 1850** (Satyridae) Synonym(s): *Triphysa Zeller*, 1850 Original Reference: Triphysa Zeller, 1850, Stettin ent. Ztg. 11: 311. Type-species: *Papilio tircis* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4(32): 166, pl. 373, figs. d, e. through Art. 67, sect. (i).
- 1315. Ypthima Hübner, 1818** (Satyridae) Synonym(s): *Ypthima Hübner*, 1818 Original Reference: Ypthima Hübner, 1818, Zutr. z. Samml. exot. Schmett. 1: 17. Type-species: *Ypthima huebneri* Kirby, 1871, Syn. Cat. diurn. Lep.: 95. by subsequent designation by ICZN, under Art. 70(a).
- 1316. Ypthimomorpha Van Son, 1955** (Satyridae) Synonym(s): *Ypthimomorpha Van Son*, 1955 Original Reference: Ypthimomorpha Van Son, 1955, Butts S. Africa 2: 158. Type-species: *Ypthima itonia* Hewitson, 1865, by original designation.

Moths

- 1317. Acanthopteroctetes Braun, 1921** (Acanthopteroctetidae) Synonym(s): *Acanthopteroctetes Braun*, 1921
- 1318. Catapterix Zagulyaev & Sinev, 1988** (Acanthopteroctetidae) Synonym(s): *Catapterix Zagulyaev & Sinev*, 1988
- 1319. Amydria Clemens, 1859** (Acrolophidae) Synonym(s): *Amydria Clemens*, 1859; *Casape Walker*, 1864; *Neomeristis Meyrick*, 1919
- 1320. Adela Latreille, 1796** (Adelidae) Synonym(s): *Adela Latreille*, 1796; *Capillaria Haworth*, [1828] *nec Zeder*, 1800; *Metallitis Sodoffsky*, 1837; *Aedilis Gistel*, 1848 *nec Audin.-Serv.*, 1835 Original Reference: Adela Latreille, 1796, Précis Caract. gén. Ins.: 147. Type-species: *Phalaena reamurella* Linnaeus, 1758, by subsequent monotypy (No species included originally, until Latreille, [1802]).
- 1321. Cauchas Zeller, 1839** (Adelidae) Synonym(s): *Cauchas Zeller*, 1839; *Cyanauges Braun*, 1919 *nec Philippi*, 1865; *Chalceopla Braun*, 1921 Original Reference: Cauchas Zeller, 1839, Isis, Leipzig 1839: 186. Type-species: *Tinea fibulella* [Denis & Schiffermüller], 1775, by subsequent designation by Fletcher, 1929.
- 1322. Ceromitia Zeller, 1852** (Adelidae) Synonym(s): *Ceromitia Zeller*, 1852; *Agisana Möschler*, 1883; *Exorectis Meyrick*, 1906; *Ulometra Meyrick*, 1912; *Trichorrhabda Meyrick*, 1912; *Haplotypa Janse*, 1945; *#Ceromita Nielsen*, 1985.
- 1323. Nematopogon Zeller, 1839** (Adelidae) Synonym(s): *Nemophora Hübner*, [1825] *nec Hoffmanns.*, 1798; *Nematopogon Zeller*, 1839 Original Reference: Nematopogon Zeller, 1839, Isis, Leipzig 1839: 185. Type-species: *Nematopogon schwarziellus* Zeller, 1839, by subsequent designation by Meyrick, 1912.
- 1324. Nemophora Hoffmannsegg, 1798** (Adelidae) Synonym(s): *Nemophora Hoffmannsegg*, 1798; *Elasmion Hübner*, 1822; *Nemotois Hübner*, [1825]; *Eutyphia Hübner*, [1825]; *Epityphia Hübner*, [1825]; *Nematophora Agassiz*, 1847 *nec Gry.*, 1840; *Ucetia Walker*, 1866; *Trichofrons Amsel*, 1937 Original Reference: Nemophora Hoffmannsegg, 1798, [in] Illiger, Verz. Kaeffer Preussens: 499. Type-species: *Phalaena degeerella* Linnaeus, 1758, by subsequent designation by Hampson, 1918.
- 1325. Agape R. Felder, 1874** (Aganaiidae) Synonym(s): *Agape R. Felder*, 1874; *Spilobotys Butler*, 1887
- 1326. Asota Hübner, [1819]** (Aganaiidae) Synonym(s): *Asota Hübner*, [1819]; *Hypsa Hübner*, [1819]; *Damalis Hübner*, [1819]; *Psephea Billberg*, 1820; *Euimata Billberg*, 1820; *Aganais Boisduval*, 1832; *Petalia Walker*, 1854 *nec Gry.*, 1838; *Aspa Walker*, 1854 *nec Adams*, 1853; *Lacides Walker*, 1854; *Pseudohypsa Kirby*, 1892 *Antichera Snellen*, 1896 Original Reference: Asota Hübner, [1819], Verz. bekannt. Schmett.: 164. Type-species: *Phalaena javana* Cramer, 1780, by subsequent designation by Jordan, 1896.
- 1327. Digama Moore, [1860]** (Aganaiidae) Synonym(s): *Digama Moore*, [1860]; *Bithra Walker*, 1865
- 1328. Euplocia Hübner, [1819]** (Aganaiidae) Synonym(s): *Euplocia Hübner*, [1819]

- 1329. Neochera Hübner,[1819]** (Aganaidae) **Synonym(s):** *Neochera* Hübner,[1819]; *Phylona* Walker,1854
- 1330. Peridrome Walker,1854** (Aganaidae) **Synonym(s):** *Peridrome* Walker,1854; *Anagnia* Walker,1854; *Eriocrypta* Herrich-Schäffer,[1854]; *Aganopsis* Herrich-Schäffer,[1856]; *#Anagina* Swinhoe,1890
- 1331. Phaegorista Boisduval,1836** (Aganaidae) **Synonym(s):** *Phaegorista* Boisduval,1836; *Stemonoceras* Karsch,1895
- 1332. Soloe Walker,1854** (Aganaidae) **Synonym(s):** *Soloe* Walker,1854
- 1333. Sommeria Hübner,[1831]** (Aganaidae) **Synonym(s):** *Sommeria* Hübner,[1831]
- 1334. Agonoxena Meyrick,1921** (Agonoxenidae) **Synonym(s):** *Agonoxena* Meyrick,1921
- 1335. Blastodacna Wocke,[1876]** (Agonoxenidae) **Synonym(s):** *Blastodacna* Wocke,[1876]; *Sinitinea* Yang,1977 **Original Reference:** *Blastodacna* Wocke,[1876], Schmett. Dtl. Schweiz (2) 2 (2): 428. Type-species: *Alucita hellerella* Duponchel,1838, by subsequent designation by Fletcher,1928.
- 1336. Chrysoclista Stainton,1854** (Agonoxenidae) **Synonym(s):** *Chrysoclista* Stainton,1854 **Original Reference:** *Chrysoclista* Stainton,1854, Ins. Br., Lep. Tineina: 225, 240. Type-species: [*Phalaena*] *linneella* Clerck,1759, by subsequent designation by Fletcher,1928.
- 1337. Dystebenna Spuler,1910** (Agonoxenidae) **Synonym(s):** *Dystebenna* Spuler,1910
- 1338. Haplochrois Meyrick,1897** (Agonoxenidae) **Synonym(s):** *Aetia* Chambers,1880 *nec* Agass.,1847; *Haplochrois* Meyrick,1897; *Rhadinastis* Meyrick,1897; *Tetanocentria* Rebel,1902; *Platybathra* Meyrick,1911; *Parametriotes* Kuznetsov,1916; *Syntetrernis* Meyrick,1922 **Original Reference:** *Haplochrois* Meyrick,1897, Proc. Linn. Soc. N.S.W. 22: 299, 310. Type-species: *Haplochrois chlorometalla* Meyrick,1897, by original designation.
- 1339. Heinemannia Wocke,[1876]** (Agonoxenidae) **Synonym(s):** *Tebenna* Hübner,[1825] *nec* Billb.,1820; *Heinemannia* Wocke,[1876]; **Original Reference:** *Heinemannia* Wocke,[1876], Schmett. Dtl. Schweiz (2) 2 (2): 427. Type-species: *Tinea laspeyrella* Hübner,1796, by subsequent designation by Fletcher,1829.
- 1340. Microcolona Meyrick,1897** (Agonoxenidae) **Synonym(s):** *Microcolona* Meyrick,1897
- 1341. Platybathra Meyrick,1911** (Agonoxenidae) **Synonym(s):** *Platybathra* Meyrick,1911
- 1342. Spuleria Hofmann,1898** (Agonoxenidae) **Synonym(s):** *Spuleria* Hofmann,1898 **Original Reference:** *Spuleria* Hofmann,1898, Dt. ent. Z., Iris 10: 230. Type-species: *Tinea aurifrontella* Geyer,[1832], by monotypy.
- 1343. Alucita Linnaeus,1758** (Alucitidae) **Synonym(s):** *Alucita* Linnaeus,1758; *Orneodes* Latreille,1796; *Rhipidophora* Hübner,1822; *Euchiradia* Hübner,[1825]; *Alucitina* Heydenreich,1851 **Original Reference:** *Alucita* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Type-species: *Phalaena hexadactyla* Linnaeus,1758, by subsequent designation by ICZN, 1957 (Opinion 450).
- 1344. Microschismus T.B.Fletcher,1909** (Alucitidae) **Synonym(s):** *Microschismus* T.B.Fletcher,1909; *Macrembola* Meyrick,1909
- 1345. Pterotopteryx Hannemann,1959** (Alucitidae) **Synonym(s):** *Pterotopteryx* Hannemann,1959
- 1346. Anticla Walker,1855** (Apatelodidae) **Synonym(s):** *Anticla* Walker,1855 **Original Reference:** *Anticla* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1159, 1174. Type-species: *Anticla antica* Walker,1855, by monotypy.
- 1347. Apatelodes Packard,1864** (Apatelodidae) **Synonym(s):** *Hygrochroa* Hübner,[1823]; *Astasia* Harris,1841 *nec* Ehrenberg,[1830]; *Apatelodes* Packard,1864 **Original Reference:** *Apatelodes* Packard,1864, Proc. ent. Soc. Philad. 3: 353. Type-species: *Phalaena torrefacta* Smith,1797, by subsequent designation by Kirby,1892.
- 1348. Arotros Schaus,1892** (Apatelodidae) **Synonym(s):** *Arotros* Schaus,1892
- 1349. Carnotena Walker,1865** (Apatelodidae) **Synonym(s):** *Carnotena* Walker,1865; *Microplastis* C.Felder,1874
- 1350. Cheneyya Schaus,1929** (Apatelodidae) **Synonym(s):** *Cheneyya* Schaus,1929
- 1351. Colla Walker,1865** (Apatelodidae) **Synonym(s):** *Colla* Walker,1865; *Aza* Walker,1865 *nec* Mulsant,1850; *Orgyopsis* C.Felder,1874; *Spanochroa* C.Felder,1874; *Prismoptera* Butler,1878; *Agriochlora* W.Warren,1901
- 1352. Drepatelodes Draudt,1929** (Apatelodidae) **Synonym(s):** *Drepatelodes* Draudt,1929
- 1353. Ephoria Herrich-Schäffer,1855** (Apatelodidae) **Synonym(s):** *Ephoria* Herrich-Schäffer,1855; *Colabata* Walker,1856
- 1354. Epia Hübner,[1820]** (Apatelodidae) **Synonym(s):** *Epia* Hübner,[1820]; *Anthocroca* Butler,1878
- 1355. Falcatelodes Draudt,1929** (Apatelodidae) **Synonym(s):** *Falcatelodes* Draudt,1929
- 1356. Moeschleria Saalmüller,1890** (Apatelodidae) **Synonym(s):** *Moeschleria* Saalmüller,1890
- 1357. Olceclostera Butler,1878** (Apatelodidae) **Synonym(s):** *Olceclostera* Butler,1878

- 1358. Phiditia Möschler, 1882** (Apatelodidae) Synonym(s): *Phiditia Möschler, 1882*
- 1359. Prothysana Walker, 1865** (Apatelodidae) Synonym(s): *Prothysana Walker, 1865*
- 1360. Quentalia Schaus, 1929** (Apatelodidae) Synonym(s): *Quentalia Schaus, 1929*
- 1361. Rolepa Walker, 1855** (Apatelodidae) Synonym(s): *Rolepa Walker, 1855; Olenoptera Herrich-Schäffer, [1856]; Athrula Walker, 1862*
- 1362. Sorocaba Moore, 1882** (Apatelodidae) Synonym(s): *Centrophora Guenée, 1858 nec Gry., [1835]; Sorocaba Moore, 1882*
- 1363. Tamphana Schaus, 1892** (Apatelodidae) Synonym(s): *Tamphana Schaus, 1892*
- 1364. Tarchon Druce, 1887** (Apatelodidae) Synonym(s): *Compsa Walker, 1862 nec Perty, 1832; Mesotages C. Felder, 1874 nec Förster, 1862; Tarchon Druce, 1887; Zolessia Biezanko & Monné, 1968*
- 1365. Tepilia Walker, 1855** (Apatelodidae) Synonym(s): *Tepilia Walker, 1855*
- 1366. Thelosia Schaus, 1896** (Apatelodidae) Synonym(s): *Thelosia Schaus, 1896*
- 1367. Thyrioclostera Draudt, 1929** (Apatelodidae) Synonym(s): *Thyrioclostera Draudt, 1929*
- 1368. Zanol Walker, 1855** (Apatelodidae) Synonym(s): *Zanol Walker, 1855; Dorisia Möschler, 1883*
- 1369. Acantharctia Aurivillius, 1900** (Arctiidae) Synonym(s): *Acantharctia Aurivillius, 1900.*
- 1370. Acanthofrontia Hampson, 1910** (Arctiidae) Synonym(s): *Acanthofrontia Hampson, 1910*
- 1371. Acerbia Sotavalta, 1963** (Arctiidae) Synonym(s): *Acerbia Sotavalta, 1963*
- 1372. Aedoea Turner, 1899** (Arctiidae) Synonym(s): *Aedoea Turner, 1899*
- 1373. Aemene Walker, 1854** (Arctiidae) Synonym(s): *Aemene Walker, 1854; Panassa Walker, 1865; Autoceras R. Felder, 1874; Hyposiccia Hampson, 1900; Parasiccia Hampson, 1900* Original Reference: *Aemene taprobanis Walker, 1854, List spec. lepid. Ins. Colln Br. Mus. 2: 541-542. Type-species: Aemene taprobanis Walker, 1854, by monotypy.*
- 1374. Aemilia Kirby, 1892** (Arctiidae) Synonym(s): *Ameles Walker, 1855 nec Burm., [1838]; Aemilia Kirby, 1892*
- 1375. Aethalida Walker, 1864** (Arctiidae) Synonym(s): *Aethalida Walker, 1864*
- 1376. Afraloea Dubatolov, 2006** (Arctiidae) Synonym(s): *Afraloea Dubatolov, 2006*
- 1377. Afrida Möschler, 1886** (Arctiidae) Synonym(s): *Afrida Möschler, 1886*
- 1378. Afroarctia Toulgoet, 1978** (Arctiidae) Synonym(s): *Afroarctia Toulgoet, 1978* Original Reference: *Afroarctia Toulgoet, 1978, Nouv. Rev. ent. 8 (2): 223. Type-species: Spilosoma sjoestedti Aurivillius, 1899, by original designation.*
- 1379. Afrojavanica Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrojavanica Dubatolov, 2006*
- 1380. Afromurzinia Dubatolov & Haynes, 2008** (Arctiidae) Synonym(s): *Afromurzinia Dubatolov & Haynes, 2008*
- 1381. Afrospilarctia Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrospilarctia Dubatolov, 2006*
- 1382. Afrowatsonius Dubatolov, 2006** (Arctiidae) Synonym(s): *Afrowatsonius Dubatolov, 2006*
- 1383. Agaltara Toulgoet, 1979** (Arctiidae) Synonym(s): *Agaltara Toulgoet, 1979* Original Reference: *Agaltara Toulgoet, 1979, Bull. Soc. ent. Fr. 83: 223. Type-species: Agaltara nebulosa Toulgoet, 1979, by original designation.*
- 1384. Agaraea Herrich-Schäffer, 1855** (Arctiidae) Synonym(s): *Agaraea Herrich-Schäffer, 1855*
- 1385. Aglaomorpha Koda, 1988** (Arctiidae) Synonym(s): *Aglaomorpha Koda, 1988; Neocallimorpha Dubatolov, 1990.*
- 1386. Aglossosia Hampson, 1900** (Arctiidae) Synonym(s): *Aglossosia Hampson, 1900*
- 1387. Agylla Walker, 1854** (Arctiidae) Synonym(s): *Agylla Walker, 1854; Sidyma Walker, 1856; Tripura Moore, 1858; Salapola Walker, 1863; Crambomorpha R. Felder, 1874; Churinga Moore, 1878; Ghorla Moore, 1878; Hesudra Moore, 1878; Vamuna Moore, 1878; Macrocrampus Kirby, 1892; #Choria Schaus, 1894; #Salopola Schaus, 1894*
- 1388. Aloa Walker, 1855** (Arctiidae) Synonym(s): *Aloa Walker, 1855; Amsacta Walker, 1855; Paramsacta Hulstaert, 1923* Original Reference: *Aloa Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. (1/3): 699. Type-species: Phalaena lactinea Cramer, 1777, by subsequent designation by Moore (1883, Lepid. Ceylon 2: 74).*
- 1389. Alpenus Walker, 1855** (Arctiidae) Synonym(s): *Alpenus Walker, 1855; Eminaria Bethune-Baker, 1908.*
- 1390. Alphaea (Flavalphaea) Dubatolov & Kishida, 2005** (Arctiidae) Synonym(s): *Flavalphaea Dubatolov & Kishida, 2005*
- 1391. Alphaea (s.str.) Walker, 1855** (Arctiidae) Synonym(s): *Alphaea Walker, 1855*
- 1392. Alphaea Walker, 1855** (Arctiidae) Synonym(s): *Alphaea Walker, 1855* Original Reference: *Alphaea Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. (1/3): 683. Type-species: Alphaea fulvohirta Walker, 1855, by monotypy.*
- 1393. Amastus Walker, 1855** (Arctiidae) Synonym(s): *Amastus Walker, 1855*

- 1394. Amaxia Walker, 1855** (Arctiidae) Synonym(s): *Amaxia Walker, 1855*; *Neaxia Hampson, 1901*
- 1395. Ameleta Turner, 1940** (Arctiidae) Synonym(s): *Ameleta Turner, 1940*
- 1396. Amerila Walker, 1855** (Arctiidae) Synonym(s): *Amerila Walker, 1855*; *Canopus Walker, 1855*; *Phryganeomorpha Wallengren, 1858*; *Amblythyris Mabille, 1879*; *Euthoracia Hulstaert, 1923*; *Gastrochrysis Kiriakoff, 1954*.
- 1397. Ammalo Walker, 1855** (Arctiidae) Synonym(s): *Ammalo Walker, 1855*
- 1398. Amphicallia Aurivillius, 1900** (Arctiidae) Synonym(s): *Amphicallia Aurivillius, 1900*
- 1399. Amsacta Walker, 1855** (Arctiidae) Synonym(s): *Amsacta Walker, 1855*
- 1400. Amsactarctia Berio, 1938** (Arctiidae) Synonym(s): *Amsactarctia Berio, 1938* Original Reference: *Amsactarctia Berio, 1938, Annali Mus. civ. Stor. nat. Giacomo Doria 58: 197. Type-species: Amsacta radiosa Pagenstecker, 1903, by original designation.*
- 1401. Amurrhyparia Dubatolov, 1985** (Arctiidae) Synonym(s): *Amurrhyparia Dubatolov, 1985* Original Reference: *Amurrhyparia Dubatolov, 1985, Nov. maloizv. Vidy Fauny Sib. 18: 66. Type-species: Diacrisia leopardinula Strand, 1919, by original designation.*
- 1402. Anaphosia Hampson, 1903** (Arctiidae) Synonym(s): *Anaphosia Hampson, 1903* Original Reference: *Anaphosia Hampson, 1903, Ann. Mag. nat. Hist. (7) 11: 344. Type-species: Anaphosia cyanogramma Hampson, 1903, by monotypy.*
- 1403. Anaxita Walker, 1855** (Arctiidae) Synonym(s): *Anaxita Walker, 1855*; *Echemis Boisduval, 1870* Original Reference: *Anaxita Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 1/3: 748. Type-species: Anaxita decorata Walker, 1855, by monotypy.*
- 1404. Andala Walker, 1855** (Arctiidae) Synonym(s): *Andala Walker, 1855*; *Spilarctia Staudinger, 1892 nec Butl., 1875*; *Nebrarctia A. Watson, 1980* Original Reference: *Andala Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 774. Type-species: Andala unifascia Walker, 1855, by monotypy.*
- 1405. Anestia Meyrick, 1886** (Arctiidae) Synonym(s): *Anestia Meyrick, 1886*; *Xanthodule Butler, 1886* Original Reference: *Anestia Meyrick, 1886, Proc. Linn. Soc. N.S.W. (2) 1: 691, 745. Type-species: Anestia ombrophanes Meyrick, 1886, by monotypy.*
- 1406. Apaidia Hampson, 1900** (Arctiidae) Synonym(s): *Apaidia Hampson, 1900* Original Reference: *Apaidia Hampson, 1900, Cat. Lep. Phalaenae Br. Mus. 2: 84 [key], 467. Type-species: Callimorpha mesogona Godart, [1824], by original designation.*
- 1407. Apantes Walker, 1855** (Arctiidae) Synonym(s): *Apantes Walker, 1855*
- 1408. Apistosia Hübner, 1818** (Arctiidae) Synonym(s): *Apistosia Hübner, 1818*
- 1409. Arachnis Geyer, [1837]** (Arctiidae) Synonym(s): *Arachnis Geyer, [1837]*
- 1410. Arctia (Epicallia) Hübner, [1820]** (Arctiidae) Synonym(s): *Epicallia Hübner, [1820]* Original Reference: *Epicallia Hübner, [1820], Verz. bekannt. Schmett. (12): 182. Type-species: Phalaena villica Linnaeus, 1758, by monotypy.*
- 1411. Arctia (Eucharia) Hübner, [1820]** (Arctiidae) Synonym(s): *Eucharia Hübner, [1820]* Original Reference: *Eucharia Hübner, [1820], Verz. bekannt. Schmett. (12): 181. Type-species: Phalaena hebe Linnaeus, 1767, by subsequent designation by Kirby, 1880.*
- 1412. Arctia (s.str.) Schrank, 1802** (Arctiidae) Synonym(s): *Arctia Schrank, 1802*; *Hypercombe Hübner, [1806] (rejected)*; *Euprepia Ochsenheimer, 1810*; *#Euprepia Hübner, [1819]*; *Zoote Hübner, [1820]*; *Chelonia Godart, [1823]*; *Arctia Stephens, 1829*; *Arctinia Eichwald, 1830*; *Euprepia Agassiz, 1846*; *Callarctia Packard, 1864*. Original Reference: *Arctia Schrank, 1802, Fauna Boica 2 (2): 152. Type-species: Phalaena caja Linnaeus, 1758, by subsequent designation by Westwood, 1840.*
- 1413. Arctia Schrank, 1802** (Arctiidae) Synonym(s): *Arctia Schrank, 1802*; *Hypercombe Hübner, [1806] (rejected)*; *Euprepia Ochsenheimer, 1810*; *#Euprepia Hübner, [1819]*; *Zoote Hübner, [1820]*; *Chelonia Godart, [1823]*; *Arctia Stephens, 1829*; *Arctinia Eichwald, 1830*; *Euprepia Agassiz, 1846*; *Callarctia Packard, 1864*. Original Reference: *Arctia Schrank, 1802, Fauna Boica 2 (2): 152. Type-species: Phalaena caja Linnaeus, 1758, by subsequent designation by Westwood, 1840.*
- 1414. Ardonea Walker, 1854** (Arctiidae) Synonym(s): *Ardonea Walker, 1854*
- 1415. Areas (Melanareas) Butler, 1889** (Arctiidae) Synonym(s): *Melanareas Butler, 1889* Original Reference: *Melanareas Butler, 1889, Illustr. lepid. Het. Br. Mus. 7: 29.*
- 1416. Areas (s.str.) Walker, 1855** (Arctiidae) Synonym(s): *Areas (s.str.) Walker, 1855*
- 1417. Areas Walker, 1855** (Arctiidae) Synonym(s): *Areas Walker, 1855*
- 1418. Areva Walker, 1854** (Arctiidae) Synonym(s): *Areva Walker, 1854*
- 1419. Argina Hübner, [1819]** (Arctiidae) Synonym(s): *Argina Hübner, [1819]*; *Alytarchia Wallengren, 1863*; *Xanthesthes Rambur, 1866*; *Lomaspilis Felder, 1874 nec Hübner, [1825]*; *Mangina Kaleka & Kirti, 2001*
- 1420. Argylla Walker, 1854** (Arctiidae) Synonym(s): *Argylla Walker, 1854*
- 1421. Arrhythmica Turner, 1940** (Arctiidae) Synonym(s): *Arrhythmica Turner, 1940*

- 1422. Artimelia Rambur, 1866** (Arctiidae) Synonym(s): *Artimelia Rambur, 1866*
- 1423. Asiapistosia Dubatolov & Kishida, 2012** (Arctiidae) Synonym(s): *Asiapistosia Dubatolov & Kishida, 2012*
- 1424. Asparus A. Watson, 1980** (Arctiidae) Synonym(s): *Asparus A. Watson, 1980*
- 1425. Asura Walker, 1854** (Arctiidae) Synonym(s): *Asura Walker, 1854; Pitane Walker, 1854 nec Walk., 1854; Nepita Moore, [1860]; Stonia Walker, [1865]; #Azurea Strand & Ramme, 1911* Original Reference: *Asura Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 484. Type-species: Asura cervicalis Walker, 1854, by subsequent designation by Kirby, 1892.*
- 1426. Asuridia Hampson, 1900** (Arctiidae) Synonym(s): *Asuridia Hampson, 1900*
- 1427. Atelophleps Turner, 1940** (Arctiidae) Synonym(s): *Atelophleps Turner, 1940*
- 1428. Ateucheta Turner, 1940** (Arctiidae) Synonym(s): *Ateucheta Turner, 1940*
- 1429. Atlantarctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Atlantarctia Dubatolov, 1990*
- 1430. Atolmis Hübner, [1819]** (Arctiidae) Synonym(s): *Atolmis Hübner, [1819]; Gnophria Stephens, 1829* Original Reference: *Atolmis Hübner, [1819], Verz. bekannt. Schmett. (11): 164. Type-species: Phalaena rubricollis Linnaeus, 1758, by monotypy.*
- 1431. Axiopoenia Ménéttriés, 1841** (Arctiidae) Synonym(s): *Axiopoenia Ménéttriés, 1841; #Axiopena Pagenstecher, 1909* Original Reference: *Axiopoenia Ménéttriés, 1841, Bull. Sci. Acad. imp. Sci. St Pétersb. 9 (2 & 3): 41. Type-species: Bombyx maura Eichwald, 1830, by monotypy.*
- 1432. Balbura Walker, 1854** (Arctiidae) Synonym(s): *Balbura Walker, 1854*
- 1433. Baroa Moore, 1878** (Arctiidae) Synonym(s): *Baroa Moore, 1878*
- 1434. Barsine Walker, 1854** (Arctiidae) Synonym(s): *Barsine Walker, 1854* Original Reference: *Barsine Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 546. Type-species: Barsine defecta Walker, 1854, by subsequent designation by Kirby, 1892.*
- 1435. Bertholdia Schaus, 1896** (Arctiidae) Synonym(s): *Bertholdia Schaus, 1896*
- 1436. Binna Walker, [1865]** (Arctiidae) Synonym(s): *Binna Walker, [1865]*
- 1437. Biturix Walker, 1855** (Arctiidae) Synonym(s): *Biturix Walker, 1855; Bituryx Hampson, 1901*
- 1438. Boadicea Tams, 1930** (Arctiidae) Synonym(s): *Boadicea Tams, 1930*
- 1439. Borearctia Dubatolov, 1985** (Arctiidae) Synonym(s): *Borearctia Dubatolov, 1985*
- 1440. Calamidia Butler, 1877** (Arctiidae) Synonym(s): *Calamidia Butler, 1877; #Callamidia Swinhoe, 1892*
- 1441. Calidota Dyar, 1901** (Arctiidae) Synonym(s): *Calidota Dyar, 1901*
- 1442. Callimorpha Latreille, 1809** (Arctiidae) Synonym(s): *Callimorpha Latreille, 1809; Panaxia Tams, 1939.* Original Reference: *Callimorpha Latreille, 1809, Gen. Crust. Ins. 4: 220. Type-species: Phalaena dominula Linnaeus, 1758, by subsequent designation by Desmarest, 1857.*
- 1443. Callindra Roeber, 1925** (Arctiidae) Synonym(s): *Callindra Roeber, 1925*
- 1444. Calodesma Hübner, [1820]** (Arctiidae) Synonym(s): *Calodesma Hübner, [1820]; Leucopsumis Hübner, [1820]; Pyrodesma Boisduval, 1870; Acribia R. Felder, 1874; Chamesthema R. Felder, 1874; Stenelopsis Butler, 1877*
- 1445. Calpenia (Sebastia) Kirby, 1892** (Arctiidae) Synonym(s): *Sebastia Kirby, 1892*
- 1446. Calpenia Moore, 1872** (Arctiidae) Synonym(s): *Calpenia Moore, 1872*
- 1447. Canararctia Dubatolov, 1990** (Arctiidae) Synonym(s): *Canararctia Dubatolov, 1990*
- 1448. Capissa Moore, 1878** (Arctiidae) Synonym(s): *Capissa Moore, 1878* Original Reference: *Capissa Moore, 1878, Proc. zool. Soc. London 1878: 19. Type-species: Lithosia vagesa Moore, [1860]*
- 1449. Carales Walker, 1855** (Arctiidae) Synonym(s): *Carales Walker, 1855; Senia Möschler, 1878*
- 1450. Carathis Grote, 1866** (Arctiidae) Synonym(s): *Carathis Grote, 1866*
- 1451. Carcinarctia Hampson, 1901** (Arctiidae) Synonym(s): *Carcinarctia Hampson, 1901*
- 1452. Carcinopodia Hampson, 1900** (Arctiidae) Synonym(s): *Carcinopodia Hampson, 1900*
- 1453. Carcinopyga C. Felder & R. Felder, 1874** (Arctiidae) Synonym(s): *Carcinopyga C. Felder & R. Felder, 1874; Euarctia Staudinger, 1887.* Original Reference: *Carcinopyga C. Felder & R. Felder, 1874, Reise öst. Fregatte Novara (Zool.) 2 (Abt. 2): pl. 101, fig. 3. Type-species: Carcinopyga lichenigera C. Felder & R. Felder, 1874, by monotypy.*
- 1454. Caripodia Hampson, 1900** (Arctiidae) Synonym(s): *Caripodia Hampson, 1900*
- 1455. Caryatis Hübner, [1819]** (Arctiidae) Synonym(s): *Caryatis Hübner, [1819]; Asotomorpha Hulstaert, 1923.*
- 1456. Castrica Schaus, 1896** (Arctiidae) Synonym(s): *Castrica Schaus, 1896*
- 1457. Castulo Walker, 1854** (Arctiidae) Synonym(s): *Castulo Walker, 1854; Chuaca Walker, [1865]; #Castula Walker, 1869*

- 1458. *Centrarctia* Dubatolov,1990** (Arctiidae) Synonym(s): *Centrarctia* Dubatolov,1990
- 1459. *Chamaita* Walker,1862** (Arctiidae) Synonym(s): *Chamaita* Walker,1862; *Homopsyche* Butler,1882
- 1460. *Chelis* Rambur,1866** (Arctiidae) Synonym(s): *Chelis* Rambur,1866; #*Cletis* Kirby,1892
Original Reference: *Chelis* Rambur,1866, Cat. syst. Lépidopt. Andalousie (2) 1: 256. Type-species: *Bombyx maculosa* [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.
- 1461. *Chetone* Boisduval,1870** (Arctiidae) Synonym(s): *Chetone* Boisduval,1870
- 1462. *Chionarctia* Koda,1988** (Arctiidae) Synonym(s): *Chionarctia* Koda,1988; *Gigantospilosoma* Dubatolov,1990
- 1463. *Chrysallactis* Hampson,1900** (Arctiidae) Synonym(s): *Chrysallactis* Hampson,1900
- 1464. *Chrysomesia* Hampson,1903** (Arctiidae) Synonym(s): *Chrysomesia* Hampson,1903
- 1465. *Chrysorabdia* Butler,1877** (Arctiidae) Synonym(s): *Chrysorabdia* Butler,1877
- 1466. *Cisthene* Walker,1854** (Arctiidae) Synonym(s): *Cisthene* Walker,1854; *Illice* Walker,1859; *Byssophaga* Strech,1872; *Pyralidia* R.Felder,1874; *Odozania* Dyar,1899
- 1467. *Cladarctia* Koda,1988** (Arctiidae) Synonym(s): *Cladarctia* Koda,1988 Original Reference: *Cladarctia* Koda,1988, Tyo to Ga 39 (1): 45.
- 1468. *Clemensia* Packard,1864** (Arctiidae) Synonym(s): *Clemensia* Packard,1864
- 1469. *Composia* Hübner,[1820]** (Arctiidae) Synonym(s): *Composia* Hübner,[1820]; *Cocastrea* Boisduval,1870
- 1470. *Coscinia* (Lerautia) Kemal & Koçak,2006** (Arctiidae) Synonym(s): *Eucoscinia* Leraut,1993 nec Pornell,1872; *Lerautia* Kemal & Koçak,2006; #*Leurautia* Kemal & Koçak,2006 Original Reference: *Lerautia* Kemal & Koçak,2006, Misc. Pap. 100: 5 (nom. nov. pro *Eucoscinia* Leraut,1993 nec Pornell,1872).
- 1471. *Coscinia* (s.str.) Hübner,[1819]** (Arctiidae) Synonym(s): *Coscinia* Hübner,[1819]
Original Reference: *Coscinia* Hübner,[1819], Verz. bekannt. Schmett. (11): 169. Type-species: *Phalaena cribrum* Linnaeus,1761, by subsequent designation by Hampson,1901.
- 1472. *Coscinia* Hübner,[1819]** (Arctiidae) Synonym(s): *Coscinia* Hübner,[1819] Original Reference: *Coscinia* Hübner,[1819], Verz. bekannt. Schmett. (11): 169. Type-species: *Phalaena cribrum* Linnaeus,1761, by subsequent designation by Hampson,1901.
- 1473. *Cosmethis* Hübner,[1820]** (Arctiidae) Synonym(s): *Cosmethis* Hübner,[1820]
- 1474. *Crambidia* Packard,1864** (Arctiidae) Synonym(s): *Crambidia* Packard,1864
- 1475. *Cratoplastis* R.Felder & Rogenhofer,1874** (Arctiidae) Synonym(s): *Cratoplastis* R.Felder & Rogenhofer,1874
- 1476. *Creataloum* Dubatolov,2004** (Arctiidae) Synonym(s): *Creataloum* Dubatolov,2004
- 1477. *Cretonotos* Hübner,[1819]** (Arctiidae) Synonym(s): *Cretonotos* Hübner,[1819]; *Cretonotus* Agassiz,1847; *Amphissa* Walker,[1855] nec Ad.& Ad.,1853; *Phissama* Moore,[1860]. Original Reference: *Cretonotos* Hübner,[1819], Verz. bekannt. Schmett.: 170. Type-species: *Phalaena interrupta* Linnaeus,1767, by subsequent designation by Kirby,1892.
- 1478. *Ctenosia* Hampson,1900** (Arctiidae) Synonym(s): *Ctenosia* Hampson,1900
- 1479. *Curoba* Walker,[1865]** (Arctiidae) Synonym(s): *Curoba* Walker,[1865]
- 1480. *Cyana* Walker,1854** (Arctiidae) Synonym(s): *Cyana* Walker,1854; *Bizone* Walker,1854; *Dolice* Walker,1854; *Isine* Walker,1854; *Chionaema* Herrich-Schäffer,[1855]; *Clerckia* Aurivillius,1882; *Exotrocha* Meyrick,1886; *Neobrocha* Meyrick,1886; *Sphragidium* Butler,1887; *Gnophrioides* Heylaerts,1891; *Leptothrix* Heylaerts,1892 nec Menge,1869; *Macronola* Kirby,1892; #*Chionoema* Hampson,1894; #*Chionema* Swinhoe,1901
- 1481. *Cyanarctia* Hampson,1901** (Arctiidae) Synonym(s): *Cyanarctia* Hampson,1901
- 1482. *Cybosia* Hübner,[1819]** (Arctiidae) Synonym(s): *Cybosia* Hübner,[1819]; *Ecteina* Rambur,1866
Original Reference: *Cybosia* Hübner,[1819], Verz. bekannt. Schmett. (11): 167. Type-species: *Noctua eborina* [Denis & Schiffermüller],1775, by monotypy.
- 1483. *Cyclosiella* Hampson,1900** (Arctiidae) Synonym(s): *Cyclosiella* Hampson,1900
- 1484. *Cynia* Hübner,1818** (Arctiidae) Synonym(s): *Cynia* Hübner,1818; *Tanada* Walker,1856
- 1485. *Cymarora* Hampson,1905** (Arctiidae) Synonym(s): *Cymarora* Hampson,1905
- 1486. *Cymbalophora* Rambur,1866** (Arctiidae) Synonym(s): *Tympanophora* Laboulbene,1865 nec White,1841; *Cymbalophora* Rambur,1866 Original Reference: *Cymbalophora* Rambur,1866, Cat. syst. Lépidopt. Andalousie (2) 1: 231 (nom. nov. pro *Tympanophora* Laboulbene,1865). Type-species: *Phalaena pudica* Esper,1785, by monotypy.
- 1487. *Cyptonychia* Druce,1899** (Arctiidae) Synonym(s): *Cyptonychia* Druce,1899
- 1488. *Damias* Boisduval,1832** (Arctiidae) Synonym(s): *Damias* Boisduval,1832; *Caprimima* Hampson,1900

- 1489. Danielithosia Dubatolov & Kishida,2012** (Arctiidae) Synonym(s): *Danielithosia Dubatolov & Kishida,2012*
- 1490. Dasyarctia Gaede,1923** (Arctiidae) Synonym(s): *Dasyarctia Gaede,1923*
- 1491. Detoulgoetia Dubatolov,2006** (Arctiidae) Synonym(s): *Detoulgoetia Dubatolov,2006*
Original Reference: *Detoulgoetia Dubatolov,2006*, Nachr. ent. Ver. Apollo 27 (3): 145. Type-species: *Spilosoma aspersa* Mabilie,1878, by original designation.
- 1492. Diacrisia Hübner,[1819]** (Arctiidae) Synonym(s): *Diacrisia Hübner,[1819]*; *Euthemonia Stephens,1828*; *Elpis Dyar,1893 nec Mulsant,1850*. Original Reference: *Diacrisia Hübner,[1819]*, Verz. bekannt. Schmett. (11): 169. Type-species: *Phalaena russula* Linnaeus,1758, by monotypy.
- 1493. Diaphora Stephens,1827** (Arctiidae) Synonym(s): *Diaphora Stephens,1827* Original Reference: *Diaphora Stephens,1827*, Retrospective Review (Ser.2) 1: 244. Type-species: [*Phalaena*] *mendica* Clerck,1759, by monotypy.
- 1494. Diarhabdosia Hampson,1900** (Arctiidae) Synonym(s): *Diarhabdosia Hampson,1900*
- 1495. Diduga Moore,[1887]** (Arctiidae) Synonym(s): *Diduga Moore,[1887]*; *Androstigma Hampson,1893*
- 1496. Didymonyx A.Watson,1980** (Arctiidae) Synonym(s): *Didymonyx A.Watson,1980*
- 1497. Dionychoscelis Aurivillius,1922** (Arctiidae) Synonym(s): *Dionychoscelis Aurivillius,1922*; *Monarctia Talbot,1929*.
- 1498. Diota Wallengren,1865** (Arctiidae) Synonym(s): *Diota Wallengren,1865*
- 1499. Disoidemata Hampson,1900** (Arctiidae) Synonym(s): *Disoidemata Hampson,1900*
- 1500. Disparctia Toulgoet,1978** (Arctiidae) Synonym(s): *Disparctia Toulgoet,1978*
- 1501. Divarctia Dubatolov,1990** (Arctiidae) Synonym(s): *Divarctia Dubatolov,1990*
- 1502. Dodia Dyar,1901** (Arctiidae) Synonym(s): *Dodia Dyar,1901*; *Hyalocoa Hampson,1901*.
- 1503. Dolgoma Moore,1878** (Arctiidae) Synonym(s): *Dolgoma Moore,1878*
- 1504. Dolichesia Schaus,1911** (Arctiidae) Synonym(s): *Dolichesia Schaus,1911*
- 1505. Dysschema Hübner,1818** (Arctiidae) Synonym(s): *Dysschema Hübner,1818*; *Hyelosia Hübner,1818*; *Ambryllis Walker,1855*; *Daritis Walker,1855*; *Taxila Walker,1855 nec Doubl.,1847*; *Addua Walker,1862*; *Thebrone Boisduval,1870*; *Aphisson Boisduval,1870*; *Dorimena Boisduval,1870*; *Ambrysiis Burmeister,1878*
- 1506. Ebertarctia Dubatolov,2004** (Arctiidae) Synonym(s): *Ebertarctia Dubatolov,2004*; *#Ebartarctia Dubatolov,2004* Original Reference: *Ebertarctia Dubatolov,2004*, Atalanta 35 (1/2): 78. Type-species: *Ocnogyna nordstroemi* Brandt,1947, by original designation.
- 1507. Ectypia Clemens,1861** (Arctiidae) Synonym(s): *Ectypia Clemens,1861*; *Euverna Neumoegen & Dyar,1893*
- 1508. Eilema (Collita) Moore,1878** (Arctiidae) Synonym(s): *Collita Moore,1878* Original Reference: *Collita Moore,1878*, Proc. zool. Soc. London 1878: 16. Type-species: *Bombyx griseola* Hübner,[1803], by original designation.
- 1509. Eilema (s.str.) Hübner,[1819]** (Arctiidae) Synonym(s): *Eilema Hübner,[1819]*; *Piesta Billberg,1820*; *Hilema Agassiz,1847*; *Ilema Hampson,1900*; *Lophilema Aurivillius,1910* Original Reference: *Eilema Hübner,[1819]*, Verz. bekannt. Schmett. (11): 165. Type-species: *Bombyx caniola* Hübner,[1808], by subsequent designation by Moore,1878.
- 1510. Eilema Hübner,[1819]** (Arctiidae) Synonym(s): *Eilema Hübner,[1819]*; *Piesta Billberg,1820*; *Hilema Agassiz,1847*; *Ilema Hampson,1900*; *Lophilema Aurivillius,1910* Original Reference: *Eilema Hübner,[1819]*, Verz. bekannt. Schmett. (11): 165. Type-species: *Bombyx caniola* Hübner,[1808], by subsequent designation by Moore,1878.
- 1511. Elysium Walker,1855** (Arctiidae) Synonym(s): *Elysium Walker,1855*
- 1512. Eospilarctia Koda,1988** (Arctiidae) Synonym(s): *Eospilarctia Koda,1988*
- 1513. Epatolmis Butler,1877** (Arctiidae) Synonym(s): *Epatolmis Butler,1877* Original Reference: *Epatolmis Butler,1877*, Trans. ent. Soc. London 1877: 348. Type-species: *Atolmis japonica* Walker,[1865], by original designation.
- 1514. Epeiromulona Field,1952** (Arctiidae) Synonym(s): *Epeiromulona Field,1952*
- 1515. Epicrisias Dyar,1912** (Arctiidae) Synonym(s): *Epicrisias Dyar,1912*
- 1516. Epilacydes Butler,1875** (Arctiidae) Synonym(s): *Epilacydes Butler,1875*
- 1517. Epimolis Dyar,1913** (Arctiidae) Synonym(s): *Epimolis Dyar,1913*
- 1518. Epimydia Staudinger,1892** (Arctiidae) Synonym(s): *Epimydia Staudinger,1892*
- 1519. Estigmene Hübner,[1820]** (Arctiidae) Synonym(s): *Estigmene Hübner,[1820]*; *Leucartia Packard,1864*
- 1520. Eucallimorpha Dubatolov,1990** (Arctiidae) Synonym(s): *Eucallimorpha Dubatolov,1990*
Original Reference: *Eucallimorpha Dubatolov,1990*, Nov. maloizv. Vidy Fauny Sib. (22): 99.

Type-species: *Callimorpha principalis fedtschenkoi* Grun-Grshimailo, 1902, by original designation.

1521. **Euchaetes Harris, 1841** (Arctiidae) Synonym(s): *Euchaetes* Harris, 1841; *Protomolis* Hampson, 1901; *Stenophaea* Hampson, 1901; *Euchaetias* Lyman, 1902
1522. **Eucreagra R. Felder & Rogenhofer, 1874** (Arctiidae) Synonym(s): *Eucreagra* R. Felder & Rogenhofer, 1874
1523. **Eudesmia Hübner, [1823]** (Arctiidae) Synonym(s): *Eudesmia* Hübner, [1823]
1524. **Eudiaphora Dubatolov, 1990** (Arctiidae) Synonym(s): *Eudiaphora* Dubatolov, 1990
Original Reference: *Eudiaphora* Dubatolov, 1990, Nov. maloizv. Vidy Fauny Sib. (22): 93. Type-species: *Spilosoma turensis* Erschoff, 1874, by original designation.
1525. **Eugoa Walker, [1858]** (Arctiidae) Synonym(s): *Eugoa* Walker, [1858]; *Hectogama* Meyrick, 1889
1526. **Euleechia Dyar, 1900** (Arctiidae) Synonym(s): *Euleechia* Dyar, 1900
1527. **Euplagia Hübner, [1820]** (Arctiidae) Synonym(s): *Euplagia* Hübner, [1820] Original Reference: *Euplagia* Hübner, [1820], Verz. bekannt. Schmett. (12): 180. Type-species: *Phalaena hera* Linnaeus, 1767, by subsequent designation by Kirby, 1892.
1528. **Euplocia Hübner, [1819]** (Arctiidae) Synonym(s): *Euplocia* Hübner, [1819]
1529. **Eupseudosoma Grote, 1866** (Arctiidae) Synonym(s): *Eupseudosoma* Grote, 1866
1530. **Eurosia Hampson, 1900** (Arctiidae) Synonym(s): *Eurosia* Hampson, 1900
1531. **Eurylomia R. Felder & Rogenhofer, 1874** (Arctiidae) Synonym(s): *Eurylomia* R. Felder & Rogenhofer, 1874
1532. **Euryptidia Hampson, 1900** (Arctiidae) Synonym(s): *Euryptidia* Hampson, 1900
1533. **Eutane Walker, 1854** (Arctiidae) Synonym(s): *Eutane* Walker, 1854
1534. **Euthyone A. Watson, 1980** (Arctiidae) Synonym(s): *Thyone* Walker, 1854 nec Philippi, 1840; *Euthyone* A. Watson, 1980
1535. **Evius Walker, 1855** (Arctiidae) Synonym(s): *Evius* Walker, 1855
1536. **Eyralpenus (Pareyralpenus) Dubatolov & Haynes, 2008** (Arctiidae) Synonym(s): *Pareyralpenus* Dubatolov & Haynes, 2008
1537. **Eyralpenus Butler, 1875** (Arctiidae) Synonym(s): *Eyralpenus* Butler, 1875
1538. **Fabresema Holloway, 1979** (Arctiidae) Synonym(s): *Fabresema* Holloway, 1979
1539. **Fodinoidea Saalmüller, 1884** (Arctiidae) Synonym(s): *Fodinoidea* Saalmüller, 1884
1540. **Galtara Walker, [1863]** (Arctiidae) Synonym(s): *Galtara* Walker, [1863]; *Pseudocallimorpha* Oberthür, 1879
1541. **Gampola Moore, 1878** (Arctiidae) Synonym(s): *Gampola* Moore, 1878 Original Reference: *Gampola* Moore, 1878, Proc. zool. Soc. London 1878: 26. Type-species: *Gampola fasciata* Moore, 1878, by monotypy.
1542. **Gardinia Kirby, 1892** (Arctiidae) Synonym(s): *Gardinia* Kirby, 1892
1543. **Garudinia Moore, 1882** (Arctiidae) Synonym(s): *Garudinia* Moore, 1882 Original Reference: *Garudinia* Moore, 1882, Lep. Ceylon 2 (1): 59. Type-species: *Tospitis latana* Walker, 1863, by monotypy.
1544. **Ghoria Moore, 1878** (Arctiidae) Synonym(s): *Ghoria* Moore, 1878
1545. **Glaucostola Hampson, 1901** (Arctiidae) Synonym(s): *Glaucostola* Hampson, 1901
1546. **Gnamptonychia Hampson, 1900** (Arctiidae) Synonym(s): *Gnamptonychia* Hampson, 1900
1547. **Gnophaela Walker, 1854** (Arctiidae) Synonym(s): *Gnophaela* Walker, 1854; *Lamprosoma* Grote, 1864; *Omoiala* Grote, 1864; *Callalucia* Grote, 1865; *Gonophaela* Druce, 1884
1548. **Gonerda Moore, 1879** (Arctiidae) Synonym(s): *Gonerda* Moore, 1879
1549. **Goniosema Turner, 1899** (Arctiidae) Synonym(s): *Goniosema* Turner, 1899
1550. **Gorgonidia Dyar, 1898** (Arctiidae) Synonym(s): *Gorgonidia* Dyar, 1898
1551. **Grammia (Holarctia) Smith, 1938** (Arctiidae) Synonym(s): *Holarctia* Smith, 1938
1552. **Grammia (s.str.) Rambur, 1866** (Arctiidae) Synonym(s): *Grammia* Rambur, 1866; *Orodemnias* Wallengren, 1885.
1553. **Grammia Rambur, 1866** (Arctiidae) Synonym(s): *Grammia* Rambur, 1866; *Orodemnias* Wallengren, 1885.
1554. **Grucia Dyar, 1916** (Arctiidae) Synonym(s): *Grucia* Dyar, 1916
1555. **Gymnasura Hampson, 1900** (Arctiidae) Synonym(s): *Gymnasura* Hampson, 1900
1556. **Haematomis Schaus, 1899** (Arctiidae) Synonym(s): *Haematomis* Schaus, 1899
1557. **Halone Walker, 1854** (Arctiidae) Synonym(s): *Halone* Walker, 1854; *Mosoda* Walker, 1866; *Eurypepla* Turner, 1922 nec Bohem., 854; *Eurypeplella* Turner, 1922
1558. **Halysidota Hübner, [1819]** (Arctiidae) Synonym(s): *Halysidota* Hübner, [1819]; *Alisidota* Agassiz, 1847; *Halesidota* Walker, 1855

- 1559. Hectobrocha Meyrick,1886** (Arctiidae) Synonym(s): *Hectobrocha Meyrick,1886*
- 1560. Heliosia Hampson,1900** (Arctiidae) Synonym(s): *Heliosia Hampson,1900*
- 1561. Heliozona Hampson,1901** (Arctiidae) Synonym(s): *Heliozona Hampson,1901* Original Reference: *Heliozona Hampson,1901, Cat. Lep. Phalaenae Br. Mus. 3: 218. Type-species: Satara lianga Semper,1899, by original designation.*
- 1562. Hemihyalea Hampson,1901** (Arctiidae) Synonym(s): *Hemihyalea Hampson,1901; Pseudohemihyalea Rego-Barros,1956*
- 1563. Hemonia Walker,1863** (Arctiidae) Synonym(s): *Hemonia Walker,1863; Eurodes Turner,1899*
- 1564. Hestiarcha Meyrick,1886** (Arctiidae) Synonym(s): *Hestiarcha Meyrick,1886*
- 1565. Hesychopa Turner,1940** (Arctiidae) Synonym(s): *Hesychopa Turner,1940*
- 1566. Heterallactis Meyrick,1886** (Arctiidae) Synonym(s): *Heterallactis Meyrick,1886*
- 1567. Heterotropa Turner,1940** (Arctiidae) Synonym(s): *Heterotropa Turner,1940*
- 1568. Hiera Druce,1885** (Arctiidae) Synonym(s): *Hiera Druce,1885*
- 1569. Hobapromea A.Watson,1980** (Arctiidae) Synonym(s): *Baeomorpha Turner,1940 nec Brues,1937; Hobapromea A.Watson,1980*
- 1570. Holoarctia Ferguson,1984** (Arctiidae) Synonym(s): *Holoarctia Ferguson,1984*
- 1571. Holocraspedon Hampson,1893** (Arctiidae) Synonym(s): *Holocraspedon Hampson,1893*
- 1572. Holomelina Herrich-Schäffer,1855** (Arctiidae) Synonym(s): *Holomelina Herrich-Schäffer,1855; Cothocida Walker,1865; Cytorus Grote,1865*
- 1573. Hyalartia Schaus,1901** (Arctiidae) Synonym(s): *Hyalartia Hampson nec Schau.,1901*
- 1574. Hyalurga Hübner,[1819]** (Arctiidae) Synonym(s): *Hyalurga Hübner,[1819]; Lauron Walker,1854; Gyara Walker,1855; Ditaxis Boisduval,1870; Cletorna Boisduval,1870*
- 1575. Hypagoptera Hampson,1900** (Arctiidae) Synonym(s): *Hypagoptera Hampson,1900*
- 1576. Hyperborea Groum-Grshimailo,[1900]** (Arctiidae) Synonym(s): *Hyperborea Groum-Grshimailo,[1900]*
- 1577. Hypercompe Hübner,[1819]** (Arctiidae) Synonym(s): *Hypercompe Hübner,[1819]; Hypercompa Billberg,1820; Ecpantheria Hübner,[1820]; Catenina Burmeister,1883*
- 1578. Hypertaema Hampson,1901** (Arctiidae) Synonym(s): *Hypertaema Hampson,1901*
- 1579. Hyphantria Harris,1841** (Arctiidae) Synonym(s): *Hyphantria Harris,1841* Original Reference: *Hyphantria Harris,1841, Rep. Insects Mass. injurious to Vegn: 255. Type-species: Hyphantria textor Harris,1841, by subsequent designation by Kirby,1892.*
- 1580. Hyphoraia Hübner,[1820]** (Arctiidae) Synonym(s): *Hyphoraia Hübner,[1820]; Hyphoraia Agassiz,1847* Original Reference: *Hyphoraia Hübner,[1820], Verz. bekannt. Schmett. (12): 182. Type-species: Phalaena aulica Linnaeus,1758, by subsequent designation by Kirby,1892.*
- 1581. Hypocrisias Hampson,1901** (Arctiidae) Synonym(s): *Hypocrisias Hampson,1901*
- 1582. Hyponerita Hampson,1901** (Arctiidae) Synonym(s): *Hyponerita Hampson,1901*
- 1583. Hypoprepia Hübner,[1831]** (Arctiidae) Synonym(s): *Hypoprepia Hübner,[1831]*
- 1584. Idalus Walker,1855** (Arctiidae) Synonym(s): *Empusa Hübner,[1819] nec Ill.,1798; Idalus Walker,1855*
- 1585. Ilemodes Hampson,1900** (Arctiidae) Synonym(s): *Ilemodes Hampson,1900*
- 1586. Inopsis R.Felder,1874** (Arctiidae) Synonym(s): *Inopsis R.Felder,1874*
- 1587. Ionthas Hampson,1894** (Arctiidae) Synonym(s): *Ionthas Hampson,1894*
- 1588. Ischnarctia Bartel,1903** (Arctiidae) Synonym(s): *Ischnarctia Bartel,1903; Bithra Fawcett,1918*
- 1589. Ischnocampa R.Felder,1874** (Arctiidae) Synonym(s): *Ischnocampa R.Felder,1874*
- 1590. Isostola R.Felder,1874** (Arctiidae) Synonym(s): *Isostola R.Felder,1874*
- 1591. Josiomorpha R.Felder,1874** (Arctiidae) Synonym(s): *Josiomorpha R.Felder,1874*
- 1592. Juxtartia Kirti & Kaleka,2002** (Arctiidae) Synonym(s): *Juxtartia Kirti & Kaleka,2002*
- 1593. Karschiola Gaede,1926** (Arctiidae) Synonym(s): *Karschiola Gaede,1926*
- 1594. Katha Moore,1878** (Arctiidae) Synonym(s): *Katha Moore,1878* Original Reference: *Katha Moore,1878, Proc. zool. Soc. London 1878: 16. Type-species: Bombyx helvola Hübner,[1803], by subsequent designation by Hampson,1900.*
- 1595. Kiriakoffia Toulgoet,1978** (Arctiidae) Synonym(s): *Kiriakoffia Toulgoet,1978 nec Nakam.,1974; Kiriakoffia Toulgoet,1978*
- 1596. Kishidaria Dubatolov,2004** (Arctiidae) Synonym(s): *Kishidaria Dubatolov,2004*
- 1597. Lacydes Walker,1855** (Arctiidae) Synonym(s): *Lacydes Walker,1855; Acymba Rambur,1866; Palparctia Spuler,1906; Volgarcia Alpheraky,1908.* Original Reference: *Lacydes Walker,1855, List Specimens Lep. Ins. Brit. Mus. 3: 685. Type-species: Eyprepia intercissa Freyer,1842, by monotypy.*
- 1598. Lambula Walker,1866** (Arctiidae) Synonym(s): *Lambula Walker,1866; Palaexera Meyrick,1886*

- 1599. Lamprosiella Collins,1962** (Arctiidae) Synonym(s): *Lamprosiella Collins,1962*
- 1600. Lamprostola Schaus,1899** (Arctiidae) Synonym(s): *Lamprostola Schaus,1899*
- 1601. Lampruna Schaus,1894** (Arctiidae) Synonym(s): *Lampruna Schaus,1894*
- 1602. Lemyra Walker,1856** (Arctiidae) Synonym(s): *Lemyra Walker,1856; Thyrgorina Walker,[1865]; Echlida Walker,1865; Icambosida Walker,1865; Thanatarctia Butler,1877; Carbisa Moore,1879; Challa Moore,1879; Xanthomoenas Roepke,1940; Allochrista Roepke,1946*
- 1603. Lepidokirbya Travassos,1943** (Arctiidae) Synonym(s): *Arara Walker,1855 nec Spix,1844; Lepidokirbya Travassos,1943*
- 1604. Lepista Wallengren,1863** (Arctiidae) Synonym(s): *Lepista Wallengren,1863*
- 1605. Lerina Walker,1854** (Arctiidae) Synonym(s): *Lerina Walker,1854*
- 1606. Leucaloe Butler,1875** (Arctiidae) Synonym(s): *Leucaloe Butler,1875*
- 1607. Leucanopsis Rego-Barros,1956** (Arctiidae) Synonym(s): *Leucanopsis Rego-Barros,1956; Lepidoneuronia Rego-Barros,1956*
- 1608. Lexis Wallengren,1863** (Arctiidae) Synonym(s): *Lexis Wallengren,1863*
- 1609. Licnoptera Meyrick,1889** (Arctiidae) Synonym(s): *Licnoptera Meyrick,1889*
- 1610. Lithosarctia Daniel,1954** (Arctiidae) Synonym(s): *Lithosarctia Daniel,1954*
- 1611. Lithosia Fabricius,1798** (Arctiidae) Synonym(s): *Lithosia Fabricius,1798; Lithosis Billberg,1820; Lichenia Sodoffsky,1837. Original Reference: Lithosia Fabricius,1798, Suppl. Ent. Syst.: 418, 459. Type-species: Phalaena quadra Linnaeus,1758, by subsequent designation by Latreille,1810.*
- 1612. Lophocampa Harris,1841** (Arctiidae) Synonym(s): *Lophocampa Harris,1841; Euhalisidota Grote,1865; Thasela Schaus,1896; Schausia Dyar,1897 nec Karsc.,1895; Euschausia Dyar,1898; Syntarctia Hampson,1901*
- 1613. Lyclene Moore,[1860]** (Arctiidae) Synonym(s): *Pallene Walker,1854 nec Dejean,1821; Cyllene Walker,1854 nec Griffith & Pidgeon,1834; Lyclene Moore,[1860]; Cyme Felder,1861; Cymella Felder,1874 nec Meek,1864; Setinochroa Felder,1874; Adites Moore,[1882]; Xanthocraspeda Hampson,1894; Prinasura Hampson,11903; Myclela Watson,1980.*
- 1614. Lycomorphodes Hampson,1900** (Arctiidae) Synonym(s): *Lycomorphodes Hampson,1900*
- 1615. Lysceia Walker,1854** (Arctiidae) Synonym(s): *Lysceia Walker,1854*
- 1616. Macaduma Walker,1866** (Arctiidae) Synonym(s): *Macaduma Walker,1866; Psapharacis Turner,1899.*
- 1617. Macrobrochis Herrich-Schäffer,1855** (Arctiidae) Synonym(s): *Macrobrochis Herrich-Schäffer,1855; Tripura Moore,1858; Paraona Moore,1878*
- 1618. Macrosia Hampson,1900** (Arctiidae) Synonym(s): *Macrosia Hampson,1900*
- 1619. Madagascartia Dubatolov,2006** (Arctiidae) Synonym(s): *Madagascartia Dubatolov,2006*
- 1620. Mangina Kaleka & Kirti,2001** (Arctiidae) Synonym(s): *Mangina Kaleka & Kirti,2001*
Original Reference: Mangina Kaleka & Kirti,2001, J. Bombay nat. Hist. Soc. 98 (2): 251.
- 1621. Mannina Dyar,1916** (Arctiidae) Synonym(s): *Mannina Dyar,1916*
- 1622. Manulea (Agenjoa) Dubatolov & Zolotuhin,2011** (Arctiidae) Synonym(s): *Colinia Agenjo,1977 nec Cossm.,1906 non Nuttall,1832; Agenjoa Dubatolov & Zolotuhin,2011* Original Reference: Agenjoa Dubatolov & Zolotuhin,2011, Euras. ent. J. 10 (3): 372. Type-species: *Lithosia lurideola* [Zincken],1817, by monotypy.
- 1623. Manulea (Setema) de Freina & Witt,1984** (Arctiidae) Synonym(s): *Setema de Freina & Witt,1984*
- 1624. Manulea (s.str.) Wallengren,1863** (Arctiidae) Synonym(s): *Manulea Wallengren,1863; #Manulca Turner,1940* Original Reference: Manulea Wallengren,1863, Wien. ent. Monatschr. 7: 145-146. Type-species: *Lithosia gilveola* Ochsenheimer,1810, by subsequent designation by Moore,1878.
- 1625. Manulea Wallengren,1863** (Arctiidae) Synonym(s): *Manulea Wallengren,1863; #Manulca Turner,1940* Original Reference: Manulea Wallengren,1863, Wien. ent. Monatschr. 7: 145-146. Type-species: *Lithosia gilveola* Ochsenheimer,1810, by subsequent designation by Moore,1878.
- 1626. Maurica Freina & Witt,1984** (Arctiidae) Synonym(s): *Maurica Freina & Witt,1984*
Original Reference: Maurica Freina & Witt,1984, Entomofauna 5 (28): 326-328. Type-species: *Trichosoma breveti* Oberthür,1882, by original designation.
- 1627. Melanaema Butler,1877** (Arctiidae) Synonym(s): *Melanaema Butler,1877* Original Reference: Melanaema Butler,1877, Ann. Mag. nat. Hist. (4) 20: 397. Type-species: *Melanaema venata* Butler,1877, by monotypy.
- 1628. Melastrotia Hampson,1905** (Arctiidae) Synonym(s): *Melastrotia Hampson,1905*
- 1629. Melese Walker,1854** (Arctiidae) Synonym(s): *Melese Walker,1854; Malabus Walker,1855; Idiactetus Herrich-Schäffer,[1856]; Heteromelese Zikan,1968*

- 1630. Meneclia Grünberg, 1910** (Arctiidae) Synonym(s): *Meneclia Grünberg, 1910*
- 1631. Menegites Kiriakoff, 1954** (Arctiidae) Synonym(s): *Menegites Kiriakoff, 1954*
- 1632. Metacrisiodes Dyar, 1916** (Arctiidae) Synonym(s): *Metacrisiodes Dyar, 1916*; *Exemasia Dyar, 1920*
- 1633. Micralarctia A. Watson, 1988** (Arctiidae) Synonym(s): *Micralarctia A. Watson, 1988*
- 1634. Micraloa Dubatolov, 2004** (Arctiidae) Synonym(s): *Micraloa Dubatolov, 2004* Original Reference: *Micraloa Dubatolov, 2004, Atalanta 35 (3/4): 410*. Type-species: *Bombyx lineola* Fabricius, 1793, by original designation.
- 1635. Micrarctia Seitz, 1910** (Arctiidae) Synonym(s): *Micrarctia Seitz, 1910*
- 1636. Micrilema Hampson, 1903** (Arctiidae) Synonym(s): *Micrilema Hampson, 1903*
- 1637. Microlithosia Daniel, 1954** (Arctiidae) Synonym(s): *Microlithosia Daniel, 1954*
- 1638. Microstola Lower, 1920** (Arctiidae) Synonym(s): *Microstola Lower, 1920*; *Aclytophanes Turner, 1940*
- 1639. Migoplastis R. Felder, 1868** (Arctiidae) Synonym(s): *Migoplastis R. Felder, 1868*; *Pachyphilona Butler, 1875*; *Dondera Moore, 1877*
- 1640. Miltochrista Hübner, [1819]** (Arctiidae) Synonym(s): *Miltochrista Hübner, [1819]*; *Calligenia Duponchel, 1844*; *Sesapa Walker, 1854*; *Ammatho Walker, 1855*; *Cabarda Walker, 1863*; *Castabala Walker, 1864*; *Korawa Moore, 1878*; *Mahavira Moore, 1878*; *Gurna Swinhoe, 1892* Original Reference: *Miltochrista Hübner, [1819], Verz. bekannt. Schmett. (11): 166*. Type-species: *Noctua rubicunda* [Denis & Schiffermüller], 1775, by monotypy.
- 1641. Monstruncusarctia Dubatolov & Haynes, 2008** (Arctiidae) Synonym(s): *Monstruncusarctia Dubatolov & Haynes, 2008*
- 1642. Murzinarctia Dubatolov, [2006]** (Arctiidae) Synonym(s): *Murzinarctia Dubatolov, [2006]*
- 1643. Murzinoria Dubatolov, 2007** (Arctiidae) Synonym(s): *Murzinoria Dubatolov, 2007*
- 1644. Muscula Koçak, 1991** (Arctiidae) Synonym(s): *Muscula Koçak, 1991* Original Reference: *Eilema* (Sect. *Muscula*) *Koçak, 1991, Priamus 5 (4): 126*. Type-species: *Lithosia muscula* Staudinger, 1899, by original designation.
- 1645. Nanna Birket-Smith, 1965** (Arctiidae) Synonym(s): *Nanna Birket-Smith, 1965*
- 1646. Nannoarctia (Pseudorajendra) Dubatolov, Haynes & Kishida, 2007** (Arctiidae) Synonym(s): *Pseudorajendra Dubatolov, Haynes & Kishida, 2007*
- 1647. Nannoarctia (s.str.) Koda, 1988** (Arctiidae) Synonym(s): *Nannoarctia Koda, 1988*
- 1648. Nannoarctia Koda, 1988** (Arctiidae) Synonym(s): *Nannoarctia Koda, 1988*
- 1649. Narosodes Moore, [1887]** (Arctiidae) Synonym(s): *Narosodes Moore, [1887]*
- 1650. Neonerita Hampson, 1901** (Arctiidae) Synonym(s): *Neonerita Hampson, 1901*
- 1651. Neoplynes Hampson, 1900** (Arctiidae) Synonym(s): *Neoplynes Hampson, 1900*
- 1652. Neritos Walker, 1855** (Arctiidae) Synonym(s): *Neritos Walker, 1855*; *Antiloba Weymer, 1895*
- 1653. Neuroxena Kirby, 1896** (Arctiidae) Synonym(s): *Neuroxena Kirby, 1896*; *Parachelonia Aurivillius, 1900*; *Eohemera Aurivillius, 1904*
- 1654. Nikaea Moore, 1879** (Arctiidae) Synonym(s): *Nikaea Moore, 1879*; *Nicaea Hampson, 1901* nec *Robineau-Desvoidy, 1863*
- 1655. Nishada Moore, 1878** (Arctiidae) Synonym(s): *Nishada Moore, 1878*; *Petalopleura Meyrick, 1889*
- 1656. Notarctia Smith, 1938** (Arctiidae) Synonym(s): *Notarctia Smith, 1938*
- 1657. Notata Hampson, 1891** (Arctiidae) Synonym(s): *Notata Hampson, 1891*; *Diphtheraspis Meyrick, 1892*
- 1658. Nudaria Haworth, [1809]** (Arctiidae) Synonym(s): *Nudaria Haworth, [1809]*; *Nelopa Billberg, 1820*; *Amalea Herrich-Schäffer, 1855*; *Trichota Rambur, 1866*; *Derris Wallengren, 1885* nec *Ag., 1847* Original Reference: *Nudaria Haworth, [1809], Lepid. Brit. (2): 156*. Type-species: *Phalaena mundana* Linnaeus, 1761, by subsequent designation by Curtis, 1832.
- 1659. Nyctemera Hübner, [1820]** (Arctiidae) Synonym(s): *Nyctemera Hübner, [1820]*; *Deilemera Hübner, [1820]*; *Leptosoma Boisduval, 1832* nec *Desm., 1823*; *Agagles White, 1841*; *Dilemera Agassiz, 1847*; *Aglagus Agassiz, 1847*; *Amathes Gistel, 1848*; *Trypheromera Butler, 1881*; *Zonosoma Butler, 1881* nec *Led., 1863*; *Tristania Kirby, 1892*; *Xylecata Swinhoe, 1904*; *Podomachla Strand, 1909*; *Chiromachla Strand, 1909*; *Arctata Roepke, 1949*; *Coleta Roepke, 1949*.
- 1660. Nyctosia Schaus, 1899** (Arctiidae) Synonym(s): *Nyctosia Schaus, 1899*
- 1661. Ochrodota Hampson, 1901** (Arctiidae) Synonym(s): *Ochrodota Hampson, 1901*
- 1662. Ochrota Hopffer, 1862** (Arctiidae) Synonym(s): *Ochrota Hopffer, 1862*
- 1663. Ocnogyna (Somatrachia) Kirby, 1892** (Arctiidae) Synonym(s): *Trichosoma Rambur, 1832* nec *Rudolph, 1819*; *Somatrachia Kirby, 1892* Original Reference: *Somatrachia Kirby, 1892, Syn. Cat. Lep. Heteroc. (1): 274*. Type-species: *Phalaena parasita* Hübner, 1790, by subsequent designation by Blanchard, 1840 (for *Trichosoma* Rmb., 1832).

- 1664. Ocnogyna (s.str.) Lederer,1852** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1852*
Original Reference: *Ocnogyna Lederer,1852, Verh. zool.- bot. Ges. Wien. 2: (Abh.) 78. Type-species: Chelonia zoraida Graslin,[1837], by subsequent designation by Kirby,1892.*
- 1665. Ocnogyna Lederer,1852** (Arctiidae) Synonym(s): *Ocnogyna Lederer,1852* Original Reference: *Ocnogyna Lederer,1852, Verh. zool.- bot. Ges. Wien. 2: (Abh.) 78. Type-species: Chelonia zoraida Graslin,[1837], by subsequent designation by Kirby,1892.*
- 1666. Odozana Walker,[1865]** (Arctiidae) Synonym(s): *Odozana Walker,[1865]*
- 1667. Oeonistis Hübner,[1819]** (Arctiidae) Synonym(s): *Oeonistis Hübner,[1819]; Oenistis Kirby,1892; Philagria Kirby,1892*
- 1668. Olepa Watson,1980** (Arctiidae) Synonym(s): *Alope Walker,1855 nec White,1847; Olepa Watson,1980*
- 1669. Opharus Walker,1855** (Arctiidae) Synonym(s): *Opharus Walker,1855*
- 1670. Opsaroa Hampson,1905** (Arctiidae) Synonym(s): *Opsaroa Hampson,1905*
- 1671. Ordishia A.Watson,1975** (Arctiidae) Synonym(s): *Ordishia A.Watson,1975*
- 1672. Ormetica Clemens,1860** (Arctiidae) Synonym(s): *Ormetica Clemens,1860*
- 1673. Oroncus (Arctoroncus) Gurko & Dubatolov,2004** (Arctiidae) Synonym(s): *Arctoroncus Gurko & Dubatolov,2004*
- 1674. Oroncus Seitz,1910** (Arctiidae) Synonym(s): *Oroncus Seitz,1910* Original Reference: *Oroncus Seitz,1910, Gross-Schmett. Erde 2: 82. Type-species: Phragmatobia urania Püngeler,1904, by subsequent designation by Hampson,1920 (P.urania Püngeler,1904 is considered junior synonym of A.tancrei Staudinger,1887).*
- 1675. Orontobia De Freina,1997** (Arctiidae) Synonym(s): *Orontobia De Freina,1997; #Orobtobia De Freina,1997*
- 1676. Ovenna Birket-Smith,1965** (Arctiidae) Synonym(s): *Ovenna Birket-Smith,1965*
- 1677. Pachydota Hampson,1901** (Arctiidae) Synonym(s): *Pachydota Hampson,1901*
- 1678. Padenia Moore,1882** (Arctiidae) Synonym(s): *Padenia Moore,1882*
- 1679. Padenodes Rothschild,1912** (Arctiidae) Synonym(s): *Padenodes Rothschild,1912; Padenodes Hampson,1914 nec Roth.,1912*
- 1680. Paidia (Conjuncta) Koçak,1991** (Arctiidae) Synonym(s): *Conjuncta Koçak,1991* Original Reference: *Paidia (Sect. Conjuncta) Koçak,1991, Priamus 5 (4): 124. Type-species: Nudaria conjuncta Staudinger,1892, by original designation.*
- 1681. Paidia Hübner,[1819]** (Arctiidae) Synonym(s): *Paidia Hübner,[1819]* Original Reference: *Paidia Hübner,[1819], Verz. bekannt. Schmett. (10): 159. Type-species: Phalaena murina Hübner,1790, by subsequent designation by Hampson,1900. (P.murina Hb.,1790 was replaced by P.rica Frr.,1855, due to homonymy (see: Koçak,1980)).*
- 1682. Palaeopsis Hampson,1893** (Arctiidae) Synonym(s): *Palaeopsis Hampson,1893*
- 1683. Palaeosia Hampson,1900** (Arctiidae) Synonym(s): *Palaeosia Hampson,1900*
- 1684. Palearctia Ferguson,1984** (Arctiidae) Synonym(s): *Palearctia Ferguson,1984; #Palearctia De Freina,1997* Original Reference: *Palearctia Ferguson,1984, Proc. ent. Soc. Wash. 86 (2): 454. Type-species: Arctia glaphyra mannii Alpheraky,1881, by original designation.*
- 1685. Panachranta Turner,1922** (Arctiidae) Synonym(s): *Panachranta Turner,1922*
- 1686. Pangora Moore,1879** (Arctiidae) Synonym(s): *Pangora Moore,1879*
- 1687. Paracles Walker,1855** (Arctiidae) Synonym(s): *Paracles Walker,1855*
- 1688. Paralacydes Aurivillius,1899** (Arctiidae) Synonym(s): *Maenas Hübner,[1819] nec Walbaum,1792; Eutaenia Wallengren,1875 nec Thomson,1857; Caligula Aurivillius,1879 nec Mr.,1862; Paralacydes Aurivillius,1899*
- 1689. Paralpenus A.Watson,1988** (Arctiidae) Synonym(s): *Paralpenus A.Watson,1988*
- 1690. Paramaenas Grünberg,1911** (Arctiidae) Synonym(s): *Paramaenas Grünberg,1911*
- 1691. Paramsacta Hulstaert,1923** (Arctiidae) Synonym(s): *Paramsacta Hulstaert,1923*
- 1692. Paraona Moore,1878** (Arctiidae) Synonym(s): *Paraona Moore,1878*
- 1693. Pararctia Sotavalta,1965** (Arctiidae) Synonym(s): *Pararctia Sotavalta,1965*
- 1694. Parascaptia Bethune-Baker,1908** (Arctiidae) Synonym(s): *Parascaptia Bethune-Baker,1908; Porphyrochrysa Turner,1940*
- 1695. Parasemia Hübner,[1820]** (Arctiidae) Synonym(s): *Parasemia Hübner,[1820]; Nemeophila Stephens,1828; Chionophila Guenée,1865* Original Reference: *Parasemia Hübner,[1820], Verz. bekannt. Schmett. (12): 181. Type-species: Phalaena plantaginis Linnaeus,1758, by subsequent designation by Kirby,1892.*
- 1696. Parasiccia Hampson,1910** (Arctiidae) Synonym(s): *Parasiccia Hampson,1910*

- 1697. Parathyris Hübner,[1819]** (Arctiidae) Synonym(s): *Parathyris Hübner,[1819]*; *Thyaractia Hampson,1901*
- 1698. Parelictis Meyrick,1886** (Arctiidae) Synonym(s): *Parelictis Meyrick,1886*
- 1699. Pareuchaetes Grote & Robinson,1865** (Arctiidae) Synonym(s): *Pareuchaetes Grote & Robinson,1865* Original Reference: *Pareuchaetes Grote & Robinson,1865, Proc. ent. Soc. Philadelphia 5: 245.*
- 1700. Pareuchaetes Grote,1865** (Arctiidae) Synonym(s): *Pareuchaetes Grote,1865*
- 1701. Parevia Hampson,1901** (Arctiidae) Synonym(s): *Parevia Hampson,1901*
- 1702. Pasteosia Hampson,1900** (Arctiidae) Synonym(s): *Pasteosia Hampson,1900*
- 1703. Paurophleps Hampson,1900** (Arctiidae) Synonym(s): *Paurophleps Hampson,1900*; *Cycloptera Janse,1964 nec Swainson,1838*; *Cyclopterana D.S.Fletcher,1982*
- 1704. Pelochyta Hübner,[1819]** (Arctiidae) Synonym(s): *Pelochyta Hübner,[1819]*; *Sontia Walker,1856*
- 1705. Pelosia Hübner,[1819]** (Arctiidae) Synonym(s): *Pelosia Hübner,[1819]*; *Samera Wallengren,1863* Original Reference: *Pelosia Hübner,[1819], Verz. bekannt. Schmett. (11): 165.* Type-species: *Phalaena muscerda Hufnagel,1766*, by subsequent designation by Moore,1878.
- 1706. Pericaliella Dubatolov,2006** (Arctiidae) Synonym(s): *Pericaliella Dubatolov,2006*
- 1707. Pericallia Hübner,[1820]** (Arctiidae) Synonym(s): *Pericallia Hübner,[1820]*; *Pleretes Lederer,1853.*
- 1708. Phaemolis Hampson,1901** (Arctiidae) Synonym(s): *Phaemolis Hampson,1901*
- 1709. Phaeophlebosia Hampson,1900** (Arctiidae) Synonym(s): *Phaeophlebosia Hampson,1900*
- 1710. Phaeosia Hampson,1900** (Arctiidae) Synonym(s): *Phaeosia Hampson,1900*
- 1711. Phaloesia Walker,1854** (Arctiidae) Synonym(s): *Phaloesia Walker,1854*
- 1712. Phenacomorpha Turner,1940** (Arctiidae) Synonym(s): *Phenacomorpha Turner,1940*
- 1713. Philenora Rosenstock,1885** (Arctiidae) Synonym(s): *Philenora Rosenstock,1885*; *Scaeodora Meyrick,1886*
- 1714. Phlyctaenogastra Gaede,1915** (Arctiidae) Synonym(s): *Phlyctaenogastra Gaede,1915*
- 1715. Phragmatobia Stephens,1828** (Arctiidae) Synonym(s): *Phragmatobia Stephens,1828* Original Reference: *Phragmatobia Stephens,1828, Ill. Brit. Ent. (Haustellata) 2: 3.* Type-species: *Phalaena fuliginosa Linnaeus,1758*, by monotypy.
- 1716. Phryganopsis R.Felder & Rogenhofer,1874** (Arctiidae) Synonym(s): *Phryganopsis R.Felder & Rogenhofer,1874*
- 1717. Planovalvata Dubatolov & Kishida,2012** (Arctiidae) Synonym(s): *Planovalvata Dubatolov & Kishida,2012*
- 1718. Platartia Packard,1864** (Arctiidae) Synonym(s): *Platartia Packard,1864*
- 1719. Poecilarctia Aurivillius,1921** (Arctiidae) Synonym(s): *Poecilarctia Aurivillius,1921*
- 1720. Poliodule Hampson,1900** (Arctiidae) Synonym(s): *Poliodule Hampson,1900*
- 1721. Poliosia Hampson,1900** (Arctiidae) Synonym(s): *Poliosia Hampson,1900*
- 1722. Popoudina (Pseudopopoudina) Dubatolov,2006** (Arctiidae) Synonym(s): *Pseudopopoudina Dubatolov,2006*
- 1723. Popoudina Dubatolov,2006** (Arctiidae) Synonym(s): *Popoudina Dubatolov,2006*
- 1724. Preparctia Hampson,1901** (Arctiidae) Synonym(s): *Preparctia Hampson,1901*
- 1725. Progona Berg,1882** (Arctiidae) Synonym(s): *Progona Berg,1882*
- 1726. Pseudoblabe Zeller,1853** (Arctiidae) Synonym(s): *Pseudoblabe Zeller,1853*
- 1727. Pseudogaltara Toulgoet,1978** (Arctiidae) Synonym(s): *Pseudogaltara Toulgoet,1978*
- 1728. Pseudophaloe M.Hering,1925** (Arctiidae) Synonym(s): *Pseudophaloe M.Hering,1925*
- 1729. Pseudophanes Turner,1940** (Arctiidae) Synonym(s): *Pseudophanes Turner,1940*
- 1730. Psilopepla Turner,1899** (Arctiidae) Synonym(s): *Psilopepla Turner,1899*; *Gymnochroma Hampson,1900*
- 1731. Psychophasma Butler,1878** (Arctiidae) Synonym(s): *Psychophasma Butler,1878*
- 1732. Pteroodes Butler,1877** (Arctiidae) Synonym(s): *Pteroodes Butler,1877*
- 1733. Ptychoglène R.Felder,1874** (Arctiidae) Synonym(s): *Ptychoglène R.Felder,1874*
- 1734. Purius Walker,1855** (Arctiidae) Synonym(s): *Purius Walker,1855*; *Spodarctia Dyar,1925*
- 1735. Pusiola Wallengren,1863** (Arctiidae) Synonym(s): *Pusiola Wallengren,1863*
- 1736. Pygarctia Grote,1871** (Arctiidae) Synonym(s): *Pygarctia Grote,1871*
- 1737. Pygoctenucha Grote,1883** (Arctiidae) Synonym(s): *Pygoctenucha Grote,1883*; *Protosia Hampson,1900*
- 1738. Pyrrharctia Packard,1864** (Arctiidae) Synonym(s): *Pyrrharctia Packard,1864*
- 1739. Radiarctia Dubatolov,2006** (Arctiidae) Synonym(s): *Radiarctia Dubatolov,2006*

- 1740. Rajendra Moore, 1879** (Arctiidae) Synonym(s): *Rajendra Moore*, 1879 Original Reference: Rajendra Moore, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 43. Type-species: *Rajendra lativitta* Moore, 1879, by original designation.
- 1741. Rhabdatomis Dyar, 1907** (Arctiidae) Synonym(s): *Rhabdatomis Dyar*, 1907
- 1742. Rhipha Walker, 1854** (Arctiidae) Synonym(s): *Rhipha Walker*, 1854
- 1743. Rhodareas Kirby, 1892** (Arctiidae) Synonym(s): *Rhodareas Kirby*, 1892 Original Reference: Rhodareas Kirby, 1892, Syn. Cat. lepid. Het. 1: 254. Type-species: *Arctia melanopsis* Walker, [1865]
- 1744. Rhodogastria Hübner, [1819]** (Arctiidae) Synonym(s): *Rhodogastria Hübner*, [1819]; *Dionychopus Herrich-Schäffer*, 1855; *Munychia Wallengren*, 1858
- 1745. Rhyparia Hübner, [1820]** (Arctiidae) Synonym(s): *Rhyparia Hübner*, [1820] Original Reference: Rhyparia Hübner, [1820], Verz. bekannt. Schmett. (12): 183. Type-species: *Phalaena purpurea* Linnaeus, 1767, by subsequent designation by Kirby, 1892.
- 1746. Rhyparioides Butler, 1877** (Arctiidae) Synonym(s): *Rhyparioides Butler*, 1877
- 1747. Robinsonia Grote, 1866** (Arctiidae) Synonym(s): *Robinsonia Grote*, 1866
- 1748. Saenura Wallengren, 1858** (Arctiidae) Synonym(s): *Saenura Wallengren*, 1858
- 1749. Sagaropsis Hering, 1925** (Arctiidae) Synonym(s): *Sagaropsis Hering*, 1925
- 1750. Scaphidriotis Turner, 1899** (Arctiidae) Synonym(s): *Scaphidriotis Turner*, 1899
- 1751. Scaptosyle Walker, 1854** (Arctiidae) Synonym(s): *Scaptosyle Walker*, 1854; *Chiriphe Walker*, [1863]
- 1752. Schistophleps Hampson, 1891** (Arctiidae) Synonym(s): *Schistophleps Hampson*, 1891; *Phaneropseustis Turner*, 1899
- 1753. Secusio Walker, 1854** (Arctiidae) Synonym(s): *Secusio Walker*, 1854
- 1754. Selenarctia A. Watson, 1975** (Arctiidae) Synonym(s): *Selenarctia A. Watson*, 1975
- 1755. Setema De Freina & Witt, 1984** (Arctiidae) Synonym(s): *Setema De Freina & Witt*, 1984
- 1756. Setina Schrank, 1802** (Arctiidae) Synonym(s): *Setina Schrank*, 1802; *Endrosa Hübner*, [1819]; *Philea Zetterstedt*, 1839 Original Reference: Setina Schrank, 1802, Fauna Boica 2 (2): 165. Type-species: *Phalaena irrorella* Linnaeus, 1758, by subsequent designation by Westwood, 1840.
- 1757. Seydelia Kiriakoff, 1952** (Arctiidae) Synonym(s): *Seydelia Kiriakoff*, 1952
- 1758. Sibirarctia Dubatolov, 1987** (Arctiidae) Synonym(s): *Sibirarctia Dubatolov*, 1987
- 1759. Siccia Walker, 1854** (Arctiidae) Synonym(s): *Siccia Walker*, 1854; *Melania Wallengren*, 1863; *Panassa Walker*, 1865; *Autoceras R. Felder*, 1874 Original Reference: Siccia Walker, 1854, List Spec. lepid. Ins. Colln Br. Mus. 2: 539. Type-species: *Siccia caffra* Walker, 1854, by monotypy.
- 1760. Sinowatsonia Dubatolov, 1996** (Arctiidae) Synonym(s): *Sinowatsonia Dubatolov*, 1996
- 1761. Sozusa Wallengren, 1863** (Arctiidae) Synonym(s): *Sozusa Wallengren*, 1863
- 1762. Sphaeromachia Grote, 1867** (Arctiidae) Synonym(s): *Sphaeromachia Grote*, 1867
- 1763. Spilarctia Butler, 1875** (Arctiidae) Synonym(s): *Spilarctia Butler*, 1875; *#Spilaretia Lewvanich*, 2001 Original Reference: Spilarctia Butler, 1875, Cistula ent. 2: 39. Type-species: *Phalaena lutea* Hufnagel, 1766, by subsequent designation by Kirby, 1877.
- 1764. Spilosoma Curtis, 1825** (Arctiidae) Synonym(s): *#Olistheria Hübner*, [1820]; *Spilosoma Curtis*, 1825; *Rhagonis Walker*, 1862; *Spilarctia Butler*, 1875; *Thanatarctia Butler*, 1877 Original Reference: Spilosoma Curtis, 1825, Brit. Ent. 2 (23): 92. Type-species: *Bombyx menthastri* [Denis & Schiffermüller], 1775, by original designation.
- 1765. Spiris Hübner, [1819]** (Arctiidae) Synonym(s): *Spiris Hübner*, [1819]; *Callopis Billberg*, 1820; *Eulepia Curtis*, 1825; *Emydia Boisduval*, 1828. Original Reference: Spiris Hübner, [1819], Verz. bekannt. Schmett. (11): 169. Type-species: *Phalaena grammica* Linnaeus, 1758, by monotypy.
- 1766. Stenarcha Hampson, 1900** (Arctiidae) Synonym(s): *Stenarcha Hampson*, 1900
- 1767. Stenarctia Aurivillius, 1900** (Arctiidae) Synonym(s): *Stenarctia Aurivillius*, 1900
- 1768. Stenoscaptia Hampson, 1900** (Arctiidae) Synonym(s): *Stenoscaptia Hampson*, 1900
- 1769. Stenucha Hampson, 1901** (Arctiidae) Synonym(s): *Stenucha Hampson*, 1901; *Zamolis Dyar*, 1910; *Ardonipsa Dyar*, 1912
- 1770. Stictane Hampson, 1900** (Arctiidae) Synonym(s): *Stictane Hampson*, 1900; *?Microtane Hampson*, 1901
- 1771. Stigmatophora Staudinger, 1881** (Arctiidae) Synonym(s): *Stigmatophora Staudinger*, 1881
- 1772. Sychesia Möschler, 1878** (Arctiidae) Synonym(s): *Sychesia Möschler*, 1878
- 1773. Symmetrodes Meyrick, 1886** (Arctiidae) Synonym(s): *Symmetrodes Meyrick*, 1886; *Habrochroma Turner*, 1940

- 1774. *Symphlebia* R.Felder,1874** (Arctiidae) Synonym(s): *Symphlebia* R.Felder,1874; *Prumala* Schaus,1896; *Antaxia* Hampson,1898
- 1775. *Tajigyna* Dubatolov,1990** (Arctiidae) Synonym(s): *Tajigyna* Dubatolov,1990
- 1776. *Talara* Walker,1866** (Arctiidae) Synonym(s): *Talara* Walker,1866
- 1777. *Tancrea* Püngeler,1898** (Arctiidae) Synonym(s): *Tancrea* Püngeler,1898 Original Reference: *Tancrea* Püngeler,1898, Societ. Ent. 13: 57, by monotypy.
- 1778. *Tarika* Moore,1878** (Arctiidae) Synonym(s): *Tarika* Moore,1878 Original Reference: *Tarika* Moore,1878, Proc. zool. Soc. London 1878: 14. Type-species: *Lithosia* varana Moore,1865, by subsequent designation by Kirby,1892.
- 1779. *Tatargina* (*Hindargina*) Dubatolov,2006** (Arctiidae) Synonym(s): *Hindargina* Dubatolov,2006
- 1780. *Tatargina* (s.str.) Butler,1877** (Arctiidae) Synonym(s): *Tatargina* Butler,1877
- 1781. *Tatargina* Butler,1877** (Arctiidae) Synonym(s): *Tatargina* Butler,1877
- 1782. *Teliusna* Walker,1862** (Arctiidae) Synonym(s): *Teliusna* Walker,1862
- 1783. *Teracotona* Butler,1878** (Arctiidae) Synonym(s): *Teracotona* Butler,1878; *Micronyx* R.Felder & Rogenhofer,1874; *Seirarctia* Packard sensu Gaede,1926
- 1784. *Termessa* Newman,1856** (Arctiidae) Synonym(s): *Termessa* Newman,1856; *Termessa* Walker,1856 nec Newm.,1856; *Clisobara* Walker,[1865]; *Lerna* Walker,1865.
- 1785. *Tesselarctia* Hampson,1901** (Arctiidae) Synonym(s): *Tesselarctia* Hampson,1901
- 1786. *Teulisna* Walker,1862** (Arctiidae) Synonym(s): *Teulisna* Walker,1862; *Tegulata* Walker,1862; *Corcura* Walker,1862; *Cossa* Walker,[1865]; *Ityca* Walker,1866; *Diastrophia* R.Felder,1874; *Bitecta* Heylaerts,1891; *Lophoneura* Hampson,1894
- 1787. *Thallarcha* Meyrick,1886** (Arctiidae) Synonym(s): *Thallarcha* Meyrick,1886; *Comarchis* Meyrick,1886
- 1788. *Threnosia* Hampson,1900** (Arctiidae) Synonym(s): *Threnosia* Hampson,1900
- 1789. *Thumatha* Walker,1866** (Arctiidae) Synonym(s): *Thumatha* Walker,1866; *Pelobrochis* Lucas,1892; *Dictenus* Butler,1897. Original Reference: *Thumatha* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1900. Type-species: *Thumatha* fuscescens Walker,1866, by monotypy.
- 1790. *Thysanoprymna* Butler,1876** (Arctiidae) Synonym(s): *Thysanoprymna* Butler,1876
- 1791. *Tigrioides* Butler,1877** (Arctiidae) Synonym(s): *Tigrioides* Butler,1877; *Parapelosia* Bethune-Baker,1908
- 1792. *Tinoliodes* Wileman,1915** (Arctiidae) Synonym(s): *Tinoliodes* Wileman,1915
- 1793. *Toulgarctia* Dubatolov & Haynes,2008** (Arctiidae) Synonym(s): *Toulgarctia* Dubatolov & Haynes,2008
- 1794. *Tricypha* Möschler,1878** (Arctiidae) Synonym(s): *Tricypha* Möschler,1878; *Maenoleneura* Butler,1878; *Romanoffia* Heylaerts,1884
- 1795. *Trischalis* Hampson,1894** (Arctiidae) Synonym(s): *Trischalis* Hampson,1894
- 1796. *Trissobrocha* Turner,1914** (Arctiidae) Synonym(s): *Trissobrocha* Turner,1914
- 1797. *Tuina* Butler,1877** (Arctiidae) Synonym(s): *Ituna* Walker,1854 nec Doubl.,1847; *Tuina* Butler,1877
- 1798. *Tumiela* Wallengren,1863** (Arctiidae) Synonym(s): *Tumiela* Wallengren,1863
- 1799. *Turuptiana* Walker,1869** (Arctiidae) Synonym(s): *Turuptiana* Walker,1869; *Sallaea* R.Felder,1874
- 1800. *Tylanthes* Meyrick,1889** (Arctiidae) Synonym(s): *Tylanthes* Meyrick,1889
- 1801. *Tyria* Hübner,[1819]** (Arctiidae) Synonym(s): *#Hipocrita* Hübner,[1808] (rejected name); *Tyria* Hübner,[1819]; *Euchelia* Boisduval,1828. Original Reference: *Tyria* Hübner,[1819], Verz. bekannt. Schmett. (11): 166. Type-species: *Phalaena* jacobaeae Linnaeus,1758, by subsequent designation by Hampson,1901.
- 1802. *Urozana* Hampson,1900** (Arctiidae) Synonym(s): *Urozana* Hampson,1900
- 1803. *Utetheisa* (*Atasca*) Swinhoe,1892** (Arctiidae) Synonym(s): *Atasca* Swinhoe,1892 Original Reference: *Atasca* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 139 [proposed as genus].
- 1804. *Utetheisa* (*Pitasila*) Moore,1877** (Arctiidae) Synonym(s): *Pitasila* Moore,1877
- 1805. *Utetheisa* Hübner,[1819]** (Arctiidae) Synonym(s): *Utetheisa* Hübner,[1819]; *Deiopeia* Curtis,1827. Original Reference: *Utetheisa* Hübner,[1819], Verz. bekannt. Schmett. (11): 168. Type-species: *Phalaena* ornatrix Linnaeus,1758, by subsequent designation by Kirby,1892.
- 1806. *Utriculofera* Hampson,1893** (Arctiidae) Synonym(s): *Utriculofera* Hampson,1893
- 1807. *Virbia* Walker,1854** (Arctiidae) Synonym(s): *Virbia* Walker,1854; *Bepara* Walker,[1865]; *Terna* Walker,[1865]

- 1808. Viviennea A. Watson, 1975** (Arctiidae) Synonym(s): *Viviennea A. Watson, 1975*
- 1809. Watsonarctia Freina & Witt, 1984** (Arctiidae) Synonym(s): *Watsonarctia Freina & Witt, 1984; Eurachia Dubatolov, 1985; Eucastana Leraut, 1985.* Original Reference: *Watsonarctia Freina & Witt, 1984, Entomofauna 5 (2): 323-326.* Type-species: *Arctia casta* var. *deserta* Bartel, 1902, by original designation.
- 1810. Wittia de Freina, 1980** (Arctiidae) Synonym(s): *Systropha Hübner, [1819] nec Illig., 1806; Wittia de Freina, 1980; Strytopha Arora & Chaudhury, 1982* Original Reference: *Wittia de Freina, 1980, NachrBl. bayer. Ent. 29: 80 (nom. nov. pro Systropha Hübner, [1819] nec Illiger, 1806).* Type-species: *Bombyx aureola* Hübner, [1803], by subsequent designation by Moore, 1878 (for *Systropha Hübner, [1819]*).
- 1811. Xanthetis Hampson, 1900** (Arctiidae) Synonym(s): *Xanthetis Hampson, 1900*
- 1812. Xenosoma R. Felder, 1874** (Arctiidae) Synonym(s): *Xenosoma R. Felder, 1874; Cyphopora W. Warren, 1900*
- 1813. Zadadrina Kiriakoff, 1954** (Arctiidae) Synonym(s): *Zadadrina Kiriakoff, 1954*
- 1814. Zobida Birket-Smith, 1965** (Arctiidae) Synonym(s): *Zobida Birket-Smith, 1965* Original Reference: *Zobida Birket-Smith, 1965, Pap. Fac. Sci. Haile Sellasie I Univ. (C) 1: 31.* Type-species: *Eilema trinitas* Strand, 1912, by original designation.
- 1815. Acrosyntaxis Gozmany, 1957** (Autostichidae) Synonym(s): *Acrosyntaxis Gozmany, 1957; Pecteneremus Gozmany, 1963; Kullashara Gozmany, 1963* Original Reference: *Acrosyntaxis Gozmany, 1957, Annls hist.-nat. Mus. natn. hung. (N.S.) 8: 334.* Type-species: *Symmoca angustipennis* Rebel, 1927, by original designation.
- 1816. Afrosymmoca Gozmany, 1966** (Autostichidae) Synonym(s): *Afrosymmoca Gozmany, 1966* Original Reference: *Afrosymmoca Gozmany, 1966, Acta zool. hung. 12: 74.*
- 1817. Ambloma Walsingham, [1908]** (Autostichidae) Synonym(s): *Ambloma Walsingham, [1908]*
- 1818. Amselina Gozmany, 1957** (Autostichidae) Synonym(s): *Amselina Gozmany, 1957; Illahasis Gozmany, 1959; Eremicamima Gozmany, 1964; Nomialyra Gozmany, 1982* Original Reference: *Amselina Gozmany, 1957, Annls hist.-nat. Mus. natn. Hung (S.N.) 8: 337.* Type-species: *Amselina olympi* Gozmany, 1957, by original designation.
- 1819. Apatema Walsingham, 1900** (Autostichidae) Synonym(s): *Apatema Walsingham, 1900; Thanotovenia Gozmany, 1957; Microgonia Popescu-Gorj & Capuse, 1965 (preocc.)* Original Reference: *Apatema Walsingham, 1900, Entomologist's mon. Mag. 36: 220.* Type-species: *Apatema mediopallidum* Walsingham, 1900, by monotypy.
- 1820. Apiletria Lederer, 1855** (Autostichidae) Synonym(s): *Apiletria Lederer, 1855; Aretascetis Meyrick, 1936; Xystoceros Meyrick, 1944;* Original Reference: *Apiletria Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 231.* Type-species: *Apiletria luella* Lederer, 1855, *ibidem* 5: 231, pl. 4 fig. 13, by monotypy.
- 1821. Aprominta Gozmany, 1957** (Autostichidae) Synonym(s): *Aprominta Gozmany, 1957; Parthenoptera Gozmany, 1957; Hecestoptera Gozmany, 1961* Original Reference: *Aprominta Gozmany, 1957, Annls hist.-nat. Mus. natn. Hung (S.N.) 8: 332.* Type-species: *Oecophora cryptogamarum* Millièrè, 1872, by original designation.
- 1822. Arragonia Amsel, 1942** (Autostichidae) Synonym(s): *Arragonia Amsel, 1942; #Aragonia Agenjo, 1968.* Original Reference: *Arragonia Amsel, 1942, Veröff. dt. Kolon. u. Übersee-Mus. Bremen 3: 229.* Type-species: *Holcopogon punctivittellus* Zerny, 1927, by original designation.
- 1823. Aspronympha Gozmany, 2008** (Autostichidae) Synonym(s): *Aspronympha Gozmany, 2008* Original Reference: *Aspronympha Gozmany, 2008, Microlepid. Palaeart. 13: 245.* Type-species: *Aspronympha agapita* Gozmany, 2008, by original designation.
- 1824. Autosticha Meyrick, 1886** (Autostichidae) Synonym(s): *Automola Meyrick, 1883 (homonym); Autosticha Meyrick, 1886; Prosomura Turner, 1919*
- 1825. Catasphalma Gozmany, 1957** (Autostichidae) Synonym(s): *Catasphalma Gozmany, 1957*
- 1826. Charadraula Meyrick, 1931** (Autostichidae) Synonym(s): *Charadraula Meyrick, 1931; Bubulcellodes Amsel, 1942* Original Reference: *Charadraula Meyrick, 1931, Exotic Microlepid. 4: 124.* Type-species: *Charadraula chersopsamma* Meyrick, 1931, by monotypy.
- 1827. Chersogenes Walsingham, [1908]** (Autostichidae) Synonym(s): *Chersogenes Walsingham, [1908]*
- 1828. Chionellidea Amsel, 1940** (Autostichidae) Synonym(s): *Chionella Amsel, 1935 nec Cossm., 1886; Chionellidea Amsel, 1940*
- 1829. Concordaxis Gozmany, 2008** (Autostichidae) Synonym(s): *Concordaxis Gozmany, 2008*

- 1830. Cyllaraxis Gozmany,2000** (Autostichidae) Synonym(s): *Cyllaraxis Gozmany,2000*
Original Reference: *Cyllaraxis Gozmany,2000*, Microlepid. Palaearct. 10: 58. Type-species: *Cyllaraxis cyrus Gozmany,2000*, by original designation.
- 1831. Deroxena Meyrick,1913** (Autostichidae) Synonym(s): *Deroxena Meyrick,1913* Original Reference: *Deroxena Meyrick,1913*, Exotic Microlepid. 1: 153. Type-species: *Depressaria venosulella Möschler,1862*, by original designation.
- 1832. Donaspastus Gozmany,1952** (Autostichidae) Synonym(s): *Donaspastus Gozmany,1952*; *Neospastus Gozmany,1957*
- 1833. Dysspastus Gozmany,1964** (Autostichidae) Synonym(s): *Dysspastus Gozmany,1964*
Original Reference: *Dysspastus Gozmany,1964*, Acta zool. hung. 10: 128. Type-species: *Symmocoides similis Amsel,1939*, by original designation.
- 1834. Epanastasis Walsingham,1908** (Autostichidae) Synonym(s): *Epanastasis Walsingham,1908*; *Epanastis Meyrick,1925*; *Thanatovena Gozmany,1957*
- 1835. Eremica Walsingham,1904** (Autostichidae) Synonym(s): *Eremica Walsingham,1904*
- 1836. Gobiletria Gozmany,1964** (Autostichidae) Synonym(s): *Gobiletria Gozmany,1964*
- 1837. Heringita Agenjo,1953** (Autostichidae) Synonym(s): *Heringita Agenjo,1953*; *Gigantoletria Gozmany,1963* Original Reference: *Heringita Agenjo,1953*, Graellsia 11: 42. Type-species: *Heringita heringi Agenjo,1953*, by original designation.
- 1838. Hesperesta Gozmany,1978** (Autostichidae) Synonym(s): *Hesperesta Gozmany,1978*
Original Reference: *Hesperesta Gozmany,1978*, Faun. Abh. st. Mus. Tierk. Dresden 7 (7): 61. Type-species: *Epidola hartigi Turati,1934*, by original designation.
- 1839. Holcopogon Staudinger,1879** (Autostichidae) Synonym(s): *Holcopogon Staudinger,1879*
Original Reference: *Holcopogon Staudinger,1879*, Horae Soc. ent. ross. 15: 330. Type-species: *Holcopogon helveolellus Staudinger,1879*, by monotypy.
- 1840. Indiospastus Gozmany,1967** (Autostichidae) Synonym(s): *Indiospastus Gozmany,1967*
- 1841. Irenidora Meyrick,1938** (Autostichidae) Synonym(s): *Irenidora Meyrick,1938*
- 1842. Leilaptera Gozmany,1963** (Autostichidae) Synonym(s): *Leilaptera Gozmany,1963*
- 1843. Metaxitagma Gozmany,1985** (Autostichidae) Synonym(s): *Metaxitagma Gozmany,1985*
- 1844. Nukusa Gozmany,1963** (Autostichidae) Synonym(s): *Nukusa Gozmany,1963* Original Reference: *Nukusa Gozmany,1963*, Acta zool. Hung. 9: 69. Type-species: *lampros praeditella Rebel,1891*, by original designation.
- 1845. Oecia Walsingham,1897** (Autostichidae) Synonym(s): *Macroceras Staudinger,1876 nec Semp.,1870 [Mollusca]*; *Oecia Walsingham,1897*.
- 1846. Oegoconia Stainton,1854** (Autostichidae) Synonym(s): *Oegoconia Stainton,1854*; *Clerogenes Meyrick,1921*; *#Oegoconia Amsel,1958*; *Microgonia Popescu-Gorj & Capuse,1965* Original Reference: *Oegoconia Stainton,1854*, Insecta Br. (Lepid., Tineina): 77, 162. Type-species: *Recurvaria quadripuncta Haworth,1828*, by monotypy.
- 1847. Orpecacantha Gozmany,2008** (Autostichidae) Synonym(s): *Orpecacantha Gozmany,2008*
Original Reference: *Orpecacantha Gozmany,2008*, [in] Gaedike,R., Microlepid. Palaearctica 13: 228. Type-species: *Amselina burmanni Gozmany,1962*, by original designation.
- 1848. Orpecovalva Gozmany,1964** (Autostichidae) Synonym(s): *Orpecovalva Gozmany,1964*
Original Reference: *Orpecovalva Gozmany,1964*, Acta zool. hung. 10: 113-114. Type-species: *Symmoca oblitterata Walsingham,1905*, by monotypy.
- 1849. Pachnistis Meyrick,1907** (Autostichidae) Synonym(s): *Pachnistis Meyrick,1907*
- 1850. Pantacordis Gozmany,1954** (Autostichidae) Synonym(s): *Pantacordis Gozmany,1954*
- 1851. Parasyymmoca Rebel,1903** (Autostichidae) Synonym(s): *Parasyymmoca Rebel,1903*; *Nestorellus Gerasimov,1930*; *Symmoletria Gozmany,1963* Original Reference: *Parasyymmoca Rebel,1903*, Verh. zool.- bot. Ges. Wien 53: 414. Type-species: *Hypatima latiusculella Stainton,1867*, by monotypy.
- 1852. Procometis (Hyostola) Meyrick,1908** (Autostichidae) Synonym(s): *Hyostola Meyrick,1908*
- 1853. Procometis (s.str.) Meyrick,1890** (Autostichidae) Synonym(s): *Procometis Meyrick,1890*
- 1854. Sagarconia Gozmany,1964** (Autostichidae) Synonym(s): *Sagarconia Gozmany,1964*
Original Reference: *Sagarconia Gozmany,1964*, Acta zool. hung. 10: 111. Type-species: *Symmoca sericiella Walsingham,1904*, by original designation.
- 1855. Serendipitia Gozmany,2008** (Autostichidae) Synonym(s): *Serendipitia Gozmany,2008*
Original Reference: *Serendipitia Gozmany,2008*, [in] Gaedike,R., Microlepid. Palaearctica 13: 76. Type-species: *Serendipitia sacuntala Gozmany,2008*, by original designation.

- 1856. Stibaromacha Meyrick, 1928** (Autostichidae) Synonym(s): *Stibaromacha Meyrick, 1928*
Original Reference: *Stibaromacha Meyrick, 1928*, Bull. Hill. Mus. Witley 2: 235. Type-species: *Gelechia ratella* Herrich-Schäffer, 1854.
- 1857. Symmoca (Xenoplaxa) Gozmany, 1963** (Autostichidae) Synonym(s): *Xenoplaxa Gozmany, 1963*
- 1858. Symmoca Hübner, [1825]** (Autostichidae) Synonym(s): *Symmoca Hübner, [1825]*; *Mylothra Meyrick, 1907*; *Paradoris Meyrick, 1907* (preocc.); *Nastoceras Chrétien, 19212* (preocc.); *Asarista Meyrick, 1935*; *Irenidora Meyrick, 1938*; *Nastocerella Fletcher, 1940*; *Conquassata Gozmany, 1957*; *Kertomesis Gozmany, 1962*; *Hieronala Gozmany, 1963*; *Megasymmoca Gozmany, 1963*; *Symmocantha Gozmany, 1963*; *Xenoplaxa Gozmany, 1963*
Original Reference: *Symmoca Hübner, [1825]*, Verz. bekannt. Schmett.: 403. Type-species: *Tinea signella* Hübner, 1796, by monotypy.
- 1859. Symmocoides Amsel, 1939** (Autostichidae) Synonym(s): *Symmocoides Amsel, 1939*; *Hamartema Gozmany, 1957*
- 1860. Synchordaxis Gozmany, 2008** (Autostichidae) Synonym(s): *Synchordaxis Gozmany, 2008*
Original Reference: *Synchordaxis Gozmany, 2008*, [in] Gaedike, R., Microlepid. Palaearctica 13: 216. Type-species: *Synchordaxis synnepha* Gozmany, 2008, by original designation.
- 1861. Syssymmoca Gozmany, 1963** (Autostichidae) Synonym(s): *Syssymmoca Gozmany, 1963*
Original Reference: *Syssymmoca Gozmany, 1963*, Acta zool. hung. 9: 128.
- 1862. Telephirca Gozmany, 1957** (Autostichidae) Synonym(s): *Telephirca Gozmany, 1957*
- 1863. Tenieta Amsel, 1942** (Autostichidae) Synonym(s): *Tenieta Amsel, 1942*
- 1864. Turatia Amsel, 1942** (Autostichidae) Synonym(s): *Turatia Amsel, 1942*; *Ilionarsis Gozmany, 1959*
- 1865. Batrachedra Herrich-Schäffer, [1853]** (Batrachedridae) Synonym(s): *Batrachedra Herrich-Schäffer, [1853]*; *Batrachedra Stainton, 1854*; *#Batrachetra Dyar, 1903*; *Eustaintonia Spuler, 1910*
Original Reference: *Batrachedra Herrich-Schäffer, [1853]*, Syst. Bearb. Schmett. Eur. 5: 14, 54. Type-species: *Ornix turdipennella* Kollar, 1832, by monotypy.
- 1866. Asaphocrita Meyrick, 1931** (Blastobasidae) Synonym(s): *Asaphocrita Meyrick, 1931*
- 1867. Blastobasis Zeller, 1855** (Blastobasidae) Synonym(s): *Blastobasis Zeller, 1855*; *Epistetus Walsingham, 1894*; *Aгноea Walsingham, 1907*; *Prosthesis Walsingham, 1908*; *Zenodochium Walsingham, 1908*; *Euresia Dietz, 1910*; *Xenodochium T.B.Fletcher, 1929*
Original Reference: *Blastobasis Zeller, 1855*, Linn. ent. 10: 171. Type-species: *Oecophora phycidella* Zeller, 1839, Isis Oken, Leipzig 1839:193, by subsequent designation by Walsingham, 1897, Proc. zool. Soc. Lond. 1897: 91.
- 1868. Calosima Dietz, 1910** (Blastobasidae) Synonym(s): *Calosima Dietz, 1910*
- 1869. Cladobrostis Meyrick, 1921** (Blastobasidae) Synonym(s): *Cladobrostis Meyrick, 1921*
- 1870. Coniogenes Meyrick, 1916** (Blastobasidae) Synonym(s): *Coniogenes Meyrick, 1916*
- 1871. Holcocera Clemens, 1863** (Blastobasidae) Synonym(s): *Holcocera Clemens, 1863*
Original Reference: *Holcocera Clemens, 1863*, Proc. ent. Soc. Philad. 2: 121. Type-species: *Holcocera chalcifrontella* Clemens, 1863, ibidem 2: 122, by subsequent designation by Walsingham, 1907, Proc. U.S. natn. Mus. 33: 200.
- 1872. Homothamnis Meyrick, 1921** (Blastobasidae) Synonym(s): *Homothamnis Meyrick, 1921*
- 1873. Hypatopa Walsingham, 1907** (Blastobasidae) Synonym(s): *Hypatopa Walsingham, 1907*
Original Reference: *Hypatopa Walsingham, 1907*, Proc. U.S. natn. Mus. 33: 200, 211. Type-species: *Oecophora inunctella* Zeller, 1839, by original designation.
- 1874. Neoblastobasis Kuznetsov & Sinev, 1985** (Blastobasidae) Synonym(s): *Neoblastobasis Kuznetsov & Sinev, 1985*
- 1875. Pseudohypatopa Sinev, 1986** (Blastobasidae) Synonym(s): *Pseudohypatopa Sinev, 1986*
- 1876. Sinevina Koçak & Kemal, 2007** (Blastobasidae) Synonym(s): *Holcoceroides Sinev, 1986 nec Strd., 1913*; *Sinevina Koçak & Kemal, 2007*
Original Reference: *Sinevina Koçak & Kemal, 2007*, Cent. ent. Stud., Misc. Pap. 105: 6 (nomen novum pro *Holcoceroides Sinev, 1986 nec Strand, 1913*).
- 1877. Tecmerium Walsingham, 1908** (Blastobasidae) Synonym(s): *Tecmerium Walsingham, 1908*; *Oroclintrus Gozmany, 1957*
Original Reference: *Tecmerium Walsingham, 1908*, Entomologist's mon. Mag. 43: 215.
- 1878. Andraca Walker, 1865** (Bombycidae) Synonym(s): *Andraca Walker, 1865*; *Bombisatur Van Eecke, 1921*; *Gastridiota Turner, 1922*
- 1879. Bombyx Linnaeus, 1758** (Bombycidae) Synonym(s): *Bombyx Linnaeus, 1758*; *Minyas Savigny, 1816*; *Theophila Moore, 1862*
Original Reference: *Bombyx Linnaeus, 1758*, Syst. Nat. (Edn.10) 1: 495. Type-species: *Phalaena mori* Linnaeus, 1758, by subsequent designation by ICZN, 1957 (Opinion 450).
- 1880. Dalailama Staudinger, [1896]** (Bombycidae) Synonym(s): *Dalailama Staudinger, [1896]*; *#Dailalama Staudinger & Rebel, 1901*; *#Deilelamia Pagenstecher, 1909*
Original Reference: *Dalailama*

Staudinger,[1896], Dt. ent. Z., Iris 8: 303. Type-species: *Dalailama bifurca* Staudinger,[1896], by monotypy.

- 1881. *Elachyophthalma* C.Felder,1861** (Bombycidae) Synonym(s): *Elachyophthalma* C.Felder,1861; *Laganda* Walker,1865; *Diversosexus* Bethune-Baker,1904
- 1882. *Ernolatia* Walker,1862** (Bombycidae) Synonym(s): *Ernolatia* Walker,1862
- 1883. *Gnathocinara* Dierl,1978** (Bombycidae) Synonym(s): *Gnathocinara* Dierl,1978 Original Reference: *Gnathocinara* Dierl,1978, Spixiana 1 (3). 266. Type-species: *Ocinara situla* Van Eecke,1929, by original designation.
- 1884. *Gunda* Walker,1862** (Bombycidae) Synonym(s): *Gunda* Walker,1862 [April 4] nec Schmidt,1862; *Aristhala* Moore,1868; *Hanisa* Moore,1879; *Cleonora* Swinhoe,1899; *Clenera* West,1932 Original Reference: *Gunda* Walker,1862, J. Proc. linn. Soc. Zool. 6: 176. Type-species: *Gunda ochracea* Walker,1862, by monotypy.
- 1885. *Mustilia* Walker,1865** (Bombycidae) Synonym(s): *Mustilia* Walker,1865
- 1886. *Norasuma* Moore,1872** (Bombycidae) Synonym(s): *Norasuma* Moore,1872
- 1887. *Oberthueria* Staudinger,1892** (Bombycidae) Synonym(s): *Euphranor* Oberthür,1880 nec H.-S.,1855; *Oberthueria* Staudinger,1892
- 1888. *Ocinara* Walker,1856** (Bombycidae) Synonym(s): *Naprepa* Walker,1855 (homonym); *Ocinara* Walker,1856; *Trilocha* Moore,[1860]; *Ernolatia* Walker,1862; *Chazena* Walker,1869; *#Ocinera* Grünberg,1911 Original Reference: *Ocinara* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1768. Type-species: *Ocinara dilectula* Walker,1856, by monotypy.
- 1889. *Penicillifera* Dierl,1978** (Bombycidae) Synonym(s): *Penicillifera* Dierl,1978
- 1890. *Prismosticta* Butler,1880** (Bombycidae) Synonym(s): *Prismosticta* Butler,1880
- 1891. *Trilocha* Moore,[1860]** (Bombycidae) Synonym(s): *Naprepa* Walker,1855 (homonym); *Trilocha* Moore,[1860]; *Chazena* Walker,1869
- 1892. *Triuncina* Dierl,1978** (Bombycidae) Synonym(s): *Triuncina* Dierl,1978
- 1893. *Atractoceros* Meyrick,1936** (Brachodidae) Synonym(s): *Atractoceros* Meyrick,1936
- 1894. *Brachodes* Guenée,1845** (Brachodidae) Synonym(s): *Atychia* Latreille,1809 nec Ochs.,1808; *Brachodes* Guenée,1845; *Palameris* Meyrick,1906 Original Reference: *Brachodes* Guenée,1845, Annls Soc. ent. Fr. (2) 3: 311. Type-species: *Brachodes vernetella* Guenée,1845, ibidem (2) 3: 311, by monotypy.
- 1895. *Miscera* Walker,1863** (Brachodidae) Synonym(s): *Miscera* Walker,1863
- 1896. *Nigilgia* Walker,1863** (Brachodidae) Synonym(s): *Nigilgia* Walker,1863; *#Nigilica* Turner,1929
- 1897. *Paranigilgia* Kallies,1998** (Brachodidae) Synonym(s): *Paranigilgia* Kallies,1998
- 1898. *Phycodes* Guenée,1852** (Brachodidae) Synonym(s): *Phycodes* Guenée,1852; *Tegna* Walker,1866 Original Reference: *Phycodes* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 6: 389. Type-species: *Phycodes hirudinicornis* Guenée,1852, ibidem 6: 389, pl.13 fig.5, by monotypy.
- 1899. *Phycodopteryx* Kallies,2004** (Brachodidae) Synonym(s): *Phycodopteryx* Kallies,2004
- 1900. *Synechodes* Turner,1913** (Brachodidae) Synonym(s): *Synechodes* Turner,1913
- 1901. *Acanthobrahmea* Sauter,1967** (Brahmaeidae) Synonym(s): *Acanthobrahmea* Sauter,1967
- 1902. *Brahmaea* (*Brahmophthalma*) Mell,1929** (Brahmaeidae) Synonym(s): *Brahmophthalma* Mell,1929
- 1903. *Brahmaea* (s.str.) Walker,1855** (Brahmaeidae) Synonym(s): *Brahmaea* Walker,1855 Original Reference: *Brahmaea* Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1200. Type-species: *Brahmaea conchifera* Butler,1880, by subsequent designation by Kirby,1892 (cf. Fletcher & Nye,1982).
- 1904. *Brahmaea* Walker,1855** (Brahmaeidae) Synonym(s): *Brahmaea* Walker,1855 Original Reference: *Brahmaea* Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1200. Type-species: *Brahmaea conchifera* Butler,1880, by subsequent designation by Kirby,1892 (cf. Fletcher & Nye,1982).
- 1905. *Calliprogonos* Mell & M.Hering,1937** (Brahmaeidae) Synonym(s): *Calliprogonos* Mell & M.Hering,1937 Original Reference: *Calliprogonos* Mell & M.Hering,1937, Dt. ent. Z. 1937 (1/2): 9. Type-species: *Calliprogonos miraculosa* Mell,1937, by monotypy.
- 1906. *Dactyloceras* Mell,1930** (Brahmaeidae) Synonym(s): *Dactyloceras* Mell,1930
- 1907. *Spiramiopsis* Hampson,1901** (Brahmaeidae) Synonym(s): *Spiramiopsis* Hampson,1901
- 1908. *Bucculatrix* Zeller,1839** (Bucculatricidae) Synonym(s): *Bucculatrix* Zeller,1839; *Ceroclastis* Zeller,1848 Original Reference: *Bucculatrix* Zeller,1839, Isis Oken, Leipzig 1839: 214. Type-

- species: *Lyonetia albedinella* Zeller, 1839, ibidem 1839: 216, by subsequent designation by Walsingham, 1914, *Biologia cent.-am. (Zool.) Lepid.-Heterocera* 4: 345
- 1909. Leucoedemia Scoble & Scholtz, 1984** (Bucculatricidae) *Synonym(s):* *Leucoedemia* Scoble & Scholtz, 1984
- 1910. Callidula Hübner, [1819]** (Callidulidae) *Synonym(s):* *Callidula* Hübner, [1819]; *Cleis* Guérin-Méneville, 1831
- 1911. Caloschemia Mabille, 1878** (Callidulidae) *Synonym(s):* *Caloschemia* Mabille, 1878; *Helicomitra* Butler, 1878
- 1912. Comella Pagenstecher, 1902** (Callidulidae) *Synonym(s):* *Tyndaris* C. Felder, 1860 *nec* Thomson, 1857; *Comella* Pagenstecher, 1902
- 1913. Griveaudia Viette, 1958** (Callidulidae) *Synonym(s):* *Griveaudia* Viette, 1958
- 1914. Petavia Horsfield, 1828** (Callidulidae) *Synonym(s):* *Petavia* Horsfield, 1828; *Datanga* Moore, 1879
- 1915. Pterodecta Butler, 1877** (Callidulidae) *Synonym(s):* *Pterodecta* Butler, 1877
- 1916. Pterothysanus Walker, 1854** (Callidulidae) *Synonym(s):* *Pterothysanus* Walker, 1854
- 1917. Tetragonus Geyer, [1832]** (Callidulidae) *Synonym(s):* *Tetragonus* Geyer, [1832]
- 1918. Alexotypa Diakonoff, 1989** (Carposinidae) *Synonym(s):* *Alexotypa* Diakonoff, 1989
- 1919. Archostola Diakonoff, 1949** (Carposinidae) *Synonym(s):* *Archostola* Diakonoff, 1949
- 1920. Bondia Newman, 1856** (Carposinidae) *Synonym(s):* *Bondia* Newman, 1856
- 1921. Carposina Herrich-Schäffer, [1853]** (Carposinidae) *Synonym(s):* *Carposina* Herrich-Schäffer, [1853]; *Enopa* Walker, 1866; *Oistophora* Meyrick, 1881; *Paramorpha* Meyrick, 1881; *Heterocrossa* Meyrick, 1882 Original Reference: *Carposina* Herrich-Schäffer, [1853], *Syst. Bearb. Schmett. Eur.* 5: 10, 38. Type-species: *Carposina berberidella* Herrich-Schäffer, [1853], by subsequent designation by Fernald, 1908.
- 1922. Commatarcha Meyrick, 1935** (Carposinidae) *Synonym(s):* *Commatarcha* Meyrick, 1935; *Delarchis* Meyrick, 1938. Original Reference: *Commatarcha* Meyrick, 1935, *Exot. Microlepid.* 4: 594.
- 1923. Heterogymna Meyrick, 1918** (Carposinidae) *Synonym(s):* *Heterogymna* Meyrick, 1918
- 1924. Meridarchis Zeller, 1867** (Carposinidae) *Synonym(s):* *Meridarchis* Zeller, 1867; *Autogriphus* Walsingham, 1897; *Propedesis* Walsingham, 1900; *Pexinola* Hampson, 1900; *Tribonica* Meyrick, 1905.
- 1925. Metacosmesis Diakonoff, 1949** (Carposinidae) *Synonym(s):* *Metacosmesis* Diakonoff, 1949
- 1926. Peragrarchis Diakonoff, 1959** (Carposinidae) *Synonym(s):* *Peragrarchis* Diakonoff, 1959
- 1927. Tascina Westwood, 1877** (Castniidae) *Synonym(s):* *Tascina* Westwood, 1877
- 1928. Anthophila Haworth, [1811]** (Choreutidae) *Synonym(s):* *Pallium* Retzius, 1783; *Anthophila* Haworth, [1811]; *Simaethis* Leach, [1815]; *Xylopoda* Berthold, 1827; *Symaethis* Dunning & Pickard, [1859] Original Reference: *Anthophila* Haworth, [1811], *Lepid. Br.*: 471. Type-species: *Phalaena fabriciana* Linnaeus, 1767, by subsequent designation by Fletcher, 1929.
- 1929. Brenthia Clemens, 1860** (Choreutidae) *Synonym(s):* *Brenthia* Clemens, 1860; *Microaethia* Chambers, 1878
- 1930. Choreutis Hübner, [1825]** (Choreutidae) *Synonym(s):* *Choreutis* Hübner, [1825]; *Eutromula* Frölich, 1828; *Choreutes* Treitschke, 1835; *Macropia* Costa, [1836]; *Entomoloma* Ragonot, 1875; *Orchemia* Fernald, 1900 *nec* Gn., 1845; *Choreutidia* Sauber, 1902; *Allonyma* Busck, 1904 Original Reference: *Choreutis* Hübner, [1825], *Verz. bekannter Schmett.*: 373. Type-species: *Phalaena pariana* Clerck, 1759, *Icon Insect. rariorum* 1: pl. 10 fig. 9, by subsequent designation by Walsingham, 1908, *Proc. zool. Soc. Lond.* 1907: 987.
- 1931. Litobrenthia Diakonoff, 1978** (Choreutidae) *Synonym(s):* *Litobrenthia* Diakonoff, 1978
- 1932. Millieria Ragonot, 1874** (Choreutidae) *Synonym(s):* *Millieria* Ragonot, 1874; *Ripismia* Wocke, [1876]; *Rhipismia* Reutti, 1898; *Milliereia* Spuler, 1910; #*Milliera* Le Marchard, 1937; #*Millieroa* Le Marchard, 1937 Original Reference: *Millieria* Ragonot, 1874, *Annls Soc. ent. Fr.* (5) 4 (Bull.): clxxiii. Type-species: *Choreutis dolosalis* Heydenreich, 1851, *Lepid. eur. Cat. meth. (Syst. Verz. eur. Schmett.)* (Edn 3): 63, by original designation.
- 1933. Niveas Rota, 2013** (Choreutidae) *Synonym(s):* *Niveas* Rota, 2013
- 1934. Nyx Heppner, 1982** (Choreutidae) *Synonym(s):* *Nyx* Heppner, 1982
- 1935. Peotyle Diakonoff, 1978** (Choreutidae) *Synonym(s):* *Peotyle* Diakonoff, 1978
- 1936. Phormoestes Heppner, 1982** (Choreutidae) *Synonym(s):* *Phormoestes* Heppner, 1982
- 1937. Prochoreutis Diakonoff & Heppner, 1980** (Choreutidae) *Synonym(s):* *Prochoreutis* Diakonoff & Heppner, 1980 Original Reference: *Prochoreutis* Diakonoff & Heppner, 1980, *Ent. Ber., Amst.* 40: 196. Type-species: *Pyralis myllerana* Fabricius, 1794, *Ent. Syst.* 3(2): 277, by original designation.

- 1938. Saptha Walker, 1864** (Choreutidae) Synonym(s): *Saptha Walker, 1864*
- 1939. Tebenna Billberg, 1820** (Choreutidae) Synonym(s): *Tebenna Billberg, 1820*; *Porpe Hübner, [1825]* Original Reference: *Tebenna Billberg, 1820, Enumeratio Insect. Mus. G.J. Billberg: 90. Type-species: Tinea bjerckandrella Thunberg, 1784, Diss. ent. sistens Insecta Suecica (1): 24, figs, by subsequent designation by Bradley, 1966, Entomologist's Gaz. 17: 220.*
- 1940. Axia (Epicimelia) Korb, 1900** (Cimeliidae) Synonym(s): *Epicimelia Korb, 1900* Original Reference: *Epicimelia Korb, 1900, Dt. ent. Z., Iris 12: 301. Type-species: Epicimelia theresiae Korb, 1900, by monotypy.*
- 1941. Axia (s.str.) Hübner, [1821]** (Cimeliidae) Synonym(s): *Axia Hübner, [1821]*; *Timia Boisduval, 1828 (preocc.)*; *Cimelia Lederer, 1853* Original Reference: *Axia Hübner, [1821], Verz. bekannt. Schmett.: 249. Type-species: Noctua margarita Hübner, [1813], by monotypy.*
- 1942. Axia Hübner, [1821]** (Cimeliidae) Synonym(s): *Axia Hübner, [1821]*; *Timia Boisduval, 1828 (preocc.)*; *Cimelia Lederer, 1853* Original Reference: *Axia Hübner, [1821], Verz. bekannt. Schmett.: 249. Type-species: Noctua margarita Hübner, [1813], by monotypy.*
- 1943. Ussara Walker, 1864** (Cimeliidae) Synonym(s): *Ussara Walker, 1864*
- 1944. Amblyxena Meyrick, 1914** (Coleophoridae) Synonym(s): *Amblyxena Meyrick, 1914*
- 1945. Augasma Herrich-Schäffer, [1853]** (Coleophoridae) Synonym(s): *Augasma Herrich-Schäffer, [1853]* Original Reference: *Augasma Herrich-Schäffer, [1853], Syst. Bearb. Schmett. Eur. 5: 12, 50. Type-species: Elachista aeratella Zeller, 1839 (No species included, until Herrich-Schäffer, [1855], by subsequent monotypy.*
- 1946. Coleophora Hübner, 1822** (Coleophoridae) Synonym(s): *Galleria Vallot, 1818 nec Fabr., 1798*; *Coleophora Hübner, 1822*; *Eupista Hübner, [1825]*; *Haploptilia Hübner, [1825]*; *Apista Hübner, [1825]*; *Porrectaria Haworth, 1828*; *Damophila Curtis, 1832*; *Astyages Stephens, 1834*; *Metallosetia Stephens, 1834*; *Casas Wallengren, 1881*; *Casigneta Wallengren, 1881*; *Corythangela Meyrick, 1897*; *Casignetella Strand, 1928*; *Protocryptis Meyrick, 1931*; *Tolleophora Capuse, 1971*; *Ionescumia Capuse, 1971*; *Stollia Capuse, 1971*; *Razowskia Capuse, 1971*; *Orghidania Capuse, 1971*; *Suireia Capuse, 1971*; *Frederickoenigia Capuse, 1971*; *Zagulyaevia Capuse, 1971*; *Amseliphora Capuse, 1971*; *Nemesia Capuse, 1971 nec Sav., 1826*; *Zangheriphora Capuse, 1971*; *Bourgogneja Capuse, 1971*; *Aureliania Capuse, 1971 nec Gosse, 1860*; *Bacescuia Capuse, 1971*; *Klinzigedia Capuse, 1971*; *Vladdelia Capuse, 1971*; *Klimeschja Capuse, 1971*; *Glaseria Capuse, 1971*; *Valvulongia Capuse, 1971*; *Falkovitshia Capuse, 1971*; *Helopharea Falkovitsh, 1972*; *Cricotechna Falkovitsh, 1972*; *Plegmidia Falkovitsh, 1972*; *Agapalsa Falkovitsh, 1972*; Original Reference: *Coleophora Hübner, 1822, Syst.-alphab. Verz.: 67-75, 77-79. Type-species: Tinea anatipennella Hübner, 1796, Samml. eur. Schmett. 8: 68, pl. 27 fig. 186, by subsequent designation by Kirby, 1897, Handbk Order Lepid. 5: 309.*
- 1947. Enscepastra Meyrick, 1920** (Coleophoridae) Synonym(s): *Enscepastra Meyrick, 1920* Original Reference: *Enscepastra Meyrick, 1920, Annls. S. Afr. Mus. 17: 300. Type-species: plagiopa Meyrick, 1920.*
- 1948. Goniodoma Zeller, 1849** (Coleophoridae) Synonym(s): *Goniodoma Zeller, 1849* Original Reference: *Goniodoma Zeller, 1849, Linn. ent. 4: 193, 195, 196, 410. Type-species: Goniodoma auroguttella Zeller, 1849, by monotypy.*
- 1949. Iriothyrsa Meyrick, 1908** (Coleophoridae) Synonym(s): *Iriothyrsa Meyrick, 1908*
- 1950. Ischnophanes Meyrick, 1891** (Coleophoridae) Synonym(s): *Ischnophanes Meyrick, 1891*
- 1951. Ischnopsis Walsingham, 1881** (Coleophoridae) Synonym(s): *Ischnopsis Walsingham, 1881*
- 1952. Metriotes Herrich-Schäffer, [1853]** (Coleophoridae) Synonym(s): *Metriotes Herrich-Schäffer, [1853]* Original Reference: *Metriotes Herrich-Schäffer, [1853], Syst. Bearb. Schmett. Eur. 5: 48. Type-species: Butalis modestella Duponchel, 1839, by monotypy.*
- 1953. Porotica Meyrick, 1913** (Coleophoridae) Synonym(s): *Porotica Meyrick, 1913*
- 1954. Sandaloeca Meyrick, 1920** (Coleophoridae) Synonym(s): *Sandaloeca Meyrick, 1920*
- 1955. Copromorpha Meyrick, 1886** (Copromorphidae) Synonym(s): *Copromorpha Meyrick, 1886*; *Trychnostola Turner, 1916*
- 1956. Sisyroxena Meyrick, 1916** (Copromorphidae) Synonym(s): *Sisyroxena Meyrick, 1916*
- 1957. Alloclita Staudinger, 1859** (Cosmopterigidae) Synonym(s): *Alloclita Staudinger, 1859*; *Proceleustis Meyrick, 1914*; *Dahrania Amsel, 1958* Original Reference: *Alloclita Staudinger, 1859, Stettin ent. Ztg. 20: 247. Type-species: Alloclita recisella Staudinger, 1859, by monotypy.*
- 1958. Allotalanta Meyrick, 1913** (Cosmopterigidae) Synonym(s): *Allotalanta Meyrick, 1913* Original Reference: *Allotalanta Meyrick, 1913, Exot. Microlepid. 1: 114. Type-species: Allotalanta autophaea Meyrick, 1913, by monotypy.*
- 1959. Anatrachyntis Meyrick, 1915** (Cosmopterigidae) Synonym(s): *Anatrachyntis Meyrick, 1915*; *Lacciferophaga Zagulyaev, 1959*; *Sathrobrotia Hodges, 1962*; *Amneris Riedl, 1994 nec Whitly, 1935*; *Euamneris*

- Riedl, 1966 Original Reference: *Anatrachyntis* Meyrick, 1915, *Exotic Microlepid.* 1: 325. Type-species: *Gracillaria falcata* Stainton, 1859, by original designation.
1960. **Archisopha Meyrick, 1918** (Cosmopterigidae) Synonym(s): *Archisopha* Meyrick, 1918
1961. **Ascalenia Wocke, [1876]** (Cosmopterigidae) Synonym(s): *Ascalenia* Wocke, [1876] Original Reference: *Ascalenia* Wocke, [1876], [in] Heinemann, Schmett. Dtl. Schweiz (2) 2(2): 421. Type-species: *Laverna vanella* Frey, 1860, Linn. ent. 14: 197, by monotypy.
1962. **Axiarcha Meyrick, 1921** (Cosmopterigidae) Synonym(s): *Axiarcha* Meyrick, 1921
1963. **Calanesia Sinev, 1990** (Cosmopterigidae) Synonym(s): *Calanesia* Sinev, 1990
1964. **Calycobathra Meyrick, 1891** (Cosmopterigidae) Synonym(s): *Calycobathra* Meyrick, 1891. Original Reference: *Calycobathra* Meyrick, 1891, *Entomologist's mon. Mag.* 2 (2): 59. Type-species: *Calycobathra acarpa* Meyrick, 1891, by monotypy.
1965. **Cholotis Meyrick, 1911** (Cosmopterigidae) Synonym(s): *Cholotis* Meyrick, 1911
1966. **Clarkeophlebia Özdikmen, 2005** (Cosmopterigidae) Synonym(s): *Acanthophlebia* Clarke, 1986 nec Towns, 1983; *Clarkeophlebia* Özdikmen, 2005
1967. **Coccidiphila Danilevsky, 1950** (Cosmopterigidae) Synonym(s): *Coccidiphila* Danilevsky, 1950; *Bathrachedropsis* Amsel, 1955. Original Reference: *Coccidiphila* Danilevsky, 1950, *Ent. Obozr.* 31: 48. Type-species: *Coccidiphila gerasimovi* Danilevsky, 1950, *ibidem* 31: 49 figs 1-6, by original designation.
1968. **Colonophora Meyrick, 1914** (Cosmopterigidae) Synonym(s): *Colonophora* Meyrick, 1914
1969. **Cosmopterix Hübner, [1825]** (Cosmopterigidae) Synonym(s): *Cosmopterix* Hübner, [1825]; *Cosmopteryx* Agassiz, 1847 nec Zell., 1839; *Lienigia* Spuler, 1910 Original Reference: *Cosmopterix* Hübner, [1825], *Verz. bekannter Schmett.*: 429. Type-species: *Tinea zieglerella* Hübner, [1810], *Samml. eur. Schmett.* 8: pl. 44, fig. 306, by subsequent designation by the ICZN, 1969, *Bull. zool. Nom.* 25 ???
1970. **Craterobathra Meyrick, 1927** (Cosmopterigidae) Synonym(s): *Craterobathra* Meyrick, 1927
1971. **Cyphacma Meyrick, 1915** (Cosmopterigidae) Synonym(s): *Cyphacma* Meyrick, 1915
1972. **Cyphothyris Meyrick, 1914** (Cosmopterigidae) Synonym(s): *Cyphothyris* Meyrick, 1914
1973. **Diatonica Meyrick, 1921** (Cosmopterigidae) Synonym(s): *Diatonica* Meyrick, 1921
1974. **Diophila Meyrick, 1937** (Cosmopterigidae) Synonym(s): *Diophila* Meyrick, 1937
1975. **Diversivalva Sinev, 1991** (Cosmopterigidae) Synonym(s): *Diversivalva* Sinev, 1991
1976. **Dorodoca Meyrick, 1915** (Cosmopterigidae) Synonym(s): *Dorodoca* Meyrick, 1915
1977. **Echinoscelis Meyrick, 1886** (Cosmopterigidae) Synonym(s): *Echinoscelis* Meyrick, 1886
1978. **Erechthiodes Meyrick, 1914** (Cosmopterigidae) Synonym(s): *Erechthiodes* Meyrick, 1914
1979. **Eteobalea Hodges, 1962** (Cosmopterigidae) Synonym(s): *Eteobalea* Hodges, 1962 Original Reference: *Eteobalea* Hodges, 1962, *Ent. amer. (n.s.)* 42: 10, 66. Type-species: *Gelechia sexnotella* Chambers, 1878, by original designation.
1980. **Euclemensia Grote, 1878** (Cosmopterigidae) Synonym(s): *Euclemensia* Grote, 1878
1981. **Eumenodora Meyrick, 1906** (Cosmopterigidae) Synonym(s): *Eumenodora* Meyrick, 1906
1982. **Gibeauxiella Koster & Sinev, 2003** (Cosmopterigidae) Synonym(s): *Gibeauxiella* Koster & Sinev, 2003
1983. **Gisilia Kasy, 1968** (Cosmopterigidae) Synonym(s): *Gisilia* Kasy, 1968; *Melnea* Clarke, 1986
1984. **Glaphyrstis Meyrick, 1897** (Cosmopterigidae) Synonym(s): *Glaphyrstis* Meyrick, 1897
1985. **Gracilosia Sinev, 1989** (Cosmopterigidae) Synonym(s): *Gracilosia* Sinev, 1989
1986. **Heureta Turner, 1932** (Cosmopterigidae) Synonym(s): *Heureta* Turner, 1932
1987. **Hodgesiella Riedl, 1965** (Cosmopterigidae) Synonym(s): *Hodgesiella* Riedl, 1965 Original Reference: *Hodgesiella* Riedl, 1965, *Polskie Pismo ent.* 35: 440. Type-species: *Stagmatophora rebeli* Krone, 1906, by original designation.
1988. **Homosaces Meyrick, 1894** (Cosmopterigidae) Synonym(s): *Homosaces* Meyrick, 1894
1989. **Ischnobathra Meyrick, 1937** (Cosmopterigidae) Synonym(s): *Ischnobathra* Meyrick, 1937
1990. **Isidiella Riedl, 1965** (Cosmopterigidae) Synonym(s): *Isidiella* Riedl, 1965
1991. **Isorrhhoa Meyrick, 1913** (Cosmopterigidae) Synonym(s): *Isorrhhoa* Meyrick, 1913
1992. **Ithome Chambers, 1875** (Cosmopterigidae) Synonym(s): *Eriphia* Chambers, 1875 nec Latr., 1817; *Ithome* Chambers, 1875
1993. **Labdia Walker, 1864** (Cosmopterigidae) Synonym(s): *Labdia* Walker, 1864
1994. **Leptozestis Meyrick, 1924** (Cosmopterigidae) Synonym(s): *Pogonias* Lower, 1893 nec Lac., 1802; *Leptozestis* Meyrick, 1924;
1995. **Limnaecia Stainton, 1851** (Cosmopterigidae) Synonym(s): *Limnaecia* Stainton, 1851; *Ptilochares* Meyrick, 1887; *#Limnoecia* Meyrick, 1895; *#Lymnaecia* Dyar, [1903]

- 1996. *Macrobathra* Meyrick, 1883** (Cosmopterigidae) **Synonym(s):** *Macrobathra* Meyrick, 1883; *Leurozancla* Turner, 1933
- 1997. *Melanozestis* Meyrick, 1930** (Cosmopterigidae) **Synonym(s):** *Melanozestis* Meyrick, 1930
- 1998. *Mimodoxa* Lower, 1901** (Cosmopterigidae) **Synonym(s):** *Mimodoxa* Lower, 1901
- 1999. *Morphotica* Meyrick, 1915** (Cosmopterigidae) **Synonym(s):** *Morphotica* Meyrick, 1915
- 2000. *Mothonodes* Meyrick, 1922** (Cosmopterigidae) **Synonym(s):** *Mothonica* Meyrick, 1921 *nec* Wals., 1912; *Mothonodes* Meyrick, 1922
- 2001. *Neomariania* Mariani, 1943** (Cosmopterigidae) **Synonym(s):** *Mariania* Rebel, 1937 *nec* Airaghi, 1901; *Neomariania* Mariani, 1943
- 2002. *Orthromicta* Meyrick, 1897** (Cosmopterigidae) **Synonym(s):** *Orthromicta* Meyrick, 1897; *#Orthomicta* Turner, 1923
- 2003. *Otonoma* Meyrick, 1897** (Cosmopterigidae) **Synonym(s):** *Otonoma* Meyrick, 1897
- 2004. *Pancalia* Stephens, 1829** (Cosmopterigidae) **Synonym(s):** *Pancalia* Stephens, 1829
Original Reference: *Pancalia* Stephens, 1829, *Nom. Br. Insects*: 49. Type-species: *Phalaena leuvenhoekella* Linnaeus, 1761, *Fauna Suecica* (Edn 2): 361, by subsequent designation by Curtis, 1830, *Br. Ent.* 7: folio 304.
- 2005. *Paratheta* Lower, 1899** (Cosmopterigidae) **Synonym(s):** *Paratheta* Lower, 1899; *Mixodetis* Meyrick, 1902
- 2006. *Parathystas* Meyrick, 1913** (Cosmopterigidae) **Synonym(s):** *Parathystas* Meyrick, 1913
- 2007. *Pauroptila* Meyrick, 1913** (Cosmopterigidae) **Synonym(s):** *Pauroptila* Meyrick, 1913
- 2008. *Pechyptila* Meyrick, 1921** (Cosmopterigidae) **Synonym(s):** *Pechyptila* Meyrick, 1921
- 2009. *Persicoptila* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *Persicoptila* Meyrick, 1886
- 2010. *Phaneroctena* Turner, 1923** (Cosmopterigidae) **Synonym(s):** *Phaneroctena* Turner, 1923
- 2011. *Phosphaticola* Viette, 1951** (Cosmopterigidae) **Synonym(s):** *Phosphaticola* Viette, 1951
- 2012. *Pseudascalenia* Kasy, 1968** (Cosmopterigidae) **Synonym(s):** *Pseudascalenia* Kasy, 1968
- 2013. *Pycnagorastis* Meyrick, 1937** (Cosmopterigidae) **Synonym(s):** *Pycnagorastis* Meyrick, 1937
- 2014. *Pyroderces* Herrich-Schäffer, [1853]** (Cosmopterigidae) **Synonym(s):** *Pyroderces* Herrich-Schäffer, [1853]; *Syntomactis* Meyrick, 1889; *Anatrachyntis* Meyrick, 1915; *Lallia* Chrétien, 1915; *Lacciferophaga* Zagulyaev, 1959; *Sathrobrotia* Hodges, 1962; *#Anatrachynis* Edwards & Nielsen, 1996 Original Reference: *Pyroderces* Herrich-Schäffer, [1853], *Syst. Bearbeitung Schmett. Eur.* 5: 12, 47; 1853, *ibidem* 6: *Microlepid.* pl. 13 figs. 29, 30 Type-species: *Pyroderces goldeggella* Herrich-Schäffer, [1853], *ibidem* 6: *Microlepid.* pl. 13 figs. 29, 30, by monotypy.
- 2015. *Ramphis* Riedl, 1969** (Cosmopterigidae) **Synonym(s):** *Ramphis* Riedl, 1969 Original Reference: *Ramphis* Riedl, 1969, *Polskie Pismo ent.* 39: 786. Type-species: *Ramphis ibericus* Riedl, 1969, by original designation.
- 2016. *Ressia* Sinev, 1988** (Cosmopterigidae) **Synonym(s):** *Ressia* Sinev, 1988
- 2017. *Rhadinastis* Meyrick, 1897** (Cosmopterigidae) **Synonym(s):** *Rhadinastis* Meyrick, 1897
- 2018. *Scaeosopha* Meyrick, 1914** (Cosmopterigidae) **Synonym(s):** *Scaeosopha* Meyrick, 1914
- 2019. *Sorhagenia* Spuler, 1910** (Cosmopterigidae) **Synonym(s):** *Sorhagenia* Spuler, 1910; *Cystioecetes* Braun, 1915; *Sorhageniella* Riedl, 1965 Original Reference: *Sorhagenia* Spuler, 1910, *Schmett. Eur.* 2: 384. Type-species: *Elachista rhamniella* Zeller, 1839, *Isis Oken*, Leipzig 1839: 211, by monotypy.
- 2020. *Stagmatophora* Herrich-Schäffer, [1853]** (Cosmopterigidae) **Synonym(s):** *Stagmatophora* Herrich-Schäffer, [1853]; *Parastagmatophora* Riedl, 1965 Original Reference: *Stagmatophora* Herrich-Schäffer, [1853], *Syst. Bearb. Schmett. Eur.* 5: 13, 49. Type-species: *Oecophora heydeniella* Fischer von Rösslerstamm, 1841, by monotypy.
- 2021. *Strenophila* Meyrick, 1913** (Cosmopterigidae) **Synonym(s):** *Strenophila* Meyrick, 1913
- 2022. *Streptothyris* Meyrick, 1918** (Cosmopterigidae) **Synonym(s):** *Streptothyris* Meyrick, 1918
- 2023. *Syntomaula* Meyrick, 1914** (Cosmopterigidae) **Synonym(s):** *Syntomaula* Meyrick, 1914; *Bathraula* Meyrick, 1919; *Bathybalia* Diakonoff, 1954
- 2024. *Tenuipenna* Amsel, 1959** (Cosmopterigidae) **Synonym(s):** *Tenuipenna* Amsel, 1959
- 2025. *Tetraconta* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *Tetraconta* Turner, 1932
- 2026. *Tolliella* Riedl, 1969** (Cosmopterigidae) **Synonym(s):** *Tolliella* Riedl, 1969 Original Reference: *Tolliella* Riedl, 1969, *Polskie Pismo ent.* 39: 798. Type-species: *Stagmatophora fulguritella* Ragonot, 1895, *Annls Soc. ent. Fr.* 64 (Bull.): cviii, by original designation.
- 2027. *Trachydora* Meyrick, 1897** (Cosmopterigidae) **Synonym(s):** *Trachydora* Meyrick, 1897
- 2028. *Trissodoris* Meyrick, 1914** (Cosmopterigidae) **Synonym(s):** *Trissodoris* Meyrick, 1914

- 2029. Vulcaniella Riedl,1965** (Cosmopterigidae) Synonym(s): *Vulcaniella Riedl,1965* Original Reference: *Vulcaniella Riedl,1965*, Polskie Pismo ent. 35: 439. Type-species: *Elachista pomposella* Zeller,1839, Isis Oken, Leipzig 1839: 212, by original designation.
- 2030. Xestocasis Meyrick,1914** (Cosmopterigidae) Synonym(s): *Xestocasis Meyrick,1914*
- 2031. Acosma Yakovlev,2011** (Cossidae) Synonym(s): *Acosma Yakovlev,2011*
- 2032. Acossus Dyar,1905** (Cossidae) Synonym(s): *Acossus Dyar,1905*; *Lamellocossus Daniel,1954* Original Reference: *Acossus Dyar,1905*, Proc. U.S. natn. Mus. 29: 178. Type-species: *Cossus undosus* Lintner,1878, by original designation.
- 2033. Aethalopteryx Schoorl,1990** (Cossidae) Synonym(s): *Aethalopteryx Schoorl,1990*
- 2034. Afroarabiella (Meyoarabiella) Yakovlev,2008** (Cossidae) Synonym(s): *Meyoarabiella Yakovlev,2008*
- 2035. Afroarabiella (s.str.) Yakovlev,2008** (Cossidae) Synonym(s): *Afroarabiella Yakovlev,2008*
- 2036. Afroarabiella Yakovlev,2008** (Cossidae) Synonym(s): *Afroarabiella Yakovlev,2008*
- 2037. Aholcocerus Yakovlev,2006** (Cossidae) Synonym(s): *Aholcocerus Yakovlev,2006* Original Reference: *Aholcocerus Yakovlev,2006*, Tinea 19 (3): 200. Type-species: *Aholcocerus ronkayorum* Yakovlev,2006, by original designation.
- 2038. Alcterogystia Schoorl,1990** (Cossidae) Synonym(s): *Alcterogystia Schoorl,1990* Original Reference: *Alcterogystia Schoorl,1990*, Zool. Verh., Leiden 263: 59. Type-species: *Cossus l-nigrum* Bethune-Baker,1894, by original designation.
- 2039. Allocryptobia Viette,1951** (Cossidae) Synonym(s): *Cryptobia Herrich-Schäffer,[1853]*; *Allocryptobia Viette,1951*
- 2040. Alophonotus Schoorl,1990** (Cossidae) Synonym(s): *Alophonotus Schoorl,1990*
- 2041. Aramos Schoorl,1990** (Cossidae) Synonym(s): *Aramos Schoorl,1990*
- 2042. Arctiocossus R.Felder & Rogenhofer,1874** (Cossidae) Synonym(s): *Arctiocossus R.Felder & Rogenhofer,1874* Original Reference: *Arctiocossus R.Felder & Rogenhofer,1874*, Reise öst. Fregatte Novara (Zool.) 2 (2): pl.82, fig.10. Type-species: *Arctiocossus antargyreus* R.Felder & Rogenhofer,1874, by monotypy.
- 2043. Azygophleps Hampson,[1893]** (Cossidae) Synonym(s): *Azygophleps Hampson,[1893]* Original Reference: *Azygophleps Hampson,[1893]*, Fauna Br. India (Moths) 1: 309. Type-species: *Hepialus scalaris* Fabricius,1775, by original designation.
- 2044. Barchaniella Yakovlev,2006** (Cossidae) Synonym(s): *Barchaniella Yakovlev,2006* Original Reference: *Barchaniella Yakovlev,2006*, Eversmannia (Suppl.1): 75-76. Type-species: *Holcocerus inspersus* Christoph,1887, by original designation.
- 2045. Bergaris Schoorl,1990** (Cossidae) Synonym(s): *Bergaris Schoorl,1990*
- 2046. Bifiduncus Chou & Hua,1988** (Cossidae) Synonym(s): *Bifiduncus Chou & Hua,1988*
- 2047. Brachygystia Schoorl,1990** (Cossidae) Synonym(s): *Brachygystia Schoorl,1990*
- 2048. Brachylia R.Felder & Rogenhofer,1874** (Cossidae) Synonym(s): *Brachylia R.Felder & Rogenhofer,1874*
- 2049. Brypoptia Schoorl,1990** (Cossidae) Synonym(s): *Brypoptia Schoorl,1990*
- 2050. Butaya Yakovlev,2005** (Cossidae) Synonym(s): *Butaya Yakovlev,2005*
- 2051. Camellocossus Yakovlev,2011** (Cossidae) Synonym(s): *Camellocossus Yakovlev,2011*
- 2052. Carohamilia Dyar,1940** (Cossidae) Synonym(s): *Carohamilia Dyar,1940*
- 2053. Catopta Staudinger,1899** (Cossidae) Synonym(s): *Catopta Staudinger,1899*; *Newelskoia Groum-Grshimailo,1900*; *Sinicossus Clench,1958* Original Reference: *Catopta Staudinger,1899*, Dt. ent. Z., Iris 12: 157. Type-species: *Catopta albimacula* Staudinger,1899, by original designation.
- 2054. Cecryphalus Schoorl,1990** (Cossidae) Synonym(s): *Cecryphalus Schoorl,1990*
- 2055. Chalcidica Hübner,[1820]** (Cossidae) Synonym(s): *Chalcidica Hübner,[1820]*
- 2056. Chiangmaiana Koçak & Kemal,2005** (Cossidae) Synonym(s): *Nirvana Yakovlev,2005* nec *Kirkaldy,1900*; *Chiangmaiana Koçak & Kemal,2005*; *Nirrvanna Yakovlev,2007* Original Reference: *Chiangmaiana Koçak & Kemal,2005*, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nomen novum pro *Nirvana Yakovlev,2005* nec *Kirkaldy,1900*).
- 2057. Chilecomadia Dyar,1940** (Cossidae) Synonym(s): *Chilecomadia Dyar,1940*; *Diarthrosia Bryk,1945*; *Allocossus Bryk,1945*
- 2058. Comadia Barnes & McDunnough,1911** (Cossidae) Synonym(s): *Comadia Barnes & McDunnough,1911*; *Heterocoma Barnes & McDunnough,1918*
- 2059. Coryphodema R.Felder & Rogenhofer,1874** (Cossidae) Synonym(s): *Coryphodema R.Felder & Rogenhofer,1874*

- 2060. Cossulus Staudinger, 1887** (Cossidae) Synonym(s): *Cossulus Staudinger, 1887*; *Cossulinus Kirby, 1892* Original Reference: Cossulus Staudinger, 1887, Stettin ent. Ztg. 48: 91. Type-species: Cossulus argentatus Staudinger, 1887, by monotypy.
- 2061. Cossus Fabricius, 1793** (Cossidae) Synonym(s): *Cossus Fabricius, 1793*; #*Teredo Hübner, [1806]*; *Lyonetus Rafinesque, 1815*; *Teredo Hübner, 1822 nec Linn., 1758*; *Trypanus Rambur, 1866* Original Reference: Cossus Fabricius, 1793, Ent. Syst. 3 (1): [1]. Type-species: Phalaena cossus Linnaeus, 1758, by absolute tautonymy (Originally no species included, until Fabricius (1794, ibid. 3 (2): [3]).
- 2062. Cryptoholcocerus Yakovlev, 2006** (Cossidae) Synonym(s): *Cryptoholcocerus Yakovlev, 2006* Original Reference: Cryptoholcocerus Yakovlev, 2006, Eversmannia (Suppl.1): 61. Type-species: Cossus mongolicus Erschoff, 1882, by original designation.
- 2063. Dervishiya Yakovlev, 2006** (Cossidae) Synonym(s): *Dervishiya Yakovlev, 2006* Original Reference: Dervishiya Yakovlev, 2006, Tinea 19 (3): 197. Type-species: Cossus cadambae Moore, 1865, by original designation.
- 2064. Deserticossus Yakovlev, 2006** (Cossidae) Synonym(s): *Deserticossus Yakovlev, 2006* Original Reference: Deserticossus Yakovlev, 2006, Eversmannia (Suppl.1): 32. Type-species: Cossus arenicola Staudinger, 1897, by original designation.
- 2065. Dieida Strand, 1911** (Cossidae) Synonym(s): *Dieida Strand, 1911* Original Reference: Dieida Strand, 1911, [in] Stichel, Z. wiss. InsektBiol. 7: 162. Type-species: Dieida persa Strand, 1911, by original designation.
- 2066. Duomitius Butler, 1880** (Cossidae) Synonym(s): *Duomitius Butler, 1880*
- 2067. Dyspessa Hübner, [1820]** (Cossidae) Synonym(s): *Dyspessa Hübner, [1820]*; *Endagria Boisduval, [1837]* Original Reference: Dyspessa Hübner, [1820], Verz. bekannt. Schmett.: 194. Type-species: Phalaena pantherina Hübner, 1790, by subsequent designation by Kirby, 1892.
- 2068. Dyspessacossus Daniel, 1953** (Cossidae) Synonym(s): *Dyspessacossus Daniel, 1953* Original Reference: Dyspessacossus Daniel, 1953, Mitt. münch. ent. Ges. 43: 258. Type-species: Dyspessacossus hadjinensis Daniel, 1953, by original designation.
- 2069. Eburgemellus Schoorl, 1990** (Cossidae) Synonym(s): *Eburgemellus Schoorl, 1990*
- 2070. Endoxyla Herrich-Schäffer, [1853]** (Cossidae) Synonym(s): *Endoxyla Herrich-Schäffer, [1853]*; *Xyrena Herrich-Schäffer, [1854]*; *Cossimorphus Houlbert, 1916*; *Dictyocossus Houlbert, 1916*; *Melanocossus Houlbert, 1916*; *Luzoniella Yakovlev, 2006 nec Karny, 1926*
- 2071. Eogystia Schoorl, 1990** (Cossidae) Synonym(s): *Eogystia Schoorl, 1990*
- 2072. Eremocossus Hampson, 1893** (Cossidae) Synonym(s): *Eremocossus Hampson, 1893*
- 2073. Eulophonotus R. Felder & Rogenhofer, 1874** (Cossidae) Synonym(s): *Eulophonotus R. Felder & Rogenhofer, 1874*; *Engyophlebus Karsch, 1900*; *Calocossus Aurivillius, 1910*; *Zeuzerops Strand, 1910*
- 2074. Fania Barnes & McDunnough, 1911** (Cossidae) Synonym(s): *Fania Barnes & McDunnough, 1911*
- 2075. Franzdanielia Yakovlev, 2006** (Cossidae) Synonym(s): *Franzdanielia Yakovlev, 2006*
- 2076. Givarbela Clench, 1957** (Cossidae) Synonym(s): *Givarbela Clench, 1957*; *Schausisca Gentili, 1985*
- 2077. Givira Walker, 1856** (Cossidae) Synonym(s): *Givira Walker, 1856*; *Eugivira Schaus, 1901*; *Lentagenia Dyar, 1905*; *Stenocyttara Turner, 1918*; *Acyttara Turner, 1918*; *Anastomophleps Hering, 1923*
- 2078. Gobibatyr** (Cossidae) Synonym(s):
- 2079. Groenendaelia Yakovlev, 2005** (Cossidae) Synonym(s): *Groenendaelia Yakovlev, 2005*
- 2080. Hamilcara Barnes & McDunnough, 1910** (Cossidae) Synonym(s): *Hamilcara Barnes & McDunnough, 1910*
- 2081. Hermophyllon Schoorl, 1990** (Cossidae) Synonym(s): *Hermophyllon Schoorl, 1990*
- 2082. Hirtocossus Schoorl, 1990** (Cossidae) Synonym(s): *Hirtocossus Schoorl, 1990*
- 2083. Hirtocossus Schoorl, 1990** (Cossidae) Synonym(s): *Hirtocossus Schoorl, 1990*
- 2084. Holcocerus Staudinger, 1884** (Cossidae) Synonym(s): *Holcocerus Staudinger, 1884* Original Reference: Cossus (Holcocerus) Staudinger, 1884, [in] Romanoff, Mém. Lépid. 1: 139-140. Type-species: Cossus nobilis Staudinger, 1884, by subsequent designation by Kirby, 1892.
- 2085. Hypopta Hübner, [1818]** (Cossidae) Synonym(s): *Hypopta Hübner, [1818]*; *Dolecta Herrich-Schäffer, [1854]*; *Philanglaus Butler, 1882*; *Breyeria Orfila, 1957*
- 2086. Inguromorpha Edwards, 1888** (Cossidae) Synonym(s): *Inguromorpha Edwards, 1888*; *Ravigia Dyar, 1905*
- 2087. Isoceras Turati, 1924** (Cossidae) Synonym(s): *Isoceras Turati, 1924* Original Reference: Isoceras Turati, 1924, Atti Soc. ital. Sci. nat. 63: 51. Type-species: Isoceras kruegeri Turati, 1924, by monotypy.
- 2088. Isocossus Roepke, 1957** (Cossidae) Synonym(s): *Isocossus Roepke, 1957*
- 2089. Koboldocossus Yakovlev, 2011** (Cossidae) Synonym(s): *Koboldocossus Yakovlev, 2011*

- 2090. Kotchevnik Yakovlev, 2005** (Cossidae) Synonym(s): *Kotchevnik Yakovlev, 2005* Original Reference: Kotchevnik Yakovlev, 2005, Atalanta 35 (3/4): 358. Type-species: *Cossus modestus* Staudinger, 1887, by original designation.
- 2091. Lakshmia Yakovlev, 2005** (Cossidae) Synonym(s): *Lakshmia Yakovlev, 2005* Original Reference: Lakshmia Yakovlev, 2005, Atalanta 35 (3/4) [2005]: 347-348. Type-species: *Lakshmia zolotuhini* Yakovlev, 2005, by original designation.
- 2092. Langsdorfia Hübner, [1821]** (Cossidae) Synonym(s): *Langsdorfia Hübner, [1821]*
- 2093. Macrocoossus Aurivillius, 1900** (Cossidae) Synonym(s): *Macrocoossus Aurivillius, 1900*
- 2094. Mahommedella Yakovlev, 2011** (Cossidae) Synonym(s): *Mahommedella Yakovlev, 2011*
- 2095. Meharia Chrétien, 1915** (Cossidae) Synonym(s): *Meharia Chrétien, 1915*; *Blalia Rungs, [1943]* Original Reference: Meharia Chrétien, 1915, Annls Soc. ent. Fr. 84: 367. Type-species: *Meharia incurvariella* Chrétien, 1915, by monotypy.
- 2096. Melisomimas Jordan, 1907** (Cossidae) Synonym(s): *Melisomimas Jordan, 1907*
- 2097. Miacora Dyar, 1905** (Cossidae) Synonym(s): *Miacora Dyar, 1905*
- 2098. Mirocossus Schoorl, 1990** (Cossidae) Synonym(s): *Mirocossus Schoorl, 1990*
- 2099. Mormogystia Schoorl, 1990** (Cossidae) Synonym(s): *Mormogystia Schoorl, 1990*
- 2100. Morpheis Hübner, [1820]** (Cossidae) Synonym(s): *Morpheis Hübner, [1820]*; *Neocossus Houlbert, 1916*; *Xylotrypa Turner, 1918*
- 2101. Neostygia Wiltshire, 1980** (Cossidae) Synonym(s): *Neostygia Wiltshire, 1980*
- 2102. Oreocossus Aurivillius, 1910** (Cossidae) Synonym(s): *Oreocossus Aurivillius, 1910*
- 2103. Panau Schoorl, 1990** (Cossidae) Synonym(s): *Panau Schoorl, 1990*
- 2104. Paracossulus Schoorl, 1990** (Cossidae) Synonym(s): *Paracossulus Schoorl, 1990* Original Reference: Paracossulus Schoorl, 1990, Zool. Verh., Leiden 263: 64. Type-species: *Bombyx thrips* Hübner, 1818, by original designation.
- 2105. Paracossus Hampson, 1904** (Cossidae) Synonym(s): *Paracossus Hampson, 1904*
- 2106. Parahypopta Daniel, 1961** (Cossidae) Synonym(s): *Parahypopta Daniel, 1961* Original Reference: Parahypopta Daniel, 1961, Mitt. münch. ent. Ges. 51: 160. Type-species: *Bombyx caestrum* Hübner, [1808], by original designation.
- 2107. Paralophonotus Schoorl, 1990** (Cossidae) Synonym(s): *Paralophonotus Schoorl, 1990*
- 2108. Paropta Staudinger, 1900** (Cossidae) Synonym(s): *Paropta Staudinger, 1900* Original Reference: Paropta Staudinger, 1900, Dt. ent. Z., Iris 12: 159. Type-species: *Cossus paradoxus* Herrich-Schäffer, [1851], by original designation.
- 2109. Patoptoformis Yakovlev, 2006** (Cossidae) Synonym(s): *Patoptoformis Yakovlev, 2006* Original Reference: Patoptoformis Yakovlev, 2006, Tinea 19 (3): 203. Type-species: *Patoptoformis hanuman* Yakovlev, 2006, by original designation.
- 2110. Pecticossus Gaede, 1930** (Cossidae) Synonym(s): *Pecticossus Gaede, 1930*
- 2111. Philiodoron Clench, 1957** (Cossidae) Synonym(s): *Philiodoron Clench, 1957*
- 2112. Phragmacossia Schawerda, 1924** (Cossidae) Synonym(s): *Phragmacossia Schawerda, 1924* Original Reference: Phragmacossia Schawerda, 1924, Verh. zool.-bot. Ges. Wien 73 (Abh.): (161). Type-species: *Phragmataecia reticulata* Püngeler, 1900, by subsequent designation by Gaede, 1933.
- 2113. Phragmataecia Newman, 1850** (Cossidae) Synonym(s): *Phragmataecia Newman, 1850*; *Macrogaster Duponchel, [1845] nec Thunb., 1805* Original Reference: Phragmataecia Newman, 1850, Zoologist 8: 2931. Type-species: *Noctua arundinis* Hübner, [1808], by monotypy.
- 2114. Planctogystia Schoorl, 1990** (Cossidae) Synonym(s): *Planctogystia Schoorl, 1990*
- 2115. Plyustchiella Yakovlev, 2006** (Cossidae) Synonym(s): *Plyustchiella Yakovlev, 2006* Original Reference: Plyustchiella Yakovlev, 2006, Eversmannia (Suppl.1): 80. Type-species: *Holcocerus gracilis* Christoph, 1887, by original designation.
- 2116. Pomeria Barnes & McDunnough, 1911** (Cossidae) Synonym(s): *Pomeria Barnes & McDunnough, 1911*
- 2117. Prionoxystus Grote, 1882** (Cossidae) Synonym(s): *Xystus Grote, 1874*; *Prionoxystus Grote, 1882*
- 2118. Pseudozeuzera Schoorl, 1990** (Cossidae) Synonym(s): *Pseudozeuzera Schoorl, 1990*
- 2119. Psychidocossus D.S.Fletcher, 1982** (Cossidae) Synonym(s): *Psychopsis Dyar, 1940*; *Psychidocossus D.S.Fletcher, 1982*
- 2120. Psychogena Schaus, 1911** (Cossidae) Synonym(s): *Psychogena Schaus, 1911*
- 2121. Psychonoctua Grote, 1865** (Cossidae) Synonym(s): *Psychonoctua Grote, 1865*
- 2122. Puseyia Dyar, 1940** (Cossidae) Synonym(s): *Puseyia Dyar, 1940*

- 2123. Rambuasalama Yakovlev & Saldaitis,2008** (Cossidae) Synonym(s): *Rambuasalama Yakovlev & Saldaitis,2008*
- 2124. Rapdalus Schoorl,1990** (Cossidae) Synonym(s): *Rapdalus Schoorl,1990*
- 2125. Relluna Schoorl,1990** (Cossidae) Synonym(s): *Relluna Schoorl,1990*
- 2126. Rethona Walker,1855** (Cossidae) Synonym(s): *Rethona Walker,1855*
- 2127. Rhizocossus Clench,1957** (Cossidae) Synonym(s): *Rhizocossus Clench,1957*
- 2128. Rugigerat Schoorl,1990** (Cossidae) Synonym(s): *Rugigerat Schoorl,1990*
- 2129. Sansara Yakovlev,2005** (Cossidae) Synonym(s): *Sansara Yakovlev,2005*
- 2130. Semagystia Schoorl,1990** (Cossidae) Synonym(s): *Semagystia Schoorl,1990*; #*Samagystia De Freina,1994* Original Reference: *Semagystia Schoorl,1990, Zool. Verh., Leiden 263: 84.* Type-species: *Endagria agilis* Christoph,1884, by original designation.
- 2131. Semitocossus Yakovlev,2007** (Cossidae) Synonym(s): *Semitocossus Yakovlev,2007* Original Reference: *Semitocossus Yakovlev,2007, Eversmannia 11-12: 7.* Type-species: *Paropta johannes* Staudinger,1899, by original designation.
- 2132. Skeletohyllon Schoorl,1990** (Cossidae) Synonym(s): *Skeletohyllon Schoorl,1990*
- 2133. Strigocossus Houlbert,1916** (Cossidae) Synonym(s): *Strigocossus Houlbert,1916*; *Xylocossus Houlbert,1916*
- 2134. Stygia Latreille,1803** (Cossidae) Synonym(s): *Stygia Latreille,1803*; *Cryphia* Meigen,1830 *nec* Hbn.,1818; *Hyalida Sodoffsky,1837*
- 2135. Stygioides Bruand,1853** (Cossidae) Synonym(s): *Stygioides Bruand,1853*; *Bruandia Desmarest,1857*; *Psychidostygia Daniel,1955*; *Danielostygia Reisser,1962* Original Reference: *Stygioides Bruand,1853, Mém. Soc. Emul. Doubs (2) 3: 18.* Type-species: *Stygia colchica* Herrich-Schäffer,1851, Syst. Bearbeitung Schmett. Eur. 2: Hepialides & Cossides pl.2, fig.10, by monotypy.
- 2136. Sundacossus Yakovlev,2006** (Cossidae) Synonym(s): *Sundacossus Yakovlev,2006*
- 2137. Sympycnodes Turner,1932** (Cossidae) Synonym(s): *Sympycnodes Turner,1932*
- 2138. Tarsozeuzera Schoorl,1990** (Cossidae) Synonym(s): *Tarsozeuzera Schoorl,1990*
- 2139. Tornia Barnes & McDunnough,1911** (Cossidae) Synonym(s): *Tornia Barnes & McDunnough,1911*
- 2140. Trismelasmos Schoorl,1990** (Cossidae) Synonym(s): *Trismelasmos Schoorl,1990*
- 2141. Vartiania Yakovlev,2005** (Cossidae) Synonym(s): *Vartiania Yakovlev,2005* Original Reference: *Vartiania Yakovlev,2005, Atalanta 35 (3/4): 365.* Type-species: *Vartiania zaratustra* Yakovlev,2005, by original designation.
- 2142. Voousia Schoorl,1990** (Cossidae) Synonym(s): *Voousia Schoorl,1990*
- 2143. Wiltshirocossus Yakovlev,2007** (Cossidae) Synonym(s): *Wiltshirocossus Yakovlev,2007*
- 2144. Wittocossus Yakovlev,2005** (Cossidae) Synonym(s): *Wittocossus Yakovlev,2005*
- 2145. Xyleutes Hübner,[1820]** (Cossidae) Synonym(s): *Xyleutes Hübner,[1820]*; *Strigoides Guérin-Méneville,[1844]*; *Hinnaeya Moore,1883*; *Melanostrigus Houlbert,1916*
- 2146. Yakovlevina Kemal & Koçak,2005** (Cossidae) Synonym(s): *Garuda Yakovlev,2005 nec* Scherer,1969; *Yakovlevina Kemal & Koçak,2005*; *Garrudiella Yakovlev,2007* Original Reference: *Yakovlevina Koçak & Kemal,2005, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nomen novum pro Garuda Yakovlev,2005 nec Scherer,1969).*
- 2147. Zeuzera Latreille,1804** (Cossidae) Synonym(s): *Zeuzera Latreille,1804*; *Aegolia Billberg,1820*; *Latagia Hübner,[1820]* Original Reference: *Zeuzera Latreille,1804, Nouv. Dict. Hist. nat. 24: 186.* Type-species: *Phalaena aesculi* Linnaeus,1767, by monotypy.
- 2148. Zeuzeropecten Gaede,1930** (Cossidae) Synonym(s): *Zeuzeropecten Gaede,1930*
- 2149. Crinopteryx Peyerimhoff,1871** (Crinopterygidae) Synonym(s): *Crinopteryx Peyerimhoff,1871*
- 2150. Abrochia Herrich-Schäffer,1855** (Ctenuchidae) Synonym(s): *Abrochia Herrich-Schäffer,1855*; *Chrysostola Herrich-Schäffer,1855*; *Sphecopseche Dognin,1898*; *Pseudoargyrodes Klages*
- 2151. Aclytia Hübner,[1819]** (Ctenuchidae) Synonym(s): *Aclytia Hübner,[1819]*
- 2152. Agyrta Hübner,[1820]** (Ctenuchidae) Synonym(s): *Agyrta Hübner,[1820]*; *Corydalla Walker,1856 nec* Vigers,1826; *Evagra Boisduval,1870*
- 2153. Agyrtidia Hampson,1898** (Ctenuchidae) Synonym(s): *Agyrtidia Hampson,1898*
- 2154. Amata Fabricius,1807** (Ctenuchidae) Synonym(s): *Amata Fabricius,1807*; *Syntomis Ochsenheimer,1808*; *Coenochromia Hübner,[1819]*; *Syntoma Billberg,1820*; *Hydrusa Walker,1854*; *Asinusca Wallengren,1862*; #*Asinutea Wallengren,1863*; *Buthysia Wallengren,1863*; #*Buthisia Walker,1866*; #*Synthomis Mabille,1892*; *Leopoldina Hering,1934.* Original Reference: *Amata Fabricius,1807, Magazin*

Insektenk. (Illiger) 6: 289. Type-species: *Zygaena passalis* Fabricius, 1781, by subsequent designation by Hampson, 1898.

- 2155. Andrenimorpha Butler, 1876** (Ctenuchidae) Synonym(s): *Andrenimorpha* Butler, 1876
- 2156. Antichloris Hübner, [1818]** (Ctenuchidae) Synonym(s): *Antichloris* Hübner, [1818]
- 2157. Apisa Walker, 1855** (Ctenuchidae) Synonym(s): *Apisa* Walker, 1855; *Anace* Walker, 1856; *Parapisa* Kiriakoff, 1952; *Dufraneella* Kiriakoff, 1953
- 2158. Argyroeides Butler, 1876** (Ctenuchidae) Synonym(s): *Argyroeides* Butler, 1876
- 2159. Athyphopsis** (Ctenuchidae) Synonym(s):
- 2160. Auriculoceryx Holloway, 1988** (Ctenuchidae) Synonym(s): *Auriculoceryx* Holloway, 1988
- 2161. Autochloris Hübner, [1819]** (Ctenuchidae) Synonym(s): *Autochloris* Hübner, [1819]
- 2162. Cacosoma Felder, 1874** (Ctenuchidae) Synonym(s): *Cacosoma* Felder, 1874
- 2163. Cacostatia Hampson, 1898** (Ctenuchidae) Synonym(s): *Cacostatia* Hampson, 1898
- 2164. Caeneressa Watson, D.S.Fletcher & Nye, 1980** (Ctenuchidae) Synonym(s):
#*Caeneressa* Obraztsov, 1957; *Caeneressa* Watson, D.S.Fletcher & Nye, 1980 Original Reference:
Caeneressa Watson, D.S.Fletcher & Nye, 1980, Generic names of moths of the World 2: 28. Type-species: *Syntomis diaphana* Kollar, [1844], by original designation.
- 2165. Callitomis Butler, 1876** (Ctenuchidae) Synonym(s): *Callitomis* Butler, 1876; #*Callitornis* Neave, 1939 Original Reference: *Callitomis* Butler, 1876, J. Linn. Soc. (Zool.) 12: 351. Type-species: *Callitomis syntomoides* Butler, 1876, by original designation.
- 2166. Calonotos Hübner, [1819]** (Ctenuchidae) Synonym(s): *Calonotos* Hübner, [1819]; *Calonotus* Agassiz, 1846
- 2167. Centronia Hübner, [1818]** (Ctenuchidae) Synonym(s): *Centronia* Hübner, [1818]
- 2168. Ceramidia Butler, 1876** (Ctenuchidae) Synonym(s): *Ceramidia* Butler, 1876
- 2169. Ceryx Wallengren, 1863** (Ctenuchidae) Synonym(s): *Ceryx* Wallengren, 1863; *Agaphthora* Meyrick, 1886; *Syntomoides* Hampson, 1892
- 2170. Chrostosoma Hübner, [1819]** (Ctenuchidae) Synonym(s): *Chrostosoma* Hübner, [1819]
- 2171. Clystea Watson, 1980** (Ctenuchidae) Synonym(s): *Scytale* R.Felder, 1874 (praeocc.); *Clystea* Watson, 1980
- 2172. Corematura Butler, 1876** (Ctenuchidae) Synonym(s): *Corematura* Butler, 1876
- 2173. Correbidia Hampson, 1898** (Ctenuchidae) Synonym(s): *Correbidia* Hampson, 1898
- 2174. Delphyre Walker, 1854** (Ctenuchidae) Synonym(s): *Delphyre* Walker, 1854
- 2175. Dinia Walker, 1854** (Ctenuchidae) Synonym(s): *Dinia* Walker, 1854; *Haematerion* Herrich-Schäffer, 1855; *Lasioprocta* Wallengren, 1858
- 2176. Diptilon Prittwitz, 1870** (Ctenuchidae) Synonym(s): *Diptilon* Prittwitz, 1870; *Aethriopsis* Schrottky, 1910; #*Diptilon* Grados, 1999
- 2177. Dixophlebia Butler, 1876** (Ctenuchidae) Synonym(s): *Dixophlebia* Butler, 1876
- 2178. Dysauxes (Adauctis) Ignatyev & Zolotuhin, 2006** (Ctenuchidae) Synonym(s):
Adauctis Ignatyev & Zolotuhin, 2006 Original Reference: *Dysauxes* (Adauctis) Ignatyev & Zolotuhin, 2006, Eversmannia 6: 40. Type-species: *Bombyx punctata* Fabricius, 1781, by original designation.
- 2179. Dysauxes (s.str.) Hübner, [1819]** (Ctenuchidae) Synonym(s): *Dysauxes* Hübner, [1819]; *Naclia* Boisduval, 1840; *Parauxes* De Laever, 1983. Original Reference: *Dysauxes* Hübner, [1819], Verz. bekannt. Schmett.: 171. Type-species: *Phalaena ancilla* Linnaeus, 1767, by subsequent designation by Kirby, 1892.
- 2180. Dysauxes Hübner, [1819]** (Ctenuchidae) Synonym(s): *Dysauxes* Hübner, [1819]; *Naclia* Boisduval, 1840; *Parauxes* De Laever, 1983. Original Reference: *Dysauxes* Hübner, [1819], Verz. bekannt. Schmett.: 171. Type-species: *Phalaena ancilla* Linnaeus, 1767, by subsequent designation by Kirby, 1892.
- 2181. Ecdemus Herrich-Schäffer, 1855** (Ctenuchidae) Synonym(s): *Ecdemus* Herrich-Schäffer, 1855
- 2182. Epanycles Butler, 1876** (Ctenuchidae) Synonym(s): *Epanycles* Butler, 1876
- 2183. Epidesma Hübner, [1819]** (Ctenuchidae) Synonym(s): *Epidesma* Hübner, [1819]
- 2184. Epitoxis Wallengren, 1863** (Ctenuchidae) Synonym(s): *Epitoxis* Wallengren, 1863
- 2185. Eressa Walker, 1854** (Ctenuchidae) Synonym(s): *Eressa* Walker, 1854; *Ctenandra* C.Felder, 1861; *Trianeura* Butler, 1876; *Choromeles* Meyrick, 1886; #*Chloromeles* Hampson, 1898 Original Reference: *Eressa* Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type-species: *Glaucopis* (*Eressa*) *confinis* Walker, 1854, by monotypy.
- 2186. Eressades Bethune-Baker, 1911** (Ctenuchidae) Synonym(s): *Eressades* Bethune-Baker, 1911
- 2187. Eucereon Hübner, [1819]** (Ctenuchidae) Synonym(s): *Eucereon* Hübner, [1819]

- 2188. *Euchromia* Hübner,[1819]** (Ctenuchidae) Synonym(s): *Euchromia* Hübner,[1819]; *Hira* Walker,1854; *Phalanna* Walker,1854
- 2189. *Euclera* Herrich-Schäffer,[1856]** (Ctenuchidae) Synonym(s): *Euclera* Herrich-Schäffer,[1856]
- 2190. *Eutomis* Hübner,[1819]** (Ctenuchidae) Synonym(s): *Eutomis* Hübner,[1819]
- 2191. *Hampsonata* De Freina,2008** (Ctenuchidae) Synonym(s): *Hampsonata* De Freina,2008
Original Reference: *Hampsonata* De Freina,2008, Mitt. münch. ent. Ges. 98: 14. Type-species: *Hampsonata natalithala* De Freina,2008, by original designation.
- 2192. *Heliura* Butler,1876** (Ctenuchidae) Synonym(s): *Heliura* Butler,1876; #*Heluira* Schaus,1889
- 2193. *Herea* Walker,1854** (Ctenuchidae) Synonym(s): *Herea* Walker,1854
- 2194. *Heterodontia* R.Felder,1874** (Ctenuchidae) Synonym(s): *Heterodontia* R.Felder,1874
- 2195. *Histioea* Walker,1854** (Ctenuchidae) Synonym(s): *Histioea* Walker,1854; *Histixea* Rothschild,1911
- 2196. *Hyalaethea* Butler,1887** (Ctenuchidae) Synonym(s): *Hyalaethea* Butler,1887
- 2197. *Hyaleucerea* Butler,1875** (Ctenuchidae) Synonym(s): *Hyaleucerea* Butler,1875
- 2198. *Hyda* Walker,1854** (Ctenuchidae) Synonym(s): *Hyda* Walker,1854
- 2199. *Hypocladia* Hampson,1898** (Ctenuchidae) Synonym(s): *Hypocladia* Hampson,1898
- 2200. *Isanthrene* Hübner,[1819]** (Ctenuchidae) Synonym(s): *Isanthrene* Hübner,[1819]
- 2201. *Leucotmemis* Butler,1876** (Ctenuchidae) Synonym(s): *Leucotmemis* Butler,1876
- 2202. *Loxophlebia* Butler,1876** (Ctenuchidae) Synonym(s): *Loxophlebia* Butler,1876
- 2203. *Lymire* Walker,1854** (Ctenuchidae) Synonym(s): *Lymire* Walker,1854 Original
Reference: *Lymire* Walker,1854, List Specimens Lep. Ins. Brit. Mus. 2: 489.
- 2204. *Macrocneme* Hübner,1818** (Ctenuchidae) Synonym(s): *Macrocneme* Hübner,1818
- 2205. *Meganaclia* Aurivillius,1892** (Ctenuchidae) Synonym(s): *Meganaclia* Aurivillius,1892
- 2206. *Mesothera* Druce,1898** (Ctenuchidae) Synonym(s): *Mesothera* Druce,1898
- 2207. *Metastatia* Butler,1876** (Ctenuchidae) Synonym(s): *Metastatia* Butler,1876
- 2208. *Micronaclia* Hampson,1898** (Ctenuchidae) Synonym(s): *Micronaclia* Hampson,1898
- 2209. *Myrmecopsis* Newman,1850** (Ctenuchidae) Synonym(s): *Myrmecopsis* Newman,1850
- 2210. *Neeressa* Hampson,1905** (Ctenuchidae) Synonym(s): *Neeressa* Hampson,1905
- 2211. *Orcynia* Walker,1854** (Ctenuchidae) Synonym(s): *Orcynia* Walker,1854
- 2212. *Osmocneme* Draudt,1915** (Ctenuchidae) Synonym(s): *Osmocneme* Draudt,1915
- 2213. *Paraethria* Hampson,1898** (Ctenuchidae) Synonym(s): *Paraethria* Hampson,1898
- 2214. *Paralaethia* Hampson,1907** (Ctenuchidae) Synonym(s): *Paralaethia* Hampson,1907
- 2215. *Patrelia* Hampson,1898** (Ctenuchidae) Synonym(s): *Patrelia* Hampson,1898
- 2216. *Patrelia capys* (Cramer,[1775])** (Ctenuchidae) Synonym(s): *capys* Cramer,[1775]
- 2217. *Phaeospecia* Hampson,1898** (Ctenuchidae) Synonym(s): *Phaeospecia* Hampson,1898
- 2218. *Pheia* Walker,1854** (Ctenuchidae) Synonym(s): *Pheia* Walker,1854; #*Phia* Zerny,1912
- 2219. *Phoenicoprocta* Hampson,1898** (Ctenuchidae) Synonym(s): *Hyela* Walker,1854 nec *Stph.*,1850; *Phoenicoprocta* Hampson,1898
- 2220. *Pionia* Walker,1854** (Ctenuchidae) Synonym(s): *Pionia* Walker,1854
- 2221. *Pleurosoma* Orfila,1935** (Ctenuchidae) Synonym(s): *Pleurosoma* Orfila,1935 (? nec Guérin-Ménéville,1844); *Astridia* Kiriakoff,1948
- 2222. *Poecilosoma* Hübner,[1819]** (Ctenuchidae) Synonym(s): *Poecilosoma* Hübner,[1819]
- 2223. *Poliopastea* Hampson,1898** (Ctenuchidae) Synonym(s): *Poliopastea* Hampson,1898; *Chrysocneme* Draudt,1917
- 2224. *Pompiliodes* Hampson,1898** (Ctenuchidae) Synonym(s): *Pompiliodes* Hampson,1898
- 2225. *Pseudaclytia* Butler,1876** (Ctenuchidae) Synonym(s): *Pseudaclytia* Butler,1876
- 2226. *Pseudoceryx* Rothschild,1910** (Ctenuchidae) Synonym(s): *Pseudoceryx* Rothschild,1910
- 2227. *Pseudocharis* Druce,1884** (Ctenuchidae) Synonym(s): *Pseudocharis* Druce,1884
- 2228. *Pseudomya* Hübner,[1819]** (Ctenuchidae) Synonym(s): *Pseudomya* Hübner,[1819]
- 2229. *Pseudonaclia* Butler,1876** (Ctenuchidae) Synonym(s): *Pseudonaclia* Butler,1876
- 2230. *Pseudosphenoptera* Butler,1876** (Ctenuchidae) Synonym(s): *Pseudosphenoptera* Butler,1876
- 2231. *Pseudosphex* Hübner,1818** (Ctenuchidae) Synonym(s): *Pseudosphex* Hübner,1818; *Myrmecopsis* Newman,1850; *Sphecopsis* R.Felder,1874
- 2232. *Psychotoe* Boisduval,1829** (Ctenuchidae) Synonym(s): *Psychotoe* Boisduval,1829; *Cacosoma* R.Felder & Rogenhofer,1869
- 2233. *Psoloptera* Butler,1876** (Ctenuchidae) Synonym(s): *Psoloptera* Butler,1876

- 2234. Ptychotricos Schaus,1894** (Ctenuchidae) **Synonym(s):** *Ptychotricos Schaus,1894*;
#*Ptychotrichus Zerny,1912*
- 2235. Rhynchopyga R.Felder,1874** (Ctenuchidae) **Synonym(s):** *Rhynchopyga R.Felder,1874*
- 2236. Sarosa Walker,1854** (Ctenuchidae) **Synonym(s):** *Sarosa Walker,1854*
- 2237. Schasiura Butler,1877** (Ctenuchidae) **Synonym(s):** *Schasiura Butler,1877*
- 2238. Sciopsyche Butler,1876** (Ctenuchidae) **Synonym(s):** *Sciopsyche Butler,1876*
- 2239. Sesiura Hampson,1898** (Ctenuchidae) **Synonym(s):** *Sesiura Hampson,1898*
- 2240. Sphecops Orfila,1935** (Ctenuchidae) **Synonym(s):** *Sphecops Orfila,1935*
- 2241. Sphecosoma Butler,1876** (Ctenuchidae) **Synonym(s):** *Sphecosoma Butler,1876*
- 2242. Stictonaclia Hampson,1898** (Ctenuchidae) **Synonym(s):** *Stictonaclia Hampson,1898*
- 2243. Streptophlebia Hampson,1898** (Ctenuchidae) **Synonym(s):** *Streptophlebia Hampson,1898*;
Thylacoptera Hampson,1898; *Symphlebomis Hampson,1905*; *Crinophora Kaye,1918*
- 2244. Symphlebomis Hampson,1905** (Ctenuchidae) **Synonym(s):** *Symphlebomis Hampson,1905*
- 2245. Syntomoides Hampson,1892** (Ctenuchidae) **Synonym(s):** *Syntomoides Hampson,1892*
- 2246. Syntrichura Butler,1876** (Ctenuchidae) **Synonym(s):** *Syntrichura Butler,1876*
- 2247. Telioneura R.Felder,1874** (Ctenuchidae) **Synonym(s):** *Telioneura R.Felder,1874*
- 2248. Theages Walker,1855** (Ctenuchidae) **Synonym(s):** *Theages Walker,1855*
- 2249. Thylacoptera Hampson,1898** (Ctenuchidae) **Synonym(s):** *Thylacoptera Hampson,1898*
- 2250. Thyrogonia Hampson,1898** (Ctenuchidae) **Synonym(s):** *Thyrogonia Hampson,1898*
- 2251. Thyrosticta Hampson,1898** (Ctenuchidae) **Synonym(s):** *Thyrosticta Hampson,1898*
- 2252. Timalus Watson,1980** (Ctenuchidae) **Synonym(s):** *Timalus Watson,1980*
- 2253. Tipulodes Boisduval,1832** (Ctenuchidae) **Synonym(s):** *Tipulodes Boisduval,1832*
- 2254. Trichaeta Swinhoe,1892** (Ctenuchidae) **Synonym(s):** *Trichaeta Swinhoe,1892*
- 2255. Trichaetoides Holloway,1988** (Ctenuchidae) **Synonym(s):** *Trichaetoides Holloway,1988*
- 2256. Trichura Hübner,[1819]** (Ctenuchidae) **Synonym(s):** *Trichura Hübner,[1819]*
- 2257. Tritonaclia Hampson,1898** (Ctenuchidae) **Synonym(s):** *Tritonaclia Hampson,1898*
- 2258. Uranophora Hübner,[1831]** (Ctenuchidae) **Synonym(s):** *Uranophora Hübner,[1831]*
- 2259. Urolosia Druce,1898** (Ctenuchidae) **Synonym(s):** *Urolosia Druce,1898*
- 2260. Xanthopleura Hampson,1898** (Ctenuchidae) **Synonym(s):** *Xanthopleura Hampson,1898*
- 2261. Cyclidia Guenée,[1858]** (Cyclidiidae) **Synonym(s):** *Cyclidia Guenée,[1858]*; *Nelcynda Walker,1862*; *Haloplia Snellen,1892*; *Euchera Hampson,[1893] nec Hbn.,[1825]*
- 2262. Cyclotorna Meyrick,1907** (Cyclotornidae) **Synonym(s):** *Cyclotorna Meyrick,1907*
- 2263. Syringopais M.Hering,1919** (Deoclonidae) **Synonym(s):** *Syringopais M.Hering,1919*;
Nochelodes Meyrick,1920 **Original Reference:** *Syringopais M.Hering,1919, Dt. ent. Z., Iris 32: 129.*
Type-species: *Oecophora temperatella Lederer,1855*, by original designation.
- 2264. Klimeschia Amsel,1938** (Douglassiidae) **Synonym(s):** *Klimeschia Amsel,1938* **Original Reference:** *Klimeschia Amsel,1938, Dt. ent. Z. Iris 52: 89.* Type-species: *Klimeschia lutumella Amsel,1938*, ibidem 52:89, fig., by original designation.
- 2265. Tinagma Zeller,1839** (Douglassiidae) **Synonym(s):** *Tinagma Zeller,1839* **Original Reference:** *Tinagma Zeller,1839, Isis Oken Leipzig 1839: 203.* Type-species: *Aechmia perdicella Zeller,1839*, ibidem 1839: 204, by subsequent designation by Fletcher,1929, Mem. Dep. Agric. India (Ent.) 11: 223.
- 2266. Agnidra Moore,1868** (Drepanidae) **Synonym(s):** *Agnidra Moore,1868*; *Zanclalbara Inoue,1962*
- 2267. Albara Walker,1866** (Drepanidae) **Synonym(s):** *Albara Walker,1866*; #*Albaria Walker,1866*
- 2268. Amphitorna Turner,1911** (Drepanidae) **Synonym(s):** *Cyclura W.Warren,1897 nec Harlan,1825*; *Amphitorna Turner,1911*; *Kosemponiola Strand,[1917]*; *Tomocerota Matsumura,1921*; *Neoreta W.Warren,1921*; *Procampsis W.Warren,1923*
- 2269. Archidrepana W.Warren,1902** (Drepanidae) **Synonym(s):** *Archidrepana W.Warren,1902*
- 2270. Ausaris Walker,1863** (Drepanidae) **Synonym(s):** *Damna Walker,1863*; *Ausaris Walker,1863*;
Drepanulides Motschulsky,1866; *Ticilia Walker,1865*; *Drepanula Gaede,1914 nec Fröh.,1828*; *Drepanulina Gaede,1927*
- 2271. Auzatellodes Strand,1916** (Drepanidae) **Synonym(s):** *Auzatellodes Strand,1916*
- 2272. Callidrepana R.Felder,1861** (Drepanidae) **Synonym(s):** *Callidrepana R.Felder,1861*
- 2273. Canucha Walker,1866** (Drepanidae) **Synonym(s):** *Canucha Walker,1866*
- 2274. Cilix Leach,[1815]** (Drepanidae) **Synonym(s):** *Cilix Leach,[1815]*; *Euclea Hübner,[1819]*; #*Cilyx Blanchard,1840* **Original Reference:** *Cilix Leach,[1815], [in] Brewster, Edinburgh Encycl. 9 (1830): 135.* Type-species: *Bombyx compressa Fabricius,1777*, by monotypy.
- 2275. Crocinis Butler,1879** (Drepanidae) **Synonym(s):** *Crocinis Butler,1879*; *Drapena Gaede,1927*
- 2276. Crucidava Holloway,1998** (Drepanidae) **Synonym(s):** *Crucidava Holloway,1998*

- 2277. Ditrigona Moore, 1888** (Drepanidae) Synonym(s): *Ditrigona* Moore, 1888; *Thaleridia* Moore, 1888; *Peridrepana* Butler, 1889; *Leucodrepana* Hampson, [1893]; *Leucodrepanilla* Strand, 1911; *Auzatella* Strand, 1916
- 2278. Drapetodes Guenée, [1858]** (Drepanidae) Synonym(s): *Drapetodes* Guenée, [1858]
- 2279. Drepana Schrank, 1802** (Drepanidae) Synonym(s): *Drepana* Schrank, 1802; *Syssaura* Hübner, [1819]; *Cleopteryx* Gistel, 1848 Original Reference: *Drepana* Schrank, 1802, *Fauna boica* 2 (2): 155. Type-species: *Phalaena falcatoria* Linnaeus, 1758, by subsequent designation by Westwood, 1840 (included as *Bombyx falcula*).
- 2280. Epicampoptera Bryk, 1913** (Drepanidae) Synonym(s): *Epicampoptera* Bryk, 1913; *Metadrepna* Hampson, 1914
- 2281. Euphalacra W. Warren, 1897** (Drepanidae) Synonym(s): *Euphalacra* W. Warren, 1897
- 2282. Falcaria Haworth, 1809** (Drepanidae) Synonym(s): *Falcaria* Haworth, 1809; *Prionia* Hübner, [1819]; *Edapteryx* Packard, 1864
- 2283. Gogana Walker, [1866]** (Drepanidae) Synonym(s): *Gogana* Walker, [1866] Original Reference: *Gogana* Walker, [1866], *List Specimens lepid. Insects Colln Br. Mus.* 34: 1219. Type-species: *Gogana specularis* Walker, [1866], by monotypy.
- 2284. Gonoreta W. Warren, 1902** (Drepanidae) Synonym(s): *Gonoreta* W. Warren, 1902; *Lomadontophana* Bryk, 1913
- 2285. Gonoretodes Watson, 1965** (Drepanidae) Synonym(s): *Gonoretodes* Watson, 1965
- 2286. Hyalospectra W. Warren, 1906** (Drepanidae) Synonym(s): *Hyalospectra* W. Warren, 1906
- 2287. Hyalostola Hampson, 1914** (Drepanidae) Synonym(s): *Hyalostola* Hampson, 1914
- 2288. Hypsomadius Butler, 1877** (Drepanidae) Synonym(s): *Hypsomadius* Butler, 1877
- 2289. Isospidia Watson, 1965** (Drepanidae) Synonym(s): *Isospidia* Watson, 1965
- 2290. Leucoblepsis W. Warren, 1922** (Drepanidae) Synonym(s): *Leucoblepsis* W. Warren, 1922
- 2291. Macrauzata Butler, 1889** (Drepanidae) Synonym(s): *Macrauzata* Butler, 1889
- 2292. Macrocilix Butler, 1886** (Drepanidae) Synonym(s): *Macrocilix* Butler, 1886
- 2293. Microblepsis W. Warren, 1922** (Drepanidae) Synonym(s): *Microblepsis* W. Warren, 1922
- 2294. Negera Walker, 1855** (Drepanidae) Synonym(s): *Negera* Walker, 1855; *Ctenogyna* R. Felder, 1874 nec Mcq., 1838; *Pithania* Bryk, 1913; *Ancistrina* Gaede, 1965
- 2295. Nidara Mabilie, 1897** (Drepanidae) Synonym(s): *Nidara* Mabilie, 1897
- 2296. Nordstromia Bryk, 1943** (Drepanidae) Synonym(s): *Nordstromia* Bryk, 1943 Original Reference: *Nordstromia* Bryk, 1943, *Ark. Zool.* 34 (A13): 12. Type-species: *Nordstromia amabilis* Bryk, 1943, by original designation.
- 2297. Oreta Walker, 1855** (Drepanidae) Synonym(s): *Oreta* Walker, 1855; *Dryopteris* Grote, 1862; *Holoreta* W. Warren, 1902; *Oretella* Strand, [1916]; *Psiloreta* W. Warren, 1923; *Mimoreta* Matsumura, 1927; *Rhamphoreta* Bryk, 1943
- 2298. Oretopsis Watson, 1965** (Drepanidae) Synonym(s): *Oretopsis* Watson, 1965
- 2299. Paralbara Watson, 1968** (Drepanidae) Synonym(s): *Paralbara* Watson, 1968
- 2300. Phalacra Walker, 1866** (Drepanidae) Synonym(s): *Phalacra* Walker, 1866
- 2301. Pseuderosia Snellen, 1889** (Drepanidae) Synonym(s): *Pseuderosia* Snellen, 1889
- 2302. Sabra Bode, 1907** (Drepanidae) Synonym(s): *Sabra* Bode, 1907; *Palaeodrepana* Inoue, 1962
- 2303. Scytalopteryx Ritsema, 1890** (Drepanidae) Synonym(s): *Phyllopteryx* Ritsema, 1889 (*praeocc.*); *Scytalopteryx* Ritsema, 1890
- 2304. Sewa Swinhoe, 1900** (Drepanidae) Synonym(s): *Sewa Swinhoe*, 1900
- 2305. Spectroreta W. Warren, 1903** (Drepanidae) Synonym(s): *Spectroreta* W. Warren, 1903
- 2306. Spidia Butler, 1878** (Drepanidae) Synonym(s): *Spidia* Butler, 1878; *Hemictenarcha* W. Warren, 1898; *Phalacrothyris* W. Warren, 1899
- 2307. Strepsigonia W. Warren, 1897** (Drepanidae) Synonym(s): *Strepsigonia* W. Warren, 1897
- 2308. Streptoperas Hampson, 1895** (Drepanidae) Synonym(s): *Streptoperas* Hampson, 1895; *#Streptopteris* Swinhoe, 1902
- 2309. Teldenia Moore, 1883** (Drepanidae) Synonym(s): *Teldenia* Moore, 1883
- 2310. Tridrepana Swinhoe, 1895** (Drepanidae) Synonym(s): *Tridrepana* Swinhoe, 1895
- 2311. Uranometra Bryk, 1913** (Drepanidae) Synonym(s): *Uranometra* Bryk, 1913
- 2312. Watsonalla Minet, 1985** (Drepanidae) Synonym(s): *Watsonalla* Minet, 1985 Original Reference: *Watsonalla* Minet, 1985, *Ent. Gall.* 1 (4): 292. Type-species: *Phalaena binaria* Hufnagel, 1767, by original designation.
- 2313. Zusidava Walker, 1862** (Drepanidae) Synonym(s): *Zusidava* Walker, 1862
- 2314. Dudgeonea Hampson, 1900** (Dudgeonidae) Synonym(s): *Dudgeonea* Hampson, 1900; *#Dudgeona* Turner, 1902

- 2315. Biselachista Traugott-Olsen, 1977** (Elachistidae) Synonym(s): *Biselachista Traugott-Olsen, 1977*
- 2316. Dibrachia Sinev & Sruoga, 1992** (Elachistidae) Synonym(s): *Dibrachia Sinev & Sruoga, 1992*
- 2317. Elachista (Aphelosetia) Stephens, 1834** (Elachistidae) Synonym(s): *Aphelosetia Stephens, 1834* Original Reference: *Aphelosetia Stephens, 1834, Ill. Br. Ent. (Haustellata) 4: 287.* Type-species: *Tinea cygnipennella* Hübner, 1796, by subsequent designation by Westwood, 1840.
- 2318. Elachista Treitschke, 1833** (Elachistidae) Synonym(s): *Elachista Treitschke, 1833; Cynodia Herrich-Schäffer, 1853; Phigalia Chambers, 1875; Atachia Wocke, [1876]; Neaera Chambers, 1880; Hecista Wallengren, 1881; Aphigalia Dyar, 1903; Irenicodes Meyrick, 1919; Euproteodes Viette, 1954* Original Reference: *Elachista Treitschke, 1833, Schmett. Eur. 9 (2): 177.* Type-species: *Elachista bifasciella Treitschke, 1833*, by subsequent designation by Meyrick (1915, *Trans. N. Z. Inst.* 47: 210).
- 2319. Kearfottina Kemal & Koçak, 2006** (Elachistidae) Synonym(s): *Kearfottina Traugott-Olsen, 1996 nec Fern., 1904; Kearfottina Kemal & Koçak, 2006* Original Reference: *Kearfottina Kemal & Koçak, 2006, Cent. ent. Stud., Misc. Pap. 99: 4 (nomen novum pro Kearfottina Traugott-Olsen, 1996 nec Fern., 1904).*
- 2320. Myrrhinitis Meyrick, 1913** (Elachistidae) Synonym(s): *Myrrhinitis Meyrick, 1913*
- 2321. Perittia Stainton, 1854** (Elachistidae) Synonym(s): *Perittia Stainton, 1854; Scirtopoda Wocke, 1876 (praeocc.); Mendesia De Joannis, 1902; Symphoristis Meyrick, 1918; Onceroptila Braun, 1948; Swezeyula Zimmermann & Bradley, 1950; Pretoriana Traugott-Olsen, 1995 nec Curr., 1938; Gautengia Kemal & Koçak, 2006* Original Reference: *Perittia Stainton, 1854, Insecta Br. (Lepid., Tineina): 177.* Type-species: *Aphelosetia obscurepunctella Stainton, 1848*, by monotypy.
- 2322. Phthinostoma Meyrick, 1914** (Elachistidae) Synonym(s): *Phthinostoma Meyrick, 1914*
- 2323. Polymetis Walsingham, 1908** (Elachistidae) Synonym(s): *Polymetis Walsingham, 1908*
- 2324. Proterochyta Meyrick, 1918** (Elachistidae) Synonym(s): *Proterochyta Meyrick, 1918*
- 2325. Stephensia Stainton, 1858** (Elachistidae) Synonym(s): *Stephensia Stainton, 1858* Original Reference: *Stephensia Stainton, 1858, Trans. ent. Soc. London (n.s.) 4: 269.* Type-species: *Phalaena brunnichella Linnaeus, 1767.*
- 2326. Endromis Ochsenheimer, 1810** (Endromidae) Synonym(s): *Endromis Ochsenheimer, 1810; Dorvillia Leach, [1815]; Dimorpha Hübner, 1822 nec Jurine, 1807* Original Reference: *Endromis Ochsenheimer, 1810, Schmett. Eur. 3: 15.* Type-species: *Phalaena versicolora Linnaeus, 1758*, by monotypy.
- 2327. Mustilia Walker, 1865** (Endromidae) Synonym(s): *Mustilia Walker, 1865*
- 2328. Africepermenia Gaedike, 2004** (Epermeniidae) Synonym(s): *Africepermenia Gaedike, 2004*
- 2329. Epermenia (Calotripis) Hübner, [1825]** (Epermeniidae) Synonym(s): *Calotripis Hübner, [1825]* Original Reference: *Calotripis Hübner, [1825], Verz. bekannt. Schmett.: 425.* Type-species: *Tinea illigerella Hübner, [1813]*, by subsequent designation by Fletcher, 1929.
- 2330. Epermenia (Cataplectica) Walsingham, 1894** (Epermeniidae) Synonym(s): *Cataplectica Walsingham, 1894*
- 2331. Epermenia (Epermeniola) Gaedike, 1968** (Epermeniidae) Synonym(s): *Epermeniola Gaedike, 1968*
- 2332. Epermenia (s.str.) Hübner, [1825]** (Epermeniidae) Synonym(s): *Epermenia, [1825]; Heydenia Hofmann, 1898 (homonym)* Original Reference: *Epermenia, [1825], Verz. bekannter Schmett.: 418.* Type-species: *Tinea pontificella Hübner, 1796, Samml. eur. Schmett. 8: 56, pl. 26 fig. 181*, by monotypy.
- 2333. Epermenia Hübner, [1825]** (Epermeniidae) Synonym(s): *Epermenia, [1825]; Heydenia Hofmann, 1898 (homonym)* Original Reference: *Epermenia, [1825], Verz. bekannter Schmett.: 418.* Type-species: *Tinea pontificella Hübner, 1796, Samml. eur. Schmett. 8: 56, pl. 26 fig. 181*, by monotypy.
- 2334. Gnathifera Gaedike, 1978** (Epermeniidae) Synonym(s): *Gnathifera Gaedike, 1978*
- 2335. Inuncus Gaedike, 2013** (Epermeniidae) Synonym(s): *Inuncus Gaedike, 2013*
- 2336. Mesepermenia Gaedike, 2004** (Epermeniidae) Synonym(s): *Mesepermenia Gaedike, 2004*
- 2337. Ochromolopis Hübner, [1825]** (Epermeniidae) Synonym(s): *Ochromolopis Hübner, [1825]; Temelucha Meyrick, 1909; Temeluchella T.B. Fletcher, 1940* Original Reference: *Ochromolopis Hübner, [1825], Verz. bekannt. Schmett.: 408.* Type-species: *Tinea ictella Hübner, [1813]*, by subsequent designation by Fletcher, 1929.
- 2338. Phaulernis Meyrick, 1895** (Epermeniidae) Synonym(s): *Aechmia Stainton, 1854 nec Tr., 1833; Phaulernis Meyrick, 1895* Original Reference: *Phaulernis Meyrick, 1895, Handbk Br. Lepid.: 690.* Type-species: *Aechmia dentella Zeller, 1839, Isis Oken, Leipzig 1839: 204*, by monotypy.

- 2339. Sinicaepermenia Heppner,1990** (Epermeniidae) **Synonym(s):** *Sinicaepermenia Heppner,1990*
- 2340. Burmeia Minet,2002** (Epicopeiidae) **Synonym(s):** *Burmeia Minet,2002* **Original Reference:** *Burmeia Minet,2002, Anns Soc. ent. Fr. (n.s.) 38 (4): 470. Type-species: Burmeia leesi Minet,2002, by original designation.*
- 2341. Epicopeia Westwood,1841** (Epicopeiidae) **Synonym(s):** *Epicopeia Westwood,1841; Epicopia Hampson,1895; Epicopiopsis*
- 2342. Anopyrops Jordan,1928** (Epipyropidae) **Synonym(s):** *Anopyrops Jordan,1928*
- 2343. Epieurybrachys Kato,1940** (Epipyropidae) **Synonym(s):** *Epieurybrachys Kato,1940*
- 2344. Epipomponia Dyar,1906** (Epipyropidae) **Synonym(s):** *Epipomponia Dyar,1906*
- 2345. Epiricania Kato,1939** (Epipyropidae) **Synonym(s):** *Epiricania Kato,1939*
- 2346. Fulgoraecia Newman,1851** (Epipyropidae) **Synonym(s):** *Fulgoraecia Newman,1851; Epipyrops Westwood,1876*
- 2347. Heteropsyche Perkins,1905** (Epipyropidae) **Synonym(s):** *Heteropsyche Perkins,1905; Agamopsyche Perkins,1905*
- 2348. Microlimax Hampson,1896** (Epipyropidae) **Synonym(s):** *Microlimax Hampson,1896*
- 2349. Palaeopsyche Perkins,1905** (Epipyropidae) **Synonym(s):** *Palaeopsyche Perkins,1905*
- 2350. Compsoctena Zeller,[1854]** (Eriocottidae) **Synonym(s):** *Compsoctena Zeller,[1854]; Tissa Walker,1863; Thapava Walker,1864; Galaria Walker,1866*
- 2351. Deuterotinea Rebel,1901** (Eriocottidae) **Synonym(s):** *Deuterotinea Rebel,1901; Cronodoxa Meyrick,1922* **Original Reference:** *Deuterotinea Rebel,1901, Dt. ent. Z., Iris 13: 182. Type-species: Scardia casanella Eversmann,1844, by original designation.*
- 2352. Eriocottis Zeller,1847** (Eriocottidae) **Synonym(s):** *Eriocottis Zeller,1847* **Original Reference:** *Eriocottis Zeller,1847, Isis Oken, Leipzig 1847: 812. Type-species: Eriocottis fuscianella Zeller,1847, ibidem 1847: 813, by monotypy.*
- 2353. Eucryptogona Lower,1901** (Eriocottidae) **Synonym(s):** *Eucryptogona Lower,1901*
- 2354. Dyseriocrania Meess,1910** (Eriocraniidae) **Synonym(s):** *Dyseriocrania Meess,1910; Mnemonica Meyrick,1912* **Original Reference:** *Dyseriocrania Meess,1910, in Spuler, Schmett. Eur. 2: 483. Type-species: Tinea subpurpurella Haworth,1828, Lepid. Br.: 571, by monotypy.*
- 2355. Eriocrania Zeller,1851** (Eriocraniidae) **Synonym(s):** *Eriocrania Zeller,1851; Chapmania Spuler,1910 nec Monticelli,1893; Allochapmania Strand,1917*
- 2356. Heringocrania Kuznetsov,1941** (Eriocraniidae) **Synonym(s):** *Heringocrania Kuznetsov,1941; Paracrania Zagulyaev,1992*
- 2357. Dasyethmia Danilevsky,1969** (Ethmiidae) **Synonym(s):** *Dasyethmia Danilevsky,1969*
- 2358. Ethmia Hübner,[1819]** (Ethmiidae) **Synonym(s):** *Ethmia Hübner,[1819]; Psecadia Hübner,[1825]; Anesychia Hübner,[1825]; Melanoleuca Stephens,1829; Aedia Duponchel,1837 nec Hübn.,[1825]; Azinis Walker,1863; Tamarrha Walker,1864; Ceratophysetis Meyrick,1887; Theoxenia Walsingham,1887; Babaiaxa Busck,1902; Wiltshirea Amsel,1949 nec Buckman,1904* **Original Reference:** *Ethmia Hübner,[1819], Verz. bekannter Schmett.: 163. Type-species: Tinea aurifluella Hübner,[1810], Samml. eur. Schmett. 8: pl.44 fig.302, by monotypy.*
- 2359. Acrojana Aurivillius,1901** (Eupterotidae) **Synonym(s):** *Acrojana Aurivillius,1901*
- 2360. Apha Walker,1855** (Eupterotidae) **Synonym(s):** *Apha Walker,1855; Preptothauma Draudt,1931*
- 2361. Apona Walker,1856** (Eupterotidae) **Synonym(s):** *Apona Walker,1856; Pachyclea Gistel,1857*
- 2362. Bantuana Distant,1906** (Eupterotidae) **Synonym(s):** *Bantuana Distant,1906*
- 2363. Camerunia Aurivillius,1893** (Eupterotidae) **Synonym(s):** *Camerunia Aurivillius,1893; #Camarunia Rothschild,1917*
- 2364. Catajana Strand,1910** (Eupterotidae) **Synonym(s):** *Catajana Strand,1910*
- 2365. Cotana Walker,1865** (Eupterotidae) **Synonym(s):** *Cotana Walker,1865; Hypercydas Turner,1903; Nervicompressa Bethune-Baker,1904; Epicydas Bethune-Baker,1908*
- 2366. Cyrtojana Aurivillius,1901** (Eupterotidae) **Synonym(s):** *Cyrtojana Aurivillius,1901*
- 2367. Cyrtojana Aurivillius,1911** (Eupterotidae) **Synonym(s):** *Cyrtojana Aurivillius,1911*
- 2368. Dreata Walker,1855** (Eupterotidae) **Synonym(s):** *Dreata Walker,1855*
- 2369. Drepanojana Aurivillius,1893** (Eupterotidae) **Synonym(s):** *Drepanojana Aurivillius,1893*
- 2370. Ebbepterote Oberprieler, Nässig & Edwards,2003** (Eupterotidae) **Synonym(s):** *Ebbepterote Oberprieler, Nässig & Edwards,2003*
- 2371. Epijana Holland,1893** (Eupterotidae) **Synonym(s):** *Epijana Holland,1893*
- 2372. Eupterote Hübner,[1820]** (Eupterotidae) **Synonym(s):** *Eupterote Hübner,[1820]; Tagora Walker,1855; Messata Walker,1855; Murlida Moore,1858; Sarmalia Walker,1866; Leptojana Butler,1881; Pachyjana Butler,1881; Horanpella Moore,1883; Spalyria Moore,1884; Drepanojana Aurivillius,1893; Drepanojana Bryk,1944 nec Auriv.,1893; Heringijana Bryk,1944*

- 2373. Ganisa Walker, 1855** (Eupterotidae) Synonym(s): *Ganisa Walker, 1855*
- 2374. Gonojana Aurivillius, 1893** (Eupterotidae) Synonym(s): *Gonojana Aurivillius, 1893*
- 2375. Hemijana Aurivillius, 1901** (Eupterotidae) Synonym(s): *Hemijana Aurivillius, 1901*
- 2376. Hibrildes Druce, 1888** (Eupterotidae) Synonym(s): *Hibrildes Druce, 1888; Anengyna Karsch, 1895*
- 2377. Hoplojana Aurivillius, 1901** (Eupterotidae) Synonym(s): *Hoplojana Aurivillius, 1901; #Haplojana Rothschild, 1917*
- 2378. Jana Herrich-Schäffer, [1854]** (Eupterotidae) Synonym(s): *Jana Herrich-Schäffer, [1854]*
- 2379. Janomima Aurivillius, 1901** (Eupterotidae) Synonym(s): *Janomima Aurivillius, 1901*
- 2380. Lasiomorpha Joicey & Talbot, 1916** (Eupterotidae) Synonym(s): *Lasiomorpha Joicey & Talbot, 1916*
- 2381. Lichenopteryx C.Felder & R.Felder, 1874** (Eupterotidae) Synonym(s): *Lichenopteryx C.Felder & R.Felder, 1874*
- 2382. Marmaroplegma Wallengren, 1860** (Eupterotidae) Synonym(s): *Marmaroplegma Wallengren, 1860*
- 2383. Melanergon Bethune-Baker, 1904** (Eupterotidae) Synonym(s): *Melanergon Bethune-Baker, 1904*
- 2384. Melanothrix C.Felder & R.Felder, 1874** (Eupterotidae) Synonym(s): *Melanothrix C.Felder & R.Felder, 1874*
- 2385. Neopreptos Draudt, 1930** (Eupterotidae) Synonym(s): *Neopreptos Draudt, 1930*
- 2386. Nisaga Walker, 1855** (Eupterotidae) Synonym(s): *Nisaga Walker, 1855*
- 2387. Palirisa Moore, 1884** (Eupterotidae) Synonym(s): *Palirisa Moore, 1884*
- 2388. Panacela Walker, 1865** (Eupterotidae) Synonym(s): *Panacela Walker, 1865; Semuta Walker, 1865; Lewinibombyx Strand, 1929*
- 2389. Pandala Walker, 1855** (Eupterotidae) Synonym(s): *Pandala Walker, 1855* Original Reference: *Pandala Walker, 1855, List specimens Lepid. Ins. Br. Mus. 4: 921.*
- 2390. Papuapterote Nässig & Oberprieler, 2008** (Eupterotidae) Synonym(s): *Papuapterote Nässig & Oberprieler, 2008*
- 2391. Paracydas Bethune-Baker, 1908** (Eupterotidae) Synonym(s): *Paracydas Bethune-Baker, 1908*
- 2392. Parajana Aurivillius, 1906** (Eupterotidae) Synonym(s): *Parajana Aurivillius, 1906*
- 2393. Paraphyllalia Gaede, 1927** (Eupterotidae) Synonym(s): *Paraphyllalia Gaede, 1927*
- 2394. Phiala Wallengren, 1860** (Eupterotidae) Synonym(s): *Heteromorpha Herrich-Schäffer, [1855] (homonym); Phiala Wallengren, 1860; Stibolepis Butler, 1878; #Phialla Wichgraf, 1908*
- 2395. Phyllalia Walker, 1855** (Eupterotidae) Synonym(s): *Phyllalia Walker, 1855; Homochroa Wallengren, 1858*
- 2396. Poloma Walker, 1855** (Eupterotidae) Synonym(s): *Poloma Walker, 1855; Sarvena Walker, 1855*
- 2397. Preptos Schaus, 1892** (Eupterotidae) Synonym(s): *Preptos Schaus, 1892*
- 2398. Pseudoganisa Schultze, 1910** (Eupterotidae) Synonym(s): *Pseudoganisa Schultze, 1910*
- 2399. Pseudoganisa Schultze, 1910** (Eupterotidae) Synonym(s): *Pseudoganisa Schultze, 1910* Original Reference: *Pseudoganisa Schultze, 1910, Philippine J. Sci. 5 (3): 162. Type-species: Pseudoganisa currani Schultze, 1910, by original designation.*
- 2400. Pseudojana Hampson, 1893** (Eupterotidae) Synonym(s): *Pseudojana Hampson, 1893*
- 2401. Pterocerota Hampson, 1905** (Eupterotidae) Synonym(s): *Pterocerota Hampson, 1905*
- 2402. Rarisquamosa Bethune-Baker, 1910** (Eupterotidae) Synonym(s): *Rarisquamosa Bethune-Baker, 1910*
- 2403. Rhabdosia Hübner, [1820]** (Eupterotidae) Synonym(s): *Rhabdosia Hübner, [1820]*
- 2404. Sangatissa Moore, 1883** (Eupterotidae) Synonym(s): *Sangatissa Moore, 1883*
- 2405. Schistissa Aurivillius, 1901** (Eupterotidae) Synonym(s): *Schistissa Aurivillius, 1901*
- 2406. Sphingognatha C.Felder & R.Felder, 1874** (Eupterotidae) Synonym(s): *Sphingognatha C.Felder & R.Felder, 1874*
- 2407. Stenoglene C.Felder & R.Felder, 1874** (Eupterotidae) Synonym(s): *Stenoglene C.Felder & R.Felder, 1874; Phasicnecus Butler, 1894*
- 2408. Striphnopteryx Wallengren, 1858** (Eupterotidae) Synonym(s): *Striphnopteryx Wallengren, 1858*
- 2409. Teratojana M.Hering, 1937** (Eupterotidae) Synonym(s): *Teratojana M.Hering, 1937*
- 2410. Tissanga Aurivillius, 1903** (Eupterotidae) Synonym(s): *Tissanga Aurivillius, 1903*
- 2411. Trichophiala Aurivillius, 1879** (Eupterotidae) Synonym(s): *Trichophiala Aurivillius, 1879*
- 2412. Urojana Gaede, 1915** (Eupterotidae) Synonym(s): *Urojana Gaede, 1915*

- 2413. Vianga D.S.Fletcher,1982** (Eupterotidae) **Synonym(s):** *Viana Walker,1869 nec Adams,1856; Vianga D.S.Fletcher,1982*
- 2414. Acanthophila Heinemann,1870** (Gelechiidae) **Synonym(s):** *Acanthophila Heinemann,1870; #Acanthophila Osthelder,1951; Mimomeris Povolny,1978* **Original Reference:** *Acanthophila Heinemann,1870, Schmett. Dtl. Schweiz (2) 2(1): 320. Type-species: Gelechia alacella Zeller,1839, Isis Oken, Leipzig 1839: 199, by monotypy.*
- 2415. Acompsia (Telephila) Meyrick,1923** (Gelechiidae) **Synonym(s):** *Telephila Meyrick,1923*
- 2416. Acompsia (s.str.) Hübner,[1825]** (Gelechiidae) **Synonym(s):** *Acompsia Hübner,[1825]; #Acompsia Bruand,[1851]; Brachycrossata Heinemann,1870* **Original Reference:** *Acompsia Hübner,[1825], Verz. bekannter Schmett.: 409. Type-species: Phalaena cinerella Clerck,1759, Icon. Insect. rariorum 1: pl.11 fig.6, by subsequent designation by Duponchel,1838, in Godart & Duponchel, Hist. ant. Lépid. Papillons Fr. 11: 19.*
- 2417. Acompsia Hübner,[1825]** (Gelechiidae) **Synonym(s):** *Acompsia Hübner,[1825]; #Acompsia Bruand,[1851]; Brachycrossata Heinemann,1870* **Original Reference:** *Acompsia Hübner,[1825], Verz. bekannter Schmett.: 409. Type-species: Phalaena cinerella Clerck,1759, Icon. Insect. rariorum 1: pl.11 fig.6, by subsequent designation by Duponchel,1838, in Godart & Duponchel, Hist. ant. Lépid. Papillons Fr. 11: 19.*
- 2418. Acraeologa Meyrick,1921** (Gelechiidae) **Synonym(s):** *Acraeologa Meyrick,1921; #Araeolga Janse,1963; #Acraeologa Janse,1963*
- 2419. Acribologa Meyrick,1923** (Gelechiidae) **Synonym(s):** *Acribologa Meyrick,1923*
- 2420. Acutitornus Janse,1951** (Gelechiidae) **Synonym(s):** *Acutitornus Janse,1951*
- 2421. Aeolotrocha Meyrick,1921** (Gelechiidae) **Synonym(s):** *Aeolotrocha Meyrick,1921*
- 2422. Agnippe Chambers,1872** (Gelechiidae) **Synonym(s):** *Agnippe Chambers,1872; Evippe Chambers,1873; Phaetusa Chambers,1875 nec Wagler,1832; Tholerostola Meyrick,1917.* **Original Reference:** *Agnippe Chambers,1872, Can. Ent. 4: 194. Type-species: Agnippe biscolorella Chambers,1872, by subsequent designation by Meyrick,1925.*
- 2423. Agonochaetia Povolny,1965** (Gelechiidae) **Synonym(s):** *Agonochaetia Povolny,1965*
- 2424. Allophlebia Janse,1960** (Gelechiidae) **Synonym(s):** *Allophlebia Janse,1960*
- 2425. Allotelphusa Janse,1958** (Gelechiidae) **Synonym(s):** *Allotelphusa Janse,1958*
- 2426. Altenia Sattler,1960** (Gelechiidae) **Synonym(s):** *Altenia Sattler,1960* **Original Reference:** *Altenia Sattler,1960, Dt. ent. Z. (n.f.) 7: 16, 17, 58. Type-species: Gelechia perspersella Wocke,1862, by original designation.*
- 2427. Amblyphylla Janse,1960** (Gelechiidae) **Synonym(s):** *Amblyphylla Janse,1960*
- 2428. Anacamopsis Curtis,1827** (Gelechiidae) **Synonym(s):** *Anacamopsis Curtis,1827; Tachyptilia Heinemann,1870; Agriastis Meyrick,1914.* **Original Reference:** *Anacamopsis Curtis,1827, Br. Ent. 4: folio 189. Type-species: Phalaena populella Clerk,1759, Icon. Insect. rariorum 1: pl.11 fig.5, by original designation.*
- 2429. Anapatetris Janse,1951** (Gelechiidae) **Synonym(s):** *Anapatetris Janse,1951*
- 2430. Anarsia (Ananarsia) Amsel,1959** (Gelechiidae) **Synonym(s):** *Ananarsia Amsel,1959* **Original Reference:** *Ananarsia Amsel,1959, Stuttg. Beitr. Naturk. 28: 32. Type-species: Anarsia lineatella Zeller,1839, by original designation.*
- 2431. Anarsia (s.str.) Zeller,1839** (Gelechiidae) **Synonym(s):** *Anarsia Zeller,1839* **Original Reference:** *Anarsia Zeller,1839, Isis Oken, Leipzig 1839: 190. Type-species: Tinea spartiella Schrank,1802, Fauna Boica 2(2): 104, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 153.*
- 2432. Anarsia Zeller,1839** (Gelechiidae) **Synonym(s):** *Anarsia Zeller,1839* **Original Reference:** *Anarsia Zeller,1839, Isis Oken, Leipzig 1839: 190. Type-species: Tinea spartiella Schrank,1802, Fauna Boica 2(2): 104, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 153.*
- 2433. Anasphaltis Meyrick,1925** (Gelechiidae) **Synonym(s):** *Anasphaltis Meyrick,1925*
- 2434. Anastomopteryx Janse,1951** (Gelechiidae) **Synonym(s):** *Anastomopteryx Janse,1951*
- 2435. Andusia Walker,1866** (Gelechiidae) **Synonym(s):** *Andusia Walker,1866*
- 2436. Angustiphylla Janse,1960** (Gelechiidae) **Synonym(s):** *Angustiphylla Janse,1960*
- 2437. Anomologa Meyrick,1926** (Gelechiidae) **Synonym(s):** *Anomologa Meyrick,1926*
- 2438. Antoniejanse Kemal & Koçak,2005** (Gelechiidae) **Synonym(s):** *Paratelphusa Janse,1958 nec Zehntner,1894; Antoniejanse Kemal & Koçak,2005* **Original Reference:** *Antoniejanse Kemal & Koçak,2005, Cent. ent. Stud., Misc. Pap. 91/92: 15 (nom. nov. pro Paratelphusa Janse,1958 nec Zehntner,1894). Type-species: Paratelphusa griseoptera Janse,1958.*

- 2439. Apatetris Staudinger, 1880** (Gelechiidae) Synonym(s): *Apatetris Staudinger, 1880*; *Proactica Walsingham, 1904*; *Cecidophaga Walsingham, 1911* Original Reference: *Apatetris Staudinger, 1880*, Horae Soc. ent. ross. 15: 316-317. Type-species: *Apatetris mirabella Staudinger, 1880*, by monotypy.
- 2440. Aphnogenes Meyrick, 1921** (Gelechiidae) Synonym(s): *Aphnogenes Meyrick, 1921*
- 2441. Apodia Heinemann, 1870** (Gelechiidae) Synonym(s): *Apodia Heinemann, 1870* Original Reference: *Apodia Heinemann, 1870*, Schmett. Dtl. Schweiz (2) 2 (1): 286. Type-species: *Lita bifractella Duponchel, 1843*, by monotypy.
- 2442. Aponoea Walsingham, 1905** (Gelechiidae) Synonym(s): *Aponoea Walsingham, 1904*; *Aponoea Walsingham, 1905*. Original Reference: *Aponoea Walsingham, 1905*, Entomologist's mon. Mag. 41: 125. Type-species: *Aponoea obtusipalpis Walsingham, 1905*, ibid. 41: 125, by original designation and monotypy.
- 2443. Apotactis Meyrick, 1918** (Gelechiidae) Synonym(s): *Apotactis Meyrick, 1918*
- 2444. Apotistatus Walsingham, 1904** (Gelechiidae) Synonym(s): *Apotistatus Walsingham, 1904*
- 2445. Aproaerema Durrant, 1897** (Gelechiidae) Synonym(s): *Aproaerema Durrant, 1897* Original Reference: *Aproaerema Durrant, 1897*, Entomologist's mon. Mag. 33: 221. Type-species: *Tinea anthyllidella Hübner, [1813]*, Samml. eur. Schmett. 8: pl.48 fig.330, by original designation.
- 2446. Araeophalla Janse, 1960** (Gelechiidae) Synonym(s): *Araeophalla Janse, 1960*
- 2447. Araeophylla Janse, 1954** (Gelechiidae) Synonym(s): *Araeophylla Janse, 1954*
- 2448. Araeovalva Janse, 1960** (Gelechiidae) Synonym(s): *Stenovalva Janse, 1958 (homonym)*; *Araeovalva Janse, 1960*
- 2449. Aregha Chrétien, 1915** (Gelechiidae) Synonym(s): *Aregha Chrétien, 1915*
- 2450. Argolamprotes Benander, 1945** (Gelechiidae) Synonym(s): *Argolamprotes Benander, 1945*
- 2451. Argophara Janse, 1963** (Gelechiidae) Synonym(s): *Argophara Janse, 1963*
- 2452. Aristotelia Hübner, [1825]** (Gelechiidae) Synonym(s): *Aristotelia Hübner, [1825]*; *Ergatis Heinemann, 1870 nec Blackwall, 1841*; *Eucatoptus Walsingham, 1897* Original Reference: *Aristotelia Hübner, [1825]*, Verz. bekannter Schmett.: 424. Type-species: *Tinea decurtella Hübner, [1813]*, Samml. eur. Schmett. 8: pl.45 fig.311, by monotypy.
- 2453. Aroga Busck, 1914** (Gelechiidae) Synonym(s): *Aroga Busck, 1914* Original Reference: *Aroga Busck, 1914*, Proc. U.S. natn. Mus. 47: 13. Type-species: *Gelechia paraplutella Busck, 1910*, Proc. ent. Soc. Wash. 11: 181, by original designation.
- 2454. Asapharcha Meyrick, 1920** (Gelechiidae) Synonym(s): *Asapharcha Meyrick, 1920*; *Asapharcha Clarke, 1955*
- 2455. Asbolistis Meyrick, 1936** (Gelechiidae) Synonym(s): *Asbolistis Meyrick, 1936* Original Reference: *Asbolistis Meyrick, 1936*, Exot. Microlepid. 5: 49. Type-species: *Asbolistis chthoniopa Meyrick, 1936*, by monotypy.
- 2456. Aspades Vari, 1986** (Gelechiidae) Synonym(s): *Aspasiodes Janse, 1958 (homonym)*; *Aspades Vari, 1986*
- 2457. Athrips Billberg, 1820** (Gelechiidae) Synonym(s): *Athrips Billberg, 1820*; *Rhynchopacha Staudinger, 1871*; *Epithestis Meyrick, 1895*; *Leobatus Walsingham, 1904*; *Ziminiola Gerasimov, 1930*; *Cremona Busck, 1934*. Original Reference: *Athrips Billberg, 1820*, Enum. Ins. Mus. Billb.: 93. Type-species: *Phalaena mouffetella Linnaeus, 1758*, by subsequent designation by Sattler, 1978.
- 2458. Atremaea Staudinger, 1871** (Gelechiidae) Synonym(s): *Atremaea Staudinger, 1871* Original Reference: *Atremaea Staudinger, 1871*, Berl. ent. Z. 14: 317. Type-species: *Atremaea lonchoptera Staudinger, 1871*, by monotypy.
- 2459. Aulidiotis Meyrick, 1925** (Gelechiidae) Synonym(s): *Aulidiotis Meyrick, 1925*
- 2460. Autodectis Meyrick, 1937** (Gelechiidae) Synonym(s): *Autodectis Meyrick, 1937*
- 2461. Bagdadia Amsel, 1949** (Gelechiidae) Synonym(s): *Bagdadia Amsel, 1949*; *Capidentalina Park, 1995* Original Reference: *Bagdadia Amsel, 1949*, Bull. Soc. Fouad I Ent. 33: 321-322. Type-species: *Bagdadia irakella Amsel, 1949*, by original designation.
- 2462. Belovalva Janse, 1963** (Gelechiidae) Synonym(s): *Belovalva Janse, 1963*
- 2463. Bilobata Vari, 1986** (Gelechiidae) Synonym(s): *Biloba Janse, 1954 (homonym)*; *Bilobata Vari, 1986*
- 2464. Blastovalva Janse, 1960** (Gelechiidae) Synonym(s): *Blastovalva Janse, 1960*
- 2465. Brachmia Hübner, [1825]** (Gelechiidae) Synonym(s): *Brachmia Hübner, [1825]*; *Cladodes Heinemann, 1870 nec Solier, 1849*; *Eudodacles Snellen, 1889*; *Aulacomima Meyrick, 1904*; *Apethistis Meyrick, 1908*

- Original Reference: *Brachmia* Hübner,[1825], Verz. bekannt. Schmett.: 419. Type-species: *Tinea dimidiella* [Denis & Schiffermüller],1775, by subsequent designation by Walsingham,1911.
- 2466. *Brachyacma* Meyrick,1886** (Gelechiidae) Synonym(s): *Brachyacma* Meyrick,1886; *Lathontogenus* Walsingham,1897; *Paraspistes* Meyrick,1905; *Lipatia* Busck,1910; *#Brachyaema* Povolny,1967; *#Brachiacma* Common,1970
- 2467. *Bryotropha* Heinemann,1870** (Gelechiidae) Synonym(s): *Bryotropha* Heinemann,1870; *Mniophaga* Pierce & Daltry,1938; *Adelptropha* Gozmany,1955 Original Reference: *Bryotropha* Heinemann,1870, Schmett. Dtl. Schweiz (2) 2 (1): 233. Type-species: *Tinea terrella* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 73.
- 2468. *Bucolarcha* Meyrick,1929** (Gelechiidae) Synonym(s): *Bucolarcha* Meyrick,1929
- 2469. *Calliphylla* Janse,1963** (Gelechiidae) Synonym(s): *Calliphylla* Janse,1963
- 2470. *Capidentalia* Park,1999** (Gelechiidae) Synonym(s): *Capidentalia* Park,1999
- 2471. *Capnosema* Janse,1958** (Gelechiidae) Synonym(s): *Capnosema* Janse,1958
- 2472. *Carpatolechia* Capuse,1964** (Gelechiidae) Synonym(s): *Carpatolechia* Capuse,1964 Original Reference: *Carpatolechia* Capuse,1964, Ent. Tidskr. 85: 12. Type-species: *Carpatolechia dumitrescui* Capuse,1964, by original designation.
- 2473. *Cartericella* Fletcher,1940** (Gelechiidae) Synonym(s): *Carterica* Meyrick,1925 (*praeocc.*); *Cartericella* Fletcher,1940
- 2474. *Caryocolum* Gregor & Povolny,1954** (Gelechiidae) Synonym(s): *Caryocolum* Gregor & Povolny,1954 Original Reference: *Caryocolum* Gregor & Povolny,1954, Zool. ent. Listy 3: 87. Type-species: *Gelechia leucomelanella* Zeller,1839, Isis Oken, Leipzig 1839: 198, by original designation.
- 2475. *Catatinagma* Rebel,1903** (Gelechiidae) Synonym(s): *Catatinagma* Rebel,1903; *Coloptilia* T.B.Fletcher,1940 Original Reference: *Catatinagma* Rebel,1903, Verh. zool.- bot. Ges. Wien 53: 94. Type-species: *Catatinagma trivittellum* Rebel,1903, by monotypy.
- 2476. *Catelaphris* Meyrick,1925** (Gelechiidae) Synonym(s): *Catelaphris* Meyrick,1925
- 2477. *Caulastrocecis* Chrétien,1931** (Gelechiidae) Synonym(s): *Caulastrocecis* Chrétien,1931
- 2478. *Cerofrontia* Janse,1951** (Gelechiidae) Synonym(s): *Cerofrontia* Janse,1951
- 2479. *Chionodes* Hübner,[1825]** (Gelechiidae) Synonym(s): *Chionodes* Hübner,[1825] Original Reference: *Chionodes* Hübner,[1825], Verz. bekannter Schmett.: 420. Type-species: *Tinea luctificella* Hübner,[1813], Samml eur. Schmett. 8: pl.45 fig.312, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 73.
- 2480. *Chrysoesthia* Hübner,[1825]** (Gelechiidae) Synonym(s): *Chrysoesthia* Hübner,[1825]; *Microsetia* Stephens,1829; *Chrysesthia* Agassiz,1847; *Chrysia* Bruand,[1851]; *Nomia* Clemens,1860; *Chrysopora* Clemens,1860; *Nannodia* Heinemann,1870; *Anaphaula* Walsingham,1904; *Guebla* Chrétien,1915 Original Reference: *Chrysoesthia* Hübner,[1825], Verz. bekannter Schmett.: 422. Type-species: *Tinea zinckenella* Hübner,[1813], Samml. eur. Schmett. 8: pl.59 figs 401, 402, by subsequent designation by Meyrick,1925, in Wytsman, Genera Insect. 184: 40.
- 2481. *Clepsimorpha* Janse,1960** (Gelechiidae) Synonym(s): *Clepsimorpha* Janse,1960
- 2482. *Coleotechnites* Chambers,1880** (Gelechiidae) Synonym(s): *Evagora* Chambers,1860 (*homonym*); *Eidothea* Chambers,1873 (*homonym*); *Coleotechnites* Chambers,1880; *Eucodylea* Dietz,1900; *Pulicalvaria* Freeman,1963.
- 2483. *Compsolechia* Meyrick,1918** (Gelechiidae) Synonym(s): *Compsolechia* Meyrick,1918
- 2484. *Coniogyra* Meyrick,1921** (Gelechiidae) Synonym(s): *Coniogyra* Meyrick,1921
- 2485. *Cosmardia* Povolny,1965** (Gelechiidae) Synonym(s): *Cosmardia* Povolny,1965
- 2486. *Coudia* Chrétien,1915** (Gelechiidae) Synonym(s): *Coudia* Chrétien,1915 Original Reference: *Coudia* Chrétien,1915, Annls Soc. ent. Fr. 84: 326, fig.3. Type-species: *Coudia strictella* Chrétien,1915, by monotypy.
- 2487. *Curvisignella* Janse,1951** (Gelechiidae) Synonym(s): *Curvisignella* Janse,1951
- 2488. *Cymatoplicella* T.B.Fletcher,1940** (Gelechiidae) Synonym(s): *Cymatoplex* Meyrick,1925 (*homonym*); *Cymatoplicella* T.B.Fletcher,1940
- 2489. *Dactylethrella* T.B.Fletcher,1940** (Gelechiidae) Synonym(s): *Dactylethra* Meyrick,1906 *nec* Cuvier,1829; *Dactylethrella* T.B.Fletcher,1940
- 2490. *Daemonarcha* Meyrick,1918** (Gelechiidae) Synonym(s): *Daemonarcha* Meyrick,1918
- 2491. *Deimnestra* Meyrick,1918** (Gelechiidae) Synonym(s): *Deimnestra* Meyrick,1918
- 2492. *Deimophila* Meyrick,1906** (Gelechiidae) Synonym(s): *Deimophila* Meyrick,1906
- 2493. *Deltolophos* Janse,1960** (Gelechiidae) Synonym(s): *Deltolophos* Janse,1960

- 2494. Deltophora Janse, 1950** (Gelechiidae) **Synonym(s):** *Deltophora Janse, 1950* **Original Reference:** *Deltophora Janse, 1950, Moths S. Afr. 5: 121. Type-species: Deltophora typica Sattler, 1979, by original designation (for Xenolechia peltosoma Lower sensu Janse, 1950).*
- 2495. Demiophila Meyrick, 1906** (Gelechiidae) **Synonym(s):** *Demiophila Meyrick, 1906*
- 2496. Dendrophilia (Microdendrophilia) Ponomarenko, 1993** (Gelechiidae) **Synonym(s):** *Microdendrophilia Ponomarenko, 1993*
- 2497. Dendrophilia Ponomarenko, 1993** (Gelechiidae) **Synonym(s):** *Dendrophilia Ponomarenko, 1993*
- 2498. Dichomeris Hübner, 1818** (Gelechiidae) **Synonym(s):** *Dichomeris Hübner, 1818; Oxybelia Hübner, [1825]; Rhinosia Treitschke, 1833; Anorthosia Clemens, 1860; Trichotaphe Clemens, 1860; Rhobonda Walker, 1864 nec 1863; Vazugada Walker, 1864; Gaesa Walker, 1864; Tocmia Walker, 1864; Carna Walker, 1864 nec Gstl., 1848; Noeza Walker, 1866 nec Mgn., 1800; Sagaritis Chambers, 1872 nec Billb., 1820; Begoe Chambers, 1872; Epicorthylis Zeller, 1873; Atasthalistis Meyrick, 1886; Zalithia Meyrick, 1894; Pappophorus Walsingham, 1897; Arotia Meyrick, 1904; Dectobathra Meyrick, 1904; Croesopola Meyrick, 1904; Hypelictis Meyrick, 1905; Paristhmia Meyrick, 1909; Hylograptis Meyrick, 1910; Schematistis Meyrick, 1911; Paranoea Walsingham, 1911; Placomosaris Meyrick, 1912; Machlotricha Meyrick, 1912; Holaxyra Meyrick, 1913; Carbatina Meyrick, 1913; Zomeutis Meyrick, 1913; Ilingiotis Meyrick, 1914; Pachysaris Meyrick, 1914; Deimnestra Meyrick, 1918; Daemonarcha Meyrick, 1918; Macrozancla Turner, 1919; Euryzancla Turner, 1919; Rhadinophylla Turner, 1919; Eurysara Turner, 1919; Iocharea Meyrick, 1921; Eporgastis Meyrick, 1921; Aphnogenes Meyrick, 1921; Taphrosaris Meyrick, 1922; Prophoraula Meyrick, 1922; Acribologa Meyrick, 1923; Cymotricha Meyrick, 1923; Ageliarchis Meyrick, 1923; Myrophila Meyrick, 1923; Brochometis Meyrick, 1923; Neochrista Meyrick, 1923; Semiomeris Meyrick, 1923; Mythographa Meyrick, 1923; Sathrogenes Meyrick, 1923; Musurga Meyrick, 1923; Thelyasceta Meyrick, 1923; Oxysectis Meyrick, 1923; Rhynchotona Meyrick, 1923; Catoptristis Meyrick, 1925; Cymatoplex Meyrick, 1925 nec Turn., 1910; Catelaphris Meyrick, 1925; Cerycangela Meyrick, 1925; Epicharta Meyrick, 1926; Prasodryas Meyrick, 1926; Xenorhythma Meyrick, 1926; Thyrsomnestis Meyrick, 1929; Desmophylax Meyrick, 1935; Ereboscaas Meyrick, 1937; Chthonogenes Meyrick, 1938; Cymatoplicella Fletcher, 1940; Neopachnistis Janse, 1954; Picroptera Janse, 1960; Parabrachmia Janse, 1960; Deltolophos Janse, 1960 **Original Reference:** *Dichomeris Hübner, 1818, Zutr. Samml. exot. Schmett. 1: 25. Type-species: Dichomeris ligulella Hübner, 1818, ibidem 1: 25, figs 143, 144, by subsequent designation by, Walsingham 1911, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 87.**
- 2499. Dicranucha Janse, 1954** (Gelechiidae) **Synonym(s):** *Dicranucha Janse, 1954*
- 2500. Dirhinosisia Rebel, 1905** (Gelechiidae) **Synonym(s):** *Dirhinosisia Rebel, 1905* **Original Reference:** *Dirhinosisia Rebel, 1905, Annln. naturh. Mus. 20: 212. Type-species: Dirhinosisia trifasciella Rebel, 1905, by original designation.*
- 2501. Empedaula Meyrick, 1918** (Gelechiidae) **Synonym(s):** *Empedaula Meyrick, 1918*
- 2502. Encentrotis Meyrick, 1921** (Gelechiidae) **Synonym(s):** *Encentrotis Meyrick, 1921*
- 2503. Encolapta Meyrick, 1913** (Gelechiidae) **Synonym(s):** *Encolapta Meyrick, 1913*
- 2504. Encrasima Meyrick, 1916** (Gelechiidae) **Synonym(s):** *Encrasima Meyrick, 1916*
- 2505. Ephysteris (Microcraspedus) Janse, 1958** (Gelechiidae) **Synonym(s):** *Microcraspedus Janse, 1958; Ochrodia Povolny, 1964; Echinoglossa Clarke, 1965* **Original Reference:** *Microcraspedus Janse, 1958, Motsh S. Afr. 6: 137. Type-species: Megacraspedus brachypogon Meyrick, 1937, by original designation.*
- 2506. Ephysteris (Ochrodia) Povolny, 1966** (Gelechiidae) **Synonym(s):** *Ochrodia Povolny, 1966*
- 2507. Ephysteris (Opacopsis) Povolny, 1964** (Gelechiidae) **Synonym(s):** *Opacopsis Povolny, 1964*
- 2508. Ephysteris (s.str.) Meyrick, 1908** (Gelechiidae) **Synonym(s):** *Ephysteris Meyrick, 1908* **Original Reference:** *Ephysteris Meyrick, 1908, Proc. zool. Soc. Lond. 1908: 724. Type-species: Ephysteris chersaea Meyrick, 1908, ibidem 1908: 725, by monotypy.*
- 2509. Ephysteris Meyrick, 1908** (Gelechiidae) **Synonym(s):** *Ephysteris Meyrick, 1908* **Original Reference:** *Ephysteris Meyrick, 1908, Proc. zool. Soc. Lond. 1908: 724. Type-species: Ephysteris chersaea Meyrick, 1908, ibidem 1908: 725, by monotypy.*
- 2510. Epicharta Meyrick, 1926** (Gelechiidae) **Synonym(s):** *Epicharta Meyrick, 1926*
- 2511. Epicoenia Meyrick, 1906** (Gelechiidae) **Synonym(s):** *Epicoenia Meyrick, 1906*
- 2512. Epidola Staudinger, 1859** (Gelechiidae) **Synonym(s):** *Epidola Staudinger, 1859*
- 2513. Epilechia Busck, 1939** (Gelechiidae) **Synonym(s):** *Epilechia Busck, 1939*
- 2514. Epimesophleps Rebel, 1907** (Gelechiidae) **Synonym(s):** *Epimesophleps Rebel, 1907*
- 2515. Epimimastis Meyrick, 1916** (Gelechiidae) **Synonym(s):** *Epimimastis Meyrick, 1916*
- 2516. Epitheatia Meyrick, 1895** (Gelechiidae) **Synonym(s):** *Epitheatia Meyrick, 1895*
- 2517. Eporgastis Meyrick, 1921** (Gelechiidae) **Synonym(s):** *Eporgastis Meyrick, 1921*
- 2518. Ereboscaas Meyrick, 1937** (Gelechiidae) **Synonym(s):** *Ereboscaas Meyrick, 1937*
- 2519. Erikssonella Janse, 1960** (Gelechiidae) **Synonym(s):** *Erikssonella Janse, 1960*

- 2520. Ethmiopsis Meyrick, 1935** (Gelechiidae) Synonym(s): *Ethmiopsis Meyrick, 1935; Homoshelas Meyrick, 1935; Chelophoba Meyrick, 1935; Homochelas Clarke, 1969*
- 2521. Eulamprotes Bradley, 1971** (Gelechiidae) Synonym(s): *Lamprotes Heinemann, 1870 nec R.L., 1817; Argyritis Heinemann, 1870 nec Hbn., [1821]; Eulamprotes Bradley, 1971; Siderea Omelko, 1999*
Original Reference: Eulamprotes Bradley, 1971, Entomologist's Gaz. 22:27. Type-species: *Tinea atrella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140, by subsequent designation by Walsingham, 1909, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 23.
- 2522. Euryctista Janse, 1963** (Gelechiidae) Synonym(s): *Euryctista Janse, 1963*
- 2523. Eustalodes Meyrick, 1927** (Gelechiidae) Synonym(s): *Eustalodes Meyrick, 1927*
- 2524. Excommatica Janse, 1951** (Gelechiidae) Synonym(s): *Excommatica Janse, 1951*
- 2525. Exoteleia Wallengren, 1881** (Gelechiidae) Synonym(s): *Exoteleia Wallengren, 1881; Paralechia Busck, 1903; Heringia Spuler, 1910 (homonym); Heringiola Strand, 1917.*
- 2526. Faristenia Ponomarenko, 1991** (Gelechiidae) Synonym(s): *Faristenia Ponomarenko, 1991*
Original Reference: Faristenia Ponomarenko, 1991, Ent. Obozr. 70 (3): 601. Type-species: *Faristenia omelkoi* Ponomarenko, 1991, by original designation.
- 2527. Ficulea Walker, 1864** (Gelechiidae) Synonym(s): *Ficulea Walker, 1864*
- 2528. Filatima Busck, 1939** (Gelechiidae) Synonym(s): *Filatima Busck, 1939* Original Reference: Filatima Busck, 1939, Proc. U.S. natn. Mus. 86: 568, 575. Type-species: *Gelechia serotinella* Busck, 1903, ibidem 25: 882, by original designation.
- 2529. Filisignella Janse, 1951** (Gelechiidae) Synonym(s): *Filisignella Janse, 1951*
- 2530. Flexiptera Janse, 1958** (Gelechiidae) Synonym(s): *Flexiptera Janse, 1958*
- 2531. Frumenta Janse, 1958** (Gelechiidae) Synonym(s): *Frumenta Janse, 1958*
- 2532. Furcaphora Janse, 1958** (Gelechiidae) Synonym(s): *Furcaphora Janse, 1958*
- 2533. Gambrostola Meyrick, 1926** (Gelechiidae) Synonym(s): *Gambrostola Meyrick, 1926*
- 2534. Gelechia Hübner, [1825]** (Gelechiidae) Synonym(s): *Gelechia Hübner, [1825]; Guenea Bruand, [1851]; Cirrha Chambers, 1872; Oeseis Chambers, 1875; Mesogeuchia Omelko, 1986.* Original Reference: Gelechia Hübner, [1825], Verz. bekannt. Schmett.: 415. Type-species: *Tinea rhombella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139, by subsequent designation by Walsingham, 1911, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 59.
- 2535. Gladiovalva Sattler, 1960** (Gelechiidae) Synonym(s): *Gladiovalva Sattler, 1960*
- 2536. Gnorimoschema Busck, 1900** (Gelechiidae) Synonym(s): *Gnorimoschema Busck, 1900; Lerupsia Riedl, 1965; Neoschema Povolny, 1967* Original Reference: Gnorimoschema Busck, 1900, Proc. U.S. natn. Mus. 23: 227. Type-species: *Gelechia gallaesolidaginis* Riley, 1869, Rep. noxious, beneficial & other Insects, Missouri 1: 173, fig. 96, pl. 2 figs 1, 2, by original designation.
- 2537. Gnosimacha Meyrick, 1927** (Gelechiidae) Synonym(s): *Gnosimacha Meyrick, 1927*
- 2538. Grandipalpa Janse, 1951** (Gelechiidae) Synonym(s): *Grandipalpa Janse, 1951*
- 2539. Harpagidia Ragonot, 1895** (Gelechiidae) Synonym(s): *Harpagidia Ragonot, 1895; Glaphyrerga Meyrick, 1925* Original Reference: Harpagidia Ragonot, 1895, Bull. Soc. ent. Fr. 1895: cvii. Type-species: *Harpagidia pallidibasella* Ragonot, 1895, ibid. 1895: cvii, by monotypy.
- 2540. Helcystogramma Zeller, 1877** (Gelechiidae) Synonym(s): *Ceratophora Heinemann, 1870 nec Gray, [1832]; Helcystogramma Zeller, 1877; Teuchophanes Meyrick, 1914; Schemataspis Meyrick, 1918; Parelectra Meyrick, 1925 nec Dogn., 1914; Psamatoscopia Meyrick, 1937; Anathyrstis Meyrick, 1939; Parelectroides Clarke, 1952* Original Reference: Helcystogramma Zeller, 1877, Horae Soc. ent. ross. 13: 369. Type-species: *Gelechia obseratella* Zeller, 1877, by subsequent designation by Meyrick, 1910.
- 2541. Heterodermes Meyrick, 1929** (Gelechiidae) Synonym(s): *Heterodermes Meyrick, 1929*
- 2542. Holaxyra Meyrick, 1913** (Gelechiidae) Synonym(s): *Holaxyra Meyrick, 1913*
- 2543. Holcophora Staudinger, [1871]** (Gelechiidae) Synonym(s): *Holcophora Staudinger, [1871]*
Original Reference: Holcophora Staudinger, [1871], Berl. ent. Z. 14: 313. Type-species: *Holcophora statice* Staudinger, [1871], by monotypy.
- 2544. Hoplovalva Janse, 1958** (Gelechiidae) Synonym(s): *Hoplovalva Janse, 1958*
- 2545. Horridivalva Sattler, 1967** (Gelechiidae) Synonym(s): *Horridivalva Sattler, 1967* Original Reference: Horridivalva Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 88. Type-species: *Horridivalva tenuiella* Sattler, 1967, by original designation.
- 2546. Hyalochna Meyrick, 1918** (Gelechiidae) Synonym(s): *Hyalochna Meyrick, 1918*
- 2547. Hypatima Hübner, [1825]** (Gelechiidae) Synonym(s): *Hypatima Hübner, [1825]; Chelaria Haworth, 1828; Cymatomorpha Meyrick, 1904; Deuteroptila Meyrick, 1904; Allocota Meyrick, 1904 nec Motsch., 1860; Semodictis Meyrick, 1909; Allocotania Strand, 1913; Episacta Turner, 1919*
- 2548. Iochares Meyrick, 1921** (Gelechiidae) Synonym(s): *Iochares Meyrick, 1921*

- 2549. Ischnocraspedus Janse, 1958** (Gelechiidae) Synonym(s): *Ischnocraspedus Janse, 1958*
- 2550. Ischnophylla Janse, 1963** (Gelechiidae) Synonym(s): *Ischnophylla Janse, 1963*
- 2551. Isophrictis Meyrick, 1917** (Gelechiidae) Synonym(s): *Isophrictis Meyrick, 1917* Original Reference: *Isophrictis Meyrick, 1917, Entomologist's mon. Mag. 53: 113. Type-species: Tinea striatella [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by original designation.*
- 2552. Istrianis Meyrick, 1918** (Gelechiidae) Synonym(s): *Istrianis Meyrick, 1918* Original Reference: *Istrianis Meyrick, 1918, Exotic Microlepid. 2: 130. Type-species: Istrianis crauropa Meyrick, 1918, by monotypy.*
- 2553. Iwaruna Gozmany, 1957** (Gelechiidae) Synonym(s): *Iwaruna Gozmany, 1957* Original Reference: *Iwaruna Gozmany, 1957, Acta zool. hung. 3: 125. Type-species: Iwaruna heringi Gozmany, 1957, by original designation.*
- 2554. Klimeschiopsis Povolny, 1967** (Gelechiidae) Synonym(s): *Klimeschiopsis Povolny, 1967*
- 2555. Lacharissa Meyrick, 1937** (Gelechiidae) Synonym(s): *Lacharissa Meyrick, 1937*
- 2556. Lachnostola Meyrick, 1918** (Gelechiidae) Synonym(s): *Lachnostola Meyrick, 1918*
- 2557. Lacistodes Meyrick, 1921** (Gelechiidae) Synonym(s): *Lacistodes Meyrick, 1921*
- 2558. Lanceopenna Janse, 1960** (Gelechiidae) Synonym(s): *Lanceopenna Janse, 1960*
- 2559. Lanceoptera Janse, 1960** (Gelechiidae) Synonym(s): *Lanceoptera Janse, 1960*
- 2560. Lasiarchis Meyrick, 1937** (Gelechiidae) Synonym(s): *Lasiarchis Meyrick, 1937*
- 2561. Leucophylla Janse, 1960** (Gelechiidae) Synonym(s): *Leucophylla Janse, 1960*
- 2562. Leuronoma Meyrick, 1918** (Gelechiidae) Synonym(s): *Leuronoma Meyrick, 1918*
- 2563. Leuropalpa Janse, 1960** (Gelechiidae) Synonym(s): *Leuropalpa Janse, 1960*
- 2564. Lutilabria Povolny, 1965** (Gelechiidae) Synonym(s): *Lutilabria Povolny, 1965*
- 2565. Machlotricha Meyrick, 1912** (Gelechiidae) Synonym(s): *Machlotricha Meyrick, 1912*
- 2566. Macrocalcara Janse, 1951** (Gelechiidae) Synonym(s): *Macrocalcara Janse, 1951*
- 2567. Megacraspedus Zeller, 1839** (Gelechiidae) Synonym(s): *Megacraspedus Zeller, 1839; Chilopselaphus Mann, 1867; Toxoceras Chrétien, 1915; Toxidoceras Chrétien, 1923* Original Reference: *Megacraspedus Zeller, 1839, Isis Oken, Leipzig 1839: 189. Type-species: Ypsolophus dolosellus Zeller, 1839, ibidem 1839: 190, by subsequent designation by Walsingham, 1909, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 21.*
- 2568. Melitoxestis Meyrick, 1921** (Gelechiidae) Synonym(s): *Melitoxestis Meyrick, 1921*
- 2569. Melitoxoides Janse, 1958** (Gelechiidae) Synonym(s): *Melitoxoides Janse, 1958*
- 2570. Mesophleps Hübner, [1825]** (Gelechiidae) Synonym(s): *Mesophleps Hübner, [1825]; Brachyacma Meyrick, 1886; Lathonogenus Walsingham, 1897; Paraspistes Meyrick, 1905; Chretienia Spuler, 1910; Lipatia Busck, 1910; Stiphrostola Meyrick, 1923; Crossobela Meyrick, 1923; Xerometra Meyrick, 1925; Gnosimacha Meyrick, 1927; Bucolarcha Meyrick, 1929; Uncustriodonta Agenjo, 1952; #Uncostridonta Park, 1990* Original Reference: *Mesophleps Hübner, [1825], Verz. bekannter Schmett.: 406. Type-species: Tinea silacella Hübner, 1796, Samml. eur. Schmett. 8: 37, pl. 17 fig. 117, by subsequent designation by Meyrick, 1925, in Wytsman, Genera Insect. 184: 168.*
- 2571. Metanarsia Staudinger, 1871** (Gelechiidae) Synonym(s): *Metanarsia Staudinger, 1871; Calyptrotis Meyrick, 1891; Epiparasia Rebel, 1914; Parametanarsia Gerasimov, 1930* Original Reference: *Metanarsia Staudinger, 1871, Berl. ent. Z. 14: 314. Type-species: Metanarsia modesta Staudinger, 1871, by monotypy.*
- 2572. Metatactis Janse, 1949** (Gelechiidae) Synonym(s): *Metatactis Janse, 1949*
- 2573. Metzneria Zeller, 1839** (Gelechiidae) Synonym(s): *Metzneria Zeller, 1839* Original Reference: *Metzneria Zeller, 1839, Isis Oken Leipzig 1839: 197. Type-species: Gelechia paucipunctella Zeller, 1839, ibidem 1839: 202, by subsequent designation by Walsingham & Durrant, 1899, Entomologist's mon. Mag. 35: 200.*
- 2574. Microlechia Turati, 1924** (Gelechiidae) Synonym(s): *Microlechia Turati, 1924; Hedma Dumont, 1932; Megalocypha Janse, 1960*
- 2575. Mirificarma Gozmany, 1955** (Gelechiidae) Synonym(s): *Helina Guenée, 1849 nec Robineau-Desvoidy, 1830; Mirificarma Gozmany, 1955.* Original Reference: *Mirificarma Gozmany, 1955, Annls hist.- nat. Mus. natn. hung. (S.N.) 6: 308, 309, 313. Type-species: Tinea maculatella Hübner, 1796, Samml. eur. Schmett. 8: 60, pl. 24 fig. 162, by original designation.*
- 2576. Mometa Durrant, 1914** (Gelechiidae) Synonym(s): *Mometa Durrant, 1914* Original Reference: *Mometa Durrant, 1914, Bull. ent. res. 5: 243. Type-species: Mometa zemiodes Durrant, 1914, by original designation.*

- 2577. Monochroa Heinemann, 1870** (Gelechiidae) Synonym(s): *Monochroa Heinemann, 1870*; *Paltodora Meyrick, 1894*; *Catabrachmia Rebel, 1909* Original Reference: Monochroa Heinemann, 1870, Schmett. Dtl. Schweiz (2) 2 (1): 308. Type-species: *Tinea tenebrella* Hübner, [1817], Samml. eur. Schmett. 8: pl. 65 fig. 434, by monotypy.
- 2578. Musurga Meyrick, 1923** (Gelechiidae) Synonym(s): *Musurga Meyrick, 1923*
- 2579. Myconita Meyrick, 1923** (Gelechiidae) Synonym(s): *Myconita Meyrick, 1923*
- 2580. Nealyda Dietz, 1900** (Gelechiidae) Synonym(s): *Nealyda Dietz, 1900*
- 2581. Neofaculta Gozmany, 1955** (Gelechiidae) Synonym(s): *Neofaculta Gozmany, 1955* Original Reference: Neofaculta Gozmany, 1955, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 312. Type-species: *Gelechia infernella* Herrich-Schäffer, 1854, Syst. Bearbeitung Schmett. Eur. 5: 162, 177; pl. 77 fig. 584, by original designation.
- 2582. Neofriseria Sattler, 1960** (Gelechiidae) Synonym(s): *Neofriseria Sattler, 1960* Original Reference: Neofriseria Sattler, 1960, Dt. ent. Z. (N.F.) 7: 16, 17, 48. Type-species: *Lita peliella* Treitschke, 1835, in Ochsenheimer, Schmett. Eur. 10 (3): 198, by original designation.
- 2583. Neopachnistis Janse, 1954** (Gelechiidae) Synonym(s): *Neopachnistis Janse, 1954*
- 2584. Neopatetris Janse, 1960** (Gelechiidae) Synonym(s): *Neopatetris Janse, 1960*
- 2585. Neotelphusa Janse, 1958** (Gelechiidae) Synonym(s): *Neotelphusa Janse, 1958*
- 2586. Nothris Hübner, [1825]** (Gelechiidae) Synonym(s): *Nothris Hübner, [1825]* Original Reference: Nothris Hübner, [1825], Verz. bekannter Schmett.: 411. Type-species: *Tinea verbascella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 97.
- 2587. Octonodula Janse, 1951** (Gelechiidae) Synonym(s): *Octonodula Janse, 1951*
- 2588. Oecocecis Guenée, 1870** (Gelechiidae) Synonym(s): *Oecocecis Guenée, 1870*
- 2589. Onebala Walker, 1864** (Gelechiidae) Synonym(s): *Onebala Walker, 1864*; *Helcystogramma Zeller, 1877*; *#Onebala Janse, 1954* Original Reference: Onebala Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 29: 792. Type-species: *Onebala blandiella* Walker, 1864, by monotypy.
- 2590. Ornativalva Gozmany, 1955** (Gelechiidae) Synonym(s): *Ornativalva Gozmany, 1955*; *Pelostola Janse, 1960*. Original Reference: Ornativalva Gozmany, 1955, Annls hist.-nat. Mus. natn. hung. (S.N.) 6: 308, 309, 310. Type-species: *Gelechia plutelliformis* Staudinger, 1859, Ent. Ztg. Stettin 20: 239, by original designation.
- 2591. Oxypteryx Rebel, 1911** (Gelechiidae) Synonym(s): *Oxypteryx Rebel, 1911* Original Reference: Oxypteryx Rebel, 1911, Verh. zool.-bot. Ges. Wien 61: (151). Type-species: *Oxypteryx jordanella* Rebel, 1911, by monotypy.
- 2592. Palintropa Meyrick, 1913** (Gelechiidae) Synonym(s): *Palintropa Meyrick, 1913*
- 2593. Palumbina Rondani, 1876** (Gelechiidae) Synonym(s): *Palumbina Rondani, 1876*; *Thyrsostoma Meyrick, 1907*. Original Reference: Palumbina Rondani, 1876, Boll. Soc. ent. ital. 8: 22. Type-species: *Palumbina terebintella*, Rondani, 1876 ibidem 8: 23, by monotypy.
- 2594. Panicotricha Meyrick, 1913** (Gelechiidae) Synonym(s): *Panicotricha Meyrick, 1913*
- 2595. Parabola Janse, 1950** (Gelechiidae) Synonym(s): *Parabola Janse, 1950*
- 2596. Parabrachmia Janse, 1960** (Gelechiidae) Synonym(s): *Parabrachmia Janse, 1960*
- 2597. Parachronistis Meyrick, 1925** (Gelechiidae) Synonym(s): *Parachronistis Meyrick, 1925*
- 2598. Paralida Clarke, 1958** (Gelechiidae) Synonym(s): *Paralida Clarke, 1958*
- 2599. Parallactis Meyrick, 1925** (Gelechiidae) Synonym(s): *Parallactis Meyrick, 1925*
- 2600. Paranarsia Ragonot, 1895** (Gelechiidae) Synonym(s): *Paranarsia Ragonot, 1895*
- 2601. Parapodia Joannis, 1912** (Gelechiidae) Synonym(s): *Parapodia Joannis, 1912*; *Cecidonostola Amsel, 1958*
- 2602. Parapsectris Meyrick, 1911** (Gelechiidae) Synonym(s): *Parapsectris Meyrick, 1911*; *Pseudathrips Povolny, 1986* Original Reference: Parapsectris Meyrick, 1911, Annls transv. Mus. 2 (4): 231. Type-species: *Parapsectris tholaea* Meyrick, 1911, by monotypy.
- 2603. Paraselotis Janse, 1960** (Gelechiidae) Synonym(s): *Paraselotis Janse, 1960*
- 2604. Parastenolechia Kanazawa, 1985** (Gelechiidae) Synonym(s): *Parastenolechia Kanazawa, 1985*; *Tutor Omelko, 1988*; *Origo Omelko, 1988* Original Reference: Parastenolechia Kanazawa, 1985, Bull. Osaka Mus. nat. Hist. 38: 6. Type-species: *Parastenolechia asymmetrica* Kanazawa, 1985, by original designation.
- 2605. Parathectis Janse, 1958** (Gelechiidae) Synonym(s): *Parathectis Janse, 1958*
- 2606. Paristhmia Meyrick, 1909** (Gelechiidae) Synonym(s): *Paristhmia Meyrick, 1909*

- 2607. Pectinophora Busck,1917** (Gelechiidae) Synonym(s): *Pectinophora* Busck,1917 Original Reference: *Pectinophora* Busck,1917, J. agric. Res. 9: 346. Type-species: *Depressaria gossypiella* Saunders,1844, by original designation.
- 2608. Pexicopia Common,1958** (Gelechiidae) Synonym(s): *Pexicopia* Common,1958 Original Reference: *Pexicopia* Common,1958, Aust. J. Zool. 6: 271, 278. Type-species: *Gelechia desmanthes* Lower,1898, Proc. Linn. Soc. N.S.W. 23: 51, by original designation.
- 2609. Phanerophalla Janse,1960** (Gelechiidae) Synonym(s): *Phanerophalla* Janse,1960
- 2610. Pharangitis Meyrick,1905** (Gelechiidae) Synonym(s): *Pharangitis* Meyrick,1905
- 2611. Phloeocecis Chrétien,1908** (Gelechiidae) Synonym(s): *Phloeocecis* Chrétien,1908 Original Reference: *Phloeocecis* Chrétien,1908, Bull. Soc. ent. Fr. 1908: 91. Type-species: *Phloeocecis cherregella* Chrétien,1908, by monotypy.
- 2612. Photodotis Meyrick,1911** (Gelechiidae) Synonym(s): *Photodotis* Meyrick,1911; *#Photodotus* Janse,1917
- 2613. Phrixocrita Meyrick,1935** (Gelechiidae) Synonym(s): *Phrixocrita* Meyrick,1935
- 2614. Phthoracma Meyrick,1921** (Gelechiidae) Synonym(s): *Phthoracma* Meyrick,1921
- 2615. Phthorimaea Meyrick,1902** (Gelechiidae) Synonym(s): *Phthorimaea* Meyrick,1902
- 2616. Picroptera Janse,1960** (Gelechiidae) Synonym(s): *Picroptera* Janse,1960
- 2617. Pithanurga Meyrick,1921** (Gelechiidae) Synonym(s): *Pithanurga* Meyrick,1921
- 2618. Pitycona Meyrick,1918** (Gelechiidae) Synonym(s): *Pitycona* Meyrick,1918
- 2619. Platyedra Meyrick,1895** (Gelechiidae) Synonym(s): *Platyedra* Meyrick,1895 Original Reference: *Platyedra* Meyrick,1895, Handbk Br. Lepid.: 605. Type-species: *Gelechia vilella* Zeller,1847, Isis Oken, Leipzig 1847:845, by monotypy.
- 2620. Platyphalla Janse,1951** (Gelechiidae) Synonym(s): *Platyphalla* Janse,1951
- 2621. Pogochaetia Staudinger,1879** (Gelechiidae) Synonym(s): *Pogochaetia* Staudinger,1879 Original Reference: *Pogochaetia* Staudinger,1879, Horae Soc. ent. ross. 15: 310. Type-species: *Pogochaetia solitaria* Staudinger,1879, bu monotypy.
- 2622. Polyhymno Chambers,1874** (Gelechiidae) Synonym(s): *Polyhymno* Chambers,1874; *Capocercia* Zeller,1877; *Plectrocosma* Meyrick,1921; *Oegoconoides* Matsumura,1931
- 2623. Prolita Leraut,1993** (Gelechiidae) Synonym(s): *Lita Treitschke*,1833 nec Koll.,1832; *Prolita* Leraut,1993 Original Reference: *Prolita* Leraut,1993, Alexanor 18 (3): 182. Type-species: *Lita zebrella* Treitschke, 1833, by original designation.
- 2624. Proselotis Meyrick,1914** (Gelechiidae) Synonym(s): *Proselotis* Meyrick,1914; *Idiobela* Turner,1919
- 2625. Psamathocrita Meyrick,1925** (Gelechiidae) Synonym(s): *Psamathocrita* Meyrick,1925 Original Reference: *Psamathocrita* Meyrick,1925, [in] Wytzman, Genera Insect. 184: 15, 40. Type-species: *Gelechia osseella* Stainton,1861.
- 2626. Pseudosophronia Corley,2001** (Gelechiidae) Synonym(s): *Pseudosophronia* Corley,2001
- 2627. Pseudosymmoca Rebel,1903** (Gelechiidae) Synonym(s): *Pseudosymmoca* Rebel,1903 Original Reference: *Pseudosymmoca* Rebel,1903, Verh. zool.-bot. Ges. Wien 53: 413. Type-species: *Pseudosymmoca angustipennis* Rebel,1903, by monotypy.
- 2628. Pseudoteleia Amsel,1935** (Gelechiidae) Synonym(s): *Pseudoteleia* Amsel,1935
- 2629. Pseudotelphusa Janse,1958** (Gelechiidae) Synonym(s): *Pseudotelphusa* Janse,1958; *Sattleria* Capuse,1968 nec Pov.,1965; *Klaussattleria* Capuse,1968 Original Reference: *Pseudotelphusa* Janse,1958, Moths S. Afr. 6: 68. Type-species: *Telphusa probata* Meyrick,1909, Ann. Transv. Mus. 2: 11, pl.4 fig.4, by original designation.
- 2630. Pseudotelphusa cycota (Meyrick,1911)** (Gelechiidae) Synonym(s): *cycota* Meyrick,1911
- 2631. Psoricoptera Stainton,1854** (Gelechiidae) Synonym(s): *Psoricoptera* Stainton,1854 Original Reference: *Psoricoptera* Stainton,1854, Insecta Br. (Lepid. Tineina): 76,100. Type-species: *Gelechia gibbosella* Zeller,1839, Isis Oken, Leipzig 1839: 202, by monotypy.
- 2632. Ptocheuusa Heinemann,1870** (Gelechiidae) Synonym(s): *Ptocheuusa* Heinemann,1870; *Syneuetis* Wallengren,1881 Original Reference: *Ptocheuusa* Heinemann,1870, Schmiett. Dtl. Schweiz (2) 2 (1): 288. Type-species: *Gelechia inopella* Zeller, 1839, Isis Oken, Leipzig 1839: 201, by subsequent designation by Meyrick,1925, in Wytzman, Genera Insect. 184: 41.
- 2633. Ptychovalva Janse,1958** (Gelechiidae) Synonym(s): *Ptychovalva* Janse,1958
- 2634. Pycnodytis Meyrick,1918** (Gelechiidae) Synonym(s): *Pycnodytis* Meyrick,1918
- 2635. Pyncostola Meyrick,1917** (Gelechiidae) Synonym(s): *Pyncostola* Meyrick,1917; *Pyncostola* Meyrick,1918
- 2636. Radionerva Janse,1951** (Gelechiidae) Synonym(s): *Radionerva* Janse,1951

- 2637. *Recurvaria Haworth, 1828*** (Gelechiidae) Synonym(s): *Recurvaria Haworth, 1828*; *Lita Kollar, 1832*; *Telea Stephens, 1834*; *Aphanaula Meyrick, 1895*; *Hinnebergia Spuler, 1910*; *Microlechia Turati, 1924*. Original Reference: *Recurvaria Haworth, 1828*, Lepid. Br.: 547. Type-species: *Tinea nanella* [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141, by subsequent designation by Walsingham, 1910, Biologia cent.-am. (Zool.) Lepid. -Heterocera 4: 43.
- 2638. *Rotundivalva Janse, 1951*** (Gelechiidae) Synonym(s): *Rotundivalva Janse, 1951*
- 2639. *Sattleria Povolny, 1965*** (Gelechiidae) Synonym(s): *Sattleria Povolny, 1965*
- 2640. *Schematistis Meyrick, 1911*** (Gelechiidae) Synonym(s): *Schematistis Meyrick, 1911*
- 2641. *Schistophila Chrétien, 1899*** (Gelechiidae) Synonym(s): *Schistophila Chrétien, 1899*
- 2642. *Schistovalva Janse, 1960*** (Gelechiidae) Synonym(s): *Schistovalva Janse, 1960*
- 2643. *Schizovalva Janse, 1951*** (Gelechiidae) Synonym(s): *Schizovalva Janse, 1951*
- 2644. *Schneidereria Weber, 1957*** (Gelechiidae) Synonym(s): *Schneidereria Weber, 1957*
Original Reference: *Schneidereria Weber, 1957*, Mitt. schweiz. Ent. Ges. 30: 68. Type-species: *Schneidereria pistaciella Weber, 1957*, by original designation.
- 2645. *Sclerocecis Chrétien, 1908*** (Gelechiidae) Synonym(s): *Sclerocecis Chrétien, 1908* Original Reference: *Sclerocecis Chrétien, 1908*, Bull. Soc. ent. Fr. 1908: 142. Type-species: *Sclerocecis pulverosella Chrétien, 1908*, by monotypy.
- 2646. *Scrobipalpa (Ergasiola) Povolny, 1967*** (Gelechiidae) Synonym(s): *Ergasiola Povolny, 1967*
Original Reference: *Ergasiola Povolny, 1967*, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 232. Type-species: *Phthorimaea ergasima Meyrick, 1916*, Exot Microlepid. 1: 568, by original designation.
- 2647. *Scrobipalpa (Ilseopsis) Povolny, 1965*** (Gelechiidae) Synonym(s): *Ilseopsis Povolny, 1965*; *Euscrobipalpa Povolny, 1967* Original Reference: *Ilseopsis Povolny, 1965*, Acta ent. bohemosl. 62: 481. Type-species: *Ilseopsis peterseni Povolny, 1965*, by original designation.
- 2648. *Scrobipalpa (s.str.) Janse, 1951*** (Gelechiidae) Synonym(s): *Scrobipalpa Janse, 1951*
Original Reference: *Scrobipalpa Janse, 1951*, Moths S. Afr. 5: 199. Type-species: *Gelechia heliopa* Lower, 1900, Proc. Linn. Soc. N.S.W. 25: 417, by original designation.
- 2649. *Scrobipalpa Janse, 1951*** (Gelechiidae) Synonym(s): *Scrobipalpa Janse, 1951* Original Reference: *Scrobipalpa Janse, 1951*, Moths S. Afr. 5: 199. Type-species: *Gelechia heliopa* Lower, 1900, Proc. Linn. Soc. N.S.W. 25: 417, by original designation.
- 2650. *Scrobipalpopsis Povolny, 1967*** (Gelechiidae) Synonym(s): *Scrobipalpopsis Povolny, 1967*
- 2651. *Scrobipalpula Povolny, 1964*** (Gelechiidae) Synonym(s): *Scrobipalpula Povolny, 1964*
Original Reference: *Scrobipalpula Povolny, 1964*, Cas. čsl. Spol. ent. 61: 339. Type-species: *Gelechia psilella Herrich-Schäffer, 1854*, Syst. Bearbeitung Schmett. Eur. 5: 162, 171, by original designation.
- 2652. *Sitotroga Heinemann, 1870*** (Gelechiidae) Synonym(s): *Sitotroga Heinemann, 1870*; *Nesolechia Meyrick, 1921*; *Syngenomictis Meyrick, 1927* Original Reference: *Sitotroga Heinemann, 1870*, Schmett. Dtl. Schweiz (2) 2(1): 287. Type-species: *Alucita cerealella Olivier, 1789*, Encycl. Méth. Hist. nat. 4 (Insectes 1): 121, by monotypy.
- 2653. *Sophronia Hübner, [1825]*** (Gelechiidae) Synonym(s): *Sophronia Hübner, [1825]* Original Reference: *Sophronia Hübner, [1825]*, Verz. bekannter Schmett.: 407. Type-species: *Tinea illustrella, Hübner, 1796*, Samml. eur. Schmett. 8: 46, pl. 23 fig. 158, by monotypy.
- 2654. *Spiniphallellus Bidzilya & Karsholt, 2008*** (Gelechiidae) Synonym(s): *Spiniphallellus Bidzilya & Karsholt, 2008* Original Reference: *Spiniphallellus Bidzilya & Karsholt, 2008*, Nota lepid. 31 (2): 201. Type-species: *Spiniphallellus desertus Bidzilya & Karsholt, 2008*, by original designation.
- 2655. *Stegasta Meyrick, 1904*** (Gelechiidae) Synonym(s): *Stegasta Meyrick, 1904*
- 2656. *Stenolechia Meyrick, 1894*** (Gelechiidae) Synonym(s): *Stenolechia Meyrick, 1894*; *Poecilia Heinemann, 1870* nec *Schneider, 1801*; *Gibbosa Omelko, 1988*. Original Reference: *Stenolechia Meyrick, 1894*, Entomologist's mon. Mag. 30: 230. Type-species: *Phalaena gemmella* Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 539, by subsequent designation by Meyrick, 1925, in Wytzman, Genera Insect. 184: 51.
- 2657. *Stenolechiodes Elsner, [1996]*** (Gelechiidae) Synonym(s): *Stenolechiodes Elsner, [1996]*
Original Reference: *Stenolechiodes Elsner, [1996]*, Klapalekiana 31 (3/4): 74. Type-species: *Stenolechiodes pseudogemmellus Elsner, [1996]*, by original designation.
- 2658. *Stenovalva Amsel, 1955*** (Gelechiidae) Synonym(s): *Stenovalva Amsel, 1955* Original Reference: *Stenovalva Amsel, 1955*, Bull. Inst. r. Sci. nat. Belg. 31 (83): 9. Type-species: *Stenovalva ghorella Amsel, 1955*, by original designation.

- 2659. Stomopteryx Heinemann, 1870** (Gelechiidae) Synonym(s): *Stomopteryx Heinemann, 1870*; *Inotica Meyrick, 1913*; *Acraeologa Meyrick, 1921*; *Kahelia Turati, 1922* Original Reference: *Stomopteryx Heinemann, 1870*, Schmett. Dtl. Schweiz. (2) 2 (1): 324. Type-species: *Gelechia detersella* Zeller, 1847, *Isis Oken, Leipzig 1847*: 846. by monotypy.
- 2660. Streya Janse, 1958** (Gelechiidae) Synonym(s): *Streya Janse, 1958* Original Reference: *Streya Janse, 1958*, *Moths of South Africa*, Transv. Mus. 6: 99. Type-species: *Streya pallidigrisea* Janse, 1958, by original designation.
- 2661. Struempelia Amsel, 1977** (Gelechiidae) Synonym(s): *Struempelia Amsel, 1977* Original Reference: *Struempelia Amsel, 1977*, *Beitr. naturk. Forsch. SüdwDtl.* 36: 232. Type-species: *Struempelia renatella* Amsel, 1977, by original designation and monotypy.
- 2662. Symbatica Meyrick, 1910** (Gelechiidae) Synonym(s): *Symbatica Meyrick, 1910*
- 2663. Syncopacma Meyrick, 1925** (Gelechiidae) Synonym(s): *Harpagus Stephens, 1834* nec *Vigors, 1824*; *Syncopacma Meyrick, 1925* Original Reference: *Syncopacma Meyrick, 1925*, in *Wytzman, Genera Insect.* 184: 14, 72. Type-species: *Telphusa acrophylla* Meyrick, 1911, *Ann. Transv. Mus.* 3: 65, by original designation.
- 2664. Synglechia Janse, 1958** (Gelechiidae) Synonym(s): *Synglechia Janse, 1958*
- 2665. Syrmadaula Meyrick, 1918** (Gelechiidae) Synonym(s): *Syrmadaula Meyrick, 1918*
- 2666. Teleiodes Sattler, 1960** (Gelechiidae) Synonym(s): *Teleia Heinemann, 1870* nec *Hübner, [1825]*; *Teleiodes Sattler, 1960*; *Dubitationis M. Omelko & N. Omelko, 1998* Original Reference: *Teleiodes Sattler, 1960*, *Dt. ent. Z. (N.F.)* 7: 16, 17, 63. Type-species: *Tinea vulgella* [Denis & Schiff.], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 139, by subsequent designation by Meyrick, 1925, in *Wytzman, Genera Insect.* 184: 69.
- 2667. Teleiopsis Sattler, 1960** (Gelechiidae) Synonym(s): *Teleiopsis Sattler, 1960* Original Reference: *Teleiopsis Sattler, 1960*, *Dt. ent. Z. (N.F.)* 7: 16, 17, 66. Type-species: *Recurvaria diffinis* Haworth, 1828, *Lepid. Br.*: 551, by original designation.
- 2668. Telphusa Chambers, 1872** (Gelechiidae) Synonym(s): *Telphusa Chambers, 1872*; *Adrasteia Chambers, 1872*; *Adrastia Kirby, 1874* Original Reference: *Telphusa Chambers, 1872*, *Can. Ent.* 4: 132. Type-species: *Telphusa curvistrigella* Chambers, 1872, *ibidem* 4: 133, by monotypy.
- 2669. Thaumaturgis Meyrick, 1934** (Gelechiidae) Synonym(s): *Thaumaturgis Meyrick, 1934*
- 2670. Thiotricha Meyrick, 1886** (Gelechiidae) Synonym(s): *Thiotricha Meyrick, 1886*; *Reuttia Hofmann, 1898*; *Mystax Caradja, 1920*
- 2671. Thriophora Meyrick, 1911** (Gelechiidae) Synonym(s): *Thriophora Meyrick, 1911*
- 2672. Thymosopha Meyrick, 1914** (Gelechiidae) Synonym(s): *Thymosopha Meyrick, 1914*
- 2673. Tila Povolny, 1965** (Gelechiidae) Synonym(s): *Tila Povolny, 1965* Original Reference: *Tila Povolny, 1965*, *Acta ent. bohemoslovaca* 62: 485. Type-species: *Lita capsophilella* Chrétien, 1900, *Bull. Soc. ent. Fr.* 1900: 223, by original designation.
- 2674. Tiranimia Chrétien, 1915** (Gelechiidae) Synonym(s): *Tiranimia Chrétien, 1915*
- 2675. Tituacia Walker, 1864** (Gelechiidae) Synonym(s): *Tituacia Walker, 1864*; *Stomylia Snellen, 1878*
- 2676. Tornodoxa Meyrick, 1921** (Gelechiidae) Synonym(s): *Tornodoxa Meyrick, 1921*
- 2677. Tricerophora Janse, 1958** (Gelechiidae) Synonym(s): *Tricerophora Janse, 1958*
- 2678. Tricyanula Meyrick, 1925** (Gelechiidae) Synonym(s): *Tricyanula Meyrick, 1925*
- 2679. Trychnopalpa Janse, 1958** (Gelechiidae) Synonym(s): *Trychnopalpa Janse, 1958*; *Synthesioparpa Povolny, 1966*
- 2680. Turcopalpa Povolny, 1973** (Gelechiidae) Synonym(s): *Turcopalpa Povolny, 1973* Original Reference: *Turcopalpa Povolny, 1973*, *Acta ent. bohemoslovaca* 70: 98. Type-species: *Turcopalpa glaseri* Povolny, 1973, *ibidem* 70: 100, figs 1, 16, 24, by original designation.
- 2681. Tuta Kieffer & Jörgensen, 1910** (Gelechiidae) Synonym(s): *Tuta Kieffer & Jörgensen, 1910* Original Reference: *Tuta Kieffer & Jörgensen, 1910*, *Zentbl. Bakt. parasitkde.* (2) 27: 363. Type-species: *Gnorimoschema atriplicella* Kieffer & Jörgensen, 1910.
- 2682. Uliaria Dumont, [1921]** (Gelechiidae) Synonym(s): *Uliaria Dumont, [1921]*; *Gomphocrates Meyrick, 1925*
- 2683. Vadenia Caradja, 1933** (Gelechiidae) Synonym(s): *Vadenia Caradja, 1933*
- 2684. Vladimirea (Distinxia) Povolny, 1967** (Gelechiidae) Synonym(s): *Distinxia Povolny, 1967*
- 2685. Vladimirea Povolny, 1967** (Gelechiidae) Synonym(s): *Vladimirea Povolny, 1967* Original Reference: *Vladimirea Povolny, 1967*, *Acta ent. Mus. natn. Pragae* 37: 148. Type-species: *Vladimirea wiltshirei* Povolny, 1967, by original designation.
- 2686. Xenolechia Meyrick, 1895** (Gelechiidae) Synonym(s): *Xenolechia Meyrick, 1895* Original Reference: *Xenolechia Meyrick, 1895*, *Handbk br. Lepid.*: 583. Type-species: *Anacamptis*

- aethiops Humphreys & Westwood, 1845, Br. Moths Transformations 2:192, pl.107 f.13, by subsequent designation by Walsingham, 1911, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4:56.
- 2687. *Xystophora Wocke, 1876* (Gelechiidae) Synonym(s):** *Doryphora Heinemann, 1870 nec Ill., 1807*; *Xystophora Wocke, 1876*; *Doryphorella Cockerell, 1888*; *#Xytosphora Pierce & Metcalfe, 1935* Original Reference: *Xystophora Wocke, 1876*, Schmett. Dtl. Schweiz (2) 2 (2): 6. Type-species: *Anacampsis pulveratella Herrich-Schäffer, 1854*, by subsequent designation by Walsingham, 1909.
- 2688. *Zalithia Meyrick, 1894* (Gelechiidae) Synonym(s):** *Zalithia Meyrick, 1894*; *#Zalitheia Janse, 1963*
- 2689. *Abaciscus Butler, 1889* (Geometridae) Synonym(s):** *Abaciscus Butler, 1889*; *Enantiodes W. Warren, 1896*; *Prionostrenia Wehrli, 1939*
- 2690. *Abraxaphantes W. Warren, 1894* (Geometridae) Synonym(s):** *Abraxaphantes W. Warren, 1894* Original Reference: *Abraxaphantes W. Warren, 1894*, Novit. zool. 1 (2): 374. Type-species: *Abraxas perampla Swinhoe, 1890*, by original designation.
- 2691. *Abraxas (Calospilos) Hübner, [1825]* (Geometridae) Synonym(s):** *Calospilos Hübner, [1825]*; *Callispilus Agassiz, 1847* Original Reference: *Calospilos Hübner, [1825]*, Verz. bekannt. Schmett.: 305. Type-species: *Phalaena ulmata Fabricius, 1775*, by subsequent designation by John, 1911.
- 2692. *Abraxas Leach, [1815]* (Geometridae) Synonym(s):** *Abraxas Leach, [1815]*; *Spilota Hübner, 1818*; *Zerene Treitschke, 1825 nec Hbn., [1819]*; *Xerene Stephens, 1829*; *Zirene Unger, 1856* Original Reference: *Abraxas Leach, [1815]*, [in] Brewster, Edinburgh Encycl. 9: 134. Type-species: *Phalaena grossulariata Linnaeus, 1758*, by subsequent designation by Curtis, 1834.
- 2693. *Abraxesis Hampson, 1902* (Geometridae) Synonym(s):** *Abraxesis Hampson, 1902*
- 2694. *Absala Swinhoe, 1893* (Geometridae) Synonym(s):** *Absala Swinhoe, 1893*
- 2695. *Acanthovalva M. Krüger, 2001* (Geometridae) Synonym(s):** *#Acanthovalva Staude, 1999*; *Acanthovalva M. Krüger, 2001* Original Reference: *Acanthovalva M. Krüger, 2001*, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 33. Type-species: *Geometra inconspicuaris Hübner, [1819]*, by original designation.
- 2696. *Acasis Duponchel, [1845]* (Geometridae) Synonym(s):** *Acasis Duponchel, [1845]*; *Bryodis Gumpfenberg, 1887* Original Reference: *Acasis Duponchel, [1845]*, Cat. méth. Lépid. Eur.: 256. Type-species: *Geometra viretata Hübner, [1799]*, by monotypy.
- 2697. *Achrosis Guenée, [1858]* (Geometridae) Synonym(s):** *Achrosis Guenée, [1858]*; *Sabaria Walker, 1860*; *Pagrasa Walker, 1861*; *Osicerda Walker, 1861*; *Omiza Walker, 1861*; *Isnisca Walker, [1863]*; *Celesdera Walker, [1863]*; *Zomia Moore, 1868*
- 2698. *Acidaliastis Hampson, 1896* (Geometridae) Synonym(s):** *Acidaliastis Hampson, 1896*; *Mixeophanes L.B. Prout, 1912*
- 2699. *Acidromodes Hausmann, 1996* (Geometridae) Synonym(s):** *Acidromodes Hausmann, 1996*
- 2700. *Acollesis W. Warren, 1898* (Geometridae) Synonym(s):** *Acollesis W. Warren, 1898*
- 2701. *Acolutha W. Warren, 1894* (Geometridae) Synonym(s):** *Acolutha W. Warren, 1894*
- 2702. *Acrasia Rogenhofer, 1875* (Geometridae) Synonym(s):** *Acrasia Rogenhofer, 1875*
- 2703. *Acrobiston Wiltshire, 1967* (Geometridae) Synonym(s):** *Acrobiston Wiltshire, 1967* Original Reference: *Acrobiston Wiltshire, 1967*, Beitr. naturk. Forsch. SüdwDtl. 26: 158. Type-species: *Acrobiston aestivalis Wiltshire, 1967*, by original designation.
- 2704. *Acrodontis Wehrli, 1931* (Geometridae) Synonym(s):** *Acrodontis Wehrli, 1931*
- 2705. *Acrostatheusis L.B. Prout, 1915* (Geometridae) Synonym(s):** *Acrostatheusis L.B. Prout, 1915*
- 2706. *Actenochroma W. Warren, 1893* (Geometridae) Synonym(s):** *Actenochroma W. Warren, 1893*
- 2707. *Adactylotis Hübner, [1823]* (Geometridae) Synonym(s):** *Adactylotis Hübner, [1823]*
- 2708. *Adalbertia Wehrli, 1931* (Geometridae) Synonym(s):** *Seitzia Wehrli, 1930 nec Scriba, 1919*; *Adalbertia Wehrli, 1931*.
- 2709. *Adeixis W. Warren, 1897* (Geometridae) Synonym(s):** *Adeixis W. Warren, 1897*; *Paragyrtis Meyrick, 1905*
- 2710. *Adesmobathra L.B. Prout, 1916* (Geometridae) Synonym(s):** *Adesmobathra L.B. Prout, 1916*
- 2711. *Adicocrita L.B. Prout, 1930* (Geometridae) Synonym(s):** *Adicocrita L.B. Prout, 1930*
- 2712. *Aeolochroma L.B. Prout, 1912* (Geometridae) Synonym(s):** *Aeolochroma L.B. Prout, 1912*
- 2713. *Aethalura McDunnough, 1920* (Geometridae) Synonym(s):** *Aethaloptera Hulst, 1896 nec Brauer, 1875*; *Aethalura McDunnough, 1920*
- 2714. *Aetheometra L.B. Prout, 1931* (Geometridae) Synonym(s):** *Aetheometra L.B. Prout, 1931*
- 2715. *Afriberina Wehrli, 1943* (Geometridae) Synonym(s):** *Afriberina Wehrli, 1943*
- 2716. *Afrophyla W. Warren, 1895* (Geometridae) Synonym(s):** *Afrophyla W. Warren, 1895*

- 2717. Agaraeus Kuznetsov & Stekolnikov, 1982** (Geometridae) Synonym(s): *Agaraeus Kuznetsov & Stekolnikov, 1982*; *Hyperapeira Inoue, 1982*
- 2718. Agathia Guenée, [1858]** (Geometridae) Synonym(s): *Agathia Guenée, [1858]*; *Lophochlora W. Warren, 1894*; *Hypagathia Inoue, 1961*
- 2719. Agriopis Hübner, [1825]** (Geometridae) Synonym(s): *Agriopis Hübner, [1825]*; *Anisopteryx Stephens, 1827*; *Amalthea Gumpfenberg, 1887 nec Raf. 1815*; *Cyropega Dumont, 1925* Original Reference: *Agriopis Hübner, [1825]*, Verz. bekannter Schmett.: 320. Type-species: *Geometra leucophaearia* [Denis & Schifferrmüller], 1775, by subsequent designation by Wehrli, 1940.
- 2720. Albinospila Holloway, 1996** (Geometridae) Synonym(s): *Albinospila Holloway, 1996*
- 2721. Alcis Curtis, 1826** (Geometridae) Synonym(s): *Alcis Curtis, 1826*; *Poecilalcis W. Warren, 1893*; *Dictyodea Wehrli, 1934*; *Alcisca Wehrli, 1943* Original Reference: *Alcis Curtis, 1826*, Br. Ent. 3: 113. Type-species: *Phalaena repandata* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 524, by original designation.
- 2722. Aletis Hübner, [1820]** (Geometridae) Synonym(s): *Aletis Hübner, [1820]*
- 2723. Aleucis Guenée, [1845]** (Geometridae) Synonym(s): *Aleucis Guenée, [1845]*; *Aleucis Stephens, 1850*; *Anhibernia Staudinger, 1892* Original Reference: *Aleucis Guenée, [1845]*, Cat. méth. Lépid. Eur.: 270. Type-species: *Erannis distinctata* Herrich-Schäffer, [1839], by original designation.
- 2724. Alex Walker, [1863]** (Geometridae) Synonym(s): *Alex Walker, [1863]*; *Orgalima Walker, 1866*; *Gamoruna Moore, 1888*
- 2725. Allochlorodes L.B. Prout, 1917** (Geometridae) Synonym(s): *Allochlorodes L.B. Prout, 1917*
- 2726. Allochrostes L.B. Prout, 1912** (Geometridae) Synonym(s): *Allochrostes L.B. Prout, 1912*
- 2727. Almabiston Djakonov, 1952** (Geometridae) Synonym(s): *Almabiston Djakonov, 1952*
- 2728. Almeria Agenjo, 1949** (Geometridae) Synonym(s): *Almeria Agenjo, 1949*
- 2729. Alsophila Hübner, [1825]** (Geometridae) Synonym(s): *Alsophila Hübner, [1825]* Original Reference: *Alsophila Hübner, [1825]*, Verz. bekannter Schmett.: 321. Type-species: *Geometra aescularia* [Denis & Schifferrmüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 257.
- 2730. Alsophiloides Inoue, 1961** (Geometridae) Synonym(s): *Alsophiloides Inoue, 1961*
- 2731. Amblychia Guenée, [1858]** (Geometridae) Synonym(s): *Amblychia Guenée, [1858]*; *Elphos Guenée, [1858]*
- 2732. Amorphogynia W. Warren, 1894** (Geometridae) Synonym(s): *Amorphogynia W. Warren, 1894* Original Reference: *Amorphogynia W. Warren, 1894*, Novit. zool. 1: 429. Type-species: *Boarmia necessaria* Zeller, 1849, Stettin ent. Ztg. 10: 206, by original designation.
- 2733. Amorphozancle W. Warren, 1893** (Geometridae) Synonym(s): *Amorphozancle W. Warren, 1893*
- 2734. Amraica Moore, 1888** (Geometridae) Synonym(s): *Amraica Moore, 1888*
- 2735. Amygdaloptera Gumpfenberg, 1887** (Geometridae) Synonym(s): *Heteropsis Guenée, [1858] nec Westw., 1850*; *Amygdaloptera Gumpfenberg, 1887*
- 2736. Amygdaloptera Gumpfenberg, 1887** (Geometridae) Synonym(s): *Heteropsis Guenée, [1858] nec Westw., [1850]*; *Amygdaloptera Gumpfenberg, 1887*; *Palaeoctenis Meyrick, 1892*
- 2737. Anacleora Janse, 1932** (Geometridae) Synonym(s): *Anacleora Janse, 1932*
- 2738. Androzeugma L.B. Prout, 1913** (Geometridae) Synonym(s): *Androzeugma L.B. Prout, 1913*
- 2739. Angerona Duponchel, 1829** (Geometridae) Synonym(s): *Angerona Duponchel, 1829*; *#Augerona Desmarest, [1847]* Original Reference: *Angerona Duponchel, 1829*, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 104, 180. Type-species: *Phalaena prunaria* Linnaeus, 1758, by original designation.
- 2740. Anisodes Guenée, [1858]** (Geometridae) Synonym(s): *Anisodes Guenée, [1858]*
- 2741. Anoectomychus L.B. Prout, 1915** (Geometridae) Synonym(s): *Anoectomychus L.B. Prout, 1915*
- 2742. Anonymia W. Warren, 1893** (Geometridae) Synonym(s): *Anonymia W. Warren, 1893*
- 2743. Ansorgia W. Warren, 1899** (Geometridae) Synonym(s): *Ansorgia W. Warren, 1899*
- 2744. Antharmostes W. Warren, 1899** (Geometridae) Synonym(s): *Antharmostes W. Warren, 1899*
- 2745. Anthemoctena W. Warren, 1895** (Geometridae) Synonym(s): *Anthemoctena W. Warren, 1895*
- 2746. Anthometra Boisduval, 1840** (Geometridae) Synonym(s): *Anthometra Boisduval, 1840*
- 2747. Anthyperythra Swinhoe, 1891** (Geometridae) Synonym(s): *Anthyperythra Swinhoe, 1891*
- 2748. Anticlea Stephens, 1831** (Geometridae) Synonym(s): *Anticlea Stephens, 1831*; *Earophila Gumpfenberg, 1887* Original Reference: *Anticlea Stephens, 1831*, Illustr. Br. Ent. (Haustellata) 3: 236. Type-species: *Geometra derivata* [Denis & Schifferrmüller], 1775, by subsequent designation by Westwood, 1840.

- 2749. Anticollix L.B.Prout,1938** (Geometridae) Synonym(s): *Anticollix L.B.Prout,1938*
- 2750. Antilurga Herbulot,1951** (Geometridae) Synonym(s): *Antilurga Herbulot,1951*
- 2751. Antilycauges L.B.Prout,1913** (Geometridae) Synonym(s): *Antilycauges L.B.Prout,1913*
- 2752. Antimimistis Turner,1922** (Geometridae) Synonym(s): *Antimimistis Turner,1922*
- 2753. Antipercnia Inoue,1992** (Geometridae) Synonym(s): *Antipercnia Inoue,1992*
- 2754. Antitrygodes W.Warren,1895** (Geometridae) Synonym(s): *Antitrygodes W.Warren,1895*
- 2755. Antozola Herbulot,1992** (Geometridae) Synonym(s): *Antozola Herbulot,1992*
- 2756. Apeira Gistel,1848** (Geometridae) Synonym(s): *Pericallia Stephens,1828 nec Hbn.,[1820]; Apeira Gistel,1848; Hydrochroa Gumpfenberg,1887; Cyphosea Grote,1896; #Apeir.a Okyar & Aytac,1999* Original Reference: *Apeira Gistel,1848, Naturg. Thierreichs: xi. Type-species: Phalaena syringaria Linnaeus,1758, by monotypy.*
- 2757. Aphilopota W.Warren,1899** (Geometridae) Synonym(s): *Aphilopota W.Warren,1899; Haggardia W.Warren,1904*
- 2758. Apithecina L.B.Prout,1914** (Geometridae) Synonym(s): *Apithecina L.B.Prout,1914*
- 2759. Aplasta Hübner,[1823]** (Geometridae) Synonym(s): *Aplasta Hübner,[1823]* Original Reference: *Aplasta Hübner,[1823], Verz. bekannt. Schmett.: 304. Type-species: Phalaena ononaria Fuessly,1783, Arch. Insectengesch. 3: pl.17, by subsequent designation by L.B.Prout (1910, [in] Wytsman, Genera Insect. 104: 67).*
- 2760. Aplocera Stephens,1827** (Geometridae) Synonym(s): *Aplocera Stephens,1827; Anaitis Duponchel,1829; Larissa Curtis,1830; Haplocera Agassiz,1847* Original Reference: *Aplocera Stephens,1827, Retrospective Review (2) 1: 243. Type-species: Phalaena plagiata Linnaeus,1758, by monotypy.*
- 2761. Aplochlora W.Warren,1893** (Geometridae) Synonym(s): *Aplochlora W.Warren,1893*
- 2762. Apoaspilates Wehrli,1954** (Geometridae) Synonym(s): *Apoaspilates Wehrli,1954*
- 2763. Apocheima Hübner,[1825]** (Geometridae) Synonym(s): *Apocheima Hübner,[1825]; Amphidasis Stephens,1829 nec Treit.,1825.* Original Reference: *Apocheima Hübner,[1825], Verz. bekannt. Schmett.: 319. Type-species: Geometra hispidaria [Denis & Schiffermüller],1775, by subsequent designation by Hulst,1896.*
- 2764. Apochima Agassiz,1847** (Geometridae) Synonym(s): *Apocheima Herrich-Schäffer,1838 nec Hübner,[1825]; Apocheima Herrich-Schäffer,1838 nec Hbn.,[1825]; Apochima Agassiz,1847; Zamacra Meyrick,1892; Acanthocampa Dyar,1905* Original Reference: *Apochima Agassiz,1847, Nomencl. zool. (Index univl.): 29. Type-species: Amphidasis flabellaria Heeger,1838, by monotypy.*
- 2765. Apocolotois Wehrli,1936** (Geometridae) Synonym(s): *Apocolotois Wehrli,1936; Neocolotois Djakonov,1952; Gozmanyita Vojnits,1975.*
- 2766. Aporandria W.Warren,1894** (Geometridae) Synonym(s): *Aporandria W.Warren,1894; Aporandria Swinhoe,1894*
- 2767. Apostates W.Warren,1897** (Geometridae) Synonym(s): *Apostates W.Warren,1897*
- 2768. Apostegania L.B.Prout,1932** (Geometridae) Synonym(s): *Apostegania L.B.Prout,1932*
- 2769. Archichlora W.Warren,1898** (Geometridae) Synonym(s): *Archichlora W.Warren,1898; Chloroteris W.Warren,1901*
- 2770. Archiearis Hübner,[1823]** (Geometridae) Synonym(s): *Archiearis Hübner,[1823].* Original Reference: *Archiearis Hübner,[1823], Verz. bekannter Schmett.: 280. Type-species: Phalaena parthenias Linnaeus,1761, Fauna Suecica (Edn.2): 308, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 317.*
- 2771. Archiplutodes W.Warren,1894** (Geometridae) Synonym(s): *Archiplutodes W.Warren,1894*
- 2772. Archirhoe Herbulot,1951** (Geometridae) Synonym(s): *Archirhoe Herbulot,1951*
- 2773. Arctoscelia W.Warren,1897** (Geometridae) Synonym(s): *Arctoscelia W.Warren,1897*
- 2774. Argyrocosma Turner,1910** (Geometridae) Synonym(s): *Argyrocosma Turner,1910*
- 2775. Argyrographa L.B.Prout,1912** (Geometridae) Synonym(s): *Argyrographa L.B.Prout,1912*
- 2776. Argyrophora Guenée,[1858]** (Geometridae) Synonym(s): *Argyrophora Guenée,[1858]*
- 2777. Arichanna Moore,1868** (Geometridae) Synonym(s): *Rhyparia Hübner,[1825] nec Hbn.,[1820]; Arichanna Moore,1868; Icterodes Butler,1878; Paricterodes W.Warren,1893; Hemipyrrha Grote,1896; Phyllabraxas Leech,1897; Epicterodes Wehrli,1933*
- 2778. Artemidora Meyrick,1892** (Geometridae) Synonym(s): *Artemidora Meyrick,1892*
- 2779. Artiora Meyrick,1892** (Geometridae) Synonym(s): *Pericallia Herrich-Schäffer,1847 nec Hbn.,[1820]; Artiora Meyrick,1892* Original Reference: *Artiora Meyrick,1892, Trans. ent. Soc. Lond. 1892: 101, 114. Type-species: Geometra evonymaria [Denis & Schiffermüller],1775, by monotypy.*

- 2780. Ascotis Hübner,[1825]** (Geometridae) **Synonym(s):** *Ascotis* Hübner,[1825]; *Hypopalpis* Guenée,1862; *Burichura* Moore,1888; *Trigonomelea* W.Warren,1904 **Original Reference:** *Ascotis* Hübner,[1825], Verz. bekannt. Schmett.: 313. Type-species: *Geometra selenaria* [Denis & Schiffermüller],1775, by subsequent designation by Joannis,1929.
- 2781. Asovia Alpheraky,1908** (Geometridae) **Synonym(s):** *Asovia* Alpheraky,1908 **Original Reference:** *Asovia* Alpheraky,1908, Horae Soc. ent. ross. 38: 604. Type-species: *Boarmia maeoticaria* Alpheraky,1876, by monotypy.
- 2782. Aspilatopsis W.Warren,1897** (Geometridae) **Synonym(s):** *Aspilatopsis* W.Warren,1897; *Euomoia* W.Warren,1897
- 2783. Aspitates Treitschke,1825** (Geometridae) **Synonym(s):** *Aspitates* Treitschke,1825; *Aspilates* Treitschke,1827; *Parallela* Sodoffsky,1837; *#Aspilades* Heydenreich,1846; *Aspilata* Unger,1856; *Eversmannia* Erschoff,1871 (praeocc.); *Sinope* Gumpfenberg,1887; *Toxogrammia* Gumpfenberg,1887; *Pseudosiona* Butler,1893; *Nyctiphanta* Hulst,1896; *Erschoffia* Swinhoe,1900 **Original Reference:** *Aspitates* Treitschke,1825, Schmett. Eur. 5 (2): 431. Type-species: *Geometra gilvaria* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829.
- 2784. Asthena Hübner,[1825]** (Geometridae) **Synonym(s):** *Asthena* Hübner,[1825]; *Roessleria* Breyer,1869 **Original Reference:** *Asthena* Hübner,[1825], Verz. bekannter Schmett.: 310. Type-species: *Geometra candida* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110, by subsequent designation by Guenée,1857, Hist. nat. Insectes 9: 435.
- 2785. Asthenotricha W.Warren,1899** (Geometridae) **Synonym(s):** *Asthenotricha* W.Warren,1899; *#Astenotricha* Debauche,1938
- 2786. Astygisa Walker,1864** (Geometridae) **Synonym(s):** *Astyigisa* Walker,1864; *Alana* Walker,1866; *Apopetelia* Wehrli,1936
- 2787. Athroolopha Lederer,1853** (Geometridae) **Synonym(s):** *Athroolopha* Lederer,1853 **Original Reference:** *Athroolopha* Lederer,1853, Verh. zool.-bot. Ver. Wien 3: 179, 227, 230. Type-species: *Geometra pennigeraria* Hübner,[1813].
- 2788. Atomorpha Staudinger,1901** (Geometridae) **Synonym(s):** *Atomophora* Alpheraky,1892 nec Reut.,1884; *Atomorpha* Staudinger,1901
- 2789. Atopophysa W.Warren,1894** (Geometridae) **Synonym(s):** *Atopophysa* W.Warren,1894
- 2790. Autotrichia L.B.Prout,1934** (Geometridae) **Synonym(s):** *Orthotrichia* Wehrli,1927 nec Eaton,1873; *Autotrichia* L.B.Prout,1934
- 2791. Auzeodes W.Warren,1893** (Geometridae) **Synonym(s):** *Auzeodes* W.Warren,1893
- 2792. Axinoptera Hampson,1893** (Geometridae) **Synonym(s):** *Axinoptera* Hampson,1893
- 2793. Axiodes W.Warren,1894** (Geometridae) **Synonym(s):** *Axiodes* W.Warren,1894
- 2794. Azyx D.S.Fletcher,1979** (Geometridae) **Synonym(s):** *Choregia* W.Warren,1899 nec Feld. & Rog.,1875; *Azyx* D.S.Fletcher,1979
- 2795. Baptria Hübner,[1825]** (Geometridae) **Synonym(s):** *Baptria* Hübner,[1825]; *Psychogoes* Butler,1877
- 2796. Barrama W.Warren,1897** (Geometridae) **Synonym(s):** *Barrama* W.Warren,1897
- 2797. Bathycolpodes L.B.Prout,1912** (Geometridae) **Synonym(s):** *Bathycolpodes* L.B.Prout,1912
- 2798. Berta Walker,[1863]** (Geometridae) **Synonym(s):** *Berta* Walker,[1863]
- 2799. Bichroma Gumpfenberg,1887** (Geometridae) **Synonym(s):** *Bichroma* Gumpfenberg,1887
- 2800. Biclavigera W.Warren,1894** (Geometridae) **Synonym(s):** *Biclavigera* W.Warren,1894; *Lipogonia* W.Warren,1911
- 2801. Biston Leach,[1815]** (Geometridae) **Synonym(s):** *Biston* Leach,[1815]; *Dasyphara* Billberg,1820; *Pachys* Hübner,1822; *Eugyja* Hübner,[1825]; *Amphidasys* Treitschke,1825; *Amphidasys* Sodoffsky,1837; *Amphidasea* Unger,1856; *Buzura* Walker,[1863]; *Culcula* Moore,1888; *Eubyjodonta* W.Warren,1893; *Blepharoctenia* W.Warren,1894; *Epamraica* Matsumura,1910; *#Bazura* Hutacharern & Tubtim,1995 **Original Reference:** *Biston* Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 134. Type-species: *Geometra prodromaria* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 2802. Bizia Walker,1860** (Geometridae) **Synonym(s):** *Bizia* Walker,1860
- 2803. Blaboplutodes L.B.Prout,1934** (Geometridae) **Synonym(s):** *Blaboplutodes* L.B.Prout,1934
- 2804. Blechroneomeria L.B.Prout,1925** (Geometridae) **Synonym(s):** *Blechroneomeria* L.B.Prout,1925
- 2805. Blepharoctenucha W.Warren,1895** (Geometridae) **Synonym(s):** *Blepharoctenucha* W.Warren,1895
- 2806. Boarmacaria Holloway,[1994]** (Geometridae) **Synonym(s):** *Boarmacaria* Holloway,[1994]
- 2807. Boarmioides Lucas,1932** (Geometridae) **Synonym(s):** *Pseudoboarmia* Lucas,1932 nec McDunn.,1920; *Boarmioides* Lucas,1932;
- 2808. Bombia W.Warren,1906** (Geometridae) **Synonym(s):** *Bombia* W.Warren,1906

- 2809. Bombycodes Guenée,[1858]** (Geometridae) Synonym(s): *Bombycodes Guenée,[1858]*
- 2810. Bonatea Druce,1892** (Geometridae) Synonym(s): *Bonatea Druce,1892*
- 2811. Boninnadagara Inoue,1988** (Geometridae) Synonym(s): *Boninnadagara Inoue,1988*
- 2812. Borbacha Moore,[1887]** (Geometridae) Synonym(s): *Borbacha Moore,[1887]; Borbachodes W.Warren,1894*
- 2813. Bordeta Walker,[1865]** (Geometridae) Synonym(s): *Bordeta Walker,[1865]*
- 2814. Bornealcis Holloway,[1994]** (Geometridae) Synonym(s): *Bornealcis Holloway,[1994]*
- 2815. Bosara Walker,1866** (Geometridae) Synonym(s): *Bosara Walker,1866; Gullaca W.Warren,1903*
- 2816. Brabira Moore,1888** (Geometridae) Synonym(s): *Brabira Moore,1888*
- 2817. Brabiroides W.Warren,1904** (Geometridae) Synonym(s): *Brabiroides W.Warren,1904*
- 2818. Bracca Hübner,[1820]** (Geometridae) Synonym(s): *Bracca Hübner,[1820]; Cosmethis Hübner,[1820]; Tigridoptera Herrich-Schäffer,1855; Arycanda Walker,1856; Panaethia Guenée,[1858]; Duga Walker,[1865]*
- 2819. Brachyglossina Wagner,1914** (Geometridae) Synonym(s): *Brachyglossina Wagner,1914*
- 2820. Brachytrita Swinhoe,1904** (Geometridae) Synonym(s): *Brachytrita Swinhoe,1904*
- 2821. Braueriana Bryk,1913** (Geometridae) Synonym(s): *Braueriana Bryk,1913*
- 2822. Bundelia Viidalepp,1988** (Geometridae) Synonym(s): *Bundelia Viidalepp,1988*
- 2823. Bupalus Leach,[1815]** (Geometridae) Synonym(s): *Bupalus Leach,[1815]; Phaophyga Billberg,1820; Chleuastes Hübner,1822; Catograptia Hübner,[1823]; Bupala Snellen,1867 nec Pascoe,1863*
Original Reference: Bupalus Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 134. Type-species: *Phalaena piniaria* Linnaeus,1758, by monotypy.
- 2824. Bustilloxia Expósito,1979** (Geometridae) Synonym(s): *Bustilloxia Expósito,1979*
- 2825. Buttia W.Warren,1904** (Geometridae) Synonym(s): *Buttia W.Warren,1904*
- 2826. Bytharia Walker,1864** (Geometridae) Synonym(s): *Bytharia Walker,1864; Longipalpa Pagenstecher,1900; Silvaspica Schultze,1925*
- 2827. Cabera Treitschke,1825** (Geometridae) Synonym(s): *Cabera Treitschke,1825; Deilinia Hübner,[1825]; Cabera Stephens,1829 nec Tr.,1825; Cabira Sodoffsky,1837; Dilina Agassiz,1847; Cabiro Unger,1856; Thysanochilus Butler,1878 nec Troschel,1857; Dilinia Hampson,1895; Gyalomia L.B.Prout,1913*
Original Reference: Cabera Treitschke,1825, Schmett. Eur. 5 (2): 437. Type-species: *Phalaena pusaria* Linnaeus,1758, by subsequent designation by Westwood,1840.
- 2828. Cacochloris L.B.Prout,1912** (Geometridae) Synonym(s): *Cacochloris L.B.Prout,1912*
- 2829. Cacostegania W.Warren,1901** (Geometridae) Synonym(s): *Cacostegania W.Warren,1901*
- 2830. Calamodes Guenée,[1858]** (Geometridae) Synonym(s): *Calamodes Guenée,[1858]*
- 2831. Calcyopa Stüning,2000** (Geometridae) Synonym(s): *Calichodes Wehrli,1943 nec Wrn.,1897; Calcyopa Stüning,2000*
- 2832. Calicha Moore,1888** (Geometridae) Synonym(s): *Calicha Moore,1888*
- 2833. Calichodes W.Warren,1897** (Geometridae) Synonym(s): *Calichodes W.Warren,1897*
- 2834. Callabraxas Butler,1880** (Geometridae) Synonym(s): *Callabraxas Butler,1880*
- 2835. Calleremites W.Warren,1894** (Geometridae) Synonym(s): *Calleremites W.Warren,1894*
- 2836. Calletaera W.Warren,1895** (Geometridae) Synonym(s): *Calletaera W.Warren,1895*
- 2837. Calleulype W.Warren,1903** (Geometridae) Synonym(s): *Calleulype W.Warren,1903*
- 2838. Callocasta Swinhoe,1894** (Geometridae) Synonym(s): *Callocasta Swinhoe,1894*
- 2839. Callocasta Swinhoe,1894** (Geometridae) Synonym(s): *Callocasta Swinhoe,1894*
- 2840. Calluga Moore,[1887]** (Geometridae) Synonym(s): *Calluga Moore,[1887]; Aniserpetes W.Warren,1903; Sillophora W.Warren,1907*
- 2841. Callygris Thierry-Mieg,1904** (Geometridae) Synonym(s): *Callygris Thierry-Mieg,1904*
- 2842. Calostigiodes Aubert,1955** (Geometridae) Synonym(s): *Calostigiodes Aubert,1955*
- 2843. Campaea Lamarck,1816** (Geometridae) Synonym(s): *Campaea Lamarck,1816; Eratopis R.L.,1817; Tribacis Billberg,1820; Metrocampus Berthold,1827; Metrocampe Rambur,1833; Metrocampa Bruand,1846*
Original Reference: Campaea Lamarck,1816, Hist. nat. Anim. sans Vertèbres 3: 568. Type-species: *Phalaena margaritata* Linnaeus,1767, by subsequent designation by Stephens,1831.
- 2844. Camptogramma Stephens,1831** (Geometridae) Synonym(s): *Camptogramma Stephens,1831*
Original Reference: Camptogramma Stephens,1831, Illust. Br. Ent. (Haustellata) 3: 263. Type-species: *Phalaena bilineata* Linnaeus,1758, by monotypy.
- 2845. Camptolophia W.Warren,1896** (Geometridae) Synonym(s): *Camptolophia W.Warren,1896*
- 2846. Cancellalata D.S.Fletcher,1956** (Geometridae) Synonym(s): *Cancellalata D.S.Fletcher,1956*
- 2847. Caradrinopsis Swinhoe,1904** (Geometridae) Synonym(s): *Caradrinopsis Swinhoe,1904*
- 2848. Carbia Walker,1866** (Geometridae) Synonym(s): *Carbia Walker,1866; Leiocera Hampson,1893*

- 2849. Carige Walker,[1863]** (Geometridae) **Synonym(s):** *Carige Walker,[1863]; Epimacaria Staudinger,1897*
- 2850. Carsia Hübner,[1825]** (Geometridae) **Synonym(s):** *Carsia Hübner,[1825]; Celma Stephens,1831; #Celina Westwood,1840* **Original Reference:** *Carsia Hübner,[1825]*, Verz. bekannt. Schmett.: 336. Type-species: *Geometra imbutata Hübner,[1813]*, by subsequent designation by Guenée,1857.
- 2851. Cartaletis W.Warren,1894** (Geometridae) **Synonym(s):** *Cartaletis W.Warren,1894; Leptaletis W.Warren,1894*
- 2852. Casbia Walker,1866** (Geometridae) **Synonym(s):** *Casbia Walker,1866; Trochistis Meyrick,1892; Xenosina W.Warren,1900*
- 2853. Casilda Agenjo,1952** (Geometridae) **Synonym(s):** *Casilda Agenjo,1952* **Original Reference:** *Casilda Agenjo,1952*, Faun. Lepid. Almeriense: 180. Type-species: *Sterrha consecraria Staudinger,1871*, by original designation.
- 2854. Cassephyra Holloway,[1994]** (Geometridae) **Synonym(s):** *Cassephyra Holloway,[1994]*
- 2855. Cassyma Guenée,[1858]** (Geometridae) **Synonym(s):** *Cassyma Guenée,[1858]; Ingena Walker,[1863]*
- 2856. Casuariclystis Holloway,1997** (Geometridae) **Synonym(s):** *Casuariclystis Holloway,1997*
- 2857. Cataclysmes Hübner,[1825]** (Geometridae) **Synonym(s):** *Cataclysmes Hübner,[1825]; Paraplaneta W.Warren,1895.* **Original Reference:** *Cataclysmes Hübner,[1825]*, Verz. bekannter Schmett.: 329. Type-species: *Geometra riguada Hübner,[1813]*, Samml. eur. Schmett. 5: pl.69 fig.358, by monotypy.
- 2858. Catarhoe Herbulot,1951** (Geometridae) **Synonym(s):** *Catarhoe Herbulot,1951* **Original Reference:** *Catarhoe Herbulot,1951*, Revue fr. Lépidopt. 13: 25. Type-species: *Cidaria basochesiata Duponcel,1830*, by original designation.
- 2859. Catoria Moore,[1887]** (Geometridae) **Synonym(s):** *Catoria Moore,[1887]*
- 2860. Celenna Walker,1861** (Geometridae) **Synonym(s):** *Celenna Walker,1861*
- 2861. Celerena Walker,1862** (Geometridae) **Synonym(s):** *Celerena Walker,1862; Bociraza Walker,[1865]*
- 2862. Celidomphax L.B.Prout,1912** (Geometridae) **Synonym(s):** *Celidomphax L.B.Prout,1912*
- 2863. Celonoptera Lederer,1862** (Geometridae) **Synonym(s):** *Celonoptera Lederer,1862; Sparta Staudinger,1862*
- 2864. Centrochria Gaede,1917** (Geometridae) **Synonym(s):** *Centrochria Gaede,1917*
- 2865. Cepphis Hübner,[1823]** (Geometridae) **Synonym(s):** *Cepphis Hübner,[1823]; Hettrione Poppius,1887* **Original Reference:** *Cepphis Hübner,[1823]*, Verz. bekannt. Schmett.: 294. Type-species: *Geometra advenaria Hübner,[1799]*, by subsequent designation by Lhomme,[1929].
- 2866. Cerurographa Janse,1932** (Geometridae) **Synonym(s):** *Cerurographa Janse,1932*
- 2867. Chalyboclydon W.Warren,1893** (Geometridae) **Synonym(s):** *Chalyboclydon W.Warren,1893*
- 2868. Chariaspilates Wehrli,1953** (Geometridae) **Synonym(s):** *Chariaspilates Wehrli,1953*
- 2869. Chartographa Gumpfenberg,1887** (Geometridae) **Synonym(s):** *Chartographa Gumpfenberg,1887*
- 2870. Cheimoptena Danilevsky,1969** (Geometridae) **Synonym(s):** *Cheimoptena Danilevsky,1969*
- 2871. Cheloteprina M.Krüger,1999** (Geometridae) **Synonym(s):** *Cheloteprina M.Krüger,1999; Cheloteprina M.Krüger,2001* **Original Reference:** *Cheloteprina Krüger,1999* [in] Staude,H., Metamorphosis 10 (3): 115. Type-species: *Cheloteprina acorema Krüger,1999*, by monotypy.
- 2872. Cheloteprina M.Krüger,2001** (Geometridae) **Synonym(s):** *Cheloteprina M.Krüger,2001*
- 2873. Chemerina Boisduval,1840** (Geometridae) **Synonym(s):** *Chemerina Boisduval,1840; Chamerina Desmarest,1847; Chimerina Agassiz,1847; Dysemon Lederer,1853* **Original Reference:** *Chemerina Boisduval,1840*, Genera Index méth. eur. Lépid.: 193. Type-species: *Ligia caliginaria Rambur,1833*, by monotypy.
- 2874. Cherbulois Hausmann,2003** (Geometridae) **Synonym(s):** *Cherbulois Hausmann,2003*
- 2875. Cheroscelis L.B.Prout,1912** (Geometridae) **Synonym(s):** *Cheroscelis L.B.Prout,1912*
- 2876. Chesias Treitschke,1825** (Geometridae) **Synonym(s):** *Chesias Treitschke,1825; Eucestia Hübner,[1825]; Eucestix Agassiz,1847* **Original Reference:** *Chesias Treitschke,1825*, Schmett. Eur. 5 (2): 437. Type-species: *Phalaena spartiata Herbst,1782*, by subsequent designation by Duponchel,1829.
- 2877. Chesistege Viidalepp,1990** (Geometridae) **Synonym(s):** *Chesistege Viidalepp,1990* **Original Reference:** *Chesistege Viidalepp,1990*, Uchen. Zap. tartu. gos. Univ. 875: 26. Type-species: *Chesias korbi Bohatsch,1909*, by original designation.

- 2878. Chiasmia (Godonela) Boisduval,1840** (Geometridae) **Synonym(s):** *Pharmacis* Hübner,[1823] *nec* Hübn.,[1820]; *Godonela* Boisduval,1840; *Acadra* Herrich-Schäffer,[1854]; *Evarzia* Walker,1860; *Gubaria* Moore,1860; *Automolodes* W.Warren,1894. **Original Reference:** *Godonela* Boisduval,1840, *Genera Index meth. eur. Lepid.*: 186. Type-species: *Geometra aestimaria* Hübner,[1809] (replacement name for *Pharmacis* Hbn.).
- 2879. Chiasmia Hübner,[1823]** (Geometridae) **Synonym(s):** *Chiasmia* Hübner,[1823]; *Arte* Stephens,1829; *Hercyna* Stephens,1829 *nec* Treit.,1828; *Strenia* Duponchel,1829; *Sternia* Kolenati,1846; *Osteodes* Guenée,[1858] *nec* Conrad,1855; *Discalma* Meyrick,1892; *Tephrinopsis* W.Warren,1896; *Xenoneura* W.Warren,1896; *Hyostomodes* W.Warren,1897; *Peridela* W.Warren,1897; *Iulocera* W.Warren,1905; *Allochrosis* Strand,1912; *Neomacaria* Wehrli,1937; *Thyridesia* Wehrli,1940; #*Chiasama* Hutacharern & Tubtim,1995 **Original Reference:** *Chiasmia* Hübner,[1823], *Verz. bekannt. Schmett.*: 295. Type-species: *Phalaena clathrata* Linnaeus,1758, by subsequent designation by Grote,1902.
- 2880. Chiasmiodes W.Warren,1896** (Geometridae) **Synonym(s):** *Chiasmiodes* W.Warren,1896
- 2881. Chionopora L.B.Prout,1922** (Geometridae) **Synonym(s):** *Chionopora* L.B.Prout,1922
- 2882. Chlorerythra W.Warren,1895** (Geometridae) **Synonym(s):** *Chlorerythra* W.Warren,1895
- 2883. Chlorissa Stephens,1831** (Geometridae) **Synonym(s):** *Chlorissa* Stephens,1831; *Aoshakuna* Matsumura,1925 **Original Reference:** *Chlorissa* Stephens,1831, *Illust. Br. Ent. (Haustellata)* 3: 315. Type-species: *Phalaena viridata* Linnaeus,1758, by subsequent designation by Westwood,1840.
- 2884. Chloristola Holloway,1996** (Geometridae) **Synonym(s):** *Chloristola* Holloway,1996
- 2885. Chloroclysta Hübner,[1825]** (Geometridae) **Synonym(s):** *Chloroclysta* Hübner,[1825]; *Dysstroma* Hübner,[1825]; *Polyphasia* Stephens,1831; *Euthalia* Stephens,1831 **Original Reference:** *Chloroclysta* Hübner,[1825], *Verz. bekannter Schmett.*: 332. Type-species: *Phalaena miata* Linnaeus,1758, *Syst. Nat. (Edn.10)* 1: 526, by subsequent designation by Hulst,1896, *Trans. Am. ent. Soc.* 23: 283.
- 2886. Chloroclystis Hübner,[1825]** (Geometridae) **Synonym(s):** *Chloroclystis* Hübner,[1825]; *Axinoptera* Hampson,1893; *Ceratorhynchus* Hampson,1893 *nec* Agass.,1829; *Rhinoprora* W.Warren,1895; *Gymnopera* W.Warren,1896; *Cithecia* Staudinger,1897; *Dyserga* W.Petersen,1909; *Calliclystis* Dietze,1910; *Olygoclystia* Bastelberger,1911 **Original Reference:** *Chloroclystis* Hübner,[1825], *Verz. bekannter Schmett.*: 323. Type-species: *Geometra coronata* Hübner,[1813], *Samml. eur. Schmett.* 5: pl.72 fig.372,373, by subsequent designation by Hulst,1896, *Trans. Am. ent. Soc.* 23: 263.
- 2887. Chlorocoma Turner,1910** (Geometridae) **Synonym(s):** *Chlorocoma* Turner,1910
- 2888. Chloroctenis W.Warren,1899** (Geometridae) **Synonym(s):** *Chloroctenis* W.Warren,1899
- 2889. Chloroglyphica W.Warren,1894** (Geometridae) **Synonym(s):** *Chloroglyphica* W.Warren,1894
- 2890. Chloromianta W.Warren,1896** (Geometridae) **Synonym(s):** *Chloromianta* W.Warren,1896
- 2891. Chloromma W.Warren,1896** (Geometridae) **Synonym(s):** *Chloromma* W.Warren,1896
- 2892. Chlorosterrha L.B.Prout,1912** (Geometridae) **Synonym(s):** *Chlorosterrha* L.B.Prout,1912
- 2893. Chlorozancla L.B.Prout,1912** (Geometridae) **Synonym(s):** *Chlorozancla* L.B.Prout,1912
- 2894. Chondrosoma Anker,1854** (Geometridae) **Synonym(s):** *Chondrosoma* Anker,1854
- 2895. Chorodna Walker,1860** (Geometridae) **Synonym(s):** *Chorodna* Walker,1860; *Medasina* Moore,[1887]
- 2896. Chrioloba L.B.Prout,1958** (Geometridae) **Synonym(s):** *Chrioloba* L.B.Prout,1958
- 2897. Chrysoblephara Holloway,[1994]** (Geometridae) **Synonym(s):** *Chrysoblephara* Holloway,[1994]
- 2898. Chrysoclystis W.Warren,1896** (Geometridae) **Synonym(s):** *Chrysoclystis* W.Warren,1896
- 2899. Chrysocraspeda Swinhoe,1893** (Geometridae) **Synonym(s):** *Chrysocraspeda* Swinhoe,1893; *Chrysocraspeda* Hampson,1895; *Ptochophyle* W.Warren,1896; *Chrysolene* W.Warren,1897; *Heteroctenis* Meyrick,1897 **Original Reference:** *Chrysocraspeda* Swinhoe,1893, *Ann. Mag. nat. Hist. (6)* 12: 157. Type-species: *Ephyra abhadraca* Walker,1861, by subsequent designation by D.S.Fletcher,1979.
- 2900. Cidaria Treitschke,1825** (Geometridae) **Synonym(s):** *Cidaria* Treitschke,1825; *Harpalyce* Stephens,1827; *Zonodonta* Sodoffsky,1837 **Original Reference:** *Cidaria* Treitschke,1825, *Schmett. Eur.* 5 (2): 442. Type-species: *Phalaena fulvata* Forster,1771, by subsequent designation by Duponchel,1829.
- 2901. Cinglis Guenée,[1858]** (Geometridae) **Synonym(s):** *Cinglis* Guenée,[1858] **Original Reference:** *Cinglis* Guenée,[1858], [in] Boisduval & Guenée, *Hist. nat. Insectes (Lépid.)* 10: 114. Type-species: *Fidonia humifusaria* Eversmann,1837, by monotypy.

- 2902. Cleora Curtis, 1825** (Geometridae) Synonym(s): *Cleora Curtis, 1825*; *Cerotricha Guenée, [1858]*; *Barsine Meyrick, 1883 nec Walk., 1854*; *Meyrickia Butler, 1884*; *Chogada Moore, 1887*; *Carecomotis W. Warren, 1896*; *Neocleora Janse, 1932* Original Reference: *Cleora Curtis, 1825, Br. Ent. 2: 88. Type-species: Geometra cinctaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101, by original designation.*
- 2903. Cleorodes W. Warren, 1894** (Geometridae) Synonym(s): *Cleorodes W. Warren, 1894* Original Reference: *Cleorodes W. Warren, 1894, Novit. zool. 1: 434. Type-species: Phalaena lichenaria Hufnagel, 1767, by original designation.*
- 2904. Cleta Duponchel, [1845]** (Geometridae) Synonym(s): *Cleta Duponchel, [1845]*; *Chrysoctenis Meyrick, 1892*; *#Cletha Amsel, 1933* Original Reference: *Cleta Duponchel, [1845], Cat. méth. Lépid. Eur.: 271. Type-species: Geometra vittaria Hübner, [1813], by subsequent designation by L.B. Prout, 1911.*
- 2905. Coenina Walker, 1860** (Geometridae) Synonym(s): *Coenina Walker, 1860*
- 2906. Coenocalpe Hübner, [1825]** (Geometridae) Synonym(s): *Coenocalpe Hübner, [1825]*
- 2907. Coenotephria L.B. Prout, 1915** (Geometridae) Synonym(s): *Coenotephria L.B. Prout, 1915* Original Reference: *Coenotephria L.B. Prout, 1915, [in] Seitz, A., Gross-Schmett. Erde 4: 238. Type-species: Geometra tophaceata [Denis & Schiffermüller], 1775, by subsequent designation by Lhomme, 1927.*
- 2908. Collesis W. Warren, 1897** (Geometridae) Synonym(s): *Collesis W. Warren, 1897* Original Reference: *Collesis W. Warren, 1897, Novit. zool. 4: 37. Type-species: Collesis mimica W. Warren, 1897, by original designation.*
- 2909. Collix Guenée, [1858]** (Geometridae) Synonym(s): *Collix Guenée, [1858]*
- 2910. Colocleora L.B. Prout, 1938** (Geometridae) Synonym(s): *Colocleora L.B. Prout, 1938*
- 2911. Colostygia Hübner, [1825]** (Geometridae) Synonym(s): *Colostygia Hübner, [1825]*; *Amoebe Hübner, [1825]*; *Erinobia Stephens, 1850* Original Reference: *Colostygia Hübner, [1825], Verz. bekannter Schmett.: 328. Type-species: Geometra turbata Hübner, [1799], Samml. eur. Schmett. 5: pl. 49 fig. 255, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 292.*
- 2912. Colotois Hübner, [1823]** (Geometridae) Synonym(s): *Colotois Hübner, [1823]*; *Metra Stephens, 1827*; *Himera Duponchel, 1829* Original Reference: *Colotois Hübner, [1823], Verz. bekannter Schmett.: 288. Type-species: Phalaena pennaria Linnaeus, 1761, by subsequent designation by L.B. Prout, 1915.*
- 2913. Comibaena Hübner, [1823]** (Geometridae) Synonym(s): *Comibaena Hübner, [1823]* Original Reference: *Comibaena Hübner, [1823], Verz. bekannter Schmett.: 284. Type-species: Geometra bajularia [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97, by subsequent designation by Moore, [1887], Lepid. Ceylon 3: 433.*
- 2914. Comostola Meyrick, 1888** (Geometridae) Synonym(s): *Comostola Meyrick, 1888*; *Pyrrhorachis*
- 2915. Comostolopsis W. Warren, 1902** (Geometridae) Synonym(s): *Comostolopsis W. Warren, 1902*
- 2916. Compsoptera Blanchard, 1845** (Geometridae) Synonym(s): *Compsoptera Blanchard, 1845*
- 2917. Conchylia Guenée, [1858]** (Geometridae) Synonym(s): *Conchylia Guenée, [1858]*; *Callythria Weyer, 1908*
- 2918. Conchylisodes L.B. Prout, 1930** (Geometridae) Synonym(s): *Conchylisodes L.B. Prout, 1930*
- 2919. Conolophia W. Warren, 1894** (Geometridae) Synonym(s): *Conolophia W. Warren, 1894*; *Geolada Swinhoe, 1894*; *Hypophracta W. Warren, 1905*
- 2920. Contropis Wiltshire, 1967** (Geometridae) Synonym(s): *Contropis Wiltshire, 1967* Original Reference: *Contropis Wiltshire, 1967, Beitr. naturk. Forsch. SüdWtl. 26: 164. Type-species: Contropis tagana Wiltshire, 1967, by original designation.*
- 2921. Coremecis Holloway, [1994]** (Geometridae) Synonym(s): *Coremecis Holloway, [1994]*
- 2922. Corymica Walker, 1860** (Geometridae) Synonym(s): *Corymica Walker, 1860*; *Caprilia Walker, 1866*; *Thiopsyche Butler, 1878*
- 2923. Cosmorhoe Hübner, [1825]** (Geometridae) Synonym(s): *Cosmorhoe Hübner, [1825]*; *Lyncometra L.B. Prout, 1914* Original Reference: *Cosmorhoe Hübner, [1825], Verz. bekannter Schmett.: 326. Type-species: Phalaena ocellata Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 527, by subsequent designation by Bode, 1907, Mitt. Roemermus. Hildesh. 22: 26.*
- 2924. Costaconvexa Agenjo, 1949** (Geometridae) Synonym(s): *Costaconvexa Agenjo, 1949*; *Grammorhoe Herbulot, 1951* Original Reference: *Costaconvexa Agenjo, 1949, Graellsia 7: 105. Type-species: Phalaena polygrammata Borkhausen, 1794, by original designation.*
- 2925. Costignophos Wehrli, 1951** (Geometridae) Synonym(s): *Costignophos Wehrli, 1951*

- 2926. Craspediopsis W. Warren, 1895** (Geometridae) **Synonym(s):** *Craspediopsis W. Warren, 1895*; *Erythrolophus Hampson, 1896*
- 2927. Crocallis (Dzhugesia) Wehrli, 1936** (Geometridae) **Synonym(s):** *Dzhugesia Wehrli, 1936*
- 2928. Crocallis Treitschke, 1825** (Geometridae) **Synonym(s):** *#Eusarca Hübner, [1806]*; *Crocallis Treitschke, 1825*; *Crocallis Stephens, 1829 nec Tr., 1825* **Original Reference:** *Crocallis Treitschke, 1825*, Schmett. Eur. 5 (2): 431. Type-species: *Phalaena elinguaris* Linnaeus, 1758, by subsequent designation by Duponchel, 1829.
- 2929. Crocota Hübner, [1823]** (Geometridae) **Synonym(s):** *Crocota Hübner, [1823]*; *Cleogene Duponchel, 1829*
- 2930. Ctenaulis W. Warren, 1902** (Geometridae) **Synonym(s):** *Ctenaulis W. Warren, 1902*
- 2931. Ctenoberta L.B. Prout, 1915** (Geometridae) **Synonym(s):** *Ctenoberta L.B. Prout, 1915*
- 2932. Ctimene Boisduval, 1832** (Geometridae) **Synonym(s):** *Ctimene Boisduval, 1832*; *Bursada Walker, [1865]*; *Cyrthochila R. Felder & Rogenhofer, 1874*
- 2933. Culpinia L.B. Prout, 1912** (Geometridae) **Synonym(s):** *Culpinia L.B. Prout, 1912* **Original Reference:** *Culpinia L.B. Prout, 1912*, [in] Wytzman, Genera Insect. 129: 15, 139. Type-species: *Thalera diffusa* Walker, 1861, by original designation.
- 2934. Cusiala Moore, [1887]** (Geometridae) **Synonym(s):** *Cusiala Moore, [1887]*
- 2935. Cyclophora Hübner, 1822** (Geometridae) **Synonym(s):** *Cyclophora Hübner, 1822*; *Codonia Hübner, [1823]*; *Cosymbia Hübner, [1823]*; *Leucophthalmia Hübner, [1823]*; *Cyclophora Stephens, 1829 nec Hbn., 1822*; *Ephyra Stephen, 1829*; *Matella Gistl, 1848*; *Anisodes Guenée, [1858]*; *Zonosoma Lederer, 1853*; *Pisoraca Walker, 1861*; *Euephyra Packard, 1873*; *Streptopteron Swinhoe, 1892*; *Pachythalia W. Warren, 1897*; *Peostenodes W. Warren, 1903* **Original Reference:** *Cyclophora Hübner, 1822*, Syst.-alphab. Verz.: 41, 43. Type-species: *Phalaena albipunctata* Hufnagel, 1767, Berl. Mag. 4: 526, by subsequent designation by Moore, [1887], Lepid. Ceylon 3: 442.
- 2936. Dalima Moore, 1868** (Geometridae) **Synonym(s):** *Dalima Moore, 1868*; *Panisala Moore, 1868*; *Metoxydia Butler, 1886*; *Leptostichia W. Warren, 1893*; *Hololoma W. Warren, 1893*; *Homoeoctenia W. Warren, 1894*
- 2937. Danielaparra Kemal & Koçak, 2004** (Geometridae) **Synonym(s):** *Daniela Parra, 1996 (praeocc.)*; *Danielaparra Kemal & Koçak, 2004*; *Parraiella Özdikmen, 2008* **Original Reference:** *Danielaparra Kemal & Koçak, 2004*, Cent. ent. Stud., Misc. Pap. 90: 1 (nomen novum pro *Daniela Parra, 1996 (praeocc.)*).
- 2938. Darisa Moore, 1888** (Geometridae) **Synonym(s):** *Darisa Moore, 1888*
- 2939. Darisodes Herbulot, 1972** (Geometridae) **Synonym(s):** *Darisodes Herbulot, 1972*
- 2940. Dasyboarmia L.B. Prout, 1928** (Geometridae) **Synonym(s):** *Dasyboarmia L.B. Prout, 1928*; *Metamenophra Inoue, 1990*; *Semimenophra Inoue, 1990*
- 2941. Dasycorsa L.B. Prout, 1915** (Geometridae) **Synonym(s):** *Dasycephala Staudinger, 1879 nec Sw., [1832]*; *Dasycorsa L.B. Prout, 1915* **Original Reference:** *Dasycorsa L.B. Prout, 1915*, [in] Seitz, Gross-Schmett. Erde 4: 332. Type-species: *Dasycephala modesta* Staudinger, 1879, by monotypy.
- 2942. Dasyfidonia Packard, 1876** (Geometridae) **Synonym(s):** *Dasyfidonia Packard, 1876*
- 2943. Dasymacaria W. Warren, 1901** (Geometridae) **Synonym(s):** *Dasymacaria W. Warren, 1901*
- 2944. Dasyptheroma Staudinger, 1892** (Geometridae) **Synonym(s):** *Dasyptheroma Staudinger, 1892* **Original Reference:** *Dasyptheroma Staudinger, 1892*, Dt. ent. Z., Iris 5: 168. Type-species: *Dasyptheroma thaumasias* Staudinger, 1892, Dt. ent. Z., Iris 5: 168-170, Taf. ii fig. 10. Syntypes 3♂: [Spain]: "San Ildefonso (Castilien)", by monotypy.
- 2945. Deileptenia Hübner, [1825]** (Geometridae) **Synonym(s):** *Deileptenia Hübner, [1825]*
- 2946. Dentialia Heimlich, 1960** (Geometridae) **Synonym(s):** *Dentialia Heimlich, 1960*
- 2947. Derambila Walker, [1863]** (Geometridae) **Synonym(s):** *Derambila Walker, [1863]*; *Chionoptyx Snellen, 1873*; *Rambara Moore, [1887]*; *Holostixa Swinhoe, 1902*; *Corium L.B. Prout, 1910*
- 2948. Derrioides Butler, 1875** (Geometridae) **Synonym(s):** *Derrioides Butler, 1875*; *Eulasia W. Warren, 1902 nec Truq., 1847* **Original Reference:** *Derrioides Butler, 1875*, Ann. Mag. nat. Hist. (4) 16: 401. Type-species: *Derrioides hypenissa* Butler, 1875, by original designation.
- 2949. Desertobia Viidalepp, 1989** (Geometridae) **Synonym(s):** *Desertobia Viidalepp, 1989*
- 2950. Devenilia Wehrli, 1927** (Geometridae) **Synonym(s):** *Devenilia Wehrli, 1927*
- 2951. Diaprepesilla Wehrli, 1937** (Geometridae) **Synonym(s):** *Diaprepes Wehrli, 1936 nec Schoenh., 1823*; *Diaprepesilla Wehrli, 1937*
- 2952. Diathera Choi, 1999** (Geometridae) **Synonym(s):** *Diathera Choi, 1999* **Original Reference:** *Diathera Choi, 1999*, J. nat. Hist. 33: 1040. Type-species: *Diathera fluctuata* Choi, 1999, by original designation.
- 2953. Dichorda W. Warren, 1900** (Geometridae) **Synonym(s):** *Dichorda W. Warren, 1900*
- 2954. Dichordophora L.B. Prout, 1913** (Geometridae) **Synonym(s):** *Dichordophora L.B. Prout, 1913*

- 2955. Dichroma Westwood,1841** (Geometridae) **Synonym(s):** *Dichroma Westwood,1841*
- 2956. Digrammia Gumpenberg,1887** (Geometridae) **Synonym(s):** *Digrammia Gumpenberg,1887; Asmate Gumpenberg,1887; Spinuncina Wehrli,1937* **Original Reference:** *Digrammia Gumpenberg,1887, Nova Acta Acad. Caesar. Leop. Carol. 49: 325. Type-species: Phasiane mellistrigata Grote,1873, by subsequent designation by D.S.Fletcher,1979.*
- 2957. Dindica Moore,1888** (Geometridae) **Synonym(s):** *Dindica Moore,1888*
- 2958. Dioptrochasma Karsch,1895** (Geometridae) **Synonym(s):** *Dioptrochasma Karsch,1895; Coptopteryx Holland,1893 nec Sauss.,1869; Eccoptopteryx Berg,1899*
- 2959. Diplodesma W.Warren,1896** (Geometridae) **Synonym(s):** *Diplodesma W.Warren,1896* **Original Reference:** *Diplodesma W.Warren,1896, Novit. zool. 3: 289. Type-species: Thalaria celataria Walker,1866, by original designation.*
- 2960. Diplurodes W.Warren,1896** (Geometridae) **Synonym(s):** *Diplurodes W.Warren,1896*
- 2961. Diptychis R.Felder,1874** (Geometridae) **Synonym(s):** *Diptychis R.Felder,1874*
- 2962. Disclisioprocta Wallengren,1861** (Geometridae) **Synonym(s):** *Disclisioprocta Wallengren,1861; Camptolina Schaus,1940*
- 2963. Discoglypha W.Warren,1896** (Geometridae) **Synonym(s):** *Discoglypha W.Warren,1896*
- 2964. Discomiosis L.B.Prout,1915** (Geometridae) **Synonym(s):** *Discomiosis L.B.Prout,1915*
- 2965. Dithecodes W.Warren,1900** (Geometridae) **Synonym(s):** *Dithecodes W.Warren,1900; Mnesithetis Swinhoe,1909 nec Warr.,1897; Neosterrha W.Warren,1900; Euthysana W.Warren,1907; Pseudacidalia Sterneck,1927 nec Hamp.,1894*
- 2966. Dizuga W.Warren,1896** (Geometridae) **Synonym(s):** *Zeugma Walker,[1863] nec Westw.,[1841]; Dizuga W.Warren,1896*
- 2967. Docirava Walker,[1863]** (Geometridae) **Synonym(s):** *Docirava Walker,[1863]* **Original Reference:** *Docirava Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1635. Type-species: Docirava aequilineata Walker,[1863], by monotypy.*
- 2968. Dolosis L.B.Prout,1912** (Geometridae) **Synonym(s):** *Dolosis L.B.Prout,1912*
- 2969. Dooabia W.Warren,1894** (Geometridae) **Synonym(s):** *Dooabia W.Warren,1894; Cacamoda Swinhoe,1894*
- 2970. Dorsifulcrum Herbulot,1979** (Geometridae) **Synonym(s):** *Dorsifulcrum Herbulot,1979*
- 2971. Drepanogynis Guenée,[1858]** (Geometridae) **Synonym(s):** *Drepanogynis Guenée,[1858]; Eupagia Walker,1860; Derrioides Butler,1875; Sicyodes W.Warren,1894; Axiodes W.Warren,1894; Aspilatopsis W.Warren,1897; Euomoea W.Warren,1897; Apleroneura W.Warren,1898; Phrudochorda W.Warren,1898; Eulasia W.Warren,1902 nec Truq.,1902; Lissodes Warren,1914 (praeocc.)*
- 2972. Drepanopterula Hedicke,1923** (Geometridae) **Synonym(s):** *Drepanoptera Turati,1922 nec Roth.,1895; Drepanopterula Hedicke,1923.* **Original Reference:** *Drepanopterula Hedicke,1923, Dt. ent. Z. (N.F.) 1923: 72. Type-species: Hypoplectis zanoni Turati,1919 (replacement name).*
- 2973. Duliophyle W.Warren,1894** (Geometridae) **Synonym(s):** *Duliophyle W.Warren,1894*
- 2974. Durbana W.Warren,1904** (Geometridae) **Synonym(s):** *Durbana W.Warren,1904*
- 2975. Dyschloropsis W.Warren,1895** (Geometridae) **Synonym(s):** *Dyschloropsis W.Warren,1895*
- 2976. Dyscia (Calodyscia) Wehrli,1950** (Geometridae) **Synonym(s):** *Calodyscia Wehrli,1950* **Original Reference:** *Calodyscia Wehrli,1950, Ent. Ber., Amst. 13: 78. Type-species: Scodiona sicanaria Oberthür,1923, by original designation.*
- 2977. Dyscia (Iberafrina) Wehrli,1950** (Geometridae) **Synonym(s):** *Iberafrina Wehrli,1950*
- 2978. Dyscia (Pseudnothrix) Hübner,[1825]** (Geometridae) **Synonym(s):** *Pseudnothrix Hübner,[1825]; Eudyscia Wehrli,1950*
- 2979. Dyscia (Rjabovana) Wehrli,1950** (Geometridae) **Synonym(s):** *Rjabovana Wehrli,1950* **Original Reference:** *Rjabovana Wehrli,1950, Ent. Ber., Amst 13: 80. Type-species: Dyscia negrama Wehrli,1950, by original designation.*
- 2980. Dyscia (Warneckeella) Wehrli,1950** (Geometridae) **Synonym(s):** *Warneckeella Wehrli,1950* **Original Reference:** *Warneckeella Wehrli,1950, Ent. Ber., Amst. 13: 77. Type-species: Dyscia malatyana Wehrli,1934, by original designation.*
- 2981. Dyscia (Zuleika) A.Bang-Haas,1906** (Geometridae) **Synonym(s):** *Zuleika A.Bang-Haas,1906*
- 2982. Dyscia (s.str.) Hübner,[1825]** (Geometridae) **Synonym(s):** *Dyscia Hübner,[1825]; Scodiona Boisduval,1840.* **Original Reference:** *Dyscia Hübner,[1825], Verz. bekannter Schmett.: 314. Type-species: Geometra conspersaria [Denis & Schiffermüller],1775, by subsequent designation by Hulst,1896.*
- 2983. Dyscia Hübner,[1825]** (Geometridae) **Synonym(s):** *Dyscia Hübner,[1825]; Scodiona Boisduval,1840.* **Original Reference:** *Dyscia Hübner,[1825], Verz. bekannter Schmett.: 314.*

Type-species: *Geometra conspersaria* [Denis & Schiffermüller], 1775, by subsequent designation by Hulst, 1896.

- 2984. Dysphania Hübner, [1819]** (Geometridae) Synonym(s): *Dysphania* Hübner, [1819]; *Euschema* Hübner, [1819]; *Hazis* Boisduval, 1832; *Deileptena* Guérin-Ménéville, 1831; *Heleona* Swainson, 1833; *Polenivora* Gistel, 1848; *Pareuschema* Thierry-Mieg, 1905
- 2985. Dysrhoe Herbulot, 1951** (Geometridae) Synonym(s): *Dysrhoe* Herbulot, 1951
- 2986. Eccymatoge L.B. Prout, 1913** (Geometridae) Synonym(s): *Eccymatoge* L.B. Prout, 1913
- 2987. Ecleora Wehrli, 1943** (Geometridae) Synonym(s): *Ecleora* Wehrli, 1943
- 2988. Ecliptopera W. Warren, 1894** (Geometridae) Synonym(s): *Ecliptopera* W. Warren, 1894; *Diactinia* W. Warren, 1898; *Urolophia* Swinhoe, 1900 Original Reference: *Ecliptopera* W. Warren, 1894, Novit. zool. 1: 679. Type-species: *Eustroma triangulifera* Moore, 1888, by original designation.
- 2989. Ecpetala D.S. Fletcher, 1958** (Geometridae) Synonym(s): *Ecpetala* D.S. Fletcher, 1958
- 2990. Ectropidia W. Warren, 1895** (Geometridae) Synonym(s): *Ectropidia* W. Warren, 1895
- 2991. Ectropis Hübner, [1825]** (Geometridae) Synonym(s): *Ectropis* Hübner, [1825]; *Boarmia* Stephens, 1829 nec Tr., 1825; *Tephrosia* Boisduval, 1840; *Coenobita* Gistel, 1848 nec Latr., 1829 Original Reference: *Ectropis* Hübner, [1825], Verz. bekannt. Schmett.: 316. Type-species: *Geometra crepuscularia* [Denis & Schiffermüller], 1775, by subsequent designation by Hulst, 1896.
- 2992. Eilicrinia Hübner, [1823]** (Geometridae) Synonym(s): *Eilicrinia* Hübner, [1823]; *Ilicrinia* Agassiz, 1847; *Pareilicrinia* W. Warren, 1894 Original Reference: *Eilicrinia* Hübner, [1823], Verz. bekannter Schmett.: 287. Type-species: *Phalaena cordiaria* Hübner, 1790, Beitr. Gesch. Schmett. 2(1):31, pl.(1) 4, fig.Z, by subsequent designation by Guenée, 1857 [in] Boisduval & Guenée, Hist. nat. Insectes 10: 64.
- 2993. Ekboarmia Wehrli, 1943** (Geometridae) Synonym(s): *Ekboarmia* Wehrli, 1943
- 2994. Electrophaes L.B. Prout, 1923** (Geometridae) Synonym(s): *Electra* Curtis, 1836 nec Lamouroux, 1816; *Electrophaes* L.B. Prout, 1923 Original Reference: *Electrophaes* L.B. Prout, 1923, Novit. zool. 30: 197. Type-species: *Phalaena corylata* Thunberg, 1792, by original designation.
- 2995. Elophos Boisduval, 1840** (Geometridae) Synonym(s): *Elophos* Boisduval, 1840; *Acuspis* Gumpfenberg, 1893; *Yezognophos* Matsumura, 1927; *Parietaria* Leraut, 1981
- 2996. Ematurga Lederer, 1853** (Geometridae) Synonym(s): *Ematurga* Lederer, 1853 Original Reference: *Ematurga* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 179, 227, 231. Type-species: *Phalaena atomaria* Linnaeus, 1758, by monotypy.
- 2997. Emmiltis Hübner, [1825]** (Geometridae) Synonym(s): *Emmiltis* Hübner, [1825]
- 2998. Enanthyperythra Wehrli, 1937** (Geometridae) Synonym(s): *Enanthyperythra* Wehrli, 1937 Original Reference: *Enanthyperythra* Wehrli, 1937, Ent. Z., Frankf. a. M. 51: 117. Type-species: *Hypoplectis legataria* Herrich-Schäffer, [1852], by original designation (proposed as subgenus of *Anthyperythra* Swinhoe, 1891).
- 2999. Encoma Swinhoe, 1904** (Geometridae) Synonym(s): *Encoma* Swinhoe, 1904 Original Reference: *Encoma* Swinhoe, 1904, Trans. ent. Soc. London 1904: 523. Type-species: *Encoma irisaria* Swinhoe, 1904, by original designation.
- 3000. Enconista Lederer, 1853** (Geometridae) Synonym(s): *Enconista* Lederer, 1853 Original Reference: *Enconista* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 180, 226, 234. Type-species: *Fidonia perspersaria* Duponchel, [1830], by subsequent designation by Joannis, 1912.
- 3001. Encryphia Turner, 1904** (Geometridae) Synonym(s): *Encryphia* Turner, 1904
- 3002. Ennomos (Deuteronomos) L.B. Prout, 1914** (Geometridae) Synonym(s): *Deuteronomos* L.B. Prout, 1914; *#Denderonomos* L.B. Prout, 1915 Original Reference: *Deuteronomos* L.B. Prout, 1914, [in] Pierce, Genitalia Group Geometridae Lepid. Br. Islands: xxvii, 8. Type-species: *Phalaena alniaria* Linnaeus, 1758, by subsequent designation by D.S. Fletcher, 1966.
- 3003. Ennomos (s.str.) Treitschke, 1825** (Geometridae) Synonym(s): *Eugonia* Hübner, [1823] nec Hübner, [1819]; *Ennomos* Treitschke, 1825; *Odoptera* Sodoffsky, 1837; *Odontoptera* Agassiz, 1847 nec Carreno, 1842 Original Reference: *Ennomos* Treitschke, 1825, Schmett. Eur. 5 (2): 427. Type-species: *Eugonia autumnaria* Wernburg, 1859, by subsequent designation by Duponchel, 1829.
- 3004. Ennomos Treitschke, 1825** (Geometridae) Synonym(s): *Eugonia* Hübner, [1823] nec Hübner, [1819]; *Ennomos* Treitschke, 1825; *Odoptera* Sodoffsky, 1837; *Odontoptera* Agassiz, 1847 nec Carreno, 1842 Original Reference: *Ennomos* Treitschke, 1825, Schmett. Eur. 5 (2): 427. Type-species: *Eugonia autumnaria* Wernburg, 1859, by subsequent designation by Duponchel, 1829.
- 3005. Entephria Hübner, [1825]** (Geometridae) Synonym(s): *Entephria* Hübner, [1825]; *Glaucopteryx* Hübner, [1825]; *Phaesyloides* Bruand, [1847]; *Trichochlamys* Hulst, 1896. Original Reference:

- Entephria Hübner,[1825], Verz. bekannt. Schmett.: 332. Type-species: *Geometra flavicinctata* Hübner,[1813], by subsequent designation by Hulst,1896.
- 3006. Eoasthena L.B.Prout,1934** (Geometridae) Synonym(s): *Eoasthena L.B.Prout,1934*
- 3007. Eois Hübner,1818** (Geometridae) Synonym(s): *Eois Hübner,1818*; *Amaurinia Guenée,[1858]*; *Campogia Guenée,[1858]*; *Cretheis Meyrick,1886*; *Pseudasthena Moore,1887*; *Bardanes Moore,1888*; *Anthyria Swinhoe,1892*; *Psilocambogia Hampson,1893*; *Phrudoplaga W.Warren,1894*; *Amphibatodes W.Warren,1895*; *Prasinoscia W.Warren,1905*
- 3008. Ephemerophila W.Warren,1894** (Geometridae) Synonym(s): *Ephemerophila W.Warren,1894*
- 3009. Epiclecta L.B.Prout,1915** (Geometridae) Synonym(s): *Epiclecta L.B.Prout,1915*
- 3010. Epicosymbia W.Warren,1897** (Geometridae) Synonym(s): *Epicosymbia W.Warren,1897*; *Anacosymbia L.B.Prout,1913*
- 3011. Epiglasma L.B.Prout,1930** (Geometridae) Synonym(s): *Epiglasma L.B.Prout,1930*
- 3012. Epigynopteryx W.Warren,1895** (Geometridae) Synonym(s): *Epigynopteryx W.Warren,1895*; *Eurythecodes W.Warren,1897*; *Paracrocotha W.Warren,1897*; *Trisyndeta W.Warren,1897*
- 3013. Epilobophora Inoue,1943** (Geometridae) Synonym(s): *Epilobophora Inoue,1943*; *Paramathia Herbulot,1948*. Original Reference: *Epilobophora Inoue,1943*, Trans. Kansai ent. Soc. 12 (2): 9. Type-species: *Lobophora obscuraria* Leech,1891, by original designation.
- 3014. Epione Duponchel,1829** (Geometridae) Synonym(s): *Epione Duponchel,1829* Original Reference: *Epione Duponchel,1829*, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr 7 (2): 105, 211. Type-species: *Geometra paralellaria* [Denis & Schiffermüller],1775, by original designation.
- 3015. Epipristis Meyrick,1888** (Geometridae) Synonym(s): *Epipristis Meyrick,1888*; *Terpnidia Butler,1892*; *Pingarmia Sterneck,1927*
- 3016. Epirranthis Hübner,[1823]** (Geometridae) Synonym(s): *Epirranthis Hübner,[1823]*
- 3017. Epirrhoe Hübner,[1825]** (Geometridae) Synonym(s): *Epirrhoe Hübner,[1825]* Original Reference: *Epirrhoe Hübner,[1825]*, Verz. bekannter Schmett.: 328. Type-species: *Geometra rivata* Hübner,[1813], Samml. eur. Schmett. 5: pl.79 fig.409, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 279.
- 3018. Epirrita Hübner,[1822]** (Geometridae) Synonym(s): *Epirrita Hübner,[1822]*; *Oporinia Hübner,[1825]*; *Oporabia Stephens,1831*; *Oporobia Agassiz,1847* Original Reference: *Epirrita Hübner,[1822]*, Syst.-alphab. Verz.: 38-42, 44-51. Type-species: *Geometra dilutata* [Denis & Schiffermüller],1775, by subsequent designation by L.B.Prout,1897.
- 3019. Episothalma Swinhoe,1893** (Geometridae) Synonym(s): *Episothalma Swinhoe,1893*; *Episthophthalma Hampson,1895*
- 3020. Episteira W.Warren,1899** (Geometridae) Synonym(s): *Episteira W.Warren,1899*
- 3021. Epitherina Wehrli,1938** (Geometridae) Synonym(s): *Epitherina Wehrli,1938* Original Reference: *Epitherina Wehrli,1938*, Ent. Rdsch. 55: 354. Type-species: *Epitherina rhodopoleos* Wehrli,1938, by monotypy.
- 3022. Erannis Hübner,[1825]** (Geometridae) Synonym(s): *Erannis Hübner,[1825]*; *Hybernina Berthold,1827*; *Lampetia Stephens,1827*; *Chimadia Speyer,1839*; *Thriptera Gistel,1848* Original Reference: *Erannis Hübner,[1825]*, Verz. bekannter Schmett.: 320. Type-species: [*Phalaena*] *defoliaria* Clerck,1759, by subsequent designation by Hulst,1896.
- 3023. Ereboromorpha Walker,1860** (Geometridae) Synonym(s): *Erebomorpha Walker,1860*
- 3024. Eretmopus Turner,1910** (Geometridae) Synonym(s): *Eretmopus Turner,1910*
- 3025. Euchoeca Hübner,[1823]** (Geometridae) Synonym(s): *Euchoeca Hübner,[1823]* Original Reference: *Euchoeca Hübner,[1823]*, Verz. bekannter Schmett.: 298. Type-species: *Geometra hepararia* Hübner,[1799], Samml. eur. Schmett. 5: pl.11 fig.58, by subsequent designation by Fletcher,1979, Generic names of moths of the world 3: 79.
- 3026. Eucrostes Hübner,[1823]** (Geometridae) Synonym(s): *Eucrostes Hübner,[1823]*; *Eucrostis Hübner,1826*; *Euchrostis Zeller,1872*; *Euchrostes Gumpfenberg,1887* Original Reference: *Eucrostes Hübner,[1823]*, Verz. bekannter Schmett.: 283. Type-species: *Geometra fimbriolaria* Hübner,[1817], Samml. eur. Schmett. 5: pl.91 fig.468, by subsequent designation by Prout,1912, in Wytzman, Genera Insect. 129: 245.
- 3027. Eucyclodes W.Warren,1894** (Geometridae) Synonym(s): *Eucyclodes W.Warren,1894*; *Ochrognesia W.Warren,1894*; *Osteosema W.Warren,1894*; *Anisogamia W.Warren,1896*; *Chloromachia W.Warren,1897*; *Chlorostrota W.Warren,1897*; *Galactochlora W.Warren,1907*; *Anisozygia L.B.Prout,1911*; *Lophomachia L.B.Prout,1912*; *Felicia Thierry-Mieg,1915 nec Roche.,1889*

- 3028. Eulithis Hübner,[1821]** (Geometridae) Synonym(s): *Eulithis Hübner,[1821]*; *Lygris Hübner,[1825]*; *Steganolophia Stephens,1829*; *Neolexia Hulst,1896*; *Phylace Hulst,1896*. Original Reference: *Eulithis Hübner,[1821]*, Index exot. Lepid.: [3]. Type-species: *Petrophora diversilineata Hübner,[1813]*, by monotypy.
- 3029. Eumegethes Staudinger,1898** (Geometridae) Synonym(s): *Eumegethes Staudinger,1898* Original Reference: *Eumegethes Staudinger,1898*, Dt. ent. Z., Iris 10: 268. Type-species: *Thalpochares (Eumegethes) tenuis Staudinger,1898* *Thalpochares (Eumegethes) tenuis Staudinger,1898*, by monotypy.
- 3030. Eumelea Duncan & Westwood,1841** (Geometridae) Synonym(s): *Eumelea Duncan & Westwood,1841*; *Palibothra Herrich-Schäffer,1855*
- 3031. Eumera Staudinger,1892** (Geometridae) Synonym(s): *Eumera Staudinger,1892* Original Reference: *Eumera Staudinger,1892*, Dt. ent. Z., Iris 5: 162. Type-species: *Eumera regina Staudinger,1892*, Dt. ent. Z., Iris 5: 162-164, Taf.ii fig.8. Syntypes 3♂ 1♀: [Türkei]: Amasia; [Croatien]: Zara, by monotypy.
- 3032. Eupagia Walker,1860** (Geometridae) Synonym(s): *Eupagia Walker,1860*
- 3033. Euphyia Hübner,[1825]** (Geometridae) Synonym(s): *Euphyia Hübner,[1825]*; *Anapalta W.Warren,1904*; *Orthoprora W.Warren,1904*; *Warrenia L.B.Prout,1910* Original Reference: *Euphyia Hübner,[1825]*, Verz. bekannter Schmett.: 326. Type-species: *Geometra picata Hübner,[1813]*, Samml. eur. Schmett. 5: pl.84 fig.435, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 283.
- 3034. Eupithecia Curtis,1825** (Geometridae) Synonym(s): *Eupithecia Curtis,1825*; *Arcyonia Hübner,[1825]*; *Dyscymatoge Hübner,[1825]*; *Eucymatoge Hübner,[1825]*; *Hyperirritis Hübner,[1825]*; *Leucocora Hübner,[1825]*; *Tarachia Hübner,[1825]*; *Tephroclysta Hübner,[1825]*; *Zygmena Boie,1839*; *Lepiodes Guenée,1858*; *Pena Walker,1863*; *Epicaste Gumpfenberg,1887*; *Dietzia Schütze,1956*; *Petersenia Schütze,1958*; *Bohatschia Schütze,1960*; *Delaeveria Schütze,1961*; *Catarina Vojnits & De Laever,1973*; *Propithecia Vojnits,1985*; *Heteropithecia Vojnits,1985*; *Neoithecia Vojnits,1985*. Original Reference: *Eupithecia Curtis,1825*, Br. Ent. 2: 64. Type-species: [*Phalaena*] *absinthiata Clerck,1759*, by original designation.
- 3035. Eupithecia Hampson,1895** (Geometridae) Synonym(s): *Eupithecia Hampson,1895*
- 3036. Euproutia D.S.Fletcher,1979** (Geometridae) Synonym(s): *Metacineta L.B.Prout,1912* (*praeocc.*); *Euproutia D.S.Fletcher,1979*
- 3037. Eurranthis Hübner,[1823]** (Geometridae) Synonym(s): *Eurranthis Hübner,[1823]*; *Fidonia Treitschke,1825*; *Eurranthis Agassiz,1845* Original Reference: *Eurranthis Hübner,[1823]*, Verz. bekannt. Schmett. (19): 296. Type-species: *Phalaena plummistaria Villers,1789*, by subsequent designation by D.S.Fletcher,1979.
- 3038. Eustroma Hübner,[1825]** (Geometridae) Synonym(s): *Eustroma Hübner,[1825]* Original Reference: *Eustroma Hübner,[1825]*, Verz. bekannter Schmett.: 335. Type-species: *Geometra reticulata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114, by subsequent designation by Warren,1893, Proc. zool. Soc. Lond. 1893: 335.
- 3039. Exeliopsis L.B.Prout,1938** (Geometridae) Synonym(s): *Exeliopsis L.B.Prout,1938*
- 3040. Exodezia L.B.Prout,1958** (Geometridae) Synonym(s): *Exodezia L.B.Prout,1958*
- 3041. Fagivorina Wehrli,1943** (Geometridae) Synonym(s): *Fagivorina Wehrli,1943*
- 3042. Fascellina Walker,1860** (Geometridae) Synonym(s): *Fascellina Walker,1860*
- 3043. Foveabathra Holloway,1996** (Geometridae) Synonym(s): *Foveabathra Holloway,1996*
- 3044. Garaeus Moore,[1868]** (Geometridae) Synonym(s): *Garaeus Moore,[1868]*; *Epifidonia Butler,1886*; *Drepanopsis W.Warren,1896*; *Agaraeus Kuznetsov & Stekolnikov,1982*; *Hyperapeira Inoue,1982*
- 3045. Gasterocome W.Warren,1894** (Geometridae) Synonym(s): *Gasterocome W.Warren,1894*
- 3046. Geodena Walker,1856** (Geometridae) Synonym(s): *Geodena Walker,1856*
- 3047. Geometra Linnaeus,1758** (Geometridae) Synonym(s): *Geometra Linnaeus,1758* Original Reference: *Geometra Linnaeus,1758*, Syst. Nat. (Edn.10) 1: 519. Type-species: *Phalaena papilionaria Linnaeus,1758*, ibidem 1: 522, by subsequent designation by ICZN (Opinion 450).
- 3048. Glossotrophia (Bicalcarella) Hausmann,1993** (Geometridae) Synonym(s): *Bicalcarella Hausmann,1993* Original Reference: *Bicalcarella Hausmann,1993*, Mitt. münch. ent. Ges. 83: 92. Type-species: *Glossotrophia terminata Wiltshire,1966*, by original designation [proposed originally as a subgenus of *Glossotrophia Prout,1913*].
- 3049. Glossotrophia (Libanonia) Hausmann,1993** (Geometridae) Synonym(s): *Libanonia Hausmann,1993* Original Reference: *Libanonia Hausmann,1993*, Mitt. münch. ent. Ges. 83: 86-87. Type-species: *Glossotrophia asellaria ssp. semitata Prout,1913*, by original designation [proposed originally as a subgenus of *Glossotrophia Prout,1913*].

- 3050. Glossotrophia (Parenzanella) Hausmann,1993** (Geometridae) **Synonym(s):** *Parenzanella Hausmann,1993*
- 3051. Glossotrophia (s.str.) L.B.Prout,1913** (Geometridae) **Synonym(s):** *Glossotrophia L.B.Prout,1913* **Original Reference:** *Glossotrophia* L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 82. Type-species: *Acidalia confinaria* Herrich-Schäffer,[1847], by original designation.
- 3052. Glossotrophia L.B.Prout,1913** (Geometridae) **Synonym(s):** *Glossotrophia L.B.Prout,1913* **Original Reference:** *Glossotrophia* L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 82. Type-species: *Acidalia confinaria* Herrich-Schäffer,[1847], by original designation.
- 3053. Gnopharmia Staudinger,1892** (Geometridae) **Synonym(s):** *Gnopharmia Staudinger,1892* **Original Reference:** *Gnopharmia* Staudinger,1892, Dt. ent. Z., Iris 5: 181. Type-species: *Gnophos colchidaria* Lederer,1870, by subsequent designation by L.B.Prout,1915.
- 3054. Gnophos (Acrognophos) Wiltshire,1967** (Geometridae) **Synonym(s):** *Acrognophos Wiltshire,1967* **Original Reference:** *Acrognophos* Wiltshire,1967, Beitr. naturk. Forsch. SüdWdtl. 26: 168. Type-species: *Gnophos iveni* Erschoff,1874, by original designation.
- 3055. Gnophos (Catascia) Hübner,[1825]** (Geometridae) **Synonym(s):** *Catascia Hübner,[1825]*
- 3056. Gnophos (Chelegnophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Chelegnophos Wehrli,1951*; *#Chelegnophus Wehrli,1953* **Original Reference:** *Chelegnophos* Wehrli,1951, Lambillionea 51: 27. Type-species: *Gnophos ravistriolaria* Wehrli,1922, by original designation.
- 3057. Gnophos (Cnestrognophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Cnestrognophos Wehrli,1951*; *Cnestrognophos Wehrli,1953* **Original Reference:** *Cnestrognophos* Wehrli,1951, Lambillionea 51: 26. Type-species: *Gnophos praeacutaria* Wehrli,1922, by original designation.
- 3058. Gnophos (Ctenognophos) L.B.Prout,1915** (Geometridae) **Synonym(s):** *Ctenognophos L.B.Prout,1915* **Original Reference:** *Gnophos (Ctenognophos)* L.B.Prout,1915, [in] Seitz, Gross-Schmett. Erde 4: 384. Type-species: *Gnophos eolaria* Guenée,[1858], by original designation.
- 3059. Gnophos (Dicrognophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Dicrognophos Wehrli,1951* **Original Reference:** *Dicrognophos* Wehrli,1951, Lambillionea 51: 10. Type-species: *Gnophos orthogonia* Wehrli,1939, Mitt. münch. ent. Ges. 29: 72, by original designation.
- 3060. Gnophos (Dysgnophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Dysgnophos Wehrli,1951* **Original Reference:** *Dysgnophos* Wehrli,1951, Lambillionea 51: 23. Type-species: *Gnophos difficilis* Alpheraky,1883, by original designation.
- 3061. Gnophos (Organognophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Organognophos Wehrli,1951*; *Organognophos Wehrli,1953* **Original Reference:** *Organognophos* Wehrli,1951, Lambillionea 51: 24. Type-species: *Gnophos sibirata* Guenée,1857,by original designation.
- 3062. Gnophos (Pterygnophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Pterygnophos Wehrli,1951*
- 3063. Gnophos (Rhinognophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Rhinognophos Wehrli,1951*
- 3064. Gnophos (Rhipignophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Rhipignophos Wehrli,1951*; *Rhipignophos Wehrli,1953* **Original Reference:** *Rhipignophos* Wehrli,1951, Lambillionea 51: 26. Type-species: *Gnophos pervicinaria* Wehrli,1922, by original designation.
- 3065. Gnophos (Sacrognophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Sacrognophos Wehrli,1951*
- 3066. Gnophos (Trilobignophos) Wehrli,1951** (Geometridae) **Synonym(s):** *Trilobignophos Wehrli,1951*
- 3067. Gnophos (Zystrognophos) Wehrli,1945** (Geometridae) **Synonym(s):** *Zystrognophos Wehrli,1945* **Original Reference:** *Zystrognophos* Wehrli,1945, Mitt. schweiz. ent. Ges. 19: 335. Type-species: *Gnophos nimbata* Alpheraky,1888, Stettin ent. Ztg. 49: 88, by original designation.
- 3068. Gnophos (s.str.) Treitschke,1825** (Geometridae) **Synonym(s):** *#Sciadion Hübner,[1806]*; *Gnophos Treitschke,1825*; *Scotopterix Hübner,[1825]*; *Scotopteryx Agassiz,1847*; *Gnophus Agassiz,1847*; *#Sciadion L.B.Prout,1904*. **Original Reference:** *Gnophos* Treitschke,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: *Geometra furvata* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.
- 3069. Gnophos Treitschke,1825** (Geometridae) **Synonym(s):** *#Sciadion Hübner,[1806]*; *Gnophos Treitschke,1825*; *Scotopterix Hübner,[1825]*; *Scotopteryx Agassiz,1847*; *Gnophus Agassiz,1847*; *#Sciadion L.B.Prout,1904*. **Original Reference:** *Gnophos* Treitschke,1825, [in] Ochsenheimer, Schmett. Eur. 5 (2): 432. Type-species: *Geometra furvata* [Denis & Schiffermüller],1775, by subsequent

designation by Duponchel, 1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 110.

- 3070. Gnophosema L.B.Prout, 1912** (Geometridae) Synonym(s): *Gnophosema* L.B.Prout, 1912
Original Reference: *Gnophosema* L.B.Prout, 1912, [in] Wytzman, Genera Insect. 129: 10, 48.
Type-species: *Gnophos isometra* W.Warren, 1888, by original designation.
- 3071. Gonanticlea Swinhoe, 1892** (Geometridae) Synonym(s): *Gonanticlea Swinhoe*, 1892
- 3072. Gonodontis Hübner, [1823]** (Geometridae) Synonym(s): *Gonodontini* Forbes, 1948
- 3073. Grammochesias L.B.Prout, 1937** (Geometridae) Synonym(s): *Grammochesias* L.B.Prout, 1937
- 3074. Gymnoscelis Mabille, 1868** (Geometridae) Synonym(s): *Gymnoscelis Mabille*, 1868; *Iramba* Moore, 1887; *Dolerosceles Meyrick*, 1889
Original Reference: *Gymnoscelis Mabille*, 1868, Annls Soc. ent. Fr. (4) 7: 656. Type-species: *Geometra pumilata* Hübner, [1813], by monotypy.
- 3075. Gypsochroa Hübner, [1825]** (Geometridae) Synonym(s): *Gypsochroa Hübner*, [1825]
Original Reference: *Gypsochroa Hübner*, [1825], Verz. bekannter Schmett.: 337. Type-species: *Geometra renitidata* Hübner, [1817], Samml. eur. Schmett. 5: pl.94 fig.485, by subsequent designation by Prout, 1910, in Wytzman, Genera Insect. 104: 72.
- 3076. Habermania Viidalepp, 1988** (Geometridae) Synonym(s): *Habermania Viidalepp*, 1988
- 3077. Haplolabida D.S.Fletcher, 1958** (Geometridae) Synonym(s): *Haplolabida D.S.Fletcher*, 1958
- 3078. Harutalcis Sato, 1993** (Geometridae) Synonym(s): *Harutalcis Sato*, 1993
- 3079. Heliomata Grote & Robinson, 1866** (Geometridae) Synonym(s): *Heliomata Grote & Robinson*, 1866; *#Haliommata Packard*, 1876
Original Reference: *Heliomata Grote & Robinson*, 1866, Proc. ent. Soc. Philad. 6: 29. Type-species: *Baptria infulata* Grote, 1863, by subsequent designation by Hulst, 1896.
- 3080. Heliothea (Apetovia) Krulikovsky, 1918** (Geometridae) Synonym(s): *Apetovia Krulikovsky*, 1918
- 3081. Heliothea (s.str.) Boisduval, 1840** (Geometridae) Synonym(s): *Heliothea Boisduval*, 1840
- 3082. Heliothea Boisduval, 1840** (Geometridae) Synonym(s): *Heliothea Boisduval*, 1840
- 3083. Hemidromodes L.B.Prout, 1916** (Geometridae) Synonym(s): *Hemidromodes L.B.Prout*, 1916
- 3084. Hemistola W.Warren, 1893** (Geometridae) Synonym(s): *Hemistola W.Warren*, 1893
Original Reference: *Hemistola W.Warren*, 1893, Proc. zool. Soc. Lond. 1893: 353. Type-species: *Hemistola rubrimargo* W.Warren, 1893, by original designation.
- 3085. Hemithea Duponchel, 1829** (Geometridae) Synonym(s): *Hemithea Duponchel*, 1829; *Geometrina Motschulsky*, [1861]; *Lophocrita W.Warren*, 1894; *Mixolophia W.Warren*, 1894
Original Reference: *Hemithea Duponchel*, 1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 106, 233. Type-species: *Geometra aestivaria* Hübner, [1799], by original designation.
- 3086. Herbulotia Inoue, 1953** (Geometridae) Synonym(s): *Herbulotia Inoue*, 1953
- 3087. Herbulotides Viette, 1971** (Geometridae) Synonym(s): *Herbulotides Viette*, 1971
- 3088. Herbulotina Pinker, 1969** (Geometridae) Synonym(s): *Herbulotina Pinker*, 1969
- 3089. Herochroma Swinhoe, 1893** (Geometridae) Synonym(s): *Herochroma Swinhoe*, 1893; *Chlorocydon W.Warren*, 1894; *Archaeobalbis L.B.Prout*, 1912; *Neobalbis L.B.Prout*, 1912; *#Herchroma Watanasit et al.*, 2004
Original Reference: *Herochroma Swinhoe*, 1893, Ann. Mag. nat. Hist. (6) 12: 148. Type-species: *Herochroma baba Swinhoe*, 1893, by subsequent designation by L.B.Prout, 1912.
- 3090. Heteralex W.Warren, 1894** (Geometridae) Synonym(s): *Heteralex W.Warren*, 1894; *Canonistis Meyrick*, 1897; *Monotaxia W.Warren*, 1894
- 3091. Heterobapta Wiltshire, 1943** (Geometridae) Synonym(s): *Heterobapta Wiltshire*, 1943
Original Reference: *Heterobapta Wiltshire*, 1943, J. Bombay nat. Hist. Soc. 44: 249. Type-species: *Heterobapta plumellata* Wiltshire, 1943, by original designation.
- 3092. Heteroculpinia Hausmann, 1994** (Geometridae) Synonym(s): *Heteroculpinia Hausmann*, 1994
- 3093. Heterolocha Lederer, 1853** (Geometridae) Synonym(s): *Heterolocha Lederer*, 1853; *Nabla Walker*, 1866; *Hetaera Gumpfenberg*, 1887; *Symmetresia Wehrli*, 1937
Original Reference: *Heterolocha Lederer*, 1853, Ver. zool.- bot. Ver. Wien 3 (Abh.): 176, 202, 207. Type-species: *Hypoplectis laminaria Herrich-Schäffer*, 1852, by monotypy.
- 3094. Heterorachis W.Warren, 1898** (Geometridae) Synonym(s): *Heterorachis W.Warren*, 1898
- 3095. Heterostegane Hampson, 1893** (Geometridae) Synonym(s): *Heterostegane Hampson*, 1893; *Chrostobapta W.Warren*, 1907; *Liposchema W.Warren*, 1914; *Deuterostegane Wehrli*, 1939
- 3096. Heterostegania W.Warren, 1893** (Geometridae) Synonym(s): *Heterostegania W.Warren*, 1893

- 3097. Heterothera Inoue, 1943** (Geometridae) Synonym(s): *Heterothera Inoue, 1943*; *Viidaleppia Inoue, 1982*
- 3098. Hierochthonia L.B. Prout, 1912** (Geometridae) Synonym(s): *Hierochthonia L.B. Prout, 1912*; *#Hierochthonia Krüger, 1939* Original Reference: *Hierochthonia L.B. Prout, 1912*, [in] Wytsman, Genera Insect. 129: 3, 204. Type-species: *Microloxia pulverata* W. Warren, 1901, by original designation.
- 3099. Hirasa Moore, 1888** (Geometridae) Synonym(s): *Hirasa Moore, 1888*; *Hirasodes W. Warren, 1899*; *Hirasichlora Wehrli, 1951*
- 3100. Holarctias L.B. Prout, 1913** (Geometridae) Synonym(s): *Holarctias L.B. Prout, 1913*
- 3101. Holoterpna Püngeler, 1900** (Geometridae) Synonym(s): *Holoterpna Püngeler, 1900* Original Reference: *Holoterpna Püngeler, 1900*, Dt. ent. Z., Iris 12: 296. Type-species: *Holoterpna diagrapharia* Püngeler, 1900, by subsequent designation by L.B. Prout, 1912.
- 3102. Horisme Hübner, [1825]** (Geometridae) Synonym(s): *Horisme Hübner, [1825]*; *Larentia Bruand, 1847 (praeocc.)* Original Reference: *Horisme Hübner, [1825]*, Verz. bekannter Schmett.: 331. Type-species: *Geometra tersata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 272.
- 3103. Hospitalia Agenjo, 1950** (Geometridae) Synonym(s): *Hospitalia Agenjo, 1950*
- 3104. Hydatocapnia W. Warren, 1895** (Geometridae) Synonym(s): *Hydatocapnia W. Warren, 1895*
- 3105. Hydrelia Hübner, [1825]** (Geometridae) Synonym(s): *Hydrelia Hübner, [1825]*; *Autallacta W. Warren, 1893* Original Reference: *Hydrelia Hübner, [1825]*, Verz. bekannt. Schmett.: 322. Type-species: *Geometra sylvata* [Denis & Schiffermüller], 1775, by monotypy.
- 3106. Hydria Hübner, 1822** (Geometridae) Synonym(s): *Hydria Hübner, 1822* Original Reference: *Hydria Hübner, 1822*, Syst.-alphab. Verz.: 38-45, 51, 52. Type-species: *Phalaena undulata* Linnaeus, 1758, by subsequent designation by Grote, 1902.
- 3107. Hydriomena Hübner, [1825]** (Geometridae) Synonym(s): *Hydriomena Hübner, [1825]*; *Ypsipetes Stephens, 1829*; *Hypsipetes Stephens, 1831 nec Vigors, 1831*; *Karacidaria Matsumura, 1925* Original Reference: *Hydriomena Hübner, [1825]*, Verz. bekannter Schmett.: 322. Type-species: *Geometra elutata* Hübner, [1799], Samml. eur. Schmett. 5: pl. 43 fig. 224, by subsequent designation by Meyrick, 1917, Trans. N.Z. Inst. 49: 255.
- 3108. Hyelosia Hübner, 1818** (Geometridae) Synonym(s): *Hyelosia Hübner, 1818*
- 3109. Hylaea Hübner, 1822** (Geometridae) Synonym(s): *Hylaea Hübner, 1822*; *Therina Hübner, [1823]*; *Ellopiella Treitschke, 1825*; *Ellopiella Stephens, 1829 nec Tr., 1825* Original Reference: *Hylaea Hübner, 1822*, Syst.-alphab. Verz.: 39, 43, 47, 50. Type-species: *Phalaena fasciaria* Linnaeus, 1758, by subsequent designation by Herbulot, [1964].
- 3110. Hylasia Boisduval, 1870** (Geometridae) Synonym(s): *Hylasia Boisduval, 1870*
- 3111. Hylemera Butler, 1878** (Geometridae) Synonym(s): *Hylemera Butler, 1878*; *Pseudocrociniis Swinhoe, 1904*
- 3112. Hyperythra Guenée, [1858]** (Geometridae) Synonym(s): *Hyperythra Guenée, [1858]*; *Tycoonina W. Warren, 1894*; *Pseuderythra Swinhoe, 1904*; *Callipona Turner, 1904*
- 3113. Hypochrosis Guenée, [1858]** (Geometridae) Synonym(s): *Hypochrosis Guenée, [1858]*; *Marcala Walker, [1863]*; *Patruissa Walker, [1863]*; *Phoenix Butler, 1880*
- 3114. Hypocoela W. Warren, 1897** (Geometridae) Synonym(s): *Hypocoela W. Warren, 1897*
- 3115. Hypocometa W. Warren, 1896** (Geometridae) Synonym(s): *Hypocometa W. Warren, 1896*
- 3116. Hypomecis Hübner, [1821]** (Geometridae) Synonym(s): *Hypomecis Hübner, [1821]*; *Dryocoetis Hübner, [1825]*; *Boarmia Treitschke, 1825*; *Serraca Moore, [1887]*; *Pseudoangerona Moore, [1887]*; *Narapa Moore, [1887]*; *Alcippe Gumpfenberg, 1887 nec Blyth, 1844*; *Astacuda Moore, 1888*; *Maidana Swinhoe, 1900*; *Pseudoboarmia McDunnough, 1920* Original Reference: *Hypomecis Hübner, [1821]*, Index exot. Lepid. [7]. Type-species: *Cymatophora umbrosaria* Hübner, [1813], by monotypy.
- 3117. Hyposcotis (Charissa) Curtis, 1826** (Geometridae) Synonym(s): *Charissa Curtis, 1826*; *Lycognophos Wehrli, 1951*; *#Lysognophos Wehrli, 1953* Original Reference: *Charissa Curtis, 1826*, Br. Ent. 3: 105. Type-species: *Geometra obscurata* [Denis & Schiffermüller], 1775, by original designation.
- 3118. Hyposcotis (Costignophos) Wehrli, 1951** (Geometridae) Synonym(s): *Costignophos Wehrli, 1951* Original Reference: *Costignophos Wehrli, 1951*, Lambillionea 51: 23. Type-species: *Geometra pullata* [Denis & Schiffermüller], 1775, by original designation.
- 3119. Hyposcotis (Euchrognophos) Wehrli, 1951** (Geometridae) Synonym(s): *Euchrognophos Wehrli, 1951* Original Reference: *Euchrognophos Wehrli, 1951*, Lambillionea 51: 25. Type-species: *Gnophos variegata* Duponchel, 1830, by original designation.

- 3120. Hyposcotis (Kentrognophos) Wehrli, 1951** (Geometridae) **Synonym(s):** *Kentrognophos Wehrli, 1951*; #*Kentrognophos Wehrli, 1951* **Original Reference:** *Kentrognophos Wehrli, 1951*, *Lambillionea* 51: 11. Type-species: *Scodiona onustaria* Herrich-Schäffer, [1852], by original designation.
- 3121. Hyposcotis (Neognophina) Wehrli, 1946** (Geometridae) **Synonym(s):** *Neognophina Wehrli, 1946* **Original Reference:** *Neognophina Wehrli, 1946*, *Revue fr. Lépidopt.* 10: 241. Type-species: *Gnophos intermedia* Wehrli, 1917, by original designation.
- 3122. Hyposcotis (Rhopalognophos) Wehrli, 1951** (Geometridae) **Synonym(s):** *Rhopalognophos Wehrli, 1951*; *Rhopalognophos Wehrli, 1953* **Original Reference:** *Rhopalognophos Wehrli, 1951*, *Lambillionea* 51: 24. Type-species: *Geometra glaucinaria* Hübner, [1799], by original designation.
- 3123. Hyposcotis (s.str.) Hübner, [1825]** (Geometridae) **Synonym(s):** *Hyposcotis Hübner, [1825]* **Original Reference:** *Hyposcotis Hübner, [1825]*, *Verz. bekannt. Schmett.*: 314. Type-species: *Geometra mucidaria* Hübner, [1799], by subsequent designation by L.B. Prout (1904, *Entomologist's Rec. J. Var.* 16: 122).
- 3124. Hyposcotis Hübner, [1825]** (Geometridae) **Synonym(s):** *Hyposcotis Hübner, [1825]* **Original Reference:** *Hyposcotis Hübner, [1825]*, *Verz. bekannt. Schmett.*: 314. Type-species: *Geometra mucidaria* Hübner, [1799], by subsequent designation by L.B. Prout (1904, *Entomologist's Rec. J. Var.* 16: 122).
- 3125. Hyposidra Guenée, [1858]** (Geometridae) **Synonym(s):** *Hyposidra Guenée, [1858]*; *Lagyra Walker, 1860*; *Chizala Walker, 1860*; *Kalabana Moore, 1879*; #*Hyposidra Hutacharern & Tuhtim, 1995*
- 3126. Hypoxystis L.B. Prout, 1915** (Geometridae) **Synonym(s):** *Hypoxystis L.B. Prout, 1915*; *Hypoplectis auctorum*
- 3127. Hypsometra Aurivillius, 1910** (Geometridae) **Synonym(s):** *Hypsometra Aurivillius, 1910*
- 3128. Hypulia Swinhoe, 1894** (Geometridae) **Synonym(s):** *Hypulia Swinhoe, 1894*
- 3129. Hysterura W. Warren, 1895** (Geometridae) **Synonym(s):** *Hysterura W. Warren, 1895*; *Lygridopsis W. Warren, 1895*; *Eulygris Staudinger, 1897*
- 3130. Idaea Treitschke, 1825** (Geometridae) **Synonym(s):** *Idaea Treitschke, 1825*; *Sterrhia Hübner, [1825]*; *Arrhostia Hübner, [1825]*; *Pyctis Hübner, [1825]*; *Ptychopoda Curtis, 1826*; *Hyria Stephens, 1829 nec Lam., 1819*; *Ania Stephens, 1831*; *Goniacidalia Packard, 1873*; *Pythodora Meyrick, 1886*; *Janarda Moore, 1888*; *Xenocentris Meyrick, 1889*; *Mnesterodes Meyrick, 1889*; *Aphrogeneia Gumpfenberg, 1890*; *Argia Gumpfenberg, 1890*; *Gnidia Gumpfenberg, 1890*; *Pelagia Gumpfenberg, 1890 nec Peron, 1810*; ; *Andragrupos Hampson, 1891*; *Carphoxera Riley, 1891*; *Zeuctoneura W. Warren, 1895*; *Synomila Hulst, 1896*; *Ptenopoda Hulst, 1896*; *Polygraphodes W. Warren, 1897*; *Leptacme W. Warren, 1897*; *Brachyprota W. Warren, 1897*; *Hemipogon W. Warren, 1897*; *Cacorista W. Warren, 1899*; *Anteosis W. Warren, 1900*; *Hyriogona W. Warren, 1900*; *Neochrysa W. Warren, 1900*; *Pogonogya W. Warren, 1900*; *Prospasta W. Warren, 1900*; *Cysteophora Hulst, 1900*; *Thysanotricha W. Warren, 1903*; *Deinopyga W. Warren, 1904*; *Schematorhages W. Warren, 1905*; *Lobura W. Warren, 1906*; *Omopera W. Warren, 1906*; *Argyrosclia W. Warren, 1907*; *Pareupithex W. Warren, 1907*; etc. **Original Reference:** *Idaea Treitschke, 1825*, *Schmett. Eur.* 5 (2): 446. Type-species: *Phalaena aversata* Linnaeus, 1758, by subsequent designation by Moore, [1887].
- 3131. Idiochlora W. Warren, 1896** (Geometridae) **Synonym(s):** *Idiochlora W. Warren, 1896*; *Acrortha W. Warren, 1896*; *Diplodesma W. Warren, 1896*; *Haplophanes W. Warren, 1900*
- 3132. Idiodes Guenée, [1858]** (Geometridae) **Synonym(s):** *Idiodes Guenée, [1858]*; *Choara Walker, 1860*; *Nopia Walker, 1861*; *Threneta Turner, 1947*
- 3133. Idiotephra W. Warren, 1899** (Geometridae) **Synonym(s):** *Idiotephra W. Warren, 1899*
- 3134. Idiotephria Inoue, 1943** (Geometridae) **Synonym(s):** *Idiotephria Inoue, 1943*
- 3135. Ignobilia L.B. Prout, 1932** (Geometridae) **Synonym(s):** *Ignobilia L.B. Prout, 1932*
- 3136. Illa W. Warren, 1914** (Geometridae) **Synonym(s):** *Illa W. Warren, 1914*
- 3137. Inurois Butler, 1879** (Geometridae) **Synonym(s):** *Inurois Butler, 1879*
- 3138. Iotaphora W. Warren, 1894** (Geometridae) **Synonym(s):** *Iotaphora W. Warren, 1894*; *Iotaphora Swinhoe, 1894*; *Grammicheila Staudinger, 1897*
- 3139. Iridoplecta W. Warren, 1899** (Geometridae) **Synonym(s):** *Iridoplecta W. Warren, 1899*
- 3140. Iridopsis W. Warren, 1894** (Geometridae) **Synonym(s):** *Iridopsis W. Warren, 1894*; *Anacamptodes McDunnough, 1920*
- 3141. Isoloba W. Warren, 1893** (Geometridae) **Synonym(s):** *Isoloba W. Warren, 1893*
- 3142. Isoplenia W. Warren, 1897** (Geometridae) **Synonym(s):** *Isoplenia W. Warren, 1897*
- 3143. Isturgia Hübner, [1823]** (Geometridae) **Synonym(s):** *Isturgia Hübner, [1823]*; *Tephрина Guenée, [1845]*; *Histurgia Agassiz, 1847*; *Enconista Lederer, 1853*; *Bichroma Gumpfenberg, 1887*; #*Tephрина Okyar & Aytaç, 1999* **Original Reference:** *Isturgia Hübner, [1823]*, *Verz. bekannt. Schmett.*: 297. Type-species: *Geometra conspicuata* [Denis & Schiffermüller], 1775, by monotypy.

- 3144. Itame Hübner,[1823]** (Geometridae) Synonym(s): *Itame Hübner,[1823]; Speranza Curtis,1828; Halia Duponchel,1829 nec Risso,1826; Grammatophora Stephens,1829; Eupisteria Boisduval,1840; Thamnonoma Lederer,1853* Original Reference: *Itame Hübner,[1823], Verz. bekannt. Schmett.: 299.* Type-species: *Geometra vinculatia* Hübner,[1813], by subsequent designation by Hulst,1896.
- 3145. Ithysia Hübner,[1825]** (Geometridae) Synonym(s): *Ithysia Hübner,[1825]*
- 3146. Iulotrichia W.Warren,1894** (Geometridae) Synonym(s): *Iulotrichia W.Warren,1894; #Iulotrichia Watanasit et al.,2004*
- 3147. Jankowskia Oberthür,1884** (Geometridae) Synonym(s): *Jankowskia Oberthür,1884*
- 3148. Jodis Hübner,[1823]** (Geometridae) Synonym(s): *Jodis Hübner,[1823]; Leucoglyphica W.Warren,1894; Pareuchloris W.Warren,1894* Original Reference: *Jodis Hübner,[1823], Verz. bekannter Schmett.: 286.* Type-species: *Geometra aeruginaria* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 314*, by subsequent designation by Guenée,1857, *Hist. nat. Ins. 9: 355.*
- 3149. Jordanisca Wehrli,1943** (Geometridae) Synonym(s): *Jordanisca Wehrli,1943* Original Reference: *Jordanisca Wehrli,1943, [in] Seitz,A., Die Gross-Schmett. Erde 4 (Suppl.): 524.* Type-species: *Boarmia tenuisaria* Staudinger,1900, by original designation.
- 3150. Juxtephria Viidalepp,1976** (Geometridae) Synonym(s): *Juxtephria Viidalepp,1976*
- 3151. Krananda Moore,1868** (Geometridae) Synonym(s): *Krananda Moore,1868; Trigonoptila W.Warren,1894*
- 3152. Kuchleria Hausmann,1995** (Geometridae) Synonym(s): *Kuchleria Hausmann,1995*
- 3153. Kuldscha Alpheraky,1883** (Geometridae) Synonym(s): *Kuldscha Alpheraky,1883* Original Reference: *Kuldscha Alpheraky,1883, Horae Soc. ent. ross. 17: 206-207.* Type-species: *Kuldscha staudingeri* Alpheraky,1883, by monotypy.
- 3154. Kutlugia Koçak & Kemal,2008** (Geometridae) Synonym(s): *Megametopon Alpheraky,1892 nec Giglio-Tos,1891; #Megametopa L.B.Prout,1915; Kutlugia Koçak & Kemal,2008* Original Reference: *Kutlugia Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 145: 8 (nomen novum pro Megametopon Alpheraky,1892 nec Giglio-Tos,1891).* Type-species: *Megametopon piperatum* Alpheraky,1892, by monotypy.
- 3155. Kyrtolitha Staudinger,1892** (Geometridae) Synonym(s): *Kyrtolitha Staudinger,1892; Cyrtolitha Staudinger,1901.* Original Reference: *Kyrtolitha Staudinger,1892, Dt. ent. Z., Iris 5: 213.* Type-species: *Kyrtolitha obstinata* Staudinger,1892, by monotypy.
- 3156. Laciniodes W.Warren,1894** (Geometridae) Synonym(s): *Laciniodes W.Warren,1894; Laciniodes Swinhoe,1894*
- 3157. Lampropteryx Stephens,1831** (Geometridae) Synonym(s): *Lampropteryx Stephens,1831; Paralophia W.Warren,1893; Anisobole W.Warren,1902; Paracomucha W.Warren,1904* Original Reference: *Lampropteryx Stephens,1831, Illust. Br. Ent. (Haustellata) 3: 233.* Type-species: *Geometra suffumata* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 3158. Larentia Treitschke,1825** (Geometridae) Synonym(s): *Larentia Treitschke,1825; Plerocymia Hübner,[1825]; Larentia Stephens,1829 nec Tr.,1825; Cymazonita Sodoffsky,1837* Original Reference: *Larentia Treitschke,1825, Schmett. Eur. 5 (2): 440.* Type-species: *Geometra clavaria* Haworth,1809, by subsequent designation by Stephens,1831.
- 3159. Larentioides L.B.Prout,1917** (Geometridae) Synonym(s): *Larentioides L.B.Prout,1917*
- 3160. Larerannis Wehrli,1935** (Geometridae) Synonym(s): *Larerannis Wehrli,1935; Phigaliohybernia Inoue,1942; #Lanerannis Neave,1939; Pachyerannis Inoue,1982* Original Reference: *Larerannis Wehrli,1935, Ent. Z., Frankf. a. M. 49: 107.* Type-species: *Phigalia orthogrammaria* Wehrli,1927, by original designation.
- 3161. Lasiochlora W.Warren,1894** (Geometridae) Synonym(s): *Lasiochlora W.Warren,1894*
- 3162. Lassaba Moore,1888** (Geometridae) Synonym(s): *Lassaba Moore,1888*
- 3163. Lathochlora W.Warren,1900** (Geometridae) Synonym(s): *Lathochlora W.Warren,1900*
- 3164. Lehmannodes Rajaei & Stüning,2013** (Geometridae) Synonym(s): *Lehmannodes Rajaei & Stüning,2013* Original Reference: *Lehmannodes Rajaei & Stüning,2013, Zool. Anz. 252 (4): 565.* Type-species: *Aplocera guneyi* Riemis,1992, by original designation.
- 3165. Leptepistomion Wehrli,1936** (Geometridae) Synonym(s): *Leptepistomion Wehrli,1936*
- 3166. Leptomiza W.Warren,1893** (Geometridae) Synonym(s): *Leptomiza W.Warren,1893; Pristopera Swinhoe,1900*
- 3167. Leucaniodes L.B.Prout,1922** (Geometridae) Synonym(s): *Leucaniodes L.B.Prout,1922*
- 3168. Leucobrephos Grote,1874** (Geometridae) Synonym(s): *Leucobrephos Grote,1874*
- 3169. Lhommeia Wehrli,1939** (Geometridae) Synonym(s): *Lhommeia Wehrli,1939*

- 3170. Ligdia Guenée,[1858]** (Geometridae) **Synonym(s):** *Ligdia Guenée,[1858]; Harpicostia Wehrli,1936* **Original Reference:** *Ligdia Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 10: 209. Type-species: Geometra adustata [Denis & Schiffermüller],1775, by original designation.*
- 3171. Lignyoptera Lederer,1853** (Geometridae) **Synonym(s):** *Acalia Guenée,[1845] nec Gray,1840; Lignyoptera Lederer,1853*
- 3172. Limbatochlamys Rothschild,1894** (Geometridae) **Synonym(s):** *Limbatochlamys Rothschild,1894*
- 3173. Limeria Staudinger,1892** (Geometridae) **Synonym(s):** *Limeria Staudinger,1892*
- 3174. Liodesina Wehrli,1938** (Geometridae) **Synonym(s):** *Liodesina Wehrli,1938*
- 3175. Lipomelia W.Warren,1893** (Geometridae) **Synonym(s):** *Lipomelia W.Warren,1893; Defoa Swinhoe,1893*
- 3176. Lissoblemma W.Warren,1902** (Geometridae) **Synonym(s):** *Lissoblemma W.Warren,1902*
- 3177. Lithostege Hübner,[1825]** (Geometridae) **Synonym(s):** *Lithostege Hübner,[1825]; Agrapha Gumpfenberg,1887. Original Reference:* *Lithostege Hübner,[1825], Verz. bekannter Schmett.: 337. Type-species: Geometra duplicaria Hübner,[1799], Samml. eur. Schmett. 5: pl.40 fig.208, by subsequent designation by Hulst,1896, Trans. Am. ent. Soc. 23: 259.*
- 3178. Lobidiopteryx W.Warren,1902** (Geometridae) **Synonym(s):** *Lobidiopteryx W.Warren,1902*
- 3179. Lobogonodes Bastelberger,1909** (Geometridae) **Synonym(s):**
- 3180. Lobophora Curtis,1825** (Geometridae) **Synonym(s):** *Lobophora Curtis,1825*
- 3181. Lomaspilis Hübner,[1825]** (Geometridae) **Synonym(s):** *Lomaspilis Hübner,[1825]* **Original Reference:** *Lomaspilis Hübner,[1825], Verz. bekannter Schmett.: 306. Type-species: Phalaena marginata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527, by subsequent designation by Grote,1902, Insektenbörse 19: 314.*
- 3182. Lomographa Hübner,[1825]** (Geometridae) **Synonym(s):** *Lomographa Hübner,[1825]; Bapta Stephens,1829; Corycia Duponchel,1829 nec Hbn.,[1825]; Aleucis Guenée,[1858]; Lomatographa Agassiz,1847; Anhibernia Staudinger,1892; Leucetaera W.Warren,1894; Earoxyptera Djakonov,1936; Neobapta Djakonov,1936 nec Warr.,1904; Cyrtesia Wehrli,1937; Cirretaera Wehrli,1939; Eudjakonovia D.S.Fletcher,1979* **Original Reference:** *Lomographa Hübner,[1825], Verz. bekannter Schmett.: 311. Type-species: Geometra taminata [Denis & Schiffermüller],1775, by subsequent designation by W.Warren,1899.*
- 3183. Lophophelma L.B.Prout,1912** (Geometridae) **Synonym(s):** *Lophophelma L.B.Prout,1912*
- 3184. Lophophleps Hampson,1891** (Geometridae) **Synonym(s):** *Lophophleps Hampson,1891; Strophoptila W.Warren,1897*
- 3185. Lophorrhachia L.B.Prout,1916** (Geometridae) **Synonym(s):** *Lophorrhachia L.B.Prout,1916*
- 3186. Lophostola L.B.Prout,1912** (Geometridae) **Synonym(s):** *Lophostola L.B.Prout,1912*
- 3187. Louisproutia Wehrli,1932** (Geometridae) **Synonym(s):** *Louisproutia Wehrli,1932*
- 3188. Loxaspilates W.Warren,1893** (Geometridae) **Synonym(s):** *Loxaspilates W.Warren,1893; #Loxospilates Staudinger,1901; Oncodocnemis Rebel,1901* **Original Reference:** *Loxaspilates W.Warren,1893, Proc. zool. Soc. Lond. 1893: 413. Type-species: Aspilates obliquaria Moore,1867, by original designation.*
- 3189. Loxofidonia Packard,1876** (Geometridae) **Synonym(s):** *Loxofidonia Packard,1876*
- 3190. Loxomiza Holloway,[1994]** (Geometridae) **Synonym(s):** *Loxomiza Holloway,[1994]*
- 3191. Loxopora W.Warren,1914** (Geometridae) **Synonym(s):** *Loxopora W.Warren,1914*
- 3192. Loxotephria W.Warren,1905** (Geometridae) **Synonym(s):** *Loxotephria W.Warren,1905*
- 3193. Luashia Debauche,1941** (Geometridae) **Synonym(s):** *Luashia Debauche,1941*
- 3194. Lulavia Hausmann,1991** (Geometridae) **Synonym(s):** *Lulavia Hausmann,1991*
- 3195. Luxiaria Walker,1860** (Geometridae) **Synonym(s):** *Luxiaria Walker,1860; Euipe Meyrick,1886; Bithiodes W.Warren,1894; Idiotephra W.Warren,1899; Hypochariessa Turner,1947*
- 3196. Lycaugidia Hampson,1895** (Geometridae) **Synonym(s):** *Lycaugidia Hampson,1895*
- 3197. Lycia Hübner,[1825]** (Geometridae) **Synonym(s):** *Lycia Hübner,[1825]; Nyssia Duponchel,1829; Melanocoma Harrison,1910 nec Woll.,1867; Poecilopsis Harrison,1910* **Original Reference:** *Lycia Hübner,[1825], Verz. bekannter Schmett.: 319. Type-species: [Phalaena] hirtaria Clerck,1759, by subsequent designation by Hulst,1896.*
- 3198. Lythria Hübner,[1823]** (Geometridae) **Synonym(s):** *Lythria Hübner,[1823]* **Original Reference:** *Lythria Hübner,[1823], Verz. bekannter Schmett.: 300. Type-species: Phalaena purpuraria Linnaeus,1758, Syst. Nat. (Edn.10) 1: 522, by monotypy.*
- 3199. Macaria Curtis,1826** (Geometridae) **Synonym(s):** *Macaria Curtis,1826; Philobia Duponchel,1829; Eutropa Hübner,[1831]; Sciagraphia Hulst,1896* **Original Reference:** *Macaria*

- Curtis, 1826, Br. Ent. 3: 132. Type-species: [*Phalaena*] *liturata* Clerck, 1759, by original designation.
- 3200. *Macrohastina* Inoue, 1982** (Geometridae) Synonym(s): *Macrohastina* Inoue, 1982
- 3201. *Malacodea* Tengström, 1869** (Geometridae) Synonym(s): *Malacodea* Tengström, 1869
- 3202. *Marobia* Sato, 1998** (Geometridae) Synonym(s): *Marobia* Sato, 1998
- 3203. *Martania* Mironov, 2000** (Geometridae) Synonym(s): *Martania* Mironov, 2000 Original Reference: *Martania* Mironov, 2000, Ent. Obozr. 79 (1): 117. Type-species: *Emmelesia taeniata* Stephens, 1831, by original designation.
- 3204. *Mattia* Viidalepp, 2012** (Geometridae) Synonym(s): *Mattia* Hausmann, 2011; *Mattia* Viidalepp, 2012 Original Reference: *Mattia* Viidalepp, 2012, [in] Hausmann & Viidalepp, Geometrid moths Europe 3: 175. Type-species: *Cidaria callidaria* De Joannis, 1891, by original designation. [Previously proposed name by Hausmann (2011) is nomenclaturally unavailable.]
- 3205. *Mauna* Walker, 1865** (Geometridae) Synonym(s): *Mauna* Walker, 1865; *Merida* Rogenhofer, 1875; *Noctuumorpha* R. Felder, 1874
- 3206. *Maxates* Moore, [1887]** (Geometridae) Synonym(s): *Maxates* Moore, [1887]; *Gelasma* W. Warren, 1893; *Thalerura* W. Warren, 1894; *Thalerura* Swinhoe, 1894
- 3207. *Mebepia* Koçak & Kemal, 2007** (Geometridae) Synonym(s): *Guara* Rindge, 1986 nec Reichenbach, [1852]; *Mebepia* Koçak & Kemal, 2007 Original Reference: *Mebepia* Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 106: 1 (nom. nov. pro *Guara* Rindge, 1986 nec Reichenbach, [1852]). Type-species: *Guara raphis* Rindge, 1986.
- 3208. *Medasina* Moore, 1887** (Geometridae) Synonym(s): *Medasina* Moore, 1887; *Darisa* Moore, 1888; *Lassaba* Moore, 1888; *Deinotrichia* W. Warren, 1893; *Sinameda* W. Warren, 1894; *Callocasta* Swinhoe, 1894; *Uliura* W. Warren, 1904
- 3209. *Megadrepana* Holland, 1893** (Geometridae) Synonym(s): *Megadrepana* Holland, 1893; *Falcatulula* Strand, 1912
- 3210. *Megalycinia* Wehrli, 1939** (Geometridae) Synonym(s): *Megalycinia* Wehrli, 1939 Original Reference: *Megalycinia* Wehrli, 1939, Mitt. münch. ent. Ges. 29: 73. Type-species: *Hemerophila scalaria* Christoph, 1893, by original designation.
- 3211. *Megaspilates* W. Warren, 1894** (Geometridae) Synonym(s): *Megaspilates* W. Warren, 1894
- 3212. *Melanthia* Duponchel, 1829** (Geometridae) Synonym(s): *Melanthia* Duponchel, 1829 Original Reference: *Melanthia* Duponchel, 1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons 7 (2): 111. Type-species: *Geometra procellata* [Denis & Schiffermüller], 1775, by original designation.
- 3213. *Melinoessa* Herrich-Schäffer, [1855]** (Geometridae) Synonym(s): *Melinoessa* Herrich-Schäffer, [1855]; *Rhamidava* Walker, [1863]; *Timana* Walker, 1869; *Traina* Walker, 1969; *Obrussa* Saalmüller, 1891; *Hyphenophora* W. Warren, 1894
- 3214. *Menophra* Moore, [1887]** (Geometridae) Synonym(s): *Hemerophila* Stephens, 1829 nec Hbn., [1817]; *Menophra* Moore, 1887; *Leptodontopera* W. Warren, 1894; *Ephemerophila* W. Warren, 1894; *Ceruncina* Wehrli, 1941; *Malacuncina* Wehrli, 1941 Original Reference: *Menophra* Moore, [1887], Lepid. Ceylon 3: 409. Type-species: *Phalaena abruptaria* Thunberg, 1792, by original designation.
- 3215. *Mesaster* W. Warren, 1895** (Geometridae) Synonym(s): *Mesaster* W. Warren, 1895
- 3216. *Mesocoela* W. Warren, 1902** (Geometridae) Synonym(s): *Mesocoela* W. Warren, 1902
- 3217. *Mesocolpia* W. Warren, 1901** (Geometridae) Synonym(s): *Mesocolpia* W. Warren, 1901
- 3218. *Mesoleuca* Hübner, [1825]** (Geometridae) Synonym(s): *Mesoleuca* Hübner, [1825]
- 3219. *Mesomima* W. Warren, 1897** (Geometridae) Synonym(s): *Mesomima* W. Warren, 1897
- 3220. *Mesothisa* W. Warren, 1905** (Geometridae) Synonym(s): *Mesothisa* W. Warren, 1905; *Urapterydia* Oberthür, 1911
- 3221. *Mesotrophe* Hampson, 1893** (Geometridae) Synonym(s): *Mesotrophe* Hampson, 1893
- 3222. *Mesurodes* W. Warren, 1895** (Geometridae) Synonym(s): *Mesurodes* W. Warren, 1895
- 3223. *Metabraxas* Butler, 1881** (Geometridae) Synonym(s): *Metabraxas* Butler, 1881
- 3224. *Metacrocallis* Beljaev, 1997** (Geometridae) Synonym(s): *Metacrocallis* Beljaev, 1997
- 3225. *Metallaxis* L.B. Prout, 1932** (Geometridae) Synonym(s): *Metallaxis* L.B. Prout, 1932
- 3226. *Metallochlora* W. Warren, 1896** (Geometridae) Synonym(s): *Metallochlora* W. Warren, 1896; *Chrysomphe* W. Warren, 1896
- 3227. *Metallolophia* W. Warren, 1895** (Geometridae) Synonym(s): *Metallolophia* W. Warren, 1895
- 3228. *Metallospora* W. Warren, 1905** (Geometridae) Synonym(s): *Metallospora* W. Warren, 1905
- 3229. *Metapercnia* Wehrli, 1939** (Geometridae) Synonym(s): *Metapercnia* Wehrli, 1939
- 3230. *Metaterpna* Yazaki, 1992** (Geometridae) Synonym(s): *Metaterpna* Yazaki, 1992
- 3231. *Meteima* Djakonov, 1952** (Geometridae) Synonym(s): *Meteima* Djakonov, 1952

- 3232. Methydata L.B.Prout,1933** (Geometridae) Synonym(s): *Methydata L.B.Prout,1933*
- 3233. Miantochora W.Warren,1895** (Geometridae) Synonym(s): *Miantochora W.Warren,1895*
- 3234. Micrabraxas Butler,1889** (Geometridae) Synonym(s): *Micrabraxas Butler,1889*
- 3235. Microbaena Hausmann,1996** (Geometridae) Synonym(s): *Microbaena Hausmann,1996*
Original Reference: *Microbaena Hausmann,1996*, *Nota lepid.* 19 (1/2): 21. Type-species: *Phorodesma pulchra* Staudinger,1898, by original designation.
- 3236. Microbiston Staudinger,1882** (Geometridae) Synonym(s): *Microbiston Staudinger,1882*
- 3237. Microcalicha Sato,1981** (Geometridae) Synonym(s): *Microcalicha Sato,1981*
- 3238. Micrologia W.Warren,1897** (Geometridae) Synonym(s): *Micrologia W.Warren,1897*
- 3239. Microloxia W.Warren,1893** (Geometridae) Synonym(s): *Microloxia W.Warren,1893*
Original Reference: *Microloxia W.Warren,1893*, *Proc. zool. Soc. Lond.* 1893: 354. Type-species: *Geometra herbaria* Hübner,[1813], by original designation.
- 3240. Microlyces Herbulot,1981** (Geometridae) Synonym(s): *Microlyces Herbulot,1981*
- 3241. Micronidia Moore,1888** (Geometridae) Synonym(s): *Micronidia Moore,1888*
- 3242. Micronissa Swinhoe,1891** (Geometridae) Synonym(s): *Micronissa Swinhoe,1891*
- 3243. Microplutodes Holloway,[1994]** (Geometridae) Synonym(s): *Microplutodes Holloway,[1994]*
- 3244. Micrulia W.Warren,1896** (Geometridae) Synonym(s): *Micrulia W.Warren,1896*; *Opistheploce W.Warren,1896*; *Megatheca W.Warren,1897*
- 3245. Mictoschema L.B.Prout,1922** (Geometridae) Synonym(s): *Mictoschema L.B.Prout,1922*
- 3246. Milionia Walker,1854** (Geometridae) Synonym(s): *Milionia Walker,1854*; *Bizarda Walker,[1865]*; *Cnissocnema Bryk,1913*
- 3247. Milocera (Meiocera) M.Krüger,2001** (Geometridae) Synonym(s): *Meiocera M.Krüger,2001*
- 3248. Milocera (s.str.) Swinhoe,1904** (Geometridae) Synonym(s): *Milocera Swinhoe,1904*
- 3249. Milocera Swinhoe,1904** (Geometridae) Synonym(s): *Milocera Swinhoe,1904*
- 3250. Mimaletis W.Warren,1894** (Geometridae) Synonym(s): *Mimaletis W.Warren,1894*; *Provola Swinhoe,1904*
- 3251. Mimandria W.Warren,1894** (Geometridae) Synonym(s): *Mimandria W.Warren,1894*
- 3252. Mimaplasta Herbulot,1993** (Geometridae) Synonym(s): *Mimaplasta Herbulot,1993*
- 3253. Mimochroa W.Warren,1894** (Geometridae) Synonym(s): *Mimochroa W.Warren,1894*
- 3254. Mimoclystia W.Warren,1901** (Geometridae) Synonym(s): *Mimoclystia W.Warren,1901*
- 3255. Mimomiza W.Warren,1894** (Geometridae) Synonym(s): *Mimomiza W.Warren,1894*
- 3256. Minoa Treitschke,1825** (Geometridae) Synonym(s): *Minoa Treitschke,1825* Original Reference: *Minoa Treitschke,1825*, *Schmett. Eur.* 5 (2): 445. Type-species: *Geometra euphorbiata* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1829.
- 3257. Mirifica D.S.Fletcher,1956** (Geometridae) Synonym(s): *Mirifica D.S.Fletcher,1956*
- 3258. Mixocera W.Warren,1901** (Geometridae) Synonym(s): *Mixocera W.Warren,1901*; *Gynandria Turner,1910* Original Reference: *Mixocera W.Warren,1901*, *Novit. zool.* 8: 206.
- 3259. Mixochlora W.Warren,1897** (Geometridae) Synonym(s): *Mixochlora W.Warren,1897*
- 3260. Monocerotesa Wehrli,1937** (Geometridae) Synonym(s): *Monocerotesa Wehrli,1937*
- 3261. Myinodes Meyrick,1892** (Geometridae) Synonym(s): *Myinodes Meyrick,1892*; *Pseudotagma Staudinger,1892* Original Reference: *Myinodes Meyrick,1892*, *Trans. ent. Soc. Lond.* 1892: 80, 82. Type-species: *Sterrhia interpunctaria* Herrich-Schäffer,1839, by original designation.
- 3262. Myrioblephara W.Warren,1893** (Geometridae) Synonym(s): *Myrioblephara W.Warren,1893*; *Prorhinia W.Warren,1893*
- 3263. Myrteta Walker,1861** (Geometridae) Synonym(s): *Myrteta Walker,1861*
- 3264. Nadagara Walker,1861** (Geometridae) Synonym(s): *Nadagara Walker,1861*
- 3265. Napuca Walker,[1863]** (Geometridae) Synonym(s): *Napuca Walker,[1863]*; *Semiaspilates Wehrli,1953* Original Reference: *Napuca Walker,[1863]*, *List Specimens lepid. Insects Colln Br. Mus.* 26: 1693. Type-species: *Napuca orciferaria* Walker,[1863], by monotypy.
- 3266. Narraga Walker,1861** (Geometridae) Synonym(s): *Narraga Walker,1861* Original Reference: *Narraga Walker,1861*, *List Specimens lepid. Insects Colln Br. Mus.* 23: 948. Type-species: *Geometra cebraria* Hübner,[1799], by subsequent monotypy.
- 3267. Narthecusa Walker,1862** (Geometridae) Synonym(s): *Negla Walker,1861*; *Narthecusa Walker,1862*; *Nolera Mabille,1890*
- 3268. Nassinia D.S.Fletcher,1979** (Geometridae) Synonym(s): *Nassunia Walker,1862 nec Stal,1860*; *Nassinia D.S.Fletcher,1979*

- 3269. Naxa Walker, 1856** (Geometridae) Synonym(s): *Naxa Walker, 1856; Psilonaxa W. Warren, 1893; Desmonaxa L.B. Prout, 1912*
- 3270. Nebula Bruand, [1846]** (Geometridae) Synonym(s): *Nebula Bruand, [1846]* Original Reference: *Nebula Bruand, [1846], Mém. Soc. Emul. Doubs (1) 2 (2, livr. 3,4): 86. Type-species: Cidaria nebulata Treitschke, 1828, by subsequent designation by Viette, 1977.*
- 3271. Necyopa Walker, 1861** (Geometridae) Synonym(s): *Necyopa Walker, 1861; Polylophodes W. Warren, 1896*
- 3272. Nemoria Hübner, 1818** (Geometridae) Synonym(s): *Nemoria Hübner, 1818*
- 3273. Neognopharmia Wehrli, 1953** (Geometridae) Synonym(s): *#Neognopharmia Wehrli, 1951; Neognopharmia Wehrli, 1953* Original Reference: *Neognopharmia Wehrli, 1953, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 568. Type-species: Halia stevenaria Boisduval, 1840, by original designation.*
- 3274. Neohipparchus Inoue, 1944** (Geometridae) Synonym(s): *Neohipparchus Inoue, 1944*
- 3275. Neostega W. Warren, 1903** (Geometridae) Synonym(s): *Neostega W. Warren, 1903*
- 3276. Neotephria L.B. Prout, 1914** (Geometridae) Synonym(s): *Neotephria L.B. Prout, 1914*
- 3277. Neromia Staudinger, 1898** (Geometridae) Synonym(s): *Neromia Staudinger, 1898* Original Reference: *Neromia Staudinger, 1898, Dt. ent. Z., Iris 10: 304. Type-species: Neromia jodisata Staudinger, 1898, by monotypy.*
- 3278. Neurotoca W. Warren, 1897** (Geometridae) Synonym(s): *Neurotoca W. Warren, 1897*
- 3279. Nomenia Pearsall, 1905** (Geometridae) Synonym(s): *Nomenia Pearsall, 1905*
- 3280. Nothocasis L.B. Prout, 1936** (Geometridae) Synonym(s): *Nothocasis L.B. Prout, 1936* Original Reference: *Nothocasis L.B. Prout, 1936, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 89. Type-species: Geometra sertata Hübner, [1817], by original designation.*
- 3281. Nothofidonia L.B. Prout, 1915** (Geometridae) Synonym(s): *Nothofidonia L.B. Prout, 1915*
- 3282. Nothomiza W. Warren, 1894** (Geometridae) Synonym(s): *Nothomiza W. Warren, 1894; Organomiza Wehrli, 1936*
- 3283. Nothoterpna W. Warren, 1909** (Geometridae) Synonym(s): *Nothoterpna W. Warren, 1909*
- 3284. Nothylemera L.B. Prout, 1932** (Geometridae) Synonym(s): *Nothylemera L.B. Prout, 1932*
- 3285. Nychiodes (Comeesia) Wehrli, 1941** (Geometridae) Synonym(s): *Comeesia Wehrli, 1941*
- 3286. Nychiodes (Eunychiodes) Wehrli, 1941** (Geometridae) Synonym(s): *Eunychiodes Wehrli, 1941* Original Reference: *Eunychiodes Wehrli, 1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 441. Type-species: Gnophos amygdalaria Herrich-Schäffer, [1848], by original designation.*
- 3287. Nychiodes (Fritzwagneria) Wehrli, 1941** (Geometridae) Synonym(s): *Fritzwagneria Wehrli, 1941* Original Reference: *Fritzwagneria Wehrli, 1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 438. Type-species: Nychiodes dalmatina F. Wagner, 1909, by original designation.*
- 3288. Nychiodes (s.str.) Lederer, 1853** (Geometridae) Synonym(s): *Nychiodes Lederer, 1853* Original Reference: *Nychiodes Lederer, 1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 177, 216, 219. Type-species: Geometra lividaria Hübner, [1799], by subsequent designation by Guenée, 1857.*
- 3289. Nychiodes Lederer, 1853** (Geometridae) Synonym(s): *Nychiodes Lederer, 1853* Original Reference: *Nychiodes Lederer, 1853, Verh. zool.- bot. Ver. Wien 3 (Abh.): 177, 216, 219. Type-species: Geometra lividaria Hübner, [1799], by subsequent designation by Guenée, 1857.*
- 3290. Nyssiodes Oberthür, 1881** (Geometridae) Synonym(s): *Nyssiodes Oberthür, 1881*
- 3291. Oar L.B. Prout, 1913** (Geometridae) Synonym(s): *Oar L.B. Prout, 1913*
- 3292. Oaracta Walker, 1861** (Geometridae) Synonym(s): *Oaracta Walker, 1861*
- 3293. Ochodontia Lederer, 1853** (Geometridae) Synonym(s): *Ochodontia Lederer, 1853; #Ochodontia Vasilenko, 1998* Original Reference: *Ochodontia Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 175, 190, 194. Type-species: Ennomos sareptanaria Freyer, 1842, by monotypy.*
- 3294. Ochroplutodes W. Warren, 1895** (Geometridae) Synonym(s): *Caenarthria W. Warren, 1894 nec Thoms., 1869; Ochroplutodes W. Warren, 1895; Neopolita W. Warren, 1904*
- 3295. Ocoelophora W. Warren, 1895** (Geometridae) Synonym(s): *Ocoelophora W. Warren, 1895*
- 3296. Odezia Boisduval, 1840** (Geometridae) Synonym(s): *Tanagra Duponchel, 1829 nec Linn., 1764; Odezia Boisduval, 1840; Hodezia Spormann, 1909* Original Reference: *Odezia Boisduval, 1840, Genera Index méth. eur. Lpid.: 229. Type-species: Phalaena chaerophyllata Linnaeus, 1767, by original designation.*
- 3297. Odontognophos Wehrli, 1951** (Geometridae) Synonym(s): *Odontognophos Wehrli, 1951; #Odontognophos Wehrli, 1951.* Original Reference: *Odontognophos Wehrli, 1951, Lambilliona 51: 8. Type-species: Gnophos dumetata Treitschke, 1827, by original designation.*

- 3298. Odontopera Stephens, 1831** (Geometridae) **Synonym(s):** *Odontopera Stephens, 1831*; *Corotia Moore, 1868*; *Niphonissa Butler, 1878*; *Caripetodes W. Warren, 1895*; *Cenoctenucha W. Warren, 1897*; *Aethiopodes W. Warren, 1902*; *Lioptilesia Wehrli, 1936*; *Paragonodontis Wehrli, 1936* **Original Reference:** *Odontopera Stephens, 1831, Illust. Br. Ent. (Haustellata) 3: 162. Type-species: [Phalaena] bidentata Clerck, 1759, by monotypy.*
- 3299. Oedicentra W. Warren, 1902** (Geometridae) **Synonym(s):** *Oedicentra W. Warren, 1902*
- 3300. Oenochlora W. Warren, 1896** (Geometridae) **Synonym(s):** *Oenochlora W. Warren, 1896*; *Euarestus Lucas, 1900*
- 3301. Oenochroma Guenée, [1858]** (Geometridae) **Synonym(s):** *Oenochroma Guenée, [1858]*; *Balliace Walker, 1860*; *Diamuna Walker, 1860*; *Monoctophora Lucas, 1900*; *Galanageia Lucas, 1900*; *Dicyclodes W. Warren, 1906*; *Macroctenia Turner, 1930*; *Macroxystris D.S. Fletcher, 1979*
- 3302. Oenospila Swinhoe, 1892** (Geometridae) **Synonym(s):** *Oenospila Swinhoe, 1892*
- 3303. Omiza Walker, 1860** (Geometridae) **Synonym(s):** *Omiza Walker, 1860*
- 3304. Omizodes W. Warren, 1894** (Geometridae) **Synonym(s):** *Omizodes W. Warren, 1894*; *Haematorithra Butler, 1896*
- 3305. Omphacodes W. Warren, 1894** (Geometridae) **Synonym(s):** *Omphacodes W. Warren, 1894*
- 3306. Omphalucha W. Warren, 1905** (Geometridae) **Synonym(s):** *Omphalucha W. Warren, 1905*; *Heterimpia L.B. Prout, 1938*
- 3307. Omphax Guenée, [1858]** (Geometridae) **Synonym(s):** *Omphax Guenée, [1858]*; *Agraptochlora W. Warren, 1894*; *Pycnodontia W. Warren, 1901*
- 3308. Onagrodes W. Warren, 1896** (Geometridae) **Synonym(s):** *Onagrodes W. Warren, 1896*
- 3309. Oneiliana L.B. Prout, 1922** (Geometridae) **Synonym(s):** *Oneiliana L.B. Prout, 1922*
- 3310. Onychora Meyrick, 1892** (Geometridae) **Synonym(s):** *Onychora Meyrick, 1892*
- 3311. Onycodes Guenée, [1858]** (Geometridae) **Synonym(s):** *Onycodes Guenée, [1858]*; *Chilma Walker, [1863]*; *Onychodes Meyrick, 1890*
- 3312. Operophtera Hübner, [1825]** (Geometridae) **Synonym(s):** *Operophtera Hübner, [1825]*; *Thysanodes Rambur, 1870 nec Newm., 1842*; *Rachela Hulst, 1896*; *Paraptera Hulst, 1896* **Original Reference:** *Operophtera Hübner, [1825], Verz. bekannter Schmett.: 321. Type-species: Phalaena brumata Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 529, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 252.*
- 3313. Ophthalmitis D.S. Fletcher, 1979** (Geometridae) **Synonym(s):** *Ophthalmodes Guenée, [1858] nec Fischer, 1834*; *Ophthalmitis D.S. Fletcher, 1979*
- 3314. Opisthograptis Hübner, [1823]** (Geometridae) **Synonym(s):** *Opisthograptis Hübner, [1823]*; *Rumia Duponchel, 1829.* **Original Reference:** *Opisthograptis Hübner, [1823], Verz. bekannt. Schmett.: 292. Type-species: Phalaena crataegata Linnaeus, 1761, by monotypy.*
- 3315. Opisthotia W. Warren, 1894** (Geometridae) **Synonym(s):** *Opisthotia W. Warren, 1894*
- 3316. Orbamia Herbulot, 1966** (Geometridae) **Synonym(s):** *Orbamia Herbulot, 1966*
- 3317. Oreometra Aurivillius, 1910** (Geometridae) **Synonym(s):** *Oreometra Aurivillius, 1910*
- 3318. Organognophos Wehrli, 1951** (Geometridae) **Synonym(s):** *Organognophos Wehrli, 1951*
- 3319. Organopoda Hampson, 1893** (Geometridae) **Synonym(s):** *Organopoda Hampson, 1893*
- 3320. Orgyiodes R. Felder & Rogenhofer, 1874** (Geometridae) **Synonym(s):** *Orgyiodes R. Felder & Rogenhofer, 1874*
- 3321. Ornithospila W. Warren, 1894** (Geometridae) **Synonym(s):** *Ornithospila W. Warren, 1894*; *Urospila W. Warren, 1894*; *Afrena Hampson, 1895*
- 3322. Orothalassodes Holloway, 1996** (Geometridae) **Synonym(s):** *Orothalassodes Holloway, 1996*
- 3323. Ortaliella Hausmann, 1993** (Geometridae) **Synonym(s):** *Ortaliella Hausmann, 1993* **Original Reference:** *Ortaliella Hausmann, 1993, Bonn. zool. Beitr. 44 (3/4): 226. Type-species: Gnophos palaestinensis Calberla, 1891, by original designation.*
- 3324. Orthobrachia W. Warren, 1895** (Geometridae) **Synonym(s):** *Orthobrachia W. Warren, 1895*
- 3325. Orthocabera Butler, 1879** (Geometridae) **Synonym(s):** *Orthocabera Butler, 1879*; *Microniodes Hampson, 1893 nec Maas., 1890*
- 3326. Orthonama Hübner, [1825]** (Geometridae) **Synonym(s):** *Orthonama Hübner, [1825]*; *Plemyria Hübner, [1825] nec Hbn., [1825]*; *Nycterosea Hulst, 1896*; *Pernoptylota Hulst, 1896* **Original Reference:** *Orthonama Hübner, [1825], Verz. bekannter Schmett.: 331. Type-species: Geometra lignata Hübner, [1799], Samml. eur. Schmett. 5: pl. 52 fig. 270, by subsequent designation by Warren, 1895, Novit. zool. 2: 116.*
- 3327. Orthorisma L.B. Prout, 1912** (Geometridae) **Synonym(s):** *Orthocraspeda L.B. Prout, 1912 nec Hamps., 1893*; *Orthorisma L.B. Prout, 1912*
- 3328. Orthoserica W. Warren, 1896** (Geometridae) **Synonym(s):** *Orthoserica W. Warren, 1896*

- 3329. Orthostixis Hübner,[1823]** (Geometridae) Synonym(s): *Orthostixis Hübner,[1823]*
Original Reference: *Orthostixis Hübner,[1823]*, Verz. bekannt. Schmett.: 304. Type-species: *Geometra cribraria Hübner,[1799]*, by subsequent designation by Guenée,1857.
- 3330. Oulobophora Staudinger,1892** (Geometridae) Synonym(s): *Oulobophora Staudinger,1892*
Original Reference: *Oulobophora Staudinger,1892*, Dt. ent. Z., Iris 5: 219. Type-species: *Oulobophora macedonica Staudinger,1892*, by monotypy.
- 3331. Ourapteryx Leach,1814** (Geometridae) Synonym(s): *Ourapteryx Leach,1814*; *Uraptera Billberg,1820*; *Acaena Treitschke,1825*; *Uropteryx Agassiz,1847*; *Euctenurapteryx W.Warren,1894*; *Energopteryx Thierry-Mieg,1903*; *Phrudura Swinhoe,1906*. Original Reference: *Ourapteryx Leach,1814*, [in] Leach & Nodder, Zool. Miscell. 1: 79. Type-species: *Phalaena sambucaria Linnaeus,1758*, by subsequent designation by Duponchel,1829.
- 3332. Oxymacaria W.Warren,1894** (Geometridae) Synonym(s): *Oxymacaria W.Warren,1894*; *Heterocallia Leach,1897*; *Ligdiformia Wehrli,1937*
- 3333. Ozola Walker,1861** (Geometridae) Synonym(s): *Ozola Walker,1861*; *Carima Walker,[1863]*; *Zarmigethusa Walker,[1863]*; *Desmobathra Meyrick,1886*; *Tosaura Swinhoe,1892*
- 3334. Pachynemia Stephens,1829** (Geometridae) Synonym(s): *Pachynemia Stephens,1829*; *Sthanelia Boisduval,1840*; *Continia Hartig,1976*; *#Pachynemia Okyar & Aytaç,1999* Original Reference: *Pachynemia Stephens,1829*, Nom. Br. Insects: 44. Type-species: *Geometra hippocastanaria Hübner,[1799]*, by monotypy.
- 3335. Pachyodes Guenée,[1858]** (Geometridae) Synonym(s): *Pachyodes Guenée,[1858]*; *Archaeopseustes W.Warren,1894*
- 3336. Pachypalpella D.S.Fletcher,1979** (Geometridae) Synonym(s): *Pachypalpia W.Warren,1900* nec Hamps.,1895; *Pachypalpella D.S.Fletcher,1979*
- 3337. Palaeaspilates W.Warren,1894** (Geometridae) Synonym(s): *Palaeaspilates W.Warren,1894*; *Anisephyra W.Warren,1896*
- 3338. Palaeonyssia Harrison,1916** (Geometridae) Synonym(s): *Palaeonyssia Harrison,1916*
- 3339. Palpoctenidia L.B.Prout,1930** (Geometridae) Synonym(s): *Palpoctenidia L.B.Prout,1930*
- 3340. Panagropis W.Warren,1894** (Geometridae) Synonym(s): *Panagropis W.Warren,1894*
- 3341. Papuanticlea Holloway,1979** (Geometridae) Synonym(s): *Papuanticlea Holloway,1979*
- 3342. Papuarisme Holloway,1997** (Geometridae) Synonym(s): *Papuarisme Holloway,1997*
- 3343. Paraboarmia Krampl,1994** (Geometridae) Synonym(s): *Paraboarmia Krampl,1994*
Original Reference: *Paraboarmia Krampl,1994*, Folia Heydrovskyana 2 (7): 89. Type-species: *Boarmia viertlii Bohatsch,1883*, by original designation.
- 3344. Paracalicha Sato,1992** (Geometridae) Synonym(s): *Paracalicha Sato,1992*
- 3345. Paradarisa W.Warren,1894** (Geometridae) Synonym(s): *Paradarisa W.Warren,1894*
Original Reference: *Paradarisa W.Warren,1894*, Novit. zool. 1: 433. Type-species: *Boarmia comparataria Walker,1866*, by original designation.
- 3346. Paradromulia W.Warren,1896** (Geometridae) Synonym(s): *Paradromulia W.Warren,1896*
- 3347. Paragathia W.Warren,1902** (Geometridae) Synonym(s): *Paragathia W.Warren,1902*
- 3348. Paralcidia W.Warren,1906** (Geometridae) Synonym(s): *Paralcidia W.Warren,1906*
- 3349. Paramaxates W.Warren,1894** (Geometridae) Synonym(s): *Paramaxates W.Warren,1894*; *Lissolica Swinhoe,1894*
- 3350. Parapalta L.B.Prout,1940** (Geometridae) Synonym(s): *Parapalta L.B.Prout,1940*
- 3351. Paraperenia Wehrli,1939** (Geometridae) Synonym(s): *Paraperenia Wehrli,1939*
- 3352. Paraplaneta W.Warren,1895** (Geometridae) Synonym(s): *Paraplaneta W.Warren,1895*
- 3353. Paraprasina W.Warren,1897** (Geometridae) Synonym(s): *Paraprasina W.Warren,1897*
- 3354. Parptychodes W.Warren,1894** (Geometridae) Synonym(s): *Parptychodes W.Warren,1894*
- 3355. Parasynegia W.Warren,1893** (Geometridae) Synonym(s): *Parasynegia W.Warren,1893*
- 3356. Parazoma L.B.Prout,1926** (Geometridae) Synonym(s): *Parazoma L.B.Prout,1926*
- 3357. Pareclipsis W.Warren,1894** (Geometridae) Synonym(s): *Pareclipsis W.Warren,1894*
- 3358. Parectropis Sato,1980** (Geometridae) Synonym(s): *Parectropis Sato,1980* Original Reference: *Parectropis Sato,1980*, Tyo to Ga 31 (1/2): 41. Type-species: *Geometra extersaria Hübner,[1799]*, by original designation.
- 3359. Pareulype Herbulot,1951** (Geometridae) Synonym(s): *Pareulype Herbulot,1951* Original Reference: *Pareulype Herbulot,1951*, Revue fr. Lépidopt. 13: 62. Type-species: *Geometra berberata* [Denis & Schiffermüller],1775, by original designation.
- 3360. Pareumelea W.Warren,1894** (Geometridae) Synonym(s): *Pareumelea W.Warren,1894*
- 3361. Parietaria Leraut,1981** (Geometridae) Synonym(s): *Parietaria Leraut,1981*

- 3362. Parortholitha Herbulot,1956** (Geometridae) Synonym(s): *Parortholitha Herbulot,1956*
- 3363. Parosteodes W.Warren,1895** (Geometridae) Synonym(s): *Parosteodes W.Warren,1895*
- 3364. Pasiphila Meyrick,1883** (Geometridae) Synonym(s): *Pasiphila Meyrick,1883; Calliclystis Dietze,1910; Cithecia Staudinger,1897; Helastiodes W.Warren,1895; Rhinoprora W.Warren,1895.* Original Reference: *Pasiphila Meyrick,1883, N.Z. Jl.Sci. Dunedin 1: 527.* Type-species: *Eupithecia bilineolata* Walker,1862, by monotypy.
- 3365. Pasiphilodes W.Warren,1895** (Geometridae) Synonym(s): *Pasiphilodes W.Warren,1895; Gymnodisca W.Warren,1895*
- 3366. Peetula Moore,1888** (Geometridae) Synonym(s): *Peetula Moore,1888*
- 3367. Pelagodes Holloway,1996** (Geometridae) Synonym(s): *Pelagodes Holloway,1996*
- 3368. Pellonia Duponchel,1829** (Geometridae) Synonym(s): *Pellonia Duponchel,1829* Original Reference: *Pellonia Duponchel,1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 109.* Type-species: [*Phalaena*] *vibicaria* Clerck,1759, by original designation.
- 3369. Pelurga Hübner,[1825]** (Geometridae) Synonym(s): *Pelurga Hübner,[1825]* Original Reference: *Pelurga Hübner,[1825], Verz. bekannter Schmett.: 335.* Type-species: *Phalaena comitata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 526, by subsequent designation by Lhomme,1927, Amat. Papillons 3: 221.
- 3370. Peratophyga W.Warren,1894** (Geometridae) Synonym(s): *Peratophyga W.Warren,1894; Peratophyga Swinhoe,1894 nec Wrn.,1894; Euctenostega L.B.Prout,1916* Original Reference: *Peratophyga W.Warren,1894, Novit. zool. 1: 407.* Type-species: *Acidalia aerata* Moore,1867, by original designation.
- 3371. Peratostega W.Warren,1897** (Geometridae) Synonym(s): *Peratostega W.Warren,1897*
- 3372. Percnia Guenée,[1858]** (Geometridae) Synonym(s): *Percnia Guenée,[1858]; #Perenia L.B.Prout,1928*
- 3373. Perconia Hübner,[1823]** (Geometridae) Synonym(s): *Perconia Hübner,[1823]* Original Reference: *Perconia Hübner,[1823], Verz. bekannt. Schmett.: 296.* Type-species: *Phalaena strigillaria* Hübner,[1787], by subsequent designation by Lhomme,[1929].
- 3374. Peribatodes Wehrli,1943** (Geometridae) Synonym(s): *Peribatodes Wehrli,1943* Original Reference: *Peribatodes Wehrli,1943, [in] Seitz, Gross-Schmett. 4 (Suppl.): 478.* Type-species: *Geometra rhomboidaria* [Denis & Schiffermüller],1775, by original designation.
- 3375. Perithalera L.B.Prout,1912** (Geometridae) Synonym(s): *Perithalera L.B.Prout,1912*
- 3376. Perixera Meyrick,1886** (Geometridae) Synonym(s): *Perixera Meyrick,1886; Tirachopoda Hampson,1893; Conchocomete W.Warren,1895; Heterophyga W.Warren,1895; Phrissosceles W.Warren,1896; Platisodes W.Warren,1896; Plocucha W.Warren,1896; Stibarostoma W.Warren,1896; Xenoprora W.Warren,1897; Brachycola W.Warren,1897; Emmesura Hampson,1898; Crypsiplocia W.Warren,1902; Eremocentra W.Warren,1903*
- 3377. Perizoma Hübner,[1825]** (Geometridae) Synonym(s): *Perizoma Hübner,[1825]; Mesotype Hübner,[1825]; Emmelesia Stephens,1829; Zerynthia Curtis,1830 (praeocc.); Gagitodes W.Warren,1893* Original Reference: *Perizoma Hübner,[1825], Verz. bekannter Schmett.: 327.* Type-species: *Geometra albulata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Warren,1893, Proc. zool. Soc. Lond. 1893: 377.
- 3378. Petelia Herrich-Schäffer,1855** (Geometridae) Synonym(s): *Petelia Herrich-Schäffer,1855; Dichroptera Herrich-Schäffer,1855; Bargaosa Walker,1860; Antipetelia Inoue,1943*
- 3379. Petovia Walker,1854** (Geometridae) Synonym(s): *Petovia Walker,1854; Neurophana Guenée,1858; Xantheliodes W.Warren,1897*
- 3380. Petrophora Hübner,[1811]** (Geometridae) Synonym(s): *Petrophora Hübner,[1811]; Ortholitha Hübner,[1821]; Lithina Hübner,[1825]; Lozogramma Stephens,1829; Loxogramma Agassiz,1847; Perigune Gumpfenberg,1887* Original Reference: *Petrophora Hübner,[1811], Samml. exot. Schmett. 1: pl.[207].* Type-species: *Petrophora divisata* Hübner,[1811], by monotypy.
- 3381. Phaiogramma Gumpfenberg,1887** (Geometridae) Synonym(s): *Phaiogramma Gumpfenberg,1887* Original Reference: *Phaiogramma Gumpfenberg,1887, Nova Acta Acad. Caesar. Leop. Carol. 49: 326.* Type-species: *Nemoria faustinata* Millièrre,1868, by subsequent monotypy.
- 3382. Phaselia Guenée,[1858]** (Geometridae) Synonym(s): *Phaselia Guenée,[1858]* Original Reference: *Phaselia Guenée,[1858], Hist. nat. Ins., Spec. gén. Lépid. 9: 228.* Type-species: *Synopsis phaeoleucaria* Lederer,1855, by monotypy.
- 3383. Phibalapteryx Stephens,1829** (Geometridae) Synonym(s): *Phibalapteryx Stephens,1829; Mesogramma Stephens,1850* Original Reference: *Phibalapteryx Stephens,1829, Nom. Br. Insects:*

44. Type-species: *Geometra lineolata* [Denis & Schiffermüller], 1775, by subsequent designation by Curtis, 1836.
- 3384. Phigalia Duponchel, 1829** (Geometridae) Synonym(s): *Phigalia Duponchel*, 1829; *Pterotocera Staudinger*, 1892; *Coniodes Hulst*, 1896; *Rhaphidodemas Hulst*, 1896; *Metriocera Djakonov*, 1949. Original Reference: *Phigalia Duponchel*, 1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 106, 296. Type-species: *Geometra pilosaria* [Denis & Schiffermüller], 1775, by original designation.
- 3385. Philereme Hübner, [1825]** (Geometridae) Synonym(s): *Philereme Hübner*, [1825]; *Scotosia Stephens*, 1829. Original Reference: *Philereme Hübner*, [1825], Verz. bekannter Schmett.: 330. Type-species: *Geometra rhamnata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109, by subsequent designation by Hulst, 1896, Trans. Am. ent. Soc. 23: 276.
- 3386. Phoenicocampa W. Warren, 1895** (Geometridae) Synonym(s): *Phoenicocampa W. Warren*, 1895
- 3387. Pholodes D.S. Fletcher, 1979** (Geometridae) Synonym(s): *Lophodes Guenée*, [1858] nec *Dejean*, 1836; *Pholodes D.S. Fletcher*, 1979
- 3388. Photoscotosia W. Warren, 1888** (Geometridae) Synonym(s): *Trichopleura Staudinger*, 1882 nec *Kaupp*, 1858; *Photoscotosia W. Warren*, 1888; *Lasiogma Meyrick*, 1892. Original Reference: *Photoscotosia W. Warren*, 1888, Proc. zool. Soc. Lond. 1888: 328.
- 3389. Phrissogonus Butler, 1882** (Geometridae) Synonym(s): *Phrissogonus Butler*, 1882; *Phrixogonus Meyrick*, 1888
- 3390. Phthonandria W. Warren, 1894** (Geometridae) Synonym(s): *Phthonandria W. Warren*, 1894 Original Reference: *Phthonandria W. Warren*, 1894, Novit. zool. 1: 434. Type-species: *Hemerophila atrilineata* Butler, 1881, by original designation.
- 3391. Phthonoloba W. Warren, 1893** (Geometridae) Synonym(s): *Phthonoloba W. Warren*, 1893; *Steirophora W. Warren*, 1897; *Synneurodes W. Warren*, 1899
- 3392. Phthorarcha Meyrick, 1892** (Geometridae) Synonym(s): *Phthorarcha Meyrick*, 1892
- 3393. Phyle Herrich-Schäffer, [1855]** (Geometridae) Synonym(s): *Phyle Herrich-Schäffer*, [1855]
- 3394. Phyllometra Boisduval, 1840** (Geometridae) Synonym(s): *Phyllometra Boisduval*, 1840; *Egea Duponchel*, [1845] Original Reference: *Phyllometra Boisduval*, 1840, Genera Index méth. eur. Lépid.: 193. Type-species: *Phyllometra gracilaria* Boisduval, 1840, by monotypy.
- 3395. Phyetobasis Hampson, 1895** (Geometridae) Synonym(s): *Phyetobasis Hampson*, 1895
- 3396. Piercia Janse, 1933** (Geometridae) Synonym(s): *Piercia Janse*, 1933
- 3397. Pigiopsis W. Warren, 1899** (Geometridae) Synonym(s): *Pigiopsis W. Warren*, 1899
- 3398. Pingasa Moore, [1887]** (Geometridae) Synonym(s): *Pingasa Moore*, [1887]; *Skorpisthes Lucas*, 1900.
- 3399. Pitthea Walker, 1854** (Geometridae) Synonym(s): *Pitthea Walker*, 1854; *Tueckheimia Dewitz*, 1881; *Hymenocharta W. Warren*, 1897
- 3400. Pityeja Walker, 1861** (Geometridae) Synonym(s): *Pityeja Walker*, 1861; *Aplorama W. Warren*, 1904
- 3401. Plagodis Hübner, [1823]** (Geometridae) Synonym(s): *Plagodis Hübner*, [1823]; *Anagoga Hübner*, [1823]; *Azinephora Stephens*, 1827; *Eurymene Duponchel*, 1829; *Numeria Duponchel*, 1829. Original Reference: *Plagodis Hübner*, [1823], Verz. bekannter Schmett.: 294. Type-species: *Phalaena dolabraria* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 861, by monotypy.
- 3402. Plateoplia W. Warren, 1909** (Geometridae) Synonym(s): *Plateoplia W. Warren*, 1909
- 3403. Platycerota Hampson, 1893** (Geometridae) Synonym(s): *Platycerota Hampson*, 1893; *Xenagia W. Warren*, 1894
- 3404. Platypepla W. Warren, 1900** (Geometridae) Synonym(s): *Platypepla W. Warren*, 1900
- 3405. Plegapteryx Herrich-Schäffer, [1856]** (Geometridae) Synonym(s): *Plegapteryx Herrich-Schäffer*, [1856]; *Neuropolodes Warren*, 1895; *Syndetodes W. Warren*, 1902; *Rhamphopteryx Bryk*, 1913
- 3406. Plemyria Hübner, [1825]** (Geometridae) Synonym(s): *Plemyria Hübner*, [1825] Original Reference: *Plemyria Hübner*, [1825], Verz. bekannter Schmett.: 327. Type-species: *Geometra rubiginata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114, by subsequent designation by Fletcher, 1979, Generic names moths of the world 3: 167
- 3407. Pleogynopteryx Djakonov, 1926** (Geometridae) Synonym(s):
- 3408. Plesiomorpha W. Warren, 1898** (Geometridae) Synonym(s): *Plesiomorpha W. Warren*, 1898
- 3409. Plesioscotosia Viidalepp, 1988** (Geometridae) Synonym(s): *Plesioscotosia Viidalepp*, 1988
- 3410. Plutodes Guenée, [1858]** (Geometridae) Synonym(s): *Plutodes Guenée*, [1858]

- 3411. Poeciasthena W. Warren, 1894** (Geometridae) **Synonym(s):** *Poeciasthena W. Warren, 1894*; *Astheniodes Hampson, 1903*
- 3412. Pogonopygia W. Warren, 1894** (Geometridae) **Synonym(s):** *Pogonopygia W. Warren, 1894*
- 3413. Polymixinia Wehrli, 1943** (Geometridae) **Synonym(s):** *Polymixinia Wehrli, 1943*
- 3414. Polynesia Swinhoe, 1892** (Geometridae) **Synonym(s):** *Polynesia Swinhoe, 1892*; *Placotome W. Warren, 1894*
- 3415. Polyscia W. Warren, 1896** (Geometridae) **Synonym(s):** *Polyscia W. Warren, 1896*
- 3416. Polystroma W. Warren, 1897** (Geometridae) **Synonym(s):** *Polystroma W. Warren, 1897*
- 3417. Polythrena Guenée, [1858]** (Geometridae) **Synonym(s):** *Polythrena Guenée, [1858]*
- 3418. Pomasia Guenée, [1858]** (Geometridae) **Synonym(s):** *Pomasia Guenée, [1858]*
- 3419. Povilasias Viidaleep, 1986** (Geometridae) **Synonym(s):** *Povilasias Viidaleep, 1986* **Original Reference:** *Povilasias Viidaleep, 1986*, Trudy vses. ent. Obsch. 67: 105. Type-species: *Thera kashghara* Moore, 1878, by original designation.
- 3420. Praegnophosema Ebert, 1968** (Geometridae) **Synonym(s):** *Praegnophosema Ebert, 1968*
- 3421. Prasinocyma W. Warren, 1897** (Geometridae) **Synonym(s):** *Prasinocyma W. Warren, 1897*
- 3422. Probithia W. Warren, 1894** (Geometridae) **Synonym(s):** *Bithia Walker, 1866 nec Robineau-Desvoidy, 1863*; *Probithia W. Warren, 1894*
- 3423. Problepsis Lederer, 1853** (Geometridae) **Synonym(s):** *Caloptera Frivaldsky, 1845 nec Gistl, 1834*; *Problepsis Lederer, 1853*; *Argyris Guenée, [1858]*; *Problepsiodes W. Warren, 1899* **Original Reference:** *Problepsis Lederer, 1853*, Verh. zool.- bot. Ver. Wien 3 (Abh.): 74. Type-species: *Caloptera ocellata* Frivaldsky, 1845, by monotypy.
- 3424. Prochasma W. Warren, 1897** (Geometridae) **Synonym(s):** *Prochasma W. Warren, 1897*
- 3425. Prometopidia Hampson, 1902** (Geometridae) **Synonym(s):** *Prometopidia Hampson, 1902* **Original Reference:** *Prometopidia Hampson, 1902*, J. Bombay nat. Hist. Soc. 14: 509. Type-species: *Prometopidia conisaria* Hampson, 1902, by monotypy.
- 3426. Prosomphax W. Warren, 1911** (Geometridae) **Synonym(s):** *Prosomphax W. Warren, 1911*
- 3427. Proteuchloris Hausmann, 1996** (Geometridae) **Synonym(s):** *Proteuchloris Hausmann, 1996* **Original Reference:** *Proteuchloris Hausmann, 1996*, Nota lepid. 19 (1/2): 24. Type-species: *Geometra neriaria* Herrich-Schäffer, 1852, by original designation.
- 3428. Protonebula Inoue, 1986** (Geometridae) **Synonym(s):** *Protonebula Inoue, 1986*
- 3429. Protorhoe Herbulot, 1951** (Geometridae) **Synonym(s):** *Protorhoe Herbulot, 1951* **Original Reference:** *Protorhoe Herbulot, 1951*, Revue fr. Lepidopt. 13: 62. Type-species: *Melanippe unicata* Guenée, [1858], by original designation.
- 3430. Protosteira L.B. Prout, 1932** (Geometridae) **Synonym(s):** *Protosteira L.B. Prout, 1932*
- 3431. Protuliocnemis Holloway, 1996** (Geometridae) **Synonym(s):** *Protuliocnemis Holloway, 1996*
- 3432. Proutiana Janse, 1932** (Geometridae) **Synonym(s):** *Proutiana Janse, 1932*
- 3433. Proutictis Bryk, 1938** (Geometridae) **Synonym(s):** *Diastictis Hübner, [1823] nec Hbn., 1818*; *Proutictis Bryk, 1938* **Original Reference:** *Proutictis Bryk, 1938*, Parnassiana 5: 54. Type-species: *Geometra artesiaria* [Denis & Schiffermüller], 1775, by monotypy.
- 3434. Psaliodes Guenée, [1858]** (Geometridae) **Synonym(s):** *Psaliodes Guenée, [1858]*; *Hydara Walker, 1859*; *Alydda Walker, 1861*; *Hypolepis W. Warren, 1904*
- 3435. Pseudabraxas Inoue, 1986** (Geometridae) **Synonym(s):** *Pseudabraxas Inoue, 1986*
- 3436. Pseudalcis W. Warren, 1897** (Geometridae) **Synonym(s):** *Pseudalcis W. Warren, 1897*
- 3437. Pseudentephria Viidalepp, 1976** (Geometridae) **Synonym(s):** *Pseudentephria Viidalepp, 1976*
- 3438. Pseuderythrolophus L.B. Prout, 1932** (Geometridae) **Synonym(s):** *Pseuderythrolophus L.B. Prout, 1932*
- 3439. Pseudeuchlora Hampson, 1895** (Geometridae) **Synonym(s):** *Pseudeuchlora Hampson, 1895*
- 3440. Pseudeuchromia Schultze, 1907** (Geometridae) **Synonym(s):** *Pseudeuchromia Schultze, 1907*
- 3441. Pseudhemitheia Bastelberger, 1909** (Geometridae) **Synonym(s):** *Pseudhemitheia Bastelberger, 1909*
- 3442. Pseudidiochlora Holloway, 1996** (Geometridae) **Synonym(s):** *Pseudidiochlora Holloway, 1996*
- 3443. Pseudiodis L.B. Prout, 1934** (Geometridae) **Synonym(s):** *Pseudiodis L.B. Prout, 1934*
- 3444. Pseudobaptria Inoue, 1982** (Geometridae) **Synonym(s):** *Pseudobaptria Inoue, 1982* **Original Reference:** *Pseudobaptria Inoue, 1982*, [in] Inoue & Kawabe, Moths of Japan 1: 474.
- 3445. Pseudobiston Inoue, 1994** (Geometridae) **Synonym(s):** *Pseudobiston Inoue, 1994* **Original Reference:** *Pseudobiston Inoue, 1994*, Tinea 14 (1): 5. Type-species: *Pseudobiston pinratanai* Inoue, 1994, by original designation.

- 3446. Pseudobracca W.Warren,1895** (Geometridae) Synonym(s): *Pseudobracca W.Warren,1895*; *Leucobursada Semper,1901*
- 3447. Pseudobrephos L.B.Prout,1910** (Geometridae) Synonym(s): *Pseudobrephos L.B.Prout,1910*; *Larentiopsis Jones,1921*
- 3448. Pseudocassyma Holloway,[1994]** (Geometridae) Synonym(s): *Pseudocassyma Holloway,[1994]*
- 3449. Pseudochesias L.B.Prout,1932** (Geometridae) Synonym(s): *Pseudochesias L.B.Prout,1932*
- 3450. Pseudocinglis Hausmann,1994** (Geometridae) Synonym(s): *Pseudocinglis Hausmann,1994*
- 3451. Pseudocollix W.Warren,1895** (Geometridae) Synonym(s): *Pseudocollix W.Warren,1895*
- 3452. Pseudocomostola Holloway,1996** (Geometridae) Synonym(s): *Pseudocomostola Holloway,1996*
- 3453. Pseudodysstroma Heydemann,1961** (Geometridae) Synonym(s): *Pseudodysstroma Heydemann,1961*
- 3454. Pseudolarentia Herbulot,[1956]** (Geometridae) Synonym(s): *Pseudolarentia Herbulot,[1956]*
- 3455. Pseudomaenas L.B.Prout,1917** (Geometridae) Synonym(s): *Agrammodes W.Warren,1911* nec Uhler,1895; *Pseudomaenas L.B.Prout,1917*
- 3456. Pseudomiza Butler,1889** (Geometridae) Synonym(s): *Pseudomiza Butler,1889*; *Heteromiza W.Warren,1893*
- 3457. Pseudopanthera Hübner,[1823]** (Geometridae) Synonym(s): *Pseudopanthera Hübner,[1823]*; *Venilia Duponchel,1829* nec Raf.,1815 Original Reference: *Pseudopanthera Hübner,[1823]*, Verz. bekannter Schmett.: 295. Type-species: *Phalaena macularia* Linnaeus,1758, Syst. Nat. (Edn.10): 521, by subsequent designation by Lhomme,[1929], Cat. Lépid. Fr. et Belg. 1: 398.
- 3458. Pseudopolynesia Holloway,1996** (Geometridae) Synonym(s): *Pseudopolynesia Holloway,1996*
- 3459. Pseudosoloe Bethune-Baker,1911** (Geometridae) Synonym(s): *Pseudosoloe Bethune-Baker,1911*
- 3460. Pseudostegania Butler,1881** (Geometridae) Synonym(s): *Pseudostegania Butler,1881*
- 3461. Pseudosterrha W.Warren,1888** (Geometridae) Synonym(s): *Pseudosterrha W.Warren,1888* Original Reference: *Pseudosterrha W.Warren,1888*, Proc. zool. Soc. Lond. 1888: 324. Type-species: *Pseudosterrha ochrea W.Warren,1888*, by monotypy.
- 3462. Pseudoterpna Hübner,[1823]** (Geometridae) Synonym(s): *Pseudoterpna Hübner,[1823]* Original Reference: *Pseudoterpna Hübner,[1823]*, Verz. bekannter Schmett.: 285. Type-species: *Geometra cythisaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97, by subsequent designation by Guenée,1857, Hist. nat. Ins. 9: 339.
- 3463. Psilalcis W.Warren,1893** (Geometridae) Synonym(s): *Psilalcis W.Warren,1893*; *Paralcis W.Warren,1894*
- 3464. Psilocerea Saalmüller,1880** (Geometridae) Synonym(s): *Psilocerea Saalmüller,1880*; *Eupsamma W.Warren,1894*
- 3465. Psilocladia W.Warren,1898** (Geometridae) Synonym(s): *Psilocladia W.Warren,1898*
- 3466. Psilosetia W.Warren,1900** (Geometridae) Synonym(s): *Psilosetia W.Warren,1900*
- 3467. Psilotagma W.Warren,1894** (Geometridae) Synonym(s): *Psilotagma W.Warren,1894*
- 3468. Psilotagma W.Warren,1894** (Geometridae) Synonym(s): *Psilotagma W.Warren,1894*
- 3469. Psodos Treitschke,1825** (Geometridae) Synonym(s): *Psodos Treitschke,1825*; *Psoidos Treitschke,1825*; *Spodos Sodoffsky,1837*; *Torula Boisduval,1840*; *Coelibates Gistel,1848*; *Glacies Millière,[1874]*; *Psolos Berthet,1938*; *Trepidina Povolny & Moucha,1956*; *Alpina Povolny & Moucha,1956*
- 3470. Psychophora Kirby,1824** (Geometridae) Synonym(s): *Psychophora Kirby,1824*
- 3471. Psyra Walker,1860** (Geometridae) Synonym(s): *Psyra Walker,1860*; *Orbasia Swinhoe,1894*; *Oncodocnemis Rebel,1901*
- 3472. Psyroides Wehrli,1931** (Geometridae) Synonym(s): *Psyroides Wehrli,1931*
- 3473. Pterapherapteryx Curtis,1825** (Geometridae) Synonym(s): *Pterapherapteryx Curtis,1825*; *Amathia Duponchel,1829*; *Mysticoptera Meyrick,1892*
- 3474. Ptomophyle L.B.Prout,1932** (Geometridae) Synonym(s): *Ptomophyle L.B.Prout,1932*
- 3475. Ptygmatophora Gumpfenberg,1887** (Geometridae) Synonym(s): *Ptychoptera Christoph,1881* nec Meigen,1803; *Ptygmatophora Gumpfenberg,1887*; *Bessophora Meyrick,1892*
- 3476. Pulchralata D.S.Fletcher,1956** (Geometridae) Synonym(s): *Pulchralata D.S.Fletcher,1956*
- 3477. Pullichroma Holloway,1996** (Geometridae) Synonym(s): *Pullichroma Holloway,1996*

- 3478. *Pungeleria Rougemont, 1903*** (Geometridae) Synonym(s): *Pungeleria Rougemont, 1903*
Original Reference: *Pungeleria Rougemont, 1903*, Bull. Soc. neuchatel. Sci. nat. 31: 178. Type-species: *Geometra capreolaria* [Denis & Schiffermüller], 1775, by monotypy.
- 3479. *Pycnostega W. Warren, 1905*** (Geometridae) Synonym(s): *Pycnostega W. Warren, 1905*
- 3480. *Pycnostega W. Warren, 1905*** (Geometridae) Synonym(s): *Pycnostega W. Warren, 1905*
- 3481. *Pydna Herrich-Schäffer, [1855]*** (Geometridae) Synonym(s): *Pydna Herrich-Schäffer, [1855]*
Original Reference: *Pydna Herrich-Schäffer, [1855]*, Syst. Bearb. Schmett. Eur. 6: 127, 128. Type-species: *Fidonia badiaria* Freyer, 1842, by subsequent designation by L.B. Prout, 1934.
- 3482. *Pygmaena Boisduval, 1840*** (Geometridae) Synonym(s): *Pygmaena Boisduval, 1840*; *Colutogyna Lederer, 1853*
- 3483. *Pynthanosis Turati, 1922*** (Geometridae) Synonym(s): *Pynthanosis Turati, 1922*
- 3484. *Racotis Moore, [1887]*** (Geometridae) Synonym(s): *Racotis Moore, [1887]*
- 3485. *Ramitia Viidalepp, 1988*** (Geometridae) Synonym(s): *Ramitia Viidalepp, 1988* Original Reference: *Ramitia Viidalepp, 1988*, Geometridae fauna of the Central Asian Mountains: 138. Type-species: *Ramitia obliquelineata* Viidalepp, 1988, by original designation.
- 3486. *Ramobia Inoue, 1953*** (Geometridae) Synonym(s): *Ramobia Inoue, 1953*
- 3487. *Rhadinomphax L.B. Prout, 1912*** (Geometridae) Synonym(s): *Rhadinomphax L.B. Prout, 1912*
- 3488. *Rhanidopsis West, 1930*** (Geometridae) Synonym(s): *Rhanidopsis West, 1930*
- 3489. *Rheumaptera Hübner, 1822*** (Geometridae) Synonym(s): *Rheumaptera Hübner, 1822*; *Eulype Hübner, [1825]*; *Calocalpe Hübner, [1825]*; *Melanippe Duponchel, 1829*; *Rheumatoptera Gumpfenberg, 1887*; *Xenospora W. Warren, 1903* Original Reference: *Rheumaptera Hübner, 1822*, Syst.- alfab. Verz.: 38-41, 43-47, 49-51. Type-species: *Phalaena hastata* Linnaeus, 1758, by subsequent designation by Hulst, 1896.
- 3490. *Rhodesia W. Warren, 1905*** (Geometridae) Synonym(s): *Rhodesia W. Warren, 1905*
- 3491. *Rhodometra Meyrick, 1892*** (Geometridae) Synonym(s): *Rhodometra Meyrick, 1892*; *Sterrhantia Butler, 1894* Original Reference: *Rhodometra Meyrick, 1892*, Trans. ent. Soc. Lond. 1892: 60, 75. Type-species: *Phalaena sacraria* Linnaeus, 1767, by subsequent designation by Lhomme, [1930].
- 3492. *Rhodophthitus Butler, 1880*** (Geometridae) Synonym(s): *Rhodophthitus Butler, 1880*; *Nothabraxas W. Warren, 1897*; *Hameopsis Butler, 1898*; *Rhodopan Oberthür, 1916*
- 3493. *Rhodostrophia Hübner, [1823]*** (Geometridae) Synonym(s): *Rhodostrophia Hübner, [1823]*; *Delocharis Butler, 1883*; *Leptosidia Hampson, 1903*; *#Rodostrophia Brandt, 1938* Original Reference: *Rhodostrophia Hübner, [1823]*, Verz. bekannter Schmett.: 300. Type-species: *Phalaena calabra* Petagna, 1786, Spec. Insect. ulterioris Calabriae: 38, fig. 23, by subsequent designation by Hampson, 1895, Fauna Br. India (Moths) 3: 455.
- 3494. *Rhombocentra Holloway, 1996*** (Geometridae) Synonym(s): *Rhombocentra Holloway, 1996*
- 3495. *Rhopalognophos Wehrli, 1951*** (Geometridae) Synonym(s): *Rhopalognophos Wehrli, 1951*
- 3496. *Rhoptria Guenée, [1858]*** (Geometridae) Synonym(s): *Rhoptria Guenée, [1858]*; *Pseudognophos Staudinger, 1900* Original Reference: *Rhoptria Guenée, [1858]*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 10: 114. Type-species: *Geometra asperaria* Hübner, [1817], by subsequent designation by Lhomme, [1930].
- 3497. *Rhynchobapta Hampson, 1895*** (Geometridae) Synonym(s): *Rhynchobapta Hampson, 1895*; *Phanauta W. Warren, 1896*
- 3498. *Rikiosatoa Inoue, 1982*** (Geometridae) Synonym(s): *Rikiosatoa Inoue, 1982*
- 3499. *Rougeotiella Herbulot, 1984*** (Geometridae) Synonym(s): *Rougeotiana Herbulot, 1983* nec Laport., 1974; *Rougeotiella Herbulot, 1984*
- 3500. *Ruttellerona Swinhoe, 1894*** (Geometridae) Synonym(s): *Ruttellerona Swinhoe, 1894*
- 3501. *Sabulodes Guenée, [1858]*** (Geometridae) Synonym(s): *Sabulodes Guenée, [1858]*; *Phengommataea Hulst, 1896*
- 3502. *Sarcinodes Guenée, [1858]*** (Geometridae) Synonym(s): *Sarcinodes Guenée, [1858]*; *Mergana Walker, 1860*; *Auxima Walker, [1863]*
- 3503. *Sardocyrnia Wehrli, 1943*** (Geometridae) Synonym(s): *Sardocyrnia Wehrli, 1943*
- 3504. *Satoblephara Holloway, [1994]*** (Geometridae) Synonym(s): *Satoblephara Holloway, [1994]*
- 3505. *Satoracotis Stüning, 1995*** (Geometridae) Synonym(s): *Satoracotis Stüning, 1995*
- 3506. *Sauris Guenée, [1858]*** (Geometridae) Synonym(s): *Sauris Guenée, [1858]*; *Remodes Guenée, [1858]*; *Holorista W. Warren, 1894*; *Coptogonia W. Warren, 1896*; *Pseudoschista W. Warren, 1896*; *Helminthoceras W. Warren, 1896*; *Anisocolpia W. Warren, 1899*; *Athierax W. Warren, 1905*
- 3507. *Scardamia Guenée, [1858]*** (Geometridae) Synonym(s): *Scardamia Guenée, [1858]*; *Laginia Walker, 1860*

- 3508. Schistophyle W.Warren,1896** (Geometridae) Synonym(s): *Schistophyle W.Warren,1896*
- 3509. Schistostege Hübner,[1825]** (Geometridae) Synonym(s): *Schistostege Hübner,[1825]*
Original Reference: *Schistostege Hübner,[1825]*, Verz. bekannt. Schmett.: 336. Type-species: *Geometra decussata* [Denis & Schiffermüller],1775, by subsequent designation by Grote,1902.
- 3510. Sciadia Hübner,1822** (Geometridae) Synonym(s): *Sciadia Hübner,1822*; *Orphne Hübner,[1825]*; *Dasydia Guenée,1852*
- 3511. Scintillithex Holloway,1997** (Geometridae) Synonym(s): *Scintillithex Holloway,1997*
- 3512. Scodiomima Staudinger,1892** (Geometridae) Synonym(s): *Scodiomima Staudinger,1892*
Original Reference: *Scodiona* (*Scodiomima*) *Staudinger,1892*, Dt. ent. Z., Iris 5: 202. Type-species: *Scodiomima crocallaria* *Staudinger,1892*, by monotypy.
- 3513. Scodionista Joannis,1912** (Geometridae) Synonym(s): *Scodionista Joannis,1912* Original Reference: *Scodionista Joannis,1912*, Broteria (Zool.) 10: 22. Type-species: *Enconista amoritaria* *Püngeler,1902*, Dt. ent. Z., Iris 15: 145, by original designation.
- 3514. Scopula Schrank,1802** (Geometridae) Synonym(s): *Scopula Schrank,1802*; *Sphecodes Hübner,1822 nec Latr.,1804*; *Sarodria Sodoffsky,1837*; *Sarothria Agassiz,1847* Original Reference: *Scopula Schrank,1802*, Fauna Boica 2 (2): 162. Type-species: *Phalaena paludata* *Linnaeus,1767*, by subsequent designation by L.B.Prout,1906.
- 3515. Scopuloides Hausmann,1994** (Geometridae) Synonym(s): *Scopuloides Hausmann,1994*
Original Reference: *Scopuloides Hausmann,1994*, Nota lepid. 16 (3/4): 196. Type-species: *Acidalia fucata* *Püngeler,1909*, by original designation.
- 3516. Scordyliodes Thierry-Mieg,1903** (Geometridae) Synonym(s): *Scordyliodes Thierry-Mieg,1903*
- 3517. Scotocyma Turner,1904** (Geometridae) Synonym(s): *Scotocyma Turner,1904*; *Paragramma W.Warren,1905*
- 3518. Scotopteryx Hübner,[1825]** (Geometridae) Synonym(s): *Scotopteryx Hübner,[1825]*; *Onychia Hübner,[1825]*; *Eubolia Duponchel,1829*; *Phasiane Duponchel,1829*; *Eusebia Bruand,1846 nec Dup.,[1845]*; *Limonophila Gumpfenberg,1887*; *Forbachia Albrecht,1920*. Original Reference: *Scotopteryx Hübner,[1825]*, Verz. bekannter Schmett.: 338. Type-species: *Geometra tenebraria* *Hübner,[1809]*, Samml. eur. Schmett. 5: pl.64 fig.330, by monotypy.
- 3519. Selenia Hübner,[1823]** (Geometridae) Synonym(s): *Selenia Hübner,[1823]* Original Reference: *Selenia Hübner,[1823]*, Verz. bekannter Schmett.: 292. Type-species: *Geometra illunaria* *Hübner,[1799]*, Samml. eur. Schmett. 5: pl.7 figs.36,37, by subsequent designation by Guenée,1857 [in] *Boisduval & Guenée, Hist. nat. Insectes* 9: 152.
- 3520. Selidosema Hübner,[1823]** (Geometridae) Synonym(s): *Selidosema Hübner,[1823]*; *Spermo Gumpfenberg,1887*. Original Reference: *Selidosema Hübner,[1823]*, Verz. bekannt. Schmett.: 299. Type-species: *Geometra plumaria* [Denis & Schiffermüller],1775, by subsequent designation by Derenne-Meyers,1929.
- 3521. Semiothisa Hübner,[1818]** (Geometridae) Synonym(s): *Semiothisa Hübner,[1818]*
- 3522. Serratophyga Holloway,[1994]** (Geometridae) Synonym(s): *Serratophyga Holloway,[1994]*
Original Reference: *Serratophyga Holloway,[1994]*, Malayan Nat. J. 47 (1/2): 130. Type-species: *Chrysocraspeda subangulata* *W.Warren,1896*, by original designation.
- 3523. Sesquialtera L.B.Prout,1916** (Geometridae) Synonym(s): *Sesquialtera L.B.Prout,1916*
- 3524. Shangrilana Inoue,1994** (Geometridae) Synonym(s): *Shangrilana Inoue,1994* Original Reference: *Shangrilana Inoue,1994*, Tinea 14 (1): 9. Type-species: *Shangrilana paradisea* *Inoue,1994*, by original designation.
- 3525. Sicyodes W.Warren,1894** (Geometridae) Synonym(s): *Sicyodes W.Warren,1894*
- 3526. Siona Duponchel,1829** (Geometridae) Synonym(s): *Siona Duponchel,1829*; *#Sionia Okyar & Aytaç,1999* Original Reference: *Siona Duponchel,1829*, [in] *Godart & Duponchel, Hist. nat. Lépid. Papillons Fr.* 7 (2): 112. Type-species: *Phalaena dealbata* *Linnaeus,1767*, by original designation.
- 3527. Sirinopteryx Butler,1883** (Geometridae) Synonym(s): *Sirinopteryx Butler,1883*; *Stenorumia Hampson,1895*
- 3528. Solitanea Djakonov,1924** (Geometridae) Synonym(s): *Solitanea Djakonov,1924*
- 3529. Somatina Guenée,[1858]** (Geometridae) Synonym(s): *Somatina Guenée,[1858]*; *Somatodes Guenée,[1858]*; *Nebessa Walker,1869*; *Prasonesis Meyrick,1889*; *Somatinopsis W.Warren,1896*
- 3530. Songarica Staudinger,1871** (Geometridae) Synonym(s): *Songarica Staudinger,1871*
- 3531. Spaniocentra L.B.Prout,1912** (Geometridae) Synonym(s): *Spaniocentra L.B.Prout,1912*
- 3532. Spargania Guenée,[1858]** (Geometridae) Synonym(s): *Spargania Guenée,[1858]*; *Amygdalopteryx W.Warren,1897*; *Eriopygidia W.Warren,1900*; *Arima Kaye,1901*

- 3533. *Spartopteryx* Guenée, [1858]** (Geometridae) Synonym(s): *Spartopteryx* Guenée, [1858]
- 3534. *Sphyrocosta* M. Krüger, 2001** (Geometridae) Synonym(s): *Sphyrocosta* M. Krüger, 2001
- 3535. *Spilopera* W. Warren, 1893** (Geometridae) Synonym(s): *Spilopera* W. Warren, 1893
- 3536. *Spiralisigna* Holloway, 1997** (Geometridae) Synonym(s): *Spiralisigna* Holloway, 1997
- 3537. *Stalagmia* Guenée, [1858]** (Geometridae) Synonym(s): *Stalagmia* Guenée, [1858]
- 3538. *Stamnodes* Guenée, [1858]** (Geometridae) Synonym(s): *Stamnodes* Guenée, [1858]; *Tora* Walker, 1867; *Marmopteryx* Packard, 1874; *Synneuria* Mabille, 1885; *Lissopsis* W. Warren, 1894; *Grammicopteryx* Thierry-Mieg, 1904 Original Reference: *Stamnodes* Guenée, [1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 10: 515. Type-species: *Fidonia pauperaria* Eversmann, 1848, by monotypy.
- 3539. *Stegania* Guenée, [1845]** (Geometridae) Synonym(s): *Stegania* Guenée, [1845]; *Terpnomicta* Lederer, 1853; *Liposchema* W. Warren, 1914 Original Reference: *Stegania* Guenée, [1845], [in] Duponchel, Cat. méth. Lépid. Eur.: 270. Type-species: *Geometra permutataria* Hübner, [1799], by subsequent designation by Desmarest, [1848].
- 3540. *Stigma* Alpheraky, 1883** (Geometridae) Synonym(s): *Stigma* Alpheraky, 1883 Original Reference: *Stigma* Alpheraky, 1883, Horae Soc. ent. ross. 17: 164. Type-species: *Stigma kuldshaensis* Alpheraky, 1883, by monotypy.
- 3541. *Stueningia* Hausmann, 1993** (Geometridae) Synonym(s): *Stueningia* Hausmann, 1993; *#Stegania* Riemis, 1996 Original Reference: *Stueningia* Hausmann, 1993, Bonn. zool. Beitr. 44 (3/4): 228-229. Type-species: *Gnophos poggearia* Lederer, 1855, by original designation.
- 3542. *Sundadoxa* Holloway, 1996** (Geometridae) Synonym(s): *Sundadoxa* Holloway, 1996
- 3543. *Sundagrapha* Holloway, 1982** (Geometridae) Synonym(s): *Sundagrapha* Holloway, 1982
- 3544. *Sundascelia* Holloway, [1994]** (Geometridae) Synonym(s): *Sundascelia* Holloway, [1994]
- 3545. *Swannia* L.B. Prout, 1926** (Geometridae) Synonym(s): *Swannia* L.B. Prout, 1926
- 3546. *Symmacra* W. Warren, 1896** (Geometridae) Synonym(s): *Symmacra* W. Warren, 1896
- 3547. *Symmetroctena* W. Warren, 1895** (Geometridae) Synonym(s): *Symmetroctena* W. Warren, 1895
- 3548. *Symmimetis* Turner, 1907** (Geometridae) Synonym(s): *Symmimetis* Turner, 1907; *Neoscelis* Hampson, 1903; *Neoscelidia* De Joannis, 1929
- 3549. *Syncollesis* L.B. Prout, 1930** (Geometridae) Synonym(s): *Syncollesis* L.B. Prout, 1930
- 3550. *Syncosmia* W. Warren, 1897** (Geometridae) Synonym(s): *Syncosmia* W. Warren, 1897
- 3551. *Syndromodes* W. Warren, 1897** (Geometridae) Synonym(s): *Syndromodes* W. Warren, 1897
- 3552. *Synegia* Guenée, [1858]** (Geometridae) Synonym(s): *Synegia* Guenée, [1858]; *Syntaracta* W. Warren, 1894; *Eugnesia* W. Warren, 1897
- 3553. *Synegiodes* Swinhoe, 1892** (Geometridae) Synonym(s): *Synegiodes* Swinhoe, 1892
- 3554. *Syneora* Turner, 1917** (Geometridae) Synonym(s): *Syneora* Turner, 1917
- 3555. *Syngonorthus* Butler, 1892** (Geometridae) Synonym(s): *Syngonorthus* Butler, 1892
- 3556. *Synopsia* Hübner, [1825]** (Geometridae) Synonym(s): *Synopsia* Hübner, [1825] Original Reference: *Synopsia* Hübner, [1825], Verz. bekannter Schmett.: 317. Type-species: *Geometra sociaria* Hübner, [1799], by subsequent designation by Lhomme, [1929].
- 3557. *Synopsidia* Djakonov, 1935** (Geometridae) Synonym(s): *Synopsidia* Djakonov, 1935; *Hashtaresia* Wehrli, 1936 Original Reference: *Synopsidia* Djakonov, 1935, Lambillionea 35: 147. Type-species: *Synopsidia znojko* Djakonov, 1935, by original designation.
- 3558. *Sysstema* W. Warren, 1899** (Geometridae) Synonym(s): *Sysstema* W. Warren, 1899
- 3559. *Syzeuxis* Hampson, 1895** (Geometridae) Synonym(s): *Syzeuxis* Hampson, 1895; *Aphantoloba* W. Warren, 1896
- 3560. *Tanaorhinus* Butler, 1879** (Geometridae) Synonym(s): *Tanaorhinus* Butler, 1879
- 3561. *Tanaotrichia* W. Warren, 1893** (Geometridae) Synonym(s): *Tanaotrichia* W. Warren, 1893
- 3562. *Tango* Koçak & Kemal, 2007** (Geometridae) Synonym(s): *Poya Rindge*, 1983 nec Peters & Peters, 1980; *Tango Koçak & Kemal*, 2007; *Rindgeopoya Özdiçmen*, 2008 Original Reference: *Tango Koçak & Kemal*, 2007, Cent. ent. Stud., Misc. Pap. 106: 1 (nom. nov. pro *Poya Rindge*, 1983 nec Peters & Peters, 1980).
- 3563. *Tasta* Walker, [1863]** (Geometridae) Synonym(s): *Tasta* Walker, [1863]; *Dissophthalmus* Butler, 1880
- 3564. *Telletrurona* Sato, 1996** (Geometridae) Synonym(s): *Telletrurona* Sato, 1996
- 3565. *Tephronia* Hübner, [1825]** (Geometridae) Synonym(s): *Tephronia* Hübner, [1825]; *Mniophila* Boisduval, 1840 nec Stph., 1834; *Gymnospile* Gumpfenberg, 1887; *L.B. Mannia* Prout, 1915 nec Davidson, 1874; *Eumannia* D.S. Fletcher, 1979 Original Reference: *Tephronia* Hübner, [1825], Verz. bekannter

- Schmett.: 318. Type-species: *Geometra cineraria* [Denis & Schiffermüller], 1775, by subsequent designation by D.S. Fletcher, 1979.
- 3566. Terina Walker, 1854** (Geometridae) Synonym(s): *Terina Walker, 1854*; *Girpa Walker, [1865]*; *Amnemopsyche Butler, 1869*; *Agirpa W. Warren, 1894*
- 3567. Thalassodes Guenée, [1858]** (Geometridae) Synonym(s): *Thalassodes Guenée, [1858]*
- 3568. Thaleria Hübner, [1823]** (Geometridae) Synonym(s): *Thaleria Hübner, [1823]*; *Chlorochroma Duponchel, [1845]*; *Heterothaleria Bryk, 1949* Original Reference: *Thaleria Hübner, [1823]*, Verz. bekannter Schmett.: 285. Type-species: *Phalaena thymiaria* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 859, by subsequent designation by Moore, [1887], Lepid. Ceylon 3: 428.
- 3569. Thelycera L.B. Prout, 1912** (Geometridae) Synonym(s): *Thelycera L.B. Prout, 1912*
- 3570. Thenopa Walker, 1855** (Geometridae) Synonym(s): *Thenopa Walker, 1855*; *Ciropteryx Holland, 1893*
- 3571. Thera (Pennithera) Viidalepp, 1980** (Geometridae) Synonym(s): *Pennithera Viidalepp, 1980* Original Reference: *Pennithera Viidalepp, 1980*, Uchen. Zap. tartu gos. Univ. 13 (516): 68. Type-species: *Cidaria comis* Butler, 1879, by original designation.
- 3572. Thera Stephens, 1831** (Geometridae) Synonym(s): *Thera Stephens, 1831*; *Corythea Duponchel, [1845]* Original Reference: *Thera Stephens, 1831*, Illust. Br. Ent. (Haustellata) 3: 271. Type-species: *Geometra variata* [Denis & Schiffermüller], 1775, by subsequent designation by Curtis, 1834.
- 3573. Therapis Hübner, [1823]** (Geometridae) Synonym(s): *Therapis Hübner, [1823]*; *Caustoloma Lederer, 1853* Original Reference: *Therapis Hübner, [1823]*, Verz. bekannter Schmett.: 288. Type-species: *Geometra flavicaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 104, by subsequent designation by Fletcher, 1979, [in] Nye, Generic names moths...3: 204.
- 3574. Theria Hübner, [1825]** (Geometridae) Synonym(s): *Theria Hübner, [1825]*; *Cheimatobia Stephens, 1829*; *Chimatobia Agassiz, 1847* Original Reference: *Theria Hübner, [1825]*, Verz. bekannt. Schmett.: 321. Type-species: *Geometra rupicaprararia* [Denis & Schiffermüller], 1775, by subsequent designation by Lhomme, [1929].
- 3575. Thetidia Boisduval, 1840** (Geometridae) Synonym(s): *Euchloris Hübner, [1823] nec Bill., 1820*; *Thetidia Boisduval, 1840*; *Aglossochloris L.B. Prout, 1912*; *Antonechloris Raineri, 1994* Original Reference: *Thetidia Boisduval, 1840*, Genera Index méth. eur. Lépid.: 189. Type-species: *Thetidia plusiaria* Boisduval, 1840, by subsequent designation by Desmarest, 1857.
- 3576. Thinopteryx Butler, 1883** (Geometridae) Synonym(s): *Thinopteryx Butler, 1883*
- 3577. Thoyowpongia Holloway, [1994]** (Geometridae) Synonym(s): *Thoyowpongia Holloway, [1994]*
- 3578. Timandra Duponchel, 1829** (Geometridae) Synonym(s): *Timandra Duponchel, 1829*; *Bradyepetes Stephens, 1829*; *Bradyepetes Agassiz, 1847* Original Reference: *Timandra Duponchel, 1829*, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 105. Type-species: *Timandra amata griseata* Petersen, 1902, by original designation.
- 3579. Timandromorpha Inoue, 1944** (Geometridae) Synonym(s): *Timandromorpha Inoue, 1944*
- 3580. Toulgoetia Herbulot, 1946** (Geometridae) Synonym(s): *Toulgoetia Herbulot, 1946* Original Reference: *Toulgoetia Herbulot, 1946*, Bull. Soc. ent. Fr. 51: 79. Type-species: *Eilicrinia cauteriata* Staudinger, 1859, by original designation.
- 3581. Traminda Saalmüller, 1891** (Geometridae) Synonym(s): *Traminda Saalmüller, 1891*; *Gnamptoloma W. Warren, 1895*
- 3582. Trichodezia W. Warren, 1895** (Geometridae) Synonym(s): *Trichodezia W. Warren, 1895*; *Neodezia W. Warren, 1904* Original Reference: *Trichodezia W. Warren, 1895*, Novit. zool. 2: 119. Type-species: *Odezia albobittata* Guenée, 1857, by original designation.
- 3583. Trichoplites Swinhoe, 1900** (Geometridae) Synonym(s): *Trichoplites Swinhoe, 1900*
- 3584. Trichopterigia Hampson, 1895** (Geometridae) Synonym(s): *Trichopterigia Hampson, 1895*
- 3585. Trichopteryx Hübner, [1825]** (Geometridae) Synonym(s): *Trichopteryx Hübner, [1825]*; *Nothopteryx L.B. Prout, 1909*; *Paralobophora Inoue, 1943*
- 3586. Trimetopia Guenée, [1858]** (Geometridae) Synonym(s): *Trimetopia Guenée, [1858]*
- 3587. Triphosa Stephens, 1829** (Geometridae) Synonym(s): *Triphosa Stephens, 1829*; *Umbrosina Bruand, 1847*; *Speluncaris Bruand, 1847*; *Strepsizuga W. Warren, 1908* Original Reference: *Triphosa Stephens, 1829*, Nom. Br. Insects: 44. Type-species: *Phalaena dubitata* Linnaeus, 1758, by subsequent designation by Westwood, 1840.

- 3588. Tripteridia W.Warren,1903** (Geometridae) Synonym(s): *Tripteridia* W.Warren,1903; *Prosthetopteryx* W.Warren,1906; *Stenista* W.Warren,1907
- 3589. Tristeirometa Holloway,1997** (Geometridae) Synonym(s): *Tristeirometa* Holloway,1997
- 3590. Tshinganitia Wehrli,1935** (Geometridae) Synonym(s): *Tshinganitia* Wehrli,1935
- 3591. Tyloptera Christoph,1881** (Geometridae) Synonym(s): *Tyloptera* Christoph,1881; *Microloba* Hampson,1895
- 3592. Tympanota W.Warren,1895** (Geometridae) Synonym(s): *Tympanota* W.Warren,1895; *Megaloba* W.Warren,1896
- 3593. Uliura W.Warren,1904** (Geometridae) Synonym(s): *Uliura* W.Warren,1904; *Sceleuthrix* Wehrli,1943
- 3594. Vaena Walker,1869** (Geometridae) Synonym(s): *Vaena* Walker,1869; *Lysopteryx* Bryk,1913
- 3595. Veniliodes W.Warren,1894** (Geometridae) Synonym(s): *Veniliodes* W.Warren,1894
- 3596. Venusia Curtis,1839** (Geometridae) Synonym(s): *Venusia* Curtis,1839; *Discoloxia* W.Warren,1895; *Nomenia* Pearsall,1905 Original Reference: *Venusia* Curtis,1839, Br. Ent. 16: 759. Type-species: *Venusia cambrica* Curtis,1839, by original designation.
- 3597. Victoria W.Warren,1897** (Geometridae) Synonym(s): *Victoria* W.Warren,1897
- 3598. Vindusara Moore,1868** (Geometridae) Synonym(s): *Vindusara* Moore,1868 Original Reference: *Vindusara* Moore,1868, Proc. zool. Soc. London 1867: 653. Type-species: *Erebomorpha moorei* Thierry-Mieg,1899.
- 3599. Visiana Swinhoe,1900** (Geometridae) Synonym(s): *Visiana* Swinhoe,1900
- 3600. Warneckeella Wehrli,1950** (Geometridae) Synonym(s): *Warneckeella* Wehrli,1950
- 3601. Wehrliola Strand,1932** (Geometridae) Synonym(s): *Pfeifferia* Wehrli,1932 nec Gray,1853; *Wehrliola* Strand,1932; *Pfeifferula* Wehrli,1934 Original Reference: *Wehrliola* Strand,1932, Folia zool. hydrobiol. 4: 147. Type-species: *Aspilates revocaria* Staudinger,1892, by original designation.
- 3602. Xandrames Moore,1868** (Geometridae) Synonym(s): *Xandrames* Moore,1868
- 3603. Xanthisthis Speiser,1902** (Geometridae) Synonym(s): *Acanthoscelis* W.Warren,1901 nec Dejean,1825; *Xanthisthis* Speiser,1902
- 3604. Xanthorhoe (Odontorhoe) Aubert,1962** (Geometridae) Synonym(s): *Odontorhoe* Aubert,1962
- 3605. Xanthorhoe (Parodontorhoe) Aubert,1962** (Geometridae) Synonym(s): *Parodontorhoe* Aubert,1962
- 3606. Xanthorhoe Hübner,[1825]** (Geometridae) Synonym(s): *Xanthorhoe* Hübner,[1825]; *Malenydris* Hübner,[1825]; *Ochyria* Hübner,[1825]; *Cidaria* Stephens,1829; *Coremia* Guenée,[1845] nec Audinet-Serville,1834; *Scotocoremia* Butler,1882; *Monochryria* W.Warren,1901; *Anisolasia* W.Warren,1904 Original Reference: *Xanthorhoe* Hübner,[1825], Verz. bekannter Schmett.: 327. Type-species: *Geometra montanata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113, by subsequent designation by Warren,1893, Proc. zool. Soc. Lond. 1893: 376.
- 3607. Xenimpia W.Warren,1895** (Geometridae) Synonym(s): *Hexeris* Saalmüller,1891 nec Grt.,1875; *Xenimpia* W.Warren,1895; *Procypha* W.Warren,1897; *Triprora* W.Warren,1897
- 3608. Xenochlorodes W.Warren,1897** (Geometridae) Synonym(s): *Xenochlorodes* W.Warren,1897; *Hissarica* Viidalepp,1988 Original Reference: *Xenochlorodes* Warren,1897, Novit. zool. 4: 47. Type-species: *Xenochlorodes pallida* Warren,1897, ibidem 4: 47, by original designation.
- 3609. Xenochroma W.Warren,1902** (Geometridae) Synonym(s): *Xenochroma* W.Warren,1902; *Campsiceras* W.Warren,1914
- 3610. Xenoclystia W.Warren,1906** (Geometridae) Synonym(s): *Xenoclystia* W.Warren,1906
- 3611. Xenographia W.Warren,1893** (Geometridae) Synonym(s): *Xenographia* W.Warren,1893
- 3612. Xenoplia W.Warren,1894** (Geometridae) Synonym(s): *Xenoplia* W.Warren,1894
- 3613. Xenortholitha Inoue,1944** (Geometridae) Synonym(s): *Xenortholitha* Inoue,1944
- 3614. Xenozancla W.Warren,1893** (Geometridae) Synonym(s): *Xenozancla* W.Warren,1893
- 3615. Xerodes Guenée,[1858]** (Geometridae) Synonym(s): *Xerodes* Guenée,[1858]; *Zethenia* Motschulsky,[1861]; *Gyadroma* Swinhoe,1894; *Zygoctenia* W.Warren,1895
- 3616. Xeropteryx Butler,1883** (Geometridae) Synonym(s): *Xeropteryx* Butler,1883
- 3617. Xylinophylla W.Warren,1898** (Geometridae) Synonym(s): *Xylinophylla* W.Warren,1898; *Adelphocrasta* W.Warren,1899
- 3618. Xylopteryx Guenée,[1858]** (Geometridae) Synonym(s): *Xylopteryx* Guenée,[1858]
- 3619. Yashmakia W.Warren,1901** (Geometridae) Synonym(s): *Yashmakia* W.Warren,1901; *Opisostorthia* Wehrli,1939

- 3620. Yucelaskinia Koçak & Kemal,2005** (Geometridae) Synonym(s): *Heterodisca* W.Warren,1896 nec Fleming,1818; *Yucelaskinia Koçak & Kemal,2005* Original Reference: *Yucelaskinia Koçak & Kemal,2005*, Priamus 11 (3): 59-60 (pro *Heterodisca* W.Warren,1896 nec Fleming,1818). Type-species: *Heterodisca scardamiata* W.Warren,1896,by original designation.
- 3621. Zamarada Moore,1887** (Geometridae) Synonym(s): *Zamarada Moore,1887*
- 3622. Zanclophenophra Holloway,1993** (Geometridae) Synonym(s): *Zanclophenophra Holloway,1993*
- 3623. Zanclopera W.Warren,1894** (Geometridae) Synonym(s): *Zanclopera W.Warren,1894*
- 3624. Zeheba Moore,[1887]** (Geometridae) Synonym(s): *Zeheba Moore,[1887]*
- 3625. Zerenopsis R.Felder,1874** (Geometridae) Synonym(s): *Zerenopsis R.Felder,1874* Original Reference: *Zerenopsis R.Felder,1874*, [in] R.Felder & Rogenhofer,1874, Reise österr. Fregatte Novara (Zool.) 2 (Abt.2): pl.100 fig.19. Type-species: *Zerenopsis leopardina* Felder,1874, bu monotypy.
- 3626. Zernyia L.B.Prout,1929** (Geometridae) Synonym(s): *Zernyia L.B.Prout,1929*
- 3627. Zeuctoboarmia L.B.Prout,1915** (Geometridae) Synonym(s): *Zeuctoboarmia L.B.Prout,1915*; *Paracotis Janse,1932*
- 3628. Ziridava Walker,[1863]** (Geometridae) Synonym(s): *Ziridava Walker,[1863]*; *Prorocorys* W.Warren,1899
- 3629. Zola W.Warren,1894** (Geometridae) Synonym(s): *Zola W.Warren,1894*
- 3630. Zygoptychia L.B.Prout,1916** (Geometridae) Synonym(s): *Zygoptychia L.B.Prout,1916*
- 3631. Zythos D.S.Fletcher,1979** (Geometridae) Synonym(s): *Nobilis Walker,1861 nec Gray,1855*; *Zythos D.S.Fletcher,1979*
- 3632. Chrysocentris Meyrick,1914** (Glyphipterygidae) Synonym(s): *Chrysocentris Meyrick,1914*
- 3633. Electrographa Meyrick,1912** (Glyphipterygidae) Synonym(s): *Electrographa Meyrick,1912*; *Carmantina Meyrick,1930*; *Metapodistis Meyrick,1933*
- 3634. Glyphipterix Hübner,[1825]** (Glyphipterygidae) Synonym(s): *Glyphipterix Hübner,[1825]*; *Heribeia Stephens,1829*; *Aechmia Treitschke,1833*; *Anacamptoides Bruand,1851* Original Reference: *Glyphipterix Hübner,[1825]*, Verz. bekannter Schmett.: 421. Type-species: *Tinea bergstraesserella* Fabricius,1781, Species Insect. 2: 302, by subsequent designation by the ICZN,1986, Bull. zool. Nom. 43: (Opinion 1418): 325.
- 3635. Lepidotarphius Pryer,1877** (Glyphipterygidae) Synonym(s): *Lepidotarphius Pryer,1877*; *Desmidoloma Erschoff,1892*
- 3636. Metapodistis Meyrick,1933** (Glyphipterygidae) Synonym(s): *Metapodistis Meyrick,1933*
- 3637. Orthotelia Stephens,1829** (Glyphipterygidae) Synonym(s): *Orthotelia Stephens,1829*; *Orthotaelia Stephens,1834*; *Agoniapteryx Treitschke,1835*; *Caulobius Duponchel,1838*
- 3638. Tetracanthos Meyrick,1925** (Glyphipterygidae) Synonym(s): *Tetracanthos Meyrick,1925*
- 3639. Ussara Walker,1864** (Glyphipterygidae) Synonym(s): *Ussara Walker,1864*
- 3640. Acrocercops Wallengren,1881** (Gracillariidae) Synonym(s): *Acrocercops Wallengren,1881*; *Eucosmophora Walsingham,1897*; *Neurobathra Ely,1918*; *Neurostrata Ely,1918* Original Reference: *Acrocercops Wallengren,1881*, Ent. Tidskr. 2: 95. Type-species: *Tinea brongniardella* Fabricius,1798, by monotypy.
- 3641. Africephala Vari,1986** (Gracillariidae) Synonym(s): *Paracephala Vari,1961 nec Saund.,1868*; *Africephala Vari,1986*
- 3642. Amblyptila Vari,1961** (Gracillariidae) Synonym(s): *Amblyptila Vari,1961*
- 3643. Apistoneura Vari,1961** (Gracillariidae) Synonym(s): *Apistoneura Vari,1961*
- 3644. Apophthisis Braun,1915** (Gracillariidae) Synonym(s): *Apophthisis Braun,1915*
- 3645. Aristaea Meyrick,1907** (Gracillariidae) Synonym(s): *Aristaea Meyrick,1907* Original Reference: *Aristaea Meyrick,1907*, Proc. Linn. Soc. N.S.W. 32: 49, 52. Type-species: *Aristaea periphanes* Meyrick,1907, by monotypy.
- 3646. Artifodina Kumata,1985** (Gracillariidae) Synonym(s): *Artifodina Kumata,1985*
- 3647. Aspilapteryx (Sabulopteryx) Triberti,1985** (Gracillariidae) Synonym(s): *Sabulopteryx Triberti,1985* Original Reference: *Aspilapteryx (Sabulopteryx) Triberti,1985*, Z. ArbGem. öst. Ent. 37 (1/2): 4. Type-species: *Ornix limosella* Duponchel,1843, by original designation.
- 3648. Aspilapteryx (s.str.) Spuler,1910** (Gracillariidae) Synonym(s): *Aspilapteryx Spuler,1910* Original Reference: *Aspilapteryx Spuler,1910*, [in] Hoffmann, Schmett. Eur. 2: 407. Type-species: *Gracilaria tringipennella* Zeller,1839, by subsequent designation by Fletcher,1929.
- 3649. Aspilapteryx Spuler,1910** (Gracillariidae) Synonym(s): *Aspilapteryx Spuler,1910* Original Reference: *Aspilapteryx Spuler,1910*, [in] Hoffmann, Schmett. Eur. 2: 407. Type-species: *Gracilaria tringipennella* Zeller,1839, by subsequent designation by Fletcher,1929.

- 3650. Borboryctis Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Borboryctis Kumata & Kuroko,1988*
- 3651. Callicercops Vari,1961** (Gracillariidae) Synonym(s): *Callicercops Vari,1961*
- 3652. Callisto Stephens,1834** (Gracillariidae) Synonym(s): *Callisto Stephens,1834; Annickia Gibeaux,1990* Original Reference: Callisto Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 276. Type-species: Gracillaria guttea Haworth,[1828], by subsequent designation by Fletcher,1929.
- 3653. Caloptilia (Phylloptilia) Kumata,1982** (Gracillariidae) Synonym(s): *Phylloptilia Kumata,1982*
- 3654. Caloptilia (Povolnya) Kuznetsov,1979** (Gracillariidae) Synonym(s): *Povolnya Kuznetsov,1979* Original Reference: Povolnya Kuznetsov,1979, Ent. Obozr. 58: 843, 851. Type-species: Tinea sulphurella Haworth,[1828], by original designation.
- 3655. Caloptilia (Rhadinoptilia) Kumata,1982** (Gracillariidae) Synonym(s): *Rhadinoptilia Kumata,1982*
- 3656. Caloptilia (Sphyrophora) Vari,1961** (Gracillariidae) Synonym(s): *Sphyrophora Vari,1961*
- 3657. Caloptilia (Timodora) Meyrick,1886** (Gracillariidae) Synonym(s): *Timodora Meyrick,1886*
- 3658. Caloptilia Hübner,[1825]** (Gracillariidae) Synonym(s): *Caloptilia Hübner,[1825]; Ornix Kollar,1832; Coriscium Zeller,1839; Calliptilia Agassiz,1847; Antiolopha Meyrick,1894* Original Reference: Caloptilia Hübner,[1825], Verz. bekannt. Schmett.: 427. Type-species: Tinea upupaepennella Hübner,[1796], by subsequent designation by Fletcher,1929.
- 3659. Calybites Hübner,1822** (Gracillariidae) Synonym(s): *Calybites Hübner,1822; Euspilapteryx Stephens,1835; Euspilopteryx Agassiz,1847; Eucalybites Kumata,1982* Original Reference: Calybites Hübner,1822, Syst.-alphab. Verz. Eur. Schmett.: 66-70, 72-74, 76, 78-80. Type-species: Tinea phasianipennella Hübner,[1813], by subsequent designation by Bradley,1967.
- 3660. Cameraria Chapman,1902** (Gracillariidae) Synonym(s): *Cameraria Chapman,1902* Original Reference: Cameraria Chapman,1902, Entomologist 35: 141. Type-species: Lithocolletis guttifinitella Clemens,1859, by original designation.
- 3661. Chrysaster Kumata,1961** (Gracillariidae) Synonym(s): *Chrysaster Kumata,1961*
- 3662. Chrysocercops Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Chrysocercops Kumata & Kuroko,1988*
- 3663. Conopobathra Vari,1961** (Gracillariidae) Synonym(s): *Conopobathra Vari,1961*
- 3664. Conopomorpha Meyrick,1885** (Gracillariidae) Synonym(s): *Conopomorpha Meyrick,1885*
- 3665. Conopomorphina Vari,1961** (Gracillariidae) Synonym(s): *Conopomorphina Vari,1961*
- 3666. Corethrovalva Vari,1961** (Gracillariidae) Synonym(s): *Corethrovalva Vari,1961*
- 3667. Corythocestis Meyrick,1921** (Gracillariidae) Synonym(s): *Corythocestis Meyrick,1921; Cryphiomystis Meyrick,1922*
- 3668. Cremastobombycia Braun,1908** (Gracillariidae) Synonym(s): *Cremastobombycia Braun,1908*
- 3669. Cryptolectica Vari,1961** (Gracillariidae) Synonym(s): *Cryptolectica Vari,1961*
- 3670. Cryptologa T.B.Fletcher,1921** (Gracillariidae) Synonym(s): *Cryptologa T.B.Fletcher,1921*
- 3671. Cupedia Klimesch & Kumata,1973** (Gracillariidae) Synonym(s): *Cupedia Klimesch & Kumata,1973* Original Reference: Cupedia Klimesch & Kumata,1973, Kontyu 41: 32. Type-species: Euspilapteryx cupediella Herrich-Schäffer,1855, by original designation.
- 3672. Cuphodes Meyrick,1897** (Gracillariidae) Synonym(s): *Cuphodes Meyrick,1897; Phrixosceles Meyrick,1908*
- 3673. Dekeidoryxis Kumata,1989** (Gracillariidae) Synonym(s): *Dekeidoryxis Kumata,1989*
- 3674. Dendroryster Kumata,1978** (Gracillariidae) Synonym(s): *Dendroryster Kumata,1978*
- 3675. Deoptilia Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Deoptilia Kumata & Kuroko,1988*
- 3676. Dextellia Triberti,1986** (Gracillariidae) Synonym(s): *Dextellia Triberti,1986*
- 3677. Dialectica Walsingham,1897** (Gracillariidae) Synonym(s): *Dialectica Walsingham,1897; Eutrichocnemis Spuler,1910* Original Reference: Dialectica Walsingham,1897, Proc. zool. Soc. London 1897: 150. Type-species: Gracillaria scalariella Zeller,1850
- 3678. Diphtheroptila Vari,1961** (Gracillariidae) Synonym(s): *Diphtheroptila Vari,1961*
- 3679. Dysectopa Vari,1961** (Gracillariidae) Synonym(s): *Dysectopa Vari,1961*
- 3680. Ectropina Vari,1961** (Gracillariidae) Synonym(s): *Ectropina Vari,1961* Original Reference: Ectropina Vari,1961, Transv. Mus. Mem. 12: xvi, 36. Type-species: Ectropina sclerochitoni Vari,1961, by original designation.

- 3681. *Epicephala* Meyrick, 1880** (Gracillariidae) Synonym(s): *Epicephala* Meyrick, 1880; *Iraina* Diakonoff, 1955; *Leiocephala* Kuznetsov & Baryshnikova, 2001
- 3682. *Eteoryctis* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *Eteoryctis* Kumata & Kuroko, 1988
- 3683. *Eucalybites* Kumata, 1982** (Gracillariidae) Synonym(s): *Eucalybites* Kumata, 1982
- 3684. *Euprophantis* Meyrick, 1921** (Gracillariidae) Synonym(s): *Euprophantis* Meyrick, 1921
- 3685. *Euspilapteryx* Stephens, 1835** (Gracillariidae) Synonym(s): *Euspilapteryx* Stephens, 1835; *Euspilopteryx* Agassiz, 1847 Original Reference: *Euspilapteryx* Stephens, 1835, Illust. Br. Ent. (Haustellata) 4: 362. Type-species: *Euspilapteryx auroguttella* Stephens, 1835, by monotypy.
- 3686. *Gibbovalva* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *Gibbovalva* Kumata & Kuroko, 1988
- 3687. *Gracillaria* Haworth, 1828** (Gracillariidae) Synonym(s): *Gracillaria* Haworth, 1828; *Gracilaria* Zeller, 1839; *Gracilaria* Walsingham, 1907; *Xanthospilapteryx* Spuler, 1910 Original Reference: *Gracillaria* Haworth, 1828, Lepid. Br.: 527. Type-species: *Gracillaria anastomosis* Haworth, 1828, by subsequent designation by Curtis, 1833.
- 3688. *Graphiocephala* Vari, 1961** (Gracillariidae) Synonym(s): *Graphiocephala* Vari, 1961
- 3689. *Hyloconis* Kumata, 1963** (Gracillariidae) Synonym(s): *Hyloconis* Kumata, 1963
- 3690. *Ketapangia* Kumata, 1995** (Gracillariidae) Synonym(s): *Ketapangia* Kumata, 1995
- 3691. *Lamprolectica* Vari, 1961** (Gracillariidae) Synonym(s): *Lamprolectica* Vari, 1961
- 3692. *Leucocercops* Vari, 1961** (Gracillariidae) Synonym(s): *Leucocercops* Vari, 1961
- 3693. *Leucospilapteryx* Spuler, 1910** (Gracillariidae) Synonym(s): *Leucospilapteryx* Spuler, 1910
- 3694. *Liocrobyla* Meyrick, 1916** (Gracillariidae) Synonym(s): *Liocrobyla* Meyrick, 1916
- 3695. *Macarostola* Meyrick, 1907** (Gracillariidae) Synonym(s): *Macarostola* Meyrick, 1907; *#Macrostola* Davis, 1987 Original Reference: *Macarostola* Meyrick, 1907, Proc. Linn. Soc. N.S.W. 32: 49, 62. Type-species: *Gracillaria formosa* Stainton, 1862, by original designation.
- 3696. *Marmara* Clemens, 1863** (Gracillariidae) Synonym(s): *Marmara* Clemens, 1863; *Aesyle* Chambers, 1875
- 3697. *Metacercops* Vari, 1961** (Gracillariidae) Synonym(s): *Metacercops* Vari, 1961
- 3698. *Metriochroa* Busck, 1900** (Gracillariidae) Synonym(s): *Metriochroa* Busck, 1900; *Oecophyllembius* Silvestri, 1908
- 3699. *Micrurapteryx* Spuler, 1910** (Gracillariidae) Synonym(s): *Micrurapteryx* Spuler, 1910 Original Reference: *Micrurapteryx* Spuler, 1910, [in] Hoffmann, Schmett. Eur. 2: 409. Type-species: *Gracillaria kollariella* Zeller, 1839, by subsequent designation by Ely (1918, Proc. ent. Soc. Wash. 19: 42, 70).
- 3700. *Monocercops* Kumata, 1989** (Gracillariidae) Synonym(s): *Monocercops* Kumata, 1989
- 3701. *Neolithocolletis* Kumata, 1963** (Gracillariidae) Synonym(s): *Neolithocolletis* Kumata, 1963
- 3702. *Neurostrota* Ely, 1918** (Gracillariidae) Synonym(s): *Neurostrota* Ely, 1918; *#Neurostrata* Ely, 1918
- 3703. *Oligoneurina* Vari, 1961** (Gracillariidae) Synonym(s): *Oligoneurina* Vari, 1961
- 3704. *Ornixola* Kuznetsov, 1979** (Gracillariidae) Synonym(s): *Ornixola* Kuznetsov, 1979
- 3705. *Paracephala* Vari, 1961** (Gracillariidae) Synonym(s): *Paracephala* Vari, 1961
- 3706. *Pareclectis* Meyrick, 1937** (Gracillariidae) Synonym(s): *Pareclectis* Meyrick, 1937
- 3707. *Parectopa* Clemens, 1860** (Gracillariidae) Synonym(s): *Parectopa* Clemens, 1860
- 3708. *Parornix* Spuler, 1910** (Gracillariidae) Synonym(s): *Parornix* Spuler, 1910; *Alfaornix* Kuznetsov, 1979; *Betaornix* Kuznetsov, 1979; *Gammaornix* Kuznetsov, 1979; *Deltaornix* Kuznetsov, 1979 Original Reference: *Parornix* Spuler, 1910, [in] Hoffmann, Schmett. Eur. 2: 410. Type-species: *Ornix anglicella* Stainton, 1850, by subsequent designation by Walsingham, 1914.
- 3709. *Phodoryctis* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *Phodoryctis* Kumata & Kuroko, 1988
- 3710. *Phrixosceles* Meyrick, 1908** (Gracillariidae) Synonym(s): *Phrixosceles* Meyrick, 1908
- 3711. *Phyllocnistis* Zeller, 1848** (Gracillariidae) Synonym(s): *Phyllocnistis* Zeller, 1848 Original Reference: *Phyllocnistis* Zeller, 1848, Linn. ent. 3: 250, 264. Type-species: *Phyllocnistis suffusella* Zeller, 1848, ibidem 3: 266, figs 31-34, by subsequent designation by Hampson, 1918, Novit. zool. 25: 387.
- 3712. *Phyllonorycter* Hübner, 1822** (Gracillariidae) Synonym(s): *Phyllonorycter* Hübner, 1822; *Lithocolletis* Hübner, [1825]; *Eucestis* Hübner, [1825]; *Phyllorycter* Walsingham, 1914; *Hirsuta* T.B. Fletcher, 1929; *Asymmetrivalva* Kuznetsov & Baryshnikova, 2004 Original Reference: *Phyllonorycter* Hübner, 1822, Syst.-alphab. Verz. eur. Schmett.: 66-74, 76-80. Type-species: *Phalaena rajella* Linnaeus, 1758, by subsequent designation by Walsingham, 1907.

- 3713. Pleiomorpha Vari,1961** (Gracillariidae) Synonym(s): *Pleiomorpha Vari,1961*
- 3714. Pogonocephala Vari,1961** (Gracillariidae) Synonym(s): *Pogonocephala Vari,1961*
- 3715. Polydema Vari,1961** (Gracillariidae) Synonym(s): *Polydema Vari,1961*
- 3716. Polymitia Triberti,1986** (Gracillariidae) Synonym(s): *Polymitia Triberti,1986* Original
Reference: Polymitia Triberti,1986, Boll. Mus. civ. Stor. nat. Verona 13: 257. Type-species: Acrocercops eximipalpella Gerasimov,1930, by original designation.
- 3717. Polysoma Vari,1961** (Gracillariidae) Synonym(s): *Polysoma Vari,1961*
- 3718. Porphyrosela Braun,1908** (Gracillariidae) Synonym(s): *Porphyrosela Braun,1908*
- 3719. Sauterina Kuznetsov,1979** (Gracillariidae) Synonym(s): *Sauterina Kuznetsov,1979*
Original Reference: Sauterina Kuznetsov,1979, Ent. Obozr. 58: 841, 851. Type-species: Gracillaria hofmanniella Schleich,1867, by original designation.
- 3720. Schedocercops Vari,1961** (Gracillariidae) Synonym(s): *Schedocercops Vari,1961*
- 3721. Semnocera Vari,1961** (Gracillariidae) Synonym(s): *Semnocera Vari,1961*
- 3722. Spulerina Vari,1961** (Gracillariidae) Synonym(s): *Spulerina Vari,1961* Original
Reference: Spulerina Vari,1961, Transv. Mus. Mem. 12: xviii, 181. Type-species: Ornix simploniella Fischer von Röslerstamm,1840, by original designation.
- 3723. Stomphastis Meyrick,1912** (Gracillariidae) Synonym(s): *Stomphastis Meyrick,1912*
Original Reference: Stomphastis Meyrick,1912, [in] Wytzman, Genera Insect. 128: 3, 19. Type-species: Stomphastis plectica Meyrick,1912, by monotypy.
- 3724. Synnympha Meyrick,1915** (Gracillariidae) Synonym(s): *Synnympha Meyrick,1915*
- 3725. Systoloneura Vari,1961** (Gracillariidae) Synonym(s): *Systoloneura Vari,1961*
- 3726. Telamoptilia Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *Telamoptilia Kumata & Kuroko,1988; #Telamoptillia Hutacharern,1995*
- 3727. Triberta De Prins,2013** (Gracillariidae) Synonym(s): *Triberta De Prins,2013* Original
Reference: Triberta De Prins,2013, [in] Prins,J.de, Davis,D.R., Coninck,E.de, Sohn,J-C. & P.Triberti, Zootaxa 3741 (2): 204. Type-species: Lithocolletis cistifoliella Groschke,1944, by original designation.
- 3728. Epicroesa Meyrick,1907** (Heliodinidae) Synonym(s): *Epicroesa Meyrick,1907*
- 3729. Heliodines Stainton,1854** (Heliodinidae) Synonym(s): *Heliodines Stainton,1854* Original
Reference: Heliodines Stainton,1854, Insecta Br. (Lepid., Tineina): 243. Type-species: Phalaena roesella Linnaeus,1758, Syst. Nat. (Edn 10) 1: 541, by monotypy.
- 3730. Antispila Hübner,[1825]** (Heliozelidae) Synonym(s): *Antispila Hübner,[1825]*
- 3731. Antispilina M.Hering,1941** (Heliozelidae) Synonym(s): *Antispilina M.Hering,1941*
- 3732. Heliozela Herrich-Schäffer,1853** (Heliozelidae) Synonym(s): *Heliozela Herrich-Schäffer,1853*
- 3733. Holocacista Walsingham & Durrant,1909** (Heliozelidae) Synonym(s): *Holocacista Walsingham & Durrant,1909*
- 3734. Afrotheora Nielsen & Scoble,1986** (Hepialidae) Synonym(s): *Afrotheora Nielsen & Scoble,1986*
- 3735. Antihepialus Janse,1942** (Hepialidae) Synonym(s): *Ptycholoma Felder,1874; Antihepialus Janse,1942*
- 3736. Endoclita R.Felder,1874** (Hepialidae) Synonym(s): *Endoclita R.Felder,1874; #Endoclyta R.Felder,1875; Hypophassus Le Cerf,1919; Nevina Tindale,1941; Sahyadrasus Tindale,1941; Procharagia Viette,1949*
- 3737. Eudalaca Viette,1950** (Hepialidae) Synonym(s): *Eudalaca Viette,1950; Eudalacina Paclt,1953.*
- 3738. Gazoryctra Hübner,[1820]** (Hepialidae) Synonym(s): *Gazoryctra Hübner,[1820]*
- 3739. Gorgopis Hübner,[1820]** (Hepialidae) Synonym(s): *Gorgopis Hübner,[1820]*
- 3740. Hepialiscus Hampson,1893** (Hepialidae) Synonym(s): *Hepialiscus Hampson,1893*
- 3741. Hepialus Fabricius,1775** (Hepialidae) Synonym(s): *Hepialus Fabricius,1775; Hepiolus Illiger,1801; Epialus Agassiz,1847* Original Reference: Hepialus Fabricius,1775, Syst. Ent.:589. Type-species: Phalaena humuli Linnaeus,1758, Syst. Nat. (Edn 10) 1: 508, by subsequent designation by Latreille,1810, Considérations gén. Ordre nat. Anim.: 441.
- 3742. Korscheltellus Börner,1920** (Hepialidae) Synonym(s): *Korscheltellus Börner,1920*
Original Reference: Korscheltellus Börner,1920, [in] Brohmer, Fauna Dtl. (Edn.2): 341. Type-species: Phalaena lupina Linnaeus,1758, by monotypy.
- 3743. Leto Hübner,[1820]** (Hepialidae) Synonym(s): *Leto Hübner,[1820]*
- 3744. Metahepialus Janse,1942** (Hepialidae) Synonym(s): *Metahepialus Janse,1942*
- 3745. Neohepialiscus Viette,1948** (Hepialidae) Synonym(s): *Neohepialiscus Viette,1948*
- 3746. Palpifer Hampson,1893** (Hepialidae) Synonym(s): *Palpifer Hampson,1893*

- 3747. Pharmacis Hübner,[1820]** (Hepialidae) Synonym(s): *Pharmacis Hübner,[1820]*
- 3748. Phassus Walker,1856** (Hepialidae) Synonym(s): *Phassus Walker,1856*
- 3749. Phymatopus Wallengren,1869** (Hepialidae) Synonym(s): *Phymatopus Wallengren,1869;*
Hepiolopsis Börner,1920
- 3750. Stenopis Packard,1864** (Hepialidae) Synonym(s): *Stenopis Packard,1864* Original
Reference: Stenopis Packard,1864, Proc. ent. Soc. Philadelphia 3: 390.
- 3751. Thitarodes Viette,1968** (Hepialidae) Synonym(s): *Thitarodes Viette,1968*
- 3752. Triodia Hübner,[1820]** (Hepialidae) Synonym(s): *Triodia Hübner,[1820];* *Alphus*
Wallengren,1869 nec Thomson,1860 Original Reference: Triodia Hübner,[1820], Verz. bekannter
Schmett.: 198. Type-species: Phalaena sylvina Linnaeus,1761, Fauna Suecica (Edn 2): 306, by
subsequent designation by Viette,1949, Lambillionea 49: 103.
- 3753. Vietteogorgopis Özdikmen,2007** (Hepialidae) Synonym(s): *Paragorgopis Viette,1951 nec*
Giglio-Tos,1893; Vietteogorgopis Özdikmen,2007; #Paragorgopus Özdikmen,2007
- 3754. Zenophassus Tindale,1941** (Hepialidae) Synonym(s): *Zenophassus Tindale,1941* Original
Reference: Zenophassus Tindale,1941, Rec. S. Aust. Mus. 7: 17. Type-species: Hepialus schamyl
Christoph,1888, Horae Soc. ent. ross. 22: 309, by original designation.
- 3755. Heterogynis Rambur,1837** (Heterogynidae) Synonym(s): *Heterogynis Rambur,1837*
- 3756. Doratopteryx Rogenhofer,1884** (Himantopteridae) Synonym(s): *Doratopteryx*
Rogenhofer,1884
- 3757. Himantopterus Wesmael,1836** (Himantopteridae) Synonym(s): *Himantopterus*
Wesmael,1836; Thymara Doubleday,1843; Nemoptera Hagen,1866
- 3758. Pedoptila Butler,1885** (Himantopteridae) Synonym(s): *Pedoptila Butler,1885*
- 3759. Pseudothymara Rebel,1906** (Himantopteridae) Synonym(s): *Pseudothymara Rebel,1906*
- 3760. Semioptila Butler,1887** (Himantopteridae) Synonym(s): *Semioptila Butler,1887*
- 3761. Erythrochrus Herrich-Schäffer,[1858]** (Hyblaeidae) Synonym(s): *Erythrochrus Herrich-*
Schäffer,[1858]; Torone Walker,1863
- 3762. Hyblaea Fabricius,1793** (Hyblaeidae) Synonym(s): *Hyblaea Fabricius,1793; Nychophila*
Billberg,1820; Nabara Walker,1866; Aenigma Strecker,1876 nec Newm.,1836.
- 3763. Alampila Diakonoff,1978** (Immidae) Synonym(s): *Alampila Diakonoff,1978*
- 3764. BIRTHANA Walker,1865** (Immidae) Synonym(s): *BIRTHANA Walker,1865; Methypsa Butler,1875;*
Hyperperissa Walsingham,1900
- 3765. Bryonympha Meyrick,1930** (Immidae) Synonym(s): *Bryonympha Meyrick,1930*
- 3766. Bursadella Snellen,1880** (Immidae) Synonym(s): *Bursadella Snellen,1880; Scaptelyx*
Hampson,1895
- 3767. Imma Walker,[1858]** (Immidae) Synonym(s): *Imma Walker,[1858]; Pingrasa Walker,[1859];*
Tortricomorpha C.Felder,1861; Topaza Walker,1864; Vinzela Walker,[1866]; Thylacopleura Meyrick,1886;
Davendra Moore,1887; Pseudotortrix Turner,1900
- 3768. Loxotrochis Meyrick,1906** (Immidae) Synonym(s): *Loxotrochis Meyrick,1906*
- 3769. Moca Walker,1863** (Immidae) Synonym(s): *Moca Walker,1863; Adricara Walker,1863;*
Adricadra Walker,[1866]; Jobula Walker,1866; Callartona Hampson,[1893]
- 3770. Ptochaula Meyrick,1920** (Immidae) Synonym(s): *Ptochaula Meyrick,1920*
- 3771. Sthenistis Hampson,1896** (Immidae) Synonym(s): *Sthenistis Hampson,1896*
- 3772. Alloclemensia Schmidt-Nielsen,1981** (Incurvariidae) Synonym(s): *Alloclemensia*
Schmidt-Nielsen,1981 Original Reference: Alloclemensia Schmidt-Nielsen,1981, Ent. scand. 12
(3): 274. Type-species: Alloclemensia maculata Schmidt-Nielsen,1981, by original designation.
- 3773. Excurvaria Kuprijanov,1994** (Incurvariidae) Synonym(s): *Excurvaria Kuprijanov,1994*
- 3774. Incurvaria Haworth,1828** (Incurvariidae) Synonym(s): *Brosis Bilberg,1820; Incurvaria*
Haworth,1828 Original Reference: Incurvaria Haworth,1828, Lepid. Br.: 559. Type-species:
Tinea masculella [Denis & Schiff.], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143,
by subsequent designation by Curtis,1836, Br. Ent. 13: folio 607.
- 3775. Paraclemensia Busck,1904** (Incurvariidae) Synonym(s): *Brackenridgia Busck,1903 nec*
Eigenmann & Ulrich,1902; Paraclemensia Busck,1904
- 3776. Phylloporia Heinemann,1870** (Incurvariidae) Synonym(s): *Phylloporia Heinemann,1870*
- 3777. Anticrates Meyrick,1905** (Lacturidae) Synonym(s): *Epopsia Turner,1903; Anticrates*
Meyrick,1905; Pyrozela Meyrick,1906
- 3778. Eustixis Hübner,[1821]** (Lacturidae) Synonym(s): *Eustixis Hübner,[1821]*
- 3779. Afrocesa Koçak,2013** (Lasiocampidae) Synonym(s): *Scythropa Prozorov & Zolotuhin,2012 nec*
Hope,1838; nec Chaudoir,1871 non Keyserling,1883; Afrocesa Koçak,2013 Original Reference: Afrocesa
Koçak,2013, Cent. ent. Stud., Misc. Pap. 160: 4 (nom. nov. pro Scythropa Prozorov &
Zolotuhin,2012 nec Hope,1838).

- 3780. Alompra Moore,1872** (Lasiocampidae) **Synonym(s):** *Alompra Moore,1872*
- 3781. Amurilla Aurivillius,1902** (Lasiocampidae) **Synonym(s):** *Amuria Aurivillius,1894 nec Stgr.,1887; Amurilla Aurivillius,1902*
- 3782. Anadiasa Aurivillius,1904** (Lasiocampidae) **Synonym(s):** *Nadiasa Aurivillius,1894 nec Walk.,1855; Anadiasa Aurivillius,1904; Arcadiasa Wichgraff,1922* **Original Reference:** *Anadiasa Aurivillius,1904, Results Swed. Exp. Egypt 1(8): 8.*
- 3783. Argonestis Zolotuhin,1995** (Lasiocampidae) **Synonym(s):** *Argonestis Zolotuhin,1995* **Original Reference:** *Argonestis Zolotuhin,1995, Tinea 14 (3): 132.*
- 3784. Arguda Moore,1879** (Lasiocampidae) **Synonym(s):** *Arguda Moore,1879; Syrastrenoides Matsumura,1927*
- 3785. Berelade Walker,1855** (Lasiocampidae) **Synonym(s):** *Berelade Walker,1855; Labea Wallengren,1865.*
- 3786. Beriola Zolotuhin & Gurkovitch,2009** (Lasiocampidae) **Synonym(s):** *Beriola Zolotuhin & Gurkovitch,2009*
- 3787. Bharetta Moore,[1866]** (Lasiocampidae) **Synonym(s):** *Bharetta Moore,[1866]*
- 3788. Bombycomorpha R.Felder,1874** (Lasiocampidae) **Synonym(s):** *Bombycomorpha R.Felder,1874*
- 3789. Bombycopsis R.Felder,1874** (Lasiocampidae) **Synonym(s):** *Bombycopsis R.Felder,1874*
- 3790. Braura Walker,1865** (Lasiocampidae) **Synonym(s):** *Braura Walker,1865*
- 3791. Bufoidia Wiltshire & Legrain,1987** (Lasiocampidae) **Synonym(s):** *Bufoidia Wiltshire & Legrain,1987* **Original Reference:** *Bufoidia Wiltshire & Legrain,1987, Fauna Saudi Arabia 16: 327-339. Type-species: Dendrolimus ledereri Koçak,1981, by original designation.*
- 3792. Catalebeda Aurivillius,1902** (Lasiocampidae) **Synonym(s):** *Catalebeda Aurivillius,1902*
- 3793. Cerberolebeda Zolotuhin,1995** (Lasiocampidae) **Synonym(s):** *Cerberolebeda Zolotuhin,1995* **Original Reference:** *Cerberolebeda Zolotuhin,1995, Tinea 14 (3): 132.*
- 3794. Cesacampa Koçak,2013** (Lasiocampidae) **Synonym(s):** *Hariola Zolotuhin & Prozorov,2010 nec Stal,1863; Cesacampa Koçak,2013* **Original Reference:** *Cesacampa Koçak,2013, Cent. ent. Stud., Misc. Pap. 160: 4 (nom. nov. pro Hariola Zolotuhin & Prozorov,2010 nec Stal,1863).*
- 3795. Cheligium Zolotuhin & Gurkovitch,2009** (Lasiocampidae) **Synonym(s):** *Cheligium Zolotuhin & Gurkovitch,2009*
- 3796. Chilena Walker,1855** (Lasiocampidae) **Synonym(s):** *Chilena Walker,1855* **Original Reference:** *Chilena Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 979, 1070. Type-species: Chilena similis Walker,1855, by monotypy.*
- 3797. Chionopsyche Aurivillius,1909** (Lasiocampidae) **Synonym(s):** *Chionopsyche Aurivillius,1909*
- 3798. Chondrostega Lederer,1858** (Lasiocampidae) **Synonym(s):** *Chondrostega Lederer,1858; Eustaudingeria Dyar,1898; Libanopacha Zerny,1933* **Original Reference:** *Chondrostega Lederer,1858, Wien. ent. Monatschr. 2: 143. Type-species: Chondrostega pastrana Lederer,1858, by monotypy.*
- 3799. Chondrostegoides Aurivillius,1905** (Lasiocampidae) **Synonym(s):** *Chondrostegoides Aurivillius,1905*
- 3800. Chonopla De Lajonquière,1979** (Lasiocampidae) **Synonym(s):** *Chonopla De Lajonquière,1979*
- 3801. Chrysopsyche Butler,1880** (Lasiocampidae) **Synonym(s):** *Chrysopsyche Butler,1880; Protogenes Saalmüller,1884 (homonym); Trabaloides Kirby,1892*
- 3802. Cleopatrina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) **Synonym(s):** *Cleopatrina Zolotuhin & Gurkovitch,2009*
- 3803. Closterothrix Mabille,1879** (Lasiocampidae) **Synonym(s):** *Closterothrix Mabille,1879*
- 3804. Cosmeptera De Lajonquière,1979** (Lasiocampidae) **Synonym(s):** *Cosmeptera De Lajonquière,1979*
- 3805. Cosmotriche Hübner,[1820]** (Lasiocampidae) **Synonym(s):** *Cosmotriche Hübner,[1820]; Selenophora Rambur,1866; Kononia Matsumura,1927; Wilemaniella Matsumura,1927; Selenepherides Daniel,1933*
- 3806. Craspia Aurivillius,1909** (Lasiocampidae) **Synonym(s):** *Craspia Aurivillius,1909*
- 3807. Crinocraspeda Hampson,[1893]** (Lasiocampidae) **Synonym(s):** *Crinocraspeda Hampson,[1893]*
- 3808. Cymatopacha Aurivillius,1921** (Lasiocampidae) **Synonym(s):** *Cymatopacha Aurivillius,1921*
- 3809. Dendrolimus Germar,1812** (Lasiocampidae) **Synonym(s):** *Dendrolimus Germar,1812; Eutricha Stephens,1829 nec Hbn.,[1814]; Ptilorhina Zetterstedt,1839; Oenona Walker,1855; Chatra Moore,1879; Karenkononia Matsumura,1932; #Dendrolimus De Freina,1983* **Original Reference:** *Dendrolimus Germar,1812, Diss. sistens Bombycum Species (2): 48. Type-species: Phalaena pini Linnaeus,1758, by monotypy.*

- 3810. Diapalpus Strand,1913** (Lasiocampidae) Synonym(s): *Diapalpus Strand,1913*
- 3811. Dinometa Aurivillius,1927** (Lasiocampidae) Synonym(s): *Dinometa Aurivillius,1927*
- 3812. Dollmania Tams,1930** (Lasiocampidae) Synonym(s): *Dollmania Tams,1930*
- 3813. Epichnapteroides Strand,1913** (Lasiocampidae) Synonym(s): *Epichnapteroides Strand,1913*
- 3814. Epitrabala M.Hering,1932** (Lasiocampidae) Synonym(s): *Epitrabala M.Hering,1932*
- 3815. Ergolea Dumont,1922** (Lasiocampidae) Synonym(s): *Ergolea Dumont,1922*
- 3816. Eriogaster (Autosphyla) Rambur,1866** (Lasiocampidae) Synonym(s): *Autosphyla Rambur,1866* Original Reference: *Autosphyla Rambur,1866, Cat. syst. lépidopt. Andalousie (2): 354. Type-species: Bombyx neogena Fischer de Waldheim,[1823], by monotypy.*
- 3817. Eriogaster (s.str.) Germar,1810** (Lasiocampidae) Synonym(s): *Eriogaster Germar,1810; Gastris Billberg,1820; Dasysoma Hübner,[1820]; Lachneis Hübner,1822* Original Reference: *Eriogaster Germar,1810, Diss sistens Bombycum Species (1): 16. Type-species: Phalaena lanestris Linnaeus,1758, by subsequent designation by Westwood,1840.*
- 3818. Eriogaster Germar,1810** (Lasiocampidae) Synonym(s): *Eriogaster Germar,1810; Gastris Billberg,1820; Dasysoma Hübner,[1820]; Lachneis Hübner,1822* *Autosphyla Rambur,1866* Original Reference: *Eriogaster Germar,1810, Diss sistens Bombycum Species (1): 16. Type-species: Phalaena lanestris Linnaeus,1758, by subsequent designation by Westwood,1840.*
- 3819. Eteinopla De Lajonquière,1979** (Lasiocampidae) Synonym(s): *Eteinopla De Lajonquière,1979*
- 3820. Eucraera Tams,1930** (Lasiocampidae) Synonym(s): *Ceratopacha Aurivillius,1909 (homonym); Eucraera Tams,1930.*
- 3821. Euphorea Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Euphorea Zolotuhin & Gurkovitch,2009*
- 3822. Euthrix Meigen,1830** (Lasiocampidae) Synonym(s): *Euthrix Meigen,1830; Philudoria Kirby,1892; Routledgia Tutt,1902; Orientatrix Tshisjakov,1998*
- 3823. Eutricha Hübner,[1814]** (Lasiocampidae) Synonym(s): *Eutricha Hübner,[1814]; Mecistosoma Rambur,1866*
- 3824. Euwallengrenia D.S.Fletcher,1968** (Lasiocampidae) Synonym(s): *Olyra Wallengren,1865 (homonym); Euwallengrenia D.S.Fletcher,1968*
- 3825. Gastropacha (Estigena) Moore,1879** (Lasiocampidae) Synonym(s): *Estigena Moore,1879*
- 3826. Gastropacha (Stenophyllides) Hampson,[1893]** (Lasiocampidae) Synonym(s): *Stenophylloides Hampson,[1893]*
- 3827. Gastropacha (s.str.) Ochsenheimer,1810** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer,1810; Phylloma Billberg,1820; Bombyx Boisduval,1828 nec Linn.,1758* Original Reference: *Gastropacha Ochsenheimer,1810, Schmett. Eur. 3: 239. Type-species: Phalaena quercifolia Linnaeus,1758, by subsequent designation by Curtis,1824.*
- 3828. Gastropacha Ochsenheimer,1810** (Lasiocampidae) Synonym(s): *Gastropacha Ochsenheimer,1810; Phylloma Billberg,1820; Bombyx Boisduval,1828 nec Linn.,1758* Original Reference: *Gastropacha Ochsenheimer,1810, Schmett. Eur. 3: 239. Type-species: Phalaena quercifolia Linnaeus,1758, by subsequent designation by Curtis,1824.*
- 3829. Gastroplakaeis Möschler,1887** (Lasiocampidae) Synonym(s): *Gastroplakaeis Möschler,1887*
- 3830. Gelo Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *Gelo Zolotuhin & Prozorov,2010*
- 3831. Gonometa Walker,1855** (Lasiocampidae) Synonym(s): *Gonometa Walker,1855; Caphara Walker,1862*
- 3832. Grammodora Aurivillius,1927** (Lasiocampidae) Synonym(s): *Grammodora Aurivillius,1927*
- 3833. Grellada Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Grellada Zolotuhin & Gurkovitch,2009*
- 3834. Gufria Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Gufria Zolotuhin & Gurkovitch,2009*
- 3835. Hallicarnia Kirby,1892** (Lasiocampidae) Synonym(s): *Hallicarnia Kirby,1892*
- 3836. Haplopacha Aurivillius,1905** (Lasiocampidae) Synonym(s): *Haplopacha Aurivillius,1905*
- 3837. Henometa Aurivillius,1927** (Lasiocampidae) Synonym(s): *Henometa Aurivillius,1927*
- 3838. Hypotrabala Holland,1893** (Lasiocampidae) Synonym(s): *Hypotrabala Holland,1893; Parameta Aurivillius,1909; Pehria Strand,1910*
- 3839. Kosala Moore,1879** (Lasiocampidae) Synonym(s): *Kosala Moore,1879*
- 3840. Kunugia Nagano,1917** (Lasiocampidae) Synonym(s): *Kunugia Nagano,1917*
- 3841. Laeliopsis Aurivillius,1911** (Lasiocampidae) Synonym(s): *Laeliopsis Aurivillius,1911*
- 3842. Lajonquierea Holloway,1987** (Lasiocampidae) Synonym(s): *Lajonquierea Holloway,1987*

- 3843. Lasiocampa Schrank,1802** (Lasiocampidae) Synonym(s): *Lasiocampa Schrank,1802*; *Pachygastria Hübner,[1820]*; *Irenocampa Rambur,1858*; *Lambessa Staudinger,1901* Original Reference: *Lasiocampa Schrank,1802*, Fauna Boica 2 (2) 153. Type-species: *Phalaena quercus* Linnaeus,1758, by subsequent designation by Curtis,1827.
- 3844. Lasiocesa Koçak,2013** (Lasiocampidae) Synonym(s): *Filiola Zolotuhin & Gurkovich,2009 nec Barrande,1881 non Petrunkevich,1942*; *Lasiocesa Koçak,2013* Original Reference: *Lasiocesa Koçak,2013*, Cent. ent. Stud., Misc. Pap. 160: 4 (nom. nov. pro *Filiola Zolotuhin & Gurkovich,2009 nec Barrande,1881 non Petrunkevich,1942*).
- 3845. Lebeda Walker,1855** (Lasiocampidae) Synonym(s): *Lebeda Walker,1855*
- 3846. Leipoxais Holland,1893** (Lasiocampidae) Synonym(s): *Leipoxais Holland,1893*
- 3847. Lenodora Moore,1883** (Lasiocampidae) Synonym(s): *Lenodora Moore,1883*
- 3848. Leptometa Aurivillius,1927** (Lasiocampidae) Synonym(s): *Leptometa Aurivillius,1927* Original Reference: *Leptometa Aurivillius,1927*, [in] Seitz, Gross-Schmett. Erde 14: 272.
- 3849. Macrothylacia Rambur,1866** (Lasiocampidae) Synonym(s): *Macrothylacia Rambur,1866*; *Lachnocampa Wallengren,1869* Original Reference: *Macrothylacia Rambur,1866*, Cat. syst. Lép. Andalousie 2: 358. Type-species: *Phalaena rubi* Linnaeus,1758, by original designation.
- 3850. Malacosoma Hübner,[1820]** (Lasiocampidae) Synonym(s): *Malacosoma Hübner,[1820]*; *Trichoda Hübner,1822 nec Müll.,1773*; *Trichodia Stephens,1827*; *Clisiocampa Curtis,1828*; *Cliseocampa Agassiz,1847* Original Reference: *Malacosoma Hübner,[1820]*, Verz. bekannt. Schmett.: 192. Type-species: *Bombyx franconica* [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.
- 3851. Mallocampa Aurivillius,1902** (Lasiocampidae) Synonym(s): *Mallocampa Aurivillius,1902*
- 3852. Marmonna Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *Marmonna Zolotuhin & Prozolov,2010*
- 3853. Mesocelis Hübner,[1820]** (Lasiocampidae) Synonym(s): *Mesocelis Hübner,[1820]*; *#Mesoscelis Walker,1855*
- 3854. Metadula Walker,1865** (Lasiocampidae) Synonym(s): *Metadula Walker,1865*
- 3855. Metanastria Hübner,[1820]** (Lasiocampidae) Synonym(s): *Metanastria Hübner,[1820]*
- 3856. Micropacha Roepke,1953** (Lasiocampidae) Synonym(s): *Micropacha Roepke,1953*
- 3857. Mimopacha Aurivillius,1905** (Lasiocampidae) Synonym(s): *Mimopacha Aurivillius,1905*; *Libyopacha Clos,1920*
- 3858. Morongea Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *Morongea Zolotuhin & Prozolov,2010*
- 3859. Muzunguja Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Muzunguja Zolotuhin & Gurkovitch,2009*
- 3860. Napta Guenée,1865** (Lasiocampidae) Synonym(s): *Napta Guenée,1865*; *Glocia Saalmüller,1884*
- 3861. Nirbiana Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *Nirbiana Zolotuhin & Prozorov,2010*
- 3862. Notogroma Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *Notogroma Zolotuhin & Witt,2000* Original Reference: *Notogroma Zolotuhin & Witt,2000*, Entomofauna (Suppl.) 11 (3): 136.
- 3863. Ocinaropsis Aurivillius,1905** (Lasiocampidae) Synonym(s): *Ocinaropsis Aurivillius,1905*
- 3864. Odonestis Germar,1812** (Lasiocampidae) Synonym(s): *Odonestis Germar,1812*; *Chrostogastria Hübner,[1820]*; *Phylloxera Rambur,1866 nec Boyer,1834*; *Lobocampa Wallengren,1869*; *Pseudarguda Matsumura,1932*; *#Odonestia Lewvanich,2001* Original Reference: *Odonestis Germar,1812*, Diss. sistens Bombycum Species 2: 49. Type-species: *Phalaena pruni* Linnaeus,1758, by monotypy.
- 3865. Odontocheilopteryx (Gurkovichia) Koçak,2013** (Lasiocampidae) Synonym(s): *Cornelia Gurkovich & Zolotuhin,2009 nec Stal,1865*; *Gurkovichia Koçak,2013* Original Reference: *Odontocheilopteryx (Gurkovichia) Koçak,2013*, Cent. ent. Stud., Misc. Pap. 160: 3-4 (nom. nov. pro *Cornelia Gurkovich & Zolotuhin,2009 nec Stal,1865*).
- 3866. Odontocheilopteryx (Lestina) Gurkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *Lestina Gurkovich & Zolotuhin,2009*
- 3867. Odontocheilopteryx (s.str.) Wallengren,1860** (Lasiocampidae) Synonym(s): *Odontocheilopteryx Wallengren,1860*
- 3868. Odontocheilopteryx Wallengren,1860** (Lasiocampidae) Synonym(s): *Odontocheilopteryx Wallengren,1860*
- 3869. Odontocraspis Swinhoe,1894** (Lasiocampidae) Synonym(s): *Odontocraspis Swinhoe,1894*
- 3870. Odontopacha Aurivillius,1909** (Lasiocampidae) Synonym(s): *Odontopacha Aurivillius,1909*

- 3871. Opisthodontia (Psychosida) Zolotuhin & Prozolov,2010** (Lasiocampidae)
Synonym(s): *Psychosida* Zolotuhin & Prozolov,2010
- 3872. Opisthodontia Aurivillius,1895** (Lasiocampidae) Synonym(s): *Opisthodontia* Aurivillius,1895; #*Opisthodontia* Aurivillius,1927 Original Reference: *Opisthodontia* Aurivillius,1895, Ent. Tidskr. 16: 115. Type-species: *Opisthodontia dannfelti* Aurivillius,1895, by monotypy.
- 3873. Opisthoheza Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *Opisthoheza* Zolotuhin & Prozolov,2010
- 3874. Orientrix Tshistjakov,1998** (Lasiocampidae) Synonym(s): *Orientrix* Tshistjakov,1998 Original Reference: *Orientrix* Tshistjakov,1998, Far east. Ent. 66: 2. Type-species: *Amydona laeta* Walker,1855, by original designation.
- 3875. Pachymeta Aurivillius,1906** (Lasiocampidae) Synonym(s): *Pachymeta* Aurivillius,1906
- 3876. Pachymetana Strand,1912** (Lasiocampidae) Synonym(s): *Pachymetana* Strand,1912
- 3877. Pachyna Weymer,1892** (Lasiocampidae) Synonym(s): *Pachyna* Weymer,1892; *Andraphisia* Kirby,1897
- 3878. Pachypasa Walker,1855** (Lasiocampidae) Synonym(s): *Pachypasa* Walker,1855; *Mecistosoma* Rambur,1866 Original Reference: *Pachypasa* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1387, 1422. Type-species: *Sphinx otus* Drury,1773, by subsequent designation by Kirby,1892.
- 3879. Pachypasoides Matsumura,1927** (Lasiocampidae) Synonym(s): *Pachypasoides* Matsumura,1927; *Hoenimnema* De Lajonquière,1971
- 3880. Pachytrina (Gurkognoma) Zolotuhin & Gurkovitch,2009** (Lasiocampidae)
Synonym(s): *Gurkognoma* Zolotuhin & Gurkovitch,2009
- 3881. Pachytrina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Pachytrina* Zolotuhin & Gurkovitch,2009
- 3882. Pallastica (Sompallina) Zolotuhin & Gurkovitch,2009** (Lasiocampidae)
Synonym(s): *Sompallina* Zolotuhin & Gurkovitch,2009
- 3883. Pallastica Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Pallastica* Zolotuhin & Gurkovitch,2009
- 3884. Paradoxopla De Lajonquière,1976** (Lasiocampidae) Synonym(s): *Paradoxopla* De Lajonquière,1976
- 3885. Paralebeda Aurivillius,1894** (Lasiocampidae) Synonym(s): *Paralebeda* Aurivillius,1894
- 3886. Phantosoma Zolotuhin & Kostjuk,2000** (Lasiocampidae) Synonym(s): *Phantosoma* Zolotuhin & Kostjuk,2000 Original Reference: *Phantosoma* Zolotuhin & Kostjuk,2000, Nota lepid. 23 (2): 141. Type-species: *Phantosoma witti* Zolotuhin & Kostjuk,2000, by original designation.
- 3887. Philotherma Möschler,1887** (Lasiocampidae) Synonym(s): *Philotherma* Möschler,1887
- 3888. Phylloidesma (Epicnaptera) Rambur,1866** (Lasiocampidae) Synonym(s): *Epicnaptera* Rambur,1866; #*Epicnapteryx* O.Bang-Haas,1927 Original Reference: *Epicnaptera* Rambur,1866, Cat. syst. Léop. Andalousie 2: 344. Type-species: *Lasiocampa suberifolia* Duponchel,1842, by monotypy.
- 3889. Phylloidesma (s.str.) Hübner,[1820]** (Lasiocampidae) Synonym(s): *Phylloidesma* Hübner,[1820]; *Ammatocampa* Wallengren,1869 Original Reference: *Phylloidesma* Hübner,[1820], Verz. bekannt. Schmett.: 190. Type-species: *Phalaena ilicifolia* Linnaeus,1758, by subsequent designation by Grote,1898.
- 3890. Phylloidesma Hübner,[1820]** (Lasiocampidae) Synonym(s): *Phylloidesma* Hübner,[1820]; *Ammatocampa* Wallengren,1869 Original Reference: *Phylloidesma* Hübner,[1820], Verz. bekannt. Schmett.: 190. Type-species: *Phalaena ilicifolia* Linnaeus,1758, by subsequent designation by Grote,1898.
- 3891. Poecilocampa Stephens,1828** (Lasiocampidae) Synonym(s): *Poecilocampa* Stephens,1828; *Populaster* Gistel,1848 Original Reference: *Poecilocampa* Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 43. Type-species: *Phalaena populi* Linnaeus,1758, by monotypy.
- 3892. Pseudolyra Aurivillius,1925** (Lasiocampidae) Synonym(s): *Pseudolyra* Aurivillius,1925
- 3893. Pseudometa Aurivillius,1901** (Lasiocampidae) Synonym(s): *Pseudometa* Aurivillius,1901; *Alenella* Strand,1912; *Gastroplakaena* Strand,1912.
- 3894. Psilogaster Reichenbach,1817** (Lasiocampidae) Synonym(s): *Psilogaster* Reichenbach,1817; *Diplura* Rambur,1866 nec Koch,1850; *Diplurella* Strand,1910
- 3895. Ptyssophlebia Berio,1937** (Lasiocampidae) Synonym(s): *Ptyssophlebia* Berio,1937
- 3896. Pyrosis Oberthür,1880** (Lasiocampidae) Synonym(s): *Pyrosis* Oberthür,1880; *Bhima* Moore,1888
- 3897. Radhica Moore,1879** (Lasiocampidae) Synonym(s): *Radhica* Moore,1879

- 3898. Rhinobombyx Aurivillius,1879** (Lasiocampidae) Synonym(s): *Rhinobombyx Aurivillius,1879*
- 3899. Schausinna Aurivillius,1909** (Lasiocampidae) Synonym(s): *Schausinna Aurivillius,1909*
- 3900. Sena Walker,1862** (Lasiocampidae) Synonym(s): *Sena Walker,1862* Original Reference: Sena Walker,1862, Trans. ent. Soc. Lond. (3) 1: 278. Type-species: *Sena plusioides* Walker,1862, by monotypy.
- 3901. Seydelora Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Seydelora Zolotuhin & Gurkovitch,2009*
- 3902. Somadasys Gaede,1932** (Lasiocampidae) Synonym(s): *Somadasys Gaede,1932*
- 3903. Sonitha Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *Sonitha Zolotuhin & Prozorov,2010*
- 3904. Sophyrita Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *Sophyrita Zolotuhin & Gurkovitch,2009*
- 3905. Stenophatna Aurivillius,1909** (Lasiocampidae) Synonym(s): *Stenophatna Aurivillius,1909*
- 3906. Stenophatna Aurivillius,1909** (Lasiocampidae) Synonym(s): *Stenophatna Aurivillius,1909*
- 3907. Stoermeriana De Freina & Witt,1983** (Lasiocampidae) Synonym(s): *Stoermeriana De Freina & Witt,1983* Original Reference: Stoermeriana De Freina & Witt,1983, Mitt. münch. ent. Ges. 73: 17-20. Type-species: *Taragama regrabui* Rungs,1948, by original designation.
- 3908. Streblote Hübner,[1820]** (Lasiocampidae) Synonym(s): *Streblote Hübner,[1820]*; *Megasoma Boisduval,1833 nec Kby,1825*; *Nadisa Walker,1855*; *Taragama Moore,[1860]*; *Concaedes Wallengren,1865*; *Ticera Swinhoe,1892*; *Megamosa Collier,1936* Original Reference: Streblote Hübner,[1820], Verz. bekannt. Schmett.: 193. Type-species: *Streblote panda* Hübner,[1820], by subsequent designation by Tams,1928.
- 3909. Suana Walker,1855** (Lasiocampidae) Synonym(s): *Suana Walker,1855*
- 3910. Syrastrena Moore,1884** (Lasiocampidae) Synonym(s): *Syrastrena Moore,1884*
- 3911. Syrastrenopsis Grünberg,1914** (Lasiocampidae) Synonym(s): *Syrastrenopsis Grünberg,1914* Original Reference: Syrastrenopsis Grünberg,1914, Ent. Rdsch. 31: 39. Type-species: *Syrastrenopsis moltrechti* Grünberg,1914, by monotypy.
- 3912. Takanea Nagano,1917** (Lasiocampidae) Synonym(s): *Takanea Nagano,1917*; *Seitzia Scriba,1919*
- 3913. Theophasida Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *Theophasida Zolotuhin & Prozorov,2010*
- 3914. Trabala Walker,1856** (Lasiocampidae) Synonym(s): *Trabala Walker,1856*; *Amydona Walker,1855 nec Wlk.,1855*
- 3915. Trichiura (Giselea) Zolotuhin,2007** (Lasiocampidae) Synonym(s): *Giselea Zolotuhin,2007* Original Reference: Giselea Zolotuhin,2007, Nachr. ent. Ver. Apollo Suppl. 19: 46. Type-species: *Trichiura pistaciae* Wiltshire,1952, by original designation.
- 3916. Trichiura (s.str.) Stephens,1828** (Lasiocampidae) Synonym(s): *Trichiura Stephens,1828*; *Trichola Gistel,1848* Original Reference: Trichiura Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 42. Type-species: *Phalaena crataegi* Linnaeus,1758, by monotypy.
- 3917. Trichiura Stephens,1828** (Lasiocampidae) Synonym(s): *Trichiura Stephens,1828*; *Trichola Gistel,1848* Original Reference: Trichiura Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 42. Type-species: *Phalaena crataegi* Linnaeus,1758, by monotypy.
- 3918. Trichiurana Aurivillius,1921** (Lasiocampidae) Synonym(s): *Trichiurana Aurivillius,1921*
- 3919. Trichopisthia Aurivillius,1909** (Lasiocampidae) Synonym(s): *Trichopisthia Aurivillius,1909*
- 3920. Typhonoya Prozorov,2011** (Lasiocampidae) Synonym(s): *Typhonoya Prozorov,2011*
- 3921. Weberolegra Prozorov,2011** (Lasiocampidae) Synonym(s): *Weberolegra Prozorov,2011*
- 3922. Weirtonia Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonym(s): *Weirtonia Prozorov & Zolotuhin,2012*
- 3923. Zolotuhina Koçak & Kemal,2006** (Lasiocampidae) Synonym(s): *Gorgonella Zolotuhin,2000 nec Valenc.,1855*; *Zolotuhina Koçak & Kemal,2006* Original Reference: Zolotuhina Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 99: 7 (nom. nov. pro *Gorgonella* Zolotuhin,2000 nec Valenc.,1855).
- 3924. Abrachmia Amsel,1968** (Lecithoceridae) Synonym(s): *Abrachmia Amsel,1968*
- 3925. Amaloxestis Gozmany,1971** (Lecithoceridae) Synonym(s): *Macrotona Meyrick,1904 nec Brunner,1893*; *Amaloxestis Gozmany,1971*
- 3926. Amphitrias Meyrick,1908** (Lecithoceridae) Synonym(s): *Amphitrias Meyrick,1908*
- 3927. Anamimnesis Gozmany,1978** (Lecithoceridae) Synonym(s): *Anamimnesis Gozmany,1978*

- 3928. Antiochtha Meyrick, 1905** (Lecithoceridae) Synonym(s): *Antiochtha Meyrick, 1905*
Original Reference: *Antiochtha Meyrick, 1905*, J. Bombay nat. Hist. Soc. 16: 598. Type-species: *Antiochtha balbidota Meyrick, 1905*.
- 3929. Aproparia Gozmany, 1972** (Lecithoceridae) Synonym(s): *Aproparia Gozmany, 1972*
- 3930. Athymoris Meyrick, 1935** (Lecithoceridae) Synonym(s): *Athymoris Meyrick, 1935*
- 3931. Atrichozancla Janse, 1954** (Lecithoceridae) Synonym(s): *Atrichozancla Janse, 1954*
- 3932. Carodista Meyrick, 1925** (Lecithoceridae) Synonym(s): *Carodista Meyrick, 1925*; *Catacreagra Gozmany, 1978*
Original Reference: *Carodista Meyrick, 1925*, [in] Wytzman, *Genera Insect.* 184: 10, 224. Type-species: *Homaloxestis flagitiosa Meyrick, 1914*, by original designation.
- 3933. Caveana Park, 2010** (Lecithoceridae) Synonym(s): *Caveana Park, 2010*
- 3934. Ceuthomadarus Mann, 1864** (Lecithoceridae) Synonym(s): *Ceuthomadarus Mann, 1864*; *Asbolistis Meyrick, 1936*; *Exorgana Gozmany, 1957*
Original Reference: *Ceuthomadarus Mann, 1864*, *Wien ent. Monatschr.* 8: 188. Type-species: *Ceuthomadarus tenebrionellus Mann, 1864*, *ibidem* 8: 188, pl. 5 figs 1, 2, by monotypy.
- 3935. Cophomantella T.B.Fletcher, 1940** (Lecithoceridae) Synonym(s): *Cophomantis Meyrick, 1925* (homonym); *Cophomantella T.B.Fletcher, 1940*
- 3936. Coydalla Walker, 1864** (Lecithoceridae) Synonym(s): *Coydalla Walker, 1864*
- 3937. Crocogma Meyrick, 1918** (Lecithoceridae) Synonym(s): *Crocogma Meyrick, 1918*; *Demopractis Meyrick, 1918*
- 3938. Cubitomoris Gozmany, 1978** (Lecithoceridae) Synonym(s): *Cubitomoris Gozmany, 1978*
- 3939. Deltoplastis Meyrick, 1925** (Lecithoceridae) Synonym(s): *Deltoplastis Meyrick, 1925*
- 3940. Dinochares Meyrick, 1925** (Lecithoceridae) Synonym(s): *Dinochares Meyrick, 1925*
- 3941. Dixognatha Wu, 2002** (Lecithoceridae) Synonym(s): *Dixognatha Wu, 2002*
- 3942. Dragmatucha Meyrick, 1908** (Lecithoceridae) Synonym(s): *Dragmatucha Meyrick, 1908*
- 3943. Eccedoxa Gozmany, 1973** (Lecithoceridae) Synonym(s): *Eccedoxa Gozmany, 1973*
- 3944. Epharmonia Meyrick, 1925** (Lecithoceridae) Synonym(s): *Epharmonia Meyrick, 1925*
- 3945. Epimactis Meyrick, 1907** (Lecithoceridae) Synonym(s): *Epimactis Meyrick, 1907*
- 3946. Eridachtha Meyrick, 1910** (Lecithoceridae) Synonym(s): *Eridachtha Meyrick, 1910*; *Corthyntis Meyrick, 1916*; *#Eridachtha Janse, 1963*
Original Reference: *Eridachtha Meyrick, 1910*, J. Bombay nat. Hist. Soc. 20: 440. Type-species: *Eridachtha prolocha Meyrick, 1910*, by monotypy.
- 3947. Eurodachtha Gozmany, 1978** (Lecithoceridae) Synonym(s): *Eurodachtha Gozmany, 1978*
Original Reference: *Eurodachtha Gozmany, 1978*, in Amsel et al., *Microlepid. Palaearctica* 5: 151. Type-species: *Lecithocera pallicornella Staudinger, 1859*, *Ent. Ztg. Stettin* 20: 239, by original designation.
- 3948. Frisilia Walker, 1864** (Lecithoceridae) Synonym(s): *Frisilia Walker, 1864*; *Tipasa Walker, 1864*; *Macrernis Meyrick, 1887*
- 3949. Halolaguna Gozmany, 1978** (Lecithoceridae) Synonym(s): *Halolaguna Gozmany, 1978*
- 3950. Hoenea Gozmany, 1970** (Lecithoceridae) Synonym(s): *Hoenea Gozmany, 1970*
- 3951. Homaloxestis Meyrick, 1910** (Lecithoceridae) Synonym(s): *Homaloxestis Meyrick, 1910*; *#Homaloxestis Meyrick, 1931*
Original Reference: *Homaloxestis Meyrick, 1910*, J. Bombay nat. Hist. Soc. 20: 440. Type-species: *Homaloxestis endocoma Meyrick, 1910*, *ibidem* 20: 441, by original designation.
- 3952. Hygroplasta Meyrick, 1925** (Lecithoceridae) Synonym(s): *Hygroplasta Meyrick, 1925*
- 3953. Hyperochtha Meyrick, 1925** (Lecithoceridae) Synonym(s): *Hyperochtha Meyrick, 1925*
- 3954. Idiopteryx Walsingham, 1891** (Lecithoceridae) Synonym(s): *Idiopteryx Walsingham, 1891*
- 3955. Ilioparsis Gozmany, 1973** (Lecithoceridae) Synonym(s): *Ilioparsis Gozmany, 1973*
- 3956. Isotypa Janse, 1954** (Lecithoceridae) Synonym(s): *Isotypa Janse, 1954*
- 3957. Issikiopteryx Moriuti, 1973** (Lecithoceridae) Synonym(s): *Issikiopteryx Moriuti, 1973*; *Glaucolychna Wu & Liu, 1993*
- 3958. Lecithocera Herrich-Schäffer, [1853]** (Lecithoceridae) Synonym(s): *Lecithocera Herrich-Schäffer, [1853]*; *Patouissa Walker, 1864*; *Brachyerga Meyrick, 1925*; *Periphorectis Meyrick, 1925*; *Xanthocera Amsel, 1953 nec Towns., 1915*; *Leviptera Janse, 1954*; *Xanthoceroles Amsel, 1955*; *Parrhasastris Gozmany, 1972*
Original Reference: *Lecithocera Herrich-Schäffer, [1853]*, *Syst. Bearbeitung Schmett. Eur.* 5: 11, 45; 1853, *ibidem* 6: *Microlepid.* pl. 12 figs. 10, 11. Type-species: *Carcina laticornella Zeller, 1839*, by monotypy.
- 3959. Lecitholaxa Gozmany, 1978** (Lecithoceridae) Synonym(s): *Lecitholaxa Gozmany, 1978*
- 3960. Monerista Meyrick, 1925** (Lecithoceridae) Synonym(s): *Monerista Meyrick, 1925*
- 3961. Neocorodes Meyrick, 1923** (Lecithoceridae) Synonym(s): *Neocorodes Meyrick, 1923*

- 3962. Nephelographa Gozmany,1978** (Lecithoceridae) Synonym(s): *Nephelographa Gozmany,1978* Original Reference: *Nephelographa Gozmany,1978*, [in] Amsel, et al., *Microlepid. Palaearct.* 5: 249. Type-species: *Nephelographa panni Gozmany,1978*, by original designation.
- 3963. Nosphistica Meyrick,1911** (Lecithoceridae) Synonym(s): *Nosphistica Meyrick,1911*; *Philoptila Meyrick,1918*
- 3964. Nyctocyrra Gozmany,1978** (Lecithoceridae) Synonym(s): *Nyctocyrra Gozmany,1978*
- 3965. Odites (Gozmaniola) Lvovsky,1996** (Lecithoceridae) Synonym(s): *Gozmaniola Lvovsky,1996* Original Reference: *Odites (Gozmaniola) Lvovsky,1996*, *Ent. Obozr.* 75 (3): 655. Type-species: *Tinea kollarella Costa,1836*, by original designation.
- 3966. Odites (Oditoides) Lvovsky,1996** (Lecithoceridae) Synonym(s): *Oditoides Lvovsky,1996*
- 3967. Odites (s.str.) Walsingham,1891** (Lecithoceridae) Synonym(s): *Odites Walsingham,1891*; *Trichernis Meyrick,1894*; *Myriopleura Meyrick,1906*
- 3968. Odites Walsingham,1891** (Lecithoceridae) Synonym(s): *Odites Walsingham,1891*; *Trichernis Meyrick,1894*
- 3969. Opacoptera (Fulvitalia) Chunsheng Wu,1996** (Lecithoceridae) Synonym(s): *Fulvitalia Chunsheng Wu,1996*
- 3970. Opacoptera Gozmany,1978** (Lecithoceridae) Synonym(s): *Opacoptera Gozmany,1978*
- 3971. Pectinimura Park & Byun,2008** (Lecithoceridae) Synonym(s): *Pectinimura Park & Byun,2008* Original Reference: *Pectinimura Park & Byun,2008*, *Florida Ent.* 91 (1): 110. Type-species: *Pectinimura montatilis Park & Byun,2008*, by original designation.
- 3972. Philharmonia Gozmany,1978** (Lecithoceridae) Synonym(s): *Philharmonia Gozmany,1978*
- 3973. Philoptila Meyrick,1918** (Lecithoceridae) Synonym(s): *Philoptila Meyrick,1918*
- 3974. Plagiocrossa Janse,1954** (Lecithoceridae) Synonym(s): *Plagiocrossa Janse,1954*
- 3975. Pompographa Gozmany,1971** (Lecithoceridae) Synonym(s): *Pompographa Gozmany,1971*
- 3976. Procharista Meyrick,1922** (Lecithoceridae) Synonym(s): *Procharista Meyrick,1922*
- 3977. Procometis Meyrick,1908** (Lecithoceridae) Synonym(s): *Procometis Meyrick,1908*
- 3978. Prothamnoides Meyrick,1923** (Lecithoceridae) Synonym(s): *Prothamnoides Meyrick,1923*
- 3979. Protolychnis Meyrick,1925** (Lecithoceridae) Synonym(s): *Protolychnis Meyrick,1925*; *#Protolichnis Janse,1963*
- 3980. Ptochoryctis Meyrick,1894** (Lecithoceridae) Synonym(s): *Ptochoryctis Meyrick,1894*
- 3981. Quassitagma Gozmany,1978** (Lecithoceridae) Synonym(s): *Quassitagma Gozmany,1978*
- 3982. Recontracta Gozmany,1978** (Lecithoceridae) Synonym(s): *Recontracta Gozmany,1978*
- 3983. Rhizosthenes Meyrick,1935** (Lecithoceridae) Synonym(s): *Rhizosthenes Meyrick,1935*
- 3984. Sarisophora Meyrick,1904** (Lecithoceridae) Synonym(s): *Sarisophora Meyrick,1904*; *Styloceros Meyrick,1904*
- 3985. Scythropiodes Matsumura,1931** (Lecithoceridae) Synonym(s): *Scythropiodes Matsumura,1931*
- 3986. Siderostigma Gozmany,1973** (Lecithoceridae) Synonym(s): *Siderostigma Gozmany,1973*
- 3987. Spatulignatha Gozmany,1978** (Lecithoceridae) Synonym(s): *Spatulignatha Gozmany,1978*
- 3988. Sphaerolbia Meyrick,1934** (Lecithoceridae) Synonym(s): *Sphaerolbia Meyrick,1934*
- 3989. Stryphnocolpa Meyrick,1920** (Lecithoceridae) Synonym(s): *Stryphnocolpa Meyrick,1920*
- 3990. Synchalara Meyrick,1917** (Lecithoceridae) Synonym(s): *Synchalara Meyrick,1917*
- 3991. Synersaga Gozmany,1978** (Lecithoceridae) Synonym(s): *Synersaga Gozmany,1978*; *Anamimnesis Gozmany,1978*; *#Synesarga Park,2000*
- 3992. Tegenocharis Gozmany,1973** (Lecithoceridae) Synonym(s): *Tegenocharis Gozmany,1973*
- 3993. Thamnopala Gozmany,1978** (Lecithoceridae) Synonym(s): *Thamnopala Gozmany,1978*
- 3994. Thubana Walker,1864** (Lecithoceridae) Synonym(s): *Thubana Walker,1864*; *Titana Walker,1864*; *Tiva Walker,1864*; *Inapha Walker,1864*; *Stelechoris Meyrick,1925*
- 3995. Thymiatris Meyrick,1907** (Lecithoceridae) Synonym(s): *Thymiatris Meyrick,1907*
- 3996. Timyra Walker,1864** (Lecithoceridae) Synonym(s): *Timyra Walker,1864*; *Uipsa Walker,1864*
- 3997. Tisis Walker,1864** (Lecithoceridae) Synonym(s): *Tisis Walker,1864*; *Tonosa Walker,1864*; *Tingentera Walker,1864*; *Tipha Walker,1864*; *Tirallis Walker,1864*; *Togia Walker,1864*; *Decuaria Walker,1864*; *Cacogamia Snellen,1903*
- 3998. Torodora Meyrick,1894** (Lecithoceridae) Synonym(s): *Torodora Meyrick,1894*; *Habrogenes Meyrick,1918*; *Panplatyceros Diakonoff,1952*
- 3999. Trichernis Meyrick,1894** (Lecithoceridae) Synonym(s): *Trichernis Meyrick,1894*
- 4000. Trichoboscis Meyrick,1929** (Lecithoceridae) Synonym(s): *Trichoboscis Meyrick,1929*
- 4001. Triviola Park,2010** (Lecithoceridae) Synonym(s): *Triviola Park,2010*

- 4002. Trypherantis Meyrick, 1907** (Lecithoceridae) Synonym(s): *Trypherantis Meyrick, 1907*
- 4003. Urolaguna Wu, 1994** (Lecithoceridae) Synonym(s): *Urolaguna Wu, 1994*
- 4004. Lemonia Hübner, [1820]** (Lemoniidae) Synonym(s): *Lemonia Hübner, [1820]*; *Crateronyx Duponchel, [1845]*; *Limonia Agassiz, 1847 nec Meig., 1803* Original Reference: *Lemonia Hübner, [1820]*, Verz. bekannt. Schmett.: 187. Type-species: *Bombyx taraxaci* [Denis & Schiffermüller], 1775, by monotypy.
- 4005. Sabalia Walker, 1865** (Lemoniidae) Synonym(s): *Sabalia Walker, 1865*
- 4006. Actioleptis R. Felder, 1862** (Limaconidae) Synonym(s): *Actioleptis R. Felder, 1862*
- 4007. Afralthe M. Hering, 1955** (Limaconidae) Synonym(s): *Afralthe M. Hering, 1955*
- 4008. Afrobirthama M. Hering, 1955** (Limaconidae) Synonym(s): *Afrobirthama M. Hering, 1955*
- 4009. Afromiresa Janse, 1964** (Limaconidae) Synonym(s): *Afromiresa Janse, 1964*
- 4010. Afroplax M. Hering, 1941** (Limaconidae) Synonym(s): *Afroplax M. Hering, 1941* Original Reference: *Afroplax M. Hering, 1941*, Annln naturh. Mus. Wien 51: 228. Type-species: *Afroplax didyma M. Hering, 1941*, by original designation.
- 4011. Allothosea M. Hering, 1931** (Limaconidae) Synonym(s): *Allothosea M. Hering, 1931*
- 4012. Altha Walker, 1862** (Limaconidae) Synonym(s): *Altha Walker, 1862*; *Belgoraea Walker, 1865* Original Reference: *Altha Walker, 1862*, J. proc. Linn. Soc. (Zool.) 6: 173. Type-species: *Altha nivea Walker, 1862*, by monotypy.
- 4013. Anaxidia Swinhoe, 1892** (Limaconidae) Synonym(s): *Anaxidia Swinhoe, 1892*; *#Anaxidea Turner, 1926*
- 4014. Aneposia Turner, 1926** (Limaconidae) Synonym(s): *Aneposia Turner, 1926*
- 4015. Anilina M. Hering, 1937** (Limaconidae) Synonym(s): *Anilina M. Hering, 1937*
- 4016. Apendala Walker, 1865** (Limaconidae) Synonym(s): *Apendala Walker, 1865*; *#Phendala Solovyev, 2010* Original Reference: *Apendala Walker, 1865*, List Specimens lepid. Insects Colln Br. Mus. 32: 494. Type-species: *Apendala transversata Walker, 1865*, by monotypy.
- 4017. Apluda Wallengren, 1863** (Limaconidae) Synonym(s): *Apluda Wallengren, 1863*
- 4018. Apoda Haworth, [1809]** (Limaconidae) Synonym(s): *Apoda Haworth, [1809]*; *Chelone R.L., 1817*; *Cochlidium Hübner, 1822*; *Chelonias Hübner, [1825] nec Raf., 1815*; *Limacodes Berthold, 1827*; *Manlia Agassiz, 1846*; *Cochlidion auct.* Original Reference: *Apoda Haworth, [1809]*, Lepid. Br.: 137. Type-species: *Bombyx testudo* [Denis & Schiffermüller], 1775, by subsequent designation by Kirby, 1892.
- 4019. Apodecta Turner, 1902** (Limaconidae) Synonym(s): *Apodecta Turner, 1902*; *Anisobathra Lower, 1902*
- 4020. Apreptophanes Janse, 1964** (Limaconidae) Synonym(s): *Apreptophanes Janse, 1964*
- 4021. Araeogyia Hampson, 1892** (Limaconidae) Synonym(s): *Araeogyia Hampson, 1892*
- 4022. Arbelarosa M. Hering, 1931** (Limaconidae) Synonym(s): *Arbelarosa M. Hering, 1931*
- 4023. Arctozygaena Gaede, 1926** (Limaconidae) Synonym(s): *Arctozygaena Gaede, 1926*
- 4024. Astatophlebia Janse, 1964** (Limaconidae) Synonym(s): *Astatophlebia Janse, 1964*
- 4025. Asteria R. Felder, 1874** (Limaconidae) Synonym(s): *Asteria R. Felder, 1874*
- 4026. Atosia Snellen, 1900** (Limaconidae) Synonym(s): *Atosia Snellen, 1900*
- 4027. Atosioides Solovyev, 2009** (Limaconidae) Synonym(s): *Atosioides Solovyev, 2009*
- 4028. Austrapoda Inoue, 1982** (Limaconidae) Synonym(s): *Austrapoda Inoue, 1982*
- 4029. Baria Karsch, 1896** (Limaconidae) Synonym(s): *Baria Karsch, 1896*
- 4030. Barisanina Holloway, 1990** (Limaconidae) Synonym(s): *Barisanina Holloway, 1990* Original Reference: *Barisanina Holloway, 1990*, Heterocera Sumatrana 6: 45.
- 4031. Belippa Walker, 1865** (Limaconidae) Synonym(s): *Belippa Walker, 1865*
- 4032. Birthama Walker, 1862** (Limaconidae) Synonym(s): *Birthama Walker, 1862*; *Nirma Van Eecke, 1929*
- 4033. Birthamoides M. Hering, 1931** (Limaconidae) Synonym(s): *Birthamoides M. Hering, 1931*
- 4034. Birthamula M. Hering, 1931** (Limaconidae) Synonym(s): *Birthamula M. Hering, 1931*
- 4035. Birthosea Holloway, 1986** (Limaconidae) Synonym(s): *Birthosea Holloway, 1986*
- 4036. Brachia Karsch, 1896** (Limaconidae) Synonym(s): *Brachia Karsch, 1896*
- 4037. Brachypecta Janse, 1964** (Limaconidae) Synonym(s): *Brachypecta Janse, 1964*
- 4038. Caffricola Hampson, 1920** (Limaconidae) Synonym(s): *Caffricola Hampson, 1920*
- 4039. Calcarifera M. Hering, 1931** (Limaconidae) Synonym(s): *Calcarifera M. Hering, 1931*
- 4040. Cania Walker, 1855** (Limaconidae) Synonym(s): *Cania Walker, 1855*
- 4041. Canon Solovyev, 2014** (Limaconidae) Synonym(s): *Canon Solovyev, 2014*
- 4042. Ceratonema Hampson, [1893]** (Limaconidae) Synonym(s): *Ceratonema Hampson, [1893]*

- 4043. Chalcocelis Hampson,1893** (Limaconidae) Synonym(s): *Chalcocelis* Hampson,1893;
Chalcoscelis Turner,1926
- 4044. Chalcoscelides M.Hering,1931** (Limaconidae) Synonym(s): *Chalcoscelides* M.Hering,1931
- 4045. Cheromettia Moore,1883** (Limaconidae) Synonym(s): *Cheromettia* Moore,1883;
#*Chleromettia* Hutacharern & Tubtim,1995
- 4046. Chibiraga Matsumura,1931** (Limaconidae) Synonym(s): *Chibiraga* Matsumura,1931;
Miresina M.Hering,1933
- 4047. Chrysamma Karsch,1896** (Limaconidae) Synonym(s): *Chrysamma* Karsch,1896
- 4048. Chrysopoloma Druce,1886** (Limaconidae) Synonym(s): *Chrysopoloma* Druce,1886
- 4049. Coenobasis R.Felder & Rogenhofer,1874** (Limaconidae) Synonym(s): *Coenobasis*
R.Felder & Rogenhofer,1874
- 4050. Comana Walker,1865** (Limaconidae) Synonym(s): *Comana* Walker,1865; *Monopola*
Meyrick,1891; Hildala Swinhoe,1892; #Monopala M.Hering,1931
- 4051. Comanula M.Hering,1931** (Limaconidae) Synonym(s): *Comanula* M.Hering,1931
- 4052. Contheyla Walker,1865** (Limaconidae) Synonym(s): *Contheyla* Walker,1865
- 4053. Cosuma Walker,1855** (Limaconidae) Synonym(s): *Cosuma* Walker,1855
- 4054. Crothaema Butler,1880** (Limaconidae) Synonym(s): *Crothaema* Butler,1880
- 4055. Ctenocompa Karsch,1896** (Limaconidae) Synonym(s): *Ctenocompa* Karsch,1896
- 4056. Ctenolita Karsch,1896** (Limaconidae) Synonym(s): *Ctenolita* Karsch,1896
- 4057. Darna (Orthocraspeda) Hampson,[1893]** (Limaconidae) Synonym(s): *Orthocraspeda*
Hampson,[1893]; Thoseoides Shiraki,1913
- 4058. Darna (Oxyplax) Hampson,[1893]** (Limaconidae) Synonym(s): *Oxyplax* Hampson,[1893]
- 4059. Darna (Ploneta) Snellen,1900** (Limaconidae) Synonym(s): *Ploneta* Snellen,1900
- 4060. Darna (s.str.) Walker,1862** (Limaconidae) Synonym(s): *Darna* Walker,1862
- 4061. Darna Walker,1862** (Limaconidae) Synonym(s): *Darna* Walker,1862
- 4062. Delorhachis Karsch,1896** (Limaconidae) Synonym(s): *Delorhachis* Karsch,1896
- 4063. Deltoptera Janse,1964** (Limaconidae) Synonym(s): *Deltoptera* Janse,1964; #*Deltopera*
Hacker,1999
- 4064. Demonarosa Matsumura,1931** (Limaconidae) Synonym(s): *Demonarosa* Matsumura,1931;
Arbelanarosa Hering,1931; *Natarosa* Hering,1931
- 4065. Dinawa Bethune-Baker,1904** (Limaconidae) Synonym(s): *Dinawa* Bethune-Baker,1904
- 4066. Doratifera Duncan [& Westwood],1841** (Limaconidae) Synonym(s): *Doratifera* Duncan
[& Westwood],1841; *Doratiophora* Agassiz,1847; #*Doryphora* Swainson,1851; *Panisa* Walker,1855; *Anapaea*
Walker,1855; Pelora Walker,1855; *Doratiophora* Scott,1864; #*Doratiphora* Lower,1896; *Dinawa* Bethune-
Baker,1904
- 4067. Ecnomoctena Turner,1926** (Limaconidae) Synonym(s): *Ecnomoctena* Turner,1926
- 4068. Ectropa Wallengren,1863** (Limaconidae) Synonym(s): *Ectropa* Wallengren,1863
- 4069. Ectropona Kurshakov & Zolotuhin,2013** (Limaconidae) Synonym(s): *Ectropona*
Kurshakov & Zolotuhin,2013
- 4070. Ellassoptila Turner,1902** (Limaconidae) Synonym(s): *Ellassoptila* Turner,1902
- 4071. Eloasa Walker,1865** (Limaconidae) Synonym(s): *Eloasa* Walker,1865; *Lethocephala*
R.Felder,1874
- 4072. Euphlycta Snellen,1900** (Limaconidae) Synonym(s): *Euphlycta* Snellen,1900
- 4073. Euphlyctinides M.Hering,1931** (Limaconidae) Synonym(s): *Euphlyctinides* M.Hering,1931
- 4074. Exanthica Meyrick,1913** (Limaconidae) Synonym(s): *Exanthica* Meyrick,1913
- 4075. Featheria Hampson,1916** (Limaconidae) Synonym(s): *Featheria* Hampson,1916
- 4076. Flavinarosa Holloway,1986** (Limaconidae) Synonym(s): *Flavinarosa* Holloway,1986
- 4077. Gavara Walker,[1858]** (Limaconidae) Synonym(s): *Gavara* Walker,[1858]; *Pletura*
Wallengren,1863; Heterolepis Felder,1874.
- 4078. Gephyrophora Karsch,1896** (Limaconidae) Synonym(s): *Gephyrophora* Karsch,1896
- 4079. Griseothosea Holloway,1986** (Limaconidae) Synonym(s): *Griseothosea* Holloway,1986
- 4080. Halseyia D.S.Fletcher,1982** (Limaconidae) Synonym(s): *Halseyia* D.S.Fletcher,1982;
Paryphanta Karsch,1896; #*Paraphanta* Bethune-Baker,1909.
- 4081. Hamartia M.Hering,1937** (Limaconidae) Synonym(s): *Hamartia* M.Hering,1937
- 4082. Hedraea Turner,1926** (Limaconidae) Synonym(s): *Hedraea* Turner,1926
- 4083. Heringarosa Holloway,1986** (Limaconidae) Synonym(s): *Heringarosa* Holloway,1986
- 4084. Heterogenea Knoch,1783** (Limaconidae) Synonym(s): *Heterogenea* Knoch,1783 Original
Reference: *Heterogenea* Knoch,1783, Beitr. Insektengesch. 3: 60. Type-species: *Phalaena crucata*
Knoch,1783, by subsequent designation by Kirby,1792.
- 4085. Hilopoda Karsch,1896** (Limaconidae) Synonym(s): *Hilopoda* Karsch,1896

- 4086. Homosusica Janse,1964** (Limacodidae) Synonym(s): *Homosusica Janse,1964*
- 4087. Hoyosia Agenjo,1972** (Limacodidae) Synonym(s): *#Ruperezia Agenjo,1968; Hoyosia Agenjo,1972* Original Reference: *Hoyosia Agenjo,1972, Eos 47: 9. Type-species: Limacodes codeti Oberthür,1873, by original designation.*
- 4088. Hydroclada Meyrick,1889** (Limacodidae) Synonym(s): *Hydroclada Meyrick,1889; Lasiolimacos Bethune-Baker,1904; #Lasiolimachus Bethune-Baker,1904; #Hydrocladia West,1937*
- 4089. Hyphorma Walker,1865** (Limacodidae) Synonym(s): *Hyphorma Walker,1865*
- 4090. Hyphormides M.Hering,1931** (Limacodidae) Synonym(s): *Hyphormides M.Hering,1931*
- 4091. Hyphormoides Strand,1914** (Limacodidae) Synonym(s): *Hyphormoides Strand,1914*
- 4092. Hypselolopha Turner,1926** (Limacodidae) Synonym(s): *Hypselolopha Turner,1926*
- 4093. Idonauton Swinhoe,1892** (Limacodidae) Synonym(s): *Idonauton Swinhoe,1892*
- 4094. Inous Walker,1855** (Limacodidae) Synonym(s): *Inous Walker,1855*
- 4095. Iragoides M.Hering,1931** (Limacodidae) Synonym(s): *Iragoides M.Hering,1931*
- 4096. Isozinara Janse,1964** (Limacodidae) Synonym(s): *Isozinara Janse,1964*
- 4097. Jordaniana M.Hering,1955** (Limacodidae) Synonym(s): *Jordaniana M.Hering,1955*
- 4098. Lamprolepida Turner,1926** (Limacodidae) Synonym(s): *Lamprolepis R.Felder,1874 nec Fitzing.,1843; Lamprolepida Turner,1926*
- 4099. Lasiiochara Bethune-Baker,1904** (Limacodidae) Synonym(s): *Lasiiochara Bethune-Baker,1904*
- 4100. Lasiolimacos Bethune-Baker,1904** (Limacodidae) Synonym(s): *Lasiolimacos Bethune-Baker,1904*
- 4101. Latoia Guérin-Méneville,[1844]** (Limacodidae) Synonym(s): *Latoia Guérin-Méneville,[1844]; Somara Walker,1855; Asteria R.Felder & Rogenhofer,1874 nec Müll.,1775* Original Reference: *Latoia Guérin-Méneville,[1844], Iconog. Règne Anim. Cuvier 3 (Insectes): 512. Type-species: Latoia albifrons Guérin-Méneville,[1844], by monotypy.*
- 4102. Latoiola M.Hering,1955** (Limacodidae) Synonym(s): *Latoiola M.Hering,1955*
- 4103. Lepidorytis Aurivillius,1900** (Limacodidae) Synonym(s): *Lepidorytis Aurivillius,1900*
- 4104. Limacochara D.S.Fletcher,1982** (Limacodidae) Synonym(s): *Lasiiochara Bethune-Baker,1904 nec Gangl.,1895; Limacochara D.S.Fletcher,1982*
- 4105. Limacosilla M.Hering,1931** (Limacodidae) Synonym(s): *Limacosilla M.Hering,1931*
- 4106. Lymantricodes Holloway,1986** (Limacodidae) Synonym(s): *Lymantricodes Holloway,1986*
- 4107. Macroplecta Hampson,[1893]** (Limacodidae) Synonym(s): *Macroplecta Hampson,[1893]; #Microplecta Grünberg,1912.*
- 4108. Macroplectra Hampson,[1893]** (Limacodidae) Synonym(s): *Macroplectra Hampson,[1893]* Original Reference: *Macroplectra Hampson,[1893], Fauna Br. Ind., Moths 1 (1892): 376. Type-species: Cania ? minutissima Swinhoe,1890, by original designation.*
- 4109. Mahanta Moore,1879** (Limacodidae) Synonym(s): *Mahanta Moore,1879*
- 4110. Mambara Bethune-Baker,1908** (Limacodidae) Synonym(s): *Mambara Bethune-Baker,1908; Hypoblechra Turner,1926*
- 4111. Mambarilla M.Hering,1931** (Limacodidae) Synonym(s): *Mambarilla M.Hering,1931*
- 4112. Mecytha Walker,1855** (Limacodidae) Synonym(s): *Mecytha Walker,1855*
- 4113. Micraphe Karsch,1896** (Limacodidae) Synonym(s): *Micraphe Karsch,1896*
- 4114. Microleon Butler,1885** (Limacodidae) Synonym(s): *Microleon Butler,1885*
- 4115. Miresa Walker,1855** (Limacodidae) Synonym(s): *Nyssia Herrich-Schäffer,[1854] nec Dup.,1829; Miresa Walker,1855; Nyssia Walker,1855 nec Dup.,1829; Neomiresa Butler,1878*
- 4116. Monema Walker,1855** (Limacodidae) Synonym(s): *Monema Walker,1855*
- 4117. Monoplecta Janse,1964** (Limacodidae) Synonym(s): *Monoplecta Janse,1964*
- 4118. Nagoda Moore,1887** (Limacodidae) Synonym(s): *Nagoda Moore,1887*
- 4119. Nagodopsis Matsumura,1931** (Limacodidae) Synonym(s): *Nagodopsis Matsumura,1931*
- 4120. Narosa Walker,1856** (Limacodidae) Synonym(s): *Narosa Walker,1856; Penicillonarosa Strand,1917*
- 4121. Natada Walker,1855** (Limacodidae) Synonym(s): *Natada Walker,1855; Bombycocera R.Felder,1874; Rhinaxina Berg,1882; #Rhinaxime Davis,1983*
- 4122. Neogavara Janse,1964** (Limacodidae) Synonym(s): *Neogavara Janse,1964*
- 4123. Neomocena Janse,1964** (Limacodidae) Synonym(s): *Neomocena Janse,1964*
- 4124. Nervicompressa Bethune-Baker,1904** (Limacodidae) Synonym(s): *Nervicompressa Bethune-Baker,1904*
- 4125. Niphadolepis Karsch,1896** (Limacodidae) Synonym(s): *Niphadolepis Karsch,1896*

- 4126. Nirma Van Eecke, 1929** (Limaconidae) Synonym(s): *Nirma Van Eecke, 1925; Nirma Van Eecke, 1929*
- 4127. Nirmides M. Hering, 1931** (Limaconidae) Synonym(s): *Nirmides M. Hering, 1931*
- 4128. Olona Snellen, 1900** (Limaconidae) Synonym(s): *Olona Snellen, 1900*
- 4129. Omocenoides Janse, 1964** (Limaconidae) Synonym(s): *Omocenoides Janse, 1964*
- 4130. Pantoctenia R. Felder & Rogenhofer, 1874** (Limaconidae) Synonym(s): *Pantoctenia R. Felder & Rogenhofer, 1874; #Panoctenia Pinhey, 1975*
- 4131. Paraphlebs Aurivillius, 1921** (Limaconidae) Synonym(s): *Paraphlebs Aurivillius, 1921; Irostola Janse, 1964.*
- 4132. Parapluda Aurivillius, 1900** (Limaconidae) Synonym(s): *Parapluda Aurivillius, 1900*
- 4133. Parasa Moore, [1860]** (Limaconidae) Synonym(s): *Neaera Herrich-Schäffer, [1854] nec Robin.-Des., 1830; Parasa Moore, [1860]; Callochloa Packard, 1864; Neaerasa Staudinger, 1892; #Pacasa Wichgraf, 1908*
- 4134. Parasoidea M. Hering, 1931** (Limaconidae) Synonym(s): *Parasoidea M. Hering, 1931*
- 4135. Phlebodicha Karsch, 1896** (Limaconidae) Synonym(s): *Phlebodicha Karsch, 1896*
- 4136. Phlossa Walker, 1858** (Limaconidae) Synonym(s): *Phlossa Walker, 1858*
- 4137. Phocoderma Butler, 1886** (Limaconidae) Synonym(s): *Phocoderma Butler, 1886*
- 4138. Phrixolepia Butler, 1877** (Limaconidae) Synonym(s): *Phrixolepia Butler, 1877* **Original**
Reference: *Phrixolepia Butler, 1877, Ann. Mag. nat. Hist. (4) 20: 476.*
- 4139. Praesetora Holloway, 1986** (Limaconidae) Synonym(s): *Praesetora Holloway, 1986*
- 4140. Praesusica M. Hering, 1931** (Limaconidae) Synonym(s): *Praesusica M. Hering, 1931*
Original Reference: *Praesusica M. Hering, 1931, [in] Seitz, A., Gross-Schmett. Erde 10: 705.*
- 4141. Probalintha Walker, 1865** (Limaconidae) Synonym(s): *Probalintha Walker, 1865*
- 4142. Pseudaltha M. Hering, 1931** (Limaconidae) Synonym(s): *Pseudaltha M. Hering, 1931*
- 4143. Pseudanapaea M. Hering, 1931** (Limaconidae) Synonym(s): *Pseudanapaea M. Hering, 1931*
- 4144. Pseudidonauton M. Hering, 1931** (Limaconidae) Synonym(s): *Pseudidonauton M. Hering, 1931*
- 4145. Pseudonagoda Holloway, 1990** (Limaconidae) Synonym(s): *Pseudonagoda Holloway, 1990*
- 4146. Pseudonirmines Holloway, 1986** (Limaconidae) Synonym(s): *Pseudonirmines Holloway, 1986*
- 4147. Pseudothosea Janse, 1964** (Limaconidae) Synonym(s): *Pseudothosea Janse, 1964*
- 4148. Pygmaeomorpha Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Pygmaeomorpha Bethune-Baker, 1904*
- 4149. Quasithosea Holloway, 1987** (Limaconidae) Synonym(s): *Quasithosea Holloway, 1987*
- 4150. Rhamnopsis Matsumura, 1931** (Limaconidae) Synonym(s): *Rhamnopsis Matsumura, 1931*
- 4151. Rhamnosa Fixsen, 1887** (Limaconidae) Synonym(s): *Rhamnosa Fixsen, 1887*
- 4152. Rhypteira Holland, 1893** (Limaconidae) Synonym(s): *Rhypteira Holland, 1893*
- 4153. Saccurosa Holloway, 1986** (Limaconidae) Synonym(s): *Saccurosa Holloway, 1986*
- 4154. Scirrhomia Bethune-Baker, 1915** (Limaconidae) Synonym(s): *Scirrhomia Bethune-Baker, 1915*
- 4155. Scopelodes Westwood, 1841** (Limaconidae) Synonym(s): *Scopelodes Westwood, 1841; Asbolia Herrich-Schäffer, 1855; Bethura Walker, 1862*
- 4156. Scotinocerides M. Hering, 1937** (Limaconidae) Synonym(s): *SM.cotinocerides Hering, 1937*
- 4157. Scotinochroa Butler, 1897** (Limaconidae) Synonym(s): *Scotinochroa Butler, 1897; Parathosea Aurivillius, 1921*
- 4158. Semyrilla Aurivillius, 1900** (Limaconidae) Synonym(s): *Semyrilla Aurivillius, 1900; Hyphormoides Strand, 1914; #Semyrilla Fletcher, 1982.*
- 4159. Setora Walker, 1855** (Limaconidae) Synonym(s): *Setora Walker, 1855*
- 4160. Setothosea Holloway, 1986** (Limaconidae) Synonym(s): *Setothosea Holloway, 1986*
- 4161. Spatulifimbria Hampson, 1892** (Limaconidae) Synonym(s): *Spatulifimbria Hampson, 1892*
- 4162. Sporetolepis Karsch, 1899** (Limaconidae) Synonym(s): *Sporetolepis Karsch, 1899*
- 4163. Squamosa Bethune-Baker, 1908** (Limaconidae) Synonym(s): *Squamosa Bethune-Baker, 1908*
- 4164. Squamosala Bethune-Baker, 1904** (Limaconidae) Synonym(s): *Squamosala Bethune-Baker, 1904*
- 4165. Striogyia Holloway, 1986** (Limaconidae) Synonym(s): *Striogyia Holloway, 1986*
- 4166. Stroter Karsch, 1899** (Limaconidae) Synonym(s): *Stroter Karsch, 1899*
- 4167. Susica Walker, 1855** (Limaconidae) Synonym(s): *Susica Walker, 1855; Tadema Walker, 1856*
- 4168. Susicina M. Hering, 1955** (Limaconidae) Synonym(s): *Susicina M. Hering, 1955*
- 4169. Taeda Wallengren, 1863** (Limaconidae) Synonym(s): *Taeda Wallengren, 1863*

- 4170. *Tetraphleba* Strand,1921** (Limaodidae) Synonym(s): *Tetraphleps* Hampson,1892 nec Fieber,1861; *Tetraphleba* Strand,1921
- 4171. *Thosea* Walker,1855** (Limaodidae) Synonym(s): *Thosea* Walker,1855; *Anzabe* Walker,1855; *Autocopa* Meyrick,1889; *Dasycomota* Lower,1902
- 4172. *Trachyptena* Bethune-Baker,1911** (Limaodidae) Synonym(s): *Trachyptena* Bethune-Baker,1911; *Narosana* Bethune-Baker,1915; *Uniserrata* Janse,1964
- 4173. *Trichogyia* Hampson,1894** (Limaodidae) Synonym(s): *Trichogyia* Hampson,1894
- 4174. *Triplophleps* Hampson,1892** (Limaodidae) Synonym(s): *Triplophleps* Hampson,1892
- 4175. *Trogocrada* Tams,1953** (Limaodidae) Synonym(s): *Trogocrada* Tams,1953
- 4176. *Tryphax* Karsch,1896** (Limaodidae) Synonym(s): *Tryphax* Karsch,1896
- 4177. *Uniptectiphora* Janse,1964** (Limaodidae) Synonym(s): *Uniptectiphora* Janse,1964
- 4178. *Unithosea* Vari,1984** (Limaodidae) Synonym(s): *Neothosea* Janse,1964; *Unithosea* Vari,1984.
- 4179. *Zarachella* Jordan,1915** (Limaodidae) Synonym(s): *Zarachella* Jordan,1915
- 4180. *Zinara* Walker,1869** (Limaodidae) Synonym(s): *Zinara* Walker,1869
- 4181. *Zorostola* Janse,1964** (Limaodidae) Synonym(s): *Zorostola* Janse,1964
- 4182. *Abynotha* Swinhoe,1903** (Lymantriidae) Synonym(s): *Abynotha* Swinhoe,1903
- 4183. *Aclonophlebia* Butler,1898** (Lymantriidae) Synonym(s): *Aclonophlebia* Butler,1898
- 4184. *Acyphas* Walker,1855** (Lymantriidae) Synonym(s): *Acyphas* Walker,1855; *Anepa* Swinhoe,1903
- 4185. *Adetoneura* Collenette,1933** (Lymantriidae) Synonym(s): *Adetoneura* Collenette,1933
- 4186. *Amphekes* Collenette,1936** (Lymantriidae) Synonym(s): *Amphekes* Collenette,1936
Original Reference: *Amphekes* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 332. Type-species: *Amphekes gymna* Collenette,1936, by original designation.
- 4187. *Anexotamos* M.Hering,1926** (Lymantriidae) Synonym(s): *Anexotamos* M.Hering,1926
- 4188. *Arctornis* Germar,1810** (Lymantriidae) Synonym(s): *Arctornis* Germar,1810; #*Actornis* De Freina,1981 Original Reference: *Arctornis* Germar,1810, Diss. sistens Bombycum Species: 18. Type-species: *Bombyx v-nigrum* Fabricius,1775, by subsequent designation by Kirby,1892 (cited as *Phalaena l-nigrum* Müller, originally not included species) (cf. Watson et al.,1980: 16-17).
- 4189. *Argyrostigma* Aurivillius,[1905]** (Lymantriidae) Synonym(s): *Argyrostigma* Aurivillius,[1905]
- 4190. *Aroa* Walker,1855** (Lymantriidae) Synonym(s): *Gynaephora* Hübner,[1819]; *Cladophora* Geyer,1832; *Gynophora* Agassiz,1847; *Aroa* Walker,1855; *Caenina* R.Felder,1861; *Ornithopsyche* Wallengren,1863
- 4191. *Aruta* Swinhoe,1922** (Lymantriidae) Synonym(s): *Aruta* Swinhoe,1922
- 4192. *Aza* Walker,1865** (Lymantriidae) Synonym(s): *Aza* Walker,1865
- 4193. *Barlowia* Talbot,1929** (Lymantriidae) Synonym(s): *Barlowia* Talbot,1929
- 4194. *Bicellulophora* Janse,1915** (Lymantriidae) Synonym(s): *Bicellulophora* Janse,1915; #*Bicellulophora* Pinhey,1975
- 4195. *Bifurca* De Joannis,1929** (Lymantriidae) Synonym(s): *Bifurca* De Joannis,1929
- 4196. *Birnara* Butler,1879** (Lymantriidae) Synonym(s): *Birnara* Butler,1879
- 4197. *Bracharoa* Hampson,1905** (Lymantriidae) Synonym(s): *Bracharoa* Hampson,1905
- 4198. *Cadurca* Swinhoe,1906** (Lymantriidae) Synonym(s): *Cadurca* Swinhoe,1906
- 4199. *Calliteara* Butler,1881** (Lymantriidae) Synonym(s): *Calliteara* Butler,1881; *Elkneria* Börner,1932; *Takashachia* Matsumura,1929 Original Reference: *Calliteara* Butler,1881, Trans. ent. Soc. Lond. 1881: 12. Type-species: *Dasychira argentata* Butler,1881, by subsequent designation by Kirby,1892.
- 4200. *Carpenterella* Collenette,1933** (Lymantriidae) Synonym(s): *Carpenterella* Collenette,1933
- 4201. *Carriola* Swinhoe,1922** (Lymantriidae) Synonym(s): *Carriola* Swinhoe,1922
- 4202. *Casama* Walker,1865** (Lymantriidae) Synonym(s): *Casama* Walker,1865; *Beeria* Hartig,1963 nec Match,1957 Original Reference: *Casama* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 611. Type-species: *Casama indeterminata* Walker,1865.
- 4203. *Chibidukoga* Matsumura,1933** (Lymantriidae) Synonym(s): *Chibidukoga* Matsumura,1933
- 4204. *Chrysocyma* Hampson,1905** (Lymantriidae) Synonym(s): *Chrysocyma* Hampson,1905
- 4205. *Cifuna* Walker,1855** (Lymantriidae) Synonym(s): *Cifuna* Walker,1855; *Artaxa* Bremer,1861; *Baryaza* Moore,1879
- 4206. *Cimola* Walker,1855** (Lymantriidae) Synonym(s): *Cimola* Walker,1855
- 4207. *Cispia* Walker,1855** (Lymantriidae) Synonym(s): *Cispia* Walker,1855; *Caltura* Moore,1879; *Chaerotracha* Oberthür,1894
- 4208. *Cobanilla* Moore,1883** (Lymantriidae) Synonym(s): *Cobanilla* Moore,1883
- 4209. *Creagra* Wallengren,1865** (Lymantriidae) Synonym(s): *Creagra* Wallengren,1865; *Leucoperina* Aurivillius,1909

- 4210. Cropera Walker,1855** (Lymantriidae) Synonym(s): *Cropera Walker,1855*
- 4211. Crorema Walker,1855** (Lymantriidae) Synonym(s): *Crorema Walker,1855*; *#Cromera Dall'Asta,1975*
- 4212. Croremopsis M.Hering,1926** (Lymantriidae) Synonym(s): *Croremopsis M.Hering,1926*
- 4213. Dactylorhyncha Hampson,1892** (Lymantriidae) Synonym(s): *Dactylorhyncha Hampson,1892*
- 4214. Dactylorhynchides Strand,1920** (Lymantriidae) Synonym(s): *Dactylorhynchides Strand,1920*
- 4215. Daplasa Moore,1879** (Lymantriidae) Synonym(s): *Daplasa Moore,1879*
- 4216. Dasorgyia Staudinger,1881** (Lymantriidae) Synonym(s): *Dasorgyia Staudinger,1881*
Original Reference: *Dasorgyia Staudinger,1881, Stettin ent. Ztg. 42: 405-406. Type-species: Dasychira pumila Staudinger,1881, by monotypy.*
- 4217. Dasyarctia Gaede,1923** (Lymantriidae) Synonym(s): *Dasyarctia Gaede,1923*
- 4218. Dasychira Hübner,[1809]** (Lymantriidae) Synonym(s): *Dasychira Hübner,[1809]*
Original Reference: *Dasychira Hübner,[1809], Samml. exot. Schmett. 1: pl.[178]. Type-species: Dasychira tephra Hübner,[1809], by monotypy.*
- 4219. Dasychirana Bethune-Baker,1911** (Lymantriidae) Synonym(s): *Dasychirana Bethune-Baker,1911*
- 4220. Dasychirinula M.Hering,1926** (Lymantriidae) Synonym(s): *Dasychirinula M.Hering,1926*
- 4221. Dasylaelia Aurivillius,1925** (Lymantriidae) Synonym(s): *Dasylaelia Aurivillius,1925*
- 4222. Dendrophlebs Hampson,1893** (Lymantriidae) Synonym(s): *Dendrophlebs Hampson,1893*
- 4223. Dicallomera Butler,1881** (Lymantriidae) Synonym(s): *Dicallomera Butler,1881* Original Reference: *Dicallomera Butler,1881, Trans. ent. Soc. Lond. 1881: 12. Type-species: Phalaena fascelina Linnaeus,1758, by subsequent designation by Collenette,1935.*
- 4224. Dicranuropsis R.Felder & Rogenhofer,1874** (Lymantriidae) Synonym(s): *Dicranuropsis R.Felder & Rogenhofer,1874*
- 4225. Dura Moore,1879** (Lymantriidae) Synonym(s): *Dura Moore,1879*
- 4226. Dyasma Collenette,1960** (Lymantriidae) Synonym(s): *Dyasma Collenette,1960*
- 4227. Eopirga M.Hering,1926** (Lymantriidae) Synonym(s): *Eopirga M.Hering,1926*
- 4228. Eudasychira Möschler,1887** (Lymantriidae) Synonym(s): *Eudasychira Möschler,1887; Vietteria Griveaud,1977*
- 4229. Euproctidion Holland,1893** (Lymantriidae) Synonym(s): *Euproctidion Holland,1893*
- 4230. Euproctilopsis M.Hering,1926** (Lymantriidae) Synonym(s): *Euproctilopsis M.Hering,1926*
- 4231. Euproctis Hübner,[1819]** (Lymantriidae) Synonym(s): *Euproctis Hübner,[1819]; Nygmia Hübner,[1820]; Porthesia Stephens,1828; Antipha Walker,1855; Arna Walker,1855; Artaxa Walker,1855; Lacida Walker,1855; Dulichia Walker,1855; Lopera Walker,1855; Somena Walker,1856; Urocoma Herrich-Schäffer,1858; Ela Walker,1862; Utidava Walker,1863; Adlullia Walker,1865; Orvasca Walker,1865; Themaca Walker,1865; Cozola Walker,1865; Bembina Walker,1865; Gogana Walker,1866; Micromorphe R.Felder,1874; Choerotracha R.Felder,1874; Chionophasma Butler,1886; Ocybola Turner,1912; Meteuproctis Matsumura,1927; Epeuproctis Matsumura,1933; Vietterma Griveaud,1977; Knappetra Nye,1980; Sphrageidus Maes,1984* Original Reference: *Euproctis Hübner,[1819], Verz. bekannt. Schmett.: 159. Type-species: Phalaena chrysorrhoea Linnaeus,1758, by subsequent designation by Moore,[1883].*
- 4232. Euproctoides Bethune-Baker,1911** (Lymantriidae) Synonym(s): *Euproctoides Bethune-Baker,1911*
- 4233. Euzora Turner,1915** (Lymantriidae) Synonym(s): *Caragola Moore,1879 nec Gray,1851; Euzora Turner,1915; Caragolina Strand,1928*
- 4234. Grammoa Aurivillius,[1905]** (Lymantriidae) Synonym(s): *Grammoa Aurivillius,[1905]*
- 4235. Griveaudyria Viette,1984** (Lymantriidae) Synonym(s): *Lemuriana Griveaud,1976 (homonym); Griveaudyria Viette,1984*
- 4236. Gynaephora Hübner,[1819]** (Lymantriidae) Synonym(s): *Gynaephora Hübner,[1819]; Cladophora Geyer,1832; Gynophora Agassiz,1847; Aroa Walker,1855; Caenina Felder,1861; Ornithopsyche Wallengren,1863; Byrdia Schaus,1927; Konokareha Matsumura,1928*
- 4237. Habrophylla Turner,1921** (Lymantriidae) Synonym(s): *Habrophylla Turner,1921*
- 4238. Hemerophanes Collenette,1953** (Lymantriidae) Synonym(s): *Dasycampa Janse,1915 (homonym); Hemerophanes Collenette,1953*
- 4239. Heptaptosis Talbot,1929** (Lymantriidae) Synonym(s): *Heptaptosis Talbot,1929*
- 4240. Heracula Moore,1865** (Lymantriidae) Synonym(s): *Heracula Moore,1865*
- 4241. Heteronygmia Holland,1893** (Lymantriidae) Synonym(s): *Heteronygmia Holland,1893*
- 4242. Himala Moore,1879** (Lymantriidae) Synonym(s): *Himala Moore,1879*
- 4243. Homochira Hampson,1905** (Lymantriidae) Synonym(s): *Homochira Hampson,1905*

- 4244. Homoeomeria Wallengren,1865** (Lymantriidae) **Synonym(s):** *Homoeomeria Wallengren,1865; Redoa Swinhoe,1922*
- 4245. Hyaloperina Aurivillius,[1905]** (Lymantriidae) **Synonym(s):** *Hyaloperina Aurivillius,[1905]*
- 4246. Icta Walker,1855** (Lymantriidae) **Synonym(s):** *Icta Walker,1855*
- 4247. Ilemma Moore,[1860]** (Lymantriidae) **Synonym(s):** *Melia Walker,1855 nec Bosc,1813; Ilemma Moore,[1860]; Cadrusia Moore,1879; Malachitis Hampson,1895; Neocifuna Inoue,1982*
- 4248. Imaus Moore,1879** (Lymantriidae) **Synonym(s):** *Imaus Moore,1879*
- 4249. Kanchia Moore,1883** (Lymantriidae) **Synonym(s):** *Kanchia Moore,1883*
- 4250. Konokarecha Matsumura,1927** (Lymantriidae) **Synonym(s):** *Konokarecha Matsumura,1927*
- 4251. Lachana Moore,1888** (Lymantriidae) **Synonym(s):** *Lachana Moore,1888* **Original Reference:** *Lachana Moore,1888, Proc. zool. Soc. Lond. 1888: 397. Type-species: Lachana ladakensis Moore,1888, by monotypy.*
- 4252. Lacipa Walker,1855** (Lymantriidae) **Synonym(s):** *Lacipa Walker,1855; Microgymna Wallengren,1865*
- 4253. Laelia Stephens,1828** (Lymantriidae) **Synonym(s):** *Laelia Stephens,1828; Anthora Walker,1855 (preocc.); Charnidas Walker,1855; Procodeca Walker,1855; Ricine Walker,1855; Odagra Walker,1865; Harapa Moore,1879; Hondella Moore,[1883]; Laelioides Moore,[1883]; #Houdella Swinhoe,1923* **Original Reference:** *Laelia Stephens,1828, Illust. Br. Ent. (Haustellata) 2: 62. Type-species: Bombyx coenosa Hübner,1808, by monotypy.*
- 4254. Laeliolina M.Hering,1926** (Lymantriidae) **Synonym(s):** *Laeliolina M.Hering,1926*
- 4255. Laelioproctis M.Hering,1926** (Lymantriidae) **Synonym(s):** *Laelioproctis M.Hering,1926*
- 4256. Laelioproctis M.Hering,1926** (Lymantriidae) **Synonym(s):** *Laelioproctis M.Hering,1926*
- 4257. Laeloroa M.Hering,1926** (Lymantriidae) **Synonym(s):** *Laeloroa M.Hering,1926*
- 4258. Lepidopalpus Janse,1915** (Lymantriidae) **Synonym(s):** *Lepidopalpus Janse,1915*
- 4259. Leptaroa Hampson,1910** (Lymantriidae) **Synonym(s):** *Leptaroa Hampson,1910*
- 4260. Leptocneria Butler,1886** (Lymantriidae) **Synonym(s):** *Leptocneria Butler,1886; Anthelymantria Strand,1925*
- 4261. Leucoma Hübner,1822** (Lymantriidae) **Synonym(s):** *Leucoma Hübner,1822; Laria Schrank,1802 nec Scop.,1763; Stilpnotia Humprey & Westwood,1843; Leucosia Rambur,1866 nec Wb.,1795; Nymphyx Grote,1895* **Original Reference:** *Leucoma Hübner,1822, Syst.- alphab. Verz.: 14-16, 18, 19. Type-species: Phalaena salicis Linnaeus,1758, by subsequent designation by Westwood,1840.*
- 4262. Leucoperina Aurivillius,1909** (Lymantriidae) **Synonym(s):** *Leucoperina Aurivillius,1909; Syntaxis M.Hering,1926*
- 4263. Liparodonta M.Hering,1926** (Lymantriidae) **Synonym(s):** *Liparodonta M.Hering,1926*
- 4264. Locharna Moore,1879** (Lymantriidae) **Synonym(s):** *Locharna Moore,1879*
- 4265. Lomadonta Holland,1893** (Lymantriidae) **Synonym(s):** *Lomadonta Holland,1893*
- 4266. Lymantria Hübner,[1819]** (Lymantriidae) **Synonym(s):** *Lymantria Hübner,[1819]; Porthetria Hübner,[1819]; Hypogymna Billberg,1820; Sericaria Berthold,1827; Psilura Stephens,1828; Enome Walker,1855* **Original Reference:** *Lymantria Hübner,[1819], Verz. bekannt. Schmett.: 160. Type-species: Phalaena monacha Linnaeus,1758, by subsequent designation by Moore,[1883].*
- 4267. Lymantriades Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *Lymantriades Bethune-Baker,1911*
- 4268. Macrolaelia Aurivillius,1925** (Lymantriidae) **Synonym(s):** *Macrolaelia Aurivillius,1925*
- 4269. Malachitis Hampson,1895** (Lymantriidae) **Synonym(s):** *Malachitis Hampson,1895*
- 4270. Marbla Swinhoe,1903** (Lymantriidae) **Synonym(s):** *Marbla Swinhoe,1903; Marbloides M.Hering,1926*
- 4271. Marblepsis M.Hering,1926** (Lymantriidae) **Synonym(s):** *Marblepsis M.Hering,1926*
- 4272. Mardara Walker,1865** (Lymantriidae) **Synonym(s):** *Mardara Walker,1865; Mahoba Moore,1879*
- 4273. Medama Matsumura,1931** (Lymantriidae) **Synonym(s):** *Medama Matsumura,1931*
- 4274. Meteuproctis Matsumura,1927** (Lymantriidae) **Synonym(s):** *Meteuproctis Matsumura,1927*
- 4275. Micraroa Hampson,1905** (Lymantriidae) **Synonym(s):** *Micraroa Hampson,1905*
- 4276. Morasa Walker,1855** (Lymantriidae) **Synonym(s):** *Morasa Walker,1855*
- 4277. Mylantria Aurivillius,[1905]** (Lymantriidae) **Synonym(s):** *Mylantria Aurivillius,[1905]*
- 4278. Naroma Walker,1856** (Lymantriidae) **Synonym(s):** *Naroma Walker,1856; Zarfa Walker,1869; Woerdenia Snellen,1873*
- 4279. Neomardara M.Hering,1926** (Lymantriidae) **Synonym(s):** *Neomardara M.Hering,1926*
- 4280. Neorgyia Bethune-Baker,1908** (Lymantriidae) **Synonym(s):** *Neorgyia Bethune-Baker,1908*
- 4281. Noleca Walker,1855** (Lymantriidae) **Synonym(s):** *Noleca Walker,1855*

- 4282. Nolioproctis M.Hering,1926** (Lymantriidae) **Synonym(s):** *Nolioproctis M.Hering,1926*
- 4283. Numenes Walker,1855** (Lymantriidae) **Synonym(s):** *Numenes Walker,1855; Pseudomesa Walker,1855*
- 4284. Numenoides Butler,1879** (Lymantriidae) **Synonym(s):** *Numenoides Butler,1879*
- 4285. Ocneria Hübner,[1819]** (Lymantriidae) **Synonym(s):** *Ocneria Hübner,[1819]* **Original Reference:** *Ocneria Hübner,[1819]*, Verz. bekannt. Schmett. 158. Type-species: *Bombyx rubea* [Denis & Schiffermüller],1775, by subsequent designation by Kirby,1892.
- 4286. Ocnerogyia Staudinger,[1892]** (Lymantriidae) **Synonym(s):** *Ocnerogyia Staudinger,[1892]; #Ocnerorgyia Staudinger,[1892]; #Ocnerogyna De Freina,1999* **Original Reference:** *Ocnerogyia Staudinger,[1892]*, Dt. ent. Z., Iris 4: 254. Type-species: *Ocnerogyia amanda Staudinger,1892*, by monotypy.
- 4287. Ogoa Walker,1856** (Lymantriidae) **Synonym(s):** *Ogoa Walker,1856* **Original Reference:** *Ogoa Walker,1856*, List Specimens lepid. Insects Colln Br. Mus. 7: 1763. Type-species: *Ogoa simplex Walker,1856*, by monotypy.
- 4288. Olapa Walker,1855** (Lymantriidae) **Synonym(s):** *Olapa Walker,1855; Antiphella Walker,1856; Pseudogenusa Rebel,1914; Poneopirga Berio,1937*
- 4289. Olene Hübner,[1823]** (Lymantriidae) **Synonym(s):** *Olene Hübner,[1823]; Rilia Walker,1855; Nioda Walker,1855; Thelde Walker,1862; Turriga Walker,1869*
- 4290. Oligeria Turner,1921** (Lymantriidae) **Synonym(s):** *Oligeria Turner,1921*
- 4291. Orgyia Ochsenheimer,1810** (Lymantriidae) **Synonym(s):** *Orgyia Ochsenheimer,1810; Notolophus Germar,1812; Orgyia Zetterstedt,1839; Teia Walker,1855; Clethrogyna Rambur,1866; Micropterogyna Rambur,1866; Apterogynis Guenée,[1875]* **Original Reference:** *Orgyia Ochsenheimer,1810*, Schmett. Eur. 3: 208. Type-species: *Phalaena antiqua Linnaeus,1758*, by subsequent designation by Curtis,1831.
- 4292. Pachycispia Butler,1882** (Lymantriidae) **Synonym(s):** *Pachycispia Butler,1882; #Pachicispia M.Hering,1926*
- 4293. Palasea Wallengren,1863** (Lymantriidae) **Synonym(s):** *Palasea Wallengren,1863*
- 4294. Pantana Walker,1855** (Lymantriidae) **Synonym(s):** *Pantana Walker,1855; Genusa Walker,1855; Etobema Walker,1865; Birmara Butler,1879*
- 4295. Paramarbla Collenette,1937** (Lymantriidae) **Synonym(s):** *Paramarbla Collenette,1937*
- 4296. Parapellucens Holloway,1999** (Lymantriidae) **Synonym(s):** *Parapellucens Holloway,1999*
- 4297. Parapirga Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *Parapirga Bethune-Baker,1911*
- 4298. Paraproctis Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *Paraproctis Bethune-Baker,1911*
- 4299. Paraxena Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *Paraxena Bethune-Baker,1911*
- 4300. Parocneria Dyar,1897** (Lymantriidae) **Synonym(s):** *Parocneria Dyar,1897; Uliolepis W.Warren,1897; Maimaia Matsumura,1933; Daniela Hartig,1963 nec Koch,1891.* **Original Reference:** *Parocneria Dyar,1897*, Can. Ent. 29 (1): 13. Type-species: *Phalaena detrita Esper,1785*.
- 4301. Parvaroa Holloway,1999** (Lymantriidae) **Synonym(s):** *Parvaroa Holloway,1999*
- 4302. Pendria Swinhoe,1906** (Lymantriidae) **Synonym(s):** *Pendria Swinhoe,1906*
- 4303. Penthopha Germar,1812** (Lymantriidae) **Synonym(s):** *Penthopha Germar,1812*
- 4304. Perina Walker,1855** (Lymantriidae) **Synonym(s):** *Perina Walker,1855*
- 4305. Pida Walker,1865** (Lymantriidae) **Synonym(s):** *Pida Walker,1865; Locharna Moore,1879; Dokuga Matsumura,1927*
- 4306. Pirga Aurivillius,1891** (Lymantriidae) **Synonym(s):** *Pirga Aurivillius,1891*
- 4307. Pirgula Tessmann,1921** (Lymantriidae) **Synonym(s):** *Pirgula Tessmann,1921; Pirgulina M.Hering,1926*
- 4308. Polymona Walker,1855** (Lymantriidae) **Synonym(s):** *Polymona Walker,1855; Oreinobia Wallengren,1865* **Original Reference:** *Polymona Walker,1855*, List Specimens lepid. Insects Colln Br. Mus. 3: 768. Type-species: *Polymona rufifemur Walker,1855*, by monotypy.
- 4309. Porthesaroa Hering,1926** (Lymantriidae) **Synonym(s):** *Porthesaroa Hering,1926*
- 4310. Porthmeia Bethune-Baker,1908** (Lymantriidae) **Synonym(s):** *Porthmeia Bethune-Baker,1908*
- 4311. Psalis Hübner,1823** (Lymantriidae) **Synonym(s):** *Psalis Hübner,1823; Arestha Walker,1855; Anchyneura Felder,1861*
- 4312. Pseudobazisa Bryk,1934** (Lymantriidae) **Synonym(s):** *Pseudobazisa Bryk,1934*
- 4313. Psilochira Toxopeus,1948** (Lymantriidae) **Synonym(s):** *Psilochira Toxopeus,1948*
- 4314. Pteredoa Hampson,1905** (Lymantriidae) **Synonym(s):** *Pteredoa Hampson,1905*
- 4315. Redoa Walker,1855** (Lymantriidae) **Synonym(s):** *Redoa Walker,1855*

- 4316. Repena Walker, 1855** (Lymantriidae) Synonym(s): *Repena Walker, 1855*
- 4317. Rhodesana Bethune-Baker, 1908** (Lymantriidae) Synonym(s): *Rhodesana Bethune-Baker, 1908*
- 4318. Rhypopteryx Aurivillius, 1879** (Lymantriidae) Synonym(s): *Rhypopteryx Aurivillius, 1879*
- 4319. Rhypotoses Collenette, 1931** (Lymantriidae) Synonym(s): *Rhypotoses Collenette, 1931*
- 4320. Ruanda Strand, 1909** (Lymantriidae) Synonym(s): *Ruanda Strand, 1909*
- 4321. Salvatgea Griveaud, 1977** (Lymantriidae) Synonym(s): *Salvatgea Griveaud, 1977*
- 4322. Scarpona Walker, 1862** (Lymantriidae) Synonym(s): *Scarpona Walker, 1862; Ciaca Walker, 1865; Topomesa Walker, 1866*
- 4323. Schalidomitra Strand, 1911** (Lymantriidae) Synonym(s): *Schalidomitra Strand, 1911*
- 4324. Sevastopuloa Collenette, 1960** (Lymantriidae) Synonym(s): *Sevastopuloa Collenette, 1960*
- 4325. Shisa Strand, 1916** (Lymantriidae) Synonym(s): *Shisa Strand, 1916*
- 4326. Sitvia Walker, 1865** (Lymantriidae) Synonym(s): *Sitvia Walker, 1865*
- 4327. Somatoxena Aurivillius, [1905]** (Lymantriidae) Synonym(s): *Somatoxena Aurivillius, [1905]*
- 4328. Stenaroa Hampson, 1910** (Lymantriidae) Synonym(s): *Stenaroa Hampson, 1910*
- 4329. Stracena Swinhoe, 1903** (Lymantriidae) Synonym(s): *Stracena Swinhoe, 1903; Sapelia Swinhoe, 1904*
- 4330. Stracilla M. Hering, 1926** (Lymantriidae) Synonym(s): *Stracilla M. Hering, 1926*
- 4331. Tearosoma R. Felder & Rogenhofer, 1874** (Lymantriidae) Synonym(s): *Tearosoma R. Felder & Rogenhofer, 1874*
- 4332. Terphotrix Holland, 1893** (Lymantriidae) Synonym(s): *Terphotrix Holland, 1893*
- 4333. Theriophila M. Hering, 1932** (Lymantriidae) Synonym(s): *Theriophila M. Hering, 1932*
- 4334. Thiacidias Walker, 1855** (Lymantriidae) Synonym(s): *Thiacidias Walker, 1855*
- 4335. Topomesoides Strand, 1910** (Lymantriidae) Synonym(s): *Topomesoides Strand, 1910*
- 4336. Toxoproctis Holloway, 1999** (Lymantriidae) Synonym(s): *Toxoproctis Holloway, 1999*
- 4337. Bedellia Stainton, 1849** (Lyonetiidae) Synonym(s): *Bedellia Stainton, 1849; #Bedellia Parenti, 2000* Original Reference: *Bedellia Stainton, 1849, Attempt Syst. Cat. Br. Tineidae Pterophoridae: 23. Type-species: Bedellia orpheella Stainton, 1849, ibidem: 23, by monotypy.*
- 4338. Chrysolytis Meyrick, 1937** (Lyonetiidae) Synonym(s): *Chrysolytis Meyrick, 1937*
- 4339. Copobathra Meyrick, 1911** (Lyonetiidae) Synonym(s): *Copobathra Meyrick, 1911*
- 4340. Crobylophora Meyrick, 1880** (Lyonetiidae) Synonym(s): *Crobylophora Meyrick, 1880*
- 4341. Cycloponympha Meyrick, 1913** (Lyonetiidae) Synonym(s): *Cycloponympha Meyrick, 1913; #Cyclonympha Neave, 1939*
- 4342. Leucoptera Hübner, [1825]** (Lyonetiidae) Synonym(s): *Leucoptera Hübner, [1825]; Cemistoma Zeller, 1848; Proleucoptera Busck, 1902; Paraleucoptera Heinrich, 1918; Perileucoptera Silvestri, 1943.* Original Reference: *Leucoptera Hübner, [1825], Verz. bekannter Schmett.: 426. Type-species: Tinea spartifoliella Hübner, [1813], Samml. eur. Schmett. 8: pl. 49, fig. 335, by subsequent designation by Walsingham, 1914, Biologia cent.-am. (Zool.) Lepid.- Heterocera 4: 348.*
- 4343. Lyonetia Hübner, [1825]** (Lyonetiidae) Synonym(s): *Lyonetia Hübner, [1825]; Nocturno Gistel, 1847; Olethria Gistel, 1848; Gracillaroides Bruand, 1851; Syncrobyla Meyrick, 1915; Lyonetiola Kuroko, 1964* Original Reference: *Lyonetia Hübner, [1825], Verz. bekannt. Schmett.: 423. Type-species: Phalaena clerckella Linnaeus, 1758, by subsequent designation by Hampson, 1918.*
- 4344. Muhabbetia Koçak, 2005** (Lyonetiidae) Synonym(s): *Corythophora Braun, 1915 nec Lw., 1862; Muhabbetia Koçak, 2005* Original Reference: *Muhabbetia Koçak, 2005, Priamus 11 (3): 59 (nom. nov. pro Corythophora Braun, 1915 nec Loew, 1862). Type-species: Corythophora aurea Braun, 1915.*
- 4345. Phyllobrostis (Pilotocoma) Meyrick, 1913** (Lyonetiidae) Synonym(s): *Pilotocoma Meyrick, 1913*
- 4346. Phyllobrostis (s.str.) Staudinger, 1859** (Lyonetiidae) Synonym(s): *Phyllobrostis Staudinger, 1859* Original Reference: *Phyllobrostis Staudinger, 1859, Stettin ent. Ztg. 20: 257. Type-species: Phyllobrostis daphneella Staudinger, 1859, by monotypy.*
- 4347. Phyllobrostis Staudinger, 1859** (Lyonetiidae) Synonym(s): *Phyllobrostis Staudinger, 1859* Original Reference: *Phyllobrostis Staudinger, 1859, Stettin ent. Ztg. 20: 257. Type-species: Phyllobrostis daphneella Staudinger, 1859, by monotypy.*
- 4348. Lypusa Zeller, 1852** (Lypusidae) Synonym(s): *Lypusa Zeller, 1852* Original Reference: *Lypusa Zeller, 1852, Linn. Ent. 7: 331, 333. Type-species: Tinea maurella [Denis & Schiffermüller], 1775, by monotypy.*
- 4349. Aethiopina Gaede, 1929** (Metarbelidae) Synonym(s): *Aethiopina Gaede, 1929*
- 4350. Arbeloides Karsch, 1896** (Metarbelidae) Synonym(s): *Arbeloides Karsch, 1896*

- 4351. Indarbela T.B.Fletcher,1922** (Metarbelidae) **Synonym(s):** *Arbela Moore,1879 (praeocc.); Indarbela T.B.Fletcher,1922; Lepidarbela Dalla Torre & Strand,1923*
- 4352. Lebedodes Holland,1893** (Metarbelidae) **Synonym(s):** *Lebedodes Holland,1893; #Lebedodes Grünberg,1912*
- 4353. Marschalliana Aurivillius,1901** (Metarbelidae) **Synonym(s):** *Marschalliana Aurivillius,1901*
- 4354. Metarbela Holland,1893** (Metarbelidae) **Synonym(s):** *Metarbela Holland,1893*
- 4355. Metarbelodes Strand,1909** (Metarbelidae) **Synonym(s):** *Metarbelodes Strand,1909*
- 4356. Ortharbela Aurivillius,1910** (Metarbelidae) **Synonym(s):** *Ortharbela Aurivillius,1910*
- 4357. Paralebedella Strand,1923** (Metarbelidae) **Synonym(s):** *Paralebeda Hampson,1910 (praeocc.); Paralebedella Strand,1923*
- 4358. Salagena Walker,1865** (Metarbelidae) **Synonym(s):** *Salagena Walker,1865; Pettigramma Karsch,1895; Catarbela Aurivillius,1901; #Selagena Hampson,1910*
- 4359. Squamura Heylaerts,1890** (Metarbelidae) **Synonym(s):** *Squamura Heylaerts,1890*
Original Reference: *Squamura Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., p.xxvi. Type-species: Squamura maculata Heylaerts,1890, by monotypy.*
- 4360. Teragra Walker,1855** (Metarbelidae) **Synonym(s):** *Teragra Walker,1855*
- 4361. Disca Fibiger,2007** (Micronoctuidae) **Synonym(s):** *Disca Fibiger,2007*
- 4362. Micronola Amsel,1935** (Micronoctuidae) **Synonym(s):** *Micronola Amsel,1935; Micronoctua Fibiger,1997*
Original Reference: *Micronola Amsel,1935, Veröff. Dt.-kolon.Übersee-Mus. Bremen 1: 215. Type-species: Micronola wadicola Amsel,1935, by monotypy.*
- 4363. Pollex (Bilobiana) Fibiger,2007** (Micronoctuidae) **Synonym(s):** *Bilobiana Fibiger,2007*
- 4364. Pollex (Proma) Fibiger,2007** (Micronoctuidae) **Synonym(s):** *Proma Fibiger,2007*
- 4365. Pollex (s.str.) Fibiger,2007** (Micronoctuidae) **Synonym(s):** *Pollex Fibiger,2007*
- 4366. Pollex Fibiger,2007** (Micronoctuidae) **Synonym(s):** *Pollex Fibiger,2007*
- 4367. Tolpia Walker,1863** (Micronoctuidae) **Synonym(s):** *Tolpia Walker,1863*
- 4368. Agrionympha Meyrick,1921** (Micropterigidae) **Synonym(s):** *Agrionympha Meyrick,1921*
- 4369. Microptericina Zagulyaev,1983** (Micropterigidae) **Synonym(s):** *Microptericina Zagulyaev,1983*
Original Reference: *Microptericina Zagulyaev,1983, Ent. Obozr. 62: 113. Type-species: Micropteryx amasiella Staudinger,1880, Horae Soc. ent. ross. 15: 421, by original designation.*
- 4370. Micropterix Hübner,[1825]** (Micropterigidae) **Synonym(s):** *Micropterix Hübner,[1825]; Eriocephala Curtis,1839; Micropteryx Zeller,1839; Electrocrania Kuznetsov,1941*
Original Reference: *Micropterix Hübner,[1825], Verz. bekannter Schmett.: 426. Type-species: Tinea podevinella Hübner,[1813], Samml. eur. Schmett. 8: pl.50 fig.342, by subsequent designation by Meyrick, 1912, in Wytzman, Genera Insect. 132: 6.*
- 4371. Aleyda Schaus,1928** (Mimallonidae) **Synonym(s):** *Aleyda Schaus,1928*
- 4372. Cicinnus Blanchard,1852** (Mimallonidae) **Synonym(s):** *Saccophora Harris,1841 nec Brdt.,1837; Perophora Harris,1841 nec Wieg.,1835; Cicinnus Blanchard,1852; Ptochopsyche Grote,1896*
- 4373. Euphaneta Schaus,1928** (Mimallonidae) **Synonym(s):** *Phaneta Walker,1855 nec Stph.,1852; Euphaneta Schaus,1928*
- 4374. Mimallo Hübner,[1820]** (Mimallonidae) **Synonym(s):** *Mimallo Hübner,[1820]*
- 4375. Psychocampa Grote & Robinson,1866** (Mimallonidae) **Synonym(s):** *Psychocampa Grote & Robinson,1866*
- 4376. Roelofa Schaus,1928** (Mimallonidae) **Synonym(s):** *Roelofa Schaus,1928*
- 4377. Mirina Staudinger,1887** (Mirinidae) **Synonym(s):** *Mirina Staudinger,1887*
- 4378. Bifascia Amsel,1961** (Mompidae) **Synonym(s):** *Bifascia Amsel,1961*
- 4379. Bifascioides Kasy,1968** (Mompidae) **Synonym(s):** *Bifascioides Kasy,1968*
- 4380. Mompha (Anybia) Stainton,1854** (Mompidae) **Synonym(s):** *Anybia Stainton,1854*
- 4381. Mompha (Cyphophora) Herrich-Schäffer,1853** (Mompidae) **Synonym(s):** *Cyphophora Herrich-Schäffer,1853*
- 4382. Mompha (Lophoptilus) Sircom,1848** (Mompidae) **Synonym(s):** *Lophoptilus Sircom,1848*
Original Reference: *Lophoptilus Sircom,1848, Zoologist 6(63): 2037. Type-species: Lophoptilus staintoni Sircom,1848, ibidem 6(63): 2037, by monotypy.*
- 4383. Mompha (Psacaphora) Herrich-Schäffer,1853** (Mompidae) **Synonym(s):** *Psacaphora Herrich-Schäffer,1853*
- 4384. Mompha (s.str.) Hübner,[1825]** (Mompidae) **Synonym(s):** *Mompha Hübner,[1825]; Laverna Curtis,1839*
Original Reference: *Mompha Hübner,[1825], Verz. bekannt. Schmett.: 414. Type-species: Tinea conturbatella Hübner,[1819], Samml. eur. Schmett. 8: pl.67 fig. 450, by subsequent designation by Walsingham & Durrant,1909, Entomologist's mon. Mag. 45: 173.*

- 4385. Mompha Hübner,[1825]** (Mompidae) **Synonym(s):** *Mompha Hübner,[1825]; Laverna Curtis,1839* Original Reference: *Mompha Hübner,[1825], Verz. bekannt. Schmett.: 414. Type-species: Tinea conturbatella Hübner,[1819], by subsequent designation by Walsingham & Durrant,1909.*
- 4386. Urodeta Stainton,1869** (Mompidae) **Synonym(s):** *Urodeta Stainton,1869*
- 4387. Acalyptris Meyrick,1921** (Nepticulidae) **Synonym(s):** *Acalyptris Meyrick,1921; Microcalyptris Brown,1925; Niepeltia Strand,1934; Weberia Müller-Rutz,1934; Weberina Müller-Rutz,1934.*
- 4388. Areticulata Scoble,1983** (Nepticulidae) **Synonym(s):** *Areticulata Scoble,1983*
- 4389. Bohemania Stainton,1859** (Nepticulidae) **Synonym(s):** *Bohemania Stainton,1859*
- 4390. Ectoedemia (Etainia) Beirne,1945** (Nepticulidae) **Synonym(s):** *Obrussa Braun,1915 nec Heyd.,1891; Etainia Beirne,1945*
- 4391. Ectoedemia (Fomoria) Beirne,1945** (Nepticulidae) **Synonym(s):** *Fomoria Beirne,1945*
- 4392. Ectoedemia (Muhabbetana) Koçak,2007** (Nepticulidae) **Synonym(s):** *Laqueus Scoble,1983 nec Dahl,1870; Muhabbetana Koçak,2007* Original Reference: *Muhabbetana Koçak,2007, in Koçak & Kemal, Cent. ent. Stud., Misc. Pap. 105: 5 (nomen novum pro Laqueus Scoble,1983 nec Dahl,1870).*
- 4393. Ectoedemia (Zimmermannia) M.Hering,1940** (Nepticulidae) **Synonym(s):** *Zimmermannia M.Hering,1940*
- 4394. Ectoedemia (s.str.) Busck,1907** (Nepticulidae) **Synonym(s):** *Ectoedemia Busck,1907; Dechitiria Beirne,1945*
- 4395. Ectoedemia Busck,1907** (Nepticulidae) **Synonym(s):** *Ectoedemia Busck,1907* Original Reference: *Ectoedemia Busck,1907, Proc. ent. Soc. Wash. 8:97. Type-species: Ectoedemia populella Busck,1907, ibidem 8:98, by original designation.*
- 4396. Enteucha Meyrick,1915** (Nepticulidae) **Synonym(s):** *Enteucha Meyrick,1915; Oligoneura Davis,1978 nec Big.,1878; Artaversala Davis,1978; Manoneura Davis,1979; Johanssonia Borkowski,1972 nec Selensky,1914; Johanssoniella Koçak,1981* Original Reference: *Enteucha Meyrick,1915, Trans. ent. Soc. Lond. 1915: 241. Type-species: Enteucha cyanochlora Meyrick,1915, by monotypy*
- 4397. Fomoria Beirne,1945** (Nepticulidae) **Synonym(s):** *Fomoria Beirne,1945* Original Reference: *Fomoria Beirne,1945, Proc. R. Ir. Acad. 50 (B): 208. Type-species: Nepticula weaveri Stainton,1855, Entomologist's Annu 1855 (Edn 1): 49, frontispiece fig.5, by original designation.*
- 4398. Parafomoria Van Nieukerken,1983** (Nepticulidae) **Synonym(s):** *Parafomoria Van Nieukerken,1983*
- 4399. Simplimorpha Scoble,1983** (Nepticulidae) **Synonym(s):** *Simplimorpha Scoble,1983*
- 4400. Stigmella Schrank,1802** (Nepticulidae) **Synonym(s):** *Stigmella Schrank,1802* Original Reference: *Stigmella Schrank,1802, Fauna Boica 2(2): 169. Type-species: Phalaena anomalella Goeze,1783, Ent. Beyträge 3(4): 168, by subsequent designation by Walsingham,1908, Proc. zool. Soc. Lond. 1907: 1008.*
- 4401. Trifurcula (Glaucolepis) Braun,1917** (Nepticulidae) **Synonym(s):** *Glaucolepis Braun,1917; Fedalmia Beirne,1945; Sinoptacula Yang,1989*
- 4402. Trifurcula (Levarchama) Beirne,1945** (Nepticulidae) **Synonym(s):** *Levarchama Beirne,1945*
- 4403. Trifurcula Zeller,1848** (Nepticulidae) **Synonym(s):** *Trifurcula Zeller,1848* Original Reference: *Trifurcula Zeller,1848, Linn. ent. 3: 249,330. Type-species: Trifurcula pallidella Zeller,1848, ibidem 3:332, figs 51,52, by subsequent designation by Tutt,1899, Br. Lepid. 1:355.*
- 4404. Varius Scoble,1983** (Nepticulidae) **Synonym(s):** *Varius Scoble,1983*
- 4405. Ableptina A.E.Prout,1927** (Noctuidae) **Synonym(s):** *Ableptina A.E.Prout,1927*
- 4406. Abrostola Ochsenheimer,1816** (Noctuidae) **Synonym(s):** *#Unca Oken,1813; Abrostola Ochsenheimer,1816; Habrostola Sodoffsky,1837; Inguridia Butler,1879; Unca Lhomme,[1929]; Trigeminostola Beck,1991; Asclepiostola Beck,1991* Original Reference: *Abrostola Ochsenheimer,1816, Schmett. Eur. 4: 88. Type-species: Phalaena triplasia Linnaeus,1758, by subsequent designation by Duponchel,1829.*
- 4407. Aburina Möschler,1887** (Noctuidae) **Synonym(s):** *Aburina Möschler,1887; Ugana Swinhoe,1909*
- 4408. Acaenica Hampson,1918** (Noctuidae) **Synonym(s):** *Acaenica Hampson,1918*
- 4409. Acanthodelta Hampson,1908** (Noctuidae) **Synonym(s):** *Acanthodelta Hampson,1908*
- 4410. Acanthofrontia Hampson,1910** (Noctuidae) **Synonym(s):** *Acanthofrontia Hampson,1910*
- 4411. Acantholipes Lederer,1857** (Noctuidae) **Synonym(s):** *Acantholipes Lederer,1857; Docela Walker,[1866]; Lasionota W.Warren,1912 (homonym); Nolaseniola Strand,1920; Isatoolna Nye,1975* Original

- Reference: *Acantholipes* Lederer, 1857, *Noctuinen Eur.* 44, 198. Type-species: *Noctua regularis* Hübner, [1813], by monotypy.
- 4412. *Acantuerta Hampson, 1907*** (Noctuidae) Synonym(s): *Acantuerta Hampson, 1907*
- 4413. *Achaea Hübner, [1823]*** (Noctuidae) Synonym(s): *Achaea Hübner, [1823]*; *Geria Walker, 1858*
- 4414. *Acharya Moore, 1882*** (Noctuidae) Synonym(s): *Acharya Moore, 1882*
- 4415. *Achinola Hampson, 1896*** (Noctuidae) Synonym(s): *Achinola Hampson, 1896*
- 4416. *Acontia (Acontarache) Berio, 1977*** (Noctuidae) Synonym(s): *Acontarache Berio, 1977*
- 4417. *Acontia (Emmelia) Hübner, [1821]*** (Noctuidae) Synonym(s): *Emmelia Hübner, [1821]*; *Erotyla Hübner, 1822*; *Agrophila Boisduval, 1840*; *Ponometia Herrich-Schäffer, 1868*; *Fruva Grote, 1877*; *Heliodora Neumoegen, 1891*; *Graeperia Grote, 1895*; *Therasesa Grote, 1895*; *Trachidia Hampson, 1898*; *Tornacontia Smith, 1900*; *Conacontia Smith, 1900*; *Conochares Smith, 1905*; *Neptunia Barnes & McDunnough, 1911*; *Hemispargueia Barnes & McDunnough, 1923*; *Acropserotarache Berio, 1937*; *Emmelacontia Beck, 2000* Original Reference: *Emmelia* Hübner, [1821], *Verz. bekannt. Schmett.*: 254. Type-species: *Phalaena sulphuarlis* Linnaeus, 1767, by monotypy.
- 4418. *Acontia (Eusceptis) Hübner, [1823]*** (Noctuidae) Synonym(s): *Eusceptis Hübner, [1823]*; *Eugraphia Guenée, 1852*
- 4419. *Acontia (Metapioplasta) Wallengren, 1865*** (Noctuidae) Synonym(s): *Metapioplasta Wallengren, 1865*; *Aulotarache Hampson, 1910*
- 4420. *Acontia (Olivacontia) Hacker, Legrain & Fibiger, 2008*** (Noctuidae) Synonym(s): *Olivacontia Hacker, Legrain & Fibiger, 2008*
- 4421. *Acontia (Uracontia) Beck, 1996*** (Noctuidae) Synonym(s): *Uracontia Beck, 1996* Original Reference: *Uracontia Beck, 1996*, *Neue ent. Nachr.* 36: 50. Type-species: *Acontia urania* Frivaldsky, 1835, by original designation.
- 4422. *Acontia Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Acontia Ochsenheimer, 1816*; *Tarache Hübner, [1823]*; *Desmophora Stephens, 1829*; *Euphasia Stephens, 1830*; *Heliothera Sodoffsky, 1837*; *Porrotha Gisl, 1848*; *Tima Walker, [1858]*; *Pseudalypia H. Edwards, 1874*; *Spragueia Grote, 1875*; *Trichotarache Grote, 1875*; *Hoplotarache Hampson, 1910*; *Prociosis Hampson, 1910*; *Cardiosace Hampson, 1910*; *Fredina Brandt, 1939* Original Reference: *Acontia Ochsenheimer, 1816*, *Schmett. Eur.* 4: 91. Type-species: *Noctua solaris* [Denis & Schiffermüller], 1775, by subsequent designation by Duponchel, 1829.
- 4423. *Acontiola Staudinger, [1900]*** (Noctuidae) Synonym(s): *Acontiola Staudinger, [1900]* Original Reference: *Acontiola Staudinger, [1900]*, *Dt. ent. Z., Iris* 12 (1899): 382-383. Type-species: *Acontiola sancta* Staudinger, [1900], by monotypy.
- 4424. *Acosmetia Stephens, 1829*** (Noctuidae) Synonym(s): *Acosmetia Stephens, 1829*; *Hydrilla Boisduval, 1840*. Original Reference: *Acosmetia Stephens, 1829*, *Nom. Br. Insects*: 43. Type-species: *Noctua caliginosa* Hübner, [1813], *Samml. eur. Schmett.* 4: pl. 100 fig. 474, by subsequent designation by Curtis, 1831, *Br. Ent.* 8: 356.
- 4425. *Acrapex Hampson, 1894*** (Noctuidae) Synonym(s): *Acrapex Hampson, 1894*; *Acutipenna Hampson, 1894*. Original Reference: *Acrapex Hampson, 1894*, *Fauna Br. India (Moths)* 2: xiii, 286. Type-species: *Leucania prisca* Walker, 1866, by original designation.
- 4426. *Acripia Walker, 1863*** (Noctuidae) Synonym(s): *Acripia Walker, 1863*
- 4427. *Acrobyla Rebel, 1903*** (Noctuidae) Synonym(s): *Acrobyla Rebel, 1903* Original Reference: *Acrobyla Rebel, 1903*, *Dt. ent. Z., Iris* 16: 68. Type-species: *Acrobyla kneuckeri* Rebel, 1903, by monotypy.
- 4428. *Acronicta (Hyboma) Hübner, [1820]*** (Noctuidae) Synonym(s): *Hyboma Hübner, [1820]* Original Reference: *Hyboma Hübner, [1820]*, *Verz. bekannt. Schmett.*: 200. Type-species: *Noctua strigosa* [Denis & Schiffermüller], 1775, by subsequent designation by Moore, 1884.
- 4429. *Acronicta (Plataplecta) Butler, 1878*** (Noctuidae) Synonym(s): *Plataplecta Butler, 1878*
- 4430. *Acronicta (Subacronicta) Kozhantshikov, 1950*** (Noctuidae) Synonym(s): *Subacronicta Kozhantshikov, 1950* Original Reference: *Subacronicta Kozhantshikov, 1950*, *Fauna USSR (Insecta) Lepid.* 12: 456. Type-species: *Noctua megacephala* [Denis & Schiffermüller], 1775, by original designation.
- 4431. *Acronicta (Triaena) Hübner, 1818*** (Noctuidae) Synonym(s): *#Apatele Hübner, 1808*; *Triaena Hübner, 1818*; *Semaphora Guenée, 1841*; *Sematophora Agassiz, 1846*; *Cuspidia Chapman, 1890* Original Reference: *Triaena Hübner, 1818*, *Zuträge Samml. exot. Schmett.* 1: 21. Type-species: *Phalaena psi* Linnaeus, 1758, by subsequent designation by Grote (1873).
- 4432. *Acronicta (Viminia) Chapman, 1890*** (Noctuidae) Synonym(s): *Viminia Chapman, 1890*; *Pharetra Hübner, [1820]*; *Chamaepora W. Warren, 1909* Original Reference: *Viminia Chapman, 1890*, *Entomologist's Rec. J. Var.* 1: 26. Type-species: *Phalaena rumicis* Linnaeus, 1758, by subsequent designation by Chapman (1890).

- 4433. Acronicta (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta Ochsenheimer,1816* Original Reference: *Acronicta Ochsenheimer,1816*, Schmett. Eur. 4: 62. Type-species: *Phalaena leporina* Linnaeus,1758, by subsequent designation by Curtis,1826.
- 4434. Acronicta Ochsenheimer,1816** (Noctuidae) Synonym(s): *Acronicta Ochsenheimer,1816* Original Reference: *Acronicta Ochsenheimer,1816*, Schmett. Eur. 4: 62. Type-species: *Phalaena leporina* Linnaeus,1758, by subsequent designation by Curtis,1826.
- 4435. Actebia (Perissandria) W.Warren,1909** (Noctuidae) Synonym(s): *Perissandria W.Warren,1909* Original Reference: *Perissandria W.Warren,1909*, [in] Seitz,A., Gross-Schmett. Erde 3: 58. Type-species: *Eicomorpha argillacea* Alpheraky,1892, by original designation.
- 4436. Actebia (s.str.) Stephens,1829** (Noctuidae) Synonym(s): *Actebia Stephens,1829*; *Hapalia Hübner,[1821] nec Hbn.,1818*; *Dissimactebia Beck,1991* Original Reference: *Actebia Stephens,1829*, Nom. Br. Insects: 41. Type-species: *Phalaena praecox* Linnaeus,1758, by monotypy.
- 4437. Actebia Stephens,1829** (Noctuidae) Synonym(s): *Actebia Stephens,1829*; *Hapalia Hübner,[1821] nec Hbn.,1818*; *Dissimactebia Beck,1991* Original Reference: *Actebia Stephens,1829*, Nom. Br. Insects: 41. Type-species: *Phalaena praecox* Linnaeus,1758, by monotypy.
- 4438. Actinotia Hübner,[1821]** (Noctuidae) Synonym(s): *Actinotia Hübner,[1821]*; *Radinotia Beck,1996* Original Reference: *Actinotia Hübner,[1821]*, Verz. bekannt. Schmett.: 244. Type-species: *Phalaena perspicillaris* Linnaeus,1761, by subsequent designation by Grote,1874.
- 4439. Adisura Moore,1881** (Noctuidae) Synonym(s): *Adisura Moore,1881*; *Astonycha Turner,1920*
- 4440. Adrapsa Walker,[1859]** (Noctuidae) Synonym(s): *Adrapsa Walker,[1859]*
- 4441. Adris Moore,1881** (Noctuidae) Synonym(s): *Adris Moore,1881*
- 4442. Aedia Hübner,[1823]** (Noctuidae) Synonym(s): *Aedia Hübner,[1823]*; *Anophia Guenée,1841* Original Reference: *Aedia Hübner,[1823]*, Verz. bekannt. Schmett.: 260. Type-species: *Noctua funesta* Esper,1786, by subsequent designation by Hampson,1902.
- 4443. Aedophron Lederer,1857** (Noctuidae) Synonym(s): *Aedophron Lederer,1857* Original Reference: *Aedophron Lederer,1857*, Noctuinen Eur.: 43, 180. Type-species: *Heliothis rhodites* Eversmann,1851, by monotypy.
- 4444. Aegilia Walker,[1858]** (Noctuidae) Synonym(s): *Aegilia Walker,[1858]*
- 4445. Aegle Hübner,[1823]** (Noctuidae) Synonym(s): *Aegle Hübner,[1823]*; *Metaegle Hampson,1908* Original Reference: *Aegle Hübner,[1823]*, Verz. bekannt. Schmett.: 257. Type-species: *Tortrix kaekeritziana* Hübner,[1799], by subsequent designation by Hampson,1910.
- 4446. Aegocera Latreille,1809** (Noctuidae) Synonym(s): *Aegocera Latreille,1809*; *Aegoceropsis Karsch,1895*; *Polacanthopoda Hampson,1901*
- 4447. Aereopteron Hampson,1893** (Noctuidae) Synonym(s): *Aereopteron Hampson,1893*; *Aereopterum Hampson,1895*; *Thelxinoa Turner,1902*; *Essonistis Meyrick,1902*; *Araeoptera Hampson,1910*
- 4448. Africalpe C.G.Krüger,1939** (Noctuidae) Synonym(s): *Africalpe C.G.Krüger,1939*
- 4449. Afrogartyna M.Krüger,1997** (Noctuidae) Synonym(s): *Afrogartyna M.Krüger,1997*
- 4450. Agamana Walker,[1866]** (Noctuidae) Synonym(s): *Agamana Walker,[1866]*; *Parafodina Hampson,1926*
- 4451. Agarista Leach,1815** (Noctuidae) Synonym(s): *Agarista Leach,1815*; *#Agrista Angas,1847*
- 4452. Agnorisma Lafontaine,1998** (Noctuidae) Synonym(s): *Agnorisma Lafontaine,1998*
- 4453. Agoma Kiriakoff,1976** (Noctuidae) Synonym(s): *Agoma Kiriakoff,1976*
- 4454. Agrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Agrapha Hübner,[1821]*; *Acanthoplusia Dufay,1970*; *Ctenoplusia Dufay,1970*. Original Reference: *Agrapha Hübner,[1821]*, Verz. bekannt. Schmett.: 250. Type-species: *Agrapha ahenea* Hübner,[1821] (=glauca Stoll,1780), by subsequent designation by Grote,1896.
- 4455. Agrochola (Alpichola) Ronkay,1984** (Noctuidae) Synonym(s): *Alpichola Ronkay,1984* Original Reference: *Alpichola Ronkay,1984*, Acta zool. hung. 30 (1/2): 184. Type-species: *Agrochola egorovi* O.Bang-Haas,1934, by original designation.
- 4456. Agrochola (Anchoscelis) Guenée,1839** (Noctuidae) Synonym(s): *Anchoscelis Guenée,1839*; *Agrolitha Berio,1980*; *Pseudanchoscelis Beck,1991*; *Humichola Beck,1991*; *Rufachola Beck,1991*; *Thurnerichola Beck,1991*; *Osthelderichola Beck,1991* Original Reference: *Anchoscelis Guenée,1839*, Anns Soc. ent. Fr. 8: 483. Type-species: *Noctua nitida* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1841.
- 4457. Agrochola (Frivaldskyola) Ronkay,1984** (Noctuidae) Synonym(s): *Frivaldskyola Ronkay,1984* Original Reference: *Frivaldskyola Ronkay,1984*, Acta zool. hung. 30: Type-species: *Cerastis manuseta* Herrich-Schäffer,[1850], by original designation.

- 4458. Agrochola (Haemachola) Beck,1991** (Noctuidae) Synonym(s): *Haemachola Beck,1991*
Original Reference: *Agrochola (Haemachola) Beck,1991, Atalanta 22 (2/4): 205.* Type-species: *Agrochola haematidea* Duponchel,1827, by original designation.
- 4459. Agrochola (Leptologia) Prout,1901** (Noctuidae) Synonym(s): *Leptologia Prout,1901*
Original Reference: *Leptologia Prout,1901, Entomologist's Rec. J. Var. 13: 183.* Type-species: [*Phalaena*] *lota* Clerck,1759, by original designation.
- 4460. Agrochola (Propenistra) Berio,1980** (Noctuidae) Synonym(s): *Propenistra Berio,1980*
Original Reference: *Propenistra Berio,1980, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 15, 18.* Type-species: *Noctua laevis* Hübner,[1813], by original designation.
- 4461. Agrochola (Sunira) Franclemont,1950** (Noctuidae) Synonym(s): *Sunira Franclemont,1950*
Original Reference: *Sunira Franclemont,1950, Bull. Brooklyn ent. Soc. 45: 148.* Type-species: *Xanthia bicolorago* Guenée,1852, by original designation.
- 4462. Agrochola (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Agrochola Hübner,[1821]; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991*
Original Reference: *Agrochola Hübner,[1821], Verz. bekannt. Schmett.: 229.* Type-species: *Noctua pistacina* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1906.
- 4463. Agrochola Hübner,[1821]** (Noctuidae) Synonym(s): *Agrochola Hübner,[1821]; Lycanades Franclemont,1937; Alexia De Laever nec Leach,1817; Agrolitha Berio,1980; Delaeveria Berio,1980; Xandria De Laever,1983; Pseudanchoscelis Beck,1991; Humichola Beck,1991; Rufachola Beck,1991; Haemachola Beck,1991; Thurnerichola Beck,1991; Osthelderichola Beck,1991; Fissipunctia Beck,1991; Aurxanthia Beck,1991*
Original Reference: *Agrochola Hübner,[1821], Verz. bekannt. Schmett.: 229.* Type-species: *Noctua pistacina* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1906.
- 4464. Agrotis (Crassagrotis) Beck,1991** (Noctuidae) Synonym(s): *Crassagrotis Beck,1991*
Original Reference: *Crassagrotis Beck,1991, Atalanta 22: 180.* Type-species: *Noctua crassa* Hübner,[1803], by original designation.
- 4465. Agrotis (Leucagrotis) Beck,1991** (Noctuidae) Synonym(s): *Leucagrotis Beck,1991*
Original Reference: *Leucagrotis Beck,1991, Atalanta 22: 181.* Type-species: *Agrotis graslini* Rambur,1848, by original designation.
- 4466. Agrotis (Putagrotis) Beck,1991** (Noctuidae) Synonym(s): *Putagrotis Beck,1991*
Original Reference: *Putagrotis Beck,1991, Atalanta 22: 181.* Type-species: *Noctua puta* Hübner,[1803], by original designation.
- 4467. Agrotis (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Agrotis Ochsenheimer,1816*
Original Reference: *Agrotis Ochsenheimer,1816, Schmett. Eur. 4: 66.* Type-species: *Agrotis segetum* [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1827.
- 4468. Agrotis Ochsenheimer,1816** (Noctuidae) Synonym(s): *Agrotis Ochsenheimer,1816*
Original Reference: *Agrotis Ochsenheimer,1816, Schmett. Eur. 4: 66.* Type-species: *Agrotis segetum* [Denis & Schiffermüller],1775, by subsequent designation by Curtis,1827.
- 4469. Ahoyemenia Koçak & Kemal,2008** (Noctuidae) Synonym(s): *Araeopterella Fibiger & Hacker,2001 nec Dyar,1914; Ahoyemenia Koçak & Kemal,2008*
Original Reference: *Ahoyemenia Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 138: 10 (pro Araeopterella Fibiger & Hacker,2001 nec Dyar,1914).*
- 4470. Aiteta Walker,1856** (Noctuidae) Synonym(s): *Aiteta Walker,1856; Capotena Walker,1857; Brada Walker,1858 (praeocc.); Chaladra Walker,1865; Phanaca Walker,1865; Thyrsocelis Meyrick,1889.*
- 4471. Ala Staudinger,1882** (Noctuidae) Synonym(s): *Ala Staudinger,1882*
- 4472. Alcanola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Alcanola Laszlo, G.Ronkay & Witt,2010*
- 4473. Alelimma Hampson,1895** (Noctuidae) Synonym(s): *Alelimma Hampson,1895; Hepsidera Swinhoe,1902*
- 4474. Allomeganephria G.Ronkay,L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *Allomeganephria G.Ronkay,L.Ronkay, Gyulai & Hacker,2010*
- 4475. Allophyes (Boursinyes) Ronkay, Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *Boursinyes Ronkay, Ronkay & Gyulai,2011*
Original Reference: *Boursinyes Ronkay, Ronkay & Gyulai,2011, Witt Catalogue 5: 102.* Type-species:
- 4476. Allophyes (Crassophyes) Ronkay, Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *Crassophyes Ronkay, Ronkay & Gyulai,2011*
Original Reference: *Crassophyes Ronkay, Ronkay & Gyulai,2011, Witt Catalogue 5: 115.* Type-species: *Meganephria renalis* Wiltshire,1941, by original designation.

- 4477. Allophyes (Ohshimyces) Ronkay, Ronkay & Gyulai, 2011** (Noctuidae) **Synonym(s):** *Ohshimyces Ronkay, Ronkay & Gyulai, 2011* **Original Reference:** *Ohshimyces Ronkay, Ronkay & Gyulai, 2011*, Witt catalogue 5: 104. Type-species: *Allophyes alces Ronkay, Ronkay & Gyulai, 2011*, by original designation.
- 4478. Allophyes (s.str.) Tams, 1942** (Noctuidae) **Synonym(s):** *Allophyes Tams, 1942* **Original Reference:** *Allophyes Tams, 1942*, Entomologist 75: 209. Type-species: *Phalaena oxyacanthae* Linnaeus, 1758, by original designation.
- 4479. Allophyes Tams, 1942** (Noctuidae) **Synonym(s):** *Allophyes Tams, 1942* **Original Reference:** *Allophyes Tams, 1942*, Entomologist 75: 209. Type-species: *Phalaena oxyacanthae* Linnaeus, 1758, by original designation.
- 4480. Altipolia Plante, 1985** (Noctuidae) **Synonym(s):** *Altipolia Plante, 1985*
- 4481. Alvaradoia Agenjo, 1984** (Noctuidae) **Synonym(s):** *Alvaradoia Agenjo, 1984* **Original Reference:** *Alvaradoia Agenjo, 1984*, Eos 59: 10. Type-species: *Agrophila numerica* Boisdual, 1840, by original designation.
- 4482. Amazonides D.S. Fletcher, 1961** (Noctuidae) **Synonym(s):** *Amazonides D.S. Fletcher, 1961*
- 4483. Amblyprora Bethune-Baker, 1911** (Noctuidae) **Synonym(s):** *Amblyprora Bethune-Baker, 1911*
- 4484. Amefrontia Hampson, 1899** (Noctuidae) **Synonym(s):** *Amefrontia Hampson, 1899*
- 4485. Amephana Hampson, 1906** (Noctuidae) **Synonym(s):** *Amephana Hampson, 1906* **Original Reference:** *Amephana Hampson, 1906*, Cat. Lepid. Phalaenae Br. Mus. 6: viii, 106. Type-species: *Cleophana anarrhini* Duponchel, [1840], by original designation.
- 4486. Ametropalpis Mabilie, 1884** (Noctuidae) **Synonym(s):** *Ametropalpis Mabilie, 1884*
- 4487. Amilaga Swinhoe, 1901** (Noctuidae) **Synonym(s):** *Amilaga Swinhoe, 1901* **Original Reference:** *Amilaga Swinhoe, 1901*, Ann. Mag. nat. Hist. (7) 8: 16.
- 4488. Ammetopa Hampson, 1906** (Noctuidae) **Synonym(s):** *Ammetopa Hampson, 1906*
- 4489. Ammoconia Lederer, 1857** (Noctuidae) **Synonym(s):** *Ammoconia Lederer, 1857*; #*Ammocania Tschetverikov, 1904* **Original Reference:** *Ammoconia Lederer, 1857*, Noctuinen Eur.: 33, 97. Type-species: *Noctua caecimacula* [Denis & Schiffermüller], 1775, by subsequent designation by Hampson, 1903.
- 4490. Ammogrotis Staudinger, 1895** (Noctuidae) **Synonym(s):** *Ammogrotis Staudinger, 1895*
- 4491. Ammopolia Boursin, 1955** (Noctuidae) **Synonym(s):** *Ammopolia Boursin, 1955* **Original Reference:** *Ammopolia Boursin, 1955*, Bull. mens. Soc. linn. Lyon 24: 219. Type-species: *Orthosia witzenmanni* Standfuss, 1890, by original designation.
- 4492. Amphia Guenée, 1852** (Noctuidae) **Synonym(s):** *Amphia Guenée, 1852*
- 4493. Amphigonia Guenée, 1852** (Noctuidae) **Synonym(s):** *Amphigonia Guenée, 1852*
- 4494. Amphipoea Billberg, 1820** (Noctuidae) **Synonym(s):** *Amphipoea Billberg, 1820* **Original Reference:** *Amphipoea Billberg, 1820*, Enumeratio Insect. Mus. G.J. Billberg: 87. Type-species: *Phalaena nictitans* Linnaeus, 1767, by subsequent designation by Franclemont, 1950.
- 4495. Amphipyra (Pyrois) Hübner, [1820]** (Noctuidae) **Synonym(s):** *Pyrois Hübner, [1820]*; *Syntomopus Guenée, 1837 nec Wlk., 1833*; *Adpyramidcampa Beck, 1991* **Original Reference:** *Pyrois Hübner, [1820]*, Verz. bekannt. Schmett.: 208. Type-species: *Phalaena cinnamomea* Goeze, 1781, by subsequent designation by Hampson (1908).
- 4496. Amphipyra (s.str.) Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Amphipyra Ochsenheimer, 1816*; *Scotophila Hübner, [1821]*; *Pyrophila Stephens, 1829*; *Philopyra Guenée, 1852*; *Neocomia Rougemont, 1902*; *Pyramidcampa Beck, 1991*; *Adamphipyra Beck, 1991*; *Tetrapyra Beck, 1991*; *Antiamphipyra Beck, 1991* **Original Reference:** *Amphipyra Ochsenheimer, 1816*, Schmett. Eur. 4: 70. Type-species: [*Phalaena*] *tragopoginis* Clerck, 1759, by subsequent designation by Duponchel, 1829.
- 4497. Amphipyra Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Amphipyra Ochsenheimer, 1816*; *Scotophila Hübner, [1821]*; *Pyrophila Stephens, 1829*; *Philopyra Guenée, 1852*; *Neocomia Rougemont, 1902*; *Pyramidcampa Beck, 1991*; *Adamphipyra Beck, 1991*; *Tetrapyra Beck, 1991*; *Antiamphipyra Beck, 1991* **Original Reference:** *Amphipyra Ochsenheimer, 1816*, Schmett. Eur. 4: 70. Type-species: [*Phalaena*] *tragopoginis* Clerck, 1759, by subsequent designation by Duponchel, 1829.
- 4498. Amyna Guenée, 1852** (Noctuidae) **Synonym(s):** *Amyna Guenée, 1852*; *Berresa Walker, [1859]*; *Ilattia Walker, [1859]*; *Lochia Walker, 1865*; *Pteraetholix Grote, 1873*; *Chytoryza Grote, 1876*; *Hesperimorpha Saalmüller, 1880*; *Amynodes W. Warren, 1913*; *Formosamyna Strand, 1920*
- 4499. Anacronycta W. Warren, 1909** (Noctuidae) **Synonym(s):** *Anacronycta W. Warren, 1909*
- 4500. Anadevidia Kostrowicki, 1961** (Noctuidae) **Synonym(s):** *Anadevidia Kostrowicki, 1961*; *Podioplusia Ichinose, 1962*
- 4501. Anagnia Walker, 1854** (Noctuidae) **Synonym(s):** *Anagnia Walker, 1854*; #*Anagina auct.*

- 4502. Anagnorisma L.Ronkay & Varga,1999** (Noctuidae) **Synonym(s):** *Anagnorisma L.Ronkay & Varga,1999* Original Reference: *Anagnorisma L.Ronkay & Varga,1999*, Acta zool. Acad. Sci. Hung. 45 (4): 361. Type-species: *Eugnorisma goniophora* Varga, L.Ronkay & Hacker,1990, by original designation.
- 4503. Analetia (Anapoma) Berio,1980** (Noctuidae) **Synonym(s):** *Apoma Berio,1980 nec Beck,1837; Anapoma Berio,1980*
- 4504. Analetia (s.str.) Calora,1966** (Noctuidae) **Synonym(s):** *Analetia Calora,1966*
- 4505. Analetia Calora,1966** (Noctuidae) **Synonym(s):** *Analetia Calora,1966*
- 4506. Ananepa Hampson,1926** (Noctuidae) **Synonym(s):** *Ananepa Hampson,1926*
- 4507. Anaplectoides McDunnough,[1929]** (Noctuidae) **Synonym(s):** *Anaplectoides McDunnough,[1929]* Original Reference: *Anaplectoides McDunnough,[1929]*, Bull. Dep. Mines, Can. 55 (1928): 65. Type-species: *Eurois pressus* Grote,1874, by original designation.
- 4508. Anarta Ochsenheimer,1816** (Noctuidae) **Synonym(s):** *Anarta Ochsenheimer,1816; Charelia Sodoffsky,1837; Melanarta Beck,1991; Coronarta Beck,1991*
- 4509. Anartomima Boursin,1952** (Noctuidae) **Synonym(s):** *Anartomima Boursin,1952*
- 4510. Anartomorpha Alpheraky,1892** (Noctuidae) **Synonym(s):** *Anartomorpha Alpheraky,1892*
- 4511. Anathetis Janse,1938** (Noctuidae) **Synonym(s):** *Anathetis Janse,1938*
- 4512. Ancara Walker,1858** (Noctuidae) **Synonym(s):** *Ancara Walker,1858; Ancaroides Bethune-Baker,1906*
- 4513. Androlymnia Hampson,1908** (Noctuidae) **Synonym(s):** *Androlymnia Hampson,1908*
- 4514. Anedhella Viette,1965** (Noctuidae) **Synonym(s):** *Anedhella Viette,1965*
- 4515. Anepholcia A.E.Prout,1924** (Noctuidae) **Synonym(s):** *Anepholcia A.E.Prout,1924*
- 4516. Anereuthina Hübner,1813** (Noctuidae) **Synonym(s):** *Anereuthina Hübner,1813; Hypaetra Guenée,1852*
- 4517. Anigraea Walker,1862** (Noctuidae) **Synonym(s):** *Anigraea Walker,1862*
- 4518. Anisoneura Guenée,1852** (Noctuidae) **Synonym(s):** *Anisoneura Guenée,1852*
- 4519. Anoba Walker,1858** (Noctuidae) **Synonym(s):** *Anoba Walker,1858; Galapha Walker,1858; Tephrias Wallengren,1860; Baxagha Walker,1865; Arctinia Möschler,1880; Bessacta W.Warren,1912*
- 4520. Anomis Hübner,[1821]** (Noctuidae) **Synonym(s):** *Anomis Hübner,[1821]; Cosmophila Boisduval,1833; Anomus Agassiz,1847; Amarna Walker,[1857]; Rusicada Walker,1858; Scoedisa Walker,1858; Deremma Walker,1865; Tridata Walker,1865; Capitaria Walker,1869; #Gonotis Moore,1882; Deinopalpus Holland,1894; Molopa Swinhoe,1902; Gonopteronia Bethune-Baker,1906; #Gonepteronia Kenrick,1917* Original Reference: *Anomis Hübner,[1821]*, Verz. bekannt. Schmett.: 249. Type-species: *Anomis exacta* Hübner,[1822], by subsequent monotypy.
- 4521. Anomocala Tams,1935** (Noctuidae) **Synonym(s):** *Anomocala Tams,1935*
- 4522. Anophiodes Hampson,1913** (Noctuidae) **Synonym(s):** *Catephiodes Bethune-Baker,1908 nec Hmps.,1905; Anophiodes Hampson,1913*
- 4523. Anoratha Moore,1867** (Noctuidae) **Synonym(s):** *Anoratha Moore,1867*
- 4524. Antapamea Sugi,1982** (Noctuidae) **Synonym(s):** *Antapamea Sugi,1982*
- 4525. Antarchaea Hübner,[1821]** (Noctuidae) **Synonym(s):** *Antarchaea Hübner,[1821]; Daona Walker,1864; Byturna Moore,1883; Myana Swinhoe,1884; Pseudomicra Butler,1892* Original Reference: *Antarchaea Hübner,[1821]*, Verz. bekannt. Schmett.: 254. Type-species: *Noctua numisma* Hübner,[1803], by monotypy.
- 4526. Anthracia Hübner,[1823]** (Noctuidae) **Synonym(s):** *Anthracia Hübner,[1823]; Gracilipalpus Calberla,1888; Micromania Christoph,1893; Scioptila W.Warren,1911* Original Reference: *Anthracia Hübner,[1823]*, Verz. bekannt. Schmett.: 275. Type-species: *Noctua ephialtes* Hübner,[1822], by subsequent designation by Berio (1957).
- 4527. Anticarsia Hübner,1818** (Noctuidae) **Synonym(s):** *Anticarsia Hübner,1818; Azazia Walker,1858*
- 4528. Antiophlebia R.Felder & Rogenhofer,1874** (Noctuidae) **Synonym(s):** *Antiophlebia R.Felder & Rogenhofer,1874*
- 4529. Antitrisuloides Holloway,1985** (Noctuidae) **Synonym(s):** *Antitrisuloides Holloway,1985*
- 4530. Antitype Hübner,[1821]** (Noctuidae) **Synonym(s):** *Antitype Hübner,[1821]* Original Reference: *Antitype Hübner,[1821]*, Verz. bekannt. Schmett.: 212. Type-species: *Phalaena chi* Linnaeus,1758, by subsequent designation by Hampson,1906.
- 4531. Anua Walker,1858** (Noctuidae) **Synonym(s):** *Anua Walker,1858; Stenopsis Mabille,1880; Trichanua Berio,1954*
- 4532. Anuga Guenée,1852** (Noctuidae) **Synonym(s):** *Anuga Guenée,1852; Caecila Walker,1858; Piada Walker,1858; Phumana Walker,[1863]; Spersara Walker,[1863]; Mimanuga W.Warren,1913*

- 4533. Anumeta Walker, 1858** (Noctuidae) Synonym(s): *Anumeta Walker, 1858*; *Palpangula Staudinger, 1877*; *Eremonoma W. Warren, 1913* Original Reference: *Anumeta Walker, 1858*, List Specimens lepid. Insects Colln Br. Mus. 15: 1769. Type-species: *Anumeta atosignata Walker, 1858*, by monotypy.
- 4534. Anydrophila John, 1909** (Noctuidae) Synonym(s): *Anydrophila John, 1909* Original Reference: *Anydrophila John, 1909*, Revue russ. Ent. 9: 123. Type-species: *Euclidia mirifica Erschoff, 1874*, by original designation.
- 4535. Apaegocera Hampson, 1905** (Noctuidae) Synonym(s): *Apaegocera Hampson, 1905*
- 4536. Apamea (Alexapamea) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Alexapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4537. Apamea (Cernauncus) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Cernauncus Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4538. Apamea (Digitapamea) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Digitapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4539. Apamea (Hirudapamea) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Hirudapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4540. Apamea (Mixtapamea) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Mixtapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4541. Apamea (Vovapamea) Zilli, Varga, G. Ronkay & L. Ronkay, 2009** (Noctuidae) Synonym(s): *Vovapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 4542. Apamea (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer, 1816*; *Abromias Billberg, 1820*; *Septis Hübner, [1821]*; *Hama Stephens, 1829*; *Xylophasia Stephens, 1829*; *Agrostobia Boie, 1835*; *Crymodes Guenée, 1841*; *Syma Stephens, 1850*; *Eleemosia Prout, 1901*; *Protagrotis Hampson, 1903*; *Trichoplexia Hampson, 1908*; *Heteromma W. Warren, 1911*; *Heterommiola Strand, 1912*; *Apaconjunctdonta Beck, 1991*; *Loscopia Beck, 1991*; *Furvabromias Beck, 1991* Original Reference: *Apamea Ochsenheimer, 1816*, Schmett. Eur. 4: 75. Type-species: *Noctua basilinea [Denis & Schiff.], 1775*, by subsequent designation by Samouelle (1819).
- 4543. Apamea Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Apamea Ochsenheimer, 1816*; *Abromias Billberg, 1820*; *Septis Hübner, [1821]*; *Hama Stephens, 1829*; *Xylophasia Stephens, 1829*; *Agrostobia Boie, 1835*; *Crymodes Guenée, 1841*; *Syma Stephens, 1850*; *Eleemosia Prout, 1901*; *Protagrotis Hampson, 1903*; *Trichoplexia Hampson, 1908*; *Heteromma W. Warren, 1911*; *Heterommiola Strand, 1912*; *Apaconjunctdonta Beck, [1992]* Original Reference: *Apamea Ochsenheimer, 1816*, Schmett. Eur. 4: 75. Type-species: *Noctua basilinea [Denis & Schiff.], 1775*, by subsequent designation by Samouelle (1819).
- 4544. Apaustis Hübner, [1823]** (Noctuidae) Synonym(s): *Apaustis Hübner, [1823]* Original Reference: *Apaustis Hübner, [1823]*, Verz. bekannt. Schmett.: [258]. Type-species: *Noctua heliophila Hübner, [1803]*, by monotypy.
- 4545. Aplotelia W. Warren, 1914** (Noctuidae) Synonym(s): *Aplotelia W. Warren, 1914*
- 4546. Apopestes Hübner, [1823]** (Noctuidae) Synonym(s): *Apopestes Hübner, [1823]*; *Spintherops Boisduval, 1840* Original Reference: *Apopestes Hübner, [1823]*, Verz. bekannt. Schmett.: 275. Type-species: *Noctua spectrum Esper, 1787*, by monotypy.
- 4547. Aporophoba Berio, 1977** (Noctuidae) Synonym(s): *Aporophoba Berio, 1977*
- 4548. Aporophyla Guenée, 1841** (Noctuidae) Synonym(s): *Aporophyla Guenée, 1841* Original Reference: *Aporophyla Guenée, 1841*, Anns Soc. ent. Fr. 10: 246. Type-species: *Xylina australis Boisduval, 1829*, by monotypy.
- 4549. Apospasta D.S. Fletcher, 1959** (Noctuidae) Synonym(s): *Apospasta D.S. Fletcher, 1959*
- 4550. Apostema W. Warren, 1913** (Noctuidae) Synonym(s): *Apostema W. Warren, 1913*
- 4551. Apothripa Hampson, 1907** (Noctuidae) Synonym(s): *Apothripa Hampson, 1907*
- 4552. Appana Moore, 1881** (Noctuidae) Synonym(s): *Appana Moore, 1881*
- 4553. Apsarasa Moore, 1867** (Noctuidae) Synonym(s): *Apsarasa Moore, 1867*
- 4554. Aquis Walker, 1858** (Noctuidae) Synonym(s): *Aquis Walker, 1858*
- 4555. Aquita Walker, 1863** (Noctuidae) Synonym(s): *Zia Walker, 1863 (praeocc.)*; *Aquita Walker, 1863*
- 4556. Arachnognatha Hampson, 1894** (Noctuidae) Synonym(s): *Arachnognatha Hampson, 1894*
- 4557. Araea Hampson, 1908** (Noctuidae) Synonym(s): *Araea Hampson, 1908*
- 4558. Araeopterella Dyar, 1914** (Noctuidae) Synonym(s): *Araeopterella Dyar, 1914*
- 4559. Araeopteron Hampson, 1893** (Noctuidae) Synonym(s): *Araeopteron Hampson, 1893* Original Reference: *Araeopteron Hampson, 1893*, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 9: 33, 136. Type-species: *Araeopteron pictale Hampson, 1893*, by monotypy.

- 4560. Archanara (Globia) Fibiger, Zilli, L.Ronkay & Goldstein,2009** (Noctuidae)
Synonym(s): *Capsula Fibiger, Zilli, L.Ronkay & Goldstein,2005 nec Schumacher,1817 non Agassiz,1846; Globia Fibiger, Zilli, L.Ronkay & Goldstein,2009* Original Reference: Archanara (Globia) Fibiger, Zilli, L.Ronkay & Goldstein,2009, The Witt Catalogue 3: 17 (nom. nov. pro *Capsula Fibiger, Zilli, L.Ronkay & Goldstein,2005 nec Schumacher,1817*). Type-species: *Phalaena sparganii* Esper,[1790], by original designation.
- 4561. Archanara (Lenisa) Fibiger, Zilli & L.Ronkay,2005** (Noctuidae) Synonym(s): *Lenisa Fibiger, Zilli & L.Ronkay,2005*
- 4562. Archanara (Longalatedes) Beck,[1992]** (Noctuidae) Synonym(s): *Longalatedes Beck,[1992]*
- 4563. Archanara (s.str.) Walker,1866** (Noctuidae) Synonym(s): *Archanara Walker,1866* Original Reference: Archanara Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1737. Type-species: Archanara nonogriella Walker,1866, by monotypy.
- 4564. Archanara Walker,1866** (Noctuidae) Synonym(s): *Archanara Walker,1866* Original Reference: Archanara Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1737. Type-species: Archanara nonogriella Walker,1866, by monotypy.
- 4565. Archephia Hampson,1926** (Noctuidae) Synonym(s): *Archephia Hampson,1926*
- 4566. Arcte Kollar,[1844]** (Noctuidae) Synonym(s): *Arcte Kollar,[1844]; Cocytodes Guenée,1852*
- 4567. Arctiopais Jordan,1896** (Noctuidae) Synonym(s): *Arctiopais Jordan,1896*
- 4568. Arcyophora Guenée,1852** (Noctuidae) Synonym(s): *Arcyophora Guenée,1852; Euxestis Lederer,1869; Gonioxestis Hampson,1912*
- 4569. Arenarba Berio,1950** (Noctuidae) Synonym(s): *Arenarba Berio,1950*
- 4570. Arenostola Hampson,1908** (Noctuidae) Synonym(s): *Arenostola Hampson,1908* Original Reference: Arenostola Hampson,1908, Cat. Lepid. Phalaenae Br. Mus. 7: 18. Type-species: *Noctua phragmitidis* Hübner,[1803], by subsequent designation by Hampson (1910).
- 4571. Argyrogramma Hübner,[1823]** (Noctuidae) Synonym(s): *Argyrogramma Hübner,[1823]*
- 4572. Argyrolepidia Hampson,1901** (Noctuidae) Synonym(s): *Argyrolepidia Hampson,1901*
- 4573. Argyrospila Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *Argyrospila Herrich-Schäffer,[1851]* Original Reference: Argyrospila Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 374. Type-species: *Leucania maculata* Eversmann,1842, by monotypy.
- 4574. Ariathisa Walker,1865** (Noctuidae) Synonym(s): *Ariathisa Walker,1865; Eulaphygma Butler,1890* Original Reference: Ariathisa Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 33: 747. Type-species: Ariathisa atosignata Walker,1865, by monotypy.
- 4575. Ariola Walker,1857** (Noctuidae) Synonym(s): *Ariola Walker,1857*
- 4576. Ariolica Walker,[1863]** (Noctuidae) Synonym(s): *Ariolica Walker,[1863]; Chionomera Butler,1881*
- 4577. Armada Staudinger,1884** (Noctuidae) Synonym(s): *Armada Staudinger,1884* Original Reference: Armada Staudinger,1884, [in] Romanoff, Mém. lépid. 1: 142. Type-species: *Acontia columbina* Staudinger,1884, by subsequent designation by Warren (1913).
- 4578. Armana Swinhoe,1890** (Noctuidae) Synonym(s): *Armana Swinhoe,1890*
- 4579. Aroana Bethune-Baker,1906** (Noctuidae) Synonym(s): *Aroana Bethune-Baker,1906*
- 4580. Arrhapa Walker,1862** (Noctuidae) Synonym(s): *Arrhapa Walker,1862*
- 4581. Arrothia Jordan,1896** (Noctuidae) Synonym(s): *Arrothia Jordan,1896*
- 4582. Artena Walker,1858** (Noctuidae) Synonym(s): *Artena Walker,1858*
- 4583. Arthisma Moore,1883** (Noctuidae) Synonym(s): *Arthisma Moore,1883*
- 4584. Artigisa Walker,1863** (Noctuidae) Synonym(s): *Artigisa Walker,1863*
- 4585. Arytrura John,1912** (Noctuidae) Synonym(s): *Arytrura John,1912*
- 4586. Arytrurides Hampson,1926** (Noctuidae) Synonym(s): *Arytrurides Hampson,1926*
- 4587. Ascalapha Hübner,[1809]** (Noctuidae) Synonym(s): *Ascalapha Hübner,[1809]; Idechthis Hübner,[1821]; Otosema Hübner,[1825]*
- 4588. Asiccia Hampson,1926** (Noctuidae) Synonym(s): *Asiccia Hampson,1926*
- 4589. Asinduma Walker,[1863]** (Noctuidae) Synonym(s): *Asinduma Walker,[1863]*
- 4590. Aspidhampsonia Berio,1964** (Noctuidae) Synonym(s): *Aspidhampsonia Berio,1964*
- 4591. Aspidifrontia Hampson,1902** (Noctuidae) Synonym(s): *Aspidifrontia Hampson,1902*
- 4592. Asplenia Hampson,1916** (Noctuidae) Synonym(s): *Asplenia Hampson,1916*
- 4593. Asteropetes Hampson,1901** (Noctuidae) Synonym(s): *Asteropetes Hampson,1901*

- 4594. *Asteroscopus Boisduval, 1828*** (Noctuidae) **Synonym(s):** *Asteroscopus Boisduval, 1828*
Original Reference: *Asteroscopus Boisduval, 1828*, Eur. Lepid. Index meth.: 59. Type-species: *Bombyx cassinia* [Denis & Schiffermüller], 1775, by subsequent designation by Duponchel, 1829.
- 4595. *Atacira Swinhoe, 1900*** (Noctuidae) **Synonym(s):** *Atacira Swinhoe, 1900*
- 4596. *Atethmia Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Atethmia Hübner, [1821]*; *Cirroedia Guenée, 1839*
Original Reference: *Atethmia Hübner, [1821]*, Verz. bekannt. Schmett.: 238. Type-species: *Phalaena xerampelina* Esper, 1793, by subsequent designation by Grote (1874).
- 4597. *Athaumasta Hampson, 1906*** (Noctuidae) **Synonym(s):** *Thaumasta Staudinger, 1871 nec Gistel, 1848*; *Athaumasta Hampson, 1906*; *#Athaumastra Hacker, 1990*.
- 4598. *Athetis Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Athetis Hübner, [1821]*; *Proxenus Herrich-Schäffer, [1850]*; *Elydna Walker, 1858*; *Nebrissa Walker, 1862*; *Radinacra Butler, 1878*; *Dadica Moore, 1881*; *Radingoes Butler, 1886*; *Strepselydna W. Warren, 1911*; *Hydrillula Tams, 1938*; *Tectorea Berio, 1955*.
Original Reference: *Athetis Hübner, [1821]*, Verz. bekannt. Schmett.: 209. Type-species: *Noctua dasychira* Hübner, [1817], by subsequent designation by Hampson, 1909.
- 4599. *Athyrrma Hübner, [1823]*** (Noctuidae) **Synonym(s):** *Athyrrma Hübner, [1823]*
- 4600. *Athyrmella Roepke, 1941*** (Noctuidae) **Synonym(s):** *Athyrmella Roepke, 1941*
- 4601. *Athyrrina Hampson, 1926*** (Noctuidae) **Synonym(s):** *Athyrrina Hampson, 1926*
- 4602. *Atrachea W. Warren, 1911*** (Noctuidae) **Synonym(s):** *Atrachea W. Warren, 1911*
- 4603. *Attatha Moore, 1878*** (Noctuidae) **Synonym(s):** *Attatha Moore, 1878*
- 4604. *Attonda Swinhoe, 1919*** (Noctuidae) **Synonym(s):** *Attonda Swinhoe, 1919*
- 4605. *Atunsea Berio, 1977*** (Noctuidae) **Synonym(s):** *Atunsea Berio, 1977*
- 4606. *Atypha Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Atypha Hübner, [1821]*; *Paratypha Koçak, 1980*
Original Reference: *Atypha Hübner, [1821]*, Verz. bekannt. Schmett.: 213. Type-species: *Phalaena pulmonaris* Esper, 1790, by subsequent designation by Hampson, 1909.
- 4607. *Auchenisa Hampson, 1905*** (Noctuidae) **Synonym(s):** *Auchenisa Hampson, 1905*
- 4608. *Auchmis (s.str.) Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Auchmis Hübner, [1821]*; *Rhizogramma Lederer, 1857*
Original Reference: *Auchmis Hübner, [1821]*, Verz. bekannt. Schmett.: 243. Type-species: *Phalaena petroriza* Borkhausen, 1792, by subsequent designation by Warren (1914).
- 4609. *Auchmis Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Auchmis Hübner, [1821]*; *Rhizogramma Lederer, 1857*
Original Reference: *Auchmis Hübner, [1821]*, Verz. bekannt. Schmett.: 243. Type-species: *Phalaena petroriza* Borkhausen, 1792, by subsequent designation by Warren (1914).
- 4610. *Audea Walker, [1858]*** (Noctuidae) **Synonym(s):** *Audea Walker, [1858]*
- 4611. *Australothis Matthews, 1991*** (Noctuidae) **Synonym(s):** *Australothis Matthews, 1991*; *Australoverpa Matthews, 1991*
- 4612. *Authadistis Hampson, 1902*** (Noctuidae) **Synonym(s):** *Authadistis Hampson, 1902*
- 4613. *Autoba Walker, [1863]*** (Noctuidae) **Synonym(s):** *Autoba Walker, [1863]*; *Mestleta Walker, 1865*; *Mataeomera Butler, 1886*
Original Reference: *Autoba Walker, [1863]*, J. Proc. Linn. Soc. (Zool.) 7: 57. Type-species: *Autoba versicolor* Walker, [1863], by monotypy.
- 4614. *Autographa Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Autographa Hübner, [1821]*
Original Reference: *Autographa Hübner, [1821]*, Verz. bekannt. Schmett.: 251. Type-species: *Phalaena gamma* Linnaeus, 1758, by subsequent designation by Grote (1986).
- 4615. *Autophila (Cheirophanes) Boursin, 1955*** (Noctuidae) **Synonym(s):** *Cheirophanes Boursin, 1955*
Original Reference: *Cheirophanes Boursin, 1955*, Z. wien. ent. Ges. 40: 170. Type-species: *Amphipyra ligaminosa* Eversmann, 1851, by original designation.
- 4616. *Autophila (s.str.) Hübner, [1823]*** (Noctuidae) **Synonym(s):** *Autophila Hübner, [1823]*
Original Reference: *Autophila Hübner, [1823]*, Verz. bekannt. Schmett. (18): 274. Type-species: *Noctua dilucida* Hübner, [1808], by subsequent designation by W. Warren, 1913.
- 4617. *Autophila Hübner, [1823]*** (Noctuidae) **Synonym(s):** *Autophila Hübner, [1823]*
Original Reference: *Autophila Hübner, [1823]*, Verz. bekannt. Schmett. (18): 274. Type-species: *Noctua dilucida* Hübner, [1808], by subsequent designation by W. Warren, 1913.
- 4618. *Avatha Walker, 1857*** (Noctuidae) **Synonym(s):** *Avatha Walker, 1857*; *Pseudathyrrma Butler, 1892*; *Pterochaeta Holland, 1900*
- 4619. *Avitta Walker, 1858*** (Noctuidae) **Synonym(s):** *Avitta Walker, 1858*; *Oroba Walker, [1863]*
- 4620. *Axylia Hübner, [1821]*** (Noctuidae) **Synonym(s):** *Axylia Hübner, [1821]*; *#Actinia Ebert & Hacker, 2002*
Original Reference: *Axylia Hübner, [1821]*, Verz. bekannt. Schmett.: 242. Type-species: *Phalaena putris* Linnaeus, 1761, by subsequent designation by Guenée, 1852.
- 4621. *Badiza Walker, 1864*** (Noctuidae) **Synonym(s):** *Badiza Walker, 1864*

- 4622. Ballatha Walker,1865** (Noctuidae) Synonym(s): *Ballatha Walker,1865*
- 4623. Bamra Moore,1882** (Noctuidae) Synonym(s): *Bamra Moore,1882*; *Ostacronycta Bethune-Baker,1911*
- 4624. Baniana Walker,1858** (Noctuidae) Synonym(s): *Baniana Walker,1858*
- 4625. Baorisa Moore,1882** (Noctuidae) Synonym(s): *Baorisa Moore,1882*
- 4626. Barasa Walker,1862** (Noctuidae) Synonym(s): *Barasa Walker,1862*; *Ceparcha Meyrick,1889*
- 4627. Barastrotia W.Warren,1913** (Noctuidae) Synonym(s): *Barastrotia W.Warren,1913*
- 4628. Bareia Walker,1858** (Noctuidae) Synonym(s): *Bareia Walker,1858*
- 4629. Barnanola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Barnanola Laszlo, G.Ronkay & Witt,2010*
- 4630. Bastilla Swinhoe,1918** (Noctuidae) Synonym(s): *Naxia Guenée,1852 nec Leach,1823*; *Bastilla Swinhoe,1918*; *Xiana Nye,1975*
- 4631. Batracharta Walker,1862** (Noctuidae) Synonym(s): *Batracharta Walker,1862*; *Carissa Walker,1864*; *Pilosocruces Hampson,1881*
- 4632. Batuana Laporte,1976** (Noctuidae) Synonym(s): *Batuana Laporte,1976*
- 4633. Beana Walker,1862** (Noctuidae) Synonym(s): *Beana Walker,1862*
- 4634. Beara Walker,1866** (Noctuidae) Synonym(s): *Beara Walker,1866*
- 4635. Behounekia Hacker,1990** (Noctuidae) Synonym(s): *Behounekia Hacker,1990* Original Reference: *Behounekia Hacker,1990, neue ent. Nachr. 27: 449. Type-species: Calophasia freyeri Frivaldsky,1835, by original designation.*
- 4636. Beihania Wiltshire,1967** (Noctuidae) Synonym(s): *Beihania Wiltshire,1967* Original Reference: *Beihania Wiltshire,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 232-233. Type-species: Metoponrhis anatoides Warnecke,1937, by original designation.*
- 4637. Belciades Kozhantshikov,1950** (Noctuidae) Synonym(s): *Belciades Kozhantshikov,1950*
- 4638. Belciana Walker,1862** (Noctuidae) Synonym(s): *Belciana Walker,1862*; *Nalca Walker,1866*; *Diptheroides Bethune-Baker,1906*
- 4639. Bematha Walker,1865** (Noctuidae) Synonym(s): *Bematha Walker,1865*
- 4640. Bena Billberg,1820** (Noctuidae) Synonym(s): *Bena Billberg,1820* Original Reference: *Bena Billberg,1820, Enumeratio Insect. Mus. G.J.Billberg: 90. Type-species: Phalaena prasinana Linnaeus,1758, by subsequent designation by Tams,1939.*
- 4641. Benedekia G.Ronkay,L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *Benedekia G.Ronkay,L.Ronkay, Gyulai & Hacker,2010*
- 4642. Benshirachia Gyulai, Varga & L.Ronkay,2002** (Noctuidae) Synonym(s): *Benshirachia Gyulai, Varga & L.Ronkay,2002*
- 4643. Beriohansa Nye,1975** (Noctuidae) Synonym(s): *Hansa Berio,1959 (praeocc.)*; *Beriohansa Nye,1975*
- 4644. Bertula Walker,[1859]** (Noctuidae) Synonym(s): *Bertula Walker,[1859]*; *Neviasca Walker,[1859]*; *Cardalena Walker,1859*; *Gabrisa Walker,1865*; *#Newascia Kononenko & Pinratana,2005*
- 4645. Blastikorhinus Butler,1893** (Noctuidae) Synonym(s): *Blasticorhinus Butler,1893*
- 4646. Blenina Walker,[1858]** (Noctuidae) Synonym(s): *Blenina Walker,[1858]*; *Eliocroea Walker,1865*; *Amrella Moore,1882.*
- 4647. Blepharita Hampson,1907** (Noctuidae) Synonym(s): *Blepharita Hampson,1907*
- 4648. Blepharomorpha Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *Blepharomorpha Hreblay & L.Ronkay,1998*
- 4649. Bleptina Guenée,1854** (Noctuidae) Synonym(s): *Bleptina Guenée,1854*
- 4650. Bocana Walker,[1859]** (Noctuidae) Synonym(s): *Bocana Walker,[1859]*; *Lamura Walker,[1859]*; *Bithiasa Walker,1865*
- 4651. Bocula Guenée,1852** (Noctuidae) Synonym(s): *Bocula Guenée,1852*; *Lacibisa Walker,[1863]*; *Aramuna Moore,1884*; *Trichoptya Warren,1912*; *Sillophora W.Warren,1912 nec Wrn.,1907*; *Trapezoptera Hulstaert,1924*
- 4652. Bonaberiana Strand,1915** (Noctuidae) Synonym(s): *Bonaberiana Strand,1915*
- 4653. Borbotana Walker,1858** (Noctuidae) Synonym(s): *Borbotana Walker,1858*
- 4654. Bornolis Holloway,1989** (Noctuidae) Synonym(s): *Bornolis Holloway,1989* Original Reference: *Bornolis Holloway,1989, Malay. Nat. J. 42 (2/3): 77. Type-species: Bornolis kamburanga Holloway,1989, by original designation.*
- 4655. Boursinia Brandt,1938** (Noctuidae) Synonym(s): *Boursinia Brandt,1938*; *Anamecia Boursin,1958*; *#Bousinia Hacker,1998* Original Reference: *Boursinia Brandt,1938, Ent. Rdsch. 55: 518. Type-species: Boursinia symmicta Brandt,1938, by original designation.*
- 4656. Brachionycha Hübner,[1819]** (Noctuidae) Synonym(s): *Brachionycha Hübner,[1819]*

- 4657. *Brachygalea* Hampson, 1906** (Noctuidae) **Synonym(s):** *Brachygalea* Hampson, 1906
Original Reference: *Brachygalea* Hampson, 1906, Cat. Lepid. Phalaenae Br. Mus. 6: 2, 8. Type-species: *Brachygalea leucorhabda* Hampson, 1906, by original designation.
- 4658. *Brachylomia* Hampson, 1906** (Noctuidae) **Synonym(s):** *Brachylomia* Hampson, 1906
Original Reference: *Brachylomia* Hampson, 1906, Cat. Lepid. Phalaenae Br. Mus. 6: x, 220. Type-species: *Cleoceris populi* Strecker, 1898, by original designation.
- 4659. *Brachypteragrotis* Viette, 1959** (Noctuidae) **Synonym(s):** *Brachypteragrotis* Viette, 1959
- 4660. *Brachyxanthia* Butler, 1878** (Noctuidae) **Synonym(s):** *Brachyxanthia* Butler, 1878
- 4661. *Brana* Walker, [1858]** (Noctuidae) **Synonym(s):** *Brana* Walker, [1858]
- 4662. *Brandtaxia* Boursin, 1943** (Noctuidae) **Synonym(s):** *Brandtaxia* Boursin, 1943 **Original Reference:** *Brandtaxia* Boursin, 1943, Z. wien. ent. Ges. 28: 314. Type-species: *Sidemia discalis* Brandt, 1941, by original designation.
- 4663. *Brandtina* Bytinski-Salz & Brandt, 1937** (Noctuidae) **Synonym(s):** *Brandtina* Bytinski-Salz & Brandt, 1937; *Cometera* Hacker, 1996; *#Brandtaxia* Ebert & Hacker, 2002 **Original Reference:** *Brandtina* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49 (9): (11). Type-species: *Brandtina albonigra* Bytinski-Salz & Brandt, 1937, by monotypy.
- 4664. *Brephos* Hübner, [1813]** (Noctuidae) **Synonym(s):** *Brephos* Hübner, [1813]; *Pais* Hübner, [1821]; *Brephia* Hübner, 1822 **Original Reference:** *Brephos* Hübner, [1813], Samml. exot. Schmett. 1: [pl.198]. Type-species: *Phalaena julia* Cramer, 1775, by monotypy.
- 4665. *Britha* Walker, [1866]** (Noctuidae) **Synonym(s):** *Britha* Walker, [1866]; *Hyposemeia* Hampson, 1893; *#Hyposemia* Poole, 1989.
- 4666. *Brithys* Hübner, [1821]** (Noctuidae) **Synonym(s):** *Brithys* Hübner, [1821]; *Cocytia* Treitschke, 1835 (*praeocc.*); *Glottula* Guenée, 1857 **Original Reference:** *Brithys* Hübner, [1821], Verz. bekannt. Schmett.: 226. Type-species: *Noctua pancrafti* Cyrillo, 1787, by subsequent designation by Blanchard (1840).
- 4667. *Brithysana* Viette, [1963]** (Noctuidae) **Synonym(s):** *Brithysana* Viette, [1963]; *#Brythisana* Laporte, 1977 **Original Reference:** *Brithysana* Viette, [1963], Annls. Soc. ent. Fr. 131: 238. Type-species: *Polia maura* Saalmüller, 1891, by original designation.
- 4668. *Bryomima* Staudinger, 1900** (Noctuidae) **Synonym(s):** *Bryomima* Staudinger, 1900
Original Reference: *Bryomima* Staudinger, 1900, Dt. ent. Z., Iris 12: 357. Type-species: *Bryomima carducha* Staudinger, 1900, by monotypy.
- 4669. *Bryonycta* Boursin, 1955** (Noctuidae) **Synonym(s):** *Bryonycta* Boursin, 1955 **Original Reference:** *Bryonycta* Boursin, 1955, Bull. mens. Soc. linn. Lyon 24: 220. Type-species: *Bryophila pineti* Staudinger, 1859, by original designation.
- 4670. *Bryophilopsis* Hampson, 1894** (Noctuidae) **Synonym(s):** *Bryophilopsis* Hampson, 1894
Original Reference: *Bryophilopsis* Hampson, 1894, Fauna Br. India (Moths) 2: 361. Type-species: *Bryophilopsis griseata* Hampson, 1894, by original designation.
- 4671. *Bryopolia* Boursin, 1954** (Noctuidae) **Synonym(s):** *Bryopolia* Boursin, 1954 **Original Reference:** *Bryopolia* Boursin, 1954, Bull. Soc. Fouad I. Ent. 38: 86. Type-species: *Polia virescens* Hampson, 1894, by original designation.
- 4672. *Bryothripa* Hampson, 1912** (Noctuidae) **Synonym(s):** *Bryothripa* Hampson, 1912
- 4673. *Bryoxena* Varga, L. Ronkay & Hacker, 1990** (Noctuidae) **Synonym(s):** *Bryoxena* Varga, L. Ronkay & Hacker, 1990
Original Reference: *Bryoxena* Varga, L. Ronkay & Hacker, 1990, Esperiana 1: 430. Type-species: *Polia centralasiae* Staudinger, 1882, by original designation.
- 4674. *Burgena* Walker, 1864** (Noctuidae) **Synonym(s):** *Burgena* Walker, 1864
- 4675. *Busseola* Thurnau, 1904** (Noctuidae) **Synonym(s):** *Busseola* Thurnau, 1904
- 4676. *Buzara* Walker, [1865]** (Noctuidae) **Synonym(s):** *Buzara* Walker, [1865]; *Caranilla* Moore, [1885]
- 4677. *Cacyparis* Walker, 1862** (Noctuidae) **Synonym(s):** *Cacyparis* Walker, 1862
- 4678. *Caduca* Moore, 1887** (Noctuidae) **Synonym(s):** *Caduca* Moore, 1887
- 4679. *Caffristis* Hampson, 1906** (Noctuidae) **Synonym(s):** *Caffristis* Hampson, 1906
- 4680. *Calamia* Hübner, [1821]** (Noctuidae) **Synonym(s):** *Calamia* Hübner, [1821] **Original Reference:** *Calamia* Hübner, [1821], Verz. bekannt. Schmett.: 240. Type-species: *Phalaena virens* Linnaeus, 1767, by subsequent designation by Hampson, 1910.
- 4681. *Calesia* Guenée, 1852** (Noctuidae) **Synonym(s):** *Calesia* Guenée, 1852; *Pasipeda* Walker, 1858; *Mecyra* Walker, 1865; *Zirona* Walker, 1869; *Asymbata* Gerstaecker, 1871; *Caradana* Moore, [1884]; *Lecasia* Fawcett, 1916
- 4682. *Caligatus* Wing, [1850]** (Noctuidae) **Synonym(s):** *Caligatus* Wing, [1850]

- 4683. Calliergis Hübner,[1821]** (Noctuidae) Synonym(s): #*Callierges auct.; Calliergis Hübner,[1821]; Lithocampa Guenée,1852* Original Reference: *Calliergis Hübner,[1821]*, Verz. bekannt. Schmett.: 244. Type-species: *Bombyx ramosa* Esper,1786, by subsequent designation by Hampson,1906.
- 4684. Calliodes Guenée,1852** (Noctuidae) Synonym(s): *Calliodes Guenée,1852*
- 4685. Callistege Hübner,[1823]** (Noctuidae) Synonym(s): *Callistege Hübner,[1823]; Euclidimera Hampson,1913* Original Reference: *Callistege Hübner,[1823]*, Verz. bekannt. Schmett.: 281. Type-species: *Phalaena mi Clerck,1759*, by subsequent designation by Berion,1957.
- 4686. Callixena Saalmüller,1891** (Noctuidae) Synonym(s): *Callixena Saalmüller,1891*
- 4687. Callophisma Hampson,1913** (Noctuidae) Synonym(s): *Callophisma Hampson,1913*
- 4688. Callopietria Hübner,[1821]** (Noctuidae) Synonym(s): *Callopietria Hübner,[1821]; Lagopus R.L.,1817 nec Brisson,1760; Eriopus Treitschke,1825; Agabra Walker,1862; Obana Walker,1862 nec Walk.,1862; Gnaptocera Butler,1881; Haploolophus Butler,1881; Dissolophus Butler,1881; Hemipachycera Butler,1881; Rheptotrichia Butler,1881; Platydasy Butler,1881; Methorasa Moore,1881; Cotanda Moore,1881; Herrichia Grote,1882 nec Stgr.,1871; Euherrichia Grote,1882; Hyperdasis Swinhoe,1901; Miropalpa Berio,1955* Original Reference: *Callopietria Hübner,[1821]*, Verz. bekannt. Schmett.: 216. Type-species: *Phalaena juvenina* Stoll,1782, by subsequent designation by Grote (1874).
- 4689. Callyna Guenée,1852** (Noctuidae) Synonym(s): *Callyna Guenée,1852*
- 4690. Calocucullia G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *Calocucullia G.Ronkay & L.Ronkay,1987* Original Reference: *Calocucullia G.Ronkay & L.Ronkay,1987*, Acta zool. hung. 33 (3/4): 463. Type-species: *Cucullia celsiae* Herrich-Schäffer,1850, by original designation.
- 4691. Calonola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Calonola Laszlo, G.Ronkay & Witt,2010*
- 4692. Calophasia Stephens,1829** (Noctuidae) Synonym(s): *Calophasia Stephens,1829* Original Reference: *Calophasia Stephens,1829*, Nom. Br. Insects: 42. Type-species: *Noctua linariae* [Denis & Schiffermüller],1775, by monotypy.
- 4693. Calophasia Smith,1884** (Noctuidae) Synonym(s): *Calophasia Smith,1884* Original Reference: *Calophasia Smith,1884*, Bull. Brooklyn ent. Soc. 7: 68. Type-species: *Phalaena hohenwarthi* Hohenwarth,1785, by subsequent designation by W.Warren,1913 (No species included originally, until Smith (1891)).
- 4694. Calpiformis Hampson,1908** (Noctuidae) Synonym(s): *Calpiformis Hampson,1908*
- 4695. Calymera Moore,1882** (Noctuidae) Synonym(s): *Calymera Moore,1882*
- 4696. Calymma Hübner,[1823]** (Noctuidae) Synonym(s): *Calymma Hübner,[1823]* Original Reference: *Calymma Hübner,[1823]*, Verz. bekannt. Schmett.: 281. Type-species: *Noctua communimacula* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1910.
- 4697. Calymniops Hampson,1926** (Noctuidae) Synonym(s): *Calymniops Hampson,1926*
- 4698. Calyptra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Calyptra Ochsenheimer,1816; Calpe Treitschke,1825; Culasta Moore,1881; Hypocalpe Butler,1883; Percalpe Berio,1956* Original Reference: *Calyptra Ochsenheimer,1816*, Schmett. Eur.4: 78. Type-species: *Phalaena thalictri* Borkhausen,1790, by subsequent designation by Duponchel,1826.
- 4699. Camptoloma R.Felder,1875** (Noctuidae) Synonym(s): *Camptoloma R.Felder,1875*
- 4700. Campydelta Berio,1964** (Noctuidae) Synonym(s): *Campydelta Berio,1964*
- 4701. Capillamentum Pinhey,1956** (Noctuidae) Synonym(s): *Capillamentum Pinhey,1956*
- 4702. Caradrina (Boursinidrina) Hacker,2004** (Noctuidae) Synonym(s): *Boursinidrina Hacker,2004* Original Reference: *Caradrina (Boursinidrina) Hacker,2004*, Esperiana 10: 38, 103. Type-species: *Athetis rjabovi* Boursin,1936, by original designation.
- 4703. Caradrina (Eremodrina) Boursin,1937** (Noctuidae) Synonym(s): *Eremodrina Boursin,1937* Original Reference: *Eremodrina Boursin,1937*, Ent. Rdsch. 54: 422. Type-species: *Caradrina vicina* Staudinger,1870, by original designation.
- 4704. Caradrina (Kalchbergiana) Hacker,2004** (Noctuidae) Synonym(s): *Kalchbergiana Hacker,2004* Original Reference: *Caradrina (Kalchbergiana) Hacker,2004*, Esperiana 10: 38, 140. Type-species: *Caradrina ingrata* Staudinger,1897, by original designation.
- 4705. Caradrina (Levantrina) Hacker,2004** (Noctuidae) Synonym(s): *Levantrina Hacker,2004* Original Reference: *Caradrina (Levantrina) Hacker,2004*, Esperiana 10: 39, 287. Type-species: *Athetis bodenheimeri* Draudt,1934, by original designation.

- 4706. Caradrina (Paradrina) Boursin,1937** (Noctuidae) Synonym(s): *Paradrina Boursin,1937*
Original Reference: *Paradrina Boursin,1937*, Ent. Rdsch. 54: 421. Type-species: *Caradrina selini* Boisdual,1840, by original designation.
- 4707. Caradrina (Platyperigea) Smith,1894** (Noctuidae) Synonym(s): *Platyperigea Smith,1894*;
Hymenodrina Boursin,1937 Original Reference: *Platyperigea Smith,1894*, Trans. Am. ent. Soc. 21:
60. Type-species: *Platyperigea camina* Smith,1894, by original designation.
- 4708. Caradrina (Weigertrina) Hacker,2004** (Noctuidae) Synonym(s): *Weigertrina*
Hacker,2004
- 4709. Caradrina Ochsenheimer,1816** (Noctuidae) Synonym(s): *Caradrina Ochsenheimer,1816*;
Charadrina Agassiz,1847; *Amphidrina Staudinger,1892* Original Reference: *Caradrina*
Ochsenheimer,1816, Schmett. Eur. 4: 80. Type-species: *Phalaena morpheus* Hufnagel,1766, by
subsequent designation by Samouelle (1819).
- 4710. Carcharoda Hampson,1910** (Noctuidae) Synonym(s): *Carcharoda Hampson,1910*
- 4711. Cardepiia Hampson,1905** (Noctuidae) Synonym(s): *Cardepiia Hampson,1905* Original
Reference: *Cardepiia Hampson,1905*, Cat. Lepid. Phalaenae Br. Mus. 5: x, 234. Type-species:
Mamestra irrisoria Erschoff,1874, by original designation.
- 4712. Carea Walker,[1857]** (Noctuidae) Synonym(s): *Carea Walker,[1857]*; *Chora Walker,1862*;
Didigua Walker,1862; *Xenochroa R.Felder,1874*; *Calymera Moore,1882*; *Ranaja Moore,1882*
- 4713. Carsina Hampson,1924** (Noctuidae) Synonym(s): *Carsina Hampson,1924*
- 4714. Casminola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Casminola Laszlo,*
G.Ronkay & Witt,2010
- 4715. Catada Walker,[1859]** (Noctuidae) Synonym(s): *Catada Walker,[1859]*; *Catadella Strand,1919*
- 4716. Catamecia Staudinger,1897** (Noctuidae) Synonym(s): *Catamecia Staudinger,1897*
Original Reference: *Catamecia Staudinger,1897*, Dt. ent. Z., Iris 10: 288. Type-species:
Catamecia jordana Staudinger,1897, by monotypy.
- 4717. Catephia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Catephia Ochsenheimer,1816*;
Idicara Walker,[1863]; *Zarima Moore,1882*; *Mageutica Hampson,1926* Original Reference: *Catephia*
Ochsenheimer,1816, Schmett. Eur. 4: 94. Type-species: *Noctua alchymista* Hufnagel,1766, by
subsequent designation by Duponchel (1829).
- 4718. Catoblemma Hampson,1910** (Noctuidae) Synonym(s): *Catoblemma Hampson,1910*
- 4719. Catocala (Ephesia) Hübner,1818** (Noctuidae) Synonym(s): *Ephesia Hübner,1818*
Original Reference: *Ephesia Hübner,1818*, Zutr. Samml. exot. Schmett. 1: 11. Type-species:
Phalaena paranympa Linnaeus,1767, by subsequent designation by Hampson,1913.
- 4720. Catocala (Mormonia) Hübner,[1823]** (Noctuidae) Synonym(s): *Mormonia Hübner,[1823]*
Original Reference: *Mormonia Hübner,[1823]*, Verz. bekannt. Schmett. (18): 276. Type-species:
Phalaena epione Drury,1773, by monotypy.
- 4721. Catocala (s.str.) Schrank,1802** (Noctuidae) Synonym(s): *Catocala Schrank,1802*;
Hemigeometra Haworth,1809; *Lamprosia Hübner,[1821]*; *Belpharidia Hübner,1822*; *Astiotes Hübner,[1823]*;
Corisce Hübner,[1823]; *Eucora Hübner,[1823]*; *Eunetis Hübner,[1823]*; *Andrewsia Grote,1882*; *Catabapta*
Hulst,1884; *Andreusia Hampson,1913*; *Simplicala Beck,1996* Original Reference: *Catocala*
Schrank,1802, Fauna Boica 2 (2): 158. Type-species: *Phalaena nupta* Linnaeus,1767, by
subsequent designation by Curtis (1828).
- 4722. Catocala Schrank,1802** (Noctuidae) Synonym(s): *Catocala Schrank,1802*; *Hemigeometra*
Haworth,1809; *Lamprosia Hübner,[1821]*; *Belpharidia Hübner,1822*; *Astiotes Hübner,[1823]*; *Corisce*
Hübner,[1823]; *Eucora Hübner,[1823]*; *Eunetis Hübner,[1823]*; *Andrewsia Grote,1882*; *Catabapta Hulst,1884*;
Andreusia Hampson,1913; *Simplicala Beck,1996* Original Reference: *Catocala Schrank,1802*, Fauna
Boica 2 (2): 158. Type-species: *Phalaena nupta* Linnaeus,1767, by subsequent designation by
Curtis (1828).
- 4723. Celaena Stephens,1829** (Noctuidae) Synonym(s): *Celaena Stephens,1829*; *Helotropha*
Lederer,1857 Original Reference: *Celaena Stephens,1829*, Nom. Br. Insects: 41. Type-species:
Apamea haworthii Curtis,1829, by subsequent designation by Westwood,1840.
- 4724. Centrartha Hampson,1908** (Noctuidae) Synonym(s): *Centrartha Hampson,1908*
- 4725. Centrogone Hampson,1908** (Noctuidae) Synonym(s): *Centrogone Hampson,1908*
- 4726. Cephena Moore,1882** (Noctuidae) Synonym(s): *Cephena Moore,1882*
- 4727. Cerapteryx Curtis,1833** (Noctuidae) Synonym(s): *Cerapteryx Curtis,1833* Original
Reference: *Cerapteryx Curtis,1833*, Br. Ent. 10: 451. Type-species: *Phalaena graminis*
Linnaeus,1758, by original designation.
- 4728. Ceraptila Guenée,1854** (Noctuidae) Synonym(s): *Ceraptila Guenée,1854*

- 4729. *Cerastis Ochsenheimer*,1816** (Noctuidae) **Synonym(s):** *Cerastis Ochsenheimer*,1816; *Cerastia Stephens*,1850; *Sora Heinemann*,1859 *nec Wlk.*,1859; *Matuta Grote*,1874; *Gypsites Tams*,1939; *Facastis Beck*,1991
Original Reference: *Cerastis Ochsenheimer*,1816, Schmett. Eur. 4: 84. Type-species: *Noctua rubricosa* [Denis & Schiff.],1775, by subsequent designation by Duponchel (1829).
- 4730. *Cerocala Boisduval*,1828** (Noctuidae) **Synonym(s):** *Cerocala Boisduval*,1828 **Original Reference:** *Cerocala Boisduval*,1828, Eur. Lepid. Index meth.: 100. Type-species: *Noctua scapulosa* Hübner,[1808], by monotypy.
- 4731. *Cerynea Walker*,1859** (Noctuidae) **Synonym(s):** *Cerynea Walker*,1859
- 4732. *Cetola Walker*,1855** (Noctuidae) **Synonym(s):** *Cetola Walker*,1855
- 4733. *Chabuata Walker*,[1858]** (Noctuidae) **Synonym(s):** *Chabuata Walker*,[1858]
- 4734. *Chaetostephana Jordan*,1913** (Noctuidae) **Synonym(s):** *Chaetostephana Jordan*,1913
- 4735. *Chalciope Hübner*,[1823]** (Noctuidae) **Synonym(s):** *Chalciope Hübner*,[1823]; *Euclidisema Hampson*,1913
- 4736. *Chalestra Walker*,1859** (Noctuidae) **Synonym(s):** *Chalestra Walker*,1859
- 4737. *Chandata Moore*,1882** (Noctuidae) **Synonym(s):** *Chandata Moore*,1882
- 4738. *Chandica Moore*,1888** (Noctuidae) **Synonym(s):** *Chandica Moore*,1888
- 4739. *Characoma Walker*,1863** (Noctuidae) **Synonym(s):** *Characoma Walker*,1863; *Corticata Walker*,[1863]; *Paraxia Möschler*,1890; *Hypothripa Hampson*,1894.
- 4740. *Charanyca (Rusina) Stephens*,1829** (Noctuidae) **Synonym(s):** *Rusina Stephens*,1829; *Stygiostola Hampson*,1908; *Pseudoxestia Boursin*,1953 **Original Reference:** *Rusina Stephens*,1829, Illust. Br. Ent. (Haustellata) 2: 111. Type-species: *Bombyx ferruginea* Esper,1785, by monotypy.
- 4741. *Charanyca Billberg*,1820** (Noctuidae) **Synonym(s):** *Charanyca Billberg*,1820; *Meristis Hübner*,[1821]; *Grammesia Stephens*,1829 **Original Reference:** *Charanyca Billberg*,1820, Enumeratio Insect. Mus. G.J.Billberg: 85. Type-species: *Noctua quercus* Fabricius,1775, by subsequent designation by Boursin,1965.
- 4742. *Chasmina Walker*,1856** (Noctuidae) **Synonym(s):** *Chasmina Walker*,1856; *Arbasera Walker*,1865; *Casamba Walker*,1866; *Carandana Moore*,1884; *Clinophlebia Hampson*,1893
- 4743. *Chasminodes Hampson*,1908** (Noctuidae) **Synonym(s):** *Chasminodes Hampson*,1908
- 4744. *Chazaria Moore*,1881** (Noctuidae) **Synonym(s):** *Chazaria Moore*,1881; *Rhodocleptria Hampson*,1903. **Original Reference:** *Chazaria Moore*,1881, Proc. zool. Soc. Lond. 1881: 361. Type-species: *Heliopsis incarnata* Freyer,1838, by monotypy.
- 4745. *Chelonomorpha Motschulsky*,1860** (Noctuidae) **Synonym(s):** *Chelonomorpha Motschulsky*,1860
- 4746. *Chersotis (Cyrebia) Guenée*,1852** (Noctuidae) **Synonym(s):** *Cyrebia Guenée*,1852 **Original Reference:** *Cyrebia Guenée*,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 195. Type-species: *Cyrebia luperinoides* Guenée,1852, by subsequent designation by Hampson,1903.
- 4747. *Chersotis (s.str.) Boisduval*,1840** (Noctuidae) **Synonym(s):** *Chersotis Boisduval*,1840; *Multsotis Beck*,1991; *Alpsotis Beck*,1991; *Cupreosotis Beck*,1991; *Fimbriosotis Beck*,1991; *Elesotis Beck*,1991; *Larixsotis Beck*,1991; *Margasotis Beck*,1991; **Original Reference:** *Chersotis Boisduval*,1840, Gen. Index Eur. Lepid.: 103. Type-species: *Noctua rectngula* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1843.
- 4748. *Chersotis Boisduval*,1840** (Noctuidae) **Synonym(s):** *Chersotis Boisduval*,1840; *Multsotis Beck*,1991; *Alpsotis Beck*,1991; *Cupreosotis Beck*,1991; *Fimbriosotis Beck*,1991; *Elesotis Beck*,1991; *Larixsotis Beck*,1991; *Margasotis Beck*,1991; **Original Reference:** *Chersotis Boisduval*,1840, Gen. Index Eur. Lepid.: 103. Type-species: *Noctua rectngula* [Denis & Schiffermüller],1775, by subsequent designation by Duponchel,1843.
- 4749. *Chilkasa Swinhoe*,1885** (Noctuidae) **Synonym(s):** *Chilkasa Swinhoe*,1885; *Acygonia Roepke*,1948
- 4750. *Chilodes Herrich-Schäffer*,1849** (Noctuidae) **Synonym(s):** *Chilodes Herrich-Schäffer*,1849; *Hypostilbia Hampson*,1908 **Original Reference:** *Chilodes Herrich-Schäffer*,1849, Syst. Bearb. Schmett. Eur. 2: 226. Type-species: *Noctua ulvae* Hübner,[1817], by subsequent designation by Hampson,1910.
- 4751. *Chionoxantha Hampson*,1914** (Noctuidae) **Synonym(s):** *Xantholeuca Hampson*,1910 (*praeocc.*); *Chionoxantha Hampson*,1914 **Original Reference:** *Chionoxantha Hampson*,1914, Ann. Mag. nat. Hist. (8) 13: 202. Type-species: *Erastria staudingeri* Standfuss,1892, by original designation.
- 4752. *Chitasida Hampson*,1926** (Noctuidae) **Synonym(s):** *Chitasida Hampson*,1926

- 4753. Chloantha Boisduval, Rambur & Graslin,[1836]** (Noctuidae) Synonym(s): *Chloantha Boisduval, Rambur & Graslin,[1836]*; #*Cloantha Guenée,1839*; *Chloamtha Agassiz,1846* Original Reference: *Chloantha Boisduval, Rambur & Graslin,[1836]*, 1832, *Cooln iconographique hist. Chenilles Eur.:* Noctuérides text & pl. 22, figs. 5, 6. Type-species: *Noctua hyperici* [Denis & Schiffermüller],1775, by monotypy.
- 4754. Chloethripa Hampson,1912** (Noctuidae) Synonym(s): *Chloethripa Hampson,1912*
- 4755. Chloriola Hampson,1912** (Noctuidae) Synonym(s): *Chloriola Hampson,1912*
- 4756. Chlorognesia W.Warren,1913** (Noctuidae) Synonym(s): *Chlorognesia W.Warren,1913*
- 4757. Chloroplaga Hampson,1912** (Noctuidae) Synonym(s): *Chloroplaga Hampson,1912*
- 4758. Chlorozada Hampson,1912** (Noctuidae) Synonym(s): *Chlorozada Hampson,1912*
- 4759. Chlumetia Walker,[1866]** (Noctuidae) Synonym(s): *Nachaba Walker,1863 nec Wlk.,1859*; *Chlumetia Walker,[1866]*
- 4760. Chora Walker,1862** (Noctuidae) Synonym(s): *Chora Walker,1862*
- 4761. Chortodes Tutt,1897** (Noctuidae) Synonym(s): *Chortodes Tutt,1897*; *Longalatedes Beck,1991* Original Reference: *Chortodes Tutt,1897*, *Entomologist* 30: 284. Type-species: *Acosmetia morrisii* Dale,1837, by monotypy.
- 4762. Chrysodeixis Hübner,[1821]** (Noctuidae) Synonym(s): *Chrysodeixis Hübner,[1821]*; *Neoplusia Okano,1963* Original Reference: *Chrysodeixis Hübner,[1821]*, *Verz. bekannt. Schmett.:* 252. Type-species: *Phalaena chalcites* Esper,1789, by subsequent designation by Dyar,1902.
- 4763. Chrysograptia Hampson,1926** (Noctuidae) Synonym(s): *Chrysograptia Hampson,1926*
- 4764. Chrysopera Hampson,1894** (Noctuidae) Synonym(s): *Chrysopera Hampson,1894*
- 4765. Chrysozonata Hampson,1914** (Noctuidae) Synonym(s): *Chrysozonata Hampson,1914*
- 4766. Churia Moore,1881** (Noctuidae) Synonym(s): *Churia Moore,1881* Original Reference: *Churia Moore,1881*, *Proc. zool. Soc. London* 1881: 359. Type-species: *Churia nigrisigna* Moore,1881, by original designation.
- 4767. Chusaris Walker,[1859]** (Noctuidae) Synonym(s): *Chusaris Walker,[1859]*
- 4768. Chytonix Grote,1874** (Noctuidae) Synonym(s): *Chytonix Grote,1874*
- 4769. Cirrodes Hampson,1910** (Noctuidae) Synonym(s): *Cirrodes Hampson,1910*
- 4770. Cladocerotis Hampson,1903** (Noctuidae) Synonym(s): *Cladocerotis Hampson,1903* Original Reference: *Cladocerotis Hampson,1903*, *Cat. Lepid. Phalaenae Br. Mus.* 4: xi, 138. Type-species: *Heliophobus optabilis* Boisduval,[1837], by original designation.
- 4771. Claterna Walker,1858** (Noctuidae) Synonym(s): *Claterna Walker,1858*; *Trigonia Guenée,1854*
- 4772. Cleoceris Boisduval,1836** (Noctuidae) Synonym(s): *Cleoceris Boisduval,1836*; *Derthisa Walker,1857* Original Reference: *Cleoceris Boisduval,1836*, *Icones hist. Lépid. nouv. ou peu connus* 2: pl.71 fig.2. Type-species: *Phalaena scoriacea* Esper,1789, by subsequent designation by Nye,1975.
- 4773. Cleonymia (Serryvania) Berio,1980** (Noctuidae) Synonym(s): *Serryvania Berio,1980* Original Reference: *Serryvania Berio,1980*, *Annali Mus. civ. Stor. nat. Giacomo Doria* 83: 10, 17. Type-species: *Xylina yvanii* Duponchel,1833, by original designation.
- 4774. Cleonymia Berio,1966** (Noctuidae) Synonym(s): *Cleonymia Berio,1966* Original Reference: *Cleonymia Berio,1966*, *Annali Mus. civ. Stor. nat. Giacomo Doria* 76: 53. Type-species: *Cleophana baetica* Rambur,[1837], by original designation.
- 4775. Clethrorasa Hampson,1910** (Noctuidae) Synonym(s): *Clethrorasa Hampson,1910*
- 4776. Clettharina Hampson,1894** (Noctuidae) Synonym(s): *Clettharina Hampson,1894*
- 4777. Clytie (Hypoglaucitis) Staudinger,1895** (Noctuidae) Synonym(s): *Hypoglaucitis Staudinger,1895* Original Reference: *Hypoglaucitis Staudinger,1895*, *Dt. ent. Z., Iris* 7: 284. Type-species: *Hypoglaucitis mores* Staudinger,1895, by monotypy.
- 4778. Clytie (s.str.) Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie Hübner,[1823]*; *Pseudophia Guenée,1852*. Original Reference: *Clytie Hübner,[1823]*, *Verz. bekannt. Schmett.:* 267. Type-species: *Noctua illunaris* Hübner,[1813], by subsequent designation by Hampson,1913.
- 4779. Clytie Hübner,[1823]** (Noctuidae) Synonym(s): *Clytie Hübner,[1823]*; *Pseudophia Guenée,1852*. Original Reference: *Clytie Hübner,[1823]*, *Verz. bekannt. Schmett.:* 267. Type-species: *Noctua illunaris* Hübner,[1813], by subsequent designation by Hampson,1913.
- 4780. Cnodifrontia Hampson,1902** (Noctuidae) Synonym(s): *Cnodifrontia Hampson,1902*
- 4781. Coarica Moore,1882** (Noctuidae) Synonym(s): *Coarica Moore,1882*
- 4782. Codalithia Holloway,1979** (Noctuidae) Synonym(s): *Codalithia Holloway,1979*
- 4783. Coenobia Stephens,1850** (Noctuidae) Synonym(s): *Coenobia Stephens,1850*

- 4784. *Coenophila* Stephens, 1850** (Noctuidae) Synonym(s): *Coenophila* Stephens, 1850 Original Reference: *Coenophila* Stephens, 1850, List Specimens Br. Anim. Colln Br. Mus. 5: 74. Type-species: *Graphiphora subrosea* Stephens, 1829, by monotypy.
- 4785. *Colbusa* Walker, 1865** (Noctuidae) Synonym(s): *Colbusa* Walker, 1865
- 4786. *Colobochyla* (*Caspicastra*) Koçak & Kemal, 2002** (Noctuidae) Synonym(s): *Caspicastra* Koçak & Kemal, 2002 Original Reference: *Caspicastra* Koçak & Kemal, 2002, Cent. ent. Stud., Misc. Pap. 86: 4, footnote 8. Type-species: *Eulocastra* (*Thalerastris*) *capnoessa* Zerny, 1915, by original designation.
- 4787. *Colobochyla* Hübner, [1825]** (Noctuidae) Synonym(s): *#Salia* Hübner, [1806]; *Colobochyla* Hübner, [1825]; *#Cholobochyla* Hübner, [1826]; *Madopa* Stephens, 1829; *Cholobochyla* Agassiz, 1846; *#Calobochyla* Walker, [1859]; *#Matopa* Hacker, 1990. Original Reference: *Colobochyla* Hübner, [1825], Verz. bekannt. Schmett.: 344. Type-species: *Pyrallis salicalis* [Denis & Schiffermüller], 1775, by monotypy.
- 4788. *Colocasia* Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Colocasia* Ochsenheimer, 1816; *Leptostola* Billberg, 1820; *Demas* Stephens, 1829; *#Calocasia* auct. Original Reference: *Colocasia* Ochsenheimer, 1816, Schmett. Eur. 4: 63. Type-species: *Phalaena coryli* Linnaeus, 1758, by subsequent designation by Samouelle, 1819.
- 4789. *Cometaster* Hampson, 1913** (Noctuidae) Synonym(s): *Cometaster* Hampson, 1913
- 4790. *Comocrus* Jordan, 1896** (Noctuidae) Synonym(s): *Comocrus* Jordan, 1896
- 4791. *Compsotata* A.E. Prout, 1907** (Noctuidae) Synonym(s): *Compsotata* A.E. Prout, 1907
- 4792. *Condote* Walker, 1862** (Noctuidae) Synonym(s): *Condote* Walker, 1862
- 4793. *Condica* Walker, 1856** (Noctuidae) Synonym(s): *Condica* Walker, 1856; *Gaphara* Walker, 1862; *Platysenta* Grote, 1874; *Myrtale* Druce, 1891; *Monocondica* Berio, 1981; *Bicondica* Berio, 1981. Original Reference: *Condica* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 9: 214, 239. Type-species: *Condica palpalis* Walker, 1856, by monotypy.
- 4794. *Conicofrontia* Hampson, 1902** (Noctuidae) Synonym(s): *Conicofrontia* Hampson, 1902
- 4795. *Conistra* (*Dasycampa*) Guenée, 1837** (Noctuidae) Synonym(s): *Dasycampa* Guenée, 1837 Original Reference: *Dasycampa* Guenée, 1837, Annls Soc. ent. Fr. 6: 224. Type-species: *Noctua rubiginea* [Denis & Schiffermüller], 1775, by monotypy.
- 4796. *Conistra* (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Conistra* Hübner, [1821]; *Orrhodia* Hübner, [1821]; *Gloia* Hübner, 1822; *Peperina* Hreblay, 1992 Original Reference: *Conistra* Hübner, [1821], Verz. bekannt. Schmett.: 229. Type-species: *Noctua veronicae* Hübner, [1803], by subsequent designation by Hampson (1906).
- 4797. *Conistra* Hübner, [1821]** (Noctuidae) Synonym(s): *Conistra* Hübner, [1821]; *Orrhodia* Hübner, [1821]; *Gloia* Hübner, 1822; *Peperina* Hreblay, 1992 Original Reference: *Conistra* Hübner, [1821], Verz. bekannt. Schmett.: 229. Type-species: *Noctua veronicae* Hübner, [1803], by subsequent designation by Hampson (1906).
- 4798. *Conservula* Grote, 1874** (Noctuidae) Synonym(s): *Conservula* Grote, 1874
- 4799. *Cophanta* Walker, 1864** (Noctuidae) Synonym(s): *Cophanta* Walker, 1864; *Toxophleps* Hampson, 1893
- 4800. *Copifrontia* Hampson, 1905** (Noctuidae) Synonym(s): *Copifrontia* Hampson, 1905
- 4801. *Corcobara* Moore, 1882** (Noctuidae) Synonym(s): *Corcobara* Moore, 1882 Original Reference: *Corcobara* Moore, 1882, [in] Hewitson & Moore, Descr. new Indian Lep. Coll. Atkinson (2): 186. Type-species: *Corcobara angulipennis* Moore, 1882, by monotypy.
- 4802. *Corgatha* Walker, [1859]** (Noctuidae) Synonym(s): *Corgatha* Walker, [1859]
- 4803. *Cornutiplusia* Kostrowicki, 1961** (Noctuidae) Synonym(s): *Cornutiplusia* Kostrowicki, 1961 Original Reference: *Cornutiplusia* Kostrowicki, 1961, Acta zool. cracov. 6: 432. Type-species: *Phalaena circumflexa* Linnaeus, 1767, by original designation.
- 4804. *Corsa* Walker, [1858]** (Noctuidae) Synonym(s): *Corsa* Walker, [1858]
- 4805. *Cortyta* Walker, [1858]** (Noctuidae) Synonym(s): *Cortyta* Walker, [1858]
- 4806. *Cosmia* (*Calymnia*) Hübner, [1821]** (Noctuidae) Synonym(s): *Calymnia* Hübner, [1821] Original Reference: *Calymnia* Hübner, [1821], Verz. bekannt. Schmett.: 235. Type-species: *Phalaena trapezina* Linnaeus, 1758, by subsequent designation by Grote (1874).
- 4807. *Cosmia* (*Fibigerina*) Koçak & Kemal, 2015** (Noctuidae) Synonym(s): *Silva* Fibiger & Hacker, 2007 nec Verreaux, 1872; *Fibigerina* Koçak & Kemal, 2015 Original Reference: *Cosmia* (*Fibigerina*) Koçak & Kemal, 2015, Priamus (Suppl.) 40: 30 (nom nov. pro *Silva* Fibiger & Hacker, 2007 nec Verreaux, 1872. Type-species: *Cosmia confinis* Herrich-Schäffer, [1849], by original designation.

- 4808. *Cosmia (Nemus) Fibiger & Hacker, 2007* (Noctuidae) Synonym(s):** *Nemus Fibiger & Hacker, 2007*
- 4809. *Cosmia (Ulmia) Fibiger & Hacker, 2007* (Noctuidae) Synonym(s):** *Ulmia Fibiger & Hacker, 2007* Original Reference: *Cosmia (Ulmia) Fibiger & Hacker, 2007, Noctuidae Europaeae* 9: 156. Type-species: *Phalaena affinis* Linnaeus, 1767, by original designation.
- 4810. *Cosmia (s.str.) Ochsenheimer, 1816* (Noctuidae) Synonym(s):** *Cosmia Ochsenheimer, 1816; Eustegnia Hübner, [1821]*. Original Reference: *Cosmia Ochsenheimer, 1816, Schmett. Eur. 4: 84*. Type-species: *Phalaena diffinis* Linnaeus, 1767, by subsequent designation by Duponchel, 1829.
- 4811. *Cosmia Ochsenheimer, 1816* (Noctuidae) Synonym(s):** *Cosmia Ochsenheimer, 1816; Eustegnia Hübner, [1821]*. Original Reference: *Cosmia Ochsenheimer, 1816, Schmett. Eur. 4: 84*. Type-species: *Phalaena affinis* Linnaeus, 1767, by subsequent designation by Duponchel, 1829.
- 4812. *Cossedia Walker, 1865* (Noctuidae) Synonym(s):** *Cossedia Walker, 1865*
- 4813. *Crambiforma Hampson, 1926* (Noctuidae) Synonym(s):** *Crambiforma Hampson, 1926*
- 4814. *Crameria Hübner, [1819]* (Noctuidae) Synonym(s):** *Crameria Hübner, [1819]; Charilina Walker, 1854*
- 4815. *Craniophora Snellen, 1867* (Noctuidae) Synonym(s):** *Craniophora Snellen, 1867; Bisulcia Chapman, 1890; Cranionycta De Lattin, 1949; Hampsonia Kozhantschikov, 1950; Miracopa Draudt, 1950; Hampsonidia Inoue, 1958*. Original Reference: *Craniophora Snellen, 1867, Vlinders Nederland* 1867: 262. Type-species: *Noctua ligustri* [Denis & Schiffermüller], 1775, by monotypy.
- 4816. *Cremopalpus Strand, 1909* (Noctuidae) Synonym(s):** *Cremopalpus Strand, 1909*
- 4817. *Cretonia Walker, 1866* (Noctuidae) Synonym(s):** *Cretonia Walker, 1866*
- 4818. *Crinala Jordan, 1896* (Noctuidae) Synonym(s):** *Crinala Jordan, 1896*
- 4819. *Crinocula Jordan, 1896* (Noctuidae) Synonym(s):** *Crinocula Jordan, 1896*
- 4820. *Crionica Hampson, 1926* (Noctuidae) Synonym(s):** *Crionica Hampson, 1926*
- 4821. *Criophasia Hampson, 1906* (Noctuidae) Synonym(s):** *Criophasia Hampson, 1906*
- 4822. *Crithote Walker, 1864* (Noctuidae) Synonym(s):** *Crithote Walker, 1864; Crusiseta Schultze, 1908*
- 4823. *Crosia Dupont, 1910* (Noctuidae) Synonym(s):** *Crosia Dupont, 1910* Original Reference: *Crosia Dupont, 1910, Bull. Soc. ent. Fr. 1910: 369*. Type-species: *Crosia hachem* Dupont, 1910, by monotypy.
- 4824. *Cruria Jordan, 1896* (Noctuidae) Synonym(s):** *Cruria Jordan, 1896*
- 4825. *Cruriopsis Jordan, 1912* (Noctuidae) Synonym(s):** *Cruriopsis Jordan, 1912*
- 4826. *Cryphia (Bryoleuca) Hampson, 1908* (Noctuidae) Synonym(s):** *Bryoleuca Hampson, 1908* Original Reference: *Bryoleuca Hampson, 1908, Cat. Lepid. Phalaenae Br. Mus. 7: xv, 686*. Type-species: *Miana trilinea* Bethune-Baker, 1894, by original designation.
- 4827. *Cryphia (Bryophila) Treitschke, 1825* (Noctuidae) Synonym(s):** *Poecilia Schrank, 1802 nec Schneider, 1801; Bryophila Treitschke, 1825* Original Reference: *Bryophila Treitschke, 1825, Schmett. Eur. 5 (1): 57*. Type-species: *Noctua perla* [Denis & Schiffermüller], 1775, by subsequent designation by Westwood, 1840.
- 4828. *Cryphia (Bryopsis) Boursin, 1969* (Noctuidae) Synonym(s):** *Bryopsis Boursin, 1969* Original Reference: *Bryopsis Boursin, 1969, Z. wien. ent. Ges. 54: 46*. Type-species: *Phalaena muralis* Forster, 1771, by original designation.
- 4829. *Cryphia (Euthales) Hübner, [1820]* (Noctuidae) Synonym(s):** *Euthales Hübner, [1820]; Jaspidia Hübner, 1822* Original Reference: *Euthales Hübner, [1820], Verz. bekannt. Schmett.:* 205. Type-species: *Noctua algae* Fabricius, 1775, by subsequent designation by Hampson, 1908.
- 4830. *Cryphia (Hymenocryphia) Boursin, 1968* (Noctuidae) Synonym(s):** *Hymenocryphia Boursin, 1968* Original Reference: *Cryphia (Hymenocryphia) Boursin, 1968, Entomops 11: 87*. Type-species: *Bryophila modesta* Moore, 1881, by original designation.
- 4831. *Cryphia (s.str.) Hübner, 1818* (Noctuidae) Synonym(s):** *Cryphia Hübner, 1818; Heterocryphia Beck, 1996* Original Reference: *Cryphia Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 14*. Type-species: *Noctua receptacula* Hübner, [1803], by subsequent designation by Hampson, 1908.
- 4832. *Cryphia Hübner, 1818* (Noctuidae) Synonym(s):** *Cryphia Hübner, 1818; Heterocryphia Beck, 1996* Original Reference: *Cryphia Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 14*. Type-species: *Noctua receptacula* Hübner, [1803], by subsequent designation by Hampson, 1908.
- 4833. *Crypsotidia Rothschild, 1901* (Noctuidae) Synonym(s):** *Crypsotidia Rothschild, 1901* Original Reference: *Crypsotidia Rothschild, 1901, Novit. zool. 8: 432*. Type-species: *Crypsotidia wollastoni* Rothschild, 1901, by original designation.
- 4834. *Cryptastria Hampson, 1926* (Noctuidae) Synonym(s):** *Cryptastria Hampson, 1926; #Cryptastria Kononenko & Pinratana, 2005; #Cryptarsia Kononenko & Pinratana, 2005*

- 4835. *Cryptocala Benjamin, 1921*** (Noctuidae) **Synonym(s):** *Cryptocala Benjamin, 1921*
- 4836. *Cryptothripa Hampson, 1912*** (Noctuidae) **Synonym(s):** *Cryptothripa Hampson, 1912*
- 4837. *Csorbatype Hreblay, Peregovits & L.Ronkay, 1999*** (Noctuidae) **Synonym(s):** *Csorbatype Hreblay, Peregovits & L.Ronkay, 1999*
- 4838. *Ctenane Swinhoe, 1905*** (Noctuidae) **Synonym(s):** *Ctenane Swinhoe, 1905*
- 4839. *Ctenoceratoda Varga, 1992*** (Noctuidae) **Synonym(s):** *Ctenoceratoda Varga, 1992* Original Reference: *Ctenoceratoda Varga, 1992, Acta zool. hung. 38 (1/2): 95.* Type-species: *Haderonia sukharevae Varga, 1974*, by original designation.
- 4840. *Ctenusa Hampson, 1910*** (Noctuidae) **Synonym(s):** *Acanthonyx Hampson, 1902 (praeocc.); Ctenusa Hampson, 1910*
- 4841. *Cucullia (s.str.) Schrank, 1802*** (Noctuidae) **Synonym(s):** *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argyritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyrogalea Hampson, 1906; Cheligalea Hampson, 1906; Argyromata Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929* Original Reference: *Cucullia Schrank, 1802, Fauna Boica 2 (2): 157.* Type-species: *Phalaena umbratica Linnaeus, 1758*, by subsequent designation by Curtis, 1824.
- 4842. *Cucullia Schrank, 1802*** (Noctuidae) **Synonym(s):** *Cucullia Schrank, 1802; Euderaea Hübner, [1821]; Empusa Hübner, [1821]; Eucalimia Hübner, [1821]; Callaenia Hübner, [1821]; Argyritis Hübner, [1821]; Tribunophora Hübner, 1822; Lophia Sodoffsky, 1837; Argyrogalea Hampson, 1906; Cheligalea Hampson, 1906; Argyromata Hampson, 1906; Empusada Hampson, 1906; Pseudocopicucullia Dumont, 1929* Original Reference: *Cucullia Schrank, 1802, Fauna Boica 2 (2): 157.* Type-species: *Phalaena umbratica Linnaeus, 1758*, by subsequent designation by Curtis, 1824.
- 4843. *Culicula Walker, 1863*** (Noctuidae) **Synonym(s):** *Culicula Walker, 1863; Nabartha Moore, 1885*
- 4844. *Cultripalpa Guenée, 1852*** (Noctuidae) **Synonym(s):** *Cultripalpa Guenée, 1852*
- 4845. *Cuneisigna Hampson, 1913*** (Noctuidae) **Synonym(s):** *Cuneisigna Hampson, 1913*
- 4846. *Cyclodes Guenée, 1852*** (Noctuidae) **Synonym(s):** *Cyclodes Guenée, 1852; Beregra Walker, 1858*
- 4847. *Cyclopera Hampson, 1908*** (Noctuidae) **Synonym(s):** *Cyclopera Hampson, 1908*
- 4848. *Cylogramma Boisduval, 1833*** (Noctuidae) **Synonym(s):** *Cylogramma Boisduval, 1833; Cylogramma Agassiz, 1847*
- 4849. *Cymatophoropsis Hampson, 1894*** (Noctuidae) **Synonym(s):** *Cymatophoropsis Hampson, 1894; Trispila Houlbert, 1921; Thyatirides Kozhantschikov, 1950*
- 4850. *Cymodegma Tams, 1935*** (Noctuidae) **Synonym(s):** *Cymodegma Tams, 1935*
- 4851. *Cytothymia Hampson, 1908*** (Noctuidae) **Synonym(s):** *Cytothymia Hampson, 1908*
- 4852. *Dactyloplusia Chou & Lu, 1979*** (Noctuidae) **Synonym(s):** *Dactyloplusia Chou & Lu, 1979*
- 4853. *Daddala Walker, 1865*** (Noctuidae) **Synonym(s):** *Daddala Walker, 1865; #Daddada Walker, 1865; Elpia Walker, 1865*
- 4854. *Daona Walker, 1864*** (Noctuidae) **Synonym(s):** *Daona Walker, 1864*
- 4855. *Dargeochaeta Laporte, 1973*** (Noctuidae) **Synonym(s):** *Dargeochaeta Laporte, 1973*
- 4856. *Daseochaeta W. Warren, 1907*** (Noctuidae) **Synonym(s):** *Daseochaeta W. Warren, 1907*
- 4857. *Daseuplexia Hampson, 1906*** (Noctuidae) **Synonym(s):** *Daseuplexia Hampson, 1906*
- 4858. *Daseutype Hreblay, Peregovits & L.Ronkay, 1999*** (Noctuidae) **Synonym(s):** *Daseutype Hreblay, Peregovits & L.Ronkay, 1999*
- 4859. *Dasypolia (Auropolia) Hreblay & L.Ronkay, 1999*** (Noctuidae) **Synonym(s):** *Auropolia Hreblay & L.Ronkay, 1999*
- 4860. *Dasypolia (Cteipolia) Staudinger, 1896*** (Noctuidae) **Synonym(s):** *Cteipolia Staudinger, 1896*
- 4861. *Dasypolia (Dasymixis) L.Ronkay & Varga, 1990*** (Noctuidae) **Synonym(s):** *Dasymixis L.Ronkay & Varga, 1990* Original Reference: *Dasymixis L.Ronkay & Varga, 1990, Esperiana 1: 481.* Type-species: *Dasypolia (Dasymixis) diva L.Ronkay & Varga, 1990*, by original designation.
- 4862. *Dasypolia (Dasythorax) Staudinger, 1889*** (Noctuidae) **Synonym(s):** *Dasythorax Staudinger, 1889*
- 4863. *Dasypolia (Sinipolia) L.Ronkay & Zilli, 1992*** (Noctuidae) **Synonym(s):** *Sinipolia L.Ronkay & Zilli, 1992*
- 4864. *Dasypolia (Tschetwerikovia) Bundel, 1966*** (Noctuidae) **Synonym(s):** *Tschetwerikovia Bundel, 1966* Original Reference: *Tschetwerikovia Bundel, 1966, Ent. Obozr. 45: 213.* Type-species: *Tschetwerikovia rjabovi Bundel, 1966*, by original designation.
- 4865. *Dasypolia (s.str.) Guenée, 1852*** (Noctuidae) **Synonym(s):** *Dasypolia Guenée, 1852* Original Reference: *Dasypolia Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 44.* Type-species: *Noctua templi Thunberg, 1792*, by monotypy.

- 4866. *Dasypolia* Guenée, 1852** (Noctuidae) Synonym(s): *Dasypolia* Guenée, 1852 Original Reference: *Dasypolia* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 44. Type-species: *Noctua templi* Thunberg, 1792, by monotypy.
- 4867. *Deinopa* Walker, 1856** (Noctuidae) Synonym(s): *Deinopa* Walker, 1856; *Poesula* Walker, 1858; *Asthana* Walker, 1862; *Rethma* Walker, 1866.
- 4868. *Deltote* Reichenbach, 1817** (Noctuidae) Synonym(s): *Deltote* Reichenbach, 1817 Original Reference: *Deltote* Reichenbach, 1817, Jenaische Allg. Lit.-Ztg. 1: 288. Type-species: *Phalaena argentula* Hübner, [1787], by subsequent designation by Nye, 1975.
- 4869. *Detounda* Walker, 1864** (Noctuidae) Synonym(s): *Detounda* Walker, 1864
- 4870. *Diachrysia* Hübner, [1821]** (Noctuidae) Synonym(s): *Diachrysia* Hübner, [1821] Original Reference: *Diachrysia* Hübner, [1821], Verz. bekannt. Schmett.: 252. Type-species: *Phalaena chryson* Esper, 1789, by subsequent designation by Dyar, 1902.
- 4871. *Diadochia* Püngeler, 1914** (Noctuidae) Synonym(s): *Diadochia* Püngeler, 1914
- 4872. *Dialithoptera* Hampson, 1900** (Noctuidae) Synonym(s): *Dialithoptera* Hampson, 1900
- 4873. *Diaphone* Hübner, [1821]** (Noctuidae) Synonym(s): *Diaphone* Hübner, [1821]; *Taeniopyga* Wallengren, 1858
- 4874. *Diarsia* Hübner, [1821]** (Noctuidae) Synonym(s): *Diarsia* Hübner, [1821]; *Oxira* Walker, 1865 Original Reference: Verz. bekannt. Schmett.: 222. Type-species: *Noctua dahli* Hübner, [1813], by subsequent designation by Hampson, 1903.
- 4875. *Diascia* Hampson, 1926** (Noctuidae) Synonym(s): *Diascia* Hampson, 1926
- 4876. *Dicerogastra* D.S.Fletcher, 1961** (Noctuidae) Synonym(s): *Dicerogastra* D.S.Fletcher, 1961
- 4877. *Dichagyris* (Albocosta) Fibiger & Lafontaine, 1997** (Noctuidae) Synonym(s): *Albocosta* Fibiger & Lafontaine, 1997; *Basistriga* Fibiger & Lafontaine, 1997 Original Reference: *Albocosta* Fibiger & Lafontaine, 1997, Noctuidae Europaeae 3: 126-127. Type-species: *Noctua musiva* Hübner, [1803], by original designation.
- 4878. *Dichagyris* (Grisyigoga) Beck, 1991** (Noctuidae) Synonym(s): *Grisyigoga* Beck, 1991 Original Reference: *Grisyigoga* Beck, 1991, Atalanta 22 (2/4): 182. Type-species: *candelisequa* [Denis & Schiffermüller], 1775, by original designation.
- 4879. *Dichagyris* (Stenosomides) Strand, 1942** (Noctuidae) Synonym(s): *Stenosoma* Turati, 1924 nec Leach, [1814]; *Stenosomides* Strand, 1942 Original Reference: *Stenosomides* Strand, 1942, Folia zool. hydrobiol. 11: 390 (nom. nov. pro *Stenosoma* Turati, 1924 nec Leach, [1814]). Type-species: *Stenosoma synesia* Turati, 1924, by monotypy.
- 4880. *Dichagyris* (Yigoga) Nye, 1975** (Noctuidae) Synonym(s): *Ogygia* Hübner, [1821] nec Brong., 1817; *Yigoga* Nye, 1975; *Flavyigoga* Beck, 1996; *Nigryigoga* Beck, 1996 Original Reference: *Yigoga* Nye, 1975, The generic names of moths of the World 1: 508 (nom. nov. *Ogygia* Hübner, [1821]). Type-species: *Noctua signifera* [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1895 (for *Ogygia* Hübner).
- 4881. *Dichagyris* Lederer, 1857** (Noctuidae) Synonym(s): *Dichagyris* Lederer, 1857; *#Dichagyria* Walker, 1866 Original Reference: *Dichagyris* Lederer, 1857, Noctuiden Eur.: 45, 206. Type-species: *Agrotis melanura* Carrara, 1846, by monotypy.
- 4882. *Dichonia* (Gripesia) Tams, 1939** (Noctuidae) Synonym(s): *Agriopis* Boisduval, 1840 nec Hbn., [1825]; *Gripesia* Tams, 1939; *Eudiphthera* Nordström, 1941 Original Reference: *Gripesia* Tams, 1939, Entomologist 72: 72. Type-species: *Phalaena aprilina* Linnaeus, 1758, by monotypy.
- 4883. *Dichonia* Hübner, [1821]** (Noctuidae) Synonym(s): *Dichonia* Hübner, [1821] Original Reference: *Dichonia* Hübner, [1821], Verz. bekannt. Schmett.: 217. Type-species: *Noctua aeruginea* Hübner, [1803], by subsequent designation by Butler, 1890.
- 4884. *Dichromia* (Ametropalpis) Mabille, 1884** (Noctuidae) Synonym(s): *Ametropalpis* Mabille, 1884; *Eugorna* Holland, 1894.
- 4885. *Dichromia* (Camphypena) A.E.Prout, 1927** (Noctuidae) Synonym(s): *Camphypena* A.E.Prout, 1927
- 4886. *Dichromia* (s.str.) Guenée, 1854** (Noctuidae) Synonym(s): *Dichromia* Guenée, 1854
- 4887. *Dichromia* Guenée, 1854** (Noctuidae) Synonym(s): *Dichromia* Guenée, 1854
- 4888. *Dicycla* Guenée, 1852** (Noctuidae) Synonym(s): *Eugramma* Stephens, 1850 nec Billb., 1820; *Dicycla* Guenée, 1852 Original Reference: *Dicycla* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 7. Type-species: *Phalaena oo* Linnaeus, 1758, by monotypy.
- 4889. *Didigua* Walker, 1862** (Noctuidae) Synonym(s): *Bessara* Walker, 1862; *Didigua* Walker, 1862; *Lasionotella* W.Warren, 1916
- 4890. *Didiguides* Kobes, 1994** (Noctuidae) Synonym(s): *Didiguides* Kobes, 1994

- 4891. Diehlea Kobes, 1997** (Noctuidae) Synonym(s): *Diehlea Kobes, 1997*
- 4892. Dierna Walker, 1858** (Noctuidae) Synonym(s): *Dierna Walker, 1858; Nahara Walker, 1865*
- 4893. Dierna Walker, 1859** (Noctuidae) Synonym(s): *Dierna Walker, 1859; Nahara Walker, 1865*
- 4894. Diloba Boisduval, 1840** (Noctuidae) Synonym(s): *#Heteromorpha Hübner, 1808; #Heteromorpha Hübner, 1822; Diloba Boisduval, 1840* Original Reference: *Diloba Boisduval, 1840, Genera Index meth. Eur. Lepid.: 88. Type-species: Phalaena caeruleocephala Linnaeus, 1758, by monotypy.*
- 4895. Dilophothripa Hampson, 1898** (Noctuidae) Synonym(s): *Dilophothripa Hampson, 1898*
- 4896. Dimorphinoctua Viette, 1952** (Noctuidae) Synonym(s): *Dimorphinoctua Viette, 1952*
- 4897. Dinumma Walker, 1858** (Noctuidae) Synonym(s): *Dinumma Walker, 1858; Ortheaga Walker, 1865*
- 4898. Diomea Walker, [1858]** (Noctuidae) Synonym(s): *Diomea Walker, [1858]; Zigera Walker, 1862; Panilla Moore, [1885]; Heteroscotia Bryk, 1948*
- 4899. Diparopsis Hampson, 1902** (Noctuidae) Synonym(s): *Diparopsis Hampson, 1902*
- 4900. Diphtherocome W. Warren, [1907]** (Noctuidae) Synonym(s): *Diphtherocome W. Warren, [1907]*
- 4901. Disepholcia A.E. Prout, 1924** (Noctuidae) Synonym(s): *Disepholcia A.E. Prout, 1924*
- 4902. Disticta Hampson, 1902** (Noctuidae) Synonym(s): *Disticta Hampson, 1902*
- 4903. Donda Moore, 1882** (Noctuidae) Synonym(s): *Donda Moore, 1882*
- 4904. Dordura Moore, 1882** (Noctuidae) Synonym(s): *Dordura Moore, 1882*
- 4905. Dorstiana Laporte, 1974** (Noctuidae) Synonym(s): *Dorstiana Laporte, 1974*
- 4906. Drasteria Hübner, 1818** (Noctuidae) Synonym(s): *Drasteria Hübner, 1818; #Drastoria Walker, 1858* Original Reference: *Drasteria Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 8. Type-species: Drasteria graphica Hübner, 1818, by subsequent designation by Hampson, 1926.*
- 4907. Drasteriodes Hampson, 1926** (Noctuidae) Synonym(s): *Drasteriodes Hampson, 1926* Original Reference: *Drasteriodes Hampson, 1926, Descr. new Genera Species Lepid. Phalaenae: 41. Type-species: Photodes limata Christoph, 1884, by original designation.*
- 4908. Dryobota Lederer, 1857** (Noctuidae) Synonym(s): *Dryobota Lederer, 1857* Original Reference: *Dryobota Lederer, 1857, Noctuien Eur.: 33, 100. Type-species: Noctua oclusa Hübner, [1824], by subsequent designation by Hampson, 1906.*
- 4909. Dryobotodes (Dichonioxia) Berio, 1980** (Noctuidae) Synonym(s): *Dichonioxia Berio, 1980* Original Reference: *Dichonioxia Berio, 1980, Boll. Soc. ent. ital. 112: 40. Type-species: Phalaena tenebrosa Esper, 1789, by original designation.*
- 4910. Dryobotodes (s.str.) W. Warren, 1910** (Noctuidae) Synonym(s): *Dryobotodes W. Warren, 1910; Monobotodes Beck, 1991; Roborbotodes Beck, 1991* Original Reference: *Dryobotodes W. Warren, 1910, [in] Seitz, Macrolepid. World 3: 133. Type-species: Noctua protea [Denis & Schiffermüller], 1775, by original designation.*
- 4911. Dryobotodes W. Warren, 1910** (Noctuidae) Synonym(s): *Dryobotodes W. Warren, 1910; Monobotodes Beck, 1991; Roborbotodes Beck, 1991* Original Reference: *Dryobotodes W. Warren, 1910, [in] Seitz, Macrolepid. World 3: 133. Type-species: Noctua protea [Denis & Schiffermüller], 1775, by original designation.*
- 4912. Dypterygia Stephens, 1829** (Noctuidae) Synonym(s): *Dypterygia Stephens, 1829* Original Reference: *Dypterygia Stephens, 1829, Illust. Br. Ent. (Haustellata) 2: 167. Type-species: Phalaena scabriuscula Linnaeus, 1758, by monotypy.*
- 4913. Dyrzela Walker, 1858** (Noctuidae) Synonym(s): *Dyrzela Walker, 1858; Maxilua Walker, [1863]*
- 4914. Dysaletia Sugi, 1982** (Noctuidae) Synonym(s): *Dysaletia Sugi, 1982*
- 4915. Dysgnathia W. Warren, 1913** (Noctuidae) Synonym(s): *Dysgnathia W. Warren, 1913*
- 4916. Dysgonia Hübner, [1823]** (Noctuidae) Synonym(s): *Dysgonia Hübner, [1823]* Original Reference: *Dysgonia Hübner, [1823], Verz. bekannt. Schmett.: 269. Type-species: Phalaena algira Linnaeus, 1767, by subsequent designation by Moore, [1885].*
- 4917. Dysmilichia Speiser, 1902** (Noctuidae) Synonym(s): *Phalacra Staudinger, 1892 (praeocc.); Milichia Snellen, 1899 (praeocc.); Dysmilichia Speiser, 1902.* Original Reference: *Dysmilichia Speiser, 1902, Berl. ent. Z. 47: 140. Type-species: Perigea gemella Leech, 1889, by monotypy.*
- 4918. Earias Hübner, [1825]** (Noctuidae) Synonym(s): *Earias Hübner, [1825]; #Earis Stephens, 1834; Aphasia Walker, [1858]; Digba Walker, 1862* Original Reference: *Earias Hübner, [1825], Verz. bekannt. Schmett.: 395. Type-species: Phalaena clorana Linnaeus, 1761, by subsequent designation by Westwood, 1840.*
- 4919. Eclipsea Hampson, 1926** (Noctuidae) Synonym(s): *Eclipsea Hampson, 1926*

- 4920. Ecpatia Turner,1902** (Noctuidae) Synonym(s): *Ecpatia Turner,1902*
- 4921. Ectocheila Hampson,1902** (Noctuidae) Synonym(s): *Ectocheila Hampson,1902*
- 4922. Ectolopha Hampson,1902** (Noctuidae) Synonym(s): *Ectolopha Hampson,1902*
- 4923. Edessena Walker,[1859]** (Noctuidae) Synonym(s): *Edessena Walker,[1859]*
- 4924. Effractilis Berio,1977** (Noctuidae) Synonym(s): *Effractilis Berio,1977*
- 4925. Egira Duponchel,[1845]** (Noctuidae) Synonym(s): *Egira Duponchel,[1845]; Xylomiges Guenée,1852* Original Reference: *Egira Duponchel,[1845]*, Cat. méth. Lépid. Eur. (2): 162. Type-species: *Phalaena conspicularis* Linnaeus,1758, by subsequent designation by Desmarest,1857.
- 4926. Egnasia Walker,[1859]** (Noctuidae) Synonym(s): *Egnasia Walker,[1859]; Margana Walker,[1866]; Matella Moore,[1885] nec Gistl.,1848; Spectrophysa Swinhoe,1900; Talmela Nye,1975*
- 4927. Egybolis Boisduval,1847** (Noctuidae) Synonym(s): *Egybolis Boisduval,1847*
- 4928. Eicomorpha Staudinger,1888** (Noctuidae) Synonym(s): *Eicomorpha Staudinger,1888* Original Reference: *Eicomorpha Staudinger,1888*, Stettin ent. Ztg. 49: 24. Type-species: *Eicomorpha antiqua* Staudinger,1888, by monotypy.
- 4929. Elaphria Hübner,1818** (Noctuidae) Synonym(s): *Elaphria Hübner,1818* Original Reference: *Elaphria Hübner,1818*, Zuträge Samml. exot. Schmett. 1: 16. Type-species: *Elaphria grata* Hübner,1818, by subsequent designation by Barnes & Benjamin,1929.
- 4930. Eligma Hübner,[1819]** (Noctuidae) Synonym(s): *Eligma Hübner,[1819]; Heligma Agassiz,1846; Panglima Moore,1858*
- 4931. Elwesia Hampson,1894** (Noctuidae) Synonym(s): *Elwesia Hampson,1894; Elvesia Hampson,1894*
- 4932. Elydna Walker,1858** (Noctuidae) Synonym(s): *Elydna Walker,1858*
- 4933. Elydnodes Hampson,1913** (Noctuidae) Synonym(s): *Elydnodes Hampson,1913*
- 4934. Elyptron Saalmüller,1891** (Noctuidae) Synonym(s): *Elyptron Saalmüller,1891; Tegarparon Berio,1955.*
- 4935. Enargia Hübner,[1821]** (Noctuidae) Synonym(s): *Enargia Hübner,[1821]; Euprepia Guenée,1839* Original Reference: *Enargia Hübner,[1821]*, Verz. bekannt. Schmett.: 235. Type-species: *Phalaena paleacea* Esper,1788, by monotypy.
- 4936. Engusanacantha Berio,1941** (Noctuidae) Synonym(s): *Engusanacantha Berio,1941*
- 4937. Enispa Walker,[1866]** (Noctuidae) Synonym(s): *Enispa Walker,[1866]*
- 4938. Entomogramma Guenée,1852** (Noctuidae) Synonym(s): *Entomogramma Guenée,1852; Taramina Moore,[1885]*
- 4939. Eogena Guenée,1852** (Noctuidae) Synonym(s): *Eogena Guenée,1852*
- 4940. Epharmottomena John,1909** (Noctuidae) Synonym(s): *Epharmottomena John,1909* Original Reference: *Epharmottomena John,1909*, Revue Russe. Ent. 9: 118. Type-species: *Leucanitis nana* Staudinger,1884, by original designation.
- 4941. Epilecta Hübner,[1821]** (Noctuidae) Synonym(s): *Epilecta Hübner,[1821]; Hiria Duponchel,[1845]* Original Reference: *Epilecta Hübner,[1821]*, Verz. bekannt. Schmett.: 221. Type-species: *Noctua linogrisea* [Denis & Schiffermüller],1775, by monotypy.
- 4942. Epimecia Guenée,1839** (Noctuidae) Synonym(s): *Epimecia Guenée,1839* Original Reference: *Epimecia Guenée,1839*, Anns Soc. ent. Fr. 8: 514. Type-species: *Cleophana ustulana* Boisduval, Rambur & Graslin,[1836], by monotypy.
- 4943. Epimeciodes Hampson,1926** (Noctuidae) Synonym(s): *Epimeciodes Hampson,1926*
- 4944. Epipsammia Staudinger,1879** (Noctuidae) Synonym(s): *Epipsammia Staudinger,1879; Namangana Staudinger,1888; Namanganum Riesen,1891; Sartha Staudinger,1891; Pseudathetis Boursin,1937.* Original Reference: *Epipsammia Staudinger,1879*, Stettin ent. Ztg. 40: 320. Type-species: *Epipsammia deserticola* Staudinger,1879, by monotypy.
- 4945. Episema Ochsenheimer,1816** (Noctuidae) Synonym(s): *Episema Ochsenheimer,1816; #Empiseme Freyer,1848* Original Reference: *Episema Ochsenheimer,1816*, Schmett. Eur. 4: 65. Type-species: *Bombyx glaucina* Esper,1789, by subsequent designation by ICZN (Opinion 494).
- 4946. Episparina Berio,1964** (Noctuidae) Synonym(s): *Episparina Berio,1964*
- 4947. Episparis Walker,[1857]** (Noctuidae) Synonym(s): *Episparis Walker,[1857]*
- 4948. Episteme Hübner,[1820]** (Noctuidae) Synonym(s): *Episteme Hübner,[1820]; Eusemia Dalman,1825; #Eusema Huttacharern & Tubtim,1995*
- 4949. Ercheia Walker,[1858]** (Noctuidae) Synonym(s): *Ercheia Walker,[1858]*
- 4950. Erebus Latreille,1810** (Noctuidae) Synonym(s): *Erebus Latreille,1810; Byas Billberg,1820; Nyctipao Hübner,[1823]; Argiva Hübner,[1823]; #Nyctipaon Hübner,[1826]; Patula Guenée,1852 (praeocc.);*

Bocana Walker, [1865] (*praeocc.*); *Coria Walker*, 1866; *Eupatula Ragonot*, 1894; *Crishna Kirby*, 1897; *Cariona Swinh*
Cariona Swinhoe, 1918.

- 4951. Eremobastis Perez-Lopez & Morente-Benitez, 1996** (Noctuidae) Synonym(s): *Eremobastis Perez-Lopez & Morente-Benitez*, 1996
- 4952. Eremobia Stephens, 1829** (Noctuidae) Synonym(s): *Eremobia Stephens*, 1829 Original Reference: *Eremobia Stephens*, 1829, Nom. Br. Insects: 42. Type-species: *Noctua ochroleuca* [Denis & Schiffermüller], 1775, by monotypy.
- 4953. Eremobina McDunnough, 1927** (Noctuidae) Synonym(s): *Eremobina McDunnough*, 1927; *Pabulatrix Sugi*, 1982 Original Reference: *Eremobina McDunnough*, 1927, Can. Ent. 69: 60. Type-species: *Hadena claudens* Walker, 1857, by original designation.
- 4954. Eremochlaena Boursin, 1953** (Noctuidae) Synonym(s): *Eremochlaena Boursin*, 1953
- 4955. Eremohadena (Iberihadena) Fibiger & L.Ronkay, 2007** (Noctuidae) Synonym(s): *Iberihadena Fibiger & L.Ronkay*, 2007
- 4956. Eremohadena (Iberihadena) Fibiger & Ronkay, 2007** (Noctuidae) Synonym(s): *Iberihadena Fibiger & Ronkay*, 2007
- 4957. Eremohadena (Megahadena) L.Ronkay, Varga & Gyulai, 2002** (Noctuidae) Synonym(s): *Megahadena L.Ronkay, Varga & Gyulai*, 2002
- 4958. Eremohadena (Megahadena) Ronkay & Varga & Gyulai, 2002** (Noctuidae) Synonym(s): *Megahadena Ronkay & Varga & Gyulai*, 2002 Original Reference: *Megahadena Ronkay & Varga & Gyulai*, 2002, Acta Zool. Acad. Sci. Hung 48 (1): 65.
- 4959. Eremohadena (s.str.) L.Ronkay, Varga & Fabian, 1995** (Noctuidae) Synonym(s): *Eremohadena L.Ronkay, Varga & Fabian*, 1995 Original Reference: *Eremohadena L.Ronkay, Varga & Fabian*, 1995, Acta Zool. Acad. Sci. Hung 41 (3): 277. Type-species: *Mamestra siri* Erschoff, 1874, by original designation.
- 4960. Eremohadena L.Ronkay, Varga & Fabian, 1995** (Noctuidae) Synonym(s): *Eremohadena L.Ronkay, Varga & Fabian*, 1995 Original Reference: *Eremohadena L.Ronkay, Varga & Fabian*, 1995, Acta Zool. Acad. Sci. Hung 41 (3): 277. Type-species: *Mamestra siri* Erschoff, 1874, by original designation.
- 4961. Eremopola W.Warren, 1911** (Noctuidae) Synonym(s): *Eremopola W.Warren*, 1911; *Libyana Turati*, 1924; *Poteriophora Boursin*, 1928; *Eremochlaena Boursin*, 1953 Original Reference: *Eremopola W.Warren*, 1911, [in] Seitz, Gross-Schmett. Erde 3: 181. Type-species: *Phoebophilus lenis* Staudinger, 1892, by original designation.
- 4962. Eremotrachea Hacker, 2001** (Noctuidae) Synonym(s): *Eremotrachea Hacker*, 2001 Original Reference: *Eremotrachea Hacker*, 2001, Esperiana 8: 220. Type-species: *Epunda bacheri* Püngeler, 1902, by original designation.
- 4963. Ericeia Walker, [1858]** (Noctuidae) Synonym(s): *Ericeia Walker*, [1858]; *Girpa Walker*, 1858; *Villosa Koch*, 1865
- 4964. Eriopyga Guenée, 1852** (Noctuidae) Synonym(s): *Eriopyga Guenée*, 1852
- 4965. Eriopygodes Hampson, 1905** (Noctuidae) Synonym(s): *Eriopygodes Hampson*, 1905 Original Reference: *Eriopygodes Hampson*, 1905, Cat. Lepid. Phalaenae Br. Mus. 5: xii, 353. Type-species: *Noctua imbecilla* Fabricius, 1794, by original designation.
- 4966. Erizada Walker, 1865** (Noctuidae) Synonym(s): *Erizada Walker*, 1865; *Rhizana Walker*, 1865; *Tinosoma Hampson*, 1894
- 4967. Erygia Guenée, 1852** (Noctuidae) Synonym(s): *Erygia Guenée*, 1852; *Calicula Walker*, 1858
- 4968. Erythrophaia Staudinger, 1892** (Noctuidae) Synonym(s): *Erythrophaia Staudinger*, 1892; *Erythrophaea Rebel*, 1901. Original Reference: *Erythrophaia Staudinger*, 1892, Dt. ent. Z., Iris 4: 316. Type-species: *Erythrophaia eudoxia* Staudinger, 1892, by monotypy.
- 4969. Erythrophusia Ichinose, 1962** (Noctuidae) Synonym(s): *Erythrophusia Ichinose*, 1962
- 4970. Estagrotis Nye, 1975** (Noctuidae) Synonym(s): *Estagrotis Nye*, 1975
- 4971. Estimata Kozhantshikov, 1928** (Noctuidae) Synonym(s): *Estimata Kozhantshikov*, 1928; *Estimaja Kozhantshikov*, 1937
- 4972. Etanna Walker, 1862** (Noctuidae) Synonym(s): *Etanna Walker*, 1862
- 4973. Ethiopica Hampson, 1908** (Noctuidae) Synonym(s): *Ethiopica Hampson*, 1908
- 4974. Ethioterpia Hampson, 1910** (Noctuidae) Synonym(s): *Ethioterpia Hampson*, 1910
- 4975. Eublemma (Coccidiphaga) Spuler, 1907** (Noctuidae) Synonym(s): *Coccidiphaga Spuler*, 1907; *Zonesthiousa Thierry-Mieg*, 1907 Original Reference: *Coccidiphaga Spuler*, 1907, [in] Hofmann, Schmett. Eur. 1: 291. Type-species: *Erastria scitula* Rambur, 1833, by monotypy.

- 4976. Eublemma (Glossodice) Berio,1991** (Noctuidae) Synonym(s): *Glossodice Berio,1991*
Original Reference: *Glossodice Berio,1991, Fauna d'Italia 27: 75. Type-species: Anthophila polygramma Duponchel,[1842], by original designation.*
- 4977. Eublemma (Honeyania) Berio,1988** (Noctuidae) Synonym(s): *Honeyania Berio,1988*
Original Reference: *Honeyania Berio,1988, Boll. Soc. ent. ital. 120 (3): 220. Type-species: Anthophila ragusana Freyer,1844, by original designation.*
- 4978. Eublemma Hübner,[1821]** (Noctuidae) Synonym(s): *#Anthophila Hübner,1806; Anthophila Ochsenheimer,1816 (praeocc.); Eublemma Hübner,[1821]; Eromene Hübner,[1821]; Porphyria Hübner,[1821]; Trothisa Hübner,[1821]; Ecthetis Hübner,[1823]; Heliomanes Sodoffsky,1837; Microphisa Boisduval,1840; Mixocharis Lederer,1853; Thalpocharis Lederer,1853; Eumestleta Butler,1892; Thalomica Spuler,1907; Polyorycta W.Warren,1911; Gyophora W.Warren,1913; Eumicremma Berio,1954; Roseoblemma Beck,1996; Parvablemma Beck,1996.* Original Reference: *Eublemma Hübner,[1821], Verz. bekannt. Schmett.: 256. Type-species: Noctua amoena Hübner,[1803], by subsequent designation by Moore,1884.*
- 4979. Eublemmistis Hampson,1902** (Noctuidae) Synonym(s): *Eublemmistis Hampson,1902*
- 4980. Eublemmoides Bethune-Baker,1906** (Noctuidae) Synonym(s): *Eublemmoides Bethune-Baker,1906*
- 4981. Eubryopterella Roepke,1938** (Noctuidae) Synonym(s): *Eubryopterella Roepke,1938*
- 4982. Eucarta Lederer,1857** (Noctuidae) Synonym(s): *Placodes Boisduval,1840 nec Erichson,1834; Telesilla Herrich-Schäffer,1856 nec Reichenb.,1853; Eucarta Lederer,1857* Original Reference: *Eucarta Lederer,1857, Noctuiden Eur.: 41, 168. Type-species: Noctua amethystina Hübner,[1803], by subsequent designation by Blanchard,1840.*
- 4983. Euchalcia Hübner,[1821]** (Noctuidae) Synonym(s): *Euchalcia Hübner,[1821]; Adeva McDunnough,1944; Pseudochalcia Klyuchko,1984; Pareuchalcia Beck,1991* Original Reference: *Euchalcia Hübner,[1821], Verz. bekannt. Schmett.: 250. Type-species: Noctua illustris Fabricius,1787, by subsequent designation by Dyar (1902).*
- 4984. Eucladodes D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Eucladodes D.S.Fletcher,1961*
- 4985. Euclidia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Euclidia Ochsenheimer,1816; Ectypa Billberg,1820; Gonospileia Hübner,[1823]; Euclidina McDunnough,1937* Original Reference: *Euclidia Ochsenheimer,1816, Schmett. Eur. 4: 96. Type-species: Phalaena glyphica Linnaeus,1758, by subsequent designation by Duponchel,1829.*
- 4986. Eudocima Billberg,1820** (Noctuidae) Synonym(s): *Eudocima Billberg,1820; Elygea Billberg,1820; Leptophara Billberg,1820; Acacallis Hübner,[1823]; Corycia Hübner,[1823]; Maenas Hübner,[1823] (praeocc.); Othreis Hübner,[1823]; Rhytia Hübner,[1823]; Trissophanes Hübner,[1823]; Ophideres Boisduval,1832; Acacalis Agassiz,1847; Ophioderes Agassiz,1847; Othyris Agassiz,1847; Adris Moore,1881; Argadesa Moore,1881; Khadira Moore,1881; Purbia Moore,1881; Vandana Moore,1881; Halastus Butler,1892; Eumaenas Hampson,1924*
- 4987. Eugnathia W.Warren,1912** (Noctuidae) Synonym(s): *Eugnathia W.Warren,1912; Lophograptia W.Warren,1913*
- 4988. Eugnorisma (Metagnorisma) Varga & L.Ronkay,1987** (Noctuidae) Synonym(s): *Metagnorisma Varga & L.Ronkay,1987* Original Reference: *Metagnorisma Varga & L.Ronkay,1987, Acta zool. hung. 33 (1/2): 194. Type-species: Agrotis depuncta var. pontica Staudinger,1892, by original designation.*
- 4989. Eugnorisma (s.str.) Boursin,1946** (Noctuidae) Synonym(s): *Eugnorisma Boursin,1946* Original Reference: *Eugnorisma Boursin,1946, Revue fr. Lépidopt. 10: 188. Type-species: Graphiphora insignata Lederer,1853, by original designation.*
- 4990. Eugnorisma Boursin,1946** (Noctuidae) Synonym(s): *Eugnorisma Boursin,1946* Original Reference: *Eugnorisma Boursin,1946, Revue fr. Lépidopt. 10: 188. Type-species: Graphiphora insignata Lederer,1853, by original designation.*
- 4991. Eugraphe Hübner,[1821]** (Noctuidae) Synonym(s): *Eugraphe Hübner,[1821]*
- 4992. Euippodes Hampson,1926** (Noctuidae) Synonym(s): *Euippodes Hampson,1926*
- 4993. Eulocastra Butler,1886** (Noctuidae) Synonym(s): *Eulocastra Butler,1886; Thalerastria Staudinger,1897.* Original Reference: *Eulocastra Butler,1886, Trans. ent. Soc. London 1886: 419. Type-species: Eulocastra fasciata Butler,1886, by monotypy.*
- 4994. Eulymnia Hampson,1910** (Noctuidae) Synonym(s): *Eulymnia Hampson,1910*
- 4995. Eumichtis Hübner,[1821]** (Noctuidae) Synonym(s): *Eumichtis Hübner,[1821]*
- 4996. Euonychodes W.Warren,1914** (Noctuidae) Synonym(s): *Euonychodes W.Warren,1914*
- 4997. Euphiusa Hampson,1913** (Noctuidae) Synonym(s): *Euphiusa Hampson,1913*
- 4998. Euplexia Stephens,1829** (Noctuidae) Synonym(s): *Euplexia Stephens,1829; Berrhaea Walker,1858; Epa Bethune-Baker,1906; Yula Bethune-Baker,1906.* Original Reference: *Euplexia*

- Stephens, 1829, Nom. Br. Insects: 41. Type-species: *Phalaena lucipara* Linnaeus, 1761, by monotypy.
- 4999. Euplexidia Hampson, 1896** (Noctuidae) Synonym(s): *Euplexidia Hampson, 1896*
- 5000. Eupsilia Hübner, [1821]** (Noctuidae) Synonym(s): *Eupsilia Hübner, [1821]*; *Scopelosoma Curtis, 1836*; *Mecoptera Guenée, 1837*; *Dichagramma Grote, 1864* Original Reference: *Eupsilia Hübner, [1821]*, Verz. bekannt. Schmett.: 231. Type-species: *Phalaena satellitia* Linnaeus, 1767, by monotypy.
- 5001. Eurois Hübner, [1821]** (Noctuidae) Synonym(s): *Eurois Hübner, [1821]*; *Eurhois Agassiz, 1846* Original Reference: *Eurois Hübner, [1821]*, Verz. bekannt. Schmett.: 218. Type-species: *Phalaena occulta* Linnaeus, 1758, by subsequent designation by Grote, 1874.
- 5002. Eustrotia Hübner, [1821]** (Noctuidae) Synonym(s): *Eustrotia Hübner, [1821]*
- 5003. Eutamsia D.S.Fletcher, 1961** (Noctuidae) Synonym(s): *Eutamsia D.S.Fletcher, 1961*
- 5004. Eutelia Hübner, [1823]** (Noctuidae) Synonym(s): *Eutelia Hübner, [1823]*; *Eurhipia Boisduval, 1829*; *Phlegetonia Guenée, 1852*; *Ripogenus Grote, 1865*; *Zobia Saalmüller, 1891*; *Alotsa Swinhoe, 1900*; *Silacida Swinhoe, 1900*; *Noctasota Clench, 1954*; *Adoraria Beck, 1996*; *#Alotoa Leraut, 1997*; *#Phlegetomia Leraut, 1997* Original Reference: *Eutelia Hübner, [1823]*, Verz. bekannt. Schmett.: 259. Type-species: *Noctua adulatrix* Hübner, [1813], by monotypy.
- 5005. Euterpiodes Hampson, 1908** (Noctuidae) Synonym(s): *Euterpiodes Hampson, 1908*
- 5006. Eutrichopidia Hampson, 1901** (Noctuidae) Synonym(s): *Eutrichopidia Hampson, 1901*
- 5007. Euxoa (Chorizagrotis) Smith, 1890** (Noctuidae) Synonym(s): *Chorizagrotis Smith, 1890*; *Mesoeuxoa Corti, 1932* Original Reference: *Chorizagrotis Smith, 1890*, Bull. U.S. natn. Mus. 38: 10, 98. Type-species: *Agrotis auxiliaris* Grote, 1873, by original designation.
- 5008. Euxoa (Orosagrotis) Hampson, 1903** (Noctuidae) Synonym(s): *Orosagrotis Hampson, 1903* Original Reference: *Orosagrotis Hampson, 1903*, Cat. Lepid. Phalaenae Br. Mus. 4: 135, 658. Type-species: *Agrotis montana* Morrison, 1875, by original designation.
- 5009. Euxoa (Pleonectopoda) Grote, 1873** (Noctuidae) Synonym(s): *Pleonectopoda Grote, 1873* Original Reference: *Pleonectopoda Grote, 1873*, Bull. Buffalo Soc. nat. Sci. 1: 136. Type-species: *Pleonectopoda lewisi* Grote, 1873, by monotypy.
- 5010. Euxoa (s.str.) Hübner, [1821]** (Noctuidae) Synonym(s): *Euxoa Hübner, [1821]*; *Metaxyja Hübner, [1821]*; *Exarnis Hübner, [1821]*; *Brotis Hübner, [1821]*; *Mimetes Hübner, [1821]* nec Esch., 1818; *Telmia Hübner, [1821]*; *Carneades Grote, 1883*; *Paragrotis Dyar, 1902* Original Reference: *Euxoa Hübner, [1821]*, Verz. bekannt. Schmett.: 209. Type-species: *Noctua decora* [Denis & Schiffermüller], 1775, by subsequent designation by Hampson, 1903.
- 5011. Euxoa Hübner, [1821]** (Noctuidae) Synonym(s): *Euxoa Hübner, [1821]*; *Metaxyja Hübner, [1821]*; *Exarnis Hübner, [1821]*; *Brotis Hübner, [1821]*; *Mimetes Hübner, [1821]* nec Esch., 1818; *Telmia Hübner, [1821]*; *Carneades Grote, 1883*; *Paragrotis Dyar, 1902* Original Reference: *Euxoa Hübner, [1821]*, Verz. bekannt. Schmett.: 209. Type-species: *Noctua decora* [Denis & Schiffermüller], 1775, by subsequent designation by Hampson, 1903.
- 5012. Euxootera D.S.Fletcher, 1961** (Noctuidae) Synonym(s): *Euxootera D.S.Fletcher, 1961*
- 5013. Evanina Boursin, 1963** (Noctuidae) Synonym(s): *Evanina Boursin, 1963* Original Reference: *Evanina Boursin, 1963*, Bull. mens. Soc. linn. Lyon 32: 297. Type-species: *Evisa wiltshirei* Boursin, 1957, by original designation.
- 5014. Evisa Reisser, 1930** (Noctuidae) Synonym(s): *Evisa Reisser, 1930* Original Reference: *Evisa Reisser, 1930*, Z. öst. EntVer. 15 (1): 2. Type-species: *Evisa schawerdae* Reisser, 1930, by original designation.
- 5015. Evonima Walker, 1865** (Noctuidae) Synonym(s): *Evonima Walker, 1865*; *Mimerastraria Butler, 1881*; *Poecilonola Hampson, 1900*
- 5016. Exathetis Janse, 1938** (Noctuidae) Synonym(s): *Exathetis Janse, 1938*
- 5017. Exophyla Guenée, 1841** (Noctuidae) Synonym(s): *Exophyla Guenée, 1841*; *#Exophila Guenée, 1841* Original Reference: *Exophyla Guenée, 1841*, Annls Soc. ent. Fr. 10: 248. Type-species: *Noctua rectangularis* Geyer, [1828], by subsequent designation by Warren, 1913, [in] Seitz, Die Gross-Schmett. Erde 3: 375.
- 5018. Exoullia Berio, 1973** (Noctuidae) Synonym(s): *Exoullia Berio, 1973*
- 5019. Exsula Jordan, 1896** (Noctuidae) Synonym(s): *Exsula Jordan, 1896*
- 5020. Extremoplusia Ronkay, 1987** (Noctuidae) Synonym(s): *Extremoplusia Ronkay, 1987*
- 5021. Ezishnola Laszlo, G.Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *Ezishnola Laszlo, G.Ronkay & Witt, 2010*
- 5022. Fabula Fibiger, Zilli & L.Ronkay, 2005** (Noctuidae) Synonym(s): *Fabula Fibiger, Zilli & L.Ronkay, 2005*

- 5023. Facidia Walker, 1865** (Noctuidae) Synonym(s): *Facidia Walker, 1865*
- 5024. Facidina Hampson, 1926** (Noctuidae) Synonym(s): *Facidina Hampson, 1926*
- 5025. Fagitana Walker, 1865** (Noctuidae) Synonym(s): *Fagitana Walker, 1865*
- 5026. Fahejbarna Zilli, Varga, G.Ronkay & L.Ronkay, 2009** (Noctuidae) Synonym(s): *Fahejbarna Zilli, Varga, G.Ronkay & L.Ronkay, 2009*
- 5027. Falana Moore, 1882** (Noctuidae) Synonym(s): *Falana Moore, 1882*
- 5028. Faronta Smith, 1908** (Noctuidae) Synonym(s): *Faronta Smith, 1908*
- 5029. Felinia Guenée, 1852** (Noctuidae) Synonym(s): *Felinia Guenée, 1852; Briarda Walker, [1858]; Ansa Walker, [1858]; Erygansa Bethune-Baker, 1906*
- 5030. Feliniopsis Roepke, 1938** (Noctuidae) Synonym(s): *Feliniopsis Roepke, 1938; Eutamsia D.S.Fletcher, 1961; #Feliniopisis Sohn & Ronkay et al., 2005*
- 5031. Feralia Grote, 1874** (Noctuidae) Synonym(s): *Feralia Grote, 1874*
- 5032. Fergana Staudinger, 1892** (Noctuidae) Synonym(s): *Fergana Staudinger, 1892*
- 5033. Fissipunctia Berio, 1991** (Noctuidae) Synonym(s): *Fissipunctia Berio, 1991; Apterogenum Berio, 2002* Original Reference: *Fissipunctia Berio, 1991, Atalanta 22 (2/4): 208. Type-species: Noctua ypsilon [Denis & Schiffermüller], 1775, by original designation.*
- 5034. Fleta Jordan, 1896** (Noctuidae) Synonym(s): *Fleta Jordan, 1896*
- 5035. Fodina Guenée, 1852** (Noctuidae) Synonym(s): *Fodina Guenée, 1852; Anocala Scott, 1891.*
- 5036. Folka Swinhoe, 1917** (Noctuidae) Synonym(s): *Folka Swinhoe, 1917*
- 5037. Foveades Bethune-Baker, 1908** (Noctuidae) Synonym(s): *Foveades Bethune-Baker, 1908; Anomophlebia Turner, 1908; Pachygnathesis Hampson, 1918*
- 5038. Fulvarba Berio, 1950** (Noctuidae) Synonym(s): *Fulvarba Berio, 1950*
- 5039. Gadirtha Walker, 1857** (Noctuidae) Synonym(s): *Gadirtha Walker, 1857*
- 5040. Galgula Guenée, 1852** (Noctuidae) Synonym(s): *Galgula Guenée, 1852*
- 5041. Garella Walker, [1863]** (Noctuidae) Synonym(s): *Garella Walker, [1863]*
- 5042. Gelastocera Butler, 1877** (Noctuidae) Synonym(s): *Gelastocera Butler, 1877*
- 5043. Geniascota Hampson, 1926** (Noctuidae) Synonym(s): *Geniascota Hampson, 1926*
- 5044. Genovena Zilli, Varga, G.Ronkay & L.Ronkay, 2009** (Noctuidae) Synonym(s): *Genovena Zilli, Varga, G.Ronkay & L.Ronkay, 2009*
- 5045. Gesonia Walker, [1859]** (Noctuidae) Synonym(s): *Gesonia Walker, [1859]; Dragana Walker, [1859]; Hileia Walker, 1861; Maresia Walker, 1866; Apphadana Walker, [1866] nec Wlk., 1865; Amblygoes Butler, 1879; Nolaseniola Strand, 1920*
- 5046. Gespanna Swinhoe, 1900** (Noctuidae) Synonym(s): *Gespanna Swinhoe, 1900*
- 5047. Giaura Walker, 1863** (Noctuidae) Synonym(s): *Giaura Walker, 1863; Orosa Walker, [1866]; Lophotangonia Bethune-Baker, 1911*
- 5048. Gigantoceras Holland, 1893** (Noctuidae) Synonym(s): *Gigantoceras Holland, 1893*
- 5049. Giubicolanta Berio, 1937** (Noctuidae) Synonym(s): *Giubicolanta Berio, 1937*
- 5050. Gloriana Kirby, 1897** (Noctuidae) Synonym(s): *Gloriana Kirby, 1897*
- 5051. Gnamptogyia Hampson, 1894** (Noctuidae) Synonym(s): *Gnamptogyia Hampson, 1894*
- 5052. Gnamptonyx Hampson, 1894** (Noctuidae) Synonym(s): *Gnamptonyx Hampson, 1894* Original Reference: *Gnamptonyx Hampson, 1894, Fauna Br. India (Moths) 2: 432, 478. Type-species: Homoptera vilis Walker, 1865, by original designation.*
- 5053. Godasa Walker, 1864** (Noctuidae) Synonym(s): *Godasa Walker, 1864*
- 5054. Goenycha Hampson, 1908** (Noctuidae) Synonym(s): *Goenycha Hampson, 1908*
- 5055. Gondysia Berio, 1955** (Noctuidae) Synonym(s): *Gondysia Berio, 1955*
- 5056. Goniocalpe Hampson, 1912** (Noctuidae) Synonym(s): *Goniocalpe Hampson, 1912*
- 5057. Goniophila Hampson, 1926** (Noctuidae) Synonym(s): *Goniophila Hampson, 1926*
- 5058. Gonoglasa Hampson, 1924** (Noctuidae) Synonym(s): *Gonoglasa Hampson, 1924*
- 5059. Gonospileia Hübner, [1823]** (Noctuidae) Synonym(s): *Gonospileia Hübner, [1823]* Original Reference: *Gonospileia Hübner, [1823], Verz. bekannt. Schmett.: 281. Type-species: Noctua munita Hübner, [1813], by subsequent designation by Hampson, 1913.*
- 5060. Gortyna (Cervyna) L.Ronkay, Zilli & Fibiger, 2005** (Noctuidae) Synonym(s): *Cervyna L.Ronkay, Zilli & Fibiger, 2005* Original Reference: *Cervyna L.Ronkay, Zilli & Fibiger, 2005, Noctuidae Europaeae 8: 51. Type-species: Gortyna cervago Eversmann, 1844, by original designation.*
- 5061. Gortyna (s.str.) Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Gortyna Ochsenheimer, 1816; Gnephozeta Billberg, 1820; Ochria Hübner, [1821]; Xanthoecia Hampson, 1908; Nytorga Beck, 1999* Original Reference: *Gortyna Ochsenheimer, 1816, Schmett. Eur. 4: 82. Type-species: Noctua flavago [Denis & Schiffermüller], 1775, by subsequent designation by Samouelle, 1819.*

- 5062. Gortyna Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Gortyna Ochsenheimer, 1816*; *Gnephozeta Billberg, 1820*; *Ochria Hübner, [1821]*; *Xanthoecia Hampson, 1908*; *Nytorga Beck, 1999* **Original Reference:** *Gortyna Ochsenheimer, 1816*, Schmett. Eur. 4: 82. Type-species: *Noctua flavago* [Denis & Schiffermüller], 1775, by subsequent designation by Samouelle, 1819.
- 5063. Gracillina Hampson, 1924** (Noctuidae) **Synonym(s):** *Gracillina Hampson, 1924*
- 5064. Gracilodes Guenée, 1852** (Noctuidae) **Synonym(s):** *Gracilodes Guenée, 1852*
- 5065. Grammodes Guenée, 1852** (Noctuidae) **Synonym(s):** *Grammodes Guenée, 1852*; *Prodotis John, 1910* **Original Reference:** *Grammodes Guenée, 1852*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 7: 275. Type-species: *Noctua geometrica* Fabricius, 1775, by original designation.
- 5066. Grammoscelis Hampson, 1906** (Noctuidae) **Synonym(s):** *Grammoscelis Hampson, 1906*
- 5067. Graphania Hampson, 1905** (Noctuidae) **Synonym(s):** *Graphania Hampson, 1905*
- 5068. Graphiphora Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Graphiphora Ochsenheimer, 1816* **Original Reference:** *Graphiphora Ochsenheimer, 1816*, Schmett. Eur. 4: 68. Type-species: *Noctua augur* Fabricius, 1775, by subsequent designation by Samouelle, 1819.
- 5069. Gyophora W. Warren, 1913** (Noctuidae) **Synonym(s):** *Gyophora W. Warren, 1913*
- 5070. Gyrtona Walker, 1863** (Noctuidae) **Synonym(s):** *Gyrtona Walker, 1863*; *Savoca Walker, 1864*
- 5071. Gyrtothripa Hampson, 1912** (Noctuidae) **Synonym(s):** *Gyrtothripa Hampson, 1912*
- 5072. Hada Billberg, 1820** (Noctuidae) **Synonym(s):** *Hada Billberg, 1820*; *Clemathada Beck, 1991* **Original Reference:** *Hada Billberg, 1820*, Enumeratio Insect. Mus. G.J. Billberg: 86. Type-species: *Noctua dentina* [Denis & Schiffermüller], 1775, by subsequent designation by Boursin, 1965.
- 5073. Hadena (Anepia) Hampson, 1918** (Noctuidae) **Synonym(s):** *Epia Hübner, [1821] nec Hbn., [1820]*; *Anepia Hampson, 1918*; *Perplexhadena Beck, 1991*; *Paraperplexia Beck, 1991* **Original Reference:** *Anepia Hampson, 1918*, Novit. zool. 25: 116 (nom. nov. pro *Epia Hübner, [1821] nec Hübner, [1820]*). Type-species: *Phalaena echii* Borkhausen, 1792, by subsequent designation by Hampson, 1905.
- 5074. Hadena (Enterpia) Guenée, 1850** (Noctuidae) **Synonym(s):** *Enterpia Guenée, 1850*; *#Euterpia Guenée, 1852* **Original Reference:** *Enterpia Guenée, 1850*, Annls Soc. ent. Fr. (2) 8: 235. Type-species: *Cleophana laudeti* Boisduval, 1840, by monotypy.
- 5075. Hadena (Klappericola) Hacker, 1996** (Noctuidae) **Synonym(s):** *Klappericola Hacker, 1996* **Original Reference:** *Hadena (Klappericola) Hacker, 1996*, Esperiana 5: 542. Type-species: *Hadena chrysocyanea* Boursin, 1961, by original designation.
- 5076. Hadena (Maschukia) Hacker, 1996** (Noctuidae) **Synonym(s):** *Maschukia Hacker, 1996* **Original Reference:** *Maschukia Hacker, 1996*, Esperiana 5: 527. Type-species: *Dianthoecia pumila* Staudinger, 1879, by original designation.
- 5077. Hadena (Pinkericola) Hacker, 1987** (Noctuidae) **Synonym(s):** *Pinkericola Hacker, 1987* **Original Reference:** *Pinkericola Hacker, 1987*, Atalanta 18 (1/2): 170. Type-species: *Hadena tephroleuca* Boisduval, 1833, by original designation.
- 5078. Hadena (Pronotestra) Hampson, 1905** (Noctuidae) **Synonym(s):** *Pronotestra Hampson, 1905*; *#Protonestra W. Warren, 1909* **Original Reference:** *Pronotestra Hampson, 1905*, Cat. Lepid. Phalaenae Br. Mus. 5: x, 224. Type-species: *Mamestra silenides* Staudinger, 1895, by original designation.
- 5079. Hadena (s.str.) Schrank, 1802** (Noctuidae) **Synonym(s):** *Hadena Schrank, 1802*; *Miselia Ochsenheimer, 1816*; *Zeteolyga Billberg, 1820*; *Harmodia Hübner, [1820]*; *Dianthoecia Boisduval, 1834*; *Adena Agassiz, 1847*; *Maghadena Beck, 1991 (preocc.)*; *Caeshadena Beck, 1991* **Original Reference:** *Hadena Schrank, 1802*, Fauna Boica 2 (2): 158. Type-species: *Noctua capsincola* [Denis & Schiffermüller], 1775, by subsequent designation by Curtis, 1830.
- 5080. Hadena Schrank, 1802** (Noctuidae) **Synonym(s):** *Hadena Schrank, 1802*; *Miselia Ochsenheimer, 1816*; *Zeteolyga Billberg, 1820*; *Harmodia Hübner, [1820]*; *Dianthoecia Boisduval, 1834*; *Adena Agassiz, 1847*; *Maghadena Beck, 1991 (preocc.)*; *Caeshadena Beck, 1991* **Original Reference:** *Hadena Schrank, 1802*, Fauna Boica 2 (2): 158. Type-species: *Noctua capsincola* [Denis & Schiffermüller], 1775, by subsequent designation by Curtis, 1830.
- 5081. Hadennia Moore, [1885]** (Noctuidae) **Synonym(s):** *Hadennia Moore, [1885]*; *Wilkara Swinhoe, 1918*; *Walkara Swinhoe, 1918*; *Bertula auct. nec Walker, [1859]*
- 5082. Haderonia Staudinger, 1896** (Noctuidae) **Synonym(s):** *Haderonia Staudinger, 1896*; *Lasiridia Draudt, 1950*. **Original Reference:** *Haderonia Staudinger, 1896*, Dt. ent. Z., Iris 8: 320. Type-species: *Haderonia subarschanica* Staudinger, 1896, by monotypy.

- 5083. *Hadjina Staudinger, 1892*** (Noctuidae) Synonym(s): *Hadjina Staudinger, 1892*; *Aridagricola Shchetkin, 1965* Original Reference: *Hadjina Staudinger, 1892*, Dt. ent. Z., Iris 4: 286. Type-species: *Hadjina lutosa Staudinger, 1892*, by monotypy.
- 5084. *Hadula (Aglossestra) Hampson, 1905*** (Noctuidae) Synonym(s): *Aglossestra Hampson, 1905* Original Reference: *Aglossestra Hampson, 1905*, Cat. Lepid. Phalaenae Br. Mus. 5: 3, 225. Type-species: *Aglossestra deserticola Hampson, 1905*, by original designation.
- 5085. *Hadula (Calocestra) Beck, 1991*** (Noctuidae) Synonym(s): *Calocestra Beck, 1991* Original Reference: *Calocestra Beck, 1991*, Atalanta 22 (2/4): 190. Type-species: *Noctua pugnax Hübner, [1824]*, by original designation.
- 5086. *Hadula (Cardiestra) Boursin, 1963*** (Noctuidae) Synonym(s): *Cardiestra Boursin, 1963* Original Reference: *Cardiestra Boursin, 1963*, Z. Wien. ent. Ges. 48: 86. Type-species: *Mamestra eremistis Püngeler, 1904*, by original designation.
- 5087. *Hadula (Discestra) Hampson, 1905*** (Noctuidae) Synonym(s): *Discestra Hampson, 1905*
- 5088. *Hadula (Ptochicestra) Hacker, 1998*** (Noctuidae) Synonym(s): *Ptochicestra Hacker, 1998* Original Reference: *Ptochicestra Hacker, 1998*, Esperiana 6: 634. Type-species: *Mamestra ptochica Püngeler, 1900*, by original designation.
- 5089. *Hadula (Pulchrohadula) Hacker, 1998*** (Noctuidae) Synonym(s): *Pulchrohadula Hacker, 1998* Original Reference: *Pulchrohadula Hacker, 1998*, Esperiana 6: 760. Type-species: *Hadena triphaenopsis Oberthür, 1893*, by original designation.
- 5090. *Hadula Staudinger, 1889*** (Noctuidae) Synonym(s): *Hadula Staudinger, 1889* Original Reference: *Hadula Staudinger, 1889*, Stettin ent. Ztg. 50: 43. Type-species: *Hadula insolita Staudinger, 1889*, by monotypy.
- 5091. *Hadulipolia Boursin, 1964*** (Noctuidae) Synonym(s): *Hadulipolia Boursin, 1964*
- 5092. *Hadulomorpha Hacker, 1998*** (Noctuidae) Synonym(s): *Ala Staudinger, 1882 (praeocc.)*; *Hadulomorpha Hacker, 1998*
- 5093. *Haemosia Boisduval, 1840*** (Noctuidae) Synonym(s): *Haemosia Boisduval, 1840*; *#Haemeosia Ebert & Hacker, 2002* Original Reference: *Haemosia Boisduval, 1840*, Genera Index méth. Eur. Lépid.: 163. Type-species: *Pyralis renalis Hübner, [1813]*, by subsequent designation by Duponchel, 1845.
- 5094. *Hakkaria L. Ronkay & Varga, 1990*** (Noctuidae) Synonym(s): *Hakkaria L. Ronkay & Varga, 1990* Original Reference: *Hakkaria L. Ronkay & Varga, 1990*, Esperiana 1: 482. Type-species: *Polymixis varga Hacker, 1986*, by original designation.
- 5095. *Halochroa Hampson, 1926*** (Noctuidae) Synonym(s): *Halochroa Hampson, 1926*
- 5096. *Hamodes Guenée, 1852*** (Noctuidae) Synonym(s): *Hamodes Guenée, 1852*; *Kalmina Swinhoe, 1891*
- 5097. *Hampsonicola L. Ronkay, Zilli & Fibiger, 2010*** (Noctuidae) Synonym(s): *Hedina L. Ronkay, Zilli & Fibiger, 2005 nec Alb., 1954*; *Hampsonicola L. Ronkay, Zilli & Fibiger, 2010*
- 5098. *Harita Moore, 1882*** (Noctuidae) Synonym(s): *Harita Moore, 1882*; *Placerobela Turner, 1903*.
- 5099. *Haritalopha Hampson, 1895*** (Noctuidae) Synonym(s): *Haritalopha Hampson, 1895*
- 5100. *Harpagophana Hampson, 1906*** (Noctuidae) Synonym(s): *Harpagophana Hampson, 1906*
- 5101. *Harutaeographa Yoshimoto, 1993*** (Noctuidae) Synonym(s): *Harutaeographa Yoshimoto, 1993* Original Reference: *Harutaeographa Yoshimoto, 1993*, [in] *Haruta, Tinea* 13 (Suppl. 3): 127. Type-species: *Hadena fasciculata Hampson, 1894*, by original designation.
- 5102. *Hebdomochondra Staudinger, 1879*** (Noctuidae) Synonym(s): *Hebdomochondra Staudinger, 1879*
- 5103. *Hecatera Guenée, 1852*** (Noctuidae) Synonym(s): *Aethria Hübner, [1821] nec Hübner, [1819]*; *Hecatera Guenée, 1852*. Original Reference: *Hecatera Guenée, 1852*, [in] *Boisduval & Guenée, Hist. nat. Insectes (Lépid.)* 6: 27. Type-species: *Noctua dysodea [Denis & Schiffermüller], 1775*, by original designation.
- 5104. *Hecatesia Boisduval, 1829*** (Noctuidae) Synonym(s): *Hecatesia Boisduval, 1829*
- 5105. *Helicoverpa Hardwick, 1965*** (Noctuidae) Synonym(s): *Helicoverpa Hardwick, 1965* Original Reference: *Helicoverpa Hardwick, 1965*, Mem. ent. Soc. Can. 40: 9. Type-species: *Noctua armigera Hübner, [1808]*, by original designation.
- 5106. *Heliocheilus Grote, 1865*** (Noctuidae) Synonym(s): *Heliocheilus Grote, 1865*; *Raghuva Moore, 1881*; *Rhodosea Grote, 1883*; *Canthylidia Butler, 1886*. Original Reference: *Heliocheilus Grote, 1865*, proc. ent. Soc. Philad. 4: 328. Type-species: *Heliocheilus paradoxus Grote, 1865*, by monotypy.
- 5107. *Heliophisma Hampson, 1913*** (Noctuidae) Synonym(s): *Heliophisma Hampson, 1913*

- 5108. Heliophobus Boisduval,1828** (Noctuidae) Synonym(s): *Heliophobus Boisduval,1828*; *Neuria Guenée,1841*; *Nevria Agassiz,1846* Original Reference: *Heliophobus Boisduval,1828*, Eur. Lepid. Index Méth.: 69. Type-species: *Phalaena saponariae* Borkhausen,1792, by subsequent designation by Duponchel,1829.
- 5109. Heliopsis (Masalia) Moore,1881** (Noctuidae) Synonym(s): *Masalia Moore,1881*; *Pradatta Moore,1881*; *Curubasa Moore,1881*; *Lecerfia C.Dumont,1920* Original Reference: *Masalia Moore,1881*, Proc. zool. Soc. Lond. 1881: 364. Type-species: *Masalia radiata* Moore,1881, by original designation.
- 5110. Heliopsis Ochsenheimer,1816** (Noctuidae) Synonym(s): *Heliopsis Ochsenheimer,1816*; *Heliotis Lefèvre,1827*; *Heliopsis Meigen,1832*; *Heliotis Sodoffsky,1837*; *Chloridea Duncan & [Westwood],1841*; *Aspila Guenée,1852* (praeocc.); *Disocnemis Grote,1883*; *Dysocnemis Grote,1890*; *Neocleptria Hampson,1903*; *Nubiothis Berio*; *Peltothis Beck,1996*. Original Reference: *Heliopsis Ochsenheimer,1816*, Schmett. Eur. 4: 91. Type-species: *Phalaena dipsacea* Linnaeus,1767, by subsequent designation by Samouelle,1819.
- 5111. Hemiceratoides Strand,1911** (Noctuidae) Synonym(s): *Hemiceratoides Strand,1911*
- 5112. Hemiexarnis Boursin,1948** (Noctuidae) Synonym(s): *Hemiexarnis Boursin,1948*
- 5113. Hemiglaea Sugi,1980** (Noctuidae) Synonym(s): *Hemiglaea Sugi,1980*
- 5114. Hemipsestra Hampson,1891** (Noctuidae) Synonym(s): *Hemipsestra Hampson,1891*
- 5115. Hemituerta Kiriakoff,1976** (Noctuidae) Synonym(s): *Hemituerta Kiriakoff,1976*
- 5116. Heoeugorna Hampson,1924** (Noctuidae) Synonym(s): *Heoeugorna Hampson,1924*
- 5117. Hepatica Staudinger,1892** (Noctuidae) Synonym(s): *Hepatica Staudinger,1892*
- 5118. Heptapotamia Alpheraky,1882** (Noctuidae) Synonym(s): *Heptapotamia Alpheraky,1882*; *#Güselderia Hacker,Kuhna & Gross,[1987]*; *Güselderia Hacker,Kuhna & Gross,[1987]* Original Reference: *Heptapotamia Alpheraky,1882*, Horae Soc. ent. ross. 17: 75. Type-species: *Heptapotamia eustratii* Alpheraky,1882, by monotypy.
- 5119. Heraclia Hübner,[1820]** (Noctuidae) Synonym(s): *Heraclia Hübner,[1820]*; *Xanthospilopteryx Wallengren,1858*
- 5120. Hermonassa Walker,1865** (Noctuidae) Synonym(s): *Hermonassa Walker,1865*
- 5121. Herpeperas Hampson,1926** (Noctuidae) Synonym(s): *Herpeperas Hampson,1926*
- 5122. Hespagarista Walker,1854** (Noctuidae) Synonym(s): *Hespagarista Walker,1854*
- 5123. Heterographa Staudinger,1877** (Noctuidae) Synonym(s): *Heterographa Staudinger,1877* Original Reference: *Heterographa Staudinger,1877*, Stettin ent. Ztg. 38: 185. Type-species: *Luperina mira* Staudinger,1877, by monotypy.
- 5124. Heteropalpia Berio,1939** (Noctuidae) Synonym(s): *Heteropalpia Berio,1939* Original Reference: *Heteropalpia Berio,1939*, Memorie Soc. ent. ital. 17: 55. Type-species: *Heteropalpia cortytoides* Berio,1939, by original designation.
- 5125. Heterophysa Boursin,1953** (Noctuidae) Synonym(s): *Heterophysa Boursin,1953* Original Reference: *Heterophysa Boursin,1953*, Z. Lepid. 3: 47. Type-species: *Noctua dumetorum* Geyer,[1834], by original designation.
- 5126. Heterospila Guenée,1852** (Noctuidae) Synonym(s): *Heterospila Guenée,1852*; *Talapoptera Hampson,1926*
- 5127. Hiaspis Walker,[1866]** (Noctuidae) Synonym(s): *Hiaspis Walker,[1866]*
- 5128. Lithopolia (Pectinipolia) Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *Pectinipolia Hreblay & L.Ronkay,1999*
- 5129. Lithopolia (Thaipolia) Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *Thaipolia Hreblay & L.Ronkay,1999*
- 5130. Lithopolia (Hiemopolia) Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *Hiemopolia Hreblay & L.Ronkay,1999*
- 5131. Hillia Grote,1883** (Noctuidae) Synonym(s): *Hillia Grote,1883*
- 5132. Himachalia Hacker & Peks,1992** (Noctuidae) Synonym(s): *Himachalia Hacker & Peks,1992*
- 5133. Himalistra Hacker & Ronkay,1993** (Noctuidae) Synonym(s): *Himalistra Hacker & Ronkay,1993* Original Reference: *Himalistra Hacker & Ronkay,1992*, Esperiana 3: 194-196. Type-species: *Orrhodia eriophora* Püngeler,1901, by original designation.
- 5134. Hipoepa Walker,[1859]** (Noctuidae) Synonym(s): *Hipoepa Walker,[1859]*
- 5135. Hoenapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009** (Noctuidae) Synonym(s): *Hoenapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009*
- 5136. Holocryptis Meyrick,1893** (Noctuidae) Synonym(s): *Holocryptis Meyrick,1893*
- 5137. Homaea Guenée,1852** (Noctuidae) Synonym(s): *Homaea Guenée,1852*; *Rhabdophera Staudinger,1898*

- 5138. Homodes Guenée, 1852** (Noctuidae) Synonym(s): *Homodes Guenée, 1852*; *Philecia Walker, 1861*
- 5139. Hondryches Nye, 1975** (Noctuidae) Synonym(s): *Rhynchodes Guenée, 1852* (praeocc.); *Hondryches Nye, 1975*
- 5140. Hoplarista Hampson, 1910** (Noctuidae) Synonym(s): *Hoplarista Hampson, 1910*
- 5141. Hoplodrina Boursin, 1937** (Noctuidae) Synonym(s): *Hoplodrina Boursin, 1937* Original Reference: *Hoplodrina Boursin, 1937, Ent. Rdsch. 54: 367. Type-species: Phalaena alsines Brahm, 1791, by original designation.*
- 5142. Hulodes Guenée, 1852** (Noctuidae) Synonym(s): *Hulodes Guenée, 1852*
- 5143. Hyalobole W. Warren, 1911** (Noctuidae) Synonym(s): *Hyalobole W. Warren, 1911*
- 5144. Hyamia Walker, [1859]** (Noctuidae) Synonym(s): *Hyamia Walker, [1859]*; *Juncaria Walker, [1863]* (praeocc.).
- 5145. Hydraecia Guenée, 1841** (Noctuidae) Synonym(s): *Hydraecia Guenée, 1841*
- 5146. Hydredes Volynkin & Matov, 2014** (Noctuidae) Synonym(s): *Hydredes Volynkin & Matov, 2014*
- 5147. Hydrillodes Guenée, 1854** (Noctuidae) Synonym(s): *Hydrillodes Guenée, 1854*; *Echana Walker, [1859]*; *Olybama Walker, [1859]*; *Bibacta Moore, 1882*; *Ragana Swinhoe, 1900*; *Cellacrinata Bethune-Baker, 1908*.
- 5148. Hypanua Hampson, 1913** (Noctuidae) Synonym(s): *Hypanua Hampson, 1913*
- 5149. Hypena (Conscitalypena) Lödl, 1994** (Noctuidae) Synonym(s): *Conscitalypena Lödl, 1994*
- 5150. Hypena (Jussalypena) Lödl, 1994** (Noctuidae) Synonym(s): *Jussalypena Lödl, 1994*
- 5151. Hypena (Ophiuche) Hübner, [1825]** (Noctuidae) Synonym(s): *Ophiuche Hübner, [1825]*; *Anepischetos Smith, 1900*; *#Anepischetos McDunnough, 1938* Original Reference: *Ophiuche Hübner, [1825], Verz. bekannt. Schmett.: 344. Type-species: Phalaena lividalis Hübner, 1790, by monotypy.*
- 5152. Hypena (Pseudodichromia) Lödl, 1994** (Noctuidae) Synonym(s): *Pseudodichromia Lödl, 1994*
- 5153. Hypena (Tetrastictypena) Lödl, 1994** (Noctuidae) Synonym(s): *Tetrastictypena Lödl, 1994*
- 5154. Hypena (Trichypena) De Joannis, 1915** (Noctuidae) Synonym(s): *Trichypena De Joannis, 1915*
- 5155. Hypena (s.str.) Schrank, 1802** (Noctuidae) Synonym(s): *Hypena Schrank, 1802*; *Erichila Billberg, 1820*; *Herpyzon Hübner, 1822*; *Bomolocha Hübner, [1825]*; *Badausa Walker, 1863*; *Peliala Walker, 1865*; *Euhypena Grote, 1873*; *Lomanaltes Grote, 1873*; *Macrhypena Grote, 1873*; *Meghypena Grote, 1873*; *Plathypena Grote, 1873*; *Mathura Moore, 1882*; *Apanda Moore, 1882*; *Hypoepa Leech, 1889*; *Nesamiptis Meyrick, 1899*; *Anepischetos Smith, 1900*; *Placerobela Turner, 1903*; *Obesypena Beck, 1996*; *Rostrypena Beck, 1996*. Original Reference: *Hypena Schrank, 1802, Fauna Boica 2 (2): 163. Type-species: Phalaena probsocialis Linnaeus, 1758, by subsequent designation by Curtis, 1829.*
- 5156. Hypena Schrank, 1802** (Noctuidae) Synonym(s): *Hypena Schrank, 1802*; *Erichila Billberg, 1820*; *Herpyzon Hübner, 1822*; *Bomolocha Hübner, [1825]*; *Badausa Walker, 1863*; *Peliala Walker, 1865*; *Euhypena Grote, 1873*; *Lomanaltes Grote, 1873*; *Macrhypena Grote, 1873*; *Meghypena Grote, 1873*; *Plathypena Grote, 1873*; *Mathura Moore, 1882*; *Apanda Moore, 1882*; *Hypoepa Leech, 1889*; *Nesamiptis Meyrick, 1899*; *Anepischetos Smith, 1900*; *Placerobela Turner, 1903*; *Obesypena Beck, 1996*; *Rostrypena Beck, 1996*. Original Reference: *Hypena Schrank, 1802, Fauna Boica 2 (2): 163. Type-species: Phalaena probsocialis Linnaeus, 1758, by subsequent designation by Curtis, 1829.*
- 5157. Hypenodes Doubleday, 1850** (Noctuidae) Synonym(s): *Hypenodes Doubleday, 1850*; *Schrankia Herrich-Schäffer, [1851] nec Hbn., [1825]*; *Tholomiges Lederer, 1857*; *Schrankia Walker, [1859]* Original Reference: *Hypenodes Doubleday, 1850, Zoologist 8 (Appendix): cv. Type-species: Hypenodes humidalis Doubleday, 1850, by monotypy.*
- 5158. Hypercodia Hampson, 1910** (Noctuidae) Synonym(s): *Hypercodia Hampson, 1910*
- 5159. Hyperlopha Hampson, 1895** (Noctuidae) Synonym(s): *Hyperlopha Hampson, 1895*
- 5160. Hypernaenia Hampson, 1894** (Noctuidae) Synonym(s): *Hypernaenia Hampson, 1894*
- 5161. Hyperstrotia Hampson, 1910** (Noctuidae) Synonym(s): *Hyperstrotia Hampson, 1910*
- 5162. Hypersynpoides Berio, 1954** (Noctuidae) Synonym(s): *Hypersynpoides Berio, 1954*; *Hypsosynpoides Berio, 1954*; *Othresynpna Berio, 1958*
- 5163. Hypeuthina Lederer, 1855** (Noctuidae) Synonym(s): *Hypeuthina Lederer, 1855*; *#Hypeuthina Oberthür, 1890* Original Reference: *Hypeuthina Lederer, 1855, Verh. zool.- bot. Ver. Wien 5: 199. Type-species: Hypeuthina fulgurita Lederer, 1855, by monotypy.*
- 5164. Hypobarathra Hampson, 1905** (Noctuidae) Synonym(s): *Hypobarathra Hampson, 1905*
- 5165. Hypocala Guenée, 1852** (Noctuidae) Synonym(s): *Hypocala Guenée, 1852*; *Eudragana Butler, 1888* Original Reference: *Hypocala Guenée, 1852, [in] Boisduval & Guenée, Hist. nat.*

- Insectes (Lépid.) 7: 73. Type-species: *Hyblaea deflorata* Fabricius, 1794, by subsequent designation by Hampson, 1894.
- 5166. *Hypocalamia* Hampson, 1910** (Noctuidae) Synonym(s): *Hypocalamia* Hampson, 1910
- 5167. *Hypoplexia* Hampson, 1908** (Noctuidae) Synonym(s): *Hypoplexia* Hampson, 1908
- 5168. *Hypopyra* Guenée, 1852** (Noctuidae) Synonym(s): *Hypopyra* Guenée, 1852; *Enmonodia* Walker, 1858; *Maxula* Walker, 1865; *Pyramarista* Kirby, 1896.
- 5169. *Hyposada* Hampson, 1910** (Noctuidae) Synonym(s): *Hyposada* Hampson, 1910
- 5170. *Hyposemantis* Hampson, 1895** (Noctuidae) Synonym(s): *Hyposemantis* Hampson, 1895
- 5171. *Hyospila* Guenée, 1852** (Noctuidae) Synonym(s): *Hyospila* Guenée, 1852; *Moepa* Walker, 1865 nec Wlk., 1865; *Orrea* Walker, 1866
- 5172. *Hypotacha* Hampson, 1913** (Noctuidae) Synonym(s): *Hypotacha* Hampson, 1913
- 5173. *Hypotype* Hampson, 1906** (Noctuidae) Synonym(s): *Hypotype* Hampson, 1906
- 5174. *Hyppa* Duponchel, [1845]** (Noctuidae) Synonym(s): *Hyppa* Duponchel, [1845] Original Reference: *Hyppa* Duponchel, [1845], Cat. méth. Lépid. Eur. (2): 161. Type-species: *Phalaena rtilinea* Esper, 1788, by monotypy.
- 5175. *Hypsophila* Staudinger, 1888** (Noctuidae) Synonym(s): *Hypsophila* Staudinger, 1888 Original Reference: *Hypsophila* Staudinger, 1888, Stettin ent. Ztg. 49: 40. Type-species: *Heliothis jugorum* Erschoff, 1874, by monotypy.
- 5176. *Hyssia* Guenée, 1852** (Noctuidae) Synonym(s): *Hyssia* Guenée, 1852 Original Reference: *Hyssia* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 5: 345. Type-species: *Orthosia cavernosa* Eversmann, 1842, by monotypy.
- 5177. *Iambia* Walker, 1863** (Noctuidae) Synonym(s): *Iambia* Walker, 1863
- 5178. *Iambiodes* Hampson, 1908** (Noctuidae) Synonym(s): *Iambiodes* Hampson, 1908 Original Reference: *Iambiodes* Hampson, 1908, Cat. Lepid. Phalaenae Br. Mus. 7: xv, 659. Type-species: *Tarache anormalis* Hampson, 1906, by monotypy.
- 5179. *Idia* Hübner, [1813]** (Noctuidae) Synonym(s): *Idia* Hübner, [1813]; *Epizeuxis* Hübner, 1818; *Camptyllochila* Stephens, 1834 nec Hbn., 1818; *Campyllochila* Agassiz, 1847; *Helia* Guenée, 1854 nec Hbn., 1818; *Pseudaglossa* Grote, 1874 Original Reference: *Idia* Hübner, [1813], Samml. exot. Schmett. 1: pl. [212]. Type-species: *Idia aemula* Hübner, [1813], by monotypy.
- 5180. *Ilyrgis* Walker, 1859** (Noctuidae) Synonym(s): *Ilyrgis* Walker, 1859
- 5181. *Immetalia* Jordan, 1896** (Noctuidae) Synonym(s): *Immetalia* Jordan, 1896
- 5182. *Inouenola* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *Inouenola* Laszlo, G. Ronkay & Witt, 2010
- 5183. *Interdelta* Berio, 1964** (Noctuidae) Synonym(s): *Interdelta* Berio, 1964
- 5184. *Iontha* Doubleday, 1842** (Noctuidae) Synonym(s): *Iontha* Doubleday, 1842
- 5185. *Ipimorpha* Hübner, [1821]** (Noctuidae) Synonym(s): *#Zenobia* Oken, 1815; *Ipimorpha* Hübner, [1821] *Plastenis* Boisduval, 1840; *Zenobia* Agassiz, 1846 nec Gray, 1821 Original Reference: *Ipimorpha* Hübner, [1821], Verz. bekannt. Schmett.: 238. Type-species: *Noctua subtusa* [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1874.
- 5186. *Iranada* Wiltshire, 1977** (Noctuidae) Synonym(s): *Iranada* Wiltshire, 1977 Original Reference: *Iranada* Wiltshire, 1977, Scientific Results of the Oman Flora and Fauna Sur (Lepid.: 174. Type-species: *Phothedes secunda* Erschoff, 1874, by original designation.
- 5187. *Isadelphina* Hampson, 1926** (Noctuidae) Synonym(s): *Isadelphina* Hampson, 1926
- 5188. *Ischyja* Hübner, [1823]** (Noctuidae) Synonym(s): *Ischyja* Hübner, [1823]; *Ischyja* Agassiz, 1846; *Potamorpha* Guenée, 1852
- 5189. *Isochlora* Staudinger, 1892** (Noctuidae) Synonym(s): *Isochlora* Staudinger, 1892; *Chamyla* Staudinger, [1900]
- 5190. *Isolasia* W. Warren, 1912** (Noctuidae) Synonym(s): *Isolasia* W. Warren, 1912
- 5191. *Itmaharela* Nye, 1975** (Noctuidae) Synonym(s): *Harmatelia* Moore, 1882 nec Wlk., 1858; *Itmaharela* Nye, 1975
- 5192. *Janseodes* Viette, 1967** (Noctuidae) Synonym(s): *Janseodes* Viette, 1967
- 5193. *Janthinea* Guenée, 1852** (Noctuidae) Synonym(s): *Janthinea* Guenée, 1852 Original Reference: *Janthinea* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 188. Type-species: *Heliothis frivaldskii* Duponchel, 1835, by monotypy.
- 5194. *Jodia* Hübner, 1818** (Noctuidae) Synonym(s): *Jodia* Hübner, 1818; *Xanthia* Boisduval, 1829; *Lampetia* Curtis, [1830] nec Mgn., 1800; *Xantholeuca* Stephens, 1831; *Hoporina* Blanchard, 1840; *Oporina* Agassiz, [1847] Original Reference: *Jodia* Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 15. Type-species: *Noctua croceago* [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1874.

- 5195. Karana Moore, 1882** (Noctuidae) Synonym(s): *Karana Moore, 1882; Yula Bethune-Baker, 1906*
- 5196. Karmanica Hacker, 2002** (Noctuidae) Synonym(s): *Karmanica Hacker, 2002; #Karamanica Lehmann, Stadie & Zahiri, 2009*
- 5197. Kisekira Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *Kisekira Hreblay & L.Ronkay, 1999*
- 5198. Klugeana Geertsema, 1990** (Noctuidae) Synonym(s): *Klugeana Geertsema, 1990*
- 5199. Kobestelia Holloway, 1985** (Noctuidae) Synonym(s): *Kobestelia Holloway, 1985*
- 5200. Kocakina Özdikmen & Seven, 2006** (Noctuidae) Synonym(s): *Himella Grote, 1874 nec Adams, 1860 non Dallas, 1852; Kocakina Özdikmen & Seven, 2006* Original Reference: *Kocakina Özdikmen & Seven, 2006, Mun. Ent. Zool. 1(1): 125-126. Type-species: Himella fidelis Grote, 1874, by original designation.*
- 5201. Koffoleania Laporte, 1977** (Noctuidae) Synonym(s): *Koffoleania Laporte, 1977*
- 5202. Kumasia (Zolimondta) Zilli, Varga, G.Ronkay & L.Ronkay, 2009** (Noctuidae) Synonym(s): *Zolimondta Zilli, Varga, G.Ronkay & L.Ronkay, 2009*
- 5203. Kumasia (s.str.) Sugi, 1982** (Noctuidae) Synonym(s): *Kumasia Sugi, 1982*
- 5204. Kumasia Sugi, 1982** (Noctuidae) Synonym(s): *Kumasia Sugi, 1982*
- 5205. Labanda Walker, 1859** (Noctuidae) Synonym(s): *Labanda Walker, 1859; Bariana Walker, 1865; Gerbatha Walker, 1865; Lazanda Walker, 1865; Pseudalea Turner, 1936.*
- 5206. Lacanobia (Dianobia) Behounek, 1992** (Noctuidae) Synonym(s): *Dianobia Behounek, 1992* Original Reference: *Dianobia Behounek, 1992, Esperiana 3: 47. Type-species: Phalaena thalassina Hufnagel, 1766, by original designation.*
- 5207. Lacanobia (Diataraxia) Hübner, [1821]** (Noctuidae) Synonym(s): *Diataraxia Hübner, [1821]* Original Reference: *Diataraxia Hübner, [1821], Verz. bekannt. Schmett.: 219. Type-species: Noctua splendens Hübner, [1808], by subsequent designation by Hampson, 1905.*
- 5208. Lacanobia (s.str.) Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia Billberg, 1820; Peucephila Hampson, 1909; #Lacabonia Hacker, 1992* Original Reference: *Lacanobia Billberg, 1820, Enumeratio Insect. Mus. G.J.Billberg: 87. Type-species: Phalaena w-latinum Hufnagel, 1766, by subsequent designation by Tams, 1939.*
- 5209. Lacanobia Billberg, 1820** (Noctuidae) Synonym(s): *Lacanobia Billberg, 1820; Peucephila Hampson, 1909; #Lacabonia Hacker, 1992* Original Reference: *Lacanobia Billberg, 1820, Enumeratio Insect. Mus. G.J.Billberg: 87. Type-species: Phalaena w-latinum Hufnagel, 1766, by subsequent designation by Tams, 1939.*
- 5210. Lacera Guenée, 1852** (Noctuidae) Synonym(s): *Lacera Guenée, 1852*
- 5211. Lamprosticta Hübner, [1820]** (Noctuidae) Synonym(s): *Lamprosticta Hübner, [1820]; Chariptera Guenée, 1838* Original Reference: *Lamprosticta Hübner, [1820], Verz. bekannt. Schmett.: 207. Type-species: Noctua culta [Denis & Schiffermüller], 1775, by monotypy.*
- 5212. Lamprotes Reichenbach, 1817** (Noctuidae) Synonym(s): *Lamprotes Reichenbach, 1817; Chrysoptera Berthold, 1827*
- 5213. Lamprothripa Hampson, 1912** (Noctuidae) Synonym(s): *Lamprothripa Hampson, 1912*
- 5214. Lanatopyga Gyulai & L.Ronkay, 2002** (Noctuidae) Synonym(s): *Lanatopyga Gyulai & L.Ronkay, 2002*
- 5215. Lasianobia Hampson, 1905** (Noctuidae) Synonym(s): *Lasianobia Hampson, 1905*
- 5216. Lasiestra Hampson, 1905** (Noctuidae) Synonym(s): *Lasiestra Hampson, 1905*
- 5217. Lasiolopha Turner, 1920** (Noctuidae) Synonym(s): *Lasiolopha Turner, 1920*
- 5218. Lasionycta Aurivillius, 1892** (Noctuidae) Synonym(s): *Lasionycta Aurivillius, 1892* Original Reference: *Lasionycta Aurivillius, 1892, Ent. Tidskr. 13: 285. Type-species: Phlogophora skraelingia Herrich-Schäffer, 1852, by original designation.*
- 5219. Lasiplexia Hampson, 1908** (Noctuidae) Synonym(s): *Lasiplexia Hampson, 1908*
- 5220. Laspeyria Germar, 1810** (Noctuidae) Synonym(s): *Laspeyria Germar, 1810; Laspeyresia R.L., 1817; Colposia Hübner, [1823]; Aventia Duponchel, 1829; Euteles Gistel, 1848* Original Reference: *Laspeyria Germar, 1810, Diss. sistens Bombycum Species: 13. Type-species: Bombyx flexula [Denis & Schiffermüller], 1775, by monotypy.*
- 5221. Lateroligia Zilli, Fibiger & Ronkay, 2005** (Noctuidae) Synonym(s): *Lateroligia Zilli, Fibiger & Ronkay, 2005*
- 5222. Latiphea Özdikmen & Seven, 2006** (Noctuidae) Synonym(s): *Lobocheilos Hampson, 1891 nec Bleeker, 1853; Latiphea Özdikmen & Seven, 2006*
- 5223. Ledereragrotis Varga, 1991** (Noctuidae) Synonym(s): *Ledereragrotis Varga, 1991* Original Reference: *Ledereragrotis Varga, 1991, [in] Varga, Ronkay & Yela, Acta zool. hung. 36 (3/4): 336. Type-species: Agrotis multifida Lederer, 1870, by original designation.*

- 5224. Leiorhynx Hampson, 1902** (Noctuidae) Synonym(s): *Leiorhynx Hampson, 1902*
- 5225. Leocyma Guenée, 1852** (Noctuidae) Synonym(s): *Leocyma Guenée, 1852; Thiganusa Walker, 1865*
- 5226. Leoniloma Hampson, 1926** (Noctuidae) Synonym(s): *Leoniloma Hampson, 1926*
- 5227. Lepidodelta Viette, 1967** (Noctuidae) Synonym(s): *Lepidodelta Viette, 1967*
- 5228. Leucania Ochsenheimer, 1816** (Noctuidae) Synonym(s): *Leucania Ochsenheimer, 1816; Donachlora Sodoffsky, 1837; Leucadia Sodoffsky, 1837; Donacochlora Agassiz, 1847; Pudorina Gistel, 1848; Cirphis Walker, 1865; Borolia Moore, 1881; Neoborlia Matsumura, 1926; Acantholeucania Rungs, 1953; Boursinania Rungs, 1955; Xipholeucania Sugi, 1970. Original Reference: Leucania Ochsenheimer, 1816, Schmett. Eur. 4: 81. Type-species: Phalaena comma Linnaeus, 1761, by subsequent designation by Samouelle, 1819.*
- 5229. Leucapamea Sugi, 1982** (Noctuidae) Synonym(s): *Leucapamea Sugi, 1982*
- 5230. Leucobaeta Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *Leucobaeta Laszlo, G. Ronkay & Witt, 2010*
- 5231. Leucochlaena Hampson, 1906** (Noctuidae) Synonym(s): *Leucochlaena Hampson, 1906*
Original Reference: Leucochlaena Hampson, 1906, Cat. Lepid. Phalaenae Br. Mus. 6: ix, 132. Type-species: Noctua hispida Hübner, [1832], by original designation.
- 5232. Leucocosmia Butler, 1886** (Noctuidae) Synonym(s): *Curgia Walker, 1863 nec Wlk., 1860; Leucocosmia Butler, 1886*
- 5233. Leucopardus Hampson, 1894** (Noctuidae) Synonym(s): *Leucopardus Hampson, 1894*
- 5234. Leucotrachea Janse, 1937** (Noctuidae) Synonym(s): *Leucotrachea Janse, 1937*
- 5235. Leucovis Hampson, 1908** (Noctuidae) Synonym(s): *Leucovis Hampson, 1908; Perimagia Strand, 1909*
- 5236. Leumicamia Viette, 1965** (Noctuidae) Synonym(s): *Leumicamia Viette, 1965*
- 5237. Libystica Hampson, 1926** (Noctuidae) Synonym(s): *Libystica Hampson, 1926*
- 5238. Lignicida Swinhoe, 1905** (Noctuidae) Synonym(s): *Lignicida Swinhoe, 1905*
- 5239. Lineopalpa Guenée, 1852** (Noctuidae) Synonym(s): *Lineopalpa Guenée, 1852; Paragonitis Bethune-Baker, 1906*
- 5240. Lipatephia Hampson, 1926** (Noctuidae) Synonym(s): *Lipatephia Hampson, 1926*
- 5241. Lithacodia Hübner, 1818** (Noctuidae) Synonym(s): *Lithacodia Hübner, 1818; Motama Moore, 1882; Anchiroe Saalmüller, 1891; Anchirhoe Bertkau, 1892*
- 5242. Lithomoia Hübner, [1821]** (Noctuidae) Synonym(s): *Lithomoia Hübner, [1821]*
- 5243. Lithophane Hübner, [1821]** (Noctuidae) Synonym(s): *Lithophane Hübner, [1821]* Original Reference: Lithophane Hübner, [1821], Verz. bekannt. Schmett.: 242. Type-species: Noctua petrificata [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1874.
- 5244. Lithosiopsis Hampson, 1895** (Noctuidae) Synonym(s): *Lithosiopsis Hampson, 1895*
- 5245. Loboplusia Roepke, 1941** (Noctuidae) Synonym(s): *Loboplusia Roepke, 1941; #Lobepleusa Huttacharern & Tubtim, 1995*
- 5246. Longicella Jordan, 1896** (Noctuidae) Synonym(s): *Longicella Jordan, 1896*
- 5247. Lopharthrum Hampson, 1895** (Noctuidae) Synonym(s): *Lopharthrum Hampson, 1895*
- 5248. Lophocrama Hampson, 1912** (Noctuidae) Synonym(s): *Lophocrama Hampson, 1912*
- 5249. Lophocytarra Hampson, 1914** (Noctuidae) Synonym(s): *Lophocytarra Hampson, 1914*
- 5250. Lophomilia W. Warren, 1912** (Noctuidae) Synonym(s): *Lophomilia W. Warren, 1912*
- 5251. Lophonotidia Hampson, 1901** (Noctuidae) Synonym(s): *Lophonotidia Hampson, 1901*
- 5252. Lophoptera Guenée, 1852** (Noctuidae) Synonym(s): *Lophoptera Guenée, 1852; Evia Walker, 1863; Ciasa Walker, [1863]; Sadarsa Moore, 1882*
- 5253. Lophotarsia Hampson, 1902** (Noctuidae) Synonym(s): *Lophotarsia Hampson, 1902*
- 5254. Lophoterges (Fibigeres) L. Ronkay, 2005** (Noctuidae) Synonym(s): *Fibigeres L. Ronkay, 2005* Original Reference: Fibigeres L. Ronkay, 2005, Acta zool. hung. 51: 35. Type-species: Lithocampa millierei Staudinger, 1871, by original designation.
- 5255. Lophoterges (Tibeterges) L. Ronkay, 2005** (Noctuidae) Synonym(s): *Tibeterges L. Ronkay, 2005* Original Reference: Lophoterges (Tibeterges) L. Ronkay, 2005, Acta zool. hung. 51: 15-16. Type-species: Lophoterges hoenei Draudt, 1950, by original designation.
- 5256. Lophoterges (Variterges) L. Ronkay, 2005** (Noctuidae) Synonym(s): *Variterges L. Ronkay, 2005* Original Reference: Lophoterges (Variterges) L. Ronkay, 2005, Acta zool. hung. 51: 18. Type-species: Lithocampa millierei var. centralasiae Staudinger, 1901, by original designation.

- 5257. Lophoterges (s.str.) Hampson, 1906** (Noctuidae) **Synonym(s):** *Lophoterges Hampson, 1906*
Original Reference: *Lophoterges Hampson, 1906, Cat. Lepid. Phalaenae Br. Mus. 6: viii, 91.* Type-species: *Lithocampa fatua* Püngeler, 1904, by original designation.
- 5258. Lophoterges Hampson, 1906** (Noctuidae) **Synonym(s):** *Lophoterges Hampson, 1906*
Original Reference: *Lophoterges Hampson, 1906, Cat. Lepid. Phalaenae Br. Mus. 6: viii, 91.* Type-species: *Lithocampa fatua* Püngeler, 1904, by original designation.
- 5259. Lophotidia Hampson, 1913** (Noctuidae) **Synonym(s):** *Lophotidia Hampson, 1913*
- 5260. Lophotripa Hampson, 1896** (Noctuidae) **Synonym(s):** *Lophotripa Hampson, 1896*
- 5261. Lophotyna Hampson, 1908** (Noctuidae) **Synonym(s):** *Lophotyna Hampson, 1908*
- 5262. Lophpruza Hampson, 1910** (Noctuidae) **Synonym(s):** *Lophpruza Hampson, 1910*
- 5263. Loscopia Beck, [1992]** (Noctuidae) **Synonym(s):** *Loscopia Beck, [1992]*
- 5264. Loxapamea Hreblay & Plante, 1995** (Noctuidae) **Synonym(s):** *Loxapamea Hreblay & Plante, 1995*
- 5265. Loxioda W. Warren, 1913** (Noctuidae) **Synonym(s):** *Loxioda W. Warren, 1913*
- 5266. Luceria Walker, 1859** (Noctuidae) **Synonym(s):** *Luceria Walker, 1859*
- 5267. Luperina Boisduval, 1828** (Noctuidae) **Synonym(s):** *Luperina Boisduval, 1828; Lyperina Spuler, 1908; Palluperina Hampson, 1920* **Original Reference:** *Luperina Boisduval, 1828, Eur. Lepid. Index méth.: 77.* Type-species: *Noctua testacea* [Denis & Schiffermüller], 1775, by subsequent designation by Duponchel, 1829.
- 5268. Lycimna Walker, 1860** (Noctuidae) **Synonym(s):** *Lycimna Walker, 1860*
- 5269. Lycophorus Staudinger, 1901** (Noctuidae) **Synonym(s):** *Comophorus Alpheraky, 1887 nec Ag., 1848; Lycophorus Staudinger, 1901; Pachyagrotis Boursin, 1953* **Original Reference:** *Lycophorus Staudinger, 1901, [in] Staudinger & Rebel, Cat. Lepid. palaearct. Faunengeb. (3) 1: 154.* Type-species: *Comophorus villosus* Alpheraky, 1887, by monotypy.
- 5270. Lycophotia Hübner, [1821]** (Noctuidae) **Synonym(s):** *Lycophotia Hübner, [1821]; Scotophila Stephens, 1829 nec Hbn., 1821; Violaphotia Beck, 1991; Paucographia Beck, 1991*
- 5271. Lygephila (Katyusha) Kemal & Koçak, 2009** (Noctuidae) **Synonym(s):** *Sinocampa Kononenko & Fibiger, 2008 nec Chou & Chen, 1981; Katyusha Kemal & Koçak, 2009* **Original Reference:** *Lygephila (Katyusha) Kemal & Koçak, 2009, Cent. ent. Stud., Misc. Pap. 146: 1 (nomen novum pro Sinocampa Kononenko & Fibiger, 2008 nec Chou & Chen, 1981).* Type-species: *longicoecum* Kononenko & Fibiger, 2008, by original designation.
- 5272. Lygephila (s.str.) Billberg, 1820** (Noctuidae) **Synonym(s):** *Lygephila Billberg, 1820; Asticta Hübner, [1823]; Eccrita Lederer, 1857; Toxocampa Guenée, 1841; Craccaphila Beck, 1996.* **Original Reference:** *Lygephila Billberg, 1820, Enumeratio Insect. Mus. G.J. Billberg: 85.* Type-species: *Phalaena lusoria* Linnaeus, 1758, by subsequent designation by Tams, 1939.
- 5273. Lygephila Billberg, 1820** (Noctuidae) **Synonym(s):** *Lygephila Billberg, 1820; Asticta Hübner, [1823]; Eccrita Lederer, 1857; Toxocampa Guenée, 1841; Craccaphila Beck, 1996.* **Original Reference:** *Lygephila Billberg, 1820, Enumeratio Insect. Mus. G.J. Billberg: 85.* Type-species: *Phalaena lusoria* Linnaeus, 1758, by subsequent designation by Tams, 1939.
- 5274. Lygniodes Guenée, 1852** (Noctuidae) **Synonym(s):** *Lygniodes Guenée, 1852; Agonista R. Felder & Rogenhofer, 1875*
- 5275. Lyncestis Walker, 1857** (Noctuidae) **Synonym(s):** *Lyncestis Walker, 1857*
- 5276. Lysimelia Walker, [1859]** (Noctuidae) **Synonym(s):** *Lysimelia Walker, [1859]*
- 5277. Macaldenia Moore, 1884** (Noctuidae) **Synonym(s):** *Pasipeda Moore, 1882 nec Wlk., 1858; Macaldenia Moore, 1884*
- 5278. Macdunnoughia (Puriplusia) Chou & Lu, 1974** (Noctuidae) **Synonym(s):** *Puriplusia Chou & Lu, 1974*
- 5279. Macdunnoughia (Sclerogenia) Ichinose, 1973** (Noctuidae) **Synonym(s):** *Sclerogenia Ichinose, 1973*
- 5280. Macdunnoughia Kostrowicki, 1961** (Noctuidae) **Synonym(s):** *#Paraplusia Mukerji & Krishnamorthy, 1955; Macdunnoughia Kostrowicki, 1961; Scleroplusia Ichinose, 1962* **Original Reference:** *Macdunnoughia Kostrowicki, 1961, Acta zool. cracov. 6: 402.* Type-species: *Plusia confusa* Stephens, 1850, by original designation.
- 5281. Macrochilo Hübner, [1825]** (Noctuidae) **Synonym(s):** *Macrochilo Hübner, [1825]*
- 5282. Madanola Hacker, 2012** (Noctuidae) **Synonym(s):** *Madanola Hacker, 2012*
- 5283. Maguda Walker, [1866]** (Noctuidae) **Synonym(s):** *Maguda Walker, [1866]*
- 5284. Malagonia Hampson, 1926** (Noctuidae) **Synonym(s):** *Malagonia Hampson, 1926*
- 5285. Maliattha Walker, 1863** (Noctuidae) **Synonym(s):** *Maliattha Walker, 1863*

- 5286. Mamestra Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Mamestra Ochsenheimer, 1816*; *Barathra Hübner, [1820]*; *Mamistra Sodoffsky, 1837*; *Copimamestra Grote, 1883* **Original Reference:** *Mamestra Ochsenheimer, 1816*, Schmett. Eur. 4: 76. Type-species: *Phalaena brassicae* Linnaeus, 1758, by subsequent designation by Duponchel, 1829.
- 5287. Manga Bowden, 1956** (Noctuidae) **Synonym(s):** *Manga Bowden, 1956*
- 5288. Manoba Walker, 1864** (Noctuidae) **Synonym(s):** *Manoba Walker, 1864*; *Rhynchopalpus Hampson, 1893*
- 5289. Manoba Walker, [1863]** (Noctuidae) **Synonym(s):** *Manoba Walker, [1863]*
- 5290. Marapana Moore, [1885]** (Noctuidae) **Synonym(s):** *Marapana Moore, [1885]*
- 5291. Maraschia Osthelder, 1933** (Noctuidae) **Synonym(s):** *Maraschia Osthelder, 1933* **Original Reference:** *Maraschia Osthelder, 1933*, Mitt. münch. ent. Ges. 23: 76. Type-species: *Maraschia grisescens Osthelder, 1933*, ibid. 23: 76-77, by monotypy.
- 5292. Marathyssa Walker, 1865** (Noctuidae) **Synonym(s):** *Marathyssa Walker, 1865*
- 5293. Marca Saalmüller, 1891** (Noctuidae) **Synonym(s):** *Marca Saalmüller, 1891*
- 5294. Marcillada Walker, 1865** (Noctuidae) **Synonym(s):** *Marcillada Walker, 1865*
- 5295. Marcipa Walker, 1855** (Noctuidae) **Synonym(s):** *Marcipa Walker, 1855*
- 5296. Marcipalina Pelletier, 1978** (Noctuidae) **Synonym(s):** *Marcipalina Pelletier, 1978*
- 5297. Marcipopsis Berio, 1966** (Noctuidae) **Synonym(s):** *Marcipopsis Berio, 1966*
- 5298. Margelana Staudinger, 1888** (Noctuidae) **Synonym(s):** *Margelana Staudinger, 1888* **Original Reference:** *Margelana Staudinger, 1888*, Stettin ent. Ztg. 49: 20. Type-species: *Margelana versicolor Staudinger, 1888*, by monotypy.
- 5299. Marsipiophora John, 1909** (Noctuidae) **Synonym(s):** *Marsipiophora John, 1909*
- 5300. Masca Walker, [1859]** (Noctuidae) **Synonym(s):** *Masca Walker, [1859]*; *Phagytra Walker, [1866]*
- 5301. Massaga Walker, 1854** (Noctuidae) **Synonym(s):** *Massaga Walker, 1854*; *Massagidia Hampson, 1901*
- 5302. Matopo Distant, 1898** (Noctuidae) **Synonym(s):** *Matopo Distant, 1898*; *Gigaglossa Berio, 1966*.
- 5303. Maurilia Möschler, 1883** (Noctuidae) **Synonym(s):** *Maurilia Möschler, 1883*
- 5304. Maxera Walker, 1865** (Noctuidae) **Synonym(s):** *Maxera Walker, 1865*; *Parathermes Hampson, 1902*
- 5305. Mazuca Walker, 1866** (Noctuidae) **Synonym(s):** *Mazuca Walker, 1866*; *Mila Aurivillius, 1892*
- 5306. Mecistoptera Hampson, 1893** (Noctuidae) **Synonym(s):** *Mecistoptera Hampson, 1893*
- 5307. Mecodina Guenée, 1852** (Noctuidae) **Synonym(s):** *Mecodina Guenée, 1852*; *Boethantha Walker, 1865*; *Seneratia Moore, [1885]*; *Araeognatha Hampson, 1893*
- 5308. Megalodes Guenée, 1852** (Noctuidae) **Synonym(s):** *Megalodes Guenée, 1852* **Original Reference:** *Megalodes Guenée, 1852*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 261. Type-species: *Cosmia eximia Freyer, 1845*, by monotypy.
- 5309. Meganephria Hübner, [1821]** (Noctuidae) **Synonym(s):** *Meganephria Hübner, [1821]*; *Belosticta Butler, 1879* **Original Reference:** *Meganephria Hübner, [1821]*, Verz. bekannt. Schmett.: 206. Type-species: *Phalaena bimaculosa Linnaeus, 1767*, by subsequent designation by Butler, 1890.
- 5310. Meganola Dyar, 1898** (Noctuidae) **Synonym(s):** *Meganola Dyar, 1898*; *Poecilonola Hampson, 1900*; *Poliothripa Hampson, 1902*; *Metanola van Son, 1933*; *Paranola van Son, 1933*; *Antennola de Freina & Witt, 1984* **Original Reference:** *Meganola Dyar, 1898*, J. N. Y. ent. Soc. 6: 43. Type-species: *Meganola conspicua Dyar, 1898*, by monotypy.
- 5311. Meganyctycia Hreblay & L.Ronkay, 1998** (Noctuidae) **Synonym(s):** *Meganyctycia Hreblay & L.Ronkay, 1998* **Original Reference:** *Meganyctycia Hreblay & L.Ronkay, 1998*, Tinea 15 (Suppl.1): 207. Type-species: *Meganyctycia forcipata Hreblay & L.Ronkay, 1998*, by original designation.
- 5312. Megathripa Hampson, 1912** (Noctuidae) **Synonym(s):** *Megathripa Hampson, 1912*
- 5313. Mekrania Brandt, 1941** (Noctuidae) **Synonym(s):** *Mekrania Brandt, 1941* **Original Reference:** *Mekrania Brandt, 1941*, Mitt. münch. ent. Ges. 31: 856. Type-species: *Mekrania punctalis Brandt, 1941*, by monotypy.
- 5314. Melanchra Hübner, [1820]** (Noctuidae) **Synonym(s):** *Melanchra Hübner, [1820]* **Original Reference:** *Melanchra Hübner, [1820]*, Verz. bekannt. Schmett.: 207. Type-species: *Phalaena persicariae Linnaeus, 1761*, by monotypy.
- 5315. Melanephia Le Cerf, 1922** (Noctuidae) **Synonym(s):** *Melanephia Cerf, 1922*; *Melanephia Hampson, 1926 nec Cf., 1922*
- 5316. Melanographia Hampson, 1900** (Noctuidae) **Synonym(s):** *Melanographia Hampson, 1900*

- 5317. *Meliaba* Walker,[1859]** (Noctuidae) Synonym(s): *Meliaba* Walker,[1859]; *Ichthyopselapha Aurivillius*,1910
- 5318. *Melionica* Berio,1970** (Noctuidae) Synonym(s): *Melionica* Berio,1970
- 5319. *Melipotis* Hübner,1818** (Noctuidae) Synonym(s): *Melipotis* Hübner,1818; *Lyncestis* Walker,1857; *Coronta* Walker,[1858]; *Gerespa* Walker,1858; *Jarasana* Moore,1882
- 5320. *Meneptera* Hampson,1910** (Noctuidae) Synonym(s): *Meneptera* Hampson,1910
- 5321. *Mentaxya* Geyer,1837** (Noctuidae) Synonym(s): *Mentaxya* Geyer,1837
- 5322. *Mepantadrea* Hampson,1926** (Noctuidae) Synonym(s): *Mepantadrea* Hampson,1926
- 5323. *Mervia* Daricheva,1961** (Noctuidae) Synonym(s): *Mervia* Daricheva,1961
- 5324. *Mesaegle* Dumont,1922** (Noctuidae) Synonym(s): *Mesaegle* Dumont,1922 Original Reference: *Mesaegle* Dumont,1922, Bull. Soc. ent. Fr. 1922: 242. Type-species: *Mesaegle gouzzakouli* Dumont,1922, by monotypy.
- 5325. *Mesapamea* (Resapamea) Varga & Ronkay,1992** (Noctuidae) Synonym(s): *Resapamea* Varga & Ronkay,1992 Original Reference: *Resapamea* Varga & Ronkay,1992, Acta zool. hung. 38 (1/2): 114. Type-species: *Hadena hedeni* Graeser,1888, by original designation.
- 5326. *Mesapamea* Heinicke,1959** (Noctuidae) Synonym(s): *Lampetia* Boie,1837 nec Mgn.,1800; *Mesapamea* Heinicke,1959 Original Reference: *Mesapamea* Heinicke,1959, Dt. ent. Z. (N.F.) 6: 103. Type-species: *Apamea moderata* Eversmann,1843, by original designation.
- 5327. *Mesogenea* Hampson,1902** (Noctuidae) Synonym(s): *Mesogenea* Hampson,1902
- 5328. *Mesogona* Boisduval,1840** (Noctuidae) Synonym(s): *Mesogona* Boisduval,1840; *#Megosona* Blanchard,1840 Original Reference: *Mesogona* Boisduval,1840, Genera Index méth. Eur. Lepid.: 144. Type-species: *Noctua acetosellae* [Denis & Schiffermüller],1775, by subsequent designation by Blanchard,1840
- 5329. *Mesoligia* Boursin,1965** (Noctuidae) Synonym(s): *Mesoligia* Boursin,1965 Original Reference: *Mesoligia* Boursin,1965, Bull. mens. Soc. linn. Lyon 34: 185. Type-species: *Noctua furuncula* [Denis & Schiffermüller],1775, by original designation.
- 5330. *Mesoplus* Boursin,1949** (Noctuidae) Synonym(s): *Mesoplus* Boursin,1949 Original Reference: *Mesoplus* Boursin,1949, Z. wien. ent. Ges. 34: 158. Type-species: *Agrotis contrita* Christoph,1884, by original designation.
- 5331. *Mesorhynchaglaea* Sugi,1980** (Noctuidae) Synonym(s): *Mesorhynchaglaea* Sugi,1980
- 5332. *Mesosciara* Hampson,1926** (Noctuidae) Synonym(s): *Mesosciara* Hampson,1926
- 5333. *Mesotrosta* Lederer,1857** (Noctuidae) Synonym(s): *Mesotrosta* Lederer,1857
- 5334. *Metachrostis* Hübner,[1820]** (Noctuidae) Synonym(s): *Metachrostis* Hübner,[1820]; *Leptosia* Guenée,1841 (*praeocc.*). Original Reference: *Metachrostis* Hübner,[1820], Verz. bekannt. Schmett.: 204. Type-species: *Noctua velox* Hübner,[1813], by subsequent designation by Hampson,1894.
- 5335. *Metagarista* Walker,1854** (Noctuidae) Synonym(s): *Metagarista* Walker,1854
- 5336. *Metalopha* (Antholopha) Ronkay,1990** (Noctuidae) Synonym(s): *Antholopha* Ronkay,1990 Original Reference: *Antholopha* Ronkay,1990, Esperiana 1: 200. Type-species: *Metalopha gloriosa* Staudinger,1892, by original designation.
- 5337. *Metalopha* (s.str.) Staudinger,1892** (Noctuidae) Synonym(s): *Metalopha* Staudinger,1892 Original Reference: *Metalopha* Staudinger,1892, Dt. ent. Z., Iris 4: 313. Type-species: *Metalopha plusina* Staudinger,1892, by subsequent designation by Hampson,1906.
- 5338. *Metalopha* Staudinger,1892** (Noctuidae) Synonym(s): *Metalopha* Staudinger,1892 Original Reference: *Metalopha* Staudinger,1892, Dt. ent. Z., Iris 4: 313. Type-species: *Metalopha plusina* Staudinger,1892, by subsequent designation by Hampson,1906.
- 5339. *Metanola* Van Son,1933** (Noctuidae) Synonym(s): *Metanola* Van Son,1933
- 5340. *Metaphoenia* Hampson,1926** (Noctuidae) Synonym(s): *Metaphoenia* Hampson,1926
- 5341. *Metlaouia* Dumont,1928** (Noctuidae) Synonym(s): *Metlaouia* Dumont,1928 Original Reference: *Metlaouia* Dumont,1928, Encycl. ent. (B) 3 Lepid.: 20. Type-species: *Simyra oberthueri* Culot,[1910], by original designation.
- 5342. *Metopistis* W.Warren,1913** (Noctuidae) Synonym(s): *Metopistis* W.Warren,1913 Original Reference: *Metopistis* W.Warren,1913, [in] Seitz, Gross-Schmett. erde 3: 395. Type-species: *Phothedes erschoffi* Christoph,1884, by original designation.
- 5343. *Metopoceras* (Tritomoceras) Berio,1980** (Noctuidae) Synonym(s): *Tritomoceras* Berio,1980 Original Reference: *Tritomoceras* Berio,1980, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 10, 17. Type-species: *Metopoceras khalildja* Oberthür,1884, by original designation.

- 5344. Metopoceras (s.str.) Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée,1850*
Original Reference: Metopoceras Guenée,1850, Bull. Soc. ent. Fr. (2) 8: xviii. Type-species: Polia felicina Donzel,1844, by monotypy.
- 5345. Metopoceras Guenée,1850** (Noctuidae) Synonym(s): *Metopoceras Guenée,1850* Original Reference: Metopoceras Guenée,1850, Bull. Soc. ent. Fr. (2) 8: xviii. Type-species: Polia felicina Donzel,1844, by monotypy.
- 5346. Metopodicha Draudt,1936** (Noctuidae) Synonym(s): *Metopodicha Draudt,1936*; *Persidia Wiltshire,1946* Original Reference: Metopodicha Draudt,1936, Ent. Rdsch. 53: 491. Type-species: Metopodicha ernesti Draudt,1936, by monotypy.
- 5347. Metoponrhis Staudinger,1888** (Noctuidae) Synonym(s): *Metoponrhis Staudinger,1888*
Original Reference: Metoponrhis Staudinger,1888, Stettin ent. Ztg. 49: 54. Type-species: Photodes albirena Christoph,1887, by monotypy.
- 5348. Metopoplus Alpheraky,1892** (Noctuidae) Synonym(s): *Metopoplus Alpheraky,1892*
Original Reference: Metopoplus Alpheraky,1892, [in] Christoph, Dt. ent. Z., Iris 6: 92. Type-species: Clidia excelsa Christoph,1885, by subsequent designation by Hampson,1910.
- 5349. Michelliana Laporte,1976** (Noctuidae) Synonym(s): *Michelliana Laporte,1976*
- 5350. Micragrotis Hampson,1903** (Noctuidae) Synonym(s): *Micragrotis Hampson,1903*
- 5351. Micraxylia Berio,1962** (Noctuidae) Synonym(s): *Micraxylia Berio,1962*
- 5352. Micreremites W.Warren,1891** (Noctuidae) Synonym(s): *Micreremites W.Warren,1891*; *Zanclopalpus Hampson,1893*
- 5353. Micriantha Hampson,1908** (Noctuidae) Synonym(s): *Micriantha Hampson,1908*
Original Reference: Micriantha Hampson,1908, Cat. Lepid. Phalaenae Br. Mus. 10: xiv, 483. Type-species: Erastria mirabilis Schaus,1904, by original designation.
- 5354. Mimasura Hampson,1910** (Noctuidae) Synonym(s): *Mimasura Hampson,1910*
- 5355. Mimeugoa Hampson,1895** (Noctuidae) Synonym(s): *Mimeugoa Hampson,1895*
- 5356. Mimeusemia Butler,1875** (Noctuidae) Synonym(s): *Mimeusemia Butler,1875*
- 5357. Mimleucania Hampson,1908** (Noctuidae) Synonym(s): *Mimleucania Hampson,1908*
- 5358. Miniodes Guenée,1852** (Noctuidae) Synonym(s): *Miniodes Guenée,1852*
- 5359. Minucia Moore,[1885]** (Noctuidae) Synonym(s): *#Ascalapha Hübner,[1806]*; *Ophiodes Guenée,1841 nec Wagl.,1830*; *Minucia Moore,[1885]*; *Nantesia Kirby,1897* Original Reference: Minucia Moore,[1885], Lepid. Ceylon 3: 159. Type-species: Noctua lunaris [Denis & Schiffermüller],1775, by original designation.
- 5360. Mionides Hampson,1902** (Noctuidae) Synonym(s): *Mionides Hampson,1902*
- 5361. Mitrophrys Karsch,1895** (Noctuidae) Synonym(s): *Mitrophrys Karsch,1895*
- 5362. Mixomelia Hampson,1898** (Noctuidae) Synonym(s): *Mixomelia Hampson,1898*
- 5363. Mniopamea Hacker & Peks,1992** (Noctuidae) Synonym(s): *Mniopamea Hacker & Peks,1992*
Original Reference: Mniopamea Hacker & Peks,1992, Esperiana 3: 179. Type-species: Mniopamea gandhana Hacker & Peks,1992, by original designation.
- 5364. Mniothripa Hampson,1912** (Noctuidae) Synonym(s): *Mniothripa Hampson,1912*
- 5365. Mniotype Franclemont,1941** (Noctuidae) Synonym(s): *Mniotype Franclemont,1941*; *Pseudomniotype Beck,1991*; *Eremobastis Pérez-Lopez & Morente-Benitez,1996* Original Reference: Mniotype Franclemont,1941, Ent. News 52: 201. Type-species: Haden ducta Grote,1878, by original designation.
- 5366. Mocis Hübner,[1823]** (Noctuidae) Synonym(s): *Mocis Hübner,[1823]*; *Pelamia Guenée,1852*; *Baratha Walker,1865*; *Caurinda Moore,[1885]*.
- 5367. Mohapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009** (Noctuidae) Synonym(s): *Mohapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009*
- 5368. Mokfanola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Mokfanola Laszlo, G.Ronkay & Witt,2010*
- 5369. Moma Hübner,[1820]** (Noctuidae) Synonym(s): *#Diphthera Hübner,[1806]*; *Moma Hübner,[1820]*; *Diphtherocome W.Warren,1907*; *Diphtheramoma Berio,1961* Original Reference: Moma Hübner,[1820], Verz. bekannt. Schmett.: 203. Type-species: Phalaena alpium Osbeck,1778, by subsequent designation by Grote,1874.
- 5370. Mormo Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mormo Ochsenheimer,1816*; *Lemur Hübner,1822 nec Linn.,1758*; *Mania Treitschke,1825 nec Hbn.,[1821]*; *Acyra Gistel,1848*; *#Arcyra Neave,1939*
Original Reference: Mormo Ochsenheimer,1816, Schmett. Eur. 4: 70. Type-species: Phalaena maura Linnaeus,1758, by subsequent designation by Samouelle,1819.

- 5371. Mosopia Walker,[1866]** (Noctuidae) Synonym(s): *Mosopia Walker,[1866]; Trotosema Butler,1879*
- 5372. Mudaria Moore,1893** (Noctuidae) Synonym(s): *Mudaria Moore,1893*
- 5373. Myalila Strand,1909** (Noctuidae) Synonym(s): *Myalila Strand,1909*
- 5374. Mycteroplus Herrich-Schäffer,1850** (Noctuidae) Synonym(s): *Mycteroplus Herrich-Schäffer,1850*
- 5375. Mythimna (Aletia) Hübner,[1821]** (Noctuidae) Synonym(s): *Aletia Hübner,[1821]*
Original Reference: Aletia Hübner,[1821], Verz. bekannt. Schmett.: 239. Type-species: Noctua vitellina Hübner,[1808], by subsequent designation by Moore,1881.
- 5376. Mythimna (Anapoma) Berio,1980** (Noctuidae) Synonym(s): *Apoma Berio,1980 nec Beck,1837; Anapoma Berio,1980* Original Reference: Anapoma Berio,1980, Boll. Soc. ent. ital. 112: 40. Type-species: Leucania riparia Rambur,1829, by original designation.
- 5377. Mythimna (Hyphilare) Hübner,[1821]** (Noctuidae) Synonym(s): *Hyphilare Hübner,[1821]; Allitoria Beck,1996* Original Reference: Hyphilare Hübner,[1821], Verz. bekannt. Schmett.: 239. Type-species: Noctua albipuncta [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1905.
- 5378. Mythimna (Morphopoliana) Hreblay,1996** (Noctuidae) Synonym(s): *Morphopoliana Hreblay,1996* Original Reference: Morphopoliana Hreblay,1996, Esperiana 4: 134. Type-species: Hadena consanguis Guenée,1852, by original designation [proposed as subgenus of Mythimna O.].
- 5379. Mythimna (Pseudaletia) Franclemont,1951** (Noctuidae) Synonym(s): *Pseudaletia Franclemont,1951* Original Reference: Pseudaletia Franclemont,1951, Proc. ent. Soc. Wash. 53: 64. Type-species: Leucania unipuncta Haworth,1809, by original designation.
- 5380. Mythimna (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer,1816; Philostola Billberg,1820; Mithimna Sodoffsky,1837; Hyperiodes W.Warren,1910* Original Reference: Mythimna Ochsenheimer,1816, Schmett. Eur. 4: 78. Type-species: Phalaena turca Linnaeus,1761, by subsequent designation by Samouelle,1819.
- 5381. Mythimna Ochsenheimer,1816** (Noctuidae) Synonym(s): *Mythimna Ochsenheimer,1816; Philostola Billberg,1820; Mithimna Sodoffsky,1837; Hyperiodes W.Warren,1910* Original Reference: Mythimna Ochsenheimer,1816, Schmett. Eur. 4: 78. Type-species: Phalaena turca Linnaeus,1761, by subsequent designation by Samouelle,1819.
- 5382. Naarda Walker,1866** (Noctuidae) Synonym(s): *Naarda Walker,1866*
- 5383. Nacna D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Canna Walker,1865 nec Gry,1821; Nacna D.S.Fletcher,1961*
- 5384. Naenia Stephens,1827** (Noctuidae) Synonym(s): *#Phalaena Linnaeus,1758; Naenia Stephens,1827* Original Reference: Naenia Stephens,1827, [in] Anonymous, Retrospective Rev. (2) 1: 243. Type-species: Phalaena typica Linnaeus,1758, by monotypy.
- 5385. Nagadeba Walker,1866** (Noctuidae) Synonym(s): *Nagadeba Walker,1866*
- 5386. Naganoella Sugi,1982** (Noctuidae) Synonym(s): *Naganoella Sugi,1982*
- 5387. Nagia Walker,1858** (Noctuidae) Synonym(s): *Nagia Walker,1858*
- 5388. Namangana Staudinger,1888** (Noctuidae) Synonym(s): *Namangana Staudinger,1888; #Namagana Poole,1989*
- 5389. Nanaguna Walker,1863** (Noctuidae) Synonym(s): *Nanaguna Walker,1863; Bagistana Walker,[1863]; Dumatha Walker,[1863]; Clettharra Walker,1863; Tamusida Walker,1866; Thrypticodes Lucas,1890*
- 5390. Nanola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Nanola Laszlo, G.Ronkay & Witt,2010*
- 5391. Narangodes Hampson,1910** (Noctuidae) Synonym(s): *Narangodes Hampson,1910*
- 5392. Neachrostia Hampson,1907** (Noctuidae) Synonym(s): *Neachrostia Hampson,1907*
Original Reference: Neachrostia Hampson,1907, J. Bombay nat. Hist. Soc. 17: 645. Type-species: Metachrostis brunneiplaga Swinhoe,1905, by original designation.
- 5393. Neaxestis Hampson,1902** (Noctuidae) Synonym(s): *Neaxestis Hampson,1902*
- 5394. Nechesia Walker,1862** (Noctuidae) Synonym(s): *Nechesia Walker,1862*
- 5395. Negeta Walker,1862** (Noctuidae) Synonym(s): *Negeta Walker,1862*
- 5396. Negritothripa Inoue,1970** (Noctuidae) Synonym(s): *Negritothripa Inoue,1970*
- 5397. Nekrasovia Ronkay & Varga,1993** (Noctuidae) Synonym(s): *Nekrasovia Ronkay & Varga,1993* Original Reference: Nekrasovia Ronkay & Varga,1993, Acta zool. Hung. 39: 230-231. Type-species: Auchmis crassicornis Boursin,1960, by original designation.
- 5398. Neochrostis Hampson,1902** (Noctuidae) Synonym(s): *Neochrostis Hampson,1902*

- 5399. Neocucullia Janse, 1939** (Noctuidae) Synonym(s): *Neocucullia Janse, 1939*
- 5400. Neeriocera Özdikmen & Seven, 2006** (Noctuidae) Synonym(s): *Eriocera Guenée, 1852* nec *Macquart, 1838*; *Neeriocera Özdikmen & Seven, 2006*
- 5401. Neogalea Hampson, 1906** (Noctuidae) Synonym(s): *Neogalea Hampson, 1906*
- 5402. Neonola Hampson, 1900** (Noctuidae) Synonym(s): *Neonola Hampson, 1900*
- 5403. Neostichtis Janse, 1937** (Noctuidae) Synonym(s): *Neostichtis Janse, 1937*
- 5404. Nereisana Strand, 1911** (Noctuidae) Synonym(s): *Pseudosterrha Rebel, 1901* nec *Wrn., 1888*; *Nereisana Strand, 1911*; *Nothosterrha W. Warren, 1912* Original Reference: *Nereisana Strand, 1911*, *Annls Soc. ent. belg.* 55: 38. Type-species: *Chesias oranaria Lucas, 1849*, by monotypy.
- 5405. Netrocerocora Bartel, 1902** (Noctuidae) Synonym(s): *Netrocerocora Bartel, 1902*; *Netrocerocora Spuler, 1906* Original Reference: *Netrocerocora Bartel, 1902*, *Dt. ent. Z., Iris* 15: 207. Type-species: *Netrocerocora quadriplaga Bartel, 1902*, by monotypy.
- 5406. Neurois Hampson, 1903** (Noctuidae) Synonym(s): *Neurois Hampson, 1903*
- 5407. Nezonycta Varga & Ronkay, 1991** (Noctuidae) Synonym(s): *Nezonycta Varga & Ronkay, 1991* Original Reference: *Nezonycta Varga & Ronkay, 1991*, *Acta zool. Hung* 37: 275. Type-species: *Thargelia pusilla Püngeler, 1900*, by original designation.
- 5408. Nicevillea Hampson, 1895** (Noctuidae) Synonym(s): *Nicevillea Hampson, 1895*
- 5409. Nigramma Walker, 1863** (Noctuidae) Synonym(s): *Nigramma Walker, 1863*; *Chuduca Walker, 1864*; *Clina Walker, 1864*
- 5410. Nimasia Wiltshire, 1982** (Noctuidae) Synonym(s): *Nimasia Wiltshire, 1982*
- 5411. Njalkanola Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *Njalkanola Laszlo, G. Ronkay & Witt, 2010*
- 5412. Nocthadena Laporte, 1976** (Noctuidae) Synonym(s): *Nocthadena Laporte, 1976*
- 5413. Noctua (Divaena) Fibiger, 1993** (Noctuidae) Synonym(s): *Divaena Fibiger, 1993* Original Reference: *Divaena Fibiger, 1993*, *Noctuidae Eur.* 2 (2): 87. Type-species: *Lycophotia haywardi Tams, 1926*, by original designation.
- 5414. Noctua (Euschesis) Hübner, [1821]** (Noctuidae) Synonym(s): *Euschesis Hübner, [1821]* Original Reference: *Euschesis Hübner, [1821]*, *Verz. bekannt. Schmett.*: 221. Type-species: *Noctua janthina [Denis & Schiffermüller], 1775*, by subsequent designation by Hampson, 1903.
- 5415. Noctua (Lampra) Hübner, [1821]** (Noctuidae) Synonym(s): *Lampra Hübner, [1821]* Original Reference: *Lampra Hübner, [1821]*, *Verz. bekannt. Schmett.*: 221. Type-species: *Phalaena fimbriata Schreber, 1759*, by monotypy.
- 5416. Noctua (Latanoctua) Beck, Kobes & Ahola, 1993** (Noctuidae) Synonym(s): *Latanoctua Beck, Kobes & Ahola, 1993* Original Reference: *Latanoctua Beck, Kobes & Ahola, 1993*, *Atalanta* 24 (1/4): 231. Type-species: *Phalaena orbona Hufnagel, 1766*, by original designation.
- 5417. Noctua (Paranoctua) Beck, Kobes & Ahola, 1993** (Noctuidae) Synonym(s): *Paranoctua Beck, Kobes & Ahola, 1993*; *Carvalhoia Beck, 1999* nec *Kormilev, 1951* non *Miller & China, 1956* Original Reference: *Paranoctua Beck, Kobes & Ahola, 1993*, *Atalanta* 24 (1/4): 231. Type-species: *Noctua comes Hübner, [1813]*, by original designation.
- 5418. Noctua (s.str.) Linnaeus, 1758** (Noctuidae) Synonym(s): *Noctua Linnaeus, 1758*; *Noctuella Rafinesque, 1815*; *Nyctemia Rafinesque, 1815*; *Triphaena Ochsenheimer, 1816*; *Triphaena Hübner, [1821]*; *Xanthoptera Sodoffsky, 1837* Original Reference: *Noctua Linnaeus, 1758*, *Systema Naturae* (Edn. 10) 1: 508. Type-species: *Phalaena pronuba Linnaeus, 1758*, by subsequent designation by ICZN, 1957 (Opinion 450).
- 5419. Noctua Linnaeus, 1758** (Noctuidae) Synonym(s): *Noctua Linnaeus, 1758*; *Noctuella Rafinesque, 1815*; *Nyctemia Rafinesque, 1815*; *Triphaena Ochsenheimer, 1816*; *Triphaena Hübner, [1821]*; *Xanthoptera Sodoffsky, 1837* Original Reference: *Noctua Linnaeus, 1758*, *Systema Naturae* (Edn. 10) 1: 508. Type-species: *Phalaena pronuba Linnaeus, 1758*, by subsequent designation by ICZN, 1957 (Opinion 450).
- 5420. Nodaria Guenée, 1854** (Noctuidae) Synonym(s): *Nodaria Guenée, 1854* Original Reference: *Nodaria Guenée, 1854*, [in] *Boisduval & Guenée, Hist. nat. Insectes (Lépid.)* 8: 63. Type-species: *Nodaria hispanalis Guenée, 1854*, by subsequent designation by Desmarest, 1857.
- 5421. Nola (Angensteinia) Hacker, 2012** (Noctuidae) Synonym(s): *Angensteinia Hacker, 2012*
- 5422. Nola (Mecothrix) Hacker, 2012** (Noctuidae) Synonym(s): *Mecothrix Hacker, 2012*
- 5423. Nola (s.str.) Leach, [1815]** (Noctuidae) Synonym(s): *Nola Leach, [1815]*; *Lira Billberg, 1820*; *Chlamifera Hübner, 1822*; *Roeselia Hübner, [1825]*; *Manoba Walker, [1863]*; *Celama Walker, 1865*; *Selca Walker, [1866]*; *Tribunta Walker, [1866]*; *Aradrappa Walker, [1866]*; *Lebena Walker, 1866*; *Minnagara Walker, 1866*; *Argyrophyes Grote, 1873*; *Epizeuctis Meyrick, 1889*; *Sorocostia Rosenstock, 1885*; *ztenola Möschler, 1890*; *Rhynchopalpus Hampson, 1893*; *Poliothripa Hampson, 1902*; *Cryphimaea Turner, 1933*; *Nestiodes Turner, 1939*;

- Idiocyttara* Turner,1944; *Neocleta* Turner,1944 Original Reference: Nola Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 135. Type-species: *Noctua palliola* [Denis & Schiffermüller],1775, by monotypy.
- 5424. Nola Leach,[1815]** (Noctuidae) Synonym(s): *Nola Leach*,[1815]; *Lira* Billberg,1820; *Chlamifera* Hübner,1822; *Roeselia* Hübner,[1825]; *Manoba* Walker,[1863]; *Celama* Walker,1865; *Selca* Walker,[1866]; *Tribunta* Walker,[1866]; *Aradrappa* Walker,[1866]; *Lebena* Walker,1866; *Minnagara* Walker,1866; *Argyrophyes* Grote,1873; *Epizeuctis* Meyrick,1889; *Sorocostia* Rosenstock,1885; *ztenola* Möschler,1890; *Rhynchopalpus* Hampson,1893; *Poliothripa* Hampson,1902; *Cryphimaea* Turner,1933; *Nestiodes* Turner,1939; *Idiocyttara* Turner,1944; *Neocleta* Turner,1944 Original Reference: Nola Leach,[1815], [in] Brewster, Edinburgh Encycl. 9: 135. Type-species: *Noctua palliola* [Denis & Schiffermüller],1775, by monotypy.
- 5425. Nola defreina Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *defreina* Laszlo, G.Ronkay & Witt,2010
- 5426. Nolidia Van Son,1933** (Noctuidae) Synonym(s): *Nolidia* Van Son,1933
- 5427. Nonagria Ochsenheimer,1816** (Noctuidae) Synonym(s): *Nonagria* Ochsenheimer,1816; *Enteriona* Sodoffsky,1837 Original Reference: Nonagria Ochsenheimer,1816, Schmett. Eur. 4: 82. Type-species: *Noctua typhae* Thunberg,1784, by subsequent designation by Duponchel,1829.
- 5428. Numeniastes D.S.Fletcher,1963** (Noctuidae) Synonym(s): *Numeniastes* D.S.Fletcher,1963
- 5429. Nycteola Hübner,1822** (Noctuidae) Synonym(s): *Nycteola* Hübner,1822; *Sarrothripus* Curtis,1824; *Axia* Hübner,[1825] nec Hbn.,[1821]; *Subrita* Walker,1866; *Dufayella* Capuse,1972; *#Nyteloa* Hacker,1998 Original Reference: Nycteola Hübner,1822, Syst.- alph. Verz.: 60, 66. Type-species: *Tortrix undulana* Hübner,[1799], by subsequent designation by Prout,1901.
- 5430. Nyctycia Hampson,1906** (Noctuidae) Synonym(s): *Nyctycia* Hampson,1906
- 5431. Nyodes Laporte,1970** (Noctuidae) Synonym(s): *Elaeodes* Hampson,1913 nec Gemm. & Harold,1870; *Nyodes* Laporte,1970
- 5432. Nyssoenemis Lederer,1857** (Noctuidae) Synonym(s): *Nyssoenemis* Lederer,1857
- 5433. Obana Walker,1862** (Noctuidae) Synonym(s): *Obana* Walker,1862
- 5434. Ochrocalama Hampson,1910** (Noctuidae) Synonym(s): *Ochrocalama* Hampson,1910
- 5435. Ochropleura Hübner,[1821]** (Noctuidae) Synonym(s): *Ochropleura* Hübner,[1821] Original Reference: Ochropleura Hübner,[1821], Verz. bekannt. Schmett.: 223. Type-species: *Phalaena plecta* Linnaeus,1761, by subsequent designation by Grote,1895.
- 5436. Ochrotrigona Hampson,1926** (Noctuidae) Synonym(s): *Ochrotrigona* Hampson,1926
- 5437. Odice Hübner,[1823]** (Noctuidae) Synonym(s): *Odice* Hübner,[1823]; *Microphisa* Boisduval,1840 Original Reference: Odice Hübner,[1823], Verz. bekannt. Schmett.: [258]. Type-species: *Noctua inamoena* Hübner,[1803], by subsequent designation by Moore,1884.
- 5438. Odontelia Hampson,1905** (Noctuidae) Synonym(s): *Odontelia* Hampson,1905 Original Reference: Odontelia Hampson,1905, Cat. Lepid. Phalaenae Br. Mus. 5: 219. Type-species: *Thargelia margiana* Püngeler,1901, by original designation.
- 5439. Odontestis Hampson,1912** (Noctuidae) Synonym(s): *Odontestis* Hampson,1912
- 5440. Odontestra Hampson,1905** (Noctuidae) Synonym(s): *Odontestra* Hampson,1905
- 5441. Odontodes Guenée,1852** (Noctuidae) Synonym(s): *Odontodes* Guenée,1852; *Burdria* Walker,1869; *Nedroma* Walker,1869
- 5442. Odontoretha Hampson,1916** (Noctuidae) Synonym(s): *Odontoretha* Hampson,1916
- 5443. Oedebasis Hampson,1902** (Noctuidae) Synonym(s): *Oedebasis* Hampson,1902
- 5444. Oederastris Hampson,1902** (Noctuidae) Synonym(s): *Oederastris* Hampson,1902
- 5445. Oederemia Hampson,1908** (Noctuidae) Synonym(s): *Oederemia* Hampson,1908 Original Reference: Oederemia Hampson,1908, Cat. Lepid. Phalaenae Br. Mus. 7: 405. Type-species: *Oederemia lithoplasta* Hampson,1908, by original designation.
- 5446. Oediblemma Hampson,1918** (Noctuidae) Synonym(s): *Oediblemma* Hampson,1918
- 5447. Oedicodia Hampson,1910** (Noctuidae) Synonym(s): *Oedicodia* Hampson,1910
- 5448. Oediconia Berio,1977** (Noctuidae) Synonym(s): *Oediconia* Berio,1977
- 5449. Oedicraspis Hampson,1912** (Noctuidae) Synonym(s): *Oedicraspis* Hampson,1912
- 5450. Oediplexia Hampson,1908** (Noctuidae) Synonym(s): *Oediplexia* Hampson,1908
- 5451. Oglasa Walker,[1859]** (Noctuidae) Synonym(s): *Oglasa* Walker,[1859]; *Barbesola* Walker,1862; *Dorsippa* Walker,[1863]; *Chorsia* Walker,[1863]; *Alika* Strand,1920
- 5452. Oglasodes Hampson,1926** (Noctuidae) Synonym(s): *Oglasodes* Hampson,1926
- 5453. Ogovia Holland,1892** (Noctuidae) Synonym(s): *Ogovia* Holland,1892

- 5454. Oligarcha Varga, Ronkay & Gyulai,1995** (Noctuidae) Synonym(s): *Oligarcha Varga, Ronkay & Gyulai,1995* Original Reference: *Oligarcha Varga, Ronkay & Gyulai,1995, Acta zool. hung. 41 (1): 63.* Type-species: *Agrotis coryphaea* Püngeler,1900, by original designation.
- 5455. Oligia Hübner,[1821]** (Noctuidae) Synonym(s): *Oligia Hübner,[1821]; Miana Stephens,1829; Procus Agassiz,1846* Original Reference: *Oligia Hübner,[1821], Verz. bekannt. Schmett.: 213.* Type-species: *Phalaena strigilis* Linnaeus,1758, by subsequent designation by Grote,1895.
- 5456. Olivenebula Kishida & Yoshimoto,1977** (Noctuidae) Synonym(s): *Olivenebula Kishida & Yoshimoto,1977; Chlorothalpa Beck,1996* Original Reference: *Olivenebula Kishida & Yoshimoto,1977, Tyo to Ga 28: 144.* Type-species: *Polyphaenis oberthueri* Srtaudinger,1892, by original designation.
- 5457. Olulis Walker,1863** (Noctuidae) Synonym(s): *Olulis Walker,1863; Hamaxia Walker,1863; Phachthia Walker,1864*
- 5458. Omia Hübner,[1821]** (Noctuidae) Synonym(s): *Omia Hübner,[1821]* Original Reference: *Omia Hübner,[1821], Verz. bekannt. Schmett.: 244.* Type-species: *Noctua cymbalariae* Hübner,[1809], by subsequent designation by Guenée,1852.
- 5459. Ommatophora Guenée,1852** (Noctuidae) Synonym(s): *Ommatophora Guenée,1852*
- 5460. Omphalestra D.S.Fletcher,1961** (Noctuidae) Synonym(s): *Omphalestra D.S.Fletcher,1961*
- 5461. Omphaloceps Hampson,1901** (Noctuidae) Synonym(s): *Omphaloceps Hampson,1901*
- 5462. Omphalophana Hampson,1906** (Noctuidae) Synonym(s): *Omphalophana Hampson,1906* Original Reference: *Omphalophana Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: viii, 109.* Type-species: *Noctua antirrhinii* Hübner,[1803], by original designation.
- 5463. Omphaloscelis Hampson,1906** (Noctuidae) Synonym(s): *Omphaloscelis Hampson,1906* Original Reference: *Omphaloscelis Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: xiii, 469.* Type-species: *Noctua lunosa* Haworth,1809, by original designation.
- 5464. Oncocnemis Lederer,1853** (Noctuidae) Synonym(s): *Oncocnemis Lederer,1853; Phornacisa Walker,1862; Copihadena Morrison,1875; Metahadena Morrison,1876* Original Reference: *Oncocnemis Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 368.* Type-species: *Amphipyra confusa* Freyer,[1840], by subsequent designation by Grote,1874.
- 5465. Oncotibialis Janse,1938** (Noctuidae) Synonym(s): *Oncotibialis Janse,1938*
- 5466. Ophisma Guenée,1852** (Noctuidae) Synonym(s): *Ophisma Guenée,1852*
- 5467. Ophiusa Ochsenheimer,1816** (Noctuidae) Synonym(s): *Ophiusa Ochsenheimer,1816; Ophiogenes Reichenbach,1816; Meropis Hübner,1822; Ophiussa Hübner,[1823]; Hemachra Sodoffsky,1837; Anua Walker,1858; Stenopis Mabilie,1880; Trichanua Berio,1954; Subanua Berio,1959; Peranua Berio,1959; Perophiusa Berio,1959.* Original Reference: *Ophiusa Ochsenheimer,1816, Schmett. Eur. 4: 93.* Type-species: *Phalaena tirhaca* Cramer,1777, by subsequent designation by Duponchel,1829.
- 5468. Ophthalmis Hübner,[1819]** (Noctuidae) Synonym(s): *Ophthalmis Hübner,[1819]; Pristoceraea Karsch,1895*
- 5469. Opigena Boisduval,1840** (Noctuidae) Synonym(s): *Opigena Boisduval,1840* Original Reference: *Opigena Boisduval,1840, Genera Index méth. Eur. Lepid.: 103.* Type-species: *Noctua polygona* [Denis & Schiffermüller],1775, by monotypy.
- 5470. Oporophylla Hampson,1913** (Noctuidae) Synonym(s): *Oporophylla Hampson,1913*
- 5471. Opsyra Hampson,1910** (Noctuidae) Synonym(s): *Opsyra Hampson,1910*
- 5472. Oraesia Guenée,1852** (Noctuidae) Synonym(s): *Oraesia Guenée,1852*
- 5473. Orbona Hübner,[1821]** (Noctuidae) Synonym(s): *Orbona Hübner,[1821]*
- 5474. Orectis Lederer,1857** (Noctuidae) Synonym(s): *Orectis Lederer,1857* Original Reference: *Orectis Lederer,1857, Noctuinen Eur.: 46, 216.* Type-species: *Helia proboscidata* Herrich-Schäffer,[1851], by monotypy.
- 5475. Oria Hübner,[1821]** (Noctuidae) Synonym(s): *Oria Hübner,[1821]; Synia Duponchel,[1845]; Tapinostola Lederer,1857* Original Reference: *Oria Hübner,[1821], Verz. bekannt. Schmett.: 240.* Type-species: *Noctua musculosa* Hübner,[1808], by monotypy.
- 5476. Orisapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009** (Noctuidae) Synonym(s): *Orisapamea Zilli, Varga, G.Ronkay & L.Ronkay,2009*
- 5477. Orohadena (Bryohadena) L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *Bryohadena L.Ronkay, Varga & Gyulai,2002*
- 5478. Orohadena (s.str.) L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *Orohadena L.Ronkay, Varga & Gyulai,2002* Original Reference: *Orohadena L.Ronkay, Varga & Gyulai,2002, Acta Zool. Acad. Sci. Hung. 48 (1): 66.* Type-species: *Pseudohadena xanthophanes* Boursin,1943, by original designation.

- 5479. Orohadena L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *Orohadena L.Ronkay, Varga & Gyulai,2002* Original Reference: *Orohadena L.Ronkay, Varga & Gyulai,2002*, Acta Zool. Acad. Sci. Hung. 48 (1): 66. Type-species: *Pseudohadena xanthophanes* Boursin,1943, by original designation.
- 5480. Oroplexia Hampson,1908** (Noctuidae) Synonym(s): *Oroplexia Hampson,1908*
- 5481. Orthosia (Cororthosia) Berio,1980** (Noctuidae) Synonym(s): *Cororthosia Berio,1980*
- 5482. Orthosia (Dioszeghyana) Hreblay,1993** (Noctuidae) Synonym(s): *Dioszeghyana Hreblay,1993* Original Reference: *Dioszeghyana Hreblay,1993*, Acta zool. Hung. 39 (1/4): 80-81. Type-species: *Monima schmidtii* Dioszeghy,1935, by original designation (proposed originally as genus).
- 5483. Orthosia (Monima) Hübner,[1821]** (Noctuidae) Synonym(s): *Monima Hübner,[1821]; Microrthosia Berio,1980.* Original Reference: *Monima Hübner,[1821]*, Verz. bekannt. Schmett.: 229. Type-species: *Noctua miniosa* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1905.
- 5484. Orthosia (Semiophora) Stephens,1829** (Noctuidae) Synonym(s): *#Graphiphora Hübner,[1806]; Semiophora Stephens,1829; Ancata Capuşe,1958; #Anacta Kristensen,1966* Original Reference: *Semiophora Stephens,1829*, Illust. Br. Ent. (Haustellata) 2: 138. Type-species: *Phalaena gothica* Linnaeus,1758, by monotypy.
- 5485. Orthosia (s.str.) Ochsenheimer,1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer,1816; Orthoa Billberg,1820* Original Reference: *Orthosia Ochsenheimer,1816*, Schmett. Eur. 4: 79. Type-species: *Noctua instabilis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes. Schmett. Wienergegend: 76, by subsequent designation by Curtis,1828, Br. Ent. 5: 237.
- 5486. Orthosia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Orthosia Ochsenheimer,1816; Orthoa Billberg,1820* Original Reference: *Orthosia Ochsenheimer,1816*, Schmett. Eur. 4: 79. Type-species: *Noctua instabilis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes. Schmett. Wienergegend: 76, by subsequent designation by Curtis,1828, Br. Ent. 5: 237.
- 5487. Ortopla Walker,[1859]** (Noctuidae) Synonym(s): *Ortopla Walker,[1859]; Oromena Moore,1882; Koptoplax Hampson,1891*
- 5488. Oruza Walker,1861** (Noctuidae) Synonym(s): *Oruza Walker,1861*
- 5489. Osmanosizikia Koçak & Kemal,2007** (Noctuidae) Synonym(s): *Oligonyx Sugi,1982 nec Saussure,1869; Osmanosizikia Koçak & Kemal,2007; Sugiella Özdkimen,2008* Original Reference: *Osmanosizikia Koçak & Kemal,2007*, Cent. ent. Stud., Misc. Pap. 105: 7 (nomen novum pro *Oligonyx Sugi,1982 nec Saussure,1869*).
- 5490. Ostheldera Nye,1975** (Noctuidae) Synonym(s): *Pfeifferella Osthelder,1933 nec Labbe,1899; Ostheldera Nye,1975* Original Reference: *Ostheldera Nye,1975*, Generic names of moths of the World 1: 355 (nom. nov. pro *Pfeifferella Osthelder,1933 nec Labbe,1899*). Type-species: *Pfeifferella gracilis* Osthelder,1933, by monotypy.
- 5491. Outaya Chrétien,1911** (Noctuidae) Synonym(s): *Outaya Chrétien,1911* Original Reference: *Outaya Chrétien,1911*, Anns Soc. ent. Fr. 79 (1910): 505. Type-species: *Outaya grisescens* Chrétien,1911, by monotypy.
- 5492. Ovios Walker,1855** (Noctuidae) Synonym(s): *Ovios Walker,1855*
- 5493. Owadaglaea Hacker & L.Ronkay,1996** (Noctuidae) Synonym(s): *Owadaglaea Hacker & L.Ronkay,1996*
- 5494. Oxaeanus Swinhoe,1900** (Noctuidae) Synonym(s): *Oxaeanus Swinhoe,1900*
- 5495. Oxicesta Hübner,[1819]** (Noctuidae) Synonym(s): *Oxicesta Hübner,[1819]; Clidia Boisduval,[1837]*
- 5496. Oxyodes Guenée,1852** (Noctuidae) Synonym(s): *Oxyodes Guenée,1852; Rectipalpula De Joannis,1900*
- 5497. Oxytripia Staudinger,1871** (Noctuidae) Synonym(s): *Oxytripia Staudinger,1871; #Oxytripia Staudinger,1871* Original Reference: *Oxytripia Staudinger,1871*, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 98, 423. Type-species: *Phalaena orbiculosa* Esper,[1799], by monotypy.
- 5498. Ozarba Walker,1865** (Noctuidae) Synonym(s): *Ozarba Walker,1865* Original Reference: *Ozarba Walker,1865*, List Specimens lepid. Insects Colln Br. Mus. 32: 684. Type-species: *Ozarba punctigera* Walker,1865, by monotypy.
- 5499. Paectes Hübner,1818** (Noctuidae) Synonym(s): *#Tribonophora Hübner,1808; Paectes Hübner,1818; Ingura Guenée,1852; Adrana Walker,1858; Orthoclostera Butler,1878; Callingura Butler,1894*

- Original Reference: Paectes Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 21. Type-species: Paectes pygmaea Hübner, 1818, by monotypy.
- 5500. Paidia Jordan, 1896** (Noctuidae) Synonym(s): *Paidia Jordan, 1896*
- 5501. Palaeagrotis Hampson, 1907** (Noctuidae) Synonym(s): *Palaeagrotis Hampson, 1907*
Original Reference: Palaeagrotis Hampson, 1907, Ann. Mag. nat. Hist. (7) 19: 252. Type-species: Hadenia inops Lederer, 1853, by original designation.
- 5502. Palaeamathes Boursin, 1954** (Noctuidae) Synonym(s): *Palaeamathes Boursin, 1954*
Original Reference: Palaeamathes Boursin, 1954, Bonn. zool. Beitr. 5: 271. Type-species: Palaeamathes hoenei Boursin, 1954, by original designation.
- 5503. Pamirorea L.Ronkay & Varga, 1990** (Noctuidae) Synonym(s): *Pamirorea L.Ronkay & Varga, 1990*
Original Reference: Pamirorea L.Ronkay & Varga, 1990, Esperiana 1: 488. Type-species: Pamirorea eberti L.Ronkay & Varga, 1990, by original designation.
- 5504. Pamparama G.Ronkay & L.Ronkay, 1995** (Noctuidae) Synonym(s): *Pamparama G.Ronkay & L.Ronkay, 1995*
Original Reference: Pamparama G.Ronkay & L.Ronkay, 1995, Noct. Eur. 7: 26. Type-species: Acronycta acuta Freye, [1837], by original designation.
- 5505. Panchrysia Hübner, [1821]** (Noctuidae) Synonym(s): *Panchrysia Hübner, [1821]; Tetrargentia Beck, 1991; Hexaureia Beck, 1991*
Original Reference: Panchrysia Hübner, [1821], Verz. bekannt. Schmett.: 252. Type-species: Noctua aurea Hübner, [1803], by monotypy.
- 5506. Pandesma Guenée, 1852** (Noctuidae) Synonym(s): *Pandesma Guenée, 1852; Cerbia Walker, 1858; Michera Walker, 1865; Vapara Moore, 1882; Subpandesma Berio, 1966*
- 5507. Panemeria Hübner, [1823]** (Noctuidae) Synonym(s): *Panemeria Hübner, [1823]; Gymnopa Stephens, 1829; Panhemeria Spuler, 1907*
Original Reference: Panemeria Hübner, [1823], Verz. bekannt. Schmett.: 262. Type-species: Noctua heliaca [Denis & Schiffermüller], 1775, by monotypy.
- 5508. Pangrapta Hübner, 1818** (Noctuidae) Synonym(s): *Pangrapta Hübner, 1818; Marmorinia Guenée, 1852; Saraca Walker, [1866]; Stenozethes Hampson, 1926*
- 5509. Panolis Hübner, [1821]** (Noctuidae) Synonym(s): *Panolis Hübner, [1821]; Ilarus Boisduval, 1829; Hilarus Agassiz, 1847*
Original Reference: Panolis Hübner, [1821], Verz. bekannt. Schmett.: 214. Type-species: Noctua flammea [Denis & Schiffermüller], 1775, by subsequent designation by Hampson, 1905.
- 5510. Panthea Hübner, [1820]** (Noctuidae) Synonym(s): *Panthea Hübner, [1820]; Elatina Duponchel, [1845]*
Original Reference: Panthea Hübner, [1820], Verz. bekannt. Schmett.: 203. Type-species: Phalaena coenobita Esper, 1785, by monotypy.
- 5511. Pantydia Guenée, 1852** (Noctuidae) Synonym(s): *Pantydia Guenée, 1852*
- 5512. Papestra Sukhareva, 1973** (Noctuidae) Synonym(s): *Papestra Sukhareva, 1973*
Original Reference: Papestra Sukhareva, 1973, Ent. Obozr. 52: 409. Type-species: Phalaena biren Goeze, 1781, by original designation.
- 5513. Parabrachylomia Behounek & Hacker, 1990** (Noctuidae) Synonym(s): *Parabrachylomia Behounek & Hacker, 1990*
Original Reference: Parabrachylomia Behounek & Hacker, 1990, Neue ent. Nachr. 27: 451. Type-species: Brachylomia chretieni Rothschild, 1914, by original designation.
- 5514. Paracentropus Boursin, 1958** (Noctuidae) Synonym(s): *Paracentropus Boursin, 1958*
Original Reference: Paracentropus Boursin, 1958, Bull. mens. Soc. linn. Lyon 27: 6. Type-species: Scythocentropus cyrus Brandt, 1938, by original designation.
- 5515. Parachalciope Hampson, 1913** (Noctuidae) Synonym(s): *Parachalciope Hampson, 1913*
- 5516. Paracolax Hübner, [1825]** (Noctuidae) Synonym(s): *Paracolax Hübner, [1825]*
Original Reference: Paracolax Hübner, [1825], Verz. bekannt. Schmett.: 344. Type-species: Pyralis derivalis Hübner, 1796, by subsequent designation by Westwood, 1840.
- 5517. Paracrama Moore, 1884** (Noctuidae) Synonym(s): *Paracrama Moore, 1884*
- 5518. Paracroria Hampson, 1908** (Noctuidae) Synonym(s): *Paracroria Hampson, 1908*
- 5519. Paradiarsia McDunnough, [1929]** (Noctuidae) Synonym(s): *Paradiarsia McDunnough, [1929]*
- 5520. Paraegle Hampson, 1908** (Noctuidae) Synonym(s): *Paraegle Hampson, 1908*
Original Reference: Paraegle Hampson, 1908, Cat. Lepid. Phalaenae Br. Mus. 7: 4. Type-species: Metoponia ochracea Erschoff, 1874, by subsequent monotypy.
- 5521. Paraegocera Hampson, 1901** (Noctuidae) Synonym(s): *Paraegocera Hampson, 1901*
- 5522. Paragria Hampson, 1926** (Noctuidae) Synonym(s): *Paragria Hampson, 1926*
- 5523. Paralephana Hampson, 1926** (Noctuidae) Synonym(s): *Paralephana Hampson, 1926*

- 5524. Parallelia Hübner, 1818** (Noctuidae) Synonym(s): *Parallelia Hübner, 1818*
- 5525. Parallelula Berio, 1954** (Noctuidae) Synonym(s): *Parallelula Berio, 1954*
- 5526. Paramathes Boursin, 1954** (Noctuidae) Synonym(s): *Paramathes Boursin, 1954* Original Reference: *Paramathes Boursin, 1954, Bonn. zool. Beitr. 5: 276. Type-species: Agrotis perigrapha Püngeler, 1900, by original designation.*
- 5527. Paranola Van Son, 1933** (Noctuidae) Synonym(s): *Paranola Van Son, 1933*
- 5528. Paranyctycia Hreblay & L. Ronkay, 1998** (Noctuidae) Synonym(s): *Paranyctycia Hreblay & L. Ronkay, 1998*
- 5529. Parascotia Hübner, [1825]** (Noctuidae) Synonym(s): *Parascotia Hübner, [1825]; Boletobia Boisduval, 1840; Bolitobia Agassiz, 1846; Kara Matsumura, 1925 nec Strebel, 1910* Original Reference: *Parascotia Hübner, [1825], Verz. bekannt. Schmett.: 314. Type-species: Geometra carbonaria [Denis & Schiffermüller], 1775, by subsequent designation by W. Warren, 1913.*
- 5530. Parastichtis Hübner, [1821]** (Noctuidae) Synonym(s): *Parastichtis Hübner, [1821]; Dyschorista Lederer, 1857.* Original Reference: *Parastichtis Hübner, [1821], Verz. bekannt. Schmett.: 213. Type-species: Noctua suspecta Hübner, [1817], by subsequent designation by Grote, 1900.*
- 5531. Paratuerta Hampson, 1902** (Noctuidae) Synonym(s): *Paratuerta Hampson, 1902*
- 5532. Paraxestia Hampson, 1903** (Noctuidae) Synonym(s): *Paraxestia Hampson, 1903*
- 5533. Paraxestis Hampson, 1902** (Noctuidae) Synonym(s): *Paraxestis Hampson, 1902*
- 5534. Parca Saalmüller, 1891** (Noctuidae) Synonym(s): *Parca Saalmüller, 1891*
- 5535. Pardasena Walker, 1866** (Noctuidae) Synonym(s): *Pardasena Walker, 1866*
- 5536. Pardoxia Vives & González, 1981** (Noctuidae) Synonym(s): *Pardoxia Vives & González, 1981* Original Reference: *Pardoxia Vives & González, 1981, Shilap Revta lepid. 9 (1): 32. Type-species: Xanthodes graellsii Feisthamel, 1837, by original designation.*
- 5537. Pareuplexia W. Warren, 1911** (Noctuidae) Synonym(s): *Pareuplexia W. Warren, 1911*
- 5538. Parexarnis Boursin, 1946** (Noctuidae) Synonym(s): *Parexarnis Boursin, 1946* Original Reference: *Parexarnis Boursin, 1946, revue fr. Lépidopt. 10: 187. Type-species: Agrotis sollers Christoph, 1877, by original designation.*
- 5539. Parolulis Hampson, 1926** (Noctuidae) Synonym(s): *Parolulis Hampson, 1926*
- 5540. Paroruza Hampson, 1902** (Noctuidae) Synonym(s): *Paroruza Hampson, 1902*
- 5541. Pataeta Walker, 1858** (Noctuidae) Synonym(s): *Pataeta Walker, 1858*
- 5542. Penicillaria Guenée, 1852** (Noctuidae) Synonym(s): *Penicillaria Guenée, 1852; Eleale Walker, 1862; Tibiocillaria Bethune-Baker, 1906; Bombotelia Hampson, 1912; Tamseale Nye, 1975*
- 5543. Percalpe Berio, 1956** (Noctuidae) Synonym(s): *Percalpe Berio, 1956*
- 5544. Perciana Walker, 1865** (Noctuidae) Synonym(s): *Perciana Walker, 1865*
- 5545. Pericyma Herrich-Schäffer, [1851]** (Noctuidae) Synonym(s): *Pericyma Herrich-Schäffer, [1851]; Alamis Guenée, 1852; Dugaria Walker, [1858]; Moepa Walker, 1865.* Original Reference: *Pericyma Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 2: 429. Type-species: Acidalia albidentaria Freyer, 1842, by monotypy.*
- 5546. Peridroma Hübner, [1821]** (Noctuidae) Synonym(s): *Peridroma Hübner, [1821]* Original Reference: *Peridroma Hübner, [1821], Verz. bekannt. Schmett.: 227. Type-species: Noctua saucia Hübner, [1808], by subsequent designation by Butler, 1889.*
- 5547. Perigrapha (Anorthoa) Berio, 1980** (Noctuidae) Synonym(s): *Anorthoa Berio, 1980* Original Reference: *Anorthoa Berio, 1980, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 8, 17. Type-species: Noctua munda [Denis & Schiffermüller], 1775, by original designation.*
- 5548. Perigrapha (Opacographa) Hreblay, 1996** (Noctuidae) Synonym(s): *Opacographa Hreblay, 1996* Original Reference: *Opacographa Hreblay, 1996, Esperiana 4: 72. Type-species: Perigrapha cilissa Püngeler, 1917, by original designation.*
- 5549. Perigrapha (Opacographa) Hreblay, 1996** (Noctuidae) Synonym(s): *Opacographa Hreblay, 1996* Original Reference: *Opacographa Hreblay, 1996, Esperiana 4: 72. Type-species: Perigrapha cilissa Püngeler, 1917, by original designation.*
- 5550. Perigrapha (s.str.) Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857* Original Reference: *Perigrapha Lederer, 1857, Noctuiden Eur.: 38, 136. Type-species: Noctua i-cinctum [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1874.*
- 5551. Perigrapha Lederer, 1857** (Noctuidae) Synonym(s): *Perigrapha Lederer, 1857* Original Reference: *Perigrapha Lederer, 1857, Noctuiden Eur.: 38, 136. Type-species: Noctua i-cinctum [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1874.*

- 5552. Periphanes Hübner,[1821]** (Noctuidae) Synonym(s): *Periphanes Hübner,[1821]*; *Chariclea Curtis,1825* Original Reference: *Periphanes Hübner,[1821]*, Verz. bekannt. Schmett.: 247. Type-species: *Phalaena delphinii* Linnaeus,1758, by subsequent designation by Hampson,1903.
- 5553. Periplusia Holland,1894** (Noctuidae) Synonym(s): *Periplusia Holland,1894*
- 5554. Phaeothripa Hampson,1912** (Noctuidae) Synonym(s): *Phaeothripa Hampson,1912*
- 5555. Phalaenoides Lewin,1805** (Noctuidae) Synonym(s): *Phalaenoides Lewin,1805*
- 5556. Phalerodes Hampson,1908** (Noctuidae) Synonym(s): *Phalerodes Hampson,1908*
- 5557. Phalga Moore,1881** (Noctuidae) Synonym(s): *Phalga Moore,1881*
- 5558. Phanaspa Walker,[1866]** (Noctuidae) Synonym(s): *Phanaspa Walker,[1866]*
- 5559. Phidrimana Kononenko,1989** (Noctuidae) Synonym(s): *Phidrimana Kononenko,1989*
- 5560. Phleboeis Christoph,1887** (Noctuidae) Synonym(s): *Phleboeis Christoph,1887*; *Stenosomides Strand,1942* (cf. Koçak,1991; Fibiger,1997). Original Reference: *Phleboeis Christoph,1887*, Stettin ent. Ztg. 48: 164. Type-species: *Phleboeis petersi* Christoph,1887, by monotypy.
- 5561. Phlegetonia Guenée,1852** (Noctuidae) Synonym(s): *Phlegetonia Guenée,1852*; *Targalla Walker,1858*; *Cryassa Walker,1858*; *Caedesa Walker,1862*; *Colpocheilopteryx Wallengren,1865*
- 5562. Phlegetonia Guenée,1852** (Noctuidae) Synonym(s): *Phlegetonia Guenée,1852*; *Cryassa Walker,1858*; *Caedesa Walker,1862*; *Colpocheilopteryx Wallengren,1865* Original Reference: *Phlegetonia Guenée,1852*, Hist. nat. Ins., Spec. gén. Léop. 6: 301. Type-species: *Phlegetonia catephioides* Guenée,1852, by subsequent designation by Hampson,1912.
- 5563. Phlogophora Treitschke,1825** (Noctuidae) Synonym(s): *Phlogophora Treitschke,1825*; *Solenoptera Duponchel,[1845]*; *Brotolomia Lederer,1857*; *Racoptera Scott,1858* Original Reference: *Phlogophora Treitschke,1825*, Schmett. Eur. 5 (1): 369. Type-species: *Phalaena meticiosa* Linnaeus,1758, by subsequent designation by Duponchel,1829.
- 5564. Phoebophilus Staudinger,1888** (Noctuidae) Synonym(s): *Phoebophilus Staudinger,1888* Original Reference: *Phoebophilus Staudinger,1888*, Stettin ent. Ztg. 49: 21. Type-species: *Phoebophilus amoenus* Staudinger,1888, by monotypy.
- 5565. Photedes Lederer,1857** (Noctuidae) Synonym(s): *Photedes Lederer,1857*; *#Phothedes Lederer,1857* Original Reference: *Photedes Lederer,1857*, Noctuinen Eur.: 44, 189, 236. Type-species: *Apamea captincula* Treitschke,1825, by monotypy.
- 5566. Phragmatiphila Hampson,1908** (Noctuidae) Synonym(s): *Phragmatiphila Hampson,1908*
- 5567. Phylapora Berio,1980** (Noctuidae) Synonym(s): *Phylapora Berio,1980* Original Reference: *Phylapora Berio,1980*, Annali Mus. civ. Stor. nat. Giacomo Doria 83: 11,18. Type-species: *Polia chioleuca* Herrich-Schäffer,[1850], by original designation.
- 5568. Phyllodes Boisduval,1832** (Noctuidae) Synonym(s): *Phyllodes Boisduval,1832*; *Xenodryas Gistel,1848*
- 5569. Phyllophila Guenée,1852** (Noctuidae) Synonym(s): *Phyllophila Guenée,1852*; *#Phyllophyla W.Warren,1912* Original Reference: *Phyllophila Guenée,1852*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 254. Type-species: *Anthophila wimmerii* Treitschke,1835, by monotypy.
- 5570. Phytometra Haworth,1809** (Noctuidae) Synonym(s): *Phytometra Haworth,1809*; *Prothymia Hübner,[1823]* Original Reference: *Phytometra Haworth,1809*, Lepid. Br.: 254. Type-species: *Noctua aenea* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 5571. Piliplectus Bethune-Baker,1910** (Noctuidae) Synonym(s): *Piliplectus Bethune-Baker,1910*
- 5572. Pinacoplus Hampson,1908** (Noctuidae) Synonym(s): *Pinacoplus Hampson,1908* Original Reference: *Pinacoplus Hampson,1908*, Cat. Lepid. Phalaenae Br. Mus. 7: 4. Type-species: *Mycteroplus didymogramma* Erschoff,1874, by subsequent monotypy (No species included originally, until Hampson (1910)).
- 5573. Pindara Moore,[1885]** (Noctuidae) Synonym(s): *Pindara Moore,[1885]*
- 5574. Pisara Walker,1862** (Noctuidae) Synonym(s): *Pisara Walker,1862*; *Necla Walker,1863*
- 5575. Plagiograptia Hampson,1907** (Noctuidae) Synonym(s): *Plagiograptia Hampson,1907*
- 5576. Platyja Hübner,[1823]** (Noctuidae) Synonym(s): *Platyja Hübner,[1823]*; *Ginaea Walker,1858*; *Cotuza Walker,1858*; *Yeronponga Lucas,1901*; *Plateja Rothschild,1915*
- 5577. Platyjionia Hampson,1926** (Noctuidae) Synonym(s): *Platyjionia Hampson,1926*
- 5578. Plecoptera Guenée,1852** (Noctuidae) Synonym(s): *Plecoptera Guenée,1852*; *Carteia Walker,[1863]*; *Biregula Saalmüller,1891*; *Plecopteroides Strand,1918*. Original Reference: *Plecoptera Guenée,1852*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 429. Type-species: *Plecoptera reflexa* Guenée,1852, by monotypy.
- 5579. Plecopterodes Hampson,1913** (Noctuidae) Synonym(s): *Plecopterodes Hampson,1913*
- 5580. Pleurona Walker,1866** (Noctuidae) Synonym(s): *Pleurona Walker,1866*

- 5581. *Pleuronodes Hampson, 1926*** (Noctuidae) Synonym(s): *Pleuronodes Hampson, 1926*
- 5582. *Plotheia Walker, 1857*** (Noctuidae) Synonym(s): *Plotheia Walker, 1857*
- 5583. *Plusia Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Plusia Ochsenheimer, 1816*; *Chrysaspidia Hübner, [1821]* Original Reference: *Plusia Ochsenheimer, 1816*, Schmett. Eur. 4: 89. Type-species: *Phalaena festucae* Linnaeus, 1758, by subsequent designation by Duponchel, 1826.
- 5584. *Plusidia Butler, 1879*** (Noctuidae) Synonym(s): *Plusidia Butler, 1879* Original Reference: *Plusidia Butler, 1879*, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 3: 27. Type-species: *Plusidia abrostoloides* Butler, 1879, by original designation.
- 5585. *Plusiodonta Guenée, 1852*** (Noctuidae) Synonym(s): *Plusiodonta Guenée, 1852*; *Deva Walker, [1858]*; *Gadera Walker, [1858]*; *Odontina Guenée, 1862*; *Tafalla Walker, 1869*; *Tinnodoa Nye, 1975*.
- 5586. *Plusiopalpa Holland, 1894*** (Noctuidae) Synonym(s): *Plusiopalpa Holland, 1894*
- 5587. *Plusiophaes A.E. Prout, 1921*** (Noctuidae) Synonym(s): *Plusiophaes A.E. Prout, 1921*
- 5588. *Plusiotricha Holland, 1894*** (Noctuidae) Synonym(s): *Plusiotricha Holland, 1894*
- 5589. *Pluviapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*** (Noctuidae) Synonym(s): *Pluviapamea Zilli, Varga, G. Ronkay & L. Ronkay, 2009*
- 5590. *Poecilonola Hampson, 1900*** (Noctuidae) Synonym(s): *Poecilonola Hampson, 1900*
- 5591. *Poeta Walker, 1865*** (Noctuidae) Synonym(s): *Poeta Walker, 1865*
- 5592. *Polia Ochsenheimer, 1816*** (Noctuidae) Synonym(s): *Polia Ochsenheimer, 1816*; *Chera Hübner, [1821]*; *Aplecta Guenée, 1838* Original Reference: *Polia Ochsenheimer, 1816*, Schmett. Eur. 4: 73. Type-species: *Phalaena nebulosa* Hufnagel, 1766, by subsequent designation by Curtis, 1829.
- 5593. *Poliofoca Hampson, 1926*** (Noctuidae) Synonym(s): *Poliofoca Hampson, 1926*
- 5594. *Polychrysia Hübner, [1821]*** (Noctuidae) Synonym(s): *Polychrysia Hübner, [1821]* Original Reference: *Polychrysia Hübner, [1821]*, Verz. bekannt. Schmett.: 251. Type-species: *Noctua moneta* Fabricius, 1787, by monotypy.
- 5595. *Polydesma Boisduval, 1833*** (Noctuidae) Synonym(s): *Polydesma Boisduval, 1833*; *Anthemoisia Blanchard, 1840*; *Anthemoessa Agassiz, 1847*; *Anodapha Moore, [1885]*; *Trichopolydesma Berio, 1954*; *#Anthemoisia Poole, 1989*
- 5596. *Polymixis (Bischoffia) Hacker & Ronkay, 1992*** (Noctuidae) Synonym(s): *Bischoffia Hacker & Ronkay, 1992* Original Reference: *Bischoffia Hacker & Ronkay, 1992*, Esperiana 3: 494. Type-species: *Polymixis bischoffii* Herrich-Schäffer, [1850], by original designation.
- 5597. *Polymixis (Bousinixis) Hacker & L. Ronkay, 1992*** (Noctuidae) Synonym(s): *Bousinixis Hacker & L. Ronkay, 1992*; *#Boursinixis Hacker & L. Ronkay, 1992* Original Reference: *Polymixis (Bousinixis) Hacker & L. Ronkay, 1992*, Esperiana 3: 473, 478, 490. Type-species: *Polymixis stictineura* Boursin, 1960, by original designation [this name should be an originally mis-spelling of the author name Boursin].
- 5598. *Polymixis (Brandticola) Hacker & L. Ronkay, 1992*** (Noctuidae) Synonym(s): *Brandticola Hacker & L. Ronkay, 1992* Original Reference: *Brandticola Hacker & L. Ronkay, 1992*, Esperiana 3: 490. Type-species: *Polymixis dubiosa* Brandt, 1938, by original designation.
- 5599. *Polymixis (Eremophysa) Boursin, 1958*** (Noctuidae) Synonym(s): *Eremophysa Boursin, 1958* Original Reference: *Eremophysa Boursin, 1958*, Bull. mens Soc. linn. Lyon 27: 4. Type-species: *Sidemia apothaina* Brandt, 1938, by original designation.
- 5600. *Polymixis (Eumichtis) Hübner, [1821]*** (Noctuidae) Synonym(s): *Eumichtis Hübner, [1821]*; *Epunda Duponchel, [1845]*; *Eumichthis Agassiz, 1846* Original Reference: *Eumichtis Hübner, [1821]*, Verz. bekannt. Schmett.: 211. Type-species: *Noctua lichenea* Hübner, [1813], by monotypy.
- 5601. *Polymixis (Parabrachionycha) Hacker, 1990*** (Noctuidae) Synonym(s): *Parabrachionycha Hacker, 1990* Original Reference: *Polymixis (Parabrachionycha) Hacker, 1990*, Neue ent. Nachr. 27: 453-454. Type-species: *Brachionycha atossa* Wiltshire, 1941, by original designation.
- 5602. *Polymixis (s.str.) Hübner, [1820]*** (Noctuidae) Synonym(s): *#Polia Hübner, [1806]*; *Polymixis Hübner, [1820]*; *Propolymixis Berio, 1980*; *Simplitype Berio, 1980*; *Myxinia Berio, 1985*; *Serpmyxis Beck, 1991*; *Xanthomixis Beck, 1996* Original Reference: *Polymixis Hübner, [1820]*, Verz. bekannt. Schmett.: 205. Type-species: *Phalaena polymita* Linnaeus, 1761, by subsequent designation by Berio, 1957.
- 5603. *Polymixis Hübner, [1820]*** (Noctuidae) Synonym(s): *#Polia Hübner, [1806]*; *Polymixis Hübner, [1820]*; *Propolymixis Berio, 1980*; *Simplitype Berio, 1980*; *Myxinia Berio, 1985*; *Serpmyxis Beck, 1991*;

- Xanthomixis* Beck,1996 Original Reference: Polymixis Hübner,[1820], Verz. bekannt. Schmett.: 205. Type-species: Phalaena polymita Linnaeus,1761, by subsequent designation by Berio,1957.
- 5604. Polyorycta W.Warren,1911** (Noctuidae) Synonym(s): *Polyorycta* W.Warren,1911
- 5605. Polyphaenis Boisduval,1840** (Noctuidae) Synonym(s): *Polyphaenis* Boisduval,1840
Original Reference: Polyphaenis Boisduval,1840, Genera Index méth. Eur. Lepid.: 128. Type-species: Noctua sericata Esper,1787, by subsequent designation by Guenée,1852.
- 5606. Polypogon Schrank,1802** (Noctuidae) Synonym(s): *Polypogon* Schrank,1802; *Herminia* Latreille,1802; *Pechipogo* Hübner,[1825]; *Pogonitis* Sodoffsky,1837; *Pechypogon* Agassiz,1847; *Zanclognatha* Lederer,1857; *Anitha* Walker,[1866]; *Cleptomita* Grote,1873; *Megachyta* Grote,1873; *Pityolita* Grote,1873; *Mesoplectra* Butler,1879; *Adrapso*,des Matsumura,1925; *Quaramia* Berio,1988; *Microphta* Berio,1989; *Zellerminia* Beck,1996; *Gryphopogon* Beck,1996 Original Reference: Polypogon Schrank,1802, Fauna Boica 2 (2): 161. Type-species: Phalaena tentacularia Linnaeus,1758, by subsequent designation by Grote,1895.
- 5607. Polytela Guenée,1852** (Noctuidae) Synonym(s): *Polytela* Guenée,1852
- 5608. Polytelodes Hampson,1905** (Noctuidae) Synonym(s): *Polytelodes* Hampson,1905
- 5609. Porcellanola Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *Porcellanola* Laszlo, G.Ronkay & Witt,2006
- 5610. Potnyctycia Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *Potnyctycia* Hreblay & Ronkay,1998
- 5611. Powellinia Oberthür,1912** (Noctuidae) Synonym(s): *Powellinia* Oberthür,1912 Original Reference: Powellinia Oberthür,1912, Etudes Lépid. comparée 6: 330. Type-species: Luperina lasserrei Oberthür,1881, by monotypy.
- 5612. Praestilbia Staudinger,1892** (Noctuidae) Synonym(s): *Praestilbia* Staudinger,1892
Original Reference: Praestilbia Staudinger,1892, Dt. ent. Z., Iris 4: 288. Type-species: Praestilbia armeniaca Staudinger,1892, by monotypy.
- 5613. Premusia Walker,1858** (Noctuidae) Synonym(s): *Premusia* Walker,1858; *Dysedia* Rogenhofer,1874; *Herchunda* Swinhoe,1900
- 5614. Prionofrontia Hampson,1902** (Noctuidae) Synonym(s): *Prionofrontia* Hampson,1902
- 5615. Pristanepa Hampson,1926** (Noctuidae) Synonym(s): *Pristanepa* Hampson,1926
- 5616. Proconis Hampson,1902** (Noctuidae) Synonym(s): *Proconis* Hampson,1902
- 5617. Procrateria Hampson,1905** (Noctuidae) Synonym(s): *Procrateria* Hampson,1905
- 5618. Progonia Hampson,1896** (Noctuidae) Synonym(s): *Progonia* Hampson,1896
- 5619. Proruaca Distant,1901** (Noctuidae) Synonym(s): *Proruaca* Distant,1901; *Proruaca* Hampson,1902 nec Dist.,1901 Original Reference: Proruaca Distant,1901, Entomologist 34: 284. Type-species: Proruaca harmonica Distant,1901, by monotypy.
- 5620. Prospalta Walker,1858** (Noctuidae) Synonym(s): *Prospalta* Walker,1858; *Bagada* Walker,1858; *Monocondica* Perigerodes
- 5621. Protarache Hampson,1910** (Noctuidae) Synonym(s): *Protarache* Hampson,1910
- 5622. Protarchanara Beck,1999** (Noctuidae) Synonym(s): *Protarchanara* Beck,1999
- 5623. Protexarnis McDunnough,[1929]** (Noctuidae) Synonym(s): *Protexarnis* McDunnough,[1929] Original Reference: Protexarnis McDunnough,[1929], Bull. Dep. Mines, Can. 55 (1928): 26. Type-species: Agrotis balanitis Grote,1873, by original designation.
- 5624. Protodeltote Ueda,1984** (Noctuidae) Synonym(s): *Protodeltote* Ueda,1984 Original Reference: Protodeltote Ueda,1984, Bull. Kitakyushu Mus. nat. Hist. (5): 112. Type-species: Phalaena pygarga Hufnagel,1766, by original designation.
- 5625. Protolampra McDunnough,[1929]** (Noctuidae) Synonym(s): *Protolampra* McDunnough,[1929] Original Reference: Protolampra McDunnough,[1929], Bull. Dep. Mines, Can. 55 (1928): 66. Type-species: Agrotis rufipectus Morrison,1874, by original designation.
- 5626. Protomeceras Rebel,1901** (Noctuidae) Synonym(s): *Protomeceras* Rebel,1901 Original Reference: Protomeceras Rebel,1901, [in] Staudinger & Rebel, Cat. Lepid. Palaeart. Faunengeb. (3) 1: 240. Type-species: Cimelia mimicaria Oberthür,1887, by monotypy.
- 5627. Protoseudyra Hampson,1910** (Noctuidae) Synonym(s): *Protoseudyra* Hampson,1910
- 5628. Proxenus Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *Proxenus* Herrich-Schäffer,[1850] Original Reference: Proxenus Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2: 190, 240. Type-species: Caradrina hospes Freyer,[1831], by monotypy.
- 5629. Pseudagoma Kiriakoff,1975** (Noctuidae) Synonym(s): *Pseudagoma* Kiriakoff,1975
- 5630. Pseudalypia Edwards,1874** (Noctuidae) Synonym(s): *Pseudalypia* Edwards,1874

- 5631. *Pseudamathes Hampson, 1910* (Noctuidae) Synonym(s):** *Pseudamathes Hampson, 1910*
Original Reference: *Pseudamathes Hampson, 1910, Cat. Lep. Phalaenae Br. Mus. 9: 508.* Type-species: *Amathes volloni* Lucas, 1907, by original designation.
- 5632. *Pseudenargia Boursin, 1956* (Noctuidae) Synonym(s):** *Pseudenargia Boursin, 1956*
Original Reference: *Pseudenargia Boursin, 1956, Bull. mens. Soc. linn. Lyon 25: 124.* Type-species: *Cosmia regina* Staudinger, 1892, by original designation.
- 5633. *Pseudeustrotia W. Warren, 1913* (Noctuidae) Synonym(s):** *Pseudeustrotia W. Warren, 1913*
Original Reference: *Pseudeustrotia W. Warren, 1913, [in] Seitz, Gross-Schmett. Erde 11: 288.* Type-species: *Noctua candidula* [Denis & Schiffermüller], 1775, by original designation.
- 5634. *Pseudluperina Beck, 1999* (Noctuidae) Synonym(s):** *Pseudluperina Beck, 1999* Original Reference: *Pseudluperina Beck, 1999, Herbiopoliana 5 (1).* Type-species: *Luperina pozzii* Curo, 1883, by original designation.
- 5635. *Pseudoarcte Viette, 1949* (Noctuidae) Synonym(s):** *Pseudoarcte Viette, 1949*
- 5636. *Pseudochalcia Kljutschko, 1984* (Noctuidae) Synonym(s):** *Pseudochalcia Kljutschko, 1984*
Original Reference: *Pseudochalcia Kljutschko, 1984, Vest. Zool. 1984 (3): 73.* Type-species: *Plusia inconspicua* Graeser, 1892, by original designation.
- 5637. *Pseudocopicucullia Dumont, 1928* (Noctuidae) Synonym(s):** *Pseudocopicucullia Dumont, 1928* Original Reference: *Pseudocopicucullia Dumont, 1928, Ency. ent. (Sér.B) 3 (Lep.) 3: 20.* Type-species: *Cucullia syrtana* Mabille, 1888, by original designation.
- 5638. *Pseudogiria Berio, 1965* (Noctuidae) Synonym(s):** *Pseudogiria Berio, 1965*
- 5639. *Pseudogyrtone Bethune-Baker, 1908* (Noctuidae) Synonym(s):** *Pseudogyrtone Bethune-Baker, 1908*
- 5640. *Pseudohadena (Jaxartia) Püngeler, 1914* (Noctuidae) Synonym(s):** *Jaxartia Püngeler, 1914* Original Reference: *Jaxartia Püngeler, 1914, Dt. ent. Z., Iris 28: 43.* Type-species: *Jaxartia elinguis* Püngeler, 1914, by monotypy.
- 5641. *Pseudohadena (Pseudopseustis) Hampson, 1910* (Noctuidae) Synonym(s):** *Pseudopseustis Hampson, 1910; Tetrachela Hampson, 1918 nec Reuss, 1928* Original Reference: *Pseudopseustis Hampson, 1910, Cat. Lepid. Phalaenae Br. Mus. 9: xv, 509.* Type-species: *Taeniocampa tellieri* Lucas, 1907, by original designation.
- 5642. *Pseudohadena (s.str.) Alpheraky, 1889* (Noctuidae) Synonym(s):** *Pseudohadena Alpheraky, 1889* Original Reference: *Pseudohadena Alpheraky, 1889, [in] Romanoff, Mém. Lépid. 5: 163.* Type-species: *Hadena armata* Alpheraky, 1887, by monotypy.
- 5643. *Pseudohadena Alpheraky, 1889* (Noctuidae) Synonym(s):** *Pseudohadena Alpheraky, 1889*
Original Reference: *Pseudohadena Alpheraky, 1889, [in] Romanoff, Mém. Lépid. 5: 163.* Type-species: *Hadena armata* Alpheraky, 1887, by monotypy.
- 5644. *Pseudoips Hübner, 1822* (Noctuidae) Synonym(s):** *Pseudoips Hübner, 1822; Hylophila Hübner, [1825], Chloephora Stephens, 1827; Halias Treitschke, 1829; #Chloephora Staudinger, 1887* Original Reference: *Pseudoips Hübner, 1822, Syst.- alph. Verz.: 59, 63.* Type-species: *Pyrallis fagana* Fabricius, 1781, by subsequent designation by D.S. Fletcher, 1966.
- 5645. *Pseudoligia Staudinger, 1901* (Noctuidae) Synonym(s):** *Pseudoligia Staudinger, 1901*
- 5646. *Pseudomicrodes Hampson, 1910* (Noctuidae) Synonym(s):** *Pseudomicrodes Hampson, 1910*
- 5647. *Pseudopais Bartel, 1903* (Noctuidae) Synonym(s):** *Pseudopais Bartel, 1903*
- 5648. *Pseudopanolis Inaba, 1927* (Noctuidae) Synonym(s):** *Pseudopanolis Inaba, 1927* Original Reference: *Pseudopanolis Inaba, 1927, Proc. imp. Acad. Japan 3: 449.* Type-species: *Pseudopanolis takao* Inaba, 1927, by monotypy.
- 5649. *Pseudosphetta Hampson, 1926* (Noctuidae) Synonym(s):** *Pseudosphetta Hampson, 1926*
- 5650. *Pseudozarba W. Warren, 1914* (Noctuidae) Synonym(s):** *Pseudozarba W. Warren, 1914; Euthytoma Turner, 1920* Original Reference: *Pseudozarba W. Warren, 1914, [in] Seitz, Gross-Schmett. Erde 11: 289.* Type-species: *Acontia opella* Swinhoe, 1885, by original designation.
- 5651. *Psimada Walker, 1858* (Noctuidae) Synonym(s):** *Psimada Walker, 1858*
- 5652. *Pterocyclophora Hampson, 1893* (Noctuidae) Synonym(s):** *Pterocyclophora Hampson, 1893*
- 5653. *Pterogonia Swinhoe, 1891* (Noctuidae) Synonym(s):** *Pterogonia Swinhoe, 1891*
- 5654. *Pteronycta Fawcett, 1918* (Noctuidae) Synonym(s):** *Pteronycta Fawcett, 1918; Pteronycta Hampson, 1926 nec Fawc., 1918.*
- 5655. *Ptisciana Walker, 1865* (Noctuidae) Synonym(s):** *Ptisciana Walker, 1865*
- 5656. *Ptyonota Hampson, 1894* (Noctuidae) Synonym(s):** *Ptyonota Hampson, 1894*
- 5657. *Ptyorhyncha Hampson, 1895* (Noctuidae) Synonym(s):** *Ptyorhyncha Hampson, 1895*
- 5658. *Pulcheria Alpheraky, 1887* (Noctuidae) Synonym(s):** *Pulcheria Alpheraky, 1887*

- 5659. *Pyraloides Rebel, 1948*** (Noctuidae) Synonym(s): *Pyraloides Rebel, 1948*
- 5660. *Pyrocleptria Hampson, 1903*** (Noctuidae) Synonym(s): *Pyrocleptria Hampson, 1903*
Original Reference: *Pyrocleptria Hampson, 1903, Cat. Lepid. Phalaenae Br. Mus. 4: ix, 25.* Type-species: *Heliothis cora* Eversmann, 1837, by original designation.
- 5661. *Pyrrhia Hübner, [1821]*** (Noctuidae) Synonym(s): *Pyrrhia Hübner, [1821]; Syntomopus Guenée, 1837*
Original Reference: *Pyrrhia Hübner, [1821], Verz. bekannt. Schmett.: 208.* Type-species: *Phalaena cinnamomea* Goeze, 1781, by subsequent designation by Hampson, 1908.
- 5662. *Radara Walker, 1862*** (Noctuidae) Synonym(s): *Radara Walker, 1862; Chabora Walker, [1866] (praeocc.); Rhaesena Walker, 1866; Symplusia Holland, 1894; Mecynoptera Schaus, 1913 (praeocc.); Chirconia Schaus, 1916; Diodines Schaus, 1916; Matiloxis Schaus, 1916; Duriga Schaus, 1940.*
- 5663. *Ramadasa Moore, 1877*** (Noctuidae) Synonym(s): *Ramadasa Moore, 1877*
- 5664. *Ramesodes Hampson, 1908*** (Noctuidae) Synonym(s): *Ramesodes Hampson, 1908*
- 5665. *Raparna Moore, 1882*** (Noctuidae) Synonym(s): *Raparna Moore, 1882*
Original Reference: *Raparna Moore, 1882, [in] Hewitson & Moore, Descr. new Indian lepid Insects Colln late Mr. W. S. Atkinson: 177.* Type-species: *Raparna ochreipennis* Moore, 1882, by original designation.
- 5666. *Raphia Hübner, [1821]*** (Noctuidae) Synonym(s): *Raphia Hübner, [1821]; Rhaphia Agassiz, 1846; Anodonta Rambur, 1858 nec Lamarck, 1799*
Original Reference: *Raphia Hübner, [1821], Verz. bekannt. Schmett.: 212.* Type-species: *Noctua hybris* Hübner, [1813], by subsequent designation by Grote, 1874.
- 5667. *Recoropha Nye, 1975*** (Noctuidae) Synonym(s): *Phorocera Guenée, 1852 nec Robineau-Desvoidy, 1830; Recoropha Nye, 1975*
Original Reference: *Recoropha Nye, 1975, Generic names of moths of the World 1: 426 (nom. nov. pro Phorocera Guenée, 1852 nec Robineau-Desvoidy, 1830).* Type-species: *Polia cantereri* Duponchel, 1833, by subsequent designation by Hampson, 1906.
- 5668. *Rema Swinhoe, 1900*** (Noctuidae) Synonym(s): *Rema Swinhoe, 1900*
Original Reference: *Rema Swinhoe, 1900, Cat. east. and Aust. Lepid. Heterocera 2: 121.* Type-species: *Toxocampa costimacula* Guenée, 1852, by subsequent designation by Nye, 1975.
- 5669. *Remigia Guenée, 1852*** (Noctuidae) Synonym(s): *Remigia Guenée, 1852*
- 5670. *Rhabdophera Staudinger, 1898*** (Noctuidae) Synonym(s): *Rhabdophera Staudinger, 1898; Hansa Berio, 1959; Beriohansa Nye, 1975*
- 5671. *Rhabinopteryx Christoph, 1889*** (Noctuidae) Synonym(s): *Rhabinopteryx Christoph, 1889*
Original Reference: *Rhabinopteryx Christoph, 1889, [in] Romanoff, Mém. Lépid. 5: 33.* Type-species: *Ligia turanica* Erschoff, 1874, by monotypy.
- 5672. *Rhanidophora Wallengren, 1858*** (Noctuidae) Synonym(s): *Rhanidophora Wallengren, 1858; Enydra Walker, 1862*
- 5673. *Rhesala Walker, 1858*** (Noctuidae) Synonym(s): *Rhesala Walker, 1858; Magulaba Walker, [1866]; Hingula Moore, 1882; Rimulia Saalmüller, 1891; #Hingula Kononenko & Pinratana, 2005*
- 5674. *Rhesalides A.E. Prout, 1921*** (Noctuidae) Synonym(s): *Rhesalides A.E. Prout, 1921*
- 5675. *Rhinognatha Hampson*** (Noctuidae) Synonym(s): *Rhinognatha Hampson [unpublished?];*
- 5676. *Rhiza (Graphantha) L. Ronkay, Varga & Fabian, 1995*** (Noctuidae) Synonym(s): *Graphantha L. Ronkay, Varga & Fabian, 1995*
Original Reference: *Graphantha L. Ronkay, Varga & Fabian, 1995, Acta zool. hung. 41 (3): 278.* Type-species: *Chloantha laciniosa* Christoph, 1887, by original designation.
- 5677. *Rhiza (Gryphadena) Kusnetzov, 1908*** (Noctuidae) Synonym(s): *Gryphadena Kusnetzov, 1908*
Original Reference: *Gryphadena Kusnetzov, 1908, Ezheg. zool. Muz. 13: 66.* Type-species: *Pseudohadena minuta* Püngeler, [1900], by original designation.
- 5678. *Rhiza (s.str.) Staudinger, 1889*** (Noctuidae) Synonym(s): *Rhiza Staudinger, 1889*
Original Reference: *Rhiza Staudinger, 1889, Stettin ent. Ztg. 50: 44.* Type-species: *Rhiza commoda* Staudinger, 1889, by monotypy.
- 5679. *Rhiza Staudinger, 1889*** (Noctuidae) Synonym(s): *Rhiza Staudinger, 1889*
Original Reference: *Rhiza Staudinger, 1889, Stettin ent. Ztg. 50: 44.* Type-species: *Rhiza commoda* Staudinger, 1889, by monotypy.
- 5680. *Rhizedra W. Warren, 1911*** (Noctuidae) Synonym(s): *Rhizedra W. Warren, 1911*
Original Reference: *Rhizedra W. Warren, 1911, [in] Seitz, Gross-Schmett. Erde 3: 234.* Type-species: *Noctua lutosa* Hübner, [1803], by original designation.
- 5681. *Rhodochlaena Hampson, 1906*** (Noctuidae) Synonym(s): *Rhodochlaena Hampson, 1906*
- 5682. *Rhodotarache W. Warren, 1914*** (Noctuidae) Synonym(s): *Rhodotarache W. Warren, 1914*

- 5683. Rhyacia (Anchorhyacia) Varga,2011** (Noctuidae) Synonym(s): *Anchorhyacia Varga,2011*
Original Reference: Rhyacia (Anchorhyacia) Varga,2011, Esperiana 16: 257. Type-species: *Agrotis psammia* Püngeler,1906, by original designation.
- 5684. Rhyacia (Dichorhyacia) Varga,2011** (Noctuidae) Synonym(s): *Dichorhyacia Varga,2011*
Original Reference: Rhyacia (Dichorhyacia) Varga,2011, Esperiana 16: 257. Type-species: *Agrotis ignobilis* Staudinger,1888, by original designation.
- 5685. Rhyacia (Epipsilia) Hübner,[1821]** (Noctuidae) Synonym(s): *Epipsilia Hübner,[1821]*
Original Reference: Epipsilia Hübner,[1821], Verz. bekannt. Schmett.: 210. Type-species: *Noctua latens* Hübner,[1809], by subsequent designation by Hampson,1903.
- 5686. Rhyacia (Ororhyacia) Varga,2011** (Noctuidae) Synonym(s): *Ororhyacia Varga,2011*
Original Reference: Rhyacia (Ororhyacia) Varga,2011, Esperiana 16: 258. Type-species: *Agrotis hampsoni* A.Bang-Haas,1910, by original designation.
- 5687. Rhyacia (Standfussrhyacia) Hacker & Varga,1990** (Noctuidae) Synonym(s): *Standfussrhyacia Hacker & Varga,1990*
Original Reference: Standfussrhyacia Hacker & Varga,1990, Esperiana 1: 288. Type-species: *Standfussrhyacia chimaera* Hacker & Varga,1990, by original designation.
- 5688. Rhyacia (Stenorhyacia) Varga,2011** (Noctuidae) Synonym(s): *Stenorhyacia Varga,2011*
Original Reference: Rhyacia (Stenorhyacia) Varga,2011, Esperiana 16: 257. Type-species: *Agrotis electra* Staudinger,1888, by original designation.
- 5689. Rhyacia (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner,[1821]; Antirhyacia Beck,1991*
Original Reference: Rhyacia Hübner,[1821], Verz. bekannt. Schmett.: 210. Type-species: *Noctua lucipeta* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- 5690. Rhyacia Hübner,[1821]** (Noctuidae) Synonym(s): *Rhyacia Hübner,[1821]; Antirhyacia Beck,1991*
Original Reference: Rhyacia Hübner,[1821], Verz. bekannt. Schmett.: 210. Type-species: *Noctua lucipeta* [Denis & Schiffermüller],1775, by subsequent designation by Hampson,1903.
- 5691. Rhynchaglaea Hampson,1906** (Noctuidae) Synonym(s): *Rhynchaglaea Hampson,1906*
- 5692. Rhynchina Guenée,1854** (Noctuidae) Synonym(s): *Rhynchina Guenée,1854; Plumipalpia Hampson,1898; Rhabinogana Draudt,1950*
Original Reference: Rhynchina Guenée,1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Lépid.) 8: 20. Type-species: *Rhynchina pionealis* Guenée,1854, by monotypy.
- 5693. Rhynchopalpus Hampson,1893** (Noctuidae) Synonym(s): *Rhynchopalpus Hampson,1893*
- 5694. Rhynchoplexia Hampson,1908** (Noctuidae) Synonym(s): *Rhynchoplexia Hampson,1908*
- 5695. Rhyagla Nye,1975** (Noctuidae) Synonym(s): *Glaphyra Guenée,1852 nec Newman,1840; Rhyagla Nye,1975*
Original Reference: Rhyagla Nye,1975, Generic names of moths of the World 1: 432-433 (nom. nov. pro *Glaphyra* Guenée,1852 nec Newman,1840). Type-species: *Anthophila glarea* Treitschke,1826, by subsequent designation by Desmarest,1857.
- 5696. Riadhia Wiltshire,1961** (Noctuidae) Synonym(s): *Riadhia Wiltshire,1961*
- 5697. Rileyiana Moucha & Chvala,1963** (Noctuidae) Synonym(s): *Thecophora Lederer,1857 nec Rondani,1845; Rileyiana Moucha & Chvala,1963*
Original Reference: Rileyiana Moucha & Chvala,1963, J. Lepid. Soc. 17: 169 (nom. nov. pro *Thecophora* Lederer,1857 nec Rondani,1845). Type-species: *Phlogophora fovea* Treitschke,1825, by monotypy.
- 5698. Risoba Moore,1881** (Noctuidae) Synonym(s): *Risoba Moore,1881; Pitrasa Moore,1882; Lycoselene Möschler,1888*
- 5699. Rivula Guenée,1845** (Noctuidae) Synonym(s): *Rivula Guenée,1845; Cholimma Walker,1863; Motina Walker,1863; Rhazunda Walker,1866; Pasira Moore,1882 nec Stal,1859; Rivulana Bethune-Baker,1911; Alikangiana Strand,1920; Pauroscelus Turner,1945*
Original Reference: Rivula Guenée,1845, [in] Duponchel, Cat. méth. Lépid. Eur. (2): 206. Type-species: *Phalaena sericealis* Scopoli,1763, by monotypy.
- 5700. Rothia Westwood,1877** (Noctuidae) Synonym(s): *Rothia Westwood,1877*
- 5701. Rougeotia Laporte,1974** (Noctuidae) Synonym(s): *Rougeotia Laporte,1974*
- 5702. Rougeotiana Laporte,1974** (Noctuidae) Synonym(s): *Rougeotiana Laporte,1974*
- 5703. Ruttensorferia Lödl,2003** (Noctuidae) Synonym(s): *Ruttensorferia Lödl,2003*
- 5704. Saalmuellerana D.S.Fletcher & Viette,1962** (Noctuidae) Synonym(s): *Saalmuellerana D.S.Fletcher & Viette,1962*
- 5705. Saaluncifera Berio,1966** (Noctuidae) Synonym(s): *Saaluncifera Berio,1966*

- 5706. Saigonita Kiriakoff,1971** (Noctuidae) Synonym(s): *Saigonita Kiriakoff,1971* Original Reference: Saigonita Kiriakoff,1971, Lambillionea 71: 7. Type-species: Saigonita paradoxa Kiriakoff,1971, by original designation.
- 5707. Saltia Tams,1952** (Noctuidae) Synonym(s): *Saltia Tams,1952*
- 5708. Saragossa Staudinger,1900** (Noctuidae) Synonym(s): *Saragossa Staudinger,1900* Original Reference: Saragossa Staudinger,1900, Dt. ent. Z., Iris 13: 109. Type-species: Saragossa seeboldi Staudinger,1900, by monotypy.
- 5709. Sarbanissa Walker,1865** (Noctuidae) Synonym(s): *Sarbanissa Walker,1865; Seudyra Stretch,1875*
- 5710. Sarbena Walker,1862** (Noctuidae) Synonym(s): *Sarbena Walker,1862; Cyphotopsyche Hampson,1895* Original Reference: Sarbena Walker,1862, J. Proc. linn. Soc. (Zool.) 6: 137. Type-species: Sarbena lignifera Walker,1862, by monotypy.
- 5711. Sarmatia Guenée,1854** (Noctuidae) Synonym(s): *Sarmatia Guenée,1854; Suma Walker,[1866]; Ricla Walker,1869.*
- 5712. Saroba Walker,1865** (Noctuidae) Synonym(s): *Saroba Walker,1865*
- 5713. Sarobela Turner,1936** (Noctuidae) Synonym(s): *Sarobela Turner,1936*
- 5714. Sarobides Hampson,1926** (Noctuidae) Synonym(s): *Sarobides Hampson,1926*
- 5715. Sasunaga Moore,1881** (Noctuidae) Synonym(s): *Sasunaga Moore,1881*
- 5716. Savara Walker,1862** (Noctuidae) Synonym(s): *Savara Walker,1862; Pseudogonitis Hampson,1894*
- 5717. Scambina Walker,1865** (Noctuidae) Synonym(s): *Scambina Walker,1865*
- 5718. Schausia Karsch,1895** (Noctuidae) Synonym(s): *Schausia Karsch,1895; Misa Karsch,1895; Omphaloceps Hampson,1901; Paraegocera Hampson,1901*
- 5719. Schinia Hübner,[1818]** (Noctuidae) Synonym(s): *Schinia Hübner,[1818]; Melicleptria Hübner,1823; Anthoecia Boisduval,1840; Trypana Guenée,1841; Oria Guenée,1852; Rhodophora Guenée,1852; Tamila Guenée,1852; Euleucyptera Grote,1865; Tricopia Grote,1874; Heliophana Grote,1875; Oxylos Grote,1875; Pippon Grote,1875; Porrima Grote,1877; Rhododipsa Grote,1877; Bessula Grote,1881; Trileuca Grote,1883; Pseudotamila Smith,1893; Canidia Grote,1890; Eupanychis Grote,1890; Trichosellus Grote,1890; Incita Grote,1895; Palada Smith,1900; Chloroleptria Hampson,1903; Protoschinia Hardwick,1970* Original Reference: Schinia Hübner,[1818], Zutr. Exot. Schmett. 1, 8, 11, 14. Type-species: Schinia trifascia Hübner,1818 by subsequent designation by Grote,1895.
- 5720. Schistorhynx Hampson,1898** (Noctuidae) Synonym(s): *Schistorhynx Hampson,1898; #Schistorhyux Kononenko & Pinratana,2005*
- 5721. Schizognorisma L.Ronkay & Varga,1999** (Noctuidae) Synonym(s): *Schizognorisma L.Ronkay & Varga,1999*
- 5722. Schoeyenia Aurivillius,1883** (Noctuidae) Synonym(s): *Schoeyenia Aurivillius,1883*
- 5723. Schrankia Hübner,[1825]** (Noctuidae) Synonym(s): *Schrankia Hübner,[1825]; Hypenodes Guenée,1854 nec Dbl.,1850* Original Reference: Schrankia Hübner,[1825], Verz. bekannt. Schmett.: 345. Type-species: Pyralis taenialis Hübner,[1809], by monotypy.
- 5724. Sciomesa Tams & Bowden,1953** (Noctuidae) Synonym(s): *Sciomesa Tams & Bowden,1953*
- 5725. Sclereuxoa Berio,1977** (Noctuidae) Synonym(s): *Sclereuxoa Berio,1977*
- 5726. Sclerogenia Ichinose,1973** (Noctuidae) Synonym(s): *Sclerogenia Ichinose,1973; Melanoplusia Chou & Lu,1978*
- 5727. Scodionyx Staudinger,1900** (Noctuidae) Synonym(s): *Scodionyx Staudinger,1900* Original Reference: Scodionyx Staudinger,1900, Dt. ent. Z., Iris 12: 397. Type-species: Scodionyx mysticus Staudinger,1900, by monotypy.
- 5728. Scoliopteryx Germar,1810** (Noctuidae) Synonym(s): *Scoliopteryx Germar,1810; Pterodonta Reichenbach,1817; Ephemias Hübner,[1821]; Euphais Hüber,1822; Gonoptera Berthold,1827 nec Billb.,1820* Original Reference: Scoliopteryx Germar,1810, Diss. sistens Bombycum Species: 14. Type-species: Phalaena libatrix Linnaeus,1758, by monotypy.
- 5729. Scopariopsis Strand,1909** (Noctuidae) Synonym(s): *Scopariopsis Strand,1909*
- 5730. Scotocampa Staudinger,1888** (Noctuidae) Synonym(s): *Scotocampa Staudinger,1888*
- 5731. Scotochrosta Lederer,1857** (Noctuidae) Synonym(s): *Scotochrosta Lederer,1857* Original Reference: Scotochrosta Lederer,1857, Noctuien Eur.: 40, 155. Type-species: Noctua pulla [Denis & Schiffermüller],1775, by monotypy.
- 5732. Scriptoplusia Ronkay,1987** (Noctuidae) Synonym(s): *Scriptoplusia Ronkay,1987*
- 5733. Scrobiger Jordan,1896** (Noctuidae) Synonym(s): *Scrobiger Jordan,1896*
- 5734. Scythocentropus Speiser,1902** (Noctuidae) Synonym(s): *Centropus Christoph,1889 nec Ill.,1811; Scythocentropus Speiser,1902; Echolemia Hampson,1908; Hugonia Alpheraky,1908; #Scythocentropia*

- Oberthür, 1912* Original Reference: *Scythocentropus* Speiser, 1902, Berl. ent. Z. 47: 140. Type-species: *Xylina scripturosa* Eversmann, 1854, by original designation.
5735. **Sedina Urbahn, 1933** (Noctuidae) Synonym(s): *Sedina Urbahn, 1933*
5736. **Selca Walker, 1865** (Noctuidae) Synonym(s): *Selca Walker, 1865*
5737. **Selenistis Hampson, 1908** (Noctuidae) Synonym(s): *Selenistis Hampson, 1908*
5738. **Selenoperas Hampson, 1926** (Noctuidae) Synonym(s): *Selenoperas Hampson, 1926*
5739. **Selepa Moore, 1858** (Noctuidae) Synonym(s): *Selepa Moore, 1858; Detounda Walker, 1864*
5740. **Semiothisops Hampson, 1926** (Noctuidae) Synonym(s): *Semiothisops Hampson, 1926*
5741. **Sergiusia Nye, 1980** (Noctuidae) Synonym(s): *Pentelia Kiriakoff, 1976 nec Brenske, 1891; Sergiusia Nye, 1980*
5742. **Serrodes Guenée, 1852** (Noctuidae) Synonym(s): *Serrodes Guenée, 1852*
5743. **Sesamia Guenée, 1852** (Noctuidae) Synonym(s): *Sesamia Guenée, 1852; Microsemyra Butler, 1883; Conicophoria Matsumura, 1929* Original Reference: *Sesamia* Guenée, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 5: 95. Type-species: *Cossus nonagrioides* Lefebvre, 1827, by monotypy.
5744. **Setoctena Wallengren, 1863** (Noctuidae) Synonym(s): *Setoctena Wallengren, 1863; Pseudocalpe Hampson, 1894 (praeocc.); Metaculasta Butler, 1898* Original Reference: *Setoctena* Wallengren, 1863, Wien. ent. Monatschr. 7: 144. Type-species: *Setoctena ledereri* Wallengren, 1863, by subsequent designation by Kirby, 1892.
5745. **Shargacucullia (Brevicucullia) G.Ronkay, L.Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Brevicucullia G.Ronkay, L.Ronkay & Gyulai, 2011* Original Reference: *Shargacucullia* (Brevicucullia) G.Ronkay, L.Ronkay & Gyulai, 2011, The Witt Catalogue 5: 21. Type-species: *Cucullia brevipennis* Hampson, 1894, by original designation.
5746. **Shargacucullia (Falcicucullia) G.Ronkay, L.Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Falcicucullia G.Ronkay, L.Ronkay & Gyulai, 2011* Original Reference: *Shargacucullia* (Falcicucullia) G.Ronkay, L.Ronkay & Gyulai, 2011, The Witt Catalogue 5: 26. Type-species: *Cucullia mediogrisea* W.Warren, 1911, by original designation.
5747. **Shargacucullia (Prenanthcucullia) Beck, 1996** (Noctuidae) Synonym(s): *Prenanthcucullia Beck, 1996* Original Reference: *Prenanthcucullia* Beck, 1996, Neue ent. Nachr. 36: 53. Type-species: *Cucullia prenanthis* Boisduval, 1840, by original designation.
5748. **Shargacucullia (Stigmatocucullia) G.Ronkay, L.Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Stigmatocucullia G.Ronkay, L.Ronkay & Gyulai, 2011* Original Reference: *Shargacucullia* (Stigmatocucullia) G.Ronkay, L.Ronkay & Gyulai, 2011, The Witt Catalogue 5: 30. Type-species: *Cucullia stigmatophora* Hampson, 1894, by original designation.
5749. **Shargacucullia (Verbascullia) G.Ronkay, L.Ronkay & Gyulai, 2011** (Noctuidae) Synonym(s): *Verbascullia G.Ronkay, L.Ronkay & Gyulai, 2011* Original Reference: *Shargacucullia* (Verbascullia) G.Ronkay, L.Ronkay & Gyulai, 2011, The Witt Catalogue 5: 33. Type-species: *Phalaena verbasci* Linnaeus, 1758, by original designation.
5750. **Shargacucullia (s.str.) G.Ronkay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Shargacucullia G.Ronkay & L.Ronkay, 1992* Original Reference: *Shargacucullia* G.Ronkay & L.Ronkay, 1992, Acta zool. hung. 38 (3/4): 345. Type-species: *Cucullia lychnitis* Rambur, 1833, by original designation.
5751. **Shargacucullia G.Ronkay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *Shargacucullia G.Ronkay & L.Ronkay, 1992* Original Reference: *Shargacucullia* G.Ronkay & L.Ronkay, 1992, Acta zool. hung. 38 (3/4): 345. Type-species: *Cucullia lychnitis* Rambur, 1833, by original designation.
5752. **Sidemia Staudinger, 1892** (Noctuidae) Synonym(s): *Sidemia Staudinger, 1892* Original Reference: *Sidemia* Staudinger, 1892, [in] Romanoff, Mém. Lépid. 6: 459. Type-species: *Sidemia snelleni* Staudinger, 1892, by monotypy.
5753. **Sideridis (Aneda) Sukhareva, 1973** (Noctuidae) Synonym(s): *Aneda Sukhareva, 1973* Original Reference: *Aneda* Sukhareva, 1973, Ent. Obozr. 52: 404, 410. Type-species: *Noctua rivularis* Fabricius, 1775, by original designation.
5754. **Sideridis (Conisania) Hampson, 1905** (Noctuidae) Synonym(s): *Conisania Hampson, 1905* Original Reference: *Conisania* Hampson, 1905, Cat. Lepid. Phalaenae Br. Mus. 5: xiv, 472. Type-species: *Apamea leineri* Freyer, 1836, by original designation.
5755. **Sideridis (Dianthivora) Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *Dianthivora Varga & L.Ronkay, 1991* Original Reference: *Dianthivora* Varga & L.Ronkay, 1991, Acta zool. hung. 37 (1/2): 152. Type-species: *Noctua implexa* Hübner, [1809], by original designation.

- 5756. Sideridis (Haderonidis) Hacker,1992** (Noctuidae) Synonym(s): *Haderonidis* Hacker,1992
- 5757. Sideridis (Luteohadena) Beck,1991** (Noctuidae) Synonym(s): *Luteohadena* Beck,1991
Original Reference: *Hadena* (Luteohadena) Beck,1991, *Atalanta* 22 (2/4): 193. Type-species: *Hadena luteago* [Denis & Schiffermüller],1775, by original designation.
- 5758. Sideridis (s.str.) Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner,[1821]; *Colonsideridis* Beck,1991. Original Reference: *Sideridis* Hübner,[1821], Verz. bekannt. Schmett.: 232. Type-species: *Noctua evidens* Hübner,[1808], by subsequent designation by Hampson,1905.
- 5759. Sideridis Hübner,[1821]** (Noctuidae) Synonym(s): *Sideridis* Hübner,[1821]; *Colonsideridis* Beck,1991. Original Reference: *Sideridis* Hübner,[1821], Verz. bekannt. Schmett.: 232. Type-species: *Noctua evidens* Hübner,[1808], by subsequent designation by Hampson,1905.
- 5760. Siglophora Butler,1892** (Noctuidae) Synonym(s): *Siglophora* Butler,1892
- 5761. Sigmuncus Holloway,1985** (Noctuidae) Synonym(s): *Sigmuncus* Holloway,1985
- 5762. Simplicia Guenée,1854** (Noctuidae) Synonym(s): *Simplicia* Guenée,1854; *Libisosa* Walker,[1859]; *Culicula* Walker,1864; *Aginna* Walker,1865; *Nabartha* Moore,1887 Original Reference: *Simplicia* Guenée,1854, [in], Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 15. Type-species: *Herminia rectalis* Eversmann,1842, by subsequent designation by Desmarest,1857.
- 5763. Simyra Ochsenheimer,1816** (Noctuidae) Synonym(s): *Simyra* Ochsenheimer,1816
Original Reference: *Simyra* Ochsenheimer,1816, Schmett. Eur. 4: 81. Type-species: *Noctua nervosa* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 5764. Sinarella Bryk,1948** (Noctuidae) Synonym(s): *Sinarella* Bryk,1948
- 5765. Singara Walker,1865** (Noctuidae) Synonym(s): *Singara* Walker,1865
- 5766. Sinna Walker,1865** (Noctuidae) Synonym(s): *Sinna* Walker,1865
- 5767. Spaelotis Boisduval,1840** (Noctuidae) Synonym(s): *Spaelotis* Boisduval,1840 Original Reference: *Spaelotis* Boisduval,1840, *Genera Index méth. Eur. Lepid.*: 106. Type-species: *Noctua ravidia* [Denis & Schiffermüller],1775, by subsequent designation by Desmarest,1848.
- 5768. Spectronissa Sugi,1996** (Noctuidae) Synonym(s): *Spectronissa* Sugi,1996
- 5769. Speia Tams & Bowden,1953** (Noctuidae) Synonym(s): *Speia* Tams & Bowden,1953
- 5770. Speiredonia Hübner,[1823]** (Noctuidae) Synonym(s): *Speiredonia* Hübner,[1823]; *#Speiredonia* R.Felder & Rogenhofer,1874
- 5771. Sphetta Walker,1865** (Noctuidae) Synonym(s): *Sphetta* Walker,1865
- 5772. Sphingomorpha Guenée,1852** (Noctuidae) Synonym(s): *Sphingomorpha* Guenée,1852
- 5773. Sphragifera Staudinger,1892** (Noctuidae) Synonym(s): *Sphragifera* Staudinger,1892
- 5774. Spininola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Spininola* Laszlo, G.Ronkay & Witt,2010
- 5775. Spirama Guenée,1852** (Noctuidae) Synonym(s): *Spirama* Guenée,1852; *#Spiramia* Walker,1858
- 5776. Spodoptera Guenée,1852** (Noctuidae) Synonym(s): *Spodoptera* Guenée,1852; *Calogramma* Guenée,1852; *Laphygma* Guenée,1852; *Prodenia* Guenée,1852; *Rusidrina* Staudinger,1892; *Douzdrina* De Laever,1985. Original Reference: *Spodoptera* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 5: 153. Type-species: *Hadena mauritia* Boisduval,1833, by subsequent designation by Hampson,1894.
- 5777. Spudaea Snellen,1867** (Noctuidae) Synonym(s): *Spudaea* Snellen,1867 Original Reference: *Spudaea* Snellen,1867, De Vlinders van Nederland 1867: 289. Type-species: *Phalaena ruticilla* Esper,1791, by monotypy.
- 5778. Standfussiana Boursin,1946** (Noctuidae) Synonym(s): *Standfussiana* Boursin,1946
Original Reference: *Standfussiana* Boursin,1946, *Revue fr. Lépidopt.* 10: 190. Type-species: *Phalaena lucerneae* Linnaeus,1758, by original designation.
- 5779. Staurophora Reichenbach,1817** (Noctuidae) Synonym(s): *Staurophora* Reichenbach,1817
- 5780. Stenodrina Boursin,1937** (Noctuidae) Synonym(s): *Stenodrina* Boursin,1937 Original Reference: *Stenodrina* Boursin,1937, *Ent. Rdsch.* 54: 368. Type-species: *Caradrina paupera* Romanoff,1885, by original designation.
- 5781. Stenoecia W.Warren,1911** (Noctuidae) Synonym(s): *Stenoecia* W.Warren,1911 Original Reference: *Stenoecia* W.Warren,1911, [in] Seitz, *Macrolepid. World* 3: 258. Type-species: *Heliothis dos Freyer*,[1838], by original designation.
- 5782. Stenoloba Staudinger,1892** (Noctuidae) Synonym(s): *Stenoloba* Staudinger,1892; *Neothripa* Hampson,1894; *Lepidopyrga* W.Warren,1914; *Conicophyta* Hampson,1918
- 5783. Stenopterygia Hampson,1908** (Noctuidae) Synonym(s): *Stenopterygia* Hampson,1908
- 5784. Stenosticta Hampson,1912** (Noctuidae) Synonym(s): *Stenosticta* Hampson,1912

- 5785. Stictoptera Guenée,1852** (Noctuidae) Synonym(s): *Stictoptera Guenée,1852*; *Dandaca Walker,1856*; *Minica Walker,[1858]*; *Steiria Walker,[1858]*
- 5786. Stigmoplusia Dufay,1970** (Noctuidae) Synonym(s): *Stigmoplusia Dufay,1970*
- 5787. Stilbia Stephens,1829** (Noctuidae) Synonym(s): *Stilbia Stephens,1829* Original Reference: *Stilbia Stephens,1829, Mon. Br. Insects: 43. Type-species: Phytometra anomala Haworth,1812, by monotypy.*
- 5788. Stilbina (Lukaschia) Beck,1991** (Noctuidae) Synonym(s): *Lukaschia Beck,1991* Original Reference: *Lukaschia Beck,1991, Atalanta 22 (2/4): 220-221. Type-species: Stilbina olympica Dierl & Povolny,1970, by original designation.*
- 5789. Stilbina (s.str.) Staudinger,1892** (Noctuidae) Synonym(s): *Stilbina Staudinger,1892* Original Reference: *Stilbina Staudinger,1892, Dt. ent. Z., Iris 4: 290. Type-species: Stilbina hypaenides Staudinger,1892, by monotypy.*
- 5790. Stilbina Staudinger,1892** (Noctuidae) Synonym(s): *Stilbina Staudinger,1892* Original Reference: *Stilbina Staudinger,1892, Dt. ent. Z., Iris 4: 290. Type-species: Stilbina hypaenides Staudinger,1892, by monotypy.*
- 5791. Stilbotis Berio,1962** (Noctuidae) Synonym(s): *Stilbotis Berio,1962* Original Reference: *Stilbotis Berio,1962, Annali Mus. civ. Stor. nat. Giacomo Doria 73: 206. Type-species: Stilbotis nigra Berio,1962, by original designation.*
- 5792. Stomafrontia Hampson,1905** (Noctuidae) Synonym(s): *Stomafrontia Hampson,1905*
- 5793. Strongylosia Hampson,1926** (Noctuidae) Synonym(s): *Strongylosia Hampson,1926*
- 5794. Suerkenola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Suerkenola Laszlo, G.Ronkay & Witt,2010*
- 5795. Sundwarda Swinhoe,1901** (Noctuidae) Synonym(s): *Sundwarda Swinhoe,1901*
- 5796. Supernola Hampson,1918** (Noctuidae) Synonym(s): *Supernola Hampson,1918*
- 5797. Sydiva Moore,1882** (Noctuidae) Synonym(s): *Sydiva Moore,1882*
- 5798. Syfania Oberthür,1893** (Noctuidae) Synonym(s): *Syfania Oberthür,1893*; *Syphania Strand,1912*
- 5799. Syfanoidea Bartel,1903** (Noctuidae) Synonym(s): *Syfanoidea Bartel,1903*
- 5800. Sympis Guenée,1852** (Noctuidae) Synonym(s): *Sympis Guenée,1852*
- 5801. Sympistis Hübner,[1823]** (Noctuidae) Synonym(s): *Sympistis Hübner,[1823]*; *Funepistis Beck,1991*
- 5802. Syncalama Hampson,1908** (Noctuidae) Synonym(s): *Syncalama Hampson,1908*
- 5803. Syngrapha Hübner,[1821]** (Noctuidae) Synonym(s): *Syngrapha Hübner,[1821]*; *Caloplusia Smith,1884*; *Palaeographa Kljutshko,1983*; *Aingrapha Beck,1991*; *Diasyngrapha Beck,1991*; *Microsyngrapha Beck,1991*; *Parsyngrapha Beck,1991* Original Reference: *Syngrapha Hübner,[1821], Verz. bekannt. Schmett.: 250. Type-species: Noctua devergens Hübner,[1813], by subsequent designation by Grote,1895.*
- 5804. Synthymia Hübner,[1823]** (Noctuidae) Synonym(s): *Synthymia Hübner,[1823]*; *Metoptria Guenée,[1845]*; *Synthimia Walker,[1858]* Original Reference: *Synthymia Hübner,[1823], Verz. bekannt. Schmett.: 282. Type-species: Noctua monogramma Hübner,[1808], by monotypy.*
- 5805. Sypnoides Hampson,1913** (Noctuidae) Synonym(s): *Sypnoides Hampson,1913*; *Pysnoides Berio,1950*
- 5806. Tachosa Walker,1869** (Noctuidae) Synonym(s): *Tachosa Walker,1869*
- 5807. Tadaxa Nye,1975** (Noctuidae) Synonym(s): *Daxata Walker,1865 (praeocc.)*; *Tadaxa Nye,1975*
- 5808. Talhoukia Wiltshire,1986** (Noctuidae) Synonym(s): *Talhoukia Wiltshire,1986*
- 5809. Tamba Walker,1869** (Noctuidae) Synonym(s): *Tamba Walker,1869*; *Obdora Walker,1869*
- 5810. Tambana Moore,1882** (Noctuidae) Synonym(s): *Tambana Moore,1882*; *Trisulipsa Berio,1973*
- 5811. Tamsia Roepke,1938** (Noctuidae) Synonym(s): *Tamsia Roepke,1938*
- 5812. Tamsola Wiltshire,1949** (Noctuidae) Synonym(s): *Tamsola Wiltshire,1949*
- 5813. Tanocryx Viette,1965** (Noctuidae) Synonym(s): *Tanocryx Viette,1965*
- 5814. Tarachephia Hampson,1926** (Noctuidae) Synonym(s): *Tarachephia Hampson,1926* Original Reference: *Tarachephia Hampson,1926, Descr. new genera species Lepid. Phalaenae Subfamily Noctuinae Br. Mus.: 87. Type-species: Acontia hueberi Erschoff,1874, by original designation.*
- 5815. Tathorhynchus Hampson,1894** (Noctuidae) Synonym(s): *Tathorhynchus Hampson,1894*; *#Tathorhynchus Bethune-Baker,1911*; *Xymehops Viette,1954* Original Reference: *Tathorhynchus Hampson,1894, Fauna Br. India (Moths) 2: xiii, 268. Type-species: Scopula vinctalis Walker,[1866], by original designation.*

- 5816. Tathothripa Hampson, 1912** (Noctuidae) Synonym(s): *Tathothripa Hampson, 1912*
- 5817. Tatorinia Butler, 1875** (Noctuidae) Synonym(s): *Tatorinia Butler, 1875*
- 5818. Taveta Fawcett, 1916** (Noctuidae) Synonym(s): *Taveta Fawcett, 1916*
- 5819. Tavia Walker, 1858** (Noctuidae) Synonym(s): *Tavia Walker, 1858*
- 5820. Taviodes Hampson, 1926** (Noctuidae) Synonym(s): *Taviodes Hampson, 1926*
- 5821. Tegiapa Nye, 1975** (Noctuidae) Synonym(s): *Tegiapa Nye, 1975*
- 5822. Teinoptera Calberla, 1891** (Noctuidae) Synonym(s): *Teinoptera Calberla, 1891*; *Copiphana Hampson, 1906* Original Reference: *Teinoptera Calberla, 1891*, Dt. ent. Z., Iris 4: 46. Type-species: *Teinoptera culminifera Calberla, 1891*, by monotypy.
- 5823. Tephralia Hampson, 1926** (Noctuidae) Synonym(s): *Tephralia Hampson, 1926*
- 5824. Tephriopsis Hampson, 1926** (Noctuidae) Synonym(s): *Tephriopsis Hampson, 1926*
- 5825. Tetracme Hampson, 1902** (Noctuidae) Synonym(s): *Tetracme Hampson, 1902*
- 5826. Thalatha Walker, 1862** (Noctuidae) Synonym(s): *Thalatha Walker, 1862*; *Molvena Walker, [1866]*; *Macropropa Turner, 1941*; *Conocrana Turner, 1942*
- 5827. Thalathoides Holloway, 1989** (Noctuidae) Synonym(s): *Thalathoides Holloway, 1989*
- 5828. Thalpophila Hübner, [1820]** (Noctuidae) Synonym(s): *Thalpophila Hübner, [1820]*; *Cerigo Stephens, 1829*; *#Talpophila W. Warren, 1911* Original Reference: *Thalpophila Hübner, [1820]*, Verz. bekannt. Schmett.: 208. Type-species: *Phalaena texta Esper, 1787*, by subsequent designation by Moore, 1884.
- 5829. Thargelia Püngeler, 1899** (Noctuidae) Synonym(s): *Thargelia Püngeler, 1899* Original Reference: *Thargelia Püngeler, 1899*, Dt. ent. Z., Iris 12: 104. Type-species: *Scotochrosta distincta Christoph, 1884*, by subsequent designation by Hampson, 1905
- 5830. Thecobathra Meyrick, 1922** (Noctuidae) Synonym(s): *Thecobathra Meyrick, 1922*
- 5831. Thiacidus Walker, 1855** (Noctuidae) Synonym(s): *Thiacidus Walker, 1855*
- 5832. Tholera Hübner, [1821]** (Noctuidae) Synonym(s): *Tholera Hübner, [1821]*; *Charaeas Stephens, 1829* Original Reference: *Tholera Hübner, [1821]*, Verz. bekannt. Schmett.: 215. Type-species: *Noctua cespitis [Denis & Schiffermüller], 1775*, by subsequent designation by Hampson, 1905.
- 5833. Tholeropsis Berio, 1977** (Noctuidae) Synonym(s): *Tholeropsis Berio, 1977*
- 5834. Thria Walker, [1858]** (Noctuidae) Synonym(s): *Thria Walker, [1858]*; *Subpandesma Berio, 1966* Original Reference: *Thria Walker, [1858]*, List Specimens lepid. Insects Colln Br. Mus. 13: 1079, 1111. Type-species: *Thria robusta Walker, [1858]*, by monotypy.
- 5835. Thriponea Hulstaert, 1924** (Noctuidae) Synonym(s): *Thriponea Hulstaert, 1924*
- 5836. Throana Walker, [1858]** (Noctuidae) Synonym(s): *Throana Walker, [1858]*
- 5837. Thyas Hübner, [1824]** (Noctuidae) Synonym(s): *Thyas Hübner, [1824]*; *Dermaleipa Saalmüller, 1891*; *Lagoptera Guenée, 1852*
- 5838. Thyatirina Hampson, 1910** (Noctuidae) Synonym(s): *Thyatirina Hampson, 1910*
- 5839. Thyrostipa Hampson, 1926** (Noctuidae) Synonym(s): *Thyrostipa Hampson, 1926*
- 5840. Thysanoplusia (Daubeplusia) Beck, 1991** (Noctuidae) Synonym(s): *Daubeplusia Beck, 1991* Original Reference: *Daubeplusia Beck, 1991*, Atalanta 22 (2/4): 226. Type-species: *Plusia daubei Boisduval, 1840*, by original designation.
- 5841. Thysanoplusia (s.str.) Ichinose, 1973** (Noctuidae) Synonym(s): *Thysanoplusia Ichinose, 1973* Original Reference: *Thysanoplusia Ichinose, 1973*, Kontyu 41: 137. Type-species: *Phytometra intermixta W. Warren, 1913*, by original designation.
- 5842. Thysanoplusia Ichinose, 1973** (Noctuidae) Synonym(s): *Thysanoplusia Ichinose, 1973* Original Reference: *Thysanoplusia Ichinose, 1973*, Kontyu 41: 137. Type-species: *Phytometra intermixta W. Warren, 1913*, by original designation.
- 5843. Timora Walker, 1856** (Noctuidae) Synonym(s): *Timora Walker, 1856*; *Dorika Moore, 1881*; *Sophaga Moore, 1881*
- 5844. Tinolius Walker, 1855** (Noctuidae) Synonym(s): *Tinolius Walker, 1855*
- 5845. Tipasa Walker, 1863** (Noctuidae) Synonym(s): *Tipasa Walker, 1863*
- 5846. Tiracola Moore, 1881** (Noctuidae) Synonym(s): *Tiracola Moore, 1881*
- 5847. Tiruvaca Swinhoe, 1901** (Noctuidae) Synonym(s): *Tiruvaca Swinhoe, 1901*
- 5848. Titulcia Walker, 1864** (Noctuidae) Synonym(s): *Titulcia Walker, 1864*
- 5849. Toana Walker, 1865** (Noctuidae) Synonym(s): *Toana Walker, 1865*
- 5850. Tochara Moore, 1882** (Noctuidae) Synonym(s): *Tochara Moore, 1882*
- 5851. Toerpenola Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *Toerpenola Laszlo, G. Ronkay & Witt, 2010*

- 5852. Tolna Walker, 1869** (Noctuidae) **Synonym(s):** *Tolna Walker, 1869*
- 5853. Tolpia Walker, 1863** (Noctuidae) **Synonym(s):** *Tolpia Walker, 1863*
- 5854. Trachea Ochsenheimer, 1816** (Noctuidae) **Synonym(s):** *Trachea Ochsenheimer, 1816; Achatia Billberg, 1820; Berrhaea Walker, 1858* Original Reference: *Trachea Ochsenheimer, 1816, Schmett. Eur. 4: 75.* Type-species: *Phalaena atriplicis* Linnaeus, 1758, by subsequent designation by Curtis, 1832.
- 5855. Tracheplexia Janse, 1937** (Noctuidae) **Synonym(s):** *Tracheplexia Janse, 1937*
- 5856. Trichanarta Hampson, 1895** (Noctuidae) **Synonym(s):** *Trichanarta Hampson, 1895*
- 5857. Tricheurois Hampson, 1905** (Noctuidae) **Synonym(s):** *Tricheurois Hampson, 1905*
- 5858. Trichopalpina Hampson, 1926** (Noctuidae) **Synonym(s):** *Trichopalpina Hampson, 1926*
- 5859. Trichoplusia McDunnough, 1944** (Noctuidae) **Synonym(s):** *Trichoplusia McDunnough, 1944; Thysanoplusia Inoue, 1973; Daubeplusia Beck, 1991.* Original Reference: *Trichoplusia McDunnough, 1944, Mem. sth. Calif. Acad. Sci. 2: 204.* Type-species: *Plusia brassicae* Riley, 1870, by original designation.
- 5860. Trichoridia Hampson, 1906** (Noctuidae) **Synonym(s):** *Trichoridia Hampson, 1906*
- 5861. Trichosea Grote, 1875** (Noctuidae) **Synonym(s):** *Trichosea Grote, 1875*
- 5862. Trichosilia Hampson, 1918** (Noctuidae) **Synonym(s):** *Trichosilia Hampson, 1918*
- 5863. Trigonodes Guenée, 1852** (Noctuidae) **Synonym(s):** *Trigonodes Guenée, 1852*
- 5864. Trigonophora Hübner, [1821]** (Noctuidae) **Synonym(s):** *Trigonophora Hübner, [1821]; Rhizotype Hampson, 1906* Original Reference: *Trigonophora Hübner, [1821], Verz. bekannt. Schmett.: 217.* Type-species: *Noctua empyrea* Hübner, [1803], by subsequent designation by Grote, 1874.
- 5865. Triorbis Hampson, 1894** (Noctuidae) **Synonym(s):** *Triorbis Hampson, 1894*
- 5866. Trisateles Tams, 1939** (Noctuidae) **Synonym(s):** *Aethia Hübner, [1825] nec Merrem, 1788; Sophronia Duponchel, [1845] nec Hbn., [1825]; Standfussia Spuler, 1907 nec Tutt, 1900; Trisateles Tams, 1939* Original Reference: *Trisateles Tams, 1939, Entomologist 72: 141 (nom. nov. pro Standfussia Spuler, 1907 nec Tutt, 1900).* Type-species: *Pylalis emortualis* [Denis & Schiffermüller], 1775, by subsequent designation by Tams, 1939.
- 5867. Trisulana Bethune-Baker, 1911** (Noctuidae) **Synonym(s):** *Trisulana Bethune-Baker, 1911*
- 5868. Trisuloides Butler, 1881** (Noctuidae) **Synonym(s):** *Trisuloides Butler, 1881*
- 5869. Trogocraspis Hampson, 1918** (Noctuidae) **Synonym(s):** *Trogocraspis Hampson, 1918*
- 5870. Tropiditamba Hampson, 1926** (Noctuidae) **Synonym(s):** *Tropiditamba Hampson, 1926*
- 5871. Tshodanola Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) **Synonym(s):** *Tshodanola Laszlo, G. Ronkay & Witt, 2010*
- 5872. Tuerta Walker, 1869** (Noctuidae) **Synonym(s):** *Tuerta Walker, 1869*
- 5873. Tumidifrontia Hampson, 1902** (Noctuidae) **Synonym(s):** *Tumidifrontia Hampson, 1902*
- 5874. Turacina W. Warren, 1911** (Noctuidae) **Synonym(s):** *Turacina W. Warren, 1911* Original Reference: *Turacina W. Warren, 1911, [in] Seitz, Gross-Schmett. 3: 248.* Type-species: *Bryophila ceratopyga* Püngeler, 1902, by original designation.
- 5875. Turanica Boursin, 1963** (Noctuidae) **Synonym(s):** *Turanica Boursin, 1963*
- 5876. Tyana Walker, 1866** (Noctuidae) **Synonym(s):** *Tyana Walker, 1866*
- 5877. Tycomarptes D.S. Fletcher, 1961** (Noctuidae) **Synonym(s):** *Tycomarptes D.S. Fletcher, 1961*
- 5878. Tycracona Moore, 1882** (Noctuidae) **Synonym(s):** *Tycracona Moore, 1882*
- 5879. Tympanistes Moore, 1867** (Noctuidae) **Synonym(s):** *Tympanistes Moore, 1867*
- 5880. Tyta Billberg, 1820** (Noctuidae) **Synonym(s):** *Tyta Billberg, 1820; Dysthymia Newman, 1863* Original Reference: *Tyta Billberg, 1820, Enumeratio Insect. Mus. G.J. Billberg: 88.* Type-species: *Noctua italica* Fabricius, 1781, by monotypy.
- 5881. Tytroca Wiltshire, 1970** (Noctuidae) **Synonym(s):** *Tytroca Wiltshire, 1970* Original Reference: *Tytroca Wiltshire, 1970, Veröff. zool. StSamml. Münch. 14: 101.* Type-species: *Hypaetra leucoptera* Hampson, 1905 by original designation.
- 5882. Ugia Walker, 1858** (Noctuidae) **Synonym(s):** *Ugia Walker, 1858; Sarthida Walker, [1863]* Original Reference: *Ugia Walker, 1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1860.* Type-species: *Ugia disjungens* Walker, 1858, by monotypy.
- 5883. Uighuria Koçak & Kemal, 2007** (Noctuidae) **Synonym(s):** *Fabiania Hreblay & Ronkay, 2000 nec Silvestri, 1926; Uighuria Koçak & Kemal, 2007* Original Reference: *Uighuria Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 105: 7-8 (nomen novum pro Fabiania Hreblay & Ronkay, 2000 nec Silvestri, 1926).*

- 5884. Ulochlaena Lederer,1857** (Noctuidae) Synonym(s): *Ulochlaena Lederer,1857* Original Reference: *Ulochlaena Lederer,1857*, Noctuien Eur.: 33, 96. Type-species: *Noctua hirta* Hübner,[1813], by monotypy.
- 5885. Ulotrichopus Wallengren,1860** (Noctuidae) Synonym(s): *Ulotrichopus Wallengren,1860*
- 5886. Uncula Swinhoe,1900** (Noctuidae) Synonym(s): *Uncula Swinhoe,1900*
- 5887. Uraba Walker,1863** (Noctuidae) Synonym(s): *Uraba Walker,1863*
- 5888. Urbona Walker,1862** (Noctuidae) Synonym(s): *Urbona Walker,1862*
- 5889. Usambaranola Hacker,2012** (Noctuidae) Synonym(s): *Usambaranola Hacker,2012*
- 5890. Usbeca Püngeler,1914** (Noctuidae) Synonym(s): *Usbeca Püngeler,1914* Original Reference: *Usbeca Püngeler,1914*, Dt. ent. Z., Iris 28: 46. Type-species: *Usbeca cornuta* Püngeler,1914, by monotypy.
- 5891. Valeria Stephens,1829** (Noctuidae) Synonym(s): *Valeria Stephens,1829* Original Reference: *Valeria Stephens,1829*, Nom. Br. Insects: 42. Type-species: *Bombyx oleagina* [Denis & Schiffermüller],1775, by monotypy.
- 5892. Valerietta Draudt,1938** (Noctuidae) Synonym(s): *Valerietta Draudt,1938* Original Reference: *Valerietta Draudt,1938*, Mitt. münch. ent. Ges. 28: 30. Type-species: *Valerietta forsteri* Draudt,1938, by monotypy.
- 5893. Valeriodes W.Warren,1913** (Noctuidae) Synonym(s): *Valeriodes W.Warren,1913*
- 5894. Vandamia Van Son,1933** (Noctuidae) Synonym(s): *Vandamia Van Son,1933* Original Reference: *Vandamia Van Son,1933*, Ann. Transv. Mus. 15: 205. Type-species: *Vandamia typica* Van Son,1933, by original designation.
- 5895. Varganola Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *Varganola Laszlo, G.Ronkay & Witt,2010*
- 5896. Veia Walker,[1863]** (Noctuidae) Synonym(s): *Veia Walker,[1863]*
- 5897. Vestura Swinhoe,1904** (Noctuidae) Synonym(s): *Vestura Swinhoe,1904*
- 5898. Victrix (Moureia) Orfila & Rossi,1956** (Noctuidae) Synonym(s): *Moureia Orfila & Rossi,1956* Original Reference: *Moureia Orfila & Rossi,1956*, Rev. Soc. ent. Argent. 1: 29. Type-species: *Poecilia microglossa* Rambur,1858, by original designation.
- 5899. Victrix (Poliobrya) Hampson,1908** (Noctuidae) Synonym(s): *Poliobrya Hampson,1908*
- 5900. Victrix (Rasihia) Koçak,1989** (Noctuidae) Synonym(s): *Christophia Varga & Ronkay,1989 nec Rag.,1887; Rasihia Koçak,1989.* Original Reference: *Rasihia Koçak,1989*, Priamus 5 (3): 103-104. Type-species: *Bryophila conspersa* Christoph,1893, by original designation.
- 5901. Victrix (s.str.) Staudinger,1879** (Noctuidae) Synonym(s): *Victrix Staudinger,1879* Original Reference: *Victrix Staudinger,1879*, [in] Romanoff, Horae Soc. ent. ross. 14: 489. Type-species: *Victrix karsiana* Staudinger,1879, by monotypy.
- 5902. Victrix Staudinger,1879** (Noctuidae) Synonym(s): *Victrix Staudinger,1879* Original Reference: *Victrix Staudinger,1879*, [in] Romanoff, Horae Soc. ent. ross. 14: 489. Type-species: *Victrix karsiana* Staudinger,1879, by monotypy.
- 5903. Vietteania Rungs,1955** (Noctuidae) Synonym(s): *Vietteania Rungs,1955*
- 5904. Westermannia Hübner,[1821]** (Noctuidae) Synonym(s): *Westermannia Hübner,[1821]; Plusiodes Guenée,1852; Miaromima Meyrick,1889; Vestermannia Hampson,1912.*
- 5905. Weymeria Karsch,1895** (Noctuidae) Synonym(s): *Weymeria Karsch,1895; Veymeria Hampson,1901*
- 5906. Wiltshireola Hacker,2001** (Noctuidae) Synonym(s): *Wiltshireola Hacker,2001* Original Reference: *Wiltshireola Hacker,2001*, Esperiana 8: 230. Type-species: *Agrochola disrupta* Wiltshire,1952, by original designation.
- 5907. Wittstrotia Speidel & Behounek,2005** (Noctuidae) Synonym(s): *Wittstrotia Speidel & Behounek,2005*
- 5908. Xanthanomis Hampson,1926** (Noctuidae) Synonym(s): *Xanthanomis Hampson,1926*
- 5909. Xanthia (Cirrhia) Hübner,[1821]** (Noctuidae) Synonym(s): *Cirrhia Hübner,[1821]* Original Reference: *Cirrhia Hübner,[1821]*, Verz. bekannt. Schmett.: 234. Type-species: *Phalaena icteritia* Hufnagel,1766, by subsequent designation by Grote,1902
- 5910. Xanthia (Tiliacea) Tutt,1896** (Noctuidae) Synonym(s): *Tiliacea Tutt,1896; Aurxanthia Beck,1991* Original Reference: *Tiliacea Tutt,1896*, Entomologist's Rec. J. Var. 8: 17. Type-species: *Phalaena citrargo* Linnaeus,1758, by monotypy.
- 5911. Xanthia Ochsenheimer,1816** (Noctuidae) Synonym(s): *Xanthia Ochsenheimer,1816; Citria Hübner,[1821]; Mellinia Hübner,[1821]; Euthemonia Gistel,1848 nec Stph.,1828* Original Reference:

- Xanthia Ochsenheimer*, 1816, Schmett. Eur. 4: 82. Type-species: *Noctua flavago* Fabricius, 1787, by subsequent designation by Curtis, 1825.
- 5912. *Xanthodes Guenée*, 1852** (Noctuidae) Synonym(s): *Acontia* Hübner, [1823] nec Ochs., 1816; *Xanthodes Guenée*, 1852 Original Reference: *Xanthodes Guenée*, 1852, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 6: 209. Type-species: *Phalaena malvae* Esper, [1796], by original designation.
- 5913. *Xanthomanthus* W. Warren, 1909** (Noctuidae) Synonym(s): *Xanthomanthus* W. Warren, 1909
- 5914. *Xanthomera Hampson*, 1914** (Noctuidae) Synonym(s): *Xanthomera Hampson*, 1914
- 5915. *Xanthothrix Edwards*, 1878** (Noctuidae) Synonym(s): *Xanthothrix Edwards*, 1878 Original Reference: *Xanthothrix Edwards*, 1878, Pacific Coast Lepid. (29): 7. Type-species: *Xanthothrix ranunculi* Edwards, 1878, by monotypy.
- 5916. *Xenochroa* R. Felder, 1874** (Noctuidae) Synonym(s): *Xenochroa* R. Felder, 1874
- 5917. *Xenophysa Boursin*, 1969** (Noctuidae) Synonym(s): *Xenophysa Boursin*, 1969 Original Reference: *Xenophysa Boursin*, 1969, Entomops, Nice 2: 221. Type-species: *Agrotis junctimacula* Christoph, 1887, by original designation.
- 5918. *Xestia (Anomogyna)* Staudinger, 1871** (Noctuidae) Synonym(s): *Anomogyna Staudinger*, 1871; *Platagrotis* Smith, 1890
- 5919. *Xestia (Megasema)* Hübner, [1821]** (Noctuidae) Synonym(s): *Megasema* Hübner, [1821]; *Agrotiphila* Grote, 1876; *Agrotimorpha* Barnes & McDunnough, 1929; *Ashworthia* Beck, 1996 Original Reference: *Megasema* Hübner, [1821], Verz. bekannt. Schmett.: 222. Type-species: *Phalaena triangulum* Hufnagel, 1766, by subsequent designation by Moore, 1881.
- 5920. *Xestia (Pachnobia)* Guenée, 1852** (Noctuidae) Synonym(s): *Pachnobia* Guenée, 1852; *Pteroscia* Morrison, 1874; *Lorezia* Beck, 1996
- 5921. *Xestia (s.str.)* Hübner, 1818** (Noctuidae) Synonym(s): *Xestia* Hübner, 1818; *Amathes* Hübner, [1821]; *Lytaea* Stephens, 1829; *Segetia* Stephens, 1829; *Hiptelia* Guenée, 1852; *Ericarthia* Beck, 1996; *Castanasta* Beck, 1996; *Palkermes* Beck, 1996; *Monticollia* Beck, 1996 Original Reference: *Xestia* Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 16. Type-species: *Noctua ochreago* Hübner, [1809], by subsequent designation by Hampson, 1903.
- 5922. *Xestia* Hübner, 1818** (Noctuidae) Synonym(s): *Xestia* Hübner, 1818; *Amathes* Hübner, [1821]; *Lytaea* Stephens, 1829; *Segetia* Stephens, 1829; *Hiptelia* Guenée, 1852; *Ericarthia* Beck, 1996; *Castanasta* Beck, 1996; *Palkermes* Beck, 1996; *Monticollia* Beck, 1996 Original Reference: *Xestia* Hübner, 1818, Zuträge Samml. exot. Schmett. 1: 16. Type-species: *Noctua ochreago* Hübner, [1809], by subsequent designation by Hampson, 1903.
- 5923. *Xylena Ochsenheimer*, 1816** (Noctuidae) Synonym(s): *Xylena Ochsenheimer*, 1816; *Xylites* R.L., 1817; *Xylina* Treitschke, 1826; *Calocampa* Stephens, 1829; *Callicampa* Agassiz, 1846 Original Reference: *Xylena Ochsenheimer*, 1816, Schmett. Eur. 4: 85. Type-species: *Phalaena exsoleta* Linnaeus, 1758, by subsequent designation by Duponchel, 1829.
- 5924. *Xylocampa Guenée*, 1837** (Noctuidae) Synonym(s): *Xylocampa Guenée*, 1837 Original Reference: *Xylocampa Guenée*, 1837, Annls Soc. ent. Fr. 6: 227. Type-species: *Phalaena lithoriza* Borkhausen, 1792, by subsequent designation by Desmarest, 1857.
- 5925. *Xylomoia Staudinger*, 1892** (Noctuidae) Synonym(s): *Xylomoia Staudinger*, 1892; *Xylomoia Hampson*, 1909 Original Reference: *Xylomoia Staudinger*, 1892, [in] Romanoff, Mém. Lépid. 6: 451. Type-species: *Xylomoia separata* Staudinger, 1892, by monotypy.
- 5926. *Yepcalphis* Nye, 1975** (Noctuidae) Synonym(s): *Pachylepis* R. Felder & Rogenhofer, 1874 (*praeocc.*); *Yepcalphis* Nye, 1975
- 5927. *Zalaca* Walker, [1866]** (Noctuidae) Synonym(s): *Zalaca* Walker, [1866]
- 5928. *Zebeeba Kirby*, 1892** (Noctuidae) Synonym(s): *Nycteola* Herrich-Schäffer, [1851] nec Hbn., 1822; *Zebeeba Kirby*, 1892 Original Reference: *Zebeeba Kirby*, 1892, Syn. Cat. Lepid. Het. 1: 279. Type-species: *Hypena falsalis* Herrich-Schäffer, [1839].
- 5929. *Zekelita (Ravalita)* Lödl & Mayerl, 1997** (Noctuidae) Synonym(s): *Ravalita* Lödl & Mayerl, 1997 Original Reference: *Ravalita Lödl & Mayerl*, 1997, Z. ArbGem. öst. Ent. 49 (3/4): 90. Type-species: *Hypena ravalis* Herrich-Schäffer, [1852], by original designation.
- 5930. *Zekelita (Rhynchodontodes)* W. Warren, 1913** (Noctuidae) Synonym(s): *Rhynchodontodes* W. Warren, 1913 Original Reference: *Rhynchodontodes* W. Warren, 1913, [in] Seitz, Gross Schmett. Erde 3: 430. Type-species: *Pyralis antiqualis* Hübner, [1809], by original designation.

- 5931. Zekelita (s.str.) Walker, 1863** (Noctuidae) Synonym(s): *Zekelita Walker, 1863* Original Reference: *Zekelita Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 199.* Type-species: *Zekelita equalisella Walker, 1863*, by monotypy.
- 5932. Zekelita Walker, 1863** (Noctuidae) Synonym(s): *Zekelita Walker, 1863* Original Reference: *Zekelita Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 199.* Type-species: *Zekelita equalisella Walker, 1863*, by monotypy.
- 5933. Zethes Rambur, 1833** (Noctuidae) Synonym(s): *Zethes Rambur, 1833* Original Reference: *Zethes Rambur, 1833, Annls Soc. ent. Fr. 2: 29.* Type-species: *Zethes insularis Rambur, 1833*, by monotypy.
- 5934. Zethesides Hampson, 1926** (Noctuidae) Synonym(s): *Zethesides Hampson, 1926*
- 5935. Zonoplusia Chou & Lu, 1979** (Noctuidae) Synonym(s): *Zonoplusia Chou & Lu, 1979*
- 5936. Achaera Kiriakoff, 1963** (Notodontidae) Synonym(s): *Achaera Kiriakoff, 1963*
- 5937. Acmeshachia Matsumura, 1929** (Notodontidae) Synonym(s): *Acmeshachia Matsumura, 1929*
- 5938. Acrasiella Kiriakoff, 1963** (Notodontidae) Synonym(s): *Acrasiella Kiriakoff, 1963*
- 5939. Afrocerura Kiriakoff, 1963** (Notodontidae) Synonym(s): *Afrocerura Kiriakoff, 1963*
- 5940. Afrogluphisia Kiriakoff, 1970** (Notodontidae) Synonym(s): *Afrogluphisia Kiriakoff, 1970*
- 5941. Afropplitis Kiriakoff, 1964** (Notodontidae) Synonym(s): *Afropplitis Kiriakoff, 1964*
- 5942. Allata (Celeia) Walker, 1865** (Notodontidae) Synonym(s): *Celeia Walker, 1865*
- 5943. Allata (Pseudallata) Kiriakoff, 1968** (Notodontidae) Synonym(s): *Pseudallata Kiriakoff, 1968* Original Reference: *Pseudallata Kiriakoff, 1968, [in] Wytzman, Genera Insect. 217 (C): 244.* Type-species: *Spatialia laticostalis Hampson, 1900*, by original designation.
- 5944. Allata (s.str.) Walker, 1862** (Notodontidae) Synonym(s): *Allata Walker, 1862*
- 5945. Allata Walker, 1862** (Notodontidae) Synonym(s): *Allata Walker, 1862* Original Reference: *Allata Walker, 1862, J. Proc. Linn. Soc. (Zool.) 6: 140.* Type-species: *Allata argentifera Walker, 1862*, by subsequent designation by Kirby, 1892.
- 5946. Allodonta (Hexafrenum) Matsumura, 1925** (Notodontidae) Synonym(s): *Hexafrenum Matsumura, 1925; Corinella Kiriakoff, 1967; Allodontina Kiriakoff, 1974; Kiriakoffia Nakamura, 1974*
- 5947. Allodonta (s.str.) Staudinger, 1887** (Notodontidae) Synonym(s): *Allodonta Staudinger, 1887; Takadonta Matsumura, 1920; Coreodonta Matsumura, 1924; Barbarossula Kiriakoff, 1964*
- 5948. Allodonta Staudinger, 1887** (Notodontidae) Synonym(s): *Allodonta Staudinger, 1887; Takadonta Matsumura, 1920; Coreodonta Matsumura, 1924; Barbarossula Kiriakoff, 1964*
- 5949. Allodontodes Matsumura, 1922** (Notodontidae) Synonym(s): *Allodontodes Matsumura, 1922; Scotodontia Kiriakoff, 1968*
- 5950. Ambadra Moore, 1883** (Notodontidae) Synonym(s): *Corma Moore, 1881 nec Wlk., 1865; Ambadra Moore, 1883; Suriga Kiriakoff, 1962; Atornoptera Kiriakoff, 1974*
- 5951. Amphiphalera Hampson, 1910** (Notodontidae) Synonym(s): *Amphiphalera Hampson, 1910*
- 5952. Amyops Karsch, 1895** (Notodontidae) Synonym(s): *Amyops Karsch, 1895*
- 5953. Antheua Walker, 1855** (Notodontidae) Synonym(s): *Antheua Walker, 1855*
- 5954. Antheuella Kiriakoff, 1961** (Notodontidae) Synonym(s): *Antheuella Kiriakoff, 1961*
- 5955. Anticleapa Kiriakoff, 1970** (Notodontidae) Synonym(s): *Anticleapa Kiriakoff, 1970*
- 5956. Antiphalera Gaede, 1930** (Notodontidae) Synonym(s): *Antiphalera Gaede, 1930*
- 5957. Antizana Gaede, 1928** (Notodontidae) Synonym(s): *Antizana Gaede, 1928*
- 5958. Archigargetta Kiriakoff, 1967** (Notodontidae) Synonym(s): *Archigargetta Kiriakoff, 1967; Roepkeella Kiriakoff, 1968*
- 5959. Archistilbia Kiriakoff, 1954** (Notodontidae) Synonym(s): *Archistilbia Kiriakoff, 1954*
- 5960. Arciera Kiriakoff, 1962** (Notodontidae) Synonym(s): *Arciera Kiriakoff, 1962*
- 5961. Armiana Walker, 1862** (Notodontidae) Synonym(s): *Armiana Walker, 1862; Ceira Walker, 1865; Norraca Moore, 1881; Norracana Kiriakoff, 1962.*
- 5962. Atrasana Walker, 1856** (Notodontidae) Synonym(s): *Atrasana Walker, 1856*
- 5963. Baradesa Moore, 1883** (Notodontidae) Synonym(s): *Baradesa Moore, 1883*
- 5964. Batempa Kiriakoff, 1962** (Notodontidae) Synonym(s): *Batempa Kiriakoff, 1962*
- 5965. Benbowia Kiriakoff, 1967** (Notodontidae) Synonym(s): *Benbowia Kiriakoff, 1967*
- 5966. Besaia (Achepydna) Matsumura, 1925** (Notodontidae) Synonym(s): *Achepydna Matsumura, 1925; Loxobireta Nakamura, 1976*
- 5967. Besaia (Curuzza) Kiriakoff, 1962** (Notodontidae) Synonym(s): *Curuzza Kiriakoff, 1962*
- 5968. Besaia (Mimopydna) Matsumura, 1924** (Notodontidae) Synonym(s): *Mimopydna Matsumura, 1924*

- 5969. Besaia (Ogulina) Kiriakoff,1962** (Notodontidae) Synonym(s): *Ogulina Kiriakoff,1962*; *Innisca Kiriakoff,1962*; *Odnarda Kiriakoff,1962*; *Ptilurodes Kiriakoff,1963*.
- 5970. Besaia (s.str.) Walker,1865** (Notodontidae) Synonym(s): *Besaia Walker,1865*; *Ottachana Kiriakoff,1962*; *Palessa Kiriakoff,1962*; *Kuohsingia Nakamura,1974*
- 5971. Besaia Walker,1865** (Notodontidae) Synonym(s): *Besaia Walker,1865*; *Ottachana Kiriakoff,1962*; *Palessa Kiriakoff,1962*; *Kuohsingia Nakamura,1974*
- 5972. Besida Walker,1865** (Notodontidae) Synonym(s): *Besida Walker,1865*
- 5973. Betashachia Matsumura,1925** (Notodontidae) Synonym(s): *Betashachia Matsumura,1925*; *Mesaeschra Kiriakoff,1963*; *Apistaeschra Kiriakoff,1963*; *Pseudofentonia Kiriakoff,1963* nec *Strand,1912*; *Antifentonia Kiriakoff,1967*.
- 5974. Bilulua Kiriakoff,1954** (Notodontidae) Synonym(s): *Bilulua Kiriakoff,1954*
- 5975. Bireta Walker,1856** (Notodontidae) Synonym(s): *Bireta Walker,1856*
- 5976. Bisolita Kiriakoff,1961** (Notodontidae) Synonym(s): *Bisolita Kiriakoff,1961*
- 5977. Blakaia Kiriakoff,1967** (Notodontidae) Synonym(s): *Blakaia Kiriakoff,1967*
- 5978. Brykia Gaede,1930** (Notodontidae) Synonym(s): *Brykia Gaede,1930*
- 5979. Calyptonotum Roepke,1944** (Notodontidae) Synonym(s): *Calyptonotum Roepke,1944*
Original Reference: *Calyptonotum Roepke,1944*, *Natuurh. Maandbl.* 33: 5.
- 5980. Catastygne Kiriakoff,1962** (Notodontidae) Synonym(s): *Catastygne Kiriakoff,1962*
- 5981. Catochria Herrich-Schäffer,[1855]** (Notodontidae) Synonym(s): *Catochria Herrich-Schäffer,[1855]*
- 5982. Cerasana Walker,1862** (Notodontidae) Synonym(s): *Cerasana Walker,1862*; *Billetia De Joannis,1900*
- 5983. Cerura (Apocerura) De Lattin, Becker & Roesler,1974** (Notodontidae) Synonym(s): *Apocerura De Lattin, Becker & Roesler,1974*
- 5984. Cerura (Neocerura) Matsumura,1929** (Notodontidae) Synonym(s): *Neocerura Matsumura,1929*
- 5985. Cerura Schrank,1802** (Notodontidae) Synonym(s): *Cerura Schrank,1802*; *Andria Hübner,1822*; *Pania Dalman,1823*; *Dicranura Boisduval,1828* nec *Reichenbach,1817*; *Apocerura De Lattin, Becker & Bender,1974* Original Reference: *Cerura Schrank,1802*, *Fauna Boica* 2(2): 155. Type-species: *Phalaena vinula* Linnaeus,1758, *Syst. Nat. (Edn.10)*1: 499, by subsequent designation by Curtis,1827, *Br. Ent.* 4: 193.
- 5986. Cerurella Kiriakoff,1962** (Notodontidae) Synonym(s): *Cerurella Kiriakoff,1962*
- 5987. Cerurina Kiriakoff,1963** (Notodontidae) Synonym(s): *Cerurina Kiriakoff,1963*
- 5988. Chadisra Walker,1862** (Notodontidae) Synonym(s): *Chadisra Walker,1862*
- 5989. Chalepa Kiriakoff,1959** (Notodontidae) Synonym(s): *Chalepa Kiriakoff,1959*; *Rosiora Kiriakoff,1962*
- 5990. Changea Schintlmeister & Fang,2001** (Notodontidae) Synonym(s): *Changea Schintlmeister & Fang,2001*
- 5991. Chlorocalliope Kiriakoff,1958** (Notodontidae) Synonym(s): *Chlorocalliope Kiriakoff,1958*
- 5992. Chlorochadisra Kiriakoff,1963** (Notodontidae) Synonym(s): *Chlorochadisra Kiriakoff,1963*
- 5993. Clostera Samouelle,1819** (Notodontidae) Synonym(s): *Clostera Samouelle,1819*; *Ichtyura Hübner,[1819]*; *Melalopha Hübner,1822*; *Tholoda Gistel,1848*; *Neoclostera Kiriakoff,1963* Original Reference: *Clostera Samouelle,1819*, *Entomologist's useful Compendium*: 247. Type-species: *Phalaena curtula* Linnaeus,1758, *Syst. Nat. (Edn.10)*1: 503, by subsequent designation by Curtis,1838, *Br. Ent.* 15: 715.
- 5994. Cnethodonta Staudinger,1887** (Notodontidae) Synonym(s): *Cnethodonta Staudinger,1887*
- 5995. Cophocosma Staudinger,1887** (Notodontidae) Synonym(s): *Cophocosma Staudinger,1887*
- 5996. Crambometra Prout,1915** (Notodontidae) Synonym(s): *Crambometra Prout,1915*
- 5997. Cyphanta Walker,1865** (Notodontidae) Synonym(s): *Cyphanta Walker,1865*
- 5998. Damata Walker,1855** (Notodontidae) Synonym(s): *Damata Walker,1855* Original Reference: *Damata Walker,1855*, *List Specimens lepid. Insects Colln Br. Mus.* 5: 979, 1044. Type-species: *Damata longipennis* Walker,1855, by monotypy.
- 5999. Dasychirella Kiriakoff,1970** (Notodontidae) Synonym(s): *Dasychirella Kiriakoff,1970*
- 6000. Deinarchia Kiriakoff,1958** (Notodontidae) Synonym(s): *Deinarchia Kiriakoff,1958*
- 6001. Desmeocraera Wallengren,1865** (Notodontidae) Synonym(s): *Desmeocraera Wallengren,1865*
- 6002. Dicranura Reichenbach,1817** (Notodontidae) Synonym(s): *Dicranura Reichenbach,1817*; *Exaereta Hübner,[1820]*. Original Reference: *Dicranura Reichenbach,1817*, *Jena allg. Lit.-Ztg.* 1(36): 282. Type-species: *Noctua ulmi* [Denis & Schiffermüller],1775, *Ankündigung eines syst. Werkes Schmett. Wienergegend*: 66, by monotypy.

- 6003. Disracha Kiriakoff,1962** (Notodontidae) Synonym(s): *Disracha Kiriakoff,1962*
- 6004. Drapetides Kiriakoff,1963** (Notodontidae) Synonym(s): *Drapetides Kiriakoff,1963*
- 6005. Drymonia Hübner,[1819]** (Notodontidae) Synonym(s): *Drymonia Hübner,[1819]*; *Ochrostigma Hübner,[1819]*; *Chaonia Stephens,1828*; *Drynobia Duponchel,[1845]*. Original Reference: *Drymonia Hübner,[1819]*, Verz. bekannter Schmett.: 144. Type-species: *Bombyx dodonea* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wienergegend: 49, by subsequent designation by Curtis,1839, Br. Ent. 16: 755.
- 6006. Dudusa Walker,1865** (Notodontidae) Synonym(s): *Dudusa Walker,1865*; *Dudusoides Matsumura,1929*; *Dudusopsis Matsumura,1929*.
- 6007. Egonociades Kiriakoff,1963** (Notodontidae) Synonym(s): *Egonociades Kiriakoff,1963*
- 6008. Eguria Matsumura,1924** (Notodontidae) Synonym(s): *Eguria Matsumura,1924*
- 6009. Elaphrodes Bethune-Baker,1909** (Notodontidae) Synonym(s): *Elaphrodes Bethune-Baker,1909*
- 6010. Ellida Grote,1876** (Notodontidae) Synonym(s): *Ellida Grote,1876*
- 6011. Epicerulella Kiriakoff,1981** (Notodontidae) Synonym(s): *Epicerulella Kiriakoff,1981*
- 6012. Epicerura Bethune-Baker,1911** (Notodontidae) Synonym(s): *Epicerura Bethune-Baker,1911*
- 6013. Epidonta Bethune-Baker,1911** (Notodontidae) Synonym(s): *Epidonta Bethune-Baker,1911*
- 6014. Euanthia Kiriakoff,1962** (Notodontidae) Synonym(s): *Euanthia Kiriakoff,1962*
- 6015. Eubreyeria D.S.Fletcher,1980** (Notodontidae) Synonym(s): *Eubreyeria D.S.Fletcher,1980*
- 6016. Euhampsonia Dyar,1897** (Notodontidae) Synonym(s): *Euhampsonia Dyar,1897*; *Shachihoka Matsumura,1925*; *Rabtala Draeseke,1926*; *Lampronadata Kiriakoff,1967*
- 6017. Eujansea Watson, D.S.Fletcher & Nye,1980** (Notodontidae) Synonym(s): *Pectinophora Janse,1920 nec Busck,1917*; *Eujansea Watson, D.S.Fletcher & Nye,1980* Original Reference: *Eujansea Watson, D.S.Fletcher & Nye,1980*, [in] Nye, Generic Names Moths World 2: 70. Type-species: *Pectinophora noctuiformis* Janse,1920, by original designation.
- 6018. Eurystaura Janse,1920** (Notodontidae) Synonym(s): *Eurystaura Janse,1920*
- 6019. Eurystauridia Kiriakoff,1964** (Notodontidae) Synonym(s): *Eurystauridia Kiriakoff,1964*
- 6020. Eushachia Matsumura,1925** (Notodontidae) Synonym(s): *Eushachia Matsumura,1925*; *Midasia Kiriakoff,1962*
- 6021. Eutimia Wallengren,1858** (Notodontidae) Synonym(s): *Eutimia Wallengren,1858*
- 6022. Fentonia Butler,1881** (Notodontidae) Synonym(s): *Fentonia Butler,1881*
- 6023. Fentonina Gaede,1928** (Notodontidae) Synonym(s): *Fentonina Gaede,1928*
- 6024. Formofentonia Matsumura,1925** (Notodontidae) Synonym(s): *Formofentonia Matsumura,1925*
- 6025. Franzdaniela Sugi,1992** (Notodontidae) Synonym(s): *Franzdaniela Sugi,1992*
- 6026. Furcula Lamarck,1816** (Notodontidae) Synonym(s): *Furcula Lamarck,1816*; *Harpyias Hübner,[1819]* Original Reference: *Furcula Lamarck,1816*, Hist. nat. Anim. sans Vertebres 3: 581. Type-species: [*Phalaena*] *furcula* Clerck,1759, Icones Insect. rariorum 1: pl.9 fig.9, by absolute tautonymy.
- 6027. Galona Karsch,1895** (Notodontidae) Synonym(s): *Galona Karsch,1895*
- 6028. Gangarides Moore,1865** (Notodontidae) Synonym(s): *Gangarides Moore,1865*
- 6029. Gangaridopsis Grünberg,1912** (Notodontidae) Synonym(s): *Gangaridopsis Grünberg,1912*
- 6030. Gargetta Walker,1865** (Notodontidae) Synonym(s): *Gargetta Walker,1865*
- 6031. Ginshachia Matsumura,1929** (Notodontidae) Synonym(s): *Ginshachia Matsumura,1929*; *#Ginschachia*
- 6032. Gluphisia Boisduval,1828** (Notodontidae) Synonym(s): *Gluphisia Boisduval,1828*; *Glyphidia Agassiz,1847*; *Paraglyphisia Djakonov,1929*
- 6033. Gonoclostera Butler,1877** (Notodontidae) Synonym(s): *Gonoclostera Butler,1877*
- 6034. Graphodonta Kiriakoff,1981** (Notodontidae) Synonym(s): *Graphodonta Kiriakoff,1981*
- 6035. Hagapteryx Matsumura,1920** (Notodontidae) Synonym(s): *Hagapteryx Matsumura,1920*
- 6036. Hampsonita Kiriakoff,1963** (Notodontidae) Synonym(s): *Hampsonita Kiriakoff,1963*
- 6037. Haplozana Aurivillius,1901** (Notodontidae) Synonym(s): *Haplozana Aurivillius,1901*
- 6038. Harpyia Ochsenheimer,1810** (Notodontidae) Synonym(s): *Harpyia Ochsenheimer,1810*; *Hoplitis Hübner,[1819] nec Klug,1807*; *Damatoides Matsumura,1927*; *Hybocampa Lederer,1853*. Original Reference: *Harpyia Ochsenheimer,1810*, Schmett. Eur. 3: 19. Type-species: *Bombyx milhauseri* Fabricius,1775, Syst. Ent. : 577, by subsequent designation by Blanchard,[1847], [in] Cuvier, Regne Animal (Insectes) 2: title page & pl. 153.
- 6039. Hemifentonia Kiriakoff,1967** (Notodontidae) Synonym(s): *Parafentonia Kiriakoff,1963 nec Roepk.,1944*; *Hemifentonia Kiriakoff,1967*

- 6040. Heraia Kiriakoff,1958** (Notodontidae) Synonym(s): *Heraia Kiriakoff,1958*
- 6041. Higena Matsumura,1925** (Notodontidae) Synonym(s): *Higena Matsumura,1925*
- 6042. Himeropteryx Staudinger,1887** (Notodontidae) Synonym(s): *Himeropteryx Staudinger,1887*
- 6043. Hiradonta Matsumura,1924** (Notodontidae) Synonym(s): *Hiradonta Matsumura,1924*
- 6044. Homocentridia Kiriakoff,1967** (Notodontidae) Synonym(s): *Homocentridia Kiriakoff,1967*
- 6045. Hupodonta Butler,1877** (Notodontidae) Synonym(s): *Hupodonta Butler,1877*
- 6046. Hyperaeschra Butler,1880** (Notodontidae) Synonym(s): *Hyperaeschra Butler,1880*
- 6047. Induba Kiriakoff,1975** (Notodontidae) Synonym(s): *Induba Kiriakoff,1975*
- 6048. Iostaura Kiriakoff,1970** (Notodontidae) Synonym(s): *Iostaura Kiriakoff,1970*
- 6049. Iridoplitis Kiriakoff,1955** (Notodontidae) Synonym(s): *Iridoplitis Kiriakoff,1955*
- 6050. Janthinisca Kiriakoff,1959** (Notodontidae) Synonym(s): *Janthinisca Kiriakoff,1959*
- 6051. Jozinia Kiriakoff,1970** (Notodontidae) Synonym(s): *Jozinia Kiriakoff,1970*
- 6052. Kamalia Koçak & Kemal,2006** (Notodontidae) Synonym(s): *Paracerura Schintlmeister,2002 nec Deharveng & Oliviera,1994; Kamalia Koçak & Kemal,2006* Original Reference: Kamalia Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 104: 3 (nomen novum pro *Paracerura* Schintlmeister,2002 nec Deharveng & Oliviera,1994).
- 6053. Khasidonta Kiriakoff,1968** (Notodontidae) Synonym(s): *Khasidonta Kiriakoff,1968*
- 6054. Leucodonta Staudinger,1892** (Notodontidae) Synonym(s): *Microdonta Duponchel,[1835] nec Dej.,1835; Leucodonta Staudinger,1892; Hierophanta Meyrick,1894; Shironia Matsumura,1925*
- 6055. Leucolopha Hampson,1896** (Notodontidae) Synonym(s): *Leucolopha Hampson,1896*
- 6056. Leucophalera Janse,1920** (Notodontidae) Synonym(s): *Leucophalera Janse,1920*
- 6057. Liccana Kiriakoff,1962** (Notodontidae) Synonym(s): *Liccana Kiriakoff,1962*
- 6058. Liparopsis Hampson,[1893]** (Notodontidae) Synonym(s): *Liparopsis Hampson,[1893]*
- 6059. Lophontosia Staudinger,1892** (Notodontidae) Synonym(s): *ophontosia Staudinger,1892*
- 6060. Lopiena Kiriakoff,1961** (Notodontidae) Synonym(s): *Lopiena Kiriakoff,1961*
- 6061. Macrurocampa Dyar,1893** (Notodontidae) Synonym(s): *Macrurocampa Dyar,1893*
- 6062. Medanella Kiriakoff,1974** (Notodontidae) Synonym(s): *Medanella Kiriakoff,1974*
- 6063. Megaceramis Hampson,1893** (Notodontidae) Synonym(s): *Megaceramis Hampson,1893* Original Reference: Megaceramis Hampson,1893, Fauna Br. India (Moths) 1: 167. Type-species: *Megaceramis lamprolepis* Hampson,1893, ibid. 1: 167-168, by original designation.
- 6064. Megashachia Matsumura,1929** (Notodontidae) Synonym(s): *Megashachia Matsumura,1929*
- 6065. Mesophalera Matsumura,1920** (Notodontidae) Synonym(s): *Mesophalera Matsumura,1920*
- 6066. Metaschalis Hampson,1892** (Notodontidae) Synonym(s): *Metaschalis Hampson,1892*
- 6067. Metascrancia Kiriakoff,1970** (Notodontidae) Synonym(s): *Metascrancia Kiriakoff,1970*
- 6068. Metopteryx (Helga) Kiriakoff,1964** (Notodontidae) Synonym(s): *Helga Kiriakoff,1964*
- 6069. Metopteryx (Metopteryx) D.S.Fletcher,1980** (Notodontidae) Synonym(s): *Metopteryx D.S.Fletcher,1980*
- 6070. Micromelalopha Nagano,1916** (Notodontidae) Synonym(s): *Micromelalopha Nagano,1916; #Micromelolopha Matsumura,1929; Bifurcifer Ebert,1968; Closteroides Kiriakoff,1977 nec Tomlin,1929; Closterellus D.S.Fletcher,1980.* Original Reference: Micromelalopha Nagano,1916, Bull. Nawa ent. Lab. 1: 10. Type-species: *Pygaera troglodyta* Graeser,1890, by monotypy.
- 6071. Microphalera Butler,1885** (Notodontidae) Synonym(s): *Microphalera Butler,1885*
- 6072. Miostauropus Kiriakoff,1963** (Notodontidae) Synonym(s): *Miostauropus Kiriakoff,1963*
- 6073. Neodrymonia (Epistauropus) Gaede,1930** (Notodontidae) Synonym(s): *Epistauropus Gaede,1930*
- 6074. Neodrymonia (Libido) Bryk,1949** (Notodontidae) Synonym(s): *Libido Bryk,1949*
- 6075. Neodrymonia (Pantherinus) Nakamura,1973** (Notodontidae) Synonym(s): *Pantherinus Nakamura,1973*
- 6076. Neodrymonia (Polystictina) Kiriakoff,1968** (Notodontidae) Synonym(s): *Polystictina Kiriakoff,1968*
- 6077. Neodrymonia (s.str.) Matsumura,1920** (Notodontidae) Synonym(s): *Neodrymonia Matsumura,1920*
- 6078. Neodrymonia Matsumura,1920** (Notodontidae) Synonym(s): *Neodrymonia Matsumura,1920*

- 6079. Neoharpyia Daniel,1965** (Notodontidae) **Synonym(s):** *Neoharpyia Daniel,1965* **Original Reference:** *Neoharpyia Daniel,1965*, Z. wien. ent. Ges. 50: 44. Type-species: *Cossus verbasci* Fabricius,1798, by original designation.
- 6080. Neola Walker,1855** (Notodontidae) **Synonym(s):** *Neola Walker,1855*
- 6081. Neopheosia Matsumura,1920** (Notodontidae) **Synonym(s):** *Neopheosia Matsumura,1920*
- 6082. Nephodonta Sugi,1980** (Notodontidae) **Synonym(s):** *Nephodonta Sugi,1980*
- 6083. Nerice Walker,1855** (Notodontidae) **Synonym(s):** *Nerice Walker,1855*
- 6084. Netria Walker,1855** (Notodontidae) **Synonym(s):** *Netria Walker,1855*
- 6085. Niganda Moore,1879** (Notodontidae) **Synonym(s):** *Niganda Moore,1879*; *Stenadonta Hampson,1895*
- 6086. Notocerura Kiriakoff,1963** (Notodontidae) **Synonym(s):** *Notocerura Kiriakoff,1963*
- 6087. Notodonta Ochsenheimer,1810** (Notodontidae) **Synonym(s):** *Notodonta Ochsenheimer,1810*; *Notodon Meigen,1830*; *Mimodonta Matsumura,1920*; *Microdontella Strand,1934*; *Triophia Kiriakoff,1967*; *Eligmodonta Kiriakoff,1967* **Original Reference:** *Notodonta Ochsenheimer,1810*, Schmett. Eur. 3: 45. Type-species: *Phalaena dromedarius* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 827, by subsequent designation by Curtis,1839, Br. Ent. 16: 739.
- 6088. Notoxantha Hampson,1910** (Notodontidae) **Synonym(s):** *Notoxantha Hampson,1910*
- 6089. Odontoperas Kiriakoff,1959** (Notodontidae) **Synonym(s):** *Odontoperas Kiriakoff,1959*
- 6090. Odontosia Hübner,[1819]** (Notodontidae) **Synonym(s):** *Odontosia Hübner,[1819]*
- 6091. Odontosiana Kiriakoff,1963** (Notodontidae) **Synonym(s):** *Odontosiana Kiriakoff,1963*
- 6092. Omichlis Hampson,1895** (Notodontidae) **Synonym(s):** *Omichlis Hampson,1895*
- 6093. Oraura Kiriakoff,1962** (Notodontidae) **Synonym(s):** *Oraura Kiriakoff,1962*
- 6094. Palaeostauropus Okagaki & Nakamura,1958** (Notodontidae) **Synonym(s):** *Palaeostauropus Okagaki & Nakamura,1958*
- 6095. Parachadisra Gaede,1930** (Notodontidae) **Synonym(s):** *Parachadisra Gaede,1930*
- 6096. Paradiastema Aurivillius,1901** (Notodontidae) **Synonym(s):** *Paradiastema Aurivillius,1901*
- 6097. Paradrymonia Kiriakoff,1967** (Notodontidae) **Synonym(s):** *Paradrymonia Kiriakoff,1967* **Original Reference:** *Paradrymonia Kiriakoff,1967*, [in] Wytzman, Genera Insect. 217(B): 122. Type-species: *Notodonta vittata* Staudinger,1892, Dt. ent. Z., Iris 4: 262, by original designation.
- 6098. Paraptilodon Schintlmeister,1997** (Notodontidae) **Synonym(s):** *Paraptilodon Schintlmeister,1997*
- 6099. Pararethona Janse,1920** (Notodontidae) **Synonym(s):** *Pararethona Janse,1920*
- 6100. Parastaura Gaede,1928** (Notodontidae) **Synonym(s):** *Parastaura Gaede,1928*
- 6101. Peratodonta Aurivillius,1904** (Notodontidae) **Synonym(s):** *Peratodonta Aurivillius,1904*
- 6102. Peridea Stephens,1828** (Notodontidae) **Synonym(s):** *Peridea Stephens,1828*; *Mesodonta Matsumura,1920* *nec* Baly,1865; *Fusadonta Matsumura,1920* **Original Reference:** *Peridea Stephens,1828*, Illust. Br. Ent. (Haustellata) 2: 32. Type-species: *Bombyx serrata* Thunberg,1792, Diss. ent. sistens Insect Suecica (3): 47, by monotypy.
- 6103. Periergos (Hunyada) Kiriakoff,1962** (Notodontidae) **Synonym(s):** *Hunyada Kiriakoff,1962*
- 6104. Periergos (Rosiora) Kiriakoff,1962** (Notodontidae) **Synonym(s):** *Rosiora Kiriakoff,1962*
- 6105. Periergos (s.str.) Kiriakoff,1959** (Notodontidae) **Synonym(s):** *Pydna Walker,1856* *nec* Herr.-Schäffer,1855; *Periergos Kiriakoff,1959*; *Mismia Kiriakoff,1962*; *Loudonta Kiriakoff,1962*; *Eupydna D.S.Fletcher,1980* **Original Reference:** *Periergos Kiriakoff,1959*, Ark. Zool. (2) 12: 321. Type-species: *Periergos obsoleta* Kiriakoff,1959, by original designation.
- 6106. Periergos Kiriakoff,1959** (Notodontidae) **Synonym(s):** *Pydna Walker,1856* *nec* Herr.-Schäffer,1855; *Periergos Kiriakoff,1959*; *Mismia Kiriakoff,1962*; *Loudonta Kiriakoff,1962*; *Eupydna D.S.Fletcher,1980* **Original Reference:** *Periergos Kiriakoff,1959*, Ark. Zool. (2) 12: 321. Type-species: *Periergos obsoleta* Kiriakoff,1959, by original designation.
- 6107. Periphalera Kiriakoff,1959** (Notodontidae) **Synonym(s):** *Periphalera Kiriakoff,1959*
- 6108. Phalera Hübner,[1819]** (Notodontidae) **Synonym(s):** *Phalera Hübner,[1819]*; *Acrosema Meigen,1830*; *Hammatophora Westwood,1843*; *Dinara Walker,1856*; *Horishachia Matsumura,1925*; *Phaleromimus Bryk,1950* **Original Reference:** *Phalera Hübner,[1819]*, Verz. bekannt. Schmett.: 147. Type-species: *Phalaena bucephala* Linnaeus,1758, by subsequent designation by Kirby,1892.
- 6109. Phalerodonta Staudinger,1892** (Notodontidae) **Synonym(s):** *Phalerodonta Staudinger,1892*
- 6110. Pheosia Hübner,[1819]** (Notodontidae) **Synonym(s):** *Pheosia Hübner,[1819]*; *Leiocampa Stephens,1828*; *Liocampa Agassiz,1847* **Original Reference:** *Pheosia Hübner,[1819]*, Verz. bekannter Schmett.: 145. Type-species: *Phalaena dictaea* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 826, by subsequent designation by Hampson,[1893], Fauna Br. India (Moths) 1: 160.

- 6111. Pheosiopsis (Cauphucia) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Letitia Schintlmeister, 1997 nec Iredale, 1941; Cauphucia Kemal & Koçak, 2005* Original Reference: Pheosiopsis (Cauphucia) Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 13 (nom. nov. pro *Letitia Schintlmeister, 1997 nec Iredale, 1941*).
- 6112. Pheosiopsis (Oligaeschra) Kiriakoff, 1963** (Notodontidae) Synonym(s): *Oligaeschra Kiriakoff, 1963*
- 6113. Pheosiopsis (Schintlmeistera) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Lupa Schintlmeister, 1997 nec Leach, 1814 non De Haan, 1833; Schintlmeistera Kemal & Koçak, 2005* Original Reference: Pheosiopsis (Schintlmeistera) Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nom. nov. pro *Lupa Schintlmeister, 1997 nec Leach, 1814 non De Haan, 1833*).
- 6114. Pheosiopsis (Suzukiana) Sugi, 1976** (Notodontidae) Synonym(s): *Suzukia Matsumura, 1920 nec Okamoto, 1913; Suzukiana Sugi, 1976*
- 6115. Pheosiopsis (s.str.) Bryk, 1949** (Notodontidae) Synonym(s): *Pheosiopsis Bryk, 1949*
- 6116. Pheosiopsis Bryk, 1949** (Notodontidae) Synonym(s): *Pheosiopsis Bryk, 1949*
- 6117. Phycidopsis Hampson, 1893** (Notodontidae) Synonym(s): *Phycidopsis Hampson, 1893*
- 6118. Phycitimorpha Janse, 1920** (Notodontidae) Synonym(s): *Phycitimorpha Janse, 1920*
- 6119. Phyllaliodes Hampson, 1910** (Notodontidae) Synonym(s): *Phyllaliodes Hampson, 1910*
- 6120. Pinheyia Kiriakoff, 1971** (Notodontidae) Synonym(s): *Pinheyia Kiriakoff, 1971*
- 6121. Plastystaura Kiriakoff, 1965** (Notodontidae) Synonym(s): *Plastystaura Kiriakoff, 1965*
- 6122. Polelassothys Janse, 1920** (Notodontidae) Synonym(s): *Polelassothys Janse, 1920*
- 6123. Polienus Distant, 1903** (Notodontidae) Synonym(s): *Polienus Distant, 1903*
- 6124. Porsica Walker, 1866** (Notodontidae) Synonym(s): *Porsica Walker, 1866*
- 6125. Psalisodes Hampson, 1910** (Notodontidae) Synonym(s): *Psalisodes Hampson, 1910*
- 6126. Psegmaphora Gaede, 1930** (Notodontidae) Synonym(s): *segmaphora Gaede, 1930*
- 6127. Pseudallata Kiriakoff, 1968** (Notodontidae) Synonym(s): *Pseudallata Kiriakoff, 1968*
- 6128. Pseudodryas Möschler, 1878** (Notodontidae) Synonym(s): *Pseudodryas Möschler, 1878*
- 6129. Pseudofentonia (Calyptronotum) Roepke, 1944** (Notodontidae) Synonym(s): *Calyptronotum Roepke, 1944*
- 6130. Pseudofentonia (Disparia) Nagano, 1916** (Notodontidae) Synonym(s): *Disparia Nagano, 1916; Parafentonia Roepke, 1944; Epifentonia Kiriakoff, 1960*
- 6131. Pseudofentonia (Lanna) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Mimus Schintlmeister, 1989 nec Boie, 1826 non Fahreus, 1871; Lanna Kemal & Koçak, 2005* Original Reference: Pseudofentonia (Lanna) Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 13 (nom. nov. pro *Mimus Schintlmeister, 1989 nec Boie, 1826 non Fahreus, 1871*).
- 6132. Pseudofentonia (Vietnamina) Kemal & Koçak, 2005** (Notodontidae) Synonym(s): *Dymantis Schintlmeister, 1997 nec Stal, 1861; Vietnamina Kemal & Koçak, 2005* Original Reference: Pseudofentonia (Vietnamina) Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 13 (nom. nov. pro *Dymantis Schintlmeister, 1997 nec Stal, 1861*).
- 6133. Pseudofentonia (Viridifentonia) Nakamura, 1974** (Notodontidae) Synonym(s): *Viridifentonia Nakamura, 1974*
- 6134. Pseudofentonia (s.str.) Strand, 1912** (Notodontidae) Synonym(s): *Pseudofentonia Strand, 1912*
- 6135. Pseudofentonia Strand, 1912** (Notodontidae) Synonym(s): *Pseudofentonia Strand, 1912*
- 6136. Pseudorethona Janse, 1920** (Notodontidae) Synonym(s): *Pseudorethona Janse, 1920*
- 6137. Pseudoscrancia Strand, 1915** (Notodontidae) Synonym(s): *Pseudoscrancia Strand, 1915*
- 6138. Pseudosomera Bender & Steiniger, 1984** (Notodontidae) Synonym(s): *Pseudosomera Bender & Steiniger, 1984*
- 6139. Pseudoteleclita Kiriakoff, 1968** (Notodontidae) Synonym(s): *Pseudoteleclita Kiriakoff, 1968*
- 6140. Pterostoma Germar, 1812** (Notodontidae) Synonym(s): *Pterostoma Germar, 1812; Euchila Billberg, 1820; Orthorhinia Boisduval, [1828]; Ptilodontis Stephens, 1828; Odonptera Latreille, 1829; Orthorhina Meigen, 1830; Orthorhinia Agassiz, 1847.* Original Reference: Pterostoma Germar, 1812, Diss. sistens Bombycum Species (2): 42. Type-species: Pterosoma salicis Germar, 1812, by monotypy.
- 6141. Ptilodon Hübner, 1822** (Notodontidae) Synonym(s): *#Ptilodon Hübner, 1806; Ptilodon Hübner, 1822; Lophopteryx Stephens, 1828; Ptilodontella Kiriakoff, 1967* Original Reference: Ptilodon Hübner, 1822, Syst.- alfab. Verz.: 14-16, 18, 20. Type-species: Phalaena camelina Linnaeus, 1758, by subsequent designation by Grote, 1895.
- 6142. Ptilophora Stephens, 1828** (Notodontidae) Synonym(s): *Ptilophora Stephens, 1828; Ptilophoroides Matsumura, 1920*
- 6143. Pydnella Roepke, 1943** (Notodontidae) Synonym(s): *Pydnella Roepke, 1943*

- 6144. Pygaera Ochsenheimer,1810** (Notodontidae) Synonym(s): *Pygaera Ochsenheimer,1810*
- 6145. Quista Kiriakoff,1959** (Notodontidae) Synonym(s): *Quista Kiriakoff,1959*
- 6146. Rachia Moore,1879** (Notodontidae) Synonym(s): *Rachia Moore,1879; Macroshachia Matsumura,1925; Angustiala Bryk,1949.*
- 6147. Rachiades Kiriakoff,1967** (Notodontidae) Synonym(s): *Rachiades Kiriakoff,1967*
- 6148. Ramesa Walker,1855** (Notodontidae) Synonym(s): *Ramesa Walker,1855*
- 6149. Rasemia Kiriakoff,1962** (Notodontidae) Synonym(s): *Rasemia Kiriakoff,1962*
- 6150. Rhegmatophila Standfuss,1888** (Notodontidae) Synonym(s): *Rhegmatophila Standfuss,1888* Original Reference: *Rhegmatophila Standfuss,1888, Berl. ent. Z. 32: 239.* Type-species: *Clostera alpina* Bellier,1881, *Annl. Soc. ent. Fr. (5)10: 367, pl.11 figs.10-10a*, by monotypy.
- 6151. Rhenea Saalmüller,1884** (Notodontidae) Synonym(s): *Rhenea Saalmüller,1884*
- 6152. Rheneina Kiriakoff,1971** (Notodontidae) Synonym(s): *Rheneina Kiriakoff,1971*
- 6153. Riebeeckia Kiriakoff,1981** (Notodontidae) Synonym(s): *Riebeeckia Kiriakoff,1981*
- 6154. Rodneya Kiriakoff,1967** (Notodontidae) Synonym(s): *Rodneya Kiriakoff,1967*
- 6155. Rosama Walker,1855** (Notodontidae) Synonym(s): *Rosama Walker,1855*
- 6156. Rosinella Kiriakoff,1963** (Notodontidae) Synonym(s): *Rosinella Kiriakoff,1963*
- 6157. Saliocteta Walker,1862** (Notodontidae) Synonym(s): *Saliocteta Walker,1862*
- 6158. Sarimarais Kiriakoff,1962** (Notodontidae) Synonym(s): *Sarimarais Kiriakoff,1962*
- 6159. Scalmicauda Holland,1893** (Notodontidae) Synonym(s): *Scalmicauda Holland,1893*
- 6160. Scrancia Holland,1893** (Notodontidae) Synonym(s): *Scrancia Holland,1893*
- 6161. Semidonta Staudinger,1892** (Notodontidae) Synonym(s): *Semidonta Staudinger,1892; Hyperaeschrella Strand,1916; Kumataia Kiriakoff,1967; Polyaeschra Kiriakoff,1967; Sinodonta Kiriakoff,1967* Original Reference: *Semidonta Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 358.* Type-species: *Drymonia biloba* Oberthür,1880, by monotypy.
- 6162. Shachia Matsumura,1919** (Notodontidae) Synonym(s): *Shachia Matsumura,1919; Microhoplitis Marumo,1920*
- 6163. Simesia Kiriakoff,1955** (Notodontidae) Synonym(s): *Simesia Kiriakoff,1955; Critobulus Kiriakoff,1963 nec Dist.,1903*
- 6164. Snellentia Kiriakoff,1968** (Notodontidae) Synonym(s): *Snellentia Kiriakoff,1968*
- 6165. Somera Walker,1855** (Notodontidae) Synonym(s): *Somera Walker,1855*
- 6166. Spatalia Hübner,[1819]** (Notodontidae) Synonym(s): *Spatalia Hübner,[1819]; Heterodonta Duponchel,[1845]; Spataliodes Matsumura,1924; Stenospatalia Matsumura,1924* Original Reference: *Spatalia Hübner,[1819], Verz. bekannter Schmett.: 145.* Type-species: *Bombyx argentina* [Denis & Schiffermüller],1775, *Ankündigung eines syst. Werkes Schmett. Wienergegend: 62, 249, pls.* by subsequent designation by Kirby,1892, *Syn. Cat. Lepid. Heter.:604.*
- 6167. Spatalina Bryk,1949** (Notodontidae) Synonym(s): *Spatalina Bryk,1949; Xeropteryx Kiriakoff,1963 nec Butl.,1883; Inouella Kiriakoff,1967; Euxeropteryx Koçak,1980*
- 6168. Stauropus Germar,1812** (Notodontidae) Synonym(s): *Stauropus Germar,1812; Terasion Hübner,[1819]; Neostauropus Kiriakoff,1967* Original Reference: *Stauropus Germar,1812, Diss. sistens Bombycum Species (2): 45.* Type-species: *Phalaena fagi* Linnaeus,1758, *Syst. Nat. (Edn.10)1: 508*, by monotypy.
- 6169. Stemmatophalera Aurivillius,1910** (Notodontidae) Synonym(s): *Stemmatophalera Aurivillius,1910*
- 6170. Stenadonta Hampson,1895** (Notodontidae) Synonym(s): *Stenadonta Hampson,1895; #Stenodonta Huthacharern & Tuhtim,1995*
- 6171. Stenostaura Hampson,1909** (Notodontidae) Synonym(s): *Stenostaura Hampson,1909*
- 6172. Stigmatophorina Mell,1922** (Notodontidae) Synonym(s): *Stigmatophorina Mell,1922*
- 6173. Subscrancia Gaede,1928** (Notodontidae) Synonym(s): *Subscrancia Gaede,1928*
- 6174. Sumeria Tams,1938** (Notodontidae) Synonym(s): *Sumeria Tams,1938*
- 6175. Synete Kiriakoff,1959** (Notodontidae) Synonym(s): *Synete Kiriakoff,1959*
- 6176. Syntypistis Turner,1907** (Notodontidae) Synonym(s): *Syntypistis Turner,1907; Omestia Bethune-Baker,1908; Quadricalcarifera Strand,1916; Egonocia Marumo,1920; Stauropodopsis Roepke,1944; Taiwa Kiriakoff,1967; Vaneckia Kiriakoff,1968*
- 6177. Tarsolepsis Butler,1872** (Notodontidae) Synonym(s): *Crino Hübner,[1821] nec Lamarck,1798; Tarsolepsis Butler,1872; Pika Matsumura,1929; Tarsolepsoides Nakamura,1976.*
- 6178. Teinophalera Kiriakoff,1968** (Notodontidae) Synonym(s): *Teinophalera Kiriakoff,1968*
- 6179. Teleclita Turner,1903** (Notodontidae) Synonym(s): *Teleclita Turner,1903*
- 6180. Tensha Matsumura,1925** (Notodontidae) Synonym(s): *Tensha Matsumura,1925*

- 6181. Thaila Kiriakoff,1974** (Notodontidae) Synonym(s): *Thaila Kiriakoff,1974*
- 6182. Togarishachia Matsumura,1925** (Notodontidae) Synonym(s): *Togarishachia Matsumura,1925; Poncetia Kiriakoff,1962*
- 6183. Togaritensha Matsumura,1929** (Notodontidae) Synonym(s): *Togaritensha Matsumura,1929*
- 6184. Torona Walker,1865** (Notodontidae) Synonym(s): *Torona Walker,1865; Torigea Matsumura,1934; Cutuza Kiriakoff,1962; Dypna Kiriakoff,1962; Biraia Kiriakoff,1962; Struba Kiriakoff,1962.*
- 6185. Trabanta Kiriakoff,1962** (Notodontidae) Synonym(s): *Trabanta Kiriakoff,1962*
- 6186. Trotonotus Butler,1898** (Notodontidae) Synonym(s): *Trotonotus Butler,1898*
- 6187. Turnaca (s.str.) Walker,1864** (Notodontidae) Synonym(s): *Turnaca Walker,1864*
- 6188. Turnaca Walker,1864** (Notodontidae) Synonym(s): *Turnaca Walker,1864*
- 6189. Turnacoides Gaede,1928** (Notodontidae) Synonym(s): *Turnacoides Gaede,1928*
- 6190. Ulinodes Kiriakoff,1968** (Notodontidae) Synonym(s): *Ulinodes Kiriakoff,1968*
- 6191. Uropya Staudinger,1892** (Notodontidae) Synonym(s): *Uropya Staudinger,1892*
- 6192. Wilemanus Nagano,1916** (Notodontidae) Synonym(s): *Wilemanus Nagano,1916*
- 6193. Zaranga Moore,1884** (Notodontidae) Synonym(s): *Zaranga Moore,1884; Epizaranga Matsumura,1920; Densitas Marumo,1920*
- 6194. Zerafia Strand,1915** (Notodontidae) Synonym(s): *Zerafia Strand,1915*
- 6195. Agonopterix Hübner,[1825]** (Oecophoridae) Synonym(s): *Agonopterix Hübner,[1825]; #Agonopteryx Stephens,1834; Agoniopteryx Treitschke,1835* Original Reference: *Agonopterix Hübner,[1825]*, Verz. bekannt. Schmett.: 410. Type-species: *Tinea signella Hübner,1796*, by subsequent designation by Meyrick,1922.
- 6196. Agroecodes Meyrick,1937** (Oecophoridae) Synonym(s): *Agroecodes Meyrick,1937*
- 6197. Alabonia Hübner,[1825]** (Oecophoridae) Synonym(s): *Alabonia Hübner,[1825]; Enicostoma Stephens,1829; Henicostoma Agassiz,1847* Original Reference: *Alabonia Hübner,[1825]*, Verz. bekannter Schmett.: 418. Type-species: *Phalaena geoffrella Linnaeus,1767*, Syst. Nat. (Edn 12) 1: 896, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects): 110.
- 6198. Amphipseustis Meyrick,1921** (Oecophoridae) Synonym(s): *Amphipseustis Meyrick,1921*
- 6199. Amphisbatis Zeller,1870** (Oecophoridae) Synonym(s): *Amphisbatis Zeller,1870*
- 6200. Amseloecia Povolny,1983** (Oecophoridae) Synonym(s): *Amseloecia Povolny,1983*
- 6201. Anchinia Hübner,[1825]** (Oecophoridae) Synonym(s): *Anchinia Hübner,[1825]; Palpula Kollar,1832; Fugia Duponchel,[1846]* Original Reference: *Anchinia Hübner,[1825]*, Verz. bekannter Schmett.: 409. Type-species: *Tinea verrucella [Denis & Schiffermüller],1775*, Ankündigung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Meyrick,1922, in Wytzman, Genera Insect. 180:63.
- 6202. Apachea Clarke,1941** (Oecophoridae) Synonym(s): *Apachea Clarke,1941*
- 6203. Aplota Stephens,1834** (Oecophoridae) Synonym(s): *Aplota Stephens,1834*
- 6204. Areocosma Meyrick,1917** (Oecophoridae) Synonym(s): *Areocosma Meyrick,1917*
- 6205. Ashinaga Matsumura,1929** (Oecophoridae) Synonym(s): *Ashinaga Matsumura,1929; Aeolarcha Meyrick,1931*
- 6206. Aulotropha Meyrick,1918** (Oecophoridae) Synonym(s): *Aulotropha Meyrick,1918*
- 6207. Batia Stephens,1834** (Oecophoridae) Synonym(s): *Batia Stephens,1834*
- 6208. Bisigna Toll,1956** (Oecophoridae) Synonym(s): *Bisigna Toll,1956*
- 6209. Borkhausenia Hübner,[1825]** (Oecophoridae) Synonym(s): *Borkhausenia Hübner,[1825]*
- 6210. Briarostoma Meyrick,1920** (Oecophoridae) Synonym(s): *Briarostoma Meyrick,1920*
- 6211. Buvatina Leraut,1984** (Oecophoridae) Synonym(s): *Buvatina Leraut,1984*
- 6212. Cacochoa Heinemann,1870** (Oecophoridae) Synonym(s): *Cacochoa Heinemann,1870*
- 6213. Caenorycta Meyrick,1922** (Oecophoridae) Synonym(s): *Caenorycta Meyrick,1922*
- 6214. Callima Clemens,1860** (Oecophoridae) Synonym(s): *Callima Clemens,1860*
- 6215. Carcina Hübner,[1825]** (Oecophoridae) Synonym(s): *Carcina Hübner,[1825]*
- 6216. Casmara Walker,1863** (Oecophoridae) Synonym(s): *Casmara Walker,1863*
- 6217. Ceranthes Meyrick,1918** (Oecophoridae) Synonym(s): *Ceranthes Meyrick,1918*
- 6218. Chalcocolona Meyrick,1921** (Oecophoridae) Synonym(s): *Chalcocolona Meyrick,1921*
- 6219. Chalcorectis Meyrick,1937** (Oecophoridae) Synonym(s): *Chalcorectis Meyrick,1937*
- 6220. Chemidolophus Walsingham,1881** (Oecophoridae) Synonym(s): *Chemidolophus Walsingham,1881*
- 6221. Choronomia Meyrick,1926** (Oecophoridae) Synonym(s): *Choronomia Meyrick,1926*

- 6222. Coesyra Meyrick,1883** (Oecophoridae) Synonym(s): *Coesyra Meyrick,1883*
- 6223. Colchia Lvovsky,1995** (Oecophoridae) Synonym(s): *Colchia Lvovsky,1995*
- 6224. Commonina Kemal & Koçak,2006** (Oecophoridae) Synonym(s): *Erythrobapta Common,2000 nec Weise,1902; Commonina Kemal & Koçak,2006* Original Reference: *Commonina Kemal & Koçak,2006, Cent. ent. Stud., Misc. Pap. 100: 7 (nom. nov. pro Erythrobapta Common,2000 nec Weise,1902).*
- 6225. Crassa Bruand,1850** (Oecophoridae) Synonym(s): *Crassa Bruand,1850*
- 6226. Crossotocera Zerny,1930** (Oecophoridae) Synonym(s): *Crossotocera Zerny,1930* Original Reference: *Crossotocera Zerny,1930, [in] Wagner, Int. ent. Z. 25 (2): 20. Type-species: Crossotocera wagnerella Zerny,1930, by monotypy.*
- 6227. Cryptolechia Zeller,1852** (Oecophoridae) Synonym(s): *Cryptolechia Zeller,1852; Bida Walker,1864; Hagno Chambers,1872; Melaneulia Butler,1883; Phaeosaces Meyrick,1885; Leptosaces Meyrick,1888; Pedois Turner,1900; Acolasta Meyrick,1920; Prosarotra Meyrick,1909; Hypsipselon Chrétien,1915* Original Reference: *Cryptolechia Zeller,1852, K.VetenskAkad. Handl. 1852: 106. Type-species: Crfypptolechia straminella Zeller,1852.*
- 6228. Crystallogenes Meyrick,1937** (Oecophoridae) Synonym(s): *Crystallogenes Meyrick,1937*
- 6229. Dasytroma Curtis,1833** (Oecophoridae) Synonym(s): *Dasytroma Curtis,1833*
- 6230. Decantha Busck,1908** (Oecophoridae) Synonym(s): *Decantha Busck,1908*
- 6231. Denisia Hübner,[1825]** (Oecophoridae) Synonym(s): *Denisia Hübner,[1825]*
- 6232. Depressaria Haworth,[1811]** (Oecophoridae) Synonym(s): *Depressaria Haworth,[1811]; Piesta Billberg,1820; Volucrum Berthold,1827; #Depressia Staudinger,1879; Schistodepressaria Spuler,1910* Original Reference: *Depressaria Haworth,[1811], Lepid. Br.: 505. Type-species: Phalaena heracliiana Linnaeus sensu Haworth,1811 (=Haemilis pastinacella Duponchel,1838). by subsequent designation by Curtis,1828 (for Phalaena heracliiana Linnaeus sensu Haworth).*
- 6233. Deuterogonia Rebel,1901** (Oecophoridae) Synonym(s): *Gonia Heinemann,1870 (praeocc.); Deuterogonia Rebel,1901*
- 6234. Diocosma Meyrick,1909** (Oecophoridae) Synonym(s): *Diocosma Meyrick,1909*
- 6235. Diurnea Haworth,1811** (Oecophoridae) Synonym(s): *Diurnea Haworth,1811; Enyphantes Hübner,1822; Chimabache Hübner,[1825]; Cheimophila Hübner,[1825]; Lemnatophila Treitschke,1832; Xenomicta Meyrick,1914*
- 6236. Doxomeres Meyrick,1917** (Oecophoridae) Synonym(s): *Doxomeres Meyrick,1917*
- 6237. Endrosis Hübner,[1825]** (Oecophoridae) Synonym(s): *Endrosis Hübner,[1825]*
- 6238. Epicallima Dyar,[1903]** (Oecophoridae) Synonym(s): *Callima Clemens,1860 nec Herrich-Schäff.,[1858]; Epicallima Dyar,[1903]; Dafa Hodges,1974; Hannemanniana Vives Moreno,1986; Subcallima L'vovsky & Arutjunova,1992.*
- 6239. Epiphraetis Meyrick,1908** (Oecophoridae) Synonym(s): *Epiphraetis Meyrick,1908*
- 6240. Eratophyes Diakonoff,1975** (Oecophoridae) Synonym(s): *Eratophyes Diakonoff,1975* Original Reference: *Eratophyes Diakonoff,1975, Ent. Ber., Amst. 35: 187-189. Type-species: Eratophyes aleatrix Diakonoff,1975, ibid 35: 187-189, 2 figs., by original designation.*
- 6241. Erotis Meyrick,1910** (Oecophoridae) Synonym(s): *Erotis Meyrick,1910*
- 6242. Esperia Hübner,[1825]** (Oecophoridae) Synonym(s): *Esperia Hübner,[1825]*
- 6243. Eucleodora Walsingham,1881** (Oecophoridae) Synonym(s): *Eucleodora Walsingham,1881*
- 6244. Eulechria Meyrick,1883** (Oecophoridae) Synonym(s): *Eulechria Meyrick,1883; Eriodyta Meyrick,1883; Cormotypa Meyrick,1914; #Utidana Turner,1935*
- 6245. Eutorna Meyrick,1889** (Oecophoridae) Synonym(s): *Eutorna Meyrick,1889; Heterozancla Turner,1919*
- 6246. Exaeretia Stainton,1849** (Oecophoridae) Synonym(s): *Exaeretia Stainton,1849; Depressariodes Turati,1924; Martyrhilda Clarke,1941* Original Reference: *Exaeretia Stainton,1849, Trans. ent. Soc. Lond 5: 152. Type-species: Exaeretia allisella Stainton,1849, by monotypy.*
- 6247. Fabiola Busck,1908** (Oecophoridae) Synonym(s): *Fabiola Busck,1908*
- 6248. Fuchsia Spuler,1910** (Oecophoridae) Synonym(s): *Fuchsia Spuler,1910*
- 6249. Goidanichiana Agenjo,1977** (Oecophoridae) Synonym(s): *Goidanichiana Agenjo,1977*
- 6250. Harpella Schrank,1802** (Oecophoridae) Synonym(s): *Harpella Schrank,1802*
- 6251. Hednophora Meyrick,1911** (Oecophoridae) Synonym(s): *Hednophora Meyrick,1911*
- 6252. Herrichia Staudinger,1871** (Oecophoridae) Synonym(s): *Herrichia Staudinger,1871*
- 6253. Hofmannophila Spuler,1910** (Oecophoridae) Synonym(s): *Hofmannophila Spuler,1910; #Hophmannophila Parenti,2000*

- 6254. Holoscolia Zeller, 1839** (Oecophoridae) Synonym(s): *Holoscolia Zeller, 1839* Original Reference: *Holoscolia Zeller, 1839, Isis 1839 (3): 190. Type-species: Tinea forficella Hübner, [1813] (preocc.); Holoscolia huebneri Koçak, 1980.*
- 6255. Horridopalpus Hannemann, 1953** (Oecophoridae) Synonym(s): *Horridopalpus Hannemann, 1953*
- 6256. Hypercallia Stephens, 1829** (Oecophoridae) Synonym(s): *Hypercallia Stephens, 1829*
- 6257. Hypersymmoca Chrétien, 1917** (Oecophoridae) Synonym(s): *Hypersymmoca Chrétien, 1917* Original Reference: *Hypersymmoca Chrétien, 1917, Annls Soc. ent. Fr. 85: 485. Type-species: Hypersymmoca faecivorella Chrétien, 1917, by monotypy.*
- 6258. Idioglossa Walsingham, 1881** (Oecophoridae) Synonym(s): *Metamorphia Frey & Boll, 1878 nec Hbn., [1819]; Idioglossa Walsingham, 1881; Idiostoma Walsingham, 1882*
- 6259. Idioglossa Walsingham, 1881** (Oecophoridae) Synonym(s): *Idioglossa Walsingham, 1881*
- 6260. Irepacma Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *Irepacma Moriuti, Saito & Lewvanich, 1985*
- 6261. Isocrita Meyrick, 1909** (Oecophoridae) Synonym(s): *Isocrita Meyrick, 1909*
- 6262. Karwandania Amsel, 1959** (Oecophoridae) Synonym(s): *Karwandania Amsel, 1959*
- 6263. Kasyniana Vives Moreno, 1986** (Oecophoridae) Synonym(s): *Kasyniana Vives Moreno, 1986*
- 6264. Lactistica Meyrick, 1907** (Oecophoridae) Synonym(s): *Lactistica Meyrick, 1907*
- 6265. Lasiomactra Meyrick, 1921** (Oecophoridae) Synonym(s): *Lasiomactra Meyrick, 1921*
- 6266. Levipalpus Hannemann, 1953** (Oecophoridae) Synonym(s): *Levipalpus Hannemann, 1953*
- 6267. Linoclostis Meyrick, 1908** (Oecophoridae) Synonym(s): *Linoclostis Meyrick, 1908*
- 6268. Luquetia Leraut, 1991** (Oecophoridae) Synonym(s): *Luquetia Leraut, 1991*
- 6269. Martyringa Busck, 1902** (Oecophoridae) Synonym(s): *Martyringa Busck, 1902*
- 6270. Meloteles Meyrick, 1920** (Oecophoridae) Synonym(s): *Meloteles Meyrick, 1920*
- 6271. Metachanda Meyrick, 1911** (Oecophoridae) Synonym(s): *Metachanda Meyrick, 1911*
- 6272. Metalampra Toll, 1956** (Oecophoridae) Synonym(s): *Metalampra Toll, 1956*
- 6273. Minetia Leraut, 1991** (Oecophoridae) Synonym(s): *Minetia Leraut, 1991; Athopeutis Koçak, 1993.*
- 6274. Muhabbeta Koçak, 2007** (Oecophoridae) Synonym(s): *Ursina Sinev, 1988 nec Jord., 1964; Muhabbeta Koçak, 2007* Original Reference: *Muhabbeta Koçak, 2007, Cent. ent. Stud., Misc. Pap. 105: 6 (nomen novum pro Ursina Sinev, 1988 nec Jordan, 1964).*
- 6275. Neomariania Mariani, 1943** (Oecophoridae) Synonym(s): *Mariania Rebel, 1937 nec Air., 1901; #Megaceraea Rebel, 1940; Neomariania Mariani, 1943; Megaceraea Nye & D.S. Fletcher, 1991*
- 6276. Ocyphron Meyrick, 1921** (Oecophoridae) Synonym(s): *Ocyphron Meyrick, 1921*
- 6277. Ocystola Meyrick, 1885** (Oecophoridae) Synonym(s): *Ocystola Meyrick, 1885; #Oxystola Hodges, 1999*
- 6278. Oecophora (Oecophoreola) Lvovsky, 1995** (Oecophoridae) Synonym(s): *Oecophoreola Lvovsky, 1995* Original Reference: *Oecophoreola Lvovsky, 1995, Ent. Obozr. 74: 141. Type-species: Lampros kindermanni Herrich-Schäffer, [1852], by original designation.*
- 6279. Oecophora (s.str.) Latreille, 1796** (Oecophoridae) Synonym(s): *Oecophora Latreille, 1796*
- 6280. Oecophora Latreille, 1796** (Oecophoridae) Synonym(s): *Oecophora Latreille, 1796*
- 6281. Opsigenes Meyrick, 1918** (Oecophoridae) Synonym(s): *Opsigenes Meyrick, 1918*
- 6282. Orophia Hübner, [1825]** (Oecophoridae) Synonym(s): *Orophia Hübner, [1825]*
- 6283. Orophia Hübner, [1825]** (Oecophoridae) Synonym(s): *Orophia Hübner, [1825]; Cephalispheira Bruand, 1850*
- 6284. Orygocera Walsingham, 1897** (Oecophoridae) Synonym(s): *Orygocera Walsingham, 1897*
- 6285. Oxyscopa Meyrick, 1926** (Oecophoridae) Synonym(s): *Oxyscopa Meyrick, 1926*
- 6286. Paradeuterogonia Saito, 1989** (Oecophoridae) Synonym(s): *Paradeuterogonia Saito, 1989*
- 6287. Paralecta Turner, 1897** (Oecophoridae) Synonym(s): *Paralecta Turner, 1897*
- 6288. Parapleuris Meyrick, 1937** (Oecophoridae) Synonym(s): *Parapleuris Meyrick, 1937*
- 6289. Periacma Meyrick, 1894** (Oecophoridae) Synonym(s): *Periacma Meyrick, 1894*
- 6290. Philametris Meyrick, 1924** (Oecophoridae) Synonym(s): *Philametris Meyrick, 1924*
- 6291. Philobota Meyrick, 1883** (Oecophoridae) Synonym(s): *Latometus Butler, 1882 (homonym); Philobota Meyrick, 1883; Antidica Meyrick, 1883; Mesolecta Meyrick, 1883; Talantis Meyrick, 1889; Oenochrodes Lower, 1907; Atribasta Turner, 1916*
- 6292. Phratriodes Meyrick, 1926** (Oecophoridae) Synonym(s): *Phratriodes Meyrick, 1926*
- 6293. Picrogenes Meyrick, 1917** (Oecophoridae) Synonym(s): *Picrogenes Meyrick, 1917*
- 6294. Pisinidea Butler, 1883** (Oecophoridae) Synonym(s): *Pisinidea Butler, 1883*
- 6295. Plesiosticha Meyrick, 1921** (Oecophoridae) Synonym(s): *Plesiosticha Meyrick, 1921*

- 6296. Pleurota (Macropalpula) Lvovsky,1992** (Oecophoridae) Synonym(s): *Macropalpula Lvovsky,1992* Original Reference: *Macropalpula Lvovsky,1992, Ent. Obozr. 71 (3): 638. Type-species: Tinea marginella [Denis & Schiffermüller],1775, by original designation.*
- 6297. Pleurota (Protasis) Herrich-Schäffer,[1853]** (Oecophoridae) Synonym(s): *Protasis Herrich-Schäffer,[1853]*
- 6298. Pleurota (s.str.) Hübner,[1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner,[1825]; Eupleuris Hübner,[1825]; Macrochila Stephens,1829; Palpula Treitschke,1833 nec Koll.,1832; Acropogona Sodoffsky,1837* Original Reference: *Pleurota Hübner,[1825], Verz. bekannt. Schmett. (26): 406. Type-species: [Phalaena] bicostella Clerck,1759.*
- 6299. Pleurota Hübner,[1825]** (Oecophoridae) Synonym(s): *Pleurota Hübner,[1825]; Eupleuris Hübner,[1825]; Macrochila Stephens,1829; Palpula Treitschke,1833 nec Koll.,1832; Acropogona Sodoffsky,1837* Original Reference: *Pleurota Hübner,[1825], Verz. bekannt. Schmett.: 406. Type-species: [Phalaena] bicostella Clerck,1759, by subsequent designation by Meyrick,1922.*
- 6300. Porthmologa Meyrick,1914** (Oecophoridae) Synonym(s): *Porthmologa Meyrick,1914*
- 6301. Promalactis Meyrick,1908** (Oecophoridae) Synonym(s): *Promalactis Meyrick,1908*
- 6302. Protomacha Meyrick,1883** (Oecophoridae) Synonym(s): *Protomacha Meyrick,1883*
- 6303. Pseudatemelia Rebel,1910** (Oecophoridae) Synonym(s): *Pseudatemelia Rebel,1910; Tubulifera Spuler,1910 nec Zopf,1885; Tubuliferola Strand,1917; Tubuliferodes Toll,1956*
- 6304. Rhoecoptera Meyrick,1909** (Oecophoridae) Synonym(s): *Rhoecoptera Meyrick,1909*
- 6305. Ripeacma Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *Ripeacma Moriuti, Saito & Lewvanich,1985*
- 6306. Saropla Meyrick,1883** (Oecophoridae) Synonym(s): *Saropla Meyrick,1883*
- 6307. Schiffermuelleria Hübner,[1825]** (Oecophoridae) Synonym(s): *Schiffermuelleria Hübner,[1825]; Disqueia Spuler,1910*
- 6308. Schiffermuellerina Leraut,1989** (Oecophoridae) Synonym(s): *Schiffermuellerina Leraut,1989*
- 6309. Scotodryas Turner,1932** (Oecophoridae) Synonym(s): *Scotodryas Turner,1932*
- 6310. Selidoris Meyrick,1926** (Oecophoridae) Synonym(s): *Selidoris Meyrick,1926*
- 6311. Semioscopis Hübner,[1825]** (Oecophoridae) Synonym(s): *Semioscopis Hübner,[1825]; Epigraphia Stephens,1829*
- 6312. Tachystola Meyrick,1914** (Oecophoridae) Synonym(s): *Tachystola Meyrick,1914*
- 6313. Tanyzancla Meyrick,1918** (Oecophoridae) Synonym(s): *Tanyzancla Meyrick,1918*
- 6314. Telechrysis Toll,1956** (Oecophoridae) Synonym(s): *Telechrysis Toll,1956* Original Reference: *Telechrysis Toll,1956, Annls zool. Warsz. 16: 178, 180(key). Type-species: Recurvaria tripuncta Haworth,1828 Lepid. Br.: 557, by original designation.*
- 6315. Thamnocrana Meyrick,1927** (Oecophoridae) Synonym(s): *Thamnocrana Meyrick,1927*
- 6316. Thyestarcha Meyrick,1912** (Oecophoridae) Synonym(s): *Thyestarcha Meyrick,1912*
- 6317. Tonica Walker,1864** (Oecophoridae) Synonym(s): *Tonica Walker,1864; Binsitta Walker,1864; Teratomorpha Turner,1896; Cononia Snellen,1901*
- 6318. Urodeta Stainton,1869** (Oecophoridae) Synonym(s): *Urodeta Stainton,1869*
- 6319. Xenophanta Meyrick,1914** (Oecophoridae) Synonym(s): *Xenophanta Meyrick,1914*
- 6320. Eosopostega Davis,1989** (Opotegidae) Synonym(s): *Eosopostega Davis,1989*
- 6321. Opotega Zeller,1839** (Opotegidae) Synonym(s): *Opotega Zeller,1839* Original Reference: *Opotega Zeller,1839, Isis Oken, Leipzig 1839: 214. Type-species: Elachista salaciella Treitschke,1833, in Ochsenheimer, Schmett. Eur. 9 (2): 180, by subsequent designation by Walsingham,1914, Biologia cent.-am. (Zool.) Lepid. -Heterocera 4:349*
- 6322. Opotegoides Kozlov,1985** (Opotegidae) Synonym(s): *Opotegoides Kozlov,1985*
- 6323. Pseudopostega Kozlov,1985** (Opotegidae) Synonym(s): *Pseudopostega Kozlov,1985*
- 6324. Ogygiodes Issiki & Stringer,1932** (Palaeosetidae) Synonym(s): *Ogygiodes Issiki & Stringer,1932*
- 6325. Piercolias Grote,1903** (Pieridae) Synonym(s): *Trifurcula Staudinger,1894 nec Stt.,1846 non Zell.,1848; Piercolias Grote,1903* Original Reference: *Piercolias Grote,1903, Canad. Ent. 35: 139. Type-species: Trifurcula huanaco Staudinger,1894, through Section (i) replacement names of Art.67.*
- 6326. Prodidactis Meyrick,1921** (Prodidactidae) Synonym(s): *Prodidactis Meyrick,1921*
- 6327. Lampronia Stephens,1829** (Prodoxidae) Synonym(s): *Lampronia Stephens,1829* Original Reference: *Lampronia Stephens,1829, [June], Nom. Br. Insects: 51. Type-species: Tinea rupella [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320, by subsequent designation by Curtis,1837, Br. Ent. 14: folio 639.*

- 6328. Vespina Davis,1972** (Prodoxidae) Synonym(s): *Vespina Davis,1972*
- 6329. Prototheora Meyrick,1917** (Prototheoridae) Synonym(s): *Prototheora Meyrick,1917*; *Metatheora Meyrick,1919*
- 6330. Acanthoecia De Joannis,1929** (Psychidae) Synonym(s): *Acanthoecia De Joannis,1929*
- 6331. Acanthopsyche Heylaerts,1881** (Psychidae) Synonym(s): *Acanthopsyche Heylaerts,1881*
- 6332. Acentra Burrows,1932** (Psychidae) Synonym(s): *Acentra Burrows,1932*
- 6333. Amatissa Walker,1862** (Psychidae) Synonym(s): *Amatissa Walker,1862*
- 6334. Amicta Heylaerts,1881** (Psychidae) Synonym(s): *Amicta Heylaerts,1881*
- 6335. Apterona Millièr,1857** (Psychidae) Synonym(s): *Apterona Millièr,1857*; *Cochliotheca Rambur,1866*; *Cochlophanes Staudinger,1871*; *Cochlophora Siebold,1871*.
- 6336. Auchmophila Rebel,1907** (Psychidae) Synonym(s): *Auchmophila Rebel,1907*
- 6337. Australoplacodoma Sobczyk & Mey,2007** (Psychidae) Synonym(s): *Australoplacodoma Sobczyk & Mey,2007*
- 6338. Bacotia Tutt,1899** (Psychidae) Synonym(s): *Bacotia Tutt,1899*
- 6339. Bambalina Moore,1883** (Psychidae) Synonym(s): *Bambalina Moore,1883*
- 6340. Bankesia Tutt,1899** (Psychidae) Synonym(s): *Bankesia Tutt,1899*
- 6341. Bijugis Heylaerts,1881** (Psychidae) Synonym(s): *Bijugis Heylaerts,1881*
- 6342. Brachycyttarus Hampson,1893** (Psychidae) Synonym(s): *Brachycyttarus Hampson,1893*
- 6343. Brevantennia Sieder,1953** (Psychidae) Synonym(s): *Brevantennia Sieder,1953*
- 6344. Bruandia Tutt,1900** (Psychidae) Synonym(s): *Bruandia Tutt,1900*; *Anaproutia Lewin,1949*
- 6345. Canephora Hübner,1822** (Psychidae) Synonym(s): *Canephora Hübner,1822*; *Pachytelia Westwood,1848*; *Lepidopsyche Newman,1850*; *Oiketicoides Heylaerts,1881*; *Oiketicoides Kirby,1882*; *Eurukuttarus Hampson,1891*; *#Amictoides Gerasimov,1937*; *Amictoides Bourgogne,1949 nec Bezzi,1909*; *Paramictoides Koçak,1980*.
- 6346. Chalioides Swinhoe,1892** (Psychidae) Synonym(s): *Chalioides Swinhoe,1892*
- 6347. Clania Walker,1855** (Psychidae) Synonym(s): *Clania Walker,1855*
- 6348. Cremastopsyche De Joannis,1929** (Psychidae) Synonym(s): *Cremastopsyche De Joannis,1929*; *#Crematopsyche De Joannis,1929*
- 6349. Cryptothelea Duncan & Westwood,1841** (Psychidae) Synonym(s): *Cryptothelea Duncan & Westwood,1841*; *Platoeceticus Packard,1869*; *Landsdownia Heylaerts,1881*
- 6350. Dahlica Enderlein,1912** (Psychidae) Synonym(s): *Dahlica Enderlein,1912*
- 6351. Dappula Moore,1883** (Psychidae) Synonym(s): *Dappula Moore,1883*
- 6352. Dasaratha Moore,1888** (Psychidae) Synonym(s): *Dasaratha Moore,1888*
- 6353. Degia Walker,1862** (Psychidae) Synonym(s): *Degia Walker,1862*
- 6354. Diplodoma Zeller,1852** (Psychidae) Synonym(s): *Diplodoma Zeller,1852*
- 6355. Dissoctena Staudinger,1859** (Psychidae) Synonym(s): *Dissoctena Staudinger,1859*
- 6356. Dissoctenioides Rebel,1934** (Psychidae) Synonym(s): *Dissoctenioides Rebel,1934*
- 6357. Eochorica Rebel,1940** (Psychidae) Synonym(s): *Eochorica Rebel,1940*
- 6358. Eosolenobia Filipjev,1924** (Psychidae) Synonym(s): *Eosolenobia Filipjev,1924*
- 6359. Eotaleporia Sauter,1986** (Psychidae) Synonym(s): *Eotaleporia Sauter,1986*
- 6360. Epichnopterix Hübner,[1825]** (Psychidae) Synonym(s): *Epichnopterix Hübner,[1825]*
- 6361. Eudissoctena Rebel,1935** (Psychidae) Synonym(s): *Eudissoctena Rebel,1935* Original Reference: *Eudissoctena Rebel,1935, Dt. ent. Z., Iris 48: 151. Type-species: Eudissoctena maurella Rebel,1935.*
- 6362. Eumasia Chrétien,1904** (Psychidae) Synonym(s): *Eumasia Chrétien,1904*; *Kruegeria Müller-Rutz,1920*.
- 6363. Eumelasina Kozhantshikov,1956** (Psychidae) Synonym(s): *Eumelasina Kozhantshikov,1956*; *Melapsyche Kozhantshikov,1956*.
- 6364. Eumeta Walker,1855** (Psychidae) Synonym(s): *Eumeta Walker,1855*
- 6365. Eurukuttarus Hampson,1891** (Psychidae) Synonym(s): *Eurukuttarus Hampson,1891*; *Eurycyttarus Hampson,[1893]*
- 6366. Heliopsychidea Pinker,1956** (Psychidae) Synonym(s): *Heliopsychidea Pinker,1956*
- 6367. Kalliesia Sobczyk,2004** (Psychidae) Synonym(s): *Kalliesia Sobczyk,2004* Original Reference: *Kalliesia Sobczyk,2004, Nota lepid. 27: 20-22. Type-species: Kalliesia irana Sobczyk,2004, by original designation.*
- 6368. Kophene Moore,1879** (Psychidae) Synonym(s): *Kophene Moore,1879*; *#Kophana Pagenstecher,1909*
- 6369. Kotochalia Sonan,1935** (Psychidae) Synonym(s): *Kotochalia Sonan,1935*

- 6370. Kurentzovia Solyanikov,2001** (Psychidae) **Synonym(s):** *Kurentzovia Solyanikov,2001*
Original Reference: *Kurentzovia Solyanikov,2001, Zool. Zh. 80 (4): 503. Type-species:*
Kurentzovia aragacella Solyanikov,2001, by original designation.
- 6371. Lepidoscioptera Dalla Torre,1913** (Psychidae) **Synonym(s):** *Leptopterix Hübner,[1825];*
Scioptera Rambur,1866; Lepidoscioptera Dalla Torre,1913; Parascioptera Hartig,1936.
- 6372. Loebelia Pinker,1956** (Psychidae) **Synonym(s):** *Loebelia Pinker,1956*
- 6373. Luffia Tutt,1899** (Psychidae) **Synonym(s):** *Luffia Tutt,1899*
- 6374. Mahasena Moore,1877** (Psychidae) **Synonym(s):** *Mahasena Moore,1877*
- 6375. Masonia Tutt,1900** (Psychidae) **Synonym(s):** *Masonia Tutt,1900*
- 6376. Megalophanes Heylaerts,1881** (Psychidae) **Synonym(s):** *Megalophanes Heylaerts,1881*
- 6377. Mekla Swinhoe,1892** (Psychidae) **Synonym(s):** *Mekla Swinhoe,1892*
- 6378. Metisa Walker,1855** (Psychidae) **Synonym(s):** *Metisa Walker,1855; Dasaratha Moore,1888;*
#Dasaretha Pagenstecher,1909; Semimanatha Janse,1919
- 6379. Montanima Sieder,1949** (Psychidae) **Synonym(s):** *Montanima Sieder,1949*
- 6380. Muhabbetkemalia Koçak,2015** (Psychidae) **Synonym(s):** *Psomocolax Das,1956 nec*
Peters,1929; #Muhabbetkemalia Koçak,2010 **Original Reference:** *Muhabbetkemalia Koçak (nom.nov.*
pro Psomocolax Das,1956, Ann. Mag. nat. Hist. (12) 9: 526 nec Psomocolax Peters,1929, Proc.
biol. Soc. Washington 42: 122 [Aves]). Type-species: Psomocolax katani Das,1956 [see page 2]
- 6381. Narycia Stephens,1836** (Psychidae) **Synonym(s):** *Narycia Stephens,1836*
- 6382. Neocoloneura Özdikmen,2007** (Psychidae) **Synonym(s):** *Coloneura Davis,1964 nec*
Förster,1862; Neocoloneura Özdikmen,2007
- 6383. Oiketicus Landsdown,1827** (Psychidae) **Synonym(s):** *Oiketicus Landsdown,1827; Dappula*
Moore,1883
- 6384. Oreopsyche Speyer,1865** (Psychidae) **Synonym(s):** *Oreopsyche Speyer,1865; Standfussia*
Tutt,1900
- 6385. Pagodiella Betrem,1952** (Psychidae) **Synonym(s):** *Pagodia Heylaerts,1909 (praeocc.);*
Pagodiella Betrem,1952
- 6386. Paranarychia Saigusa,1961** (Psychidae) **Synonym(s):** *Paranarychia Saigusa,1961*
- 6387. Peloponnesia Sieder,1959** (Psychidae) **Synonym(s):** *Peloponnesia Sieder,1959; Hellenia*
Sieder,1961
- 6388. Penestoglossa Rogenhofer,1875** (Psychidae) **Synonym(s):** *Psilothrix Wocke,1871 nec*
Küster,1850; Penestoglossa Rogenhofer,1875; Dyselpistis Meyrick,1938
- 6389. Phalacropterix Hübner,[1825]** (Psychidae) **Synonym(s):** *Phalacropterix Hübner,[1825];*
Phalacropteryx Agassiz,1847; Arctus Rambur,1866 nec haan,1849; Stenophanes Heylaerts,1881
- 6390. Placodoma Chrétien,1915** (Psychidae) **Synonym(s):** *Placodoma Chrétien,1915;*
Pseudodiplodoma Kozhantshikov,1956
- 6391. Postsolenobia Meier,1958** (Psychidae) **Synonym(s):** *Postsolenobia Meier,1958*
- 6392. Praesolenobia Sieder,1954** (Psychidae) **Synonym(s):** *Praesolenobia Sieder,1954*
- 6393. Proutia Tutt,1899** (Psychidae) **Synonym(s):** *Proutia Tutt,1899*
- 6394. Pseudobankesia Meier,1963** (Psychidae) **Synonym(s):** *Pseudobankesia Meier,1963*
- 6395. Pseudofumea Rebel,1934** (Psychidae) **Synonym(s):** *Pseudofumea Rebel,1934*
- 6396. Psyche Schrank,1802** (Psychidae) **Synonym(s):** *Psyche Schrank,1802; Fumaria Haworth,1811;*
Fumea Haworth,1812; Saccofera Sodoffsky,1837; Saccophora Sodoffsky,1837; Saccophora Agassiz,1847 nec
Brandt,1837; Masonia Tutt,1900; #Massonia Siedler,1975.
- 6397. Psychidea Rambur,1866** (Psychidae) **Synonym(s):** *Psychidea Rambur,1866*
- 6398. Psychidopsis Kozhantshikov,1956** (Psychidae) **Synonym(s):** *Psychidopsis*
Kozhantshikov,1956
- 6399. Pteroma Hampson,1893** (Psychidae) **Synonym(s):** *Pteroma Hampson,1893; Cremastopsyche*
De Joannis,1929
- 6400. Ptilamicta Kozhantshikov,1956** (Psychidae) **Synonym(s):** *Ptilamicta Kozhantshikov,1956*
- 6401. Ptilocephala (Bourgognia) Agenjo,1954** (Psychidae) **Synonym(s):** *Bourgognia*
Agenjo,1954
- 6402. Ptilocephala (Deuterohyalina) Dalla Torre,1920** (Psychidae) **Synonym(s):**
Deuterohyalina Dalla Torre,1920
- 6403. Ptilocephala (gr.4)** (Psychidae) **Synonym(s):**
- 6404. Ptilocephala (s.str.) Rambur,1866** (Psychidae) **Synonym(s):** *Ptilocephala Rambur,1866;*
Pyropsyche Chapman,1903
- 6405. Ptilocephala Rambur,1866** (Psychidae) **Synonym(s):** *Ptilocephala Rambur,1866; Pyropsyche*
Chapman,1903
- 6406. Pygmaeotinea Amsel,1957** (Psychidae) **Synonym(s):** *Pygmaeotinea Amsel,1957*

- 6407. Rebelia Heylaerts,1900** (Psychidae) Synonym(s): *Rebelia Heylaerts,1900*; *Leucanacantha Kozhantischikov,1956*; *Micropsychia Gomez-Bustillo,1979 nec Agassiz,1847*; *Micropsychinia Gomez-Bustillo,1979*
- 6408. Reisseronia (Tsikalasia) Hauser,1996** (Psychidae) Synonym(s): *Tsikalasia Hauser,1996* Original Reference: *Tsikalasia Hauser,1996, Ent. Z., Stuttg. 106 (11): 434. Type-species: Reisseronia (Tsikalasia) malickyi Hauser,1996, by original designation.*
- 6409. Reisseronia Siedler,1956** (Psychidae) Synonym(s): *Reisseronia Siedler,1956*
- 6410. Sciopetris Meyrick,1891** (Psychidae) Synonym(s): *Sciopetris Meyrick,1891* Original Reference: *Sciopetris Meyrick,1891, Entomologist's mon. Mag. 27: 58. Type-species: Sciopetris technica Meyrick,1891, by monotypy.*
- 6411. Siederia Meier,1957** (Psychidae) Synonym(s): *Siederia Meier,1957*
- 6412. Solemasia Zagulyaev,1995** (Psychidae) Synonym(s): *Solemasia Zagulyaev,1995* Original Reference: *Solemasia Zagulyaev,1995, Ent. Obozr. 74 (1). Type-species: Solemasia araxella Zagulyaev,1995, by monotypy.*
- 6413. Sterrhopterix Hübner,[1825]** (Psychidae) Synonym(s): *Sterrhopterix Hübner,[1825]*; *Sterrhopteryx Agassiz,1847*; *Gymna Rambur,1866*; *Trichopsyche Wallengren,1869*; *Empedopsyche Standfuss,1879*
- 6414. Stichobasis Kirby,1892** (Psychidae) Synonym(s): *Stichobasis Kirby,1892*
- 6415. Taleporia Hübner,[1825]** (Psychidae) Synonym(s): *Taleporia Hübner,[1825]*; *Cochleophasia Curtis,1834*; *Solenobia Duponchel,[1843]*; *Cochliophasia Agassiz,1847*; *Talaeporia Agassiz,1847*
- 6416. Typhonia Boisduval,1834** (Psychidae) Synonym(s): *Typhonia Boisduval,1834*; *Melasina Boisduval,1840*; *Melapsyche Kozhanchikov,1956*
- 6417. Urobarba Dierl,1969** (Psychidae) Synonym(s): *Urobarba Dierl,1969* Original Reference: *Urobarba Dierl,1969, Opusc. zool., Münch. 107: 3. Type-species: Psyche longicauda W.Warren,1888, by original designation.*
- 6418. Whittleia Tutt,1900** (Psychidae) Synonym(s): *Whittleia Tutt,1900*
- 6419. Anathyrza Meyrick,1920** (Pterolonchidae) Synonym(s): *Anathyrza Meyrick,1920*
- 6420. Kruegerius Vives Moreno,1999** (Pterolonchidae) Synonym(s): *Kruegerius Vives Moreno,1999*
- 6421. Pterolonche (Agenjius) Vives Moreno,1986** (Pterolonchidae) Synonym(s): *Agenjius Vives Moreno,1986*
- 6422. Pterolonche (Gomezibustillus) Vives Moreno,1986** (Pterolonchidae) Synonym(s): *Gomezibustillus Vives Moreno,1986*
- 6423. Pterolonche (s.str.) Zeller,1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller,1847* Original Reference: *Pterolonche Zeller,1847, Isis Oken Leipzig 1847: 896. Type-species: Pterolonche albescens Zeller,1847, ibidem 1847: 896, by subsequent designation by Fletcher,1929, Mem. Dep. Agric. India (Ent.) 11: 191.*
- 6424. Pterolonche Zeller,1847** (Pterolonchidae) Synonym(s): *Pterolonche Zeller,1847* Original Reference: *Pterolonche Zeller,1847, Isis Oken Leipzig 1847: 896. Type-species: Pterolonche albescens Zeller,1847, ibidem 1847: 896, by subsequent designation by Fletcher,1929, Mem. Dep. Agric. India (Ent.) 11: 191.*
- 6425. Adaina Tutt,1905** (Pterophoridae) Synonym(s): *Adaina Tutt,1905*
- 6426. Agdistis Hübner,[1825]** (Pterophoridae) Synonym(s): *Agdistis Hübner,[1825]*; *Adactylus Curtis,1833*; *Adactyla Zeller,1841.* Original Reference: *Agdistis Hübner,[1825], Verz. bekannt. Schmett.: 429. Type-species: Alucita adactyla Hübner,[1819], by monotypy.*
- 6427. Amblyptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Amblyptilia Hübner,[1825]*; *Amblyptilus Wallengren,1862.*
- 6428. Apoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010** (Pterophoridae) Synonym(s): *Apoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010* Original Reference: *Apoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010, Zootaxa 2693: 25-26, Type-species: Oxyptilus anthites Meyrick,1936, by original designation.*
- 6429. Arcoptilia Arenberger,1985** (Pterophoridae) Synonym(s): *Arcoptilia Arenberger,1985*
- 6430. Asiaephorus Gielis,2000** (Pterophoridae) Synonym(s): *Asiaephorus Gielis,2000*
- 6431. Bipunctiphorus Gibeaux,1994** (Pterophoridae) Synonym(s): *Bipunctiphorus Gibeaux,1994*
- 6432. Buckleria Tutt,1905** (Pterophoridae) Synonym(s): *Buckleria Tutt,1905*
- 6433. Buszkoiana Koçak,1981** (Pterophoridae) Synonym(s): *Richardia Buszko,1978 nec Robineau-Desvoidy,1830*; *Buszkoiana Koçak,1981*; *#Buzkoiana Gielis,1996* Original Reference: *Buszkoiana Koçak,1981, Priamus 1 (1): 10. Type-species: Pterophorus capnodactylus Zeller,1841, by original designation.*

- 6434. Calyciphora Kasy,1960** (Pterophoridae) **Synonym(s):** *Calyciphora Kasy,1960* **Original Reference:** *Aciptilia* (Calyciphora) Kasy,1960, Z. wien. ent. Ges. 45: 175. Type-species: *Alucita xanthodactyla* Treitschke,1833, by original designation.
- 6435. Capperia Tutt,1905** (Pterophoridae) **Synonym(s):** *Capperia Tutt,1905*; *Anacapperia Bigot & Picard,1986*. **Original Reference:** *Capperia* Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: *Phalaena heterodactyla* Villers,1789, by original designation.
- 6436. Cnaemidophorus Wallengren,1859** (Pterophoridae) **Synonym(s):** *Cnaemidophorus Wallengren,1859*
- 6437. Cosmoclostis Meyrick,1886** (Pterophoridae) **Synonym(s):** *Cosmoclostis Meyrick,1886*
- 6438. Crassuncus Gibeaux,1994** (Pterophoridae) **Synonym(s):** *Crassuncus Gibeaux,1994* **Original Reference:** *Crassuncus* Gibeaux,1994, Faune Madag. 81: 116.
- 6439. Crocydoscelus Walsingham,1897** (Pterophoridae) **Synonym(s):** *Crocydoscelus Walsingham,1897*
- 6440. Crombruggia Tutt,1906** (Pterophoridae) **Synonym(s):** *Crombruggia Tutt,1906*; *#Crombruggia Neave,1939* **Original Reference:** *Crombruggia* Tutt,1906, Nat. Hist. Br. Lepid. 5: 409, 411, 449. Type-species: *Pterophorus distans* Zeller,1847, by subsequent designation by Meyrick,1910.
- 6441. Deuterocopus Zeller,1852** (Pterophoridae) **Synonym(s):** *Deuterocopus Zeller,1852*; *#Deuterocopus Hofmann,1898*.
- 6442. Diacrotricha Zeller,1852** (Pterophoridae) **Synonym(s):** *Diacrotricha Zeller,1852*
- 6443. Emmelina Tutt,1905** (Pterophoridae) **Synonym(s):** *Emmelina Tutt,1905* **Original Reference:** *Emmelina* Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: *Phalaena monodactyla* Linnaeus,1758, by original designation.
- 6444. Eucapperia Gibeaux,1994** (Pterophoridae) **Synonym(s):** *Eucapperia Gibeaux,1994*
- 6445. Exelastis Meyrick,1907** (Pterophoridae) **Synonym(s):** *Exelastis Meyrick,1907* **Original Reference:** *Exelastis* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 730.
- 6446. Fuscoptilia Arenberger,1991** (Pterophoridae) **Synonym(s):** *Fuscoptilia Arenberger,1991*; *Snellenia Ustjuzhanin,1996 [praeocc.]* (cf. *Seven,1996*, *Priamus* 7(4): 171-172; *Qin & Zheng,2003*).
- 6447. Geina Tutt,1907** (Pterophoridae) **Synonym(s):** *Geina Tutt,1907*
- 6448. Gillmeria Tutt,1905** (Pterophoridae) **Synonym(s):** *Gillmeria Tutt,1905* **Original Reference:** *Gillmeria* Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: *Alucita ochrodactyla* [Denis & Schiffermüller],1775.
- 6449. Gypsochaes Meyrick,1890** (Pterophoridae) **Synonym(s):** *Gypsochaes Meyrick,1890*; *Sibiretta Ustjuzhanin,1996*.
- 6450. Hellinsia Tutt,1905** (Pterophoridae) **Synonym(s):** *Hellinsia Tutt,1905*; *Leioptilus Wallengren,1862 nec Gray,1860*; *Lioptilus Zeller,1867 nec Cabanis,1850*; *Paulianilus Gibeaux,1995* **Original Reference:** *Hellinsia* Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: *Pterophorus osteodactylus* Zeller,1841, by original designation.
- 6451. Hepalastis Gibeaux,1994** (Pterophoridae) **Synonym(s):** *Hepalastis Gibeaux,1994*
- 6452. Intercapperia Arenberger,1988** (Pterophoridae) **Synonym(s):** *Intercapperia Arenberger,1988*
- 6453. Lantanophaga Zimmermann,1958** (Pterophoridae) **Synonym(s):** *Lantanophaga Zimmermann,1958*
- 6454. Marasmarcha Meyrick,1886** (Pterophoridae) **Synonym(s):** *Marasmarcha Meyrick,1886*; *Snellenia Ustjuzhanin,1996* **Original Reference:** *Marasmarcha* Meyrick,1886, Trans. ent. Soc. Lond. 1886: 6, 11. Type-species: *Alucita phaeodactyla* Hübner,[1813], by subsequent designation by Tutt,1906.
- 6455. Megalorhipida Amsel,1935** (Pterophoridae) **Synonym(s):** *Megalorhipida Amsel,1935*; *Antarches Gibeaux,1994*
- 6456. Merrifieldia Tutt,1905** (Pterophoridae) **Synonym(s):** *Merrifieldia Tutt,1905* **Original Reference:** *Merrifieldia* Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: *Phalaena tridactyla* Linnaeus,1758, by original designation.
- 6457. Nippoptilia Matsumura,1931** (Pterophoridae) **Synonym(s):** *Nippoptilia Matsumura,1931*
- 6458. Ochyrotica Walsingham,1891** (Pterophoridae) **Synonym(s):** *Ochyrotica Walsingham,1891*; *Steganodactyla Walsingham,1891*
- 6459. Oidaematophorus Wallengren,1862** (Pterophoridae) **Synonym(s):** *Oidaematophorus Wallengren,1862*; *Oedematophorus Zeller,1867*; *Ovendenia Tutt,1905*; *Euleioptilus Bigot & Picard,1996*; *Oidaemalus Bigot & Picard,1996*.
- 6460. Oxyptilus Zeller,1841** (Pterophoridae) **Synonym(s):** *Oxyptilus Zeller,1841*

- 6461. Paracapperia Bigot & Picard,1986** (Pterophoridae) Synonym(s): *Paracapperia Bigot & Picard,1986*
- 6462. Paraplatyptilia Bigot & Picard,1986** (Pterophoridae) Synonym(s): *Mariana Tutt,1907 nec Locard,1889; Paraplatyptilia Bigot & Picard,1986.*
- 6463. Picardia Gibeaux,1994** (Pterophoridae) Synonym(s): *Picardia Gibeaux,1994*
- 6464. Platyptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Platyptilia Hübner,[1825]; Platyptilus Zeller,1841; Gillmeria Tutt,1905; Fredericina Tutt,1905.*
- 6465. Porritia Tutt,1905** (Pterophoridae) Synonym(s): *Porritia Tutt,1905*
- 6466. Postplatyptilia Gielis,1991** (Pterophoridae) Synonym(s): *Postplatyptilia Gielis,1991*
- 6467. Prichotilus Rose & Pooni,2005** (Pterophoridae) Synonym(s): *Prichotilus Rose & Pooni,2005*
- 6468. Procapperia Adamczewski,1951** (Pterophoridae) Synonym(s): *Procapperia Adamczewski,1951* Original Reference: *Procapperia Adamczewski,1951, Bull. Br. Mus. nat. Hist. (Ent.) 1: 338. Type-species: Oxyptilus maculatus Constant,1865, by original designation.*
- 6469. Pselnophorus Wallengren,1881** (Pterophoridae) Synonym(s): *Pselnophorus Wallengren,1881; Crasimetis Meyrick,1890.*
- 6470. Pseudoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010** (Pterophoridae) Synonym(s): *Pseudoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010* Original Reference: *Pseudoxyptilus Alipanah, Sari, Sarafrazi, Gielis & Manzari,2010, Zootaxa 2693: 29-30, Type-species: Oxyptilus secutor Meyrick,1911, by original designation.*
- 6471. Pseudoxyroptila Hori,1933** (Pterophoridae) Synonym(s): *Pseudoxyroptila Hori,1933*
- 6472. Pterophorus Schäffer,1766** (Pterophoridae) Synonym(s): *Pterophorus Schäffer,1766; Pterophora Hübner,1822; Aciptilia Hübner,[1825]; Aciptilus Zeller,1841; Acoptilia Agassiz,1847.*
- 6473. Puerphorus Arenberger,1990** (Pterophoridae) Synonym(s): *Puerphorus Arenberger,1990* Original Reference: *Puerphorus Arenberger,1990, NachrBl. bayer. Ent. 39 (1): 18, figs. Type-species: Pterophorus olbiadactylus Millière,1859, by original designation.*
- 6474. Sphenarches Meyrick,1886** (Pterophoridae) Synonym(s): *Sphenarches Meyrick,1886* Original Reference: *Sphenarches Meyrick,1886, Trans. ent. Soc. London 1886: 8.*
- 6475. Stangeia Tutt,1906** (Pterophoridae) Synonym(s): *Stangeia Tutt,1906* Original Reference: *Stangeia Tutt,1906, Nat. Hist. Br. Lepid. 5: 492. Type-species: Pterophorus siceliota Zeller,1847, by monotypy.*
- 6476. Stenodacma Amsel,1959** (Pterophoridae) Synonym(s): *Stenodacma Amsel,1959*
- 6477. Stenoptilia Hübner,[1825]** (Pterophoridae) Synonym(s): *Stenoptilia Hübner,[1825]; Mimaeseoptilus Wallengren,1862; Mimeseoptilus Zeller,1867; Doxosteres Meyrick,1886; Adkinia Tutt,1905.* Original Reference: *Stenoptilia Hübner,[1825], Verz. bekannt. Schmett.: 430. Type-species: Phalaena pterodactyla Linnaeus,1761, by subsequent designation by Tutt,1905.*
- 6478. Stenoptilodes Zimmermann,1958** (Pterophoridae) Synonym(s): *Stenoptilodes Zimmermann,1958*
- 6479. Tabulaephorus Arenberger,1993** (Pterophoridae) Synonym(s): *Tabulaephorus Arenberger,1993* Original Reference: *Tabulaephorus Arenberger,1993, Nachr. ent. Ver. Apollo (n.s.) 13 (3a): 309. Type-species: Aciptilia punctinervis Constant,1885, by original designation.*
- 6480. Tetraschalis Meyrick,1887** (Pterophoridae) Synonym(s): *Tetraschalis Meyrick,1887; Xenopterophora Hori,1933.*
- 6481. Titanoptilus Hampson,1905** (Pterophoridae) Synonym(s): *Titanoptilus Hampson,1905; Macrotrictis Meyrick,1912*
- 6482. Trichoptilus Walsingham,1880** (Pterophoridae) Synonym(s): *Trichoptilus Walsingham,1880*
- 6483. Vietteilus Gibeaux,1994** (Pterophoridae) Synonym(s): *Vietteilus Gibeaux,1994*
- 6484. Walsinghamiella Berg,1898** (Pterophoridae) Synonym(s): *Walsinghamiella Berg,1898*
- 6485. Wheeleria Tutt,1905** (Pterophoridae) Synonym(s): *Wheeleria Tutt,1905* Original Reference: *Wheeleria Tutt,1905, Entomologist's Rec. J. Var. 17: 37. Type-species: Pterophorus spilodactylus Curtis,1827, by original designation.*
- 6486. Xyroptila Meyrick,1908** (Pterophoridae) Synonym(s): *Xyroptila Meyrick,1908; Pseudoxyroptila Hori,1933*
- 6487. Abachausia Balinsky,1994** (Pylalidae) Synonym(s): *Abachausia Balinsky,1994*
- 6488. Abareia Whalley,1970** (Pylalidae) Synonym(s): *Abarys Turner,1947 nec Agass.,1847; Abareia Whalley,1970*
- 6489. Abegesta Munroe,1964** (Pylalidae) Synonym(s): *Abegesta Munroe,1964*
- 6490. Aboetheta Turner,1914** (Pylalidae) Synonym(s): *Aboetheta Turner,1914*

- 6491. Acentria Stephens, 1829** (Pyralidae) Synonym(s): *Setina* Hübner, [1819] (*praeocc.*); *Acentria* Stephens, 1829; *Acentropus* Curtis, 1834 Original Reference: *Acentria* Stephens, 1829, Nom. Br. Ins.: 27. Type-species: *Phryganea nivea* Olivier, 1791, by monotypy.
- 6492. Achantodes Guenée, 1852** (Pyralidae) Synonym(s): *Achantodes* Guenée, 1852
- 6493. Achroia Hübner, [1819]** (Pyralidae) Synonym(s): *Achroia* Hübner, [1819]; *Meliphora* Guenée, 1845; *Achroea* Agassiz, 1847; *Vobrix* Walker, 1864. Original Reference: *Achroia* Hübner, [1819], Verz. bekannter Schmett.: 163. Type-species: *Bombyx cinereola* Hübner, [1803], Samml. eur. Schmett. 3: pl. 23, fig. 91, by subsequent designation by Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: x.
- 6494. Achyra Guenée, 1849** (Pyralidae) Synonym(s): *Achyra* Guenée, 1849; *Dosara* Walker, 1859; *Eurycreon* Lederer, 1863; *Tritaea* Meyrick, 1884. Original Reference: *Achyra* Guenée, 1849, [in] Lucas, Explor. scient. Algérie... 1840-1842 (Zool.) Hist. nat. Anim. artic. 3: 404. Type-species: *Pyralis interpunctalis* Hübner, 1796, by subsequent designation by Marion, 1957.
- 6495. Acicys Turner, 1911** (Pyralidae) Synonym(s): *Acicys* Turner, 1911
- 6496. Acigona Hübner, [1825]** (Pyralidae) Synonym(s): *Acigona* Hübner, [1825]; *Eoreuma* Ely, 1910; *Coniesta* Hampson, 1919; *Chiloides* Amsel, 1949.
- 6497. Acritonia Amsel, 1954** (Pyralidae) Synonym(s): *Acritonia* Amsel, 1954 Original Reference: *Acritonia* Amsel, 1954, Ark. Zool. (2) 6: 270. Type-species: *Acritonia comeella* Amsel, 1954, by original designation.
- 6498. Acrobasis Zeller, 1839** (Pyralidae) Synonym(s): *Acrobasis* Zeller, 1839; *Conobathra* Meyrick, 1886; *Mineola* Hulst, 1890; *Seneca* Hulst, 1890; *Numonia* Ragonot, 1893; *Trachycera* Ragonot, 1893; *Acrocaula* Hulst, 1900; *Hylopylora* Meyrick, 1933; *Rhodophaeopsis* Amsel, 1950; *Catacrobasis* Gozmany, 1958; *Cyprusia* Amsel, 1958; *Acrobasopsis* Amsel, 1958; *Hylophora* Whalley, 1970; *Cyphita* Roesler, 1971 Original Reference: *Acrobasis* Zeller, 1839, Isis 1839: 176. Type-species: *Tinea consociella* Hübner, [1813], Samml. eur. Schmett. 8: pl. 48 fig. 328, by subsequent designation by Moore, [1886], Lepid. Ceylon 3: 359.
- 6499. Acropentias Meyrick, 1890** (Pyralidae) Synonym(s): *Acropentias* Meyrick, 1890 Original Reference: *Acropentias* Meyrick, 1890, Trans. ent. Soc. London 1890: 470. Type-species: *Sparagmia obtusalis* Christoph, 1881, by monotypy.
- 6500. Acteniopsis Amsel, 1959** (Pyralidae) Synonym(s): *Acteniopsis* Amsel, 1959 Original Reference: *Acteniopsis* Amsel, 1959, Bull. Soc. ent. Egypte 43: 50. Type-species: *Acteniopsis kurdistanella* Amsel, 1959, by original designation.
- 6501. Addyme Walker, 1863** (Pyralidae) Synonym(s): *Addyme* Walker, 1863; *Coleothrix* Ragonot, 1888
- 6502. Adelpherupa Hampson, 1919** (Pyralidae) Synonym(s): *Adelpherupa* Hampson, 1919; *Schoenoploca* Meyrick, 1933; *Limnopsares* Meyrick, 1934
- 6503. Adoxobotys Munroe, 1978** (Pyralidae) Synonym(s): *Adoxobotys* Munroe, 1978
- 6504. Aeglotis Amsel, 1949** (Pyralidae) Synonym(s): *Aeglotis* Amsel, 1949 Original Reference: *Aeglotis* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 242. Type-species: *Anaeglis argentalis* Christoph, 1887, by original designation.
- 6505. Aenigmodes Amsel, 1957** (Pyralidae) Synonym(s): *Aenigma* Amsel, 1956 *nec* Newm., 1836 *non* Streck., 1876; *Aenigmodes* Amsel, 1957
- 6506. Aeschremon Lederer, 1863** (Pyralidae) Synonym(s): *Aeschremon* Lederer, 1863 Original Reference: *Aeschremon* Lederer, 1863, Wien. ent. Monatschr. 7: 269, 362. Type-species: *Tegostoma disparalis* Herrich-Schäffer, 1855, by monotypy.
- 6507. Aethaloessa Lederer, 1863** (Pyralidae) Synonym(s): *Aethaloessa* Lederer, 1863; *Chnaura* Lederer, 1863
- 6508. Aethiophysa Munroe, 1964** (Pyralidae) Synonym(s): *Aethiophysa* Munroe, 1964
- 6509. Aetholix Lederer, 1863** (Pyralidae) Synonym(s): *Aetholix* Lederer, 1863
- 6510. Afromyelois Balinsky, 1991** (Pyralidae) Synonym(s): *Afromyelois* Balinsky, 1991
- 6511. Afromylea Balinsky, 1994** (Pyralidae) Synonym(s): *Afromylea* Balinsky, 1994
- 6512. Afropsipyla Balinsky, 1994** (Pyralidae) Synonym(s): *Afropsipyla* Balinsky, 1994
- 6513. Afroscoparia Nuss, 2003** (Pyralidae) Synonym(s): *Afroscoparia* Nuss, 2003
- 6514. Agassiziella Yoshiyasu, 1989** (Pyralidae) Synonym(s): *Agassizia* Yoshiyasu, 1987 *nec* Behr, 1870; *Agassiziella* Yoshiyasu, 1989 Original Reference: *Agassiziella* Yoshiyasu, 1989, Microlepid. Thailand 2: 169. Type-species: *Oligostigma angulipennis* Hampson, 1891, by original designation.
- 6515. Agastophanes Turner, 1937** (Pyralidae) Synonym(s): *Agastophanes* Turner, 1937
- 6516. Agathodes Guenée, 1854** (Pyralidae) Synonym(s): *Agathodes* Guenée, 1854; *Stenurges* Lederer, 1863

- 6517. Aglossa Latreille,[1796]** (Pyralidae) Synonym(s): *Aglossa Latreille,[1796]*; *Euclita Hübner,[1825]*; *Oryctocera Ragonot,1891*; *Crocalia Ragonot,1892*; *Agriope Ragonot,1894* Original Reference: *Aglossa Latreille,[1796]*, Précis Caract. génér. Ins.: 145. Type-species: *Phalaena pinguinalis* Linnaeus,1758, subsequently included by Latreille,[1802].
- 6518. Aglossodes Ragonot,1891** (Pyralidae) Synonym(s): *Aglossodes Ragonot,1891*
- 6519. Agrioglypta Meyrick,1932** (Pyralidae) Synonym(s): *Agrioglypta Meyrick,1932*
- 6520. Agriphila Hübner,[1825]** (Pyralidae) Synonym(s): *Agriphila Hübner,[1825]*; *Agrophila Agassiz,1847*; *Alisa Ganev & Hacker,1984 nec Bsd.,1840* Original Reference: *Agriphila Hübner,[1825]*, Verz. bekannter Schmett.: 365. Type-species: *Tinea deliella* Hübner,[1813], by subsequent designation by Lhomme (1935).
- 6521. Agriphiloides Bleszynki,1965** (Pyralidae) Synonym(s): *Agriphiloides Bleszynki,1965* Original Reference: *Agriphiloides Bleszynki,1965*, [in] Amsel, et al., Microlepid. Palaearc. 1: 49. Type-species: *Agriphiloides longipalpellus* Bleszynki,1965, by original designation.
- 6522. Agrotera Schrank,1802** (Pyralidae) Synonym(s): *Agrotera Schrank,1802*; *Tetracona Meyrick,1884*; *Sagariphora Meyrick,1894* Original Reference: *Agrotera Schrank,1802*, Fauna Boica 2(2): 163. Type-species: *Phalaena nemoralis* Scopoli,1763, Ent. Carniolica: 242, by monotypy.
- 6523. Alophia Ragonot,1893** (Pyralidae) Synonym(s): *Alophia Ragonot,1893*; *#Alophila Arenberger & Wimmer,1996* Original Reference: *Alophia Ragonot,1893*, [in] Romanoff, Mém. Lépid. 7: 433. Type-species: *Pyralis combustella* Herrich-Schäffer,1855, by monotypy.
- 6524. Alphacrambus Bassi,1995** (Pyralidae) Synonym(s): *Alphacrambus Bassi,1995*
- 6525. Ambetilia Balinsky,1994** (Pyralidae) Synonym(s): *Ambetilia Balinsky,1994*
- 6526. Ambia Walker,1859** (Pyralidae) Synonym(s): *Ambia Walker,1859*; *Metathyrida Viette,1954*; *#Metathyridia Whalley,1964* Original Reference: *Ambia Walker,1859*, List Specimens lepid. Insects Colln Br. Mus. 19: 957. Type-species: *Ambia ptolycusalis* Walker,1859, by original designation.
- 6527. Ambluncus Amsel,1954** (Pyralidae) Synonym(s): *Ambluncus Amsel,1954*
- 6528. Amechedia Amsel,1961** (Pyralidae) Synonym(s): *Amechedia Amsel,1961* Original Reference: *Amechedia Amsel,1961*, Ark. Zool. (2) 13: 385. Type-species: *Amechedia pagmanella* Amsel,1961, by original designation.
- 6529. Ammatucha Turner,1922** (Pyralidae) Synonym(s): *Ammatucha Turner,1922*; *Sumatraphycis Roesler & Küppers,1979*
- 6530. Amphiderita Turner,1925** (Pyralidae) Synonym(s): *Amphiderita Turner,1925*
- 6531. Amphithrix Ragonot,1893** (Pyralidae) Synonym(s): *Amphithrix Ragonot,1893*; *#Amphitrix Amsel,1935* Original Reference: *Amphithrix Ragonot,1893*, [in] Romanoff, Mém. lépid. 7: 185. Type-species: *Nephopterix sublineatella* Staudinger,1859, by monotypy.
- 6532. Amselia Bleszynski,1959** (Pyralidae) Synonym(s): *Amselia Bleszynski,1959*
- 6533. Anaclastis Turner,1904** (Pyralidae) Synonym(s): *Anaclastis Turner,1904*
- 6534. Anageshna Munroe,1956** (Pyralidae) Synonym(s): *Anageshna Munroe,1956*
- 6535. Analcina Turner,1911** (Pyralidae) Synonym(s): *Analcina Turner,1911*
- 6536. Analyta Lederer,1863** (Pyralidae) Synonym(s): *Analyta Lederer,1863*; *Hyperanalyta Strand,1918* Original Reference: *Analyta Lederer,1863*, Wien. ent. Monatschr. 7: 270, 405. Type-species: *Analyta albicillalis* Lederer,1863, by monotypy.
- 6537. Anania (Eurrhyncha) Hübner,[1825]** (Pyralidae) Synonym(s): *Eurrhyncha Hübner,[1825]* Original Reference: *Eurrhyncha Hübner,[1825]*, Verz. bekannt. Schmett.: 360. Type-species: *Phalaena urticae* Linnaeus,1761, by monotypy.
- 6538. Anania (Opsibotys) W.Warren,1890** (Pyralidae) Synonym(s): *Opsibotys W.Warren,1890* Original Reference: *Opsibotys W.Warren,1890*, Ann. Mag. nat. Hist. (6) 6: 474. Type-species: *Pyralis fuscalis* [Denis & Schiffermüller],1775, by original designation.
- 6539. Anania (Perinephela) Hübner,[1825]** (Pyralidae) Synonym(s): *Perinephela Hübner,[1825]*; *#Perinephela Hübner,[1826]*; *#Perinephila Hampson,1897* Original Reference: *Perinephela Hübner,[1825]*, Verz. bekannt. Schmett.: 357. Type-species: *Pyralis lancealis* [Denis & Schiffermüller],1775, by subsequent designation by Lhomme,1935.
- 6540. Anania (Phlyctaenia) Hübner,[1825]** (Pyralidae) Synonym(s): *Phlyctaenia Hübner,[1825]* Original Reference: *Phlyctaenia Hübner,[1825]*, Verz. bekannter Schmett.: 359. Type-species: *Pyralis sambucalis* [Denis & Schiffermüller],1775, by subsequent designation by Desmarest,1857.
- 6541. Anania (s.str.) Hübner,[1823]** (Pyralidae) Synonym(s): *Anania Hübner,[1823]*; *Perinephela Hübner,[1825]*; *Phlyctaenia Hübner,[1825]*; *Ennychia Treitschke,1828*; *Ebulea Doubleday,1849*; *Algedonia Lederer,1863*; *Crypsitya Meyrick,1894*; *Udonomeiga Mutuura,1954*; *Trichovalva Amsel,1956*; *Pronomis Munroe &*

- Mutuura*,1968; *Coclebotys* Munroe & *Mutuura*,1969; *Tenerobotys* Munroe & *Mutuura*,1971; *Mutuuraia* Munroe,1976; *Nealgedonia* Munroe,1976 Original Reference: *Anania* Hübner,[1823], *Zuträge Samml. exot. Schmett.* 2: 27. Type-species: *Pyralis guttalis* [Denis & Schiffermüller],1775, by subsequent designation by Hannemann (1964).
- 6542. *Anania* Hübner,[1823]** (Pyralidae) Synonym(s): *Anania* Hübner,[1823]; *Perinephela* Hübner,[1825]; *Phlyctaenia* Hübner,[1825]; *Ennychia* Treitschke,1828; *Ebulea* Doubleday,1849; *Algedonia* Lederer,1863; *Crypsitya* Meyrick,1894; *Udonomeiga* Mutuura,1954; *Trichovalva* Amsel,1956; *Pronomis* Munroe & *Mutuura*,1968; *Coclebotys* Munroe & *Mutuura*,1969; *Tenerobotys* Munroe & *Mutuura*,1971; *Mutuuraia* Munroe,1976; *Nealgedonia* Munroe,1976 Original Reference: *Anania* Hübner,[1823], *Zuträge Samml. exot. Schmett.* 2: 27. Type-species: *Pyralis guttalis* [Denis & Schiffermüller],1775, by subsequent designation by Hannemann (1964).
- 6543. *Anarpia* Chapman,1912** (Pyralidae) Synonym(s): *Anarpia* Chapman,1912 Original Reference: *Anarpia* Chapman,1912, *Trans. ent. Soc. Lond* 1911: 507. Type-species: *Eudorea pyrenaealis* Duponchel,1842, by monotypy.
- 6544. *Anartula* Staudinger,1893** (Pyralidae) Synonym(s): *Anartula* Staudinger,1893; *#Arnatula* Hampson,1906
- 6545. *Anassodes* Turner,1932** (Pyralidae) Synonym(s): *Anassodes* Turner,1932
- 6546. *Anchylobela* Turner,1947** (Pyralidae) Synonym(s): *Anchylobela* Turner,1947
- 6547. *Ancylodes* Ragonot,1887** (Pyralidae) Synonym(s): *Ancylodes* Ragonot,1887 Original Reference: *Ancylodes* Ragonot,1887, *Annls Soc. ent. Fr.* (6) 7: 250. Type-species: *Ancylodes pallens* Ragonot,1887, loc. cit., by original designation.
- 6548. *Ancylolomia* Hübner,[1825]** (Pyralidae) Synonym(s): *Ancylolomia* Hübner,[1825]; *Jartheza* Walker,1863; *Ctenus* Mabille,1906 nec Walken.,1805; *Pseudoctenella* Strand,1907; *Tollia* Amsel,1949 nec Pavlov,1914. Original Reference: *Ancylolomia* Hübner,[1825], *Verz. bekannter Schmett.*: 363. Type-species: *Tinea palpella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 134, by subsequent designation by Moore,[1866], *Lepid. Ceylon* 3: 381.
- 6549. *Ancylosis* Zeller,1839** (Pyralidae) Synonym(s): *Ancylosis* Zeller,1839; *Heterographis* Ragonot,1885; *Staudingeria* Ragonot,1887; *Syria* Ragonot,1887; *Hedemannia* Ragonot,1887; *Cabotia* Ragonot,1888; *Mona* Hulst,1888; *Heterographia* Ragonot,1890; *Hypogryphia* Ragonot,1890; *Canarsia* Hulst,1890; *Hulstia* Hampson,1901; *Encystia* Hampson,1901; *Harnocha* Dyar,1914; *Canarsiana* Strand,1920; *Homoeograptia* Hampson,1930; *Cornigerula* Amsel,1935; *Acornigerula* Amsel,1935; *Iransharia* Amsel,1959; *Niethammeriodes* Roesler,1969; *Gregorempista* Roesler,1969 Original Reference: *Ancylosis* Zeller,1839, *Isis* 1839: 178. Type-species: *Phycis dilutella* Treitschke,1832, by subsequent designation by Ragonot,1901.
- 6550. *Ancylsoma* Roesler,1973** (Pyralidae) Synonym(s): *Ancylsoma* Roesler,1973
- 6551. *Anemosa* Walker,1859** (Pyralidae) Synonym(s): *Anemosa* Walker,1859; *Drymiarcha* Meyrick,1885
- 6552. *Anephoptyx* Amsel,1955** (Pyralidae) Synonym(s): *Anephoptyx* Amsel,1955
- 6553. *Anerastia* Hübner,[1825]** (Pyralidae) Synonym(s): *Anerastia* Hübner,[1825]; *Prinanerastia* Hampson,1918 Original Reference: *Anerastia* Hübner,[1825], *Verz. bekannter Schmett.*: 367. Type-species: *Tinea lotella* Hübner,[1813], by subsequent designation by Desmarest,1857.
- 6554. *Anerosoma* Roesler,1971** (Pyralidae) Synonym(s): *Anerosoma* Roesler,1971
- 6555. *Anexophana* Viette,1960** (Pyralidae) Synonym(s): *Anexophana* Viette,1960
- 6556. *Angustalius* Marion,1954** (Pyralidae) Synonym(s): *Angustalius* Marion,1954; *Crambopsis* De Lattin,1952 nec Walk.,1865; *Bleszynskia* De Lattin,1961 Original Reference: *Angustalius* Marion,1954, *Mém. Inst. scient. Madagascar* (E) 5: 42, 50. Type-species: *Angustalius ditaeniellus* Marion,1954, by original designation
- 6557. *Anobostra* Hampson,1917** (Pyralidae) Synonym(s): *Anobostra* Hampson,1917
- 6558. *Anomocrambus* Bleszynski,1961** (Pyralidae) Synonym(s): *Anomocrambus* Bleszynski,1961
- 6559. *Anonaepestis* Ragonot,1894** (Pyralidae) Synonym(s): *Anonaepestis* Ragonot,1894
- 6560. *Anoristia* Ragonot,1887** (Pyralidae) Synonym(s): *Anoristia* Ragonot,1887; *Ingridiola* Roesler,1969. Original Reference: *Anoristia* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 236. Type-species: *Anoristia umbrifasciella* Ragonot,1887, by original designation.
- 6561. *Anthophilopsis* Ragonot,1891** (Pyralidae) Synonym(s): *Anthophilopsis* Ragonot,1891 Original Reference: *Anthophilopsis* Ragonot,1891, *Annls Soc. ent. Fr.* (6) 10: 449. Type-species: *Thalpochara moesleri* Christoph,1862, by subsequent designation by D.S.Fletcher & Nye,1984.
- 6562. *Antigastra* Lederer,1863** (Pyralidae) Synonym(s): *Antigastra* Lederer,1863 Original Reference: *Antigastra* Lederer,1863, *Wien. ent. Monatschr.* 7: 274 (key), 419. Type-species: *Botys*

- catalaunalis Duponchel, 1833 [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 8(2): 330, pl. 232 fig. 8, by monotypy.
- 6563. Anydraula Meyrick, 1885** (Pyralidae) Synonym(s): *Anydraula Meyrick, 1885*
- 6564. Aphomia Hübner, [1825]** (Pyralidae) Synonym(s): *Aphomia Hübner, [1825]*; *Ilithyia Berthold, 1827*; *Melia Curtis, 1828*; *Melissoblastes Zeller, 1839*; *Aphomoea Agassiz, 1847*; *Arenipses Hampson, 1901*; *#Arenipsis Rothschild, 1915* Original Reference: *Aphomia Hübner, [1825]*, Verz. bekannt. Schmett.: 369. Type-species: *Phalaena sociella* Linnaeus, 1758, by subsequent designation by Hampson, 1917.
- 6565. Aphrophantis Meyrick, 1933** (Pyralidae) Synonym(s): *Aphrophantis Meyrick, 1933*
- 6566. Aphyletes Ragonot, 1893** (Pyralidae) Synonym(s): *Aphyletes Ragonot, 1893*
- 6567. Aphytoceros Meyrick, 1884** (Pyralidae) Synonym(s): *Aphytoceros Meyrick, 1884*
- 6568. Apoblepta Turner, 1911** (Pyralidae) Synonym(s): *Apoblepta Turner, 1911*
- 6569. Apogeshna Munroe, 1956** (Pyralidae) Synonym(s): *Apogeshna Munroe, 1956*; *Euvalva Amsel, 1956*
- 6570. Apomyelois Heinrich, 1956** (Pyralidae) Synonym(s): *Apomyelois Heinrich, 1956*; *Ectomyelois Heinrich, 1956*; *Spectrobates sensu Roesler, 1965* Original Reference: *Apomyelois Heinrich, 1956*, Bull. U.S. natn. Mus. 207: 8, 42. Type-species: *Dioryctria bistriatella* Hulst, 1887, by original designation.
- 6571. Aporocosmus Butler, 1886** (Pyralidae) Synonym(s): *Aporocosmus Butler, 1886*
- 6572. Aporodes Guenée, 1854** (Pyralidae) Synonym(s): *Aporodes Guenée, 1854* Original Reference: *Aporodes Guenée, 1854*, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 159. Type-species: *Pyralis floralis* Hübner, [1809], by original designation.
- 6573. Apyrausta Amsel, 1951** (Pyralidae) Synonym(s): *Apyrausta Amsel, 1951* Original Reference: *Apyrausta Amsel, 1951*, Ark. Zool. 1 (36): 552. Type-species: *Apyrausta persicalis* Amsel, 1951, by monotypy.
- 6574. Araeomorpha Turner, 1908** (Pyralidae) Synonym(s): *Araeomorpha Turner, 1908*; *Tholerastis Turner, 1915*
- 6575. Araeopaschia Hampson, 1906** (Pyralidae) Synonym(s): *Araeopaschia Hampson, 1906*
- 6576. Archernis Meyrick, 1886** (Pyralidae) Synonym(s): *Archernis Meyrick, 1886*; *Chrysommatodes W. Warren, 1896*
- 6577. Archiephestia Amsel, 1955** (Pyralidae) Synonym(s): *Archiephestia Amsel, 1955*; *Bignathosia Amsel, 1955* Original Reference: *Archiephestia Amsel, 1955*, Bull. Inst. r. Sci. nat. Belg. 31: 38. Type-species: *Archiephestia murciella* Amsel, 1955, by original designation.
- 6578. Archigalleria Rebel, 1901** (Pyralidae) Synonym(s): *Archigalleria Rebel, 1901*
- 6579. Arcola Schaffer, 1995** (Pyralidae) Synonym(s): *Vogtia Pastrana, 1961 nec Kolliker, 1853*; *Arcola Schaffer, 1995*
- 6580. Ardekanopsis Amsel, 1954** (Pyralidae) Synonym(s): *Ardekanopsis Amsel, 1954*
- 6581. Ardjuna Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Ardjuna Roesler & Küppers, 1979*
- 6582. Arenochroa Munroe, 1976** (Pyralidae) Synonym(s): *Arenochroa Munroe, 1976*
- 6583. Arescoptera Turner, 1911** (Pyralidae) Synonym(s): *Arescoptera Turner, 1911*
- 6584. Argentochoiloides Bleszynski, 1961** (Pyralidae) Synonym(s): *Argentochoiloides Bleszynski, 1961*; *#Argentochoilo Bleszynski & Collins, 1962*
- 6585. Argyractis Hampson, 1897** (Pyralidae) Synonym(s): *Argyractis Hampson, 1897*; *Oxyelophila Forbes, 1922*
- 6586. Argyria Hübner, [1825]** (Pyralidae) Synonym(s): *Argyria Hübner, [1825]*; *Urola Walker, 1863*
- 6587. Argyrophorodes Marion, 1956** (Pyralidae) Synonym(s): *Argyrophorodes Marion, 1956*
- 6588. Argyrorhabda Hampson, 1926** (Pyralidae) Synonym(s): *Argyrorhabda Hampson, 1926*
- 6589. Arimania Amsel, 1954** (Pyralidae) Synonym(s): *Arimania Amsel, 1954* Original Reference: *Arimania Amsel, 1954*, Ark. zool. 6 (16): 289. Type-species: *Salebria komaroffi* Ragonot, 1888, by original designation.
- 6590. Arippara Walker, [1863]** (Pyralidae) Synonym(s): *Arippara Walker, [1863]*; *Paleca Butler, 1879*; *Paredra Snellen, 1880*
- 6591. Arnia Guenée, 1849** (Pyralidae) Synonym(s): *Arnia Guenée, 1849*
- 6592. Arsenaria Ragonot, 1891** (Pyralidae) Synonym(s): *Libya Ragonot, 1887 (preocc.)*; *Arsenaria Ragonot, 1891*
- 6593. Arsissa Ragonot, 1893** (Pyralidae) Synonym(s): *Arsissa Ragonot, 1893*; *Myeloisiphana Hartig, 1937*; *Palloria Amsel, 1961*; *Farsia Amsel, 1961*; *Anjumania Amsel, 1970*. Original Reference: *Arsissa Ragonot, 1893*, [in] Romanoff, Mém. Lépid. 7: xlv, 131. Type-species: *Pyralis ramosella* Herrich-Schäffer, 1855, by monotypy.

- 6594. Arthroschista Hampson, 1893** (Pyrilidae) Synonym(s): *Arthroschista Hampson, 1893*
- 6595. Arxama Walker, [1866]** (Pyrilidae) Synonym(s): *Arxama Walker, [1866]*
- 6596. Asalebria (Exophora) Roesler, 1988** (Pyrilidae) Synonym(s): *Exophora Roesler, 1988*
Original Reference: *Exophora Roesler, 1988, Entomofauna 9 (24): 462-463.* Type-species: *Nephoteryx florella* Mann, 1862, by original designation.
- 6597. Asalebria (s.str.) Amsel, 1953** (Pyrilidae) Synonym(s): *Asalebria Amsel, 1953; Praesalebria Amsel, 1954; Postsalebria Amsel, 1955.* Original Reference: *Asalebria Amsel, 1953, Revue fr. Ent. 20: 226.* Type-species: *Salebria venustella* Ragonot, 1887, by original designation.
- 6598. Asalebria Amsel, 1953** (Pyrilidae) Synonym(s): *Asalebria Amsel, 1953; Praesalebria Amsel, 1954; Postsalebria Amsel, 1955.* Original Reference: *Asalebria Amsel, 1953, Revue fr. Ent. 20: 226.* Type-species: *Salebria venustella* Ragonot, 1887, by original designation.
- 6599. Asarta Zeller, 1848** (Pyrilidae) Synonym(s): *Chionea Guenée, 1845 nec Dalm., 1816; Asarta Zeller, 1848.* Original Reference: *Asarta Zeller, 1848, Isis 1848: 686.* Type-species: *Phycis aethiopella* Duponchel, [1837], by subsequent designation by Ragonot, 1901 [in] Romanoff, *Mém. Lépid.* 8: 1.
- 6600. Asartodes Ragonot, 1893** (Pyrilidae) Synonym(s): *Asartodes Ragonot, 1893*
- 6601. Asclerobia Roesler, 1969** (Pyrilidae) Synonym(s): *Asclerobia Roesler, 1969*
- 6602. Aspithroides Balinsky, 1994** (Pyrilidae) Synonym(s): *Aspithroides Balinsky, 1994*
- 6603. Assara Walker, 1863** (Pyrilidae) Synonym(s): *Assara Walker, 1863; Cateremna Meyrick, 1882.* Original Reference: *Assara Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 79.* Type-species: *Assara albicostalis* Walker, 1863, by monotypy.
- 6604. Astrapometis Meyrick, 1884** (Pyrilidae) Synonym(s): *Astrapometis Meyrick, 1884*
- 6605. Ategumia Amsel, 1956** (Pyrilidae) Synonym(s): *Ategumia Amsel, 1956*
- 6606. Atelocentra Meyrick, 1884** (Pyrilidae) Synonym(s): *Atelocentra Meyrick, 1884*
- 6607. Atomopteryx Walsingham, 1891** (Pyrilidae) Synonym(s): *Stenoptycha Zeller, 1863 nec Agass., 1862; Atomopteryx Walsingham, 1891; Zellerina Torre, 1958*
- 6608. Atralata Sylven, 1947** (Pyrilidae) Synonym(s): *Ennychia Lederer, 1863 nec Treitsch., 1828; #Ennychia Duponchel, 1834; Atralata Sylven, 1947* Original Reference: *Atralata Sylven, 1947, Ark. Zool. 38 (A) 13: 7, 28, 29, 35.* Type-species: *Ennychia albofascialis* Treitschke, 1829, by original designation.
- 6609. Atritas Roesler, 1987** (Pyrilidae) Synonym(s): *Atritas Roesler, 1987*
- 6610. Auchmophoba Turner, 1913** (Pyrilidae) Synonym(s): *Petta W. Warren, 1895 nec Malmgren, 1866; Auchmophoba Turner, 1913.*
- 6611. Audeoudia Joannis, 1927** (Pyrilidae) Synonym(s): *Audeoudia Joannis, 1927*
- 6612. Aulacoptera Hampson, 1896** (Pyrilidae) Synonym(s): *Aulacoptera Hampson, 1896*
- 6613. Aurana Walker, 1863** (Pyrilidae) Synonym(s): *Aurana Walker, 1863; Longiculcita Roesler, 1975*
- 6614. Aureocramboides Bleszynski, 1961** (Pyrilidae) Synonym(s): *Aureocramboides Bleszynski, 1961*
- 6615. Aureopteryx Amsel, 1956** (Pyrilidae) Synonym(s): *Aureopteryx Amsel, 1956*
- 6616. Aurotalis Bleszynski, 1970** (Pyrilidae) Synonym(s): *Aurotalis Bleszynski, 1970*
- 6617. Austropaschia Hampson, 1916** (Pyrilidae) Synonym(s): *Austropaschia Hampson, 1916*
- 6618. Autarotis Meyrick, 1886** (Pyrilidae) Synonym(s): *Autarotis Meyrick, 1886; Pogonoptera Turner, 1911*
- 6619. Autocharis Swinhoe, 1894** (Pyrilidae) Synonym(s): *Autocharis Swinhoe, 1894* Original Reference: *Autocharis Swinhoe, 1894, Ann. Mag. nat. Hist. (6) 14: 149.* Type-species: *Glyphodes fessalis* Swinhoe, 1886, by original designation.
- 6620. Auxacia Ragonot, 1888** (Pyrilidae) Synonym(s): *Auxacia Ragonot, 1888* Original Reference: *Auxacia Ragonot, 1888, Nouv. Genres Espèces Phycitidae Galleriidae: 25.* Type-species: *Aria bilineella* Ragonot, 1887, by monotypy (a replacement name for *Aria Ragonot, 1887 nec R.-D., 1830*).
- 6621. Auxolophotis Meyrick, 1933** (Pyrilidae) Synonym(s): *Auxolophotis Meyrick, 1933*
- 6622. Axioerita Turner, 1913** (Pyrilidae) Synonym(s): *Axioerita Turner, 1913*
- 6623. Azanicola Balinsky, 1991** (Pyrilidae) Synonym(s): *Azanicola Balinsky, 1991*
- 6624. Bacotoma Moore, [1885]** (Pyrilidae) Synonym(s): *Bacotoma Moore, [1885]; Platamonia Lederer, 1863 nec Busch, 1851*
- 6625. Baeoptila Turner, 1908** (Pyrilidae) Synonym(s): *Baeoptila Turner, 1908*
- 6626. Bahiria Balinsky, 1994** (Pyrilidae) Synonym(s): *Bahiria Balinsky, 1994*
- 6627. Balaenifrons Hampson, 1896** (Pyrilidae) Synonym(s): *Balaenifrons Hampson, 1896*

- 6628. Balanomis Meyrick, 1887** (Pyrilidae) Synonym(s): *Balanomis Meyrick, 1887*
- 6629. Banepa Moore, 1888** (Pyrilidae) Synonym(s): *Banepa Moore, 1888*
- 6630. Bapara Walker, 1865** (Pyrilidae) Synonym(s): *Bapara Walker, 1865*
- 6631. Barbifrontia Hampson, 1901** (Pyrilidae) Synonym(s): *Barbifrontia Hampson, 1901*; *Sthenobela Turner, 1904*
- 6632. Barbutodes Leraut, 2013** (Pyrilidae) Synonym(s): *Barbutodes Leraut, 2013*
- 6633. Barisoa Möschler, 1886** (Pyrilidae) Synonym(s): *Barisoa Möschler, 1886*
- 6634. Bassiknysna Kemal & Koçak, 2005** (Pyrilidae) Synonym(s): *Knysna Bassi, 1999 nec Peringuey, 1902*; *Bassiknysna Kemal & Koçak, 2005* Original Reference: Bassiknysna Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nomen novum pro Knysna Bassi, 1999 nec Peringuey, 1902).
- 6635. Batiana Walker, 1866** (Pyrilidae) Synonym(s): *Batiana Walker, 1866*
- 6636. Bazaria Ragonot, 1887** (Pyrilidae) Synonym(s): *Bazaria Ragonot, 1887*; *Anorista Rebel, 1914*; *Culcita Amsel, 1959*; *Culcitaria Amsel, 1970*; *Vixsinusia Amsel, 1970*. Original Reference: Bazaria Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 234. Type-species: *Bazaria turensis* Ragonot, 1887, by subsequent designation by D.S. Fletcher & Nye, 1984.
- 6637. Belutchistania Amsel, 1951** (Pyrilidae) Synonym(s): *Belutchistania Amsel, 1951*; *#Belutschistania Amsel, 1951*
- 6638. Benderia Amsel, 1949** (Pyrilidae) Synonym(s): *Benderia Amsel, 1949* Original Reference: Benderia Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 248. Type-species: *Benderia talhouki* Amsel, 1949, by original designation.
- 6639. Bepea Koçak & Kemal, 2007** (Pyrilidae) Synonym(s): *Notaspis W. Warren, 1892 nec Hermann, 1804*; *Notesia Yamanaka, 1992 nec Casey, 1922*; *Bepea Koçak & Kemal, 2007* Original Reference: Bepea Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 105: 7 (nomen novum pro Notaspis W. Warren, 1892 nec Hermann, 1804).
- 6640. Berastagia Roesler & Küppers, 1979** (Pyrilidae) Synonym(s): *Berastagia Roesler & Küppers, 1979*
- 6641. Biafra Ragonot, 1888** (Pyrilidae) Synonym(s): *Biafra Ragonot, 1888*; *Meliarpha Ragonot, 1888*
- 6642. Bissetia Kapur, 1950** (Pyrilidae) Synonym(s): *Bissetia Kapur, 1950*; *Girdharia Kapur, 1950*
- 6643. Blepharomastix Lederer, 1863** (Pyrilidae) Synonym(s): *Blepharomastix Lederer, 1863*; *Sozoa Walker, [1866]*; *Ichtyoptila Meyrick, 1936*
- 6644. Blepharucha W. Warren, 1892** (Pyrilidae) Synonym(s): *Blepharucha W. Warren, 1892*
- 6645. Bocchoris Moore, [1885]** (Pyrilidae) Synonym(s): *Bocchoris Moore, [1885]*; *Chabula Moore, 1886*
- 6646. Boeotarcha Meyrick, 1884** (Pyrilidae) Synonym(s): *Boeotarcha Meyrick, 1884*
- 6647. Boreophila Guenée, [1845]** (Pyrilidae) Synonym(s): *Boreophila Guenée, [1845]* Original Reference: Boreophila Guenée, [1845], [in] Duponchel, Cat. méth. Lépid. Eur.: 195. Type-species: *Pyralis manualis* Geyer, [1832], by subsequent designation by Guenée, 1854.
- 6648. Borosia Gozmany, 1959** (Pyrilidae) Synonym(s): *Borosia Gozmany, 1959* Original Reference: Borosia Gozmany, 1959, Annls hist.-nat. Mus. natn. hung. 51: 363. Type-species: *Borosia aegyptiaca* Gozmany, 1959, by original designation.
- 6649. Bostra Walker, 1863** (Pyrilidae) Synonym(s): *Bostra Walker, 1863*; *Arippara Walker, 1863*; *Phasga Walker, 1863*; *Paleca Butler, 1879*; *Paredra Snellen, 1880*; *Acotomera Butler, 1881*; *Therapne Ragonot, 1890*; *Megalomia Ragonot, 1891*; *Comaria Ragonot, 1892*; *Stygiochroa Ragonot, 1895* Original Reference: Bostra Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 123. Type-species: *Bostra illusella* Walker, 1863, by monotypy.
- 6650. Botyodes Guenée, 1854** (Pyrilidae) Synonym(s): *Botyodes Guenée, 1854*; *Endocrossis Meyrick, 1889* Original Reference: Botyodes Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 320. Type-species: *Botyodes asinalis* Guenée, 1854, by subsequent designation by Moore, [1886].
- 6651. Bradina Lederer, 1863** (Pyrilidae) Synonym(s): *Bradina Lederer, 1863*; *Erilita Lederer, 1863*; *Pleonectusa Lederer, 1863*; *Stegothyris Lederer, 1863*; *Trematarcha Meyrick, 1886*
- 6652. Bradyrrhoa Zeller, 1848** (Pyrilidae) Synonym(s): *Bradyrrhoa Zeller, 1848*; *#Bradyrrhaea Marschall, 1873* Original Reference: Bradyrrhoa Zeller, 1848, Isis Oken 1848: 681. Type-species: *Phycis gilveolella* Treitschke, 1833, by subsequent designation by Ragonot, 1893.
- 6653. Brevicella Kenrick, 1912** (Pyrilidae) Synonym(s): *Brevicella Kenrick, 1912*
- 6654. Brihaspa Moore, 1868** (Pyrilidae) Synonym(s): *Brihaspa Moore, 1868*
- 6655. Burmannia Bleszynski, 1965** (Pyrilidae) Synonym(s): *Burmannia Bleszynski, 1965*
- 6656. Cabotella Balinsky, 1994** (Pyrilidae) Synonym(s): *Cabotella Balinsky, 1994*

- 6657. Cactoblastis Ragonot,1901** (Pyralidae) Synonym(s): *Cactoblastis Ragonot,1901*; *Neopyralis Brethes,1920*
- 6658. Cadarena Moore,[1886]** (Pyralidae) Synonym(s): *Idalia Hübner,[1825]*; *Cadarena Moore,[1886]*; *#Codarina Hampson,1898*
- 6659. Cadra Walker,1864** (Pyralidae) Synonym(s): *Cadra Walker,1864*; *Xenephestia Gozmany,1958*.
Original Reference: Cadra Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 961.
Type-species: *Cadra defectella* Walker,1864, by monotypy.
- 6660. Caffrocrambus Bleszynski,1961** (Pyralidae) Synonym(s): *Caffrocrambus Bleszynski,1961*
- 6661. Caina Ragonot,1893** (Pyralidae) Synonym(s): *Caina Ragonot,1893*
- 6662. Calamochrous Lederer,1863** (Pyralidae) Synonym(s): *Calamochrous Lederer,1863*; *Calamochrosta Lederer,1863*
- 6663. Calamoschoena Hampson,1916** (Pyralidae) Synonym(s): *Calamoschoena Hampson,1916*
- 6664. Calamotropa Hampson,1918** (Pyralidae) Synonym(s): *Calamotropa Hampson,1918*; *#Calamotrophia Turner,1947*
- 6665. Calamotrophia Zeller,1863** (Pyralidae) Synonym(s): *Calamotrophia Zeller,1863*; *Myeza Walker,1863*; *Aurelianus Bleszynski,1962 nec Dist.,1902* Original Reference: Calamotrophia Zeller,1863, Chilonidarum Crambidarum Genera Species: 8. Type-species: *Tinea paludella* Hübner,[1824], by subsequent designation by Shibuya,1928.
- 6666. Calamotropodes Janse,1922** (Pyralidae) Synonym(s): *Calamotropodes Janse,1922*; *#Calamotropodus Janse,1922*
- 6667. Calguia Walker,1863** (Pyralidae) Synonym(s): *Calguia Walker,1863*; *Cabragus Moore,[1886]*; *Sigmarthria Ragonot,1888*
- 6668. Callionyma Meyrick,1883** (Pyralidae) Synonym(s): *Callionyma Meyrick,1883*; *Eucallionyma Ragonot,1901*
- 6669. Calomacalla Janse,1931** (Pyralidae) Synonym(s): *Lampropygia Hampson,1906*; *Calomacalla Janse,1931*.
- 6670. Camptomastix W.Warren,1892** (Pyralidae) Synonym(s): *Camptomastix W.Warren,1892*; *Camptomastix Hampson,1896*
- 6671. Candiope Ragonot,1888** (Pyralidae) Synonym(s): *Candiope Ragonot,1888*
- 6672. Candiopella Balinsky,1994** (Pyralidae) Synonym(s): *Candiopella Balinsky,1994*
- 6673. Cangetta Moore,[1886]** (Pyralidae) Synonym(s): *Cangetta Moore,[1886]*; *Blechrophanes Turner,1937*
- 6674. Canipsa Walker,[1866]** (Pyralidae) Synonym(s): *Canipsa Walker,[1866]*; *Scopocera Moore,1888*; *Sarama Moore,1888*
- 6675. Canthelea Walker,1866** (Pyralidae) Synonym(s): *Canthelea Walker,1866*
- 6676. Cantheleamima Balinsky,1994** (Pyralidae) Synonym(s): *Cantheleamima Balinsky,1994*
- 6677. Canuza Walker,1866** (Pyralidae) Synonym(s): *Canuza Walker,1866*; *Erotomanes Meyrick,1882*
- 6678. Caprinia Walker,1859** (Pyralidae) Synonym(s): *Caprinia Walker,1859*
- 6679. Cardamyla Walker,1859** (Pyralidae) Synonym(s): *Cardamyla Walker,1859*; *Balanotis Meyrick,1884*
- 6680. Cataclysta Hübner,[1825]** (Pyralidae) Synonym(s): *Cataclysta Hübner,[1825]*; *Cryptocosma Lederer,1863*; *Eugauria Snellen,1901*; *Chalcoelopsis Dyar,1914* Original Reference: Cataclysta Hübner,[1825], Verz. bekannt. Schmett.: 363. Type-species: *Phalaena lemnata* Linnaeus,1758, by subsequent designation by Guenée,1854.
- 6681. Catagela Walker,1863** (Pyralidae) Synonym(s): *Catagela Walker,1863*
- 6682. Catalaodes Viette,1953** (Pyralidae) Synonym(s): *Catalaodes Viette,1953*
- 6683. Catamola Meyrick,1884** (Pyralidae) Synonym(s): *Catamola Meyrick,1884*; *Elaphernis Meyrick,1936*
- 6684. Catancyla Hampson,1919** (Pyralidae) Synonym(s): *Catancyla Hampson,1919*
- 6685. Cataonia Ragonot,1891** (Pyralidae) Synonym(s): *Cataonia Ragonot,1891* Original Reference: Cataonia Ragonot,1891, Annls Soc. ent. Fr. (6) 10: 449-450. Type-species: *Cataonia monocerialis* Ragonot,1891, by monotypy.
- 6686. Catapsephis Hampson,1898** (Pyralidae) Synonym(s): *Catapsephis Hampson,1898* Original Reference: Catapsephis Hampson,1898, Proc. zool. Soc. London 1898: 612. Type-species: *Catapsephis apicipuncta* Hampson,1898, by original designation.
- 6687. Catastia Hübner,[1825]** (Pyralidae) Synonym(s): *Catastia Hübner,[1825]* Original Reference: Catastia Hübner,[1825], Verz. bekannter Schmett.: 372. Type-species: *Noctua marginata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69, by subsequent designation by Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: xii, 479.

- 6688. Catharia Lederer,1863** (Pyralidae) Synonym(s): *Catharia Lederer,1863* Original Reference: *Catharia Lederer,1863, Wiener ent. Monatschr. 7: 272, 353.* Type-species: *Hercyna pyrenaealis* Duponchel,[1843], by monotypy.
- 6689. Catharylla Zeller,1863** (Pyralidae) Synonym(s): *Catharylla Zeller,1863*
- 6690. Cathyalia Ragonot,1888** (Pyralidae) Synonym(s): *Cathyalia Ragonot,1888*
- 6691. Catoptria Hübner,[1825]** (Pyralidae) Synonym(s): *Catoptria Hübner,[1825]; Exoria Hübner,[1825].* Original Reference: *Catoptria Hübner,[1825], Verz. bekannt. Schmett.: 365.* Type-species: *Catoptria speculalis* Hübner,[1825], by subsequent designation by Bleszynski,1956.
- 6692. Caustella Hampson,1930** (Pyralidae) Synonym(s): *Caustella Hampson,1930*
- 6693. Cavipalpia Ragonot,1893** (Pyralidae) Synonym(s): *Cavipalpia Ragonot,1893*
- 6694. Centropseustis Meyrick,1890** (Pyralidae) Synonym(s): *Centropseustis Meyrick,1890*
- 6695. Cereophagus Dyar,1922** (Pyralidae) Synonym(s): *Cereophagus Dyar,1922*
- 6696. Ceroprepes Zeller,1867** (Pyralidae) Synonym(s): *Ceroprepes Zeller,1867*
- 6697. Ceuthelea Balinsky,1994** (Pyralidae) Synonym(s): *Ceuthelea Balinsky,1994*
- 6698. Ceuthobotys Munroe,1978** (Pyralidae) Synonym(s): *Ceuthobotys Munroe,1978*
- 6699. Ceutholopha Zeller,1867** (Pyralidae) Synonym(s): *Ceutholopha Zeller,1867; Hypophana Meyrick,1882; #Centolopha Caradja,1910* Original Reference: *Ceutholopha Zeller,1867, Trans. ent. Soc. Lond. (3) 5: 465.* Type-species: *Nephopteryx isidis* Zeller,1867, by monotypy.
- 6700. Chabula Moore,[1886]** (Pyralidae) Synonym(s): *Chabula Moore,[1886]*
- 6701. Chalcidoptera Butler,1887** (Pyralidae) Synonym(s): *Chalcidoptera Butler,1887; Euthalantha Snellen,1895*
- 6702. Chalcoela Zeller,1872** (Pyralidae) Synonym(s): *Chalcoela Zeller,1872*
- 6703. Charltona Swinhoe,1885** (Pyralidae) Synonym(s): *Charltona Swinhoe,1885*
- 6704. Charltoniada Strand,1919** (Pyralidae) Synonym(s): *Charltoniada Strand,1919*
- 6705. Chilo Zincken,1817** (Pyralidae) Synonym(s): *Chilo Zincken,1817; Chilona Sodoffsky,1837; Borer Guenée,1854; Diphyryx Grote,1881; Nephalia Turner,1911; Hypiesta Hampson,1919; Silveria Dyar,1925* Original Reference: *Chilo Zincken,1817, Magazin Ent. (Germar) 2: 33.* Type-species: *Tinea phragmitella* Hübner,[1810], Samml. eur. Schmett. 8: pl. 43, figs. 297, 298, by subsequent designation by Duponchel,1836, [in] Godart & Duponchel, Hist. nat. Lepid. Papillons 10: 9.
- 6706. Chilochroma Amsel,1956** (Pyralidae) Synonym(s): *Chilochroma Amsel,1956*
- 6707. Chilocorsia Munroe,1964** (Pyralidae) Synonym(s): *Chilocorsia Munroe,1964*
- 6708. Chilomima Munroe,1964** (Pyralidae) Synonym(s): *Chilomima Munroe,1964*
- 6709. Chilopionea Munroe,1964** (Pyralidae) Synonym(s): *Chilopionea Munroe,1964*
- 6710. Chilotraea Kapur,1950** (Pyralidae) Synonym(s): *Chilotraea Kapur,1950; #Chilotrea Mathew,2006* Original Reference: *Chilotraea Kapur,1950, Trans. R. ent. Soc. Lond. 101: 402.*
- 6711. Chilozele Munroe,1964** (Pyralidae) Synonym(s): *Chilozele Munroe,1964*
- 6712. Chionobosca Turner,1911** (Pyralidae) Synonym(s): *Chionobosca Turner,1911*
- 6713. Cholius Guenée,1845** (Pyralidae) Synonym(s): *Cholius Guenée,1845* Original Reference: *Cholius Guenée,1845, Anns Soc. ent. Fr. (2) 3: 332.* Type-species: *Pyralis ochrealis* [Denis & Schiffermüller],1775, by monotypy.
- 6714. Choristostigma W.Warren,1892** (Pyralidae) Synonym(s): *Choristostigma W.Warren,1892; Namangania Amsel,1952*
- 6715. Christophia Ragonot,1887** (Pyralidae) Synonym(s): *Christophia Ragonot,1887; Centrometopia Ragonot,1887.*
- 6716. Chrysocatharylla Bassi,1999** (Pyralidae) Synonym(s): *Chrysocatharylla Bassi,1999*
- 6717. Chrysocrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Chrysocrambus Bleszynski,1957* Original Reference: *Chrysocrambus Bleszynski,1957, Acta zool. cracov. 1: 200 (key), 443.* Type-species: *Crambus cassentiniellus* Herrich-Schäffer,1848, by original designation.
- 6718. Chrysoteuchia Hübner,[1825]** (Pyralidae) Synonym(s): *Chrysoteuchia Hübner,[1825]; Amphibolia Snellen,1884 nec Macq.,1843* Original Reference: *Chrysoteuchia Hübner,[1825], Verz. bekannt. Schmett.: 366.* Type-species: *Tinea hortuella* Hübner,1796, by subsequent designation by Shibuya,1928.
- 6719. Chrysothyridia Munroe,1967** (Pyralidae) Synonym(s): *Chrysothyridia Munroe,1967*
- 6720. Ciliocera Amsel,1954** (Pyralidae) Synonym(s): *Ciliocera Amsel,1954* Original Reference: *Ciliocera Amsel,1954, Ark. Zool. (2) 6: 264.* Type-species: *Emmalocera leucosarca* Meyrick,1937, by original designation.
- 6721. Circobotys Butler,1879** (Pyralidae) Synonym(s): *Circobotys Butler,1879*

- 6722. Cirrhochrista Lederer, 1863** (Pyrilidae) Synonym(s): *Cirrhochrista Lederer, 1863*; *Eucallaenia Snellen, 1892*; *Pachybotys W. Warren, 1895*; *Margaronia Marumo, 1917* nec Hübner, [1825]; *Ancalidia Joannis, 1932*
- 6723. Cissachroa Turner, 1937** (Pyrilidae) Synonym(s): *Cissachroa Turner, 1937*
- 6724. Citripestis Ragonot, 1893** (Pyrilidae) Synonym(s): *Citripestis Ragonot, 1893*
- 6725. Classeya Bleszynski, 1960** (Pyrilidae) Synonym(s): *Classeya Bleszynski, 1960*
- 6726. Clupeosoma Snellen, 1880** (Pyrilidae) Synonym(s): *Clupeosoma Snellen, 1880*
- 6727. Cnaphalocrocis Lederer, 1863** (Pyrilidae) Synonym(s): *Cnaphalocrocis Lederer, 1863*; *Marasmia Lederer, 1863*; *Dolichosticha Meyrick, 1884*; *Epimima Meyrick, 1886*; *Lasiacme W. Warren, 1896*; *Bradynomorpha Matsumura, 1920*; *Susumia Marumo, 1930*; *Prodotaula Meyrick, 1934*; *#Neomarasmia Kalra, David & Banerji, 1967*
- 6728. Coelobathra Turner, 1908** (Pyrilidae) Synonym(s): *Coelobathra Turner, 1908*
- 6729. Coenochroa Ragonot, 1887** (Pyrilidae) Synonym(s): *Coenochroa Ragonot, 1887*; *Petaluma Hulst, 1888*; *Alamosa Hampson, 1901*; *Raphimetopus Hampson, 1918* Original Reference: *Coenochroa Ragonot, 1887*, Diagnoses N. Am. Phycitidae Galleridae: 20. Type-species: *Coenochroa californiella Ragonot, 1887*, by original designation.
- 6730. Coenodomus Walsingham, 1889** (Pyrilidae) Synonym(s): *Coenodomus Walsingham, 1889*; *Alippe Aurivillius, 1894*
- 6731. Coleothrix Ragonot, 1888** (Pyrilidae) Synonym(s): *Coleothrix Ragonot, 1888*
- 6732. Cometura Meyrick, 1886** (Pyrilidae) Synonym(s): *Cometura Meyrick, 1886*
- 6733. Commotria Berg, 1885** (Pyrilidae) Synonym(s): *Commotria Berg, 1885*; *#Commotria Berg, 1885*
- 6734. Comorta Ragonot, 1888** (Pyrilidae) Synonym(s): *Comorta Ragonot, 1888*
- 6735. Conchylodes (Jseppia) Koçak & Kemal, 2015** (Pyrilidae) Synonym(s): *Jseppia Koçak & Kemal, 2015* Original Reference: *Jseppia Koçak & Kemal, 2015*, Cent. ent. Stud., Memoirs 7: 2. Type-species: *Phalaena zebra Sepp, 1850*, by original designation [see page 2]
- 6736. Conchylodes (s.str.) Guenée, 1854** (Pyrilidae) Synonym(s): *Conchylodes Guenée, 1854*; *Ledereria Snellen, 1875* nec *Marschall, 1873* Original Reference: *Conchylodes Guenée, 1854*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 288. Type-species: *Lypotigris diphteralis Geyer, 1832*, by subsequent designation by Hampson (1898).
- 6737. Conchylodes Guenée, 1854** (Pyrilidae) Synonym(s): *Conchylodes Guenée, 1854*; *Ledereria Snellen, 1875* nec *Marshall, 1873* Original Reference: *Conchylodes Guenée, 1854*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 288. Type-species: *Lypotigris diphteralis Geyer, 1832*, by subsequent designation by Hampson (1898).
- 6738. Coniesta Hampson, 1919** (Pyrilidae) Synonym(s): *Coniesta Hampson, 1919*
- 6739. Conocrambus Hampson, 1919** (Pyrilidae) Synonym(s): *Conocrambus Hampson, 1919*
- 6740. Conogethes Meyrick, 1884** (Pyrilidae) Synonym(s): *Conogethes Meyrick, 1884*; *Dadessa Moore, [1886]*
- 6741. Conotalis Hampson, 1910** (Pyrilidae) Synonym(s): *Conotalis Hampson, 1910*
- 6742. Contrortipalpia Munroe, 1964** (Pyrilidae) Synonym(s): *Contrortipalpia Munroe, 1964*
- 6743. Copamyntis Meyrick, 1934** (Pyrilidae) Synonym(s): *Copamyntis Meyrick, 1934*; *#Compamyntis Roeler & Kuippers, 1979*
- 6744. Coptobasis Lederer, 1863** (Pyrilidae) Synonym(s): *Coptobasis Lederer, 1863*
- 6745. Corcyra Ragonot, 1885** (Pyrilidae) Synonym(s): *Corcyra Ragonot, 1885*; *Tineopsis Dyar, 1913* nec *Felder, 1861*. Original Reference: *Corcyra Ragonot, 1885*, Entomologist's mon. Mag. 22: 23. Type-species: *Melissoblastes cephalonica Stainton, 1866*, ibidem 2: 172, by monotypy.
- 6746. Cornifrons Lederer, 1858** (Pyrilidae) Synonym(s): *Cornifrons Lederer, 1858* Original Reference: *Cornifrons Lederer, 1858*, Wien. ent. Monatschr. 2: 147. Type-species: *Cornifrons ulceratalis Lederer, 1858*, by monotypy.
- 6747. Corynophora Berg, 1898** (Pyrilidae) Synonym(s): *Corynophora Berg, 1898*; *Halterophora Meyrick, 1897* nec *Endlicher, [1836]*
- 6748. Cosipara Munroe, 1973** (Pyrilidae) Synonym(s): *Cosipara Munroe, 1973*
- 6749. Cosmethella Munroe & Shaffer, 1980** (Pyrilidae) Synonym(s): *Cosmethella Munroe & Shaffer, 1980* Original Reference: *Cosmethella Munroe & Shaffer, 1980*, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 254. Type-species: *Vitessa unipectinalis Hampson, 1906*, by original designation.
- 6750. Cosmopetrosis Amsel, 1956** (Pyrilidae) Synonym(s): *Cosmopetrosis Amsel, 1956*
- 6751. Cotachena Moore, [1885]** (Pyrilidae) Synonym(s): *Cotachena Moore, [1885]*
- 6752. Crambidiatraea Box & Capps, 1955** (Pyrilidae) Synonym(s): *Crambidiatraea Box & Capps, 1955*

- 6753. Crambixon Bleszynski,1965** (Pyralidae) Synonym(s): *Crambixon Bleszynski,1965*
Original Reference: Crambixon Bleszynski,1965, [in] Amsel et al., Microlepid. Palaearctica 1: 48, 325. Type-species: Crambixon zarathustra Bleszynski,1965, by original designation.
- 6754. Crambus Fabricius,1798** (Pyralidae) Synonym(s): *Crambus Fabricius,1798*; *Palparia Haworth,[1811]*; *Tetrachila Hübner,1822*; *Argyroteuchia Hübner,[1825]*; *Arequipa Walker,1863*. Original Reference: Crambus Fabricius,1798, Ent. Syst. (Suppl.): 420, 464. Type-species: Phalaena pascuella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 535, by subsequent designation by Curtis,1826, Br. Ent. 3: folio 109.
- 6755. Cremnophila Ragonot,1893** (Pyralidae) Synonym(s): *Cremnophila Ragonot,1893*
Original Reference: Cremnophila Ragonot,1893, Annls Soc. ent. Fr. 61 (1892): Bull., ccxxvi.
- 6756. Cremnophila Ragonot,1893** (Pyralidae) Synonym(s): *Cremnophila Ragonot,1893*
- 6757. Creobota Turner,1931** (Pyralidae) Synonym(s): *Creobota Turner,1931*
- 6758. Criophthona Meyrick,1884** (Pyralidae) Synonym(s): *Criophthona Meyrick,1884*; *Conoprora Turner,1913*
- 6759. Crocidolomia Zeller,1852** (Pyralidae) Synonym(s): *Crocidolomia Zeller,1852*; *Godara Walker,1859*; *Pseudopisara Shiraki,1913*; *Tschahbaharia Amsel,1951*
- 6760. Crocidophora Lederer,1863** (Pyralidae) Synonym(s): *Crocidophora Lederer,1863*; *Chobera Moore,1888*; *Monocrocis W.Warren,1895*; *Elosita Snellen,1899*
- 6761. Crocydopora Meyrick,1882** (Pyralidae) Synonym(s): *Crocydopora Meyrick,1882*; *#Crocidopora Hampson,1908*; *#Crocydophora Whalley,1970*
- 6762. Crypsitya Meyrick,1894** (Pyralidae) Synonym(s): *Crypsitya Meyrick,1894*; *Coclebotys Munroe & Mutuura,1969*
- 6763. Cryptadia Turner,1913** (Pyralidae) Synonym(s): *Cryptadia Turner,1913*
- 6764. Cryptarthria Roesler,1981** (Pyralidae) Synonym(s): *Cryptarthria Roesler,1981*
- 6765. Cryptoblabes Zeller,1848** (Pyralidae) Synonym(s): *Cryptoblabes Zeller,1848*; *Albinia Briosi,[1877] nec Robineau-Desvoidy,1830* Original Reference: Cryptoblabes Zeller,1848, Isis Oken: 644. Type-species: Ancylosis rutilella Zeller,1839, by monotypy.
- 6766. Cryptobotys Munroe,1956** (Pyralidae) Synonym(s): *Cryptobotys Munroe,1956*
- 6767. Cryptomyelois Roesler & Küppers,1979** (Pyralidae) Synonym(s): *Cryptomyelois Roesler & Küppers,1979*
- 6768. Cryptophycita Roesler & Küppers,1979** (Pyralidae) Synonym(s): *Cryptophycita Roesler & Küppers,1979*
- 6769. Cryptozophera Roesler & Küppers,1979** (Pyralidae) Synonym(s): *Cryptozophera Roesler & Küppers,1979*
- 6770. Ctenarthria Ragonot,1891** (Pyralidae) Synonym(s): *Ctenarthria Ragonot,1891*
- 6771. Ctenomedes Meyrick,1935** (Pyralidae) Synonym(s): *Ctenomedes Meyrick,1935*
- 6772. Ctenomeristis Meyrick,1929** (Pyralidae) Synonym(s): *Ctenomeristis Meyrick,1929*
- 6773. Culladia Moore,1886** (Pyralidae) Synonym(s): *Araxes Walker,1863 nec Stph.,1834*; *Culladia Moore,1886*; *Crambidion Mabille,1900*; *Nirmaladia Rose,1983*
- 6774. Culladiella Bleszynski,1970** (Pyralidae) Synonym(s): *Culladiella Bleszynski,1970*
Original Reference: Culladiella Bleszynski,1970, Tijdschr. Ent. 113: 12. Type-species: Culladia sinuimargo Hampson,1919, by original designation.
- 6775. Cunibertoides Balinsky,1991** (Pyralidae) Synonym(s): *Cunibertoides Balinsky,1991*
- 6776. Curena Walker,[1866]** (Pyralidae) Synonym(s): *Curena Walker,[1866]*
- 6777. Cyanaphycis Roesler,1978** (Pyralidae) Synonym(s): *Cyanaphycis Roesler,1978*
- 6778. Cybalomia Lederer,1863** (Pyralidae) Synonym(s): *Cybalomia Lederer,1863*; *#Cybolomia Ragonot,1887*; *Capparidia Dumont,1931* Original Reference: Cybalomia Lederer,1863, Wien. ent. Monatschr. 7: 276, 420. Type-species: Botys pentadalis Lederer,1855, by monotypy.
- 6779. Cydalima Lederer,1863** (Pyralidae) Synonym(s): *Cydalima Lederer,1863*; *Sisyrophra Lederer,1863*; *Uliocome Swinhoe,1900*; *Neoglyphodes Streltsov,2008* Original Reference: Cydalima Lederer,1863, Wien. ent. Monatschr. 7: 397. Type-species: Margarodes conchylalis Guenée,1854, by subsequent designation by Moore,1886 (Lepid. Ceylon 3: 326).
- 6780. Cymoriza Guenée,1854** (Pyralidae) Synonym(s): *Cymoriza Guenée,1854*
- 6781. Cynaeda (Noctuelia) Guenée,1854** (Pyralidae) Synonym(s): *Noctuelia Guenée,1854*; *Noctuaelia Wocke,1871* Original Reference: Noctuelia Guenée,1854, [in] Boisduval & Guenée,1854, Hist. nat. Insectes 8: 113. Type-species: Cynaeda superbalis Herrich-Schäffer,1848, by monotypy.

- 6782. *Cynaeda* (Usgentia) Amsel,1949** (Pyralidae) Synonym(s): *Usgentia* Amsel,1949
Original Reference: Usgentia Amsel,1949, Bull. Soc. Fouad Ier Ent. 33: 306, 307. Type-species: Tegostoma quadridentale Zerny,1914, by original designation.
- 6783. *Cynaeda* (s.str.) Hübner,[1825]** (Pyralidae) Synonym(s): *Cynaeda* Hübner,[1825]; *Odontia Duponchel*,1832
Original Reference: Cynaeda Hübner,[1825], Verz. bekannt. Schmett: 346. Type-species: *Pyralis dentalis* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 6784. *Cynaeda* Hübner,[1825]** (Pyralidae) Synonym(s): *Cynaeda* Hübner,[1825]; *Odontia Duponchel*,1832
Original Reference: Cynaeda Hübner,[1825], Verz. bekannt. Schmett: 346. Type-species: *Pyralis dentalis* [Denis & Schiffermüller],1775, by subsequent designation by Westwood,1840.
- 6785. *Cypholomia* Meyrick,1933** (Pyralidae) Synonym(s): *Cypholomia* Meyrick,1933
- 6786. *Cyrtogramme* Yoshiyasu,1985** (Pyralidae) Synonym(s): *Cyrtogramme* Yoshiyasu,1985
Original Reference: Cyrtogramme Yoshiyasu,1985, Scient. Rep. Kyoto Pref. Univ. 37: 25. Type-species: *Paraponyx turbata* Butler,1881, by original designation.
- 6787. *Dalakia* Amsel,1961** (Pyralidae) Synonym(s): *Dalakia* Amsel,1961
- 6788. *Daria* Ragonot,1888** (Pyralidae) Synonym(s): *Daria* Ragonot,1888; *Paradaria* Kusnesov,1908.
- 6789. *Dasyscopa* Meyrick,1894** (Pyralidae) Synonym(s): *Dasyscopa* Meyrick,1894
- 6790. *Daulia* Walker,1859** (Pyralidae) Synonym(s): *Daulia* Walker,1859; *Girtexa* Swinhoe,1890
- 6791. *Dausara* Walker,1859** (Pyralidae) Synonym(s): *Dausara* Walker,1859
- 6792. *Deanolis* Snellen,1899** (Pyralidae) Synonym(s): *Deanolis* Snellen,1899
- 6793. *Dectocera* Ragonot,1887** (Pyralidae) Synonym(s): *Dectocera* Ragonot,1887
- 6794. *Dejoannisia* Vari,2002** (Pyralidae) Synonym(s): *Schoenobiodes* Joannis,1927 (praeocc.); *Dejoannisia* Vari,2002
- 6795. *Delopterus* Janse,1922** (Pyralidae) Synonym(s): *Delopterus* Janse,1922
- 6796. *Delplanqueia* Leraut,2001** (Pyralidae) Synonym(s): *Delplanqueia* Leraut,2001 Original Reference: Delplanqueia Leraut,2001, Revue fr. Ent. 23 (2): 136. Type-species: *Tinea dilutella* [Denis & Schiffermüller],1775, by original designation.
- 6797. *Deltobotys* Munroe,1964** (Pyralidae) Synonym(s): *Deltobotys* Munroe,1964
- 6798. *Denticera* Amsel,1961** (Pyralidae) Synonym(s): *Denticera* Amsel,1961 Original Reference: Denticera Amsel,1961, Ark. Zool. 13: 366. Type-species: *Denticera sardzeella* Amsel,1961, by original designation.
- 6799. *Dentifovea* Amsel,1970** (Pyralidae) Synonym(s): *Dentifovea* Amsel,1970 Original Reference: Dentifovea Amsel,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 60. Type-species: *Hellula fulvifascialis* Christoph,1887, by original designation.
- 6800. *Dentitegumia* Amsel,1961** (Pyralidae) Synonym(s): *Dentitegumia* Amsel,1961 Original Reference: Dentitegumia Amsel,1961, Ark. Zool. (2) 13: 374. Type-species: *Pristophora nigrigranella* Ragonot,1890, by original designation.
- 6801. *Desmia* Westwood,1832** (Pyralidae) Synonym(s): *Desmia* Westwood,1832; *Aediodes Guenée*,1854; *Hyalitis* Guenée,1854; *Arna* Walker,1856 nec Walker,1855
- 6802. *Deuterarcha* Meyrick,1884** (Pyralidae) Synonym(s): *Deuterarcha* Meyrick,1884
- 6803. *Deuterolia* Dyar,1914** (Pyralidae) Synonym(s): *Deuterolia* Dyar,1914
- 6804. *Deuterophysa* W.Warren,1889** (Pyralidae) Synonym(s): *Deuterophysa* W.Warren,1889; *Gonopionea* Hampson,1913
- 6805. *Diadexia* Turner,1905** (Pyralidae) Synonym(s): *Diadexia* Turner,1905
- 6806. *Dialepta* Turner,1913** (Pyralidae) Synonym(s): *Dialepta* Turner,1913
- 6807. *Diaphania* Hübner,1818** (Pyralidae) Synonym(s): *Diaphania* Hübner,1818; *Eudiptis* Hübner,1823; *Diaphania* Stephens,1829 nec Hübn.,1818; *Phakellura* Guilding,1830; *Phacellura* Agassiz,1847; *Sestia* Snellen,1875
Original Reference: Diaphania Hübner,1818, Zuträge Samml. exot. Schmett. 1: 20. Type-species: *Diaphania vitralis* Hübner,1818, by subsequent designation by Klima,1939.
- 6808. *Diasemia* Hübner,[1825]** (Pyralidae) Synonym(s): *Diasemia* Hübner,[1825]; *Prodelia* Doubleday,[1849]; *Goniogramma* Mann,1854
Original Reference: Diasemia Hübner,[1825], Verz. bekannt. Schmett.: 348. Type-species: *Phalaena litterata* Scopoli,1763, by monotypy.
- 6809. *Diasemiopsis* Munroe,1957** (Pyralidae) Synonym(s): *Diasemiopsis* Munroe,1957; *#Diasemopsis* Leraut,1997
Original Reference: Diasemiopsis Munroe,1957, Can. ent. 89: 166. Type-species: *Hydrocampa ramburialis* Duponchel,[1834], by original designation.
- 6810. *Diastictis* Hübner,1818** (Pyralidae) Synonym(s): *Diastictis* Hübner,1818; *Anomostictis* W.Warren,1892

- 6811. Diathrausta Lederer, 1863** (Pyralidae) Synonym(s): *Diathrausta Lederer, 1863*; *Tripodaula Meyrick, 1933*; #*Tripodaula Meyrick, 1956*
- 6812. Diatraea Guilding, 1832** (Pyralidae) Synonym(s): *Diatraea Guilding, 1832*; *Iesta Dyar, 1909*; *Diatraerupa Schaus, 1913*; *Trinidadia Dyar & Heinrich, 1927*
- 6813. Dichocrocis Lederer, 1863** (Pyralidae) Synonym(s): *Dichocrocis Lederer, 1863*
- 6814. Dicymolomia Zeller, 1872** (Pyralidae) Synonym(s): *Dicymolomia Zeller, 1872*; *Bifalculina Amsel, 1956*
- 6815. Didia Ragonot, 1893** (Pyralidae) Synonym(s): *Didia Ragonot, 1893*
- 6816. Didymostoma W. Warren, 1892** (Pyralidae) Synonym(s): *Didymostoma W. Warren, 1892*
- 6817. Dilacinia Amsel, 1961** (Pyralidae) Synonym(s): *Dilacinia Amsel, 1961*; #*Dilacina Amsel, 1961*
Original Reference: *Dilacinia Amsel, 1961, Ark. Zool. 13 (17): 432. Type-species: Dilacina [sic!] badialis Amsel, 1961, by original designation.*
- 6818. Dinopleura Turner, 1941** (Pyralidae) Synonym(s): *Dinopleura Turner, 1941*
- 6819. Dioryctria Zeller, 1846** (Pyralidae) Synonym(s): *Dioryctria Zeller, 1846*; *Piripestis Grote, 1878*; *Osrisia Ragonot, 1893*; *Dioryctriodes Mutuura & Munroe, 194* Original Reference: *Dioryctria Zeller, 1846, Isis 1846: 732. Type-species: Tinea abietella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Ragonot, 1893, [in] Romanoff, Mém. Lépid. 7: 188.*
- 6820. Dipha Yoshiyasu, 1988** (Pyralidae) Synonym(s): *Dipha Yoshiyasu, 1988* Original Reference: *Dipha Yoshiyasu, 1988, [in] Arakaki & Yoshiyasu, Appl. Ent. Zool. 23 (3): 242. Type-species: Melitene aphidivora Meyrick, 1934, by original designation.*
- 6821. Dipleurina Chapman, 1912** (Pyralidae) Synonym(s): *Dipleurina Chapman, 1912*
- 6822. Dipleurinodes Leraut, 1989** (Pyralidae) Synonym(s): *Dipleurinodes Leraut, 1989*
- 6823. Diplopseustis Meyrick, 1884** (Pyralidae) Synonym(s): *Diplopseustis Meyrick, 1884*; #*Diploseustis Evenhuis, 2006*
- 6824. Diploschistis Meyrick, 1937** (Pyralidae) Synonym(s): *Diploschistis Meyrick, 1937*
- 6825. Diplotalis Hampson, 1919** (Pyralidae) Synonym(s): *Diplotalis Hampson, 1919*
- 6826. Diptychophora Zeller, 1866** (Pyralidae) Synonym(s): *Diptychophora Zeller, 1866*; *Ditomoptera Hampson, 1893*
- 6827. Discofrontia Hampson, 1901** (Pyralidae) Synonym(s): *Discofrontia Hampson, 1901*
- 6828. Ditrachyptera Ragonot, 1893** (Pyralidae) Synonym(s): *Ditrachyptera Ragonot, 1893*
- 6829. Doddiana Turner, 1902** (Pyralidae) Synonym(s): *Doddiana Turner, 1902*
- 6830. Dolicharthria Stephens, 1834** (Pyralidae) Synonym(s): *Dolicharthria Stephens, 1834*; *Stenia Duponchel, 1835*; *Dolycharthria Stephens, 1850*; *Amaurophanes Lederer, 1863*; *Epistenia Chrétien, 1911 nec Westw., 1832*; *Leptarchis Meyrick, 1937*; *Parastenia Hartig, 1940* Original Reference: *Dolicharthria Stephens, 1834, Illust. Br. Ent. (Haustellata) 4: 55. Type-species: Scopula longipedalis Curtis, 1830, by monotypy.*
- 6831. Dolichobela Turner, 1932** (Pyralidae) Synonym(s): *Dolichobela Turner, 1932*
- 6832. Doloessa Zeller, 1848** (Pyralidae) Synonym(s): *Doloessa Zeller, 1848*; *Thagora Walker, 1863*; *Carcinoptera Ragonot, 1893*
- 6833. Donacaula Meyrick, 1890** (Pyralidae) Synonym(s): *Donacaula Meyrick, 1890* Original Reference: *Donacaula Meyrick, 1890, Trans. ent. Soc. Lond. 1890: 437, 466. Type-species: Tinea mucronella [Denis & Schiffermüller], 1775, by monotypy.*
- 6834. Donacoscaptes Zeller, 1877** (Pyralidae) Synonym(s): *Donacoscaptes Zeller, 1877*
- 6835. Donagoscaptus Zeller, 1877** (Pyralidae) Synonym(s): *Donagoscaptus Zeller, 1877*
- 6836. Dracaenura Meyrick, 1886** (Pyralidae) Synonym(s): *Dracaenura Meyrick, 1886*
- 6837. Drosophantis Meyrick, 1935** (Pyralidae) Synonym(s): *Drosophantis Meyrick, 1935*
- 6838. Duponchelia Zeller, 1847** (Pyralidae) Synonym(s): *Duponchelia Zeller, 1847* Original Reference: *Duponchelia Zeller, 1847, Isis 1847: 588. Type-species: Duponchelia fovealis Zeller, 1847, Isis 1847: 588, by monotypy.*
- 6839. Duzulla Amsel, 1952** (Pyralidae) Synonym(s): *Duzulla Amsel, 1952* Original Reference: *Duzulla Amsel, 1952, Mitt. münch. ent. Ges. 42: 65. Type-species: Phlyctaenodes subhyalinalis Hampson, 1900, by original designation.*
- 6840. Dysallacta Lederer, 1863** (Pyralidae) Synonym(s): *Dysallacta Lederer, 1863*
- 6841. Dysphylia Ragonot, 1888** (Pyralidae) Synonym(s): *Dysphylia Ragonot, 1888*
- 6842. Ecbatania Amsel, 1961** (Pyralidae) Synonym(s): *Ecbatania Amsel, 1961*; *Rhinogradentia Amsel, 1970*. Original Reference: *Ecbatania Amsel, 1961, Ark. zool. 13 (17): 358-359. Type-species: Ecbatania alvandella Amsel, 1961, by original designation.*
- 6843. Ecbletodes Turner, 1904** (Pyralidae) Synonym(s): *Ecbletodes Turner, 1904*

- 6844. *Eccopisa* Zeller, 1848** (Pyrilidae) Synonym(s): *Eccopisa* Zeller, 1848 Original Reference: *Eccopisa* Zeller, 1848, Isis 1848: 648. Type-species: *Eccopisa effractella* Zeller, 1848, by monotypy.
- 6845. *Eclipsiodes* Meyrick, 1884** (Pyrilidae) Synonym(s): *Eclipsiodes* Meyrick, 1884
- 6846. *Ecnomoneura* Turner, 1942** (Pyrilidae) Synonym(s): *Ecnomoneura* Turner, 1942
- 6847. *Ecpyrrhorhoe* Hübner, [1825]** (Pyrilidae) Synonym(s): *Ecpyrrhorhoe* Hübner, [1825]; *Harpadispar* Agenjo, 1952; *Pyraustegia* Marion, 1963. Original Reference: *Ecpyrrhorhoe* Hübner, [1825], Verz. bekannt. Schmett.: 356. Type-species: *Pyralis rubiginalis* Hübner, 1796, by subsequent designation by Hannemann, 1964.
- 6848. *Ectadiosoma* Turner, 1937** (Pyrilidae) Synonym(s): *Ectadiosoma* Turner, 1937
- 6849. *Elachypteryx* Turner, 1908** (Pyrilidae) Synonym(s): *Elachypteryx* Turner, 1908
- 6850. *Elbursia* Amsel, 1950** (Pyrilidae) Synonym(s): *Elbursia* Amsel, 1950 Original Reference: *Elbursia* Amsel, 1950, Ark. Zool. (2) 1: 247. Type-species: *Elbursia stocki* Amsel, 1950, by monotypy.
- 6851. *Eldana* Walker, 1865** (Pyrilidae) Synonym(s): *Eldana* Walker, 1865; *Ancylosidia* Strand, 1913
- 6852. *Elegia* Ragonot, 1887** (Pyrilidae) Synonym(s): *Elegia* Ragonot, 1887; *Ichorarchis* Meyrick, 1937. Original Reference: *Elegia* Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 229. Type-species: *Elegia atrifasciella* Ragonot, 1887, by monotypy.
- 6853. *Elethya* Ragonot, 1889** (Pyrilidae) Synonym(s): *Elethya* Ragonot, 1889 Original Reference: *Elethya* Ragonot, 1889, Annls Soc. ent. Fr. (6) 8: 281. Type-species: *Eromene subscissa* Christoph, 1877, by original designation.
- 6854. *Eleusina* Hampson, 1901** (Pyrilidae) Synonym(s): *Eleusina* Hampson, 1901
- 6855. *Elisabethinia* Ghesquière, 1942** (Pyrilidae) Synonym(s): *Elisabethinia* Ghesquière, 1942
- 6856. *Eloeidiphilos* Praviel, 1938** (Pyrilidae) Synonym(s): *Eloeidiphilos* Praviel, 1938; *Palmia* Whalley, 1964 nec Beutenm., 1896; *Eloeidiphilos*
- 6857. *Elophila* Hübner, 1822** (Pyrilidae) Synonym(s): *Elophila* Hübner, 1822; *Hydrocampus* Berthold, 1827; *Hydrocampa* Stephens, 1829; *Hydrocampe* Latreille, 1829; *Cyrtogramme* Yoshiyasu, 1985 Original Reference: *Elophila* Hübner, 1822, Syst.-alphab. Verz.: 54-57. Type-species: *Phalaena nymphaeata* Linnaeus, 1758, by subsequent designation by Whalley, 1966.
- 6858. *Ematheudes* Zeller, 1867** (Pyrilidae) Synonym(s): *Ematheudes* Zeller, 1867; *Proavitheudes* Amsel, 1961 Original Reference: *Ematheudes* Zeller, 1867, Stettin ent. Ztg. 28 (10/12): 385. Type-species: *Chilo punctellus* Treitschke, 1833.
- 6859. *Emmalocera* Ragonot, 1888** (Pyrilidae) Synonym(s): *Ampycophora* Meyrick, 1882 nec Wahlb., 1847; *Emmalocera* Ragonot, 1888; *Lodiana* Ragonot, 1888; *Poujadia* Ragonot, 1888; *Baroda* Ragonot, 1888 nec Stoliczka, 1870; *Pectinigeria* Ragonot, 1888; *Ambala* Ragonot, 1888; *Socora* Ragonot, 1888; *Papua* Ragonot, 1890; *Critonia* Ragonot, 1891; *Enosima* Ragonot, 1901; *Singhaliella* Strand, 1920 Original Reference: *Emmalocera* Ragonot, 1888, Nouv. Genres Espèces Phycitidae Galleridae: 38. Type-species: *Emmalocera crenatella* Ragonot, 1888, by original designation.
- 6860. *Emphylica* Turner, 1913** (Pyrilidae) Synonym(s): *Emphylica* Turner, 1913
- 6861. *Emporia* Ragonot, 1887** (Pyrilidae) Synonym(s): *Emporia* Ragonot, 1887
- 6862. *Emprepes* Lederer, 1863** (Pyrilidae) Synonym(s): *Phlyctaenodes* Guenée, 1854 nec Newm., 1840; *Emprepes* Lederer, 1863; *Hammocallos* Chrétien, 1908 Original Reference: *Emprepes* Lederer, 1863, Wien. ent. Monatschr. 7: 269, 360. Type-species: *Pyrausta pudicalis* Duponchel, 1832, by subsequent designation by Lhomme, 1939.
- 6863. *Enchocnemidia* Lederer, 1863** (Pyrilidae) Synonym(s): *Enchocnemidia* Lederer, 1863
- 6864. *Encryphodes* Turner, 1913** (Pyrilidae) Synonym(s): *Encryphodes* Turner, 1913
- 6865. *Endocrossis* Meyrick, 1889** (Pyrilidae) Synonym(s): *Endocrossis* Meyrick, 1889
- 6866. *Endolasia* Hampson, 1896** (Pyrilidae) Synonym(s): *Endolasia* Hampson, 1896
- 6867. *Endosimilis* Whalley, 1961** (Pyrilidae) Synonym(s): *Endosimilis* Whalley, 1961
- 6868. *Endotricha* Zeller, 1847** (Pyrilidae) Synonym(s): *Endotricha* Zeller, 1847; *Doththa* Walker, 1859; *Messatis* Walker, 1859; *Pacoria* Walker, 1866; *Zania* Walker, 1866; *Tricomia* Walker, 1866; *Rhisina* Walker, 1866; *#Paconia* Walker, 1866; *Endotrichodes* Ragonot, 1891; *Endotrichopsis* W. Warren, 1895; *#Rhisinia* Whalley, 1961 Original Reference: *Endotricha* Zeller, 1847, Isis 1847: 593. Type-species: *Pyralis flammealis* [Denis & Schiffermüller], 1775, by original designation.
- 6869. *Ennomosia* Amsel, 1956** (Pyrilidae) Synonym(s): *Ennomosia* Amsel, 1956
- 6870. *Eodiatraea* Box, 1953** (Pyrilidae) Synonym(s): *Eodiatraea* Box, 1953
- 6871. *Eoophyla* Swinhoe, 1900** (Pyrilidae) Synonym(s): *Eoophyla* Swinhoe, 1900
- 6872. *Eoparagyraetis* Lange, 1956** (Pyrilidae) Synonym(s): *Eoparagyraetis* Lange, 1956

- 6873. Epacternis Meyrick, 1933** (Pyralidae) Synonym(s): *Epacternis Meyrick, 1933*
- 6874. Epactoctena Meyrick, 1937** (Pyralidae) Synonym(s): *Epactoctena Meyrick, 1937* Original Reference: *Epactoctena Meyrick, 1937*, Exot. Microlep. 5: 105. Type-species: *Metasia octogonalis* Lederer, 1863.
- 6875. Epascestria Hübner, [1825]** (Pyralidae) Synonym(s): *Epascestria Hübner, [1825]*; *Phlyctaenodes Guenée, 1854*; *#Phlyctoerodes Le Cerf, [1910]*; *#Epascestria Marion, 1957* Original Reference: *Epascestria Hübner, [1825]*, Verz. bekannt. Schmett.: 358. Type-species: *Pyralis pustulalis* Hübner, [1823], by subsequent designation by Marion, 1957.
- 6876. Ephedrophila Dumont, 1928** (Pyralidae) Synonym(s): *Ephedrophila Dumont, 1928* Original Reference: *Ephedrophila Dumont, 1928*, Ency. ent. (Sér.B) iii, Lep.3: 28. Type-species: *Ulotricha lucasi* Mabille, 1907.
- 6877. Ephelis Lederer, 1863** (Pyralidae) Synonym(s): *Ephelis Lederer, 1863* Original Reference: *Ephelis Lederer, 1863*, Wien. ent. Monatschr. 7: 273, 356. Type-species: *Uresiphita cruentalis* Geyer, 1832, by monotypy.
- 6878. Ephestia (Anagasta) Heinrich, 1956** (Pyralidae) Synonym(s): *Anagasta Heinrich, 1956* Original Reference: *Anagasta Heinrich, 1956*, Bull. U.S. natn. Mus. 207: 186, Type-species: *Ephestia kuehniella* Zeller, 1879, by original designation. 299.
- 6879. Ephestia (s.str.) Guenée, 1845** (Pyralidae) Synonym(s): *Ephestia Guenée, 1845*; *Hyphantidium Scott, 1859*. Original Reference: *Ephestia Guenée, 1845*, Annls Soc. ent. Fr. (2) 3: 319. Type-species: *Tinea elutella* Hübner, 1796, Samml. eur. Schmett. 8: 33, pl. 24, fig. 163., by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 6880. Ephestia Guenée, 1845** (Pyralidae) Synonym(s): *Ephestia Guenée, 1845*; *Hyphantidium Scott, 1859*. Original Reference: *Ephestia Guenée, 1845*, Annls Soc. ent. Fr. (2) 3: 319. Type-species: *Tinea elutella* Hübner, 1796, Samml. eur. Schmett. 8: 33, pl. 24, fig. 163., by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 6881. Ephestiopsis Ragonot, 1893** (Pyralidae) Synonym(s): *Ephestiopsis Ragonot, 1893*; *#Ephestiopsis Neave, 1939*
- 6882. Ephormotris Meyrick, 1933** (Pyralidae) Synonym(s): *Ephormotris Meyrick, 1933*
- 6883. Epichalcia Roesler, 1969** (Pyralidae) Synonym(s): *Epichalcia Roesler, 1969*
- 6884. Epichilo Ragonot, 1888** (Pyralidae) Synonym(s): *Epichilo Ragonot, 1888*
- 6885. Epicorsia Hübner, 1818** (Pyralidae) Synonym(s): *Epicorsia Hübner, 1818*
- 6886. Epicrocis Zeller, 1848** (Pyralidae) Synonym(s): *Epicrocis Zeller, 1848*; *Gabra Walker, 1866*; *Canthelea Walker, 1866*
- 6887. Epiecia Walker, 1866** (Pyralidae) Synonym(s): *Epiecia Walker, 1866*
- 6888. Epiepischnia Amsel, 1954** (Pyralidae) Synonym(s): *Epiepischnia Amsel, 1954* Original Reference: *Epiepischnia Amsel, 1954*, Ark. Zool. (2) 6: 308. Type-species: *Epiepischnia pseudolydella* Amsel, 1954, by original designation.
- 6889. Epilepia Janse, 1931** (Pyralidae) Synonym(s): *Epilepia Janse, 1931*
- 6890. Epilydia Amsel, 1954** (Pyralidae) Synonym(s): *Epilydia Amsel, 1954*
- 6891. Epimetasia Ragonot, 1894** (Pyralidae) Synonym(s): *Metasiodes Ragonot, 1894* nec *Meyr.*, 1894; *Epimetasia Ragonot, 1894*; *Thyridopsis Amsel, 1953* Original Reference: *Epimetasia Ragonot, 1894*, Annls Soc. ent. Fr. 63: 226. Type-species: *Metasiodes vestalis* Ragonot, 1894, by original designation for *Metasiodes Ragonot, 1894*.
- 6892. Epina Walker, 1866** (Pyralidae) Synonym(s): *Epina Walker, 1866*; *Diatraenopsis Dyar & Heinrich, 1927*
- 6893. Epipagis Hübner, [1825]** (Pyralidae) Synonym(s): *Epipagis Hübner, [1825]*; *Stenophyes Lederer, 1863*
- 6894. Epiparthia Amsel, 1935** (Pyralidae) Synonym(s): *Epiparthia Amsel, 1935*; *Irakia Amsel, 1955*. Original Reference: *Epiparthia Amsel, 1935*, Veröff. dt. Kolon. u. □berseeMus. Bremen 1: 216. Type-species: *Epiparthia vasta* Amsel, 1935, by original designation.
- 6895. Epischidia Rebel, 1901** (Pyralidae) Synonym(s): *Epischidia Rebel, 1901*; *Epischidia Hampson, 1901* Original Reference: *Epischidia Rebel, 1901*, [in] Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb. (3) 2: 21 Type-species: *Phycis fulvostrigella* Eversmann, 1844, by subsequent designation by D.S. Fletcher & Nye, 1984.
- 6896. Epischnia Hübner, [1825]** (Pyralidae) Synonym(s): *Epischnia Hübner, [1825]* Original Reference: *Epischnia Hübner, [1825]*, Verz. bekannter Schmett.: 371. Type-species: *Tinea prodromella* Hübner, 1796, Samml. eur. Schmett. 8: pl. 37 fig. 254, by subsequent designation by Bruand, [1848], Mém. Soc. Emul. Doubs [1] 3 (1, livr. 2): 105.

- 6897. *Epischnopsis* Amsel, 1954** (Pyrilidae) Synonym(s): *Epischnopsis* Amsel, 1954
- 6898. *Episcythrastis* Meyrick, 1937** (Pyrilidae) Synonym(s): *Episcythrastis* Meyrick, 1937; *Myelopsis* Heinrich, 1956. Original Reference: *Episcythrastis* Meyrick, 1937, *Exotic Microlep.* 5: 74. Type-species: *Episcythrastis elaphitis* Meyrick, 1937, by monotypy.
- 6899. *Episindris* Ragonot, 1891** (Pyrilidae) Synonym(s): *Episindris* Ragonot, 1891
- 6900. *Epizonora* Ragonot, 1892** (Pyrilidae) Synonym(s): *Epizonora* Ragonot, 1892 Original Reference: *Epizonora* Ragonot, 1892, *Annls Soc. ent. Fr.* 60: 637. Type-species: *Hypotia speciosalis* Christoph, 1885, by monotypy.
- 6901. *Epizonora* Ragonot, 1892** (Pyrilidae) Synonym(s): *Epizonora* Ragonot, 1892 Original Reference: *Epizonora* Ragonot, 1892, *Annls Soc. ent. Fr.* 60: 637. Type-species: *Hypotia speciosalis* Christoph, 1885, by monotypy.
- 6902. *Eporidia* Walker, 1859** (Pyrilidae) Synonym(s): *Eporidia* Walker, 1859
- 6903. *Eranistis* Meyrick, 1909** (Pyrilidae) Synonym(s): *Eranistis* Meyrick, 1909
- 6904. *Ercta* Walker, 1859** (Pyrilidae) Synonym(s): *Ercta* Walker, 1859
- 6905. *Eremographa* Meyrick, 1932** (Pyrilidae) Synonym(s): *Eremographa* Meyrick, 1932
- 6906. *Eristena* W. Warren, 1896** (Pyrilidae) Synonym(s): *Eristena* W. Warren, 1896
- 6907. *Ernophthora* Meyrick, 1887** (Pyrilidae) Synonym(s): *Ernophthora* Meyrick, 1887; *Aspithra* Ragonot, 1888; *Mimistis* Hampson, 1896
- 6908. *Erpis* Walker, 1863** (Pyrilidae) Synonym(s): *Erpis* Walker, 1863
- 6909. *Ertzica* Walker, 1866** (Pyrilidae) Synonym(s): *Acara* Walker, 1863 *nec* Heckel, 1840; *Ertzica* Walker, 1866 Original Reference: *Ertzica* Walker, 1866, *List Specimens lepid. Insects Colln Br. Mus.* 35: 1768. Type-species: *Ertzica maximella* Walker, 1866, by monotypy.
- 6910. *Erupa* Walker, 1864** (Pyrilidae) Synonym(s): *Erupa* Walker, 1864; *Zolea* Walker, 1866; *Gabalanea* Walker, 1866
- 6911. *Eschata* Walker, 1856** (Pyrilidae) Synonym(s): *Eschata* Walker, 1856; *Chaerecla* Walker, 1865.
- 6912. *Essina* Ragonot, 1891** (Pyrilidae) Synonym(s): *Essina* Ragonot, 1891
- 6913. *Ethopia* Walker, 1864** (Pyrilidae) Synonym(s): *Ethopia* Walker, 1864 Original Reference: *Ethopia* Walker, 1864, *List Specimens Lepid. Ins. Br. Mus.* 31: 233. Type-species: *Ethopia roseilinea* Walker, 1864, by monotypy.
- 6914. *Etiella* Zeller, 1839** (Pyrilidae) Synonym(s): *Etiella* Zeller, 1839; *Rhamphodes* Guenée, 1845; *Mella* Walker, 1859; *Modiana* Walker, 1863; *Alata* Walker, 1863 *nec* Linck, 1783; *Arucha* Walker, 1863; *Ceratamma* Butler, 1881. Original Reference: *Etiella* Zeller, 1839, *Isis* 1839: 179. Type-species: *Phycis zinckenella* Treitschke, 1832, [in] Ochsenheim, Schmett. *Eur.* 9(1): 201, by monotypy.
- 6915. *Euageta* Turner, 1947** (Pyrilidae) Synonym(s): *Euageta* Turner, 1947
- 6916. *Eucampyla* Meyrick, 1882** (Pyrilidae) Synonym(s): *Eucampyla* Meyrick, 1882; *Patagonia* Hampson, 1901
- 6917. *Eucarphia* Hübner, [1825]** (Pyrilidae) Synonym(s): *Eucarphia* Hübner, [1825]; *Argyrodes* Guenée, 1845; *Argyrohabda* Hampson, 1926. Original Reference: *Eucarphia* Hübner, [1825], *Verz. bekannt. Schmett.*: 364. Type-species: *Tinea vinetella* Fabricius, 1787, by subsequent designation by Ragonot, 1885.
- 6918. *Euchromius* Guenée, 1845** (Pyrilidae) Synonym(s): *Eromene* Hübner, [1825] *nec* Hübn., [1821]; *Euchromius* Guenée, 1845; *Ommatopteryx* Kirby, 1897; *Pseudoancylolomia* Ahmad, Zaidi & Kamaluddin, 1982. Original Reference: *Euchromius* Guenée, 1845, *Annls Soc. ent. Fr.* (2) 3: 324. Type-species: *Tinea bella* Hübner, 1796, by subsequent designation by Desmarest, 1857.
- 6919. *Euclasta* (*Proteuclasta*) Munroe, 1958** (Pyrilidae) Synonym(s): *Proteuclasta* Munroe, 1958 Original Reference: *Proteuclasta* Munroe, 1958, *Can. Ent.* 90: 250. Type-species: *Pyrausta stoetzneri* Caradja, 1927, by original designation.
- 6920. *Euclasta* (*s.str.*) Lederer, 1855** (Pyrilidae) Synonym(s): *Euclasta* Lederer, 1855; *Ilurgia* Walker, 1859 Original Reference: *Euclasta* Lederer, 1855, *Verh. zool.- bot. Ver. Wien* 5: 252. Type-species: *Botys splendidalis* Herrich-Schäffer, 1848, *Syst. Bearb. Schmett. Eur.* 4: 32, *Pyrilides* pl. 16 fig. 109, by monotypy.
- 6921. *Euclasta* Lederer, 1855** (Pyrilidae) Synonym(s): *Euclasta* Lederer, 1855; *Ilurgia* Walker, 1859 Original Reference: *Euclasta* Lederer, 1855, *Verh. zool.- bot. Ver. Wien* 5: 252. Type-species: *Botys splendidalis* Herrich-Schäffer, 1848, *Syst. Bearb. Schmett. Eur.* 4: 32, *Pyrilides* pl. 16 fig. 109, by monotypy.
- 6922. *Euctenospila* W. Warren, 1892** (Pyrilidae) Synonym(s): *Euctenospila* W. Warren, 1892
- 6923. *Eudaimonisma* Lucas, 1902** (Pyrilidae) Synonym(s): *Eudaimonisma* Lucas, 1902

- 6924. Eudonia Billberg, 1820** (Pyralidae) Synonym(s): *Eudonia Billberg, 1820*; *Boiea Zetterstedt, [1839]*; *Witlesia Chapman, 1912*; *#Eudoria Marion, 1959*; *Toulgoetodes Leraut, 1988*; *Malageudonia Leraut, 1989*; *Vietteina Leraut, 1989* Original Reference: *Eudonia Billberg, 1820, Enumeratio Insect Mus. G.J. Billberg: 93. Type-species: Phalaena mercurella Linnaeus, 1758, by monotypy.*
- 6925. Eufernaldia Hulst, 1900** (Pyralidae) Synonym(s): *Eufernaldia Hulst, 1900*
- 6926. Eugauria Snellen, 1901** (Pyralidae) Synonym(s): *Eugauria Snellen, 1901*
- 6927. Euleucinodes Capps, 1948** (Pyralidae) Synonym(s): *Euleucinodes Capps, 1948*
- 6928. Eulophota Hampson, 1926** (Pyralidae) Synonym(s): *Eulophota Hampson, 1926* Original Reference: *Eulophota Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 633. Type-species: Pristarthria caustella Hampson, 1901, by original designation.*
- 6929. Euparolia Dyar, 1914** (Pyralidae) Synonym(s): *Euparolia Dyar, 1914*
- 6930. Eupoca W. Warren, 1891** (Pyralidae) Synonym(s): *Eupoca W. Warren, 1891*
- 6931. Eurhodope (Eurhobasis) Roesler, 1988** (Pyralidae) Synonym(s): *Eurhobasis Roesler, 1988* Original Reference: *Eurhobasis Roesler, 1988, Ent. Z., Frankf.a.M. 98 (1/2): 1. Type-species: Myelois cinerea Staudinger, 1879, by original designation.*
- 6932. Eurhodope (s.str.) Hübner, [1825]** (Pyralidae) Synonym(s): *Eurhodope Hübner, [1825]*; *Semnia Guenée, 1845 nec Hübn., [1823]*; *Kyra Gozmany, 1958* Original Reference: *Eurhodope Hübner, [1825], Verz. bekannt. Schmett.: 371. Type-species: Pyralis pudoralis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124, by subsequent designation by Ragonot, 1885, Entomologist's mon. Mag. 22: 19.*
- 6933. Eurhodope Hübner, [1825]** (Pyralidae) Synonym(s): *Eurhodope Hübner, [1825]*; *Semnia Guenée, 1845 nec Hübn., [1823]*; *Kyra Gozmany, 1958* Original Reference: *Eurhodope Hübner, [1825], Verz. bekannt. Schmett.: 371. Type-species: Pyralis pudoralis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124, by subsequent designation by Ragonot, 1885, Entomologist's mon. Mag. 22: 19.*
- 6934. Eurhythma Turner, 1904** (Pyralidae) Synonym(s): *Eurhythma Turner, 1904*; *#Eurythma Bleszynski & Collins, 1962*
- 6935. Eurrhyarodes Snellen, 1880** (Pyralidae) Synonym(s): *Eurrhyarodes Snellen, 1880*; *Molybdantha Meyrick, 1884*
- 6936. Eurrhysis Hübner, [1825]** (Pyralidae) Synonym(s): *Eurrhysis Hübner, [1825]*; *Threnodes Duponchel, [1845]* Original Reference: *Eurrhysis Hübner, [1825], Verz. bekannt. Schmett.: 351. Type-species: Pyralis pollinalis [Denis & Schiffermüller], 1775, by subsequent designation by Leraut & Luquet, [1983].*
- 6937. Eurybela Turner, 1908** (Pyralidae) Synonym(s): *Eurybela Turner, 1908*
- 6938. Euryzonella Ghesquière, 1942** (Pyralidae) Synonym(s): *Euryzona Hampson, 1896 nec Hal., 1838*; *Euryzonella Ghesquière, 1942*
- 6939. Eusabena Snellen, 1901** (Pyralidae) Synonym(s): *Eusabena Snellen, 1901*
- 6940. Eustixia Hübner, [1823]** (Pyralidae) Synonym(s): *Eustixia Hübner, [1823]*; *Thelcteria Lederer, 1863*; *#Thelcteria Dyar, 1925*
- 6941. Eutrichodes W. Warren, 1891** (Pyralidae) Synonym(s): *Eutrichodes W. Warren, 1891*
- 6942. Euzophera (Cymbalorissa) Gozmany, 1958** (Pyralidae) Synonym(s): *Cymbalorissa Gozmany, 1958* Original Reference: *Cymbalorissa Gozmany, 1958, Annls. hist. nat. Mus. nat. hung. 50: 233. Type-species: Stenoptycha fuliginosella Heinemann, 1865, by original designation.*
- 6943. Euzophera (Quadrepista) Roesler, 1973** (Pyralidae) Synonym(s): *Quadrepista Roesler, 1973* Original Reference: *Euzophera (Quadrepista) Roesler, 1973, [in] Amsel et al., Microlepid. Palaearctica 4 (1): 247. Type-species: Euzophera ultimella Roesler, 1973, by original designation.*
- 6944. Euzophera (s.str.) Zeller, 1867** (Pyralidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862*; *Melia Heinemann, 1865 nec Risso, 1813*; *Euzophera Zeller, 1867*; *Pistogenes Meyrick, 1937*; *Ahwazia Amsel, 1949*; *Longignathia Roesler, 1965* Original Reference: *Euzophera (s.str.) Zeller, 1867, Trans. ent. Soc. Lond. (3) 5: 456. Type-species: Myelois cinerosella Zeller, 1839, by subsequent designation by Hulst, 1890, Phyc. N. Amer. 1890: 174.*
- 6945. Euzophera Zeller, 1867** (Pyralidae) Synonym(s): *Stenoptycha Heinemann, 1865 nec Agas., 1862*; *Melia Heinemann, 1865 nec Risso, 1813*; *Euzophera Zeller, 1867*; *Pistogenes Meyrick, 1937*; *Ahwazia Amsel, 1949*; *Longignathia Roesler, 1965* Original Reference: *Euzophera (s.str.) Zeller, 1867, Trans. ent. Soc. Lond. (3) 5: 456. Type-species: Myelois cinerosella Zeller, 1839, by subsequent designation by Hulst, 1890, Phyc. N. Amer. 1890: 174.*
- 6946. Euzopherodes Hampson, 1899** (Pyralidae) Synonym(s): *Euzopherodes Hampson, 1899*; *Lydia Rebel, 1901 nec Gistl, 1848*; *Lydia Hampson, 1901 nec Gistl, 1848*; *Phloeophaga Chrétien, 1910*; *Radiestra*

- Hampson,1927; *Neononia* Hampson,1930; *Symphestia* Hampson,1930; *Trigonopyralis* Amsel,1935; *Nyctigenes* Meyrick,1937 *Epilydia* Amsel,1954; *Delattinia* Roesler,1965; *Infinita* Whalley,1970. **Original Reference:** *Euzopherodes* Hampson,1899, J. Bombay nat. Hist. Soc. 12: 475. Type-species: *Euzopherodes albicans* Hampson,1899, loc. cit., by original designation.
- 6947. Evergestella Munroe,1974** (Pyralidae) Synonym(s): *Evergestella* Munroe,1974
- 6948. Evergestis Hübner,[1825]** (Pyralidae) Synonym(s): *Evergestis* Hübner,[1825]; *Homochroa* Hübner,[1825]; *Mesographe* Hübner,[1825]; *Scopolia* Hübner,[1825]; *Pionea* Duponchel,1845; *Orobena* Guenée,1854; *Aedis* Grote,1878; *Paraedis* Grote,1882; *Maelinoptera* Staudinger,1893; *Pachyzancloides* Matsumura,1925; *Reskovitsia* Szent-Ivany,1942 **Original Reference:** *Evergestis* Hübner,[1825], Verz. bekannt. Schmett.: 354. Type-species: *Pyralis margaritalis* [Denis & Schiffermüller],1775, by subsequent designation by W.Warren,1892.
- 6949. Exsilirarcha Salmon & Bradley,1956** (Pyralidae) Synonym(s): *Exsilirarcha* Salmon & Bradley,1956
- 6950. Faveria Walker,1859** (Pyralidae) Synonym(s): *Faveria* Walker,1859; *Oligochroa* Ragonot,1888; *Pristarthria* Ragonot,1893; *Sclerobia* Ragonot,1893 **Original Reference:** *Faveria* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 19: 888. Type-species: *Faveria laiasalis* Walker,1859, by monotypy.
- 6951. Fernandocrambus Aurivillius,1922** (Pyralidae) Synonym(s): *Fernandocrambus* Aurivillius,1922
- 6952. Filodes Guenée,1854** (Pyralidae) Synonym(s): *Filodes* Guenée,1854; *Auxomitia* Lederer,1863
- 6953. Flabellobasis Balinsky,1991** (Pyralidae) Synonym(s): *Flabellobasis* Balinsky,1991
- 6954. Flavocrambus Bleszynski,1959** (Pyralidae) Synonym(s): *Flavocrambus* Bleszynski,1959
- 6955. Fossifrontia Hampson,1901** (Pyralidae) Synonym(s): *Fossifrontia* Hampson,1901
- 6956. Fregenia Hartig,1947** (Pyralidae) Synonym(s): *Fregenia* Hartig,1947
- 6957. Friedlanderia Agnew,1987** (Pyralidae) Synonym(s): *#Chiloides* Amsel,1949; *Chiloides* Bleszynski,1963 nec Butl.,1881; *Friedlanderia* Agnew,1987 **Original Reference:** *Friedlanderia* Agnew,1987, Proc. ent. Soc. Wash. 89 (1): 101 (nom. nov. pro *Chiloides* Bleszynski,1963 nec Butl.,1881). Type-species: *Tinea cicatricella* Hübner,[1824], by original designation.
- 6958. Gaana Walker,1866** (Pyralidae) Synonym(s): *Gaana* Walker,1866
- 6959. Gadira Walker,1866** (Pyralidae) Synonym(s): *Gadira* Walker,1866; *Cryptomima* Meyrick,1882; *Scenoploca* Meyrick,1882
- 6960. Galleria Fabricius,1798** (Pyralidae) Synonym(s): *Galleria* Fabricius,1798; *#Adeona* Rafinesque,1815; *Cericlepta* Sodoffsky,1837; *Vindana* Walker,1866. **Original Reference:** *Galleria* Fabricius,1798, Ent. Syst. (Suppl.): 419, 462. Type-species: *Phalaena cereana* Blom,1764, by subsequent designation by Latreille,1810.
- 6961. Galleristhenia Hampson,1917** (Pyralidae) Synonym(s): *Galleristhenia* Hampson,1917
- 6962. Gargela Walker,1864** (Pyralidae) Synonym(s): *Gargela* Walker,1864; *Mixophyla* Meyrick,1887; *Mixophila* Hampson,1896; *Angonia* Snellen,1893
- 6963. Gauna Walker,[1866]** (Pyralidae) Synonym(s): *Gauna* Walker,[1866]; *Oedematophaga* Meyrick,1884
- 6964. Geshna Dyar,1906** (Pyralidae) Synonym(s): *Geshna* Dyar,1906
- 6965. Gesneria Hübner,[1825]** (Pyralidae) Synonym(s): *Gesneria* Hübner,[1825]; *Scoparona* Chapman,1912
- 6966. Getulia Ragonot,1888** (Pyralidae) Synonym(s): *Getulia* Ragonot,1888
- 6967. Ghesquierellana Berger,1955** (Pyralidae) Synonym(s): *Phalanta* Ghesquière,1942 (praeocc.); *Ghesquierellana* Berger,1955; *#Ghesquieriellana* Munroe,1959
- 6968. Glaphyria Hübner,1823** (Pyralidae) Synonym(s): *Glaphyria* Hübner,1823; *Homophysa* Guenée,1854; *Berdura* Möschler,1886; *#Holophysa* Gundlach,1891; *#Glaphria* Fernald,[1903]
- 6969. Glaucocharis Meyrick,1938** (Pyralidae) Synonym(s): *Ditomoptera* Hampson,1893 nec Germ.,1839; *Glaucocharis* Meyrick,1938; *Pareromene* Osthelder,1941; *Pagmania* Amsel,1961 **Original Reference:** *Glaucocharis* Meyrick,1938, Trans. R. Soc. N.Z. 67: 426. Type-species: *Glaucocharis stella* Meyrick,1938, by monotypy.
- 6970. Glauconoe W.Warren,1892** (Pyralidae) Synonym(s): *Glauconoe* W.Warren,1892
- 6971. Glycythyma Turner,1908** (Pyralidae) Synonym(s): *Glycythyma* Turner,1908
- 6972. Glyphodes Guenée,1854** (Pyralidae) Synonym(s): *Caloptychia* Hübner,[1825]; *Calliptychia* Agassiz,1847; *Glyphodes* Guenée,1854; *Morocosma* Lederer,1863 **Original Reference:** *Glyphodes* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 292. Type-species: *Glyphodes stolalis* Guenée,1854, by subsequent designation by Walker,1859.
- 6973. Glyptoteles Zeller,1848** (Pyralidae) Synonym(s): *Glyptoteles* Zeller,1848

- 6974. Goniophyetis Hampson, 1916** (Pyralidae) Synonym(s): *Goniophyetis Hampson, 1916*; *Leucinocrambus Viette, 1960*
- 6975. Gonodiscus W. Warren, 1891** (Pyralidae) Synonym(s): *Gonodiscus W. Warren, 1891*
- 6976. Gozmanyia Roesler, 1965** (Pyralidae) Synonym(s): *Gozmanyia Roesler, 1965* Original Reference: *Gozmanyia Roesler, 1965, Inaug.-Diss. Saarbrücken 1965: 36. Type-species: Ephestia crassa Amsel, 1935, by original designation.*
- 6977. Grammiphlebia Hampson, 1906** (Pyralidae) Synonym(s): *Grammiphlebia Hampson, 1906*
- 6978. Guastica Walker, 1863** (Pyralidae) Synonym(s): *Guastica Walker, 1863*
- 6979. Guayana Koçak & Kemal, 2006** (Pyralidae) Synonym(s): *Gennadius Heinrich, 1856 nec Jord. & Seale, 1907; Guayana Koçak & Kemal, 2006* Original Reference: *Guayana Koçak & Kemal, 2006, Cent. ent. Stud., Misc. Pap. 97: 7-8 (nomen novum pro Gennadius Heinrich, 1856 nec Jord. & Seale, 1907). Type-species: Gennadius junctor Heinrich, 1956, by original designation.*
- 6980. Gunungia Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Gunungia Roesler & Küppers, 1979*
- 6981. Gunungodes Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *Gunungodes Roesler & Küppers, 1981*
- 6982. Gymnancyla (Dentinodia) Ragonot, 1887** (Pyralidae) Synonym(s): *Dentinodia Ragonot, 1887; #Dentinosa Caradja, 1937* Original Reference: *Dentinodia Ragonot, 1887, Annl. Soc. ent. Fr. 6 (7): 251. Type-species: Dentinodia craticulella Ragonot, 1887, by monotypy.*
- 6983. Gymnancyla (Spermatophthora) Lederer, 1852** (Pyralidae) Synonym(s): *Spermatophthora Lederer, 1852; #Spermatophora Caradja, 1899* Original Reference: *Spermatophthora Lederer, 1852, Verh. zool.- bot. Ver. Wien 2: 414. Type-species: Spermatophthora hornigii Lederer, 1852, by monotypy.*
- 6984. Gymnancyla (s.str.) Zeller, 1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller, 1848; Nefertitita Gozmany, 1960.* Original Reference: *Gymnancyla Zeller, 1848, Isis (Oken) 1848: 744. Type-species: Tinea canella [Denis & Schiffermüller], 1775, by monotypy.*
- 6985. Gymnancyla Zeller, 1848** (Pyralidae) Synonym(s): *Gymnancyla Zeller, 1848; Nefertitita Gozmany, 1960.* Original Reference: *Gymnancyla Zeller, 1848, Isis (Oken) 1848: 744. Type-species: Tinea canella [Denis & Schiffermüller], 1775, by monotypy.*
- 6986. Hafisia Amsel, 1950** (Pyralidae) Synonym(s): *Hafisia Amsel, 1950*
- 6987. Hahncappsia Munroe, 1976** (Pyralidae) Synonym(s): *Hahncappsia Munroe, 1976*
- 6988. Haimbachia Dyar, 1909** (Pyralidae) Synonym(s): *Haimbachia Dyar, 1909; Eoreuma Ely, 1910; Coniesta Hampson, 1919*
- 6989. Hannemanneia Roesler, 1967** (Pyralidae) Synonym(s): *Hannemanneia Roesler, 1967* Original Reference: *Hannemanneia Roesler, 1967, Ent. Z., Frankf.a.M. 77: 278. Type-species: Cataremna teapella Ragonot, 1887, by original designation.*
- 6990. Hansreisseria Roesler, 1973** (Pyralidae) Synonym(s): *Hansreisseria Roesler, 1973*
- 6991. Haritalodes W. Warren, 1890** (Pyralidae) Synonym(s): *Haritalodes W. Warren, 1890* Original Reference: *Haritalodes W. Warren, 1890, Ann. Mag. nat. Hist. (6) 6: 476. Type-species: Botys multilinealis Guenée, 1854, by original designation.*
- 6992. Harpadispar Agenjo, 1952** (Pyralidae) Synonym(s): *Harpadispar Agenjo, 1952*
- 6993. Harraria Hampson, 1930** (Pyralidae) Synonym(s): *Harraria Hampson, 1930*
- 6994. Hednota Meyrick, 1886** (Pyralidae) Synonym(s): *Hednota Meyrick, 1886*
- 6995. Hednotodes Lower, 1893** (Pyralidae) Synonym(s): *Hednotodes Lower, 1893; Calliphlycta Hampson, 1918*
- 6996. Hedyleptopsis Munroe, 1960** (Pyralidae) Synonym(s): *Hedyleptopsis Munroe, 1960*
- 6997. Helenoscoparia Nuss, 1999** (Pyralidae) Synonym(s): *Helenoscoparia Nuss, 1999*
- 6998. Heliothela Guenée, 1854** (Pyralidae) Synonym(s): *Heliothela Guenée, 1854; Orosana Walker, 1863; Nyctarcha Meyrick, 1884* Original Reference: *Heliothela Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 152. Type-species: Phalaena atralis Hübner, [1788], by monotypy.*
- 6999. Hellula Guenée, 1854** (Pyralidae) Synonym(s): *#Oeobia Hübner, [1825] (rejected name by ICZN, 1959 Opinion 536); Hellula Guenée, 1854; Phyratocosma Meyrick, 1936; Ashwania Pajni & Rose, 1977* Original Reference: *Hellula Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 415. Type-species: Phalaena undalis Fabricius, 1781, by original designation.*
- 7000. Helonastes Common, 1960** (Pyralidae) Synonym(s): *Helonastes Common, 1960*
- 7001. Helvibotys Munroe, 1976** (Pyralidae) Synonym(s): *Helvibotys Munroe, 1976*
- 7002. Heminomistis Meyrick, 1933** (Pyralidae) Synonym(s): *Heminomistis Meyrick, 1933*

- 7003. Hemiplatytes Barnes & Benjamin, 1924** (Pyralidae) Synonym(s): *Hemiplatytes Barnes & Benjamin, 1924*
- 7004. Hemiptocha Dognin, 1905** (Pyralidae) Synonym(s): *Hemiptocha Dognin, 1905*
- 7005. Hemiscopis W. Warren, 1890** (Pyralidae) Synonym(s): *Hemiscopis W. Warren, 1890*
- 7006. Hendecasis Hampson, 1896** (Pyralidae) Synonym(s): *Hendecasis Hampson, 1896*; *Neohendecasis Shibuya, 1931*
- 7007. Hendecasis Hampson, 1896** (Pyralidae) Synonym(s): *Hendecasis Hampson, 1896*; *Neohendecasis Shibuya, 1931*
- 7008. Heortia Lederer, 1863** (Pyralidae) Synonym(s): *Heortia Lederer, 1863*; *Eteta Walker, [1865]*; *Tyspana Moore, [1885]*
- 7009. Heosphora Meyrick, 1882** (Pyralidae) Synonym(s): *Heosphora Meyrick, 1882*; *Talamba Ragonot, 1888*; *Erythphlebia Hampson, 1901*
- 7010. Hercynodes Ragonot, 1895** (Pyralidae) Synonym(s): *Hercynodes Ragonot, 1895* Original Reference: *Hercynodes Ragonot, 1895, Annls Soc. ent. Fr. 64 (Bull.): xxii. Type-species: Hercynodes miegii Ragonot, 1895, by monotypy.*
- 7011. Herpetogramma Lederer, 1863** (Pyralidae) Synonym(s): *Herpetogramma Lederer, 1863*; *Pachyzancla Meyrick, 1884*; *Acharana Moore, [1885]*; *Piloptyla Swinhoe, 1894*; *Pantoeocome W. Warren, 1896*; *Macrobytys Munroe, 1950*; *Coremataria Amsel, 1956*; *Culcitaria Amsel, 1957*; *#Herpitogramma Hutacharern & Tubtim, 1995* Original Reference: *Herpetogramma Lederer, 1863, Wien. ent. Monatschr. 7: 279, 430. Type-species: Herpetogramma servalis Lederer, 1863, by monotypy.*
- 7012. Heterochrosis Hampson, 1926** (Pyralidae) Synonym(s): *Heterochrosis Hampson, 1926* Original Reference: *Heterochrosis Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 631. Type-species: Heterographis molybdophora Lower, 1903, by original designation.*
- 7013. Heteromicta Meyrick, 1886** (Pyralidae) Synonym(s): *Heteromicta Meyrick, 1886*
- 7014. Hileithia Snellen, 1875** (Pyralidae) Synonym(s): *Hileithia Snellen, 1875*
- 7015. Hobohmia Balinsky, 1994** (Pyralidae) Synonym(s): *Hobohmia Balinsky, 1994*
- 7016. Hodebertia Leraut, 2003** (Pyralidae) Synonym(s): *Hodebertia Leraut, 2003*
- 7017. Hoeneodes Roesler, 1969** (Pyralidae) Synonym(s): *Hoeneodes Roesler, 1969*
- 7018. Homoeosoma (Anhomoeosoma) Roesler, 1965** (Pyralidae) Synonym(s): *Anhomoeosoma Roesler, 1965* Original Reference: *Anhomoeosoma Roesler, 1965, Unters. Syst. Chorologie Homoeosoma- Ephestia- Komplexes: 64. Type-species: Phycis nimbella Duponchel, [1837], by original designation.*
- 7019. Homoeosoma (Ectohomoeosoma) Roesler, 1965** (Pyralidae) Synonym(s): *Ectohomoeosoma Roesler, 1965*
- 7020. Homoeosoma (s.str.) Curtis, 1833** (Pyralidae) Synonym(s): *Homoeosoma Curtis, 1833*; *Phycidea Zeller, 1839*; *Lotria Guenée, 1845.* Original Reference: *Homoeosoma Curtis, 1833, Ent. Mag. 1: 190. Type-species: Phycis gemina Haworth, 1811, by monotypy.*
- 7021. Homoeosoma Curtis, 1833** (Pyralidae) Synonym(s): *Homoeosoma Curtis, 1833*; *Phycidea Zeller, 1839*; *Lotria Guenée, 1845.* Original Reference: *Homoeosoma Curtis, 1833, Ent. Mag. 1: 190. Type-species: Phycis gemina Haworth, 1811, by monotypy.*
- 7022. Homophysodes Dyar, 1914** (Pyralidae) Synonym(s): *Homophysodes Dyar, 1914*
- 7023. Hoploscopa Meyrick, 1886** (Pyralidae) Synonym(s): *Hoploscopa Meyrick, 1886*
- 7024. Hornigia Ragonot, 1885** (Pyralidae) Synonym(s): *Hornigia Ragonot, 1885*
- 7025. Hosidia Hampson, 1901** (Pyralidae) Synonym(s): *Hosidia Hampson, 1901*
- 7026. Hyalea Guenée, 1854** (Pyralidae) Synonym(s): *Hyalea Guenée, 1854* Original Reference: *Hyalea Guenée, 1854, [in] Boisduval & Guenée, 1854, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 206. Type-species: Anania dividialis Geyer, 1832, by subsequent designation by Hampson, 1899.*
- 7027. Hyalobathra Meyrick, 1885** (Pyralidae) Synonym(s): *Hyalobathra Meyrick, 1885*; *Leucocraspeda W. Warren, 1890*
- 7028. Hydaspia Ragonot, 1888** (Pyralidae) Synonym(s): *Hydaspia Ragonot, 1888*
- 7029. Hydriris Meyrick, 1885** (Pyralidae) Synonym(s): *Spanista Lederer, 1863 nec Foester, 1862*; *Hydriris Meyrick, 1885*; *Antiercta Amsel, 1956* Original Reference: *Hydriris Meyrick, 1885, Trans. ent. Soc. London 1886: 443. Type-species: Hydriris chalybitis Meyrick, 1885, by monotypy.*
- 7030. Hydrorybina Hampson, 1896** (Pyralidae) Synonym(s): *Hydrorybina Hampson, 1896*
- 7031. Hygraula Meyrick, 1885** (Pyralidae) Synonym(s): *Hygraula Meyrick, 1885*; *Blechroglossa Turner, 1937*
- 7032. Hylebatis Turner, 1908** (Pyralidae) Synonym(s): *Hylebatis Turner, 1908*
- 7033. Hymenia Hübner, [1825]** (Pyralidae) Synonym(s): *Hymenia Hübner, [1825]*; *Zinckenia Zeller, 1852*

- 7034. Hymenoptychis Zeller, 1852** (Pyralidae) **Synonym(s):** *Hymenoptychis Zeller, 1852*; *Syrbatis Walker, 1863*
- 7035. Hypargyria Ragonot, 1888** (Pyralidae) **Synonym(s):** *Hypargyria Ragonot, 1888* **Original Reference:** *Hypargyria Ragonot, 1888*, *Nouv. Genres Espèces Phycitidae Galleriidae*: 9. Type-species: *Hypargyria metalliferella Ragonot, 1888*, by monotypy.
- 7036. Hyperlais Marion, 1959** (Pyralidae) **Synonym(s):** *Hypolais Guenée, 1854 nec Kaup, 1829*; *Hyperlais Marion, 1959* **Original Reference:** *Hyperlais Marion, 1959*, *Alexanor* 1: 105 (nom. nov. pro *Hypolais Guenée, 1854 nec Kaup, 1829*). Type-species: *Hypolais siccalis Guenée, 1854*, by subsequent designation by Marion, 1957.
- 7037. Hypiesta Hampson, 1919** (Pyralidae) **Synonym(s):** *Hypiasta Hampson, 1919*
- 7038. Hypochalcia Hübner, [1825]** (Pyralidae) **Synonym(s):** *Hypochalcia Hübner, [1825]*; *#Hypochalcea Hübner, [1826]*; *Araxes Stephens, 1834* **Original Reference:** *Hypochalcia Hübner, [1825]*, *Verz. bekannter Schmett.*: 368. Type-species: *Tinea ahenella [Denis & Schiffermüller], 1775*, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135, by subsequent designation by Hulst, 1890 (*Trans. Am. ent. Soc.* 17: 168).
- 7039. Hypodaria Hartig, 1939** (Pyralidae) **Synonym(s):** *Paradaria Hartig, 1937 nec Kuzn., 1908*; *Hypodaria Hartig, 1939*; *Gnathomorpha Amsel, 1959* **Original Reference:** *Hypodaria Hartig, 1939*, *Z. öst. EntVer.* 24: 10. Type-species: *Paradaria myeloisiformis Hartig, 1937*, by monotypy (for *Paradaria Hartig, 1937*).
- 7040. Hypolophota Turner, 1904** (Pyralidae) **Synonym(s):** *Hypolophota Turner, 1904*
- 7041. Hyporatasa Rebel, 1901** (Pyralidae) **Synonym(s):** *Hyporatasa Rebel, 1901*; *Hyporatasa Ragonot, 1901* **Original Reference:** *Hyporatasa Rebel, 1901*, [in] *Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb.* (3) 2: 25. Type-species: *ratasa allotriella Herrich-Schäffer, 1855*, by monotypy.
- 7042. Hypotia Zeller, 1847** (Pyralidae) **Synonym(s):** *Hypotia Zeller, 1847*; *Dattinia Ragonot, 1887*; *Constantia Ragonot, 1887 nec Adams, 1860*; *Mnesixena Meyrick, 1890*; *Zonora Swinhoe, 1890*; *Palmitia Ragonot, 1890*; *Baniura Ragonot, 1891*; *Palura Ragonot, 1891 (preocc.)*; *Epizonora Ragonot, 1892*; *Hercynodes Ragonot, 1895*; *Macroctenia Hampson, 1900*; *Boursinella Amsel, 1953*; *Gomezmenoria Agenjo, 1966* **Original Reference:** *Hypotia Zeller, 1847*, *Isis* 1847: 594. Type-species: *Pyralis corticalis [Denis & Schiffermüller], 1775*, by original designation.
- 7043. Hypsipyla Ragonot, 1888** (Pyralidae) **Synonym(s):** *Hypsipyla Ragonot, 1888*
- 7044. Hypsopygia Hübner, [1825]** (Pyralidae) **Synonym(s):** *Herculia Walker, 1859*; *Buzala Walker, 1863*; *Cisse Walker, 1863*; *Ocrasa Walker, [1866]*; *Bejuda Walker, [1866]*; *Pseudasopia Grote, 1873*; *Orthopygia Ragonot, 1890*; *Bleone Ragonot, 1890*; *Parasopia Möschler, 1890*; *Dolichomia Ragonot, 1891* **Original Reference:** *Hypsopygia Hübner, [1825]*, *Verz. bekannt. Schmett.*: 348. Type-species: *Phalaena costalis Fabricius, 1775*, by subsequent designation by Westwood, 1840.
- 7045. Hypsotropa Zeller, 1848** (Pyralidae) **Synonym(s):** *Hypsotropa Zeller, 1848*; *#Hypsotrophia Snellen, 1880*; *Seleucia Ragonot, 1887*; *Tiarra Ragonot, 1888*; *Lymira Ragonot, 1888*; *Ambala Ragonot, 1888*; *Socora Ragonot, 1888*; *Talamba Ragonot, 1888*; *Hypsotrophia Hampson, 1896*; *#Lymire Rothschild, 1913* **Original Reference:** *Hypsotropa Zeller, 1848*, *Isis* 1848: 591. Type-species: *Hypsotropa limbella Zeller, 1848*, *ibidem* 1848: 591, by monotypy.
- 7046. Iangaigheria Kemal & Koçak, 2004** (Pyralidae) **Synonym(s):** *Joannisia Balinsky, 1994 (preocc.)*; *Iangaigheria Kemal & Koçak, 2004* **Original Reference:** *Iangaigheria Kemal & Koçak, 2004*, *Cent. ent. Stud., Misc. Pap.* 88/89: 14-15. Type-species: *Joannisia jansei Balinsky, 1994*, by original designation.
- 7047. Indomalayia Roesler & Küppers, 1979** (Pyralidae) **Synonym(s):** *Indomalayia Roesler & Küppers, 1979*
- 7048. Indomyrlaea Roesler & Küppers, 1979** (Pyralidae) **Synonym(s):** *Indomyrlaea Roesler & Küppers, 1979*
- 7049. Insalebria Filipjev, 1924** (Pyralidae) **Synonym(s):** *Insalebria Filipjev, 1924*; *Serrulacera Amsel, 1955* **Original Reference:** *Insalebria Filipjev, 1924*, *Ezheg. gosud. Muz. N.M. Mart'yanova* 2 (3): 33. Type-species: *Insalebria kozhantshikovi Filipjev, 1924*, by monotypy.
- 7050. Iranarpia Leraut, 1982** (Pyralidae) **Synonym(s):** *Iranarpia Leraut, 1982*
- 7051. Isauria Ragonot, 1887** (Pyralidae) **Synonym(s):** *Isauria Ragonot, 1887*; *Adelosemia Ragonot, 1887*; *Melitene Ragonot, 1888*; *Divona Ragonot, 1893*; *Pseudomegasis Chrétien, 1931*. **Original Reference:** *Isauria Ragonot, 1887*, *Annls Soc. ent. Fr.* (6) 7: 228. Type-species: *Isauria kuldgensis Ragonot, 1887*, by monotypy.
- 7052. Ischnurges Lederer, 1863** (Pyralidae) **Synonym(s):** *Ischnurges Lederer, 1863*; *Nesolocha Meyrick, 1886*; *Stenochora W. Warren, 1892*

- 7053. Isocentris Meyrick, 1887** (Pyralidae) Synonym(s): *Isocentris Meyrick, 1887*
- 7054. Jacutscia Hampson, 1930** (Pyralidae) Synonym(s): *Jacutscia Hampson, 1930*
- 7055. Japonichilo Okano, 1962** (Pyralidae) Synonym(s): *Japonichilo Okano, 1962*
- 7056. Japonicrambus Okano, 1962** (Pyralidae) Synonym(s): *Japonicrambus Okano, 1962*
- 7057. Joelminetia Speidel & Witt, 2007** (Pyralidae) Synonym(s): *Joelminetia Speidel & Witt, 2007*
- 7058. Juania Aurivillius, 1922** (Pyralidae) Synonym(s): *Juania Aurivillius, 1922*
- 7059. Kasania Krulikowsky, 1910** (Pyralidae) Synonym(s): *Kasania Krulikowsky, 1910*
- 7060. Kasyapa Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *Kasyapa Roesler & Küppers, 1981*
- 7061. Kaurava Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *Kaurava Roesler & Küppers, 1981*
- 7062. Keradere Whalley, 1970** (Pyralidae) Synonym(s): *Praesalebria Amsel, 1954 (preocc.); Keradere Whalley, 1970* Original Reference: Keradere Whalley, 1970, Bull. Br. Mus. nat. Hist. (Ent.) 25: 49 (nom. nov. pro Praesalebria Amsel, 1954 nec Amsel, 1954). Type-species: *Pempelia noctivaga* Staudinger, 1879, by original designation for Praesalebria Amsel, 1954.
- 7063. Kerbela Amsel, 1949** (Pyralidae) Synonym(s): *Kerbela Amsel, 1949* Original Reference: Kerbela Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 306, 307, 309. Type-species: *Kerbela monotona* Amsel, 1949, by original designation.
- 7064. Ketambeia Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Ketambeia Roesler & Küppers, 1979*
- 7065. Khorassania Amsel, 1951** (Pyralidae) Synonym(s): *Brephia Heinemann, 1865 nec Hübn., 1822; Khorassania Amsel, 1951; Abrephia Amsel, 1953* Original Reference: Khorassania Amsel, 1951, Ark. Zool. 2 (1): 534. Type-species: *Khorassania hartigi* Amsel, 1951, by monotypy.
- 7066. Khuzistania Amsel, 1959** (Pyralidae) Synonym(s): *Khuzistania Amsel, 1959*
- 7067. Kivia Balinsky, 1994** (Pyralidae) Synonym(s): *Kivia Balinsky, 1994*
- 7068. Klimeschiola Roesler, 1965** (Pyralidae) Synonym(s): *Klimeschiola Roesler, 1965*
- 7069. Kobesia Roesler, 1983** (Pyralidae) Synonym(s): *Kobesia Roesler, 1983*
- 7070. Krombia Chrétien, 1911** (Pyralidae) Synonym(s): *Krombia Chrétien, 1911*
- 7071. Kupea Philpott, 1930** (Pyralidae) Synonym(s): *Kupea Philpott, 1930*
- 7072. La Blezynski, 1966** (Pyralidae) Synonym(s): *La Blezynski, 1966*
- 7073. Lacalma Janse, 1931** (Pyralidae) Synonym(s): *Lacalma Janse, 1931*
- 7074. Laetilia Ragonot, 1889** (Pyralidae) Synonym(s): *Laetilia Ragonot, 1889; Laosticha Hulst, 1902.*
- 7075. Lambaesia Rebel, 1903** (Pyralidae) Synonym(s): *Lambaesia Rebel, 1903; Monotonia Amsel, 1955* Original Reference: Lambaesia Rebel, 1903, Dt. ent. Z., Iris 16: 1. Type-species: *Lambaesia caradjae* Rebel, 1903, by monotypy.
- 7076. Lamida Walker, 1859** (Pyralidae) Synonym(s): *Lamida Walker, 1859; Allata Walker, 1863 nec Wlk., 1862* Original Reference: Lamida Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 16: 252. Type-species: *Lamida moncusalis* Walker, 1859, by monotypy.
- 7077. Lamoria Walker, 1863** (Pyralidae) Synonym(s): *Lamoria Walker, 1863; Maraclea Walker, 1863; Hornigia Ragonot, 1885; Tugela Ragonot, 1888.* Original Reference: Lamoria Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 27: 87. Type-species: *Lamoria planalis* Walker, 1863, ibidem 27: 88, by monotypy.
- 7078. Lamprophaia Caradja, 1925** (Pyralidae) Synonym(s): *Lamprophaia Caradja, 1925*
- 7079. Lamprosema Hübner, [1823]** (Pyralidae) Synonym(s): *Lamprosema Hübner, [1823]; Lotanga Moore, [1886]; #Lamphosema Schaus, 1940*
- 7080. Lantzodes Leraut, 2013** (Pyralidae) Synonym(s): *Lantzodes Leraut, 2013*
- 7081. Laodamia Ragonot, 1888** (Pyralidae) Synonym(s): *Laodamia Ragonot, 1888; Alophia Ragonot, 1893*
- 7082. Laristania Amsel, 1951** (Pyralidae) Synonym(s): *Laristania Amsel, 1951; Praeepischnia Amsel, 1954* Original Reference: Laristania Amsel, 1951, Ark. Zool. 2 (1): 536. Type-species: *Laristania sardzella* Amsel, 1951, by monotypy.
- 7083. Laristania vestaliella (Erschoff, 1874)** (Pyralidae) Synonym(s): *vestaliella Erschoff, 1874; pollinella Christoph, 1877*
- 7084. Larodryas Turner, 1922** (Pyralidae) Synonym(s): *Larodryas Turner, 1922; #Laryodryas Whalley, 1961*
- 7085. Lasiossticha Meyrick, 1887** (Pyralidae) Synonym(s): *Lasiocera Meyrick, 1879 nec Dejean, 1831; Lasiossticha Meyrick, 1887; #Laosticha Hulst, 1903*
- 7086. Leechia South, 1901** (Pyralidae) Synonym(s): *Leechia South, 1901* Original Reference: Leechia South, 1901, [in] Leech, Trans. ent. Soc. Lond. 1901: 400. Type-species: *Leechia sinuosalis* South, 1901, by original designation.

- 7087. Leonardo Bleszynski, 1965** (Pyrilidae) Synonym(s): *Leonardo Bleszynski, 1965* Original Reference: Leonardo Bleszynski, 1965, Opusc. zool. Münch. 86: 3. Type-species: *Leonardo davincii* Bleszynski, 1965, by original designation.
- 7088. Lepidogma Meyrick, 1890** (Pyrilidae) Synonym(s): *Lepidogma Meyrick, 1890*; *Precopia Ragonot, 1891*; *Asopina Christoph, 1893* Original Reference: Lepidogma Meyrick, 1890, Trans. ent. Soc. Lond. 1890: 470, 472. Type-species: *Hypotia tamaricalis* Mann, 1873, by monotypy.
- 7089. Lepidoneura Hampson, 1899** (Pyrilidae) Synonym(s): *Lepidoneura Hampson, 1899*
- 7090. Leucargyra Hampson, 1896** (Pyrilidae) Synonym(s): *Leucargyra Hampson, 1896*
- 7091. Leucinodes Guenée, 1854** (Pyrilidae) Synonym(s): *Leucinodes Guenée, 1854*; *#Leuctinodes South, 1897* Original Reference: Leucinodes Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 221. Type-species: *Leucinodes orbonalis* Guenée, 1854, by original designation.
- 7092. Leucoides Hampson, 1893** (Pyrilidae) Synonym(s): *Leucoides Hampson, 1893*
- 7093. Leviantenna Balinsky, 1994** (Pyrilidae) Synonym(s): *Leviantenna Balinsky, 1994*
- 7094. Limbobotys Munroe & Mutuura, 1970** (Pyrilidae) Synonym(s): *Limbobotys Munroe & Mutuura, 1970*
- 7095. Lineodes Guenée, 1854** (Pyrilidae) Synonym(s): *Lineodes Guenée, 1854*; *Scoptonoma Zeller, 1873*; *Ciraphorus Dyar, 1910*
- 7096. Lioprosopa Turner, 1947** (Pyrilidae) Synonym(s): *Lioprosopa Turner, 1947*
- 7097. Lipararchis Meyrick, 1934** (Pyrilidae) Synonym(s): *Notaspis W. Warren, 1892* nec Hermann, 1804; *Lipararchis Meyrick, 1934*.
- 7098. Lipocosma Lederer, 1863** (Pyrilidae) Synonym(s): *Lipocosma Lederer, 1863*; *Clarkeia Amsel, 1956* nec Kozl., 1923; *Clarkeoides Amsel, 1957*; *Lipocosmopsis Munroe, 1964*
- 7099. Lipocosmodes Munroe, 1964** (Pyrilidae) Synonym(s): *Lipocosmodes Munroe, 1964*
- 7100. Lissophanes W. Warren, 1891** (Pyrilidae) Synonym(s): *Lissophanes W. Warren, 1891*
- 7101. Lista Walker, 1859** (Pyrilidae) Synonym(s): *Lista Walker, 1859*
- 7102. Lixa Walker, [1866]** (Pyrilidae) Synonym(s): *Lixa Walker, [1866]*
- 7103. Locastra Walker, 1858** (Pyrilidae) Synonym(s): *Locastra Walker, 1858*
- 7104. Lodiania Ragonot, 1888** (Pyrilidae) Synonym(s): *Lodiania Ragonot, 1888*
- 7105. Lophothoracia Hampson, 1901** (Pyrilidae) Synonym(s): *Lophothoracia Hampson, 1901*
- 7106. Loryma Walker, 1859** (Pyrilidae) Synonym(s): *Loryma Walker, 1859*; *Beria Walker, 1863* nec Robineau-Desvoidy, 1830; *Ulotricha Lederer, 1863*; *Tauba Walker, 1866*; *Essina Ragonot, 1891*; *Philotis Ragonot, 1891*; *Ulotrichodes Ragonot, 1891*; *Actenioides W. Warren, 1892*; *Anobostra Hampson, 1917*; *Anactenia Amsel, 1961*; *Iraniodes Amsel, 1961* Original Reference: Loryma Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 890. Type-species: *Loryma sentiusalis* Walker, 1859, by monotypy.
- 7107. Lorymodes Hampson, 1917** (Pyrilidae) Synonym(s): *Lorymodes Hampson, 1917*
- 7108. Loxmaionia Schaus, 1913** (Pyrilidae) Synonym(s): *Loxmaionia Schaus, 1913*
- 7109. Loxocrambus Forbes, 1920** (Pyrilidae) Synonym(s): *Loxocrambus Forbes, 1920*
- 7110. Loxomorpha Amsel, 1956** (Pyrilidae) Synonym(s): *Loxomorpha Amsel, 1956*; *Chrysobotys Munroe, 1956*
- 7111. Loxophantis Meyrick, 1935** (Pyrilidae) Synonym(s): *Loxophantis Meyrick, 1935*
- 7112. Loxostege Hübner, [1825]** (Pyrilidae) Synonym(s): *Loxostege Hübner, [1825]*; *Leimonia Hübner, [1825]*; *Margaritia Stephens, 1827*; *Boreophila Guenée, 1845*; *Limonia Agassiz, 1847*; *Cosmocreon W. Warren, 1892*; *Maroa Barnes & McDunnough, 1914*; *Polingia Barnes & McDunnough, 1914*; *Parasitochroa Hannemann, 1964* Original Reference: Loxostege Hübner, [1825], Verz. bekannt. Schmett.: 352. Type-species: *Pyralis aeruginalis* Hübner, 1796, by subsequent designation by Hampson, 1918.
- 7113. Luma Walker, 1863** (Pyrilidae) Synonym(s): *Luma Walker, 1863*; *Zebronia Leech, 1899*
- 7114. Lygomusotima Solis, Shen-Horn & Goolsby, 2004** (Pyrilidae) Synonym(s): *Lygomusotima Solis, Shen-Horn & Goolsby, 2004*
- 7115. Lygropia Lederer, 1863** (Pyrilidae) Synonym(s): *Lygropia Lederer, 1863*; *Hyperthalia W. Warren, 1896*
- 7116. Lymphia Rebel, 1901** (Pyrilidae) Synonym(s): *Lymphia Rebel, 1901*; *Lymphia Ragonot, 1901* Original Reference: Lymphia Rebel, 1901, [in] Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb. (3) 2: 25. Type-species: *Phycis chalybella* Eversmann, 1844, by monotypy.
- 7117. Mabokia Leraut, 2013** (Pyrilidae) Synonym(s): *Mabokia Leraut, 2013*
- 7118. Mabra Moore, [1885]** (Pyrilidae) Synonym(s): *Mabra Moore, [1885]*; *Neurophruda W. Warren, 1896*; *Neophruda Hampson, 1897*; *Streptobela Turner, 1937*
- 7119. Macalla Walker, [1859]** (Pyrilidae) Synonym(s): *Macalla Walker, [1859]*; *Aradrappa Walker, [1866]*

- 7120. Macaretaera Meyrick, 1886** (Pyralidae) Synonym(s): *Macaretaera Meyrick, 1886*; *Trichoptychodes Swinhoe, 1894*; *Trigonophylla Turner, 1937 nec Turner, 1919*
- 7121. Macna Walker, [1859]** (Pyralidae) Synonym(s): *Macna Walker, [1859]*; *Curicta Walker, [1866]*; *Rhabana Walker, [1866]*; *Goossenien Ragonot, 1891 nec Cossmann, 1885*; *Teratomorpha De Nicéville, 1896*; *Plinthopa Bethune-Baker, 1908*; *Gateclarkeia Orfila & Rossi, 1956*
- 7122. Macreupoca Munroe, 1964** (Pyralidae) Synonym(s): *Macreupoca Munroe, 1964*
- 7123. Macrobela Turner, 1939** (Pyralidae) Synonym(s): *Macrobela Turner, 1939*
- 7124. Macrochilo Hampson, 1896** (Pyralidae) Synonym(s): *Macrochilo Hampson, 1896*
- 7125. Macroctenia Hampson, 1900** (Pyralidae) Synonym(s): *Macroctenia Hampson, 1900*
- 7126. Macrovalva Balinsky, 1994** (Pyralidae) Synonym(s): *Macrovalva Balinsky, 1994*
- 7127. Magiria Zeller, 1867** (Pyralidae) Synonym(s): *Magiria Zeller, 1867*
- 7128. Magiriamorpha Balinsky, 1994** (Pyralidae) Synonym(s): *Magiriamorpha Balinsky, 1994*
- 7129. Makrania Amsel, 1959** (Pyralidae) Synonym(s): *Makrania Amsel, 1959*
- 7130. Malleria Munroe, 1959** (Pyralidae) Synonym(s): *Malleria Munroe, 1959*
- 7131. Mampava Ragonot, 1888** (Pyralidae) Synonym(s): *Mampava Ragonot, 1888*; *Anerastidia Hampson, 1901*
- 7132. Maradana Moore, 1884** (Pyralidae) Synonym(s): *Maradana Moore, 1884*; *Paractenia Ragonot, 1892*; *Pyralestes Turati, 1922*
- 7133. Marasmia Lederer, 1863** (Pyralidae) Synonym(s): *Marasmia Lederer, 1863*; *Dolichosticha Meyrick, 1884*; *Epimima Meyrick, 1886*; *Lasiacme W. Warren, 1896*; *Bradinomorpha Matsumura, 1920*; *Susumia Marumo, 1930*; *Prototaula Meyrick, 1934*; *#Neomarmasmia Kulra, David & Banerji, 1967*
- 7134. Margaretania Amsel, 1961** (Pyralidae) Synonym(s): *Margaretania Amsel, 1961* Original Reference: *Margaretania Amsel, 1961, Ark. Zool. 13: 329. Type-species: Margaretania superba Amsel, 1961, by original designation.*
- 7135. Margarochroma W. Warren, 1896** (Pyralidae) Synonym(s): *Margarochroma W. Warren, 1896*
- 7136. Margarosticha Lederer, 1863** (Pyralidae) Synonym(s): *Margarosticha Lederer, 1863*
- 7137. Maruca Walker, 1859** (Pyralidae) Synonym(s): *Maruca Walker, 1859*; *#Maruea Walker, 1859*; *Siriocauta Lederer, 1863* Original Reference: *Maruca Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 17: 490. Type-species: Hydrocampe aquitilis Guérin-Méneville, [1832], by subsequent monotypy.*
- 7138. Marwitzia Gaede, 1917** (Pyralidae) Synonym(s): *Marwitzia Gaede, 1917*
- 7139. Massepha Walker, 1859** (Pyralidae) Synonym(s): *Massepha Walker, 1859*; *Physematia Snellen, 1880*; *Ceratoclassis Druce, 1899*
- 7140. Masthala Walker, 1864** (Pyralidae) Synonym(s): *Masthala Walker, 1864*
- 7141. Mecistophylla Turner, 1937** (Pyralidae) Synonym(s): *Mecistophylla Turner, 1937*
- 7142. Mecyna Doubleday, [1849]** (Pyralidae) Synonym(s): *Mecyna Doubleday, [1849]* Original Reference: *Mecyna Doubleday, [1849], Synonymic List Br. Lepid. (2 (2)): 14. Type-species: Pyralis asinalis Hübner, [1819], by monotypy.*
- 7143. Medaniaria Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Medaniaria Roesler & Küppers, 1979*
- 7144. Megasis (Tsaraphycis) Viette, 1970** (Pyralidae) Synonym(s): *Tsaraphycis Viette, 1970*; *Gigasis Leraut, 2003* Original Reference: *Tsaraphycis Viette, 1970, Mém. O.R.S.T.O.M. 37: 151. Type-species: Tsaraphycis philippella Viette, 1970, by original designation.*
- 7145. Megasis (s.str.) Guenée, 1845** (Pyralidae) Synonym(s): *Megasis Guenée, 1845* Original Reference: *Megasis Guenée, 1845, Annls Soc. ent. Fr. (2) 3: 309. Type-species: Anerastia rippertella Zeller, 1839, Isis 1839: 177, by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 254.*
- 7146. Megasis Guenée, 1845** (Pyralidae) Synonym(s): *Megasis Guenée, 1845* Original Reference: *Megasis Guenée, 1845, Annls Soc. ent. Fr. (2) 3: 309. Type-species: Anerastia rippertella Zeller, 1839, Isis 1839: 177, by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 254.*
- 7147. Melanalis Hampson, 1906** (Pyralidae) Synonym(s): *Melanalis Hampson, 1906*
- 7148. Melanastia Hampson, 1930** (Pyralidae) Synonym(s): *Melanastia Hampson, 1930*; *#Melanistia Whalley, 1970*
- 7149. Melathrix Ragonot, 1893** (Pyralidae) Synonym(s): *Melathrix Ragonot, 1893*
- 7150. Melitara Walker, 1863** (Pyralidae) Synonym(s): *Melitara Walker, 1863*; *Megaphycis Grote, 1882*
- 7151. Merangiria Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Merangiria Roesler & Küppers, 1979*

- 7152. Meridiophila Marion,1963** (Pyralidae) Synonym(s): *Meridiophila Marion,1963*
- 7153. Meroctena Lederer,1863** (Pyralidae) Synonym(s): *Meroctena Lederer,1863*
- 7154. Merodictya W.Warren,1896** (Pyralidae) Synonym(s): *Merodictya W.Warren,1896*
- 7155. Merotoma Meyrick,1894** (Pyralidae) Synonym(s): *Merotoma Meyrick,1894*
- 7156. Merulempista Roesler,1967** (Pyralidae) Synonym(s): *Merulempista Roesler,1967*
Original Reference: Merulempista Roesler,1967, Ent. Z., Frankf.a.M. 77: 274. Type-species: Pempelia cingillella Zeller,1846, by original designation.
- 7157. Mesciniadia Hampson,1901** (Pyralidae) Synonym(s): *Mesciniadia Hampson,1901;*
#Meseiniadia Turner,1913
- 7158. Mesocrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Mesocrambus Bleszynski,1957*
Original Reference: Mesocrambus Bleszynski,1957, Acta zool. cracov. 1: 201, 251. Type-species: Crambus candidellus Herrich-Schäffer,1848, by original designation.
- 7159. Mesodiphlebia Zeller,1881** (Pyralidae) Synonym(s): *Mesodiphlebia Zeller,1881*
- 7160. Mesolia Ragonot,1888** (Pyralidae) Synonym(s): *Mesolia Ragonot,1888; Eugrotea Fernald,1896; Deuterolia Dyar,1914; Euparolia Dyar,1914*
- 7161. Mestolobes Butler,1882** (Pyralidae) Synonym(s): *Mestolobes Butler,1882; Promylaea Meyrick,1899*
- 7162. Metaclysta Hampson,1906** (Pyralidae) Synonym(s): *Metaclysta Hampson,1906*
- 7163. Metacrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Metacrambus Bleszynski,1957*
Original Reference: Metacrambus Bleszynski,1957, Acta zool. cracov. 1: 199, 253. Type-species: Crambus carectellus Zeller,1847, by original designation.
- 7164. Metacrateria Hampson,1918** (Pyralidae) Synonym(s): *Metacrateria Hampson,1918*
- 7165. Metaeuchromius Bleszynski,1960** (Pyralidae) Synonym(s): *Metaeuchromius Bleszynski,1960; Pseudeuchromius Bleszynski,1965* Original Reference: Metaeuchromius Bleszynski,1960, Acta zool. cracov. 5: 217. Type-species: Eromene yuennanensis Caradja & Meyrick,1937, by original designation.
- 7166. Metallarcha Meyrick,1884** (Pyralidae) Synonym(s): *Metallarcha Meyrick,1884; Panopsia Turner,1913*
- 7167. Metallosticha Rebel,1901** (Pyralidae) Synonym(s): *Metallosticha Rebel,1901; Metallosticha Hampson,1901; Ametallosticha Amsel,1935.* Original Reference: Metallosticha Rebel,1901, [in] Staudinger & Rebel, Cat. Lepid. palaeare. Faunengeb. (3) 2: 23. Type-species: Myelois argyrogrammos Zeller,1847, by subsequent designation by D.S.Fletcher & Nye,1984.
- 7168. Metallostichodes Roesler,1967** (Pyralidae) Synonym(s): *Metallostichodes Roesler,1967*
Original Reference: Metallostichodes Roesler,1967, Ent. Z., Frankf.a.M. 77: 276. Type-species: Myelois nigrocyana Constant,1865, by original designation.
- 7169. Metasia (Clasperia) Hartig,1952** (Pyralidae) Synonym(s): *Clasperia Hartig,1952.* Original Reference: Clasperia Hartig,1952, Z. wien. ent. Ges. 37: 35. Type-species: Botys ophialis Treitschke,1829, by original designation (established as a subgenus of Metasia Gn.,1854).
- 7170. Metasia (Hystrixia) Hartig,1952** (Pyralidae) Synonym(s): *Hystrixia Hartig,1952*
Original Reference: Hystrixia Hartig,1952, Z. wien. ent. Ges. 37: 37. Type-species: Metasia younesalis Chrétien,1915, by monotypy (established as a subgenus of Metasia Gn.,1854).
- 7171. Metasia (s.str.) Guenée,1854** (Pyralidae) Synonym(s): *Metasia Guenée,1854* Original Reference: Metasia Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 251. Type-species: Pyralis supbandalis Hübner,[1823], by subsequent designation by Hampson,1896.
- 7172. Metasia Guenée,1854** (Pyralidae) Synonym(s): *Metasia Guenée,1854* Original Reference: Metasia Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes 8: 251. Type-species: Pyralis supbandalis Hübner,[1823], by subsequent designation by Hampson,1896.
- 7173. Metaxmeste Hübner,[1825]** (Pyralidae) Synonym(s): *Metaxmeste Hübner,[1825]; Hercyna Treitschke,1828.* Original Reference: Metaxmeste Hübner,[1825], Verz. bekannt. Schmett.: 352. Type-species: Pyralis phrygialis Hübner,1796, by subsequent designation by Munroe,1954 (Can. Ent. 86 (11): 499).
- 7174. Metoeca W.Warren,1896** (Pyralidae) Synonym(s): *Metoeca W.Warren,1896*
- 7175. Metoecis Mabilie,1880** (Pyralidae) Synonym(s): *Metoecis Mabilie,1880*
- 7176. Meyrickia Hampson,1917** (Pyralidae) Synonym(s): *Meyrickia Ragonot,1901 nec Butler,1884; Meyrickia Hampson,1917; Hylaletis Meyrick,1932.*
- 7177. Meyrickiella Hampson,1901** (Pyralidae) Synonym(s): *Meyrickiella Hampson,1901; Meyrickialis Hampson,1930*
- 7178. Michaeliodes Roesler,1970** (Pyralidae) Synonym(s): *Michaeliodes Roesler,1970*

- 7179. Micraglossa W.Warren,1891** (Pyalidae) Synonym(s): *Micraglossa W.Warren,1891*; *#Microglossa Hampson,1917*
- 7180. Microchilo Okano,1962** (Pyalidae) Synonym(s): *Microchilo Okano,1962*
- 7181. Microphysetica Hampson,1917** (Pyalidae) Synonym(s): *Microphysetica Hampson,1917*; *Falx Amsel,1956*; *Falcimorpha Amsel,1957*
- 7182. Microtalis Turner,1911** (Pyalidae) Synonym(s): *Microtalis Turner,1911*
- 7183. Microthrix Ragonot,1888** (Pyalidae) Synonym(s): *Microthrix Ragonot,1888*
- 7184. Miliberta Balinsky,1994** (Pyalidae) Synonym(s): *Miliberta Balinsky,1994*
- 7185. Mimaglossa W.Warren,1891** (Pyalidae) Synonym(s): *Mimaglossa W.Warren,1891*
- 7186. Mimorista W.Warren,1890** (Pyalidae) Synonym(s): *Mimorista W.Warren,1890*
- 7187. Miraxis Bleszynski,1962** (Pyalidae) Synonym(s): *Miraxis Bleszynski,1962*
- 7188. Mittonia Whalley,1964** (Pyalidae) Synonym(s): *Mittonia Whalley,1964*
- 7189. Miyakea Marumo,1933** (Pyalidae) Synonym(s): *Miyakea Marumo,1933*
- 7190. Mnesixena Meyrick,1890** (Pyalidae) Synonym(s): *Mnesixena Meyrick,1890*
- 7191. Modestia Bleszynski,1965** (Pyalidae) Synonym(s): *Modestia Bleszynski,1965*
- 7192. Moitrelia Leraut,2001** (Pyalidae) Synonym(s): *Moitrelia Leraut,2001* Original
Reference: *Moitrelia Leraut,2001*, Revue fr. Ent. (n.s.) 23 (2): 135. Type-species: *Pempelia obductella* Zeller,1839, by original designation.
- 7193. Monocoptopera Hampson,1898** (Pyalidae) Synonym(s): *Monocoptopera Hampson,1898*
Original Reference: *Monocoptopera Hampson,1898*, Proc. zool. Soc. Londn 1898: 610. Type-species: *Monocoptopera ecmatallescens* Hampson,1898, by original designation.
- 7194. Munroeodes Amsel,1957** (Pyalidae) Synonym(s): *Munroeia Amsel,1956 nec Mar.,1954*; *Munroeodes Amsel,1957*
- 7195. Musotima Meyrick,1884** (Pyalidae) Synonym(s): *Musotima Meyrick,1884*
- 7196. Mussidia Ragonot,1888** (Pyalidae) Synonym(s): *Mussidia Ragonot,1888*; *#Muscidia Sharp,1890*
- 7197. Myelobia Herrich-Schäffer,1856** (Pyalidae) Synonym(s): *Myelobia Herrich-Schäffer,1856*; *Doratoperas Hampson,1896*; *Chilopsis Hampson,1919*; *Xanthopherne Dyar & Heinrich,1927*
- 7198. Myelodes Hampson,1930** (Pyalidae) Synonym(s): *Myelodes Hampson,1930* Original
Reference: *Myelodes Hampson,1930*, Ann. Mag. nat. Hist. (10) 5: 77-78. Type-species: *Myelodes jansei* Hampson,1930, by original designation.
- 7199. Myeloiodes Asselbergs,2004** (Pyalidae) Synonym(s): *Myeloiodes Asselbergs,2004*
Original Reference: *Myeloiodes Asselbergs,2004*, Nota lepid. 27 (1): 52. Type-species: *Myeloiodes minimella* Asselbergs,2004, by original designation and monotypy.
- 7200. Myelois Hübner,[1825]** (Pyalidae) Synonym(s): *Myelois Hübner,[1825]*; *Lispe Treitschke,1832*; *Myelophila Treitschke,1835*; *Gnathogutta Roesler,1988* Original Reference: *Myelois Hübner,[1825]*, Verz. bekannt. Schmett.: 371. Type-species: *Tinea cribrella* Hübner,1796, by monotypy.
- 7201. Myeloisiphana Hartig,1937** (Pyalidae) Synonym(s): *Myeloisiphana Hartig,1937*
Original Reference: *Myeloisiphana Hartig,1937*, Z. öst. EntVer. 22: 71. Type-species: *Myeloisiphana afghana* Hartig,1937, by monotypy.
- 7202. Myriostephes Meyrick,1884** (Pyalidae) Synonym(s): *Myriostephes Meyrick,1884*
- 7203. Myrlaea Ragonot,1887** (Pyalidae) Synonym(s): *Myrlaea Ragonot,1887* Original
Reference: *Myrlaea Ragonot,1887*, Annls. Soc. ent. Fr. 1887: 234. Type-species: *Pempelia albistrigata* Staudinger,1881.
- 7204. Myrmidonistis Meyrick,1887** (Pyalidae) Synonym(s): *Myrmidonistis Meyrick,1887*
- 7205. Nacoleia Walker,1859** (Pyalidae) Synonym(s): *Nacoleia Walker,1859*; *Semioceros Meyrick,1884*; *Aplomastix W.Warren,1890*; *Metasiodes Meyrick,1894*; *Orthocona W.Warren,1896*
- 7206. Nakurubia Balinsky,1994** (Pyalidae) Synonym(s): *Nakurubia Balinsky,1994*
- 7207. Namangania Amsel,1952** (Pyalidae) Synonym(s): *Namangania Amsel,1952*
- 7208. Namibicola Balinsky,1991** (Pyalidae) Synonym(s): *Namibicola Balinsky,1991*
- 7209. Namibicola Balinsky,1991** (Pyalidae) Synonym(s): *Namibicola Balinsky,1991* Original
Reference: *Namibicola splendida* Balinsky,1991, S Afr. J. Zool. 26 (3): 103. Type-species: *Namibicola Balinsky,1991*, by original designation.
- 7210. Namibiopsis Balinsky,1994** (Pyalidae) Synonym(s): *Namibiopsis Balinsky,1994*
- 7211. Nascia Curtis,1835** (Pyalidae) Synonym(s): *Nascia Curtis,1835* Original Reference: *Nascia Curtis,1835*, Br. Ent. 12: folio 559. Type-species: *Pyralis ciliaris* Hübner,1796, by original designation.

- 7212. Nausinoe Hübner,[1825]** (Pyralidae) Synonym(s): *Nausinoe Hübner,[1825]*; *Lepyrodes Guenée,1854*; *Phalangiodes Guenée,1854*.
- 7213. Navasota Ragonot,1887** (Pyralidae) Synonym(s): *Navasota Ragonot,1887*
- 7214. Neargyractis Lange,1956** (Pyralidae) Synonym(s): *Neargyractis Lange,1956*
- 7215. Neargyria Hampson,1896** (Pyralidae) Synonym(s): *Neargyria Hampson,1896*
- 7216. Neargyrioides Bleszynski,1970** (Pyralidae) Synonym(s): *Neargyrioides Bleszynski,1970*
- 7217. Nechilo Bleszynski,1970** (Pyralidae) Synonym(s): *Nechilo Bleszynski,1970*
- 7218. Neerupa Hampson,1919** (Pyralidae) Synonym(s): *Neerupa Hampson,1919*
- 7219. Nehydriris Munroe,1984** (Pyralidae) Synonym(s): *Nehydriris Munroe,1984*
- 7220. Neobostra Hampson,1906** (Pyralidae) Synonym(s): *Neobostra Hampson,1906*
- 7221. Neocrambus Bleszynski,1957** (Pyralidae) Synonym(s): *Neocrambus Bleszynski,1957*
Original Reference: *Neocrambus Bleszynski,1957, Acta zool. cracov. 1: 199, 457. Type-species: Crambus wolfschlaegeri Schawerda,1937, by original designation.*
- 7222. Neoepicorsia Munroe,1964** (Pyralidae) Synonym(s): *Neoepicorsia Munroe,1964*
- 7223. Neohelvibotys Munroe,1976** (Pyralidae) Synonym(s): *Neohelvibotys Munroe,1976*
- 7224. Neoleucinodes Capps,1948** (Pyralidae) Synonym(s): *Neoleucinodes Capps,1948*
- 7225. Neomusotima Yoshiyasu,1985** (Pyralidae) Synonym(s): *Neomusotima Yoshiyasu,1985*
- 7226. Neopaschia Janse,1922** (Pyralidae) Synonym(s): *Neopaschia Janse,1922*
- 7227. Neopediasia Okano,1962** (Pyralidae) Synonym(s): *Neopediasia Okano,1962*
- 7228. Neorastia Amsel,1954** (Pyralidae) Synonym(s): *Neorastia Amsel,1954*
- 7229. Neoschoenobia Hampson,1900** (Pyralidae) Synonym(s): *Neoschoenobia Hampson,1900*
- 7230. Neostege Hampson,1910** (Pyralidae) Synonym(s): *Neostege Hampson,1910*
- 7231. Nephelobotys Munroe & Mutuura,1970** (Pyralidae) Synonym(s): *Nephelobotys Munroe & Mutuura,1970*
- 7232. Nephopterix Hübner,[1825]** (Pyralidae) Synonym(s): *Nephopterix Hübner,[1825]*; *#Nephopteryx Zeller,1839*; *Alispa Zeller,1848* Original Reference: *Nephopterix Hübner,[1825], Verz. bekannter Schmett.: 370. Type-species: Tinea angustella Hübner,1796, Samml. eur. Schmett. 8: 33, pl.10 fig.68, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 255.*
- 7233. Nephopterygia Amsel,1965** (Pyralidae) Synonym(s): *Nephopterygia Amsel,1965* Original Reference: *Nephopterygia Amsel,1965, Annln naturh. Mus. Wien 68: 596. Type-species: Nephopterygia austeritella Amsel,1965, by original designation.*
- 7234. Nephrogramma Munroe,1964** (Pyralidae) Synonym(s): *Nephrogramma Munroe,1964*
- 7235. Neurophyseta Hampson,1895** (Pyralidae) Synonym(s): *Neurophyseta Hampson,1895*; *Omphaloptera Hampson,1897*
- 7236. Niphadoses Common,1960** (Pyralidae) Synonym(s): *Niphadoses Common,1960*
- 7237. Niphograptia W.Warren,1892** (Pyralidae) Synonym(s): *Niphograptia W.Warren,1892*
- 7238. Niphopyralis Hampson,1893** (Pyralidae) Synonym(s): *Niphopyralis Hampson,1893*; *Wurthia Roepke,1916*
- 7239. Niphostola Hampson,1896** (Pyralidae) Synonym(s): *Niphostola Hampson,1896*
- 7240. Nomophila Hübner,[1825]** (Pyralidae) Synonym(s): *Nomophila Hübner,[1825]*; *Stenopteryx Guenée,[1845]* *nec Meigen,1830*; *Macronomeutis Meyrick,1936* Original Reference: *Nomophila Hübner,[1825], Verz. bekannter Schmett.: 368. Type-species: Pyralis hybridalis Hübner,1796, Samml. eur. Schmett. 6: 29, pl.17, f.114, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects):113.*
- 7241. Nonambesa Roesler & Küppers,1979** (Pyralidae) Synonym(s): *Nonambesa Roesler & Küppers,1979*
- 7242. Nonphycita Balinsky,1994** (Pyralidae) Synonym(s): *Nonphycita Balinsky,1994*
- 7243. Noorda Walker,1859** (Pyralidae) Synonym(s): *Noorda Walker,1859*; *Epinoorda Rebel,1902*
- 7244. Nosophora Lederer,1863** (Pyralidae) Synonym(s): *Nosophora Lederer,1863*; *Analthes Lederer,1863*; *Eidama Walker,[1866]*
- 7245. Notarcha Meyrick,1884** (Pyralidae) Synonym(s): *Notarcha Meyrick,1884*; *Haritala Moore,[1886]*
- 7246. Notocrambus Turner,1922** (Pyralidae) Synonym(s): *Notocrambus Turner,1922*
- 7247. Novocrambus Amsel,1956** (Pyralidae) Synonym(s): *Novocrambus Amsel,1956*
- 7248. Numonia Ragonot,1893** (Pyralidae) Synonym(s): *Numonia Ragonot,1893*
- 7249. Nussodes Leraut,2013** (Pyralidae) Synonym(s): *Nussodes Leraut,2013*

- 7250. Nyctegretis Zeller, 1848** (Pyalidae) **Synonym(s):** *Nyctegretis* Zeller, 1848; *Trichorachia* Hampson, 1930; *Synallorema* Gozmany, 1958. **Original Reference:** *Nyctegretis* Zeller, 1848, Isis Oken 1848: 650. Type-species: *Tinea achatinella* Hübner, [1824], by monotypy.
- 7251. Nyctereutica Turner, 1904** (Pyalidae) **Synonym(s):** *Nyctereutica* Turner, 1904; *Diastrophica* Turner, 1937
- 7252. Nyctiplanes Turner, 1937** (Pyalidae) **Synonym(s):** *Nyctiplanes* Turner, 1937
- 7253. Nymphicula Snellen, [1880]** (Pyalidae) **Synonym(s):** *Nymphicula* Snellen, [1880]
- 7254. Nymphula Schrank, 1802** (Pyalidae) **Synonym(s):** *Nymphula* Schrank, 1802 **Original Reference:** *Nymphula* Schrank, 1802, Fauna Boica 2 (2): 162. Type-species: *Pyralis potamogalis* [Denis & Schiffermüller], 1775, by subsequent designation by Moore, [1887].
- 7255. Nymphulosis Amsel, 1959** (Pyalidae) **Synonym(s):** *Nymphulosis* Amsel, 1959
- 7256. Obtusipalpis Hampson, 1896** (Pyalidae) **Synonym(s):** *Obtusipalpis* Hampson, 1896
- 7257. Occidentalia Dyar & Heinrich, 1927** (Pyalidae) **Synonym(s):** *Occidentalia* Dyar & Heinrich, 1927
- 7258. Ocrasa Walker, [1866]** (Pyalidae) **Synonym(s):** *Ocrasa* Walker, [1866]
- 7259. Ocrisiodes Amsel, 1950** (Pyalidae) **Synonym(s):** *Pristophora* Ragonot, 1887 nec Newman, 1837; *Ocrisiodes* Amsel, 1950; *Mechedia* Amsel, 1951; *Pristophorodes* Amsel, 1953; *Uncinomorpha* Amsel, 1958. **Original Reference:** *Ocrisiodes* Amsel, 1950, Ark. zool. (2) 1: 225. Type-species: *Ocrisiodes chirazalis* Amsel, 1950, by original designation.
- 7260. Odilla Schaus, 1940** (Pyalidae) **Synonym(s):** *Odilla* Schaus, 1940
- 7261. Odontarthria Ragonot, 1893** (Pyalidae) **Synonym(s):** *Odontarthria* Ragonot, 1893
- 7262. Odontopaschia Hampson, 1903** (Pyalidae) **Synonym(s):** *Odontopaschia* Hampson, 1903
- 7263. Oenobotys Munroe, 1976** (Pyalidae) **Synonym(s):** *Oenobotys* Munroe, 1976
- 7264. Oenogenes Meyrick, 1884** (Pyalidae) **Synonym(s):** *Oenogenes* Meyrick, 1884; #*Oeogenes* Whalley, 1961
- 7265. Ogilvia Hampson, 1930** (Pyalidae) **Synonym(s):** *Ogilvia* Hampson, 1930
- 7266. Oligochroides Strand, 1909** (Pyalidae) **Synonym(s):** *Oligochroides* Strand, 1909
- 7267. Oligostigma Guenée, 1876** (Pyalidae) **Synonym(s):** *Oligostigma* Guenée, 1876; *Hemiloba* Swinhoe, 1901
- 7268. Olycella Dyar, 1928** (Pyalidae) **Synonym(s):** *Olycella* Dyar, 1928
- 7269. Omiodes Guenée, 1854** (Pyalidae) **Synonym(s):** *Omiodes* Guenée, 1854; *Spargeta* Lederer, 1863; *Coenostola* Lederer, 1863; *Deba* Walker, [1866]; *Phycidicera* Snellen, [1880]; *Pelecyntis* Meyrick, 1884; *Charema* Moore, 1887; *Loxocreon* W. Warren, 1892; *Merotoma* Meyrick, 1894; #*Coenolesta* Whalley, 1962; #*Hedelepta* Hutacharern & Tuhtim, 1995
- 7270. Omphisa Moore, [1886]** (Pyalidae) **Synonym(s):** *Omphisa* Moore, [1886]
- 7271. Oncocera Stephens, 1829** (Pyalidae) **Synonym(s):** *Oncocera* Stephens, 1829; *Pollichia* Roesler, 1980 **Original Reference:** *Oncocera* Stephens, 1829, Nom. Br. Insects: 50. Type-species: *Phalaena carnella* Linnaeus, 1767, by subsequent designation by Westwood, 1840.
- 7272. Orenaia Duponchel, [1845]** (Pyalidae) **Synonym(s):** *Orenaia* Duponchel, [1845]
- 7273. Orocrampus Purdie, 1884** (Pyalidae) **Synonym(s):** *Orocrampus* Purdie, 1884
- 7274. Orphanostigma W. Warren, 1890** (Pyalidae) **Synonym(s):** *Orphanostigma* W. Warren, 1890
- 7275. Orphnophanes Lederer, 1863** (Pyalidae) **Synonym(s):** *Orphnophanes* Lederer, 1863; *Syntomodora* Meyrick, 1894
- 7276. Orthaga Walker, [1859]** (Pyalidae) **Synonym(s):** *Orthaga* Walker, [1859]; *Edeta* Walker, [1859]; *Pannucha* Moore, 1888; *Probosciphora* W. Warren, 1891; *Hyperbalanotis* W. Warren, 1891.
- 7277. Ortholepis Ragonot, 1887** (Pyalidae) **Synonym(s):** *Ortholepis* Ragonot, 1887; *Metriostola* Ragonot, 1893 **Original Reference:** *Ortholepis* Ragonot, 1887, Diagnoses N. Am. Phycitidae Galleridae: 6. Type-species: *Ortholepis jugosella* Ragonot, 1887, by monotypy.
- 7278. Orthomecyna Butler, 1883** (Pyalidae) **Synonym(s):** *Orthomecyna* Butler, 1883
- 7279. Orthoraphis Hampson, 1896** (Pyalidae) **Synonym(s):** *Orthoraphis* Hampson, 1896
- 7280. Orthospila W. Warren, 1890** (Pyalidae) **Synonym(s):** *Orthospila* W. Warren, 1890
- 7281. Orybina Snellen, 1895** (Pyalidae) **Synonym(s):** *Orybina* Snellen, 1895
- 7282. Oryctocera Ragonot, 1891** (Pyalidae) **Synonym(s):** *Oryctocera* Ragonot, 1891
- 7283. Osiriaca Walker, [1866]** (Pyalidae) **Synonym(s):** *Osiriaca* Walker, [1866]; *Myriotis* Meyrick, 1885
- 7284. Ostrinia Hübner, [1825]** (Pyalidae) **Synonym(s):** *Ostrinia* Hübner, [1825]; *Micractus* W. Warren, 1892; *Eupolemarcha* Meyrick, 1937; *Zeaphagus* Agenjo, 1952. **Original Reference:** *Ostrinia* Hübner, [1825], Verz. bekannt. Schmett.: 360. Type-species: *Pyralis palustralis* Hübner, 1796, by monotypy.

- 7285. Otiophora Turner,1908** (Pyalidae) Synonym(s): *Otiophora Turner,1908*
- 7286. Oxybia Rebel,1901** (Pyalidae) Synonym(s): *Oxybia Rebel,1901; Oxybia Hampson,1901*
Original Reference: *Oxybia Rebel,1901, [in] Staudinger & Rebel, Cat. Lepid. palaearc. Faunengeb. (3) 2: 22. Type-species: Phycis transversella Duponchel,1836, by monotypy.*
- 7287. Oxydisia Hampson,1901** (Pyalidae) Synonym(s): *Oxydisia Hampson,1901*
- 7288. Pachymorphus Möschler,1890** (Pyalidae) Synonym(s): *Pachymorphus Möschler,1890*
- 7289. Pachynoa Lederer,1863** (Pyalidae) Synonym(s): *Pachynoa Lederer,1863; Pitacanda Moore,[1886]; Hypermeces Turner,1933*
- 7290. Pagmanella Leraut,1985** (Pyalidae) Synonym(s): *Pagmanella Leraut,1985* Original Reference: *Pagmanella Leraut,1985, Nouv. Rev. Ent. (N.S.) 2 (3): 325. Type-species: Pagmanella heroica Leraut,1985, by original designation and monotypy.*
- 7291. Pagyda Walker,1859** (Pyalidae) Synonym(s): *Pagyda Walker,1859*
- 7292. Palepicorsia Maes,1995** (Pyalidae) Synonym(s): *Palepicorsia Maes,1995; #Paralepicorsia Asselbergs,2008* Original Reference: *Palepicorsia Maes,1995, Bull. Annls Soc. R. Belg. Ent. 131 (1): 80. Type-species: Botys ustrinalis Christoph,[1877], by original designation.*
- 7293. Paliga Moore,[1886]** (Pyalidae) Synonym(s): *Paliga Moore,[1886]; Eutectona Wang & Sung,1980*
- 7294. Palpita Hübner,[1808]** (Pyalidae) Synonym(s): *Palpita Hübner,[1808]; Hapalia Hübner,1818; Conchia Hübner,[1821]; Margaronia Hübner,[1825]; Paradosis Zeller,1852; Margarodes Guenée,1854 nec Guilding,1829; Sarothronota Lederer,1863; Sebunta Walker,1863; Ledereria Marschall,1873; Sylora Swinhoe,1900; Hvidodes Swinhoe,1900; Apyrausta Amsel,1951* Original Reference: *Palpita Hübner,[1808], Samml. exot. Schmett. 1: pl.[209]. Type-species: Pyralis unionalis Hübner,1796, by monotypy.*
- 7295. Palpusopsis Amsel,1959** (Pyalidae) Synonym(s): *#Palpusopsis Amsel,1959 [proposed conditionally!]* Original Reference: *Palpusopsis Amsel,1959, Stuttg. Beitr. Naturk. 28: 15. Type-species: Palpusopsis roseella Amsel,1959, by original designation.*
- 7296. Panalipa Moore,1866** (Pyalidae) Synonym(s): *Panalipa Moore,1866; Microschoenis Meyrick,1887*
- 7297. Panotima Meyrick,1934** (Pyalidae) Synonym(s): *Panotima Meyrick,1934*
- 7298. Paracataclysta Yoshiyasu,1983** (Pyalidae) Synonym(s): *Paracataclysta Yoshiyasu,1983*
- 7299. Paracorsia Marion,1959** (Pyalidae) Synonym(s): *Paracorsia Marion,1959* Original Reference: *Paracorsia Marion,1959, Entomologiste 15: 45. Type-species: Pyralis repandalis [Denis & Schiffermüller],1775, by original designation.*
- 7300. Paractenia Ragonot,1892** (Pyalidae) Synonym(s): *Paractenia Ragonot,1892*
- 7301. Paracymoriza W.Warren,1890** (Pyalidae) Synonym(s): *Paracymoriza W.Warren,1890; Micromania Swinhoe,1894; Stenicula Snellen,1901* Original Reference: *Paracymoriza W.Warren,1890, Ann. Mag. nat. Hist. (6) 6: 478. Type-species: Oligostigma vagalis Walker,1865.*
- 7302. Paradiseguayana Koçak & Kemal,2006** (Pyalidae) Synonym(s): *Cayennia Hampson,1930 nec Sauvage,1880; Paradiseguayana Koçak & Kemal,2006* Original Reference: *Paradiseguayana Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 97: 8 (nom. nov. pro Cayennia Hampson,1930 nec Sauvage,1880). Type-species: Cayennia rufitinctalis Hampson,1930.*
- 7303. Paraemmalocera Sasaki,2012** (Pyalidae) Synonym(s): *Paraemmalocera Sasaki,2012* Original Reference: *Paraemmalocera Sasaki,2012, Tinea, Tokyo 22 (1): 86. Type-species: Emmalocera gensanalis South,1901, by original designation.*
- 7304. Paraemporia Amsel,1951** (Pyalidae) Synonym(s): *Paraemporia Amsel,1951*
- 7305. Paralaodamia Balinsky,1994** (Pyalidae) Synonym(s): *Paralaodamia Balinsky,1994* Original Reference: *Paralaodamia Balinsky,1994, A study of African Phycitinae in the Transvaal Mus.: 78. Type-species: Paralaodamia haploa Balinsky,1994, by original designation.*
- 7306. Paralipsa Butler,1879** (Pyalidae) Synonym(s): *Paralipsa Butler,1879; Paralipsa Spuler,1910*
- 7307. Paramaxillaria Inoue,1955** (Pyalidae) Synonym(s): *Maxillaria Staudinger,1880 nec Gstl.,1848; Paramaxillaria Inoue,1955.* Original Reference: *Paramaxillaria Inoue,1955, Check List Lep. Japan 2: 133. Type-species: Maxillaria meretrix Staudinger,1880, by original designation.*
- 7308. Parambia Dyar,1914** (Pyalidae) Synonym(s): *Parambia Dyar,1914*
- 7309. Parambia Dyar,1914** (Pyalidae) Synonym(s): *Parambia Dyar,1914*
- 7310. Paramecyna Amsel,1961** (Pyalidae) Synonym(s): *Paramecyna Amsel,1961*
- 7311. Parancyla Hampson,1919** (Pyalidae) Synonym(s): *Parancyla Hampson,1919*

- 7312. *Paranephopterix* Roesler,1969** (Pyalidae) Synonym(s): *Paranephopterix* Roesler,1969
Original Reference: *Paranephopterix* Roesler,1969, Bonn. zool. Beitr. 20: 259. Type-species: *Salebria barteli* Caradja,1910, Dt. ent. Z., Iris 24: 138, pl.14 fig.18, by original designation.
- 7313. *Paraphomia* Hampson,1901** (Pyalidae) Synonym(s): *Paraphomia* Hampson,1901
- 7314. *Paraplatytes* Bleszynski,1965** (Pyalidae) Synonym(s): *Paraplatytes* Bleszynski,1965
Original Reference: *Paraplatytes* Bleszynski,1965, [in] Amsel et al., *Microlepid. Palaearctica* 1: 48, 398. Type-species: *Paraplatytes eberti* Bleszynski,1965, by original designation.
- 7315. *Parapoynx* Hübner,[1825]** (Pyalidae) Synonym(s): *Parapoynx* Hübner,[1825]; #*Paraponyx* Guenée,1854; *Eustales* Clemens,1860 nec Schönherr,1826; *Sironia* Clemens,1860 nec Hübn.,[1823]; *Nymphaeella* Grote,1880; *Hydreuretis* Meyrick,1885; *Microdracon* W.Warren,1890; *Cosmophylla* Turner,1905. Original Reference: *Parapoynx* Hübner,[1825], Verz. bekannt. Schmett.: 362. Type-species: *Phalaena stratiotata* Linnaeus,1758, by subsequent designation by Guenée,1854.
- 7316. *Pararotruda* Roesler,1965** (Pyalidae) Synonym(s): *Pararotruda* Roesler,1965
- 7317. *Parasefidia* Amsel,1950** (Pyalidae) Synonym(s): *Parasefidia* Amsel,1950
- 7318. *Parastenia* Hartig,1940** (Pyalidae) Synonym(s): *Epistenia* Chrétien,1911 nec Westw.,1832; *Parastenia* Hartig,1940
- 7319. *Paratalanta* Meyrick,1890** (Pyalidae) Synonym(s): *Paratalanta* Meyrick,1890; *Microstega* Meyrick,1890 Original Reference: *Paratalanta* Meyrick,1890, Trans. ent. Soc. London 1890: 440. Type-species: *Botyodes ussuralis* Bremer,1864, by subsequent designation by Hampson,1899.
- 7320. *Paratraea* Hampson,1919** (Pyalidae) Synonym(s): *Paratraea* Hampson,1919
- 7321. *Parbattia* Moore,1888** (Pyalidae) Synonym(s): *Parbattia* Moore,1888
- 7322. *Pardomima* (Pachyparda) E.L.Martin,1954** (Pyalidae) Synonym(s): *Pachyparda* E.L.Martin,1954
- 7323. *Pardomima* W.Warren,1890** (Pyalidae) Synonym(s): *Pardomima* W.Warren,1890; *Pachyparda* E.L.Martin,1955
- 7324. *Paregesta* Munroe,1964** (Pyalidae) Synonym(s): *Paregesta* Munroe,1964
- 7325. *Paremathuedes* J.C.Shaffer,1997** (Pyalidae) Synonym(s): *Paremathuedes* J.C.Shaffer,1997
- 7326. *Parerupa* Hampson,1919** (Pyalidae) Synonym(s): *Parerupa* Hampson,1919; *Coenotalis* Hampson,1919
- 7327. *Parotis* Hübner,[1825]** (Pyalidae) Synonym(s): *Parotis* Hübner,[1825]; *Pachyarches* Lederer,1863; *Enchocnemidia* Lederer,1863; *Chloauges* Lederer,1863 nec Heine,1863; *Cenocnemis* W.Warren,1896
- 7328. *Paroxyptera* Ragonot,1901** (Pyalidae) Synonym(s): *Paroxyptera* Ragonot,1901
- 7329. *Parramatta* Hampson,1901** (Pyalidae) Synonym(s): *Parramatta* Hampson,1901; *Macrochilota* Turner,1913; #*Paramatta* Neave,1940
- 7330. *Parthenodes* Guenée,1854** (Pyalidae) Synonym(s): *Parthenodes* Guenée,1854; *Paracymoriza* W.Warren,1890; *Gethosyne* W.Warren,1896; *Stenicula* Snellen,1901
- 7331. *Parthenodes* Guenée,1854** (Pyalidae) Synonym(s): *Parthenodes* Guenée,1854
- 7332. *Parthia* Ragonot,1887** (Pyalidae) Synonym(s): *Parthia* Ragonot,1887
- 7333. *Paschiodes* Hampson,1913** (Pyalidae) Synonym(s): *Paschiodes* Hampson,1913; #*Paschioides* Viette,1957
- 7334. *Patagoniodes* Roesler,1969** (Pyalidae) Synonym(s): *Patagoniodes* Roesler,1969
- 7335. *Patania* Moore,1888** (Pyalidae) Synonym(s): *Nagia* Walker,[1866] nec Wlk.,1858; *Patania* Moore,1888; *Pleuroptya* Meyrick,1890; *Loxoscia* W.Warren,1890; *Nagiella* Munroe,1976 Original Reference: *Patania* Moore,1888, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W. S. Atkinson (3): 209. Type-species: *Botys concatenalis* Walker,[1866], by original designation.
- 7336. *Patissa* Moore,[1886]** (Pyalidae) Synonym(s): *Patissa* Moore,[1886]; *Eurycraspeda* W.Warren,1890
- 7337. *Patna* Ragonot,1888** (Pyalidae) Synonym(s): *Patna* Ragonot,1888
- 7338. *Pediasia* Hübner,[1825]** (Pyalidae) Synonym(s): *Pediasia* Hübner,[1825]; *Carvanca* Walker,1856; *Pseudopediasia* Ganev,1987; *Oseriates* Fazekas,1991 Original Reference: *Pediasia* Hübner,[1825], Verz. bekannt. Schmett.: 365. Type-species: *Tinea fascelinella* Hübner,[1813], by subsequent designation by Bleszynski,1953.
- 7339. *Pelena* Moore,1886** (Pyalidae) Synonym(s): *Pelena* Moore,1886; *Loxocoryx* Meyrick,1894
- 7340. *Pelinopsis* Dognin,1905** (Pyalidae) Synonym(s): *Pelinopsis* Dognin,1905
- 7341. *Pempelia* Hübner,[1825]** (Pyalidae) Synonym(s): *Pempelia* Hübner,[1825]; *Rhodophaea* Guenée,1845; *Salebria* Zeller,1846; *Neurotomia* Chrétien,1911; *Hoeneia* Caradja,1938. Original Reference: *Pempelia* Hübner,[1825], Verz. bekannter Schmett.: 369. Type-species: *Tinea palumbella* [Denis

- & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138, by subsequent designation by Desmarest,1857, [in] Chenu, Encycl. Hist. nat.: 255.
- 7342. *Pempeliella Caradja*,1916** (Pyralidae) Synonym(s): *Pempeliella Caradja*,1916 Original Reference: *Pempeliella Caradja*,1916, Dt. ent. Z., Iris 30: 8. Type-species: *Pempelia fraternella* Ragonot,1887, by monotypy.
- 7343. *Peoria Ragonot*,1887** (Pyralidae) Synonym(s): *Peoria Ragonot*,1887; *Aurora Ragonot*,1887; *Statina Ragonot*,1887; *Calera Ragonot*,1888; *Ceara Ragonot*,1888; *Cayuga Hulst*,1888; *Altoona Hulst*,1888; *Volusia Hulst*,1890; *Wekiva Hulst*,1890; *Osceola Hulst*,1891; *Chipeta Hulst*,1892; *Chipota Hulst*,1903; *Trivolusia Dyar*,1903; *Ollia Dyar*,1904; *Fondoukia Chrétien*,1911 Original Reference: *Peoria Ragonot*,1887, Diagnoses N. Am. Phycitidae Galleridae: 19. Type-species: *Anerastia haematica* Zeller,1872, by original designation.
- 7344. *Perimeceta Turner*,1915** (Pyralidae) Synonym(s): *Perimeceta Turner*,1915; *Phanerobela Turner*,1915
- 7345. *Perispasta Zeller*,1875** (Pyralidae) Synonym(s): *Perispasta Zeller*,1875
- 7346. *Perisseretma W.Warren*,1895** (Pyralidae) Synonym(s): *Perisseretma W.Warren*,1895; *#Perisseretema Whalley*,1961
- 7347. *Perisyntrocha Meyrick*,1894** (Pyralidae) Synonym(s): *Perisyntrocha Meyrick*,1894
- 7348. *Persicoptera Meyrick*,1884** (Pyralidae) Synonym(s): *Persicoptera Meyrick*,1884
- 7349. *Petrophila Guilding*,1830** (Pyralidae) Synonym(s): *Petrophila Guilding*,1830; *Parargyractis Lange*,1956
- 7350. *Phanomorpha Turner*,1937** (Pyralidae) Synonym(s): *Phanomorpha Turner*,1937
- 7351. *Phenacodes Turner*,1937** (Pyralidae) Synonym(s): *Phenacodes Turner*,1937
- 7352. *Phlyctaenomorpha Amsel*,1970** (Pyralidae) Synonym(s): *Phlyctaenomorpha Amsel*,1970 Original Reference: *Phlyctaenomorpha Amsel*,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 55. Type-species: *Phlyctaenodes sinuosalis* Le Cerf,[1910], by original designation.
- 7353. *Phostria Hübner*,[1819]** (Pyralidae) Synonym(s): *Phostria Hübner*,[1819]; *Vatica Walker*,1869; *Plectroctena Snellen*,1881 (praeocc.); *Condega Moore*,1886; *Saroscelis Meyrick*,1894; *Hoplisa Snellen*,1899; *Oedemaracha Swinhoe*,1900; *Parbokla Swinhoe*,1900; *Antennodes Swinhoe*,1906
- 7354. *Phycita Curtis*,1828** (Pyralidae) Synonym(s): *Phycis Fabricius*,1798 nec Walbaum,1792; *Phycita Curtis*,1828; *Ceratium Thienemann*,1828 nec Schrank,1793; *Gyra Gistel*,1848 Original Reference: *Phycita Curtis*,1828, Br. Ent. 5: folio 233. Type-species: *Tinea spissilicella* Fabricius,1794, Ent. Syst. 3(2): 289, by original designation.
- 7355. *Phycitodes Hampson*,1917** (Pyralidae) Synonym(s): *Phycitodes Hampson*,1917; *Rotruda Heinrich*,1956. Original Reference: *Phycitodes Hampson*,1917, Novit. zool. 24: 26. Type-species: *Phycitodes albistriata* Hampson,1917, by original designation.
- 7356. *Phycitophila Balinsky*,1994** (Pyralidae) Synonym(s): *Phycitophila Balinsky*,1994
- 7357. *Phycitopsis Ragonot*,1887** (Pyralidae) Synonym(s): *Phycitopsis Ragonot*,1887
- 7358. *Physematia Lederer*,1863** (Pyralidae) Synonym(s): *Physematia Lederer*,1863; *#Thysematia Shibuya*,1928
- 7359. *Picrogama Meyrick*,1897** (Pyralidae) Synonym(s): *Picrogama Meyrick*,1897
- 7360. *Piesmopoda Zeller*,1848** (Pyralidae) Synonym(s): *Piesmopoda Zeller*,1848
- 7361. *Piletocera Lederer*,1863** (Pyralidae) Synonym(s): *Piletocera Lederer*,1863; *Rinecera Butler*,1884; *Danaga Moore*,[1885]; *Graphicopoda Butler*,1886; *Hormatholepis Butler*,1886; *Ptilaeola Meyrick*,1886; *Erebangela Meyrick*,1886; *Diplotyla Meyrick*,1886; *Strepsimela Meyrick*,1886; *Alutefa Swinhoe*,1900; *Ellogima Turner*,1913; *Sematosopha Meyrick*,1937
- 7362. *Pilocrocis Lederer*,1863** (Pyralidae) Synonym(s): *Pilocrocis Lederer*,1863; *Ceratoclasia Lederer*,1863; *Lotanga Moore*,[1886]; *Arthromastix W.Warren*,1890; *Stenomeles W.Warren*,1892; *Anisoctena Meyrick*,1894; *Syntrita Dognin*,1905; *#Pilocrosis Janse*,1917
- 7363. *Pima Hulst*,1888** (Pyralidae) Synonym(s): *Pima Hulst*,1888 Original Reference: *Pima Hulst*,1888, Ent. am. 4: 114. Type-species: *Pima fosterella* Hulst,1888, by original designation.
- 7364. *Pithyllis Grünberg*,1910** (Pyralidae) Synonym(s): *Pithyllis Grünberg*,1910
- 7365. *Plagoa Whalley*,1970** (Pyralidae) Synonym(s): *Mabillia Ragonot*,1888 (praeocc.); *Plagoa Whalley*,1970
- 7366. *Platytes Guenée*,1845** (Pyralidae) Synonym(s): *Platytes Guenée*,1845; *Nagahama Marumo*,1933 Original Reference: *Platytes Guenée*,1845, Anns Soc. ent. Fr. (2) 3: 324. Type-species: *Tinea cerussella* [Denis & Schiffermüller],1775, by monotypy.
- 7367. *Plodia Guenée*,1845** (Pyralidae) Synonym(s): *Plodia Guenée*,1845 Original Reference: *Plodia Guenée*,1845, Anns Soc. ent. Fr. (2) 3: 318. Type-species: *Tinea interpunctella* Hübner,[1813], by monotypy.
- 7368. *Plumegesta Munroe*,1972** (Pyralidae) Synonym(s): *Plumegesta Munroe*,1972

- 7369. Pogononeura Ragonot,1888** (Pyralidae) Synonym(s): *Pogononeura Ragonot,1888*
- 7370. Pogonotropha Zeller,1852** (Pyralidae) Synonym(s): *Pogonotropha Zeller,1852*
- 7371. Pogonotrophus Sauber,1899** (Pyralidae) Synonym(s): *Pogonotrophus Sauber,1899*
- 7372. Poliopaschia Hampson,1916** (Pyralidae) Synonym(s): *Poliopaschia Hampson,1916*
- 7373. Poliostola Janse,1922** (Pyralidae) Synonym(s): *Poliostola Janse,1922*
- 7374. Polopeustis Ragonot,1893** (Pyralidae) Synonym(s): *Polopeustis Ragonot,1893*
- 7375. Polygrammodes Guenée,1854** (Pyralidae) Synonym(s): *Polygrammodes Guenée,1854*; *Astura Guenée,1854*; *Hilaopsis Lederer,1863*; *Dichocrocopsis Dyar,1910*; #*Dichocrocopsis Munroe,1983* Original Reference: *Polygrammodes Guenée,1854*, [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 8: 318. Type-species: *Polygrammodes runcialis Guenée,1854*, by monotypy.
- 7376. Polyocha Zeller,1848** (Pyralidae) Synonym(s): *Polyocha Zeller,1848*; *Epidauria Rebel,1901*; *Epidauria Hampson,1901*; *Fregenia Hartig,1948* Original Reference: *Polyocha Zeller,1848*, Isis Oken 1848: 876. Type-species: *Hypochalcia sanguinariella Zeller,1848*, by monotypy.
- 7377. Polyochodes Chrétien,1911** (Pyralidae) Synonym(s): *Polyochodes Chrétien,1911*; *Ardekania Amsel,1951* Original Reference: *Polyochodes Chrétien,1911*, Bull. Soc. ent. Fr. 1911: 13. Type-species: *Polyochodes stipella Chrétien,1911*, by monotypy.
- 7378. Polyterpnes Turner,1932** (Pyralidae) Synonym(s): *Polyterpnes Turner,1932*
- 7379. Polythlipta Lederer,1863** (Pyralidae) Synonym(s): *Polythlipta Lederer,1863*
- 7380. Postemmalocera Amsel,1955** (Pyralidae) Synonym(s): *Postemmalocera Amsel,1955*
- 7381. Praerhinaphe Amsel,1954** (Pyralidae) Synonym(s): *Praerhinaphe Amsel,1954*
- 7382. Pramadea Moore,1888** (Pyralidae) Synonym(s): *Pramadea Moore,1888*
- 7383. Prasinoxena Meyrick,1894** (Pyralidae) Synonym(s): *Prasinoxena Meyrick,1894*
- 7384. Prenesta Snellen,1875** (Pyralidae) Synonym(s): *Prenesta Snellen,1875*; #*Praenesta Hampson,1899*
- 7385. Pretoria Ragonot,1893** (Pyralidae) Synonym(s): *Pretoria Ragonot,1893*
- 7386. Prionapteron Bleszynski,1965** (Pyralidae) Synonym(s): *Prionapteron Bleszynski,1965*
- 7387. Prionapteryx Stephens,1834** (Pyralidae) Synonym(s): *Prionapteryx Stephens,1834*; *Prionopteryx Zeller,1863*; *Surattha Walker,1863*; *Pindictora Walker,1863*; *Nuarace Walker,1863*; *Calarina Walker,1866*; *Hypotomorpha Rebel,1892*; *Platytesia Strand,1919*; *Alloea Turner,1947 nec Haliday,1833*; #*Naurace Bleszynski,1962* Original Reference: *Prionapteryx Stephens,1834*, Illust. Br. Ent. (Haustellata) 4: 316. Type-species: *Prionapteryx nebulifera Stephens,1834*, by monotypy.
- 7388. Prionotalis Hampson,1919** (Pyralidae) Synonym(s): *Prionotalis Hampson,1919*
- 7389. Pristathria Ragonot,1893** (Pyralidae) Synonym(s): *Pristathria Ragonot,1893*
- 7390. Pristocerella Kiefer,1909** (Pyralidae) Synonym(s): *Pristocera Ragonot,1893 nec Klug,1808*; *Pristocerella Kiefer,1909*; #*Prisocera Osthelder,1935*; #*Pristocerelia Whalley,1970*. Original Reference: *Pristocerella Kiefer,1909*, Bull. Soc. Hist. nat. Hist. Metz 26: 35 (nom. nov. pro *Pristocera Ragonot,1893 nec Klug,1808*). Type-species: *Myelois solskyi Christoph,1877*, by original designation.
- 7391. Proancylosis Balinsky,1991** (Pyralidae) Synonym(s): *Proancylosis Balinsky,1991*
- 7392. Proceras Bojer,1856** (Pyralidae) Synonym(s): *Proceras Bojer,1856*
- 7393. Proceratia Hampson,1901** (Pyralidae) Synonym(s): *Proceratia Hampson,1901* Original Reference: *Proceratia Hampson,1901*, [in] Romanoff, Mém. lépid. 8: 197. Type-species: *Proceratia caesariella Ragonot,1901*, by monotypy.
- 7394. Prochoristis Meyrick,1890** (Pyralidae) Synonym(s): *Prochoristis Meyrick,1890* Original Reference: *Prochoristis Meyrick,1890*, Trans. ent. Soc. London 1890: 438, 459. Type-species: *Botys rupicapralis Lederer,1855*, by subsequent designation by Hampson,1899.
- 7395. Procunea Hampson,1930** (Pyralidae) Synonym(s): *Procunea Hampson,1930*; *Kobesia Roesler,1983*
- 7396. Productalius Marion,1954** (Pyralidae) Synonym(s): *Productalius Marion,1954*
- 7397. Prolais Amsel,1961** (Pyralidae) Synonym(s): *Prolais Amsel,1961* Original Reference: *Prolais Amsel,1961*, Ark. Zool. 13 (17): 410. Type-species: *Prolais elbursalis Amsel,1961*, by original designation.
- 7398. Proleucinodes Capps,1948** (Pyralidae) Synonym(s): *Proleucinodes Capps,1948*
- 7399. Promylaea Meyrick,1899** (Pyralidae) Synonym(s): *Promylaea Meyrick,1899*
- 7400. Prooedema Hampson,1896** (Pyralidae) Synonym(s): *Prooedema Hampson,1896*
- 7401. Prophantis W.Warren,1896** (Pyralidae) Synonym(s): *Prophantis W.Warren,1896*

- 7402. Prophtasia Ragonot, 1887** (Pyralidae) Synonym(s): *Prophtasia Ragonot, 1887* Original Reference: *Prophtasia Ragonot, 1887*, *Annls Soc. ent. Fr.* (6) 7: 259. Type-species: *Prophtasia platycerella Ragonot, 1887*, by monotypy.
- 7403. Prorasea Grote, 1878** (Pyralidae) Synonym(s): *Prorasea Grote, 1878*
- 7404. Prorodes Swinhoe, 1894** (Pyralidae) Synonym(s): *Prorodes Swinhoe, 1894*; *Idiostrophe W. Warren, 1896*
- 7405. Prorophora (Aproceratia) Amsel, 1950** (Pyralidae) Synonym(s): *Epischidia Ragonot, 1901 nec Rbl., 1901*; *Aproceratia Amsel, 1950*. Original Reference: *Aproceratia Amsel, 1950*, *Ark. Zool.* (2) 1: 224. Type-species: *Proceratia rhexogramma Meyrick, 1937*, by original designation.
- 7406. Prorophora (Reisserempista) Roesler, 1970** (Pyralidae) Synonym(s): *Reisserempista Roesler, 1970*
- 7407. Prorophora (s.str.) Ragonot, 1887** (Pyralidae) Synonym(s): *Prorophora Ragonot, 1887* Original Reference: *Prorophora Ragonot, 1887*, *Annls Soc. ent. Fr.* 1887: 252. Type-species: *Prorophora curvibasella Ragonot, 1887*, by monotypy.
- 7408. Prorophora Ragonot, 1887** (Pyralidae) Synonym(s): *Prorophora Ragonot, 1887* Original Reference: *Prorophora Ragonot, 1887*, *Annls Soc. ent. Fr.* 1887: 252. Type-species: *Prorophora curvibasella Ragonot, 1887*, by monotypy.
- 7409. Prosaris Meyrick, 1894** (Pyralidae) Synonym(s): *Prosaris Meyrick, 1894*
- 7410. Prosthena Hampson, 1901** (Pyralidae) Synonym(s): *Prosthena Hampson, 1901*
- 7411. Protepicorsia Munroe, 1964** (Pyralidae) Synonym(s): *Protepicorsia Munroe, 1964*
- 7412. Protoetiella Inoue, 1959** (Pyralidae) Synonym(s): *Protoetiella Inoue, 1959*; *Ketambeia Roesler & Küppers, 1979*
- 7413. Protonoceras W. Warren, 1890** (Pyralidae) Synonym(s): *Protonoceras W. Warren, 1890*; *Metoportha Meyrick, 1884*
- 7414. Protyparcha Meyrick, 1909** (Pyralidae) Synonym(s): *Protyparcha Meyrick, 1909*
- 7415. Psammotis Hübner, [1825]** (Pyralidae) Synonym(s): *Psammotis Hübner, [1825]*; *Lemia Guenée, 1845*; *Lemiodes Guenée, 1854* Original Reference: *Psammotis Hübner, [1825]*, *Verz. bekannt. Schmett.*: 350. Type-species: *Pyralis pulveralis Hübner, 1796*, by monotypy.
- 7416. Psara Snellen, 1875** (Pyralidae) Synonym(s): *Psara Snellen, 1875*; *Pilemia Möschler, 1881 nec Fairm., 1863*; *Epichronistis Meyrick, 1886*; *Rhexocraspeda W. Warren, 1892*; *Rapoonia Hedemann, 1894*
- 7417. Psephis Guenée, 1854** (Pyralidae) Synonym(s): *Psephis Guenée, 1854*
- 7418. Pseudacritonia Asselbergs, 2008** (Pyralidae) Synonym(s): *Pseudacritonia Asselbergs, 2008*
- 7419. Pseudarenipses Speidel & Schmitz, 1991** (Pyralidae) Synonym(s): *Pseudarenipses Speidel & Schmitz, 1991*
- 7420. Pseudargyria Okano, 1962** (Pyralidae) Synonym(s): *Pseudargyria Okano, 1962*
- 7421. Pseudepicorsia Munroe, 1964** (Pyralidae) Synonym(s): *Pseudepicorsia Munroe, 1964*
- 7422. Pseudobissetia Bleszynski, 1959** (Pyralidae) Synonym(s): *Pseudobissetia Bleszynski, 1959* Original Reference: *Pseudobissetia Bleszynski, 1959*, *Beitr. naturk. Forsch. SW-Dtschl.* 18: 115. Type-species: *Chilo terrestrella Christoph, 1885*, by monotypy.
- 7423. Pseudocadra Roesler, 1965** (Pyralidae) Synonym(s): *Pseudocadra Roesler, 1965*
- 7424. Pseudocatharylla Bleszynski, 1961** (Pyralidae) Synonym(s): *Pseudocatharylla Bleszynski, 1961*
- 7425. Pseudocera Walker, 1863** (Pyralidae) Synonym(s): *Pseudocera Walker, 1863*
- 7426. Pseudoceroprepes Roesler, 1982** (Pyralidae) Synonym(s): *Pseudoceroprepes Roesler, 1982*
- 7427. Pseudoclasseyia Bleszynski, 1964** (Pyralidae) Synonym(s): *Pseudoclasseyia Bleszynski, 1964*
- 7428. Pseudodavara Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Pseudodavara Roesler & Küppers, 1979*
- 7429. Pseudogetulia Balinsky, 1994** (Pyralidae) Synonym(s): *Pseudogetulia Balinsky, 1994*
- 7430. Pseudographis Balinsky, 1989** (Pyralidae) Synonym(s): *Pseudographis Balinsky, 1989*
- 7431. Pseudoligostigma Strand, 1920** (Pyralidae) Synonym(s): *Pseudoligostigma Strand, 1920*; *Heptalitha Munroe, 1964*
- 7432. Pseudolithosia Hampson, 1907** (Pyralidae) Synonym(s): *Pseudolithosia Hampson, 1907*
- 7433. Pseudomegasis Chrétien, 1931** (Pyralidae) Synonym(s): *Pseudomegasis Chrétien, 1931*
- 7434. Pseudometachilo Bleszynski, 1962** (Pyralidae) Synonym(s): *Pseudometachilo Bleszynski, 1962*
- 7435. Pseudonoorda Munroe, 1974** (Pyralidae) Synonym(s): *Pseudonoorda Munroe, 1974*
- 7436. Pseudophycita Roesler, 1969** (Pyralidae) Synonym(s): *Pseudophycita Roesler, 1969*
- 7437. Pseudopyrausta Amsel, 1956** (Pyralidae) Synonym(s): *Pseudopyrausta Amsel, 1956*

- 7438. Pseudoschoenobius Fernald,1896** (Pyralidae) **Synonym(s):** *Pseudoschoenobius Fernald,1896*
- 7439. Pseudosyria Rebel,1927** (Pyralidae) **Synonym(s):** *Pseudosyria Rebel,1927* **Original Reference:** *Pseudosyria Rebel,1927, Bull. Soc. ent. Egypte 10: 180. Type-species: Pseudosyria gracilis Rebel,1927, by original designation.*
- 7440. Psorosa Zeller,1846** (Pyralidae) **Synonym(s):** *Psorosa Zeller,1846; Ectyposia Joannis,1929* **Original Reference:** *Psorosa Zeller,1846, Isis Oken 1846: 731, 749. Type-species: Phycis dahliella Treitschke,1832, by subsequent designation by Hampson,1899.*
- 7441. Psorosodes Amsel,1954** (Pyralidae) **Synonym(s):** *Psorosodes Amsel,1954* **Original Reference:** *Psorosodes Amsel,1954, Ark. Zool. (2) 6: 274. Type-species: Psorosodes dalakiella Amsel,1954, by original designation.*
- 7442. Psorozophera Roesler & Küppers,1979** (Pyralidae) **Synonym(s):** *Psorozophera Roesler & Küppers,1979*
- 7443. Pterothrixidia Amsel,1954** (Pyralidae) **Synonym(s):** *Pterothrixidia Amsel,1954* **Original Reference:** *Pterothrixidia Amsel,1954, Ark. Zool. 6 (16): 285 (nomen novum pro Pterothrix Ragonot). Type-species:*
- 7444. Ptochostola Meyrick,1882** (Pyralidae) **Synonym(s):** *Ptochostola Meyrick,1882*
- 7445. Ptychopseustis Meyrick,1889** (Pyralidae) **Synonym(s):** *Ptychopseustis Meyrick,1889*
- 7446. Ptychopseustis Meyrick,1889** (Pyralidae) **Synonym(s):** *Ptychopseustis Meyrick,1889* **Original Reference:** *Ptychopseustis Meyrick,1889, Trans. ent. Soc. London 1889: 521. Type-species: Diptychophora amoenella Snellen,1880, by monotypy.*
- 7447. Ptyobathra Turner,1905** (Pyralidae) **Synonym(s):** *Ptyobathra Turner,1905*
- 7448. Ptyomaxia Hampson,1903** (Pyralidae) **Synonym(s):** *Palibothra Ragonot,1890 nec Herr.-Schäffer,1855; Ptyomaxia Hampson,1903*
- 7449. Ptyonocera Hampson,1901** (Pyralidae) **Synonym(s):** *Ptyonocera Hampson,1901*
- 7450. Pycnarmon Lederer,1863** (Pyralidae) **Synonym(s):** *Pycnarmon Lederer,1863; Entephria Lederer,1863 nec Hbn.,[1825]; Aripa Moore,[1886]; Satanastra Meyrick,1890; Eutrichotis Swinhoe,1900; Pyralocymatophora Strand,1918*
- 7451. Pygospila Guenée,1854** (Pyralidae) **Synonym(s):** *Pygospila Guenée,1854; Lomotropha Lederer,1863; #Pygospila Lederer,1863; Telespasta Swinhoe,1906.*
- 7452. Pyla Grote,1882** (Pyralidae) **Synonym(s):** *Pyla Grote,1882; Pyla Ragonot,1887; Matierella Leraut,2001* **Original Reference:** *Pyla Grote,1882, N. Checklist Moths: 55. Type-species: Nephopterix scintillans Grote,1881, by monotypy.*
- 7453. Pylamorpha Balinsky,1994** (Pyralidae) **Synonym(s):** *Pylamorpha Balinsky,1994*
- 7454. Pyralis Linnaeus,1758** (Pyralidae) **Synonym(s):** *Pyralis Linnaeus,1758; Spyrella Rafinesque,1815; Asopia Treitschke,1828; Sacatia Walker,1863* **Original Reference:** *Pyralis Linnaeus,1758, Syst. Nat. (Edn. 10)1: 533. Type-species: Phalaena farinalis Linnaeus,1758, Syst. Nat. (Edn. 10)1: 533, by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn zool. Nom. 15 (Opinion 450): 254.*
- 7455. Pyralosis Amsel,1957** (Pyralidae) **Synonym(s):** *Pyralosis Amsel,1957* **Original Reference:** *Pyralosis Amsel,1957, Beitr. naturk. Forsch. SüdWtl. 16 (2): 107. Type-species: Ulotricha terminalis Rothschild,1915, by original designation.*
- 7456. Pyrasia Martin,1986** (Pyralidae) **Synonym(s):** *Pyrasia Martin,1986* **Original Reference:** *Pyrasia Martin,1986, Vestn. zool. 1986 (3): 70. Type-species: Botys gutturalis Staudinger,1879, by original designation.*
- 7457. Pyrausta Schrank,1802** (Pyralidae) **Synonym(s):** *Pyrausta Schrank,1802 [Apr.]; Botys Latreille,1802 [Nov.]; Haematia Hübner,1818; Pyraustes Billberg,1820; Botis Swainson,1821; Heliaca Hübner,1822; Tholeria Hübner,[1823]; Porphyritis Hübner,[1825]; Leimonia Hübner,[1825]; Panstegia Hübner,[1825]; Perilypa Hübner,[1825]; Osterophena Sodoffsky,1837; Rhodaria Guenée,1854; Limonia Agassiz,1847; Herbula Guenée,1854; Synchronia Guenée,1854; Cindaphia Lederer,1863; Sciorista W.Warren,1890; Autocosmia W.Warren,1892; Mardinia Amsel,1952; Trigonuncus Amsel,1952; Rattana Pajni & Rose,1979* **Original Reference:** *Pyrausta Schrank,1802, Fauna Boica 2 (2): 163. Type-species: Phalaena cingulata Linnaeus,1758, by subsequent designation by Grote,1895.*
- 7458. Pyraustimorpha Koçak & Seven,1995** (Pyralidae) **Synonym(s):** *Pyraustimorpha Koçak & Seven,1995* **Original Reference:** *Pyraustimorpha Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 23/24: 14-15. Type-species: Pyraustimorpha inexpectata Koçak & Seven,1995, ibid. 14-15, by original designation.*
- 7459. Quasiexuperius Balinsky,1994** (Pyralidae) **Synonym(s):** *Quasiexuperius Balinsky,1994*
- 7460. Quasipuer Roesler,1973** (Pyralidae) **Synonym(s):** *Quasipuer Roesler,1973*

- 7461. *Ralpharia* Roesler, 1990** (Pyralidae) Synonym(s): *Ralpharia* Roesler, 1990
- 7462. *Rambutaneia* Roesler & Küppers, 1979** (Pyralidae) Synonym(s): *Rambutaneia* Roesler & Küppers, 1979
- 7463. *Ramila* Moore, 1867** (Pyralidae) Synonym(s): *Ramila* Moore, 1867
- 7464. *Ramosignathos* Balinsky, 1994** (Pyralidae) Synonym(s): *Ramosignathos* Balinsky, 1994
- 7465. *Raphiptera* Hampson, 1896** (Pyralidae) Synonym(s): *Raphiptera* Hampson, 1896
- 7466. *Rasputinka* Roesler, 1989** (Pyralidae) Synonym(s): *Rasputinka* Roesler, 1989. Original Reference: *Rasputinka* Roesler, 1989, Ent. Z., Frankf. a. M. 99 (1/2): 9. Type-species: *Bazaria expallidella* Ragonot, 1887, by original designation.
- 7467. *Ratasa* Herrich-Schäffer, 1849** (Pyralidae) Synonym(s): *Ratasa* Herrich-Schäffer, 1849
- 7468. *Rehimena* Walker, [1866]** (Pyralidae) Synonym(s): *Rehimena* Walker, [1866]
- 7469. *Remanephycis* Roesler, 1989** (Pyralidae) Synonym(s): *Remanephycis* Roesler, 1989
- 7470. *Repetekiodes* Amsel, 1961** (Pyralidae) Synonym(s): *Repetekia* Amsel, 1955 nec Osh., 1913; *Repetekiodes* Amsel, 1961 Original Reference: *Repetekiodes* Amsel, 1961, Ark. Zool. (2) 13: 364. Type-species: *Repetekia gozmanyi* Amsel, 1955, by original designation (for *Repetekia* Amsel, 1955).
- 7471. *Reskovitsia* Szent-Ivany, 1942** (Pyralidae) Synonym(s): *Reskovitsia* Szent-Ivany, 1942 Original Reference: *Reskovitsia* Szent-Ivany, 1942, Fragm. faun. hung. 5: 60. Type-species: *Ennychia alborivulalis* Eversmann, 1843, by original designation.
- 7472. *Rhectosemia* Lederer, 1863** (Pyralidae) Synonym(s): *Rhectosemia* Lederer, 1863; *#Rhectosomia* Lederer, 1863
- 7473. *Rhectothis* W. Warren, 1890** (Pyralidae) Synonym(s): *Rhectothis* W. Warren, 1890
- 7474. *Rhimphalea* Lederer, 1863** (Pyralidae) Synonym(s): *Rhimphalea* Lederer, 1863
- 7475. *Rhimphaliodes* Hampson, 1896** (Pyralidae) Synonym(s): *Rhimphaliodes* Hampson, 1896; *#Rhimphaleodes* Hampson, 1896.
- 7476. *Rhinaphe* Berg, 1875** (Pyralidae) Synonym(s): *Rhinaphe* Berg, 1875; *#Phinaphe* Berg, 1875; *Ampycophora* Meyrick, 1882; *Comorta* Ragonot, 1888; *Erythphlebia* Hampson, 1901
- 7477. *Rhodochrysa* Hampson, 1901** (Pyralidae) Synonym(s): *Rhodochrysa* Hampson, 1901
- 7478. *Rhynchopaschia* Hampson, 1906** (Pyralidae) Synonym(s): *Rhynchopaschia* Hampson, 1906
- 7479. *Rotrudosoma* Roesler, 1964** (Pyralidae) Synonym(s): *Rotrudosoma* Roesler, 1964
- 7480. *Rungsina* Leraut, 2004** (Pyralidae) Synonym(s): *Rungsina* Leraut, 2004
- 7481. *Sacada* Walker, 1862** (Pyralidae) Synonym(s): *Sacada* Walker, 1862; *Sybrida* Walker, 1865; *Paravetta* Moore, 1865; *Datanoides* Butler, 1878; *Danaka* Moore, 1879; *Xestula* Snellen, 1885; *Kawiella* Roepke, 1943; *Marionana* Viette, 1953 Original Reference: *Sacada* Walker, 1862, J. Proc. Linn. Soc. London, Zool. 6: 136. Type-species: *Sacada decora* Walker, 1862.
- 7482. *Salbia* Guenée, 1854** (Pyralidae) Synonym(s): *Salbia* Guenée, 1854
- 7483. *Salebriopsis* Hannemann, 1965** (Pyralidae) Synonym(s): *Salebriopsis* Hannemann, 1965; *Turdoempista* Roesler, 1967.
- 7484. *Salinaria* Ragonot, 1901** (Pyralidae) Synonym(s): *Salinaria* Ragonot, 1901 Original Reference: *Salinaria* Ragonot, 1901, [in] Romanoff, Mém. lépid. 8: 11. Type-species: *Myelois* ? *diffusella* Christoph, 1872, by monotypy.
- 7485. *Salma* Walker, 1863** (Pyralidae) Synonym(s): *Salma* Walker, 1863; *Exacosmia* Walker, 1865; *Calinipaxa* Walker, [1866]; *Parasarama* W. Warren, 1890; *Pseudolocastra* Snellen, 1890; *Pseudolocastra* W. Warren, 1891 nec Snell., 1890; *Orthotrichophora* W. Warren, 1891; *Heterobella* Turner, 1904; *Enchesphora* Turner, 1913.
- 7486. *Saluria* Ragonot, 1887** (Pyralidae) Synonym(s): *Saluria* Ragonot, 1887; *Baroda* Ragonot, 1888 Original Reference: *Saluria* Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 258. Type-species: *Saluria maculivittella* Ragonot, 1887, loc. cit., by subsequent designation by Hampson, 1899, J. Bombay nat. Hist. Soc. 12: 308.
- 7487. *Samaria* Ragonot, 1893** (Pyralidae) Synonym(s): *Samaria* Ragonot, 1893
- 7488. *Samea* Guenée, 1854** (Pyralidae) Synonym(s): *Samea* Guenée, 1854; *Isopteryx* Guenée, 1854 nec Pictet, 1841; *Pterygisus* Butler, 1886
- 7489. *Samea* Guenée, 1854** (Pyralidae) Synonym(s): *Samea* Guenée, 1854; *Isopteryx* Guenée, 1854; *Pterygisus* Butler, 1886
- 7490. *Sameodes* Snellen, 1880** (Pyralidae) Synonym(s): *Sameodes* Snellen, 1880; *Pessocoma* Meyrick, 1884 Original Reference: *Sameodes* Snellen, 1880, Tijdschr. trithyralis Snellen, 1880, by monotypy.
- 7491. *Sandrabatis* Ragonot, 1893** (Pyralidae) Synonym(s): *Sandrabatis* Ragonot, 1893
- 7492. *Sarabotys* Munroe, 1964** (Pyralidae) Synonym(s): *Sarabotys* Munroe, 1964

- 7493. Saucrobotys Munroe, 1976** (Pyralidae) Synonym(s): *Saucrobotys Munroe*, 1976
- 7494. Sceliodes Guenée, 1854** (Pyralidae) Synonym(s): *Sceliodes Guenée*, 1854; *Daraba Walker*, 1859; *Eretria Snellen*, 1880 nec *Robineau-Desvoidy*, 1863
- 7495. Scenedra Meyrick, 1884** (Pyralidae) Synonym(s): *Scenedra Meyrick*, 1884
- 7496. Scenidiopis Turner, 1904** (Pyralidae) Synonym(s): *Scenidiopis Turner*, 1904; #*Scenidiopsis Whalley*, 1961
- 7497. Scenoploca Meyrick, 1882** (Pyralidae) Synonym(s): *Scenoploca Meyrick*, 1882
- 7498. Schoenobius Duponchel, 1836** (Pyralidae) Synonym(s): *Schoenobius Duponchel*, 1836; *Erioproctus Zeller*, 1839 Original Reference: *Schoenobius Duponchel*, 1836, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons 10: 8, 22. Type-species: *Tinea gigantella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by original designation.
- 7499. Sciota Hulst, 1888** (Pyralidae) Synonym(s): *Sciota Hulst*, 1888; *Apodentinodia Roesler*, 1969; *Clasperopsis Roesler*, 1969; *Paranephopterix Roesler*, 1969 Original Reference: *Sciota Hulst*, 1888, Entomologica am. 4: 115. Type-species: *Sciota croceella Hulst*, 1888, by original designation.
- 7500. Scirpophaga Treitschke, 1832** (Pyralidae) Synonym(s): *Scirpophaga Treitschke*, 1832; *Schoenophaga Duponchel*, 1836; *Spartophaga Duponchel*, 1836; *Schoinophaga Sodoffsky*, 1837; *Schoenophaga Agassiz*, 1847 nec *Dup.*, 1836; *Apurima Walker*, 1863; *Tryporyza Common*, 1960. Original Reference: *Scirpophaga Treitschke*, 1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 55. Type-species: *Tinea phantasmata Hübner*, 1796, Samml. eur. Schmett. 8: 23, pl. 8, fig. 56, by monotypy.
- 7501. Sclerobiodes Amsel, 1951** (Pyralidae) Synonym(s): *Sclerobiodes Amsel*, 1951 Original Reference: *Sclerobiodes Amsel*, 1951, Ark. zool. (2) 1: 535. Type-species: *Sclerobiodes persica Amsel*, 1951, by monotypy.
- 7502. Sclerocona Meyrick, 1890** (Pyralidae) Synonym(s): *Sclerocona Meyrick*, 1890 Original Reference: *Sclerocona Meyrick*, 1890, Trans. ent. Soc. Lond. 1890: 437, 445. Type-species: *Crambus acutellus Eversmann*, 1842, Bull. Soc. imp. Nat. Moscou 1842(3): 563, by monotypy.
- 7503. Scoparia Haworth, [1811]** (Pyralidae) Synonym(s): *Scoparia Haworth*, [1811]; *Eudorea Curtis*, 1827; *Scopea Haworth*, 1828; *Cholius Guenée*, 1845; *Phegea Gistel*, 1848; *Tetraprosopus Butler*, 1882; *Xeroscopa Meyrick*, 1884; *Eudoria Chapman*, 1912 Original Reference: *Scoparia Haworth*, [1811], Lepid. Br.: 498. Type-species: *Tinea pyralella Hübner*, 1796, by subsequent designation by Curtis, 1827.
- 7504. Scotomera Butler, 1881** (Pyralidae) Synonym(s): *Scotomera Butler*, 1881 Original Reference: *Scotomera Butler*, 1881, Proc. zool. Soc. Lond. 1881: 622. Type-species: *Scotomera tristis Butler*, 1881, by monotypy.
- 7505. Scybalista Lederer, 1863** (Pyralidae) Synonym(s): *Scybalista Lederer*, 1863
- 7506. Scybalistodes Munroe, 1964** (Pyralidae) Synonym(s): *Scybalistodes Munroe*, 1964
- 7507. Sebrus Bleszynski, 1970** (Pyralidae) Synonym(s): *Sebrus Bleszynski*, 1970
- 7508. Sedenia Guenée, 1854** (Pyralidae) Synonym(s): *Sedenia Guenée*, 1854
- 7509. Seeboldia Ragonot, 1887** (Pyralidae) Synonym(s): *Seeboldia Ragonot*, 1887 Original Reference: *Seeboldia Ragonot*, 1887, Annls Soc. ent. Fr. 1887: 253. Type-species: *Seeboldia korgosella Ragonot*, 1887, by monotypy.
- 7510. Sefidia Amsel, 1950** (Pyralidae) Synonym(s): *Sefidia Amsel*, 1950; #*Sefida Whalley*, 1970 Original Reference: *Sefidia Amsel*, 1950, Ark. Zool. (2) 1: 235. Type-species: *Sefidia persica Amsel*, 1950, by monotypy.
- 7511. Selagia Hübner, [1825]** (Pyralidae) Synonym(s): *Selagia Hübner*, [1825]; *Anacria Chrétien*, 1910 Original Reference: *Selagia Hübner*, [1825], Verz. bekannter Schmett.: 371. Type-species: *Tinea argyrella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135, by subsequent designation by Hulst, 1890, Trans. Am. ent. Soc. 17: 159.
- 7512. Seleucia Ragonot, 1887** (Pyralidae) Synonym(s): *Seleucia Ragonot*, 1887; *Lymira Ragonot*, 1888
- 7513. Sematoneura Ragonot, 1888** (Pyralidae) Synonym(s): *Sematoneura Ragonot*, 1888
- 7514. Semniomima W. Warren, 1892** (Pyralidae) Synonym(s): *Semniomima W. Warren*, 1892
- 7515. Sempronia Ragonot, 1888** (Pyralidae) Synonym(s): *Sempronia Ragonot*, 1888
- 7516. Sengania Amsel, 1951** (Pyralidae) Synonym(s): *Sengania Amsel*, 1951
- 7517. Sericocrambus Wallengren, 1868** (Pyralidae) Synonym(s): *Sericocrambus Wallengren*, 1868
- 7518. Sericophylla Turner, 1937** (Pyralidae) Synonym(s): *Sericophylla Turner*, 1937; #*Sericophora Turner*, 1937
- 7519. Sericoplaga W. Warren, 1892** (Pyralidae) Synonym(s): *Sericoplaga W. Warren*, 1892
- 7520. Shebania Balinsky, 1991** (Pyralidae) Synonym(s): *Shebania Balinsky*, 1991

- 7521. Shirazia Amsel, 1954** (Pyralidae) Synonym(s): *Shirazia Amsel, 1954*
- 7522. Siamusotima Solis & Yen, 2005** (Pyralidae) Synonym(s): *Siamusotima Solis & Yen, 2005*
- 7523. Sindris Boisduval, 1833** (Pyralidae) Synonym(s): *Sindris Boisduval, 1833*
- 7524. Sisyrphora Lederer, 1863** (Pyralidae) Synonym(s): *Sisyrphora Lederer, 1863*
- 7525. Sitochroa Hübner, [1825]** (Pyralidae) Synonym(s): *Sitochroa Hübner, [1825]*; *Spilodes Guenée, 1849* Original Reference: *Sitochroa Hübner, [1825]*, Verz. bekannt. Schmett.: 356. Type-species: *Pyralis palealis* [Denis & Schiffermüller], 1775, by subsequent designation by Marion, 1957.
- 7526. Spatulipalpia Ragonot, 1893** (Pyralidae) Synonym(s): *Spatulipalpia Ragonot, 1893*
- 7527. Spectrotrota W. Warren, 1891** (Pyralidae) Synonym(s): *Spectrotrota W. Warren, 1891*
- 7528. Sphaerodeltis Meyrick, 1933** (Pyralidae) Synonym(s): *Sphaerodeltis Meyrick, 1933*
- 7529. Sphinctocera W. Warren, 1897** (Pyralidae) Synonym(s): *Sphinctocera W. Warren, 1897*
- 7530. Spoladea Guenée, 1854** (Pyralidae) Synonym(s): *Spoladea Guenée, 1854*; *Hymenia auct.* Original Reference: *Spoladea Guenée, 1854*, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type-species: *Phalaena recurvalis* Fabricius, 1775, by subsequent designation by Shibuya, 1928, J. Fac. Agric. Hokkaido imp. Univ. 22: 178.
- 7531. Stanempista Roesler, 1969** (Pyralidae) Synonym(s): *Stanempista Roesler, 1969* Original Reference: *Stanempista Roesler, 1969*, Z. wien. ent. Ges. 79: 21. Type-species: *Staudingeria schawerdae* Zerny, 1927, by original designation.
- 7532. Statina Ragonot, 1887** (Pyralidae) Synonym(s): *Statina Ragonot, 1887*
- 7533. Stegothyris Lederer, 1863** (Pyralidae) Synonym(s): *Stegothyris Lederer, 1863*
- 7534. Stemmatophora Guenée, 1854** (Pyralidae) Synonym(s): *Stemmatophora Guenée, 1854*; *Actenia Guenée, 1854*; *Maradana Moore, [1884]*; *Koremalepis Hampson, 1891*; *Libora Ragonot, 1891*; *Elicia Ragonot, 1892*; *Scotomerodes Ragonot, 1895*; *Stygiocroa Ragonot, 1895* Original Reference: *Stemmatophora Guenée, 1854*, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 129. Type-species: *Asopia combustalis* Fischer von Rösslerstamm, [1842], by subsequent designation by Desmarest, 1857, [in] Chenu, Encycl. Hist. nat.: 210.
- 7535. Stemorrhages Lederer, 1863** (Pyralidae) Synonym(s): *Stemorrhages Lederer, 1863*; *#Stemorrhages Möschler, 1887*
- 7536. Stereobela Turner, 1905** (Pyralidae) Synonym(s): *Stereobela Turner, 1905*
- 7537. Stericta Lederer, 1863** (Pyralidae) Synonym(s): *Glossina Guenée, 1854 nec Wiedemann, 1830*; *Stericta Lederer, 1863*; *Matalia Walker, 1866*; *Phialia Walker, 1866*; *Oncobela Turner, 1937*
- 7538. Stiphrometasia Zerny, 1914** (Pyralidae) Synonym(s): *Stiphrometasia Zerny, 1914* Original Reference: *Stiphrometasia Zerny, 1914*, Annln. naturh. Mus. Wien 28: 331. Type-species: *Botys monialis* Erschoff, 1871, by original designation.
- 7539. Strepsinoma Meyrick, 1897** (Pyralidae) Synonym(s): *Strepsinoma Meyrick, 1897*
- 7540. Styphlolepis Hampson, 1896** (Pyralidae) Synonym(s): *Styphlolepis Hampson, 1896*
- 7541. Styphlorachis Hampson, 1930** (Pyralidae) Synonym(s): *Styphlorachis Hampson, 1930*
- 7542. Styxon Bleszynski, 1962** (Pyralidae) Synonym(s): *Styxon Bleszynski, 1962*
- 7543. Succadana Ragonot, 1888** (Pyralidae) Synonym(s): *Succadana Ragonot, 1888*
- 7544. Sudaniola Roesler, 1973** (Pyralidae) Synonym(s): *Sudaniola Roesler, 1973* Original Reference: *Sudaniola Roesler, 1973*, Microlepid. Palaearkt. 4: 163. Type-species: *Sudaniola remanella* Roesler, 1973, by original designation.
- 7545. Sufetula Walker, 1859** (Pyralidae) Synonym(s): *Sufetula Walker, 1859*; *Mirobriga Walker, 1863*; *Loetrina Walker, 1863*; *Pseudochoreutes Snellen, 1880*; *Nannomorpha Turner, 1908*; *Perforadix Sein., 1930*
- 7546. Sultania Koçak, 1987** (Pyralidae) Synonym(s): *Sultania Koçak, 1987* Original Reference: *Sultania Koçak, 1987*, Priamus 4 (3): 117-120, figs. Type-species: *Macalla lophotalis* Hampson, 1900, by original designation.
- 7547. Susia Ragonot, 1888** (Pyralidae) Synonym(s): *Susia Ragonot, 1888*; *Anephoptyx Amsel, 1955*. Original Reference: *Susia Ragonot, 1888*, Nouv. Genres Espèces Phycitidae Galleriidae: 5. Type-species: *Susia discomaculella* Ragonot, 1888, by monotypy.
- 7548. Susumia Marumo, 1930** (Pyralidae) Synonym(s): *Susumia Marumo, 1930*; *Bradinomorpha Matsumura, 1920*
- 7549. Syllepte Hübner, 1823** (Pyralidae) Synonym(s): *Syllepte Hübner, 1823*; *#Sylepta Hübner, [1825]*; *Patania Moore, 1888*; *Pramadea Moore, 1888*; *Crocidocnemis W. Warren, 1889*; *Arthriobasis W. Warren, 1896*; *Polycorys W. Warren, 1896*; *Nothosalbia Swinhoe, 1900*; *Haitufa Swinhoe, 1900*; *Neomabra Dognin, 1905*; *Troctoceras Dognin, 1905*; *Subhedylepta Strand, 1918*. Original Reference: *Syllepte Hübner, 1823*, Zuträge Samml. exot. Schmett. 2: 18. Type-species: *Syllepte incomptalis* Hübner, 1823, by monotypy.

- 7550. Symmoracma Meyrick, 1894** (Pylalidae) Synonym(s): *Symmoracma Meyrick, 1894*
- 7551. Symphonia Hampson, 1896** (Pylalidae) Synonym(s): *Symphonia Hampson, 1896*
- 7552. Symphonisitis Turner, 1904** (Pylalidae) Synonym(s): *Symphonisitis Turner, 1904*; *Cyanaphycis Roesler & Küppers, 1979*
- 7553. Symphysa Hampson, 1898** (Pylalidae) Synonym(s): *Symphysa Hampson, 1898*
- 7554. Synaphe Hübner, [1825]** (Pylalidae) Synonym(s): *Synaphe Hübner, [1825]*; *Cledeobia Stephens, 1829*; *Mitopoda Mann, 1854*. Original Reference: *Synaphe Hübner, [1825]*, Verz. bekannt. Schmett.: 347. Type-species: *Pylalis angustalis* [Denis & Schifferrmüller], 1775, by subsequent designation by Westwood, 1840, Introd. mod. Classif. Insects 2: 105.
- 7555. Synclera Lederer, 1863** (Pylalidae) Synonym(s): *Synclera Lederer, 1863*; *#Synclera Möschler, 1886* Original Reference: *Synclera Lederer, 1863*, Wien. ent. Monatschr. 7: 274 (key), 444. Type-species: *Eudiotis traducalis* Zeller, 1852, Lepid. Microptera: 54, by subsequent designation by Moore, [1886], Lepid. Ceylon 3: 315.
- 7556. Syngamia Guenée, 1854** (Pylalidae) Synonym(s): *Ochlia Hübner, 1823*; *Syngamia Guenée, 1854*
- 7557. Synoria Ragonot, 1888** (Pylalidae) Synonym(s): *Synoria Ragonot, 1888* Original Reference: *Synoria Ragonot, 1888*, Nouv. Genres Espèces Phycitidae Galleriidae: 27. Type-species: *Zophodia antiquella* Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 147, Tab. 21, by original designation.
- 7558. Syntonarcha Meyrick, 1890** (Pylalidae) Synonym(s): *Syntonarcha Meyrick, 1890*
- 7559. Syntypica Turner, 1905** (Pylalidae) Synonym(s): *Syntypica Turner, 1905*; *#Syntypica Turner, 1905*
- 7560. Syrianarpia Leraut, 1982** (Pylalidae) Synonym(s): *Syrianarpia Leraut, 1982* Original Reference: *Syrianarpia Leraut, 1982*, Alexanor 12 (Suppl. 6): [2]-[4]. Type-species: *Syrianarpia osthelderi* Leraut, 1982, by original designation.
- 7561. Tabidia Snellen, 1880** (Pylalidae) Synonym(s): *Tabidia Snellen, 1880*
- 7562. Taftania Amsel, 1951** (Pylalidae) Synonym(s): *Taftania Amsel, 1951* Original Reference: *Taftania Amsel, 1951*, Ark. Zool. 1 (36): 533. Type-species: *Pristophora oxycyma* Meyrick, 1937, by monotypy.
- 7563. Talanga Moore, [1885]** (Pylalidae) Synonym(s): *Talanga Moore, [1885]*
- 7564. Talis Guenée, 1845** (Pylalidae) Synonym(s): *Talis Guenée, 1845*; *Prosmixis Zeller, 1846*; *Araxates Ragonot, 1888*; *Drasa Kapur, 1950 nec Bryant, 1941* Original Reference: *Talis Guenée, 1845*, Annls Soc. ent. Fr. (2) 3: 324. Type-species: *Tinea quercella* ([Denis & Schifferrmüller], 1775), by monotypy.
- 7565. Tamsica Zimmermann, 1958** (Pylalidae) Synonym(s): *Tamsica Zimmermann, 1958*
- 7566. Tanaobela Turner, 1915** (Pylalidae) Synonym(s): *Tanaobela Turner, 1915*
- 7567. Tangla Swinhoe, 1900** (Pylalidae) Synonym(s): *Tangla Swinhoe, 1900*
- 7568. Tanyethira Turner, 1911** (Pylalidae) Synonym(s): *Tanyethira Turner, 1911*
- 7569. Tatobotys Butler, 1880** (Pylalidae) Synonym(s): *Tatobotys Butler, 1880*; *Cometura Meyrick, 1886*
- 7570. Taurometopa Meyrick, 1933** (Pylalidae) Synonym(s): *Taurometopa Meyrick, 1933*
- 7571. Tauroscopa Meyrick, 1888** (Pylalidae) Synonym(s): *Tauroscopa Meyrick, 1888*; *Oressaula Turner, 1913*
- 7572. Tawhitia Philpott, 1931** (Pylalidae) Synonym(s): *Tawhitia Philpott, 1931*; *Velasquez Bleszynski, 1962*
- 7573. Tegostoma Zeller, 1847** (Pylalidae) Synonym(s): *Tegostoma Zeller, 1847* Original Reference: *Tegostoma Zeller, 1847*, Isis 1847: 581. Type-species: *Pylalis comparalis* Hübner, 1796, by monotypy.
- 7574. Tegulifera Saalmüller, 1880** (Pylalidae) Synonym(s): *Tegulifera Saalmüller, 1880*; *Sphalerosticha W. Warren, 1897*
- 7575. Tehama Hulst, 1888** (Pylalidae) Synonym(s): *Tehama Hulst, 1888*
- 7576. Teliphasa Moore, 1888** (Pylalidae) Synonym(s): *Teliphasa Moore, 1888*
- 7577. Tephrys Ragonot, 1891** (Pylalidae) Synonym(s): *Tephrys Ragonot, 1891*; *Aphyletes Ragonot, 1893* Original Reference: *Tephrys Ragonot, 1891*, Annls Soc. ent. Fr. (6) 10 (Bull.): ccxiii. Type-species: *Pempelia cyriella* Erschoff, 1874, by original designation.
- 7578. Tephroniopsis Amsel, 1961** (Pylalidae) Synonym(s): *Tephroniopsis Amsel, 1961* Original Reference: *Tephroniopsis Amsel, 1961*, Ark. Zool. 13 (17): 402. Type-species: *Tephroniopsis geometridalis* Amsel, 1961, by original designation.
- 7579. Terastia Guenée, 1854** (Pylalidae) Synonym(s): *Terastia Guenée, 1854*; *#Tersatia Lederer, 1863*
- 7580. Teratauxa E. Hering, 1901** (Pylalidae) Synonym(s): *Teratauxa E. Hering, 1901*; *Ridleyana Hampson, 1906*

- 7581. Termioptycha Meyrick,1889** (Pyralidae) Synonym(s): *Termioptycha* Meyrick,1889; *Sialocyttara* Turner,1913
- 7582. Tetrernia Meyrick,1890** (Pyralidae) Synonym(s): *Tetrernia* Meyrick,1890; *Metaclysta* Hampson,1906
- 7583. Tetridia W.Warren,1890** (Pyralidae) Synonym(s): *Tetridia* W.Warren,1890
- 7584. Thagora Walker,1863** (Pyralidae) Synonym(s): *Thagora* Walker,1863
- 7585. Thalamarchis Meyrick,1897** (Pyralidae) Synonym(s): *Thalamarchis* Meyrick,1897
- 7586. Thaumatopsis Morrison,1874** (Pyralidae) Synonym(s): *Thaumatopsis* Morrison,1874; *Propexus* Grote,1880
- 7587. Theila Swinhoe,1900** (Pyralidae) Synonym(s): *Theila* Swinhoe,1900
- 7588. Thesaurica Turner,1915** (Pyralidae) Synonym(s): *Thesaurica* Turner,1915
- 7589. Thiallela Walker,1863** (Pyralidae) Synonym(s): *Thiallela* Walker,1863
- 7590. Thisanotia Hübner,[1825]** (Pyralidae) Synonym(s): *Thisanotia* Hübner,[1825] Original Reference: *Thisanotia* Hübner,[1825], Verz. bekannt. Schmett.: 367. Type-species: *Phalaena chrysonuchella* Scopoli,1763, by subsequent designation by Shibuya,1928.
- 7591. Thivolleo Maes,2006** (Pyralidae) Synonym(s): *Thivolleo* Maes,2006
- 7592. Thliptoceras W.Warren,1890** (Pyralidae) Synonym(s): *Thliptoceras* W.Warren,1890; *Mimocomma* W.Warren,1895; *Parudea* Swinhoe,1900
- 7593. Thoepitis Hübner,1818** (Pyralidae) Synonym(s): *Thoepitis* Hübner,1818; *Cephis* Ragonot,1892; *Stenochilo* Hampson,1896; *Hombergia* De Joannis,1910. Original Reference: *Thoepitis* Hübner,1818, Zuträge Samml. exot. Schmett. 1: 23. Type-species: *Thoepitis respersalis* Hübner,1818, by subsequent designation by Bleszynski,1965.
- 7594. Thospia Ragonot,1888** (Pyralidae) Synonym(s): *Thospia* Ragonot,1888 Original Reference: *Thospia* Ragonot,1888, Nouv. Genres Espèces Phycitidae Galleridae: 28. Type-species: *Thospia crassipalpella* Ragonot,1888, by original designation.
- 7595. Threnosia Hampson,1900** (Pyralidae) Synonym(s): *Threnosia* Hampson,1900
- 7596. Thylacoptila Meyrick,1885** (Pyralidae) Synonym(s): *Thylacoptila* Meyrick,1885; *Bussa* Ragonot,1888
- 7597. Thyridiphora W.Warren,1888** (Pyralidae) Synonym(s): *Thyridiphora* W.Warren,1888; *#Thyridophora* Hampson,1896 Original Reference: *Thyridiphora* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 310-311. Type-species: *Thyridiphora fenestrata* W.Warren,1888, by monotypy.
- 7598. Tipanaea Walker,1863** (Pyralidae) Synonym(s): *Tipanaea* Walker,1863
- 7599. Tirathaba Walker,1864** (Pyralidae) Synonym(s): *Tirathaba* Walker,1864; *Mucialla* Walker,1866; *Harpagoneura* Butler,1885; *Coleoneura* Ragonot,1888; *Metachrysis* Hampson,1901; *Suisharyona* Strand,1920; *Harpagomorpha* Turner,1937.
- 7600. Titanio Hübner,[1825]** (Pyralidae) Synonym(s): *Titanio* Hübner,[1825]; *Titania* Agassiz,1846; *Noctuomorpha* Guenée,1854; *Cleptotypodes* Minet,1983; *Denticornutia* Martin,1986 Original Reference: *Titanio* Hübner,[1825], Verz. bekannt. Schmett.: 350. Type-species: *Pyralis normalis* Hübner,1796, by subsequent designation by Hampson,1899.
- 7601. Titanoceros Meyrick,1884** (Pyralidae) Synonym(s): *Titanoceros* Meyrick,1884
- 7602. Toccolosida Walker,1863** (Pyralidae) Synonym(s): *Toccolosida* Walker,1863
- 7603. Torqueola Swinhoe,1906** (Pyralidae) Synonym(s): *Torqueola* Swinhoe,1906
- 7604. Toxobotys Munroe & Mutuura,1968** (Pyralidae) Synonym(s): *Toxobotys* Munroe & Mutuura,1968 Original Reference: *Toxobotys* Munroe & Mutuura,1968, Can. Ent. 100: 867. Type-species: *Toxobotys praestans* Munroe & Mutuura,1968, by original designation.
- 7605. Trachonitis Zeller,1848** (Pyralidae) Synonym(s): *Trachonitis* Zeller,1848 Original Reference: *Trachonitis* Zeller,1848, Isis Oken 1848: 606. Type-species: *Tinea cristella* Hübner,1796, by monotypy.
- 7606. Trachylepidia Ragonot,1887** (Pyralidae) Synonym(s): *Trachylepidia* Ragonot,1887
- 7607. Trachypteryx Ragonot,1893** (Pyralidae) Synonym(s): *Trachypteryx* Ragonot,1893
- 7608. Tretopteryx Ragonot,1890** (Pyralidae) Synonym(s): *Tretopteryx* Ragonot,1890 Original Reference: *Tretopteryx* Ragonot,1890, Bull. Soc. ent. Fr. (6) 10 (2): xciii. Type-species: *Eurrhysis pertusalis* Geyer,1832, by monotypy.
- 7609. Trichophysetis Meyrick,1884** (Pyralidae) Synonym(s): *Trichophysetis* Meyrick,1884; *Trieropis* Meyrick,1886; *Alpherakia* Ragonot,1890; *Callinaias* W.Warren,1890; *Crasigenes* Meyrick,1894; *#Trichophyretis* Pagenstecher,1909; *Puriella* Strand,1918
- 7610. Trigonobela Turner,1915** (Pyralidae) Synonym(s): *Trigonobela* Turner,1915
- 7611. Trigonoorda Munroe,1974** (Pyralidae) Synonym(s): *Trigonoorda* Munroe,1974

- 7612. Triphassa Hübner, 1818** (Pyrilidae) Synonym(s): *Triphassa Hübner, 1818* Original Reference: *Triphassa Hübner, 1818, Zutr. Samml. exot. Schmett. 1: 26.* Type-species: *Triphassa stalactis Hübner, 1818, Zutr. Samml. exot. Schmett. 1: 26, pl. 26 figs. 149, 150.*
- 7613. Trischistognatha W. Warren, 1892** (Pyrilidae) Synonym(s): *Trischistognatha W. Warren, 1892*
- 7614. Trisidis Walker, 1863** (Pyrilidae) Synonym(s): *Trisidis Walker, 1863*
- 7615. Trissonca Meyrick, 1882** (Pyrilidae) Synonym(s): *Trissonca Meyrick, 1882*
- 7616. Triuncidia Munroe, 1976** (Pyrilidae) Synonym(s): *Triuncidia Munroe, 1976*
- 7617. Trychnocrana Turner, 1925** (Pyrilidae) Synonym(s): *Trychnocrana Turner, 1925*
- 7618. Tucumania Dyar, 1925** (Pyrilidae) Synonym(s): *Tucumania Dyar, 1925*
- 7619. Tulaya Özdikmen, 2007** (Pyrilidae) Synonym(s): *Hercynella Bethune-Baker, 1893 nec Kayser, 1878; Tulaya Özdikmen, 2007*
- 7620. Tulla Zimmermann, 1958** (Pyrilidae) Synonym(s): *Tulla Zimmermann, 1958*
- 7621. Turania Ragonot, 1891** (Pyrilidae) Synonym(s): *Turania Ragonot, 1891* Original Reference: *Turania Ragonot, 1891, Annls Soc. ent. Fr. (6) 10: 449.* Type-species: *Emprepes pentodonalis Erschoff, 1874, by monotypy.*
- 7622. Tylochaes Meyrick, 1883** (Pyrilidae) Synonym(s): *Tylochaes Meyrick, 1883; #Tylchaes Turner, 1947*
- 7623. Tyndis Ragonot, 1891** (Pyrilidae) Synonym(s): *Tyndis Ragonot, 1891*
- 7624. Tyspanodes W. Warren, 1891** (Pyrilidae) Synonym(s): *Tyspanodes W. Warren, 1891; #Tyspanodes Munroe, 1960* Original Reference: *Tyspanodes W. Warren, 1891, Ann. Mag. nat. Hist. (6) 7: 425.* Type-species: *Filodes nigrolinealis Moore, 1867, by original designation.*
- 7625. Ubida Walker, 1863** (Pyrilidae) Synonym(s): *Ubida Walker, 1863; Crunophila Meyrick, 1882 nec Kolenati, 1859*
- 7626. Udea Guenée, [1845]** (Pyrilidae) Synonym(s): *Udea Guenée, [1845]; Stantira Walker, 1863; Melanomecyna Butler, 1883; Mnesictena Meyrick, 1884; Protocolletis Meyrick, 1888; Mimudea W. Warren, 1892; Prototaulacis Meyrick, 1899; Eudaimonisma Lucas, 1902; Otiophora Turner, 1908; Emphylica Turner, 1913; Notophytis Meyrick, 1932* Original Reference: *Udea Guenée, [1845], [in] Duponchel, Cat. méth. Lépid. Eur.: 209.* Type-species: *Pyalis ferrugalis Hübner, 1796, by monotypy.*
- 7627. Uinta Hulst, 1888** (Pyrilidae) Synonym(s): *Uinta Hulst, 1888*
- 7628. Ulopeza Zeller, 1852** (Pyrilidae) Synonym(s): *Ulopeza Zeller, 1852; Xacca Walker, 1869; Pseudanalthes W. Warren, 1890; #Pseudanaltes Hampson, 1898; #Xasca Neave, 1940*
- 7629. Ulophora Ragonot, 1890** (Pyrilidae) Synonym(s): *Ulophora Ragonot, 1890*
- 7630. Umkulunkula Mey, 2010** (Pyrilidae) Synonym(s): *Umkulunkula Mey, 2010*
- 7631. Unadillides Hampson, 1930** (Pyrilidae) Synonym(s): *Unadillides Hampson, 1930*
- 7632. Unadophanes Shaffer, 1996** (Pyrilidae) Synonym(s): *Scythrophanes Turner, 1947 nec Turner, 1926; Unadophanes Shaffer, 1996.*
- 7633. Uncinus Amsel, 1951** (Pyrilidae) Synonym(s): *Uncinus Amsel, 1951* Original Reference: *Uncinus Amsel, 1951, Ark. Zool. (2) 1: 537.* Type-species: *Uncinus hypogryphellus Amsel, 1951, by monotypy.*
- 7634. Upiga Capps, 1964** (Pyrilidae) Synonym(s): *Upiga Capps, 1964*
- 7635. Urbania Hampson, 1901** (Pyrilidae) Synonym(s): *Urbania Hampson, 1901*
- 7636. Uresiphita Hübner, [1825]** (Pyrilidae) Synonym(s): *Uresiphita Hübner, [1825]; Uresiphoeta Agassiz, 1847; Mecyna Guenée, 1854 nec Doubl., [1849]* Original Reference: *Uresiphita Hübner, [1825], Verz. bekannt. Schmett.: 353.* Type-species: *Pyalis limbalis [Denis & Schiffermüller], 1775, by subsequent designation by Bisset, 1938.*
- 7637. Usingeriessa Lange, 1956** (Pyrilidae) Synonym(s): *Usingeriessa Lange, 1956*
- 7638. Uthinia Snellen, 1898** (Pyrilidae) Synonym(s): *Uthinia Snellen, 1898*
- 7639. Valdovecaria Zerny, 1927** (Pyrilidae) Synonym(s): *Valdovecaria Zerny, 1927* Original Reference: *Valdovecaria Zerny, 1927, Eos 3: 449.* Type-species: *Valdovecaria bradyrrhoella Zerny, 1927, by monotypy.*
- 7640. Valva Amsel, 1961** (Pyrilidae) Synonym(s): *Valva Amsel, 1961*
- 7641. Vaxi Bleszynski, 1962** (Pyrilidae) Synonym(s): *Vaxi Bleszynski, 1962*
- 7642. Veldticola Hampson, 1930** (Pyrilidae) Synonym(s): *Veldticola Hampson, 1930* Original Reference: *Veldticola Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 73.* Type-species: *Veldticola striatella Hampson, 1930, by original designation.*
- 7643. Veronese Bleszynski, 1962** (Pyrilidae) Synonym(s): *Veronese Bleszynski, 1962*
- 7644. Vietteia Amsel, 1955** (Pyrilidae) Synonym(s): *Vietteia Amsel, 1955*
- 7645. Viettessa Minet, 1980** (Pyrilidae) Synonym(s): *Viettessa Minet, 1980*

- 7646. Vinculopsis Amsel,1957** (Pyalidae) Synonym(s): *Vincularia Amsel,1956 nec Defrance,1829; Vinculopsis Amsel,1957*
- 7647. Vinicia Ragonot,1893** (Pyalidae) Synonym(s): *Vinicia Ragonot,1893*
- 7648. Vitessa Moore,[1860]** (Pyalidae) Synonym(s): *Vitessa Moore,[1860]; Cosmethis sensu De Joannis,1930*
- 7649. Vitessidia Rothschild & Jordan,1905** (Pyalidae) Synonym(s): *Vitessidia Rothschild & Jordan,1905*
- 7650. Vittabotys Munroe & Mutuura,1970** (Pyalidae) Synonym(s): *Vittabotys Munroe & Mutuura,1970*
- 7651. Vitula Ragonot,1887** (Pyalidae) Synonym(s): *Vitula Ragonot,1887; Hornigia Ragonot,1887; Mambatta Hulst,1890; Moodnella Heinrich,1956; Volatica Heinrich,1956; Sasipatra Heinrich,1956.*
- 7652. Voliba Walker,1866** (Pyalidae) Synonym(s): *Voliba Walker,1866; Gabrisa Walker,[1866] nec Walker,[1866]; Stereocopa Meyrick,1885*
- 7653. Volobilis Walker,1863** (Pyalidae) Synonym(s): *Volobilis Walker,1863*
- 7654. Witlesia Chapman,1912** (Pyalidae) Synonym(s): *Witlesia Chapman,1912*
- 7655. Xanthocrambus Bleszynski,1957** (Pyalidae) Synonym(s): *#Xanthocrambus Bleszynski,1955; Xanthocrambus Bleszynski,1957* Original Reference: *Xanthocrambus Bleszynski,1957, Acta zool. cracov. 1: 450. Type-species: Crambus delicatellus Zeller,1863, by original designation.*
- 7656. Xanthomelaena Hampson,1896** (Pyalidae) Synonym(s): *Xanthomelaena Hampson,1896*
- 7657. Xanthophysa Munroe,1964** (Pyalidae) Synonym(s): *Xanthophysa Munroe,1964*
- 7658. Xanthopsamma Munroe & Mutuura,1968** (Pyalidae) Synonym(s): *Xanthopsamma Munroe & Mutuura,1968*
- 7659. Xanthostege Munroe,1976** (Pyalidae) Synonym(s): *Xanthostege Munroe,1976*
- 7660. Xenomilia W.Warren,1896** (Pyalidae) Synonym(s): *Xenomilia W.Warren,1896*
- 7661. Xubida Schaus,1922** (Pyalidae) Synonym(s): *Xubida Schaus,1922*
- 7662. Yoshiyasua Koçak & Kemal,2005** (Pyalidae) Synonym(s): *Melanochroa Yoshiyasu,1985 nec Broun,1882 non Roeder,1886; Yoshiyasua Koçak & Kemal,2005* Original Reference: *Yoshiyasua Koçak & Kemal,2005, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nom. nov. pro Melanochroa Yoshiyasu,1985 nec Broun,1882 non Roeder,1886). Type-species: Melanochroa yasudai Yoshiyasu,1985, by original designation.*
- 7663. Zacatecas Bleszynski,1962** (Pyalidae) Synonym(s): *Zacatecas Bleszynski,1962*
- 7664. Zagiridia Hampson,1897** (Pyalidae) Synonym(s): *Zagiridia Hampson,1897*
- 7665. Zeadiatraea Box,1955** (Pyalidae) Synonym(s): *Zeadiatraea Box,1955*
- 7666. Zebronia Hübner,[1825]** (Pyalidae) Synonym(s): *Zebronia Hübner,[1825]*
- 7667. Zitha Walker,[1866]** (Pyalidae) Synonym(s): *Zitha Walker,[1866]; Tegulifera Saalmüller,1880; Tamraca Moore,1887; Angenora Ragonot,1891; Katja Amsel,1951; Praekatja Amsel,1961* Original Reference: *Zitha Walker,[1866], List Specimens lepid. Insects Colln Br. Mus. 34: 1264. Type-species: Zitha punicealis Walker,[1866], by monotypy.*
- 7668. Zonora Swinhoe,1890** (Pyalidae) Synonym(s): *Zonora Swinhoe,1890* Original Reference: *Zonora Swinhoe,1890, Proc. zool. Soc. Lond. 1889: 419. Type-species: Zonora opiparalis Swinhoe,1890, by monotypy.*
- 7669. Zophodia Hübner,[1825]** (Pyalidae) Synonym(s): *Zophodia Hübner,[1825]; Olyca Walker,1857; Melitara Walker,1863; Dakruma Grote,1878; Megaphycis Grote,1882; Ozamia Ragonot,1901; Yosemitia Ragonot,1901; Cactobrosis Dyar,1915; Olycella Dyar,1928; Parolyca Dyar,1928; Nanaia Heinrich,1929* Original Reference: *Zophodia Hübner,[1825], Verz. bekannt. Schmett.: 370. Type-species: Zophodia grossularialis Hübner,[1825], by subsequent designation by Hulst,1890.*
- 7670. Zophodiodes Ragonot,1887** (Pyalidae) Synonym(s): *Zophodiodes Ragonot,1887* Original Reference: *Zophodiodes Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 241. Type-species: Zophodiodes leucocostella Ragonot,1887, by monotypy.*
- 7671. Zovax Bleszynki,1962** (Pyalidae) Synonym(s): *Zovax Bleszynki,1962*
- 7672. Callosiope M.Hering,1925** (Ratardidae) Synonym(s): *Callosiope M.Hering,1925*
- 7673. Ratarda Moore,1879** (Ratardidae) Synonym(s): *Ratarda Moore,1879*
- 7674. Agriothera Meyrick,1907** (Roeslerstammiidae) Synonym(s): *Agriothera Meyrick,1907*
- 7675. Roeslerstammia Zeller,1839** (Roeslerstammiidae) Synonym(s): *Roeslerstammia Zeller,1839*
- 7676. Telethera Meyrick,1913** (Roeslerstammiidae) Synonym(s): *Telethera Meyrick,1913*
- 7677. Actias Leach,1815** (Saturniidae) Synonym(s): *Echidna Hübner,[1807] nec Forst.,1788; Actias Leach,1815; Tropaea Hübner,[1819]; Meceura Billberg,1820; Artemis Kirby & Spence,1828; Plectropteron*

- Hutton,1846; *Argema Wallengren*,1858; *Angas Walengren*,1865; *Graellsia Grote*,1896; *Sonthonnaxia Watson*,1913; *Proactias Arora & Gupta*,1979 **Original Reference:** *Actias Leach*,1815, [in] Leach & Nodder, Zool. Miscell. 2: 25. Type-species: *Phalaena luna* Linnaeus,1758, by subsequent designation by Grote,1874.
7678. ***Agia Ochsenheimer*,1810** (Saturniidae) **Synonym(s):** *Agia Ochsenheimer*,1810; *Tachyptena Germar*,1910; #*Aglaia Kirby*,1884
7679. ***Antarctia Hübner*,[1820]** (Saturniidae) **Synonym(s):** *Antarctia Hübner*,[1820]
7680. ***Antheraea (Antheraeopsis) Wood-Mason*,1886** (Saturniidae) **Synonym(s):** *Antheraeopsis Wood-Mason*,1886
7681. ***Antheraea (s.str.) Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Antheraea Hübner*,[1819]
7682. ***Antheraea Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Antheraea Hübner*,[1819]
7683. ***Antistathmoptera Tams*,1935** (Saturniidae) **Synonym(s):** *Antistathmoptera Tams*,1935
7684. ***Archeoattacus Watson*,1914** (Saturniidae) **Synonym(s):** *Archeoattacus Watson*,1914
7685. ***Argema Wallengren*,1858** (Saturniidae) **Synonym(s):** *Argema Wallengren*,1858; *Angas Wallengren*,1865; *Cometesia Bouvier*,1928
7686. ***Athletes Karsch*,1896** (Saturniidae) **Synonym(s):** *Athletes Karsch*,1896
7687. ***Attacus Linnaeus*,1767** (Saturniidae) **Synonym(s):** *Attacus Linnaeus*,1767; *Arcuata Perry*,1811
7688. ***Aurivillius Packard*,1902** (Saturniidae) **Synonym(s):** *Aurivillius Packard*,1902; *Euaurivillius Packard*,1902
7689. ***Bunaea Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Bunaea Hübner*,[1819]; *Thyella Wallengren*,1858; #*Thyelia Walker*,1865; *Angelica Distant*,1903
7690. ***Bunaeopsis Bouvier*,1927** (Saturniidae) **Synonym(s):** *Bunaeopsis Bouvier*,1927
7691. ***Cerodirphia Michener*,1949** (Saturniidae) **Synonym(s):** *Cerodirphia Michener*,1949
7692. ***Cinabra Sonthonnax*,1901** (Saturniidae) **Synonym(s):** *Cinabra Sonthonnax*,1901
7693. ***Copaxa Walker*,1855** (Saturniidae) **Synonym(s):** *Copaxa Walker*,1855
7694. ***Cricula Walker*,1855** (Saturniidae) **Synonym(s):** *Cricula Walker*,1855; *Euphranor Herrich-Schäffer*,1855
7695. ***Decachorda Aurivillius*,1898** (Saturniidae) **Synonym(s):** *Decachorda Aurivillius*,1898
7696. ***Eochroa Felder*,1874** (Saturniidae) **Synonym(s):** *Eochroa Felder*,1874
7697. ***Epiphora Wallengren*,1860** (Saturniidae) **Synonym(s):** *Epiphora Wallengren*,1860; *Faidherbia Guérin-Ménéville*,1865; *Drepanoptera Rothschild*,1895; *Falci pennae Pinhey*,1972
7698. ***Goodia Holland*,1893** (Saturniidae) **Synonym(s):** *Goodia Holland*,1893; *Campimoptilum Karsch*,1896; *Lasiptila Kirby*,1896
7699. ***Gynanisa Walker*,1855** (Saturniidae) **Synonym(s):** *Gynanisa Walker*,1855; *Ancalaespina Wallengren*,1858; #*Cyanissa Crawley*,1886
7700. ***Hemileuca Walker*,1855** (Saturniidae) **Synonym(s):** *Hemileuca Walker*,1855
7701. ***Heniocha Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Heniocha Hübner*,[1819]; #*Henucha Walker*,1855; #*Heniucha Pagenstecher*,1909
7702. ***Holocerina Pinhey*,1956** (Saturniidae) **Synonym(s):** *Holocera Felder*,1874 (homonym); *Holocerina Pinhey*,1956
7703. ***Imbrasia (Gonimbrasia) Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Gonimbrasia Hübner*,[1819]; *Acanthocampa Packard*,1902; *Parabunaeopsis Bouvier*,1934
7704. ***Imbrasia (Nudaurelia) Rothschild*,1895** (Saturniidae) **Synonym(s):** *Nudaurelia Rothschild*,1895
7705. ***Imbrasia (s.str.) Hübner*,[1819]** (Saturniidae) **Synonym(s):** *Imbrasia Hübner*,[1819]; *Lomelia Duncan & Westwood*,1841; *Cirina Walker*,1855; *Sculna Wallengren*,1858
7706. ***Lemaireia Nässig & Holloway*,1987** (Saturniidae) **Synonym(s):** *Lemaireia Nässig & Holloway*,1987
7707. ***Lobobunaea Packard*,1901** (Saturniidae) **Synonym(s):** *Lobobunaea Packard*,1901
7708. ***Loepa Moore*,[1860]** (Saturniidae) **Synonym(s):** *Loepa Moore*,[1860]
7709. ***Ludia Wallengren*,1856** (Saturniidae) **Synonym(s):** *Ludia Wallengren*,1856
7710. ***Maltagorea Bouyer*,1993** (Saturniidae) **Synonym(s):** *Maltagorea Bouyer*,1993
7711. ***Melanocera Sonthonnax*,1901** (Saturniidae) **Synonym(s):** *Melanocera Sonthonnax*,1901
7712. ***Micragone Walker*,1855** (Saturniidae) **Synonym(s):** *Micragone Walker*,1855; *Cyrtogone Walker*,1855
7713. ***Nudaurelia Rothschild*,1915** (Saturniidae) **Synonym(s):** *Nudaurelia Rothschild*,1915
7714. ***Orthogonioptilum Karsch*,[1893]** (Saturniidae) **Synonym(s):** *Orthogonioptilum Karsch*,[1893]; *Guillemeia Sonthonnax*,1899
7715. ***Paracles Walker*,1855** (Saturniidae) **Synonym(s):** *Paracles Walker*,1855; *Motada Walker*,1855; *Laora Walker*,1855; *Massicyta Walker*,1856; *Borseba Walker*,[1865]; *Palustra Bar*,1873; *Altimaenas Dyar*,1913
7716. ***Pselaphelia Aurivillius*,1904** (Saturniidae) **Synonym(s):** *Pselaphelia Aurivillius*,1904

7717. **Pseudantheraea Weymer, 1892** (Saturniidae) Synonym(s): *Pseudantheraea Weymer, 1892*
7718. **Pseudaphelia Kirby, 1892** (Saturniidae) Synonym(s): *Aphelia Westwood, 1849* (homonym); *Pseudaphelia Kirby, 1892*
7719. **Pseudimbrasia Rougeot, 1962** (Saturniidae) Synonym(s): *Pseudimbrasia Rougeot, 1962*
7720. **Pseudobunaea Bouvier, 1927** (Saturniidae) Synonym(s): *Pseudobunaea Bouvier, 1927*; *Alindabunaea Stoneham, 1962*
7721. **Pseudodirphia Bouvier, 1928** (Saturniidae) Synonym(s): *Pseudodirphia Bouvier, 1928*
7722. **Rhodinia Staudinger, 1892** (Saturniidae) Synonym(s): *Rhodia Moore, 1872 nec Bell, 1836*; *Rhodinia Staudinger, 1892*
7723. **Rohaniella Bouvier, 1927** (Saturniidae) Synonym(s): *Rohaniella Bouvier, 1927*
7724. **Salassa Moore, 1859** (Saturniidae) Synonym(s): *Salassa Moore, 1859*
7725. **Samia Hübner, [1819]** (Saturniidae) Synonym(s): *Samia Hübner, [1819]*; *Philosamia Grote, 1874*; *Desgodinsia Oberthür, 1914 nec Senna, 1894*
7726. **Saturnia (Agapema) Neumoegen & Dyar, 1894** (Saturniidae) Synonym(s): *Agapema Neumoegen & Dyar, 1894*
7727. **Saturnia (Caligula) Moore, 1862** (Saturniidae) Synonym(s): *Caligula Moore, 1862*
7728. **Saturnia (Calosaturnia) Smith, 1886** (Saturniidae) Synonym(s): *Calosaturnia Smith, 1886*
7729. **Saturnia (Heraea) Hübner, 1822** (Saturniidae) Synonym(s): *Heraea Hübner, 1822*
7730. **Saturnia (Neoris) Moore, 1862** (Saturniidae) Synonym(s): *Neoris Moore, 1862* Original Reference: *Neoris Moore, 1862, Trans. ent. Soc. Lond. (3) 1: 321. Type-species: Neoris huttoni Moore, 1862, by monotypy.*
7731. **Saturnia (Perisomena) Walker, 1855** (Saturniidae) Synonym(s): *Perisomena Walker, 1855*; *Typhloteta Rambur, 1866*
7732. **Saturnia (Rinaca) Walker, 1855** (Saturniidae) Synonym(s): *Rinaca Walker, 1855*; *Dictyoploca Jordan, 1911*
7733. **Saturnia (s.str.) Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia Schrank, 1802*; *Nyctaon Billberg, 1820*; *Eriogyna Jordan, 1913* Original Reference: *Saturnia Schrank, 1802, Fauna Boica 2 (2): 149. Type-species: Bombyx pyri [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1895.*
7734. **Saturnia Schrank, 1802** (Saturniidae) Synonym(s): *Saturnia Schrank, 1802*; *Nyctaon Billberg, 1820*; *Eriogyna Jordan, 1913* Original Reference: *Saturnia Schrank, 1802, Fauna Boica 2 (2): 149. Type-species: Bombyx pyri [Denis & Schiffermüller], 1775, by subsequent designation by Grote, 1895.*
7735. **Sinobirma Bryk, 1944** (Saturniidae) Synonym(s): *Sinobirma Bryk, 1944*
7736. **Solus Watson, 1913** (Saturniidae) Synonym(s): *Solus Watson, 1913*
7737. **Tagoropsis Felder, 1874** (Saturniidae) Synonym(s): *Tagoropsis Felder, 1874*
7738. **Urota Westwood, 1849** (Saturniidae) Synonym(s): *Urota Westwood, 1849*
7739. **Usta Wallengren, 1863** (Saturniidae) Synonym(s): *Usta Wallengren, 1863*
7740. **Vegetia Jordan, 1922** (Saturniidae) Synonym(s): *Vegetia Jordan, 1922*
7741. **Schreckensteinia Hübner, [1825]** (Schreckensteiniidae) Synonym(s): *Schreckensteinia Hübner, [1825]* Original Reference: *Schreckensteinia Hübner, [1825], Verz. bekannter Schmett.: 419. Type-species: Tinea festaliella Hübner, [1819], Samml. eur. Schmett. 8: pl. 67, fig. 449, by monotypy.*
7742. **Apostibes Walsingham, 1907** (Scythridae) Synonym(s): *Apostibes Walsingham, 1907*; *Coleophorides Amsel, 1935* Original Reference: *Apostibes Walsingham, 1907, Entomologist's mon. Mag. 43: 57. Type-species: Apostibes griseolineata Walsingham, 1907, by original designation.*
7743. **Areniscythris Powell, 1976** (Scythridae) Synonym(s): *Areniscythris Powell, 1976*
7744. **Arotrura Walsingham, 1888** (Scythridae) Synonym(s): *Arotrura Walsingham, 1888*; *Colinita Busck, 1907*
7745. **Bactrianoscythris Passerin d'Entrèves & Roggero, 2009** (Scythridae) Synonym(s): *Bactrianoscythris Passerin d'Entrèves & Roggero, 2009* Original Reference: *Bactrianoscythris Passerin d'Entrèves & Roggero, 2009, Zootaxa 2263:*
7746. **Enolmis Duponchel, [1846]** (Scythridae) Synonym(s): *Enolmis Duponchel, [1846]*; *Bryophaga Ragonot, 1875* Original Reference: *Enolmis Duponchel, [1846], Cat. méth. Lépid. Eur.: 340. Type-species: Yponomeuta acanthella Godart, 1824, by subsequent designation by Desmarest, 1857.*
7747. **Episcythris Amsel, 1938** (Scythridae) Synonym(s): *Episcythris Amsel, 1938*

- 7748. Eretmocera Zeller, 1852** (Scythridae) Synonym(s): *Eretmocera* Zeller, 1852; *Staintonia* Staudinger, 1859; *Exodomorpha* Walker, 1864; *Castorura* Meyrick, 1887; *Aeraula* Meyrick, 1897; *Leuroscelis* Turner, 1927
- 7749. Erigethes Walsingham, 1907** (Scythridae) Synonym(s): *Erigethes* Walsingham, 1907
- 7750. Falkovitshella Passerin d'Entrèves & Roggero, 2007** (Scythridae) Synonym(s): *Falkovitshella* Passerin d'Entrèves & Roggero, 2007, Dt. ent. Z. (N.F.) 54: 118. Original Reference: *Falkovitshella* Passerin d'Entrèves & Roggero, 2007, Dt. ent. Z. (N.F.) 54: 118.
- 7751. Haploscythris Viette, 1956** (Scythridae) Synonym(s): *Haploscythris* Viette, 1956
- 7752. Landryia Kemal & Koçak, 2006** (Scythridae) Synonym(s): *Asymmetrura* Landry, 1991 nec Faria, 1981; *Landryia* Kemal & Koçak, 2006 Original Reference: *Landryia* Kemal & Koçak, 2006, Cent. ent. Stud., Misc. Pap. 100: 7-8 (nomen novum pro *Asymmetrura* Landry, 1991 nec Faria, 1981).
- 7753. Mapsidius Walsingham, 1907** (Scythridae) Synonym(s): *Mapsidius* Walsingham, 1907
- 7754. Necrothalassia Amsel, 1935** (Scythridae) Synonym(s): *Necrothalassia* Amsel, 1935
- 7755. Neoscythris Landry, 1991** (Scythridae) Synonym(s): *Neoscythris* Landry, 1991
- 7756. Oedematopoda Zeller, 1852** (Scythridae) Synonym(s): *Oedematopoda* Zeller, 1852
- 7757. Paralogistis Meyrick, 1913** (Scythridae) Synonym(s): *Paralogistis* Meyrick, 1913
- 7758. Parascythris Hannemann, 1960** (Scythridae) Synonym(s): *Parascythris* Hannemann, 1960
- 7759. Proterochyta Meyrick, 1918** (Scythridae) Synonym(s): *Proterochyta* Meyrick, 1918
- 7760. Rhamphura Landry, 1991** (Scythridae) Synonym(s): *Rhamphura* Landry, 1991
- 7761. Scythris (Catascythris) Amsel, 1935** (Scythridae) Synonym(s): *Catascythris* Amsel, 1935
- 7762. Scythris (Rubioia) Agenjo, 1962** (Scythridae) Synonym(s): *Rubioia* Agenjo, 1962
- 7763. Scythris Hübner, [1825]** (Scythridae) Synonym(s): *Scythris* Hübner, [1825]; *Galanthia* Hübner, [1825]; *Butalis* Treitschke, 1833 nec Boie, 1826; *Copida* Sodoffsky, 1837 Original Reference: *Scythris* Hübner, [1825], Verz. bekannt. Schmett.: 414. Type-species: *Tinea chenopodiella* Hübner, [1813], by subsequent designation by Walsingham & Durrant (1909, Entomologist's mon. Mag. 45: 51).
- 7764. Aegerosphecia Le Cerf, 1916** (Sesiidae) Synonym(s): *Aegerosphecia* Le Cerf, 1916
- 7765. Aenigmina Le Cerf, 1912** (Sesiidae) Synonym(s): *Aenigmina* Le Cerf, 1912
- 7766. Afrokona Fischer, 2006** (Sesiidae) Synonym(s): *Afrokona* Fischer, 2006
- 7767. Afromelittia Gorbunov & Arita, 1997** (Sesiidae) Synonym(s): *Afromelittia* Gorbunov & Arita, 1997
- 7768. Agriomelissa Meyrick, 1931** (Sesiidae) Synonym(s): *Agriomelissa* Meyrick, 1931
- 7769. Alonina Walker, 1856** (Sesiidae) Synonym(s): *Alonina* Walker, 1856; *Cicinnoscelis* Holland, 1893
- 7770. Anaudia Wallengren, 1863** (Sesiidae) Synonym(s): *Anaudia* Wallengren, 1863
- 7771. Aschistophleps Hampson, [1893]** (Sesiidae) Synonym(s): *Aschistophleps* Hampson, [1893]
- 7772. Barbasphecia Pühringer & Safian, 2011** (Sesiidae) Synonym(s): *Barbasphecia* Pühringer & Safian, 2011
- 7773. Bembecia (Ductispina) Capuse, 1973** (Sesiidae) Synonym(s): *Ductispina* Capuse, 1973
- 7774. Bembecia (Paradipsosphecia) Capuse, 1973** (Sesiidae) Synonym(s): *Paradipsosphecia* Capuse, 1973
- 7775. Bembecia (Pseudosphecia) Capuse, 1973** (Sesiidae) Synonym(s): *Pseudosphecia* Capuse, 1973
- 7776. Bembecia Hübner, [1819]** (Sesiidae) Synonym(s): *Bembecia* Hübner, [1819] Original Reference: *Bembecia* Hübner, [1819], Verz. bekannt. Schmett.: 128. Type-species: *Sphinx ichneumoniformis* [Denis & Schiffermüller], 1775, by subsequent designation by Newman, 1840.
- 7777. Cabomina De Freina, 2008** (Sesiidae) Synonym(s): *Cabomina* De Freina, 2008
- 7778. Callisphecia Le Cerf, 1916** (Sesiidae) Synonym(s): *Callisphecia* Le Cerf, 1916
- 7779. Camaegeria Strand, 1914** (Sesiidae) Synonym(s): *Camaegeria* Strand, 1914
- 7780. Carmenta Edwards, 1881** (Sesiidae) Synonym(s): *Rhipidura* Philippi, 1859 nec Vigors & Horsfield, 1827; *Carmenta* Edwards, 1881; *Parasesia* Le Cerf, 1916; *Teleosphecia* Le Cerf, 1916; *Rhipidurina* Naumann, 1971
- 7781. Ceratocorema Hampson, [1893]** (Sesiidae) Synonym(s): *Ceratocorema* Hampson, [1893]; *Neotinthis* Hampson, 1919
- 7782. Ceritrypetes Bradley, 1956** (Sesiidae) Synonym(s): *Ceritrypetes* Bradley, 1956
- 7783. Chamaesphecia Spuler, 1910** (Sesiidae) Synonym(s): *Chamaesphecia* Spuler, 1910; *Scopulosphecia* Lastuwka, [1990] Original Reference: *Chamaesphecia* Spuler, 1910, [in] Hoffmann, Schmett. Eur. 2: 311. Type-species: *Sphinx empiformis* Esper, 1783, by original designation.
- 7784. Chamanthedon Le Cerf, 1916** (Sesiidae) Synonym(s): *Chamanthedon* Le Cerf, 1916
- 7785. Clavisphecia Kallies, 2011** (Sesiidae) Synonym(s): *Clavigera* Kallies & Arita, 2004 nec Hector, 1879; *Clavisphecia* Kallies, 2011 Original Reference: *Clavisphecia* Kallies, 2011, Nota lepid. 34

- (2): 157 (nom. nov. pro *Clavigera Kallies & Arita, 2004* nec *Hector, 1879*). Type-species: *Trochilium pugnax* Meyrick, 1926, by original designation.
7786. **Conopsia Strand, [1913]** (Sesiidae) Synonym(s): *Conopsia Strand, [1913]* Original Reference: *Conopsia Strand, [1913]*, Archiv. Naturg. 78A (12): 71. Type-species: *Conopsia terminiflava* Strand, [1913], by monotypy.
7787. **Crinipus Hampson, 1896** (Sesiidae) Synonym(s): *Crinipus Hampson, 1896*; *Hypanthedon Hampson, 1919*
7788. **Cyanosesia Gorbunov & Arita, 1995** (Sesiidae) Synonym(s): *Cyanosesia Gorbunov & Arita, 1995*
7789. **Dipchaspecia Capuse, 1973** (Sesiidae) Synonym(s): *Dipchaspecia Capuse, 1973* Original Reference: *Dipchaspecia Capuse, 1973*, Mitt. münch. ent. Ges. 63: 161. Type-species: *Dipsospecia roseiventris* Bartel, 1912, by original designation.
7790. **Echidgnathia Hampson, 1919** (Sesiidae) Synonym(s): *Echidgnathia Hampson, 1919*
7791. **Episannina Aurivillius, 1905** (Sesiidae) Synonym(s): *Episannina Aurivillius, 1905*; *Sylphidia Le Cerf, 1911*
7792. **Erismatica Meyrick, 1933** (Sesiidae) Synonym(s): *Erismatica Meyrick, 1933*
7793. **Euhagena Edwards, 1881** (Sesiidae) Synonym(s): *Euhagena Edwards, 1881*; *Larunda Edwards, 1881*; *Gaea Beutenmüller, 1896*
7794. **Eusphecia Le Cerf, 1937** (Sesiidae) Synonym(s): *Eusphecia Le Cerf, 1937*
7795. **Gymnosophistis Meyrick, 1934** (Sesiidae) Synonym(s): *Gymnosophistis Meyrick, 1934*
7796. **Homogyna Le Cerf, 1911** (Sesiidae) Synonym(s): *Homogyna Le Cerf, 1911*
7797. **Hovaesia Le Cerf, 1957** (Sesiidae) Synonym(s): *Hovaesia Le Cerf, 1957*
7798. **Hymenosphecia Le Cerf, 1917** (Sesiidae) Synonym(s): *Hymenosphecia Le Cerf, 1917*
7799. **Hypanthedon Hampson, 1919** (Sesiidae) Synonym(s): *Hypanthedon Hampson, 1919*
7800. **Isothamnis Meyrick, 1928** (Sesiidae) Synonym(s): *Isothamnis Meyrick, 1928*
7801. **Lamellisphecia Kallies & Arita, 2004** (Sesiidae) Synonym(s): *Lamellisphecia Kallies & Arita, 2004*
7802. **Lenyra Walker, 1856** (Sesiidae) Synonym(s): *Lenyra Walker, 1856*
7803. **Lenyrhova Le Cerf, 1957** (Sesiidae) Synonym(s): *Lenyrhova Le Cerf, 1957*
7804. **Lepidopoda Hampson, 1900** (Sesiidae) Synonym(s): *Lepidopoda Hampson, 1900*
7805. **Leuthneria Dalla Torre, 1925** (Sesiidae) Synonym(s): *Eublepharis R. Felder, 1874* nec *Gray, 1827*; *Leuthneria Dalla Torre, 1925*
7806. **Lophoceps Hampson, 1919** (Sesiidae) Synonym(s): *Lophoceps Hampson, 1919*
7807. **Macrotarsipus Hampson, [1893]** (Sesiidae) Synonym(s): *Macrotarsipus Hampson, [1893]*
7808. **Madasphecia Viette, 1982** (Sesiidae) Synonym(s): *Madasphecia Viette, 1982*
7809. **Malgassesia Le Cerf, 1922** (Sesiidae) Synonym(s): *Malgassesia Le Cerf, 1922*
7810. **Megalosphecia Le Cerf, 1916** (Sesiidae) Synonym(s): *Megalosphecia Le Cerf, 1916*
7811. **Melisophista Meyrick, 1927** (Sesiidae) Synonym(s): *Melisophista Meyrick, 1927*
7812. **Melittia Hübner, [1819]** (Sesiidae) Synonym(s): *Melittia Hübner, [1819]*; *Eumallopoda Wallengren, 1858*; *Parasa Wallengren, 1863* nec *Mr., 1860*; *Pansa Wallengren, 1865*; *Poderis Boisduval, [1875]*; *Premelittia Le Cerf, 1916*; *Neosphecia Le Cerf, 1916*; *Melittina Le Cerf, 1917* Original Reference: *Melittia Hübner, [1819]*, Verz. bekannt. Schmett. (8): 128. Type-species: *Melittia anthedoniformis* Hübner, [1819], by monotypy.
7813. **Melittosesia Bartsch, 2009** (Sesiidae) Synonym(s): *Melittosesia Bartsch, 2009*
7814. **Metasphecia Le Cerf, 1917** (Sesiidae) Synonym(s): *Metasphecia Le Cerf, 1917*
7815. **Microsphecia Bartel, 1912** (Sesiidae) Synonym(s): *Microsphecia Bartel, 1912*
7816. **Microsynathedon Viette, [1955]** (Sesiidae) Synonym(s): *Microsynathedon Viette, [1955]*
7817. **Mimocrypta C. Naumann, 1971** (Sesiidae) Synonym(s): *Cryptomima Butler, 1902* nec *Meyr., 1883*; *Mimocrypta C. Naumann, 1971*
7818. **Monopetalotaxis Wallengren, 1858** (Sesiidae) Synonym(s): *Monopetalotaxis Wallengren, 1858*
7819. **Negotinthia Gorbunov, 2001** (Sesiidae) Synonym(s): *Negotinthia Gorbunov, 2001*
7820. **Noctusphecia De Freina, 2011** (Sesiidae) Synonym(s): *Noctusphecia De Freina, 2011*
7821. **Nokona Matsumura, 1931** (Sesiidae) Synonym(s): *Nokona Matsumura, 1931*
7822. **Nyctaeigeria Le Cerf, 1914** (Sesiidae) Synonym(s): *Nyctaeigeria Le Cerf, 1914*
7823. **Oligophlebia Hampson, [1893]** (Sesiidae) Synonym(s): *Oligophlebia Hampson, [1893]*; *Amphitales Meyrick, 1926*; *Paraglossesia Gorbunov, 1988*; *Heliodinesia Yang & Wang, 1989*
7824. **Osminia Le Cerf, 1917** (Sesiidae) Synonym(s): *Osminia Le Cerf, 1917*; *Signaphora Engelhardt, 1946*; *Sazonia Gorbunov & Arita, 2001*; *Miniosa Gorbunov & Arita, 2001*

- 7825. Paradoxecia Hampson, 1919** (Sesiidae) **Synonym(s):** *Paradoxecia Hampson, 1919*
- 7826. Paranthrene Hübner, [1819]** (Sesiidae) **Synonym(s):** *Paranthrena auct.*; *Paranthrene Hübner, [1819]*; *Memythrus Newman, 1832*; *Sciapteron Staudinger, 1854*; *Tarsa Walker, 1856*; *Pseudosesia Felder, 1861*; *Pramila Moore, 1879*; *Fatua Edwards, 1882 nec Dej., 1835*; *Phlogothauma Butler, 1882*; *Sciapterum Bartel, 1912*; *Leptocimbicina Bryk, 1947*
- 7827. Paranthrenopsis Le Cerf, 1911** (Sesiidae) **Synonym(s):** *Paranthrenopsis Le Cerf, 1911*; *Enrichella Bryk, 1947*.
- 7828. Pedalonina Gaede, 1929** (Sesiidae) **Synonym(s):** *Pedalonina Gaede, 1929*
- 7829. Pennisetia Dehne, 1850** (Sesiidae) **Synonym(s):** *Pennisetia Dehne, 1850*; *Anthrenoptera Swinhoe, 1892*; *Lophocnema Turner, 1917*; *Diapryra Turner, 1917*; *Glossecia Hampson, 1919*.
- 7830. Podosesia Möschler, 1879** (Sesiidae) **Synonym(s):** *Grotea Möschler, 1876 nec Cresson, 1864*; *Podosesia Möschler, 1879*
- 7831. Proaegeria Le Cerf, 1917** (Sesiidae) **Synonym(s):** *Proaegeria Le Cerf, 1917*
- 7832. Pseudomelittia Le Cerf, 1917** (Sesiidae) **Synonym(s):** *Pseudomelittia Le Cerf, 1917*
- 7833. Pseudosesia C. Felder, 1961** (Sesiidae) **Synonym(s):** *Pseudosesia C. Felder, 1961*
- 7834. Pyranthrene Hampson, 1919** (Sesiidae) **Synonym(s):** *Pyranthrene Hampson, 1919*
- 7835. Pyropteron Newman, 1832** (Sesiidae) **Synonym(s):** *Pyropteron Newman, 1832*; *Pyropteron Agassiz, 1847*
- 7836. Rectala Bryk, 1947** (Sesiidae) **Synonym(s):** *Rectala Bryk, 1947*
- 7837. Rubukona Fischer, 2007** (Sesiidae) **Synonym(s):** *Rubukona Fischer, 2007*
- 7838. Scasiba Matsumura, 1931** (Sesiidae) **Synonym(s):** *Scasiba Matsumura, 1931*
- 7839. Sesia Fabricius, 1775** (Sesiidae) **Synonym(s):** *Sesia Fabricius, 1775*; *Trochilium Scopoli, 1777*; *Aegeria Fabricius, 1807*; *Sphecia Hübner, [1819]*; *Setia Meigen, 1829*; *Trochilia Speyer & Speyer, 1858 nec Duj., 1841*; *Sphecodoptera Hampson, 1893* **Original Reference:** *Sesia Fabricius, 1775, Syst. Ent.: 547. Type-species: [Sphinx] apiformis Clerck, 1759, by subsequent designation by Latreille, 1810.*
- 7840. Similipepsis Spatenka, Lastuvka, Gorbunov, Tosevski & Arita, 1993** (Sesiidae) **Synonym(s):** *Similipepsis Spatenka, Lastuvka, Gorbunov, Tosevski & Arita, 1993*
- 7841. Sphecodoptera Hampson, [1893]** (Sesiidae) **Synonym(s):** *Sphecodoptera Hampson, [1893]*; *Scasiba Matsumura, 1931*
- 7842. Sphecosesia Hampson, 1910** (Sesiidae) **Synonym(s):** *Sphecosesia Hampson, 1910*; *Vespisesia Heppner, 2010*
- 7843. Sura Walker, 1856** (Sesiidae) **Synonym(s):** *Sura Walker, 1856*; *Sara Druce, 1882*
- 7844. Synansphecia Capuse, 1973** (Sesiidae) **Synonym(s):** *Synansphecia Capuse, 1973*
- 7845. Synanthedon Hübner, [1819]** (Sesiidae) **Synonym(s):** *Synanthedon Hübner, [1819]*; *Conopia Hübner, [1819]*; *Pyrhotaeni Grote, 1875*; *Vespanima Beutenmüller, 1894*; *Thamnosphecia Spuler, 1910*; *Sylvora Engelhardt, 1946*; *Tipulia Kralicek & Povolny, 1977*
- 7846. Teinotarsina R. Felder, 1874** (Sesiidae) **Synonym(s):** *Teinotarsina R. Felder, 1874*
- 7847. Thyranthrene Hampson, 1919** (Sesiidae) **Synonym(s):** *Thyranthrene Hampson, 1919*
- 7848. Tinthia Walker, [1865]** (Sesiidae) **Synonym(s):** *Tinthia Walker, [1865]*; *Soronia Moore, 1877 nec Erichson, 1843*; *Zenodoxus auct.*
- 7849. Tipulamima Holland, 1893** (Sesiidae) **Synonym(s):** *Tipulamima Holland, 1893*
- 7850. Tradescanticola Hampson, 1919** (Sesiidae) **Synonym(s):** *Tradescanticola Hampson, 1919* **Original Reference:** *Tradescanticola Hampson, 1919, Novit. zool. 26: 48, 64. Type-species: Sesia uniformis Snellen, 1900, by original designation [Sesia uniformis Snellen is preoccupied; therefore replaced by Tradescanticola yildizae Koçak (1983)]*
- 7851. Trichobaptus Holland, 1894** (Sesiidae) **Synonym(s):** *Trichobaptus Holland, 1894*
- 7852. Trilochana Moore, 1879** (Sesiidae) **Synonym(s):** *Trilochana Moore, 1879*; *Scoliomima Butler, 1885*; *#Trilochna Arita, 1989*
- 7853. Uranothyris Meyrick, 1933** (Sesiidae) **Synonym(s):** *Uranothyris Meyrick, 1933*
- 7854. Vespanthredon Le Cerf, 1917** (Sesiidae) **Synonym(s):** *Vespanthredon Le Cerf, 1917*
- 7855. Weismanniola Naumann, 1971** (Sesiidae) **Synonym(s):** *Weismannia Spuler, 1910 nec Tt., 1904*; *Weismanniola Naumann, 1971*
- 7856. Zenodoxus Grote & Robinson, 1868** (Sesiidae) **Synonym(s):** *Zenodoxus Grote & Robinson, 1868*
- 7857. Parapsycharium Geertsema, 2000** (Somabrachyidae) **Synonym(s):** *Parapsycharium Geertsema, 2000*
- 7858. Psycharium Herrich-Schäffer, 1856** (Somabrachyidae) **Synonym(s):** *Psycharium Herrich-Schäffer, 1856*
- 7859. Somabrachys Kirby, 1892** (Somabrachyidae) **Synonym(s):** *Somabrachys Kirby, 1892*
- 7860. Acherontia [Laspeyres], 1809** (Sphingidae) **Synonym(s):** *#Manduca Hübner, [1806]*; *Acherontia [Laspeyres], 1809*; *#Atropos Oken, 1815*; *Brachyglossa Boisduval, 1828*; *Atropos Agassiz, 1846*

- Original Reference: *Acherontia* [Laspeyres], 1809, Jena allg. Lit.-Ztg. 4 (240): 100. Type-species: *Sphinx atropos* Linnaeus, 1758, by original designation.
7861. **Acosmerycoides Mell, 1922** (Sphingidae) Synonym(s): *Acosmerycoides* Mell, 1922
7862. **Acosmeryx Boisduval, [1875]** (Sphingidae) Synonym(s): *Acosmeryx* Boisduval, [1875]
Original Reference: *Acosmeryx* Boisduval, [1875], [in] Boisduval & Guéne, Hist. nat. Insects 1: 214. Type-species: *Sphinx anceus* Stoll, 1781, by subsequent designation by Kirby, 1892.
7863. **Adhemarius Oicitica, 1939** (Sphingidae) Synonym(s): *Adhemarius Oicitica*, 1939
7864. **Aellopos Hübner, [1819]** (Sphingidae) Synonym(s): *Aellopos* Hübner, [1819]
7865. **Afroclanis Carcasson, 1968** (Sphingidae) Synonym(s): *Afroclanis* Carcasson, 1968
7866. **Agrius Hübner, [1819]** (Sphingidae) Synonym(s): *Agrius* Hübner, [1819]; *Timoria* Kaye, 1919
7867. **Akbesia Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Akbesia* Rothschild & Jordan, 1903
Original Reference: *Akbesia* Rothschild & Jordan, 1903, Novit. zool. 9 (Suppl.): 173, 191. Type-species: *Smerinthus davidi* Oberthür, 1884, by original designation.
7868. **Aleuron Boisduval, 1870** (Sphingidae) Synonym(s): *Aleuron* Boisduval, 1870; *Tylognathus* R. Felder, 1874 nec Heckel, 1843; *Callenyo* Grote, 1874; *Gonenyo* Butler, [1877]; *#Gonenyo* Rothschild, 1894
7869. **Ambulyx Westwood, 1847** (Sphingidae) Synonym(s): *Ambulyx* Westwood, 1847
7870. **Amorpha Hübner, [1809]** (Sphingidae) Synonym(s): *Amorpha* Hübner, [1809]; *Cressonia* Grote & Robinson, 1865
7871. **Ampelophaga Bremer & Grey, [1852]** (Sphingidae) Synonym(s): *Ampelophaga* Bremer & Grey, [1852]
Original Reference: *Ampelophaga* Bremer & Grey, [1852], [in] Motschulsky, Etud. ent. 1: 61. Type-species: *Ampelophaga rubiginosa* Bremer & Grey, [1852], by monotypy.
7872. **Amphimoea Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Amphimoea* Rothschild & Jordan, 1903
7873. **Amphion Hübner, [1819]** (Sphingidae) Synonym(s): *Amphion* Hübner, [1819]
7874. **Amplipterus Hübner, [1819]** (Sphingidae) Synonym(s): *Amplipterus* Hübner, [1819]
7875. **Anambulyx Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Anambulyx* Rothschild & Jordan, 1903
7876. **Andriasa Walker, 1856** (Sphingidae) Synonym(s): *Andriasa* Walker, 1856; *Pseudosmerinthus* Butler, 1876; *Devitzia* Holland, 1889; *#Dewitzia* Holland, 1893
7877. **Angonyx Boisduval, [1875]** (Sphingidae) Synonym(s): *Angonyx* Boisduval, [1875]
7878. **Antinephele Holland, 1889** (Sphingidae) Synonym(s): *Antinephele* Holland, 1889
7879. **Apocalypsis Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Apocalypsis* Rothschild & Jordan, 1903
7880. **Arctonotus Boisduval, 1852** (Sphingidae) Synonym(s): *Arctonotus* Boisduval, 1852
7881. **Aspledon Boisduval, [1875]** (Sphingidae) Synonym(s): *Lophura* Herrich-Schäffer, [1854] nec Fleming, 1822; *Aspledon* Boisduval, [1875]; *Gurelca* Kirby, 1880
7882. **Atemnora Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Atemnora* Rothschild & Jordan, 1903
7883. **Baniwa Lichy, 1981** (Sphingidae) Synonym(s): *Baniwa* Lichy, 1981
7884. **Barbourion Clark, 1934** (Sphingidae) Synonym(s): *Barbourion* Clark, 1934
7885. **Basiothia Walker, 1856** (Sphingidae) Synonym(s): *Basiothia* Walker, 1856
7886. **Batocnema Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Batocnema* Rothschild & Jordan, 1903
7887. **Callambulyx Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Callambulyx* Rothschild & Jordan, 1903
7888. **Callionima Lucas, 1857** (Sphingidae) Synonym(s): *Callionima* Walker, 1856 nec Agas., 1847; *Callionima* Lucas, 1857; *Eucheryx* Boisduval, [1875]
7889. **Cautethia Grote, 1865** (Sphingidae) Synonym(s): *Oenosanda* Walker, 1856 nec Wlk., 1856; *Cautethia* Grote, 1865
7890. **Cechenena Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Cechenena* Rothschild & Jordan, 1903
7891. **Centroctena Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Centroctena* Rothschild & Jordan, 1903
7892. **Cephonodes Hübner, [1819]** (Sphingidae) Synonym(s): *Cephonodes* Hübner, [1819]; *#Cephanodes* Stephens, 1835; *Potidaea* Wallengren, 1858
7893. **Ceratomia Harris, 1839** (Sphingidae) Synonym(s): *Ceratomia* Harris, 1839; *Daremma* Walker, 1856; *Isogramma* Rothschild & Jordan, 1903 nec Meek & Worthen, 1873; *Autogramma* Jordan, 1946
7894. **Cizara Walker, 1856** (Sphingidae) Synonym(s): *Cizara* Walker, 1856
7895. **Clanidopsis Rothschild & Jordan, 1903** (Sphingidae) Synonym(s): *Clanidopsis* Rothschild & Jordan, 1903

- 7896. *Clanis Hübner*,[1825] (Sphingidae) Synonym(s):** *Clanis Hübner*,[1825]
- 7897. *Clarina Tutt*,1903 (Sphingidae) Synonym(s):** *Clarina Tutt*,1903; *Berutana Rothschild & Jordan*,1903.
- 7898. *Cocytius Hübner*,[1819] (Sphingidae) Synonym(s):** *Cocytius Hübner*,[1819]; *Amphonyx Poey*,1832; *Ancistrognathus Wallengren*,1858
- 7899. *Coelonia Rothschild & Jordan*,1903 (Sphingidae) Synonym(s):** *Coelonia Rothschild & Jordan*,1903
- 7900. *Craspedortha Mell*,1922 (Sphingidae) Synonym(s):** *Craspedortha Mell*,1922
- 7901. *Cypa Walker*,[1865] (Sphingidae) Synonym(s):** *Cypa Walker*,[1865]
- 7902. *Cypoides Matsumura*,1921 (Sphingidae) Synonym(s):** *Cypoides Matsumura*,1921
- 7903. *Dahira Moore*,1888 (Sphingidae) Synonym(s):** *Dahira Moore*,1888
- 7904. *Daphnis Hübner*,[1819] (Sphingidae) Synonym(s):** *Daphnis Hübner*,[1819]; *Regia Tutt*,1903; *Histriosphinx*,1976.
- 7905. *Daphnusa Walker*,1856 (Sphingidae) Synonym(s):** *Daphnusa Walker*,1856
- 7906. *Darapsa Walker*,1856 (Sphingidae) Synonym(s):** *Otus Hübner*,[1819] nec *Pennant*,1769; *Darapsa Walker*,1856; *Ampeloeca Rothschild & Jordan*,1903
- 7907. *Degmaoptera Hampson*,1896 (Sphingidae) Synonym(s):** *Degmaoptera Hampson*,1896
- 7908. *Deilephila [Laspeyres]*,1809 (Sphingidae) Synonym(s):** *Eumorpha Hübner*,1806; *Deilephila [Laspeyres]*,1809; *Elpenor Oken*,1815; *Choerocampa Duponchel*,1835; *Metopsilus Duncan*,1836; *Elpenor Agassiz*,1846; *Cinogon Butler*,1881 Original Reference: *Deilephila [Laspeyres]*,1809, *Jena allg. Lit.-Ztg.* 4 (240): 100. Type-species: *Sphinx elpenor* Linnaeus,1758, by subsequent designation by *Curtis*,1824.
- 7909. *Dolba Walker*,1856 (Sphingidae) Synonym(s):** *Dolba Walker*,1856
- 7910. *Dolbina Staudinger*,1887 (Sphingidae) Synonym(s):** *Dolbina Staudinger*,1887; *Dolbinopsis Rothschild & Jordan*,1903; *Elegodolba Eitschberger & Zolotuhin*,1997. Original Reference: *Dolbina Staudinger*,1887, [in] *Romanoff, Mém. Lépid.* 3: 155. Type-species: *Dolbina tancrei Staudinger*,1887, by monotypy.
- 7911. *Dolbogene Rothschild & Jordan*,1903 (Sphingidae) Synonym(s):** *Dolbogene Rothschild & Jordan*,1903
- 7912. *Elibia Walker*,1856 (Sphingidae) Synonym(s):** *Elibia Walker*,1856
- 7913. *Enpinanga Rothschild & Jordan*,1903 (Sphingidae) Synonym(s):** *Enpinanga Rothschild & Jordan*,1903
- 7914. *Enyo Hübner*,[1819] (Sphingidae) Synonym(s):** *Enyo Hübner*,[1819]; *Unzela Walker*,1856; *Triptogon Ménétries*,1857; *Epistor Boisduval*,[1875]; *#Triptogon Moore*,[1882]
- 7915. *Erinnyis Hübner*,[1819] (Sphingidae) Synonym(s):** *Erinnyis Hübner*,[1819]; *Dilophonota Burmeister*,1855; *#Erinnis Carcasson*,1968; *#Erynnyis Belloti & Arias*,1978
- 7916. *Euchloron Boisduval*,[1875] (Sphingidae) Synonym(s):** *Chlorina Guenée*,1862 (praeocc.); *Euchloron Boisduval*,[1875]
- 7917. *Eumorpha Hübner*,[1807] (Sphingidae) Synonym(s):** *Eumorpha Hübner*,[1807]; *Pholus Hübner*,[1819]; *Argeus Hübner*,[1819]; *Dupo Hübner*,[1819]; *Philampelus Harris*,1839
- 7918. *Eupanacra Cadiou & Holloway*,1989 (Sphingidae) Synonym(s):** *Eupanacra Cadiou & Holloway*,1989
- 7919. *Euproserpinus Grote & Robinson*,1865 (Sphingidae) Synonym(s):** *Euproserpinus Grote & Robinson*,1865
- 7920. *Eupyrroglossum Grote*,1865 (Sphingidae) Synonym(s):** *Eupyrroglossum Grote*,1865
- 7921. *Euryglottis Boisduval*,[1875] (Sphingidae) Synonym(s):** *Euryglottis Boisduval*,[1875]
- 7922. *Eurypteryx R.Felder*,1874 (Sphingidae) Synonym(s):** *Eurypteryx R.Felder*,1874
- 7923. *Falcatula Carcasson*,1968 (Sphingidae) Synonym(s):** *Falcatula Carcasson*,1968
- 7924. *Gehlenia Bryk*,1944 (Sphingidae) Synonym(s):** *Gehlenia Bryk*,1944
- 7925. *Giganteopalpus Huwe*,1895 (Sphingidae) Synonym(s):** *Giganteopalpus Huwe*,1895
- 7926. *Gnathothlibus Wallengren*,1858 (Sphingidae) Synonym(s):** *Gnathothlibus Wallengren*,1858
- 7927. *Gnathothlibus Wallengren*,1858 (Sphingidae) Synonym(s):** *Chromis Hübner*,[1819] nec *Lacepede*,1802; *Gnathothlibus Wallengren*,1858
- 7928. *Griseosphinx Cadiou & Kitching*,1990 (Sphingidae) Synonym(s):** *Griseosphinx Cadiou & Kitching*,1990
- 7929. *Hayesiana Fletcher*,1982 (Sphingidae) Synonym(s):** *Rhodosoma Butler*,1870 (preocc.); *Hayesiana Fletcher*,1982
- 7930. *Hemaris (Cochrania) Tutt*,1902 (Sphingidae) Synonym(s):** *Cochrania Tutt*,1902 Original Reference: *Cochrania Tutt*,1902, *Nat. Hist. Br. Lepid.* 3: 503. Type-species: *Sphinx croatica Esper*,1800, by monotypy.

- 7931. Hemaris (Eitschbergera) Kemal & Koçak, 2005** (Sphingidae) **Synonym(s):** *Mandarina Eitschberger, Danner & Surholt, 1998 nec Pilsbry, 1894; Eitschbergera Kemal & Koçak, 2005* **Original Reference:** *Hemaris (Eitschbergera) Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 13 (nom. nov. pro Mandarina Eitschberger, Danner & Surholt, 1998 nec Pilsbry, 1894).*
- 7932. Hemaris (Neojilinga) Zhang, 2013** (Sphingidae) **Synonym(s):** *Jilinga Eitschberger, Danner & Surholt, 1998 nec Ghauri, 1974; Neojilinga Zhang, 2013*
- 7933. Hemaris (Saundersia) Eitschberger, Danner & Surholt, 1998** (Sphingidae) **Synonym(s):** *Saundersia Eitschberger, Danner & Surholt, 1998* **Original Reference:** *Hemaris (Saundersia) Eitschberger, Danner & Surholt, 1998, Herbiopoliana 4 (1): 127. Type-species: Sesia saundersi Walker, 1856, by original designation.*
- 7934. Hemaris (s.str.) Dalman, 1816** (Sphingidae) **Synonym(s):** *Hemaris Dalman, 1816; Hemaria Billberg, 1820; Haemorrhagia Grote & Robinson, 1865; Chamaesesia Grote, 1873; Jilinga Eitschberger, Danner & Surholt, 1998 (homonym), Saundersia Eitschberger, Danner & Surholt, 1998 (homonym)* **Original Reference:** *Hemaris Dalman, 1816, K. svenska VetenskAkad. Handl. 1816 (2): 207. Type-species: Sphinx fuciformis Linnaeus, 1758, by original designation.*
- 7935. Hemaris Dalman, 1816** (Sphingidae) **Synonym(s):** *Hemaris Dalman, 1816; Hemaria Billberg, 1820; Haemorrhagia Grote & Robinson, 1865; Chamaesesia Grote, 1873; Jilinga Eitschberger, Danner & Surholt, 1998 (homonym), Saundersia Eitschberger, Danner & Surholt, 1998 (homonym)* **Original Reference:** *Hemaris Dalman, 1816, K. svenska VetenskAkad. Handl. 1816 (2): 207. Type-species: Sphinx fuciformis Linnaeus, 1758, by original designation.*
- 7936. Hemeroplanes Hübner, [1819]** (Sphingidae) **Synonym(s):** *Hemeroplanes Hübner, [1819]; Leucorhampha Rothschild & Jordan, 1903*
- 7937. Himantoides Butler, [1877]** (Sphingidae) **Synonym(s):** *Himantoides Butler, [1877]*
- 7938. Hippotion Hübner, [1819]** (Sphingidae) **Synonym(s):** *Hippotion Hübner, [1819]; Panacra Walker, 1856; Lilina Tutt, 1903*
- 7939. Hoplistopus Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Hoplistopus Rothschild & Jordan, 1903*
- 7940. Hyles Hübner, [1819]** (Sphingidae) **Synonym(s):** *Hyles Hübner, [1819]; Thaumasia Hübner, [1819]; Celerio Agassiz, 1846; Turneria Tutt, 1903; Hawaiiina Tutt, 1903; Weismannia Tutt, 1904; Danneria Eitschberger & Zolotuhin, 1998; Eremohyles Eitschberger & Zolotuhin, 1998; Hipohyles Eitschberger & Zolotuhin, 1998; Rommeliana Eitschberger & Zolotuhin, 1998; Surholtia Eitschberger & Zolotuhin, 1998* **Original Reference:** *Hyles Hübner, [1819], Verz. bekannt. Schmett.: 137. Type-species: Sphinx euphorbiae Linnaeus, 1758, by subsequent designation by Tutt, 1902.*
- 7941. Ihlegramma Eitschberger, 2003** (Sphingidae) **Synonym(s):** *Ihlegramma Eitschberger, 2003*
- 7942. Isognathus C.Felder & R.Felder, 1862** (Sphingidae) **Synonym(s):** *Isognathus C.Felder & R.Felder, 1862; Tatoglossum Butler, [1877]*
- 7943. Kloneus Skinner, 1923** (Sphingidae) **Synonym(s):** *Kloneus Skinner, 1923; Oberthurion B.P.Clark, 1923*
- 7944. Langia Moore, 1872** (Sphingidae) **Synonym(s):** *Langia Moore, 1872*
- 7945. Laothoe Fabricius, 1807** (Sphingidae) **Synonym(s):** *#Amorpha Hübner, [1806]; Laothoe Fabricius, 1807.* **Original Reference:** *Laothoe Fabricius, 1807, Mag. Insektenk. 6: 287. Type-species: Sphinx populi Linnaeus, 1758, by subsequent designation by Grote, 1873.*
- 7946. Lepchina Oberthür, 1904** (Sphingidae) **Synonym(s):** *Lepchina Oberthür, 1904*
- 7947. Leptoclanis Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Leptoclanis Rothschild & Jordan, 1903*
- 7948. Leucophlebia (Afrophlebia) Eitschberger, 2003** (Sphingidae) **Synonym(s):** *Afrophlebia Eitschberger, 2003*
- 7949. Leucophlebia (Indiaphlebia) Eitschberger, 2003** (Sphingidae) **Synonym(s):** *Indiaphlebia Eitschberger, 2003*
- 7950. Leucophlebia (Thaiphlebia) Eitschberger, 2003** (Sphingidae) **Synonym(s):** *Thaiphlebia Eitschberger, 2003*
- 7951. Leucophlebia (s.str.) Westwood, 1847** (Sphingidae) **Synonym(s):** *Leucophlebia Westwood, 1847; Raspele Boisduval, [1875]*
- 7952. Leucophlebia Westwood, 1847** (Sphingidae) **Synonym(s):** *Leucophlebia Westwood, 1847; Raspele Boisduval, [1875]*
- 7953. Leucostrophus Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Leucostrophus Rothschild & Jordan, 1903*
- 7954. Likoma Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Likoma Rothschild & Jordan, 1903*
- 7955. Litosphingia Jordan, 1920** (Sphingidae) **Synonym(s):** *Litosphingia Jordan, 1920*

- 7956. Lophostethus Butler,1876** (Sphingidae) **Synonym(s):** *Euclea Boisduval,[1875] (praeocc.); Lophostethus Butler,1876*
- 7957. Macroglossum Scopoli,1777** (Sphingidae) **Synonym(s):** *Macroglossum Scopoli,1777; #Bombylia Hübner,[1806]; Macroglossa Ochsenheimer,1816; Psithyros Hübner,[1819]; Bombylia Hübner,1822; Macroglossa Boisduval,1833 (praeocc.); Rhamphosschisma Wallengren,1858; Rhopalopsyche Butler,1875*
Original Reference: *Macroglossum Scopoli,1777, Intr. Hist. Nat.: 414. Type-species: Sphinx stellatarum Linnaeus,1758, by monotypy.*
- 7958. Macropoliana Carcasson,1968** (Sphingidae) **Synonym(s):** *Macropoliana Carcasson,1968*
- 7959. Madoryx Boisduval,[1875]** (Sphingidae) **Synonym(s):** *Madoryx Boisduval,[1875]*
- 7960. Manduca Hübner,[1807]** (Sphingidae) **Synonym(s):** *Manduca Hübner,[1807]; Phlegethontius Hübner,[1819]; Protoparce Burmeister,1855; Macrosila Walker,1856; Syzygia Grote & Robinson,1865; Diludia Grote & Robinson,1865; Chlaenogramma J.B.Smith,1887*
- 7961. Marumba Moore,[1882]** (Sphingidae) **Synonym(s):** *Marumba Moore,[1882]; Burrowsia Tutt,1902; Kayeia Tutt,1902; Sichia Tutt,1902.*
- 7962. Megacorma Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Megacorma Rothschild & Jordan,1903*
- 7963. Meganoton Boisduval,[1875]** (Sphingidae) **Synonym(s):** *Meganoton Boisduval,[1875]*
- 7964. Microsphinx Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Microsphinx Rothschild & Jordan,1903*
- 7965. Mimas Hübner,[1819]** (Sphingidae) **Synonym(s):** *Mimas Hübner,[1819]*
- 7966. Monarda Druce,1896** (Sphingidae) **Synonym(s):** *Monarda Druce,1896*
- 7967. Morvennius Cassidy, Allen & Harman,2002** (Sphingidae) **Synonym(s):** *Morvennius Cassidy, Allen & Harman,2002*
- 7968. Nannoparce Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Nannoparce Rothschild & Jordan,1903*
- 7969. Neoclanis Carcasson,1968** (Sphingidae) **Synonym(s):** *Neoclanis Carcasson,1968*
- 7970. Neococytius Hodges,1971** (Sphingidae) **Synonym(s):** *Neococytius Hodges,1971*
- 7971. Neogene Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Neogene Rothschild & Jordan,1903*
- 7972. Neogurelca Hogenes & Treadaway,1993** (Sphingidae) **Synonym(s):** *Neogurelca Hogenes & Treadaway,1993*
- 7973. Neopolptychus Carcasson,1968** (Sphingidae) **Synonym(s):** *Neopolptychus Carcasson,1968*
- 7974. Nephela Hübner,[1819]** (Sphingidae) **Synonym(s):** *Nephela Hübner,[1819]; Orneus Hübner,[1824]; Zonilia Walker,1856; #Nephila Butler,1879*
Original Reference: *Nephela Hübner,[1819], Verz. bekannt. Schmett.: 133. Type-species: Sphinx didyma Fabricius,1775, by subsequent designation by Kirby,1892.*
- 7975. Nyceryx Boisduval,[1875]** (Sphingidae) **Synonym(s):** *Nyceryx Boisduval,[1875]*
- 7976. Odontosida Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Odontosida Rothschild & Jordan,1903*
- 7977. Oligographa Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Oligographa Rothschild & Jordan,1903*
- 7978. Opistoclanis Jordan,1929** (Sphingidae) **Synonym(s):** *Opistoclanis Jordan,1929*
- 7979. Orecta Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Orecta Rothschild & Jordan,1903*
- 7980. Oryba Walker,1856** (Sphingidae) **Synonym(s):** *Oryba Walker,1856*
- 7981. Pachygonidia D.S.Fletcher,1982** (Sphingidae) **Synonym(s):** *Pachygonia R.Felder,1874 nec Huxley,1865; Pachygonidia D.S.Fletcher,1982*
- 7982. Pachylia Walker,1856** (Sphingidae) **Synonym(s):** *Pachylia Walker,1856; Pachylia Lucas,1857*
- 7983. Pachylioides Hodges,1971** (Sphingidae) **Synonym(s):** *Pachylioides Hodges,1971*
- 7984. Pachysphinx Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Pachysphinx Rothschild & Jordan,1903*
- 7985. Pantophaea Jordan,1946** (Sphingidae) **Synonym(s):** *Pemba Rothschild & Jordan,1903 (praeocc.); Pantophaea Jordan,1946*
- 7986. Paonias Hübner,[1819]** (Sphingidae) **Synonym(s):** *Paonias Hübner,[1819]; Calasymbolus Grote,1873*
- 7987. Paratrea Grote,1903** (Sphingidae) **Synonym(s):** *Atreus Grote,1886 nec Koch,1837; Paratrea Grote,1903; Atreides Holland,1903*
- 7988. Parum Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *Parum Rothschild & Jordan,1903*

- 7989. *Pentateucha Swinhoe, 1908*** (Sphingidae) **Synonym(s):** *Pentateucha Swinhoe, 1908*
Original Reference: *Pentateucha Swinhoe, 1908, Ann. Mag. nat. Hist. (8) 1: 62. Type-species: Pentateucha curiosa Swinhoe, 1908, by monotypy.*
- 7990. *Pergesa Walker, 1856*** (Sphingidae) **Synonym(s):** *Pergesa Walker, 1856*
- 7991. *Perigonia Herrich-Schäffer, [1854]*** (Sphingidae) **Synonym(s):** *Perigonia Herrich-Schäffer, [1854]; Perigonia Walker, 1856*
- 7992. *Phanoxya Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Phanoxya Rothschild & Jordan, 1903*
- 7993. *Phryxus Hübner, [1819]*** (Sphingidae) **Synonym(s):** *Phryxus Hübner, [1819]; Grammodia Rothschild & Jordan, 1903*
- 7994. *Phyllosphingia Swinhoe, 1897*** (Sphingidae) **Synonym(s):** *Phyllosphingia Swinhoe, 1897; Clarkia Tutt, 1902; Clarkunella Strand, 1943*
- 7995. *Phylloxiphia Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Phylloxiphia Rothschild & Jordan, 1903; Libyoclanis Rothschild & Jordan, 1906; Typhosia Rothschild & Jordan, 1906; Acentropoclanis Strand, 1915*
- 7996. *Platysphinx Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Platysphinx Rothschild & Jordan, 1903*
- 7997. *Poliana Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Poliana Rothschild & Jordan, 1903; Taboribia Strand, 1910*
- 7998. *Polyptychoides Carcasson, 1968*** (Sphingidae) **Synonym(s):** *Polyptychoides Carcasson, 1968*
- 7999. *Polyptychopsis Carcasson, 1968*** (Sphingidae) **Synonym(s):** *Polyptychopsis Carcasson, 1968*
- 8000. *Polyptychus Hübner, [1819]*** (Sphingidae) **Synonym(s):** *Polyptychus Hübner, [1819]*
- 8001. *Praedora Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Praedora Rothschild & Jordan, 1903*
- 8002. *Proserpinus Hübner, [1819]*** (Sphingidae) **Synonym(s):** *Proserpinus Hübner, [1819]*
- 8003. *Protaleuron Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Protaleuron Rothschild & Jordan, 1903*
- 8004. *Protoambulyx Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Protoambulyx Rothschild & Jordan, 1903*
- 8005. *Pseudandriasa Carcasson, 1968*** (Sphingidae) **Synonym(s):** *Pseudandriasa Carcasson, 1968*
- 8006. *Pseudoclanis Rothschild, 1894*** (Sphingidae) **Synonym(s):** *Pseudoclanis Rothschild, 1894; Larunda Kernbach, 1954 (praeocc.)*
- 8007. *Pseudosphinx Burmeister, 1855*** (Sphingidae) **Synonym(s):** *Pseudosphinx Burmeister, 1855; Macrosila Lucas, 1857 nec Wlk., 1856*
- 8008. *Psilogramma Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Psilogramma Rothschild & Jordan, 1903* **Original Reference:** *Psilogramma Rothschild & Jordan, 1903, Novit. zool. 9 (Suppl.): 29, 42. Type-species: Sphinx menephron Cramer, [1780], by original designation.*
- 8009. *Rethera Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Rethera Rothschild & Jordan, 1903; Borshomia Austaut, 1905.* **Original Reference:** *Rethera Rothschild & Jordan, 1903, Novit. zool. 9 (Suppl.): 500, 547. Type-species: Deilephila komarovi Christoph, 1885, by original designation.*
- 8010. *Rhagastis Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Rhagastis Rothschild & Jordan, 1903*
- 8011. *Rhodaфра Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Rhodaфра Rothschild & Jordan, 1903*
- 8012. *Rhodambulyx Mell, 1938*** (Sphingidae) **Synonym(s):** *Rhodambulyx Mell, 1938*
- 8013. *Rhodoprasina Rothschild & Jordan, 1903*** (Sphingidae) **Synonym(s):** *Rhodoprasina Rothschild & Jordan, 1903*
- 8014. *Rufoclanis Carcasson, 1968*** (Sphingidae) **Synonym(s):** *Rufoclanis Carcasson, 1968*
- 8015. *Sagenosoma Jordan, 1946*** (Sphingidae) **Synonym(s):** *Dictyosema Rothschild & Jordan, 1903 nec Schegel & Temminck, 1845; Sagenosoma Jordan, 1946*
- 8016. *Sataspes Moore, [1858]*** (Sphingidae) **Synonym(s):** *Sataspes Moore, [1858]*
- 8017. *Smerinthulus Huwe, 1895*** (Sphingidae) **Synonym(s):** *Smerinthulus Huwe, 1895*
- 8018. *Smerinthus Latreille, [1802]*** (Sphingidae) **Synonym(s):** *Smerinthus Latreille, [1802]; Dilina Dalman, 1816; Merinthus Meigen, 1830; Bebroptera Sod., 1837; Eusmerinthus Grote, 1877; Copismerinthus Kirby, 1892; Bellia Tutt, 1902 (praeoc.); Daddia Tutt, 1902; Nicholsonia Tutt, 1902 (praeoc.); Bellinca, Niia Strand, 1943.* **Original Reference:** *Smerinthus Latreille, [1802], [in] Sonnini, Consid. gén. Ordre nat. Anim.: 357. Type-species: Sphinx ocellata Linnaeus, 1758, by subsequent designation by Latreille, 1810.*
- 8019. *Sphecodina Blanchard, 1840*** (Sphingidae) **Synonym(s):** *Sphecodina Blanchard, 1840*

- 8020. Sphingonaepiopsis Wallengren, 1858** (Sphingidae) **Synonym(s):** *Sphingonaepiopsis* Wallengren, 1858; *#Sphingonaepeopsis* Tutt, 1904; *Pterodonta* Austaut, 1905 nec R.L., 1817; *Neopterodonta* Eitschberger, 1999 **Original Reference:** *Sphingonaepiopsis* Wallengren, 1858, Öfvers. Vet. Akad. Förh. 15: 138. Type-species: *Sphingonaepiopsis gracilipes* Wallengren, 1858.
- 8021. Sphingulus Staudinger, 1887** (Sphingidae) **Synonym(s):** *Sphingulus* Staudinger, 1887
- 8022. Sphinx Linnaeus, 1758** (Sphingidae) **Synonym(s):** *Sphinx* Linnaeus, 1758; *Spectrum* Scopoli, 1777; *Hyloicus* Hübner, [1819]; *Lethia* Hübner, [1819]; *Herse* Agassiz, 1846; *Hyloecus* Agassiz, 1846; *Linthia* Butler, 1876; *Gargantua* Kirby, 1892; *Mesosphinx* Cockerell, 1920.
- 8023. Stolidoptera Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Stolidoptera* Rothschild & Jordan, 1903
- 8024. Temnora Walker, 1856** (Sphingidae) **Synonym(s):** *Lophura* Herrich-Schäffer, 1854; *Lophura* Walker, 1856 (praeocc.); *Temnora* Walker, 1856; *Diodosida* Walker, 1856; *Lophuron* Wallengren, 1865; *Ocyton* Boisduval, 1875; *Aspledon* Boisduval, 1875; *Eulophura* Holland, 1889; *Gurelca* Kirby, 1880
- 8025. Theretra Hübner, [1819]** (Sphingidae) **Synonym(s):** *Theretra* Hübner, [1819]; *Oreus* Hübner, [1819]; *Gnathostypsis* Wallengren, 1858; *Hathia* Moore, [1882]; *Florina* Tutt, 1903. **Original Reference:** *Theretra* Hübner, [1819], Verz. bekannt. Schmett.: 135. Type-species: *Sphinx euestris* Fabricius, 1793, by subsequent designation by Kirby, 1892.
- 8026. Trogolenum Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Trogolenum* Rothschild & Jordan, 1903
- 8027. Xanthopan Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *Xanthopan* Rothschild & Jordan, 1903
- 8028. Xenosphingia Jordan, 1920** (Sphingidae) **Synonym(s):** *Xenosphingia* Jordan, 1920
- 8029. Xylophanes Hübner, [1819]** (Sphingidae) **Synonym(s):** *Xylophanes* Hübner, [1819]; *Deilonche* Grote, 1886; *Dilonche* Kirby, 1897
- 8030. Aeoloscelis Meyrick, 1897** (Stathmopodidae) **Synonym(s):** *Aeoloscelis* Meyrick, 1897
- 8031. Calicotis Meyrick, 1889** (Stathmopodidae) **Synonym(s):** *Calicotis* Meyrick, 1889
- 8032. Hieromantis Meyrick, 1897** (Stathmopodidae) **Synonym(s):** *Hieromantis* Meyrick, 1897
- 8033. Pachyrhabda Meyrick, 1897** (Stathmopodidae) **Synonym(s):** *Pachyrhabda* Meyrick, 1897
- 8034. Stathmopoda Herrich-Schäffer, [1853]** (Stathmopodidae) **Synonym(s):** *Stathmopoda* Herrich-Schäffer, [1853]; *Boocara* Butler, 1880; *Placostola* Meyrick, 1887; *Erineda* Busck, 1909; *Agrioscelis* Meyrick, 1913; *Kakivoria* Nagano, 1916. **Original Reference:** *Stathmopoda* Herrich-Schäffer, [1853], Syst. Bearb. Schmett. Eur. 5: 14, 54. Type-species: *Phalaena pedella* Linnaeus, 1761, by subsequent designation by Meyrick, 1914.
- 8035. Thylacosceles Meyrick, 1889** (Stathmopodidae) **Synonym(s):** *Thylacosceles* Meyrick, 1889
- 8036. Tortilia Chrétien, 1908** (Stathmopodidae) **Synonym(s):** *Tortilia* Chrétien, 1908; *Diadoxastis* Meyrick, 1913; *Apertodiscus* Amsel, 1935 **Original Reference:** *Tortilia* Chrétien, 1908, Bull. Soc. ent. Fr. 1908: 201. Type-species: *Tortilia flavella* Chrétien, 1908, by monotypy.
- 8037. Xestocasis Meyrick, 1914** (Stathmopodidae) **Synonym(s):** *Xestocasis* Meyrick, 1914
- 8038. Zaratha Walker, 1864** (Stathmopodidae) **Synonym(s):** *Zaratha* Walker, 1864
- 8039. Acria Stephens, 1834** (Stenomidae) **Synonym(s):** *Acria* Stephens, 1834; *Tisdra* Walker, 1864; *Amphoritis* Meyrick, 1905
- 8040. Aeolanthès Meyrick, 1907** (Stenomidae) **Synonym(s):** *Aeolanthès* Meyrick, 1907
- 8041. Amorbaea Meyrick, 1908** (Stenomidae) **Synonym(s):** *Amorbaea* Meyrick, 1908
- 8042. Antaeotricha Zeller, 1854** (Stenomidae) **Synonym(s):** *Antaeotricha* Zeller, 1854
- 8043. Antolaea Meyrick, 1914** (Stenomidae) **Synonym(s):** *Antolaea* Meyrick, 1914
- 8044. Deoryctis Meyrick, 1934** (Stenomidae) **Synonym(s):** *Deoryctis* Meyrick, 1934
- 8045. Stenoma Zeller, 1839** (Stenomidae) **Synonym(s):** *Stenoma* Zeller, 1839; *Diastoma* Möschler, 1882
- 8046. Adrallia Walker, 1865** (Thaumetopoeidae) **Synonym(s):** *Adrallia* Walker, 1865
- 8047. Aglaosoma Scott, 1864** (Thaumetopoeidae) **Synonym(s):** *Aglaosoma* Scott, 1864
- 8048. Anaphe Walker, 1855** (Thaumetopoeidae) **Synonym(s):** *Anaphe* Walker, 1855
- 8049. Axiocleta Turner, 1911** (Thaumetopoeidae) **Synonym(s):** *Axiocleta* Turner, 1911
- 8050. Cynosarga Walker, 1865** (Thaumetopoeidae) **Synonym(s):** *Cynosarga* Walker, 1865
- 8051. Epanaphe Aurivillius, 1904** (Thaumetopoeidae) **Synonym(s):** *Epanaphe* Aurivillius, 1904
- 8052. Epicoma Hübner, [1819]** (Thaumetopoeidae) **Synonym(s):** *Epicoma* Hübner, [1819]; *Marane* Walker, 1865; *Epicomana* Kiriakoff, 1970
- 8053. Gazalina (Oligochlona) R.Felder & Rogenhofer, 1874** (Thaumetopoeidae) **Synonym(s):** *Oligochlona* R.Felder & Rogenhofer, 1874; *Ansonia* Kiriakoff, 1967 nec *Stolicza*, 1870

- 8054. Gazalina (s.str.) Walker,1865** (Thaumetopoeidae) **Synonym(s):** *Gazalina Walker,1865* Original Reference: *Gazalina Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 398.* Type-species: *Gazalina venosata Walker,1865*, by monotypy.
- 8055. Gazalina Walker,1865** (Thaumetopoeidae) **Synonym(s):** *Gazalina Walker,1865* Original Reference: *Gazalina Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 398.* Type-species: *Gazalina venosata Walker,1865*, by monotypy.
- 8056. Helianthocampa de Freina & Witt,1985** (Thaumetopoeidae) **Synonym(s):** *Helianthocampa de Freina & Witt,1985*
- 8057. Mesodrepta Turner,1924** (Thaumetopoeidae) **Synonym(s):** *Mesodrepta Turner,1924*
- 8058. Ochrogaster Herrich-Schäffer,[1855]** (Thaumetopoeidae) **Synonym(s):** *Ochrogaster Herrich-Schäffer,[1855]; Teara Walker,1855; Adelaidina Kiriakoff,1969*
- 8059. Paradrallia Bethune-Baker,1908** (Thaumetopoeidae) **Synonym(s):** *Paradrallia Bethune-Baker,1908*
- 8060. Tanystola Turner,1922** (Thaumetopoeidae) **Synonym(s):** *Tanystola Turner,1922; Sthenadelpha Turner,1922*
- 8061. Thaumetopoea (Traumatocampa) Wallengren,1871** (Thaumetopoeidae) **Synonym(s):** *Traumatocampa Wallengren,1871* Original Reference: *Cnethocampa (Traumatocampa) Wallengren,1871, Lepid. Scand. Heteroc. 1 (3): 158.* Type-species: *Gastropacha pinivora Treitschke,1834*, by subsequent designation by Agenjo,1941.
- 8062. Thaumetopoea (s.str.) Hübner,[1820]** (Thaumetopoeidae) **Synonym(s):** *Thaumetopoea Hübner,[1820]; Cnethocampa Stephens,1828; Helianthocampa De Freina & Witt,1985* Original Reference: *Thaumetopoea (s.str.) Hübner,[1820], Verz. bekannt. Schmett.: 185.* Type-species: *Phalaena processionea Linnaeus,1758*, by subsequent designation by Kirby,1892.
- 8063. Thaumetopoea Hübner,[1820]** (Thaumetopoeidae) **Synonym(s):** *Thaumetopoea Hübner,[1820]; Cnethocampa Stephens,1828; Helianthocampa De Freina & Witt,1985* Original Reference: *Thaumetopoea (s.str.) Hübner,[1820], Verz. bekannt. Schmett.: 185.* Type-species: *Phalaena processionea Linnaeus,1758*, by subsequent designation by Kirby,1892.
- 8064. Trichiocercus Stephens,1835** (Thaumetopoeidae) **Synonym(s):** *Arcturus Curtis,1830 nec Berth.,1827; Trichiocercus Stephens,1835; Trichetra Westwood,1840; Arctoproctus Herrich-Schäffer,1855*
- 8065. Achlya Billberg,1820** (Thyatiridae) **Synonym(s):** *Achlya Billberg,1820; Cymatophora Treitschke,1825 nec Hübn.,1812; Daruma Matsumura,1927 nec Jord. & Starks,1904; Darumona Strand,1935; #Achyla auct.*
- 8066. Aethiopsestis Watson,1965** (Thyatiridae) **Synonym(s):** *Aethiopsestis Watson,1965*
- 8067. Asphalia Hübner,[1821]** (Thyatiridae) **Synonym(s):** *Asphalia Hübner,[1821]; Scodra Heinemann,1859.*
- 8068. Bycombina Benjamin,1938** (Thyatiridae) **Synonym(s):** *Bycombina Benjamin,1938*
- 8069. Camptopsestis Yoshimoto,1982** (Thyatiridae) **Synonym(s):** *Camptopsestis Yoshimoto,1982*
- 8070. Ceranemota Clarke,1938** (Thyatiridae) **Synonym(s):** *Ceranemota Clarke,1938*
- 8071. Chaeopsestis Le Cerf,1941** (Thyatiridae) **Synonym(s):** *Chaeopsestis Le Cerf,1941*
- 8072. Cymatophorima Spuler,1908** (Thyatiridae) **Synonym(s):** *Pachycera Stephens,1827 nec Billb.,1820; Cymatophorima Spuler,1908*
- 8073. Demopsestis Matsumura,1927** (Thyatiridae) **Synonym(s):** *Demopsestis Matsumura,1927*
- 8074. Epipsestis Matsumura,1921** (Thyatiridae) **Synonym(s):** *Epipsestis Matsumura,1921; Neopsestis Matsumura,1933; Sugiploca Matsumura,1933*
- 8075. Gaurena Walker,1865** (Thyatiridae) **Synonym(s):** *Gaurena Walker,1865*
- 8076. Habrona Bethune-Baker,1908** (Thyatiridae) **Synonym(s):** *Habrona Bethune-Baker,1908; Cymothrix Gaede,1930*
- 8077. Habrosyne Hübner,[1821]** (Thyatiridae) **Synonym(s):** *Habrosyne Hübner,[1821]; Gonophora Bruand,1845 nec Dejean,1835; Cymatochrocis Houlbert,1921; Hannya Matsumura,1927; Miothyatira Matsumura,1933; Habrosynula Bryk,1943*
- 8078. Hiroshia Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) **Synonym(s):** *Hiroshia Laszlo,G.Ronkay,L.Ronkay,2001*
- 8079. Horipsestis Matsumura,1933** (Thyatiridae) **Synonym(s):** *Horipsestis Matsumura,1933; Neochropacha Inoue,1982*
- 8080. Horithyatira Matsumura,1933** (Thyatiridae) **Synonym(s):** *Horithyatira Matsumura,1933*
- 8081. Isopsestis Werny,1968** (Thyatiridae) **Synonym(s):** *Isopsestis Werny,1968* Original Reference: *Isopsestis Werny,1968, Ergbn. ForschUnternehmens Nepal Himalaya 3: 113.*
- 8082. Koedfoltos Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *Koedfoltos Laszlo, G.Ronkay, L.Ronkay & Witt,2007*
- 8083. Lithocharis W.Warren,1912** (Thyatiridae) **Synonym(s):** *Lithocharis W.Warren,1912*

- 8084. Marplena Lane,1973** (Thyatiridae) **Synonym(s):** *Marplena Lane,1973*
- 8085. Mimopsestis Matsumura,1921** (Thyatiridae) **Synonym(s):** *Mimopsestis Matsumura,1921; Spilobasis Houlbert,1921*
- 8086. Nemacerota Hampson,[1893]** (Thyatiridae) **Synonym(s):** *Nemacerota Hampson,[1893]; Togaria Matsumura,1921; Microthyatira Werny,1966* **Original Reference:** *Nemacerota Hampson,[1893], Fauna Br. India (Moths) 1: 177, 185. Type-species: Asphalia cinerea W.Warren,1888, by original designation.*
- 8087. Neotogaria Matsumura,1931** (Thyatiridae) **Synonym(s):** *Neotogaria Matsumura,1931*
- 8088. Ochropacha Wallengren,1871** (Thyatiridae) **Synonym(s):** *Ochropacha Wallengren,1871*
- 8089. Paragnorima W.Warren,1912** (Thyatiridae) **Synonym(s):** *Paragnorima W.Warren,1912*
- 8090. Parapsestis W.Warren,1912** (Thyatiridae) **Synonym(s):** *Parapsestis W.Warren,1912*
- 8091. Polyploca Hübner,[1821]** (Thyatiridae) **Synonym(s):** *Polyploca Hübner,[1821]; Parmelina Houlbert,1921*
- 8092. Psidopala Houlbert,1921** (Thyatiridae) **Synonym(s):** *Psidopala Houlbert,1921; Psidopaloides Houlbert,1921; Formotogaria Matsumura,1933*
- 8093. Stenopsestis Yoshimoto,1984** (Thyatiridae) **Synonym(s):** *Stenopsestis Yoshimoto,1984*
- 8094. Takapsestis (Neogaurena) Roepke,1944** (Thyatiridae) **Synonym(s):** *Neogaurena Roepke,1944*
- 8095. Takapsestis (Neotakatogaria) Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) **Synonym(s):** *Neotakatogaria Laszlo,G.Ronkay,L.Ronkay,2001*
- 8096. Takapsestis (s.str.) Matsumura,1933** (Thyatiridae) **Synonym(s):** *Takapsestis Matsumura,1933*
- 8097. Tethea Ochsenheimer,1816** (Thyatiridae) **Synonym(s):** *Tethea Ochsenheimer,1816; Palimpsestis Hübner,[1821]; Bombycia Hübner,1822; Ceropacha Stephens,1829; Ceratopacha Stephens,1850; Saronaga Moore,1881; Eutethia Grote,1902; Episaronaga Matsumura,1933*
- 8098. Tetheella Werny,[1967]** (Thyatiridae) **Synonym(s):** *Tetheella Werny,[1967]*
- 8099. Thyatira Ochsenheimer,1816** (Thyatiridae) **Synonym(s):** *Thyatira Ochsenheimer,1816; Strophia Ochsenheimer,1816; Calleida Sodoffsky,1837 nec Latr.,1824; Thyathira Bruand,1845*
- 8100. Wernya Yoshimoto,1987** (Thyatiridae) **Synonym(s):** *Wernya Yoshimoto,1987*
- 8101. Automolis Hübner,[1819]** (Thyretidae) **Synonym(s):** *Automolis Hübner,[1819]; Zagaris Walker,1855; Metarctia Walker,1855; Anace Walker,1856; Decimia Walker,1856; Hebena Walker,1856; Thyretarctia Strand,1912; Pterophaea Kiriakoff,1953; Metarhodia Kiriakoff,1953; Notharctia Kiriakoff,1953; Collocaliodes Kiriakoff,1957; Pinheyata Nye,1980*
- 8102. Balacra Walker,1856** (Thyretidae) **Synonym(s):** *Balacra Walker,1856*
- 8103. Melisa Walker,1854** (Thyretidae) **Synonym(s):** *Melisa Walker,1854*
- 8104. Owambarctia Kiriakoff,1957** (Thyretidae) **Synonym(s):** *Owambarctia Kiriakoff,1957*
- 8105. Takwa Kiriakoff,1957** (Thyretidae) **Synonym(s):** *Takwa Kiriakoff,1957*
- 8106. Thyretes Boisduval,1847** (Thyretidae) **Synonym(s):** *Thyretes Boisduval,1847*
- 8107. Addaea Walker,1865** (Thyridae) **Synonym(s):** *Addaea Walker,1865; Mesopempta Meyrick,1886*
- 8108. Aglaopus Turner,1911** (Thyridae) **Synonym(s):** *Aglaopus Turner,1911; Cydrastis Turner,1915; Misalina Whalley,1976*
- 8109. Arniocera Hopffer,1857** (Thyridae) **Synonym(s):** *Arniocera Hopffer,1857; Arichalca Wallengren,1858*
- 8110. Banisia Walker,[1863]** (Thyridae) **Synonym(s):** *Banisia Walker,[1863]; Durdara Moore,1882; Vernifilia Schultze,1907; Trophoessa Turner,1911; Neobanisia Whalley,1967*
- 8111. Beguma W.Warren,1896** (Thyridae) **Synonym(s):** *Beguma W.Warren,1896*
- 8112. Belonoptera Herrich-Schäffer,1858** (Thyridae) **Synonym(s):** *Belonoptera Herrich-Schäffer,1858*
- 8113. Betousa Walker,1865** (Thyridae) **Synonym(s):** *Betousa Walker,1865; Neothyrus W.Warren,1899*
- 8114. Calindoea Walker,1863** (Thyridae) **Synonym(s):** *Brixia Walker,1859 nec Stal,1856; Calindoea Walker,1863*
- 8115. Camadena Moore,1888** (Thyridae) **Synonym(s):** *Camadena Moore,1888*
- 8116. Camptochilus Hampson,1892** (Thyridae) **Synonym(s):** *Camptochilus Hampson,1892*
- 8117. Canaea Walker,1864** (Thyridae) **Synonym(s):** *Canaea Walker,1864*
- 8118. Collinsa Whalley,1964** (Thyridae) **Synonym(s):** *Dohertya W.Warren,1902 nec Hamps.,1894; Collinsa Whalley,1964*
- 8119. Cornuterus Whalley,1971** (Thyridae) **Synonym(s):** *Cornuterus Whalley,1971*
- 8120. Dixoa Hampson,1892** (Thyridae) **Synonym(s):** *Dixoa Hampson,1892*
- 8121. Draconia Hübner,[1825]** (Thyridae) **Synonym(s):** *Draconia Hübner,[1825]*
- 8122. Dysodia Clemens,1860** (Thyridae) **Synonym(s):** *Dysodia Clemens,1860; Varnia Walker,1864; Platythyris Grote & Robinson,1867; Pachythyris R.Felder & Rogenhofer,1875*

8123. **Endolophia Hampson,1906** (Thyridae) Synonym(s): *Endolophia Hampson,1906*
8124. **Glanyeus Walker,1855** (Thyridae) Synonym(s): *Glanyeus Walker,1855*
8125. **Hepialodes Guenée,1877** (Thyridae) Synonym(s): *Hepialodes Guenée,1877*
8126. **Hepialopsis W.Warren,1907** (Thyridae) Synonym(s): *Hepialopsis W.Warren,1907*
8127. **Herdonia Walker,1859** (Thyridae) Synonym(s): *Herdonia Walker,1859*
8128. **Herimba Moore,1879** (Thyridae) Synonym(s): *Herimba Moore,1879*
8129. **Heteroschista W.Warren,1903** (Thyridae) Synonym(s): *Heteroschista W.Warren,1903*
8130. **Hexeris Grote,1875** (Thyridae) Synonym(s): *Hexeris Grote,1875; Ottolenguia Beutenmüller,1896*
8131. **Hyperthyris Leech,1889** (Thyridae) Synonym(s): *Hyperthyris Leech,1889*
8132. **Hypolamprus Hampson,1892** (Thyridae) Synonym(s): *Hypolamprus Hampson,1892; Betousa Swinhoe,1900*
8133. **Iridesmoides Bethune-Baker,1911** (Thyridae) Synonym(s): *Iridesmoides Bethune-Baker,1911*
8134. **Isothauma W.Warren,1899** (Thyridae) Synonym(s): *Isothauma W.Warren,1899*
8135. **Kanshizeia Strand,1920** (Thyridae) Synonym(s): *Kanshizeia Strand,1920; #Kanshireia O.Bang-Haas,1926; Hapana Whalley,1967*
8136. **Letchenodes W.Warren,1908** (Thyridae) Synonym(s): *Letchenodes W.Warren,1908*
8137. **Loxiorhiza W.Warren,1904** (Thyridae) Synonym(s): *Loxiorhiza W.Warren,1904*
8138. **Macrogonia Herrich-Schäffer,1850** (Thyridae) Synonym(s): *Macrogonia Herrich-Schäffer,1850*
8139. **Macroprota W.Warren,1905** (Thyridae) Synonym(s): *Macroprota W.Warren,1905*
8140. **Marmax Rafinesque,1815** (Thyridae) Synonym(s): *Glaucoptis Fabricius,1807 (homonym); Marmax Rafinesque,1815; Charidea Dalman,1816; Cnemolopha*
8141. **Mathoris Guenée,1877** (Thyridae) Synonym(s): *Mathoris Guenée,1877*
8142. **Mellea Gaede,1922** (Thyridae) Synonym(s): *Mellea Gaede,1922*
8143. **Meskea Grote,1877** (Thyridae) Synonym(s): *Meskea Grote,1877*
8144. **Microbelia W.Warren,1906** (Thyridae) Synonym(s): *Microbelia W.Warren,1906*
8145. **Microctenucha W.Warren,1900** (Thyridae) Synonym(s): *Microctenucha W.Warren,1900*
8146. **Morova Walker,1865** (Thyridae) Synonym(s): *Morova Walker,1865*
8147. **Obelura W.Warren,1908** (Thyridae) Synonym(s): *Obelura W.Warren,1908*
8148. **Orneostoma W.Warren,1907** (Thyridae) Synonym(s): *Orneostoma W.Warren,1907*
8149. **Oxycophina W.Warren,1896** (Thyridae) Synonym(s): *Oxycophina W.Warren,1896*
8150. **Plagiosella Hampson,1898** (Thyridae) Synonym(s): *Plagiosella Hampson,1898*
8151. **Plesiodesma W.Warren,1908** (Thyridae) Synonym(s): *Plesiodesma W.Warren,1908*
8152. **Proterozeugis W.Warren,1899** (Thyridae) Synonym(s): *Proterozeugis W.Warren,1899*
8153. **Pycnopera W.Warren,1898** (Thyridae) Synonym(s): *Pycnopera W.Warren,1898*
8154. **Pycnosoma Hampson,1898** (Thyridae) Synonym(s): *Pycnosoma Hampson,1898*
8155. **Rhodogonia W.Warren,1897** (Thyridae) Synonym(s): *Rhodogonia W.Warren,1897*
8156. **Rhodoneura Guenée,1857** (Thyridae) Synonym(s): *Rhodoneura Guenée,1857; Brixia Walker,1859; Calindaea Walker,1863; Osea Walker,1864; Canaea Walker,1864; Banisia Walker,1864; Iza Walker,1865; Pharambara Walker,1865; Opula Walker,1869; Microsea Butler,1879; Pyrinoides Butler,1881; Durdara Moore,1882; Letchena Moore,1887; Sericophora Christoph,1880*
8157. **Risama Walker,1865** (Thyridae) Synonym(s): *Risama Walker,1865; Axiba Walker,1865*
8158. **Siculodes Herrich-Schäffer,[1855]** (Thyridae) Synonym(s): *Siculodes Herrich-Schäffer,[1855]*
8159. **Stenocopsis W.Warren,1900** (Thyridae) Synonym(s): *Stenocopsis W.Warren,1900*
8160. **Striglina Guenée,1877** (Thyridae) Synonym(s): *Striglina Guenée,1877; Tanyodes Möschler,1881; Sonagara Moore,1882*
8161. **Symphleps W.Warren,1897** (Thyridae) Synonym(s): *Symphleps W.Warren,1897*
8162. **Telchines Whalley,1976** (Thyridae) Synonym(s): *Telchines Whalley,1976*
8163. **Thyris Laspeyres,1803** (Thyridae) Synonym(s): *Thyris Laspeyres,1803; Apyralis Hübner,1822*
8164. **Tridesmodes W.Warren,1899** (Thyridae) Synonym(s): *Tridesmodes W.Warren,1899*
8165. **Trophoessa Turner,1911** (Thyridae) Synonym(s): *Trophoessa Turner,1911*
8166. **Vadata Walker,1865** (Thyridae) Synonym(s): *Vadata Walker,1865*
8167. **Vaena Walker,1873** (Thyridae) Synonym(s): *Vaena Walker,1873*
8168. **Vernifilia Schultze,1907** (Thyridae) Synonym(s): *Vernifilia Schultze,1907*
8169. **Zeuzerodes Pagenstecher,1892** (Thyridae) Synonym(s): *Zeuzerodes Pagenstecher,1892*
8170. **Acanthocheira Gozmany,1968** (Tineidae) Synonym(s): *Acanthocheira Gozmany,1968*

- 8171. *Acridotarsa* Meyrick, 1893** (Tineidae) Synonym(s): *Acridotarsa* Meyrick, 1893; *Paraclystis* Meyrick, 1915; *Holacarta* Meyrick, 1917; *Plastopolypus* Silvestri, 1920; *Emmetoeca* Meyrick, 1921; *Passalactis* Meyrick, 1935; *Ectinocampa* Silvestri, 1944
- 8172. *Afghanotinea* Gozmany, 1959** (Tineidae) Synonym(s): *Afghanotinea* Gozmany, 1959
Original Reference: *Afghanotinea* Gozmany, 1959, Acta zool. hung. 5: 343. Type-species: *Afghanotinea klapperichi* Gozmany, 1959, by original designation.
- 8173. *Afrocelestis* Gozmany, 1965** (Tineidae) Synonym(s): *Afrocelestis* Gozmany, 1965 Original Reference: *Afrocelestis* Gozmany, 1965, Lambillionea 64: 3.
- 8174. *Agnathosia* Amsel, 1954** (Tineidae) Synonym(s): *Agnathosia* Amsel, 1954
- 8175. *Amorphaga* Zagulyaev, 1968** (Tineidae) Synonym(s): *Amorphaga* Zagulyaev, 1968
- 8176. *Amphixystis* Meyrick, 1901** (Tineidae) Synonym(s): *Amphixystis* Meyrick, 1901; *Gephyristis* Meyrick, 1909; *Sporadarthra* Meyrick, 1911; *Ulocorys* Meyrick, 1915; *Coeliometopa* Turner, 1923; *Machimostola* Meyrick, 1928; *Orthochtha* Meyrick, 1928 (praeocc.); *Problastodes* Meyrick, 1928; *Orthochthella* T.B.Fletcher, 1940
- 8177. *Anomalotinea* Spuler, 1910** (Tineidae) Synonym(s): *Anomalotinea* Spuler, 1910; *Fermocelina* Hartig, 1950; *Subpentagona* Agenjo, 1952; *Praetinea* Amsel, 1955
- 8178. *Antigambra* Meyrick, 1927** (Tineidae) Synonym(s): *Antigambra* Meyrick, 1927
- 8179. *Archinemapogon* Zagulyaev, 1962** (Tineidae) Synonym(s): *Archinemapogon* Zagulyaev, 1962
- 8180. *Asymphylla* Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Asymphylla* Gozmany & Vari, 1973
- 8181. *Asymplecta* Meyrick, 1921** (Tineidae) Synonym(s): *Asymplecta* Meyrick, 1921; *Pycnobela* Turner, 1923
- 8182. *Ateliotum* Zeller, 1839** (Tineidae) Synonym(s): *Ateliotum* Zeller, 1839 Original Reference: *Ateliotum* Zeller, 1839, Isis Oken, Leipzig 1839: 189. Type-species: *Ateliotum hungaricellum* Zeller, 1839, ibidem 1839: 189, by monotypy.
- 8183. *Betroka* G.Petersen, 1988** (Tineidae) Synonym(s): *Betroka* G.Petersen, 1988
- 8184. *Bythocrates* Meyrick, 1919** (Tineidae) Synonym(s): *Bythocrates* Meyrick, 1919
- 8185. *Cephimallota* Bruand, 1849** (Tineidae) Synonym(s): *Cephimallota* Bruand, 1849; *Anemallota* Zagulyaev, 1965
- 8186. *Cephitinea* Zagulyaev, 1964** (Tineidae) Synonym(s): *Cephitinea* Zagulyaev, 1964
- 8187. *Ceratobia* Zagulyaev, 1974** (Tineidae) Synonym(s): *Ceratobia* Zagulyaev, 1974
- 8188. *Ceratosticha* Meyrick, 1935** (Tineidae) Synonym(s): *Ceratosticha* Meyrick, 1935
- 8189. *Ceratuncus* G.Petersen, 1957** (Tineidae) Synonym(s): *Ceratuncus* G.Petersen, 1957
Original Reference: *Ceratuncus* G.Petersen, 1957, Beitr. Ent. 7: 105. Type-species: *Myrmecozela danubiella* Mann, 1866, Verh. zool.-bot. Ges. Wien 16 (Abh.): 349, pl.1 figs 3,4, by original designation.
- 8190. *Cimitra* Walker, 1864** (Tineidae) Synonym(s): *Cimitra* Walker, 1864; *Scalidomia* Walsingham, 1891
- 8191. *Cinnerethica* Amsel, 1935** (Tineidae) Synonym(s): *Cinnerethica* Amsel, 1935
- 8192. *Clepticodes* Meyrick, 1927** (Tineidae) Synonym(s): *Clepticodes* Meyrick, 1927
- 8193. *Contralissa* Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Contralissa* Gozmany & Vari, 1973
- 8194. *Coryptilum* Zeller, 1839** (Tineidae) Synonym(s): *Coryptilum* Zeller, 1839
- 8195. *Cosmeombra* Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Cosmeombra* Gozmany & Vari, 1973
- 8196. *Criticonoma* Meyrick, 1910** (Tineidae) Synonym(s): *Criticonoma* Meyrick, 1910; *Etnodoma* Meyrick, 1915; *Microsophista* Meyrick, 1932
- 8197. *Crypsithyris* Meyrick, 1907** (Tineidae) Synonym(s): *Crypsithyris* Meyrick, 1907 Original Reference: *Crypsithyris* Meyrick, 1907, J. Bombay nat. Hist. Soc. 17: 752. Type-species: *Crypsithyris mesodyas* Meyrick, 1907, by original designation.
- 8198. *Cylicobathra* Meyrick, 1920** (Tineidae) Synonym(s): *Cylicobathra* Meyrick, 1920
- 8199. *Dacryphanes* Meyrick, 1907** (Tineidae) Synonym(s): *Dacryphanes* Meyrick, 1907
- 8200. *Dasytes* Durrant, 1903** (Tineidae) Synonym(s): *Dasytes* Durrant, 1903
- 8201. *Daviscardia* G.S.Robinson, 1986** (Tineidae) Synonym(s): *Daviscardia* G.S.Robinson, 1986
- 8202. *Dentilunicula* G.Petersen, 1988** (Tineidae) Synonym(s): *Dentilunicula* G.Petersen, 1988
- 8203. *Dicanica* Meyrick, 1913** (Tineidae) Synonym(s): *Dicanica* Meyrick, 1913
- 8204. *Dinica* Gozmany, 1965** (Tineidae) Synonym(s): *Dinica* Gozmany, 1965 Original Reference: *Dinica* Gozmany, 1965, Lambillionea 64: 5. Type-species: *Tinea endochrysa* Meyrick, 1935, by original designation.
- 8205. *Drosica* Walker, 1863** (Tineidae) Synonym(s): *Drosica* Walker, 1863

- 8206. Dryadula Meyrick, 1893** (Tineidae) Synonym(s): *Cyane Chambers, 1873 nec Feld., 1861; Dryadula Meyrick, 1893; Chorocosma Meyrick, 1893; Ditrigonophora Walsingham, 1897; Choropleca Durrant, 1914; Opsodoca Meyrick, 1919; Diachalastis Meyrick, 1920; Thermocrates Meyrick, 1936; Archimeessia Zagulyaev, 1970; Eressoxesta Gozmany & Vari, 1973; Strophalinga Gozmany & Vari, 1973; Reinhardia Satschkov, 1996; Slitereia Satschkov, 1996 Original Reference: *Dryadula Meyrick, 1893, Proc. Linn. Soc. N.S.W. 7: 559. Type-species: Dryadula glycinopa Meyrick, 1893, by monotypy.**
- 8207. Eccritothrix Bradley & Hinton, 1956** (Tineidae) Synonym(s): *Eccritothrix Bradley & Hinton, 1956*
- 8208. Ectabola Gozmany, 1966** (Tineidae) Synonym(s): *Ectabola Gozmany, 1966*
- 8209. Edosa Walker, 1866** (Tineidae) Synonym(s): *Edosa Walker, 1866; Chrysoryctis Meyrick, 1886; Episcardia Ragonot, 1895; Bilobatana Zagulyaev, 1975; Neoepiscardia Petersen & Gaedike, 1982* Original Reference: *Edosa Walker, 1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1818. Type-species: Edosa hemichrysella Walker, 1866, by monotypy.*
- 8210. Elatobia Herrich-Schäffer, [1853]** (Tineidae) Synonym(s): *Elatobia Herrich-Schäffer, [1853]; Tineomima Staudinger, 1892; Abacobia Dietz, 1905; Dietzia Busck, 1906* Original Reference: *Elatobia Herrich-Schäffer, [1853], Syst. Bearb. Schmett. Eur. 5: 22. Type-species: Tinea fuliginosella Lienig & Zeller, 1846, by monotypy.*
- 8211. Ellochotis Meyrick, 1920** (Tineidae) Synonym(s): *Ellochotis Meyrick, 1920*
- 8212. Enargocrasis Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Enargocrasis Gozmany & Vari, 1973*
- 8213. Erechthias Meyrick, 1880** (Tineidae) Synonym(s): *Erechthias Meyrick, 1880; Ereunetis Meyrick, 1880; Decadarchis Meyrick, 1886; Hectacma Meyrick, 1915; Zanclopseustis Meyrick, 1921; Malacograptis Meyrick, 1922; Nesoxena Meyrick, 1929; Gongyloides Turner, 1933; Amphisyntentris Meyrick, 1933; Caryolestis Meyrick, 1934; Aeolarchis Meyrick, 1935; Anemerarcha Meyrick, 1937; Triadogona Meyrick, 1937; Empaesta Bradley, 1956; Acrocenotes Diakonoff, 1968; Tinexotaxa Gozmany, 1968; Lepidobregma Zimmermann, 1978; Mecomodica Zimmermann, 1978; Pantheus Zimmermann, 1978; Neodecadarchis Zimmermann, 1978*
- 8214. Eremicola Amsel, 1935** (Tineidae) Synonym(s): *Eremicola Amsel, 1935*
- 8215. Eriozancla Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Eriozancla Gozmany & Vari, 1973*
- 8216. Eudarcia (Abchagleris) Zagulyaev, 1979** (Tineidae) Synonym(s): *Abchagleris Zagulyaev, 1979* Original Reference: *Abchagleris Zagulyaev, 1979, Fauna SSSR 119: 366. Type-species: Obesoceras abchasicum Zagulyaev, 1979, by original designation.*
- 8217. Eudarcia (Meessia) Hofmann, 1898** (Tineidae) Synonym(s): *Meessia Hofmann, 1898* Original Reference: *Meessia Hofmann, 1898, Dt. ent. Z., Iris 10: 227.*
- 8218. Eudarcia (Neomeessia) G. Petersen, 1968** (Tineidae) Synonym(s): *Neomeessia G. Petersen, 1968* Original Reference: *Neomeessia G. Petersen, 1968, Acta ent. bohemoslov. 65: 58. Type-species: Neomeessia gracilis G. Petersen, 1968, by original designation.*
- 8219. Eudarcia (Obesoceras) G. Petersen, 1957** (Tineidae) Synonym(s): *Obesoceras G. Petersen, 1957* Original Reference: *Obesoceras Petersen, 1957, Beitr. Ent. 7: 352. Type-species: Tinea granulatella, Herrich-Schäffer, 1854, Syst. Bearbeitung Schmett. Eur. 5: 74; 1851, ibidem 5: pl. 39 fig. 267 (legend non-binominal by original designation).*
- 8220. Eudarcia (Pseudobesoceras) Gaedike, 1985** (Tineidae) Synonym(s): *Pseudobesoceras Gaedike, 1985* Original Reference: *Pseudobesoceras Gaedike, 1985, Ent. Abh. Mus. Tierk. Dresden 48: 177. Type-species: Tinea holtzi Rebel, 1902, by original designation.*
- 8221. Eudarcia (s.str.) Clemens, 1860** (Tineidae) Synonym(s): *Eudarcia Clemens, 1860; Demobrotis Meyrick, 1893; Leptochersa Meyrick, 1919; Colchiromis Zagulyaev, 1979; Gallis Zagulyaev, 1979; Haugresis Zagulyaev, 1979; Nigris Zagulyaev, 1979; Zagulyaevella Koçak, 1981* Original Reference: *Eudarcia Clemens, 1860, Proc. Acad. nat. Sci. Philad. 1860: 10. Type-species: Eudarcia simulatricella Clemens, 1860, by monotypy.*
- 8222. Eudarcia Clemens, 1860** (Tineidae) Synonym(s): *Eudarcia Clemens, 1860; Demobrotis Meyrick, 1893; Leptochersa Meyrick, 1919; Colchiromis Zagulyaev, 1979; Gallis Zagulyaev, 1979; Haugresis Zagulyaev, 1979; Nigris Zagulyaev, 1979; Zagulyaevella Koçak, 1981* Original Reference: *Eudarcia Clemens, 1860, Proc. Acad. nat. Sci. Philad. 1860: 10. Type-species: Eudarcia simulatricella Clemens, 1860, by monotypy.*
- 8223. Euplocamus Latreille, 1809** (Tineidae) Synonym(s): *Euplocamus Latreille, 1809* Original Reference: *Euplocamus Latreille, 1809, Genera crustaceorum Insectorum 4: 223. Type-species: Tinea guttella Fabricius, 1781, Species Insect 2: 509, by subsequent designation by Latreille, 1810, Considérations gén. Ordre nat. Anim.: 441.*
- 8224. Exonomasis Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Exonomasis Gozmany & Vari, 1973*

- 8225. Gaedikeia Sutter,1998** (Tineidae) **Synonym(s):** *Gaedikeia Sutter,1998* **Original Reference:** *Gaedikeia Sutter,1998*, *Reichenbachia* 32 (2): 303. Type-species: *Gaedikeia kokkariensis* Sutter,1998, by original designation.
- 8226. Gerontha Walker,1864** (Tineidae) **Synonym(s):** *Gerontha Walker,1864*
- 8227. Glaucostolella T.B.Fletcher,1940** (Tineidae) **Synonym(s):** *Glaucosola Meyrick,1926* (*praeocc.*); *Glaucostolella T.B.Fletcher,1940*
- 8228. Graphidivalva Gozmany,1965** (Tineidae) **Synonym(s):** *Graphidivalva Gozmany,1965*
- 8229. Haplotinea Diakonoff & Hinton,1956** (Tineidae) **Synonym(s):** *Haplotinea Diakonoff & Hinton,1956*
- 8230. Hapsifera Zeller,1847** (Tineidae) **Synonym(s):** *Hapsifera Zeller,1847*; *Euplocera Ragonot,1895*; *Pseudohapsifera Amsel,1935*; *Ptochoglyptis Meyrick,1938* **Original Reference:** *Hapsifera Zeller,1847*, *Isis Oken*, Leipzig 1847: 32. Type-species: *Hapsifera luridella* Zeller,1847, *ibidem* 1847: 33, by monotypy.
- 8231. Hapsiferona Gozmany,1967** (Tineidae) **Synonym(s):** *Hapsiferona Gozmany,1967*
- 8232. Harmaclona Busck,1914** (Tineidae) **Synonym(s):** *Harmaclona Busck,1914*; *Ptychoxena Meyrick,1916*
- 8233. Homalopsycha Meyrick,1920** (Tineidae) **Synonym(s):** *Homalopsycha Meyrick,1920*
- 8234. Hylophygas Meyrick,1932** (Tineidae) **Synonym(s):** *Hylophygas Meyrick,1932*
- 8235. Hyperbola Gozmany,1965** (Tineidae) **Synonym(s):** *Hyperbola Gozmany,1965*
- 8236. Infurcitinea Spuler,1910** (Tineidae) **Synonym(s):** *Infurcitinea Spuler,1910*; *Omichlospora Meyrick,1928*; *Tineiforma Amsel,1952*; *Atinea Amsel,1954*; *Microtinea Amsel,1954*; *Gozmanytinea Capuse,1966*; *Finalis Zagulyaev,1979*; *Atris Zagulyaev,1979*; *Rumelis Zagulyaev,1979*; *Pseudorumelis Satschkov,1995*. **Original Reference:** *Infurcitinea Spuler,1910*, *Schmett. Eur.* 2: 458. Type-species: *Tinea argentimaculella* Stainton,1849, *Attempt syst. Cat. Br. Tineidae Pterophoridae*: 6, by monotypy.
- 8237. Ischnoscia Meyrick,1895** (Tineidae) **Synonym(s):** *Ischnoscia Meyrick,1895*
- 8238. Janseana Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *Janseana Gozmany & Vari,1973*
- 8239. Karsholtia Gaedike,1986** (Tineidae) **Synonym(s):** *Karsholtia Gaedike,1986*
- 8240. Kermania Amsel,1964** (Tineidae) **Synonym(s):** *Kermania Amsel,1964* **Original Reference:** *Kermania Amsel,1964*, *Beitr. naturk. Forsch. SW-Dtl.* 23 (2): 107-108. Type-species: *Kermania pistaciella* Amsel,1964, by original designation and monotypy.
- 8241. Lichenotinea G.Petersen,1957** (Tineidae) **Synonym(s):** *Lichenotinea G.Petersen,1957* **Original Reference:** *Lichenotinea Petersen,1957*, *Beitr. Ent.* 7: 371. Type-species: *Tinea pustulatella* Zeller,1852, *Linn. ent.* 6: 174, by original designation.
- 8242. Lindera Blanchard,1852** (Tineidae) **Synonym(s):** *Lindera Blanchard,1852*; *Saфра Walker,1864* (*praeocc.*); *Chrestotes Butler,1881* (*praeocc.*); *Paraneura Dietz,1905*; *Cervitinea Amsel,1956*
- 8243. Lysitona Meyrick,1918** (Tineidae) **Synonym(s):** *Lysitona Meyrick,1918*; *Isozyga Meyrick,1921*
- 8244. Machaeropteris Walsingham,1887** (Tineidae) **Synonym(s):** *Machaeropteris Walsingham,1887*
- 8245. Malacyntis Meyrick,1908** (Tineidae) **Synonym(s):** *Malacyntis Meyrick,1908*
- 8246. Matratinea Sziraki,1990** (Tineidae) **Synonym(s):** *Matratinea Sziraki,1990*
- 8247. Meneessia Zagulyaev,1974** (Tineidae) **Synonym(s):** *Meneessia Zagulyaev,1974* **Original Reference:** *Meneessia Zagulyaev,1974*, *Ent. Obozr.* 53: 417. Type-species: *haplotinea minutella* G.Petersen,1959, by original designation.
- 8248. Miarotagmata Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *Miarotagmata Gozmany & Vari,1973*
- 8249. Micrerethista Meyrick,1938** (Tineidae) **Synonym(s):** *Syncopacma Meyrick,1938* *nec* *Meyr.,1925*; *Lophosetia Fletcher,1939*
- 8250. Minicorona Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *Minicorona Gozmany & Vari,1973*
- 8251. Moerarchis Durrant,1914** (Tineidae) **Synonym(s):** *Moerarchis Durrant,1914*; *Tanymita Turner,1923*; *Endothesis Meyrick,1930*; *Eucriscostoma Diakonoff,1949*; *Exaxa Diakonoff,1968*; *Oxytinea Diakonoff,1968*
- 8252. Monopis Hübner,[1825]** (Tineidae) **Synonym(s):** *Monopis Hübner,[1825]*; *Blabophanes Zeller,1852* **Original Reference:** *Monopis Hübner,[1825]*, *Verz. bekannter Schmett.*: 401. Type-species: *Tinea rusticella* Hübner, 1796, *Samml. eur. Schmett.* 8: 61, pl.3 fig.17, pl.49 fig.339, by monotypy.
- 8253. Montescardia Amsel,1952** (Tineidae) **Synonym(s):** *Montescardia Amsel,1952*
- 8254. Montetinea G.Petersen,1957** (Tineidae) **Synonym(s):** *Montetinea G.Petersen,1957*
- 8255. Morophaga Herrich-Schäffer,[1853]** (Tineidae) **Synonym(s):** *Morophaga Herrich-Schäffer,[1853]*; *Atabyria Snellen,1884*; *#Atabyria Rebel,1901*; *Osphretica Meyrick,1908*; *Microscardia Amsel,1952*

- Original Reference: *Morophaga* Herrich-Schäffer, [1853], Syst. Bearbeitung Schmett. Eur. 5: 7, 22. Type-species: *Euplocamus morellus* Duponchel, 1838, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 11: 79, pl. 288 fig. 5, by subsequent monotypy.
- 8256. *Morophagoides* G. Petersen, 1957** (Tineidae) Synonym(s): *Morophagoides* G. Petersen, 1957
- 8257. *Moscardia* G.S. Robinson, 1986** (Tineidae) Synonym(s): *Moscardia* G.S. Robinson, 1986
- 8258. *Myrmecozela* (Dulcana) Zagulyaev, 1975** (Tineidae) Synonym(s): *Dulcana* Zagulyaev, 1975
- 8259. *Myrmecozela* (Flavida) Zagulyaev, 1975** (Tineidae) Synonym(s): *Flavida* Zagulyaev, 1975
Original Reference: *Myrmecozela* (Flavida) Zagulyaev, 1975, Fauna SSSR (n.s.) 108 (Lepid. 4 (5)): 314, 326. Type-species: *Tinea lutosella* Eversmann, 1844, by original designation.
- 8260. *Myrmecozela* (Promasia) Chrétien, 1905** (Tineidae) Synonym(s): *Promasia* Chrétien, 1905
- 8261. *Myrmecozela* (s.str.) Zeller, 1852** (Tineidae) Synonym(s): *Myrmecozela* Zeller, 1852
Original Reference: *Myrmecozela* Zeller, 1852, Linn. ent. 6: 153. Type-species: *Tinea ochraceella* Tengström, 1848, Notis. Sällsk. Faun. Fl. fenn. Förh. 1: 111, by monotypy.
- 8262. *Myrmecozela* Zeller, 1852** (Tineidae) Synonym(s): *Myrmecozela* Zeller, 1852 Original Reference: *Myrmecozela* Zeller, 1852, Linn. ent. 6: 153. Type-species: *Tinea ochraceella* Tengström, 1848, Notis. Sällsk. Faun. Fl. fenn. Förh. 1: 111, by monotypy.
- 8263. *Nearolyma* Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Nearolyma* Gozmany & Vari, 1973
- 8264. *Nemapogon* Schrank, 1802** (Tineidae) Synonym(s): *Nemapogon* Schrank, 1802; *Brosis* Hübner, 1822 nec Billb., 1820; *Diaphthirusa* Hübner, [1825]; *Petalographis* Zagulyaev, 1962; *Anemapogon* Zagulyaev, 1963; *Longiductus* Zagulyaev, 1964; *Paranemapogon* Zagulyaev, 1964 Original Reference: *Nemapogon* Schrank, 1802, Fauna Boica 2 (2): 167. Type-species: *Phalaena granella* Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 537, by subsequent designation by Fletcher, 1929, Mem. Dep. Agric. India (Ent.) 11: 146.
- 8265. *Nemaxera* Zagulyaev, 1964** (Tineidae) Synonym(s): *Nemaxera* Zagulyaev, 1964
- 8266. *Neopiscardia* G. Petersen & Gaedike, 1982** (Tineidae) Synonym(s): *Neopiscardia* G. Petersen & Gaedike, 1982
- 8267. *Neomeessia* G. Petersen, 1968** (Tineidae) Synonym(s): *Neomeessia* G. Petersen, 1968
Original Reference: *Neomeessia* G. Petersen, 1968, Acta ent. bohemoslavaca 65: 58. Type-species: *Neomeessia gracilis* Petersen, 1968, ibidem 65: 58, text-fig. 4, by original designation.
- 8268. *Neospolarcha* G. Petersen, 1988** (Tineidae) Synonym(s): *Neospolarcha* G. Petersen, 1988
- 8269. *Neurothaumasia* Marchand, 1934** (Tineidae) Synonym(s): *Neurothaumasia* Marchand, 1934
Original Reference: *Neurothaumasia* Marchand, 1934, Amat. Papillons 7: 24. Type-species: *Neurothaumasia burdigalensis* Marchand, 1934, by original designation.
- 8270. *Niditinea* G. Petersen, 1957** (Tineidae) Synonym(s): *Niditinea* G. Petersen, 1957; *Tineidia* Zagulyaev, 1960 Original Reference: *Niditinea* Petersen, 1957, Beitr. Ent. 7: 134. Type-species: *Tinea fuscipunctella* Haworth, 1828, Lepid. Br.: 562, by original designation.
- 8271. *Novotinea* Amsel, 1938** (Tineidae) Synonym(s): *Novotinea* Amsel, 1938
- 8272. *Nyctocyrmata* Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Nyctocyrmata* Gozmany & Vari, 1973
- 8273. *Ochetoxena* Meyrick, 1920** (Tineidae) Synonym(s): *Ochetoxena* Meyrick, 1920
- 8274. *Ocnophilella* T.B. Fletcher, 1940** (Tineidae) Synonym(s): *Ocnophila* Meyrick, 1926 (praeocc.); *Ocnophilella* T.B. Fletcher, 1940; *Hilarochorda* Gozmany & Vari, 1973
- 8275. *Oinophila* Stephens, 1848** (Tineidae) Synonym(s): *Oinophila* Stephens, 1848; *Oenophila* Dunning & Pickard, 1859
- 8276. *Opogona* Zeller, 1853** (Tineidae) Synonym(s): *Opogona* Zeller, 1853; *Lozostoma* Stainton, 1859; *Conchyliospila* Wallengren, 1861; *Cachura* Walker, 1864; *Dendroneura* Walsingham, 1892; *Hieroxestis* Meyrick, 1893; *Exala* Meyrick, 1912; *Lissocarena* Turner, 1923 Original Reference: *Opogona* Zeller, 1853, Bull. Soc. imp. Nat. Moscou 26(2): 504. Type-species: *Opogona dimidiatella* Zeller, 1853, ibidem 26(2): 507, pl. 4 figs 13-16, by monotypy.
- 8277. *Organodesma* Gozmany, 1965** (Tineidae) Synonym(s): *Organodesma* Gozmany, 1965
- 8278. *Oxymachaeis* Walsingham, 1891** (Tineidae) Synonym(s): *Oxymachaeis* Walsingham, 1891
- 8279. *Pachyarthra* Amsel, 1940** (Tineidae) Synonym(s): *Pachyarthra* Amsel, 1940; *#Pacharthra* Gaedike & Alipanah, 2011 Original Reference: *Pachyarthra* Amsel, 1940, Veröff. dt. Kolon. u. Übersee-Mus. Bremen 3: 55. Type-species: *Amydria ochroplicella* Chrétien, 1915, by monotypy.
- 8280. *Pachypsaltis* Meyrick, 1914** (Tineidae) Synonym(s): *Pachypsaltis* Meyrick, 1914
- 8281. *Paraptica* Meyrick, 1917** (Tineidae) Synonym(s): *Paraptica* Meyrick, 1917
- 8282. *Pararhodobates* G. Petersen, 1958** (Tineidae) Synonym(s): *Pararhodobates* G. Petersen, 1958

- 8283. Pelecystola Meyrick, 1920** (Tineidae) Synonym(s): *Pelecystola Meyrick, 1920*; *Zularcha Meyrick, 1937*; *Neurozestis Meyrick, 1938*
- 8284. Perilicmetis Meyrick, 1932** (Tineidae) Synonym(s): *Perilicmetis Meyrick, 1932*
- 8285. Perissomastix (Aphrodoxa) Gozmany, 1959** (Tineidae) Synonym(s): *Aphrodoxa Gozmany, 1959* Original Reference: *Aphrodoxa Gozmany, 1959, Acta zool. hung. 5: 345.* Type-species: *Aphrodoxa astarte Gozmany, 1959*, by original designation.
- 8286. Perissomastix (s.str.) W. Warren & Rothschild, 1905** (Tineidae) Synonym(s): *Perissomastix W. Warren & Rothschild, 1905*; *Malacyntis Meyrick, 1908*; *Catabola Durrant, 1913*; *Boviceras Turati, 1919*; *Crassicornella Agenjo, 1952*; *Praelongicera Amsel, 1956*; *Tineomorpha Amsel, 1956*; *Lazocatena Gozmany, 1959*; *Petersenia Gozmany, 1960 (praeocc.)*; *Denticunicula Petersen, 1988*; *Betroka Petersen, 1988 (praeocc.)*; *Neopsolarcha Petersen, 1988*; *Trokabe Viette, 1993* Original Reference: *Perissomastix W. Warren & Rothschild, 1905, Novit. zool. 12: 33.* Type-species: *Perissomastix nigriceps W. Warren & Rothschild, 1905*, by original designation.
- 8288. Phaeoses Forbes, 1922** (Tineidae) Synonym(s): *Phaeoses Forbes, 1922*; *Calamograptis Meyrick, 1937*
- 8289. Phereoeca Hinton & Bradley, 1956** (Tineidae) Synonym(s): *Phereoeca Hinton & Bradley, 1956* Original Reference: *Phereoeca Hinton & Bradley, 1956, Entomologist 89: 45.*
- 8290. Philagrias Meyrick, 1932** (Tineidae) Synonym(s): *Philagrias Meyrick, 1932*
- 8291. Phthoropoea Walsingham, 1896** (Tineidae) Synonym(s): *Phthoropoea Walsingham, 1896*; *Plemyristis Meyrick, 1915*; *Aphanoptis Meyrick, 1927*; *Polycompsistis Meyrick, 1932*; *Gnathosaristis Meyrick, 1936*
- 8292. Phyciodyta Meyrick, 1918** (Tineidae) Synonym(s): *Phyciodyta Meyrick, 1918*
- 8293. Pitharcha Meyrick, 1908** (Tineidae) Synonym(s): *Pitharcha Meyrick, 1908*
- 8294. Praelongicera Amsel, 1956** (Tineidae) Synonym(s): *Praelongicera Amsel, 1956* Original Reference: *Praelongicera Amsel, 1956, Z. wien. ent. Ges. 41: 29.* Type-species: *Praelongicera palaestinella Amsel, 1956*, by original designation.
- 8295. Pringleophaga Enderlein, 1905** (Tineidae) Synonym(s): *Pringleophaga Enderlein, 1905*; *Antipodesma Salmon & Bradley, 1956*
- 8296. Probatostola Meyrick, 1926** (Tineidae) Synonym(s): *Probatostola Meyrick, 1926*
- 8297. Propachyarthra Gozmany & Vari, 1973** (Tineidae) Synonym(s): *Propachyarthra Gozmany & Vari, 1973*
- 8298. Protaphreutis Meyrick, 1922** (Tineidae) Synonym(s): *Protaphreutis Meyrick, 1922* Original Reference: *Protaphreutis Meyrick, 1922, Exot. microlepid. 2: 593.*
- 8299. Proterospastis Meyrick, 1937** (Tineidae) Synonym(s): *Proterospastis Meyrick, 1937*; *Paratinea G. Petersen, 1957*
- 8300. Prothinodes Meyrick, 1914** (Tineidae) Synonym(s): *Prothinodes Meyrick, 1914*
- 8301. Psolarcha Meyrick, 1933** (Tineidae) Synonym(s): *Psolarcha Meyrick, 1933*
- 8302. Psychoides Bruand, 1853** (Tineidae) Synonym(s): *Psychoides Bruand, 1853*
- 8303. Reisserita Agenjo, 1952** (Tineidae) Synonym(s): *Reisserita Agenjo, 1952* Original Reference: *Reisserita Agenjo, 1952, Faun. lepid. Almeriense: 65.* Type-species: *Tinea haasi Rebel, 1901*, by original designation.
- 8304. Rhodobates Ragonot, 1895** (Tineidae) Synonym(s): *Rhodobates Ragonot, 1895*; *Paraplutella Rebel, 1900*; *Tineodoxa Amsel, 1955.* Original Reference: *Rhodobates Ragonot, 1895, Bull. Soc. ent. Fr. 1895: civ.* Type-species: *Euplocamus laevigatellus Herrich-Schäffer, [1854]*, *Syst. Bearbeitung Schmett. Eur. 5: 82; 1851, ibidem 5: pl. 39 fig. 270 (non-binominal)*, by monotypy.
- 8305. Sapheneutis Meyrick, 1914** (Tineidae) Synonym(s): *Sapheneutis Meyrick, 1914*
- 8306. Scalmatica Meyrick, 1911** (Tineidae) Synonym(s): *Scalmatica Meyrick, 1911*
- 8307. Scardia Treitschke, 1830** (Tineidae) Synonym(s): *Scardia Treitschke, 1830*; *Agarica Sodoffsky, 1837*; *Fernaldia Grote, 1881*; *Duomitella Kozhantschikov, 1923*
- 8308. Setomorpha Zeller, 1852** (Tineidae) Synonym(s): *Setomorpha Zeller, 1852*; *Apotomia Dietz, 1905*; *Epilegis Dietz, 1905*; *Semiota Dietz, 1905*; *Atticonviva Busck, 1935*
- 8309. Silosca Gozmany, 1965** (Tineidae) Synonym(s): *Silosca Gozmany, 1965*
- 8310. Spatularia Deventer, 1904** (Tineidae) Synonym(s): *Spatularia Deventer, 1904*; *Pylaetis Meyrick, 1907*
- 8311. Sphallesthis Gozmany, 1959** (Tineidae) Synonym(s): *Sphallesthis Gozmany, 1959*; *#Sphallesthis G. Petersen & Gaedike, 1982*

- 8312. Stenoptinea Dietz,1905** (Tineidae) Synonym(s): *Stenoptinea Dietz,1905*; *Celestica Meyrick,1917*
- 8313. Strophalinga Gozmany & Vari,1973** (Tineidae) Synonym(s): *Strophalinga Gozmany & Vari,1973* Original Reference: *Strophalinga Gozmany & Vari,1973*, Transvaal Mus. Mem. 18: 9. Type-species: *Tinea glycinocoma* Meyrick,1932, by original designation.
- 8314. Struthisca Meyrick,1905** (Tineidae) Synonym(s): *Struthisca Meyrick,1905*
- 8315. Tenaga Clemens,1862** (Tineidae) Synonym(s): *Tenaga Clemens,1862*; *Macraeola Meyrick,1893*; *Lichenovora G.Petersen,1957*
- 8316. Tetracledessa Gozmany & Vari,1973** (Tineidae) Synonym(s): *Tetracledessa Gozmany & Vari,1973*
- 8317. Theatrochora Meyrick,1921** (Tineidae) Synonym(s): *Theatrochora Meyrick,1921*
- 8318. Thisizima Walker,1864** (Tineidae) Synonym(s): *Thisizima Walker,1864*
- 8319. Thuriostoma Meyrick,1934** (Tineidae) Synonym(s): *Thuriostoma Meyrick,1934*
- 8320. Tinea Linnaeus,1758** (Tineidae) Synonym(s): *Tinea Linnaeus,1758*; *Tinaea Geoffroy,1762*; *Tinearia Rafinesque,1815*; *Ses Hübner,1822*; *Acedes Hübner,[1825]*; *Autoses Hübner,[1825]*; *Scleroplasta Meyrick,1919*; *Dystinea Börner,1925*; *#Monopina Zagulyaev,1955*; *Tineopsis Zagulyaev,1960*; *Tineopsis Bradley,1972* Original Reference: *Tinea Linnaeus,1758*, Syst. Nat. (Edn 10) 1: 534. Type-species: *Phalaena pelliionella* Linnaeus, 1758, ibidem: 536. by subsequent designation by ICZN, 1957, Opin. Decl. int. Commn zool. Nom. 15 (Opinion 450):254.
- 8321. Tineola Herrich-Schäffer,[1853]** (Tineidae) Synonym(s): *Tineola Herrich-Schäffer,[1853]* Original Reference: *Tineola Herrich-Schäffer,[1853]*, Syst. Bearbeitung Schmett. Eur. 5: 7,23. Type-species: *Tinea bisselliella* Hummel,1823, Essais ent. 1 (3): 13, by monotypy.
- 8322. Tineovortex Moriuti,1982** (Tineidae) Synonym(s): *Tineovortex Moriuti,1982*
- 8323. Tinissa Walker,1864** (Tineidae) Synonym(s): *Tinissa Walker,1864*; *Polymnestra Meyrick,1927*
- 8324. Tiquadra Walker,1863** (Tineidae) Synonym(s): *Tiquadra Walker,1863*; *Oscella Walker,1864*; *Ventia Walker,1866*; *Manchana Walker,1866*; *Acureuta Zeller,1877*; *Cyathaula Meyrick,1886*; *Mastigostoma Meyrick,1911*
- 8325. Tracheloteina Gozmany,1967** (Tineidae) Synonym(s): *Tracheloteina Gozmany,1967*
- 8326. Transmixta Gozmany & Vari,1973** (Tineidae) Synonym(s): *Transmixta Gozmany & Vari,1973*
- 8327. Triaxomasia Zagulyaev,1964** (Tineidae) Synonym(s): *Triaxomasia Zagulyaev,1964*
- 8328. Triaxomera Zagulyaev,1959** (Tineidae) Synonym(s): *Triaxomera Zagulyaev,1959* Original Reference: *Triaxomera Zagulyaev,1959*, Ent. Obozr. 38: 879,884. Type-species: *Tinea fulvimitrella* Sodoffsky,1830, Bull. Soc. imp. Nat. Moscou 2: 74, pl.1 fig.6, by original designation.
- 8329. Trichophaga Ragonot,1894** (Tineidae) Synonym(s): *Trichophaga Ragonot,1894* Original Reference: *Trichophaga Ragonot,1894*, Annls Soc. ent. Fr. 63: 120-123. Type-species: *Trichophaga coprobiella* Ragonot, 1894, ibidem 63: 120-121, text, figs, by original designation.
- 8330. Wegneria Diakonoff,1951** (Tineidae) Synonym(s): *Wegneria Diakonoff,1951* Original Reference: *Wegneria Diakonoff,1951*, Zool. Meded. 31: 131. Type-species: *Wegneria cavernicola* Diakonoff,1951, by original designation.
- 8331. Xerantica Meyrick,1930** (Tineidae) Synonym(s): *Xerantica Meyrick,1930*; *#Xeranthica Gaedike,2007*
- 8332. Xystrologa Meyrick,1919** (Tineidae) Synonym(s): *Xystrologa Meyrick,1919*; *Achanodes Myerick,1922*; *Syrrhoaula Meyrick,1932*
- 8333. Astrotischeria Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *Astrotischeria Puplesis & Diskus,2003*
- 8334. Coptotriche Walsingham,1890** (Tischeriidae) Synonym(s): *Coptotriche Walsingham,1890*; *Emmetia Leraut,1993*
- 8335. Tischeria Zeller,1839** (Tischeriidae) Synonym(s): *Tischeria Zeller,1839* Original Reference: *Tischeria Zeller,1839*, Isis Oken, Leipzig 1839: 219. Type-species: *Tinea complanella* Hübner, [1817], Samml. eur. Schmett. 8: pl.64 fig.428, by monotypy.
- 8336. Abrepagoge Razowski,1992** (Tortricidae) Synonym(s): *Abrepagoge Razowski,1992*
- 8337. Acanthoclita Diakonoff,1982** (Tortricidae) Synonym(s): *Acanthoclita Diakonoff,1982*
- 8338. Acarolella Razowski & Becker,1983** (Tortricidae) Synonym(s): *Acarolella Razowski & Becker,1983*
- 8339. Accra Razowski,1964** (Tortricidae) Synonym(s): *Accra Razowski,1964*; *#Accara Razowski,1990*
- 8340. Acleris Hübner,[1825]** (Tortricidae) Synonym(s): *Peronea Curtis,1824 nec Raf.,1815*; *Acleris Hübner,[1825]*; *Lopas Hübner,[1825]*; *Rhacodia Hübner,[1825]*; *Eclectis Hübner,[1825]*; *Teleia Hübner,[1825]*; *Oxigrapta Hübner,[1825]*; *Leptogramma Stephens,1829*; *Glyphisia Stephens,1829*; *Cheimatophila Stephens,1829*; *Teras Treitschke,1829*; *Phloiophila Duponchel,1834*; *Phloeophila Duponchel,1835*; *Glyphiptera Duponchel,1835*;

Chimatophila Agassiz,1847; *Glyphidia* Agassiz,1847; *Oxygrapha* Agassiz,1847; *Telia* Agassiz,1847; *Phylacophora* Filipjev,1931; Original Reference: *Acleris* Hübner,[1825], Verz. bekannt. Schmett.: 384. Type-species: *Tortrix aspersana* Hübner,[1817], by subsequent designation by Fernald,1908.

- 8341. *Acroclita* Lederer,1859** (Tortricidae) Synonym(s): *Acroclita* Lederer,1859; *Acrolita* Fernald,1908; *#Acroclita* Turner,1946
- 8342. *Acroplectis* Meyrick,1927** (Tortricidae) Synonym(s): *Acroplectis* Meyrick,1927
- 8343. *Actihema* Razowski,1993** (Tortricidae) Synonym(s): *Actihema* Razowski,1993
- 8344. *Adoxophyes* Meyrick,1881** (Tortricidae) Synonym(s): *Adoxophyes* Meyrick,1881
- 8345. *Aemulatrix* Diakonoff,1982** (Tortricidae) Synonym(s): *Aemulatrix* Diakonoff,1982
- 8346. *Aesiocopa* Zeller,1877** (Tortricidae) Synonym(s): *Aesiocopa* Zeller,1877
- 8347. *Aethes* Billberg,1820** (Tortricidae) Synonym(s): *Aethes* Billberg,1820; *Chlidonia* Hübner,[1825]; *Phalonia* Hübner,[1825]; *Dapsilia* Hübner,[1825]; *Lozopera* Stephens,1834; *Argyridia* Stephens,1852; *Coeaethes* Obratzov,1943; *Cirriaethes* Obratzov,1943. Original Reference: *Aethes* Billberg,1820, Enumeratio Insect. Mus. G.J. Billberg: 90. *Pylalis smeathmanniana* Fabricius,1781, Species Insect 2: 278, by subsequent designation by Fernald,1908, Genera Tortricidae Types: 51,54.
- 8348. *Aethesoides* Razowski,1964** (Tortricidae) Synonym(s): *Aethesoides* Razowski,1964
- 8349. *Afrocostosa* Aarvik,2004** (Tortricidae) Synonym(s): *Afrocostosa* Aarvik,2004
- 8350. *Afroplce* Aarvik,2004** (Tortricidae) Synonym(s): *Afroplce* Aarvik,2004
- 8351. *Afrothreutes* Aarvik,2004** (Tortricidae) Synonym(s): *Afrothreutes* Aarvik,2004
- 8352. *Agapeta* Hübner,1822** (Tortricidae) Synonym(s): *Agapeta* Hübner,1822; *Agapete* Hübner,[1825]; *Euxanthis* Hübner,[1825]; *Xanthosetia* Stephens,1829. Original Reference: *Agapeta* Hübner,1822, Syst.-alphab. Verz.: 58-66. Type-species: *Phalaena zoegana* Linnaeus,1767, Syst. nat. (Edn 12) 1: 876, by subsequent designation by Walsingham,1915, Biologia cent.-am. (Zool.) Lepid.-Heterocera 4: 458.
- 8353. *Age* Diakonoff,1982** (Tortricidae) Synonym(s): *Age* Diakonoff,1982
- 8354. *Agriophanes* Meyrick,1930** (Tortricidae) Synonym(s): *Agriophanes* Meyrick,1930
- 8355. *Aleimma* Hübner,[1825]** (Tortricidae) Synonym(s): *Aleimma* Hübner,[1825]; *Dictyoptyryx* Stephens,1829; *Alimma* Agassiz,1847; *Gastrolatrix* Gistel,1848
- 8356. *Alexiloga* Meyrick,1922** (Tortricidae) Synonym(s): *Alexiloga* Meyrick,1922
- 8357. *Alischirnevaia* Koçak,1981** (Tortricidae) Synonym(s): *Omochaeta* Diakonoff,1966 nec Duda,1930; *Alischirnevaia* Koçak,1981 Original Reference: *Alischirnevaia* Koçak,1981, Priamus 1 (3): 119 (nom. nov. pro *Omochaeta* Diakonoff,1966 nec Duda,1930).
- 8358. *Allobrachygonia* Fernald,1908** (Tortricidae) Synonym(s): *Brachygonia* Walsingham,1900 (homonym); *Allobrachygonia* Fernald,1908
- 8359. *Allodemis* Diakonoff,1983** (Tortricidae) Synonym(s): *Allodemis* Diakonoff,1983
- 8360. *Amallectis* Meyrick,1917** (Tortricidae) Synonym(s): *Amallectis* Meyrick,1917
- 8361. *Amorbia* Clemens,1860** (Tortricidae) Synonym(s): *Amorbia* Clemens,1860; *Hendecastema* Walsingham,1879; *Ptychamorbia* Walsingham,1892
- 8362. *Amphicoecia* Razowski,1975** (Tortricidae) Synonym(s): *Amphicoecia* Razowski,1975
- 8363. *Anaccra* Razowski,1990** (Tortricidae) Synonym(s): *Anaccra* Razowski,1990
- 8364. *Anacrusis* Zeller,1877** (Tortricidae) Synonym(s): *Anacrusis* Zeller,1877
- 8365. *Anameristes* Common,1965** (Tortricidae) Synonym(s): *Anameristes* Common,1965
- 8366. *Anathamna* Meyrick,1911** (Tortricidae) Synonym(s): *Anathamna* Meyrick,1911
- 8367. *Anathamna* Meyrick,1916** (Tortricidae) Synonym(s): *Anathamna* Meyrick,1916
- 8368. *Anchicremna* Meyrick,1926** (Tortricidae) Synonym(s): *Anchicremna* Meyrick,1926
- 8369. *Ancylis* (Ancyloides) Diakonoff,1982** (Tortricidae) Synonym(s): *Ancyloides* Diakonoff,1982
- 8370. *Ancylis* Hübner,[1825]** (Tortricidae) Synonym(s): *Ancylis* Hübner,[1825]; *Epicharis* Hübner,[1825] nec Klg.,1907; *Anchylopera* Stephens,1829; *Phoxopteris* Treitschke,1830; *Anticlea* Stephens,1834 nec Stph.,1831; *Philaclea* Stephens,1835; *Phoxopteryx* Sodoffsky,1837; *Sideria* Guenée,1845; *#Sideria* Stainton,1859; *Palaeobia* Meyrick,1881; *Lamyrodes* Meyrick,1910; *Ancyloides* Diakonoff,1982 nec Kuzn.,1964; *Ancylophyes* Diakonoff,1988; *Diakonoffiella* Kuznetsov,1997
- 8371. *Ancyroclepsis* Diakonoff,1976** (Tortricidae) Synonym(s): *Ancyroclepsis* Diakonoff,1976
- 8372. *Andrioplecta* Obratzov,1968** (Tortricidae) Synonym(s): *Andrioplecta* Obratzov,1968
- 8373. *Aneuxanthis* Le Marchand,1933** (Tortricidae) Synonym(s): *Aneuxanthis* Le Marchand,1933
- 8374. *Anielia* Razowski & Becker,1983** (Tortricidae) Synonym(s): *Anielia* Razowski & Becker,1983
- 8375. *Anopina* Obratzov,1962** (Tortricidae) Synonym(s): *Anopina* Obratzov,1962
- 8376. *Anopinella* Powell,1986** (Tortricidae) Synonym(s): *Anopinella* Powell,1986
- 8377. *Anoplocnephasia* Réal,1953** (Tortricidae) Synonym(s): *Anoplocnephasia* Réal,1953

- 8378. Antaeola Diakonoff,1973** (Tortricidae) **Synonym(s):** *Antaeola Diakonoff,1973*
- 8379. Anthozela Meyrick,1913** (Tortricidae) **Synonym(s):** *Anthozela Meyrick,1913*
- 8380. Antigraetis Meyrick,1930** (Tortricidae) **Synonym(s):** *Antigraetis Meyrick,1930*
- 8381. Antiphraetis Meyrick,1930** (Tortricidae) **Synonym(s):** *Antiphraetis Meyrick,1930*
- 8382. Antirrhopa Diakonoff,1973** (Tortricidae) **Synonym(s):** *Antirrhopa Diakonoff,1973*
- 8383. Apeleptera Diakonoff,1973** (Tortricidae) **Synonym(s):** *Apeleptera Diakonoff,1973*
- 8384. Aphelia (Anaphelia) Razowski,1981** (Tortricidae) **Synonym(s):** *Anaphelia Razowski,1981*
- 8385. Aphelia (Zelotheres) Lederer,1859** (Tortricidae) **Synonym(s):** *Zelotheres Lederer,1859*
- 8386. Aphelia (s.str.) Hübner,[1825]** (Tortricidae) **Synonym(s):** *Aphelia Hübner,[1825]*
- 8387. Aphelia Hübner,[1825]** (Tortricidae) **Synonym(s):** *Aphelia Hübner,[1825]*
- 8388. Apinoglossa Möschler,1890** (Tortricidae) **Synonym(s):** *Apinoglossa Möschler,1890*
- 8389. Apolychrosis Amsel,1962** (Tortricidae) **Synonym(s):** *Apolychrosis Amsel,1962*
- 8390. Apotoforma Busck,1934** (Tortricidae) **Synonym(s):** *Apotoforma Busck,1934; Emeraldella Diakonoff,1960*
- 8391. Apotomis Hübner,[1825]** (Tortricidae) **Synonym(s):** *Apotomis Hübner,[1825]; Aphania Hübner,[1825]; Limma Hübner,[1825]; Antithesia Stephens,1829; Apotomus Agassiz,1847 nec Ill.,1807; Brachytaenia Stephens,1852*
- 8392. Apotomops Powell & Obratzov,1986** (Tortricidae) **Synonym(s):** *Apotomops Powell & Obratzov,1986*
- 8393. Aprepodoxa Meyrick,1937** (Tortricidae) **Synonym(s):** *Aprepodoxa Meyrick,1937*
- 8394. Apsidophora Diakonoff,1973** (Tortricidae) **Synonym(s):** *Apsidophora Diakonoff,1973*
Original Reference: *Apsidophora Diakonoff,1973, Zool. Monogr. Rijksmus. Nat. Hist. 1: 329.*
Type-species: *Apsidophora purpurorbis Diakonoff,1973, by original designation.*
- 8395. Arcesis Diakonoff,1983** (Tortricidae) **Synonym(s):** *Arcesis Diakonoff,1983* **Original Reference:** *Arcesis Diakonoff,1983, Zool. Verh., Leiden 204: 49.* **Type-species:** *Arcesis anax Diakonoff,1983, by original designation.*
- 8396. Archicnephassia Razowski,1983** (Tortricidae) **Synonym(s):** *Archicnephassia Razowski,1983*
- 8397. Archidemis Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *Archidemis Diakonoff,[1968]*
- 8398. Archigraetis Razowski,1964** (Tortricidae) **Synonym(s):** *Archigraetis Razowski,1964*
- 8399. Archilobesia Diakonoff,1966** (Tortricidae) **Synonym(s):** *Lobophora Turner,1946 nec Curt.,1815; Archilobesia Diakonoff,1966; Enveryucelia Koçak,1981*
- 8400. Archimaga Meyrick,1905** (Tortricidae) **Synonym(s):** *Archimaga Meyrick,1905*
- 8401. Archipimima Powell,1986** (Tortricidae) **Synonym(s):** *Archipimima Powell,1986*
- 8402. Archips Hübner,1822** (Tortricidae) **Synonym(s):** *Archips Hübner,1822; Cacoecia Hübner,[1825]; Archippus Freeman,1958; Pararchips Kuznetsov,1970* **Original Reference:** *Archips Hübner,1822, Syst.- alphab. verz. eur. Schmett.: 58-66.* **Type-species:** *Phalaena oporana Linnaeus,1758, by subsequent designation by Meyrick,1913.*
- 8403. Ardeutica Meyrick,1913** (Tortricidae) **Synonym(s):** *Ardeutica Meyrick,1913*
- 8404. Argyroptocha Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *Argyroptocha Diakonoff,[1968]*
- 8405. Argyrotaenia Stephens,1852** (Tortricidae) **Synonym(s):** *Argyrotaenia Stephens,1852; Subargyrotaenia Obratzov,1961.*
- 8406. Arotrophora Meyrick,1881** (Tortricidae) **Synonym(s):** *Arotrophora Meyrick,1881*
- 8407. Articola Meyrick,1907** (Tortricidae) **Synonym(s):** *Articola Meyrick,1907*
- 8408. Artiphanes Diakonoff,1966** (Tortricidae) **Synonym(s):** *Artiphanes Diakonoff,1966*
- 8409. Asaphistis Meyrick,1909** (Tortricidae) **Synonym(s):** *Asaphistis Meyrick,1909; Metaschistis Diakonoff,1953*
- 8410. Asketria Falkovitsh,1964** (Tortricidae) **Synonym(s):** *Asketria Falkovitsh,1964*
- 8411. Assulella Kuznetsov,1973** (Tortricidae) **Synonym(s):** *Assulella Kuznetsov,1973*
- 8412. Asymmetrarcha Diakonoff,1973** (Tortricidae) **Synonym(s):** *Asymmetrarcha Diakonoff,1973*
- 8413. Atepa Razowski,[1992]** (Tortricidae) **Synonym(s):** *Atepa Razowski,[1992]; #Apeta Razowski,[1992]*
- 8414. Aterpia Guenée,1845** (Tortricidae) **Synonym(s):** *Aterpia Guenée,1845; Esia Heinrich,1926; Leptocera Diakonoff,1983 nec Kroeber,1928*
- 8415. Atteria Walker,1863** (Tortricidae) **Synonym(s):** *Atteria Walker,1863*
- 8416. Auratonota Razowski,1987** (Tortricidae) **Synonym(s):** *Auratonota Razowski,1987; #Aurantonota Razowski,1987*
- 8417. Avaria Koçak,1981** (Tortricidae) **Synonym(s):** *Hastula Milliere,1858 nec Adams,1853; Avaria Koçak,1981* **Original Reference:** *Avaria Koçak,1981, Priamus 1 (3): 117.*

- 8418. Baburia Koçak,1981** (Tortricidae) Synonym(s): *Monachantha Diakonoff,1973 (praeocc.); Baburia Koçak,1981* Original Reference: Baburia Koçak,1981, Priamus 1: 118. Type-species: *Monochantha astuta* (Diakonoff,1973).
- 8419. Bactra (Chiloides) Butler,1881** (Tortricidae) Synonym(s): *Chiloides Butler,1881*
- 8420. Bactra (Nannobactra) Diakonoff,1956** (Tortricidae) Synonym(s): *Nannobactra Diakonoff,1956*
- 8421. Bactra (Spinobactra) Diakonoff,1963** (Tortricidae) Synonym(s): *Spinobactra Diakonoff,1963*
- 8422. Bactra (s.str.) Stephens,1834** (Tortricidae) Synonym(s): *Bactra Stephens,1834* Original Reference: Bactra Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 124. Type-species: *Tortrix plagana* Haworth,1811, by subsequent designation by Curtis,1836.
- 8423. Bactra Stephens,1834** (Tortricidae) Synonym(s): *Bactra Stephens,1834* Original Reference: Bactra Stephens,1834, Illust. Br. Ent. (Haustellata) 4: 124. Type-species: *Tortrix plagana* Haworth,1811, by subsequent designation by Curtis,1836.
- 8424. Bakia Koçak,1981** (Tortricidae) Synonym(s): *Idiomorpha Turner,1946 nec Foerster,1869; Bakia Koçak,1981* Original Reference: Bakia Koçak,1981, Priamus 1: 117 (nom. nov. pro *Idiomorpha* Turner,1946 nec Foerster,1869). Type-species: *Idiomorpha reticulata* Turner,1946, by monotypy.
- 8425. Balbidomaga Diakonoff,1983** (Tortricidae) Synonym(s): *Balbidomaga Diakonoff,1983*
- 8426. Banhadoo Razowski & Becker,1983** (Tortricidae) Synonym(s): *Banhadoo Razowski & Becker,1983*
- 8427. Barbara Heinrich,1923** (Tortricidae) Synonym(s): *Barbara Heinrich,1923*
- 8428. Bathypluta Diakonoff,1950** (Tortricidae) Synonym(s): *Bathypluta Diakonoff,1950*
- 8429. Battalia Koçak,1981** (Tortricidae) Synonym(s): *Parachorista Diakonoff,1953 nec Tillyard,1926; Battalia Koçak,1981* Original Reference: Battalia Koçak,1981, Priamus 1: 119. Type-species: *Parachorista cricophora* Diakonoff,1952, by original designation [replacement name for *Parachorista* Diakonoff,1953 nec Tillyard,1926].
- 8430. Belemgena Razowski & Becker,1994** (Tortricidae) Synonym(s): *Belemgena Razowski & Becker,1994*
- 8431. Bicavernaria Razowski,1988** (Tortricidae) Synonym(s): *Bicavernaria Razowski,1988*
- 8432. Bicloununcaria Razowski & Becker,1993** (Tortricidae) Synonym(s): *Bicloununcaria Razowski & Becker,1993*
- 8433. Bidorpidia J.Brown,1991** (Tortricidae) Synonym(s): *Bidorpidia J.Brown,1991*
- 8434. Bipartivalva Kuznetsov,1988** (Tortricidae) Synonym(s): *Bipartivalva Kuznetsov,1988*
- 8435. Bonagota Razowski,1986** (Tortricidae) Synonym(s): *Bonagota Razowski,1986*
- 8436. Brachiocera Diakonoff,1959** (Tortricidae) Synonym(s): *Brachiocera Diakonoff,1959*
- 8437. Brachiolia Razowski,1964** (Tortricidae) Synonym(s): *Brachiolia Razowski,1964*
- 8438. Brachioxena Diakonoff,1968** (Tortricidae) Synonym(s): *Brachioxena Diakonoff,1968; Bipenicillia Amsel,1968*
- 8439. Bubonoxena Diakonoff,[1968]** (Tortricidae) Synonym(s): *Bubonoxena Diakonoff,[1968]*
- 8440. Cacocharis Walsingham,1892** (Tortricidae) Synonym(s): *Cacocharis Walsingham,1892*
- 8441. Cacochoea Lederer,1859** (Tortricidae) Synonym(s): *Cacochoea Lederer,1859*
- 8442. Cacoecimorpha Obraztsov,1954** (Tortricidae) Synonym(s): *Cacoecimorpha Obraztsov,1954*
- 8443. Caenognosis Walsingham,1900** (Tortricidae) Synonym(s): *Caenognosis Walsingham,1900; Epirrhoeca Meyrick,1911*
- 8444. Callibryastis Meyrick,1912** (Tortricidae) Synonym(s): *Callibryastis Meyrick,1912*
- 8445. Camptrodoxa Meyrick,1925** (Tortricidae) Synonym(s): *Camptrodoxa Meyrick,1925*
- 8446. Capricornia Obraztsov,1960** (Tortricidae) Synonym(s): *Melodes Guenée,1845 nec Keyserling & Blasius,1840; Capricornia Obraztsov,1960*
- 8447. Capua Stephens,1834** (Tortricidae) Synonym(s): *Capua Stephens,1834; Teratodes Guenée,1845 nec Brullé,[1837]*
- 8448. Carolella Busck,1939** (Tortricidae) Synonym(s): *Pharmacis Hübner,[1823] nec Hbn.,[1820]; Carolella Busck,1939*
- 8449. Cartagogenia Razowski,[1992]** (Tortricidae) Synonym(s): *Cartagogenia Razowski,[1992]*
- 8450. Catamacta Meyrick,1911** (Tortricidae) Synonym(s): *Catamacta Meyrick,1911*
- 8451. Catastega Clemens,1861** (Tortricidae) Synonym(s): *Catastega Clemens,1861*
- 8452. Celypha Hübner,[1825]** (Tortricidae) Synonym(s): *Euchromia Stephens,1829 nec Hübn.,[1819]; Celypha Hübner,[1825]; Syricoris Treitschke,1829; Sericoris Treitschke,1830; Loxotermia Busck,1906; Paracelypha Obraztsov,1960; Celyphoides Obraztsov,1960*

- 8453. Centroxena Diakonoff,1971** (Tortricidae) Synonym(s): *Centroxena Diakonoff,1971*
Original Reference: *Centroxena Diakonoff,1971*, Veröff. zool. Staatsamml. München 15: 182.
Type-species: *Centroxena ulophora Diakonoff,1971*, by original designation and monotypy.
- 8454. Cephalophyes Diakonoff,1973** (Tortricidae) Synonym(s): *Cephalophyes Diakonoff,1973*
- 8455. Cerace Walker,1863** (Tortricidae) Synonym(s): *Cerace Walker,1863* Original Reference:
Cerace Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 28: 422. Type-species: *Cerace stipatana Walker,1863*, by subsequent designation by Meyrick,1910.
- 8456. Ceramea Diakonoff,1951** (Tortricidae) Synonym(s): *Ceramea Diakonoff,1951*
- 8457. Ceratoxanthia Razowski,1960** (Tortricidae) Synonym(s): *Ceratoxanthia Razowski,1960*
Original Reference: *Ceratoxanthia Razowski,1960*, Polskie Pismo ent. 30: 286, 301. Type-species: *Conchylis argentomixtana Staudinger,1870*, Berl ent. Z. 14: 277, by original designation.
- 8458. Charitographa Diakonoff,1979** (Tortricidae) Synonym(s): *Charitographa Diakonoff,1979*
- 8459. Charitostega Diakonoff,1988** (Tortricidae) Synonym(s): *Charitostega Diakonoff,1988*
- 8460. Chersomorpha Meyrick,1926** (Tortricidae) Synonym(s): *Chersomorpha Meyrick,1926*
- 8461. Chicotortrix Razowski,1987** (Tortricidae) Synonym(s): *Chicotortrix Razowski,1987*
- 8462. Chileulia Powell,1986** (Tortricidae) Synonym(s): *Chileulia Powell,1986*
- 8463. Chilips Razowski,1988** (Tortricidae) Synonym(s): *Chilips Razowski,1988*
- 8464. Chiraps Diakonoff & Razowski,1971** (Tortricidae) Synonym(s): *Chiraps Diakonoff & Razowski,1971*
- 8465. Chlorortha Razowski,1984** (Tortricidae) Synonym(s): *Chlorortha Razowski,1984*
- 8466. Choanograptis Meyrick,1938** (Tortricidae) Synonym(s): *Choanograptis Meyrick,1938*
- 8467. Choristoneura Lederer,1859** (Tortricidae) Synonym(s): *Choristoneura Lederer,1859*;
Cornicacoecia Obratzsov,1954; *Hoshinoa Kawabe,1965* Original Reference: *Choristoneura Lederer,1859*, Wien. ent. Monatschr. 3: 242, 246. Type-species: *Tortrix diversana Hübner,[1817]*, by monotypy.
- 8468. Chrysoxena Meyrick,1912** (Tortricidae) Synonym(s): *Chrysoxena Meyrick,1912*
- 8469. Cimeliomorpha Diakonoff,1966** (Tortricidae) Synonym(s): *Cimeliomorpha Diakonoff,1966*
- 8470. Cirrilaspeyresia Razowski,1961** (Tortricidae) Synonym(s): *Cirrilaspeyresia Razowski,1961*
- 8471. Cirriphora Obratzsov,1951** (Tortricidae) Synonym(s): *Cirriphora Obratzsov,1951*
- 8472. Cirrothaumatia Razowski & Becker,1986** (Tortricidae) Synonym(s): *Cirrothaumatia Razowski & Becker,1986*
- 8473. Clarkenia Razowski,1988** (Tortricidae) Synonym(s): *Clarkenia Razowski,1988*
- 8474. Clarkeulia Razowski,1982** (Tortricidae) Synonym(s): *Clarkeulia Razowski,1982*
- 8475. Clavigesta Obratzsov,1946** (Tortricidae) Synonym(s): *Clavigesta Obratzsov,1946*
- 8476. Clepsia Guenée,1845** (Tortricidae) Synonym(s): *Clepsia Guenée,1845*; *Smicrotes Clemens,1860*;
Siclobola Diakonoff,1948; *Pseudamelia Obratzsov,1954*; *Clepsodes Diakonoff,1957*; *Mochlopyga Diakonoff,1964*
Original Reference: *Clepsia Guenée,1845*, Annls Soc. ent. Fr. (2) 3: 168. Type-species: *Tortrix rusticana Hübner sensu Treitschke,1830 (=senecionana Hübner,[1819])*, by monotypy.
- 8477. Cnephasia (Cnephasiella) Adamczewski,1935** (Tortricidae) Synonym(s): *Cnephasiella Adamczewski,1935*
- 8478. Cnephasia (s.str.) Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826*; *Sciaphila Treitschke,1829*; *Hypostephanuntia Réal,1951*; *Anoplocnephasia Réal,1953*; *Brachycnephasia Réal,1953*
Original Reference: *Cnephasia Curtis,1826*, Br. Ent. 6: 100. Type-species: [*Phalaena*] *logiana Clerck sensu Curtis,1826 (=Tortrix pasluana Hübner,[1799])*, by original designation.
- 8479. Cnephasia Curtis,1826** (Tortricidae) Synonym(s): *Cnephasia Curtis,1826* Original Reference:
Cnephasia Curtis,1826, Br. Ent. 6: 100. Type-species: [*Phalaena*] *logiana Clerck sensu Curtis,1826 (=Tortrix pasluana Hübner,[1799])*, by original designation.
- 8480. Cnephasitis Razowski,1965** (Tortricidae) Synonym(s): *Cnephasitis Razowski,1965*
- 8481. Cnestoboda Razowski,1990** (Tortricidae) Synonym(s): *Cnestoboda Razowski,1990*
- 8482. Coccothera Meyrick,1914** (Tortricidae) Synonym(s): *Coccothera Meyrick,1914*
- 8483. Cochylidia Obratzsov,1956** (Tortricidae) Synonym(s): *Cochylidia Obratzsov,1956*
Original Reference: *Cochylidia Obratzsov,1956*, Mitt. münch. ent. Ges. 46: 14. Type-species: *Tortrix moguntiana Rössler,1864*, Wien. ent. Monatschr. 8: 131, by original designation.
- 8484. Cochylidichnium Razowski,1986** (Tortricidae) Synonym(s): *Cochylidichnium Razowski,1986*
- 8485. Cochylimorpha Razowski,1959** (Tortricidae) Synonym(s): *Stenodes Guenée,1845 nec Dujard.,[1844]*; *Cochylimorpha Razowski,1959*; *Euxanthoides Razowski,1960*; *Substenodes Razowski,1960*;
Eustenodes Razowski,1960; *Bipenisia Razowski,1960*; *Bleszynskiella Razowski,1960*; *Paraxanthoides Raz.,1960*; *Parastenodes Raz.,1960* Original Reference: *Cochylimorpha Razowski,1959*, Polskie

- Pismo ent.29: 440. Type-species: *Cochylis favillana* Staudinger,1859, Ent. Ztg. Stettin 20: 230, by original designation.
- 8486. *Cochylis Treitschke*,1929** (Tortricidae) **Synonym(s):** *Cochylis Treitschke*,1829; *Conchylis Sodoffsky*,1837; *Ponturania Obratzsov*,1943; *Acornutia Obratzsov*,1944; *Cochylischroa Obratzsov & Swatschek*,1958; *Longicornutia*, *Neocochylis*, *Paracochylis*, *Brevicornutia Razowski*,1960. **Original Reference:** *Cochylis Treitschke*,1829, Schmett. Eur. 7: 233. Type-species: *Tortrix rubellana* Hübner,[1823], Samml. eur. Schmett.7: pl.46 figs 285-287, by subsequent designation by Curtis,1834, Br. Ent. 11: 491.
- 8487. *Coelostathma Clemens*,1860** (Tortricidae) **Synonym(s):** *Coelostathma Clemens*,1860
- 8488. *Collicularia Obratzsov*,1960** (Tortricidae) **Synonym(s):** *Collicularia Obratzsov*,1960
- 8489. *Collogenes Meyrick*,1931** (Tortricidae) **Synonym(s):** *Collogenes Meyrick*,1931
- 8490. *Commophila Hübner*,[1825]** (Tortricidae) **Synonym(s):** *Commophila Hübner*,[1825]
- 8491. *Coniostola Diakonoff*,1961** (Tortricidae) **Synonym(s):** *Coniostola Diakonoff*,1961
- 8492. *Coristaca Razowski*,[1992]** (Tortricidae) **Synonym(s):** *Coristaca Razowski*,[1992]
- 8493. *Cornesia Razowski*,1981** (Tortricidae) **Synonym(s):** *Cornesia Razowski*,1981
- 8494. *Coryssovalva Razowski*,1987** (Tortricidae) **Synonym(s):** *Coryssovalva Razowski*,1987
- 8495. *Cosmorrhyncha Meyrick*,1913** (Tortricidae) **Synonym(s):** *Cosmorrhyncha Meyrick*,1913
- 8496. *Costosa Diakonoff*,[1968]** (Tortricidae) **Synonym(s):** *Costosa Diakonoff*,[1968]; *Rhodonympha Diakonoff*,1968
- 8497. *Crimnologa Meyrick*,1920** (Tortricidae) **Synonym(s):** *Crimnologa Meyrick*,1920
- 8498. *Crociosema Zeller*,1847** (Tortricidae) **Synonym(s):** *Crociosema Zeller*,1847; *#Crocidosoma Walker*,1863; *Heligmocera Walsingham*,1892; *Parasuleima Clarke*,1965
- 8499. *Croesia Hübner*,[1825]** (Tortricidae) **Synonym(s):** *Croesia Hübner*,[1825]; *Argyrotoza Stephens*,1829; *Argyrotoxa Agassiz*,1847; *Ergasia Issiki & Stringer*,1932
- 8500. *Crotalaria Razowski & Brown*,2010** (Tortricidae) **Synonym(s):** *Crotalaria Razowski & Brown*,2010
- 8501. *Crusimetra Meyrick*,1912** (Tortricidae) **Synonym(s):** *Crusimetra Meyrick*,1912
- 8502. *Cryptaspa (Allobrachygonia) Fernald*,1908** (Tortricidae) **Synonym(s):** *Brachygonia Walsingham*,1900 (praeocc.); *Allobrachygonia Fernald*,1908; *Acharneodes Meyrick*,1926
- 8503. *Cryptaspa (Anaphorodes) Diakonoff*,1959** (Tortricidae) **Synonym(s):** *Anaphorodes Diakonoff*,1959
- 8504. *Cryptaspa (Metaspa) Diakonoff*,1959** (Tortricidae) **Synonym(s):** *Metaspa Diakonoff*,1959
- 8505. *Cryptaspa (Microcorses) Walsingham*,1900** (Tortricidae) **Synonym(s):** *Microcorses Walsingham*,1900
- 8506. *Cryptaspa (s.str.) Walsingham*,1900** (Tortricidae) **Synonym(s):** *Cryptaspa Walsingham*,1900; *Brachygonia Walsingham*,1900; *Microcorses Walsingham*,1900; *Allobrachygonia Fernald*,1908; *Acharneodes Meyrick*,1926
- 8507. *Cryptaspa Walsingham*,1900** (Tortricidae) **Synonym(s):** *Cryptaspa Walsingham*,1900; *Brachygonia Walsingham*,1900; *Microcorses Walsingham*,1900; *Allobrachygonia Fernald*,1908; *Acharneodes Meyrick*,1926
- 8508. *Cryptocochylis Razowski*,1960** (Tortricidae) **Synonym(s):** *Cryptocochylis Razowski*,1960 **Original Reference:** *Cryptocochylis Razowski*,1960, Polskie Pismo ent. 30: 287,313. Type-species: *Conchylis conjunctana* Mann,1864, Wien. ent. Monatschr. 8: 183, pl.4 fig.12, by original designation.
- 8509. *Cryptomelaena Diakonoff*,1983** (Tortricidae) **Synonym(s):** *Cryptomelaena Diakonoff*,1983
- 8510. *Cryptophlebia Walsingham*,1899** (Tortricidae) **Synonym(s):** *Cryptophlebia Walsingham*,1899; *Pogonozada Hampson*,1905; *Thaumatotibia Zacker*,1915; *Metriophlebia Diakonoff*,1969; *#Cryptophlebia Hutacharern & Tubtim*,1995
- 8511. *Ctenopseustis Meyrick*,1885** (Tortricidae) **Synonym(s):**
- 8512. *Cuproxena Powell & J.Brown*,1991** (Tortricidae) **Synonym(s):** *Cuproxena Powell & J.Brown*,1991
- 8513. *Cydia Hübner*,[1825]** (Tortricidae) **Synonym(s):** *Cydia Hübner*,[1825]; *Laspeyresia Hübner*,[1825] nec R.L.,1817; *Eucelis Hübner*,[1825]; *Erminea Kirby & Spence*,1826 nec Hw.,1811; *Semasia Stephens*,1829; *Carpocapsa Treitschke*,1829; *Coccyx Treitschke*,1829; *Grapholita Treitschke*,1829; *Aspila Stephens*,1834; *Euspila Stephens*,1834; *Ephippiphora Duponchel*,1834; *Strobila Sodoffsky*,1837 nec Sars,1829; *Carpocampa Harris*,1841; *Trycheris Guenée*,1845; *Orchemia Guenée*,1845; *Opadia Guenée*,1845; *Endopisa Guenée*,1845; *Stigmonota Guenée*,1845; *Cerata Stephens*,1852; *Coptoloma Lederer*,1859; *Melissopus Riley*,1882; *Adenoneura Walsingham*,1907; *Crobylophora Kennel*,1908 nec Meyr.,1880; *Kenneliola Paclt*,1951; *Pseudotomoides Obratzsov*,1968; *Danilevskia Kuznetsov*,1970; *Dicraniana Diakonoff*,1984. **Original Reference:** *Cydia Hübner*,[1825], Verz. bekannt. Schmett.: 375. Type-species: *Phalaena pomonella* Linnaeus,1758, by subsequent designation by Walsingham,1897.

8514. **Cylichneulia Razowski,1994** (Tortricidae) Synonym(s): *Cylichneulia Razowski,1994*
8515. **Cymolomia Lederer,1859** (Tortricidae) Synonym(s): *Cymolomia Lederer,1859*
8516. **Dactylioglypha Diakonoff,1973** (Tortricidae) Synonym(s): *Dactylioglypha Diakonoff,1973*
8517. **Dasodis Diakonoff,1983** (Tortricidae) Synonym(s): *Dasodis Diakonoff,1983*
8518. **Decodes Obratzsov,1961** (Tortricidae) Synonym(s): *Decodes Obratzsov,1961*
8519. **Decodina Powell,1980** (Tortricidae) Synonym(s): *Decodina Powell,1980*
8520. **Deltinea Pastrana,1961** (Tortricidae) Synonym(s): *Deltinea Pastrana,1961*
8521. **Deltobathra Meyrick,1923** (Tortricidae) Synonym(s): *Deltobathra Meyrick,1923*
8522. **Demeijerella Diakonoff,1954** (Tortricidae) Synonym(s): *Demeijerella Diakonoff,1954*;
Parepisimia Diakonoff,1975
8523. **Diactenis Meyrick,1907** (Tortricidae) Synonym(s): *Diactenis Meyrick,1907*
8524. **Diakonoffiana Koçak,1981** (Tortricidae) Synonym(s): *Nyctidea Diakonoff,1973 nec*
Reuter,1903; *Diakonoffiana Koçak,1981* Original Reference: *Diakonoffiana Koçak,1981*, priamus 1:
118 (nom. nov. pro *Nyctidea Diakonoff,1973 nec Reuter,1903*). Type-species: *Nyctidea cyanitis*
Diakonoff,1973, by original designation.
8525. **Dicellitis Meyrick,1908** (Tortricidae) Synonym(s): *Dicellitis Meyrick,1908*
8526. **Dicephalarcha Diakonoff,1973** (Tortricidae) Synonym(s): *Dicephalarcha Diakonoff,1973*
8527. **Diceratura Djakonov,1929** (Tortricidae) Synonym(s): *Diceratura Djakonov,1929*
Original Reference: *Diceratura Djakonov,1929*, Revue russk. Ent. 23: 155. Type-species: *Cochylis*
purpuratana Herrich-Schäffer,1851, Syst. Bearbeitung Schmett. Eur. 4: 186; 1847, ibidem 4:
pl.Tortricides 12 fig.81, by original designation.
8528. **Dichelia Guenée,1845** (Tortricidae) Synonym(s): *Dichelia Guenée,1845*; *Parasyndemis*
Obratzsov,1954
8529. **Dichrorampha Guenée,1845** (Tortricidae) Synonym(s): *Amaurosetia Stephens,1835*
(suppressed, ICZN,1999); *Dichrorampha Guenée,1845*; *Lipoptycha Lederer,1859*; *Balbis Walsingham,1897*;
Dichroramphoides Obratzsov,1953; *Lipoptychodes Obratzsov,1953*; *Paralipoptycha Obratzsov,1958*
8530. **Dicnecidia Diakonoff,1982** (Tortricidae) Synonym(s): *Dicnecidia Diakonoff,1982*
8531. **Dierlia Diakonoff,1976** (Tortricidae) Synonym(s): *Dierlia Diakonoff,1976*
8532. **Dinogenes Meyrick,1934** (Tortricidae) Synonym(s): *Dinogenes Meyrick,1934*
8533. **Dinophalia Razowski & Becker,1993** (Tortricidae) Synonym(s): *Dinophalia Razowski &*
Becker,1993
8534. **Ditula Stephens,1829** (Tortricidae) Synonym(s): *Ditula Stephens,1829*; *Batodes Guenée,1845*
8535. **Dolichurella Diakonoff,1983** (Tortricidae) Synonym(s): *Dolichurella Diakonoff,1983*
8536. **Doliochastis Meyrick,1920** (Tortricidae) Synonym(s): *Doliochastis Meyrick,1920*
8537. **Doloploca Hübner,[1825]** (Tortricidae) Synonym(s): *Doloploca Hübner,[1825]*
8538. **Dorithia Powell,1964** (Tortricidae) Synonym(s): *Dorithia Powell,1964*
8539. **Dracontogena Diakonoff,1970** (Tortricidae) Synonym(s): *Dracontogena Diakonoff,1970*
8540. **Droceta Razowski,2006** (Tortricidae) Synonym(s): *Droceta Razowski,2006*
8541. **Dudua Walker,1864** (Tortricidae) Synonym(s): *Dudua Walker,1864*; *Platypeplus*
Walsingham,1887; *Platypeplum Walsingham,1899*
8542. **Durangarchips Powell,1991** (Tortricidae) Synonym(s): *Durangarchips Powell,1991*
8543. **Dynatocephala Diakonoff,1983** (Tortricidae) Synonym(s): *Dynatocephala Diakonoff,1983*
8544. **Eana (Eutrachia) Hübner,1822** (Tortricidae) Synonym(s): *Eutrachia Hübner,1822*; *Ablabia*
Hübner,[1825]; *Argyroptera Duponchel,1834*
8545. **Eana (Subeana) Obratzsov,1962** (Tortricidae) Synonym(s): *Subeana Obratzsov,1962*
8546. **Eana (s.str.) Billberg,1820** (Tortricidae) Synonym(s): *Eana Billberg,1820*; *Nephodesme*
Hübner,[1825]
8547. **Eana Billberg,1820** (Tortricidae) Synonym(s): *Eana Billberg,1820*; *Nephodesme Hübner,[1825]*
8548. **Eboda Walker,1866** (Tortricidae) Synonym(s): *Eboda Walker,1866*
8549. **Ebodina Diakonoff,[1968]** (Tortricidae) Synonym(s): *Ebodina Diakonoff,[1968]*
8550. **Eccopsis Zeller,1852** (Tortricidae) Synonym(s): *Eccopsis Zeller,1852*
8551. **Ecdytolopha Zeller,1875** (Tortricidae) Synonym(s): *Ecdytolopha Zeller,1875*
8552. **Ecnomiomorpha Obratzsov,1959** (Tortricidae) Synonym(s): *Ecnomiomorpha*
Obratzsov,1959
8553. **Electraglaia Diakonoff,1976** (Tortricidae) Synonym(s): *Electraglaia Diakonoff,1976*
8554. **Embolostoma Diakonoff,1977** (Tortricidae) Synonym(s): *Embolostoma Diakonoff,1977*
8555. **Emrahia Koçak,1981** (Tortricidae) Synonym(s): *Scoliographa Diakonoff,1975 nec Myr.,1916*;
Emrahia Koçak,1981 Original Reference: *Emrahia Koçak,1981*, Priamus 1 (3): 120 (nom. nov. pro

- Scoliographa Diakonoff,1975 nec Myr.,1916). Type-species: *Argyroplote hoplista* Meyrick,1927, by original designation.
- 8556. Enallcochylis Razowski & Becker,1986** (Tortricidae) Synonym(s): *Enallcochylis* Razowski & Becker,1986
- 8557. Enarmonia Hübner,[1825]** (Tortricidae) Synonym(s): *Enarmonia* Hübner,[1825]; #*Enarmonia* Hübner,[1825]; *Enarmonopsis* Kuznetsov,1969
- 8558. Enarmoniodes Ghesquière,1940** (Tortricidae) Synonym(s): *Enarmoniodes* Ghesquière,1940
- 8559. Enarmonodes Danilevsky & Kuznetsov,1968** (Tortricidae) Synonym(s): *Enarmonodes* Danilevsky & Kuznetsov,1968
- 8560. Endothenia Stephens,1852** (Tortricidae) Synonym(s): *Orthotaenia* Stainton,1859 nec Stt.,1829; *Endothenia* Stephens,1852; *Taniva* Heinrich,1926; *Tia* Heinrich,1926; *Hulda* Heinrich,1926; *Alloendothenia* Oku,1963; *Neothernia* Diakonoff,1973
- 8561. Engelana Diakonoff,1968** (Tortricidae) Synonym(s): *Engelana* Diakonoff,1968
- 8562. Epagoge Hübner,[1825]** (Tortricidae) Synonym(s): *Epagoge* Hübner,[1825]; #*Epagoge* Hübner,[1825]
- 8563. Epelebodina Razowski,2006** (Tortricidae) Synonym(s): *Epelebodina* Razowski,2006
- 8564. Epibactra Ragonot,1894** (Tortricidae) Synonym(s): *Epibactra* Ragonot,1894
- 8565. Epiblema Hübner,[1825]** (Tortricidae) Synonym(s): *Epiblema* Hübner,[1825]; #*Epiblemma* Hübner,[1825]; *Cacochroea* Lederer,1859; *Monosphragis* Clemens,1860; *Euryptychia* Clemens,1865; #*Euryptychia* Heinrich,1923 Original Reference: *Epiblema* Hübner,[1825], Verz. bekannt. Schmett.: 375. Type-species: *Phalaena foenella* Linnaeus,1758, by subsequent designation by Fernald,1908.
- 8566. Epichorista Meyrick,1909** (Tortricidae) Synonym(s): *Epichorista* Meyrick,1909
- 8567. Epichoristodes (Tubula) Diakonoff,1960** (Tortricidae) Synonym(s): *Tubula* Diakonoff,1960
- 8568. Epichoristodes (s.str.) Diakonoff,1960** (Tortricidae) Synonym(s): *Epichoristodes* Diakonoff,1960
- 8569. Epichoristodes Diakonoff,1960** (Tortricidae) Synonym(s): *Epichoristodes* Diakonoff,1960
- 8570. Epinotia Hübner,[1825]** (Tortricidae) Synonym(s): *Epinotia* Hübner,[1825]; *Astasia* Hübner,[1825]; *Asthenia* Hübner,[1825]; *Evetria* Hübner,[1825]; *Panoplia* Hübner,[1825]; *Acalla* Hübner,[1825]; *Poecilochroma* Stephens,1829; *Paedisca* Treitschke,1830; *Steganoptycha* Stephens,1834; *Paragrapha* Sodoffsky,1837; *Hypermezia* Guenée,1845; *Phlaeodes* Guenée,1845; *Pamplusia* Guenée,1845; *Cartella* Stephens,1852; *Halonota* Stephens,1852; *Lithographia* Stephens,1852; #*Curtella* Stainton,1859; *Proteopteryx* Walsingham,1879; #*Epinotis* Kearfott,1907; *Neurasthenia* Pierce & Metcalfe,1922; *Griselda* Heinrich,1923; *Hamuligera* Obratzov,1946
- 8571. Epiphyas Turner,1927** (Tortricidae) Synonym(s): *Epiphyas* Turner,1927
- 8572. Episimus Walsingham,1892** (Tortricidae) Synonym(s): *Episimus* Walsingham,1892; *Antictenista* Meyrick,1927
- 8573. Epitrichosma Lower,1908** (Tortricidae) Synonym(s): *Epitrichosma* Lower,1908; #*Epitrichosma* Common,1965
- 8574. Eppihus Razowski,2006** (Tortricidae) Synonym(s): *Eppihus* Razowski,2006
- 8575. Erinaea Meyrick,1907** (Tortricidae) Synonym(s): *Erinaea* Meyrick,1907
- 8576. Eriopsela Guenée,1845** (Tortricidae) Synonym(s): *Eriopsela* Guenée,1845; #*Eriopsela* Desmarest,1857. Original Reference: *Eriopsela* Guenée,1845, Annls Soc. ent. Fr. (2) 3: 163. Type-species: *Tortrix quadrana* Hübner,[1813], by subsequent designation by Desmarest,1857.
- 8577. Eriotortrix Razowski,1988** (Tortricidae) Synonym(s): *Eriotortrix* Razowski,1988
- 8578. Ernocornutia Razowski,1988** (Tortricidae) Synonym(s): *Ernocornutia* Razowski,1988
- 8579. Ernocornutina Razowski,1988** (Tortricidae) Synonym(s): *Ernocornutina* Razowski,1988
- 8580. Ethelgoda Heinrich,1926** (Tortricidae) Synonym(s): *Ethelgoda* Heinrich,1926
- 8581. Eubrochoneura Diakonoff,1966** (Tortricidae) Synonym(s): *Eubrochoneura* Diakonoff,1966
- 8582. Eucoenogenes Meyrick,1939** (Tortricidae) Synonym(s): *Caenogenes* Meyrick,1937 (homonym); *Eucoenogenes* Meyrick,1939
- 8583. Eucosma Hübner,1823** (Tortricidae) Synonym(s): *Eucosma* Hübner,1823; *Catoptria* Guenée,1845 nec Hübner,[1825]; *Phaneta* Stephens,1852; *Calosetia* Stainton,1859; *Pygolopha* Lederer,1859; *Ioplocama* Clemens,1860; *Affa* Walker,1863; *Exentera* Grote,1877; *Exenterella* Grote,1883; *Palpocrinia* Kennel,1919; *Astenodes* Kuznetsov,1966. Original Reference: *Eucosma* Hübner,1823, Zutr. Samml. exot. Schmett. 2: 28. Type-species: *Eucosma circulana* Hübner,1823, by subsequent designation by Fernald,1908.
- 8584. Eucosmogastra Diakonoff,1975** (Tortricidae) Synonym(s): *Eucosmogastra* Diakonoff,1975; *Nenomoshia* Clarke,1976
- 8585. Eucosmomorpha Obratzov,1951** (Tortricidae) Synonym(s): *Eucosmomorpha* Obratzov,1951

- 8586. Eudemis (Acanthothyspoda) Lower,1908** (Tortricidae) Synonym(s): *Acanthothyspoda* Lower,1908; *Choganthia* Razowski,1960
- 8587. Eudemis Hübner,[1825]** (Tortricidae) Synonym(s): *Eudemis* Hübner,[1825]; *Thirates* Treitschke,1829; *Therates* Agassiz,1847 nec Latr.,1817
- 8588. Eudemopsis Falkovitsh,1962** (Tortricidae) Synonym(s): *Eudemopsis* Falkovitsh,1962
- 8589. Eugnosta Hübner,[1825]** (Tortricidae) Synonym(s): *Eugnosta* Hübner,[1825]; *Argyrolepis* Stephens,1829; *Safrina* Walker,1863. Original Reference: *Eugnosta* Hübner,[1825], Verz. bakennter Schmett.: 394. Type-species: *Tortrix lathoniana* Hübner,[1800], Samml. eur. Schmett. 7: pl.30 fig.189, by subsequent designation by Fernald,1908, Genera Tortricidae Types: 17,54.
- 8590. Eulia Hübner,[1825]** (Tortricidae) Synonym(s): *Eulia* Hübner,[1825]; *Lophoderus* Stephens,1829
- 8591. Eumaroza Heinrich,1926** (Tortricidae) Synonym(s): *Eumaroza* Heinrich,1926
- 8592. Eupoecilia Stephens,1829** (Tortricidae) Synonym(s): *Eupoecilia* Stephens,1829; *Clysia* Hübner,[1825]; *Clysiana* T.B.Fletcher,1941; *Arachnoites* Diakonoff,1952. Original Reference: *Eupoecilia* Stephens,1829 [June], Nom. Br. Insects: 48. Type-species: *Tortrix angustana* Hübner,[1799], Samml. eur. Schmett. 7: pl.12 fig.74, by subsequent designation by Westwood,1840, Introd. mod. Classif. Insects 2 (Synopsis Genera Br. Insects): 109.
- 8593. Exapate Hübner,[1825]** (Tortricidae) Synonym(s): *Exapate* Hübner,[1825]
- 8594. Exoletuncus Razowski,1988** (Tortricidae) Synonym(s): *Exoletuncus* Razowski,1988
- 8595. Falseuncaria Obraztsov & Swatschek,1958** (Tortricidae) Synonym(s): *Falseuncaria* Obraztsov & Swatschek,1958 Original Reference: *Falseuncaria* Obraztsov & Swatschek, 1958, in Swatschek, Abh. Larvalsyst. Insekten 3: 232. Type-species: *Tortrix ruficiliana* Haworth,1811, Lepid. Br.: 402, by original designation.
- 8596. Fibuloides Kuznetsov,1997** (Tortricidae) Synonym(s): *Fibuloides* Kuznetsov,1997
- 8597. Fulcrifera Danilevsky & Kuznetsov,1968** (Tortricidae) Synonym(s): *Fulcrifera* Danilevsky & Kuznetsov,1968 Original Reference: *Fulcrifera* Danilevsky & Kuznetsov,1968, Fauna SSSR (n.s.) 98 (5) (1): 454. Type-species: *Laspeyresia luteiceps* Kuznetsov,1962, by original designation.
- 8598. Fulvoclysia Obraztsov,1943** (Tortricidae) Synonym(s): *Fulvoclysia* Obraztsov,1943 Original Reference: *Fulvoclysia* Obraztsov,1943, Z. wien. ent. Ges. 28: 43. Type-species: *Fulvoclysia armeniaca* Obraztsov,1943, ibidem 28: 44, figs 1,2, by original designation.
- 8599. Galomecalpa Razowski,1990** (Tortricidae) Synonym(s): *Galomecalpa* Razowski,1990
- 8600. Gatesclarkeana Diakonoff,1966** (Tortricidae) Synonym(s): *Gatesclarkeana* Diakonoff,1966
- 8601. Gauruncus Razowski,1988** (Tortricidae) Synonym(s): *Gauruncus* Razowski,1988
- 8602. Geita Aarvik,2004** (Tortricidae) Synonym(s): *Geita* Aarvik,2004
- 8603. Geitocochylis Razowski,1984** (Tortricidae) Synonym(s): *Geitocochylis* Razowski,1984
- 8604. Genetancylis Razowski,1995** (Tortricidae) Synonym(s): *Genetancylis* Razowski,1995
- 8605. Gibberifera Obraztsov,1946** (Tortricidae) Synonym(s): *Gibberifera* Obraztsov,1946; *#Gibberelifera* Byun & Park,1994
- 8606. Gnathmocerodes Diakonoff,[1968]** (Tortricidae) Synonym(s): *Gnathmocerodes* Diakonoff,[1968]
- 8607. Gnorismoneura Issiki & Stringer,1932** (Tortricidae) Synonym(s): *Gnorismoneura* Issiki & Stringer,1932
- 8608. Gravitarmata Obraztsov,1946** (Tortricidae) Synonym(s): *Gravitarmata* Obraztsov,1946
- 8609. Gretchena Heinrich,1923** (Tortricidae) Synonym(s): *Gretchena* Heinrich,1923; *Gretchina* Forbes
- 8610. Gryposcleroma Razowski,1986** (Tortricidae) Synonym(s): *Gryposcleroma* Razowski,1986
- 8611. Gynnidomorpha Turner,1916** (Tortricidae) Synonym(s): *Gynnidomorpha* Turner,1916; *Piercea* Filipjev,1940. Original Reference: *Gynnidomorpha* Turner,1916, Trans. R. Soc. S. Aust. 40: 518. Type-species: *Gynnidomorpha mesoxutha* Turner,1916, by monotypy.
- 8612. Gypsonoma Meyrick,1895** (Tortricidae) Synonym(s): *Gypsonoma* Meyrick,1895 Original Reference: *Gypsonoma* Meyrick,1895, Handbk. Br. Lepid.: 481. Type-species: *Tortrix dealbana* Frölich,1828, by subsequent designation by Fernald,1908.
- 8613. Harposcleritia Razowski,1990** (Tortricidae) Synonym(s): *Harposcleritia* Razowski,1990
- 8614. Hedyia Hübner,[1825]** (Tortricidae) Synonym(s): *Hedyia* Hübner,[1825]; *Episagma* Hübner,[1825]; *Pendina* Treitschke,1829; *Penthina* Treitschke,1830.
- 8615. Heleanna Clarke,1976** (Tortricidae) Synonym(s): *Heleanna* Clarke,1976
- 8616. Helicteulia Razowski,1988** (Tortricidae) Synonym(s): *Helicteulia* Razowski,1988

- 8617. Helictophanes Meyrick, 1881** (Tortricidae) Synonym(s): *Helictophanes Meyrick, 1881*; *Ruthita Clarke, 1976*
- 8618. Henricus Busck, 1943** (Tortricidae) Synonym(s): *Heinrichia Busck, 1939* (praeocc.); *Henricus Busck, 1943*; *Irazona Razowski, 1964*
- 8619. Heppnerographa Razowski, 1987** (Tortricidae) Synonym(s): *Heppnerographa Razowski, 1987*
- 8620. Hermenias Meyrick, 1911** (Tortricidae) Synonym(s): *Hermenias Meyrick, 1911*
- 8621. Herpystis Meyrick, 1911** (Tortricidae) Synonym(s): *Herpystis Meyrick, 1911*; *Diplonearcha Meyrick, 1914*
- 8622. Hilarographa Zeller, 1877** (Tortricidae) Synonym(s): *Hilarographa Zeller, 1877*
- 8623. Histura Razowski, 1981** (Tortricidae) Synonym(s): *Histura Razowski, 1981*
- 8624. Histurodes Razowski, 1984** (Tortricidae) Synonym(s): *Histurodes Razowski, 1984*
- 8625. Holoptygma Powell, 1986** (Tortricidae) Synonym(s): *Holoptygma Powell, 1986*
- 8626. Homona Walker, 1863** (Tortricidae) Synonym(s): *Homona Walker, 1863*; *Ericia Walker, 1866* (homonym); *Godana Walker, 1866*; *Ericiana Strand, 1910*
- 8627. Hoplitendemis Diakonoff, 1973** (Tortricidae) Synonym(s): *Hoplitendemis Diakonoff, 1973*
- 8628. Hynhamia Razowski, 1987** (Tortricidae) Synonym(s): *Hynhamia Razowski, 1987*
- 8629. Hypenolobosa Razowski, [1992]** (Tortricidae) Synonym(s): *Hypenolobosa Razowski, [1992]*
- 8630. Hypostromatia Zeller, 1866** (Tortricidae) Synonym(s): *Hypostromatia Zeller, 1866*
- 8631. Hyptiharpa Razowski, [1992]** (Tortricidae) Synonym(s): *Hyptiharpa Razowski, [1992]*
- 8632. Hysterophora Obratzsov, 1944** (Tortricidae) Synonym(s): *Hysterophora Obratzsov, 1944*
Original Reference: *Hysterophora Obratzsov, 1944*, Dt. ent. Z. Iris 57: 67. Type-species: *Tortrix maculosana* Haworth, 1811, Lepid. Br.: 438, by monotypy.
- 8633. Icteralaria Razowski, [1992]** (Tortricidae) Synonym(s): *Icteralaria Razowski, [1992]*
- 8634. Idiothauma Walsingham, 1897** (Tortricidae) Synonym(s): *Idiothauma Walsingham, 1897*
- 8635. Idolatteria Walsingham, 1913** (Tortricidae) Synonym(s): *Idolatteria Walsingham, 1913*
- 8636. Inape Razowski, 1988** (Tortricidae) Synonym(s): *Inape Razowski, 1988*
- 8637. Isodemis Diakonoff, 1952** (Tortricidae) Synonym(s): *Isodemis Diakonoff, 1952*
- 8638. Isotenes Meyrick, 1938** (Tortricidae) Synonym(s): *Isotenes Meyrick, 1938*
- 8639. Isotrias Meyrick, 1895** (Tortricidae) Synonym(s): *Isotrias Meyrick, 1895*
- 8640. Josefrazowskia Koçak & Kemal, 2008** (Tortricidae) Synonym(s): *Worcesteria Razowski, 2006* nec *Banks, 1906*; *Josefrazowskia Koçak & Kemal, 2008* Original Reference: *Josefrazowskia Koçak & Kemal, 2008*, Cent. ent. Stud., Misc. Pap. 138: 9 (nomen novum pro *Worcesteria Razowski, 2006* nec *Banks, 1906*).
- 8641. Juxtolenia Razowski & Becker, 1993** (Tortricidae) Synonym(s): *Juxtolenia Razowski & Becker, 1993*
- 8642. Karacaoglania Koçak, 1981** (Tortricidae) Synonym(s): *Diacantha Diakonoff, 1976* nec *Swains., 1839*; *Karacaoglania Koçak, 1981* Original Reference: *Karacaoglania Koçak, 1981*, Priamus 1 (3): 115 (nom. nov. pro *Diacantha Diakonoff, 1976* nec *Swains., 1839*). Type-species: *Laspeyresia xerophila* Meyrick, 1939, by original designation.
- 8643. Kennelia Rebel, 1901** (Tortricidae) Synonym(s): *Anomalopteryx Kennel, 1900* nec *Stein, 1874*; *Kennelia Rebel, 1901*
- 8644. Kenneliola Paclt, 1951** (Tortricidae) Synonym(s): *Kenneliola Paclt, 1951*
- 8645. Lambertiodes Diakonoff, 1959** (Tortricidae) Synonym(s): *Lambertiodes Diakonoff, 1959*
- 8646. Lasiothyris Meyrick, 1917** (Tortricidae) Synonym(s): *Lasiothyris Meyrick, 1917*
- 8647. Lathronympha Meyrick, 1936** (Tortricidae) Synonym(s): *Lathronympha Meyrick, 1936*
- 8648. Lepteucosma Diakonoff, 1971** (Tortricidae) Synonym(s): *Lepteucosma Diakonoff, 1971*; *Ceriodes Diakonoff, 1984* Original Reference: *Lepteucosma Diakonoff, 1971*, Veröff. zool. Staatssamml. München 15: 179. Type-species: *Lepteucosma oxychrysa* Diakonoff, 1971, by original designation.
- 8649. Lincicochylis Razowski, 1986** (Tortricidae) Synonym(s): *Lincicochylis Razowski, 1986*
- 8650. Lipoptycha Lederer, 1859** (Tortricidae) Synonym(s): *Lipoptycha Lederer, 1859*
- 8651. Lipsotelus Walsingham, 1900** (Tortricidae) Synonym(s): *Lipsotelus Walsingham, 1900*
- 8652. Lobesia (Harmosma) Diakonoff, 1963** (Tortricidae) Synonym(s): *Harmosma Diakonoff, 1963*
- 8653. Lobesia (Lomaschiza) Lower, 1901** (Tortricidae) Synonym(s): *Lomaschiza Lower, 1901*
- 8654. Lobesia (s.str.) Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia Guenée, 1845*; *Lomaschizodes Diakonoff, 1954*

- 8655. Lobesia Guenée, 1845** (Tortricidae) Synonym(s): *Lobesia Guenée, 1845*; *Lomaschizodes Diakonoff, 1954*
- 8656. Lobesiodes Diakonoff, 1954** (Tortricidae) Synonym(s): *Lobesiodes Diakonoff, 1954*
- 8657. Lobogenesis Razowski, 1990** (Tortricidae) Synonym(s): *Lobogenesis Razowski, 1990*
- 8658. Loboschiza Diakonoff, [1968]** (Tortricidae) Synonym(s): *Loboschiza Diakonoff, [1968]*; *Rhadinoscopolops Obraztsov, 1968*
- 8659. Lopharcha Diakonoff, 1941** (Tortricidae) Synonym(s): *Lopharcha Diakonoff, 1941*; *Laciniella Dugdale, 1966*; *#Loparcha Kuznetsov, 2000*
- 8660. Lorita Busck, 1939** (Tortricidae) Synonym(s): *Lorita Busck, 1939*
- 8661. Lozotaenia Stephens, 1829** (Tortricidae) Synonym(s): *Lozotaenia Stephens, 1829*
- 8662. Lozotaeniodes Obraztsov, 1954** (Tortricidae) Synonym(s): *Lozotaeniodes Obraztsov, 1954*
- 8663. Lumaria Diakonoff, 1976** (Tortricidae) Synonym(s): *Lumaria Diakonoff, 1976*
- 8664. Lydontopa Razowski & Pelz, 2003** (Tortricidae) Synonym(s): *Lydontopa Razowski & Pelz, 2003*
- 8665. Lypothora Razowski, 1981** (Tortricidae) Synonym(s): *Lypothora Razowski, 1981*
- 8666. Macrochlidia J. Brown, 1990** (Tortricidae) Synonym(s): *Macrochlidia J. Brown, 1990*
- 8667. Marylinka Razowski & Becker, 1983** (Tortricidae) Synonym(s): *Marylinka Razowski & Becker, 1983*
- 8668. Matsumuraeses Issiki, 1957** (Tortricidae) Synonym(s): *Matsumuraeses Issiki, 1957*; *Laspeyresinia Razowski, 1960*
- 8669. Maurecochylis Razowski & Becker, 1983** (Tortricidae) Synonym(s): *Maurecochylis Razowski & Becker, 1983*
- 8670. Megaherpystis Diakonoff, 1969** (Tortricidae) Synonym(s): *Megaherpystis Diakonoff, 1969*
- 8671. Megalota Diakonoff, 1966** (Tortricidae) Synonym(s): *Megalota Diakonoff, 1966*
- 8672. Mehteria Koçak, 1981** (Tortricidae) Synonym(s): *Gephyroneura Obraztsov, 1968 nec Turner, 1919*; *Mehteria Koçak, 1981* Original Reference: *Mehteria Koçak, 1981, Priamus 1 (3): 117* (nom. nov. pro *Gephyroneura Obraztsov, 1968 nec Turner, 1919*). Type-species: *Laspeyresia hemidoxa* Meyrick, 1907, by original designation.
- 8673. Meiligma Diakonoff, 1973** (Tortricidae) Synonym(s): *Meiligma Diakonoff, 1973*
- 8674. Melanolopha Diakonoff, 1941** (Tortricidae) Synonym(s): *Melanolopha Diakonoff, 1941*
- 8675. Meridemis Diakonoff, 1976** (Tortricidae) Synonym(s): *Meridemis Diakonoff, 1976*
- 8676. Mesocallyntera Diakonoff, 1959** (Tortricidae) Synonym(s): *Mesocallyntera Diakonoff, 1959*
- 8677. Metacosma Kuznetsov, 1985** (Tortricidae) Synonym(s): *Metacosma Kuznetsov, 1985*
- 8678. Metamesia Diakonoff, 1960** (Tortricidae) Synonym(s): *Metamesia Diakonoff, 1960*
Original Reference: *Metamesia Diakonoff, 1960, Verh. K. ned. Akad. Wet. (2) 53 (2): 107.*
- 8679. Metendothenia Diakonoff, 1972** (Tortricidae) Synonym(s): *Metendothenia Diakonoff, 1972*
- 8680. Microsarotis Diakonoff, 1982** (Tortricidae) Synonym(s): *Microsarotis Diakonoff, 1982*
- 8681. Mictocommosis Diakonoff, 1977** (Tortricidae) Synonym(s): *Mictocommosis Diakonoff, 1977*
- 8682. Mictopsichia Hübner, [1825]** (Tortricidae) Synonym(s): *Mictopsichia Hübner, [1825]*
- 8683. Mielkeana Razowski & Becker, 1983** (Tortricidae) Synonym(s): *Mielkeana Razowski & Becker, 1983*
- 8684. Mimcochylis Razowski, 1985** (Tortricidae) Synonym(s): *Mimcochylis Razowski, 1985*
- 8685. Mimeoclysia Diakonoff, 1941** (Tortricidae) Synonym(s): *Mimeoclysia Diakonoff, 1941*
- 8686. Mimeugnosta Razowski, 1986** (Tortricidae) Synonym(s): *Mimeugnosta Razowski, 1986*
- 8687. Monimosocia Razowski, 1990** (Tortricidae) Synonym(s): *Monimosocia Razowski, 1990*
- 8688. Monoceratuncus Razowski, [1992]** (Tortricidae) Synonym(s): *Ceratuncus Razowski, 1986 nec Pet., 1957*; *Monoceratuncus Razowski, [1992]*
- 8689. Monortha Razowski & Becker, 1981** (Tortricidae) Synonym(s): *Monortha Razowski & Becker, 1981*
- 8690. Muhabbetina Koçak, 2006** (Tortricidae) Synonym(s): *Mesotes Diakonoff, 1988 nec Jan, 1862*; *Muhabbetina Koçak, 2006* Original Reference: *Muhabbetina Koçak, 2006, Cent. ent. Stud., Misc. Pap. 99: 7* (nom. nov. pro *Mesotes Diakonoff, 1988 nec Jan, 1862*). Type-species: *Mesotes pectinata* Diakonoff, 1988.
- 8691. Multiquaestia Karisch, 2005** (Tortricidae) Synonym(s): *Multiquaestia Karisch, 2005*
Original Reference: *Multiquaestia Karisch, 2005, Lambillionea 105: 500*. Type-species: *Multiquaestia albimaculana* Karisch, 2005, by original designation.
- 8692. Namasia Diakonoff, [1984]** (Tortricidae) Synonym(s): *Namasia Diakonoff, [1984]*
Original Reference: *Namasia Diakonoff, [1984], Fauna Saudi Arabia 5: 259*. Type-species: *Namasia catoptrica* Diakonoff, [1984], by original designation.

- 8693. Neobarbara Liu & Nasu, 1993** (Tortricidae) **Synonym(s):** *Neobarbara Liu & Nasu, 1993*
- 8694. Neocalyptis Diakonoff, 1941** (Tortricidae) **Synonym(s):** *Neocalyptis Diakonoff, 1941*
Original Reference: *Neocalyptis Diakonoff, 1941, Treubia 18: 407. Type-species: Neocalyptis telutanda Diakonoff, 1941, by original designation.*
- 8695. Neoeulia Powell, 1986** (Tortricidae) **Synonym(s):** *Neoeulia Powell, 1986*
- 8696. Neohermenias Diakonoff, 1966** (Tortricidae) **Synonym(s):** *Neohermenias Diakonoff, 1966*
- 8697. Neopotamia Diakonoff, 1973** (Tortricidae) **Synonym(s):** *Neopotamia Diakonoff, 1973*
- 8698. Neorrhyncha Aarvik, 2004** (Tortricidae) **Synonym(s):** *Neorrhyncha Aarvik, 2004*
- 8699. Neosphaleroptera Réal, 1953** (Tortricidae) **Synonym(s):** *Neosphaleroptera Réal, 1953*
- 8700. Nephograptis Razowski, 1981** (Tortricidae) **Synonym(s):** *Nephograptis Razowski, 1981*
- 8701. Nesochoris Clarke, 1965** (Tortricidae) **Synonym(s):** *Nesochoris Clarke, 1965*
- 8702. Netechna Razowski, [1992]** (Tortricidae) **Synonym(s):** *Netechna Razowski, [1992]*
- 8703. Nexosa Diakonoff, 1977** (Tortricidae) **Synonym(s):** *Nexosa Diakonoff, 1977*
- 8704. Noduliferola Kuznetsov, 1973** (Tortricidae) **Synonym(s):** *Noduliferola Kuznetsov, 1973*
- 8705. Notocelia Hübner, [1825]** (Tortricidae) **Synonym(s):** *Notocelia Hübner, [1825]; Aspis Treitschke, 1829; Aspidia Duponchel, 1835; Pardia Guenée, 1845*
Original Reference: *Notocelia Hübner, [1825], Verz. bekannt. Schmett.: 380. Type-species: Phalaena uddmanniana Linnaeus, 1758, by subsequent designation by Westwood, 1840.*
- 8706. Nuritamburia Koçak & Kemal, 2007** (Tortricidae) **Synonym(s):** *Bradleyella Zimmermann, 1978 nec Krombein, 1963; Nuritamburia Koçak & Kemal, 2007*
Original Reference: *Nuritamburia Koçak & Kemal, 2007, Centr. ent. Stud., Misc. Pap. 105: 4 (nomen novum pro Bradleyella Zimmermann, 1978 nec Krombein, 1963). Type-species: Tortrix chlorocalla Walsingham, 1907, by original designation.*
- 8707. Odonthalitus Razowski, 1990** (Tortricidae) **Synonym(s):** *Odonthalitus Razowski, 1990*
- 8708. Ofatulena Heinrich, 1926** (Tortricidae) **Synonym(s):** *Ofatulena Heinrich, 1926*
- 8709. Olethreutes (Argyroplote) Hübner, [1825]** (Tortricidae) **Synonym(s):** *Argyroplote Hübner, [1825]; Phiaris Hübner, [1825]; Mixodia Guenée, 1845; Stictea Guenée, 1845; Biscopa Diakonoff, 1973*
- 8710. Olethreutes Hübner, 1822** (Tortricidae) **Synonym(s):** *Olethreutes Hübner, 1822; Phiaris Hübner, [1825]; Roxana Stephens, 1834; Mixodia Guenée, 1845; Exartema Clemens, 1860; Biscopa Diakonoff, 1973*
- 8711. Olindia Guenée, 1845** (Tortricidae) **Synonym(s):** *Olindia Guenée, 1845; Anisotaenia Stephens, 1852; #Olinda Lhomme, 1939*
- 8712. Omiostola Meyrick, 1922** (Tortricidae) **Synonym(s):** *Omiostola Meyrick, 1922*
- 8713. Ophiorrhabda Diakonoff, 1966** (Tortricidae) **Synonym(s):** *Ophiorrhabda Diakonoff, 1966; Cellifera Diakonoff, 1968; Didrimys Diakonoff, 1973; Lasiognatha Diakonoff, 1973*
- 8714. Oregocerata Razowski, 1988** (Tortricidae) **Synonym(s):** *Oregocerata Razowski, 1988*
- 8715. Orilesa Razowski, 2006** (Tortricidae) **Synonym(s):** *Orilesa Razowski, 2006*
- 8716. Orthocomotis Dognin, 1905** (Tortricidae) **Synonym(s):** *Orthocomotis Dognin, 1905; Sociphora Busck, 1920*
- 8717. Orthognathosia Razowski, 1988** (Tortricidae) **Synonym(s):** *Orthognathosia Razowski, 1988*
- 8718. Orthotaenia Stephens, 1829** (Tortricidae) **Synonym(s):** *Orthotaenia Stephens, 1829; Badebecia Heinrich, 1926*
- 8719. Oryguncus Razowski, 1988** (Tortricidae) **Synonym(s):** *Oryguncus Razowski, 1988; #Origuncus Razowski, 1988*
- 8720. Osmaria Razowski, 1991** (Tortricidae) **Synonym(s):** *Osmaria Razowski, 1991*
- 8721. Osthelderiella Obratzsov, 1961** (Tortricidae) **Synonym(s):** *Osthelderiella Obratzsov, 1961*
Original Reference: *Osthelderiella Obratzsov, 1961, Mitt. münch. ent. Ges. 51: 150. Type-species: Osthelderiella amardiana Obratzsov, 1961, by original designation.*
- 8722. Oxypteron Staudinger, 1871** (Tortricidae) **Synonym(s):** *Oxypteron Staudinger, 1871; Gynoxypteron Speiser, 1902; Mauginia Turati, 1924; Oporopsamma Gozmany, 1954; Psammozesta Gozmany, 1954*
- 8723. Pammene Hübner, [1825]** (Tortricidae) **Synonym(s):** *Palla Billberg, 1820 (homonym); Pammene Hübner, [1825]; Eucelis Hübner, [1825]; Hemimene Hübner, [1825]; Pseudotomia Stephens, 1829; Heusimene Stephens, 1834; Orchemia Guenée, 1845; Pyrodes Guenée, 1845; Trycheris Guenée, 1845; Halonota Stephens, 1852; Phthoroblastis Lederer, 1859; Sphaeroeca Meyrick, 1895; Metasphaeroeca Fernald, 1908*
- 8724. Pammenemima Diakonoff, 1982** (Tortricidae) **Synonym(s):** *Pammenemima Diakonoff, 1982*
- 8725. Pammenitis Diakonoff, 1988** (Tortricidae) **Synonym(s):** *Pammenitis Diakonoff, 1988*
- 8726. Pammenopsis Kuznetsov, 2003** (Tortricidae) **Synonym(s):** *Pammenopsis Kuznetsov, 2003*
- 8727. Pandemis Hübner, [1825]** (Tortricidae) **Synonym(s):** *Pandemis Hübner, [1825]; #Pandemia Stephens, 1834; Selenodes Guenée, 1845; #Pandennis Moffat, 1886*
Original Reference: *Pandemis*

- Hübner,[1825], Verz. bekannt. Schmett.: 388. Type-species: *Tortrix textana* Hübner,[1799], by subsequent designation by Fernald,1908.
- 8728. Parabactra Meyrick,1910** (Tortricidae) Synonym(s): *Epibactra Meyrick,1909* (preocc.); *Parabactra Meyrick,1910*
- 8729. Parachanda Meyrick,1927** (Tortricidae) Synonym(s): *Parachanda Meyrick,1927*
- 8730. Paracomotis Razowski,1982** (Tortricidae) Synonym(s): *Paracomotis Razowski,1982*
- 8731. Paracroesia Yasuda,1972** (Tortricidae) Synonym(s): *Paracroesia Yasuda,1972*
- 8732. Paraeccopsis Aarvik,2004** (Tortricidae) Synonym(s): *Paraeccopsis Aarvik,2004*
- 8733. Paramesia Stephens,1829** (Tortricidae) Synonym(s): *Paramesia Stephens,1829*; *Ramapesia Razowski,1981*; *#Ramapezia Chambon & Khou,1993*
- 8734. Paramesiodes Diakonoff,1960** (Tortricidae) Synonym(s): *Paramesiodes Diakonoff,1960*
- 8735. Paramorbia Powell & Lambert,1986** (Tortricidae) Synonym(s): *Paramorbia Powell & Lambert,1986*
- 8736. Parapammene Obraztsov,1960** (Tortricidae) Synonym(s): *Parapammene Obraztsov,1960*; *Diamphidia Obraztsov,1961* nec *Gerstr.,1855*; *Pammenodes Danilevskii & Kuznetsov,1968*; *Mimarsinania Koçak,1981*; *Diplosemaphora Diakonoff,1982* Original Reference: *Parapammene Obraztsov,1960*, Tijdschr. Ent. 103: 125.
- 8737. Paraptila Meyrick,1912** (Tortricidae) Synonym(s): *Paraptila Meyrick,1912*
- 8738. Paratorna Meyrick,1907** (Tortricidae) Synonym(s): *Paratorna Meyrick,1907*
- 8739. Parirazona Razowski,1984** (Tortricidae) Synonym(s): *Parirazona Razowski,1984*
- 8740. Pelatea Guenée,1845** (Tortricidae) Synonym(s): *Pelatea Guenée,1845*
- 8741. Pelochrista Lederer,1859** (Tortricidae) Synonym(s): *Pelochrista Lederer,1859*; *Callimosema Clemens,1865*; *Pseudeucosma Obraztsov,1946*; *Eucosmoides Obraztsov,1946*. Original Reference: *Pelochrista Lederer,1859*, Wien. ent. Monatschr. 3: 331, 337. Type-species: *Paedisca mancipiana* Mann,1855, by subsequent designation by Fernald,1908.
- 8742. Pentacitrotus Butler,1881** (Tortricidae) Synonym(s): *Pentacitrotus Butler,1881*
- 8743. Penthostola Diakonoff,1978** (Tortricidae) Synonym(s): *Penthostola Diakonoff,1978*
- 8744. Periclepsis Bradley,1977** (Tortricidae) Synonym(s): *Paraclepsis Obraztsov,1954* (preocc.); *Periclepsis Bradley,1977*
- 8745. Peridaedala Meyrick,1925** (Tortricidae) Synonym(s): *Peridaedala Meyrick,1925*
- 8746. Phaecadophora Walsingham,1900** (Tortricidae) Synonym(s): *Phaecadophora Walsingham,1900*
- 8747. Phaecasiophora Grote,1873** (Tortricidae) Synonym(s): *Phaecasiophora Grote,1873*; *Megasyca Diakonoff,1959*
- 8748. Phalarocarpa Meyrick,1937** (Tortricidae) Synonym(s): *Phalarocarpa Meyrick,1937*
- 8749. Phalonidia Le Marchand,1933** (Tortricidae) Synonym(s): *Phalonidia Le Marchand,1933*; *Brevisociaria Obraztsov,1943*. Original Reference: *Phalonidia Le Marchand,1933*, Amat. Papillons 6: 242. Type-species: *Cochylis affinitana* Douglas,1846, Zoologist 4 (39): 1269, fig.7, by original designation.
- 8750. Phaneta Stephens,1852** (Tortricidae) Synonym(s): *Phaneta Stephens,1852*
- 8751. Phaulacantha Diakonoff,1973** (Tortricidae) Synonym(s): *Phaulacantha Diakonoff,1973*
- 8752. Philedone Hübner,[1825]** (Tortricidae) Synonym(s): *Philedone Hübner,[1825]*; *Amphisa Curtis,1828*
- 8753. Philedonides Obraztsov,1954** (Tortricidae) Synonym(s): *Philedonides Obraztsov,1954*; *#Philedonides Razowski,1969*
- 8754. Phlebozemia Diakonoff,1985** (Tortricidae) Synonym(s): *Phlebozemia Diakonoff,1985*
- 8755. Phricanthes Meyrick,1881** (Tortricidae) Synonym(s): *Phricanthes Meyrick,1881*
- 8756. Phtheochroa Stephens,1829** (Tortricidae) Synonym(s): *Phtheochroa Stephens,1829*; *Trachysmia Guenée,1845*; *Hysterosia Stephens,1852*; *Idiographis Lederer,1859*; *Propira Durrant,94*; *Arce Joannis,1919*; *Parahysterosia Razowski,1960*; *Durrantia Razowski,1960* nec *Busck,1908*. Original Reference: *Phtheochroa Stephens,1829* [June], Nom. Br. Insects: 48. Type-species: *Tortrix rugosana* Hübner,[1799], Samml. eur. Schmett. 7: pl.14 fig.82, by monotypy.
- 8757. Phtheochroides Obraztsov,1943** (Tortricidae) Synonym(s): *Phtheochroides Obraztsov,1943*
- 8758. Piniphila Falkovitsh,1962** (Tortricidae) Synonym(s): *Piniphila Falkovitsh,1962*
- 8759. Planaltinella Razowski & Becker,1994** (Tortricidae) Synonym(s): *Planaltinella Razowski & Becker,1994*
- 8760. Planostocha Meyrick,1912** (Tortricidae) Synonym(s): *Planostocha Meyrick,1912*
- 8761. Platphalonidia Razowski,1985** (Tortricidae) Synonym(s): *Platphalonidia Razowski,1985*

- 8762. Platynota Clemens, 1860** (Tortricidae) Synonym(s): *Platynota Clemens, 1860*; *Cerorrhineta Zeller, 1877*; *Ceratorrhineta Kirby, 1878*; *Phylacteritis Meyrick, 1922*
- 8763. Plutographa Diakonoff, 1970** (Tortricidae) Synonym(s): *Plutographa Diakonoff, 1970*
- 8764. Polemograptis Meyrick, 1910** (Tortricidae) Synonym(s): *Polemograptis Meyrick, 1910*
- 8765. Polylopha Lower, 1901** (Tortricidae) Synonym(s): *Polylopha Lower, 1901*; *Colocyttara Turner, 1925*
- 8766. Polyortha Dognin, 1905** (Tortricidae) Synonym(s): *Polyortha Dognin, 1905*
- 8767. Polythora Razowski, 1981** (Tortricidae) Synonym(s): *Polythora Razowski, 1981*
- 8768. Popayanita Razowski, 1987** (Tortricidae) Synonym(s): *Popayanita Razowski, 1987*
- 8769. Pristerognatha Obraztsov, 1960** (Tortricidae) Synonym(s): *Pristerognatha Obraztsov, 1960*
- 8770. Prochlidonia Razowski, 1960** (Tortricidae) Synonym(s): *Prochlidonia Razowski, 1960*
Original Reference: Prochlidonia Razowski, 1960, Polskie Pismo ent. 30: 286, 309. Type-species: *Tortrix amiantana* Hübner, [1799], Samml. eur. Schmett.: 7: pl. 24 fig. 155, by original designation.
- 8771. Procoronis Meyrick, 1911** (Tortricidae) Synonym(s): *Procoronis Meyrick, 1911*
- 8772. Proeulia Clarke, 1962** (Tortricidae) Synonym(s): *Proeulia Clarke, 1962*; *#Proseulia Razowski, 1987*
- 8773. Prohysterophora Razowski, 1961** (Tortricidae) Synonym(s): *Prohysterophora Razowski, 1961*; *#Prohysterophoria Razowski, 1961*
- 8774. Propiromorpha Obraztsov, 1955** (Tortricidae) Synonym(s): *Propiromorpha Obraztsov, 1955*
- 8775. Proschistis Meyrick, 1907** (Tortricidae) Synonym(s): *Proschistis Meyrick, 1907*; *Sporocelis Meyrick, 1907*
- 8776. Protancylis Diakonoff, [1984]** (Tortricidae) Synonym(s): *Protancylis Diakonoff, [1984]*
- 8777. Protarchella Diakonoff, 1976** (Tortricidae) Synonym(s): *Protarchella Diakonoff, 1976*
- 8778. Proteoteras Riley, 1881** (Tortricidae) Synonym(s): *Proteoteras Riley, 1881*
- 8779. Protobactra Diakonoff, 1964** (Tortricidae) Synonym(s): *Protobactra Diakonoff, 1964*
- 8780. Protopterna Meyrick, 1908** (Tortricidae) Synonym(s): *Protopterna Meyrick, 1908*
- 8781. Psecmatica Meyrick, 1930** (Tortricidae) Synonym(s): *Psecmatica Meyrick, 1930*
- 8782. Pseudacroclita Oku, 1979** (Tortricidae) Synonym(s): *Pseudacroclita Oku, 1979*
- 8783. Pseudamelia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudamelia Obraztsov, 1954*
- 8784. Pseudargyrotoza Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudargyrotoza Obraztsov, 1954*
- 8785. Pseudatteria Walsingham, 1913** (Tortricidae) Synonym(s): *Pseudatteria Walsingham, 1913*; *Eurynatteria Obraztsov, 1966*
- 8786. Psedeboda Razowski, 1964** (Tortricidae) Synonym(s): *Psedeboda Razowski, 1964*
- 8787. Pseudeulia Obraztsov, 1954** (Tortricidae) Synonym(s): *Pseudeulia Obraztsov, 1954*
- 8788. Pseudexentera Heinrich, 1940** (Tortricidae) Synonym(s): *Pseudexentera Heinrich, 1940*
- 8789. Pseudococcyx Swatschek, 1958** (Tortricidae) Synonym(s): *#Pseudococcyx Agenjo, 1955*; *#Subepiblemma Agenjo, 1955*; *Pseudococcyx Swatschek, 1958*; *Blastesthia Obraztsov, 1960*.
- 8790. Pseudocomotis J. Brown, 1990** (Tortricidae) Synonym(s): *Pseudocomotis J. Brown, 1990*
- 8791. Pseudocroesia Razowski, 1966** (Tortricidae) Synonym(s): *Pseudocroesia Razowski, 1966*
- 8792. Pseudohedya Falkovitsh, 1962** (Tortricidae) Synonym(s): *Pseudohedya Falkovitsh, 1962*
- 8793. Pseudohermenias Obraztsov, 1960** (Tortricidae) Synonym(s): *Pseudohermenias Obraztsov, 1960*
- 8794. Pseudomeritastis Obraztsov, 1966** (Tortricidae) Synonym(s): *Pseudomeritastis Obraztsov, 1966*
- 8795. Pseudophiaris Obraztsov, 1961** (Tortricidae) Synonym(s): *Pseudophiaris Obraztsov, 1961*
- 8796. Pseudosciaphila Obraztsov, 1966** (Tortricidae) Synonym(s): *Pseudosciaphila Obraztsov, 1966*
- 8797. Psiathovalva Razowski, 1994** (Tortricidae) Synonym(s): *Psiathovalva Razowski, 1994*
- 8798. Ptoseulia Razowski, 1990** (Tortricidae) Synonym(s): *Ptoseulia Razowski, 1990*
- 8799. Ptycholoma Stephens, 1929** (Tortricidae) Synonym(s): *Ptycholoma Stephens, 1929*
- 8800. Ptycholomoides Obraztsov, 1954** (Tortricidae) Synonym(s): *Ptycholomoides Obraztsov, 1954*
- 8801. Ptyognathosia Razowski, 1988** (Tortricidae) Synonym(s): *Ptyognathosia Razowski, 1988*
- 8802. Punctapinella J. Brown, 1991** (Tortricidae) Synonym(s): *Punctapinella J. Brown, 1991*
- 8803. Pyrsarcha Meyrick, 1932** (Tortricidae) Synonym(s): *Pyrsarcha Meyrick, 1932*
- 8804. Quasieulia Powell, 1986** (Tortricidae) Synonym(s): *Quasieulia Powell, 1986*
- 8805. Razowskina Kemal & Koçak, 2005** (Tortricidae) Synonym(s): *Silenis Razowski, 1987 nec Neckaja, 1958*; *Razowskina Kemal & Koçak, 2005*; *#Razowskiina J.W. Brown, 2008* Original Reference: Razowskina Kemal & Koçak, 2005, Cent. ent. Stud., Misc. Pap. 91/92: 13-14 (nom. nov. pro

Silenis Razowski,1987 nec Neckaja,1958). Type-species: *Silenis senilis* Razowski,1987, by original designation.

- 8806. Rebinea Razowski,1986** (Tortricidae) Synonym(s): *Rebinea* Razowski,1986
- 8807. Reptilisocia Diakonoff,1983** (Tortricidae) Synonym(s): *Reptilisocia* Diakonoff,1983
- 8808. Retinia Guenée,1845** (Tortricidae) Synonym(s): *Retinia* Guenée,1845; *Petrova* Heinrich,1923
- 8809. Revertuncaria Razowski,1986** (Tortricidae) Synonym(s): *Revertuncaria* Razowski,1986
- 8810. Rhetogonia Diakonoff,1966** (Tortricidae) Synonym(s): *Rhetogonia* Diakonoff,1966
- 8811. Rhodacra Diakonoff,1973** (Tortricidae) Synonym(s): *Rhodacra* Diakonoff,1973; *Chorethrarcha* Diakonoff,1973
- 8812. Rhodocosmaria Diakonoff,1973** (Tortricidae) Synonym(s): *Rhodocosmaria* Diakonoff,1973
- 8813. Rhopaltriplasia Diakonoff,1973** (Tortricidae) Synonym(s): *Rhopaltriplasia* Diakonoff,1973
- 8814. Rhopobota Lederer,1859** (Tortricidae) Synonym(s): *Rhopobota* Lederer,1859; *Erinaea* Meyrick,1907; *Norma* Heinrich,1923; *Kundrya* Heinrich,1923; *Eumarissa* Clarke,1976.
- 8815. Rhyacionia Hübner,[1825]** (Tortricidae) Synonym(s): *Rhyacionia* Hübner,[1825]
- 8816. Rhychophyllis Meyrick,1932** (Tortricidae) Synonym(s): *Rhychophyllis* Meyrick,1932
- 8817. Rhythmologa Meyrick,1926** (Tortricidae) Synonym(s): *Rhythmologa* Meyrick,1926
- 8818. Riculoides Pastrana,1952** (Tortricidae) Synonym(s): *Riculoides* Pastrana,1952
- 8819. Rigidsociaria Razowski,1986** (Tortricidae) Synonym(s): *Rigidsociaria* Razowski,1986
- 8820. Rubidograptis Razowski,1981** (Tortricidae) Synonym(s): *Rubidograptis* Razowski,1981
- 8821. Rubrograptis Razowski,1981** (Tortricidae) Synonym(s): *Rubrograptis* Razowski,1981
- 8822. Rudenia Razowski,1985** (Tortricidae) Synonym(s): *Rudenia* Razowski,1985
- 8823. Rudisociaria Falkovitsh,1962** (Tortricidae) Synonym(s): *Rudisociaria* Falkovitsh,1962
- 8824. Russograptis Razowski,1981** (Tortricidae) Synonym(s): *Russograptis* Razowski,1981
Original Reference: *Russograptis* Razowski,1981, *Acta zool. cracov.* 25: 322. Type-species: *Russograptis solaris* Razowski,1981, by original designation.
- 8825. Rutilograptis Razowski,1981** (Tortricidae) Synonym(s): *Rutilograptis* Razowski,1981
- 8826. Saetosacculina Razowski,1990** (Tortricidae) Synonym(s): *Saetosacculina* Razowski,1990
- 8827. Saliciphaga Falkovitsh,1962** (Tortricidae) Synonym(s): *Saliciphaga* Falkovitsh,1962
- 8828. Salsolicola Kuznetsov,1960** (Tortricidae) Synonym(s): *Salsolicola* Kuznetsov,1960
- 8829. Sambara Aarvik,2004** (Tortricidae) Synonym(s): *Sambara* Aarvik,2004
- 8830. Saphenista Walsingham,1914** (Tortricidae) Synonym(s): *Saphenista* Walsingham,1914
- 8831. Schoenotenes Meyrick,1908** (Tortricidae) Synonym(s): *Schoenotenes* Meyrick,1908
- 8832. Scotiophyes Diakonoff,1976** (Tortricidae) Synonym(s): *Scotiophyes* Diakonoff,1976
- 8833. Selania Stephens,1834** (Tortricidae) Synonym(s): *Selania* Stephens,1834; *Chretienia* Obratsov,1968 nec *Splr.*,1910; *Mevlanaia* Koçak,1981
- 8834. Selenodes Guenée,1845** (Tortricidae) Synonym(s): *Selenodes* Guenée,1845; *Froelichia* Obratsov,1960 Original Reference: *Selenodes* Guenée,1845, *Annls Soc. ent. Fr.* (2) 3: 160. Type-species: *Tortrix textana* Frölich,1828 (nec Hübner), by subsequent designation by Desmarest,1857.
- 8835. Semniotes Diakonoff,1973** (Tortricidae) Synonym(s): *Semniotes* Diakonoff,1973
- 8836. Semutophila Tuck,1986** (Tortricidae) Synonym(s): *Semutophila* Tuck,1986
- 8837. Seticosta Razowski,1986** (Tortricidae) Synonym(s): *Seticosta* Razowski,1986
- 8838. Siclobola Diakonoff,1947** (Tortricidae) Synonym(s): *Siclobola* Diakonoff,1947
- 8839. Sisona Snellen,1901** (Tortricidae) Synonym(s): *Sisona* Snellen,1901
- 8840. Sisurcana Powell,1986** (Tortricidae) Synonym(s): *Sisurcana* Powell,1986
- 8841. Snodgrassia Diakonoff,[1968]** (Tortricidae) Synonym(s): *Snodgrassia* Diakonoff,[1968]
- 8842. Sonia Heinrich,1923** (Tortricidae) Synonym(s): *Sonia* Heinrich,1923
- 8843. Sorolopha Lower,1901** (Tortricidae) Synonym(s): *Sorolopha* Lower,1901; *Acanthothyspoda* Lower,1908; *Alypeta* Turner,1916; *#Aytopena* Fletcher,1929; *Choganthia* Razowski,1960
- 8844. Sparganopseustis Powell & Lambert,1986** (Tortricidae) Synonym(s): *Sparganopseustis* Powell & Lambert,1986
- 8845. Sparganothina Powell,1986** (Tortricidae) Synonym(s): *Sparganothina* Powell,1986
- 8846. Sparganothis Hübner,[1825]** (Tortricidae) Synonym(s): *Sparganothis* Hübner,[1825]
- 8847. Sparganothoides Lambert & Powell,1986** (Tortricidae) Synonym(s): *Sparganothoides* Lambert & Powell,1986
- 8848. Spatalistis Meyrick,1907** (Tortricidae) Synonym(s): *Spatalistis* Meyrick,1907
- 8849. Sphaleroptera Guenée,1845** (Tortricidae) Synonym(s): *Sphaleroptera* Guenée,1845; *Eulederia* Fernald,1908; *Euledereria* Fernald,1908

- 8850. Spilonota Stephens, 1829** (Tortricidae) Synonym(s): *Spilonota Stephens, 1829*; *Tmetocera Lederer, 1859*.
- 8851. Spinipogon Razowski, 1967** (Tortricidae) Synonym(s): *Spinipogon Razowski, 1967*
- 8852. Statherotis Meyrick, 1909** (Tortricidae) Synonym(s): *Statherotis Meyrick, 1909*
- 8853. Statherotmantis Diakonoff, 1973** (Tortricidae) Synonym(s): *Statherotmantis Diakonoff, 1973*; *#Statheromantis Razowski, 1977*
- 8854. Statherotoxys Diakonoff, 1973** (Tortricidae) Synonym(s): *Statherotoxys Diakonoff, 1973*; *#Statherotyxys Razowski, 1977*
- 8855. Statignatha Kuznetsov, 1992** (Tortricidae) Synonym(s): *Statignatha Kuznetsov, 1992*
- 8856. Stenarchella Diakonoff, [1968]** (Tortricidae) Synonym(s): *Stenarchella Diakonoff, [1968]*
- 8857. Strepsicrates Meyrick, 1888** (Tortricidae) Synonym(s): *Strepsiceros Meyrick, 1881 nec Raf., 1815*; *Strepsicrates Meyrick, 1888*; *Phthinolophus Dyar, 1903*; *Phthenolophus Busck, 1910*
- 8858. Strophedra Herrich-Schäffer, [1854]** (Tortricidae) Synonym(s): *Strophosoma Herrich-Schäffer, [1853] nec Billb., 1820*; *Strophedra Herrich-Schäffer, [1854]*.
- 8859. Strophotina Brown, 1998** (Tortricidae) Synonym(s): *Strophotina Brown, 1998*; *Chirotes Razowski & Becker, 1999 nec Cuvier, 1817*; *Prochirotes Razowski, 2001*
- 8860. Subtranstillaspis Razowski, 1990** (Tortricidae) Synonym(s): *Subtranstillaspis Razowski, 1990*
- 8861. Suleima Heinrich, 1923** (Tortricidae) Synonym(s): *Suleima Heinrich, 1923*
- 8862. Sycacantha Diakonoff, 1959** (Tortricidae) Synonym(s): *Sycacantha Diakonoff, 1959*
- 8863. Syndemis Hübner, [1825]** (Tortricidae) Synonym(s): *Syndemis Hübner, [1825]*
- 8864. Syntozyga Lower, 1901** (Tortricidae) Synonym(s): *Syntozyga Lower, 1901*; *Eleuthodema Bradley, 1957*
- 8865. Taiteccopsis Razowski, 2012** (Tortricidae) Synonym(s): *Taiteccopsis Razowski, 2012*
- 8866. Talponia Heinrich, 1926** (Tortricidae) Synonym(s): *Talponia Heinrich, 1926*
- 8867. Tambomachaya Razowski, 1989** (Tortricidae) Synonym(s): *Tambomachaya Razowski, 1989*
- 8868. Teleta Diakonoff, 1966** (Tortricidae) Synonym(s): *Teleta Diakonoff, 1966*
- 8869. Telurips Razowski, 1988** (Tortricidae) Synonym(s): *Telurips Razowski, 1988*
- 8870. Temnolopha Lower, 1901** (Tortricidae) Synonym(s): *Temnolopha Lower, 1901*; *#Temnolopha Pinkaew & Chandrapatya, 2006*
- 8871. Templemania Busck, 1940** (Tortricidae) Synonym(s): *Templemania Busck, 1940*
- 8872. Terinebrica Razowski, 1987** (Tortricidae) Synonym(s): *Terinebrica Razowski, 1987*
- 8873. Terricula Falkovitsh, 1965** (Tortricidae) Synonym(s): *Terricula Falkovitsh, 1965*
- 8874. Terthreutis Meyrick, 1918** (Tortricidae) Synonym(s): *Terthreutis Meyrick, 1918*; *Amniodes Meyrick, 1938*
- 8875. Tetramoera Diakonoff, [1968]** (Tortricidae) Synonym(s): *Tetramoera Diakonoff, [1968]*
- 8876. Thaumato-grapha Walsingham, 1897** (Tortricidae) Synonym(s): *Thaumato-grapha Walsingham, 1897*
- 8877. Thaumatotibia Zacher, 1915** (Tortricidae) Synonym(s): *Thaumatotibia Zacher, 1915*
- 8878. Theorica Diakonoff, 1966** (Tortricidae) Synonym(s): *Theorica Diakonoff, 1966*
- 8879. Thiodia Hübner, [1825]** (Tortricidae) Synonym(s): *Thiodia Hübner, [1825]*; *Botropteryx Caradja, 1916*; *Gypsonomoides Obratzov, 1946*; *Foveifera Obratzov, 1946*.
- 8880. Thiodiodes Obratzov, 1964** (Tortricidae) Synonym(s): *#Thiodiodes Agenjo, 1955*; *Thiodiodes Obratzov, 1964*
- 8881. Thoridia J. Brown, 1991** (Tortricidae) Synonym(s): *Thoridia J. Brown, 1991*
- 8882. Thymioptila Diakonoff, 1971** (Tortricidae) Synonym(s): *Thymioptila Diakonoff, 1971*
- 8883. Thysanocrepis Diakonoff, 1966** (Tortricidae) Synonym(s): *Thysanocrepis Diakonoff, 1966*
- 8884. Thysanphalonia Razowski & Becker, 1986** (Tortricidae) Synonym(s): *Thysanphalonia Razowski & Becker, 1986*
- 8885. Tia Heinrich, 1926** (Tortricidae) Synonym(s): *Tia Heinrich, 1926*
- 8886. Tina Powell, 1986** (Tortricidae) Synonym(s): *Tina Powell, 1986*
- 8887. Tinacruris Powell, 1986** (Tortricidae) Synonym(s): *Tinacruris Powell, 1986*
- 8888. Tortricodes Guenée, 1845** (Tortricidae) Synonym(s): *Tortricodes Guenée, 1845*
- 8889. Tortrix Linnaeus, 1758** (Tortricidae) Synonym(s): *Tortrix Linnaeus, 1758*; *Heterognomon Lederer, 1859*
- 8890. Tosirips Razowski, 1987** (Tortricidae) Synonym(s): *Tosirips Razowski, 1987* Original Reference: *Tosirips Razowski, 1987, Nota lepid. 10 (1): 87. Type-species: Tortrix perpulchrana Kennel, 1901, by original designation.*
- 8891. Trachybyrsis Meyrick, 1927** (Tortricidae) Synonym(s): *Trachybyrsis Meyrick, 1927*
- 8892. Transtillaspis Razowski, 1987** (Tortricidae) Synonym(s): *Transtillaspis Razowski, 1987*

- 8893. Triheteracra Diakonoff,1971** (Tortricidae) Synonym(s): *Triheteracra Diakonoff,1971*
- 8894. Tritopterna Meyrick,1921** (Tortricidae) Synonym(s): *Tritopterna Meyrick,1921*
- 8895. Trymalitis Meyrick,1905** (Tortricidae) Synonym(s): *Trymalitis Meyrick,1905* Original
Reference: Trymalitis Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 590.
- 8896. Tsinilla Heinrich,1931** (Tortricidae) Synonym(s): *Tsinilla Heinrich,1931*
- 8897. Tuckia Razowski,2001** (Tortricidae) Synonym(s): *Tuckia Razowski,2001*
- 8898. Tymbarcha Meyrick,1908** (Tortricidae) Synonym(s): *Tymbarcha Meyrick,1908*
- 8899. Uelia Razowski,1982** (Tortricidae) Synonym(s): *Uelia Razowski,1982*
- 8900. Ulodemis Meyrick,1907** (Tortricidae) Synonym(s): *Ulodemis Meyrick,1907*
- 8901. Uncicida Razowski,1988** (Tortricidae) Synonym(s): *Uncicida Razowski,1988*
- 8902. Utrivalva Razowski,1987** (Tortricidae) Synonym(s): *Utrivalva Razowski,1987*
- 8903. Vellonifer Razowski,1964** (Tortricidae) Synonym(s): *Vellonifer Razowski,1964*; #Vellomifer Razowski,1964
- 8904. Vialonga Diakonoff,1960** (Tortricidae) Synonym(s): *Vialonga Diakonoff,1960*
- 8905. Viettea Diakonoff,1960** (Tortricidae) Synonym(s): *Viettea Diakonoff,1960*
- 8906. Vulpoxena J.Brown,1991** (Tortricidae) Synonym(s): *Vulpoxena J.Brown,1991*
- 8907. Williella Horak,1984** (Tortricidae) Synonym(s): *Williella Horak,1984*
- 8908. Xeneboda Razowski & Tuck,2000** (Tortricidae) Synonym(s): *Xeneboda Razowski & Tuck,2000*
- 8909. Xeneda Diakonoff,1961** (Tortricidae) Synonym(s): *Xeneda Diakonoff,1961*
- 8910. Xenophylla Diakonoff,1960** (Tortricidae) Synonym(s): *Xenophylla Diakonoff,1960*
- 8911. Xenothictis Meyrick,1910** (Tortricidae) Synonym(s): *Xenothictis Meyrick,1910*; *Barnardiella Turner,1925*
- 8912. Xerocnephasia Leraut,[1979]** (Tortricidae) Synonym(s): *Xerocnephasia Leraut,[1979]*
- 8913. Yunusemreia Koçak,1981** (Tortricidae) Synonym(s): *Stephanoma Diakonoff,1970 nec Werneck,1841; Yunusemreia Koçak,1981* Original Reference: Yunusemreia Koçak,1981, Priamus 1: 121. Type-species: *Stephanoma triangulum Diakonoff,1970*.
- 8914. Zacorisca Meyrick,1910** (Tortricidae) Synonym(s): *Zacorisca Meyrick,1910*; *Chresmarcha Meyrick,1910*; *Megalodoris Meyrick,1912*
- 8915. Zeiraphera Treitschke,1829** (Tortricidae) Synonym(s): *Zeiraphera Treitschke,1829*; *Charlotta Forbes,1923*; *Sinusia Caradja,1916*
- 8916. Zellereccopsis Razowski,2008** (Tortricidae) Synonym(s): *Zellereccopsis Razowski,2008*
- 8917. Zomaria Heinrich,1926** (Tortricidae) Synonym(s): *Zomaria Heinrich,1926*
- 8918. Zomariana Diakonoff,1984** (Tortricidae) Synonym(s): *Zomariana Diakonoff,1984*
- 8919. Acropteris Geyer,1832** (Uraniidae) Synonym(s): *Acropteris Geyer,1832*; *Chlevasta Herrich-Schäffer,1855*
- 8920. Amana Walker,1855** (Uraniidae) Synonym(s): *Amana Walker,1855*
- 8921. Arussiana Rougeot,1977** (Uraniidae) Synonym(s): *Arussiana Rougeot,1977*
- 8922. Brachydecetia Holloway,1998** (Uraniidae) Synonym(s): *Brachydecetia Holloway,1998*
- 8923. Chaetoceras W.Warren,1896** (Uraniidae) Synonym(s): *Chaetoceras W.Warren,1896*
- 8924. Chionoplema Holloway,1998** (Uraniidae) Synonym(s): *Chionoplema Holloway,1998*
- 8925. Chundana Walker,1862** (Uraniidae) Synonym(s): *Chundana Walker,1862*
- 8926. Decetia Walker,1860** (Uraniidae) Synonym(s): *Decetia Walker,1860*
- 8927. Dirades Walker,1866** (Uraniidae) Synonym(s): *Dirades Walker,1866*
- 8928. Dysaethria Turner,1911** (Uraniidae) Synonym(s): *Dysaethria Turner,1911*
- 8929. Epimesophantia Krampl,1983** (Uraniidae) Synonym(s): *Epimesophantia Krampl,1983*
- 8930. Epiplema Herrich-Schäffer,[1855]** (Uraniidae) Synonym(s): *Epiplema Herrich-Schäffer,[1855]*; *Paloda Walker,1861*; *Eversmannia Staudinger,1871*; *Chaetopyga W.Warren,1896*
- 8931. Europlema Holloway,1998** (Uraniidae) Synonym(s): *Europlema Holloway,1998*
- 8932. Heteroplema W.Warren,1902** (Uraniidae) Synonym(s): *Heteroplema W.Warren,1902*
- 8933. Hypoplema W.Warren,1902** (Uraniidae) Synonym(s): *Hypoplema W.Warren,1902*
- 8934. Leucoplema Janse,1932** (Uraniidae) Synonym(s): *Leucoplema Janse,1932*
- 8935. Micronia Guenée,[1858]** (Uraniidae) Synonym(s): *Micronia Guenée,[1858]*
- 8936. Monobolodes W.Warren,1898** (Uraniidae) Synonym(s): *Monobolodes W.Warren,1898*
- 8937. Monoplema Janse,1932** (Uraniidae) Synonym(s): *Monoplema Janse,1932*
- 8938. Nyctalemon Dalman,1825** (Uraniidae) Synonym(s): *Lyssa Hübner,[1823] (suppressed)*; *Nyctalemon Dalman,1825*; *Nyctalaemon Salvin & Godman,1877*; *Lyssidia Westwood,1879*
- 8939. Oroplema Holloway,1998** (Uraniidae) Synonym(s): *Oroplema Holloway,1998*
- 8940. Orudiza Walker,1861** (Uraniidae) Synonym(s): *Orudiza Walker,1861*

- 8941. Pardecetia Swinhoe, 1894** (Uraniidae) Synonym(s): *Pardecetia Swinhoe, 1894*
- 8942. Phazaca Walker, 1863** (Uraniidae) Synonym(s): *Phazaca Walker, 1863*
- 8943. Pseudodirades Janse, 1932** (Uraniidae) Synonym(s): *Pseudodirades Janse, 1932*
- 8944. Pseudomicronia Moore, 1887** (Uraniidae) Synonym(s): *Pseudomicronia Moore, 1887*
- 8945. Rhombophylla Turner, 1911** (Uraniidae) Synonym(s): *Rhombophylla Turner, 1911*
- 8946. Strophidia Hübner, [1823]** (Uraniidae) Synonym(s): *Strophidia Hübner, [1823]* Original
Reference: *Strophidia Hübner, [1823]*, Verz. bekannt. Schmett.: 290. Type-species: *Phalaena caudata* Fabricius, 1781, by monotypy.
- 8947. Urapteroides Moore, 1888** (Uraniidae) Synonym(s): *Urapteroides Moore, 1888*
- 8948. Warreniplema Holloway, 1998** (Uraniidae) Synonym(s): *Warreniplema Holloway, 1998*
- 8949. Wockia Heinemann, 1870** (Urodidae) Synonym(s): *Wockia Heinemann, 1870*
- 8950. Caenorycta Meyrick, 1922** (Xyloryctidae) Synonym(s): *Caenorycta Meyrick, 1922*
- 8951. Chlorolychnis Meyrick, 1925** (Xyloryctidae) Synonym(s): *Chlorolychnis Meyrick, 1925*
- 8952. Cladophantis Meyrick, 1918** (Xyloryctidae) Synonym(s): *Cladophantis Meyrick, 1918*
- 8953. Cophomantella Fletcher, 1940** (Xyloryctidae) Synonym(s): *Cophomantis Meyrick, 1925* (praeocc.); *Cophomantella Fletcher, 1940*
- 8954. Cryptophasa Lewin, 1805** (Xyloryctidae) Synonym(s): *Cryptophasa Lewin, 1805*
- 8955. Cynicocrates Meyrick, 1935** (Xyloryctidae) Synonym(s): *Cynicocrates Meyrick, 1935*
- 8956. Enthetica Meyrick, 1916** (Xyloryctidae) Synonym(s): *Enthetica Meyrick, 1916*
- 8957. Epichostis Meyrick, 1906** (Xyloryctidae) Synonym(s): *Epichostis Meyrick, 1906*
- 8958. Epimactis Meyrick, 1907** (Xyloryctidae) Synonym(s): *Epimactis Meyrick, 1907*
- 8959. Eporycta Meyrick, 1908** (Xyloryctidae) Synonym(s): *Eporycta Meyrick, 1908*
- 8960. Eupetochira Meyrick, 1917** (Xyloryctidae) Synonym(s): *Eupetochira Meyrick, 1917*
- 8961. Exacristis Meyrick, 1921** (Xyloryctidae) Synonym(s): *Exacristis Meyrick, 1921*
- 8962. Gemorodes Meyrick, 1925** (Xyloryctidae) Synonym(s): *Gemorodes Meyrick, 1925*
- 8963. Glycynympha Meyrick, 1925** (Xyloryctidae) Synonym(s): *Glycynympha Meyrick, 1925*
- 8964. Lasiodictis Meyrick, 1912** (Xyloryctidae) Synonym(s): *Lasiodictis Meyrick, 1912*
- 8965. Letogenes Meyrick, 1930** (Xyloryctidae) Synonym(s): *Letogenes Meyrick, 1930*
- 8966. Linoclostis Meyrick, 1908** (Xyloryctidae) Synonym(s): *Linoclostis Meyrick, 1908*
- 8967. Metantithyra Viette, 1957** (Xyloryctidae) Synonym(s): *Metantithyra Viette, 1957*
- 8968. Metathrinca Meyrick, 1908** (Xyloryctidae) Synonym(s): *Metathrinca Meyrick, 1908*
- 8969. Microphidias Meyrick, 1937** (Xyloryctidae) Synonym(s): *Microphidias Meyrick, 1937*
- 8970. Paralecta Turner, 1897** (Xyloryctidae) Synonym(s): *Paralecta Turner, 1897*
- 8971. Philarachnis Meyrick, 1925** (Xyloryctidae) Synonym(s): *Philarachnis Meyrick, 1925*
- 8972. Semnolocha Meyrick, 1936** (Xyloryctidae) Synonym(s): *Semnolocha Meyrick, 1936*
- 8973. Sisyrodonata Meyrick, 1922** (Xyloryctidae) Synonym(s): *Sisyrodonata Meyrick, 1922*
- 8974. Sphagiocrates Meyrick, 1925** (Xyloryctidae) Synonym(s): *Sphagiocrates Meyrick, 1925*
- 8975. Xylorycta Meyrick, 1890** (Xyloryctidae) Synonym(s): *Xylorycta Meyrick, 1890*; *Neodrepta* Turner, 1898
- 8976. Acrolepia Curtis, 1838** (Yponomeutidae) Synonym(s): *Acrolepia Curtis, 1838* Original
Reference: *Acrolepia Curtis, 1838*, Br. ent. 6: 679. Type-species: *Acrolepia autumnitella* Curtis, 1838, by original designation.
- 8977. Acrolepiopsis Gaedike, 1970** (Yponomeutidae) Synonym(s): *Acrolepiopsis Gaedike, 1970*
- 8978. Anoista Turner, 1939** (Yponomeutidae) Synonym(s): *Anoista Turner, 1939*
- 8979. Anthonympha Moriuti, 1971** (Yponomeutidae) Synonym(s): *Anthonympha Moriuti, 1971*
- 8980. Argyresthia (Blastotere) Ratzeburg, 1840** (Yponomeutidae) Synonym(s): *Blastotere* Ratzeburg, 1840
- 8981. Argyresthia (s.str.) Hübner, [1825]** (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos Treitschke, 1830*; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 8982. Argyresthia Hübner, [1825]** (Yponomeutidae) Synonym(s): *Argyresthia* Hübner, [1825]; *Argyrosetia* Stephens, 1829; *Oligos Treitschke, 1830*; *Ederesa* Curtis, 1833; *Ismene* Stephens, 1834 nec Savigny, 1816; *Paraargyresthia* Moriuti, 1969; #*Parargyresthia* Kyrki, 1984
- 8983. Atemelia Herrich-Schäffer, [1853]** (Yponomeutidae) Synonym(s): *Atemelia* Herrich-Schäffer, [1853]; *Orinympha* Meyrick, 1927 Original Reference: *Atemelia* Herrich-Schäffer, [1853], Syst. Bearbeitung Schmett. Eur. 5: 9, 33. Type-species: *Oecophora torquatella* Lienig, 1846, [in] Lienig & Zeller, Isis Oken, Leipzig 1846: 279, by subsequent designation by Fletcher, 1929.

- 8984. Atteva Walker, 1854** (Yponomeutidae) **Synonym(s):** *Atteva* Walker, 1854; *Poeciloptera* Clemens, 1860 nec Latr., 1829 non Lw., 1846; *Amblothridia* Wallengren, 1861; *Corinea* Walker, 1863; *Carthara* Walker, 1866 nec Wlk., 1865; *Synadia* Walker, 1866; *Scyntilla* Guenée, 1879 nec Desh., 1856; *Syblis* Guenée, 1879
- 8985. Banghaasia Friese, 1960** (Yponomeutidae) **Synonym(s):** *Banghaasia* Friese, 1960
- 8986. Callitrinca Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Callitrinca* Meyrick, 1913
- 8987. Cedestis Zeller, 1839** (Yponomeutidae) **Synonym(s):** *Cedestis* Zeller, 1839; *Dyscedestis* Spuler, 1910; *Eucedestis* Paclt, 1951
- 8988. Charicrita Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Charicrita* Meyrick, 1913
- 8989. Chionogenes Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Chionogenes* Meyrick, 1913
- 8990. Conchiophora Chrétien, 1915** (Yponomeutidae) **Synonym(s):** *Conchiophora* Chrétien, 1915
- 8991. Diaphragmistis Meyrick, 1914** (Yponomeutidae) **Synonym(s):** *Diaphragmistis* Meyrick, 1914
- 8992. Digitivalva (Inuliphila) Gaedike, 1970** (Yponomeutidae) **Synonym(s):** *Inuliphila* Gaedike, 1970 **Original Reference:** *Inuliphila* Gaedike, 1970, Ent. Abh. Mus. Tierk. Dresden 38: 4. Type-species: *Acrolepia pulicariae* Klimesch, 1956, Z. wien. ent. Ges. 41: 135, text-fig. 8, pl. 18 fig. 3, by original designation.
- 8993. Digitivalva Gaedike, 1970** (Yponomeutidae) **Synonym(s):** *Digitivalva* Gaedike, 1970 **Original Reference:** *Digitivalva* Gaedike, 1970, Ent. Abh. Mus. Tierk. Dresden 38: 3, 4. Type-species: *Acrolepia valeriella* Snellen, 1878, Tijdschr. Ent. 21: 44, pl. 2 fig. a, by original designation.
- 8994. Distagmos Herrich-Schäffer, 1853** (Yponomeutidae) **Synonym(s):** *Distagmos* Herrich-Schäffer, 1853; *Artenacia* Chrétien, 1905
- 8995. Eidophasia Stephens, 1842** (Yponomeutidae) **Synonym(s):** *Parasemia* Stephens, 1841 nec Hübn., [1820]; *Eidophasia* Stephens, 1842; *Spania* Guenée, 1845; *Eudophasia* Herrich-Schäffer, 1853; *Hufnagelia* Reutti, 1853 **Original Reference:** *Eidophasia* Stephens, 1842, Entomologist 1: 418. Type-species: *Parasemia transversella* Stephens, 1841, ibidem 1: 202, by monotypy [see: *messingiella* Fischer v. Röslerstamm, 1840].
- 8996. Euhypnomete Toll, 1941** (Yponomeutidae) **Synonym(s):** *Euhypnomete* Toll, 1941
- 8997. Euhypnometoides Gaj, 1954** (Yponomeutidae) **Synonym(s):** *Euhypnometoides* Gaj, 1954
- 8998. Galactica Walsingham, 1911** (Yponomeutidae) **Synonym(s):** *Galactica* Walsingham, 1911 **Original Reference:** *Galactica* Walsingham, 1911, Entomologist's mon. Mag. 47: 14. Type-species: *Galactica caradjae* Walsingham, 1911, by monotypy.
- 8999. Genostele Walsingham, 1900** (Yponomeutidae) **Synonym(s):** *Genostele* Walsingham, 1900
- 9000. Gypsosaris Meyrick, 1909** (Yponomeutidae) **Synonym(s):** *Gypsosaris* Meyrick, 1909
- 9001. Kessleria (Hofmannia) Wocke, 1876** (Yponomeutidae) **Synonym(s):** *Hofmannia* Wocke, 1876
- 9002. Kessleria (s.str.) Nowicki, 1864** (Yponomeutidae) **Synonym(s):** *Kessleria* Nowicki, 1864; *Paradoxus* Stainton, 1869; *Hofmannia* Wocke, 1876; *Parahypnomete* Toll, 1941
- 9003. Kessleria Nowicki, 1864** (Yponomeutidae) **Synonym(s):** *Kessleria* Nowicki, 1864; *Paradoxus* Stainton, 1869; *Hofmannia* Wocke, 1876; *Parahypnomete* Toll, 1941 **Original Reference:** *Kessleria* Nowicki, 1864, Microlepid. Spec. novae : 12. Type-species: *Kessleria zimmemannii* Nowicki, 1864, ibidem: 13, pl.-fig. 3, by monotypy.
- 9004. Lepocnemis Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Lepocnemis* Meyrick, 1913
- 9005. Lissochroa Turner, 1923** (Yponomeutidae) **Synonym(s):** *Lissochroa* Turner, 1923
- 9006. Litaneutis Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Litaneutis* Meyrick, 1913
- 9007. Lunakia Klimesch, 1941** (Yponomeutidae) **Synonym(s):** *Lunakia* Klimesch, 1941
- 9008. Mieza Walker, 1854** (Yponomeutidae) **Synonym(s):** *Mieza* Walker, 1854
- 9009. Niphonympha Meyrick, 1914** (Yponomeutidae) **Synonym(s):** *Calantica* Zeller, 1847 nec Gry., 1825; *Niphonympha* Meyrick, 1914 **Original Reference:** *Niphonympha* Meyrick, 1914, Exot. Microlepid. 1: 174. Type-species: *Calantica albella* Zeller, 1847, Isis Oken, Leipzig 1847: 812, by subsequent designation by Busck, 1912, Proc. ent. Soc. Wash. 14: 85.
- 9010. Nosymna Walker, 1864** (Yponomeutidae) **Synonym(s):** *Nosymna* Walker, 1864; *Androgyne* Walsingham, 1900
- 9011. Nymphonia Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *Nymphonia* Meyrick, 1913
- 9012. Ochsenheimeria Hübner, [1825]** (Yponomeutidae) **Synonym(s):** *Ochsenheimeria* Hübner, [1825]; *Lepidocera* Stephens, 1829; *Phygadeuon* Treitschke, 1833; *Aeria* Gistel, 1848 nec Hübn., 1816 **Original Reference:** *Ochsenheimeria* Hübner, [1825], Verz. bekannter Schmett. : 416. Type-species: *Tinea bubalella* Hübner, [1813], Samml. eur. Schmett. 8: pl. 55, fig. 376, by subsequent designation by Hampson, 1918, Novit. zool. 25: 387.

- 9013. Ocnerostoma Zeller,1847** (Yponomeutidae) **Synonym(s):** *Ocnerostoma Zeller,1847*
- 9014. Opsiclinae Meyrick,1907** (Yponomeutidae) **Synonym(s):** *Opsiclinae Meyrick,1907*
- 9015. Orsocomia Meyrick,1921** (Yponomeutidae) **Synonym(s):** *Orsocomia Meyrick,1921*
- 9016. Palleura Turner,1926** (Yponomeutidae) **Synonym(s):** *Palleura Turner,1926*
- 9017. Paraswammerdamia Friese,1960** (Yponomeutidae) **Synonym(s):** *Paraswammerdamia Friese,1960* Original Reference: *Paraswammerdamia Friese,1960, Beitr. Ent. 10: 35, 101. Type-species: Swammerdamia lapponica Petersen,1932, Arch. Naturgesch. (N.F.) 1: 210, fig. 18, by original designation.*
- 9018. Phrealcia Chrétien,1900** (Yponomeutidae) **Synonym(s):** *Phrealcia Chrétien,1900; Procalantica Rebel,1900*
- 9019. Plutella (Anadetia) Hübner,[1825]** (Yponomeutidae) **Synonym(s):** *Anadetia Hübner,[1825]*
- 9020. Plutella (s.str.) Schrank,1802** (Yponomeutidae) **Synonym(s):** *Plutella Schrank,1802; Euota Hübner,[1825]; Creagria Sodoffsky,1837; Evota Agassiz,1847.* Original Reference: *Plutella Schrank,1802, Fauna Boica 2 (2): 169. Type-species: Phalaena xylostella Linnaeus,1758, Syst. Nat. (Edn 10): 1: 538, by monotypy.*
- 9021. Plutella Schrank,1802** (Yponomeutidae) **Synonym(s):** *Plutella Schrank,1802; Euota Hübner,[1825]; Creagria Sodoffsky,1837; Evota Agassiz,1847.* Original Reference: *Plutella Schrank,1802, Fauna Boica 2 (2): 169. Type-species: Phalaena xylostella Linnaeus,1758, Syst. Nat. (Edn 10): 1: 538, by monotypy.*
- 9022. Prays Hübner,[1825]** (Yponomeutidae) **Synonym(s):** *Prays Hübner,[1825]; Pepilla Guenée,1845*
- 9023. Pseudoswammerdamia Friese,1960** (Yponomeutidae) **Synonym(s):** *Pseudoswammerdamia Friese,1960* Original Reference: *Pseudoswammerdamia Friese,1960, Beitr. Ent. 10: 35,91. Type-species: Phalaena combinella Hübner,1786, Beitr. Gesch. Schmett. 1(1): 5, pl.1 fig.C, by original designation.*
- 9024. Rhigognostis Staudinger,1857** (Yponomeutidae) **Synonym(s):** *Rhigognostis Staudinger,1857; Caunaca Wallengren,1880; Eumachaeristis Meyrick,1938; #Subeidophasia Weber,1938; Subeidophasia Moriuti,1977* Original Reference: *Rhigognostis Staudinger,1857, Stettin ent. Ztg. 18 (7/9): 273. Type-species: Plutella dalella Stainton,1849.*
- 9025. Scythropia Hübner,[1825]** (Yponomeutidae) **Synonym(s):** *Scythropia Hübner,[1825]*
- 9026. Spaniophylla Turner,1917** (Yponomeutidae) **Synonym(s):** *Spaniophylla Turner,1917*
- 9027. Swammerdamia Hübner,[1825]** (Yponomeutidae) **Synonym(s):** *Swammerdamia Hübner,[1825]*
- 9028. Syncrotaula Meyrick,1937** (Yponomeutidae) **Synonym(s):** *Syncrotaula Meyrick,1937*
- 9029. Teinoptila Sauber,1902** (Yponomeutidae) **Synonym(s):** *Teinoptila Sauber,1902*
- 9030. Telosphrantis Meyrick,1932** (Yponomeutidae) **Synonym(s):** *Telosphrantis Meyrick,1932*
- 9031. Thecobathra Meyrick,1922** (Yponomeutidae) **Synonym(s):** *Thecobathra Meyrick,1922; Pseudocalantica Friese,1960*
- 9032. Turneriella Seven & Özdikmen,2005** (Yponomeutidae) **Synonym(s):** *Amblyzancle Turner,1939 nec Turn.,1936; Turneriella Seven & Özdikmen,2005*
- 9033. Yponomeuta Latreille,1796** (Yponomeutidae) **Synonym(s):** *Yponomeuta Latreille,1796* Original Reference: *Yponomeuta Latreille,1796, Précis Caractres génériques Insectes: 146. Type-species: Phalaena evonymella, Linnaeus,1758, Syst. Nat. (Edn 10) 1: 534, by subsequent monotypy.*
- 9034. Ypsolopha Latreille,[1796]** (Yponomeutidae) **Synonym(s):** *Ypsolopha Latreille,1796; Ypsolophus Fabricius,1798; Cerostoma Latreille,1802; Hypsolopha Billberg,1820; Theristis Hübner,[1825]; Harpipteryx Hübner,[1825]; Abebaea Hübner,[1825]; Harpipteryx Stephens,1834; Chaetochilus Stephens,1834; Pteroxia Guenée,1845; Hypolepia Guenée,1845; Credemnon Wallengren,1880; Perichlymenobius Wallengren,1880; Trachoma Wallengren,1880; Pycnopogon Chrétien,1922 nec Loew,1847* Original Reference: *Ypsolopha Latreille,[1796], Précis Caracteres génériques Insectes: 145. Type-species: Phalaena sylvella Linnaeus,1767, Syst. Nat. (Edn 12) 1(2): 893, by subsequent designation by Desmarest,1857, in Chenu, Encycl. Hist. nat. (Papillons nocturnes): 255.*
- 9035. Zarcinia Chrétien,1915** (Yponomeutidae) **Synonym(s):** *Zarcinia Chrétien,1915* Original Reference: *Zarcinia Chrétien,1915, Annls Soc. ent. Fr. 84: 310. Type-species: Zarcinia nigrosignatella Chrétien,1915, by monotypy.*
- 9036. Zelleria Stainton,1849** (Yponomeutidae) **Synonym(s):** *Zelleria Stainton,1849; Eudrymopa Lower,1908* Original Reference: *Zelleria Stainton,1849, Attempt Syst. Cat. Br. Tineidae*

- Pterophoridae: 22. Type-species: *Zelleria hepariella* Stainton, 1849, ibidem: 22, by subsequent designation by, Meyrick, 1915, Trans. N.Z. Inst. 47: 227.
- 9037. Achelura Kirby, 1892** (Zygaenidae) Synonym(s): *Chelura* Hope, 1840 nec Philippi, 1839; *Achelura* Kirby, 1892
- 9038. Adscita (Procriterna) Efetov & Tarmann, 2004** (Zygaenidae) Synonym(s): *Procrita* Efetov & Tarmann, 1999 nec Hendel, 1908; *Procriterna* Efetov & Tarmann, 2004 Original Reference: *Procriterna* Efetov & Tarmann, 2004, Entomologist's Gaz. 55 (3): 184.
- 9039. Adscita (Tarmannita) Efetov, 2000** (Zygaenidae) Synonym(s): *Tarmannita* Efetov, 2000
- 9040. Adscita (s.str.) Retzius, 1783** (Zygaenidae) Synonym(s): *Adscita* Retzius, 1783; *Procris* Fabricius, 1807; *Atychia* Ochsenheimer, 1808; *Ino* Leach, [1815]; *Bradyptesis* Sodoffsky, 1837
- 9041. Adscita Retzius, 1783** (Zygaenidae) Synonym(s): *Adscita* Retzius, 1783; *Procris* Fabricius, 1807; *Atychia* Ochsenheimer, 1808; *Ino* Leach, [1815]; *Bradyptesis* Sodoffsky, 1837 Original Reference: *Adscita* Retzius, 1783, [in] Degeer, Genera et Species Insect.: 8, 35. Type-species: *Adscita turcosa* Retzius, 1783, by subsequent designation by Kirby, 1892.
- 9042. Agalope Walker, 1854** (Zygaenidae) Synonym(s): *Chelura* Hope, 1841 nec Phil., 1839; *Agalope* Walker, 1854; *Achelura* Kirby, 1892 Original Reference: *Agalope* Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 437. Type-species: *Agalope basalis* Walker, 1854, by monotypy.
- 9043. Aglaope Latreille, 1809** (Zygaenidae) Synonym(s): *Aglaope* Latreille, 1809
- 9044. Allocaprima M. Hering, 1922** (Zygaenidae) Synonym(s): *Allocaprima* M. Hering, 1922
- 9045. Allocyclosia M. Hering, 1925** (Zygaenidae) Synonym(s): *Allocyclosia* M. Hering, 1925
- 9046. Alohogaster Hampson, 1892** (Zygaenidae) Synonym(s): *Alohogaster* Hampson, 1892
- 9047. Amalthocera Boisduval, 1836** (Zygaenidae) Synonym(s): *Amalthocera* Boisduval, 1836; *#Amathocera* Agassiz, 1846
- 9048. Amesia Duncan, 1841** (Zygaenidae) Synonym(s): *Amesia* Duncan, 1841; *Erasmia* Dohrn, 1906; *#Amesina* Alberti, 1954
- 9049. Anticrates Meyrick, 1905** (Zygaenidae) Synonym(s): *Anticrates* Meyrick, 1905
- 9050. Aphantocephala C. Felder, 1861** (Zygaenidae) Synonym(s): *Aphantocephala* C. Felder, 1861
- 9051. Arachotia Moore, 1879** (Zygaenidae) Synonym(s): *Arachotia* Moore, 1879
- 9052. Araecera Hampson, 1892** (Zygaenidae) Synonym(s): *Araecera* Hampson, 1892
- 9053. Arbudas Moore, 1879** (Zygaenidae) Synonym(s): *Arbudas* Moore, 1879; *Kubia* Matsumura, 1927
- 9054. Artona Walker, 1854** (Zygaenidae) Synonym(s): *Artona* Walker, 1854; *Bintha* Walker, 1864; *Aglaino* Staudinger, 1887
- 9055. Astyloneura Gaede, 1914** (Zygaenidae) Synonym(s): *Astyloneura* Gaede, 1914
- 9056. Atelesia Jordan, 1930** (Zygaenidae) Synonym(s): *Atelesia* Jordan, 1930
- 9057. Balataea Walker, 1864** (Zygaenidae) Synonym(s): *Balataea* Walker, 1864; *Amuria* Staudinger, 1887
- 9058. Barbaroscia M. Hering, 1922** (Zygaenidae) Synonym(s): *Barbaroscia* M. Hering, 1922
- 9059. Boradia Moore, 1879** (Zygaenidae) Synonym(s): *Boradia* Moore, 1879
- 9060. Boradiopsis M. Hering, 1922** (Zygaenidae) Synonym(s): *Boradiopsis* M. Hering, 1922
- 9061. Brachartona Hampson, 1891** (Zygaenidae) Synonym(s): *Brachartona* Hampson, 1891
- 9062. Byblisia Walker, 1864** (Zygaenidae) Synonym(s): *Byblisia* Walker, 1864
- 9063. Cadphises Moore, 1865** (Zygaenidae) Synonym(s): *Cadphises* Moore, 1865
- 9064. Callartona Hampson, 1892** (Zygaenidae) Synonym(s): *Callartona* Hampson, 1892
- 9065. Callizygaena R. Felder & Rogenhofer, 1875** (Zygaenidae) Synonym(s): *Callizygaena* R. Felder & Rogenhofer, 1875
- 9066. Campylotes Westwood, 1840** (Zygaenidae) Synonym(s): *Campylotes* Westwood, 1840; *Ephyrgis* Oberthür, 1884 Original Reference: *Campylotes* Westwood, 1840, Madras J. Lit. & Sci. 12: 131. Type-species: *Campylotes histrionicus* Westwood, 1840, by monotypy.
- 9067. Cerodendra Tremewan, 1973** (Zygaenidae) Synonym(s): *Dendrocera* Hampson, 1892 nec Lam., 1817; *Cerodendra* Tremewan, 1973
- 9068. Chalcophaedra Jordan, 1907** (Zygaenidae) Synonym(s): *Chalcophaedra* Jordan, 1907
- 9069. Chalcosia Hübner, [1819]** (Zygaenidae) Synonym(s): *Chalcosia* Hübner, [1819]; *Charmona* Billberg, 1820; *#Chalconia* Lucas, 1902; *#Chaleosia* Bryk, 1936
- 9070. Chalcosiopsis Swinhoe, 1894** (Zygaenidae) Synonym(s): *Chalcosiopsis* Swinhoe, 1894; *Eumorphiopais* Hering, 1922
- 9071. Chrysartona Swinhoe, 1892** (Zygaenidae) Synonym(s): *Chrysartona* Swinhoe, 1892
- 9072. Cicinnocnemis Holland, 1893** (Zygaenidae) Synonym(s): *Ninia* Walker, 1856 nec Baird & Girard, 1853 [Rept.]; *Cicinnocnemis* Holland, 1893 Original Reference: *Cicinnocnemis* Holland, 1893, J. New York ent. Soc. 1: 181. Type: *Sphinx plumipes* Drury, 1782.

- 9073. Clelea Walker, 1854** (Zygaenidae) Synonym(s): *Clelea Walker, 1854*
- 9074. Cleoda Tremewan, 1973** (Zygaenidae) Synonym(s): *Doclea Walker, 1864 nec Leac., 1815; Cleoda Tremewan, 1973*
- 9075. Coptoproctis Zeller, 1852** (Zygaenidae) Synonym(s): *Coptoproctis Zeller, 1852*
- 9076. Corma Walker, 1864** (Zygaenidae) Synonym(s): *Corma Walker, 1864*
- 9077. Cryptophysophilus M. Hering, 1922** (Zygaenidae) Synonym(s): *Cryptophysophilus M. Hering, 1922*
- 9078. Cyclosia Hübner, [1820]** (Zygaenidae) Synonym(s): *Cyclosia Hübner, [1820]; Esthema Hübner, [1820]; Heleona Westwood, 1837; Pintia Walker, 1854; Pinorus Walker, 1862; Isbarta Walker, 1856; Arycanda Walker, 1862; Didina Walker, 1862; Mimeuploea Swinhoe, 1877; Klaboana Moore, 1879; Amesia Moore, 1882; Callamesia Butler, 1885.*
- 9079. Dilophura Hampson, 1918** (Zygaenidae) Synonym(s): *Dilophura Hampson, 1918*
- 9080. Docleomorpha M. Hering, 1922** (Zygaenidae) Synonym(s): *Docleomorpha M. Hering, 1922*
- 9081. Docleopsis Jordan, 1907** (Zygaenidae) Synonym(s): *Docleopsis Jordan, 1907*
- 9082. Elcysma Butler, 1881** (Zygaenidae) Synonym(s): *Elcysma Butler, 1881*
- 9083. Ephemeroidea Hampson, 1892** (Zygaenidae) Synonym(s): *Ephemeroidea Hampson, 1892*
- 9084. Epiorna Alberti, 1954** (Zygaenidae) Synonym(s): *Epiorna Alberti, 1954*
- 9085. Epizygaena Jordan, 1907** (Zygaenidae) Synonym(s): *Epizygaena Jordan, 1907*
- 9086. Erasmia Hope, 1841** (Zygaenidae) Synonym(s): *Erasmia Hope, 1841*
- 9087. Erasmiphleboecta Strand, 1916** (Zygaenidae) Synonym(s): *Erasmiphleboecta Strand, 1916*
- 9088. Eterusia Hope, 1841** (Zygaenidae) Synonym(s): *Eterusia Hope, 1841*
- 9089. Eucorma Jordan, 1907** (Zygaenidae) Synonym(s): *Eucorma Jordan, 1907*
- 9090. Eucormopsis Jordan, 1907** (Zygaenidae) Synonym(s): *Eucormopsis Jordan, 1907*
- 9091. Eumorphiopais M. Hering, 1922** (Zygaenidae) Synonym(s): *Eumorphiopais M. Hering, 1922*
- 9092. Eusphalera Jordan, 1907** (Zygaenidae) Synonym(s): *Eusphalera Jordan, 1907*
- 9093. Euxanthopyge M. Hering, 1922** (Zygaenidae) Synonym(s): *Euxanthopyge M. Hering, 1922*
- 9094. Formozygaena Inoue, 1987** (Zygaenidae) Synonym(s): *Formozygaena Inoue, 1987*
- 9095. Goe Hampson, [1893]** (Zygaenidae) Synonym(s): *Goe Hampson, [1893]; Kublalia Alberti, 1954*
- 9096. Gyneutocera Guérin-Méneville, 1830** (Zygaenidae) Synonym(s): *Gyneutocera Guérin-Méneville, 1830*
- 9097. Hampsonia Swinhoe, 1894** (Zygaenidae) Synonym(s): *Hampsonia Swinhoe, 1894*
- 9098. Harrisina Packard, 1864** (Zygaenidae) Synonym(s): *Harrisina Packard, 1864*
- 9099. Hemiscia Jordan, 1907** (Zygaenidae) Synonym(s): *Hemiscia Jordan, 1907*
- 9100. Herpa Walker, 1854** (Zygaenidae) Synonym(s): *Herpa Walker, 1854*
- 9101. Herpidia Bryk, 1936** (Zygaenidae) Synonym(s): *Herpidia Bryk, 1936*
- 9102. Heteropanula Tarmann, 1992** (Zygaenidae) Synonym(s): *Heteropanula Tarmann, 1992*
- 9103. Heterusinula Bryk, 1937** (Zygaenidae) Synonym(s): *Heterusinula Bryk, 1937*
- 9104. Histia Hübner, [1820]** (Zygaenidae) Synonym(s): *Histia Hübner, [1820]*
- 9105. Homophylotis Turner, 1904** (Zygaenidae) Synonym(s): *Homophylotis Turner, 1904*
- 9106. Hysteroscene M. Hering, 1925** (Zygaenidae) Synonym(s): *Hysteroscene M. Hering, 1925*
- 9107. Illiberis (Hedina) Alberti, 1954** (Zygaenidae) Synonym(s): *Hedina Alberti, 1954*
- 9108. Illiberis (Primilliberis) Alberti, 1954** (Zygaenidae) Synonym(s): *Primilliberis Alberti, 1954*
- 9109. Illiberis (s.str.) Walker, 1854** (Zygaenidae) Synonym(s): *Illiberis Walker, 1854; Zama Herrich-Schäffer, 1855; Thyrina Poujade, 1896; Euphacusa Matsumura, 1927; Euphascusa Matsumura, 1931; Svenia Alberti, 1954 nec Brotzen, 1937; Alterasvenia Alberti, 1971*
- 9110. Illiberis Walker, 1854** (Zygaenidae) Synonym(s): *Illiberis Walker, 1854; Zama Herrich-Schäffer, 1855; Thyrina Poujade, 1896; Euphacusa Matsumura, 1927; Euphascusa Matsumura, 1931; Svenia Alberti, 1954 nec Brotzen, 1937; Alterasvenia Alberti, 1971*
- 9111. Inouela Efetov, 1999** (Zygaenidae) Synonym(s): *Inouela Efetov, 1999*
- 9112. Janseola Hopp, 1923** (Zygaenidae) Synonym(s): *Janseola Hopp, 1923*
- 9113. Jordanita (Gregorita) Povolny & Smelhaus, 1951** (Zygaenidae) Synonym(s): *Gregorita Povolny & Smelhaus, 1951*
- 9114. Jordanita (Lucasiterna) Alberti, 1961** (Zygaenidae) Synonym(s): *Lucasiterna Alberti, 1961*
- 9115. Jordanita (Praviela) Alberti, 1954** (Zygaenidae) Synonym(s): *Praviela Alberti, 1954*
- 9116. Jordanita (Rjabovia) Efetov & Tarmann, 1995** (Zygaenidae) Synonym(s): *Rjabovia Efetov & Tarmann, 1995*
- 9117. Jordanita (Roccia) Alberti, 1954** (Zygaenidae) Synonym(s): *Roccia Alberti, 1954*
- 9118. Jordanita (Tremewania) Efetov & Tarmann, 1999** (Zygaenidae) Synonym(s): *Tremewania Efetov & Tarmann, 1999* Original Reference: *Jordanita (Tremewania) Efetov &*

- Tarmann,1999, Forester moths: 42. Type-species: *Atychia notata* Zeller,1847, Isis, Leipzig 40: 294, by original designation.
- 9119. Jordanita (s.str.) Verity,1946** (Zygaenidae) Synonym(s): *Jordanita Verity,1946*
- 9120. Jordanita Verity,1946** (Zygaenidae) Synonym(s): *#Jordanita Agenjo,1940; Jordanita Verity,1946* Original Reference: *Procris* (Jordanita) Verity,1946, Redia (2) 31: 134. Type-species: *Sphinx chloros* Hübner,[1813], by original designation (vide: Koçak,1982, Priamus 2: 99).
- 9121. Lamprochrysa Hampson,1918** (Zygaenidae) Synonym(s): *Lamprochrysa Hampson,1918*
- 9122. Lophosoma Swinhoe,1892** (Zygaenidae) Synonym(s): *Lophosoma Swinhoe,1892*
- 9123. Malamblia Jordan,1907** (Zygaenidae) Synonym(s): *Malamblia Jordan,1907; #Malarbela Neave,1940*
- 9124. Milleria Herrich-Schäffer,1853** (Zygaenidae) Synonym(s): *Milleria Herrich-Schäffer,1853*
- 9125. Mimascaptysyle M.Hering,1922** (Zygaenidae) Synonym(s): *Mimascaptysyle M.Hering,1922*
- 9126. Neochalcusia Yen & Yang,1997** (Zygaenidae) Synonym(s): *Neochalcusia Yen & Yang,1997*
- 9127. Neotherpa Tremewan,1973** (Zygaenidae) Synonym(s): *Neotherpa Tremewan,1973*
- 9128. Neopryeria Matsumura,1927** (Zygaenidae) Synonym(s): *Neopryeria Matsumura,1927*
- 9129. Neurosymploca Wallengren,1858** (Zygaenidae) Synonym(s): *Neurosymploca Wallengren,1858; #Neosymploca Barrett,1901; Callosymploca Vari,1986*
- 9130. Opisoplatia Jordan,1907** (Zygaenidae) Synonym(s): *Opisoplatia Jordan,1907*
- 9131. Orna Kirby,1892** (Zygaenidae) Synonym(s): *Euctenia R.Felder & Rogenhofer,1874 (praeocc.); Orna Kirby,1892*
- 9132. Panherpina Bryk,1937** (Zygaenidae) Synonym(s): *Panherpina Bryk,1937*
- 9133. Phacusa Walker,1854** (Zygaenidae) Synonym(s): *Phacusa Walker,1854; Northia Butler,1877; Piarosoma Jordan,1908*
- 9134. Phauda Walker,1854** (Zygaenidae) Synonym(s): *Phauda Walker,1854; Xenares Herrich-Schäffer,1854; Collestis Wallengren,1861*
- 9135. Philipator Moore,[1866]** (Zygaenidae) Synonym(s): *Philipator Moore,[1866]*
- 9136. Phlebohecta Hampson,1892** (Zygaenidae) Synonym(s): *Phlebohecta Hampson,1892*
- 9137. Piarosoma Hampson,1892** (Zygaenidae) Synonym(s): *Piarosoma Hampson,1892*
- 9138. Pidorus Walker,1854** (Zygaenidae) Synonym(s): *Pidorus Walker,1854*
- 9139. Platzygaena Swinhoe,1892** (Zygaenidae) Synonym(s): *Platzygaena Swinhoe,1892*
- 9140. Polianista Strand,1915** (Zygaenidae) Synonym(s): *Polianista Strand,1915*
- 9141. Pollanisus Walker,1854** (Zygaenidae) Synonym(s): *Pollanisus Walker,1854*
- 9142. Pompelon Walker,1854** (Zygaenidae) Synonym(s): *Pompelon Walker,1854*
- 9143. Praezygaena Alberti,1954** (Zygaenidae) Synonym(s): *Epizygaena Jordan,1907 (praeocc.); Praezygaena Alberti,1954; Epizygaenella Tremewan & Povolny,1968* Original Reference: *Praezygaena Alberti,1954*, Mitt. zool. Mus. Berl. 30: 185. Type-species: *Zygaena myodes* Druce,1899, by original designation.
- 9144. Procotes Butler,1876** (Zygaenidae) Synonym(s): *Procotes Butler,1876*
- 9145. Prosopandrophila M.Hering,1922** (Zygaenidae) Synonym(s): *Prosopandrophila M.Hering,1922*
- 9146. Pryeria Moore,1877** (Zygaenidae) Synonym(s): *Pryeria Moore,1877; Sinica Rebel,1915; Neopryeria Matsumura,1927; Reissita Tremewan,1959*
- 9147. Psaphis Walker,1854** (Zygaenidae) Synonym(s): *Psaphis Walker,1854; Canerces Hampson,1892*
- 9148. Pseudarbudas Tarmann,1992** (Zygaenidae) Synonym(s): *Pseudarbudas Tarmann,1992*
- 9149. Pseudocaptysyle M.Hering,1922** (Zygaenidae) Synonym(s): *Pseudocaptysyle M.Hering,1922*
- 9150. Pseudonyctemera Snellen,[1902]** (Zygaenidae) Synonym(s): *Pseudonyctemera Snellen,[1902]*
- 9151. Pseudopidorus Yen & Yang,1997** (Zygaenidae) Synonym(s): *Pseudopidorus Yen & Yang,1997*
- 9152. Pyromorpha Herrich-Schäffer,[1856]** (Zygaenidae) Synonym(s): *Pyromorpha Herrich-Schäffer,[1856]*
- 9153. Retina Walker,1854** (Zygaenidae) Synonym(s): *Retina Walker,1854*
- 9154. Rhagades (Naufockia) Alberti,1954** (Zygaenidae) Synonym(s): *Naufockia Alberti,1954*
- 9155. Rhagades (Wiegelia) Efetov & Tarmann,1995** (Zygaenidae) Synonym(s): *Wiegelia Efetov & Tarmann,1995*
- 9156. Rhagades (s.str.) Wallengren,1863** (Zygaenidae) Synonym(s): *Rhagades Wallengren,1863*
- 9157. Rhagades Wallengren,1863** (Zygaenidae) Synonym(s): *Rhagades Wallengren,1863*

- 9158. Rhodopsona Jordan,[1907]** (Zygaenidae) Synonym(s): *Rhodopsona* Jordan,[1907]
- 9159. Saliunca Walker,[1865]** (Zygaenidae) Synonym(s): *Saliunca* Walker,[1865]
- 9160. Saliuncella Jordan,1907** (Zygaenidae) Synonym(s): *Saliuncella* Jordan,1907
- 9161. Scotopais M.Hering,1922** (Zygaenidae) Synonym(s): *Scotopais* M.Hering,1922; *Phlebohecta* Mell,1922
- 9162. Soritia Walker,1854** (Zygaenidae) Synonym(s): *Soritia* Walker,1854; *Devanica* Moore,1884
Original Reference: *Soritia* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 435.
Type-species: *Chalcusia leptalina* Kollar,[1848], by monotypy.
- 9163. Tascia Walker,1856** (Zygaenidae) Synonym(s): *Tascia* Walker,1856; *Parasyntomis* Distant,1897;
#*Tassia* Druce,1910
- 9164. Tasema Walker,1856** (Zygaenidae) Synonym(s): *Tasema* Walker,1856
- 9165. Theresimima Strand,1917** (Zygaenidae) Synonym(s): *Theresia* Spuler,1906 nec *Robineau-Desvoidy*,1830; *Theresimima* Strand,1917
- 9166. Thibetana Efetov & Tarmann,1995** (Zygaenidae) Synonym(s): *Thibetana* Efetov & Tarmann,1995
- 9167. Thyrassia Butler,1876** (Zygaenidae) Synonym(s): *Thyrassia* Butler,1876; *Monoschalis* Hampson,1892
- 9168. Toosa Walker,1856** (Zygaenidae) Synonym(s): *Toosa* Walker,1856
- 9169. Trypanophora Kollar,[1844]** (Zygaenidae) Synonym(s): *Trypanophora* Kollar,[1844];
Tryphanonophora Snellen,[1902]
- 9170. Watermenia Owada & Horie,2002** (Zygaenidae) Synonym(s): *Watermenia* Owada & Horie,2002
- 9171. Zeuxippa Herrich-Schäffer,[1856]** (Zygaenidae) Synonym(s): *Zeuxippa* Herrich-Schäffer,[1856]
- 9172. Zutulba Kirby,1892** (Zygaenidae) Synonym(s): *Anteris* Wallengren,1865 (praeocc.); *Zutulba* Kirby,1892
- 9173. Zygaena (Agrumenia) Hübner,[1819]** (Zygaenidae) Synonym(s): *Agrumenia* Hübner,[1819]; *Epizygaena* Jordan,1907; *Agrumenoidea* Holik,1937; *Coelestina* Holik,1953
Original Reference: *Agrumenia* Hübner,[1819], Verz. bekannt. Schmett.: 116. Type-species: *Sphinx onobrychis* [Denis & Schiffermüller],1775, by subsequent designation by Tremewan,1961.
- 9174. Zygaena (Mesembrynus) Hübner,[1819]** (Zygaenidae) Synonym(s): *Mesembrynus* Hübner,[1819]; *Heschia* Hübner,[1819]; *Hyala* Burgeff,1926 nec *Adams*,1852; *Santolinophaga* Burgeff,1926; *Peucedanophila* Burgeff,1926; *Coelestis* Burgeff,1926; *Yasumatsuia* Strand,1936; #*Cirsiphaga* Holik,1953; *Libania* Holik & *Sheljuzhko*,1956; *Usgenta* Holik & *Sheljuzhko*,1956; *Mesembrynoidea* Holik & *Sheljuzhko*,1956; *Cirsiphaga* Tremewan,1961
Original Reference: *Mesembrynus* Hübner,[1819], Verz. bekannt. Schmett.: 119. Type-species: *Zygaena pluto* Ochsenheimer,1808, by subsequent designation by Tremewan,1961.
- 9175. Zygaena (s.str.) Fabricius,1775** (Zygaenidae) Synonym(s): *Zygaena* Fabricius,1775; *Anthrocera* Scopoli,1777; *Euthychia* Hübner,[1819]; *Anthilaria* Hübner,[1819]; *Aeacis* Hübner,[1819]; *Thermophila* Hübner,[1819]; *Lycastes* Hübner,[1819]; *Silvicola* Burgeff,1926; *Lictoria* Burgeff,1926; *Peristygia* Burgeff,1926; *Polymorpha* Burgeff,1926 nec *Soldani*,1791; *Biezankoia* Strand,1936; *Huebneriana* Holik & *Sheljuzhko*,1957; *Burgeffia* Holik & *Sheljuzhko*,1957; *Rhaphidozygaena* Burgeff,1975
Original Reference: *Zygaena* Fabricius,1775, Syst. Ent.: 550. Type-species: *Sphinx filipendulae* Linnaeus,1758, by subsequent designation by Latreille,1810.
- 9176. Zygaena Fabricius,1775** (Zygaenidae) Synonym(s): *Zygaena* Fabricius,1775; *Anthrocera* Scopoli,1777; *Euthychia* Hübner,[1819]; *Anthilaria* Hübner,[1819]; *Aeacis* Hübner,[1819]; *Thermophila* Hübner,[1819]; *Lycastes* Hübner,[1819]; *Silvicola* Burgeff,1926; *Lictoria* Burgeff,1926; *Peristygia* Burgeff,1926; *Polymorpha* Burgeff,1926 nec *Soldani*,1791; *Biezankoia* Strand,1936; *Huebneriana* Holik & *Sheljuzhko*,1957; *Burgeffia* Holik & *Sheljuzhko*,1957; *Rhaphidozygaena* Burgeff,1975
Original Reference: *Zygaena* Fabricius,1775, Syst. Ent.: 550. Type-species: *Sphinx filipendulae* Linnaeus,1758, by subsequent designation by Latreille,1810.
- 9177. Zygaenoprocris (Efetovia) Mollet,2001** (Zygaenidae) Synonym(s): *Efetovia* Mollet,2001
- 9178. Zygaenoprocris (Keilia) Efetov,2001** (Zygaenidae) Synonym(s): *Keilia* Efetov,2001
Original Reference: *Zygaenoprocris* (Keilia) Efetov,2001, Entomologist's Gaz. 52 (1): 47. Type-species: *Adscita minna* Efetov,1991, by original designation.
- 9179. Zygaenoprocris (Molletia) Efetov,2001** (Zygaenidae) Synonym(s): *Molletia* Efetov,2001
Original Reference: *Zygaenoprocris* (Molletia) Efetov,2001, Entomologist's Gaz. 52 (1): 45. Type-species: *Procris taftana* Alberti,1939, by original designation.
- 9180. Zygaenoprocris (s.str.) Hampson,1900** (Zygaenidae) Synonym(s): *Zygaenoprocris* Hampson,1900
Original Reference: *Zygaenoprocris* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 225. Type-species: *Zygaenoprocris chalcoclora* Hampson,1900, by original designation.

- 9181. *Zygaenoprocris* Hampson, 1900** (Zygaenidae) Synonym(s): *Zygaenoprocris* Hampson, 1900
Original Reference: *Zygaenoprocris* Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 225. Type-species: *Zygaenoprocris chalcoclora* Hampson, 1900, by original designation.

Annotated list of the species group taxa

Butterflies

1. ***Acraea* (Abananote) *abana* (Hewitson, 1868)** (Acraeidae) Synonym(s): *abana* Hewitson, 1868
Range (in code): **EC**
2. ***Acraea* (Abananote) *erinome* (C. Felder & R. Felder, 1861)** (Acraeidae) Synonym(s): *erinome* C. Felder & R. Felder, 1861
Range (in code): **EC PE**
3. ***Acraea* (Abananote) *erinome mathani* Oberthür, 1917** (Acraeidae) Synonym(s): *mathani* Oberthür, 1917; *carmentis* Potts, 1944
Range (in code): **PE EC**
4. ***Acraea* (Abananote) *euryleuca* Jordan, 1910** (Acraeidae) Synonym(s): *euryleuca* Jordan, 1910
Range (in code): **PE EC**
5. ***Acraea* (Abananote) *intensa* (Jordan, 1910)** (Acraeidae) Synonym(s): *intensa* Jordan, 1910
Range (in code): **PE EC**
6. ***Acraea* (Abananote) *intensa gerardolamas* Kemal & Koçak, 2007** (Acraeidae) Synonym(s): *radiata* Hewitson, 1868 nec Gn., 1865; *gerardolamas* Kemal & Koçak, 2007
Original Reference: *Acraea* (Abananote) *intensa* ssp. *gerardolamas* Kemal & Koçak, 2007, Centr. ent. Stud., Misc. Pap. 105: 3 (nomen novum pro *radiata* Hewitson, 1868 nec Gn., 1865). Range (in code): **EC**
7. ***Acraea* (Abananote) *intensa intensa* (Jordan, 1910)** (Acraeidae) Synonym(s): *intensa* Jordan, 1910
Range (in code): **PE**
8. ***Acraea* (Abananote) *intensa* ssp.** (Acraeidae) Synonym(s): Range (in code): **EC**
9. ***Acraea* (Actinote) *acerata* Hewitson, 1874** (Acraeidae) Synonym(s): *acerata* Hewitson, 1874; *vinidia* Hewitson, 1874; *tenella* Rogenhofer, 1891; *abbotti* Holland, 1892; *brahmsi* Suffert, 1904; *pullula* Grünberg, 1911; *hoursti* Le Cerf, 1927.
Range (in code): **NE NG GH TZ CM RW KE NA MZ BW MW Zom**
Bionomy: Larva on *Vernonia* (Asteraceae), *Ipomoea*, *Lepistemon*, *Merremia* (Convolvulaceae), *Passiflora* (Passifloraceae), *Zea* (Poaceae), *Solanum* (Solanaceae) (Ackery et al., 1995).
10. ***Acraea* (Actinote) *actinotina* (Lathy, 1903)** (Acraeidae) Synonym(s): *actinotina* Lathy, 1903
Range (in code): **NG**
11. ***Acraea* (Actinote) *acuta* Howarth, 1969** (Acraeidae) Synonym(s): *acuta* Howarth, 1969
Range (in code): **TZ Tnga Usa MW ZM**
12. ***Acraea* (Actinote) *acuta acuta* Howarth, 1969** (Acraeidae) Synonym(s): *acuta* Howarth, 1969
Range (in code): **TZ MW ZM**
13. ***Acraea* (Actinote) *acuta ngorongoro* Kielland, 1990** (Acraeidae) Synonym(s): *ngorongoro* Kielland, 1990
Range (in code): **TZ**
14. ***Acraea* (Actinote) *acuta nigromaculata* Kielland, 1990** (Acraeidae) Synonym(s): *nigromaculata* Kielland, 1990
Range (in code): **TZ**
15. ***Acraea* (Actinote) *acuta rubrobasalis* Kielland, 1990** (Acraeidae) Synonym(s): *rubrobasalis* Kielland, 1990
Range (in code): **TZ Tnga Usa**
16. ***Acraea* (Actinote) *alciope* Hewitson, 1852** (Acraeidae) Synonym(s): *alciope* Hewitson, 1852; *macarina* Butler, 1868; *cydonia* Ward, 1873
Range (in code): **GH CM NG ZR GM RW UG**
Bionomy: Larva on *Macaranga* (Euphorbiaceae), *Fleurya*, *Musanga* (Urticaceae) (Ackery et al., 1995).

17. **Acraea (Actinote) alciopoides Joicey & Talbot, 1921** (Acraeidae) Synonym(s): *alciopoides Joicey & Talbot, 1921* - Range (in code): **UG ZR** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
18. **Acraea (Actinote) alicia (Sharpe, 1890)** (Acraeidae) Synonym(s): *alicia Sharpe, 1890; cappadox Oberthür, 1893* - Range (in code): **KE CM ZR GH BI UG TZ Kmj Mru MW**
19. **Acraea (Actinote) alicia alicia (Sharpe, 1890)** (Acraeidae) Synonym(s): *alicia Sharpe, 1890; cappadox Oberthür, 1893* - Range (in code): **KE CM ZR GH BI UG TZ Kmj Mru MW**
20. **Acraea (Actinote) alicia mbulu Kielland, 1990** (Acraeidae) Synonym(s): *mbulu Kielland, 1990* - Range (in code): **TZ**
21. **Acraea (Actinote) alicia uzungwae Kielland, 1990** (Acraeidae) Synonym(s): *uzungwae Kielland, 1990* - Range (in code): **TZ**
22. **Acraea (Actinote) althoffi Dewitz, 1889** (Acraeidae) Synonym(s): *althoffi Dewitz, 1889* Range (in code): **CF ZR NG CI GH KE UG CM Bit GA ZR**
23. **Acraea (Actinote) althoffi althoffi Dewitz, 1889** (Acraeidae) Synonym(s): *althoffi Dewitz, 1889* - Range (in code): **ZR**
24. **Acraea (Actinote) althoffi bitjana Bethune-Baker, 1926** (Acraeidae) Synonym(s): *bitjana Bethune-Baker, 1926* - Range (in code): **CM Bit GA**
25. **Acraea (Actinote) althoffi neavei Poulton, 1924** (Acraeidae) Synonym(s): *neavei Poulton, 1924* - Range (in code): **KE UG**
26. **Acraea (Actinote) althoffi pseudopaea Dudgeon, 1909** (Acraeidae) Synonym(s): *pseudopaea Dudgeon, 1909* - Range (in code): **NG CI GH**
27. **Acraea (Actinote) althoffi rubrofasciata Aurivillius, 1895** (Acraeidae) Synonym(s): *rubrofasciata Aurivillius, 1895* - Range (in code): **CF ZR UG**
28. **Acraea (Actinote) amicitiae Heron, 1909** (Acraeidae) Synonym(s): *amicitiae Heron, 1909; polychroma Rebel, 1911* Range (in code): **UG ZR BI RW TZ** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
29. **Acraea (Actinote) anacreon Trimen, 1868** (Acraeidae) Synonym(s): *anacreon Trimen, 1868* - Range (in code): **ZA Ec Kzu Nta Kkf Wo Ulu Ptb Tva Lpo Ly Brb Mpu Wjk Wri KE UG ZR Mb ZW Har MZ ZM MW TZ UG AO** Bionomy: Larva on Aeschynomene, Cassia (Fabaceae); Adenia, Modecca (Passifloraceae); Alchemilla (Rosaceae), Woemskioldia (Turneraceae) (Ackery et al., 1995).
30. **Acraea (Actinote) anacreon anacreon Trimen, 1868** (Acraeidae) Synonym(s): *anacreon Trimen, 1868* - Range (in code): **ZA Ec Kzu Nta Kkf Wo Ulu Ptb Tva Lpo Ly Brb Mpu Wjk Wri**
31. **Acraea (Actinote) anacreon anacreontica Grose-Smith, 1898** (Acraeidae) Synonym(s): *anacreontica Grose-Smith, 1898* - Range (in code): **KE UG ZR**
32. **Acraea (Actinote) anacreon bomba Grose-Smith, 1889** (Acraeidae) Synonym(s): *bomba Grose-Smith, 1889* - Range (in code): **KE Mb MZ ZM MW TZ UG**
33. **Acraea (Actinote) anacreon chyulu Van Someren, 1939** (Acraeidae) Synonym(s): *chyulu Van Someren, 1939* - Range (in code): **KE**
34. **Acraea (Actinote) anacreon lusinga Overlaet, 1955** (Acraeidae) Synonym(s): *lusinga Overlaet, 1955* - Range (in code): **ZM ZR**
35. **Acraea (Actinote) anacreon speciosa Wichgraf, 1909** (Acraeidae) Synonym(s): *speciosa Wichgraf, 1909* - Range (in code): **AO**
36. **Acraea (Actinote) ansorgei Grose-Smith, 1898** (Acraeidae) Synonym(s): *ansorgei Grose-Smith, 1898; conjuncta Grose-Smith, 1898; nandensis Sharp, 1899.* Range (in code): **KE UG ZR** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
37. **Acraea (Actinote) aubyni Eltringham, 1912** (Acraeidae) Synonym(s): *aubyni Eltringham, 1912* - Range (in code): **KE TZ**
38. **Acraea (Actinote) aurivillii Staudinger, 1896** (Acraeidae) Synonym(s): *aurivillii Staudinger, 1896; alicia Grose-Smith, 1900 nec Shrp., 1890; smithi Aurivillius, 1922 nec Mab., 1879; bombensis Stoneham, 1937; ochrestensa Stoneham, 1937; #flavifasciata Stoneham, 1937.* - Range (in code): **SL ZR UG KE TZ ET**
39. **Acraea (Actinote) aurivillii aurivillii Staudinger, 1896** (Acraeidae) Synonym(s): *aurivillii Staudinger, 1896; alicia Grose-Smith, 1900 nec Shrp., 1890; smithi Aurivillius, 1922 nec Mab., 1879; bombensis Stoneham, 1937; ochrestensa Stoneham, 1937; #flavifasciata Stoneham, 1937.* Range (in code): **SL ZR UG KE TZ**

40. **Acraea (Actinote) aurivillii schecana Rothschild & Jordan,1905** (Acraeidae) Synonym(s): *schecana* Rothschild & Jordan,1905 _ Range (in code): ET
41. **Acraea (Actinote) baxteri Sharpe,1902** (Acraeidae) Synonym(s): *baxteri* Sharpe,1902; *fuellborni* Thurnau,1903 _ Range (in code): MW TZ KE UG
42. **Acraea (Actinote) baxteri baxteri Sharpe,1902** (Acraeidae) Synonym(s): *baxteri* Sharpe,1902; *fuellborni* Thurnau,1903 _ Range (in code): MW TZ
43. **Acraea (Actinote) baxteri oldeani Kielland,1990** (Acraeidae) Synonym(s): *oldeani* Kielland,1990 _ Range (in code): TZ
44. **Acraea (Actinote) baxteri philos Le Cerf,1933** (Acraeidae) Synonym(s): *philos* Le Cerf,1933; *#lutea* Carpenter & Jackson,1950 _ Range (in code): KE UG
45. **Acraea (Actinote) baxteri subsquamia Thurnau,1903** (Acraeidae) Synonym(s): *subsquamia* Thurnau,1903 _ Range (in code): TZ
46. **Acraea (Actinote) bergeri Gaede,1915** (Acraeidae) Synonym(s): *bergeri* Gaede,1915 _ Range (in code): UG
47. **Acraea (Actinote) bonasia (Fabricius,1775)** (Acraeidae) Synonym(s): *bonasia* Fabricius,1775; *cynthius* Drury,1782; *praeponina* Staudinger,1896; *siabona* Suffert,1904. _ Range (in code): TG GO Bio SN NG CM AO ZM ZR UG RW BI TZ ET
48. **Acraea (Actinote) bonasia banka Eltringham,1912** (Acraeidae) Synonym(s): *banka* Eltringham,1912 _ Range (in code): ET
49. **Acraea (Actinote) bonasia bonasia (Fabricius,1775)** (Acraeidae) Synonym(s): *bonasia* Fabricius,1775; *cynthius* Drury,1782; *praeponina* Staudinger,1896; *siabona* Suffert,1904. _ Range (in code): SN NG CM AO ZM ZR UG RW BI TZ TG GO Bio
50. **Acraea (Actinote) burgessi Jackson,1956** (Acraeidae) Synonym(s): *burgessi* Jackson,1956 _ Range (in code): UG ZR
51. **Acraea (Actinote) buschbecki Dewitz,1889** (Acraeidae) Synonym(s): *buschbecki* Dewitz,1889 _ Range (in code): CM ZR
52. **Acraea (Actinote) cabira Hopffer,1855** (Acraeidae) Synonym(s): *cabira* Hopffer,1855; *apocida* Oberthür,1893; *flavomaculata* Lanz,1896; *natalensis* Staudinger,1896; *biraca* Suffert,1904; *abrupta* Grünberg,1910; *swinburnei* Stevenson,1940. Original Reference: *Acraea cabira* Hopffer,1855, Mber. dt. Akad. Wiss. Berlin 1855: 640. Range (in code): ZA Tva Lpo Spb Suw Mll Krb Kru Pma Ent Kzu Nta Ptb Mv Mpu Brb Stj Tra SZ MZ TZ MW Zom UG ZW ZR Bionomy: Larva on *Triumfetta tomentosa* (Tiliaceae), *Hermannia* sp. (Sterculiaceae) (Pringle et al.,1994).
53. **Acraea (Actinote) cinerea Neave,1904** (Acraeidae) Synonym(s): *cinerea* Neave,1904; *alberta* Eltringham,1911 _ Range (in code): RW UG TZ KE ET ZR
54. **Acraea (Actinote) cinerea cinerea Neave,1904** (Acraeidae) Synonym(s): *cinerea* Neave,1904; *alberta* Eltringham,1911 _ Range (in code): RW UG TZ KE ET
55. **Acraea (Actinote) cinerea luluae Berger,1981** (Acraeidae) Synonym(s): *luluae* Berger,1981 _ Range (in code): ZR
56. **Acraea (Actinote) circeis (Drury,1782)** (Acraeidae) Synonym(s): *circeis* Drury,1782; *mandane* Fabricius,1793; *leona* Staudinger,1896; *leonina* Bethune-Baker,1903. _ Range (in code): SL NG ZR AO
57. **Acraea (Actinote) conradti Oberthür,1893** (Acraeidae) Synonym(s): *conradti* Oberthür,1893 _ Range (in code): TZ MW MZ ZW Vum ZR
58. **Acraea (Actinote) conradti conradti Oberthür,1893** (Acraeidae) Synonym(s): *conradti* Oberthür,1893 _ Range (in code): TZ MZ
59. **Acraea (Actinote) conradti vumbui Stevenson,1934** (Acraeidae) Synonym(s): *vumbui* Stevenson,1934 _ Range (in code): MW MZ ZW Vum ZR
60. **Acraea (Actinote) disjuncta Grose-Smith,1898** (Acraeidae) Synonym(s): *disjuncta* Grose-Smith,1898 _ Range (in code): KE UG ZR Bionomy: Larva on *Urera* (Urticaceae) (Ackery et al.,1995).
61. **Acraea (Actinote) disjuncta disjuncta Grose-Smith,1898** (Acraeidae) Synonym(s): *disjuncta* Grose-Smith,1898 _ Range (in code): KE UG
62. **Acraea (Actinote) disjuncta kigeziensis Jackson,1956** (Acraeidae) Synonym(s): *kigeziensis* Jackson,1956 _ Range (in code): UG ZR
63. **Acraea (Actinote) encedana Pierre,1976** (Acraeidae) Synonym(s): *encedana* Pierre,1976 _ Range (in code): ZR CM TZ LR ZM SN SD ET AO MW MZ Bionomy: Larva on *Desmodium* (Fabaceae) (Ackery et al.,1995).

64. **Acraea (Actinote) encedon (Linnaeus,1758)** (Acraeidae) Synonym(s): *encedon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923. Original Reference: *Papilio encedon* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 488. Type(s): "Indiis" [Patria falsa]; [Africa]. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MG ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Kzu Nta Esw Dbn Pth Tva Lpo Spb Kru Pma K12 Suw Ly Mpu Brb ZM ZR ZW**
65. **Acraea (Actinote) encedon encedon (Linnaeus,1758)** (Acraeidae) Synonym(s): *encedon* Linnaeus,1758; *lycia* Fabricius,1775; *sganzini* Boisduval,1833; *fulva* Doubleday,1848; *daira* Godman & Salvin,1884; *braunei* Staudinger,1885; *usagarae* Vuillot,1891; *nigeriae* Schulze,1923. Original Reference: *Papilio encedon* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 488. Type(s): "Indiis" [Patria falsa]; [Africa]. Range (in code): **AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MG ML MR MW Zom MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZA Kzu Nta Esw Dbn Pth Tva Lpo Spb Suw Ly Kru Pma Mpu Brb K12 ZM ZR ZW**
66. **Acraea (Actinote) encedon rathjensi Le Doux,1933** (Acraeidae) Synonym(s): *rathjensi* Le Doux,1933 Original Reference: *Acraea encedon rathjensi* Le Doux,1933, Mitt. münch. ent. Ges. 23: 35. Syntypes: Yemen: Musemir-Aden; San'a. Range (in code): **Ad As SA YE**
67. **Acraea (Actinote) encoda Pierre,1981** (Acraeidae) Synonym(s): *encoda* Pierre,1981 Range (in code): **ZR GA** Bionomy: Larva on Commelina (Commelinaceae) (Ackery et al.,1995).
68. **Acraea (Actinote) eponina (Cramer,[1780])** (Acraeidae) Synonym(s): *eponina* Cramer,[1780]; *janisca* Godart,[1819], *manjaca* Boisduval,1833; *rougetii* Guérin-Ménéville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928. Original Reference: *Papilio eponina* Cramer,[1780], Utitl. Kapellen 3: 138, pl.268, figs.C,D. Syntypes: [Sierra Leone]: Sierra Leona. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM Myt LR LS LY MA MG ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Kzu Nta Pth Tva Lpo Spb Kru Pma Pf K12 Mdk Ent Pre Gau ZM ZR ZW** Bionomy: Larva on Dombeya, Melonchia, Waltheria, Hermannia (Sterculiaceae), Triumfetta rhomboidea, T. annua, T. pilosa (Tiliaceae); Cephaloma (Lamiaceae); Hibiscus, Sida (Malvaceae); Nicotiana (Solanaceae) (Pringle et al.,1994; Ackery et al.,1995).
69. **Acraea (Actinote) eponina eponina (Cramer,[1780])** (Acraeidae) Synonym(s): *eponina* Cramer,[1780]; *janisca* Godart,[1819], *manjaca* Boisduval,1833; *rougetii* Guérin-Ménéville,1849; *buxtoni* Butler,1875; *perrupta* Butler,1875; *subserena* Grose-Smith,1900; *intermediana* Strand,1911; *eliana* Strand,1912; *jordani* Le Doux,1928. Original Reference: *Papilio eponina* Cramer,[1780], Utitl. Kapellen 3: 138, pl.268, figs.C,D. Syntypes: [Sierra Leone]: Sierra Leona. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM Myt LR LS LY MA MG ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Kzu Nta Pth Tva Lpo Spb Kru Pma Pf K12 Mdk Ent Pre Gau ZM ZR ZW** Bionomy: Larva on Dombeya, Melonchia, Waltheria, Hermannia (Sterculiaceae), Triumfetta rhomboidea, T. annua, T. pilosa (Tiliaceae); Cephaloma (Lamiaceae); Hibiscus, Sida (Malvaceae); Nicotiana (Solanaceae) (Pringle et al.,1994; Ackery et al.,1995).
70. **Acraea (Actinote) esebria Hewitson,1861** (Acraeidae) Synonym(s): *esebria* Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arctifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916. Range (in code): **ZA Ec Kzu Nta Pth Mpu Brb Tva Lpo Ly Suw Spb Kru Pma Pf AO KE Nai TZ KM Myt MW Zom ZW UG MZ ZM ZR SD** Bionomy: Larva on Boehmeria, Fleurya, Pouzolzia, Urera (Urticaceae) (Ackery et al.,1995).
71. **Acraea (Actinote) esebria esebria Hewitson,1861** (Acraeidae) Synonym(s): *esebria* Hewitson,1861; *protea* Trimen,1862; *metaprotea* Butler,1874; *monteironis* Butler,1874; *arctifascia* Butler,1874; *pseudoprotea* Butler,1874; *amphiprotea* Butler,1874; *jacksoni* Sharpe,1890; *ertli* Aurivillius,1904; *actinotis* Neustetter,1916. Range (in code): **ZA Ec Kzu Nta Pth Mpu Brb Tva Lpo Ly Suw Spb Kru Pma Pf AO KE Nai TZ MW Zom ZW UG MZ ZM ZR SD**
72. **Acraea (Actinote) esebria masaris Oberthür,1893** (Acraeidae) Synonym(s): *masaris* Oberthür,1893 Range (in code): **KM**
73. **Acraea (Actinote) excelsior Sharpe,1891** (Acraeidae) Synonym(s): *excelsior* Sharpe,1891 Range (in code): **KE TZ Tnga Usa MW Zom** Bionomy: Larva on Triumfetta (Tiliaceae) (Ackery et al.,1995).
74. **Acraea (Actinote) excelsior excelsior Sharpe,1891** (Acraeidae) Synonym(s): *excelsior* Sharpe,1891 Range (in code): **KE TZ MW Zom**
75. **Acraea (Actinote) excelsior usambarae Jackson,1951** (Acraeidae) Synonym(s): *usambarae* Jackson,1951 Range (in code): **TZ Tnga Usa**
76. **Acraea (Actinote) fornax Butler,1879** (Acraeidae) Synonym(s): *fornax* Butler,1879; *smithi* Mabille,1890; *blachieri* Oberthür,1916. Range (in code): **MG**

77. **Acraea (Actinote) goetzei Thureau, 1903** (Acraeidae) Synonym(s): *goetzei Thureau, 1903*; *byatti Neave, 1904*. Range (in code): MW TZ UG BI RW ZR
78. **Acraea (Actinote) grosvenori Eltringham, 1912** (Acraeidae) Synonym(s): *grosvenori Eltringham, 1912*. Range (in code): UG ZR
79. **Acraea (Actinote) guichardi Gabriel, 1949** (Acraeidae) Synonym(s): *guichardi Gabriel, 1949*. Range (in code): ET
80. **Acraea (Actinote) hecqui Berger, 1981** (Acraeidae) Synonym(s): *hecqui Berger, 1981*. Range (in code): ZR
81. **Acraea (Actinote) humilis Sharpe, 1897** (Acraeidae) Synonym(s): *humilis Sharpe, 1897*. Original Reference: Acraea humilis Sharpe, 1897, Ann. Mag. nat. Hist. (6) 19: 582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J. Jackson leg. Range (in code): UG KE
82. **Acraea (Actinote) igola Trimen, 1889** (Acraeidae) Synonym(s): *igola Trimen, 1889*; *maculiventris Grose-Smith & Kirby, 1894*. Range (in code): ZA Nta Kzu Esw Stj Tra ZW TZ Tnga Usa Ani MZ MW
83. **Acraea (Actinote) induna (Trimen, 1895)** (Acraeidae) Synonym(s): *induna Trimen, 1895*. Range (in code): ZW Har ZA Tva Lpo Spb Bionomy: Larva on Aeschynomene nodulosa (Fabaceae) (Pringle et al., 1994).
84. **Acraea (Actinote) induna induna (Trimen, 1895)** (Acraeidae) Synonym(s): *induna Trimen, 1895*. Range (in code): ZW Har ZA Tva Lpo Spb Bionomy: Larva on Aeschynomene nodulosa (Fabaceae) (Pringle et al., 1994).
85. **Acraea (Actinote) insularis Sharpe, 1893** (Acraeidae) Synonym(s): *insularis Sharpe, 1893*. Range (in code): ST
86. **Acraea (Actinote) iturina Grose-Smith, 1890** (Acraeidae) Synonym(s): *iturina Grose-Smith, 1890*; *iturinoides Stoneham, 1936*. Range (in code): ZR UG CM ET
87. **Acraea (Actinote) iturina iturina Grose-Smith, 1890** (Acraeidae) Synonym(s): *iturina Grose-Smith, 1890*; *iturinoides Stoneham, 1936*. Range (in code): ZR UG CM
88. **Acraea (Actinote) iturina kakana Eltringham, 1911** (Acraeidae) Synonym(s): *kakana Eltringham, 1911*; *#infernalis Ungemach, 1932*. Range (in code): ET
89. **Acraea (Actinote) jodutta (Fabricius, 1793)** (Acraeidae) Synonym(s): *jodutta Fabricius, 1793*; *carmentis Doubleday, 1847*; *flava Dewitz, 1879*; *dorotheae Sharpe, 1902*. Range (in code): ET CM SL GH SN UG KE NG AO SD
90. **Acraea (Actinote) jodutta aethiops Rothschild & Jordan, 1905** (Acraeidae) Synonym(s): *aethiops Rothschild & Jordan, 1905*; *#clara Ungemach, 1932*. Range (in code): ET
91. **Acraea (Actinote) jodutta jodutta (Fabricius, 1793)** (Acraeidae) Synonym(s): *jodutta Fabricius, 1793*; *carmentis Doubleday, 1847*; *flava Dewitz, 1879*; *dorotheae Sharpe, 1902*. Range (in code): ET CM SL GH SN UG KE NG AO SD
92. **Acraea (Actinote) johnstoni Godman, 1885** (Acraeidae) Synonym(s): *johnstoni Godman, 1885*. Range (in code): TZ Tnga Usa Ani UG RW ET ZM ZR MZ
93. **Acraea (Actinote) johnstoni johnstoni Godman, 1885** (Acraeidae) Synonym(s): *johnstoni Godman, 1885*. Range (in code): ET ZR MZ
94. **Acraea (Actinote) johnstoni praelongata Hancock & A. Heath, 1988** (Acraeidae) Synonym(s): *praelongata Hancock & A. Heath, 1988*. Range (in code): ZM ZR
95. **Acraea (Actinote) johnstoni toruna Grose-Smith, 1900** (Acraeidae) Synonym(s): *toruna Grose-Smith, 1900*; *butleri Eltringham, 1912*. Range (in code): TZ UG RW
96. **Acraea (Actinote) kalinzu Carpenter, 1936** (Acraeidae) Synonym(s): *kalinzu Carpenter, 1936*; *albipicta Carpenter, 1936*. Range (in code): UG ZR
97. **Acraea (Actinote) kuekenthali Le Doux, 1922** (Acraeidae) Synonym(s): *kuekenthali Le Doux, 1922*; *salmonea Le Doux, 1922 nec Jord., 1910*. Range (in code): TZ ZR ZM
98. **Acraea (Actinote) lia Mabille, 1879** (Acraeidae) Synonym(s): *lia Mabille, 1879*. Range (in code): MG KM Myt
99. **Acraea (Actinote) lumiri Bethune-Baker, 1908** (Acraeidae) Synonym(s): *lumiri Bethune-Baker, 1908*; *camerunica Strand, 1914 nec Auriv., 1893*. Range (in code): ZR CM
100. **Acraea (Actinote) lycoa Godart, [1819]** (Acraeidae) Synonym(s): *lycoa Godart, [1819]*. Range (in code): TZ Kmj RW BI GO Bio BI CM AO SD ZR SL NG ET UG TZ KE Bionomy: Larva on Fleurya, Pouzolzia (Urticaceae) (Ackery et al., 1995).
101. **Acraea (Actinote) lycoa aequalis Rothschild & Jordan, 1905** (Acraeidae) Synonym(s): *aequalis Rothschild & Jordan, 1905*. Range (in code): ET

- 102. *Acraea (Actinote) lycoa entebbia* Eltringham,1911 (Acraeidae) Synonym(s): *entebbia* Eltringham,1911 _ Range (in code): UG**
- 103. *Acraea (Actinote) lycoa fallax* (Rogenhofer,1891) (Acraeidae) Synonym(s): *fallax* Rogenhofer,1891; *kilimandjara* Oberthür,1893 _ Range (in code): TZ Kmj**
- 104. *Acraea (Actinote) lycoa kenia* Eltringham,1911 (Acraeidae) Synonym(s): *kenia* Eltringham,1911 _ Range (in code): KE**
- 105. *Acraea (Actinote) lycoa kindua* Ackery,1995 (Acraeidae) Synonym(s): *#eltringhami* Schouteden,1919; *kindua* Ackery,1995 _ Range (in code): ZR**
- 106. *Acraea (Actinote) lycoa lycoa* Godart,[1819] (Acraeidae) Synonym(s): *lycoa* Godart,[1819] _ Range (in code): SL NG**
- 107. *Acraea (Actinote) lycoa media* Eltringham,1911 (Acraeidae) Synonym(s): *media* Eltringham,1911; *mediafra* Stoneham,1936 _ Range (in code): GO Bio BI CM AO UG SD**
- 108. *Acraea (Actinote) lycoa stonehami* D'Abrera,1980 (Acraeidae) Synonym(s): *bukoba* Eltringham,1911 nec *Weym.*,1903; *stonehami* D'Abrera,1980 _ Range (in code): TZ ZR UG RW BI**
- 109. *Acraea (Actinote) lycoa tirika* Eltringham,1911 (Acraeidae) Synonym(s): *tirika* Eltringham,1911 _ Range (in code): KE**
- 110. *Acraea (Actinote) masamba* Ward,1872 (Acraeidae) Synonym(s): *masamba* Ward,1872; *ruepelli* Saalmüller,1878; *boseae* Saalmüller,1880; *silia* Mabille,[1887]; *siliana* Oberthür,1916; *vulgaris* Oberthür,1916; *debilis* Oberthür,1916; *#torquata* Le Cerf,1927 _ Range (in code): MG**
- 111. *Acraea (Actinote) melanoxantha* Sharpe,1891 (Acraeidae) Synonym(s): *melanoxantha* Sharpe,1891 _ Range (in code): KE UG Bionomy: Larva on *Adenia* (Passifloraceae) (Ackery et al.,1995).**
- 112. *Acraea (Actinote) mirifica* Lathy,1906 (Acraeidae) Synonym(s): *mirifica* Lathy,1906 Range (in code): AO ZR ZM**
- 113. *Acraea (Actinote) necoda* Hewitson,1861 (Acraeidae) Synonym(s): *necoda* Hewitson,1861 _ Range (in code): ET Bionomy: Larva on *Carduus* (Asteraceae); *Malva* (Malvaceae); *Urtica* (Urticaceae) (Ackery et al.,1995).**
- 114. *Acraea (Actinote) newtoni* Sharpe,1893 (Acraeidae) Synonym(s): *newtoni* Sharpe,1893 Range (in code): ST**
- 115. *Acraea (Actinote) ntebiae* Sharpe,1897 (Acraeidae) Synonym(s): *ntebiae* Sharpe,1897; *melanosticha* Sharpe,1904; *mairessei* Aurivillius,1904 Original Reference: *Acraea ntebiae* Sharpe,1897, Ann. Mag. nat. Hist. (6) 19: 581-582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J.Jackson leg. Range (in code): UG ZR CM TZ**
- 116. *Acraea (Actinote) ntebiae alticola* Schultze,1923 (Acraeidae) Synonym(s): *alticola* Schultze,1923; *nyongana* D'Abrera,1980 _ Range (in code): CM**
- 117. *Acraea (Actinote) ntebiae dewitzi* Carcasson,1981 (Acraeidae) Synonym(s): *#dewitzi* Aurivillius,1904; *dewitzi* Carcasson,1981 _ Range (in code): ZR**
- 118. *Acraea (Actinote) ntebiae kigoma* Kielland,1978 (Acraeidae) Synonym(s): *kigoma* Kielland,1978 _ Range (in code): TZ**
- 119. *Acraea (Actinote) ntebiae ntebiae* Sharpe,1897 (Acraeidae) Synonym(s): *ntebiae* Sharpe,1897; *melanosticha* Sharpe,1904; *mairessei* Aurivillius,1904 Original Reference: *Acraea ntebiae* Sharpe,1897, Ann. Mag. nat. Hist. (6) 19: 581-582. Type(s): Uganda: Ntebi, November-December 1895, Mr. F.J.Jackson leg. Range (in code): UG ZR**
- 120. *Acraea (Actinote) obeira* Hewitson,1863 (Acraeidae) Synonym(s): *obeira* Hewitson,1863; *piva* Guenée,1865; *andromba* Grose-Smith,1891. _ Range (in code): MG BW ZW MZ ZM MW NA ZA Nta Kzu Tug Lpo Tva Spb Mdk Kru Pma Wb Wv Nel Dbn Esw Mv Bionomy: Larva on *Laportea peduncularis*, *Obetia tenax*, *Pouzolzia mixta* (Urticaceae) (Pringle et al.,1994).**
- 121. *Acraea (Actinote) obeira burni* Butler,1896 (Acraeidae) Synonym(s): *burni* Butler,1896 Range (in code): BW ZW MZ ZM MW NA ZA Nta Kzu Tug Lpo Tva Spb Mdk Kru Pma Wb Wv Nel Dbn Esw Mv Bionomy: Larva on *Laportea peduncularis*, *Obetia tenax*, *Pouzolzia mixta* (Urticaceae) (Pringle et al.,1994).**
- 122. *Acraea (Actinote) obeira meyerana* Ackery,1995 (Acraeidae) Synonym(s): *meyeri* Van Son,1963 nec *Kirsh.*,1877; *meyerana* Ackery,1995 _ Range (in code): NA**
- 123. *Acraea (Actinote) obeira obeira* Hewitson,1863 (Acraeidae) Synonym(s): *obeira* Hewitson,1863; *piva* Guenée,1865; *andromba* Grose-Smith,1891. _ Range (in code): MG**

- 124. Acraea (Actinote) oberthueri Butler, 1895** (Acraeidae) Synonym(s): *oberthueri* Butler, 1895; *confluens* Suffert, 1904; *laetopicta* Rebel, 1914; *confluens* Schouteden, 1919 _ Range (in code): **CM ZR GO Bio GH TZ** Bionomy: Larva on Ancistocarpus (Tiliaceae) (Ackery et al., 1995).
- 125. Acraea (Actinote) oreas Sharpe, 1891** (Acraeidae) Synonym(s): *oreas* Sharpe, 1891 Range (in code): **AO NG CM ZR Shb KE UG RW BI TZ** Bionomy: Larva on Morus (Moraceae); Urera (Urticaceae) (Ackery et al., 1995).
- 126. Acraea (Actinote) oreas angolanus Lathy, 1906** (Acraeidae) Synonym(s): *angolanus* Lathy, 1906; *#radians* Aurivillius, 1913 _ Range (in code): **AO NG CM ZR Shb**
- 127. Acraea (Actinote) oreas oreas Sharpe, 1891** (Acraeidae) Synonym(s): *oreas* Sharpe, 1891; *#albimaculata* Neave, 1904 _ Range (in code): **KE UG RW ZR BI TZ**
- 128. Acraea (Actinote) orestia Hewitson, 1874** (Acraeidae) Synonym(s): *orestia* Hewitson, 1874; *orestina* Plötz, 1880; *acutipennis* Schultze, 1923 *nec* Lath., 1906 _ Range (in code): **KE UG CI GO Bio AO ZR TZ Usa Tnga** Bionomy: Larva on Fleurya (Urticaceae) (Ackery et al., 1995).
- 129. Acraea (Actinote) orestia orestia Hewitson, 1874** (Acraeidae) Synonym(s): *orestia* Hewitson, 1874; *orestina* Plötz, 1880; *acutipennis* Schultze, 1923 *nec* Lath., 1906 _ Range (in code): **KE UG CI GO Bio AO ZR**
- 130. Acraea (Actinote) orestia sambar Stoneham, 1943** (Acraeidae) Synonym(s): *sambar* Stoneham, 1943 _ Range (in code): **TZ Tnga Usa**
- 131. Acraea (Actinote) orina Hewitson, 1874** (Acraeidae) Synonym(s): *orina* Hewitson, 1874; *oreta* Hewitson, 1874; *nigroapicalis* Aurivillius, 1893 _ Range (in code): **CM GO Bio NG SL**
- 132. Acraea (Actinote) orinata Oberthür, 1893** (Acraeidae) Synonym(s): *orinata* Oberthür, 1893; *orineta* Eltringham, 1912 _ Range (in code): **UG CF CM ZR ET RW**
- 133. Acraea (Actinote) parrhasia (Fabricius, 1793)** (Acraeidae) Synonym(s): *parrhasia* Fabricius, 1793; *oppidia* Hewitson, 1874; *parrhoppidia* Staudinger, 1896; *#pseudoppidia* Strnad, 1914 _ Range (in code): **GO Bio CM GM** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
- 134. Acraea (Actinote) pellenea (Hübner, [1821])** (Acraeidae) Synonym(s): *pellenea* Hübner, [1821] _ Range (in code): **BR EC**
- 135. Acraea (Actinote) pellenea adriana Hopffer, 1874** (Acraeidae) Synonym(s): *adriana* Hopffer, 1874; *grammica* Jordan, 1913 _ Range (in code): **EC**
- 136. Acraea (Actinote) pellenea equatoria Bates, 1864** (Acraeidae) Synonym(s): *equatoria* Bates, 1864 _ Range (in code): **EC**
- 137. Acraea (Actinote) pellenea pellenea (Hübner, [1821])** (Acraeidae) Synonym(s): *pellenea* Hübner, [1821] _ Range (in code): **BR**
- 138. Acraea (Actinote) pellenea subhyalina Staudinger, 1885** (Acraeidae) Synonym(s): *subhyalina* Staudinger, 1885 _ Range (in code): **EC**
- 139. Acraea (Actinote) pelopeia Staudinger, 1896** (Acraeidae) Synonym(s): *pelopeia* Staudinger, 1896; *tropicalis* Blachier, 1912; *lineata* Aurivillius, 1925 _ Range (in code): **ZR GA CG CM CF**
- 140. Acraea (Actinote) peneleos Ward, 1871** (Acraeidae) Synonym(s): *peneleos* Ward, 1871 Range (in code): **GO Bio CM CI GH NG Caa SL KE ET AO ZR UG** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
- 141. Acraea (Actinote) peneleos gelonica Rothschild & Jordan, 1905** (Acraeidae) Synonym(s): *gelonica* Rothschild & Jordan, 1905 _ Range (in code): **ET**
- 142. Acraea (Actinote) peneleos pelasgius Grose-Smith, 1900** (Acraeidae) Synonym(s): *pelasgius* Grose-Smith, 1900 _ Range (in code): **AO ZR UG KE**
- 143. Acraea (Actinote) peneleos peneleos Ward, 1871** (Acraeidae) Synonym(s): *peneleos* Ward, 1871 _ Range (in code): **GO Bio CM CI GH NG Caa**
- 144. Acraea (Actinote) penelope Staudinger, 1896** (Acraeidae) Synonym(s): *penelope* Staudinger, 1896 _ Range (in code): **ZR UG TG BJ GH NG CM KE** Bionomy: Larva on Urera (Urticaceae) (Ackery et al., 1995).
- 145. Acraea (Actinote) penelope derubescens Eltringham, 1912** (Acraeidae) Synonym(s): *derubescens* Eltringham, 1912 _ Range (in code): **TG BJ GH**
- 146. Acraea (Actinote) penelope penelope Staudinger, 1896** (Acraeidae) Synonym(s): *penelope* Staudinger, 1896 _ Range (in code): **ZR UG**
- 147. Acraea (Actinote) penelope translucida Eltringham, 1912** (Acraeidae) Synonym(s): *translucida* Eltringham, 1912 _ Range (in code): **NG CM**
- 148. Acraea (Actinote) penelope vitrea Eltringham, 1912** (Acraeidae) Synonym(s): *vitrea* Eltringham, 1912 _ Range (in code): **KE**

- 149. *Acraea (Actinote) pentapolis* Ward,1871** (Acraeidae) **Synonym(s):** *pentapolis* Ward,1871
Range (in code): **SL ZR CM NG UG KE TZ MW ZW MZ** **Bionomy:** Larva on Boehmeria, Musanga, Myrianthus (Urticaceae) (Ackery et al.,1995).
- 150. *Acraea (Actinote) pentapolis epidica* Oberthür,1893** (Acraeidae) **Synonym(s):** *epidica* Oberthür,1893
Range (in code): **TZ MW ZW MZ**
- 151. *Acraea (Actinote) pentapolis pentapolis* Ward,1871** (Acraeidae) **Synonym(s):** *pentapolis* Ward,1871; *thelestis* Oberthür,1893; *#sjoestedti* Bryk,1917
Range (in code): **SL ZR CM NG UG KE**
- 152. *Acraea (Actinote) perenna* Doubleday,[1847]** (Acraeidae) **Synonym(s):** *perenna* Doubleday,[1847]
Range (in code): **SL GH ET AO MW KE CM MW TZ Tnga Usa Ani** **Bionomy:** Larva on Bridelia (Euphorbiaceae); Olobopetalum (Menispermaceae); Adenia (Passifloraceae) (Ackery et al.,1995).
- 153. *Acraea (Actinote) perenna kaffana* Rothschild,1902** (Acraeidae) **Synonym(s):** *kaffana* Rothschild,1902
Range (in code): **ET**
- 154. *Acraea (Actinote) perenna perenna* Doubleday,[1847]** (Acraeidae) **Synonym(s):** *perenna* Doubleday,[1847]; *polydectes* Ward,1871
Range (in code): **SL AO KE CM**
- 155. *Acraea (Actinote) perenna thesprio* Oberthür,1893** (Acraeidae) **Synonym(s):** *thesprio* Oberthür,1893
Range (in code): **TZ Tnga Usa Ani MW KE**
- 156. *Acraea (Actinote) pharsalus* Ward,1871** (Acraeidae) **Synonym(s):** *pharsalus* Ward,1871; *#duplicatus* Stoneham,1943
Range (in code): **UG SL GO Bio ZR KE SD TZ Usa Tnga Ani Kmj ET MZ AO**
- 157. *Acraea (Actinote) pharsalus carmen* Pyrcz,1991** (Acraeidae) **Synonym(s):** *carmen* Pyrcz,1991
Range (in code): **GO**
- 158. *Acraea (Actinote) pharsalus pharsaloides* Holland,1892** (Acraeidae) **Synonym(s):** *pharsaloides* Holland,1892; *saluspha* Suffert,1904
Range (in code): **MZ TZ Usa Tnga Ani Kmj AO KE**
- 159. *Acraea (Actinote) pharsalus pharsalus* Ward,1871** (Acraeidae) **Synonym(s):** *pharsalus* Ward,1871; *#duplicatus* Stoneham,1943
Range (in code): **UG SL GO Bio ZR KE SD TZ**
- 160. *Acraea (Actinote) pharsalus rhodina* Rothschild,1902** (Acraeidae) **Synonym(s):** *rhodina* Rothschild,1902
Range (in code): **ET SD**
- 161. *Acraea (Actinote) pierrei* Berger,1981** (Acraeidae) **Synonym(s):** *pierrei* Berger,1981
Range (in code): **ZR Rz UG**
- 162. *Acraea (Actinote) quirinalis* Grose-Smith,1900** (Acraeidae) **Synonym(s):** *quirinalis* Grose-Smith,1900
Range (in code): **TZ KE UG ZR** **Bionomy:** Larva on Urera (Urticaceae) (Ackery et al.,1995).
- 163. *Acraea (Actinote) rahira* Boisduval,1833** (Acraeidae) **Synonym(s):** *rahira* Boisduval,1833
Range (in code): **KE UG NA ZW MZ MW TZ ZR AO ZA Kzu Nta Ptb Tva Lpo Spb Gau Pre Wm Wb Mdd Bfk Pot Jh** **Bionomy:** Larva on Erigeron (Asteraceae); Polygonum (Polygonaceae) (Ackery et al.,1995).
- 164. *Acraea (Actinote) rahira mufindi* Kielland,1990** (Acraeidae) **Synonym(s):** *mufindi* Kielland,1990
Range (in code): **TZ**
- 165. *Acraea (Actinote) rahira rahira* Boisduval,1833** (Acraeidae) **Synonym(s):** *rahira* Boisduval,1833
Range (in code): **NA ZW MZ MW TZ ZR AO ZA Kzu Nta Ptb Tva Lpo Spb Gau Pre Wm Wb Mdd Bfk Pot Jh**
- 166. *Acraea (Actinote) rahira wasingishuensis* Stoneham,1943** (Acraeidae) **Synonym(s):** *wasingishuensis* Stoneham,1943
Range (in code): **KE UG**
- 167. *Acraea (Actinote) rangatana* Eltringham,1912** (Acraeidae) **Synonym(s):** *rangatana* Eltringham,1912
Range (in code): **KE RW UG BI ZR ET** **Bionomy:** Larva on Nesaea, Rotala (Lythraceae); Alchemilla (Rosaceae) (Ackery et al.,1995).
- 168. *Acraea (Actinote) rangatana bettiana* Joicey & Talbot,1921** (Acraeidae) **Synonym(s):** *bettiana* Joicey & Talbot,1921; *basilewskyi* Berger,1956
Range (in code): **RW BI UG ZR**
- 169. *Acraea (Actinote) rangatana ecketti* Jackson,1951** (Acraeidae) **Synonym(s):** *ecketti* Jackson,1951
Range (in code): **KE**
- 170. *Acraea (Actinote) rangatana maji* Carpenter,1935** (Acraeidae) **Synonym(s):** *maji* Carpenter,1935
Range (in code): **ET**
- 171. *Acraea (Actinote) rangatana rangatana* Eltringham,1912** (Acraeidae) **Synonym(s):** *rangatana* Eltringham,1912
Range (in code): **KE**
- 172. *Acraea (Actinote) rileyi* Le Doux,1931** (Acraeidae) **Synonym(s):** *rileyi* Le Doux,1931
Range (in code): **ZR**

- 173. *Acraea (Actinote) rufina* Oberthür,1917 (Acraeidae) Synonym(s): *rufina* Oberthür,1917
Range (in code): **EC****
- 174. *Acraea (Actinote) safie* C.Felder & R.Felder,[1865] (Acraeidae) Synonym(s): *safie* C.Felder & R.Felder,[1865]; #tillini Gabriel,1949 _ Range (in code): **ET****
- 175. *Acraea (Actinote) safie antinorii* Oberthür,1880 (Acraeidae) Synonym(s): *antinorii* Oberthür,1880; #neumanni Le Doux,1928; #albipuncta Ungemach,1932; #oumbiana Ungemach,1932 _ Range (in code): **ET****
- 176. *Acraea (Actinote) safie safie* C.Felder & R.Felder,[1865] (Acraeidae) Synonym(s): *safie* C.Felder & R.Felder,[1865]; #tillini Gabriel,1949 _ Range (in code): **ET****
- 177. *Acraea (Actinote) sambavae* Ward,1873 (Acraeidae) Synonym(s): *sambavae* Ward,1873
Range (in code): **MG****
- 178. *Acraea (Actinote) semivitreata* Aurivillius,1895 (Acraeidae) Synonym(s): *semivitreata* Aurivillius,1895; *pervia* Sharpe,1897 _ Range (in code): **UG ZR KE CM****
- 179. *Acraea (Actinote) serena* (Fabricius,1775) (Acraeidae) Synonym(s): *serena* Fabricius,1775 _ Range (in code): **AO BJ BW BF CM CF CG ZR GO ET GM GH GN CI KE MG MW ML MZ NG RW SA SN SL SO ZA SU SD SZ TZ TG UG YE ZM ZW****
- 180. *Acraea (Actinote) servona* Godart,[1819] (Acraeidae) Synonym(s): *servona* Godart,[1819]; *lycoides* Boisduval,1836; *dejana* Godman & Salvin,1890 _ Range (in code): **AO ZR NG UG KE Mru ET TZ Tnga Usa Ani GO Bio****
- 181. *Acraea (Actinote) servona kenya* Van Someren & Rogers,1926 (Acraeidae) Synonym(s): *kenya* Van Someren & Rogers,1926 _ Range (in code): **KE Mru****
- 182. *Acraea (Actinote) servona limonata* Eltringham,1912 (Acraeidae) Synonym(s): *limonata* Eltringham,1912 _ Range (in code): **GO Bio****
- 183. *Acraea (Actinote) servona orientis* Aurivillius,1904 (Acraeidae) Synonym(s): *orientis* Aurivillius,1904 _ Range (in code): **TZ Tnga Usa Ani KE****
- 184. *Acraea (Actinote) servona servona* Godart,[1819] (Acraeidae) Synonym(s): *servona* Godart,[1819]; *lycoides* Boisduval,1836; *dejana* Godman & Salvin,1890 _ Range (in code): **AO ZR NG UG****
- 185. *Acraea (Actinote) servona subochreata* Grünberg,1910 (Acraeidae) Synonym(s): *rhodina* Rothschild & Jordan,1905 *nec* Roth.,1902; *subochreata* Grünberg,1910; #digitata Carpenter,1935
Range (in code): **UG KE ET****
- 186. *Acraea (Actinote) servona tenebrosana* Ackery,1995 (Acraeidae) Synonym(s): *tenebrosa* Eltringham,1912 *nec* Hew.,1868; *tenebrosana* Ackery,1995 _ Range (in code): **ZR****
- 187. *Acraea (Actinote) simulata* Le Doux,1923 (Acraeidae) Synonym(s): *simulata* Le Doux,1923 _ Range (in code): **UG****
- 188. *Acraea (Actinote) sotikensis* Sharpe,1892 (Acraeidae) Synonym(s): *sotikensis* Sharpe,1892; *supponina* Staudinger,1896; *karschi* Aurivillius,1898; *ninapo* Suffert,1904; *rowena* Eltringham,1912; *rupicola* Schultze,1912; *hansmeyer* Strand,1913; *rowenina* Gaede,1915; *cruentata* Gaede,1916; *katarensis* Stoneham,1943 _ Range (in code): **KE ZR CM AO UG TZ Tnga Usa Ani ZM ET AO** Bionomy: Larva on *Triumfetta* (Tiliaceae) (Ackery et al.,1995).**
- 189. *Acraea (Actinote) strattipocles* Oberthür,1893 (Acraeidae) Synonym(s): *strattipocles* Oberthür,1893; *albescens* Oberthür,1916; *cervina* Oberthür,1916 _ Range (in code): **MG****
- 190. *Acraea (Actinote) thalia* (Linnaeus,1758) (Acraeidae) Synonym(s): *thalia* Linnaeus,1758
Original Reference: *Papilio thalia* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Range (in code): **EC****
- 191. *Acraea (Actinote) thalia cedestis* Jordan,1913 (Acraeidae) Synonym(s): *cedestis* Jordan,1913 _ Range (in code): **EC****
- 192. *Acraea (Actinote) thalia suspecta* Jordan,1913 (Acraeidae) Synonym(s): *suspecta* Jordan,1913 _ Range (in code): **EC****
- 193. *Acraea (Actinote) ungemachii* Le Cerf,1927 (Acraeidae) Synonym(s): *ungemachii* Le Cerf,1927; #nuda Ungemach,1932 _ Range (in code): **ET****
- 194. *Acraea (Actinote) uvui* Grose-Smith,1890 (Acraeidae) Synonym(s): *uvui* Grose-Smith,1890; *minima* Holland,1892 _ Range (in code): **CM AO KE TZ RW UG BI ZR****
- 195. *Acraea (Actinote) uvui balina* Karsch,1892 (Acraeidae) Synonym(s): *balina* Karsch,1892 _ Range (in code): **CM AO****
- 196. *Acraea (Actinote) uvui uvui* Grose-Smith,1890 (Acraeidae) Synonym(s): *uvui* Grose-Smith,1890; *minima* Holland,1892 _ Range (in code): **KE TZ RW UG BI ZR****
- 197. *Acraea (Actinote) ventura* Hewitson,1877 (Acraeidae) Synonym(s): *ventura* Hewitson,1877 _ Range (in code): **MW TZ ZM ZR Shb AO RW BI UG KE** Bionomy: Larva on *Cassia* (Fabaceae) (Ackery et al.,1995).**

- 198. *Acraea (Actinote) ventura ochrascens* Sharpe,1902** (Acraeidae) **Synonym(s):** *ochrascens* Sharpe,1902; *bukoba* Weymer,1903 **Range (in code):** **TZ ZR RW BI UG KE**
- 199. *Acraea (Actinote) ventura ventura* Hewitson,1877** (Acraeidae) **Synonym(s):** *ventura* Hewitson,1877 **Range (in code):** **MW TZ ZM Shb ZR AO**
- 200. *Acraea (Actinote) vespertalis* Grose-Smith,1890** (Acraeidae) **Synonym(s):** *vespertalis* Grose-Smith,1890; *catori* Bethune-Baker,1904 **Range (in code):** **SL CM ZR** **Bionomy:** Larva on Musanga, Myrianthus (Urticaceae) (Ackery et al.,1995).
- 201. *Acraea (Actinote) viviana* Staudinger,1896** (Acraeidae) **Synonym(s):** *viviana* Staudinger,1896 **Range (in code):** **CM AO ZR TZ UG KE**
- 202. *Acraea (Actinote) vuilloti* Mabilie,1889** (Acraeidae) **Synonym(s):** *vuilloti* Mabilie,1889 **Range (in code):** **TZ Tnga Usa**
- 203. *Acraea (Actinote) wigginsii* Neave,1904** (Acraeidae) **Synonym(s):** *wigginsii* Neave,1904 **Range (in code):** **CM Bit NG KE ZR UG**
- 204. *Acraea (Actinote) wigginsii occidentalis* Bethune-Baker,1926** (Acraeidae) **Synonym(s):** *occidentalis* Bethune-Baker,1926 **Original Reference:** *Acraea (Actinote) wigginsii occidentalis* Bethune-Baker,1926, Entomologist's Rec. J. Var. 38: 115-116. Syntypes 4♀: Cameroons: Bitje (G.L.Bates). **Range (in code):** **CM Bit NG**
- 205. *Acraea (Actinote) wigginsii wigginsii* Neave,1904** (Acraeidae) **Synonym(s):** *wigginsii* Neave,1904 **Range (in code):** **ZR UG KE**
- 206. *Acraea (Actinote) zitja* Boisduval,1833** (Acraeidae) **Synonym(s):** *zitja* Boisduval,1833; *rakeli* Boisduval,1833; *radiata* Guenée,1865; *calida* Butler,1878; *fumida* Mabilie,1880 **Range (in code):** **MG**
- 207. *Acraea (Altinote) alcione* (Hewitson,1852)** (Acraeidae) **Synonym(s):** *alcione* Hewitson,1852 **Range (in code):** **EC**
- 208. *Acraea (Altinote) alcione alcione* (Hewitson,1852)** (Acraeidae) **Synonym(s):** *alcione* Hewitson,1852 **Range (in code):** **EC**
- 209. *Acraea (Altinote) alcione elatus* (Druce,1903)** (Acraeidae) **Synonym(s):** *elatus* Druce,1903; *sarsanda* Druce,1903; *subelatus* Jordan,1913 **Range (in code):** **EC**
- 210. *Acraea (Altinote) alcione theophila* (Dognin,1887)** (Acraeidae) **Synonym(s):** *theophila* Dognin,1887; *moneta* Potts,1944 **Range (in code):** **EC**
- 211. *Acraea (Altinote) callianthe* (C.Felder & R.Felder,1862)** (Acraeidae) **Synonym(s):** *callianthe* C.Felder & R.Felder,1862 **Range (in code):** **CO Bgt EC**
- 212. *Acraea (Altinote) callianthe rufa* Jordan,1910** (Acraeidae) **Synonym(s):** *rufa* Jordan,1910 **Range (in code):** **EC**
- 213. *Acraea (Altinote) dicaeus* (Latreille,[1817])** (Acraeidae) **Synonym(s):** *dicaeus* Latreille,[1817] **Range (in code):** **EC PE**
- 214. *Acraea (Altinote) dicaeus albofasciata* (Hewitson,1869)** (Acraeidae) **Synonym(s):** *albofasciata* Hewitson,1869; *rosaria* Weymer,1890; *crina* Schaus,1902; *napensis* Jordan,1910 **Range (in code):** **EC**
- 215. *Acraea (Altinote) dicaeus dicaeus* (Latreille,[1817])** (Acraeidae) **Synonym(s):** *dicaeus* Latreille,[1817] **Range (in code):** **PE**
- 216. *Acraea (Altinote) erebia* Oberthür,1917** (Acraeidae) **Synonym(s):** *erebia* Oberthür,1917 **Range (in code):** **PE**
- 217. *Acraea (Altinote) eresia* (C.Felder & R.Felder,1862)** (Acraeidae) **Synonym(s):** *eresia* C.Felder & R.Felder,1862 **Range (in code):** **CO Bgt EC**
- 218. *Acraea (Altinote) eresia eresia* (C.Felder & R.Felder,1862)** (Acraeidae) **Synonym(s):** *eresia* C.Felder & R.Felder,1862 **Range (in code):** **CO Bgt**
- 219. *Acraea (Altinote) eresia leptogramma* (Jordan,[1913])** (Acraeidae) **Synonym(s):** *leptogramma* Jordan,[1913] **Range (in code):** **EC**
- 220. *Acraea (Altinote) hilaris* Jordan,1910** (Acraeidae) **Synonym(s):** *hilaris* Jordan,1910 **Range (in code):** **EC PE**
- 221. *Acraea (Altinote) hilaris desmiala* Jordan,1913** (Acraeidae) **Synonym(s):** *desmiala* Jordan,1913; *culoti* Oberthür,1917; *brownorum* Potts,1943 **Range (in code):** **EC**
- 222. *Acraea (Altinote) negra* (C.Felder & R.Felder,1862)** (Acraeidae) **Synonym(s):** *negra* C.Felder & R.Felder,1862 **Range (in code):** **PE EC**
- 223. *Acraea (Altinote) negra euclia* Dognin,1887** (Acraeidae) **Synonym(s):** *euclia* Dognin,1887; *leontine* Weymer,1890; *catochaera* Jordan,1910; *mesia* Jordan,1910 **Range (in code):** **EC PE**

- 224. *Acraea* (Altinote) *negra scotosis* Jordan,1910** (Acraeidae) Synonym(s): *scotosis* Jordan,1910; *amphilecta* Jordan,[1913] _ Range (in code): EC
- 225. *Acraea* (Altinote) *neleus* (Latreille,[1813])** (Acraeidae) Synonym(s): *neleus* Latreille,[1813]; *ara* Hewitson,1877; *edulis* Weymer,1890; *haemera* Jordan,1913 _ Range (in code): EC PE CO
- 226. *Acraea* (Altinote) *ozomene* (Godart,[1824])** (Acraeidae) Synonym(s): *ozomene* Godart,[1824] _ Range (in code): CO EC
- 227. *Acraea* (Altinote) *ozomene cleasa* Hewitson,1868** (Acraeidae) Synonym(s): *cleasa* Hewitson,1868; *catopasta* Jordan,1910 _ Range (in code): EC
- 228. *Acraea* (Altinote) *ozomene gabrielae* Rebel,1902** (Acraeidae) Synonym(s): *gabrielae* Rebel,1902; *zarayaquilonis* Strand,1916 _ Range (in code): EC
- 229. *Acraea* (Altinote) *stratonice* (Latreille,[1813])** (Acraeidae) Synonym(s): *stratonice* Latreille,[1813] _ Range (in code): EC CO
- 230. *Acraea* (Altinote) *stratonice aereta* Jordan,1913** (Acraeidae) Synonym(s): *aereta* Jordan,1913; *diversa* Jordan,1913; *laeta* Oberthür,1917; *albunea* Potts,1944 _ Range (in code): EC
- 231. *Acraea* (Altinote) *tenebrosa* Hewitson,1868** (Acraeidae) Synonym(s): *tenebrosa* Hewitson,1868; *segesta* Weymer,1890; *dognini* Schaus,1902 _ Range (in code): EC
- 232. *Acraea* (s.str.) *abdera* Hewitson,1852** (Acraeidae) Synonym(s): *abdera* Hewitson,1852 _ Range (in code): SL TG NG GO Bio CM UG SD Bionomy: Larva on Caloncoba (Flacourtiaceae) (Ackery et al.,1995).
- 233. *Acraea* (s.str.) *abdera abdera* Hewitson,1852** (Acraeidae) Synonym(s): *abdera* Hewitson,1852 _ Range (in code): GO Bio CM UG SD
- 234. *Acraea* (s.str.) *abdera eginopsis* Aurivillius,1898** (Acraeidae) Synonym(s): *eginopsis* Aurivillius,1898 _ Range (in code): SL TG NG
- 235. *Acraea* (s.str.) *acara* Hewitson,1865** (Acraeidae) Synonym(s): *acara* Hewitson,1865; *caffra* C.Felder & R.Felder,[1865]; *tescea* Suffert,1904; *mhondana* Suffert,1904 *nec* Vuill.,1891; *kuereensis* Le Doux,1923; *sufferti* Le Cerf,1927; *melanophanes* Le Cerf,1927; *#barberina* Van Son,1963. _ Range (in code): ZA Kzu Nta Tug Ptb Tva Lpo Spb Lj Brb Mdk Pre Gau Kru Pma Pf Mll TZ ZM ZW MZ ZR MW Zom KE
- 236. *Acraea* (s.str.) *acara acara* Hewitson,1865** (Acraeidae) Synonym(s): *acara* Hewitson,1865; *caffra* C.Felder & R.Felder,[1865]; *tescea* Suffert,1904; *mhondana* Suffert,1904 *nec* Vuill.,1891; *kuereensis* Le Doux,1923; *sufferti* Le Cerf,1927; *melanophanes* Le Cerf,1927; *#barberina* Van Son,1963. _ Range (in code): ZA Kzu Nta Tug Ptb Tva Lpo Spb Mdk Lj Brb Pre Gau Kru Pma Pf Mll TZ ZM ZW MZ ZR MW Zom KE
- 237. *Acraea* (s.str.) *acrita* Hewitson,1865** (Acraeidae) Synonym(s): *acrita* Hewitson,1865; *ambigua* Trimen,1891; *bella* Weymer,1901; *#pauperata* Thurau,1903; *aquila* Thurau,1903; *littoralis* Eltringham,1912 _ Range (in code): NA TZ MZ MW Zom ZW ZA Tva Lpo Spb Wat Kom ZM ZR AO
- 238. *Acraea* (s.str.) *admata* Hewitson,1865** (Acraeidae) Synonym(s): *admata* Hewitson,1865; *#mildbraedi* Schultze,1917 _ Range (in code): NG Caa CM GA GO CG ZA Nta Kzu Esw Mv Bionomy: Larva on Rinorea (Violaceae) (Ackery et al.,1995).
- 239. *Acraea* (s.str.) *adrasta* Weymer,1892** (Acraeidae) Synonym(s): *adrasta* Weymer,1892; *machoni* Oberthür,1893; *haydni* Suffert,1904 _ Range (in code): KE TZ Dss Tnga Usa Ani ZR
- 240. *Acraea* (s.str.) *adrasta adrasta* Weymer,1892** (Acraeidae) Synonym(s): *adrasta* Weymer,1892; *machoni* Oberthür,1893; *haydni* Suffert,1904 _ Range (in code): KE TZ Dss Tnga Usa Ani
- 241. *Acraea* (s.str.) *adrasta pancalis* (Jordan,1910)** (Acraeidae) Synonym(s): *pancalis* Jordan,1910 _ Range (in code): ZR
- 242. *Acraea* (s.str.) *aganice* Hewitson,1852** (Acraeidae) Synonym(s): *aganice* Hewitson,1852 _ Range (in code): ZA Kzu Nta Dbn Ptb Tva Lpo Spb Lj Suw Wri Mpu Brb Kru Pma Mdk KE Nai TZ Tnga Usa Ani ZR Shb ZM MW ET SD UG Bionomy: Larva on Adenia, Ophiocaulum, Passiflora, Tryphostemma (Passifloraceae) (Ackery et al.,1995).
- 243. *Acraea* (s.str.) *aganice aganice* Hewitson,1852** (Acraeidae) Synonym(s): *aganice* Hewitson,1852 _ Range (in code): ZA Kzu Nta Dbn Ptb Tva Lpo Spb Lj Suw Wri Mpu Brb Kru Pma Mdk
- 244. *Acraea* (s.str.) *aganice montana* (Butler,1888)** (Acraeidae) Synonym(s): *montana* Butler,1888; *bertha* Vuillot,1891; *meruana* Rogenhofer,1891; *chanleri* Holland,1896 _ Range (in code): KE Nai TZ Tnga Usa Ani
- 245. *Acraea* (s.str.) *aganice nicega* (Suffert,1904)** (Acraeidae) Synonym(s): *nicega* Suffert,1904 _ Range (in code): TZ ZR Shb ZM MW
- 246. *Acraea* (s.str.) *aganice nyassae* (Carpenter,1920)** (Acraeidae) Synonym(s): *nyassae* Carpenter,1920 _ Range (in code): MW

- 247. *Acraea* (s.str.) *aganice orientalis* (Ungemach,1932)** (Acraeidae) Synonym(s): *orientalis* Ungemach,1932 _ Range (in code): ET SD UG
- 248. *Acraea* (s.str.) *aganice ugandae* (Van Someren,1936)** (Acraeidae) Synonym(s): *ugandae* Van Someren,1936 _ Range (in code): UG
- 249. *Acraea* (s.str.) *aglaonice* Westwood,1881** (Acraeidae) Synonym(s): *aglaonice* Westwood,1881; *fenestrata* Trimen,1881; *#leucaspis* Wichgraf,1914; *#latimarginata* Van Son,1963. _ Range (in code): ZA Tva Lpo Kru Pma Pf Spb Ly Gau Jh Pre Kom Suw Wri Wm Mpu Brb ZA14 ZW MZ Del BW
Bionomy: Larva on Passiflora (Passifloraceae) (Ackery et al.,1995).
- 250. *Acraea* (s.str.) *alcinoe* C.Felder & R.Felder,[1865]** (Acraeidae) Synonym(s): *alcinoe* C.Felder & R.Felder,[1865]; *godmani* Butler,1895; *timandra* Karsch,1893 _ Range (in code): GW NG SL GO
Bio CM ZR UG KE Kkm ST ET Bionomy: Larva on Adenia (Passifloraceae) (Ackery et al.,1995).
- 251. *Acraea* (s.str.) *alcinoe alcinoe* C.Felder & R.Felder,[1865]** (Acraeidae) Synonym(s): *alcinoe* C.Felder & R.Felder,[1865]; *godmani* Butler,1895; *timandra* Karsch,1893 _ Range (in code): GW NG SL
- 252. *Acraea* (s.str.) *alcinoe camerunica* (Aurivillius,1893)** (Acraeidae) Synonym(s): *camerunica* Aurivillius,1893; *salvini* Butler,1895 _ Range (in code): GO Bio CM ZR UG KE Kkm
- 253. *Acraea* (s.str.) *alcinoe nado* (Ungemach,1932)** (Acraeidae) Synonym(s): *nado* Ungemach,1932 _ Range (in code): ET
- 254. *Acraea* (s.str.) *alcinoe racaji* (Pyrcz,1991)** (Acraeidae) Synonym(s): *racaji* Pyrcz,1991
Range (in code): GO ST
- 255. *Acraea* (s.str.) *anemosa* Hewitson,1865** (Acraeidae) Synonym(s): *anemosa* Hewitson,1865; *arcticincta* Butler,1883; *welwitschii* Rogenhofer,1893; *mosana* Suffert,1904; *dubiosa* Suffert,1904; *lobemba* Eltringham,1912; *lutea* Riley,1921; *nivea* Riley,1921; *macrosticta* Storace,1949. _ Range (in code): ZA Tva Lpo Ltr Spb Lj Mdk Kru K12 Mpu Brb Pre Gau Mdd Wv Wb Ly Wo Suw Wri Wm Hae TZ ZM SO ZW BW MZ MW Zom NA AO KE Bionomy: Larva on Modecca (Passifloraceae), Vitis (Vitidaceae) (Ackery et al.,1995).
- 256. *Acraea* (s.str.) *annonae* Pierre,1987** (Acraeidae) Synonym(s): *#kapiriensis* Schouteden,1927; *annonae* Pierre,1987 _ Range (in code): ZR Shb ZM
- 257. *Acraea* (s.str.) *asboloplintha* Karsch,1894** (Acraeidae) Synonym(s): *asboloplintha* Karsch,1894; *dissociata* Grose-Smith,1898. _ Range (in code): UG ZR RW BI KE Bionomy: Larva on Adenia, Passiflora, Tryphostemma (Passifloraceae) (Ackery et al.,1995).
- 258. *Acraea* (s.str.) *asboloplintha asboloplintha* Karsch,1894** (Acraeidae) Synonym(s): *asboloplintha* Karsch,1894; *dissociata* Grose-Smith,1898. _ Range (in code): UG ZR RW BI KE
- 259. *Acraea* (s.str.) *asboloplintha rubescens* Trimen,1909** (Acraeidae) Synonym(s): *rubescens* Trimen,1909 _ Range (in code): KE
- 260. *Acraea* (s.str.) *asema* Hewitson,1877** (Acraeidae) Synonym(s): *asema* Hewitson,1877; *empusa* Butler,1894. _ Range (in code): MW Zom TZ ZW Har ZM MZ AO ZA Tva Spb Suw Krb
Bionomy: Larva on Wormskioldia (Turneraceae) (Ackery et al.,1995).
- 261. *Acraea* (s.str.) *atatis* Pierre,2004** (Acraeidae) Synonym(s): *atatis* Pierre,2004 Original Reference: *Acraea* (s.str.) *atatis* Pierre,2004, Bull. Soc. ent. Fr. 109 (1): 73-76. Range (in code): CF
- 262. *Acraea* (s.str.) *atergatis* Westwood,1881** (Acraeidae) Synonym(s): *atergatis* Westwood,1881; *#eichleri* Van Son,1963. _ Range (in code): ZM BW NA ZR AO Bionomy: Larva on Paropsia (Flacourtiaceae) (Ackery et al.,1995).
- 263. *Acraea* (s.str.) *atolmis* Westwood,1881** (Acraeidae) Synonym(s): *atolmis* Westwood,1881; *acontias* Westwood,1881; *luxi* Rogenhofer,1890; *#westwoodi* Van Son,1963. _ Range (in code): BW AO ZW NA ZM ZR
- 264. *Acraea* (s.str.) *axina* Westwood,1881** (Acraeidae) Synonym(s): *axina* Westwood,1881; *#illuminata* Van Son,1963. _ Range (in code): ZA Tva Lpo Spb Ltr Kru Pf Pma Fs Nta Kzu ZA14 Mpu Bfk Wri Nel Kaa Suw Wm Wb Pre Gau Ly ZW Vum BW NA ZM MW MZ
- 265. *Acraea* (s.str.) *bailundensis* Wichgraf,1918** (Acraeidae) Synonym(s): *bailundensis* Wichgraf,1918; *schoutedeni* Overlaet,1954 *nec Le Deux*,1937. _ Range (in code): AO ZR
- 266. *Acraea* (s.str.) *barberi* Trimen,1881** (Acraeidae) Synonym(s): *barberi* Trimen,1881
Original Reference: *Acraea barberi* Trimen,1881, Trans. ent. Soc. London 1879 (3): 433-435.
Syntypes ♂♀: South Africa: Transvaal: North of Pretoria. Range (in code): ZA Tva Lpo Pot Spb Bbg Gau Pre
- 267. *Acraea* (s.str.) *bellona* Weymer,1908** (Acraeidae) Synonym(s): *bellona* Weymer,1908
Range (in code): AO

- 268. *Acraea* (s.str.) *boopis* Wichgraf,1914** (Acraeidae) Synonym(s): *boopis* Wichgraf,1914
Range (in code): **ZA Nta Kzu Esw MW TZ KE Tva Lpo Hae Wo Mal Mpu**
- 269. *Acraea* (s.str.) *boopis ama* Pierre,1979** (Acraeidae) Synonym(s): *ama* Pierre,1979
Range (in code): **KE TZ**
- 270. *Acraea* (s.str.) *boopis boopis* Wichgraf,1914** (Acraeidae) Synonym(s): *boopis* Wichgraf,1914
Range (in code): **ZA Nta Kzu Esw MW TZ KE Tva Lpo Hae Wo Mal Mpu**
- 271. *Acraea* (s.str.) *boopis choloui* Pierre,1979** (Acraeidae) Synonym(s): *choloui* Pierre,1979
Range (in code): **MW**
- 272. *Acraea* (s.str.) *braesia* Godman,1885** (Acraeidae) Synonym(s): *braesia* Godman,1885; *leucosoma* Staudinger,1885; *regalis* Oberthür,1893; *mystica* Neave,1904; *ochracea* Le Deux,1931
Range (in code): **TZ KE SO UG ET**
- 273. *Acraea* (s.str.) *brainei* Henning,1986** (Acraeidae) Synonym(s): *brainei* Henning,1986
Range (in code): **NA**
- 274. *Acraea* (s.str.) *buettneri* Rogenhofer,1890** (Acraeidae) Synonym(s): *buettneri* Rogenhofer,1890; *felina* Trimen,1891; *parapetraea* Schouteden,1919.
Range (in code): **ZR AO NA ZM**
- 275. *Acraea* (s.str.) *caecilia* Fabricius,1781** (Acraeidae) Synonym(s): *caecilia* Fabricius,1781; *hypatia* Drury,1782; *artemesa* Stoll,1790; *bendis* Hübner,[1819]
Range (in code): **TZ KE MW KE GM SN NG TD SD ET ZR UG** Bionomy: Larva on *Adenia* (Passifloraceae) (Ackery et al.,1995).
- 276. *Acraea* (s.str.) *caecilia caecilia* Fabricius,1781** (Acraeidae) Synonym(s): *caecilia* Fabricius,1781; *hypatia* Drury,1782; *artemesa* Stoll,1790; *bendis* Hübner,[1819]
Range (in code): **GM SN NG TD SD ET ZR UG**
- 277. *Acraea* (s.str.) *caecilia kulal* Van Someren,1936** (Acraeidae) Synonym(s): *kulal* Van Someren,1936
Range (in code): **KE**
- 278. *Acraea* (s.str.) *caecilia pudora* Aurivillius,1910** (Acraeidae) Synonym(s): *pudora* Aurivillius,1910
Range (in code): **TZ KE MW**
- 279. *Acraea* (s.str.) *caldarena* Hewitson,1877** (Acraeidae) Synonym(s): *caldarena* Hewitson,1877; *amphimalla* Westwood,1881; *dircaea* Westwood,1881; *nero* Butler,1883; *recaldana* Suffert,1904; *latiapicalis* Joicey & Talbot,1921; *necessaria* Le Doux,1923.
Range (in code): **ZA Tva Lpo Spb Mdk Pie Kru Pma Nta Kzu Ly Wb Suw Wm Wri Jh Gau ZR NA ZW BW AO SD ZM MW Zom MZ TZ Zz KE ET** Bionomy: Larva on *Adenia* (Passifloraceae); *Wormskioldia* (Turneraceae) (Ackery et al.,1995).
- 280. *Acraea* (s.str.) *caldarena caldarena* Hewitson,1877** (Acraeidae) Synonym(s): *caldarena* Hewitson,1877; *amphimalla* Westwood,1881; *dircaea* Westwood,1881; *nero* Butler,1883; *recaldana* Suffert,1904; *latiapicalis* Joicey & Talbot,1921; *necessaria* Le Doux,1923.
Range (in code): **ZA Tva Lpo Spb Pie Mdk Kru Pma Nta Kzu Ly Wb Suw Wm Wri Jh Gau ZR NA ZW BW AO SD ZM MW Zom MZ TZ KE ET**
- 281. *Acraea* (s.str.) *caldarena neluska* Oberthür,1878** (Acraeidae) Synonym(s): *neluska* Oberthür,1878, *ombria* Weymer,1892
Range (in code): **TZ Zz KE**
- 282. *Acraea* (s.str.) *camaena* (Drury,[1773])** (Acraeidae) Synonym(s): *camaena* Drury,[1773]; *murcia* Fabricius,1781.
Range (in code): **SN NG GO Bio** Bionomy: Larva on *Smeathmannia* (Flacourtiaceae); *Premna* (Verbenaceae) (Ackery et al.,1995).
- 283. *Acraea* (s.str.) *cepheus* (Linnaeus,1758)** (Acraeidae) Synonym(s): *cepheus* Linnaeus,1758; *zosteria* Godart,[1819]; *baumanni* Rogenhofer,1890; *pheusaca* Suffert,1904; *sucepha* Suffert,1904
Original Reference: *Papilio cepheus* Linnaeus,1758, Syst Nat. (Edn.10) 1: 487. Type(s): India.
Range (in code): **TZ AO ZR CM NG UG SD ZM**
- 284. *Acraea* (s.str.) *cepheus bergeriana* Pierre,1979** (Acraeidae) Synonym(s): *bergeri* Pierre,1976 nec Gaed.,1915; *bergeriana* Pierre,1979
Range (in code): **TZ**
- 285. *Acraea* (s.str.) *cepheus cepheus* (Linnaeus,1758)** (Acraeidae) Synonym(s): *cepheus* Linnaeus,1758; *zosteria* Godart,[1819]; *baumanni* Rogenhofer,1890; *pheusaca* Suffert,1904; *sucepha* Suffert,1904
Original Reference: *Papilio cepheus* Linnaeus,1758, Syst Nat. (Edn.10) 1: 487. Type(s): India.
Range (in code): **AO ZR CM NG UG SD ZM**
- 286. *Acraea* (s.str.) *cerasa* Hewitson,1861** (Acraeidae) Synonym(s): *cerasa* Hewitson,1861
Range (in code): **ZR TZ Tnga Usa Ani UG KE ZA Nta Kzu** Bionomy: Larva on *Rawsonia* (Flacourtiaceae); *Rinorea* (Violaceae) (Ackery et al.,1995).
- 287. *Acraea* (s.str.) *cerasa cerasa* Hewitson,1861** (Acraeidae) Synonym(s): *cerasa* Hewitson,1861
Range (in code): **ZA Nta Kzu KE**
- 288. *Acraea* (s.str.) *cerasa cerita* Sharpe,1906** (Acraeidae) Synonym(s): *cerita* Sharpe,1906; *kigezia* Howarth,1959
Range (in code): **ZR TZ UG**
- 289. *Acraea* (s.str.) *cerasa kiellandi* Carcasson,1964** (Acraeidae) Synonym(s): *kiellandi* Carcasson,1964
Range (in code): **TZ**

- 290. *Acraea (s.str.) cerasa unimaculata* Grose-Smith, 1898** (Acraeidae) Synonym(s): *unimaculata* Grose-Smith, 1898. Range (in code): KE UG
- 291. *Acraea (s.str.) chaeribula* Oberthür, 1893** (Acraeidae) Synonym(s): *chaeribula* Oberthür, 1893. Range (in code): TZ MW ZM ZR Shb
- 292. *Acraea (s.str.) chambezi* Neave, 1910** (Acraeidae) Synonym(s): *chambezi* Neave, 1910. Range (in code): ZM MW
- 293. *Acraea (s.str.) chilo* Godman, 1880** (Acraeidae) Synonym(s): *chilo* Godman, 1880; *chrySTALLina* Grose-Smith, 1890; *rosina* Rogenhofer, 1891; *hoehneli* Holland, 1896; *wissmanni* Weymer, 1903. Original Reference: *Acraea chilo* Godman, 1880, [in] Godman & Distant, Proc. zool. Soc. Lond. 1880: 184, pl. 19, fig. 4, 5. Syntypes: [Ethiopia]: Abyssinia: Kalamet, Sebka valley. Range (in code): Ad As ET SA SD SO YE TZ KE
- 294. *Acraea (s.str.) chilo chilo* Godman, 1880** (Acraeidae) Synonym(s): *chilo* Godman, 1880; *chrySTALLina* Grose-Smith, 1890; *rosina* Rogenhofer, 1891; *hoehneli* Holland, 1896; *wissmanni* Weymer, 1903. Original Reference: *Acraea chilo* Godman, 1880, [in] Godman & Distant, Proc. zool. Soc. Lond. 1880: 184, pl. 19, fig. 4, 5. Syntypes: [Ethiopia]: Abyssinia: Kalamet, Sebka valley. Range (in code): Ad As ET SA SD SO YE TZ
- 295. *Acraea (s.str.) chilo magnifica* Carpenter & Jackson, 1950** (Acraeidae) Synonym(s): *magnifica* Carpenter & Jackson, 1950. Range (in code): KE
- 296. *Acraea (s.str.) chilo yemensis* Le Doux, 1931** (Acraeidae) Synonym(s): *yemensis* Le Doux, 1931. Range (in code): YE Ad SA As
- 297. *Acraea (s.str.) consanguinea* (Aurivillius, 1893)** (Acraeidae) Synonym(s): *consanguinea* Aurivillius, 1893. Range (in code): SL UG CM NG GA Ogo ZR CG AO GH
- 298. *Acraea (s.str.) consanguinea albicolor* (Karsch, 1895)** (Acraeidae) Synonym(s): *albicolor* Karsch, 1895; *arenaria* Sharpe, 1902; *#flava* Le Doux, 1931. Range (in code): UG
- 299. *Acraea (s.str.) consanguinea consanguinea* (Aurivillius, 1893)** (Acraeidae) Synonym(s): *consanguinea* Aurivillius, 1893. Range (in code): GA Ogo CM GA NG
- 300. *Acraea (s.str.) consanguinea intermedia* (Aurivillius, 1898)** (Acraeidae) Synonym(s): *intermedia* Aurivillius, 1898. Range (in code): ZR AO CG
- 301. *Acraea (s.str.) consanguinea sartina* (Jordan, 1910)** (Acraeidae) Synonym(s): *sartina* Jordan, 1910. Range (in code): SL GH
- 302. *Acraea (s.str.) cuva* Grose-Smith, 1889** (Acraeidae) Synonym(s): *cuva* Grose-Smith, 1889; *nidama* Suffert, 1904. Range (in code): KE Mb MG TZ Dss MZ ZW
- 303. *Acraea (s.str.) cuva cuva* Grose-Smith, 1889** (Acraeidae) Synonym(s): *cuva* Grose-Smith, 1889; *nidama* Suffert, 1904. Range (in code): TZ Dss KE Kb MZ ZW
- 304. *Acraea (s.str.) cuva villettei* Oberthür, 1925** (Acraeidae) Synonym(s): *villettei* Oberthür, 1925. Range (in code): MG
- 305. *Acraea (s.str.) dammii* Vollenhoven, 1869** (Acraeidae) Synonym(s): *dammii* Vollenhoven, 1869; *percuta* Kefirstein, 1870; *masonala* Ward, 1872. Range (in code): MG KM Myt
- 306. *Acraea (s.str.) diogenes* Suffert, 1904** (Acraeidae) Synonym(s): *diogenes* Suffert, 1904; *acutipennis* Lathy, 1906; *lactea* Neave, 1910. Range (in code): ZM ZR AO
- 307. *Acraea (s.str.) doubledayi* Guérin-Méneville, 1849** (Acraeidae) Synonym(s): *doubledayi* Guérin-Méneville, 1849; *gaekwari* Sharpe, 1901; *#rileyi* Eltringham, 1913. Original Reference: *Acraea doubledayi* Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 378. Type(s): [Ethiopié]: Abyssinié. Range (in code): Ad As ET SA SD SO UG MW Zom Bionomy: Larva on *Adenia* (Passifloraceae); *Wormskioldia* (Turneraceae) (Ackery et al., 1995).
- 308. *Acraea (s.str.) doubledayi azvaki* D'Abrera, 1980** (Acraeidae) Synonym(s): *arabica* Eltringham, 1912 nec Rbl., 1899; *azvaki* D'Abrera, 1980; *azwaki* Carcasson, 1981. Original Reference: *Acraea doubledayi azvaki* D'Abrera, 1980, Butterflies Afrotropical Region: 142, 2 figs. Syntypes ♂♀: Southern Yemen. Range (in code): Ad As SA YE
- 309. *Acraea (s.str.) doubledayi doubledayi* Guérin-Méneville, 1849** (Acraeidae) Synonym(s): *doubledayi* Guérin-Méneville, 1849; *gaekwari* Sharpe, 1901; *#rileyi* Eltringham, 1913. Original Reference: *Acraea doubledayi* Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 378. Type(s): [Ethiopié]: Abyssinié. Range (in code): ET SD SO UG MW Zom
- 310. *Acraea (s.str.) egina* (Cramer, [1775])** (Acraeidae) Synonym(s): *egina* Cramer, [1775]; *rudolphina* Herbst, 1792; *persephone* Fabricius, 1793; *zidora* Godart, [1819]; *khara* Grose-Smith, 1889; *harrisoni* Sharpe, 1904; *intensa* Stoneham, 1937; *bellehui* Carcasson, 1961. Range (in code): SL TZ Pb KE Mb ET UG ZA Tva Lpo Spb Vvo ZW Bul TZ Tnga Usa Ani MZ MW Zom Bionomy: Larva on *Adenia* (Passifloraceae); *Rawsonia* (Flacourtiaceae) (Ackery et al., 1995).

- 311. *Acraea (s.str.) eгина areca* Mabilles, 1888 (Acraeidae) Synonym(s): *areca* Mabilles, 1888**
Original Reference: *Acraea areca* Mabilles, 1888, *Annls Soc. ent. Fr.* (6) 8: Bull.: 169. Type: Tanzania: Bagamayo (Zanzibar). Range (in code): **MW Zom TZ Zz ZW Bul ZA Tva Spb Lpo Vvo**
- 312. *Acraea (s.str.) eгина eгина* (Cramer, [1775]) (Acraeidae) Synonym(s): *egina* Cramer, [1775]; *rudolphina* Herbst, 1792; *persephone* Fabricius, 1793; *zidora* Godart, [1819]; *khara* Grose-Smith, 1889; *harrisoni* Sharpe, 1904; *intensa* Stoneham, 1937; *bellehui* Carcasson, 1961. Range (in code): **SL TZ Tnga Usa Ani KE Mb ET UG****
- 313. *Acraea (s.str.) eгина pемbanus* Kielland, 1990 (Acraeidae) Synonym(s): *pемbanus* Kielland, 1990 Range (in code): **TZ Pb****
- 314. *Acraea (s.str.) ella* Eltringham, 1911 (Acraeidae) Synonym(s): *ella* Eltringham, 1911 Range (in code): **AO****
- 315. *Acraea (s.str.) elongata* (Butler, 1874) (Acraeidae) Synonym(s): *elongata* Butler, 1874; *serena* Schultze, 1923 *nec* Fabr., 1775; *#varia* Le Doux, 1937 Range (in code): **GA ZR GH NG****
- 316. *Acraea (s.str.) eltringhami* Joicey & Talbot, 1921 (Acraeidae) Synonym(s): *eltringhami* Joicey & Talbot, 1921; *kisaba* Carcasson, 1981 Range (in code): **UG RW BI ZR****
- 317. *Acraea (s.str.) eltringhamiana* Le Doux, 1932 (Acraeidae) Synonym(s): *eltringhamiana* Le Doux, 1932 Range (in code): **ZM ZR****
- 318. *Acraea (s.str.) endoscota* Le Doux, 1928 (Acraeidae) Synonym(s): *endoscota* Le Doux, 1928; *#albanis* Pierre, 1979 Range (in code): **CI ZR SL ET UG TZ AO** Bionomy: Larva on Rinorea (Violaceae) (Ackery et al., 1995).**
- 319. *Acraea (s.str.) epaea* (Cramer, [1779]) (Acraeidae) Synonym(s): *epaea* Cramer, [1779]; *gea* Fabricius, 1781; *#sublutosa* Strand, 1914 Range (in code): **GO FO GM SN CM ZR AO UG KE TZ ET SD MW** Bionomy: Larva on Adenia (Passifloraceae) (Ackery et al., 1995).**
- 320. *Acraea (s.str.) epaea angustifasciata* (D'Abrera, 1980) (Acraeidae) Synonym(s): *#angustifasciata* Grünberg, 1910; *angustifasciata* D'Abrera, 1980 Range (in code): **UG KE****
- 321. *Acraea (s.str.) epaea bicolorata* (Le Doux, 1937) (Acraeidae) Synonym(s): *bicolorata* Le Doux, 1937; *#insolita* Le Doux, 1937; *#aurata* Le Doux, 1937; *nigrita* Le Doux, 1937 Range (in code): **ZR****
- 322. *Acraea (s.str.) epaea epaea* (Cramer, [1779]) (Acraeidae) Synonym(s): *epaea* Cramer, [1779]; *gea* Fabricius, 1781; *#sublutosa* Strand, 1914 Range (in code): **GO GM SN CM ZR AO****
- 323. *Acraea (s.str.) epaea epitellus* Staudinger, 1896 (Acraeidae) Synonym(s): *epitellus* Staudinger, 1896 Range (in code): **TZ KE****
- 324. *Acraea (s.str.) epaea homochroa* (Rothschild & Jordan, 1905) (Acraeidae) Synonym(s): *homochroa* Rothschild & Jordan, 1905 Range (in code): **ET****
- 325. *Acraea (s.str.) epaea insulana* Ackery, 1995 (Acraeidae) Synonym(s): *insularis* Aurivillius, 1910 *nec* Sharp., 1893; *insulana* Ackery, 1995 Range (in code): **GO Bio****
- 326. *Acraea (s.str.) epaea kivuana* (Jordan, 1910) (Acraeidae) Synonym(s): *kivuana* Jordan, 1910 Range (in code): **ZR****
- 327. *Acraea (s.str.) epaea lutosa* (Suffert, 1904) (Acraeidae) Synonym(s): *lutosa* Suffert, 1904; *#cremea* Le Doux, 1937 Range (in code): **ZR UG****
- 328. *Acraea (s.str.) epaea melina* (Thurau, 1903) (Acraeidae) Synonym(s): *melina* Thurau, 1903 Range (in code): **TZ MW****
- 329. *Acraea (s.str.) epaea paragea* (Grose-Smith, 1900) (Acraeidae) Synonym(s): *paragea* Grose-Smith, 1900 Range (in code): **UG SD****
- 330. *Acraea (s.str.) epiprotea* (Butler, 1874) (Acraeidae) Synonym(s): *epiprotea* Butler, 1874; *#conformis* Schultze, 1923 Range (in code): **GA ZR GH NG SD TZ****
- 331. *Acraea (s.str.) equatorialis* Neave, 1904 (Acraeidae) Synonym(s): *equatorialis* Neave, 1904 Range (in code): **TZ Zz Pb Kmj UG KE** Bionomy: Larva on Passiflora (Passifloraceae); Malva (Malvaceae) (Ackery et al., 1995).**
- 332. *Acraea (s.str.) equatorialis anaemia* Eltringham, 1912 (Acraeidae) Synonym(s): *anaemia* Eltringham, 1912 Range (in code): **TZ Pb Kmj Zz UG KE****
- 333. *Acraea (s.str.) equatorialis equatorialis* Neave, 1904 (Acraeidae) Synonym(s): *equatorialis* Neave, 1904 Range (in code): **TZ UG KE****
- 334. *Acraea (s.str.) eugenia* Karsch, 1893 (Acraeidae) Synonym(s): *eugenia* Karsch, 1893; *ochreatea* Grünberg, 1910 Range (in code): **TG GO CM AO ZR UG****
- 335. *Acraea (s.str.) excisa* (Butler, 1874) (Acraeidae) Synonym(s): *excisa* Butler, 1874 Range (in code): **GO Bio CM ZR****
- 336. *Acraea (s.str.) formosa* (Butler, 1874) (Acraeidae) Synonym(s): *formosa* Butler, 1874 Range (in code): **CM ZR UG AO****

337. **Acraea (s.str.) guillemei Oberthür,1893** (Acraeidae) **Synonym(s):** *guillemei* Oberthür,1893 **Range (in code):** **AO ZR ZM TZ MW Zom**
338. **Acraea (s.str.) guluensis Le Doux,1932** (Acraeidae) **Synonym(s):** *guluensis* Le Doux,1932 **Range (in code):** **UG SD**
339. **Acraea (s.str.) hamata Joicey & Talbot,1922** (Acraeidae) **Synonym(s):** *hamata* Joicey & Talbot,1922 **Range (in code):** **RW UG TZ ZR**
340. **Acraea (s.str.) horta (Linnaeus,1764)** (Acraeidae) **Synonym(s):** *horta* Linnaeus,1764; *#conjuncta* Blachier,1912 **Range (in code):** **ZA Kzu Nta Ptb Dbn Blw Kkf Tva Lpo Spb Mdk Gau Pre Jh Wv Ly Ec Cto ZW Vum** **Bionomy:** Larva on Kiggelaria africana (Flacourtiaceae), Passiflora coerulea, P. mollissima, P. manicata, Tacsonia magnifica (Passifloraceae) (Pringle et al.,1994).
341. **Acraea (s.str.) hova Boisduval,1833** (Acraeidae) **Synonym(s):** *hova* Boisduval,1833 **Range (in code):** **MG**
342. **Acraea (s.str.) hypoleuca Trimen,1898** (Acraeidae) **Synonym(s):** *hypoleuca* Trimen,1898 **Range (in code):** **NA**
343. **Acraea (s.str.) igati Boisduval,1833** (Acraeidae) **Synonym(s):** *igati* Boisduval,1833 **Range (in code):** **MG Myt** **Bionomy:** Larva on Adenia (Passifloraceae) (Ackery et al.,1995).
344. **Acraea (s.str.) indendata (Butler,1895)** (Acraeidae) **Synonym(s):** *indendata* Butler,1895 **Range (in code):** **CM**
345. **Acraea (s.str.) insignis Distant,1880** (Acraeidae) **Synonym(s):** *buxtoni* Hewitson,1877 *nec* Butl.,1875; *insignis* Distant,1880; *balbina* Oberthür,1888; *siginna* Suffert,1904 **Range (in code):** **MZ ZW MW Zom KE TZ Tnga Usa Ani Zz UG ZR SD ET** **Bionomy:** Larva on Gossypium (Malvaceae), Adenia (Passifloraceae), Thea (Theaceae), Vitis (Vitaceae) (Ackery et al.,1995).
346. **Acraea (s.str.) insignis gorongozae Van Son,1963** (Acraeidae) **Synonym(s):** *gorongozae* Van Son,1963 **Range (in code):** **ZW MZ**
347. **Acraea (s.str.) insignis insignis Distant,1880** (Acraeidae) **Synonym(s):** *buxtoni* Hewitson,1877 *nec* Butl.,1875; *insignis* Distant,1880; *balbina* Oberthür,1888; *siginna* Suffert,1904 **Range (in code):** **MW Zom KE TZ Tnga Usa Ani Zz UG ZR SD ET**
348. **Acraea (s.str.) intermediodes Ackery,1995** (Acraeidae) **Synonym(s):** *intermedia* Wichgraf,1909 *nec* Auriv.,[1898]; *intermediodes* Ackery,1995 **Range (in code):** **ZR ZM**
349. **Acraea (s.str.) kappa Pierre,1979** (Acraeidae) **Synonym(s):** *kappa* Pierre,1979 **Range (in code):** **TZ**
350. **Acraea (s.str.) kia Pierre,1990** (Acraeidae) **Synonym(s):** *kia* Pierre,1990 **Range (in code):** **TZ**
351. **Acraea (s.str.) kinduana Pierre,1979** (Acraeidae) **Synonym(s):** *#kinduana* Schouteden,1919; *kinduana* Pierre,1979 **Range (in code):** **ZR**
352. **Acraea (s.str.) kraka Aurivillius,1893** (Acraeidae) **Synonym(s):** *kraka* Aurivillius,1893 **Range (in code):** **NG CM GO Bio GH UG Rz GA ZR**
353. **Acraea (s.str.) kraka kibi Usher,1986** (Acraeidae) **Synonym(s):** *kibi* Usher,1986 **Range (in code):** **GH**
354. **Acraea (s.str.) kraka kraka Aurivillius,1893** (Acraeidae) **Synonym(s):** *kraka* Aurivillius,1893 **Range (in code):** **NG CM GO Bio**
355. **Acraea (s.str.) kraka pallida Carpenter,1932** (Acraeidae) **Synonym(s):** *pallida* Carpenter,1932 **Range (in code):** **UG Rz GA ZR**
356. **Acraea (s.str.) lapidorum Pierre,1988** (Acraeidae) **Synonym(s):** *lapidorum* Pierre,1988 **Range (in code):** **AO**
357. **Acraea (s.str.) leopoldina (Aurivillius,1895)** (Acraeidae) **Synonym(s):** *leopoldina* Aurivillius,1895 **Range (in code):** **AO ZR CM**
358. **Acraea (s.str.) leopoldina brevimacula (Talbot,1928)** (Acraeidae) **Synonym(s):** *brevimacula* Talbot,1928; *schoutedeni* Le Doux,1937 **Range (in code):** **ZR**
359. **Acraea (s.str.) leopoldina leopoldina (Aurivillius,1895)** (Acraeidae) **Synonym(s):** *leopoldina* Aurivillius,1895 **Range (in code):** **AO ZR**
360. **Acraea (s.str.) leopoldina macrosticha (Bethune-Baker,1908)** (Acraeidae) **Synonym(s):** *macrosticha* Bethune-Baker,1908; *intermissa* Gaede,1916 **Range (in code):** **CM**
361. **Acraea (s.str.) leucographa Ribbe,1889** (Acraeidae) **Synonym(s):** *leucographa* Ribbe,1889 **Range (in code):** **GH UG TZ ZR KE** **Bionomy:** Larva on Rinorea (Violaceae) (Ackery et al.,1995).

- 362. *Acraea (s.str.) leucopyga* Aurivillius,1904** (Acraeidae) **Synonym(s):** *leucopyga* Aurivillius,1904; *liszti* Suffert,1904 **_ Range (in code):** **MW TZ ZR ZM UG**
- 363. *Acraea (s.str.) lofua* Eltringham,1911** (Acraeidae) **Synonym(s):** *lofua* Eltringham,1911 **_ Range (in code):** **ZM**
- 364. *Acraea (s.str.) loranae* Pierre,1987** (Acraeidae) **Synonym(s):** *loranae* Pierre,1987 **_ Range (in code):** **ZR Shb**
- 365. *Acraea (s.str.) lualabae* Neave,1910** (Acraeidae) **Synonym(s):** *lualabae* Neave,1910 **_ Range (in code):** **ZR Shb**
- 366. *Acraea (s.str.) lygus* Druce,1875** (Acraeidae) **Synonym(s):** *lygus* Druce,1875 **_ Original Reference:** *Acraea lygus* Druce,1875, Proc. zool. Soc. London 1875: 408. Type: Angola. **_ Range (in code):** **AO BW ZM ZW ZA TZ KE**
- 367. *Acraea (s.str.) macaria* (Fabricius,1793)** (Acraeidae) **Synonym(s):** *macaria* Fabricius,1793 **_ Range (in code):** **CM ZR GA AO SL NG ZM UG ZR KE Kkm** **_ Bionomy:** Larva on Adenia (Passifloraceae) (Ackery et al.,1995).
- 368. *Acraea (s.str.) macaria hemileuca* (Jordan,1914)** (Acraeidae) **Synonym(s):** *hemileuca* Jordan,1914 **_ Range (in code):** **UG ZR KE Kkm**
- 369. *Acraea (s.str.) macaria macaria* (Fabricius,1793)** (Acraeidae) **Synonym(s):** *macaria* Fabricius,1793 **_ Range (in code):** **SL NG**
- 370. *Acraea (s.str.) macaria macarioides* (Aurivillius,1893)** (Acraeidae) **Synonym(s):** *macarioides* Aurivillius,1893; *rabuma* Suffert,1904 **_ Range (in code):** **CM ZR GA AO**
- 371. *Acraea (s.str.) macarista* (Sharpe,1906)** (Acraeidae) **Synonym(s):** *macarista* Sharpe,1906; *moforsa* Suffert,1904; *placioscia* Bethune-Baker,1908; *vendita* Wichgraf,1911. **_ Range (in code):** **GA CM GO ZR UG SD KE**
- 372. *Acraea (s.str.) macarista latefasciata* Suffert,1904** (Acraeidae) **Synonym(s):** *latefasciata* Suffert,1904; *rileyi* Le Doux,1937 nec 1931. **_ Range (in code):** **GA CM GO**
- 373. *Acraea (s.str.) macarista macarista* (Sharpe,1906)** (Acraeidae) **Synonym(s):** *macarista* Sharpe,1906; *moforsa* Suffert,1904; *placioscia* Bethune-Baker,1908; *vendita* Wichgraf,1911. **_ Range (in code):** **ZR UG SD KE**
- 374. *Acraea (s.str.) machequena* Grose-Smith,1887** (Acraeidae) **Synonym(s):** *machequena* Grose-Smith,1887 **_ Range (in code):** **ZA Tva Lpo MZ ZW MW TZ**
- 375. *Acraea (s.str.) mahela* Boisduval,1833** (Acraeidae) **Synonym(s):** *mahela* Boisduval,1833 **_ Range (in code):** **MG**
- 376. *Acraea (s.str.) manca* Thureau,1904** (Acraeidae) **Synonym(s):** *manca* Thureau,1904 **_ Range (in code):** **TZ**
- 377. *Acraea (s.str.) mansya* Eltringham,1911** (Acraeidae) **Synonym(s):** *mansya* Eltringham,1911; *janssensi* Overlaet,1955. **_ Range (in code):** **ZR ZM**
- 378. *Acraea (s.str.) marnois* Rogenhofer,1890** (Acraeidae) **Synonym(s):** *marnois* Rogenhofer,1890 **_ Range (in code):** **SD**
- 379. *Acraea (s.str.) matuapa* Grose-Smith,1889** (Acraeidae) **Synonym(s):** *matuapa* Grose-Smith,1889 **_ Range (in code):** **KE Mb**
- 380. *Acraea (s.str.) medea* (Cramer,[1775])** (Acraeidae) **Synonym(s):** *medea* Cramer,[1775]; *pasiphae* Fabricius,1781; *saronis* Hübner,[1819]. **_ Range (in code):** **ST**
- 381. *Acraea (s.str.) mirabilis* Butler,1886** (Acraeidae) **Synonym(s):** *mirabilis* Butler,1886 **_ Range (in code):** **SO ET KE**
- 382. *Acraea (s.str.) miranda* N.D.Riley,1920** (Acraeidae) **Synonym(s):** *miranda* N.D.Riley,1920; *#selousi* N.D.Riley,1920 **_ Range (in code):** **KE SO ET** **_ Bionomy:** Larva on Loewia (Turneraceae) (Ackery et al.,1995).
- 383. *Acraea (s.str.) natalica* Boisduval,1847** (Acraeidae) **Synonym(s):** *natalica* Boisduval,1847; *bellua* Wallengren,1857; *umbrata* Suffert,1904; *#mesoleuca* Wichgraf,1914; *oatesi* Van Son,1936. **_ Range (in code):** **MW Zom ZA Kzu Nta Dbn Mv Ptb Spb Lj Mdk Hgl Lpo Tva Kru Pma Pf Ent Tra Mpu Mal Brb Blw Gau Pre Wv Mll Jh ZW KE TZ ZM MZ BW UG ZR**
- 384. *Acraea (s.str.) neobule* Doubleday,[1847]** (Acraeidae) **Synonym(s):** *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954. **_ Original Reference:** *Acraea neobule* Doubleday,[1847], [in] Doubleday & Westwood, Genera diurn. lepid.: pl.19, fig.3; ibid. [1848]: 140. Type: Congo. **_ Range (in code):** **AO BF BI BJ BW CF CG CI CM DJ EG EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Nta Kzu Tug Tva Lpo Spb Lj Mdk Gau Pre Kru Pma Pin Ec Fs ZM ZR ZW SC Myt** **_ Bionomy:** Larva on Passiflora edulis, P. incarnata, Adenia gummifera (Passifloraceae) (Pringle et al.,1994).

- 385. *Acraea* (s.str.) *neobule legrandi* Carcasson,1964** (Acraeidae) Synonym(s): *legrandi* Carcasson,1964 _ Range (in code): SC
- 386. *Acraea* (s.str.) *neobule neobule* Doubleday,[1847]** (Acraeidae) Synonym(s): *neobule* Doubleday,[1847]; *arabica* Rebel,1899; *#sheba* Gabriel,1954. _ Original Reference: *Acraea neobule* Doubleday,[1847], [in] Doubleday & Westwood, Genera diurn. lepid.: pl.19, fig.3; ibid. [1848]: 140. Type: Congo. Range (in code): AO BF BI BJ BW CF CG CI CM DJ EG EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Nta Kzu Tug Tva Lpo Spb Lj Mdk Kru Pma Gau Pre Pin Ec Fs ZM ZR ZW Myt Bionomy: Larva on *Passiflora edulis*, *P. incarnata*, *Adenia gummifera* (Passifloraceae) (Pringle et al.,1994).
- 387. *Acraea* (s.str.) *neobule seis* Feisthamel,1850** (Acraeidae) Synonym(s): *seis* Feisthamel,1850; *calyce* Godman & Salvin,1884; *#cyaniris* Le Cerf,1927 _ Range (in code): BJ LR NE GH GM NG
- 388. *Acraea* (s.str.) *niobe* Sharpe,1893** (Acraeidae) Synonym(s): *niobe* Sharpe,1893 _ Range (in code): ST
- 389. *Acraea* (s.str.) *nohara* Boisduval,1847** (Acraeidae) Synonym(s): *nohara* Boisduval,1847; *actiaca* Hewitson,1852. _ Range (in code): ZA Mpu Brb Nel Tva Lpo Hae Nta Kzu Wo Spb Suw ZW Har MZ KE Bionomy: Larva on *Tryphostemma* (Passifloraceae), *Wormskioldia* (Turneraceae) (Ackery et al.,1995).
- 390. *Acraea* (s.str.) *nohara dondoensis* Stevenson,1934** (Acraeidae) Synonym(s): *dondoensis* Stevenson,1934; *junodi* D'Abrera,1980. _ Range (in code): MZ KE
- 391. *Acraea* (s.str.) *nohara halali* Marschall,1896** (Acraeidae) Synonym(s): *halali* Marschall,1896 _ Range (in code): ZW Har
- 392. *Acraea* (s.str.) *nohara nohara* Boisduval,1847** (Acraeidae) Synonym(s): *nohara* Boisduval,1847; *actiaca* Hewitson,1852. _ Range (in code): ZA Mpu Brb Nel Tva Lpo Hae Nta Kzu Wo Spb Suw
- 393. *Acraea* (s.str.) *obliqua* (Aurivillius,1913)** (Acraeidae) Synonym(s): *obliqua* Aurivillius,1913 _ Range (in code): NG UG ZR CM
- 394. *Acraea* (s.str.) *obliqua elgonense* (Poulton,1927)** (Acraeidae) Synonym(s): *elgonense* Poulton,1927; *#ela* Rumbucher,1992 _ Range (in code): UG
- 395. *Acraea* (s.str.) *obliqua kivuensis* (Joicey & Talbot,1927)** (Acraeidae) Synonym(s): *kivuensis* Joicey & Talbot,1927; *toroense* Poulton,1929 _ Range (in code): UG ZR
- 396. *Acraea* (s.str.) *obliqua obliqua* (Aurivillius,1913)** (Acraeidae) Synonym(s): *obliqua* Aurivillius,1913 _ Range (in code): NG CM
- 397. *Acraea* (s.str.) *omrora* Trimen,1894** (Acraeidae) Synonym(s): *omrora* Trimen,1894 _ Range (in code): AO NA ZM
- 398. *Acraea* (s.str.) *omrora omrora* Trimen,1894** (Acraeidae) Synonym(s): *omrora* Trimen,1894 _ Range (in code): AO NA
- 399. *Acraea* (s.str.) *omrora umbraetae* Pierre,1988** (Acraeidae) Synonym(s): *umbrata* Wichgraf,1909 nec Suff.,1904; *umbraetae* Pierre,1988 _ Range (in code): ZM
- 400. *Acraea* (s.str.) *oncaea* Hopffer,1855** (Acraeidae) Synonym(s): *oncaea* Hopffer,1855; *caoncius* Suffert,1904; *alboradiata* Suffert,1904; *modesta* Suffert,1904; *obscura* Suffert,1904; *defasciata* Suffert,1904; *liacea* Suffert,1904; _ Range (in code): TZ MZ ZR Shb ZM ET SO ZA Kzu Nta Ptb Kru Pma K12 Spb Hgl Tva Lpo Gau Pre Kom Wv Krb Suw Wm Ly Bionomy: Larva on *Oncoba* (Flacourtiaceae), *Adenia*, *Modecca* (Passifloraceae), *Wormskioldia* (Turneraceae), *Vitis* (Vitaceae) (Ackery et al.,1995).
- 401. *Acraea* (s.str.) *onerata* Trimen,1891** (Acraeidae) Synonym(s): *onerata* Trimen,1891; *aureola* Eltringham,1911 _ Range (in code): AO NA
- 402. *Acraea* (s.str.) *oscari* Rothschild,1902** (Acraeidae) Synonym(s): *oscari* Rothschild,1902 _ Range (in code): ET
- 403. *Acraea* (s.str.) *overlaeti* Pierre,1988** (Acraeidae) Synonym(s): *overlaeti* Pierre,1988 _ Range (in code): ZR Shb
- 404. *Acraea* (s.str.) *periphanes* Oberthür,1893** (Acraeidae) Synonym(s): *periphanes* Oberthür,1893; *beni* Bethune-Baker,1908 _ Range (in code): ZM MW TZ ZR Shb AO
- 405. *Acraea* (s.str.) *persanguinea* (Rebel,1914)** (Acraeidae) Synonym(s): *persanguinea* Rebel,1914; *consanguinoides* Le Doux,1931. _ Range (in code): UG RW BI ZR
- 406. *Acraea* (s.str.) *petraea* Boisduval,1847** (Acraeidae) Synonym(s): *petraea* Boisduval,1847; *petrina* Suffert,1904; *taborana* Suffert,1904. _ Range (in code): ZA Kzu Nta Ptb TZ MW KE Bionomy: Larva on *Xylotheca* (Flacourtiaceae) (Ackery et al.,1995).

- 407. *Acraea* (s.str.) *poggei* Dewitz,1879** (Acraeidae) Synonym(s): *poggei* Dewitz,1879; *entalis* Jordan,1910; *amela* Hering,1936. _ Range (in code): TZ AO ZR ET
- 408. *Acraea* (s.str.) *poggei nelsoni* Grose-Smith & Kirby,1892** (Acraeidae) Synonym(s): *nelsoni* Grose-Smith & Kirby,1892; *paragoga* Hering,1936. _ Range (in code): ZR TZ SD UG KE
- 409. *Acraea* (s.str.) *poggei poggei* Dewitz,1879** (Acraeidae) Synonym(s): *poggei* Dewitz,1879; *entalis* Jordan,1910; *amela* Hering,1936. _ Range (in code): TZ AO ZR
- 410. *Acraea* (s.str.) *poggei ras* (Ungemach,1932)** (Acraeidae) Synonym(s): *ras* Ungemach,1932 _ Range (in code): ET
- 411. *Acraea* (s.str.) *pseudatolmis* Eltringham,1912** (Acraeidae) Synonym(s): *pseudatolmis* Eltringham,1912 _ Range (in code): ZW
- 412. *Acraea* (s.str.) *pseudegina* Westwood,[1852]** (Acraeidae) Synonym(s): *pseudegina* Westwood,[1852]; *abadima* Ribbe,1889; *clarei* Neave,1904; *#stephanophora* Le Cerf,1927; *#inexpectata* Le Doux,1931 _ Range (in code): SN KE UG ET CF Nja CG Bionomy: Larva on Passiflora (Passifloraceae), Cephaloma (Lamiaceae) (Ackery et al.,1995).
- 413. *Acraea* (s.str.) *pseuderyta* Godman & Salvin,1890** (Acraeidae) Synonym(s): *pseuderyta* Godman & Salvin,1890; *dewitzi* Staudinger,1896; *angulata* Suffert,1904 _ Range (in code): ZR CF Nja AO SD UG
- 414. *Acraea* (s.str.) *pseudolycia* Butler,1874** (Acraeidae) Synonym(s): *pseudolycia* Butler,1874 Range (in code): AO UG ZR ZM KE TZ ET MW SD
- 415. *Acraea* (s.str.) *pseudolycia astrigera* Butler,1899** (Acraeidae) Synonym(s): *astrigera* Butler,1899; *emini* Weymer,1903; *#auasa* Gabriel,1949 _ Range (in code): KE TZ ET MW UG SD
- 416. *Acraea* (s.str.) *pseudolycia pseudolycia* Butler,1874** (Acraeidae) Synonym(s): *pseudolycia* Butler,1874; *#brunnea* Eltringham,1911 _ Range (in code): AO UG ZR ZM
- 417. *Acraea* (s.str.) *pudorella* Aurivillius,1898** (Acraeidae) Synonym(s): *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923 _ Range (in code): ZA Tva Lpo ZW MZ MW KE TZ NA ZM AO
- 418. *Acraea* (s.str.) *pudorella detecta* Neave,1910** (Acraeidae) Synonym(s): *detecta* Neave,1910 _ Range (in code): ZM MW TZ
- 419. *Acraea* (s.str.) *pudorella pudorella* Aurivillius,1898** (Acraeidae) Synonym(s): *pudorella* Aurivillius,1898; *reducta* Wichgraf,1918; *#heringi* Le Doux,1923 _ Range (in code): ZA Tva Lpo ZW MZ MW KE TZ NA ZM AO
- 420. *Acraea* (s.str.) *pudorina* Staudinger,1885** (Acraeidae) Synonym(s): *pudorina* Staudinger,1885; *emboensis* Gaede,1915; *#rubida* Le Doux,1923; *#mancamorphia* Le Doux,1932 _ Range (in code): KE TZ Zz Bionomy: Larva on Adenia (Passifloraceae) (Ackery et al.,1995).
- 421. *Acraea* (s.str.) *punctellata* Eltringham,1912** (Acraeidae) Synonym(s): *punctellata* Eltringham,1912; *#noharoides* Le Doux,1923 _ Range (in code): TZ ZM MW TZ
- 422. *Acraea* (s.str.) *punctimarginea* Pinhey,1956** (Acraeidae) Synonym(s): *punctimarginea* Pinhey,1956 _ Range (in code): TZ Tnga Usa
- 423. *Acraea* (s.str.) *quadricolor* (Rogenhofer,1891)** (Acraeidae) Synonym(s): *quadricolor* Rogenhofer,1891 _ Range (in code): ZR BI KE UG TZ Mru Kmj Tnga Usa Bionomy: Larva on Adenia, Tryphostemma (Passifloraceae) (Ackery et al.,1995).
- 424. *Acraea* (s.str.) *quadricolor itumbana* (Jordan,1910)** (Acraeidae) Synonym(s): *itumbana* Jordan,1910 _ Range (in code): TZ
- 425. *Acraea* (s.str.) *quadricolor latifasciata* (Sharpe,1892)** (Acraeidae) Synonym(s): *latifasciata* Sharpe,1892; *#pallescens* Gabriel,1939 _ Range (in code): UG ZR KE
- 426. *Acraea* (s.str.) *quadricolor leptis* (Jordan,1910)** (Acraeidae) Synonym(s): *leptis* Jordan,1910 _ Range (in code): KE
- 427. *Acraea* (s.str.) *quadricolor mahale* (Kielland,1990)** (Acraeidae) Synonym(s): *mahale* Kielland,1990 _ Range (in code): TZ
- 428. *Acraea* (s.str.) *quadricolor morogoro* (Carpenter & Jackson,1950)** (Acraeidae) Synonym(s): *morogoro* Carpenter & Jackson,1950 _ Range (in code): TZ
- 429. *Acraea* (s.str.) *quadricolor quadricolor* (Rogenhofer,1891)** (Acraeidae) Synonym(s): *quadricolor* Rogenhofer,1891 _ Range (in code): TZ Mru Kmj Tnga Usa
- 430. *Acraea* (s.str.) *quadricolor uluguru* (Kielland,1990)** (Acraeidae) Synonym(s): *uluguru* Kielland,1990 _ Range (in code): TZ
- 431. *Acraea* (s.str.) *quirina* (Fabricius,1781)** (Acraeidae) Synonym(s): *quirina* Fabricius,1781; *dice* Drury,1782; *#bourgeoni* Schouteden,1919. _ Range (in code): SN NG AO ZR UG SD KE ET TZ Tnga Usa Ani MW

- 432. *Acraea* (s.str.) *quirina quirina* (Fabricius,1781)** (Acraeidae) Synonym(s): *quirina* Fabricius,1781; *dice* Drury,1782; *#bourgeoni* Schouteden,1919. Range (in code): SN NG AO ZR UG SD KE
- 433. *Acraea* (s.str.) *quirina rosa* Eltringham,1912** (Acraeidae) Synonym(s): *rosa* Eltringham,1912 Range (in code): KE ET TZ Tnga Usa Ani MW
- 434. *Acraea* (s.str.) *rabbaiae* Ward,1873** (Acraeidae) Synonym(s): *rabbaiae* Ward,1873; *mombasae* Grose-Smith,1889. Range (in code): ZA Nta Kzu Kom MZ ZW MW TZ KE Mb Bionomy: Larva on *Adenia*, *Tryphostemma* (Passifloraceae) (Ackery et al.,1995).
- 435. *Acraea* (s.str.) *ranavalona* Boisduval,1833** (Acraeidae) Synonym(s): *ranavalona* Boisduval,1833; *maransetra* Ward,1872; *manandaza* Ward,1872. Range (in code): MG KM Myt Bionomy: Larva on *Passiflora* (Passifloraceae) (Ackery et al.,1995).
- 436. *Acraea* (s.str.) *rhodesiana* Wichgraf,1909** (Acraeidae) Synonym(s): *rhodesiana* Wichgraf,1909; *mima* Neave,1910; *#flaviapicalis* Overlaet,1955 Range (in code): ZM ZR
- 437. *Acraea* (s.str.) *rogersi* Hewitson,1873** (Acraeidae) Synonym(s): *rogersi* Hewitson,1873; *salambo* Grose-Smith,1887; *ehmcke* Dewitz,1889; *lamborni* Eltringham,1912. Range (in code): UG KE Elg SL CM AO ZR
- 438. *Acraea* (s.str.) *rogersi lankesteri* Carpenter,1941** (Acraeidae) Synonym(s): *lankesteri* Carpenter,1941 Range (in code): UG KE Elg
- 439. *Acraea* (s.str.) *rogersi rogersi* Hewitson,1873** (Acraeidae) Synonym(s): *rogersi* Hewitson,1873; *salambo* Grose-Smith,1887; *ehmcke* Dewitz,1889; *lamborni* Eltringham,1912. Range (in code): SL CM AO ZR
- 440. *Acraea* (s.str.) *rohlfsi* Suffert,1904** (Acraeidae) Synonym(s): *rohlfsi* Suffert,1904 Range (in code): TZ
- 441. *Acraea* (s.str.) *satis* Ward,1871** (Acraeidae) Synonym(s): *satis* Ward,1871; *corona* Staudinger,1885. Range (in code): ZA Nta Kzu MZ ZW TZ Tnga Usa Ani Zz KE
- 442. *Acraea* (s.str.) *scalivittata* (Butler,1896)** (Acraeidae) Synonym(s): *scalivittata* Butler,1896 Range (in code): TZ MW ZM
- 443. *Acraea* (s.str.) *scalivittata kiellandianus* Koçak,1996** (Acraeidae) Synonym(s): *kiellandi* Collins,1990 *nec* Carc.,1964; *kiellandianus* Koçak,1996. Original Reference: *Acraea* (*Acraea*) *scalivittata* ssp. *kiellandianus* Koçak,1996, Cent. ent. Stud. Misc. Pap. 27/28: 12 (nomen novum pro *kiellandi* Collins,1990 *nec* Carcasson,1964). Range (in code): TZ
- 444. *Acraea* (s.str.) *scalivittata scalivittata* (Butler,1896)** (Acraeidae) Synonym(s): *scalivittata* Butler,1896 Range (in code): TZ MW ZM
- 445. *Acraea* (s.str.) *simulator* Ackery,1995** (Acraeidae) Synonym(s): *simulata* Le Doux,1932 *nec* 1923; *simulator* Ackery,1995. Range (in code): CM
- 446. *Acraea* (s.str.) *stenobea* Wallengren,1860** (Acraeidae) Synonym(s): *stenobea* Wallengren,1860; *acronycta* Westwood,1881; *albomaculata* Weymer,1892 Range (in code): ZA Tva Lpo Spb Slp Ptc Gau Wm Jh Wel NA TZ BW ZW ZM
- 447. *Acraea* (s.str.) *sykesi* Sharpe,1902** (Acraeidae) Synonym(s): *sykesi* Sharpe,1902; *#candida* Eltringham,1912 Range (in code): CF Nja CM NG ZR SD TZ UG KE Bionomy: Larva on *Adenia* (Passifloraceae) (Ackery et al.,1995).
- 448. *Acraea* (s.str.) *tellus* (Aurivillius,1893)** (Acraeidae) Synonym(s): *tellus* Aurivillius,1893; *lustella* Suffert,1904 Range (in code): NG CM GO ZR CG UG TZ Bionomy: Larva on *Adenia* (Passifloraceae), *Vitis* (Vitidaceae) (Ackery et al.,1995).
- 449. *Acraea* (s.str.) *tellus eumelis* (Jordan,1910)** (Acraeidae) Synonym(s): *eumelis* Jordan,1910 Range (in code): UG TZ
- 450. *Acraea* (s.str.) *tellus schubotzi* (Grünberg,1911)** (Acraeidae) Synonym(s): *schubotzi* Grünberg,1911 Range (in code): ZR UG
- 451. *Acraea* (s.str.) *tellus tellus* (Aurivillius,1893)** (Acraeidae) Synonym(s): *tellus* Aurivillius,1893; *lustella* Suffert,1904 Range (in code): NG CM GO ZR CG
- 452. *Acraea* (s.str.) *terpsicore* (Linnaeus,1758)** (Acraeidae) Synonym(s): *terpsicore* Linnaeus,1758; *violae* Fabricius,1775 Original Reference: *Papilio terpsicore* Linnaeus,1758, Syst. Nat. 10 (1): 466. Type(s): "Habitat in Asia". Range (in code): IN Mh Mp Ker Mys Tn Apr Oi LK TH Nan CMA Cuo Cuo7 Cuo9 Cmz Cz11 Knc Ptn Lmp Chy Nst Chw MY VN Bionomy: Larva on leaf of *Passiflora foetida* [ka thok rok] (Passifloraceae) (Lewvanich,2001).
- 453. *Acraea* (s.str.) *terpsicore terpsicore* (Linnaeus,1758)** (Acraeidae) Synonym(s): *terpsicore* Linnaeus,1758; *violae* Fabricius,1775 Original Reference: *Papilio terpsicore* Linnaeus,1758, Syst. Nat. 10 (1): 466. Type(s): "Habitat in Asia". Range (in code): IN Mh Mp Ker Mys Tn Apr Oi LK

- TH Nan CMa Cuo Cuo7 Cuo9 Cnz Czi1 Knc Ptn Lmp Chy Nst Chw MY VN** Bionomy: Larva on leaf of *Passiflora foetida* [ka thok rok] (Passifloraceae) (Lewvanich,2001).
- 454. *Acraea* (s.str.) *turlini* Pierre,1979** (Acraeidae) Synonym(s): *turlini* Pierre,1979 Range (in code): **RW**
- 455. *Acraea* (s.str.) *turna* Mabilie,1877** (Acraeidae) Synonym(s): *turna* Mabilie,1877; *marmorata* Grose-Smith & Kirby,1892; *#lacteata* Le Cerf,1927; *#scioptera* Le Cerf,1927 Range (in code): **MG**
- 456. *Acraea* (s.str.) *umbra* (Drury,1782)** (Acraeidae) Synonym(s): *umbra* Drury,1782 Range (in code): **GW SL NG CM ZR**
- 457. *Acraea* (s.str.) *umbra carpenteri* (Le Doux,1937)** (Acraeidae) Synonym(s): *carpenteri* Le Doux,1937 Range (in code): **GW**
- 458. *Acraea* (s.str.) *umbra umbra* (Drury,1782)** (Acraeidae) Synonym(s): *umbra* Drury,1782 Range (in code): **SL NG CM ZR**
- 459. *Acraea* (s.str.) *utengulensis* Thureau,1903** (Acraeidae) Synonym(s): *utengulensis* Thureau,1903; *#taborensis* Le Doux,1931 Range (in code): **TZ**
- 460. *Acraea* (s.str.) *vestalis* C.Felder & R.Felder,[1865]** (Acraeidae) Synonym(s): *vestalis* C.Felder & R.Felder,[1865] Range (in code): **CM GA CG ZR NG SL TZ**
- 461. *Acraea* (s.str.) *vestalis congoensis* (Le Doux,1937)** (Acraeidae) Synonym(s): *congoensis* Le Doux,1937 Range (in code): **ZR TZ**
- 462. *Acraea* (s.str.) *vestalis stavelia* (Suffert,1904)** (Acraeidae) Synonym(s): *stavelia* Suffert,1904; *#fasciata* Aurivillius,1913 Range (in code): **CM GA CG ZR**
- 463. *Acraea* (s.str.) *vestalis vestalis* C.Felder & R.Felder,[1865]** (Acraeidae) Synonym(s): *vestalis* C.Felder & R.Felder,[1865] Range (in code): **NG SL**
- 464. *Acraea* (s.str.) *violarum* Boisduval,1847** (Acraeidae) Synonym(s): *violarum* Boisduval,1847; *nataliensis* Angas,[1849]; *gracilis* Wichgraf,1909. Range (in code): **ZA Nta Kzu Tva Lpo Spb Mpu Brb Ec Nel Pot ZW AO MZ** Bionomy: Larva on *Tryphostemma* (Passifloraceae) (Ackery et al.,1995).
- 465. *Acraea* (s.str.) *zetes* (Linnaeus,1758)** (Acraeidae) Synonym(s): *zetes* Linnaeus,1758; *menippe* Drury,1782; *mycenaea* Hübner,[1819]; *jalema* Godart,[1819]. Original Reference: *Papilio zetes* Linnaeus,1758, Syst Nat. (Edn.10) 1: 487. Type(s): India. Range (in code): **ZA NWe Fs BW NA KE UG ST ET SD SN NG CM AO ZR ZM** Bionomy: Larva on *Tryphostemma*, *Adenia*, *Passiflora*, *Barleria*, *Tacsonia* (Passifloraceae); *Hydnocarpus*, *Smeathmannia* (Flacourtiaceae) (Ackery et al.,1995).
- 466. *Acraea* (s.str.) *zetes annobona* D'Abrera,1980** (Acraeidae) Synonym(s): *annobona* D'Abrera,1980 Range (in code): **ST**
- 467. *Acraea* (s.str.) *zetes rudolfi* Eltringham,1929** (Acraeidae) Synonym(s): *rudolfi* Eltringham,1929 Range (in code): **KE UG**
- 468. *Acraea* (s.str.) *zetes sidamona* Rothschild & Jordan,1905** (Acraeidae) Synonym(s): *sidamona* Rothschild & Jordan,1905 Range (in code): **ET SD**
- 469. *Acraea* (s.str.) *zetes trimeni* Aurivillius,1898** (Acraeidae) Synonym(s): *trimeni* Aurivillius,1898; *#eros* Le Doux,1923 Range (in code): **ZA NWe Fs BW NA**
- 470. *Acraea* (s.str.) *zetes zetes* (Linnaeus,1758)** (Acraeidae) Synonym(s): *zetes* Linnaeus,1758; *menippe* Drury,1782; *mycenaea* Hübner,[1819]; *jalema* Godart,[1819]. Original Reference: *Papilio zetes* Linnaeus,1758, Syst Nat. (Edn.10) 1: 487. Type(s): India. Range (in code): **SN NG CM AO ZR ZM UG KE**
- 471. *Acraea* (s.str.) *zonata* Hewitson,1877** (Acraeidae) Synonym(s): *zonata* Hewitson,1877; *makupa* Grose-Smith,1889. Range (in code): **KE Mb TZ Dss MW**
- 472. *Pardopsis punctatissima* (Boisduval,1833)** (Acraeidae) Synonym(s): *punctatissima* Boisduval,1833; *stictica* Boisduval,1847 Range (in code): **MW Zom ZA Mpu Brb Tva Nel MG TZ Tnga Usa Ani** Bionomy: Larva on *Hybanthus* (Violaceae); *Tiliaceae* (Ackery et al.,1995).
- 473. *Pareba issoria* (Hübner,[1819])** (Acraeidae) Synonym(s): *issoria* Hübner,[1819] Original Reference: *Telchinia issoria* Hübner,[1819], Verz. bekannt. Schmett.: 27, nr.220. Range (in code): **Ch IN Ass Slo TH CMa Int Nan Loe Tak MM VN ID Sum Ja Bli**
- 474. *Pareba issoria anomala* (Kollar,[1844])** (Acraeidae) Synonym(s): *anomala* Kollar,[1844] Original Reference: *Acraea anomala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 425, Taf.3 figs.3,4. Type(s): Kaschmir. Range (in code): **Ch**

475. **Pareba issoria issoria (Hübner,[1819])** (Acraeidae) Synonym(s): *issoria* Hübner,[1819] Original Reference: Telchinia issoria Hübner,[1819], Verz. bekannt. Schmett.: 27, nr.220. Range (in code): **IN Ass Slo**
476. **Pareba issoria sordice (Fruhstorfer,1914)** (Acraeidae) Synonym(s): *sordice* Fruhstorfer,1914 Range (in code): **TH CMa Int Nan Loe Tak MM**
477. **Aemona amathusia Hewitson,[1868]** (Amathusiidae) Synonym(s): *amathusia* Hewitson,[1868]; *tonkinensis* Rothschild,1916 Range (in code): **VN Ton**
478. **Aemona berdyevi Devyatkin,2007** (Amathusiidae) Synonym(s): *berdyevi* Devyatkin,2007 Range (in code): **VN Lci**
479. **Aemona implicata Monastyrskii & Devyatkin,2003** (Amathusiidae) Synonym(s): *implicata* Monastyrskii & Devyatkin,2003 Range (in code): **VN Ton**
480. **Aemona kontumei Monastyrskii & Devyatkin,2003** (Amathusiidae) Synonym(s): *kontumei* Monastyrskii & Devyatkin,2003 Range (in code): **VN**
481. **Aemona lena Atkinson,1871** (Amathusiidae) Synonym(s): *lena* Atkinson,1871 Original Reference: Aemona lena Atkinson,1871, Proc. zool. Soc. London 1871: 215. Range (in code): **CN MM Tns Shn TH CMa CDo Chy Loe CN Yu**
482. **Aemona lena lena Atkinson,1871** (Amathusiidae) Synonym(s): *lena* Atkinson,1871 Original Reference: Aemona lena Atkinson,1871, Proc. zool. Soc. London 1871: 215. Range (in code): **CN MM Tns**
483. **Aemona lena salweena Tytler,1939** (Amathusiidae) Synonym(s): *salweena* Tytler,1939 Range (in code): **MM Shn TH CMa CDo Chy Loe CN Yu**
484. **Aemona simulatrix Monastyrskii & Devyatkin,2003** (Amathusiidae) Synonym(s): *simulatrix* Monastyrskii & Devyatkin,2003 Range (in code): **VN**
485. **Amathusia binghami Fruhstorfer,1904** (Amathusiidae) Synonym(s): *binghami* Fruhstorfer,1904 Range (in code): **ID Sum MY TH Srt Tng**
486. **Amathusia friderici Fruhstorfer,1904** (Amathusiidae) Synonym(s): *friderici* Fruhstorfer,1904 Range (in code): **MM Tns MY**
487. **Amathusia friderici friderici Fruhstorfer,1904** (Amathusiidae) Synonym(s): *friderici* Fruhstorfer,1904 Range (in code): **MM Tns**
488. **Amathusia friderici holmanhunti Corbet & Pendlebury,1936** (Amathusiidae) Synonym(s): *holmanhunti* Corbet & Pendlebury,1936; *utana* Corbet & Pendlebury,1936 Range (in code): **MY**
489. **Amathusia gunneryi Corbet & Pendlebury,1936** (Amathusiidae) Synonym(s): *gunneryi* Corbet & Pendlebury,1936 Range (in code): **MY TH Nst Chw**
490. **Amathusia masina (Fruhstorfer,1904)** (Amathusiidae) Synonym(s): *masina* Fruhstorfer,1904 Range (in code): **MY TH Tng Rng Sgk Hya Tnc Yal**
491. **Amathusia masina malaya Corbet & Pendlebury,1936** (Amathusiidae) Synonym(s): *malaya* Corbet & Pendlebury,1936 Range (in code): **MY TH Tng Rng Sgk Hya Tnc Yal**
492. **Amathusia masina masina (Fruhstorfer,1904)** (Amathusiidae) Synonym(s): *masina* Fruhstorfer,1904
493. **Amathusia ochraceofusca Honrath,[1888]** (Amathusiidae) Synonym(s): *ochraceofusca* Honrath,[1888] Range (in code): **MY TH Rng Yal Sat**
494. **Amathusia ochraceofusca ochraceofusca Honrath,[1888]** (Amathusiidae) Synonym(s): *ochraceofusca* Honrath,[1888] Range (in code): **MY TH Rng Yal Sat**
495. **Amathusia perakana Honrath,[1888]** (Amathusiidae) Synonym(s): *perakana* Honrath,[1888] Range (in code): **MY Prk TH Nst Ths Sya**
496. **Amathusia perakana perakana Honrath,[1888]** (Amathusiidae) Synonym(s): *perakana* Honrath,[1888] Range (in code): **MY Prk TH Nst Ths Sya**
497. **Amathusia phidippus (Linnaeus,1763)** (Amathusiidae) Synonym(s): *phidippus* Linnaeus,1763; *chersias* Fruhstorfer,1911; *gunneryi* Corbet & Pendlebury,1936 Original Reference: Papilio phidippus Linnaeus,1763, Amoen. Acad. 6: 402. Type: Java. Range (in code): **ID Sum Bor Ja PH Ceb Mas Neg Pan Sib Bon Sga Stu Taw Ala Bab Bal Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mdo Mno Pal Pao Pol Rom Sam Sar Sia Siq Sis Tab Tic MM MY Lkw TH Nrt Rng Bnk Cbu Nrt Cbi Nna Ray Nst Kbi Chw Sgk Hya Tnc**
498. **Amathusia phidippus adastatus Fruhstorfer,1904** (Amathusiidae) Synonym(s): *adastatus* Fruhstorfer,1904 Range (in code): **TH Bnk Cbu Nrt Cbi Nna Ray**
499. **Amathusia phidippus cebuensis M.Okano & T.Okano,1986** (Amathusiidae) Synonym(s): *cebuensis* M.Okano & T.Okano,1986 Range (in code): **PH Ceb**

- 500. Amathusia phidippus negrosensis** M.Okano & T.Okano,1986 (Amathusiidae)
Synonym(s): *negrosensis* M.Okano & T.Okano,1986 _ Range (in code): **PH Mas Neg Pan Sib**
- 501. Amathusia phidippus phidippus** (Linnaeus,1763) (Amathusiidae) Synonym(s):
phidippus Linnaeus,1763; *chersias* Fruhstorfer,1911; *gunneryi* Corbet & Pendlebury,1936 _ Original Reference:
Papilio phidippus Linnaeus,1763, Amoen. Acad. 6: 402. Type: Java. Range (in code): **ID Ja PH**
Bon Sga Stu Taw MY Lkw TH Nrt Phu Ntt Rng Nst Kbi Chw Sgk Hya Tnc
- 502. Amathusia phidippus pollicaris** Butler,1870 (Amathusiidae) Synonym(s): *pollicaris*
Butler,1870 _ Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM**
Cat Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mdo Mno Pal Pao Pol Rom Sam Sar Sia Siq Sis
Tab Tic
- 503. Amathusia schoenbergi** Honrath,[1888] (Amathusiidae) Synonym(s): *schoenbergi*
Honrath,[1888] _ Range (in code): **MY**
- 504. Amathusia schoenbergi schoenbergi** Honrath,[1888] (Amathusiidae) Synonym(s):
schoenbergi Honrath,[1888] _ Range (in code): **MY**
- 505. Amathuxidia amynthaon** (Doubleday,1847) (Amathusiidae) Synonym(s): *amynthaon*
Doubleday,1847 _ Range (in code): **SI IN MM MY Lkw TH Cbi CMa CDo Nna Chy Knc Nrt Nst Phu**
Rng Yal Ntt Ptt Tng Sgk Hya Tnc PH Neg Mno Ley Pao Sam
- 506. Amathuxidia amynthaon amynthaon** (Doubleday,1847) (Amathusiidae)
Synonym(s): *amynthaon* Doubleday,1847 _ Range (in code): **SI IN MM TH Cbi CMa CDo Nna Chy**
Knc Nrt
- 507. Amathuxidia amynthaon dilucida** Honrath,1884 (Amathusiidae) Synonym(s):
dilucida Honrath,1884 _ Range (in code): **MM MY Lkw TH Nst Phu Rng Yal Ntt Ptt Tng Sgk Hya Tnc**
- 508. Amathuxidia amynthaon negrosensis** Schröder & Treadaway,1980
(Amathusiidae) Synonym(s): *negrosensis* Schröder & Treadaway,1980 _ Original Reference:
Amathuxidia amynthaon negrosensis Schröder & Treadaway,1980, Ent. Z., Frankf. a. M. 90 (22):
254-256, Abb.1. Holotypus ♀: Philippinen: Negros or. Range (in code): **PH Neg**
- 509. Amathuxidia amynthaon perinthus** Fruhstorfer,1911 (Amathusiidae) Synonym(s):
perinthus Fruhstorfer,1911 _ Range (in code): **PH Mno**
- 510. Amathuxidia amynthaon philippina** Moore,1895 (Amathusiidae) Synonym(s):
philippina Moore,1895 _ Range (in code): **PH Ley Pao Sam**
- 511. Discophora deo** De Nicéville,1898 (Amathusiidae) Synonym(s): *deo* De Nicéville,1898
Range (in code): **IN Ass MM TH CMa**
- 512. Discophora deo deo** De Nicéville,1898 (Amathusiidae) Synonym(s): *deo* De
Nicéville,1898 _ Range (in code): **IN Ass MM TH CMa**
- 513. Discophora dodong** Schröder & Treadaway,1981 (Amathusiidae) Synonym(s):
dodong Schröder & Treadaway,1981 _ Original Reference: *Discophora dodong* Schröder &
Treadaway,1981, Ent. Z., Frankf. a. M. 91(24): 275-276, Abb.1. Holotypus ♂: Philippinen: Negros
or.: Bais, 200m Range (in code): **PH Neg Pan**
- 514. Discophora necho** C.Felder & R.Felder,[1867] (Amathusiidae) Synonym(s): *necho*
C.Felder & R.Felder,[1867] _ Range (in code): **MY TH PH Cal Pal Bal Stu Jol Sga Taw Mar Mdo Sib Pan**
ID Ja
- 515. Discophora necho confluens** Schröder & Treadaway,1989 (Amathusiidae)
Synonym(s): *confluens* Schröder & Treadaway,1989 _ Range (in code): **PH Stu**
- 516. Discophora necho engamon** Fruhstorfer,1911 (Amathusiidae) Synonym(s): *engamon*
Fruhstorfer,1911 _ Range (in code): **MY TH**
- 517. Discophora necho erasmus** Fruhstorfer,1911 (Amathusiidae) Synonym(s): *erasmus*
Fruhstorfer,1911 _ Range (in code): **PH Jol Sga Taw**
- 518. Discophora necho guyi** Treadaway & Nuyda,1994 (Amathusiidae) Synonym(s): *guyi*
Treadaway & Nuyda,1994 _ Range (in code): **PH Sib**
- 519. Discophora necho mariebellae** Nihira, Nuyda & Kitamura,1994 (Amathusiidae)
Synonym(s): *mariebellae* Nihira, Nuyda & Kitamura,1994 _ Range (in code): **PH Pan**
- 520. Discophora necho mindorana** Fruhstorfer,1911 (Amathusiidae) Synonym(s):
mindorana Fruhstorfer,1911 _ Range (in code): **PH Mar Mdo**
- 521. Discophora necho necho** C.Felder & R.Felder,[1867] (Amathusiidae) Synonym(s):
necho C.Felder & R.Felder,[1867] _ Range (in code): **ID Ja**
- 522. Discophora necho odora** Fruhstorfer,1900 (Amathusiidae) Synonym(s): *odora*
Fruhstorfer,1900 _ Range (in code): **PH Cal Pal**

523. **Discophora necho sahi Treadaway & Nuyda,1994** (Amathusiidae) Synonym(s): *sahi* Treadaway & Nuyda,1994 _ Range (in code): PH Bal
524. **Discophora ogina (Godart,[1824])** (Amathusiidae) Synonym(s): *ogina* Godart,[1824] _ Range (in code): PH Mas Neg Pan Luz Mar Mdo Pol
525. **Discophora ogina ogina (Godart,[1824])** (Amathusiidae) Synonym(s): *ogina* Godart,[1824] _ Range (in code): PH Luz Mar Mdo Pol
526. **Discophora ogina pulchra Nihira,1987** (Amathusiidae) Synonym(s): *pulchra* Nihira,1987 _ Range (in code): PH Mas Neg Pan
527. **Discophora philippina Moore,1895** (Amathusiidae) Synonym(s): *philippina* Moore,1895 _ Range (in code): PH Bas Boh Ceb CmM Cts Jol Ley Mno Pao Sam
528. **Discophora simplex Staudinger,1889** (Amathusiidae) Synonym(s): *simplex* Staudinger,1889 _ Original Reference: Discophora simplex Staudinger,1889, Dt. ent. Z., Iris 2: 42. Syntypes 3♂ 1♀: [Philippines]: Palawan (leg. Platen). Range (in code): PH Cal Pal
529. **Discophora sondaica (Boisduval,1836)** (Amathusiidae) Synonym(s): *sondaica* Boisduval,1836 _ Range (in code): PH CmM Sam Mno SI IN MM TH Bnk Chy Cbi Khn Nna Pht Knc CMA Loe Nrt Pkk Uth Nst Ths Sya Chw Tng Sgk Hya Tnc MY SG
530. **Discophora sondaica camdao Schröder & Treadaway,1995** (Amathusiidae) Synonym(s): *camdao* Schröder & Treadaway,1995 _ Range (in code): PH CmM
531. **Discophora sondaica despoliata Stichel,1902** (Amathusiidae) Synonym(s): *despoliata* Stichel,1902 _ Range (in code): MY TH Nst Ths Sya Chw Tng Sgk Hya Tnc SG
532. **Discophora sondaica samarana Schröder & Treadaway,1995** (Amathusiidae) Synonym(s): *samarana* Schröder & Treadaway,1995 _ Range (in code): PH Sam
533. **Discophora sondaica semperi Moore,1895** (Amathusiidae) Synonym(s): *semperi* Moore,1895 _ Range (in code): PH Mno
534. **Discophora sondaica zal Westwood,[1851]** (Amathusiidae) Synonym(s): *zal* Westwood,[1851] _ Range (in code): SI IN MM TH Bnk Chy Khn Nna Cbi Pht Knc CMA Loe Nrt Pkk Uth
535. **Discophora timora Westwood,[1850]** (Amathusiidae) Synonym(s): *timora* Westwood,[1850] _ Range (in code): MY Prk MM TH CMA CDo Cbi Loe Nna Nst Chw Rng Ntt Tng Sgk Hya Tnc
536. **Discophora timora perakensis Stichel,1900** (Amathusiidae) Synonym(s): *perakensis* Stichel,1900 _ Range (in code): MY Prk TH Nst Chw Rng Ntt Tng Sgk Hya Tnc
537. **Discophora timora timora Westwood,[1850]** (Amathusiidae) Synonym(s): *timora* Westwood,[1850] _ Range (in code): MM TH CMA CDo Cbi Loe Nna
538. **Enispe intermedia Rothschild,1916** (Amathusiidae) Synonym(s): *intermedia* Rothschild,1916 _ Range (in code): SI MM IN TH Chy Knc CMA CDo Rng Nst Kna MY
539. **Enispe intermedia corbeti Pendlebury,1933** (Amathusiidae) Synonym(s): *corbeti* Pendlebury,1933 _ Range (in code): MY
540. **Enispe intermedia intermedia Rothschild,1916** (Amathusiidae) Synonym(s): *intermedia* Rothschild,1916 _ Range (in code): SI MM IN TH Chy Knc CMA CDo Rng Nst Kna
541. **Faunis canens Hübner,[1826]** (Amathusiidae) Synonym(s): *canens* Hübner,[1826] _ Range (in code): SI MM ID Sum MY TH CMA Nna Ntt Phu Tng Yal Sgk Hya Tnc Loe Nrt Nst TAK Uth
542. **Faunis canens arcesilas Stichel,1933** (Amathusiidae) Synonym(s): *arcesilaus* Fabricius,1787; *arcesilas* Stichel,1933; *taraki* Pendlebury,1933 _ Range (in code): SI MM ID Sum MY TH CMA Nna Ntt Phu Tng Yal Sgk Hya Tnc Loe Nrt Nst TAK Uth
543. **Faunis eumeus (Drury,1773)** (Amathusiidae) Synonym(s): *eumeus* Drury,1773 _ Range (in code): MM VN TH Phr Non
544. **Faunis eumeus eumeus (Drury,1773)** (Amathusiidae) Synonym(s): *eumeus* Drury,1773
545. **Faunis eumeus incerta Staudinger,1887** (Amathusiidae) Synonym(s): *incerta* Staudinger,1887 _ Range (in code): MM VN TH Phr Non
546. **Faunis gracilis (Butler,1867)** (Amathusiidae) Synonym(s): *gracilis* Butler,1867 _ Range (in code): ID Sum MY Bor TH Yal Rng Tng Nst
547. **Faunis kirata (De Nicéville,1891)** (Amathusiidae) Synonym(s): *kirata* De Nicéville,1891 _ Range (in code): ID Sum Bor MY TH Yal Tng
548. **Faunis phaon (Erichson,1834)** (Amathusiidae) Synonym(s): *phaon* Erichson,1834 _ Range (in code): PH Bab Luz Mar Pol Sib Mdo Mno Bas Gui Luz Mas Neg Pan
549. **Faunis phaon carfinia Fruhstorfer,1911** (Amathusiidae) Synonym(s): *carfinia* Fruhstorfer,1911 _ Range (in code): PH Gui Luz Mas Neg Pan

- 550. Faunis phaon leucis C.Felder & R.Felder,1861** (Amathusiidae) **Synonym(s):** *leucis* C.Felder & R.Felder,1861 _ Range (in code): **PH Bas Mno**
- 551. Faunis phaon lurida C.Felder & R.Felder,[1867]** (Amathusiidae) **Synonym(s):** *lurida* C.Felder & R.Felder,[1867] _ Range (in code): **PH Mdo**
- 552. Faunis phaon phaon (Erichson,1834)** (Amathusiidae) **Synonym(s):** *phaon* Erichson,1834
Original Reference: *Drusilla phaon* Erichson,1834, Nova Acta Acad. nat. Cur. 16: 401, Pl.50
figs.1,1a. Type: Philippines. Range (in code): **PH Bab Luz Mar Pol**
- 553. Faunis phaon sibuyanensis Aoki & Uémura,1982** (Amathusiidae) **Synonym(s):** *sibuyanensis* Aoki & Uémura,1982 _ Range (in code): **PH Sib**
- 554. Faunis sappho Semper,1878** (Amathusiidae) **Synonym(s):** *sappho* Semper,1878 _ Range (in code): **PH Cts Ley Pao Sam Sia Boh Din CmM**
- 555. Faunis sappho ameinokleia Fruhstorfer,1911** (Amathusiidae) **Synonym(s):** *ameinokleia* Fruhstorfer,1911 _ Range (in code): **PH CmM**
- 556. Faunis sappho dinagatensis Aoki & Uémura,1982** (Amathusiidae) **Synonym(s):** *dinagatensis* Aoki & Uémura,1982 _ Range (in code): **PH Din**
- 557. Faunis sappho kleis Semper,1878** (Amathusiidae) **Synonym(s):** *kleis* Semper,1878
Range (in code): **PH Cts Ley Pao Sam Sia**
- 558. Faunis sappho sappho Semper,1878** (Amathusiidae) **Synonym(s):** *sappho* Semper,1878
Range (in code): **PH Boh**
- 559. Faunis stomphax (Westwood,[1858])** (Amathusiidae) **Synonym(s):** *stomphax* Westwood,[1858] _ Range (in code): **Bor Sum ID MY PH Bal Dum Pal**
- 560. Faunis stomphax plateni Staudinger,1889** (Amathusiidae) **Synonym(s):** *plateni* Staudinger,1889 _ Range (in code): **PH Bal Dum Pal**
- 561. Faunis stomphax stomphax (Westwood,[1858])** (Amathusiidae) **Synonym(s):** *stomphax* Westwood,[1858]
- 562. Melanocyma faunula (Westwood,[1850])** (Amathusiidae) **Synonym(s):** *faunula* Westwood,[1850] _ Range (in code): **MY MM KH TH Cbi Ray Tng Nst Sgk Hya Tnc**
- 563. Melanocyma faunula faunula (Westwood,[1850])** (Amathusiidae) **Synonym(s):** *faunula* Westwood,[1850] _ Range (in code): **MY MM KH TH Cbi Ray Tng Nst Sgk Hya Tnc**
- 564. Morpho absoloni May,1924** (Amathusiidae) **Synonym(s):** *absoloni* May,1924 _ Range (in code): **BR**
- 565. Morpho achilles (Linnaeus,1758)** (Amathusiidae) **Synonym(s):** *achilles* Linnaeus,1758;
leonte Hübner,[1807]; *achilleja* Hübner,[1819]; *achillessa* Hübner,[1821]; *huebneri* Le Moul't,1933; *psidii* Fabricius,1938; *cartoni* Le Moul't & Réal,1962; *uruguayensis* Le Moul't & Réal,1962 _ Range (in code): **SR BR GF UY BO CO PE EC BR VE**
- 566. Morpho achilles achilles (Linnaeus,1758)** (Amathusiidae) **Synonym(s):** *achilles* Linnaeus,1758; *leonte* Hübner,[1807]; *achilleja* Hübner,[1819]; *achillessa* Hübner,[1821]; *huebneri* Le Moul't,1933; *psidii* Fabricius,1938; *cartoni* Le Moul't & Réal,1962; *uruguayensis* Le Moul't & Réal,1962 _ Range (in code): **SR BR GF UY**
- 567. Morpho achilles agamedes Fruhstorfer,1912** (Amathusiidae) **Synonym(s):** *agamedes* Fruhstorfer,1912; *pseudoagamedes* Weber,1944; *pylades* Weber,1944; *heringi* Weber,1944; *andreae* Le Moul't & Réal,1962 _ Range (in code): **PE CO EC**
- 568. Morpho achilles fischeri Weber,1962** (Amathusiidae) **Synonym(s):** *fischeri* Weber,1962;
fagardi Weber,1963 _ Range (in code): **PE**
- 569. Morpho achilles glaisi Le Moul't & Réal,1962** (Amathusiidae) **Synonym(s):** *glaisi* Le Moul't & Réal,1962 _ Range (in code): **VE**
- 570. Morpho achilles guaraunos Le Moul't,1925** (Amathusiidae) **Synonym(s):** *guaraunos* Le Moul't,1925; *aguiro* Le Moul't,1933; *extremus* Le Moul't,1933; *semileonte* Le Moul't & Réal,1962 _ Range (in code): **VE**
- 571. Morpho achilles patroclus C.Felder & R.Felder,1861** (Amathusiidae) **Synonym(s):** *patroclus* C.Felder & R.Felder,1861; *ulrike* Weber,1944; *pyriensis* Le Moul't & Réal,1962 _ Range (in code): **CO BR**
- 572. Morpho achilles phokylides Fruhstorfer,1912** (Amathusiidae) **Synonym(s):** *phokylides* Fruhstorfer,1912; *guines* Weber,1944; *orestes* Weber,1944; *pabioni* Le Moul't & Réal,1962; *suzannae* Le Moul't & Réal,1962; *andrieuxi* Le Moul't & Réal,1962; *lamercki* Le Moul't & Réal,1962; *foulquieri* Le Moul't & Réal,1962; *forsteri* Weber,1963 _ Range (in code): **BO CO PE BR VE**
- 573. Morpho achilles vitrea Butler,1866** (Amathusiidae) **Synonym(s):** *vitrea* Butler,1866;
songo Weber,1944; *rentschi* Weber,1944; *berliozii* Le Moul't & Réal,1962; *moriei* Le Moul't & Réal,1962; *friesei* Le

- Moult & Réal, 1962; bourlierei Le Moult & Réal, 1962; heqvisti Le Moult & Réal, 1962; #martini Le Moult & Réal, 1962; #girardi Le Moult & Réal, 1962* _ Range (in code): **BO**
- 574. *Morpho aega* (Hübner, [1822])** (Amathusiidae) *Synonym(s): aega Hübner, [1822]; mellinia Fruhstorfer, 1907; pseudocypris Fruhstorfer, 1907; parva Weber, 1944; burmeisteri Le Moult & Réal, 1962; mattensis Le Moult & Réal, 1962; seitzi Le Moult & Réal, 1962* _ Range (in code): **BR PY**
- 575. *Morpho aega aega* (Hübner, [1822])** (Amathusiidae) *Synonym(s): aega Hübner, [1822]; mellinia Fruhstorfer, 1907; pseudocypris Fruhstorfer, 1907; parva Weber, 1944; burmeisteri Le Moult & Réal, 1962; mattensis Le Moult & Réal, 1962; seitzi Le Moult & Réal, 1962* _ Range (in code): **BR PY**
- 576. *Morpho aega amargosensis* L.S.Otero & Soares, 1996** (Amathusiidae) *Synonym(s): amargosensis L.S.Otero & Soares, 1996* _ Range (in code): **BR**
- 577. *Morpho amphitryon* Staudinger, 1887** (Amathusiidae) *Synonym(s): amphitryon Staudinger, 1887; antaeus Röber, 1927; duponti Duchene, 1989* _ Range (in code): **PE BO**
- 578. *Morpho amphitryon amphitryon* Staudinger, 1887** (Amathusiidae) *Synonym(s): amphitryon Staudinger, 1887; antaeus Röber, 1927; duponti Duchene, 1989* _ Range (in code): **PE**
- 579. *Morpho amphitryon cinereus* Duchene, 1985** (Amathusiidae) *Synonym(s): cinereus Duchene, 1985* _ Range (in code): **PE**
- 580. *Morpho amphitryon susarion* Fruhstorfer, 1913** (Amathusiidae) *Synonym(s): susarion Fruhstorfer, 1913* _ Range (in code): **BO**
- 581. *Morpho anaxibia* (Esper, [1801])** (Amathusiidae) *Synonym(s): anaxibia Esper, [1801]; pelias Fruhstorfer, 1913; calliphron Fruhstorfer, 1916* _ Range (in code): **BR**
- 582. *Morpho athena* L.S.Otero, 1966** (Amathusiidae) *Synonym(s): athena L.S.Otero, 1966* _ Range (in code): **BR**
- 583. *Morpho aurora* Westwood, 1851** (Amathusiidae) *Synonym(s): aurora Westwood, 1851; interposita Rothschild, 1916; breyeri Orfila, 1963* _ Range (in code): **BO PE**
- 584. *Morpho aurora aureola* Fruhstorfer, 1913** (Amathusiidae) *Synonym(s): aureola Fruhstorfer, 1913; #intritus Viette, 1960; #transposita Le Moult & Réal, 1962* _ Range (in code): **PE**
- 585. *Morpho aurora aurora* Westwood, 1851** (Amathusiidae) *Synonym(s): aurora Westwood, 1851; interposita Rothschild, 1916; breyeri Orfila, 1963* _ Range (in code): **BO PE**
- 586. *Morpho cisseis* C.Felder & R.Felder, 1860** (Amathusiidae) *Synonym(s): cisseis C.Felder & R.Felder, 1860; egyptus Deyrolle, 1860; olga Weber, 1944; grossensis Le Moult & Réal, 1962* _ Range (in code): **EC CO PE BR**
- 587. *Morpho cisseis cisseis* C.Felder & R.Felder, 1860** (Amathusiidae) *Synonym(s): cisseis C.Felder & R.Felder, 1860; egyptus Deyrolle, 1860; olga Weber, 1944; grossensis Le Moult & Réal, 1962* _ Range (in code): **BR**
- 588. *Morpho cisseis gahua* Blandin, 1988** (Amathusiidae) *Synonym(s): gahua Blandin, 1988; #phadena Blandin, 1988* _ Range (in code): **PE**
- 589. *Morpho cisseis phanodemus* Hewitson, 1869** (Amathusiidae) *Synonym(s): phanodemus Hewitson, 1869; priameis Kotsch, 1935; cisseistria Le Moult & Réal, 1962; chlorophaena Le Moult & Réal, 1962; phanodela Le Moult & Réal, 1962* _ Range (in code): **EC CO PE BR**
- 590. *Morpho cypris* Westwood, 1851** (Amathusiidae) *Synonym(s): cypris Westwood, 1851; lathyi Joicey & Talbot, 1922* _ Range (in code): **VE CO PE NI PA CR**
- 591. *Morpho cypris aphrodite* Le Moult & Réal, 1962** (Amathusiidae) *Synonym(s): aphrodite Le Moult & Réal, 1962* _ Range (in code): **NI**
- 592. *Morpho cypris bugaba* Staudinger, 1887** (Amathusiidae) *Synonym(s): bugaba Staudinger, 1887; schausi Rothschild, 1916; #normalis Le Moult & Réal, 1962* _ Range (in code): **PA CR**
- 593. *Morpho cypris chrysonicus* Fruhstorfer, 1913** (Amathusiidae) *Synonym(s): chrysonicus Fruhstorfer, 1913; lelargei Oberthür, 1921* _ Range (in code): **VE CO**
- 594. *Morpho cypris cypris* Westwood, 1851** (Amathusiidae) *Synonym(s): cypris Westwood, 1851; lathyi Joicey & Talbot, 1922* _ Range (in code): **CO PE**
- 595. *Morpho deidamia* (Hübner, [1819])** (Amathusiidae) *Synonym(s): achilles Cramer, 1775 nec Linn., 1758; deidamia Hübner, [1819]; erica Fruhstorfer, 1907; praenestina Fruhstorfer, 1913; schematica Le Moult & Réal, 1962; faroensis Le Moult & Réal, 1962* _ Range (in code): **SR BR VE CO PE BO PA EC**
- 596. *Morpho deidamia deidamia* (Hübner, [1819])** (Amathusiidae) *Synonym(s): achilles Cramer, 1775 nec Linn., 1758; deidamia Hübner, [1819]; erica Fruhstorfer, 1907; praenestina Fruhstorfer, 1913; schematica Le Moult & Réal, 1962; faroensis Le Moult & Réal, 1962* _ Range (in code): **SR BR VE CO**
- 597. *Morpho deidamia diffusa* Le Moult & Réal, 1962** (Amathusiidae) *Synonym(s): diffusa Le Moult & Réal, 1962* _ Range (in code): **BR**

- 598. *Morpho deidamia diomedes* Weber,1944** (Amathusiidae) Synonym(s): *diomedes* Weber,1944 _ Range (in code): PE
- 599. *Morpho deidamia electra* Röber,1903** (Amathusiidae) Synonym(s): *electra* Röber,1903; *oxypterus* Le Moul & Réal,1962; *tenuimarginata* Le Moul & Réal,1962; *#songoana* Le Moul & Réal,1962 _ Range (in code): BO
- 600. *Morpho deidamia granadensis* C.Felder & R.Felder,1867** (Amathusiidae) Synonym(s): *granadensis* C.Felder & R.Felder,1867; *candelariae* Staudinger,1876; *humboldti* Le Moul & Réal,1962; *pudicitia* Le Moul & Réal,1962; *quitensis* Le Moul & Réal,1962; *clypeaster* Le Moul & Réal,1962; *#astralis* Le Moul & Réal,1962 _ Range (in code): CO PA EC
- 601. *Morpho deidamia guaraura* Le Cerf,1925** (Amathusiidae) Synonym(s): *guaraura* Le Cerf,1925; *lecerfi* Le Moul,1926 _ Range (in code): VE
- 602. *Morpho deidamia hermione* Röber,1903** (Amathusiidae) Synonym(s): *hermione* Röber,1903; *nausikaa* Weber,1944; *smaragdina* Le Moul & Réal,1962; *#amethystina* Le Moul & Réal,1962 _ Range (in code): CO
- 603. *Morpho deidamia lyncanor* Fruhstorfer,1907** (Amathusiidae) Synonym(s): *lyncanor* Fruhstorfer,1907; *siphra* Niepelt,1928; *hemerocallis* Le Moul & Réal,1962 _ Range (in code): EC CO
- 604. *Morpho deidamia neoptolemus* Wood,1863** (Amathusiidae) Synonym(s): *neoptolemus* Wood,1863; *neoptolemus* Bates,1865 nec Wd.,1863; *briseis* C.Felder & R.Felder,1867; *jason* Weber,1944; *grambergi* Weber,1944; *#xenolemus* Le Moul & Réal,1962; *#ophthalmophorus* Le Moul & Réal,1962; *ortholemus* Le Moul & Réal,1962; *#paralemus* Le Moul & Réal,1962 _ Range (in code): BR CO PE EC
- 605. *Morpho deidamia polybaptus* Butler,875** (Amathusiidae) Synonym(s): *polybaptus* Butler,1875; *amaryllis* Le Moul & Réal,1962 _ Range (in code): CR NI
- 606. *Morpho deidamia pyrrhus* Staudinger,1887** (Amathusiidae) Synonym(s): *pyrrhus* Staudinger,1887; *snamenskii* Weber,1944; *inmixta* Le Moul & Réal,1962 _ Range (in code): PE
- 607. *Morpho deidamia steinbachi* Le Moul & Réal,1962** (Amathusiidae) Synonym(s): *steinbachi* Le Moul & Réal,1962; *#brundini steinbachi* Le Moul & Réal,1962; *#meridionalis steinbachi* Le Moul & Réal,1962 _ Range (in code): BO
- 608. *Morpho epistrophus* (Fabricius,1796)** (Amathusiidae) Synonym(s): *laertes* Drury,1782 nec Cr.,1775; *epistrophus* Fabricius,1796; *iphitus* C.Felder & R.Felder,1867; *eutropius* Fruhstorfer,1912; *nikolayewna* Weber,1951; *calotropus* Le Moul & Réal,1962; *indecora* Le Moul & Réal,1962 _ Range (in code): AR BR PY
- 609. *Morpho epistrophus argentinus* Fruhstorfer,1907** (Amathusiidae) Synonym(s): *argentinus* Fruhstorfer,1907; *cerulescens* Larranaga,1923; *scripturaria* Le Moul & Réal,1962; *#porphyrea* Le Moul & Réal,1962 _ Range (in code): AR BR PY
- 610. *Morpho epistrophus catenaria* (Perry,1811)** (Amathusiidae) Synonym(s): *catenaria* Perry,1811; *sachtlebeni* Le Moul & Réal,1962; *#elataria* Le Moul & Réal,1962; *eutroparia* Le Moul & Réal,1962 _ Range (in code): BR
- 611. *Morpho epistrophus epistrophus* (Fabricius,1796)** (Amathusiidae) Synonym(s): *laertes* Drury,1782 nec Cr.,1775; *epistrophus* Fabricius,1796; *iphitus* C.Felder & R.Felder,1867; *eutropius* Fruhstorfer,1912; *nikolayewna* Weber,1951; *calotropus* Le Moul & Réal,1962; *indecora* Le Moul & Réal,1962 _ Range (in code): BR
- 612. *Morpho epistrophus titei* Le Moul & Réal,1962** (Amathusiidae) Synonym(s): *titei* Le Moul & Réal,1962 _ Range (in code): PY
- 613. *Morpho eugenia* Deyrolle,1860** (Amathusiidae) Synonym(s): *eugenia* Deyrolle,1860 _ Range (in code): GF
- 614. *Morpho hecuba* (Linnaeus,1771)** (Amathusiidae) Synonym(s): *hecuba* Linnaeus,1771 _ Range (in code): GF VE BR CO
- 615. *Morpho hecuba hecuba* (Linnaeus,1771)** (Amathusiidae) Synonym(s): *hecuba* Linnaeus,1771 _ Range (in code): GF
- 616. *Morpho hecuba obidonus* Fruhstorfer,1905** (Amathusiidae) Synonym(s): *obidonus* Fruhstorfer,1905; *minima* Rousseau-Decelle,1935 _ Range (in code): BR GF
- 617. *Morpho hecuba polyidos* Fruhstorfer,1912** (Amathusiidae) Synonym(s): *polyidos* Fruhstorfer,1912; *boyi* Kotzsch,1935; *polyxena* Biedermann,1936 _ Range (in code): VE BR CO
- 618. *Morpho hecuba werner* Hopp,1921** (Amathusiidae) Synonym(s): *werner* Hopp,1921; *kruegeri* Talbot,1932 _ Range (in code): CO
- 619. *Morpho helenor* (Cramer,1776)** (Amathusiidae) Synonym(s): *helenor* Cramer,1776; *thetis* Butler,1865; *amazonicus* Fruhstorfer,1907; *tepuina* Forbes,1942; *merianae* Le Moul & Réal,1962; *fluviatilis* Le Moul & Réal,1962; *triplagiat* Le Moul & Réal,1962; *#esper* Le Moul & Réal,1962; *belemensis* Le Moul & Réal,1962; *insulicola* Le Moul & Réal,1962; _ Range (in code): SR BR VE CO GF PE AR GY BO PY TT MX EC CR HN GT PA NI

- 620. *Morpho helenor achillaena* (Hübner,[1823])** (Amathusiidae) **Synonym(s):** *achillaena* Hübner,[1823]; *bahiana* Fruhstorfer,1897; *subfasciata* Röber,1903; *pelleana* Fruhstorfer,1907; *paulist* Fruhstorfer,1907; *benkoi* d'Almeida,1923; *mytilena* Le Moult & Réal,1962; *sprituialis* Le Moult & Réal,1962; *interfluvialis* Le Moult & Réal,1962; *nattereri* Le Moult & Réal,1962; *chapadensis* Le Moult & Réal,1962; *callicreon* Le Moult & Réal,1962; *insticta* Le Moult & Réal,1962; *sebae* Le Moult & Réal,1962; *antipodica* Le Moult & Réal,1962; *blumi* Le Moult & Réal,1962; *#knorri* Le Moult & Réal,1962; *roeberi* Le Moult & Réal,1962; *#intervertita* Le Moult & Réal,1962; *aravantuha* Le Moult & Réal,1962; *elliana* Le Moult & Réal,1962; *nodicula* Le Moult & Réal,1962
Range (in code): BR PE AR GY VE CO BO
- 621. *Morpho helenor achillides* C.Felder & R.Felder,1867** (Amathusiidae) **Synonym(s):** *achillides* C.Felder & R.Felder,1867; *trojana* Röber,1903; *castroensis* Le Moult & Réal,1962; *minensis* Le Moult & Réal,1962; *missionum* Le Moult & Réal,1962; *discreta* Le Moult & Réal,1962; *popillina* Le Moult & Réal,1962; *oiticicae* Le Moult & Réal,1962; *paranensis* Le Moult & Réal,1962; *uberabensis* Le Moult & Réal,1962; *honorina* Le Moult & Réal,1962
Range (in code): BR PY AR PE
- 622. *Morpho helenor anakreon* Fruhstorfer,1910** (Amathusiidae) **Synonym(s):** *anakreon* Fruhstorfer,1910; *poppaeina* Le Moult & Réal,1962; *#marginella* Le Moult & Réal,1962
Range (in code): BR
- 623. *Morpho helenor charapensis* Le Moult & Réal,1962** (Amathusiidae) **Synonym(s):** *charapensis* Le Moult & Réal,1962
Range (in code): PE
- 624. *Morpho helenor coelestis* Butler,1866** (Amathusiidae) **Synonym(s):** *coelestis* Butler,1866; *hopfferi* Le Moult & Réal,1962; *#poppea* Le Moult & Réal,1962; *#cycliria* Le Moult & Réal,1962; *#groesmithei* Le Moult & Réal,1962; *nubifera* Le Moult & Réal,1962
Range (in code): BO BR
- 625. *Morpho helenor cortone* Fruhstorfer,1913** (Amathusiidae) **Synonym(s):** *cortone* Fruhstorfer,1913; *#kollari* Le Moult & Réal,1962; *#pomone* Le Moult & Réal,1962
Range (in code): CO
- 626. *Morpho helenor corydon* Guenée,1859** (Amathusiidae) **Synonym(s):** *corydon* Guenée,1859; *luminosa* Le Cerf,1925; *#amydon* Le Moult & Réal,1962; *myrmidon* Le Moult & Réal,1962; *#informosa* Le Moult & Réal,1962
Range (in code): CO VE
- 627. *Morpho helenor guerrerensis* Le Moult & Réal,1962** (Amathusiidae) **Synonym(s):** *guerrerensis* Le Moult & Réal,1962
Range (in code): MX
- 628. *Morpho helenor helenor* (Cramer,1776)** (Amathusiidae) **Synonym(s):** *helenor* Cramer,1776; *thetis* Butler,1865; *amazonicus* Fruhstorfer,1907; *tepuina* Forbes,1942; *merianae* Le Moult & Réal,1962; *fluviatilis* Le Moult & Réal,1962; *triplagiata* Le Moult & Réal,1962; *#esperis* Le Moult & Réal,1962; *belemensis* Le Moult & Réal,1962; *insulicola* Le Moult & Réal,1962;
Range (in code): SR BR VE CO GF
- 629. *Morpho helenor insularis* Fruhstorfer,1912** (Amathusiidae) **Synonym(s):** *insularis* Fruhstorfer,1912; *tobagoensis* Sheldon,1938; *nesophila* Le Moult & Réal,1962; *trinitas* Le Moult & Réal,1962; *#nitens* Le Moult & Réal,1962; *#laticincta* Le Moult & Réal,1962
Range (in code): TT
- 630. *Morpho helenor leontius* C.Felder & R.Felder,1867** (Amathusiidae) **Synonym(s):** *leontius* C.Felder & R.Felder,1867; *hector* Röber,1903; *violaceopeleus* Le Moult & Réal,1962; *#pseudopeleus* Le Moult & Réal,1962; *#diaphana* Le Moult & Réal,1962; *#bogotensis* Le Moult & Réal,1962
Range (in code): CO
- 631. *Morpho helenor macrophthalmus* Fruhstorfer,1913** (Amathusiidae) **Synonym(s):** *macrophthalmus* Fruhstorfer,1913; *microphthalmus* Fruhstorfer,1913; *#chocoana* Le Moult & Réal,1962; *#amplectens* Le Moult & Réal,1962; *exophthalmus* Le Moult & Réal,1962; *sirius* Le Moult & Réal,1962
Range (in code): CO
- 632. *Morpho helenor maculata* Röber,1903** (Amathusiidae) **Synonym(s):** *maculata* Röber,1903; *#perlucida* Le Moult & Réal,1962
Range (in code): EC
- 633. *Morpho helenor marajoensis* Le Moult & Réal,1962** (Amathusiidae) **Synonym(s):** *marajoensis* Le Moult & Réal,1962; *paulensis* Le Moult & Réal,1962
Range (in code): BR
- 634. *Morpho helenor marinita* Butler,1872** (Amathusiidae) **Synonym(s):** *marinita* Butler,1872; *limpida* Butler,1872; *hydorina* Butler,1872; *#opaca* Le Moult & Réal,1962; *#pastellina* Le Moult & Réal,1962; *#effusa* Le Moult & Réal,1962; *#caeruleofusa* Le Moult & Réal,1962; *#jonquilla* Le Moult & Réal,1962; *#albostrigata* Le Moult & Réal,1962; *#insolata* Le Moult & Réal,1962
Range (in code): CR PA
- 635. *Morpho helenor montezuma* Guenée,1859** (Amathusiidae) **Synonym(s):** *montezuma* Guenée,1859; *hyacinthus* Butler,1866; *zela* Fruhstorfer,1912; *hondurensis* Le Moult & Réal,1962; *lacambrensis* Le Moult & Réal,1962
Range (in code): HN MX GT
- 636. *Morpho helenor narcissus* Staudinger,1887** (Amathusiidae) **Synonym(s):** *narcissus* Staudinger,1887; *pudicis* Fruhstorfer,1907; *pudicis* Le Moult & Réal,1962; *taboga* Le Moult & Réal,1962; *vincicolor* Le Moult & Réal,1962; *prozonaras* Le Moult & Réal,1962; *nicaraguensis* Le Moult & Réal,1962; *cachiensis* Le Moult & Réal,1962; *crillensis* Le Moult & Réal,1962; *orosicola* Le Moult & Réal,1962; *veragua* Le Moult & Réal,1962
Range (in code): PA NI CR
- 637. *Morpho helenor octavia* H.W.Bates,1864** (Amathusiidae) **Synonym(s):** *octavia* H.W.Bates,1864; *izalcoensis* Le Moult & Réal,1962
Range (in code): GT MX

- 638. *Morpho helenor papirius* Hopffer,1874** (Amathusiidae) Synonym(s): *papirius* Hopffer,1874; *oxapampensis* Le Moult & Réal,1962; *bolivari* Le Moult & Réal,1962; *velata* Le Moult & Réal,1962
Range (in code): PE
- 639. *Morpho helenor peleides* Kollar,1850** (Amathusiidae) Synonym(s): *peleides* Kollar,1850; *confusa* Le Moult & Réal,1962; *inderivata* Le Moult & Réal,1962
Range (in code): CO PA
- 640. *Morpho helenor peleus* Röber,1903** (Amathusiidae) Synonym(s): *peleus* Röber,1903; *ella* Weber,1944
Range (in code): VE
- 641. *Morpho helenor pindarus* Fruhstorfer,1910** (Amathusiidae) Synonym(s): *pindarus* Fruhstorfer,1910; *intercubitalis* Le Moult & Réal,1962; *coracina* Le Moult & Réal,1962; *perelectrica* Le Moult & Réal,1962; *aurantiipuncta* Le Moult & Réal,1962
Range (in code): BR BO
- 642. *Morpho helenor popilius* Hopffer,1874** (Amathusiidae) Synonym(s): *popilius* Hopffer,1874
Range (in code): BO CO
- 643. *Morpho helenor rugitaeniatus* Fruhstorfer,1907** (Amathusiidae) Synonym(s): *rugitaeniatus* Fruhstorfer,1907; *daguaensis* Le Moult & Réal,1962; *pulchrimittella* Le Moult & Réal,1962
Range (in code): EC CO
- 644. *Morpho helenor telamon* Röber,1903** (Amathusiidae) Synonym(s): *telamon* Röber,1903; *joannisi* Le Moult & Réal,1962
Range (in code): CO
- 645. *Morpho helenor theodorus* Fruhstorfer,1907** (Amathusiidae) Synonym(s): *theodorus* Fruhstorfer,1907; *michaeli* Röber,1929; *adelaide* Weber,1944; *roqueensis* Bryk,1953; *hannemanni* Le Moult & Réal,1962; *albertii* Le Moult & Réal,1962; *basquini* Le Moult & Réal,1962; *maloensis* Le Moult & Réal,1962; *conquistador* Le Moult & Réal,1962; *felipensis* Le Moult & Réal,1962; *peripherica* Le Moult & Réal,1962
Range (in code): EC BR PE BO
- 646. *Morpho helenor tucupita* Le Moult,1925** (Amathusiidae) Synonym(s): *tucupita* Le Moult,1925; *mutabilis* Le Moult,1933; *imatata* Le Moult,1933
Range (in code): VE
- 647. *Morpho helenor ululina* Le Moult & Réal,1962** (Amathusiidae) Synonym(s): *ululina* Le Moult & Réal,1962
Range (in code): VE
- 648. *Morpho helenor violaceus* Fruhstorfer,1912** (Amathusiidae) Synonym(s): *violaceus* Fruhstorfer,1912; *hansaensis* Le Moult & Réal,1962
Range (in code): BR
- 649. *Morpho helenor zonaras* Fruhstorfer,1912** (Amathusiidae) Synonym(s): *zonaras* Fruhstorfer,1912; *faustina* Rousseau-Decelle,1935; *#senilis* Le Moult & Réal,1962
Range (in code): CO PA
- 650. *Morpho hercules* (Dalman,1823)** (Amathusiidae) Synonym(s): *hercules* Dalman,1823; *diadema* Fruhstorfer,1905; *irideus* J.Zikan,1935; *violina* Rousseau-Decelle,1935; *itatiaya* Weber,1944; *viridus* Weber,1944; *#malvina* Le Moult & Réal,1962; *#subtusdealbata* Le Moult & Réal,1962
Range (in code): BR PY
- 651. *Morpho lympharis* Butler,1873** (Amathusiidae) Synonym(s): *lympharis* Butler,1873; *ockendeni* Rothschild,1916; *#sylpharis* Le Moult & Réal,1962
Range (in code): PE BO
- 652. *Morpho lympharis descimokoenigi* Blandin,1993** (Amathusiidae) Synonym(s): *descimokoenigi* Blandin,1993
Range (in code): PE
- 653. *Morpho lympharis eros* Staudinger,1892** (Amathusiidae) Synonym(s): *eros* Staudinger,1892; *psyche* Staudinger,1892; *eros* Fruhstorfer,1913 *nec* Stgr.,1892; *nymphalis* Le Moult & Réal,1962
Range (in code): BO
- 654. *Morpho lympharis lympharis* Butler,1873** (Amathusiidae) Synonym(s): *lympharis* Butler,1873; *ockendeni* Rothschild,1916; *#sylpharis* Le Moult & Réal,1962
Range (in code): PE
- 655. *Morpho lympharis stoffeli* Le Moult & Réal,1962** (Amathusiidae) Synonym(s): *stoffeli* Le Moult & Réal,1962; *#limbaria* Le Moult & Réal,1962; *#felicia* Le Moult & Réal,1962
Range (in code): PE
- 656. *Morpho marcus* (Schaller,1785)** (Amathusiidae) Synonym(s): *adonis* Cramer,1775 *nec* [Denis & Schiff.],1775; *marcus* Schaller,1785; *adonidis* Hübner,[1819]; *rosea* Rousseau-Decelle,1935
Range (in code): SR GF PE CO EC BR
- 657. *Morpho marcus intermedia* Kaye,1917** (Amathusiidae) Synonym(s): *intermedia* Kaye,1917; *#adonides* Staudinger,1887; *#damocles* Dicksee,1919; *clarus* E.Krüger,1925; *huallaga* Michael,1931; *immaculata* Michael,1931; *equatoriensis* Michael,1931; *caladoensis* Michael,1931; *praeterclara* Le Moult & Réal,1962
Range (in code): PE CO EC BR GF
- 658. *Morpho marcus major* Lathy,1905** (Amathusiidae) Synonym(s): *major* Lathy,1905; *cora* Schaus,1928
Range (in code): PE
- 659. *Morpho marcus marcus* (Schaller,1785)** (Amathusiidae) Synonym(s): *adonis* Cramer,1775 *nec* [Denis & Schiff.],1775; *marcus* Schaller,1785; *adonidis* Hübner,[1819]; *rosea* Rousseau-Decelle,1935
Range (in code): SR GF

- 660. Morpho menelaus (Linnaeus,1758)** (Amathusiidae) Synonym(s): *menelaus* Linnaeus,1758; *nestor* Linnaeus,1758; *menelae* Hübner,[1819]; *melanippe* Butler,1866; *punicae* Fabricius,1938; *nakahari* Le Moul,1958; *aguiensis* Le Moul & Réal,1962; *guyanensis* Le Moul & Réal,1962; *huebneri* H.Fischer,1962 nec Le Moul.,1933 _ Range (in code): SR GY GF BR VE PE CO PA CR EC BO
- 661. Morpho menelaus alexandrovna Druce,1874** (Amathusiidae) Synonym(s): *alexandrovna* Druce,1874 _ Range (in code): PE
- 662. Morpho menelaus amathonte Deyrolle,1860** (Amathusiidae) Synonym(s): *amathonte* Deyrolle,1860; *centralis* Staudinger,1887; *sarareus* Le Cerf,1926; *nigromarginata* Apolinar,1942; *orientalis* Weber,1951 nec E.Krüg.,1925; *llanalis* Le Moul & Réal,1962; *#seguyi* Le Moul & Réal,1962; *margaritaria* Le Moul & Réal,1962; *charonia* Le Moul & Réal,1962; *ecuadorensis* Le Moul & Réal,1962 _ Range (in code): CO PA VE CR EC
- 663. Morpho menelaus argentiferus Fruhstorfer,1913** (Amathusiidae) Synonym(s): *argentiferus* Fruhstorfer,1913; *subtusfemina* Bryk,1953; *nestiroides* Le Moul & Réal,1962; *roeberi* Weber,1963 nec Le Moul. & Rl.,1962 _ Range (in code): PE
- 664. Morpho menelaus assarpai Röber,1903** (Amathusiidae) Synonym(s): *assarpai* Röber,1903; *plinius* Le Moul & Réal,1962 _ Range (in code): PE
- 665. Morpho menelaus coeruleus (Perry,1810)** (Amathusiidae) Synonym(s): *coeruleus* Perry,1810; *nestira* Hübner,[1821]; *mineiro* Fruhstorfer,1907; *tenuilimbata* Fruhstorfer,1907; *#maxima* Strand,1918; *#pulverosa* Le Cerf,1926; *mattogrossensis* Talbot,1928; *pseudalexandrovna* Le Moul & Réal,1962 _ Range (in code): BR
- 666. Morpho menelaus didius Hopffer,1874** (Amathusiidae) Synonym(s): *didius* Hopffer,1874; *hypanophthalma* Niepelt,1934; *pseudassapai* Le Moul & Réal,1962 _ Range (in code): PE
- 667. Morpho menelaus eberti Weber,1963** (Amathusiidae) Synonym(s): *eberti* Weber,1963 _ Range (in code): BR
- 668. Morpho menelaus godartii Guérin-Ménéville,[1844]** (Amathusiidae) Synonym(s): *godartii* Guérin-Ménéville,[1844]; *fraterna* Le Moul & Réal,1962; *subtuspulverea* Le Moul & Réal,1962 _ Range (in code): BO PE
- 669. Morpho menelaus julanthiscus Fruhstorfer,1907** (Amathusiidae) Synonym(s): *julanthiscus* Fruhstorfer,1907; *sapphirus* Le Cerf,1926; *naponis* Le Cerf,1926; *kruegeri* Röber,1927; *secreta* Le Moul & Réal,1962; *abitagua* Le Moul & Réal,1962; *finiticola* Le Moul & Réal,1962 _ Range (in code): EC CO
- 670. Morpho menelaus kesselringi H.Fischer,1962** (Amathusiidae) Synonym(s): *kesselringi* H.Fischer,1962 _ Range (in code): BR
- 671. Morpho menelaus menelaus (Linnaeus,1758)** (Amathusiidae) Synonym(s): *menelaus* Linnaeus,1758; *nestor* Linnaeus,1758; *menelae* Hübner,[1819]; *melanippe* Butler,1866; *punicae* Fabricius,1938; *nakahari* Le Moul,1958; *aguiensis* Le Moul & Réal,1962; *guyanensis* Le Moul & Réal,1962; *huebneri* H.Fischer,1962 nec Le Moul.,1933 _ Range (in code): SR GY GF BR VE
- 672. Morpho menelaus occidentalis C.Felder & R.Felder,1862** (Amathusiidae) Synonym(s): *occidentalis* C.Felder & R.Felder,1862; *melacheilus* Staudinger,[1886]; *ornata* Fruhstorfer,1913; *paris* Le Cerf,1926; *niger* Weber,1951; *offenbachi* Bryk,1953; *pratorii* H.Fischer,1962; *canelosana* Le Moul & Réal,1962; *juruensis* Le Moul & Réal,1962; *orientis* Le Moul & Réal,1962; *amseli* Weber,1963 _ Range (in code): BR EC
- 673. Morpho menelaus orinocensis Le Moul,1925** (Amathusiidae) Synonym(s): *orinocensis* Le Moul,1925 _ Range (in code): VE
- 674. Morpho menelaus ssp.n.** (Amathusiidae) Synonym(s): _ Range (in code): VE
- 675. Morpho menelaus terrestris Butler,1866** (Amathusiidae) Synonym(s): *terrestris* Butler,1866; *agesilaus* Le Moul & Réal,1962; *wucherpennigi* H.Fischer,1962 _ Range (in code): BR
- 676. Morpho menelaus verae Weber,1951** (Amathusiidae) Synonym(s): *verae* Weber,1951 _ Range (in code): BR
- 677. Morpho menelaus zischkai H.Fischer,1962** (Amathusiidae) Synonym(s): *zischkai* H.Fischer,1962 _ Range (in code): BO
- 678. Morpho niepelti Röber,1927** (Amathusiidae) Synonym(s): *niepelti* Röber,1927; *staudingeri* Niepelt,1927 _ Range (in code): CO
- 679. Morpho polyphemus Westwood,[1850]** (Amathusiidae) Synonym(s): *polyphemus* Westwood,[1850] _ Range (in code): MX
- 680. Morpho polyphemus Westwood,[1850]** (Amathusiidae) Synonym(s): *polyphemus* Westwood,[1850] _ Range (in code): US Arz MX
- 681. Morpho polyphemus catalina Corea & Chacon,1984** (Amathusiidae) Synonym(s): *catalina* Corea & Chacon,1984 _ Range (in code): CR
- 682. Morpho polyphemus luna Butler,1869** (Amathusiidae) Synonym(s): *luna* Butler,1869 _ Range (in code): MX HN GT

- 683. *Morpho polyphemus polyphemus* Westwood,[1850]** (Amathusiidae) **Synonym(s):** *polyphemus* Westwood,[1850] **Range (in code):** **MX**
- 684. *Stichophthalma camadeva* (Westwood,[1848])** (Amathusiidae) **Synonym(s):** *camadeva* Westwood,[1848] **Range (in code):** **SI IN Nag Ass MM TH Dst CMa**
- 685. *Stichophthalma camadeva camadeva* (Westwood,[1848])** (Amathusiidae) **Synonym(s):** *camadeva* Westwood,[1848] **Range (in code):** **SI**
- 686. *Stichophthalma camadeva camadevoides* De Nicéville,1899** (Amathusiidae) **Synonym(s):** *camadevoides* De Nicéville,1899 **Range (in code):** **IN Nag Ass MM TH Dst CMa**
- 687. *Stichophthalma cambodia* Hewitson,1862** (Amathusiidae) **Synonym(s):** *cambodia* Hewitson,1862 **Range (in code):** **KH TH Cbi Nst Ths Sya**
- 688. *Stichophthalma cambodia aditha* N.D.Riley & Godfrey,1921** (Amathusiidae) **Synonym(s):** *aditha* N.D.Riley & Godfrey,1921 **Range (in code):** **TH Cbi Nst Ths Sya**
- 689. *Stichophthalma cambodia cambodia* Hewitson,1862** (Amathusiidae) **Synonym(s):** *cambodia* Hewitson,1862 **Range (in code):** **KH**
- 690. *Stichophthalma godfreyi* Rothschild,1916** (Amathusiidae) **Synonym(s):** *godfreyi* Rothschild,1916 **Original Reference:** *Stichophthalma godfreyi* Rothschild,1916, Ann. Mag. nat. Hist. 22: 474. Type ♀: [Thailand]: W.Siam: 40 mls NW Kanburi. **Range (in code):** **MM Tns TH Knc Rng Srt**
- 691. *Stichophthalma godfreyi godfreyi* Rothschild,1916** (Amathusiidae) **Synonym(s):** *godfreyi* Rothschild,1916 **Original Reference:** *Stichophthalma godfreyi* Rothschild,1916, Ann. Mag. nat. Hist. 22: 474. Type ♀: [Thailand]: W.Siam: 40 mls NW Kanburi. **Range (in code):** **MM Tns TH Knc Rng Srt**
- 692. *Stichophthalma louisa* Wood-Mason,1871** (Amathusiidae) **Synonym(s):** *louisa* Wood-Mason,1871 **Original Reference:** *Stichophthalma louisa* Wood-Mason,1871, Proc. asiat. Soc. Beng. 1871: 163. **Range (in code):** **IN Ass MM TH Knc Cbi Rng Srt VN Ton**
- 693. *Stichophthalma louisa louisa* Wood-Mason,1871** (Amathusiidae) **Synonym(s):** *louisa* Wood-Mason,1871 **Original Reference:** *Stichophthalma louisa* Wood-Mason,1871, Proc. asiat. Soc. Beng. 1871: 163. **Range (in code):** **IN Ass MM TH Knc**
- 694. *Stichophthalma louisa siamensis* Rothschild,1916** (Amathusiidae) **Synonym(s):** *siamensis* Rothschild,1916 **Original Reference:** *Stichophthalma louisa* ssp. *siamensis* Rothschild,1916, Novit. zool. 23: 308. Type: Siam. **Range (in code):** **TH Cbi Rng Srt MM VN Ton**
- 695. *Taenaris artemis* (Snellen,1860)** (Amathusiidae) **Synonym(s):** *artemis* Snellen,1860; *jamesi* Butler,1877; *sticheli* Fruhstorfer,1901; *queenslandica* Rothschild,1916; *zetes* Brooks,1944 **Range (in code):** **AU QAU**
- 696. *Taenaris horsfieldi* (Swainson,[1820])** (Amathusiidae) **Synonym(s):** *horsfieldi* Swainson,[1820] **Range (in code):** **PH Pal MY Joh**
- 697. *Taenaris horsfieldi birchi* Distant,1883** (Amathusiidae) **Synonym(s):** *birchi* Distant,1883 **Range (in code):** **MY Joh**
- 698. *Taenaris horsfieldi horsfieldi* (Swainson,[1820])** (Amathusiidae) **Synonym(s):** *horsfieldi* Swainson,[1820]
- 699. *Taenaris horsfieldi plateni* Staudinger,1889** (Amathusiidae) **Synonym(s):** *plateni* Staudinger,1889 **Original Reference:** *Taenaris horsfieldi* var. *plateni* Staudinger,1889, Dt. ent. Z., Iris 2: 43-44. Syntypes: [Philippines]: Palawan (leg. Platen). **Range (in code):** **PH Pal**
- 700. *Thaumantis diores* Doubleday,1845** (Amathusiidae) **Synonym(s):** *diores* Doubleday,1845 **Range (in code):** **IN Ass Slo TH Cbi Loe CMa Phe MM**
- 701. *Thaumantis diores diores* Doubleday,1845** (Amathusiidae) **Synonym(s):** *diores* Doubleday,1845
- 702. *Thaumantis diores splendens* Tytler,1939** (Amathusiidae) **Synonym(s):** *splendens* Tytler,1939 **Range (in code):** **MM TH Cbi Loe CMa Phe**
- 703. *Thaumantis klugius* (Zincken,1831)** (Amathusiidae) **Synonym(s):** *klugius* Zincken,1831 **Range (in code):** **MM MY Lkw TH Nst Ths Phu Yal Ntt Rng SG ID Sum Ja Bor Bng Btg**
- 704. *Thaumantis klugius klugius* (Zincken,1831)** (Amathusiidae) **Synonym(s):** *klugius* Zincken,1831 **Range (in code):** **ID Sum Ja Bor Bng Btg MY**
- 705. *Thaumantis klugius lucipor* Westwood,[1851]** (Amathusiidae) **Synonym(s):** *lucipor* Westwood,[1851] **Range (in code):** **MM MY Lkw TH Nst Ths Phu Yal Ntt Rng SG**
- 706. *Thaumantis noureddin* Westwood,[1851]** (Amathusiidae) **Synonym(s):** *noureddin* Westwood,[1851] **Range (in code):** **MY Bor ID Sum TH Tng Yal SG**

707. **Thaumantis noureddin noureddin Westwood,[1851]** (Amathusiidae) **Synonym(s):** *noureddin Westwood,[1851]* Range (in code): MY Bor ID Sum TH Tng Yal SG
708. **Thaumantis noureddin sultanus Stichel,1906** (Amathusiidae) **Synonym(s):** *sultanus Stichel,1906* Range (in code): ID Bor
709. **Thaumantis odana (Godart,[1824])** (Amathusiidae) **Synonym(s):** *odana Godart,[1824]* Range (in code): MY TH Nst Ths Sya Tng Ntt Yal Sgk Hya Tnc
710. **Thaumantis odana odana (Godart,[1824])** (Amathusiidae) **Synonym(s):** *odana Godart,[1824]*
711. **Thaumantis odana pishuna Fruhstorfer,1905** (Amathusiidae) **Synonym(s):** *pishuna Fruhstorfer,1905* Range (in code): MY TH Nst Ths Sya Tng Ntt Yal Sgk Hya Tnc
712. **Thauria aliris (Westwood,[1858])** (Amathusiidae) **Synonym(s):** *aliris Westwood,[1858]* Range (in code): MM MY TH CMa CDo Cbi Nrt Cbu Ptt Phu Rng Yal Pgg Nst Tng Sgk Hya Tnc
713. **Thauria aliris aliris (Westwood,[1858])** (Amathusiidae) **Synonym(s):** *aliris Westwood,[1858]*
714. **Thauria aliris intermedia Crowley,1896** (Amathusiidae) **Synonym(s):** *intermedia Crowley,1896* Range (in code): TH MM CMa CDo
715. **Thauria aliris pseudaliris Butler,1877** (Amathusiidae) **Synonym(s):** *pseudaliris Butler,1877* Range (in code): MY TH Ptt Phu Rng Yal Pgg Nst Ths Tng Sgk Hya Tnc
716. **Thauria aliris siamensis Rothschild,1916** (Amathusiidae) **Synonym(s):** *siamensis Rothschild,1916* Original Reference: Thauria lathyi ssp. siamensis Rothschild,1916, Ann. Mag. nat. Hist. (8) 17: 475. Type: Siam. Range (in code): TH Cbi Nrt Cbu
717. **Xanthotaenia busiris Westwood,[1858]** (Amathusiidae) **Synonym(s):** *busiris Westwood,[1858]* Range (in code): MM ID Sum MY Bor TH Cbi Nst Rng Tng Ntt SPa Pgg Sgk Hya Tnc Yal
718. **Zeuxidia amethysta Butler,1865** (Amathusiidae) **Synonym(s):** *amethysta Butler,1865* Range (in code): PH Bal Pal Sga Taw CmM Mno MY Lkw TH Nna Cbi Nrt Kbi Ntt Phu Tng Nst Pgg Rng Yal Sgk Hya Tnc MM ID Sum Bor
719. **Zeuxidia amethysta amethysta Butler,1865** (Amathusiidae) **Synonym(s):** *amethysta Butler,1865* Range (in code): MY Lkw TH Kbi Ntt Phu Tng Nst Pgg Rng Yal Sgk Hya Tnc ID Sum Bor MM
720. **Zeuxidia amethysta amethystina Stichel,1906** (Amathusiidae) **Synonym(s):** *amethystina Stichel,1906* Range (in code): PH CmM Mno
721. **Zeuxidia amethysta masoni Moore,1879** (Amathusiidae) **Synonym(s):** *masoni Moore,1879* Range (in code): MM TH Nna Cbi Nrt
722. **Zeuxidia amethysta tawiensis Schröder & Treadaway,1991** (Amathusiidae) **Synonym(s):** *tawiensis Schröder & Treadaway,1991* Range (in code): PH Sga Taw
723. **Zeuxidia amethysta victrix Staudinger,1889** (Amathusiidae) **Synonym(s):** *victrix Staudinger,1889* Original Reference: Zeuxidia amethystus var.? victrix Staudinger,1889, Dt. ent. Z., Iris 2: 41-42. Syntypes 15♂ 2♀: [Philippines]: Palawan (leg. Platen). Range (in code): PH Bal Pal
724. **Zeuxidia aurelia (Cramer,[1777])** (Amathusiidae) **Synonym(s):** *aurelia Cramer,[1777]* Range (in code): MY TH Nst Rng Yal Ptt Tng Sgk Hya Tnc MM ID Sum Bor
725. **Zeuxidia aurelia aurelia (Cramer,[1777])** (Amathusiidae) **Synonym(s):** *aurelia Cramer,[1777]* Range (in code): MY TH Nst Rng Yal Ptt Tng Sgk Hya Tnc MM ID Sum Bor
726. **Zeuxidia doubledayi Westwood,[1851]** (Amathusiidae) **Synonym(s):** *doubledayi Westwood,[1851]* Range (in code): ID Sum Bor MY TH Rng Yal Tng Sgk Hya Tnc
727. **Zeuxidia doubledayi doubledayi Westwood,[1851]** (Amathusiidae) **Synonym(s):** *doubledayi Westwood,[1851]* Range (in code): ID Sum Bor MY TH Rng Yal Tng Sgk Hya Tnc
728. **Zeuxidia semperi C.Felder & R.Felder,1861** (Amathusiidae) **Synonym(s):** *semperi C.Felder & R.Felder,1861* Range (in code): PH Mdo Neg Luz Pol
729. **Zeuxidia semperi excelsa Rothschild,1916** (Amathusiidae) **Synonym(s):** *excelsa Rothschild,1916* Range (in code): PH Neg
730. **Zeuxidia semperi semperi C.Felder & R.Felder,1861** (Amathusiidae) **Synonym(s):** *semperi C.Felder & R.Felder,1861* Original Reference: Zeuxidia semperi C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 304. Type: Luzon. Range (in code): PH Luz Pol
731. **Zeuxidia semperi therionarca Fruhstorfer,1911** (Amathusiidae) **Synonym(s):** *therionarca Fruhstorfer,1911* Range (in code): PH Mdo

732. **Zeuxidia sibulana Honrath,1884** (Amathusiidae) Synonym(s): *sibulana Honrath,1884*
Range (in code): **PH Ley Sam Mno**
733. **Zeuxidia sibulana mediciei Schröder,1977** (Amathusiidae) Synonym(s): *mediciei Schröder,1977*
Range (in code): **PH Ley Sam**
734. **Zeuxidia sibulana sibulana Honrath,1884** (Amathusiidae) Synonym(s): *sibulana Honrath,1884*
Range (in code): **PH Mno**
735. **Abrota ganga Moore,1857** (Argynnidae) Synonym(s): *ganga Moore,1857* **Original**
Reference: Abrota ganga Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 178, Tb. 6a, fig.1. Range (in code): **?Ti CN**
736. **Abrota ganga ganga Moore,1857** (Argynnidae) Synonym(s): *ganga Moore,1857*
Original Reference: Abrota ganga Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 178, Tb. 6a, fig.1. Range (in code): **?Ti CN**
737. **Adelpha basiloides Bates,1865** (Argynnidae) Synonym(s): *basiloides Bates,1865*
Range (in code): **US Tx MX**
738. **Adelpha bredowii (Geyer,[1837])** (Argynnidae) Synonym(s): *bredowii Geyer,[1837]*
Range (in code): **US MX Cf Arz Col Id Kan NMx Ne Ok Org Tx Ut Ws**
739. **Adelpha bredowii californica (Butler,1865)** (Argynnidae) Synonym(s): *californica Butler,1865*
Range (in code): **US Cf**
740. **Adelpha bredowii eulalia (Doubleday & Hewitson,1848)** (Argynnidae)
Synonym(s): *eulalia Doubleday & Hewitson,1848* Range (in code): **MX**
741. **Adelpha fessonia (Hewitson,1847)** (Argynnidae) Synonym(s): *fessonia Hewitson,1847*
Range (in code): **NI US MX Tx**
742. **Agatasa calydonia (Hewitson,1854)** (Argynnidae) Synonym(s): *calydonia Hewitson,1854*
Range (in code): **TH Chy Knc**
743. **Agatasa calydonia belisama (Crowley,1891)** (Argynnidae) Synonym(s): *belisama Crowley,1891*
Range (in code): **TH Chy Knc**
744. **Agatasa calydonia calydonia (Hewitson,1854)** (Argynnidae) Synonym(s): *calydonia Hewitson,1854*
745. **Agatasa chrysodonia Staudinger,1890** (Argynnidae) Synonym(s): *chrysodonia Staudinger,1890*
Range (in code): **PH Mdo Luz Mno Sam**
746. **Agatasa chrysodonia chrysodonia Staudinger,1890** (Argynnidae) Synonym(s): *chrysodonia Staudinger,1890*
Range (in code): **PH Mno Sam**
747. **Agatasa chrysodonia heterodonia Semper,1892** (Argynnidae) Synonym(s): *heterodonia Semper,1892*
Range (in code): **PH Mdo**
748. **Agatasa chrysodonia luzonensis Schröder & Treadaway,1988** (Argynnidae)
Synonym(s): *luzonensis Schröder & Treadaway,1988* Range (in code): **PH Luz**
749. **Aglais ichnusa (Hübner,[1824])** (Argynnidae) Synonym(s): *ichnusa Hübner,[1824]*
Original Reference: Papilio ichnusa Hübner,[1824], Samml. eur. Schmett. 1: pl.170, fig.840.
Type(s): [Korsika]. Range (in code): **FR Co**
750. **Aglais ichnusa ichnusa (Hübner,[1824])** (Argynnidae) Synonym(s): *ichnusa Hübner,[1824]*
Original Reference: Papilio ichnusa Hübner,[1824], Samml. eur. Schmett. 1: pl.170, fig.840. Type(s): [Korsika]. Range (in code): **FR Co**
751. **Aglais kaschmirensis (Kollar,[1844])** (Argynnidae) Synonym(s): *kaschmirensis Kollar,[1844]*
Original Reference: Vanessa urticae var. kaschmirensis Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 442, Pl.11 figs. 3, 4. Type(s): [India]: Kaschmir. Range (in code): **AF Ng Jla Lgh Ch IN Kab Ld Pag SI NP Ci PK Wa Bl Kul Nwf Sfk Abb M-J Thu Haz Mre Swa Nar**
752. **Aglais kaschmirensis aesis (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *aesis Fruhstorfer,1912*
Original Reference: Vanessa caschmirensis aesis Fruhstorfer,1912, [in] Seitz, Die Gross-Schmett. Erde 9: 527.
753. **Aglais kaschmirensis kaschmirensis (Kollar,[1844])** (Argynnidae) Synonym(s): *kaschmirensis Kollar,[1844]*
Original Reference: Vanessa urticae var. kaschmirensis Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 442, Pl.11 figs. 3, 4. Type(s): [India]: Kaschmir. Range (in code): **AF Ng Jla Lgh Ch IN Kab Ld Pag SI NP Ci PK Wa Bl Kul Nwf Sfk Abb M-J Thu Haz Mre Swa Nar**
754. **Aglais ladakensis (Moore,1878)** (Argynnidae) Synonym(s): *ladakensis Moore,1878*
Original Reference: Vanessa ladakensis Moore,1878, Ann. Mag. nat. Hist. 5(1): 227-228.
Syntypes: [India]: Ladak, Gogra; [China]: Yarkund, Karatagh lake. Range (in code): **CN IN Ld Ui Yk SI**

- 755. Aglais ladakensis ladakensis (Moore,1878)** (Argynnidae) Synonym(s): *ladakensis* Moore,1878 Original Reference: Vanessa ladakensis Moore,1878, Ann. Mag. nat. Hist. 5(1): 227-228. Syntypes: [India]: Ladak, Gogra; [China]: Yarkund, Karatagh lake. Range (in code): **CN IN Ld Ui Yk SI**
- 756. Aglais milberti (Godart,[1819])** (Argynnidae) Synonym(s): *milberti* Godart,[1819] Range (in code): **US MX Aks Arz Cf Cnt Col Dw Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa Ndk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vr WVi Wc Ws Wy**
- 757. Aglais nixa (Groum-Grshimailo,1890)** (Argynnidae) Synonym(s): *nixa* Groum-Grshimailo,1890 Original Reference: Vanessa urticae var. nixa Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 426. Syntypes: Tadjikistan: South of Darvaz: Khoubou-rabat, 9000ft. Lectotype ♂: "Hissar Mt." designated by Murzin,2000 [in] Tusov, et al. Guide Butts. Russia 2: 30-31 (BMNH). Range (in code): **TJ Pm AF PK CN Ui**
- 758. Aglais nixa nixa (Groum-Grshimailo,1890)** (Argynnidae) Synonym(s): *nixa* Groum-Grshimailo,1890 Original Reference: Vanessa urticae var. nixa Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 426. Syntypes: Tadjikistan: South of Darvaz: Khoubou-rabat, 9000ft. Lectotype ♂: "Hissar Mt." designated by Murzin,2000 [in] Tusov, et al. Guide Butts. Russia 2: 30-31 (BMNH). Range (in code): **TJ Pm AF PK CN Ui**
- 759. Aglais rizana (Moore,1872)** (Argynnidae) Synonym(s): *rizana* Moore,1872 Original Reference: Vanessa rizana Moore,1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: India: Kunawur. Range (in code): **Ld TJ PK Sfk AF SI Ci IN Knw Hp**
- 760. Aglais rizana rizana (Moore,1872)** (Argynnidae) Synonym(s): *rizana* Moore,1872 Original Reference: Vanessa rizana Moore,1872, Proc. zool. Soc. Lond. 1872: 559. Syntypes: India: Kunawur. Range (in code): **Ld TJ PK Sfk AF SI Ci Knw Hp IN**
- 761. Aglais urticae (Linnaeus,1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. Original Reference: Papilio urticae Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. Range (in code): **AL Bn Kts AT Ba BE BG BY CH CN Co CZ DE Dj DK EE ES FI FR GB GR HU IE Ii IS IT KG LB LT LU LV MK MN NL NO PL PT RO RU Sa SE Sem SI Si SK Sm So Sr Ti Tk TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sr So Tt Sb Cb Kg Or Uk Aq Rk Kt Pp Kw Ty Om Pw No To Mu Kuz Sli At Mn Sp Tk As Tm Db Buc Ssn Tar Sau DsA TrA Ax KuA TeA Um Ku Kml Adu IQ IR Ab Jal Ak Elb Th Mz Kh GG AM AZ Smt Bku Cc US Msc Ny Arr Nra** Bionomy: Larva on Urtica dioica (Urticaceae) (Linnaeus,1758; et seq.).
- 762. Aglais urticae chinensis (Leech,1892)** (Argynnidae) Synonym(s): *chinensis* Leech,1892 Original Reference: Vanessa urticae var. chinensis Leech,1892, Butts. China, Japan Corea: 227. Range (in code): **CN Ti SI Sz**
- 763. Aglais urticae chinganensis (Kleinschmidt,1929)** (Argynnidae) Synonym(s): *chinganensis* Kleinschmidt,1929 Original Reference: Aglais urticae chinganensis Kleinschmidt,1929, Falco 25: 13. Type(s): Chingangebige. Range (in code): **MN**
- 764. Aglais urticae kansuensis Kleinschmidt,1927** (Argynnidae) Synonym(s): *kansuensis* Kleinschmidt,1927 Original Reference: Aglais urticae kansuensis Kleinschmidt,1927, Falco 23: 4. Type(s): China: Kansu: Lanchowfu. Range (in code): **CN Gn**
- 765. Aglais urticae obtusa O.Bang-Haas,1927** (Argynnidae) Synonym(s): *obtusa* O.Bang-Haas,1927 Original Reference: Aglais urticae ssp. obtusa O.Bang-Haas,1927, Horae Macrolepidopt. 1: 115. Syntypes 2♂: China: Kansu sept. occ.: Hsining, Tatung Tal, Alpenzone. Range (in code): **CN Gn**
- 766. Aglais urticae turcica (Staudinger,1871)** (Argynnidae) Synonym(s): *turcica* Staudinger,1871 Original Reference: Vanessa urticae var. turcica Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 16. Syntypes: Südl. Balkanhalbinsel; [Türkei]: Asia Minor. Range (in code): **IL He TR LB IQ IR Ab Ak GG Cc Arr AM AZ Smt Bku** Bionomy: Larva on Urtica dioica (Urticaceae) (auctorum; Koçak & Kemal,in litt.)
- 767. Aglais urticae turcicoides (Staudinger,1901)** (Argynnidae) Synonym(s): *turcicoides* Staudinger,1901 Original Reference: Vanessa urticae var. turcicoides Staudinger,1901, Cat. Lepid. palaearkt. Faunengeb. 3(1): 25 (nomen novum pro urticoides Alpheraky nec Fischer-Waldheim. Type(s): [Iran]: Hyrcania. Range (in code): **IR Elb Mz Th**
- 768. Aglais urticae urticae (Linnaeus,1758)** (Argynnidae) Synonym(s): *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. Original Reference: Papilio urticae Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. Range (in code): **AL AT Ba BE BG Bw BY CH Co CZ DE DK EE ES FI FR GB GR HU IE IS IT KG LT LU LV MK NL NO PL PT RO Rp RU Sa SE Si SK Sm So Sr UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sr So Tt Sb Cb Kg Or Uk Aq**

Rk Kt Pp Kw Ty Om Pw No To Kuz Sli At Mn Sp Tk As Tm Db Buc Ssn Mu Bn Tar Sau DsA T-S TrA Ax
KuA TeA Ui CN Um Ku Kml Adu

769. **Aldania deliquata (Stichel,[1909])** (Argynnidae) Synonym(s): *deliquata* Stichel,[1909]
Range (in code): **RU Am Vv CN KP KR** Bionomy: Larva on Betula (Korshunov & Gorbunov,1995).
770. **Aldania deliquata deliquata (Stichel,[1909])** (Argynnidae) Synonym(s): *deliquata* Stichel,[1909]
Range (in code): **CN KP KR** Bionomy: Larva on Betula (Korshunov & Gorbunov,1995).
771. **Aldania deliquata tshetverikovi (Kurentzov,1936)** (Argynnidae) Synonym(s): *tshetverikovi* Kurentzov,1936
Range (in code): **RU Am Vv**
772. **Aldania ilos (Fruhstorfer,1909)** (Argynnidae) Synonym(s): *ilos* Fruhstorfer,1909
Range (in code): **RU Vv CN TW**
773. **Aldania ilos ilos (Fruhstorfer,1909)** (Argynnidae) Synonym(s): *ilos* Fruhstorfer,1909
Range (in code): **RU Vv**
774. **Aldania ilos nirei (Nomura,1935)** (Argynnidae) Synonym(s): *nirei* Nomura,1935
Range (in code): **TW**
775. **Aldania ilos nise (Sugiyama,1993)** (Argynnidae) Synonym(s): *nise* Sugiyama,1993
Range (in code): **CN**
776. **Aldania raddei (Bremer,1861)** (Argynnidae) Synonym(s): *raddei* Bremer,1861 Original Reference: *Diadema raddei* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 467. Syntypes: Russia: Bureja-Gebirge. Range (in code): **RU Vv Am CN KP KR** Bionomy: Larva on Ulmus propinqua (Murzin & Tusov,2000).
777. **Aldania raddei raddei (Bremer,1861)** (Argynnidae) Synonym(s): *raddei* Bremer,1861 Original Reference: *Diadema raddei* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 467. Syntypes: Russia: Bureja-Gebirge. Range (in code): **RU Vv Am CN KP KR** Bionomy: Larva on Ulmus propinqua (Murzin & Tusov,2000).
778. **Aldania themis (Leech,1890)** (Argynnidae) Synonym(s): *themis* Leech,1890
Range (in code): **CN KP KR RU Vv**
779. **Aldania themis themis (Leech,1890)** (Argynnidae) Synonym(s): *themis* Leech,1890
Range (in code): **CN KP KR RU Vv**
780. **Aldania thisbe (Ménétriés,1859)** (Argynnidae) Synonym(s): *thisbe* Ménétriés,1859; *ussuriensis* Kurentzov,1970. Range (in code): **RU Am Vv CN KP KR** Bionomy: Larva on Quercus mongolica (Fagaceae) (Graeser,1888).
781. **Aldania thisbe thisbe (Ménétriés,1859)** (Argynnidae) Synonym(s): *thisbe* Ménétriés,1859; *ussuriensis* Kurentzov,1970. Range (in code): **RU Am Vv CN KP KR** Bionomy: Larva on Quercus mongolica (Fagaceae) (Graeser,1888).
782. **Amnosia decora Doubleday,[1849]** (Argynnidae) Synonym(s): *decora* Doubleday,[1849]
Range (in code): **MY Prk ID Ja Bor Sbh KBa Sum Nia**
783. **Amnosia decora baluana Fruhstorfer,1894** (Argynnidae) Synonym(s): *baluana* Fruhstorfer,1894
Range (in code): **MY Bor Sbh KBa**
784. **Amnosia decora decora Doubleday,[1849]** (Argynnidae) Synonym(s): *decora* Doubleday,[1849]
Range (in code): **ID Ja**
785. **Amnosia decora decorina Fruhstorfer,1894** (Argynnidae) Synonym(s): *decorina* Fruhstorfer,1894
Range (in code): **ID Nia**
786. **Amnosia decora eudamia Grose-Smith,1885** (Argynnidae) Synonym(s): *eudamia* Grose-Smith,1885
Range (in code): **ID Sum**
787. **Amnosia decora martini Honrath,1892** (Argynnidae) Synonym(s): *martini* Honrath,1892
Range (in code): **ID Sum**
788. **Amnosia decora perakana Fruhstorfer,1908** (Argynnidae) Synonym(s): *perakana* Fruhstorfer,1908
Range (in code): **MY Prk**
789. **Amnosia decora petronia Fruhstorfer,1908** (Argynnidae) Synonym(s): *petronia* Fruhstorfer,1908
Range (in code): **MY Bor**
790. **Amuriana schreckii (Ménétriés,1858)** (Argynnidae) Synonym(s): *schreckii* Ménétriés,1858 Original Reference: *Adolias schreckii* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215, nr.12. Syntypes: Russia: Amur. Range (in code): **RU Vv Am**
791. **Amuriana schreckii schreckii (Ménétriés,1858)** (Argynnidae) Synonym(s): *schreckii* Ménétriés,1858 Original Reference: *Adolias schreckii* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215, nr.12. Syntypes: Russia: Amur. Range (in code): **RU Vv Am**

- 792. *Anaea aidea* (Guérin-Ménéville,[1844])** (Argynnidae) Synonym(s): *aidea* Guérin-Ménéville,[1844]; *morrisonii* Edwards,1883; *appiciata* Röber,1916 - Range (in code): US Arz MX
- 793. *Anaea andria* Scudder,1875** (Argynnidae) Synonym(s): *andria* Scudder,1875; *ops* Druce,1877; *glycerinus* Stichel,1939; *#andriaesta* F.Johnson & Comstock,1941 - Range (in code): US MX Aks Alb Arz Col Fl Ge Idp Iln Io Kan Lou Mch Mis NCa NMx Neb Oh Ok SDk Tnn Tx Vi Wc Wy
- 794. *Anaea florldalis* F.Johnson & Comstock,1941** (Argynnidae) Synonym(s): *florldalis* F.Johnson & Comstock,1941; *#floraesta* F.Johnson & Comstock,1941 - Range (in code): US Fl
- 795. *Anaea glycerium* (Doubleday,[1849])** (Argynnidae) Synonym(s): *glycerium* Doubleday,[1849] - Range (in code): US MX Arz Tx CO VE MX GT NI CR PA Cq
- 796. *Anaea pithyusa* (Druce,1877)** (Argynnidae) Synonym(s): *pithyusa* Druce,1877 - Range (in code): US MX Tx
- 797. *Anaea troglodyta* (Fabricius,1775)** (Argynnidae) Synonym(s): *troglodyta* Fabricius,1775 - Range (in code): US MX Arz Col Iln Kan NMx Neb Tx
- 798. *Anartia chrysopelea* Hübner,[1824]** (Argynnidae) Synonym(s): *chrysopelea* Hübner,[1824] - Range (in code): US CU
- 799. *Anartia fatima* (Fabricius,1793)** (Argynnidae) Synonym(s): *fatima* Fabricius,1793 - Range (in code): US GT MX Tx
- 800. *Anartia jatrophae* (Johansson,1763)** (Argynnidae) Synonym(s): *jatrophae* Johansson,1763 - Range (in code): US MX Fl Ge Kan Knt Mis Msc Mss NCa NMx Neb Nje Tx Ut Vi HN CU
- 801. *Anartia jatrophae guantanamo* Munroe,1942** (Argynnidae) Synonym(s): *guantanamo* Munroe,1942 - Range (in code): CU
- 802. *Anartia jatrophae luteipicta* Fruhstorfer,1907** (Argynnidae) Synonym(s): *luteipicta* Fruhstorfer,1907 - Range (in code): HN
- 803. *Antanartia abyssinica* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *abyssinica* C.Felder & R.Felder,[1867] - Range (in code): ET KE TZ ZR UG RW
- 804. *Antanartia abyssinica abyssinica* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *abyssinica* C.Felder & R.Felder,[1867] - Range (in code): ET
- 805. *Antanartia abyssinica jacksoni* Howarth,1966** (Argynnidae) Synonym(s): *jacksoni* Howarth,1966 - Range (in code): KE TZ
- 806. *Antanartia abyssinica vansomereni* Howarth,1966** (Argynnidae) Synonym(s): *vansomereni* Howarth,1966 - Range (in code): ZR UG RW
- 807. *Antanartia borbonica* (Oberthür,1879)** (Argynnidae) Synonym(s): *borbonica* Oberthür,1879 - Range (in code): RE MU Bionomy: Larva on Boehmeria, Obetia, Pilea (Urticaceae) (Ackery et al.,1995).
- 808. *Antanartia borbonica borbonica* (Oberthür,1879)** (Argynnidae) Synonym(s): *borbonica* Oberthür,1879 - Range (in code): RE
- 809. *Antanartia borbonica mauritiana* Manders,1908** (Argynnidae) Synonym(s): *mauritiana* Manders,1908 - Range (in code): MU
- 810. *Antanartia delius* (Drury,1782)** (Argynnidae) Synonym(s): *delius* Drury,1782; *eurocilia* Fabricius,1793; *demonica* Godart,[1819]; *amauroptera* Sharpe,1904; *nigrescens* Suffert,1904; *#kamitugensis* Dufrane,1945 - Range (in code): GO Bio TZ UG ZR AO SN TG KE Bionomy: Larva on Australina, Pouzolzia, Urtica (Urticaceae) (Ackery et al.,1995).
- 811. *Antanartia delius delius* (Drury,1782)** (Argynnidae) Synonym(s): *delius* Drury,1782; *eurocilia* Fabricius,1793; *demonica* Godart,[1819]; *amauroptera* Sharpe,1904; *nigrescens* Suffert,1904; *#kamitugensis* Dufrane,1945 - Range (in code): TZ UG ZR AO SN TG KE
- 812. *Antanartia delius guineensis* Howarth,1966** (Argynnidae) Synonym(s): *guineensis* Howarth,1966 - Range (in code): GO Bio
- 813. *Antanartia dimorphica* Howarth,1966** (Argynnidae) Synonym(s): *dimorphica* Howarth,1966 - Range (in code): GO Bio CM NG KM ET KE UG Rz ZW Vum ZR RW BI MW ZA Tva Lpo Wo Hae Mpu Brb Grk ZA14 Bionomy: Larva on Carduus (Asteraceae) (Ackery et al.,1995).
- 814. *Antanartia dimorphica aethiopica* Howarth,1966** (Argynnidae) Synonym(s): *aethiopica* Howarth,1966 - Range (in code): ET
- 815. *Antanartia dimorphica comorica* Howarth,1966** (Argynnidae) Synonym(s): *comorica* Howarth,1966 - Range (in code): KM
- 816. *Antanartia dimorphica dimorphica* Howarth,1966** (Argynnidae) Synonym(s): *dimorphica* Howarth,1966 - Range (in code): UG ZR RW BI KE TZ MW ZW Vum ZA Tva Lpo Wo Hae Mpu Brb Grk ZA14

- 817. *Antanartia dimorphica mortoni* Howarth,1966** (Argynnidae) Synonym(s): *mortoni* Howarth,1966 _ Range (in code): **GO Bio CM NG**
- 818. *Antanartia hippomene* (Hübner,[1823])** (Argynnidae) Synonym(s): *hippomene* Hübner,[1823] _ Range (in code): **MG ZA Kny Wca Nta Kzu** Bionomy: Larva on Australina, Pouzolzia, Urtica, Urera, Pilea, Boehmeria, Fleurya (Urticaceae) (Ackery et al.,1995).
- 819. *Antanartia hippomene hippomene* (Hübner,[1823])** (Argynnidae) Synonym(s): *hippomene* Hübner,[1823] _ Range (in code): **ZA Kny Wca Nta Kzu**
- 820. *Antanartia hippomene madegassorum* (Aurivillius,1898)** (Argynnidae) Synonym(s): *madegassorum* Aurivillius,1898 _ Range (in code): **MG**
- 821. *Antanartia schaeneia* (Trimen,1879)** (Argynnidae) Synonym(s): *schaeneia* Trimen,1879; *commixta* Butler,1880 Original Reference: *Eurema schaeneia* Trimen,1879, Trans. ent. Soc. London 1879 (4): 329-331. Syntypes: South Africa: Cape Colony, Bathurst, King William's Town, Kafirland: Baschee R., Natal: Durban, Transvaal: Potchefotroom, Lydenburg. Range (in code): **ZM MW TZ KE Kkm UG RW ZR ET ZW ZA Nta Kzu Ptb Dbn NSw Bth Ec Kwi Tva Lpo Pot Ly** Bionomy: Larva on Australina, Pouzolzia, Urtica, Boehmeria, Fleurya (Urticaceae) (Ackery et al.,1995).
- 822. *Antanartia schaeneia diluta* Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *diluta* Rothschild & Jordan,1903 _ Range (in code): **ET**
- 823. *Antanartia schaeneia dubia* Howarth,1966** (Argynnidae) Synonym(s): *nigerrimus* Stoneham,1934; *dubia* Howarth,1966 _ Range (in code): **ZM MW TZ KE Kkm UG RW ZR ZW**
- 824. *Antanartia schaeneia schaeneia* (Trimen,1879)** (Argynnidae) Synonym(s): *schaeneia* Trimen,1879; *commixta* Butler,1880 Original Reference: *Eurema schaeneia* Trimen,1879, Trans. ent. Soc. London 1879 (4): 329-331. Syntypes: South Africa: Cape Colony, Bathurst, King William's Town, Kafirland: Baschee R., Natal: Durban, Transvaal: Potchefotroom, Lydenburg. Range (in code): **ZW ZA Nta Kzu Ptb Dbn NSw Bth Ec Kwi Tva Lpo Pot Ly**
- 825. *Anthanassa argentea* (Godman & Salvin,1882)** (Argynnidae) Synonym(s): *argentea* Godman & Salvin,1882 _ Range (in code): **US MX Tx NI GT**
- 826. *Apatura ambica* Kollar,[1844]** (Argynnidae) Synonym(s): *ambica* Kollar,[1844] Original Reference: *Apatura ambica* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 431, Taf.8 figs.3,4. Type(s): Kaschmir. Range (in code): **Ch PK Ci Nwf MM IN SI Sml Mus Djl Ass Nag TH CMa Cbi Chy**
- 827. *Apatura ambica ambica* Kollar,[1844]** (Argynnidae) Synonym(s): *ambica* Kollar,[1844] Original Reference: *Apatura ambica* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 431, Taf.8 figs.3,4. Type(s): Kaschmir. Range (in code): **Ch MM IN SI Sml Mus Djl Ass Nag**
- 828. *Apatura ambica chitralensis* Evans,1912** (Argynnidae) Synonym(s): *chitralensis* Evans,1912 _ Range (in code): **PK Ci Nwf**
- 829. *Apatura ambica miranda* Fruhstorfer,1902** (Argynnidae) Synonym(s): *miranda* Fruhstorfer,1902 _ Range (in code): **TH CMa Cbi Chy**
- 830. *Apatura chevana* Moore,1865** (Argynnidae) Synonym(s): *chevana* Moore,1865 _ Range (in code): **TH CMa CDo Chy**
- 831. *Apatura chevana chevana* Moore,1865** (Argynnidae) Synonym(s): *chevana* Moore,1865 Range (in code): **TH CMa CDo Chy**
- 832. *Apatura ilia* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc. Original Reference: *Papilio ilia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 172. Type(s): [Austria]: Vienna district. Range (in code): **Ao AT Wn Ba BE BY CH CZ DE EE ES FR GR HU IT KG LT LU LV MK NL PL PT RU SK Sm So Sr TR UA Uk VI YU AL CN Ui Gn Rth Cc** Bionomy: Larva on *Salix alba*, *Populus tremulae*, *P. alba*, *P. nigra* (Salicaceae) (Tolman,1997).
- 833. *Apatura ilia hereoides* O.Bang-Haas,1933** (Argynnidae) Synonym(s): *hereoides* O.Bang-Haas,1933 _ Range (in code): **CN Gn Rth**
- 834. *Apatura ilia ilia* ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *ilia* [Denis & Schiffermüller],1775; *clytie* [Denis & Schiffermüller],1775; *luteus* Esper,1777; *roeselii* Bergsträßer,1779; *vulgaris* Bergsträßer,1779; *rubescens* Esper,1781; *eos* Rossi,1794; *julia* Schrank,1801; *astasia* Hübner,1826; *heos* Meigen,1828, etc. Original Reference: *Papilio ilia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 172. Type(s): [Austria]: Vienna district. Range (in code): **Ao AT Wn Ba BE Bw BY CH CZ DE EE ES FR GR HU IT KG LT LU LV MK NL PL PT RU SK Sm So Sr TR**

- UA Uk VI YU AL CN Ui Cc** Bionomy: Larva on *Salix alba*, *Populus tremulae*, *P. alba*, *P. nigra* (Salicaceae) (Tolman,1997).
- 835. *Apatura iris* (Linnaeus,1758)** (Argynnidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913. Original Reference: *Papilio iris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): Angliae &c. Range (in code): **AT Ba BE BG BY CH CZ DE DK EE ES FI FI FR GB GR HU IT LT LU LV MK NL PL PT RO RU SE SK So Sr UA YU Sur Ssx Ken CN Gn** Bionomy: Larva on *Salix caprea*, *S. cinerea*, *S. alba*, *S. ? atrocinerea* (Tolman,1997).
- 836. *Apatura iris barnica* Verity,1927** (Argynnidae) Synonym(s): *barnica* Verity,1927; *asturiensis* Le Moult,1947. Original Reference: *Apatura iris barnica* Verity,1927, Bull. Soc. ent. Fr. 1927: 176. Syntypes: Spain: Barcelona, S. Antoni de Villamajor. Range (in code): **Atu ES FR**
- 837. *Apatura iris iris* (Linnaeus,1758)** (Argynnidae) Synonym(s): *iris* Linnaeus,1758; *suspirans* Poda,1761; *jole* [Denis & Schiffermüller],1775; *junonia* Borkhausen,1788; *beroe* Fabricius,1793; *pseudoiris* Verity,1913. Original Reference: *Papilio iris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): Angliae &c. Range (in code): **AT Ba BE BG Bw BY CH CZ DE DK EE ES FI FI FR GB GR HU IT LT LU LV MK NL PL PT RO RU SE SK So Sr UA YU Sur Ssx Ken** Bionomy: Larva on *Salix caprea*, *S. cinerea*, *S. alba*, *S. ? atrocinerea* (Tolman,1997).
- 838. *Apatura iris kansuensis* O.Bang-Haas,1933** (Argynnidae) Synonym(s): *kansuensis* O.Bang-Haas,1933 Range (in code): **CN Gn**
- 839. *Apatura metis* Freyer,1829** (Argynnidae) Synonym(s): *metis* Freyer,1829 Original Reference: *Apatura metis* Freyer,1829, Beitr. Gesch. eur. Schmett. 2: 67, Tab.67, fig.1. Syntypes: Ungarn: Pecs (Fünfkirschen). Range (in code): **At BG BY GR HU RO RU Sb Sm So Sp Sr TR UA VI MK Sb KR KP JP Am Prj Us CN Mc Om KG Pw Ao** Bionomy: Larva on *Salix alba* (Salicaceae) (Tolman,1997).
- 840. *Apatura metis bunea* Herrich-Schäffer,[1845]** (Argynnidae) Synonym(s): *bunea* Herrich-Schäffer,[1845]; *gertraudis* Stichel,1909; *oberthueri* Le Moult,1947. Original Reference: *Apatura ilia* var. *bunea* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 45, figs.161-165. Syntypes: [Südöstl. Russia]: "aus dem Caucasus" (? patria falsa). Range (in code): **RU Sm So Sr VI Ao**
- 841. *Apatura metis irtyschika* Korshunov,1982** (Argynnidae) Synonym(s): *irtyschika* Korshunov,1982 Original Reference: *Apatura metis* ssp. *irtyschika* Korshunov,1982, Gelminty, kleshchi i nasekomye, Novosibirsk: 88. Holotype ♂: Kazakhstan: Pavlodar Prov., Katschiry. Range (in code): **RU Sb Om KG Sp Pw**
- 842. *Apatura metis metis* Freyer,1829** (Argynnidae) Synonym(s): *metis* Freyer,1829 Original Reference: *Apatura metis* Freyer,1829, Beitr. Gesch. eur. Schmett. 2: 67, Tab.67, fig.1. Syntypes: Ungarn: Pecs (Fünfkirschen). Range (in code): **BG GR HU RO TR MK** Bionomy: Larva on *Salix alba* (Salicaceae) (Tolman,1997).
- 843. *Apaturopsis cleochares* (Hewitson,1873)** (Argynnidae) Synonym(s): *cleochares* Hewitson,1873 Range (in code): **GN AO ZR SD UG KE TZ Tnga Usa Ani MZ ZW MW**
- 844. *Apaturopsis cleochares cleochares* (Hewitson,1873)** (Argynnidae) Synonym(s): *cleochares* Hewitson,1873 Range (in code): **GN AO ZR SD UG KE**
- 845. *Apaturopsis cleochares schultzei* Schmidt,1921** (Argynnidae) Synonym(s): *schultzei* Schmidt,1921 Range (in code): **TZ Tnga Usa Ani MZ ZW MW**
- 846. *Apaturopsis kilusa* (Grose-Smith,1891)** (Argynnidae) Synonym(s): *kilusa* Grose-Smith,1891 Range (in code): **MG**
- 847. *Apaturopsis paulianii* Viette,1962** (Argynnidae) Synonym(s): *paulianii* Viette,1962 Range (in code): **MG**
- 848. *Araschnia burejana* Bremer,1861** (Argynnidae) Synonym(s): *burejana* Bremer,1861 Original Reference: *Araschnia burejana* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 466. Syntypes: Russia: Bureja-Gebirge. Range (in code): **RU Am Vv**
- 849. *Araschnia burejana burejana* Bremer,1861** (Argynnidae) Synonym(s): *burejana* Bremer,1861 Original Reference: *Araschnia burejana* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 466. Syntypes: Russia: Bureja-Gebirge. Range (in code): **RU Am Vv**
- 850. *Araschnia levana* (Linnaeus,1758)** (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758. Original Reference: *Papilio levana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europae australioris. Range (in code): **Bn At AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR Cc GG Lag Kak HU IT KG Kr LT LU LV NL PL RO RU Da SE SK Sm So Sr TR UA Uk VI YU Kts** Bionomy: Larva on *Urtica dioica*, *U. urens* (Urticaceae) (auctorum).

- 851. *Araschnia levana levana* (Linnaeus,1758)** (Argynnidae) Synonym(s): *levana* Linnaeus,1758; *prorsa* Linnaeus,1758. Original Reference: *Papilio levana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europae australioris. Range (in code): **Bn At Kts AT Ba BE BG Bw BY CH CZ DE DK EE ES FI FR GB GR GG Cc Lag Kak HU IT KG Kr LT LU LV NL PL RO Rp RU Da SE SK Sm So Sr TR UA Uk VI YU** Bionomy: Larva on *Urtica dioica*, *U. urens* (Urticaceae) (auctorum).
- 852. *Argynnis (Argyreus) hyperbius hyperbius* (Linnaeus,1763)** (Argynnidae) Synonym(s): *hyperbius* Linnaeus,1763; *niphe* Linnaeus,1767. Original Reference: *Papilio hyperbius* Linnaeus,1763, *Amoenitates Academicae seu dissertationes physicae...* 6: 408. Type(s): China. Range (in code): **ET IN Ass Slo MM CN Ui TW LK TH Chy CMa CDo Loe MY ID Ja Sum AF Ng Jla Lgh PK Bl Ci Cp Haz Mre Koh PH Luz Mdo AU**
- 853. *Argynnis (Argyreus) hyperbius castetsi* Oberthür,1891** (Argynnidae) Synonym(s): *castetsi* Oberthür,1891 Range (in code): **IN**
- 854. *Argynnis (Argyreus) hyperbius hyperbius* (Linnaeus,1763)** (Argynnidae) Synonym(s): *hyperbius* Linnaeus,1763; *niphe* Linnaeus,1767. Original Reference: *Papilio hyperbius* Linnaeus,1763, *Amoenitates Academicae seu dissertationes physicae...* 6: 408. Type(s): China. Range (in code): **CN Ui TW MM TH Chy CMa CDo Loe AF Ng Jla Lgh IN Ass Slo PK Bl Ci Cp Mre Haz Koh**
- 855. *Argynnis (Argyreus) hyperbius javanica* Oberthür,1899** (Argynnidae) Synonym(s): *javanica* Oberthür,1899 Range (in code): **ID Ja**
- 856. *Argynnis (Argyreus) hyperbius neumanni* Rothschild,1903** (Argynnidae) Synonym(s): *neumanni* Rothschild,1903 Original Reference: *Argynnis hyperbius* ssp. *neumanni* Rothschild,1903, Novit. zool. 9: 596, nr.5. Syntype: [Ethiopia]: Abyssinia: Kaffa, Schoa. Range (in code): **ET**
- 857. *Argynnis (Argyreus) hyperbius sagada* Fruhstorfer,1900** (Argynnidae) Synonym(s): *sagada* Fruhstorfer,1900 Range (in code): **PH Luz Mdo**
- 858. *Argynnis (Argyreus) hyperbius sumatrensis* (Fruhstorfer,[1905])** (Argynnidae) Synonym(s): *sumatrensis* Fruhstorfer,[1905] Range (in code): **ID Sum MY**
- 859. *Argynnis (Argyreus) hyperbius taprobana* Moore,1900** (Argynnidae) Synonym(s): *taprobana* Moore,1900 Range (in code): **LK**
- 860. *Argynnis (Argyronome) laodice (Pallas,1771)*** (Argynnidae) Synonym(s): *laodice* Pallas,1771; *cethosia* Fabricius,1793 Original Reference: *Papilio laodice* Pallas,1771, *Reise verschied. Prov. russ. Reiches* 1: 470. Type(s): Russia: Südrussland. Range (in code): **Cc AZ Len Aq Ba BY Ce CN Ui DE DK EE FI HU IN Ass Slo JP KG LV PL RO RU Sb SE SK Sm Sr UA Uk Ur Or Sr Tt Am Vv MM** Bionomy: Larva on *Viola palustris* (Violaceae) (Tolman,1997).
- 861. *Argynnis (Argyronome) laodice laodice (Pallas,1771)*** (Argynnidae) Synonym(s): *laodice* Pallas,1771; *cethosia* Fabricius,1793 Original Reference: *Papilio laodice* Pallas,1771, *Reise verschied. Prov. russ. Reiches* 1: 470. Type(s): Russia: Südrussland. Range (in code): **Cc AZ Len Aq Ba BY Ce CN Ui DE DK EE FI HU JP KG LV PL RO RU Sb SE SK Sm Sr UA Uk Ur Or Sr Tt MM**
- 862. *Argynnis (Argyronome) laodice rudra* Moore,1857** (Argynnidae) Synonym(s): *rudra* Moore,1857 Original Reference: *Argynnis rudra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 157, nr. 325. Type(s): Himalaya. Range (in code): **IN Ass Slo CN**
- 863. *Argynnis (Argyronome) ruslana* Motschulsky,1866** (Argynnidae) Synonym(s): *ruslana* Motschulsky,1866 Original Reference: *Argynnis ruslana* Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 117. Type(s): Russia: Amur. Range (in code): **RU Vv Am**
- 864. *Argynnis (Argyronome) ruslana ruslana* Motschulsky,1866** (Argynnidae) Synonym(s): *ruslana* Motschulsky,1866 Original Reference: *Argynnis ruslana* Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 117. Type(s): Russia: Amur. Range (in code): **RU Vv Am**
- 865. *Argynnis (Childrena) childreni* Gray,1831** (Argynnidae) Synonym(s): *childreni* Gray,1831 Original Reference: *Argynnis childreni* Gray,1831, Zool. Misc. 1831: 33. Type(s): Himalayas. Range (in code): **NP Ch IN Ass Slo Ci PK Swa Sgl IN Kma CN HK MM TH CMa**
- 866. *Argynnis (Childrena) childreni caesarea* Fruhstorfer,1912** (Argynnidae) Synonym(s): *caesarea* Fruhstorfer,1912 Range (in code): **CN HK**
- 867. *Argynnis (Childrena) childreni childreni* Gray,1831** (Argynnidae) Synonym(s): *childreni* Gray,1831 Original Reference: *Argynnis childreni* Gray,1831, Zool. Misc. 1831: 33. Type(s): Himalayas. Range (in code): **NP IN Ass Slo MM TH CMa**
- 868. *Argynnis (Childrena) childreni sakontala* Kollar,[1844]** (Argynnidae) Synonym(s): *sakontala* Kollar,[1844] Original Reference: *Argynnis sakontala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 439, Taf.12. Type(s): Kaschmir. Range (in code): **Ch Ci PK Swa Sgl IN Kma**

- 869. Argynnis (Damora) sagana Doubleday, 1847** (Argynnidæ) Synonym(s): *sagana* Doubleday, 1847; *paulina* Nordmann, 1851. Original Reference: Argynnis sagana Doubleday, 1847, Genera diurn. lepid.: pl. 21 fig. 1. Type(s): China. Range (in code): **Am Vv CN Ir JP KP RU Sb Ya At Kuz To Bn Sli**
- 870. Argynnis (Damora) sagana relictæ Korshunov, 1984** (Argynnidæ) Synonym(s): *relictæ* Korshunov, 1984 Original Reference: Argynnis sagana ssp. relictæ Korshunov, 1984, New and little known species of Siberia, Novosibirsk: 59. Holotype: Russia: [Kusnezki-Alatau]: Gornaja Schorija, Mras-Su. Range (in code): **No RU Sb At Kuz To Bn Sli**
- 871. Argynnis (Damora) sagana sagana Doubleday, 1847** (Argynnidæ) Synonym(s): *sagana* Doubleday, 1847; *paulina* Nordmann, 1851. Original Reference: Argynnis sagana Doubleday, 1847, Genera diurn. lepid.: pl. 21 fig. 1. Type(s): China. Range (in code): **Am CN Ir JP KP RU Sb Ya**
- 872. Argynnis (Fabriciana) adippe (Rottemburg, 1775)** (Argynnidæ) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc. Original Reference: Papilio adippe Rottemburg, 1775, Naturforscher 6: 13. Neotype ♂: Austria: Mödling bei Wien (designated by Hemming, Riley & Verity, 1958, Appendix to Opinion 501 (ICZN). Range (in code): **Al AM AZ AL Amd At Bn Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GG GR HU Ir IR IT JP Ju KK KG Kl KP Kr Ld LT LU LV MK MN NL NO PK Gg PL Pm PT RO RU SE Si SK Sm So Sr TR Ts T-S UA Ui Prj Us YU Cw Dv Smt H-W Sur Ssx Ken Uk Buc Tar DsA TrA KuA Ax Um Adu Mu Mz Arr Geg Aj Smt Kak Bjo Lag Cc Ab** Bionomy: Larva on *Viola canina*, *V. odorata*, *V. hirta* (Violaceae) (Tolman, 1997).
- 873. Argynnis (Fabriciana) adippe adippe (Rottemburg, 1775)** (Argynnidæ) Synonym(s): *cydippe* Linnaeus, 1761 (rejected); *berecynthia* Poda, 1761 (rejected); *adippe* Rottemburg, 1775; *phryxa* Bergsträßer, 1780; *margaritacea* Retzius, 1783; *syrinx* Borkhausen, 1788; *aspasia* Borkhausen, 1788; *liriope* Borkhausen, 1788; *baiuvarica* Spuler, 1901, etc. Original Reference: Papilio adippe Rottemburg, 1775, Naturforscher 6: 13. Neotype ♂: Austria: Mödling bei Wien (designated by Hemming, Riley & Verity, 1958, Appendix to Opinion 501 (ICZN). Range (in code): **AZ AM AL At Kts AT Aty Ba BE BG Bs Bw BY Cb CH CZ DE DK EE ES FI FR GB GR HU IT IR Mz GG KG Kg Kt Kw LT LU LV MK Mn NL No NO Om Or PL Pp PT Pw RO Rp RU Sb SE Si SK Sm So Sp Sr TR Tt Ty UA Uk YU Cw Dv Smt H-W Sur Ssx Ken Uk Buc Arr Geg Aj Smt Kak Bjo Lag Cc** Bionomy: Larva on *Viola canina*, *V. odorata*, *V. hirta* (Violaceae) (Tolman, 1997).
- 874. Argynnis (Fabriciana) adippe alaiensis Reuss, 1921** (Argynnidæ) Synonym(s): *alaiensis* Reuss, 1921 Range (in code): **KK Al T-S**
- 875. Argynnis (Fabriciana) adippe cannelata Peschke, 1934** (Argynnidæ) Synonym(s): *cannelata* Peschke, 1934 Original Reference: Argynnis adippe ssp. cannelata Peschke, 1934, Int. ent. Z. 28 (34): 431. Syntypes 33♂ 19♀: [Pakistan]: "Baltistan: Gilgit, 6000 Fuß". Range (in code): **PK Gg**
- 876. Argynnis (Fabriciana) adippe chlorodippe Herrich-Schäffer, 1851** (Argynnidæ) Synonym(s): *chlorodippe* Herrich-Schäffer, 1851 Range (in code): **ES Mu PT**
- 877. Argynnis (Fabriciana) adippe pallescens Butler, 1873** (Argynnidæ) Synonym(s): *pallescens* Butler, 1873; *taigetana* Reuss. Original Reference: Argynnis pallescens Butler, 1873, Cist. ent. 1: 164. Type(s): Hakodadi. Range (in code): **CN Ir JP RU Prj Us**
- 878. Argynnis (Fabriciana) adippe persephone Hemming, 1934** (Argynnidæ) Synonym(s): *pallida* Evans, 1912 nec Elwes, 1899; *persephone* Hemming, 1934. Original Reference: Argynnis cydippe persephone Hemming, 1934, Stylops 3 (5): 97-98 (nomen novum pro Argynnis adippe race pallida Evans, 1912 nec Argynnis freija var. pallida Elwes, 1899). Range (in code): **Ld**
- 879. Argynnis (Fabriciana) adippe taurica Staudinger, 1878** (Argynnidæ) Synonym(s): *taurica* Staudinger, 1878 Original Reference: Argynnis adippe var. taurica Staudinger, 1878, Horae Soc. ent. ross. 14: 272. Syntypes: [Türkei]: Taurus. Range (in code): **TR**
- 880. Argynnis (Fabriciana) adippe tianschanica Alpheraky, 1881** (Argynnidæ) Synonym(s): *tianschanica* Alpheraky, 1881 Original Reference: Argynnis adippe var. tianschanica Alpheraky, 1881, Horae Soc. ent. ross. 16: 412. Syntypes: [China]: Tian-Chian [Tengri Tagh], Jouldousse. Range (in code): **Aa CN Dj Ju Um Adu KG KK Pm Sem Sp Tk Ts T-S Ui Tar DsA TrA KuA Ax**
- 881. Argynnis (Fabriciana) adippe vorax Butler, 1871** (Argynnidæ) Synonym(s): *vorax* Butler, 1871 Original Reference: Argynnis vorax Butler, 1871, Trans. ent. Soc. Lond. 1871: 403. Type(s): China: Shanghai. Range (in code): **Am CN KP RU US**

- 882. *Argynnis (Fabriciana) adippe xanthodippe* Fixsen, 1887** (Argynnidae) Synonym(s): *xanthodippe* Fixsen, 1887; *chrysodippe* Staudinger, 1892; *coredippe* Leech, 1892 Original Reference: Argynnis adippe var. xanthodippe Fixsen, 1887, [in] Romanoff, Mém. lépid. 3: 307. Type(s): Korea. Range (in code): **CN Ir KP RU Prj Us**
- 883. *Argynnis (Fabriciana) adippe xipe* Groum-Grshimailo, 1890** (Argynnidae) Synonym(s): *xipe* Groum-Grshimailo, 1890 Original Reference: Argynnis adippe var. xipe Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Qingai]: Amdo, in montibus Dshachar. Range (in code): **Amd CN Ts**
- 884. *Argynnis (Fabriciana) adippe zarewna* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *zarewna* Fruhstorfer, 1912 Original Reference: Argynnis adippe zarewna Fruhstorfer, 1912, [in] Seitz, Die Grossschmett. 9: 515. Type(s): Russia: Irkutsk. Range (in code): **Ir At Bn MN RU**
- 885. *Argynnis (Fabriciana) argyrosplata* Kotzsch, 1938** (Argynnidae) Synonym(s): *argyrosplata* Kotzsch, 1938 Original Reference: Argynnis argyrosplata Kotzsch, 1938, Ent. Rdsch. 55: 360, [2 figs.] Syntypes 3♂♀: [Afghanistan]: Chodja-Mahomed, 2800-3000m. Range (in code): **AF Bd Bqu KhM**
- 886. *Argynnis (Fabriciana) argyrosplata argyrosplata* Kotzsch, 1938** (Argynnidae) Synonym(s): *argyrosplata* Kotzsch, 1938 Original Reference: Argynnis argyrosplata Kotzsch, 1938, Ent. Rdsch. 55: 360, [2 figs.] Syntypes 3♂♀: [Afghanistan]: Chodja-Mahomed, 2800-3000m. Range (in code): **AF Bd Bqu KhM**
- 887. *Argynnis (Fabriciana) auresiana* Fruhstorfer, 1908** (Argynnidae) Synonym(s): *auresiana* Fruhstorfer, 1908; *maroccana* Belter, 1935; *buckwelli* Varin, 1961 Original Reference: Argynnis adippe ssp. auresiana Fruhstorfer, 1908, Int. ent. Z. 2: 69. Syntypes: Algier: Auresberge. Range (in code): **DZ Dja Lbs Azr Ifr Lkr Rf Ouk MA**
- 888. *Argynnis (Fabriciana) auresiana astrifera* (Higgins, 1965)** (Argynnidae) Synonym(s): *astrifera* Higgins, 1965 Original Reference: Fabriciana auresiana ssp. astrifera Higgins, 1965, Entomologist 98: 12. Holotype ♂: High Atlas, Mt. Toubkal, 9000ft. (BMNH). Range (in code): **MA Ouk**
- 889. *Argynnis (Fabriciana) auresiana auresiana* Fruhstorfer, 1908** (Argynnidae) Synonym(s): *auresiana* Fruhstorfer, 1908; *maroccana* Belter, 1935; *buckwelli* Varin, 1961 Original Reference: Argynnis adippe ssp. auresiana Fruhstorfer, 1908, Int. ent. Z. 2: 69. Syntypes: Algier: Auresberge. Range (in code): **DZ Dja Lbs MA Azr Ifr**
- 890. *Argynnis (Fabriciana) auresiana hassani* Weiss, 1979** (Argynnidae) Synonym(s): *hassani* Weiss, 1979 Original Reference: Fabriciana auresiana ssp. hassani Weiss, 1979, Entomops 48: 271-274. Holotype: Morocco, Targuist, Ketama. Range (in code): **MA Lkr Rf**
- 891. *Argynnis (Fabriciana) elisa* Godart, [1823]** (Argynnidae) Synonym(s): *elisa* Godart, [1823]; *cyrene* Hübner, [1824]. Original Reference: Argynnis elisa Godart, [1823], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 817. Type(s): Corse. Range (in code): **Co FR**
- 892. *Argynnis (Fabriciana) elisa elisa* Godart, [1823]** (Argynnidae) Synonym(s): *elisa* Godart, [1823]; *cyrene* Hübner, [1824]. Original Reference: Argynnis elisa Godart, [1823], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 817. Type(s): Corse. Range (in code): **Co FR**
- 893. *Argynnis (Fabriciana) jainadeva* Moore, 1865** (Argynnidae) Synonym(s): *jainadeva* Moore, 1865 Original Reference: Argynnis jainadeva Moore, 1865, Proc. zool. Soc. Lond. 1865: 495-496, Pl. 30 fig. 1. Syntypes: India: Upper Kunawur. Range (in code): **Hp IN Knw Ld Sfk AF PK Ci Nwf**
- 894. *Argynnis (Fabriciana) jainadeva jainadeva* Moore, 1865** (Argynnidae) Synonym(s): *jainadeva* Moore, 1865 Original Reference: Argynnis jainadeva Moore, 1865, Proc. zool. Soc. Lond. 1865: 495-496, Pl. 30 fig. 1. Syntypes: India: Upper Kunawur. Range (in code): **Hp IN Knw Ld Sfk AF PK Ci Nwf**
- 895. *Argynnis (Fabriciana) nerippe* Felder, 1862** (Argynnidae) Synonym(s): *nerippe* Felder, 1862 Original Reference: Argynnis nerippe Felder, 1862, Wien. ent. Monatschr. 6: 24, nr. 9. Type(s): Japonia. Range (in code): **JP KP RU Vv**
- 896. *Argynnis (Fabriciana) nerippe coreana* Butler, 1882** (Argynnidae) Synonym(s): *coreana* Butler, 1882 Original Reference: Argynnis coreana Butler, 1882, Ann. Mag. nat. Hist. (5) 9: 15. Syntypes ♂♀: N.E. Corea: Posiette Bay; Hakodate. Range (in code): **KP RU Vv**
- 897. *Argynnis (Fabriciana) nerippe nerippe* Felder, 1862** (Argynnidae) Synonym(s): *nerippe* Felder, 1862 Original Reference: Argynnis nerippe Felder, 1862, Wien. ent. Monatschr. 6: 24, nr. 9. Type(s): Japonia. Range (in code): **JP**

- 898. Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) Synonym(s): *niobe* Linnaeus,1758 Original Reference: Papilio niobe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): Kz Elb Dam Gor AL Am At Sj Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GR HU Ir IT KG KK Kr LB LT LU LV MK MN NL NO PL PT RO RU Sb SE Si SK Sm So Sr Sz TR UA Ui Ku Um Adu Uk VI YU Sau Tar DsA TrA KuA Ax Ket T-S AM GG AZ IQ IR IL TM Kp TJ His Drw Pm Al Mu Nv Ord Tbl Smt Bjo Cc Ab Jal Mz Gls Kh AF Bd Bqu Prw Pnj Bionomy: Larva on Viola canina, V. odorata, V. hirta, V. palustris (Violaceae) (Tolman, 1997).
- 899. Argynnis (Fabriciana) niobe changaica Reuss,1922** (Argynnidae) Synonym(s): *changaica* Reuss,1922 Range (in code): MN RU Sb At Sj
- 900. Argynnis (Fabriciana) niobe chinensis (Belter,1931)** (Argynnidae) Synonym(s): *chinensis* Belter,1931 Original Reference: Fabriciana niobe ssp. chinensis Belter,1931, Ent. Z., Frankf. a. M. 45 (4): 62-63. Syntypes 4♂: China: Szetschwan: Kunkalashan (in coll. Pfeiffer & Belter). Range (in code): CN Sz
- 901. Argynnis (Fabriciana) niobe gigantea Staudinger,1871** (Argynnidae) Synonym(s): *gigantea* Staudinger,1871; *taura* Röber,1896; *orgowa* Teich,1901; *#kuhlmanni* Seitz,[1908]; *#philiatra* Seitz,[1908]; *ancyrensis* Rebel,1931; *khusestana* Gross & Ebert,1975. Original Reference: Argynnis niobe var. gigantea Staudinger,1871, Cat. Eur. Faunengeb. 2 (1): 21, nr.266c (nomen novum pro niobe Led.,1869 [nec Linnaeus,1758] Horae: 82) Syntypes: [Iran]: "Hyrkania". Range (in code): IR Gor IL He LB TR IR Kz AM GG AZ Nv Ord Tbl Smt Bjo Cc IQ
- 902. Argynnis (Fabriciana) niobe herse (Hufnagel,1766)** (Argynnidae) Synonym(s): *herse* Hufnagel,1766; *pelopia* Borkhausen,1788; *cleodoxa* Esper,1789; *eris* Meigen,1829. Original Reference: Papilio herse Hufnagel,1766, Berl. Mag. 2: 82, nr.51. Type(s): Germany: Berlin. Range (in code): Bw DE Rp Brd
- 903. Argynnis (Fabriciana) niobe kurama Wyatt & Omoto,1966** (Argynnidae) Synonym(s): *kurama* Wyatt & Omoto,1966 Range (in code): AF Bd Bqu Prw Pnj
- 904. Argynnis (Fabriciana) niobe niobe (Linnaeus,1758)** (Argynnidae) Synonym(s): *niobe* Linnaeus,1758 Original Reference: Papilio niobe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): At Kts Aty Bs Cb CN EE FI KG Kg Kw LT LV Mn No NO Om Or Pp Pp RU Sb SE Sm So Sp Sr To Tt Ty Uk VI
- 905. Argynnis (Fabriciana) niobe orientalis Alpheraky,1881** (Argynnidae) Synonym(s): *orientalis* Alpheraky,1881 Original Reference: Argynnis niobe var. orientalis Alpheraky,1881, Horae Soc. ent. ross. 16: 410-411. Syntypes 5♂: [China]: Tian-Chian [Tengri Tagh]. Range (in code): CN KG KK Mn Sem Tk T-S Ui Ku Um Adu DsA TrA KuA Ax Ket Tar Sau
- 906. Argynnis (Fabriciana) niobe ornata Staudinger,1901** (Argynnidae) Synonym(s): *ornata* Staudinger,1901; *alaiensis* Reuss,1921. Original Reference: Argynnis (Fabriciana) niobe v. (et ab.) ornata Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 38. Syntypes 5♂ 4♀: "Ferg.m. (Alai m.) Hyrc. ab.". Range (in code): TJ His Drw Pm Al
- 907. Argynnis (Fabriciana) niobe tekkensis Christoph,1893** (Argynnidae) Synonym(s): *tekkensis* Christoph,1893; *demavendis* Gross & Ebert,1975. Original Reference: Argynnis niobe var. tekkensis Christoph,1893, Dt. ent. Z., Iris 6 (1): 87. Syntypes: [Turkmenistan]: Achal-Tekke Gebiet. Range (in code): TM Kp IR Elb Dam
- 908. Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha ,1967; *deserticola* Gross & Ebert,1975. Original Reference: Papilio pandora [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 176. Type(s): Austria: Vienna district. Range (in code): AF AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DZ DE EE ES Fe FR GG GR HU HV IQ IR IT LB Kr MA MK PL PT RO RU Sa Si SK Sr SS TJ Pm TM TN TR T-S UA Ui UZ VI YU Z-G LAT Wn SY Aq Uk KG Nym Buc Ktm Sau Tar DsA Ket Bog Tu TeA KuA TrA Tm Ax KK Um PK Gg Ci Adr Mu Mu18 Um Ae CY T-S Ab Oru Elb Th Mz Gls Nv Ord Tbl Bjo Smt Cc Mos Lbs Agi Blid Taz Dju Tth Mage Abe Dje Khh Sbd Orn Tlm Hrh Dze Azr Bionomy: Larva on Viola, V. cheiranthifolia (Violaceae) (Tolman,1997; Koçak & Kemal, pers.).
- 909. Argynnis (Pandoriana) pandora argentifasciata Kotzsch,1938** (Argynnidae) Synonym(s): *argentifasciata* Kotzsch,1938 Original Reference: Argynnis pandora ssp. argentifasciata Kotzsch,1938, Ent. Rdsch. 55: 9. Syntypes: Afghanistan: westl. Hindu Kush: Andarab. Range (in code): Adr AF Hk TJ Pm
- 910. Argynnis (Pandoriana) pandora pandora ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 nec Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha ,1967; *deserticola* Gross & Ebert,1975. Original Reference: Papilio pandora [Denis & Schiffermüller],1775, Ankündigung syst. Werkes

- Schmett. Wienergegend: 176. Type(s): Austria: Vienna district. Range (in code): **IL He Ae AL AM At AT AZ BG B-H BY CH CN Cn Co Cr CZ DE EE ES Fe Mu FR GG GR HU HV IQ IR Elb Th IT LB Kr MK PL PT RO RU Sa Si SK Sr SS TR UA UZ VI YU Z-G LAT Wn SY Aq Uk KG CY Mu Mu18 Nv Ord Tbl Bjo Smt Mos Cc** Bionomy: Larva on Viola, V. cheiranthifolia (Violaceae) (Tolman,1997; Koçak & Kemal, pers.).
- 911. Argynnis (Pandoriana) pandora pasargades Fruhstorfer,1908** (Argynnidae) Synonym(s): *pasargades Fruhstorfer,1908* Range (in code): **PK Gg Ci Ket Bog Tu TeA KuA T-S TrA Tm Syr Ax KK KG Nym Buc Ktm Sau Tar DsA Um CN Ui**
- 912. Argynnis (Pandoriana) pandora seitzii (Fruhstorfer,1908)** (Argynnidae) Synonym(s): *seitzii Fruhstorfer,1908* Original Reference: Argynnis maja ssp. seitzii Fruhstorfer,1908, Int. ent. Z. 2: 69. Syntypes: Algier. Range (in code): **DZ Lbs Agi Blid Taz Dju Hrh Dzc MA TN Tth Mage Abe Dje Khh Sbd Orn Tlm**
- 913. Argynnis (Proacidalia) clara Blachier,[1844]** (Argynnidae) Synonym(s): *clara Blachier,[1844]; claudia Fawcett,1904* Original Reference: Argynnis clara Blachier,[1844], Jacquem. Voy. Inde 4: 20, nr.14 Pl.2 figs. 2,3. Syntypes: India, Himalayas. Range (in code): **Ch CN IN SI Ti Ts**
- 914. Argynnis (Proacidalia) clara clara Blachier,[1844]** (Argynnidae) Synonym(s): *clara Blachier,[1844]; claudia Fawcett,1904* Original Reference: Argynnis clara Blachier,[1844], Jacquem. Voy. Inde 4: 20, nr.14 Pl.2 figs. 2,3. Syntypes: India, Himalayas. Range (in code): **Ch IN SI Ti**
- 915. Argynnis (Proacidalia) clara clarina Staudinger,1901** (Argynnidae) Synonym(s): *clarina Staudinger,1901* Original Reference: Argynnis clara var. clarina Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 38, nr.228a. Type(s): [China]: [Tsinghai]: Amdo. Range (in code): **Amd CN Ts**
- 916. Argynnis (Protodryas) anadyomene C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *anadyomene C.Felder & R.Felder,1861* Original Reference: Argynnis anadyomene C.Felder & R.Felder,1861, Wien. ent. Monatschr. 6: 25, nr. 13. Types: Ningpo. Range (in code): **RU Vv**
- 917. Argynnis (Protodryas) anadyomene anadyomene C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *anadyomene C.Felder & R.Felder,1861* Original Reference: Argynnis anadyomene C.Felder & R.Felder,1861, Wien. ent. Monatschr. 6: 25, nr. 13. Types: Ningpo. Range (in code): **RU Vv**
- 918. Argynnis (Protodryas) kamala Moore,1857** (Argynnidae) Synonym(s): *kamala Moore,1857* Original Reference: Argynnis kamala Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.324. Type(s): Himalaya boreo- occ. Range (in code): **Ld PK Swa Abb Haz Ci Mre Thu IN Kma Sfk AF**
- 919. Argynnis (Protodryas) kamala kamala Moore,1857** (Argynnidae) Synonym(s): *kamala Moore,1857* Original Reference: Argynnis kamala Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.324. Type(s): Himalaya boreo- occ. Range (in code): **Ld PK Swa Abb Haz Ci Mre Thu IN Kma Sfk AF**
- 920. Argynnis (Speyeria) adiate Edwards,1864** (Argynnidae) Synonym(s): *adiaste Edwards,1864; adiante Boisduval,1869* Range (in code): **US Cf**
- 921. Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) Synonym(s): *aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.* Original Reference: Papilio aglaia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): **AM AL At Bn Kts AT Aty Ba BE BG BY CH CN CZ DE DK EE ES Mu FI FR GB GG GR HU IE IT Ju KG KK LT LU LV MK MN NL NO PL PT RO RU SE Si SK Sm So Sr St TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar DsA TrA KuA Ax PK Ci Nwf Arr Geg Smt Akh Bku Bjo Sva Cc IR Ab Lkr Azr Ifr** Bionomy: Larva on Viola brachytropis (Violaceae) (Kumakov & Korshunov, 1979); Viola tricolor, V. palustris, V. hirta (Tolman, 1997).
- 922. Argynnis (Speyeria) aglaja aglaja (Linnaeus,1758)** (Argynnidae) Synonym(s): *aglaja Linnaeus,1758; charlotta Haworth,1802; emilia Acerbi,1802 nec Cr.,1779; caroletta Jermyn,1827; locuples Verity,1919 nec Butler,1879; emilocuples Verity,1919; locupletata Verity,1922; montesignum Sagarra,1926.* Original Reference: Papilio aglaia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): **AL Aq At Bn Kts AT Aty Ba BE BG Bs Bw BY Cb CH CN CZ Db DE DK EE ES FI FR GB GR HU IE IT KG Kg KK Kw LT LU LV MK MN Mn NL No NO Om Or PL Pp PT RO Rp RU Sb SE Sem Si SK Sm So Sp Sr St Tk Tm TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar T-S DsA Ax Mu Cc** Bionomy: Larva on Viola brachytropis (Violaceae) (Kumakov & Korshunov, 1979); Viola tricolor, V. palustris, V. hirta (Tolman, 1997).

- 923. Argynnis (Speyeria) aglaja alaicola Verity, 1935** (Argynnidae) Synonym(s): *alaicola* Verity, 1935 Original Reference: Argynnis aglaja ssp. alaicola Verity, 1935, Entomologist 68: 202. Syntypes: Sarawschan sept., Raigowodsk; Syr Darya: Aulie Ata: Ala Tau occ., 2500m. Range (in code): **KK KG Db**
- 924. Argynnis (Speyeria) aglaja ashretha Evans, 1912** (Argynnidae) Synonym(s): *ashretha* Evans, 1912 Original Reference: Argynnis aglaja ashretha Evans, 1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: South Chitral, Ashreth valley. Range (in code): **PK Ci Nwf**
- 925. Argynnis (Speyeria) aglaja auxo Jachontov, 1909** (Argynnidae) Synonym(s): *auxo* Jachontov, 1909. Original Reference: Argynnis aglaja auxo Jachontov, 1909, Russk. ent. Obozr. 8 (1908): 287. Syntypes: Russia: Nord-Kaukasus: Pjatigorsk. Range (in code): **Kb St RU AM GG Cc Arr Geg Smt Akh Bku Bjo Sva**
- 926. Argynnis (Speyeria) aglaja excelsior (Rothschild, 1933)** (Argynnidae) Synonym(s): *excelsior* Rothschild, 1933 Range (in code): **MA Lkr Rf**
- 927. Argynnis (Speyeria) aglaja lyauteyi (Oberthür, 1920)** (Argynnidae) Synonym(s): *lyauteyi* Oberthür, 1920 Range (in code): **MA Azr Ifr**
- 928. Argynnis (Speyeria) aglaja ottomana Röber, 1896** (Argynnidae) Synonym(s): *ottomana* Röber, 1896 Original Reference: Argynnis aglaja var. ottomana Röber, 1896, Ent. Nachr. 22(6): 82. Syntypes: [Türkei]: [Mersin Pr.]: Karli Boghas. Range (in code): **TR**
- 929. Argynnis (Speyeria) alexandra Ménéttriés, 1832** (Argynnidae) Synonym(s): *alexandra* Ménéttriés, 1832 Original Reference: Argynnis alexandra Ménéttriés, 1832, Catalogue raisonné des objectes de Zoologie réunies...: 246. Syntypes: Caucasus. Range (in code): **Cc AZ AM Gh Mz IR Ar Aha Ab Ak Elb Th Se Ksy Srd Kh TM Kp**
- 930. Argynnis (Speyeria) alexandra alexandra Ménéttriés, 1832** (Argynnidae) Synonym(s): *alexandra* Ménéttriés, 1832 Original Reference: Argynnis alexandra Ménéttriés, 1832, Catalogue raisonné des objectes de Zoologie réunies...: 246. Syntypes: Caucasus. Range (in code): **Cc AZ AM Gh Mz IR Ar Aha Ab Ak Elb Th Se Ksy Srd Kh TM Kp**
- 931. Argynnis (Speyeria) aphrodite (Fabricius, 1787)** (Argynnidae) Synonym(s): *aphrodite* Fabricius, 1787; *bartschi* Reiff, 1910; *bakeri* A.H.Clark, 1932 Original Reference: Papilio aphrodite Fabricius, 1787, Mant. Ins. 2: 62. Neotype ♂: [U.S.A.]: New York, designated by Dos Passos, 1947 (AMNH). Range (in code): **US Arz Cnt Col Ge Id Idp Iln Io Kan Knt Mai Mch Mns Mon Mrl Msc NCA NDk NMx Neb Nh Nje Ny Oh Pns RDi Sdk Tnn Vi Vr WVi Wc Wy CA Qb Mnt BCo**
- 932. Argynnis (Speyeria) aphrodite alcestis (Edwards, 1877)** (Argynnidae) Synonym(s): *alcestis* Edwards, 1877 Range (in code): **US Mch**
- 933. Argynnis (Speyeria) aphrodite aphrodite (Fabricius, 1787)** (Argynnidae) Synonym(s): *aphrodite* Fabricius, 1787; *bartschi* Reiff, 1910; *bakeri* A.H.Clark, 1932 Original Reference: Papilio aphrodite Fabricius, 1787, Mant. Ins. 2: 62. Neotype ♂: [U.S.A.]: New York, designated by Dos Passos, 1947 (AMNH). Range (in code): **US Ny Oh Msc**
- 934. Argynnis (Speyeria) aphrodite byblis (Barnes & Benjamin, 1926)** (Argynnidae) Synonym(s): *byblis* Barnes & Benjamin, 1926 Range (in code): **US Arz**
- 935. Argynnis (Speyeria) aphrodite columbia (Edwards, 1877)** (Argynnidae) Synonym(s): *columbia* Edwards, 1877 Range (in code): **CA BCo**
- 936. Argynnis (Speyeria) aphrodite ethne (Hemming, 1933)** (Argynnidae) Synonym(s): *cypis* Edwards, 1886 nec Meig., 1828; *ethne* Hemming, 1933 Range (in code): **US Wy**
- 937. Argynnis (Speyeria) aphrodite manitoba (F.Chermock & R.Chermock, 1940)** (Argynnidae) Synonym(s): *manitoba* F.Chermock & R.Chermock, 1940 Range (in code): **CA Mnt**
- 938. Argynnis (Speyeria) aphrodite whitehousei (Gunder, 1932)** (Argynnidae) Synonym(s): *whitehousei* Gunder, 1932 Range (in code): **CA BCo**
- 939. Argynnis (Speyeria) aphrodite winni (Gunder, 1932)** (Argynnidae) Synonym(s): *winni* Gunder, 1932 Range (in code): **CA Qb**
- 940. Argynnis (Speyeria) atlantis Edwards, 1862** (Argynnidae) Synonym(s): *atlantis* Edwards, 1862 Range (in code): **US Arz Cnt Col Id Idp Io Mai Mch Mns Mon Mrl Msc NMx Ne Neb Nh Nje Ny Oh Org Pns RDi Sdk Ut Vi Vr WVi Wc Ws Wy CA Nfl Mnt Abt**
- 941. Argynnis (Speyeria) atlantis atlantis Edwards, 1862** (Argynnidae) Synonym(s): *atlantis* Edwards, 1862 Range (in code): **US Ny**
- 942. Argynnis (Speyeria) atlantis beani Barnes & Benjamin, 1926** (Argynnidae) Synonym(s): *beani* Barnes & Benjamin, 1926 Range (in code): **CA Abt**
- 943. Argynnis (Speyeria) atlantis canadensis Dos Passos & Grey, 1935** (Argynnidae) Synonym(s): *canadensis* Dos Passos & Grey, 1935 Range (in code): **CA Nfl**

- 944. Argynnis (Speyeria) atlantis chitone Edwards, 1879** (Argynnidae) Synonym(s): *chitone Edwards, 1879* _ Range (in code): US Ut
- 945. Argynnis (Speyeria) atlantis dennisii Dos Passos & Grey, 1947** (Argynnidae) Synonym(s): *dennisii Dos Passos & Grey, 1947* _ Range (in code): US Mnt
- 946. Argynnis (Speyeria) atlantis dodgei Gunder, 1931** (Argynnidae) Synonym(s): *dodgei Gunder, 1931* _ Range (in code): US Org
- 947. Argynnis (Speyeria) atlantis dorothea Moeck, 1947** (Argynnidae) Synonym(s): *dorothea Moeck, 1947* _ Range (in code): US NMx
- 948. Argynnis (Speyeria) atlantis electa Edwards, 1878** (Argynnidae) Synonym(s): *electa Edwards, 1878; cornelia Edwards, 1892* _ Range (in code): US Col
- 949. Argynnis (Speyeria) atlantis greyi Moeck, 1950** (Argynnidae) Synonym(s): *greyi Moeck, 1950* _ Range (in code): US Ne
- 950. Argynnis (Speyeria) atlantis hesperis Edwards, 1864** (Argynnidae) Synonym(s): *hesperis Edwards, 1864* _ Range (in code): US Arz Cf Col Id Mon NMx Ne Neb Org SDk Ut Ws Wy
- 951. Argynnis (Speyeria) atlantis hollandi F. Chermock & R. Chermock, 1940** (Argynnidae) Synonym(s): *hollandi F. Chermock & R. Chermock, 1940* _ Range (in code): CA Mnt
- 952. Argynnis (Speyeria) atlantis hutchinsi Dos Passos & Grey, 1947** (Argynnidae) Synonym(s): *hutchinsi Dos Passos & Grey, 1947* _ Range (in code): US Mon
- 953. Argynnis (Speyeria) atlantis irene Boisduval, 1869** (Argynnidae) Synonym(s): *irene Boisduval, 1869; cottlei Comstock, 1925* _ Range (in code): US Cf
- 954. Argynnis (Speyeria) atlantis lais Edwards, 1884** (Argynnidae) Synonym(s): *lais Edwards, 1884* _ Range (in code): CA Abt
- 955. Argynnis (Speyeria) atlantis lurana Dos Passos & Grey, 1945** (Argynnidae) Synonym(s): *lurana Dos Passos & Grey, 1945* _ Range (in code): US SDk
- 956. Argynnis (Speyeria) atlantis nausicaa Edwards, 1874** (Argynnidae) Synonym(s): *nausicaa Edwards, 1874; arizonensis Elwes, 1889* _ Range (in code): US Arz
- 957. Argynnis (Speyeria) atlantis nikias Ehrmann, 1917** (Argynnidae) Synonym(s): *nikias Ehrmann, 1917* _ Range (in code): US NMx
- 958. Argynnis (Speyeria) atlantis schellbachii Garth, 1949** (Argynnidae) Synonym(s): *schellbachii Garth, 1949* _ Range (in code): US Arz
- 959. Argynnis (Speyeria) atlantis tetonia Dos Passos & Grey, 1950** (Argynnidae) Synonym(s): *tetonia Dos Passos & Grey, 1950* _ Range (in code): US Wy
- 960. Argynnis (Speyeria) atlantis viola Dos Passos & Grey, 1945** (Argynnidae) Synonym(s): *viola Dos Passos & Grey, 1945* _ Range (in code): US Id
- 961. Argynnis (Speyeria) atlantis wasatchia Dos Passos & Grey, 1945** (Argynnidae) Synonym(s): *wasatchia Dos Passos & Grey, 1945* _ Range (in code): US Ut
- 962. Argynnis (Speyeria) callippe Boisduval, 1852** (Argynnidae) Synonym(s): *callippe Boisduval, 1852* _ Range (in code): US MX Cf Col Id Mon NDk NMx Ne Neb Org SDk Ut Ws Wy CA BCo Abt
- 963. Argynnis (Speyeria) callippe calgariana McDunnough, 1924** (Argynnidae) Synonym(s): *calgariana McDunnough, 1924* _ Range (in code): CA Abt
- 964. Argynnis (Speyeria) callippe callippe Boisduval, 1852** (Argynnidae) Synonym(s): *callippe Boisduval, 1852* _ Range (in code): US Cf
- 965. Argynnis (Speyeria) callippe comstocki Gunder, 1925** (Argynnidae) Synonym(s): *comstocki Gunder, 1925* _ Range (in code): US Cf
- 966. Argynnis (Speyeria) callippe elaine Dos Passos & Grey, 1945** (Argynnidae) Synonym(s): *elaine Dos Passos & Grey, 1945* _ Range (in code): US Org
- 967. Argynnis (Speyeria) callippe gallatini McDunnough, 1929** (Argynnidae) Synonym(s): *gallatini McDunnough, 1929* _ Range (in code): US Mon
- 968. Argynnis (Speyeria) callippe harmonia Dos Passos & Grey, 1945** (Argynnidae) Synonym(s): *harmonia Dos Passos & Grey, 1945* _ Range (in code): US Ne
- 969. Argynnis (Speyeria) callippe juba Boisduval, 1852** (Argynnidae) Synonym(s): *juba Boisduval, 1852; inornata Edwards, 1872* _ Range (in code): US Cf
- 970. Argynnis (Speyeria) callippe laura Edwards, 1879** (Argynnidae) Synonym(s): *laura Edwards, 1879* _ Range (in code): US
- 971. Argynnis (Speyeria) callippe laurina Wright, 1905** (Argynnidae) Synonym(s): *laurina Wright, 1905* _ Range (in code): US Cf

972. **Argynnis (Speyeria) callippe liliana Edwards,[1877]** (Argynnidae) Synonym(s): *liliana Edwards,[1877]; baroni Edwards,1881* _ Range (in code): **US Cf**
973. **Argynnis (Speyeria) callippe macaria Edwards,1877** (Argynnidae) Synonym(s): *macaria Edwards,1877* _ Range (in code): **US Cf**
974. **Argynnis (Speyeria) callippe meadii Edwards,1872** (Argynnidae) Synonym(s): *meadii Edwards,1872* _ Range (in code): **US Col**
975. **Argynnis (Speyeria) callippe nevadensis Edwards,1870** (Argynnidae) Synonym(s): *nevadensis Edwards,1870* _ Range (in code): **US Ne**
976. **Argynnis (Speyeria) callippe rupestris Behr,1863** (Argynnidae) Synonym(s): *rupestris Behr,1863* _ Range (in code): **US Cf**
977. **Argynnis (Speyeria) callippe semivirida McDunnough,1924** (Argynnidae) Synonym(s): *semivirida McDunnough,1924* _ Range (in code): **CA BCo**
978. **Argynnis (Speyeria) callippe sierra Dos Passos & Grey,1945** (Argynnidae) Synonym(s): *sierra Dos Passos & Grey,1945* _ Range (in code): **US Cf**
979. **Argynnis (Speyeria) coronis Behr,1864** (Argynnidae) Synonym(s): *coronis Behr,1864; californica Skinner,1917* _ Range (in code): **US MX Arz Cf Col Id Mon Ne Neb Org Sdk Ut Ws Wy**
980. **Argynnis (Speyeria) coronis coronis Behr,1864** (Argynnidae) Synonym(s): *coronis Behr,1864; californica Skinner,1917* _ Range (in code): **US Cf**
981. **Argynnis (Speyeria) coronis gunderi Comstock,1925** (Argynnidae) Synonym(s): *gunderi Comstock,1925* _ Range (in code): **US Cf**
982. **Argynnis (Speyeria) coronis halcyone Edwards,1869** (Argynnidae) Synonym(s): *halcyone Edwards,1869* _ Range (in code): **US Col**
983. **Argynnis (Speyeria) coronis hennei Gunder,1934** (Argynnidae) Synonym(s): *hennei Gunder,1934* _ Range (in code): **US Cf**
984. **Argynnis (Speyeria) coronis semiramis Edwards,1886** (Argynnidae) Synonym(s): *semiramis Edwards,1886* _ Range (in code): **US Cf**
985. **Argynnis (Speyeria) coronis simaetha Dos Passos & Grey,1945** (Argynnidae) Synonym(s): *simaetha Dos Passos & Grey,1945* _ Range (in code): **US**
986. **Argynnis (Speyeria) coronis snyderi Skinner,1897** (Argynnidae) Synonym(s): *snyderi Skinner,1897* _ Range (in code): **US Ut**
987. **Argynnis (Speyeria) cybele (Fabricius,1775)** (Argynnidae) Synonym(s): *cybele Fabricius,1775; daphnis Cramer,1775 nec [Denis & Schiff.],1775* _ Range (in code): **US Aks Alb Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Nsc Mnt**
988. **Argynnis (Speyeria) cybele carpenterii (W.H.Edwards,1876)** (Argynnidae) Synonym(s): *carpenterii W.H.Edwards,1876* _ Range (in code): **US NMx**
989. **Argynnis (Speyeria) cybele charlottii (Barnes,1897)** (Argynnidae) Synonym(s): *charlottii Barnes,1897* _ Range (in code): **US Col**
990. **Argynnis (Speyeria) cybele cybele (Fabricius,1775)** (Argynnidae) Synonym(s): *cybele Fabricius,1775; daphnis Cramer,1775 nec [Denis & Schiff.],1775* _ Range (in code): **US Ny**
991. **Argynnis (Speyeria) cybele krautwurmi (Holland,1931)** (Argynnidae) Synonym(s): *krautwurmi Holland,1931* _ Range (in code): **US Mch**
992. **Argynnis (Speyeria) cybele leto (Behr,1862)** (Argynnidae) Synonym(s): *leto Behr,1862; letis Wright,1905; valesinoidesalba Reuss,1926* _ Range (in code): **US Ne Wy Cf**
993. **Argynnis (Speyeria) cybele letona Dos Passos & Grey,1945** (Argynnidae) Synonym(s): *letona Dos Passos & Grey,1945* _ Range (in code): **US Ut**
994. **Argynnis (Speyeria) cybele novascotiae (McDunnough,1935)** (Argynnidae) Synonym(s): *novascotiae McDunnough,1935* _ Range (in code): **CA Nsc**
995. **Argynnis (Speyeria) cybele pseudocarpenteri (F.Chermock & R.Chermock,1940)** (Argynnidae) Synonym(s): *pseudocarpenteri F.Chermock & R.Chermock,1940* _ Range (in code): **CA Mnt**
996. **Argynnis (Speyeria) cybele pugetensis F.Chermock & Frechin,1947** (Argynnidae) Synonym(s): *pugetensis F.Chermock & Frechin,1947* _ Range (in code): **US**
997. **Argynnis (Speyeria) diana (Cramer,1775)** (Argynnidae) Synonym(s): *diana Cramer,1775* _ Range (in code): **US Aks Alb Ge Idp Iln Knt Lou Mis Mrl Mss NCa Oh Ok Tnn Vi WVi**
998. **Argynnis (Speyeria) edwardsii Reakirt,1866** (Argynnidae) Synonym(s): *edwardsii Reakirt,1866; montana Reuss,1926* _ Range (in code): **US Col Id Kan Mon Ndk NMx Neb Ok Sdk Ut Wy**

- 999. Argynnis (Speyeria) egleis Behr,1862** (Argynnididae) Synonym(s): *egleis Behr,1862; montivaga Behr,1863* _ Range (in code): US Cf Col Id Mon Ne Org Ut Ws Wy
- 1000. Argynnis (Speyeria) egleis albrighti Gunder,1932** (Argynnididae) Synonym(s): *albrighti Gunder,1932* _ Range (in code): US Mon
- 1001. Argynnis (Speyeria) egleis atossa Edwards,1890** (Argynnididae) Synonym(s): *atossa Edwards,1890; tejonica Comstock,1925* _ Range (in code): US Cf
- 1002. Argynnis (Speyeria) egleis clemencei Comstock,1925** (Argynnididae) Synonym(s): *clemencei Comstock,1925* _ Range (in code): US Cf
- 1003. Argynnis (Speyeria) egleis egleis Behr,1862** (Argynnididae) Synonym(s): *egleis Behr,1862; montivaga Behr,1863* _ Range (in code): US Cf
- 1004. Argynnis (Speyeria) egleis linda Dos Passos & Grey,1942** (Argynnididae) Synonym(s): *linda Dos Passos & Grey,1942* _ Range (in code): US Id
- 1005. Argynnis (Speyeria) egleis macdunnoughi Gunder,1932** (Argynnididae) Synonym(s): *macdunnoughi Gunder,1932* _ Range (in code): US Mon
- 1006. Argynnis (Speyeria) egleis oweni Edwards,1892** (Argynnididae) Synonym(s): *oweni Edwards,1892* _ Range (in code): US Cf
- 1007. Argynnis (Speyeria) egleis secreta Dos Passos & Grey,1945** (Argynnididae) Synonym(s): *secreta Dos Passos & Grey,1945* _ Range (in code): US Col
- 1008. Argynnis (Speyeria) egleis tehachapina Comstock,1920** (Argynnididae) Synonym(s): *tehachapina Comstock,1920* _ Range (in code): US Cf
- 1009. Argynnis (Speyeria) egleis toiyabe Howe,1975** (Argynnididae) Synonym(s): *toiyabe Howe,1975* _ Range (in code): US Ne
- 1010. Argynnis (Speyeria) egleis utahensis Skinner,1919** (Argynnididae) Synonym(s): *utahensis Skinner,1919* _ Range (in code): US Ut
- 1011. Argynnis (Speyeria) hydaspe Boisduval,1869** (Argynnididae) Synonym(s): *hydaspe Boisduval,1869* _ Range (in code): US Cf Col Id Mon Org Ut Ws Wy NMx CA BCo
- 1012. Argynnis (Speyeria) hydaspe conquista Dos Passos & Grey,1945** (Argynnididae) Synonym(s): *conquista Dos Passos & Grey,1945* _ Range (in code): US NMx
- 1013. Argynnis (Speyeria) hydaspe hydaspe Boisduval,1869** (Argynnididae) Synonym(s): *hydaspe Boisduval,1869* _ Range (in code): US Cf
- 1014. Argynnis (Speyeria) hydaspe minor Dos Passos & Grey,1947** (Argynnididae) Synonym(s): *minor Dos Passos & Grey,1947* _ Range (in code): CA BCo
- 1015. Argynnis (Speyeria) hydaspe purpurascens Edwards,[1877]** (Argynnididae) Synonym(s): *purpurascens Edwards,[1877]* _ Range (in code): US Cf
- 1016. Argynnis (Speyeria) hydaspe rhodope Edwards,1874** (Argynnididae) Synonym(s): *rhodope Edwards,1874* _ Range (in code): CA BCo
- 1017. Argynnis (Speyeria) hydaspe sakuntala Skinner,1911** (Argynnididae) Synonym(s): *sakuntala Skinner,1911* _ Range (in code): CA BCo
- 1018. Argynnis (Speyeria) hydaspe viridicornis Comstock,1925** (Argynnididae) Synonym(s): *viridicornis Comstock,1925* _ Range (in code): US Cf
- 1019. Argynnis (Speyeria) idalia (Drury,[1773])** (Argynnididae) Synonym(s): *idalia Drury,[1773]; astarte Fisher,1858; ashtaroth Fischer,1859* _ Range (in code): US Aks Cnt Col Dw Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SDk Vi WVi Wc Wy
- 1020. Argynnis (Speyeria) mormonia Boisduval,1869** (Argynnididae) Synonym(s): *mormonia Boisduval,1869* _ Range (in code): US Arz Cf Col Id Mns Mon NDk NMx Ne Neb Org SDk Ut Ws Wy Als CA BCo Abt
- 1021. Argynnis (Speyeria) mormonia arge Strecker,1878** (Argynnididae) Synonym(s): *astarte sensu Edwards,1862; montivaga Behr,1864 nec Bhr.,1863; arge Strecker,1878* _ Range (in code): US Cf
- 1022. Argynnis (Speyeria) mormonia artonis Edwards,1881** (Argynnididae) Synonym(s): *artonis Edwards,1881* _ Range (in code): US Ne
- 1023. Argynnis (Speyeria) mormonia bischoffii Edwards,1870** (Argynnididae) Synonym(s): *bischoffii Edwards,1870* _ Range (in code): US Als
- 1024. Argynnis (Speyeria) mormonia erinna Edwards,1883** (Argynnididae) Synonym(s): *erinna Edwards,1883* _ Range (in code): US Ws

- 1025. Argynnis (Speyeria) mormonia eurynome Edwards, 1872** (Argynnidae)
Synonym(s): *eurynome* Edwards, 1872; *clio* Edwards, 1874; *gunderi* Field, 1936 nec Comst., 1925; *fieldi* Dos Passos & Grey, 1947 _ Range (in code): CA Abt US Cf Col Mon
- 1026. Argynnis (Speyeria) mormonia jesmondensis Dos Passos & Grey, 1947** (Argynnidae) Synonym(s): *jesmondensis* Dos Passos & Grey, 1947 _ Range (in code): CA BCo
- 1027. Argynnis (Speyeria) mormonia luski Barnes & McDunnough, 1913** (Argynnidae)
Synonym(s): *luski* Barnes & McDunnough, 1913 _ Range (in code): US Arz
- 1028. Argynnis (Speyeria) mormonia mormonia Boisduval, 1869** (Argynnidae)
Synonym(s): *mormonia* Boisduval, 1869 _ Range (in code): US Ne
- 1029. Argynnis (Speyeria) mormonia opis Edwards, 1874** (Argynnidae) Synonym(s): *opis* Edwards, 1874 _ Range (in code): CA BCo
- 1030. Argynnis (Speyeria) mormonia washingtonia Barnes & McDunnough, 1913** (Argynnidae) Synonym(s): *washingtonia* Barnes & McDunnough, 1913 _ Range (in code): US WS
- 1031. Argynnis (Speyeria) nokomis Edwards, 1862** (Argynnidae) Synonym(s): *nokomis* Edwards, 1862; *nigrocaerulea* W.Cockerell & T.Cockerell, 1900 _ Range (in code): US MX Arz Cf Col NMx Ne Ut
- 1032. Argynnis (Speyeria) nokomis apacheana Skinner, 1918** (Argynnidae) Synonym(s): *apacheana* Skinner, 1918 _ Range (in code): US Arz Cf
- 1033. Argynnis (Speyeria) nokomis coerulescens Holland, 1900** (Argynnidae)
Synonym(s): *coerulescens* Holland, 1900 _ Range (in code): US MX
- 1034. Argynnis (Speyeria) nokomis nitocris Edwards, 1874** (Argynnidae) Synonym(s): *nitocris* Edwards, 1874 _ Range (in code): US Arz
- 1035. Argynnis (Speyeria) nokomis nokomis Edwards, 1862** (Argynnidae) Synonym(s): *nokomis* Edwards, 1862; *nigrocaerulea* W.Cockerell & T.Cockerell, 1900 _ Range (in code): US Col
- 1036. Argynnis (Speyeria) vitatha Moore, 1874** (Argynnidae) Synonym(s): *vitatha* Moore, 1874; *gigasvitatha* Verity, 1935; *subvitatha* Verity, 1935. Original Reference: Argynnis vitatha Moore, 1874, Proc. zool. Soc. Lond. 1874: 568. Syntypes: "Cashmere, N. side of Rajdiangan Pass and Gurais (Capt. H.B.Hellard)". Range (in code): Au Ch CN Gs KK Kl Ld Pm Sda Ui Kml Ik KG T-S TrA Aa KuA PK Nwf Ci Gg
- 1037. Argynnis (Speyeria) vitatha vitatha Moore, 1874** (Argynnidae) Synonym(s): *vitatha* Moore, 1874; *gigasvitatha* Verity, 1935; *subvitatha* Verity, 1935. Original Reference: Argynnis vitatha Moore, 1874, Proc. zool. Soc. Lond. 1874: 568. Syntypes: "Cashmere, N. side of Rajdiangan Pass and Gurais (Capt. H.B.Hellard)". Range (in code): Au Ch CN Gs KK Kl Ld Pm Sda Ui Kml Ik KG TrA Aa KuA T-S PK Nwf Ci Gg
- 1038. Argynnis (Speyeria) zerene Boisduval, 1852** (Argynnidae) Synonym(s): *zerene* Boisduval, 1852; *monticola* Behr, 1863 _ Range (in code): US Cf Col Id Mon Ne Neb Org SDk Ut Ws Wy
- 1039. Argynnis (Speyeria) zerene bremnerii Edwards, 1872** (Argynnidae) Synonym(s): *bremnerii* Edwards, 1872 _ Range (in code): CA BCo
- 1040. Argynnis (Speyeria) zerene carolae Dos Passos & Grey, 1942** (Argynnidae)
Synonym(s): *carolae* Dos Passos & Grey, 1942 _ Range (in code): US Ne
- 1041. Argynnis (Speyeria) zerene conchylatus Comstock, 1925** (Argynnidae)
Synonym(s): *conchylatus* Comstock, 1925 _ Range (in code): US Cf
- 1042. Argynnis (Speyeria) zerene cynna Dos Passos & Grey, 1945** (Argynnidae)
Synonym(s): *cynna* Dos Passos & Grey, 1945 _ Range (in code): US Ne
- 1043. Argynnis (Speyeria) zerene garrettii Gunder, 1932** (Argynnidae) Synonym(s): *garrettii* Gunder, 1932 _ Range (in code): CA BCo
- 1044. Argynnis (Speyeria) zerene gloriosa Moeck, 1957** (Argynnidae) Synonym(s): *gloriosa* Moeck, 1957 _ Range (in code): US Org
- 1045. Argynnis (Speyeria) zerene hippolyta Edwards, 1879** (Argynnidae) Synonym(s): *hippolyta* Edwards, 1879 _ Range (in code): US Org
- 1046. Argynnis (Speyeria) zerene malcolmi Comstock, 1920** (Argynnidae) Synonym(s): *malcolmi* Comstock, 1920 _ Range (in code): US Cf
- 1047. Argynnis (Speyeria) zerene myrtleae Dos Passos & Grey, 1945** (Argynnidae)
Synonym(s): *myrtleae* Dos Passos & Grey, 1945 _ Range (in code): US Cf
- 1048. Argynnis (Speyeria) zerene pfoutsii Gunder, 1933** (Argynnidae) Synonym(s): *pfoutsii* Gunder, 1933 _ Range (in code): US Ut
- 1049. Argynnis (Speyeria) zerene picta McDunnough, 1924** (Argynnidae) Synonym(s): *picta* McDunnough, 1924 _ Range (in code): CA BCo

- 1050. Argynnis (Speyeria) zerene platina Skinner,1897** (Argynnididae) Synonym(s): *platina Skinner,1897* _ Range (in code): CA BCo
- 1051. Argynnis (Speyeria) zerene sinope Dos Passos & Grey,1945** (Argynnididae) Synonym(s): *sinope Dos Passos & Grey,1945* _ Range (in code): US Col
- 1052. Argynnis (Speyeria) zerene sordida Wright,1905** (Argynnididae) Synonym(s): *sordida Wright,1905* _ Range (in code): US Ws
- 1053. Argynnis (Speyeria) zerene zerene Boisduval,1852** (Argynnididae) Synonym(s): *zerene Boisduval,1852; monticola Behr,1863* _ Range (in code): US Cf
- 1054. Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.* Original Reference: Papilio paphia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): Ae AL Am At Kts AT Ba BE BG B-H BY CH CN Co CZ DE DK EE ES FI FR GB GR HU HV IE Ir IT JP Kb Kc KG KK KP Kr LT LU LV MK MA MN Mn NL NO Or PL PT RO RU Sa Sb SE Sh Si SK Sm So Sp Sr SS TR Arr T-S UA Ui Um Adu Uk VI Ya YU Cw Dv Smt H-W Sur Ssx SY Kuz Sli Tar Ket DsA Sa DZ Mu Bn KuA TrA IQ Ama IR Ab Gh Mz Elb Cc AM GG AZ Geg Len Smt Bjo Aj Dja Dju Sbd Btna Lbs Clo Blid Bionomy: Larva on Viola hirta, V. palustris, V. sylvatica (Krulikowsky, 1888; Kumakov & Korshunov, 1979); Viola canina, V. odorata, V. (?) mumbyana, V. reichenbachiana, V. riviniana (Violaceae) (Tolman, 1997).
- 1055. Argynnis (s.str.) paphia delila Röber,1896** (Argynnididae) Synonym(s): *delila Röber,1896* Original Reference: Argynnis paphia var. delila Röber,1896, Ent. Nachr. 22 (6): 83. Syntypes: [Türkei]: Gülek. Range (in code): TR SY IQ Ama
- 1056. Argynnis (s.str.) paphia dives Oberthür,1908** (Argynnididae) Synonym(s): *dives Oberthür,1908* _ Range (in code): DZ Dja Dju Sbd Btna Lbs Clo Blid
- 1057. Argynnis (s.str.) paphia immaculata Bellier,1862** (Argynnididae) Synonym(s): *immaculata Bellier,1862; anargyra Staudinger,1871.* _ Range (in code): Co Sa
- 1058. Argynnis (s.str.) paphia masandaranensis Gross & Ebert,1975** (Argynnididae) Synonym(s): *masandaranensis Gross & Ebert,1975* Original Reference: Argynnis paphia ssp. masandaranensis Gross & Ebert,1975, J. Soc. ent. Iran (suppl.) 1: 30, figs.34,35. Holotype ♂: Iran: Mazandaran: Now Shahr, 25m. Range (in code): IR Mz Gh Elb
- 1059. Argynnis (s.str.) paphia paphia (Linnaeus,1758)** (Argynnididae) Synonym(s): *paphia Linnaeus,1758; valesina Esper,[1798]; magnata Verity,1919; revelata Verity,1934; magnifica Verity,1919; magnificamagnata Verity,1950.* Original Reference: Papilio paphia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): Aa Ae AL Am At Kts AT Ba BE BG B-H Bs Bw BY Cb CH CN CZ DE DK EE ES FI FR GB GR HU HV IE Ir IT Kb Kc KG Kg KK Kr Kt Kw LT LU LV MK MN Mn NL No NO Om Or PL Pp PT Pw RO RU Sa Sb SE Sh Si SK Sm So Sp Sr SS Tk TR T-S UA Ui Uk VI Ya YU Cw Dv Smt H-W Sur Ssx Um Adu Mu Bn Kuz Sli Tar T-S Ket DsA KuA TrA Cc AM GG AZ Geg Len Smt Bjo Aj Arr
- 1060. Argynnis (s.str.) zenobia Leech,1890** (Argynnididae) Synonym(s): *zenobia Leech,1890.* Original Reference: Argynnis zenobia Leech,1890, Entomologist 23: 188. Type(s): China. Range (in code): CN RU Vv Prj Us
- 1061. Argynnis (s.str.) zenobia penelope Staudinger,1892** (Argynnididae) Synonym(s): *penelope Staudinger,1892* Original Reference: Argynnis zenobia penelope Staudinger,1892, Dt. ent. Z., Iris 4: 339. Syntypes: [Russia]: Range (in code): RU Vv Prj Us
- 1062. Argynnis (s.str.) zenobia zenobia Leech,1890** (Argynnididae) Synonym(s): *zenobia Leech,1890.* Original Reference: Argynnis zenobia Leech,1890, Entomologist 23: 188. Type(s): China. Range (in code): CN
- 1063. Ariadne actisanes (Hewitson,1875)** (Argynnididae) Synonym(s): *actisanes Hewitson,1875* Range (in code): GA CM NG ZR
- 1064. Ariadne albifascia (Joicey & Talbot,1921)** (Argynnididae) Synonym(s): *albifascia Joicey & Talbot,1921* _ Range (in code): ZR Rz SN UG Bionomy: Larva on Tragia, Dalechampia (Euphorbiaceae) (Ackery et al.,1995).
- 1065. Ariadne ariadne (Linnaeus,1763)** (Argynnididae) Synonym(s): *ariadne Linnaeus,1763* Range (in code): MY Lkw TH CMA Cuo Cu10 Cu11 CDo Pap Mro Dsk Hpt Chy Nna Cbu Nrt Sak Shu Knc Nst Yal Tng ID Clb Flo Bionomy: Larva on Ricinus communis (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
- 1066. Ariadne ariadne ariadne (Linnaeus,1763)** (Argynnididae) Synonym(s): *ariadne Linnaeus,1763* _ Range (in code): MY Lkw TH Nst Tng
- 1067. Ariadne ariadne pallidior (Fruhstorfer,1899)** (Argynnididae) Synonym(s): *pallidior Fruhstorfer,1899* _ Range (in code): TH CMA Cuo Cu10 Cu11 CDo Pap Mro Chy Dsk Hpt Nna Cbu Nrt

- Sak Sbu Knc Nst Yal Tng** Bionomy: Larva on *Ricinus communis* (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
- 1068. Ariadne enotrea (Cramer,[1779])** (Argynnidae) Synonym(s): *enotrea* Cramer,[1779]; *alphaea* Drury,1782 Range (in code): **SL NG AO ZR TZ CM UG KE** Bionomy: Larva on *Tragia*, *Dalechampia* (Euphorbiaceae) (Ackery et al.,1995).
- 1069. Ariadne enotrea archeri Carcasson,1958** (Argynnidae) Synonym(s): *archeri* Carcasson,1958 Range (in code): **AO ZR TZ**
- 1070. Ariadne enotrea enotrea (Cramer,[1779])** (Argynnidae) Synonym(s): *enotrea* Cramer,[1779]; *alphaea* Drury,1782 Range (in code): **SL NG**
- 1071. Ariadne enotrea suffusa (Joicey & Talbot,1921)** (Argynnidae) Synonym(s): *suffusa* Joicey & Talbot,1921 Range (in code): **ZR CM UG KE**
- 1072. Ariadne isaeus (Wallace,1869)** (Argynnidae) Synonym(s): *isaeus* Wallace,1869 Range (in code): **MM TH Tng Yal Nst ID Sum Ja Bli Nia MY Bor**
- 1073. Ariadne isaeus isaeus (Wallace,1869)** (Argynnidae) Synonym(s): *isaeus* Wallace,1869 Range (in code): **MM TH Tng Yal Nst ID Sum MY Bor**
- 1074. Ariadne isaeus lysias Fruhstorfer,1906** (Argynnidae) Synonym(s): *lysias* Fruhstorfer,1906 Range (in code): **ID Bli Ja**
- 1075. Ariadne isaeus pupillata Fruhstorfer,1896** (Argynnidae) Synonym(s): *pupillata* Fruhstorfer,1896 Range (in code): **ID Nia**
- 1076. Ariadne merione (Cramer,[1779])** (Argynnidae) Synonym(s): *merione* Cramer,[1779] Range (in code): **IN Ass SI MM TH LK ID Sum Bor MY PH Ala Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Bal Pal Bab Luz CMa TAK Nna Bnk Cbi Chy Nrt Sbu Knc Pht Lmp Tht Nst Ths Sya Int Cuo Cu10 Cu07** Bionomy: Larva on *Ricinus communis* (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
- 1077. Ariadne merione ahmat Pryer,1894** (Argynnidae) Synonym(s): *ahmat* Pryer,1894 Range (in code): **MY Bor**
- 1078. Ariadne merione assama (Evans,1924)** (Argynnidae) Synonym(s): *assama* Evans,1924 Range (in code): **IN SI Ass**
- 1079. Ariadne merione crestonia (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *crestonia* Fruhstorfer,1912 Range (in code): **PH Bal Pal**
- 1080. Ariadne merione ginosa (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *ginosa* Fruhstorfer,1912 Range (in code): **MY TH Nst Ths Sya ID Sum**
- 1081. Ariadne merione luzonia (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *luzonia* C.Felder & R.Felder,[1867] Original Reference: *Ergolis luzonia* C.Felder & R.Felder, [1867], *Reise österr. Fregatte Novara* 3: 450. Type(s): *Luzon*. Range (in code): **PH Ala Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 1082. Ariadne merione maculata Semper,1887** (Argynnidae) Synonym(s): *maculata* Semper,1887 Range (in code): **PH Bab Luz**
- 1083. Ariadne merione merione (Cramer,[1779])** (Argynnidae) Synonym(s): *merione* Cramer,[1779] Range (in code): **IN**
- 1084. Ariadne merione tapestrina Moore,1884** (Argynnidae) Synonym(s): *tapestrina* Moore,1884 Range (in code): **IN Ass SI MM TH CMa Cuo Cu10 Cu07 Int Lmp Tht TAK Nna Bnk Cbi Chy Nrt Sbu Knc Pht** Bionomy: Larva on *Ricinus communis* (Euphorbiaceae) (Lewvanich,2001; M.Kemal, in litt.).
- 1085. Ariadne merione taprobana (Westwood,[1851])** (Argynnidae) Synonym(s): *taprobana* Westwood,[1851] Range (in code): **LK**
- 1086. Ariadne meriones Holland,1898** (Argynnidae) Synonym(s): *meriones* Holland,1898 Range (in code): **ID Clb**
- 1087. Ariadne pagenstecheri (Suffert,1904)** (Argynnidae) Synonym(s): *pagenstecheri* Suffert,1904; *murina* Bartel,1905; *#aurantiaca* Heron,1909 Range (in code): **CM UG Rz TZ KE SD RW BI ZR** Bionomy: Larva on *Tragia* (Euphorbiaceae) (Ackery et al.,1995).
- 1088. Ariadne personata (Joicey & Talbot,1921)** (Argynnidae) Synonym(s): *personata* Joicey & Talbot,1921 Range (in code): **ZR CM** Bionomy: Larva on *Tetracarpidium* (Euphorbiaceae) (Ackery et al.,1995).
- 1089. Ariadne specularia (Fruhstorfer,1899)** (Argynnidae) Synonym(s): *specularia* Fruhstorfer,1899 Range (in code): **MY Lkw TH Chy Cbi Ray Nrt Cbu Knc**

- 1090. *Ariadne specularia arca* (Fruhstorfer,1906)** (Argynnidae) Synonym(s): *arca* Fruhstorfer,1906 _ Range (in code): MY Lkw TH Chy Cbi Ray Nrt Cbu Knc
- 1091. *Ariadne specularia specularia* (Fruhstorfer,1899)** (Argynnidae) Synonym(s): *specularia* Fruhstorfer,1899
- 1092. *Ariadne taeniata* (C.Felder & R.Felder,1861)** (Argynnidae) Synonym(s): *taeniata* C.Felder & R.Felder,1861 _ Original Reference: Ergolis taeniata C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5(10): 303. Type ♂: Luzon. Range (in code): PH Bab Luz Mar Mas Mdo Neg Bas Boh Ceb Ley Mno
- 1093. *Ariadne taeniata adelpha* (C.Felder & R.Felder,1861)** (Argynnidae) Synonym(s): *adelpha* C.Felder & R.Felder,1861 _ Range (in code): PH Bas Boh Ceb Ley Mno
- 1094. *Ariadne taeniata taeniata* (C.Felder & R.Felder,1861)** (Argynnidae) Synonym(s): *taeniata* C.Felder & R.Felder,1861 _ Original Reference: Ergolis taeniata C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5(10): 303. Type ♂: Luzon. Range (in code): PH Bab Luz Mar Mas Mdo Neg
- 1095. *Asterocampa alicia* (Edwards,1868)** (Argynnidae) Synonym(s): *alicia* Edwards,1868 _ Range (in code): US
- 1096. *Asterocampa antonia* (Edwards,[1878])** (Argynnidae) Synonym(s): *antonia* Edwards,[1878] _ Range (in code): US Tx
- 1097. *Asterocampa celtis* (Boisduval & Leconte,[1834])** (Argynnidae) Synonym(s): *celtis* Boisduval & Leconte,[1834] _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nje Ny Oh Ok Pns RDi Sdk Tnn Tx Ut Vi Vr WVi We Wy
- 1098. *Asterocampa clyton* (Boisduval & Leconte,[1833])** (Argynnidae) Synonym(s): *clyton* Boisduval & Leconte,[1833]; #*proserpina* Scudder,1870; *ocellata* Edwards,1876 _ Range (in code): US MX Aks Alb Arz Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nje Ny Oh Ok Pns Sdk Tnn Tx Vi WVi We
- 1099. *Asterocampa flora* (Edwards,1876)** (Argynnidae) Synonym(s): *flora* Edwards,1876 _ Range (in code): US Fl
- 1100. *Asterocampa idyja* (Hübner,1828)** (Argynnidae) Synonym(s): *idyja* Hübner,1828 _ Range (in code): CU US MX Arz GT HN
- 1101. *Asterocampa idyja argus* (Bates,1864)** (Argynnidae) Synonym(s): *argus* Bates,1864 _ Original Reference: Apatura argus Bates,1864, Entomologist's mon. Mag. 1: 130. Range (in code): US MX Arz GT HN
- 1102. *Asterocampa leila* (Edwards,1874)** (Argynnidae) Synonym(s): *leila* Edwards,1874 _ Range (in code): US MX Arz NMx Tx Ut
- 1103. *Asterocampa leila cocles* (Lintner,1884)** (Argynnidae) Synonym(s): *cocles* Lintner,1884 _ Range (in code): US Tx
- 1104. *Asterocampa leila leila* (Edwards,1874)** (Argynnidae) Synonym(s): *leila* Edwards,1874 _ Range (in code): US Arz
- 1105. *Asterocampa louisa* Stallings & Turner,1947** (Argynnidae) Synonym(s): *louisa* Stallings & Turner,1947 _ Range (in code): US Tx
- 1106. *Asterocampa montis* (Edwards,1883)** (Argynnidae) Synonym(s): *montis* Edwards,1883 _ Range (in code): US Arz
- 1107. *Asterocampa subpallida* (Barnes & McDunnough,1913)** (Argynnidae) Synonym(s): *subpallida* Barnes & McDunnough,1913 _ Range (in code): US Arz
- 1108. *Asterocampa texana* (Skinner,1911)** (Argynnidae) Synonym(s): *texana* Skinner,1911 _ Range (in code): US Tx
- 1109. *Aterica amaxia* Hewitson,1866** (Argynnidae) Synonym(s): *amaxia* Hewitson,1866 _ Range (in code): NG Caa
- 1110. *Aterica galene* (Brown,1776)** (Argynnidae) Synonym(s): *galene* Brown,1776; *cupavia* Cramer,[1779]; *buchholzi* Plötz,1880; #*dimorpha* Bartel,1905; *extensa* Heron,1909; #*luteofasciata* Schultze,1920; #*albimacula* Joicey & Talbot,1921; #*juncta* Dufrane,1933; #*pierardi* Dufrane,1933 _ Range (in code): KE UG Rz TZ Tnga Usa Ani ZR AO CM SN CI SN ET ZW MW MZ
- 1111. *Aterica galene galene* (Brown,1776)** (Argynnidae) Synonym(s): *galene* Brown,1776; *cupavia* Cramer,[1779]; *buchholzi* Plötz,1880; #*dimorpha* Bartel,1905; *extensa* Heron,1909; #*luteofasciata* Schultze,1920; #*albimacula* Joicey & Talbot,1921; #*juncta* Dufrane,1933; #*pierardi* Dufrane,1933 _ Range (in code): KE UG Rz TZ ZR AO CM SN CI SN
- 1112. *Aterica galene incisa* Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *incisa* Rothschild & Jordan,1903 _ Range (in code): ET

- 1113. *Aterica galene theophane* Hopffer, 1855** (Argynnidae) Synonym(s): *theophane* Hopffer, 1855; *#dechroma* Strand, 1911; *omissa* Rothschild, 1918 _ Range (in code): ZW MW TZ Tnga Usa Ani KE MZ
- 1114. *Aterica rabena* Boisduval, 1833** (Argynnidae) Synonym(s): *rabena* Boisduval, 1833 _ Range (in code): MG
- 1115. *Athyma (Chendrana) pravara* Moore, [1858]** (Argynnidae) Synonym(s): *pravara* Moore, [1858] _ Range (in code): PH Stu TH CMa CDo Pbu Nna Chy Cbi Rng Yal Tng Nst Chw Sgk Hya Tnc
- 1116. *Athyma (Chendrana) pravara arturodyi* Schröder & Treadaway, 1991** (Argynnidae) Synonym(s): *arturodyi* Schröder & Treadaway, 1991 _ Range (in code): PH Stu
- 1117. *Athyma (Chendrana) pravara helma* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *helma* Fruhstorfer, 1906 _ Range (in code): TH Rng Yal Tng Nst Chw Sgk Hya Tnc
- 1118. *Athyma (Chendrana) pravara indosinica* (Fruhstorfer, 1913)** (Argynnidae) Synonym(s): *indosinica* Fruhstorfer, 1913 _ Range (in code): TH CMa CDo Pbu Nna Chy Cbi
- 1119. *Athyma (Kironga) clerica* Butler, 1879** (Argynnidae) Synonym(s): *clerica* Butler, 1879 _ Range (in code): TH Rng Nst
- 1120. *Athyma (Kironga) clerica clerica* Butler, 1879** (Argynnidae) Synonym(s): *clerica* Butler, 1879 _ Range (in code): TH Rng Nst
- 1121. *Athyma (Kironga) ranga* Moore, [1858]** (Argynnidae) Synonym(s): *ranga* Moore, [1858] _ Range (in code): IN Ker Mys Meg Apr TH CMa Cuo Cu05 Cu12 CDo Nrt Cbi Chy Cbu MY CN HK Bionomy: Larva on *Chionanthus malabarica*, *Fraxinus retusa*, *Olea dioica*, *Osmanthus fragrans* (Oleaceae) (Robinson et al., 2005).
- 1122. *Athyma (Kironga) ranga karwara* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *karwara* Fruhstorfer, 1906 _ Range (in code): IN Ker Mys
- 1123. *Athyma (Kironga) ranga malaya* (Pendlebury, 1933)** (Argynnidae) Synonym(s): *malaya* Pendlebury, 1933 _ Range (in code): MY TH
- 1124. *Athyma (Kironga) ranga ranga* Moore, [1858]** (Argynnidae) Synonym(s): *ranga* Moore, [1858] _ Range (in code): IN Meg Apr TH CMa Cuo Cu05 Cu12 CDo Nrt Cbi Chy Cbu CN HK
- 1125. *Athyma (Tacoraea) asura* Moore, [1858]** (Argynnidae) Synonym(s): *asura* Moore, [1858] _ Range (in code): TH CMa CDo Loe Nrt Chy PH Cal Pal TW Bionomy: Larva on *Ilex micrococca* (Aquifoliaceae), *Randia canthioides* (Rubiaceae) (Robinson et al., 2005).
- 1126. *Athyma (Tacoraea) asura asura* Moore, [1858]** (Argynnidae) Synonym(s): *asura* Moore, [1858] _ Range (in code): TH CMa CDo Loe Nrt Chy
- 1127. *Athyma (Tacoraea) asura idita* Moore, [1858]** (Argynnidae) Synonym(s): *idita* Moore, [1858] _ Range (in code): TH
- 1128. *Athyma (Tacoraea) asura tarpa* Staudinger, 1889** (Argynnidae) Synonym(s): *tarpa* Staudinger, 1889 _ Original Reference: *Athyma tarpa* Staudinger, 1889, Dt. ent. Z., Iris 2: 66-67. Syntypes 1♂ 1♀: [Philippinen]: Palawan. Range (in code): PH Cal Pal
- 1129. *Athyma (Tacoraea) larymna* (Doubleday, 1848)** (Argynnidae) Synonym(s): *larymna* Doubleday, 1848 _ Range (in code): TH CMa CDo Nst Nrt Yal Chy Rng
- 1130. *Athyma (Tacoraea) larymna larymna* (Doubleday, 1848)** (Argynnidae) Synonym(s): *larymna* Doubleday, 1848
- 1131. *Athyma (Tacoraea) larymna siamensis* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *siamensis* Fruhstorfer, 1906 _ Range (in code): TH CMa CDo Nst Nrt Yal Chy Rng
- 1132. *Athyma (Tatisia) cama* (Moore, [1858])** (Argynnidae) Synonym(s): *cama* Moore, [1858]. Original Reference: *Athyma cama* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 174, nr. 357, pl. 5a, fig. 5. Type(s): *India borealis*. Range (in code): Mus IN MM Ass Kma TH CMa CDo TW Bionomy: Larva on *Glochidion philippicum*, *G. rubrum* (Euphorbiaceae) (Robinson et al., 2005).
- 1133. *Athyma (Tatisia) cama cama* (Moore, [1858])** (Argynnidae) Synonym(s): *cama* Moore, [1858]. Original Reference: *Athyma cama* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 174, nr. 357, pl. 5a, fig. 5. Type(s): *India borealis*. Range (in code): Mus IN MM Ass Kma TH CMa CDo TW Bionomy: Larva on *Glochidion philippicum*, *G. rubrum* (Euphorbiaceae) (Robinson et al., 2005).
- 1134. *Athyma (Tatisia) kanwa* Moore, 1858** (Argynnidae) Synonym(s): *kanwa* Moore, 1858 _ Range (in code): TH Rng Sat Tng Yal
- 1135. *Athyma (Tatisia) kanwa kanwa* Moore, 1858** (Argynnidae) Synonym(s): *kanwa* Moore, 1858 _ Range (in code): TH Rng Sat Tng Yal

- 1136. *Athyma (Tatisia) nefte* (Cramer,1779)** (Argynnidae) Synonym(s): *nefte* Cramer,1779
Range (in code): **IN Adm CN HK PH Bon Sga Stu Taw TH Rng Sat Tng Yal CMa Cuo Cu12 CDo Nst Ths Sya Nrt Cbi Chy Nna MY** Bionomy: Larva on *Glochidion calocarpum*, *G. eriocarpum*, *G. hirsutum*, *G. lanceolatum*, *G. puberum*, *G. velutinum*, *G. wrightii*, *G. zeylanicum* (Euphorbiaceae), *Mussaenda frondosa* (Rubiaceae) (Robinson et al.,2005).
- 1137. *Athyma (Tatisia) nefte asita* Moore,[1858]** (Argynnidae) Synonym(s): *asita* Moore,[1858] Range (in code): **TH CMa Cuo Cu12 CDo Nst Ths Sya Nrt Cbi Chy Nna**
- 1138. *Athyma (Tatisia) nefte nefte* (Cramer,1779)** (Argynnidae) Synonym(s): *nefte* Cramer,1779
- 1139. *Athyma (Tatisia) nefte subrata* Moore,1858** (Argynnidae) Synonym(s): *subrata* Moore,1858 Range (in code): **PH Bon Sga Stu Taw TH Rng Sat Tng Yal Nst Ths**
- 1140. *Athyma (Tatisia) opalina* (Kollar,[1844])** (Argynnidae) Synonym(s): *opalina* Kollar,[1844] Original Reference: *Limenitis opalina* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 427. Range (in code): **Ch Ass MM IN SI PK Haz Mre Kma TH CMa Chy Loe Cbi CN JP** Bionomy: Larva on *Berberis aristata*, *B. lycium*, *B. nepalensis* (Berberidaceae), *Mussaenda frondosa* (Rubiaceae) (Robinson et al.,2005).
- 1141. *Athyma (Tatisia) opalina opalina* (Kollar,[1844])** (Argynnidae) Synonym(s): *opalina* Kollar,[1844] Original Reference: *Limenitis opalina* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 427. Range (in code): **CN Ch Ass MM IN SI PK Mre Haz Kma**
- 1142. *Athyma (Tatisia) opalina shan* (Tytler,1940)** (Argynnidae) Synonym(s): *shan* Tytler,1940 Range (in code): **TH CMa Chy Loe Cbi**
- 1143. *Athyma (Tatisia) punctata* (Leech,1890)** (Argynnidae) Synonym(s): *punctata* Leech,1890 Range (in code): **TH CMa**
- 1144. *Athyma (Tatisia) punctata prasobsuki* Katayama,1989** (Argynnidae) Synonym(s): *prasobsuki* Katayama,1989 Range (in code): **TH CMa**
- 1145. *Athyma (Tatisia) punctata punctata* (Leech,1890)** (Argynnidae) Synonym(s): *punctata* Leech,1890
- 1146. *Athyma (Tatisia) reta* Moore,[1858]** (Argynnidae) Synonym(s): *reta* Moore,[1858] Range (in code): **PH Taw TH Tuo**
- 1147. *Athyma (Tatisia) reta moorei* (Fruhstorfer,1906)** (Argynnidae) Synonym(s): *moorei* Fruhstorfer,1906 Range (in code): **TH Tuo**
- 1148. *Athyma (Tatisia) reta suluana* Schröder & Treadaway,1991** (Argynnidae) Synonym(s): *suluana* Schröder & Treadaway,1991 Range (in code): **PH Taw**
- 1149. *Athyma (Tatisia) selenophora* (Kollar,[1844])** (Argynnidae) Synonym(s): *selenophora* Kollar,[1844] Original Reference: *Limenitis selenophora* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 426, Taf.7, figs.1,2. Type(s): Kaschmir. Range (in code): **AF Ch Hr IN CN HK TH CMa CDo Pbu Phi Cbu Chy Nna Cbi Rng Nst Ths Sya PH Pal TW JP** Bionomy: Larva on *Adina cordifolia*, *A. pilulifera*, *Mussaenda frondosa*, *M. parviflora*, *Pavetta indica*, *Randia armata*, *Wendlandia formosana* (Rubiaceae), *Glochidion rubrum* (Euphorbiaceae) (Robinson et al.,2005).
- 1150. *Athyma (Tatisia) selenophora amharina* (Moore,1898)** (Argynnidae) Synonym(s): *amharina* Moore,1898 Range (in code): **TH Rng Nst Ths Sya**
- 1151. *Athyma (Tatisia) selenophora bahula* Moore,[1858]** (Argynnidae) Synonym(s): *bahula* Moore,[1858] Range (in code): **TH CMa CDo Pbu Phi Cbu Chy Nna Cbi**
- 1152. *Athyma (Tatisia) selenophora selenophora* (Kollar,[1844])** (Argynnidae) Synonym(s): *selenophora* Kollar,[1844] Original Reference: *Limenitis selenophora* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 426, Taf.7, figs.1,2. Type(s): Kaschmir. Range (in code): **AF Ch Hr**
- 1153. *Athyma (Tatisia) selenophora shiraishii* Tsukada & Kaneko,1985** (Argynnidae) Synonym(s): *shiraishii* Tsukada & Kaneko,1985 Range (in code): **PH Pal**
- 1154. *Athyma (Tatisia) zeroa* Moore,1872** (Argynnidae) Synonym(s): *zeroa* Moore,1872 Range (in code): **TH Chy Nna Phi Nrt Kao Pbu**
- 1155. *Athyma (Tatisia) zeroa galaesus* (Fruhstorfer,1913)** (Argynnidae) Synonym(s): *galaesus* Fruhstorfer,1913 Range (in code): **TH Chy Nna Phi Nrt Kao Pbu**
- 1156. *Athyma (Tatisia) zeroa zeroa* Moore,1872** (Argynnidae) Synonym(s): *zeroa* Moore,1872
- 1157. *Athyma (s.str.) perius* (Linnaeus,1758)** (Argynnidae) Synonym(s): *perius* Linnaeus,1758 Original Reference: *Papilio perius* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. Type(s): India.

- Range (in code): **IN PH Cal TH CMa Cuo Cuo1 CDo Cbu Sbu Pkk Tng Nna Cbi Knc Sgk Nst Chw CN HK MY TW JP** Bionomy: Larva on Glochidion eriocarpum, G. lanceolarium, G. lanceolatum, G. puberum, G. rubrum, G. triandrum, G. velutinum, G. wrightii, G. zeylanicum, Phyllanthus (Euphorbiaceae) (Robinson et al.,2005).
- 1158. *Athyma (s.str.) perius perius* (Linnaeus,1758)** (Argynnidae) Synonym(s): *perius Linnaeus,1758* Original Reference: Papilio perius Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. Type(s): India. Range (in code): **IN PH Cal TH CMa Cuo Cuo1 CDo Cbu Sbu Pkk Tng Nna Cbi Knc Sgk Nst Chw CN HK MY TW JP** Bionomy: Larva on Glochidion eriocarpum, G. lanceolarium, G. lanceolatum, G. puberum, G. rubrum, G. triandrum, G. velutinum, G. wrightii, G. zeylanicum, Phyllanthus (Euphorbiaceae) (Robinson et al.,2005).
- 1159. *Athyma alcamene* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *alcamene C.Felder & R.Felder,1863* Range (in code): **PH Bas Boh Ley Mno Neg Pan Taw Mdo Luz Mas**
- 1160. *Athyma alcamene alcamene* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *alcamene C.Felder & R.Felder,1863* Original Reference: *Athyma alcamene* Felder & Felder,1863, Wien. ent. Monatschr. 7: 118. Type: Mindanao. Range (in code): **PH Bas Boh Ley Mno**
- 1161. *Athyma alcamene angelesi* Schröder & Treadaway,1992** (Argynnidae) Synonym(s): *angelesi Schröder & Treadaway,1992* Range (in code): **PH Taw**
- 1162. *Athyma alcamene baltazarae* Jumalon,1975** (Argynnidae) Synonym(s): *baltazarae Jumalon,1975* Range (in code): **PH Neg Pan**
- 1163. *Athyma alcamene generosior* Fruhstorfer,1906** (Argynnidae) Synonym(s): *generosior Fruhstorfer,1906* Range (in code): **PH Mdo**
- 1164. *Athyma alcamene jagori* Fruhstorfer,1906** (Argynnidae) Synonym(s): *jagori Fruhstorfer,1906* Range (in code): **PH Luz**
- 1165. *Athyma alcamene masbatensis* Schröder & Treadaway,1991** (Argynnidae) Synonym(s): *masbatensis Schröder & Treadaway,1991* Range (in code): **PH Mas**
- 1166. *Athyma arayata* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *arayata Felder & Felder,1863* Range (in code): **PH Luz**
- 1167. *Athyma fortuna* Leech,1889** (Argynnidae) Synonym(s): *fortuna Leech,1889* Range (in code): **TW CN** Bionomy: Larva on Viburnum formosanum (Caprifoliaceae) (Robinson et al.,2005).
- 1168. *Athyma godmani* Staudinger,1889** (Argynnidae) Synonym(s): *godmani Staudinger,1889* Range (in code): **PH Pal Bal**
- 1169. *Athyma godmani godmani* Staudinger,1889** (Argynnidae) Synonym(s): *godmani Staudinger,1889* Original Reference: *Athyma godmani* Staudinger,1889, Dt. ent. Z., Iris 2: 68. Syntypes: 30♂♀: [Philippinen]: Palawan. Range (in code): **PH Pal**
- 1170. *Athyma godmani reducta* Fruhstorfer,1906** (Argynnidae) Synonym(s): *reducta Fruhstorfer,1906* Range (in code): **PH Bal**
- 1171. *Athyma jina* (Moore,1857)** (Argynnidae) Synonym(s): *jina Moore,1857* Range (in code): **CN ?Ui NP SI IN BT MM**
- 1172. *Athyma kasa* Moore,1858** (Argynnidae) Synonym(s): *kasa Moore,1858* Range (in code): **PH Bab Luz Mar Pol Gui Mas Neg Pan Sib Siq Bas CmM Din Mno Mdo Ley Sam Ceb Cts Boh** Bionomy: Larva on Antidesma pleuricum, Glochidion (Euphorbiaceae) (Robinson et al.,2005).
- 1173. *Athyma kasa bignayana* Fruhstorfer,1906** (Argynnidae) Synonym(s): *bignayana Fruhstorfer,1906* Range (in code): **PH Gui Mas Neg Pan Sib Siq**
- 1174. *Athyma kasa epimethis* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *epimethis C.Felder & R.Felder,1863* Range (in code): **PH Mdo**
- 1175. *Athyma kasa gordia* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *gordia C.Felder & R.Felder,1863* Range (in code): **PH Bas CmM Din Mno**
- 1176. *Athyma kasa kasa* Moore,1858** (Argynnidae) Synonym(s): *kasa Moore,1858* Original Reference: *Athyma kasa* Moore,1858, Proc. zool. Soc. Lond. 1858: 19, Pl.51 fig. 6. Type: Philippine. Range (in code): **PH Bab Luz Mar Pol**
- 1177. *Athyma kasa leyteana* Murayama,1982** (Argynnidae) Synonym(s): *leyteana Murayama,1982* Range (in code): **PH Ley Sam**
- 1178. *Athyma kasa paragordia* Semper,1889** (Argynnidae) Synonym(s): *paragordia Semper,1889* Range (in code): **PH Boh**
- 1179. *Athyma kasa parakasa* Semper,1889** (Argynnidae) Synonym(s): *parakasa Semper,1889* Range (in code): **PH Ceb Cts**

- 1180. *Athyma maenas* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder,1863 _ Range (in code): PH Luz Bur Bas Boh Din Ley Mno Pao Sam
- 1181. *Athyma maenas maenas* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *maenas* C.Felder & R.Felder,1863 _ Range (in code): PH Luz Bur
- 1182. *Athyma maenas semperi* Moore,1896** (Argynnidae) Synonym(s): *semperi* Moore,1896
Range (in code): PH Bas Boh Din Ley Mno Pao Sam
- 1183. *Athyma mindanica* Murayama,1978** (Argynnidae) Synonym(s): *mindanica* Murayama,1978 _ Range (in code): PH Ley Mno Sam
- 1184. *Athyma obsoleta* Schröder & Treadaway,1979** (Argynnidae) Synonym(s): *obsoleta* Schröder & Treadaway,1979 _ Range (in code): PH Din Mno
- 1185. *Athyma recurva* Leech,1893** (Argynnidae) Synonym(s): *recurva* Leech,1893 _ Range (in code): CN Ti
- 1186. *Athyma recurva recurva* Leech,1893** (Argynnidae) Synonym(s): *recurva* Leech,1893
Range (in code): CN Ti
- 1187. *Athyma salvini* Fruhstorfer,1912** (Argynnidae) Synonym(s): *salvini* Fruhstorfer,1912
Range (in code): PH Pal
- 1188. *Athyma saskia* Schröder & Treadaway,1991** (Argynnidae) Synonym(s): *saskia* Schröder & Treadaway,1991 _ Range (in code): PH Luz
- 1189. *Athyma separata* Staudinger,1889** (Argynnidae) Synonym(s): *separata* Staudinger,1889
Range (in code): PH Cal Pal
- 1190. *Athyma separata gracilis* Schröder, Treadaway & Nuyda,1990** (Argynnidae)
Synonym(s): *gracilis* Schröder, Treadaway & Nuyda,1990 _ Range (in code): PH Cal
- 1191. *Athyma separata separata* Staudinger,1889** (Argynnidae) Synonym(s): *separata* Staudinger,1889
Original Reference: *Athyma separata* Staudinger,1889, Dt. ent. Z., Iris 2: 69-70.
Type ♂: [Philippinen]: Palawan. Range (in code): PH Pal
- 1192. *Athyma speciosa* Staudinger,1889** (Argynnidae) Synonym(s): *speciosa* Staudinger,1889
Range (in code): PH Cal Pal Bal
- 1193. *Athyma speciosa preciosa* Fruhstorfer,1912** (Argynnidae) Synonym(s): *preciosa* Fruhstorfer,1912 _ Range (in code): PH Bal
- 1194. *Athyma speciosa speciosa* Staudinger,1889** (Argynnidae) Synonym(s): *speciosa* Staudinger,1889
Original Reference: *Athyma speciosa* Staudinger,1889, Dt. ent. Z., Iris 2: 70-72.
Syntypes: ♂♀: [Philippinen]: Palawan. Range (in code): PH Cal Pal
- 1195. *Athyma venata* Staudinger,1889** (Argynnidae) Synonym(s): *venata* Staudinger,1889
Original Reference: *Athyma venata* Staudinger,1889, Dt. ent. Z., Iris 2: 68-69. Syntypes: ♂♀: [Philippinen]: Palawan. Range (in code): PH Bal Pal
- 1196. *Athymodes nycteis* (Ménétriés,1858)** (Argynnidae) Synonym(s): *nycteis* Ménétriés,1858; *cassiope* Ménétriés,1858
Original Reference: *Atyma* [sic] *nycteis* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215. Syntypes: Russia: Amur. Range (in code): RU Vv Am
- 1197. *Athymodes nycteis nycteis* (Ménétriés,1858)** (Argynnidae) Synonym(s): *nycteis* Ménétriés,1858; *cassiope* Ménétriés,1858
Original Reference: *Atyma* [sic] *nycteis* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 215. Syntypes: Russia: Amur. Range (in code): RU Vv Am
- 1198. *Auzakia danava* (Moore,1857)** (Argynnidae) Synonym(s): *danava* Moore,1857
Original Reference: *Limenitis danava* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 180, t.6a fig.2. Range (in code): CN Ti TH CMa
- 1199. *Auzakia danava danava* (Moore,1857)** (Argynnidae) Synonym(s): *danava* Moore,1857
Original Reference: *Limenitis danava* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 180, t.6a fig.2. Range (in code): CN Ti TH CMa
- 1200. *Bebearia abesa* (Hewitson,1869)** (Argynnidae) Synonym(s): *abesa* Hewitson,1869; *cercestis* Ward,1871 _ Range (in code): LR CM ZR UG
- 1201. *Bebearia abesa abesa* (Hewitson,1869)** (Argynnidae) Synonym(s): *abesa* Hewitson,1869; *cercestis* Ward,1871 _ Range (in code): LR CM ZR UG
- 1202. *Bebearia abesa pandera* Hecq,1988** (Argynnidae) Synonym(s): *pandera* Hecq,1988
Range (in code): ZR
- 1203. *Bebearia absolon* (Fabricius,1793)** (Argynnidae) Synonym(s): *absolon* Fabricius,1793; *candida* Capronnier,1889 _ Range (in code): LR UG GA CI CM ZR

- 1204. *Bebearia absolon absolon* (Fabricius,1793)** (Argynnidae) Synonym(s): *absolon* Fabricius,1793; *candida* Capronnier,1889 _ Range (in code): LR UG GA CI CM ZR
- 1205. *Bebearia absolon entebbiae* (Lathy,1906)** (Argynnidae) Synonym(s): *entebbiae* Lathy,1906 _ Range (in code): UG
- 1206. *Bebearia allardi* Hecq,1989** (Argynnidae) Synonym(s): *allardi* Hecq,1989 _ Range (in code): ZR
- 1207. *Bebearia amieti* Hecq,1994** (Argynnidae) Synonym(s): *amieti* Hecq,1994 _ Range (in code): NG ZR
- 1208. *Bebearia arcadius* (Fabricius,1793)** (Argynnidae) Synonym(s): *arcadius* Fabricius,1793; *siva* Godart,[1824] _ Range (in code): SL GH
- 1209. *Bebearia ashantina* (Dudgeon,1913)** (Argynnidae) Synonym(s): *ashantina* Dudgeon,1913 _ Range (in code): GH CI
- 1210. *Bebearia ashantina ashantina* (Dudgeon,1913)** (Argynnidae) Synonym(s): *ashantina* Dudgeon,1913 _ Range (in code): GH CI
- 1211. *Bebearia ashantina equatorialis* Hecq,1989** (Argynnidae) Synonym(s): *equatorialis* Hecq,1989 _ Range (in code): ZR
- 1212. *Bebearia aurora* (Aurivillius,1896)** (Argynnidae) Synonym(s): *aurora* Aurivillius,1896 _ Range (in code): UG CF ZR
- 1213. *Bebearia aurora aurora* (Aurivillius,1896)** (Argynnidae) Synonym(s): *aurora* Aurivillius,1896 _ Range (in code): ZR
- 1214. *Bebearia aurora kayonza* (Jackson,1956)** (Argynnidae) Synonym(s): *kayonza* Jackson,1956 _ Range (in code): UG
- 1215. *Bebearia aurora theia* Hecq,1989** (Argynnidae) Synonym(s): *theia* Hecq,1989 _ Range (in code): ZR
- 1216. *Bebearia aurora wilverthi* (Aurivillius,1898)** (Argynnidae) Synonym(s): *wilverthi* Aurivillius,1898 _ Range (in code): CF
- 1217. *Bebearia badiana* (Rebel,1914)** (Argynnidae) Synonym(s): *badiana* Rebel,1914; *#inornata* Rebel,1914 _ Range (in code): ZR UG KE
- 1218. *Bebearia badiana badiana* (Rebel,1914)** (Argynnidae) Synonym(s): *badiana* Rebel,1914; *#inornata* Rebel,1914 _ Range (in code): ZR UG KE
- 1219. *Bebearia badiana dealbata* (Carcasson,1958)** (Argynnidae) Synonym(s): *dealbata* Carcasson,1958 _ Range (in code): KE
- 1220. *Bebearia badiana taveta* Clifton,1980** (Argynnidae) Synonym(s): *taveta* Clifton,1980 _ Range (in code): KE
- 1221. *Bebearia banksi* Hecq & Larsen,1998** (Argynnidae) Synonym(s): *banksi* Hecq & Larsen,1998 _ Range (in code): GH Kuk
- 1222. *Bebearia barce* (Doubleday,1847)** (Argynnidae) Synonym(s): *barce* Doubleday,1847; *lesbonax* Hewitson,1864; *#achillaena* Bartel,1905 _ Range (in code): TG GN NE SL NG ZR UG CM CG
- 1223. *Bebearia barce barce* (Doubleday,1847)** (Argynnidae) Synonym(s): *barce* Doubleday,1847; *lesbonax* Hewitson,1864; *#achillaena* Bartel,1905 _ Range (in code): TG GN NE
- 1224. *Bebearia barce maculata* (Aurivillius,1912)** (Argynnidae) Synonym(s): *maculata* Aurivillius,1912 _ Range (in code): SL NG ZR UG CM CG
- 1225. *Bebearia barombina* (Staudinger,1896)** (Argynnidae) Synonym(s): *barombina* Staudinger,1896; *descarpentriesi* Fox,1968 _ Range (in code): NG CM ZR
- 1226. *Bebearia baueri* Hecq,2000** (Argynnidae) Synonym(s): *baueri* Hecq,2000 _ Range (in code): GA CM CG
- 1227. *Bebearia bioculata* Hecq,1998** (Argynnidae) Synonym(s): *bioculata* Hecq,1998 _ Range (in code): CM
- 1228. *Bebearia braytoni* (Sharpe,1907)** (Argynnidae) Synonym(s): *braytoni* Sharpe,1907 _ Range (in code): CF ZR
- 1229. *Bebearia brunhilda* (Kirby,1889)** (Argynnidae) Synonym(s): *brunhilda* Kirby,1889 _ Range (in code): CM ZR UG
- 1230. *Bebearia brunhilda brunhilda* (Kirby,1889)** (Argynnidae) Synonym(s): *brunhilda* Kirby,1889 _ Range (in code): CM ZR
- 1231. *Bebearia brunhilda iturina* (Karsch,1894)** (Argynnidae) Synonym(s): *iturina* Karsch,1894 _ Range (in code): ZR UG

- 1232. *Bebearia brunhilda sankuruensis* Hecq,1989** (Argynnidae) Synonym(s): *sankuruensis* Hecq,1989 _ Range (in code): ZR
- 1233. *Bebearia carshena* (Hewitson,1871)** (Argynnidae) Synonym(s): *carshena* Hewitson,1871
Range (in code): LR CM ZR UG _ Bionomy: Larva on Marantochloa (Maranthaceae) (Ackery et al.,1995).
- 1234. *Bebearia castanea* (Holland,1893)** (Argynnidae) Synonym(s): *castanea* Holland,1893
Range (in code): GA Ogo
- 1235. *Bebearia chilonis* (Hewitson,1874)** (Argynnidae) Synonym(s): *chilonis* Hewitson,1874;
#albicosta Schultze,1920 _ Range (in code): CM ZR GA
- 1236. *Bebearia chloeropsis* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *chloeropsis* Bethune-Baker,1908 _ Range (in code): ZR UG CF CG
- 1237. *Bebearia chriemhilda* (Staudinger,1896)** (Argynnidae) Synonym(s): *chriemhilda* Staudinger,1896 _ Range (in code): TZ Tnga Usa Ani KE _ Bionomy: Larva on Hyphaene (Arecaceae) (Ackery et al.,1995).
- 1238. *Bebearia cinaethon* (Hewitson,1874)** (Argynnidae) Synonym(s): *cinaethon* Hewitson,1874
Range (in code): GA GO CG ZR
- 1239. *Bebearia cinaethon cinaethon* (Hewitson,1874)** (Argynnidae) Synonym(s): *cinaethon* Hewitson,1874 _ Range (in code): GA GO CG ZR
- 1240. *Bebearia cinaethon ikelemboides* Hecq,1989** (Argynnidae) Synonym(s): *ikelemboides* Hecq,1989 _ Range (in code): ZR
- 1241. *Bebearia cocalioides* Hecq,1990** (Argynnidae) Synonym(s): *cocalioides* Hecq,1990
Range (in code): ZR CM
- 1242. *Bebearia cocalioides hecqi* Holmes,2001** (Argynnidae) Synonym(s): *hecqi* Holmes,2001
- 1243. *Bebearia comus* (Ward,1871)** (Argynnidae) Synonym(s): *comus* Ward,1871 _ Range (in code): NG GO ZR CM
- 1244. *Bebearia comus comus* (Ward,1871)** (Argynnidae) Synonym(s): *comus* Ward,1871
Range (in code): NG GO ZR CM
- 1245. *Bebearia comus retracta* Hecq,1989** (Argynnidae) Synonym(s): *retracta* Hecq,1989
Range (in code): ZR
- 1246. *Bebearia congolensis* (Capronnier,1889)** (Argynnidae) Synonym(s): *congolensis* Capronnier,1889; *laetitioides* Joicey & Talbot,1921 _ Range (in code): ZR UG NR CI
- 1247. *Bebearia congolensis congolensis* (Capronnier,1889)** (Argynnidae) Synonym(s): *congolensis* Capronnier,1889; *laetitioides* Joicey & Talbot,1921 _ Range (in code): ZR UG
- 1248. *Bebearia congolensis occitana* Hecq,1989** (Argynnidae) Synonym(s): *occitana* Hecq,1989 _ Range (in code): NG
- 1249. *Bebearia congolensis periginea* Hecq,1989** (Argynnidae) Synonym(s): *periginea* Hecq,1989 _ Range (in code): CI
- 1250. *Bebearia cottoni* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *cottoni* Bethune-Baker,1908; *lucasi* Holland,1920 _ Range (in code): ZR
- 1251. *Bebearia cutteri* (Hewitson,1865)** (Argynnidae) Synonym(s): *cutteri* Hewitson,1865
Range (in code): LR ZR NG Caa CM CG
- 1252. *Bebearia cutteri camiadei* Hecq,2002** (Argynnidae) Synonym(s): *camiadei* Hecq,2002
Range (in code): CG
- 1253. *Bebearia cutteri cognata* (Grünberg,1910)** (Argynnidae) Synonym(s): *cognata* Grünberg,1910; *fasciata* Aurivillius,1912 _ Range (in code): CM
- 1254. *Bebearia cutteri cutteri* (Hewitson,1865)** (Argynnidae) Synonym(s): *cutteri* Hewitson,1865 _ Range (in code): NG Caa
- 1255. *Bebearia cutteri cuypersi* Hecq,2002** (Argynnidae) Synonym(s): *cuypersi* Hecq,2002
Range (in code): CG
- 1256. *Bebearia cutteri harleyi* (Fox,1968)** (Argynnidae) Synonym(s): *harleyi* Fox,1968
Range (in code): LR
- 1257. *Bebearia dallastai* Hecq,1994** (Argynnidae) Synonym(s): *dallastai* Hecq,1994 _ Range (in code): CI
- 1258. *Bebearia defluera* Hecq,1998** (Argynnidae) Synonym(s): *defluera* Hecq,1998 _ Range (in code): CM ZR
- 1259. *Bebearia demetra* (Godart,[1824])** (Argynnidae) Synonym(s): *demetra* Godart,[1824]; *soemis* Hewitson,1864; *leonina* Staudinger,1891 _ Range (in code): GH SL CI CM NG

- 1260. *Bebearia demetra demetra* (Godart,[1824])** (Argynnidae) Synonym(s): *demetra* Godart,[1824]; *soemis* Hewitson,1864; *leonina* Staudinger,1891 - Range (in code): GH SL CI
- 1261. *Bebearia demetra obsolescens* (Talbot,1928)** (Argynnidae) Synonym(s): *obsolescens* Talbot,1928 - Range (in code): CM NG
- 1262. *Bebearia denticula* Hecq,2000** (Argynnidae) Synonym(s): *denticula* Hecq,2000 - Range (in code): NG
- 1263. *Bebearia discors* Hecq,1994** (Argynnidae) Synonym(s): *discors* Hecq,1994 - Range (in code): ZR CM
- 1264. *Bebearia dowsetti* Hecq,1990** (Argynnidae) Synonym(s): *dowsetti* Hecq,1990 - Range (in code): RW
- 1265. *Bebearia ducalis* (Grünberg,1911)** (Argynnidae) Synonym(s): *ducalis* Grünberg,1911 - Range (in code): ZR
- 1266. *Bebearia ducarmei* Hecq,1987** (Argynnidae) Synonym(s): *ducarmei* Hecq,1987 - Range (in code): CM ZR
- 1267. *Bebearia eliensis* (Hewitson,1866)** (Argynnidae) Synonym(s): *eliensis* Hewitson,1866; *#scintillans* Schultze,1920 - Range (in code): CM NG GA CG CF ZR
- 1268. *Bebearia elpinice* (Hewitson,1869)** (Argynnidae) Synonym(s): *elpinice* Hewitson,1869; *goodi* Holland,1920 - Range (in code): GA Ogo NG CM ZR
- 1269. *Bebearia eremita* Hecq,2006** (Argynnidae) Synonym(s): *eremita* Hecq,2006
- 1270. *Bebearia faraveli* Oremans,1998** (Argynnidae) Synonym(s): *faraveli* Oremans,1998 - Range (in code): GA
- 1271. *Bebearia flaminia* (Staudinger,1891)** (Argynnidae) Synonym(s): *flaminia* Staudinger,1891 - Range (in code): CM GO NG ZR
- 1272. *Bebearia flaminia leventisi* Hecq & Larsen,1997** (Argynnidae) Synonym(s): *leventisi* Hecq & Larsen,1997
- 1273. *Bebearia fontaineana* Hecq,1987** (Argynnidae) Synonym(s): *fontaineana* Hecq,1987 - Range (in code): ZR
- 1274. *Bebearia fontaineana fontaineana* Hecq,1987** (Argynnidae) Synonym(s): *fontaineana* Hecq,1987 - Range (in code): ZR
- 1275. *Bebearia fontainei* Berger,1981** (Argynnidae) Synonym(s): *fontainei* Berger,1981 - Range (in code): ZR
- 1276. *Bebearia fontaineana intersecta* Hecq,1990** (Argynnidae) Synonym(s): *intersecta* Hecq,1990 - Range (in code): CM
- 1277. *Bebearia fulgurata* (Aurivillius,1904)** (Argynnidae) Synonym(s): *fulgurata* Aurivillius,1904; *brunnescens* Joicey & Talbot,1921 - Range (in code): ZR
- 1278. *Bebearia guineensis* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *guineensis* C.Felder & R.Felder,[1867]; *#paludicola* Schultze,1920 - Range (in code): GN CM GH NG GA CG ZR AO
- 1279. *Bebearia hargreavesi* D'Abrera,1980** (Argynnidae) Synonym(s): *hargreavesi* D'Abrera,1980 - Range (in code): ZR
- 1280. *Bebearia hassoni* Hecq,1998** (Argynnidae) Synonym(s): *hassoni* Hecq,1998 - Range (in code): AO
- 1281. *Bebearia ikelemba* (Aurivillius,1901)** (Argynnidae) Synonym(s): *ikelemba* Aurivillius,1901 - Range (in code): ZR
- 1282. *Bebearia ikelemba ikelemba* (Aurivillius,1901)** (Argynnidae) Synonym(s): *ikelemba* Aurivillius,1901 - Range (in code): ZR
- 1283. *Bebearia ikelemba kamituga* Berger,1981** (Argynnidae) Synonym(s): *kamituga* Berger,1981 - Range (in code): ZR
- 1284. *Bebearia improvisa* Hecq,2000** (Argynnidae) Synonym(s): *improvisa* Hecq,2000 - Range (in code): ZR
- 1285. *Bebearia inepta* Hecq,2001** (Argynnidae) Synonym(s): *inepta* Hecq,2001
- 1286. *Bebearia innocua* (Grose-Smith & Kirby,1889)** (Argynnidae) Synonym(s): *innocua* Grose-Smith & Kirby,1889 - Range (in code): NG CM
- 1287. *Bebearia intermedia* (Bartel,1905)** (Argynnidae) Synonym(s): *intermedia* Bartel,1905 - Range (in code): CM
- 1288. *Bebearia jolyana* Hecq,1989** (Argynnidae) Synonym(s): *jolyana* Hecq,1989 - Range (in code): CM

- 1289. *Bebearia junio* Hecq,1990** (Argynnidae) Synonym(s): *juno* Hecq,1990 _ Range (in code): ZR CM
- 1290. *Bebearia kiellandi* Hecq,1993** (Argynnidae) Synonym(s): *kiellandi* Hecq,1993 _ Range (in code): TZ
- 1291. *Bebearia laetitia* (Plötz,1880)** (Argynnidae) Synonym(s): *eliensis* Hewitson,1866 *nec* Hew.,1866; *laetitia* Plötz,1880; *tia* Suffert,1904 _ Range (in code): GA GH CI CM ZR UG
- 1292. *Bebearia laetitia laetitia* (Plötz,1880)** (Argynnidae) Synonym(s): *eliensis* Hewitson,1866 *nec* Hew.,1866; *laetitia* Plötz,1880; *tia* Suffert,1904 _ Range (in code): GA GH CI CM ZR UG
- 1293. *Bebearia laetitia vesta* Hecq,1989** (Argynnidae) Synonym(s): *vesta* Hecq,1989 _ Range (in code): ZR
- 1294. *Bebearia liberti* Hecq,1998** (Argynnidae) Synonym(s): *liberti* Hecq,1998 _ Range (in code): CM
- 1295. *Bebearia luteola* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *luteola* Bethune-Baker,1908 _ Range (in code): ZR
- 1296. *Bebearia makala* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *makala* Bethune-Baker,1908 _ Range (in code): ZR CF CM
- 1297. *Bebearia makala bosmansii* Hecq,1989** (Argynnidae) Synonym(s): *bosmansii* Hecq,1989 Range (in code): CM
- 1298. *Bebearia makala makala* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *makala* Bethune-Baker,1908 _ Range (in code): ZR CF
- 1299. *Bebearia maledicta* (Strand,1912)** (Argynnidae) Synonym(s): *maledicta* Strand,1912; *condamini* Fox,1968 _ Range (in code): CI
- 1300. *Bebearia mandinga* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *mandinga* C.Felder & R.Felder,1860 _ Range (in code): GN SL CM ZR UG Bionomy: Larva on Hypselodelphys (Marantaceae) (Ackery et al.,1995).
- 1301. *Bebearia mandinga beni* Hecq,1990** (Argynnidae) Synonym(s): *beni* Hecq,1990 Range (in code): ZR
- 1302. *Bebearia mandinga mandinga* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *mandinga* C.Felder & R.Felder,1860 _ Range (in code): GN SL CM ZR UG
- 1303. *Bebearia mardania* (Fabricius,1793)** (Argynnidae) Synonym(s): *mardania* Fabricius,1793; *cocalia* Fabricius,1793 _ Range (in code): SL CI LR GH CM CG ZR CF
- 1304. *Bebearia mardania cocalioides* Hecq,1988** (Argynnidae) Synonym(s): *cocalioides* Hecq,1988 _ Range (in code): CM CG ZR CF
- 1305. *Bebearia mardania mardania* (Fabricius,1793)** (Argynnidae) Synonym(s): *mardania* Fabricius,1793; *cocalia* Fabricius,1793 _ Range (in code): SL CI LR GH
- 1306. *Bebearia maximiana* (Staudinger,1891)** (Argynnidae) Synonym(s): *maximiana* Staudinger,1891; *#eos Röber*,1936 _ Range (in code): NG CM ZR
- 1307. *Bebearia maximiana maximiana* (Staudinger,1891)** (Argynnidae) Synonym(s): *maximiana* Staudinger,1891; *#eos Röber*,1936 _ Range (in code): CM ZR
- 1308. *Bebearia maximiana vinula* Hecq,1987** (Argynnidae) Synonym(s): *vinula* Hecq,1987 Range (in code): NG
- 1309. *Bebearia micans* (Aurivillius,1898)** (Argynnidae) Synonym(s): *micans* Aurivillius,1898 Range (in code): ZR CM
- 1310. *Bebearia nivaria* (Ward,1871)** (Argynnidae) Synonym(s): *nivaria* Ward,1871; *suffumigata* Holland,1893 _ Range (in code): GA CM CG
- 1311. *Bebearia nivaria nivaria* (Ward,1871)** (Argynnidae) Synonym(s): *nivaria* Ward,1871; *suffumigata* Holland,1893 _ Range (in code): GA CM CG
- 1312. *Bebearia nivaria tenuimacula* Berger,1981** (Argynnidae) Synonym(s): *tenuimacula* Berger,1981 _ Range (in code): ZR
- 1313. *Bebearia octogramma* (Grose-Smith & Kirby,1889)** (Argynnidae) Synonym(s): *octogramma* Grose-Smith & Kirby,1889 _ Range (in code): CM NG GA ZR
- 1314. *Bebearia octogramma aputida* Hecq,1989** (Argynnidae) Synonym(s): *aputida* Hecq,1989 _ Range (in code): CM
- 1315. *Bebearia octogramma octogramma* (Grose-Smith & Kirby,1889)** (Argynnidae) Synonym(s): *octogramma* Grose-Smith & Kirby,1889 _ Range (in code): CM NG GA ZR
- 1316. *Bebearia omo* Collins & Larsen,2005** (Argynnidae) Synonym(s): *omo* Collins & Larsen,2005

- 1317. *Bebearia oremansi* Hecq,1994** (Argynnidae) Synonym(s): *oremansi* Hecq,1994 _ Range (in code): GA GO
- 1318. *Bebearia orientis* (Karsch,1895)** (Argynnidae) Synonym(s): *orientis* Karsch,1895; *pseudocalia* Staudinger,1896 _ Range (in code): TZ Pb Dss Tnga Usa Ani SO KE MZ MW ZM ZW
- 1319. *Bebearia orientis* Karsch,1895** (Argynnidae) Synonym(s): *orientis* Karsch,1895
- 1320. *Bebearia orientis dealbata* (Carcasson,1958)** (Argynnidae) Synonym(s): *dealbata* Carcasson,1958 _ Range (in code): KE
- 1321. *Bebearia orientis insularis* Kielland,1985** (Argynnidae) Synonym(s): *insularis* Kielland,1985 _ Range (in code): TZ Pb
- 1322. *Bebearia orientis malawiensis* Holmes,2001** (Argynnidae) Synonym(s): *malawiensis* Holmes,2001 _ Range (in code): MW
- 1323. *Bebearia orientis orientis* (Karsch,1895)** (Argynnidae) Synonym(s): *orientis* Karsch,1895; *pseudocalia* Staudinger,1896 _ Range (in code): TZ Dss Tnga Usa Ani SO KE MZ MW ZM ZW
- 1324. *Bebearia orientis taveta* Clifton,1980** (Argynnidae) Synonym(s): *taveta* Clifton,1980 _ Range (in code): KE TZ
- 1325. *Bebearia oxione* (Hewitson,1866)** (Argynnidae) Synonym(s): *oxione* Hewitson,1866 _ Range (in code): NG Caa CM AO UG
- 1326. *Bebearia oxione oxione* (Hewitson,1866)** (Argynnidae) Synonym(s): *oxione* Hewitson,1866 _ Range (in code): NG Caa
- 1327. *Bebearia oxione squalida* (Talbot,1928)** (Argynnidae) Synonym(s): *squalida* Talbot,1928 _ Range (in code): CM AO UG
- 1328. *Bebearia paludicola* Holmes,2001** (Argynnidae) Synonym(s): *#paludicola* Schultze,1920; *paludicola* Holmes,2001
- 1329. *Bebearia paludicola blandi* Holmes,2001** (Argynnidae) Synonym(s): *blandi* Holmes,2001
- 1330. *Bebearia partita* (Aurivillius,1895)** (Argynnidae) Synonym(s): *partita* Aurivillius,1895; *aurivillii* Staudinger,1896 _ Range (in code): CM NG ZR
- 1331. *Bebearia peetersi* Hecq,1994** (Argynnidae) Synonym(s): *peetersi* Hecq,1994 _ Range (in code): CM
- 1332. *Bebearia periginea* Hecq,1990** (Argynnidae) Synonym(s): *periginea* Hecq,1990 _ Range (in code): CI
- 1333. *Bebearia phantasia* (Hewitson,1865)** (Argynnidae) Synonym(s): *phantasia* Hewitson,1865 _ Range (in code): CM ZR NG Caa
- 1334. *Bebearia phantasia concolor* Hecq,1988** (Argynnidae) Synonym(s): *concolor* Hecq,1988 _ Range (in code): CM ZR
- 1335. *Bebearia phantasia leptotypa* (Bethune-Baker,1908)** (Argynnidae) Synonym(s): *leptotypa* Bethune-Baker,1908; *paraceres* D'Abrera,1980 _ Range (in code): ZR
- 1336. *Bebearia phantasia phantasia* (Hewitson,1865)** (Argynnidae) Synonym(s): *phantasia* Hewitson,1865 _ Range (in code): NG Caa
- 1337. *Bebearia phantasiella* (Staudinger,1891)** (Argynnidae) Synonym(s): *phantasiella* Staudinger,1891 _ Range (in code): SN SL NG CM ZR UG
- 1338. *Bebearia phantasiella phantasiella* (Staudinger,1891)** (Argynnidae) Synonym(s): *phantasiella* Staudinger,1891 _ Range (in code): CM ZR
- 1339. *Bebearia phantasiella phantasina* (Staudinger,1891)** (Argynnidae) Synonym(s): *phantasina* Staudinger,1891 _ Range (in code): SN SL NG
- 1340. *Bebearia phantasiella simulata* (Van Someren,1939)** (Argynnidae) Synonym(s): *simulata* Van Someren,1939 _ Range (in code): UG
- 1341. *Bebearia phranza* (Hewitson,1865)** (Argynnidae) Synonym(s): *phranza* Hewitson,1865 _ Range (in code): CG CM NG Caa ZR CG CF
- 1342. *Bebearia phranza fuscara* Hecq,1989** (Argynnidae) Synonym(s): *fuscara* Hecq,1989 _ Range (in code): CF CG ZR
- 1343. *Bebearia phranza moreelsi* D'Abrera,1980** (Argynnidae) Synonym(s): *#moreelsi* Aurivillius,1901; *moreelsi* D'Abrera,1980 _ Range (in code): ZR
- 1344. *Bebearia phranza phranza* (Hewitson,1865)** (Argynnidae) Synonym(s): *phranza* Hewitson,1865 _ Range (in code): CG CM NG Caa
- 1345. *Bebearia phranza robiginosus* (Talbot,1927)** (Argynnidae) Synonym(s): *robiginosus* Talbot,1927 _ Range (in code): ZR

- 1346. *Bebearia picturata* Hecq,1989** (Argynnidae) Synonym(s): *picturata* Hecq,1989 _ Range (in code): ZR
- 1347. *Bebearia plistonax* (Hewitson,1847)** (Argynnidae) Synonym(s): *plistonax* Hewitson,1847; *flavitaenia* Gaede,1916 _ Range (in code): CM AO NG ZR UG
- 1348. *Bebearia pulchella* Hecq,2006** (Argynnidae) Synonym(s): *pulchella* Hecq,2006
- 1349. *Bebearia raeveli* Hecq,1989** (Argynnidae) Synonym(s): *raeveli* Hecq,1989 _ Range (in code): CF CM
- 1350. *Bebearia romboutsii* Hecq,2001** (Argynnidae) Synonym(s): *romboutsii* Hecq,2001
- 1351. *Bebearia schoutedeni* (Overlaet,1954)** (Argynnidae) Synonym(s): *schoutedeni* Overlaet,1954 _ Range (in code): ZR
- 1352. *Bebearia scrutata* Hecq,1989** (Argynnidae) Synonym(s): *scrutata* Hecq,1989 _ Range (in code): CM NG Caa
- 1353. *Bebearia senegalensis* (Herrich-Schäffer,[1858])** (Argynnidae) Synonym(s): *senegalensis* Herrich-Schäffer,[1858] _ Range (in code): SN SL GN LR CI GH GW UG GO ZR NG TZ ZM
- 1354. *Bebearia senegalensis katera* (Van Someren,1939)** (Argynnidae) Synonym(s): *#insularis* Schultze,1920; *katera* Van Someren,1939; *continentalis* Hecq,1988 _ Range (in code): UG GO ZR GH NG TZ ZM
- 1355. *Bebearia senegalensis senegalensis* (Herrich-Schäffer,[1858])** (Argynnidae) Synonym(s): *senegalensis* Herrich-Schäffer,[1858] _ Range (in code): SN SL GN LR CI GH GW
- 1356. *Bebearia severini* (Aurivillius,1897)** (Argynnidae) Synonym(s): *severini* Aurivillius,1897 _ Range (in code): NG ZR
- 1357. *Bebearia sophus* (Fabricius,1793)** (Argynnidae) Synonym(s): *sophus* Fabricius,1793 _ Range (in code): GW SN TZ UG KE NR ZR RW
- 1358. *Bebearia sophus aruunda* (Overlaet,1955)** (Argynnidae) Synonym(s): *aruunda* Overlaet,1955 _ Range (in code): ZR
- 1359. *Bebearia sophus audeoudi* (N.D.Riley,1936)** (Argynnidae) Synonym(s): *audeoudi* N.D.Riley,1936 _ Range (in code): UG KE
- 1360. *Bebearia sophus monforti* Hecq,1990** (Argynnidae) Synonym(s): *monforti* Hecq,1990 _ Range (in code): RW
- 1361. *Bebearia sophus ochreata* (Carcasson,1961)** (Argynnidae) Synonym(s): *ochreata* Carcasson,1961 _ Range (in code): TZ
- 1362. *Bebearia sophus phreone* (Feisthamel,1850)** (Argynnidae) Synonym(s): *phreone* Feisthamel,1850 _ Range (in code): GW SN
- 1363. *Bebearia sophus sophus* (Fabricius,1793)** (Argynnidae) Synonym(s): *sophus* Fabricius,1793 _ Range (in code): SL NG
- 1364. *Bebearia staudingeri* (Aurivillius,1893)** (Argynnidae) Synonym(s): *staudingeri* Aurivillius,1893 _ Range (in code): CM GA ZR
- 1365. *Bebearia subtentyris* (Strand,1912)** (Argynnidae) Synonym(s): *subtentyris* Strand,1912 _ Range (in code): ZR CM UG
- 1366. *Bebearia subtentyris lucayensis* (Schultze,1920)** (Argynnidae) Synonym(s): *lucayensis* Schultze,1920 _ Range (in code): GH CG ZR
- 1367. *Bebearia subtentyris phoebeensis* Hecq,1996** (Argynnidae) Synonym(s): *phoebeensis* Hecq,1996
- 1368. *Bebearia tentyris* (Hewitson,1866)** (Argynnidae) Synonym(s): *tentyris* Hewitson,1866; *calabarensis* C.Felder & R.Felder,[1867] _ Range (in code): LR SL BJ NG Caa AO ZR CG CM UG
- 1369. *Bebearia tentyris languida* (Schultze,1920)** (Argynnidae) Synonym(s): *languida* Schultze,1920 _ Range (in code): AO ZR CG
- 1370. *Bebearia tentyris seeldrayersi* (Aurivillius,1898)** (Argynnidae) Synonym(s): *seeldrayersi* Aurivillius,1898 _ Range (in code): CG ZR
- 1371. *Bebearia tentyris tentyris* (Hewitson,1866)** (Argynnidae) Synonym(s): *tentyris* Hewitson,1866; *calabarensis* C.Felder & R.Felder,[1867] _ Range (in code): NG Caa
- 1372. *Bebearia tentyris winifredae* (Fox,1965)** (Argynnidae) Synonym(s): *#osyris* Schultze,1920; *winifredae* Fox,1965 _ Range (in code): LR SL BJ
- 1373. *Bebearia tessmanni* (Grünberg,1910)** (Argynnidae) Synonym(s): *tessmanni* Grünberg,1910 _ Range (in code): NG GO CF GA CG ZR CM
- 1374. *Bebearia tessmanni innocuoides* Hecq,2000** (Argynnidae) Synonym(s): *innocuoides* Hecq,2000 _ Range (in code): NG

- 1375. *Bebearia tessmanni kwiluensis* Hecq,1989** (Argynnidae) **Synonym(s):** *kwiluensis* Hecq,1989 **Range (in code):** **CG ZR**
- 1376. *Bebearia tessmanni tessmanni* (Grünberg,1910)** (Argynnidae) **Synonym(s):** *tessmanni* Grünberg,1910 **Range (in code):** **NG GO CF GA**
- 1377. *Bebearia theogonis* (Hewitson,1864)** (Argynnidae) **Synonym(s):** *theogonis* Hewitson,1864 **Range (in code):** **GH TG NG**
- 1378. *Bebearia tini* Oremans,1998** (Argynnidae) **Synonym(s):** *tini* Oremans,1998 **Range (in code):** **GA**
- 1379. *Bebearia unita* (Capronnier,1889)** (Argynnidae) **Synonym(s):** *unita* Capronnier,1889 **Range (in code):** **ZR**
- 1380. *Bebearia vandeweghei* Hecq,2005** (Argynnidae) **Synonym(s):** *vandeweghei* Hecq,2005
- 1381. *Bebearia warrengashi* Hecq,2000** (Argynnidae) **Synonym(s):** *warrengashi* Hecq,2000
- 1382. *Bebearia zonara* (Butler,1871)** (Argynnidae) **Synonym(s):** *zonara* Butler,1871 **Range (in code):** **GH SL CM ZR UG**
- 1383. *Bhagadatta austenia* (Moore,1872)** (Argynnidae) **Synonym(s):** *austenia* Moore,1872 **Original Reference:** *Lebadea austenia* Moore,1872, Proc. zool. Soc. London 1872: 560, pl.32 fig.1. **Range (in code):** **TH CMa**
- 1384. *Biblis hyperia* (Cramer,[1779])** (Argynnidae) **Synonym(s):** *biblis* Fabricius,1775 *nec* Dru.,1773; *hyperia* Cramer,[1779]; *thadana* Godart,[1819] **Range (in code):** **US MX Tx**
- 1385. *Bimbisara sankara* (Kollar,[1844])** (Argynnidae) **Synonym(s):** *sankara* Kollar,[1844] **Original Reference:** *Limenitis sankara* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 428. Type(s): India: Masuri. **Range (in code):** **Ch IN Mus**
- 1386. *Bimbisara sankara sankara* (Kollar,[1844])** (Argynnidae) **Synonym(s):** *sankara* Kollar,[1844] **Original Reference:** *Limenitis sankara* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 428. Type(s): India: Masuri. **Range (in code):** **Ch IN Mus**
- 1387. *Boloria (Clossiana) acrocneuma* Gall & Sperling,1980** (Argynnidae) **Synonym(s):** *acrocneuma* Gall & Sperling,1980 **Range (in code):** **US Col**
- 1388. *Boloria (Clossiana) alberta* (Edwards,1890)** (Argynnidae) **Synonym(s):** *alberta* Edwards,1890 **Original Reference:** *Argynnis alberta* Edwards,1890, Can. Ent. 22: 113-114. Lectotype ♂: Laggan, Alberta, designated by Brown,1965 (CM). **Range (in code):** **US Mon CA Abt**
- 1389. *Boloria (Clossiana) angarensis* (Erschoff,1870)** (Argynnidae) **Synonym(s):** *angarensis* Erschoff,1870; *samkoi* Sheljuzhko,1931. **Original Reference:** *Argynnis angarensis* Erschoff,1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Provincia Irkutzensis. **Range (in code):** **At CN Ir Ja Kmt Mc MN RU Mgd Ur Nat Sb Sh Vv Ya Jk**
- 1390. *Boloria (Clossiana) angarensis angarensis* (Erschoff,1870)** (Argynnidae) **Synonym(s):** *angarensis* Erschoff,1870; *samkoi* Sheljuzhko,1931. **Original Reference:** *Argynnis angarensis* Erschoff,1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Provincia Irkutzensis. **Range (in code):** **At CN Ir Kmt Mc MN RU Sb Sh Vv Ya Mgd Ur Nat**
- 1391. *Boloria (Clossiana) angarensis herzi* (Wnukowsky,1927)** (Argynnidae) **Synonym(s):** *herzi* Wnukowsky,1927 **Original Reference:** *Argynnis (Brentis) angarensis* ssp. *herzi* Wnukowsky,1927, Mitt. münch. ent. Ges. 17: 70. Syntypes: Russia: Siberia septentrionalis-orientalis (Jakutsk). **Range (in code):** **Jk RU Sb**
- 1392. *Boloria (Clossiana) angarensis shelkovnikovi* Korb & Yakovlev, 1997** (Argynnidae) **Synonym(s):** *shelkovnikovi* Korb & Yakovlev,1997 **Range (in code):** **RU**
- 1393. *Boloria (Clossiana) astarte* (Doubleday & Hewitson,[1847])** (Argynnidae) **Synonym(s):** *astarte* Doubleday & Hewitson,[1847]; *victoria* Edwards,1891. **Original Reference:** *Melitaea astarte* Doubleday & Hewitson,[1847], Genera diurn. Lepid. 1: pl.23 fig.5. Type: [United States: Rocky Mts.] (BMNH). **Range (in code):** **Ir RU Sb Ya US Mon Ws CA Abt Yuk**
- 1394. *Boloria (Clossiana) astarte astarte* (Doubleday & Hewitson,[1847])** (Argynnidae) **Synonym(s):** *astarte* Doubleday & Hewitson,[1847]; *victoria* Edwards,1891. **Original Reference:** *Melitaea astarte* Doubleday & Hewitson,[1847], Genera diurn. Lepid. 1: pl.23 fig.5. Type: [United States: Rocky Mts.] (BMNH). **Range (in code):** **CA Abt**
- 1395. *Boloria (Clossiana) astarte distincta* (Gibson,1920)** (Argynnidae) **Synonym(s):** *distincta* Gibson,1920 **Range (in code):** **US Mon Ws CA Yuk**
- 1396. *Boloria (Clossiana) astarte erschovi* (Korshunov & Gorbunov,1995)** (Argynnidae) **Synonym(s):** *erschovi* Korshunov & Gorbunov,1995 **Original Reference:** *Boloria astarte* ssp. *erschovi* Korshunov & Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies

- of the Asian Parts of Russia: 108. Holotype: Russia: Lena river: Khaptagai. Range (in code): RU Ya
- 1397. Boloria (Clossiana) bellona (Fabricius,1775)** (Argynnidæ) Synonym(s): *bellona Fabricius,1775; ammiralis Hemming,1933* - Range (in code): US Cnt Col Dw Id Idp Iln Io Knt Mai Meh Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Vi Vr WVi Wc Ws Wy
- 1398. Boloria (Clossiana) bellona bellona (Fabricius,1775)** (Argynnidæ) Synonym(s): *bellona Fabricius,1775; ammiralis Hemming,1933* - Range (in code): US Cnt Col Dw Id Idp Iln Io Knt Mai Meh Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Vi Vr WVi Wc Ws Wy CA Ssk Qb
- 1399. Boloria (Clossiana) bellona jenistae D.Stallings & Turner,1947** (Argynnidæ) Synonym(s): *jenistae D.Stallings & Turner,1947* - Range (in code): CA Ssk
- 1400. Boloria (Clossiana) bellona toddi (Holland,1928)** (Argynnidæ) Synonym(s): *toddii Holland,1928* - Range (in code): CA Qb
- 1401. Boloria (Clossiana) chariclea (Schneider,1794)** (Argynnidæ) Synonym(s): *chariclea Schneider,1794* Original Reference: Papilio chariclea Schneider,1794, Schneider Magaz. 5: 588. Type(s): Lappland. Range (in code): FI NO RU SE CA Grl Ns Lbr CA US Col Id Mai Mns Mon NMx Neb Nh Ut Ws Wy Als
- 1402. Boloria (Clossiana) chariclea arctica (Zetterstedt,[1839])** (Argynnidæ) Synonym(s): *arctica Zetterstedt,[1839]; oenone Scudder,1875; obscurata McLachan,1878* - Range (in code): CA Lbr Grl
- 1403. Boloria (Clossiana) chariclea butleri (Edwards,1883)** (Argynnidæ) Synonym(s): *butleri Edwards,1883* - Range (in code): US Als
- 1404. Boloria (Clossiana) chariclea chariclea (Schneider,1794)** (Argynnidæ) Synonym(s): *chariclea Schneider,1794* Original Reference: Papilio chariclea Schneider,1794, Schneider Magaz. 5: 588. Type(s): Lappland. Range (in code): FI NO RU SE CA Ns CA US Col Id Mai Mns Mon NMx Neb Nh Ut Ws Wy
- 1405. Boloria (Clossiana) dia (Linnaeus,1767)** (Argynnidæ) Synonym(s): *dia Linnaeus,1767; diniensis Fruhstorfer,1909; leonina Fruhstorfer,1909; disconota Krulikowsky,1909; laetior Verity,1919.* Original Reference: Papilio dia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 785. Type(s): Austria. Range (in code): Cc AZ GG Tbl Smt Bjo AL Bn At Kts AT Ba BE BG BY Cb CH CZ DE EE ES FR GR HU IT KG Kg Kr Kw LT LU LV MK Mn NL No Om Or PL Pp Pw RO RU Sem SK Sm So Sp Sr Tk TR Tt Bs Ty UA Uk VI YU DsA Sau Ket Tar T-S CN Ui Bionomy: Larva on Viola canina, V. odorata, V. reichenbachiana, V. tricolor (Tolman, 1997).
- 1406. Boloria (Clossiana) dia alpina (Elwes,1899)** (Argynnidæ) Synonym(s): *alpina Elwes,1899* - Range (in code): Bn Kts At RU KG T-S DsA Sau Ket Tar CN Ui
- 1407. Boloria (Clossiana) dia dia (Linnaeus,1767)** (Argynnidæ) Synonym(s): *dia Linnaeus,1767; diniensis Fruhstorfer,1909; leonina Fruhstorfer,1909; disconota Krulikowsky,1909; laetior Verity,1919.* Original Reference: Papilio dia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 785. Type(s): Austria. Range (in code): AZ GG Cc Tbl Smt Bjo AL AT Ba BE BG BY Cb CH CZ DE EE ES FR GR HU IT KG Kg Kr Kw LT LU LV MK Mn NL No Om Or PL Pp Pw RO RU Sem SK Sm So Sp Sr Tk TR Tt Bs Ty UA Uk VI YU
- 1408. Boloria (Clossiana) distincta (Gibson,1920)** (Argynnidæ) Synonym(s): *distincta Gibson,1920* Original Reference: Brenthis distincta Gibson,1920, Canad. Arct. Exped. 1913-1918 3(1) (1) (Lepidoptera): 25. Syntypes: [Canada]: "Harrington creek, Yukon Territory". Range (in code): RU Tai Tch CA Yuk
- 1409. Boloria (Clossiana) distincta distincta (Gibson,1920)** (Argynnidæ) Synonym(s): *distincta Gibson,1920* Original Reference: Brenthis distincta Gibson,1920, Canad. Arct. Exped. 1913-1918 3(1) (1) (Lepidoptera): 25. Syntypes: [Canada]: "Harrington creek, Yukon Territory". Range (in code): CA Yuk
- 1410. Boloria (Clossiana) distincta machati Korshunov,1987** (Argynnidæ) Synonym(s): *machati Korshunov,1987* Original Reference: Clossiana distincta machati Korshunov,1987, Nasekomye kleshchi i gelminty, Novosibirsk: 10. Holotype ♂: Russia: Polarural. Range (in code): RU Tai Tch
- 1411. Boloria (Clossiana) epithore (Edwards,[1864])** (Argynnidæ) Synonym(s): *epithore Edwards,[1864]; epithore Boisduval,1869* - Range (in code): US Cf Id Mon Ne Org Ws Wy CA BC
- 1412. Boloria (Clossiana) epithore chermocki E.Perkins & S.Perkins,1966** (Argynnidæ) Synonym(s): *chermocki E.Perkins & S.Perkins,1966* - Range (in code): US Org
- 1413. Boloria (Clossiana) epithore epithore (Edwards,[1864])** (Argynnidæ) Synonym(s): *epithore Edwards,[1864]; epithore Boisduval,1869* - Range (in code): US Cf Id Mon Ne Ws Wy

- 1414. Boloria (Clossiana) epithore sierra E.Perkins,1973** (Argynnisidae) Synonym(s): *sierra* E.Perkins,1973 Range (in code): US Cf
- 1415. Boloria (Clossiana) epithore uslui (Koçak,1984)** (Argynnisidae) Synonym(s): *borealis* E.Perkins,1973 nec Stgr.,1861; *uslui* Koçak,1984 Original Reference: Clossiana epithore ssp. uslui Koçak,1984, Priamus 3 (3): 96 (nomen novum pro borealis Perkins,1973 nec borealis Staudinger,1861). Range (in code): CA BCo
- 1416. Boloria (Clossiana) erda (Christoph,1893)** (Argynnisidae) Synonym(s): *erda* Christoph,1893 Original Reference: Argynnis erda Christoph,1893, Dt. ent. Z., Iris 6: 87. Syntypes ♂♀: [Russia]: [Siberia]: Vilui. Range (in code): RU Sb Ya
- 1417. Boloria (Clossiana) erda erda (Christoph,1893)** (Argynnisidae) Synonym(s): *erda* Christoph,1893 Original Reference: Argynnis erda Christoph,1893, Dt. ent. Z., Iris 6: 87. Syntypes ♂♀: [Russia]: [Siberia]: Vilui. Range (in code): RU Sb Ya
- 1418. Boloria (Clossiana) euphrosyne (Linnaeus,1758)** (Argynnisidae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *finjal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc. Original Reference: Papilio euphrosyne Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Syntypes: Europe, N. America; [Sweden (Verity,1950)]. Range (in code): AL At Bn Kts AT Aty Ba Bw Rp BE BG BY CH CN CZ DE DK EE ES FI FR GB GG Cc Abk Smt Bjo GR HU IE IT IR Ab Ak KG Kr LT LU LV MK MN NL NO PL PT RO RU SE Si SK Sm So Sr Sj TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Bionomy: Larva on Viola reichenbachiana, V. canina, V. palustris, V. odorata, V. riviniana, V. ? rhodopeia, V. hirta (Violaceae) (Tolman,1997).
- 1419. Boloria (Clossiana) euphrosyne esperi Heydemann** (Argynnisidae) Synonym(s): *esper* Heydemann Range (in code): Bw Rp
- 1420. Boloria (Clossiana) euphrosyne euphrosyne (Linnaeus,1758)** (Argynnisidae) Synonym(s): *euphrosyne* Linnaeus,1758; *argenticollis* Retzius,1783; *finjal* Herbst,1800; *densoi* Fruhstorfer,1909; *apennina* Fruhstorfer,1916; *cynosoma* Fruhstorfer,1916; *nestonclara* Verity,1932; *eminens* Verity,1932; *varianana* Verity,1932; *austreminens* Verity,1950, etc. Original Reference: Papilio euphrosyne Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Syntypes: Europe, N. America; [Sweden (Verity,1950)]. Range (in code): AL AT Kts Aty Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GR GG Cc Abk Smt Bjo HU IE IT IR Ak KG LT LU LV MK NL NO PL PT RO RU SE Si SK Sm So Sr TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Bionomy: Larva on Viola reichenbachiana, V. canina, V. palustris, V. odorata, V. riviniana, V. ? rhodopeia, V. hirta (Violaceae) (Tolman,1997).
- 1421. Boloria (Clossiana) euphrosyne umbra (Seitz,1908)** (Argynnisidae) Synonym(s): *umbra* Seitz,1908 Original Reference: Argynnis euphrosyne f. umbra Seitz,1908, [in] Seitz,A., Die Gross-Schmett. Erde 1: 229 (67h). Type(s): [Russia]: Sibirien: Sajan. Range (in code): MN Sj At Bn RU
- 1422. Boloria (Clossiana) franciscana (Verhulst,1999)** (Argynnisidae) Synonym(s): *franciscana* Verhulst,1999 Original Reference: Clossiana franciscana Verhulst,1999, Lambillionea 99: 213-220. Range (in code): PK
- 1423. Boloria (Clossiana) freija (Thunberg,1791)** (Argynnisidae) Synonym(s): *freija* Thunberg,1791 Original Reference: Papilio freija Thunberg,1791, Diss. Ent. sist. Ins. Svecica 2: 34, Taf.5 fig.14. Type(s): Schweden. Range (in code): BY EE FI LV NO RU SE UA KG Mn Ya Sau MN SAT Mgd Sb Kts At JP US Col Mch Mns Mon Ut Wc Ws Wy Als CA Bionomy: Larva on Vaccinium uliginosum, Rubus chamaemorus, Arctostaphylos alpina, A. uva-ursi, Empetrum nigrum, Rhododendron aureum, R. lapponicum (Tolman,1997).
- 1424. Boloria (Clossiana) freija browni (Higgins,1953)** (Argynnisidae) Synonym(s): *browni* Higgins,1953 Range (in code): US Col
- 1425. Boloria (Clossiana) freija freija (Thunberg,1791)** (Argynnisidae) Synonym(s): *freija* Thunberg,1791 Original Reference: Papilio freija Thunberg,1791, Diss. Ent. sist. Ins. Svecica 2: 34, Taf.5 fig.14. Type(s): Schweden. Range (in code): EE FI LT LV NO RU SE Mgd Ya Ur
- 1426. Boloria (Clossiana) freija jakutensis (Wnukowsky,1927)** (Argynnisidae) Synonym(s): *jakutensis* Wnukowsky,1927 Original Reference: Argynnis (Brentis) freija ssp. jakutensis Wnukowsky,1927, Mitt. münch. ent. Ges. 17: 70. Syntypes: Russia: Siberia septentrionalis- orientalis (Jakutsk). Range (in code): Jk RU Sb
- 1427. Boloria (Clossiana) freija nabakovi (D.Stallings & Turner,1947)** (Argynnisidae) Synonym(s): *nabakovi* D.Stallings & Turner,1947 Range (in code): US Als
- 1428. Boloria (Clossiana) freija pallida (Elwes,1899)** (Argynnisidae) Synonym(s): *pallida* Elwes,1899 Original Reference: Argynnis freija var. pallida Elwes,1899, Trans. ent. Soc. Lond.

- 1899: 338. Syntypes: [Russia]: South East Altay: "south of Kuch Agatch". Range (in code): **At Kts RU KG Sau Mn MN SAT**
- 1429. Boloria (Clossiana) freija tarquinius (Curtis,1835)** (Argynnidæ) Synonym(s): *tarquinius* Curtis,1835 Range (in code): **CA**
- 1430. Boloria (Clossiana) frigga (Thunberg,1791)** (Argynnidæ) Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977. Original Reference: *Papilio frigga* Thunberg,1791, Diss. Ent. sist. Ins. Svecica 2: 33. Type(s): Lappland. Range (in code): **EE FI LT LV NO RU SE KG Mn MN Sau Sb At Kts Tar SAT Cat CN Ui US Col Id Mch Mns Mon NMx Wc Wy Als CA Lbr** Bionomy: Larva on *Rubus chamaemorus* (Higgins & Riley,1970).
- 1431. Boloria (Clossiana) frigga alpestris (Elwes,1899)** (Argynnidæ) Synonym(s): *alpestris* Elwes,1899 Original Reference: *Argynnis frigga* var. *alpestris* Elwes,1899, Trans. ent. Soc. Lond. 1899: 340. Syntypes: Russia: Suoth East Altay: "Tchujia Mountains". Range (in code): **At Kts SAT Cat RU MN**
- 1432. Boloria (Clossiana) frigga annae (Suschkin,1906)** (Argynnidæ) Synonym(s): *annae* Suschkin,1906 Original Reference: *Argynnis frigga annae* Suschkin,1906, Revue russk. Ent. 6: 5. Syntypes: [Kazakhstan]: "die alpine Region der Kette Saur am Berge Musstau", "zwischen Uidene und Tschagan-Obo". Range (in code): **KG Sau Tar**
- 1433. Boloria (Clossiana) frigga frigga (Thunberg,1791)** (Argynnidæ) Synonym(s): *frigga* Thunberg,1791; *helvenacius* Sedych,1977. Original Reference: *Papilio frigga* Thunberg,1791, Diss. Ent. sist. Ins. Svecica 2: 33. Type(s): Lappland. Range (in code): **EE FI LT LV NO RU SE Mgd Ya Ur**
- 1434. Boloria (Clossiana) frigga gibsoni (Barnes & McDunnough,1926)** (Argynnidæ) Synonym(s): *alaskensis* Lehmann,1913 *nec* Holl.,1900; *gibsoni* Barnes & McDunnough,1926; *lehmanni* Holland,1928 Range (in code): **US Als**
- 1435. Boloria (Clossiana) frigga saga (Staudinger,1861)** (Argynnidæ) Synonym(s): *saga* Staudinger,1861 Range (in code): **CA Lbr**
- 1436. Boloria (Clossiana) frigga sagata (Barnes & Benjamin,1923)** (Argynnidæ) Synonym(s): *sagata* Barnes & Benjamin,1923 Range (in code): **US Col**
- 1437. Boloria (Clossiana) improba (Butler,1877)** (Argynnidæ) Synonym(s): *improba* Butler,1877 Original Reference: *Argynnis improba* Butler,1877, Entomologist's mon. Mag. 12: 206. Syntypes: Arctic America. Range (in code): **FI NO RU SE CA Ns US Col Wy Als** Bionomy: Larva on *Salix arctica*, *S. reticulata* (Tolman,1997).
- 1438. Boloria (Clossiana) improba harryi Ferris,1984** (Argynnidæ) Synonym(s): *harryi* Ferris,1984 Range (in code): **US**
- 1439. Boloria (Clossiana) improba improba (Butler,1877)** (Argynnidæ) Synonym(s): *improba* Butler,1877 Original Reference: *Argynnis improba* Butler,1877, Entomologist's mon. Mag. 12: 206. Syntypes: Arctic America. Range (in code): **FI NO RU SE CA Ns**
- 1440. Boloria (Clossiana) improba youngi (Holland,1900)** (Argynnidæ) Synonym(s): *youngi* Holland,1900 Range (in code): **US Als**
- 1441. Boloria (Clossiana) iphigenia (Graeser,1888)** (Argynnidæ) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889. Original Reference: *Argynnis iphigenia* Graeser,1888, Berl. ent. Z. 32 (1): 90-92. Syntypes: Russia: Amurland: Nicolajefsk. Range (in code): **RU Vv Sh Am**
- 1442. Boloria (Clossiana) iphigenia iphigenia (Graeser,1888)** (Argynnidæ) Synonym(s): *iphigenia* Graeser,1888; *#iphigeneia* Elwes,1889. Original Reference: *Argynnis iphigenia* Graeser,1888, Berl. ent. Z. 32 (1): 90-92. Syntypes: Russia: Amurland: Nicolajefsk. Range (in code): **RU Vv Sh Am**
- 1443. Boloria (Clossiana) jerdoni (Lang,1868)** (Argynnidæ) Synonym(s): *jerdoni* Lang,1868 Original Reference: *Argynnis jerdoni* Lang,1868, Entomologist's mon. Mag. 5: 34. Range (in code): **Ci Ch PK Bt**
- 1444. Boloria (Clossiana) jerdoni chitralensis Moore,1900** (Argynnidæ) Synonym(s): *chitralensis* Moore,1900 Range (in code): **Ci PK**
- 1445. Boloria (Clossiana) jerdoni jerdoni (Lang,1868)** (Argynnidæ) Synonym(s): *jerdoni* Lang,1868 Original Reference: *Argynnis jerdoni* Lang,1868, Entomologist's mon. Mag. 5: 34. Range (in code): **Ch PK Bt**
- 1446. Boloria (Clossiana) kriemhild (Strecker,1878)** (Argynnidæ) Synonym(s): *kriemhild* Strecker,1878; *laurenti* Skinner,1913; *lucki* Reuss,1923 Range (in code): **US Col Id Mon Ut Wy**
- 1447. Boloria (Clossiana) matveevi (Gorbunov & Korshunov,1995)** (Argynnidæ) Synonym(s): *matveevi* Gorbunov & Korshunov,1995 Original Reference: *Clossiana matveevi*

- Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 109. Holotype: Russia: Altay: Aktash, 2700m. Range (in code): **At RU**
- 1448. Boloria (Clossiana) matveevi matveevi (Gorbunov & Korshunov, 1995)** (Argynnisidae) Synonym(s): *matveevi* Gorbunov & Korshunov, 1995 Original Reference: Clossiana matveevi Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 109. Holotype: Russia: Altay: Aktash, 2700m. Range (in code): **At RU**
- 1449. Boloria (Clossiana) natazhati (Gibson, 1920)** (Argynnisidae) Synonym(s): *natazhati* Gibson, 1920 Range (in code): **CA**
- 1450. Boloria (Clossiana) oscarus (Eversmann, 1844)** (Argynnisidae) Synonym(s): *oscarus* Eversmann, 1844 Original Reference: Argynnis oscarus Eversmann, 1844, Bull. Soc. Nat. Moscou 17: 588, Pl. 14 figs. 1a, b. Syntypes: Russia: in provincia Irkuzkiensi. Range (in code): **At CN Ui Ir KP Mc MN RU Sb Sh Vv Ya Kuz Sli To No**
- 1451. Boloria (Clossiana) oscarus oscarus (Eversmann, 1844)** (Argynnisidae) Synonym(s): *oscarus* Eversmann, 1844 Original Reference: Argynnis oscarus Eversmann, 1844, Bull. Soc. Nat. Moscou 17: 588, Pl. 14 figs. 1a, b. Syntypes: Russia: in provincia Irkuzkiensi. Range (in code): **At CN Ui Ir KP Mc MN RU Sb Sh Vv Ya Kuz Sli To No**
- 1452. Boloria (Clossiana) polaris (Boisduval, 1829)** (Argynnisidae) Synonym(s): *polaris* Boisduval, 1829; *groenlandica* [Anonymous], 1892; *americana* Strand, 1905 Original Reference: Argynnis polaris Boisduval, 1829, Eur. lepid. Index meth.: 15. Syntypes: "Cap Nord". Range (in code): **FI NO RU SE CA Ns GrI Mnt US** Bionomy: Larva on Dryas integrifolia, D. octopetala, Vaccinium uliginosum (Tolman, 1997).
- 1453. Boloria (Clossiana) polaris polaris (Boisduval, 1829)** (Argynnisidae) Synonym(s): *polaris* Boisduval, 1829; *groenlandica* [Anonymous], 1892; *americana* Strand, 1905 Original Reference: Argynnis polaris Boisduval, 1829, Eur. lepid. Index meth.: 15. Syntypes: "Cap Nord". Range (in code): **FI NO RU SE CA Ns GrI**
- 1454. Boloria (Clossiana) polaris stellata (Masters, 1972)** (Argynnisidae) Synonym(s): *stellata* Masters, 1972 Range (in code): **CA Mnt**
- 1455. Boloria (Clossiana) selene ([Denis & Schiffermüller], 1775)** (Argynnisidae) Synonym(s): *selene* [Denis & Schiffermüller], 1775; *thalia* Hübner, 1790 nec Linnaeus, 1758; *cybele* Hübner, 1790 nec Cramer, 1777; *euphrasia* Lewin, 1795; *marphisa* Herbst, 1800; *rinaldus* Herbst, 1800; *lado* Hummel, 1826; *veta* Motschulsky, 1852. Original Reference: Papilio selene [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 321. Type(s): [Austria]: Vienna district. Range (in code): **Bn At AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB HU IT KG LT LU LV MN NL NO PL RO RU SE SK Sm So Sr UA Uk VI YU Cw Dv H-W Sur Ssx Ken LAT Wn Ktn Kts Sli Mgd Kmt US Cnt Col Dw Id Idp Ilh Io Knt Mai Mch Mns Mon Mrl Msc NDk NMx Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vi Vr WVi We Ws Wy CA Nfl Yuk** Bionomy: Larva on Viola canina, V. palustris, V. riviniana, V. hirta (Tolman, 1997).
- 1456. Boloria (Clossiana) selene albequina (Holland, 1928)** (Argynnisidae) Synonym(s): *albequina* Holland, 1928 Range (in code): **CA Yuk**
- 1457. Boloria (Clossiana) selene atrocotalis (Huard, 1927)** (Argynnisidae) Synonym(s): *atrocostalis* Huard, 1927; *jenningsae* Holland, 1928 Range (in code): **CA**
- 1458. Boloria (Clossiana) selene castiliana Lowe, 1910** (Argynnisidae) Synonym(s): *castiliana* Lowe, 1910
- 1459. Boloria (Clossiana) selene lucetia (Fruhstorfer, 1916)** (Argynnisidae) Synonym(s): *lucetia* Fruhstorfer, 1916 Original Reference: Argynnis selene ssp. lucetia Fruhstorfer, 1916, Archiv Naturg. (A2) 82: 19. Syntypes: Japan. Range (in code): **JP**
- 1460. Boloria (Clossiana) selene myrina (Cramer, [1777])** (Argynnisidae) Synonym(s): *myrina* Cramer, [1777]; *myrissa* Godart, [1824]; *marilandica* A.H. Clark, 1941 Range (in code): **US Ny**
- 1461. Boloria (Clossiana) selene nebraskensis (Holland, 1928)** (Argynnisidae) Synonym(s): *nebraskensis* Holland, 1928 Range (in code): **US Neb**
- 1462. Boloria (Clossiana) selene sabulocollis Kohler, 1977** (Argynnisidae) Synonym(s): *sabulocollis* Kohler, 1977 Range (in code): **US Neb**
- 1463. Boloria (Clossiana) selene selene ([Denis & Schiffermüller], 1775)** (Argynnisidae) Synonym(s): *selene* [Denis & Schiffermüller], 1775; *thalia* Hübner, 1790 nec Linnaeus, 1758; *cybele* Hübner, 1790 nec Cramer, 1777; *euphrasia* Lewin, 1795; *marphisa* Herbst, 1800; *rinaldus* Herbst, 1800; *lado* Hummel, 1826; *veta* Motschulsky, 1852. Original Reference: Papilio selene [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 321. Type(s): [Austria]: Vienna district. Range (in code): **Bn At AT Ba BE BG Bw BY CH CZ DE DK EE ES FI FR GB HU IT KG LT LU LV NL NO PL RO RU SE SK Sm So Sr UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Ktn Kts Sli Mgd Kmt**

- 1464. Boloria (Clossiana) selene terraenovae (Holland,1928)** (Argynnisidae) Synonym(s): *terraenovae* Holland,1928 _ Range (in code): CA Nfl
- 1465. Boloria (Clossiana) selene tollandensis (Barnes & Benjamin,1925)** (Argynnisidae) Synonym(s): *tollandensis* Barnes & Benjamin,1925 _ Range (in code): US Col
- 1466. Boloria (Clossiana) selenis (Eversmann,1837)** (Argynnisidae) Synonym(s): *selenis* Eversmann,1837 _ Original Reference: Argynnis selenis Eversmann,1837, Bull. Soc. Nat. Moscou 10(1): 10. Russia: Kasanischer Gourv. Range (in code): Bn At Kts Aty Ba CN KG KP Mn MN RU Sh Tt Ui Vv Ya Mgd Vl Prj Us Bn Trt Ktn PK Gg
- 1467. Boloria (Clossiana) selenis selenis (Eversmann,1837)** (Argynnisidae) Synonym(s): *selenis* Eversmann,1837 _ Original Reference: Argynnis selenis Eversmann,1837, Bull. Soc. Nat. Moscou 10(1): 10. Russia: Kasanischer Gourv. Range (in code): Ba RU Tt Vl
- 1468. Boloria (Clossiana) selenis sibirica (Erschoff,1870)** (Argynnisidae) Synonym(s): *sibirica* Erschoff,1870 _ Original Reference: Argynnis selenis var. sibirica Erschoff,1870, Bull. Soc. Nat. Moscou 43(1): 112. Syntypes: Russia: Altai, Sibérie orientale. Range (in code): Bn At Kts No Aty CN KG Mn MN RU Sb Ui Vv Ya To Om Sp Am Ya Mgd Bn Trt Ktn
- 1469. Boloria (Clossiana) thore (Hübner,[1803])** (Argynnisidae) Synonym(s): *thore* Hübner,[1803] _ Original Reference: Papilio thore Hübner,[1803], Samml. eur. Schmett. 1: figs. 571-573. Type(s): [Tiroler Alpen]. Range (in code): Am At Kts AT Ba BY CH DE FI Ir IT KG LT MN Mn NO RU Sb SE UA Ya YU Mgd Kuz Sli NAT Wat Yl _ Bionomy: Larva on Viola biflora (Tolman,1997).
- 1470. Boloria (Clossiana) thore borealis (Staudinger,1861)** (Argynnisidae) Synonym(s): *borealis* Staudinger,1861; *excellens* Krulikowsky,1893; *meridionalis* Kardakoff,1928 *nec* Schawerda,1916; *transuralensis* Sheljuzhko,1931; *brenda* Hemming,1933. _ Original Reference: Argynnis thore var. borealis Staudinger,1861, Cat. lepid. Eur. 1: 9. Range (in code): Am At Kts FI Ir RU Sb Ya Mgd Kuz Sli NAT Wat Yl
- 1471. Boloria (Clossiana) thore hypercalca (Fruhstorfer,1907)** (Argynnisidae) Synonym(s): *hypercalca* Fruhstorfer,1907 _ Original Reference: Argynnis thore hypercalca Fruhstorfer,1907, Int. ent. Z. 21: 164. Range (in code): MN
- 1472. Boloria (Clossiana) thore thore (Hübner,[1803])** (Argynnisidae) Synonym(s): *thore* Hübner,[1803] _ Original Reference: Papilio thore Hübner,[1803], Samml. eur. Schmett. 1: figs. 571-573. Type(s): [Tiroler Alpen]. Range (in code): AT Ba Bw BY CH DE FI IT LT NO RU SE UA YU
- 1473. Boloria (Clossiana) titania (Esper,[1793])** (Argynnisidae) Synonym(s): *titania* Esper,[1793]; *amathusia* Esper,1783 *nec* Cr.,1777; *serena* Fruhstorfer,1908; *pralognana* Fruhstorfer,1908; *halesa* Fruhstorfer,1908. _ Original Reference: Papilio titania Esper,[1793], Die Schmett. 1(2): Forts. Tagschmett.: Taf.103, fig.4. Syntypes: [Piedmont]. Range (in code): At Kts AT Ba BY CH DE EE FI FR IT LV PL RU Sb SK Sm Sr UA VI YU Sli Wat NAT Cat So Or Bs Tt Ur CN Ui CA Lbr On US Wy Col
- 1474. Boloria (Clossiana) titania bivina (Fruhstorfer,1908)** (Argynnisidae) Synonym(s): *bivina* Fruhstorfer,1908 _ Original Reference: Argynnis amathusia ssp. bivina Fruhstorfer,1908, Int. ent. Z. 1: 310. Syntypes: Südrussland: Saratow. Range (in code): RU Sr So Or Bs Tt Ur
- 1475. Boloria (Clossiana) titania boisduvalii (Duponchel,[1832])** (Argynnisidae) Synonym(s): *boisduvalii* Duponchel,[1832]; *labradorensis* Gunder,1928 _ Range (in code): CA Lbr
- 1476. Boloria (Clossiana) titania cypris (Meigen,1828)** (Argynnisidae) Synonym(s): *cypris* Meigen,1828 _ Range (in code): AT B-H Bw BY CH DE EE FI LV PL RU Sb SK UA YU
- 1477. Boloria (Clossiana) titania grandis (Barnes & McDunnough,1916)** (Argynnisidae) Synonym(s): *grandis* Barnes & McDunnough,1916 _ Range (in code): CA On
- 1478. Boloria (Clossiana) titania helena (Edwards,1871)** (Argynnisidae) Synonym(s): *helena* Edwards,1871 _ Range (in code): US Col
- 1479. Boloria (Clossiana) titania ingens (Barnes & McDunnough,1918)** (Argynnisidae) Synonym(s): *ingens* Barnes & McDunnough,1918; *martini* Gunder,1934 _ Range (in code): US Wy
- 1480. Boloria (Clossiana) titania lemagneni Plantrou,1960** (Argynnisidae) Synonym(s): *lemagneni* Plantrou,1960
- 1481. Boloria (Clossiana) titania montinus (Scudder,1863)** (Argynnisidae) Synonym(s): *montinus* Scudder,1863 _ Range (in code): US
- 1482. Boloria (Clossiana) titania rainieri (Barnes & McDunnough,1913)** (Argynnisidae) Synonym(s): *rainieri* Barnes & McDunnough,1913 _ Range (in code): US
- 1483. Boloria (Clossiana) titania staudingeri (Wnukowsky,1929)** (Argynnisidae) Synonym(s): *sibirica* Staudinger,1892 *nec* Ersch.,1870; *staudingeri* Wnukowsky,1929 _ Original Reference: Brenthis amathusia subsp. staudingeri Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro

- subsp. *sibirica* Staudinger, 1892, Dt. ent. Z., Iris 5: 330; nec *sibirica* Erschoff, 1870, Bull. Soc. Nat. Moscou 1870: 112). Range (in code): **At RU Sb MN Am KP Sli WAt NAT CAT Kts**
- 1484. Boloria (Clossiana) titania titania (Esper, [1793])** (Argynnidæ) Synonym(s): *titania* Esper, [1793]; *amathusia* Esper, 1783 nec Cr., 1777; *serena* Fruhstorfer, 1908; *pralognana* Fruhstorfer, 1908; *halesa* Fruhstorfer, 1908. Original Reference: Papilio titania Esper, [1793], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 103, fig. 4. Syntypes: [Piedmont]. Range (in code): **FR IT**
- 1485. Boloria (Clossiana) tritonia tritonia (Boeber, 1812)** (Argynnidæ) Synonym(s): *tritonia* Boeber, 1812; *amphilochus* Ménétériès, 1859. Original Reference: Papilio tritonia Boeber, 1812, Mém. Soc. Nat. Moscou 3: 20, Tab. 1 figs. 1, 2. Syntypes: Russia: "Sibérie". Range (in code): **RU Sb Am Mgd Ya MN At**
- 1486. Boloria (Clossiana) tritonia tritonia (Boeber, 1812)** (Argynnidæ) Synonym(s): *tritonia* Boeber, 1812; *amphilochus* Ménétériès, 1859. Original Reference: Papilio tritonia Boeber, 1812, Mém. Soc. Nat. Moscou 3: 20, Tab. 1 figs. 1, 2. Syntypes: Russia: "Sibérie". Range (in code): **RU Sb Am Mgd Ya MN At**
- 1487. Boloria (Proclossiana) erubescens (Staudinger, 1901)** (Argynnidæ) Synonym(s): *erubescens* Staudinger, 1901 Original Reference: Argynnis hegemon var. *erubescens* Staudinger, 1901, Cat. lepid. palaeart. Faunengeb. 3(1): 35, nr. 209a. Type(s): [China: Uigur A.R.]: Korla (alp?). Range (in code): **Aa AF Cho CN Db Fe Ju KG KK Kl Ku Tk T-S Ui Uit Um Adu UZ DsA TrA Ket TeA KuA Ax Ci Hu Gg PK**
- 1488. Boloria (Proclossiana) erubescens chotana (O. Bang-Haas, 1915)** (Argynnidæ) Synonym(s): *chotana* Bang-Haas, 1915 Original Reference: Argynnis hegemon var. *chotana* O. Bang-Haas, 1915, Dt. ent. Z., Iris 29: 100. Syntypes 2♂ 1♀: [China: Uighur A.R.]: Chotan. Range (in code): **Cho CN Ui**
- 1489. Boloria (Proclossiana) erubescens erubescens (Staudinger, 1901)** (Argynnidæ) Synonym(s): *erubescens* Staudinger, 1901 Original Reference: Argynnis hegemon var. *erubescens* Staudinger, 1901, Cat. lepid. palaeart. Faunengeb. 3(1): 35, nr. 209a. Syntypes: [China: Uighur Ili]: Korla (alp?) Range (in code): **T-S CN Kl Ui**
- 1490. Boloria (Proclossiana) erubescens haberhaueri (Hemming, 1933)** (Argynnidæ) Synonym(s): *hegemon* Staudinger, 1881 nec Godart, [1819]; *haberhaueri* Hemming, 1933 Original Reference: Argynnis haberhaueri Hemming, 1933, Entomologist 66: 275-276 (nom. nov. pro hegemon Stgr., 1881 nec Godart, [1819]). Syntypes: Ala-Tau, Margelan, Tianshan [Tengri Tagh]. Range (in code): **Fe KK UZ**
- 1491. Boloria (Proclossiana) erubescens houri Wyatt, 1961** (Argynnidæ) Synonym(s): *hour* Wyatt, 1961 Original Reference: Boloria hegemon ssp. *hour* Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 8, figs. Holotype ♂: Afghanistan: Bala Quran, Hindu Kush Mts., Anjuman valley, 14300ft. Range (in code): **AF Anj Bd Bqu Hk Ci Hu Gg PK**
- 1492. Boloria (Proclossiana) erubescens tienschanica (Wagner, 1913)** (Argynnidæ) Synonym(s): *tienschanica* Wagner, 1913 Original Reference: Argynnis hegemon var. *tienschanica* Wagner, 1913, Ent. Mitt. 2: 114. Syntypes: [Kasachstan: Taldy-Kurgan]: Uitas-Kette; [China: Uighur Ili]: Juldus (Tianshan). Range (in code): **Aa CN Db Ju KG Tk T-S Ui Uit Um Adu DsA TrA Ket TeA KuA Ax**
- 1493. Boloria (Proclossiana) eunomia (Esper, [1799])** (Argynnidæ) Synonym(s): *eunomia* Esper, [1799]; *aphirape* Hübner, [1800]; *tomyris* Herbst, 1800. Original Reference: Papilio eunomia Esper, [1799], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 110, fig. 5. Syntypes: Prussia. Range (in code): **AT At Kts Ba BG Stp Cc TR BL BY CZ DE Bv Bw EE ES FI FR IT LT LU LV NO PL RU No Sb SE Sr UA KG Nym Mn CAT WAt Trt US Col Mai Mch Mns Mon Wc Wy CA Lbr Mnt Abt Als** Bionomy: Larva on Polygonum bistorta, P. viviparum (Polygonaceae); Viola palustris (Violaceae); Trollius, Thalictrum, Gaultheria, Pentaphylloides fruticosa, Andromeda polifolia, Vaccinium uliginosum, Linaria vulgaris, Melampyrum (Eckstein, 1913 et seq.).
- 1494. Boloria (Proclossiana) eunomia asiatica (Staudinger, 1901)** (Argynnidæ) Synonym(s): *acidalia* Boeber, 1809; *asiatica* Staudinger, 1901; *stromi* Korshunov, 1997; *yakovlevi* Korb, 1999 Original Reference: Argynnis aphirape var. *asiatica* Staudinger, 1901, Cat. lepid. palaeart. Faunengeb. 3(1): 34, nr. 202a. (nomen novum pro ossianus Staudinger nec Herbst). Syntypes: [Russia]: Sib. m. (Alt; Saj; Kent.); Amur. Range (in code): **Am At RU KG MN Nym Sb Sj CAT WAt Kts Trt**
- 1495. Boloria (Proclossiana) eunomia caelestis (Hemming, 1933)** (Argynnidæ) Synonym(s): *alticola* Barnes & McDunnough, 1913 nec Sushkin & Tsetverikov, 1907; *caelestis* Hemming, 1933 Range (in code): **US Col**

- 1496. Boloria (Proclossiana) eunomia capurrianensis Gomez Bustillo et al.,1985** (Argynnisidae) Synonym(s): *capurrianensis* Gomez Bustillo et al.,1985 Range (in code): **ES**
- 1497. Boloria (Proclossiana) eunomia ceretanensis Deslandes,1930** (Argynnisidae) Synonym(s): *ceretanensis* Deslandes,1930 Range (in code): **ES FR Py**
- 1498. Boloria (Proclossiana) eunomia ceretanensis Deslandes,1930** (Argynnisidae) Synonym(s): *ceretanensis* Deslandes,1930 Range (in code): **FR**
- 1499. Boloria (Proclossiana) eunomia dawsoni (Barnes & McDunnough,1916)** (Argynnisidae) Synonym(s): *dawsoni* Barnes & McDunnough,1916; *harperi* Gunder,1934 Original Reference: *Brenthis aphirape dawsoni* Barnes & McDunnough,1916, Can. Ent. 48 (7): 222-223. Type: Canada: "Hymers, Ont." [Ontario] (USNM). Range (in code): **CA Mnt**
- 1500. Boloria (Proclossiana) eunomia denali (Klots,1940)** (Argynnisidae) Synonym(s): *denali* Klots,1940 Range (in code): **US Als**
- 1501. Boloria (Proclossiana) eunomia diluta Heydemann** (Argynnisidae) Synonym(s): *diluta* Heydemann Range (in code): **DE Bv Bw**
- 1502. Boloria (Proclossiana) eunomia eunomia (Esper,[1799])** (Argynnisidae) Synonym(s): *eunomia* Esper,[1799]; *aphirape* Hübner,[1800]; *tomyris* Herbst,1800. Original Reference: *Papilio eunomia* Esper,[1799], Die Schmett. 1(2): Forts. Tagschmett.: Taf.110, fig.5. Syntypes: Prussia. Range (in code): **AT Ba BL Bw BY CZ DE EE ES FR IT LT LU LV PL RU Sr UA**
- 1503. Boloria (Proclossiana) eunomia laddi (Klots,1940)** (Argynnisidae) Synonym(s): *laddi* Klots,1940 Range (in code): **US Wy**
- 1504. Boloria (Proclossiana) eunomia montana B.Petersen,1947** (Argynnisidae) Synonym(s): *montana* B.Petersen,1947 Range (in code): **NO**
- 1505. Boloria (Proclossiana) eunomia nichollae (Barnes & Benjamin,1926)** (Argynnisidae) Synonym(s): *nichollae* Barnes & Benjamin,1926 Range (in code): **CA Abt**
- 1506. Boloria (Proclossiana) eunomia ossianus (Herbst,1800)** (Argynnisidae) Synonym(s): *ossianus* Herbst,1800; *isabella* Tengström,1869 Original Reference: *Papilio ossianus* Herbst,1800, [in] Jablonsky, Natursyst. Ins. (Schmett.) 10: Pl.270 figs.4-5. Syntypes: [Lapponia] (Kirby,1871: 162). Range (in code): **FI NO Pt RU SE**
- 1507. Boloria (Proclossiana) eunomia riamia Korshunov & Ivonin,1998** (Argynnisidae) Synonym(s): *riamia* Korshunov & Ivonin,1998 Range (in code): **RU No**
- 1508. Boloria (Proclossiana) eunomia ssp.** (Argynnisidae) Synonym(s): Range (in code): **TR Cc**
- 1509. Boloria (Proclossiana) eunomia subargentata B.Petersen,1947** (Argynnisidae) Synonym(s): *subargentata* B.Petersen,1947 Range (in code): **NO**
- 1510. Boloria (Proclossiana) eunomia tricularis (Hübner,[1821])** (Argynnisidae) Synonym(s): *tricularis* Hübner,[1821]; *ossianus* Boisduval,1832 *nec* Hbst.,1800; *#lais* Scudder,1875 Range (in code): **CA Lbr**
- 1511. Boloria (Proclossiana) eunomia ursadentis (Ferris & Groothuis,1971)** (Argynnisidae) Synonym(s): *ursadentis* Ferris & Groothuis,1971 Range (in code): **US Mon Wy**
- 1512. Boloria (s.str.) alaskensis (Holland,1900)** (Argynnisidae) Synonym(s): *alaskensis* Holland,1900 Original Reference: *Brenthis pales* var. *alaskensis* Holland,1900, Ent. News 11: 383. Type ♂: mountains between Forty-Mile and Mission Creeks. Range (in code): **RU US CA Als Tai Sb**
- 1513. Boloria (s.str.) alaskensis alaskensis (Holland,1900)** (Argynnisidae) Synonym(s): *alaskensis* Holland,1900 Original Reference: *Brenthis pales* var. *alaskensis* Holland,1900, Ent. News 11: 383. Type ♂: [Alaska]: mountains between Forty-Mile and Mission Creeks. Range (in code): **US CA Als**
- 1514. Boloria (s.str.) alaskensis sedykhi Cormier,1977** (Argynnisidae) Synonym(s): *sedykhi* Cormier,1977 Original Reference: *Boloria alaskensis* ssp. *sedykhi* Cormier,1977, Alexanor 10: 46. Holotype ♂: [Russia]: "Oural polaire". Range (in code): **RU Tai Sb**
- 1515. Boloria (s.str.) aquilonaris (Stichel,1908)** (Argynnisidae) Synonym(s): *aquilonaris* Stichel,1908; *hypoarsilache* Verity,1932; *parvula* Collier,1933. Original Reference: *Argynnis pales* *aquilonaris* Stichel,1908, Berl. ent. Z. 53: 81, Pl.3 fig.5. Syntypes 3♂: Gellivara. Range (in code): **AT At BE BY CH CZ DE DK EE FI FR LT LV NL NO PL RU SE SK** Bionomy: Larva on *Vaccinium oxycoccus* (Tolman,1997).
- 1516. Boloria (s.str.) aquilonaris alethea (Hemming,1934)** (Argynnisidae) Synonym(s): *arsilache* Hübner,1799 *nec* Esper,[1780]; *alethea* Hemming,1934. Original Reference: *Argynnis pales*

- alethea Hemming, 1934, *Stylops* 3: 97 (nomen novum pro *Papilio arsilache* Hübner, 1799, Samml. eur. Schmett.: pl. 7 figs. 36, 37 nec *Papilio arsilache* Esper, [1780], Die Schmett. 1(2): pl. 56 fig. 5. Type: Lower Franconia: Neustadt an der Aisch. Range (in code): AT BE Bv Bw DE DK
- 1517. *Boloria (s.str.) aquilonaris aquilonaris* (Stichel, 1908)** (Argynnididae) Synonym(s): *aquilonaris* Stichel, 1908; *hypoarsilache* Verity, 1932; *parvula* Collier, 1933. Original Reference: Argynnis pales *aquilonaris* Stichel, 1908, Berl. ent. Z. 53: 81, Pl. 3 fig. 5. Syntypes 3♂: Gellivara. Range (in code): AT BE BY CH CZ DE DK EE FI FR LT LV NL NO PL RU SE SK UA
- 1518. *Boloria (s.str.) aquilonaris ericeti* Crosson du Cormier, 1959** (Argynnididae) Synonym(s): *ericeti* Crosson du Cormier, 1959. Range (in code): FR
- 1519. *Boloria (s.str.) caucasica* (Lederer, 1852)** (Argynnididae) Synonym(s): *caucasica* Lederer, 1852; *pontica* Crosson du Cormier, Guérin & De Lesse, 1957. Original Reference: Argynnis arsilache var. *caucasica* Lederer, 1852, Verh. zool.-bot. Ver. Wien 2: 22 (nomen novum pro arsilache H.-Sch.). Syntypes: "Kaukasus". Range (in code): AM Arr GG Cc Smt Bku Kc Os RU Da TR
- 1520. *Boloria (s.str.) caucasica caucasica* (Lederer, 1852)** (Argynnididae) Synonym(s): *caucasica* Lederer, 1852; *pontica* Crosson du Cormier, Guérin & De Lesse, 1957. Original Reference: Argynnis arsilache var. *caucasica* Lederer, 1852, Verh. zool.-bot. Ver. Wien 2: 22 (nomen novum pro arsilache H.-Sch.). Syntypes: "Kaukasus". Range (in code): AM Arr GG Cc Smt Bku Kc Os RU Da TR
- 1521. *Boloria (s.str.) frigidalis* Forster, 1968** (Argynnididae) Synonym(s): *#frigidalis* B.C.S. Warren, 1944; *frigidalis* Forster, 1968. Range (in code): At RU Kts
- 1522. *Boloria (s.str.) frigidalis frigidalis* Forster, 1968** (Argynnididae) Synonym(s): *#frigidalis* B.C.S. Warren, 1944; *frigidalis* Forster, 1968. Range (in code): At RU Kts
- 1523. *Boloria (s.str.) generator* (Staudinger, 1886)** (Argynnididae) Synonym(s): *generator* Staudinger, 1886. Original Reference: Argynnis pales var. *generator* Staudinger, 1886, Stettin ent. Ztg. 47: 235. Syntypes ♂♀: [Uzbekistan]: Alai (Margelan), Usgent, Namangan; [Kirgizistan]: Osch; [China]: Tianschan [Tengri Tagh]. Range (in code): Aa AF CN Db Fe Hk Ju KG KK Sem Tj Tk T-S Ui UZ Osh DsA TeA TrA Ket KuA Ax Ch Lho IN
- 1524. *Boloria (s.str.) generator generator* (Staudinger, 1886)** (Argynnididae) Synonym(s): *generator* Staudinger, 1886. Original Reference: Argynnis pales var. *generator* Staudinger, 1886, Stettin ent. Ztg. 47: 235. Syntypes ♂♀: [Uzbekistan]: Alai (Margelan), Usgent, Namangan; [Kirgizistan]: Osch; [China]: Tianschan [Tengri Tagh]. Range (in code): Aa AF Db Fe Hk KG KK Sem Tj Tk UZ T-S Osh DsA TeA TrA Ket KuA Ax
- 1525. *Boloria (s.str.) generator juldussica* (Wagner, 1913)** (Argynnididae) Synonym(s): *juldussica* Wagner, 1913. Original Reference: Argynnis pales var. *juldussica* Wagner, 1913, Ent. Mitt. 2: 115. Syntypes: [China: Uighur Ili]: Juldus-Gebiete. Range (in code): CN Ju T-S
- 1526. *Boloria (s.str.) generator korla* (Fruhstorfer, 1903)** (Argynnididae) Synonym(s): *korla* Fruhstorfer, 1903. Original Reference: Argynnis pales var. *korla* Fruhstorfer, 1903, Dt. ent. Z., Iris 16: 306. Syntypes ♂♀: [China: Uighur Ili]: Korla. Range (in code): T-S CN Kl Ui Ch Lho IN
- 1527. *Boloria (s.str.) graeca* (Staudinger, 1870)** (Argynnididae) Synonym(s): *graeca* Staudinger, 1870. Original Reference: Argynnis pales var. *graeca* Staudinger, 1870, Horae Soc. ent. ross. 7: 61, Pl. 1 fig. 4. Syntypes: Griechenland. Range (in code): AL BG B-H FR GR IT MK RO TR YU Bionomy: Larva on *Viola*? *tricolor macedonica* (Violaceae); *Teucrium chamaedrys* (Lamiaceae); *Juniperus communis* (Tolman, 1997).
- 1528. *Boloria (s.str.) graeca balcanica* (Rebel, 1903)** (Argynnididae) Synonym(s): *balcanica* Rebel, 1903; *rhodopensis* Slivov, 1995. Original Reference: Argynnis pales var. *balcanica* Rebel, 1903, Annln. naturh. Mus. Wien 18: 169. Syntypes: Bulgarien: auf dem Gipfel des Vitos, 2000m. Range (in code): AL BG B-H MK Mt RO YU
- 1529. *Boloria (s.str.) graeca brogotarus* (Fruhstorfer, 1909)** (Argynnididae) Synonym(s): *brogotarus* Fruhstorfer, 1909; *medioitalica* Verity, 1911; *tendensis* Higgins, 1930; *majellensis* Dannehl, 1933. Original Reference: Argynnis pales ssp. *brogotarus* Fruhstorfer, 1909, Int. ent. Z. 3: 112. Syntypes: France: Alpes Maritimes: Col di Tenda. Range (in code): Fo6 FR IT
- 1530. *Boloria (s.str.) graeca graeca* (Staudinger, 1870)** (Argynnididae) Synonym(s): *graeca* Staudinger, 1870. Original Reference: Argynnis pales var. *graeca* Staudinger, 1870, Horae Soc. ent. ross. 7: 61, Pl. 1 fig. 4. Syntypes: Griechenland. Range (in code): GR
- 1531. *Boloria (s.str.) graeca karina* Van Oorschot & Wagener, 1990** (Argynnididae) Synonym(s): *karina* Van Oorschot & Wagener, 1990. Original Reference: *Boloria graeca* ssp. *karina* Van Oorschot & Wagener, 1990, Ent. Ber., Amst. 50 (9): 117-120, figs. Holotype ♂: Turkey: Erzurum Prov., Palandöken Mts. (ITZA). Range (in code): TR

- 1532. *Boloria (s.str.) napaea (Hoffmannsegg,1804)*** (Argynnidae) Synonym(s): *napaea Hoffmannsegg,1804*; *isis Hübner,[1800] nec Dru.,[1773]*; *dirphya Hoffmannsegg,1806*; *punctata Crosson du Cormier,1964*; *sabaudiensis Crosson du Cormier,1964*. Original Reference: *Papilio napaea Hoffmannsegg,1804*, Illiger, Magazin f. Insektenk. 3: 196. Type(s): [Austria: Tyrolean Alps] (cf. Warren,1944: 42). Range (in code): **At Kts AT Aty CH CN DE FI FR IT KG Mn MN NO RU RU SE Ui Ya Sau Tar US Wy Als CA BCo** Bionomy: Larva on *Viola biflora*, *Polygonum viviparum* (Tolman,1997).
- 1533. *Boloria (s.str.) napaea alaskensis (Holland,1900)*** (Argynnidae) Synonym(s): *alaskensis Holland,1900*; *reiffi Reuss,1925* Range (in code): **US Als CA BCo**
- 1534. *Boloria (s.str.) napaea altaica (Groum-Grshimailo,1893)*** (Argynnidae) Synonym(s): *altaica Groum-Grshimailo,1893*; *#isisoides Heydemann,1920*. Original Reference: *Argynnis pales (isis) var. altaica Groum-Grshimailo,1893*, Horae Soc. ent. ross. 27: 128. Syntypes: [Russia]: "In montibus Altaicis (fluv. Kara-kaba)". Range (in code): **At Kts Aty CN KG Mn MN RU Ui Sau Tar**
- 1535. *Boloria (s.str.) napaea halli Klots,1940*** (Argynnidae) Synonym(s): *halli Klots,1940* Range (in code): **US Wy**
- 1536. *Boloria (s.str.) napaea laurentidis Crosson du Cormier,1966*** (Argynnidae) Synonym(s): *laurentidis Crosson du Cormier,1966* Range (in code): **FR**
- 1537. *Boloria (s.str.) napaea napaea (Hoffmannsegg,1804)*** (Argynnidae) Synonym(s): *napaea Hoffmannsegg,1804*; *isis Hübner,[1800] nec Dr.,[1773]*; *dirphya Hoffmannsegg,1806*; *punctata Crosson du Cormier,1964*; *sabaudiensis Crosson du Cormier,1964*. Original Reference: *Papilio napaea Hoffmannsegg,1804*, Illiger, Magazin f. Insektenk. 3: 196. Type(s): [Austria: Tyrolean Alps] (cf. Warren,1944: 42). Range (in code): **AT CH DE FI FR IT NO SE**
- 1538. *Boloria (s.str.) napaea nearctica Verity,1932*** (Argynnidae) Synonym(s): *nearctica Verity,1932* Range (in code): **US Als**
- 1539. *Boloria (s.str.) napaea pustagi Korshunov & Ivonin,1995*** (Argynnidae) Synonym(s): *pustagi Korshunov & Ivonin,1995* Original Reference: *Boloria altaica ssp. pustagi Korshunov & Ivonin,1995*, [in] Korshunov & Gorbunov,1995, The butterflies of the Asian part of Russia, Rhopalocera: 109. Holotype: Russia: Gornaya Choria, vic. Cheregech, Mt. Pustag 1000-1300m. Range (in code): **RU Ya**
- 1540. *Boloria (s.str.) napaea pyreneorientalis De Lesse,1961*** (Argynnidae) Synonym(s): *pyreneorientalis De Lesse,1961* Range (in code): **FR**
- 1541. *Boloria (s.str.) pales ([Denis & Schiffermüller],1775)*** (Argynnidae) Synonym(s): *pales [Denis & Schiffermüller],1775*; *arsilache Esper,1780*. Original Reference: *Papilio pales [Denis & Schiffermüller],1775*, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177. Type(s): [Austria]: Vienna district. Range (in code): **AL At AT BG CH CN DE ES FR IT MK PL RO RU SK Ts Ui YU LAT Wn Brl Gg Hu IN Ci IN Kma PK** Bionomy: Larva on *Viola calcarata* (Tolman,1997).
- 1542. *Boloria (s.str.) pales banghaasi Seitz,1909*** (Argynnidae) Synonym(s): *banghaasi Seitz,1909* Original Reference: *Argynnis pales f.banghaasi Seitz,1909*, Die Gross-Schmett. Erde 1: 230, pl.68a. Syntypes: [Russia]: Kentei Gebirge. Range (in code): **RU**
- 1543. *Boloria (s.str.) pales baralacha (Moore,1882)*** (Argynnidae) Synonym(s): *baralacha Moore,1882*; *hunzaica Tytler,1940*. Original Reference: *Argynnis baralacha Moore,1882*, Proc. zool. Soc. Lond. 1882: 242, pl.xi, figs. 1,1a. Type ♂: Ladak, [Baralacha Pass]. Range (in code): **Brl Gg Hu IN Ci IN Kma PK**
- 1544. *Boloria (s.str.) pales carpathomeridionalis Crosson du Cormier & Popescu-Gorj,1963*** (Argynnidae) Synonym(s): *carpathomeridionalis Crosson du Cormier & Popescu-Gorj,1963* Range (in code): **RO**
- 1545. *Boloria (s.str.) pales contempta (Zerny,[1931])*** (Argynnidae) Synonym(s): *contempta Zerny,[1931]* Original Reference: *Argynnis pales ssp. contempta Zerny,[1931]*, [in] Rebel & Zerny,1931, Denkschr. Akad. Wiss. Wien 103(2): 70. Syntypes: [Yugoslavia]: Montenegro; Albania. Range (in code): **AL MK Mt YU**
- 1546. *Boloria (s.str.) pales eupales (Fruhstorfer,1903)*** (Argynnidae) Synonym(s): *eupales Fruhstorfer,1903* Original Reference: *Argynnis pales eupales Fruhstorfer,1903*, Societas Ent. 18: 124. Syntypes 3♂ 5♀: Khamba-Jong. Range (in code): **Ld**
- 1547. *Boloria (s.str.) pales lucida (O.Bang-Haas,1927)*** (Argynnidae) Synonym(s): *lucida O.Bang-Haas,1927* Original Reference: *Argynnis pales ssp. lucida O.Bang-Haas,1927*, Horae Macrolepid. 1: 52, t.5 fig.18. Syntypes ♂♀: China: [Qinghai]: Richtofen mont., westl. Liang-tschou, 2500m. Range (in code): **CN Rth Ts**

- 1548. *Boloria (s.str.) pales nitida* B.C.S.Warren,1944** (Argynnidæ) Synonym(s): *nitida* B.C.S.Warren,1944 Original Reference: *Boloria pales* ssp. *nitida* B.C.S.Warren,1944, Trans. R. ent. Soc. Lond. 94(1): 62-63, Pl.38 figs.230-233. Holotype ♂: Baltistan: Chogo Lungma. Range (in code): **Bt Ld**
- 1549. *Boloria (s.str.) pales pales* ([Denis & Schiffermüller],1775)** (Argynnidæ) Synonym(s): *pales* [Denis & Schiffermüller],1775; *arsilache* Esper,1780. Original Reference: *Papilio pales* [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 177. Type(s): [Austria]: Vienna district. Range (in code): **AT CH DE LAT Wn**
- 1550. *Boloria (s.str.) pales palina* (Fruhstorfer,1903)** (Argynnidæ) Synonym(s): *palina* Fruhstorfer,1903 Original Reference: *Argynnis pales palina* Fruhstorfer,1903, Dt. ent. Z., Iris 16: 306. Syntypes: [China]: Ta-Tsien-Lou, Siao-Lou. Range (in code): **CN Sz T-T**
- 1551. *Boloria (s.str.) pales palustris* (Fruhstorfer,1909)** (Argynnidæ) Synonym(s): *palustris* Fruhstorfer,1909 Original Reference: *Argynnis pales* ssp. *palustris* Fruhstorfer,1909, Int. ent. Z. 3: 112. Syntypes: Schweiz. Simplon, Arolla, Engadin; Piemont, Cognetal. Range (in code): **CH Eng IT Pmt Va**
- 1552. *Boloria (s.str.) pales pyrenesmiscens* B.C.S.Warren,1944** (Argynnidæ) Synonym(s): *#pyrenesmiscens* Verity,1932; *pyrenesmiscens* B.C.S.Warren,1944. Original Reference: *Boloria pales* ssp. *pyrenesmiscens* B.C.S.Warren,1944, Trans. R. ent. Soc. Lond. 94(1): 79-80, Pl.44, figs.296-297, Pl.45 figs.298-301. Holotype ♂: Gavarnie. Range (in code): **ES FR Py**
- 1553. *Boloria (s.str.) pales rilaensis* Varga,1972** (Argynnidæ) Synonym(s): *rilaensis* Varga,1972 Original Reference: *Boloria pales* ssp. *rilaensis* Varga,1972, Acta Univ. debrecen (ser.2) Biologica 9 (1971): 215, Abb. Holotype ♂: Bulgarien: Rila Gebirge, Malak Macsi Vrh, 2300-2474m Range (in code): **BG**
- 1554. *Boloria (s.str.) pales sifanica* (Groum-Grshimailo,1890)** (Argynnidæ) Synonym(s): *sifanica* Groum-Grshimailo,1890 Original Reference: *Argynnis pales* var. *sifanica* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 456. Syntypes: [China]: [Tsinghai]: Amdo, Sining-Schan, Dshachar. Range (in code): **Amd CN Jc Sng Ts**
- 1555. *Boloria (s.str.) pales tatrensis* Crosson,1961** (Argynnidæ) Synonym(s): *tatrensis* Crosson,1961 Range (in code): **PL SK**
- 1556. *Boloria (s.str.) pales tatsienlouna* Reuss,1925** (Argynnidæ) Synonym(s): *#palinoides* Reuss,1925; *tatsienlouna* Reuss,1925; *palinoides* B.C.S.Warren,1944. Original Reference: *Boloria tatsienlouna* Reuss,1925, Int. ent. Z. 19: 280. Type ♂: [China]: Ta-tsien-lu. Range (in code): **CN Sz T-T**
- 1557. *Boloria (s.str.) sipora* (Moore,1874)** (Argynnidæ) Synonym(s): *sipora* Moore,1874; *hunzaica* Tytler,1940. Original Reference: *Argynnis sipora* Moore,1874, Proc. zool. Soc. Lond. 1874: 568-569, pl.lxvi, fig.11. Syntypes ♂♀: Cashmere, near Gungabul lake, at foot of Haramook Peak. Range (in code): **Ch CN KK Ld Ui PK Gg Hu TJ Pm Al**
- 1558. *Boloria (s.str.) sipora sipora* (Moore,1874)** (Argynnidæ) Synonym(s): *sipora* Moore,1874; *hunzaica* Tytler,1940. Original Reference: *Argynnis sipora* Moore,1874, Proc. zool. Soc. Lond. 1874: 568-569, pl.lxvi, fig.11. Syntypes ♂♀: Cashmere, near Gungabul lake, at foot of Haramook Peak. Range (in code): **Ch CN KK Ld Ui PK Gg Hu TJ Pm Al**
- 1559. *Brenthis daphne* (Bergsträsser,1780)** (Argynnidæ) Synonym(s): *daphne* Bergsträsser,1780; *chlois* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. Original Reference: *Papilio daphne* Bergsträsser,1780, Nomencl. Besch. Ins. 4: 32, Taf. 86 figs. 1,2. Type(s): Deutschland: [Hanau-Münzenberg]. Range (in code): **AZ Sms At AT Ba BG BY CH CN DE ES FR Co GG GR HU IT JP LT IR Ak MK PL RO RU Si SK Sm So Sr TR UA YU KG Uk TM Kp T-S TrA DsA Tar Sau Da Bjo Smt Cc Ab** Bionomy: Larva on *Rubus fruticosus*, *R. idaeus*, *Filipendula ulmaria*, *Sanguisorba* (Rosaceae) (Nel & Luquet,1981; Tolman,1997).
- 1560. *Brenthis daphne daphne* (Bergsträsser,1780)** (Argynnidæ) Synonym(s): *daphne* Bergsträsser,1780; *chlois* Esper,1778 nec Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. Original Reference: *Papilio daphne* Bergsträsser,1780, Nomencl. Besch. Ins. 4: 32, Taf. 86 figs. 1,2. Type(s): Deutschland: [Hanau-Münzenberg]. Range (in code): **AZ Sms At AT Ba BG BY CH CN DE ES FR Co GG GR HU IT JP LT IR Ak MK PL RO RU Si SK Sm So Sr TR UA YU KG Uk T-S TM Kp TrA DsA Tar Sau Da Bjo Smt Cc** Bionomy: Larva on *Rubus fruticosus*, *R. idaeus*, *Filipendula ulmaria*, *Sanguisorba* (Rosaceae) (Nel & Luquet,1981; Tolman,1997).

- 1561. *Brenthis daphne iwatensis* Okano,1951** (Argynnidæ) Synonym(s): *iwatensis* Okano,1951
Range (in code): JP
- 1562. *Brenthis daphne mediofusca* (Bryk,1946)** (Argynnidæ) Synonym(s): *#mediofusca* Matsumura,1929; *mediofusca* Bryk,1946. Original Reference: *Argynnis daphne* ssp. *mediofusca* Bryk,1946, Arkiv. zool. 38 A(3): 41. Holotype ♂: Korea: Motojondo. Range (in code): KP
- 1563. *Brenthis hecate* ([Denis & Schiffermüller],1775)** (Argynnidæ) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. Original Reference: *Papilio hecate* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district. Range (in code): Buc At Bn Al AT Ba BG BY CZ ES Mu FR GG Aj AM Arr Da Cc GR HU IT IR Ak Kr LT MK RO RU SK Sm Sr TR Arr UA VI YU LAT Wn T-S KG Pm Sb Ur Nym Tar Sau TrA DsA Aa Tk Tu TM Kp CN Ui Ab Bionomy: Larva on *Filipendula vulgaris*, *F. ulmaria* (Rosaceae) (Nel & Luquet,1981; Tolman, 1997).
- 1564. *Brenthis hecate alaica* (Staudinger,1886)** (Argynnidæ) Synonym(s): *alaica* Staudinger,1886 Original Reference: *Argynnis hecate* var. *alaica* Staudinger,1886, Stettin ent. Ztg. 47: 236. Syntypes: [Usbekistan]: Alai. Range (in code): Al KK UZ T-S TrA DsA Aa Tk Tu KG CN Ui
- 1565. *Brenthis hecate hecate* ([Denis & Schiffermüller],1775)** (Argynnidæ) Synonym(s): *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. Original Reference: *Papilio hecate* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district. Range (in code): AT Ba BG BY Cm CZ ES FR GR HU IT LT MK RO RU SK Sm Sr TR UA VI YU LAT Wn Sb Ur KG Bionomy: Larva on *Filipendula vulgaris*, *F. ulmaria* (Rosaceae) (Nel & Luquet,1981; Tolman, 1997).
- 1566. *Brenthis hecate poecilla* De Sagarra,1924** (Argynnidæ) Synonym(s): *poecilla* De Sagarra,1924 Range (in code): ES Mu
- 1567. *Brenthis hecate transcaucasica* Wnukowsky,1929** (Argynnidæ) Synonym(s): *#caucasia* Staudinger,1861; *caucasica* Staudinger,1871 nec Lederer,1852; *transcaucasica* Wnukowsky,1929. Original Reference: *Brenthis hecate* var. *transcaucasica* Wnukowsky,1929, Zool. Anz. 83: 222-223. (nomen nov. pro *caucasica* Stgr.,1871 nec Lederer,1852). Range (in code): GG Cc Aj AM Arr Da TR IR Ak TM Kp
- 1568. *Brenthis hecate warreni* Kudrna,1974** (Argynnidæ) Synonym(s): *warreni* Kudrna,1974 Original Reference: *Brenthis hecate* ssp. *warreni* Kudrna,1974, Entomologist's Gaz. 25(2): 95-96, figs. 11-16. Holotype ♂: [Russia]: S.-E. Altay, Tchuya Valley, 1200-1800m. Range (in code): At Bn RU Buc Tar Sau KG
- 1569. *Brenthis ino* (Rottemburg,1775)** (Argynnidæ) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. Original Reference: *Papilio ino* Rottemburg,1775, Naturforscher 6: 19, Taf. 1 figs. 3,4. Type(s): Deutschland: Berlin, Landsberg an der Warthe. Range (in code): At Kts AT Aty Ba BE BG BY CH CN Ui CZ DE DK EE ES FI FR GG Cc Tbl Mng AM Arr HU IT JP KG KK KP KR Ku LT LU LV MK MN NL NO PL RU SE SK Sm So Sr TR UA Ui VI YU Kuz Sli Sau Tar T-S TrA TeA DsA Bionomy: Larva on *Filipendula ulmaria*, *F. petalata*, *F. palmata*, *Rubus idaeus*, *R. chamaemorus*, *Aruncus dioecus*, *Sanguisorba officinalis* (Rosaceae) (Eckstein,1913; Tolman,1997).
- 1570. *Brenthis ino adalberti* (Fruhstorfer,1916)** (Argynnidæ) Synonym(s): *sibirica* Seitz,1908 nec Erschoff,1870; *adalberti* Fruhstorfer,1916. Original Reference: *Argynnis ino* ssp. *adalberti* Fruhstorfer,1916, Archiv Naturg. (A2) 82: 19 (nomen novum pro *sibirica* Seitz,1908 nec Erschoff,1870). Range (in code): RU Sj
- 1571. *Brenthis ino amurensis* Staudinger,1887** (Argynnidæ) Synonym(s): *amurensis* Staudinger,1887 Original Reference: *Argynnis ino* var. *amurensis* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. Syntypes: Russia: Amur: Blagoweschtschensk; Askold. Range (in code): Am JP KP KR RU Prj Us Ask
- 1572. *Brenthis ino erilda* De Sagarra,1926** (Argynnidæ) Synonym(s): *erilda* De Sagarra,1926 Original Reference: *Brenthis ino* rassa *erilda* De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 270. Type: Spain: Roiuela del Tremedal (Arago). 1700m (MCNB). Range (in code): ES Ter
- 1573. *Brenthis ino ino* (Rottemburg,1775)** (Argynnidæ) Synonym(s): *ino* Rottemburg,1775; *dictynna* [Denis & Schiff.],1775; *parthenie* Bergsträßer,1780; *flavomaculatus* Retzius,1783; *adula*, *tergesta*, *eporedia* Fruhst.,1910; *pyrenaica* Sagarra,1925; *asiaepallens* Verity,1933; *sesquierilda* Verity,1957. Original Reference: *Papilio ino* Rottemburg,1775, Naturforscher 6: 19, Taf. 1 figs. 3,4. Type(s): Deutschland: Berlin, Landsberg an der Warthe. Range (in code): Aq At Kts AT Aty Ba BE BG Bs Bw

BY Cb CH CN Ui CZ DE DK EE FI FR GG Cc Tbl Mng AM Arr HU IT Ju KG Kg KK Kt Kw LT LU LV MK
Mn NL No NO Om Or PL Pp RU Sb SE Sem SK Sm So Sp Sr Tk TR Ty UA Ui Uk VI YU Kuz Sli

- 1574. *Brenthis ino limpida* (Krulikowsky,1909)** (Argynnidae) Synonym(s): *clara* Staudinger,1892 nec Blanch.,1844; *limpida* Krulikowsky,1909. Range (in code): CN Dah Mc
- 1575. *Brenthis ino paidicus* (Fruhstorfer,1907)** (Argynnidae) Synonym(s): *paidicus* Fruhstorfer,1907. Original Reference: Argynnis ino ssp. paidicus Fruhstorfer,1907, Int. ent. Z. 21: 163. Range (in code): At MN RU
- 1576. *Brenthis ino parvimarginalis* Nakahara,1926** (Argynnidae) Synonym(s): *karafutonis* Matsumura,1925 (hom.); *parvimarginalis* Nakahara,1926. Range (in code): RU Sh
- 1577. *Brenthis ino pyrenaica* De Sagarra,1926** (Argynnidae) Synonym(s): *pyrenaica* De Sagarra,1926. Original Reference: Brenthis ino rassa pyrenaica De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 270-271. Type: Spain: Salardu, a la vall d'Aran (MCNB). Range (in code): ES Py
- 1578. *Brenthis ino schmitzi* Wagener,1983** (Argynnidae) Synonym(s): *schmitzi* Wagener,1983. Original Reference: Brenthis ino ssp. schmitzi Wagener,1983, Entomofauna 4 (7): 109-117, Taf.1 figs. 10-12. Holotype ♂: Türkiye: Bayburt/ Erzurum: Kopdağı Geçidi (in coll. Wagener). Range (in code): TR Cc AZ AM
- 1579. *Brenthis ino siopelus* Fruhstorfer,1907** (Argynnidae) Synonym(s): *siopelus* Fruhstorfer,1907; *herzi* Seitz,1909; *magadanica* Kurentsov,1970. Range (in code): Kmt RU
- 1580. *Brenthis ino tarnis* (Fruhstorfer,1916)** (Argynnidae) Synonym(s): *tarnis* Fruhstorfer,1916. Original Reference: Argynnis ino ssp. tarnis Fruhstorfer,1916, Archiv Naturg. (A2) 82: 19. Syntypes: [Russia]: Ussuri. Range (in code): RU Prj Us
- 1581. *Brenthis ino tigroides* Fruhstorfer,1907** (Argynnidae) Synonym(s): *tigroides* Fruhstorfer,1907. Range (in code): Krl RU JP
- 1582. *Brenthis ino trachalus* (Fruhstorfer,1916)** (Argynnidae) Synonym(s): *trachalus* Fruhstorfer,1916. Range (in code): KG T-S Aa Sau Tar TrA TeA DsA
- 1583. *Brenthis ino vitimensis* Wnukowsky,1929** (Argynnidae) Synonym(s): *borealis* Seitz,1908 nec Staudinger,1861; *vitimensis* Wnukowsky,1929. Original Reference: Brenthis ino ssp. vitimensis Wnukowsky,1929, Zool. Anz. 83: 223 (nom. nov. pro Argynnis ino subsp. borealis Staudinger [sic],1908 [in] Seitz, Die Groß-Schmett. Erde 1: 235; nec Argynnis thore Hb. subsp. borealis Staudinger,1861. Range (in code): Bry RU
- 1584. *Brenthis mofidii* Wyatt,1968** (Argynnidae) Synonym(s): *mofidii* Wyatt,1968. Original Reference: Brenthis hecate ssp. mofidii Wyatt,1968, Z. Wien. ent. Ges. 53: 30, figs. Holotype ♂: Iran: Elbursggeb.: Darband, 2250m (in coll.Wyatt) Range (in code): Elb IR Ab Mz TR IQ Er Ry
- 1585. *Brenthis mofidii mofidii* Wyatt,1968** (Argynnidae) Synonym(s): *mofidii* Wyatt,1968. Original Reference: Brenthis hecate ssp. mofidii Wyatt,1968, Z. Wien. ent. Ges. 53: 30, figs. Holotype ♂: Iran: Elbursggeb.: Darband, 2250m (in coll.Wyatt) Range (in code): Elb IR Mz
- 1586. *Brenthis mofidii zabensis* Leestmans & Carbonell,1993** (Argynnidae) Synonym(s): *zabensis* Leestmans & Carbonell,1993. Original Reference: Brenthis mofidii ssp. zabensis Leestmans & Carbonell,1993, Linneana Belg. 14 (3): 128, pl.1 figs.5-8. Holotype ♂: Turquie: Hakkari Prov., Dez valley (leg.F.Carbonell) (BMNH). Range (in code): TR IQ Er Ry
- 1587. *Byblia anvatar* (Boisduval,1833)** (Argynnidae) Synonym(s): *anvatar* Boisduval,1833; *#seriata* Rothschild & Jordan,1903. Original Reference: Hypanis anvatar Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 204, pl.7 fig.5. Type(s): [Malagasy Republic]: Madagascar. Range (in code): As ET KE KM MG NA SA SD SO Zai TZ UG YE Sk ZA Tva Lpo Spb Kru Pma Pf K12 CM GH ZR UG SN SL AO MW Zom
- 1588. *Byblia anvatar acheloia* (Wallengren,1857)** (Argynnidae) Synonym(s): *acheloia* Wallengren,1857; *castanea* Butler,1886. Original Reference: Hypanis acheloia Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 29. Type(s): [South Africa]: Caffraria. Range (in code): As ET KE NA SA SD SO Zai TZ UG YE ZA Tva Lpo Spb Kru Pma Pf K12 MW Zom
- 1589. *Byblia anvatar anvatar* (Boisduval,1833)** (Argynnidae) Synonym(s): *anvatar* Boisduval,1833; *#seriata* Rothschild & Jordan,1903. Original Reference: Hypanis anvatar Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 204, pl.7 fig.5. Type(s): [Malagasy Republic]: Madagascar. Range (in code): KM MG
- 1590. *Byblia anvatar boydi* Dixey,1898** (Argynnidae) Synonym(s): *boydi* Dixey,1898. Range (in code): YE Sk
- 1591. *Byblia anvatar crameri* Aurivillius,1894** (Argynnidae) Synonym(s): *crameri* Aurivillius,1894. Range (in code): CM GH ZR UG SN SL AO

- 1592. *Byblia ilithyia* (Drury,[1773])** (Argynnidae) Synonym(s): *ilithyia* Drury,[1773]; *polinice* Stoll,[1782]; *gotzius* Herbst,1798; *cora* Feisthamel,1850; *badiata* Grünberg,1910; *#aestivalis* Ungemach,1932; *#alithyia* D'Abrera,1981 Original Reference: *Papilio ilithyia* Drury,[1773], Ill. ex. Ent. 2: Pl.17 figs. 1,2. Range (in code): **AO BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW IN KE LR LS LY MA ML MR MW MZ NA NE NG OM RW SD SL SN SO ST SZ TD TG TN TZ UG ZA Nta Kzu Ptb Lpo Tva Spb Mdk Ent Gau Pre Mpu Brb Kaa Suw Jh ZM ZR ZW LK IN SA**
- 1593. *Byblia ilithyia ilithyia* (Drury,[1773])** (Argynnidae) Synonym(s): *ilithyia* Drury,[1773]; *polinice* Stoll,[1782]; *gotzius* Herbst,1798; *cora* Feisthamel,1850; *badiata* Grünberg,1910; *#aestivalis* Ungemach,1932; *#alithyia* D'Abrera,1981 Original Reference: *Papilio ilithyia* Drury,[1773], Ill. ex. Ent. 2: Pl.17 figs. 1,2. Range (in code): **AO BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW IN KE LR LS LY MA ML MR MW MZ NA NE NG OM RW SD SL SN SO ST SZ TD TG TN TZ UG ZA Nta Kzu Ptb Lpo Tva Spb Mdk Ent Gau Pre Mpu Brb Kaa Suw Jh ZM ZR ZW LK IN SA**
- 1594. *Calinaga aborica* Tytler,1915** (Argynnidae) Synonym(s): *aborica* Tytler,1915 Range (in code): **MM**
- 1595. *Calinaga buddha* Moore,1857** (Argynnidae) Synonym(s): *buddha* Moore,1857 Original Reference: *Calinaga buddha* Moore,1857, [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India Coy 81): 162, 163 pl.3a fig.5. Range (in code): **MM CN**
- 1596. *Calinaga buddha buddha* Moore,1857** (Argynnidae) Synonym(s): *buddha* Moore,1857
- 1597. *Calinaga formosana* Fruhstorfer,1908** (Argynnidae) Synonym(s): *formosana* Fruhstorfer,1908 Range (in code): **TW**
- 1598. *Calinaga gautana* Moore,1896** (Argynnidae) Synonym(s): *gautana* Moore,1896 Range (in code): **IN SI BT**
- 1599. *Calinaga* sp. Vane Wright** (Argynnidae) Synonym(s): **MM**
- 1600. *Calinaga sudassana* Melville,1893** (Argynnidae) Synonym(s): *sudassana* Melville,1893 Range (in code): **MM TH CMa CDo**
- 1601. *Catacroptera cloanthe* (Stoll,[1781])** (Argynnidae) Synonym(s): *cloanthe* Stoll,[1781]; *obscurior* Staudinger,1885; *intermedia* Rothschild,1918 Range (in code): **ZA Nta Kzu Ptb Est Tva Lpo Spb Ent Gau Pre Jh ZW BW SN CM GA MW Zom**
- 1602. *Catacroptera cloanthe cloanthe* (Stoll,[1781])** (Argynnidae) Synonym(s): *cloanthe* Stoll,[1781]; *obscurior* Staudinger,1885; *intermedia* Rothschild,1918 Range (in code): **MW Zom ZA Nta Kzu Ptb Est Tva Lpo Spb Ent Gau Pre Jh ZW BW**
- 1603. *Catacroptera cloanthe liguta* Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *liguta* Rothschild & Jordan,1903 Range (in code): **SN CM GA**
- 1604. *Catuna angustatum* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *angustatum* C.Felder & R.Felder,[1867] Range (in code): **CI CM SL UG TZ GN NG ZR**
- 1605. *Catuna angustatum albidior* Rothschild,1918** (Argynnidae) Synonym(s): *albidior* Rothschild,1918 Range (in code): **SL CI CM SL NG**
- 1606. *Catuna angustatum angustatum* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *angustatum* C.Felder & R.Felder,[1867] Range (in code): **UG TZ GN NG ZR**
- 1607. *Catuna crithea* (Drury,[1773])** (Argynnidae) Synonym(s): *crithea* Drury,[1773] Range (in code): **LR GH NG GO Bio KE UG ZR CM Bit AO ZM TZ** Bionomy: Larva on Bersama (Melianthaceae); Aningueria, malacantha, Mimuspops, Manilkara (Sapotaceae) (Ackery et al.,1995).
- 1608. *Catuna crithea canui* Hecq,1988** (Argynnidae) Synonym(s): *canui* Hecq,1988 Range (in code): **GO Bio**
- 1609. *Catuna crithea conjuncta* Aurivillius,1922** (Argynnidae) Synonym(s): *conjuncta* Aurivillius,1922; *conjux* Aurivillius,1922 Range (in code): **KE UG**
- 1610. *Catuna crithea crithea* (Drury,[1773])** (Argynnidae) Synonym(s): *crithea* Drury,[1773] Range (in code): **LR GH NG**
- 1611. *Catuna crithea ogrogae* Hall,1935** (Argynnidae) Synonym(s): *ogrogae* Hall,1935 Range (in code): **NG**
- 1612. *Catuna crithea pallidior* Rothschild,1918** (Argynnidae) Synonym(s): *pallidior* Rothschild,1918; *reticulata* Schultze,1920 Range (in code): **CM Bit ZR**
- 1613. *Catuna niji* Fox,1965** (Argynnidae) Synonym(s): *niji* Fox,1965 Range (in code): **LR**
- 1614. *Catuna oberthueri* Karsch,1894** (Argynnidae) Synonym(s): *oberthueri* Karsch,1894 Range (in code): **CM LR ZR TZ**
- 1615. *Catuna sikorana* Rogenhofer,1889** (Argynnidae) Synonym(s): *sikorana* Rogenhofer,1889 Range (in code): **TZ Tnga Usa Ani MW**

- 1616. Cethosia biblis (Drury,[1773])** (Argynnidae) Synonym(s): *biblis* Drury,[1773] _ Range (in code): **IN Ass Slo NP CN MM MY Prk PH Bab Luz Bon Jol Mno Sga Stu Taw Boh Ceb Cts Cuy Ley Mar Mas Mdo Neg Pan Sam Sib HK Hn MY TH CMa Int Dst Qs Cuo Cuo1 Cuo2 Pap Mro TAc Cbi Chy Knc Rng Yal Nst Sgk Hya Tnc Adm Nk ID Clb Sum Ja Bli Lb Baw Sbw Flo**
- 1617. Cethosia biblis adantonia Fruhstorfer,1912** (Argynnidae) Synonym(s): *adantonia* Fruhstorfer,1912 _ Range (in code): **ID Sum**
- 1618. Cethosia biblis alceste Fruhstorfer,1905** (Argynnidae) Synonym(s): *alceste* Fruhstorfer,1905 _ Range (in code): **ID Baw**
- 1619. Cethosia biblis andamanica Stichel,1902** (Argynnidae) Synonym(s): *andamanica* Stichel,1902 _ Range (in code): **IN Adm**
- 1620. Cethosia biblis atia Fruhstorfer,1905** (Argynnidae) Synonym(s): *atia* Fruhstorfer,1905 _ Range (in code): **ID Flo**
- 1621. Cethosia biblis barangingi Tsukada,1985** (Argynnidae) Synonym(s): *barangingi* Tsukada,1985 _ Range (in code): **PH Bon Jol Sga Stu Taw**
- 1622. Cethosia biblis biblis (Drury,[1773])** (Argynnidae) Synonym(s): *biblis* Drury,[1773] _ Range (in code): **IN Ass CN TH CMa Int Cuo Cuo1 Cuo2 Pap Mro TAc Cbi Chy Knc Sgk Hya Tnc**
- 1623. Cethosia biblis floresiana Fruhstorfer,1902** (Argynnidae) Synonym(s): *floresiana* Fruhstorfer,1902 _ Range (in code): **ID Flo**
- 1624. Cethosia biblis hainana Fruhstorfer,1908** (Argynnidae) Synonym(s): *hainana* Fruhstorfer,1908 _ Range (in code): **CN Hn**
- 1625. Cethosia biblis insularis C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *insularis* C.Felder & R.Felder,1861 _ Range (in code): **PH Bab Luz**
- 1626. Cethosia biblis javana C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *javana* C.Felder & R.Felder,[1867] _ Range (in code): **ID Ja**
- 1627. Cethosia biblis liacura Fruhstorfer,1912** (Argynnidae) Synonym(s): *liacura* Fruhstorfer,1912 _ Range (in code): **PH Mno**
- 1628. Cethosia biblis logani Distant,1881** (Argynnidae) Synonym(s): *logani* Distant,1881 _ Range (in code): **ID Sum**
- 1629. Cethosia biblis narmada Fruhstorfer,1896** (Argynnidae) Synonym(s): *narmada* Fruhstorfer,1896 _ Range (in code): **Lb ID**
- 1630. Cethosia biblis narmadoides Nicéville,1898** (Argynnidae) Synonym(s): *narmadoides* Nicéville,1898 _ Range (in code): **ID Bli**
- 1631. Cethosia biblis nicobarica C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *nicobarica* C.Felder & R.Felder,[1867] _ Range (in code): **Nk IN**
- 1632. Cethosia biblis perakana Fruhstorfer,1902** (Argynnidae) Synonym(s): *perakana* Fruhstorfer,1902 _ Range (in code): **TH Rng Yal Nst Sgk Hya Tnc MY Prk**
- 1633. Cethosia biblis permanggilensis Eliot,1978** (Argynnidae) Synonym(s): *permanggilensis* Eliot,1978 _ Range (in code): **MY**
- 1634. Cethosia biblis phanaroia Fruhstorfer,1912** (Argynnidae) Synonym(s): *phanaroia* Fruhstorfer,1912 _ Range (in code): **CN HK**
- 1635. Cethosia biblis picta C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *picta* C.Felder & R.Felder,[1867]; ? *sarsina* Fruhstorfer,1912 _ Range (in code): **ID Clb**
- 1636. Cethosia biblis placito Tsukada,1985** (Argynnidae) Synonym(s): *placito* Tsukada,1985 _ Range (in code): **PH Mno**
- 1637. Cethosia biblis sandakana Fruhstorfer,1899** (Argynnidae) Synonym(s): *sandakana* Fruhstorfer,1899 _ Range (in code): **PH Boh Ceb Cts Cuy Ley Mar Mas Mdo Neg Pan Sam Sib MY Bor**
- 1638. Cethosia biblis sandakana Fruhstorfer,1899** (Argynnidae) Synonym(s): *sandakana* Fruhstorfer,1899
- 1639. Cethosia biblis sumbana Pagenstecher,1894** (Argynnidae) Synonym(s): *sumbana* Pagenstecher,1894 _ Range (in code): **ID Sba**
- 1640. Cethosia biblis tambora Doherty,1891** (Argynnidae) Synonym(s): *tambora* Doherty,1891 _ Range (in code): **ID Sbw**
- 1641. Cethosia biblis togiana Fruhstorfer,1902** (Argynnidae) Synonym(s): *togiana* Fruhstorfer,1902 _ Range (in code): **ID Clb**
- 1642. Cethosia cyane (Drury,[1773])** (Argynnidae) Synonym(s): *cyane* Drury,[1773] _ Range (in code): **IN Ass Slo MM SI BT TH CMa Int Cuo Chy Sak Bnk Sbu Cbi TAc Rng Rat** Bionomy: Larva on *Passiflora foetida* [ka thok rok], *Adenia viridiflora* [e nun] (Passifloraceae), *Hibiscus surattensis* [cha mot] (Malvaceae) (Lewvanich,2001).

- 1643. *Cethosia cyane cyane* (Drury,[1773])** (Argynnidae) Synonym(s): *cyane* Drury,[1773]
Range (in code): IN SI Ass MM
- 1644. *Cethosia cyane euanthes* Fruhstorfer,1912** (Argynnidae) Synonym(s): *euanthes* Fruhstorfer,1912
Range (in code): TH CMA Cuo Int Chy Sak Bnk Sbu Cbi TAK Rng Rat Bionomy: Larva on Passiflora foetida [ka thok rok], Adenia viridiflora [e nun] (Passifloraceae), Hibiscus surattensis [cha mot] (Malvaceae) (Lewvanich,2001).
- 1645. *Cethosia gabinia* Weymer,1883** (Argynnidae) Synonym(s): *gabinia* Weymer,1883
Original Reference: Cethosia gabinia Weymer,1883, Ent. Nachr. 1883: 191. Type: Nias. Range (in code): ID Nia
- 1646. *Cethosia gabinia gabinia* Weymer,1883** (Argynnidae) Synonym(s): *gabinia* Weymer,1883
Original Reference: Cethosia gabinia Weymer,1883, Ent. Nachr. 1883: 191. Type: Nias. Range (in code): ID Nia
- 1647. *Cethosia hypsea* Doubleday,[1847]** (Argynnidae) Synonym(s): *hypsea* Doubleday,[1847]
Range (in code): MM TH CMA CDo Tng Yal Nst Ths Ntt SPa SG MY ID Sum Bor Ja Bgk Mw Btu PH Bal Cal Pal
- 1648. *Cethosia hypsea aeole* Moore & Horsfield,1857** (Argynnidae) Synonym(s): *aeole* Moore & Horsfield,1857
Range (in code): ID Sum
- 1649. *Cethosia hypsea bankana* Fruhstorfer,1912** (Argynnidae) Synonym(s): *bankana* Fruhstorfer,1912
Range (in code): ID Bgk
- 1650. *Cethosia hypsea batuensis* Fruhstorfer,1900** (Argynnidae) Synonym(s): *batuensis* Fruhstorfer,1900
Range (in code): ID Btu
- 1651. *Cethosia hypsea fruhstorferi* Stichel,1907** (Argynnidae) Synonym(s): *fruhstorferi* Stichel,1907
Range (in code): ID Ja
- 1652. *Cethosia hypsea hypsea* Doubleday,[1847]** (Argynnidae) Synonym(s): *hypsea* Doubleday,[1847]
Range (in code): MY Bor
- 1653. *Cethosia hypsea hypsina* C.Felder & R.Felder,1866** (Argynnidae) Synonym(s): *hypsina* C.Felder & R.Felder,1866
Range (in code): MM TH CMA CDo Tng Yal Nst Ths Ntt SPa SG MY
- 1654. *Cethosia hypsea munjava* Fruhstorfer,1912** (Argynnidae) Synonym(s): *munjava* Fruhstorfer,1912
Range (in code): ID Ja
- 1655. *Cethosia hypsea palawana* Fruhstorfer,1900** (Argynnidae) Synonym(s): *palawana* Fruhstorfer,1900
Range (in code): PH Bal Cal Pal
- 1656. *Cethosia hypsea pallaurea* Hagen,1898** (Argynnidae) Synonym(s): *pallaurea* Hagen,1898
Range (in code): ID Mw
- 1657. *Cethosia hypsea triocala* Fruhstorfer,1912** (Argynnidae) Synonym(s): *triocala* Fruhstorfer,1912
Range (in code): ID Sum
- 1658. *Cethosia luzonica* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder,1863
Range (in code): PH Gui Mas Neg Pan Sib Luz Boh Ceb Ley Pao Sam
- 1659. *Cethosia luzonica boholica* Semper,1888** (Argynnidae) Synonym(s): *boholica* Semper,1888
Range (in code): PH Boh Ceb Ley Pao Sam
- 1660. *Cethosia luzonica luzonica* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *luzonica* C.Felder & R.Felder,1863
Original Reference: Cethosia luzonica C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 107. Type: Luzon. Range (in code): PH Luz
- 1661. *Cethosia luzonica magindanica* Semper,1888** (Argynnidae) Synonym(s): *magindanica* Semper,1888
Range (in code): PH Mno
- 1662. *Cethosia luzonica pariana* Semper,1888** (Argynnidae) Synonym(s): *pariana* Semper,1888
Range (in code): PH Gui Mas Neg Pan Sib
- 1663. *Cethosia mindanensis* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder,1863
Range (in code): PH Bas Mno Bon Jol Sga Sis Stu Taw
- 1664. *Cethosia mindanensis festiva* Fruhstorfer,1899** (Argynnidae) Synonym(s): *festiva* Fruhstorfer,1899
Range (in code): PH Bon Jol Sga Sis Stu Taw
- 1665. *Cethosia mindanensis mindanensis* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *mindanensis* C.Felder & R.Felder,1863
Range (in code): PH Bas Mno
- 1666. *Cethosia myrina* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *myrina* C.Felder & R.Felder,1867
Range (in code): ID Clb But
- 1667. *Cethosia myrina bemmeleni* Juriaanse & Lindemanns,1918** (Argynnidae) Synonym(s): *bemmeleni* Juriaanse & Lindemanns,1918; *vanbemmeleni* Sharp,1922
Range (in code): ID But

- 1668. *Cethosia myrina melancholica* Fruhstorfer,1909** (Argynnidae) Synonym(s): *melancholica* Fruhstorfer,1909 _ Range (in code): ID Clb
- 1669. *Cethosia myrina myrina* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *myrina* C.Felder & R.Felder,1867
- 1670. *Cethosia myrina sarnada* Fruhstorfer,1912** (Argynnidae) Synonym(s): *sarnada* Fruhstorfer,1912 _ Range (in code): ID Clb
- 1671. *Cethosia nietneri* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *nietneri* C.Felder & R.Felder,1867 _ Range (in code): LK IN
- 1672. *Cethosia nietneri mahratta* Moore,1872** (Argynnidae) Synonym(s): *mahratta* Moore,1872 _ Range (in code): IN
- 1673. *Cethosia nietneri nietneri* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *nietneri* C.Felder & R.Felder,1867 _ Range (in code): LK
- 1674. *Cethosia penthesilea* (Cramer,1777)** (Argynnidae) Synonym(s): *penthesilea* Cramer,1777 _ Range (in code): MM MY TH Nst Chw Ths Rng Tng Cph ID Sbw Sba Lb Sum Baw Ja ?Bli ?Kgn
- 1675. *Cethosia penthesilea baweanica* Fruhstorfer,1912** (Argynnidae) Synonym(s): *baweanica* Fruhstorfer,1912 _ Range (in code): ID Baw
- 1676. *Cethosia penthesilea carolinae* Forbes,1885** (Argynnidae) Synonym(s): *carolinae* Forbes,1885 _ Range (in code): ID Sum
- 1677. *Cethosia penthesilea diffusa* Fruhstorfer,1905** (Argynnidae) Synonym(s): *diffusa* Fruhstorfer,1905 _ Range (in code): ID Sbw
- 1678. *Cethosia penthesilea exsanguis* Fruhstorfer,1897** (Argynnidae) Synonym(s): *exsanguis* Fruhstorfer,1897 _ Range (in code): ID Lb
- 1679. *Cethosia penthesilea filiola* Fruhstorfer,1902** (Argynnidae) Synonym(s): *filiola* Fruhstorfer,1902 _ Range (in code): ID Sba
- 1680. *Cethosia penthesilea methypsea* Butler,1879** (Argynnidae) Synonym(s): *methypsea* Butler,1879 _ Range (in code): MM MY TH Nst Chw Ths Rng Tng Cph
- 1681. *Cethosia penthesilea penthesilea* (Cramer,1777)** (Argynnidae) Synonym(s): *penthesilea* Cramer,1777 _ Range (in code): ID Ja ?Bli ?Kgn
- 1682. *Charaxes achaemenes* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *achaemenes* C.Felder & R.Felder,[1867]; *fasciatus* Suffert,1904. _ Range (in code): SN GM GW GN SL LR CI GH ER ET SD KE NG CF CM UG TZ ZR ZM MW Zom MZ ZW AO ZA Nta Tva Kzu Lpo Spb Mdk Kru Pma Pf Eur Ly Suw Mpu Brb Mll BW NA
- 1683. *Charaxes achaemenes achaemenes* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *achaemenes* C.Felder & R.Felder,[1867]; *fasciatus* Suffert,1904. _ Range (in code): KE TZ ZR ZM AO MW MZ ZW BW NA ZA Nta Kzu Lpo Spb Mdk Kru Pma Pf Eur Tva Ly Suw Mpu Brb Mll
- 1684. *Charaxes achaemenes atlantica* Van Someren,1970** (Argynnidae) Synonym(s): *atlantica* Van Someren,1970 _ Range (in code): SN GM GW GN SL LR CI GH
- 1685. *Charaxes achaemenes monticola* Van Someren,1970** (Argynnidae) Synonym(s): *#monticola* Joicey & Talbot,1925; *jocaste* Butler,1869 [rejected; Opin.922,1970)]; *#minor* Storace,1948; *#erythraea* Storace,1948; *monticola* Van Someren,1970 _ Range (in code): ER ET NG CM CF UG ZR SD KE
- 1686. *Charaxes acraeoides* Druce,1908** (Argynnidae) Synonym(s): *acraeoides* Druce,1908 _ Range (in code): CM GA CG CF ZR
- 1687. *Charaxes acuminatus* Thurau,1903** (Argynnidae) Synonym(s): *acuminatus* Thurau,1903 _ Original Reference: Charaxes acuminatus Thurau,1903, Berl. ent. Z. 48: 139, pl.2 fig.12. Type: [Tanzania]: "Langenburg". Range (in code): NG CM RW TZ Tnga Usa Ani ZR ZW MW Mje ZM UG KE
- 1688. *Charaxes acuminatus acuminatus* Thurau,1903** (Argynnidae) Synonym(s): *acuminatus* Thurau,1903 _ Original Reference: Charaxes acuminatus Thurau,1903, Berl. ent. Z. 48: 139, pl.2 fig.12. Type: [Tanzania]: "Langenburg". Range (in code): TZ MW
- 1689. *Charaxes acuminatus cottrelli* Van Someren,1963** (Argynnidae) Synonym(s): *cottrelli* Van Someren,1963 _ Range (in code): ZW ZM ZR
- 1690. *Charaxes acuminatus kigezia* Van Someren,1963** (Argynnidae) Synonym(s): *kigezia* Van Someren,1963 _ Range (in code): UG RW ZR
- 1691. *Charaxes acuminatus kulalensis* Van Someren,1963** (Argynnidae) Synonym(s): *kulalensis* Van Someren,1963 _ Range (in code): KE
- 1692. *Charaxes acuminatus mlanji* Van Someren,1963** (Argynnidae) Synonym(s): *mlanji* Van Someren,1963 _ Range (in code): MW Mje

- 1693. Charaxes acuminatus nyika Van Someren,1963** (Argynnidae) Synonym(s): *nyika* Van Someren,1963 _ Range (in code): MW
- 1694. Charaxes acuminatus obudoensis Van Someren,1969** (Argynnidae) Synonym(s): *obudoensis* Van Someren,1969 _ Range (in code): NG CM
- 1695. Charaxes acuminatus oreas Talbot,1932** (Argynnidae) Synonym(s): *oreas* Talbot,1932 _ Range (in code): KE
- 1696. Charaxes acuminatus rondonis Kielland,1987** (Argynnidae) Synonym(s): *rondonis* Kielland,1987 _ Range (in code): TZ
- 1697. Charaxes acuminatus shimbanus Van Someren,1963** (Argynnidae) Synonym(s): *shimbanus* Van Someren,1963 _ Range (in code): KE
- 1698. Charaxes acuminatus stonehamia Collins & T.Larsen,1991** (Argynnidae) Synonym(s): *stonehamia* Collins & T.Larsen,1991 _ Range (in code): KE
- 1699. Charaxes acuminatus teitensis Van Someren,1963** (Argynnidae) Synonym(s): *teitensis* Van Someren,1963 _ Range (in code): KE TZ
- 1700. Charaxes acuminatus usambarensis Van Someren,1963** (Argynnidae) Synonym(s): *usambarensis* Van Someren,1963 _ Range (in code): TZ Tnga Usa Ani
- 1701. Charaxes acuminatus vumba Van Someren,1963** (Argynnidae) Synonym(s): *vumba* Van Someren,1963 _ Range (in code): ZW
- 1702. Charaxes alpinus Van Someren & Jackson,1957** (Argynnidae) Synonym(s): *alpinus* Van Someren & Jackson,1957 _ Range (in code): ZW
- 1703. Charaxes alticola Grünberg,1911** (Argynnidae) Synonym(s): *alticola* Grünberg,1911 _ Range (in code): RW ZR UG
- 1704. Charaxes amandae Rydon,1989** (Argynnidae) Synonym(s): *amandae* Rydon,1989 _ Range (in code): SD
- 1705. Charaxes ameliae Doumet,1861** (Argynnidae) Synonym(s): *ameliae* Doumet,1861; *regius* Aurivillius,1889. _ Range (in code): SL LR GN CI GH NG ZR UG ZM TZ CM CG GA CF MW UG KE
- 1706. Charaxes ameliae ameliae Doumet,1861** (Argynnidae) Synonym(s): *ameliae* Doumet,1861; *regius* Aurivillius,1889. _ Range (in code): CM CG GA CF ZR
- 1707. Charaxes ameliae amelina Joicey & Talbot,1925** (Argynnidae) Synonym(s): *amelina* Joicey & Talbot,1925 _ Range (in code): MW TZ ZM
- 1708. Charaxes ameliae doumeti Henning,1989** (Argynnidae) Synonym(s): *doumeti* Henning,1989 _ Range (in code): SL LR GN CI GH NG
- 1709. Charaxes ameliae victoriae Van Someren,1972** (Argynnidae) Synonym(s): *victoriae* Van Someren,1972 _ Range (in code): UG KE
- 1710. Charaxes amycus C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *amycus* C.Felder & R.Felder,1861 _ Original Reference: Charaxes amycus C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 303. Type: Luzon. Range (in code): PH Luz Pol Din Mar Boh CmM Mno Mdo Sam Bil Ley Pao Sib Neg CmL Mas Pan
- 1711. Charaxes amycus amycus C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *amycus* C.Felder & R.Felder,1861 _ Original Reference: Charaxes amycus C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 303. Type: Luzon. Range (in code): PH Luz Pol
- 1712. Charaxes amycus basilium Tsukada,1991** (Argynnidae) Synonym(s): *basilium* Tsukada,1991 _ Range (in code): PH Din
- 1713. Charaxes amycus bayanii Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *bayanii* Schröder & Treadaway,1982 _ Range (in code): PH Mar
- 1714. Charaxes amycus boholensis Tsukada,1991** (Argynnidae) Synonym(s): *boholensis* Tsukada,1991 _ Range (in code): PH Boh
- 1715. Charaxes amycus carolus Rothschild,1900** (Argynnidae) Synonym(s): *carolus* Rothschild,1900 _ Range (in code): PH CmM Mno
- 1716. Charaxes amycus georgius Staudinger,1892** (Argynnidae) Synonym(s): *georgius* Staudinger,1892 _ Range (in code): PH Mdo
- 1717. Charaxes amycus leonido Tsukada,1991** (Argynnidae) Synonym(s): *leonido* Tsukada,1991 _ Range (in code): PH Sam
- 1718. Charaxes amycus leytenensis M.Okano & T.Okano,1986** (Argynnidae) Synonym(s): *leytenensis* M.Okano & T.Okano,1986 _ Range (in code): PH Bil Ley Pao
- 1719. Charaxes amycus marion Schröder & Treadaway,1981** (Argynnidae) Synonym(s): *marion* Schröder & Treadaway,1981 _ Range (in code): PH Sib

- 1720. Charaxes amycus negrosensis Schröder & Treadaway, 1982** (Argynnidae)
Synonym(s): *negrosensis* Schröder & Treadaway, 1982 Original Reference: Charaxes amycus negrosensis Schröder & Treadaway, 1982, Ent. Z., Frankf. a. M. 92(13): 177-178, Abb.6.
Holotypus ♂: Philippinen: Negros: Mt. Canlaon 1000m. Range (in code): **PH Neg**
- 1721. Charaxes amycus shunichii Hanafusa, 1982** (Argynnidae) Synonym(s): *shunichii* Hanafusa, 1982 Range (in code): **PH Cml**
- 1722. Charaxes amycus theobaldo Schröder & Treadaway, 1982** (Argynnidae)
Synonym(s): *theobaldo* Schröder & Treadaway, 1982 Range (in code): **PH Mas Pan**
- 1723. Charaxes analava Ward, 1872** (Argynnidae) Synonym(s): *analava* Ward, 1872 Range (in code): **MG**
- 1724. Charaxes andara Ward, 1873** (Argynnidae) Synonym(s): *andara* Ward, 1873 Range (in code): **MG**
- 1725. Charaxes andranodorus Mabilie, 1884** (Argynnidae) Synonym(s): *andranodorus* Mabilie, 1884 Range (in code): **MG**
- 1726. Charaxes andranodorus andranodorus Mabilie, 1884** (Argynnidae) Synonym(s): *andranodorus* Mabilie, 1884 Range (in code): **MG**
- 1727. Charaxes andranodorus andrefana Viette, 1975** (Argynnidae) Synonym(s): *andrefana* Viette, 1975 Range (in code): **MG**
- 1728. Charaxes angelae Minig, 1975** (Argynnidae) Synonym(s): *angelae* Minig, 1975 Range (in code): **CI**
- 1729. Charaxes ansorgei Rothschild, 1897** (Argynnidae) Synonym(s): *ansorgei* Rothschild, 1897
Range (in code): **TZ KE SD RW BI MW UG RW BI ZR**
- 1730. Charaxes ansorgei ansorgei Rothschild, 1897** (Argynnidae) Synonym(s): *ansorgei* Rothschild, 1897 Range (in code): **KE UG**
- 1731. Charaxes ansorgei jacksoni Poulton, 1933** (Argynnidae) Synonym(s): *jacksoni* Poulton, 1933 Range (in code): **KE UG**
- 1732. Charaxes ansorgei kilimanjarica Van Someren, 1967** (Argynnidae) Synonym(s): *kilimanjarica* Van Someren, 1967 Range (in code): **TZ**
- 1733. Charaxes ansorgei kinyeti Plantrou, 1989** (Argynnidae) Synonym(s): *kinyeti* Plantrou, 1989 Range (in code): **SD**
- 1734. Charaxes ansorgei kungwensis Van Someren, 1967** (Argynnidae) Synonym(s): *kungwensis* Van Someren, 1967 Range (in code): **TZ**
- 1735. Charaxes ansorgei levicki Poulton, 1933** (Argynnidae) Synonym(s): *levicki* Poulton, 1933
Range (in code): **TZ MW**
- 1736. Charaxes ansorgei loita Plantrou, 1982** (Argynnidae) Synonym(s): *loita* Plantrou, 1982
Range (in code): **KE**
- 1737. Charaxes ansorgei ruandana Talbot, 1932** (Argynnidae) Synonym(s): *ruandana* Talbot, 1932 Range (in code): **UG RW BI ZR**
- 1738. Charaxes ansorgei rydoni Van Someren, 1967** (Argynnidae) Synonym(s): *rydoni* Van Someren, 1967 Range (in code): **TZ**
- 1739. Charaxes ansorgei simoni Turlin, 1987** (Argynnidae) Synonym(s): *simoni* Turlin, 1987
Range (in code): **TZ**
- 1740. Charaxes ansorgei ufipa Kielland, 1978** (Argynnidae) Synonym(s): *ufipa* Kielland, 1978
Range (in code): **TZ**
- 1741. Charaxes antamboulou Lucas, 1872** (Argynnidae) Synonym(s): *antamboulou* Lucas, 1872
Range (in code): **MG**
- 1742. Charaxes anticlea (Drury, 1782)** (Argynnidae) Synonym(s): *anticlea* Drury, 1782; *horatius* Fabricius, 1793. Range (in code): **GN SL LR CI GH TG BJ NG UG ZR TZ CF CM GA CG AO KE**
- 1743. Charaxes anticlea adusta Rothschild, 1900** (Argynnidae) Synonym(s): *adusta* Rothschild, 1900; *#horatianus* Stoneham, 1936. Range (in code): **UG ZR TZ**
- 1744. Charaxes anticlea anticlea (Drury, 1782)** (Argynnidae) Synonym(s): *anticlea* Drury, 1782; *horatius* Fabricius, 1793. Range (in code): **GN SL LR CI GH TG BJ NG**
- 1745. Charaxes anticlea proadusta Van Someren, 1971** (Argynnidae) Synonym(s): *proadusta* Van Someren, 1971 Range (in code): **CF NG CM GA CG AO ZR**
- 1746. Charaxes anticlea suna Van Someren, 1975** (Argynnidae) Synonym(s): *reducta* Van Someren, 1971 nec Rothschild, 1929; *suna* van Someren, 1975. Range (in code): **KE**

- 1747. *Charaxes antiquus* Joicey & Talbot, 1926** (Argynnidae) Synonym(s): *antiquus* Joicey & Talbot, 1926 _ Range (in code): ST
- 1748. *Charaxes antonius* Semper, 1878** (Argynnidae) Synonym(s): *antonius* Semper, 1878 _ Range (in code): PH Boh Ley Pao Sam Din Mno
- 1749. *Charaxes antonius antonius* Semper, 1878** (Argynnidae) Synonym(s): *antonius* Semper, 1878 _ Range (in code): PH Mno
- 1750. *Charaxes antonius dinagatensis* Tsukada, 1991** (Argynnidae) Synonym(s): *dinagatensis* Tsukada, 1991 _ Range (in code): PH Din
- 1751. *Charaxes antonius osadai* Hanafusa, 1985** (Argynnidae) Synonym(s): *osadai* Hanafusa, 1985 _ Range (in code): PH Boh Ley Pao Sam
- 1752. *Charaxes aristogiton* C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *aristogiton* C.Felder & R.Felder, [1867] _ Range (in code): TH CMA CDo Nrt Chy
- 1753. *Charaxes aristogiton aristogiton* C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *aristogiton* C.Felder & R.Felder, [1867] _ Range (in code): TH CMA CDo Nrt Chy
- 1754. *Charaxes aubyni* Van Someren & Jackson, 1952** (Argynnidae) Synonym(s): *#aubyni* Poulton, 1926; *aubyni* Van Someren & Jackson, 1952 _ Range (in code): KE MW TZ Tnga Usa Ani
- 1755. *Charaxes aubyni aubyni* Van Someren & Jackson, 1952** (Argynnidae) Synonym(s): *#aubyni* Poulton, 1926; *aubyni* Van Someren & Jackson, 1952 _ Range (in code): KE TZ Tnga Usa Ani MW
- 1756. *Charaxes aubyni australis* Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *australis* Van Someren & Jackson, 1957. _ Range (in code): MW TZ
- 1757. *Charaxes aubyni ecketti* Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *ecketti* Van Someren & Jackson, 1957. _ Range (in code): KE
- 1758. *Charaxes baileyi* Van Someren, 1958** (Argynnidae) Synonym(s): *baileyi* Van Someren, 1958; *#pseudocarpenteri* Van Someren, 1958. _ Range (in code): KE
- 1759. *Charaxes bajula* Staudinger, 1889** (Argynnidae) Synonym(s): *bajula* Staudinger, 1889 _ Range (in code): PH Din Mno Mar Ceb Pan Bal Cal Pal CmL Luz
- 1760. *Charaxes bajula adoracion* Schröder & Treadaway, 1989** (Argynnidae) Synonym(s): *adoracion* Schröder & Treadaway, 1989 _ Range (in code): PH CmL Luz
- 1761. *Charaxes bajula bajula* Staudinger, 1889** (Argynnidae) Synonym(s): *bajula* Staudinger, 1889 _ Range (in code): PH Bal Cal Pal
- 1762. *Charaxes bajula basilisae* Schröder & Treadaway, 1982** (Argynnidae) Synonym(s): *basilisae* Schröder & Treadaway, 1982 _ Range (in code): PH Ceb Pan
- 1763. *Charaxes bajula planitus* Tsukada, 1991** (Argynnidae) Synonym(s): *planitus* Tsukada, 1991 _ Range (in code): PH Din Mno
- 1764. *Charaxes bajula remulus* Tsukada, 1991** (Argynnidae) Synonym(s): *remulus* Tsukada, 1991 _ Range (in code): PH Mar
- 1765. *Charaxes balfouri* Butler, 1881** (Argynnidae) Synonym(s): *balfouri* Butler, 1881. _ Range (in code): Sk
- 1766. *Charaxes barnsi* Joicey & Talbot, 1927** (Argynnidae) Synonym(s): *barnsi* Joicey & Talbot, 1927 _ Range (in code): ST
- 1767. *Charaxes baumanni* Rogenhofer, 1891** (Argynnidae) Synonym(s): *baumanni* Rogenhofer, 1891 _ Range (in code): SD KE UG RW TZ ZM MW Zom MZ ZW
- 1768. *Charaxes baumanni bamptoni* Van Someren, 1974** (Argynnidae) Synonym(s): *bamptoni* Van Someren, 1974 _ Range (in code): KE
- 1769. *Charaxes baumanni baumanni* Rogenhofer, 1891** (Argynnidae) Synonym(s): *baumanni* Rogenhofer, 1891 _ Range (in code): TZ KE
- 1770. *Charaxes baumanni bwamba* Van Someren, 1971** (Argynnidae) Synonym(s): *bwamba* Van Someren, 1971 _ Range (in code): UG
- 1771. *Charaxes baumanni didigensis* Van Someren, 1971** (Argynnidae) Synonym(s): *didigensis* Van Someren, 1971 _ Range (in code): KE SD
- 1772. *Charaxes baumanni granti* Turlin, 1989** (Argynnidae) Synonym(s): *granti* Turlin, 1989 _ Range (in code): TZ
- 1773. *Charaxes baumanni interposita* Van Someren, 1971** (Argynnidae) Synonym(s): *interposita* Van Someren, 1971 _ Range (in code): KE UG
- 1774. *Charaxes baumanni nyiro* Collins & T.Larsen, 1991** (Argynnidae) Synonym(s): *nyiro* Collins & T.Larsen, 1991 _ Range (in code): KE

- 1775. *Charaxes baumanni selousi* Trimen, 1894** (Argynnidae) Synonym(s): *selousi* Trimen, 1894 _ Range (in code): ZM ZW
- 1776. *Charaxes baumanni tenuis* Van Someren, 1971** (Argynnidae) Synonym(s): *tenuis* Van Someren, 1971 _ Range (in code): TZ KE
- 1777. *Charaxes baumanni whytei* Butler, 1894** (Argynnidae) Synonym(s): *whytei* Butler, 1894 _ Range (in code): MZ MW TZ
- 1778. *Charaxes berkeleyi* Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *berkeleyi* Van Someren & Jackson, 1957 _ Range (in code): KE
- 1779. *Charaxes berkeleyi berkeleyi* Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *berkeleyi* Van Someren & Jackson, 1957 _ Range (in code): KE
- 1780. *Charaxes berkeleyi masaba* Van Someren, 1969** (Argynnidae) Synonym(s): *masaba* Van Someren, 1969 _ Range (in code): KE
- 1781. *Charaxes bernardii* Minig, 1978** (Argynnidae) Synonym(s): *bernardii* Minig, 1978 _ Range (in code): CF
- 1782. *Charaxes bernardus* (Fabricius, 1793)** (Argynnidae) Synonym(s): *bernardus* Fabricius, 1793 _ Range (in code): TH Rng CMA CDo CD2 Cuo Cuo7 Phi Cbi Knc Chy Cbu Nna Rat Nst Ths Sgk Hya Tnc Bionomy: Larva on weed (Lewvanich, 2001).
- 1783. *Charaxes bernardus bernardus* (Fabricius, 1793)** (Argynnidae) Synonym(s): *bernardus* Fabricius, 1793
- 1784. *Charaxes bernardus crepax* Fruhstorfer, 1914** (Argynnidae) Synonym(s): *crepax* Fruhstorfer, 1914 _ Range (in code): TH Rng
- 1785. *Charaxes bernardus hierax* C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *hierax* C.Felder & R.Felder, [1867] _ Range (in code): TH CMA CDo CD2 Cuo Cuo7 Phi Cbi Knc Chy Cbu Nna Rat Nst Ths Sgk Hya Tnc Bionomy: Larva on weed (Lewvanich, 2001).
- 1786. *Charaxes bernstorffii* Rydon, 1982** (Argynnidae) Synonym(s): *bernstorffii* Rydon, 1982 Original Reference: Charaxes bernstorffii Rydon, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-68, pl.3 figs. 1,2; text-figs. 1,2,5. Holotype ♂: Yemen: Jabal Bura, Suq as Sabt, 900m. (BMNH). Range (in code): YE SA Bhh
- 1787. *Charaxes bernstorffii bernstorffii* Rydon, 1982** (Argynnidae) Synonym(s): *bernstorffii* Rydon, 1982 Original Reference: Charaxes bernstorffii Rydon, 1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-68, pl.3 figs. 1,2; text-figs. 1,2,5. Holotype ♂: Yemen: Jabal Bura, Suq as Sabt, 900m. (BMNH). Range (in code): YE SA Bhh
- 1788. *Charaxes bipunctatus* Rothschild, 1894** (Argynnidae) Synonym(s): *bipunctatus* Rothschild, 1894; *johnstoni* Rousseau-Decelle, 1956 _ Range (in code): GH CI CM GA CG CF ZR UG KE
- 1789. *Charaxes bipunctatus bipunctatus* Rothschild, 1894** (Argynnidae) Synonym(s): *bipunctatus* Rothschild, 1894; *johnstoni* Rousseau-Decelle, 1956 _ Range (in code): GH CI
- 1790. *Charaxes bipunctatus ugandensis* Van Someren, 1972** (Argynnidae) Synonym(s): *ugandensis* Van Someren, 1972 _ Range (in code): CM GA CG CF ZR UG KE
- 1791. *Charaxes blanda* Rothschild, 1897** (Argynnidae) Synonym(s): *blanda* Rothschild, 1897 _ Range (in code): TZ KE Mb
- 1792. *Charaxes blanda blanda* Rothschild, 1897** (Argynnidae) Synonym(s): *blanda* Rothschild, 1897 _ Range (in code): TZ
- 1793. *Charaxes blanda kenyae* Poulton, 1926** (Argynnidae) Synonym(s): *kenyae* Poulton, 1926 _ Range (in code): KE Mb
- 1794. *Charaxes bocqueti* Minig, 1975** (Argynnidae) Synonym(s): *bocqueti* Minig, 1975 _ Range (in code): CI CF
- 1795. *Charaxes bocqueti bocqueti* Minig, 1975** (Argynnidae) Synonym(s): *bocqueti* Minig, 1975 _ Range (in code): CI
- 1796. *Charaxes bocqueti oubanguiensis* Minig, 1975** (Argynnidae) Synonym(s): *oubanguiensis* Minig, 1975 _ Range (in code): CF
- 1797. *Charaxes bohemani* C.Felder & R.Felder, 1859** (Argynnidae) Synonym(s): *bohemani* C.Felder & R.Felder, 1859; *#bohemani* Lathy, 1901 _ Range (in code): ZA Spb Tva Lpo Mdk Kru Pf Pma BW ZW MZ NA MW Zom ZM ZR AO CG TZ KE RW
- 1798. *Charaxes boueti* Feisthamel, 1850** (Argynnidae) Synonym(s): *boueti* Feisthamel, 1850; *ghanaensis* Rousseau-Decelle & Johnston, 1957 _ Range (in code): SN GA SL CI GH TG NG CM CG ZR ET SD UG

- 1799. Charaxes boueti boueti Feisthamel,1850** (Argynnidae) Synonym(s): *boueti* Feisthamel,1850; *ghanaensis* Rousseau-Decelle & Johnston,1957 _ Range (in code): **SN GA SL CI GH TG NG CM CG ZR**
- 1800. Charaxes boueti rectans Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *rectans* Rothschild & Jordan,1903 _ Range (in code): **ET SD UG**
- 1801. Charaxes brainei Van Son,1966** (Argynnidae) Synonym(s): *brainei* Van Son,1966 Range (in code): **NA AO BW**
- 1802. Charaxes brutus (Cramer,[1779])** (Argynnidae) Synonym(s): *brutus* Cramer,[1779]; *cajus* Herbst,1790 _ Range (in code): **ZA Cto Wca Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf Mdk Lj Mpu Brb Wri Suw KE TZ Pb Tnga Usa Ani ZR CG UG AO SD ZW MZ BW MW Zom**
- 1803. Charaxes brutus alcyone Stoneham,1943** (Argynnidae) Synonym(s): *alcyone* Stoneham,1943 _ Range (in code): **KE TZ Tnga Usa Ani**
- 1804. Charaxes brutus angustus Rothschild,1900** (Argynnidae) Synonym(s): *angustus* Rothschild,1900 _ Range (in code): **ZR CG UG AO SD**
- 1805. Charaxes brutus brutus (Cramer,[1779])** (Argynnidae) Synonym(s): *brutus* Cramer,[1779]; *cajus* Herbst,1790 _ Range (in code): **ZA Cto Wca**
- 1806. Charaxes brutus natalensis Staudinger,1885** (Argynnidae) Synonym(s): *natalensis* Staudinger,1885 _ Range (in code): **ZA Ec Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf Mdk Lj Mpu Brb Wri Suw ZW MZ ZM BW MW Zom AO TZ**
- 1807. Charaxes brutus roberti Turlin,1987** (Argynnidae) Synonym(s): *roberti* Turlin,1987 Range (in code): **TZ Pb**
- 1808. Charaxes bupalus Staudinger,1889** (Argynnidae) Synonym(s): *bupalus* Staudinger,1889 Range (in code): **PH Pal Bal**
- 1809. Charaxes bupalus bupalus Staudinger,1889** (Argynnidae) Synonym(s): *bupalus* Staudinger,1889 _ Range (in code): **PH Pal**
- 1810. Charaxes bupalus rowelii Schröder & Treadaway,1993** (Argynnidae) Synonym(s): *rowelii* Schröder & Treadaway,1993 _ Range (in code): **PH Bal**
- 1811. Charaxes cacuthis Hewitson,1863** (Argynnidae) Synonym(s): *cacuthis* Hewitson,1863; *antanala* Lucas,1872 _ Range (in code): **MG**
- 1812. Charaxes candiope (Godart,[1824])** (Argynnidae) Synonym(s): *candiope* Godart,[1824]; *viridicostatus* Aurivillius,1879; *#uniformis* Storace,1948; *#rosae* Storace,1948. _ Range (in code): **MW Zom NA ET TZ Tnga Usa Ani ZA Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf K12 Lj Mph Mdk Won**
- 1813. Charaxes candiope candiope (Godart,[1824])** (Argynnidae) Synonym(s): *candiope* Godart,[1824]; *viridicostatus* Aurivillius,1879; *#uniformis* Storace,1948; *#rosae* Storace,1948. _ Range (in code): **NA ET TZ Tnga Usa Ani ZA Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf K12 Lj Mph Mdk Won**
- 1814. Charaxes carteri Butler,1881** (Argynnidae) Synonym(s): *carteri* Butler,1881 _ Range (in code): **GH SL**
- 1815. Charaxes castor (Cramer,[1775])** (Argynnidae) Synonym(s): *castor* Cramer,[1775]; *godarti* Aurivillius,1898 _ Range (in code): **TZ Tnga Usa Ani Pb MW Zom MZ SZ ZW KM NG CM KE SN AO ZR ZM ET ZA Tva Lpo Spb Kru Pma K12 Lj Mpu Brb**
- 1816. Charaxes castor arthuri Van Someren,1971** (Argynnidae) Synonym(s): *arthuri* Van Someren,1971 _ Range (in code): **TZ Pb**
- 1817. Charaxes castor castor (Cramer,[1775])** (Argynnidae) Synonym(s): *castor* Cramer,[1775]; *godarti* Aurivillius,1898 _ Range (in code): **NG CM KE SN TZ AO ZR ZM**
- 1818. Charaxes castor comoranus Rothschild,1903** (Argynnidae) Synonym(s): *comoranus* Rothschild,1903 _ Range (in code): **KM**
- 1819. Charaxes castor flavifasciatus Butler,1895** (Argynnidae) Synonym(s): *flavifasciatus* Butler,1895; *orientalis* Lanz,1896 _ Range (in code): **TZ Tnga Usa Ani MW Zom MZ SZ ZW ZM KE ZA Tva Lpo Spb Kru Pma K12 Lj Mpu Brb**
- 1820. Charaxes catachrous Van Someren & Jackson,1952** (Argynnidae) Synonym(s): *catachrous* Van Someren & Jackson,1952; *biinclinata* Van Someren,1969 _ Range (in code): **CM CG ZR ZM UG CF**
- 1821. Charaxes cedreatis Hewitson,1874** (Argynnidae) Synonym(s): *cedreatis* Hewitson,1874 Range (in code): **ZR GA UG TZ CI SL CG CF AO KE**
- 1822. Charaxes chanleri Holland,1896** (Argynnidae) Synonym(s): *chanleri* Holland,1896 Range (in code): **KE ET**
- 1823. Charaxes chepalungu Van Someren,1969** (Argynnidae) Synonym(s): *chepalungu* Van Someren,1969 _ Range (in code): **KE TZ**

- 1824. Charaxes chintechi Van Someren,1975** (Argynnidae) Synonym(s): *chintechi* Van Someren,1975; *pseudophaeus* Van Someren,1975; *protomanica* Van Someren,1975; *pseudomanica* Minig,1976; *chinhechi* Minig,1976 _ Range (in code): MW ZM MZ
- 1825. Charaxes chittyi Rydon,1980** (Argynnidae) Synonym(s): *chittyi* Rydon,1980 _ Range (in code): ZW Har
- 1826. Charaxes chunguensis White & Grant,1986** (Argynnidae) Synonym(s): *chunguensis* White & Grant,1986 _ Range (in code): TZ
- 1827. Charaxes cithaeron C.Felder & R.Felder,1859** (Argynnidae) Synonym(s): *cithaeron* C.Felder & R.Felder,1859 _ Range (in code): MW Zom ZA Nta Kzu Ptb Esw Ec ZW MZ TZ Tnga Usa Ani ZM Tva Lpo Spb Mph
- 1828. Charaxes cithaeron cithaeron C.Felder & R.Felder,1859** (Argynnidae) Synonym(s): *cithaeron* C.Felder & R.Felder,1859 _ Range (in code): ZA Nta Kzu Ptb Esw Ec ZW MZ TZ
- 1829. Charaxes cithaeron joanae Van Someren,1964** (Argynnidae) Synonym(s): *joanae* Van Someren,1964 _ Range (in code): ZM ZA Tva Lpo Spb Mph
- 1830. Charaxes cithaeron kennethi Poulton,1926** (Argynnidae) Synonym(s): *kennethi* Poulton,1926 _ Range (in code): KE TZ
- 1831. Charaxes cithaeron nairobicus Van Son,1953** (Argynnidae) Synonym(s): *nairobicus* Van Son,1953 _ Range (in code): KE Nai
- 1832. Charaxes cithaeron nyasae Van Someren,1964** (Argynnidae) Synonym(s): *nyasae* Van Someren,1964 _ Range (in code): MW Zom
- 1833. Charaxes congdoni Collins,1989** (Argynnidae) Synonym(s): *congdoni* Collins,1989 _ Range (in code): TZ
- 1834. Charaxes contrarius Van Someren,1969** (Argynnidae) Synonym(s): *contrarius* Van Someren,1969 _ Range (in code): KE TZ
- 1835. Charaxes cowani Butler,1878** (Argynnidae) Synonym(s): *cowani* Butler,1878 _ Range (in code): MG
- 1836. Charaxes cynthia Butler,1866** (Argynnidae) Synonym(s): *cynthia* Butler,1866 _ Range (in code): GN CM NG GA CF AO ZR UG TZ KE ET
- 1837. Charaxes cynthia cynthia Butler,1866** (Argynnidae) Synonym(s): *cynthia* Butler,1866; *lysianassa* Westwood,1874; *guineensis* Le Moult,1933 _ Range (in code): GN CM GA NG
- 1838. Charaxes cynthia kinduana Le Cerf,1923** (Argynnidae) Synonym(s): *kinduana* Le Cerf,1923 _ Range (in code): ZR ET CF UG CM CF
- 1839. Charaxes cynthia mukuyu Van Someren,1969** (Argynnidae) Synonym(s): *mukuyu* Van Someren,1969 _ Range (in code): TZ
- 1840. Charaxes cynthia parvicaudatus Lathy,1925** (Argynnidae) Synonym(s): *parvicaudatus* Lathy,1925 _ Range (in code): UG KE
- 1841. Charaxes cynthia sabulosus Talbot,1928** (Argynnidae) Synonym(s): *sabulosus* Talbot,1928 _ Range (in code): ZR
- 1842. Charaxes daria Van Someren & Jackson,1952** (Argynnidae) Synonym(s): *#daria* Rothschild,1903; *daria* Van Someren & Jackson,1952 _ Range (in code): ET
- 1843. Charaxes defulvata Joicey & Talbot,1926** (Argynnidae) Synonym(s): *defulvata* Joicey & Talbot,1926 _ Range (in code): ST
- 1844. Charaxes dilutus Rothschild,1898** (Argynnidae) Synonym(s): *dilutus* Rothschild,1898 _ Range (in code): MW ZM AO ZR TZ Tnga Usa Ani
- 1845. Charaxes dilutus amanica Collins,1990** (Argynnidae) Synonym(s): *amanica* Collins,1990 _ Range (in code): TZ Tnga Usa Ani
- 1846. Charaxes dilutus dilutus Rothschild,1898** (Argynnidae) Synonym(s): *dilutus* Rothschild,1898 _ Range (in code): MW ZM AO ZR TZ KE UG SD
- 1847. Charaxes dilutus kasitu White & Grant,1989** (Argynnidae) Synonym(s): *kasitu* White & Grant,1989 _ Range (in code): MW
- 1848. Charaxes dilutus ngonga Van Someren,1974** (Argynnidae) Synonym(s): *ngonga* Van Someren,1974; *mionoti* Van Someren,1975 _ Range (in code): KE UG SD
- 1849. Charaxes dilutus veneris White & Grant,1989** (Argynnidae) Synonym(s): *veneris* White & Grant,1989 _ Range (in code): MW TZ ZM
- 1850. Charaxes distanti Honrath,1885** (Argynnidae) Synonym(s): *distanti* Honrath,1885 _ Range (in code): TH Tng Yal Tuo
- 1851. Charaxes distanti distanti Honrath,1885** (Argynnidae) Synonym(s): *distanti* Honrath,1885 _ Range (in code): TH Tng Yal Tuo

- 1852. Charaxes diversiforma Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *diversiforma* Van Someren & Jackson, 1957 _ Range (in code): ZR ZM
- 1853. Charaxes doubledayi Aurivillius, 1898** (Argynnidae) Synonym(s): *doubledayi* Aurivillius, 1898 _ Range (in code): SL GH TG NG CM GA CF ZR TZ
- 1854. Charaxes dowsetti Henning, 1989** (Argynnidae) Synonym(s): *dowsetti* Henning, 1989 _ Range (in code): MW
- 1855. Charaxes dreuxi Bouche & Minig, 1977** (Argynnidae) Synonym(s): *dreuxi* Bouche & Minig, 1977 _ Range (in code): CI
- 1856. Charaxes druceanus Butler, 1869** (Argynnidae) Synonym(s): *druceanus* Butler, 1869 _ Range (in code): CM ZW Vum MZ MW Zom ZM AO RW TZ KE Tet UG SD ZR BI NG CF GA GN ZA Mpu ZA14 Tva Lpo Spb Bbg Suw Ly Nta Kzu Ptb Ent Lj Brb
- 1857. Charaxes druceanus brazza Turlin, 1987** (Argynnidae) Synonym(s): *brazza* Turlin, 1987 _ Range (in code): NG CF GA GN
- 1858. Charaxes druceanus entabeni Van Someren, 1963** (Argynnidae) Synonym(s): *entabeni* Van Someren, 1963 _ Range (in code): ZA Tva Lpo Spb Ent Lj Suw Ly
- 1859. Charaxes druceanus katamayu Plantrou, 1982** (Argynnidae) Synonym(s): *katamayu* Plantrou, 1982 _ Range (in code): KE Nai
- 1860. Charaxes druceanus moerens Jordan, 1936** (Argynnidae) Synonym(s): *moerens* Jordan, 1936 _ Range (in code): ZA Tva Mpu Brb ZA14
- 1861. Charaxes druceanus nebularum Darge, 1977** (Argynnidae) Synonym(s): *nebularum* Darge, 1977 _ Range (in code): CM
- 1862. Charaxes druceanus obscura Rebel, 1914** (Argynnidae) Synonym(s): *obscura* Rebel, 1914; *kivuanus* Jordan, 1925; *cryanae* Le Cerf, 1932 _ Range (in code): RW UG ZR BI
- 1863. Charaxes druceanus praestans Turlin, 1989** (Argynnidae) Synonym(s): *praestans* Turlin, 1989 _ Range (in code): TZ
- 1864. Charaxes druceanus proximans Joicey & Talbot, 1922** (Argynnidae) Synonym(s): *proximans* Joicey & Talbot, 1922 _ Range (in code): ZW MW ZM ZR AO RW TZ
- 1865. Charaxes druceanus septentrionalis Lathy, 1925** (Argynnidae) Synonym(s): *septentrionalis* Lathy, 1925; *alicea* Stoneham, 1931; *#lugari* Van Someren, 1939 _ Range (in code): KE UG TZ
- 1866. Charaxes druceanus solitarius Henning & Henning, 1992** (Argynnidae) Synonym(s): *solitarius* Henning & Henning, 1992 _ Range (in code): ZA Bbg Spb Tva Lpo
- 1867. Charaxes druceanus stevensoni Van Someren, 1963** (Argynnidae) Synonym(s): *stevensoni* Van Someren, 1963 _ Range (in code): ZW Vum MZ
- 1868. Charaxes druceanus tectonis Jordan, 1937** (Argynnidae) Synonym(s): *tectonis* Jordan, 1937 _ Range (in code): CM NG
- 1869. Charaxes druceanus teita Van Someren, 1939** (Argynnidae) Synonym(s): *teita* Van Someren, 1939 _ Range (in code): KE Tet TZ
- 1870. Charaxes druceanus vivianae Plantrou, 1982** (Argynnidae) Synonym(s): *vivianae* Plantrou, 1982 _ Range (in code): SD
- 1871. Charaxes druceanus williamsi Plantrou, 1982** (Argynnidae) Synonym(s): *williamsi* Plantrou, 1982 _ Range (in code): KE
- 1872. Charaxes dubiosus Röber, 1936** (Argynnidae) Synonym(s): *dubiosus* Röber, 1936 _ Range (in code): CM
- 1873. Charaxes durnfordi Distant, 1884** (Argynnidae) Synonym(s): *durnfordi* Distant, 1884 _ Range (in code): TH Rng Sat Tng
- 1874. Charaxes durnfordi durnfordi Distant, 1884** (Argynnidae) Synonym(s): *durnfordi* Distant, 1884 _ Range (in code): TH Rng Sat Tng
- 1875. Charaxes ephyra Godart, [1824]** (Argynnidae) Synonym(s): *ephyra* Godart, [1824]; *alladinus* Butler, 1869
- 1876. Charaxes etesipe (Godart, [1824])** (Argynnidae) Synonym(s): *etesipe* Godart, [1824] _ Range (in code): MW Zom MZ ZW ZA Tva Lpo Spb Tz Mph Kzu Nta Ksi Tho KE UG SL SD TZ Tnga Usa Ani Kgo Pb ET SO ZR
- 1877. Charaxes etesipe abyssinicus Rothschild, 1900** (Argynnidae) Synonym(s): *abyssinicus* Rothschild, 1900 _ Range (in code): ET
- 1878. Charaxes etesipe etesipe (Godart, [1824])** (Argynnidae) Synonym(s): *etesipe* Godart, [1824]; *etheta* Godart, [1824]. _ Range (in code): UG SL SD TZ Tnga Usa Ani Kgo
- 1879. Charaxes etesipe gordonii Van Someren, 1936** (Argynnidae) Synonym(s): *gordonii* Van Someren, 1936 _ Range (in code): KE

- 1880. Charaxes etesipe patrizii Storace,1949** (Argynnidae) Synonym(s): *patrizii Storace,1949*
Range (in code): **SO**
- 1881. Charaxes etesipe pemba Van Someren,1966** (Argynnidae) Synonym(s): *pemba Van Someren,1966* _ Range (in code): **TZ Pb**
- 1882. Charaxes etesipe shaba Berger,1981** (Argynnidae) Synonym(s): *shaba Berger,1981*
Range (in code): **ZR**
- 1883. Charaxes etesipe tavetensis Rothschild,1894** (Argynnidae) Synonym(s): *tavetensis Rothschild,1894* _ Range (in code): **MZ ZW ZA Tva Lpo Spb Tz Mph Kzu Nta Ksi Tho KE TZ**
- 1884. Charaxes ethalion (Boisduval,1847)** (Argynnidae) Synonym(s): *ethalion Boisduval,1847; erithalion Doubleday,1849; rosae Butler,1895.* _ Range (in code): **ZA Nta Kzu Tug Ptb Mpu Brb Tva Lpo Spb Kru Pf Lj ZM ZW Crd MZ MW Zom KE Nai TZ UG ZR**
- 1885. Charaxes ethalion binghami Henning,1982** (Argynnidae) Synonym(s): *binghami Henning,1982* _ Range (in code): **ZM ZW**
- 1886. Charaxes ethalion ethalion (Boisduval,1847)** (Argynnidae) Synonym(s): *ethalion Boisduval,1847; erithalion Doubleday,1849; rosae Butler,1895.* _ Range (in code): **ZA Nta Kzu Ptb Mpu Brb Tva Lpo Spb Kru Pf Lj ZW Crd MZ**
- 1887. Charaxes ethalion fisheri Henning,1982** (Argynnidae) Synonym(s): *fisheri Henning,1982* _ Range (in code): **ZM**
- 1888. Charaxes ethalion handmani Henning,1982** (Argynnidae) Synonym(s): *handmani Henning,1982* _ Range (in code): **MW Zom**
- 1889. Charaxes ethalion kikuyuensis Van Someren,1967** (Argynnidae) Synonym(s): *kikuyuensis Van Someren,1967* _ Range (in code): **KE Nai**
- 1890. Charaxes ethalion kitungulensis Strand,1911** (Argynnidae) Synonym(s): *kitungulensis Strand,1911; nyasana Van Someren,1967 nec Butl.,1895; nyasicus Van Someren,1975.* _ Range (in code): **TZ MW ZR**
- 1891. Charaxes ethalion littoralis Van Someren,1967** (Argynnidae) Synonym(s): *littoralis Van Someren,1967* _ Range (in code): **TZ KE**
- 1892. Charaxes ethalion marsabitensis Van Someren,1967** (Argynnidae) Synonym(s): *marsabitensis Van Someren,1967* _ Range (in code): **KE**
- 1893. Charaxes ethalion nyanzae Van Someren,1967** (Argynnidae) Synonym(s): *nyanzae Van Someren,1967* _ Range (in code): **UG ZR TZ**
- 1894. Charaxes etheocles (Cramer,[1777])** (Argynnidae) Synonym(s): *etheocles Cramer,[1777]; hollandi Butler,1893* _ Range (in code): **SL NG TZ KE SL GA GH CM CG MW Zom**
- 1895. Charaxes etheocles carpenteri Van Someren & Kackson,1957** (Argynnidae) Synonym(s): *carpenteri Van Someren & Kackson,1957* _ Range (in code): **TZ**
- 1896. Charaxes etheocles etheocles (Cramer,[1777])** (Argynnidae) Synonym(s): *etheocles Cramer,[1777]; hollandi Butler,1893* _ Range (in code): **SL NG**
- 1897. Charaxes etheocles evansi Van Someren & Jackson,1957** (Argynnidae) Synonym(s): *evansi Van Someren & Jackson,1957* _ Range (in code): **KE**
- 1898. Charaxes etheocles ochracea Van Someren & Jackson,1957** (Argynnidae) Synonym(s): *ochracea Van Someren & Jackson,1957* _ Range (in code): **SL GA GH CM CG**
- 1899. Charaxes eudoxus (Drury,1782)** (Argynnidae) Synonym(s): *eudoxus Drury,1782*
Range (in code): **GO Bio SL GH NG UG KE SD RW BI ZR AO CG GA CM NG CF SD TZ UG ZM**
- 1900. Charaxes eudoxus amaurus Poulton,1929** (Argynnidae) Synonym(s): *amaurus Poulton,1929* _ Range (in code): **KE**
- 1901. Charaxes eudoxus biokoensis Canu,1989** (Argynnidae) Synonym(s): *biokoensis Canu,1989* _ Range (in code): **GO Bio**
- 1902. Charaxes eudoxus boersmana Plantrou,1980** (Argynnidae) Synonym(s): *boersmana Plantrou,1980* _ Range (in code): **NG**
- 1903. Charaxes eudoxus cabacus Jordan,1925** (Argynnidae) Synonym(s): *cabacus Jordan,1925*
Range (in code): **UG**
- 1904. Charaxes eudoxus eudoxus (Drury,1782)** (Argynnidae) Synonym(s): *eudoxus Drury,1782* _ Range (in code): **SL GH**
- 1905. Charaxes eudoxus imatongensis Plantrou,1982** (Argynnidae) Synonym(s): *imatongensis Plantrou,1982* _ Range (in code): **SD**
- 1906. Charaxes eudoxus katerae Carpenter,1937** (Argynnidae) Synonym(s): *katerae Carpenter,1937* _ Range (in code): **UG**

- 1907. Charaxes eudoxus lequeuxi Plantrou, 1982** (Argynnidae) Synonym(s): *lequeuxi* Plantrou, 1982 _ Range (in code): **RW BI**
- 1908. Charaxes eudoxus mechowii Rothschild, 1900** (Argynnidae) Synonym(s): *mechowii* Rothschild, 1900; *blachieri* Oberthür, 1912; *theresae* Le Cerf, 1932 _ Range (in code): **ZR AO CG GA CM NG CF SD TZ UG**
- 1909. Charaxes eudoxus mitchelli Plantrou & Howarth, 1977** (Argynnidae) Synonym(s): *mitchelli* Plantrou & Howarth, 1977 _ Range (in code): **ZM**
- 1910. Charaxes eudoxus raffaellae Plantrou, 1982** (Argynnidae) Synonym(s): *raffaellae* Plantrou, 1982 _ Range (in code): **TZ**
- 1911. Charaxes eudoxus zambiae Van Someren, 1970** (Argynnidae) Synonym(s): *zambiae* Van Someren, 1970 _ Range (in code): **ZM**
- 1912. Charaxes eupale (Drury, 1782)** (Argynnidae) Synonym(s): *eupale* Drury, 1782; *amasia* Fabricius, 1793 _ Range (in code): **UG NG CM AO KE Nai TZ SL NG GN MW Zom**
- 1913. Charaxes eupale eupale (Drury, 1782)** (Argynnidae) Synonym(s): *eupale* Drury, 1782; *amasia* Fabricius, 1793 _ Range (in code): **SL NG GN**
- 1914. Charaxes eupale latimargo Joicey & Talbot, 1921** (Argynnidae) Synonym(s): *latimargo* Joicey & Talbot, 1921; *schultzei* Röber, 1936; *#citrinella* Rousseau-Decelle, 1938; *#inornata* Storace, 1948. _ Range (in code): **UG NG CM AO KE Nai TZ**
- 1915. Charaxes figini Van Someren, 1969** (Argynnidae) Synonym(s): *figini* Van Someren, 1969 _ Range (in code): **ER**
- 1916. Charaxes fionae Henning, 1977** (Argynnidae) Synonym(s): *fionae* Henning, 1977 _ Range (in code): **MW ZM TZ**
- 1917. Charaxes fournierae Le Moul, 1930** (Argynnidae) Synonym(s): *fournierae* Le Moul, 1930 _ Range (in code): **CM CF CG UG RW**
- 1918. Charaxes fournierae fournierae Le Moul, 1930** (Argynnidae) Synonym(s): *fournierae* Le Moul, 1930 _ Range (in code): **CM CF CG**
- 1919. Charaxes fournierae kigeziensis Howarth, 1969** (Argynnidae) Synonym(s): *kigeziensis* Howarth, 1969 _ Range (in code): **UG**
- 1920. Charaxes fournierae vandenberghae Collins, 1982** (Argynnidae) Synonym(s): *vandenberghae* Collins, 1982 _ Range (in code): **RW**
- 1921. Charaxes fulgurata Aurivillius, 1898** (Argynnidae) Synonym(s): *fulgurata* Aurivillius, 1898 _ Range (in code): **ZM AO ZR ZW**
- 1922. Charaxes fulvenscens (Aurivillius, 1891)** (Argynnidae) Synonym(s): *fulvenscens* Aurivillius, 1891 _ Range (in code): **SD ZR UG TZ ZM GO Bio SL GH GN CI KE CM NG CG GA CF ZR SN**
- 1923. Charaxes fulvenscens fulvenscens (Aurivillius, 1891)** (Argynnidae) Synonym(s): *fulvenscens* Aurivillius, 1891 _ Range (in code): **CM NG CG GA CF ZR**
- 1924. Charaxes fulvenscens imenti Plantrou, 1989** (Argynnidae) Synonym(s): *imenti* Plantrou, 1989 _ Range (in code): **KE**
- 1925. Charaxes fulvenscens maesseni Plantrou, 1989** (Argynnidae) Synonym(s): *maesseni* Plantrou, 1989 _ Range (in code): **SL GH GN CING**
- 1926. Charaxes fulvenscens marialuisae Canu, 1989** (Argynnidae) Synonym(s): *marialuisae* Canu, 1989 _ Range (in code): **GO Bio**
- 1927. Charaxes fulvenscens monitor Rothschild, 1900** (Argynnidae) Synonym(s): *monitor* Rothschild, 1900; *stonehami* Jeffery, 1931 _ Range (in code): **SD ZR KE UG TZ ZM**
- 1928. Charaxes fulvenscens senegala Van Someren, 1975** (Argynnidae) Synonym(s): *senegala* Van Someren, 1975 _ Range (in code): **SN**
- 1929. Charaxes fuscus Plantrou, 1967** (Argynnidae) Synonym(s): *fuscus* Plantrou, 1967 _ Range (in code): **CF**
- 1930. Charaxes galawadiwosi Plantrou & Rougeot, 1979** (Argynnidae) Synonym(s): *galawadiwosi* Plantrou & Rougeot, 1979 _ Range (in code): **ET**
- 1931. Charaxes gallagheri Van Son, 1962** (Argynnidae) Synonym(s): *gallagheri* Van Son, 1962 _ Range (in code): **ZM ZW**
- 1932. Charaxes galleyanus Darge & Minig, 1984** (Argynnidae) Synonym(s): *galleyanus* Darge & Minig, 1984 _ Range (in code): **CG**
- 1933. Charaxes gerdae Rydon, 1989** (Argynnidae) Synonym(s): *gerdae* Rydon, 1989 _ Range (in code): **TZ**

- 1934. Charaxes grahamei Van Someren, 1969** (Argynnidae) Synonym(s): *grahamei* Van Someren, 1969 _ Range (in code): TZ
- 1935. Charaxes guderiana (Dewitz, 1879)** (Argynnidae) Synonym(s): *guderiana* Dewitz, 1879; *tanganyika* Robbe, 1892 _ Range (in code): AO TZ RW ZR ZM MW Zom MZ ZW NA KE
- 1936. Charaxes guderiana guderiana (Dewitz, 1879)** (Argynnidae) Synonym(s): *guderiana* Dewitz, 1879; *tanganyika* Robbe, 1892 _ Range (in code): AO TZ RW ZR ZM MW Zom MZ ZW NA
- 1937. Charaxes guderiana rabaiensis Poulton, 1929** (Argynnidae) Synonym(s): *rabaiensis* Poulton, 1929 _ Range (in code): KE
- 1938. Charaxes hadrianus Ward, 1871** (Argynnidae) Synonym(s): *hadrianus* Ward, 1871; *dux* Staudinger, 1886; *gabonica* Crowley, 1890 _ Range (in code): CI GA GH NG CM CG CF ZR UG
- 1939. Charaxes hadrianus hadrianus Ward, 1871** (Argynnidae) Synonym(s): *hadrianus* Ward, 1871; *dux* Staudinger, 1886; *gabonica* Crowley, 1890 _ Range (in code): CI GA GH NG CM CG CF ZR UG
- 1940. Charaxes hadrianus molleti Koçak, 1996** (Argynnidae) Synonym(s): *orientalis* Mollet, 1975 nec Lanz, 1896 non Joicey & Talbot, 1918; *molleti* Koçak, 1996. Original Reference: Charaxes hadrianus ssp. molleti Koçak, 1996, Cent. ent. Stud. Misc. Pap. 27/28: 12 (nomen novum pro *orientalis* Mollet, 1975 nec Lanz, 1896). Range (in code): UG
- 1941. Charaxes hansali arabicus N.D.Riley, 1931** (Argynnidae) Synonym(s): *arabicus* N.D.Riley, 1931 _ Range (in code): Dh OM
- 1942. Charaxes hansali baringanus Rothschild, 1905** (Argynnidae) Synonym(s): *baringanus* Rothschild, 1905; *kulalensis* Van Someren, 1971 nec Van Som.; *kulalae* Van Someren, 1975 _ Range (in code): KE SD ET TZ RW
- 1943. Charaxes hansalii C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *hansalii* C.Felder & R.Felder, [1867]; #minor *Storace*, 1948 Original Reference: Charaxes hansalii C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 446, Taf. 59 figs. 3, 4. Syntypes ♂: [Ethiopia]: Africa septentrionali-orientalis: Bogos. Range (in code): As Dh ET KE OM RW SA Bhh SD SO TZ UG YE EG
- 1944. Charaxes hansalii hansalii C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *hansalii* C.Felder & R.Felder, [1867]; #minor *Storace*, 1948 Original Reference: Charaxes hansalii C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 446, Taf. 59 figs. 3, 4. Syntypes ♂: [Ethiopia]: Africa septentrionali-orientalis: Bogos. Range (in code): As ET SA Bhh SO YE
- 1945. Charaxes harmonius C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *harmonius* C.Felder & R.Felder, [1867]; *analeuca* Rousseau-Decelle, 1938 _ Range (in code): ID Ja Sum MY Bor PH Cal Pal
- 1946. Charaxes harmonius harmonius C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *harmonius* C.Felder & R.Felder, [1867]; *analeuca* Rousseau-Decelle, 1938 _ Range (in code): ID Ja
- 1947. Charaxes harmonius harpagon Staudinger, 1889** (Argynnidae) Synonym(s): *harpagon* Staudinger, 1889 _ Range (in code): PH Cal Pal
- 1948. Charaxes harmonius infernus Rothschild, 1903** (Argynnidae) Synonym(s): *infernus* Rothschild, 1903 _ Range (in code): MY Bor
- 1949. Charaxes harmonius martinus Rothschild, 1900** (Argynnidae) Synonym(s): *martinus* Rothschild, 1900 _ Range (in code): ID Sum
- 1950. Charaxes hildebrandti (Dewitz, 1879)** (Argynnidae) Synonym(s): *hildebrandti* Dewitz, 1879; *talagugae* Holland, 1886; #*micelae* Plantou, 1980 _ Range (in code): ZR ZM SL CI GH AO GA CF CM NG CG ZR UG
- 1951. Charaxes hildebrandti gillesi Plantrou, 1973** (Argynnidae) Synonym(s): *gillesi* Plantrou, 1973 _ Range (in code): SL CI GH
- 1952. Charaxes hildebrandti hildebrandti (Dewitz, 1879)** (Argynnidae) Synonym(s): *hildebrandti* Dewitz, 1879; *talagugae* Holland, 1886; #*micelae* Plantou, 1980 _ Range (in code): AO GA CF CM NG CG ZR UG
- 1953. Charaxes hildebrandti katangensis Talbot, 1928** (Argynnidae) Synonym(s): *katangensis* Talbot, 1928 _ Range (in code): ZR ZM UG
- 1954. Charaxes howarthi Minig, 1976** (Argynnidae) Synonym(s): *howarthi* Minig, 1976 Range (in code): TZ AO ZM ZR
- 1955. Charaxes imperialis Butler, 1874** (Argynnidae) Synonym(s): *imperialis* Butler, 1874 Range (in code): GO Bio ZR CM CF CG TZ ZM GH SL NG RW UG

- 1956. *Charaxes imperialis albipuncta* Joicey & Talbot, 1920** (Argynnidae) Synonym(s): *albipuncta* Joicey & Talbot, 1920 _ Range (in code): ZR CM CF
- 1957. *Charaxes imperialis dargei* Collins, 1989** (Argynnidae) Synonym(s): *dargei* Collins, 1989 _ Range (in code): CG
- 1958. *Charaxes imperialis graziellae* Turlin, 1989** (Argynnidae) Synonym(s): *graziellae* Turlin, 1989 _ Range (in code): TZ
- 1959. *Charaxes imperialis imperialis* Butler, 1874** (Argynnidae) Synonym(s): *imperialis* Butler, 1874 _ Range (in code): GH SL NG
- 1960. *Charaxes imperialis lisomboensis* Van Someren, 1975** (Argynnidae) Synonym(s): *lisomboensis* Van Someren, 1975 _ Range (in code): TZ ZM
- 1961. *Charaxes imperialis nathaliae* Canu, 1989** (Argynnidae) Synonym(s): *nathaliae* Canu, 1989 _ Range (in code): GO Bio
- 1962. *Charaxes imperialis pauliani* Rousseau-Decelle, 1933** (Argynnidae) Synonym(s): *pauliani* Rousseau-Decelle, 1933 _ Range (in code): ZR
- 1963. *Charaxes imperialis ugandicus* Van Someren, 1972** (Argynnidae) Synonym(s): *ugandicus* Van Someren, 1972 _ Range (in code): UG ZR
- 1964. *Charaxes imperialis weneri* Turlin, 1989** (Argynnidae) Synonym(s): *weneri* Turlin, 1989 _ Range (in code): RW
- 1965. *Charaxes jahlusa* (Trimen, 1862)** (Argynnidae) Synonym(s): *jahlusa* Trimen, 1862 _ Range (in code): ET SD UG AO ZR MZ ZW BW RW ZM MW TZ KE Tet Mb ZA Tva Lpo Spb Mdk Slp Nta Kzu Tug Wnn Ec Wb Bfk
- 1966. *Charaxes jahlusa argynnides* Westwood, 1864** (Argynnidae) Synonym(s): *argynnides* Westwood, 1864 _ Range (in code): ZA Nta Kzu AO ZR MZ ZW ZM MW TZ
- 1967. *Charaxes jahlusa ganaleis* Carpenter, 1937** (Argynnidae) Synonym(s): *ganaleis* Carpenter, 1937 _ Range (in code): ET SD UG KE
- 1968. *Charaxes jahlusa jahlusa* (Trimen, 1862)** (Argynnidae) Synonym(s): *jahlusa* Trimen, 1862 _ Range (in code): ZA Ec
- 1969. *Charaxes jahlusa kenyensis* Joicey & Talbot, 1925** (Argynnidae) Synonym(s): *kenyensis* Joicey & Talbot, 1925 _ Range (in code): TZ UG KE Tet Mb
- 1970. *Charaxes jahlusa kigomaensis* Van Someren, 1975** (Argynnidae) Synonym(s): *kigoma* Van Someren, 1974 nec Van Som., 1964; *kigomaensis* Van Someren, 1975 _ Range (in code): TZ
- 1971. *Charaxes jahlusa rex* Henning, 1978** (Argynnidae) Synonym(s): *rex* Henning, 1978 _ Range (in code): BW ZA Tva Lpo Spb Mdk Slp
- 1972. *Charaxes jahlusa rwandensis* Plantrou, 1976** (Argynnidae) Synonym(s): *rwandensis* Plantrou, 1976 _ Range (in code): RW
- 1973. *Charaxes jasius* (Linnaeus, 1767)** (Argynnidae) Synonym(s): *jasius* Linnaeus, 1767; *jason* Linnaeus, 1767 praeocc.; *rhea* Hübner, 1800; *unedonis* Hübner, 1806; *faroensis* Ribbe, 1909; *septentrionalis* Verity, 1913; *europaeus* Verity, 1917. _ Original Reference: Papilio jasius Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): Errata (replacement name for jason Linnaeus, 1767). Type(s): Barbaria. Range (in code): He IL Pa Hf Ae Co Cr ES Mu Mu18 FR GR IT PT Rd Sa Si TR YU DZ Agi Dhm Sbd Hrh Clo MA Lkr TN JO CY ZA Gau Pre Rtb Tva Lpo Spb Mdk Lj Nta Kzu Ptb Kru Pma Wb Suw Jh Wm Bfk BW NA SZ MZ ZW ZM ZR CF MW Zom TZ KE ET SO UG SD SN ML GN CI AO GA _ Bionomy: Larva on Arbutus unedo.
- 1974. *Charaxes jasius brunescens* Poulton, 1926** (Argynnidae) Synonym(s): *brunescens* Poulton, 1926 _ Range (in code): AO ZR GA CF
- 1975. *Charaxes jasius epijasius* Reiche, [1850]** (Argynnidae) Synonym(s): *epijasius* Reiche, [1850]; *maculatus* Suffert, 1904; *liberiae* Le Cerf, 1923; *melas* Van Someren, 1963; *aesonius* Stoneham, 1964. _ Range (in code): SN GN ML CI KE UG ET SD
- 1976. *Charaxes jasius harrisoni* Sharpe, 1904** (Argynnidae) Synonym(s): *harrisoni* Sharpe, 1904; *#saturnalis* Van Someren, 1963. _ Range (in code): KE TZ UG
- 1977. *Charaxes jasius jasius* (Linnaeus, 1767)** (Argynnidae) Synonym(s): *jasius* Linnaeus, 1767; *jason* Linnaeus, 1767 praeocc.; *rhea* Hübner, [1800]; *unedonis* Hübner, [1806]; *faroensis* Ribbe, 1909; *europaeus* Verity, 1917. _ Original Reference: Papilio jasius Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): Errata (replacement name for jason Linnaeus, 1767). Type(s): Barbaria. Range (in code): He IL Pa Hf Ae Co Cr ES Mu Mu18 FR GR IT PT Rd Sa Si TR YU DZ Agi Dhm Sbd Hrh Clo MA Lkr TN JO CY ZA Gau Pre Rtb Tva Lpo Spb Mdk Lj Nta Kzu Ptb Kru Pma Wb Suw Jh Wm Bfk BW NA SZ MZ ZW ZM ZR CF MW Zom TZ KE ET SO UG SD SN ML GN CI AO GA
- 1978. *Charaxes jasius pagenstecheri* Poulton, 1926** (Argynnidae) Synonym(s): *pagenstecheri* Poulton, 1926 _ Range (in code): ET SO

- 1979. Charaxes jasius saturnus Butler, 1866** (Argynnidae) Synonym(s): *saturnus* Butler, 1866; *flavicinctus* Butler, 1895. _ Range (in code): **ZA Gau Pre Rtb Tva Lpo Spb Mdk Lj Nta Kzu Ptb Kru Pma Wb Suw Jh Wm Bfk BW NA SZ MZ ZW ZM ZR MW Zom TZ KE**
- 1980. Charaxes jasius septentrionalis Verity, 1913** (Argynnidae) Synonym(s): *septentrionalis* Verity, 1913. _ Original Reference: Charaxes jason septentrionalis Verity, 1913, J. linn. Soc. (Zool.) 32: 180. Syntypes 2♂ 1♀: [Italy: Toscana, Lucca]: Forte dei Marmi. Range (in code): **FR IT**
- 1981. Charaxes junius Oberthür, 1880** (Argynnidae) Synonym(s): *junius* Oberthür, 1880 Range (in code): **ET**
- 1982. Charaxes junius junius Oberthür, 1880** (Argynnidae) Synonym(s): *junius* Oberthür, 1880 Range (in code): **ET**
- 1983. Charaxes junius somalicus Rothschild, 1900** (Argynnidae) Synonym(s): *somalicus* Rothschild, 1900 _ Range (in code): **ET**
- 1984. Charaxes kahldenii Homeyer & Dewitz, 1882** (Argynnidae) Synonym(s): *kahldenii* Homeyer & Dewitz, 1882; *homeyeri* Homeyer & Dewitz, 1882; *w-brunnea* Bethune-Baker, 1908; *apicalis* Röber, 1925. Range (in code): **CM AO ZR CF GA CG UG SD**
- 1985. Charaxes kahruba (Moore, 1896)** (Argynnidae) Synonym(s): *kahruba* Moore, 1896 Range (in code): **IN Kma Ass MM TH CMa Dst Qs Cuo Cuo1 Cuo7 CDo Lmp Rng Srt**
- 1986. Charaxes kahruba kahruba (Moore, 1896)** (Argynnidae) Synonym(s): *kahruba* Moore, 1896 _ Range (in code): **IN Kma Ass MM TH CMa Dst Qs Cuo Cuo1 Cuo7 CDo Lmp Rng Srt**
- 1987. Charaxes karkloof Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *karkloof* Van Someren & Jackson, 1957 _ Range (in code): **ZA Nta Kzu Ptb Ec Kkf Elo**
- 1988. Charaxes karkloof capensis Van Someren, 1966** (Argynnidae) Synonym(s): *capensis* Van Someren, 1966 _ Range (in code): **ZA Ec**
- 1989. Charaxes karkloof karkloof Van Someren & Jackson, 1957** (Argynnidae) Synonym(s): *karkloof* Van Someren & Jackson, 1957 _ Range (in code): **ZA Nta Kzu Ptb Kkf Elo**
- 1990. Charaxes kheili Staudinger, 1896** (Argynnidae) Synonym(s): *kheili* Staudinger, 1896 Range (in code): **CF**
- 1991. Charaxes kirki Butler, 1881** (Argynnidae) Synonym(s): *kirki* Butler, 1881 _ Range (in code): **UG TZ Dss KE Mb Nai**
- 1992. Charaxes kirki kirki Butler, 1881** (Argynnidae) Synonym(s): *kirki* Butler, 1881 _ Range (in code): **TZ Dss KE Mb Nai**
- 1993. Charaxes kirki suk Carpenter & Jackson, 1950** (Argynnidae) Synonym(s): *suk* Carpenter & Jackson, 1950 _ Range (in code): **UG**
- 1994. Charaxes lactetinctus Karsch, 1892** (Argynnidae) Synonym(s): *lactetinctus* Karsch, 1892; *busogus* Van Someren, 1972 _ Range (in code): **GN CI KE CF ZR CG UG SD ET**
- 1995. Charaxes lactetinctus lactetinctus Karsch, 1892** (Argynnidae) Synonym(s): *lactetinctus* Karsch, 1892; *busogus* Van Someren, 1972 _ Range (in code): **GN CI KE CF ZR CG UG**
- 1996. Charaxes lactetinctus ungemachi Le Cerf, 1927** (Argynnidae) Synonym(s): *ungemachi* Le Cerf, 1927 _ Range (in code): **ET SD**
- 1997. Charaxes larseni Rydon, 1982** (Argynnidae) Synonym(s): *larseni* Rydon, 1982 _ Range (in code): **ET**
- 1998. Charaxes lasti Grose-Smith, 1889** (Argynnidae) Synonym(s): *lasti* Grose-Smith, 1889; *centralis* Neustetter, 1929 _ Range (in code): **MW Zom KE TZ Tnga Usa Ani**
- 1999. Charaxes lasti kimbozae Kielland, 1984** (Argynnidae) Synonym(s): *kimbozae* Kielland, 1984 _ Range (in code): **TZ**
- 2000. Charaxes lasti lasti Grose-Smith, 1889** (Argynnidae) Synonym(s): *lasti* Grose-Smith, 1889; *centralis* Neustetter, 1929 _ Range (in code): **KE TZ**
- 2001. Charaxes lasti magomberae Kielland, 1984** (Argynnidae) Synonym(s): *magomberae* Kielland, 1984 _ Range (in code): **TZ**
- 2002. Charaxes lathona Butler, 1865** (Argynnidae) Synonym(s): *lathona* Butler, 1865; *meridionalis* Rothschild, 1900 _ Range (in code): **AU**
- 2003. Charaxes lecerfi Lathy, 1925** (Argynnidae) Synonym(s): *lecerfi* Lathy, 1925 _ Range (in code): **NG CF CM**
- 2004. Charaxes legeri Plantrou, 1978** (Argynnidae) Synonym(s): *legeri* Plantrou, 1978 _ Range (in code): **NG**
- 2005. Charaxes lemosi Joicey & Talbot, 1927** (Argynnidae) Synonym(s): *lemosi* Joicey & Talbot, 1927 _ Range (in code): **ST**

- 2006. Charaxes loandae Van Someren,1969** (Argynnidae) Synonym(s): *loandae* Van Someren,1969 _ Range (in code): AO
- 2007. Charaxes lucretius (Cramer,[1775])** (Argynnidae) Synonym(s): *lucretius* Cramer,[1775]; *lucida* Le Cerf,1923 _ Range (in code): ZM UG KE ZR RW BI TZ CM NG GA CG CF ZR LR GN NG
- 2008. Charaxes lucretius intermedius Van Someren,1971** (Argynnidae) Synonym(s): *intermedius* Van Someren,1971 _ Range (in code): CM NG GA CG CF ZR
- 2009. Charaxes lucretius lucretius (Cramer,[1775])** (Argynnidae) Synonym(s): *lucretius* Cramer,[1775]; *lucida* Le Cerf,1923 _ Range (in code): LR GN NG
- 2010. Charaxes lucretius maximus Van Someren,1971** (Argynnidae) Synonym(s): *maximus* Van Someren,1971 _ Range (in code): UG KE ZR RW BI TZ
- 2011. Charaxes lucretius schofieldi Plantrou,1989** (Argynnidae) Synonym(s): *schofieldi* Plantrou,1989 _ Range (in code): ZM
- 2012. Charaxes lucyae Van Someren,1975** (Argynnidae) Synonym(s): *lucyae* Van Someren,1975 _ Range (in code): TZ
- 2013. Charaxes lucyae gabriellae Turlin & Chovet,1987** (Argynnidae) Synonym(s): *gabriellae* Turlin & Chovet,1987 _ Range (in code): TZ
- 2014. Charaxes lucyae lucyae Van Someren,1975** (Argynnidae) Synonym(s): *lucyae* Van Someren,1975 _ Range (in code): TZ
- 2015. Charaxes lucyae mwanihanae Kielland,1982** (Argynnidae) Synonym(s): *mwanihanae* Kielland,1982 _ Range (in code): TZ
- 2016. Charaxes lycurgus (Fabricius,1793)** (Argynnidae) Synonym(s): *laodice* Drury,1782 *nec* Pall.,1771; *lycurgus* Fabricius,1793; *nesiope* Hewitson,1854 _ Range (in code): SL NG CM CF AO GA CG ZR SD UG
- 2017. Charaxes lycurgus bernandiana Plantrou,1978** (Argynnidae) Synonym(s): *bernandiana* Plantrou,1978 _ Range (in code): NG CM CF AO GA CG ZR SD UG
- 2018. Charaxes lycurgus lycurgus (Fabricius,1793)** (Argynnidae) Synonym(s): *laodice* Drury,1782 *nec* Pall.,1771; *lycurgus* Fabricius,1793; *nesiope* Hewitson,1854 _ Range (in code): SL NG
- 2019. Charaxes lydiae Holland,1917** (Argynnidae) Synonym(s): *lydiae* Holland,1917 _ Range (in code): CG CM
- 2020. Charaxes macclounii Butler,1895** (Argynnidae) Synonym(s): *macclounii* Butler,1895; *flavescens* Lanz,1896 _ Original Reference: Charaxes macclounii Butler,1895, Proc. zool. Soc. London 1895: 252, pl. xv fig.1. Type: [Malawi]: Zomba. Range (in code): TZ Tnga Usa Ani AO KE ZR BI ZM ZW Vum MZ MW Zom
- 2021. Charaxes mafuga Van Someren,1969** (Argynnidae) Synonym(s): *mafuga* Van Someren,1969 _ Range (in code): UG BI RW
- 2022. Charaxes manica Trimen,1894** (Argynnidae) Synonym(s): *manica* Trimen,1894 _ Range (in code): ZW MZ
- 2023. Charaxes margaretae Rydon,1980** (Argynnidae) Synonym(s): *margaretae* Rydon,1980 _ Range (in code): MW
- 2024. Charaxes marieps Van Someren & Jackson,1957** (Argynnidae) Synonym(s): *marieps* Van Someren & Jackson,1957 _ Range (in code): ZA Tva Mpu ZA14 Grk Sbe ZA20
- 2025. Charaxes marmax Westwood,1847** (Argynnidae) Synonym(s): *marmax* Westwood,1847 _ Range (in code): TH CMa CDo Nrt Chy
- 2026. Charaxes marmax marmax Westwood,1847** (Argynnidae) Synonym(s): *marmax* Westwood,1847 _ Range (in code): TH CMa CDo Nrt Chy
- 2027. Charaxes martini Van Someren,1966** (Argynnidae) Synonym(s): *martini* Van Someren,1966 _ Range (in code): MW
- 2028. Charaxes martini helenae Henning,1982** (Argynnidae) Synonym(s): *helenae* Henning,1982 _ Range (in code): MW
- 2029. Charaxes martini martini Van Someren,1966** (Argynnidae) Synonym(s): *martini* Van Someren,1966 _ Range (in code): MW
- 2030. Charaxes matakall Darge,1985** (Argynnidae) Synonym(s): *matakall* Darge,1985 _ Range (in code): CG ZR
- 2031. Charaxes macleeryi Van Someren,1972** (Argynnidae) Synonym(s): *macleeryi* Van Someren,1972 _ Range (in code): TZ
- 2032. Charaxes macleeryi iringae Kielland,1990** (Argynnidae) Synonym(s): *iringae* Kielland,1990 _ Original Reference: Charaxes macleeryi ssp. iringae Kielland,1990, Butterflies of

- Tanzania: 106, pl. 24, gen. figs. 77-78. Holotype ♂: Tanzania: Iringa, Mwanihana Forest, 1200m (J.Kielland leg.) (BMNH). Range (in code): TZ
- 2033. Charaxes mccleryi mccleryi Van Someren, 1972** (Argynnidae) Synonym(s): *mccleryi Van Someren, 1972* Range (in code): TZ
- 2034. Charaxes mixtus Rothschild, 1894** (Argynnidae) Synonym(s): *mixtus Rothschild, 1894; bubastis Schultze, 1916* Range (in code): TZ CM CF GA CG ZR
- 2035. Charaxes mixtus mixtus Rothschild, 1894** (Argynnidae) Synonym(s): *mixtus Rothschild, 1894; bubastis Schultze, 1916* Range (in code): CM CF GA CG ZR
- 2036. Charaxes mixtus tanzanicus Kielland, 1988** (Argynnidae) Synonym(s): *tanzanicus Kielland, 1988* Range (in code): TZ
- 2037. Charaxes monteiri Staudinger, 1886** (Argynnidae) Synonym(s): *monteiri Staudinger, 1886* Range (in code): ST
- 2038. Charaxes montis Jackson, 1956** (Argynnidae) Synonym(s): *montis Jackson, 1956* Range (in code): UG
- 2039. Charaxes murphyi Collins, 1989** (Argynnidae) Synonym(s): *murphyi Collins, 1989* Range (in code): ZM ZR
- 2040. Charaxes musakensis Darge, 1973** (Argynnidae) Synonym(s): *musakensis Darge, 1973* Range (in code): CM
- 2041. Charaxes mycerina (Godart, [1824])** (Argynnidae) Synonym(s): *mycerina Godart, [1824]* Range (in code): SL CI GH NG CF NG CM CG GA ZR GO Bio
- 2042. Charaxes mycerina mycerina (Godart, [1824])** (Argynnidae) Synonym(s): *mycerina Godart, [1824]* Range (in code): SL CI GH NG
- 2043. Charaxes mycerina nausicaa Staudinger, 1891** (Argynnidae) Synonym(s): *nausicaa Staudinger, 1891; viettei Plantrou, 1978* Range (in code): CF NG CM CG GA ZR GO Bio
- 2044. Charaxes nandina Rothschild & Jordan, 1901** (Argynnidae) Synonym(s): *nandina Rothschild & Jordan, 1901* Range (in code): KE
- 2045. Charaxes nichetes Grose-Smith, 1883** (Argynnidae) Synonym(s): *nichetes Grose-Smith, 1883; hamatus Dewitz, 1884; ogavensis Holland, 1886* Range (in code): ZM GA NG CM AO MW Zom MZ ZW TZ ZR TD SL LR CI GH CM
- 2046. Charaxes nichetes bouchei Plantrou, 1974** (Argynnidae) Synonym(s): *bouchei Plantrou, 1974* Range (in code): SL LR CI GH CM
- 2047. Charaxes nichetes leoninus Butler, 1895** (Argynnidae) Synonym(s): *leoninus Butler, 1895* Original Reference: Charaxes leoninus Butler, 1895, Proc. zool. Soc. London 1895: 253-254, pl.xv fig.2. Syntypes: [Malawi]: Zomba. Range (in code): MW Zom MZ ZW TZ ZR
- 2048. Charaxes nichetes leopardinus Plantrou, 1974** (Argynnidae) Synonym(s): *leopardinus Plantrou, 1974* Range (in code): CI CM TD
- 2049. Charaxes nichetes nichetes Grose-Smith, 1883** (Argynnidae) Synonym(s): *nichetes Grose-Smith, 1883; hamatus Dewitz, 1884; ogavensis Holland, 1886* Range (in code): ZR GA NG CM AO
- 2050. Charaxes nichetes pantherinus Rousseau-Decelle, 1934** (Argynnidae) Synonym(s): *pantherinus Rousseau-Decelle, 1934* Range (in code): ZR ZM TZ
- 2051. Charaxes nobilis Druce, 1873** (Argynnidae) Synonym(s): *nobilis Druce, 1873; agabo Distant, 1880; homerus Staudinger, 1891* Range (in code): CM GA CG CF ZR UG GN NG
- 2052. Charaxes nobilis claudeni Le Moul, 1933** (Argynnidae) Synonym(s): *claudeni Le Moul, 1933* Range (in code): ZR GN NG
- 2053. Charaxes nobilis nobilis Druce, 1873** (Argynnidae) Synonym(s): *nobilis Druce, 1873; agabo Distant, 1880; homerus Staudinger, 1891* Range (in code): NG CM GA CG CF ZR UG
- 2054. Charaxes nobilis rosaemariae Rousseau-Decelle, 1934** (Argynnidae) Synonym(s): *rosaemariae Rousseau-Decelle, 1934* Range (in code): ZR
- 2055. Charaxes northcotti Rothschild, 1899** (Argynnidae) Synonym(s): *northcotti Rothschild, 1899* Range (in code): CI NG
- 2056. Charaxes numenes (Hewitson, 1859)** (Argynnidae) Synonym(s): *numenes Hewitson, 1859* Range (in code): ET SN NG CM ZR UG KE ZR AO CG GA CF SD TZ
- 2057. Charaxes numenes aequatorialis Van Someren, 1972** (Argynnidae) Synonym(s): *laticaneta Le Cerf, 1932; aequatorialis Van Someren, 1972; albimaculatus Van Someren, 1972* Range (in code): UG KE ZR AO CG GA CM CF SD UG KE TZ
- 2058. Charaxes numenes neumanni Rothschild, 1902** (Argynnidae) Synonym(s): *neumanni Rothschild, 1902* Range (in code): ET

- 2059. Charaxes numenes numenes (Hewitson,1859)** (Argynnidae) **Synonym(s):** *numenes Hewitson,1859* _ Range (in code): SN NG CM ZR
- 2060. Charaxes nyikensis Van Someren,1975** (Argynnidae) **Synonym(s):** *nyikensis Van Someren,1975* _ Range (in code): MW
- 2061. Charaxes obudoensis Van Someren,1969** (Argynnidae) **Synonym(s):** *obudoensis Van Someren,1969* _ Range (in code): NG CM
- 2062. Charaxes octavus Minig,1972** (Argynnidae) **Synonym(s):** *octavus Minig,1972; patergodarti Neidhoefer,1972* _ Range (in code): CF
- 2063. Charaxes odysseus Staudinger,1892** (Argynnidae) **Synonym(s):** *odysseus Staudinger,1892* _ Range (in code): ST
- 2064. Charaxes opinatus Heron,1909** (Argynnidae) **Synonym(s):** *opinatus Heron,1909* _ Range (in code): UG RW BI ZR
- 2065. Charaxes overlaeti Schouteden,1934** (Argynnidae) **Synonym(s):** *overlaeti Schouteden,1934* _ Range (in code): ZR KE
- 2066. Charaxes paphianus Ward,1871** (Argynnidae) **Synonym(s):** *paphianus Ward,1871; renati Rousseau-Decelle,1938* _ Range (in code): CM ZR GA CG CF AO ZR UG SD KE
- 2067. Charaxes paphianus falcata (Butler,1872)** (Argynnidae) **Synonym(s):** *falcata Butler,1872; hamulosa Weymer,1892* _ Range (in code): GH LR CI NG
- 2068. Charaxes paphianus paphianus Ward,1871** (Argynnidae) **Synonym(s):** *paphianus Ward,1871; renati Rousseau-Decelle,1938* _ Range (in code): CM ZR GA CG CF AO ZR
- 2069. Charaxes paphianus subpallida Joicey & Talbot,1925** (Argynnidae) **Synonym(s):** *subpallida Joicey & Talbot,1925* _ Range (in code): ZR UG SD KE
- 2070. Charaxes paradoxa Lathy,1925** (Argynnidae) **Synonym(s):** *paradoxa Lathy,1925* _ Range (in code): KM
- 2071. Charaxes pelias (Cramer,[1775])** (Argynnidae) **Synonym(s):** *pelias Cramer,[1775]* _ Range (in code): ZA Wca
- 2072. Charaxes pembanus Jordan,1925** (Argynnidae) **Synonym(s):** *pembanus Jordan,1925* _ Range (in code): TZ Pb
- 2073. Charaxes penricei Rothschild,1900** (Argynnidae) **Synonym(s):** *penricei Rothschild,1900; peculiaris Lathy,1906* _ Range (in code): ZM MW Zom ZW TZ CG ZR AO
- 2074. Charaxes penricei dealbata Van Someren,1966** (Argynnidae) **Synonym(s):** *dealbata Van Someren,1966* _ Range (in code): AO CG ZR
- 2075. Charaxes penricei penricei Rothschild,1900** (Argynnidae) **Synonym(s):** *penricei Rothschild,1900; peculiaris Lathy,1906* _ Range (in code): ZM MW ZW TZ ZR AO
- 2076. Charaxes penricei tanganyikae Van Someren,1966** (Argynnidae) **Synonym(s):** *tanganyikae Van Someren,1966* _ Range (in code): TZ
- 2077. Charaxes petersi Van Someren,1969** (Argynnidae) **Synonym(s):** *petersi Van Someren,1969* _ Range (in code): GH LR CI
- 2078. Charaxes phaeus Hewitson,1877** (Argynnidae) **Synonym(s):** *phaeus Hewitson,1877* _ Range (in code): ZA Kzu Nta MZ Del SZ Lpo Spb Mdk Tva Kru Pma BW ZW MZ Del SZ ZM MW Zom TZ UG
- 2079. Charaxes phoebus Butler,1866** (Argynnidae) **Synonym(s):** *phoebus Butler,1866* _ Range (in code): ET
- 2080. Charaxes phraortes Doubleday,1847** (Argynnidae) **Synonym(s):** *phraortes Doubleday,1847* _ Range (in code): MG
- 2081. Charaxes plantroui Minig,1975** (Argynnidae) **Synonym(s):** *plantroui Minig,1975* _ Range (in code): CI GN
- 2082. Charaxes plateni Staudinger,1889** (Argynnidae) **Synonym(s):** *plateni Staudinger,1889* _ Range (in code): PH Bal Pal Cal
- 2083. Charaxes plateni latifascia Schröder,Treadaway & Nuyda,1991** (Argynnidae) **Synonym(s):** *latifascia Schröder,Treadaway & Nuyda,1991* _ Range (in code): PH Cal
- 2084. Charaxes plateni plateni Staudinger,1889** (Argynnidae) **Synonym(s):** *plateni Staudinger,1889* _ Range (in code): PH Bal Pal
- 2085. Charaxes pleione (Godart,[1824])** (Argynnidae) **Synonym(s):** *pleione Godart,[1824]; lichas Doubleday,[1849]* _ Range (in code): TZ RW CF CM AO CG GA ZR UG KE SL NG
- 2086. Charaxes pleione bebra Rothschild,1900** (Argynnidae) **Synonym(s):** *bebra Rothschild,1900* _ Range (in code): ZR UG KE

- 2087. Charaxes pleione congoensis Plantrou,1989** (Argynnidae) Synonym(s): *congoensis* Plantrou,1989 _ Range (in code): **CF CM AO CG GA ZR**
- 2088. Charaxes pleione delvauxi Turlin,1987** (Argynnidae) Synonym(s): *delvauxi* Turlin,1987 _ Range (in code): **RW**
- 2089. Charaxes pleione oriens Plantrou,1989** (Argynnidae) Synonym(s): *oriens* Plantrou,1989 _ Range (in code): **TZ**
- 2090. Charaxes pleione pleione (Godart,[1824])** (Argynnidae) Synonym(s): *pleione* Godart,[1824]; *lichas* Doubleday,[1849] _ Range (in code): **SL NG**
- 2091. Charaxes pollux (Cramer,[1775])** (Argynnidae) Synonym(s): *pollux* Cramer,[1775]; *camulus* Drury,1782; *bungense* Stoneham,1932 _ Range (in code): **MW Zom TZ Tnga Usa Ani MZ ZW SL KE Nai GN SD UG ZR ZM AO**
- 2092. Charaxes pollux gazanus Van Someren,1967** (Argynnidae) Synonym(s): *gazanus* Van Someren,1967 _ Range (in code): **MZ ZW**
- 2093. Charaxes pollux geminus Rothschild,1900** (Argynnidae) Synonym(s): *geminus* Rothschild,1900 _ Range (in code): **MW Zom TZ ZM KE**
- 2094. Charaxes pollux maua Van Someren,1967** (Argynnidae) Synonym(s): *maua* Van Someren,1967 _ Range (in code): **TZ**
- 2095. Charaxes pollux mira Ackery,1995** (Argynnidae) Synonym(s): *mirabilis* Turlin,1989 *nec* Hanaf.,1989; *mira* Ackery,1995 _ Range (in code): **TZ**
- 2096. Charaxes pollux piersoni Collins,1990** (Argynnidae) Synonym(s): *piersoni* Collins,1990 _ Range (in code): **TZ**
- 2097. Charaxes pollux pollux (Cramer,[1775])** (Argynnidae) Synonym(s): *pollux* Cramer,[1775]; *camulus* Drury,1782; *bungense* Stoneham,1932 _ Range (in code): **SL KE Nai GN SD UG ZR ZM AO**
- 2098. Charaxes pondoensis Van Someren,1967** (Argynnidae) Synonym(s): *pondoensis* Van Someren,1967 _ Range (in code): **ZA Ec Stj Tra**
- 2099. Charaxes porthos Grose-Smith,1883** (Argynnidae) Synonym(s): *porthos* Grose-Smith,1883; *midas* Staudinger,1891; *dunkeli* Röber,1939 _ Range (in code): **CI GH UG KE CM NG CF CG GA ZR**
- 2100. Charaxes porthos dummeri Joicey & Talbot,1922** (Argynnidae) Synonym(s): *dummeri* Joicey & Talbot,1922 _ Range (in code): **UG KE**
- 2101. Charaxes porthos gallayi Van Someren,1968** (Argynnidae) Synonym(s): *gallayi* Van Someren,1968 _ Range (in code): **CI GH NG**
- 2102. Charaxes porthos katangae Rousseau-Decelle,1931** (Argynnidae) Synonym(s): *katangae* Rousseau-Decelle,1931 _ Range (in code): **ZR**
- 2103. Charaxes porthos porthos Grose-Smith,1883** (Argynnidae) Synonym(s): *porthos* Grose-Smith,1883; *midas* Staudinger,1891; *dunkeli* Röber,1939 _ Range (in code): **CM NG CF CG GA ZR**
- 2104. Charaxes prettejohni Collins,1990** (Argynnidae) Synonym(s): *prettejohni* Collins,1990 _ Range (in code): **TZ**
- 2105. Charaxes protoclea Feisthamel,1850** (Argynnidae) Synonym(s): *protoclea* Feisthamel,1850; *aeson* Herrich-Schäffer,[1858] _ Range (in code): **NG CM CF CG GA AO SN GH GO Bio ZR UG ZA Nta Kzu Ksi MZ Del KE Mb MW Zom TZ Tnga Usa Ani MZ**
- 2106. Charaxes protoclea azota (Hewitson,1877)** (Argynnidae) Synonym(s): *azota* Hewitson,1877 _ Range (in code): **ZA Nta Kzu Ksi MZ Del KE Mb MW Zom TZ ZM**
- 2107. Charaxes protoclea catenaria Rousseau-Decelle,1934** (Argynnidae) Synonym(s): *catenaria* Rousseau-Decelle,1934 _ Range (in code): **ZR**
- 2108. Charaxes protoclea cedrici Canu,1989** (Argynnidae) Synonym(s): *cedrici* Canu,1989 _ Range (in code): **GO Bio**
- 2109. Charaxes protoclea nothodes Jordan,1911** (Argynnidae) Synonym(s): *nothodes* Jordan,1911 _ Range (in code): **ZR UG**
- 2110. Charaxes protoclea protoclea Feisthamel,1850** (Argynnidae) Synonym(s): *protoclea* Feisthamel,1850; *aeson* Herrich-Schäffer,[1858] _ Range (in code): **SN GH NG**
- 2111. Charaxes protoclea protonothodes Van Someren,1971** (Argynnidae) Synonym(s): *marginipunctata* Holland,1920; *protonothodes* Van Someren,1971 _ Range (in code): **NG CM CF CG GA AO ZR**
- 2112. Charaxes pythodoris Hewitson,1873** (Argynnidae) Synonym(s): *pythodoris* Hewitson,1873 _ Range (in code): **CI NG AO ZM ZR TZ MW UG KE CG GH CM GA CF**

- 2113. Charaxes pythodoris davidi** Plantrou, 1973 (Argynnidae) Synonym(s): *davidi* Plantrou, 1973 _ Range (in code): CI
- 2114. Charaxes pythodoris knoopae** Plantrou, 1982 (Argynnidae) Synonym(s): *knoopae* Plantrou, 1982 _ Range (in code): NG
- 2115. Charaxes pythodoris nesaea** Grose-Smith, 1889 (Argynnidae) Synonym(s): *nesaea* Grose-Smith, 1889 _ Range (in code): KE TZ
- 2116. Charaxes pythodoris occidents** Van Someren, 1963 (Argynnidae) Synonym(s): *occidentis* Van Someren, 1963 _ Range (in code): CG GH NR CM GA CF
- 2117. Charaxes pythodoris pallida** Van Someren, 1963 (Argynnidae) Synonym(s): *#pallida* Carpenter, 1934; *pallida* Van Someren, 1963; *geraldi* Stoneham, 1964 _ Range (in code): TZ
- 2118. Charaxes pythodoris pythodoris** Hewitson, 1873 (Argynnidae) Synonym(s): *pythodoris* Hewitson, 1873 _ Range (in code): AO ZM ZR TZ UG KE
- 2119. Charaxes pythodoris sumbuensis** Henning, 1982 (Argynnidae) Synonym(s): *sumbuensis* Henning, 1982 _ Range (in code): ZM
- 2120. Charaxes pythodoris ventersi** Henning, 1982 (Argynnidae) Synonym(s): *ventersi* Henning, 1982 _ Range (in code): MW
- 2121. Charaxes richelmanni Röber, 1936** (Argynnidae) Synonym(s): *fallax* Richelman, 1913 *nec* Röb., 1894; *richelmanni* Röber, 1936 _ Range (in code): CM GA CG CF ZR
- 2122. Charaxes richelmanni ducarmei** Plantrou, 1982 (Argynnidae) Synonym(s): *ducarmei* Plantrou, 1982 _ Range (in code): ZR
- 2123. Charaxes richelmanni richelmanni** Röber, 1936 (Argynnidae) Synonym(s): *fallax* Richelman, 1913 *nec* Röb., 1894; *richelmanni* Röber, 1936 _ Range (in code): CM GA CG CF ZR
- 2124. Charaxes richelmanni scheveni** Ackery, 1995 (Argynnidae) Synonym(s): *orientalis* Scheven, 1975 *nec* Joic. & Tal., 1918; *scheveni* Ackery, 1995.
- 2125. Charaxes sangana Schröder & Treadaway, 1988** (Argynnidae) Synonym(s): *sangana* Schröder & Treadaway, 1988 _ Range (in code): PH Stu Taw
- 2126. Charaxes sangana juwaki** Schröder & Treadaway, 1988 (Argynnidae) Synonym(s): *juwaki* Schröder & Treadaway, 1988 _ Range (in code): PH Stu
- 2127. Charaxes sangana sangana** Schröder & Treadaway, 1988 (Argynnidae) Synonym(s): *sangana* Schröder & Treadaway, 1988 _ Range (in code): PH Sga Taw
- 2128. Charaxes saperanus Poulton, 1926** (Argynnidae) Synonym(s): *comoranus* Aurivillius, 1909 *nec* Roth., 1903; *saperanus* Poulton, 1926 _ Range (in code): KM
- 2129. Charaxes schiltzei Bouyer, 1991** (Argynnidae) Synonym(s): *schiltzei* Bouyer, 1991 _ Range (in code): BR RW UG
- 2130. Charaxes sidamo** Plantrou & Rougeot, 1979 (Argynnidae) Synonym(s): *sidamo* Plantrou & Rougeot, 1979 _ Range (in code): ET
- 2131. Charaxes smaragdalis Butler, 1866** (Argynnidae) Synonym(s): *smaragdalis* Butler, 1866; *princeps* Butler, 1896. _ Range (in code): SL GH CM ZR CG GA CF NG UG KE UG SD TZ
- 2132. Charaxes smaragdalis butleri** Rothschild, 1900 (Argynnidae) Synonym(s): *butleri* Rothschild, 1900 _ Range (in code): SL GH
- 2133. Charaxes smaragdalis caerulea** Jackson, 1951 (Argynnidae) Synonym(s): *#caerulea* Carpenter & Jackson, 1950; *caerulea* Jackson, 1951 _ Range (in code): UG
- 2134. Charaxes smaragdalis elgonae** Van Someren, 1964 (Argynnidae) Synonym(s): *elgonae* Van Someren, 1964 _ Range (in code): UG
- 2135. Charaxes smaragdalis gobyae** Plantrou, 1989 (Argynnidae) Synonym(s): *gobyae* Plantrou, 1989 _ Range (in code): SD
- 2136. Charaxes smaragdalis homonymus** Bryk, 1939 (Argynnidae) Synonym(s): *orientalis* Joicey & Talbot, 1918 *nec* Lanz, 1896; *homonymus* Bryk, 1939. _ Range (in code): KE
- 2137. Charaxes smaragdalis kagera** Van Someren, 1964 (Argynnidae) Synonym(s): *kagera* Van Someren, 1964 _ Range (in code): UG
- 2138. Charaxes smaragdalis kigoma** Van Someren, 1964 (Argynnidae) Synonym(s): *kigoma* Van Someren, 1964 _ Range (in code): TZ
- 2139. Charaxes smaragdalis leopoldi** Ghesquière, 1933 (Argynnidae) Synonym(s): *leopoldi* Ghesquière, 1933 _ Range (in code): AO ZR CG
- 2140. Charaxes smaragdalis metu** Van Someren, 1964 (Argynnidae) Synonym(s): *metu* Van Someren, 1964 _ Range (in code): UG SD

- 2141. Charaxes smaragdalis smaragdalis Butler,1866** (Argynnidae) Synonym(s): *smaragdalis* Butler,1866; *princeps* Butler,1896. _ Range (in code): CM ZR CG GA CF NG
- 2142. Charaxes smaragdalis toro Van Someren,1964** (Argynnidae) Synonym(s): *toro* Van Someren,1964 _ Range (in code): UG
- 2143. Charaxes smilesii Rydon,1982** (Argynnidae) Synonym(s): *smilesii* Rydon,1982 _ Range (in code): ET
- 2144. Charaxes solon (Fabricius,1793)** (Argynnidae) Synonym(s): *solon* Fabricius,1793 _ Range (in code): PH Ceb Luz Mar Mdo Neg Pan Sib Bal Cal Pal Boh Din Ley Mno Pao Sam Sga Stu Taw TH CMa Cmz Czo3 CDo Nna Lmp Nth Rat Chy Cbi Knc
- 2145. Charaxes solon echo Butler,1867** (Argynnidae) Synonym(s): *echo* Butler,1867 _ Range (in code): TH
- 2146. Charaxes solon lampedo (Hübner,[1824])** (Argynnidae) Synonym(s): *lampedo* Hübner,[1824] _ Range (in code): PH Ceb Luz Mar Mdo Neg Pan Sib
- 2147. Charaxes solon orchomenus Fruhstorfer,1914** (Argynnidae) Synonym(s): *orchomenus* Fruhstorfer,1914 _ Range (in code): PH Bal Cal Pal
- 2148. Charaxes solon shohgun Tsukada,1991** (Argynnidae) Synonym(s): *shohgun* Tsukada,1991 _ Range (in code): PH Boh Din Ley Mno Pao Sam
- 2149. Charaxes solon solon (Fabricius,1793)** (Argynnidae) Synonym(s): *solon* Fabricius,1793
- 2150. Charaxes solon sulphureus Rothschild & Jordan,1900** (Argynnidae) Synonym(s): *sulphureus* Rothschild & Jordan,1900 _ Range (in code): TH CMa Cmz Czo3 CDo Nna Lmp Nth Rat Chy Cbi Knc
- 2151. Charaxes solon tindongani Schröder & Treadaway,1989** (Argynnidae) Synonym(s): *tindongani* Schröder & Treadaway,1989 _ Range (in code): PH Sga Stu Taw
- 2152. Charaxes subornatus Schultze,1916** (Argynnidae) Synonym(s): *subornatus* Schultze,1916 _ Range (in code): UG ZR KE GH NG CI CM CF CG GA ZR
- 2153. Charaxes subornatus couilloudi Plantrou,1976** (Argynnidae) Synonym(s): *couilloudi* Plantrou,1976 _ Range (in code): GH NG CI
- 2154. Charaxes subornatus minor Joicey & Talbot,1921** (Argynnidae) Synonym(s): *minor* Joicey & Talbot,1921 _ Range (in code): UG ZR KE
- 2155. Charaxes subornatus subornatus Schultze,1916** (Argynnidae) Synonym(s): *subornatus* Schultze,1916 _ Range (in code): CM CF CG GA ZR
- 2156. Charaxes subrubidus Van Someren,1972** (Argynnidae) Synonym(s): *subrubidus* Van Someren,1972 _ Range (in code): ZR CG
- 2157. Charaxes superbus Schultze,1909** (Argynnidae) Synonym(s): *superbus* Schultze,1909 _ Range (in code): CM NG ZR
- 2158. Charaxes taverniersi Berger,1975** (Argynnidae) Synonym(s): *taverniersi* Berger,1975 _ Range (in code): CM ZR
- 2159. Charaxes taverniersi evoei Darge,1977** (Argynnidae) Synonym(s): *evoei* Darge,1977 _ Range (in code): CM
- 2160. Charaxes taverniersi taverniersi Berger,1975** (Argynnidae) Synonym(s): *taverniersi* Berger,1975 _ Range (in code): ZR
- 2161. Charaxes teissieri Darge & Minig,1984** (Argynnidae) Synonym(s): *teissieri* Darge & Minig,1984 _ Range (in code): CG
- 2162. Charaxes thomasi Staudinger,1886** (Argynnidae) Synonym(s): *thomasi* Staudinger,1886 _ Range (in code): ST
- 2163. Charaxes thysi Capronnier,1889** (Argynnidae) Synonym(s): *thysi* Capronnier,1889 _ Range (in code): ZR CG GA CM
- 2164. Charaxes tiridates (Cramer,[1777])** (Argynnidae) Synonym(s): *tiridates* Cramer,[1777]; *marica* Fabricius,1793 _ Range (in code): ET GN NG
- 2165. Charaxes tiridates marginatus Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *marginatus* Rothschild & Jordan,1903 _ Range (in code): ET
- 2166. Charaxes tiridates tiridates (Cramer,[1777])** (Argynnidae) Synonym(s): *tiridates* Cramer,[1777]; *marica* Fabricius,1793 _ Range (in code): GN NG
- 2167. Charaxes tiridates tiridatinus Röber,1936** (Argynnidae) Synonym(s): *tiridatinus* Röber,1936; *angusticaudatus* Röber,1936; *hysginus* Darge,1978 _ Range (in code): CG ZR UG CM NG GO Bio GA BI CF RW TZ KE
- 2168. Charaxes turlini Minig & Plantrou,1978** (Argynnidae) Synonym(s): *turlini* Minig & Plantrou,1978 _ Range (in code): RW

- 2169. Charaxes usambarae Van Someren & Jackson, 1952** (Argynnidae) **Synonym(s):** *usambarae Van Someren & Jackson, 1952* - Range (in code): TZ Tnga Usa Ani
- 2170. Charaxes usambarae maridadi Collins, 1987** (Argynnidae) **Synonym(s):** *maridadi Collins, 1987* - Range (in code): TZ
- 2171. Charaxes usambarae usambarae Van Someren & Jackson, 1952** (Argynnidae) **Synonym(s):** *usambarae Van Someren & Jackson, 1952* - Range (in code): TZ Tnga Usa Ani
- 2172. Charaxes vansoni Van Someren, 1975** (Argynnidae) **Synonym(s):** *vansoni Van Someren, 1975* - Range (in code): ZA Lpo Tva Spb Lj Kru Pma K12
- 2173. Charaxes varanes (Cramer, [1777])** (Argynnidae) **Synonym(s):** *varanes Cramer, [1777]* **Original Reference:** *Papilio varanes Cramer, [1777], Uitl. Kapellen 2: 100, pl. 160 figs. D, E.* **Type(s):** [South Africa]: "sur l'Isle Amboine and sur la Cote de Coromandel" [patria falsa] (cf. Ackery, 1995: 460). Range (in code): ZA Nta Kzu Ptb Tva Lpo Spb Pf Kru Mdk Ent Mpu Brb Wri Suw BW MZ BW CF ET GN MZ NA NG SA SL YE ZR ZW TZ Tnga Usa Ani OM ST MW Zom
- 2174. Charaxes varanes bertrami N.D. Riley, 1931** (Argynnidae) **Synonym(s):** *bertrami N.D. Riley, 1931* **Original Reference:** *Charaxes varanes ssp. bertrami Riley, 1931, Entomologist 64: 279.* **Holotype** ♂: Oman: Wadi Arbot, N.E. of Salalah. Range (in code): OM
- 2175. Charaxes varanes defulvata Joicey & Talbot, 1926** (Argynnidae) **Synonym(s):** *defulvata Joicey & Talbot, 1926* - Range (in code): ST
- 2176. Charaxes varanes varanes (Cramer, [1777])** (Argynnidae) **Synonym(s):** *varanes Cramer, [1777]* **Original Reference:** *Papilio varanes Cramer, [1777], Uitl. Kapellen 2: 100, pl. 160 figs. D, E.* **Type(s):** [South Africa]: "sur l'Isle Amboine and sur la Cote de Coromandel" [patria falsa] (cf. Ackery, 1995: 460). Range (in code): ZA Nta Kzu Ptb Lpo Tva Spb Pf Kru Mdk Ent Mpu Brb Wri Suw BW MZ
- 2177. Charaxes varanes vologeses (Mabille, 1876)** (Argynnidae) **Synonym(s):** *vologeses Mabille, 1876; nigrescens Butler, 1896; brachycauda Le Cerf, 1923; #minor Storace, 1948; #antinorii Storace, 1948.* **Original Reference:** *Palla vologeses Mabille, 1876, Bull. Soc. zool. Fr. 1: 280.* **Syntypes:** Zaïre: Congo, Landana. Range (in code): BW CF ET GN MZ NA NG SA SL YE ZR ZW
- 2178. Charaxes variata Van Someren, 1969** (Argynnidae) **Synonym(s):** *variata Van Someren, 1969* - Range (in code): ZM AO ZR
- 2179. Charaxes velox Ogilvie-Grant, 1899** (Argynnidae) **Synonym(s):** *velox Ogilvie-Grant, 1899* Range (in code): Sk
- 2180. Charaxes viola Butler, 1866** (Argynnidae) **Synonym(s):** *viola Butler, 1866* - Range (in code): SN CM TD NG CM ZR SD UG KE
- 2181. Charaxes viola picta Van Someren & Jackson, 1952** (Argynnidae) **Synonym(s):** *picta Van Someren & Jackson, 1952* - Range (in code): NG CM ZR SD UG KE
- 2182. Charaxes viola viola Butler, 1866** (Argynnidae) **Synonym(s):** *viola Butler, 1866* - Range (in code): SN CM TD
- 2183. Charaxes violetta Grose-Smith, 1885** (Argynnidae) **Synonym(s):** *violetta Grose-Smith, 1885* Range (in code): KE TZ Tnga Usa Ani MZ Del MW ZW
- 2184. Charaxes violetta maritima Van Someren, 1966** (Argynnidae) **Synonym(s):** *maritima Van Someren, 1966* - Range (in code): KE TZ
- 2185. Charaxes violetta melloni Fox, 1963** (Argynnidae) **Synonym(s):** *melloni Fox, 1963* Range (in code): TZ MW ZW
- 2186. Charaxes violetta meru Van Someren, 1966** (Argynnidae) **Synonym(s):** *meru Van Someren, 1966* - Range (in code): KE
- 2187. Charaxes violetta violetta Grose-Smith, 1885** (Argynnidae) **Synonym(s):** *violetta Grose-Smith, 1885* - Range (in code): MZ Del
- 2188. Charaxes virescens Bouyer, 1991** (Argynnidae) **Synonym(s):** *virescens Bouyer, 1991* Range (in code): ZR
- 2189. Charaxes virilis Van Someren & Jackson, 1952** (Argynnidae) **Synonym(s):** *virilis Van Someren & Jackson, 1952* - Range (in code): UG CF CI GH NG CM ZR
- 2190. Charaxes virilis lenis Henning, 1989** (Argynnidae) **Synonym(s):** *lenis Henning, 1989* Range (in code): UG
- 2191. Charaxes virilis virilis Van Someren & Jackson, 1952** (Argynnidae) **Synonym(s):** *virilis Van Someren & Jackson, 1952* - Range (in code): CF CI GH NG CM ZR
- 2192. Charaxes xiphares (Stoll, [1781])** (Argynnidae) **Synonym(s):** *xiphares Stoll, [1781]* Range (in code): KE Tet ZR ZA Ec TZ Tnga Usa Ani UG RW BI ZR Tva Lpo Spb Hgl Ent Lj Mpu Brb Hae ZA14 Pie Ec Nta Kzu Stj Tra

- 2193. Charaxes xiphares bavenda Van Son,1935** (Argynnidae) Synonym(s): *bavenda Van Son,1935* _ Range (in code): ZA Tva Lpo Spb Hgl Ent Lj
- 2194. Charaxes xiphares bergeri Plantrou,1975** (Argynnidae) Synonym(s): *bergeri Plantrou,1975* _ Range (in code): ZR
- 2195. Charaxes xiphares brevicaudatus Schultze,1914** (Argynnidae) Synonym(s): *brevicaudatus Schultze,1914* _ Range (in code): TZ
- 2196. Charaxes xiphares burgessi Van Son,1953** (Argynnidae) Synonym(s): *burgessi Van Son,1953* _ Range (in code): UG RW BI ZR
- 2197. Charaxes xiphares desmondi Van Someren,1939** (Argynnidae) Synonym(s): *desmondi Van Someren,1939* _ Range (in code): KE Tet
- 2198. Charaxes xiphares draconis Jordan,1936** (Argynnidae) Synonym(s): *draconis Jordan,1936* _ Range (in code): ZA Tva ZA14 Mpu
- 2199. Charaxes xiphares kenwayi Poulton,1929** (Argynnidae) Synonym(s): *kenwayi Poulton,1929* _ Range (in code): ZA Mpu Brb Hae Tva Lpo Pie
- 2200. Charaxes xiphares kiellandi Plantrou,1976** (Argynnidae) Synonym(s): *kiellandi Plantrou,1976* _ Range (in code): TZ
- 2201. Charaxes xiphares kilimensis Van Someren,1972** (Argynnidae) Synonym(s): *kilimensis Van Someren,1972* _ Range (in code): TZ
- 2202. Charaxes xiphares kulal Van Someren,1962** (Argynnidae) Synonym(s): *kulal Van Someren,1962* _ Range (in code): KE
- 2203. Charaxes xiphares ludovici Rousseau-Decelle,1933** (Argynnidae) Synonym(s): *ludovici Rousseau-Decelle,1933* _ Range (in code): MW
- 2204. Charaxes xiphares maudei Joicey & Talbot,1918** (Argynnidae) Synonym(s): *maudei Joicey & Talbot,1918* _ Original Reference: Charaxes maudei Joicey & Talbot,1918, Proc. zool. Soc. London 1917: 271-272.Type ♀: German East Africa: Lindi (ex coll. Suffert). Range (in code): TZ
- 2205. Charaxes xiphares nguru Collins,1989** (Argynnidae) Synonym(s): *nguru Collins,1989* _ Range (in code): TZ
- 2206. Charaxes xiphares penningtoni Van Son,1953** (Argynnidae) Synonym(s): *penningtoni Van Son,1953* _ Range (in code): ZA Nta Kzu
- 2207. Charaxes xiphares sitebi Plantrou,1981** (Argynnidae) Synonym(s): *sitebi Plantrou,1981* _ Range (in code): TZ
- 2208. Charaxes xiphares thyestes (Stoll,[1790])** (Argynnidae) Synonym(s): *thyestes Stoll,[1790]; reducta Rothschild,1929; elatias Jordan,1936* _ Range (in code): ZA Ec Tra Stj Nta Kzu
- 2209. Charaxes xiphares upembana Plantrou,1976** (Argynnidae) Synonym(s): *upembana Plantrou,1976* _ Range (in code): ZR
- 2210. Charaxes xiphares vumbui Van Son,1936** (Argynnidae) Synonym(s): *vumbui Van Son,1936* _ Range (in code): ZW
- 2211. Charaxes xiphares walwandi Collins,1989** (Argynnidae) Synonym(s): *walwandi Collins,1989* _ Range (in code): KE
- 2212. Charaxes xiphares wernickei Joicey & Talbot,1927** (Argynnidae) Synonym(s): *wernickei Joicey & Talbot,1927* _ Range (in code): CM
- 2213. Charaxes xiphares woodi Van Someren,1964** (Argynnidae) Synonym(s): *woodi Van Someren,1964* _ Range (in code): MW
- 2214. Charaxes xiphares xiphares (Stoll,[1781])** (Argynnidae) Synonym(s): *xiphares Stoll,[1781]* _ Range (in code): ZA Ec
- 2215. Charaxes zelica Butler,1869** (Argynnidae) Synonym(s): *zelica Butler,1869* _ Range (in code): SD UG CF NG CM GA CG ZR AO SL NG
- 2216. Charaxes zelica depuncta Joicey & Talbot,1921** (Argynnidae) Synonym(s): *depuncta Joicey & Talbot,1921* _ Range (in code): SD UG
- 2217. Charaxes zelica rougeoti Plantrou,1978** (Argynnidae) Synonym(s): *rougeoti Plantrou,1978* _ Range (in code): CF NG CM GA CG ZR AO
- 2218. Charaxes zelica toyoshimai Carcasson,1964** (Argynnidae) Synonym(s): *toyoshimai Carcasson,1964* _ Range (in code): TZ
- 2219. Charaxes zelica zelica Butler,1869** (Argynnidae) Synonym(s): *zelica Butler,1869* _ Range (in code): SL NG
- 2220. Charaxes zingha (Stoll,[1780])** (Argynnidae) Synonym(s): *zingha Stoll,[1780]; berenice Drury,1782* _ Range (in code): SL AO UG TZ

- 2221. Charaxes zoolina (Westwood,[1850])** (Argynnidae) Synonym(s): *zoolina* Westwood,[1850]; *neanthes* Hewitson,1854 _ Range (in code): **RW ZR MG ZA Ec Nta Kzu Tva Lpo Kru Pma Pf Lj Spb Mdk Ec Suw ZW BW NA MW MZ Del ET ZM KE UG SD SO ET**
- 2222. Charaxes zoolina betsimisaraka Lucas,1872** (Argynnidae) Synonym(s): *betsimisaraka* Lucas,1872 _ Range (in code): **MG**
- 2223. Charaxes zoolina ehmkkei Homeyer & Dewitz,1882** (Argynnidae) Synonym(s): *ehmkkei* Homeyer & Dewitz,1882 _ Range (in code): **AO**
- 2224. Charaxes zoolina mafugensis Jackson,1956** (Argynnidae) Synonym(s): *mafugensis* Jackson,1956 _ Range (in code): **RW ZR**
- 2225. Charaxes zoolina zoolina (Westwood,[1850])** (Argynnidae) Synonym(s): *zoolina* Westwood,[1850]; *neanthes* Hewitson,1854 _ Range (in code): **ZA Nta Kzu Tva Lpo Spb Kru Pma Pf Lj Mdk Suw Ec ZW BW NA MW TZ MZ Del ET ZM KE UG SD SO ET**
- 2226. Chersonesia intermedia Martin,1895** (Argynnidae) Synonym(s): *intermedia* Martin,1895 _ Range (in code): **PH Mno Pal MY TH Rng CMa CDo Nrt Knc Ray Phi Cbu Nna**
- 2227. Chersonesia intermedia intermedia Martin,1895** (Argynnidae) Synonym(s): *intermedia* Martin,1895 _ Range (in code): **PH Mno Pal MY TH Rng**
- 2228. Chersonesia intermedia rahrioides Moore,1896** (Argynnidae) Synonym(s): *rahrioides* Moore,1896 _ Range (in code): **TH CMa CDo Nrt Knc Ray Phi Cbu Nna**
- 2229. Chersonesia nicevillei Martin,1895** (Argynnidae) Synonym(s): *nicevillei* Martin,1895 _ Range (in code): **MY**
- 2230. Chersonesia nicevillei nicevillei Martin,1895** (Argynnidae) Synonym(s): *nicevillei* Martin,1895 _ Range (in code): **MY**
- 2231. Chersonesia peraka Distant,1884** (Argynnidae) Synonym(s): *peraka* Distant,1884 _ Range (in code): **MY Prk TH Tng Rng Sat Cph Nst Chw MM Bor ID Sum Ja Nia PH Bal Pal**
- 2232. Chersonesia peraka peraka Distant,1884** (Argynnidae) Synonym(s): *peraka* Distant,1884 _ Range (in code): **MY Prk TH Tng Rng Sat Cph Nst Chw MM Bor ID Sum Ja Nia PH Bal Pal**
- 2233. Chersonesia rahria (Horsfield & Moore,1857)** (Argynnidae) Synonym(s): *rahria* Horsfield & Moore,1857 _ Range (in code): **IN Ass MM TH CMa Dst Cuo Cuo1 Cuo7 Cu10 Qs Tng Yal Ptt Sgk Hya Tnc VN Ton MY Sum ID Nia Bor Ja PH Bal Pal Sga Stu Taw**
- 2234. Chersonesia rahria rahria (Horsfield & Moore,1857)** (Argynnidae) Synonym(s): *rahria* Horsfield & Moore,1857 _ Range (in code): **IN Ass MM TH CMa Dst Cuo Cuo1 Cuo7 Cu10 Qs Tng Yal Ptt Sgk Hya Tnc VN Ton MY Sum ID Nia Bor Ja PH Bal Pal Sga Stu Taw**
- 2235. Chersonesia risa (Doubleday,[1848])** (Argynnidae) Synonym(s): *risa* Doubleday,[1848] _ Range (in code): **MY TH CMa CDo Nst Nrt Cbu Cbi Tng Tak Nna Ray Rng Yal IN Kma MM VN Ton CN Hn Bor Sum**
- 2236. Chersonesia risa risa (Doubleday,[1848])** (Argynnidae) Synonym(s): *risa* Doubleday,[1848] _ Range (in code): **MY TH CMa CDo Nst Nrt Cbu Cbi Tng Tak Nna Ray Rng Yal IN Kma MM VN Ton CN Hn Bor Sum**
- 2237. Chlosyne acastus (Edwards,1874)** (Argynnidae) Synonym(s): *acastus* Edwards,1874 _ Range (in code): **US MX Arz Cf Col Id Mon Ndk NMx Ne Neb Org SDk Tx Ut Ws Wy**
- 2238. Chlosyne californica (Wright,1905)** (Argynnidae) Synonym(s): *californica* Wright,1905 _ Range (in code): **US MX Arz Cf Ne Ut We**
- 2239. Chlosyne definitiva (Aaron,1884)** (Argynnidae) Synonym(s): *definita* Aaron,1884; *schausi* Godman & Salvin,1901; *beckeri* Godman & Salvin,1901 *nec* H.-S.,1851; *anastasia* Hemming,1934 _ Range (in code): **US MX NMx Tx**
- 2240. Chlosyne endeis (Godman & Salvin,1894)** (Argynnidae) Synonym(s): *endeis* Godman & Salvin,1894 _ Range (in code): **US MX Tx**
- 2241. Chlosyne erodyle (Bates,1864)** (Argynnidae) Synonym(s): *erodyle* Bates,1864 _ Range (in code): **GT MX US**
- 2242. Chlosyne gabbii (Behr,1863)** (Argynnidae) Synonym(s): *gabbii* Behr,1863; *sonorae* Boisduval,1869; *pasadenae* Gunder,1924 _ Range (in code): **US MX Cf**
- 2243. Chlosyne gorgone (Hübner,1810)** (Argynnidae) Synonym(s): *gorgone* Hübner,1810 _ Range (in code): **US Aks Alb Col Ge Id Idp Iln Io Kan Knt Lou Meh Mis Mns Mon Mss Ndk NMx Neb Ny Ok Pns SDk Tx Ut WVi We Wy**
- 2244. Chlosyne gorgone carlota (Reakirt,1866)** (Argynnidae) Synonym(s): *carlota* Reakirt,1866 _ Range (in code): **US Mis Iln**
- 2245. Chlosyne gorgone gorgone (Hübner,1810)** (Argynnidae) Synonym(s): *gorgone* Hübner,1810 _ Range (in code): **US Ge**

- 2246. *Chlosyne harrisii* (Scudder,1864)** (Argynnidæ) Synonym(s): *harrisii* Scudder,1864; *albimontana* Avinoff,1930 _ Range (in code): US Cnt Idp Iln Mai Mch Mns Mrl Msc NDk Nh Nje Ny Oh Pns RDi Vr WVi Wc CA Mnt
- 2247. *Chlosyne harrisii hanhami* (Fletcher,1904)** (Argynnidæ) Synonym(s): *hanhami* Fletcher,1904 _ Range (in code): CA Mnt
- 2248. *Chlosyne harrisii harrisii* (Scudder,1864)** (Argynnidæ) Synonym(s): *harrisii* Scudder,1864; *albimontana* Avinoff,1930 _ Range (in code): US Mai Nh Msc
- 2249. *Chlosyne harrisii liggettii* (Avinoff,1930)** (Argynnidæ) Synonym(s): *liggettii* Avinoff,1930 _ Range (in code): US Pns
- 2250. *Chlosyne hoffmanni* (Behr,1863)** (Argynnidæ) Synonym(s): *hoffmanni* Behr,1863; *helicta* Boisduval,1869 _ Range (in code): US Cf Ne Org Ws
- 2251. *Chlosyne hoffmanni hoffmanni* (Behr,1863)** (Argynnidæ) Synonym(s): *hoffmanni* Behr,1863; *helicta* Boisduval,1869 _ Range (in code): US Cf Ne
- 2252. *Chlosyne hoffmanni manchada* Bauer,1959** (Argynnidæ) Synonym(s): *manchada* Bauer,1959 _ Range (in code): US Ws
- 2253. *Chlosyne hoffmanni segregata* (Barnes & McDunnough,1918)** (Argynnidæ) Synonym(s): *segregata* Barnes & McDunnough,1918; *bridgei* Comstock,1924 _ Range (in code): US Org
- 2254. *Chlosyne janais* (Drury,[1782])** (Argynnidæ) Synonym(s): *janais* Drury,[1782] _ Range (in code): US MX NMx Tx HN
- 2255. *Chlosyne lacinia* (Geyer,[1837])** (Argynnidæ) Synonym(s): *lacinia* Geyer,[1837]; *tellias* Bates,1864; *mediatrix* C.Felder & R.Felder,1865; *ardema* Reakirt,1866 _ Range (in code): US MX Arz Cf Kan Mis NMx Ne Neb Ok Tx Ut GT HN
- 2256. *Chlosyne lacinia adjutrix* Scudder,1875** (Argynnidæ) Synonym(s): *adjutrix* Scudder,1875 _ Range (in code): US Tx
- 2257. *Chlosyne lacinia crocale* (Edwards,1874)** (Argynnidæ) Synonym(s): *crocale* Edwards,1874 _ Range (in code): US Arz NMx MX
- 2258. *Chlosyne lacinia lacinia* (Geyer,[1837])** (Argynnidæ) Synonym(s): *lacinia* Geyer,[1837]; *tellias* Bates,1864; *mediatrix* C.Felder & R.Felder,1865; *ardema* Reakirt,1866 _ Range (in code): MX GT HN
- 2259. *Chlosyne marina* (Geyer,[1837])** (Argynnidæ) Synonym(s): *marina* Geyer,[1837] _ Range (in code): US MX Arz Tx
- 2260. *Chlosyne nycteis* (Doubleday & Hewitson,[1847])** (Argynnidæ) Synonym(s): *nycteis* Doubleday & Hewitson,[1847]; *oenone* Scudder,1864 _ Range (in code): US Aks Alb Arz Cnt Col Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi Wc Wy CA Mnt
- 2261. *Chlosyne nycteis drusius* (Edwards,1884)** (Argynnidæ) Synonym(s): *drusius* Edwards,1884 _ Range (in code): US Col Arz
- 2262. *Chlosyne nycteis nycteis* (Doubleday & Hewitson,[1847])** (Argynnidæ) Synonym(s): *nycteis* Doubleday & Hewitson,[1847]; *oenone* Scudder,1864 _ Range (in code): US
- 2263. *Chlosyne nycteis reversa* (F.Chermock & R.Chermock,1940)** (Argynnidæ) Synonym(s): *reversa* F.Chermock & R.Chermock,1940 _ Range (in code): CA Mnt
- 2264. *Chlosyne palla* (Boisduval,1852)** (Argynnidæ) Synonym(s): *palla* Boisduval,1852 _ Range (in code): US Cf Col Id Mon NMx Ne Org Ut Ws Wy CA BCo
- 2265. *Chlosyne palla calydon* (Holland,1931)** (Argynnidæ) Synonym(s): *calydon* Holland,1931 _ Range (in code): US Col
- 2266. *Chlosyne palla flavula* (Barnes & McDunnough,1918)** (Argynnidæ) Synonym(s): *flavula* Barnes & McDunnough,1918 _ Range (in code): US Col
- 2267. *Chlosyne palla palla* (Boisduval,1852)** (Argynnidæ) Synonym(s): *palla* Boisduval,1852 _ Range (in code): US Cf CA BCo
- 2268. *Chlosyne palla sterope* (Edwards,1918)** (Argynnidæ) Synonym(s): *sterope* Edwards,1918; *hewesi* Leussler,1931 _ Range (in code): US Org
- 2269. *Chlosyne palla vallismortis* (Johnson,1938)** (Argynnidæ) Synonym(s): *vallismortis* Johnson,1938 _ Range (in code): US Cf
- 2270. *Chlosyne rosita* Hall,1924** (Argynnidæ) Synonym(s): *rosita* Hall,1924 _ Range (in code): GT US MX Arz Tx
- 2271. *Chlosyne rosita browni* Bauer,1960** (Argynnidæ) Synonym(s): *browni* Bauer,1960 _ Range (in code): US MX Arz Tx
- 2272. *Chlosyne rosita rosita* Hall,1924** (Argynnidæ) Synonym(s): *rosita* Hall,1924 _ Range (in code): GT

- 2273. Chlosyne whitneyi (Behr,1863)** (Argynnidae) Synonym(s): *whitneyi* Behr,1863 _ Range (in code): US Cf Col Mon Ut Wy
- 2274. Cirrochroa aoris Doubleday,[1847]** (Argynnidae) Synonym(s): *aoris* Doubleday,[1847] Range (in code): SI IN Ass BT MM Tns TH CMa CRa TAK
- 2275. Cirrochroa aoris aoris Doubleday,[1847]** (Argynnidae) Synonym(s): *aoris* Doubleday,[1847] _ Range (in code): SI IN Ass BT
- 2276. Cirrochroa aoris olivacea De Nicéville,1886** (Argynnidae) Synonym(s): *olivacea* De Nicéville,1886 _ Range (in code): MM Tns TH CMa CRa TAK
- 2277. Cirrochroa clagia Godart,1819** (Argynnidae) Synonym(s): *clagia* Godart,1819 _ Range (in code): ID Sum Ja
- 2278. Cirrochroa clagia clagia Godart,1819** (Argynnidae) Synonym(s): *clagia* Godart,1819 Range (in code): ID Ja
- 2279. Cirrochroa clagia clagina Fruhstorfer,1906** (Argynnidae) Synonym(s): *clagina* Fruhstorfer,1906 _ Range (in code): ID Sum
- 2280. Cirrochroa emalea (Guérin-Ménéville,1843)** (Argynnidae) Synonym(s): *emalea* Guérin-Ménéville,1843 _ Range (in code): ID Nia Mw Sum Ja Bor TH Cbi Rng Tng Nst Ths Yal Sgk Hya Tnc MY Lkw SG
- 2281. Cirrochroa emalea bajadeta Moore,1857** (Argynnidae) Synonym(s): *bajadeta* Moore,1857 _ Range (in code): ID Ja
- 2282. Cirrochroa emalea emalea (Guérin-Ménéville,1843)** (Argynnidae) Synonym(s): *emalea* Guérin-Ménéville,1843 _ Range (in code): TH Cbi Rng Tng Nst Ths Yal Sgk Hya Tnc MY Lkw SG
- 2283. Cirrochroa emalea lapaona Kheil,1884** (Argynnidae) Synonym(s): *lapaona* Kheil,1884 Range (in code): ID Nia
- 2284. Cirrochroa emalea martini Fruhstorfer,1906** (Argynnidae) Synonym(s): *martini* Fruhstorfer,1906; ? *bajadetina* Fruhstorfer,1906 _ Range (in code): ID Sum
- 2285. Cirrochroa emalea miranda Corbet,1942** (Argynnidae) Synonym(s): *miranda* Corbet,1942 _ Range (in code): ID Mw
- 2286. Cirrochroa emalea ravana Moore,1857** (Argynnidae) Synonym(s): *ravana* Moore,1857 Range (in code): MY Bor
- 2287. Cirrochroa malaya C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *malaya* C.Felder & R.Felder,1860; *johannes* Butler,1868 _ Range (in code): MY Bor Swk ID Sum
- 2288. Cirrochroa malaya calypso Wallace,1869** (Argynnidae) Synonym(s): *calypso* Wallace,1869; *baluna* Fruhstorfer,1904 _ Range (in code): MY Bor Swk
- 2289. Cirrochroa malaya malaya C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *malaya* C.Felder & R.Felder,1860; *johannes* Butler,1868 _ Range (in code): MY ID Sum
- 2290. Cirrochroa menones Semper,1888** (Argynnidae) Synonym(s): *menones* Semper,1888 Range (in code): PH Din Mno
- 2291. Cirrochroa niassica Honrath,1891** (Argynnidae) Synonym(s): *niassica* Honrath,1891 Range (in code): ID Nia
- 2292. Cirrochroa nicobarica Wood-Mason,1881** (Argynnidae) Synonym(s): *nicobarica* Wood-Mason,1881 _ Range (in code): Nk IN
- 2293. Cirrochroa orissa C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *orissa* C.Felder & R.Felder,1860 _ Range (in code): MY Bor Lkw VN TH Rng Yal Tng Nst Sgk Hya Tnc SG
- 2294. Cirrochroa orissa chione N.D.Riley & Godfrey,1921** (Argynnidae) Synonym(s): *chione* N.D.Riley & Godfrey,1921 _ Range (in code): TH VN
- 2295. Cirrochroa orissa orissa C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *orissa* C.Felder & R.Felder,1860 _ Range (in code): TH Rng Yal Tng Nst Sgk Hya Tnc SG MY Lkw
- 2296. Cirrochroa orissa orissides Fruhstorfer,1906** (Argynnidae) Synonym(s): *orissides* Fruhstorfer,1906 _ Range (in code): MY Bor
- 2297. Cirrochroa satellita Butler,1869** (Argynnidae) Synonym(s): *satellita* Butler,1869 Range (in code): MY Bor PH Pal ID Sum TH Ntt
- 2298. Cirrochroa satellita illergeta Fruhstorfer,1912** (Argynnidae) Synonym(s): *illergeta* Fruhstorfer,1912 _ Range (in code): PH Pal MY Bor
- 2299. Cirrochroa satellita satellita Butler,1869** (Argynnidae) Synonym(s): *satellita* Butler,1869 _ Range (in code): TH Ntt MY ID Sum
- 2300. Cirrochroa semiramis C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *semiramis* C.Felder & R.Felder,1867; *ninos* Fruhstorfer,1912

- 2301. *Cirrochroa surya* Moore,[1879]** (Argynnidae) Synonym(s): *surya* Moore,[1879]
Range (in code): MM TH Bnk CMa Dst Qs CDo Rng Tng Nst Yal Sat Sgk Hya Tnc MY Lkw
- 2302. *Cirrochroa surya siamensis* Fruhstorfer,1906** (Argynnidae) Synonym(s): *siamensis* Fruhstorfer,1906 Original Reference: *Cirrochroa surya* ssp. *siamensis* Fruhstorfer,1906, Wien. ent. Ztg. 25: 323. Type: [Thailand]: Bangkok. Range (in code): TH Bnk CMa CDo Dst Qs Rng Tng Nst Yal Sat Sgk Hya Tnc MY Lkw
- 2303. *Cirrochroa surya surya* Moore,[1879]** (Argynnidae) Synonym(s): *surya* Moore,[1879]
Range (in code): MM
- 2304. *Cirrochroa thais* (Fabricius,1787)** (Argynnidae) Synonym(s): *thais* Fabricius,1787
Range (in code): IN LK
- 2305. *Cirrochroa thais lanka* Moore,1872** (Argynnidae) Synonym(s): *lanka* Moore,1872; *cognata* Moore,1881 Range (in code): LK
- 2306. *Cirrochroa thais thais* (Fabricius,1787)** (Argynnidae) Synonym(s): *thais* Fabricius,1787
Range (in code): IN
- 2307. *Cirrochroa thule* Felder,1960** (Argynnidae) Synonym(s): *thule* Felder,1960 Range (in code): ID Clb
- 2308. *Cirrochroa thule massalia* Fruhstorfer,1906** (Argynnidae) Synonym(s): *massalia* Fruhstorfer,1906 Range (in code): ID Clb
- 2309. *Cirrochroa thule thule* Felder,1960** (Argynnidae) Synonym(s): *thule* Felder,1960
Range (in code): ID Clb
- 2310. *Cirrochroa tyche* C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *tyche* C.Felder & R.Felder,1861 Original Reference: *Cirrochroa tyche* C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5(10): 301. Type ♂: Mindoro. Range (in code): PH Cal Dum Pal Taw Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic SI IN Ass MM TH MY ID Ja Sum Bor Adm Nk CN Hn CMa Cuo Cuo5 Nrt Sbu Rng Ray Yal Nst Ths Sgk Hya Tnc Lsa Knc Rat Nna Cbu Cbi Pht
- 2311. *Cirrochroa tyche anjira* Moore,1872** (Argynnidae) Synonym(s): *anjira* Moore,1872
Range (in code): Nk Adm IN
- 2312. *Cirrochroa tyche aurica* Eliot,1978** (Argynnidae) Synonym(s): *aurica* Eliot,1978
Range (in code): MY
- 2313. *Cirrochroa tyche languyana* Treadaway & Nuyda,1994** (Argynnidae) Synonym(s): *languyana* Treadaway & Nuyda,1994 Range (in code): PH Taw
- 2314. *Cirrochroa tyche laudabilis* Fruhstorfer,1900** (Argynnidae) Synonym(s): *laudabilis* Fruhstorfer,1900 Range (in code): PH Cal Dum Pal
- 2315. *Cirrochroa tyche lesseta* Fruhstorfer,1912** (Argynnidae) Synonym(s): *lesseta* Fruhstorfer,1912 Range (in code): CN Hn
- 2316. *Cirrochroa tyche mithila* Moore,1872** (Argynnidae) Synonym(s): *mithila* Moore,1872
Range (in code): SI IN Ass MM TH Nrt Sbu Rng Knc Rat Nna Cbu Cbi Pht Ray MY
- 2317. *Cirrochroa tyche rotundata* Butler,1879** (Argynnidae) Synonym(s): *rotundata* Butler,1879 Range (in code): MM TH Rng Yal Nst Ths Lsa Sgk Hya Tnc ID ?Ja ?Sum
- 2318. *Cirrochroa tyche thilina* Fruhstorfer,1905** (Argynnidae) Synonym(s): *thilina* Fruhstorfer,1905 Range (in code): MY Bor
- 2319. *Cirrochroa tyche tyche* C.Felder & R.Felder,1861** (Argynnidae) Synonym(s): *tyche* C.Felder & R.Felder,1861 Original Reference: *Cirrochroa tyche* C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5(10): 301. Type ♂: Mindoro. Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic
- 2320. *Crenidomimas concordia* (Hopffer,1855)** (Argynnidae) Synonym(s): *concordia* Hopffer,1855; *crawshayi* Butler,1894 Range (in code): MZ ZM ZW MW TZ AO ZR Shb
- 2321. *Cupha arias* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *arias* C.Felder & R.Felder,[1867]; *cacina* Fruhstorfer,1912 Range (in code): PH Bas Din Ley Mno Pao Sam Stu Taw Ala Bab Bal Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Dum Gui Hom Jol Lub Luz Mar Mas Mdo Neg Pal Pan Pol Rom Sar Sga Sia Sib Siq Sis Tab Tic ID Mun Clb
- 2322. *Cupha arias arias* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *arias* C.Felder & R.Felder,[1867]; *cacina* Fruhstorfer,1912 Range (in code): PH Ala Bab Bal Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Dum Gui Hom Jol Lub Luz Mar Mas Mdo Neg Pal Pan Pol Rom Sar Sga Sia Sib Siq Sis Tab Tic

- 2323. *Cupha arias celebensis* Fruhstorfer, 1899** (Argynnidae) Synonym(s): *celebensis* Fruhstorfer, 1899 Range (in code): ID Clb
- 2324. *Cupha arias dapatana* Grose-Smith, 1887** (Argynnidae) Synonym(s): *dapatana* Grose-Smith, 1887 Range (in code): PH Bas Din Ley Mno Pao Sam Stu Taw
- 2325. *Cupha arias muna* Fruhstorfer, [1898]** (Argynnidae) Synonym(s): *muna* Fruhstorfer, [1898] Original Reference: *Cupha erymanthis* ssp. *muna* Fruhstorfer, [1898], Berl. ent. Z. 42 (3/4): 322-323. Syntypes: [Indonesia]: Insel Muna (between Celebes and Buton). Range (in code): ID Mun Clb
- 2326. *Cupha erymanthis* (Drury, [1773])** (Argynnidae) Synonym(s): *erymanthis* Drury, [1773]; *palawana* Fruhstorfer, 1899 Range (in code): PH Bal Bon Cal Pal Sga Sis Taw CN TW Hn LK IN Ass Adm Nk MM Tns TH CMA Dst Qs CuO Cu01 Cu10 Cu12 CDo CD2 Nna Cbu Rng Tak Knc Pht Tng Nst Ths Sgk Hya Tnc MY Lkw P-T SG Mw ID Nia Bia Sum Bor Clb Lb Kgn Bnk Ja Egg Sbw Sba Flo Nat Ij Afk
- 2327. *Cupha erymanthis andamanica* Moore, 1900** (Argynnidae) Synonym(s): *andamanica* Moore, 1900 Original Reference: *Cupha erymanthis* ssp. *andamanica* Moore, 1900, Lepid. India 4: 208, pl. 363 fig. 7. Type: South Andamans. Range (in code): IN Adm
- 2328. *Cupha erymanthis celebensis* Fruhstorfer, 1899** (Argynnidae) Synonym(s): *celebensis* Fruhstorfer, 1899 Range (in code): ID Clb
- 2329. *Cupha erymanthis disjuncta* (Weymer, 1885)** (Argynnidae) Synonym(s): *disjuncta* Weymer, 1885 Original Reference: *Messaras erymanthis disjuncta* Weymer, 1885, Stettin ent. Ztg. 46: 263. Type: Insel Nias. Range (in code): ID Nia
- 2330. *Cupha erymanthis dohertyi* Fruhstorfer, 1904** (Argynnidae) Synonym(s): *dohertyi* Fruhstorfer, 1904 Range (in code): Egg ID
- 2331. *Cupha erymanthis erymanthis* (Drury, [1773])** (Argynnidae) Synonym(s): *erymanthis* Drury, [1773] Range (in code): PH Bal Bon Cal Pal Sga Sis Taw CN TW Hn
- 2332. *Cupha erymanthis kangeana* Fruhstorfer, 1903** (Argynnidae) Synonym(s): *kangeana* Fruhstorfer, 1903 Range (in code): ID Kgn
- 2333. *Cupha erymanthis lotis* (Sulzer, 1776)** (Argynnidae) Synonym(s): *lotis* Sulzer, 1776 Range (in code): IN Ass Adm MM Tns TH CMA CuO Cu01 Cu10 Cu12 CDo CD2 Dst Qs Nna Cbu Rng Tak Knc Pht Tng Nst Ths Sgk Hya Tnc MY Lkw SG ID Bnk Ja Sum Egg Sbw Sba Flo Nat
- 2334. *Cupha erymanthis maja* Fruhstorfer, 1898** (Argynnidae) Synonym(s): *maja* Fruhstorfer, 1898 Range (in code): IN
- 2335. *Cupha erymanthis nagara* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *nagara* Fruhstorfer, 1912 Range (in code): ID Sum Bor
- 2336. *Cupha erymanthis nicobarica* C. Felder & R. Felder, [1867]** (Argynnidae) Synonym(s): *nicobarica* C. Felder & R. Felder, [1867] Range (in code): Nk IN
- 2337. *Cupha erymanthis peliopteryx* Hagen, 1898** (Argynnidae) Synonym(s): *peliopteryx* Hagen, 1898 Range (in code): ID Mw
- 2338. *Cupha erymanthis placida* Moore, 1881** (Argynnidae) Synonym(s): *placida* Moore, 1881 Range (in code): LK
- 2339. *Cupha erymanthis saturator* Fruhstorfer, [1898]** (Argynnidae) Synonym(s): *saturator* Fruhstorfer, [1898] Original Reference: *Cupha erymanthis* ssp. *saturator* Fruhstorfer, [1898], Berl. ent. Z. 42 (3/4): 322-323. Syntypes: [Indonesia]: Lombok. Range (in code): ID Lb
- 2340. *Cupha erymanthis synnara* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *synnara* Fruhstorfer, 1912 Range (in code): ID Ja Sum
- 2341. *Cupha erymanthis tiomana* Corbet, 1940** (Argynnidae) Synonym(s): *tiomana* Corbet, 1940 Range (in code): MY P-T
- 2342. *Cupha maeonides* Hewitson, 1859** (Argynnidae) Synonym(s): *maeonides* Hewitson, 1859 Range (in code): ID Sla Clb
- 2343. *Cupha maeonides maenada* Grose-Smith, 1898** (Argynnidae) Synonym(s): *maenada* Grose-Smith, 1898 Range (in code): ID Sla
- 2344. *Cupha maeonides maeonides* Hewitson, 1859** (Argynnidae) Synonym(s): *maeonides* Hewitson, 1859 Range (in code): ID Clb
- 2345. *Cupha maeonides rovena* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *rovena* Fruhstorfer, 1912 Range (in code): ID Clb
- 2346. *Cyllopsis gemma* (Hübner, 1816)** (Argynnidae) Synonym(s): *gemma* Hübner, 1816 Range (in code): US MX Aks Alb Fl Ge Idp Iln Kan Knt Lou Mis Mrl Mss NCa Oh Ok Tnn Tx Vi WVi

- 2347. *Cymothoe adela* Staudinger,1890** (Argynnidae) Synonym(s): *adela* Staudinger,1890; *marginata* Crowley,1980 _ Range (in code): SL
- 2348. *Cymothoe alcimeda* (Godart,[1824])** (Argynnidae) Synonym(s): *alcimeda* Godart,[1824]; *eupithes* Doubleday,[1848]. _ Range (in code): ZA Nta Kzu Ptb Ec Elo Tra Tva Lpo Hae ZA14 Mll Mal Wo Grk Spb Mpu Brb Ly ZW Vum
- 2349. *Cymothoe alcimeda alcimeda* (Godart,[1824])** (Argynnidae) Synonym(s): *alcimeda* Godart,[1824]; *eupithes* Doubleday,[1848]. _ Range (in code): ZA Ec
- 2350. *Cymothoe alcimeda clarki* Stevenson,1940** (Argynnidae) Synonym(s): *clarki* Stevenson,1940 _ Range (in code): ZA Ec
- 2351. *Cymothoe alcimeda marieps* Rydon,1994** (Argynnidae) Synonym(s): *marieps* Rydon,1994 _ Range (in code): ZA Tva Lpo ZA14 Mll Grk
- 2352. *Cymothoe alcimeda rhodesiae* Stevenson,1934** (Argynnidae) Synonym(s): *rhodesiae* Stevenson,1934 _ Range (in code): ZW Vum ZA Tva Lpo Spb
- 2353. *Cymothoe alcimeda transvaalica* Rydon,1994** (Argynnidae) Synonym(s): *transvaalica* Rydon,1994; *#aurantifascia* Rydon,1994. _ Range (in code): ZA Tva Lpo Hae Wo Mal
- 2354. *Cymothoe alcimeda trimeni* Aurivillius,1912** (Argynnidae) Synonym(s): *trimeni* Aurivillius,1912 _ Range (in code): ZA Nta Kzu Ptb Ec Elo Tra Tva Lpo Mpu Brb Ly
- 2355. *Cymothoe althea* (Cramer,[1776])** (Argynnidae) Synonym(s): *althea* Cramer,[1776]; *amphicede* Cramer,[1777] _ Range (in code): LR GN NG CM
- 2356. *Cymothoe altisidora* (Hewitson,1869)** (Argynnidae) Synonym(s): *altisidora* Hewitson,1869; *lucetia* Neustetter,1916 _ Range (in code): ZR CM CG
- 2357. *Cymothoe amaniensis* Rydon,1980** (Argynnidae) Synonym(s): *amaniensis* Rydon,1980 _ Range (in code): TZ Tnga Usa Ani
- 2358. *Cymothoe amenides* (Hewitson,1874)** (Argynnidae) Synonym(s): *amenides* Hewitson,1874 _ Original Reference: Harma amenides Hewitson,1874, Entomologist's mon. Mag. 11: 56. Type ♀: "Gaboon (Rogers)". Range (in code): CM GA
- 2359. *Cymothoe angulifascia* Aurivillius,1897** (Argynnidae) Synonym(s): *angulifascia* Aurivillius,1897; *kassaiensis* C.W.Schmidt,1921 _ Range (in code): ZR
- 2360. *Cymothoe anitorgis* (Hewitson,1874)** (Argynnidae) Synonym(s): *anitorgis* Hewitson,1874; *aramis* Hewitson,1874 nec Hew.,1865; *aralus* Mabille,1890 _ Range (in code): CI CM ZR GA CG SL GH
- 2361. *Cymothoe aramis* (Hewitson,1865)** (Argynnidae) Synonym(s): *aramis* Hewitson,1865; *#excelsior* Hall,1917 _ Range (in code): CG ZR NG Caa CM GA
- 2362. *Cymothoe aramis aramis* (Hewitson,1865)** (Argynnidae) Synonym(s): *aramis* Hewitson,1865; *#excelsior* Hall,1917 _ Range (in code): NG Caa CM GA
- 2363. *Cymothoe aramis schoutedeni* Overlaet,1952** (Argynnidae) Synonym(s): *schoutedeni* Overlaet,1952 _ Range (in code): CG ZR
- 2364. *Cymothoe arcuata* Overlaet,1945** (Argynnidae) Synonym(s): *arcuata* Overlaet,1945; *#rubronotata* Overlaet,1952 _ Range (in code): CG ZR
- 2365. *Cymothoe aubergeri* Plantrou,1977** (Argynnidae) Synonym(s): *aubergeri* Plantrou,1977 _ Range (in code): CI
- 2366. *Cymothoe aurivillii* Staudinger,1899** (Argynnidae) Synonym(s): *aurivillii* Staudinger,1899; *#rubeho* Kielland,1990; *#congdoni* Kielland,1990; *#handeni* Kielland,1990 _ Range (in code): TZ
- 2367. *Cymothoe beckeri* (Herrich-Schäffer,[1858])** (Argynnidae) Synonym(s): *beckeri* Herrich-Schäffer,[1858]; *theodota* Hewitson,1864; *theocranta* Karsch,1894 _ Range (in code): NG Caa CM GA AO CF Nja UG ZR
- 2368. *Cymothoe beckeri beckeri* (Herrich-Schäffer,[1858])** (Argynnidae) Synonym(s): *beckeri* Herrich-Schäffer,[1858]; *theodota* Hewitson,1864; *theocranta* Karsch,1894 _ Range (in code): NG Caa CM GA AO
- 2369. *Cymothoe beckeri theodosia* Staudinger,1890** (Argynnidae) Synonym(s): *theodosia* Staudinger,1890; *marmorata* Sharpe,1904 _ Range (in code): CF Nja UG ZR
- 2370. *Cymothoe caenis* (Drury,[1773])** (Argynnidae) Synonym(s): *caenis* Drury,[1773]; *adelina* Hewitson,1869; *corsandra* Druce,1874 _ Range (in code): AO NG Caa CG CM ZR UG SL Bionomy: Larva on Caloncoba, Rawsonia (Flacourtiaceae); Uapaca (Uapacaceae) (Ackery et al.,1995).
- 2371. *Cymothoe capella* (Ward,1871)** (Argynnidae) Synonym(s): *capella* Ward,1871 _ Range (in code): CM GO GA ZR

- 2372. *Cymothoe caprina* Aurivillius,1897** (Argynnidae) Synonym(s): *caprina* Aurivillius,1897
Range (in code): **CG ZR**
- 2373. *Cymothoe coccinata* (Hewitson,1874)** (Argynnidae) Synonym(s): *coccinata* Hewitson,1874; #zickzack Strand,1912 _ Range (in code): **CM NG Caa GH LR CG ZR** Bionomy: Larva on Rinorea (Violaceae) (Ackery et al.,1995).
- 2374. *Cymothoe coccinata coccinata* (Hewitson,1874)** (Argynnidae) Synonym(s): *coccinata* Hewitson,1874; #zickzack Strand,1912 _ Range (in code): **CM NG Caa GH LR CG**
- 2375. *Cymothoe coccinata vrydaghi* Overlaet,1944** (Argynnidae) Synonym(s): *vrydaghi* Overlaet,1944 _ Range (in code): **ZR CG**
- 2376. *Cymothoe collarti* Overlaet,1942** (Argynnidae) Synonym(s): *collarti* Overlaet,1942
Range (in code): **ZR RW**
- 2377. *Cymothoe collarti collarti* Overlaet,1942** (Argynnidae) Synonym(s): *collarti* Overlaet,1942 _ Range (in code): **ZR**
- 2378. *Cymothoe collarti wernerii* Beaurain,1984** (Argynnidae) Synonym(s): *wernerii* Beaurain,1984 _ Range (in code): **RW**
- 2379. *Cymothoe collinsi* Rydon,1980** (Argynnidae) Synonym(s): *collinsi* Rydon,1980 _ Range (in code): **TZ Kmj**
- 2380. *Cymothoe colmanti* Aurivillius,1898** (Argynnidae) Synonym(s): *colmanti* Aurivillius,1898
Range (in code): **ZR CF**
- 2381. *Cymothoe consanguis* Aurivillius,1896** (Argynnidae) Synonym(s): *consanguis* Aurivillius,1896 _ Range (in code): **CI NG CM**
- 2382. *Cymothoe coranus* Grose-Smith,1889** (Argynnidae) Synonym(s): *coranus* Grose-Smith,1889 _ Range (in code): **ZA Tva Lpo Mll Nta Kzu Esw Tra Stj Ptw MZ ZW MW TZ Tnga Usa Ani KE** Bionomy: Larva on Vismia (Clusiaceae); Fernandoa, Kigelia (Bignoniaceae); Rawsonia (Flacourtiaceae) (Ackery et al.,1995).
- 2383. *Cymothoe coranus coranus* Grose-Smith,1889** (Argynnidae) Synonym(s): *coranus* Grose-Smith,1889 _ Range (in code): **ZA Tva Lpo Mll Nta Kzu Esw Tra Stj Ptw MZ ZW**
- 2384. *Cymothoe coranus dowsetti* Beaurain,1988** (Argynnidae) Synonym(s): *dowsetti* Beaurain,1988 _ Range (in code): **MW**
- 2385. *Cymothoe coranus kiellandi* Beaurain,1988** (Argynnidae) Synonym(s): *kiellandi* Beaurain,1988 _ Range (in code): **TZ Tnga Usa Ani**
- 2386. *Cymothoe coranus murphyi* Beaurain,1988** (Argynnidae) Synonym(s): *murphyi* Beaurain,1988 _ Range (in code): **MW**
- 2387. *Cymothoe cottrelli* Rydon,1980** (Argynnidae) Synonym(s): *cottrelli* Rydon,1980
Range (in code): **ZM**
- 2388. *Cymothoe crocea* Schultze,1917** (Argynnidae) Synonym(s): *crocea* Schultze,1917
Range (in code): **CM**
- 2389. *Cymothoe crowleyi* (Kirby,1889)** (Argynnidae) Synonym(s): *crowleyi* Kirby,1889; *sirene* Staudinger,1891 _ Range (in code): **BJ GH NR ZR**
- 2390. *Cymothoe cyclades* (Ward,1871)** (Argynnidae) Synonym(s): *cyclades* Ward,1871; *bonnyi* Grose-Smith,1890 _ Range (in code): **CM ZR**
- 2391. *Cymothoe distincta* Overlaet,1944** (Argynnidae) Synonym(s): *distincta* Overlaet,1944; *trolliae* Overlaet,1944; *aramoides* Overlaet,1944 _ Range (in code): **CM CG ZR UG**
- 2392. *Cymothoe distincta distincta* Overlaet,1944** (Argynnidae) Synonym(s): *distincta* Overlaet,1944; *trolliae* Overlaet,1944; *aramoides* Overlaet,1944 _ Range (in code): **CM CG ZR UG**
- 2393. *Cymothoe distincta kivuensis* Overlaet,1952** (Argynnidae) Synonym(s): #kivuensis Overlaet,1944; *kivuensis* Overlaet,1952 _ Range (in code): **ZR UG**
- 2394. *Cymothoe egesta* (Cramer,[1775])** (Argynnidae) Synonym(s): *egesta* Cramer,[1775]
Range (in code): **CG SL CM NG ZR UG TZ**
- 2395. *Cymothoe egesta confusa* Aurivillius,1887** (Argynnidae) Synonym(s): *confusa* Aurivillius,1887; *degesta* Staudinger,1890; *megaesta* Staudinger,1890 _ Range (in code): **CG SL CM NG ZR UG TZ**
- 2396. *Cymothoe egesta egesta* (Cramer,[1775])** (Argynnidae) Synonym(s): *egesta* Cramer,[1775] _ Range (in code): **SL NG**
- 2397. *Cymothoe elebontas* (Hewitson,[1871])** (Argynnidae) Synonym(s): *elebontas* Hewitson,[1871]; *dorothea* Bethune-Baker,1904; *mweruensis* Neave,1904 _ Range (in code): **SL NG ZM GN ZR UG KE**

- 2398. *Cymothoe eris* Aurivillius, 1896** (Argynnidae) Synonym(s): *eris* Aurivillius, 1896
Range (in code): **ZR CG**
- 2399. *Cymothoe eris capellides* Holland, 1920** (Argynnidae) Synonym(s): *capellides* Holland, 1920 _ Range (in code): **ZR**
- 2400. *Cymothoe eris eris* Aurivillius, 1896** (Argynnidae) Synonym(s): *eris* Aurivillius, 1896
Range (in code): **CG ZR**
- 2401. *Cymothoe eris sankuruana* Overlaet, 1952** (Argynnidae) Synonym(s): *sankuruana* Overlaet, 1952 _ Range (in code): **ZR**
- 2402. *Cymothoe euthalioides* Kirby, 1889** (Argynnidae) Synonym(s): *euthalioides* Kirby, 1889; *#gerrescheimi* Neustetter, 1912 _ Range (in code): **SL NG CG CM NG**
- 2403. *Cymothoe euthalioides albomarginata* Neustetter, 1921** (Argynnidae) Synonym(s): *albomarginata* Neustetter, 1921 _ Range (in code): **SL NG CG**
- 2404. *Cymothoe euthalioides euthalioides* Kirby, 1889** (Argynnidae) Synonym(s): *euthalioides* Kirby, 1889; *#gerrescheimi* Neustetter, 1912 _ Range (in code): **CM NG**
- 2405. *Cymothoe excelsa* Neustetter, 1912** (Argynnidae) Synonym(s): *excelsa* Neustetter, 1912; *#schultzei* Overlaet, 1944; *talboti* Overlaet, 1952 _ Range (in code): **GH CM CG ZR AO**
- 2406. *Cymothoe excelsa deltoides* Overlaet, 1944** (Argynnidae) Synonym(s): *deltoides* Overlaet, 1944 _ Range (in code): **ZR AO**
- 2407. *Cymothoe excelsa excelsa* Neustetter, 1912** (Argynnidae) Synonym(s): *excelsa* Neustetter, 1912; *#schultzei* Overlaet, 1944; *talboti* Overlaet, 1952 _ Range (in code): **GH CM CG**
- 2408. *Cymothoe excelsa regisleopoldi* Overlaet, 1944** (Argynnidae) Synonym(s): *regisleopoldi* Overlaet, 1944 _ Range (in code): **ZR**
- 2409. *Cymothoe fontainei* Overlaet, 1952** (Argynnidae) Synonym(s): *fontainei* Overlaet, 1952
Range (in code): **CM CG ZR**
- 2410. *Cymothoe fontainei debaucherii* Overlaet, 1952** (Argynnidae) Synonym(s): *debaucherii* Overlaet, 1952 _ Range (in code): **CG CM**
- 2411. *Cymothoe fontainei fontainei* Overlaet, 1952** (Argynnidae) Synonym(s): *fontainei* Overlaet, 1952 _ Range (in code): **ZR**
- 2412. *Cymothoe freyja* (Hancock, 1984)** (Argynnidae) Synonym(s): *#bakeri* Berger, 1981; *freyja* Hancock, 1984 _ Range (in code): **ZR ZM AO**
- 2413. *Cymothoe fumana* (Westwood, [1850])** (Argynnidae) Synonym(s): *fumana* Westwood, [1850]; *eburnea* Neustetter, 1916 _ Range (in code): **GH LR BJ NG CM GO GA CG**
- 2414. *Cymothoe fumana balluca* Fox & Howarth, 1968** (Argynnidae) Synonym(s): *balluca* Fox & Howarth, 1968 _ Range (in code): **NG CM GO GA CG**
- 2415. *Cymothoe fumana fumana* (Westwood, [1850])** (Argynnidae) Synonym(s): *fumana* Westwood, [1850]; *eburnea* Neustetter, 1916 _ Range (in code): **GH LR BJ**
- 2416. *Cymothoe fumana villiersi* Fox, 1968** (Argynnidae) Synonym(s): *villiersi* Fox, 1968
Range (in code): **CG**
- 2417. *Cymothoe haimodia* (Grose-Smith, 1887)** (Argynnidae) Synonym(s): *haimodia* Grose-Smith, 1887 _ Range (in code): **CM NG**
- 2418. *Cymothoe harmilla* (Hewitson, 1874)** (Argynnidae) Synonym(s): *harmilla* Hewitson, 1874; *serpentina* Kirby, 1889 _ Range (in code): **CM GA Ogo ZR**
- 2419. *Cymothoe hartigi* Belcastro, 1990** (Argynnidae) Synonym(s): *hartigi* Belcastro, 1990; *#tiwaiensis* Belcastro, 1990 _ Range (in code): **SL**
- 2420. *Cymothoe haynae* Dewitz, 1887** (Argynnidae) Synonym(s): *haynae* Dewitz, 1887; *umbrosa* Overlaet, 1942 _ Range (in code): **CM GA ZR CF UG**
- 2421. *Cymothoe haynae diphyia* Karsch, 1894** (Argynnidae) Synonym(s): *diphyia* Karsch, 1894
Range (in code): **ZR CM CF UG**
- 2422. *Cymothoe haynae fumosa* Staudinger, 1896** (Argynnidae) Synonym(s): *fumosa* Staudinger, 1896 _ Range (in code): **ZR**
- 2423. *Cymothoe haynae haynae* Dewitz, 1887** (Argynnidae) Synonym(s): *haynae* Dewitz, 1887; *umbrosa* Overlaet, 1942 _ Range (in code): **ZR**
- 2424. *Cymothoe haynae superba* Aurivillius, 1898** (Argynnidae) Synonym(s): *superba* Aurivillius, 1898 _ Range (in code): **CM GA**
- 2425. *Cymothoe haynae vosiana* Overlaet, 1942** (Argynnidae) Synonym(s): *vosiana* Overlaet, 1942 _ Range (in code): **ZR**

- 2426. Cymothoe heliada (Hewitson,1874)** (Argynnidae) Synonym(s): *heliada* Hewitson,1874; *heliadina* Schultze,1916 _ Range (in code): ZR CG CM NG
- 2427. Cymothoe heliada heliada (Hewitson,1874)** (Argynnidae) Synonym(s): *heliada* Hewitson,1874; *heliadina* Schultze,1916 _ Range (in code): CG CM NG
- 2428. Cymothoe heliada liberatorum Overlaet,1952** (Argynnidae) Synonym(s): *liberatorum* Overlaet,1952 _ Range (in code): ZR
- 2429. Cymothoe heliada mutshindji Overlaet,1940** (Argynnidae) Synonym(s): *mutshindji* Overlaet,1940; *seydeli* Overlaet,1945 _ Range (in code): ZR
- 2430. Cymothoe herminia (Grose-Smith,1887)** (Argynnidae) Synonym(s): *herminia* Grose-Smith,1887; *sultani* Bryk,1915; *siegfriedi* Bryk,1915; *poensis* Holland,1920; *vulcanica* Schultze,1920 _ Range (in code): LR NG CM GO Bio ZR KE UG TZ
- 2431. Cymothoe herminia gongoa Fox,1965** (Argynnidae) Synonym(s): *gongoa* Fox,1965 _ Range (in code): LR NG
- 2432. Cymothoe herminia herminia (Grose-Smith,1887)** (Argynnidae) Synonym(s): *herminia* Grose-Smith,1887; *sultani* Bryk,1915; *siegfriedi* Bryk,1915; *poensis* Holland,1920; *vulcanica* Schultze,1920 _ Range (in code): CM GO Bio ZR
- 2433. Cymothoe herminia johnstoni (Butler,1902)** (Argynnidae) Synonym(s): *johnstoni* Butler,1902; *overlaeti* Overlaet,1942 _ Range (in code): KE UG TZ
- 2434. Cymothoe herminia katshokwe Overlaet,1940** (Argynnidae) Synonym(s): *katshokwe* Overlaet,1940 _ Range (in code): ZR
- 2435. Cymothoe hesiodina Schultze,1908** (Argynnidae) Synonym(s): *hesiodina* Schultze,1908 _ Range (in code): CM
- 2436. Cymothoe hesiodotus Staudinger,1890** (Argynnidae) Synonym(s): *hesiodotus* Staudinger,1890 _ Range (in code): GA CG ZR
- 2437. Cymothoe hesiodotus clarior Overlaet,1952** (Argynnidae) Synonym(s): *clarior* Overlaet,1952 _ Range (in code): ZR
- 2438. Cymothoe hesiodotus hesiodotus Staudinger,1890** (Argynnidae) Synonym(s): *hesiodotus* Staudinger,1890 _ Range (in code): GA Ogo CG ZR
- 2439. Cymothoe hirundo (Staudinger,1891)** (Argynnidae) Synonym(s): *hirundo* Staudinger,1891; *#bakeri* St Leger,1969 _ Range (in code): GA Ogo NG ZR UG ZR ZM
- 2440. Cymothoe hirundo hirundo (Staudinger,1891)** (Argynnidae) Synonym(s): *hirundo* Staudinger,1891; *#bakeri* St Leger,1969 _ Range (in code): GA Ogo NG ZR UG
- 2441. Cymothoe hirundo lufirensis (Joicey & Talbot,1921)** (Argynnidae) Synonym(s): *lufirensis* Joicey & Talbot,1921; *#rufa* Joicey & Talbot,1921; *rufa* Van Someren,1939 _ Range (in code): ZR ZM
- 2442. Cymothoe hobarti Butler,1900** (Argynnidae) Synonym(s): *hobarti* Butler,1900 _ Range (in code): ZR KE UG CF
- 2443. Cymothoe hobarti candidata Overlaet,1954** (Argynnidae) Synonym(s): *candidata* Overlaet,1954 _ Range (in code): CF ZR
- 2444. Cymothoe hobarti hobarti Butler,1900** (Argynnidae) Synonym(s): *hobarti* Butler,1900 _ Range (in code): UG KE
- 2445. Cymothoe hobarti lactanganyikae Collins,1990** (Argynnidae) Synonym(s): *lactanganyikae* Collins,1990 _ Range (in code): TZ
- 2446. Cymothoe hobarti mwamikazi Overlaet,1952** (Argynnidae) Synonym(s): *mwamikazi* Overlaet,1952 _ Range (in code): ZR
- 2447. Cymothoe howarthi Rydon,1981** (Argynnidae) Synonym(s): *howarthi* Rydon,1981 _ Range (in code): ZR
- 2448. Cymothoe hyarbita (Hewitson,1866)** (Argynnidae) Synonym(s): *hyarbita* Hewitson,1866; *hora* Distant,1880; *buchholzi* Plötz,1880; *electrinos* Birket-Smith,1960 _ Range (in code): CG ZR CM NG
Bionomy: Larva on Dichapetalum (Dichapetalaceae) (Ackery et al.,1995).
- 2449. Cymothoe hyarbita hyarbita (Hewitson,1866)** (Argynnidae) Synonym(s): *hyarbita* Hewitson,1866; *hora* Distant,1880; *buchholzi* Plötz,1880; *electrinos* Birket-Smith,1960 _ Range (in code): CM NG
- 2450. Cymothoe hyarbita hyarbitina Aurivillius,1897** (Argynnidae) Synonym(s): *hyarbitina* Aurivillius,1897 _ Range (in code): CG ZR
- 2451. Cymothoe hypatha (Hewitson,1866)** (Argynnidae) Synonym(s): *hypatha* Hewitson,1866; *hesiodus* Hewitson,1869; *alexander* Suffert,1904; *#lucida* Overlaet,1952 _ Range (in code): NG Caa AO CG GH CM

- 2452. *Cymothoe indamora* (Hewitson,1866)** (Argynnidae) Synonym(s): *indamora* Hewitson,1866; *hewitsoni* Staudinger,1890; *staudingeri* Aurivillius,1898 _ Range (in code): **GO Bio CM NG ZR UG**
- 2453. *Cymothoe indamora amorinda* Van Someren,1939** (Argynnidae) Synonym(s): *amorinda* Van Someren,1939 _ Range (in code): **UG**
- 2454. *Cymothoe indamora canui* Beaurain,1985** (Argynnidae) Synonym(s): *canui* Beaurain,1985 _ Range (in code): **GO Bio**
- 2455. *Cymothoe indamora indamora* (Hewitson,1866)** (Argynnidae) Synonym(s): *indamora* Hewitson,1866; *hewitsoni* Staudinger,1890; *staudingeri* Aurivillius,1898 _ Range (in code): **CM NG ZR**
- 2456. *Cymothoe isiro* Rydon,1981** (Argynnidae) Synonym(s): *isiro* Rydon,1981; *#albidior* Rydon,1981 _ Range (in code): **ZR**
- 2457. *Cymothoe jodutta* (Westwood,[1850])** (Argynnidae) Synonym(s): *jodutta* Westwood,[1850]; *aralus* Mabille,1890 _ Range (in code): **CM GA CG ZR UG GH LR NG CI**
- 2458. *Cymothoe jodutta ciceronis* (Ward,1871)** (Argynnidae) Synonym(s): *ciceronis* Ward,1871 _ Range (in code): **CM GA CG ZR**
- 2459. *Cymothoe jodutta ehmkkei* Dewitz,1887** (Argynnidae) Synonym(s): *ehmkkei* Dewitz,1887 _ Range (in code): **ZR**
- 2460. *Cymothoe jodutta jodutta* (Westwood,[1850])** (Argynnidae) Synonym(s): *jodutta* Westwood,[1850]; *aralus* Mabille,1890 _ Range (in code): **GH LR NG CI**
- 2461. *Cymothoe jodutta mostinckxi* Overlaet,1952** (Argynnidae) Synonym(s): *mostinckxi* Overlaet,1952 _ Range (in code): **ZR UG**
- 2462. *Cymothoe kraepelini* Schultze,1912** (Argynnidae) Synonym(s): *kraepelini* Schultze,1912 _ Range (in code): **ZR CM NG**
- 2463. *Cymothoe lambertoni* Oberthür,1923** (Argynnidae) Synonym(s): *lambertoni* Oberthür,1923 _ Range (in code): **MG**
- 2464. *Cymothoe lambertoni dujardini* Viette,1971** (Argynnidae) Synonym(s): *dujardini* Viette,1971 _ Range (in code): **MG**
- 2465. *Cymothoe lambertoni lambertoni* Oberthür,1923** (Argynnidae) Synonym(s): *lambertoni* Oberthür,1923 _ Range (in code): **MG**
- 2466. *Cymothoe liberti* (Collins,1987)** (Argynnidae) Synonym(s): *liberti* Collins,1987 _ Range (in code): **CM**
- 2467. *Cymothoe lucasii* (Doumet,1859)** (Argynnidae) Synonym(s): *lucasii* Doumet,1859 _ Range (in code): **GO GA ZR CG CM CF**
- 2468. *Cymothoe lucasii binotorum* Darge,1985** (Argynnidae) Synonym(s): *binotorum* Darge,1985 _ Range (in code): **CG CM CF**
- 2469. *Cymothoe lucasii cloetensi* Seeldrayers,1896** (Argynnidae) Synonym(s): *cloetensi* Seeldrayers,1896 _ Range (in code): **ZR**
- 2470. *Cymothoe lucasii lucasii* (Doumet,1859)** (Argynnidae) Synonym(s): *lucasii* Doumet,1859 _ Range (in code): **GO GA**
- 2471. *Cymothoe lucasii minigorum* Darge,1985** (Argynnidae) Synonym(s): *minigorum* Darge,1985 _ Range (in code): **CG**
- 2472. *Cymothoe lurida* (Butler,1871)** (Argynnidae) Synonym(s): *lurida* Butler,1871; *congoensis* Suffert,1904; *hesione* Weymer,1907; *dubia* Schoeteden,1912; *nigeriensis* Overlaet,1952 _ Range (in code): **KE UG TZ GH CG ZR ZM CI CM AO GO Bio**
- 2473. *Cymothoe lurida azumai* Carcasson,1964** (Argynnidae) Synonym(s): *azumai* Carcasson,1964 _ Range (in code): **TZ**
- 2474. *Cymothoe lurida butleri* Grünberg,1908** (Argynnidae) Synonym(s): *butleri* Grünberg,1908 _ Range (in code): **KE UG**
- 2475. *Cymothoe lurida centralis* Overlaet,1952** (Argynnidae) Synonym(s): *centralis* Overlaet,1952 _ Range (in code): **ZR**
- 2476. *Cymothoe lurida lurida* (Butler,1871)** (Argynnidae) Synonym(s): *lurida* Butler,1871; *congoensis* Suffert,1904; *hesione* Weymer,1907; *dubia* Schoeteden,1912; *nigeriensis* Overlaet,1952 _ Range (in code): **GH CG ZR ZM CI CM AO**
- 2477. *Cymothoe lurida sublurida* Fruhstorfer,1903** (Argynnidae) Synonym(s): *sublurida* Fruhstorfer,1903 _ Range (in code): **GO Bio**
- 2478. *Cymothoe lurida tristis* Overlaet,1952** (Argynnidae) Synonym(s): *tristis* Overlaet,1952 _ Range (in code): **CG UG**

- 2479. *Cymothoe mabiliei* Overlaet, 1944** (Argynnidae) Synonym(s): *aralus Mabilie, 1890 nec Mab., 1890; mabiliei Overlaet, 1944* _ Range (in code): GA SL CI
- 2480. *Cymothoe magambae* Rydon, 1980** (Argynnidae) Synonym(s): *magambae Rydon, 1980* _ Range (in code): TZ Tnga Usa
- 2481. *Cymothoe magnus* Joicey & Talbot, 1928** (Argynnidae) Synonym(s): *magnus Joicey & Talbot, 1928* _ Range (in code): ZR
- 2482. *Cymothoe melanjae* Bethune-Baker, 1926** (Argynnidae) Synonym(s): *melanjae Bethune-Baker, 1926* _ Range (in code): MW
- 2483. *Cymothoe meridionalis* Overlaet, 1944** (Argynnidae) Synonym(s): *meridionalis Overlaet, 1944; #diffusa Overlaet, 1944* _ Range (in code): ZR
- 2484. *Cymothoe meridionalis ghesquierei* Overlaet, 1944** (Argynnidae) Synonym(s): *ghesquierei Overlaet, 1944* _ Range (in code): ZR
- 2485. *Cymothoe meridionalis meridionalis* Overlaet, 1944** (Argynnidae) Synonym(s): *meridionalis Overlaet, 1944; #diffusa Overlaet, 1944* _ Range (in code): ZR
- 2486. *Cymothoe ochreata* Grose-Smith, 1890** (Argynnidae) Synonym(s): *ochreata Grose-Smith, 1890; cycladina Grünberg, 1908; vicina Hulstaert, 1926* _ Range (in code): UG ZR
- 2487. *Cymothoe oemilius* (Doumet, 1859)** (Argynnidae) Synonym(s): *oemilius Doumet, 1859; hemeresia Hewitson, 1864; frederica Distant, 1880; #achillides Schultze, 1916* _ Range (in code): GA NG Caa CM ZR GO Bio
- 2488. *Cymothoe oemilius fernandina* Hall, 1929** (Argynnidae) Synonym(s): *fernandina Hall, 1929* _ Range (in code): GO Bio
- 2489. *Cymothoe oemilius oemilius* (Doumet, 1859)** (Argynnidae) Synonym(s): *oemilius Doumet, 1859; hemeresia Hewitson, 1864; frederica Distant, 1880; #achillides Schultze, 1916* _ Range (in code): GA NG Caa CM ZR
- 2490. *Cymothoe ogova* Plötz, 1880** (Argynnidae) Synonym(s): *ogova Plötz, 1880* _ Range (in code): GA Ogo
- 2491. *Cymothoe orphnina* Karsch, 1894** (Argynnidae) Synonym(s): *orphnina Karsch, 1894; infuscata Joicey & Talbot, 1921* _ Range (in code): ZR
- 2492. *Cymothoe orphnina orphnina* Karsch, 1894** (Argynnidae) Synonym(s): *orphnina Karsch, 1894; infuscata Joicey & Talbot, 1921* _ Range (in code): ZR
- 2493. *Cymothoe orphnina suavis* Schultze, 1913** (Argynnidae) Synonym(s): *suavis Schultze, 1913* _ Range (in code): CM ZR
- 2494. *Cymothoe owassae* Schultze, 1916** (Argynnidae) Synonym(s): *owassae Schultze, 1916* _ Range (in code): GO Bio
- 2495. *Cymothoe pluto* (Ward, 1873)** (Argynnidae) Synonym(s): *pluto Ward, 1873; trigona Holland, 1892; mocquerysi Staudinger, 1893; sterna Staudinger, 1894; intricata Aurivillius, 1894; falsathyma Schultze, 1916* _ Range (in code): LR NG UG ZM CM GA ZR KE Mb MW Zom TZ Zz MZ Bionomy: Larva on Sapotaceae (Ackery et al., 1995).
- 2496. *Cymothoe pluto kinugnana* (Grose-Smith, 1889)** (Argynnidae) Synonym(s): *kinugnana Grose-Smith, 1889; uhelda Mabilie, 1890; #rufa Joicey & Talbot, 1921; #mckayi Gifford, 1965* _ Range (in code): KE Mb MW Zom TZ Zz MZ
- 2497. *Cymothoe pluto neptunus* (Joicey & Talbot, 1924)** (Argynnidae) Synonym(s): *neptunus Joicey & Talbot, 1924* _ Range (in code): ZR
- 2498. *Cymothoe pluto pluto* (Ward, 1873)** (Argynnidae) Synonym(s): *pluto Ward, 1873; trigona Holland, 1892; mocquerysi Staudinger, 1893; sterna Staudinger, 1894; intricata Aurivillius, 1894; falsathyma Schultze, 1916* _ Range (in code): CM GA ZR
- 2499. *Cymothoe pluto primitiva* (Hancock, 1984)** (Argynnidae) Synonym(s): *primitiva Hancock, 1984* _ Range (in code): UG ZR ZM
- 2500. *Cymothoe pluto zowa* (Fox, 1965)** (Argynnidae) Synonym(s): *zowa Fox, 1965* _ Range (in code): LR NG
- 2501. *Cymothoe preussi* Staudinger, 1890** (Argynnidae) Synonym(s): *preussi Staudinger, 1890* _ Range (in code): CM
- 2502. *Cymothoe radialis* Gaede, 1916** (Argynnidae) Synonym(s): *radialis Gaede, 1916* _ Range (in code): CM
- 2503. *Cymothoe rebeli* Neustetter, 1912** (Argynnidae) Synonym(s): *rebeli Neustetter, 1912* _ Range (in code): CM
- 2504. *Cymothoe reginaeelisabethae* Holland, 1920** (Argynnidae) Synonym(s): *reginaeelisabethae Holland, 1920; dropsyi Overlaet, 1944* _ Range (in code): ZR UG CM CF

- 2505. *Cymothoe reginaelisabethae belgarum* Overlaet,1952** (Argynnidae) **Synonym(s):** *belgarum* Overlaet,1952 _ Range (in code): **CM CF ZR**
- 2506. *Cymothoe reginaelisabethae reginaelisabethae* Holland,1920** (Argynnidae) **Synonym(s):** *reginaelisabethae* Holland,1920; *dropsyi* Overlaet,1944 _ Range (in code): **ZR UG**
- 2507. *Cymothoe reinholdi* (Plötz,1880)** (Argynnidae) **Synonym(s):** *reinholdi* Plötz,1880; *theodora* Staudinger,1890 _ Range (in code): **CM ZR CF** Bionomy: Larva on Casearia (Flacourtiaceae) (Ackery et al.,1995).
- 2508. *Cymothoe reinholdi reinholdi* (Plötz,1880)** (Argynnidae) **Synonym(s):** *reinholdi* Plötz,1880; *theodora* Staudinger,1890 _ Range (in code): **CM**
- 2509. *Cymothoe reinholdi vitalis* Rebel,1914** (Argynnidae) **Synonym(s):** *vitalis* Rebel,1914 Range (in code): **CF ZR**
- 2510. *Cymothoe richelmanni* (Weymer,1907)** (Argynnidae) **Synonym(s):** *richelmanni* Weymer,1907 _ Range (in code): **CM**
- 2511. *Cymothoe sangaris* (Godart,[1824])** (Argynnidae) **Synonym(s):** *sangaris* Godart,[1824]; *uselda* Hewitson,[1869] _ Range (in code): **SL AO ZR CG CM**
- 2512. *Cymothoe sangaris luluana* Overlaet,1945** (Argynnidae) **Synonym(s):** *luluana* Overlaet,1945 _ Range (in code): **ZR**
- 2513. *Cymothoe sangaris sangaris* (Godart,[1824])** (Argynnidae) **Synonym(s):** *sangaris* Godart,[1824]; *uselda* Hewitson,[1869] _ Range (in code): **SL AO ZR CG CM**
- 2514. *Cymothoe sassiana* Schouteden,1912** (Argynnidae) **Synonym(s):** *sassiana* Schouteden,1912 _ Range (in code): **ZR**
- 2515. *Cymothoe sassiana intermedia* Neustetter,1912** (Argynnidae) **Synonym(s):** *intermedia* Neustetter,1912 _ Range (in code): **ZR**
- 2516. *Cymothoe sassiana sassiana* Schouteden,1912** (Argynnidae) **Synonym(s):** *sassiana* Schouteden,1912 _ Range (in code): **ZR**
- 2517. *Cymothoe semirufa* (Joicey & Talbot,1921)** (Argynnidae) **Synonym(s):** *semirufa* Joicey & Talbot,1921; *mirifica* Carpenter & Jackson,1950 _ Range (in code): **ZR**
- 2518. *Cymothoe teita* Van Someren,1939** (Argynnidae) **Synonym(s):** *teita* Van Someren,1939 Range (in code): **KE**
- 2519. *Cymothoe vumbui* Bethune-Baker,1926** (Argynnidae) **Synonym(s):** *vumbui* Bethune-Baker,1926 _ Range (in code): **ZW Vum MZ**
- 2520. *Cymothoe weymeri* Suffert,1904** (Argynnidae) **Synonym(s):** *weymeri* Suffert,1904; *#defasciatus* Rydon,1981 _ Range (in code): **GH CI CM NG ZR**
- 2521. *Cymothoe weymeri mulatta* Belcastro,1990** (Argynnidae) **Synonym(s):** *mulatta* Belcastro,1990 _ Range (in code): **CI GH**
- 2522. *Cymothoe weymeri weymeri* Suffert,1904** (Argynnidae) **Synonym(s):** *weymeri* Suffert,1904; *#defasciatus* Rydon,1981 _ Range (in code): **CM NG ZR**
- 2523. *Cymothoe zenkeri* Richelmann,1913** (Argynnidae) **Synonym(s):** *zenkeri* Richelmann,1913; *stetteni* Bryk,1915; *langi* Holland,1920 _ Range (in code): **CM ZR**
- 2524. *Cymothoe zombana* Bethune-Baker,1926** (Argynnidae) **Synonym(s):** *zombana* Bethune-Baker,1926 _ Range (in code): **MW**
- 2525. *Cynandra opis* (Drury,[1773])** (Argynnidae) **Synonym(s):** *opis* Drury,[1773]; *afer* Drury,1782; *aethiopica* Fabricius,1793 _ Range (in code): **GA CM AO ZR UG SL NG** Bionomy: Larva on Dissotis (Melastomataceae) (Ackery et al.,1995).
- 2526. *Cynandra opis bernardii* Lagnel,1967** (Argynnidae) **Synonym(s):** *bernardii* Lagnel,1967 Range (in code): **GA CM AO ZR UG**
- 2527. *Cynandra opis opis* (Drury,[1773])** (Argynnidae) **Synonym(s):** *opis* Drury,[1773]; *afer* Drury,1782; *aethiopica* Fabricius,1793 _ Range (in code): **SL NG**
- 2528. *Cynitia cocytina* (Horsfield,1829)** (Argynnidae) **Synonym(s):** *cocytina* Horsfield,1829 Range (in code): **PH Jol Bal MY Bor ID Sum**
- 2529. *Cynitia cocytina darani* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *darani* Fruhstorfer,1913 _ Range (in code): **PH Jol**
- 2530. *Cynitia cocytina uposantha* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *uposantha* Fruhstorfer,1913 _ Range (in code): **PH Bal**
- 2531. *Cynitia godartii* (Gray,1846)** (Argynnidae) **Synonym(s):** *godartii* Gray,1846 _ Range (in code): **MY PH Jol Stu**

- 2532. *Cynitia godartii dhayma* Fruhstorfer, 1913** (Argynnidae) Synonym(s): *dhayma* Fruhstorfer, 1913 _ Range (in code): PH Jol Stu
- 2533. *Cynitia phlegethon Semper*, 1888** (Argynnidae) Synonym(s): *phlegethon Semper*, 1888 _ Range (in code): PH Ley Sam Bas Mno
- 2534. *Cynitia phlegethon nirodha* Fruhstorfer, 1913** (Argynnidae) Synonym(s): *nirodha* Fruhstorfer, 1913 _ Range (in code): PH Bas
- 2535. *Cynitia phlegethon phlegethon Semper*, 1888** (Argynnidae) Synonym(s): *phlegethon Semper*, 1888 _ Range (in code): PH Mno
- 2536. *Cynitia phlegethon visayana* Schröder & Treadaway, 1981** (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway, 1981 _ Range (in code): PH Ley Sam
- 2537. *Cynitia semperi* (Staudinger, 1889)** (Argynnidae) Synonym(s): *semperi* Staudinger, 1889 _ Range (in code): PH Pal Cal
- 2538. *Cynitia semperi candida* Schröder, Treadaway & Nuyda, 1990** (Argynnidae) Synonym(s): *candida* Schröder, Treadaway & Nuyda, 1990 _ Range (in code): PH Cal
- 2539. *Cynitia semperi semperi* (Staudinger, 1889)** (Argynnidae) Synonym(s): *semperi* Staudinger, 1889 _ Original Reference: Euthalia semperi Staudinger, 1889, Dt. ent. Z., Iris 2: 77-78.
Syntypes: [Philippinen]: Palawan. Range (in code): PH Pal
- 2540. *Cyrestis (Azania) camillus* (Fabricius, 1781)** (Argynnidae) Synonym(s): *camillus* Fabricius, 1781; *pantheus* Drury, 1782 _ Range (in code): MG MW Zom ZM TZ Tnga Usa Ani KE ZW MZ SL CM ZR AO KE ET ZA Tva Lpo Spb Kru Pma Pf
- 2541. *Cyrestis (Azania) camillus camillus* (Fabricius, 1781)** (Argynnidae) Synonym(s): *camillus* Fabricius, 1781; *pantheus* Drury, 1782 _ Range (in code): SL CM ZR AO KE ET
- 2542. *Cyrestis (Azania) camillus elegans* Boisduval, 1833** (Argynnidae) Synonym(s): *elegans* Boisduval, 1833 _ Range (in code): MG
- 2543. *Cyrestis (Azania) camillus sublineatus* Lathy, 1901** (Argynnidae) Synonym(s): *sublineatus* Lathy, 1901 _ Original Reference: Cyrestis sublineatus Lathy, 1901, Trans. ent. Soc. London 1901 (1): 25. Syntypes 6♂♂: [Malawi]: Zomba. Range (in code): ZA Tva Lpo Spb Kru Pma Pf MW Zom ZM TZ Tnga Usa Ani KE ZW MZ
- 2544. *Cyrestis (s.str.) thyodamas* Boisduval, 1836** (Argynnidae) Synonym(s): *thyodamas* Boisduval, 1836; *nobilior* Martin, 1903. _ Original Reference: Cyrestis thyodamas Boisduval, 1836, [in] Cuvier, R×gne Anim., Ins. 2: t.138 fig.4. Range (in code): IN Adm NP SI MM LK TH CMa Cuo Cu10 CDo Nna Knc Nrt Cbi Nst Hn TW CN JP Ch Ass Ch AF Ng PK Kma Haz Mre
- 2545. *Cyrestis (s.str.) thyodamas afghana* Martin, 1903** (Argynnidae) Synonym(s): *afghana* Martin, 1903 _ Original Reference: Cyrestis thyodamas ssp. afghana Martin, 1903, Dt. ent. Z., Iris 17: 86. Syntypes 2♂♂ 3♀: "Afghanistan" (Tring Museum). Range (in code): AF Ng PK
- 2546. *Cyrestis (s.str.) thyodamas andamanica* Wood-Mason & de Nicéville, 1881** (Argynnidae) Synonym(s): *andamanica* Wood-Mason & de Nicéville, 1881 _ Range (in code): Adm IN
- 2547. *Cyrestis (s.str.) thyodamas thyodamas* Boisduval, 1836** (Argynnidae) Synonym(s): *thyodamas* Boisduval, 1836; *nobilior* Martin, 1903. _ Original Reference: Cyrestis thyodamas Boisduval, 1836, [in] Cuvier, R×gne Anim., Ins. 2: t.138 fig.4. Range (in code): IN SI MM TH CMa Cuo Cu10 CDo Nna Knc Nrt Cbi Nst
- 2548. *Cyrestis cassander* C.Felder & R.Felder, 1863** (Argynnidae) Synonym(s): *cassander* C.Felder & R.Felder, 1863 _ Range (in code): PH Bal Cal Pal Bas Mno Bat Luz Mar Mdo Boh Cts Din Gui Ley Sam
- 2549. *Cyrestis cassander cassander* C.Felder & R.Felder, 1863** (Argynnidae) Synonym(s): *cassander* C.Felder & R.Felder, 1863 _ Range (in code): PH Bat Luz Mar Mdo
- 2550. *Cyrestis cassander dacebalus* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *dacebalus* Fruhstorfer, 1912 _ Range (in code): PH Boh Cts Din Gui Ley Sam
- 2551. *Cyrestis cassander orchomenus* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *orchomenus* Fruhstorfer, 1912 _ Range (in code): PH Bas Mno
- 2552. *Cyrestis cassander thessa* Fruhstorfer, 1889** (Argynnidae) Synonym(s): *thessa* Fruhstorfer, 1889 _ Range (in code): PH Bal Cal Pal
- 2553. *Cyrestis cocles* (Fabricius, 1787)** (Argynnidae) Synonym(s): *cocles* Fabricius, 1787 _ Range (in code): MY Lkw TH CMa Qs Dst Nrt Cbu Knc Nst Ths Sya Yal Nna Cbi Pht
- 2554. *Cyrestis cocles cocles* (Fabricius, 1787)** (Argynnidae) Synonym(s): *cocles* Fabricius, 1787 _ Range (in code): TH CMa Qs Dst Nrt Cbu Knc Yal Nst Ths Sya Nna Cbi Pht
- 2555. *Cyrestis cocles earli* Distant, 1883** (Argynnidae) Synonym(s): *earli* Distant, 1883; *formosa* C.Felder & R.Felder, [1867] _ Range (in code): MY Lkw

- 2556. *Cyrestis kudrati* Jumalon, 1975** (Argynnidae) Synonym(s): *kudrati* Jumalon, 1975
Range (in code): **PH Mno**
- 2557. *Cyrestis maenalis* Erichson, 1834** (Argynnidae) Synonym(s): *maenalis* Erichson, 1834
Range (in code): **PH Boh Mno Bas Mdo Bal Ceb Bab Din Ley Pao Luz Mar Pan Sib Cal Pal Neg MY**
- 2558. *Cyrestis maenalis aiedius* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *aiedius* Fruhstorfer, 1912
Range (in code): **PH Bal**
- 2559. *Cyrestis maenalis cebuensis* M.Okano & T.Okano, 1988** (Argynnidae) Synonym(s): *cebuensis* M.Okano & T.Okano, 1988
Range (in code): **PH Ceb**
- 2560. *Cyrestis maenalis eumelus* Fruhstorfer, 1915** (Argynnidae) Synonym(s): *eumelus* Fruhstorfer, 1915
Range (in code): **PH Bab**
- 2561. *Cyrestis maenalis kynosura* Tsukada & Nishiyama, 1985** (Argynnidae) Synonym(s): *kynosura* Tsukada & Nishiyama, 1985
Range (in code): **PH Din Ley Pao**
- 2562. *Cyrestis maenalis maenalis* Erichson, 1834** (Argynnidae) Synonym(s): *maenalis* Erichson, 1834
Range (in code): **PH Luz Mar Pan Sib**
- 2563. *Cyrestis maenalis martini* Hartert, 1902** (Argynnidae) Synonym(s): *martini* Hartert, 1902
Range (in code): **MY**
- 2564. *Cyrestis maenalis negros* Martin, 1903** (Argynnidae) Synonym(s): *negros* Martin, 1903
Range (in code): **PH Neg**
- 2565. *Cyrestis maenalis obscurior* Staudinger, 1889** (Argynnidae) Synonym(s): *obscurior* Staudinger, 1889
Original Reference: *Cyrestis maenalis* var. *obscurior* Staudinger, 1889, Dt. ent. Z., Iris 2: 53. Syntypes: ♂♂: [Philippinen]: Palawan. Range (in code): **PH Cal Pal**
- 2566. *Cyrestis maenalis oebasius* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *oebasius* Fruhstorfer, 1912
Range (in code): **PH Bas**
- 2567. *Cyrestis maenalis rizali* Tsukada & Nishiyama, 1985** (Argynnidae) Synonym(s): *rizali* Tsukada & Nishiyama, 1985
Range (in code): **PH Boh Mno**
- 2568. *Cyrestis maenalis rothschildi* Martin, 1903** (Argynnidae) Synonym(s): *rothschildi* Martin, 1903
Range (in code): **PH Mdo**
- 2569. *Cyrestis maenalis zamboangensis* Jumalon, 1975** (Argynnidae) Synonym(s): *zamboangensis* Jumalon, 1975
Range (in code): **PH Mno**
- 2570. *Cyrestis nivea* (Zincken, 1831)** (Argynnidae) Synonym(s): *nivea* Zincken, 1831
Range (in code): **ID Ja MY PH Cal Pal TH Yal Nst Sgk Hya Tnc**
- 2571. *Cyrestis nivea nivalis* C.Felder & R.Felder, [1867]** (Argynnidae) Synonym(s): *nivalis* C.Felder & R.Felder, [1867]
Range (in code): **MY TH Yal Nst Sgk Hya Tnc**
- 2572. *Cyrestis nivea nivea* (Zincken, 1831)** (Argynnidae) Synonym(s): *nivea* Zincken, 1831
Range (in code): **ID Ja**
- 2573. *Cyrestis nivea pigmentosa* Okubo, 1983** (Argynnidae) Synonym(s): *pigmentosa* Okubo, 1983
Range (in code): **MY**
- 2574. *Cyrestis nivea superbus* Staudinger, 1889** (Argynnidae) Synonym(s): *superbus* Staudinger, 1889
Original Reference: *Cyrestis fadorensis* var. *superbus* Staudinger, 1889, Dt. ent. Z., Iris 2: 53-54. Syntypes ♂♂: [Philippinen]: Palawan. Range (in code): **PH Cal Pal**
- 2575. *Cyrestis themire* Honrath, [1884]** (Argynnidae) Synonym(s): *themire* Honrath, [1884]
Range (in code): **MY Lkw TH Loe Nna Cbu Pht Nst Yal Nrt Knc Rng Tng Sgk Hya Tnc**
- 2576. *Cyrestis themire pemanggilensis* Eliot, 1978** (Argynnidae) Synonym(s): *pemanggilensis* Eliot, 1978
Range (in code): **MY**
- 2577. *Cyrestis themire robinsoni* Pendlebury, 1933** (Argynnidae) Synonym(s): *robinsoni* Pendlebury, 1933
Range (in code): **MY**
- 2578. *Cyrestis themire siamensis* Fruhstorfer, 1898** (Argynnidae) Synonym(s): *siamensis* Fruhstorfer, 1898; *klossi* Pendlebury, 1933
Original Reference: *Cyrestis periander* ssp. *siamensis* Fruhstorfer, 1898, Societas Ent. 13: 74. Range (in code): **MY TH Loe Nna Cbu Pht Nst Yal Nrt Knc Rng Tng**
- 2579. *Cyrestis themire themire* Honrath, [1884]** (Argynnidae) Synonym(s): *themire* Honrath, [1884]
Range (in code): **MY Lkw TH Sgk Hya Tnc**
- 2580. *Diagora assimilis* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *assimilis* Linnaeus, 1758
Original Reference: *Papilio assimilis* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 479. Type(s): Asia.
Range (in code): **CN JP KP Ti**

- 2581. *Diagora assimilis assimilis* (Linnaeus,1758)** (Argynnidae) Synonym(s): *assimilis* Linnaeus,1758 Original Reference: *Papilio assimilis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479. Type(s): Asia. Range (in code): **CN JP KP Ti**
- 2582. *Diagora nicevillei* Moore,1896** (Argynnidae) Synonym(s): *nicevillei* Moore,1896 Range (in code): **IN NP**
- 2583. *Diagora nicevillei nicevillei* Moore,1896** (Argynnidae) Synonym(s): *nicevillei* Moore,1896 Range (in code): **IN NP**
- 2584. *Dichorragia nesimachus* (Doyère,1840)** (Argynnidae) Synonym(s): *nesimachus* Doyère,1840 Range (in code): **PH Neg Pan Ley Pao Luz Mdo Mno Sam Pal TH CMa CDo Knc Rng Yal Srt**
- 2585. *Dichorragia nesimachus deiokes* Fruhstorfer,1913** (Argynnidae) Synonym(s): *deiokes* Fruhstorfer,1913 Range (in code): **TH Rng Yal Srt**
- 2586. *Dichorragia nesimachus kawamurai* Nihira,1982** (Argynnidae) Synonym(s): *kawamurai* Nihira,1982 Range (in code): **PH Neg Pan**
- 2587. *Dichorragia nesimachus leytensis* Shimagami,1990** (Argynnidae) Synonym(s): *leytensis* Shimagami,1990 Range (in code): **PH Ley Pao**
- 2588. *Dichorragia nesimachus luzonensis* Shimagami,1990** (Argynnidae) Synonym(s): *luzonensis* Shimagami,1990 Range (in code): **PH Luz Mdo**
- 2589. *Dichorragia nesimachus machates* Fruhstorfer,1903** (Argynnidae) Synonym(s): *machates* Fruhstorfer,1903 Range (in code): **PH Pal**
- 2590. *Dichorragia nesimachus nesimachus* (Doyère,1840)** (Argynnidae) Synonym(s): *nesimachus* Doyère,1840 Range (in code): **TH CMa CDo Knc**
- 2591. *Dichorragia nesimachus peisistratus* Fruhstorfer,1913** (Argynnidae) Synonym(s): *peisistratus* Fruhstorfer,1913 Range (in code): **PH Mno**
- 2592. *Dichorragia nesimachus samarensis* Tsukada,1991** (Argynnidae) Synonym(s): *samarensis* Tsukada,1991 Range (in code): **PH Sam**
- 2593. *Dilipa fenestra* Leech,1891** (Argynnidae) Synonym(s): *fenestra* Leech,1891 Original Reference: *Dilipa fenestra* Leech,1891, Entomologist 24 (suppl.): 26. Range (in code): **?Ti CN KP**
- 2594. *Dilipa fenestra fenestra* Leech,1891** (Argynnidae) Synonym(s): *fenestra* Leech,1891 Original Reference: *Dilipa fenestra* Leech,1891, Entomologist 24 (suppl.): 26. Range (in code): **?Ti CN KP**
- 2595. *Dilipa morgiana* (Westwood,[1850])** (Argynnidae) Synonym(s): *morgiana* Westwood,[1850] Original Reference: *Apatura ? morgiana* Westwood,[1850], [in] Doubleday, Gen. diurn. Lep.: 305, nr. 22, note. Type(s): India. Range (in code): **IN Ch Sml MM Shn**
- 2596. *Dilipa morgiana morgiana* (Westwood,[1850])** (Argynnidae) Synonym(s): *morgiana* Westwood,[1850] Original Reference: *Apatura ? morgiana* Westwood,[1850], [in] Doubleday, Gen. diurn. Lep.: 305, nr. 22, note. Type(s): India. Range (in code): **IN Ch Sml MM Shn**
- 2597. *Doleschallia bisaltide* (Cramer,[1777])** (Argynnidae) Synonym(s): *bisaltide* Cramer,[1777] Range (in code): **AU LK MY Lkw TH MM NP IN Ass Slo Adm PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Bor Sum Ja Nia Mrg Ob Baw Ass CMa Cuo Cuo7 Cu10 Cu11 CDo Nna Knc Pht Phi Cbi Rat Tng Nst Chw SB FJ** Bionomy: Larva on *Pseuderanthemum graciliflorum*, *P.acuminatissimum*, *P.bicolor*, *P.laxiflorum*, *P.variabile*, *P.malabaricum*, *P.carruthersii*, *Graptophyllum pictum*, *G.insultum*, *Calycacanthus magnusianus*, *Asystasia*, *Blechum pyramidatum*, *Eranthemum reticulatum*, *E. pulchellum*, *Carlowrightia arizonica*, *Phalopsis imbricata*, *Strobilanthes isophyllus* (Acanthaceae); *Urtica* (Urticaceae), *Atrocarpus altalis*, *A.heterophyllus*, *A.integer* (Moraceae), *Erythrina* (Fabaceae) (Robinson et al.,2005).
- 2598. *Doleschallia bisaltide andamanensis* Fruhstorfer,1899** (Argynnidae) Synonym(s): *andamanensis* Fruhstorfer,1899 Range (in code): **IN Adm**
- 2599. *Doleschallia bisaltide apameia* Fruhstorfer,1912** (Argynnidae) Synonym(s): *apameia* Fruhstorfer,1912 Range (in code): **ID Ob**
- 2600. *Doleschallia bisaltide australis* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *australis* C.Felder & R.Felder,[1867] Range (in code): **AU**
- 2601. *Doleschallia bisaltide bisaltide* (Cramer,[1777])** (Argynnidae) Synonym(s): *bisaltide* Cramer,[1777] Range (in code): **ID Ja**
- 2602. *Doleschallia bisaltide borneensis* Fruhstorfer,1899** (Argynnidae) Synonym(s): *borneensis* Fruhstorfer,1899 Range (in code): **Bor MY ID**

- 2603. *Doleschallia bisaltide ceylonica* Fruhstorfer,1903** (Argynnidae) Synonym(s): *ceylonica* Fruhstorfer,1903 _ Range (in code): LK
- 2604. *Doleschallia bisaltide indica* Moore,1900** (Argynnidae) Synonym(s): *indica* Moore,1900
Range (in code): NP IN Ass Slo
- 2605. *Doleschallia bisaltide kara* Tytler,1940** (Argynnidae) Synonym(s): *kara* Tytler,1940
Original Reference: *Doleschallia bisaltide* ssp. *kara* Tytler,1940, J. Bombay nat. Hist. Soc. 42: 119. Type: India. Range (in code): IN
- 2606. *Doleschallia bisaltide merguiana* Evans,1924** (Argynnidae) Synonym(s): *merguiana* Evans,1924
Original Reference: *Doleschallia bisaltide* var. *merguiana* Evans,1924, J. Bombay nat. Hist. Soc. 30: 83. Type: [Myanmar]: Mergui. Range (in code): MM Mrg
- 2607. *Doleschallia bisaltide niasica* Butler,1884** (Argynnidae) Synonym(s): *niasica* Butler,1884 _ Range (in code): ID Nia
- 2608. *Doleschallia bisaltide philippensis* Fruhstorfer,1899** (Argynnidae) Synonym(s): *philippensis* Fruhstorfer,1899 _ Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 2609. *Doleschallia bisaltide pratipa* C.Felder & R.Felder,1860** (Argynnidae) Synonym(s): *pratipa* C.Felder & R.Felder,1860 _ Range (in code): MY Lkw TH Tng Nst Chw
- 2610. *Doleschallia bisaltide siamensis* Fruhstorfer,1912** (Argynnidae) Synonym(s): *siamensis* Fruhstorfer,1912
Original Reference: *Doleschallia bisaltide* ssp. *siamensis* Fruhstorfer,1912, [in] Seitz, Gross-Schmett. Erde 9: 557. Type: Siam. Range (in code): TH CMa
Cuo Cuo7 Cu10 Cu11 CDo Nna Knc Pht Phi Cbi Rat Bionomy: Larva on *Pseuderanthemum graciliflorum* (Acanthaceae) (ex P. Leksawasdi, comm.).
- 2611. *Doleschallia bisaltide surculus* Fruhstorfer,1912** (Argynnidae) Synonym(s): *surculus* Fruhstorfer,1912 _ Range (in code): ID Baw
- 2612. *Doleschallia dascon* Godman & Salvin,1880** (Argynnidae) Synonym(s): *dascon* Godman & Salvin,1880; *dasconides* Fruhstorfer,1903 _ Range (in code): PG
- 2613. *Doleschallia dascylus* Godman & Salvin,1880** (Argynnidae) Synonym(s): *dascylus* Godman & Salvin,1880 _ Range (in code): PG
- 2614. *Doleschallia hexophthalmos* (Gmelin,1791)** (Argynnidae) Synonym(s): *hexophthalmos* Gmelin,1791; *ardys* Fruhstorfer,1912 _ Range (in code): PG
- 2615. *Doxocopa laure* (Drury,[1773])** (Argynnidae) Synonym(s): *laure* Drury,[1773]. _ Range (in code): US MX Arz Tx
- 2616. *Doxocopa pavon* (Latreille,[1809])** (Argynnidae) Synonym(s): *pavon* Latreille,[1809].
Range (in code): US MX Tx
- 2617. *Dymasia dymas* (Edwards,1877)** (Argynnidae) Synonym(s): *dymas* Edwards,1877; *larunda* Strecker,1877; *senrabii* Barnes,1900 _ Range (in code): US MX Arz Cf NMx Tx
- 2618. *Dymasia dymas chara* (Edwards,1883)** (Argynnidae) Synonym(s): *chara* Edwards,1883
Range (in code): US Arz
- 2619. *Dymasia dymas dymas* (Edwards,1877)** (Argynnidae) Synonym(s): *dymas* Edwards,1877; *larunda* Strecker,1877; *senrabii* Barnes,1900 _ Range (in code): US Tx
- 2620. *Dymasia dymas imperialis* (Bauer,[1959])** (Argynnidae) Synonym(s): *imperialis* Bauer,[1959] _ Range (in code): US Cf
- 2621. *Dynamine dyonis* Geyer,[1837]** (Argynnidae) Synonym(s): *dyonis* Geyer,[1837] _ Range (in code): US MX Tx
- 2622. *Epiphile adrasta* Hewitson,1861** (Argynnidae) Synonym(s): *adrasta* Hewitson,1861
Range (in code): US MX Tx
- 2623. *Eupatura mirza* Ebert,1971** (Argynnidae) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971. Original Reference: *Eupatura mirza* Ebert,1971, Beitr. naturk. SüdwDtl. 30(1): 66-69, figs.1-4, Pl.1, figs.1-3. Holotype ♂: Iran: Avaj, nordöstl. Hamadan. Range (in code): IQ Ama IR Ha Km TR Bionomy: Larva on *Celtis glabrata* (Ulmaceae) (Koçak & Kemal,2002).
- 2624. *Eupatura mirza mirza* Ebert,1971** (Argynnidae) Synonym(s): *mirza* Ebert,1971; *iwasei* Igarashi,1971. Original Reference: *Eupatura mirza* Ebert,1971, Beitr. naturk. SüdwDtl. 30(1): 66-69, figs.1-4, Pl.1, figs.1-3. Holotype ♂: Iran: Avaj, nordöstl. Hamadan. Range (in code): IQ Ama IR Ha Km TR Bionomy: Larva on *Celtis glabrata* (Ulmaceae) (Koçak & Kemal,2002).
- 2625. *Eulaceura osteria* (Westwood,[1850])** (Argynnidae) Synonym(s): *osteria* Westwood,[1850] _ Range (in code): TH Rng Yal Tng Nst

- 2626. Eulaceura osteria kumana Fruhstorfer,1913** (Argynnidae) Synonym(s): *kumana Fruhstorfer,1913* _ Range (in code): TH Rng Yal Tng Nst
- 2627. Eulaceura osteria osteria (Westwood,[1850])** (Argynnidae) Synonym(s): *osteria Westwood,[1850]*
- 2628. Eunica monima (Stoll,[1782])** (Argynnidae) Synonym(s): *monima Stoll,[1782]; hyperipte Hübner,[1823]; myrto Godart,[1824]; modesta H.W.Bates,1864* _ Range (in code): US MX Arz FI NMx Tx GT SR
- 2629. Eunica tatila (Herrich-Schäffer,1853)** (Argynnidae) Synonym(s): *tatila Herrich-Schäffer,1853; coerulea Godman & Salvin,1877* _ Range (in code): US MX FI Kan Tx GT
- 2630. Euphaedra (Euphaedrana) aberrans Staudinger,1891** (Argynnidae) Synonym(s): *aberrans Staudinger,1891; normalis Staudinger,1891* _ Range (in code): SL CM
- 2631. Euphaedra (Euphaedrana) adonina (Hewitson,1865)** (Argynnidae) Synonym(s): *adonina Hewitson,1865; #rotundata Talbot,1932* _ Range (in code): CG NG CM ZR
- 2632. Euphaedra (Euphaedrana) adonina adonina (Hewitson,1865)** (Argynnidae) Synonym(s): *adonina Hewitson,1865; #rotundata Talbot,1932* _ Range (in code): CG NG
- 2633. Euphaedra (Euphaedrana) adonina prasina Hecq,1991** (Argynnidae) Synonym(s): *#prasina Schultze,1920; prasina Hecq,1991* _ Range (in code): CM
- 2634. Euphaedra (Euphaedrana) adonina reflecta Hecq,1982** (Argynnidae) Synonym(s): *reflecta Hecq,1982* _ Range (in code): NG
- 2635. Euphaedra (Euphaedrana) adonina spectacularis Hecq,1997** (Argynnidae) Synonym(s): *spectacularis Hecq,1997* _ Range (in code): CM ZR
- 2636. Euphaedra (Euphaedrana) afzelii (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *afzelii C.Felder & R.Felder,[1867]* _ Range (in code): SL CI NG
- 2637. Euphaedra (Euphaedrana) alacris Hecq,1978** (Argynnidae) Synonym(s): *alacris Hecq,1978* _ Range (in code): CM ZR TZ
- 2638. Euphaedra (Euphaedrana) albofasciata Berger,1981** (Argynnidae) Synonym(s): *#albofasciata Rebel,1914; albofasciata Berger,1981* _ Range (in code): CF ZR
- 2639. Euphaedra (Euphaedrana) amieti Hecq,1994** (Argynnidae) Synonym(s): *amieti Hecq,1994* _ Range (in code): CM
- 2640. Euphaedra (Euphaedrana) apparata Hecq,1982** (Argynnidae) Synonym(s): *apparata Hecq,1982* _ Range (in code): ZR
- 2641. Euphaedra (Euphaedrana) appositiva Hecq,1982** (Argynnidae) Synonym(s): *appositiva Hecq,1982* _ Range (in code): CM
- 2642. Euphaedra (Euphaedrana) asteria Hecq,1993** (Argynnidae) Synonym(s): *asteria Hecq,1993* _ Range (in code): CG
- 2643. Euphaedra (Euphaedrana) attenuata Gabriel,1949** (Argynnidae) Synonym(s): *attenuata Gabriel,1949* _ Range (in code): ET
- 2644. Euphaedra (Euphaedrana) aureola Kirby,1889** (Argynnidae) Synonym(s): *aureola Kirby,1889; auriger Staudinger,1891* _ Range (in code): CM CI NG Caa CG
- 2645. Euphaedra (Euphaedrana) aureola nitens Hecq,1997** (Argynnidae) Synonym(s): *nitens Hecq,1997* _ Range (in code): NG Caa
- 2646. Euphaedra (Euphaedrana) bergeri Hecq,1974** (Argynnidae) Synonym(s): *bergeri Hecq,1974* _ Range (in code): ZR
- 2647. Euphaedra (Euphaedrana) bouyeri Hecq,1993** (Argynnidae) Synonym(s): *bouyeri Hecq,1993* _ Range (in code): CM
- 2648. Euphaedra (Euphaedrana) campaspe (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *campaspe C.Felder & R.Felder,[1867]* _ Range (in code): GA CG ZR
- 2649. Euphaedra (Euphaedrana) campaspe campaspe (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *campaspe C.Felder & R.Felder,[1867]* _ Range (in code): GA CG
- 2650. Euphaedra (Euphaedrana) campaspe permixtoides Hecq,1986** (Argynnidae) Synonym(s): *permixtoides Hecq,1986* _ Range (in code): ZR
- 2651. Euphaedra (Euphaedrana) canui Hecq,1987** (Argynnidae) Synonym(s): *canui Hecq,1987* _ Range (in code): GO Bio
- 2652. Euphaedra (Euphaedrana) castanoides Hecq,1985** (Argynnidae) Synonym(s): *castanoides Hecq,1985* _ Range (in code): ZR TZ NG CM GN
- 2653. Euphaedra (Euphaedrana) castanoides deficiens Hecq,1997** (Argynnidae) Synonym(s): *deficiens Hecq,1997*

- 2654. Euphaedra (Euphaedrana) castanoides gashaka Hecq,1996** (Argynnidae)
Synonym(s): *gashaka* Hecq,1996 _ Range (in code): NG
- 2655. Euphaedra (Euphaedrana) centralis Hecq,1985** (Argynnidae) Synonym(s): *centralis* Hecq,1985 _ Range (in code): ZR
- 2656. Euphaedra (Euphaedrana) ceres (Fabricius,1775)** (Argynnidae) Synonym(s): *ceres* Fabricius,1775; *lucille* Cramer,[1777]; *lucullus* Herbst,1792; *zeuxis* Westwood,[1850]; *schultzei* Neustetter,1927
Original Reference: Papilio ceres Fabricius,1775, Syst. Ent.: 504, nr.257. Range (in code): SL GN CI CM ZR GA NG Caa GH
- 2657. Euphaedra (Euphaedrana) ceres artaynta Möschler,1887** (Argynnidae)
Synonym(s): *artaynta* Möschler,1887; *lutescens* Hecq,1979 _ Range (in code): NG Caa GH
- 2658. Euphaedra (Euphaedrana) ceres ceres (Fabricius,1775)** (Argynnidae) Synonym(s): *ceres* Fabricius,1775; *lucille* Cramer,[1777]; *lucullus* Herbst,1792; *zeuxis* Westwood,[1850]; *schultzei* Neustetter,1927
Original Reference: Papilio ceres Fabricius,1775, Syst. Ent.: 504, nr.257. Range (in code): SL GN CI
- 2659. Euphaedra (Euphaedrana) ceres electra Hecq,1983** (Argynnidae) Synonym(s): *#abluta* Schultze,1920; *electra* Hecq,1983 _ Range (in code): CM ZR GA
- 2660. Euphaedra (Euphaedrana) cinnamomea Rothschild,1918** (Argynnidae)
Synonym(s): *cinnamomea* Rothschild,1918 _ Range (in code): ZR Sba
- 2661. Euphaedra (Euphaedrana) compacta Hecq,1997** (Argynnidae) Synonym(s): *compacta* Hecq,1997 _ Range (in code): CM NG
- 2662. Euphaedra (Euphaedrana) confina Hecq,1992** (Argynnidae) Synonym(s): *confina* Hecq,1992 _ Range (in code): TZ
- 2663. Euphaedra (Euphaedrana) congo Hecq,1985** (Argynnidae) Synonym(s): *congo* Hecq,1985 _ Range (in code): ZR CG
- 2664. Euphaedra (Euphaedrana) controversa Hecq,1997** (Argynnidae) Synonym(s): *controversa* Hecq,1997 _ Range (in code): CM NG
- 2665. Euphaedra (Euphaedrana) cooksoni Druce,1905** (Argynnidae) Synonym(s): *cooksoni* Druce,1905
Original Reference: Euphaedra cooksoni Druce,1905, Ann. Mag. nat. Hist. (7) 16 (95): 550. Range (in code): MW ZM ZR TZ
- 2666. Euphaedra (Euphaedrana) coprates (Druce,1875)** (Argynnidae) Synonym(s): *coprates* Druce,1875; *#congoensis* C.W.Schmidt,1921; *angustimarginata* C.W.Schmidt,1921 _ Range (in code): NG AO ZR
- 2667. Euphaedra (Euphaedrana) dargeana Hecq,1980** (Argynnidae) Synonym(s): *dargeana* Hecq,1980 _ Range (in code): CM GA ZR
- 2668. Euphaedra (Euphaedrana) delera Hecq,1989** (Argynnidae) Synonym(s): *#delera* Hecq,1983; *delera* Hecq,1989 _ Range (in code): CI Bionomy: Larva on Sorindeia (Anacardiaceae) (Ackery et al.,1995).
- 2669. Euphaedra (Euphaedrana) demeter Hecq,1983** (Argynnidae) Synonym(s): *demeter* Hecq,1983 _ Range (in code): GA CM CG
- 2670. Euphaedra (Euphaedrana) densamacula Hecq,1997** (Argynnidae) Synonym(s): *densamacula* Hecq,1997 _ Range (in code): CM
- 2671. Euphaedra (Euphaedrana) disjuncta Hecq,1984** (Argynnidae) Synonym(s): *disjuncta* Hecq,1984 _ Range (in code): ZR CF
- 2672. Euphaedra (Euphaedrana) disjuncta disjuncta Hecq,1984** (Argynnidae)
Synonym(s): *disjuncta* Hecq,1984 _ Range (in code): ZR CF
- 2673. Euphaedra (Euphaedrana) disjuncta virens Hecq,1984** (Argynnidae) Synonym(s): *virens* Hecq,1984 _ Range (in code): ZR
- 2674. Euphaedra (Euphaedrana) eberti Aurivillius,1896** (Argynnidae) Synonym(s): *eberti* Aurivillius,1896 _ Range (in code): ZR CF UG Rz
- 2675. Euphaedra (Euphaedrana) eberti eberti Aurivillius,1896** (Argynnidae)
Synonym(s): *eberti* Aurivillius,1896 _ Range (in code): CF ZR
- 2676. Euphaedra (Euphaedrana) eberti hamus Berger,1940** (Argynnidae) Synonym(s): *hamus* Berger,1940 _ Range (in code): ZR UG Rz
- 2677. Euphaedra (Euphaedrana) edwardsii (Van der Hoeven,1845)** (Argynnidae)
Synonym(s): *edwardsii* Van der Hoeven,1845; *pratinas* Doubleday,[1848]; *viridis* Suffert,1904; *#clarus* Aurivillius,1912; *clarus* D'Abrera,1980 _ Range (in code): GN GH TG ZR UG Bionomy: Larva on Lecaniodiscus (Sapindaceae) (Ackery et al.,1995).

- 2678. Euphaedra (Euphaedrana) eleus (Drury,1782)** (Argynnidae) Synonym(s): *eleus Drury,1782; erasmus Birket-Smith,1960* Range (in code): **SL CM ZR AO UG TZ** Bionomy: Larva on *Allophylus*, *Deinbollia*, *Paullinia*, *Phialodiscus* (Sapindaceae) (Ackery et al.,1995).
- 2679. Euphaedra (Euphaedrana) eleus gigas Hecq,1996** (Argynnidae) Synonym(s): *gigas Hecq,1996* Range (in code): **ZR**
- 2680. Euphaedra (Euphaedrana) eupalus (Fabricius,1781)** (Argynnidae) Synonym(s): *eupalus Fabricius,1781; erithonius Fabricius,1787; swanziana Butler,1868* Range (in code): **CI GH SL NG**
- 2681. Euphaedra (Euphaedrana) exerrata Hecq,1982** (Argynnidae) Synonym(s): *exerrata Hecq,1982* Range (in code): **NG CM**
- 2682. Euphaedra (Euphaedrana) fascinata Hecq,1984** (Argynnidae) Synonym(s): *fascinata Hecq,1984* Range (in code): **CM CG CF ZR**
- 2683. Euphaedra (Euphaedrana) ferruginea Staudinger,1886** (Argynnidae) Synonym(s): *ferruginea Staudinger,1886* Range (in code): **NG Caa CM CI ZR**
- 2684. Euphaedra (Euphaedrana) fontainei Hecq,1977** (Argynnidae) Synonym(s): *#agraphica Hecq,1977; fontainei Hecq,1977* Range (in code): **ZR AO GA**
- 2685. Euphaedra (Euphaedrana) francina (Godart,[1824])** (Argynnidae) Synonym(s): *francina Godart,[1824]; sophron Doubleday,[1848]* Range (in code): **SL LR CI**
- 2686. Euphaedra (Euphaedrana) francina exuberans Collins & Larsen,2005** (Argynnidae) Synonym(s): *exuberans Collins & Larsen,2005*
- 2687. Euphaedra (Euphaedrana) francina francina (Godart,[1824])** (Argynnidae) Synonym(s): *francina Godart,[1824]; sophron Doubleday,[1848]* Range (in code): **SL LR CI**
- 2688. Euphaedra (Euphaedrana) fulvofasciata Holland,1920** (Argynnidae) Synonym(s): *fulvofasciata Holland,1920; angustior Holland,1920; fulvofasciata Hecq,1984* Range (in code): **ZR CM**
- 2689. Euphaedra (Euphaedrana) grilloti Hecq,1983** (Argynnidae) Synonym(s): *grilloti Hecq,1983* Range (in code): **CG ZR**
- 2690. Euphaedra (Euphaedrana) harpalyce (Cramer,[1777])** (Argynnidae) Synonym(s): *harpalyce Cramer,[1777]; fasciata Staudinger,1886* Range (in code): **SN CM GH SL RW ZR AO CM UG SD GO Bio**
- 2691. Euphaedra (Euphaedrana) harpalyce comminuera Hecq,1999** (Argynnidae) Synonym(s): *comminuera Hecq,1999* Range (in code): **AO**
- 2692. Euphaedra (Euphaedrana) harpalyce dowsetti Hecq,1990** (Argynnidae) Synonym(s): *dowsetti Hecq,1990* Range (in code): **RW**
- 2693. Euphaedra (Euphaedrana) harpalyce evanescens Hecq,1995** (Argynnidae) Synonym(s): *evanescens Hecq,1995* Range (in code): **NG**
- 2694. Euphaedra (Euphaedrana) harpalyce harpalyce (Cramer,[1777])** (Argynnidae) Synonym(s): *harpalyce Cramer,[1777]; fasciata Staudinger,1886* Range (in code): **SN CM GH SL**
- 2695. Euphaedra (Euphaedrana) harpalyce lakuma Butler,1870** (Argynnidae) Synonym(s): *lakuma Butler,1870* Range (in code): **GH**
- 2696. Euphaedra (Euphaedrana) harpalyce serena Talbot,1928** (Argynnidae) Synonym(s): *serena Talbot,1928* Range (in code): **ZR**
- 2697. Euphaedra (Euphaedrana) harpalyce spatiosa (Mabille,1876)** (Argynnidae) Synonym(s): *spatiosa Mabille,1876* Range (in code): **AO CM UG**
- 2698. Euphaedra (Euphaedrana) harpalyce sudanensis Talbot,1929** (Argynnidae) Synonym(s): *sudanensis Talbot,1929* Range (in code): **SD UG**
- 2699. Euphaedra (Euphaedrana) harpalyce vana Hecq,1991** (Argynnidae) Synonym(s): *vana Hecq,1991* Range (in code): **GO Bio**
- 2700. Euphaedra (Euphaedrana) hybrida Hecq,1978** (Argynnidae) Synonym(s): *#hybridus Aurivillius,1898; hybrida Hecq,1978* Range (in code): **CF**
- 2701. Euphaedra (Euphaedrana) ignota Hecq,1996** (Argynnidae) Synonym(s): *ignota Hecq,1996* Range (in code): **GH**
- 2702. Euphaedra (Euphaedrana) illustris Talbot,1927** (Argynnidae) Synonym(s): *illustris Talbot,1927* Range (in code): **ZR**
- 2703. Euphaedra (Euphaedrana) inanum (Butler,1873)** (Argynnidae) Synonym(s): *inanum Butler,1873* Range (in code): **GN GH GA** Bionomy: Larva on *Sorindeia* (Anacardiaceae) (Ackery et al.,1995).
- 2704. Euphaedra (Euphaedrana) intermedia Rebel,1914** (Argynnidae) Synonym(s): *intermedia Rebel,1914; #obsoleta Joicey & Talbot,1921* Range (in code): **ZR**

- 2705. Euphaedra (Euphaedrana) jacksoni Hecq,1980** (Argynnidae) Synonym(s): *jacksoni* Hecq,1980 _ Range (in code): GA CG
- 2706. Euphaedra (Euphaedrana) janetta (Butler,1871)** (Argynnidae) Synonym(s): *janetta* Butler,1871; *#reducta* Bartel,1905; *janettina* Gaede,1916; *viridis* Schultze,1920 *nec Suff.*,1903; *#or* Hecq,1987
_ Range (in code): GH CM CF GO Bio ZR CI LR NG
- 2707. Euphaedra (Euphaedrana) janetta appositiva Hecq,1982** (Argynnidae) Synonym(s): *appositiva* Hecq,1982 _ Range (in code): CM
- 2708. Euphaedra (Euphaedrana) janetta campaspoides Hecq,1985** (Argynnidae) Synonym(s): *campaspoides* Hecq,1985 _ Range (in code): ZR CF
- 2709. Euphaedra (Euphaedrana) janetta insularis Schultze,1920** (Argynnidae) Synonym(s): *insularis* Schultze,1920 _ Range (in code): GO Bio
- 2710. Euphaedra (Euphaedrana) janetta janetta (Butler,1871)** (Argynnidae) Synonym(s): *janetta* Butler,1871; *#reducta* Bartel,1905; *janettina* Gaede,1916; *viridis* Schultze,1920 *nec Suff.*,1903; *#or* Hecq,1987
_ Range (in code): GH CM ZR CI LR NG
- 2711. Euphaedra (Euphaedrana) janetta or Hecq,1985** (Argynnidae) Synonym(s): *or* Hecq,1985 _ Range (in code): CI
- 2712. Euphaedra (Euphaedrana) janetta remota Hecq,1991** (Argynnidae) Synonym(s): *remota* Hecq,1991 _ Range (in code): CF ZR
- 2713. Euphaedra (Euphaedrana) jolyana Hecq,1986** (Argynnidae) Synonym(s): *jolyana* Hecq,1986 _ Range (in code): ZR
- 2714. Euphaedra (Euphaedrana) justicia Staudinger,1886** (Argynnidae) Synonym(s): *justicia* Staudinger,1886; *auretta* Gaede,1916 _ Range (in code): NG CM GA ZR
- 2715. Euphaedra (Euphaedrana) kakamegae Van Someren,1934** (Argynnidae) Synonym(s): *kakamegae* Van Someren,1934; *rex* Stoneham,1935; *bunyalae* Stoneham,1965 _ Range (in code): UG KE Kkm
- 2716. Euphaedra (Euphaedrana) katangensis Talbot,1927** (Argynnidae) Synonym(s): *katangensis* Talbot,1927 _ Range (in code): ZR ZM
- 2717. Euphaedra (Euphaedrana) knoopiana Hecq,1995** (Argynnidae) Synonym(s): *knoopiana* Hecq,1995 _ Range (in code): NG
- 2718. Euphaedra (Euphaedrana) laboureana Toulgoet,1957** (Argynnidae) Synonym(s): *laboureana* Toulgoet,1957 _ Range (in code): CM CI GN
- 2719. Euphaedra (Euphaedrana) laboureana bernaudi Hecq,1996** (Argynnidae) Synonym(s): *bernaudi* Hecq,1996 _ Range (in code): CM
- 2720. Euphaedra (Euphaedrana) laboureana eburnensis Hecq,1979** (Argynnidae) Synonym(s): *eburnensis* Hecq,1979 _ Range (in code): CI GN Bionomy: Larva on *Deinbollia* (Sapindaceae) (Ackery et al.,1995).
- 2721. Euphaedra (Euphaedrana) laboureana laboureana Toulgoet,1957** (Argynnidae) Synonym(s): *laboureana* Toulgoet,1957 _ Range (in code): GN
- 2722. Euphaedra (Euphaedrana) laguerrei Hecq,1979** (Argynnidae) Synonym(s): *laguerrei* Hecq,1979 _ Range (in code): CI Bionomy: Larva on *Cola* (Sterculiaceae) (Ackery et al.,1995).
- 2723. Euphaedra (Euphaedrana) leloupi Overlaet,1955** (Argynnidae) Synonym(s): *leloupi* Overlaet,1955 _ Range (in code): ZR
- 2724. Euphaedra (Euphaedrana) losinga (Hewitson,1864)** (Argynnidae) Synonym(s): *losinga* Hewitson,1864 _ Range (in code): GO Bio NG CM ZR AO CF
- 2725. Euphaedra (Euphaedrana) losinga knoopi Hecq,1988** (Argynnidae) Synonym(s): *knoopi* Hecq,1988 _ Range (in code): NG
- 2726. Euphaedra (Euphaedrana) losinga limita Hecq,1978** (Argynnidae) Synonym(s): *limita* Hecq,1978; *arcana* Hecq,1978 _ Range (in code): ZR
- 2727. Euphaedra (Euphaedrana) losinga losinga (Hewitson,1864)** (Argynnidae) Synonym(s): *losinga* Hewitson,1864 _ Range (in code): CF ZR
- 2728. Euphaedra (Euphaedrana) losinga wardi (Druce,1874)** (Argynnidae) Synonym(s): *wardi* Druce,1874; *johnstoni* Butler,1888; *#janthina* Schultze,1920 _ Range (in code): GO Bio NG CM ZR AO
- 2729. Euphaedra (Euphaedrana) luteolucens Hecq,1995** (Argynnidae) Synonym(s): *luteolucens* Hecq,1995 _ Range (in code): NG
- 2730. Euphaedra (Euphaedrana) margaritifera Schultze,1920** (Argynnidae) Synonym(s): *margaritifera* Schultze,1920; *zenkeri* Neustetter,1927 _ Range (in code): CM

- 2731. Euphaedra (Euphaedrana) margueriteae Hecq,1978** (Argynnidae) Synonym(s): *margueriteae Hecq,1978* _ Range (in code): ZR KvU RW UG
- 2732. Euphaedra (Euphaedrana) mayumbensis Hecq,1984** (Argynnidae) Synonym(s): *mayumbensis Hecq,1984* _ Range (in code): CF ZR
- 2733. Euphaedra (Euphaedrana) minuta Hecq,1982** (Argynnidae) Synonym(s): *minuta Hecq,1982* _ Range (in code): CI
- 2734. Euphaedra (Euphaedrana) miranda Hecq,1984** (Argynnidae) Synonym(s): *miranda Hecq,1984* _ Range (in code): CF ZR
- 2735. Euphaedra (Euphaedrana) modesta Hecq,1982** (Argynnidae) Synonym(s): *modesta Hecq,1982* _ Range (in code): CI Bionomy: Larva on Blighia (Sapindaceae) (Ackery et al.,1995).
- 2736. Euphaedra (Euphaedrana) murphyi Hecq,1991** (Argynnidae) Synonym(s): *murphyi Hecq,1991* _ Range (in code): MW
- 2737. Euphaedra (Euphaedrana) neumanni Rothschild,1902** (Argynnidae) Synonym(s): *neumanni Rothschild,1902* _ Range (in code): SD ET
- 2738. Euphaedra (Euphaedrana) nigrobasalis Joicey & Talbot,1921** (Argynnidae) Synonym(s): *nigrobasalis Joicey & Talbot,1921; upemba Overlaet,1955* _ Range (in code): ZR MW
- 2739. Euphaedra (Euphaedrana) nigrobasalis ceramica Hecq,1991** (Argynnidae) Synonym(s): *ceramica Hecq,1991* _ Range (in code): MW
- 2740. Euphaedra (Euphaedrana) nigrobasalis nigrobasalis Joicey & Talbot,1921** (Argynnidae) Synonym(s): *nigrobasalis Joicey & Talbot,1921; upemba Overlaet,1955* _ Range (in code): ZR
- 2741. Euphaedra (Euphaedrana) nigrocilia Lathy,1903** (Argynnidae) Synonym(s): *nigrocilia Lathy,1903* _ Range (in code): NG CI GN GH
- 2742. Euphaedra (Euphaedrana) nigrocilia nigrocilia Lathy,1903** (Argynnidae) Synonym(s): *nigrocilia Lathy,1903* _ Range (in code): NG
- 2743. Euphaedra (Euphaedrana) niveovittata Overlaet,1955** (Argynnidae) Synonym(s): *#niveovittata Aurivillius,1903; niveovittata Overlaet,1955* _ Range (in code): ZR
- 2744. Euphaedra (Euphaedrana) ochracea Hecq,1978** (Argynnidae) Synonym(s): *ochracea Hecq,1978* _ Range (in code): ZR Bionomy: Larva on Allophylus (Sapindaceae) (Ackery et al.,1995).
- 2745. Euphaedra (Euphaedrana) ochrovirens Hecq,1984** (Argynnidae) Synonym(s): *ochrovirens Hecq,1984* _ Range (in code): CM ZR
- 2746. Euphaedra (Euphaedrana) olivacea Grünberg,1908** (Argynnidae) Synonym(s): *olivacea Grünberg,1908; sordida Talbot,1929* _ Range (in code): UG
- 2747. Euphaedra (Euphaedrana) orientalis Rothschild,1898** (Argynnidae) Synonym(s): *orientalis Rothschild,1898; nguruensis Stoneham,1956* _ Range (in code): ZW MW TZ Tnga Usa Ani MZ KE
- 2748. Euphaedra (Euphaedrana) overlaeti Hulstaert,1926** (Argynnidae) Synonym(s): *overlaeti Hulstaert,1926* _ Range (in code): ZR ZM
- 2749. Euphaedra (Euphaedrana) paradoxa Neave,1904** (Argynnidae) Synonym(s): *paradoxa Neave,1904; difficilis Rothschild,1918; zukumaensis Stoneham,1956* _ Range (in code): KE TZ UG
- 2750. Euphaedra (Euphaedrana) permixtum (Butler,1873)** (Argynnidae) Synonym(s): *permixtum Butler,1873; innocentia Staudinger,1886; rubronotata Sharpe,1891* _ Range (in code): NG CM GA ZR
- 2751. Euphaedra (Euphaedrana) permixtum diva Hecq,1982** (Argynnidae) Synonym(s): *diva Hecq,1982* _ Range (in code): NG CM GA
- 2752. Euphaedra (Euphaedrana) permixtum permixtum (Butler,1873)** (Argynnidae) Synonym(s): *permixtum Butler,1873; innocentia Staudinger,1886; rubronotata Sharpe,1891* _ Range (in code): GA ZR
- 2753. Euphaedra (Euphaedrana) perseis (Drury,[1773])** (Argynnidae) Synonym(s): *perseis Drury,[1773]; #pseudeleus Hall,1935* _ Range (in code): SL CI
- 2754. Euphaedra (Euphaedrana) persephona Hecq,1983** (Argynnidae) Synonym(s): *persephona Hecq,1983* _ Range (in code): CM
- 2755. Euphaedra (Euphaedrana) phaethusa (Butler,1866)** (Argynnidae) Synonym(s): *phaethusa Butler,1866; vespasia Möschler,1887; adelica Bartel,1905; #aurea Neustetter,1927; ceroides Hecq,1983; aurea Hecq,1983* _ Range (in code): GN NG GH TG SL LR
- 2756. Euphaedra (Euphaedrana) phosphor Joicey & Talbot,1921** (Argynnidae) Synonym(s): *phosphor Joicey & Talbot,1921* _ Range (in code): TZ ZR BI

- 2757. Euphaedra (Euphaedrana) piriformis Hecq,1982** (Argynnidae) Synonym(s): *piriformis Hecq,1982* _ Range (in code): CM GA CG ZR
- 2758. Euphaedra (Euphaedrana) preussi Staudinger,1891** (Argynnidae) Synonym(s): *preussi Staudinger,1891; njamjami Staudinger,1891; #albovittata Aurivillius,1902; #ochrofasciata Rebel,1914; albipunctata Gaede,1916; marginemaculata Gaede,1916; flavofasciata Gaede,1916; notata Holland,1920; latefasciata Holland,1920; #obsoleta Joicey & Talbot,1921; lacteata Talbot,1929* _ Range (in code): CM CF Nja UG ZR AO ET
- 2759. Euphaedra (Euphaedrana) preussi pallida Hecq,1984** (Argynnidae) Synonym(s): *pallida Hecq,1984* _ Range (in code): ZR
- 2760. Euphaedra (Euphaedrana) preussi perochrata Ungemach,1932** (Argynnidae) Synonym(s): *perochrata Ungemach,1932* _ Range (in code): ET
- 2761. Euphaedra (Euphaedrana) preussi preussi Staudinger,1891** (Argynnidae) Synonym(s): *preussi Staudinger,1891; njamjami Staudinger,1891; #albovittata Aurivillius,1902; #ochrofasciata Rebel,1914; albipunctata Gaede,1916; marginemaculata Gaede,1916; flavofasciata Gaede,1916; notata Holland,1920; latefasciata Holland,1920; #obsoleta Joicey & Talbot,1921; lacteata Talbot,1929* _ Range (in code): CM CF Nja UG ZR AO
- 2762. Euphaedra (Euphaedrana) preussiana Gaede,1916** (Argynnidae) Synonym(s): *preussiana Gaede,1916* _ Range (in code): CM ZR
- 2763. Euphaedra (Euphaedrana) preussiana preussiana Gaede,1916** (Argynnidae) Synonym(s): *preussiana Gaede,1916* _ Range (in code): CM ZR
- 2764. Euphaedra (Euphaedrana) preussiana protea Hecq,1983** (Argynnidae) Synonym(s): *protea Hecq,1983* _ Range (in code): NG
- 2765. Euphaedra (Euphaedrana) preussiana robusta Hecq,1983** (Argynnidae) Synonym(s): *robusta Hecq,1983*
- 2766. Euphaedra (Euphaedrana) procera Hecq,1984** (Argynnidae) Synonym(s): *procera Hecq,1984* _ Range (in code): CF ZR UG
- 2767. Euphaedra (Euphaedrana) proserpina Hecq,1983** (Argynnidae) Synonym(s): *proserpina Hecq,1983* _ Range (in code): CM NG
- 2768. Euphaedra (Euphaedrana) proserpina proserpina Hecq,1983** (Argynnidae) Synonym(s): *proserpina Hecq,1983* _ Range (in code): NG
- 2769. Euphaedra (Euphaedrana) proserpina tisiphona Hecq,1983** (Argynnidae) Synonym(s): *tisiphona Hecq,1983* _ Range (in code): CM
- 2770. Euphaedra (Euphaedrana) rattrayi Sharpe,1904** (Argynnidae) Synonym(s): *rattrayi Sharpe,1904; latifasciata Talbot,1929 nec Holl.,1920; alternus Van Someren,1935; #bwambaensis Stoneham,1956* _ Range (in code): KE UG Rz ZR
- 2771. Euphaedra (Euphaedrana) rattrayi coeruleomaculata Hecq,1991** (Argynnidae) Synonym(s): *#coeruleomaculata Stoneham,1932; coeruleomaculata Hecq,1991* _ Range (in code): KE
- 2772. Euphaedra (Euphaedrana) rattrayi rattrayi Sharpe,1904** (Argynnidae) Synonym(s): *rattrayi Sharpe,1904; latifasciata Talbot,1929 nec Holl.,1920; alternus Van Someren,1935; #bwambaensis Stoneham,1956* _ Range (in code): UG Rz ZR
- 2773. Euphaedra (Euphaedrana) ravola (Hewitson,1866)** (Argynnidae) Synonym(s): *ravola Hewitson,1866; #insignis Hecq,1983* _ Range (in code): LR ZR
- 2774. Euphaedra (Euphaedrana) regularis Hecq,1983** (Argynnidae) Synonym(s): *regularis Hecq,1983* _ Range (in code): ZR
- 2775. Euphaedra (Euphaedrana) rezia (Hewitson,1866)** (Argynnidae) Synonym(s): *rezia Hewitson,1866* _ Range (in code): NG GA CM CG Bionomy: Larva on Pancovia (Sapindaceae) (Ackery et al.,1995).
- 2776. Euphaedra (Euphaedrana) ruspina (Hewitson,1865)** (Argynnidae) Synonym(s): *ruspina Hewitson,1865* _ Range (in code): NG Caa CM GA AO ZR UG TZ
- 2777. Euphaedra (Euphaedrana) sangbae Hecq,1996** (Argynnidae) Synonym(s): *sangbae Hecq,1996* _ Range (in code): CF
- 2778. Euphaedra (Euphaedrana) sarita (Sharpe,1891)** (Argynnidae) Synonym(s): *sarita Sharpe,1891; #stigmatica Hecq,1977* _ Range (in code): ZR CF CG ET
- 2779. Euphaedra (Euphaedrana) sarita abyssinica Rothschild,1902** (Argynnidae) Synonym(s): *abyssinica Rothschild,1902* _ Range (in code): ET
- 2780. Euphaedra (Euphaedrana) sarita lulua Hecq,1977** (Argynnidae) Synonym(s): *lulua Hecq,1977* _ Range (in code): ZR

- 2781. Euphaedra (Euphaedrana) sarita sarita (Sharpe,1891)** (Argynnidae) Synonym(s): *sarita* Sharpe,1891; *#stigmatica* Hecq,1977 - Range (in code): ZR CF CG
- 2782. Euphaedra (Euphaedrana) scrupulosa Hecq,1997** (Argynnidae) Synonym(s): *scrupulosa* Hecq,1997 - Range (in code): BJ
- 2783. Euphaedra (Euphaedrana) semipreussiana Hecq,1993** (Argynnidae) Synonym(s): *semipreussiana* Hecq,1993 - Range (in code): CM
- 2784. Euphaedra (Euphaedrana) simplex Hecq,1978** (Argynnidae) Synonym(s): *simplex* Hecq,1978 - Range (in code): ZR
- 2785. Euphaedra (Euphaedrana) solida Hecq,1997** (Argynnidae) Synonym(s): *solida* Hecq,1997 - Range (in code): ZR
- 2786. Euphaedra (Euphaedrana) splendens Hecq,1982** (Argynnidae) Synonym(s): *splendens* Hecq,1982 - Range (in code): NG CM CG GO Bio GH
- 2787. Euphaedra (Euphaedrana) splendens ghanaensis Hecq & Joly,2004** (Argynnidae) Synonym(s): *ghanaensis* Hecq & Joly,2004 - Original Reference: Euphaedra splendens ssp. ghanaensis Hecq & Joly,2004, Lambillionea 104 (1): 59. Range (in code): GH
- 2788. Euphaedra (Euphaedrana) splendens splendens Hecq,1982** (Argynnidae) Synonym(s): *splendens* Hecq,1982 - Range (in code): NG CM CG GO Bio
- 2789. Euphaedra (Euphaedrana) stellata Hecq,1991** (Argynnidae) Synonym(s): *stellata* Hecq,1991 - Range (in code): CM
- 2790. Euphaedra (Euphaedrana) subferruginea Guillaumin,1976** (Argynnidae) Synonym(s): *subferruginea* Guillaumin,1976 - Range (in code): CF ZR
- 2791. Euphaedra (Euphaedrana) subprotea Hecq,1986** (Argynnidae) Synonym(s): *subprotea* Hecq,1986 - Range (in code): CM GA CG ZR
- 2792. Euphaedra (Euphaedrana) subviridis Holland,1920** (Argynnidae) Synonym(s): *subviridis* Holland,1920 - Range (in code): ZR
- 2793. Euphaedra (Euphaedrana) tenebrosa Hecq,1983** (Argynnidae) Synonym(s): *tenebrosa* Hecq,1983 - Range (in code): GN CI GH
- 2794. Euphaedra (Euphaedrana) themis (Hübner,[1807])** (Argynnidae) Synonym(s): *themis* Hübner,[1807]; *viridifasciata* Schultze,1920; *paupera* Schultze,1920; *#albida* Schultze,1920; *#illuminata* Hecq,1991 - Range (in code): TG CI CG CM GN SL
- 2795. Euphaedra (Euphaedrana) themis composita Wichgraf,1921** (Argynnidae) Synonym(s): *composita* Wichgraf,1921 - Range (in code): SL
- 2796. Euphaedra (Euphaedrana) themis themis (Hübner,[1807])** (Argynnidae) Synonym(s): *themis* Hübner,[1807]; *viridifasciata* Schultze,1920; *paupera* Schultze,1920; *#albida* Schultze,1920; *#illuminata* Hecq,1991 - Range (in code): TG CI CG CM GN
- 2797. Euphaedra (Euphaedrana) ueleana Hecq,1982** (Argynnidae) Synonym(s): *ueleana* Hecq,1982 - Range (in code): ZR
- 2798. Euphaedra (Euphaedrana) uganda Aurivillius,1895** (Argynnidae) Synonym(s): *uganda* Aurivillius,1895 - Range (in code): UG TZ - Bionomy: Larva on Rhus (Anacardiaceae), Allophylus, Deinbollia (Sapindaceae) (Ackery et al.,1995).
- 2799. Euphaedra (Euphaedrana) uganda minzuru Hecq,1992** (Argynnidae) Synonym(s): *minzuru* Hecq,1992 - Range (in code): TZ
- 2800. Euphaedra (Euphaedrana) uganda uganda Aurivillius,1895** (Argynnidae) Synonym(s): *uganda* Aurivillius,1895 - Range (in code): UG
- 2801. Euphaedra (Euphaedrana) uniformis (Neustetter,1952)** (Argynnidae) Synonym(s): *#uniformis* Neustetter,1916; *uniformis* Neustetter,1952 - Range (in code): CM GA ZR
- 2802. Euphaedra (Euphaedrana) variabilis Guillaumin,1976** (Argynnidae) Synonym(s): *variabilis* Guillaumin,1976 - Range (in code): GA ZR
- 2803. Euphaedra (Euphaedrana) velutina Hecq,1997** (Argynnidae) Synonym(s): *velutina* Hecq,1997 - Range (in code): NG GH
- 2804. Euphaedra (Euphaedrana) vetusta (Butler,1871)** (Argynnidae) Synonym(s): *vetusta* Butler,1871 - Range (in code): SL
- 2805. Euphaedra (Euphaedrana) vicina Hecq,1984** (Argynnidae) Synonym(s): *preussi* Staudinger,1891 nec Stgr.,1891; *vicina* Hecq,1984 - Range (in code): ZR CM NG UG
- 2806. Euphaedra (Euphaedrana) vicina longiqua Hecq,1984** (Argynnidae) Synonym(s): *longiqua* Hecq,1984 - Range (in code): NG

- 2807. Euphaedra (Euphaedrana) vicina pallidoides Hecq,1984** (Argynnidae)
Synonym(s): *pallidoides* Hecq,1984 _ Range (in code): ZR
- 2808. Euphaedra (Euphaedrana) vicina vicina Hecq,1984** (Argynnidae) Synonym(s):
preussi Staudinger,1891 *nec* Stgr.,1891; *vicina* Hecq,1984 _ Range (in code): ZR CM UG
- 2809. Euphaedra (Euphaedrana) villiersi Condamin,1964** (Argynnidae) Synonym(s):
villiersi Condamin,1964 _ Range (in code): SN GN
- 2810. Euphaedra (Euphaedrana) viridicaerulea Bartel,1905** (Argynnidae) Synonym(s):
viridicaerulea Bartel,1905 _ Range (in code): KE UG CF ZR GA CM NG
- 2811. Euphaedra (Euphaedrana) viridicaerulea griseargentina Hecq,1977**
(Argynnidae) Synonym(s): *griseargentina* Hecq,1977 _ Range (in code): ZR
- 2812. Euphaedra (Euphaedrana) viridicaerulea inanoides Holland,1920** (Argynnidae)
Synonym(s): *inanoides* Holland,1920 _ Range (in code): ZR
- 2813. Euphaedra (Euphaedrana) viridicaerulea nitidula Van Someren,1935**
(Argynnidae) Synonym(s): *#viridis* Rothschild,1918; *nitidula* Van Someren,1935; *subargentina* Hecq,1977
Range (in code): UG KE
- 2814. Euphaedra (Euphaedrana) viridicaerulea viridicaerulea Bartel,1905**
(Argynnidae) Synonym(s): *viridicaerulea* Bartel,1905 _ Range (in code): CM GA CF
- 2815. Euphaedra (Euphaedrana) wojtusiaki Hecq,1993** (Argynnidae) Synonym(s):
wojtusiaki Hecq,1993 _ Range (in code): NG
- 2816. Euphaedra (Euphaedrana) xerophila Hecq,1974** (Argynnidae) Synonym(s): *xerophila*
Hecq,1974 _ Range (in code): ZR
- 2817. Euphaedra (Euphaedrana) zampa (Westwood,[1850])** (Argynnidae) Synonym(s):
zampa Westwood,[1850]; *occidentalis* Gaede,1916 _ Range (in code): CM SL GH
- 2818. Euphaedra (Gausapia) athena Hecq & Joly,2003** (Argynnidae) Synonym(s): *athena*
Hecq & Joly,2003
- 2819. Euphaedra (Gausapia) barnsi Joicey & Talbot,1922** (Argynnidae) Synonym(s):
barnsi Joicey & Talbot,1922 _ Range (in code): ZR RW BI
- 2820. Euphaedra (Gausapia) calliope Hecq,1981** (Argynnidae) Synonym(s): *calliope*
Hecq,1981 _ Range (in code): CM NG CG
- 2821. Euphaedra (Gausapia) calliope aurichalca Hecq,2004** (Argynnidae) Synonym(s):
aurichalca Hecq,2004 _ Range (in code): NG
- 2822. Euphaedra (Gausapia) calliope calliope Hecq,1981** (Argynnidae) Synonym(s):
calliope Hecq,1981 _ Range (in code): CM NG
- 2823. Euphaedra (Gausapia) christyi Sharpe,1904** (Argynnidae) Synonym(s): *christyi*
Sharpe,1904 _ Range (in code): UG
- 2824. Euphaedra (Gausapia) clio Hecq,1981** (Argynnidae) Synonym(s): *clio* Hecq,1981
Range (in code): CF ZR
- 2825. Euphaedra (Gausapia) ducarmei Hecq,1977** (Argynnidae) Synonym(s): *ducarmei*
Hecq,1977 _ Range (in code): ZR
- 2826. Euphaedra (Gausapia) erici Hecq & Joly,1987** (Argynnidae) Synonym(s): *erici* Hecq &
Joly,1987 _ Range (in code): ZR
- 2827. Euphaedra (Gausapia) extensa Hecq,1981** (Argynnidae) Synonym(s): *#extensa*
Bartel,1905; *extensa* Hecq,1981 _ Range (in code): CM GO Bio
- 2828. Euphaedra (Gausapia) gausape (Butler,1866)** (Argynnidae) Synonym(s): *gausape*
Butler,1866 _ Range (in code): CI NG
- 2829. Euphaedra (Gausapia) hastiri Hecq,1981** (Argynnidae) Synonym(s): *hastiri* Hecq,1981
Range (in code): GN SN SL
- 2830. Euphaedra (Gausapia) hastiri hastiri Hecq,1981** (Argynnidae) Synonym(s): *hastiri*
Hecq,1981 _ Range (in code): GN SN
- 2831. Euphaedra (Gausapia) hastiri polymnie Hecq,1981** (Argynnidae) Synonym(s):
polymnie Hecq,1981 _ Range (in code): SL
- 2832. Euphaedra (Gausapia) judith Weymer,1892** (Argynnidae) Synonym(s): *judith*
Weymer,1892 _ Range (in code): SL CI
- 2833. Euphaedra (Gausapia) judith judith Weymer,1892** (Argynnidae) Synonym(s): *judith*
Weymer,1892 _ Range (in code): SL
- 2834. Euphaedra (Gausapia) landbecki Rothschild,1918** (Argynnidae) Synonym(s):
landbecki Rothschild,1918 _ Range (in code): ZR

- 2835. Euphaedra (Gausapia) mariaechristinae Hecq & Joly,2003** (Argynnidae)
Synonym(s): *mariaechristinae* Hecq & Joly,2003
- 2836. Euphaedra (Gausapia) mbamou Hecq,1987** (Argynnidae) Synonym(s): *mbamou* Hecq,1987 _ Range (in code): CG ZR
- 2837. Euphaedra (Gausapia) melpomene Hecq,1981** (Argynnidae) Synonym(s): *melpomene* Hecq,1981 _ Range (in code): LR
- 2838. Euphaedra (Gausapia) melpomene aubergeriana Hecq,1981** (Argynnidae)
Synonym(s): *aubergeriana* Hecq,1981 _ Range (in code): CI
- 2839. Euphaedra (Gausapia) morini Hecq,1983** (Argynnidae) Synonym(s): *morini* Hecq,1983
Range (in code): CG ZR AO
- 2840. Euphaedra (Gausapia) ombrophila Hecq,1981** (Argynnidae) Synonym(s): *ombrophila* Hecq,1981 _ Range (in code): CG
- 2841. Euphaedra (Gausapia) pallas Hecq,2004** (Argynnidae) Synonym(s): *pallas* Hecq,2004
- 2842. Euphaedra (Gausapia) plantroui Hecq,1981** (Argynnidae) Synonym(s): *plantroui* Hecq,1981 _ Range (in code): CI
- 2843. Euphaedra (Gausapia) thalie Hecq,1981** (Argynnidae) Synonym(s): *thalie* Hecq,1981
Range (in code): ZR
- 2844. Euphaedra (Gausapia) zaddachii Dewitz,1879** (Argynnidae) Synonym(s): *zaddachii* Dewitz,1879 _ Range (in code): AO ZR
- 2845. Euphaedra (Gausapia) zaddachii elephantina Staudinger,1891** (Argynnidae)
Synonym(s): *elephantina* Staudinger,1891 _ Range (in code): ZR CM
- 2846. Euphaedra (Gausapia) zaddachii zaddachii Dewitz,1879** (Argynnidae) Synonym(s): *zaddachii* Dewitz,1879 _ Range (in code): AO ZR
- 2847. Euphaedra (Hecqia) neophron (Hopffer,1855)** (Argynnidae) Synonym(s): *neophron* Hopffer,1855; *zambesia* C.Felder & R.Felder,[1867] _ Range (in code): ZA Nta Kzu ZW MW Zom SO KE Kya TZ Mru Kmj Pb Usa Tnga Ani
- 2848. Euphaedra (Hecqia) neophron ellenbecki Pagenstecher,1902** (Argynnidae)
Synonym(s): *ellenbecki* Pagenstecher,1902 _ Range (in code): SO KE
- 2849. Euphaedra (Hecqia) neophron kiellandi Hecq,1985** (Argynnidae) Synonym(s): *kiellandi* Hecq,1985 _ Range (in code): TZ
- 2850. Euphaedra (Hecqia) neophron littoralis Talbot,1929** (Argynnidae) Synonym(s): *littoralis* Talbot,1929 _ Range (in code): KE TZ
- 2851. Euphaedra (Hecqia) neophron meruensis Van Someren,1935** (Argynnidae)
Synonym(s): *meruensis* Van Someren,1935 _ Range (in code): KE Mru Kya
- 2852. Euphaedra (Hecqia) neophron neophron (Hopffer,1855)** (Argynnidae)
Synonym(s): *neophron* Hopffer,1855; *zambesia* C.Felder & R.Felder,[1867] _ Range (in code): TZ Tnga Usa Ani ZA Nta Kzu ZW MW Zom
- 2853. Euphaedra (Hecqia) neophron rydoni Howarth,1969** (Argynnidae) Synonym(s): *rydoni* Howarth,1969 _ Range (in code): TZ Pb
- 2854. Euphaedra (Hecqia) neophron violacea (Butler,1888)** (Argynnidae) Synonym(s): *violacea* Butler,1888 _ Range (in code): TZ Mru Kmj KE
- 2855. Euphaedra abri Faravel,2005** (Argynnidae) Synonym(s): *abri* Faravel,2005
- 2856. Euphaedra abri Faravel,2005** (Argynnidae) Synonym(s): *abri* Faravel,2005 _ Range (in code): GA
- 2857. Euphaedra acuta Hecq,1977** (Argynnidae) Synonym(s): *acuta* Hecq,1977 _ Range (in code): NG CM ZR
- 2858. Euphaedra adolfriderici Schultze,1920** (Argynnidae) Synonym(s): *adolfriderici* Schultze,1920 _ Range (in code): CM ZR
- 2859. Euphaedra alava Hecq,2000** (Argynnidae) Synonym(s): *alava* Hecq,2000
- 2860. Euphaedra alboides Hecq,1984** (Argynnidae) Synonym(s): *alboides* Hecq,1984 _ Range (in code): ZR
- 2861. Euphaedra alternus Van Someren,1935** (Argynnidae) Synonym(s): *alternus* Van Someren,1935
- 2862. Euphaedra ansorgei Rothschild,1918** (Argynnidae) Synonym(s): *ansorgei* Rothschild,1918; *themidoides* Gaede,1916 _ Range (in code): GA ZR CM
- 2863. Euphaedra aubergeri Hecq,1977** (Argynnidae) Synonym(s): *aubergeri* Hecq,1977
Range (in code): CI

- 2864. *Euphaedra aurivillii* Niepelt,1914** (Argynnidae) Synonym(s): *aurivillii* Niepelt,1914
Range (in code): ZR
- 2865. *Euphaedra bombeana* D'Abrera,1980** (Argynnidae) Synonym(s): *#bombeana* Strand,1912; *bombeana* D'Abrera,1980 Range (in code): ZR CM NG
- 2866. *Euphaedra brevis* Hecq,1977** (Argynnidae) Synonym(s): *brevis* Hecq,1977 Range (in code): GO CM ZR
- 2867. *Euphaedra caerulescens* Grose-Smith,1890** (Argynnidae) Synonym(s): *caerulescens* Grose-Smith,1890; *cyanea* Holland,1920 Range (in code): CF ZR UG
- 2868. *Euphaedra castanea* Berger,1981** (Argynnidae) Synonym(s): *castanea* Berger,1981
Range (in code): ZR
- 2869. *Euphaedra cottoni* Sharpe,1907** (Argynnidae) Synonym(s): *cottoni* Sharpe,1907; *rezioides* Holland,1920 Range (in code): CM ZR
- 2870. *Euphaedra crawshayi* Butler,1895** (Argynnidae) Synonym(s): *crawshayi* Butler,1895
Range (in code): MW ZR RW BI TZ ZM
- 2871. *Euphaedra crockeri* (Butler,1869)** (Argynnidae) Synonym(s): *crockeri* Butler,1869
Range (in code): GH CI LR SL
- 2872. *Euphaedra crockeri crockeri* (Butler,1869)** (Argynnidae) Synonym(s): *crockeri* Butler,1869 Range (in code): GH
- 2873. *Euphaedra crockeri umbratilis* Hecq,1987** (Argynnidae) Synonym(s): *umbratilis* Hecq,1987 Range (in code): CI LR SL
- 2874. *Euphaedra crossei* Sharpe,1902** (Argynnidae) Synonym(s): *crossei* Sharpe,1902; *aureofasciata* Lathy,1903 Range (in code): NG
- 2875. *Euphaedra cuprea* Hecq,1980** (Argynnidae) Synonym(s): *cuprea* Hecq,1980 Range (in code): ZR
- 2876. *Euphaedra cuypersiana* Hecq,2006** (Argynnidae) Synonym(s): *cuypersiana* Hecq,2006
- 2877. *Euphaedra cyparissa* (Cramer,[1775])** (Argynnidae) Synonym(s): *cyparissa* Cramer,[1775]; *cato* Fabricius,1787; *aureola* Rothschild,1918 nec Kirb.,1889 Range (in code): CI GH GN SL ZR CF NG CM
- 2878. *Euphaedra cyparissa aurata* Carpenter,1895** (Argynnidae) Synonym(s): *aurata* Carpenter,1895 Range (in code): CM NG
- 2879. *Euphaedra cyparissa cyparissa* (Cramer,[1775])** (Argynnidae) Synonym(s): *cyparissa* Cramer,[1775]; *cato* Fabricius,1787; *aureola* Rothschild,1918 nec Kirb.,1889 Range (in code): GN SL ZR CF
- 2880. *Euphaedra cyparissa tai* Hecq,1986** (Argynnidae) Synonym(s): *tai* Hecq,1986 Range (in code): CI GH
- 2881. *Euphaedra dargei* Hecq,1975** (Argynnidae) Synonym(s): *dargei* Hecq,1975 Range (in code): CM
- 2882. *Euphaedra dubreka* Collins & Larsen,2005** (Argynnidae) Synonym(s): *dubreka* Collins & Larsen,2005
- 2883. *Euphaedra eusemoides* (Grose-Smith & Kirby,1889)** (Argynnidae) Synonym(s): *eusemoides* Grose-Smith & Kirby,1889; *coeruleopunctata* Gaede,1916 Range (in code): GH SL CI
- 2884. *Euphaedra grandis* Hecq,1980** (Argynnidae) Synonym(s): *grandis* Hecq,1980 Range (in code): ZR
- 2885. *Euphaedra graueri* Rothschild,1918** (Argynnidae) Synonym(s): *graueri* Rothschild,1918
Range (in code): ZR
- 2886. *Euphaedra hebes* Hecq,1980** (Argynnidae) Synonym(s): *hebes* Hecq,1980 Range (in code): NG GH CI
- 2887. *Euphaedra herberti* (Sharpe,1891)** (Argynnidae) Synonym(s): *herberti* Sharpe,1891
Range (in code): ZR
- 2888. *Euphaedra herberti herberti* (Sharpe,1891)** (Argynnidae) Synonym(s): *herberti* Sharpe,1891 Range (in code): ZR
- 2889. *Euphaedra herberti katanga* Hecq,1980** (Argynnidae) Synonym(s): *katanga* Hecq,1980
Range (in code): ZR
- 2890. *Euphaedra hewitsoni* Hecq,1974** (Argynnidae) Synonym(s): *hewitsoni* Hecq,1974
Range (in code): GO Bio NG CM GA CG CF ZR UG
- 2891. *Euphaedra hewitsoni angusta* Hecq,1974** (Argynnidae) Synonym(s): *angusta* Hecq,1974
Range (in code): ZR UG
- 2892. *Euphaedra hewitsoni bipuncta* Hecq,1974** (Argynnidae) Synonym(s): *bipuncta* Hecq,1974 Range (in code): CF ZR

- 2893. *Euphaedra hewitsoni disclara* Hecq,1991** (Argynnidae) Synonym(s): *disclara* Hecq,1991
Range (in code): GO Bio
- 2894. *Euphaedra hewitsoni hewitsoni* Hecq,1974** (Argynnidae) Synonym(s): *hewitsoni* Hecq,1974 Range (in code): CM GA CG
- 2895. *Euphaedra hewitsoni somptuosa* Hecq,1974** (Argynnidae) Synonym(s): *somptuosa* Hecq,1974 Range (in code): NG
- 2896. *Euphaedra hollandi* Hecq,1974** (Argynnidae) Synonym(s): *hollandi* Hecq,1974 Range (in code): SL NG UG ZR CM CG CF
- 2897. *Euphaedra hollandi albocoerulea* Hecq,1976** (Argynnidae) Synonym(s): *#albocoerulea* Rothschild,1918; *albocoerulea* Hecq,1976 Range (in code): SL NG
- 2898. *Euphaedra hollandi hollandi* Hecq,1974** (Argynnidae) Synonym(s): *diffusa* Gaede,1916; *cyanea* Holland,1920 nec Holl.,1920; *hollandi* Hecq,1974 Range (in code): ZR CM CG CF UG
- 2899. *Euphaedra imitans* Holland,1893** (Argynnidae) Synonym(s): *imitans* Holland,1893; *interjecta* Gaede,1916 Range (in code): GA CM CG ZR
- 2900. *Euphaedra imperialis* Lindemans,1910** (Argynnidae) Synonym(s): *imperialis* Lindemans,1910 Original Reference: Euphaedra imperialis Lindemans,1910, Tijdschr. Ent. 53: 278. Range (in code): ZR GA CM NG
- 2901. *Euphaedra imperialis arta* Hecq,1979** (Argynnidae) Synonym(s): *arta* Hecq,1979 Range (in code): ZR
- 2902. *Euphaedra imperialis gabonica* Rothschild,1918** (Argynnidae) Synonym(s): *gabonica* Rothschild,1918 Range (in code): GA
- 2903. *Euphaedra imperialis hecqui* Darge,1974** (Argynnidae) Synonym(s): *hecqui* Darge,1974 Range (in code): CM NG
- 2904. *Euphaedra imperialis imperialis* Lindemans,1910** (Argynnidae) Synonym(s): *imperialis* Lindemans,1910; *strasseni* Schultze,1912 Original Reference: Euphaedra imperialis Lindemans,1910, Tijdschr. Ent. 53: 278. Range (in code): CM
- 2905. *Euphaedra karschi* Bartel,1905** (Argynnidae) Synonym(s): *karschi* Bartel,1905 Range (in code): CM ZR
- 2906. *Euphaedra karschi karschi* Bartel,1905** (Argynnidae) Synonym(s): *karschi* Bartel,1905 Range (in code): CM ZR
- 2907. *Euphaedra karschi sankuruensis* Hecq,1980** (Argynnidae) Synonym(s): *sankuruensis* Hecq,1980 Range (in code): ZR
- 2908. *Euphaedra larseni* Hecq,2005** (Argynnidae) Synonym(s): *larseni* Hecq,2005
- 2909. *Euphaedra lata* Hecq,1980** (Argynnidae) Synonym(s): *lata* Hecq,1980 Range (in code): CG ZR
- 2910. *Euphaedra limburgi* Oremans,2006** (Argynnidae) Synonym(s): *limburgi* Oremans,2006
- 2911. *Euphaedra luafa* Oremans,1998** (Argynnidae) Synonym(s): *luafa* Oremans,1998
- 2912. *Euphaedra luperca* (Hewitson,1864)** (Argynnidae) Synonym(s): *luperca* Hewitson,1864 Range (in code): CM NG Caa ZR
- 2913. *Euphaedra luperca luperca* (Hewitson,1864)** (Argynnidae) Synonym(s): *luperca* Hewitson,1864 Range (in code): CM NG Caa
- 2914. *Euphaedra luperca marginalis* Hecq,1979** (Argynnidae) Synonym(s): *marginalis* Hecq,1979 Range (in code): ZR
- 2915. *Euphaedra lupercoides* Rothschild,1918** (Argynnidae) Synonym(s): *lupercoides* Rothschild,1918 Range (in code): CG ZR CF
- 2916. *Euphaedra luteofasciata* Hecq,1979** (Argynnidae) Synonym(s): *#luteofasciata* Bartel,1905; *#variegata* Aurivillius,1912; *#suffusa* Rothschild,1918; *luteofasciata* Hecq,1979; *variegata* D'Abbrera,1980 Range (in code): CM GA ZR NG
- 2917. *Euphaedra luteofasciata fucora* Hecq,1979** (Argynnidae) Synonym(s): *fucora* Hecq,1979 Range (in code): NG
- 2918. *Euphaedra luteofasciata luteofasciata* Hecq,1979** (Argynnidae) Synonym(s): *luteofasciata* Hecq,1979 Range (in code): CM GA ZR
- 2919. *Euphaedra mambili* Hecq,2001** (Argynnidae) Synonym(s): *mambili* Hecq,2001
- 2920. *Euphaedra maxima* Holland,1920** (Argynnidae) Synonym(s): *maxima* Holland,1920; *#flava* Dufrane,1933 Range (in code): CM ZR

- 2921. Euphaedra medon (Linnaeus,1763)** (Argynnidae) Synonym(s): *medon* Linnaeus,1763; *janasa* Linnaeus,1764; *agnes* Butler,1866 Original Reference: *Papilio medon* Linnaeus,1763, *Amoenitates Acad.* 6: 402. Range (in code): [GH LR AO CG CM ZR KE UG TZ ET GA SL](#)
- 2922. Euphaedra medon abouna Ungemach,1932** (Argynnidae) Synonym(s): *abouna* Ungemach,1932 Range (in code): [ET](#)
- 2923. Euphaedra medon celestis Hecq,1986** (Argynnidae) Synonym(s): *celestis* Hecq,1986 Range (in code): [AO ZR CG GA](#)
- 2924. Euphaedra medon fernanda Hecq,1981** (Argynnidae) Synonym(s): *#fernanda* Fruhstorfer,1903; *fernanda* Hecq,1981 Range (in code): [GO Bio](#)
- 2925. Euphaedra medon fraudata Van Someren,1935** (Argynnidae) Synonym(s): *#fraudata* Thureau,1904; *fraudata* Van Someren,1935 Range (in code): [UG KE](#)
- 2926. Euphaedra medon inaequabilis Thureau,1904** (Argynnidae) Synonym(s): *inaequabilis* Thureau,1904 Range (in code): [ZR UG KE](#)
- 2927. Euphaedra medon medon (Linnaeus,1763)** (Argynnidae) Synonym(s): *medon* Linnaeus,1763; *janasa* Linnaeus,1764; *agnes* Butler,1866 Original Reference: *Papilio medon* Linnaeus,1763, *Amoenitates Acad.* 6: 402. Range (in code): [GH LR CM](#)
- 2928. Euphaedra medon neustetteri Niepelt,1915** (Argynnidae) Synonym(s): *neustetteri* Niepelt,1915 Range (in code): [CM ZR KE TZ](#)
- 2929. Euphaedra medon pholus (Van der Hoeven,1840)** (Argynnidae) Synonym(s): *pholus* Van der Hoeven,1840 Range (in code): [SL](#)
- 2930. Euphaedra medon sanctanna Hecq,1985** (Argynnidae) Synonym(s): *sanctanna* Hecq,1985 Range (in code): [GA](#)
- 2931. Euphaedra medon viridinota (Butler,1871)** (Argynnidae) Synonym(s): *viridinota* Butler,1871 Range (in code): [GA](#)
- 2932. Euphaedra mendax Hecq,1983** (Argynnidae) Synonym(s): *mendax* Hecq,1983 Range (in code): [CM ZR](#)
- 2933. Euphaedra mendax mendax Hecq,1983** (Argynnidae) Synonym(s): *mendax* Hecq,1983 Range (in code): [CM ZR](#)
- 2934. Euphaedra mendax robusta Hecq,1983** (Argynnidae) Synonym(s): *robusta* Hecq,1983 Range (in code): [ZR o](#)
- 2935. Euphaedra mirabilis Hecq,1980** (Argynnidae) Synonym(s): *mirabilis* Hecq,1980 Range (in code): [CM NG ZR](#)
- 2936. Euphaedra mirabilis mirabilis Hecq,1980** (Argynnidae) Synonym(s): *mirabilis* Hecq,1980 Range (in code): [NG CM ZR](#)
- 2937. Euphaedra mirabilis nubila Hecq,1986** (Argynnidae) Synonym(s): *nubila* Hecq,1986 Range (in code): [ZR](#)
- 2938. Euphaedra morini morini Hecq,1983** (Argynnidae) Synonym(s): *morini* Hecq,1983 Range (in code): [ZR AO](#)
- 2939. Euphaedra occulta Hecq,1982** (Argynnidae) Synonym(s): *occulta* Hecq,1982 Range (in code): [GN CI](#)
- 2940. Euphaedra opulenta Hecq & Van de Weghe,2005** (Argynnidae) Synonym(s): *opulenta* Hecq & Van de Weghe,2005
- 2941. Euphaedra perdita Hecq,1986** (Argynnidae) Synonym(s): *perdita* Hecq,1986 Range (in code): [SN](#)
- 2942. Euphaedra plagiaria Hecq,1980** (Argynnidae) Synonym(s): *plagiaria* Hecq,1980 Range (in code): [ZR](#)
- 2943. Euphaedra plagiaria plagiaria Hecq,1980** (Argynnidae) Synonym(s): *plagiaria* Hecq,1980 Range (in code): [ZR](#)
- 2944. Euphaedra plagiaria smitsi Hecq,1991** (Argynnidae) Synonym(s): *smitsi* Hecq,1991 Range (in code): [ZR](#)
- 2945. Euphaedra rubrocostata (Aurivillius,1897)** (Argynnidae) Synonym(s): *rubrocostata* Aurivillius,1897 Range (in code): [KE CM CF ZR](#)
- 2946. Euphaedra rubrocostata generosa Hecq,1987** (Argynnidae) Synonym(s): *generosa* Hecq,1987 Range (in code): [KE](#)
- 2947. Euphaedra rubrocostata rubrocostata (Aurivillius,1897)** (Argynnidae) Synonym(s): *rubrocostata* Aurivillius,1897 Range (in code): [CM CF ZR](#)
- 2948. Euphaedra sabinae Farevel,2002** (Argynnidae) Synonym(s): *sabinae* Farevel,2002

- 2949. Euphaedra sarcoptera (Butler,1871)** (Argynnidae) **Synonym(s):** *sarcoptera* Butler,1871
Range (in code): [CI NG TZ ZR CM CF](#)
- 2950. Euphaedra sarcoptera cyparissoides Hecq,1979** (Argynnidae) **Synonym(s):** *cyparissoides* Hecq,1979
Range (in code): [CM CF ZR](#)
- 2951. Euphaedra sarcoptera nipponicorum (Carcasson,1965)** (Argynnidae) **Synonym(s):** *nipponicorum* Carcasson,1965
Range (in code): [TZ ZR](#)
- 2952. Euphaedra sarcoptera sarcoptera (Butler,1871)** (Argynnidae) **Synonym(s):** *sarcoptera* Butler,1871
Range (in code): [CI NG](#)
- 2953. Euphaedra sardetta Gaede,1916** (Argynnidae) **Synonym(s):** *sardetta* Gaede,1916; #implete Gaede,1916; *sardetta* Berger,1981
Range (in code): [ZR CM](#)
- 2954. Euphaedra sinuosa Hecq,1974** (Argynnidae) **Synonym(s):** *sinuosa* Hecq,1974
Range (in code): [ZR](#)
- 2955. Euphaedra subprocera Hecq,1984** (Argynnidae) **Synonym(s):** *subprocera* Hecq,1984
Range (in code): [ZR Kvu](#)
- 2956. Euphaedra subrezia Hecq,1983** (Argynnidae) **Synonym(s):** *subrezia* Hecq,1983
Range (in code): [NG CM](#)
- 2957. Euphaedra symphona Bethune-Baker,1908** (Argynnidae) **Synonym(s):** *symphona* Bethune-Baker,1908; *medonoides* Wichgraf,1913
Range (in code): [ZR](#)
- 2958. Euphaedra symphona affabilis Hecq,1999** (Argynnidae) **Synonym(s):** *affabilis* Hecq,1999
Range (in code): [ZR](#)
- 2959. Euphaedra thierrybaulini Oremans,1999** (Argynnidae) **Synonym(s):** *thierrybaulini* Oremans,1999
- 2960. Euphaedra ubangi Hecq,1974** (Argynnidae) **Synonym(s):** *ubangi* Hecq,1974
Range (in code): [ZR](#)
- 2961. Euphaedra vandeweghei Hecq,2004** (Argynnidae) **Synonym(s):** *vandeweghei* Hecq,2004
- 2962. Euphaedra vulnerata Schultze,1916** (Argynnidae) **Synonym(s):** #*extensa* Bartel,1905; *vulnerata* Schultze,1916; *extensa* Hecq,1981
Range (in code): [CM GO Bio](#)
- 2963. Euphaedra wissmanni Niepelt,1906** (Argynnidae) **Synonym(s):** *wissmanni* Niepelt,1906
Range (in code): [ZR](#)
- 2964. Euphaedra xypete (Hewitson,1865)** (Argynnidae) **Synonym(s):** *xypete* Hewitson,1865
Range (in code): [SL NG](#)
- 2965. Euphydryas (Eurodryas) asiatica (Staudinger,1881)** (Argynnidae) **Synonym(s):** *asiatica* Staudinger,1881
Original Reference: *Melitaea aurinia* var. *asiatica* Staudinger,1881, Stettin ent. Ztg. 42: 287-288. Syntypes ♂♂: [Dschungar] Ala Tau.
Range (in code): [Aa Ax CN KG KK Tk T-S Ui Ku Ik DsA Lps Aem Tyk TeA KuA TrA Ket](#)
- 2966. Euphydryas (Eurodryas) asiatica alexandrina (Staudinger,1887)** (Argynnidae) **Synonym(s):** *alexandrina* Staudinger,1887; *narina* Oberthür,1909.
Original Reference: *Melitaea aurinia* var. *alexandrina* Staudinger,1887, Stettin ent. Ztg. 48: 52-53. Syntypes 20♂♂: [Kirgizistan]: Alexandergebirge.
Range (in code): [Ax KK KG T-S TeA KuA TrA Ket](#)
- 2967. Euphydryas (Eurodryas) asiatica asiatica (Staudinger,1881)** (Argynnidae) **Synonym(s):** *asiatica* Staudinger,1881
Original Reference: *Melitaea aurinia* var. *asiatica* Staudinger,1881, Stettin ent. Ztg. 42: 287-288. Syntypes ♂♂: [Dschungar] Ala Tau.
Range (in code): [Aa CN KG Tk T-S Ui DsA Ku Lps Aem Tyk](#)
- 2968. Euphydryas (Eurodryas) asiatica narina (Oberthür,1909)** (Argynnidae) **Synonym(s):** *narina* Oberthür,1909
Original Reference: *Melitaea aurinia* var. *narina* Oberthür,1909, Etüd. lépid. comp. 3: 230. Type(s): Naryn.
Range (in code): [KK Na T-S](#)
- 2969. Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnidae) **Synonym(s):** *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917; *pychanpar* Lastukhin,2007
Original Reference: *Papilio aurinia* Rottemburg,1775, Naturforscher 6: 5. Type(s): France: Paris.
Range (in code): [AL Alt Bn At Kts AT Ba BE BG BY CH CN CZ DE DK EE ES Mu FI FR GB GR HU IR Ab Oru Elb Th IE IT Kno KP Kr LT LU LV MK NL PL PT RO Rth RU SE SK Sm So Sr TR Arr Ts UA Ui Vl YU Cw Dv Smt H-W Sur Ssx Ken Ts Kno Rth Cc DZ MA Agi Berr Blid Ifr Bionomy](#): Larva on larva on *Succisa pratensis*, *Scabiosa columbaria*, *Lonicera periclymenum*, *L. implexa*, *L. etrusca*, *Gentiana lutea*, *G. verna*, *G. acaulis*, *G. clusii*, *G. alpina*, *Digitalis*, *Cephalaria leucantha*, *Knautia arvensis*, *Primula viscosa* (Tolman,1997).
- 2970. Euphydryas (Eurodryas) aurinia aurinia (Rottemburg,1775)** (Argynnidae) **Synonym(s):** *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779];

koloswarensis Piller & Mitterpacher, 1783; *scotica* Robson, 1880; *signifera* Kane, 1893; *anglicana* Fruhstorfer, 1917; *acedia* Fruhstorfer, 1917; *pychanpar* Lastukhin, 2007

Original Reference: *Papilio aurinia*

Rottemburg, 1775, *Naturforscher* 6:5. Type(s): France: Paris. Range (in code): **AL At AT Ba BE B-H Bw BY CH CZ DE DK EE FI GB GR HU IE Kr LT LU LV NL PL RO Rp RU SE SK Sm So Sr UA VI YU Cw Dv Smt H-W Sur Ssx Ken**

2971. Euphydryas (Eurodryas) aurinia barraguei Betz, 1956 (Argynnidae) Synonym(s): *barraguei* Betz, 1956 Range (in code): **DZ Blid Berr**

2972. Euphydryas (Eurodryas) aurinia beckeri (Lederer, 1853) (Argynnidae) Synonym(s): *beckeri* Lederer, 1853; *iberica* Oberthür, 1881; *kricheldorffi* Collier, 1933. Original Reference: *Melitaea beckeri* Lederer, 1853, *Verh. zool.-bot. Ver. Wien* 2: 39. Type(s): Spanien: Cadiz. Range (in code): **Cl Ct DZ Agi ES Mu FR MA Ifr PT**

2973. Euphydryas (Eurodryas) aurinia bulgarica (Fruhstorfer, 1917) (Argynnidae) Synonym(s): *bulgarica* Fruhstorfer, 1917 Original Reference: *Melitaea aurinia* ssp. *bulgarica* Fruhstorfer, 1917, *Arch. Naturgesch. (A)* 82(2) (1916): 6. Syntypes: Bulgarien: Rila, Rhodope Mts. Range (in code): **BG Rh Ril TR Arr Cc**

2974. Euphydryas (Eurodryas) aurinia ellisoni Rungs, 1953 (Argynnidae) Synonym(s): *ellisoni* Rungs, 1953

2975. Euphydryas (Eurodryas) aurinia jungei Gross & Ebert, 1975 (Argynnidae) Synonym(s): *jungei* Gross & Ebert, 1975 Original Reference: *Euphydryas aurinia* ssp. *jungei* Gross & Ebert, 1975, *J. ent. Soc. Iran, Suppl.* 1: 34, figs. 40, 41. Holotype ♂: Iran: Elburs S-Seite: Fascham, N. Teheran, 1700-1900m (in coll. Junge). Range (in code): **IR Th Elb**

2976. Euphydryas (Eurodryas) aurinia laeta (Christoph, 1893) (Argynnidae) Synonym(s): *laeta* Christoph, 1893 Original Reference: *Melitaea aurinia* var. *laeta* Christoph, 1893, *Dt. ent. Z., Iris* 6: 86. Syntypes ♂♀: [Russia]: Siberia or., Vilui. Range (in code): **Alt Bn At Kts CN KG Kno Mn MN Rth RU Sb Sp Ts Ui Ya**

2977. Euphydryas (Eurodryas) aurinia meropedebilis (Oberthür, 1925) (Argynnidae) Synonym(s): *merope* De Prunner, 1798 nec *Fabricius*, 1775; *#debilis* Oberthür, 1909; *merope-debilis* Oberthür, 1925; *pyrenesdebilis* Verity, 1928; *frigescens* Verity, 1928; *glaciegenita* Verity, 1928; *debilisprovincialis* Verity, 1928; *xeraurinia* Mazel, 1982; *salvayrei* Mazel, 1982. Original Reference: *Melitaea artemis merope debilis* Oberthür, 1909, *Etüd. lépid. comp.* 3: 228. Type(s): Pyrenes Orient.; Basses Alpes; Rennes [quadrinomial, unavailable name!]. Range (in code): **AT Bv DE FR Py**

2978. Euphydryas (Eurodryas) aurinia provincialis (Boisduval, 1828) (Argynnidae) Synonym(s): *provincialis* Boisduval, 1828; *comacina* Turati, 1910; *moritura* Verity, 1928; *rotunda* Röber, 1926. Original Reference: *Melitaea aurinia* var. *provincialis* Boisduval, 1828, *Index meth.*: 17. Type(s): France: Provence. Range (in code): **FR HV IT SS**

2979. Euphydryas (Eurodryas) aurinia sareptana (Staudinger, 1861) (Argynnidae) Synonym(s): *sareptana* Staudinger, 1861; *sareptensis* Staudinger, 1878; *emba* Fruhstorfer, 1917. Original Reference: *Melitaea artemis* var. *sareptana* Staudinger, 1861, *Cat. lepid. Eur.* 1: 8. Syntypes 3♂ 3♀: [Russia]: Sarepta [Wolgograd] (ZMHB) (cf. Hesselbarth 1995: 1018) [Description: "affinis v. orientalis"]. Range (in code): **Ao Aq Ba KG RU Sm So Sr Uk VI**

2980. Euphydryas (Eurodryas) aurinia siberica (Staudinger, 1861) (Argynnidae) Synonym(s): *siberica* Staudinger, 1861 Original Reference: *Melitaea artemis* var. *siberica* Staudinger, 1861, *Cat. Lep. Eur.* 1: 7 (nomen novum pro *desfontainesii* sensu Fischer de Waldh.). Type(s): Siberia. Range (in code): **RU Sb**

2981. Euphydryas (Eurodryas) aurinia tenebricosa (O. Bang-Haas, 1927) (Argynnidae) Synonym(s): *tenebricosa* O. Bang-Haas, 1927; *koreana* Collier, 1933 nec *Elwes*, 1899; *phyllis* Hemming, 1941. Original Reference: *Melitaea aurinia* ssp. *tenebricosa* O. Bang-Haas, 1927, *Horae Macrolepid.* 1: 51, t. 5 fig. 16. Syntypes 2♀: China sept. occ.: Kansu: Richthofen mont., westl. Liang-tschou, 2500m. Range (in code): **KP CN Ts Kno Rth**

2982. Euphydryas (Eurodryas) banghaasi (Seitz, 1908) (Argynnidae) Synonym(s): *banghaasi* Seitz, 1908 Original Reference: *Melitaea aurinia banghaasi* Seitz, 1908, *Die Gross-Schmett. Erde* 1: 214. Syntypes: [Russia: Süd-Sibirien]: Kentei-Gebirge. Range (in code): **At Kts KG Mn RU Sb**

2983. Euphydryas (Eurodryas) banghaasi banghaasi (Seitz, 1908) (Argynnidae) Synonym(s): *banghaasi* Seitz, 1908 Original Reference: *Melitaea aurinia banghaasi* Seitz, 1908, *Die Gross-Schmett. Erde* 1: 214. Syntypes: [Russia: Süd-Sibirien]: Kentei-Gebirge. Range (in code): **At Kts KG Mn RU Sb**

- 2984. Euphydryas (Eurodryas) davidi (Oberthür,1881)** (Argynnidae) Synonym(s): *davidi* Oberthür,1881 Original Reference: *Melitaea artemis* var. *davidi* Oberthür,1881, Etüd. ent. 6: 52. Type(s): Chine. Range (in code): **KP CN Mc RU Vv**
- 2985. Euphydryas (Eurodryas) davidi davidi (Oberthür,1881)** (Argynnidae) Synonym(s): *davidi* Oberthür,1881 Original Reference: *Melitaea artemis* var. *davidi* Oberthür,1881, Etüd. ent. 6: 52. Type(s): Chine. Range (in code): **Kp CN Mc RU Vv**
- 2986. Euphydryas (Eurodryas) desfontainii (Godart,[1819])** (Argynnidae) Synonym(s): *desfontainii* Godart,[1819]; *desfontainesi* Boisduval,1840. Original Reference: *Argynnis desfontainii* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 278, nr.46. Type(s): Algerie. Range (in code): **ES Mu FR MA Ifr DZ Sbd** Bionomy: Larva on *Knautia arvensis*, *Dipsacus fullonum*, *D. comosus*, *Cephalaria leucantha*, *Scabiosa* (Dipsacaceae); *Centaurea* (Asteraceae) (Tolman,1997).
- 2987. Euphydryas (Eurodryas) desfontainii baetica (Rambur,1858)** (Argynnidae) Synonym(s): *baetica* Rambur,1858; *pierroni* Lajonquière,1965; *#zapateri* Higgins,1950. Original Reference: *Melitaea baetica* Rambur,1858, Cat. Syst. lepid. Andalousie: 11, pl.1 figs.3,4. Type(s): Spain: Andalusia. Range (in code): **CI ES Mu FR Py**
- 2988. Euphydryas (Eurodryas) desfontainii desfontainii (Godart,[1819])** (Argynnidae) Synonym(s): *desfontainii* Godart,[1819]; *desfontainesi* Boisduval,1840. Original Reference: *Argynnis desfontainii* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 278, nr.46. Type(s): Algerie. Range (in code): **MA Ifr DZ Sbd**
- 2989. Euphydryas (Eurodryas) desfontainii gibrati (Oberthür,1922)** (Argynnidae) Synonym(s): *gibrati* Oberthür,1922 Original Reference: *Melitaea desfontainii* var. *gibrati* Oberthür,1922, Etüd. lépid. comp. 19: 46., figs.4418-4422. Syntypes: Morocco: Zehroun mts. Range (in code): **DZ MA**
- 2990. Euphydryas (Eurodryas) orientalis (Herrich-Schäffer,[1845])** (Argynnidae) Synonym(s): *orientalis* Herrich-Schäffer,[1845]; *amasina* Seitz,1908. Original Reference: *Melitaea orientalis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 163, figs.265-266; *ibid.* 1 ([1851]) (Nachtrag): 6. Syntypes: Amasia (Typenmaterial unbekannt (cf. Hesselbarth,1995: 1017)). Range (in code): **TR** Bionomy: Larva on larva on *Scabiosa argentea* (Dipsacaceae) (Koçak, in litt.).
- 2991. Euphydryas (Eurodryas) orientalis orientalis (Herrich-Schäffer,[1845])** (Argynnidae) Synonym(s): *orientalis* Herrich-Schäffer,[1845]; *amasina* Seitz,1908. Original Reference: *Melitaea orientalis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 163, figs.265-266; *ibid.* 1 ([1851]) (Nachtrag): 6. Syntypes: Amasia (Typenmaterial unbekannt (cf. Hesselbarth,1995: 1017)). Range (in code): **TR**
- 2992. Euphydryas (Hypodryas) cynthia ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *cynthia* [Denis & Schiffermüller],1775; *mysia* Hübner,[1800]; *ichnea* Boisduval,1833; *pallida* Spuler,1901 nec Staudinger,1881; *leonhardi* Fruhstorfer,1917; *drenowskii* Röber,1926; *spuleri* Röber,1926; *extensa* Dujardin,1948; *demissa* Verity,1950. Original Reference: *Papilio cynthia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district. Range (in code): **AT MK BG Bv CH DE FR IT LAT Wn**
- 2993. Euphydryas (Hypodryas) cynthia alpicola (Galvagni,1918)** (Argynnidae) Synonym(s): *alpicola* Galvagni,1918 Original Reference: *Melitaea cynthia alpicola* Galvagni,1918, Jb.Wien. ent. Ver. 28: 134. Syntypes: Österreich: Brenner. Range (in code): **AT CH FR IT**
- 2994. Euphydryas (Hypodryas) cynthia cynthia ([Denis & Schiffermüller],1775)** (Argynnidae) Synonym(s): *cynthia* [Denis & Schiffermüller],1775; *mysia* Hübner,[1800]; *ichnea* Boisduval,1833; *pallida* Spuler,1901 nec Staudinger,1881; *leonhardi* Fruhstorfer,1917; *drenowskii* Röber,1926; *spuleri* Röber,1926; *extensa* Dujardin,1948; *demissa* Verity,1950. Original Reference: *Papilio cynthia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 179. Type(s): [Austria]: Vienna district. Range (in code): **AT MK BG Bv DE LAT Wn**
- 2995. Euphydryas (Hypodryas) gillettii (Barnes,1897)** (Argynnidae) Synonym(s): *gillettii* Barnes,1897; *glacialis* Skinner,1921 Range (in code): **US Col Id Mon Wy**
- 2996. Euphydryas (Hypodryas) iduna (Dalman,1816)** (Argynnidae) Synonym(s): *iduna* Dalman,1816; *ichnea* Boisduval,1832 Original Reference: *Melitaea iduna* Dalman,1816, K. svenska VetenskAkad. Handl. 37: 75. Type(s): Lappland. Range (in code): **At Kts BY FI Kc MN NO RU Sb SE TR Arr Ya CN Ui** Bionomy: Larva on *Veronica alpina*, *V. fruticans*, *Plantago* (Plantaginaceae); *Vaccinium* (Tolman,1997).
- 2997. Euphydryas (Hypodryas) iduna alferakyi Korshunov,1996** (Argynnidae) Synonym(s): *alferakyi* Korshunov,1996 Original Reference: *Euphydryas* (Hypodryas) *iduna* ssp.

- alferakyi Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 25. Holotype: Russia: Yakutia: 18km ENE. Khandyga. Range (in code): RU Ya
- 2998. Euphydryas (Hypodryas) iduna iduna (Dalman,1816)** (Argynnidae) Synonym(s): *iduna Dalman,1816; ichnea Boisduval,1832* Original Reference: Melitaea iduna Dalman,1816, K. svenska VetenskAkad. Handl. 37: 75. Type(s): Lappland. Range (in code): At Kts BY FI NO RU Sb SE
- 2999. Euphydryas (Hypodryas) iduna inexpectata (Sheljuzhko,1934)** (Argynnidae) Synonym(s): *inexpectata Sheljuzhko,1934* Original Reference: Melitaea iduna ssp. inexpectata Sheljuzhko,1934, Z. öst. Ent. Ver. 19: 30, Taf.4 figs. 1, 2. Syntypes: [Russia]: [Kabardino-Balkaria]: Teberda, 2700m. Range (in code): Kc RU TR Arr
- 3000. Euphydryas (Hypodryas) iduna sajana Higgins,1950** (Argynnidae) Synonym(s): *#sajana O.Bang-Haas,1930; #sajana Higgins,1950* Original Reference: Euphydryas iduna mod. sajana Higgins,1950, Trans. R. ent. Soc. Lond. 101 (12): 445. Syntypes: [Russia]: Sajan Mts. (Tunkinsk Weissberge). Range (in code): MN RU Sb Sj
- 3001. Euphydryas (Hypodryas) iduna semenovi Korshunov & Ivonine,1996** (Argynnidae) Synonym(s): *semenovi Korshunov & Ivonine,1996* Original Reference: Euphydryas (Hypodryas) iduna ssp. semenovi Korshunov & Ivonine,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 24. Holotype: Russia: Khakssia: Bobrovaya, Sarala river. Range (in code): RU At
- 3002. Euphydryas (Hypodryas) intermedia (Ménétriés,1859)** (Argynnidae) Synonym(s): *intermedia Ménétriés,1859; mongolica Staudinger,1892; altaica Seitz,1909 nec Groum-Grshimailo,1893; altaiana Wnukowsky,1929.* Original Reference: Melitaea maturna var. intermedia Ménétriés,1859, [in] Schrenck, Reisen und Forschungen im Amur-Lande 2 (1): 22. Syntypes: Russia: Amur. Range (in code): Am At Kts AT Aty Ba CN DE IT KP MN RU SS Ui
- 3003. Euphydryas (Hypodryas) intermedia intermedia (Ménétriés,1859)** (Argynnidae) Synonym(s): *intermedia Ménétriés,1859; mongolica Staudinger,1892; altaica Seitz,1909 nec Groum-Grshimailo,1893; altaiana Wnukowsky,1929; kondor Lastukhin,2008* Original Reference: Melitaea maturna var. intermedia Ménétriés,1859, [in] Schrenck, Reisen und Forschungen im Amur-Lande 2 (1): 22. Syntypes: Russia: Amur. Range (in code): Am At Kts Aty Ba CN KP RU Ui
- 3004. Euphydryas (Hypodryas) intermedia wolfensbergeri (Frey,1880)** (Argynnidae) Synonym(s): *wolfensbergeri Frey,1880; ichnea auct.* Original Reference: Melitaea maturna var. wolfensbergeri Frey,1880, Lepid. Schweiz: 27. Syntypes: Southern Alps of Europe. Range (in code): AT DE IT SS CH
- 3005. Euphydryas (Hypodryas) maturna (Linnaeus,1758)** (Argynnidae) Synonym(s): *maturna Linnaeus,1758; agrotera Bergsträßer,[1780]; cynthia Hübner,[1800] nec [Denis & Schiff.],1775* Original Reference: Papilio maturna Linnaeus,1758, Syst. Nat. (Edn.10) 1: 408. Type(s): Schweden (cf. Verity,1950; Higgins,1950). Range (in code): AL Ao At Bn Kts AT Ba BE BG B-H BY CH CZ DE DK EE FI FR HU HV KG LU LV MK PL RO RU SE SK Sm So Sr SS UA Uk VI YU CN Ui Bionomy: Larva on Fraxinus excelsior (Oleaceae); Populus tremula, ? Salix caprea (Salicaceae); Plantago lanceolata (Plantaginaceae); Veronica chamaedrys, Lonicera periclymenum, Succisa pratensis (Tolman,1997).
- 3006. Euphydryas (Hypodryas) maturna adamczewskyi Kryzwicki,1967** (Argynnidae) Synonym(s): *adamczewskyi Kryzwicki,1967* Original Reference: Euphydryas maturna ssp. adamczewskyi Kryzwicki,1967, Annl. zool. Warszawa 2581): 114-115. Holotype: Poland: N.E.Poland: Bialowieza. Range (in code): PL
- 3007. Euphydryas (Hypodryas) maturna idunides (Fruhstorfer,1917)** (Argynnidae) Synonym(s): *idunides Fruhstorfer,1917* Original Reference: Melitaea maturna ssp. idunides Fruhstorfer,1917, Arch. Naturgesch. (A) 82(2) (1916): 3. Syntypes: Bosnia: MaklenPaß. Range (in code): B-H HU HV MK
- 3008. Euphydryas (Hypodryas) maturna maturna (Linnaeus,1758)** (Argynnidae) Synonym(s): *maturna Linnaeus,1758; agrotera Bergsträßer,[1780]; cynthia Hübner,[1800] nec [Denis & Schiff.],1775* Original Reference: Papilio maturna Linnaeus,1758, Syst. Nat. (Edn.10) 1: 408. Type(s): Schweden (cf. Verity,1950; Higgins,1950). Range (in code): Ao At Bn Ktn AT Ba Bw BY CH CZ DE DK EE FR HU KG LT LV PL RU SE SK Sm So Sr Uk Vi
- 3009. Euphydryas (Hypodryas) maturna ornivora Varga,1968** (Argynnidae) Synonym(s): *ornivora Varga,1968* Original Reference: Euphydryas maturna ssp. ornivora Varga,1968, [in]

- Gozmany, Fauna Hungariae: Diurna. Holotype: Hungarn: Harsbokorhegy in den Buda'er Bergen. Range (in code): HU
- 3010. Euphydryas (Hypodryas) maturna partiensis Varga & Santha,1973** (Argynnidae)
Synonym(s): *partiensis* Varga & Santha,1973 Original Reference: Euphydryas maturna ssp. partiensis Varga & Santha,1973, Acta univ. debrecen (Ser.2) Biologica 10/11: 225, figs. Holotype ♂: Hungarn: Guth'er Wald bei Debrecen. Range (in code): HU RO UA
- 3011. Euphydryas (Hypodryas) maturna staudingeri (Wnukowsky,1929)** (Argynnidae)
Synonym(s): *uralensis* Staudinger nec Krulik.,1897, non Eversm.,1844; *staudingeri* Wnukowsky,1929 Original Reference: Melitaea maturna subsp. staudingeri Wnukowsky,1929, Zool. Anz. 83: 221-222 (nomen novum pro subsp. uralensis Staudinger,1871, [in] Staudinger & Wocke, Cat. Lepid. Eur. 2(1): 17; nec M. arduinna subsp. uralensis Eversmann,1851. Range (in code): At KJ MN RU Sb St To Ur
- 3012. Euphydryas (Hypodryas) maturna tenuireticulosa Varga & Santha,1973** (Argynnidae) Synonym(s): *tenuireticulosa* Varga & Santha,1973 Original Reference: Euphydryas maturna ssp. tenuireticulosa Varga & Santha,1973, Acta univ. debrecen (Ser.2) Biologica 10/11: 225, figs. Holotype ♂: Finnland: Myrskylää, Pakylä (NWMB). Range (in code): FI Nr RU Tt Vj
- 3013. Euphydryas (Hypodryas) maturna urbani (Hirschke,1901)** (Argynnidae)
Synonym(s): *urbani* Hirschke,1901 Original Reference: Melitaea maturna urbani Hirschke,1901, Jb. Wien. EntVer. 11: 85. Syntypes: Österreich: Salzbachtal bei Salzburg. Range (in code): AT Bv DE SS
- 3014. Euphydryas (Occidryas) anicia (Doubleday & Hewitson,[1848])** (Argynnidae)
Synonym(s): *anicia* Doubleday & Hewitson,[1848] Range (in code): US Ut Wy Org Ne Arz Cf Col Als NMx Id Col Neb
- 3015. Euphydryas (Occidryas) anicia alena Barnes & Benjamin,1926** (Argynnidae)
Synonym(s): *alena* Barnes & Benjamin,1926 Range (in code): US Ut
- 3016. Euphydryas (Occidryas) anicia anicia ((Doubleday & Hewitson,[1848])** (Argynnidae) Synonym(s): *anicia* (Doubleday & Hewitson,[1848] Range (in code): US
- 3017. Euphydryas (Occidryas) anicia bakeri D.Stallings & Turner,1945** (Argynnidae)
Synonym(s): *bakeri* D.Stallings & Turner,1945 Range (in code): US Org
- 3018. Euphydryas (Occidryas) anicia bernadetta Leussler,1920** (Argynnidae)
Synonym(s): *bernadetta* Leussler,1920 Range (in code): US Neb
- 3019. Euphydryas (Occidryas) anicia capella (Barnes,1897)** (Argynnidae) Synonym(s): *capella* Barnes,1897 Range (in code): US Col
- 3020. Euphydryas (Occidryas) anicia carmentis Barnes & Benjamin,1926** (Argynnidae)
Synonym(s): *carmentis* Barnes & Benjamin,1926 Range (in code): US Col
- 3021. Euphydryas (Occidryas) anicia chuskae Ferris & R.Holland,1980** (Argynnidae)
Synonym(s): *chuskae* Ferris & R.Holland,1980 Range (in code): US NMx
- 3022. Euphydryas (Occidryas) anicia cloudcrofti Ferris & R.Holland,1980** (Argynnidae) Synonym(s): *cloudcrofti* Ferris & R.Holland,1980 Range (in code): US NMx
- 3023. Euphydryas (Occidryas) anicia effi D.Stallings & Turner,1945** (Argynnidae)
Synonym(s): *effi* D.Stallings & Turner,1945 Range (in code): US Id
- 3024. Euphydryas (Occidryas) anicia eurytion (Mead,1875)** (Argynnidae) Synonym(s): *eurytion* Mead,1875 Range (in code): US Col
- 3025. Euphydryas (Occidryas) anicia helvia (Scudder,1869)** (Argynnidae) Synonym(s): *helvia* Scudder,1869 Range (in code): US Als
- 3026. Euphydryas (Occidryas) anicia hermosa (Wright,1905)** (Argynnidae) Synonym(s): *hermosa* Wright,1905 Range (in code): US Arz
- 3027. Euphydryas (Occidryas) anicia hopfingeri Gunder,1934** (Argynnidae) Synonym(s): *hopfingeri* Gunder,1934 Range (in code): US Arz
- 3028. Euphydryas (Occidryas) anicia howlandi D.Stallings & Turner,[1947]** (Argynnidae) Synonym(s): *howlandi* D.Stallings & Turner,[1947] Range (in code): US
- 3029. Euphydryas (Occidryas) anicia irelandi Gunder,1929** (Argynnidae) Synonym(s): *irelandi* Gunder,1929 Range (in code): US Cf
- 3030. Euphydryas (Occidryas) anicia macyi Fender & Jewett,1953** (Argynnidae)
Synonym(s): *macyi* Fender & Jewett,1953 Range (in code): US Org
- 3031. Euphydryas (Occidryas) anicia magdalena Barnes & McDunnough,1918** (Argynnidae) Synonym(s): *magdalena* Barnes & McDunnough,1918 Range (in code): US Arz

- 3032. Euphydryas (Occidryas) anicia maria (Skinner,1899)** (Argynnidae) Synonym(s): *maria* Skinner,1899 _ Range (in code): US Ut
- 3033. Euphydryas (Occidryas) anicia morandi Gunder,1928** (Argynnidae) Synonym(s): *morandi* Gunder,1928 _ Range (in code): US Ne
- 3034. Euphydryas (Occidryas) anicia veazieae Fender & Jewett,1953** (Argynnidae) Synonym(s): *veazieae* Fender & Jewett,1953 _ Range (in code): US Org
- 3035. Euphydryas (Occidryas) anicia wheeleri (Hy.Edwards,1881)** (Argynnidae) Synonym(s): *wheeleri* Hy.Edwards,1881 _ Range (in code): US Ne
- 3036. Euphydryas (Occidryas) anicia windi Gunder,1932** (Argynnidae) Synonym(s): *windi* Gunder,1932 _ Range (in code): US Wy
- 3037. Euphydryas (Occidryas) chalcedona (Doubleday,1847)** (Argynnidae) Synonym(s): *chalcedona* Doubleday,1847; *cooperi* Behr,1863 _ Range (in code): US MX Arz Cf Col Id Mns Mon NDk NMx Ne Neb Ok Org Sdk Tx Ut Ws Wy
- 3038. Euphydryas (Occidryas) chalcedona chalcedona (Doubleday,1847)** (Argynnidae) Synonym(s): *chalcedona* Doubleday,1847; *cooperi* Behr,1863 _ Range (in code): US Cf
- 3039. Euphydryas (Occidryas) chalcedona corralensis T.Emmel & J.Emmel,[1973]** (Argynnidae) Synonym(s): *corralensis* T.Emmel & J.Emmel,[1973] _ Range (in code): US Cf
- 3040. Euphydryas (Occidryas) chalcedona dwinellei (Hy.Edwards,1881)** (Argynnidae) Synonym(s): *dwinellei* Hy.Edwards,1881 _ Range (in code): US Cf
- 3041. Euphydryas (Occidryas) chalcedona huellemanni Dos Passos,1964** (Argynnidae) Synonym(s): *huellemanni* Dos Passos,1964 _ Range (in code): US Id
- 3042. Euphydryas (Occidryas) chalcedona kingstonensis T.Emmel & J.Emmel,[1973]** (Argynnidae) Synonym(s): *kingstonensis* T.Emmel & J.Emmel,[1973] _ Range (in code): US Cf
- 3043. Euphydryas (Occidryas) chalcedona klotsi Dos Passos,1938** (Argynnidae) Synonym(s): *klotsi* Dos Passos,1938 _ Range (in code): US Arz
- 3044. Euphydryas (Occidryas) chalcedona macglashanii (Rivers,1888)** (Argynnidae) Synonym(s): *macglashanii* Rivers,1888; *truckeensis* Gunder,1928; *#hilli* Gunder,1928 _ Range (in code): US Cf
- 3045. Euphydryas (Occidryas) chalcedona olancha (Wright,1905)** (Argynnidae) Synonym(s): *olancha* Wright,1905; *#georgei* Gunder,1928; *#malcolmi* Gunder,1928 _ Range (in code): US Cf
- 3046. Euphydryas (Occidryas) chalcedona quino (Behr,1863)** (Argynnidae) Synonym(s): *quino* Behr,1863; *#hennei* Gunder,1932 _ Range (in code): US Cf
- 3047. Euphydryas (Occidryas) chalcedona sierra (Wright,1905)** (Argynnidae) Synonym(s): *sierra* Wright,1905; *#magdalenae* Gunder,1925; *#umbrosbasana* Comstock,1925 _ Range (in code): US Cf
- 3048. Euphydryas (Occidryas) chalcedona sperryi F.Chermock & R.Chermock,1945** (Argynnidae) Synonym(s): *sperryi* F.Chermock & R.Chermock,1945 _ Range (in code): US Cf
- 3049. Euphydryas (Occidryas) colon (Edwards,1881)** (Argynnidae) Synonym(s): *colon* Edwards,1881 _ Range (in code): US Org
- 3050. Euphydryas (Occidryas) colon nevadensis Bauer,1975** (Argynnidae) Synonym(s): *nevadensis* Bauer,1975 _ Range (in code): US Ne
- 3051. Euphydryas (Occidryas) colon paradoxa McDunnough,1927** (Argynnidae) Synonym(s): *paradoxa* McDunnough,1927 _ Range (in code): CA BCo
- 3052. Euphydryas (Occidryas) colon perdiccas (W.H.Edwards,1881)** (Argynnidae) Synonym(s): *perdiccas* W.H.Edwards,1881 _ Range (in code): US Ws CA BCo
- 3053. Euphydryas (Occidryas) colon wallacensis Gunder,1928** (Argynnidae) Synonym(s): *wallacensis* Gunder,1928 _ Range (in code): US Id
- 3054. Euphydryas (Occidryas) editha alebarki Ferris,[1971]** (Argynnidae) Synonym(s): *alebarki* Ferris,[1971] _ Range (in code): US Wy
- 3055. Euphydryas (Occidryas) editha augusta (W.H.Edwards,1890)** (Argynnidae) Synonym(s): *augusta* W.H.Edwards,1890 _ Range (in code): US Cf
- 3056. Euphydryas (Occidryas) editha aurilacus Gunder,1928** (Argynnidae) Synonym(s): *aurilacus* Gunder,1928 _ Range (in code): US Cf
- 3057. Euphydryas (Occidryas) editha baroni (W.H.Edwards,1879)** (Argynnidae) Synonym(s): *baroni* W.H.Edwards,1879 _ Range (in code): US Cf
- 3058. Euphydryas (Occidryas) editha bayensis Stenitzky,1937** (Argynnidae) Synonym(s): *bayensis* Stenitzky,1937 _ Range (in code): US Cf

- 3059. Euphydryas (Occidryas) editha beani (Skinner,1897)** (Argynnidae) Synonym(s): *beani* Skinner,1897 _ Range (in code): CA BCo
- 3060. Euphydryas (Occidryas) editha colonia (Wright,1905)** (Argynnidae) Synonym(s): *colonia* Wright,1905 _ Range (in code): US Org
- 3061. Euphydryas (Occidryas) editha edithana (Strand,1914)** (Argynnidae) Synonym(s): *edithana* Strand,1914 _ Range (in code): US Cf
- 3062. Euphydryas (Occidryas) editha fridayi Gunder,1931** (Argynnidae) Synonym(s): *fridayi* Gunder,1931 _ Range (in code): US Cf
- 3063. Euphydryas (Occidryas) editha gunnisonensis F.M.Brown,[1971]** (Argynnidae) Synonym(s): *gunnisonensis* F.M.Brown,[1971] _ Range (in code): US Col
- 3064. Euphydryas (Occidryas) editha hutchinsi McDunnough,1928** (Argynnidae) Synonym(s): *hutchinsi* McDunnough,1928; *montanus* McDunnough,1928 _ Range (in code): US Mon
- 3065. Euphydryas (Occidryas) editha insularis T.Emmel & J.Emmel,[1975]** (Argynnidae) Synonym(s): *insularis* T.Emmel & J.Emmel,[1975] _ Range (in code): US Cf
- 3066. Euphydryas (Occidryas) editha lawrencei Gunder,1931** (Argynnidae) Synonym(s): *lawrencei* Gunder,1931; *remingtoni* Burdick,1958 _ Range (in code): US Org
- 3067. Euphydryas (Occidryas) editha lehmani Gunder,1929** (Argynnidae) Synonym(s): *lehmani* Gunder,1929 _ Range (in code): US Ne
- 3068. Euphydryas (Occidryas) editha monoensis Gunder,1928** (Argynnidae) Synonym(s): *monoensis* Gunder,1928 _ Range (in code): US Cf
- 3069. Euphydryas (Occidryas) editha nubigena (Behr,1863)** (Argynnidae) Synonym(s): *nubigena* Behr,1863 _ Range (in code): US Cf
- 3070. Euphydryas (Occidryas) editha rubicunda (Hy.Edwards,1881)** (Argynnidae) Synonym(s): *rubicunda* Hy.Edwards,1881 _ Range (in code): US Cf
- 3071. Euphydryas (Occidryas) editha taylori (W.H.Edwards,1888)** (Argynnidae) Synonym(s): *taylori* W.H.Edwards,1888 _ Range (in code): CA BCo
- 3072. Euphydryas (Occidryas) editha wrighti Gunder,1929** (Argynnidae) Synonym(s): *wrighti* Gunder,1929 _ Range (in code): US Cf
- 3073. Euphydryas (s.str.) phaeton (Drury,[1773])** (Argynnidae) Synonym(s): *phaeton* Drury,[1773]; *schausi* Clarke,1927; *borealis* F.Chermock & R.Chermock,1940 _ Range (in code): US MX Aks Alb Cnt Dw Ge Idp Iln Io Kan Knt Mai Mch Mis Mns Mrl Msc Mss Neb Nh Nje Ny Oh Ok Pns RDt Tnn Tx Vi Vr WVi Wc
- 3074. Euphydryas (s.str.) phaeton ozarkae Masters,1968** (Argynnidae) Synonym(s): *ozarkae* Masters,1968 _ Range (in code): US Mis
- 3075. Euphydryas editha (Boisduval,1852)** (Argynnidae) Synonym(s): *editha* Boisduval,1852 _ Range (in code): US MX Cf Col Id Mon Ne Org Ut Ws Wy
- 3076. Euriphene (Euriphene) abasa (Hewitson,[1866])** (Argynnidae) Synonym(s): *abasa* Hewitson,[1866]; *sjoestedti* Aurivillius,1893; *fuliginosa* Holland,1893 _ Range (in code): NG Caa CM GA Ogo
- 3077. Euriphene (Euriphene) adumbrata (Joicey & Talbot,1928)** (Argynnidae) Synonym(s): *adumbrata* Joicey & Talbot,1928 _ Range (in code): ZR
- 3078. Euriphene (Euriphene) alberici (Dufrane,1945)** (Argynnidae) Synonym(s): *alberici* Dufrane,1945 _ Range (in code): ZR
- 3079. Euriphene (Euriphene) amarantha (Karsch,1894)** (Argynnidae) Synonym(s): *amarantha* Karsch,1894 _ Range (in code): ZR CM Yau UG
- 3080. Euriphene (Euriphene) amicia Hewitson,[1871]** (Argynnidae) Synonym(s): *amicia* Hewitson,[1871] _ Range (in code): NG Caa CM LR CI
- 3081. Euriphene (Euriphene) amicia amicia Hewitson,[1871]** (Argynnidae) Synonym(s): *amicia* Hewitson,[1871] _ Range (in code): NG Caa CM
- 3082. Euriphene (Euriphene) amicia gola Fox,1965** (Argynnidae) Synonym(s): *gola* Fox,1965 _ Range (in code): CI LR
- 3083. Euriphene (Euriphene) ampedusa (Hewitson,[1866])** (Argynnidae) Synonym(s): *ampedusa* Hewitson,[1866] _ Range (in code): NG Caa SN SL
- 3084. Euriphene (Euriphene) aridatha (Hewitson,[1866])** (Argynnidae) Synonym(s): *aridatha* Hewitson,[1866] _ Range (in code): NG Caa ZR SL CI UG
- 3085. Euriphene (Euriphene) aridatha aridatha (Hewitson,[1866])** (Argynnidae) Synonym(s): *aridatha* Hewitson,[1866] _ Range (in code): NG Caa ZR

- 3086. Euriphene (Euriphene) aridatha feronia (Staudinger,1891)** (Argynnidae)
Synonym(s): *feronia* Staudinger,1891 _ Range (in code): SL CI UG
- 3087. Euriphene (Euriphene) atossa (Hewitson,[1865])** (Argynnidae) Synonym(s): *atossa* Hewitson,[1865]; *amaxia* Hewitson,[1866] _ Range (in code): NG Caa LR CM ZR UG
- 3088. Euriphene (Euriphene) atossa atossa (Hewitson,[1865])** (Argynnidae)
Synonym(s): *atossa* Hewitson,[1865]; *amaxia* Hewitson,[1866] _ Range (in code): NG Caa LR CM ZR
- 3089. Euriphene (Euriphene) atossa australis D'Abrera,1980** (Argynnidae) Synonym(s): *#australis* Aurivillius,1912; *australis* D'Abrera,1980 _ Range (in code): ZR UG
- 3090. Euriphene (Euriphene) atropurpurea (Aurivillius,1894)** (Argynnidae)
Synonym(s): *atropurpurea* Aurivillius,1894 _ Range (in code): CI CM Yau
- 3091. Euriphene (Euriphene) atrovirens (Mabille,1878)** (Argynnidae) Synonym(s): *atrovirens* Mabille,1878 _ Range (in code): GA NG ZR
- 3092. Euriphene (Euriphene) aurivillii (Bartel,1905)** (Argynnidae) Synonym(s): *aurivillii* Bartel,1905 _ Range (in code): CM
- 3093. Euriphene (Euriphene) barombina (Aurivillius,1894)** (Argynnidae) Synonym(s): *barombina* Aurivillius,1894; *albopunctata* Aurivillius,1898 _ Range (in code): SL GA ZR CG AO UG
- 3094. Euriphene (Euriphene) butleri Aurivillius,1904** (Argynnidae) Synonym(s): *butleri* Aurivillius,1904 _ Range (in code): UG ZR
- 3095. Euriphene (Euriphene) butleri butleri Aurivillius,1904** (Argynnidae) Synonym(s): *butleri* Aurivillius,1904 _ Range (in code): UG ZR
- 3096. Euriphene (Euriphene) butleri kivuensis (Jackson & Howarth,1957)** (Argynnidae) Synonym(s): *kivuensis* Jackson & Howarth,1957 _ Range (in code): ZR
- 3097. Euriphene (Euriphene) camarensis Ward,1871** (Argynnidae) Synonym(s): *camarensis* Ward,1871 _ Range (in code): NG CM GA ZR
- 3098. Euriphene (Euriphene) canui Hecq,1987** (Argynnidae) Synonym(s): *canui* Hecq,1987 _ Range (in code): GO Bio NG
- 3099. Euriphene (Euriphene) canui canui Hecq,1987** (Argynnidae) Synonym(s): *canui* Hecq,1987 _ Range (in code): GO Bio
- 3100. Euriphene (Euriphene) canui legeriana Hecq,1987** (Argynnidae) Synonym(s): *legeriana* Hecq,1987 _ Range (in code): NG
- 3101. Euriphene (Euriphene) coerulea Boisduval,1847** (Argynnidae) Synonym(s): *coerulea* Boisduval,1847; *felicia* Butler,1871 _ Range (in code): LR CI GH
- 3102. Euriphene (Euriphene) conjungens (Aurivillius,1909)** (Argynnidae) Synonym(s): *conjungens* Aurivillius,1909 _ Range (in code): CM UG ZR
- 3103. Euriphene (Euriphene) conjungens chalybeata (Talbot,1937)** (Argynnidae)
Synonym(s): *chalybeata* Talbot,1937 _ Range (in code): ZR
- 3104. Euriphene (Euriphene) conjungens conjungens (Aurivillius,1909)** (Argynnidae)
Synonym(s): *conjungens* Aurivillius,1909 _ Range (in code): CM UG ZR
- 3105. Euriphene (Euriphene) doriclea (Drury,[1782])** (Argynnidae) Synonym(s): *doriclea* Drury,[1782] _ Range (in code): SL NG
- 3106. Euriphene (Euriphene) doriclea doriclea (Drury,[1782])** (Argynnidae)
Synonym(s): *doriclea* Drury,[1782] _ Range (in code): SL NG GA ZR CM UG
- 3107. Euriphene (Euriphene) doriclea infusca Capronnier,1889** (Argynnidae)
Synonym(s): *infusca* Capronnier,1889; *mollicella* Karsch,1894 _ Range (in code): GA ZR CM UG
- 3108. Euriphene (Euriphene) duseni (Aurivillius,1892)** (Argynnidae) Synonym(s): *duseni* Aurivillius,1892 _ Range (in code): CM
- 3109. Euriphene (Euriphene) ernestibaumanni (Karsch,1895)** (Argynnidae)
Synonym(s): *ernestibaumanni* Karsch,1895 _ Range (in code): TG ZR UG
- 3110. Euriphene (Euriphene) ernestibaumanni ernestibaumanni (Karsch,1895)** (Argynnidae) Synonym(s): *ernestibaumanni* Karsch,1895 _ Range (in code): TG
- 3111. Euriphene (Euriphene) ernestibaumanni integribasis (Hulstaert,1924)** (Argynnidae) Synonym(s): *integribasis* Hulstaert,1924 _ Range (in code): ZR
- 3112. Euriphene (Euriphene) ernestibaumanni obsoleta (Grünberg,1908)** (Argynnidae) Synonym(s): *obsoleta* Grünberg,1908 _ Range (in code): ZR UG
- 3113. Euriphene (Euriphene) excelsior (Rebel,1911)** (Argynnidae) Synonym(s): *excelsior* Rebel,1911 _ Range (in code): ZR UG RW BI

- 3114. Euriphene (Euriphene) gambiae Feisthamel,1850** (Argynnidae) **Synonym(s):** *gambiae* Feisthamel,1850 - Range (in code): SN LR GA CM AO ZR
- 3115. Euriphene (Euriphene) gambiae gabonica Bernardi,1966** (Argynnidae) **Synonym(s):** *gabonica* Bernardi,1966 - Range (in code): GA CM AO ZR
- 3116. Euriphene (Euriphene) gambiae gambiae Feisthamel,1850** (Argynnidae) **Synonym(s):** *gambiae* Feisthamel,1850 - Range (in code): SN LR
- 3117. Euriphene (Euriphene) glaucopis (Gaede,1916)** (Argynnidae) **Synonym(s):** *glaucopis* Gaede,1916; *niepelti* Neustetter,1916 - Range (in code): ZR CM
- 3118. Euriphene (Euriphene) goniogramma (Karsch,1894)** (Argynnidae) **Synonym(s):** *goniogramma* Karsch,1894 - Range (in code): CM Yau ZR
- 3119. Euriphene (Euriphene) grosesmithi (Staudinger,1891)** (Argynnidae) **Synonym(s):** *grosesmithi* Staudinger,1891 - Range (in code): ZR NG CM
- 3120. Euriphene (Euriphene) incerta (Aurivillius,1912)** (Argynnidae) **Synonym(s):** *incerta* Aurivillius,1912; *cyriaca* Hulstaert,1924 - Range (in code): ZR NG CM
- 3121. Euriphene (Euriphene) incerta incerta (Aurivillius,1912)** (Argynnidae) **Synonym(s):** *incerta* Aurivillius,1912; *cyriaca* Hulstaert,1924 - Range (in code): ZR NG CM
- 3122. Euriphene (Euriphene) incerta theodota (Hulstaert,1924)** (Argynnidae) **Synonym(s):** *theodota* Hulstaert,1924 - Range (in code): ZR
- 3123. Euriphene (Euriphene) intermixta (Aurivillius,1904)** (Argynnidae) **Synonym(s):** *intermixta* Aurivillius,1904; *unopunctata* Bethune-Baker,1908; *unocellata* Carpenter & Jackson,1950 - Range (in code): ZR
- 3124. Euriphene (Euriphene) iris (Aurivillius,1903)** (Argynnidae) **Synonym(s):** *iris* Aurivillius,1903 - Range (in code): ZR Shb TZ ZM AO
- 3125. Euriphene (Euriphene) ituriensis (Jackson & Howarth,1957)** (Argynnidae) **Synonym(s):** *ituriensis* Jackson & Howarth,1957 - Range (in code): ZR
- 3126. Euriphene (Euriphene) jacksoni (Talbot,1937)** (Argynnidae) **Synonym(s):** *jacksoni* Talbot,1937 - Range (in code): ZR UG
- 3127. Euriphene (Euriphene) jolyana Hecq,1987** (Argynnidae) **Synonym(s):** *jolyana* Hecq,1987 - Range (in code): ZR
- 3128. Euriphene (Euriphene) kahli (Holland,1920)** (Argynnidae) **Synonym(s):** *kahli* Holland,1920 - Range (in code): ZR
- 3129. Euriphene (Euriphene) karschi (Aurivillius,1894)** (Argynnidae) **Synonym(s):** *karschi* Aurivillius,1894 - Range (in code): NG ZR
- 3130. Euriphene (Euriphene) kiki Bernardi & T.Larsen,1980** (Argynnidae) **Synonym(s):** *kiki* Bernardi & T.Larsen,1980 - Range (in code): NG
- 3131. Euriphene (Euriphene) leonis (Aurivillius,1898)** (Argynnidae) **Synonym(s):** *leonis* Aurivillius,1898 - Range (in code): SL LR
- 3132. Euriphene (Euriphene) lomaensis Belcastro,1986** (Argynnidae) **Synonym(s):** *lomaensis* Belcastro,1986 - Range (in code): SL
- 3133. Euriphene (Euriphene) luteostriata (Bethune-Baker,1908)** (Argynnidae) **Synonym(s):** *luteostriata* Bethune-Baker,1908; *tessmanniana* Bryk,1915 - Range (in code): CM ZR
- 3134. Euriphene (Euriphene) lysandra (Stoll,[1790])** (Argynnidae) **Synonym(s):** *lysandra* Stoll,[1790]; *zeugma* Hewitson,1869 - Range (in code): NG Caa CM GO CG ZR
- 3135. Euriphene (Euriphene) melanops (Aurivillius,1897)** (Argynnidae) **Synonym(s):** *melanops* Aurivillius,1897 - Range (in code): ZR CG
- 3136. Euriphene (Euriphene) milnei Hewitson,1865** (Argynnidae) **Synonym(s):** *milnei* Hewitson,1865; *fuscomarginata* Bartel,1905 - Range (in code): NG Caa CM ZR LR?
- 3137. Euriphene (Euriphene) mundula (Grünberg,1910)** (Argynnidae) **Synonym(s):** *mundula* Grünberg,1910 - Range (in code): GO CM
- 3138. Euriphene (Euriphene) obtusangula (Aurivillius,1912)** (Argynnidae) **Synonym(s):** *obtusangula* Aurivillius,1912; *batesana* Bethune-Baker,1926 - Range (in code): CM CI
- 3139. Euriphene (Euriphene) pavo (Howarth,1959)** (Argynnidae) **Synonym(s):** *pavo* Howarth,1959 - Range (in code): CM NG
- 3140. Euriphene (Euriphene) pinkieana Bernardi,1975** (Argynnidae) **Synonym(s):** *pinkieana* Bernardi,1975 - Range (in code): CG GA
- 3141. Euriphene (Euriphene) plagiata (Aurivillius,1897)** (Argynnidae) **Synonym(s):** *plagiata* Aurivillius,1897 - Range (in code): ZR

- 3142. Euriphene (Euriphene) rectangula (Schultze,1920)** (Argynnidae) Synonym(s): *rectangula* Schultze,1920 _ Range (in code): CM ZR
- 3143. Euriphene (Euriphene) ribensis Ward,1871** (Argynnidae) Synonym(s): *ribensis* Ward,1871; *acutangula* Aurivillius,1909 _ Range (in code): KE UG TZ ZR
- 3144. Euriphene (Euriphene) romi (Aurivillius,1898)** (Argynnidae) Synonym(s): *romi* Aurivillius,1898 _ Range (in code): ZR
- 3145. Euriphene (Euriphene) rotundata (Holland,1920)** (Argynnidae) Synonym(s): *rotundata* Holland,1920 _ Range (in code): ZR
- 3146. Euriphene (Euriphene) saphirina (Karsch,1894)** (Argynnidae) Synonym(s): *saphirina* Karsch,1894; *umbrina* Aurivillius,1901; *hobleyi* Neave,1904 _ Range (in code): AO ZR KE UG TZ RW BI ZM
- 3147. Euriphene (Euriphene) saphirina itanii (Carcasson,1964)** (Argynnidae) Synonym(s): *itanii* Carcasson,1964 _ Range (in code): TZ ZM
- 3148. Euriphene (Euriphene) saphirina saphirina (Karsch,1894)** (Argynnidae) Synonym(s): *saphirina* Karsch,1894; *umbrina* Aurivillius,1901; *hobleyi* Neave,1904 _ Range (in code): ZR KE UG TZ RW BI
- 3149. Euriphene (Euriphene) saphirina trioculata (Talbot,1927)** (Argynnidae) Synonym(s): *trioculata* Talbot,1927 _ Range (in code): ZR AO
- 3150. Euriphene (Euriphene) schultzei (Aurivillius,1909)** (Argynnidae) Synonym(s): *schultzei* Aurivillius,1909 _ Range (in code): CM
- 3151. Euriphene (Euriphene) simplex (Staudinger,1891)** (Argynnidae) Synonym(s): *simplex* Staudinger,1891 _ Range (in code): SL CI NG LR
- 3152. Euriphene (Euriphene) tadema (Hewitson,1866)** (Argynnidae) Synonym(s): *tadema* Hewitson,1866 _ Range (in code): ZR NG Caa CM UG ZM
- 3153. Euriphene (Euriphene) tadema nigropunctata (Aurivillius,1901)** (Argynnidae) Synonym(s): *nigropunctata* Aurivillius,1901; *pallidior* Hulstaert,1924 _ Range (in code): ZR ZM UG
- 3154. Euriphene (Euriphene) tadema tadema (Hewitson,1866)** (Argynnidae) Synonym(s): *tadema* Hewitson,1866; *caerulescens* Neustetter,1916 _ Range (in code): NG Caa CM
- 3155. Euriphene (Euriphene) veronica (Stoll,[1780])** (Argynnidae) Synonym(s): *veronica* Stoll,[1780]; *gnidia* Fabricius,1793 _ Range (in code): SL CM
- 3156. Euriphene (Euryphura) achlys (Hopffer,1855)** (Argynnidae) Synonym(s): *achlys* Hopffer,1855 _ Range (in code): ZA Nta Kzu MZ KE MW ZW ZR TZ Tnga Usa Ani Bionomy: Larva on *Deinbollia* (Sapindaceae), *Chrysophyllum* (Sapotaceae) (Ackery et al.,1995).
- 3157. Euriphene (Euryphura) chalcis (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *chalcis* C.Felder & R.Felder,1860; *doralice* Hewitson,1865; *claudianus* Druce,1874; *lisidora* Aurivillius,1891; *albofasciata* Staudinger,1896; *oliva* Suffert,1904; *albula* Suffert,1904; *aurimarginata* Suffert,1904; *ochracea* Bartel,1905; *fulminea* Bartel,1905; *euthalioides* Schultze,1916; *isuka* Stoneham,1935; *ithako* Stoneham,1935; *vansomerani* Jackson,1956 _ Range (in code): SL LR GN NG Caa CM TG ZR KE Kkm UG ZR ZM Bionomy: Larva on *Chrysophyllum* (Sapotaceae) (Ackery et al.,1995).
- 3158. Euriphene (Euryphura) ducarmei (Hecq,1990)** (Argynnidae) Synonym(s): *ducarmei* Hecq,1990 _ Range (in code): ZR
- 3159. Euriphene (Euryphura) fontainei (Hecq,1990)** (Argynnidae) Synonym(s): *fontainei* Hecq,1990 _ Range (in code): ZR
- 3160. Euriphene (Euryphura) hecqui Ackery,1995** (Argynnidae) Synonym(s): *jolyana* Hecq,1990 nec Hec.,1987; *hecqui* Ackery,1995 _ Range (in code): ZR
- 3161. Euriphene (Euryphura) kiellandi (Hecq,1990)** (Argynnidae) Synonym(s): *kiellandi* Hecq,1990 _ Range (in code): TZ
- 3162. Euriphene (Euryphura) nobilis (Staudinger,1891)** (Argynnidae) Synonym(s): *nobilis* Staudinger,1891 _ Range (in code): SL CI CG ZR Shb
- 3163. Euriphene (Euryphura) nobilis nobilis (Staudinger,1891)** (Argynnidae) Synonym(s): *nobilis* Staudinger,1891 _ Range (in code): SL CI CG
- 3164. Euriphene (Euryphura) nobilis viridis (Hancock,1990)** (Argynnidae) Synonym(s): *viridis* Hancock,1990 _ Range (in code): ZR Shb
- 3165. Euriphene (Euryphura) plautilla Hewitson,1865** (Argynnidae) Synonym(s): *plautilla* Hewitson,1865; *doralice* Hewitson,1865 nec Hew.,1865; *aurantiaca* Aurivillius,1898 _ Range (in code): NG Caa ZR SL
- 3166. Euriphene (Euryphura) porphyron Ward,1871** (Argynnidae) Synonym(s): *porphyron* Ward,1871 _ Range (in code): CI SL TG GH NG CM GA CG ZR

- 3167. Euriphene (Euryphura) porphyron congoensis Joicey & Talbot, 1921** (Argynnidae) Synonym(s): *congoensis* Joicey & Talbot, 1921 Range (in code): **ZR**
- 3168. Euriphene (Euryphura) porphyron grassei (Bernardi, 1965)** (Argynnidae) Synonym(s): *grassei* Bernardi, 1965 Range (in code): **CG GA**
- 3169. Euriphene (Euryphura) porphyron porphyron Ward, 1871** (Argynnidae) Synonym(s): *porphyron* Ward, 1871 Range (in code): **CM**
- 3170. Euriphene (Euryphura) porphyron togoensis (Suffert, 1904)** (Argynnidae) Synonym(s): *togoensis* Suffert, 1904 Range (in code): **SL TG GH NG**
- 3171. Euripus consimilis (Westwood, [1850])** (Argynnidae) Synonym(s): *consimilis* Westwood, [1850] Range (in code): **TH CMa CDo Lmp Chy CRa CSa MM IN**
- 3172. Euripus consimilis consimilis (Westwood, [1850])** (Argynnidae) Synonym(s): *consimilis* Westwood, [1850]
- 3173. Euripus consimilis eurinus Fruhstorfer, 1903** (Argynnidae) Synonym(s): *eurinus* Fruhstorfer, 1903 Original Reference: Euripus consimilis eurinus Fruhstorfer, 1903, [in] Seitz, Die Gross-Schmett. Erde 9: 710. Range (in code): **TH CMa CDo Lmp Chy CRa CSa**
- 3174. Euripus nyctelius (Doubleday, 1845)** (Argynnidae) Synonym(s): *nyctelius* Doubleday, 1845 Range (in code): **MM MY PH Luz Boh CmM Ley Mno Sam Mar Mdo Bal Pal Neg Pan TH CMa CDo Pbu Nrt Chy Phr Nna Pht Yal CRa Phi Cbi Tng Sgk Hya Tnc**
- 3175. Euripus nyctelius clytia (C.Felder & R.Felder, [1867])** (Argynnidae) Synonym(s): *clytia* C.Felder & R.Felder, [1867] Range (in code): **PH Luz**
- 3176. Euripus nyctelius euploeoides (C.Felder & R.Felder, [1867])** (Argynnidae) Synonym(s): *euploeoides* C.Felder & R.Felder, [1867] Range (in code): **MM TH CMa MY**
- 3177. Euripus nyctelius marinduquanus Treadaway, 1995** (Argynnidae) Synonym(s): *marinduquanus* Treadaway, 1995 Range (in code): **PH Mar**
- 3178. Euripus nyctelius nyctelius (Doubleday, 1845)** (Argynnidae) Synonym(s): *nyctelius* Doubleday, 1845 Range (in code): **TH CMa CDo Pbu Nrt Chy Phr Nna Pht Yal CRa Phi Cbi Tng Sgk Hya Tnc**
- 3179. Euripus nyctelius nysia Semper, 1887** (Argynnidae) Synonym(s): *nysia* Semper, 1887 Range (in code): **PH Boh CmM Ley Mno Sam**
- 3180. Euripus nyctelius ophelion Fruhstorfer, 1914** (Argynnidae) Synonym(s): *ophelion* Fruhstorfer, 1914 Range (in code): **PH Bal**
- 3181. Euripus nyctelius orestheion Fruhstorfer, 1914** (Argynnidae) Synonym(s): *orestheion* Fruhstorfer, 1914 Range (in code): **PH Mdo**
- 3182. Euripus nyctelius palawanicus Fruhstorfer, 1899** (Argynnidae) Synonym(s): *palawanicus* Fruhstorfer, 1899 Range (in code): **PH Pal**
- 3183. Euripus nyctelius sparsus Tsukada, 1991** (Argynnidae) Synonym(s): *sparsus* Tsukada, 1991 Range (in code): **PH Neg Pan**
- 3184. Euryphaedra thauma Staudinger, 1891** (Argynnidae) Synonym(s): *thauma* Staudinger, 1891
- 3185. Eurytela alinda Mabille, 1893** (Argynnidae) Synonym(s): *alinda* Mabille, 1893 Range (in code): **GN**
- 3186. Eurytela dryope (Cramer, [1775])** (Argynnidae) Synonym(s): *dryope* Cramer, [1775] Original Reference: Papilio dryope Cramer, [1775], Uitl. Kapellen 1: 125, pl. 78 figs. E, F. Type(s): la Cote de Guinée. Range (in code): **SL CM ZR YE UG ET MG SA ZA Nta Kzu Ptb Stj Tra ZA25 Tva Lpo Spb Suw Mph Mpu Brb Mdk Ent Kru Pma Mll Pf TZ Tnga Usa Ani MW Zom**
- 3187. Eurytela dryope angulata Aurivillius, 1898** (Argynnidae) Synonym(s): *angulata* Aurivillius, 1898 Range (in code): **MW Zom ZA Nta Kzu Ptb Stj Tra ZA25 Tva Lpo Spb Suw Mph Mpu Brb Mdk Ent Kru Pma Mll Pf TZ Tnga Usa Ani**
- 3188. Eurytela dryope brittoni Gabriel, 1954** (Argynnidae) Synonym(s): *brittoni* Gabriel, 1954 Original Reference: Eurytela dryope ssp. brittoni Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 359. Holotype ♂: Yemen: Usaifira, 4500ft. (BMHN). Range (in code): **YE SA**
- 3189. Eurytela dryope dryope (Cramer, [1775])** (Argynnidae) Synonym(s): *dryope* Cramer, [1775] Original Reference: Papilio dryope Cramer, [1775], Uitl. Kapellen 1: 125, pl. 78 figs. E, F. Type(s): la Cote de Guinée. Range (in code): **SL CM ZR**
- 3190. Eurytela dryope lineata Aurivillius, 1898** (Argynnidae) Synonym(s): *lineata* Aurivillius, 1898
- 3191. Eurytela hiarbas (Drury, 1782)** (Argynnidae) Synonym(s): *hiarbas* Drury, 1782 Range (in code): **ET KE TZ Tnga Usa Ani ZW Vum MW Zom MZ ZA Ec Nta Kzu Ptb Dbn Mpu Brb Tva Lpo Spb Lj Mll Suw Ent Hgl**

- 3192. Eurytela hiarbas abyssinica Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *abyssinica* Rothschild & Jordan,1903 - Range (in code): ET
- 3193. Eurytela hiarbas angustata Aurivillius,1894** (Argynnidae) Synonym(s): *angustata* Aurivillius,1894 - Range (in code): ZA Ec Nta Kzu Ptb Dbn Mpu Brb Mll Suw Tva Lpo Spb Lj Ent Hgl MW Zom
- 3194. Eurytela hiarbas hiarbas (Drury,1782)** (Argynnidae) Synonym(s): *hiarbas* Drury,1782
- 3195. Eurytela hiarbas lita Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *lita* Rothschild & Jordan,1903 - Range (in code): ZW Vum TZ Tnga Usa Ani KE
- 3196. Euthalia (Aconthea) aconthea (Cramer,[1777])** (Argynnidae) Synonym(s): *aconthea* Cramer,[1777] - Original Reference: Papilio aconthea Cramer,[1777], Uitl. Kapellen 2: pl.134, figs.D,G. Type(s): Java. Range (in code): AF Ng ID LK SI IN Clc Ass Nag Khs MM TH CMa Cu0 Cu07 Rng Yal Tng Nst Ths Nan Knc Cbi CN Hn MY PH
- 3197. Euthalia (Aconthea) aconthea aconthea (Cramer,[1777])** (Argynnidae) Synonym(s): *aconthea* Cramer,[1777] - Original Reference: Papilio aconthea Cramer,[1777], Uitl. Kapellen 2: pl.134, figs.D,G. Type(s): Java. Range (in code): ID
- 3198. Euthalia (Aconthea) aconthea bongaoensis Schröder, Treadaway & Nuyda,1990** (Argynnidae) Synonym(s): *bongaoensis* Schröder, Treadaway & Nuyda,1990 - Range (in code): PH Bon Sga Taw
- 3199. Euthalia (Aconthea) aconthea gurda Fruhstorfer,1906** (Argynnidae) Synonym(s): *gurda* Fruhstorfer,1906 - Range (in code): TH CMa Cu0 Cu07 Rng Yal Tng Nst Ths Nan Knc Cbi
- 3200. Euthalia (Aconthea) aconthea joloana Staudinger,1889** (Argynnidae) Synonym(s): *joloana* Staudinger,1889 - Range (in code): PH Jol
- 3201. Euthalia (Aconthea) aconthea obatrata Yokochi,1994** (Argynnidae) Synonym(s): *obatrata* Yokochi,1994 - Range (in code): PH Dum
- 3202. Euthalia (Aconthea) aconthea palawana Staudinger,1889** (Argynnidae) Synonym(s): *palawana* Staudinger,1889 - Range (in code): PH Cal Pal
- 3203. Euthalia (Aconthea) aconthea sibutana Schröder, Treadaway & Nuyda,1990** (Argynnidae) Synonym(s): *sibutana* Schröder, Treadaway & Nuyda,1990 - Range (in code): PH Stu
- 3204. Euthalia (Aconthea) alpheda (Godart,[1824])** (Argynnidae) Synonym(s): *alpheda* Godart,[1824] - Range (in code): PH Dim Hom Mno Ley Sam Neg Pan Mdo Luz Pal Sib Sul Jol? TH Tuo Chy CMa Cu0 Cu07 Nrt Cbu Chy Nna Sgk Hya Tnc
- 3205. Euthalia (Aconthea) alpheda alpheda (Godart,[1824])** (Argynnidae) Synonym(s): *alpheda* Godart,[1824]
- 3206. Euthalia (Aconthea) alpheda cusama Fruhstorfer,1913** (Argynnidae) Synonym(s): *cusama* Fruhstorfer,1913 - Range (in code): PH Dim Hom Mno
- 3207. Euthalia (Aconthea) alpheda leytana Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *leytana* Schröder & Treadaway,1982 - Range (in code): PH Ley Sam
- 3208. Euthalia (Aconthea) alpheda liaoi Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *liaoi* Schröder & Treadaway,1982 - Original Reference: Euthalia alpheda ssp. liaoi Schröder & Treadaway,1982, Ent. Z., Frankf. a. M. 92(19): 275-276, Abb.1. Holotypus ♂: Philippinen: Panay: Antique, Mt. Madjaan, 500m. Range (in code): PH Neg Pan
- 3209. Euthalia (Aconthea) alpheda mindorensis Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *mindorensis* Schröder & Treadaway,1982 - Range (in code): PH Mdo
- 3210. Euthalia (Aconthea) alpheda phelada Semper,1888** (Argynnidae) Synonym(s): *phelada* Semper,1888 - Range (in code): PH Luz
- 3211. Euthalia (Aconthea) alpheda rodriguezi Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *rodriguezi* Schröder & Treadaway,1982 - Range (in code): PH Pal
- 3212. Euthalia (Aconthea) alpheda sibuyana Schröder & Treadaway,1982** (Argynnidae) Synonym(s): *sibuyana* Schröder & Treadaway,1982 - Range (in code): PH Sib
- 3213. Euthalia (Aconthea) alpheda soregina Fruhstorfer,1913** (Argynnidae) Synonym(s): *soregina* Fruhstorfer,1913 - Range (in code): PH Sul Jol?
- 3214. Euthalia (Aconthea) alpheda verena Fruhstorfer,1913** (Argynnidae) Synonym(s): *verena* Fruhstorfer,1913 - Range (in code): TH CMa Cu0 Cu07 Nrt Cbu Chy Nna Sgk Hya Tnc
- 3215. Euthalia (Aconthea) alpheda yamuna Fruhstorfer,1906** (Argynnidae) Synonym(s): *yamuna* Fruhstorfer,1906 - Range (in code): TH Tuo Chy
- 3216. Euthalia (Aconthea) anosia (Moore,1858)** (Argynnidae) Synonym(s): *anosia* Moore,1858 - Range (in code): TH CMa Cu0 Cu05 Cu10 Cu09 CDo Cbi Nrt Ntt Yal PH Taw

- 3217. Euthalia (Aconthea) anosia anosia (Moore,1858)** (Argynnidae) Synonym(s): *anosia* Moore,1858 _ Range (in code): TH CMa Cu0 Cu05 Cu10 Cu09 CDo Cbi Nrt
- 3218. Euthalia (Aconthea) anosia bunaya Fruhstorfer,1913** (Argynnidae) Synonym(s): *bunaya* Fruhstorfer,1913 _ Range (in code): TH Ntt Yal
- 3219. Euthalia (Aconthea) anosia tawitawia Treadaway & Nuyda,1994** (Argynnidae) Synonym(s): *tawitawia* Treadaway & Nuyda,1994 _ Range (in code): PH Taw
- 3220. Euthalia (Aconthea) eriphylae De Nicéville,1891** (Argynnidae) Synonym(s): *eriphylae* De Nicéville,1891 _ Range (in code): TH CMa CDo Nna Cbi Chy Sbu Sgk Hya Tnc
- 3221. Euthalia (Aconthea) eriphylae chula Fruhstorfer,1905** (Argynnidae) Synonym(s): *chula* Fruhstorfer,1905 _ Range (in code): TH CMa CDo Nna Cbi Chy Sbu Sgk Hya Tnc
- 3222. Euthalia (Aconthea) eriphylae eriphylae De Nicéville,1891** (Argynnidae) Synonym(s): *eriphylae* De Nicéville,1891
- 3223. Euthalia (Aconthea) eriphylae raya Eliot,1960** (Argynnidae) Synonym(s): *raya* Eliot,1960 _ Range (in code): TH
- 3224. Euthalia (Aconthea) garuda (Moore,1857)** (Argynnidae) Synonym(s): *garuda* Moore,1857 _ Original Reference: Adolias garuda Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 186, nr.374. Range (in code): LK IN MM Hp Sml TH CMa Nrt Bnk Cbu Chy Sbu Knc Nth _ Bionomy: Larva on Mangifera indica [mango] (Anacardiaceae) (Lewvanich,2001).
- 3225. Euthalia (Aconthea) garuda garuda (Moore,1857)** (Argynnidae) Synonym(s): *garuda* Moore,1857 _ Original Reference: Adolias garuda Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 186, nr.374. Range (in code): LK IN MM Hp Sml TH CMa Nrt Bnk Cbu Chy Sbu Knc Nth _ Bionomy: Larva on Mangifera indica [mango] (Anacardiaceae) (Lewvanich,2001).
- 3226. Euthalia (Aconthea) ipona Fruhstorfer,1913** (Argynnidae) Synonym(s): *ipona* Fruhstorfer,1913 _ Range (in code): TH Rng Sat Nst Ths Tuo
- 3227. Euthalia (Aconthea) ipona ipona Fruhstorfer,1913** (Argynnidae) Synonym(s): *ipona* Fruhstorfer,1913 _ Range (in code): TH Rng Sat Nst Ths Tuo
- 3228. Euthalia (Aconthea) kanda (Moore,1859)** (Argynnidae) Synonym(s): *kanda* Moore,1859 _ Range (in code): TH Nst Yal Tng
- 3229. Euthalia (Aconthea) kanda elicius De Nicéville,1890** (Argynnidae) Synonym(s): *elicius* De Nicéville,1890 _ Range (in code): TH
- 3230. Euthalia (Aconthea) kanda kanda (Moore,1859)** (Argynnidae) Synonym(s): *kanda* Moore,1859
- 3231. Euthalia (Aconthea) kanda marana Corbet,1937** (Argynnidae) Synonym(s): *marana* Corbet,1937 _ Range (in code): TH Nst Yal Tng
- 3232. Euthalia (Aconthea) mahadeva (Moore,1859)** (Argynnidae) Synonym(s): *mahadeva* Moore,1859 _ Range (in code): PH Bal Bon Sga Stu Taw Cal Pal Dum TH Tng Yal Sat
- 3233. Euthalia (Aconthea) mahadeva dacasini Hanafusa,1990** (Argynnidae) Synonym(s): *dacasini* Hanafusa,1990 _ Range (in code): PH Bal
- 3234. Euthalia (Aconthea) mahadeva ingae Schröder & Treadaway,1990** (Argynnidae) Synonym(s): *ingae* Schröder & Treadaway,1990 _ Range (in code): PH Bon Sga Stu Taw
- 3235. Euthalia (Aconthea) mahadeva mahadeva (Moore,1859)** (Argynnidae) Synonym(s): *mahadeva* Moore,1859
- 3236. Euthalia (Aconthea) mahadeva rhamases Staudinger,1889** (Argynnidae) Synonym(s): *rhamases* Staudinger,1889 _ Range (in code): PH Cal Pal
- 3237. Euthalia (Aconthea) mahadeva yui Yokochi,1994** (Argynnidae) Synonym(s): *yui* Yokochi,1994 _ Range (in code): PH Dum
- 3238. Euthalia (Aconthea) mahadeva zichrina Fruhstorfer,1904** (Argynnidae) Synonym(s): *zichrina* Fruhstorfer,1904 _ Range (in code): TH Tng Yal Sat
- 3239. Euthalia (Aconthea) merta (Moore,1859)** (Argynnidae) Synonym(s): *merta* Moore,1859 _ Range (in code): TH CMa CDo Sat Tng Yal
- 3240. Euthalia (Aconthea) merta merta (Moore,1859)** (Argynnidae) Synonym(s): *merta* Moore,1859 _ Range (in code): TH Sat Tng Yal
- 3241. Euthalia (Aconthea) merta milleri Pendlebury,1939** (Argynnidae) Synonym(s): *milleri* Pendlebury,1939 _ Range (in code): TH

- 3242. Euthalia (Aconthea) monina (Fabricius,1787)** (Argynnidae) Synonym(s): *monina* Fabricius,1787 _ Range (in code): PH Sul Pal TH CMa CDo CD2 Rng Tng Yal Pat Cbu Nrt Cbi Cbu Knc Pbu Nst Ths Sgk Hya Tnc
- 3243. Euthalia (Aconthea) monina discipilota Moore,1879** (Argynnidae) Synonym(s): *discipilota* Moore,1879 _ Range (in code): TH CMa CDo CD2
- 3244. Euthalia (Aconthea) monina kayumanggia Treadaway & Nuyda,1994** (Argynnidae) Synonym(s): *kayumanggia* Treadaway & Nuyda,1994 _ Range (in code): PH Pal
- 3245. Euthalia (Aconthea) monina monina (Fabricius,1787)** (Argynnidae) Synonym(s): *monina* Fabricius,1787 _ Range (in code): TH Rng Tng Yal Pat Cbu Nst Ths Sgk Hya Tnc
- 3246. Euthalia (Aconthea) monina remias Corbet,1945** (Argynnidae) Synonym(s): *remias* Corbet,1945 _ Range (in code): TH Nrt Cbi Cbu Knc Pbu
- 3247. Euthalia (Aconthea) monina suluana Fruhstorfer,1902** (Argynnidae) Synonym(s): *suluana* Fruhstorfer,1902 _ Range (in code): PH Sul
- 3248. Euthalia (Aconthea) phemius (Doubleday,1848)** (Argynnidae) Synonym(s): *phemius* Doubleday,1848 _ Range (in code): TH CMa CDo Cbi Nrt
- 3249. Euthalia (Aconthea) phemius phemius (Doubleday,1848)** (Argynnidae) Synonym(s): *phemius* Doubleday,1848 _ Range (in code): TH CMa CDo Cbi Nrt
- 3250. Euthalia (Bassarona) alpherakyi Oberthür,1907** (Argynnidae) Synonym(s): *alpherakyi* Oberthür,1907 _ Range (in code): CN Ti
- 3251. Euthalia (Bassarona) alpherakyi alpherakyi Oberthür,1907** (Argynnidae) Synonym(s): *alpherakyi* Oberthür,1907 _ Range (in code): CN Ti
- 3252. Euthalia (Bassarona) confucius (Westwood,[1850])** (Argynnidae) Synonym(s): *confucius* Westwood,[1850] _ Original Reference: Adolias confucius Westwood,[1850], [in] Doubleday, Gen. diurn. Lep.: 291, nr. 16, note. Type(s): China. Range (in code): CN Ti
- 3253. Euthalia (Bassarona) confucius confucius (Westwood,[1850])** (Argynnidae) Synonym(s): *confucius* Westwood,[1850] _ Original Reference: Adolias confucius Westwood,[1850], [in] Doubleday, Gen. diurn. Lep.: 291, nr. 16, note. Type(s): China. Range (in code): CN Ti
- 3254. Euthalia (Bassarona) dunya (Doubleday,1848)** (Argynnidae) Synonym(s): *dunya* Doubleday,1848 _ Range (in code): PH Pal TH Rng Tng Yal Nst Ths Ptt Sgk Hya Tnc
- 3255. Euthalia (Bassarona) dunya dunya (Doubleday,1848)** (Argynnidae) Synonym(s): *dunya* Doubleday,1848 _ Range (in code): TH Rng Tng Yal Nst Ths Ptt Sgk Hya Tnc
- 3256. Euthalia (Bassarona) dunya monara Fruhstorfer,1913** (Argynnidae) Synonym(s): *monara* Fruhstorfer,1913 _ Range (in code): PH Pal
- 3257. Euthalia (Bassarona) hebe Leech,1891** (Argynnidae) Synonym(s): *hebe* Leech,1891 _ Range (in code): CN Ti
- 3258. Euthalia (Bassarona) hebe hebe Leech,1891** (Argynnidae) Synonym(s): *hebe* Leech,1891 _ Range (in code): CN Ti
- 3259. Euthalia (Bassarona) khama Alpheraky,1898** (Argynnidae) Synonym(s): *khama* Alpheraky,1898 _ Range (in code): CN Ti
- 3260. Euthalia (Bassarona) khama khama Alpheraky,1898** (Argynnidae) Synonym(s): *khama* Alpheraky,1898 _ Range (in code): CN Ti
- 3261. Euthalia (Bassarona) piratica Semper,1888** (Argynnidae) Synonym(s): *piratica* Semper,1888 _ Range (in code): PH CmM Mno Neg Din Mdo Bas Luz
- 3262. Euthalia (Bassarona) piratica dinagatensis Tsukada,1991** (Argynnidae) Synonym(s): *dinagatensis* Tsukada,1991 _ Range (in code): PH Din
- 3263. Euthalia (Bassarona) piratica negrosiana Schröder & Treadaway,1987** (Argynnidae) Synonym(s): *negrosiana* Schröder & Treadaway,1987 _ Original Reference: Bassarona piratica negrosiana Schröder & Treadaway,1987, Ent. Z., Frankf. a. M. 97: 349-350. Holotypus ♂: Philippinen: Negros or. Range (in code): PH Neg
- 3264. Euthalia (Bassarona) piratica piratica Semper,1888** (Argynnidae) Synonym(s): *piratica* Semper,1888 _ Range (in code): PH CmM Mno
- 3265. Euthalia (Bassarona) piratica romeo Schröder & Treadaway,1987** (Argynnidae) Synonym(s): *romeo* Schröder & Treadaway,1987 _ Range (in code): PH Mdo
- 3266. Euthalia (Bassarona) piratica sarmana Fruhstorfer,1913** (Argynnidae) Synonym(s): *sarmana* Fruhstorfer,1913 _ Range (in code): PH Bas
- 3267. Euthalia (Bassarona) piratica subpiratica Schröder & Treadaway,1987** (Argynnidae) Synonym(s): *subpiratica* Schröder & Treadaway,1987 _ Range (in code): PH Luz

- 3268. Euthalia (Bassarona) pratti** Leech,1891 (Argynnidae) Synonym(s): *pratti* Leech,1891
Range (in code): **CN Ti**
- 3269. Euthalia (Bassarona) pratti pratti** Leech,1891 (Argynnidae) Synonym(s): *pratti* Leech,1891
Range (in code): **CN Ti**
- 3270. Euthalia (Bassarona) recta** (De Nicéville,1886) (Argynnidae) Synonym(s): *recta* De Nicéville,1886
Range (in code): **TH Chy Knc Tuo Nna Pht Yal Nst Ths Sgk Hya Tnc**
- 3271. Euthalia (Bassarona) recta monilis** (Moore,1897) (Argynnidae) Synonym(s): *monilis* Moore,1897
Range (in code): **TH Chy Knc Tuo Nna Pht Yal Nst Ths Sgk Hya Tnc**
- 3272. Euthalia (Bassarona) recta recta** (De Nicéville,1886) (Argynnidae) Synonym(s): *recta* De Nicéville,1886
- 3273. Euthalia (Bassarona) teuta** (Doubleday,1848) (Argynnidae) Synonym(s): *teuta* Doubleday,1848
Range (in code): **PH Bal Pal TH Rng Tng Yal Nst Ths Sat Sgk Hya Tnc Tuo Nna Cbi Cbu Chy**
- 3274. Euthalia (Bassarona) teuta balabacana** Tsukada,1991 (Argynnidae) Synonym(s): *balabacana* Tsukada,1991
Range (in code): **PH Bal**
- 3275. Euthalia (Bassarona) teuta eson** De Nicéville,1894 (Argynnidae) Synonym(s): *eson* De Nicéville,1894
Range (in code): **PH Pal**
- 3276. Euthalia (Bassarona) teuta goodrichi** Distant,1886 (Argynnidae) Synonym(s): *goodrichi* Distant,1886
Range (in code): **TH Rng Tng Yal Nst Ths Sat Sgk Hya Tnc**
- 3277. Euthalia (Bassarona) teuta gupta** (De Nicéville,1886) (Argynnidae) Synonym(s): *gupta* De Nicéville,1886
Range (in code): **TH Cbi Nna Cbu**
- 3278. Euthalia (Bassarona) teuta rayana** Morishita,1968 (Argynnidae) Synonym(s): *rayana* Morishita,1968
Range (in code): **TH Tuo**
- 3279. Euthalia (Bassarona) teuta teuta** (Doubleday,1848) (Argynnidae) Synonym(s): *teuta* Doubleday,1848
Range (in code): **TH Chy**
- 3280. Euthalia (Bassarona) thibetana** Poujade,1885 (Argynnidae) Synonym(s): *thibetana* Poujade,1885
Range (in code): **CN Ti**
- 3281. Euthalia (Bassarona) thibetana thibetana** Poujade,1885 (Argynnidae) Synonym(s): *thibetana* Poujade,1885
Range (in code): **CN Ti**
- 3282. Euthalia (Chucapa) Moore**,[1897] (Argynnidae) Synonym(s): *Chucapa* Moore,[1897]
- 3283. Euthalia (Chucapa) franciae** (Gray,1846) (Argynnidae) Synonym(s): *francae* Gray,1846
Range (in code): **TH CMa**
- 3284. Euthalia (Chucapa) franciae attenuata** Tytler,1911 (Argynnidae) Synonym(s): *attenuata* Tytler,1911
Range (in code): **TH CMa**
- 3285. Euthalia (Chucapa) franciae franciae** (Gray,1846) (Argynnidae) Synonym(s): *francae* Gray,1846
- 3286. Euthalia (Dophla) evelina** (Stoll,[1790]) (Argynnidae) Synonym(s): *evelina* Stoll,[1790]
Range (in code): **PH Cal Pal Bas Bil Boh CmM Din Ley Mno Pao Sam Bab Cat Luz Mar Mdo Mas Neg Pan Sib Stu Sga Taw Bal MY TH CMa Cuo Cuo7 Cuo9 Nrt Cbu Sbu Chy Nna Rng Yal Tng Sak Nst Ths Sgk Hya Tnc** **Bionomy:** Larva on *Garcinia dulcis* [ma phut] (Guttiferae) (Lewvanich,2001).
- 3287. Euthalia (Dophla) evelina albusequus** Nihira & Kawamura,1986 (Argynnidae) Synonym(s): *albusequus* Nihira & Kawamura,1986
Range (in code): **PH Sga Taw**
- 3288. Euthalia (Dophla) evelina annamita** (Moore,1880) (Argynnidae) Synonym(s): *annamita* Moore,1880
Range (in code): **TH Sak** **Bionomy:** Larva on *Garcinia dulcis* [ma phut] (Guttiferae) (Lewvanich,2001).
- 3289. Euthalia (Dophla) evelina balabacana** Tsukada,1991 (Argynnidae) Synonym(s): *balabacana* Tsukada,1991
Range (in code): **PH Bal**
- 3290. Euthalia (Dophla) evelina chloe** Schröder & Treadaway,1990 (Argynnidae) Synonym(s): *chloe* Schröder & Treadaway,1990
Original Reference: *Dophla evelina* ssp. *chloe* Schröder & Treadaway,1990, Ent. Z., Frankf. a. M. 100: 464-465, Abb.3. Holotypus ♂: Philippinen: Romblon Group, Sibuyan Isl. Jao Asan, 200m. **Range (in code): PH Mas Neg Pan Sib**
- 3291. Euthalia (Dophla) evelina circe** Schröder & Treadaway,1990 (Argynnidae) Synonym(s): *circe* Schröder & Treadaway,1990
Range (in code): **PH Stu**
- 3292. Euthalia (Dophla) evelina compta** Fruhstorfer,1899 (Argynnidae) Synonym(s): *compta* Fruhstorfer,1899
Range (in code): **TH Rng Yal Tng Nst Ths Sgk Hya Tnc**
- 3293. Euthalia (Dophla) evelina eva** C.Felder & R.Felder,[1867] (Argynnidae) Synonym(s): *eva* C.Felder & R.Felder,[1867]
Range (in code): **PH Bab Cat Luz Mar Mdo**

- 3294. Euthalia (Dophla) evelina evelina (Stoll,[1790])** (Argynnidae) Synonym(s): *evelina Stoll,[1790]*
- 3295. Euthalia (Dophla) evelina proditrix Fruhstorfer,1913** (Argynnidae) Synonym(s): *proditrix Fruhstorfer,1913* _ Range (in code): **PH Bas Bil Boh CmM Din Ley Mno Pao**
- 3296. Euthalia (Dophla) evelina samarensis Tsukada,1991** (Argynnidae) Synonym(s): *samarensis Tsukada,1991* _ Range (in code): **PH Sam**
- 3297. Euthalia (Dophla) evelina tyawena Fruhstorfer,1913** (Argynnidae) Synonym(s): *tyawena Fruhstorfer,1913* _ Range (in code): **PH Cal Pal**
- 3298. Euthalia (Dophla) evelina vallona Fruhstorfer,1899** (Argynnidae) Synonym(s): *vallona Fruhstorfer,1899* _ Range (in code): **TH CMa Cuo Cuo7 Cuo9 CDo Nrt Sbu Chy Nna**
- 3299. Euthalia (Limbusa) nara (Moore,1859)** (Argynnidae) Synonym(s): *nara Moore,1859* _ Range (in code): **MM Shn TH CMa**
- 3300. Euthalia (Limbusa) nara nara (Moore,1859)** (Argynnidae) Synonym(s): *nara Moore,1859*
- 3301. Euthalia (Limbusa) nara shania Evans,1924** (Argynnidae) Synonym(s): *shania Evans,1924* _ Range (in code): **MM Shn TH CMa**
- 3302. Euthalia (Limbusa) narayana Grose-Smith,1891** (Argynnidae) Synonym(s): *narayana Grose-Smith,1891* _ Range (in code): **TH CMa Chy**
- 3303. Euthalia (Limbusa) narayana narayana Grose-Smith,1891** (Argynnidae) Synonym(s): *narayana Grose-Smith,1891* _ Range (in code): **TH CMa Chy**
- 3304. Euthalia (Limbusa) patala (Kollar,[1844])** (Argynnidae) Synonym(s): *patala Kollar,[1844]* _ Range (in code): **TH CMa Wpp**
- 3305. Euthalia (Limbusa) patala patala (Kollar,[1844])** (Argynnidae) Synonym(s): *patala Kollar,[1844]*
- 3306. Euthalia (Limbusa) patala taoana (Moore,1878)** (Argynnidae) Synonym(s): *taoana Moore,1878* _ Range (in code): **TH CMa Wpp**
- 3307. Euthalia (s.str.) adonia (Cramer,[1779])** (Argynnidae) Synonym(s): *adonia Cramer,[1779]* _ Range (in code): **PH Pal TH Rng Nst Ths Chw**
- 3308. Euthalia (s.str.) adonia adonia (Cramer,[1779])** (Argynnidae) Synonym(s): *adonia Cramer,[1779]*
- 3309. Euthalia (s.str.) adonia beata Fruhstorfer,1905** (Argynnidae) Synonym(s): *beata Fruhstorfer,1905* _ Range (in code): **TH Rng Nst Ths Chw**
- 3310. Euthalia (s.str.) adonia princesa Fruhstorfer,1899** (Argynnidae) Synonym(s): *princesa Fruhstorfer,1899* _ Range (in code): **PH Pal**
- 3311. Euthalia (s.str.) djata Distant & Pryer,1887** (Argynnidae) Synonym(s): *djata Distant & Pryer,1887* _ Range (in code): **PH Pal TH Loe Cbi Nrt**
- 3312. Euthalia (s.str.) djata djata Distant & Pryer,1887** (Argynnidae) Synonym(s): *djata Distant & Pryer,1887*
- 3313. Euthalia (s.str.) djata ludonia Staudinger,1889** (Argynnidae) Synonym(s): *ludonia Staudinger,1889* _ Range (in code): **PH Pal**
- 3314. Euthalia (s.str.) djata siamica (N.D.Riley & Godfrey,1925)** (Argynnidae) Synonym(s): *siamica N.D.Riley & Godfrey,1925* _ Range (in code): **TH Loe Cbi Nrt**
- 3315. Euthalia (s.str.) lubentina (Cramer,[1777])** (Argynnidae) Synonym(s): *lubentina Cramer,[1777]* _ Range (in code): **PH Bas Din Mno Mdo Boh Ley Sam Neg Pan Luz Mar TH CMa Cuo Cu10 Cu12 CDo Cbu Knc Bnk Cbi Rng MY Lkw**
- 3316. Euthalia (s.str.) lubentina boholensis M.Okano & T.Okano,1990** (Argynnidae) Synonym(s): *boholensis M.Okano & T.Okano,1990* _ Range (in code): **PH Boh**
- 3317. Euthalia (s.str.) lubentina goertzi Jumalon,1975** (Argynnidae) Synonym(s): *goertzi Jumalon,1975* _ Range (in code): **PH Neg Pan**
- 3318. Euthalia (s.str.) lubentina leytensis Jumalon,1975** (Argynnidae) Synonym(s): *leytensis Jumalon,1975* _ Range (in code): **PH Ley Sam**
- 3319. Euthalia (s.str.) lubentina lubentina (Cramer,[1777])** (Argynnidae) Synonym(s): *lubentina Cramer,[1777]* _ Range (in code): **TH CMa Cuo Cu10 Cu12 CDo Cbu Knc Bnk Cbi Rng MY Lkw**
- 3320. Euthalia (s.str.) lubentina nadenya Fruhstorfer,1913** (Argynnidae) Synonym(s): *nadenya Fruhstorfer,1913* _ Range (in code): **PH Luz Mar**
- 3321. Euthalia (s.str.) lubentina philippensis Fruhstorfer,1899** (Argynnidae) Synonym(s): *philippensis Fruhstorfer,1899* _ Range (in code): **PH Bas Din Mno**

- 3322. Euthalia (s.str.) lubentina tsukada Koçak,1996** (Argynnidae) Synonym(s): *mindorana* Tsukada,1991 nec Fruhst.,1899; *tsukada* Koçak,1996 Original Reference: *Euthalia lubentina* ssp. *tsukada* Koçak,1996, Cent. ent. Stud., Misc. Pap. 27 /28: 8 (nomen novum pro *Euthalia lubentina* *mindorana* Tsukada,1991 nec *Euthalia lusiada* *mindorana* Fruhstorfer,1899). Range (in code): **PH Mdo**
- 3323. Euthalia (s.str.) malaccana Fruhstorfer,1899** (Argynnidae) Synonym(s): *malaccana* Fruhstorfer,1899; *chersonesia* Fruhstorfer,1904 Range (in code): **TH CMa Rng Cbi MY**
- 3324. Euthalia (s.str.) malaccana malaccana Fruhstorfer,1899** (Argynnidae) Synonym(s): *malaccana* Fruhstorfer,1899; *chersonesia* Fruhstorfer,1904 Range (in code): **TH CMa Rng Cbi MY**
- 3325. Euthalia (s.str.) whiteheadi Grose-Smith,1899** (Argynnidae) Synonym(s): *whiteheadi* Grose-Smith,1899 Range (in code): **TH Chy MY**
- 3326. Euthalia (s.str.) whiteheadi mariae Fruhstorfer,1904** (Argynnidae) Synonym(s): *mariae* Fruhstorfer,1904 Range (in code): **MY**
- 3327. Euthalia (s.str.) whiteheadi whiteheadi Grose-Smith,1899** (Argynnidae) Synonym(s): *whiteheadi* Grose-Smith,1899
- 3328. Euthalia (s.str.) whiteheadi zinara Pendlebury & Corbet,1938** (Argynnidae) Synonym(s): *zinara* Pendlebury & Corbet,1938 Range (in code): **TH Chy**
- 3329. Euthalia lusiada (C.Felder & R.Felder,1863)** (Argynnidae) Synonym(s): *lusiada* C.Felder & R.Felder,1863 Original Reference: *Adolias lusiada* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 119. Type: Luzon. Range (in code): **PH Bab Luz Mar Bas Din Hom Ley Mno Pao Sam Mas Mdo Neg Boh**
- 3330. Euthalia lusiada lusiada (C.Felder & R.Felder,1863)** (Argynnidae) Synonym(s): *lusiada* C.Felder & R.Felder,1863 Original Reference: *Adolias lusiada* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 119. Type: Luzon. Range (in code): **PH Bab Luz Mar**
- 3331. Euthalia lusiada malissia Fruhstorfer,1913** (Argynnidae) Synonym(s): *malissia* Fruhstorfer,1913 Range (in code): **PH Bas Din Hom Ley Mno Pao Sam**
- 3332. Euthalia lusiada mindorana Fruhstorfer,1899** (Argynnidae) Synonym(s): *mindorana* Fruhstorfer,1899 Range (in code): **PH Mas Mdo**
- 3333. Euthalia lusiada schoenigi Schröder & Treadaway,1978** (Argynnidae) Synonym(s): *schoenigi* Schröder & Treadaway,1978 Original Reference: *Euthalia lusiada schoenigi* Schröder & Treadaway, 1978, Ent. Z., Frankf. a. M. 88(24): 273-275, Abb.3. Holotypus ♀: Philippinen: Negros, Amlan, 800m. Range (in code): **PH Neg**
- 3334. Euthalia lusiada soloni M.Okano & T.Okano,1990** (Argynnidae) Synonym(s): *soloni* M.Okano & T.Okano,1990 Range (in code): **PH Boh**
- 3335. Euthalia mindanaensis Schröder & Treadaway,1978** (Argynnidae) Synonym(s): *mindanaensis* Schröder & Treadaway,1978 Range (in code): **PH Mno**
- 3336. Euthalia tanagra Staudinger,1889** (Argynnidae) Synonym(s): *tanagra* Staudinger,1889 Range (in code): **PH Pal**
- 3337. Euxanthe (Euxanthe) crossleyi (Ward,1871)** (Argynnidae) Synonym(s): *crossleyi* Ward,1871; *radiata* Niepelt,1934; *niepelti* Stichel,1939 Range (in code): **CM GA CG CF ZR ZM KE Kkm SD UG RW BI TZ** Bionomy: Larva on *Blighia*, *Deinbollia*, *Phialodiscus* (Sapindaceae) (Ackery et al.,1995).
- 3338. Euxanthe (Euxanthe) crossleyi ansorgei Rothschild,1903** (Argynnidae) Synonym(s): *ansorgei* Rothschild,1903; *#babingtoni* Stoneham,1943 Range (in code): **KE Kkm SD UG RW BI TZ**
- 3339. Euxanthe (Euxanthe) crossleyi claudiae Rousseau-Decelle,1934** (Argynnidae) Synonym(s): *claudiae* Rousseau-Decelle,1934 Range (in code): **ZR**
- 3340. Euxanthe (Euxanthe) crossleyi crossleyi (Ward,1871)** (Argynnidae) Synonym(s): *crossleyi* Ward,1871; *radiata* Niepelt,1934; *niepelti* Stichel,1939 Range (in code): **CM GA CG CF ZR ZM**
- 3341. Euxanthe (Euxanthe) crossleyi magnifica Rebel,1914** (Argynnidae) Synonym(s): *magnifica* Rebel,1914; *intermedia* Joicey & Talbot,1921 Range (in code): **ZR**
- 3342. Euxanthe (Euxanthe) eurinome (Cramer,[1775])** (Argynnidae) Synonym(s): *eurinome* Cramer,[1775]; *#johnsoni* Howarth,1969 Range (in code): **KE ET TG GA GO Bio CM NG AO ZR CF UG**
- 3343. Euxanthe (Euxanthe) eurinome ansellica (Butler,1870)** (Argynnidae) Synonym(s): *ansellica* Butler,1870; *burgeoni* Le Cerf,1923; *#radiata* Van Someren & Rogers,1928 Range (in code): **NG CM AO ZR CF UG**

- 3344. Euxanthe (Euxanthe) eurinome birbirica Ungemach,1932** (Argynnidae)
Synonym(s): *birbirica* Ungemach,1932; *elgonae* Van Someren,1975 _ Range (in code): ET KE UG
- 3345. Euxanthe (Euxanthe) eurinome celadon Le Cerf,1923** (Argynnidae) Synonym(s):
celadon Le Cerf,1923 _ Range (in code): GA
- 3346. Euxanthe (Euxanthe) eurinome eurinome (Cramer,[1775])** (Argynnidae)
Synonym(s): *eurinome* Cramer,[1775]; *#johnsoni* Howarth,1969 _ Range (in code): TG GO Bio CM
- 3347. Euxanthe (Euxanthe) madagascariensis (Lucas,1843)** (Argynnidae) Synonym(s):
madagascariensis Lucas,1843; *amakosa* Doubleday,1850; *#catalai* Le Moult,1933 _ Range (in code): MG
- 3348. Euxanthe (Euxanthe) wakefieldi (Ward,1873)** (Argynnidae) Synonym(s): *wakefieldi*
Ward,1873; *#rubiginea* Le Cerf,1923 _ Range (in code): ZA Tva Lpo Spb Pf Ko8 Kru TZ Tnga Usa Ani KE MW ZW
Bionomy: Larva on Deinbollia, Phialodiscus, Lecaniodiscus, Sapindus (Sapindaceae); Afzelia (Fabaceae) (Ackery et al.,1995).
- 3349. Euxanthe (Hypomelaena) tiberius Grose-Smith,1889** (Argynnidae) Synonym(s):
tiberius Grose-Smith,1889; *#tiberiella* Strand,1911 _ Range (in code): TZ Tnga Usa Ani KE Mru
Bionomy: Larva on Deinbollia, Phialodiscus (Sapindaceae) (Ackery et al.,1995).
- 3350. Euxanthe (Hypomelaena) tiberius meruensis Van Someren,1936** (Argynnidae)
Synonym(s): *meruensis* Van Someren,1936 _ Range (in code): KE Mru
- 3351. Euxanthe (Hypomelaena) tiberius tiberius Grose-Smith,1889** (Argynnidae)
Synonym(s): *tiberius* Grose-Smith,1889; *#tiberiella* Strand,1911 _ Range (in code): TZ Tnga Usa Ani KE
- 3352. Euxanthe (Hypomelaena) trajanus (Ward,1871)** (Argynnidae) Synonym(s): *trajanus*
Ward,1871; *schatzi* Staudinger,1885; *gabonicus* Le Cerf,1923; *#depuncta* Le Cerf,1923; *nigeriae* Van Someren,1975
Range (in code): NG CM GO GA CG ZR AO UG Bionomy: Larva on Deinbollia, Phialodiscus (Sapindaceae); Looia (Meliaceae) (Ackery et al.,1995).
- 3353. Euxanthe (Hypomelaena) trajanus antonius Rousseau-Decelle,1938** (Argynnidae) Synonym(s): *antonius* Rousseau-Decelle,1938 _ Range (in code): ZR
- 3354. Euxanthe (Hypomelaena) trajanus trajanus (Ward,1871)** (Argynnidae)
Synonym(s): *trajanus* Ward,1871; *schatzi* Staudinger,1885; *gabonicus* Le Cerf,1923; *#depuncta* Le Cerf,1923; *nigeriae* Van Someren,1975 _ Range (in code): NG CM GO GA CG ZR AO
- 3355. Euxanthe (Hypomelaena) trajanus vansomerani Poulton,1929** (Argynnidae)
Synonym(s): *vansomerani* Poulton,1929 _ Range (in code): UG
- 3356. Hamadryas amphichloe** (Argynnidae) Synonym(s): _ Range (in code): US FI
- 3357. Hamadryas amphinome (Linnaeus,1767)** (Argynnidae) Synonym(s): *amphinome*
Linnaeus,1767 _ Range (in code): US MX Tx
- 3358. Hamadryas amphinome mexicana (Lucas,[1853])** (Argynnidae) Synonym(s):
mexicana Lucas,[1853] _ Range (in code): MX
- 3359. Hamadryas atlantis (Bates,1864)** (Argynnidae) Synonym(s): *atlantis* Bates,1864
Range (in code): US MX Arz
- 3360. Hamadryas februa (Hübner,[1823])** (Argynnidae) Synonym(s): *februa* Hübner,[1823]
Range (in code): US MX NMx Tx
- 3361. Hamadryas februa februa (Hübner,[1823])** (Argynnidae) Synonym(s): *februa*
Hübner,[1823]
- 3362. Hamadryas februa gudula (Fruhstorfer,1916)** (Argynnidae) Synonym(s): *gudula*
Fruhstorfer,1916 _ Range (in code): MX
- 3363. Hamadryas feronia (Linnaeus,1758)** (Argynnidae) Synonym(s): *feronia* Linnaeus,1758
Range (in code): US MX Tx HN
- 3364. Hamadryas feronia farinulenta (Fruhstorfer,1916)** (Argynnidae) Synonym(s):
farinulenta Fruhstorfer,1916 _ Range (in code): HN
- 3365. Hamadryas ferox (Staudinger,1888)** (Argynnidae) Synonym(s): *ferox* Staudinger,1888
Range (in code): CO
- 3366. Hamadryas fornax (Hübner,[1823])** (Argynnidae) Synonym(s): *fornax* Hübner,[1823]
Range (in code): MX GT CO PE US
- 3367. Hamadryas fornax fornacalia (Fruhstorfer,1907)** (Argynnidae) Synonym(s):
fornacalia Fruhstorfer,1907 _ Range (in code): MX GT CO PE US
- 3368. Hamadryas glauconome (Bates,1864)** (Argynnidae) Synonym(s): *glauconome*
Bates,1864; *oenoe* Boisduval,1870; *megala* Fruhstorfer,1916; *grisea* Jenkins,1983 _ Range (in code): US MX Arz CR PE GT
- 3369. Hamadryas guatemalena** (Argynnidae) Synonym(s): _ Range (in code): US MX Tx

- 3370. Hamanumida daedalus (Fabricius,1775)** (Argynnidae) Synonym(s): *daedalus* Fabricius,1775; *melantha* Fabricius,1775; *meleagris* Cramer,[1775]; *hesperus* Fabricius,1793; *meleagrina* Staudinger,1886; *bicolor* Ungemach,1932; *icarus* Stoneham,1965. Original Reference: *Papilio daedalus* Fabricius,1775, Syst. Ent.: 482. Type(s): Guinea. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MA ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ Tnga Usa Ani UG YE ZA Tva Lpo Spb Mdk Ent Mph Nta Kzu Mv Mpu Brb Gau Pre Kru Pma ZM ZR ZW**
- 3371. Hamanumida daedalus daedalus (Fabricius,1775)** (Argynnidae) Synonym(s): *daedalus* Fabricius,1775; *melantha* Fabricius,1775; *meleagris* Cramer,[1775]; *hesperus* Fabricius,1793; *meleagrina* Staudinger,1886; *bicolor* Ungemach,1932; *icarus* Stoneham,1965. Original Reference: *Papilio daedalus* Fabricius,1775, Syst. Ent.: 482. Type(s): Guinea. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MA ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ Tnga Usa Ani UG YE ZA Tva Lpo Spb Mdk Ent Mph Nta Kzu Mv Mpu Brb Gau Pre Kru Pma ZM ZR ZW**
- 3372. Harma theobene Doubleday,[1848]** (Argynnidae) Synonym(s): *theobene* Doubleday,[1848]; *#umbrina* Joicey & Talbot,1921 Range (in code): **CM NG AO ZR UG TZ MW ZM SL GH KE TZ**
- 3373. Harma theobene blassi (Weymer,1892)** (Argynnidae) Synonym(s): *blassi* Weymer,1892; *nebetho* Suffert,1904. Range (in code): **KE TZ**
- 3374. Harma theobene superna (Fox,1968)** (Argynnidae) Synonym(s): *#sordida* Schultze,1916; *superna* Fox,1968. Range (in code): **CM NG AO ZR UG TZ MW ZM**
- 3375. Harma theobene theobene Doubleday,[1848]** (Argynnidae) Synonym(s): *theobene* Doubleday,[1848]; *#umbrina* Joicey & Talbot,1921 Range (in code): **SL GH**
- 3376. Harmilla elegans Aurivillius,1892** (Argynnidae) Synonym(s): *elegans* Aurivillius,1892
- 3377. Harmilla elegans elegans Aurivillius,1892** (Argynnidae) Synonym(s): *elegans* Aurivillius,1892
- 3378. Harmilla elegans hawkeri Joicey & Talbot,1926** (Argynnidae) Synonym(s): *hawkeri* Joicey & Talbot,1926
- 3379. Helcyra hemina Hewitson,1864** (Argynnidae) Synonym(s): *hemina* Hewitson,1864 Range (in code): **TH Chy**
- 3380. Helcyra hemina hemina Hewitson,1864** (Argynnidae) Synonym(s): *hemina* Hewitson,1864 Range (in code): **TH Chy**
- 3381. Helcyra miyazakii Tsukada,1991** (Argynnidae) Synonym(s): *miyazakii* Tsukada,1991 Range (in code): **PH Luz**
- 3382. Helcyra superba Leech,1890** (Argynnidae) Synonym(s): *superba* Leech,1890 Original Reference: *Helcyra superba* Leech,1890, Entomologist 23: 189. Range (in code): **?Ti CN**
- 3383. Helcyra superba superba Leech,1890** (Argynnidae) Synonym(s): *superba* Leech,1890 Original Reference: *Helcyra superba* Leech,1890, Entomologist 23: 189. Range (in code): **?Ti CN**
- 3384. Herona marathus Doubleday,1848** (Argynnidae) Synonym(s): *marathus* Doubleday,1848 Range (in code): **TH Cbi CMa CDo Loe Phi Knc Chy Nrt**
- 3385. Herona marathus angustata Moore,1879** (Argynnidae) Synonym(s): *angustata* Moore,1879 Range (in code): **TH**
- 3386. Herona marathus marathus Doubleday,1848** (Argynnidae) Synonym(s): *marathus* Doubleday,1848 Range (in code): **TH CMa CDo Loe Phi Knc Chy Nrt**
- 3387. Herona marathus stellaris Tsukada,1991** (Argynnidae) Synonym(s): *stellaris* Tsukada,1991 Range (in code): **TH Cbi**
- 3388. Herona sumatrana Moore,1881** (Argynnidae) Synonym(s): *sumatrana* Moore,1881 Range (in code): **ID Sum TH**
- 3389. Herona sumatrana dusuntua Corbet,1937** (Argynnidae) Synonym(s): *dusuntua* Corbet,1937 Range (in code): **TH**
- 3390. Herona sumatrana sumatrana Moore,1881** (Argynnidae) Synonym(s): *sumatrana* Moore,1881 Range (in code): **ID Sum**
- 3391. Hestina nama (Doubleday,1845)** (Argynnidae) Synonym(s): *nama* Doubleday,1845 Original Reference: *Diadema nama* Doubleday,1845, Ann. Mag. nat. Hist. 16: 232. Type(s): India borealis. Range (in code): **?Ti IN CN TH CMa CDo Chy CRa MY Prk MM VN Ton ID Sum**
- 3392. Hestina nama nama (Doubleday,1845)** (Argynnidae) Synonym(s): *nama* Doubleday,1845 Original Reference: *Diadema nama* Doubleday,1845, Ann. Mag. nat. Hist. 16: 232. Type(s): India borealis. Range (in code): **?Ti CN TH CMa CDo Chy CRa**

- 3393. *Hestina oberthueri* Leech, 1890** (Argynnidae) Synonym(s): *oberthueri* Leech, 1890
Range (in code): **CN Sz Gn**
- 3394. *Hestina persimilis* Westwood, [1850]** (Argynnidae) Synonym(s): *persimilis* Westwood, [1850] Range (in code): **TH CMa CDo**
- 3395. *Hestina persimilis persimilis* Westwood, [1850]** (Argynnidae) Synonym(s): *persimilis* Westwood, [1850] Range (in code): **TH CMa CDo**
- 3396. *Hestinalis dissimilis* Hall, 1935** (Argynnidae) Synonym(s): *dissimilis* Hall, 1935 Range (in code): **PH Luz Mdo**
- 3397. *Hestinalis waterstradti* Watkins, 1928** (Argynnidae) Synonym(s): *waterstradti* Watkins, 1928 Range (in code): **PH Mno**
- 3398. *Hestinalis waterstradti borealis* Tsukada, 1991** (Argynnidae) Synonym(s): *borealis* Tsukada, 1991 Range (in code): **PH Mno**
- 3399. *Hestinalis waterstradti waterstradti* Watkins, 1928** (Argynnidae) Synonym(s): *waterstradti* Watkins, 1928 Range (in code): **PH Mno**
- 3400. *Historis acheronta*** (Argynnidae) Synonym(s): Range (in code): **US MX Tx**
- 3401. *Historis odius*** (Argynnidae) Synonym(s): Range (in code): **US MX Tx**
- 3402. *Hypanartia bella* (Fabricius, 1793)** (Argynnidae) Synonym(s): *bella* Fabricius, 1793; *zabulina* Godart, 1819; *montana* Köhler, 1923 Range (in code): **AR PE BR UY PY**
- 3403. *Hypanartia celestia* Lamas, Willmott & Hall, 2001** (Argynnidae) Synonym(s): *celestia* Lamas, Willmott & Hall, 2001 Range (in code): **PE**
- 3404. *Hypanartia charon* (Hewitson, 1878)** (Argynnidae) Synonym(s): *charon* Hewitson, 1878 Range (in code): **EC**
- 3405. *Hypanartia christophori* Jasinski, 1998** (Argynnidae) Synonym(s): *christophori* Jasinski, 1998 Range (in code): **EC PE BO**
- 3406. *Hypanartia cinderella* Lamas, Willmott & Hall, 2001** (Argynnidae) Synonym(s): *cinderella* Lamas, Willmott & Hall, 2001 Range (in code): **PE CO EC VE BO AR**
- 3407. *Hypanartia dione* (Latreille, [1813])** (Argynnidae) Synonym(s): *dione* Latreille, [1813] Range (in code): **MX GT AR VE EC PE CR PA**
- 3408. *Hypanartia dione arcae* (Salvin, 1871)** (Argynnidae) Synonym(s): *arcae* Salvin, 1871 Range (in code): **CR PA**
- 3409. *Hypanartia dione dione* (Latreille, [1813])** (Argynnidae) Synonym(s): *dione* Latreille, [1813] Range (in code): **AR VE EC PE**
- 3410. *Hypanartia dione disjuncta* Willmott, Hall & Lamas, 2001** (Argynnidae) Synonym(s): *disjuncta* Willmott, Hall & Lamas, 2001 Range (in code): **MX GT**
- 3411. *Hypanartia fassli* Willmott, Hall & Lamas, 2001** (Argynnidae) Synonym(s): *fassli* Willmott, Hall & Lamas, 2001 Range (in code): **CO EC**
- 3412. *Hypanartia godmanii* (H. Bates, 1864)** (Argynnidae) Synonym(s): *godmanii* H. Bates, 1864; *atropos* C. Felder & R. Felder, 1867 Range (in code): **MX EC VE**
- 3413. *Hypanartia kefersteini* (Doubleday, [1847])** (Argynnidae) Synonym(s): *kefersteini* Doubleday, [1847] Range (in code): **VE EC BO PE**
- 3414. *Hypanartia lethe* (Fabricius, 1793)** (Argynnidae) Synonym(s): *lethe* Fabricius, 1793; *demonica* Hübner, [1821] Range (in code): **US Tx PE VE AR PY UY BR**
- 3415. *Hypanartia lindigii* (C. Felder & R. Felder, 1862)** (Argynnidae) Synonym(s): *lindigii* C. Felder & R. Felder, 1862 Range (in code): **CO EC PE**
- 3416. *Hypanartia paullus* (Fabricius, 1793)** (Argynnidae) Synonym(s): *paullus* Fabricius, 1793; *tecmesia* Hübner, [1823] Range (in code): **CU JM PR**
- 3417. *Hypanartia splendida* Rothschild, 1903** (Argynnidae) Synonym(s): *splendida* Rothschild, 1903 Range (in code): **PE**
- 3418. *Hypanartia trimaculata* Willmott, Hall & Lamas, 2001** (Argynnidae) Synonym(s): *trimaculata* Willmott, Hall & Lamas, 2001 Range (in code): **CO CR PA GT MX**
- 3419. *Hypanartia trimaculata autumn* Willmott, Hall & Lamas, 2001** (Argynnidae) Synonym(s): *autumn* Willmott, Hall & Lamas, 2001 Range (in code): **CR PA GT MX**
- 3420. *Hypanartia trimaculata trimaculata* Willmott, Hall & Lamas, 2001** (Argynnidae) Synonym(s): *trimaculata* Willmott, Hall & Lamas, 2001 Range (in code): **CO**
- 3421. *Hypolimnias anomala* (Wallace, 1869)** (Argynnidae) Synonym(s): *anomala* Wallace, 1869; *nivas* Fruhstorfer, 1913 Original Reference: *Diadema anomala* Wallace, 1869, Trans. ent. Soc. London 1869: 285. Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam**

CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol
Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Nia TH MY SG ID Sum Ja Bli Lb Egg Baw Flo Sbw
Kgn Bor Clb Tal Sba

- 3422. *Hypolimnias anomala anomala* (Wallace,1869)** (Argynnidae) Synonym(s): *anomala* Wallace,1869; *nivas* Fruhstorfer,1913 Original Reference: *Diadema anomala* Wallace,1869, Trans. ent. Soc. London 1869: 285. Range (in code): TH MY SG ID Sum Ja Bli Lb Egg Baw
- 3423. *Hypolimnias anomala arnoldi* Fruhstorfer,1903** (Argynnidae) Synonym(s): *arnoldi* Fruhstorfer,1903 Range (in code): ID Flo Sbw Kgn
- 3424. *Hypolimnias anomala discandra* Weymer** (Argynnidae) Synonym(s): *discandra* Weymer Range (in code): ID Nia
- 3425. *Hypolimnias anomala euvaristos* Fruhstorfer,1912** (Argynnidae) Synonym(s): *euvaristos* Fruhstorfer,1912 Range (in code): PH Mno
- 3426. *Hypolimnias anomala interstincta* Butler,1873** (Argynnidae) Synonym(s): *interstincta* Butler,1873 Range (in code): MY ID Bor
- 3427. *Hypolimnias anomala phalkes* Fruhstorfer,1912** (Argynnidae) Synonym(s): *phalkes* Fruhstorfer,1912 Range (in code): ID Tal
- 3428. *Hypolimnias anomala sumbawana* Pagenstecher** (Argynnidae) Synonym(s): *sumbawana* Pagenstecher Range (in code): ID Sba
- 3429. *Hypolimnias anomala truentus* Fruhstorfer,1912** (Argynnidae) Synonym(s): *truentus* Fruhstorfer,1912 Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 3430. *Hypolimnias anomala wallaceana* Butler,1873** (Argynnidae) Synonym(s): *wallaceana* Butler,1873 Range (in code): ID Clb
- 3431. *Hypolimnias antevorta* (Distant,1880)** (Argynnidae) Synonym(s): *antevorta* Distant,1880 Range (in code): TZ Tnga Usa Ani
- 3432. *Hypolimnias anthedon* Doubleday,1845** (Argynnidae) Synonym(s): *anthedon* Doubleday,1845 Range (in code): ZA Nta Kzu Ptb Tva Lpo Spb Lj Mpu Brb SN SD KE ZR CF CM AO ET TZ Tnga Usa Ani MG KM MU MW Zom
- 3433. *Hypolimnias anthedon anthedon* Doubleday,1845** (Argynnidae) Synonym(s): *dubius* Palisot de Beauvois,1805 *nec* Stl.,1781; *anthedon* Doubleday,1845; *damocline* Trimen,1869; *daemonia* Staudinger,1896; *daemonides* Staudinger,1896; *poensis* Rothschild,1918; Range (in code): SN SD KE ZR CF CM AO
- 3434. *Hypolimnias anthedon drucei* (Butler,1874)** (Argynnidae) Synonym(s): *drucei* Butler,1874; *bewsheri* Butler,1879; *diffusa* Butler,1880; *madagascariensis* Mabilie,1881; *lutescens* Mabilie,[1887]; *limbata* Crowley,1890; *mayottensis* Rothschild,1918; *anthelmei* Le Cerf,1928 Range (in code): MG KM MU
- 3435. *Hypolimnias anthedon wahlbergi* (Wallengren,1857)** (Argynnidae) Synonym(s): *wahlbergi* Wallengren,1857; *mima* Trimen,1869; *marginalis* Butler,1875; *angustilimbata* Weymer,1892; *#millari* Aurivillius,1913 Range (in code): MW Zom ZA Nta Kzu Ptb Tva Lpo Spb Lj Mpu Brb KE ZR ET
- 3436. *Hypolimnias aubergeri* Hecq,1987** (Argynnidae) Synonym(s): *aubergeri* Hecq,1987 Range (in code): CI
- 3437. *Hypolimnias bartelotti* Grose-Smith,1890** (Argynnidae) Synonym(s): *bartelotti* Grose-Smith,1890; *obliterata* Holland,1920 Range (in code): ZR UG CM
- 3438. *Hypolimnias bolina* (Linnaeus,1758)** (Argynnidae) Synonym(s): *bolina* Linnaeus,1758; *nerina* Fabricius,1775; *iphigenia* Cramer,1775; *alcmene* Cramer,1775; *perimele* Cramer,1775; *proserpina* Cramer,1779; *aphrodite* Fruhstorfer,1903; *semiramis* Wildey,[1941]; *iris* Wildey,[1941] Original Reference: *Papilio bolina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479. Type(s): "India"; recte [Java], see Corbet,1949. Range (in code): PH Bon Jol Sga Stu Taw Ala Bab Bal Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Bat MY TW Sk MU MG KE DJ OM IN Bba TH CMA Loe TAK Cbu Cbi Non Chy Nna Ray Rat Cuo Cuo5 Cuo9 Sgk Hya Tnc PSu Nst Chw Pap
- 3439. *Hypolimnias bolina bolina* (Linnaeus,1758)** (Argynnidae) Synonym(s): *bolina* Linnaeus,1758; *nerina* Fabricius,1775; *iphigenia* Cramer,1775; *alcmene* Cramer,1775; *perimele* Cramer,1775; *proserpina* Cramer,1779; *aphrodite* Fruhstorfer,1903; *semiramis* Wildey,[1941]; *iris* Wildey,[1941] Original Reference: *Papilio bolina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 479. Type(s): "India"; recte [Java], see Corbet,1949. Range (in code): MY
- 3440. *Hypolimnias bolina jacintha* (Drury,[1773])** (Argynnidae) Synonym(s): *jacintha* Drury,[1773]; *incommoda* Butler,[1879] Range (in code): Sk MU MG KE DJ OM MY IN Bba TW TH CMA Cuo Cuo5 Cuo9 Loe TAK Cbu Cbi Non Chy Nna Ray Rat Sgk Hya Tnc PSu Nst Chw Pap

- 3441. *Hypolimnias bolina joloana* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *joloana* Fruhstorfer, 1912 _ Range (in code): PH Bon Jol Sga Stu Taw
- 3442. *Hypolimnias bolina kezia* (Butler, 1877)** (Argynnidae) Synonym(s): *kezia* Butler, 1877; *priscilla* Butler, 1877; *formosana* Sonan, 1926 _ Range (in code): PH Bat TW
- 3443. *Hypolimnias bolina philippensis* Butler, 1874** (Argynnidae) Synonym(s): *philippensis* Butler, 1874 _ Range (in code): PH Ala Bab Bal Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic
- 3444. *Hypolimnias chapmani* (Hewitson, 1873)** (Argynnidae) Synonym(s): *chapmani* Hewitson, 1873; *#fasciata* Aurivillius, 1894 _ Range (in code): NG CM
- 3445. *Hypolimnias deceptor* (Trimen, 1873)** (Argynnidae) Synonym(s): *deceptor* Trimen, 1873; *kirbyi* Butler, 1898 _ Range (in code): ZA Tva Lpo Spb Ltr Wca Elo Nta Kzu KE SO ZW MW MG
- 3446. *Hypolimnias deceptor deceptor* (Trimen, 1873)** (Argynnidae) Synonym(s): *deceptor* Trimen, 1873; *kirbyi* Butler, 1898 _ Range (in code): ZA Tva Lpo Spb Ltr Wca Elo Nta Kzu KE SO ZW MW
- 3447. *Hypolimnias deceptor deludens* Grose-Smith, 1891** (Argynnidae) Synonym(s): *deludens* Grose-Smith, 1891; *grandidieri* Mabille, 1899 _ Range (in code): MG
- 3448. *Hypolimnias dexithea* (Hewitson, 1863)** (Argynnidae) Synonym(s): *dexithea* Hewitson, 1863 _ Range (in code): MG
- 3449. *Hypolimnias dinarcha* (Hewitson, 1865)** (Argynnidae) Synonym(s): *dinarcha* Hewitson, 1865 _ Range (in code): NG CM GA CF CG ZR GH UG LR SL
- 3450. *Hypolimnias dinarcha dinarcha* (Hewitson, 1865)** (Argynnidae) Synonym(s): *dinarcha* Hewitson, 1865 _ Range (in code): NG CM GA CF CG ZR
- 3451. *Hypolimnias dinarcha grandis* Rothschild, 1918** (Argynnidae) Synonym(s): *grandis* Rothschild, 1918 _ Range (in code): UG
- 3452. *Hypolimnias dinarcha narchadi* Suffert, 1904** (Argynnidae) Synonym(s): *narchadi* Suffert, 1904; *liberiensis* Bernardi, 1959 _ Range (in code): LR GH
- 3453. *Hypolimnias diomea* (Hewitson, 1861)** (Argynnidae) Synonym(s): *diomea* Hewitson, 1861 _ Range (in code): ID Clb Sla
- 3454. *Hypolimnias diomea dimona* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *dimona* Fruhstorfer, 1912 _ Range (in code): ID Sla
- 3455. *Hypolimnias diomea diomea* (Hewitson, 1861)** (Argynnidae) Synonym(s): *diomea* Hewitson, 1861 _ Range (in code): ID Clb
- 3456. *Hypolimnias macarthuri* Neidhoefer, 1972** (Argynnidae) Synonym(s): *macarthuri* Neidhoefer, 1972 _ Range (in code): CF
- 3457. *Hypolimnias mechowii* (Dewitz, 1884)** (Argynnidae) Synonym(s): *mechowii* Dewitz, 1884; *ragiens* Capronnier, 1889; *stanleyi* Grose-Smith, 1890; *#paranarchadi* Bernardi, 1959 _ Range (in code): CF ZR CM
- 3458. *Hypolimnias misippus* (Linnaeus, 1764)** (Argynnidae) Synonym(s): *misippus* Linnaeus, 1764 *inaria* Cramer, [1779]; *alcippoides* Butler, 1883. Original Reference: Papilio misippus Linnaeus, 1764, Museum Ludovicae Ulrica: 264. Type(s): "America" [Patria falsa]; [Indonesia: Java]. Range (in code): AF AO AU Az BF BH BI BJ BW BZ CF CG CI CM CN DJ DZ EG EH ER ET FI GA GH GM GN GO Bio GW Hn ID IN IR Hz KE KH KM LB LK LR LS LY MA MG ML MM MR MW MY MZ NA NE NG OM PG PH PK QA RW SA SC SD SL SN SO ST SZ TD TG TH TN TR TW TZ UG US VN YE ZA Nta Kzu Ptb Mdk BI Ci PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ZM ZR ZW Cp Fl Mss NCa Tx Tva Lpo Gau Pre Spb Lj Jh Wri Ent Dbn Kny Kru Pma BR PE CMa CDo Lmp Nna Cbu Pkk Loe Nrt Bnk Ray Nst Chw Tnga Usa Ani Cp Pj MW Zom Mh Guj Mys Ap
- 3459. *Hypolimnias monteironis* (Druce, 1874)** (Argynnidae) Synonym(s): *monteironis* Druce, 1874 _ Range (in code): NG AO ZR UG KE TZ
- 3460. *Hypolimnias monteironis major* Rothschild, 1918** (Argynnidae) Synonym(s): *major* Rothschild, 1918 _ Range (in code): UG KE TZ
- 3461. *Hypolimnias monteironis monteironis* (Druce, 1874)** (Argynnidae) Synonym(s): *monteironis* Druce, 1874 _ Range (in code): NG AO ZR
- 3462. *Hypolimnias salmacis* (Drury, [1773])** (Argynnidae) Synonym(s): *salmacis* (Drury, [1773]) _ Range (in code): ET SD CM SL CI ZR GA UG GO Bio ST
- 3463. *Hypolimnias salmacis magnifica* Rothschild, 1918** (Argynnidae) Synonym(s): *magnifica* Rothschild, 1918 _ Range (in code): UG

- 3464. Hypolimnias salmactis platydema Rothschild & Jordan,1903** (Argynnididae)
Synonym(s): *platydema Rothschild & Jordan,1903* _Range (in code): **ET SD**
- 3465. Hypolimnias salmactis salmactis (Drury,[1773])** (Argynnididae) Synonym(s): *salmactis Drury,[1773]; omphale Stoll,[1790]; cissalma Suffert,1904; insularis Schultze,1920* _Range (in code): **CM SL CI ZR GA UG GO Bio**
- 3466. Hypolimnias salmactis thomensis Aurivillius,1910** (Argynnididae) Synonym(s): *thomensis Aurivillius,1910* _Range (in code): **ST**
- 3467. Hypolimnias salmactis ulysses Collins,1987** (Argynnididae) Synonym(s): *ulysses Collins,1987* _Range (in code): **GO Bio**
- 3468. Hypolimnias usambara (Ward,1872)** (Argynnididae) Synonym(s): *usambara Ward,1872*
Range (in code): **KE TZ Tnga Usa Ani**
- 3469. Inachis io (Linnaeus,1758)** (Argynnididae) Synonym(s): *io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.* Original Reference: *Papilio io* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): [Sweden (Verity,1950)]. Range (in code): **Sms AL AM At Bn AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE Dj DK EE ES FI FR GB GG GR HU HV IE IS IT KG KK Kr LT LU LV MK MT NL NO PL PT RO RU Sa SE Sem Si SK Sm So Sr SS Tk TR T-S UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar DsA TeA KuA TrA Ket T-S IR Gh Mz Cc** Bionomy: Larva on *Urtica dioica*, *Parietaria officinalis* (Tolman, 1997).
- 3470. Inachis io io (Linnaeus,1758)** (Argynnididae) Synonym(s): *io Linnaeus,1758; ioides Ochsenheimer,1808; caucasica Jachontov,1911.* Original Reference: *Papilio io* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 472. Type(s): [Sweden (Verity,1950)]. Range (in code): **Sms AL AM Ao At Bn AT AZ Cc Ba BE BG B-H Bw BY CH Co Cr CZ DE DK EE ES FI FR GB GG GR HU HV IE IS IT KG KK Kr LT LU LV MK MT NL NO PL PT RO Rp RU Sa SE Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Sau Tar DsA TeA KuA TrA Ket T-S IR Mz Gh**
- 3471. Issoria altissima (Elwes,1882)** (Argynnididae) Synonym(s): *altissima Elwes,1882*
Original Reference: *Argynnis altissima* Elwes,1882, Proc. zool. Soc. Lond. 1882: 403. Type(s): Sikkim. Range (in code): **CN Ti**
- 3472. Issoria altissima altissima (Elwes,1882)** (Argynnididae) Synonym(s): *altissima Elwes,1882*
Original Reference: *Argynnis altissima* Elwes,1882, Proc. zool. Soc. Lond. 1882: 403. Type(s): Sikkim. Range (in code): **CN Ti**
- 3473. Issoria baumanni (Rebel & Rogenhofer,1894)** (Argynnididae) Synonym(s): *baumanni Rebel & Rogenhofer,1894; excelsior Butler,1896; uganda Röber,1937; #alberici Dufrane,1945* _Range (in code): **TZ UG Rz ZR Kvu Shb BI RW ZM TZ** Bionomy: Larva on *Viola* (Violaceae) (Ackery et al.,1995).
- 3474. Issoria baumanni baumanni (Rebel & Rogenhofer,1894)** (Argynnididae)
Synonym(s): *baumanni Rebel & Rogenhofer,1894; excelsior Butler,1896; uganda Röber,1937; #alberici Dufrane,1945* _Range (in code): **UG Rz ZR Kvu BI RW**
- 3475. Issoria baumanni katangae (Neave,1910)** (Argynnididae) Synonym(s): *katangae Neave,1910* _Range (in code): **ZM TZ ZR Shb**
- 3476. Issoria baumanni orientalis Kielland,1990** (Argynnididae) Synonym(s): *orientalis Kielland,1990*
Original Reference: *Issoria baumanni* ssp. *orientalis* Kielland,1990, Butterflies of Tanzania: 143, pl. 42. Holotype ♂: Tanzania: Mufindi, Luisenga, 1750m (J.Kielland leg.) (BMNH). Range (in code): **TZ**
- 3477. Issoria eugenia (Eversmann,1847)** (Argynnididae) Synonym(s): *eugenia Eversmann,1847*
Original Reference: *Argynnis eugenia* Eversmann,1847, Bull. Soc. Nat. Moscou 20(3): 68. Type(s): in provincia Irkutskiensis [Irkutsker Gebiet]. Range (in code): **Amd Aty Kts CN Kno MN Nsh RU Sb Ti Ts Ui At Sj**
- 3478. Issoria eugenia eugenia (Eversmann,1847)** (Argynnididae) Synonym(s): *eugenia Eversmann,1847*
Original Reference: *Argynnis eugenia* Eversmann,1847, Bull. Soc. Nat. Moscou 20(3): 68. Type(s): in provincia Irkutskiensis [Irkutsker Gebiet]. Range (in code): **Aty CN MN RU Sb Ti Ui**
- 3479. Issoria eugenia montana (A.Bang-Haas,1906)** (Argynnididae) Synonym(s): *montana A.Bang-Haas,1906*
Original Reference: *Argynnis montana* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 127. Range (in code): **RU Kts At Sj**
- 3480. Issoria eugenia rhea (Groum-Grshimailo,1890)** (Argynnididae) Synonym(s): *rhea Groum-Grshimailo,1890*
Original Reference: *Argynnis eugenia* var. *rhea* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 456. Syntypes: [China: Qingai]: Amdo, in montibus ad lacum Kuku-Noor et in Njan-Schan centrali. Range (in code): **Amd CN Kno Nsh Ts**

- 3481. *Issoria gemmata* (Butler,1881)** (Argynnis) Synonym(s): *gemma* Butler,1881
Original Reference: Argynnis *gemma* Butler,1881, Ann. Mag. nat. Hist. 7: 32. Range (in code): BT CN SI TI
- 3482. *Issoria gemmata gemmata* (Butler,1881)** (Argynnis) Synonym(s): *gemma* Butler,1881
Original Reference: Argynnis *gemma* Butler,1881, Ann. Mag. nat. Hist. 7: 32. Range (in code): BT CN SI TI
- 3483. *Issoria hanningtoni* (Elwes,1889)** (Argynnis) Synonym(s): *hanningtoni* Elwes,1889
Range (in code): SD KE TZ
- 3484. *Issoria hanningtoni hanningtoni* (Elwes,1889)** (Argynnis) Synonym(s): *hanningtoni* Elwes,1889
Range (in code): SD KE TZ
- 3485. *Issoria hanningtoni imatonga* (N.D.Riley,1932)** (Argynnis) Synonym(s): *imatonga* N.D.Riley,1932
Original Reference: Argynnis *hanningtoni* ssp. *imatonga* Riley,1932, Ann. Mag. nat. Hist. (10) 10: 138-139, pl.viii figs. 2,3. Holotype ♂: South Sudan: Imatong Mts. (Col. & Mrs. Hamilton leg.) (BMNH). Range (in code): SD
- 3486. *Issoria hanningtoni jeanneli* Bernardi,1968** (Argynnis) Synonym(s): *jeanneli* Bernardi,1968
Range (in code): KE
- 3487. *Issoria issaea* (Moore,1857)** (Argynnis) Synonym(s): *issaea* Moore,1857; *#issaea* Elwes,1885
Original Reference: Argynnis *issaea* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.323. Range (in code): MM NP SI PK Abb Haz Sgl Mre Thu Ci Nwf Sfk AF IN
- 3488. *Issoria issaea issaea* (Moore,1857)** (Argynnis) Synonym(s): *issaea* Moore,1857; *#issaea* Elwes,1885
Original Reference: Argynnis *issaea* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 156, nr.323. Range (in code): MM NP SI PK Abb Haz Sgl Mre Thu Ci Nwf Sfk AF IN
- 3489. *Issoria lathonia* (Linnaeus,1758)** (Argynnis) Synonym(s): *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. Original Reference: Papilio *lathonia* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 481. Type(s): [Sweden (Verity,1950)]. Range (in code): Adr AF AL At Kts AT Ba BE BG B-H BY Ch CH CN Cn Co CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IT KG KK Kr LB Ld LT LU LV MA MK NL NO PK PL PT RO RU Sa SE Sem Si SK Sm So Sr SS TJ Tk TM TN TR T-S UA Ui Uk UZ VI VU NP SI Ken Tm Sau Tar DsA TrA KuA Ax TeA Mu Mu18 T-T Sz Ket PK Ci Nwf Sfk Bl MM Abb Mre IQ Cc GG AZ AM Nv MD Tls T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Gls Kh Nra Ifr Lkr Dju Agi Lbs Sbd Azr Hr Ng Lgh Bionomy: Larva on *Viola tricolor*, *V. arvensis*, *V. aetolica*, *V. lutea*, *V. biflora*, *V. calcarata*, *V. corsica*, *V. odorata* (Violaceae); *Anchusa* (Boraginaceae); *Onobrychis* (Fabaceae) (Wiltshire,1957; Tolman, 1997).
- 3490. *Issoria lathonia isaeoides* Reuss,1925** (Argynnis) Synonym(s): *isaeoides* Reuss,1925
Range (in code): CN Sz
- 3491. *Issoria lathonia messoria* (Fruhstorfer,1909)** (Argynnis) Synonym(s): *messoria* Fruhstorfer,1909
Range (in code): CN Sz T-T
- 3492. *Issoria smaragdifera* (Butler,1895)** (Argynnis) Synonym(s): *smaragdifera* Butler,1895
Range (in code): ZW MW TZ
- 3493. *Issoria smaragdifera reducta* Carcasson,1961** (Argynnis) Synonym(s): *reducta* Carcasson,1961
Range (in code): TZ
- 3494. *Issoria smaragdifera smaragdifera* (Butler,1895)** (Argynnis) Synonym(s): *smaragdifera* Butler,1895
Range (in code): MW ZW
- 3495. *Kallima albofasciata* Moore,1877** (Argynnis) Synonym(s): *albofasciata* Moore,1877
Range (in code): IN Adm
- 3496. *Kallima alompra* Moore,[1879]** (Argynnis) Synonym(s): *alompra* Moore,[1879]
Range (in code): MM IN Ass
- 3497. *Kallima buxtoni* Moore,[1879]** (Argynnis) Synonym(s): *buxtoni* Moore,[1879]
Range (in code): ID MY Bor
- 3498. *Kallima horsfieldi* (Kollar,[1844])** (Argynnis) Synonym(s): *horsfieldi* Kollar,[1844]
Range (in code): Cn IN LK
- 3499. *Kallima inachus* Boisduval,1836** (Argynnis) Synonym(s): *inachus* Boisduval,1836
Original Reference: Kallima *inachus* Boisduval,1836, Cuv. Regene. Anim. Ins. 2: tab.139 fig.3. Type: India borealis. Range (in code): IN SI DjI Ch CN TW TH CMA Cuo Cuo7 CDo Nna Chy Cbi Sgk Hya Tnc MM

- 3500. Kallima inachus chinensis Swinhoe** (Argynnidae) **Synonym(s):** *chinensis Swinhoe*
Range (in code): **CN**
- 3501. Kallima inachus formosana Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *formosana Fruhstorfer,1912*
Range (in code): **TW**
- 3502. Kallima inachus huegelii (Kollar,[1844])** (Argynnidae) **Synonym(s):** *huegelii Kollar,[1844]*
Original Reference: Paphia hügelii Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 432, Taf.9. **Range (in code):** **Ch**
- 3503. Kallima inachus inachus Boisduval,1836** (Argynnidae) **Synonym(s):** *inachus Boisduval,1836*
Original Reference: Kallima inachus Boisduval,1836, Cuv. Regene. Anim. Ins. 2: tab.139 fig.3. Type: India borealis. **Range (in code):** **IN SI Djl**
- 3504. Kallima inachus siamensis Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *siamensis Fruhstorfer,1913*
Original Reference: Kallima inachus ssp. siamensis Fruhstorfer,1913, [in] Seitz, Gross-Schmett. Erde 9: 565. **Range (in code):** **TH CMA Cuo Cuo7 CDo Nna Chy Cbi Sgk Hya Tnc**
- 3505. Kallima knyveti De Nicéville,1886** (Argynnidae) **Synonym(s):** *knyveti De Nicéville,1886*
Range (in code): **IN BT Ass MM TH CMA**
- 3506. Kallima limborgi Moore,[1879]** (Argynnidae) **Synonym(s):** *limborigi Moore,[1879]*
Range (in code): **MY TH Rng Yal Tng Nst Ths Sya MM**
- 3507. Kallima limborgi amplirufa Fruhstorfer,1898** (Argynnidae) **Synonym(s):** *amplirufa Fruhstorfer,1898*
Range (in code): **MY**
- 3508. Kallima limborgi limborgi Moore,[1879]** (Argynnidae) **Synonym(s):** *limborigi Moore,[1879]*
Range (in code): **MY TH Rng Yal Tng Nst Ths Sya MM**
- 3509. Kallima paralekta Horsfield,1858** (Argynnidae) **Synonym(s):** *paralekta Horsfield,1858*
Range (in code): **MY ID Sum Ja**
- 3510. Kallima paralekta paralekta Horsfield,1858** (Argynnidae) **Synonym(s):** *paralekta Horsfield,1858*
Range (in code): **ID Ja**
- 3511. Kallima paralekta trebonia Fruhstorfer,1909** (Argynnidae) **Synonym(s):** *trebonia Fruhstorfer,1909*
Range (in code): **ID Sum**
- 3512. Kallima philarchus Westwood,1848** (Argynnidae) **Synonym(s):** *philarchus Westwood,1848*
Range (in code): **LK**
- 3513. Kallima spiridiva Grose-Smith,1887** (Argynnidae) **Synonym(s):** *spiridiva Grose-Smith,1887*
Range (in code): **ID Sum**
- 3514. Kallimoides rumia (Doubleday,[1849])** (Argynnidae) **Synonym(s):** *rumia Doubleday,[1849]; amiru Suffert,1904; #kassaiensis Niepelt,1911*
Range (in code): **TG GH SL ZR UG TZ RW BI**
- 3515. Kallimoides rumia rattrayi (Sharpe,1904)** (Argynnidae) **Synonym(s):** *rattrayi Sharpe,1904*
Range (in code): **UG TZ RW BI**
- 3516. Kallimoides rumia rumia (Doubleday,[1849])** (Argynnidae) **Synonym(s):** *rumia Doubleday,[1849]; amiru Suffert,1904; #kassaiensis Niepelt,1911*
Range (in code): **TG GH SL ZR**
- 3517. Kamilla ansorgei (Rothschild,1899)** (Argynnidae) **Synonym(s):** *ansorgei Rothschild,1899; incerta Grünberg,1908*
Range (in code): **UG KE Kkm ZR CM ET**
- 3518. Kamilla cymodoce (Cramer,[1775])** (Argynnidae) **Synonym(s):** *cymodoce Cramer,[1775]; lugens Schultze,1912*
Range (in code): **CM CI AO UG TZ**
- 3519. Kaniska canace (Linnaeus,1763)** (Argynnidae) **Synonym(s):** *canace Linnaeus,1763*
Original Reference: Papilio canace Linnaeus,1763, Amoenitates Academicæ seu dissertationes physicae... 6: 406. **Range (in code):** **SI IN Hp Kma MM CN HK LK TH CMA Cuo Cuo9 CDo CRa Nna Loe Cbi MY Prk ID Ja Bli Lb Sum Bor Clb PH Luz Mdo Mno Pan TW JP NP BT HK RU Vv PK Ci**
- 3520. Kaniska canace battakana (De Nicéville,1896)** (Argynnidae) **Synonym(s):** *battakana De Nicéville,1896*
Range (in code): **ID Sum Btt**
- 3521. Kaniska canace benguetana Semper,1888** (Argynnidae) **Synonym(s):** *benguetana Semper,1888*
Range (in code): **PH Luz Mdo**
- 3522. Kaniska canace canace (Linnaeus,1763)** (Argynnidae) **Synonym(s):** *canace Linnaeus,1763*
Original Reference: Papilio canace Linnaeus,1763, Amoenitates Academicæ seu dissertationes physicae... 6: 406. **Range (in code):** **SI IN MM CN LK TH CMA CDo CRa Nna Loe Cbi ID PH TW JP NP BT HK RU Vv**
- 3523. Kaniska canace drilon Fruhstorfer,1908** (Argynnidae) **Synonym(s):** *drilon Fruhstorfer,1908*
Range (in code): **TW**
- 3524. Kaniska canace haronica Moore,1879** (Argynnidae) **Synonym(s):** *haronica Moore,1879*
Range (in code): **LK**

- 3525. Kaniska canace himalaya (Evans,1924)** (Argynnidae) Synonym(s): *himalaya* Evans,1924
Original Reference: Vanessa canace var. himalaya Evans,1924, J. Bombay nat. Hist. Soc. 30: 85.
Type: India. Range (in code): **PK Ci IN Hp Kma**
- 3526. Kaniska canace javanica Fruhstorfer,1912** (Argynnidae) Synonym(s): *javanica* Fruhstorfer,1912
Range (in code): **ID Ja ?Bli ?Lb**
- 3527. Kaniska canace maniliana Fruhstorfer,1912** (Argynnidae) Synonym(s): *maniliana* Fruhstorfer,1912
Range (in code): **PH Luz**
- 3528. Kaniska canace muscosa Tsukada & Nishiyama,1979** (Argynnidae) Synonym(s): *muscosa* Tsukada & Nishiyama,1979
Range (in code): **ID Clb**
- 3529. Kaniska canace oplentia Tsukada,1985** (Argynnidae) Synonym(s): *oplentia* Tsukada,1985
Range (in code): **PH Mno**
- 3530. Kaniska canace oreas Tsukada,1985** (Argynnidae) Synonym(s): *oreas* Tsukada,1985
Range (in code): **PH Pan**
- 3531. Kaniska canace perakana Distant,1886** (Argynnidae) Synonym(s): *perakana* Distant,1886
Range (in code): **MY Prk**
- 3532. Kumothales inexpectata Overlaet,1940** (Argynnidae) Synonym(s): *inexpectata* Overlaet,1940
Range (in code): **ZR RW UG**
- 3533. Lachnoptera anticlia (Hübner,[1819])** (Argynnidae) Synonym(s): *laodice* Cramer,[1777] *nec* Pall.,1771; *iole* Fabricius,1781 *nec* [Den.& Schiff.],1775; *anticlia* Hübner,[1819]; *hecatea* Hewitson,1877; *afzelii* Aurivillius,1887
Range (in code): **GN GH SL CM ZR ZM SD KE** Bionomy: Larva on Scotellia (Flacourtiaceae) (Ackery et al.,1995).
- 3534. Lachnoptera ayresii Trimen,1879** (Argynnidae) Synonym(s): *ayresii* Trimen,1879; *abbotti* Holland,1896
Original Reference: Lachnoptera ayresii Trimen,1879, Trans. ent. Soc. London 1879 (4): 326-329. Syntypes: South Africa: Natal (Pinetown, Little Umhlanga). Range (in code): **TZ ZA ZW MZ Tva Lpo Spb Suw Ent Kru K12 Nta Kzu Ptw Kkf Mal Esw Stj Mpu Brb** Bionomy: Larva on Rawsonia (Flacourtiaceae), Vismia (Clusiaceae) (Ackery et al.,1995).
- 3535. Laringa castelnaui (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869
Range (in code): **PH Pal MM TH Rng Tng Nst MY Bor SG ID Clb Ja Nia**
- 3536. Laringa castelnaui castelnaui (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *castelnaui* C.Felder & R.Felder,1860; *castelnavi* Wallace,1869
Range (in code): **MM TH Rng Tng Nst MY SG**
- 3537. Laringa castelnaui fruhstorferi De Nicéville** (Argynnidae) Synonym(s): *ID Ja*
- 3538. Laringa castelnaui niha Fruhstorfer,1896** (Argynnidae) Synonym(s): *niha* Fruhstorfer,1896
Range (in code): **ID Nia**
- 3539. Laringa castelnaui ochus Fruhstorfer,1905** (Argynnidae) Synonym(s): *ochus* Fruhstorfer,1905
Range (in code): **MY Bor**
- 3540. Laringa castelnaui ottonis Fruhstorfer,1906** (Argynnidae) Synonym(s): *ottonis* Fruhstorfer,1906
Range (in code): **PH Pal**
- 3541. Laringa horsfieldi (Boisduval,1833)** (Argynnidae) Synonym(s): *horsfieldi* Boisduval,1833
Range (in code): **TH CMa CDo Dst Chy Loe Tak Sgk Hya Tnc MM MY ID Ja Sum Nia IN Adm**
- 3542. Laringa horsfieldi andamanensis (De Nicéville,1895)** (Argynnidae) Synonym(s): *andamanensis* De Nicéville,1895
Range (in code): **IN Adm**
- 3543. Laringa horsfieldi glaucescens (De Nicéville,1895)** (Argynnidae) Synonym(s): *glaucescens* De Nicéville,1895
Range (in code): **TH CMa CDo Dst Chy Loe Tak Sgk Hya Tnc MM MY**
- 3544. Laringa horsfieldi horsfieldi (Boisduval,1833)** (Argynnidae) Synonym(s): *horsfieldi* Boisduval,1833
Range (in code): **ID Ja**
- 3545. Laringa horsfieldi senta Fruhstorfer,1899** (Argynnidae) Synonym(s): *senta* Fruhstorfer,1899
Range (in code): **ID Nia**
- 3546. Laringa horsfieldi velitra Fruhstorfer,1912** (Argynnidae) Synonym(s): *velitra* Fruhstorfer,1912
Range (in code): **ID Sum**
- 3547. Lebadea martha (Fabricius,1787)** (Argynnidae) Synonym(s): *martha* Fabricius,1787
Range (in code): **PH Sga Stu Cal Bal Pal MY Lkw SG TH Rng Tng Ntt SPa Nst Sgk Hya Tnc CMa Cu0 Cu02 Cu09 Cu12 Cmz Cz11 CDo Nna Cbi Chy Lop Sbu** Bionomy: Larva on Ixora sp. [khem] (Rubiaceae) (Lewvanich,2001).
- 3548. Lebadea martha jecieli Schröder, Treadaway & Nuyda,1990** (Argynnidae) Synonym(s): *jecieli* Schröder, Treadaway & Nuyda,1990
Range (in code): **PH Cal**

- 3549. *Lebadea martha malayana* Fruhstorfer,[1902]** (Argynnidae) Synonym(s): *malayana* Fruhstorfer,[1902]; *koenigi* Corbet,1941 _ Range (in code): MY TH Rng Tng Ntt SPa Nst Sgk Hya Tnc
- 3550. *Lebadea martha martha* (Fabricius,1787)** (Argynnidae) Synonym(s): *martha* Fabricius,1787 _ Range (in code): MY Lkw TH CMa Cuo Cuo2 Cuo9 Cu12 Cnz Cz11 CDo Nna Cbi Chy Lop Sbu Bionomy: Larva on *Ixora* sp. [khem] (Rubiaceae) (Lewvanich,2001).
- 3551. *Lebadea martha parkeri* Eliot,1978** (Argynnidae) Synonym(s): *parkeri* Eliot,1978 Range (in code): SG
- 3552. *Lebadea martha paulina* Staudinger,1889** (Argynnidae) Synonym(s): *paulina* Staudinger,1889 Original Reference: *Lebadea martha* var. *paulina* Staudinger,1889, Dt. ent. Z., Iris 2: 57-58. Syntypes: [Philippinen]: Palawan. Range (in code): PH Bal Pal
- 3553. *Lebadea martha tessellata* Schröder, Treadaway & Nuyda,1990** (Argynnidae) Synonym(s): *tessellata* Schröder, Treadaway & Nuyda,1990 _ Range (in code): PH Stu
- 3554. *Lebadea martha undulata* Schröder, Treadaway & Nuyda,1990** (Argynnidae) Synonym(s): *undulata* Schröder, Treadaway & Nuyda,1990 _ Range (in code): PH Sga
- 3555. *Lelecella limenitoides* (Oberthür,1890)** (Argynnidae) Synonym(s): *limenitoides* Oberthür,1890 Original Reference: *Lelex limenitoides* Oberthür,1890, Etüd. Ent. 13: 39. Range (in code): CN Ti
- 3556. *Lelecella limenitoides limenitoides* Oberthür,1890** (Argynnidae) Synonym(s): *limenitoides* Oberthür,1890 Original Reference: *Lelex limenitoides* Oberthür,1890, Etüd. Ent. 13: 39. Range (in code): CN Ti
- 3557. *Lexias canescens* (Butler,1869)** (Argynnidae) Synonym(s): *canescens* Butler,1869 Range (in code): PH Sul Jol? TH Rng Ntt Tng
- 3558. *Lexias canescens canescens* (Butler,1869)** (Argynnidae) Synonym(s): *canescens* Butler,1869
- 3559. *Lexias canescens leopardina* Fruhstorfer,1913** (Argynnidae) Synonym(s): *leopardina* Fruhstorfer,1913 _ Range (in code): PH Sul Jol?
- 3560. *Lexias canescens pardalina* (Staudinger,1886)** (Argynnidae) Synonym(s): *pardalina* Staudinger,1886 _ Range (in code): TH Rng Ntt Tng
- 3561. *Lexias cyanipardus* (Butler,1869)** (Argynnidae) Synonym(s): *cyanipardus* Butler,1869 Range (in code): TH CRa Nrt Cbi Nna Nan
- 3562. *Lexias cyanipardus albopunctata* (Crowley,1895)** (Argynnidae) Synonym(s): *albopunctata* Crowley,1895 _ Range (in code): TH Nrt Cbi Nna
- 3563. *Lexias cyanipardus borealis* Hanafusa,1990** (Argynnidae) Synonym(s): *borealis* Hanafusa,1990 _ Range (in code): TH Nan
- 3564. *Lexias cyanipardus cyanipardus* (Butler,1869)** (Argynnidae) Synonym(s): *cyanipardus* Butler,1869
- 3565. *Lexias cyanipardus grandis* Yokochi,1991** (Argynnidae) Synonym(s): *grandis* Yokochi,1991 _ Range (in code): TH CRa
- 3566. *Lexias damalis* Erichson,1834** (Argynnidae) Synonym(s): *damalis* Erichson,1834 Range (in code): PH Bab Luz Mdo Pan
- 3567. *Lexias damalis antiquea* Schröder & Treadaway,1980** (Argynnidae) Synonym(s): *antiquea* Schröder & Treadaway,1980 _ Range (in code): PH Pan
- 3568. *Lexias damalis damalis* Erichson,1834** (Argynnidae) Synonym(s): *damalis* Erichson,1834 Range (in code): PH Bab Luz
- 3569. *Lexias damalis galoa* Fruhstorfer,1913** (Argynnidae) Synonym(s): *galoa* Fruhstorfer,1913 Range (in code): PH Mdo
- 3570. *Lexias dirtea* (Fabricius,1793)** (Argynnidae) Synonym(s): *dirtea* Fabricius,1793 _ Range (in code): IN PH Cal Pal TH Phi Rng Tng Cbi Nst CMa Cnz Czo3 CRa Loe Sgk Hya Tnc
- 3571. *Lexias dirtea dirtea* (Fabricius,1793)** (Argynnidae) Synonym(s): *dirtea* Fabricius,1793 Range (in code): IN
- 3572. *Lexias dirtea merguia* (Tytler,1926)** (Argynnidae) Synonym(s): *merguia* Tytler,1926 Range (in code): MM Mrg TH Phi Rng Tng Cbi Nst Sgk Hya Tnc
- 3573. *Lexias dirtea palawana* Moore,1897** (Argynnidae) Synonym(s): *palawana* Moore,1897 Range (in code): PH Cal Pal
- 3574. *Lexias dirtea toonchai* Murayama & Kimura,1990** (Argynnidae) Synonym(s): *toonchai* Murayama & Kimura,1990 _ Range (in code): TH CMa Cnz Czo3 CRa Loe
- 3575. *Lexias hikarugenzi* Tsukada & Nishiyama,1980** (Argynnidae) Synonym(s): *hikarugenzi* Tsukada & Nishiyama,1980 _ Range (in code): PH Luz

- 3576. *Lexias panopus* Felder,1861** (Argynnidae) Synonym(s): *panopus* Felder,1861 Original Reference: *Lexias panopus* Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon. Range (in code): **PH Din Hom Boh Ley Sam Luz Neg Pan**
- 3577. *Lexias panopus ingae* Schröder & Treadaway,1987** (Argynnidae) Synonym(s): *ingae* Schröder & Treadaway,1987 Range (in code): **PH Neg Pan**
- 3578. *Lexias panopus miscus* Fruhstorfer,1913** (Argynnidae) Synonym(s): *miscus* Fruhstorfer,1913 Range (in code): **PH Boh Ley Sam**
- 3579. *Lexias panopus panopus* Felder,1861** (Argynnidae) Synonym(s): *panopus* Felder,1861 Original Reference: *Lexias panopus* Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon. Range (in code): **PH Luz**
- 3580. *Lexias panopus visayana* Schröder & Treadaway,1987** (Argynnidae) Synonym(s): *visayana* Schröder & Treadaway,1987 Range (in code): **PH Boh Ley Sam**
- 3581. *Lexias panopus vistricea* Fruhstorfer,1913** (Argynnidae) Synonym(s): *vistricea* Fruhstorfer,1913 Range (in code): **PH Din Hom**
- 3582. *Lexias pardalis* (Moore,1878)** (Argynnidae) Synonym(s): *pardalis* Moore,1878 Range (in code): **PH Bal Mdo Pal TH CMa Cuo Cuo7 Cuo9 Cu12 CDo Pap Mro Lmp Tht TAK Nna Knc Loe Nrt Cbi Non Rng Ptt Tng Yal Ntt SPa Sgk Hya Tnc**
- 3583. *Lexias pardalis cavarna* Fruhstorfer,1913** (Argynnidae) Synonym(s): *cavarna* Fruhstorfer,1913 Range (in code): **PH Bal**
- 3584. *Lexias pardalis dirteana* (Corbet,1941)** (Argynnidae) Synonym(s): *dirteana* Corbet,1941 Range (in code): **TH Rng Ptt Tng Yal Ntt SPa Sgk Hya Tnc**
- 3585. *Lexias pardalis ellora* Fruhstorfer,1890** (Argynnidae) Synonym(s): *ellora* Fruhstorfer,1890 Range (in code): **PH Mdo**
- 3586. *Lexias pardalis jadeitina* Fruhstorfer,1913** (Argynnidae) Synonym(s): *jadeitina* Fruhstorfer,1913 Range (in code): **TH CMa Cuo Cuo7 Cuo9 Cu12 CDo Pap Mro Lmp Tht TAK Nna Knc Loe Nrt Cbi Non**
- 3587. *Lexias pardalis pardalis* (Moore,1878)** (Argynnidae) Synonym(s): *pardalis* Moore,1878
- 3588. *Lexias pardalis tethys* Tsukada,1991** (Argynnidae) Synonym(s): *tethys* Tsukada,1991 Range (in code): **PH Pal**
- 3589. *Lexias satrapes* Felder,1861** (Argynnidae) Synonym(s): *satrapes* Felder,1861 Original Reference: *Lexias satrapes* Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon. Range (in code): **PH Ley Sam CmL Mas Neg Pan Bal Luz Mdo Pal Pol Sib**
- 3590. *Lexias satrapes amlana* Jumalon,1970** (Argynnidae) Synonym(s): *amlana* Jumalon,1970 Original Reference: *Lexias satrapes amlana*: Treadaway, 1995, Nachr. ent. Ver. Apollo, Suppl. 14: 36 Range (in code): **PH Mas Neg Pan**
- 3591. *Lexias satrapes hiwaga* Nuyda & Kawamura,1989** (Argynnidae) Synonym(s): *hiwaga* Nuyda & Kawamura,1989 Range (in code): **PH CmL**
- 3592. *Lexias satrapes ormocana* Jumalon,1970** (Argynnidae) Synonym(s): *ormocana* Jumalon,1970 Range (in code): **PH Ley Sam**
- 3593. *Lexias satrapes ornata* Schröder & Treadaway,1979** (Argynnidae) Synonym(s): *ornata* Schröder & Treadaway,1979 Range (in code): **PH Sib**
- 3594. *Lexias satrapes satrapes* Felder,1861** (Argynnidae) Synonym(s): *satrapes* Felder,1861 Original Reference: *Lexias satrapes* Felder,1861, Wien. ent. Monatschr. 5: 302. Type: Luzon. Range (in code): **PH Luz Mdo Pol**
- 3595. *Lexias satrapes trapesa* Semper,1888** (Argynnidae) Synonym(s): *trapesa* Semper,1888 Range (in code): **PH Mno**
- 3596. *Limenitis (Azuritis) reducta* Staudinger,1901** (Argynnidae) Synonym(s): *reducta* Staudinger,1901. Original Reference: *Limenitis camilla* var. *reducta* Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 22,nr.135a. Syntypes: [Armenia]: Arm. or; [Iran]: Hyrc. Lectotype ♂: Azerbaidjan: Hankynda, designated by Wagener,1995, Die Tagfalter der Türkei: 978. Range (in code): **Ae AL AM AT AZ BG B-H BY CH Co CZ DE ES Mu FR GG Cc GR HU HV IL IQ IR Ab Ak Elb Fa GlS Kh IT JO Kp LB LU MK NL Rd RO RU Sa Si SK Sm Sr SS SY TM TR UA YU CY** Bionomy: Larva on *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylostium*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L. iberica*, *L. orientalis* (Boudinot,1986; Ebert,1991; Tolman,1997; Dantchenko,in.litt.).
- 3597. *Limenitis (Azuritis) reducta herculeana* Stichel,[1908]** (Argynnidae) Synonym(s): *camilla* [Denis & Schiffermüller],1775 (praeocc.); *drusilla* Bergsträßer,1779 (praeocc.); *lucilla* Esper,[1779]; *anonyma* Lewis,1872; *herculeana* Stichel,[1908]; *prodiga* Fruhstorfer,1909; *schiffermuelleri* Higgins,1932;

mirzayani Gross & Ebert, 1975.

Original Reference: *Limenitis reducta* ssp. *herculeana*

Stichel, [1908], [in] Seitz, Die Gross-Schmett. Erde 1: 183, Taf. 57c. Syntypes: Dalmatien, Südfrankreich. Range (in code): **IL He Ae AL AM Cc AT BG B-H Bw BY CH Co CZ DE ES Mu FR F73 GG GR HU HV IL IQ IR Fa IT JO LB LU MK NL Rd RO RU Sa Si SK Sm Sr SS SY TR UA YU CY** Bionomy: Larva on *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylosteum*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L. iberica*, *L. orientalis* (Boudinot, 1986; Ebert, 1991; Tolman, 1997; Dantchenko, in litt.).

- 3598. *Limenitis (Azuritis) reducta reducta* Staudinger, 1901** (Argynnidae) Synonym(s): *reducta* Staudinger, 1901. Original Reference: *Limenitis camilla* var. *reducta* Staudinger, 1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 22, nr. 135a. Syntypes: [Armenia]: Arm. or; [Iran]: Hyrc. Lectotype ♂: Azerbaidjan: Hankynda, designated by Wagener, 1995, Die Tagfalter der Türkei: 978. Range (in code): **TR AZ Hkd Cc IR Ab Ak Elb Gl Kh Kp TM** Bionomy: Larva on *Lonicera periclymenum*, *L. etrusca*, *L. implexa*, *L. xylosteum*, *L. alpigena*, *L. nummulariifolia*, *L. caprifolium*, *L. iberica*, *L. orientalis* (Tolman, 1997; Dantchenko, in litt.).

- 3599. *Limenitis (Ladoga) camilla (Linnaeus, 1764)*** (Argynnidae) Synonym(s): *camilla* Linnaeus, 1764; *prorsa* Linnaeus, 1764 nec Linnaeus, 1758; *sibilla* Linnaeus, 1769; *luctuosus* Fourcroy, 1785 nec Walch, 1775. Original Reference: *Papilio camilla* Linnaeus, 1764, Museum Ludovicae Ulricae: 304. Type(s): Germania. Range (in code): **AT Ba BE BG BY CH CZ DE DK EE ES FR GG Smt Bjo GB GR HU IT KG Kr LT LU LV MK NL PL RO RU JP RU Am Prj Us SE SK Sm So Sr TR UA AM Cc Uk VI YU Cw Dv Smt H-W Sur Ssx Ken** Bionomy: Larva on *Lonicera periclymenum*, *L. caprifolium*, *L. xylosteum*, *L. tatarica*, *L. maackii*, *L. gibbiflora*, *Symphoricarpos racemosa* (Kurentzov, 1970; Migranov, 1991; Tolman, 1997).

- 3600. *Limenitis (Ladoga) camilla camilla (Linnaeus, 1764)*** (Argynnidae) Synonym(s): *camilla* Linnaeus, 1764; *prorsa* Linnaeus, 1764 nec Linnaeus, 1758; *sibilla* Linnaeus, 1769; *luctuosus* Fourcroy, 1785 nec Walch, 1775. Original Reference: *Papilio camilla* Linnaeus, 1764, Museum Ludovicae Ulricae: 304. Type(s): Germania. Range (in code): **AT Ba BE BG Bw BY CH CZ DE DK EE ES FR GB GR GG Smt Bjo HU IT KG Kr LT LU LV MK NL PL RO Rp RU SE SK Sm So Sr TR UA AM Cc Uk VI YU Cw Dv Smt H-W Sur Ssx Ken**

- 3601. *Limenitis (Ladoga) camilla japonica* Ménéttriés, 1857** (Argynnidae) Synonym(s): *japonica* Ménéttriés, 1857; *angustata* Staudinger, 1887. Range (in code): **JP RU Am Prj Us**

- 3602. *Limenitis (Parasarpa) dudu* Westwood, 1850** (Argynnidae) Synonym(s): *dudu* Westwood, 1850 Range (in code): **TH CMa CDo Nna Phi**

- 3603. *Limenitis (Parasarpa) dudu dudu* Westwood, 1850** (Argynnidae) Synonym(s): *dudu* Westwood, 1850 Range (in code): **TH CMa CDo Nna Phi**

- 3604. *Limenitis (Parasarpa) houlberti* Oberthür, 1913** (Argynnidae) Synonym(s): *houlberti* Oberthür, 1913 Range (in code): **TH CMa**

- 3605. *Limenitis (Parasarpa) houlberti houlberti* Oberthür, 1913** (Argynnidae) Synonym(s): *houlberti* Oberthür, 1913 Range (in code): **TH CMa**

- 3606. *Limenitis (Sumalia) daraxa* Doubleday, [1848]** (Argynnidae) Synonym(s): *daraxa* Doubleday, [1848] Range (in code): **TH CMa Int Loe**

- 3607. *Limenitis (Sumalia) daraxa daraxa* Doubleday, [1848]** (Argynnidae) Synonym(s): *daraxa* Doubleday, [1848] Range (in code): **TH CMa Int Loe**

- 3608. *Limenitis (s.str.) albomaculata* Leech, 1891** (Argynnidae) Synonym(s): *albomaculata* Leech, 1891 Original Reference: *Limenitis albomaculata* Leech, 1891, Entomologist 24 (suppl.): 28. Range (in code): **CN Ti**

- 3609. *Limenitis (s.str.) albomaculata albomaculata* Leech, 1891** (Argynnidae) Synonym(s): *albomaculata* Leech, 1891 Original Reference: *Limenitis albomaculata* Leech, 1891, Entomologist 24 (suppl.): 28. Range (in code): **CN Ti**

- 3610. *Limenitis (s.str.) amphyssa* Ménéttriés, 1858** (Argynnidae) Synonym(s): *amphyssa* Ménéttriés, 1858 Original Reference: *Limenitis amphyssa* Ménéttriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur. Range (in code): **RU Am Vv CN KP KR** Bionomy: Larva on *Lonicera maackii* (Murzin, 2000).

- 3611. *Limenitis (s.str.) amphyssa amphyssa* Ménéttriés, 1858** (Argynnidae) Synonym(s): *amphyssa* Ménéttriés, 1858 Original Reference: *Limenitis amphyssa* Ménéttriés, 1858, Bull. phys. math. Acad. Sci. St. Petersb. 17: 215. Syntypes: Russia: Amur. Range (in code): **RU Am Vv CN KP KR**

- 3612. *Limenitis (s.str.) cattoni berchmansi* Kotzsch, 1929** (Argynnidae) Synonym(s): *berchmansi* Kotzsch, 1929 Original Reference: *Limenitis cattoni* ssp. *berchmansi* Kotzsch, 1929,

- Ent. Z., Frankf. a. M. 43 (12): 205, figs. 6,7. Syntypes 2♂: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining, July 2300m (Steyler Missionsmuseum). Range (in code): **CN Ts**
- 3613. Limenitis (s.str.) ciocolatina Poujade,1886** (Argynnidae) Synonym(s): *ciocolatina Poujade,1886* Original Reference: Limenitis ciocolatina Poujade,1886, Bull. Soc. ent. Fr. (6)5: 209. Range (in code): **CN Ti Ui KG NrK**
- 3614. Limenitis (s.str.) ciocolatina ciocolatina Poujade,1886** (Argynnidae) Synonym(s): *ciocolatina Poujade,1886* Original Reference: Limenitis ciocolatina Poujade,1886, Bull. Soc. ent. Fr. (6)5: 209. Range (in code): **CN Ti Ui KG NrK**
- 3615. Limenitis (s.str.) cleopas Oberthür,1893** (Argynnidae) Synonym(s): *cleopas Oberthür,1893* Original Reference: Limenitis cleopas Oberthür,1893, Etüd. Ent. 1893: 16. Range (in code): **CN Ti**
- 3616. Limenitis (s.str.) cleopas cleopas Oberthür,1893** (Argynnidae) Synonym(s): *cleopas Oberthür,1893* Original Reference: Limenitis cleopas Oberthür,1893, Etüd. Ent. 1893: 16. Range (in code): **CN Ti**
- 3617. Limenitis (s.str.) cottini Oberthür,1883** (Argynnidae) Synonym(s): *cottini Oberthür,1883* Original Reference: Limenitis cottini Oberthür,1883, Etüd. Ent. 1883: 17. Range (in code): **CN Sz T-T Gn**
- 3618. Limenitis (s.str.) cottini cottini Oberthür,1883** (Argynnidae) Synonym(s): *cottini Oberthür,1883* Original Reference: Limenitis cottini Oberthür,1883, Etüd. Ent. 1883: 17. Range (in code): **CN Sz T-T**
- 3619. Limenitis (s.str.) cottini sinensis O.Bang-Haas,1937** (Argynnidae) Synonym(s): *sinensis O.Bang-Haas,1937* Range (in code): **CN Gn**
- 3620. Limenitis (s.str.) doerriesi Staudinger,1892** (Argynnidae) Synonym(s): *doerriesi Staudinger,1892* Original Reference: Limenitis doerriesi Staudinger,1892, [in] Romanoff, Mém. Lepid. 6: 173, pl.14 figs. 1a,b. Syntypes: [Russia: Ussuri]: Sutschan Gebiete (Partizansk). Range (in code): **RU Vv CN Mc KP KR** Bionomy: Larva on Lonicera praeflorens (Kurentzov,1970).
- 3621. Limenitis (s.str.) doerriesi doerriesi Staudinger,1892** (Argynnidae) Synonym(s): *doerriesi Staudinger,1892* Original Reference: Limenitis doerriesi Staudinger,1892, [in] Romanoff, Mém. Lepid. 6: 173, pl.14 figs. 1a,b. Syntypes: [Russia: Ussuri]: Sutschan Gebiete (Partizansk). Range (in code): **RU Vv CN Mc KP KR** Bionomy: Larva on Lonicera praeflorens (Kurentzov,1970).
- 3622. Limenitis (s.str.) elwesi Oberthür,1883** (Argynnidae) Synonym(s): *elwesi Oberthür,1883* Original Reference: Limenitis elwesi Oberthür,1883, Bull. Soc. ent. Fr. 1883: 128. Range (in code): **CN Ti MM Shn**
- 3623. Limenitis (s.str.) elwesi elwesi Oberthür,1883** (Argynnidae) Synonym(s): *elwesi Oberthür,1883* Original Reference: Limenitis elwesi Oberthür,1883, Bull. Soc. ent. Fr. 1883: 128. Range (in code): **CN Ti MM Shn**
- 3624. Limenitis (s.str.) helmanni Lederer,1853** (Argynnidae) Synonym(s): *helmanni Lederer,1853*. Original Reference: Lymanitis helmanni Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 356, Taf.1 fig.4. Syntypes: Russia: Altai (Ustbuchtarminsk an der Mündung des Fl. Buchtarma). Range (in code): **T-S At Bn RU Sb KG Buc TrA Ket Tar DsA Aa Tk Mn Sau Sp CN Ui** Bionomy: Larva on Lonicera sp. (Korshunov, 1981,1985).
- 3625. Limenitis (s.str.) helmanni helmanni Lederer,1853** (Argynnidae) Synonym(s): *helmanni Lederer,1853*. Original Reference: Lymanitis helmanni Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 356, Taf.1 fig.4. Syntypes: Russia: Altai (Ustbuchtarminsk an der Mündung des Fl. Buchtarma). Range (in code): **T-S At Bn RU Sb KG Buc TrA Ket Tar DsA Aa Tk Mn Sau Sp CN Ui**
- 3626. Limenitis (s.str.) homeyeri Tancre,1881** (Argynnidae) Synonym(s): *homeyeri Tancre,1881* Original Reference: Limenitis homeyeri Tancre,1881, Ent. Nachr. 7: 120. Type: Russia: [Amur Region]: "Blagoweschtschensk: Raddefskaja". Range (in code): **RU Vv CN Mc KP KR**
- 3627. Limenitis (s.str.) homeyeri homeyeri Tancre,1881** (Argynnidae) Synonym(s): *homeyeri Tancre,1881* Original Reference: Limenitis homeyeri Tancre,1881, Ent. Nachr. 7: 120. Type: Russia: [Amur Region]: "Blagoweschtschensk: Raddefskaja". Range (in code): **RU Vv CN Mc KP KR**
- 3628. Limenitis (s.str.) lepechini Erschoff,1874** (Argynnidae) Synonym(s): *lepechini Erschoff,1874* Original Reference: Limenitis lepechini Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 14, pl.1, fig.10. Syntypes: [Uzbekistan]: [Samarkand],

- "...circa Maracanda (2150') volat junio mense". Range (in code): **AF TJ Pm UZ Smk Gg PK Ci Asr Cls Nwf Haz**
- 3629. Limenitis (s.str.) lepechini gilgitica Tytler, 1926** (Argynnidae) Synonym(s): *gilgitica Tytler, 1926* Original Reference: *Limenitis lepechini* ssp. *gilgitica* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 581, pl.iii fig.6. Syntypes: [Pakistan]: Chitral, Gilgit, Astor, Chilas, Kargan valley, Hazara, etc. Range (in code): **AF TJ Pm Gg PK Ci Asr Cls Nwf Haz**
- 3630. Limenitis (s.str.) lepechini lepechini Erschoff, 1874** (Argynnidae) Synonym(s): *lepechini Erschoff, 1874* Original Reference: *Limenitis lepechini* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 14, pl.1, fig.10. Syntypes: [Uzbekistan]: [Samarkand], "...circa Maracanda (2150') volat junio mense". Range (in code): **UZ Smk**
- 3631. Limenitis (s.str.) moltrechti Kardakov, 1928** (Argynnidae) Synonym(s): *moltrechti Kardakov, 1928* Original Reference: *Limenitis moltrechti* Kardakov, 1928, Ent. Mitt. 27 (4): 269. Type: Russia: [Ussuri region]: "Narva". Range (in code): **RU Vv** Bionomy: Larva on *Lonicera praeflorens*, *L. chrysantha* (Kurentzov, 1970).
- 3632. Limenitis (s.str.) moltrechti moltrechti Kardakov, 1928** (Argynnidae) Synonym(s): *moltrechti Kardakov, 1928* Original Reference: *Limenitis moltrechti* Kardakov, 1928, Ent. Mitt. 27 (4): 269. Type: Russia: [Ussuri region]: "Narva". Range (in code): **RU Vv** Bionomy: Larva on *Lonicera praeflorens*, *L. chrysantha* (Kurentzov, 1970).
- 3633. Limenitis (s.str.) populi (Linnaeus, 1758)** (Argynnidae) Synonym(s): *populi Linnaeus, 1758*; *semiramis Schrank, 1801*; *tremulae Esper, 1804* *nec* Piller & Mitterpacher, 1783; *goliath Fruhstorfer, 1908*; *fruhstorferi Krulikowsky, 1909*. Original Reference: *Papilio populi* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 476. Type(s): [Sweden (Verity, 1950)]. Range (in code): **AL AT Ba BE BG BY CH CZ DE DK EE FI FR GR HU IT KG LT LU LV MK NL NO PL RO RU Am Prj Us Vv SE SK Sm So Sr UA Uk VI YU Pe So Tt Bs Cb Or Uk Sb Kw Ty Om To No At Bn Mn KG Sp MN U-B NAT Cat Wat Sat Kuz Trt Kts Buc Sli CN Ui** Bionomy: Larva on *Populus tremula* (Salicaceae) (Boudinot, 1987; Tolman, 1997).
- 3634. Limenitis (s.str.) populi bukovinensis Hormuzaki, 1897** (Argynnidae) Synonym(s): *bukovinensis Hormuzaki, 1897* Range (in code): **RO UA MD**
- 3635. Limenitis (s.str.) populi enapius Fruhstorfer, 1908** (Argynnidae) Synonym(s): *enapius Fruhstorfer, 1908*; *eumenius Fruhstorfer, 1908*; *fruhstorferi Krulikowsky, 1909* Original Reference: *Limenitis populi* ssp. *enapius* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 50. Holotype ♂: [Russia]: Altai. Range (in code): **RU Pe So Tt Bs Cb Or Uk Sb Kw Ty Om To No At Mn KG Sp Bn MN U-B NAT Cat Wat Sat Kuz Trt Kts Buc Sli**
- 3636. Limenitis (s.str.) populi populi (Linnaeus, 1758)** (Argynnidae) Synonym(s): *populi Linnaeus, 1758*; *semiramis Schrank, 1801*; *tremulae Esper, 1804* *nec* Piller & Mitterpacher, 1783; *goliath Fruhstorfer, 1908*; *fruhstorferi Krulikowsky, 1909*. Original Reference: *Papilio populi* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 476. Type(s): [Sweden (Verity, 1950)]. Range (in code): **AL AT Ba BE BG Bw BY CH CZ DE DK EE FI FR GR HU IT KG LT LU LV MK NL NO PL RO Rp RU SE SK Sm So Sr UA Uk VI YU**
- 3637. Limenitis (s.str.) populi ussuriensis Staudinger, 1887** (Argynnidae) Synonym(s): *ussuriensis Staudinger, 1887*; *liliputana Staudinger, 1887* Range (in code): **RU Am Prj Us Vv**
- 3638. Limenitis (s.str.) sinensium Oberthür, 1879** (Argynnidae) Synonym(s): *sinensium Oberthür, 1879* Original Reference: *Limenitis sinensium* Oberthür, 1879, Etüd. Ent. 2: 25. Range (in code): **CN Ti Ui Ts Gn**
- 3639. Limenitis (s.str.) sinensium cinereus O.Bang-Haas, 1937** (Argynnidae) Synonym(s): *cinereus O.Bang-Haas, 1937* Range (in code): **CN Gn**
- 3640. Limenitis (s.str.) sinensium fulvus O.Bang-Haas, 1937** (Argynnidae) Synonym(s): *fulvus O.Bang-Haas, 1937* Range (in code): **CN Gn**
- 3641. Limenitis (s.str.) sinensium sengei Kotzsch, 1929** (Argynnidae) Synonym(s): *sengei Kotzsch, 1929* Original Reference: *Limenitis sinensium* ssp. *sengei* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205, figs. 4,5. Type 1♂: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining, July 2300m (Steyler Missionsmuseum). Range (in code): **CN Ts**
- 3642. Limenitis (s.str.) sinensium sinensium Oberthür, 1879** (Argynnidae) Synonym(s): *sinensium Oberthür, 1879* Original Reference: *Limenitis sinensium* Oberthür, 1879, Etüd. Ent. 2: 25. Range (in code): **CN Ti Ui**
- 3643. Limenitis (s.str.) sydyi Lederer, 1853** (Argynnidae) Synonym(s): *sydyi Lederer, 1853* Original Reference: *Limenitis sydyi* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 357, Taf. 1 fig.3. Syntypes: [Kazakhstan]: Ustbuchtarminsk an der Mündung des Flusses Buchtarma. Range (in

- code): **At Sb RU Am Prj Us KP KR CN Ui Mc KG Buc Sp Mn Nym** Bionomy: Larva on *Lonicera altaica*, *Spiraea salicifolia*, *S. flexuosa* (Graeser, 1888; Korshunov & Gorbunov, 1995).
- 3644. Limenitis (s.str.) sydyi lataefasciata Ménétériés, 1859** (Argynnididae) Synonym(s): *lataefasciata Ménétériés, 1859* Range (in code): **RU Am Prj Us KP KR CN Mc**
- 3645. Limenitis (s.str.) sydyi sydyi Lederer, 1853** (Argynnididae) Synonym(s): *sydyi Lederer, 1853* Original Reference: *Limenitis sydyi Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 357, Taf. 1 fig. 3. Syntypes: [Kazakhstan]: Ustbuchtarminsk an der Mündung des Flusses Buchtarma. Range (in code): At Sb RU Am Prj Us KP KR CN Ui Mc KG Buc Sp Mn Nym*
- 3646. Limenitis (s.str.) trivena Moore, 1864** (Argynnididae) Synonym(s): *trivena Moore, 1864* Original Reference: *Limenitis trivena Moore, 1864, Entomologist's mon. Mag. 1864: 133. Type(s): India: N.W. Himalaya: Simla. Range (in code): IN Ch Gs Ld Kgr PK Haz Mre Hp Sml Kma Kul*
- 3647. Limenitis (s.str.) trivena hydaspes Moore, 1874** (Argynnididae) Synonym(s): *hydaspes Moore, 1874* Original Reference: *Limenitis hydaspes Moore, 1874, Proc. zool. Soc. Lond. 1874: 270, pl. xliii fig. 2. Syntypes ♂♀: Cashmere. Range (in code): Ch Gs IN*
- 3648. Limenitis (s.str.) trivena ligyes Hewitson, 1864** (Argynnididae) Synonym(s): *ligyes Hewitson, 1864* Range (in code): **Ld**
- 3649. Limenitis (s.str.) trivena pallida Tytler, 1926** (Argynnididae) Synonym(s): *pallida Tytler, 1926* Original Reference: *Limenitis trivena ssp. pallida Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 581, figs. Type: India: Simla. Range (in code): IN Kma Kul Hp Sml*
- 3650. Limenitis (s.str.) trivena trivena Moore, 1864** (Argynnididae) Synonym(s): *trivena Moore, 1864* Original Reference: *Limenitis trivena Moore, 1864, Entomologist's mon. Mag. 1864: 133. Type(s): India: N.W. Himalaya: Simla. Range (in code): IN Kgr PK Haz Mre Hp Sml*
- 3651. Limenitis archippus (Cramer, [1776])** (Argynnididae) Synonym(s): *archippus Cramer, [1776]* Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 3652. Limenitis arthemis (Drury, [1773])** (Argynnididae) Synonym(s): *arthemis Drury, [1773]; lamina Fabricius, 1793* Range (in code): **US MX Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 3653. Limenitis arthemis arthemis (Drury, [1773])** (Argynnididae) Synonym(s): *arthemis Drury, [1773]; lamina Fabricius, 1793* Range (in code): **US Cnt Idp Io Knt Mai Mch Mns Mon Mrl Msc NDk Nh Nje Ny Oh Pns RDi Vi Vr WVi Wc Ws Wy**
- 3654. Limenitis arthemis astyanax (Fabricius, 1775)** (Argynnididae) Synonym(s): *astyanax Fabricius, 1775; ursula Fabricius, 1793; ephestiaena Hübner, [1819]* Range (in code): **US MX Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sdk Tnn Tx Ut Vi Vr WVi Wc**
- 3655. Limenitis lorquini Boisduval, 1852** (Argynnididae) Synonym(s): *lorquini Boisduval, 1852* Range (in code): **US MX Cf Col Id Mon Ne Org Ut Ws Wy**
- 3656. Limenitis weidemeyerii Edwards, 1861** (Argynnididae) Synonym(s): *weidemeyerii Edwards, 1861* Range (in code): **US Arz Cf Col Id Mon NDk NMx Ne Neb Ok Org Tx Ut Wy**
- 3657. Mallika jacksoni (Sharpe, 1896)** (Argynnididae) Synonym(s): *jacksoni Sharpe, 1896* Original Reference: *Kallima jacksoni Sharpe, 1896, Ann. Mag. nat. Hist. (6) 17: 127. Type: Kenya: "Kavirondo". Range (in code): KE UG SD ZR*
- 3658. Mallika jacksoni jacksoni (Sharpe, 1896)** (Argynnididae) Synonym(s): *jacksoni Sharpe, 1896* Original Reference: *Kallima jacksoni Sharpe, 1896, Ann. Mag. nat. Hist. (6) 17: 127. Type: Kenya: "Kavirondo". Range (in code): KE UG SD ZR*
- 3659. Marpesia chiron (Fabricius, 1775)** (Argynnididae) Synonym(s): *chiron Fabricius, 1775* Range (in code): **US MX Arz Fl Kan Tx**
- 3660. Marpesia coresia (Godart, [1824])** (Argynnididae) Synonym(s): *coresia Godart, [1824]* Range (in code): **US Tx**
- 3661. Marpesia eleuchea Hübner, 1818** (Argynnididae) Synonym(s): *eleuchea Hübner, 1818* Range (in code): **US Fl**
- 3662. Marpesia petreus (Cramer, 1776)** (Argynnididae) Synonym(s): *petreus Cramer, 1776* Range (in code): **US MX Arz Col Fl Kan NMx Neb Tx Vi**
- 3663. Melitaea (Cinclidia) aetherie (Hübner, [1826])** (Argynnididae) Synonym(s): *aetherie Hübner, [1826]* Original Reference: *Papilio aetherie Hübner, [1826], Samml. eur. Schmett. 1: pl. 177, figs. 875-878. Syntypes: Europa. Range (in code): DZ Tlm Dja Hrh ES FR MA Azr Ifr Mkn*

- Ouk Si TN Saia Berr Khh Btina Lbs** Bionomy: Larva on *Centaurea calcitrapa*, *C. carratracensis*, *Cynara cardunculus*, *C. scolymus* (Asteraceae) (Tolman,1997).
- 3664. Melitaea (Cinclidia) aetherie aetherie (Hübner,[1826])** (Argynnididae) Synonym(s): *aetherie* Hübner,[1826] Original Reference: *Papilio aetherie* Hübner,[1826], Samml. eur. Schmett. 1: pl.177, figs. 875-878. Syntypes: Europa. Range (in code): **ES FR**
- 3665. Melitaea (Cinclidia) aetherie algerica Staudinger,[1892]** (Argynnididae) Synonym(s): *algerica* Staudinger,[1892] Original Reference: *Melitaea aetherie* var. *algerica* Staudinger,[1892], [in] Rühl,F., Die palaearkt. Grossschmett. Naturg. 1: 389-390. Type(s): Algerien. Range (in code): **DZ Tlm Dja Hrh MA Azr Ifr Mkn Ouk Si TN Saia Berr Khh Btina Lbs**
- 3666. Melitaea (Cinclidia) collina Lederer,1861** (Argynnididae) Synonym(s): *collina* Lederer,1861 Original Reference: *Melitaea collina* Lederer,1861, Wien. ent. Monatschr. 5: 148, pl.1 figs.4,5. Syntypes: [Türkei]: Antiochia [=Antakya]. Range (in code): **IL Pa IQ Shq LB SY TR IR Ab**
- 3667. Melitaea (Cinclidia) collina collina Lederer,1861** (Argynnididae) Synonym(s): *collina* Lederer,1861 Original Reference: *Melitaea collina* Lederer,1861, Wien. ent. Monatschr. 5: 148, pl.1 figs.4,5. Syntypes: [Türkei]: Antiochia [=Antakya]. Range (in code): **He IL Pa LB SY TR**
- 3668. Melitaea (Cinclidia) collina lokmani Oorschot & Brink,1994** (Argynnididae) Synonym(s): *lokmani* Oorschot & Brink,1994 Original Reference: *Melitaea collina* ssp. *lokmani* Oorschot & Brink,1994, Phegea 22 (2): 53-60, pl.1,2 figs.1-9; pl.3 fig.2. Holotype ♂: Turkey: Şırnak Prov., 8km E. of Uludere, 1700-1900m. (ITZA). Range (in code): **IQ Shq TR IR Ab**
- 3669. Melitaea (Cinclidia) consulis Wiltshire,1941** (Argynnididae) Synonym(s): *consulis* Wiltshire,1941; # *proconsulis* Wiltshire,1946 Original Reference: *Melitaea consulis* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 473, figs.1,2. Holotype ♂: Iran: on a mountain close to Shiraz, 8000-9000ft. (BMNH). Range (in code): **IR Fa Shr**
- 3670. Melitaea (Cinclidia) consulis consulis Wiltshire,1941** (Argynnididae) Synonym(s): *consulis* Wiltshire,1941; # *proconsulis* Wiltshire,1946 Original Reference: *Melitaea consulis* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 473, figs.1,2. Holotype ♂: Iran: on a mountain close to Shiraz, 8000-9000ft. (BMNH). Range (in code): **IR Fa Shr**
- 3671. Melitaea (Cinclidia) oorschoti Eckweiler,2008** (Argynnididae) Synonym(s): *oorschoti* Eckweiler,2008 Range (in code): **KK UZ**
- 3672. Melitaea (Cinclidia) ornata Christoph,1893** (Argynnididae) Synonym(s): *ornata* Christoph,1893; *uralensis* Krulikowsky,1897 nec Evers.,1844; *ufensis* Krulikowsky,1902; *lokris* Fruhstorfer,1908; *telona* Fruhstorfer,1908; *amanica* Rebel,1917; *emipunica* Verity,1919; *punicata* Ragusa,1919; *dorae* Graves,1925; *nigrogygia* Verity,1939; *enoch* Higgins,1941; # *asciata* Wiltshire,1946; *capreola* Varga,1967; *kovacsi* Varga,1967; *abbas* Gross & Ebert,1975 Original Reference: *Melitaea phoebe* var. *ornata* Christoph,1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Südural: Guberla. Range (in code): **BG Slv Rh Bgz He ALb IL Pa Hf JO LB Elb Th Bk Fa Ke TR Cc SY IQ Ama Hjo IR Shr At Bn Ao Bs KG Or RU Sr Tt Uk VI TR HU**
- 3673. Melitaea (Cinclidia) phoebe (Goeze,1779)** (Argynnididae) Synonym(s): # *phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783. Original Reference: *Papilio phoebe* Goeze,1779, Ent. Beyträge 3 (1): 365. Range (in code): **Ae AL Ao At Bn Kts AT Ba BE BG B-H Bw BY CH CZ DE EE ES Mu FR GR HU HV IT KG Kr LT LU LV MK PL PT RO RU Si SK Sm So Sr SS TR UA Uk VI YU CN Ui Um Tar Sau DsA TrA KuA T-S Arr Nv Ord Smt Bjo AM AZ GG Cc IR Ab MN** Bionomy: Larva on *Centaurea jacea*, *C. montana*, *C. graeca*, *C. scabiosa*, *C. nigrescens*, *C. alba*, *C. columbaria* (Asteraceae) (Tolman, 1997).
- 3674. Melitaea (Cinclidia) phoebe changaica Seitz,1909** (Argynnididae) Synonym(s): *changaica* Seitz,1909 Original Reference: *Melitaea phoebe changaica* Seitz,1909, Die Grossschmett. 1: 217. Type(s): Mongolia: Changai. Range (in code): **MN**
- 3675. Melitaea (Cinclidia) phoebe corythallia (Esper,[1781])** (Argynnididae) Synonym(s): *corythallia* Esper,1781; *virgilia* Fruhstorfer,1916; *syllion* Fruhstorfer,1916; *nigroalternans* Verity,1919; *suboccitanica* Verity,1928; *crassenigra* Verity,1928; *galliaemontium* Verity,1928; *allophylus* Rüttimeyer,1942; *subtusca* Verity,1952. Original Reference: *Papilio corythallia* Esper,[1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.61, figs.4,5. Range (in code): **FR**
- 3676. Melitaea (Cinclidia) phoebe gaisericus Hemming,1941** (Argynnididae) Synonym(s): *gaisericus* Hemming,1941 Original Reference: *Melitaea phoebe gaisericus* Hemming,1941, Proc. R. ent. Soc. Lond. (B) 10: 207 (nomen novum pro *M. phoebe leechi* Roth., 1917 nec Alph.,1895). Range (in code): **MA**
- 3677. Melitaea (Cinclidia) phoebe occitanica Staudinger,1871** (Argynnididae) Synonym(s): *occitanica* Staudinger,1871; *menelik* Higgins,1941 Original Reference: *Melitaea phoebe* var. *occitanica* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 18. Type(s): Italia. Range (in code): **IT ES**

- 3678. Melitaea (Cinclidia) phoebe phoebe (Goeze,1779)** (Argynnidiae) Synonym(s): *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträßer,[1780]; *tremulae* Piller & Mitterpacher,1783. Original Reference: Papilio phoebe Goeze,1779, Ent. Beiträge 3(1); 365. Range (in code): **AT BE BY CH CZ DE EE FR IT LT LU LV PL SK SS UA**
- 3679. Melitaea (Cinclidia) phoebe saturata Staudinger,1892** (Argynnidiae) Synonym(s): *saturata* Staudinger,1892; *alatauica* Wagner,1913 *nec* Stgr.,1881; *wagneri* Wnukowsky,1929. Original Reference: Melitaea phoebe var. saturata Staudinger,1892, Dt. ent. Z., Iris 5: 323. Syntypes: [Russia]: Kentei-Gebirge. Range (in code): **Aa Cb Dj Kg KG Kt Kw Mn No Om Pp Pw RU Sem Sp Tk Ty CN Ui Um T-S Tar Sau DsA TrA KuA**
- 3680. Melitaea (Cinclidia) phoebe sextilis Jachontov,1909** (Argynnidiae) Synonym(s): *#caucasica* Staudinger,1861; *caucasica* Staudinger,1870 *nec* Stgr.,1861; *sextilis* Jachontov,1909; *ottonis* Fruhstorfer,1917; *causicola* Verity,1919; *pseudosibina* Alberti,1969. Original Reference: Melitaea phoebe var. sextilis Jachontov,1909, Russk. ent. Obozr. 8 (1908): 285. Syntypes (destroyed): Nordkaukasus: Zheleznovodsk. Range (in code): **Cc GG AZ TR AM Arr Nv Ord Smt Bjo**
- 3681. Melitaea (Cinclidia) punica Oberthür,1876** (Argynnidiae) Synonym(s): *punica* Oberthür,1876; *leechi* Rothschild,1917 *nec* Alph.,1895; *gaisericus* Hemming,1941 Original Reference: Melitaea phoebe var. punica Oberthür,1876, Etüd. Ent. 1: 25. Syntypes: Algérie: Lambessa. Range (in code): **DZ MA Azr Lbs Berr Khk Bttna Lkr Ifr Ess**
- 3682. Melitaea (Cinclidia) punica punica Oberthür,1876** (Argynnidiae) Synonym(s): *punica* Oberthür,1876; *leechi* Rothschild,1917 *nec* Alph.,1895; *gaisericus* Hemming,1941 Original Reference: Melitaea phoebe var. punica Oberthür,1876, Etüd. Ent. 1: 25. Syntypes: Algérie: Lambessa. Range (in code): **DZ MA Azr Lbs Berr Khk Bttna Lkr Ifr Ess**
- 3683. Melitaea (Cinclidia) scotosia Butler,1878** (Argynnidiae) Synonym(s): *scotosia* Butler,1878; *#yagei* Nire,1917. Original Reference: Melitaea scotosia Butler,1878, Cistula Ent. 2: 282. Syntypes: Japan: Tokyo. Range (in code): **Am CN Ui Gn JP KP KR Mc MN Pkn RU Prj Us Vv**
- 3684. Melitaea (Cinclidia) scotosia butleri Higgins,1940** (Argynnidiae) Synonym(s): *butleri* Higgins,1940 Original Reference: Melitaea scotosia ssp. butleri Higgins,1940, Entomologist 73: 53. Holotype ♂: China: Pekin. Range (in code): **Am CN Gn MN Pkn RU**
- 3685. Melitaea (Cinclidia) scotosia scotosia Butler,1878** (Argynnidiae) Synonym(s): *scotosia* Butler,1878; *#yagei* Nire,1917. Original Reference: Melitaea scotosia Butler,1878, Cistula Ent. 2: 282. Syntypes: Japan: Tokyo. Range (in code): **Am CN JP KP KR Mc Pkn RU Prj Us Vv**
- 3686. Melitaea (Cinclidia) semiconsulis Oorschot, Coutsis & Naderi,2014** (Argynnidiae) Synonym(s): *semiconsulis* Oorschot, Coutsis & Naderi,2014 Range (in code): **IR Lo**
- 3687. Melitaea (Cinclidia) sibina Alpheraky,1881** (Argynnidiae) Synonym(s): *sibina* Alpheraky,1881; *dschungarica* Groum-Grshimailo,1895. Original Reference: Melitaea phoebe var. sibina Alpheraky,1881, Horae Soc. ent. ross. 16: 400-403, Taf. 14 fig. 13. Syntypes ♂♂: [China: Uighur Ili]: Kuldja, Sibö, Khuir-Souimoune. Range (in code): **T-S Aa CN Db Dj KG KK Ku Ky Sbo Sem Tk Syr Tm T-S Ui Alk Bog TrA DsA**
- 3688. Melitaea (Cinclidia) sibina aulicana Seitz,[1909]** (Argynnidiae) Synonym(s): *aulicana* Seitz,[1909]; *rama* Higgins,1941 Range (in code): **Al KK T-S**
- 3689. Melitaea (Cinclidia) sibina dschungarica Groum-Grshimailo,1895** (Argynnidiae) Synonym(s): *dschungarica* Groum-Grshimailo,1895 Range (in code): **KG T-S DsA**
- 3690. Melitaea (Cinclidia) sibina sibina Alpheraky,1881** (Argynnidiae) Synonym(s): *sibina* Alpheraky,1881; *dschungarica* Groum-Grshimailo,1895. Original Reference: Melitaea phoebe var. sibina Alpheraky,1881, Horae Soc. ent. ross. 16: 400-403, Taf. 14 fig. 13. Syntypes ♂♂: [China: Uighur Ili]: Kuldja, Sibö, Khuir-Souimoune. Range (in code): **Aa CN Db Dj KG Ku Ky Sbo Sem Tk Syr Tm T-S Ui Alk Bog TrA**
- 3691. Melitaea (Cinclidia) tangigharuensis De Freina,1980** (Argynnidiae) Synonym(s): *tangigharuensis* De Freina,1980 Original Reference: Melitaea tangigharuensis De Freina, 1980, Atalanta 11 (1): 13-17, Abb. Holotype ♂: Afghanistan: Kabul Fluß, Tang-i-Gharu- Schlucht, 1600m. (in coll. Freina). Range (in code): **AF Kab**
- 3692. Melitaea (Cinclidia) tangigharuensis tangigharuensis De Freina,1980** (Argynnidiae) Synonym(s): *tangigharuensis* De Freina,1980 Original Reference: Melitaea tangigharuensis De Freina, 1980, Atalanta 11 (1): 13-17, Abb. Holotype ♂: Afghanistan: Kabul Fluß, Tang-i-Gharu- Schlucht, 1600m. (in coll. Freina). Range (in code): **AF Kab**
- 3693. Melitaea (Cinclidia) turkmanica Higgins,1940** (Argynnidiae) Synonym(s): *turkmanica* Higgins,1940 Original Reference: Melitaea turkmanica Higgins,1940, Entomologist 73: 51-52. Holotype ♂: [Turkmenia]: Askhabad (in Tring Museum). Range (in code): **IR Kp TM**

- 3694. Melitaea (Cinclidia) turkmanica turkmanica Higgins,1940** (Argynnidae)
Synonym(s): *turkmanica Higgins,1940* Original Reference: *Melitaea turkmanica Higgins,1940*,
Entomologist 73: 51-52. Holotype ♂: [Turkmenia]: Askhabad (in Tring Museum). Range (in code): IR Kp TM
- 3695. Melitaea (Cinclidia) vedica Nekrutenko,1975** (Argynnidae) Synonym(s): *vedica Nekrutenko,1975* Original Reference: *Melitaea vedica Nekrutenko,1975*, *J. lepid. Soc.* 29: 102-105, figs. 1-6. Holotype ♂: Armenia: Naturreservat Chosrov, Vedi (ZIMP). Range (in code): Cc AM Ved
- 3696. Melitaea (Cinclidia) zagrosi Toth,2011** (Argynnidae) Synonym(s): *zagrosi Toth,2011* Range (in code): IR Fa
- 3697. Melitaea (Didymaeformis) abyssinica (Oberthür,1909)** (Argynnidae) Synonym(s): *abyssinica Oberthür,1909* Range (in code): ET
- 3698. Melitaea (Didymaeformis) acraeina Staudinger,1886** (Argynnidae) Synonym(s): *acraeina Staudinger,1886* Original Reference: *Melitaea acraeina Staudinger,1886*, *Stettin ent. Ztg.* 47: 233-234. Syntypes: [Usbekistan]: Fergana, Kokand. Range (in code): UZ Bionomy: Larva on *Dodartia orientalis*, *Plantago* (Plantaginaceae) (Tusov & Churkin,2000).
- 3699. Melitaea (Didymaeformis) acraeina acraeina Staudinger,1886** (Argynnidae) Synonym(s): *acraeina Staudinger,1886* Original Reference: *Melitaea acraeina Staudinger,1886*, *Stettin ent. Ztg.* 47: 233-234. Syntypes: [Usbekistan]: Fergana, Kokand. Range (in code): UZ Bionomy: Larva on *Dodartia orientalis*, *Plantago* (Plantaginaceae) (Tusov & Churkin,2000).
- 3700. Melitaea (Didymaeformis) ala Staudinger,1881** (Argynnidae) Synonym(s): *ala Staudinger,1881* Original Reference: *Melitaea didyma var. ala Staudinger,1881*, *Stettin ent. Ztg.* 42: 290-291. Syntypes: Lepsinsk, Dchungarischer Alatau. Range (in code): Aa CN Db KG KK Tls Mn Tk T-S Ui RU Sb DsA Lps Nym TrA KuA TeA Ax Ku Ket Bionomy: Larva on *Ligularia* (Tusov & Churkin,2000).
- 3701. Melitaea (Didymaeformis) ala ala Staudinger,1881** (Argynnidae) Synonym(s): *ala Staudinger,1881*. Original Reference: *Melitaea didyma var. ala Staudinger,1881*, *Stettin ent. Ztg.* 42: 290-291. Syntypes: Lepsinsk, Dchungarischer Alatau. Range (in code): Aa Db KG KK Tk T-S Ket TrA DsA KuA
- 3702. Melitaea (Didymaeformis) ala allah Bryk,1940** (Argynnidae) Synonym(s): *allah Bryk,1940*; *?irtyschica Lukhtanov,1999*; *?zaisana Lukhtanov,1999*. Melitaea ala ssp. allah Bryk,1940, *Folia Zool. hydrobiol. Riga* 10 (2). Range (in code): KG Mn Sp Ktm Bkb At
- 3703. Melitaea (Didymaeformis) ala bicolor Sushkin,1913** (Argynnidae) Synonym(s): *#bicolor Seitz,1907*; *bicolor Sushkin,1913*; *#immodulata Sheljuzhko,1929*; *#latemarginata Sheljuzhko,1929*. Original Reference: *Melitaea ala ssp. bicolor Sushkin,1913*, *Z. Wiss. InsektenBiol.* 9: 172. Syntypes: [Kirgizistan]: Umgebung Naryn. Range (in code): KK Tls KG Tk KuA TeA Ik Ax Db T-S
- 3704. Melitaea (Didymaeformis) ala determinata Bryk,1940** (Argynnidae) Synonym(s): *determinata Bryk,1940* Original Reference: *Melitaea ala ssp. determinata Bryk,1940*, *Folia Zool. hydrobiol. Riga* 10: 349, pl.5 fig.39,40. Holotype ♂: [Uighur Ili]: Thian-Shan [Tengri Tagh]: Fu-Shu-Shi, 2100m. Range (in code): T-S Ui CN
- 3705. Melitaea (Didymaeformis) ala sheljuzhkoï Bryk,1940** (Argynnidae) Synonym(s): *sheljuzhkoï Bryk,1940* Original Reference: *Melitaea ala ssp. sheljuzhkoï Bryk,1940*, *Folia Zool. hydrobiol. Riga* 10: 348, pl.5 fig.48. Holotype ♂: [Uighur Ili]: Kuldscha. Range (in code): T-S Ui CN Ku
- 3706. Melitaea (Didymaeformis) ala strandi Bryk,1940** (Argynnidae) Synonym(s): *strandï Bryk,1940* Original Reference: *Melitaea ala ssp. strandi Bryk,1940*, *Folia Zool. hydrobiol. Riga* 10: 350, pl.5 fig.44,47. Holotype ♂: [Uighur A.R.]: Urumtschi, Nan Shan 2500m. Range (in code): CN Ui Um T-S
- 3707. Melitaea (Didymaeformis) alraschid Higgins,1941** (Argynnidae) Synonym(s): *alraschid Higgins,1941* Original Reference: *Melitaea ambrisia ssp. alraschid Higgins,1941*, *Trans. R. ent. Soc. Lond.* 91: 259-260, pl.16 fig.5. Holotype ♂: "Persia" [patria falsa]. [Tadjikistan: Ghissarsky Mts.] (cf. Tusov & Churkin, 2000: 67). Range (in code): TJ
- 3708. Melitaea (Didymaeformis) alraschid alraschid Higgins,1941** (Argynnidae) Synonym(s): *alraschid Higgins,1941* Original Reference: *Melitaea ambrisia ssp. alraschid Higgins,1941*, *Trans. R. ent. Soc. Lond.* 91: 259-260, pl.16 fig.5. Holotype ♂: "Persia" [patria falsa]. [Tadjikistan: Ghissarsky Mts.] (cf. Tusov & Churkin, 2000: 67). Range (in code): TJ
- 3709. Melitaea (Didymaeformis) alraschid garun Churkin,2000** (Argynnidae) Synonym(s): *garun Churkin,2000* Range (in code): TJ

- 3710. Melitaea (Didymaeformis) ambrisia Higgins,1935** (Argynnidae) Synonym(s): *ambrisia Higgins,1935* Original Reference: *Melitaea ambrisia Higgins,1935*, Entomologist 68: 112. Holotype: [Uzbekistan]: Turkestan, Marghilan. Range (in code): **UZ KK Al Man**
- 3711. Melitaea (Didymaeformis) ambrisia Higgins,1935** (Argynnidae) Synonym(s): *ambrisia Higgins,1935* Original Reference: *Melitaea ambrisia Higgins,1935*, Entomologist 68: 112. Holotype: [Uzbekistan]: Turkestan, Marghilan. Range (in code): **UZ KK Al Man**
- 3712. Melitaea (Didymaeformis) athene Staudinger,1881** (Argynnidae) Synonym(s): *athene Staudinger,1881* Original Reference: *Melitaea athene Staudinger,1881*, Stettin ent. Ztg. 42: 266. Syntypes: ?Saisan. Range (in code): **KG Sau Nym Tar Bkb Ssn Mrk Ktm CN Ui**
- 3713. Melitaea (Didymaeformis) athene Staudinger,1881** (Argynnidae) Synonym(s): *athene Staudinger,1881* Original Reference: *Melitaea athene Staudinger,1881*, Stettin ent. Ztg. 42: 266. Syntypes: ?Saisan. Range (in code): **KG Sau Nym Tar Bkb Ssn Mrk Ktm CN Ui**
- 3714. Melitaea (Didymaeformis) casta Kollar,[1849]** (Argynnidae) Synonym(s): *casta Kollar,[1849]* Original Reference: *Melitaea casta Kollar,[1849]*, Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz]. Range (in code): **IR Fa Ha Shr Es**
- 3715. Melitaea (Didymaeformis) casta Kollar,[1849]** (Argynnidae) Synonym(s): *casta Kollar,[1849]* Original Reference: *Melitaea casta Kollar,[1849]*, Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz]. Range (in code): **IR Fa Shr**
- 3716. Melitaea (Didymaeformis) casta salki Weiss & Leestmans,2000** (Argynnidae) Synonym(s): *salki Weiss & Leestmans,2000* Original Reference: *Melitaea casta ssp. salki Weiss & Leestmans,2000*, Linn. Belgica 17 (8): 335-338, figs. Holotype ♂: Iran: Esfahan: S.-O. de Daran, Fereidun Sahr, 2600m, 19.vii.1999 J.-C.Weiss leg (NMNHL). Range (in code): **IR Es**
- 3717. Melitaea (Didymaeformis) casta wiltshirei Higgins,1941** (Argynnidae) Synonym(s): *wiltshirei Higgins,1941* Original Reference: *Melitaea wiltshirei Higgins,1941*, Trans. R. ent. Soc. Lond. 91: 237-238, figs.53-55. Holotype ♂: Iran: Alvand, 8000ft. Range (in code): **IR Ha**
- 3718. Melitaea (Didymaeformis) chitralensis Moore,1901** (Argynnidae) Synonym(s): *chitralensis Moore,1901*; *#chitralipluvia Verity,1929*. Original Reference: *Melitaea chitralensis Moore,1901*, Lepid. Ind. 5: 9. Syntypes: [Pakistan]: Chitral. Range (in code): **Ax Ci Db H-S KG KK Nwf PK Pm TJ UZ Z-A**
- 3719. Melitaea (Didymaeformis) chitralensis Moore,1901** (Argynnidae) Synonym(s): *chitralensis Moore,1901*; *chitralipluvia Verity,1929*. Original Reference: *Melitaea chitralensis Moore,1901*, Lepid. Ind. 5: 9. Syntypes: [Pakistan]: Chitral. Range (in code): **Ci Nwf PK**
- 3720. Melitaea (Didymaeformis) deserticola Kirby,1877** (Argynnidae) Synonym(s): *#deserticola Oberthür,1876*; *deserticola Kirby,1877*; *nisseni Rothschild,1913*; *interposita Rothschild,1913*; *hartert Rothschild,1913* Original Reference: *Melitaea didyma var. deserticola Kirby,1877*, Zool. Rec., Insecta, Lepidoptera: 152 (by indication of *Melitaea didyma ab. deserticola Oberthür,1876*, Etüd. Ent. 1: 25, pl.iii fig.1. Type(s): Algeria: Biskra). Range (in code): **DZ Bsk Gha Ela Ceg Kdr Dhm Dja Btna Gle Omy Hdd Gha Gea Onç Ear EG IL JO LB MA SY TN Gf Ad As Dh Hd OM SA YE** Bionomy: Larva on *Linaria aegyptiaca*, *Anarrhinum fruticosum* (Scrophulariaceae), *Plantago media* (Plantaginaceae) (Devarenne,1990; Tennent,1996).
- 3721. Melitaea (Didymaeformis) deserticola Kirby,1877** (Argynnidae) Synonym(s): *#deserticola Oberthür,1876*; *deserticola Kirby,1877*; *nisseni Rothschild,1913*; *interposita Rothschild,1913*; *hartert Rothschild,1913* Original Reference: *Melitaea didyma var. deserticola Kirby,1877*, Zool. Rec., Insecta, Lepidoptera: 152 (by indication of *Melitaea didyma ab. deserticola Oberthür,1876*, Etüd. Ent. 1: 25, pl.iii fig.1. Type(s): Algeria: Biskra). Range (in code): **DZ Bsk Gha Ela Ceg Kdr Dhm Dja Btna Gle Omy Hdd Gha Gea Onç Ear MA TN Gf** Larva on *Linaria aegyptiaca*, *Anarrhinum fruticosum* (Scrophulariaceae), *Plantago media* (Plantaginaceae) (Devarenne,1990; Tennent,1996).
- 3722. Melitaea (Didymaeformis) deserticola macromaculata Belter,1934** (Argynnidae) Synonym(s): *macromaculata Belter,1934*; *warneckei Bryk,1940*; *belteri Bryk,1940*. Original Reference: *Melitaea deserticola ssp. macromaculata Belter,1934*, Arb. morph. tax. Ent. 1: 106. Syntypes: North Libanon. Range (in code): **EG IL JO LB SY**
- 3723. Melitaea (Didymaeformis) deserticola scotti Higgins,1941** (Argynnidae) Synonym(s): *scotti Higgins,1941* Original Reference: *Melitaea abyssinica ssp. scotti Higgins,1941*, Trans. R. ent. Soc. Lond. 91 (7): 236, Pl.16 figs.11,12. Holotype ♂: [Yemen]:

Western Aden Protectorate: Jebel Jihaf, western face, 6600ft. Range (in code): **Ad As Dh Hd OM SA YE**

- 3724. Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) Synonym(s): *didyma* Esper,[1779]; *cytheris* Müschen,1781; *neera* Fischer de Waldheim,1840; *meridionalis* Staudinger,1861; *occidentalis* Staudinger,1861; *dalmatina* Staudinger,1861; *graeca* Staudinger,1870; *jaika* Krulikowsky,1897; *kasanskyi* Krulikowsky,1901; *mauritanica* Oberthür,1909; *mauretanica* Oberthür,1909; *patycosana* Turati,1911; *nisseni* Rothschild,1913; *interposita* Rothschild,1913; *oreithyia* Fruhstorfer,1917; *druentia* Fruhstorfer,1917; *lesora* Fruhstorfer,1917; *naina* Fruhstorfer,1917; *tarlonia* Fruhstorfer,1917; *seilemis* Fruhstorfer,1917; *marsilia* Fruhstorfer,1917; *cataprotea* Verity,1929; *libanotica* Belter,1934; *montium* Belter,1934; *variabilis* Belter,1934; *pontifex* Bryk,1940; *pfeifferi* Bryk,1940; *orinomus* Rüttimeyer,1942; *boschmai* Eisner,1942; *ibra* Higgins,1964; *pseudolatonigena* Yakovlev,2002 Original Reference: Papilio *didyma* Esper,[1779], Die Schmett. 1: 365. Type(s): [Germany]: Bavaria: Uffenheim. Range (in code): **Ae AL AM Ao Bn At AT AZ Ba BE BG B-H BY CH CZ DE EE ES Mu Abr FR GG GR HU HV Ii IL IQ IT Kr LB LT LU LV MK NL PL PT RO RU Tv Ry Si SK Sm So Sr SS TR UA Uk VI MA DZ TN KK TeA KG TJ UZ AF CN Ui Ku MN T-S Ax KuA TrA Ket Mrk Sau Tar Sp Bg Hk Pm Ui Ku Cc Arr SY IL He Pa Hf Bsa BtNa Sbd Eba Mkn Ouk Dju Tlm BSa DhM Lbs Hrh Orn Phv Clo Azr** Bionomy: Larva on *Linaria vulgaris*, *L. peloponnesiaca*, *L. alpina*, *Antirrhinum brevifolium*, *Misopates orontium*, *Plantago subulata*, *P.amplexicaulis*, *P.bellardi deflexa*, *P.lanceolata*, *P.major*, *Veronica teucrium*, *V.chamaedrys*, *Digitalis grandiflora*, *D.purpurea*, *Stachys recta*, *Valeriana officinalis*, *V.montana*, *V.persica*, *Verbascum thapsus* (Tolman,1997).

- 3725. Melitaea (Didymaeformis) didyma didyma (Esper,[1779])** (Argynnidae) Synonym(s): *didyma* Esper,[1779]; *cytheris* Müschen,1781; *neera* Fischer de Waldheim,1840; *meridionalis* Staudinger,1861; *occidentalis* Staudinger,1861; *dalmatina* Staudinger,1861; *graeca* Staudinger,1870; *jaika* Krulikowsky,1897; *kasanskyi* Krulikowsky,1901; *mauritanica* Oberthür,1909; *mauretanica* Oberthür,1909; *patycosana* Turati,1911; *nisseni* Rothschild,1913; *interposita* Rothschild,1913; *oreithyia* Fruhstorfer,1917; *druentia* Fruhstorfer,1917; *lesora* Fruhstorfer,1917; *naina* Fruhstorfer,1917; *tarlonia* Fruhstorfer,1917; *seilemis* Fruhstorfer,1917; *marsilia* Fruhstorfer,1917; *cataprotea* Verity,1929; *libanotica* Belter,1934; *montium* Belter,1934; *variabilis* Belter,1934; *pontifex* Bryk,1940; *pfeifferi* Bryk,1940; *orinomus* Rüttimeyer,1942; *boschmai* Eisner,1942; *ibra* Higgins,1964; *pseudolatonigena* Yakovlev,2002 Original Reference: Papilio *didyma* Esper,[1779], Die Schmett. 1: 365. Type(s): [Germany]: Bavaria: Uffenheim. Range (in code): **Ae AL AM Ao Bn At AT AZ Ba BE BG B-H BY CH CZ DE EE ES Mu Abr FR GG GR HU HV Ii IL IQ Ry IT Kr LB LT LU LV MK NL PL PT RO RU Tv Si SK Sm So Sr SS TR UA Uk VI MA DZ TN Cc Arr SY IL He Pa Hf Bsa BtNa Sbd Eba Mkn Ouk Dju Tlm BSa DhM Lbs Hrh Orn Phv Clo**

- 3726. Melitaea (Didymaeformis) didyma turkestanica Sheljuzhko,1929** (Argynnidae) Synonym(s): *turanica* Staudinger,1886 nec Erschoff,1874; *dschungarica* Oberthür,1909 nec Groum-Grsh.,1895; *eleva* Fruhstorfer,1917; *turkestanica* Sheljuzhko,1929; *geminella* Bryk,1940; *#ambra* Higgins,1941. Original Reference: *Melitaea didyma* ssp. *turkestanica* Sheljuzhko,1929, Mitt. münch. ent. Ges. 19: 354 (nomen novum pro *turanica* Staudinger,1886 nec Erschoff,1874). Syntypes: Margelan, Osch, Usgent. Range (in code): **KK TeA KG TJ UZ AF CN Ui Ku MN T-S Ax KuA TrA Ket Mrk Sau Tar Sp Bg Hk Pm Ui**

- 3727. Melitaea (Didymaeformis) didymina Staudinger,[1896]** (Argynnidae) Synonym(s): *didymina* Staudinger,[1896]; *#perplexa* Higgins,1941. Original Reference: *Melitaea didyma* var. *didymina* Staudinger,[1896], Dt. ent. Z., Iris 8: 347. Syntypes: [Mongolia]: Changai Mts., Uliassutai. Range (in code): **AF CN MN Ui Um Anj Bqu Hk**

- 3728. Melitaea (Didymaeformis) didymina didymina Staudinger,[1896]** (Argynnidae) Synonym(s): *didymina* Staudinger,[1896]; *#perplexa* Higgins,1941. Original Reference: *Melitaea didyma* var. *didymina* Staudinger,[1896], Dt. ent. Z., Iris 8: 347. Syntypes: [Mongolia]: Changai Mts., Uliassutai. Range (in code): **CN MN Ui Um**

- 3729. Melitaea (Didymaeformis) didymoides Eversmann,1847** (Argynnidae) Synonym(s): *didymoides* Eversmann,1847; *latonia* Groum-Grshimailo,1890; *mandchurica* Seitz,1908 nec *Fixs.*,1887; *eupatides* Fruhstorfer,1916; *seitzii* Matsumura,1929; *mandschukoana* Bryk,1940; *kansicola* Bryk,1940; *hummeli* Bryk,1940; *walteri* Bryk,1940 Original Reference: *Melitaea didymoides* Eversmann,1847, Bull. Soc. Nat. Moscou 20 (2): 67, Pl.1 figs. 3,4. Syntypes: Russia: Kiachta (Kentei). Range (in code): **CN Ui Gn Ir KP Mc MN Pkn RU Ts**

- 3730. Melitaea (Didymaeformis) eberti Koçak,1980** (Argynnidae) Synonym(s): *pfeifferi* Gross & Ebert,1975 nec *Byk.*,1940; *eberti* Koçak,1980 Original Reference: *Melitaea (Didymaeformis) eberti* Koçak,1980, Nota lepid. 2 (4): 141 (nomen novum pro *pfeifferi* Gross & Ebert,1975 nec *Bryk*,1940) Range (in code): **IR Th Elb**

- 3731. Melitaea (Didymaeformis) enarea Fruhstorfer,1916** (Argynnidae) Synonym(s): *enarea* Fruhstorfer,1916; *shugnana* Sheljuzhko,1929. Original Reference: *Melitaea didyma* ssp. *enarea*

- Fruhstorfer, 1916, Arch. Naturg. 82 (A) 2: 11. Syntypes: [Tadjikistan]: Pamirs: Garm, Gebirge Peter der Große. Range (in code): T-S Ax Db H-S KG KK Pm TJ UZ Z-A Osh Na Sus
- 3732. Melitaea (Didymaeformis) enarea enarea Fruhstorfer, 1916** (Argynnididae)
Synonym(s): *enarea Fruhstorfer, 1916*; *shugnana Sheljuzhko, 1929*. Original Reference: Melitaea didyma ssp. enarea Fruhstorfer, 1916, Arch. Naturg. 82 (A) 2: 11. Syntypes: [Tadjikistan]: Pamirs: Garm, Gebirge Peter der Große. Range (in code): Pm TJ KK Sus Ax
- 3733. Melitaea (Didymaeformis) enarea gromenkoi Kolesnichenko, 1999** (Argynnididae)
Synonym(s): *gromenkoi Kolesnichenko, 1999* Original Reference: Melitaea enarea ssp. gromenkoi Kolesnichenko, 1999, Atalanta 30 (1/4): 110-112, pl.vii figs.32-34. Holotype ♂: Kirghizia: 15km. NW from Dzhalal-Abad, Kara-Kianyr Mts., 1200m. Range (in code): T-S KK Osh Na
- 3734. Melitaea (Didymaeformis) enarea permuta Tusov, 1993** (Argynnididae) Synonym(s): *permuta Higgins, 1941* [quadrinomial]; *permuta Tusov, 1993* [trinomial]. Original Reference: Melitaea ala permuta Tusov, 1993, The synonymic list of butterflies from the ex-USSR: 48. Type(s): Gissar, S.Gissar. Range (in code): UZ H-S Smk KK KG Db T-S
- 3735. Melitaea (Didymaeformis) fascelis (Fabricius, 1787)** (Argynnididae) Synonym(s): *#trivia Denis & Schiffermüller, 1775*; *iphigenia Esper, 1782* (praeoc.); *#fascelis Esper, 1783*; *fascelis Fabricius, 1787*; *cleo Latreille, 1803* Original Reference: Papilio fascelis Fabricius, 1787, Mant. Ins. 2: 58-59, nr.570. Syntypes: [Russia]: Russia australiori. Range (in code): Ae AL AM At AT Ba BG B-H BY CZ GR HU HV IT KG MK RO RU SK Sm Sn So Sr SS UA Uk UZ VI YU Bionomy: Larva on Verbascum thapsus, V. densifolium, V. longifolium, V. speciosum, V. delpicum, Eremostachys, Scrophularia (Tolman, 1997; Tusov & Churkin, 2000).
- 3736. Melitaea (Didymaeformis) fascelis fascelis (Fabricius, 1787)** (Argynnididae)
Synonym(s): *#trivia Denis & Schiffermüller, 1775*; *iphigenia Esper, 1782* (praeoc.); *#fascelis Esper, 1783*; *fascelis Fabricius, 1787*; *cleo Latreille, 1803* Original Reference: Papilio fascelis Fabricius, 1787, Mant. Ins. 2: 58-59, nr.570. Syntypes: [Russia]: Russia australiori. Range (in code): He Ae AL AM At AT Ba BG B-H BY CZ GR HU HV IT KG MK RO RU SK Sm Sn So Sr SS UA Uk UZ VI YU
- 3737. Melitaea (Didymaeformis) fascelis singularia Korshunov, 1995** (Argynnididae)
Synonym(s): *singularia Korshunov, 1995* Original Reference: Melitaea fascelis ssp. singularia Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92-93. Holotype: Mongolia: lake Khoubsougoul. Range (in code): MN
- 3738. Melitaea (Didymaeformis) fascelis uvarovi Gorbunov, 1995** (Argynnididae)
Synonym(s): *uvarovi Gorbunov, 1995* Original Reference: Melitaea uvarovi Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 93. Holotype: Russia: Orenburg: Donskoye. Range (in code): Or RU KG Sb Tar Sau DsA T-S Aq Kw Sp Nym Mrk
- 3739. Melitaea (Didymaeformis) fergana Staudinger, 1882** (Argynnididae) Synonym(s): *fergana Staudinger, 1882* Original Reference: Melitaea fergana Staudinger, 1882, Berl. ent. Z. 26 (1): 168-170. Syntypes: [Kirgizistan]: Alai-Gebirge, Osch. Range (in code): Aa CN Gg Hk IR KG KK Ku Mz PK Pm Sda Shh TJ Drw Ui UZ Ket Pm TeA T-S KuA TrA Srm Ku
- 3740. Melitaea (Didymaeformis) fergana darvasica Higgins, 1941** (Argynnididae)
Synonym(s): *darvasica Higgins, 1941* Range (in code): TJ Drw
- 3741. Melitaea (Didymaeformis) fergana fergana Staudinger, 1882** (Argynnididae)
Synonym(s): *fergana Staudinger, 1882* Original Reference: Melitaea fergana Staudinger, 1882, Berl. ent. Z. 26 (1): 168-170. Syntypes: [Kirgizistan]: Alai-Gebirge, Osch. Range (in code): Aa KK Sda
- 3742. Melitaea (Didymaeformis) fergana hyrcana Staudinger, 1882** (Argynnididae)
Synonym(s): *hyrcana Staudinger, 1882* Original Reference: Melitaea fergana var. hyrcana Staudinger, 1882, Berl. ent. Z. 26(1): 169. Syntypes: [Iran]: Nordpersien: Schakuh, 4000m. Range (in code): IR Mz Shh
- 3743. Melitaea (Didymaeformis) fergana jacobsoni Higgins, 1941** (Argynnididae)
Synonym(s): *jacobsoni Higgins, 1941* Original Reference: Melitaea fergana ssp. jacobsoni Higgins, 1941, Trans. R. ent. Soc. Lond. 91 (7): 257. Holotype ♂: [Tadjikistan]: Pamir, Maz River (in BMHN). Range (in code): CN Gg Hk PK Pm TJ Ui
- 3744. Melitaea (Didymaeformis) fergana ketmeana Lukhtanov, 1999** (Argynnididae)
Synonym(s): *ketmeana Lukhtanov, 1999* Original Reference: Melitaea fergana ssp. ketmeana Lukhtanov, 1999, Atalanta 30 (1/4): 145-146. Holotype ♂: Kasachstan: Alma-Ata Gebiet, Ketmen Gebirge, Kolshat (in EMEM). Range (in code): T-S KG Aa Ket KK KuA CN Ui Srm Ku

- 3745. Melitaea (Didymaeformis) fergana khantengri Churkin & Tusov,2000** (Argynnidae) Synonym(s): *khantengri Churkin & Tusov,2000* _Melitaea fergana ssp. khantengri Churkin & Tusov,2000 Range (in code): **KK Cht TeA T-S**
- 3746. Melitaea (Didymaeformis) fergana maracandica Staudinger,1882** (Argynnidae) Synonym(s): *maracandica Staudinger,1882*. Original Reference: Melitaea fergana var. maracandica Staudinger,1882, Berl. ent. Z. 26(1): 169. Syntypes: [Uzbekistan]: Hazret Sultan Gebirge. Range (in code): **H-S TJ UZ**
- 3747. Melitaea (Didymaeformis) fergana oxuana Lukhtanov,1999** (Argynnidae) Synonym(s): *oxuana Lukhtanov,1999; grumi Churkin & Tusov,2000*. Original Reference: Melitaea fergana ssp. oxuana Lukhtanov,1999, Atalanta 30 (1/4): 147. Holotype ♂: Tadschikistan: Ost-Pamir, Sarykol Gebirge, Dunkeidyk, 3750m. (in EMEM). Range (in code): **TJ Pm**
- 3748. Melitaea (Didymaeformis) fergana paradoxa Churkin & Tusov,2000** (Argynnidae) Synonym(s): *paradoxa Churkin & Tusov,2000* _ Range (in code): **KG T-S TrA**
- 3749. Melitaea (Didymaeformis) fergana splendida Churkin & Tusov,2000** (Argynnidae) Synonym(s): *splendida Churkin & Tusov,2000* _ Range (in code): **KK**
- 3750. Melitaea (Didymaeformis) fergana terskeana Lukhtanov,1999** (Argynnidae) Synonym(s): *terskeana Lukhtanov,1999; ? vladislavi Churkin & Tusov,2000* Original Reference: Melitaea fergana ssp. terskeana Lukhtanov,1999, Atalanta 30 (1/4): 146. Holotype ♂: Kirgisien: Terskey Alatau, Barskaun Pass (in EMEM). Range (in code): **KK TeA T-S Sda**
- 3751. Melitaea (Didymaeformis) gina Higgins,1941** (Argynnidae) Synonym(s): *gina Higgins,1941* _ Range (in code): **TR IR Ak ByEs Fa Gh Ha Kd Lo Zj**
- 3752. Melitaea (Didymaeformis) higginsii Sakai,1978** (Argynnidae) Synonym(s): *higginsii Sakai,1978* Original Reference: Melitaea didymina ssp. higginsii Sakai,1978, Atalanta 9(1): 116, fig. Holotype ♂: Afghanistan: NE-Hindukusch: Bala Quran, Anjuman valley, 3500m. Range (in code): **AF Anj Bqu Hk**
- 3753. Melitaea (Didymaeformis) ignasiti De Sagarra,1926** (Argynnidae) Synonym(s): *ignasiti De Sagarra,1926* _ Range (in code): **PT ES IT FR AD**
- 3754. Melitaea (Didymaeformis) infernalis Groum-Grshimailo,1890** (Argynnidae) Synonym(s): *infernalis Groum-Grshimailo,1890* Original Reference: Melitaea saxatilis var. infernalis Groum-Grshimailo,1890, Horae soc. ent. ross. 25: 455-456. Syntypes: [Uighur Ili]: "In montibus Boro-Choro (Thian -Schan or.) [Tengri Tagh], in limine Umkangol". Range (in code): **Bc CN KG Tk T-S Ui Tyk DsA**
- 3755. Melitaea (Didymaeformis) infernalis infernalis Groum-Grshimailo,1890** (Argynnidae) Synonym(s): *infernalis Groum-Grshimailo,1890* Original Reference: Melitaea saxatilis var. infernalis Groum-Grshimailo,1890, Horae soc. ent. ross. 25: 455-456. Syntypes: [Uighur Ili]: "In montibus Boro-Choro (Thian -Schan or.) [Tengri Tagh], in limine Umkangol". Range (in code): **Bc CN KG Tk T-S Ui Tyk DsA**
- 3756. Melitaea (Didymaeformis) interrupta Kolenati,1846** (Argynnidae) Synonym(s): *interrupta Kolenati,1846; #transcaucasica Turati,1919; caucasi Verity,1922; venosata Niesiolowsky,1937; distinctissima Bryk,1940; musatscherii Alberti,1969; itkolensis Alberti,1969*. Original Reference: Melitaea didyma var. interrupta Kolenati,1846, Meletemata entomologica Insecta Caucasi: 86. Syntypes: Caucasia, Transcaucasia. Range (in code): **GG Cc TR IR Ab TM Kp**
- 3757. Melitaea (Didymaeformis) interrupta interrupta Kolenati,1846** (Argynnidae) Synonym(s): *interrupta Kolenati,1846; #transcaucasica Turati,1919; caucasi Verity,1922; venosata Niesiolowsky,1937; distinctissima Bryk,1940; musatscherii Alberti,1969; itkolensis Alberti,1969*. Original Reference: Melitaea didyma var. interrupta Kolenati,1846, Meletemata entomologica Insecta Caucasi: 86. Syntypes: Caucasia, Transcaucasia. Range (in code): **GG Cc TR**
- 3758. Melitaea (Didymaeformis) interrupta kendeavana Gross & Ebert,1975** (Argynnidae) Synonym(s): *kendeavana Gross & Ebert,1975; maculata Gross & Ebert,1975 (hom.); elbursicola Gross & Ebert,1975; safawides Gross & Ebert,1975; wernickei Gross & Ebert,1975; grossi Koçak,1980*. _ Range (in code): **IR Th Elb Gor Kh TM Kp**
- 3759. Melitaea (Didymaeformis) jitka D.Weiss & Major,2000** (Argynnidae) Synonym(s): *jitka D.Weiss & Major,2000* _ Range (in code): **IR By**
- 3760. Melitaea (Didymaeformis) kotshubeji Sheljuzhko,1929** (Argynnidae) Synonym(s): *kotshubeji Sheljuzhko,1929* Original Reference: Melitaea ala ssp. kotshubeji Sheljuzhko,1929, Mitt. münch. ent. Ges. 19: 364, Taf.27 fig.1-4. Syntypes: [Tadjikistan]: Toupshak (Peter the Great

- Mts.). Range (in code): **KK Tkl Feg TJ Pm Al** Bionomy: Larva on *Ligularia thomsonii* (Shchetkin,1981).
- 3761. Melitaea (Didymaeformis) kotshubeji bundeli Kolesnichenko,1999** (Argynnidae)
Synonym(s): *bundeli Kolesnichenko,1999* Original Reference: *Melitaea kotshubeji* ssp. *bundeli* Kolesnichenko,1999, *Atalanta* 30 (1/4): 98-100, pl.vi figs. 12-13. Holotype ♂: [Kirgizistan]: Alaisky Mts., near Daraut-Kurgan, 3000m. (in ZMMU). Range (in code): **TJ Al**
- 3762. Melitaea (Didymaeformis) kotshubeji kotshubeji Sheljuzhko,1929** (Argynnidae)
Synonym(s): *kotshubeji Sheljuzhko,1929* Original Reference: *Melitaea ala* ssp. *kotshubeji* Sheljuzhko,1929, *Mitt. münch. ent. Ges.* 19: 364, Taf.27 fig.1-4. Syntypes: [Tadjikistan]: Tuptshak (Peter the Great Mts.). Range (in code): **TJ Pm**
- 3763. Melitaea (Didymaeformis) kotshubeji kugarti Kolesnichenko,1999** (Argynnidae)
Synonym(s): *kugarti Kolesnichenko,1999* Original Reference: *Melitaea kotshubeji* ssp. *kugarti* Kolesnichenko,1999, *Atalanta* 30 (1/4): 100-101, pl.vi figs.14-17. Holotype ♂: [Kirgizistan]: Fergansky Mts., Kugart river, 2000m. (ZMMU). Range (in code): **Al KK Tkl Feg**
- 3764. Melitaea (Didymaeformis) latonigena Eversmann,1847** (Argynnidae) Synonym(s): *latonigena Eversmann,1847*; *altaica Groum-Grshimailo,1893*. Original Reference: *Melitaea latonigena* Eversmann,1847, *Bull. Soc. nat. Moscou* 20(2): 66, Pl.1 figs.1,2. Type(s): Irkutsk. Kentei Mts. Range (in code): **Bn At Kts Aty CN Ir KG Mn MN RU Ui Ltv Mkk Ktm Nym**
- 3765. Melitaea (Didymaeformis) latonigena latonigena Eversmann,1847** (Argynnidae)
Synonym(s): *latonigena Eversmann,1847*; *altaica Groum-Grshimailo,1893*. Original Reference: *Melitaea latonigena* Eversmann,1847, *Bull. Soc. nat. Moscou* 20(2): 66, Pl.1 figs.1,2. Type(s): Irkutsk. Kentei Mts. Range (in code): **Bn At Kts Aty CN Ir KG Mn MN RU Ui Ltv Mkk Ktm Nym**
- 3766. Melitaea (Didymaeformis) lunulata Staudinger,1901** (Argynnidae) Synonym(s): *lunulata Staudinger,1901* Original Reference: *Melitaea saxatilis* var. *lunulata* Staudinger,1901, *Cat. lepid. palaearkt. Faunengeb.* 3(1): 30. Syntypes: [Kirgizistan]: Issyk-Kul occ. (Alexander Mt.). Range (in code): **T-S KK UZ Ax KG**
- 3767. Melitaea (Didymaeformis) lunulata lunulata Staudinger,1901** (Argynnidae)
Synonym(s): *lunulata Staudinger,1901* Original Reference: *Melitaea saxatilis* var. *lunulata* Staudinger,1901, *Cat. lepid. palaearkt. Faunengeb.* 3(1): 30. Syntypes: [Kirgizistan]: Issyk-Kul occ. (Alexander Mt.). Range (in code): **T-S KK UZ Ax KG**
- 3768. Melitaea (Didymaeformis) lunulata merke Lukhtanov,1999** (Argynnidae)
Synonym(s): *merke Lukhtanov,1999* Original Reference: *Melitaea lunulata* ssp. *merke* Lukhtanov,1999, *Atalanta* 30 (1/4): 147-148. Holotype ♂: Kasachstan: Kirgisisches Gebirge, Merke Fluss, 2900m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): **KG T-S Ax**
- 3769. Melitaea (Didymaeformis) lutko Evans,1932** (Argynnidae) Synonym(s): *lutko Evans,1932* Original Reference: *Melitaea robertsi lutko* Evans,1932, *Indian Butts.* (2): 185. Type(s): [Pakistan]: Chitral. Range (in code): **Bl Ci PK AF Ng Jla**
- 3770. Melitaea (Didymaeformis) lutko lutko Evans,1932** (Argynnidae) Synonym(s): *lutko Evans,1932* Original Reference: *Melitaea robertsi lutko* Evans,1932, *Indian Butts.* (2): 185. Type(s): [Pakistan]: Chitral. Range (in code): **Ci PK**
- 3771. Melitaea (Didymaeformis) lutko mimetica Higgins,1940** (Argynnidae)
Synonym(s): *mimetica Higgins,1940*; *delerei Heydemann,1954*. Original Reference: *Melitaea lutko* [sic] *mimetica* Higgins,1940, *Entomologist* 73: 52. Holotype ♂: [Pakistan]: Baluchistan: Khojak, 6500ft. (in BMHN). Range (in code): **Bl PK AF Ng Jla**
- 3772. Melitaea (Didymaeformis) mesopotamica Coutsis & van Oorschot,2014** (Argynnidae) Synonym(s): *mesopotamica Coutsis & van Oorschot,2014* Range (in code): **TR**
- 3773. Melitaea (Didymaeformis) mixta Evans,1912** (Argynnidae) Synonym(s): *mixta Evans,1912*; *nadezhdae Sheljuzhko,1912*; *problematica Sheljuzhko,1929*; *ishkashima Sheljuzhko,1929* Original Reference: *Melitaea (Melitaea) trivia mixta* Evans,1912, *J. Bombay nat. Hist. Soc.* 21: 583. Holotype ♂: [Pakistan]: Chitral (in BMHN). Range (in code): **AF Bg Ci Gg Hk PK TJ Pm**
- 3774. Melitaea (Didymaeformis) ninae Sheljuzhko,1935** (Argynnidae) Synonym(s): *ninae Sheljuzhko,1935*; *#pseudoala Sheljuzhko,1928*; *#alboocellata Sheljuzhko,1928*; *rosea Higgins,1938*; *ella-claudia Bryk,1940*. Original Reference: *Melitaea ala* ssp. *ninae* Sheljuzhko,1935, *Mitt. münch. ent. Ges.* 25: 27. Syntypes: [Uzbekistan]: Tschimgan. Range (in code): **UZ T-S Db KG KK Tls Psk Tkl**
- 3775. Melitaea (Didymaeformis) ninae ninae Sheljuzhko,1935** (Argynnidae)
Synonym(s): *ninae Sheljuzhko,1935*; *#pseudoala Sheljuzhko,1928*; *#alboocellata Sheljuzhko,1928*; *rosea Higgins,1938*; *ella-claudia Bryk,1940*. Original Reference: *Melitaea ala* ssp. *ninae* Sheljuzhko,1935,

- Mitt. münch. ent. Ges. 25: 27. Syntypes: [Uzbekistan]: Tschimgan. Range (in code): **UZ T-S Db KG KK Tls Psk Tkl**
- 3776. Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidae) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Staudinger,1861; *dodgsoni* Grose-Smith,1887; *kaschtschenkoi* Christoph,1889; *paphlagonia* Fruhstorfer,1917; *magnacasta* Verity,1929; *araratia* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *hafiz* Higgins,1941; *afghana* Heydemann,1954; *darius* Gross & Ebert,1975; *sangdana* Eckweiler,1981; *jitka* Weiss & Major,2000 Original Reference: *Melitaea perseae* Kollar,[1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz]. Range (in code): **IQ Su Bgd IR Ab Khy Zj Fa By Ke TR JO AF Kab BI Nwf Ci Pj PK SY LB IL He Pa Hf Kp TM Cc AZ Nv Ord Arr** Bionomy: Larva on *Scrophularia* (Scrophulariaceae), *Linaria* (Wiltshire,1957; Tusov & Churkin,2000).
- 3777. Melitaea (Didymaeformis) perseae perseae Kollar,[1849]** (Argynnidae) Synonym(s): *perseae* Kollar,[1849]; *caucasica* Staudinger,1861; *magnacasta* Verity,1929; *araratia* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *causasicola* Bryk,1940; *hafiz* Higgins,1941; *gina* Higgins,1941; *darius* Gross & Ebert,1975; *pfeifferi* Gross & Ebert,1975 (praeocc.); *wernickei* Gross & Ebert,1975; *elbursicola* Gross & Ebert,1975; *safawides* Gross & Ebert,1975. Original Reference: *Melitaea perseae* Kollar,[1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Persia [Shiraz]. Range (in code): **IQ Su Bgd IR Zj Fa By TR JO Cc AZ Nv Ord Arr** Bionomy: Larva on *Scrophularia* (Scrophulariaceae), *Linaria* (Wiltshire,1957; Tusov & Churkin,2000).
- 3778. Melitaea (Didymaeformis) robertsi Butler,1880** (Argynnidae) Synonym(s): *robertsi* Butler,1880; *catapelia* Staudinger,1886; *tigris* Higgins,1941; *microsyriaca* Verity,1950; *pusilla* Heydemann,1954; *nec Rocci*,1932; *paludani* Clench & Shoumakoff,1956; *wyatti* Gross & Ebert,1975; *bactriana* Shchetkin,1984; *chorasana* Shchetkin,1984; *petri* Shchetkin,1984; *shugnana* Shchetkin,1984; *nativa* Tusov et al.,2000 Original Reference: *Melitaea robertsi* Butler,1880, Proc. zool. Soc. London 50: 406, Pl.39 fig.2. Syntypes: Afghanistan: Rokeran bei Kandahar (BMNH). Range (in code): **IR Kh Elb Shh UZ Smk PK BI Pj Ci Nwf TJ Pm Chr AF Kab Ca Ng TM KK T-S Tls Syr Tm Bog TrA**
- 3779. Melitaea (Didymaeformis) romanovi Groum-Grshimailo,1890** (Argynnidae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941. Original Reference: *Melitaea romanovi* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 454. Syntypes: [China]: Amdo, Chuan-Che. Range (in code): **Amd Chg CN Ui Ir MN RU Ts**
- 3780. Melitaea (Didymaeformis) romanovi romanovi Groum-Grshimailo,1890** (Argynnidae) Synonym(s): *romanovi* Groum-Grshimailo,1890; *#puella* Higgins,1941. Original Reference: *Melitaea romanovi* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 454. Syntypes: [China]: Amdo, Chuan-Che. Range (in code): **Amd Chg CN Ui Ir MN RU Ts**
- 3781. Melitaea (Didymaeformis) saxatilis Christoph,1873** (Argynnidae) Synonym(s): *saxatilis* Christoph,1873 Original Reference: *Melitaea didyma* var. *saxatilis* Christoph,1873, Horae Soc. ent. ross. 10: 28. Syntypes: [Iran]: Nordpersien: Schahkuh, 10000-12000ft. Range (in code): **IR Elb UZ PK Gg Hu**
- 3782. Melitaea (Didymaeformis) saxatilis sassanides Higgins,1935** (Argynnidae) Synonym(s): *sassanides* Higgins,1935 Original Reference: *Melitaea sassanides* Higgins,1935, Entomologist 68: 112. Holotype ♂: Iran: North Persia, Mount Demavend (BMNH). Range (in code): **IR Elb**
- 3783. Melitaea (Didymaeformis) saxatilis saxatilis Christoph,1873** (Argynnidae) Synonym(s): *saxatilis* Christoph,1873 Original Reference: *Melitaea didyma* var. *saxatilis* Christoph,1873, Horae Soc. ent. ross. 10: 28. Syntypes: [Iran]: Nordpersien: Schahkuh, 10000-12000ft. Range (in code): **IR Elb PK Gg Hu**
- 3784. Melitaea (Didymaeformis) shandura Evans,1924** (Argynnidae) Synonym(s): *#shandura* Evans,1912; *shandura* Evans,1924 Original Reference: *Melitaea shandura* Evans,1924, J. Bombay nat. Hist. Soc. 30: 90. Holotype ♂: [Pakistan]: Chitral, Shandur lake, 11000ft. Range (in code): **Ci Kbb PK Sha Shv TJ Pm AF Bd Shv**
- 3785. Melitaea (Didymaeformis) shandura pavlitzkajana Sheljuzhko,1943** (Argynnidae) Synonym(s): *pavlitzkajana* Sheljuzhko,1943; *apsara* Wyatt,1961. Original Reference: *Melitaea pavlitzkajana* Sheljuzhko,1943, Mitt. münch. ent. Ges. 33 (1): 75-77, Taf.vii figs.1-4. Syntypes 2♂ 5♀: [Tadjikistan]: Pamir: Ruschan: Berg-Kette Jazgulem, oberhalb der Schlucht des Rav-dara-Flusses, 3600m. (Zool. Mus. Kiev). Range (in code): **TJ Pm AF**
- 3786. Melitaea (Didymaeformis) shandura shandura Evans,1924** (Argynnidae) Synonym(s): *#shandura* Evans,1912; *shandura* Evans,1924 Original Reference: *Melitaea shandura* Evans,1924, J. Bombay nat. Hist. Soc. 30: 90. Holotype ♂: [Pakistan]: Chitral, Shandur lake, 11000ft. Range (in code): **AF Ci Kbb PK Sha**

- 3787. *Melitaea (Didymaeformis) sutschana Staudinger, 1892*** (Argynnididae) Synonym(s): *sutschana Staudinger, 1892* Original Reference: *Melitaea didyma* var. *sutschana* Staudinger, 1892, [in] Romanoff, Mém. Lépid. 6: 183. Syntypes: Russia: Siberia: Sutschan. Range (in code): **Am RU Sb Sh Vv**
- 3788. *Melitaea (Didymaeformis) sutschana graeseri Gorbunov, 1995*** (Argynnididae) Synonym(s): *graeseri Gorbunov, 1995* Original Reference: *Melitaea sutschana* ssp. *graeseri* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92. Range (in code): **RU**
- 3789. *Melitaea (Didymaeformis) sutschana graeseri Gorbunov, 1995*** (Argynnididae) Synonym(s): *graeseri Gorbunov, 1995* Original Reference: *Melitaea sutschana* ssp. *graeseri* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 92. Holotype: Russia: Sachalin: Youjnosakhalinsk. Range (in code): **RU Sh**
- 3790. *Melitaea (Didymaeformis) sutschana sutschana Staudinger, 1892*** (Argynnididae) Synonym(s): *sutschana Staudinger, 1892* Original Reference: *Melitaea didyma* var. *sutschana* Staudinger, 1892, [in] Romanoff, Mém. Lépid. 6: 183. Syntypes: Russia: Siberia: Sutschan. Range (in code): **Am RU Sb Vv**
- 3791. *Melitaea (Didymaeformis) syriaca Rebel, 1905*** (Argynnididae) Synonym(s): *syriaca Rebel, 1905*; *pseudodidyma Rebel, 1905*; *aabaca Fruhstorfer, 1911*; *bloetei Eisner, 1942* Original Reference: *Melitaea trivia syriaca* Rebel, 1905, Annln. naturh. Mus. Wien 20 (2/3): 194. Lectotype ♂, [Israel], "Syrien, Haifa" (NHMW), designated by Oorschot & Coutsis (2014: 53). Range (in code): **LB Bei JO IL Pa Hf He SY TR GR Ae BG**
- 3792. *Melitaea (Melicta) alatauica (Staudinger, 1881)*** (Argynnididae) Synonym(s): *alatauica Staudinger, 1881*; *alatauica Seitz, 1909 (hom.)*; *alatauica Fruhstorfer, 1917 (hom.)*; *fruhstorferi Wnukowsky, 1929*. Original Reference: *Melitaea parthenie* var. *alatauica* Staudinger, 1881, Stettin ent. Ztg. 42: 291. Syntypes: [Kasachstan]: Dschungarischer Ala Tau. Range (in code): **KG Sem Tk DsA T-S**
- 3793. *Melitaea (Melicta) alatauica alatauica (Staudinger, 1881)*** (Argynnididae) Synonym(s): *alatauica Staudinger, 1881*; *alatauica Seitz, 1909 (hom.)*; *alatauica Fruhstorfer, 1917 (hom.)*; *fruhstorferi Wnukowsky, 1929*. Original Reference: *Melitaea parthenie* var. *alatauica* Staudinger, 1881, Stettin ent. Ztg. 42: 291. Syntypes: [Kasachstan]: Dschungarischer Ala Tau. Range (in code): **KG Sem Tk T-S DsA**
- 3794. *Melitaea (Melicta) ambigua (Ménétriés, 1859)*** (Argynnididae) Synonym(s): *ambigua Ménétriés, 1859* Original Reference: *Melitaea athalia* var. *ambigua* Ménétriés, 1859, [in] Schrenk's Reisen und Forschungen in Amurland: 24, pl.2 fig.4. Type(s): [Russia]: Amurland: Djai [near Blagoveshchensk]. (Type lost (Higgins, 1955, Trans. R. ent. Soc. Lond. 106: 29). Range (in code): **Ir MN RU Vv Sj**
- 3795. *Melitaea (Melicta) ambigua ambigua (Ménétriés, 1859)*** (Argynnididae) Synonym(s): *ambigua Ménétriés, 1859* Original Reference: *Melitaea athalia* var. *ambigua* Ménétriés, 1859, [in] Schrenk's Reisen und Forschungen in Amurland: 24, pl.2 fig.4. Type(s): [Russia]: Amurland: Djai [near Blagoveshchensk]. (Type lost (Higgins, 1955, Trans. R. ent. Soc. Lond. 106: 29). Range (in code): **RU Am Vv**
- 3796. *Melitaea (Melicta) ambigua kenteana (Seitz, 1909)*** (Argynnididae) Synonym(s): *kenteana Seitz, 1909*; *sayanskalpina Verity, 1940*. Original Reference: *Melitaea athalia kenteana* Seitz, 1909, Die Gross-Schmett. Erde 1: 222, Taf.67a. Type(s): Russia: Kentei Mts. Range (in code): **Ir MN RU Sj**
- 3797. *Melitaea (Melicta) asteria (Freyer, 1828)*** (Argynnididae) Synonym(s): *asteria Freyer, 1828*; *asterie Herrich-Schäffer, 1843*. Original Reference: *Melitaea asteria* Freyer, 1828, Beitr. eur. Schmett. 1: 115, pl. 36, fig.1. Type: Chur. Range (in code): **AT CH IT**
- 3798. *Melitaea (Melicta) asteria asteria (Freyer, 1828)*** (Argynnididae) Synonym(s): *asteria Freyer, 1828*; *asterie Herrich-Schäffer, 1843*. Original Reference: *Melitaea asteria* Freyer, 1828, Beitr. eur. Schmett. 1: 115, pl. 36, fig.1. Type: Chur. Range (in code): **AT CH IT**
- 3799. *Melitaea (Melicta) athalia (Rottemburg, 1775)*** (Argynnididae) Synonym(s): *athalia Rottemburg, 1775*; *eos Rossi, 1803 nec Rossi, 1794*; *pyronia Hübner, 1804*; *aphaea Hübner, 1816*; *tessellata Stephens, 1827*; *britannia Verity, 1914*; *luciflua Fruhstorfer, 1916*; *vividior Gouin, 1922*; *anatolica F.Wagner, 1929*; *subluciflua Verity, 1935*; *mixtaceladussa Verity, 1940*; *neglecta Pfau, 1962* Original Reference: *Papilio athalia* Rottemburg, 1775, Naturforscher 6: 5. Type(s): [France: Paris]. Range (in code): **AL AT Ba BG B-H BL BY CH CZ DE DK EE ES Mu FI FR GB GR HU HV IT JP LT LU LV MK NL NO PL PT RO Rh RU SE Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken At Bn Kts GG Kak Lag Smt Bjo Cc CN Ui** Bionomy: Larva on Plantago, Veronica, elampyrum, Digitalis, Linaria, Centaurea, Chrysanthemum, Hieracium, Tanacetum (Asteraceae) (authors).

- 3800. Melitaea (Melicta) athalia athalia (Rottemburg,1775)** (Argynnidae) Synonym(s): *athalia* Rottemburg,1775; *eos* Rossi,1803 *nec* Rossi,1794; *pyronia* Hübner,1804; *aphaea* Hübner,1816; *tessellata* Stephens,1827; *britannia* Verity,1914; *luciflua* Fruhstorfer,1916; *vividior* Gouin,1922; *anatolica* F.Wagner,1929; *subluciflua* Verity,1935; *mixtaceladussa* Verity,1940; *neglecta* Pfau,1962 Original Reference: *Papilio* *athalia* Rottemburg,1775, Naturforscher 6: 5. Type(s): [France: Paris]. Range (in code): **AL Ba BG B-H BL Bw BY CZ DE DK EE GB GR HU HV LT LU LV MK NL PL RO Rp RU SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken GG Kak Lag Smt Bjo Cc**
- 3801. Melitaea (Melicta) athalia biedermanni (Querci,1932)** (Argynnidae) Synonym(s): *biedermanni* Querci,1932 Original Reference: *Melitaea athalia biedermanni* Querci,1932, Mus. barcin. Sci. nat. Op. 16: 128. Holotype ♂: Portugal: Sierra de Estrela, Covilha (Mus. Cat. Barcelona). Range (in code): **ES PT**
- 3802. Melitaea (Melicta) athalia boris (Fruhstorfer,1917)** (Argynnidae) Synonym(s): *boris* Fruhstorfer,1917 Original Reference: *Melitaea athalia* ssp. *boris* Fruhstorfer,1917, Societas ent. 32: 19. Syntypes: Bulgaria: Rhodope Mts. Range (in code): **Rh BG**
- 3803. Melitaea (Melicta) athalia celadussa (Fruhstorfer,1910)** (Argynnidae) Synonym(s): *celadussa* Fruhstorfer,1910; *pseudathalia* Reverdin,1921; *helvetica* auct. Original Reference: *Melitaea athalia* ssp. *celadussa* Fruhstorfer,1910, Societas ent. 25: 51. Syntypes 7♂♀: Frankreich: Alpes-Maritimes: Col de Tenda. Range (in code): **AT CH Fo6 FR IT Si**
- 3804. Melitaea (Melicta) athalia nevadensis Oberthür,1904** (Argynnidae) Synonym(s): *nevadensis* Oberthür,1904 Range (in code): **ES Mu**
- 3805. Melitaea (Melicta) athalia norvegica (Aurivillius,1888)** (Argynnidae) Synonym(s): *norvegica* Aurivillius,1888; *scandinavica* Staudinger,1892; *lachares* Fruhstorfer,1919; *borealis* Lindström,1929. Original Reference: *Melitaea athalia* var. *norvegica* Aurivillius,1888, Nordens Fjärilar: 30. Type(s): Norway: Dovrefjeld. Range (in code): **FI NO RU SE**
- 3806. Melitaea (Melicta) athalia reticulata Higgins,1955** (Argynnidae) Synonym(s): *reticulata* Higgins,1955 Original Reference: *Melicta athalia* mod. *reticulata* Higgins,1955, Trans. R. ent. Soc. Lond. 106: 21, pl.I fig.12. Holotype ♂: [Russia]: Altai cent. mont. Range (in code): **RU At Bn Kts**
- 3807. Melitaea (Melicta) aurelia (Nickerl,1850)** (Argynnidae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. Original Reference: *Melitaea aurelia* Nickerl,1850, Syn. Lepid. Fauna Bohmens: 12 (nom.nov. pro *parthenie* Bkh.,1788 *nec* Bergstr.,1780). Type(s): Germany:Breslau. Range (in code): **Am At AU Ba BG B-H BL BY CH CN CZ DE EE FR GG Cc GR HU HV Ir IT KG KP LT LU LV MN PL Py RO RU Sb SK Sm So Sp Sr SS Tek TR T-S UA Ui Prj Us VI YU NrK TeA** Bionomy: Larva on *Plantago lanceolata*, *Veronica*, *Tanacetum* ? (Tolman, 1997; Tusov & Churkin,2000).
- 3808. Melitaea (Melicta) aurelia aurelia (Nickerl,1850)** (Argynnidae) Synonym(s): *parthenie* Borkhausen,1788 *nec* Bergsträßer,[1780]; *aurelia* Nickerl,1850; *#serotina* Oberthür,1909; *lucasi* Verity,1920. Original Reference: *Melitaea aurelia* Nickerl,1850, Syn. Lepid. Fauna Bohmens: 12 (nom.nov. pro *parthenie* Bkh.,1788 *nec* Bergstr.,1780). Type(s): Germany:Breslau. Range (in code): **AU Ba BG B-H BL Bw BY CH CZ DE EE FR GR HU HV IT LT LU LV PL Py RO RU SK Sm So Sr SS UA VI YU**
- 3809. Melitaea (Melicta) aurelia ciscaucasica (Rjabov,1926)** (Argynnidae) Synonym(s): *ciscaucasica* Rjabov,1926; *albimacula* Wojtusik & Niesiolowski,1946. Original Reference: *Melitaea aurelia* ssp. *ciscaucasica* Rjabov,1926, Bull. Sci. Inst. expl. Reg. Cauc. Nord Vladicauc. 1: 291. Lectotype ♂: North Ossetia: Lars vill., Karda Fluss, designated by Nekrutenko, 1995 [in] Hesselbarth et al.,1995, Tagfalter der Türkei:1061 (ZIMP). Range (in code): **Cc GG TR**
- 3810. Melitaea (Melicta) aurelia distans Higgins,1955** (Argynnidae) Synonym(s): *distans* Higgins,1955 Original Reference: *Melicta aurelia* ssp. *distans* Higgins,1955, Trans. R. ent. Soc. Lond. 106(1): 80-81, Pls.I,II fig.13. Holotype ♂: [China: Uighur A.R.]: Tekkes valley, in the north-western Thian-Shan [Tengri Tagh], leg.Ledlow (BMNH). Range (in code): **CN Tek T-S Ui KG NrK TeA**
- 3811. Melitaea (Melicta) aurelia imitatrix (Verity,1932)** (Argynnidae) Synonym(s): *imitatrix* Verity,1932 Original Reference: *Melitaea parthenie* race *imitatrix* Verity,1932, Entomologist's Rec. J. Var. 44: 28. Syntypes: Italy: Piedmont, Oulz, Monte Musine. Range (in code): **FR IT Pmt**
- 3812. Melitaea (Melicta) britomartis (Assmann,1847)** (Argynnidae) Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853. Original Reference: *Melitaea britomartis* Assmann,1847, Ent. Z., Breslau Lep. (1) 1: 2. Type(s): Breslau. Range (in code): **AT Ba BG TR BY CH CZ DE HG Ir IT KG KP MN PL RO RU SE SK Sm So Sr SS UA At Bn Sj Kts Sp Sau Mrk Tar DsA**

Bionomy: Larva on Plantago, Veronica, Rhinanthus, Linaria vulgaris, Melampyrum, Chrysanthemum.

- 3813. Melitaea (Melicta) britomartis amurensis (Staudinger,1892)** (Argynnidae)
Synonym(s): *amurensis* Staudinger,1892; *seminigra* Seitz,1909; *seminigra* Nitsche,1918; *frigidaltaica* Verity,1940. Original Reference: *Melitaea aurelia* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 186. Syntypes: Russia: Raddefskaja, Sutschan, Ussuri, Baikal. Range (in code): **Bn Am KP RU Sb Prj Us At Sj KG Sp Sau Mrk Tar DsA**
- 3814. Melitaea (Melicta) britomartis aureliaeformis (Verity,1917)** (Argynnidae)
Synonym(s): *aureliaeformis* Verity,1917; *melathalia* Rocci,1930; *taurinorum* Rocci,1932. Original Reference: *Melitaea athalia aureliaeformis* Verity,1917, Boll. Soc. ent. ital. 48 (1916): 186, footnote. Type: Venaria, Turin. Range (in code): **IT**
- 3815. Melitaea (Melicta) britomartis britomartis (Assmann,1847)** (Argynnidae)
Synonym(s): *britomartis* Assmann,1847; *veronicae* Dorfmeister,1853. Original Reference: *Melitaea britomartis* Assmann,1847, Ent. Z., Breslau Lep. (1) 1: 2. Type(s): Breslau. Range (in code): **AT BG TR Bw BY CH CZ DE HG Ir KP PL RO RU SE SK SS UA**
- 3816. Melitaea (Melicta) caucasogenita Verity,1930** (Argynnidae) Synonym(s): *caucasogenita* Verity,1930 Original Reference: *Melitaea athalia caucasigenita* Verity,1930, Entomologist's Rec. J. Var. 42: 134 (nomen nov. pro caucasica Stgr.,1861). Range (in code): **Cc GG TR**
- 3817. Melitaea (Melicta) caucasogenita caucasogenita Verity,1930** (Argynnidae)
Synonym(s): *caucasogenita* Verity,1930 Original Reference: *Melitaea athalia caucasigenita* Verity,1930, Entomologist's Rec. J. Var. 42: 134 (nomen nov. pro caucasica Stgr.,1861). Range (in code): **Cc GG TR**
- 3818. Melitaea (Melicta) centralasiae (Wnukowsky,1929)** (Argynnidae) Synonym(s): *mongolica* Staudinger,1892:327 nec Stgr.,1892:321; *centralasiae* Wnukowsky,1929. Original Reference: *Melitaea aurelia* ssp. *centralasiae* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro *Melitaea aurelia* var. *mongolica* Staudinger,1892, Dt. ent. Z., Iris 5: 327 nec *Melitaea matura* var. *mongolica* Staudinger,1892, op.cit.,321). Syntypes: Russia: Kentei. Range (in code): **Bn At Kts Ir KG MN RU Sp Sau Tar Am Ya Sb Ssn Mkk Nym Ktm**
- 3819. Melitaea (Melicta) centralasiae centralasiae (Wnukowsky,1929)** (Argynnidae)
Synonym(s): *mongolica* Staudinger,1892:327 nec Stgr.,1892:321; *centralasiae* Wnukowsky,1929. Original Reference: *Melitaea aurelia* ssp. *centralasiae* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro *Melitaea aurelia* var. *mongolica* Staudinger,1892, Dt. ent. Z., Iris 5: 327 nec *Melitaea matura* var. *mongolica* Staudinger,1892, op.cit.,321). Syntypes: Russia: Kentei. Range (in code): **Bn At Kts Ir KG MN RU Sp Sau Tar Am Ya Sb Ssn Mkk Nym Ktm**
- 3820. Melitaea (Melicta) deione (Geyer,[1832])** (Argynnidae) Synonym(s): *deione* Geyer,[1832]; *rondoui* Oberthür,1909; *magna* Seitz,1909; *praestantior* Verity,1932; *vesubiana* Verity,1932; *mirabilis* Rüttimeyer,1942. Original Reference: *Papilio deione* Geyer,[1832], Samml. eur. Schmett.: figs. 947-950. Syntypes: Swiss Alps (fide Hemming,A.F.). Range (in code): **AT CH DZ Tlm Sbd ES Mu FR IT MA Lkr Rf PT Py** Bionomy: Larva on Linaria vulgaris, L. alpina, Antirrhinum sempervirens, A. hispanicum, Chaenorhinum minus, ? Digitalis lutea, ? Cymbalaria muralis (Tolman,1997).
- 3821. Melitaea (Melicta) deione berisalii (Rühl,[1891])** (Argynnidae) Synonym(s): *berisalii* Rühl,[1891]; *berisalisensis* Favre & Wulschlegel,1899. Original Reference: *Melitaea athalia* var. *berisalii* Rühl,[1891], Die palaearkt. Grossschmett. Naturg. 1: 406. Type(s): Simplon. Range (in code): **AT CH FR IT**
- 3822. Melitaea (Melicta) deione deione (Geyer,[1832])** (Argynnidae) Synonym(s): *deione* Geyer,[1832]; *rondoui* Oberthür,1909; *magna* Seitz,1909; *praestantior* Verity,1932; *vesubiana* Verity,1932; *mirabilis* Rüttimeyer,1942. Original Reference: *Papilio deione* Geyer,[1832], Samml. eur. Schmett.: figs.947-950. Syntypes: Swiss Alps (fide Hemming,A.F.). Range (in code): **ES FR PT Py**
- 3823. Melitaea (Melicta) deione espunaensis Korb,1915** (Argynnidae) Synonym(s): *espunaensis* Korb,1915 Range (in code): **ES Mu**
- 3824. Melitaea (Melicta) deione nitida (Oberthür,1909)** (Argynnidae) Synonym(s): *nitida* Oberthür,1909 Original Reference: *Melitaea deione nitida* Oberthür,1909, Et. lépid. comp. 3: 254; ibid. 10: 105, figs. 2305-2306. Syntypes: Algerié: Sebdou. Range (in code): **DZ Tlm Sbd MA Lkr Rf**
- 3825. Melitaea (Melicta) elenae Yakovlev,2007** (Argynnidae) Synonym(s): *elenae* Yakovlev,2007 Range (in code): **MN**

- 3826. *Melitaea (Mellicta) menetriesi* (Caradja,1895)** (Argynnidae) Synonym(s): *orientalis Ménéttriés,1859 nec H.-S.,1843; menetriesi Caradja,1895; septentrionorientis Verity,1930.* Original Reference: *Melitaea parthenie* var. *menetriesi* Caradja,1895, Dt. ent. Z., Iris 8: 50 (nomen novum pro *Melitaea orientalis* Mén.,1859, Schrenk's Reisen and Forschungen in Amurland: 24, pl.2 fig.5; nec *Melitaea orientalis* H.-S.,1843). Type(s): Kamschatka, Amur (Bouri). Range (in code): **RU Am KG Sau Sp**
- 3827. *Melitaea (Mellicta) menetriesi menetriesi* (Caradja,1895)** (Argynnidae) Synonym(s): *orientalis Ménéttriés,1859 nec H.-S.,1843; menetriesi Caradja,1895; septentrionorientis Verity,1930.* Original Reference: *Melitaea parthenie* var. *menetriesi* Caradja,1895, Dt. ent. Z., Iris 8: 50 (nomen novum pro *Melitaea orientalis* Mén.,1859, Schrenk's Reisen and Forschungen in Amurland: 24, pl.2 fig.5; nec *Melitaea orientalis* H.-S.,1843). Type(s): Kamschatka, Amur (Bouri). Range (in code): **RU Am**
- 3828. *Melitaea (Mellicta) menetriesi saurica* Yakovlev,2007** (Argynnidae) Synonym(s): *saurica Yakovlev,2007* Range (in code): **KG Sau Sp**
- 3829. *Melitaea (Mellicta) parthenoides* (Keferstein,1851)** (Argynnidae) Synonym(s): *parthenie sensu Godart,1822; parthenoides Keferstein,1851; beata Caradja,1894; sphines Fruhstorfer,1916; inanis Verity,1921; plena Verity,1921; completa Verity,1931; semiplena Verity,1931; #communis Verity,1941; varioides Rüttimeyer,1942.* Original Reference: *Melitaea parthenoides* Keferstein,1851, Stettin ent. Ztg. 12: 244 (nomen novum pro Argynnis *parthenie* Godart,1819 nec *Papilio parthenie* Bergsträßer,1779). Syntypes: France: Havre, Auxerre and Chartres (cf. Verity). Range (in code): **CH DE ES Mu FR IT PT** Bionomy: Larva on *Plantago lanceolata*, *P. alpina*, *P. media* (Tolman,1997).
- 3830. *Melitaea (Mellicta) parthenoides bolivari* (De Sagarra,1930)** (Argynnidae) Synonym(s): *bolivari De Sagarra,1930* Original Reference: *Melitaea parthenie* var. *bolivari* De Sagarra,1930, Buttl. Inst. Catal. Hist. nat. (2) 10: 115. Holotype ♂: Spain: San Rafael-Segovia (MCB). Range (in code): **ES Mu PT**
- 3831. *Melitaea (Mellicta) parthenoides parthenoides* (Keferstein,1851)** (Argynnidae) Synonym(s): *parthenia sensu Godart,1822; parthenoides Keferstein,1851; beata Caradja,1894; sphines Fruhstorfer,1916; inanis Verity,1921; plena Verity,1921; completa Verity,1931; semiplena Verity,1931; #communis Verity,1941; varioides Rüttimeyer,1942.* Original Reference: *Melitaea parthenoides* Keferstein,1851, Stettin ent. Ztg. 12: 244 (nomen novum pro Argynnis *parthenie* Godart,1819 nec *Papilio parthenie* Bergsträßer,1779). Syntypes: France: Havre, Auxerre and Chartres (cf. Verity). Range (in code): **Bw CH DE FR IT**
- 3832. *Melitaea (Mellicta) plotina* (Bremer,1861)** (Argynnidae) Synonym(s): *plotina Bremer,1861* Original Reference: *Melitaea plotina* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 465. Syntypes: Russia: Siberia. Range (in code): **RU Vv**
- 3833. *Melitaea (Mellicta) plotina plotina* (Bremer,1861)** (Argynnidae) Synonym(s): *plotina Bremer,1861* Original Reference: *Melitaea plotina* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 465. Syntypes: Russia: Siberia. Range (in code): **RU Vv**
- 3834. *Melitaea (Mellicta) protomedia* (Ménéttriés,1858)** (Argynnidae) Synonym(s): *protomedia Ménéttriés,1858* Original Reference: *Melitaea protomedia* Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.6. Type(s): Russia: Amur. Range (in code): **RU Vv**
- 3835. *Melitaea (Mellicta) protomedia protomedia* (Ménéttriés,1858)** (Argynnidae) Synonym(s): *protomedia Ménéttriés,1858* Original Reference: *Melitaea protomedia* Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.6. Type(s): Russia: Amur. Range (in code): **RU Vv**
- 3836. *Melitaea (Mellicta) rebeli* (Wnukowsky,1929)** (Argynnidae) Synonym(s): *altaica Staudinger,1901 nec Groum-Grsh.,1893; rebeli Wnukowsky,1929* Original Reference: *Melitaea asteria* ssp. *rebeli* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro ssp. *altaica* Staudinger,1901, Cat. lepid. Palaearkt. Faunengeb. 3(1): 34; nec *M. didyma* ssp. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 127. Range (in code): **At RU**
- 3837. *Melitaea (Mellicta) rebeli rebeli* (Wnukowsky,1929)** (Argynnidae) Synonym(s): *altaica Staudinger,1901 nec Groum-Grsh.,1893; rebeli Wnukowsky,1929* Original Reference: *Melitaea asteria* ssp. *rebeli* Wnukowsky,1929, Zool. Anz. 83: 222 (nomen novum pro ssp. *altaica* Staudinger,1901, Cat. lepid. Palaearkt. Faunengeb. 3(1): 34; nec *M. didyma* ssp. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 127. Range (in code): **At RU**
- 3838. *Melitaea (Mellicta) rhea* (Churkin & Devyatkin,2005)** (Argynnidae) Synonym(s): *rhea Churkin & Devyatkin,2005* Range (in code): **RU MN**

- 3839. Melitaea (Melicta) varia (Meyer-Dür,1851)** (Argynnidae) Synonym(s): *varia* Meyer-Dür,1851; *gibbon* Fruhstorfer,1916; *piana* Higgins,1930; *variabella* Dujardin,1948; *barnumi* Dujardin,1948; *rechei* Dujardin,1964. Original Reference: Melitaea parthenie var. varia Meyer-Dür,1851, Denkschr. allgem. schweiz. Ges. Naturf. 12: 133. Type(s): Schweiz: Graubunden Alpen. Range (in code): **AT CH FR IT**
- 3840. Melitaea (Melicta) varia varia (Meyer-Dür,1851)** (Argynnidae) Synonym(s): *varia* Meyer-Dür,1851; *gibbon* Fruhstorfer,1916; *piana* Higgins,1930; *variabella* Dujardin,1948; *barnumi* Dujardin,1948; *rechei* Dujardin,1964. Original Reference: Melitaea parthenie var. varia Meyer-Dür,1851, Denkschr. allgem. schweiz. Ges. Naturf. 12: 133. Type(s): Schweiz: Graubunden Alpen. Range (in code): **AT CH FR IT**
- 3841. Melitaea (s.str.) agar Oberthür,1876** (Argynnidae) Synonym(s): *agar* Oberthür,1876; *yunnanensis* Belter,1942; *majori* Kocman,1999; *montana* Kocman,1999; *qinghaiensis* Chou et al.,2002. Range (in code): **CN Ti Yu Sz Ts Gn T-T Ats**
- 3842. Melitaea (s.str.) amitabha Belter,1944** (Argynnidae) Synonym(s): *amitabha* Belter,1944 Range (in code): **CN Ti**
- 3843. Melitaea (s.str.) amoenula C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *amoenula* C.Felder & R.Felder,[1867] Original Reference: Melitaea amoenula C.Felder & R.Felder,[1867], Reise Fregatte "Novara" (Zool.) 2(2): 392. Type(s): Ladak: Rupshu. Range (in code): **IN Ld**
- 3844. Melitaea (s.str.) amoenula amoenula C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *amoenula* C.Felder & R.Felder,[1867] Original Reference: Melitaea amoenula C.Felder & R.Felder,[1867], Reise Fregatte "Novara" (Zool.) 2(2): 392. Type(s): Ladak: Rupshu. Range (in code): **IN Ld**
- 3845. Melitaea (s.str.) arcesia Bremer,1864** (Argynnidae) Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893. Original Reference: Melitaea arcesia Bremer,1864, Mém. Acad. imp. Sci. St. Petersb. 1864: 15, Pl.1 fig.7. Type(s): Russia: Siberia: Lake Baical. Range (in code): **Am At Kts BT Ch Ci CN IMn IN Ir Ld MN MN NP RU Sb SI Sj Sz Ti Ts Ui Yu PK**
- 3846. Melitaea (s.str.) arcesia arcesia Bremer,1864** (Argynnidae) Synonym(s): *baicalensis* Bremer,1864, p.13; *arcesia* Bremer,1864, p.15; *chuana* Groum-Grshimailo,1893; *carmana* Fruhstorfer,1915; *rucephala* Fruhstorfer,1915. Original Reference: Melitaea arcesia Bremer,1864, Mém. Acad. imp. Sci. St. Petersb. 1864: 15, Pl.1 fig.7. Type(s): Russia: Siberia: Lake Baical. Range (in code): **Am At CN IMn Ir MN RU Sb Sj Ti Ts**
- 3847. Melitaea (s.str.) arcesia balbita Moore,1874** (Argynnidae) Synonym(s): *balbita* Moore,1874 Original Reference: Melitaea balbita Moore,1874, Proc. zool. Soc. Lond. 1874: 268, pl.43 fig.5. Syntypes ♂♂: Kashmir: Soonamurg, Goorais valley. Range (in code): **Ch Ci Gl Hp IN Ld Pj PK Pm Snnm TJ**
- 3848. Melitaea (s.str.) arcesia bellona Leech,1892** (Argynnidae) Synonym(s): *bellona* Leech,1892 Original Reference: Melitaea bellona Leech,1892, Butts. China japan and Corea 1: 219. Pl.24 figs.1-5. Type(s): China: Szechuan: Chow-pin-sa. Range (in code): **CN Sz Yu**
- 3849. Melitaea (s.str.) arcesia irma Higgins,1941** (Argynnidae) Synonym(s): *irma* Higgins,1941 Original Reference: Melitaea arcesia irma Higgins,1941, Trans. R. Soc. ent. Lond. 91: 309-310. Syntypes ♂♂: West Nepal: Limotang, Yakpa, Torpa, Sakse Julia, Dunga, Yanga, Sata, Barang-Se, Suna Takpa, Mo-Chu, Nang-Mu; [China]: Western Tibet: Limi, Gyangri. Range (in code): **CN NP Ti**
- 3850. Melitaea (s.str.) arcesia jezabel Oberthür,1896** (Argynnidae) Synonym(s): *jezabel* Oberthür,1896; *leechi* Alpheraky,1895; *jezabella* Staudinger,1901 Original Reference: Melitaea jezabel Oberthür,1896, Etud. Ent. 11: 17. Type(s): China: Szechuan: Ta-Tsien-Lu. Range (in code): **CN Gn Sz Ti**
- 3851. Melitaea (s.str.) arcesia minor Elwes,1899** (Argynnidae) Synonym(s): *minor* Elwes,1899. Original Reference: Melitaea arcesia var. minor Elwes,1899, Trans. ent. Soc. Lond. 1899: 334. Type(s): Russia: Altai Mts. Range (in code): **At Kts Ir MN RU Sj**
- 3852. Melitaea (s.str.) arcesia sikkimensis Moore,1901** (Argynnidae) Synonym(s): *sikkimensis* Moore,1901; *tibetana* Fawcett,1904 Original Reference: Melitaea sikkimensis Moore,1901, Lepid. Ind. 5: 5. Type(s): Sikkim, Chumbi, Tibet. Range (in code): **SI Ti**
- 3853. Melitaea (s.str.) arcesia sindura Moore,1865** (Argynnidae) Synonym(s): *sindura* Moore,1865 Original Reference: Melitaea sindura Moore,1865, Proc. zool. Soc. Lond. 1865: 465, Pl.30 fig.2. Type(s): N.W.Himalaya: Kong-Ma Pass. Range (in code): **CN Hp IN SI Ti**

- 3854. Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) Synonym(s): *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844; *evanescens* Staudinger,1886; *#fulminans* Staudinger,1886; *kocaki* Wagener & Gross,1976 Original Reference: Papilio arduinna Fabricius,1787, Mant. Ins. 2: 60, nr.577. Type(s): [Russia]: Russia australiori. Range (in code): **Aa AF At Bn Ba BG CN Db GR KG KK MK RO RU Sr TJ Tk TR Cc T-S UA Ui UZ JO Buc Nym Ktm Tar Sau DsA TrA Tu Bog Mkk IR Ab Jal Zj Elb Th Lo IQ** Bionomy: Larva on Centaurea behen (Wiltshire); Centaurea ? graeca (Asteraceae) (Tolman,1997).
- 3855. Melitaea (s.str.) asteroida Staudinger,1881** (Argynnidae) Synonym(s): *asteroida* Staudinger,1881; *#asteroides* Staudinger,1881; *solona* Alpheraky,1881; *clara* Staudinger,1887; *#asteroidea* Heyne,[1893]; *pallida* Staudinger,1901; *variegata* Staudinger,1901; *maculata* Staudinger,1901 nec Br. 1853; *uitasica* Wagner,1913; *evadne* Hemming,1934; *uighurica* Kemal,1998; *filipjevi* Churkin, Kolesnichenko & Tusov,2000; *pletnevi* Churkin, Kolesnichenko & Tusov,2000; *plyushchi* Churkin, Kolesnichenko & Tusov,2000; *ludmilla* Churkin, Kolesnichenko & Tusov,2000; *serena* Churkin, Kolesnichenko & Tusov,2000 Original Reference: Melitaea asteroida Staudinger,1881, Stettin ent. Ztg. 42: 292. Syntypes: Ala Tau. Range (in code): **T-S TrA TeA KG KK Ax Tk DsA CN Bc Ku Ui Kml Uit Tyk Al T-A**
- 3856. Melitaea (s.str.) avinovi Sheljuzhko,1914** (Argynnidae) Synonym(s): *avinovi* Sheljuzhko,1914 Original Reference: Melitaea arduinna ssp. avinovi Sheljuzhko,1914, Dt. ent. Z., Iris 26: 20. figs. 2-5. Syntypes 30♂ 3♀: [Tadjikistan]: südwestl. Pamir: Ishkashim (in Bergen bei kishlak Njut). Range (in code): **TJ Pm AF Prw Pnj Kbb Pag Hk**
- 3857. Melitaea (s.str.) avinovi avinovi Sheljuzhko,1914** (Argynnidae) Synonym(s): *avinovi* Sheljuzhko,1914 Original Reference: Melitaea arduinna ssp. avinovi Sheljuzhko,1914, Dt. ent. Z., Iris 26: 20. figs. 2-5. Syntypes 30♂ 3♀: [Tadjikistan]: südwestl. Pamir: Ishkashim (in Bergen bei kishlak Njut). Range (in code): **TJ Pm AF Prw Pnj Kbb Pag Hk**
- 3858. Melitaea (s.str.) baileyi Watkins,1927** (Argynnidae) Synonym(s): *baileyi* Watkins,1927 Range (in code): **CN Ti Yu**
- 3859. Melitaea (s.str.) balba Evans,1912** (Argynnidae) Synonym(s): *balba* Evans,1912 Original Reference: Melitaea (Melicta) sindura balba Evans,1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: Chitral. Range (in code): **Ci PK**
- 3860. Melitaea (s.str.) balba balba Evans,1912** (Argynnidae) Synonym(s): *balba* Evans,1912 Original Reference: Melitaea (Melicta) sindura balba Evans,1912, J. Bombay nat. Hist. Soc. 21: 582. Syntypes: [Pakistan]: Chitral. Range (in code): **PK Ci**
- 3861. Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. Original Reference: Papilio cinxia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): [Sweden (Verity,1950)]. Range (in code): **AL At Bn Kts AT Ba BE BG Hsk B-H BY CH CN CZ DE DK DZ EE ES Mu FI FR GB GR HU HV IT IQ IR Elb Ab Ak Fa Qz Hk Kr Ku LT LU LV MK MA MN NL NO PL PT RO RU SE Si SK Sm So Sr SS TR UA Ui Uk VI YU Sau Tar DsA TrA Mz GG AZ AM Nv Arr Ord Smt Bjo Tbl Cc MD T-S Skj Sbd Ouk Azr Ifr** Bionomy: Larva on Plantago lanceolata, P. subulata, P. bellardii deflexa, P. argentea, P. cynops, P. major, P. media, Veronica teucrium, Viola (Violaceae); Centaurea pullata, C. (?) graeca, Scorzonera pygmaea, Hieracium (Asteraceae) (Higgins & Riley,1970; Tolman)
- 3862. Melitaea (s.str.) cinxia amardea Groum-Grshimailo,1895** (Argynnidae) Synonym(s): *amardea* Groum-Grshimailo,1895; *kasyi* Gross & Ebert,1975. Original Reference: Melitaea cinxia var. amardea Groum-Grshimailo,1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend). Range (in code): **IR Mz Elb Fa**
- 3863. Melitaea (s.str.) cinxia arelatia Fruhstorfer,1910** (Argynnidae) Synonym(s): *pilosellae* Rottemburg,1775 nec Fabr.,1775; *arelatia* Fruhstorfer,1916; *narbonensis* Fruhstorfer,1917. Original Reference: Melitaea cinxia ssp. arelatia Fruhstorfer,1910, Ent. Z., Stuttgart 24: 144. Frankreich: Dauphine: La Grave. Range (in code): **Bw Dau DE FR Rp**
- 3864. Melitaea (s.str.) cinxia atlantis Le Cerf,1923** (Argynnidae) Synonym(s): *atlantis* Le Cerf,1923 Original Reference: Melitaea cinxia atlantis Le Cerf,1923, Bull. Soc. ent. Fr. 1923: 224. Type(s): Morocco: Grand Atlas. Range (in code): **MA Ouk**
- 3865. Melitaea (s.str.) cinxia castiliana Turati,1919** (Argynnidae) Synonym(s): *castiliana* Turati,1919 Range (in code): **ES Mu**
- 3866. Melitaea (s.str.) cinxia cinxia (Linnaeus,1758)** (Argynnidae) Synonym(s): *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. Original Reference: Papilio cinxia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): [Sweden (Verity,1950)]. Range (in code): **AT BE B-H CH CZ DE DK EE FI GB HU HV LT LU LV NL NO PL RO RU SE SK SS YU**
- 3867. Melitaea (s.str.) cinxia clarissa Staudinger,1901** (Argynnidae) Synonym(s): *clarissa* Staudinger,1901; *#tschujaca* Seitz,1909; *sacaria* Fruhstorfer,1917; *riloensis* Züllich. Original Reference:

- Melitaea cinxia var. clarissa Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 29, nr.177c. Syntypes: [Türkei]: Antiochia, Mardin; Tura occident. Range (in code): **IL He AL At Bn Ba BG Hsk BY CN Dj GR IQ IR Ab Ak KG Kr LB MK MN RU Sb Sem Sm So Sr Tk TR UA Ui Uk VI Ya Sau Tar T-S DsA TrA GG AZ AM Nv Ord Smt Bjo Tbl Cc MD**
- 3868. Melitaea (s.str.) cinxia eupompe Hemming, 1933** (Argynnidae) Synonym(s): *algerica Oberthür, 1914 nec Heyne, 1893; eupompe Hemming, 1933*. Original Reference: Melitaea cinxia eupompe Hemming, 1933, Entomologist 66: 276 (nomen novum pro algerica Oberthür, 1914 nec Heyne, [1893]). Type: Algeria: Sebdu. Range (in code): **DZ**
- 3869. Melitaea (s.str.) cinxia pallidior Oberthür, 1909** (Argynnidae) Synonym(s): *pallidior Oberthür, 1909; pyrenemontana Rüttimeyer, 1942*. Original Reference: Melitaea cinxia pallidior Oberthür, 1909, Et. Lépid. comp 3: 234. Type(s): Alps. Range (in code): **FR Py**
- 3870. Melitaea (s.str.) cinxia pseudoclarissa De Sagarra, 1930** (Argynnidae) Synonym(s): *pseudoclarissa De Sagarra, 1930* Original Reference: Melitaea cinxia raca pseudoclarissa De Sagarra, 1930, Buttl. Inst. Catal. Hist. nat. 10: 114. Range (in code): **ES**
- 3871. Melitaea (s.str.) diamina (Lang, 1789)** (Argynnidae) Synonym(s): *dictynna Esper, 1778 nec [Denis & Schiffermüller], 1775; diamina Lang, 1789; magnaobscura Verity, 1931*. Original Reference: Papilio diamina Lang, 1789, Verz. Schmett. Gegend Augsburg. (2): 44. Type(s): Deutschland: Hebron. Range (in code): **Bn At Kts AT Ba BE BG BY CH CZ DE DK EE ES FI FR HU IT Kr LU LV MK MN NL PL RO RU SE SK Sm So Sr UA YU KG Mn At Sb Ur AM AZ GG Arr Lag Kak Smt Bjo Cc** Bionomy: Larva on Valeriana, Plantago, Veronica, Melampyrum, Patrinia, Polygonum (Korshunov & Gorbunov, 1995; Tolman, 1997).
- 3872. Melitaea (s.str.) diamina alpestris Fruhstorfer, 1917** (Argynnidae) Synonym(s): *alpestris Fruhstorfer, 1917; magnaclarata Verity, 1931; pyrenaealpestris Verity, 1931*. Original Reference: Melitaea dictynna alpestris Fruhstorfer, 1917, Arch. Naturg. 82 (A) (2): 14. Syntypes: Southern Schweiz. Range (in code): **FR CH**
- 3873. Melitaea (s.str.) diamina badukensis Alberti, 1969** (Argynnidae) Synonym(s): *badukensis Alberti, 1969* Original Reference: Melitaea diamina ssp. badukensis Alberti, 1969, Dt. ent. Z. (N.F.) 16 (1/3): 193-194, Taf. I figs. 5a, 6a. Holotype ♂: [Russia]: Nordwestkaukasus: Baduksee, 2000m. (in coll. Alberti). Range (in code): **RU Cc**
- 3874. Melitaea (s.str.) diamina codinai De Sagarra, 1932** (Argynnidae) Synonym(s): *codinai Sagarra, 1932* Original Reference: Melitaea diamina codinai Sagarra, 1932, Buttl. Inst. Catal. Hist. nat. 10: 115. Type: N. Spain, Tortosa. Range (in code): **CI ES**
- 3875. Melitaea (s.str.) diamina diamina (Lang, 1789)** (Argynnidae) Synonym(s): *dictynna Esper, 1778 nec [Denis & Schiffermüller], 1775; diamina Lang, 1789; magnaobscura Verity, 1931*. Original Reference: Papilio diamina Lang, 1789, Verz. Schmett. Gegend Augsburg. (2): 44. Type(s): Deutschland: Hebron. Range (in code): **Am AT Ba BE BG B-H Bw BY CH CZ DE DK EE FI FR HU HV IT Kr LU LV MK NL PL RO Rp RU SE SK Sm So Sr SS UA YU AM AZ GG Arr Lag Kak Smt Bjo Cc**
- 3876. Melitaea (s.str.) diamina erycina Lederer, 1853** (Argynnidae) Synonym(s): *erycina Lederer, 1853* Original Reference: Melitaea dictynna var. erycina Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 357. Syntypes: Russia: Altai, Ustbuchtarmisnk an der Flusses Buchtarma. Range (in code): **RU At Bn Kts Buc Ur Sb Mn KG**
- 3877. Melitaea (s.str.) diamina erycinides Staudinger, 1892** (Argynnidae) Synonym(s): *erycinides Staudinger, 1892* Original Reference: Melitaea diamina var. erycinides Staudinger, 1892, Dt. ent. Z., Iris 5: 326. Syntypes: [Russia]: Kentei Mts. Range (in code): **MN RU**
- 3878. Melitaea (s.str.) diamina hebe (Borkhausen, 1793)** (Argynnidae) Synonym(s): *hebe Borkhausen, 1793; corythallia Hübner, 1800; orthia Hübner, 1818; erycina Lederer, 1853*. Original Reference: Papilio hebe Borkhausen, 1793, Rheinisches Mag. 1: 270 (nomen novum pro dictynna Esper. Range (in code): **CH FR DE LT AT CZ PL HU RO YU B-H BG Cc AM RU Sb At Am Prj Us**
- 3879. Melitaea (s.str.) diamina vernetensis Rondou, 1902** (Argynnidae) Synonym(s): *vernetensis Rondou, 1902* Original Reference: Melitaea diamina var. vernetensis Rondou, 1902, Act. Soc. linn. Bordeaux 57: 24. Type(s): France: Pyrenees or., Vernet-les-Bains. Range (in code): **Ct ES FR Py**
- 3880. Melitaea (s.str.) irka Coutsis & Oorschot, 2014** (Argynnidae) Synonym(s): *irka Coutsis & Oorschot, 2014* Range (in code): **TR**
- 3881. Melitaea (s.str.) minerva Staudinger, 1881** (Argynnidae) Synonym(s): *minerva Staudinger, 1881*. Original Reference: Melitaea minerva Staudinger, 1881, Stettin ent. Ztg. 42: 289. Syntypes ♂♀: [Kasachstan]: Dschungarischer Ala Tau. Range (in code): **T-S CN Ui UZ Syr Tm DsA Aem Ket KuA TrA Ax TeA AF Kbb Pnj**

- 3882. *Melitaea (s.str.) minerva acerba* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *acerba* Kolesnichenko & Churkin,2000 _ Range (in code): **KK**
- 3883. *Melitaea (s.str.) minerva* Staudinger,1881** (Argynnidae) Synonym(s):
minerva Staudinger,1881. Original Reference: *Melitaea minerva* Staudinger,1881, Stettin ent. Ztg.
42: 289. Syntypes ♂♀: [Kasachstan]: Dschungarischer Ala Tau. Range (in code): **Aa KG Sem Tk**
DsA Aem Ket KuA TrA
- 3884. *Melitaea (s.str.) minerva pseudotersa* Kolesnichenko & Churkin,2000**
(Argynnidae) Synonym(s): *pseudotersa* Kolesnichenko & Churkin,2000 _ Range (in code): **KK TeA**
- 3885. *Melitaea (s.str.) minerva repens* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *repens* Kolesnichenko & Churkin,2000 _ Range (in code): **Syr Tm T-S KG**
- 3886. *Melitaea (s.str.) minerva ssp.*** (Argynnidae) Synonym(s): Original Reference:
Melitaea minerva ssp.: Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118:
166-167. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao 1♂ between Surtu and top of Mt.
Shah Fuladi, 5000m. Range (in code): **AF Kbb Pnj**
- 3887. *Melitaea (s.str.) minerva tersa* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *tersa* Kolesnichenko & Churkin,2000 _ Range (in code): **KK Tkl T-S**
- 3888. *Melitaea (s.str.) minuscula* Belter,1944** (Argynnidae) Synonym(s): *minuscula*
Belter,1944 _ Range (in code): **CN Ti**
- 3889. *Melitaea (s.str.) pallas* Staudinger,1886** (Argynnidae) Synonym(s): *pallas*
Staudinger,1886 Original Reference: *Melitaea minerva* var. *pallas* Staudinger,1886, Stettin ent.
Ztg. 47: 235. Syntypes: Osch, Usgent, Namangan. Range (in code): **KK UZ Osh T-S TJ Pm Al T-A**
Tkl Tls Ax TeA Na TJ Pm Sry CN Ui
- 3890. *Melitaea (s.str.) pallas interpres* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *interpres* Kolesnichenko & Churkin,2000 _ Range (in code): **KK Na TeA T-S**
- 3891. *Melitaea (s.str.) pallas iracunda* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *iracunda* Kolesnichenko & Churkin,2000 _ Range (in code): **KK T-S Tkl Tls**
- 3892. *Melitaea (s.str.) pallas koitezek* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *koitezek* Kolesnichenko & Churkin,2000 _ Range (in code): **TJ Pm**
- 3893. *Melitaea (s.str.) pallas mendax* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *mendax* Kolesnichenko & Churkin,2000 _ Range (in code): **KK T-S Ax**
- 3894. *Melitaea (s.str.) pallas pallas* Staudinger,1886** (Argynnidae) Synonym(s): *pallas*
Staudinger,1886 Original Reference: *Melitaea minerva* var. *pallas* Staudinger,1886, Stettin ent.
Ztg. 47: 235. Syntypes: Osch, Usgent, Namangan. Range (in code): **KK UZ Osh Al T-A**
- 3895. *Melitaea (s.str.) pallas pseudobalbina* Kolesnichenko & Churkin,2000**
(Argynnidae) Synonym(s): *pseudobalbina* Kolesnichenko & Churkin,2000 _ Range (in code): **TJ Pm**
Sry
- 3896. *Melitaea (s.str.) pallas vaschenkoi* Kolesnichenko & Churkin,2000** (Argynnidae)
Synonym(s): *vaschenkoi* Kolesnichenko & Churkin,2000 _ Range (in code): **KK TeA T-S**
- 3897. *Melitaea (s.str.) sultanensis* Staudinger,1886** (Argynnidae) Synonym(s): *sultanensis*
Staudinger,1886; *fumarata* Achtelik,1999 Original Reference: *Melitaea parthenie* var. *sultanensis*
Staudinger,1886, Stettin ent. Ztg. 47: 234-235. Syntypes: [Usbekistan]: Samarkand. Range (in
code): **TJ His T-S Al KK T-A KG Aa TrA Pm UZ PK Sha Nwf Ci**
- 3898. *Melitaea (s.str.) sultanensis balbina* Tytler,1926** (Argynnidae) Synonym(s): *balbina*
Tytler,1926 Original Reference: *Melitaea balba* ssp. *balbina* Tytler,1926, J. Bombay nat. Hist.
Soc. 31: 583. [Pakistan]: Shandur Pass. Range (in code): **PK Sha Ci**
- 3899. *Melitaea (s.str.) sultanensis elisabethae* Avinoff,1910** (Argynnidae) Synonym(s):
elisabethae Avinoff,1910 Original Reference: *Melitaea elisabethae* Avinoff,1910, Horae Soc. ent.
ross. 39: 235. Syntypes: [Tadjikistan]: South Pamir. Range (in code): **Pm TJ**
- 3900. *Melitaea (s.str.) sultanensis gabrielae* Achtelik,1999** (Argynnidae) Synonym(s):
gabrielae Achtelik,1999 Original Reference: *Melitaea gabrielae* Achtelik,1999, Atalanta 30 (1/4):
73-75, Taf.i,ii Abb. 7,8. Holotype ♂: Tadzikistan: Darvar-Chorzatvscah. (MAKB). Range (in
code): **TJ**
- 3901. *Melitaea (s.str.) sultanensis palamedes* Groum-Grshimailo,1890** (Argynnidae)
Synonym(s): *palamedes* Groum-Grshimailo,1890; *danieli* Achtelik,1999. _ Range (in code): **Al KK**
- 3902. *Melitaea (s.str.) sultanensis sebastiani* Achtelik,1999** (Argynnidae) Synonym(s):
sebastiani Achtelik,1999 Original Reference: *Melitaea sebastiani* Achtelik,1999, Atalanta 30 (1/4):
66-67, Taf.i,ii Abb. 3,4. Holotype ♂: Kirghisia: Mt. Alai, Isfara Fluss 4000m. (MAKB). Range (in
code): **T-S Al KK T-A**

- 3903. Melitaea (s.str.) sultanensis sultanensis Staudinger,1886** (Argynnidae)
Synonym(s): *sultanensis* Staudinger,1886; *fumarata* Achtelik,1999 Original Reference: Melitaea parthenie var. sultanensis Staudinger,1886, Stettin ent. Ztg. 47: 234-235. Syntypes: [Usbekistan]: Samarkand. Range (in code): **TJ His**
- 3904. Melitaea (s.str.) turanica Erschoff,1874** (Argynnidae) Synonym(s): *turanica* Erschoff,1874 Original Reference: Melitaea athalia ab. turanica Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 47, pl.1, fig.11,12. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **UZ** Bionomy: Larva on Rhodiola sp. (Shchetkin,1981).
- 3905. Melitaea (s.str.) turanica turanica Erschoff,1874** (Argynnidae) Synonym(s): *turanica* Erschoff,1874 Original Reference: Melitaea athalia ab. turanica Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 47, pl.1, fig.11,12. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **UZ** Bionomy: Larva on Rhodiola sp. (Shchetkin,1981).
- 3906. Melitaea kuchi Wyatt,1961** (Argynnidae) Synonym(s): *kuchi* Wyatt,1961 Original Reference: Melitaea kuchi Wyatt,1961, J. Lepidopterist's Soc. 15(1): 7-8, figs. Holotype ♂: Afghanistan: N. of Koh-i-Baba Mts., Band-i-Amir, Hazarajat, 11500ft. Range (in code): **AF Kbb**
- 3907. Melitaea kuchi kuchi Wyatt,1961** (Argynnidae) Synonym(s): *kuchi* Wyatt,1961 Original Reference: Melitaea kuchi Wyatt,1961, J. Lepidopterist's Soc. 15(1): 7-8, figs. Holotype ♂: Afghanistan: N. of Koh-i-Baba Mts., Band-i-Amir, Hazarajat, 11500ft. Range (in code): **AF Kbb**
- 3908. Melitaea sarvistana Wiltshire,1941** (Argynnidae) Synonym(s): *sarvistana* Wiltshire,1941; *meherparvari* Carbonell,2007 Original Reference: Melitaea phoebe ssp. sarvistana Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 473-474, fig.3. Holotype ♂: Iran: Sarvistan, south-east of the Shiraz Salt Lake (in coll. Wiltshire). Range (in code): **IR Fa Shr Lo Es Ke Kh Se Yz**
- 3909. Melitaea timandra Coutsis & van Oorschot,2014** (Argynnidae) Synonym(s): *timandra* Coutsis & van Oorschot,2014 Range (in code): **AF TM Kp**
- 3910. Mesoxantha ethosea (Drury,1782)** (Argynnidae) Synonym(s): *ethosea* Drury,1782 Range (in code): **SL CI GH CM GA Ogo ZR UG SD MZ**
- 3911. Mesoxantha ethosea ethosea (Drury,1782)** (Argynnidae) Synonym(s): *ethosea* Drury,1782 Range (in code): **SL CI GH**
- 3912. Mesoxantha ethosea ethoseoides Rebel,1914** (Argynnidae) Synonym(s): *ethoseoides* Rebel,1914; *albeola* Rothschild,1918 Range (in code): **CM GA Ogo ZR**
- 3913. Mesoxantha ethosea reducta Rothschild,1918** (Argynnidae) Synonym(s): *reducta* Rothschild,1918; *katera* Stoneham,1935 Range (in code): **UG SD MZ**
- 3914. Mestra amymone (Ménétriés,1857)** (Argynnidae) Synonym(s): *amymone* Ménétriés,1857 Range (in code): **US MX Arz Col Io Kan Lou Mis NMx Neb Ok SDk Tx**
- 3915. Microtia elva Bates,1864** (Argynnidae) Synonym(s): *elva* Bates,1864 Range (in code): **US MX Mis Tx GT**
- 3916. Moduza jumaloni (Schröder,1976)** (Argynnidae) Synonym(s): *jumaloni* Schröder,1976 Original Reference: Limenitis jumaloni Schröder,1976, Ent. Z., Frankf. a. M. 86(24): 267-269, Abb.2. Holotype ♂: Philippinen: Negros or., Murcia. Range (in code): **PH Mas Neg Pan Sib**
- 3917. Moduza jumaloni jumaloni (Schröder,1976)** (Argynnidae) Synonym(s): *jumaloni* Schröder,1976 Original Reference: Limenitis jumaloni Schröder,1976, Ent. Z., Frankf. a. M. 86(24): 267-269, Abb.2. Holotype ♂: Philippinen: Negros or., Murcia. Range (in code): **PH Mas Neg Pan**
- 3918. Moduza jumaloni punctata Schröder & Treadaway,1980** (Argynnidae) Synonym(s): *punctata* Schröder & Treadaway,1980 Range (in code): **PH Sib**
- 3919. Moduza mata Moore,1858** (Argynnidae) Synonym(s): *mata* Moore,1858 Original Reference: Limenitis mata Moore,1858, Ann. Mag. nat. Hist. (3) 1: 48. Type: Manilla. Range (in code): **PH Luz Mar Ceb Ley Mas Mno Neg Pan Sib Mdo**
- 3920. Moduza mata amida Fruhstorfer,1912** (Argynnidae) Synonym(s): *amida* Fruhstorfer,1912 Range (in code): **PH Ceb Ley Mas Mno Neg Pan Sib**
- 3921. Moduza mata mata Moore,1858** (Argynnidae) Synonym(s): *mata* Moore,1858 Original Reference: Limenitis mata Moore,1858, Ann. Mag. nat. Hist. (3) 1: 48. Type: Manilla. Range (in code): **PH Luz Mar**
- 3922. Moduza mata mindorana Tsukada,1991** (Argynnidae) Synonym(s): *mindorana* Tsukada,1991 Range (in code): **PH Mdo**
- 3923. Moduza nuydai Shirozu & Saigusa,1970** (Argynnidae) Synonym(s): *nuydai* Shirozu & Saigusa,1970 Range (in code): **PH Mdo Hlc Luz**

- 3924. *Moduza nuydai hyugai* Treadaway & Nuyda, 1993** (Argynnidae) Synonym(s): *hyugai* Treadaway & Nuyda, 1993 _ Range (in code): PH Mdo Hlc
- 3925. *Moduza nuydai nuydai* Shirozu & Saigusa, 1970** (Argynnidae) Synonym(s): *nuydai* Shirozu & Saigusa, 1970 _ Range (in code): PH Luz
- 3926. *Moduza pintuyana* Semper, 1878** (Argynnidae) Synonym(s): *pintuyana* Semper, 1878 _ Range (in code): PH Bas Boh Din Hom Ley Mno Pao Sam
- 3927. *Moduza pintuyana gahiti* M.Okano & T.Okano, 1989** (Argynnidae) Synonym(s): *gahiti* M.Okano & T.Okano, 1989 _ Range (in code): PH Boh Din Hom
- 3928. *Moduza pintuyana mahastha* Fruhstorfer, 1913** (Argynnidae) Synonym(s): *mahastha* Fruhstorfer, 1913 _ Range (in code): PH Bas
- 3929. *Moduza pintuyana pintuyana* Semper, 1878** (Argynnidae) Synonym(s): *pintuyana* Semper, 1878 _ Range (in code): PH Ley Mno Pao Sam
- 3930. *Moduza pintuyana tawitawiensis* Treadaway & Nuyda, 1994** (Argynnidae) Synonym(s): *tawitawiensis* Treadaway & Nuyda, 1994 _ Range (in code): PH Sga Taw
- 3931. *Moduza procris* (Cramer, [1777])** (Argynnidae) Synonym(s): *procris* Cramer, [1777] _ Range (in code): LK IN Adm SI CN MM MY PH Cal Pal Bal Bon Sga Stu Taw ID Sum Btu Nia Bor Ja Bli Lb Mw Sbw Sba Flo Kgn Baw P-T TH CMa Cuo Cuo5 Cu12 Nna Cbi Rat Phi Cbu Knc Rng Yal Nst Ths Sya Sgk Hya Tnc
- 3932. *Moduza procris aemonia* Weymer** (Argynnidae) Synonym(s): *aemonia* Weymer _ Range (in code): ID Nia
- 3933. *Moduza procris agnata* (Fruhstorfer, 1897)** (Argynnidae) Synonym(s): *agnata* Fruhstorfer, 1897 _ Range (in code): Bor MY ID
- 3934. *Moduza procris anarta* Moore, 1877** (Argynnidae) Synonym(s): *anarta* Moore, 1877 _ Range (in code): Adm IN
- 3935. *Moduza procris arnoldi* (Fruhstorfer, 1898)** (Argynnidae) Synonym(s): *arnoldi* Fruhstorfer, 1898 _ Range (in code): ID Baw Kgn
- 3936. *Moduza procris batuna* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *batuna* Fruhstorfer, 1906 _ Range (in code): ID Btu
- 3937. *Moduza procris beckyae* Schröder & Treadaway, 1987** (Argynnidae) Synonym(s): *beckyae* Schröder & Treadaway, 1987 _ Range (in code): PH Bal
- 3938. *Moduza procris calidosa* Moore, 1858** (Argynnidae) Synonym(s): *calidosa* Moore, 1858 _ Range (in code): LK
- 3939. *Moduza procris florensis* (Fruhstorfer, 1913)** (Argynnidae) Synonym(s): *florensis* Fruhstorfer, 1913 _ Range (in code): ID Flo
- 3940. *Moduza procris laubenheimeri* Hagen, 1898** (Argynnidae) Synonym(s): *laubenheimeri* Hagen, 1898 _ Range (in code): ID Mw
- 3941. *Moduza procris liberalis* Tsukada, 1991** (Argynnidae) Synonym(s): *liberalis* Tsukada, 1991 _ Range (in code): PH Bon Sga Stu Taw
- 3942. *Moduza procris milonia* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *milonia* Fruhstorfer, 1906 _ Range (in code): MY TH Rng Yal Nst Ths Sya Sgk Hya Tnc
- 3943. *Moduza procris minoe* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *minoe* Fruhstorfer, 1906 _ Range (in code): ID Sum
- 3944. *Moduza procris neutra* (Fruhstorfer, 1897)** (Argynnidae) Synonym(s): *neutra* Fruhstorfer, 1897 _ Range (in code): ID Ja Bli Lb
- 3945. *Moduza procris pausanius* (Staudinger, 1889)** (Argynnidae) Synonym(s): *pausanius* Staudinger, 1889 _ Original Reference: Limenitis pausanius Staudinger, 1889, Dt. ent. Z., Iris 2: 58. Syntypes: ♂♀: [Philippinen]: Palawan. Range (in code): PH Cal Pal
- 3946. *Moduza procris procris* (Cramer, [1777])** (Argynnidae) Synonym(s): *procris* Cramer, [1777] _ Range (in code): IN SI CN TH CMa Cuo Cuo5 Cu12 Nna Cbi Rat Phi Cbu Knc MM MY
- 3947. *Moduza procris sumbana* (Fruhstorfer, 1913)** (Argynnidae) Synonym(s): *sumbana* Fruhstorfer, 1913 _ Range (in code): ID Sba
- 3948. *Moduza procris sumbawana* (Fruhstorfer, 1913)** (Argynnidae) Synonym(s): *sumbawana* Fruhstorfer, 1913 _ Range (in code): ID Sbw
- 3949. *Moduza procris tioma* Eliot, 1978** (Argynnidae) Synonym(s): *tioma* Eliot, 1978 _ Range (in code): P-T MY
- 3950. *Moduza procris undifragus* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *undifragus* Fruhstorfer, 1906 _ Range (in code): IN

- 3951. *Moduza thespias* Semper, 1889** (Argynnidae) Synonym(s): *thespias* Semper, 1889
Range (in code): **PH Boh CmM Ley Mno Neg Pan Pao Sam**
- 3952. *Moduza urdaneta* C.Felder, 1863** (Argynnidae) Synonym(s): *urdaneta* C.Felder, 1863
Range (in code): **PH Mdo Pol Luz Mar CmL**
- 3953. *Moduza urdaneta aynii* Nuyda, 1993** (Argynnidae) Synonym(s): *aynii* Nuyda, 1993
Range (in code): **PH CmL**
- 3954. *Moduza urdaneta kawamurai* Hanafusa, 1987** (Argynnidae) Synonym(s): *kawamurai* Hanafusa, 1987
Range (in code): **PH Pol**
- 3955. *Moduza urdaneta miyabi* Tsukada, 1991** (Argynnidae) Synonym(s): *miyabi* Tsukada, 1991
Range (in code): **PH Mdo**
- 3956. *Moduza urdaneta urdaneta* C.Felder, 1863** (Argynnidae) Synonym(s): *urdaneta* C.Felder, 1863
Range (in code): **PH Luz Mar**
- 3957. *Myscelia cyananthe* C.Felder & R.Felder, 1867** (Argynnidae) Synonym(s): *cyananthe* C.Felder & R.Felder, 1867
Range (in code): **US MX Arz Cf NMx Tx**
- 3958. *Myscelia ethusa* (Doyere, [1840])** (Argynnidae) Synonym(s): *ethusa* Doyere, [1840]
Range (in code): **US MX Tx CR GT**
- 3959. *Neptidopsis fulgurata* (Boisduval, 1833)** (Argynnidae) Synonym(s): *fulgurata* Boisduval, 1833; *#pseudoplatyptera* Strand, 1912
Range (in code): **MG TZ MZ KE**
- 3960. *Neptidopsis fulgurata fulgurata* (Boisduval, 1833)** (Argynnidae) Synonym(s): *fulgurata* Boisduval, 1833; *#pseudoplatyptera* Strand, 1912
Range (in code): **MG**
- 3961. *Neptidopsis fulgurata platyptera* Rothschild & Jordan, 1903** (Argynnidae) Synonym(s): *platyptera* Rothschild & Jordan, 1903
Range (in code): **TZ MZ KE**
- 3962. *Neptidopsis ophione* (Cramer, [1777])** (Argynnidae) Synonym(s): *ophione* Cramer, [1777]; *valentina* Cramer, [1780]; *morgani* Doubleday, [1848]; *velleda* Mabilie, 1890
Range (in code): **GN SL LR CM AO ZR Rz SD ET MW ZW MZ TZ Tnga Usa Ani**
- 3963. *Neptidopsis ophione nucleata* Grünberg, 1911** (Argynnidae) Synonym(s): *nucleata* Grünberg, 1911
Range (in code): **AO ZR Rz SD ET MW ZW MZ**
- 3964. *Neptidopsis ophione ophione* (Cramer, [1777])** (Argynnidae) Synonym(s): *ophione* Cramer, [1777]; *valentina* Cramer, [1780]; *morgani* Doubleday, [1848]; *velleda* Mabilie, 1890
Range (in code): **GN SL LR CM TZ Tnga Usa Ani**
- 3965. *Neptis (Lasippa) bella* Staudinger, 1889** (Argynnidae) Synonym(s): *bella* Staudinger, 1889
Range (in code): **PH Pal**
- 3966. *Neptis (Lasippa) ebusa* (C.Felder & R.Felder, 1863)** (Argynnidae) Synonym(s): *ebusa* C.Felder & R.Felder, 1863
Range (in code): **PH Mdo Jol Sga Taw Bas Boh Ceb CmM Din Hom Ley Mno Sam**
- 3967. *Neptis (Lasippa) ebusa ebusa* (C.Felder & R.Felder, 1863)** (Argynnidae) Synonym(s): *ebusa* C.Felder & R.Felder, 1863
Range (in code): **PH Mdo**
- 3968. *Neptis (Lasippa) ebusa euphemia* (Fruhstorfer, 1908)** (Argynnidae) Synonym(s): *euphemia* Fruhstorfer, 1908
Range (in code): **PH Jol Sga Taw**
- 3969. *Neptis (Lasippa) ebusa laetitia* (Fruhstorfer, 1908)** (Argynnidae) Synonym(s): *laetitia* Fruhstorfer, 1908; *hegesandira* Fruhstorfer, 1913
Range (in code): **PH Bas Boh Ceb CmM Din Hom Ley Mno Sam**
- 3970. *Neptis (Lasippa) heliodore* (Fabricius, 1787)** (Argynnidae) Synonym(s): *heliodore* Fabricius, 1787
Range (in code): **MY Lkw TH Rng Tng Nst Yal Nrt Kao**
- 3971. *Neptis (Lasippa) heliodore dorelia* (Butler, [1879])** (Argynnidae) Synonym(s): *dorelia* Butler, [1879]
Range (in code): **MY Lkw**
- 3972. *Neptis (Lasippa) heliodore heliodore* (Fabricius, 1787)** (Argynnidae) Synonym(s): *heliodore* Fabricius, 1787
Range (in code): **TH Rng Tng Nst Yal Nrt Kao**
- 3973. *Neptis (Lasippa) illigera* (Eschscholtz, 1821)** (Argynnidae) Synonym(s): *illigera* Eschscholtz, 1821; *livilla* Wallengren, 1860; *eschscholtzia* Semper, 1889
Original Reference: *Neptis illigera* Eschscholtz, 1821, Kotzeb. Reise 3: 212, Pl.8 figs.17a,b. Type: Manilla. Range (in code): **PH Ala Luz Mar Luz Pol Gui Neg Pan Bab Bas Ala Luz Mar Sib**
- 3974. *Neptis (Lasippa) illigera alabatana* (Fruhstorfer, 1908)** (Argynnidae) Synonym(s): *alabatana* Fruhstorfer, 1908
Range (in code): **PH Ala Luz Mar**
- 3975. *Neptis (Lasippa) illigera calayana* (Fruhstorfer, 1908)** (Argynnidae) Synonym(s): *calayana* Fruhstorfer, 1908
Range (in code): **PH Bab**
- 3976. *Neptis (Lasippa) illigera hegesias* (Fruhstorfer, 1912)** (Argynnidae) Synonym(s): *hegesias* Fruhstorfer, 1912
Range (in code): **PH Gui Neg Pan**

- 3977. Neptis (Lasippa) illigera illigera (Eschscholtz,1821)** (Argynnidae) Synonym(s): *illigera* Eschscholtz,1821; *livilla* Wallengren,1860; *eschscholtzia* Semper,1889 Original Reference: Neptis illigera Eschscholtz, 1821, Kotzeb. Reise 3: 212, Pl.8 figs.17a,b. Type: Manilla. Range (in code): PH Luz Pol
- 3978. Neptis (Lasippa) illigera pia (Fruhstorfer,1908)** (Argynnidae) Synonym(s): *pia* Fruhstorfer,1908 Range (in code): PH Bas
- 3979. Neptis (Lasippa) illigera sibuyana Tsukada & Kaneko,1985** (Argynnidae) Synonym(s): *sibuyana* Tsukada & Kaneko,1985 Range (in code): PH Sib
- 3980. Neptis (Lasippa) illigerella Staudinger,1889** (Argynnidae) Synonym(s): *illigerella* Staudinger,1889; *calliplocama* Fruhstorfer,1908 Range (in code): PH Cal Pal
- 3981. Neptis (Lasippa) monata (Weyenbergh,1874)** (Argynnidae) Synonym(s): *monata* Weyenbergh,1874; *fuliginosa* Moore,1881; *thamala* Moore,1886; *serapica* Fruhstorfer,1908; *arnoldi* Fruhstorfer,1908 Range (in code): PH Stu MM TH Yal MY Lkw ID Sum Bnk Nia Bor
- 3982. Neptis (Lasippa) monata cura (Weymer,1885)** (Argynnidae) Synonym(s): *cura* Weymer,1885 Range (in code): ID Nia
- 3983. Neptis (Lasippa) monata monata (Weyenbergh,1874)** (Argynnidae) Synonym(s): *monata* Weyenbergh,1874; *fuliginosa* Moore,1881; *thamala* Moore,1886; *serapica* Fruhstorfer,1908; *arnoldi* Fruhstorfer,1908 Range (in code): MM TH Yal MY Lkw ID Sum Bnk Bor
- 3984. Neptis (Lasippa) monata sibuana Tsukada & Kaneko,1985** (Argynnidae) Synonym(s): *sibuana* Tsukada & Kaneko,1985 Range (in code): PH Stu
- 3985. Neptis (Lasippa) pata (Moore,1858)** (Argynnidae) Synonym(s): *pata* Moore,1858; *isabellina* C.Felder & R.Felder,1863 Range (in code): PH Luz Mar Mdo
- 3986. Neptis (Lasippa) pata pata (Moore,1858)** (Argynnidae) Synonym(s): *pata* Moore,1858 Range (in code): PH Luz Mar
- 3987. Neptis (Lasippa) pata patalina (Semper,1892)** (Argynnidae) Synonym(s): *patalina* Semper,1892 Range (in code): PH Mdo
- 3988. Neptis (Lasippa) pata semperi (Moore,1899)** (Argynnidae) Synonym(s): *isabellina* Semper,1889 nec Feld,1863; *semperi* Moore,1899 Range (in code): PH Boh Din Ley Mno Sam
- 3989. Neptis (Lasippa) pizarasi M.Okano & T.Okano,1986** (Argynnidae) Synonym(s): *pizarasi* M.Okano & T.Okano,1986 Range (in code): PH Boh
- 3990. Neptis (Lasippa) tiga (Moore,1858)** (Argynnidae) Synonym(s): *tiga* Moore,1858 Range (in code): MY Lkw TH Chy Cbu Yal Cph Cbi Nrt Rng Nst Sgk Hya Tnc
- 3991. Neptis (Lasippa) tiga camboja (Moore,1879)** (Argynnidae) Synonym(s): *camboja* Moore,1879 Range (in code): MY Lkw TH Chy Cbu Yal Cph Cbi Nrt Rng Nst Sgk Hya Tnc
- 3992. Neptis (Lasippa) tiga siaka (Moore,1881)** (Argynnidae) Synonym(s): *siaka* Moore,1881 Range (in code): MY
- 3993. Neptis (Lasippa) tiga tiga (Moore,1858)** (Argynnidae) Synonym(s): *tiga* Moore,1858
- 3994. Neptis (Lasippa) viraja Moore,1872** (Argynnidae) Synonym(s): *viraja* Moore,1872 Range (in code): TH CMa
- 3995. Neptis (Lasippa) viraja viraja Moore,1872** (Argynnidae) Synonym(s): *viraja* Moore,1872 Range (in code): TH CMa
- 3996. Neptis (Pantoporia) aurelia Staudinger,1886** (Argynnidae) Synonym(s): *aurelia* Staudinger,1886 Range (in code): TH CMa Cbi Nrt Rng Yal Nst Pbu
- 3997. Neptis (Pantoporia) aurelia aurelia Staudinger,1886** (Argynnidae) Synonym(s): *aurelia* Staudinger,1886 Range (in code): TH Rng Yal Nst
- 3998. Neptis (Pantoporia) aurelia boma (Eliot,1969)** (Argynnidae) Synonym(s): *boma* Eliot,1969 Range (in code): TH CMa Cbi Nrt Pbu
- 3999. Neptis (Pantoporia) bieti Oberthür,1890** (Argynnidae) Synonym(s): *bieti* Oberthür,1890 Range (in code): ?Ti CN MM TH CMa
- 4000. Neptis (Pantoporia) bieti bieti Oberthür,1890** (Argynnidae) Synonym(s): *bieti* Oberthür,1890 Range (in code): ?Ti CN
- 4001. Neptis (Pantoporia) bieti paona (Tytler,1915)** (Argynnidae) Synonym(s): *paona* Tytler,1915 Range (in code): MM TH CMa
- 4002. Neptis (Pantoporia) cyrilla (C.Felder & R.Felder,1863)** (Argynnidae) Synonym(s): *cyrilla* C.Felder & R.Felder,1863 Original Reference: Neptis cyrilla C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 114. Type: Luzon. Range (in code): PH Sga Stu Cal Mdo CmL Luz Pol CmM Neg Siq Bas Boh Ceb Cts Din Hom Jol Ley Mno Sam Sar

- 4003. Neptis (Pantoporia) cyrilla athenais (C.Felder & R.Felder,1863)** (Argynnidae)
Synonym(s): *athenais* C.Felder & R.Felder,1863 Range (in code): **PH Bas Boh Ceb Cts Din Hom Jol Ley Mno Sam Sar**
- 4004. Neptis (Pantoporia) cyrilla attica Semper,1889** (Argynnidae) Synonym(s): *attica* Semper,1889 Range (in code): **PH CmM Neg Siq**
- 4005. Neptis (Pantoporia) cyrilla cyrilla (C.Felder & R.Felder,1863)** (Argynnidae)
Synonym(s): *cyrilla* C.Felder & R.Felder,1863 Original Reference: *Neptis cyrilla* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 114. Type: Luzon. Range (in code): **PH CmL Luz Pol**
- 4006. Neptis (Pantoporia) cyrilla phrygia (C.Felder & R.Felder,1863)** (Argynnidae)
Synonym(s): *phrygia* C.Felder & R.Felder,1863 Range (in code): **PH Cal Mdo**
- 4007. Neptis (Pantoporia) cyrilla shunichii Tsukada & Kaneko,1985** (Argynnidae)
Synonym(s): *shunichii* Tsukada & Kaneko,1985 Range (in code): **PH Sga Stu**
- 4008. Neptis (Pantoporia) dama (Moore,1858)** (Argynnidae) Synonym(s): *dama* Moore,1858
Original Reference: *Athyma dama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 19, Pl.51 fig.5. Type: Manila. Range (in code): **PH Cts Bab Bal Cal Pal Cat Luz Mar Mas Mdo Neg Pan Sib Boh Ceb CmM Din Ley Mno Pao Sam**
- 4009. Neptis (Pantoporia) dama athene Staudinger,1889** (Argynnidae) Synonym(s): *athene* Staudinger,1889 Range (in code): **PH Bal Cal Pal**
- 4010. Neptis (Pantoporia) dama babuyanensis Tsukada & Kaneko,1985** (Argynnidae)
Synonym(s): *babuyanensis* Tsukada & Kaneko,1985 Range (in code): **PH Bab**
- 4011. Neptis (Pantoporia) dama camotesiana Fruhstorfer,1912** (Argynnidae)
Synonym(s): *camotesiana* Fruhstorfer,1912 Range (in code): **PH Cts**
- 4012. Neptis (Pantoporia) dama commixta Fruhstorfer,1908** (Argynnidae) Synonym(s): *commixta* Fruhstorfer,1908 Range (in code): **PH Boh Ceb CmM Din Ley Mno Pao Sam**
- 4013. Neptis (Pantoporia) dama dama (Moore,1858)** (Argynnidae) Synonym(s): *dama* Moore,1858
Original Reference: *Athyma dama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 19, Pl.51 fig.5. Type: Manila. Range (in code): **PH Cat Luz Mar Mas Mdo Neg Pan Sib**
- 4014. Neptis (Pantoporia) dinginga Butler,1879** (Argynnidae) Synonym(s): *dinginga* Butler,1879 Range (in code): **TH Rng**
- 4015. Neptis (Pantoporia) dinginga dinginga Butler,1879** (Argynnidae) Synonym(s): *dinginga* Butler,1879 Range (in code): **TH Rng**
- 4016. Neptis (Pantoporia) epira (C.Felder & R.Felder,1863)** (Argynnidae) Synonym(s): *epira* C.Felder & R.Felder,1863 Range (in code): **PH Bur Luz Mno Sam**
- 4017. Neptis (Pantoporia) epira epira (C.Felder & R.Felder,1863)** (Argynnidae)
Synonym(s): *epira* C.Felder & R.Felder,1863 Range (in code): **PH Bur**
- 4018. Neptis (Pantoporia) epira heliobole Semper,1878** (Argynnidae) Synonym(s): *heliobole* Semper,1878 Range (in code): **PH Mno Sam**
- 4019. Neptis (Pantoporia) epira luzonensis Eliot,1969** (Argynnidae) Synonym(s): *luzonensis* Eliot,1969
Original Reference: *Pantoporia epira* ssp. *luzonensis* Eliot,1969, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 15: 36, pl.3 fig.26. Holotype ♂: [Philippines]: N. Luzon: Lepanto (BMNH). Range (in code): **PH Luz**
- 4020. Neptis (Pantoporia) hordonia (Stoll,1790)** (Argynnidae) Synonym(s): *hordonia* Stoll,1790 Range (in code): **PH Cal Pal IN Oi Ass MM VN MY TH CMa Cuo Cu01 Cu02 Cu05 Cu09 Cu12 CDo Phi Cbu Knc Rng Nrt Chy Nna Cbi Pht Yal Nst Ths**
- 4021. Neptis (Pantoporia) hordonia dorida Staudinger,1889** (Argynnidae) Synonym(s): *dorida* Staudinger,1889 Range (in code): **PH Cal Pal**
- 4022. Neptis (Pantoporia) hordonia hordonia (Stoll,1790)** (Argynnidae) Synonym(s): *hordonia* Stoll,1790 Range (in code): **TH CMa Cuo Cu01 Cu02 Cu05 Cu09 Cu12 CDo Phi Cbu Knc Rng Nrt Chy Nna Cbi Pht Yal Nst Ths**
- 4023. Neptis (Pantoporia) paraka Butler,1879** (Argynnidae) Synonym(s): *paraka* Butler,1879
Range (in code): **PH Stu Bal Pal TH CMa Cuo Cu12 CDo Chy Cbi Rng Phi Knc Yal**
- 4024. Neptis (Pantoporia) paraka olanguana Tsukada & Kaneko,1985** (Argynnidae)
Synonym(s): *olanguana* Tsukada & Kaneko,1985 Range (in code): **PH Bal Pal**
- 4025. Neptis (Pantoporia) paraka paraka Butler,1879** (Argynnidae) Synonym(s): *paraka* Butler,1879 Range (in code): **PH Stu TH CMa Cuo Cu12 CDo Chy Cbi Rng Phi Knc Yal**
- 4026. Neptis (Pantoporia) sandaka (Butler,1892)** (Argynnidae) Synonym(s): *sandaka* Butler,1892 Range (in code): **TH CMa Nrt Cbi Knc Chy Nna Cbu Yal Nst**

- 4027. Neptis (Pantoporia) sandaka davidsoni (Eliot,1969)** (Argynnidae) **Synonym(s):** *davidsoni* Eliot,1969 **Range (in code):** TH CMA Nrt Cbi Knc Chy Nna Cbu Yal Nst
- 4028. Neptis (Pantoporia) sandaka sandaka (Butler,1892)** (Argynnidae) **Synonym(s):** *sandaka* Butler,1892
- 4029. Neptis (Phaedyman) columella (Cramer,[1782])** (Argynnidae) **Synonym(s):** *columella* Cramer,[1782] **Range (in code):** PH Cts Bal Cal Pal Ley Mno Sam Mdo CmM Boh Cat Ceb Gui Luz Mar Mas Neg Pan Rom Sib MY P-T Lkw TH CMA Cuo Cuo7 Cuo9 Cui2 CDo Nrt Cbi Nst Ths Chw Chy Nna Knc Tng
- 4030. Neptis (Phaedyman) columella angara Semper,1889** (Argynnidae) **Synonym(s):** *angara* Semper,1889 **Range (in code):** PH CmM
- 4031. Neptis (Phaedyman) columella columella (Cramer,[1782])** (Argynnidae) **Synonym(s):** *columella* Cramer,[1782]
- 4032. Neptis (Phaedyman) columella eremita C.Felder & R.Felder,[1867]** (Argynnidae) **Synonym(s):** *eremita* C.Felder & R.Felder,[1867] **Range (in code):** PH Boh Cat Ceb Gui Luz Mar Mas Neg Pan Rom Sib
- 4033. Neptis (Phaedyman) columella eumenaia Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *eumenaia* Fruhstorfer,1912 **Range (in code):** PH Mdo
- 4034. Neptis (Phaedyman) columella martabana Moore,1881** (Argynnidae) **Synonym(s):** *martabana* Moore,1881 **Range (in code):** TH CMA Cuo Cuo7 Cuo9 Cui2 CDo Nrt Cbi Nst Ths Chy Nna Knc Tng
- 4035. Neptis (Phaedyman) columella mesogaia Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *mesogaia* Fruhstorfer,1912 **Range (in code):** PH Ley Mno Sam
- 4036. Neptis (Phaedyman) columella ophianella Staudinger,1889** (Argynnidae) **Synonym(s):** *ophianella* Staudinger,1889 **Range (in code):** PH Bal Cal Pal
- 4037. Neptis (Phaedyman) columella parvimacula (Pendlebury,1933)** (Argynnidae) **Synonym(s):** *parvimacula* Pendlebury,1933 **Range (in code):** MY P-T
- 4038. Neptis (Phaedyman) columella singa (Fruhstorfer,[1899])** (Argynnidae) **Synonym(s):** *singa* Fruhstorfer,[1899] **Range (in code):** MY Lkw TH Nst Chw
- 4039. Neptis (Phaedyman) columella soror Semper,1889** (Argynnidae) **Synonym(s):** *soror* Semper,1889 **Range (in code):** PH Cts
- 4040. Neptis (s.str.) agouale Pierre-Baltus,1978** (Argynnidae) **Synonym(s):** *agouale* Pierre-Baltus,1978 **Range (in code):** CI CM ZR **Bionomy:** Larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 4041. Neptis (s.str.) alta Overlaet,1955** (Argynnidae) **Synonym(s):** *alta* Overlaet,1955 **Range (in code):** ZR ZW MZ MW ZM TZ Tnga Usa Ani KE UG SN
- 4042. Neptis (s.str.) alwina (Bremer & Grey,1853)** (Argynnidae) **Synonym(s):** *alwina* Bremer & Grey,1853 **Original Reference:** *Limenitis alwina* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 7-8, Tab.I fig.4. Type: China: [Pekin]. **Range (in code):** RU Vv JP MN CN KP KR **Bionomy:** Larva on Armeniaca mandshurica (Murzin,2000).
- 4043. Neptis (s.str.) alwina alwina (Bremer & Grey,1853)** (Argynnidae) **Synonym(s):** *alwina* Bremer & Grey,1853 **Original Reference:** *Limenitis alwina* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 7-8, Tab.I fig.4. Type: China: [Pekin]. **Range (in code):** RU Vv JP CN **Bionomy:** Larva on Armeniaca mandshurica (Murzin,2000).
- 4044. Neptis (s.str.) alwina dejeani Oberthür,1893** (Argynnidae) **Synonym(s):** *dejeani* Oberthür,1893 **Range (in code):** CN
- 4045. Neptis (s.str.) alwina kaemfri d'Orza,1867** (Argynnidae) **Synonym(s):** *kaemfri* d'Orza,1867 **Range (in code):** MN
- 4046. Neptis (s.str.) alwina subspecifica Bryk,1946** (Argynnidae) **Synonym(s):** *subspecifica* Bryk,1946 **Range (in code):** KP KR
- 4047. Neptis (s.str.) ananta Moore,[1858]** (Argynnidae) **Synonym(s):** *ananta* Moore,[1858] **Original Reference:** *Neptis ananta* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 166, pl.4a fig.3. **Range (in code):** IN TH CMA Chy
- 4048. Neptis (s.str.) ananta ananta Moore,[1858]** (Argynnidae) **Synonym(s):** *ananta* Moore,[1858] **Original Reference:** *Neptis ananta* Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 166, pl.4a fig.3. **Range (in code):** IN
- 4049. Neptis (s.str.) ananta learmondi Tytler,1940** (Argynnidae) **Synonym(s):** *learmondi* Tytler,1940 **Range (in code):** TH CMA Chy

- 4050. Neptis (s.str.) anjana Moore,1881** (Argynnidae) Synonym(s): *anjana Moore,1881*
Range (in code): **PH Pal MY TH Srt**
- 4051. Neptis (s.str.) anjana anjana Moore,1881** (Argynnidae) Synonym(s): *anjana Moore,1881*
- 4052. Neptis (s.str.) anjana hyria Fruhstorfer,1913** (Argynnidae) Synonym(s): *hyria Fruhstorfer,1913*
Range (in code): **MY TH Srt**
- 4053. Neptis (s.str.) anjana vidua Staudinger,1889** (Argynnidae) Synonym(s): *vidua Staudinger,1889*
Range (in code): **PH Pal**
- 4054. Neptis (s.str.) armandia (Oberthür,1876)** (Argynnidae) Synonym(s): *armandia Oberthür,1876*
Range (in code): **CN TH CMa MM**
- 4055. Neptis (s.str.) armandia armandia (Oberthür,1876)** (Argynnidae) Synonym(s): *armandia Oberthür,1876*
- 4056. Neptis (s.str.) armandia pila Tytler,1940** (Argynnidae) Synonym(s): *pila Tytler,1940*
Range (in code): **TH CMa MM**
- 4057. Neptis (s.str.) aurivillii Schultze,1913** (Argynnidae) Synonym(s): *aurivillii Schultze,1913*
Range (in code): **TZ KE MW**
- 4058. Neptis (s.str.) aurivillii aurivillii Schultze,1913** (Argynnidae) Synonym(s): *aurivillii Schultze,1913*
Range (in code): **TZ KE MW**
- 4059. Neptis (s.str.) aurivillii ufipa Kielland,1990** (Argynnidae) Synonym(s): *ufipa Kielland,1990*
Range (in code): **TZ**
- 4060. Neptis (s.str.) biafra Ward,1871** (Argynnidae) Synonym(s): *biafra Ward,1871*
Range (in code): **CM LR**
- 4061. Neptis (s.str.) camarensis Schultze,1920** (Argynnidae) Synonym(s): *camarensis Schultze,1920*
Range (in code): **CM CI ZR**
- 4062. Neptis (s.str.) carpenteri D'Abrera,1980** (Argynnidae) Synonym(s): *carpenteri D'Abrera,1980*
Range (in code): **UG ZR**
- 4063. Neptis (s.str.) cartica Moore,1872** (Argynnidae) Synonym(s): *cartica Moore,1872*
Range (in code): **MM TH CMa Chy Loe Nna Pbu**
- 4064. Neptis (s.str.) cartica burmana De Nicéville,1886** (Argynnidae) Synonym(s): *burmana De Nicéville,1886*
Range (in code): **MM TH CMa Chy Loe Nna Pbu**
- 4065. Neptis (s.str.) clarei Neave,1904** (Argynnidae) Synonym(s): *clarei Neave,1904*
Range (in code): **UG KE**
- 4066. Neptis (s.str.) clinia Moore,1872** (Argynnidae) Synonym(s): *clinia Moore,1872*
Range (in code): **MY Lkw PH Jol Stu Cuy Dum Pal TH CMa Cuo Cu12 CDo Phi Nrt Sbu Knc Chy TAK Nna Cbi Pht Tng Yal Ptt Nst Chw Sgk Hya Tnc**
- 4067. Neptis (s.str.) clinia leuconata Butler,[1879]** (Argynnidae) Synonym(s): *leuconata Butler,[1879]*
Range (in code): **MY Lkw TH Tng Yal Ptt Nst Chw**
- 4068. Neptis (s.str.) clinia parthica Fruhstorfer,1908** (Argynnidae) Synonym(s): *parthica Fruhstorfer,1908*
Range (in code): **PH Cuy Dum Pal**
- 4069. Neptis (s.str.) clinia solygeia Fruhstorfer,1908** (Argynnidae) Synonym(s): *solygeia Fruhstorfer,1908*
Range (in code): **PH Jol Stu**
- 4070. Neptis (s.str.) clinia susruta Moore,1872** (Argynnidae) Synonym(s): *susruta Moore,1872*
Range (in code): **TH CMa Cuo Cu12 CDo Phi Nrt Sbu Knc Chy TAK Nna Cbi Pht Sgk Hya Tnc**
- 4071. Neptis (s.str.) clinoides De Nicéville,1894** (Argynnidae) Synonym(s): *clinoides De Nicéville,1894*
Range (in code): **MY**
- 4072. Neptis (s.str.) clinoides clinoides De Nicéville,1894** (Argynnidae) Synonym(s): *clinoides De Nicéville,1894*
- 4073. Neptis (s.str.) clinoides gunongensis Eliot,1969** (Argynnidae) Synonym(s): *gunongensis Eliot,1969*
Range (in code): **MY**
- 4074. Neptis (s.str.) comorarum Oberthür,1890** (Argynnidae) Synonym(s): *comorarum Oberthür,1890*
Range (in code): **KM**
- 4075. Neptis (s.str.) comorarum comorarum Oberthür,1890** (Argynnidae) Synonym(s): *comorarum Oberthür,1890*
Range (in code): **KM**
- 4076. Neptis (s.str.) comorarum leighi Rothschild,1918** (Argynnidae) Synonym(s): *leighi Rothschild,1918*
Range (in code): **KM**
- 4077. Neptis (s.str.) conspicua Neave,1904** (Argynnidae) Synonym(s): *conspicua Neave,1904*
Range (in code): **SL ZR UG KE CM**
- 4078. Neptis (s.str.) constantiae Carcasson,1961** (Argynnidae) Synonym(s): *constantiae Carcasson,1961*
Range (in code): **SL GH UG KE CG ZR**

- 4079. *Neptis (s.str.) constantiae angusta* Condamin,1966** (Argynnidae) Synonym(s): *angusta* Condamin,1966 _ Range (in code): **ZR**
- 4080. *Neptis (s.str.) constantiae constantiae* Carcasson,1961** (Argynnidae) Synonym(s): *constantiae* Carcasson,1961 _ Range (in code): **UG KE**
- 4081. *Neptis (s.str.) constantiae kaumba* Condamin,1966** (Argynnidae) Synonym(s): *kaumba* Condamin,1966 _ Range (in code): **ZR**
- 4082. *Neptis (s.str.) constantiae loma* Condamin,1971** (Argynnidae) Synonym(s): *loma* Condamin,1971 _ Range (in code): **SL GH**
- 4083. *Neptis (s.str.) continuata* Holland,1892** (Argynnidae) Synonym(s): *continuata* Holland,1892; *najo* Karsch,1893; *#urungensis* Strand,1911 _ Range (in code): **GA TG ZR SL UG**
- 4084. *Neptis (s.str.) cymela* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *cymela* C.Felder & R.Felder,1863 _ Range (in code): **PH Pal Jol Sga Taw CmM Bab Luz Mar Mas Neg Pan Pao Pol Sib Din Ley Mno Sam Boh Ceb Mdo Bas CmM**
- 4085. *Neptis (s.str.) cymela carvinus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *carvinus* Fruhstorfer,1908 _ Range (in code): **PH CmM**
- 4086. *Neptis (s.str.) cymela cymela* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *cymela* C.Felder & R.Felder,1863 _ Original Reference: *Neptis cymela cymela* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 112. Type ♀: Luzon. Range (in code): **PH Bab Luz Mar Mas Neg Pan Pao Pol Sib**
- 4087. *Neptis (s.str.) cymela gatanga* Fruhstorfer,1908** (Argynnidae) Synonym(s): *gatanga* Fruhstorfer,1908 _ Range (in code): **PH Jol Sga Taw**
- 4088. *Neptis (s.str.) cymela nitetus* Hewitson,1868** (Argynnidae) Synonym(s): *nitetus* Hewitson,1868 _ Range (in code): **PH Din Ley Mno Sam**
- 4089. *Neptis (s.str.) cymela ormiscus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *ormiscus* Fruhstorfer,1908 _ Range (in code): **PH Boh Ceb**
- 4090. *Neptis (s.str.) cymela prodymus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *prodymus* Fruhstorfer,1908 _ Range (in code): **PH Bas**
- 4091. *Neptis (s.str.) cymela samiola* Fruhstorfer,1908** (Argynnidae) Synonym(s): *samiola* Fruhstorfer,1908 _ Range (in code): **PH Mdo**
- 4092. *Neptis (s.str.) cyra* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *cyra* C.Felder & R.Felder,1863 _ Range (in code): **PH Neg Pan Luz Ceb Boh Din Ley Mno Sam**
- 4093. *Neptis (s.str.) cyra canloana* Murayama,1983** (Argynnidae) Synonym(s): *canloana* Murayama,1983 _ Range (in code): **PH Neg Pan**
- 4094. *Neptis (s.str.) cyra cyra* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *cyra* C.Felder & R.Felder,1863 _ Range (in code): **PH Luz**
- 4095. *Neptis (s.str.) cyra elioti* Jumalon,1975** (Argynnidae) Synonym(s): *elioti* Jumalon,1975 _ Range (in code): **PH Ceb**
- 4096. *Neptis (s.str.) cyra vibusa* Semper,1889** (Argynnidae) Synonym(s): *vibusa* Semper,1889 _ Range (in code): **PH Boh Din Ley Mno Sam**
- 4097. *Neptis (s.str.) decaryi* Le Cerf,1928** (Argynnidae) Synonym(s): *decaryi* Le Cerf,1928 _ Range (in code): **KM**
- 4098. *Neptis (s.str.) dentifera* Schultze,1920** (Argynnidae) Synonym(s): *dentifera* Schultze,1920 _ Range (in code): **CM**
- 4099. *Neptis (s.str.) dumetorum* Boisduval,1833** (Argynnidae) Synonym(s): *dumetorum* Boisduval,1833 _ Range (in code): **RE** _ Bionomy: Larva on *Tragia* (Euphorbiaceae) (Ackery et al.,1995).
- 4100. *Neptis (s.str.) duryodana* Moore,1858** (Argynnidae) Synonym(s): *duryodana* Moore,1858 _ Range (in code): **PH CagSul Cuy Pal Mdo MY TH Nst Tng Ptt Yal**
- 4101. *Neptis (s.str.) duryodana duryodana* Moore,1858** (Argynnidae) Synonym(s): *duryodana* Moore,1858
- 4102. *Neptis (s.str.) duryodana emesa* Fruhstorfer,1908** (Argynnidae) Synonym(s): *emesa* Fruhstorfer,1908 _ Range (in code): **PH CagSul Cuy Pal**
- 4103. *Neptis (s.str.) duryodana mindorica* Murayama,1983** (Argynnidae) Synonym(s): *mindorica* Murayama,1983 _ Range (in code): **PH Mdo**
- 4104. *Neptis (s.str.) duryodana nesia* Fruhstorfer,1908** (Argynnidae) Synonym(s): *nesia* Fruhstorfer,1908 _ Range (in code): **MY TH Nst Tng Ptt Yal**
- 4105. *Neptis (s.str.) eltringhami* Joicey & Talbot,1926** (Argynnidae) Synonym(s): *eltringhami* Joicey & Talbot,1926 _ Range (in code): **ST**

- 4106. *Neptis (s.str.) exaleuca* Karsch,1894** (Argynnidae) Synonym(s): *exaleuca* Karsch,1894
Range (in code): **CM ZR UG**
- 4107. *Neptis (s.str.) exaleuca exaleuca* Karsch,1894** (Argynnidae) Synonym(s): *exaleuca* Karsch,1894
Range (in code): **CM ZR UG**
- 4108. *Neptis (s.str.) exaleuca suffusa* Rothschild,1918** (Argynnidae) Synonym(s): *suffusa* Rothschild,1918; *#integra* Eltringham,1922
Range (in code): **UG ZR**
- 4109. *Neptis (s.str.) felisimilis* Schröder & Treadaway,1983** (Argynnidae) Synonym(s): *felisimilis* Schröder & Treadaway,1983
Range (in code): **PH Pal**
- 4110. *Neptis (s.str.) frobenia* (Fabricius,1798)** (Argynnidae) Synonym(s): *frobenia* Fabricius,1798
Range (in code): **MU** Bionomy: Larva on Terminalia (Combretaceae), Acalypha (Euphorbiaceae), Erythrospermum (Flacourtiaceae) (Ackery et al.,1995).
- 4111. *Neptis (s.str.) goochii* Trimen,1879** (Argynnidae) Synonym(s): *goochii* Trimen,1879
Original Reference: *Neptis goochii* Trimen,1879, Trans. ent. Soc. London 1879 (4): 336-337.
Syntypes: South Africa: Natal: Little Umhlanga. Range (in code): **ZW MZ KE ZA Nta Kzu TZ Tnga Usa Ani**
- 4112. *Neptis (s.str.) gratiosa* Overlaet,1955** (Argynnidae) Synonym(s): *gratiosa* Overlaet,1955
Range (in code): **MZ ZM TZ KE AO ZR**
- 4113. *Neptis (s.str.) harita* Moore,[1875]** (Argynnidae) Synonym(s): *harita* Moore,[1875]
Range (in code): **MY Lkw IN MM PH Pal Cal TH Rng Yal Tng Phi Nrt Cbi TAK Nna Nst Ths Sgk Hya Tnc**
- 4114. *Neptis (s.str.) harita calamiana* Schröder & Treadaway,1995** (Argynnidae) Synonym(s): *calamiana* Schröder & Treadaway,1995
Range (in code): **PH Cal**
- 4115. *Neptis (s.str.) harita harita* Moore,[1875]** (Argynnidae) Synonym(s): *harita* Moore,[1875]
Range (in code): **MY Lkw IN MM TH Rng Yal Tng Nst Ths Sgk Hya Tnc**
- 4116. *Neptis (s.str.) harita palawanica* Staudinger,1889** (Argynnidae) Synonym(s): *palawanica* Staudinger,1889
Range (in code): **PH Pal**
- 4117. *Neptis (s.str.) harita preeyae* Kimura,1993** (Argynnidae) Synonym(s): *preeyae* Kimura,1993
Range (in code): **TH Phi Nrt Cbi TAK Nna**
- 4118. *Neptis (s.str.) hylas* (Linnaeus,1758)** (Argynnidae) Synonym(s): *hylas* Linnaeus,1758
Range (in code): **IN Ass MM CN Yu JP LK ID Sum Ja MY Lkw PH Bon Jol Sga Sis Stu Taw TH Rng Tng Yal Sgk CMA Cu0 Cu01 Cu02 Cu07 Cu09 Cu11 Cu12 CDo Cmz Cz11 Lmp Tht Chy Nna Cbi Loe Nrt Sbi Knc Pbu Nst Ths Sgk Hya Tnc**
- 4119. *Neptis (s.str.) hylas hylas* (Linnaeus,1758)** (Argynnidae) Synonym(s): *hylas* Linnaeus,1758
Range (in code): **CN**
- 4120. *Neptis (s.str.) hylas kamarupa* Moore,[1875]** (Argynnidae) Synonym(s): *kamarupa* Moore,[1875]
Range (in code): **IN Ass MM CN Yu TH CMA Cu0 Cu01 Cu02 Cu07 Cu09 Cu11 Cu12 CDo Cmz Cz11 Chy Lmp Tht Nna Cbi Loe Nrt Sbi Knc Pbu**
- 4121. *Neptis (s.str.) hylas papaja* Moore,[1875]** (Argynnidae) Synonym(s): *papaja* Moore,[1875]; *mamaja* Butler,[1897]
Range (in code): **ID Sum MY Lkw TH Rng Tng Yal Sgk Hya Tnc Nst Ths**
- 4122. *Neptis (s.str.) hylas sopatra* Fruhstorfer,1907** (Argynnidae) Synonym(s): *sopatra* Fruhstorfer,1907
Range (in code): **PH Bon Jol Sga Sis Stu Taw**
- 4123. *Neptis (s.str.) ilira* Kheil,1884** (Argynnidae) Synonym(s): *ilira* Kheil,1884
Range (in code): **MY TH Cbi**
- 4124. *Neptis (s.str.) ilira cindia* Eliot,1969** (Argynnidae) Synonym(s): *cindia* Eliot,1969; *tiolo* Okubo,1983
Range (in code): **MY TH Cbi**
- 4125. *Neptis (s.str.) ilira ilira* Kheil,1884** (Argynnidae) Synonym(s): *ilira* Kheil,1884
Range (in code): **MY**
- 4126. *Neptis (s.str.) incongrua* Butler,1896** (Argynnidae) Synonym(s): *incongrua* Butler,1896
Range (in code): **MW Zom ZR TZ UG KE**
- 4127. *Neptis (s.str.) incongrua incongrua* Butler,1896** (Argynnidae) Synonym(s): *incongrua* Butler,1896
Range (in code): **MW Zom ZR TZ UG KE**
- 4128. *Neptis (s.str.) incongrua isidoro* Kielland,1985** (Argynnidae) Synonym(s): *isidoro* Kielland,1985
Range (in code): **TZ**
- 4129. *Neptis (s.str.) incongrua nguru* Kielland,1987** (Argynnidae) Synonym(s): *nguru* Kielland,1987
Range (in code): **TZ**
- 4130. *Neptis (s.str.) infusa* Birket-Smith,1960** (Argynnidae) Synonym(s): *infusa* Birket-Smith,1960
Range (in code): **CM**

- 4131. *Neptis (s.str.) jamesoni* Godman & Salvin,1890** (Argynnidae) Synonym(s): *jamesoni* Godman & Salvin,1890 _ Range (in code): CM CG ZR
- 4132. *Neptis (s.str.) jordani* Neave,1910** (Argynnidae) Synonym(s): *jordani* Neave,1910 _ Range (in code): ZM ZR RW BI TZ MW MZ ZW BW GH
- 4133. *Neptis (s.str.) jumbah* Moore,1858** (Argynnidae) Synonym(s): *jumbah* Moore,1858 _ Range (in code): TH Rng
- 4134. *Neptis (s.str.) jumbah jumbah* Moore,1858** (Argynnidae) Synonym(s): *jumbah* Moore,1858 _ Range (in code): TH Rng
- 4135. *Neptis (s.str.) katama* Collins & T.Larsen,1991** (Argynnidae) Synonym(s): *katama* Collins & T.Larsen,1991 _ Range (in code): KE
- 4136. *Neptis (s.str.) kikedeli* Boisduval,1833** (Argynnidae) Synonym(s): *kikedeli* Boisduval,1833 _ Range (in code): MG
- 4137. *Neptis (s.str.) kikuyuensis* Jackson,1951** (Argynnidae) Synonym(s): *kikuyuensis* Jackson,1951 _ Range (in code): KE
- 4138. *Neptis (s.str.) kiriakoffi* Overlaet,1955** (Argynnidae) Synonym(s): *kiriakoffi* Overlaet,1955 _ Range (in code): ZR
- 4139. *Neptis (s.str.) laeta* Overlaet,1955** (Argynnidae) Synonym(s): *laeta* Overlaet,1955; *overlaeti* Pennington,1962 _ Range (in code): TZ Tnga Usa Ani MZ ZR ZA Nta Kzu Ptb Tva Lpo Spb Lj Ent Kru K12 Pma Pf
- 4140. *Neptis (s.str.) lermanni* Aurivillius,1896** (Argynnidae) Synonym(s): *lermanni* Aurivillius,1896 _ Range (in code): ZR CG
- 4141. *Neptis (s.str.) leucoporus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *leucoporus* Fruhstorfer,1908 _ Range (in code): MY Lkw TH Rng Nst Ths Sya Tng
- 4142. *Neptis (s.str.) leucoporus cresina* Fruhstorfer,1908** (Argynnidae) Synonym(s): *cresina* Fruhstorfer,1908 _ Range (in code): MY Lkw TH Rng Nst Ths Sya Tng
- 4143. *Neptis (s.str.) leucoporus leucoporus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *leucoporus* Fruhstorfer,1908
- 4144. *Neptis (s.str.) livingstonei* Suffert,1904** (Argynnidae) Synonym(s): *livingstonei* Suffert,1904 _ Range (in code): TZ
- 4145. *Neptis (s.str.) lugubris* Rebel,1914** (Argynnidae) Synonym(s): *lugubris* Rebel,1914 _ Range (in code): UG ZR
- 4146. *Neptis (s.str.) magadha* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *magadha* C.Felder & R.Felder,[1867] _ Range (in code): MY TH CMa CDo Nrt Knc Chy Chi
- 4147. *Neptis (s.str.) magadha charon* Butler,1867** (Argynnidae) Synonym(s): *charon* Butler,1867 _ Range (in code): MY
- 4148. *Neptis (s.str.) magadha magadha* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *magadha* C.Felder & R.Felder,[1867] _ Range (in code): TH CMa CDo Nrt Knc Chy Chi
- 4149. *Neptis (s.str.) mahendra* Moore,1872** (Argynnidae) Synonym(s): *mahendra* Moore,1872 _ Original Reference: Neptis mahendra Moore,1872, Proc. zool. Soc. Lond. 42: 560, pl.xxxii fig.3. Range (in code): PK Pj Haz Mre Ci Nwf
- 4150. *Neptis (s.str.) mahendra mahendra* Moore,1872** (Argynnidae) Synonym(s): *mahendra* Moore,1872 _ Original Reference: Neptis mahendra Moore,1872, Proc. zool. Soc. Lond. 42: 560, pl.xxxii fig.3. Range (in code): PK Pj Haz Mre Ci Nwf
- 4151. *Neptis (s.str.) manasa* Moore,[1858]** (Argynnidae) Synonym(s): *manasa* Moore,[1858] _ Range (in code): TH CMa Loe
- 4152. *Neptis (s.str.) manasa manasa* Moore,[1858]** (Argynnidae) Synonym(s): *manasa* Moore,[1858] _ Range (in code): TH CMa
- 4153. *Neptis (s.str.) manasa narcissina* Oberthür,1906** (Argynnidae) Synonym(s): *narcissina* Oberthür,1906 _ Range (in code): TH Loe
- 4154. *Neptis (s.str.) mayottensis* Oberthür,1890** (Argynnidae) Synonym(s): *mayottensis* Oberthür,1890 _ Range (in code): KM
- 4155. *Neptis (s.str.) melicerta* (Drury,[1773])** (Argynnidae) Synonym(s): *melicerta* Drury,[1773]; *blandina* Stoll,[1780]; *melinoe* Godart,[1824]; *carcassoni* Van Son,1959 _ Range (in code): MZ SN ET UG AO ZW _ Bionomy: Larva on Acalypha, Alchornea (Euphorbiaceae); Abrus, Acacia, Dalbergia (Fabaceae); Allophylus (Sapindaceae) (Ackery et al.,1995).
- 4156. *Neptis (s.str.) metanira* Holland,1892** (Argynnidae) Synonym(s): *metanira* Holland,1892 _ Range (in code): CM GA ZR UG

- 4157. *Neptis (s.str.) metella* (Doubleday,[1848])** (Argynnidae) Synonym(s): *metella* Doubleday,[1848] _ Range (in code): ZR CG GN SL UG SD
- 4158. *Neptis (s.str.) metella flavimacula* Jackson,1951** (Argynnidae) Synonym(s): *flavimacula* Jackson,1951 _ Range (in code): UG
- 4159. *Neptis (s.str.) metella metella* (Doubleday,[1848])** (Argynnidae) Synonym(s): *metella* Doubleday,[1848] _ Range (in code): ZR CG GN SL UG SD
- 4160. *Neptis (s.str.) miah* Moore,1858** (Argynnidae) Synonym(s): *miah* Moore,1858 _ Range (in code): MY Lkw TH CMa CDo Nrt Pbu Cbi Chy Nna Yal Nst
- 4161. *Neptis (s.str.) miah batara* Moore,1881** (Argynnidae) Synonym(s): *batara* Moore,1881; *sarchocha* Fruhstorfer,1908 _ Range (in code): MY Lkw TH Yal Nst
- 4162. *Neptis (s.str.) miah miah* Moore,1858** (Argynnidae) Synonym(s): *miah* Moore,1858
- 4163. *Neptis (s.str.) miah nolana* Druce,1874** (Argynnidae) Synonym(s): *nolana* Druce,1874 _ Range (in code): TH CMa CDo Nrt Pbu Cbi Chy Nna
- 4164. *Neptis (s.str.) mindorana* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *mindorana* C.Felder & R.Felder,1863 _ Range (in code): PH Cuy Mar Mdo Boh Ceb Cts Din Ley Pao Sam Bal Cal Dum Pal Bas CmM Jol Mno Sia Cat Gui Luz Neg Pan Pol Sib Siq
- 4165. *Neptis (s.str.) mindorana harpasa* Fruhstorfer,1912** (Argynnidae) Synonym(s): *harpasa* Fruhstorfer,1912 _ Range (in code): PH Bal Cal Dum Pal
- 4166. *Neptis (s.str.) mindorana ilocana* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *ilocana* C.Felder & R.Felder,1863 _ Range (in code): PH Cat Gui Luz Neg Pan Pol Sib Siq
- 4167. *Neptis (s.str.) mindorana mindorana* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *mindorana* C.Felder & R.Felder,1863 _ Original Reference: Neptis mindorana C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 110. Type: Luzon., Range (in code): PH Cuy Mar Mdo
- 4168. *Neptis (s.str.) mindorana nosba* Fruhstorfer,1912** (Argynnidae) Synonym(s): *nosba* Fruhstorfer,1912 _ Range (in code): PH Boh Ceb Cts Din Ley Pao Sam
- 4169. *Neptis (s.str.) mindorana pseudosoma* Moore,1899** (Argynnidae) Synonym(s): *pseudosoma* Moore,1899 _ Range (in code): PH Bas CmM Jol Mno Sia
- 4170. *Neptis (s.str.) mixophyes* Holland,1892** (Argynnidae) Synonym(s): *mixophyes* Holland,1892; *nicodice* Grünberg,1910 _ Range (in code): ZR CG GA CM NG GH
- 4171. *Neptis (s.str.) morosa* Overlaet,1955** (Argynnidae) Synonym(s): *morosa* Overlaet,1955 _ Range (in code): ZR BI UG KE
- 4172. *Neptis (s.str.) namba* Tytler,1915** (Argynnidae) Synonym(s): *namba* Tytler,1915 _ Range (in code): TH Chy MM
- 4173. *Neptis (s.str.) namba namba* Tytler,1915** (Argynnidae) Synonym(s): *namba* Tytler,1915 _ Range (in code): TH Chy MM
- 4174. *Neptis (s.str.) narayana* Moore,[1858]** (Argynnidae) Synonym(s): *narayana* Moore,[1858] _ Range (in code): TH CMa
- 4175. *Neptis (s.str.) narayana dubernardi* Eliot,1969** (Argynnidae) Synonym(s): *dubernardi* Eliot,1969 _ Range (in code): TH CMa
- 4176. *Neptis (s.str.) narayana narayana* Moore,[1858]** (Argynnidae) Synonym(s): *narayana* Moore,[1858]
- 4177. *Neptis (s.str.) nashona* Swinhoe,1896** (Argynnidae) Synonym(s): *nashona* Swinhoe,1896 _ Range (in code): IN Ass TH CMa Dst CDo Chy Loe
- 4178. *Neptis (s.str.) nashona aagaardi* N.D.Riley,1932** (Argynnidae) Synonym(s): *aagaardi* N.D.Riley,1932 _ Original Reference: Neptis nashona ssp. aagaardi Riley,1932, J. Siam Soc. nat. Hist. Suppl. 8: 249-250, pl.22 fig.6. Holotype ♂: [Thailand]: Chiangmai Prov., N. Siam, Doi Suthep (4500ft.) leg. C.J.Aagaard. Range (in code): TH CMa Dst CDo Chy Loe
- 4179. *Neptis (s.str.) nashona nashona* Swinhoe,1896** (Argynnidae) Synonym(s): *nashona* Swinhoe,1896 _ Range (in code): IN Ass
- 4180. *Neptis (s.str.) nata* Moore,1858** (Argynnidae) Synonym(s): *nata* Moore,1858 _ Range (in code): PK Pj Haz Mre IN Hp Kma MY TH Rng Nst Yal CMa Cuo Cuo7 Cu11 Cu12 CDo Chy Cbi Cbu Nna Loe Phi Nrt Shu TAK
- 4181. *Neptis (s.str.) nata adipala* Moore,1872** (Argynnidae) Synonym(s): *adipala* Moore,1872 _ Range (in code): TH CMa Cuo Cuo7 Cu11 Cu12 CDo Chy Cbi Cbu Nna Loe Phi Nrt Shu TAK
- 4182. *Neptis (s.str.) nata gononata* Butler,[1879]** (Argynnidae) Synonym(s): *gononata* Butler,[1879] _ Range (in code): MY TH Rng Nst Yal
- 4183. *Neptis (s.str.) nata nata* Moore,1858** (Argynnidae) Synonym(s): *nata* Moore,1858

- 4184. *Neptis (s.str.) nata yerburii* Butler,1886** (Argynnidae) Synonym(s): *yerburii* Butler,1886; *peilei* Eliot,1969 Original Reference: *Neptis yerburii* Butler, 1886, Proc. zool. Soc. Lond. 1886: 360. Type ♂: [Pakistan]: Murree. Range (in code): **PK Pj Haz Mre IN Hp Kma TH Chy CMa**
- 4185. *Neptis (s.str.) nebrodes* Hewitson,1847** (Argynnidae) Synonym(s): *nebrodes* Hewitson,1847 Range (in code): **LR NG GA ZR AO**
- 4186. *Neptis (s.str.) nemetes* Hewitson,1868** (Argynnidae) Synonym(s): *nemetes* Hewitson,1868 Range (in code): **SN ZR UG SD KE GA CG AO CM ET** Bionomy: Larva on Alchornea, Macaranga (Euphorbiaceae) (Ackery et al.,1995).
- 4187. *Neptis (s.str.) nemetes margueriteae* Fox,1968** (Argynnidae) Synonym(s): *margueriteae* Fox,1968 Range (in code): **GA CG AO CM**
- 4188. *Neptis (s.str.) nemetes nemetes* Hewitson,1868** (Argynnidae) Synonym(s): *nemetes* Hewitson,1868 Range (in code): **SN ZR UG SD KE**
- 4189. *Neptis (s.str.) nemetes obtusa* Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *obtusa* Rothschild & Jordan,1903 Range (in code): **ET**
- 4190. *Neptis (s.str.) nicobule* Holland,1892** (Argynnidae) Synonym(s): *nicobule* Holland,1892 Range (in code): **GA ZR UG ZR CG GZ CM GH LR**
- 4191. *Neptis (s.str.) nicomedes* Hewitson,1874** (Argynnidae) Synonym(s): *nicomedes* Hewitson,1874; *quintilla* Mabilie,1890 Range (in code): **CI NG GN AO ZR UG** Bionomy: Larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 4192. *Neptis (s.str.) nicoteles* Hewitson,1874** (Argynnidae) Synonym(s): *nicoteles* Hewitson,1874 Range (in code): **UG TZ ZR AO CM LR**
- 4193. *Neptis (s.str.) nina* Staudinger,1896** (Argynnidae) Synonym(s): *nina* Staudinger,1896 Range (in code): **TZ KE**
- 4194. *Neptis (s.str.) nysiades* Hewitson,1868** (Argynnidae) Synonym(s): *nysiades* Hewitson,1868 Range (in code): **NG SN AO UG TZ** Bionomy: Larva on Paullinia (Sapindaceae) (Ackery et al.,1995).
- 4195. *Neptis (s.str.) occidentalis* Rothschild,1918** (Argynnidae) Synonym(s): *occidentalis* Rothschild,1918 Range (in code): **ZR NG CM**
- 4196. *Neptis (s.str.) occidentalis batesii* Hall,1930** (Argynnidae) Synonym(s): *batesii* Hall,1930 Range (in code): **NG CM**
- 4197. *Neptis (s.str.) occidentalis occidentalis* Rothschild,1918** (Argynnidae) Synonym(s): *occidentalis* Rothschild,1918 Range (in code): **ZR**
- 4198. *Neptis (s.str.) ochracea* Neave,1904** (Argynnidae) Synonym(s): *ochracea* Neave,1904 Range (in code): **UG ZR CM TZ**
- 4199. *Neptis (s.str.) ochracea lualabae* Berger,1981** (Argynnidae) Synonym(s): *lualabae* Berger,1981 Range (in code): **ZR**
- 4200. *Neptis (s.str.) ochracea mildbraedi* Gaede,1915** (Argynnidae) Synonym(s): *mildbraedi* Gaede,1915 Range (in code): **CM**
- 4201. *Neptis (s.str.) ochracea ochracea* Neave,1904** (Argynnidae) Synonym(s): *ochracea* Neave,1904 Range (in code): **UG ZR**
- 4202. *Neptis (s.str.) ochracea ochreatea* Gaede,1915** (Argynnidae) Synonym(s): *ochreatea* Gaede,1915; *parvimacula* Rothschild,1918 Range (in code): **ZR UG**
- 4203. *Neptis (s.str.) ochracea reductata* T.Larsen,1995** (Argynnidae) Synonym(s): *reducta* Kielland,1978 nec Fruhst.,1908; *reductata* T.Larsen,1995 Range (in code): **TZ**
- 4204. *Neptis (s.str.) ochracea uluguru* Kielland,1985** (Argynnidae) Synonym(s): *uluguru* Kielland,1985 Range (in code): **TZ**
- 4205. *Neptis (s.str.) omeroda* Moore,[1875]** (Argynnidae) Synonym(s): *omeroda* Moore,[1875] Range (in code): **PH Stu Bal Pal MY Lkw TH Rng Yal Tng Nst Phu**
- 4206. *Neptis (s.str.) omeroda occultus* Tsukada & Kaneko,1985** (Argynnidae) Synonym(s): *occultus* Tsukada & Kaneko,1985 Range (in code): **PH Bal Pal**
- 4207. *Neptis (s.str.) omeroda omeroda* Moore,[1875]** (Argynnidae) Synonym(s): *omeroda* Moore,[1875] Range (in code): **MY Lkw PH Stu TH Rng Yal Tng Phu Nst**
- 4208. *Neptis (s.str.) pampanga* C.Felder & R.Felder,1863** (Argynnidae) Synonym(s): *pampanga* C.Felder & R.Felder,1863 Range (in code): **PH Luz Mar Neg Pan Bas Mdo Mno Boh Ceb Ley Sam**
- 4209. *Neptis (s.str.) pampanga boholica* Moore,1899** (Argynnidae) Synonym(s): *boholica* Moore,1899 Range (in code): **PH Boh Ceb Ley Mno Sam**

- 4210. *Neptis (s.str.) pampanga dormida* Eliot,1969** (Argynnidae) **Synonym(s):** *dormida* Eliot,1969 **Range (in code):** **PH Mdo**
- 4211. *Neptis (s.str.) pampanga lizana* Fruhstorfer,1900** (Argynnidae) **Synonym(s):** *lizana* Fruhstorfer,1900 **Range (in code):** **PH Bas**
- 4212. *Neptis (s.str.) pampanga myleenae* Tsukada & Kaneko,1985** (Argynnidae) **Synonym(s):** *myleenae* Tsukada & Kaneko,1985 **Range (in code):** **PH Neg Pan**
- 4213. *Neptis (s.str.) pampanga pampanga* C.Felder & R.Felder,1863** (Argynnidae) **Synonym(s):** *pampanga* C.Felder & R.Felder,1863 **Original Reference:** *Neptis pampanga* Felder & Felder,1863, Wien. ent. Monatschr. 7(4): 111 **Type:** Luzon., **Range (in code):** **PH Luz Mar**
- 4214. *Neptis (s.str.) paula* Staudinger,1896** (Argynnidae) **Synonym(s):** *paula* Staudinger,1896 **Range (in code):** **SL CI NG**
- 4215. *Neptis (s.str.) penningtoni* Van Son,1977** (Argynnidae) **Synonym(s):** *penningtoni* Van Son,1977 **Range (in code):** **KE TZ ZM MZ ZA Tva Lpo Spb**
- 4216. *Neptis (s.str.) philyra* Ménéttriés,1858** (Argynnidae) **Synonym(s):** *philyra* Ménéttriés,1858 **Original Reference:** *Neptis philyra* Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.7. **Syntypes:** Russia: Amur. **Range (in code):** **RU Vv CN JP** **Bionomy:** Larva on *Acer japonicum*, *Carpinus cordata*, *Ulmus japonica* (Murzin,2000).
- 4217. *Neptis (s.str.) philyra philyra* Ménéttriés,1858** (Argynnidae) **Synonym(s):** *philyra* Ménéttriés,1858 **Original Reference:** *Neptis philyra* Ménéttriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.7. **Syntypes:** Russia: Amur. **Range (in code):** **RU Vv CN JP** **Bionomy:** Larva on *Acer japonicum*, *Carpinus cordata*, *Ulmus japonica* (Murzin,2000).
- 4218. *Neptis (s.str.) philyroides* Staudinger,1887** (Argynnidae) **Synonym(s):** *philyroides* Staudinger,1887 **Original Reference:** *Neptis philyroides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. **Syntypes:** Russia: Radeffka: *Philyra*; Ussuri. **Range (in code):** **RU Vv Am KP CN** **Bionomy:** Larva on *Corylus heterophyllus* (Murzin,2000).
- 4219. *Neptis (s.str.) philyroides philyroides* Staudinger,1887** (Argynnidae) **Synonym(s):** *philyroides* Staudinger,1887 **Original Reference:** *Neptis philyroides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 146. **Syntypes:** Russia: Radeffka: *Philyra*; Ussuri. **Range (in code):** **RU Vv Am KP CN** **Bionomy:** Larva on *Corylus heterophyllus* (Murzin,2000).
- 4220. *Neptis (s.str.) poultoni* Eltringham,1921** (Argynnidae) **Synonym(s):** *poultoni* Eltringham,1921 **Range (in code):** **UG ZR** **Bionomy:** Larva on *Paullinia* (Sapindaceae), *Clerodendrum* (Verbenaceae) (Ackery et al.,1995).
- 4221. *Neptis (s.str.) pratti* (Leech,1890)** (Argynnidae) **Synonym(s):** *pratti* Leech,1890 **Original Reference:** *Limenitis pratti* Leech,1890, Entomologist 23: 34. **Type(s):** China. **Range (in code):** **KP RU Vv CN**
- 4222. *Neptis (s.str.) pratti coreana* (Matsumura,1927)** (Argynnidae) **Synonym(s):** *coreana* Matsumura,1927 **Original Reference:** *Limenitis pratti* ssp. *coreana* Matsumura,1927, Insecta Matsumurana 1: 165-166, Pl.v f.14. **Type** ♀: Core: Shokoji. **Range (in code):** **KP**
- 4223. *Neptis (s.str.) pratti eximia* (Moltrecht,1909)** (Argynnidae) **Synonym(s):** *eximia* Moltrecht,1909 **Original Reference:** *Limenitis eximia* Moltrecht,1909, Ent. Z., Stuttgart 22: 184. **Syntypes** ♂♀: Russia: Wladiwostok. **Range (in code):** **RU Vv**
- 4224. *Neptis (s.str.) pratti pratti* (Leech,1890)** (Argynnidae) **Synonym(s):** *pratti* Leech,1890 **Original Reference:** *Limenitis pratti* Leech,1890, Entomologist 23: 34. **Type(s):** China. **Range (in code):** **CN**
- 4225. *Neptis (s.str.) pryeri* Butler,1871** (Argynnidae) **Synonym(s):** *pryeri* Butler,1871; *andetria* Fruhstorfer,1912; *kusnetzovi* Kurentzov,1949. **Original Reference:** *Neptis pryeri* Butler,1871, Trans. ent. Soc. Lond. 1871: 403. **Type(s):** China: Shanghai. **Range (in code):** **RU Vv Prj Us KR KP CN JP** **Bionomy:** Larva on *Spiraea* sp. (Fukuda et al.,1984).
- 4226. *Neptis (s.str.) pryeri arboretorum* Oberthür,1876** (Argynnidae) **Synonym(s):** *arboretorum* Oberthür,1876 **Range (in code):** **CN**
- 4227. *Neptis (s.str.) pryeri koreana* Nakahara** (Argynnidae) **Synonym(s):** *koreana* Nakahara **Range (in code):** **KP KR**
- 4228. *Neptis (s.str.) pryeri pryeri* Butler,1871** (Argynnidae) **Synonym(s):** *pryeri* Butler,1871; *andetria* Fruhstorfer,1912; *kusnetzovi* Kurentzov,1949. **Original Reference:** *Neptis pryeri* Butler,1871, Trans. ent. Soc. Lond. 1871: 403. **Type(s):** China: Shanghai. **Range (in code):** **RU Vv Prj Us** **Bionomy:** Larva on *Spiraea* sp. (Fukuda et al.,1984).

- 4229. *Neptis (s.str.) puella Aurivillius,1894*** (Argynnidae) Synonym(s): *puella Aurivillius,1894*
Range (in code): **UG TZ CM ZR CI SL**
- 4230. *Neptis (s.str.) radha Moore,[1858]*** (Argynnidae) Synonym(s): *radha Moore,[1858]*
Range (in code): **IN TH CMa**
- 4231. *Neptis (s.str.) radha radha Moore,[1858]*** (Argynnidae) Synonym(s): *radha Moore,[1858]*
Range (in code): **IN TH CMa**
- 4232. *Neptis (s.str.) rivularis (Scopoli,1763)*** (Argynnidae) Synonym(s): *rivularis Scopoli,1763; lucilla Denis & Schiffermüller,1775; coenobita Cramer,1780; #tolunay Koçak & Kemal,2006.* Original Reference: *Papilio rivularis Scopoli,1763, Entomologia Carniolica:165. Type(s): [Slovenien]: Carniola [Krain]; Graz(Austria) (Higgins & Riley,1970:83).* Range (in code): **Aa Cc AM Am At Bn Kts AT Aty Ba BG BY CH CN CZ GR GG Akh HU Ir IT IR Km Ab Ak JP KG Kmt KP KR MK MN PL RO RU Sb Sh SK Sm So Sr TR TW UA Ui Um Adu Uk Vt Vv YU Bog Sb Prj Us Am Krl TrA KuA TeA Ax DsA Tk Ket Lps Mn Sem Sju Ssn Tar Sau Pm T-S Arr Nv Ord Tbl** Bionomy: Larva on *Spiraea chamaedryfolia*, *S. salicifolia*, *S. crenata*, *S. aquilegifolia*, *S. hypericifolia*, *Aruncus dioecus*, *Filipendula ulmaria* (Rosaceae) (Kurentzov,1970; Danner,1985; Lukhtanov & Lukhtanov, 1994; Tolman,1997).
- 4233. *Neptis (s.str.) rivularis ludmilla (Boisduval,1848)*** (Argynnidae) Synonym(s): *ludmilla Boisduval,1848; ludmilla Herrich-Schäffer,1856.* Original Reference: *Limnitis ludmilla Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase.* Range (in code): **At Cc AM GG Akh Bn Ba KG KK RU Sm So Sr Uk Vt TR IR Km Ab Ak T-S CN Ui Um Adu Dj TrA KuA TeA Ax DsA At Aa Tk Ket Lps Mn Sem Sju Ssn Tar Sau Pm Arr Nv Ord Tbl Smt Bjo** Bionomy: Larva on *Spiraea chamaedryfolia*, *S. salicifolia*, *S. crenata*, *S. aquilegifolia*, *S. hypericifolia*, *Aruncus dioecus*, *Filipendula ulmaria* (Rosaceae) (Kurentzov,1970; Danner,1985; Lukhtanov & Lukhtanov, 1994; Tolman,1997).
- 4234. *Neptis (s.str.) rivularis magnata (Heyne,[1895])*** (Argynnidae) Synonym(s): *magnata Heyne,[1895]; synetairus Fruhstorfer,1907; bergmani Bryk,1942.* Original Reference: *Neptis lucilla var. magnata Heyne,[1895], [in] Rühl, Die palaearkt. Grossschmett. 1: 776. Syntypes: Mongolei.* Range (in code): **MN RU Sb Prj Us Am Sh Krl**
- 4235. *Neptis (s.str.) rivularis rivularis (Scopoli,1763)*** (Argynnidae) Synonym(s): *rivularis Scopoli,1763; lucilla Denis & Schiffermüller,1775; coenobita Cramer,1780; #tolunay Koçak & Kemal,2006.* Original Reference: *Papilio rivularis Scopoli,1763, Entomologia Carniolica: 165. Type(s): [Slovenien]: Carniola [Krain]; Graz(Austria) (Higgins & Riley,1970:83).* Range (in code): **AT Aty Ba BG BY CH CZ GR HU Ir IT MK PL RO RU SK Sm So Sr UA Uk Vt YU**
- 4236. *Neptis (s.str.) roberti Eltringham,1929*** (Argynnidae) Synonym(s): *roberti Eltringham,1929*
Range (in code): **UG ZR**
- 4237. *Neptis (s.str.) rogersi Eltringham,1921*** (Argynnidae) Synonym(s): *rogersi Eltringham,1921*
Range (in code): **KE** Bionomy: Larva on *Alchornea* (Euphorbiaceae), *Aullinia* (Sapindaceae) (Ackery et al.,1995).
- 4238. *Neptis (s.str.) rothschildi Eltringham,1921*** (Argynnidae) Synonym(s): *rothschildi Eltringham,1921*
Range (in code): **ZR**
- 4239. *Neptis (s.str.) saclava Boisduval,1833*** (Argynnidae) Synonym(s): *saclava Boisduval,1833*
Range (in code): **CG ZW CM ET TZ Tnga Usa Ani MZ MG ZA Nta Kzu Ptb Spb Mdk Kru Pma Pf Gau Jh Mpu Brb Wri Nel Suw Tva Lpo MW Zom** Bionomy: Larva on *Combretum*, *Quisqualis* (Combretaceae); *Acalypha*, *Ricinus* (Euphorbiaceae); *Australina*, *Pilea* (Urticaceae) (Ackery et al.,1995).
- 4240. *Neptis (s.str.) saclava marpessa Hopffer,1855*** (Argynnidae) Synonym(s): *marpessa Hopffer,1855; pasteurii Snellen,1882*
Range (in code): **CG ZW CM ET TZ Tnga Usa Ani MZ ZA Nta Kzu Ptb Spb Mdk Kru Pma Pf Gau Jh Mpu Brb Wri Nel Suw Tva Lpo**
- 4241. *Neptis (s.str.) saclava saclava Boisduval,1833*** (Argynnidae) Synonym(s): *saclava Boisduval,1833*
Range (in code): **MG**
- 4242. *Neptis (s.str.) sankara (Kollar,[1844])*** (Argynnidae) Synonym(s): *sankara Kollar,[1844]*
Range (in code): **TH CMa CDo Chy MM MY**
- 4243. *Neptis (s.str.) sankara guiltoides Tytler,1940*** (Argynnidae) Synonym(s): *guiltoides Tytler,1940*
Range (in code): **TH CMa CDo Chy MM**
- 4244. *Neptis (s.str.) sankara peninsularis Eliot,1969*** (Argynnidae) Synonym(s): *peninsularis Eliot,1969*
Range (in code): **MY**
- 4245. *Neptis (s.str.) sankara sankara (Kollar,[1844])*** (Argynnidae) Synonym(s): *sankara Kollar,[1844]*

- 4246. *Neptis (s.str.) sappho (Pallas,1771)* (Argynnidae) Synonym(s):** *sappho Pallas,1771; aceris Lepechin,1771; aceris Esper,[1783]*. Original Reference: *Papilio sappho Pallas,1771, Reise versch. Prov. russ. Reiches 1: 471. Type(s): Russia: Wolga. Range (in code): Am At Bn AT Ba BG BY CN CZ GR HU IN IT JP KG KP MK MM PK PL RO RU Sb SK Sm So Sr SS Ti TW UA VI VN Vv YU TH CMA TAK Cbi Chy Loe* Bionomy: Larva on *Lathyrus vernus*, *L. humilis*, *Lespedeza bicolor* (Blaschke,1914; Murzin,2000).
- 4247. *Neptis (s.str.) sappho astola Moore,1872* (Argynnidae) Synonym(s):** *astola Moore,1872* Range (in code): TH CMA TAK Cbi Chy Loe
- 4248. *Neptis (s.str.) sappho sappho (Pallas,1771)* (Argynnidae) Synonym(s):** *sappho Pallas,1771; aceris Lepechin,1771; aceris Esper,[1783]*. Original Reference: *Papilio sappho Pallas,1771, Reise versch. Prov. russ. Reiches 1: 471. Type(s): Russia: Wolga. Range (in code): Am AT At Bn Ba BG BY CZ GR HU IT KG MK PL RO RU SK Sm So Sr SS UA VI Vv YU* Bionomy: Larva on *Lathyrus vernus*, *L. humilis*, *Lespedeza bicolor* (Blaschke,1914; Murzin,2000).
- 4249. *Neptis (s.str.) sedata Sasaki,1982* (Argynnidae) Synonym(s):** *sedata Sasaki,1982* Range (in code): MY
- 4250. *Neptis (s.str.) sedata sedata Sasaki,1982* (Argynnidae) Synonym(s):** *sedata Sasaki,1982* Range (in code): MY
- 4251. *Neptis (s.str.) seeldrayersi Aurivillius,1895* (Argynnidae) Synonym(s):** *seeldrayersi Aurivillius,1895* Range (in code): ZR
- 4252. *Neptis (s.str.) serena Overlaet,1955* (Argynnidae) Synonym(s):** *serena Overlaet,1955* Original Reference: *Neptis serena Overlaet,1955, Exploration du Parc National de l'Upemba 27: 89, figs. 37a,b, 32. Holotype: Zaire: Kaziba. Range (in code): AC AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ Tnga Usa Ani UG YE ZM ZR ZW*
- 4253. *Neptis (s.str.) serena annah T.Larsen,1982* (Argynnidae) Synonym(s):** *annah T.Larsen,1982* Original Reference: *Neptis serena ssp. annah Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 31, pl.2 fig.5. Holotype ♂: yemen: Udayin, Wadi Annah, 1400m (BMNH). Range (in code): YE*
- 4254. *Neptis (s.str.) serena serena Overlaet,1955* (Argynnidae) Synonym(s):** *serena Overlaet,1955* Original Reference: *Neptis serena Overlaet,1955, Exploration du Parc National de l'Upemba 27: 89, figs. 37a,b, 32. Holotype: Zaire: Kaziba. Range (in code): AC AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS LY MA ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TN TZ Tnga Usa Ani UG ZM ZR ZW*
- 4255. *Neptis (s.str.) sextilla Mabille,1882* (Argynnidae) Synonym(s):** *sextilla Mabille,1882* Range (in code): MG
- 4256. *Neptis (s.str.) soma Moore,1858* (Argynnidae) Synonym(s):** *soma Moore,1858* Range (in code): PK Abb Ci BD IN Up Bhi SI Ass MY TH CMA CDo Chy Loe Nan MM Shn VN TW CN Yu Sz
- 4257. *Neptis (s.str.) soma butleri Eliot,1969* (Argynnidae) Synonym(s):** *yerburi Butler,1888 nec Butl.,1886; butleri Eliot,1969* Range (in code): PK Abb Ci
- 4258. *Neptis (s.str.) soma pendleburyi Corbet,1937* (Argynnidae) Synonym(s):** *pendleburyi Corbet,1937* Range (in code): MY
- 4259. *Neptis (s.str.) soma shania Evans,1924* (Argynnidae) Synonym(s):** *shania Evans,1924* Range (in code): MM Shn TH CMA CDo Chy Loe Nan VN CN Yu
- 4260. *Neptis (s.str.) soma soma Moore,1858* (Argynnidae) Synonym(s):** *soma Moore,1858* Range (in code): IN Ass BD SI
- 4261. *Neptis (s.str.) speyeri Staudinger,1887* (Argynnidae) Synonym(s):** *speyeri Staudinger,1887* Original Reference: *Neptis speyeri Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 145, pl.7 figs.3a,b. Syntypes: Russia: Ussuri. Range (in code): RU Vv Mc CN KP KR* Bionomy: Larva on *Corylus heterophyllus* (Omelko & Omelko,1975).
- 4262. *Neptis (s.str.) speyeri speyeri Staudinger,1887* (Argynnidae) Synonym(s):** *speyeri Staudinger,1887* Original Reference: *Neptis speyeri Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 145, pl.7 figs.3a,b. Syntypes: Russia: Ussuri. Range (in code): RU Vv Mc CN KP KR* Bionomy: Larva on *Corylus heterophyllus* (Omelko & Omelko,1975).
- 4263. *Neptis (s.str.) strigata Aurivillius,1894* (Argynnidae) Synonym(s):** *strigata Aurivillius,1894* Range (in code): CI CM ZR UG TZ KE Bionomy: Larva on *Clerodendrum* (Verbenaceae) (Ackery et al.,1995).
- 4264. *Neptis (s.str.) sunica Eliot,1969* (Argynnidae) Synonym(s):** *sunica Eliot,1969* Range (in code): PH Bal Pal

- 4265. *Neptis* (s.str.) *swynnertoni* Trimen,1912** (Argynnidae) Synonym(s): *swynnertoni* Trimen,1912 _ Range (in code): ZW MW
- 4266. *Neptis* (s.str.) *themis* Leech,1892** (Argynnidae) Synonym(s): *themis* Leech,1892 _ Range (in code): RU Vv CN
- 4267. *Neptis* (s.str.) *themis themis* Leech,1892** (Argynnidae) Synonym(s): *themis* Leech,1892 _ Range (in code): RU Vv CN
- 4268. *Neptis* (s.str.) *thisbe* Ménétériés,1858** (Argynnidae) Synonym(s): *thisbe* Ménétériés,1858 _ Original Reference: *Neptis thisbe* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.8. Syntypes: Russia: Amur. Range (in code): RU Vv KP CN
- 4269. *Neptis* (s.str.) *thisbe thisbe* Ménétériés,1858** (Argynnidae) Synonym(s): *thisbe* Ménétériés,1858 _ Original Reference: *Neptis thisbe* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 214, nr.8. Syntypes: Russia: Amur. Range (in code): RU Vv KP CN
- 4270. *Neptis* (s.str.) *trigonophora* Butler,1878** (Argynnidae) Synonym(s): *trigonophora* Butler,1878 _ Range (in code): UG SL CI NG CM ZR TZ KE MW MZ ZW ZA Ec Stj _ Bionomy: Larva on Baphia, Milletia [in captivity], Pterocarpus (Fabaceae); Ventiago (Rhamnaceae); Paullinia (Sapindaceae); Sterculia (Sterculiaceae); Grewia (Tiliaceae) (Ackery et al.,1995).
- 4271. *Neptis* (s.str.) *trigonophora melicertula* Strand,1912** (Argynnidae) Synonym(s): *melicertula* Strand,1912; *intermedia* Schultze,1920; *vansomereni* D'Abrera,1980 _ Range (in code): UG SL CI NG CM ZR
- 4272. *Neptis* (s.str.) *trigonophora trigonophora* Butler,1878** (Argynnidae) Synonym(s): *trigonophora* Butler,1878 _ Range (in code): TZ KE MW MZ ZW ZA Ec Stj
- 4273. *Neptis* (s.str.) *troundi* Pierre-Baltus,1978** (Argynnidae) Synonym(s): *troundi* Pierre-Baltus,1978 _ Range (in code): CI _ Bionomy: Larva on Milletia (Fabaceae); Paullinia (Sapindaceae), Grewia (Tiliaceae) (Ackery et al.,1995).
- 4274. *Neptis* (s.str.) *tshetverikovi* Kurenzov,1936** (Argynnidae) Synonym(s): *tshetverikovi* Kurenzov,1936 _ Range (in code): RU Vv Am
- 4275. *Neptis* (s.str.) *tshetverikovi tshetverikovi* Kurenzov,1936** (Argynnidae) Synonym(s): *tshetverikovi* Kurenzov,1936 _ Range (in code): RU Vv Am
- 4276. *Neptis* (s.str.) *vindo* Pierre-Baltus,1978** (Argynnidae) Synonym(s): *vindo* Pierre-Baltus,1978 _ Range (in code): CI _ Bionomy: Larva on Lasiodiscus (Rhamnaceae) (Ackery et al.,1995).
- 4277. *Neptis* (s.str.) *woodwardi* Sharpe,1899** (Argynnidae) Synonym(s): *woodwardi* Sharpe,1899 _ Range (in code): KE UG
- 4278. *Neptis* (s.str.) *woodwardi translima* D'Abrera,1980** (Argynnidae) Synonym(s): *translima* D'Abrera,1980; *translima* Collins & Larsen,1991 _ Range (in code): KE
- 4279. *Neptis* (s.str.) *woodwardi woodwardi* Sharpe,1899** (Argynnidae) Synonym(s): *woodwardi* Sharpe,1899 _ Range (in code): UG KE
- 4280. *Neptis* (s.str.) *yerburii pandoces* Eliot,1969** (Argynnidae) Synonym(s): *pandoces* Eliot,1969 _ Range (in code): TH Chy CMA
- 4281. *Neptis* (s.str.) *yerburii yerburii* Butler,1886** (Argynnidae) Synonym(s): *yerburii* Butler,1886 _ Original Reference: *Neptis yerburii* Butler, 1886, Proc. zool. Soc. Lond. 1886: 360. Type ♂: [Pakistan]: Murree. Range (in code): PK Pj Haz Mre
- 4282. *Neptis* (s.str.) *zaida* Westwood,1850** (Argynnidae) Synonym(s): *zaida* Westwood,1850 _ Range (in code): TH Chy Loe
- 4283. *Neptis* (s.str.) *zaida putoia* Evans,1932** (Argynnidae) Synonym(s): *putoia* Evans,1932 _ Range (in code): TH Chy Loe
- 4284. *Neurosigma* *fraterna* Moore,1897** (Argynnidae) Synonym(s): *fraterna* Moore,1897 _ Range (in code): BT IN Ass BD Cta
- 4285. *Neurosigma* *siva* (Westwood,[1850])** (Argynnidae) Synonym(s): *siva* Westwood,[1850] _ Range (in code): TH CMA Loe
- 4286. *Neurosigma* *siva nonius* De Nicéville,1896** (Argynnidae) Synonym(s): *nonius* De Nicéville,1896 _ Range (in code): TH CMA Loe
- 4287. *Neurosigma* *siva siva* (Westwood,[1850])** (Argynnidae) Synonym(s): *siva* Westwood,[1850]
- 4288. *Nymphalis* *antiopa* (Linnaeus,1758)** (Argynnidae) Synonym(s): *antiopa* Linnaeus,1758; *pompador* Pollich,1783; *morio* Retzius,1783; *borealis* Wnukowsky,1927. _ Original Reference: *Papilio antiopa* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 476. Type(s): America. Range (in code): AL AM At Bn AT AZ Ba BE BG B-H BY CH CN CZ DE Dj DK EE ES FI FR GB GG GR HU HV IE IS IT KG Ku LT LU

- LV MK NL NO PL PT RO RU SE Sem SK Sm So Sr SS Tk TR UA Ui Uk VI YU Ken Sau Tar DsA TeA KuA
TrA Ket T-S US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon
Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws
Wy Tbl Smt Bjo Bku Kml Cc IR Ab Bionomy: Larva on Salix alba, S. cinerea, S. atrocinerea, S.
caprea, S. aurita, S. viminalis, Populus tremula, P. nigra, P. alba (Salicaceae) (Tolman, 1997);
Betula pendula (Lavroff, 1927; Anikin et al., 1993); Urtica sp. (Korshunov, 1981).
- 4289. *Nymphalis californica* (Boisduval,1852)** (Argynnididae) Synonym(s): *californica*
Boisduval,1852 Range (in code): US MX Arz Cf Col Id Iln Io Mch Mis Mon NDk NMx Ne Neb Ny Org
Pns SDk Ut Vr Ws Wy
- 4290. *Nymphalis polychloros* (Linnaeus,1758)** (Argynnididae) Synonym(s): *polychloros*
Linnaeus,1758; *testudo* *Esper,1781*; *pyrrhomelaena* *Hübner,1824*; *pyromelas* *Freyer,1834*; *fervida* *Standfuss,1896*.
Original Reference: *Papilio polychloros* *Linnaeus,1758*, Syst. Nat. (Edn.10) 1: 477. Type(s):
[Sweden (Verity,1950)]. Range (in code): Ae AL AM Cc Ao At AT AZ Ba BE BG B-H BY CH Cm Co Cr
CZ DE DK DZ Dju Blid ES Mu FI FR GB GG GR HU HV IE IQ IR Ab Elb Mz Gls IT KG Kp Kr MA Rf MK
MT NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR UA Uk VI YU Sur Ssx Ken LB SY PK Ci
Nwf Haz Mre CY EE LT LU LV Sbd Mage Agi Orn Anna Blid Btma Khh Ktr DhM Ght Lkr Hrh Dzc
Bionomy: Larva on Ulmus procera, U. glabra, U. campestris, U. americana, Salix caprea, S. alba,
S. pedicellata, S. viminalis, Prunus avium, P. domestica, Prunus padus, Pyrus communis, Malus
domestica, Populus tremula, P. nigra, P. alba, Sorbus tormilis, Crataegus monogyna
(Tolman,1997).
- 4291. *Nymphalis polychloros erythromelas* (Austaut,1885)** (Argynnididae) Synonym(s):
erythromelas *Austaut,1885* Original Reference: *Vanessa polychloros* var. *erythromelas*
Austaut,1885, Naturaliste (1) 7: 142. Type: Algeria Nemours. Range (in code): DZ Dju Dzc Hrh MA
Rf Lkr TN Sbd Mage Agi Orn Blid Btma Khh Ktr DhM Ght
- 4292. *Nymphalis polychloros polychloros* (Linnaeus,1758)** (Argynnididae) Synonym(s):
polychloros *Linnaeus,1758*; *testudo* *Esper,1781*; *pyrrhomelaena* *Hübner,1824*; *pyromelas* *Freyer,1834*; *fervida*
Standfuss,1896. Original Reference: *Papilio polychloros* *Linnaeus,1758*, Syst. Nat. (Edn.10) 1:
477. Type(s): [Sweden (Verity,1950)]. Range (in code): IL He Ae AL AM Cc Ao AT AZ Ba BE BG B-H
Bw BY CH Cm Co Cr CZ DE DK EE ES Mu FI FR GB GG GR HU HV IE IQ IR Ab Elb Mz IT KG Kp Kr LT
LU LV MK MT NO PL PT Rd RO Rp RU Sa SE Si SK Sm So Sr SS TM TR UA Uk VI YU Sur Ssx Ken LB
SY PK Ci Nwf Haz Mre CY
- 4293. *Nymphalis vaualbum* ([Denis & Schiffermüller],1775)** (Argynnididae) Synonym(s):
#vaualbum [Denis & Schiffermüller],1775; *l-album* *Esper,[1781]* Original Reference: *Papilio vaualbum*
[Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wiener Gegend: 176. (nomen
nudum). Range (in code): Bn At Kts AT Ba BG BY CA CN Ui CZ DK EE FI GG HU JP LV PL RO RU SE
SK Sm So Sr TR UA US VI YU LAT Wn MN KP KR Mc Sau Tar DsA Ket TrA PK Ci Nwf Ch T-S KG Smt
Bku Bjo US Cf Cnt Col Fl Id Idp Iln Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Ne Neb Nh Nje Ny
Oh Org Pns RDi SDk Ut Vi Vr WVi Wc Ws Wy Cc Bionomy: Larva on Ulmus (Ulmaceae); Populus,
Salix (Salicaceae) (Tolman,1997).
- 4294. *Nymphalis vaualbum vaualbum* ([Denis & Schiffermüller],1775)** (Argynnididae)
Synonym(s): *#vaualbum* [Denis & Schiffermüller],1775; *l-album* *Esper,[1781]* Original Reference:
Papilio vaualbum [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wiener
Gegend: 176. (nomen nudum). Range (in code): Bn At Kts AT Ba BG BY CA CN Ui CZ DK EE FI GG
HU JP LV PL RO RU SE SK Sm So Sr TR UA US VI YU LAT Wn MN KP KR Mc Sau Tar DsA Ket TrA PK
Ci Nwf Ch T-S KG Smt Bku Bjo US Cf Cnt Col Fl Id Idp Iln Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa
NDk Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vi Vr WVi Wc Ws Wy Cc
- 4295. *Nymphalis xanthomelas* (Esper,[1781])** (Argynnididae) Synonym(s): *#xanthomelas* [Denis
& Schiffermüller],1775; *xanthomelas* *Esper,[1781]* Original Reference: *Papilio xanthomelas*
Esper,[1781], Die Schmett. 1(2): 77, pl.63, fig.4. Type(s): Wien. Range (in code): AF Ng Jla AL AM
Cc At Bn AT AZ Ba BG B-H BY Ch CN Cr CZ Dj DK EE FI FR GB GG Smt Bjo GR HU HV IR Ab Zj Elb Mz
JP Kab Kbb KG Kr LT LV MK Pag PL Pnj RO RU SE Sem SK Sm So Sr SS Tk TR UA Uk YU Syr Tm Ui
Um Kml Sau Tar DsA Ax TrA KuA Kma Ci Wa Bl PK IN T-S Bionomy: Larva on Salix, Populus
(Salicaceae) (Bartel, 1902).
- 4296. *Nymphalis xanthomelas ferveescens* (Stichel,[1908])** (Argynnididae) Synonym(s):
ferveescens *Stichel,[1908]*; *hazara* *Wyatt & Omoto,1966*. Original Reference: *Vanessa xanthomelas*
ferveescens *Stichel,1908*, [in] *Seitz,A.*, Die Gross-Schmett. Erde 1: 205. Type(s): "Kleinasien bis
zum Himalaya"(pro *fervida* *Staudinger,1901* nec *Standfuss,1896*). Lectotype ♂: [Türkei]: Hadjin
(designated by *Wagener,1995*: 1012 (in ZMHB)). Range (in code): AF Ng Jla At AM AZ Cc Ch Dj GG
Smt Bjo IR Ab Zj Elb Mz Kab Kbb KG Pag Pnj Sem Tk TR Syr Tm CN Ui Um Kml Sau Tar T-S DsA Ax
TrA KuA Kma Ci Wa Bl PK IN

- 4297. *Nymphalis xanthomelas xanthomelas* (Esper,[1781])** (Argynnidae) Synonym(s): *xanthomelas* Esper,[1781] Original Reference: Papilio xanthomelas Esper,[1781], Die Schmett. 1(2): 77, pl.63, fig.4. Type(s): Wien. Range (in code): **At Bn AL AT Ba BG B-H BY Cr CZ DK EE FI FR GB GR HU HV JP Kr LT LV MK PL RO RU SE SK Sm So Sr SS UA Uk YU**
- 4298. *Paduca fasciata* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *fasciata* C.Felder & R.Felder,1860 Original Reference: Atella fasciata Felder & Felder, 1860, Wien. ent. Monatschr. 4: 234. Range (in code): **PH Cal Pal Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MM MY Lkw TH Nna Cbu Rng Sbu Cbi Nst Bnk Sgk Hya Tnc ID Sum Ja**
- 4299. *Paduca fasciata bilbilis* Fruhstorfer,1900** (Argynnidae) Synonym(s): *bilbilis* Fruhstorfer,1900 Range (in code): **ID Ja**
- 4300. *Paduca fasciata fasciata* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *fasciata* C.Felder & R.Felder,1860; *ortopia* Fruhstorfer,1900 Original Reference: Atella fasciata C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 234. Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MM MY Lkw TH Nna Cbu Rng Sbu Cbi Nst Bnk Sgk Hya Tnc ID Sum**
- 4301. *Paduca fasciata palloris* Fruhstorfer,1900** (Argynnidae) Synonym(s): *palloris* Fruhstorfer,1900 Range (in code): **PH Cal Pal**
- 4302. *Paduca satyrina* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *satyrina* C.Felder & R.Felder,1867 Range (in code): **ID Bgk Clb Sla**
- 4303. *Paduca satyrina angustata* (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *angustata* Fruhstorfer,1912 Range (in code): **ID Sla**
- 4304. *Paduca satyrina satyrina* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *satyrina* C.Felder & R.Felder,1867
- 4305. *Paduca satyrina sibylla* Röber,1887** (Argynnidae) Synonym(s): *sibylla* Röber,1887 Range (in code): **ID Clb**
- 4306. *Paduca satyrina simliana* Röber,1887** (Argynnidae) Synonym(s): *simliana* Röber,1887 Range (in code): **ID Bgk**
- 4307. *Palla decius* (Cramer,[1777])** (Argynnidae) Synonym(s): *decius* Cramer,[1777] Range (in code): **ZR GN CM CG AO** Bionomy: Larva on Bonamia, Calycobolus (Convolvulaceae); Clerodendron (Verbenaceae) (Ackery et al.,1995).
- 4308. *Palla publius* Staudinger,1892** (Argynnidae) Synonym(s): *publius* Staudinger,1892 Range (in code): **SL NG CM CF CG GA ZR TZ**
- 4309. *Palla publius centralis* Van Someren,1975** (Argynnidae) Synonym(s): *centralis* Van Someren,1975 Range (in code): **CM CF CG GA ZR**
- 4310. *Palla publius kigoma* Van Someren,1975** (Argynnidae) Synonym(s): *kigoma* Van Someren,1975 Range (in code): **TZ**
- 4311. *Palla publius publius* Staudinger,1892** (Argynnidae) Synonym(s): *publius* Staudinger,1892; *rectifascia* Weymer,1892 Range (in code): **SL NG CM**
- 4312. *Palla ussheri* (Butler,1870)** (Argynnidae) Synonym(s): *ussheri* Butler,1870; *moderata* Gaede,1915; *dobelli* Hall,1919 Range (in code): **SL NG CM CG CF ZR UG TZ ZM** Bionomy: Larva on Bonamia, Metaporana (Convolvulaceae); Toddalia (Rutaceae) (Ackery et al.,1995).
- 4313. *Palla ussheri interposita* Joicey & Talbot,1925** (Argynnidae) Synonym(s): *interposita* Joicey & Talbot,1925 Range (in code): **UG TZ ZM**
- 4314. *Palla ussheri ussheri* (Butler,1870)** (Argynnidae) Synonym(s): *ussheri* Butler,1870; *moderata* Gaede,1915; *dobelli* Hall,1919 Range (in code): **SL NG CM CG CF ZR**
- 4315. *Palla violinitens* (Crowley,1890)** (Argynnidae) Synonym(s): *violinitens* Crowley,1890; *coniger* Butler,1896 Range (in code): **GH Acc NG Caa AO GN CF ZR UG** Bionomy: Larva on Bonamia, Metaporana (Convolvulaceae); Clerodendrum (Verbenaceae) (Ackery et al.,1995).
- 4316. *Palla violinitens bwamba* Van Someren,1975** (Argynnidae) Synonym(s): *bwamba* Van Someren,1975 Range (in code): **UG ZR**
- 4317. *Palla violinitens violinitens* (Crowley,1890)** (Argynnidae) Synonym(s): *violinitens* Crowley,1890; *coniger* Butler,1896 Range (in code): **GH Acc NG Caa AO GN CF ZR**
- 4318. *Pandita sinope* Moore,[1858]** (Argynnidae) Synonym(s): *sinope* Moore,[1858] Range (in code): **PH Cal Pal Sga Stu Taw MY TH Cbi Ntt SPa**
- 4319. *Pandita sinope sinope* Moore,[1858]** (Argynnidae) Synonym(s): *sinope* Moore,[1858] Range (in code): **PH Sga Stu Taw MY TH Cbi Ntt SPa**

- 4320. Pandita sinope sinoria C.Felder & R.Felder,[1867]** (Argynnidae) **Synonym(s):** *sinoria C.Felder & R.Felder,[1867]* - Range (in code): PH Cal Pal
- 4321. Parthenos sylvia (Cramer,[1775])** (Argynnidae) **Synonym(s):** *sylvia Cramer,[1775]*
Range (in code): PH Bal Dum Pal Jol Bon Sga Stu Taw Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic MY Lkw TH Rng Yal Tng CMa Cuo Cuo5 Lmp Tht Nna Cbi Rat Cu12 CDo CD2 Nst Ths Sya ID Nia
- 4322. Parthenos sylvia butlerinus Fruhstorfer,1898** (Argynnidae) **Synonym(s):** *butlerinus Fruhstorfer,1898* - Range (in code): PH Bal Dum Pal
- 4323. Parthenos sylvia gambrisius (Fabricius,1787)** (Argynnidae) **Synonym(s):** *gambrisius Fabricius,1787* - Range (in code): TH CMa Cuo Cuo5 Cu12 CDo CD2 Lmp Tht Nna Cbi Rat Nst Ths Sya
- 4324. Parthenos sylvia jaloensis Fruhstorfer,1898** (Argynnidae) **Synonym(s):** *jaloensis Fruhstorfer,1898* - Range (in code): PH Jol
- 4325. Parthenos sylvia lilacinus Butler,[1879]** (Argynnidae) **Synonym(s):** *lilacinus Butler,[1879]* - Range (in code): MY Lkw TH Rng Yal Tng Nst Ths CMa CDo
- 4326. Parthenos sylvia philippensis Fruhstorfer,1898** (Argynnidae) **Synonym(s):** *philippensis Fruhstorfer,1898* - Range (in code): PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic
- 4327. Parthenos sylvia selene Schröder & Treadaway,1991** (Argynnidae) **Synonym(s):** *selene Schröder & Treadaway,1991* - Range (in code): PH Bon Sga Stu Taw
- 4328. Parthenos sylvia silvicola Fruhstorfer,[1898]** (Argynnidae) **Synonym(s):** *silvicola Fruhstorfer,[1898]* Original Reference: *Parthenos sylvia ssp. silvicola Fruhstorfer,[1898]*, Berl. ent. Z. 42 (3/4): 311-312. Type: [Indonesia]: Nias. Range (in code): ID Nia
- 4329. Parthenos sylvia sylvia (Cramer,[1775])** (Argynnidae) **Synonym(s):** *sylvia Cramer,[1775]*
- 4330. Phalanta alcippe (Stoll,1782)** (Argynnidae) **Synonym(s):** *alcippe Stoll,1782* - Range (in code): LK IN Adm Nk MM TH Chy Knc Cbi Rat Tng Rng Phi Cbu Pht Nst Sgk Hya Tnc MY Bor ID Egg Sum Ja Flo Clb Sla Snd SB PH Bal Pal Sga Stu Taw Ala Bab Bas Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Neg Mdo Mno Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic P-T Bionomy: Larva on Flacourtia, Hydnocarpus heterophylla (Flacourtiaceae), Rinorea zeylanica (Violaceae), Salix (Salicaceae) (Robinson et al.,2005).
- 4331. Phalanta alcippe alcesta Corbet,1941** (Argynnidae) **Synonym(s):** *alcesta Corbet,1941*
Range (in code): MY
- 4332. Phalanta alcippe alcippe (Stoll,1782)** (Argynnidae) **Synonym(s):** *alcippe Stoll,1782*
Range (in code): IN
- 4333. Phalanta alcippe alcippoides (Moore,1900)** (Argynnidae) **Synonym(s):** *alcippoides Moore,1900* - Range (in code): LK IN Adm Nk MM TH Chy Knc Cbi Rat Tng Rng Phi Cbu Pht Nst Sgk Hya Tnc ID Sum MY Bor PH Bal Pal Sga Stu Taw
- 4334. Phalanta alcippe andamana Fruhstorfer,1904** (Argynnidae) **Synonym(s):** *andamana Fruhstorfer,1904* - Range (in code): IN Adm
- 4335. Phalanta alcippe aurica Eliot,1978** (Argynnidae) **Synonym(s):** *aurica Eliot,1978*
Range (in code): MY
- 4336. Phalanta alcippe celebensis Fruhstorfer,1899** (Argynnidae) **Synonym(s):** *celebensis Fruhstorfer,1899* - Range (in code): ID Clb
- 4337. Phalanta alcippe ceylonica Manders,1903** (Argynnidae) **Synonym(s):** *ceylonica Manders,1903* - Range (in code): LK
- 4338. Phalanta alcippe drepana Fruhstorfer,1904** (Argynnidae) **Synonym(s):** *drepana Fruhstorfer,1904* - Range (in code): ID Ja
- 4339. Phalanta alcippe enganica Fruhstorfer,1904** (Argynnidae) **Synonym(s):** *enganica Fruhstorfer,1904* - Range (in code): ID Egg
- 4340. Phalanta alcippe floresiana Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *floresiana Fruhstorfer,1912* - Range (in code): ID Flo Snd
- 4341. Phalanta alcippe fraterna Moore,1900** (Argynnidae) **Synonym(s):** *fraterna Moore,1900*
Range (in code): IN Nk
- 4342. Phalanta alcippe omarion Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *omarion Fruhstorfer,1912* - Range (in code): ID Sla

- 4343. *Phalanta alcippe pallidior* Staudinger, 1889** (Argynnidae) Synonym(s): *pallidior* Staudinger, 1889 _ Range (in code): PH Pal
- 4344. *Phalanta alcippe semperi* Moore, 1900** (Argynnidae) Synonym(s): *semperi* Moore, 1900
Range (in code): PH Ala Bab Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic
- 4345. *Phalanta alcippe tiomana* Corbet, 1937** (Argynnidae) Synonym(s): *tiomana* Corbet, 1937
Range (in code): MY P-T
- 4346. *Phalanta alcippe violetta* Fruhstorfer, 1900** (Argynnidae) Synonym(s): *violetta* Fruhstorfer, 1900 _ Range (in code): PH Bas
- 4347. *Phalanta eurytis* (Doubleday, [1847])** (Argynnidae) Synonym(s): *eurytis* Doubleday, [1847]
Range (in code): ZA Nta Kzu MG Bionomy: Larva on *Dissomeria crenata*, *Dovyalis rhamnoides*, *Homalium*, *Oncoba spinosa*, *Scolopia*, *Trimeria grandifolia* (Flacourtiaceae), *Maytenus buchanii* (Celastraceae), *Populus* (Salicaceae) (Robinson et al., 2005).
- 4348. *Phalanta eurytis eurytis* (Doubleday, [1847])** (Argynnidae) Synonym(s): *eurytis* Doubleday, [1847]
- 4349. *Phalanta eurytis microps* (Rothschild & Jordan, 1903)** (Argynnidae) Synonym(s): *microps* Rothschild & Jordan, 1903
- 4350. *Phalanta madagascariensis* (Mabille, 1887)** (Argynnidae) Synonym(s): *madagascariensis* Mabille, 1887 _ Range (in code): MG
- 4351. *Phalanta phalantha* (Drury, [1773])** (Argynnidae) Synonym(s): *phalantha* Drury, [1773]
Original Reference: Papilio phalantha Drury, [1773], Ill. ex. Ent. 2: Pl. 21 figs. 1, 2. Syntypes: India. Range (in code): BI BJ BW CF CG CI CM CN DJ EH ER ET GA GH GM GN GO Bio GW ID IN KE KH KM LK LR LS LY MA MG ML MM MR MW Zom MY MZ NA NE NG NP RW SA SC SD SI Sk SL SN SO ST SZ TD TG TH CMa TN TZ UG VN YE ZM ZR ZW PK Ci Rw Cp Pj H-A ZA Nta Kzu Ptb Tva Lpo Spb Mdk Ent AO BF Dst Qs Cuo Cuo7 Cu10 Loe Bnk Chy Knc Sbu Sgk Kru Pma K12 PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Cuo Cuo2 Cu12 Dst Dso8 Dsk Hpt Int Nst Ths Hn TW Bionomy: Larva on *Gymnosporia*, *Maytenus ovatus*, *M. buchanii* (Celastraceae); *Trimeria*, *Alberia*, *Dovyalis*, *Flacourtia*, *Scolopia* (Flacourtiaceae); *Androsace* (Primulaceae), *Barleria prionitis* (Acanthaceae); *Canthium parviflorum*, *Coffea arabica*, *Ixora* (Rubiaceae); *Loranthus* (Loranthaceae); *Populus alba*, *P. canescens*, *P. deltoides*, *Salix tetrasperma*, *S. babylonica*, *S. warburgii* (Salicaceae); *Smilax* (Smilacaceae); *Viola* (Violaceae); *Mangifera indica* (Anacardiaceae); *Tridax procumbens* (Asteraceae); (Kielland, 1990; Robinson et al., 2005; personal info.).
- 4352. *Phalanta phalantha aethiopica* (Rothschild & Jordan, 1903)** (Argynnidae) Synonym(s): *aethiopica* Rothschild & Jordan, 1903 Original Reference: *Atella phalantha* ssp. *aethiopica* Rothschild & Jordan, 1903, Novit. zool. 10: 505. [Ethiopia]: Gillet Mt., Somaliland. Range (in code): AO BF BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MW Zom MZ NA NE NG RW SA SC SD SL SN SO ST SZ TD TG TN TZ UG YE ZA Nta Kzu Ptb Tva Lpo Spb Mdk Ent Kru Pma K12 ZM ZR ZW
- 4353. *Phalanta phalantha columbina* (Cramer, 1779)** (Argynnidae) Synonym(s): *columbina* Cramer, 1779 _ Range (in code): CN Hn TW
- 4354. *Phalanta phalantha granti* (Rothschild & Jordan, 1903)** (Argynnidae) Synonym(s): *granti* Rothschild & Jordan, 1903 Original Reference: *Atella phalantha* ssp. *granti* Rothschild & Jordan, 1903, Novit. zool. 10: 505. Syntypes 2♂: [Yemen]: Sokotra. Range (in code): Sk
- 4355. *Phalanta phalantha luzonica* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *luzonica* Fruhstorfer, 1906 _ Range (in code): PH Luz
- 4356. *Phalanta phalantha phalantha* (Drury, [1773])** (Argynnidae) Synonym(s): *phalantha* Drury, [1773] Original Reference: Papilio phalantha Drury, [1773], Ill. ex. Ent. 2: Pl. 21 figs. 1, 2. Syntypes: India. Range (in code): CN ID IN LK MM MY NP SI TH CMa Qs Dst VN PK Ci Rw Cp Pj H-A PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw KH Tic Loe Bnk Chy Knc Sbu Sgk Cuo Cuo2 Cuo7 Cu10 Cu12 Dst Dso8 Dsk Hpt Int Nst Ths
- 4357. *Phalanta philiberti* (De Joannis, 1893)** (Argynnidae) Synonym(s): *philiberti* De Joannis, 1893; *seychellarum* Holland, 1896 _ Range (in code): SC
- 4358. *Phyciodes batesii* (Reakirt, 1865)** (Argynnidae) Synonym(s): *batesii* Reakirt, 1865
Range (in code): US Arz Col Ge Idp Io Knt Mai Mch Mns Mon Mrl NCa NDk NMx Ne Neb Nh Nje Ny Oh Pns SDK Ut Vi Vr WVi Wc Wy

- 4359. *Phyciodes campestris* Behr,1863** (Argynnidae) Synonym(s): *campestris* Behr,1863
Range (in code): **US Arz Cf Col Kan NMx Ne Ok Org SDk Ut Ws Wy**
- 4360. *Phyciodes cocyta* (Cramer,1777)** (Argynnidae) Synonym(s): *cocyta* Cramer,1777
Range (in code): **US Arz Cf Col Id Mai Mch Mns Mon Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vi Vr WVi Wc Ws Wy**
- 4361. *Phyciodes frisia* (Poey,1832)** (Argynnidae) Synonym(s): *frisia* Poey,1832 - Range (in code): **US Fl Mis CU JM**
- 4362. *Phyciodes mylitta* (W.H.Edwards,1861)** (Argynnidae) Synonym(s): *mylitta* W.H.Edwards,1861; *collina* Behr,1863 nec Led.,1861; *epula* Boisduval,1869 - Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Neb Org Tx Ut Ws Wy**
- 4363. *Phyciodes orseis* (W.H.Edwards,1871)** (Argynnidae) Synonym(s): *orseis* W.H.Edwards,1871 - Range (in code): **US MX Ne Org**
- 4364. *Phyciodes pallida* (W.H.Edwards,1864)** (Argynnidae) Synonym(s): *pallida* W.H.Edwards,1864 - Range (in code): **US Arz Col Id Mon Ne Neb Org SDk Ut Ws Wy**
- 4365. *Phyciodes phaon* (W.H.Edwards,1864)** (Argynnidae) Synonym(s): *gorgone* Hübner,[1810]; *phaon* W.H.Edwards,1864 - Range (in code): **US MX Aks Alb Arz Cf Col Fl Ge Kan Lou Mis Mss NCa NMx Ne Neb Ok Tx Vi**
- 4366. *Phyciodes picta* (W.H.Edwards,1865)** (Argynnidae) Synonym(s): *picta* W.H.Edwards,1865 - Range (in code): **US MX Arz Col Kan NMx Neb Ok Tx Ut**
- 4367. *Phyciodes ptolyca* (Bates,1864)** (Argynnidae) Synonym(s): *ptolyca* Bates,1864 - Range (in code): **US MX Tx GT**
- 4368. *Phyciodes pulchella* (Boisduval,1852)** (Argynnidae) Synonym(s): *pulchella* Boisduval,1852 - Range (in code): **US Cf**
- 4369. *Phyciodes pulchella shoshoni* Scott,1994** (Argynnidae) Synonym(s): *shoshoni* Scott,1994
Range (in code): **US**
- 4370. *Phyciodes selenis* (W.Kirby,1837)** (Argynnidae) Synonym(s): *selenis* W.Kirby,1837
Range (in code): **US**
- 4371. *Phyciodes texana* (W.H.Edwards,1863)** (Argynnidae) Synonym(s): *texana* W.H.Edwards,1863; *smerdis* Hewitson,1864 - Range (in code): **US MX Alb Arz Cf Col Fl Ge Ilm Kan Lou Mis Mss NDk NMx Ne Neb Ok SDk Tx Ut**
- 4372. *Phyciodes texana seminole* (Skinner,1911)** (Argynnidae) Synonym(s): *seminole* Skinner,1911 - Range (in code): **US Ge**
- 4373. *Phyciodes texana texana* (W.H.Edwards,1863)** (Argynnidae) Synonym(s): *texana* W.H.Edwards,1863; *smerdis* Hewitson,1864 - Range (in code): **MX US Tx**
- 4374. *Phyciodes tharos* (Drury,[1773])** (Argynnidae) Synonym(s): *tharos* Drury,[1773]; *cocyta* Cramer,[1777]; *euclea* Bergsträßer,1780; *selenis* Kirby,1837 - Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Wy**
- 4375. *Phyciodes tulcis* (Bates,1864)** (Argynnidae) Synonym(s): *tulcis* Bates,1864; *genigueh* Reakirt,1865; *archesilea* R.Felder,1869; *punctata* W.H.Edwards,1870 - Range (in code): **GT US MX Arz Tx**
- 4376. *Phyciodes vesta* (W.H.Edwards,1869)** (Argynnidae) Synonym(s): *vesta* W.H.Edwards,1869 - Range (in code): **US MX Arz Col Kan NMx Neb Ok Tx**
- 4377. *Poladryas arachne* (W.H.Edwards,1869)** (Argynnidae) Synonym(s): *arachne* W.H.Edwards,1869 - Range (in code): **US**
- 4378. *Poladryas minuta* (W.H.Edwards,[1861])** (Argynnidae) Synonym(s): *minuta* W.H.Edwards,[1861]; *approximata* Strecker,1900 - Range (in code): **US MX Arz Cf Col NMx Ne Neb Ok Tx Ut Wy**
- 4379. *Polygonia (Comma) c-album* (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. Original Reference: *Papilio c-album* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. Range (in code): **AF AL At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LB LT LU LV DZ MA TN MN NL NO PL PT RO RU Sa SE SI Si SK Sm So Sr Ti TR UA Ui Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv MD MK HV SS B-H MD Cc IQ Ama IR Mz Elb TH CMa Hr Ab GlS Tgr Ouk Dju Agi DhM Hrh Dze**
Bionomy: Larva on *Ribes grossularia*, *R. uva-crispa*, *Urtica dioica*, *Salix caprea*, *S. alba*, *Humulus lupulus*, *Corylus avellana*, *Ulmus glabra*, *U. minor*, *U. procera*, *U. laevis* (Tolman,1997).
- 4380. *Polygonia (Comma) c-album c-album* (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. Original Reference: *Papilio c-album* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 477. Type(s): [Sweden (Verity,1950)]. Range (in code): **AF IL He AL At Bn Kts AT Ba BE BG Bw BY CH Co CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LT LU LV NL NO PL PT**

RO Rp RU Sa SE Si SK Sm So Sr TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken GG AZ AM Nv Cc MD MK HV SS B-H MD LB IQ Ama IR Mz Elb Hr Ab GlS

- 4381. Polygonia (Comma) c-album imperfecta Blachier,1908** (Argynnidae) Synonym(s): *imperfecta* Blachier,1908 Original Reference: *Polygonia c-album ab.imperfecta* Blachier,1908, *Annls Soc. ent. Fr.* 77 (2): 214. Type: Maroc, Tanger (leg.Vaucher). Range (in code): **MA Tgr Ouk Dju DZ TN Agi DhM Hrh Dzc**
- 4382. Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. Original Reference: *Papilio egea* Cramer,[1775], *Uitl. Kapellen* 1: 124; Pl. 78 figs.C,D. Syntypes: [Turkey]: [Istanbul]: Constantinopel; [zmir]: Smyrna (nec *Papilio egea* Fabricius,1775; cf. ICZN Art. 58, Opinion 516. Range (in code): **Ae AF AL BG BY CH CN Co Cr FR GR IT LB MK MT BI PK Haz Mre IN Kma RO RU Sa Si Sr TR UA Ui YU JO IR Ab Elb Mz Th Fa Ss IQ Mos TM Kp Cc AM AZ GG Nv Ord Lag Smt Bjo IL Pa Hf** Bionomy: Larva on *Parietaria officinalis* (Tolman,1997).
- 4383. Polygonia (Comma) egea cognata Moore,1899** (Argynnidae) Synonym(s): *cognata* Moore,1899; *#kashmira* Evans,1932; *#indica* Evans,1932 Range (in code): **PK Haz Mre IN Kma**
- 4384. Polygonia (Comma) egea egea (Cramer,[1775])** (Argynnidae) Synonym(s): *egea* Cramer,[1775] (junior homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. Original Reference: *Papilio egea* Cramer,[1775], *Uitl. Kapellen* 1: 124; Pl. 78 figs.C,D. Syntypes: [Turkey]: [Istanbul]: Constantinopel; [zmir]: Smyrna (nec *Papilio egea* Fabricius,1775; cf. ICZN Art. 58, Opinion 516. Range (in code): **IL He Pa Hf Ae AF AL BG BY CH Co Cr FR GR IT MK MT PK BI RO RU Sa Si Sr TR UA YU JO LB IR Ab Elb Mz Th Fa Ss IQ Mos TM Kp Cc AM AZ GG Nv Ord Lag Smt Bjo**
- 4385. Polygonia (Comma) interposita Staudinger,1881** (Argynnidae) Synonym(s): *interposita* Staudinger,1881 Original Reference: *Polygonia c-album* var. *interposita* Staudinger,1881, *Stettin ent. Ztg.* 42: 286. Syntypes: [Kasachstan]: [Dschungarischer Alatau]: Lepsa. Range (in code): **RU At T-S Dj KG Sem Tk DsA Lps Sau Tar**
- 4386. Polygonia (Comma) interposita interposita Staudinger,1881** (Argynnidae) Synonym(s): *interposita* Staudinger,1881 Original Reference: *Polygonia c-album* var. *interposita* Staudinger,1881, *Stettin ent. Ztg.* 42: 286. Syntypes: [Kasachstan]: [Dschungarischer Alatau]: Lepsa. Range (in code): **RU At T-S Dj KG Sem Tk DsA Lps Sau Tar**
- 4387. Polygonia (Comma) tibetana Elwes,1888** (Argynnidae) Synonym(s): *tibetana* Elwes,1888; *agnicula* Moore,1899. Original Reference: *Polygonia c-album* var. *tibetana* Elwes,1888, *Trans. ent. Soc. Lond.* 1888: 197, Pl.10 fig.1. Type(s): China: Tibet. Range (in code): **SI Ti CN NP BT**
- 4388. Polygonia (Comma) tibetana tibetana Elwes,1888** (Argynnidae) Synonym(s): *tibetana* Elwes,1888; *agnicula* Moore,1899. Original Reference: *Polygonia c-album* var. *tibetana* Elwes,1888, *Trans. ent. Soc. Lond.* 1888: 197, Pl.10 fig.1. Type(s): China: Tibet. Range (in code): **SI Ti CN NP BT**
- 4389. Polygonia (Comma) undina (Groum-Grshimailo,1890)** (Argynnidae) Synonym(s): *undina* Groum-Grshimailo,1890; *#chitralica* Evans,1932; *interposita auctorum* Original Reference: *Vanessa undina* Groum-Grshimailo,1890, [in] Romanoff, *Mém. lépid.* 4: 424, pl.17 fig.1. Syntypes: [Kirghizistan]: Oche [Osch]. Range (in code): **T-S His Drw Pm Al AF Ng Jla Lgh Ch KG KK Nu PK Ci TJ CN Ui Um Osh DsA Ax TrA KuA**
- 4390. Polygonia (Comma) undina undina (Groum-Grshimailo,1890)** (Argynnidae) Synonym(s): *undina* Groum-Grshimailo,1890; *#chitralica* Evans,1932; *interposita auctorum* Original Reference: *Vanessa undina* Groum-Grshimailo,1890, [in] Romanoff, *Mém. lépid.* 4: 424, pl.17 fig.1. Syntypes: [Kirghizistan]: Oche [Osch]. Range (in code): **T-S His Drw Pm Al AF Ng Jla Lgh Ch KG KK Nu PK Ci TJ CN Ui Um Osh DsA Ax TrA KuA**
- 4391. Polygonia (s.str.) c-aureum (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-aureum* Linnaeus,1758; *angelica* Stoll,[1782]. Original Reference: *Papilio c-aureum* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 477. Range (in code): **RU Vv Sb CN TW JP TH CMa**
- 4392. Polygonia (s.str.) c-aureum c-aureum (Linnaeus,1758)** (Argynnidae) Synonym(s): *c-aureum* Linnaeus,1758 Original Reference: *Papilio c-aureum* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 477. Range (in code): **RU Vv Sb CN JP TH CMa**
- 4393. Polygonia comma (Harris,1842)** (Argynnidae) Synonym(s): *comma* Harris,1842; *harrisii* Edwards,1873 Range (in code): **US Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi Wc Wy**

- 4394. *Polygonia faunus* (Edwards,1862)** (Argynnidae) Synonym(s): *faunus* Edwards,1862
Range (in code): **US** **Arz Cf Col Ge Id Iln Io Knt Mai Mch Mns Mon Msc NCa NDk NMx Ne Nh Nje Ny**
Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Ws Wy
- 4395. *Polygonia faunus faunus* (Edwards,1862)** (Argynnidae) Synonym(s): *faunus* Edwards,1862
Range (in code): **US** **Ny**
- 4396. *Polygonia faunus hylas* (Edwards,1872)** (Argynnidae) Synonym(s): *hylas* Edwards,1872
Range (in code): **US** **Col**
- 4397. *Polygonia faunus rusticus* (Edwards,1874)** (Argynnidae) Synonym(s): *rusticus* Edwards,1874
Range (in code): **US** **Cf**
- 4398. *Polygonia faunus silvius* (Edwards,1874)** (Argynnidae) Synonym(s): *silvius* Edwards,1874
Range (in code): **US** **Cf**
- 4399. *Polygonia faunus smythi* A.H.Clark,1937** (Argynnidae) Synonym(s): *smythi* A.H.Clark,1937
Range (in code): **US** **Vi**
- 4400. *Polygonia gracilis* (Grote & Robinson,1867)** (Argynnidae) Synonym(s): *gracilis* Grote & Robinson,1867
Range (in code): **US** **MX** **Arz Cf Col Id Kan Mai Mch Mns Mon NDk NMx Ne Neb Nh Ny Org SDk Ut Ws Wy**
- 4401. *Polygonia gracilis zephyrus* (Edwards,1870)** (Argynnidae) Synonym(s): *zephyrus* Edwards,1870
Range (in code): **US** **Ne**
- 4402. *Polygonia interrogationis* (Fabricius,1798)** (Argynnidae) Synonym(s): *interrogationis* Fabricius,1798; *fabricii* Edwards,1870
Range (in code): **US** **MX** **Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi Wc Wy**
- 4403. *Polygonia oreas* (Edwards,1869)** (Argynnidae) Synonym(s): *oreas* Edwards,1869
Range (in code): **US** **Cf**
- 4404. *Polygonia progne* (Cramer,[1776])** (Argynnidae) Synonym(s): *progne* Cramer,[1776]; *g-argenteum* W.Kirby,1837
Range (in code): **US** **Aks Cf Cnt Col Dw Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Ws Wy**
- 4405. *Polygonia satyrus* (Edwards,1869)** (Argynnidae) Synonym(s): *satyrus* Edwards,1869
Range (in code): **US** **MX** **Arz Cf Col Id Idp Mai Mch Mns Mon NDk NMx Ne Neb Nh Org SDk Ut Wc Ws Wy**
- 4406. *Polygonia satyrus neomarsayas* Dos Passos,1969** (Argynnidae) Synonym(s): *neomarsayas* Dos Passos,1969
Range (in code): **US** **Cf**
- 4407. *Polyura arja* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *arja* C.Felder & R.Felder,[1867]
Range (in code): **TH** **CMa CDo Phr CRa Srr Phi Nna Cbi Knc Chy Nrt Cbu Sbu IN SI MM VN Ton**
- 4408. *Polyura arja arja* (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *arja* C.Felder & R.Felder,[1867]
Range (in code): **TH** **CMa CDo Phr CRa Srr Phi Nna Cbi Knc Chy Nrt Cbu Sbu IN SI MM VN Ton**
- 4409. *Polyura athamas* (Drury,[1773])** (Argynnidae) Synonym(s): *athamas* Drury,[1773]
Original Reference: Papilio athamas Drury,[1773], Ill. ex. Ent. 2: Pl.2 fig.4. Type(s): India. Range (in code): **CN** **IN** **Adm Mh Hp Ker Apr Ap SI Ben Mys Ti SI Ass MM LK TH CMa Cuo Cu10 Cu12 CDo CD2 Nrt Cbu Knc Tng Chy Nna Cbi Smu Npt Rat Yal Nst PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cam CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Bon Sga Taw CmL Cal Pal Bal** **Bionomy:** Larva on Pithecellobium dulce [Manila tamarind] (Fabaceae) (Lewvanich,2001).
- 4410. *Polyura athamas acuta* Rothschild,1899** (Argynnidae) Synonym(s): *acuta* Rothschild,1899
Range (in code): **PH** **Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cam CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic**
- 4411. *Polyura athamas angustior* Schröder & Treadaway,1990** (Argynnidae) Synonym(s): *angustior* Schröder & Treadaway,1990
Range (in code): **PH** **Bon Sga Taw**
- 4412. *Polyura athamas athamas* (Drury,[1773])** (Argynnidae) Synonym(s): *athamas* Drury,[1773]
Original Reference: Papilio athamas Drury,[1773], Ill. ex. Ent. 2: Pl.2 fig.4. Type(s): India. Range (in code): **CN** **IN** **Mh Hp Ker Apr Ap SI Ben Mys SI Ti TH CMa Cuo Cu10 Cu12 CDo CD2 Nrt Cbu Knc Tng Chy Nna Cbi Smu Npt Rat Yal Nst** **Bionomy:** Larva on Pithecellobium dulce [Manila tamarind] (Fabaceae) (Lewvanich,2001).
- 4413. *Polyura athamas kotakii* Hanafusa,1989** (Argynnidae) Synonym(s): *kotakii* Hanafusa,1989
Range (in code): **PH** **CmL**

- 4414. *Polyura athamas palawanica* Rothschild,1899** (Argynnidae) **Synonym(s):** *palawanica* Rothschild,1899 **_ Range (in code):** **PH Cal Pal**
- 4415. *Polyura athamas uraeus* Rothschild,1899** (Argynnidae) **Synonym(s):** *uraeus* Rothschild,1899 **_ Range (in code):** **PH Bal**
- 4416. *Polyura delphis* (Doubleday,1843)** (Argynnidae) **Synonym(s):** *delphis* Doubleday,1843 **_ Range (in code):** **TH CMa CDo Chy Nna Nst Cbi Phi Cbu Tng Yal PH Pal** **_ Bionomy:** Larva on weed (Lewvanich,2001).
- 4417. *Polyura delphis concha* (Vollenhoven,1861)** (Argynnidae) **Synonym(s):** *concha* Vollenhoven,1861 **_ Range (in code):** **TH Tng Yal Nst**
- 4418. *Polyura delphis delphis* (Doubleday,1843)** (Argynnidae) **Synonym(s):** *delphis* Doubleday,1843 **_ Range (in code):** **TH CMa CDo Chy Nna Nst Cbi Phi Cbu** **_ Bionomy:** Larva on weed (Lewvanich,2001).
- 4419. *Polyura delphis nivea* Rothschild,1899** (Argynnidae) **Synonym(s):** *nivea* Rothschild,1899 **_ Range (in code):** **PH Pal**
- 4420. *Polyura dolon* (Westwood,1848)** (Argynnidae) **Synonym(s):** *dolon* Westwood,1848. **_ Original Reference:** Charaxes dolon Westwood,1848, Cabinet Orient. Ent.: 55, pl.27 figs.2,3. **_ Type(s):** Sikkim. **_ Range (in code):** **CN Ti TH CMa CDo**
- 4421. *Polyura dolon dolon* (Westwood,1848)** (Argynnidae) **Synonym(s):** *dolon* Westwood,1848. **_ Original Reference:** Charaxes dolon Westwood,1848, Cabinet Orient. Ent.: 55, pl.27 figs.2,3. **_ Type(s):** Sikkim. **_ Range (in code):** **CN Ti**
- 4422. *Polyura dolon grandis* (Rothschild,1899)** (Argynnidae) **Synonym(s):** *grandis* Rothschild,1899 **_ Range (in code):** **TH CMa CDo**
- 4423. *Polyura eudamippus* (Doubleday,1843)** (Argynnidae) **Synonym(s):** *eudamippus* Doubleday,1843 **_ Range (in code):** **TH CMa Cmz Czo3 Cuo Cu10 CDo Chy Dsk Hpt Nrt Cbi Phi Nna**
- 4424. *Polyura eudamippus eudamippus* (Doubleday,1843)** (Argynnidae) **Synonym(s):** *eudamippus* Doubleday,1843 **_ Range (in code):** **TH CMa Cmz Czo3 Cuo Cu10 CDo Dsk Hpt**
- 4425. *Polyura eudamippus nigrobasalis* (Lathy,1898)** (Argynnidae) **Synonym(s):** *nigrobasalis* Lathy,1898 **_ Range (in code):** **TH Chy Nrt Cbi Phi Nna**
- 4426. *Polyura hebe* (Butler,1866)** (Argynnidae) **Synonym(s):** *hebe* Butler,1866 **_ Range (in code):** **TH Nst Rng Yal Tng Ptt Ntt SPa** **_ Bionomy:** Larva on weed (Lewvanich,2001).
- 4427. *Polyura hebe chersonesus* (Fruhstorfer,1898)** (Argynnidae) **Synonym(s):** *chersonesus* Fruhstorfer,1898 **_ Range (in code):** **TH Rng Yal Tng Ptt Ntt SPa**
- 4428. *Polyura hebe hebe* (Butler,1866)** (Argynnidae) **Synonym(s):** *hebe* Butler,1866 **_ Range (in code):** **TH Nst** **_ Bionomy:** Larva on weed (Lewvanich,2001).
- 4429. *Polyura jalysus* (C.Felder & R.Felder,[1867])** (Argynnidae) **Synonym(s):** *jalysus* C.Felder & R.Felder,[1867] **_ Range (in code):** **TH Yal CMa CDo Cbi Chy**
- 4430. *Polyura jalysus ephebus* (Fruhstorfer,1914)** (Argynnidae) **Synonym(s):** *ephebus* Fruhstorfer,1914 **_ Range (in code):** **TH CMa CDo Cbi Chy**
- 4431. *Polyura jalysus jalysus* (C.Felder & R.Felder,[1867])** (Argynnidae) **Synonym(s):** *jalysus* C.Felder & R.Felder,[1867] **_ Range (in code):** **TH Yal**
- 4432. *Polyura moori* (Distant,1883)** (Argynnidae) **Synonym(s):** *moori* Distant,1883 **_ Range (in code):** **TH Yal PH Sga Taw**
- 4433. *Polyura moori galeoni* Schröder & Treadaway,1990** (Argynnidae) **Synonym(s):** *galeoni* Schröder & Treadaway,1990 **_ Range (in code):** **PH Sga Taw**
- 4434. *Polyura moori moori* (Distant,1883)** (Argynnidae) **Synonym(s):** *moori* Distant,1883 **_ Range (in code):** **TH Yal**
- 4435. *Polyura narcaeus* Hewitson,1894** (Argynnidae) **Synonym(s):** *narcaeus* Hewitson,1894 **_ Range (in code):** **?MN CN**
- 4436. *Polyura narcaeus narcaeus* Hewitson,1894** (Argynnidae) **Synonym(s):** *narcaeus* Hewitson,1894 **_ Range (in code):** **?MN CN**
- 4437. *Polyura nepenthes* (Grose-Smith,1883)** (Argynnidae) **Synonym(s):** *nepenthes* Grose-Smith,1883 **_ Range (in code):** **TH CMa CDo Phi Pht**
- 4438. *Polyura nepenthes nepenthes* (Grose-Smith,1883)** (Argynnidae) **Synonym(s):** *nepenthes* Grose-Smith,1883 **_ Range (in code):** **TH CMa CDo Phi Pht**
- 4439. *Polyura posidonius* Leech,1891** (Argynnidae) **Synonym(s):** *posidonius* Leech,1891 **_ Range (in code):** **CN Ti**

- 4440. *Polyura posidonius posidonius* Leech, 1891** (Argynnidae) Synonym(s): *posidonius* Leech, 1891 - Range (in code): **CN Ti**
- 4441. *Polyura schreiber* (Godart, [1824])** (Argynnidae) Synonym(s): *schreiber* Godart, [1824] - Range (in code): **TH CMA CDo Cbu Chy Phu Cbi Nst Chw PH Boh Ley Pao Pol Sam Din Luz Mar Mdo Mas Neg Mno Pal** - Bionomy: Larva on *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich, 2001).
- 4442. *Polyura schreiber assamensis* (Rothschild, 1899)** (Argynnidae) Synonym(s): *assamensis* Rothschild, 1899 - Range (in code): **TH CMA CDo Cbu Chy Cbi** - Bionomy: Larva on *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich, 2001).
- 4443. *Polyura schreiber bilarensis* Jumalon, 1975** (Argynnidae) Synonym(s): *bilarensis* Jumalon, 1975 - Range (in code): **PH Boh Ley Pao Pol Sam**
- 4444. *Polyura schreiber delicatus* Tsukada, 1991** (Argynnidae) Synonym(s): *delicatus* Tsukada, 1991 - Range (in code): **PH Din**
- 4445. *Polyura schreiber luzonica* Rothschild, 1899** (Argynnidae) Synonym(s): *luzonica* Rothschild, 1899 - Range (in code): **PH Luz Mar Mdo**
- 4446. *Polyura schreiber mizunumai* Sato & Hanofusa, 1987** (Argynnidae) Synonym(s): *mizunumai* Sato & Hanofusa, 1987 - Range (in code): **PH Mas Neg**
- 4447. *Polyura schreiber praedicta* Schröder & Treadaway, 1980** (Argynnidae) Synonym(s): *praedicta* Schröder & Treadaway, 1980 - Range (in code): **PH Pal**
- 4448. *Polyura schreiber schreiber* (Godart, [1824])** (Argynnidae) Synonym(s): *schreiber* Godart, [1824]
- 4449. *Polyura schreiber tisamensis* (Fruhstorfer, 1914)** (Argynnidae) Synonym(s): *tisamensis* Fruhstorfer, 1914 - Range (in code): **TH Phu Nst Chw**
- 4450. *Polyura schreiber toshikoe* Sato & Nishiyama, 1987** (Argynnidae) Synonym(s): *toshikoe* Sato & Nishiyama, 1987 - Range (in code): **PH Mno**
- 4451. *Precis (Junonia) actia* (Distant, 1880)** (Argynnidae) Synonym(s): *actia* Distant, 1880 - Range (in code): **MZ ZW Har MW Zom**
- 4452. *Precis (Junonia) adalatrix* Fruhstorfer, 1909** (Argynnidae) Synonym(s): *adalatrix* Fruhstorfer, 1909 - Range (in code): **ID Sba**
- 4453. *Precis (Junonia) africana* (Richelmann, 1913)** (Argynnidae) Synonym(s): *africana* Richelmann, 1913 - Range (in code): **CM Yau**
- 4454. *Precis (Junonia) almana* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *almana* Linnaeus, 1758 - Original Reference: *Papilio almana* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 472. Type(s): Asia. Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK Cp IR Ss Bl Pj IN LK MM TH MY CN ID Clb Sba Sum Ja TW Nna Cbi TAK Bnk Ray Pap CMA Cuo Cuo2 Cuo7 Cm1 Cmz Czo3 Cz11 CDo CD2 Dsk Hpt Sgk Hya Tnc PSu Nst Ths Cp H-A Koh Nwf Pes AF Ng Jla**
- 4455. *Precis (Junonia) almana almana* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *almana* Linnaeus, 1758 - Original Reference: *Papilio almana* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 472. Type(s): Asia. Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK Cp IR Ss Bl Pj IN LK MM TH MY CN ID Sum Ja TW CMA Cuo Cuo2 Cuo7 Cm1 Cmz Czo3 Cz11 CDo CD2 Dsk Hpt Nna Cbi TAK Bnk Ray Pap Cp H-A Koh Nwf Pes**
- 4456. *Precis (Junonia) almana battana* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *battana* Fruhstorfer, 1906 - Range (in code): **ID Clb**
- 4457. *Precis (Junonia) almana javana* C. Felder, 1862** (Argynnidae) Synonym(s): *javana* C. Felder, 1862 - Range (in code): **ID Ja TH Sgk Hya Tnc PSu Nst Ths**
- 4458. *Precis (Junonia) almana sumbae* Doherty, 1886** (Argynnidae) Synonym(s): *sumbae* Doherty, 1886 - Range (in code): **ID Sba**
- 4459. *Precis (Junonia) andreiaja* (Boisduval, 1833)** (Argynnidae) Synonym(s): *andreiaja* Boisduval, 1833; *musa* Guérin-Méneville, [1844]; *boisduvali* Staudinger, 1885 - Range (in code): **MG** - Bionomy: Larva on *Coleus* (Lamiaceae) (Ackery et al., 1995).
- 4460. *Precis (Junonia) antilope* (Feisthamel, 1850)** (Argynnidae) Synonym(s): *antilope* Feisthamel, 1850; *simia* Wallengren, 1857; *ibris* C. Felder & R. Felder, [1867]; *micromera* Butler, 1876; *petersi* Dewitz, 1879 - Range (in code): **SZ ZA Tva Lpo NA SN ET MW Zom** - Bionomy: Larva on *Coleus*, *Plastostema* (Lamiaceae) (Ackery et al., 1995).

- 4461. Precis (Junonia) artaxia Hewitson,1864** (Argynnidae) Synonym(s): *artaxia* Hewitson,1864; *nachtigali* Dewitz,1879; *nobilitata* Thurau,1903 _ Range (in code): ZW MZ TZ MW Zom ZM KE AO BI Bionomy: Larva on Hygrophila (Acanthaceae) (Ackery et al.,1995).
- 4462. Precis (Junonia) atlites (Linnaeus,1763)** (Argynnidae) Synonym(s): *atlites* Linnaeus,1763 Original Reference: Papilio atlites Linnaeus,1763, Amoen. Acad. 6: 407. Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic CN ID PK IN LK MM TH Nna Cbu Tng Knc Ray CMa Cuo MY Lkw Cuo1 Cui0 Cui2 CDo CD2 Sgk Hya Tnc PSu
- 4463. Precis (Junonia) ceryne (Boisduval,1847)** (Argynnidae) Synonym(s): *ceryne* Boisduval,1847; *tukuoa* Wallengren,1857. _ Range (in code): MW Zom GN NG CM AO ZR KE UG ET ZA Tva Lpo Spb Ly Gau Jh Suw Wm Aup Wj Wri Pre Mpu Brb Wb Bfk Won Mdd Ec Nta Kzu
- 4464. Precis (Junonia) ceryne ceruana (Rothschild & Jordan,1903)** (Argynnidae) Synonym(s): *ceruana* Rothschild & Jordan,1903 _ Range (in code): GN NG CM
- 4465. Precis (Junonia) ceryne ceryne (Boisduval,1847)** (Argynnidae) Synonym(s): *ceryne* Boisduval,1847; *tukuoa* Wallengren,1857. _ Range (in code): MW Zom GN NG CM ZA Tva Lpo Spb Ly Gau Jh Suw Wm Aup Wj Wri Pre Mpu Brb Wb Bfk Won Mdd Ec Nta Kzu AO ZR KE UG ET
- 4466. Precis (Junonia) chorimene (Guérin-Méneville,[1844])** (Argynnidae) Synonym(s): *chorimene* Guérin-Méneville,[1844]. Original Reference: Vanessa chorimene Guérin-Méneville,[1844], Icon. r×gne anim. G. Cuvier, Ins.: 476. Type(s): Sénégal: les bords de la riviere Casamance. Range (in code): UG KE SD ET ZR YE SA As
- 4467. Precis (Junonia) chorimene chorimene (Guérin-Méneville,[1844])** (Argynnidae) Synonym(s): *chorimene* Guérin-Méneville,[1844]. Original Reference: Vanessa chorimene Guérin-Méneville,[1844], Icon. r×gne anim. G. Cuvier, Ins.: 476. Type(s): Sénégal: les bords de la riviere Casamance. Range (in code): UG KE SD ET ZR YE SA As
- 4468. Precis (Junonia) coelestina Dewitz,1879** (Argynnidae) Synonym(s): *coelestina* Dewitz,1879; *#jordani* Aurivillius,1913; *#obscurans* Stoneham,1965 _ Range (in code): CM AO ZR UG SD KE ET SO
- 4469. Precis (Junonia) coenia (Hübner,[1822])** (Argynnidae) Synonym(s): *coenia* Hübner,[1822] _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp IlN Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Oh Ok Org Pns RDi Sdk Tnn Tx Ut Vi WVi Wc Wy
- 4470. Precis (Junonia) cuama (Hewitson,1864)** (Argynnidae) Synonym(s): *cuama* Hewitson,1864; *trimeni* Butler,1894 _ Range (in code): MW Zom ZW ZM ZR Shb MZ TZ
- 4471. Precis (Junonia) erigone (Cramer,1779)** (Argynnidae) Synonym(s): *erigone* Cramer,1779 Range (in code): ID Ja Bli Lb
- 4472. Precis (Junonia) erigone erigone (Cramer,1779)** (Argynnidae) Synonym(s): *erigone* Cramer,1779 _ Range (in code): ID Ja Bli Lb
- 4473. Precis (Junonia) eurodoce (Westwood,[1850])** (Argynnidae) Synonym(s): *eurodoce* Westwood,[1850]; *#falcifera* Fiedler,1928 _ Range (in code): MG
- 4474. Precis (Junonia) evarete (Cramer,[1782])** (Argynnidae) Synonym(s): *lavinia* Cramer,1775 nec Fabr.,1775; *evarete* Cramer,[1782] _ Range (in code): SR US FI
- 4475. Precis (Junonia) frobeniusi Strand,1909** (Argynnidae) Synonym(s): *frobeniusi* Strand,1909; *frobeniusi* McLeod,1988 _ Range (in code): LR GN NG
- 4476. Precis (Junonia) genoveva (Stoll,[1782])** (Argynnidae) Synonym(s): *genoveva* Stoll,[1782] _ Range (in code): JM US MX Arz Col FI NMx Ne Tx Ut
- 4477. Precis (Junonia) goudoti (Boisduval,1833)** (Argynnidae) Synonym(s): *goudoti* Boisduval,1833 _ Range (in code): MG MU
- 4478. Precis (Junonia) hadrope Doubleday,[1847]** (Argynnidae) Synonym(s): *hadrope* Doubleday,[1847]; *ixia* Butler,1866 _ Range (in code): GH CM
- 4479. Precis (Junonia) hedonia (Linnaeus,1764)** (Argynnidae) Synonym(s): *hedonia* Linnaeus,1764; *hellanis* C.Felder & R.Felder,1867 Original Reference: Papilio hedonia Linnaeus,1764, Mus. Ulr.: 279. Type: ?Malayana. Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY ID Ja Eng Flo Sbw
- 4480. Precis (Junonia) hedonia apollonia Fruhstorfer,1906** (Argynnidae) Synonym(s): *apollonia* Fruhstorfer,1906 _ Range (in code): ID Flo Sbw

- 4481. *Precis (Junonia) hedonia hedonia* (Linnaeus,1764)** (Argynnidae) Synonym(s): *hedonia* Linnaeus,1764; *hellanis* C.Felder & R.Felder,1867 Original Reference: *Papilio hedonia* Linnaeus,1764, Mus. Ulr.: 279. Type: ?Malayana. Range (in code): **MY**
- 4482. *Precis (Junonia) hedonia hondai* Hayashi** (Argynnidae) Synonym(s): *hondai* Hayashi Range (in code): **PH Pal**
- 4483. *Precis (Junonia) hedonia ida* (Cramer,[1775])** (Argynnidae) Synonym(s): *ida* Cramer,[1775] Original Reference: *Papilio ida* Cramer,[1775], Uitl. Kapellen 1: Pl.42 C,D; Stoll, [1782], ibidem 4: Pl. 374 C,D. Syntypes: Java, Penang. Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY ID Ja Eng**
- 4484. *Precis (Junonia) hedonia seitzii* Corbet,1937** (Argynnidae) Synonym(s): *seitzii* Corbet,1937 Range (in code): **MY**
- 4485. *Precis (Junonia) hierta* (Fabricius,1798)** (Argynnidae) Synonym(s): *lintingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798 Original Reference: *Papilio hierta* Fabricius,1798, Suppl. ent. syst.: 424. Type(s): [China]: Lingting. Range (in code): **TH AF AO BF BI BJ BW CF CG CI CM CN DJ EG EH ER ET GA GH GM GN GO Bio GW IN KE LR LS LY MG ML MR MW MZ NA NE NG PK RW SA SC SD Sk SL SN SO ST SZ TD TG TZ UG YE ZM ZR ZW LB ZA Nta Kzu Est Tva Lpo Spb Ptb Lj Mdk Ent Gau Pre Jh Mpu Brb MG SD SA YE SC Sk IR JO MM Adm LK MY Lkw TH CMa Cuo Cuo1 Cuo9 Cuo10 Int Dsk Hpt Lmp Tht Chy TAK Sbu Rng Sat Non Phi Nna Cbu Tng Tuo Sya Ths Nst MW Zom Msr Bhb Ad SO Zai Ng**
- 4486. *Precis (Junonia) hierta cebrene* Trimen,1870** (Argynnidae) Synonym(s): *cebrene* Trimen,1870; *sudanica* Schultze,1920 Original Reference: *Junonia cebrene* Trimen,1870, Trans. ent. Soc. Lond. 1870: 353. Type(s): South Africa: Basuto-land. Range (in code): **MW Zom ZA Nta Kzu Est Tva Lpo Spb Ptb Lj Mdk Ent Gau Pre Jh Mpu Brb SD JO SA YE Ad SO Zai SC Sk IR**
- 4487. *Precis (Junonia) hierta hierta* (Fabricius,1798)** (Argynnidae) Synonym(s): *lintingensis* Osbeck,1765 [rejected name, Op.842, 1968]; *hierta* Fabricius,1798 Original Reference: *Papilio hierta* Fabricius,1798, Suppl. ent. syst.: 424. Type(s): [China]: Lingting. Range (in code): **CN IN MM Adm LK MY Lkw TH CMa Cuo Cuo1 Cuo9 Cuo10 Int Dsk Hpt Lmp Tht Chy TAK Sbu Rng Sat Non Phi Nna Cbu Tng Tuo Sya Ths Nst Msr**
- 4488. *Precis (Junonia) hierta paris* Trimen,1887** (Argynnidae) Synonym(s): *paris* Trimen,1887 Range (in code): **MG**
- 4489. *Precis (Junonia) intermedia* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *intermedia* C.Felder & R.Felder,1867 Range (in code): **ID Clb Sla**
- 4490. *Precis (Junonia) intermedia intermedia* C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *intermedia* C.Felder & R.Felder,1867 Range (in code): **ID Clb**
- 4491. *Precis (Junonia) intermedia teurnia* Fruhstorfer,1912** (Argynnidae) Synonym(s): *teurnia* Fruhstorfer,1912 Range (in code): **ID Sla**
- 4492. *Precis (Junonia) iphita* (Cramer,[1779])** (Argynnidae) Synonym(s): *iphita* Cramer,[1779] Original Reference: *Papilio iphita* Cramer,[1779], Uitl. Kapellen 3: pl.209, figs.C,D. Range (in code): **PK IN LK MV MM TH CMa Cuo Cuo5 Cuo7 Cuo2 Cuo9 Cuo10 Cuo12 Cm1 CDo CD2 Cnz Cz11 Dst Dso8 Pap Mro Dsk Hpt Lmp Tht Nrt Phi Cbi Ptt Yal Tng Sgk Hya Tnc PSu Nst Ths Loe CN MY Lkw PH Bal Pal ID Ja Sum Bor Sba**
- 4493. *Precis (Junonia) iphita adelaida* (Staudinger,1889)** (Argynnidae) Synonym(s): *adelaida* Staudinger,1889 Original Reference: *Precis iphita* var? *adelaida* Staudinger,1889, Dt. ent. Z., Iris 2: 51-52. Syntypes: 100♂♀: [Philippinen]: Palawan. Range (in code): **PH Bal Pal**
- 4494. *Precis (Junonia) iphita cebara* Fruhstorfer,1912** (Argynnidae) Synonym(s): *cebara* Fruhstorfer,1912 Range (in code): **ID Sba**
- 4495. *Precis (Junonia) iphita horsfieldi* Moore,[1899]** (Argynnidae) Synonym(s): *horsfieldi* Moore,[1899] Range (in code): **TH Ptt Yal Tng Sgk Hya Tnc PSu Nst Ths MY Lkw ID Ja**
- 4496. *Precis (Junonia) iphita iphita* (Cramer,[1779])** (Argynnidae) Synonym(s): *iphita* Cramer,[1779] Original Reference: *Papilio iphita* Cramer,[1779], Uitl. Kapellen 3: pl.209, figs.C,D. Range (in code): **PK IN LK MM TH CMa Cuo Cuo5 Cuo7 Cuo2 Cuo9 Cuo10 Cuo12 Cnz Cz11 Cm1 CDo CD2 Dst Dso8 Pap Mro Dsk Hpt Lmp Tht Nrt Phi Cbi Loe CN MY**
- 4497. *Precis (Junonia) iphita pluvialis* Fruhstorfer,1900** (Argynnidae) Synonym(s): *pluvialis* Fruhstorfer,1900 Range (in code): **LK IN MV**
- 4498. *Precis (Junonia) iphita tosca* Fruhstorfer,1900** (Argynnidae) Synonym(s): *tosca* Fruhstorfer,1900 Range (in code): **ID Sum**
- 4499. *Precis (Junonia) iphita viridis* Staudinger,1889** (Argynnidae) Synonym(s): *viridis* Staudinger,1889 Range (in code): **Bor MY**

- 4500. *Precis (Junonia) lemonias* (Linnaeus,1758)** (Argynnidae) Synonym(s): *lemonias* Linnaeus,1758. Range (in code): PK MY Lkw TH CMa Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 Cuo12 Cm1 Cmz Cz11 Dst Dso8 Pap Mro Dsk Hpt Nna Knc Chb Chy Bnk Shu Cbi Tng Sgk Hya Tnc PSu Nst Ths CN TW IN LK PH Ceb Gui Luz Mar Mdo Pal. Bionomy: Larva on *Sericocalyx schomburgkii* [kha kai], *Ruellia tuberosa* [toi ting leoi] (Acanthaceae) (Lewvanich,2001).
- 4501. *Precis (Junonia) lemonias janome* Tsukada & Kaneko,1985** (Argynnidae) Synonym(s): *janome* Tsukada & Kaneko,1985. Range (in code): PH Ceb Gui Luz Mar Mdo Pal
- 4502. *Precis (Junonia) lemonias lemonias* (Linnaeus,1758)** (Argynnidae) Synonym(s): *lemonias* Linnaeus,1758. Range (in code): MY Lkw TH CMa Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 Cuo12 Cm1 Cmz Cz11 Dst Dso8 Pap Mro Dsk Hpt Nna Knc Chb Chy Bnk Shu Cbi Tng Sgk Hya Tnc PSu Nst Ths CN TW. Bionomy: Larva on *Sericocalyx schomburgkii* [kha kai], *Ruellia tuberosa* [toi ting leoi] (Acanthaceae) (Lewvanich,2001).
- 4503. *Precis (Junonia) lemonias vaisya* Fruhstorfer,1912** (Argynnidae) Synonym(s): *vaisya* Fruhstorfer,1912. Range (in code): LK
- 4504. *Precis (Junonia) limnoria* (Klug,1845)** (Argynnidae) Synonym(s): *limnoria* Klug,1845. Original Reference: Vanessa *limnoria* Klug,1845, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.48 figs. 6,7. Type(s): In Arabia felici. Range (in code): ET KE SA SO TZ YE HJ. Bionomy: Larva on *Asystasia*, *Barleria*, *Justicia*, *Paulowilhelmia*, *Ruellia* (Acanthaceae) (Ackery et al.,1995).
- 4505. *Precis (Junonia) limnoria limnoria* (Klug,1845)** (Argynnidae) Synonym(s): *limnoria* Klug,1845. Original Reference: Vanessa *limnoria* Klug,1845, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.48 figs. 6,7. Type(s): In Arabia felici. Range (in code): ET SO
- 4506. *Precis (Junonia) limnoria niveistictus* Gabriel,1954** (Argynnidae) Synonym(s): *niveistictus* Gabriel,1954. Original Reference: *Precis limnoria* ssp. *niveistictus* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 361, pl.xviii fig.3. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Harir, 5200ft. (BMHN). Range (in code): SA YE HJ
- 4507. *Precis (Junonia) limnoria taveta* (Rogenhofer,1891)** (Argynnidae) Synonym(s): *taveta* Rogenhofer,1891. Range (in code): KE ET TZ
- 4508. *Precis (Junonia) milonia* (C.Felder & R.Felder,1867)** (Argynnidae) Synonym(s): *milonia* C.Felder & R.Felder,1867. Range (in code): NG Caa CM UG RW BI ZR
- 4509. *Precis (Junonia) milonia milonia* (C.Felder & R.Felder,1867)** (Argynnidae) Synonym(s): *milonia* C.Felder & R.Felder,1867; *kowara* Ward,1871. Range (in code): NG Caa CM
- 4510. *Precis (Junonia) milonia wintgensis* (Strand,1909)** (Argynnidae) Synonym(s): *wintgensis* Strand,1909. Range (in code): UG RW BI ZR
- 4511. *Precis (Junonia) natalica* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *natalica* C.Felder & R.Felder,1860; *hecate* Trimen,1862; *#natalensis* Rothschild,1918 nec Stgr.,1885. Range (in code): AO MZ ZW ZM ZR TZ Pb MW Zom KE ZA Nta Kzu Dbn Ptb Tva Lpo Spb Ent Kru Pma Pf Suw Mpu Brb Nel. Bionomy: Larva on *Asystasia*, *Barleria*, *Hygrophila*, *Justicia*, *Paulowilhelmia*, *Phaulopsis*, *Ruellia* (Acanthaceae); *Plectranthus* (Lamiaceae) (Ackery et al.,1995).
- 4512. *Precis (Junonia) natalica angolensis* (Rothschild,1918)** (Argynnidae) Synonym(s): *angolensis* Rothschild,1918; *schmidtii* Neustetter,1927. Range (in code): AO
- 4513. *Precis (Junonia) natalica natalica* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *natalica* C.Felder & R.Felder,1860; *hecate* Trimen,1862; *#natalensis* Rothschild,1918. Range (in code): ZA Nta Kzu Dbn Ptb Tva Lpo Spb Ent Kru Pma Pf Suw Mpu Brb Nel MZ ZW ZM TZ Pb ZR MW Zom KE
- 4514. *Precis (Junonia) oenone* (Linnaeus,1758)** (Argynnidae) Synonym(s): *oenone* Linnaeus,1758; *clelia* Cramer,[1775]. Original Reference: *Papilio oenone* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Asia. Range (in code): AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS ML MR MW Zom MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ Tnga Usa Ani UG YE ZA Nta Kzu Ptb Lpo Tva Spb Lj Mdk Ent Pin Wnn Mv ZM ZR ZW MG Asv Ald Csm Asu
- 4515. *Precis (Junonia) oenone epiclelia* (Boisduval,1833)** (Argynnidae) Synonym(s): *epiclelia* Boisduval,1833. Range (in code): MG Asv Ald Csm Asu
- 4516. *Precis (Junonia) oenone oenone* (Linnaeus,1758)** (Argynnidae) Synonym(s): *oenone* Linnaeus,1758; *clelia* Cramer,[1775]. Original Reference: *Papilio oenone* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Asia. Range (in code): AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS ML MR MW Zom MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ Tnga Usa Ani UG YE ZA Nta Kzu Ptb Lpo Tva Spb Lj Mdk Ent Pin Wnn Mv ZM ZR ZW
- 4517. *Precis (Junonia) orithya* (Linnaeus,1758)** (Argynnidae) Synonym(s): *orithya* Linnaeus,1758. Original Reference: *Papilio orithya* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473.

- Type(s): India. Range (in code): TR BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW IQ Nsr Bji Bgd IR Lo Fa Ke JO KE KW LR LY MA MG ML MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TN TZ UG YE MG ZA Nta Kzu Ptb ZM ZR ZW SY IN LK MM Ci Mre Pj Nwf Pes Rw Cp Tra Tva Lpo Spb Lj Kru Dbn MZ ZW BW NA PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic Stu SG ID Sum Ja Bli Lb LS Baw Bor Clb Hn TH MY Lkw Cma Cuo Cuo7 Cu12 Cmz Cz11 Loe Nna Knc Cbi Sbu Non Phi Nrt Cbu Ray Pht Sgk Yal Tng Hya PSu Nst Ths AE AF AO BF BH MW Zom Koh Msr Swa Kkar Ng Jla Bionomy: Larva on Justicia, Lepidagathis (Acanthaceae) (Wiltshire,1957).
- 4518. Precis (Junonia) orithya baweana Fruhstorfer,1906** (Argynnidae) Synonym(s): *baweana Fruhstorfer,1906* Range (in code): ID Baw
- 4519. Precis (Junonia) orithya celebensis Staudinger,1888** (Argynnidae) Synonym(s): *celebensis Staudinger,1888* Range (in code): ID Clb
- 4520. Precis (Junonia) orithya cheesmani N.D.Riley,1925** (Argynnidae) Synonym(s): *cheesmani N.D.Riley,1925* Original Reference: *Precis orithya* ssp. *cheesmani* Riley,1925, Ann. Mag. nat. Hist. (9) 15: 151, pl.10, figs.5,6. Holotype: Saudi Arabia: Hufuf. Range (in code): BH KW QA
- 4521. Precis (Junonia) orithya hainanensis Fruhstorfer,1912** (Argynnidae) Synonym(s): *hainanensis Fruhstorfer,1912* Range (in code): CN Hn
- 4522. Precis (Junonia) orithya here (Lang,1884)** (Argynnidae) Synonym(s): *here Lang,1884*. Original Reference: *Junonia here* Lang,1884, Entomologist 17: 207. Syntypes: [Yemen]: Aden. Range (in code): Ad As Dh Hd OM SA AE YE IR Lo Fa Ke IQ Nsr Bgd Bji SY AF Ng Jla TR Bionomy: Larva on Justicia, Lepidagathis (Acanthaceae) (Wiltshire,1957).
- 4523. Precis (Junonia) orithya leucasia Fruhstorfer,1912** (Argynnidae) Synonym(s): *leucasia Fruhstorfer,1912* Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic
- 4524. Precis (Junonia) orithya madagascariensis Guenée,1865** (Argynnidae) Synonym(s): *madagascariensis Guenée,1865* Original Reference: *Precis madagascariensis* Guenée,1865, [in] Vinson, Voy. Madag.: 37. Range (in code): MW Zom MG ZA Nta Kzu Ptb Tva Lpo Spb Lj Kru Tra Stj Dbn MZ ZW BW NA
- 4525. Precis (Junonia) orithya metion Fruhstorfer,1905** (Argynnidae) Synonym(s): *metion Fruhstorfer,1905* Range (in code): PH Stu MY Bor
- 4526. Precis (Junonia) orithya mevaria Fruhstorfer,1904** (Argynnidae) Synonym(s): *mevaria Fruhstorfer,1904* Range (in code): ID Lb
- 4527. Precis (Junonia) orithya minagara Fruhstorfer,1904** (Argynnidae) Synonym(s): *minagara Fruhstorfer,1904* Range (in code): ID Ja Bli
- 4528. Precis (Junonia) orithya ocyale (Hübner,[1819])** (Argynnidae) Synonym(s): *ocyale Hübner,[1819]* Range (in code): IN MM TH Cma Cuo Cuo7 Cu12 Cmz Cz11 Loe Nna Knc Cbi Sbu Non Phi Nrt Cbu Ray Pht
- 4529. Precis (Junonia) orithya orithya (Linnaeus,1758)** (Argynnidae) Synonym(s): *orithya Linnaeus,1758* Original Reference: *Papilio orithya* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): India. Range (in code): IN CN LK MM
- 4530. Precis (Junonia) orithya patenas Fruhstorfer,1912** (Argynnidae) Synonym(s): *patenas Fruhstorfer,1912* Range (in code): LK
- 4531. Precis (Junonia) orithya sumatrana Fruhstorfer,1906** (Argynnidae) Synonym(s): *sumatrana Fruhstorfer,1906* Range (in code): ID Sum
- 4532. Precis (Junonia) orithya swinhoei (Butler,1885)** (Argynnidae) Synonym(s): *swinhoei Butler,1885* Original Reference: *Junonia swinhoei* Butler,1885, Ann. Mag. nat. Hist. 1885: 308. Range (in code): IN PK Ci Haz Mre Pj Nwf Pes Rw Cp Koh
- 4533. Precis (Junonia) orithya wallacei Distant,1883** (Argynnidae) Synonym(s): *wallacei Distant,1883* Range (in code): MY Lkw TH Sgk Yal Tng Hya PSu Nst Ths
- 4534. Precis (Junonia) pelarga (Fabricius,1775)** (Argynnidae) Synonym(s): *pelarga Fabricius,1775; leodice Cramer,[1777]; harpyia Fabricius,1781; trullus Herbst,1794; galami Boisduval,1833; monrovia Staudinger,1885; #moyambensis Wichgraf,1921; #proetigiana Stoneham,1965* Range (in code): GN SL MG LR KE SN AO ZM ZR Shb TZ RW BI UG ET Bionomy: Larva on Coleus, Solenostemon (Lamiaceae) (Ackery et al.,1995).
- 4535. Precis (Junonia) rauana (Grose-Smith,1898)** (Argynnidae) Synonym(s): *rauana Grose-Smith,1898; kakamena Carcasson,1961* Range (in code): KE Kkm UG CM Bit ZR UG TZ

- 4536. *Precis (Junonia) rauana omissa* Rothschild,1918** (Argynnidae) Synonym(s): *omissa* Rothschild,1918 _ Range (in code): **CM Bit ZR**
- 4537. *Precis (Junonia) rauana osborni* (Holland,1920)** (Argynnidae) Synonym(s): *osborni* Holland,1920 _ Range (in code): **ZR UG TZ**
- 4538. *Precis (Junonia) rauana rauana* (Grose-Smith,1898)** (Argynnidae) Synonym(s): *rauana* Grose-Smith,1898; *kakamena* Carcasson,1961 _ Range (in code): **KE Kkm UG**
- 4539. *Precis (Junonia) rhadama* (Boisduval,1833)** (Argynnidae) Synonym(s): *rhadama* Boisduval,1833; *#arida* Aurivillius,1833 _ Range (in code): **MG KM** Bionomy: Larva on Barleria, Hypoestes, Justicia (Acanthaceae) (Ackery et al.,1995).
- 4540. *Precis (Junonia) schmiedeli* Fiedler,1920** (Argynnidae) Synonym(s): *schmiedeli* Fiedler,1920 _ Range (in code): **CM ZR UG**
- 4541. *Precis (Junonia) silvicola* Schultz,1916** (Argynnidae) Synonym(s): *silvicola* Schultz,1916 _ Range (in code): **CM**
- 4542. *Precis (Junonia) sinuata* Plötz,1880** (Argynnidae) Synonym(s): *sinuata* Plötz,1880; *serena* Weyer,1892; *pelargoides* Aurivillius,1891; *#parvipunctis* Strand,1910 _ Range (in code): **SL CM ST BI TZ Tnga Usa MW MZ ZR RW UG**
- 4543. *Precis (Junonia) sinuata hecqui* Berger,1981** (Argynnidae) Synonym(s): *hecqui* Berger,1981 _ Range (in code): **ZR RW UG**
- 4544. *Precis (Junonia) sinuata sinuata* Plötz,1880** (Argynnidae) Synonym(s): *sinuata* Plötz,1880; *serena* Weyer,1892; *pelargoides* Aurivillius,1891; *#parvipunctis* Strand,1910 _ Range (in code): **SL CM ST BI TZ Tnga Usa MW MZ**
- 4545. *Precis (Junonia) sophia* (Fabricius,1793)** (Argynnidae) Synonym(s): *sophia* Fabricius,1793; *#ferenigra* Schultze,1920 _ Range (in code): **GO Bio GH SN TZ Kmj ET KE ZR AO UG RW BI MW ZM ZA Nta Kzu** Bionomy: Larva on Asystasia, Barleria, Brillantaisia, Hypoestes, Justicia, Paulowilhelmia, Ruellia (Acanthaceae) (Ackery et al.,1995).
- 4546. *Precis (Junonia) sophia infracta* Butler,1888** (Argynnidae) Synonym(s): *infracta* Butler,1888; *albida* Suffert,1904; *#leucotincta* Strand,1911; *#nigeria* Stoneham,1934 _ Range (in code): **TZ Kmj ET KE ZR AO UG RW BI MW ZM ZA Nta Kzu**
- 4547. *Precis (Junonia) sophia sophia* (Fabricius,1793)** (Argynnidae) Synonym(s): *sophia* Fabricius,1793; *#ferenigra* Schultze,1920 _ Range (in code): **GO Bio GH SN**
- 4548. *Precis (Junonia) stygia* Aurivillius,1894** (Argynnidae) Synonym(s): *stygia* Aurivillius,1894; *fuscata* Holland,1920; *#alberici* Dufrane,1945 _ Range (in code): **CM ZR AO SN UG TZ KE** Bionomy: Larva on Asystasia, Barleria, Justicia, Paulowilhelmia, Phaulopsis (Acanthaceae) (Ackery et al.,1995).
- 4549. *Precis (Junonia) stygia gregorii* Butler,1896** (Argynnidae) Synonym(s): *gregorii* Butler,1896 _ Range (in code): **UG TZ KE**
- 4550. *Precis (Junonia) stygia stygia* Aurivillius,1894** (Argynnidae) Synonym(s): *stygia* Aurivillius,1894; *fuscata* Holland,1920; *#alberici* Dufrane,1945 _ Range (in code): **CM ZR AO SN**
- 4551. *Precis (Junonia) terea* (Drury,[1773])** (Argynnidae) Synonym(s): *terea* Drury,[1773]; *zipha* Butler,1869 _ Range (in code): **KE ZR UG SD GA MZ ZW MW Zom ZM AO TZ Tnga Usa Ani Pb SN NG Caa ET SO ZA Nta Kzu Ptb Ent Spb Tva Lpo Kru K12 Mpu Mll Brb Nel Suw** Bionomy: Larva on Asystasia, Barleria, Hygrophila, Justicia, Paulowilhelmia, Phaulopsis, Ruellia (Acanthaceae) (Ackery et al.,1995).
- 4552. *Precis (Junonia) terea elgiva* (Hewitson,1864)** (Argynnidae) Synonym(s): *elgiva* Hewitson,1864 _ Range (in code): **ZA Nta Kzu Ptb Ent Spb Tva Lpo Kru K12 Mpu Mll Brb Nel Suw MZ ZW MW Zom ZM ZR AO TZ Tnga Usa Ani Pb KE**
- 4553. *Precis (Junonia) terea fumata* Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *fumata* Rothschild & Jordan,1903; *#januarii* Ungemach,1932 _ Range (in code): **ET SO**
- 4554. *Precis (Junonia) terea terea* (Drury,[1773])** (Argynnidae) Synonym(s): *terea* Drury,[1773]; *zipha* Butler,1869 _ Range (in code): **SN NG Caa**
- 4555. *Precis (Junonia) terea tereoides* Butler,1901** (Argynnidae) Synonym(s): *tereoides* Butler,1901 _ Range (in code): **KE ZR UG SD GA**
- 4556. *Precis (Junonia) touhilimasa* (Vuillot,1892)** (Argynnidae) Synonym(s): *touhilimasa* Vuillot,1892; *pavonina* Butler,1895; *#obacurata* Ball,1932 _ Range (in code): **ZM ZW**
- 4557. *Precis (Junonia) villida* (Fabricius,1787)** (Argynnidae) Synonym(s): *villida* Fabricius,1787 _ Range (in code): **AU ID Sba**
- 4558. *Precis (Junonia) westermanni* (Westwood,1870)** (Argynnidae) Synonym(s): *westermanni* Westwood,1870; *#lugens* Ungemach,1932 _ Range (in code): **ET CI AO ZR SD KE Nai RW**

- TZ Tnga Usa UG** Bionomy: Larva on Asystasia, Barleria, Hypostes, Justicia, Paulowilhelmia, Ruellia (Acanthaceae); Puparia (Amaranthaceae) (Ackery et al.,1995).
- 4559. Precis (Junonia) westermanni splendens Schmidt,1921** (Argynnidae) Synonym(s): *splendens* Schmidt,1921 Range (in code): TZ Tnga Usa
- 4560. Precis (Junonia) westermanni suffusa Rothschild & Jordan,1903** (Argynnidae) Synonym(s): *suffusa* Rothschild & Jordan,1903; *#jordani* Aurivillius,1913; *#nigricans* Stoneham,1934; *#pallida* Stoneham,1965; *#nucleata* Stoneham,1965 Range (in code): KE Nai RW UG
- 4561. Precis (Junonia) westermanni westermanni (Westwood,1870)** (Argynnidae) Synonym(s): *westermanni* Westwood,1870; *#lugens* Ungemach,1932 Range (in code): ET CI AO ZR SD
- 4562. Precis (s.str.) archesia (Cramer,[1779])** (Argynnidae) Synonym(s): *archesia* Cramer,[1779]; *pelasgis* Godart,[1819]; *chapunga* Hewitson,1864; *staudingeri* Rogenhofer,1891; *semitypica* Aurivillius,1898; *striata* Aurivillius,1901 Range (in code): MW Zom TZ ZR CM ZM SD UG ZA Nta Kzu Ptb Mv Wnn Gau Pre Jh Ly Wri Tva Lpo Spb Suw Kru Pma Lj Ent Mdk Mpu Brb Bionomy: Larva on Coleus, Englas?, Iboza, Plectranthus, Pychnostachis (Lamiaceae); Eriosema (Fabaceae) (Ackery et al.,1995).
- 4563. Precis (s.str.) archesia archesia (Cramer,[1779])** (Argynnidae) Synonym(s): *archesia* Cramer,[1779]; *pelasgis* Godart,[1819]; *chapunga* Hewitson,1864; *staudingeri* Rogenhofer,1891; *semitypica* Aurivillius,1898; *striata* Aurivillius,1901 Range (in code): MW Zom ZA Nta Kzu Ptb Mv Wnn Gau Pre Jh Ly Wri Tva Lpo Kru Pma Spb Suw Lj Ent Mdk Mpu Brb TZ ZR CM ZM SD UG
- 4564. Precis (s.str.) archesia ugandensis (McLeod,1980)** (Argynnidae) Synonym(s): *ugandensis* McLeod,1980 Range (in code): SD UG
- 4565. Precis (s.str.) octavia (Cramer,[1777])** (Argynnidae) Synonym(s): *octavia* Cramer,[1777]; *amestris* Drury,1782; *zingha* Fabricius,1787; *emma* Godart,[1819] Range (in code): SL NG SN ET ZR SO SD ZA Nta Kzu Mv Ptb Lpo Tva Kru Pma Spb Lj Ent Gau Jh Pre Ec Ly Aup Krb Wri MW Zom TZ Tnga Usa Ani KE UG ZR AO
- 4566. Precis (s.str.) octavia octavia (Cramer,[1777])** (Argynnidae) Synonym(s): *octavia* Cramer,[1777]; *amestris* Drury,1782; *zingha* Fabricius,1787; *emma* Godart,[1819] Range (in code): SL NG SN ET ZR SO SD
- 4567. Precis (s.str.) octavia sesamus (Trimen,1883)** (Argynnidae) Synonym(s): *sesamus* Trimen,1883; *natalensis* Staudinger,1885; *calescens* Butler,1894 Range (in code): ZA Nta Kzu Mv Ptb Lpo Tva Kru Pma Spb Suw Lj Ent Gau Jh Pre Ec Ly Aup Krb Wri MW Zom TZ Tnga Usa Ani KE UG ZR AO
- 4568. Precis (s.str.) tugela Trimen,1879** (Argynnidae) Synonym(s): *tugela* Trimen,1879 Original Reference: *Precis tugela* Trimen,1879, Trans. ent. Soc. London 1879 (4): 334-336. Syntypes 1♂ 2♀: South Africa: Natal: Krantzkop, Tunjumbili; Transvaal: Leydenburg [Lydenburg]. Range (in code): ZW ZA Mpu Brb Suw Nta Kzu Kkf Lpo Tva Spb Ent Lj Ly Ptb MW Zom TZ Tnga Usa Ani KE ET SD UG ZR RW BI
- 4569. Precis (s.str.) tugela aurorina Butler,1894** (Argynnidae) Synonym(s): *aurorina* Butler,1894 Range (in code): MW Zom TZ Tnga Usa Ani KE ET SD
- 4570. Precis (s.str.) tugela pyriformis Butler,1896** (Argynnidae) Synonym(s): *pyriformis* Butler,1896 Range (in code): UG ZR RW BI
- 4571. Precis (s.str.) tugela tugela Trimen,1879** (Argynnidae) Synonym(s): *tugela* Trimen,1879 Original Reference: *Precis tugela* Trimen,1879, Trans. ent. Soc. London 1879 (4): 334-336. Syntypes 1♂ 2♀: South Africa: Natal: Krantzkop, Tunjumbili; Transvaal: Leydenburg [Lydenburg]. Range (in code): ZA Mpu Brb Suw Nta Kzu Kkf Lpo Tva Spb Lj Ent Ly Ptb ZW
- 4572. Prothoe franckii Hübner,[1824]** (Argynnidae) Synonym(s): *franckii* Hübner,[1824]; *franck* Godart,[1824] Range (in code): PH Bal Pal TH Chy Chi Rng Yal Tng Nst Kna Ths Sya Sgk Hya Tnc
- 4573. Prothoe franckii aphrodite Fruhstorfer,1900** (Argynnidae) Synonym(s): *aphrodite* Fruhstorfer,1900 Range (in code): PH Bal Pal
- 4574. Prothoe franckii franckii Hübner,[1824]** (Argynnidae) Synonym(s): *franckii* Hübner,[1824]; *franck* Godart,[1824]
- 4575. Prothoe franckii uniformis Butler,1885** (Argynnidae) Synonym(s): *uniformis* Butler,1885 Range (in code): TH Rng Yal Tng Nst Kna Ths Sya Sgk Hya Tnc
- 4576. Prothoe franckii vilma Fruhstorfer,1901** (Argynnidae) Synonym(s): *vilma* Fruhstorfer,1901 Range (in code): TH Chy Chi
- 4577. Prothoe plateni Semper,1892** (Argynnidae) Synonym(s): *plateni* Semper,1892 Range (in code): PH Luz Mdo
- 4578. Prothoe semperi Honrath,1884** (Argynnidae) Synonym(s): *semperi* Honrath,1884 Range (in code): PH Ley Mno Pao Boh

- 4579. *Prothoe semperi bohollensis* M.Okano & T.Okano,1989** (Argynnidae) Synonym(s): *bohollensis* M.Okano & T.Okano,1989 _ Range (in code): PH Boh
- 4580. *Prothoe semperi gregalis* Tsukada,1991** (Argynnidae) Synonym(s): *gregalis* Tsukada,1991 _ Range (in code): PH Mno
- 4581. *Prothoe semperi semperi* Honrath,1884** (Argynnidae) Synonym(s): *semperi* Honrath,1884 _ Range (in code): PH Ley Mno Pao
- 4582. *Pseudacraea acholica* N.D.Riley,1932** (Argynnidae) Synonym(s): *acholica* N.D.Riley,1932
Original Reference: *Pseudacraea acholica* Riley,1932, Ann. Mag. nat. Hist. (10) 10: 139-140, pl.viii fig. 1. Holotype ♂: South Sudan: Mongalla Prov., Lotti (Acholi Hills) (Major F. Moysey leg.) (BMNH). Range (in code): ZR SD
- 4583. *Pseudacraea acholica acholica* N.D.Riley,1932** (Argynnidae) Synonym(s): *acholica* N.D.Riley,1932
Original Reference: *Pseudacraea acholica* Riley,1932, Ann. Mag. nat. Hist. (10) 10: 139-140, pl.viii fig. 1. Holotype ♂: South Sudan: Mongalla Prov., Lotti (Acholi Hills) (Major F. Moysey leg.) (BMNH). Range (in code): SD
- 4584. *Pseudacraea acholica mayenceae* Hecq,1987** (Argynnidae) Synonym(s): *mayenceae* Hecq,1987 _ Range (in code): ZR
- 4585. *Pseudacraea annakae* Knoop,1988** (Argynnidae) Synonym(s): *annakae* Knoop,1988
Range (in code): NG
- 4586. *Pseudacraea boisduvalii* (Doubleday,1845)** (Argynnidae) Synonym(s): *boisduvalii* Doubleday,1845 _ Range (in code): ZW MW MZ SZ TZ Tnga Usa Ani Pb SL ZR AO UG SD KE Kkm ZA Lpo Tva Spb Lj Kru Pma K12 Nta Kzu Mll Suw Bionomy: Larva on Chrysophyllum, Manilkara, Mimosa (Sapotaceae) (Ackery et al.,1995).
- 4587. *Pseudacraea boisduvalii boisduvalii* (Doubleday,1845)** (Argynnidae) Synonym(s): *boisduvalii* Doubleday,1845 _ Range (in code): SL ZR AO UG SD KE
- 4588. *Pseudacraea boisduvalii marsabitensis* Jackson & Howarth,1957** (Argynnidae) Synonym(s): *marsabitensis* Jackson & Howarth,1957 _ Range (in code): KE
- 4589. *Pseudacraea boisduvalii pemba* Kielland,1990** (Argynnidae) Synonym(s): *pemba* Kielland,1990 _ Range (in code): TZ Pb
- 4590. *Pseudacraea boisduvalii sayonis* Ungemach,1932** (Argynnidae) Synonym(s): *sayonis* Ungemach,1932 _ Range (in code): ET
- 4591. *Pseudacraea boisduvalii trimenii* Butler,1874** (Argynnidae) Synonym(s): *trimenii* Butler,1874; *colvillei* Butler,1884; *deficiens* Karsch,1897
Original Reference: *Pseudacraea trimenii* Butler,1874, Entomologist's mon. Mag. 11: 57-58. Tpe: "Port Natal (Gueinzus)" (BMNH). Range (in code): TZ Tnga Usa Ani ZW MW MZ SZ ZA Nta Kzu Lpo Tva Spb Lj Kru Pma K12 Mll Suw
- 4592. *Pseudacraea clarkii* Butler & Rothschild,1892** (Argynnidae) Synonym(s): *clarkii* Butler & Rothschild,1892 _ Range (in code): CM GA ZR UG
- 4593. *Pseudacraea deludens* Neave,1912** (Argynnidae) Synonym(s): *deludens* Neave,1912
Range (in code): MW TZ UG
- 4594. *Pseudacraea deludens amaurina* Neustetter,1928** (Argynnidae) Synonym(s): *amaurina* Neustetter,1928 _ Range (in code): TZ
- 4595. *Pseudacraea deludens deludens* Neave,1912** (Argynnidae) Synonym(s): *deludens* Neave,1912 _ Range (in code): MW
- 4596. *Pseudacraea deludens ducarmei* Hecq,1990** (Argynnidae) Synonym(s): *ducarmei* Hecq,1990 _ Range (in code): ZR
- 4597. *Pseudacraea deludens echerioides* Talbot,1941** (Argynnidae) Synonym(s): *echerioides* Talbot,1941 _ Range (in code): UG KE
- 4598. *Pseudacraea deludens morogoro* Kielland,1990** (Argynnidae) Synonym(s): *morogoro* Kielland,1990 _ Range (in code): TZ
- 4599. *Pseudacraea deludens reducta* Kielland,1990** (Argynnidae) Synonym(s): *reducta* Kielland,1990 _ Range (in code): TZ
- 4600. *Pseudacraea deludens tanganyikae* Kielland,1990** (Argynnidae) Synonym(s): *tanganyikae* Kielland,1990 _ Range (in code): TZ
- 4601. *Pseudacraea deludens terrena* Jackson,1956** (Argynnidae) Synonym(s): *terrena* Jackson,1956 _ Range (in code): UG
- 4602. *Pseudacraea dolomena* (Hewitson,1865)** (Argynnidae) Synonym(s): *dolomena* Hewitson,1865; *macularia* Capronnier,1889; *rubrobasalis* Aurivillius,1903; *albolineata* Richelmann,1913
Range (in code): UG TZ Tnga Usa Ani AO NG ZR CM SL

- 4603. Pseudacraea dolomena albostrata Lathy,1906** (Argynnidae) Synonym(s): *albostrata* Lathy,1906; *dolabella* Hall,1919 _ Range (in code): **UG**
- 4604. Pseudacraea dolomena congoensis Jackson,1951** (Argynnidae) Synonym(s): *congoensis* Jackson,1951 _ Range (in code): **ZR**
- 4605. Pseudacraea dolomena dolomena (Hewitson,1865)** (Argynnidae) Synonym(s): *dolomena* Hewitson,1865; *macularia* Capronnier,1889; *rubrobasalis* Aurivillius,1903; *albolineata* Richelmann,1913 _ Range (in code): **AO NG ZR CM SL**
- 4606. Pseudacraea dolomena elgonensis Jackson,1951** (Argynnidae) Synonym(s): *elgonensis* Jackson,1951 _ Range (in code): **UG**
- 4607. Pseudacraea dolomena kayonza Jackson,1956** (Argynnidae) Synonym(s): *kayonza* Jackson,1956 _ Range (in code): **UG**
- 4608. Pseudacraea dolomena usagarae Staudinger,1891** (Argynnidae) Synonym(s): *usagarae* Staudinger,1891; *pharsa* Fruhstorfer,1903; *dolichiste* Hall,1919 _ Range (in code): **TZ Tnga Usa Ani**
- 4609. Pseudacraea eurytus (Linnaeus,1758)** (Argynnidae) Synonym(s): *eurytus* Linnaeus,1758; *hirce* Drury,1782; *ruhama* Hewitson,1872; *simulator* Butler,1873; *fulvaria* Butler,1874; *striata* Butler,1874; *metaplanema* Butler,1874; *epigea* Butler,1874; *theorini* Aurivillius,1891; *consanguinea* Aurivillius,1894; *karschi* Fruhstorfer,1903; *hobleyi* Neave,1904; *tirikensis* Neave,1904; *terra* Neave,1904; *obscura* Neave,1904; *togoensis* Bartel,1905; *impleta* Grünberg,1910; *ruwenzorica* Grünberg,1910 _ Range (in code): **ET TZ KE MW MZ SL CM AO ZR SD UG KE TZ TG SL GH ZA Nta Kzu Ptw Ec Stj** Bionomy: Larva on Chrysophyllum, Manilkara, Mimusops (Sapotaceae) (Ackery et al.,1995).
- 4610. Pseudacraea eurytus conradti Oberthür,1893** (Argynnidae) Synonym(s): *conradti* Oberthür,1893; *simulator* Grose-Smith,1889; *fickei* Weymer,1907; *rogersi* Trimen,1909 _ Range (in code): **TZ KE MW MZ**
- 4611. Pseudacraea eurytus eurytus (Linnaeus,1758)** (Argynnidae) Synonym(s): *eurytus* Linnaeus,1758; *hirce* Drury,1782; *ruhama* Hewitson,1872; *simulator* Butler,1873; *fulvaria* Butler,1874; *striata* Butler,1874; *metaplanema* Butler,1874; *epigea* Butler,1874; *theorini* Aurivillius,1891; *consanguinea* Aurivillius,1894; *karschi* Fruhstorfer,1903; *hobleyi* Neave,1904; *tirikensis* Neave,1904; *terra* Neave,1904; *obscura* Neave,1904; *togoensis* Bartel,1905; *impleta* Grünberg,1910; *ruwenzorica* Grünberg,1910 _ Range (in code): **SL CM AO ZR SD UG KE TZ TG SL GH**
- 4612. Pseudacraea eurytus imitator (Trimen,1873)** (Argynnidae) Synonym(s): *imitator* Trimen,1873 _ Range (in code): **ZA Nta Kzu Ptw Ec Stj**
- 4613. Pseudacraea eurytus mimoras Ungemach,1932** (Argynnidae) Synonym(s): *mimoras* Ungemach,1932; *epaeodes* Ungemach,1932; *youbdonis* Ungemach,1932 *ET* _ Range (in code): **ET**
- 4614. Pseudacraea hostilia (Drury,1782)** (Argynnidae) Synonym(s): *hostilia* Drury,1782; *metea* Stoll,1790; *orthosia* Hübner,[1819] _ Range (in code): **SL SN GH**
- 4615. Pseudacraea imerina (Hewitson,1865)** (Argynnidae) Synonym(s): *imerina* Hewitson,1865; *glaucina* Guenée,1865 _ Range (in code): **MG**
- 4616. Pseudacraea kuenowii Dewitz,1879** (Argynnidae) Synonym(s): *kuenowii* Dewitz,1879; *gottbergi* Dewitz,1879; *gazengeli* Oberthür,1893 _ Range (in code): **UG CM GA AO ZR KE**
- 4617. Pseudacraea kuenowii burgessi Jackson,1951** (Argynnidae) Synonym(s): *burgessi* Jackson,1951 _ Range (in code): **UG**
- 4618. Pseudacraea kuenowii hypoxantha Jordan,1911** (Argynnidae) Synonym(s): *hypoxantha* Jordan,1911 _ Range (in code): **UG**
- 4619. Pseudacraea kuenowii kigezi Jackson,1956** (Argynnidae) Synonym(s): *kigezi* Jackson,1956 _ Range (in code): **UG**
- 4620. Pseudacraea kuenowii kuenowii Dewitz,1879** (Argynnidae) Synonym(s): *kuenowii* Dewitz,1879; *gottbergi* Dewitz,1879; *gazengeli* Oberthür,1893 _ Range (in code): **CM GA AO ZR KE**
- 4621. Pseudacraea lucretia (Cramer,[1775])** (Argynnidae) Synonym(s): *lucretia* Cramer,[1775]; *sulpitia* Fabricius,1793 _ Range (in code): **ET ST MW Zom ZW ZM MZ Del MG SN NG ZA Lpo Tva Spb Lj Nta Kzu Dbn Ec CM AO GA ZR UG TZ Tnga Usa Ani KE Nai SD** Bionomy: Larva on Chrysophyllum, Manilkara, Mimusops, Pachystela, Sideroxylon (Sapotaceae); Lasiodiscus (Rhamnaceae) (Ackery et al.,1995).
- 4622. Pseudacraea lucretia apaturoides (C.Felder & R.Felder,[1867])** (Argynnidae) Synonym(s): *apaturoides* C.Felder & R.Felder,[1867] _ Range (in code): **MG**
- 4623. Pseudacraea lucretia comorana Oberthür,1890** (Argynnidae) Synonym(s): *comorana* Oberthür,1890 _ Range (in code): **KM**

- 4624. *Pseudacraea lucretia expansa* (Butler,1878)** (Argynnidae) **Synonym(s):** *expansa* Butler,1878; *delagoae* Trimen,1887; *heliogenes* Butler,1896; *kentae* Pulton,1926 _ **Range (in code):** **KE Nai MW Zom ZW ZM MZ Del TZ Tnga Usa Ani ZA Lpo Tva Spb Lj**
- 4625. *Pseudacraea lucretia gamae* Joicey & Talbot,1927** (Argynnidae) **Synonym(s):** *gamae* Joicey & Talbot,1927 _ **Range (in code):** **ST**
- 4626. *Pseudacraea lucretia lucretia* (Cramer,[1775])** (Argynnidae) **Synonym(s):** *lucretia* Cramer,[1775]; *sulpitia* Fabricius,1793 _ **Range (in code):** **SN NG**
- 4627. *Pseudacraea lucretia protracta* (Butler,1874)** (Argynnidae) **Synonym(s):** *protracta* Butler,1874 _ **Range (in code):** **CM AO GA ZR UG TZ KE SD**
- 4628. *Pseudacraea lucretia tarquinia* (Trimen,1868)** (Argynnidae) **Synonym(s):** *tarquinia* Trimen,1868 _ **Range (in code):** **ZA Nta Kzu Dbn Ec Tva**
- 4629. *Pseudacraea lucretia walensensis* (Sharpe,1896)** (Argynnidae) **Synonym(s):** *walensensis* Sharpe,1896 _ **Range (in code):** **ET**
- 4630. *Pseudacraea poggei* (Dewitz,1879)** (Argynnidae) **Synonym(s):** *poggei* Dewitz,1879 _ **Range (in code):** **TZ AO NA ZM MW ZR Shb**
- 4631. *Pseudacraea semire* (Cramer,[1779])** (Argynnidae) **Synonym(s):** *semire* Cramer,[1779]; *hyppolite* Drury,1782 _ **Range (in code):** **SL CM AO ZR TZ UG** **Bionomy:** Larva on Ouratea (Ochnaceae) (Ackery et al.,1995).
- 4632. *Pseudacraea warburgi* Aurivillius,1892** (Argynnidae) **Synonym(s):** *warburgi* Aurivillius,1892 _ **Range (in code):** **LR CM CI ZR UG**
- 4633. *Pseudargynnis hegemon* (Godart,[1819])** (Argynnidae) **Synonym(s):** *hegemon* Godart,[1819]; *duodecipunctata* Snellen,1872; *clorana* Druce,1874; *nyassae* Bartel,1905; *#obscurata* Grünberg,1910; *#duplicata* Riley,1932. _ **Range (in code):** **CM Yau ZR AO TZ SD ZM MW KE**
- 4634. *Pseudathyma callina* (Grose-Smith,1898)** (Argynnidae) **Synonym(s):** *callina* Grose-Smith,1898 _ **Range (in code):** **CM ZR**
- 4635. *Pseudathyma debruyni* Hecq,1990** (Argynnidae) **Synonym(s):** *debruyni* Hecq,1990 _ **Range (in code):** **ZR**
- 4636. *Pseudathyma falcata* Jackson,1969** (Argynnidae) **Synonym(s):** *falcata* Jackson,1969 _ **Range (in code):** **CI NG**
- 4637. *Pseudathyma jocqueana* Hecq,1990** (Argynnidae) **Synonym(s):** *jocqueana* Hecq,1990 _ **Range (in code):** **CI**
- 4638. *Pseudathyma lucretioides* Carpenter & Jackson,1950** (Argynnidae) **Synonym(s):** *lucretioides* Carpenter & Jackson,1950 _ **Range (in code):** **KE TZ**
- 4639. *Pseudathyma lucretioides lucretioides* Carpenter & Jackson,1950** (Argynnidae) **Synonym(s):** *lucretioides* Carpenter & Jackson,1950 _ **Range (in code):** **KE TZ**
- 4640. *Pseudathyma lucretioides rondo* Kielland,1987** (Argynnidae) **Synonym(s):** *rondo* Kielland,1987 _ **Range (in code):** **TZ**
- 4641. *Pseudathyma neptidina* Karsch,1894** (Argynnidae) **Synonym(s):** *neptidina* Karsch,1894 _ **Range (in code):** **CM Yau ZR UG KE Kkm**
- 4642. *Pseudathyma neptidina jacksoni* Carcasson,1965** (Argynnidae) **Synonym(s):** *jacksoni* Carcasson,1965 _ **Range (in code):** **KE Kkm**
- 4643. *Pseudathyma neptidina neptidina* Karsch,1894** (Argynnidae) **Synonym(s):** *neptidina* Karsch,1894 _ **Range (in code):** **CM Yau ZR UG**
- 4644. *Pseudathyma nzoia* Van Someren,1939** (Argynnidae) **Synonym(s):** *nzoia* Van Someren,1939 _ **Range (in code):** **KE Kkm UG**
- 4645. *Pseudathyma plutonica* Butler,1902** (Argynnidae) **Synonym(s):** *plutonica* Butler,1902 _ **Range (in code):** **KE UG TZ ZR**
- 4646. *Pseudathyma plutonica expansa* Kielland,1978** (Argynnidae) **Synonym(s):** *expansa* Kielland,1978 _ **Range (in code):** **TZ**
- 4647. *Pseudathyma plutonica plutonica* Butler,1902** (Argynnidae) **Synonym(s):** *plutonica* Butler,1902 _ **Range (in code):** **KE UG ZR**
- 4648. *Pseudathyma sibyllina* (Staudinger,1890)** (Argynnidae) **Synonym(s):** *sibyllina* Staudinger,1890 _ **Range (in code):** **SL ZR CM NG**
- 4649. *Pseudathyma uluguru* Kielland,1985** (Argynnidae) **Synonym(s):** *uluguru* Kielland,1985 _ **Range (in code):** **TZ**
- 4650. *Pseudergolis avesta* C.Felder & R.Felder,[1867]** (Argynnidae) **Synonym(s):** *avesta* C.Felder & R.Felder,[1867] _ **Range (in code):** **ID Clb**

- 4651. *Pseudergolis avesta avesta* C.Felder & R.Felder,[1867]** (Argynnidae) **Synonym(s):** *avesta* C.Felder & R.Felder,[1867] **Range (in code): ID Clb**
- 4652. *Pseudergolis avesta toalarum* Holland,1898** (Argynnidae) **Synonym(s):** *toalarum* Holland,1898; *toalarum* Fruhstorfer,1908 **Range (in code): ID Clb**
- 4653. *Pseudergolis wedah* (Kollar,[1844])** (Argynnidae) **Synonym(s):** *wedah* Kollar,[1844]; *veda* Kirby,1871. **Original Reference:** Ariadne wedah Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 437. Type(s): Kaschmir. **Range (in code): Ch MM IN Ass BD Hp Kul SI CN TH CMa CDo Chy TAK**
- 4654. *Pseudergolis wedah wedah* (Kollar,[1844])** (Argynnidae) **Synonym(s):** *wedah* Kollar,[1844]; *veda* Kirby,1871. **Original Reference:** Ariadne wedah Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 437. Type(s): Kaschmir. **Range (in code): Ch MM IN Ass BD Hp Kul SI CN TH CMa CDo Chy TAK**
- 4655. *Pseudohypolimnas punctata* (Leech,1890)** (Argynnidae) **Synonym(s):** *punctata* Leech,1890 **Range (in code): CN Ti**
- 4656. *Pseudohypolimnas punctata punctata* (Leech,1890)** (Argynnidae) **Synonym(s):** *punctata* Leech,1890 **Range (in code): CN Ti**
- 4657. *Pseudoneptis bugandensis* Stoneham,1935** (Argynnidae) **Synonym(s):** *bugandensis* Stoneham,1935 **Range (in code): SL CM AO ZR UG KE SD** **Bionomy:** Larva on Ritchiea (Capparidaceae), Antiaris, Ficus (Moraceae) (Ackery et al.,1995).
- 4658. *Pseudoneptis bugandensis bugandensis* Stoneham,1935** (Argynnidae) **Synonym(s):** *bugandensis* Stoneham,1935 **Range (in code): UG SD KE**
- 4659. *Pseudoneptis bugandensis ianthe* Hemming,1964** (Argynnidae) **Synonym(s):** *coenobita* Fabricius,1793 nec Cr.,[1780]; *ianthe* Hemming,1964 **Range (in code): SL CM AO ZR**
- 4660. *Rhinopalpa polynice* (Cramer,[1779])** (Argynnidae) **Synonym(s):** *polynice* Cramer,[1779] **Range (in code): IN Ass MM MY Lkw TH Knc Nst Rng Yal Sgk Hya Tnc ID Sum Nat Mw Nia Ja Bli Clb PH Boh Din Ley Mno Pao Sam Sia Bon Sga Stu Taw Bab Luz Mar Bas Ceb Neg Pan Sib Mdo**
- 4661. *Rhinopalpa polynice acharis* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *acharis* Fruhstorfer,1913 **Range (in code): IN Nat**
- 4662. *Rhinopalpa polynice amoenice* Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *amoenice* Fruhstorfer,1912 **Range (in code): PH Mdo**
- 4663. *Rhinopalpa polynice birmana* Fruhstorfer,[1898]** (Argynnidae) **Synonym(s):** *birmana* Fruhstorfer,[1898] **Original Reference:** *Rhinopalpa polynice* ssp. *birmana* Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 331. Syntypes: [Myanmar]: Lower Burma. **Range (in code): IN Ass MM**
- 4664. *Rhinopalpa polynice callonice* Fruhstorfer,[1898]** (Argynnidae) **Synonym(s):** *callonice* Fruhstorfer,[1898] **Original Reference:** *Rhinopalpa polynice* ssp. *callonice* Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 330. Syntypes 5♂: [Indonesia]: Nias. **Range (in code): ID Nia**
- 4665. *Rhinopalpa polynice elpenice* C.Felder & R.Felder,1867** (Argynnidae) **Synonym(s):** *elpenice* C.Felder & R.Felder,1867 **Range (in code): ID Ja Bli**
- 4666. *Rhinopalpa polynice eudoxia* Guérin-Ménéville,1840** (Argynnidae) **Synonym(s):** *eudoxia* Guérin-Ménéville,1840; *fulva* C.Felder & R.Felder,1860 **Range (in code): MY Lkw TH Knc Nst Rng Yal Sgk Hya Tnc**
- 4667. *Rhinopalpa polynice eunice* Fruhstorfer,[1898]** (Argynnidae) **Synonym(s):** *eunice* Fruhstorfer,[1898] **Original Reference:** *Rhinopalpa polynice* ssp. *eunice* Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 331. Syntypes: [Indonesia]: Toli-Toli, North Celebes. **Range (in code): ID Clb**
- 4668. *Rhinopalpa polynice helionice* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *helionice* Fruhstorfer,1913 **Range (in code): MY Bor ID**
- 4669. *Rhinopalpa polynice megalonice* C.Felder & R.Felder,1867** (Argynnidae) **Synonym(s):** *megalonice* C.Felder & R.Felder,1867 **Range (in code): Id Clb**
- 4670. *Rhinopalpa polynice mentawica* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *mentawica* Fruhstorfer,1913 **Range (in code): ID Mw**
- 4671. *Rhinopalpa polynice panayana* Fruhstorfer,1912** (Argynnidae) **Synonym(s):** *panayana* Fruhstorfer,1912 **Range (in code): PH Ceb Neg Pan Sib**
- 4672. *Rhinopalpa polynice polynice* (Cramer,[1779])** (Argynnidae) **Synonym(s):** *polynice* Cramer,[1779] **Range (in code): ID Sum**
- 4673. *Rhinopalpa polynice stratonice* C.Felder & R.Felder,[1867]** (Argynnidae) **Synonym(s):** *stratonice* C.Felder & R.Felder,[1867] **Range (in code): PH Bab Luz Mar**

- 4674. *Rhinopalpa polynice tamora* Fruhstorfer, 1900** (Argynnidae) Synonym(s): *tamora* Fruhstorfer, 1900 _ Range (in code): PH Bas
- 4675. *Rhinopalpa polynice tawanice* Schröder & Treadaway, 1989** (Argynnidae) Synonym(s): *tawanice* Schröder & Treadaway, 1989 _ Range (in code): PH Bon Sga Stu Taw
- 4676. *Rhinopalpa polynice validice* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *validice* Fruhstorfer, 1912 _ Range (in code): PH Boh Din Ley Mno Pao Sam Sia
- 4677. *Rohana nakula* (Moore, 1858)** (Argynnidae) Synonym(s): *nakula* Moore, 1858 _ Range (in code): TH Yal
- 4678. *Rohana nakula nakula* (Moore, 1858)** (Argynnidae) Synonym(s): *nakula* Moore, 1858
- 4679. *Rohana nakula thantoana* Kimura, 1994** (Argynnidae) Synonym(s): *thantoana* Kimura, 1994 _ Range (in code): TH Yal
- 4680. *Rohana parisatis* (Westwood, 1850)** (Argynnidae) Synonym(s): *parisatis* Westwood, 1850 _ Range (in code): PH Pal TH CMa Phi Nrt Sbu Chy Nna Cbi Loe Pbu
- 4681. *Rohana parisatis nana* Staudinger, 1889** (Argynnidae) Synonym(s): *nana* Staudinger, 1889 _ Range (in code): PH Pal
- 4682. *Rohana parisatis parisatis* (Westwood, 1850)** (Argynnidae) Synonym(s): *parisatis* Westwood, 1850
- 4683. *Rohana parisatis siamensis* (Fruhstorfer, 1913)** (Argynnidae) Synonym(s): *siamensis* Fruhstorfer, 1913 _ Original Reference: Apatura parisatis ssp. siamensis Fruhstorfer, 1913, [in] Seitz, Gross-Schmett. Erde 9: 698, pl. 115a. Type: Siam. Range (in code): TH CMa Phi Nrt Sbu Chy Nna Cbi Loe Pbu
- 4684. *Rohana parvata* (Moore, 1858)** (Argynnidae) Synonym(s): *parvata* Moore, 1858 _ Range (in code): TH CMa CDo Pbu MM
- 4685. *Rohana parvata burmana* Tytler, 1940** (Argynnidae) Synonym(s): *burmana* Tytler, 1940 _ Range (in code): TH CMa CDo Pbu MM
- 4686. *Rohana parvata parvata* (Moore, 1858)** (Argynnidae) Synonym(s): *parvata* Moore, 1858
- 4687. *Rohana rhea* (C. Felder & R. Felder, 1863)** (Argynnidae) Synonym(s): *rhea* C. Felder & R. Felder, 1863 _ Range (in code): PH Luz Mar Bon Sga Stu Taw Pal Ceb Neg Pan Bil Boh Ley Mno Pao Sam Mdo Din Cml
- 4688. *Rohana rhea babuyana* Tsukada, 1991** (Argynnidae) Synonym(s): *babuyana* Tsukada, 1991 _ Range (in code): PH Cml
- 4689. *Rohana rhea danae* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *danae* Fruhstorfer, 1906 _ Range (in code): PH Bil Boh Ley Mno Pao Sam
- 4690. *Rohana rhea dinagatana* Tsukada, 1991** (Argynnidae) Synonym(s): *dinagatana* Tsukada, 1991 _ Range (in code): PH Din
- 4691. *Rohana rhea mindora* Fruhstorfer, 1906** (Argynnidae) Synonym(s): *mindora* Fruhstorfer, 1906 _ Range (in code): PH Mdo
- 4692. *Rohana rhea negrosa* Tsukada, 1991** (Argynnidae) Synonym(s): *negrosa* Tsukada, 1991 _ Range (in code): PH Ceb Neg Pan
- 4693. *Rohana rhea rana* Staudinger, 1889** (Argynnidae) Synonym(s): *rana* Staudinger, 1889 _ Range (in code): PH Pal
- 4694. *Rohana rhea rhea* (C. Felder & R. Felder, 1863)** (Argynnidae) Synonym(s): *rhea* C. Felder & R. Felder, 1863 _ Original Reference: Apatura rhea C. Felder & R. Felder, 1863, Wien. ent. Monatschr. 7: 120. Range (in code): PH Luz Mar
- 4695. *Rohana rhea suluana* Tsukada, 1991** (Argynnidae) Synonym(s): *suluana* Tsukada, 1991 _ Range (in code): PH Bon Sga Stu Taw
- 4696. *Rohana tonkiniana* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *tonkiniana* Fruhstorfer, 1906 _ Range (in code): VN Ton TH Phi Nrt
- 4697. *Rohana tonkiniana tonkiniana* (Fruhstorfer, 1906)** (Argynnidae) Synonym(s): *tonkiniana* Fruhstorfer, 1906 _ Range (in code): VN Ton TH Phi Nrt
- 4698. *Salamis anacardii* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *anacardii* Linnaeus, 1758 _ Original Reference: Papilio anacardii Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 467. Type(s): [West Africa]. Range (in code): AO BF BI BJ BW CF CG CI CM EH ER ET GA GH GM GN GO Bio GW KE LR LS MG ML MR MW Zom MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG ZM ZR ZW YE Ad SZ MZ KE TZ Tnga Usa Ani ET BW ZM ZW ZA Tva Lpo Spb Lj Mpu Brb Nta Kzu Dbn Stj Tra Kru Pf
- 4699. *Salamis anacardii anacardii* (Linnaeus, 1758)** (Argynnidae) Synonym(s): *anacardii* Linnaeus, 1758 _ Original Reference: Papilio anacardii Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 467. Type(s): [West Africa].

- 4700. *Salamis anacardii ansorgei* Rothschild,1904** (Argynnidae) Synonym(s): *ansorgei* Rothschild,1904 _ Range (in code): AO
- 4701. *Salamis anacardii duprei* Vinson,1863** (Argynnidae) Synonym(s): *duprei* Vinson,1863; *definata* Butler,1879; *billerei* Oberthür,1925. _ Range (in code): MG
- 4702. *Salamis anacardii nebulosa* Trimen,1881** (Argynnidae) Synonym(s): *nebulosa* Trimen,1881; *lurida* Niepelt,1920; *#formosa* Stoneham,1965; *#trimeni* Van Son,1979. Original Reference: *Salamis nebulosa* Trimen,1881, Trans. ent. Soc. London 1881 (3): 441-443. Syntypes 1♂ 2♀: South Africa: St. Lucia Bay, in Zululand (Colonel H.Tower leg.). Range (in code): YE Ad SZ MZ KE BI UG TZ Tnga Usa Ani ET BW ZM ZW ZA Tva Lpo Spb Lj Mpu Brb Nta Kzu Dbn Tra Stj Kru Pf MW Zom
- 4703. *Salamis anteva* (Ward,1870)** (Argynnidae) Synonym(s): *anteva* Ward,1870 _ Range (in code): MG
- 4704. *Salamis augustina* Boisduval,1833** (Argynnidae) Synonym(s): *augustina* Boisduval,1833 Range (in code): MU RE
- 4705. *Salamis augustina augustina* Boisduval,1833** (Argynnidae) Synonym(s): *augustina* Boisduval,1833 _ Range (in code): RE
- 4706. *Salamis augustina vinsoni* Le Cerf,1922** (Argynnidae) Synonym(s): *vinsoni* Le Cerf,1922 Range (in code): MU
- 4707. *Salamis cacta* (Fabricius,1793)** (Argynnidae) Synonym(s): *cacta* Fabricius,1793; *languida* Bartel,1905. _ Range (in code): SN AO ZR RW UG KE ET TZ Tnga Usa Ani MZ MW ZW Crd CI CF SD
- 4708. *Salamis cacta amaniensis* Vosseler,1907** (Argynnidae) Synonym(s): *amaniensis* Vosseler,1907 _ Range (in code): TZ Tnga Usa Ani KE MZ MW ZW
- 4709. *Salamis cacta cacta* (Fabricius,1793)** (Argynnidae) Synonym(s): *cacta* Fabricius,1793; *languida* Bartel,1905. _ Range (in code): SN AO ZR RW UG KE ET
- 4710. *Salamis cacta eileenae* Henning & Joannou,1994** (Argynnidae) Synonym(s): *eileenae* Henning & Joannou,1994 _ Range (in code): ZW Crd CI CF UG SD KE
- 4711. *Salamis parhassus* (Drury,1782)** (Argynnidae) Synonym(s): *parhassus* Drury,1782; *aethiops* Palisot,[1805] *nec* Esp.,1777; *aglatonice* Godart,[1819]. _ Range (in code): ZA Lpo Tva Spb Kru Pma K12 Lj Ent Nta Kzu Ptb Tra Mal Nel Mpu Brb Suw Wri Ly MZ NA ZW TZ Tnga Usa Ani SZ
- 4712. *Salamis strandi* Röber,1937** (Argynnidae) Synonym(s): *strand* Röber,1937 _ Range (in code): GH
- 4713. *Salamis temora* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *temora* C.Felder & R.Felder,[1867]; *amarantha* Butler,1869. _ Range (in code): NG CM AO CF ZR UG TZ KE SD ET
- 4714. *Salamis temora temora* C.Felder & R.Felder,[1867]** (Argynnidae) Synonym(s): *temora* C.Felder & R.Felder,[1867]; *amarantha* Butler,1869. _ Range (in code): NG CM AO CF ZR UG TZ KE SD ET
- 4715. *Salamis temora virescens* Suffert,1904** (Argynnidae) Synonym(s): *virescens* Suffert,1904 Range (in code): TZ
- 4716. *Seokia pratti* (Leech,1890)** (Argynnidae) Synonym(s): *pratti* Leech,1890 _ Range (in code): RU Vv CN KP KR Bionomy: Larva on *Pinus koraiensis* (Omelko,1978).
- 4717. *Seokia pratti eximia* (Moltrecht,1909)** (Argynnidae) Synonym(s): *eximia* Moltrecht,1909; *jeftremovi* Nekrutenko,1960. _ Range (in code): RU Vv Bionomy: Larva on *Pinus koraiensis* (Omelko,1978).
- 4718. *Seokia pratti pratti* (Leech,1890)** (Argynnidae) Synonym(s): *pratti* Leech,1890 Range (in code): CN KP KR
- 4719. *Sephisa chandra* (Moore,1858)** (Argynnidae) Synonym(s): *chandra* Moore,1858 Range (in code): TH CMa CDo Loe CRa TW Bionomy: Larva on *Quercus glauca*, *Q. morii* (Fagaceae) (Robinson et al.,2005).
- 4720. *Sephisa chandra chandra* (Moore,1858)** (Argynnidae) Synonym(s): *chandra* Moore,1858 Range (in code): TH CMa CDo Loe CRa TW Bionomy: Larva on *Quercus glauca*, *Q. morii* (Fagaceae) (Robinson et al.,2005).
- 4721. *Sephisa daimio* Matsumura,1910** (Argynnidae) Synonym(s): *daimio* Matsumura,1910 Range (in code): TW Bionomy: Larva on *Quercus glauca* (Fagaceae) (Robinson et al.,2005).
- 4722. *Sephisa dichroa* (Kollar,[1844])** (Argynnidae) Synonym(s): *dichroa* Kollar,[1844] Original Reference: *Limenitis dichroa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 429, Taf.8 figs.1,2. Type(s): Kaschmir. Range (in code): AF Nu Ch Hr PK Ci Gg Ds Haz Mre CN ?Ti TH NP SI IN Bionomy: Larva on *Quercus incana*, *Q. mongolica* (Fagaceae) (Robinson et al.,2005).

- 4723. *Sephisa dichroa dichroa* (Kollar,[1844])** (Argynnidae) Synonym(s): *dichroa* Kollar,[1844] Original Reference: *Limenitis dichroa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 429, Taf.8 figs.1,2. Type(s): Kaschmir. Range (in code): **AF Nu Ch Hr PK Ci Gg Ds Haz Mre CN ?Ti TH NP SI IN** Bionomy: Larva on *Quercus incana*, *Q. mongolica* (Fagaceae) (Robinson et al.,2005).
- 4724. *Sephisa princeps* (Fixsen,1887)** (Argynnidae) Synonym(s): *princeps* Fixsen,1887; *albimacula* Leech,1890; *cauta* Leech,1890. Original Reference: *Apatura princeps* Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 289. Type(s): Korea: "Pung-Tung". Range (in code): **CN KP RU Vv Am** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Robinson et al.,2005).
- 4725. *Sephisa princeps princeps* (Fixsen,1887)** (Argynnidae) Synonym(s): *princeps* Fixsen,1887; *albimacula* Leech,1890; *cauta* Leech,1890. Original Reference: *Apatura princeps* Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 289. Type(s): Korea: "Pung-Tung". Range (in code): **CN KP RU Vv Am** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Robinson et al.,2005).
- 4726. *Sevenia amazoula* (Mabille,1880)** (Argynnidae) Synonym(s): *amazoula* Mabille,1880 Range (in code): **MG**
- 4727. *Sevenia amulia* (Cramer,[1777])** (Argynnidae) Synonym(s): *amulia* Cramer,[1777] Range (in code): **SL LR CI GH TG BJ NG CM GA ZR AO BW ZA Nta MZ ZW ZM MW TZ** Bionomy: Larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
- 4728. *Sevenia amulia amulia* (Cramer,[1777])** (Argynnidae) Synonym(s): *amulia* Cramer,[1777] Range (in code): **SL LR CI GH TG BJ NG CM GA ZR**
- 4729. *Sevenia amulia intermedia* (Carcasson,1961)** (Argynnidae) Synonym(s): *intermedia* Carcasson,1961 Range (in code): **BW ZM AO ZR Shb**
- 4730. *Sevenia benguelae* (Chapman,1872)** (Argynnidae) Synonym(s): *benguelae* Chapman,1872 Range (in code): **NA AO ZR CG TZ** Bionomy: Larva on Euphorbiaceae (Maprounea) (Ackery et al.,1995).
- 4731. *Sevenia boisduvali* (Wallengren,1857)** (Argynnidae) Synonym(s): *boisduvali* Wallengren,1857 Range (in code): **SL LR CI GH TG BJ NG CM GA ZR UG KE ET TZ Tnga Usa Ani MZ MW Zom ZM ZW ZA Cap Nta Tva Lpo Spb Kru Pma Mpu Mll Kzu Ptb ST** Bionomy: Larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium), Sterculiaceae (Sterculia) (Ackery et al.,1995).
- 4732. *Sevenia boisduvali boisduvali* (Wallengren,1857)** (Argynnidae) Synonym(s): *boisduvali* Wallengren,1857 Range (in code): **ZA Cap Nta Tva Lpo Spb Kru Pma Mpu Mll Kzu Ptb ZM ZW MW Zom MZ TZ Tnga Usa Ani KE**
- 4733. *Sevenia boisduvali insularis* (Joicey & Talbot,1926)** (Argynnidae) Synonym(s): *insularis* Joicey & Talbot,1926 Range (in code): **ST**
- 4734. *Sevenia boisduvali kaffana* (Rothschild & Jordan,1903)** (Argynnidae) Synonym(s): *kaffana* Rothschild & Jordan,1903; *#uniformis* Ungemach,1932. Range (in code): **ET**
- 4735. *Sevenia boisduvali omissa* (Rothschild,1918)** (Argynnidae) Synonym(s): *omissa* Rothschild,1918 Range (in code): **SL LR CI GH TG BJ NG CM GA ZR UG KE**
- 4736. *Sevenia consors* (Rothschild & Jordan,1903)** (Argynnidae) Synonym(s): *consors* Rothschild & Jordan,1903 Range (in code): **AO ZM ZR CG** **_ 0**
- 4737. *Sevenia garega* (Karsch,1892)** (Argynnidae) Synonym(s): *garega* Karsch,1892; *ansorgei* Rothschild & Jordan,1903 Range (in code): **UG CM KE ET TZ MZ** Bionomy: Larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
- 4738. *Sevenia howensis* (Staudinger,1886)** (Argynnidae) Synonym(s): *howensis* Staudinger,1886 Range (in code): **MG**
- 4739. *Sevenia madagascariensis* (Boisduval,1833)** (Argynnidae) Synonym(s): *madagascariensis* Boisduval,1833 Range (in code): **MG**
- 4740. *Sevenia morantii* (Trimen,1881)** (Argynnidae) Synonym(s): *morantii* Trimen,1881 Original Reference: *Crenis morantii* Trimen,1881, Trans. ent. Soc. London 1881 (3): 439-441. Monotype ♀: South Africa: Pinetown (Natal) (W. Morant leg.) Range (in code): **ZA Tva Nta Kzu Ptw ZW ZM MW Zom ZR TZ Tnga Usa Ani KE** Bionomy: Larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium) (Ackery et al.,1995).
- 4741. *Sevenia morantii dubiosa* (Strand,1911)** (Argynnidae) Synonym(s): *dubiosa* Strand,1911 Range (in code): **ZR ZM TZ**
- 4742. *Sevenia morantii morantii* (Trimen,1881)** (Argynnidae) Synonym(s): *morantii* Trimen,1881 Original Reference: *Crenis morantii* Trimen,1881, Trans. ent. Soc. London 1881

- (3): 439-441. Monotype ♀: South Africa: Pinetown (Natal) (W. Morant leg.) Range (in code): ZA Tva Nta Kzu Ptw ZW ZM MW Zom TZ Tnga Usa Ani KE
- 4743. *Sevenia natalensis* (Boisduval,1847)** (Argynnidae) Synonym(s): natalensis Boisduval,1847; wallengreni Staudinger,1886; #melania Van Son,1979. Range (in code): ZA Tva Kzu Spb Ent Nta Mpu Mll Kru Pf Ly Nel KE ZW MZ TZ Tnga Usa Ani Bionomy: Larva on Euphorbiaceae (Excoecaria, Macaranga, Sapium) (Ackery et al.,1995).
- 4744. *Sevenia occidentalis* (Mabille,1876)** (Argynnidae) Synonym(s): occidentalis Mabille,1876 Range (in code): SL LR CI GH TG BJ NG CM GA ZR ET UG KE TZ AO Bionomy: Larva on Euphorbiaceae (Macaranga, Sapium) (Sterculia) (Ackery et al.,1995).
- 4745. *Sevenia occidentalis occidentalis* (Mabille,1876)** (Argynnidae) Synonym(s): occidentalis Mabille,1876 Range (in code): SL LR CI GH TG BJ NG CM GA ZR ET UG KE TZ
- 4746. *Sevenia occidentalis penricei* (Rothschild & Jordan,1903)** (Argynnidae) Synonym(s): penricei Rothschild & Jordan,1903; ribbei Dewitz,1879. Range (in code): AO
- 4747. *Sevenia pechueli* (Dewitz,1879)** (Argynnidae) Synonym(s): pechueli Dewitz,1879; albicans Gaede,1916. Range (in code): NA AO CG ZR CM ZM MW TZ Bionomy: Larva on Euphorbiaceae (Maprounea) (Ackery et al.,1995).
- 4748. *Sevenia pechueli pechueli* (Dewitz,1879)** (Argynnidae) Synonym(s): pechueli Dewitz,1879; albicans Gaede,1916. Range (in code): NA AO ZR CM CG
- 4749. *Sevenia pechueli rhodesiana* (Rothschild,1918)** (Argynnidae) Synonym(s): rhodesiana Rothschild,1918 Range (in code): ZM MW TZ
- 4750. *Sevenia pseudotrimeni* Kielland,1985** (Argynnidae) Synonym(s): pseudotrimeni Kielland,1985 Range (in code): TZ
- 4751. *Sevenia rosa* (Hewitson,1877)** (Argynnidae) Synonym(s): rosa Hewitson,1877; mafiae Staudinger,1897. Original Reference: Crenis rosa Hewitson,1877, Entomologist's mon. Mag. 14: 82. Type: [Mozambique]: "Delagoa Bay". Range (in code): NA TZ ZW MZ Del MW Zom ZM BW ZA Nta Kzu
- 4752. *Sevenia silvicola* (Schultze,1917)** (Argynnidae) Synonym(s): silvicola Schultze,1917 Range (in code): CM
- 4753. *Sevenia trimeni* (Aurivillius,1898)** (Argynnidae) Synonym(s): trimeni Aurivillius,1898; angolensis Rothschild,1918. Range (in code): NA AO ZR CM Bionomy: Larva on Euphorbiaceae (Sapium) (Ackery et al.,1995).
- 4754. *Sevenia trimeni major* (Rothschild,1918)** (Argynnidae) Synonym(s): major Rothschild,1918 Range (in code): ZR CM
- 4755. *Sevenia trimeni trimeni* (Aurivillius,1898)** (Argynnidae) Synonym(s): trimeni Aurivillius,1898; angolensis Rothschild,1918. Range (in code): AO NA
- 4756. *Sevenia umbrina* (Karsch,1892)** (Argynnidae) Synonym(s): umbrina Karsch,1892 Range (in code): GH TG CM BJ NG ZR UG KE TZ ET
- 4757. *Siproeta epaphus*** (Argynnidae) Synonym(s): Range (in code): US MX NMx Tx
- 4758. *Siproeta stelenes* (Linnaeus,1758)** (Argynnidae) Synonym(s): stelenes Linnaeus,1758; lavinia Fabricius,1775 Range (in code): US MX Arz Fl Kan Knt Tx
- 4759. *Siproeta stelenes biplagiata* (Fruhstorfer,1907)** (Argynnidae) Synonym(s): biplagiata Fruhstorfer,1907; #pallida Fruhstorfer,1907; insularis Holland,1916 Range (in code): CU US MX Arz Fl Kan Knt Tx
- 4760. *Siproeta trayja* Hübner,[1823]** (Argynnidae) Synonym(s): trayja Hübner,[1823] Original Reference: *Siproeta trayja* Hübner,[1823], Samml. exot. Schmett. 2. pl.[48].
- 4761. *Smerina manoro* (Ward,1871)** (Argynnidae) Synonym(s): manoro Ward,1871 Range (in code): MG
- 4762. *Smyrna blomfieldia* (Fabricius,1781)** (Argynnidae) Synonym(s): blomfieldia Fabricius,1781 Original Reference: *Papilio blomfieldia* Fabricius,1781, Spec. Ins. 2: 84. Type(s): Brasilia, Mus. Dom. Blomfield. Range (in code): BR US MX Tx
- 4763. *Stibochiona nicea* (Gray,1846)** (Argynnidae) Synonym(s): nicea Gray,1846 Original Reference: *Adolias nicea* Gray,1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul: 13, t.12 fig.1. Syntypes: Nepaul. Range (in code): IN NP TH CMa CDo Dst Rng Loe Srt MY SG CN
- 4764. *Stibochiona nicea nicea* (Gray,1846)** (Argynnidae) Synonym(s): nicea Gray,1846 Original Reference: *Adolias nicea* Gray,1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul: 13, t.12 fig.1. Syntypes: Nepaul. Range (in code): IN NP

- 4765. *Stibochiona nicea subucula* Fruhstorfer,[1898]** (Argynnidae) Synonym(s): *subucula* Fruhstorfer,[1898] Original Reference: *Stibochiona nicea* ssp. *subucula* Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 329-330. Syntypes: Malay Peninsula. Range (in code): **TH CMa CDo Dst Rng Loe Srt MY SG**
- 4766. *Sumalia agneya* (Doherty,1891)** (Argynnidae) Synonym(s): *agneya* Doherty,1891 Range (in code): **MY**
- 4767. *Sumalia daraxa* (Doubleday,[1848])** (Argynnidae) Synonym(s): *daraxa* Doubleday,[1848] Range (in code): **MY**
- 4768. *Sumalia daraxa daraxa* (Doubleday,[1848])** (Argynnidae) Synonym(s): *daraxa* Doubleday,[1848]
- 4769. *Sumalia daraxa theoda* (Fruhstorfer,1903)** (Argynnidae) Synonym(s): *theoda* Fruhstorfer,1903 Range (in code): **MY**
- 4770. *Symbrenthia brabira* Moore,1872** (Argynnidae) Synonym(s): *brabira* Moore,1872 Range (in code): **IN MM TH CN**
- 4771. *Symbrenthia hippoclus* (Cramer,[1779])** (Argynnidae) Synonym(s): *hippoclus* Cramer,[1779] Range (in code): **PH Bas Luz Mar Mdo Bal Pal Cal Jol Boh Ceb CmM Cts Ley Mno Pao Sam Sia TH MY ID Sum Ja Bli Bor Mw**
- 4772. *Symbrenthia hippoclus anna* Semper,1888** (Argynnidae) Synonym(s): *anna* Semper,1888 Range (in code): **PH Boh Ceb CmM Cts Ley Mno Pao Sam Sia**
- 4773. *Symbrenthia hippoclus aritus* Fruhstorfer,1912** (Argynnidae) Synonym(s): *aritus* Fruhstorfer,1912 Range (in code): **PH Cal**
- 4774. *Symbrenthia hippoclus dissoluta* Staudinger,1889** (Argynnidae) Synonym(s): *dissoluta* Staudinger,1889 Range (in code): **PH Bal Pal**
- 4775. *Symbrenthia hippoclus emas* Corbet,1942** (Argynnidae) Synonym(s): *emas* Corbet,1942 Range (in code): **ID Mw**
- 4776. *Symbrenthia hippoclus galepsus* Fruhstorfer,1908** (Argynnidae) Synonym(s): *galepsus* Fruhstorfer,1908 Range (in code): **PH Luz Mar Mdo**
- 4777. *Symbrenthia hippoclus hippoclus* (Cramer,[1779])** (Argynnidae) Synonym(s): *hippoclus* Cramer,[1779]
- 4778. *Symbrenthia hippoclus jolonus* Fruhstorfer,1912** (Argynnidae) Synonym(s): *jolonus* Fruhstorfer,1912 Range (in code): **PH Jol**
- 4779. *Symbrenthia hippoclus selangorana* Corbet,1948** (Argynnidae) Synonym(s): *selangorana* Corbet,1948 Range (in code): **MY**
- 4780. *Symbrenthia hippoclus sperchius* Fruhstorfer,1908** (Argynnidae) Synonym(s): *sperchius* Fruhstorfer,1908 Range (in code): **PH Bas**
- 4781. *Symbrenthia hypatia* Wallace,1869** (Argynnidae) Synonym(s): *hypatia* Wallace,1869 Range (in code): **PH Mno TH Srt Yal Tng Nst Chw MY ID Sum Ja Bor**
- 4782. *Symbrenthia hypatia chersonesia* Fruhstorfer,[1894]** (Argynnidae) Synonym(s): *chersonesia* Fruhstorfer,[1894] Range (in code): **MY TH Srt Yal Tng Nst Chw**
- 4783. *Symbrenthia hypatia hypatia* Wallace,1869** (Argynnidae) Synonym(s): *hypatia* Wallace,1869 Range (in code): **TH ID Sum Ja Bor**
- 4784. *Symbrenthia hypatia mindanaensis* Schröder & Treadaway,1979** (Argynnidae) Synonym(s): *mindanaensis* Schröder & Treadaway,1979 Range (in code): **PH Mno**
- 4785. *Symbrenthia hypselis* (Godart,[1824])** (Argynnidae) Synonym(s): *hypselis* Godart,[1824] Original Reference: *Vanessa hypselis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 818. Range (in code): **PH Pal ID IN SI Ass MM CN TH CMa CDo Nrt Kao TAc Cbi Phi Nna Yal MY ID Sum Ja Bor TW**
- 4786. *Symbrenthia hypselis hypselis* (Godart,[1824])** (Argynnidae) Synonym(s): *hypselis* Godart,[1824] Original Reference: *Vanessa hypselis* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9 (suppl.): 818. Range (in code): **ID IN SI Ass MM CN TH ID Sum Ja Bor**
- 4787. *Symbrenthia hypselis niphandina* Fruhstorfer,1912** (Argynnidae) Synonym(s): *niphandina* Fruhstorfer,1912 Range (in code): **PH Pal**
- 4788. *Symbrenthia hypselis scatinia* Fruhstorfer,1908** (Argynnidae) Synonym(s): *scatinia* Fruhstorfer,1908; #mediochracea Sugitani,1932 Range (in code): **TW**
- 4789. *Symbrenthia hypselis sinis* (De Nicéville,1891)** (Argynnidae) Synonym(s): *sinis* De Nicéville,1891 Range (in code): **MY TH CMa CDo TAc Cbi Phi Nna Nrt Kao Yal**
- 4790. *Symbrenthia intricata* Fruhstorfer,1897** (Argynnidae) Synonym(s): *intricata* Fruhstorfer,1897 Range (in code): **ID Clb**

- 4791. *Symbrenthia lilaea* (Hewitson,1864)** (Argynnidae) Synonym(s): *lilaea* Hewitson,1864
Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy
 Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq
 Sis Stu Tab Taw Tic IN LK MM TH CMA Knc Yal Nna TAK Tng Lmp Tht CN TW MY ID Bor Sum CDo
 CD2 Bionomy: Larva on Ficus sp. [ma duea] (Moraceae) (Lewvanich,2001).
- 4792. *Symbrenthia lilaea formosanus* Fruhstorfer,1908** (Argynnidae) Synonym(s):
formosanus Fruhstorfer,1908; #*horishana* Esaki & Nomura,1930; #*unifascia* Matsumura,1939; #*necopinatus*
 Matsumura,1961 Range (in code): TW
- 4793. *Symbrenthia lilaea luciana* Fruhstorfer,1907** (Argynnidae) Synonym(s): *luciana*
 Fruhstorfer,1907 Range (in code): MY TH CMA CDo CD2 Lmp Nna Tht Knc Yal TAK Tng
Bionomy: Larva on Ficus sp. [ma duea] (Moraceae) (Lewvanich,2001).
- 4794. *Symbrenthia lilaea semperi* Moore,1899** (Argynnidae) Synonym(s): *semperi*
 Moore,1899 Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM
 Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga
 Sia Sib Siq Sis Stu Tab Taw Tic
- 4795. *Symbrenthia lilaea thimo* Fruhstorfer,1907** (Argynnidae) Synonym(s): *thimo*
 Fruhstorfer,1907 Range (in code): PH Luz
- 4796. *Symbrenthia niphanda* Moore,1872** (Argynnidae) Synonym(s): *niphanda* Moore,1872
Original Reference: *Symbrenthia niphanda* Moore,1872, Proc. zool. Soc. Lond. 1872: 559.
 Syntypes: Sikkim. Range (in code): IN Ass BT NP SI
- 4797. *Symbrenthia niphanda niphanda* Moore,1872** (Argynnidae) Synonym(s): *niphanda*
 Moore,1872 Original Reference: *Symbrenthia niphanda* Moore,1872, Proc. zool. Soc. Lond.
 1872: 559. Syntypes: Sikkim. Range (in code): IN Ass BT NP SI
- 4798. *Tacola larymna* (Doubleday,[1848])** (Argynnidae) Synonym(s): *larymna*
 Doubleday,[1848] Range (in code): MY Bor PH Pal Pan Neg
- 4799. *Tacola larymna agina* (Fruhstorfer,1898)** (Argynnidae) Synonym(s): *agina*
 Fruhstorfer,1898 Range (in code): PH Pal
- 4800. *Tacola larymna negrosiana* (Schröder & Treadaway,1988)** (Argynnidae)
 Synonym(s): *negrosiana* Schröder & Treadaway,1988 Original Reference: *Athymna larymna*
negrosiana Schröder & Treadaway, 1988, Ent. Z., Frankf. a. M. 98: 314, Abb. 1. Holotypus ♀:
 Philippinen: Negros: Mambucal, 2000ft. Range (in code): PH Neg
- 4801. *Tacola larymna panayana* Schröder & Treadaway,1979** (Argynnidae) Synonym(s):
panayana Schröder & Treadaway,1979 Range (in code): PH Pan
- 4802. *Tacola magindana* Semper,1878** (Argynnidae) Synonym(s): *magindana* Semper,1878
Range (in code): PH Boh Bas Ley Mno Sam
- 4803. *Tacola magindana magindana* Semper,1878** (Argynnidae) Synonym(s): *magindana*
 Semper,1878 Range (in code): PH Ley Mno Sam
- 4804. *Tacola magindana pizarasi* M.Okano & T.Okano,1988** (Argynnidae) Synonym(s):
pizarasi M.Okano & T.Okano,1988 Range (in code): PH Boh
- 4805. *Tacola magindana zilana* Fruhstorfer,1906** (Argynnidae) Synonym(s): *zilana*
 Fruhstorfer,1906 Range (in code): PH Bas
- 4806. *Tanaecia* (Cynitia) *cocytus* (Fabricius,1787)** (Argynnidae) Synonym(s): *cocytus*
 Fabricius,1787 Range (in code): TH CMA CDo Nrt Chy Nna Cbi Knc Pkk
- 4807. *Tanaecia* (Cynitia) *cocytus cocytus* (Fabricius,1787)** (Argynnidae) Synonym(s):
cocytus Fabricius,1787 Range (in code): TH CMA CDo Nrt Chy Nna Cbi Knc Pkk
- 4808. *Tanaecia* (Cynitia) *flora* Butler,1873** (Argynnidae) Synonym(s): *flora* Butler,1873
Range (in code): TH Cph Rng
- 4809. *Tanaecia* (Cynitia) *flora andersonii* (Moore,1884)** (Argynnidae) Synonym(s):
andersonii Moore,1884 Range (in code): TH Cph Rng
- 4810. *Tanaecia* (Cynitia) *flora flora* Butler,1873** (Argynnidae) Synonym(s): *flora* Butler,1873
- 4811. *Tanaecia* (Cynitia) *godartii* (Gray,1846)** (Argynnidae) Synonym(s): *godartii* Gray,1846
Range (in code): TH Rng Tng Nst Chw Sgk Hya Tnc
- 4812. *Tanaecia* (Cynitia) *godartii asoka* (C.Felder & R.Felder,[1867])** (Argynnidae)
 Synonym(s): *asoka* C.Felder & R.Felder,[1867] Range (in code): TH Rng Tng Nst Chw Sgk Hya Tnc
- 4813. *Tanaecia* (Cynitia) *godartii godartii* (Gray,1846)** (Argynnidae) Synonym(s): *godartii*
 Gray,1846
- 4814. *Tanaecia* (Cynitia) *iapis* (Godart,[1824])** (Argynnidae) Synonym(s): *iapis* Godart,[1824]
Range (in code): TH Rng Nst Ths Sya Chw Tng Yal Sgk Hya Tnc MY Bionomy: Larva on Astronia

- macrophylla, *Melastoma malabathricum* (Melastomataceae), *Eurya acuminata* (Theaceae), *Mallotus subpeltatus* (Euphorbiaceae) (Robinson et al.,2005).
- 4815. *Tanaecia* (*Cynitia*) *iapis iapis* (Godart,[1824])** (Argynnidae) **Synonym(s):** *iapis* Godart,[1824]
- 4816. *Tanaecia* (*Cynitia*) *iapis puseda* (Moore,1858)** (Argynnidae) **Synonym(s):** *puseda* Moore,1858 **Range (in code):** **TH Rng Nst Ths Sya Chw Tng Yal Sgk Hya Tnc MY** **Bionomy:** Larva on *Astronia macrophylla*, *Melastoma malabathricum* (Melastomataceae), *Eurya acuminata* (Theaceae), *Mallotus subpeltatus* (Euphorbiaceae) (Robinson et al.,2005).
- 4817. *Tanaecia* (*Cynitia*) *lepidea* Butler,1869** (Argynnidae) **Synonym(s):** *lepidea* Butler,1869 **Range (in code):** **IN MY TH CMa Cuo Cuo5 Cuo7 CDo Nrt Cbi Chy Nna** **Bionomy:** Larva on *Melastoma malabathricum* (Melastomataceae), *Planchonia careya* (Lecythidaceae) (Robinson et al.,2005).
- 4818. *Tanaecia* (*Cynitia*) *lepidea cognata* (Moore,1890)** (Argynnidae) **Synonym(s):** *cognata* Moore,1890 **Range (in code):** **TH CMa CDo**
- 4819. *Tanaecia* (*Cynitia*) *lepidea lepidea* Butler,1869** (Argynnidae) **Synonym(s):** *lepidea* Butler,1869
- 4820. *Tanaecia* (*Cynitia*) *lepidea sthavara* (Fruhstorfer,1913)** (Argynnidae) **Synonym(s):** *sthavara* Fruhstorfer,1913 **Range (in code):** **TH CMa Cuo Cuo5 Cuo7 CDo Loe Nrt Cbi Chy Nna MY** **Bionomy:** Larva on *Melastoma malabathricum* (Melastomataceae), *Planchonia careya* (Lecythidaceae) (Robinson et al.,2005).
- 4821. *Tanaecia* (*Kirontisa*) *telchinia* (Ménétriés,1857)** (Argynnidae) **Synonym(s):** *telchinia* Ménétriés,1857 **Range (in code):** **TH CMa**
- 4822. *Tanaecia* (*Kirontisa*) *telchinia telchinia* (Ménétriés,1857)** (Argynnidae) **Synonym(s):** *telchinia* Ménétriés,1857 **Range (in code):** **TH CMa**
- 4823. *Tanaecia* (s.str.) *aruna* (C.Felder & R.Felder,1860)** (Argynnidae) **Synonym(s):** *aruna* C.Felder & R.Felder,1860 **Range (in code):** **TH Rng Yal Tng Ntt SPa Sgk Hya Tnc PH Bal Cal Pal**
- 4824. *Tanaecia* (s.str.) *aruna aruna* (C.Felder & R.Felder,1860)** (Argynnidae) **Synonym(s):** *aruna* C.Felder & R.Felder,1860 **Range (in code):** **TH Rng Yal Tng Ntt SPa Sgk Hya Tnc**
- 4825. *Tanaecia* (s.str.) *aruna palawana* Staudinger,1889** (Argynnidae) **Synonym(s):** *palawana* Staudinger,1889 **Range (in code):** **PH Pal**
- 4826. *Tanaecia* (s.str.) *aruna pallida* Schröder, Treadaway & Nuyda,1990** (Argynnidae) **Synonym(s):** *pallida* Schröder, Treadaway & Nuyda,1990 **Range (in code):** **PH Cal**
- 4827. *Tanaecia* (s.str.) *aruna rudraca* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *rudraca* Fruhstorfer,1913 **Range (in code):** **PH Bal**
- 4828. *Tanaecia* (s.str.) *clathrata* Vollenhoven,1862** (Argynnidae) **Synonym(s):** *clathrata* Vollenhoven,1862 **Range (in code):** **TH Tng**
- 4829. *Tanaecia* (s.str.) *clathrata clathrata* (Vollenhoven,1862)** (Argynnidae) **Synonym(s):** *clathrata* Vollenhoven,1862
- 4830. *Tanaecia* (s.str.) *clathrata violaria* Butler,1869** (Argynnidae) **Synonym(s):** *violaria* Butler,1869 **Range (in code):** **TH Tng**
- 4831. *Tanaecia* (s.str.) *jahnu* (Moore,1858)** (Argynnidae) **Synonym(s):** *jahnu* Moore,1858 **Range (in code):** **TH CMa Cuo Cuo7 Nrt Cbi Rng Chy Nna Knc Nst Kna Sgk Hya Tnc**
- 4832. *Tanaecia* (s.str.) *jahnu jahnides* Fruhstorfer,1905** (Argynnidae) **Synonym(s):** *jahnides* Fruhstorfer,1905 **Range (in code):** **TH CMa CDo VN Ton**
- 4833. *Tanaecia* (s.str.) *jahnu jahnu* (Moore,1858)** (Argynnidae) **Synonym(s):** *jahnu* Moore,1858 **Range (in code):** **TH CMa Cuo Cuo7 Nrt Cbi Rng Chy Nna Knc Nst Kna Sgk Hya Tnc**
- 4834. *Tanaecia* (s.str.) *julii* (Lesson,1837)** (Argynnidae) **Synonym(s):** *julii* Lesson,1837 **Range (in code):** **IN TH Rng Nst Ths Nna Cbi Knc Tng Sgk Hya Tnc CMa Cuo Cuo1 Cuo7 Nrt Cbu Chy** **Bionomy:** Larva on *Diploknema butyracea* (Sapotaceae) (Robinson et al.,2005).
- 4835. *Tanaecia* (s.str.) *julii julii* (Lesson,1837)** (Argynnidae) **Synonym(s):** *julii* Lesson,1837
- 4836. *Tanaecia* (s.str.) *julii odilina* Fruhstorfer,1913** (Argynnidae) **Synonym(s):** *odilina* Fruhstorfer,1913 **Range (in code):** **TH CMa Cuo Cuo1 Cuo7 Nrt Cbu Chy Nna Cbi**
- 4837. *Tanaecia* (s.str.) *julii xiphiones* Butler,1869** (Argynnidae) **Synonym(s):** *xiphiones* Butler,1869 **Range (in code):** **TH Rng Nst Ths Nna Cbi Knc Tng Sgk Hya Tnc**
- 4838. *Tanaecia* (s.str.) *munda* Fruhstorfer,1899** (Argynnidae) **Synonym(s):** *munda* Fruhstorfer,1899 **Range (in code):** **TH Rng Yal Tng Sgk Hya Tnc**

- 4839. *Tanaecia* (s.str.) *munda munda* Fruhstorfer, 1899** (Argynnidae) Synonym(s): *munda Fruhstorfer, 1899*
- 4840. *Tanaecia* (s.str.) *munda waterstradti* Corbet, 1941** (Argynnidae) Synonym(s): *waterstradti Corbet, 1941* - Range (in code): TH Rng Yal Tng Sgk Hya Tnc
- 4841. *Tanaecia* (s.str.) *palguna* (Moore, 1858)** (Argynnidae) Synonym(s): *palguna Moore, 1858* - Range (in code): TH Rng Yal Tng Sgk Hya Tnc
- 4842. *Tanaecia* (s.str.) *palguna consanguinea* Distant, 1886** (Argynnidae) Synonym(s): *consanguinea Distant, 1886* - Range (in code): TH Rng Yal Tng Sgk Hya Tnc
- 4843. *Tanaecia* (s.str.) *palguna palguna* (Moore, 1858)** (Argynnidae) Synonym(s): *palguna Moore, 1858*
- 4844. *Tanaecia* (s.str.) *pelea* (Fabricius, 1787)** (Argynnidae) Synonym(s): *pelea Fabricius, 1787* - Range (in code): PH Sul TH Rng Yal Tng Sgk Hya Tnc MY - Bionomy: Larva on Ardisia colorata (Myrsinaceae) (Robinson et al., 2005).
- 4845. *Tanaecia* (s.str.) *pelea dohertyi* Butler, 1901** (Argynnidae) Synonym(s): *dohertyi Butler, 1901* - Range (in code): PH Sul
- 4846. *Tanaecia* (s.str.) *pelea pelea* (Fabricius, 1787)** (Argynnidae) Synonym(s): *pelea Fabricius, 1787* - Range (in code): MY TH Rng Yal Tng Sgk Hya Tnc - Bionomy: Larva on Ardisia colorata (Myrsinaceae) (Robinson et al., 2005).
- 4847. *Tanaecia calliphorus* C.Felder, 1863** (Argynnidae) Synonym(s): *calliphorus C.Felder, 1863* - Range (in code): PH Luz Mar Pol CmL Mdo Sib
- 4848. *Tanaecia calliphorus calliphorus* C.Felder, 1863** (Argynnidae) Synonym(s): *calliphorus C.Felder, 1863* - Range (in code): PH Luz Mar Pol
- 4849. *Tanaecia calliphorus smaragdifera* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *smaragdifera Fruhstorfer, 1912* - Range (in code): PH Mdo
- 4850. *Tanaecia calliphorus treadawayi* Tsukada, 1991** (Argynnidae) Synonym(s): *treadawayi Tsukada, 1991* - Range (in code): PH Sib
- 4851. *Tanaecia calliphorus volupia* Tsukada & Nishiyama, 1981** (Argynnidae) Synonym(s): *volupia Tsukada & Nishiyama, 1981* - Range (in code): PH CmL
- 4852. *Tanaecia leucotaenia* Semper, 1878** (Argynnidae) Synonym(s): *leucotaenia Semper, 1878* - Range (in code): PH Mno Bas Hm Din Bil Boh Cts Ley Sam Pao
- 4853. *Tanaecia leucotaenia aquamarina* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *aquamarina Fruhstorfer, 1912* - Range (in code): PH Mno
- 4854. *Tanaecia leucotaenia dinorah* Fruhstorfer, 1899** (Argynnidae) Synonym(s): *dinorah Fruhstorfer, 1899* - Range (in code): PH Bas
- 4855. *Tanaecia leucotaenia exul* Tsukada & Nishiyama, 1980** (Argynnidae) Synonym(s): *exul Tsukada & Nishiyama, 1980* - Range (in code): PH Din
- 4856. *Tanaecia leucotaenia kulaya Treadaway & Nuyda, 1994*** (Argynnidae) Synonym(s): *kulaya Treadaway & Nuyda, 1994* - Range (in code): PH Hom
- 4857. *Tanaecia leucotaenia leucotaenia* Semper, 1878** (Argynnidae) Synonym(s): *leucotaenia Semper, 1878* - Range (in code): PH Bil Boh Cts Ley Sam Pao
- 4858. *Tanaecia lupina* Druce, 1874** (Argynnidae) Synonym(s): *lupina Druce, 1874* - Range (in code): PH Jol Neg Pan Sib
- 4859. *Tanaecia lupina borromeoi* Schröder, 1977** (Argynnidae) Synonym(s): *borromeoi Schröder, 1977* - Range (in code): PH Sib
- 4860. *Tanaecia lupina howarthi* Jumalon, 1975** (Argynnidae) Synonym(s): *howarthi Jumalon, 1975* - Original Reference: Tanaecia howarthi Jumalon, 1975, Trans. Lep. Soc. Jap. 26 (2): 56. Holotype: Philippines: Negros Isl. Range (in code): PH Neg
- 4861. *Tanaecia lupina lupina* Druce, 1874** (Argynnidae) Synonym(s): *lupina Druce, 1874* - Range (in code): PH Jol
- 4862. *Tanaecia lupina panayana* Schröder & Treadaway, 1980** (Argynnidae) Synonym(s): *panayana Schröder & Treadaway, 1980* - Range (in code): PH Pan
- 4863. *Tanaecia susoni* Jumalon, 1975** (Argynnidae) Synonym(s): *susoni Jumalon, 1975* - Range (in code): PH Ceb
- 4864. *Tarratia cosmia* Semper, 1878** (Argynnidae) Synonym(s): *cosmia Semper, 1878* - Range (in code): PH Bas Boh Bon Cts Din Ley Mno Sam Sga Stu Taw
- 4865. *Tarratia cosmia cosmia* Semper, 1878** (Argynnidae) Synonym(s): *cosmia Semper, 1878* - Range (in code): PH Boh Bon Cts Din Ley Mno Sam Sga Stu Taw

- 4866. Tarratia cosmia pindola Fruhstorfer,1906** (Argynnidae) Synonym(s): *pindola Fruhstorfer,1906* _ Range (in code): **PH Bas**
- 4867. Tarratia gutama (Moore,1858)** (Argynnidae) Synonym(s): *gutama Moore,1858*
Original Reference: *Athyma gutama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 20, Pl.51 fig. 7.
Type: Manilla. Range (in code): **PH Bal Cal Pal Sib Bab Luz Mdo Ceb Neg**
- 4868. Tarratia gutama canlaonensis M.Okano & T.Okano,1986** (Argynnidae)
Synonym(s): *canlaonensis M.Okano & T.Okano,1986* _ Range (in code): **PH Neg**
- 4869. Tarratia gutama cebuensis M.Okano & T.Okano,1986** (Argynnidae) Synonym(s):
cebuensis M.Okano & T.Okano,1986 _ Range (in code): **PH Ceb**
- 4870. Tarratia gutama gutama (Moore,1858)** (Argynnidae) Synonym(s): *gutama Moore,1858*
Original Reference: *Athyma gutama* Moore, 1858, Proc. zool. Soc. Lond. 1858: 20, Pl.51 fig. 7.
Type: Manilla. Range (in code): **PH Bab Luz Mdo**
- 4871. Tarratia gutama sibuyana Tsukada,1991** (Argynnidae) Synonym(s): *sibuyana Tsukada,1991* _ Range (in code): **PH Sib**
- 4872. Tarratia gutama teldeniya Fruhstorfer,1912** (Argynnidae) Synonym(s): *teldeniya Fruhstorfer,1912* _ Range (in code): **PH Bal Cal Pal**
- 4873. Terinos abisares C.Felder & R.Felder,1867** (Argynnidae) Synonym(s): *abisares C.Felder & R.Felder,1867* _ Range (in code): **ID Clb**
- 4874. Terinos abisares abisares C.Felder & R.Felder,1867** (Argynnidae) Synonym(s):
abisares C.Felder & R.Felder,1867 _ Range (in code): **ID Clb**
- 4875. Terinos abisares poros Fruhstorfer,1906** (Argynnidae) Synonym(s): *poros Fruhstorfer,1906* _ Range (in code): **ID Clb**
- 4876. Terinos atlita (Fabricius,1787)** (Argynnidae) Synonym(s): *atlita Fabricius,1787* _ Range (in code): **IN MY Bor ID Sum TH Chy Nna Cbi Pbu Pht Knc Rat VN**
- 4877. Terinos atlita atlita (Fabricius,1787)** (Argynnidae) Synonym(s): *atlita Fabricius,1787*
Range (in code): **ID Sum**
- 4878. Terinos atlita fulminans Butler,1869** (Argynnidae) Synonym(s): *fulminans Butler,1869*
Range (in code): **Bor MY**
- 4879. Terinos atlita miletum Oberthür,1877** (Argynnidae) Synonym(s): *miletum Oberthür,1877; ? falcata Fruhstorfer,1898; ? lioneli Fruhstorfer,1906* _ Range (in code): **TH Chy Nna Cbi Pbu Pht Knc Rat VN**
- 4880. Terinos atlita teuthras Hewitson,1862** (Argynnidae) Synonym(s): *teuthras Hewitson,1862* _ Range (in code): **IN TH MY**
- 4881. Terinos clarissa Boisduval,1836** (Argynnidae) Synonym(s): *clarissa Boisduval,1836*
Range (in code): **ID Sgr Ja MY Sum Bor Swk PH Bon Sga Taw Ley Mno Sam Bal Pal Hom TH Nst Tng Nrt Kao Sgk Hya Tnc**
- 4882. Terinos clarissa aurensis Eliot,1978** (Argynnidae) Synonym(s): *aurensis Eliot,1978*
Original Reference: *Terinos clarissa* ssp. *aurensis* Eliot,1978, [in] Corbet & Pendlebury, Butterflies of Malay Peninsula: 414. Type: Malaysia. Range (in code): **MY**
- 4883. Terinos clarissa banguyana Fruhstorfer,1912** (Argynnidae) Synonym(s):
banguyana Fruhstorfer,1912 _ Range (in code): **MY Bor**
- 4884. Terinos clarissa clarissa Boisduval,1836** (Argynnidae) Synonym(s): *clarissa Boisduval,1836* _ Range (in code): **ID Ja**
- 4885. Terinos clarissa dinnaga Fruhstorfer,1906** (Argynnidae) Synonym(s): *dinnaga Fruhstorfer,1906* _ Range (in code): **ID Sum**
- 4886. Terinos clarissa homonhonensis Treadaway & Nuyda,1994** (Argynnidae)
Synonym(s): *homonhonensis Treadaway & Nuyda,1994* _ Range (in code): **PH Hom**
- 4887. Terinos clarissa lucia Staudinger,1889** (Argynnidae) Synonym(s): *lucia Staudinger,1889*
Original Reference: *Terinos lucilla* var. *lucia* Staudinger,1889, Dt. ent. Z., Iris 2: 45-46. Syntypes: [Philippinen]: Palawan. Range (in code): **PH Pal**
- 4888. Terinos clarissa luciella Fruhstorfer,1912** (Argynnidae) Synonym(s): *luciella Fruhstorfer,1912* _ Range (in code): **PH Bal**
- 4889. Terinos clarissa lucilla Butler,1870** (Argynnidae) Synonym(s): *lucilla Butler,1870*
Range (in code): **PH Ley Mno Sam**
- 4890. Terinos clarissa ludmilla Staudinger,1898** (Argynnidae) Synonym(s): *ludmilla Staudinger,1898* _ Range (in code): **ID Sgr**
- 4891. Terinos clarissa malayana Fruhstorfer,1906** (Argynnidae) Synonym(s): *malayana Fruhstorfer,1906* _ Range (in code): **MY TH Nst Tng Nrt Kao Sgk Hya Tnc**

- 4892. *Terinos clarissa* nympha Wallace,1869** (Argynnidae) Synonym(s): *nympha* Wallace,1869
Range (in code): **MY Bor Swk**
- 4893. *Terinos clarissa* suluensis Treadaway & Nuyda,1994** (Argynnidae) Synonym(s):
suluensis Treadaway & Nuyda,1994 Range (in code): **PH Bon Sga Taw**
- 4894. *Terinos romeo* Schröder & Treadaway,1984** (Argynnidae) Synonym(s): *romeo*
Schröder & Treadaway,1984 Range (in code): **PH Pan**
- 4895. *Terinos terpander* Hewitson,1862** (Argynnidae) Synonym(s): *terpander* Hewitson,1862
Range (in code): **MY Bor MM Tns SG TH Rng Yal Tng Lmp Rat Cbi Nst Ths Sya Sgk Hya Tnc VN ID Sum Nia Bgk Ja Nat CN HK**
- 4896. *Terinos terpander* bangkanensis Fruhstorfer,1913** (Argynnidae) Synonym(s):
bangkanensis Fruhstorfer,1913 Range (in code): **ID Bgk**
- 4897. *Terinos terpander* blachieri Fruhstorfer,1914** (Argynnidae) Synonym(s): *blachieri*
Fruhstorfer,1914
- 4898. *Terinos terpander* intermedia Godfrey,1916** (Argynnidae) Synonym(s): *intermedia*
Godfrey,1916 Range (in code): **VN TH Lmp Rat Cbi**
- 4899. *Terinos terpander* natunensis Fruhstorfer,1901** (Argynnidae) Synonym(s):
natunensis Fruhstorfer,1901 Range (in code): **ID Nat**
- 4900. *Terinos terpander* niasica Fruhstorfer,1901** (Argynnidae) Synonym(s): *niasica*
Fruhstorfer,1901 Range (in code): **ID Nia**
- 4901. *Terinos terpander* piepersi Martin,1909** (Argynnidae) Synonym(s): *piepersi*
Martin,1909 Range (in code): **ID Ja**
- 4902. *Terinos terpander* robertsia Butler,1867** (Argynnidae) Synonym(s): *robertsia*
Butler,1867 Range (in code): **MM Tns SG MY CN HK TH Rng Yal Tng Nst Ths Sya Sgk Hya Tnc**
- 4903. *Terinos terpander* teos De Nicéville,1893** (Argynnidae) Synonym(s): *teos* De
Nicéville,1893 Range (in code): **ID Sum**
- 4904. *Terinos terpander* terpander Hewitson,1862** (Argynnidae) Synonym(s): *terpander*
Hewitson,1862 Range (in code): **MY Bor**
- 4905. *Terinos terpander* tiomanensis Eliot,1978** (Argynnidae) Synonym(s): *tiomanensis*
Eliot,1978 Range (in code): **MY**
- 4906. *Texola elada* (Hewitson,1868)** (Argynnidae) Synonym(s): *elada* Hewitson,1868 Range
(in code): **US MX Arz NMx Tx**
- 4907. *Thaleropsis ionia* (Eversmann,1851)** (Argynnidae) Synonym(s): *ionia* Eversmann,1851;
ammonia Herrich-Schäffer,1851. Original Reference: Vanessa *ionia* Eversmann,1851, [in] Fischer
de Waldheim & Eversmann, Entomographia Imp. ross. 5: 111, pl.13, figs.1,2. Lectotype ♂:
[Turkey]: Amasia (Nekrutenko,1995 [in] Hesselbarth et al., Die Tagfalter der Türkei: 970).
Range (in code): **Kas Cc AM GG GR IQ Slf AZ Ord Nv IR TR** Bionomy: Larva on *Celtis glabrata*
(Ulmaceae), *Salix* (Salicaceae) (Tolman,1997).
- 4908. *Thaleropsis ionia* *ionia* (Eversmann,1851)** (Argynnidae) Synonym(s): *ionia*
Eversmann,1851; *ammonia* Herrich-Schäffer,1851. Original Reference: Vanessa *ionia*
Eversmann,1851, [in] Fischer de Waldheim & Eversmann, Entomographia Imp. ross. 5: 111,
pl.13, figs.1,2. Lectotype ♂: [Turkey]: Amasia (Nekrutenko,1995 [in] Hesselbarth et al., Die
Tagfalter der Türkei: 970). Range (in code): **Kas Cc AM GG GR IQ Slf AZ Ord Nv IR TR** Bionomy:
Larva on *Celtis glabrata* (Ulmaceae), *Salix* (Salicaceae) (Tolman,1997).
- 4909. *Thessalia chinatiensis* (Tinkham,1944)** (Argynnidae) Synonym(s): *chinatiensis*
Tinkham,1944 Range (in code): **US Tx**
- 4910. *Thessalia cyneas* (Godman & Salvin,[1878])** (Argynnidae) Synonym(s): *cyneas*
Godman & Salvin,[1878] Range (in code): **US MX Arz**
- 4911. *Thessalia fulvia* (W.H.Edwards,1879)** (Argynnidae) Synonym(s): *fulvia*
W.H.Edwards,1879 Range (in code): **US MX Arz Col Kan NMx Ne Neb Ok Tx Ut**
- 4912. *Thessalia leanira* (C.Felder & R.Felder,1860)** (Argynnidae) Synonym(s): *leanira*
C.Felder & R.Felder,1860 Range (in code): **US MX Arz Cf Col Id Ne Org Ut**
- 4913. *Thessalia theona* (Ménétriés,1855)** (Argynnidae) Synonym(s): *theona* Ménétriés,1855
Range (in code): **US MX Arz NMx Tx**
- 4914. *Timelea maculata* (Bremer & Grey,1852)** (Argynnidae) Synonym(s): *maculata* Bremer &
Grey,1852 Original Reference: Melitaea *maculata* Bremer & Grey,1852, [in] Motschulsky, Etüd.
Ent. 1: 59. Range (in code): **CN TW**
- 4915. *Vagrans egista* (Cramer,[1780])** (Argynnidae) Synonym(s): *egista* Cramer,[1780]
Range (in code): **MY Lkw Bor ID Ja Sum Snd Sla Clb PH Luz**

- 4916. Vagrans egista brixia (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *brixia Fruhstorfer,1912* Range (in code): PH Luz
- 4917. Vagrans egista creaghana Pryor & Cator** (Argynnidae) Synonym(s): Range (in code): MY Bor
- 4918. Vagrans egista macromalayana (Fruhstorfer,1912)** (Argynnidae) Synonym(s): *macromalayana Fruhstorfer,1912* Range (in code): ID Ja Sum Snd MY Lkw
- 4919. Vagrans egista nupta Staudinger,1889** (Argynnidae) Synonym(s): *nupta Staudinger,1889* Range (in code): ID Sla Clb
- 4920. Vagrans sinha (Kollar,[1844])** (Argynnidae) Synonym(s): *sinha Kollar,[1844]* Original Reference: Terinos sinha Kollar,[1844], [in] Hügel, Kaschmir 4(2): 438. Range (in code): IN MM TH CMA CDo Ray Nna Cbi Rng Chy Cbu Pht Sgk Hya Tnc CN Hn PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 4921. Vagrans sinha sinha (Kollar,[1844])** (Argynnidae) Synonym(s): *sinha Kollar,[1844]* Original Reference: Terinos sinha Kollar,[1844], [in] Hügel, Kaschmir 4(2): 438. Range (in code): IN MM TH CMA CDo Ray Nna Cbi Rng Chy Cbu Pht Sgk Hya Tnc CN Hn PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml Cmm Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab T
- 4922. Vanessa (Cynthia) annabella Field,1971** (Argynnidae) Synonym(s): *annabella Field,1971* Range (in code): US MX Arz Cf Col Id Kan Mon NDk NMx Ne Neb Ok Org SDk Tx Ut Ws Wy
- 4923. Vanessa (Cynthia) cardui (Linnaeus,1758)** (Argynnidae) Synonym(s): *cardui Linnaeus,1758; carduelis Cramer,1775; elymi Rambur,1829; kershawi McCoy,1868; pallida Schoyen,1881; japonica Stichel,1908; universa Verity,1919; takesakiana Kato,1925; jacksoni Clark,1927* Original Reference: Papilio cardui Linnaeus,1758, Syst. Nat. (Edn.10) 1: 475. Syntypes: Europa, Africa [Sweden (Verity,1950)]. Range (in code): Ad Ae AF AL As At AT Az BE BG BH BY Ch CH CN Co Cr CY CZ DE Dh DK EE ES FI FR GB GR Hd Hj HU IE IL IN IQ IR IS IT JO KG KK KW LB Ld LT LU LV MN MT Mu Nf Nj NL NO PH PK PL PT QA Rd RO RU SA Sa SE SI Si SK SY Ti TJ TM TR T-S UA Ui UZ YE YU SS HV B-H MK Mt AO BF BI BJ BW BZ CF CG CI CM Cn Dj Dj DZ EG EH ER ET FP GA GH GM GN GO GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG RW SC SD Sem SL SN SO ST SZ TD TG Tk TN TZ UG ZA ZM ZR ZW Cw Dv Smt H-W Sur Ssx Ken Cy LY Kts Tm Ci Um Sau Tar Dsa TeA KuA TrA Ket Bn Ar Mu Mu18 GG AZ Nv AM MD NP Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ke Luz Mno Neg Pal US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Ord Nta Kzu Ptb Gau Pre Est Spb Lj Tva Lpo Mdk Ent Kru Pma Pf Pa Hf TH CMA SD91 SD119 MW Zom Arr Oru Jal Msw Kh KP KR JP Koh Msr Nra Bhh Ad SO Zai Ifr Rbt Saia Tlm Orn Agi Blid Ges Dje Ogl Bsk Ktr Btina BSa Tmn Ah Ajj Hrh Sfr Mzg Onç Ceg Gtt Rbt Azr Idl Ath Ng Jla Hr Blm Prw Pnj Bionomy: Larva on Cirsium, Carduus, Echium, Malva sylvestris, M. parviflora, Glycine max, Achillea (Kumakov & Korshunov, 1979; Tolman, 1997).
- 4924. Vanessa (Cynthia) carye (Hübner,[1812])** (Argynnidae) Synonym(s): *carye Hübner,[1812]; caryoides Giacomelli,1922; minuscula Hayward,1931* Original Reference: Hamadryas carye Hübner,[1812], Samml. exot. Schmett. 1: pl.45 fig.1-2. Range (in code): CO EC PE BO PY UY AR GS
- 4925. Vanessa (Cynthia) virginiensis (Drury,[1773])** (Argynnidae) Synonym(s): *virginiensis Drury,[1773]; huntera Fabricius,1775; iole Cramer,1775.* Original Reference: Papilio virginiensis Drury,[1773], Ill. ex. Ent. 2: Pl.5 fig. 1. Type(s): America sept. Range (in code): Az DE ES FR GB IE IS PT CU CR HN NI PA GT BZ VE Hw US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 4926. Vanessa (Cynthia) virginiensis virginiensis (Drury,[1773])** (Argynnidae) Synonym(s): *virginiensis Drury,[1773]; huntera Fabricius,1775; iole Cramer,1775.* Original Reference: Papilio virginiensis Drury,[1773], Ill. ex. Ent. 2: Pl.5 fig. 1. Type(s): America sept. Range (in code): Az DE ES FR GB IE IS PT CU CR HN NI PA GT BZ VE Hw US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 4927. Vanessa (s.str.) atalanta (Linnaeus,1758)** (Argynnidae) Synonym(s): *atalanta Linnaeus,1758; amiralis Retzius,1783; #klemensiewiczzi Schille,1896; #klimene Fischer,1896; italica Stichel,1900.* Original Reference: Papilio atalanta Linnaeus,1758, Syst. Nat. (Edn.10) 1: 478. Type(s): [Sweden (Verity,1950)]. Range (in code): IL He Pa Hf Ae AL Ao At AT Az Ba BE BG B-H BY CH CN Co Cr CZ DE DK DZ EE ES FI FR GB GR HU HV IE IR IS IT JO KG Kp Kr LB LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS TM TN TR T-S UA Ui Uk VI YU Cw Dv Smt H-W PK Zh Bl Ce GG AZ AM CY US MX Sur Ssx Ken Cn Mu Mu18 Nv MD Elb Mz GlS CA GT CU HT NZ AU Aks Alb Arz Cf Cnt Col

- Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy IQ Bgd Ab Blid Orn Agi Ktr Cst Tun Tlm Tgr Hrh Hmk Mzg Tou Clo Sbd Rbt Bionomy: Larva on *Urtica urens*, *U. membranacea*, *U. pilulifera*, *U. dioica*, *Parietaria officinalis*, *P. diffusa*, *P. debilis*, *Humulus lupulus* (Krulikowsky, 1907; Kumakov & Korshunov, 1979; Korshunov & Gorbunov, 1995; Tolman, 1997).
- 4928. *Vanessa (s.str.) atalanta rubria* (Fruhstorfer, 1909)** (Argynnidae) Synonym(s): *rubria* Fruhstorfer, 1909 Original Reference: *Pyrameis atalanta rubria* Fruhstorfer, 1909, Int. ent. Z. 3: 44. Lectotype ♂: "Mexico", designated by Field, 1971, Smithsonian Contr. zool. 84: 17 (MNHN). Range (in code): **MX**
- 4929. *Vanessa (s.str.) dejeani* Godart, [1824]** (Argynnidae) Synonym(s): *dejeani* Godart, [1824] Range (in code): **PH Mno Sam ID Ja ?Bli Lb**
- 4930. *Vanessa (s.str.) dejeani dejeani* Godart, [1824]** (Argynnidae) Synonym(s): *dejeani* Godart, [1824] Range (in code): **ID Ja ?Bli**
- 4931. *Vanessa (s.str.) dejeani mounseyi* Talbot, 1936** (Argynnidae) Synonym(s): *mounseyi* Talbot, 1936 Range (in code): **PH Mno Sam**
- 4932. *Vanessa (s.str.) dejeani sambaluna* Fruhstorfer, 1898** (Argynnidae) Synonym(s): *sambaluna* Fruhstorfer, 1898 Range (in code): **ID Lb**
- 4933. *Vanessa (s.str.) indica* (Herbst, 1794)** (Argynnidae) Synonym(s): *indica* Herbst, 1794; *calliroe* Hübner, 1806 Original Reference: *Papilio atalanta indica* Herbst, 1794, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Taf. 180, figs. 1, 2. Type(s): India bor. Range (in code): **Cn ES CN RU IN Ker Apr Hp Ass NI SI Ti CN PK Haz Mre AF Ng Jla Ch NP MM TW JP PH Luz Mno Pal ID Clb LK TH CMa Dst CDo** Bionomy: Larva on *Urtica angustifolia* (Tusov, 2000).
- 4934. *Vanessa (s.str.) indica buana* Fruhstorfer, 1898** (Argynnidae) Synonym(s): *buana* Fruhstorfer, 1898 Range (in code): **ID Clb**
- 4935. *Vanessa (s.str.) indica indica* (Herbst, 1794)** (Argynnidae) Synonym(s): *indica* Herbst, 1794; *calliroe* Hübner, 1806 Original Reference: *Papilio atalanta indica* Herbst, 1794, [in] Jablonsky, Natursyst. Ins. (Schmett.) 7: Taf. 180, figs. 1, 2. Type(s): India bor. Range (in code): **Cn ES CN RU IN Apr Hp SI Ti CN PK Haz Mre AF Ch NP MM TH CMa Dst CDo LK TW JP PH Luz Mno Pal ID Clb** Bionomy: Larva on *Urtica angustifolia* (Tusov, 2000).
- 4936. *Vanessa (s.str.) indica nubicola* Fruhstorfer, 1898** (Argynnidae) Synonym(s): *nubicola* Fruhstorfer, 1898 Range (in code): **LK**
- 4937. *Vanessa (s.str.) indica pholoe* Fruhstorfer, 1912** (Argynnidae) Synonym(s): *pholoe* Fruhstorfer, 1912 Range (in code): **IN NI Ker**
- 4938. *Vanessa (s.str.) itea* (Fabricius, 1775)** (Argynnidae) Synonym(s): *itea* Fabricius, 1775 Original Reference: *Papilio itea* Fabricius, 1775, Syst. Ent.: 498. Range (in code): **AU NZ**
- 4939. *Vanessa (s.str.) samani* Hagen, 1896** (Argynnidae) Synonym(s): *samani* Hagen, 1896 Original Reference: *Vanessa samani* Hagen, 1896, Dt. ent. Z., Iris 9: 165. Type: Sumatra. Range (in code): **ID Sum**
- 4940. *Vanessa (s.str.) tameamea* (Eschscholtz, 1878)** (Argynnidae) Synonym(s): *tameamea* Eschscholtz, 1878 Range (in code): **Hw**
- 4941. *Vanessa (s.str.) vulcania* Godart, [1819]** (Argynnidae) Synonym(s): *vulcania* Godart, [1819] Original Reference: *Vanessa vulcania* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 320. Type(s): Canaries. Range (in code): **Cn**
- 4942. *Vanessa (s.str.) vulcania vulcania* Godart, [1819]** (Argynnidae) Synonym(s): *vulcania* Godart, [1819] Original Reference: *Vanessa vulcania* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 320. Type(s): Canaries. Range (in code): **Cn**
- 4943. *Vanessula milca* (Hewitson, 1873)** (Argynnidae) Synonym(s): *milca* Hewitson, 1873; *buchneri* Dewitz, 1887 Range (in code): **CI LR ZR KE UG CM AO**
- 4944. *Vanessula milca angustifascia* Joicey & Talbot, 1928** (Argynnidae) Synonym(s): *angustifascia* Joicey & Talbot, 1928 Range (in code): **CI LR**
- 4945. *Vanessula milca latifasciata* Joicey & Talbot, 1928** (Argynnidae) Synonym(s): *latifasciata* Joicey & Talbot, 1928 Range (in code): **ZR KE UG**
- 4946. *Vanessula milca milca* (Hewitson, 1873)** (Argynnidae) Synonym(s): *milca* Hewitson, 1873; *buchneri* Dewitz, 1887 Range (in code): **CM ZR AO**
- 4947. *Vindula dejone* (Erichson, 1834)** (Argynnidae) Synonym(s): *dejone* Erichson, 1834 Range (in code): **PH Jol Bon Sga Boh Cal Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu TH CMa CDo Dst Dso9 Rng Yal Tng Ntt SPa Nst SG MY ID Sla Sum Clb Ja MY Bor**

- 4948. *Vindula dejone basanica* Fruhstorfer,1912** (Argynnidae) Synonym(s): *basanica* Fruhstorfer,1912 _ Range (in code): PH Jol
- 4949. *Vindula dejone bongana* Schröder & Treadaway,1989** (Argynnidae) Synonym(s): *bongana* Schröder & Treadaway,1989 _ Range (in code): PH Bon Sga
- 4950. *Vindula dejone celebensis* Butler,1874** (Argynnidae) Synonym(s): *celebensis* Butler,1874 _ Range (in code): ID Clb
- 4951. *Vindula dejone dajakorum* Fruhstorfer,1906** (Argynnidae) Synonym(s): *dajakorum* Fruhstorfer,1906 _ Range (in code): MY Bor
- 4952. *Vindula dejone dejone* (Erichson,1834)** (Argynnidae) Synonym(s): *dejone* Erichson,1834 _ Range (in code): PH Boh Cal Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam
- 4953. *Vindula dejone dioneia* Fruhstorfer,1912** (Argynnidae) Synonym(s): *dioneia* Fruhstorfer,1912 _ Range (in code): ID Sla
- 4954. *Vindula dejone erotella* (Butler,[1879])** (Argynnidae) Synonym(s): *erotella* Butler,[1879]; *cantori* Distant,1882 _ Range (in code): TH Rng Yal Tng Ntt SPa Nst CMa CDo Dst Dso9 SG MY
- 4955. *Vindula dejone erotoides* Nicéville** (Argynnidae) Synonym(s): _ Range (in code): ID Sum
- 4956. *Vindula dejone javana* Fruhstorfer,1899** (Argynnidae) Synonym(s): *javana* Fruhstorfer,1899 _ Range (in code): ID Ja
- 4957. *Vindula dejone natunensis* Fruhstorfer,1906** (Argynnidae) Synonym(s): *natunensis* Fruhstorfer,1906 _ Range (in code): ID Nat
- 4958. *Vindula dejone palawanica* Fruhstorfer,1899** (Argynnidae) Synonym(s): *palawanica* Fruhstorfer,1899 _ Range (in code): PH Bal Pal Boh Cal Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu
- 4959. *Vindula dejone rafflesi* Pendlebury,1939** (Argynnidae) Synonym(s): *rafflesi* Pendlebury,1939 _ Range (in code): MY
- 4960. *Vindula dejone sibuensis* Schröder & Treadaway,1989** (Argynnidae) Synonym(s): *sibuensis* Schröder & Treadaway,1989 _ Range (in code): PH Stu
- 4961. *Vindula dejone tiomana* (Pendlebury,1933)** (Argynnidae) Synonym(s): *tiomana* Pendlebury,1933 _ Range (in code): MY
- 4962. *Vindula erota* (Fabricius,1793)** (Argynnidae) Synonym(s): *erota* Fabricius,1793
Original Reference: *Papilio erota* Fabricius,1793, Ent. Syst. 3 (1): 76. Type: India. Range (in code): SI IN NI Adm LK CN MM MY Bor ID Nia Sum Ja Clb Sla TH CMa Cuo Cu12 CDo CD2 Nrt Nna Cbi Rng TAK Knc Cbu Srt Ptt Nst Ths PH Bal Pal
- 4963. *Vindula erota asela* Moore,1872** (Argynnidae) Synonym(s): *asela* Moore,1872 _ Range (in code): LK
- 4964. *Vindula erota banta* Eliot,1956** (Argynnidae) Synonym(s): *banta* Eliot,1956 _ Range (in code): ID Clb
- 4965. *Vindula erota battaka* (Martin,1894)** (Argynnidae) Synonym(s): *battaka* Martin,1894 _ Range (in code): ID Sum
- 4966. *Vindula erota boetonensis* (Juriaanse & Lindemann,1920)** (Argynnidae) Synonym(s): *boetonensis* Juriaanse & Lindemann,1920 _ Range (in code): ID Clb
- 4967. *Vindula erota chersonesia* Pendlebury,1939** (Argynnidae) Synonym(s): *chersonesia* Pendlebury,1939 _ Range (in code): TH Nst Ths MY ID Sum
- 4968. *Vindula erota erota* (Fabricius,1793)** (Argynnidae) Synonym(s): *erota* Fabricius,1793
Original Reference: *Papilio erota* Fabricius,1793, Ent. Syst. 3 (1): 76. Type: India. Range (in code): SI IN CN MM TH CMa Cuo Cu12 CDo CD2 Nrt Nna Cbi Rng TAK Knc Cbu Srt Ptt
- 4969. *Vindula erota gedean* Fruhstorfer,1906** (Argynnidae) Synonym(s): *gedean* Fruhstorfer,1906 _ Range (in code): ID Ja
- 4970. *Vindula erota montana* Fruhstorfer,1899** (Argynnidae) Synonym(s): *montana* Fruhstorfer,1899 _ Range (in code): PH Bal Pal MY Bor
- 4971. *Vindula erota orahilia* Kheil,1884** (Argynnidae) Synonym(s): *orahilia* Kheil,1884 _ Range (in code): ID Nia
- 4972. *Vindula erota pallida* (Staudinger,1885)** (Argynnidae) Synonym(s): *pallida* Staudinger,1885 _ Range (in code): IN Adm
- 4973. *Vindula erota saloma* (De Nicéville,1886)** (Argynnidae) Synonym(s): *saloma* De Nicéville,1886 _ Range (in code): IN NI

- 4974. *Vindula erota sulaensis* (Joicey & Talbot,1924)** (Argynnididae) **Synonym(s):** *sulaensis* Joicey & Talbot,1924 **Range (in code):** **ID Sla**
- 4975. *Yoma sabina* (Cramer,[1780])** (Argynnididae) **Synonym(s):** *sabina* Cramer,[1780] **Range (in code):** **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Mlc Ja Alo Bor MY Prk Lkw TH Chy Tak Phi Nrt Knc Rat Cma MM**
- 4976. *Yoma sabina atomaria* Fruhstorfer,1912** (Argynnididae) **Synonym(s):** *atomaria* Fruhstorfer,1912 **Range (in code):** **ID MY Bor**
- 4977. *Yoma sabina javana* Fruhstorfer,1912** (Argynnididae) **Synonym(s):** *javana* Fruhstorfer,1912 **Range (in code):** **ID Ja Alo**
- 4978. *Yoma sabina podium* Tsukada,1985** (Argynnididae) **Synonym(s):** *podium* Tsukada,1985 **Range (in code):** **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 4979. *Yoma sabina sabina* (Cramer,[1780])** (Argynnididae) **Synonym(s):** *sabina* Cramer,[1780] **Range (in code):** **ID Mlc**
- 4980. *Yoma sabina vasuki* Doherty,1886** (Argynnididae) **Synonym(s):** *vasuki* Doherty,1886 **Range (in code):** **MM TH CMa Chy Tak Phi Nrt Knc Rat Cbi MY Lkw Prk**
- 4981. *Zalapia patala* (Kollar,[1844])** (Argynnididae) **Synonym(s):** *patala* Kollar,[1844] **Original Reference:** *Adolias patala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 435. **Type(s):** Kaschmir. **Range (in code):** **Ch**
- 4982. *Zalapia patala patala* (Kollar,[1844])** (Argynnididae) **Synonym(s):** *patala* Kollar,[1844] **Original Reference:** *Adolias patala* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 435. **Type(s):** Kaschmir. **Range (in code):** **Ch**
- 4983. *Amauris (Amaura) albimaculata* Butler,1875** (Danaidae) **Synonym(s):** *albimaculata* Butler,1875 **Original Reference:** *Amauris echeria* var. *albimaculata* Butler,1875, Ann. Mag. nat. Hist. (4) 16: 394. **Range (in code):** **CM MW ZR UG RW BI SD SO KE Lbw Nai Elg TZ Tnga Usa Ani ZW Vum ZA Kzu Nta Ptb Tva Lpo Esw Tra Ec Mpu Brb SZ MZ** **Bionomy:** Larva on *Tylophora anomala*, *Cynanchum chirindense*, *C. natalitium* (Asclepiadaceae) (Pringle et al.,1994).
- 4984. *Amauris (Amaura) albimaculata albimaculata* Butler,1875** (Danaidae) **Synonym(s):** *albimaculata* Butler,1875 **Original Reference:** *Amauris echeria* var. *albimaculata* Butler,1875, Ann. Mag. nat. Hist. (4) 16: 394. **Range (in code):** **ZA Kzu Nta Ptb Tva Lpo Esw Tra Ec Mpu Brb SZ MZ**
- 4985. *Amauris (Amaura) albimaculata chirindana* Talbot,1941** (Danaidae) **Synonym(s):** *chirindana* Talbot,1941 **Original Reference:** *Amauris albimaculata chirindana* Talbot,1941, Entomologist's mon. Mag. 77: 211. **Range (in code):** **ZW Vum**
- 4986. *Amauris (Amaura) albimaculata hanningtoni* Butler,1888** (Danaidae) **Synonym(s):** *hanningtoni* Butler,1888; *virginalis* Köhler,1923 **Range (in code):** **SO KE Lbw Nai Elg TZ**
- 4987. *Amauris (Amaura) albimaculata intermedians* Hulstaert,1926** (Danaidae) **Synonym(s):** *intermedians* Hulstaert,1926 **Range (in code):** **CM**
- 4988. *Amauris (Amaura) albimaculata interposita* Talbot,1940** (Danaidae) **Synonym(s):** *interposita* Talbot,1940 **Range (in code):** **TZ KE**
- 4989. *Amauris (Amaura) albimaculata latifascia* Talbot,1940** (Danaidae) **Synonym(s):** *latifascia* Talbot,1940 **Range (in code):** **MW**
- 4990. *Amauris (Amaura) albimaculata magnimacula* Rebel,1914** (Danaidae) **Synonym(s):** *magnimacula* Rebel,1914; *similis* Joicey & Talbot,1921; *impar* Aurivillius,1922; *#semifascia* Talbot,1941 **Range (in code):** **UG ZR TZ RW BI**
- 4991. *Amauris (Amaura) albimaculata sudanica* Talbot,1940** (Danaidae) **Synonym(s):** *sudanica* Talbot,1940 **Range (in code):** **SD**
- 4992. *Amauris (Amaura) comorana* Oberthür,1897** (Danaidae) **Synonym(s):** *comorana* Oberthür,1897 **Range (in code):** **KM**
- 4993. *Amauris (Amaura) comorana comorana* Oberthür,1897** (Danaidae) **Synonym(s):** *comorana* Oberthür,1897 **Range (in code):** **KM**
- 4994. *Amauris (Amaura) crawshayi* Butler,1897** (Danaidae) **Synonym(s):** *crawshayi* Butler,1897; *alba* Neustetter,1916 **Range (in code):** **UG Etb KE ZR GH AO CM MW TZ**
- 4995. *Amauris (Amaura) crawshayi angola* Bethune-Baker,1914** (Danaidae) **Synonym(s):** *angola* Bethune-Baker,1914 **Range (in code):** **AO**

- 4996. Amauris (Amaura) crawshayi camerunica Joicey & Talbot, 1925** (Danaiidae) Synonym(s): *camerunica* Joicey & Talbot, 1925 _ Range (in code): **CM GH**
- 4997. Amauris (Amaura) crawshayi crawshayi Butler, 1897** (Danaiidae) Synonym(s): *crawshayi* Butler, 1897; *alba* Neustetter, 1916 _ Range (in code): **MW TZ**
- 4998. Amauris (Amaura) crawshayi oscarus Thurnau, 1904** (Danaiidae) Synonym(s): *oscarus* Thurnau, 1904; *prominens* Grünberg, 1908; *reducta* Aurivillius, 1922 _ Range (in code): **UG Etb KE ZR TZ**
- 4999. Amauris (Amaura) crawshayi simulator Talbot, 1926** (Danaiidae) Synonym(s): *simulator* Talbot, 1926 _ Range (in code): **ZR**
- 5000. Amauris (Amaura) damocles (Fabricius, 1793)** (Danaiidae) Synonym(s): *egialea* Cramer, [1777] nec Cr., [1777]; *damocles* Fabricius, 1793; *punctata* Dufrane, 1948 _ Range (in code): **AO GA CG ZR TZ KE CM GO Bio ZM SL GN GA NG**
- 5001. Amauris (Amaura) damocles damocles (Fabricius, 1793)** (Danaiidae) Synonym(s): *egialea* Cramer, [1777] nec Cr., [1777]; *damocles* Fabricius, 1793; *punctata* Dufrane, 1948 _ Range (in code): **SL GN GA NG**
- 5002. Amauris (Amaura) damocles hyalites Butler, 1847** (Danaiidae) Synonym(s): *hyalites* Butler, 1847; *difficilis* Aurivillius, 1907; *schubotzi* Schultze, 1914; *lygia* Hulstaert, 1924 _ Range (in code): **AO GA CG ZR CM GO Bio ZM**
- 5003. Amauris (Amaura) damocles makuyensis Carcasson, 1964** (Danaiidae) Synonym(s): *makuyensis* Carcasson, 1964 _ Range (in code): **TZ**
- 5004. Amauris (Amaura) dannfelti Aurivillius, 1891** (Danaiidae) Synonym(s): *dannfelti* Aurivillius, 1891 _ Range (in code): **ZR AO ZM**
- 5005. Amauris (Amaura) dannfelti dannfelti Aurivillius, 1891** (Danaiidae) Synonym(s): *dannfelti* Aurivillius, 1891 _ Range (in code): **ZR AO ZM**
- 5006. Amauris (Amaura) dannfelti restricta Talbot, 1940** (Danaiidae) Synonym(s): *restricta* Talbot, 1940 _ Range (in code): **ZR ZM**
- 5007. Amauris (Amaura) echeria (Stoll, [1790])** (Danaiidae) Synonym(s): *echeria* Stoll, [1790]; *vallantiana* Godart, [1819]; *vaal* Talbot, 1940 _ Range (in code): **MW Zom ZM ZR GO Bio UG KE Tet Elg SD ET ER ZW Vum ZA Ec Tva Lpo Spb Ent Hgl Lj Nta Kzu Mv Mpu Brb Ly Wv Dbn Wo Umk CM MW RW BI**
- 5008. Amauris (Amaura) echeria abessinica Schmidt, 1921** (Danaiidae) Synonym(s): *abessinica* Schmidt, 1921 _ Range (in code): **ET ER**
- 5009. Amauris (Amaura) echeria chyuluensis Van Someren, 1939** (Danaiidae) Synonym(s): *chyuluensis* Van Someren, 1939 _ Range (in code): **KE Tet**
- 5010. Amauris (Amaura) echeria contracta Talbot, 1940** (Danaiidae) Synonym(s): *contracta* Talbot, 1940 _ Range (in code): **KE**
- 5011. Amauris (Amaura) echeria echeria (Stoll, [1790])** (Danaiidae) Synonym(s): *echeria* Stoll, [1790]; *vallantiana* Godart, [1819]; *vaal* Talbot, 1940 _ Range (in code): **ZA Ec Tva Lpo Spb Ent Hgl Lj Nta Kzu Mv Mpu Brb Wv Ly**
- 5012. Amauris (Amaura) echeria fernandina Schultze, 1914** (Danaiidae) Synonym(s): *fernandina* Schultze, 1914 _ Range (in code): **GO Bio**
- 5013. Amauris (Amaura) echeria jacksoni Sharpe, 1892** (Danaiidae) Synonym(s): *jacksoni* Sharpe, 1892; *luxuriosa* Talbot, 1940 _ Range (in code): **UG KE Elg _o**
- 5014. Amauris (Amaura) echeria katangae Neave, 1910** (Danaiidae) Synonym(s): *katangae* Neave, 1910 _ Range (in code): **ZR ZM**
- 5015. Amauris (Amaura) echeria kikuyu Talbot, 1940** (Danaiidae) Synonym(s): *kikuyu* Talbot, 1940 _ Range (in code): **KE**
- 5016. Amauris (Amaura) echeria lobengula (Sharpe, 1890)** (Danaiidae) Synonym(s): *lobengula* Sharpe, 1890 _ Range (in code): **ZW Vum**
- 5017. Amauris (Amaura) echeria meruensis Talbot, 1940** (Danaiidae) Synonym(s): *meruensis* Talbot, 1940 _ Range (in code): **TZ**
- 5018. Amauris (Amaura) echeria mongallensis Carpenter, 1928** (Danaiidae) Synonym(s): *mongallensis* Carpenter, 1928; *imatongensis* Talbot, 1941 _ Range (in code): **SD**
- 5019. Amauris (Amaura) echeria mpala Talbot, 1940** (Danaiidae) Synonym(s): *echeria mpala* Talbot, 1940 _ Range (in code): **ZR**
- 5020. Amauris (Amaura) echeria occidentalis Schmidt, 1921** (Danaiidae) Synonym(s): *occidentalis* Schmidt, 1921 _ Range (in code): **CM**
- 5021. Amauris (Amaura) echeria septentrionis Poulton, 1924** (Danaiidae) Synonym(s): *septentrionis* Poulton, 1924 _ Range (in code): **KE**

- 5022. Amauris (Amaura) echeria serica Talbot,1940** (Danaiidae) Synonym(s): *serica* Talbot,1940 _ Range (in code): TZ MW
- 5023. Amauris (Amaura) echeria steckeri Kheil,1890** (Danaiidae) Synonym(s): *steckeri* Kheil,1890 _ Range (in code): ET SD
- 5024. Amauris (Amaura) echeria terrena Talbot,1940** (Danaiidae) Synonym(s): *terrena* Talbot,1940 _ Range (in code): ZR UG RW BI
- 5025. Amauris (Amaura) echeria whytei Butler,1894** (Danaiidae) Synonym(s): *echeria whytei* Butler,1894 _ Range (in code): MW Zom
- 5026. Amauris (Amaura) ellioti Butler,1895** (Danaiidae) Synonym(s): *ellioti* Butler,1895 _ Range (in code): KE Lbw TZ UG ZR RW MW
- 5027. Amauris (Amaura) ellioti altumi Van Someren,1926** (Danaiidae) Synonym(s): *altumi* Van Someren,1926 _ Range (in code): KE TZ
- 5028. Amauris (Amaura) ellioti ansorgei Sharpe,1896** (Danaiidae) Synonym(s): *ansorgei* Sharpe,1896 _ Range (in code): KE Lbw UG
- 5029. Amauris (Amaura) ellioti ellioti Butler,1895** (Danaiidae) Synonym(s): *ellioti* Butler,1895 _ Range (in code): UG ZR RW
- 5030. Amauris (Amaura) ellioti junia (Le Cerf,1920)** (Danaiidae) Synonym(s): *junia* Le Cerf,1920; *neavei* Poulton,1929 _ Range (in code): TZ MW
- 5031. Amauris (Amaura) hecate (Butler,1866)** (Danaiidae) Synonym(s): *hecate* Butler,1866; *dira* Neave,1904; *#reducta* Bartel,1905 _ Range (in code): ET GH KE ZR GN LR CM UG SD KE
- 5032. Amauris (Amaura) hecate hecate (Butler,1866)** (Danaiidae) Synonym(s): *hecate* Butler,1866; *dira* Neave,1904; *#reducta* Bartel,1905 _ Range (in code): GH KE ZR GN LR CM UG SD KE
- 5033. Amauris (Amaura) hecate stictica Rothschild & Jordan,1903** (Danaiidae) Synonym(s): *stictica* Rothschild & Jordan,1903 _ Range (in code): ET
- 5034. Amauris (Amaura) inferna Butler,1871** (Danaiidae) Synonym(s): *inferna* Butler,1871; *semivitre* Mabille,1876; *hecatoides* Aurivillius,1901 _ Range (in code): GO Bio GA ZR CM UG
- 5035. Amauris (Amaura) inferna discus Talbot,1940** (Danaiidae) Synonym(s): *discus* Talbot,1940 _ Range (in code): ZR CM
- 5036. Amauris (Amaura) inferna grogani Sharpe,1901** (Danaiidae) Synonym(s): *grogani* Sharpe,1901 _ Range (in code): ZR UG
- 5037. Amauris (Amaura) inferna inferna Butler,1871** (Danaiidae) Synonym(s): *inferna* Butler,1871; *semivitre* Mabille,1876; *hecatoides* Aurivillius,1901 _ Range (in code): ZR CM GA
- 5038. Amauris (Amaura) inferna moka Talbot,1940** (Danaiidae) Synonym(s): *moka* Talbot,1940 _ Range (in code): GO Bio
- 5039. Amauris (Amaura) inferna uganda Talbot,1940** (Danaiidae) Synonym(s): *uganda* Talbot,1940; *#aurivilliana* Bryk,1937 _ Range (in code): UG
- 5040. Amauris (Amaura) nossima (Ward,1870)** (Danaiidae) Synonym(s): *nossima* Ward,1870; *interrupta* Boulet,1912; *conjuncta* Boulet,1913; *defasciata* Röber,1937; *#disjuncta* Talbot,1940; *#antsingyi* Paulian,1956 _ Range (in code): MG KM
- 5041. Amauris (Amaura) nossima nossima (Ward,1870)** (Danaiidae) Synonym(s): *nossima* Ward,1870; *interrupta* Boulet,1912; *conjuncta* Boulet,1913; *defasciata* Röber,1937; *#disjuncta* Talbot,1940; *#antsingyi* Paulian,1956 _ Range (in code): MG KM
- 5042. Amauris (Amaura) ochlea (Boisduval,1847)** (Danaiidae) Synonym(s): *ochlea* Boisduval,1847 _ Range (in code): MW Zom KM TZ Tnga Usa Ani ET ER SO KE ZA Kzu Nta Ptb Tva Lpo Kru Pf Dbn Umk
- 5043. Amauris (Amaura) ochlea affinis Aurivillius,1911** (Danaiidae) Synonym(s): *comorana* Aurivillius,1909 nec Obth.,1897; *affinis* Aurivillius,1911; *#valens* Talbot,1940; *#spatiosa* Talbot,1940. _ Range (in code): KM
- 5044. Amauris (Amaura) ochlea bumilleri Lanz,1896** (Danaiidae) Synonym(s): *bumilleri* Lanz,1896 _ Range (in code): TZ Tnga Usa Ani
- 5045. Amauris (Amaura) ochlea darius Rothschild & Jordan,1903** (Danaiidae) Synonym(s): *darius* Rothschild & Jordan,1903 _ Range (in code): SO KE ET
- 5046. Amauris (Amaura) ochlea ochlea (Boisduval,1847)** (Danaiidae) Synonym(s): *ochlea* Boisduval,1847 _ Range (in code): MW Zom ZA Ec Kzu Nta Ptb Tva Lpo Kru Pf Dbn Umk
- 5047. Amauris (Amaura) ochlea ochleides Staudinger,1896** (Danaiidae) Synonym(s): *ochleides* Staudinger,1896 _ Range (in code): ET ER
- 5048. Amauris (Amaura) phoedon (Fabricius,1798)** (Danaiidae) Synonym(s): *phoedon* Fabricius,1798; *phaedone* Godart,[1819]; *phaedon* Doubleday,[1847] _ Range (in code): MU

- 5049. Amauris (Amaura) phoedon phoedon (Fabricius,1798)** (Danaiidae) Synonym(s): *phoedon* Fabricius,1798; *phaedone* Godart,[1819]; *phaedon* Doubleday,[1847] - Range (in code): MU
- 5050. Amauris (Amaura) vashti (Butler,1869)** (Danaiidae) Synonym(s): *vashti* Butler,1869; *#unipuncta* Dufrane,1948 - Range (in code): GO Bio NG CM GA CF ZR TZ
- 5051. Amauris (Amaura) vashti vashti (Butler,1869)** (Danaiidae) Synonym(s): *vashti* Butler,1869; *#unipuncta* Dufrane,1948 - Range (in code): GO Bio NG CM GA CF ZR TZ
- 5052. Amauris (Amauris) niavius (Linnaeus,1758)** (Danaiidae) Synonym(s): *niavius* Linnaeus,1758 - Range (in code): MW Zom SD UG ET ZA Mpu Brb Tva Lpo Spb Lj Kru Pma Nta Kzu Dbn ZR KE TZ Tnga Usa Ani AO CM SL
- 5053. Amauris (Amauris) niavius aethiops Rothschild & Jordan,1903** (Danaiidae) Synonym(s): *aethiops* Rothschild & Jordan,1903; *#partita* Talbot,1941 - Range (in code): ET SD UG
- 5054. Amauris (Amauris) niavius dominicanus Trimen,1879** (Danaiidae) Synonym(s): *dominicanus* Trimen,1879 - Original Reference: Amauris dominicanus Trimen,1879, Trans. ent. Soc. London 1879 (4): 323-324. Syntypes: South Africa: Natal: Durban; Quilimane, Zambesi. Range (in code): MW Zom ZA Mpu Brb Tva Lpo Spb Lj Kru Pma Nta Kzu Dbn
- 5055. Amauris (Amauris) niavius niavius (Linnaeus,1758)** (Danaiidae) Synonym(s): *niavius* Linnaeus,1758; *#obliterata* Dufrane,1948 - Range (in code): ZR KE TZ Tnga Usa Ani AO CM SL
- 5056. Amauris (Amauris) tartarea Mabilie,1876** (Danaiidae) Synonym(s): *tartarea* Mabilie,1876; *psytalea* Plötz,1880; *gabunica* Aurivillius,1881; *bulbifera* Grose-Smith,1887; *albidior* Staudinger,1896; *mozarti* Suffert,1904; *reata* Suffert,1904; *#intermedia* Grünberg,1911; *vansomereni* Bryk,1937; *lagai* Dufrane,1948; *#palisotea* Stoneham,1958; *#steropes* Stoneham,1958 - Range (in code): SL ZA NA GH TZ KE MW GA CM UG ZR SD AO GN GO
- 5057. Amauris (Amauris) tartarea damocles Staudinger,1896** (Danaiidae) Synonym(s): *damocles* Staudinger,1896; *lecerfi* Boulet,1913; *#amplificata* Joicey & Talbot,1925 - Range (in code): TZ KE MW
- 5058. Amauris (Amauris) tartarea tartarea Mabilie,1876** (Danaiidae) Synonym(s): *tartarea* Mabilie,1876; *psytalea* Plötz,1880; *gabunica* Aurivillius,1881; *bulbifera* Grose-Smith,1887; *albidior* Staudinger,1896; *mozarti* Suffert,1904; *reata* Suffert,1904; *#intermedia* Grünberg,1911; *vansomereni* Bryk,1937; *lagai* Dufrane,1948; *#palisotea* Stoneham,1958; *#steropes* Stoneham,1958 - Range (in code): SL ZA NA GH GA CM UG ZR SD AO GN GO
- 5059. Amauris (Amauris) tartarea tukuyuensis Kielland,1990** (Danaiidae) Synonym(s): *tukuyuensis* Kielland,1990 - Range (in code): TZ
- 5060. Danaus (Anosia) chrysippus (Linnaeus,1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759 - Original Reference: Papilio chrysippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)]. Range (in code): Ad AF AL AO As BF BH BI BJ CF CG CI CM Cr CY Dh DZ EG EH ER ES Mu ET GA GH GM GN GO Bio GR Rd GW Hd Hj ID IN IQ Dy IR IT JO KE KG KW LB LR LS LY MA ML MR Mu MZ Nj RW SA Sa SD SL SN SO ST SY SZ TM TN TR Ci Kz Ahw Hz Kru ZM Bl Si Cn KM MG Fa Kh BW BZ DJ GW MW MZ NA NE NG RW SC TD TG TZ UG ZA Nta Tva Cap Lpo Spb Mdk Ltr Hgl Ent NWe Mpu Fs Nca Ec ZR ZW Wca Kzu AL As Ptb Tug TH CMA Cm1 Cuo Cuo2 Cuo5 Cuo7 Cuo9 Cuo10 Nan Knc Sbu Npt Bnk Ci CN Cp Cr Cu Dh Hd Hj ID IL Pa Hf IN IT KH Kma Kre KW Lh LK MM MT MY Nf Hr Nj NP OM PK Mre BI QA SA Sa Sd SI Si SY VN YE PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Lj Gau Pre Mv Est Pma Pf Agh Nia Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia BLM Sib Siq Sis Stu Tab Taw Tic Slo Wb Jh Wri Ire Wjk Ls Mlc Tim Tnm Bgd Ja Flo Sly Tan Kla Bng Tuk Bnr Sla Kbn Kgr Ben SI Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton EGo7 Nst Ths Tnga Usa Ani Etb Cp Dew MW Zom Ab Msr Haz Pes Bhh Gf Sfx Gha Omy Gtt Ng Jla Lgh Bionomy: Larva on Asclepiadaceae (*Asclepias curassavica*, *Aspidoglossum*, *Ceropegia*, *Gomphocarpus fruticosus*, *Huernia*, *Caralluma burchardii*, *Calotropis procera*, *Ischnostemma*, *Kanahia*, *Leichardtia*, *Pergularia tomentosa*, *Cynanchum acutum*, *Leptadenia*, *Marsdenia*, *Metaplexis*, *Pachycarpus*, *Pentarhinum*, *Pentatropis*, *Pergularia*, *Pleurostelma*, *Raphistemma*, *Schizoglossum*, *Secamone*, *Stapelia*, *Statmoselma*, *Tylophora*) *Convolvulaceae* (*Ipomoea*), *Periplocaceae* (*Periploca*) (Wiltshire,1941; Ackery et al.,1995; Tolman,1997).
- 5061. Danaus (Anosia) chrysippus alcippus (Cramer,1777)** (Danaiidae) Synonym(s): *alcippus* Cramer,1777 - Range (in code): TD TG ST MR ML GO Bio LR CI BF BI BJ SL CV SN NE NG CM CF UG SD CG ER DJ ET YE OM KE TZ Tnga Usa Ani MW Zom Bionomy: Larva on Asclepiadaceae (*Asclepias curassavica*, *Aspidoglossum*, *Ceropegia*, *Gomphocarpus fruticosus*, *Huernia*, *Caralluma burchardii*, *Calotropis procera*, *C. gigantea*, *Ischnostemma*, *Kanahia*, *Leichardtia*, *Pergularia tomentosa*, *Cynanchum acutum*, *Leptadenia*, *Marsdenia*, *Metaplexis*, *Pachycarpus*, *Pentarhinum*, *Pentatropis*, *Pergularia*, *Pleurostelma*, *Raphistemma*, *Schizoglossum*, *Secamone*, *Stapelia*, *Statmoselma*, *Tylophora*) *Convolvulaceae* (*Ipomoea*), *Periplocaceae* (*Periploca*) (Wiltshire,1941 et seq.).

- 5062. *Danaus (Anosia) chrysippus chrysippus* (Linnaeus,1758)** (Danaiidae) Synonym(s): *chrysippus* Linnaeus,1758; *aegyptius* Schreber,1759 Original Reference: *Papilio chrysippus* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Syntypes: Aegyptio, America [S. China (Tolman,1997)]. Range (in code): Ad AF AL As AU BH Bl Ci CN Cp Cr Cu CY Dh ES Mu GR Hd Hj ID IL IN IQ Dy IR Kz Ahw Hz IT JO KG KH Kma Kre KW LB Lh LK MM Haz Mre MT MY Nf Nj NP PH PK BI QA SA Sa Sd SI Si SY TH CMA TM TR VN Fa Kh PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo Agh Bgd Pa Hf Rd Nia Bnk Knc Kgr Ben SI Clc Mhw Kma Mpr NI HK Lh Sd Cp Oi Chn Ton Cm1 Cuo Cuo2 Cuo5 Cuo7 Cuo9 Cu10 Nan Knc Sbu Npt Bnk Nst Ths Cn MA DZ TN LY EG EGo7 Bionomy: Larva on Asclepiadaceae (*Asclepias curassavica*, *Aspidoglossum*, *Ceropegia*, *Gomphocarpus fruticosus*, *Huernia*, *Caralluma burchardii*, *Calotropis procera*, *C. gigantea*, *Ischnostemma*, *Kanahia*, *Leichardtia*, *Pergularia tomentosa*, *Cynachum acutum*, *Leptadenia*, *Marsdenia*, *Metaplexis*, *Pachycarpus*, *Pentarrhinum*, *Pentatropis*, *Pergularia*, *Pleurostelma*, *Raphistemma*, *Schizoglossum*, *Secamone*, *Stapelia*, *Statmoselma*, *Tylophora*) *Convolvulaceae* (*Ipomoea*), *Periplocaceae* (*Periploca*) (Wiltshire,1941 et seq.).
- 5063. *Danaus (Anosia) chrysippus gelderi* Snellen,1891** (Danaiidae) Synonym(s): *gelderi* Snellen,1891 Range (in code): ID Clb
- 5064. *Danaus (Anosia) chrysippus orientis* (Aurivillius,1909)** (Danaiidae) Synonym(s): *orientis* Aurivillius,1909; *liboria* Hulstaert,1931 Range (in code): KM MG SC Ald MU RE ZA SH MZ NA BW LS SZ MW RW AO CF GA UG ZR TZ UG Eth ZA Nta Tva Cap Lpo Spb Lj Ltr Mdk Hgl Ent NWe Mpu Fs Nca Mv Est Tug Ec ZM ZR ZW Wca Kzu Ptb Gau Pre Pma Pf Kru Wb Jh Wri Ire Wjk
- 5065. *Danaus (Anosia) dorippus* (Klug,1845)** (Danaiidae) Synonym(s): *dorippus* Klug,1845 Range (in code): SD SO KE TZ UG ET SA IR PK Cp Pj BI IN Sd MY Pen ID Sum Ja Clb Flo Sly Tan Kla Bng
- 5066. *Danaus (Anosia) dorippus ? cratippus* C.Felder,1860** (Danaiidae) Synonym(s): *cratippus* C.Felder,1860 Range (in code): ID Sla Mlc Tim Tnm
- 5067. *Danaus (Anosia) dorippus batavianus* Moore,1883** (Danaiidae) Synonym(s): *batavianus* Moore,1883; *alcippoides* Moore,1883; *bowringi* Moore,1883 Range (in code): MY Pen ID Ja Sum Clb Flo Sly Tan Kla Bng
- 5068. *Danaus (Anosia) dorippus dorippus* (Klug,1845)** (Danaiidae) Synonym(s): *dorippus* Klug,1845 Range (in code): SD SO KE TZ UG ET SA IR PK BI IN Sd
- 5069. *Danaus (Anosia) petilius* (Stoll,[1790])** (Danaiidae) Synonym(s): *petilius* Stoll,[1790] Range (in code): AU QAU ID Ij PG Ls NH NZ NC LO FJ
- 5070. *Danaus (Salatura) affinis* (Fabricius,1775)** (Danaiidae) Synonym(s): *affinis* Fabricius,1775 Range (in code): AU QAU NSw NC LO NH PG NBr SB Be Re Tro Fg IN Nk ID Kai Tnm Aru Tim Wt Ja Lb Kgn Baw Sba Sbw Kla Tan Sly Clb Bgk Sla Sgr Tal PH Luz Mar Mdo MY Lkw TH Bnk Cbu Sgk Hya PSu
- 5071. *Danaus (Salatura) affinis abigar* Eschscholtz,1821** (Danaiidae) Synonym(s): *abigar* Eschscholtz,1821 Range (in code): PH Luz Mar Mdo
- 5072. *Danaus (Salatura) affinis affinis* (Fabricius,1775)** (Danaiidae) Synonym(s): *affinis* (Fabricius,1775 Range (in code): AU QAU NSw
- 5073. *Danaus (Salatura) affinis affinoides* Fruhstorfer,1899** (Danaiidae) Synonym(s): *affinoides* Fruhstorfer,1899 Range (in code): ID Tal
- 5074. *Danaus (Salatura) affinis artenice* (Cramer,1781)** (Danaiidae) Synonym(s): *artenice* Cramer,1781; *kawiensis* Fruhstorfer,1899; *astakos* Fruhstorfer,1906; *fulginosa* Hagen *djampeana* Va Eecke *hegesippinus* Röber *wenholti* Martin Range (in code): Ja Lb Kgn Baw Sba Sbw Kla Tan Sly ID
- 5075. *Danaus (Salatura) affinis aruana* (Moore,1883)** (Danaiidae) Synonym(s): *aruana* Moore,1883 Range (in code): PG ID Aru
- 5076. *Danaus (Salatura) affinis decentralis* Fruhstorfer,1899** (Danaiidae) Synonym(s): *decentralis* Fruhstorfer,1899 Range (in code): ID Sla
- 5077. *Danaus (Salatura) affinis fulgurata* Butler,1866** (Danaiidae) Synonym(s): *fulgurata* Butler,1866 Range (in code): ID Clb Bgk
- 5078. *Danaus (Salatura) affinis jobiensis* (Grose-Smith,1894)** (Danaiidae) Synonym(s): *jobiensis* Grose-Smith,1894 Range (in code): GB
- 5079. *Danaus (Salatura) affinis malayanus* (Fruhstorfer,1899)** (Danaiidae) Synonym(s): *malayanus* Fruhstorfer,1899 Range (in code): IN Nk MY Lkw TH Bnk Cbu Sgk Hya PSu
- 5080. *Danaus (Salatura) affinis mytilene* (C.Felder & R.Felder,1860)** (Danaiidae) Synonym(s): *mytilene* C.Felder & R.Felder,1860 Range (in code): PG

- 5081. Danaus (Salatura) affinis obscura (Capronnier,1886)** (Danaiidae) Synonym(s): *obscura* Capronnier,1886 _ Range (in code): PG
- 5082. Danaus (Salatura) affinis philene (Stoll,1782)** (Danaiidae) Synonym(s): *philene* Stoll,1782 _ Range (in code): PG
- 5083. Danaus (Salatura) affinis sabrona Talbot,1943** (Danaiidae) Synonym(s): *sabrona* Talbot,1943 _ Range (in code): PG
- 5084. Danaus (Salatura) affinis subnigra (Joicey & Talbot,1922)** (Danaiidae) Synonym(s): *subnigra* Joicey & Talbot,1922 _ Range (in code): PG
- 5085. Danaus (Salatura) affinis taruna Fruhstorfer,1899** (Danaiidae) Synonym(s): *taruna* Fruhstorfer,1899 _ Range (in code): ID Sgr
- 5086. Danaus (Salatura) genutius (Cramer,[1779])** (Danaiidae) Synonym(s): *genutius* Cramer,[1779] _ Range (in code): NP IN PK BI LK MM MY TH CMa CN AU PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Tim Wt Tnm Kai Dm Bnk Dst Qs Cuo Cu01 Cu07 Cu09 Cu10 Cu12 Dsk Hpt Lmp Tht Nna Pht Nst Ths Sgk Hya Tnc Kbn But Mun Sly Nic Nia Ja Bli Bwn Bor Snd Lkw VN Ton Tda
- 5087. Danaus (Salatura) genutius adnana Swinhoe,1917** (Danaiidae) Synonym(s): *adnana* Swinhoe,1917 _ Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 5088. Danaus (Salatura) genutius alexis Waterhouse & Lyell,1914** (Danaiidae) Synonym(s): *alexis* Waterhouse & Lyell,1914 _ Range (in code): AU
- 5089. Danaus (Salatura) genutius conspicuus Butler,1866** (Danaiidae) Synonym(s): *conspicuus* Butler,1866 _ Range (in code): ID Clb
- 5090. Danaus (Salatura) genutius genutius (Cramer,[1779])** (Danaiidae) Synonym(s): *genutius* Cramer,[1779] _ Range (in code): NP IN PK BI LK MM Lkw MY TH CMa Dst Qs Cuo Cu01 Cu07 Cu09 Cu10 Cu12 Dsk Hpt Lmp Tht Bnk Nna Pht Nst Ths Sgk Hya Tnc CN AU PH Bal Pal
- 5091. Danaus (Salatura) genutius intensus Fruhstorfer** (Danaiidae) Synonym(s): *intensus* Fruhstorfer _ Range (in code): ID Ja Bli Baw Bor
- 5092. Danaus (Salatura) genutius kyllene (Fruhstorfer,1910)** (Danaiidae) Synonym(s): *kyllene* Fruhstorfer,1910 _ Range (in code): ID Dm Kai
- 5093. Danaus (Salatura) genutius laratensis Butler,1883** (Danaiidae) Synonym(s): *laratensis* Butler,1883 _ Range (in code): ID Tnm
- 5094. Danaus (Salatura) genutius leucoglene C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *leucoglene* C.Felder & R.Felder,[1865] _ Range (in code): ID Clb
- 5095. Danaus (Salatura) genutius niasicus Fruhstorfer,1899** (Danaiidae) Synonym(s): *niasicus* Fruhstorfer,1899 _ Range (in code): ID Nia
- 5096. Danaus (Salatura) genutius partitus Fruhstorfer,1897** (Danaiidae) Synonym(s): *partitus* Fruhstorfer,1897 _ Range (in code): ID Snd
- 5097. Danaus (Salatura) genutius sumatranus Moore,1883** (Danaiidae) Synonym(s): *sumatranus* Moore,1883 _ Range (in code): ID Sum
- 5098. Danaus (Salatura) genutius telmissus Fruhstorfer,1910** (Danaiidae) Synonym(s): *telmissus* Fruhstorfer,1910 _ Range (in code): ID Kbn But Mun
- 5099. Danaus (Salatura) genutius tychius Fruhstorfer,1910** (Danaiidae) Synonym(s): *tychius* Fruhstorfer,1910 _ Range (in code): ID Sly
- 5100. Danaus (Salatura) genutius wetterensis (Fruhstorfer,1899)** (Danaiidae) Synonym(s): *wetterensis* Fruhstorfer,1899 _ Range (in code): ID Wt Tim
- 5101. Danaus (Salatura) ismare (Cramer,[1780])** (Danaiidae) Synonym(s): *ismare* Cramer,[1780] _ Range (in code): ID Kbn Mlc Clb Sgr Tal Bgk Bng
- 5102. Danaus (Salatura) ismare albus Morishita,1981** (Danaiidae) Synonym(s): *albus* Morishita,1981 _ Range (in code): ID Clb Sgr Tal
- 5103. Danaus (Salatura) ismare fulvus Ribbe,1890** (Danaiidae) Synonym(s): *fulvus* Ribbe,1890 _ Range (in code): ID Clb Kbn Bgk
- 5104. Danaus (Salatura) ismare ismare (Cramer,[1780])** (Danaiidae) Synonym(s): *ismare* Cramer,[1780] _ Range (in code): ID Mlc
- 5105. Danaus (Salatura) melanippus (Cramer,[1777])** (Danaiidae) Synonym(s): *melanippus* Cramer,[1777] _ Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom

Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Ja Sbt Sip Pgi Pad SG TH Cbi Bnk MY Lkw TW ID Sum
Clb Alo Sbw Sme Mw Nic Btu Nia Egg Sbt Sip Pgi NP IN Ass Ben Oi Clc Mrg Sgk Hya Tnc Tng

- 5106. Danaus (Salatura) melanippus camortus (Evans,1932)** (Danaiidae) Synonym(s): *camortus* Evans,1932 _ Range (in code): IN Nk
- 5107. Danaus (Salatura) melanippus celebensis Staudinger,1889** (Danaiidae) Synonym(s): *celebensis* Staudinger,1889 _ Range (in code): ID Clb
- 5108. Danaus (Salatura) melanippus edmondii (Lesson,1837)** (Danaiidae) Synonym(s): *edmondii* Lesson,1837 _ Original Reference: Danais edmondii Lesson,1837, Boug. Voy. Thet. l.44 fig.3 Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 5109. Danaus (Salatura) melanippus edwardsi Van Eecke** (Danaiidae) Synonym(s): Range (in code): ID Sme
- 5110. Danaus (Salatura) melanippus eurydice Butler,1884** (Danaiidae) Synonym(s): *eurydice* Butler,1884 _ Range (in code): ID Nia
- 5111. Danaus (Salatura) melanippus haruhasa Doherty** (Danaiidae) Synonym(s): Range (in code): ID Sbw Alo
- 5112. Danaus (Salatura) melanippus hegesippus (Cramer,[1777])** (Danaiidae) Synonym(s): *hegesippus* Cramer,[1777] _ Range (in code): MY Lkw TH Bnk Tng Cbi Sgk Hya Tnc ID Sum
- 5113. Danaus (Salatura) melanippus indicus (Fruhstorfer,1899)** (Danaiidae) Synonym(s): *indicus* Fruhstorfer,1899 _ Range (in code): IN TH MM VN NP Ass Ben Oi Clc Mrg
- 5114. Danaus (Salatura) melanippus keteus Hagen,1898** (Danaiidae) Synonym(s): *keteus* Hagen,1898 _ Range (in code): ID Mw Sbt Sip Pgi
- 5115. Danaus (Salatura) melanippus kotoshonis Matsumura** (Danaiidae) Synonym(s): Range (in code): TW
- 5116. Danaus (Salatura) melanippus lotinus (Fruhstorfer,1904)** (Danaiidae) Synonym(s): *lotinus* Fruhstorfer,1904 _ Range (in code): IN Nat
- 5117. Danaus (Salatura) melanippus melanippus (Cramer,[1777])** (Danaiidae) Synonym(s): *melanippus* Cramer,[1777] _ Range (in code): ID Ja
- 5118. Danaus (Salatura) melanippus meridionigrus Martin,1913** (Danaiidae) Synonym(s): *meridionigrus* Martin,1913 _ Range (in code): ID Clb
- 5119. Danaus (Salatura) melanippus mezentius Fruhstorfer,1910** (Danaiidae) Synonym(s): *mezentius* Fruhstorfer,1910 _ Range (in code): PH Bal
- 5120. Danaus (Salatura) melanippus nesippus (C.Felder,1862)** (Danaiidae) Synonym(s): *nesippus* C.Felder,1862 _ Range (in code): IN Nk
- 5121. Danaus (Salatura) melanippus pietersi Doherty** (Danaiidae) Synonym(s): Range (in code): ID Egg
- 5122. Danaus (Salatura) melanippus umbrosus (Fruhstorfer,1906)** (Danaiidae) Synonym(s): *umbrosus* Fruhstorfer,1906 _ Range (in code): ID Btu
- 5123. Danaus (s.str.) philene (Stoll,1782)** (Danaiidae) Synonym(s): *philene* Stoll,1782 Range (in code): ID Jo Wg Ij Fak AU KY PG Fg Adl NBr Nlr D-Y Tro SB Be Re
- 5124. Danaus (s.str.) philene albonotatus Howarth** (Danaiidae) Synonym(s): *albonotatus* Howarth _ Range (in code): SB Be Re
- 5125. Danaus (s.str.) philene biseriatus Butler,1882** (Danaiidae) Synonym(s): *biseriatus* Butler,1882; *adustus* Godman & Salvin _ Range (in code): PG NBr Nlr D-Y
- 5126. Danaus (s.str.) philene bonguensis (Fruhstorfer,1899)** (Danaiidae) Synonym(s): *bonguensis* Fruhstorfer,1899 _ Range (in code): PG
- 5127. Danaus (s.str.) philene decipiens Butler,1882** (Danaiidae) Synonym(s): *decipiens* Butler,1882 _ Range (in code): SB Be Re
- 5128. Danaus (s.str.) philene decipientis Strand** (Danaiidae) Synonym(s): *decipientis* Strand Range (in code): PG Adl
- 5129. Danaus (s.str.) philene fergussonius (Fruhstorfer,1907)** (Danaiidae) Synonym(s): *fergussonius* Fruhstorfer,1907 _ Range (in code): PG Fg
- 5130. Danaus (s.str.) philene ferrugineus Butler,1876** (Danaiidae) Synonym(s): *ferrugineus* Butler,1876; *molyssa* Fruhstorfer,1907 _ Range (in code): PG
- 5131. Danaus (s.str.) philene gelanor Waterhouse & Lyell,1914** (Danaiidae) Synonym(s): *gelanor* Waterhouse & Lyell,1914 _ Range (in code): AU KY

- 5132. Danaus (s.str.) philene jobiensis Grose-Smith,1894** (Danaiidae) Synonym(s): *jobiensis* Grose-Smith,1894; *pittakus* Fruhstorfer,1907 _ Range (in code): ID Jo
- 5133. Danaus (s.str.) philene kiriwinus (Fruhstorfer,1907)** (Danaiidae) Synonym(s): *kiriwinus* Fruhstorfer,1907 _ Range (in code): PG Tro
- 5134. Danaus (s.str.) philene mytilene Felder** (Danaiidae) Synonym(s): *mytilene* Felder
Range (in code): ID Ij
- 5135. Danaus (s.str.) philene obscurus Capronnier** (Danaiidae) Synonym(s): *obscurus* Capronnier _ Range (in code): ID Wg Ij Fak
- 5136. Danaus (s.str.) philene philene (Stoll,1782)** (Danaiidae) Synonym(s): *philene* Stoll,1782
- 5137. Danaus (s.str.) philene pleistarchus (Fruhstorfer,1912)** (Danaiidae) Synonym(s): *pleistarchus* Fruhstorfer,1912 _ Range (in code): PG
- 5138. Danaus (s.str.) philene sabrona Talbot,1943** (Danaiidae) Synonym(s): *sabrona* Talbot,1943 _ Range (in code): PG
- 5139. Danaus (s.str.) philene subnigrus Joicey & Talbot,1922** (Danaiidae) Synonym(s): *subnigrus* Joicey & Talbot,1922 _ Range (in code): ID Bia
- 5140. Danaus (s.str.) plexippus (Linnaeus,1758)** (Danaiidae) Synonym(s): *plexippus* Linnaeus,1758; *erippus* Cramer,[1775]; *archippus* Fabricius,1793 *nec* Cr.,1776; *crassavicae* Fabricius,1807; *nipalensis* Moore,1877 _ Original Reference: Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Type(s): America septentrionalis. Range (in code): Az BE BI DE DK ES Mu FR GB IE IN IS Kma Lh Mus NL NP Pj Ci PK BI SI MA AU PG SB NH NC LO NF WS TO Ms HW NZ FJ Glb EL FM MM Tns Nk Mpr Chn Nag Kgr HK Ass Cle Tvy Oi NI Knr Kdu VN Ann Adm Yu CN Ri Ton US MX US Aks Alb Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Nsc Mnt Age BcN BeS Cpe Cia Chua Coa Clm Df Dgo Gja Grr Hda Jpa Jls Mic Mor Nay Nle Ox Oz Que Qro Spo Sin Snr Tbo Tam Tlx Ver Yc Zac CA GT BZ HN NI CR PA CO VE Bionomy: Larva on Asclepias curassavica, Gomphocarpus fruticosus, Periploca laevigata, Ceropegia, Calotropis procera (Tolman,1997).
- 5141. Danaus (s.str.) plexippus plexippus (Linnaeus,1758)** (Danaiidae) Synonym(s): *plexippus* Linnaeus,1758; *erippus* Cramer,[1775]; *archippus* Fabricius,1793 *nec* Cr.,1776; *crassavicae* Fabricius,1807; *nipalensis* Moore,1877 _ Original Reference: Papilio plexippus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 471. Type(s): America septentrionalis. Range (in code): Az BE BI DE DK ES Mu FR GB IE IN IS Kma Lh Mus NL NP Pj Ci PK BI SI MA AU PG SB NH NC LO NF WS TO Ms HW NZ FJ Glb EL FM MM Tns Nk Mpr Chn Nag Kgr HK Ass Cle Tvy Oi NI Knr Kdu VN Ann Adm Yu CN Ri Ton US MX US Aks Alb Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Nsc Mnt Age BcN BeS Cpe Cia Chua Coa Clm Df Dgo Gja Grr Hda Jpa Jls Mic Mor Nay Nle Ox Oz Que Qro Spo Sin Snr Tbo Tam Tlx Ver Yc Zac CA GT BZ HN NI CR PA CO VE
- 5142. Danaus eresimus (Cramer,[1777])** (Danaiidae) Synonym(s): *eresimus* Cramer,[1777]
Range (in code): SR HT US MX Arz Col FI NCa NMx Tx Ut
- 5143. Danaus eresimus eresimus (Cramer,[1777])** (Danaiidae) Synonym(s): *eresimus* Cramer,[1777] _ Range (in code): SR
- 5144. Danaus eresimus montezuma Talbot,1943** (Danaiidae) Synonym(s): *montezuma* Talbot,1943 _ Range (in code): MX
- 5145. Danaus eresimus tethys Forbes,1943** (Danaiidae) Synonym(s): *tethys* Forbes,1943
Range (in code): HT
- 5146. Danaus gilippus (Cramer,[1775])** (Danaiidae) Synonym(s): *gilippus* Cramer,[1775]
Range (in code): BR Rja JM GT US MX Aks Arz Cf Col FI Ge Id Iln Io Kan Knt Lou Mch Mis Mss NCa NDk NMx Ne Neb Oh Ok SCa Tx Ut Wy
- 5147. Danaus gilippus berenice (Cramer,[1780])** (Danaiidae) Synonym(s): *berenice* Cramer,[1780] _ Range (in code): JM US
- 5148. Danaus gilippus gilippus (Cramer,[1775])** (Danaiidae) Synonym(s): *gilippus* Cramer,[1775] _ Range (in code): BR Rja
- 5149. Danaus gilippus strigosus (Bates,1864)** (Danaiidae) Synonym(s): *strigosus* Bates,1864
Range (in code): GT US Cf
- 5150. Dircenna klugii (Geyer,1837)** (Danaiidae) Synonym(s): *klugii* Geyer,1837 _ Range (in code): US Tx MX HD
- 5151. Euploea (Crastia) core (Cramer,[1780])** (Danaiidae) Synonym(s): *core* Cramer,[1780]; *corinna* Macleay,1826; *angasii* C.Felder & R.Felder,1865; *euchus* Miskin,1890 _ Original Reference: Papilio core Cramer,[1780], Utitl. Kapellen 3: pl.266 figs. E,F. Range (in code): MM Yng Aky Tns Mrg Tvy Npr Pey Akn LK TH CMA Cuo Cuo1 Cuo7 Cuo9 Cuo10 CDo CD2 Dsk Hpt Lmp Tht Bnk Cbu Pht Cbi Knc

Rat Nst Chw Ths Lsa Srt CN Hn ID Sum Adm Nk Ja Bli Bnr Tan Kla Sly VN Ton Ann IN SI Ass Ben
Adm Clc Kma Oi Nl Knr Mus Pln PK Lh NP Ben BD Cta Kbi Cu12 Tda

- 5152. *Euploea (Crastia) core andamanensis* Atkinson, 1873** (Danaiidae) Synonym(s): *andamanensis* Atkinson, 1873 _ Range (in code): IN Adm
- 5153. *Euploea (Crastia) core asela* Moore, 1877** (Danaiidae) Synonym(s): *asela* Moore, 1877
Original Reference: *Euploea asela* Moore, 1877, Ann. Mag. nat. Hist. (4) 20: 45. Type(s): Ceylon (coll. Moore). Range (in code): LK
- 5154. *Euploea (Crastia) core bauermanni* Röber, 1885** (Danaiidae) Synonym(s): *bauermanni* Röber, 1885 _ Range (in code): ID Sly
- 5155. *Euploea (Crastia) core bumila* Evans, 1932** (Danaiidae) Synonym(s): *bumila* Evans, 1932
Range (in code): IN Adm
- 5156. *Euploea (Crastia) core camorta* Moore, 1877** (Danaiidae) Synonym(s): *camorta* Moore, 1877 _ Range (in code): IN Nk
- 5157. *Euploea (Crastia) core core* (Cramer, [1780])** (Danaiidae) Synonym(s): *core* Cramer, [1780]; *corinna* Macleay, 1826; *angasii* C.Felder & R.Felder, 1865; *euclus* Miskin, 1890
Original Reference: *Papilio core* Cramer, [1780], Utitl. Kapellen 3: pl. 266 figs. E, F. Range (in code): MM Akn IN SI Ben Adm Clc Kma Oi Nl Knr Mus Pln PK Lh NP
- 5158. *Euploea (Crastia) core distans* Talbot, 1940** (Danaiidae) Synonym(s): *distans* Talbot, 1940 _ Range (in code): MM Yng IN Ben BD Cta
- 5159. *Euploea (Crastia) core distantii* Moore, 1882** (Danaiidae) Synonym(s): *distantii* Moore, 1882 _ Range (in code): ID Sum
- 5160. *Euploea (Crastia) core ferrari* Tytler, 1939** (Danaiidae) Synonym(s): *ferrari* Tytler, 1939
Range (in code): IN Adm
- 5161. *Euploea (Crastia) core godartii* Lucas, 1853** (Danaiidae) Synonym(s): *godartii* Lucas, 1853; *siamensis* C.Felder & R.Felder, [1865]; *garampiana* Murayama, 1961 _ Range (in code): MM Aky Tns Mrg Tvy Npr Pey VN Ton Ann TW ID Ja TH Bnk Cbu Pht Cbi Knc Rat
- 5162. *Euploea (Crastia) core graminifera* Moore, 1883** (Danaiidae) Synonym(s): *graminifera* Moore, 1883; *wheeleri* Talbot, 1940 _ Range (in code): TH MY Lkw
- 5163. *Euploea (Crastia) core haworthii* Lucas, 1853** (Danaiidae) Synonym(s): *haworthii* Lucas, 1853 _ Range (in code): ID Ja Bli
- 5164. *Euploea (Crastia) core kalaona* Fruhstorfer, 1898** (Danaiidae) Synonym(s): *kalaona* Fruhstorfer, 1898 _ Range (in code): ID Kla Bnr Tan
- 5165. *Euploea (Crastia) core layardi* Druce, 1874** (Danaiidae) Synonym(s): *layardi* Druce, 1874
Range (in code): TH Cbi
- 5166. *Euploea (Crastia) core prunosa* Moore, 1883** (Danaiidae) Synonym(s): *prunosa* Moore, 1883 _ Range (in code): CN
- 5167. *Euploea (Crastia) core scherzeri* C.Felder, 1862** (Danaiidae) Synonym(s): *scherzeri* C.Felder, 1862 _ Range (in code): IN Nk
- 5168. *Euploea (Crastia) core tonkinensis* Swinhoe, 1903** (Danaiidae) Synonym(s): *tonkinensis* Swinhoe, 1903 _ Range (in code): VN Ton
- 5169. *Euploea (Crastia) core vermiculata* Butler, 1866** (Danaiidae) Synonym(s): *vermiculata* Butler, 1866 _ Range (in code): IN NP SI Ass MM
- 5170. *Euploea (Salpinx) klugii* Moore, [1858]** (Danaiidae) Synonym(s): *klugii* Moore, [1858]
Original Reference: *Euploea klugii* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 130, nr. 258. Type(s): Bootan. Range (in code): IN Meg Ass SI MM LK MY TH CMa Cbi Knc Cbu Nna Nst Chw Bnk Tng CN Hn VN Ben Nag Khs Oi Clc Nl Pln Knr Tvy Tns Ann Sgn
- 5171. *Euploea (Salpinx) klugii burmeisteri* Moore, 1883** (Danaiidae) Synonym(s): *burmeisteri* Moore, 1883 _ Range (in code): TH VN CN Hn
- 5172. *Euploea (Salpinx) klugii erichsonii* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *erichsonii* C.Felder & R.Felder, [1865] _ Range (in code): TH CMa Cbi Knc Cbu Nna Nst Chw Bnk Tng MY Lkw MM Tvy Tns VN Ann Sgn
- 5173. *Euploea (Salpinx) klugii klugii* Moore, [1858]** (Danaiidae) Synonym(s): *klugii* Moore, [1858]
Original Reference: *Euploea klugii* Moore, [1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 130, nr. 258. Type(s): Bootan. Range (in code): IN Meg Ass SI MM Ben Nag Khs
- 5174. *Euploea (Salpinx) klugii kollari* C.Felder & R.Felder, [1867]** (Danaiidae) Synonym(s): *kollari* C.Felder & R.Felder, [1867] _ Original Reference: *Euploea kollari* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 325. Type(s): patria incognita. Range (in code): IN Oi Clc Nl Ben SI Pln Knr

- 5175. *Euploea (Salpinx) klugii sinhala* Moore, 1877 (Danaiidae) Synonym(s): *sinhala* Moore, 1877** Original Reference: *Euploea sinhala* Moore, 1877, Ann. Mag. nat. Hist. (4) 20: 45. Type(s): Ceylon (coll. Moore). Range (in code): **LK**
- 5176. *Euploea (Stictoploea) mulciber* (Cramer, [1777]) (Danaiidae) Synonym(s): *mulciber* Cramer, [1777]; *vandeventeri* Forbes, 1885** Original Reference: *Papilio mulciber* Cramer, [1777], Utitl. Kapellen 2: pl. 127 figs. C, D. Range (in code): **IN Sml Ass Slo MM MY Lkw P-T SG NP ID Ja CN TH CMA Cbi Pht Nna Rat TW PH Sib Boh Cts Ley Pao Sam Sga Taw Mar Tic Stu Bas Jol Mdo Mno Bal Cal Dum Pal Mas Pan Neg Gui Luz Pol Bat Ceb Din Bli Baw Kgn Nat Lb Flo Mw Sbt Sip Pgi Egg Btu Nia VN Cuo Cu09 Dst Qs Cu12 Mad Msm Pey Ben Tns SI Ass Nk Tvy Mus Chn Up Hp Ton Tda Nag Kma Nst Ths Sgk Hya Tnc** Bionomy: Larva on *Ficus altissima* [sai thong] (Moraceae) (Lewvanich, 2001).
- 5177. *Euploea (Stictoploea) mulciber barsine* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *barsine* Fruhstorfer, 1904; *#awayuki* Sugitani, 1932** Range (in code): **TW PH Bat**
- 5178. *Euploea (Stictoploea) mulciber basilissa* (Cramer, [1782]) (Danaiidae) Synonym(s): *basilissa* Cramer, [1782]** Range (in code): **ID Ja Bli Baw Kgn**
- 5179. *Euploea (Stictoploea) mulciber batunensis* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *batunensis* Fruhstorfer, 1904** Range (in code): **ID Btu**
- 5180. *Euploea (Stictoploea) mulciber cebuensis* M. Okano & T. Okano, 1986 (Danaiidae) Synonym(s): *cebuensis* M. Okano & T. Okano, 1986** Range (in code): **PH Ceb**
- 5181. *Euploea (Stictoploea) mulciber dinagatensis* Tsukada & Nishiyama, 1979 (Danaiidae) Synonym(s): *dinagatensis* Tsukada & Nishiyama, 1979** Range (in code): **PH Din**
- 5182. *Euploea (Stictoploea) mulciber dongo* Doherty, 1891 (Danaiidae) Synonym(s): *dongo* Doherty, 1891** Range (in code): **ID Shw**
- 5183. *Euploea (Stictoploea) mulciber dufresne* Godart, 1823 (Danaiidae) Synonym(s): *dufresne* Godart, 1823** Range (in code): **PH Luz Pol**
- 5184. *Euploea (Stictoploea) mulciber gelderi* Snellen, 1890 (Danaiidae) Synonym(s): *gelderi* Snellen, 1890** Range (in code): **ID Flo**
- 5185. *Euploea (Stictoploea) mulciber guimarasensis* M. Okano & T. Okano, 1990 (Danaiidae) Synonym(s): *guimarasensis* M. Okano & T. Okano, 1990** Range (in code): **PH Gui**
- 5186. *Euploea (Stictoploea) mulciber kalinga* Doherty, 1886 (Danaiidae) Synonym(s): *kalinga* Doherty, 1886** Range (in code): **IN Mad**
- 5187. *Euploea (Stictoploea) mulciber kochi* Moore, 1883 (Danaiidae) Synonym(s): *kochi* Moore, 1883** Range (in code): **PH Neg**
- 5188. *Euploea (Stictoploea) mulciber maassi* Hagen, 1898 (Danaiidae) Synonym(s): *maassi* Hagen, 1898** Range (in code): **ID Mw Sbt Sip Pgi**
- 5189. *Euploea (Stictoploea) mulciber malakoni* Doherty, 1891 (Danaiidae) Synonym(s): *malakoni* Doherty, 1891** Range (in code): **ID Egg**
- 5190. *Euploea (Stictoploea) mulciber masbatensis* Schröder & Treadaway, 1978 (Danaiidae) Synonym(s): *masbatensis* Schröder & Treadaway, 1978** Range (in code): **PH Mas Pan**
- 5191. *Euploea (Stictoploea) mulciber mindanensis* Staudinger, 1885 (Danaiidae) Synonym(s): *mindanensis* Staudinger, 1885** Range (in code): **PH Mno**
- 5192. *Euploea (Stictoploea) mulciber mulciber* (Cramer, [1777]) (Danaiidae) Synonym(s): *mulciber* Cramer, [1777]; *vandeventeri* Forbes, 1885** Original Reference: *Papilio mulciber* Cramer, [1777], Utitl. Kapellen 2: pl. 127 figs. C, D. Range (in code): **TH CMA Cuo Cu09 Cu12 Dst Qs Cbi Pht Nna Rat Nst Ths SG MY Lkw P-T ID Sum CN IN Up Nag Kma Hp Msm Pey Ben SI Ass Nk MM Tvy Mus Chn Tns Sgk Hya Tnc** Bionomy: Larva on *Ficus altissima* [sai thong] (Moraceae) (Lewvanich, 2001).
- 5193. *Euploea (Stictoploea) mulciber paupera* Staudinger, 1889 (Danaiidae) Synonym(s): *paupera* Staudinger, 1889** Range (in code): **PH Bal Cal Dum Pal**
- 5194. *Euploea (Stictoploea) mulciber phoebadis* Fruhstorfer, 1910 (Danaiidae) Synonym(s): *phoebadis* Fruhstorfer, 1910** Range (in code): **ID Lb**
- 5195. *Euploea (Stictoploea) mulciber portia* Fruhstorfer, 1904 (Danaiidae) Synonym(s): *portia* Fruhstorfer, 1904** Range (in code): **PH Stu Bor Nat ID**
- 5196. *Euploea (Stictoploea) mulciber semperi* C. Felder & R. Felder, [1865] (Danaiidae) Synonym(s): *semperi* C. Felder & R. Felder, [1865]** Range (in code): **PH Mdo**
- 5197. *Euploea (Stictoploea) mulciber seraphita* Fruhstorfer, 1900 (Danaiidae) Synonym(s): *seraphita* Fruhstorfer, 1900** Range (in code): **PH Bas Jol**
- 5198. *Euploea (Stictoploea) mulciber subvisaya* Schröder, 1977 (Danaiidae) Synonym(s): *subvisaya* Schröder, 1977** Range (in code): **PH Mar**

- 5199. Euploea (Stictoploea) mulciber tawitawiensis Hashimoto,1986** (Danaiidae)
Synonym(s): *tawitawiensis* Hashimoto,1986 _ Range (in code): PH Sga Taw
- 5200. Euploea (Stictoploea) mulciber ticaoana Schröder & Treadaway,1981** (Danaiidae)
Synonym(s): *ticaoana* Schröder & Treadaway,1981 _ Range (in code): PH Tic
- 5201. Euploea (Stictoploea) mulciber triggia Schröder,1977** (Danaiidae) Synonym(s):
triggia Schröder,1977 _ Range (in code): PH Sib
- 5202. Euploea (Stictoploea) mulciber verhuelli Moore,1883** (Danaiidae) Synonym(s):
verhuelli Moore,1883 _ Range (in code): ID Nia
- 5203. Euploea (Stictoploea) mulciber visaya Semper,1886** (Danaiidae) Synonym(s): *visaya*
Semper,1886 _ Range (in code): PH Boh Cts Ley Pao Sam
- 5204. Euploea algea (Godart,[1819])** (Danaiidae) Synonym(s): *algea* Godart,[1819]; *violetta*
Butler,1876; *dolosa* Butler,1877; *ordinata* Moore,1883; *denticulata* Moore,1883; *bipunctata* Moore,1883; *pleiades*
Moore,1883; *louisa* Moore,1883; *siderea* Moore,1883; *astraea* Moore,1883; *stella* Moore,1883; *amycus* Miskin,1890
Range (in code): AU PH Bal Pal TH Nna Tng Nst Sya Ths Sgk Hya Tnc Loe CMa CDo MY Lkw VN ID
Sum Nia Mw Ja Bli Btu Kgn Baw Lb Shw Bor Btg Clb Sly Sla Bng Tog Kbn Mun Mge Sgr Tal PW CN Ti
IN Ass Ben SI Mpr MM Nag Meg Khs Shn Tns Tvy Krh Mrg Mm
- 5205. Euploea algea abjecta Butler,1866** (Danaiidae) Synonym(s): *abjecta* Butler,1866
Range (in code): PW
- 5206. Euploea algea bevagna Fruhstorfer,1911** (Danaiidae) Synonym(s): *bevagna*
Fruhstorfer,1911 _ Range (in code): ID Sgr
- 5207. Euploea algea corvina Fruhstorfer,1898** (Danaiidae) Synonym(s): *corvina*
Fruhstorfer,1898 _ Range (in code): ID Sla Mge
- 5208. Euploea algea cyllene Staudinger,1889** (Danaiidae) Synonym(s): *cyllene* Staudinger,1889
Range (in code): PH Bal Pal
- 5209. Euploea algea deione Westwood,1848** (Danaiidae) Synonym(s): *deione* Westwood,1848;
magnifica Butler,1874; *#suffusa* Tytler,1936 _ Range (in code): CN Ti IN Meg Ass Ben SI Mpr MM Nag
Khs Shn
- 5210. Euploea algea diana Butler,1866** (Danaiidae) Synonym(s): *diana* Butler,1866 _ Range
(in code): ID Clb
- 5211. Euploea algea epiphaneia Fruhstorfer,1910** (Danaiidae) Synonym(s): *epiphaneia*
Fruhstorfer,1910 _ Range (in code): ID Sum
- 5212. Euploea algea fruhstorferi Röber,1897** (Danaiidae) Synonym(s): *fruhstorferi* Röber,1897
Range (in code): ID Clb
- 5213. Euploea algea horsfieldii C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s):
horsfieldii C.Felder & R.Felder,[1865] _ Range (in code): ID Clb
- 5214. Euploea algea kheili Weymer** (Danaiidae) Synonym(s): _ Range (in code): ID Nia
- 5215. Euploea algea kirbyi C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *kirbyi*
C.Felder & R.Felder,[1865] _ Range (in code): ID Clb
- 5216. Euploea algea laodikeia Fruhstorfer,1910** (Danaiidae) Synonym(s): *laodikeia*
Fruhstorfer,1910 _ Range (in code): ID Sly
- 5217. Euploea algea limborgii Moore,1879** (Danaiidae) Synonym(s): *limborgii* Moore,1879
Range (in code): MM Tns Tvy Krh Mrg Mm TH Nna Nst Sya Ths Loe Sgk Hya Tnc
- 5218. Euploea algea maura Hopffer,1874** (Danaiidae) Synonym(s): *maura* Hopffer,1874
Range (in code): ID Tog
- 5219. Euploea algea menetriesii C.Felder & R.Felder,1860** (Danaiidae) Synonym(s):
menetriesii C.Felder & R.Felder,1860; *pinwilli* Butler,[1879] _ Range (in code): MM TH CMa CDo Nna Tng
MY Lkw
- 5220. Euploea algea menodice Fruhstorfer,1910** (Danaiidae) Synonym(s): *menodice*
Fruhstorfer,1910 _ Range (in code): ID Sbw
- 5221. Euploea algea pasina Fruhstorfer,1906** (Danaiidae) Synonym(s): *pasina* Fruhstorfer,1906
Range (in code): ID Btu
- 5222. Euploea algea sapitana Fruhstorfer,1898** (Danaiidae) Synonym(s): *sapitana*
Fruhstorfer,1898 _ Range (in code): ID Lb
- 5223. Euploea algea seitzi Hagen,1898** (Danaiidae) Synonym(s): *seitzi* Hagen,1898 _ Range
(in code): ID Mw
- 5224. Euploea algea talautensis Piepers & Snellen,1896** (Danaiidae) Synonym(s):
talautensis Piepers & Snellen,1896 _ Range (in code): ID Tal

- 5225. *Euploea algea tombugensis* Fruhstorfer, 1899** (Danaiidae) Synonym(s): *tombugensis* Fruhstorfer, 1899 _ Range (in code): ID Btu Kbn Mun
- 5226. *Euploea algea transpectus* Moore, 1883** (Danaiidae) Synonym(s): *transpectus* Moore, 1883 _ Range (in code): ID Btg
- 5227. *Euploea algea wallengreni* C. Felder** (Danaiidae) Synonym(s): _ Range (in code): ID Ja Bli Kgn Baw
- 5228. *Euploea algea wiskotti* Röber, 1887** (Danaiidae) Synonym(s): *wiskotti* Röber, 1887 _ Range (in code): ID Bng
- 5229. *Euploea algea zonata* Druce, 1873** (Danaiidae) Synonym(s): *zonata* Druce, 1873; *masina* Fruhstorfer, 1897 _ Range (in code): MY Bor
- 5230. *Euploea blossomae* Schaus, 1929** (Danaiidae) Synonym(s): *blossomae* Schaus, 1929 _ Range (in code): PH Luz Neg Pan Pal Mno Mdo
- 5231. *Euploea blossomae blossomae* Schaus, 1929** (Danaiidae) Synonym(s): *blossomae* Schaus, 1929 _ Original Reference: Euploea blossomae Schaus, 1929, Proc. ent. Soc. Wash. 31: 20. Type: Luzon. Range (in code): PH Luz
- 5232. *Euploea blossomae corazonae* Schröder, 1977** (Danaiidae) Synonym(s): *corazonae* Schröder, 1977 _ Original Reference: Euploea sibulanensis ssp. corazonae Schröder, 1977, Ent. Z., Frankf. a. M. 87(16): 178-179, Abb.1. Holotypus ♂: Philippinen: Negros: Mt. Canlaon 4000ft. Range (in code): PH Neg Pan
- 5233. *Euploea blossomae escapardae* Morishita, 1974** (Danaiidae) Synonym(s): *escapardae* Morishita, 1974 _ Range (in code): PH Pal
- 5234. *Euploea blossomae hilongensis* Yamamoto & Takei, 1992** (Danaiidae) Synonym(s): *hilongensis* Yamamoto & Takei, 1992 _ Range (in code): PH Mno
- 5235. *Euploea blossomae sibulanensis* Jumalon, 1971** (Danaiidae) Synonym(s): *sibulanensis* Jumalon, 1971 _ Range (in code): PH Mno
- 5236. *Euploea blossomae tamaraw* Nuyda & Morimoto, 1991** (Danaiidae) Synonym(s): *tamaraw* Nuyda & Morimoto, 1991 _ Range (in code): PH Mdo
- 5237. *Euploea boisduvali* Lucas, 1853** (Danaiidae) Synonym(s): *boisduvali* Lucas, 1853; *herrichi* C. Felder *mangoensis* Butler, 1884 _ Range (in code): FJ SB NH NC
- 5238. *Euploea boisduvali boisduvali* Lucas, 1853** (Danaiidae) Synonym(s): *boisduvali* Lucas, 1853; *herrichi* C. Felder *mangoensis* Butler, 1884 _ Range (in code): FJ SB NH NC
- 5239. *Euploea camaralzeman* Butler, 1866** (Danaiidae) Synonym(s): *ochsenheimeri* Moore, 1858 *nec* Luc., 1853; *camaralzeman* Butler, 1866 _ Range (in code): MY Lkw TH Cbi Pbu Loe Sat Nrt Nst Yal PH Cal Pal Bab Luz TW ID Ja Snd Bor MM Kin Mrg Tvy
- 5240. *Euploea camaralzeman camaralzeman* Butler, 1866** (Danaiidae) Synonym(s): *ochsenheimeri* Moore, 1858 *nec* Luc., 1853; *camaralzeman* Butler, 1866 _ Range (in code): TH Cbi Pbu Loe Sat Nrt MM Kin Mrg Tvy
- 5241. *Euploea camaralzeman claudina* Staudinger, 1889** (Danaiidae) Synonym(s): *claudina* Staudinger, 1889 _ Range (in code): PH Cal Pal
- 5242. *Euploea camaralzeman cratis* (Butler, 1866)** (Danaiidae) Synonym(s): *cratis* Butler, 1866; *formosana* Matsumura, 1919 _ Range (in code): TW PH Bab Luz
- 5243. *Euploea camaralzeman hypanis* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *hypanis* Fruhstorfer, 1910 _ Range (in code): ID Ja Snd
- 5244. *Euploea camaralzeman malayica* (Butler, 1878)** (Danaiidae) Synonym(s): *malayica* Butler, 1878 _ Range (in code): MY TH Yal Nst
- 5245. *Euploea camaralzeman paraclaudina* Pendlebury, 1939** (Danaiidae) Synonym(s): *paraclaudina* Pendlebury, 1939 _ Range (in code): MY Lkw
- 5246. *Euploea camaralzeman scudderii* Butler, 1878** (Danaiidae) Synonym(s): *scudderii* Butler, 1878 _ Range (in code): MY Bor
- 5247. *Euploea climena* (Stoll, [1782])** (Danaiidae) Synonym(s): *climena* Stoll, [1782] _ Range (in code): AU CX IN Nk ID Ja Baw Bli Lb Sbw Sba Flo
- 5248. *Euploea climena climena* (Stoll, [1782])** (Danaiidae) Synonym(s): *climena* Stoll, [1782] _ Range (in code): AU
- 5249. *Euploea climena elwesiana* De Nicéville** (Danaiidae) Synonym(s): _ Range (in code): ID Bli Lb Sbw
- 5250. *Euploea climena macleari* Butler, 1887** (Danaiidae) Synonym(s): *macleari* Butler, 1887 _ Range (in code): CX

- 5251. *Euploea climena neptis* Röber,1891** (Danaiidae) **Synonym(s):** *neptis* Röber,1891
Range (in code): **ID Flo**
- 5252. *Euploea climena palmedo* Doherty** (Danaiidae) **Synonym(s):** _ **Range (in code):** **ID Sba**
- 5253. *Euploea climena sepulchralis* Butler,1866** (Danaiidae) **Synonym(s):** *sepulchralis* Butler,1866 _ **Range (in code):** **ID Ja Baw**
- 5254. *Euploea climena simulatrix* Wood-Mason & De Nicéville,1881** (Danaiidae) **Synonym(s):** *simulatrix* Wood-Mason & De Nicéville,1881 _ **Range (in code):** **IN Nk**
- 5255. *Euploea climena terissa* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *terissa* Fruhstorfer,1910 _ **Range (in code):** **ID Ja**
- 5256. *Euploea configurata* C.Felder & R.Felder,[1865]** (Danaiidae) **Synonym(s):** *configurata* C.Felder & R.Felder,[1865] _ **Range (in code):** **ID Clb**
- 5257. *Euploea cordelia* Martin,1912** (Danaiidae) **Synonym(s):** *cordelia* Martin,1912 _ **Range (in code):** **ID Clb**
- 5258. *Euploea crameri* Lucas,1853** (Danaiidae) **Synonym(s):** *crameri* Lucas,1853 _ **Range (in code):** **MM Tns Mrg Kin Aky TH Cph Nst Chw Sgk Hya Tnc MY Lkw SG Bor ID Nat Sum Nia Btu Egg Mw IN Ben Nk Adm Ja Baw Bli Sbt Sip Pgi Bgu VN Tay**
- 5259. *Euploea crameri bremeri* C.Felder & R.Felder,1860** (Danaiidae) **Synonym(s):** *bremeri* C.Felder & R.Felder,1860 _ **Range (in code):** **TH Cph Nst Chw Sgk Hya Tnc MM MY Lkw SG**
- 5260. *Euploea crameri crameri* Lucas,1853** (Danaiidae) **Synonym(s):** *crameri* Lucas,1853
Range (in code): **Bor MY**
- 5261. *Euploea crameri daatensis* Moore,1883** (Danaiidae) **Synonym(s):** *daatensis* Moore,1883
Range (in code): **Bor**
- 5262. *Euploea crameri esperi* C.Felder,1862** (Danaiidae) **Synonym(s):** *esperi* C.Felder,1862
Range (in code): **IN Nk**
- 5263. *Euploea crameri frauenfeldii* C.Felder,1862** (Danaiidae) **Synonym(s):** *frauenfeldii* C.Felder,1862; *biseriata* Moore,1883 _ **Range (in code):** **IN Nk Adm**
- 5264. *Euploea crameri heylaertsii* Moore,1890** (Danaiidae) **Synonym(s):** *heylaertsii* Moore,1890 _ **Range (in code):** **ID Sum**
- 5265. *Euploea crameri jedja* Fruhstorfer,1911** (Danaiidae) **Synonym(s):** *jedja* Fruhstorfer,1911
Range (in code): **ID Bgu**
- 5266. *Euploea crameri labuana* Moore,1883** (Danaiidae) **Synonym(s):** *labuana* Moore,1883
Range (in code): **Bor**
- 5267. *Euploea crameri lanista* Fruhstorfer,1904** (Danaiidae) **Synonym(s):** *lanista* Fruhstorfer,1904 _ **Range (in code):** **ID Nat**
- 5268. *Euploea crameri mentavica* Hagen,1902** (Danaiidae) **Synonym(s):** *mentavica* Hagen,1902 _ **Range (in code):** **ID Mw Sbt Sip Pgi**
- 5269. *Euploea crameri nagasena* Fruhstorfer,1906** (Danaiidae) **Synonym(s):** *nagasena* Fruhstorfer,1906 _ **Range (in code):** **ID Btu**
- 5270. *Euploea crameri niasica* Moore,1883** (Danaiidae) **Synonym(s):** *niasica* Moore,1883
Range (in code): **ID Nia**
- 5271. *Euploea crameri nicevillei* (Moore,1890)** (Danaiidae) **Synonym(s):** *nicevillei* Moore,1890
Range (in code): **IN Ben**
- 5272. *Euploea crameri oceanis* Doherty** (Danaiidae) **Synonym(s):** _ **Range (in code):** **ID Egg**
- 5273. *Euploea crameri olivacea* (Moore,1883)** (Danaiidae) **Synonym(s):** *olivacea* Moore,1883
Range (in code): **MM Tns Mrg Kin Aky**
- 5274. *Euploea crameri pagenstecheri* Hagen,1897** (Danaiidae) **Synonym(s):** *pagenstecheri* Hagen,1897 _ **Range (in code):** **ID Baw**
- 5275. *Euploea crameri praedicabilis* Fruhstorfer,1914** (Danaiidae) **Synonym(s):** *praedicabilis* Fruhstorfer,1914; *inouei* Morishita,1970 _ **Range (in code):** **VN Tay**
- 5276. *Euploea crameri singaradha* Fruhstorfer,1908** (Danaiidae) **Synonym(s):** *singaradha* Fruhstorfer,1908 _ **Range (in code):** **ID Bli**
- 5277. *Euploea crameri tenggerensis* Fruhstorfer,1898** (Danaiidae) **Synonym(s):** *tenggerensis* Fruhstorfer,1898 _ **Range (in code):** **ID Ja**
- 5278. *Euploea doubledayi* C.Felder & R.Felder,[1865]** (Danaiidae) **Synonym(s):** *doubledayi* C.Felder & R.Felder,[1865] _ **Range (in code):** **IN Ass SI MM TH Nrt Nna Ray Tng Sgk Hya Tnc MY Lkw Ben Tns Nag**

- 5279. *Euploea doubledayi doubledayi* C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *doubledayi* C.Felder & R.Felder,[1865] _ Range (in code): **IN Ass Nag SI MM TH Nrt Nna Ray Ben Tns Sgk Hya Tnc**
- 5280. *Euploea doubledayi evalida* (Swinhoe,1899)** (Danaiidae) Synonym(s): *evalida* Swinhoe,1899; *monticola* Moulton,1921 _ Original Reference: Penoa evalida Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 103. Syntypes: [Malaysia]: "Perak. Many examples" (BMNH). Range (in code): **TH Tng MY Lkw Prk**
- 5281. *Euploea eleusina* (Cramer,[1780])** (Danaiidae) Synonym(s): *eleusina* Cramer,[1780] Range (in code): **ID Clb Ja Bli Kgn Bng Lb Sbw Flo Sba Alo**
- 5282. *Euploea eleusina aganor* Fruhstorfer,1910** (Danaiidae) Synonym(s): *aganor* Fruhstorfer,1910 _ Range (in code): **ID Bng**
- 5283. *Euploea eleusina anitra* Fruhstorfer,1910** (Danaiidae) Synonym(s): *anitra* Fruhstorfer,1910 _ Range (in code): **ID Clb**
- 5284. *Euploea eleusina eleusina* (Cramer,[1780])** (Danaiidae) Synonym(s): *eleusina* Cramer,[1780] _ Range (in code): **ID Ja Bli Kgn**
- 5285. *Euploea eleusina hygina* Fruhstorfer,1910** (Danaiidae) Synonym(s): *hygina* Fruhstorfer,1910 _ Range (in code): **ID Lb Sbw Flo Sba Alo**
- 5286. *Euploea eleusina mniszechii* C.Felder,1859** (Danaiidae) Synonym(s): *mniszechii* C.Felder,1859 _ Range (in code): **ID Clb**
- 5287. *Euploea eleusina palata* Fruhstorfer,1910** (Danaiidae) Synonym(s): *palata* Fruhstorfer,1910 _ Range (in code): **ID Clb**
- 5288. *Euploea eleusina vollenhovii* C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *vollenhovii* C.Felder & R.Felder,[1865] _ Range (in code): **ID Clb**
- 5289. *Euploea euctemon* Hewitson,1860** (Danaiidae) Synonym(s): *euctemon* Hewitson,1860 Range (in code): **ID Clb**
- 5290. *Euploea eunice* (Godart,[1819])** (Danaiidae) Synonym(s): *eunice* Godart,[1819] _ Range (in code): **MY Lkw SG TH Chy Ray Nst Rng Cbi Tng PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Bal Cal Pal ID Sbt Sum TW Ri GU IN Adm Nic Nia Egg Bwn Bli Lb Sbw Sba Bor MM Tns Mm VN Ton Tda**
- 5291. *Euploea eunice botelianus* Murayama & Shimonoya,1963** (Danaiidae) Synonym(s): *botelianus* Murayama & Shimonoya,1963 _ Range (in code): **TW**
- 5292. *Euploea eunice eunice* (Godart,[1819])** (Danaiidae) Synonym(s): *eunice* Godart,[1819] Original Reference: Danais eunice Godart,[1819], Ency. Méth. 9: 177. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 5293. *Euploea eunice hobsoni* Butler,1877** (Danaiidae) Synonym(s): *hobsoni* Butler,1877; *gaza* Fruhstorfer,1910 _ Range (in code): **TW**
- 5294. *Euploea eunice junio* Stichel,1899** (Danaiidae) Synonym(s): *juno* Stichel,1899 _ Range (in code): **ID Nia**
- 5295. *Euploea eunice kadu* Eschscholtz,1821** (Danaiidae) Synonym(s): *kadu* Eschscholtz,1821; *okinawensis* Sonan,1926 _ Range (in code): **Ri GU**
- 5296. *Euploea eunice kandaon* Fruhstorfer,1910** (Danaiidae) Synonym(s): *kandaon* Fruhstorfer,1910 _ Range (in code): **ID Sbw**
- 5297. *Euploea eunice leucogonis* (Butler,[1879])** (Danaiidae) Synonym(s): *leucogonis* Butler,[1879] _ Range (in code): **MM Tns Mm TH Chy Ray Nst Rng Cbi Tng MY Lkw SG**
- 5298. *Euploea eunice meizon* Doherty,1891** (Danaiidae) Synonym(s): *meizon* Doherty,1891 Range (in code): **ID Sba**
- 5299. *Euploea eunice novarae* C.Felder,1862** (Danaiidae) Synonym(s): *novarae* C.Felder,1862 Range (in code): **IN Nk Adm**
- 5300. *Euploea eunice phane* Doherty,1891** (Danaiidae) Synonym(s): *phane* Doherty,1891 Range (in code): **ID Egg**
- 5301. *Euploea eunice regularis* Corbet,1942** (Danaiidae) Synonym(s): *regularis* Corbet,1942 Range (in code): **ID Sbt**
- 5302. *Euploea eunice relucida* Fruhstorfer,1910** (Danaiidae) Synonym(s): *relucida* Fruhstorfer,1910 _ Range (in code): **ID Bli**
- 5303. *Euploea eunice syra* Fruhstorfer,1901** (Danaiidae) Synonym(s): *syra* Fruhstorfer,1901 Range (in code): **PH Bal Cal Pal**

- 5304. *Euploea eunice timaius* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *timaius* Fruhstorfer, 1910 _ Range (in code): ID Baw
- 5305. *Euploea eunice tisaïs* Fruhstorfer, 1901** (Danaiidae) Synonym(s): *tisaïs* Fruhstorfer, 1901 _ Range (in code): ID Lb
- 5306. *Euploea eunice vestigiata* Butler, 1866** (Danaiidae) Synonym(s): *vestigiata* Butler, 1866 _ Range (in code): ID Sum
- 5307. *Euploea eupator* Hewitson, 1858** (Danaiidae) Synonym(s): *eupator* Hewitson, 1858 _ Range (in code): ID Clb Bng Kbn Sly Sla
- 5308. *Euploea eupator eupator* Hewitson, 1858** (Danaiidae) Synonym(s): *eupator* Hewitson, 1858 _ Range (in code): ID Clb Bng
- 5309. *Euploea eupator orneus* Fruhstorfer, 1904** (Danaiidae) Synonym(s): *orneus* Fruhstorfer, 1904 _ Range (in code): ID Clb
- 5310. *Euploea eupator sulaensis* Joicey & Talbot, 1922** (Danaiidae) Synonym(s): *sulaensis* Joicey & Talbot, 1922 _ Range (in code): ID Sla
- 5311. *Euploea eupator thrasetes* Fruhstorfer, 1911** (Danaiidae) Synonym(s): *thrasetes* Fruhstorfer, 1911 _ Range (in code): ID Sly
- 5312. *Euploea eupator vanoorti* Jurriaanse & Lindemans, 1920** (Danaiidae) Synonym(s): *vanoorti* Jurriaanse & Lindemans, 1920 _ Range (in code): ID Kbn
- 5313. *Euploea euphon* (Fabricius, 1798)** (Danaiidae) Synonym(s): *euphon* Fabricius, 1798; *baudiniana* Godart, [1819] _ Range (in code): MU ID Tim RE
- 5314. *Euploea euphon desjardinsii* (Guérin-Ménéville, 1844)** (Danaiidae) Synonym(s): *desjardinsii* Guérin-Ménéville, 1844 _ Range (in code): MU
- 5315. *Euploea euphon euphon* (Fabricius, 1798)** (Danaiidae) Synonym(s): *euphon* Fabricius, 1798; *baudiniana* Godart, [1819] _ Range (in code): MU RE
- 5316. *Euploea euphon goudotii* Boisduval, 1833** (Danaiidae) Synonym(s): *goudotii* Boisduval, 1833 _ Range (in code): RE
- 5317. *Euploea eyndhovii* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *eyndhovii* C.Felder & R.Felder, [1865] _ Range (in code): PH Bal Pal TH Cbi Cbu Nst Ths MM Kin Krh Pey MY Bor ID Sum Ja
- 5318. *Euploea eyndhovii aesatia* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *aesatia* Fruhstorfer, 1910 _ Range (in code): TH Cbi Cbu MM Kin Krh Pey
- 5319. *Euploea eyndhovii distinctissima* Fruhstorfer, 1911** (Danaiidae) Synonym(s): *distinctissima* Fruhstorfer, 1911 _ Range (in code): PH Bal Pal
- 5320. *Euploea eyndhovii eyndhovii* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *eyndhovii* C.Felder & R.Felder, [1865]
- 5321. *Euploea eyndhovii gardineri* Fruhstorfer, 1898** (Danaiidae) Synonym(s): *gardineri* Fruhstorfer, 1898 _ Range (in code): TH Nst Ths MY Lkw
- 5322. *Euploea gamelia* Hübner, [1825]** (Danaiidae) Synonym(s): *gamelia* Hübner, [1825] _ Range (in code): ID Ja
- 5323. *Euploea hewitsoni* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *hewitsoni* C.Felder & R.Felder, [1865]; *hyacinthus* Butler, 1866; *subcongrua* Röber _ Range (in code): ID Clb Bng Mge Sla Btu Kbn Mun
- 5324. *Euploea hewitsoni besinensis* Fruhstorfer, 1899** (Danaiidae) Synonym(s): *besinensis* Fruhstorfer, 1899 _ Range (in code): ID Sla
- 5325. *Euploea hewitsoni hewitsoni* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *hewitsoni* C.Felder & R.Felder, [1865]; *hyacinthus* Butler, 1866; *subcongrua* Röber _ Range (in code): ID Clb Bng
- 5326. *Euploea hewitsoni mangolina* Fruhstorfer, 1899** (Danaiidae) Synonym(s): *mangolina* Fruhstorfer, 1899 _ Range (in code): ID Mge
- 5327. *Euploea hewitsoni reducta* Jurriaanse, 1919** (Danaiidae) Synonym(s): *reducta* Jurriaanse, 1919 _ Range (in code): ID Btu Kbn Mun
- 5328. *Euploea latifasciata* Weymer, 1885** (Danaiidae) Synonym(s): *latifasciata* Weymer, 1885 _ Range (in code): ID Clb Bng
- 5329. *Euploea latifasciata hashimotoi* Detani, 1983** (Danaiidae) Synonym(s): *hashimotoi* Detani, 1983 _ Range (in code): ID Bng
- 5330. *Euploea latifasciata latifasciata* Weymer, 1885** (Danaiidae) Synonym(s): *latifasciata* Weymer, 1885 _ Range (in code): ID Clb

- 5331. *Euploea leucostictos* (Gmelin,1790)** (Danaiidae) Synonym(s): *leucostictos* Gmelin,1790
Range (in code): **MY Bor ID Ja Tal Sgr Clb Bng Sla PG NC FJ**
- 5332. *Euploea leucostictos bangkaiensis* Frushtorfer** (Danaiidae) Synonym(s): _ Range (in code): **ID Bng**
- 5333. *Euploea leucostictos depuiseti* Oberthür,1879** (Danaiidae) Synonym(s): *depuiseti* Oberthür,1879 _ Range (in code): **ID Sgr**
- 5334. *Euploea leucostictos labreyi* Moore,1883** (Danaiidae) Synonym(s): *labreyi* Moore,1883
Range (in code): **ID Sla**
- 5335. *Euploea leucostictos leucostictos* (Gmelin,1790)** (Danaiidae) Synonym(s): *leucostictos* Gmelin,1790 _ Range (in code): **MY Bor ID Ja**
- 5336. *Euploea leucostictos lykeia* Fruhstorfer,1910** (Danaiidae) Synonym(s): *lykeia* Fruhstorfer,1910 _ Range (in code): **ID Tal**
- 5337. *Euploea leucostictos viola* Butler,1866** (Danaiidae) Synonym(s): *viola* Butler,1866
Range (in code): **ID Clb**
- 5338. *Euploea lewinii* C.Felder & R.Felder,1865** (Danaiidae) Synonym(s): *lewinii* C.Felder & R.Felder,1865 _ Range (in code): **NH NC LO Glb EL WS TO FJ**
- 5339. *Euploea lewinii eschscholtzi* C.Felder & R.Felder,1865** (Danaiidae) Synonym(s): *eschscholtzi* C.Felder & R.Felder,1865 _ Range (in code): **NH NC LO Glb EL WS TO FJ**
- 5340. *Euploea lewinii walkeri* Druce,1890** (Danaiidae) Synonym(s): *walkeri* Druce,1890
Range (in code): **FJ**
- 5341. *Euploea magou* Martin,1912** (Danaiidae) Synonym(s): *magou* Martin,1912 _ Range (in code): **ID Clb**
- 5342. *Euploea martinii* De Nicéville,1893** (Danaiidae) Synonym(s): *martinii* De Nicéville,1893
Range (in code): **ID Sum**
- 5343. *Euploea midamus* (Linnaeus,1758)** (Danaiidae) Synonym(s): *midamus* Linnaeus,1758
Range (in code): **TH Knc Nna Tng Nst Ths Pbu PH Sga Stu Taw MY Lkw CN VN Ton Tda ID Sum Ja Bor Kgn Mw Btu Nia Adm Nk SG P-T NP Lb Sbw Sbt Sip IN Ass SI Akn MM Rgo Krh Nag Mm Tns Nk**
- 5344. *Euploea midamus absitus* Hashimoto,1986** (Danaiidae) Synonym(s): *absitus* Hashimoto,1986 _ Range (in code): **PH Sga Stu Taw Boh CmM Ley Mno Pan Sam Bas Mdo Bal Cal Pal Cat Luz**
- 5345. *Euploea midamus aetia* Fruhstorfer** (Danaiidae) Synonym(s): *aetia* Fruhstorfer
Range (in code): **Bor**
- 5346. *Euploea midamus atossa* Pagenstecher** (Danaiidae) Synonym(s): _ Range (in code): **ID Sbw**
- 5347. *Euploea midamus chloe* (Guérin-Méneville,1843)** (Danaiidae) Synonym(s): *chloe* Guérin-Méneville,1843; *dejeani* Distant,1882; *clerkii* Moore,1883 _ Range (in code): **TH Knc Nna Tng Nst Ths Pbu MY Lkw MM Mm Tns Nk IN VN Ton**
- 5348. *Euploea midamus clorinde* Staudinger,1889** (Danaiidae) Synonym(s): *clorinde* Staudinger,1889 _ Range (in code): **PH Bal Cal Pal**
- 5349. *Euploea midamus cornificia* Fruhstorfer,1910** (Danaiidae) Synonym(s): *cornificia* Fruhstorfer,1910 _ Range (in code): **PH Mdo**
- 5350. *Euploea midamus fabricii* Moore,1883** (Danaiidae) Synonym(s): *fabricii* Moore,1883
Range (in code): **VN**
- 5351. *Euploea midamus hypaspistes* Fruhstorfer,1910** (Danaiidae) Synonym(s): *hypaspistes* Fruhstorfer,1910 _ Range (in code): **PH Bas**
- 5352. *Euploea midamus iduna* Fruhstorfer,1903** (Danaiidae) Synonym(s): *iduna* Fruhstorfer,1903 _ Range (in code): **ID Kgn**
- 5353. *Euploea midamus limyrus* Fruhstorfer,1910** (Danaiidae) Synonym(s): *limyrus* Fruhstorfer,1910 _ Range (in code): **ID Btu**
- 5354. *Euploea midamus lippus* Van Eecke** (Danaiidae) Synonym(s): _ Range (in code): **ID Sme**
- 5355. *Euploea midamus meldolae* Moore,1883** (Danaiidae) Synonym(s): *meldolae* Moore,1883
Range (in code): **PH Boh CmM Ley Mno Pan Sam**
- 5356. *Euploea midamus midamus* (Linnaeus,1758)** (Danaiidae) Synonym(s): *midamus* Linnaeus,1758 _ Range (in code): **CN VN TH**
- 5357. *Euploea midamus rafflesi* Moore,1883** (Danaiidae) Synonym(s): *rafflesi* Moore,1883
Range (in code): **ID Ja**

- 5385. *Euploea phaenareta aruana* Strand,1914** (Danaiidae) Synonym(s): *aruana* Strand,1914
Range (in code): **ID Aru**
- 5386. *Euploea phaenareta butleri* Moore,1883** (Danaiidae) Synonym(s): *butleri* Moore,1883
Range (in code): **Bor**
- 5387. *Euploea phaenareta castelnaui* C.Felder & R.Felder,[1865]** (Danaiidae)
Synonym(s): *castelnaui* C.Felder & R.Felder,[1865]; *phoebus* Butler,1866 _ Range (in code): **TH Cph Tng Rng Kbi IN Nk Mm MM Mrg**
- 5388. *Euploea phaenareta celebica* Fruhstorfer,1898** (Danaiidae) Synonym(s): *celebica* Fruhstorfer,1898 _ Range (in code): **ID Clb**
- 5389. *Euploea phaenareta corus* (Fabricius,1793)** (Danaiidae) Synonym(s): *corus* Fabricius,1793 _ Range (in code): **LK**
- 5390. *Euploea phaenareta defiguratus* Fruhstorfer,1908** (Danaiidae) Synonym(s): *defiguratus* Fruhstorfer,1908 _ Range (in code): **ID Bli**
- 5391. *Euploea phaenareta eucala* Staudinger,1896** (Danaiidae) Synonym(s): *eucala* Staudinger,1896 _ Range (in code): **ID Sbw Flo Sba**
- 5392. *Euploea phaenareta goodsoni* Corbet,1942** (Danaiidae) Synonym(s): *goodsoni* Corbet,1942 _ Range (in code): **ID Sbt Pgi**
- 5393. *Euploea phaenareta grandis* Moore,1883** (Danaiidae) Synonym(s): *grandis* Moore,1883
Range (in code): **PH Jol**
- 5394. *Euploea phaenareta hesiodus* Fruhstorfer,1910** (Danaiidae) Synonym(s): *hesiodus* Fruhstorfer,1910 _ Range (in code): **ID Bgk**
- 5395. *Euploea phaenareta juvia* Fruhstorfer,1908** (Danaiidae) Synonym(s): *juvia* Fruhstorfer,1908 _ Range (in code): **TW**
- 5396. *Euploea phaenareta locupletior* Fruhstorfer,1899** (Danaiidae) Synonym(s): *locupletior* Fruhstorfer,1899 _ Range (in code): **ID Tal**
- 5397. *Euploea phaenareta lornae* Schröder & Treadaway,1979** (Danaiidae) Synonym(s): *lornae* Schröder & Treadaway,1979 _ Range (in code): **PH Hom Sam**
- 5398. *Euploea phaenareta margaretae* Schröder & Treadaway,1988** (Danaiidae)
Synonym(s): *margaretae* Schröder & Treadaway,1988 _ Range (in code): **PH Cml Luz Pol**
- 5399. *Euploea phaenareta micronesia* Doherty,1891** (Danaiidae) Synonym(s): *micronesia* Doherty,1891 _ Range (in code): **ID Egg**
- 5400. *Euploea phaenareta nikrion* Fruhstorfer,1910** (Danaiidae) Synonym(s): *nikrion* Fruhstorfer,1910 _ Range (in code): **ID Baw**
- 5401. *Euploea phaenareta pavettae* Zincken,1831** (Danaiidae) Synonym(s): *pavettae* Zincken,1831 _ Range (in code): **ID Ja**
- 5402. *Euploea phaenareta phaenareta* (Schaller,1785)** (Danaiidae) Synonym(s): *phaenareta* Schaller,1785; *affinis* Gmelin,1790; *#phaenarete* D'Abrera,1982 _ Range (in code): **ID Amb**
- 5403. *Euploea phaenareta phaeratena* Kheil,1884** (Danaiidae) Synonym(s): *phaeratena* Kheil,1884 _ Range (in code): **ID Nia**
- 5404. *Euploea phaenareta rolanda* Fruhstorfer,1904** (Danaiidae) Synonym(s): *rolanda* Fruhstorfer,1904 _ Range (in code): **ID Clb Bng**
- 5405. *Euploea phaenareta rolanda* Fruhstorfer,1904** (Danaiidae) Synonym(s): *rolanda* Fruhstorfer,1904 _ Range (in code): **ID Sla**
- 5406. *Euploea phaenareta salvini* Staudinger,1889** (Danaiidae) Synonym(s): *salvini* Staudinger,1889 _ Range (in code): **PH Bal Pal**
- 5407. *Euploea phaenareta statius* Fruhstorfer,1910** (Danaiidae) Synonym(s): *statius* Fruhstorfer,1910 _ Range (in code): **ID Sum**
- 5408. *Euploea phaenareta vitrina* (Fruhstorfer,1898)** (Danaiidae) Synonym(s): *vitrina* Fruhstorfer,1898 _ Range (in code): **MM Bse**
- 5409. *Euploea radamanthus* (Fabricius,1793)** (Danaiidae) Synonym(s): *radamanthus* Fabricius,1793; *diocletianus* Fabricius,1793 _ Range (in code): **TH Nna Tng Rng Loe Nst MY Lkw IN Ass Ben MM VN SG ID Sum Nat NP SI Bor Ja Nia Btu Tvy Nag Pey BD Cta**
- 5410. *Euploea radamanthus aerithus* Fruhstorfer** (Danaiidae) Synonym(s): *aerithus* Fruhstorfer _ Range (in code): **ID Nat**
- 5411. *Euploea radamanthus alcidice* (Godart,1819)** (Danaiidae) Synonym(s): *alcidice* Godart,1819 _ Range (in code): **ID Ja**
- 5412. *Euploea radamanthus despoliata* Fruhstorfer,1910** (Danaiidae) Synonym(s): *despoliata* Fruhstorfer,1910; *talboti* Tytler,1939 _ Range (in code): **MM IN Ass Nag**

- 5413. *Euploea radamanthus lowei* Butler, 1878** (Danaiidae) Synonym(s): *lowei* Butler, 1878
Range (in code): **Bor MY**
- 5414. *Euploea radamanthus radamanthus* (Fabricius, 1793)** (Danaiidae) Synonym(s): *radamanthus* Fabricius, 1793; *diocletianus* Fabricius, 1793 _ Range (in code): **TH Nna Tng Rng Nst Loe MY Lkw Tvy Nag Pey Ass MM IN BD Cta**
- 5415. *Euploea radamanthus ramsayi* (Moore, 1890)** (Danaiidae) Synonym(s): *ramsayi* Moore, 1890 _ Range (in code): **NP SI IN Ben Ass**
- 5416. *Euploea radamanthus schildi* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *schildi* Fruhstorfer, 1910 _ Range (in code): **ID Btu**
- 5417. *Euploea radamanthus schreiberi* Butler, 1884** (Danaiidae) Synonym(s): *schreiberi* Butler, 1884 _ Range (in code): **ID Nia**
- 5418. *Euploea redtenbacheri* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *redtenbacheri* C.Felder & R.Felder, [1865] _ Range (in code): **ID Clb Sly Bru**
- 5419. *Euploea redtenbacheri coracina* Hoppfer, 1874** (Danaiidae) Synonym(s): *coracina* Hoppfer, 1874 _ Range (in code): **ID Clb**
- 5420. *Euploea redtenbacheri redtenbacheri* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *redtenbacheri* C.Felder & R.Felder, [1865] _ Range (in code): **ID Clb**
- 5421. *Euploea redtenbacheri selayarensis* Tsukada & Nishiyama, 1979** (Danaiidae) Synonym(s): *selayarensis* Tsukada & Nishiyama, 1979 _ Range (in code): **ID Sly**
- 5422. *Euploea swainson* (Godart, [1824])** (Danaiidae) Synonym(s): *swainson* Godart, [1824] Range (in code): **TW PH Cat Luz Mar Sib Bon Jol Sga Stu Taw Cal Pal**
- 5423. *Euploea swainson butra* Staudinger, 1889** (Danaiidae) Synonym(s): *butra* Staudinger, 1889 _ Range (in code): **PH Cal Pal**
- 5424. *Euploea swainson donovani* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *donovani* C.Felder & R.Felder, [1865] _ Range (in code): **PH Mno**
- 5425. *Euploea swainson duplex* Hulstaert, 1931** (Danaiidae) Synonym(s): *duplex* Hulstaert, 1931 Range (in code): **PH Bas**
- 5426. *Euploea swainson jadvia* Fruhstorfer, 1911** (Danaiidae) Synonym(s): *jadvia* Fruhstorfer, 1911 _ Range (in code): **PH Bal**
- 5427. *Euploea swainson panayensis* Schröder & Treadaway, 1983** (Danaiidae) Synonym(s): *panayensis* Schröder & Treadaway, 1983 _ Range (in code): **PH Pan**
- 5428. *Euploea swainson suluana* Moore, 1883** (Danaiidae) Synonym(s): *suluana* Moore, 1883 Range (in code): **PH Bon Jol Sga Stu Taw**
- 5429. *Euploea swainson swainson* (Godart, [1824])** (Danaiidae) Synonym(s): *swainson* Godart, [1824] _ Range (in code): **PH Cat Luz Mar Sib Mno Pan Bal Bas**
- 5430. *Euploea sylvester* (Fabricius, 1793)** (Danaiidae) Synonym(s): *sylvester* Fabricius, 1793 Range (in code): **PH Bal Cal Dum Pal Bas CmL Ceb Ley Luz Mar Mdo Mno Neg Sam Sib Pan Jol Sga Stu Taw MY Lkw IN Knr NI Oi AU LK VN Ann CN HK ID Sum Bor Ja Clb Kbn Mun Sly Bng Baw PG TW Ri Ass SI Nag Djl MM Shn Mm Tns Mrg Tvy TH CMA Dst Qs Cbi Pht Knc Rat Nst Ths Lsa Sgk Hya Tnc**
- 5431. *Euploea sylvester agapa* Fruhstorfer, 1911** (Danaiidae) Synonym(s): *agapa* Fruhstorfer, 1911 _ Range (in code): **ID Bng**
- 5432. *Euploea sylvester baweanica* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *baweanica* Fruhstorfer, 1910 _ Range (in code): **ID Baw**
- 5433. *Euploea sylvester bazilana* Fruhstorfer, 1900** (Danaiidae) Synonym(s): *bazilana* Fruhstorfer, 1900 _ Range (in code): **PH Bas**
- 5434. *Euploea sylvester coreta* (Godart, 1819)** (Danaiidae) Synonym(s): *coreta* Godart, 1819; *montana* C.Felder & R.Felder, [1865] _ Range (in code): **LK IN Knr NI Oi**
- 5435. *Euploea sylvester dotata* Fruhstorfer, 1900** (Danaiidae) Synonym(s): *dotata* Fruhstorfer, 1900 _ Range (in code): **PH Bal Cal Dum Pal**
- 5436. *Euploea sylvester glarang* Martin, 1912** (Danaiidae) Synonym(s): *glarang* Martin, 1912 Range (in code): **ID Sly**
- 5437. *Euploea sylvester harrisii* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *harrisii* C.Felder & R.Felder, [1865] _ Range (in code): **IN Ass TH Cbi Pht Knc Rat Nst Ths Lsa Sgk Hya Tnc MY Lkw VN MM Mm Tns Mrg Tvy**
- 5438. *Euploea sylvester hopei* C.Felder & R.Felder, [1865]** (Danaiidae) Synonym(s): *hopei* C.Felder & R.Felder, [1865] _ Range (in code): **IN Ass SI Nag Djl MM Shn**
- 5439. *Euploea sylvester laetifica* Butler, 1866** (Danaiidae) Synonym(s): *laetifica* Butler, 1866 Range (in code): **PH CmL Ceb Ley Luz Mar Mdo Mno Neg Sam Sib**

- 5440. *Euploea sylvester schlegelii* C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *schlegelii* C.Felder & R.Felder,[1865] _ Range (in code): ID Clb
- 5441. *Euploea sylvester schoenigi* Schröder & Treadaway,1983** (Danaiidae) Synonym(s): *schoenigi* Schröder & Treadaway,1983 _ Range (in code): PH Pan
- 5442. *Euploea sylvester swinhoei* Wallace & Moore,1866** (Danaiidae) Synonym(s): *swinhoei* Wallace & Moore,1866; *okinawensis* Matsumura,1929 *nec* Son.,1926; *#atropurpurea* Murayama & Shimonoya,1963 _ Range (in code): TW Ri
- 5443. *Euploea sylvester sylvester* (Fabricius,1793)** (Danaiidae) Synonym(s): *sylvester* Fabricius,1793
- 5444. *Euploea sylvester tyrianthia* (Moore,1883)** (Danaiidae) Synonym(s): *tyrianthia* Moore,1883 _ Range (in code): PH Jol Sga Stu Taw
- 5445. *Euploea tobleri* Semper,1878** (Danaiidae) Synonym(s): *tobleri* Semper,1878 _ Range (in code): PH CmL Din Hom Neg Cat Luz Mdo Bas Mno Boh Ley Sam
- 5446. *Euploea tobleri inouei* Osada & Hashimoto,1982** (Danaiidae) Synonym(s): *inouei* Osada & Hashimoto,1982 _ Range (in code): PH Neg
- 5447. *Euploea tobleri lasamasamai* Treadaway & Nuyda,1994** (Danaiidae) Synonym(s): *lasamasamai* Treadaway & Nuyda,1994 _ Range (in code): PH Din Hom
- 5448. *Euploea tobleri mangyan* Yamamoto & Takei,1988** (Danaiidae) Synonym(s): *mangyan* Yamamoto & Takei,1988 _ Range (in code): PH Mdo
- 5449. *Euploea tobleri peducaea* Fruhstorfer,1911** (Danaiidae) Synonym(s): *peducaea* Fruhstorfer,1911 _ Range (in code): PH Bas
- 5450. *Euploea tobleri romeo* Schröder & Treadaway,1978** (Danaiidae) Synonym(s): *romeo* Schröder & Treadaway,1978 _ Range (in code): PH Cat Luz
- 5451. *Euploea tobleri silmae* Schröder & Treadaway,1978** (Danaiidae) Synonym(s): *silmae* Schröder & Treadaway,1978 _ Range (in code): PH Boh Ley Sam
- 5452. *Euploea tobleri snelleni* Moore,1883** (Danaiidae) Synonym(s): *snelleni* Moore,1883 _ Range (in code): PH Mno
- 5453. *Euploea tobleri tobleri* Semper,1878** (Danaiidae) Synonym(s): *tobleri* Semper,1878 _ Range (in code): PH Luz
- 5454. *Euploea tobleri yoshioi* Nuyda & Kawamura,1989** (Danaiidae) Synonym(s): *yoshioi* Nuyda & Kawamura,1989 _ Range (in code): PH CmL
- 5455. *Euploea tulliolus* (Fabricius,1793)** (Danaiidae) Synonym(s): *tulliolus* Fabricius,1793
Range (in code): MM Mrg TH Cph Tng Ptt Yal Chy Nst Ths Sgk Hya Tnc PH Bon Jol Bas Mno Bal Cal Cuy Dum Mdo Pal Pan Bab Boh Ceb CmM Cts Din Gui Ley Luz Mar Mas Mdo Mno Neg Pao Sam Sib Tic AU QAU CN Hn MY Bor ID Sba Nat Lb Baw Sum Ja Sbw Flo Alo Sol Bli Kgn Wt CN Hn PG AU VN Ton Tda NH NC LO FJ
- 5456. *Euploea tulliolus aristotelis* Moore,1883** (Danaiidae) Synonym(s): *aristotelis* Moore,1883
Range (in code): Bor PH Bon Jol
- 5457. *Euploea tulliolus baweana* Fruhstorfer,1905** (Danaiidae) Synonym(s): *baweana* Fruhstorfer,1905 _ Range (in code): ID Baw
- 5458. *Euploea tulliolus dahaani* Lucas,1853** (Danaiidae) Synonym(s): *dahaani* Lucas,1853
Range (in code): TH Chy
- 5459. *Euploea tulliolus eunus* De Nicéville,1895** (Danaiidae) Synonym(s): *eunus* De Nicéville,1895 _ Range (in code): ID Sum
- 5460. *Euploea tulliolus forsteri* C.Felder & R.Felder,[1865]** (Danaiidae) Synonym(s): *forsteri* C.Felder & R.Felder,[1865] _ Range (in code): PG AU NH NC LO FJ
- 5461. *Euploea tulliolus hainana* Holland,1887** (Danaiidae) Synonym(s): *hainana* Holland,1887
Range (in code): CN Hn
- 5462. *Euploea tulliolus incompta* Herrich-Schäffer,1869** (Danaiidae) Synonym(s): *incompta* Herrich-Schäffer,1869; *protoforsteri* Poulton,1924 _ Range (in code): FJ
- 5463. *Euploea tulliolus koxinga* Fruhstorfer,1908** (Danaiidae) Synonym(s): *koxinga* Fruhstorfer,1908 _ Range (in code): TW
- 5464. *Euploea tulliolus ledereri* C.Felder & R.Felder,1860** (Danaiidae) Synonym(s): *ledereri* C.Felder & R.Felder,1860 _ Range (in code): MM Mrg TH Cph Tng Ptt Yal Nst Ths Sgk Hya Tnc MY Lkw
- 5465. *Euploea tulliolus lombokiana* Fruhstorfer,1905** (Danaiidae) Synonym(s): *lombokiana* Fruhstorfer,1905 _ Range (in code): ID Lb

- 5466. *Euploea tulliolus mazares* Moore, 1857** (Danaiidae) Synonym(s): *mazares* Moore, 1857
Range (in code): **ID Ja Bli Kgn**
- 5467. *Euploea tulliolus mazarina* Fruhstorfer, 1904** (Danaiidae) Synonym(s): *mazarina* Fruhstorfer, 1904
Range (in code): **ID Sum**
- 5468. *Euploea tulliolus monilina* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *monilina* Fruhstorfer, 1910
Range (in code): **PH Bas Mno**
- 5469. *Euploea tulliolus natunensis* Fruhstorfer, 1901** (Danaiidae) Synonym(s): *natunensis* Fruhstorfer, 1901
Range (in code): **ID Nat**
- 5470. *Euploea tulliolus palawana* Fruhstorfer, 1900** (Danaiidae) Synonym(s): *palawana* Fruhstorfer, 1900
Range (in code): **PH Bal Cal Cuy Dum Mdo Pal Pan**
- 5471. *Euploea tulliolus philinna* Fruhstorfer, 1904** (Danaiidae) Synonym(s): *philinna* Fruhstorfer, 1904
Range (in code): **ID Flo Sol Alo**
- 5472. *Euploea tulliolus pollita* Erichson, 1834** (Danaiidae) Synonym(s): *pollita* Erichson, 1834; *monilis* Moore, 1883
Range (in code): **TW PH Bab Boh Ceb CmM Cts Din Gui Ley Luz Mar Mas Mdo Mno Neg Pao Sam Sib Tic**
- 5473. *Euploea tulliolus sambavana* Doherty, 1891** (Danaiidae) Synonym(s): *sambavana* Doherty, 1891
Range (in code): **ID Shw**
- 5474. *Euploea tulliolus sumbana* Doherty, 1891** (Danaiidae) Synonym(s): *sumbana* Doherty, 1891
Range (in code): **ID Sba**
- 5475. *Euploea tulliolus wetterensis* Fruhstorfer, 1900** (Danaiidae) Synonym(s): *wetterensis* Fruhstorfer, 1900
Range (in code): **ID Wt**
- 5476. *Idea agamarschana* (C.Felder & R.Felder, 1865)** (Danaiidae) Synonym(s): *agamarschana* C.Felder & R.Felder, 1865; *margherita* Fruhstorfer, 1903
Range (in code): **BD Cta MM Akn Bse Adm IN Tns Tvy Ass**
- 5477. *Idea agamarschana agamarschana* (C.Felder & R.Felder, 1865)** (Danaiidae) Synonym(s): *agamarschana* C.Felder & R.Felder, 1865; *margherita* Fruhstorfer, 1903
Range (in code): **MM Tns Ass IN**
- 5478. *Idea agamarschana arrakana* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *arrakana* Fruhstorfer, 1910
Range (in code): **MM Akn Aky BD Cta**
- 5479. *Idea agamarschana cadelli* (Wood-Mason & De Nicéville, 1880)** (Danaiidae) Synonym(s): *cadelli* Wood-Mason & De Nicéville, 1880
Range (in code): **IN Adm**
- 5480. *Idea agamarschana hadeni* (Wood-Mason & De Nicéville, 1880)** (Danaiidae) Synonym(s): *hadeni* Wood-Mason & De Nicéville, 1880
Range (in code): **MM Bse Tvy**
- 5481. *Idea blanchardii* Marchal, 1845** (Danaiidae) Synonym(s): *blanchardii* Marchal, 1845; *#blanchardi* auct.
Range (in code): **ID Clb Bgk Sgh Tuk Sly Tan Kla Bng Kbn Mun But**
- 5482. *Idea blanchardii blanchardii* Marchal, 1845** (Danaiidae) Synonym(s): *blanchardii* Marchal, 1845; *#blanchardi* auct.
Range (in code): **ID Clb Bgk Sgh**
- 5483. *Idea blanchardii djampeana* Fruhstorfer, 1899** (Danaiidae) Synonym(s): *djampeana* Fruhstorfer, 1899
Range (in code): **ID Tan**
- 5484. *Idea blanchardii garunda* Fruhstorfer, 1910** (Danaiidae) Synonym(s): *garunda* Fruhstorfer, 1910
Range (in code): **ID Sgh**
- 5485. *Idea blanchardii kuehni* Röber, 1887** (Danaiidae) Synonym(s): *kuehni* Röber, 1887
Range (in code): **ID Bng**
- 5486. *Idea blanchardii marosiana* Fruhstorfer, 1903** (Danaiidae) Synonym(s): *marosiana* Fruhstorfer, 1903
Range (in code): **ID Clb**
- 5487. *Idea blanchardii munaensis* Fruhstorfer, 1899** (Danaiidae) Synonym(s): *munaensis* Fruhstorfer, 1899
Range (in code): **ID Kbn Mun But**
- 5488. *Idea blanchardii paluana* Martin, 1914** (Danaiidae) Synonym(s): *paluana* Martin, 1914
Range (in code): **ID Clb**
- 5489. *Idea blanchardii phlegeton* Fruhstorfer, 1904** (Danaiidae) Synonym(s): *phlegeton* Fruhstorfer, 1904
Range (in code): **ID Tuk**
- 5490. *Idea blanchardii silayara* Martin, 1914** (Danaiidae) Synonym(s): *silayara* Martin, 1914
Range (in code): **ID Sly**
- 5491. *Idea blanchardii* ssp.** (Danaiidae) Synonym(s):
Range (in code): **ID Kla**
- 5492. *Idea durvillei* (Boisduval, 1832)** (Danaiidae) Synonym(s): *durvillei* Boisduval, 1832
Range (in code): **ID Mi Wg Bia Slw Kai Aru Ij**
- 5493. *Idea durvillei durvillei* (Boisduval, 1832)** (Danaiidae) Synonym(s): *durvillei* Boisduval, 1832
Range (in code): **ID Mi Wg**

- 5494. *Idea durvillei hemera* Fruhstorfer,1903** (Danaiidae) Synonym(s): *hemera* Fruhstorfer,1903 _ Range (in code): ID Bia
- 5495. *Idea durvillei keyensis* Fruhstorfer,1899** (Danaiidae) Synonym(s): *keyensis* Fruhstorfer,1899 _ Range (in code): ID Kai Aru
- 5496. *Idea durvillei metris* Fruhstorfer,1903** (Danaiidae) Synonym(s): *metris* Fruhstorfer,1903 _ Range (in code): ID Slw
- 5497. *Idea durvillei nike* Fruhstorfer,1903** (Danaiidae) Synonym(s): *nike* Fruhstorfer,1903 _ Range (in code): ID Ij
- 5498. *Idea electra* Semper,1878** (Danaiidae) Synonym(s): *electra* Semper,1878 _ Range (in code): PH Mno
- 5499. *Idea electra electra* Semper,1878** (Danaiidae) Synonym(s): *electra* Semper,1878 _ Range (in code): PH Mno
- 5500. *Idea electra harmonia* Fruhstorfer,1910** (Danaiidae) Synonym(s): *harmonia* Fruhstorfer,1910 _ Range (in code): PH Mno
- 5501. *Idea hypermnestra* (Westwood,1848)** (Danaiidae) Synonym(s): *hypermnestra* Westwood,1848 _ Range (in code): MY Bor ID Ja Sum MM Mrg Bsn Msn MY Lkw TH Rng Tng
- 5502. *Idea hypermnestra belia* (Westwood,1848)** (Danaiidae) Synonym(s): *belia* estwood,1848 _ Range (in code): ID Ja
- 5503. *Idea hypermnestra hera* Fruhstorfer,1903** (Danaiidae) Synonym(s): *hera* Fruhstorfer,1903 _ Range (in code): ID Sum
- 5504. *Idea hypermnestra hypermnestra* (Westwood,1848)** (Danaiidae) Synonym(s): *hypermnestra* Westwood,1848 _ Range (in code): MY Bor
- 5505. *Idea hypermnestra linteata* (Butler,[1879])** (Danaiidae) Synonym(s): *linteata* Butler,[1879] _ Range (in code): MM Mrg Bsn Msn MY Lkw TH Rng Tng
- 5506. *Idea idea* (Linnaeus,1763)** (Danaiidae) Synonym(s): *idea* Linnaeus,1763; *novella* Fruhstorfer,1910 _ Range (in code): ID Amb Bru Sla
- 5507. *Idea idea aza* Boisduval,1832** (Danaiidae) Synonym(s): *aza* Boisduval,1832 _ Range (in code): ID Bru
- 5508. *Idea idea idea* (Linnaeus,1763)** (Danaiidae) Synonym(s): *idea* Linnaeus,1763; *novella* Fruhstorfer,1910 _ Range (in code): ID Amb
- 5509. *Idea idea sula* De Nicéville,1900** (Danaiidae) Synonym(s): *sula* De Nicéville,1900 _ Range (in code): ID Sla
- 5510. *Idea jasonia* (Westwood,1848)** (Danaiidae) Synonym(s): *jasonia* Westwood,1848; *diabolica* Fruhstorfer,1910 _ Range (in code): LK
- 5511. *Idea jasonia jasonia* (Westwood,1848)** (Danaiidae) Synonym(s): *jasonia* Westwood,1848; *diabolica* Fruhstorfer,1910 _ Range (in code): LK
- 5512. *Idea leuconoe* Erichson,1834** (Danaiidae) Synonym(s): *leuconoe* Erichson,1834 _ Range (in code): PH Cml Bas Boh Din Hom Ley Mas Mno Neg Pan Sia Pal Ley Sam Bal Stu Taw Mar Mdo Rom Sib Sar Ceb Pol Ala Luz MY TW ID Tal Sgr Bor Nat Ja Egg Sme Btu Sum SG Btg MM Vp TH Chb
- 5513. *Idea leuconoe athesis* Fruhstorfer,1911** (Danaiidae) Synonym(s): *athesis* Fruhstorfer,1911 _ Range (in code): PH Pol
- 5514. *Idea leuconoe chersonesia* (Fruhstorfer,[1898])** (Danaiidae) Synonym(s): *chersonesia* Fruhstorfer,[1898] _ Range (in code): MY SG ID Sum Btg
- 5515. *Idea leuconoe engania* Doherty,1891** (Danaiidae) Synonym(s): *engania* Doherty,1891 _ Range (in code): ID Egg
- 5516. *Idea leuconoe esanga* Fruhstorfer,1898** (Danaiidae) Synonym(s): *esanga* Fruhstorfer,1898 _ Range (in code): PH Sar ID Tal
- 5517. *Idea leuconoe gamaoi* Jumalon,1975** (Danaiidae) Synonym(s): *gamaoi* Jumalon,1975 _ Range (in code): PH Ceb
- 5518. *Idea leuconoe godmani* Oberthür,1878** (Danaiidae) Synonym(s): *godmani* Oberthür,1878 _ Range (in code): ID Sgr
- 5519. *Idea leuconoe gordita* Fruhstorfer,1911** (Danaiidae) Synonym(s): *gordita* Fruhstorfer,1911 _ Range (in code): PH Mar Mdo Rom Sib
- 5520. *Idea leuconoe javana* Fruhstorfer,1897** (Danaiidae) Synonym(s): *javana* Fruhstorfer,1897 _ Range (in code): ID Ja
- 5521. *Idea leuconoe lasiaka* Van Eecke,1913** (Danaiidae) Synonym(s): *lasiaka* Van Eecke,1913 _ Range (in code): ID Sme

- 5522. *Idea leuconoe leuconoe* Erichson,1834** (Danaiidae) **Synonym(s):** *leuconoe* Erichson,1834
Range (in code): **PH Ala Luz**
- 5523. *Idea leuconoe natunensis* Snellen,1895** (Danaiidae) **Synonym(s):** *natunensis* Snellen,1895
Range (in code): **ID Nat**
- 5524. *Idea leuconoe nigriana* Grose-Smith,1895** (Danaiidae) **Synonym(s):** *nigriana* Grose-Smith,1895
Range (in code): **Bor**
- 5525. *Idea leuconoe nigriana* Grose-Smith,1895** (Danaiidae) **Synonym(s):** *nigriana* Grose-Smith,1895
Range (in code): **PH Bal Stu Taw**
- 5526. *Idea leuconoe obscura* Staudinger,1889** (Danaiidae) **Synonym(s):** *obscura* Staudinger,1889
Range (in code): **PH Bas Boh Din Hom Ley Mas Mno Neg Pan Sia**
- 5527. *Idea leuconoe princesa* Staudinger,1889** (Danaiidae) **Synonym(s):** *princesa* Staudinger,1889
Range (in code): **PH Pal**
- 5528. *Idea leuconoe samara* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *samara* Fruhstorfer,1910
Range (in code): **PH Ley Sam**
- 5529. *Idea leuconoe siamensis* (Godfrey,1916)** (Danaiidae) **Synonym(s):** *siamensis* Godfrey,1916
Original Reference: Hestia leuconoe ssp. siamensis Godfrey,1916, J. nat. Hist. Soc. Siam 2: 117. Syntypes ♂♂: [Thailand]: Siam: Nong Khor (Hup-Bon). **Range (in code):** **MM Vp TH Cbu**
- 5530. *Idea leuconoe solyma* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *solyma* Fruhstorfer,1910
Range (in code): **PH Cml**
- 5531. *Idea leuconoe vedana* Fruhstorfer,1906** (Danaiidae) **Synonym(s):** *vedana* Fruhstorfer,1906
Range (in code): **UD Btu**
- 5532. *Idea lynceus* (Drury,1773)** (Danaiidae) **Synonym(s):** *lynceus* Drury,1773; *reinwardti* Moore,1883
Range (in code): **MM Mrg Bsn Msn TH Nst Tng Yal Sgk Hya Tnc MY Lkw ID Sum Nia Bor**
- 5533. *Idea lynceus fumata* Fruhstorfer,1897** (Danaiidae) **Synonym(s):** *fumata* Fruhstorfer,1897
Range (in code): **Bor**
- 5534. *Idea lynceus lynceus* (Drury,1773)** (Danaiidae) **Synonym(s):** *lynceus* Drury,1773; *reinwardti* Moore,1883
Range (in code): **MM Mrg Bsn Msn TH Nst Tng Yal Sgk Hya Tnc MY Lkw ID Sum**
- 5535. *Idea lynceus niasica* Fruhstorfer,1903** (Danaiidae) **Synonym(s):** *niasica* Fruhstorfer,1903
Range (in code): **ID Nia**
- 5536. *Idea malabarica* Moore,1877** (Danaiidae) **Synonym(s):** *malabarica* Moore,1877
Range (in code): **IN Knr Mys Nl Pln Mlb Tvc**
- 5537. *Idea malabarica kanarensis* (Moore,1890)** (Danaiidae) **Synonym(s):** *kanarensis* Moore,1890
Range (in code): **IN Knr**
- 5538. *Idea malabarica malabarica* Moore,1877** (Danaiidae) **Synonym(s):** *malabarica* Moore,1877
Range (in code): **IN Mys Nl Pln Mlb Tvc**
- 5539. *Idea stolli* (Moore,1883)** (Danaiidae) **Synonym(s):** *stolli* Moore,1883
Range (in code): **PH Jol ID Ja Sum Sbt Sip MY MM SG Nat Swk Bor TH Ntt SPa**
- 5540. *Idea stolli alcine* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *alcine* Fruhstorfer,1910
Range (in code): **Swk Bor MY**
- 5541. *Idea stolli bintanga* Van Eecke,1915** (Danaiidae) **Synonym(s):** *bintanga* Van Eecke,1915
Range (in code): **SG**
- 5542. *Idea stolli daldorffi* Corbet,1942** (Danaiidae) **Synonym(s):** *daldorffi* Corbet,1942
Range (in code): **ID Sbt Sip**
- 5543. *Idea stolli hypata* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *hypata* Fruhstorfer,1910
Range (in code): **PH Jol**
- 5544. *Idea stolli logani* (Moore,1883)** (Danaiidae) **Synonym(s):** *logani* Moore,1883
Range (in code): **MY MM SG ID Sum Btu TH Ntt SPa**
- 5545. *Idea stolli stolli* (Moore,1883)** (Danaiidae) **Synonym(s):** *stolli* Moore,1883
Range (in code): **ID Ja**
- 5546. *Idea stolli thalassica* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *thalassica* Fruhstorfer,1910
Range (in code): **ID Nat**
- 5547. *Idea stolli virgo* Fruhstorfer,1903** (Danaiidae) **Synonym(s):** *virgo* Fruhstorfer,1903
Range (in code): **MY Bor**
- 5548. *Idea tambusisiana* Bedford-Rusell,1981** (Danaiidae) **Synonym(s):** *tambusisiana* Bedford-Rusell,1981
Range (in code): **ID Clb**

- 5549. *Idea tambusisiana hideoi* Okano,1985** (Danaiidae) **Synonym(s):** *hideoi* Okano,1985
Range (in code): **ID Clb**
- 5550. *Idea tambusisiana tambusisiana* Bedford-Rusell,1981** (Danaiidae) **Synonym(s):** *tambusisiana* Bedford-Rusell,1981
Range (in code): **ID Clb**
- 5551. *Ideopsis gaura* (Horsfield,1829)** (Danaiidae) **Synonym(s):** *gaura* Horsfield,1829
Range (in code): **PH Pan Cal Pal Luz Mar Neg Mno Ley Mdo Sam ID Ja MY Prk Lkw SG P-T Bor Sum Nat Nia Btu Sme Mw Sbt Sip Pgi TH Nst Sat Rng Tng**
- 5552. *Ideopsis gaura anapina* Semper,1892** (Danaiidae) **Synonym(s):** *anapina* Semper,1892
Range (in code): **PH Ley Mdo Sam**
- 5553. *Ideopsis gaura anapis* C.Felder,1861** (Danaiidae) **Synonym(s):** *anapis* C.Felder,1861
Range (in code): **PH Luz Mar**
- 5554. *Ideopsis gaura bracara* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *bracara* Fruhstorfer,1910
Range (in code): **PH Luz**
- 5555. *Ideopsis gaura canlaonii* Jumalon,1971** (Danaiidae) **Synonym(s):** *canlaonii* Jumalon,1971
Range (in code): **PH Neg**
- 5556. *Ideopsis gaura cesa* Kemal & Koçak,2013** (Danaiidae) **Synonym(s):** *palawana* Fruhstorfer,1910 nec Stgr.,1889; *cesa* Kemal & Koçak,2013
Original Reference: *Ideopsis gaura* ssp. *cesa* Kemal & Koçak,2013, Cent. ent. Stud., Misc. Pap. 159: 7 (pro *Ideopsis gaura palawana* Fruhstorfer,1910, [in] Seitz, Gross-Schmett. Erde 9: 216 nec *Ideopsis vulgaris* var. *palawana* (Staudinger,1889)). Type: Philippines, Palawan. **Range (in code):** **PH Cal Pal**
- 5557. *Ideopsis gaura costalis* Moore,1883** (Danaiidae) **Synonym(s):** *costalis* Moore,1883; *batuna* Fruhstorfer,1906
Range (in code): **ID Btu Nia**
- 5558. *Ideopsis gaura daos* Boisduval** (Danaiidae) **Synonym(s):** *daos* Boisduval *ardana* Fruhstorfer,1910
Range (in code): **MY Bor**
- 5559. *Ideopsis gaura eudora* (Gray,1846)** (Danaiidae) **Synonym(s):** *eudora* Gray,1846; *sonia* Fruhstorfer,1898
Range (in code): **ID Sum**
- 5560. *Ideopsis gaura gaura* (Horsfield,1829)** (Danaiidae) **Synonym(s):** *gaura* Horsfield,1829
Range (in code): **ID Ja**
- 5561. *Ideopsis gaura glaphyra* Moore,1883** (Danaiidae) **Synonym(s):** *glaphyra* Moore,1883
Range (in code): **PH Mno**
- 5562. *Ideopsis gaura kajangensis* Okubo,1983** (Danaiidae) **Synonym(s):** *kajangensis* Okubo,1983
Range (in code): **P-T MY**
- 5563. *Ideopsis gaura lingana* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *lingana* Fruhstorfer,1910
Range (in code): **SG**
- 5564. *Ideopsis gaura messala* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *messala* Fruhstorfer,1910
Range (in code): **PH Mno**
- 5565. *Ideopsis gaura natunensis* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *natunensis* Fruhstorfer,1910
Range (in code): **ID Nat**
- 5566. *Ideopsis gaura nigrocostalis* Hagen,1902** (Danaiidae) **Synonym(s):** *nigrocostalis* Hagen,1902
Range (in code): **ID Mw Sbt Sip Pgi**
- 5567. *Ideopsis gaura panayana* Schröder & Treadaway,1984** (Danaiidae) **Synonym(s):** *panayana* Schröder & Treadaway,1984
Range (in code): **PH Pan**
- 5568. *Ideopsis gaura pellucida* Talbot,1940** (Danaiidae) **Synonym(s):** *pellucida* Talbot,1940
Range (in code): **PH Mno**
- 5569. *Ideopsis gaura perakana* Fruhstorfer,[1899]** (Danaiidae) **Synonym(s):** *perakana* Fruhstorfer,[1899]
Range (in code): **MY Lkw Prk SG TH Nst Sat Rng Tng**
- 5570. *Ideopsis gaura pseudocostalis* Van Eecke** (Danaiidae) **Synonym(s):** *pseudocostalis* Van Eecke
Range (in code): **ID Sme**
- 5571. *Ideopsis juvena* (Cramer,[1777])** (Danaiidae) **Synonym(s):** *juvena* Cramer,[1777]
Range (in code): **ID Hm Trn Beh Ob Bru Amb Bia Ij Slw Mi Wg PG Adl NBr Nlr SB Hon1 Hon7 Vu Kkr PH Bon Jol Sga Sis Stu Taw Bal Cal Pal Bab Ala Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Tab Tic Ja Bli Bwn Sum Bgk Btg Kgn Egg Sbw Lb Kla Tan Bnr Nat Sly Mge Tuk Tal IN Nic P-T**
- 5572. *Ideopsis juvena bosnika* Talbot,1943** (Danaiidae) **Synonym(s):** *bosnika* Talbot,1943
Range (in code): **ID Bia**
- 5573. *Ideopsis juvena curtisi* Moore,1883** (Danaiidae) **Synonym(s):** *curtisi* Moore,1883
Range (in code): **ID Hm Trn Beh**

- 5574. Ideopsis juvena ellida Fruhstorfer,1904** (Danaiidae) Synonym(s): *ellida Fruhstorfer,1904* _ Range (in code): **ID Ob**
- 5575. Ideopsis juvena eugenia Fruhstorfer,1907** (Danaiidae) Synonym(s): *eugenia Fruhstorfer,1907* _ Range (in code): **PG Vu Kkr**
- 5576. Ideopsis juvena georgina Fruhstorfer,1904** (Danaiidae) Synonym(s): *georgina Fruhstorfer,1904* _ Range (in code): **PG**
- 5577. Ideopsis juvena hollandia Talbot,1943** (Danaiidae) Synonym(s): *hollandia Talbot,1943* _ Range (in code): **ID Ij**
- 5578. Ideopsis juvena homonyma Bryk,1937** (Danaiidae) Synonym(s): *homonyma Bryk,1937* _ Range (in code): **ID Tan**
- 5579. Ideopsis juvena ishma Butler,1869** (Danaiidae) Synonym(s): *ishma Butler,1869* _ Range (in code): **ID Clb Bng**
- 5580. Ideopsis juvena juvena (Cramer,[1777])** (Danaiidae) Synonym(s): *juvena Cramer,[1777]* _ Range (in code): **ID Ja Bli Baw**
- 5581. Ideopsis juvena kallatia Fruhstorfer,1904** (Danaiidae) Synonym(s): *kallatia Fruhstorfer,1904* _ Range (in code): **ID Kla**
- 5582. Ideopsis juvena kinitis Fruhstorfer,1904** (Danaiidae) Synonym(s): *juvena kinitis Fruhstorfer,1904* _ Range (in code): **PH Bal Cal Pal Bor MY**
- 5583. Ideopsis juvena kollerii Hulstaert,1923** (Danaiidae) Synonym(s): *kollerii Hulstaert,1923* _ Range (in code): **ID Ij**
- 5584. Ideopsis juvena lirungensis Fruhstorfer,1899** (Danaiidae) Synonym(s): *lirungensis Fruhstorfer,1899* _ Range (in code): **ID Tal**
- 5585. Ideopsis juvena longa Doherty,1891** (Danaiidae) Synonym(s): *longa Doherty,1891* _ Range (in code): **ID Egg**
- 5586. Ideopsis juvena luzonica Moore,1883** (Danaiidae) Synonym(s): *luzonica Moore,1883* _ Range (in code): **PH Bab**
- 5587. Ideopsis juvena lycosura Fruhstorfer,1910** (Danaiidae) Synonym(s): *lycosura Fruhstorfer,1910* _ Range (in code): **ID Bnr**
- 5588. Ideopsis juvena manillana Moore,1883** (Danaiidae) Synonym(s): *manillana Moore,1883* _ Range (in code): **PH Ala Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Tab Tic**
- 5589. Ideopsis juvena metaxa Fruhstorfer,1910** (Danaiidae) Synonym(s): *metaxa Fruhstorfer,1910* _ Range (in code): **PG**
- 5590. Ideopsis juvena nicobarica (Wood-Mason & De Nicéville,1881)** (Danaiidae) Synonym(s): *nicobarica Wood-Mason & De Nicéville,1881* _ Range (in code): **IN Nk**
- 5591. Ideopsis juvena phana Fruhsotfer,1904** (Danaiidae) Synonym(s): *phana Fruhsotfer,1904* _ Range (in code): **ID Lb**
- 5592. Ideopsis juvena pseudosimilis Van Eecke,1915** (Danaiidae) Synonym(s): *pseudosimilis Van Eecke,1915* _ Range (in code): **ID Sum Bgk**
- 5593. Ideopsis juvena purpurata Butler,1866** (Danaiidae) Synonym(s): *purpurata Butler,1866* _ Range (in code): **ID Slw Mi Wg**
- 5594. Ideopsis juvena sapana Talbot,1943** (Danaiidae) Synonym(s): *sapana Talbot,1943* _ Range (in code): **ID Kgn**
- 5595. Ideopsis juvena satellitica Fruhstorfer,1899** (Danaiidae) Synonym(s): *satellitica Fruhstorfer,1899* _ Range (in code): **ID Sly**
- 5596. Ideopsis juvena scrobia Van Eecke,1915** (Danaiidae) Synonym(s): *scrobia Van Eecke,1915* _ Range (in code): **ID Btg**
- 5597. Ideopsis juvena sequana Fruhstorfer,1910** (Danaiidae) Synonym(s): *sequana Fruhstorfer,1910* _ Range (in code): **ID Tuk**
- 5598. Ideopsis juvena sitah (Fruhstorfer,1904)** (Danaiidae) Synonym(s): *sitah Fruhstorfer,1904* _ Range (in code): **MY Nat**
- 5599. Ideopsis juvena sobrina (Boisduval,1832)** (Danaiidae) Synonym(s): *sobrina Boisduval,1832; turneri Butler,1878* _ Range (in code): **ID Ij**
- 5600. Ideopsis juvena sobrinoides Butler,1882** (Danaiidae) Synonym(s): *sobrinoides Butler,1882; mangalia Fruhstorfer,1904; ribbei Fruhstorfer,1907* _ Range (in code): **PG Adl NBr Nlr SB**
- 5601. Ideopsis juvena sophonisbe (Fruhstorfer,1904)** (Danaiidae) Synonym(s): *sophonisbe Fruhstorfer,1904* _ Range (in code): **ID Mge**

- 5602. Ideopsis juvena stictica Fruhstorfer,1899** (Danaiidae) Synonym(s): *stictica*
Fruhstorfer,1899 _ Range (in code): ID Sbw
- 5603. Ideopsis juvena suluana Talbot,1943** (Danaiidae) Synonym(s): *suluana* Talbot,1943
Range (in code): PH Bon Jol Sga Sis Stu Taw
- 5604. Ideopsis juvena tanais Fruhstorfer,1904** (Danaiidae) Synonym(s): *tanais*
Fruhstorfer,1904 _ Range (in code): ID Ij
- 5605. Ideopsis juvena tawaya Fruhstorfer,1904** (Danaiidae) Synonym(s): *tawaya*
Fruhstorfer,1904 _ Range (in code): ID Clb
- 5606. Ideopsis juvena tontoliensis Fruhstorfer,1897** (Danaiidae) Synonym(s): *tontoliensis*
Fruhstorfer,1897 _ Range (in code): ID Clb
- 5607. Ideopsis juvena ultramontana Martin,1914** (Danaiidae) Synonym(s): *ultramontana*
Martin,1914 _ Range (in code): ID Clb
- 5608. Ideopsis juvena zanira Fruhstorfer,1904** (Danaiidae) Synonym(s): *zanira*
Fruhstorfer,1904 _ Range (in code): SB Hon1 Hon7
- 5609. Ideopsis oberthueri Doherty,1891** (Danaiidae) Synonym(s): *oberthueri* Doherty,1891
Range (in code): ID Sba
- 5610. Ideopsis similis (Linnaeus,1758)** (Danaiidae) Synonym(s): *similis* Linnaeus,1758
Range (in code): LK IN CN Nk ID Sum TH Sbu Bnk Cbu Cbi Nrt Pht Ray Nna Nst Ths Sgk Hya Tnc MY Lkw MM Tns Bse VN Ton Tda Bionomy: Larva on weed (Lewvanich,2001).
- 5611. Ideopsis similis exprompta (Butler,1874)** (Danaiidae) Synonym(s): *exprompta*
Butler,1874 _ Range (in code): LK
- 5612. Ideopsis similis persimilis (Moore,1879)** (Danaiidae) Synonym(s): *persimilis*
Moore,1879; *purpurascens* Tytler,1939 _ Range (in code): MM Tns Bse TH Sbu Bnk Cbu Cbi Nrt Pht Ray Nna Nst Ths Sgk Hya Tnc MY Lkw ID Sum Bionomy: Larva on weed (Lewvanich,2001).
- 5613. Ideopsis similis similis (Linnaeus,1758)** (Danaiidae) Synonym(s): *similis* Linnaeus,1758
Range (in code): CN
- 5614. Ideopsis vitrea (Blanchard,1853)** (Danaiidae) Synonym(s): *vitrea* Blanchard,1853
Range (in code): ID Clb Bng Sla Btu
- 5615. Ideopsis vitrea arachnosia Fruhstorfer,1910** (Danaiidae) Synonym(s): *arachnosia*
Fruhstorfer,1910 _ Range (in code): ID Clb Btu
- 5616. Ideopsis vitrea iza Fruhstorfer,1898** (Danaiidae) Synonym(s): *iza* Fruhstorfer,1898
Range (in code): ID Sla
- 5617. Ideopsis vitrea oenopia C.Felder & R.Felder,1859** (Danaiidae) Synonym(s): *oenopia*
C.Felder & R.Felder,1859 _ Range (in code): ID Clb
- 5618. Ideopsis vitrea ribbei Röber,1887** (Danaiidae) Synonym(s): *ribbei* Röber,1887 _ Range (in code): ID Bng
- 5619. Ideopsis vitrea vitrea (Blanchard,1853)** (Danaiidae) Synonym(s): *vitrea* Blanchard,1853
Range (in code): ID Clb
- 5620. Ideopsis vulgaris (Butler,1874)** (Danaiidae) Synonym(s): *vulgaris* Butler,1874 _ Range (in code): MM Vp Bse Tns ID Btu Bgk Btg Ja Sum Sbw Sbt Sip Pgi TH Tng Sat Sgk Hya Tnc PSu Nst Lsa MY Lkw Bor PH Bal Cal Dum Pal CN Hn VN Ton Ann
- 5621. Ideopsis vulgaris macrina (Fruhstorfer,1904)** (Danaiidae) Synonym(s): *macrina*
Fruhstorfer,1904 _ Range (in code): MM Vp Bse Tns ID Btu Bgk Btg TH Tng Sat Sgk Hya Tnc PSu Nst Lsa MY Lkw
- 5622. Ideopsis vulgaris ocarinis (Corbet,1942)** (Danaiidae) Synonym(s): *ocarinis* Corbet,1942
Range (in code): ID Sbt Sip Pgi
- 5623. Ideopsis vulgaris palawana (Staudinger,1889)** (Danaiidae) Synonym(s): *palawana*
Staudinger,1889 Original Reference: Danais vulgaris var. palawana Staudinger,1889, Dt. ent. Z., Iris 2: 27. Syntypes: [Philippines]: Palawan. Range (in code): PH Bal Cal Dum Pal
- 5624. Ideopsis vulgaris vulgaris (Butler,1874)** (Danaiidae) Synonym(s): *vulgaris* Butler,1874
Range (in code): ID Ja
- 5625. Lycorea cleobaea (Godart,[1819])** (Danaiidae) Synonym(s): *ceres* Cramer,[1776] *nec*
Fabr.,1775; *cleobaea* Godart,[1819] _ Range (in code): US MX Fl Kan Tx CU VE BR SR
- 5626. Lycorea cleobaea atergatis Doubleday & Hewitson,[1847]** (Danaiidae) Synonym(s): *atergatis* Doubleday & Hewitson,[1847] _ Range (in code): VE
- 5627. Lycorea cleobaea cleobaea (Godart,[1819])** (Danaiidae) Synonym(s): *ceres*
Cramer,[1776] *nec* Fabr.,1775; *cleobaea* Godart,[1819] _ Range (in code): BR

- 5628. *Lycorea cleobaea demeter* C.Felder & R.Felder,[1865]** (Danaiidae) **Synonym(s):** *demeter* C.Felder & R.Felder,[1865] Range (in code): **CU**
- 5629. *Miriamica thalassina* (Joicey & Noakes,1916)** (Danaiidae) **Synonym(s):** *thalassina* Joicey & Noakes,1916 Range (in code): **PG**
- 5630. *Miriamica weiskei* (Rothschild,1901)** (Danaiidae) **Synonym(s):** *weiskei* Rothschild,1901 Range (in code): **PG**
- 5631. *Parantica aglea* (Stoll,[1782])** (Danaiidae) **Synonym(s):** *aglea* Stoll,[1782]; *grammica* Boisduval,1858; *ceylanica* C.Felder,1862 Original Reference: *Papilio aglea* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.377, fig. E. Range (in code): **Slo Adm Nk Ann CN Hn IN Up Bba Ass Oi NI Bel Pln Knr SI LK BD Syl Cta MM Akn Tvy Chn Tns Pey MY Nk TH CMa Cuo Cuo1 Cuo4 Cuo5 Cuo9 Cu12 CDo CD2 Pap Mro Knc Pht Nst Loe Sgk Hya Tnc TW VN Ton Tda Ch Kma Msm Mus Nag NP SI**
- 5632. *Parantica aglea aglea* (Stoll,[1782])** (Danaiidae) **Synonym(s):** *aglea* Stoll,[1782]; *grammica* Boisduval,1858; *ceylanica* C.Felder,1862 Original Reference: *Papilio aglea* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.377, fig. E. Range (in code): **IN Oi NI Bel Pln Knr Bba Ass SI LK**
- 5633. *Parantica aglea maghaba* (Fruhstorfer,1909)** (Danaiidae) **Synonym(s):** *maghaba* Fruhstorfer,1909 Range (in code): **TW**
- 5634. *Parantica aglea melanoides* Moore,1883** (Danaiidae) **Synonym(s):** *melanoides* Moore,1883 Original Reference: *Parantica melanoides* Moore,1883, Proc. zool. Soc. Lond. 1883: 247. Type ♂: Nepal. Range (in code): **Ann Ass Slo Ch CN Hn IN Up Kma MM Tns Tvy Chn Pey Msm Mus MY Nag NP SI TH CMa Cuo Cuo1 Cuo4 Cuo5 Cuo9 Cu12 CDo CD2 Pap Mro Knc Pht Nst Loe Sgk Hya Tnc VN**
- 5635. *Parantica aglea melanoleuca* (Moore,[1877])** (Danaiidae) **Synonym(s):** *melanoleuca* Moore,[1877] Range (in code): **IN Adm Nk**
- 5636. *Parantica aglea phormion* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *phormion* Fruhstorfer,1910 Range (in code): **TH VN CN Hn**
- 5637. *Parantica agleoides* (C.Felder & R.Felder,1860)** (Danaiidae) **Synonym(s):** *eryx* Fabricius,1798 nec Linn.,1771; *agleoides* C.Felder & R.Felder,1860 Range (in code): **IN Nk Adm VN BD Cta MY Bor Nia Kgn Ja MM TH Cbi Cbu Nst Ths SG ID Sum Sbt Sip Pgi**
- 5638. *Parantica agleoides agleoides* (C.Felder & R.Felder,1860)** (Danaiidae) **Synonym(s):** *eryx* Fabricius,1798 nec Linn.,1771; *agleoides* C.Felder & R.Felder,1860 Range (in code): **IN Nk Adm VN BD Cta MM TH Cbi Cbu Nst Ths MY SG ID Sum**
- 5639. *Parantica agleoides erycina* Fruhstorfer,1899** (Danaiidae) **Synonym(s):** *erycina* Fruhstorfer,1899 Range (in code): **ID Nia**
- 5640. *Parantica agleoides furius* Fruhstorfer,1909** (Danaiidae) **Synonym(s):** *furius* Fruhstorfer,1909 Range (in code): **ID Ja**
- 5641. *Parantica agleoides kangeana* Talbot** (Danaiidae) **Synonym(s):** Range (in code): **ID Kgn**
- 5642. *Parantica agleoides maenius* Fruhstorfer,1909** (Danaiidae) **Synonym(s):** *maenius* Fruhstorfer,1909 Range (in code): **ID Sum**
- 5643. *Parantica agleoides odesia* (Corbet,1942)** (Danaiidae) **Synonym(s):** *odesia* Corbet,1942 Range (in code): **ID Sbt Sip Pgi**
- 5644. *Parantica agleoides terilus* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *terilus* Fruhstorfer,1910 Range (in code): **MY Bor**
- 5645. *Parantica albata* (Zincken,1856)** (Danaiidae) **Synonym(s):** *albata* Zincken,1856 Range (in code): **ID Ja Sum**
- 5646. *Parantica albata adustata* Fruhstorfer,1907** (Danaiidae) **Synonym(s):** *adustata* Fruhstorfer,1907 Range (in code): **ID Sum**
- 5647. *Parantica albata albata* (Zincken,1856)** (Danaiidae) **Synonym(s):** *albata* Zincken,1856 Range (in code): **ID Ja**
- 5648. *Parantica aspasia* (Fabricius,1787)** (Danaiidae) **Synonym(s):** *aspasia* Fabricius,1787; *crocea* Butler,1866 Original Reference: *Papilio aspasia* Fabricius,1787, Mant. Ins. 2: 15. Range (in code): **MM Tvy Kin VN Ann PH Bal Cal Pal Dum TH Cbi Nna Nst Sgk Hya Tnc MY Lkw Bor SG ID Sum Ja Bgk Btg Bli Egg Nia Baw Btu Sbt Sip Pad**
- 5649. *Parantica aspasia aspasia* (Fabricius,1787)** (Danaiidae) **Synonym(s):** *aspasia* Fabricius,1787; *crocea* Butler,1866 Original Reference: *Papilio aspasia* Fabricius,1787, Mant. Ins. 2: 15. Range (in code): **MM Tvy Kin VN Ann TH Cbi Nna Nst Sgk Hya Tnc MY Lkw Bor SG ID Sum Ja**
- 5650. *Parantica aspasia caulonia* Fruhstofer** (Danaiidae) **Synonym(s):** Range (in code): **ID Btu**

- 5651. *Parantica aspasia cerilla* Fruhstorfer,1911** (Danaiidae) **Synonym(s):** *cerilla* Fruhstorfer,1911; *annetta* Swinhoe **_ Range (in code): PH Bal Cal Pal**
- 5652. *Parantica aspasia chrysea* (Doherty,1891)** (Danaiidae) **Synonym(s):** *chrysea* Doherty,1891 **_ Range (in code): ID Egg**
- 5653. *Parantica aspasia flymbra* Fruhstorfer,1911** (Danaiidae) **Synonym(s):** *flymbra* Fruhstorfer,1911 **_ Range (in code): PH Dum**
- 5654. *Parantica aspasia kheili* Staudinger,1885** (Danaiidae) **Synonym(s):** *kheili* Staudinger,1885 **_ Range (in code): ID Nia**
- 5655. *Parantica aspasia philomela* Zincken** (Danaiidae) **Synonym(s):** **_ Range (in code): ID Bli**
- 5656. *Parantica aspasia rita* Fruhstorfer,1905** (Danaiidae) **Synonym(s):** *rita* Fruhstorfer,1905 **_ Range (in code): ID Baw**
- 5657. *Parantica aspasia shelfordi* Fruhstorfer,1905** (Danaiidae) **Synonym(s):** *shelfordi* Fruhstorfer,1905 **_ Range (in code): MY Bor**
- 5658. *Parantica aspasia thargalia* Fruhstorfer,1910** (Danaiidae) **Synonym(s):** *thargalia* Fruhstorfer,1910 **_ Range (in code): ID Bgk Btg Sum Pad**
- 5659. *Parantica aspasia viridana* (Corbet,1942)** (Danaiidae) **Synonym(s):** *viridana* Corbet,1942 **Original Reference:** *Danaus aspasia* ssp. *viridana* Corbet,1942, Ann. Mag. nat. Hist. (11) 9: 268. Holotype ♂: [Indonesia]: Sipora (BMNH). **_ Range (in code): ID Sbt Sip**
- 5660. *Parantica cleona* (Stoll,1782)** (Danaiidae) **Synonym(s):** *cleona* Stoll,1782 **_ Range (in code): ID Kai Clb Sly Bng But Sla Tal**
- 5661. *Parantica cleona cleona* (Stoll,1782)** (Danaiidae) **Synonym(s):** *cleona* Stoll,1782 **_ Range (in code): ID Kai**
- 5662. *Parantica cleona lucida* Fruhstorfer,1899** (Danaiidae) **Synonym(s):** *lucida* Fruhstorfer,1899 **_ Range (in code): ID Sla**
- 5663. *Parantica cleona luciplena* Fruhstorfer,1892** (Danaiidae) **Synonym(s):** *luciplena* Fruhstorfer,1892 **_ Range (in code): ID Clb Sly Bng But**
- 5664. *Parantica cleona talautica* Snellen,1896** (Danaiidae) **Synonym(s):** *talautica* Snellen,1896 **_ Range (in code): ID Tal**
- 5665. *Parantica crowleyi* Jenner-Weir,1894** (Danaiidae) **Synonym(s):** *crowleyi* Jenner-Weir,1894 **Bor MY**
- 5666. *Parantica dabrera* Miller & Miller,1978** (Danaiidae) **Synonym(s):** *dabrera* Miller & Miller,1978; *sohmae* Tsukada & Nishiyama,1979 **_ Range (in code): ID Clb**
- 5667. *Parantica dannatti* Talbot,1936** (Danaiidae) **Synonym(s):** *dannatti* Talbot,1936 **_ Range (in code): PH Mno Apo**
- 5668. *Parantica dannatti dannatti* Talbot,1936** (Danaiidae) **Synonym(s):** *dannatti* Talbot,1936 **_ Range (in code): PH Mno Apo**
- 5669. *Parantica dannatti diuataensis* Takei & Yamamoto,1979** (Danaiidae) **Synonym(s):** *diuataensis* Takei & Yamamoto,1979 **_ Range (in code): PH Mno**
- 5670. *Parantica dannatti malindangensis* Yamamoto & Takei,1980** (Danaiidae) **Synonym(s):** *malindangensis* Yamamoto & Takei,1980 **_ Range (in code): PH Mno**
- 5671. *Parantica dannatti reyesi* Schröder & Treadaway,1984** (Danaiidae) **Synonym(s):** *reyesi* Schröder & Treadaway,1984 **_ Range (in code): PH Mno**
- 5672. *Parantica davidi* (Schröder,1976)** (Danaiidae) **Synonym(s):** *davidi* Schröder,1976 **Original Reference:** *Danaus davidi* Schröder,1976, Ent. Z., Frankf. a. M. 86(11): 106-108, Abb.1. Holotype ♂: Philippinen: Negros: Mt. Canlaon 6900ft. **_ Range (in code): PH Neg**
- 5673. *Parantica hypowattan* Morishita,1981** (Danaiidae) **Synonym(s):** *hypowattan* Morishita,1981 **_ Range (in code): ID Clb**
- 5674. *Parantica kuekenthali* Pagenstecher,1896** (Danaiidae) **Synonym(s):** *kuekenthali* Pagenstecher,1896 **_ Range (in code): ID Clb**
- 5675. *Parantica luzonensis* (C.Felder & R.Felder,1863)** (Danaiidae) **Synonym(s):** *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacariustus* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929 **Original Reference:** *Danaus luzonensis* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 106. Type ♀: Luzon. **_ Range (in code): TW PH Bal Pal Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY P-T ID Lb Sba**

- 5676. *Parantica luzonensis aurensis* Eliot,1978** (Danaiidae) Synonym(s): *aurensis* Eliot,1978
Range (in code): MY P-T
- 5677. *Parantica luzonensis luzonensis* (C.Felder & R.Felder,1863)** (Danaiidae)
Synonym(s): *luzonensis* C.Felder & R.Felder,1863; *larissa* C.Felder & R.Felder,1865; *banksii* Moore,1883; *funeralis* Butler,1884; *erebus* Butler,1886; *orientis* Doherty,1891; *praemacaristus* Fruhstorfer,1899; *panaitius* Fruhstorfer,1910; *mnasippus* Fruhstorfer,1911; *formosanus* Matsumura,1929 Original Reference: *Danaüs luzonensis* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7(4): 106. Type ♀: Luzon. Range (in code): TW PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic ID Lb Sba
- 5678. *Parantica luzonensis simonides* Fruhstorfer,1911** (Danaiidae) Synonym(s): *simonides* Fruhstorfer,1911 Range (in code): PH Bal Pal
- 5679. *Parantica melaneus* (Cramer,[1775])** (Danaiidae) Synonym(s): *melaneus* Cramer,[1775]; *ephyre* Hübner,[1816]; *szechuana* Fruhstorfer,1899 Original Reference: *Papilio melaneus* Cramer,[1775], Uitl. Kapellen 1: pl.30 fig.D. Range (in code): CN Hn Yu Kwa Sz ID MM Hn Yu Tvy MY TH CMa Cbi Nna Rng Loe Yal Nst TW VN Ton Tda AF PK SI IN Ass Kma Mpr Msm Nag Up Slo BD
- 5680. *Parantica melaneus melaneus* (Cramer,[1775])** (Danaiidae) Synonym(s): *melaneus* Cramer,[1775]; *ephyre* Hübner,[1816]; *szechuana* Fruhstorfer,1899 Original Reference: *Papilio melaneus* Cramer,[1775], Uitl. Kapellen 1: pl.30 fig.D. Range (in code): CN Kwa Sz MM Msm Yu
- 5681. *Parantica melaneus plataniston* (Fruhstorfer,1910)** (Danaiidae) Synonym(s): *plataniston* Fruhstorfer,1910; *#neopatra* Fruhstorfer,1910. Original Reference: *Danaida melaneus plataniston* Fruhstorfer,1910, [in] Seitz, Die Gross-Schmett Erde 9: 210. Syntypes: Himalayas. Range (in code): AF Ass CN IN Kma MM Mpr Msm Nag Tvy Hn Yu PK SI TH CMa Cbi Nna Rng Loe Yal Nst Tns Up
- 5682. *Parantica melaneus sinopion* (Fruhstorfer,1910)** (Danaiidae) Synonym(s): *sinopion* Fruhstorfer,1910 Range (in code): MM TH VN MY
- 5683. *Parantica melaneus swinhoei* (Moore,1883)** (Danaiidae) Synonym(s): *swinhoei* Moore,1883; *paculus* Fruhstorfer,1908 Range (in code): TW
- 5684. *Parantica menadensis* Moore,1883** (Danaiidae) Synonym(s): *menadensis* Moore,1883
Range (in code): ID Clb Sla Bng
- 5685. *Parantica menadensis menadensis* Moore,1883** (Danaiidae) Synonym(s): *menadensis* Moore,1883 Range (in code): ID Clb Sla
- 5686. *Parantica menadensis niuwenhuisi* Detani,1983** (Danaiidae) Synonym(s): *niuwenhuisi* Detani,1983 Range (in code): ID Bng
- 5687. *Parantica milagros* Schröder & Treadaway,1980** (Danaiidae) Synonym(s): *milagros* Schröder & Treadaway,1980 Range (in code): PH Luz Mdo
- 5688. *Parantica milagros fideli* Treadaway & Nuyda,1993** (Danaiidae) Synonym(s): *fideli* Treadaway & Nuyda,1993 Range (in code): PH Mdo
- 5689. *Parantica milagros milagros* Schröder & Treadaway,1980** (Danaiidae) Synonym(s): *milagros* Schröder & Treadaway,1980 Range (in code): PH Luz
- 5690. *Parantica nilgiriensis* (Moore,1877)** (Danaiidae) Synonym(s): *nilgiriensis* Moore,1877 IN Original Reference: *Danaüs nilgiriensis* Moore,1877, Ann. Mag. nat. Hist. (4) 20: 44. Syntypes: [India]: Coonoor, Nilgiris (Dr. Day, coll. Moore). Range (in code): IN NI Pln
- 5691. *Parantica nilgiriensis nilgiriensis* (Moore,1877)** (Danaiidae) Synonym(s): *nilgiriensis* Moore,1877 Original Reference: *Danaüs nilgiriensis* Moore,1877, Ann. Mag. nat. Hist. (4) 20: 44. Syntypes: [India]: Coonoor, Nilgiris (Dr. Day, coll. Moore). Range (in code): IN NI Pln
- 5692. *Parantica noeli* Treadaway & Nuyda,1993** (Danaiidae) Synonym(s): *noeli* Treadaway & Nuyda,1993 Range (in code): PH Mdo Hlc
- 5693. *Parantica pedonga* Fujioka,1970** (Danaiidae) Synonym(s): *pedonga* Fujioka,1970
Range (in code): SI BT CN Ti TH Cbi
- 5694. *Parantica philo* Grose-Smith,1895** (Danaiidae) Synonym(s): *philo* Grose-Smith,1895
Range (in code): ID Sbw
- 5695. *Parantica phyle* C.Felder & R.Felder,1863** (Danaiidae) Synonym(s): *phyle* C.Felder & R.Felder,1863 Range (in code): PH Luz
- 5696. *Parantica pseudomelaneus* Moore,1883** (Danaiidae) Synonym(s): *pseudomelaneus* Moore,1883 Range (in code): ID Ja Sum
- 5697. *Parantica schoenigi* Jumalon,1971** (Danaiidae) Synonym(s): *schoenigi* Jumalon,1971
Range (in code): PH Mno

- 5698. *Parantica sita* (Kollar,[1844])** (Danaiidae) Synonym(s): *sita* Kollar,[1844]; #*tira* Fruhstorfer,1899; #*pedonga* Talbot,1943. Original Reference: Danaïs sita Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 424, pl.vi. Type(s): Kashmir. Range (in code): **AF Ass Slo BT Ch Chn CN Ddu Hn Ti IN Up Kgr Kma Nag MM Tns Msm Mus NP PK SI TH CMa CDo Loe Pbu Rng VN Ton Tda Yu RU Vv JP TW PH Pal Bab Luz**
- 5699. *Parantica sita ethologa* (Swinhoe,1899)** (Danaiidae) Synonym(s): *ethologa* Swinhoe,1899 Original Reference: Caduga ethologa Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 102. Syntypes: [Malaysia]: "Perak. Many examples" (BMNH). Range (in code): **MY Prk TH Rng**
- 5700. *Parantica sita niponica* (Moore,1883)** (Danaiidae) Synonym(s): *niponica* Moore,1883 Range (in code): **JP TW**
- 5701. *Parantica sita oblita* Tsukada & Nishiyama,1980** (Danaiidae) Synonym(s): *oblita* Tsukada & Nishiyama,1980 Range (in code): **PH Pal**
- 5702. *Parantica sita santomasi* Schröder & Treadaway,1982** (Danaiidae) Synonym(s): *santomasi* Schröder & Treadaway,1982 Range (in code): **PH Bab Luz**
- 5703. *Parantica sita sita* (Kollar,[1844])** (Danaiidae) Synonym(s): *sita* Kollar,[1844]; #*tira* Fruhstorfer,1899; #*pedonga* Talbot,1943. Original Reference: Danaïs sita Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 424, pl.vi. Type(s): Kashmir. Range (in code): **AF Ass Slo BT Ch Chn CN Ddu Hn IN Kgr Kma MM Msm Mus Nag NP PK SI TH CMa CDo Loe Pbu Ti Tns Up VN Ton Yu RU Vv**
- 5704. *Parantica sulewattan* Fruhstorfer,1896** (Danaiidae) Synonym(s): *sulewattan* Fruhstorfer,1896 Range (in code): **ID Clb**
- 5705. *Parantica taprobana* (C.Felder & R.Felder,1865)** (Danaiidae) Synonym(s): *taprobana* C.Felder & R.Felder,1865; *fumata* Butler,1866 Range (in code): **LK**
- 5706. *Parantica taprobana taprobana* (C.Felder & R.Felder,1865)** (Danaiidae) Synonym(s): *taprobana* C.Felder & R.Felder,1865; *fumata* Butler,1866 Range (in code): **LK**
- 5707. *Parantica tityodes* Hagen,1890** (Danaiidae) Synonym(s): *tityodes* Hagen,1890 Range (in code): **ID Sum**
- 5708. *Parantica toxopei* Nieuwenhuis,1969** (Danaiidae) Synonym(s): *toxopei* Nieuwenhuis,1969 Range (in code): **ID Clb**
- 5709. *Parantica vitrina* (C.Felder & R.Felder,1861)** (Danaiidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861 Range (in code): **PH Luz Mar Mdo Boh Ceb Ley Mno Neg Pan Sam**
- 5710. *Parantica vitrina oenone* Butler,1865** (Danaiidae) Synonym(s): *oenone* Butler,1865 Range (in code): **PH Boh Ceb Ley Mno Neg Pan Sam**
- 5711. *Parantica vitrina vitrina* (C.Felder & R.Felder,1861)** (Danaiidae) Synonym(s): *vitrina* C.Felder & R.Felder,1861 Range (in code): **PH Luz Mar Mdo**
- 5712. *Parantica wegneri* Nieuwenhuis,1960** (Danaiidae) Synonym(s): *wegneri* Nieuwenhuis,1960 Range (in code): **ID Flo**
- 5713. *Parantica weiskei* Rothschild,1901** (Danaiidae) Synonym(s): *weiskei* Rothschild,1901 Range (in code): **ID Clb**
- 5714. *Parantica weiskei barbarus* Tsukada & Nishiyama,1979** (Danaiidae) Synonym(s): *barbarus* Tsukada & Nishiyama,1979 Range (in code): **ID Clb**
- 5715. *Tellervo assarica* (Stoll,1781)** (Danaiidae) Synonym(s): *assarica* Stoll,1781 Range (in code): **ID Wg Bru Jp Ij Crm Slw Amb PG**
- 5716. *Tellervo assarica assarica* (Stoll,1781)** (Danaiidae) Synonym(s): *assarica* Stoll,1781 Range (in code): **ID Amb**
- 5717. *Tellervo assarica boeroeensis* Jurriaanse & Volbeda** (Danaiidae) Synonym(s): *boeroeensis* Jurriaanse & Volbeda Range (in code): **ID Bru**
- 5718. *Tellervo assarica gebiensis* Ackery,1987** (Danaiidae) Synonym(s): *gebiensis* Ackery,1987 Range (in code): **ID**
- 5719. *Tellervo assarica hiempsal* Fruhstorfer,1911** (Danaiidae) Synonym(s): *hiempsal* Fruhstorfer,1911 Range (in code): **PG**
- 5720. *Tellervo assarica jobinus* Fruhstorfer,1911** (Danaiidae) Synonym(s): *jobinus* Fruhstorfer,1911 Range (in code): **ID Jp**
- 5721. *Tellervo assarica limetanus* Fruhstorfer,1911** (Danaiidae) Synonym(s): *limetanus* Fruhstorfer,1911 Range (in code): **ID Ij**
- 5722. *Tellervo assarica macrofallax* Strand,1911** (Danaiidae) Synonym(s): *macrofallax* Strand,1911 Range (in code): **ID Wg**

- 5723. Tellervo assarica mioswara Ackery,1987** (Danaiidae) Synonym(s): *mioswara Ackery,1987* _ Range (in code): ID
- 5724. Tellervo assarica mysolensis Joicey & Talbot,1922** (Danaiidae) Synonym(s): *mysolensis Joicey & Talbot,1922* _ Range (in code): ID Mi
- 5725. Tellervo assarica salawatica Ackery,1987** (Danaiidae) Synonym(s): *salawatica Ackery,1987* _ Range (in code): ID Slw
- 5726. Tellervo assarica seramica Ackery,1987** (Danaiidae) Synonym(s): *seramica Ackery,1987* _ Range (in code): ID Crm
- 5727. Tellervo assarica strandi Ackery,1987** (Danaiidae) Synonym(s): *strand Ackery,1987* _ Range (in code): ID Ij
- 5728. Tellervo assarica talboti Ackery,1987** (Danaiidae) Synonym(s): *talboti Ackery,1987* _ Range (in code): ID Ij PG
- 5729. Tellervo hiero Godman & Salvin** (Danaiidae) Synonym(s): *hier Godman & Salvin* _ Range (in code): SB Hon Isa Hon4 PG Bgv
- 5730. Tellervo hiero evages Godman & Salvin** (Danaiidae) Synonym(s): *evages Godman & Salvin* _ Range (in code): SB Hon
- 5731. Tellervo hiero hiero Godman & Salvin** (Danaiidae) Synonym(s): *hier Godman & Salvin* _ Range (in code): SB Isa Hon4 PG Bgv
- 5732. Tellervo jurriaansei Joicey & Talbot,1922** (Danaiidae) Synonym(s): *jurriaansei Joicey & Talbot,1922* _ Range (in code): ID Ij Afl
- 5733. Tellervo jurriaansei jurriaansei Joicey & Talbot,1922** (Danaiidae) Synonym(s): *jurriaansei Joicey & Talbot,1922* _ Range (in code): ID Ij Afl
- 5734. Tellervo nedusia (Geyer,1832)** (Danaiidae) Synonym(s): *nedusia Geyer,1832* _ Range (in code): ID Aru Bia Num Jp Mi Slw Wg Ij Snw PG Fg Bsm
- 5735. Tellervo nedusia aruensis Joicey & Talbot,1922** (Danaiidae) Synonym(s): *aruensis Joicey & Talbot,1922* _ Range (in code): ID Aru
- 5736. Tellervo nedusia biakensis Joicey & Noakes,1916** (Danaiidae) Synonym(s): *biakensis Joicey & Noakes,1916* _ Range (in code): ID Bia
- 5737. Tellervo nedusia coalescens Rothschild,1915** (Danaiidae) Synonym(s): *exilis Strand,1911; coalescens Rothschild,1915* _ Range (in code): ID Mi Slw Ij
- 5738. Tellervo nedusia fallax (Staudinger,1885)** (Danaiidae) Synonym(s): *fallax Staudinger,1885* _ Range (in code): ID Wg
- 5739. Tellervo nedusia huona Ackery,1987** (Danaiidae) Synonym(s): *huona Ackery,1987* _ Range (in code): PG
- 5740. Tellervo nedusia jobia Ackery,1987** (Danaiidae) Synonym(s): *jobia Ackery,1987* _ Range (in code): ID Jp
- 5741. Tellervo nedusia meforicus Fruhstorfer,1910** (Danaiidae) Synonym(s): *meforicus Fruhstorfer,1910* _ Range (in code): ID Num
- 5742. Tellervo nedusia mysoriensis (Staudinger,1885)** (Danaiidae) Synonym(s): *mysoriensis Staudinger,1885* _ Range (in code): IN Mys
- 5743. Tellervo nedusia nedusia (Geyer,1832)** (Danaiidae) Synonym(s): *nedusia Geyer,1832* _ Range (in code): ID Ij PG
- 5744. Tellervo nedusia paupensis Ackery,1987** (Danaiidae) Synonym(s): *paupensis Ackery,1987* _ Range (in code): PG Fg
- 5745. Tellervo nedusia talasea Ackery,1987** (Danaiidae) Synonym(s): *talasea Ackery,1987* _ Range (in code): PG Bsm
- 5746. Tellervo nedusia wangaarica Ackery,1987** (Danaiidae) Synonym(s): *wangaarica Ackery,1987* _ Range (in code): ID Ij
- 5747. Tellervo nedusia wollastoni Rothschild,1915** (Danaiidae) Synonym(s): *wollastoni Rothschild,1915; adriaansei Hulstaert,1923* _ Range (in code): ID Ij Snw PG
- 5748. Tellervo parvipuncta Joicey & Talbot,1922** (Danaiidae) Synonym(s): *parvipuncta Joicey & Talbot,1922* _ Range (in code): ID Bia Ij
- 5749. Tellervo parvipuncta parvipuncta Joicey & Talbot,1922** (Danaiidae) Synonym(s): *parvipuncta Joicey & Talbot,1922* _ Range (in code): ID Ij
- 5750. Tellervo parvipuncta separata Ackery,1987** (Danaiidae) Synonym(s): *separata Ackery,1987* _ Range (in code): ID Bia

- 5751. Tellervo zoilus (Fabricius,1775)** (Danaiidae) Synonym(s): *zoilus Fabricius,1775* _ Range (in code): SB Rs NBr Nlr NHa PG AU QAU Ck KY ID Ij Snw Amb PG Ls Goo Fg Wd Kai Grm Wtu Tnm
- 5752. Tellervo zoilus aequicinctus Godman & Salvin,1877** (Danaiidae) Synonym(s): *aequicinctus Godman & Salvin,1877* _ Range (in code): PG NBr Nlr
- 5753. Tellervo zoilus antipatrus Fruhstorfer,1910** (Danaiidae) Synonym(s): *antipatrus Fruhstorfer,1910* _ Range (in code): PG
- 5754. Tellervo zoilus digulica Hulstaert,1924** (Danaiidae) Synonym(s): *digulica Hulstaert,1924* _ Range (in code): ID Ij
- 5755. Tellervo zoilus distincta Rothschild,1915** (Danaiidae) Synonym(s): *distincta Rothschild,1915* _ Range (in code): ID Ij Snw
- 5756. Tellervo zoilus duba Ackery,1987** (Danaiidae) Synonym(s): *duba Ackery,1987* _ Range (in code): SB Rs
- 5757. Tellervo zoilus gelo Waterhouse & Lyell,1914** (Danaiidae) Synonym(s): *gelo Waterhouse & Lyell,1914* _ Range (in code): AU KY QAU
- 5758. Tellervo zoilus lavonga Ackery,1987** (Danaiidae) Synonym(s): *lavonga Ackery,1987* _ Range (in code): PG NHa
- 5759. Tellervo zoilus misima Ackery,1987** (Danaiidae) Synonym(s): *misima Ackery,1987* _ Range (in code): PG
- 5760. Tellervo zoilus mujua Ackery,1987** (Danaiidae) Synonym(s): *mujua Ackery,1987* _ Range (in code): PG Wd
- 5761. Tellervo zoilus nais Guérin-Ménéville,1829** (Danaiidae) Synonym(s): *nais Guérin-Ménéville,1829* _ Range (in code): ID Aru
- 5762. Tellervo zoilus niveipicta Butler,1884** (Danaiidae) Synonym(s): *niveipicta Butler,1884*
- 5763. Tellervo zoilus sarcapus Fruhstorfer,1911** (Danaiidae) Synonym(s): *sarcapus Fruhstorfer,1911* _ Range (in code): ID Amb PG Ls Goo Fg Wd
- 5764. Tellervo zoilus tagula Ackery,1987** (Danaiidae) Synonym(s): *tagula Ackery,1987* _ Range (in code): PG Ls2
- 5765. Tellervo zoilus zephoris Fruhstorfer,1911** (Danaiidae) Synonym(s): *zephoris Fruhstorfer,1911* _ Range (in code): PG
- 5766. Tellervo zoilus zoilus (Fabricius,1775)** (Danaiidae) Synonym(s): *zoilus Fabricius,1775* _ Range (in code): AU QAU Ck
- 5767. Tirumala choaspes Butler,1886** (Danaiidae) Synonym(s): *choaspes Butler,1886* _ Range (in code): ID Clb Sla But PW
- 5768. Tirumala choaspes choaspes Butler,1886** (Danaiidae) Synonym(s): *choaspes Butler,1886* _ Range (in code): ID Clb
- 5769. Tirumala choaspes kalawara Martin,1913** (Danaiidae) Synonym(s): *kalawara Martin,1913* _ Range (in code): ID Clb PW
- 5770. Tirumala choaspes kroeseni Martin,1910** (Danaiidae) Synonym(s): *kroeseni Martin,1910* _ Range (in code): ID Btu
- 5771. Tirumala choaspes oxynthas Fruhstorfer,1911** (Danaiidae) Synonym(s): *oxynthas Fruhstorfer,1911* _ Range (in code): ID Sla
- 5772. Tirumala formosa (Godman,1880)** (Danaiidae) Synonym(s): *formosa Godman,1880* _ Range (in code): CM GO Bio GA NG UG KE Nai TZ SO SD ET
- 5773. Tirumala formosa formosa (Godman,1880)** (Danaiidae) Synonym(s): *formosa Godman,1880* _ Range (in code): TZ KE Nai
- 5774. Tirumala formosa mercedonia (Karsch,1894)** (Danaiidae) Synonym(s): *mercedonia Karsch,1894; #yala Stoneham,1958* _ Range (in code): KE UG TZ
- 5775. Tirumala formosa morgeni (Honrath,1892)** (Danaiidae) Synonym(s): *morgeni Honrath,1892* _ Range (in code): CM GO Bio GA NG
- 5776. Tirumala formosa neumanni (Rothschild,1902)** (Danaiidae) Synonym(s): *neumanni Rothschild,1902* _ Range (in code): ET SD
- 5777. Tirumala gautama (Moore,1877)** (Danaiidae) Synonym(s): *gautama Moore,1877* _ Original Reference: Danais gautama Moore,1877, Ann. Mag. nat. Hist. (4) 20: 43. Syntypes: [Myanmar]: Rangoon, Menzada (Watkins, coll. Moore). Range (in code): BD Cta Nk IN MM Tns Akn Rgo TH Phu VN Hn Ann CN MY Lkw
- 5778. Tirumala gautama gautama (Moore,1877)** (Danaiidae) Synonym(s): *gautama Moore,1877* _ Original Reference: Danais gautama Moore,1877, Ann. Mag. nat. Hist. (4) 20: 43.

- Syntypes: [Myanmar]: Rangoon, Menzada (Watkins, coll. Moore). Range (in code): **BD Cta MM Tns Akn Rgo TH Phu VN Hn Ann CN MY Lkw**
- 5779. Tirumala gautama gautamoides (Doherty,1886)** (Danaiidae) Synonym(s): *gautamoides Doherty,1886* Range (in code): **Nk IN**
- 5780. Tirumala hamata (Macleay,1827)** (Danaiidae) Synonym(s): *hamata Macleay,1827* Original Reference: *Euploea hamata Macleay,1827, Kings Austral. 2: 451.* Range (in code): **AF Ass BT Chn CN Hn Hp ID IN Kgr Kma Kul MM Msm Mus MY Nag NP Oi PK TH Cma TW Up VN Yu PH Jol Sga Stu Taw Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao PG AU SB NH NC FJ Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Cuy Cts Sbt Nia TO WS Sgk Hya Tnc**
- 5781. Tirumala hamata hamata (Macleay,1827)** (Danaiidae) Synonym(s): *hamata Macleay,1827* Original Reference: *Euploea hamata Macleay,1827, Kings Austral. 2: 451.* Range (in code): **AU**
- 5782. Tirumala hamata nephthys Fruhstorfer,1911** (Danaiidae) Synonym(s): *nephthys Fruhstorfer,1911* Range (in code): **PH Jol Sga Stu Taw**
- 5783. Tirumala hamata neptunica C.Felder** (Danaiidae) Synonym(s): Range (in code): **PG AU SB NH NC FJ TO WS**
- 5784. Tirumala hamata orientalis Semper,1879** (Danaiidae) Synonym(s): *orientalis Semper,1879* Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Din Dum Gui Hom Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic**
- 5785. Tirumala hamata pandora Corbet,1942** (Danaiidae) Synonym(s): *pandora Corbet,1942* Range (in code): **ID Sbt**
- 5786. Tirumala hamata pelagia Fruhstorfer,1911** (Danaiidae) Synonym(s): *pelagia Fruhstorfer,1911* Range (in code): **PH Cuy**
- 5787. Tirumala hamata rufiventris Fruhstorfer,1899** (Danaiidae) Synonym(s): *rufiventris Fruhstorfer,1899* Range (in code): **ID Nia**
- 5788. Tirumala hamata tibula Fruhstorfer,1911** (Danaiidae) Synonym(s): *tibula Fruhstorfer,1911* Range (in code): **PH Cts**
- 5789. Tirumala ishmoides Moore,1883** (Danaiidae) Synonym(s): *ishmoides Moore,1883* Range (in code): **ID Clb Ja Sba PH Jol Sis Boh Ceb Mno Luz Mar Mas Mdo Neg Rom Mun**
- 5790. Tirumala ishmoides ishmoides Moore,1883** (Danaiidae) Synonym(s): *ishmoides Moore,1883* Range (in code): **ID Clb Bgk Bng Mun**
- 5791. Tirumala ishmoides sontinus Fruhstorfer,1911** (Danaiidae) Synonym(s): *sontinus Fruhstorfer,1911* Range (in code): **PH Luz Mar Mas Mdo Neg Rom**
- 5792. Tirumala ishmoides strymon Fruhstorfer,1911** (Danaiidae) Synonym(s): *strymon Fruhstorfer,1911; trasinanus Fruhstorfer,1911* Range (in code): **PH Boh Ceb Mno**
- 5793. Tirumala ishmoides vetus Talbot,1943** (Danaiidae) Synonym(s): *vetus Talbot,1943* Range (in code): **PH Jol Sis**
- 5794. Tirumala limniace (Cramer,[1775])** (Danaiidae) Synonym(s): *limniace Cramer,[1775]* Original Reference: *Papilio limniace Cramer,[1775], Utitl. Kapellen 1: pl.59 figs. D,E.* Range (in code): **AF CN TW Hn LK MM PK Bl Haz ID VN Nk Adm Ass Chn Ci Clc Cp Kgr Kma Lh Mpr Mus Nag Nk Oi Pj Pln SI Tn Up PH Luz Mar Mas Mdo Neg Pan Mno Sar MY TH Bnk Cma Cuo Cuo1 Cuo3 Cuo5 Cuo9 Cuo12 Dst Qs Cbu Nkh LK IN Clb Sly Tan Kla Sla Ja Bli Kgn Baw Snd Mhw Knr NI T Tda**
- 5795. Tirumala limniace bentenga Martin,1910** (Danaiidae) Synonym(s): *bentenga Martin,1910* Range (in code): **ID Sly**
- 5796. Tirumala limniace conjuncta Moore,1883** (Danaiidae) Synonym(s): *conjuncta Moore,1883; donia Fruhstorfer,1897* Range (in code): **ID Kla Ja Bli Kgn Baw Snd**
- 5797. Tirumala limniace exotica (Gmelin,1790)** (Danaiidae) Synonym(s): *exotica Gmelin,1790* Range (in code): **MY TH Bnk Cma Cuo Cuo1 Cuo3 Cuo5 Cuo9 Cuo12 Cbu LK IN**
- 5798. Tirumala limniace ino Butler,1871** (Danaiidae) Synonym(s): *ino Butler,1871* Range (in code): **ID Sla**
- 5799. Tirumala limniace leopardus (Butler,1866)** (Danaiidae) Synonym(s): *leopardus Butler,1866; mutina Ormiston,1924.* Original Reference: *Danais limniace var. leopardus Butler,1866, Proc. zool. Soc. Lond. 1866: 52.* Syntypes: North India. Range (in code): **Adm AF Ass Chn Ci Clc CN Cp Hn IN Kgr Kma Lh LK MM Mpr Mus MY Nag Nk Oi Pj PK Bl Pln SI TH Tn TW Up Mhw Knr NI Ton**

- 5800. Tirumala limniace limniace (Cramer,[1775])** (Danaiidae) Synonym(s): *limniace* Cramer,[1775] Original Reference: Papilio limniace Cramer,[1775], Uitl. Kapellen 1: pl.59 figs. D,E. Range (in code): **CN Hn TW VN TH Nkh Bnk**
- 5801. Tirumala limniace makassara Martin,1910** (Danaiidae) Synonym(s): *makassara* Martin,1910 Range (in code): **ID Clb**
- 5802. Tirumala limniace orestilla Fruhstorfer,1910** (Danaiidae) Synonym(s): *orestilla* Fruhstorfer,1910 Range (in code): **PH Luz Mar Mas Mdo Neg Pan**
- 5803. Tirumala limniace tumanana Semper,1886** (Danaiidae) Synonym(s): *tumanana* Semper,1886 Range (in code): **PH Mno Sar**
- 5804. Tirumala petiverana (Doubleday,[1847])** (Danaiidae) Synonym(s): *petiverana* Doubleday,[1847]; *leonora* Butler,1866; *phrynichus* Fruhstorfer,1910; *#septentrionides* Stoneham,1958. Original Reference: Danais limniace var. petiverana Doubleday,[1847], Gen. diurn. Lepid. 1: 93. pl. 12 fig.1. Type: Africa. Range (in code): **UG Etb KE Mb MZ ET SD AO TG GH ZA Tva Lpo Chp Pie ZW NA TZ Tnga Usa Ani** Bionomy: Larva on Pergularia daemia, Hoya (Asclepiadaceae) (Pringle & Henning,1994).
- 5805. Tirumala petiverana petiverana (Doubleday,[1847])** (Danaiidae) Synonym(s): *petiverana* Doubleday,[1847]; *leonora* Butler,1866; *phrynichus* Fruhstorfer,1910; *#septentrionides* Stoneham,1958. Original Reference: Danais limniace var. petiverana Doubleday,[1847], Gen. diurn. Lepid. 1: 93. pl. 12 fig.1. Type: Africa. Range (in code): **UG Etb KE Mb MZ ET SD AO TG GH ZA Tva Lpo Chp Pie ZW NA TZ Tnga Usa Ani** Bionomy: Larva on Pergularia daemia, Hoya (Asclepiadaceae) (Pringle & Henning,1994).
- 5806. Tirumala septentrionis (Butler,1874)** (Danaiidae) Synonym(s): *septentrionis* Butler,1874 Original Reference: Danais septentrionis Butler,1874, Entomologist's mon. Mag. 11: 163. Syntypes: Nepal. Range (in code): **PH Luz Bal Pal Pan Mno Lkw MY SG TH Chy Nna Chp Pht CMa Cu0 Cu05 Cu12 Nst Chw LK ID Clb Bor Sla Tal Ja Bli Baw Snd AF Ass BT Chn CN Hn Hp ID IN Kgr Kma Kul MM Msm Mus MY Nag NP Oi PK TW Up VN Ton Tda Yu NI Mlb Pln**
- 5807. Tirumala septentrionis arikata Fruhstorfer,1910** (Danaiidae) Synonym(s): *arikata* Fruhstorfer,1910 Range (in code): **ID Sla**
- 5808. Tirumala septentrionis dravidarum (Fruhstorfer,1899)** (Danaiidae) Synonym(s): *dravidarum* Fruhstorfer,1899 Range (in code): **IN NI Mlb Pln**
- 5809. Tirumala septentrionis goana Martin** (Danaiidae) Synonym(s): Range (in code): **ID Clb**
- 5810. Tirumala septentrionis microsticta (Butler,1874)** (Danaiidae) Synonym(s): *microsticta* Butler,1874 Range (in code): **MY Bor**
- 5811. Tirumala septentrionis musikanos (Fruhstorfer,1910)** (Danaiidae) Synonym(s): *musikanos* Fruhstorfer,1910 Range (in code): **LK**
- 5812. Tirumala septentrionis myrsilos Fruhstorfer,1910** (Danaiidae) Synonym(s): *myrsilos* Fruhstorfer,1910 Range (in code): **ID Ja Bli Baw Snd**
- 5813. Tirumala septentrionis orientalis (Semper,1879)** (Danaiidae) Synonym(s): *orientalis* Semper,1879 Range (in code): **PH Luz HK CN**
- 5814. Tirumala septentrionis palawana Fruhstorfer,1899** (Danaiidae) Synonym(s): *palawana* Fruhstorfer,1899 Original Reference: Tirumala septentrionis palawana Fruhstorfer,1899, Berl. ent. Z. 44: 144, 120. Type: Philippines: Palawan. Range (in code): **PH Pal Pan**
- 5815. Tirumala septentrionis septentrionis (Butler,1874)** (Danaiidae) Synonym(s): *septentrionis* Butler,1874 Original Reference: Danais septentrionis Butler,1874, Entomologist's mon. Mag. 11: 163. Syntypes: Nepal. Range (in code): **MY Lkw SG TH Chy Nna Chp Pht CMa Cu0 Cu05 Cu12 Nst Chw IN Ass Oi Kgr Kma Kul MM Msm Mus MY Nag CN Yu AF PK TW ID Sum**
- 5816. Tirumala septentrionis suanetes Fruhstorfer,1911** (Danaiidae) Synonym(s): *suanetes* Fruhstorfer,1911 Range (in code): **PH Bal**
- 5817. Tirumala septentrionis talautensis Talbot** (Danaiidae) Synonym(s): Range (in code): **ID Tal**
- 5818. Tirumala septentrionis valentia Fruhstorfer,1911** (Danaiidae) Synonym(s): *valentia* Fruhstorfer,1911 Range (in code): **PH Mno**
- 5819. "Amblyscirtes" simius Edwards,1881** (Hesperiidae) Synonym(s): *simius* Edwards,1881 Range (in code): **US MX Arz Col Mon NMx Neb SDk Tx Wy**
- 5820. "Codatractus" hyster (Dyar,1916)** (Hesperiidae) Synonym(s): *hyster* Dyar,1916 Range (in code): **MX**

- 5821. "Jemadia" patrolcus (Plötz,1879)** (Hesperiidae) Synonym(s): *patrolcus* Plötz,1879
Range (in code): **PE**
- 5822. "Jemadia" vulcanus (Cramer,[1782])** (Hesperiidae) Synonym(s): *vulcanus* Cramer,[1782]
- 5823. "Mellana" gala (Godman,1900)** (Hesperiidae) Synonym(s): *gala* Godman,1900 _ Range (in code): **MX**
- 5824. "Mysecelus" epigona Herrich-Schäffer,1869** (Hesperiidae) Synonym(s): *epigona* Herrich-Schäffer,1869 _ Range (in code): **BR**
- 5825. "Poanes" benito Freeman,1979** (Hesperiidae) Synonym(s): *benito* Freeman,1979
Range (in code): **MX**
- 5826. "Pyrrhopyge" aethiops (Gmelin,1791)** (Hesperiidae) Synonym(s): *aethiops* Gmelin,1791 (praeocc.)
- 5827. "Pyrrhopyge" lycagus (Cramer,[1779])** (Hesperiidae) Synonym(s): *lycagus* Cramer,[1779]
- 5828. Abantis arctomarginata Lathy,1901** (Hesperiidae) Synonym(s): *arctomarginata* Lathy,1901; *#neavei* Aurivillius,1925. Original Reference: *Abantis arctomarginata* Lathy,1901, Trans. ent. Soc. London 1901 (1): 34. Type ♂: [Malawi]: Zomba. Range (in code): **ZW MW Mje Zom MZ ZR Shb TZ ZM**
- 5829. Abantis bamptoni Collins & T.Larsen,1994** (Hesperiidae) Synonym(s): *bamptoni* Collins & T.Larsen,1994 Original Reference: *Abantis bamptoni* Collins & T.Larsen,1994, Entomologist's Rec. J. Var. 106: 2-3, figs. Holotype ♂: N.Zambia, Solwezi (BMNH). Range (in code): **TZ ZR Shb ZM Swz ZW Har Vum MZ**
- 5830. Abantis bamptoni bamptoni Collins & T.Larsen,1994** (Hesperiidae) Synonym(s): *bamptoni* Collins & T.Larsen,1994 Original Reference: *Abantis bamptoni* Collins & T.Larsen,1994, Entomologist's Rec. J. Var. 106: 2-3, figs. Holotype ♂: N.Zambia, Solwezi (BMNH). Range (in code): **TZ ZR Shb ZM Swz ZW Har Vum MZ**
- 5831. Abantis bicolor (Trimen,1864)** (Hesperiidae) Synonym(s): *bicolor* Trimen,1864
Range (in code): **ZA Ec Nta Kzu**
- 5832. Abantis bicolor bicolor (Trimen,1864)** (Hesperiidae) Synonym(s): *bicolor* Trimen,1864
Range (in code): **ZA Ec Nta Kzu**
- 5833. Abantis bismarcki Karsch,1892** (Hesperiidae) Synonym(s): *bismarcki* Karsch,1892
Range (in code): **TG KE UG SD NG ZW MW Zom MZ ZR ZM**
- 5834. Abantis bismarcki bismarcki Karsch,1892** (Hesperiidae) Synonym(s): *bismarcki* Karsch,1892 _ Range (in code): **TG KE UG SD NG**
- 5835. Abantis contigua Evans,1937** (Hesperiidae) Synonym(s): *contigua* Evans,1937 Original Reference: *Abantis venosa* ssp. *contigua* Evans,1937, Catalogue African Hesperiidae in the British Museum: 55. Holotype ♂: Uganda: Mabira Forest, Chagwe, 3600ft (BMNH). Range (in code): **UG CM AO ZR KE**
- 5836. Abantis contigua contigua Evans,1937** (Hesperiidae) Synonym(s): *contigua* Evans,1937 Original Reference: *Abantis venosa* ssp. *contigua* Evans,1937, Catalogue African Hesperiidae in the British Museum: 55. Holotype ♂: Uganda: Mabira Forest, Chagwe, 3600ft (BMNH). Range (in code): **UG CM AO ZR KE**
- 5837. Abantis efulensis Holland,1896** (Hesperiidae) Synonym(s): *efulensis* Holland,1896
Range (in code): **CM ZR CG UG**
- 5838. Abantis efulensis efulensis Holland,1896** (Hesperiidae) Synonym(s): *efulensis* Holland,1896 _ Range (in code): **CM ZR CG UG**
- 5839. Abantis elegantula (Mabille,1890)** (Hesperiidae) Synonym(s): *elegantula* Mabille,1890
Range (in code): **SL GN GH NG**
- 5840. Abantis elegantula elegantula (Mabille,1890)** (Hesperiidae) Synonym(s): *elegantula* Mabille,1890 _ Range (in code): **SL GN GH NG**
- 5841. Abantis eltringhami Jordan,1932** (Hesperiidae) Synonym(s): *eltringhami* Jordan,1932
Range (in code): **CM**
- 5842. Abantis eltringhami eltringhami Jordan,1932** (Hesperiidae) Synonym(s): *eltringhami* Jordan,1932 _ Range (in code): **CM**
- 5843. Abantis ja Druce,1909** (Hesperiidae) Synonym(s): *ja* Druce,1909 _ Range (in code): **CI CM CG**
- 5844. Abantis ja ja Druce,1909** (Hesperiidae) Synonym(s): *ja* Druce,1909 _ Range (in code): **CI CM CG**

- 5845. *Abantis leucogaster* (Mabille,1890)** (Hesperiidae) **Synonym(s):** *leucogaster* Mabille,1890
Range (in code): GN UG ZR CI SL CI NG CM CG
- 5846. *Abantis leucogaster iruma* Evans,1951** (Hesperiidae) **Synonym(s):** *iruma* Evans,1951
Range (in code): ZR UG
- 5847. *Abantis leucogaster leucogaster* (Mabille,1890)** (Hesperiidae) **Synonym(s):** *leucogaster* Mabille,1890
Range (in code): GN UG CI SL CI NG CM CG
- 5848. *Abantis lucretia* Druce,1909** (Hesperiidae) **Synonym(s):** *lucretia* Druce,1909
Range (in code): SL GH CM NG ZM ZR CG UG
- 5849. *Abantis lucretia etoumbiensis* Miller,1971** (Hesperiidae) **Synonym(s):** *etoumbiensis* Miller,1971
Range (in code): CG UG
- 5850. *Abantis lucretia lofu* Neave,1910** (Hesperiidae) **Synonym(s):** *lofu* Neave,1910
Range (in code): ZM ZR
- 5851. *Abantis lucretia lucretia* Druce,1909** (Hesperiidae) **Synonym(s):** *lucretia* Druce,1909
Range (in code): SL GH CM NG
- 5852. *Abantis maesseni* Miller,1971** (Hesperiidae) **Synonym(s):** *maesseni* Miller,1971
Range (in code): GH CM
- 5853. *Abantis maesseni maesseni* Miller,1971** (Hesperiidae) **Synonym(s):** *maesseni* Miller,1971
Range (in code): GH CM
- 5854. *Abantis meneliki* Berger,1979** (Hesperiidae) **Synonym(s):** *meneliki* Berger,1979
Range (in code): ET DJ
- 5855. *Abantis meneliki meneliki* Berger,1979** (Hesperiidae) **Synonym(s):** *meneliki* Berger,1979
Range (in code): ET DJ
- 5856. *Abantis meru* Evans,1947** (Hesperiidae) **Synonym(s):** *meru* Evans,1947
Range (in code): KE
- 5857. *Abantis meru meru* Evans,1947** (Hesperiidae) **Synonym(s):** *meru* Evans,1947
Range (in code): KE
- 5858. *Abantis nigeriana* Butler,1901** (Hesperiidae) **Synonym(s):** *nigeriana* Butler,1901
Range (in code): SN NG GA
- 5859. *Abantis nigeriana nigeriana* Butler,1901** (Hesperiidae) **Synonym(s):** *nigeriana* Butler,1901
Range (in code): SN NG
- 5860. *Abantis nigeriana rougeoti* Berger,1959** (Hesperiidae) **Synonym(s):** *rougeoti* Berger,1959
Range (in code): GA
- 5861. *Abantis paradisea* (Butler,1870)** (Hesperiidae) **Synonym(s):** *paradisea* Butler,1870; *namaquana* Westwood,1874
Range (in code): ZA Tva Lpo Spb Kru Pma Nta Kzu Suw Wm Buf BW ZW MZ MW Zom ZM ZR TZ KE
- 5862. *Abantis paradisea paradisea* (Butler,1870)** (Hesperiidae) **Synonym(s):** *paradisea* Butler,1870; *namaquana* Westwood,1874
Range (in code): ZA Tva Lpo Spb Kru Pma Nta Kzu Suw Wm Buf BW ZW MZ MW Zom ZM ZR TZ KE
- 5863. *Abantis pseudonigeriana* Usher,1984** (Hesperiidae) **Synonym(s):** *pseudonigeriana* Usher,1984
Range (in code): SL NG GH
- 5864. *Abantis pseudonigeriana pseudonigeriana* Usher,1984** (Hesperiidae) **Synonym(s):** *pseudonigeriana* Usher,1984
Range (in code): SL NG GH
- 5865. *Abantis rubra* Holland,1920** (Hesperiidae) **Synonym(s):** *rubra* Holland,1920
Range (in code): ZR CG CM NG
- 5866. *Abantis rubra rubra* Holland,1920** (Hesperiidae) **Synonym(s):** *rubra* Holland,1920
Range (in code): ZR CG CM NG
- 5867. *Abantis tettensis* Hopffer,1855** (Hesperiidae) **Synonym(s):** *tettensis* Hopffer,1855
Range (in code): KE TZ MW ZM AO NA MZ ZR ZW ZA Tva Lpo Nta Kzu Nca Pin Wm
- 5868. *Abantis tettensis tettensis* Hopffer,1855** (Hesperiidae) **Synonym(s):** *tettensis* Hopffer,1855
Range (in code): KE TZ MW ZM AO NA MZ ZR ZW ZA Tva Lpo Nta Kzu Nca Pin Wm
- 5869. *Abantis venosa* Trimen,1889** (Hesperiidae) **Synonym(s):** *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
Range (in code): ZA Tva Lpo Spb Kru Pma Mpu Brb Suw Wri TZ Dss ZW MW ZM KE ZR
- 5870. *Abantis venosa venosa* Trimen,1889** (Hesperiidae) **Synonym(s):** *venosa* Trimen,1889; *umvulensis* Sharpe; *#flava* Evans,1937; *#fulva* Evans,1937.
Range (in code): ZA Tva Lpo Spb Kru Pma Mpu Brb Suw Wri TZ Dss ZW MW ZM KE ZR
- 5871. *Abantis vidua* Weymer,1901** (Hesperiidae) **Synonym(s):** *vidua* Weymer,1901
Range (in code): AO ZR ZM

- 5872. *Abantis vidua vidua* Weymer,1901** (Hesperiidae) **Synonym(s):** *vidua* Weymer,1901
Range (in code): **AO ZM ZR**
- 5873. *Abantis zambesiaca* (Westwood,1874)** (Hesperiidae) **Synonym(s):** *zambesiaca* Westwood,1874; *trimeni* Butler,1895
Range (in code): **TZ ZR ZM MW Zom MZ ZW**
- 5874. *Abantis zambesiaca zambesiaca* (Westwood,1874)** (Hesperiidae) **Synonym(s):** *zambesiaca* Westwood,1874; *trimeni* Butler,1895
Range (in code): **TZ ZR ZM MW Zom MZ ZW**
- 5875. *Abraximorpha davidii* Mabille,1876** (Hesperiidae) **Synonym(s):** *davidii* Mabille,1876
Range (in code): **VN CN Tkg She Hpe Sz T-T Mou Kig TW ID Ja**
- 5876. *Abraximorpha davidii davidii* Mabille,1876** (Hesperiidae) **Synonym(s):** *davidii* Mabille,1876
Range (in code): **CN Tkg She Hpe Sz T-T Mou Kig**
- 5877. *Abraximorpha davidii elfina* Evans,1949** (Hesperiidae) **Synonym(s):** *elfina* Evans,1949
Range (in code): **VN ID Ja**
- 5878. *Abraximorpha davidii ermasis* Fruhstorfer,1914** (Hesperiidae) **Synonym(s):** *ermasis* Fruhstorfer,1914
Range (in code): **TW**
- 5879. *Abraximorpha esta* Evans,1949** (Hesperiidae) **Synonym(s):** *esta* Evans,1949
Range (in code): **CN Yu Gon Ton VN MM Shn**
- 5880. *Abraximorpha heringi* Mell,1922** (Hesperiidae) **Synonym(s):** *heringi* Mell,1922.
Range (in code): **CN Fkn Kwa**
- 5881. *Abraximorpha heringi heringi* Mell,1922** (Hesperiidae) **Synonym(s):** *heringi* Mell,1922
Range (in code): **CN Fkn Kwa**
- 5882. *Acada annulifer* (Holland,1892)** (Hesperiidae) **Synonym(s):** *annulifer* Holland,1892
Range (in code): **ZR GA CM NG CI**
- 5883. *Acada biseriata* (Mabille,1893)** (Hesperiidae) **Synonym(s):** *biseriata* Mabille,1893; *zimbazo* Trimen,1894; *#icteriana* Strand,1921
Range (in code): **MW ZW TZ MZ ZM ZR AO KE** **Bionomy:** Larva on *Brachystegia* (Fabaceae) (Ackery et al.,1995).
- 5884. *Acerbas anthea* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *anthea* Hewitson,1868; *ciliatus* Butler,1877; *tagiadoides* Elwes & Edwards,1897
Range (in code): **PH Luz Ley Mno Pao TH Srt Rng Nst Ths Sya MY MM Krh Mrg ID Sum Bor Ja VN**
- 5885. *Acerbas anthea anthea* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *anthea* Hewitson,1868; *ciliatus* Butler,1877; *tagiadoides* Elwes & Edwards,1897
Range (in code): **PH Ley Mno Pao TH Srt Nst Ths Sya MY MM Krh Mrg ID Sum Bor**
- 5886. *Acerbas anthea javanica* Snellen,1910** (Hesperiidae) **Synonym(s):** *javanica* Snellen,1910
Range (in code): **ID Ja**
- 5887. *Acerbas anthea luzona* De Jong,1982** (Hesperiidae) **Synonym(s):** *luzona* De Jong,1982
Range (in code): **PH Luz**
- 5888. *Acerbas anthea pista* Evans,1949** (Hesperiidae) **Synonym(s):** *pista* Evans,1949
Range (in code): **VN TH Rng**
- 5889. *Acerbas azona* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *azona* Hewitson,1866; *cretura* Plötz,1886
Range (in code): **ID Clb**
- 5890. *Acerbas azona azona* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *azona* Hewitson,1866; *cretura* Plötz,1886
Range (in code): **ID Clb**
- 5891. *Acerbas duris* (Mabille,1883)** (Hesperiidae) **Synonym(s):** *duris* Mabille,1883; *mabillei* Semper,1892
Range (in code): **PH CmL CmM Ley Luz Mas Mdo Mno Neg MY Bor**
- 5892. *Acerbas duris dorka* Evans,1949** (Hesperiidae) **Synonym(s):** *dorka* Evans,1949
Range (in code): **MY Bor**
- 5893. *Acerbas duris duris* (Mabille,1883)** (Hesperiidae) **Synonym(s):** *duris* Mabille,1883; *mabillei* Semper,1892
Range (in code): **PH CmL CmM Ley Luz Mas Mdo Mno Neg**
- 5894. *Acerbas martini* (Distant & Pryer,1887)** (Hesperiidae) **Synonym(s):** *martini* Distant & Pryer,1887; *nitidifasciata* Elwes & Edwards,1897
Range (in code): **TH Rng MM Krh Tvy MY ID Sum Bor**
- 5895. *Acerbas martini martini* (Distant & Pryer,1887)** (Hesperiidae) **Synonym(s):** *martini* Distant & Pryer,1887; *nitidifasciata* Elwes & Edwards,1897
Range (in code): **TH Rng MM Krh Tvy MY ID Sum Bor**
- 5896. *Acerbas selta* Evans,1949** (Hesperiidae) **Synonym(s):** *selta* Evans,1949
Range (in code): **MY Bor**
- 5897. *Acerbas selta selta* Evans,1949** (Hesperiidae) **Synonym(s):** *selta* Evans,1949
Range (in code): **MY Bor**

- 5898. *Achalarus albociliatus* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *albociliatus* Mabille,1877 **Range (in code):** **US MX Arz Tx**
- 5899. *Achalarus albociliatus albociliatus* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *albociliatus* Mabille,1877 **Range (in code):** **US MX Arz Tx**
- 5900. *Achalarus casica* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *casica* Herrich-Schäffer,1869; *epigena* Butler,1870 **Range (in code):** **US MX Arz NMx Tx**
- 5901. *Achalarus casica casica* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *casica* Herrich-Schäffer,1869; *epigena* Butler,1870 **Range (in code):** **US MX Arz NMx Tx**
- 5902. *Achalarus jalapus* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *jalapus* Plötz,1882 **Range (in code):** **US MX Arz Tx**
- 5903. *Achalarus jalapus jalapus* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *jalapus* Plötz,1882 **Range (in code):** **US MX Arz Tx**
- 5904. *Achalarus lyciades* (Geyer,[1832])** (Hesperiidae) **Synonym(s):** *lyciades* Geyer,[1832]; *hedysarum* Scudder,1889 **Range (in code):** **MX US Aks Alb Cnt Dw Fl Ge Idp Ilm Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tx Vi Vr WVi Wc**
- 5905. *Achalarus lyciades lyciades* (Geyer,[1832])** (Hesperiidae) **Synonym(s):** *lyciades* Geyer,[1832]; *hedysarum* Scudder,1889 **Range (in code):** **MX US Aks Alb Cnt Dw Fl Ge Idp Ilm Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tx Vi Vr WVi Wc**
- 5906. *Achalarus tehuacana* (Draudt,1922)** (Hesperiidae) **Synonym(s):** *tehuacana* Draudt,1922 **Range (in code):** **MX**
- 5907. *Achalarus toxeus* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *toxeus* Plötz,1882; *coyote* Skinner,1892; *nigrociliata* Mabille & Boulet,1912 **Range (in code):** **US MX Arz Tx**
- 5908. *Achalarus toxeus toxeus* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *toxeus* Plötz,1882; *coyote* Skinner,1892; *nigrociliata* Mabille & Boulet,1912 **Range (in code):** **US MX Arz Tx**
- 5909. *Achlyodes busiris* (Cramer,[1780])** (Hesperiidae) **Synonym(s):** *busiris* Cramer,[1780] **Range (in code):** **MX**
- 5910. *Achlyodes busiris busiris* (Cramer,[1780])** (Hesperiidae) **Synonym(s):** *busiris* Cramer,[1780]
- 5911. *Achlyodes busiris heros* Ehrmann,1909** (Hesperiidae) **Synonym(s):** *heros* Ehrmann,1909 **Range (in code):** **MX**
- 5912. *Achlyodes pallida* (R.Felder,1869)** (Hesperiidae) **Synonym(s):** *pallida* R.Felder,1869; *ozotes* Butler,1870; *selva* Evans,1953 **Range (in code):** **MX**
- 5913. *Achlyodes thraso* (Hübner,[1807])** (Hesperiidae) **Synonym(s):** *thraso* Hübner,[1807]; *peruvianus* Mabille & Boulet,1917 **Range (in code):** **US Aks Tx PE**
- 5914. *Achlyodes thraso tamenund* (Edwards,1871)** (Hesperiidae) **Synonym(s):** *tamenund* Edwards,1871 **Range (in code):** **US Tx**
- 5915. *Acleros bibundica* Strand,1913** (Hesperiidae) **Synonym(s):** *bibundica* Strand,1913; *displacidus* Rebel,1914 **Range (in code):** **CM ZR**
- 5916. *Acleros leucopyga* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *leucopyga* Mabille,1877 **Range (in code):** **MG**
- 5917. *Acleros mackenii* (Trimen,1868)** (Hesperiidae) **Synonym(s):** *mackenii* Trimen,1868; *olaus* Plötz,1884; *nyassicola* Strand,1921; *aurifrons* Strand,1921; *#denia* Evans,1937 **Range (in code):** **ZA Ec Nta Kzu Ptb Tva Lpo Spb Kru K12 Dbn Suw ZR TZ MW SN ET** **Bionomy:** Larva on *Rhus* (Anacardiaceae), *Acridocarpus* (Malpighiaceae) (Ackery et al.,1995).
- 5918. *Acleros neavei* Evans,1937** (Hesperiidae) **Synonym(s):** *neavei* Evans,1937 **Range (in code):** **UG ZR KE**
- 5919. *Acleros nigrapex* Strand,1913** (Hesperiidae) **Synonym(s):** *nigrapex* Strand,1913; *pulverana* Strand,1913; *minusculus* Rebel,1914 **Range (in code):** **ZR CM LR UG**
- 5920. *Acleros ploetzi* Mabille,1890** (Hesperiidae) **Synonym(s):** *leucopygus* Plötz,1879 *nec* Mab.,1877; *ploetzi* Mabille,1890 **Range (in code):** **SN KE MW ZW MZ**
- 5921. *Acleros sparsum* Druce,1909** (Hesperiidae) **Synonym(s):** *sparsum* Druce,1909 **Range (in code):** **CM ZR**
- 5922. *Actinor radians* (Moore,1878)** (Hesperiidae) **Synonym(s):** *radians* Moore,1878 **Original Reference:** Halpe *radians* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 690, pl. 45 fig.1. Type ♂: India: Dharmasala (BMNH). **Range (in code):** **Ci Ddu Drm IN Kgr Kma Kul Nwf PK Sml Up**
- 5923. *Actinor radians radians* (Moore,1878)** (Hesperiidae) **Synonym(s):** *radians* Moore,1878 **Original Reference:** Halpe *radians* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 690, pl. 45 fig.1. Type ♂: India: Dharmasala (BMNH). **Range (in code):** **Ci Ddu Drm IN Kgr Kma Kul Nwf PK Sml Up**

- 5924. *Adopaeoides bistriata* Godman,1900** (Hesperiidae) **Synonym(s):** *bistriata* Godman,1900; *curiosa* Evans,1955 _ Range (in code): **MX**
- 5925. *Adopaeoides prittwitzii* (Plötz,1884)** (Hesperiidae) **Synonym(s):** *prittwitzii* Plötz,1884 Range (in code): **US MX Arz NMx Tx**
- 5926. *Aegiale hesperiaris* (Walker,1856)** (Hesperiidae) **Synonym(s):** *hesperiaris* Walker,1856; *kollari* C.Felder & R.Felder,1860; *agavis* Blasquez,1870 _ Range (in code): **MX**
- 5927. *Aeromachus catocyanea* (Mabille,1876)** (Hesperiidae) **Synonym(s):** *catocyanea* Mabille,1876 _ Range (in code): **CN Sz T-T Yu Qq Gaz Sij Lon Xi**
- 5928. *Aeromachus catocyanea amplifascia* Huang,2003** (Hesperiidae) **Synonym(s):** *amplifascia* Huang,2003 _ Range (in code): **CN Yu Qq Gaz Sij**
- 5929. *Aeromachus catocyanea catocyanea* (Mabille,1876)** (Hesperiidae) **Synonym(s):** *catocyanea* Mabille,1876 _ Range (in code): **CN Sz T-T**
- 5930. *Aeromachus catocyanea curvifascia* Huang,2003** (Hesperiidae) **Synonym(s):** *curvifascia* Huang,2003 _ Range (in code): **CN Yu Lon Xi**
- 5931. *Aeromachus dubius* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *dubius* Elwes & Edwards,1897 _ Range (in code): **ID Ja Ass Mpr MM CN Yu Ton VN Hn IN Pln Tn**
- 5932. *Aeromachus dubius dubius* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *dubius* Elwes & Edwards,1897 _ Range (in code): **IN Pln Tn**
- 5933. *Aeromachus dubius impha* Evans,1949** (Hesperiidae) **Synonym(s):** *impha* Evans,1949 Range (in code): **IN Ass Mpr MM CN Yu Ton VN Hn**
- 5934. *Aeromachus dubius javanicus* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *javanicus* Elwes & Edwards,1897 _ Range (in code): **ID Ja**
- 5935. *Aeromachus inachus* (Ménétriés,1858)** (Hesperiidae) **Synonym(s):** *inachus* Ménétriés,1858 Original Reference: *Pyrgus inachus* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 217, nr. 19. Syntypes: Russia: Amur. Range (in code): **RU Vv Am JP Hdo Tsu TW CN Stg**
- 5936. *Aeromachus inachus formosanus* Matsumura,1931** (Hesperiidae) **Synonym(s):** *formosanus* Matsumura,1931 _ Range (in code): **TW CN Stg**
- 5937. *Aeromachus inachus inachus* (Ménétriés,1858)** (Hesperiidae) **Synonym(s):** *inachus* Ménétriés,1858 Original Reference: *Pyrgus inachus* Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 217, nr. 19. Syntypes: Russia: Amur. Range (in code): **RU Vv Am JP Hdo Tsu**
- 5938. *Aeromachus jhorus* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *jhora* De Nicéville,1885 Range (in code): **VN ID Sum SI IN Meg Ass Khs Krh CN Fkn MY**
- 5939. *Aeromachus jhorus cretus* Evans,1949** (Hesperiidae) **Synonym(s):** *creta* Evans,1949 Range (in code): **IN Meg Ass Khs Krh CN Fkn MY**
- 5940. *Aeromachus jhorus jhorus* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *jhora* De Nicéville,1885 _ Range (in code): **SI**
- 5941. *Aeromachus jhorus skolus* Evans,1949** (Hesperiidae) **Synonym(s):** *skola* Evans,1949 Range (in code): **ID Sum**
- 5942. *Aeromachus kali* De Nicéville,1895** (Hesperiidae) **Synonym(s):** *kali* De Nicéville,1895 Range (in code): **CN Yu Lsd Gon Mku SI IN Ass MM Shn TH CMa CDo**
- 5943. *Aeromachus kali kali* De Nicéville,1895** (Hesperiidae) **Synonym(s):** *kali* De Nicéville,1895 Range (in code): **CN Yu Lsd Gon Mku SI IN Ass MM Shn TH CMa CDo**
- 5944. *Aeromachus muscus* Mabille,1876** (Hesperiidae) **Synonym(s):** *muscus* Mabille,1876 Range (in code): **PH Bil Ley Luz Mas Mdo Mno Neg Pan Sam**
- 5945. *Aeromachus muscus muscus* Mabille,1876** (Hesperiidae) **Synonym(s):** *muscus* Mabille,1876 _ Range (in code): **PH Bil Ley Luz Mas Mdo Mno Neg Pan Sam**
- 5946. *Aeromachus piceus* Leech,1894** (Hesperiidae) **Synonym(s):** *piceus* Leech,1894 _ Range (in code): **CN Sz Yu Ndd Gaz Qq Mku**
- 5947. *Aeromachus piceus piceus* Leech,1894** (Hesperiidae) **Synonym(s):** *piceus* Leech,1894 Range (in code): **CN Sz Yu Ndd Gaz Qq Mku**
- 5948. *Aeromachus plumbeolus* (C.Felder & R.Felder,1867)** (Hesperiidae) **Synonym(s):** *plumbeolus* C.Felder & R.Felder,1867 _ Range (in code): **PH Ceb Luz Mdo Mno Neg Sia**
- 5949. *Aeromachus plumbeolus plumbeolus* (C.Felder & R.Felder,1867)** (Hesperiidae) **Synonym(s):** *plumbeolus* C.Felder & R.Felder,1867 _ Range (in code): **PH Ceb Luz Mdo Mno Neg Sia**
- 5950. *Aeromachus propinquus* Alpheraky,1897** (Hesperiidae) **Synonym(s):** *propinquus* Alpheraky,1897; *chinensis* Elwes & Edwards,1897; *thibetanus* Austaut,1900. _ Range (in code): **CN T-T Yu Dal Naq Ndd Sij Gaz**

- 5951. *Aeromachus propinquus propinquus* Alpheraky, 1897** (Hesperiidae) **Synonym(s):** *propinquus* Alpheraky, 1897; *chinensis* Elwes & Edwards, 1897; *thibetanus* Austaut, 1900. **Range (in code):** **CN T-T**
- 5952. *Aeromachus propinquus tali* Evans, 1932** (Hesperiidae) **Synonym(s):** *tali* Evans, 1932 **Range (in code):** **CN Yu Dal Naq Ndd Sij Gaz**
- 5953. *Aeromachus pygmaeus* (Fabricius, 1775)** (Hesperiidae) **Synonym(s):** *pygmaeus* Fabricius, 1775; *indistincta* Moore, 1878 **Range (in code):** **IN NI LK BD Cta Knr MM Mrg Ass Mys Bel BD Cta TH Rng Nst Ths Sya Chw MY Lkw**
- 5954. *Aeromachus pygmaeus pygmaeus* (Fabricius, 1775)** (Hesperiidae) **Synonym(s):** *pygmaeus* Fabricius, 1775; *indistincta* Moore, 1878 **Range (in code):** **IN NI LK BD Cta Knr MM Mrg Ass Mys Bel BD Cta TH Rng Nst Ths Sya Chw MY Lkw**
- 5955. *Aeromachus stigmatus* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *stigmatus* Moore, 1878; *monilis* Mabille, 1883 **Original Reference:** Thanaos stigmata Moore, 1878, Proc. zool. Soc. Lond. 48 (3): 694. Type ♂: India: Mussoorie (BMNH). **Range (in code):** **BT IN Ass Cpj Nag Bha Mpr Kma Mre Haz Mus Hp PK MM CN Yu Gon Shn Krh TH CMA**
- 5956. *Aeromachus stigmatus obsoletus* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *obsoletus* Moore, 1878; *discreta* Plötz, 1885 **Range (in code):** **MM CN Yu Gon IN Ass Cpj Nag Bha Mpr**
- 5957. *Aeromachus stigmatus shanda* Evans, 1949** (Hesperiidae) **Synonym(s):** *shanda* Evans, 1949 **Range (in code):** **MM Shn Krh CN Yu TH CMA**
- 5958. *Aeromachus stigmatus stigmatus* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *stigmatus* Moore, 1878; *monilis* Mabille, 1883 **Original Reference:** Thanaos stigmata Moore, 1878, Proc. zool. Soc. Lond. 48 (3): 694. Type ♂: India: Mussoorie (BMNH). **Range (in code):** **BT IN Kma Haz Mre Mus Hp PK**
- 5959. *Aethilla chiapa* Freeman, 1969** (Hesperiidae) **Synonym(s):** *chiapa* Freeman, 1969 **Range (in code):** **MX**
- 5960. *Aethilla echina* Hewitson, 1870** (Hesperiidae) **Synonym(s):** *echina* Hewitson, 1870; *haber* Mabille, 1891; *subviolacea* Mabille, 1903 **Range (in code):** **MX**
- 5961. *Aethilla lavochrea* Butler, 1872** (Hesperiidae) **Synonym(s):** *lavochrea* Butler, 1872; *athymnios* Möschler, 1879 **Range (in code):** **MX**
- 5962. *Agathymus alliae* (D.Stallings & Turner, 1957)** (Hesperiidae) **Synonym(s):** *alliae* D.Stallings & Turner, 1957 **Range (in code):** **US Arz Cf Ne Ut**
- 5963. *Agathymus aryxna* (Dyar, 1905)** (Hesperiidae) **Synonym(s):** *aryxna* Dyar, 1905; *drucei* Skinner, 1911 **Range (in code):** **US MX Arz Cf NMx**
- 5964. *Agathymus aryxna gentryi*** (Hesperiidae) **Synonym(s):** **Range (in code):** **US Cf**
- 5965. *Agathymus baueri* (D.Stallings & Turner, 1957)** (Hesperiidae) **Synonym(s):** *baueri* D.Stallings & Turner, 1957 **Range (in code):** **US Arz**
- 5966. *Agathymus belli* (Freeman, 1955)** (Hesperiidae) **Synonym(s):** *belli* Freeman, 1955 **Range (in code):** **MX**
- 5967. *Agathymus carlsbadensis* (D.Stallings & Turner, 1957)** (Hesperiidae) **Synonym(s):** *carlsbadensis* D.Stallings & Turner, 1957 **Range (in code):** **US NMx**
- 5968. *Agathymus chinatiensis* Freeman, 1964** (Hesperiidae) **Synonym(s):** *chinatiensis* Freeman, 1964 **Range (in code):** **US Tx**
- 5969. *Agathymus chisosensis* (Freeman, 1952)** (Hesperiidae) **Synonym(s):** *chisosensis* Freeman, 1952 **Range (in code):** **US Tx**
- 5970. *Agathymus comstocki* (Harbison, 1963)** (Hesperiidae) **Synonym(s):** *comstocki* Harbison, 1963 **Range (in code):** **MX**
- 5971. *Agathymus dawsoni* Harbison, 1963** (Hesperiidae) **Synonym(s):** *dawsoni* Harbison, 1963 **Range (in code):** **MX**
- 5972. *Agathymus diabloensis* Freeman, 1962** (Hesperiidae) **Synonym(s):** *diabloensis* Freeman, 1962 **Range (in code):** **US Tx**
- 5973. *Agathymus escalantei* (D.Stallings, Turner & V.Stallings, 1966)** (Hesperiidae) **Synonym(s):** *escalantei* D.Stallings, Turner & V.Stallings, 1966 **Range (in code):** **MX**
- 5974. *Agathymus estelleae* (D.Stallings & Turner, 1958)** (Hesperiidae) **Synonym(s):** *estelleae* D.Stallings & Turner, 1958 **Range (in code):** **MX**
- 5975. *Agathymus evansi* (Freeman, 1950)** (Hesperiidae) **Synonym(s):** *evansi* Freeman, 1950 **Range (in code):** **US MX Arz**
- 5976. *Agathymus fieldi* (Freeman, 1960)** (Hesperiidae) **Synonym(s):** *fieldi* Freeman, 1960

- 5977. *Agathymus florenae* (D.Stallings & Turner,1957)** (Hesperiidae) **Synonym(s):** *florenae* D.Stallings & Turner,1957 _ Range (in code): US Tx
- 5978. *Agathymus freemani* D.Stallings, Turner & V.Stallings,1960** (Hesperiidae) **Synonym(s):** *freemani* D.Stallings, Turner & V.Stallings,1960 _ Range (in code): US Arz
- 5979. *Agathymus gilberti* Freeman,1964** (Hesperiidae) **Synonym(s):** *gilberti* Freeman,1964 Range (in code): US Tx
- 5980. *Agathymus hoffmanni* (Freeman,1952)** (Hesperiidae) **Synonym(s):** *hoffmanni* Freeman,1952 _ Range (in code): MX
- 5981. *Agathymus indecisa* (Butler & Druce,1872)** (Hesperiidae) **Synonym(s):** *indecisa* Butler & Druce,1872 _ Range (in code): MX
- 5982. *Agathymus judithae* (D.Stallings & Turner,1957)** (Hesperiidae) **Synonym(s):** *judithae* D.Stallings & Turner,1957 _ Range (in code): US Tx
- 5983. *Agathymus juliae* (D.Stallings & Turner,1958)** (Hesperiidae) **Synonym(s):** *juliae* D.Stallings & Turner,1958 _ Range (in code): MX
- 5984. *Agathymus lajitaensis* Freeman,1964** (Hesperiidae) **Synonym(s):** *lajitaensis* Freeman,1964 _ Range (in code): US Tx
- 5985. *Agathymus mariae* (Barnes & Benjamin,1924)** (Hesperiidae) **Synonym(s):** *mariae* Barnes & Benjamin,1924 _ Range (in code): US MX NMx Tx
- 5986. *Agathymus mcalpinei* (Freeman,1955)** (Hesperiidae) **Synonym(s):** *mcalpinei* Freeman,1955 _ Range (in code): US Tx
- 5987. *Agathymus micheneri* (D.Stallings, Turner & V.Stallings,1961)** (Hesperiidae) **Synonym(s):** *micheneri* D.Stallings, Turner & V.Stallings,1961 _ Range (in code): MX
- 5988. *Agathymus neumoegei* (Edwards,1882)** (Hesperiidae) **Synonym(s):** *neumoegei* Edwards,1882 _ Range (in code): US Arz NMx Tx
- 5989. *Agathymus polingi* (Skinner,1905)** (Hesperiidae) **Synonym(s):** *polingi* Skinner,1905 Range (in code): US MX Arz NMx
- 5990. *Agathymus remingtoni* (D.Stallings & Turner,1958)** (Hesperiidae) **Synonym(s):** *remingtoni* D.Stallings & Turner,1958 _ Range (in code): US MX Tx
- 5991. *Agathymus rethon* (Dyar,1913)** (Hesperiidae) **Synonym(s):** *rethon* Dyar,1913 _ Range (in code): MX
- 5992. *Agathymus ricei* (D.Stallings, Turner & V.Stallings,1966)** (Hesperiidae) **Synonym(s):** *ricei* D.Stallings, Turner & V.Stallings,1966 _ Range (in code): MX
- 5993. *Agathymus rindgei* Freeman,1964** (Hesperiidae) **Synonym(s):** *rindgei* Freeman,1964 Range (in code): US Tx
- 5994. *Agathymus stephensi* (Skinner,1912)** (Hesperiidae) **Synonym(s):** *stephensi* Skinner,1912 Range (in code): US MX Cf
- 5995. *Agathymus valverdiensis* Freeman,1966** (Hesperiidae) **Synonym(s):** *valverdiensis* Freeman,1966 _ Range (in code): US Tx
- 5996. *Aguna albistria* (Mabille,1888)** (Hesperiidae) **Synonym(s):** *albistria* Mabille,1888 Range (in code): MX GT
- 5997. *Aguna albistria leucogramma* (Mabille,1888)** (Hesperiidae) **Synonym(s):** *leucogramma* Mabille,1888; *guatamelaina* Ehrmann,1907 _ Range (in code): GT MX
- 5998. *Aguna asander* (Hewitson,[1867])** (Hesperiidae) **Synonym(s):** *asander* Hewitson,[1867]; *panthius* Herrich-Schäffer,1869; *scheba* Plötz,1882; *euthemides* Mabille & Boulet,1917. _ Range (in code): US MX Arz Tx BR
- 5999. *Aguna asander asander* (Hewitson,[1867])** (Hesperiidae) **Synonym(s):** *asander* Hewitson,[1867]; *panthius* Herrich-Schäffer,1869; *scheba* Plötz,1882; *euthemides* Mabille & Boulet,1917. Range (in code): US MX Arz Tx BR
- 6000. *Aguna aurunce* (Hewitson,1867)** (Hesperiidae) **Synonym(s):** *aurunce* Hewitson,1867 Range (in code): MX
- 6001. *Aguna aurunce hypozonius* (Plötz,1880)** (Hesperiidae) **Synonym(s):** *hypozonius* Plötz,1880 _ Range (in code): MX
- 6002. *Aguna claxon* Evans,1952** (Hesperiidae) **Synonym(s):** *claxon* Evans,1952 _ Range (in code): US MX Tx
- 6003. *Aguna claxon claxon* Evans,1952** (Hesperiidae) **Synonym(s):** *claxon* Evans,1952 Range (in code): US MX Tx
- 6004. *Aguna coeloides* Austin & Mielke,1997** (Hesperiidae) **Synonym(s):** *coeloides* Austin & Mielke,1997 _ Range (in code): MX

- 6005. *Aguna metophis* (Latreille,[1824])** (Hesperiidae) **Synonym(s):** *metophis* Latreille,[1824]
Original Reference: *Hesperia metophis* Latreille,[1824], Ency. Meth. 9: 729. Type: "Brasil".
Range (in code): [US MX Tx BR](#)
- 6006. *Aguna metophis metophis* (Latreille,[1824])** (Hesperiidae) **Synonym(s):** *metophis* Latreille,[1824]
Original Reference: *Hesperia metophis* Latreille,[1824], Ency. Meth. 9: 729.
Type: "Brasil". **Range (in code):** [US MX Tx BR](#)
- 6007. *Aides brilla* (H.A.Freeman,1970)** (Hesperiidae) **Synonym(s):** *brilla* H.A.Freeman,1970
Range (in code): [MX](#)
- 6008. *Aides dysoni* Godman,1900** (Hesperiidae) **Synonym(s):** *dysoni* Godman,1900; *elara* Godman,1900; *incantator* Druce,1908 **Range (in code):** [MX](#)
- 6009. *Alenia namaqua* Vari,1974** (Hesperiidae) **Synonym(s):** *namaqua* Vari,1974 **Range (in code):** [ZA Wca NA](#)
- 6010. *Alenia namaqua namaqua* Vari,1974** (Hesperiidae) **Synonym(s):** *namaqua* Vari,1974
Range (in code): [ZA Wca NA](#)
- 6011. *Alenia sandaster* (Trimen,1868)** (Hesperiidae) **Synonym(s):** *sandaster* Trimen,1868
Range (in code): [ZA Wca](#)
- 6012. *Alenia sandaster sandaster* (Trimen,1868)** (Hesperiidae) **Synonym(s):** *sandaster* Trimen,1868 **Range (in code):** [ZA Wca](#)
- 6013. *Allora doleschallii* (Felder,1860)** (Hesperiidae) **Synonym(s):** *doleschallii* Felder,1860; *simassa* Fruhstorfer,1911 **Range (in code):** [SB Chs Hon4 Hon NGe6 AU QAU ID Bch Amb Kai Bru Crm Wg PG Bgv Nlr Wd NBr Tro](#)
- 6014. *Allora doleschallii albertisi* (Oberthür,1880)** (Hesperiidae) **Synonym(s):** *albertisi* Oberthür,1880; *strophius* Miskin,1889; *raluana* Ribbe,1899; *sitiva* Fruhstorfer,1911; *infernalis* Rothschild,1916.
Range (in code): [ID Wg PG Nlr Wd NBr Tro](#)
- 6015. *Allora doleschallii doleschallii* (Felder,1860)** (Hesperiidae) **Synonym(s):** *doleschallii* Felder,1860 **Range (in code):** [AU QAU ID Amb Kai](#)
- 6016. *Allora doleschallii gazaka* (Fruhstorfer,1911)** (Hesperiidae) **Synonym(s):** *gazaka* Fruhstorfer,1911 **Range (in code):** [ID Bch](#)
- 6017. *Allora doleschallii luna* Evans,1934** (Hesperiidae) **Synonym(s):** *luna* Evans,1934
Range (in code): [SB NGe6](#)
- 6018. *Allora doleschallii solon* Evans,1949** (Hesperiidae) **Synonym(s):** *solon* Evans,1949
Range (in code): [PG Bgv SB Chs Hon4 Hon](#)
- 6019. *Allora doleschallii viridicans* (Fruhstorfer,1911)** (Hesperiidae) **Synonym(s):** *viridicans* Fruhstorfer,1911 **Range (in code):** [ID Bru Crm](#)
- 6020. *Allora major* Rothschild,1916** (Hesperiidae) **Synonym(s):** *major* Rothschild,1916
Range (in code): [NBr PG ID Amb Bru Crm Bia Aru Kai](#)
- 6021. *Allora major lectra* Evans,1949** (Hesperiidae) **Synonym(s):** *lectra* Evans,1949 **Range (in code):** [ID Bia](#)
- 6022. *Allora major major* Rothschild,1916** (Hesperiidae) **Synonym(s):** *major* Rothschild,1916
Range (in code): [ID Aru Kai PG](#)
- 6023. *Allora major talesia* Evans,1949** (Hesperiidae) **Synonym(s):** *talesia* Evans,1949
Range (in code): [NBr PG](#)
- 6024. *Allora major zita* Evans,1934** (Hesperiidae) **Synonym(s):** *zita* Evans,1934 **Range (in code):** [ID Amb Bru Crm](#)
- 6025. *Amblyscirtes aenus* Edwards,1878** (Hesperiidae) **Synonym(s):** *aenus* Edwards,1878
Range (in code): [US MX Arz Col Kan NMx Ok Tx Ut](#)
- 6026. *Amblyscirtes aenus erna* H.A.Freeman,1943** (Hesperiidae) **Synonym(s):** *erna* H.A.Freeman,1943 **Range (in code):** [MX](#)
- 6027. *Amblyscirtes aenus megamacula* Scott,1998** (Hesperiidae) **Synonym(s):** *megamacula* Scott,1998 **Range (in code):** [MX](#)
- 6028. *Amblyscirtes aesculapius* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *aesculapius* Fabricius,1793; *textor* Hübner,1831; *oneko* Scudder,1864; *wakulla* Edwards,1869 **Range (in code):** [US Aks Alb Fl Ge IlN Knt Lou Mis Mss NCa Ok SCa Tnn Tx Vi](#)
- 6029. *Amblyscirtes alternata* (Grote & Robinson,1867)** (Hesperiidae) **Synonym(s):** *alternata* Grote & Robinson,1867; *meridionalis* Dyar,1905 **Range (in code):** [US Aks Alb Fl Ge Lou Mss NCa Ok SCa Tx Vi](#)
- 6030. *Amblyscirtes anubis* (Godman,1900)** (Hesperiidae) **Synonym(s):** *anubis* Godman,1900
Range (in code): [MX](#)

- 6031. Amblyscirtes belli Freeman,1941** (Hesperiidae) Synonym(s): *belli* Freeman,1941
Range (in code): **US Aks Alb Fl Ge Idp Iln Kan Knt Mis Mss Oh Ok SCa Tnn Tx**
- 6032. Amblyscirtes brocki Freeman,1992** (Hesperiidae) Synonym(s): *brocki* Freeman,1992
Range (in code): **MX**
- 6033. Amblyscirtes carolina (Skinner,1892)** (Hesperiidae) Synonym(s): *carolina* Skinner,1892
Range (in code): **US Aks Ge Iln Mis Mss NCa SCa Vi**
- 6034. Amblyscirtes cassus Edwards,1883** (Hesperiidae) Synonym(s): *cassus* Edwards,1883
Range (in code): **US MX Arz NMx Tx**
- 6035. Amblyscirtes celia Skinner,1895** (Hesperiidae) Synonym(s): *celia* Skinner,1895
Range (in code): **US MX Lou Tx**
- 6036. Amblyscirtes elissa Godman,1900** (Hesperiidae) Synonym(s): *elissa* Godman,1900
Range (in code): **US MX Arz NMx**
- 6037. Amblyscirtes elissa arizoneae Freeman,1993** (Hesperiidae) Synonym(s): *arizoneae* Freeman,1993
Range (in code): **US Arz MX**
- 6038. Amblyscirtes elissa elissa Godman,1900** (Hesperiidae) Synonym(s): *elissa* Godman,1900
Range (in code): **MX**
- 6039. Amblyscirtes eos (Edwards,1871)** (Hesperiidae) Synonym(s): *eos* Edwards,1871; *comus* Edwards,1877; *nilus* Edwards,1878; *quinquemacula* Skinner,1911
Range (in code): **US MX Arz Col Kan NMx Ok Tx**
- 6040. Amblyscirtes exoteria (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *exoteria* Herrich-Schäffer,1869; *nanno* Edwards,1882; *marcus* Strand,1909
Range (in code): **US MX Arz NMx**
- 6041. Amblyscirtes fimbriata (Plötz,1882)** (Hesperiidae) Synonym(s): *fimbriata* Plötz,1882; *bellus* Edwards,1884
Range (in code): **US MX Arz NMx**
- 6042. Amblyscirtes fimbriata fimbriata (Plötz,1882)** (Hesperiidae) Synonym(s): *fimbriata* Plötz,1882; *bellus* Edwards,1884
Range (in code): **MX**
- 6043. Amblyscirtes fimbriata pallida Freeman,1993** (Hesperiidae) Synonym(s): *pallida* Freeman,1993
Range (in code): **MX**
- 6044. Amblyscirtes fluonia Godman,1900** (Hesperiidae) Synonym(s): *fluonia* Godman,1900
Range (in code): **MX**
- 6045. Amblyscirtes folia Godman,1900** (Hesperiidae) Synonym(s): *folia* Godman,1900
Range (in code): **MX**
- 6046. Amblyscirtes hegon (Scudder,1864)** (Hesperiidae) Synonym(s): *hegon* Scudder,1864; *samoset* Scudder,1864; *nemoris* Edwards,1864; *argina* Plötz,1884
Range (in code): **US Aks Alb Fl Ge Idp Iln Io Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa Nh Nje Ny Oh Pns RDl SCa Tnn Tx Vi Vr WVi Wc**
- 6047. Amblyscirtes linda Freeman,1943** (Hesperiidae) Synonym(s): *linda* Freeman,1943
Range (in code): **US Aks Iln Kan Mis Ok Tnn**
- 6048. Amblyscirtes nereus (Edwards,1876)** (Hesperiidae) Synonym(s): *nereus* Edwards,1876
Range (in code): **US MX Arz NMx Tx**
- 6049. Amblyscirtes novimaculatus A.Warren,1998** (Hesperiidae) Synonym(s): *novimaculatus* A.Warren,1998
Range (in code): **MX**
- 6050. Amblyscirtes nysa Edwards,1877** (Hesperiidae) Synonym(s): *nysa* Edwards,1877; *similis* Strecker,1878
Range (in code): **US MX Aks Arz Col Kan Mis NMx Neb Ok Tx**
- 6051. Amblyscirtes osleri (Skinner,1899)** (Hesperiidae) Synonym(s): *oslari* Skinner,1899
Range (in code): **US Arz Col Kan Mon NDk NMx Neb Ok SDK Tx Wy MX**
- 6052. Amblyscirtes patriciae (Bell,1959)** (Hesperiidae) Synonym(s): *patriciae* Bell,1959; *immaculatus* Freeman,1970
Range (in code): **MX**
- 6053. Amblyscirtes phylace (Edwards,1878)** (Hesperiidae) Synonym(s): *phylace* Edwards,1878
Range (in code): **US MX Arz Col NMx Tx Ut**
- 6054. Amblyscirtes raphaeli Freeman,1973** (Hesperiidae) Synonym(s): *raphaeli* Freeman,1973
Range (in code): **MX**
- 6055. Amblyscirtes reversa Jones,1926** (Hesperiidae) Synonym(s): *reversa* Jones,1926
Range (in code): **US Ge Iln Mss NCa SCa Vi**
- 6056. Amblyscirtes texanae Bell,1927** (Hesperiidae) Synonym(s): *texanae* Bell,1927
Range (in code): **US Arz NMx Tx MX**
- 6057. Amblyscirtes tolteca Scudder,1871** (Hesperiidae) Synonym(s): *tolteca* Scudder,1871
Range (in code): **US MX Arz**
- 6058. Amblyscirtes tolteca prenda Evans,1955** (Hesperiidae) Synonym(s): *prenda* Evans,1955
Range (in code): **US Arz**

- 6059. *Amblyscirtes tolteca tolteca* Scudder,1871** (Hesperiidae) Synonym(s): *tolteca* Scudder,1871 _ Range (in code): **MX**
- 6060. *Amblyscirtes vialis* (Edwards,1862)** (Hesperiidae) Synonym(s): *vialis* Edwards,1862; *asella* Herrich-Schäffer,1869 _ Range (in code): **US Aks Alb Arz Cf Cnt Col Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Org Pns RDi Sca Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 6061. *Amenis amra* (Hewitson,1871)** (Hesperiidae) Synonym(s): *amra* Hewitson,1871; *brasiliensis* Mabil,1904 _ Range (in code): **MX BR**
- 6062. *Amenis pionia* (Hewitson,1857)** (Hesperiidae) Synonym(s): *pionia* Hewitson,1857 _ Range (in code): **CO**
- 6063. *Amenis ponina* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *ponina* Herrich-Schäffer,1869 _ Range (in code): **PA**
- 6064. *Ampittia capenas* (Hewitson,1868)** (Hesperiidae) Synonym(s): *capenas* Hewitson,1868 _ Range (in code): **ZR ZW MZ MW TZ KE**
- 6065. *Ampittia capenas blanda* Evans,1947** (Hesperiidae) Synonym(s): *blanda* Evans,1947 _ Range (in code): **ZW ZR**
- 6066. *Ampittia capenas capenas* (Hewitson,1868)** (Hesperiidae) Synonym(s): *capenas* Hewitson,1868 _ Range (in code): **ZW MZ MW TZ KE**
- 6067. *Ampittia dalailama* (Mabil,1876)** (Hesperiidae) Synonym(s): *dalailama* Mabil,1876; *lyde* Leech,1891 _ Range (in code): **CN Ti Sz T-T**
- 6068. *Ampittia dalailama dalailama* (Mabil,1876)** (Hesperiidae) Synonym(s): *dalailama* Mabil,1876; *lyde* Leech,1891 _ Range (in code): **CN Ti Sz T-T**
- 6069. *Ampittia dalailama jesta* Evans,1939** (Hesperiidae) Synonym(s): *jesta* Evans,1939 _ Range (in code): **CN Sz**
- 6070. *Ampittia dioscorides* (Fabricius,1793)** (Hesperiidae) Synonym(s): *dioscorides* Fabricius,1793; *maro* Fabricius,1798; *ephesus* Hübner,1823 _ Original Reference: *Hesperia dioscorides* Fabricius,1793, Ent. Syst. 3(1): 329. Type(s): *Tranquebariae*. Range (in code): **LK IN Hp Kgr Ben Ass MM Shn SG TH Chy Knc Mae CMA Cu0 Cu07 Cu10 Lmp Bnk Nst Chw Ths TW CN Kwa Fkn Kig Yu Hn VN Ton ID Sum Ja MY Bor**
- 6071. *Ampittia dioscorides camertes* (Hewitson,1868)** (Hesperiidae) Synonym(s): *camertes* Hewitson,1868; *palemonides* Snellen,1892 _ Range (in code): **MY TH Chy Knc Mae CMA Cu0 Cu07 Cu10 Lmp Bnk Nst Chw Ths MM CN Yu ID Sum Ja MY Bor**
- 6072. *Ampittia dioscorides dioscorides* (Fabricius,1793)** (Hesperiidae) Synonym(s): *dioscorides* Fabricius,1793; *maro* Fabricius,1798; *ephesus* Hübner,1823 _ Original Reference: *Hesperia dioscorides* Fabricius,1793, Ent. Syst. 3(1): 329. Type(s): *Tranquebariae*. Range (in code): **IN Hp Kgr Ben Ass MM Shn**
- 6073. *Ampittia dioscorides etura* Mabil,1891** (Hesperiidae) Synonym(s): *etura* Mabil,1891; *matsumurai* Sonan,1936 _ Range (in code): **TW CN Kwa Fkn Kig Yu Hn VN Ton**
- 6074. *Ampittia dioscorides singa* Evans,1949** (Hesperiidae) Synonym(s): *singa* Evans,1949 _ Range (in code): **LK**
- 6075. *Ampittia maroides* De Nicéville,1896** (Hesperiidae) Synonym(s): *maroides* De Nicéville,1896 _ Range (in code): **MM Krh Mm ID Ass Mpr TH Chy Lam CMA CDo**
- 6076. *Ampittia maroides maroides* De Nicéville,1896** (Hesperiidae) Synonym(s): *maroides* De Nicéville,1896 _ Range (in code): **MM Krh Mm ID Ass Mpr TH Chy Lam CMA CDo**
- 6077. *Ampittia nanus* Leech,1890** (Hesperiidae) Synonym(s): *nanus* Leech,1890 _ Range (in code): **CN Sz Hun Hpe Fkn**
- 6078. *Ampittia nanus nanus* Leech,1890** (Hesperiidae) Synonym(s): *nanus* Leech,1890 _ Range (in code): **CN Sz Hun Hpe Fkn**
- 6079. *Ampittia parva* Aurivillius,1925** (Hesperiidae) Synonym(s): *parva* Aurivillius,1925 _ Range (in code): **TZ**
- 6080. *Ampittia parva parva* Aurivillius,1925** (Hesperiidae) Synonym(s): *parva* Aurivillius,1925 _ Range (in code): **TZ**
- 6081. *Ampittia trimacula* Leech,1891** (Hesperiidae) Synonym(s): *trimacula* Leech,1891; *reducta* Draesecke,1925 _ Range (in code): **CN Sz T-T**
- 6082. *Ampittia trimacula trimacula* Leech,1891** (Hesperiidae) Synonym(s): *trimacula* Leech,1891; *reducta* Draesecke,1925 _ Range (in code): **CN Sz T-T**
- 6083. *Ampittia virgata* Leech,1890** (Hesperiidae) Synonym(s): *virgata* Leech,1890 _ Range (in code): **CN Hpe Hun Kig Fkn Sz TW RU Am**

- 6084. *Ampittia virgata myakei* Matsumura, 1909** (Hesperiidae) Synonym(s): *myakei* Matsumura, 1909; *formosana* Fruhstorfer, 1910 _ Range (in code): TW RU Am
- 6085. *Ampittia virgata virgata* Leech, 1890** (Hesperiidae) Synonym(s): *virgata* Leech, 1890 _ Range (in code): CN Hpe Hun Kig Fkn Sz
- 6086. *Amysoria galgala* (Hewitson, 1866)** (Hesperiidae) Synonym(s): *galgala* Hewitson, 1866; *strigifera* C. Felder & R. Felder, 1867 _ Range (in code): MX CO BR
- 6087. *Anastrus luctuosus* (Godman & Salvin, 1894)** (Hesperiidae) Synonym(s): *luctuosus* Godman & Salvin, 1894 _ Range (in code): MX
- 6088. *Anastrus meliboea* (Godman & Salvin, 1894)** (Hesperiidae) Synonym(s): *meliboea* Godman & Salvin, 1894 _ Range (in code): MX
- 6089. *Anastrus meliboea meliboea* (Godman & Salvin, 1894)** (Hesperiidae) Synonym(s): *meliboea* Godman & Salvin, 1894 _ Range (in code): MX
- 6090. *Anastrus neaeris* (Möschler, 1879)** (Hesperiidae) Synonym(s): *neaeris* Möschler, 1879 _ Range (in code): MX
- 6091. *Anastrus neaeris neaeris* (Möschler, 1879)** (Hesperiidae) Synonym(s): *neaeris* Möschler, 1879 _ Range (in code): MX
- 6092. *Anastrus sempiternus* (Butler & Druce, 1872)** (Hesperiidae) Synonym(s): *sempiternus* Butler & Druce, 1872; *varius* Mabille, 1883 _ Range (in code): MX
- 6093. *Anastrus sempiternus sempiternus* (Butler & Druce, 1872)** (Hesperiidae) Synonym(s): *sempiternus* Butler & Druce, 1872; *varius* Mabille, 1883 _ Range (in code): MX
- 6094. *Anastrus tolimus* (Plötz, 1884)** (Hesperiidae) Synonym(s): *tolimus* Plötz, 1884; *polyaenus* Mabille, 1895 _ Range (in code): MX
- 6095. *Anastrus tolimus tolimus* (Plötz, 1884)** (Hesperiidae) Synonym(s): *tolimus* Plötz, 1884; *polyaenus* Mabille, 1895 _ Range (in code): MX
- 6096. *Anastrus virens* Austin, 1998** (Hesperiidae) Synonym(s): *virens* Austin, 1998 _ Range (in code): MX
- 6097. *Anatrytone logan* (Edwards, 1873)** (Hesperiidae) Synonym(s): *logan* Edwards, 1873 _ Range (in code): US MX Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sca Sdk Tnn Tx Vi Vr WVi Wc Wy
- 6098. *Anatrytone logan lagus* (Edwards, 1881)** (Hesperiidae) Synonym(s): *lagus* Edwards, 1881 _ Range (in code): MX
- 6099. *Anatrytone mazai* (Freeman, 1969)** (Hesperiidae) Synonym(s): *mazai* Freeman, 1969 _ Range (in code): US Tx MX
- 6100. *Anatrytone mella* (Godman, 1900)** (Hesperiidae) Synonym(s): *mella* Godman, 1900 _ Range (in code): MX
- 6101. *Anatrytone potosiensis* (Freeman, 1969)** (Hesperiidae) Synonym(s): *potosiensis* Freeman, 1969 _ Range (in code): MX
- 6102. *Ancistroides armatus* (Druce, 1873)** (Hesperiidae) Synonym(s): *armatus* Druce, 1873 _ Range (in code): MM Mrg TH Rng Yal Tng Nst Ths Ntt SPa Sgk Hya Tnc MY Bor Sip ID Sum Nia Mw
- 6103. *Ancistroides armatus armatus* (Druce, 1873)** (Hesperiidae) Synonym(s): *armatus* Druce, 1873 _ Range (in code): MM Mrg TH Rng Yal Tng Nst Ths Ntt SPa Sgk Hya Tnc MY Bor Sip ID Sum Mw
- 6104. *Ancistroides armatus niasana* Evans, 1926** (Hesperiidae) Synonym(s): *niasana* Evans, 1926 _ Range (in code): ID Nia
- 6105. *Ancistroides fulgur* De Nicéville, 1894** (Hesperiidae) Synonym(s): *fulgur* De Nicéville, 1894 _ Range (in code): TH ID Sum
- 6106. *Ancistroides fulgur fulgur* De Nicéville, 1894** (Hesperiidae) Synonym(s): *fulgur* De Nicéville, 1894 _ Range (in code): TH ID Sum
- 6107. *Ancistroides gemmifer* Butler, 1877** (Hesperiidae) Synonym(s): *gemmifer* Butler, 1877 _ Range (in code): TH Rng MY Bor MM Tvy Vp ID Sum Sip
- 6108. *Ancistroides gemmifer dombya* Fruhstorfer, 1911** (Hesperiidae) Synonym(s): *dombya* Fruhstorfer, 1911 _ Range (in code): MY Bor
- 6109. *Ancistroides gemmifer dorna* Evans, 1949** (Hesperiidae) Synonym(s): *dorna* Evans, 1949 _ Range (in code): ID Sip
- 6110. *Ancistroides gemmifer gemmifer* Butler, 1877** (Hesperiidae) Synonym(s): *gemmifer* Butler, 1877 _ Range (in code): TH Rng MY MM Tvy Vp ID Sum
- 6111. *Ancistroides longicornis* Butler, 1874** (Hesperiidae) Synonym(s): *longicornis* Butler, 1874; *boisduvali* Mabille, 1876 _ Range (in code): ID Clb Tim

- 6112. *Ancistroides longicornis longicornis* Butler,1874** (Hesperiidae) **Synonym(s):** *longicornis* Butler,1874; *boisduvali* Mabille,1876 **_ Range (in code): ID Clb Tim**
- 6113. *Ancistroides nigrita* (Latreille,1824)** (Hesperiidae) **Synonym(s):** *nigrita* Latreille,1824 **_ Range (in code): ID Ja Sum Nia MY Bor Bgk Sip MM Krh Mrg Shn IN Ben Ass SI BT TH CMa Cuo Cuo1 Nna Knc Srt Cbi Yal Tng Nst Chw Ths PH Bab Bal Bas Bil Boh CmM Ceb Gui Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib** **Bionomy:** Larva on *Curcuma longa* [turmeric], *C. comosa* [wan chak motluk], *Zingiber montanum* [phlai], *Languas galanga* [kha] (Zingiberaceae) (Lewvanich,2001).
- 6114. *Ancistroides nigrita diocles* (Moore,1865)** (Hesperiidae) **Synonym(s):** *diocles* Moore,1865 **_ Range (in code): IN Ben Ass SI BT MM Krh Shn TH CMa Cuo Cuo1 Nna Knc**
- 6115. *Ancistroides nigrita fumatus* Mabille,1876** (Hesperiidae) **Synonym(s):** *fumatus* Mabille,1876 **_ Range (in code): PH Bab Bal Bas Bil Boh CmM Ceb Gui Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib**
- 6116. *Ancistroides nigrita maura* Snellen,1880** (Hesperiidae) **Synonym(s):** *maura* Snellen,1880 **_ Range (in code): ID Sum Nia MY Bor Bgk Sip MM Krh Mrg TH Srt Cbi Yal Tng Nst Chw Ths**
- 6117. *Ancistroides nigrita nigrita* (Latreille,1824)** (Hesperiidae) **Synonym(s):** *nigrita* Latreille,1824; *vasuba* Fruhstorfer,1911 **_ Range (in code): ID Ja**
- 6118. *Ancistroides othonias* Hewitson,1876** (Hesperiidae) **Synonym(s):** *othonias* Hewitson,1876 **_ Range (in code): MY Bor**
- 6119. *Ancistroides othonias othonias* Hewitson,1876** (Hesperiidae) **Synonym(s):** *othonias* Hewitson,1876 **_ Range (in code): MY Bor**
- 6120. *Ancyloxypha arene* (Edwards,1871)** (Hesperiidae) **Synonym(s):** *arene* Edwards,1871; *myrtis* Edwards,1871; *isidorus* Plötz,1884; *euphrasia* Plötz,1884; *leporina* Plötz,1884 **_ Range (in code): US MX Arz NMx Tx**
- 6121. *Ancyloxypha numitor* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *numitor* Fabricius,1793; *bion* Fabricius,1798; *puer* Hübner,[1823]; *marginatus* Harris,1862; *longleyi* French,1897 **_ Range (in code): US MX Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDl SCa SDk Tnn Tx Vi Vr WVi Wc**
- 6122. *Andronymus caesar* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *caesar* Fabricius,1793; *leander* Plötz,1879; *antonius* Lindsey & Miller,1965 **_ Range (in code): LR GH GA ZR ZA Tva Lpo Spb Kru PfMZ UG KE TZ MW ZM ZW AO**
- 6123. *Andronymus caesar caesar* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *caesar* Fabricius,1793; *leander* Plötz,1879; *antonius* Lindsey & Miller,1965 **_ Range (in code): LR GH GA ZR**
- 6124. *Andronymus caesar philander* (Hopffer,1855)** (Hesperiidae) **Synonym(s):** *philander* Hopffer,1855 **_ Range (in code): MZ ZR UG KE TZ MW ZM ZW AO ZA Tva Lpo Spb Kru Pf**
- 6125. *Andronymus evander* (Mabille,1890)** (Hesperiidae) **Synonym(s):** *evander* Mabille,1890; *kelebensis* Strand,1918 **_ Range (in code): ZR GN SL CM GA CG**
- 6126. *Andronymus fenestrella* Bethune-Baker,1908** (Hesperiidae) **Synonym(s):** *fenestrella* Bethune-Baker,1908; *alenica* Strand,1912 **_ Range (in code): CM ZR UG MW ZM**
- 6127. *Andronymus gander* Evans,1947** (Hesperiidae) **Synonym(s):** *gander* Evans,1947 **_ Range (in code): UG ZR CM CG TZ**
- 6128. *Andronymus helles* Evans,1937** (Hesperiidae) **Synonym(s):** *helles* Evans,1937 **_ Range (in code): CM GA ZR AO**
- 6129. *Andronymus hero* Evans,1937** (Hesperiidae) **Synonym(s):** *hero* Evans,1937 **_ Range (in code): SL CM GA ZR AO**
- 6130. *Andronymus marcus* Usher,1980** (Hesperiidae) **Synonym(s):** *marcus* Usher,1980 **_ Range (in code): GH CM GA ZR AO**
- 6131. *Andronymus marina* Evans,1937** (Hesperiidae) **Synonym(s):** *marina* Evans,1937 **_ Range (in code): UG**
- 6132. *Andronymus neander* (Plötz,1884)** (Hesperiidae) **Synonym(s):** *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947 **_ Range (in code): ST GA KE AO UG ZR ZW MZ Del ZA Tva Nta Kzu MW Zom**
- 6133. *Andronymus neander neander* (Plötz,1884)** (Hesperiidae) **Synonym(s):** *neander* Plötz,1884; *producta* Trimen,1889; *torosa* Evans,1947 **_ Range (in code): GA KE AO UG ZR ZW MZ Del ZA Tva Nta Kzu MW Zom**
- 6134. *Andronymus neander thomasi* N.D.Riley,1928** (Hesperiidae) **Synonym(s):** *thomasi* N.D.Riley,1928 **_ Range (in code): ST**
- 6135. *Anisochoria bacchus* Evans,1953** (Hesperiidae) **Synonym(s):** *bacchus* Evans,1953 **_ Range (in code): MX**

- 6136. Anisynta albovenata Waterhouse,1940** (Hesperiidae) **Synonym(s):** *albovenata Waterhouse,1940* **Range (in code):** **AU SAu Ade NSw Gnn**
- 6137. Anisynta albovenata albovenata Waterhouse,1940** (Hesperiidae) **Synonym(s):** *albovenata Waterhouse,1940* **Range (in code):** **AU SAu Ade NSw Gnn**
- 6138. Anisynta cynone (Hewitson,1874)** (Hesperiidae) **Synonym(s):** *cynone Hewitson,1874* **Range (in code):** **AU NSw Gnn SAu Ade**
- 6139. Anisynta cynone cynone (Hewitson,1874)** (Hesperiidae) **Synonym(s):** *cynone Hewitson,1874* **Range (in code):** **AU**
- 6140. Anisynta cynone gracilis (Tepper,1882)** (Hesperiidae) **Synonym(s):** *gracilis Tepper,1882* **Range (in code):** **AU SAu Ade**
- 6141. Anisynta cynone grisea Waterhouse,1932** (Hesperiidae) **Synonym(s):** *grisea Waterhouse,1932* **Range (in code):** **AU NSw Gnn**
- 6142. Anisynta dominula (Plötz,1884)** (Hesperiidae) **Synonym(s):** *dominula Plötz,1884* **Range (in code):** **TA AU NSw Ksc Cbr**
- 6143. Anisynta dominula dominula (Plötz,1884)** (Hesperiidae) **Synonym(s):** *dominula Plötz,1884* **Range (in code):** **TA**
- 6144. Anisynta dominula drachmophora (Meyrick,1885)** (Hesperiidae) **Synonym(s):** *drachmophora Meyrick,1885* **Range (in code):** **AU NSw Ksc**
- 6145. Anisynta dominula draco Waterhouse,1938** (Hesperiidae) **Synonym(s):** *draco Waterhouse,1938* **Range (in code):** **AU NSw**
- 6146. Anisynta dominula dyris Waterhouse,1938** (Hesperiidae) **Synonym(s):** *dyris Waterhouse,1938* **Range (in code):** **AU Cbr**
- 6147. Anisynta dominula pria Waterhouse,1932** (Hesperiidae) **Synonym(s):** *pria Waterhouse,1932* **Range (in code):** **TA**
- 6148. Anisynta monticolae Olliff,1889** (Hesperiidae) **Synonym(s):** *monticolae Olliff,1889* **Range (in code):** **AU SAu NSw Ksc Bth**
- 6149. Anisynta monticolae monticolae Olliff,1889** (Hesperiidae) **Synonym(s):** *monticolae Olliff,1889* **Range (in code):** **AU SAu NSw Ksc Bth**
- 6150. Anisynta sphenosema (Meyrick & Lower,1902)** (Hesperiidae) **Synonym(s):** *sphenosema Meyrick & Lower,1902; paraphanes Meyrick & Lower,1902* **Range (in code):** **AU WAu Pth**
- 6151. Anisynta sphenosema sphenosema (Meyrick & Lower,1902)** (Hesperiidae) **Synonym(s):** *sphenosema Meyrick & Lower,1902; paraphanes Meyrick & Lower,1902* **Range (in code):** **AU WAu Pth**
- 6152. Anisynta tillyardi Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *tillyardi Waterhouse & Lyell,1914* **Range (in code):** **AU NSw**
- 6153. Anisynta tillyardi tillyardi Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *tillyardi Waterhouse & Lyell,1914* **Range (in code):** **AU NSw**
- 6154. Ankola fan (Holland,1894)** (Hesperiidae) **Synonym(s):** *fan Holland,1894; kamagamba Bethune-Baker,1906; scalaris Grünberg,1907* **Range (in code):** **CM KE UG ZR**
- 6155. Anthoptus epictetus (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *epictetus Fabricius,1793; nigrutilus Mabilie,1883; inculta Dyar,1918* **Range (in code):** **MX**
- 6156. Anthoptus insignis (Plötz,1882)** (Hesperiidae) **Synonym(s):** *insignis Plötz,1882* **Range (in code):** **MX**
- 6157. Anthoptus macalpinei Freeman,1969** (Hesperiidae) **Synonym(s):** *macalpinei Freeman,1969* **Range (in code):** **MX**
- 6158. Antigonus corrosus Mabilie,1878** (Hesperiidae) **Synonym(s):** *corrosus Mabilie,1878; sericus Plötz,1884* **Range (in code):** **MX**
- 6159. Antigonus emorsus (R.Felder,1869)** (Hesperiidae) **Synonym(s):** *emorsus R.Felder,1869; albimedia Draudt,1922* **Range (in code):** **US MX Arz NMx**
- 6160. Antigonus erosus (Hübner,[1812])** (Hesperiidae) **Synonym(s):** *erosus Hübner,[1812]; westermanni Latreille,[1824]* **Range (in code):** **MX**
- 6161. Antigonus funebris (R.Felder,1869)** (Hesperiidae) **Synonym(s):** *funebris R.Felder,1869* **Range (in code):** **MX**
- 6162. Antigonus nearchus (Latreille,[1817])** (Hesperiidae) **Synonym(s):** *nearchus Latreille,[1817]; ustus Geyer,1832; pausus Westwood,1852; hippalus C.Felder & R.Felder,1862; satespes C.Felder & R.Felder,1862* **Range (in code):** **MX**
- 6163. Apostictopterus fuliginosus Leech,1894** (Hesperiidae) **Synonym(s):** *fuliginosus Leech,1894* **Range (in code):** **IN Ass Nag Mpr CN Sz T-T TH**

- 6164. *Apostictopterus fuliginosus curiosus* Swinhoe, 1917** (Hesperiidae) **Synonym(s):** *curiosus* Swinhoe, 1917 _ Range (in code): IN Ass Nag Mpr TH
- 6165. *Apostictopterus fuliginosus fuliginosus* Leech, 1894** (Hesperiidae) **Synonym(s):** *fuliginosus* Leech, 1894 _ Range (in code): CN Sz T-T
- 6166. *Apyrrothrix araxes* (Hewitson, 1867)** (Hesperiidae) **Synonym(s):** *araxes* Hewitson, 1867; *cyrillus* Plötz, 1879 _ Range (in code): US MX Arz NMx Tx
- 6167. *Apyrrothrix araxes araxes* (Hewitson, 1867)** (Hesperiidae) **Synonym(s):** *araxes* Hewitson, 1867; *cyrillus* Plötz, 1879 _ Original Reference: *Erycides araxes* Hewitson, 1867, Descr. one-hundred new species, Hesp. (1): 2. Type: Mexico (BMNH). Range (in code): US MX Arz NMx Tx
- 6168. *Apyrrothrix araxes arizonae* Godman & Salvin, [1893]** (Hesperiidae) **Synonym(s):** *arizonae* Godman & Salvin, [1893] _ Original Reference: *Pyrrhopyge araxes* ssp. *arizonae* Godman & Salvin, [1893], Biol. Cent.-Americana, Lepid. Rhop. 2: 253. Holotype: U.S.A.: Graham Co., Arizona, nr. Fort Grant (BMNH). Range (in code): US Arz
- 6169. *Ardaris eximia* (Hewitson, 1871)** (Hesperiidae) **Synonym(s):** *eximia* Hewitson, 1871 _ Range (in code): VE
- 6170. *Argon argus* (Möschler, 1879)** (Hesperiidae) **Synonym(s):** *argus* Möschler, 1879 _ Range (in code): MX
- 6171. *Arita arita* (Schaus, 1902)** (Hesperiidae) **Synonym(s):** *arita* Schaus, 1902; *musa* Kaye, 1914; *akuris* Bell, 1942 _ Range (in code): MX
- 6172. *Arnetta atkinsoni* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *atkinsoni* Moore, 1878; *khasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910 _ Range (in code): TH Cbi CMA CDo Knc VN Ton SI IN Ass Meg Khs MM Tns Tvy
- 6173. *Arnetta atkinsoni atkinsoni* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *atkinsoni* Moore, 1878; *khasianus* Moore, 1878; *subtestaceus* Moore, 1878; *parnaca* Fruhstorfer, 1910 _ Range (in code): TH Cbi CMA CDo Knc VN Ton SI IN Ass Meg Khs MM Tns Tvy
- 6174. *Arnetta mercara* Evans, 1932** (Hesperiidae) **Synonym(s):** *mercara* Evans, 1932 _ Range (in code): LK IN NI
- 6175. *Arnetta mercara mercara* Evans, 1932** (Hesperiidae) **Synonym(s):** *mercara* Evans, 1932 _ Range (in code): LK IN NI
- 6176. *Arnetta verones* (Hewitson, 1878)** (Hesperiidae) **Synonym(s):** *verones* Hewitson, 1878; *kala* Evans, 1932 _ Range (in code): TH Nst Ths Sgk Hya Knc ID Sum MY Bor
- 6177. *Arnetta verones verones* (Hewitson, 1878)** (Hesperiidae) **Synonym(s):** *verones* Hewitson, 1878; *kala* Evans, 1932 _ Range (in code): TH Nst Ths Sgk Hya Knc ID Sum MY Bor
- 6178. *Arnetta vindhiana* (Moore, 1883)** (Hesperiidae) **Synonym(s):** *vindhiana* Moore, 1883 _ Range (in code): LK IN NI
- 6179. *Arnetta vindhiana nilgiriana* Moore, 1883** (Hesperiidae) **Synonym(s):** *nilgiriana* Moore, 1883 _ Range (in code): IN NI Tn Pln
- 6180. *Arnetta vindhiana vindhiana* (Moore, 1883)** (Hesperiidae) **Synonym(s):** *vindhiana* Moore, 1883 _ Range (in code): LK IN NI
- 6181. *Arrhenes dschilus* (Plötz, 1885)** (Hesperiidae) **Synonym(s):** *dschilus* Plötz, 1885; *collatus* Plötz, 1885; *klossi* Rothschild, 1915 _ Range (in code): PG ID Ij Dmp Goo Vu AU QAU Kda
- 6182. *Arrhenes dschilus decor* Evans, 1934** (Hesperiidae) **Synonym(s):** *decor* Evans, 1934 _ Range (in code): PG Goo Vu
- 6183. *Arrhenes dschilus dschilus* (Plötz, 1885)** (Hesperiidae) **Synonym(s):** *dschilus* Plötz, 1885; *collatus* Plötz, 1885; *klossi* Rothschild, 1915 _ Range (in code): PG ID Ij Dmp
- 6184. *Arrhenes dschilus iris* Waterhouse, 1932** (Hesperiidae) **Synonym(s):** *iris* Waterhouse, 1932 _ Range (in code): AU QAU Kda
- 6185. *Arrhenes elena* Evans, 1934** (Hesperiidae) **Synonym(s):** *elena* Evans, 1934 _ Range (in code): ID Ij
- 6186. *Arrhenes elena elena* Evans, 1934** (Hesperiidae) **Synonym(s):** *elena* Evans, 1934 _ Range (in code): ID Ij
- 6187. *Arrhenes floresia* Evans, 1934** (Hesperiidae) **Synonym(s):** *floresia* Evans, 1934 _ Range (in code): ID Flo Lb Alo
- 6188. *Arrhenes floresia floresia* Evans, 1934** (Hesperiidae) **Synonym(s):** *floresia* Evans, 1934 _ Range (in code): ID Flo Lb Alo
- 6189. *Arrhenes germana* Rothschild, 1915** (Hesperiidae) **Synonym(s):** *germana* Rothschild, 1915 _ Range (in code): ID Ij Snw

- 6190. Arrhenes germana germana Rothschild,1915** (Hesperiidae) Synonym(s): *germana Rothschild,1915* - Range (in code): **ID Ij Snw**
- 6191. Arrhenes marnas (C.Felder,1860)** (Hesperiidae) Synonym(s): *marnas C.Felder,1860; grandis Mabille,1878; diavansa Fruhstorfer,1911; simillima Rothschild,1915* - Range (in code): **ID Ij Amb Bru Crm Mi Wg Bch Hm Trn Mti Ob PG Fg Goo Adl Dmp NBr Re AU QAU Kda**
- 6192. Arrhenes marnas affinis Waterhouse,1912** (Hesperiidae) Synonym(s): *affinis Waterhouse,1912* - Range (in code): **AU QAU Kda**
- 6193. Arrhenes marnas jopas Mabille,1891** (Hesperiidae) Synonym(s): *jopas Mabille,1891* - Range (in code): **ID Bch Hm Trn Mti Ob**
- 6194. Arrhenes marnas marnas (C.Felder,1860)** (Hesperiidae) Synonym(s): *marnas C.Felder,1860; grandis Mabille,1878; diavansa Fruhstorfer,1911; simillima Rothschild,1915* - Range (in code): **ID Ij Amb Bru Crm Mi Wg PG Fg Goo Adl Dmp NBr Re**
- 6195. Arrhenes martha Evans,1934** (Hesperiidae) Synonym(s): *martha Evans,1934* - Range (in code): **ID Ij PG Goo**
- 6196. Arrhenes martha martha Evans,1934** (Hesperiidae) Synonym(s): *martha Evans,1934* - Range (in code): **ID Ij PG Goo**
- 6197. Arrhenes tranquilla Swinhoe,1905** (Hesperiidae) Synonym(s): *tranquilla Swinhoe,1905; terranea Fruhstorfer,1911* - Range (in code): **ID Ij**
- 6198. Arrhenes tranquilla tranquilla Swinhoe,1905** (Hesperiidae) Synonym(s): *tranquilla Swinhoe,1905; terranea Fruhstorfer,1911* - Range (in code): **ID Ij**
- 6199. Arteurotia tractipennis Butler & Druce,1872** (Hesperiidae) Synonym(s): *tractipennis Butler & Druce,1872; ribbei Staudinger,1876* - Range (in code): **US MX Tx**
- 6200. Artitropa alaotrana Oberthür,1916** (Hesperiidae) Synonym(s): *alaotrana Oberthür,1916* - Range (in code): **MG**
- 6201. Artitropa boseae (Saalmüller,1880)** (Hesperiidae) Synonym(s): *boseae Saalmüller,1880; aaron Oberthür,1916* - Range (in code): **MG**
- 6202. Artitropa cama Evans,1937** (Hesperiidae) Synonym(s): *cama Evans,1937* - Range (in code): **CM**
- 6203. Artitropa comus (Stoll,[1782])** (Hesperiidae) Synonym(s): *comus Stoll,[1782]; helops Drury,1782; ennius Fabricius,1793; margaritata Holland,1890* - Range (in code): **SN GA CM ZR**
- 6204. Artitropa erinnys (Trimen,1862)** (Hesperiidae) Synonym(s): *erinnys Trimen,1862* - Range (in code): **KE Nai TZ MW Zom ZW KM ZA Nta Kzu Ptb Ec Tva Mpu Brb**
- 6205. Artitropa erinnys comororum Oberthür,1916** (Hesperiidae) Synonym(s): *comororum Oberthür,1916* - Range (in code): **KM**
- 6206. Artitropa erinnys ehlersi Karsch,1896** (Hesperiidae) Synonym(s): *ehlersi Karsch,1896; unifasciata Aurivillius,1910* - Range (in code): **TZ**
- 6207. Artitropa erinnys erinnys (Trimen,1868)** (Hesperiidae) Synonym(s): *erinnys Trimen,1862* - Range (in code): **ZA Nta Kzu Ptb Ec Tva Mpu Brb**
- 6208. Artitropa erinnys nyasae N.D.Riley,1925** (Hesperiidae) Synonym(s): *nyasae N.D.Riley,1925* - Range (in code): **MW ZW**
- 6209. Artitropa erinnys radiata N.D.Riley,1925** (Hesperiidae) Synonym(s): *radiata N.D.Riley,1925* - Range (in code): **KE**
- 6210. Artitropa erinnys vansomereni N.D.Riley,1925** (Hesperiidae) Synonym(s): *vansomereni N.D.Riley,1925* - Range (in code): **KE Nai**
- 6211. Artitropa hollandi Oberthür,1916** (Hesperiidae) Synonym(s): *hollandi Oberthür,1916* - Range (in code): **MG**
- 6212. Artitropa milleri N.D.Riley,1925** (Hesperiidae) Synonym(s): *milleri N.D.Riley,1925* - Range (in code): **KE Nai TZ ZM UG ZR**
- 6213. Artitropa milleri coryndon Evans,1937** (Hesperiidae) Synonym(s): *coryndon Evans,1937* - Range (in code): **KE Nai**
- 6214. Artitropa milleri milleri N.D.Riley,1925** (Hesperiidae) Synonym(s): *milleri N.D.Riley,1925* - Range (in code): **TZ ZM UG ZR**
- 6215. Artitropa reducta Aurivillius,1925** (Hesperiidae) Synonym(s): *reducta Aurivillius,1925* - Range (in code): **CM CG ZR UG KE ET TZ MW ZW**
- 6216. Asbolis capucinus** (Hesperiidae) Synonym(s): - Range (in code): **US FI**
- 6217. Astictopterus abjectus (Snellen,1872)** (Hesperiidae) Synonym(s): *abjecta Snellen,1872; furvus Mabille,1890; uniformis Karsch,1893; niangarensis Holland,1920* - Range (in code): **ZR GN SL LR CG ZR ZM AO**

- 6218. *Astictopterus abjectus abjectus* (Snellen,1872)** (Hesperiidae) Synonym(s): *abjecta* Snellen,1872; *fervus* Mabilie,1890; *uniformis* Karsch,1893; *niangarensis* Holland,1920 _ Range (in code): ZR GN SL LR CG ZR ZM AO
- 6219. *Astictopterus anomoeus* (Plötz,1879)** (Hesperiidae) Synonym(s): *anomoeus* Plötz,1879 Range (in code): GN GH
- 6220. *Astictopterus anomoeus anomoeus* (Plötz,1879)** (Hesperiidae) Synonym(s): *anomoeus* Plötz,1879 _ Range (in code): GN GH
- 6221. *Astictopterus bruno* (Evans,1937)** (Hesperiidae) Synonym(s): *bruno* Evans,1937 Range (in code): TZ
- 6222. *Astictopterus bruno bruno* (Evans,1937)** (Hesperiidae) Synonym(s): *bruno* Evans,1937 Range (in code): TZ
- 6223. *Astictopterus inornatus* (Trimen,1864)** (Hesperiidae) Synonym(s): *inornatus* Trimen,1864 _ Range (in code): ZA Ec Tra Nta Ksu
- 6224. *Astictopterus inornatus inornatus* (Trimen,1864)** (Hesperiidae) Synonym(s): *inornatus* Trimen,1864 _ Range (in code): ZA Ec Tra Nta Ksu
- 6225. *Astictopterus jama* C.Felder & R.Felder,1860** (Hesperiidae) Synonym(s): *jama* C.Felder & R.Felder,1860; *pulligo* Mabilie,1876; *melania* Plötz,1885 _ Range (in code): ID Ja MY Sum SI BT IN Ass MM TH CMa Cuo Cu10 CDo Nrt Cbu Rat Yal Nst Ths Chw CN Fkn Hpe Hnn Kig Kwa Yu Hn VN Ann Ton
- 6226. *Astictopterus jama chinensis* Leech,1890** (Hesperiidae) Synonym(s): *chinensis* Leech,1890; *nubilis* Mabilie,1891. _ Range (in code): CN Fkn Hpe Hnn Kig Kwa
- 6227. *Astictopterus jama jama* C.Felder & R.Felder,1860** (Hesperiidae) Synonym(s): *jama* C.Felder & R.Felder,1860; *pulligo* Mabilie,1876; *melania* Plötz,1885 _ Range (in code): ID Ja Sum TH Yal Nst Ths Chw MY
- 6228. *Astictopterus jama olivascens* Moore,1878** (Hesperiidae) Synonym(s): *olivascens* Moore,1878; *henrici* Holland,1887; *kada* Swinhoe,1893; *tonkinianus* Fruhstorfer,1910; *permagnus* Fruhstorfer,1910; *quadripunctatus* Swinhoe,1915. _ Range (in code): SI BT IN Ass MM TH CMa Cuo Cu10 CDo Nrt Cbu Rat CN Yu Hn VN Ann Ton
- 6229. *Astictopterus punctulatus* (Butler,1895)** (Hesperiidae) Synonym(s): *punctulata* Butler,1895 _ Range (in code): TZ MW ZM ZR UG CM NG
- 6230. *Astictopterus punctulatus punctulatus* (Butler,1895)** (Hesperiidae) Synonym(s): *punctulata* Butler,1895 _ Range (in code): TZ MW ZM ZR UG CM NG
- 6231. *Astictopterus stellatus* (Mabilie,1891)** (Hesperiidae) Synonym(s): *stellata* Mabilie,1891 Range (in code): ZW MZ ZM MW TZ Tnga Usa Ani KE Mb
- 6232. *Astictopterus stellatus amanius* Evans,1947** (Hesperiidae) Synonym(s): *amania* Evans,1947 _ Range (in code): TZ Tnga Usa Ani
- 6233. *Astictopterus stellatus mineni* (Trimen,1894)** (Hesperiidae) Synonym(s): *mineni* Trimen,1894 _ Range (in code): ZW MZ ZM MW TZ
- 6234. *Astictopterus stellatus stellatus* (Mabilie,1891)** (Hesperiidae) Synonym(s): *stellata* Mabilie,1891 _ Range (in code): KE Mb
- 6235. *Astictopterus tura* Evans,1951** (Hesperiidae) Synonym(s): *tura* Evans,1951 _ Range (in code): TZ
- 6236. *Astictopterus tura tura* Evans,1951** (Hesperiidae) Synonym(s): *tura* Evans,1951 Range (in code): TZ
- 6237. *Astraptes alardus* (Stoll,[1790])** (Hesperiidae) Synonym(s): *alardus* Stoll,[1790] Range (in code): US MX Tx
- 6238. *Astraptes alardus alardus* (Stoll,[1790])** (Hesperiidae) Synonym(s): *alardus* Stoll,[1790]
- 6239. *Astraptes alardus latia* Evans,1952** (Hesperiidae) Synonym(s): *latia* Evans,1952 Range (in code): MX
- 6240. *Astraptes alector* (C.Felder & R.Felder,1867)** (Hesperiidae) Synonym(s): *alector* C.Felder & R.Felder,1867 _ Range (in code): MX US
- 6241. *Astraptes alector hopfferi* (Plötz,1882)** (Hesperiidae) Synonym(s): *hopfferi* Plötz,1882; *uridon* Dyar,1912; *gilberti* Freeman,1969 _ Range (in code): MX US
- 6242. *Astraptes anaphus* (Cramer,[1777])** (Hesperiidae) Synonym(s): *anaphus* Cramer,[1777] Range (in code): US MX Tx
- 6243. *Astraptes anaphus anaphus* (Cramer,[1777])** (Hesperiidae) Synonym(s): *anaphus* Cramer,[1777]
- 6244. *Astraptes anaphus annetta* Evans,1952** (Hesperiidae) Synonym(s): *annetta* Evans,1952 Range (in code): MX

- 6245. *Astraptes apastus* (Cramer,1777)** (Hesperiidae) **Synonym(s):** *apastus* Cramer,1777; *briccius* Plötz,1881 **Range (in code):** **MX**
- 6246. *Astraptes bifascia* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *bifascia* Herrich-Schäffer,1869 **Range (in code):** **MX**
- 6247. *Astraptes brevicauda* Plötz,1886** (Hesperiidae) **Synonym(s):** *brevicauda* Plötz,1886; *talhybius* Mabil,1888; *eniopeus* Godman & Salvin,1893; **Range (in code):** **MX**
- 6248. *Astraptes chiriquensis* (Staudinger,1876)** (Hesperiidae) **Synonym(s):** *chiriquensis* Staudinger,1876; *weymeri* Plötz,1882 **Range (in code):** **PA MX**
- 6249. *Astraptes chiriquensis chiriquensis* (Staudinger,1876)** (Hesperiidae) **Synonym(s):** *chiriquensis* Staudinger,1876; *weymeri* Plötz,1882 **Range (in code):** **PA MX**
- 6250. *Astraptes creteus* (Cramer,[1780])** (Hesperiidae) **Synonym(s):** *creteus* Cramer,[1780] **Range (in code):** **MX**
- 6251. *Astraptes creteus crana* Evans,1952** (Hesperiidae) **Synonym(s):** *crana* Evans,1952; *escalantei* Freeman,1967 **Range (in code):** **MX**
- 6252. *Astraptes egregius* (Butler,[1870])** (Hesperiidae) **Synonym(s):** *egregius* Butler,[1870] **Range (in code):** **US MX Tx**
- 6253. *Astraptes egregius egregius* (Butler,[1870])** (Hesperiidae) **Synonym(s):** *egregius* Butler,[1870] **Range (in code):** **US MX Tx**
- 6254. *Astraptes enortus* (Stoll,1781)]** (Hesperiidae) **Synonym(s):** *enortus* Stoll,1781]; *aulicus* Röber,1925 **Range (in code):** **MX**
- 6255. *Astraptes fulgerator* (Walch,1775)** (Hesperiidae) **Synonym(s):** *fulgerator* Walch,1775 **Range (in code):** **US MX Arz Tx**
- 6256. *Astraptes fulgerator azul* (Reakirt,[1867])** (Hesperiidae) **Synonym(s):** *azul* Reakirt,[1867]; *misitra* Plötz,1881; *albifasciatus* Röber,1925; *catemacoensis* Freeman,1967 **Range (in code):** **MX**
- 6257. *Astraptes fulgerator fulgerator* (Walch,1775)** (Hesperiidae) **Synonym(s):** *fulgerator* Walch,1775
- 6258. *Astraptes galesus* (Mabille,1888)** (Hesperiidae) **Synonym(s):** *galesus* Mabille,1888
- 6259. *Astraptes galesus cassius* Evans,1952** (Hesperiidae) **Synonym(s):** *cassius* Evans,1952
- 6260. *Astraptes galesus galesus* (Mabille,1888)** (Hesperiidae) **Synonym(s):** *galesus* Mabille,1888
- 6261. *Astraptes janeira* (Schaus,1902)** (Hesperiidae) **Synonym(s):** *janeira* Schaus,1902 **Range (in code):** **MX**
- 6262. *Astraptes megalurus* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *megalurus* Mabille,1877; *consus* Godman & Salvin,1893 **Range (in code):** **MX**
- 6263. *Astraptes phalaecus* (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *phalaecus* Godman & Salvin,1893 **Range (in code):** **MX**
- 6264. *Astraptes talus* (Cramer,1777)** (Hesperiidae) **Synonym(s):** *talus* Cramer,1777; *ausonius* Latreille,[1824]; *lucidator* Sepp,1844; *sumadue* Lucas,1856; *virens* Röber,1925 **Range (in code):** **MX**
- 6265. *Astraptes tucuti* R.C.Williams,1927** (Hesperiidae) **Synonym(s):** *tucuti* R.C.Williams,1927 **Range (in code):** **MX**
- 6266. *Atalopedes campestris* (Boisduval,1852)** (Hesperiidae) **Synonym(s):** *campestris* Boisduval,1852 **Range (in code):** **US MX Aks Alb Arz Cf Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nje Ny Oh Ok Org Pns RDi Sca Sdk Tnn Tx Ut Vi WVi Wc Ws Wy**
- 6267. *Atalopedes campestris campestris* (Boisduval,1852)** (Hesperiidae) **Synonym(s):** *campestris* Boisduval,1852; *tenebricosus* Austin & Emmel,1998 **Range (in code):** **MX**
- 6268. *Atalopedes campestris huron* (Edwards,1863)** (Hesperiidae) **Synonym(s):** *huron* Edwards,1863; *kedema* Butler,1870; *amphissa* Plötz,1883; *angustus* Plötz,1883; *flaveola* Mabille,1891 **Range (in code):** **MX**
- 6269. *Atarnes sallei* (C.Felder & R.Felder,1867)** (Hesperiidae) **Synonym(s):** *sallei* C.Felder & R.Felder,1867; *angustemarginata* Mabille & Boulet,1917 **Range (in code):** **MX**
- 6270. *Atrytone arogos*** (Hesperiidae) **Synonym(s):** **Range (in code):** **US Aks Alb Col Fl Ge Iln Io Kan Lou Mis Mns Mon Mss NCa NDk Neb Nje Ny Oh Ok Pns Sca Sdk Tx Vi Wc Wy**
- 6271. *Atrytonopsis cestus* (Edwards,1884)** (Hesperiidae) **Synonym(s):** *cestus* Edwards,1884 **Range (in code):** **US MX Arz**
- 6272. *Atrytonopsis deva* (Edwards,1877)** (Hesperiidae) **Synonym(s):** *deva* Edwards,1877 **Range (in code):** **US MX Arz NMx**

- 6273. *Atrytonopsis edwardsi* (Barnes & McDunnough,1916)** (Hesperiidae) **Synonym(s):** *edwardsi* Barnes & McDunnough,1916 **Range (in code):** **US MX Arz NMx Tx**
- 6274. *Atrytonopsis frappenda* (Dyar,1920)** (Hesperiidae) **Synonym(s):** *frappenda* Dyar,1920 **Range (in code):** **MX**
- 6275. *Atrytonopsis hianna* (Scudder,1868)** (Hesperiidae) **Synonym(s):** *hianna* Scudder,1868; *grotei* Plötz,1883 **Range (in code):** **US Aks Alb Cnt Col Dw Fl Ge Idp Ilm Io Kan Knt Lou Meh Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi WVi Wc Wy**
- 6276. *Atrytonopsis hianna hianna* (Scudder,1868)** (Hesperiidae) **Synonym(s):** *hianna* Scudder,1868; *grotei* Plötz,1883 **Range (in code):** **US Msc**
- 6277. *Atrytonopsis hianna loammi* (Whitney,1876)** (Hesperiidae) **Synonym(s):** *loammi* Whitney,1876; *regulus* Edwards,1881; *apostologica* Strand,1921 **Range (in code):** **US Fl**
- 6278. *Atrytonopsis hianna turneri* Freeman,1948** (Hesperiidae) **Synonym(s):** *turneri* Freeman,1948 **Range (in code):** **US Tx**
- 6279. *Atrytonopsis lunus* (Edwards,1884)** (Hesperiidae) **Synonym(s):** *lunus* Edwards,1884 **Range (in code):** **US MX Arz NMx**
- 6280. *Atrytonopsis ovinia* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *ovinia* Hewitson,1866; *rupilus* Schaus,1913; *zovinia* Dyar,1913 **Range (in code):** **MX**
- 6281. *Atrytonopsis pittacus* (Edwards,1882)** (Hesperiidae) **Synonym(s):** *pittacus* Edwards,1882 **Range (in code):** **US MX Arz NMx Tx**
- 6282. *Atrytonopsis python* (Edwards,1882)** (Hesperiidae) **Synonym(s):** *python* Edwards,1882; *margarita* Skinner,1913 **Range (in code):** **US Arz NMx Ne Tx MX**
- 6283. *Atrytonopsis vierecki* (Skinner,1902)** (Hesperiidae) **Synonym(s):** *vierecki* Skinner,1902 **Range (in code):** **US NMx Arz Col Ok Tx Ut Wy**
- 6284. *Atrytonopsis zweifeli* Freeman,1969** (Hesperiidae) **Synonym(s):** *zweifeli* Freeman,1969 **Range (in code):** **MX**
- 6285. *Aurina dida* Evans,1937** (Hesperiidae) **Synonym(s):** *dida* Evans,1937 **Original Reference:** *Aurina dida* Evans,1937, A Catalogue of African Hesperiidae...: 2, 26, pl.2 figs. 10,11. **Type:** Ivory Coast: "Dimbrok". **Range (in code):** **CI**
- 6286. *Aurina dida dida* Evans,1937** (Hesperiidae) **Synonym(s):** *dida* Evans,1937 **Original Reference:** *Aurina dida* Evans,1937, A Catalogue of African Hesperiidae...: 2, 26, pl.2 figs. 10,11. **Type:** Ivory Coast: "Dimbrok". **Range (in code):** **CI**
- 6287. *Autochton bipunctatus* (Gmelin,[1790])** (Hesperiidae) **Synonym(s):** *bipunctatus* Gmelin,[1790]; *orontes* Plötz,1882; *zonilis* Mabille,1883 **Range (in code):** **MX**
- 6288. *Autochton cellus* (Boisduval & Leconte,[1837])** (Hesperiidae) **Synonym(s):** *cellus* Boisduval & Leconte,[1837]; *festus* Geyer,[1837]; *mexicana* Draudt,1922 **Range (in code):** **US MX Aks Alb Arz Dw Fl Ge Idp Ilm Knt Mis Mrl Mss NCa NMx Nje Ny Oh Ok Pns SCa Tnn Tx Vi WVi**
- 6289. *Autochton cellus cellus* (Boisduval & Leconte,[1837])** (Hesperiidae) **Synonym(s):** *cellus* Boisduval & Leconte,[1837]; *festus* Geyer,[1837]; *mexicana* Draudt,1922 **Range (in code):** **US MX Aks Alb Arz Dw Fl Ge Idp Ilm Knt Mis Mrl Mss NCa NMx Nje Ny Oh Ok Pns SCa Tnn Tx Vi WVi**
- 6290. *Autochton cincta* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *cincta* Plötz,1882; *rotundatus* Mabille,1883 **Range (in code):** **US MX Tx**
- 6291. *Autochton longipennis* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *longipennis* Plötz,1882; *capys* Godman & Salvin,1894 **Range (in code):** **MX**
- 6292. *Autochton neis* (Geyer,[1832])** (Hesperiidae) **Synonym(s):** *neis* Geyer,[1832]; *bocus* Plötz,1882; *dhega* Mabille,1891; *lunulus* Plötz,1882; *agathokles* Ehrmann,1918 **Range (in code):** **MX**
- 6293. *Autochton pseudocellus* (Coolidge & Clemence,[1910])** (Hesperiidae) **Synonym(s):** *pseudocellus* Coolidge & Clemence,[1910] **Range (in code):** **US MX Arz Tx**
- 6294. *Autochton pseudocellus pseudocellus* (Coolidge & Clemence,[1910])** (Hesperiidae) **Synonym(s):** *pseudocellus* Coolidge & Clemence,[1910] **Range (in code):** **US MX Arz Tx**
- 6295. *Autochton siernador* Burns,1984** (Hesperiidae) **Synonym(s):** *siernador* Burns,1984 **Range (in code):** **MX**
- 6296. *Autochton vectilucis* (Butler,1872)** (Hesperiidae) **Synonym(s):** *vectilucis* Butler,1872 **Range (in code):** **MX**
- 6297. *Autochton zarex* (Hübner,1818)** (Hesperiidae) **Synonym(s):** *zarex* Hübner,1818; *jsokrates* Ehrmann,1918; *assaracus* Hayward,1938; *punctisignatus* Bryk,1953 **Range (in code):** **MX**

- 6298. Azonax typhaon (Hewitson,1877)** (Hesperiidae) Synonym(s): *typhaon* Hewitson,1877
Original Reference: Myscelus typhaon Hewitson,1877, Ann. Mag. nat. Hist. (4): 20: 320. Range (in code): NI
- 6299. Badamia atrox (Butler,1877)** (Hesperiidae) Synonym(s): *atrox* Butler,1877 - Range (in code): PF Ms NH FJ Lf LO
- 6300. Badamia atrox atrox (Butler,1877)** (Hesperiidae) Synonym(s): *atrox* Butler,1877
Range (in code): Lf LO
- 6301. Badamia atrox collenettei Evans,1933** (Hesperiidae) Synonym(s): *collenettei* Evans,1933
Range (in code): PF Ms
- 6302. Badamia atrox flava Evans,1933** (Hesperiidae) Synonym(s): *flava* Evans,1933 - Range (in code): NH
- 6303. Badamia atrox subflava Waterhouse,1920** (Hesperiidae) Synonym(s): *subflava* Waterhouse,1920 - Range (in code): FJ
- 6304. Badamia exclamationis (Fabricius,1775)** (Hesperiidae) Synonym(s): *exclamationis* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 *nec* Fabricius,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860. Original Reference: Papilio exclamationis Fabricius,1775, Syst. Ent.: 530. Type(s): India. Range (in code): AF AU QAU CN FJ ID Amb IN Ass Slo Adm Ja Bli Tim Bor Hm Crm Aru NBr JP Isg Iri KH LK MM MY NC NH NP PG PK Ci SI TH CMa Cuo Cuo1 Cui10 Cui12 Dst Dsk Hpt Cbi Knc Rng Chy Nna Rat Nst Ths Nrt TO TW VN WS Yu PH Bas Hom Ley Luz Mar Mdo Mno Neg Pal Pol Sam Stu Taw Tic Mh Ker Mys Ng
- 6305. Badamia exclamationis exclamationis (Fabricius,1775)** (Hesperiidae) Synonym(s): *exclamationis* Fabricius,1775; *ladon* Cramer,[1780]; *ericus* Fabricius,1798 *nec* Fabricius,1793; *forulus* Hübner,[1819]; *thymbron* Felder,1860. Original Reference: Papilio exclamationis Fabricius,1775, Syst. Ent.: 530. Type(s): India. Range (in code): AF AU QAU CN FJ ID Amb IN Ass Slo Adm Ja Bli Tim Bor Hm Crm Aru NBr JP Isg Iri KH LK MM MY NC NH NP PG PK Ci SI TH CMa Cuo Cuo1 Cui10 Cui12 Dst Dsk Hpt Cbi Knc Rng Chy Nna Rat Nst Ths Nrt TO TW VN WS Yu PH Bas Hom Ley Luz Mar Mdo Mno Neg Pal Pol Sam Stu Taw Tic Mh Ker Mys Ng
- 6306. Banta anna (Evans,1935)** (Hesperiidae) Synonym(s): *anna* Evans,1935 - Range (in code): ID Ij
- 6307. Banta anna anna (Evans,1935)** (Hesperiidae) Synonym(s): *anna* Evans,1935 - Range (in code): ID Ij
- 6308. Banta banta Evans,1949** (Hesperiidae) Synonym(s): *banta* Evans,1949 - Range (in code): PG
- 6309. Banta banta banta Evans,1949** (Hesperiidae) Synonym(s): *banta* Evans,1949 - Range (in code): PG
- 6310. Banta fulvomargo (Joicey & Talbot,1915)** (Hesperiidae) Synonym(s): *fulvomargo* Joicey & Talbot,1915 - Range (in code): ID Ij Afk
- 6311. Banta fulvomargo fulvomargo (Joicey & Talbot,1915)** (Hesperiidae) Synonym(s): *fulvomargo* Joicey & Talbot,1915 - Range (in code): ID Ij Afk
- 6312. Baoris farri (Moore,1878)** (Hesperiidae) Synonym(s): *farri* Moore,1878 - Range (in code): VN TH CMa CDo Chy Knc Lam Rat Tng Cbi Cbu Srt Phe Nst Chw Ths Bnk
- 6313. Baoris farri farri (Moore,1878)** (Hesperiidae) Synonym(s): *farri* Moore,1878 - Range (in code): VN TH CMa CDo Chy Knc Lam Rat Tng Cbi Cbu Srt Phe Nst Chw Ths Bnk
- 6314. Baoris farri scopulifera Moore,1883** (Hesperiidae) Synonym(s): *scopulifera* Moore,1883
- 6315. Baoris leechii Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *leechii* Elwes & Edwards,1897
- 6316. Baoris leechii leechii Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *leechii* Elwes & Edwards,1897
- 6317. Baoris oceia (Hewitson,1868)** (Hesperiidae) Synonym(s): *oceia* Hewitson,1868 - Range (in code): PH Bab Bal Bas Bil Boh Cal CmM Ceb Cts Hom Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw Tic TH Chy Rng Cbi VN
- 6318. Baoris oceia oceia (Hewitson,1868)** (Hesperiidae) Synonym(s): *oceia* Hewitson,1868
Range (in code): PH Bab Bal Bas Bil Boh Cal CmM Ceb Cts Hom Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw Tic TH Chy Rng Cbi VN
- 6319. Baoris pagana De Nicéville,1887** (Hesperiidae) Synonym(s): *pagana* De Nicéville,1887
Range (in code): TH VN NP IN Bor
- 6320. Baoris pagana pagana De Nicéville,1887** (Hesperiidae) Synonym(s): *pagana* De Nicéville,1887 - Range (in code): TH VN NP IN Bor

- 6321. Baoris penicillata Moore,1881** (Hesperiidae) *Synonym(s): penicillata Moore,1881*
Range (in code): TH Cbi Cbu Nna VN IN LA
- 6322. Baoris penicillata brenda Evans,1937** (Hesperiidae) *Synonym(s): brenda Evans,1937*
- 6323. Baoris penicillata chapmani Evans,1937** (Hesperiidae) *Synonym(s): chapmani Evans,1937* - *Range (in code): TH Nna*
- 6324. Baoris penicillata penicillata Moore,1881** (Hesperiidae) *Synonym(s): penicillata Moore,1881*
- 6325. Baoris penicillata unicolor Moore,1883** (Hesperiidae) *Synonym(s): unicolor Moore,1883*
Range (in code): TH Cbu Cbi
- 6326. Barachus vittatus (Felder,1862)** (Hesperiidae) *Synonym(s): vittatus Felder,1862*
- 6327. Barachus vittatus gotha Evans,1949** (Hesperiidae) *Synonym(s): gotha Evans,1949*
- 6328. Barachus vittatus hampsoni Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): hampsoni Elwes & Edwards,1897*
- 6329. Barachus vittatus septentrionum Wood Mason & De Nicéville,1887** (Hesperiidae)
Synonym(s): septentrionum Wood Mason & De Nicéville,1887
- 6330. Barachus vittatus subditus Moore,1883** (Hesperiidae) *Synonym(s): subditus Moore,1883*
- 6331. Barachus vittatus vittatus (Felder,1862)** (Hesperiidae) *Synonym(s): vittatus Felder,1862*
- 6332. Barca bicolor (Oberthür,1896)** (Hesperiidae) *Synonym(s): bicolor Oberthür,1896*
Range (in code): CN Yu Qq Sz T-T Fkn
- 6333. Barca bicolor bicolor (Oberthür,1896)** (Hesperiidae) *Synonym(s): bicolor Oberthür,1896*
Range (in code): CN Yu Qq Sz T-T Fkn
- 6334. Bibasis amara (Moore,1865)** (Hesperiidae) *Synonym(s): amara Moore,1865; pindapatra Fruhstorfer,1911* - *Range (in code): IN Ben Adm SI Ass MM CN Hn TH Cma Cbu Chy Cbi Knc Rat*
- 6335. Bibasis amara amara (Moore,1865)** (Hesperiidae) *Synonym(s): amara Moore,1865; pindapatra Fruhstorfer,1911* - *Range (in code): IN Ben Adm SI Ass MM CN Hn TH Cma Cbu Chy Cbi Knc Rat*
- 6336. Bibasis anadi De Nicéville,1883** (Hesperiidae) *Synonym(s): anadi De Nicéville,1883; purpurea Riley & Godfrey,1925* - *Range (in code): IN Ass Mus SI TH Chy MM Krh*
- 6337. Bibasis anadi anadi De Nicéville,1883** (Hesperiidae) *Synonym(s): anadi De Nicéville,1883; purpurea Riley & Godfrey,1925* - *Range (in code): IN Ass Mus SI TH Chy MM Krh*
- 6338. Bibasis aquilina (Speyer,1879)** (Hesperiidae) *Synonym(s): aquilina Speyer,1879*
Original Reference: Ismene aquilina Speyer,1879, Stettin ent. Ztg. 40: 346-348. Syntypes 3♂ 2♀: [Russia]: Wladiwostok: Insel Ascold. Range (in code): RU Vv Ask JP Hkk Hdo Shk Kyu Tsu CN Sz T-T
- 6339. Bibasis aquilina aquilina (Speyer,1879)** (Hesperiidae) *Synonym(s): aquilina Speyer,1879*
Original Reference: Ismene aquilina Speyer,1879, Stettin ent. Ztg. 40: 346-348. Syntypes 3♂ 2♀: [Russia]: Wladiwostok: Insel Ascold. Range (in code): RU Vv Ask
- 6340. Bibasis aquilina chrysaeglia (Butler,[1882])** (Hesperiidae) *Synonym(s): chrysaeglia Butler,[1882]* - *Range (in code): JP Hkk Hdo Shk Kyu Tsu*
- 6341. Bibasis aquilina siola Evans,1934** (Hesperiidae) *Synonym(s): siola Evans,1934*
Range (in code): CN Sz T-T
- 6342. Bibasis etelka (Hewitson,[1867])** (Hesperiidae) *Synonym(s): etelka Hewitson,[1867]*
Range (in code): MM Krh MY ID Sum Ja Bor Swk PH Mno Pal TH Yal Nst
- 6343. Bibasis etelka etelka (Hewitson,[1867])** (Hesperiidae) *Synonym(s): etelka Hewitson,[1867]* - *Range (in code): MM Krh MY ID Sum Ja Bor Swk PH Mno Pal TH Yal*
- 6344. Bibasis gomata (Moore,[1866])** (Hesperiidae) *Synonym(s): gomata Moore,[1866]*
Range (in code): IN SI Ass Ben MM Krh MY ID Ja Sum Bor Clb CN Sz T-T Yu Mou PH Cal Cml Ley Luz Mar Mdo Mno Neg Pal Pan Pol TH Cma Knc Cbi Tng Yal
- 6345. Bibasis gomata gomata (Moore,[1866])** (Hesperiidae) *Synonym(s): gomata Moore,[1866]* - *Range (in code): IN SI Ass Ben TH Cma Knc Cbi*
- 6346. Bibasis gomata kanara Evans,1926** (Hesperiidae) *Synonym(s): kanara Evans,1926*
Range (in code): IN
- 6347. Bibasis gomata lalita Fruhstorfer,1911** (Hesperiidae) *Synonym(s): lalita Fruhstorfer,1911; vajra Fruhstorfer,1911* - *Range (in code): MM Krh MY ID Ja Sum Bor Clb TH Tng Yal*
- 6348. Bibasis gomata lara Leech,1894** (Hesperiidae) *Synonym(s): lara Leech,1894* - *Range (in code): CN Sz T-T Yu Mou*
- 6349. Bibasis gomata lorquini Mabille,1876** (Hesperiidae) *Synonym(s): lorquini Mabille,1876*
Range (in code): PH Cal Cml Ley Luz Mar Mdo Mno Neg Pal Pan Pol

- 6350. *Bibasis gomata radiosa* Plötz,1885** (Hesperiidae) **Synonym(s):** *radiosa* Plötz,1885
Range (in code): **ID Clb**
- 6351. *Bibasis harisa* (Moore,1865)** (Hesperiidae) **Synonym(s):** *harisa* Moore,1865; *asambha* Fruhstorfer,1911
Range (in code): **IN SI Ben Ass MM TH CMa CDo Cbi Cbu Chy Rat Nst Ths Sya CN Hn Adm VN Ton ID Nia Ja Sum Bgk Clb Sla MY Bor PH Sga Stu Pal**
Bionomy: Larva on weed (Lewvanich,2001).
- 6352. *Bibasis harisa aphrodite* Fruhstorfer,1905** (Hesperiidae) **Synonym(s):** *aphrodite* Fruhstorfer,1905; *mangolina* Evans,1932.
Range (in code): **ID Sla Clb**
- 6353. *Bibasis harisa consobrina* (Plötz,[1883])** (Hesperiidae) **Synonym(s):** *consobrina* Plötz,1884; *moncada* Fruhstorfer,1911; *crinatha* Fruhstorfer,1911; *distanti* Evans,1932.
Range (in code): **ID Ja Sum Bgk MY Bor PH Sga Stu TH Rat**
- 6354. *Bibasis harisa grandis* De Jong & Treadaway,1993** (Hesperiidae) **Synonym(s):** *grandis* De Jong & Treadaway,1993
Range (in code): **PH Din Ley Sam**
- 6355. *Bibasis harisa harisa* (Moore,1865)** (Hesperiidae) **Synonym(s):** *harisa* Moore,1865; *asambha* Fruhstorfer,1911
Range (in code): **IN SI Ben Ass MM TH CMa CDo Cbi Cbu Chy Rat Nst Ths Sya CN Hn Adm VN Ton**
Bionomy: Larva on weed (Lewvanich,2001).
- 6356. *Bibasis harisa niasana* Swinhoe,1912** (Hesperiidae) **Synonym(s):** *niasana* Swinhoe,1912
Range (in code): **ID Nia**
- 6357. *Bibasis harisa pala* De Jong & Treadaway,1993** (Hesperiidae) **Synonym(s):** *pala* De Jong & Treadaway,1993
Range (in code): **PH Pal**
- 6358. *Bibasis iluska* (Hewitson,1867)** (Hesperiidae) **Synonym(s):** *iluska* Hewitson,1867
Range (in code): **IN Mpr Ass MM ID Clb Kla Ja Tim Flo Lb Sbw Sba Wt Alo TH CMa Rat Nrt**
- 6359. *Bibasis iluska iluska* (Hewitson,1867)** (Hesperiidae) **Synonym(s):** *iluska* Hewitson,1867; *rubrocincta* Mabille,1891
Range (in code): **ID Clb Kla**
- 6360. *Bibasis iluska mahintha* (Moore,1874)** (Hesperiidae) **Synonym(s):** *mahintha* Moore,1874
Range (in code): **IN Mpr Ass MM TH CMa Rat Nrt**
- 6361. *Bibasis iluska nestor* (Möschler,1878)** (Hesperiidae) **Synonym(s):** *nestor* Möschler,1878; *firdusi* Plötz,1884; *atrinota* Mabille,1891; *antigone* Röber,1892; *ionis* De Nicéville,1895; *sambavana* Elwes & Edwards,1897; *zonaras* Fruhstorfer,1911.
Range (in code): **ID Ja Tim Flo Lb Sbw Sba Wt Alo**
- 6362. *Bibasis imperialis* Plötz,1886** (Hesperiidae) **Synonym(s):** *imperialis* Plötz,1886; *castnioides* Van der Bergh,1922.
Range (in code): **ID Clb Bng**
- 6363. *Bibasis imperialis imperialis* Plötz,1886** (Hesperiidae) **Synonym(s):** *imperialis* Plötz,1886; *castnioides* Van der Bergh,1922.
Range (in code): **ID Clb Bng**
- 6364. *Bibasis jaina* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *jaina* Moore,[1866]; *vasundhara* Fruhstorfer,1911
Original Reference: *Ismene jaina* Moore,[1866], Proc. zool. Soc. Lond. 1865: 782. Syntypes: Sikkim.
Range (in code): **Adm Ass Bor MY Ddu Djl IN Kma Krh MM SI TH CMa Chy Rat TW Up VN**
- 6365. *Bibasis jaina astigmata* Evans,1932** (Hesperiidae) **Synonym(s):** *astigmata* Evans,1932
Range (in code): **Adm IN**
- 6366. *Bibasis jaina fergusonii* De Nicéville,1893** (Hesperiidae) **Synonym(s):** *fergusonii* De Nicéville,1893
Range (in code): **IN**
- 6367. *Bibasis jaina formosana* Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *formosana* Fruhstorfer,1911
Range (in code): **TW**
- 6368. *Bibasis jaina jaina* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *jaina* Moore,[1866]; *vasundhara* Fruhstorfer,1911
Original Reference: *Ismene jaina* Moore,[1866], Proc. zool. Soc. Lond. 1865: 782. Syntypes: Sikkim.
Range (in code): **Ass Ddu Djl IN Kma Krh MM SI Up TH CMa VN**
- 6369. *Bibasis jaina margana* Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *margana* Fruhstorfer,1911
Range (in code): **VN MM TH Chy**
- 6370. *Bibasis jaina velva* Evans,1932** (Hesperiidae) **Synonym(s):** *velva* Evans,1932
Range (in code): **MY Bor TH Chy Rat**
- 6371. *Bibasis miracula* Evans,1949** (Hesperiidae) **Synonym(s):** *miracula* Evans,1949
Original Reference: *Bibasis miracula* Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 49. Type ♂: [China]: Kuantun, Fukien (BMNH).
Range (in code): **CN**
- 6372. *Bibasis miracula miracula* Evans,1949** (Hesperiidae) **Synonym(s):** *miracula* Evans,1949
Original Reference: *Bibasis miracula* Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 49. Type ♂: [China]: Kuantun, Fukien (BMNH).
Range (in code): **CN**

- 6373. Bibasis oedipodea (Swainson,1820)** (Hesperiidae) Synonym(s): *oedipodea Swainson,1820* Original Reference: *Ismene oedipodea Swainson,1820, Zool. Illustr. 1: pl.16.*
Type ♂: Java. Range (in code): **Ass Ben Bor BT Clc CN HK Hn ID LK IN Ja Kgr Kma MM Mno SI Sum TH Cbi Rat Knc Yal Ton Up VN PH Bal Pal Sga Stu Taw Ceb Ley Luz Mar Mdo Mno Neg Pan Sam Clb Bor Sla MY**
- 6374. Bibasis oedipodea ataphus E.Y.Watson,1893** (Hesperiidae) Synonym(s): *ataphus E.Y.Watson,1893* Range (in code): **LK**
- 6375. Bibasis oedipodea belesis (Mabille,1876)** (Hesperiidae) Synonym(s): *belesis Mabille,1876; aegina Plötz,1884; athena Fruhstorfer,1911.* Original Reference: *Ismene belesis Mabille,1876, Annls Soc. ent. Fr. (5) 6: 10, nr.12; 260, nr.2.* Type(s): Java. Range (in code): **Ass Ben BT Clc CN HK Hn IN Kgr Kma MM SI TH Cbi Rat Ton Up VN**
- 6376. Bibasis oedipodea excellens Hopffer,1874** (Hesperiidae) Synonym(s): *excellens Hopffer,1874; oedipus Elwes & Edwards,1897.* Range (in code): **ID MY Clb Bor Sla**
- 6377. Bibasis oedipodea oedipodea (Swainson,1820)** (Hesperiidae) Synonym(s): *oedipodea Swainson,1820* Original Reference: *Ismene oedipodea Swainson,1820, Zool. Illustr. 1: pl.16.*
Type ♂: Java. Range (in code): **Bor ID Ja MY Sum TH Knc Yal PH Bal Pal Sga Stu Taw**
- 6378. Bibasis oedipodea paltra Evans,1949** (Hesperiidae) Synonym(s): *paltra Evans,1949* Original Reference: *Bibasis oedipodea ssp. paltra Evans,1949, A Catalogue Hesperiidae from Europe Asia and Australia: 46.* Type ♂: [Philippines]: Mindanao (BMNH). Range (in code): **PH Ceb Ley Luz Mar Mdo Mno Neg Pan Sam**
- 6379. Bibasis phul (Mabille,1876)** (Hesperiidae) Synonym(s): *phul Mabille,1876; tolo Plötz,1881; lusca Swinhoe,1907.* Range (in code): **PH Clb ID**
- 6380. Bibasis phul phul (Mabille,1876)** (Hesperiidae) Synonym(s): *phul Mabille,1876; tolo Plötz,1881; lusca Swinhoe,1907.* Range (in code): **PH Clb ID**
- 6381. Bibasis sena (Moore,[1866])** (Hesperiidae) Synonym(s): *sena Moore,[1866]* Original Reference: *Goniloba sena Moore,[1866], Proc. zool. Soc. Lond. 1865: 778.* Type ♂: India: Bengal (BMNH) Range (in code): **Adm Ass Ben Bor Clb CN Hn ID Sum Ja IN Kma Krh LK MM Mno Mre Haz MY Pj PK SI Sul Up PH Boh Cal Ceb Hom Ley Luz Mar Mno Neg Pal Pan Pol Sga Sib Stu Taw Ja Krh Lb Sba Baw TH Rat Yal Tng Cbi Nrt Chy VN**
- 6382. Bibasis sena palawana (Staudinger,1889)** (Hesperiidae) Synonym(s): *palawana Staudinger,1889* Original Reference: *Ismene sena var. palawana Staudinger,1889, Dt. ent. Z., Iris 2: 139-140.* Type ♀: [Philippines]: Palawan (leg. Platen). Range (in code): **PH Boh Cal Ceb Hom Ley Luz Mar Mno Neg Pal Pan Pol Sga Sib Stu Taw**
- 6383. Bibasis sena sena (Moore,[1866])** (Hesperiidae) Synonym(s): *sena Moore,[1866]* Original Reference: *Goniloba sena Moore,[1866], Proc. zool. Soc. Lond. 1865: 778.* Type ♂: India: Bengal (BMNH) Range (in code): **Adm Ass Ben CN Hn IN Kma Krh LK MM Haz Mre Pj PK SI Up TH Cbi Nrt Chy VN**
- 6384. Bibasis sena senata Evans,1934** (Hesperiidae) Synonym(s): *senata Evans,1934* Range (in code): **ID Clb**
- 6385. Bibasis sena uniformis Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *uniformis Elwes & Edwards,1897* Range (in code): **ID Ja Sum MM Krh MY Bor Lb Sba Baw TH Rat Yal Tng**
- 6386. Bibasis striata (Hewitson,1867)** (Hesperiidae) Synonym(s): *striata Hewitson,1867; septentrionalis Felder,1867.* Range (in code): **CN Sz Yu**
- 6387. Bibasis striata striata (Hewitson,1867)** (Hesperiidae) Synonym(s): *striata Hewitson,1867; septentrionalis Felder,1867.* Range (in code): **CN Sz Yu**
- 6388. Bibasis tuckeri (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *tuckeri Elwes & Edwards,1897* Range (in code): **MY Prk**
- 6389. Bibasis tuckeri tuckeri (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *tuckeri Elwes & Edwards,1897* Range (in code): **MY Prk**
- 6390. Bibasis vasutana (Moore,1865)** (Hesperiidae) Synonym(s): *vasutana Moore,1865; rahita Fruhstorfer,1911; burma Evans,1934.* Range (in code): **IN Djl NP Ass SI MM Krh TH CMa Phe**
- 6391. Bibasis vasutana vasutana (Moore,1865)** (Hesperiidae) Synonym(s): *vasutana Moore,1865; rahita Fruhstorfer,1911; burma Evans,1934.* Range (in code): **IN Djl NP Ass SI MM Krh TH CMa Phe**
- 6392. Bolla brennus (Godman & Salvin,1896)** (Hesperiidae) Synonym(s): *brennus Godman & Salvin,1896* Range (in code): **US MX Tx**
- 6393. Bolla clytius (Godman & Salvin,1897)** (Hesperiidae) Synonym(s): *clytius Godman & Salvin,1897; semitincta Dyar,1924* Range (in code): **US MX Arz Tx**

- 6394. *Bolla cupreiceps* (Mabille,1891)** (Hesperiidae) Synonym(s): *cupreiceps* Mabille,1891
Range (in code): MX
- 6395. *Bolla cybele* Evans,1953** (Hesperiidae) Synonym(s): *cybele* Evans,1953 _ Range (in code): MX
- 6396. *Bolla cyclops* (Mabille,1877)** (Hesperiidae) Synonym(s): *cyclops* Mabille,1877; *sonda* Evans,1953 _ Range (in code): MX
- 6397. *Bolla cylindus* (Godman & Salvin,1896)** (Hesperiidae) Synonym(s): *cylindus* Godman & Salvin,1896 _ Range (in code): MX
- 6398. *Bolla eusebius* (Plötz,1884)** (Hesperiidae) Synonym(s): *eusebius* Plötz,1884; *subgisela* Strand,1921; *aplica* Bell,1937 _ Range (in code): MX
- 6399. *Bolla evippe* (Godman & Salvin,1896)** (Hesperiidae) Synonym(s): *evippe* Godman & Salvin,1896 _ Range (in code): MX
- 6400. *Bolla fenestra* Steinhäuser,1991** (Hesperiidae) Synonym(s): *fenestra* Steinhäuser,1991
Range (in code): MX
- 6401. *Bolla guerra* Evans,1953** (Hesperiidae) Synonym(s): *guerra* Evans,1953 _ Range (in code): MX
- 6402. *Bolla litus* (Dyar,1912)** (Hesperiidae) Synonym(s): *litus* Dyar,1912; *smodora* Dyar,1914
Range (in code): MX
- 6403. *Bolla oriza* Evans,1953** (Hesperiidae) Synonym(s): *oriza* Evans,1953 _ Range (in code): MX
- 6404. *Bolla orsines* (Godman & Salvin,1896)** (Hesperiidae) Synonym(s): *orsines* Godman & Salvin,1896 _ Range (in code): MX
- 6405. *Bolla pullata* Mabille,1878** (Hesperiidae) Synonym(s): *pullata* Mabille,1878; *sodalis* Schaus,1913; *imbras* Godman & Salvin,1896 _ Range (in code): MX
- 6406. *Bolla solitaria* Steinhäuser,1991** (Hesperiidae) Synonym(s): *solitaria* Steinhäuser,1991
Range (in code): MX
- 6407. *Bolla subapicatus* (Schaus,1902)** (Hesperiidae) Synonym(s): *subapicatus* Schaus,1902; *chilpancingo* Bell,1937 _ Range (in code): MX
- 6408. *Bolla zorilla* (Plötz,1886)** (Hesperiidae) Synonym(s): *zorilla* Plötz,1886; *hazela* Hayward,1940; *madrea* R.C.Williams & Bell,1940 _ Range (in code): MX
- 6409. *Borbo bevani* (Moore,1878)** (Hesperiidae) Synonym(s): *bevani* Moore,1878 _ Range (in code): AF Ng Hyb IN TW CN SI Ass MM LA Hn ID Ja Sum Crm Clb TH Bnk Nna CMa CDo AU QAU
- 6410. *Borbo bevani bevani* (Moore,1878)** (Hesperiidae) Synonym(s): *bevani* Moore,1878
Range (in code): TH Bnk Nna CMa CDo
- 6411. *Borbo binga* (Evans,1937)** (Hesperiidae) Synonym(s): *binga* Evans,1937 Original Reference: Baoris binga Evans,1937, Catalogue African Hesperiidae in the British Museum: 178, pl.7 fig.107. Holotype ♂: Ivory Coast (Macoatana) (BMNH). Range (in code): CI ZR
- 6412. *Borbo binga binga* (Evans,1937)** (Hesperiidae) Synonym(s): *binga* Evans,1937 _ Range (in code): CI ZR
- 6413. *Borbo borbonica* (Boisduval,1833)** (Hesperiidae) Synonym(s): *borbonica* Boisduval,1833; *senegalensis* Klug,1842; *continentalis* Strand,1912 Original Reference: *Hesperia borbonica* Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6. Range (in code): ZA Tva Lpo Ly MG SC Ald ES DZ Agi MA Rbt Tgr LB Bei EG LY TZ SD UG KE ET DJ SO Bionomy: Larva on *Leersia hexandra*, *Sorghum alepense* (Poaceae) (Tolman,1997).
- 6414. *Borbo borbonica borbonica* (Boisduval,1833)** (Hesperiidae) Synonym(s): *borbonica* Boisduval,1833; *senegalensis* Klug,1842; *continentalis* Strand,1912 Original Reference: *Hesperia borbonica* Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2(2): 213, Pl.9, figs. 5, 6. Range (in code): ZA Tva Lpo Ly MG ES DZ Agi MA Rbt Tgr LB Bei EG LY TZ SD UG KE ET DJ SO
- 6415. *Borbo borbonica morella* (De Joannis,1893)** (Hesperiidae) Synonym(s): *morella* De Joannis,1893 _ Range (in code): SC Ald
- 6416. *Borbo borbonica zelleri* (Lederer,1855)** (Hesperiidae) Synonym(s): *zelleri* Lederer,1855; *holii* Oberthür,1910 Original Reference: *Hesperia zelleri* Lederer, 1855, Verh. zool.- bot. Ver. Wien 5: 194. Syntypes: Lebanon: Beirut. Range (in code): LB Bei DZ MA EG LY
- 6417. *Borbo chagwa* (Evans,1937)** (Hesperiidae) Synonym(s): *chagwa* Evans,1937; *kilwa* Evans,1937 Original Reference: *Pelopidas chagwa* Evans,1937, Catalogue African Hesperiidae in the British Museum: 183, pl.7 fig.114. Holotype ♂: Uganda: Mabire forest, Chagwé 3500ft (BMNH). Range (in code): UG TZ ZW

- 6418. Borbo chagwa chagwa (Evans,1937)** (Hesperiidae) Synonym(s): *chagwa* Evans,1937; *kilwa* Evans,1937 Range (in code): **UG TZ ZW**
- 6419. Borbo cinnara (Wallace,1866)** (Hesperiidae) Synonym(s): *cinnara* Wallace,1866 Range (in code): **PH Bal CmM Jol Ley Lub Luz Mas Mdo Mno Neg Pal Pan Sam Sga Stu Taw TH Bnk Nna Rat Cbu Lmp Yal Nst Chw Ths**
- 6420. Borbo cinnara cinnara (Wallace,1866)** (Hesperiidae) Synonym(s): *cinnara* Wallace,1866 Range (in code): **PH Bal CmM Jol Ley Lub Luz Mas Mdo Mno Neg Pal Pan Sam Sga Stu Taw TH Bnk Nna Rat Cbu Lmp Yal Nst Chw Ths**
- 6421. Borbo detecta (Trimen,1893)** (Hesperiidae) Synonym(s): *detecta* Trimen,1893; *fallatus* Holland,1896; *pyrrhobaphes* Mabilie,1898 Range (in code): **ET SD SO ZA Nta Kzu KE**
- 6422. Borbo detecta detecta (Trimen,1893)** (Hesperiidae) Synonym(s): *detecta* Trimen,1893; *fallatus* Holland,1896; *pyrrhobaphes* Mabilie,1898 Range (in code): **ET SD SO ZA Nta Kzu KE**
- 6423. Borbo fallax (Gaede,1916)** (Hesperiidae) Synonym(s): *fallax* Gaede,1916 Range (in code): **ET SD SO CM**
- 6424. Borbo fallax fallax (Gaede,1916)** (Hesperiidae) Synonym(s): *fallax* Gaede,1916 Range (in code): **ET SD SO CM**
- 6425. Borbo fanta (Evans,1937)** (Hesperiidae) Synonym(s): *fanta* Evans,1937 Original Reference: Pelopidas fanta Evans,1937, Catalogue African Hesperiidae in the British Museum: 181, pl.7 fig.109. Holotype ♂: Gold Coast (BMNH). Range (in code): **CI GH ZR ZM AO ZW MZ BW TZ**
- 6426. Borbo fanta barnesi (Evans,1949)** (Hesperiidae) Synonym(s): *barnesi* Evans,1949 Range (in code): **ZW MZ BW TZ**
- 6427. Borbo fanta fanta (Evans,1937)** (Hesperiidae) Synonym(s): *fanta* Evans,1937 Original Reference: Pelopidas fanta Evans,1937, Catalogue African Hesperiidae in the British Museum: 181, pl.7 fig.109. Holotype ♂: Gold Coast (BMNH). Range (in code): **CI GH ZR ZM AO**
- 6428. Borbo fatuellus (Hopffer,1855)** (Hesperiidae) Synonym(s): *fatuellus* Hopffer,1855; *caffraria* Plötz,1883; *cinerea* Holland,1896 Original Reference: Pamphila fatuellus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique. Range (in code): **KM AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru K12 Pma Pf ZM ZR ZW**
- 6429. Borbo fatuellus dolens (Mabilie,1898)** (Hesperiidae) Synonym(s): *dolens* Mabilie,1898 Range (in code): **KM**
- 6430. Borbo fatuellus fatuellus (Hopffer,1855)** (Hesperiidae) Synonym(s): *fatuellus* Hopffer,1855; *caffraria* Plötz,1883; *cinerea* Holland,1896 Original Reference: Pamphila fatuellus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique. Range (in code): **AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru K12 Pma Pf ZM ZR ZW**
- 6431. Borbo fatuellus thomea (Evans,1937)** (Hesperiidae) Synonym(s): *thomea* Evans,1937 Original Reference: Baoris fatuellus ssp. thomea Evans,1937, Catalogue African Hesperiidae in the British Museum: 177. Holotype ♂: Sao Thome (BMNH). Range (in code): **ST**
- 6432. Borbo ferruginea (Aurivillus,1925)** (Hesperiidae) Synonym(s): *ferruginea* Aurivillus,1925 Range (in code): **ZA MZ TZ Dss**
- 6433. Borbo ferruginea dondo Evans,1956** (Hesperiidae) Synonym(s): *dondo* Evans,1956 Range (in code): **MZ**
- 6434. Borbo ferruginea ferruginea (Aurivillus,1925)** (Hesperiidae) Synonym(s): *ferruginea* Aurivillus,1925 Range (in code): **TZ Dss**
- 6435. Borbo gemella (Mabilie,1884)** (Hesperiidae) Synonym(s): *gemella* Mabilie,1884 Original Reference: Pamphila gemella Mabilie,1884, Annls Soc. ent. Belg. 1884: 187. Syntypes: Madagascar. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru Pma Pf ZM ZR ZW**
- 6436. Borbo gemella gemella (Mabilie,1884)** (Hesperiidae) Synonym(s): *gemella* Mabilie,1884 Original Reference: Pamphila gemella Mabilie,1884, Annls Soc. ent. Belg. 1884: 187. Syntypes: Madagascar. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru Pma Pf ZM ZR ZW**
- 6437. Borbo holtzi (Plötz,1883)** (Hesperiidae) Synonym(s): *holtzi* Plötz,1883; *atures* Mabilie,1883; *cana* Lathy,1901; *caesia* Gaede,1917; *aequalis* Gaede,1917; *rougeoti* Picard,1949 Range (in code): **SD SO ET TZ MW Zom**

- 6438. Borbo holtzi holtzi (Plötz,1883)** (Hesperiidae) Synonym(s): *holtzi* Plötz,1883; *aurantia* Mabille,1883; *cana* Lathy,1901; *caesia* Gaede,1917; *aequalis* Gaede,1917; *rougeoti* Picard,1949 - Range (in code): SD SO ET TZ MW Zom
- 6439. Borbo impar (Mabille,1883)** (Hesperiidae) Synonym(s): *impar* Mabille,1883
- 6440. Borbo impar impar (Mabille,1883)** (Hesperiidae) Synonym(s): *impar* Mabille,1883
- 6441. Borbo impar lavinia Waterhouse,1932** (Hesperiidae) Synonym(s): *lavinia* Waterhouse,1932
- 6442. Borbo impar tetragraphus (Mabille,1891)** (Hesperiidae) Synonym(s): *tetragraphus* Mabille,1891
- 6443. Borbo kaka (Evans,1938)** (Hesperiidae) Synonym(s): *kaka* Evans,1938 - Range (in code): KE UG
- 6444. Borbo kaka kaka (Evans,1938)** (Hesperiidae) Synonym(s): *kaka* Evans,1938 - Range (in code): KE UG
- 6445. Borbo liana (Evans,1937)** (Hesperiidae) Synonym(s): *liana* Evans,1937 Original Reference: Pelopidas liana Evans,1937, Catalogue African Hesperidae in the British Museum: 183, pl.7 fig.112. Holotype ♂: Sierra Leone (BMNH). Range (in code): SL
- 6446. Borbo liana liana (Evans,1937)** (Hesperiidae) Synonym(s): *liana* Evans,1937 - Range (in code): SL
- 6447. Borbo lugens (Hopffer,1855)** (Hesperiidae) Synonym(s): *lugens* Hopffer,1855; *xylos* Mabille,1890; *maranga* Butler,1900; *plana* Swinhoe,1915 - Range (in code): MZ KE ZW MW ZR ZA Tva Pin
- 6448. Borbo lugens lugens (Hopffer,1855)** (Hesperiidae) Synonym(s): *lugens* Hopffer,1855; *xylos* Mabille,1890; *maranga* Butler,1900; *plana* Swinhoe,1915 - Range (in code): MZ KE ZW MW ZR ZA Tva Pin
- 6449. Borbo micans (Holland,1896)** (Hesperiidae) Synonym(s): *micans* Holland,1896 Range (in code): SO SD ET ZA GA
- 6450. Borbo micans micans (Holland,1896)** (Hesperiidae) Synonym(s): *micans* Holland,1896 Range (in code): SO SD ET ZA GA
- 6451. Borbo perobscura (Druce,1912)** (Hesperiidae) Synonym(s): *perobscura* Druce,1912; *gemina* Gaede,1916; *trigemina* Gaede,1916 - Range (in code): ET ZR MW TG GN CM SN
- 6452. Borbo perobscura perobscura (Druce,1912)** (Hesperiidae) Synonym(s): *perobscura* Druce,1912; *gemina* Gaede,1916; *trigemina* Gaede,1916 - Range (in code): ET ZR MW TG GN CM SN
- 6453. Borbo ratek (Boisduval,1833)** (Hesperiidae) Synonym(s): *ratek* Boisduval,1833; *sinnis* Mabille,1878; *weymeri* Saalmüller,1884 - Range (in code): MG
- 6454. Borbo ratek ratek (Boisduval,1833)** (Hesperiidae) Synonym(s): *ratek* Boisduval,1833; *sinnis* Mabille,1878; *weymeri* Saalmüller,1884 - Range (in code): MG
- 6455. Borbo sirena (Evans,1937)** (Hesperiidae) Synonym(s): *sirena* Evans,1937 Original Reference: Pelopidas sirena Evans,1937, Catalogue African Hesperidae in the British Museum: 181, pl.7 fig.110. Holotype ♂: Kenya (BMNH). Range (in code): KE UG ZW ZR ZM TZ UG SL
- 6456. Borbo sirena sirena (Evans,1937)** (Hesperiidae) Synonym(s): *sirena* Evans,1937 Range (in code): KE UG ZW ZR ZM TZ UG SL
- 6457. Brusa allardi Berger,1967** (Hesperiidae) Synonym(s): *allardi* Berger,1967
- 6458. Brusa saxicola (Neave,1910)** (Hesperiidae) Synonym(s): *saxicola* Neave,1910
- 6459. Bungalotis astylos (Cramer,[1780])** (Hesperiidae) Synonym(s): *astylos* Cramer,[1780] Range (in code): MX
- 6460. Bungalotis erythus (Cramer,[1775])** (Hesperiidae) Synonym(s): *erythus* Cramer,[1775]; *muretus* Fabricius,1793 - Range (in code): MX
- 6461. Bungalotis midas (Cramer,[1775])** (Hesperiidae) Synonym(s): *midas* Cramer,[1775]; *adrasor* Mabille & Boulet,1912; *corentinus* Plötz,1882 - Range (in code): MX
- 6462. Bungalotis milleri Freeman,1977** (Hesperiidae) Synonym(s): *milleri* Freeman,1977 Range (in code): MX
- 6463. Bungalotis quadratum (Sepp,[1845])** (Hesperiidae) Synonym(s): *quadratum* Sepp,[1845]; *annulicornis* Möschler,1877 - Range (in code): MX
- 6464. CMLeucochitonea hindei Druce,1903** (Hesperiidae) Synonym(s): *hindei* Druce,1903 Range (in code): KE ET
- 6465. Cabares potrillo (Lucas,1857)** (Hesperiidae) Synonym(s): *potrillo* Lucas,1857; *paterculus* Herrich-Schäffer,1863 - Range (in code): MX

- 6466. *Caenides allyni* Miller, 1971** (Hesperiidae) Synonym(s): *allyni* Miller, 1971 _ Range (in code): ZR
- 6467. *Caenides benga* (Holland, 1891)** (Hesperiidae) Synonym(s): *benga* Holland, 1891
Range (in code): GA LR CI NG CM CG ZR
- 6468. *Caenides binoevatus* (Mabille, 1891)** (Hesperiidae) Synonym(s): *binoevatus* Mabille, 1891
Range (in code): GA NG CM CG ZR
- 6469. *Caenides dacela* (Hewitson, 1876)** (Hesperiidae) Synonym(s): *dacela* Hewitson, 1876
Range (in code): GO GA UG Bionomy: Larva on Phoenix (Arecaceae) (Ackery et al., 1995).
- 6470. *Caenides dacena* (Hewitson, 1876)** (Hesperiidae) Synonym(s): *dacena* Hewitson, 1876; *corduba* Hewitson, 1876; *leucopogon* Mabille, 1891; *masiva* Mabille & Vuillot, [1891] _ Range (in code): SL GN SD UG CM GA GO Bio
- 6471. *Caenides dacenilla* Aurivillius, 1925** (Hesperiidae) Synonym(s): *dacenilla* Aurivillius, 1925
Range (in code): CM NG
- 6472. *Caenides halma* (Evans, 1937)** (Hesperiidae) Synonym(s): *halma* Evans, 1937 _ Range (in code): SN UG ZR
- 6473. *Caenides hidaroides* Aurivillius, 1896** (Hesperiidae) Synonym(s): *hidaroides* Aurivillius, 1896; *artopta* Druce, 1910 _ Range (in code): SL LR CI GH NG CM CG ZR
- 6474. *Caenides kangvensis* Holland, 1896** (Hesperiidae) Synonym(s): *kangvensis* Holland, 1896
Range (in code): CI CM GA ZR UG
- 6475. *Caenides lena* (Evans, 1937)** (Hesperiidae) Synonym(s): *lena* Evans, 1937 _ Range (in code): CM NG
- 6476. *Caenides leonora* (Plötz, 1879)** (Hesperiidae) Synonym(s): *leonora* Plötz, 1879 _ Range (in code): GH CM GA CG ZR UG MW
- 6477. *Caenides leonora dux* (Evans, 1937)** (Hesperiidae) Synonym(s): *dux* Evans, 1937
Range (in code): ZR MW
- 6478. *Caenides leonora leonora* (Plötz, 1879)** (Hesperiidae) Synonym(s): *leonora* Plötz, 1879; *xanthagyra* Mabille, 1891 _ Range (in code): GH CM GA CG ZR UG
- 6479. *Caenides lissa* (Evans, 1937)** (Hesperiidae) Synonym(s): *lissa* Evans, 1937 _ Range (in code): UG KE NG CM
- 6480. *Caenides lissa lima* (Evans, 1937)** (Hesperiidae) Synonym(s): *lima* Evans, 1937 _ Range (in code): UG KE
- 6481. *Caenides lissa lissa* (Evans, 1937)** (Hesperiidae) Synonym(s): *lissa* Evans, 1937 _ Range (in code): NG CM
- 6482. *Caenides lota* (Evans, 1937)** (Hesperiidae) Synonym(s): *lota* Evans, 1937 _ Range (in code): CM ZR
- 6483. *Caenides luehderi* (Plötz, 1879)** (Hesperiidae) Synonym(s): *luehderi* Plötz, 1879 _ Range (in code): SL UG KE CM ZR
- 6484. *Caenides luehderi laura* (Evans, 1937)** (Hesperiidae) Synonym(s): *laura* Evans, 1937
Range (in code): UG KE ZR
- 6485. *Caenides luehderi luehderi* (Plötz, 1879)** (Hesperiidae) Synonym(s): *luehderi* Plötz, 1879
Range (in code): GH CM ZR SL UG
- 6486. *Caenides maracanda* (Hewitson, 1876)** (Hesperiidae) Synonym(s): *maracanda* Hewitson, 1876 _ Range (in code): NG CM AO
- 6487. *Caenides meloui* N.D.Riley, 1926** (Hesperiidae) Synonym(s): *meloui* N.D.Riley, 1926
Range (in code): LR CI GH
- 6488. *Caenides na* Lindsey & Miller, 1965** (Hesperiidae) Synonym(s): *na* Lindsey & Miller, 1965
Range (in code): LR
- 6489. *Caenides otilia* Belcastro, 1990** (Hesperiidae) Synonym(s): *otilia* Belcastro, 1990
Range (in code): SL GH
- 6490. *Caenides soritia* (Hewitson, 1876)** (Hesperiidae) Synonym(s): *soritia* Hewitson, 1876
Range (in code): SL LR GH NG CM GO GA Bionomy: Larva on Zingiber (Zingiberaceae) (Ackery, et al., 1995).
- 6491. *Caenides stoehri* (Karsch, 1893)** (Hesperiidae) Synonym(s): *stoehri* Karsch, 1893
Range (in code): GH TG
- 6492. *Caenides volta* (Evans, 1937)** (Hesperiidae) Synonym(s): *volta* Evans, 1937 _ Range (in code): GH CI

- 6493. *Caenides xychus* (Mabille,1891)** (Hesperiidae) **Synonym(s):** *xychus* Mabille,1891
Range (in code): **SL CM UG ZR**
- 6494. *Calleagris hollandi* (Butler,1897)** (Hesperiidae) **Synonym(s):** *hollandi* Butler,1897
Range (in code): **TZ MW ZM AO**
- 6495. *Calleagris hollandi hollandi* (Butler,1897)** (Hesperiidae) **Synonym(s):** *hollandi* Butler,1897
Range (in code): **TZ MW ZM AO**
- 6496. *Calleagris jamesoni* (Sharpe,1890)** (Hesperiidae) **Synonym(s):** *jamesoni* Sharpe,1890; *#kigonserensis* Wichgraf,1921; *#gava* Evans,1937; *neavei* Evans,1951.
Range (in code): **ZM TZ MZ ZR AO MW Zom**
- 6497. *Calleagris jamesoni ansorgei* Evans,1951** (Hesperiidae) **Synonym(s):** *ansorgei* Evans,1951
Range (in code): **AO**
- 6498. *Calleagris jamesoni jacksoni* Evans,1951** (Hesperiidae) **Synonym(s):** *jacksoni* Evans,1951
Range (in code): **TZ**
- 6499. *Calleagris jamesoni jamesoni* (Sharpe,1890)** (Hesperiidae) **Synonym(s):** *jamesoni* Sharpe,1890; *#kigonserensis* Wichgraf,1921; *#gava* Evans,1937; *neavei* Evans,1951.
Range (in code): **ZM TZ MZ ZR**
- 6500. *Calleagris kobela* (Trimen,1864)** (Hesperiidae) **Synonym(s):** *kobela* Trimen,1864
Range (in code): **ZA Nta Kzu Ec Mll Ly Tva Mpu Brb**
- 6501. *Calleagris krooni* Vari,1974** (Hesperiidae) **Synonym(s):** *krooni* Vari,1974
Range (in code): **ZA Tva Mpu ZA14**
- 6502. *Calleagris lacteus* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *lacteus* Mabille,1877
Range (in code): **CG UG TZ ZR CM NG CI LR SL GN**
- 6503. *Calleagris landbecki* (Druce,1910)** (Hesperiidae) **Synonym(s):** *landbecki* Druce,1910
Range (in code): **ZR CM NG**
- 6504. *Calliades zeutus* (Möschler,1879)** (Hesperiidae) **Synonym(s):** *zeutus* Möschler,1879; *koluthos* Plötz,1882; *polias* Godman,1901; *rhacodes* Mabille & Boulet,1912
Range (in code): **MX**
- 6505. *Callimormus juvenus* Scudder,1872** (Hesperiidae) **Synonym(s):** *juvenus* Scudder,1872; *polita* Plötz,1884
Range (in code): **MX**
- 6506. *Callimormus radiola* (Mabille,1879)** (Hesperiidae) **Synonym(s):** *radiola* Mabille,1879
Range (in code): **MX**
- 6507. *Callimormus radiola radiola* (Mabille,1879)** (Hesperiidae) **Synonym(s):** *radiola* Mabille,1879
Range (in code): **MX**
- 6508. *Callimormus saturnus* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *saturnus* Herrich-Schäffer,1869; *tenera* Plötz,1884
Range (in code): **MX**
- 6509. *Calpodus ethlius* (Stoll,1782)** (Hesperiidae) **Synonym(s):** *ethlius* Stoll,1782; *chemnis* Fabricius,1793; *olynthus* Boisduval & LeConte,[1837]
Range (in code): **US MX Aks Arz Cf Dw Fl Ge Ilm Kan Lou Mis Mrl Msc Mss NCa NMx Ne Neb Nje Ny Oh Ok Pns SCa Tnn Tx Ut Vi**
- 6510. *Caltoris aurociliata* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *aurociliata* Elwes & Edwards,1897
Range (in code): **SI IN Ass Mpr Nag VN**
- 6511. *Caltoris aurociliata aurociliata* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *aurociliata* Elwes & Edwards,1897
Range (in code): **SI IN Ass Mpr Nag VN**
- 6512. *Caltoris beraka* (Plötz,1885)** (Hesperiidae) **Synonym(s):** *beraka* Plötz,1885; *gyas* Mabille,1891; *robusta* Elwes & Edwards,1897
Range (in code): **ID Clb Sgr**
- 6513. *Caltoris beraka beraka* (Plötz,1885)** (Hesperiidae) **Synonym(s):** *beraka* Plötz,1885; *gyas* Mabille,1891; *robusta* Elwes & Edwards,1897
Range (in code): **ID Clb Sgr**
- 6514. *Caltoris boisduvalii* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *boisduvalii* C.Felder & R.Felder,[1867]; *hasoroides* Elwes & Edwards,1897
Range (in code): **ID Amb Crm Bhc PG Adl**
- 6515. *Caltoris boisduvalii boisduvalii* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *boisduvalii* C.Felder & R.Felder,[1867]; *hasoroides* Elwes & Edwards,1897
Range (in code): **ID Amb Crm Bhc PG**
- 6516. *Caltoris boisduvalii hilda* Evans,1937** (Hesperiidae) **Synonym(s):** *hilda* Evans,1937
Range (in code): **PG Adl**
- 6517. *Caltoris bromus* Leech,1894** (Hesperiidae) **Synonym(s):** *bromus* Leech,1894; *reducta* Evans,1932
Range (in code): **CN Sz HK Yu IN Ass MM VN MY ID Sum Ja Bor Sba Alo Clb TW PH Ley Mas Mno Pal Pan Sam TH CMa Bnk Nst Chw**
- 6518. *Caltoris bromus bromus* Leech,1894** (Hesperiidae) **Synonym(s):** *bromus* Leech,1894; *reducta* Evans,1932
Range (in code): **CN Sz HK Yu IN Ass MM VN MY ID Sum Ja Bor Sba Alo Clb PH Ley Mas Mno Pal Pan Sam TH CMa Bnk Nst Chw**

- 6519. *Caltoris bromus yanuca* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *yanuca* Fruhstorfer,1911; *giranna* Matsumura,1919; *mumon* Matsumura,1936; *ranrunna* Sonan,1936 _ Range (in code): TW
- 6520. *Caltoris brunnea* (Snellen,1876)** (Hesperiidae) Synonym(s): *brunnea* Snellen,1876 Range (in code): IN Ass MM VN Ann MY ID Sum Bgk Bor Ja Bli Lb Sbw PH Cal Pal TH CMa Nst Ths
- 6521. *Caltoris brunnea brunnea* (Snellen,1876)** (Hesperiidae) Synonym(s): *brunnea* Snellen,1876; *nirwana* Plötz,1882; *sodalis* Mabilie,1893 _ Range (in code): ID Ja Bor Bli Lb Sbw
- 6522. *Caltoris brunnea caere* De Nicéville,1891** (Hesperiidae) Synonym(s): *caere* De Nicéville,1891 _ Range (in code): IN Ass MM VN Ann MY ID Sum Bgk Bor PH Cal Pal TH CMa Nst Ths
- 6523. *Caltoris cahira* (Moore,1877)** (Hesperiidae) Synonym(s): *cahira* Moore,1877 _ Range (in code): VN TH Cbi Tak Nst Chw Ths CN Sz Fkn Hpe Yu IN Adm Nk Ass Meg Khs MM Rgo Mpr TW SI MY Hn
- 6524. *Caltoris cahira austeni* (Moore,1883)** (Hesperiidae) Synonym(s): *austeni* Moore,1883; *fallacina* Mabilie,1891; *onchisa* Swinhoe,1893; *carna* Evans,1926; *cara* Evans,1932 _ Range (in code): VN TH Cbi Tak Nst Chw Ths IN Ass Meg Khs MM Rgo Mpr TW SI MY CN Hn
- 6525. *Caltoris cahira cahira* (Moore,1877)** (Hesperiidae) Synonym(s): *cahira* Moore,1877 Range (in code): IN Adm Nk
- 6526. *Caltoris cahira carina* Evans,1937** (Hesperiidae) Synonym(s): *carina* Evans,1937; *confuciana* Evans,1937 _ Range (in code): CN Sz Fkn Hpe Yu
- 6527. *Caltoris canaraica* (Moore,1883)** (Hesperiidae) Synonym(s): *canaraica* Moore,1883; *yatesi* Evans,1929 _ Range (in code): IN Knr Mys Mad
- 6528. *Caltoris canaraica canaraica* (Moore,1883)** (Hesperiidae) Synonym(s): *canaraica* Moore,1883; *yatesi* Evans,1929 _ Range (in code): IN Knr Mys Mad
- 6529. *Caltoris confusa* Evans,1932** (Hesperiidae) Synonym(s): *confusa* Evans,1932 _ Range (in code): SI IN Ass MM Tvy
- 6530. *Caltoris confusa confusa* Evans,1932** (Hesperiidae) Synonym(s): *confusa* Evans,1932 Range (in code): SI IN Ass MM Tvy
- 6531. *Caltoris cormasa* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cormasa* Hewitson,1876; *moolata* Moore,1878; *dravida* Mabilie,1878 _ Range (in code): PH Hom Ley Luz Mar Mdo Mno Pal Sam Sib Stu Taw MM Tns IN Ass TH CMa CDo Tng Knc Nst Chw Ths Bnk VN Ton MY Bor ID Ja Nia Sum CN Hn
- 6532. *Caltoris cormasa cormasa* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cormasa* Hewitson,1876; *moolata* Moore,1878; *dravida* Mabilie,1878 _ Range (in code): PH Hom Ley Luz Mar Mdo Mno Pal Sam Sib Stu Taw MM Tns IN Ass TH CMa CDo Tng Knc Nst Chw Ths Bnk VN Ton MY Bor ID Ja Nia Sum CN Hn
- 6533. *Caltoris kumara* (Moore,1878)** (Hesperiidae) Synonym(s): *kumara* Moore,1878 Range (in code): TH MM Krh Shn LK SI IN Knr Bba Ass ID Ja Bor Lb
- 6534. *Caltoris kumara elongata* Evans,1932** (Hesperiidae) Synonym(s): *elongata* Evans,1932 Range (in code): ID Ja Bor Lb
- 6535. *Caltoris kumara kumara* (Moore,1878)** (Hesperiidae) Synonym(s): *kumara* Moore,1878 Range (in code): IN Knr Bba
- 6536. *Caltoris kumara lanka* Evans,1926** (Hesperiidae) Synonym(s): *lanka* Evans,1926 Range (in code): LK
- 6537. *Caltoris kumara moorei* Evans,1926** (Hesperiidae) Synonym(s): *moorei* Evans,1926 Range (in code): TH MM Krh Shn SI IN Ass
- 6538. *Caltoris malaya* Evans,1926** (Hesperiidae) Synonym(s): *malaya* Evans,1926; *javana* Evans,1932 _ Range (in code): MY TH Rng Nst Ths ID Bor Sum Ja MM Mrg
- 6539. *Caltoris malaya malaya* Evans,1926** (Hesperiidae) Synonym(s): *malaya* Evans,1926; *javana* Evans,1932 _ Range (in code): MY TH Rng Nst Ths ID Bor Sum Ja MM Mrg
- 6540. *Caltoris mehavagga* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *mehavagga* Fruhstorfer,1911 _ Range (in code): ID Clb Sla Bru
- 6541. *Caltoris mehavagga mehavagga* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *mehavagga* Fruhstorfer,1911 _ Range (in code): ID Clb Sla Bru
- 6542. *Caltoris philippina* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *philippina* Herrich-Schäffer,1869; *seriata* Moore,1878; *belli* Evans,1932 _ Range (in code): PH Bal Bas CmM Ceb Ley Luz Mno Neg Pal Pan Stu Taw ID Bch Trn Kai Amb Ob Hm Bru Mi Wg ID IJ PG Nlr SB IN Knr LK SI MY Nia Clb Sla

- 6543. *Caltoris philippina philippina* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *philippina* Herrich-Schäffer,1869; *seriata* Moore,1878; *belli* Evans,1932 _ Range (in code): PH Bal Bas CmM Ceb Ley Luz Mno Neg Pal Pan Stu Taw IN Knr LK SI MY Nia Clb Sla
- 6544. *Caltoris philippina subfenestrata* (Röber,1891)** (Hesperiidae) **Synonym(s):** *subfenestrata* Röber,1891 _ Range (in code): ID Bch Trn Kai Amb Ob Hm Bru Mi Wg ID IJ PG Nlr SB
- 6545. *Caltoris plebeia* (De Nicéville,1887)** (Hesperiidae) **Synonym(s):** *plebeia* De Nicéville,1887; *mormo* Mabille,1893 _ Range (in code): TH CMa Yal Tng SI IN MM MY ID Ja Bor VN
- 6546. *Caltoris plebeia plebeia* (De Nicéville,1887)** (Hesperiidae) **Synonym(s):** *plebeia* De Nicéville,1887; *mormo* Mabille,1893 _ Range (in code): TH CMa Yal Tng SI IN MM MY ID Ja Bor VN
- 6547. *Caltoris sirius* Evans,1926** (Hesperiidae) **Synonym(s):** *sirius* Evans,1926 _ Range (in code): CN Ti ID Ja Bgk Bor MY TH IN Ass Mpr MM Krh VN Ton
- 6548. *Caltoris sirius chimdroa* Evans,1926** (Hesperiidae) **Synonym(s):** *chimdroa* Evans,1926 _ Range (in code): CN Ti
- 6549. *Caltoris sirius fusca* Evans,1932** (Hesperiidae) **Synonym(s):** *fusca* Evans,1932 _ Range (in code): MY
- 6550. *Caltoris sirius kalparia* Evans,1937** (Hesperiidae) **Synonym(s):** *kalparia* Evans,1937 _ Range (in code): ID Ja Bgk Bor
- 6551. *Caltoris sirius sirius* Evans,1926** (Hesperiidae) **Synonym(s):** *sirius* Evans,1926; *sirina* Evans,1932 _ Range (in code): IN Ass Mpr MM Krh VN Ton TH
- 6552. *Caltoris tenuis* Evans,1932** (Hesperiidae) **Synonym(s):** *tenuis* Evans,1932 _ Range (in code): MM Tvy TH CMa VN
- 6553. *Caltoris tenuis tenuis* Evans,1932** (Hesperiidae) **Synonym(s):** *tenuis* Evans,1932 _ Range (in code): MM Tvy TH CMa VN
- 6554. *Caltoris tulsii* (De Nicéville,1883)** (Hesperiidae) **Synonym(s):** *tulsii* De Nicéville,1883 _ Range (in code): VN SI IN BT Ass MM CN Yu MY TH ID Ja Sum Bor
- 6555. *Caltoris tulsii jolanda* (Plötz,1886)** (Hesperiidae) **Synonym(s):** *jolanda* Plötz,1886 _ Range (in code): ID Ja Sum Bor
- 6556. *Caltoris tulsii tulsii* (De Nicéville,1883)** (Hesperiidae) **Synonym(s):** *tulsii* De Nicéville,1883 _ Range (in code): VN SI IN BT Ass MM CN Yu MY TH
- 6557. *Camptopleura auxo* (Möschler,1877)** (Hesperiidae) **Synonym(s):** *auxo* Möschler,1877 _ Range (in code): MX
- 6558. *Camptopleura oaxaca* Freeman,1969** (Hesperiidae) **Synonym(s):** *oaxaca* Freeman,1969 _ Range (in code): MX
- 6559. *Camptopleura theramenis* Mabille,1877** (Hesperiidae) **Synonym(s):** *theramenis* Mabille,1877 _ Range (in code): MX
- 6560. *Capila hainana* Crowley,1900** (Hesperiidae) **Synonym(s):** *hainana* Crowley,1900; *barroni* Riley & Godfrey,1923. _ Range (in code): MM TH Srt Cbi CN Hn MY
- 6561. *Capila hainana hainana* Crowley,1900** (Hesperiidae) **Synonym(s):** *hainana* Crowley,1900; *barroni* Riley & Godfrey,1923. _ Range (in code): TH Cbi CN Hn
- 6562. *Capila hainana macwoodi* Evans,1914** (Hesperiidae) **Synonym(s):** *macwoodi* Evans,1914 _ Range (in code): MM
- 6563. *Capila jayadeva* Moore,[1866]** (Hesperiidae) **Synonym(s):** *jayadeva* Moore,[1866] _ Range (in code): IN Djl Ass SI
- 6564. *Capila jayadeva jayadeva* Moore,[1866]** (Hesperiidae) **Synonym(s):** *jayadeva* Moore,[1866] _ Range (in code): IN Djl Ass SI
- 6565. *Capila lidderdali* Elwes,1888** (Hesperiidae) **Synonym(s):** *lidderdali* Elwes,1888 _ Range (in code): SI BT IN Ass VN
- 6566. *Capila lidderdali lidderdali* Elwes,1888** (Hesperiidae) **Synonym(s):** *lidderdali* Elwes,1888 _ Range (in code): SI BT IN Ass VN
- 6567. *Capila lineata* Chou & Gu,1994** (Hesperiidae) **Synonym(s):** *lineata* Chou & Gu,1994 _ Range (in code): CN Hn
- 6568. *Capila lineata irregularis* Devyatkin & Monastyrskii,2002** (Hesperiidae) **Synonym(s):** *irregularis* Devyatkin & Monastyrskii,2002 _ Range (in code): VN
- 6569. *Capila lineata magna* Devyatkin & Monastyrskii,1999** (Hesperiidae) **Synonym(s):** *magna* Devyatkin & Monastyrskii,1999 _ Range (in code): VN
- 6570. *Capila omeia* Leech,1894** (Hesperiidae) **Synonym(s):** *omeia* Leech,1894 _ Range (in code): CN Sz T-T

- 6571. *Capila omeia omeia* Leech,1894** (Hesperiidae) Synonym(s): *omeia* Leech,1894 _ Range (in code): CN Sz T-T
- 6572. *Capila paupuneata* Chou & Gu,1994** (Hesperiidae) Synonym(s): *paupuneata* Chou & Gu,1994 _ Range (in code): CN VN Tda
- 6573. *Capila paupuneata tamdaoensis* Devyatkin,1996** (Hesperiidae) Synonym(s): *tamdaoensis* Devyatkin,1996 _ Range (in code): VN Tda
- 6574. *Capila pennicillatum* De Nicéville,1892** (Hesperiidae) Synonym(s): *pennicillatum* De Nicéville,1892 _ Range (in code): VN CN Hn Kwa IN Meg Khs Ass
- 6575. *Capila pennicillatum insularis* Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *insularis* Joicey & Talbot,1921 _ Range (in code): CN Hn
- 6576. *Capila pennicillatum kiyila* Fruhstorfer,1914** (Hesperiidae) Synonym(s): *kiyila* Fruhstorfer,1914 _ Range (in code): CN Kwa
- 6577. *Capila pennicillatum pennicillatum* De Nicéville,1892** (Hesperiidae) Synonym(s): *pennicillatum* De Nicéville,1892 _ Range (in code): IN Meg Khs Ass
- 6578. *Capila phanaeus* (Hewitson,1867)** (Hesperiidae) Synonym(s): *phanaeus* Hewitson,1867
Range (in code): IN Mpr Meg Ass Khs MY Prk Lkw TH Nrt CMA Cuo Cuo9 Chy Tng MM Krh Shn Mrg ID Sip Sbt Sum Bor Swk
- 6579. *Capila phanaeus falta* Evans,1949** (Hesperiidae) Synonym(s): *falta* Evans,1949
Range (in code): TH MM Mrg
- 6580. *Capila phanaeus ferrea* Evans,1934** (Hesperiidae) Synonym(s): *ferrea* Evans,1934
Range (in code): MY Prk Lkw
- 6581. *Capila phanaeus fiducia* Evans,1949** (Hesperiidae) Synonym(s): *fiducia* Evans,1949
Range (in code): IN Meg Ass Khs
- 6582. *Capila phanaeus flora* Evans,1934** (Hesperiidae) Synonym(s): *flora* Evans,1934
Range (in code): MM Shn TH Chy
- 6583. *Capila phanaeus fulva* Evans,1932** (Hesperiidae) Synonym(s): *fulva* Evans,1932
Range (in code): MM Krh TH Tng
- 6584. *Capila phanaeus lalita* Doherty,1888** (Hesperiidae) Synonym(s): *lalita* Doherty,1888
Range (in code): TH Nrt CMA Cuo Cuo9 IN Mpr Ass
- 6585. *Capila phanaeus phanaeus* Hewitson,1867** (Hesperiidae) Synonym(s): *phanaeus* Hewitson,1867 _ Range (in code): ID Sum Bor MY Swk
- 6586. *Capila phanaeus quagga* Evans,1942** (Hesperiidae) Synonym(s): *quagga* Evans,1942
Range (in code): ID Sip Sbt
- 6587. *Capila pieridoides* (Moore,1878)** (Hesperiidae) Synonym(s): *pieridoides* Moore,1878
Range (in code): IN Ben Khs Mpr Ass Meg MM CN MY Bor KBa ID
- 6588. *Capila pieridoides adamsi* Evans,1932** (Hesperiidae) Synonym(s): *adamsi* Evans,1932
Range (in code): MY Bor KBa
- 6589. *Capila pieridoides chinensis* Evans,1932** (Hesperiidae) Synonym(s): *chinensis* Evans,1932 _ Range (in code): CN
- 6590. *Capila pieridoides pieridoides* (Moore,1878)** (Hesperiidae) Synonym(s): *pieridoides* Moore,1878 _ Range (in code): IN Ben Meg Khs Mpr Ass MM
- 6591. *Capila pieridoides sofa* Evans,1934** (Hesperiidae) Synonym(s): *sofa* Evans,1934
Range (in code): ID MY
- 6592. *Capila translucida* Leech,1894** (Hesperiidae) Synonym(s): *translucida* Leech,1894; *pussa* Hering,1918 _ Range (in code): CN Sz VN
- 6593. *Capila translucida translucida* Leech,1894** (Hesperiidae) Synonym(s): *translucida* Leech,1894; *pussa* Hering,1918 _ Range (in code): CN Sz
- 6594. *Capila zennara* Moore,[1866]** (Hesperiidae) Synonym(s): *zennara* Moore,[1866]
Range (in code): SI BT IN Ass Mpr VN
- 6595. *Capila zennara zennara* Moore,[1866]** (Hesperiidae) Synonym(s): *zennara* Moore,[1866]
Range (in code): SI BT IN Ass Mpr VN
- 6596. *Caprona adelica* Karsch,1892** (Hesperiidae) Synonym(s): *adelica* Karsch,1892; *kordofani* Bethune-Baker,1916 _ Range (in code): GN TG NG SD UG KE
- 6597. *Caprona agama* (Moore,1857)** (Hesperiidae) Synonym(s): *agama* Moore,1857; *syrichthus* C.Felder & R.Felder,[1867]; *erosula* Felder,1867; *danae* Plötz,1884; *saraya* Doherty,1886; *siamica* Swinhoe,1907; *pelias* Fruhstorfer,1909; *pelligera* Fruhstorfer,1909; *mettasuta* Fruhstorfer,1909. _? *agama* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): Syntypes: Java. Range (in code):

BT Clb ID Sba Sbw Alo IN Up Ja Meg Ass Khs Kma MM Mpr MY NP Oi Pj PK Rw TH CMa Non Rat Cbu Phr Uth VN Ton

- 6598. Caprona agama agama (Moore,1857)** (Hesperiidae) Synonym(s): *agama* Moore,1857; *syrichtus* C.Felder & R.Felder,[1867]; *erosula* Felder,1867; *danae* Plötz,1884; *saraya* Doherty,1886; *siamica* Swinhoe,1907; *pelias* Fruhstorfer,1909; *pelligera* Fruhstorfer,1909; *mettasuta* Fruhstorfer,1909. Range (in code): **BT Clb ID IN Up Ja Khs Ass Meg Kma MM Mpr MY NP Oi Pj PK Rw TH CMa Non Rat Cbu Phr Uth VN Ton**
- 6599. Caprona agama alora Evans,1949** (Hesperiidae) Synonym(s): *alora* Evans,1949 Range (in code): **ID Alo**
- 6600. Caprona agama brunnea Evans,1932** (Hesperiidae) Synonym(s): *brunnea* Evans,1932 Range (in code): **ID Sbw**
- 6601. Caprona agama sumbina Evans,1949** (Hesperiidae) Synonym(s): *sumbina* Evans,1949 Range (in code): **ID Sba**
- 6602. Caprona alida De Nicéville,1891** (Hesperiidae) Synonym(s): *alida* De Nicéville,1891; *elwesii* Watson,1897; *parvipunctata* Mabilie & Boulet,1917. Range (in code): **Chn CN Kwa Kig Ddu HK Hn IN LK MM Mpr TH Rat NP Oi Pj PK Rw Ti Ton Up VN NI**
- 6603. Caprona alida alida De Nicéville,1891** (Hesperiidae) Synonym(s): *alida* De Nicéville,1891; *elwesii* Watson,1897; *parvipunctata* Mabilie & Boulet,1917. Range (in code): **Chn CN Kwa Kig HK Hn MM Mpr TH Rat Ti Ton VN**
- 6604. Caprona alida lanka Evans,1932** (Hesperiidae) Synonym(s): *lanka* Evans,1932 Range (in code): **LK**
- 6605. Caprona alida vespa Evans,1949** (Hesperiidae) Synonym(s): *vespa* Evans,1949 Range (in code): **IN Oi NI**
- 6606. Caprona alida yerburyi Evans,1949** (Hesperiidae) Synonym(s): *yerburyi* Evans,1949 Original Reference: Caprona alida ssp. yerburyi Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 163. Holotype ♂: [Pakistan]: Punjab: Fateh Khan's bungalow, Kootur, Chittar Pahar (near Rawalpindi) (BMNH). Range (in code): **Ddu IN NP Pj PK Rw Up**
- 6607. Caprona cassualalla Bethune-Baker,1911** (Hesperiidae) Synonym(s): *cassualalla* Bethune-Baker,1911 Original Reference: Caprona cassualalla Bethune-Baker,1911, Ann. Mag. nat. Hist. (8) 8: 506-507. Type ♂: N.Angola: Cassualalla (Ansorge). Range (in code): **AO NA NG** Bionomy: Larva on Grewia (Tiliaceae) (Ackery et al.,1995).
- 6608. Caprona cassualalla cassualalla Bethune-Baker,1911** (Hesperiidae) Synonym(s): *cassualalla* Bethune-Baker,1911 Original Reference: Caprona cassualalla Bethune-Baker,1911, Ann. Mag. nat. Hist. (8) 8: 506-507. Type ♂: N.Angola: Cassualalla (Ansorge). Range (in code): **AO NA NG** Bionomy: Larva on Grewia (Tiliaceae) (Ackery et al.,1995).
- 6609. Caprona pillaana Wallengren,1857** (Hesperiidae) Synonym(s): *pillaana* Wallengren,1857; *heterogyna* Mabilie,1890. Original Reference: Caprona pillaana Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4: 51. Syntypes: Caffraria. Range (in code): **As DJ ET KE MW MZ SA TZ YE ZA Tva Lpo Spb Mdk Kru Pma Ly Wm Mpu Brb Nta Kzu ZW** Bionomy: Larva on Dombeya (Sterculiaceae), Grewia (Tiliaceae) (Ackery et al.,1995).
- 6610. Caprona pillaana pillaana Wallengren,1857** (Hesperiidae) Synonym(s): *pillaana* Wallengren,1857; *heterogyna* Mabilie,1890. Original Reference: Caprona pillaana Wallengren,1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2(1), 4: 51. Syntypes: Caffraria. Range (in code): **As DJ ET KE MW MZ SA TZ YE ZA Tva Lpo Spb Mdk Kru Pma Ly Wm Mpu Brb Kzu Nta ZW** Bionomy: Larva on Dombeya (Sterculiaceae), Grewia (Tiliaceae) (Ackery et al.,1995).
- 6611. Caprona ransonnetti Felder,1868** (Hesperiidae) Synonym(s): *ransonnetti* Felder,1868 Range (in code): **IN Bba Mh Oi LK**
- 6612. Caprona ransonnetti potiphera Hewitson,1873** (Hesperiidae) Synonym(s): *potiphera* Hewitson,1873; *taylorii* De Nicéville,1883; *pexadora* Plötz,1884 Range (in code): **IN Bba Mh Oi**
- 6613. Caprona ransonnetti ransonnetti Felder,1868** (Hesperiidae) Synonym(s): *ransonnetti* Felder,1868 Range (in code): **LK**
- 6614. Carcharodus (Lavatheria) boeticus (Rambur,[1839])** (Hesperiidae) Synonym(s): *boeticus* Rambur,[1839]; *marrubii* Rambur,[1840]; *rostagnoi* Verity,1911; *fulvescens* Verity,1925; *fulva* Verity,1925; *grisea* Verity,1925; *viridescens* Verity,1925; *aegra* Verity,1925; *fonti* Sagarra,1930. Original Reference: Syrichtus boeticus Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12. Syntypes: Andalousie. Range (in code): **CH ES Mu Mui8 FR IT PT Si MA DZ TN LY** Bionomy: Larva on Marrubium vulgare ? (Tolman,1997).

- 6615. Carcharodus (Lavatheria) boeticus boeticus (Rambur,[1839])** (Hesperiidae)
Synonym(s): *boeticus* Rambur,[1839]; *marrubii* Rambur,[1840]; *rostagnoi* Verity,1911; *fulvescens* Verity,1925; *fulva* Verity,1925; *grisea* Verity,1925; *viridescens* Verity,1925; *aegra* Verity,1925; *fonti* Sagarra,1930. Original Reference: *Syrichtus boeticus* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12. Syntypes: Andalusie. Range (in code): **CH ES Mu Mu18 IT PT Si MA DZ TN LY**
- 6616. Carcharodus (Lavatheria) boeticus octodurensis Oberthür,1911** (Hesperiidae)
Synonym(s): *octodurensis* Oberthür,1911 Range (in code): **FR**
- 6617. Carcharodus (Lavatheria) lavatherae (Esper,[1783])** (Hesperiidae) Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Picard,1948. Original Reference: *Papilio lavatherae* Esper,[1783], Die Schmett. 1(2): 148-149, pl.82 fig.4. Syntypes: Frankreich; Schweiz. Range (in code): **AL AT BG BY CH DE DZ ES Mu Mu18 FR GR HU IT MA RO RU SK Sm So Sr TR IR Ab UA VI YU Mt Ko MK SS HV B-H Ur Cc TN Ges Sbd Lbs** Bionomy: Larva on *Stachys recta*, *S. germanica*, *S. arvensis*, *S. plumosa* (Tolman,1997).
- 6618. Carcharodus (Lavatheria) lavatherae lavatherae (Esper,[1783])** (Hesperiidae)
Synonym(s): *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Picard,1948. Original Reference: *Papilio lavatherae* Esper,[1783], Die Schmett. 1(2): 148-149, pl.82 fig.4. Syntypes: Frankreich; Schweiz. Range (in code): **AT BY CH DE DZ ES Mu FR HU IT MA RO RU SK Sm So Sr UA VI YU SS HV Ur**
- 6619. Carcharodus (Lavatheria) lavatherae rufescens Oberthür,1914** (Hesperiidae)
Synonym(s): *rufescens* Oberthür,1914; *internirufus* Rothschild,1914; *australissima* Verity,1925. Range (in code): **MA ES Mu Mu18 DZ Sbd Lbs Ges TN**
- 6620. Carcharodus (Lavatheria) lavatherae tauricus Reverdin,1915** (Hesperiidae)
Synonym(s): *tauricus* Reverdin,1915; *nigroobscurata* Verity,1938. Original Reference: *Carcharodus tauricus* Reverdin,1915, Bull. Soc. lépid. Geneve 3(2): 103, Taf.5 figs.1,2. Syntypes: [Turquie]: Cilic. Taurus, Külek. Range (in code): **AL BG B-H GG Cc GR MK RO TR IR YU Mt Ko** Bionomy: Larva on *Stachys plumosa* (Tolman,1997).
- 6621. Carcharodus (Lavatheria) stauderi Reverdin,1913** (Hesperiidae) Synonym(s): *stauderi* Reverdin,1913; *fulvissima* Verity,1925; *obscurata* Verity,1925; *romei* Rothschild,1933; *rungsi* Picard,1950 Original Reference: *Carcharodus stauderi* Reverdin,1913, Bull. Soc. lépid. Geneve 2(4): 225-230, Pl.21 figs.5,12. Syntypes: Algérie: Constantine (El Kantara, El Kroubs, Djebel Aures, Sebdu). Range (in code): **MA Ifr Rf AF DZ Ktr Ges Sbd Dja Ah Ajj EG Sn GG Cc GR Rd IL Js IR JO LB Bei Pa RU Sn SY TR LY Cy** Bionomy: Larva on *Marrubium vulgare*, *Ballota hirsuta*, *Phlomis floccosa*, *P. aurea* (Tolman,1997).
- 6622. Carcharodus (Lavatheria) stauderi ambiguus (Verity,1925)** (Hesperiidae)
Synonym(s): *ambiguus* Verity,1925 Original Reference: *Erynnis stauderi* race *ambigua* Verity,1925, Entomologist's Rec. J. Var. 37: 43. Type ♀: [Turkey]: Akbes. Range (in code): **He AF GG Cc IR JO LB Bei TR SY GR Rd**
- 6623. Carcharodus (Lavatheria) stauderi barcaeus (Turati,1924)** (Hesperiidae)
Synonym(s): *barcaeus* Turati,1924. Original Reference: *Erynnis barcaeus* Turati,1924, Atti Soc. ital. Sci. Nat. 63: pl.1 figs.20,21. Syntypes: Libya: Cyrenaica. Range (in code): **LY Cy**
- 6624. Carcharodus (Lavatheria) stauderi ramses Reverdin,1914** (Hesperiidae)
Synonym(s): *ramses* Reverdin,1914. Original Reference: *Carcharodus ramses* Reverdin,1914, Bull. Soc. lépid. Geneve 3: 38, Pl.3 fig.9. Syntypes: Egypte: Maryot pres d'Alexandrie. Range (in code): **EG Sn IL Js JO Pa**
- 6625. Carcharodus (Lavatheria) stauderi stauderi Reverdin,1913** (Hesperiidae)
Synonym(s): *stauderi* Reverdin,1913; *fulvissima* Verity,1925; *obscurata* Verity,1925; *romei* Rothschild,1933; *rungsi* Picard,1950 Original Reference: *Carcharodus stauderi* Reverdin,1913, Bull. Soc. lépid. Geneve 2(4): 225-230, Pl.21 figs.5,12. Syntypes: Algérie: Constantine (El Kantara, El Kroubs, Djebel Aurés, Sebdu). Range (in code): **Ifr Rf DZ Ktr Ges Sbd Dja Ah**
- 6626. Carcharodus (Reverdinus) dravira (Moore,1874)** (Hesperiidae) Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940. Original Reference: *Pyrgus dravira* Moore, 1874, Proc. zool. Soc. Lond. 44: 576, pl.lxxvii fig.5. Type ♀: Cashmere (Capt. H.B.Hellard). Range (in code): **AF Bd Bl Ca Ch Ci Nwf Pag PK TJ TM IR Pm**
- 6627. Carcharodus (Reverdinus) dravira dravira (Moore,1874)** (Hesperiidae)
Synonym(s): *dravira* Moore,1874; *balucha* Evans,1932; *dentatus* Alberti,1940. Original Reference: *Pyrgus dravira* Moore, 1874, Proc. zool. Soc. Lond. 44: 576, pl.lxxvii fig.5. Type ♀: Cashmere (Capt. H.B.Hellard). Range (in code): **AF Bd Bl Ca Ch Ci Nwf Pag PK TJ TM IR Pm**

- 6628. Carcharodus (Reverdinus) flocciferus (Zeller,1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *althaeae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. Original Reference: *Hesperia floccifera* Zeller,1847, Isis (4): 286-287. Syntypes ♂♀: [Italien]: Sizilien: Syracus. Range (in code): **MA Lkr Rf AL AT Ba BG BY CH CZ DE ES Mu FR GR Rd HU IT LT LV PL PT RO RU Sa Si SK Sm Sr TM TR IR Ab Sro UA VI YU Mt Ko MK SS HV B-H KG Sp Bv Bw Rp Cc** Bionomy: Larva on *Stachys recta*, *S. alpina*, *S. officinalis*, *S. germanica*, *S. palustris*, *S. sylvatica*, *S. scardica* (Tolman,1997).
- 6629. Carcharodus (Reverdinus) flocciferus flocciferus (Zeller,1847)** (Hesperiidae) Synonym(s): *flocciferus* Zeller,1847; *althaeae* Hübner,[1803] *nec* Esp.,[1783]; *imperator* Hemming,1934; *alchymillae* Hemming,1936; *autumnalis* Verity,1940. Original Reference: *Hesperia floccifera* Zeller,1847, Isis (4): 286-287. Syntypes ♂♀: [Italien]: Sizilien: Syracus. Range (in code): **AL AT Ba BG BY CH CZ ES Mu FR GR Rd HU IT LT LV PL PT RO RU Sa Si SK Sm Sr TM TR IR Ab Sro UA VI YU Mt Ko MK SS HV B-H KG Sp Bv Bw DE Rp Cc**
- 6630. Carcharodus (Reverdinus) flocciferus habiba (Kaufmann,1955)** (Hesperiidae) Synonym(s): *habiba* Kaufmann,1955 Original Reference: *Reverdinus floccifer* ssp. *habiba* Kaufmann,1955, Mitt. Schweiz. ent. Ges. 28 (3): 288-290. Type: Marocco, Bab-el-Taza. Range (in code): **MA Rf Lkr**
- 6631. Carcharodus (Reverdinus) orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. Original Reference: *Carcharodus orientalis* Reverdin,1913, Bull. Soc. lepid. Genev× 2 (4): 232, Pl.21 fig.14; Pl.22 figs.1,8. Syntypes: Greece: Peloponnes (MHNG). Range (in code): **IL He Pa LB AL BG BY GR JO IQ IR Ab Qba Kh GlS MK RU TR Cc UA YU HV Mt** Bionomy: Larva on *Stachys* sp. (Tolman,1997).
- 6632. Carcharodus (Reverdinus) orientalis orientalis Reverdin,1913** (Hesperiidae) Synonym(s): *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *#aestatis* Graves,1928; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. Original Reference: *Carcharodus orientalis* Reverdin,1913, Bull. Soc. lepid. Genev× 2 (4): 232, Pl.21 fig.14; Pl.22 figs.1,8. Syntypes: Greece: Peloponnes (MHNG). Range (in code): **IL He Pa LB AL BG BY GR IQ IR Ab Qba GlS MK RU TR Cc UA YU HV Mt**
- 6633. Carcharodus (s.str.) alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. Original Reference: *Papilio alceae* Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland: Erlangen. Range (in code): **AF AL AM Ao AT AZ Ba BE BG BY Ch Ci CN Co Cr CZ DE ES FR Gg GG GR Rd Gs Hd Hp HU IN IQ IR IT KG Kr Ku LB Ld LU MA Mre Haz Mus NL Pag PK PL PT RO RU Sa Si SK Sm Sml So Sr TM TN TR UA Ui Uk Up VI YE YU Mt Ko MK SS At Mn Sp Tk Aa Tm Sau Tar DsA Ax Tls Ng Hr Kab T-S Mu CH HV B-H DZ Bn CY IL Pa Hf Cc Arr Ab Ak Shf GlS Kh Nar** Bionomy: Larva on *Arbutum theophrasti*, *Chrozophora hierosolymitana* (Stshetkin, 1960); *Malva alceae* (Kumakov & Korshunov, 1979); *Althaea officinalis* (Anikin et al., 1993).
- 6634. Carcharodus (s.str.) alceae alceae (Esper,[1780])** (Hesperiidae) Synonym(s): *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. Original Reference: *Papilio alceae* Esper,[1780], Die Schmett. 1(2): 4, pl.51, fig.1. Type(s): Süddeutschland: Erlangen. Range (in code): **IL He Pa Hf AL AM Cc Ao AT AZ Ba BE BG Bv Bw BY CH Co Cr CZ DE DZ ES Mu FR GG GR Rd HU IR Ab Ak Shf IT KG Kr LB LU MA NL PL PT RO Rp RU Sa Si SK Sm So Sr TN TR UA Uk VI YU Mt Ko MK SS HV B-H At Mn Sp Tk Aa Syr Tm Sau Tar DsA Ax Tls TrA Bn CY T-S CN Ui**
- 6635. Carcharodus (s.str.) alceae gooraisa Evans,1949** (Hesperiidae) Synonym(s): *gooraisa* Evans,1949 Original Reference: *Carcharodus alceae* ssp. *gooraisa* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 169. Holotype ♂: Kashmir: Goorais (BMNH). Range (in code): **AF Ch Ci Gg Gs Hp IN Kab Mre Haz Nar Mus Pag PK Nwf Sml Up**
- 6636. Carcharodus (s.str.) alceae insolatrix Evans,1949** (Hesperiidae) Synonym(s): *#insolatrix* Le Cerf,1913; *insolatrix* Evans,1949. Original Reference: *Carcharodus alceae* ab. *insolatrix* Le Cerf,1913, p.70, pl.1 fig.8. Type 1♂: Mowary [infrasubsp.]; *Carcharodus alceae* ssp. *insolatrix* Evans,1949, Cat. Hesperiidae Europe Asia Australia Br. Mus.: 169. Range (in code): **IR IQ AF Ng Kab Hr**
- 6637. Carcharodus (s.str.) alceae wissmanni Warnecke,1934** (Hesperiidae) Synonym(s): *wissmanni* Warnecke,1934 Original Reference: *Carcharodus swinhoei* ssp. *wissmanni* Warnecke,1934, Mitt. münch. Ent. Ges. 24: 20. Syntypes: Yemen: Wadi Hadramaut. Range (in code): **Hd YE**
- 6638. Carcharodus (s.str.) swinhoei E.Y.Watson,1893** (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893 Original Reference: *Carcharodus swinhoei* Watson,1893, Proc. zool. Soc. Lond.

- 1893: 65-67. Syntypes 6♂♀: [Pakistan]: "Biluchistan"; Afghanistan; [Pakistan]: "Thundiani, N.W.India" (BMNH). Range (in code): IR BI PK Pj Qu AF
- 6639. Carcharodus (s.str.) swinhoei swinhoei E.Y.Watson,1893** (Hesperiidae) Synonym(s): *swinhoei* E.Y.Watson,1893 Original Reference: Carcharodus swinhoei Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♀: [Pakistan]: "Biluchistan"; Afghanistan; [Pakistan]: "Thundiani, N.W.India" (BMNH). Range (in code): IR BI PK Pj Qu AF
- 6640. Carcharodus (s.str.) tripolinus (Verity,1925)** (Hesperiidae) Synonym(s): *tripolinus* Verity,1925 Original Reference: Erynnis alceae tripolina Verity,1925, Entomologist's Rec. J. Var. 37: 54. Syntypes 6♂ 2♀: [Libya]: Tripolitania: Garian, 700m. Range (in code): MA DZ Dju Ifr Ouk TN LY PT ES Cy Bionomy: Larva on Althaea, Hibiscus, Malva sylvestris (Malvaceae) (Wiltshire,1948; et seq.).
- 6641. Carrhenes calidius Godman & Salvin,1895** (Hesperiidae) Synonym(s): *calidius* Godman & Salvin,1895; *callierges* Mabilie & Boullet,1917 Range (in code): MX
- 6642. Carrhenes callipetes Godman & Salvin,1895** (Hesperiidae) Synonym(s): *callipetes* Godman & Salvin,1895 Range (in code): MX
- 6643. Carrhenes canescens (R.Felder,1869)** (Hesperiidae) Synonym(s): *canescens* R.Felder,1869 Range (in code): US MX Tx
- 6644. Carrhenes fulvescens (Mabilie,1891)** (Hesperiidae) Synonym(s): *fulvescens* Mabilie,1891 Range (in code): MX
- 6645. Carterocephalus abax Oberthür,1886** (Hesperiidae) Synonym(s): *abax* Oberthür,1886 Range (in code): CN Sz T-T Yu
- 6646. Carterocephalus abax abax Oberthür,1886** (Hesperiidae) Synonym(s): *abax* Oberthür,1886 Range (in code): CN Sz T-T
- 6647. Carterocephalus abax patra Evans,1939** (Hesperiidae) Synonym(s): *patra* Evans,1939 Range (in code): CN Yu
- 6648. Carterocephalus alcinus Evans,1939** (Hesperiidae) Synonym(s): *alcinus* Evans,1939 Range (in code): CN Yu MM
- 6649. Carterocephalus alcinus alcinus Evans,1939** (Hesperiidae) Synonym(s): *alcinus* Evans,1939 Range (in code): CN Yu MM
- 6650. Carterocephalus argyrostigma (Eversmann,1851)** (Hesperiidae) Synonym(s): *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870. Original Reference: Hesperia (Steropas) argyrostigma Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 624-625. Syntypes ♂♀: Russia: "Irkoutzk et Kiachta". Range (in code): RU Ktn Tj Sb At MN CN Ui Am Kno Ts Nsh
- 6651. Carterocephalus argyrostigma argyrostigma (Eversmann,1851)** (Hesperiidae) Synonym(s): *argyrostigma* Eversmann,1851; *argenteogutta* Butler,1870. Original Reference: Hesperia (Steropas) argyrostigma Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 624-625. Syntypes ♂♀: Russia: "Irkoutzk et Kiachta". Range (in code): RU Ktn Tj Sb At MN CN Ui Am Kno Ts Nsh
- 6652. Carterocephalus avanti De Nicéville,1886** (Hesperiidae) Synonym(s): *avanti* De Nicéville,1886 Range (in code): SI BT CN Ti Yu Sz T-T
- 6653. Carterocephalus avanti avanti De Nicéville,1886** (Hesperiidae) Synonym(s): *avanti* De Nicéville,1886 Range (in code): SI BT CN Ti
- 6654. Carterocephalus avanti ensis Evans,1939** (Hesperiidae) Synonym(s): *ensis* Evans,1939 Range (in code): CN Yu
- 6655. Carterocephalus avanti flavostigma Oberthür,1908** (Hesperiidae) Synonym(s): *flavostigma* Oberthür,1908; *montana* South,1913. Range (in code): CN Ti Sz T-T
- 6656. Carterocephalus christophi Groum-Grshimailo,1890** (Hesperiidae) Synonym(s): *christophi* Groum-Grshimailo,1890; *dulcis* Oberthür,1896; *canopunctatus* Nabokov,1941. Original Reference: Carterocephalus christophi Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 460-461. Syntypes ♂♀: [China: Qinghai]: Sinin-Schan. Range (in code): CN Sng Ts Ti
- 6657. Carterocephalus christophi christophi Groum-Grshimailo,1890** (Hesperiidae) Synonym(s): *christophi* Groum-Grshimailo,1890; *dulcis* Oberthür,1896; *canopunctatus* Nabokov,1941. Original Reference: Carterocephalus christophi Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 460-461. Syntypes ♂♀: [China: Qinghai]: Sinin-Schan. Range (in code): CN Sng Ts
- 6658. Carterocephalus christophi tibetanus South,1913** (Hesperiidae) Synonym(s): *tibetanus* South,1913 Range (in code): CN Ti
- 6659. Carterocephalus dieckmanni Graeser,1888** (Hesperiidae) Synonym(s): *dieckmanni* Graeser,1888 Original Reference: Carterocephalus dieckmanni Graeser,1888, Berl. ent. Z. 32

- (1): 102-104. Syntypes 2♂: Russia: Wladiwostok. Range (in code): **Am Amd Btn Chn CN Kno MM RU Sz Ti Ts T-T Vv Yu**
- 6660. *Carterocephalus dieckmanni dieckmanni* Graeser, 1888** (Hesperiidae)
Synonym(s): *dieckmanni* Graeser, 1888 Original Reference: *Carterocephalus dieckmanni* Graeser, 1888, Berl. ent. Z. 32 (1): 102-104. Syntypes 2♂: Russia: Wladiwostok. Range (in code): **Am Amd CN Kno RU Ts Vv**
- 6661. *Carterocephalus dieckmanni gemmatus* Leech, 1891** (Hesperiidae) Synonym(s): *gemmatus* Leech, 1891; *demea* Oberthür, 1891 Range (in code): **CN Sz T-T Yu Ti Btn**
- 6662. *Carterocephalus dieckmanni minor* Evans, 1932** (Hesperiidae) Synonym(s): *minor* Evans, 1932 Range (in code): **CN Ti**
- 6663. *Carterocephalus dieckmanni watsoni* Evans, 1932** (Hesperiidae) Synonym(s): *watsoni* Evans, 1932 Range (in code): **Chn MM**
- 6664. *Carterocephalus flavomaculatus* Oberthür, 1887** (Hesperiidae) Synonym(s): *flavomaculatus* Oberthür, 1887; *postnigra* South, 1913. Original Reference: *Carterocephalus flavomaculatus* Oberthür, 1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T Btn**
- 6665. *Carterocephalus flavomaculatus flavomaculatus* Oberthür, 1887** (Hesperiidae) Synonym(s): *flavomaculatus* Oberthür, 1887; *postnigra* South, 1913. Original Reference: *Carterocephalus flavomaculatus* Oberthür, 1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T Btn**
- 6666. *Carterocephalus houangty* Oberthür, 1886** (Hesperiidae) Synonym(s): *houangty* Oberthür, 1886 Range (in code): **BT CN Sz T-T Yu Ti MM**
- 6667. *Carterocephalus houangty bootia* Evans, 1949** (Hesperiidae) Synonym(s): *bootia* Evans, 1949 Range (in code): **BT**
- 6668. *Carterocephalus houangty houangty* Oberthür, 1886** (Hesperiidae) Synonym(s): *houangty* Oberthür, 1886 Range (in code): **CN Sz T-T Yu**
- 6669. *Carterocephalus houangty shoka* Evans, 1914** (Hesperiidae) Synonym(s): *shoka* Evans, 1914 Range (in code): **CN Ti MM**
- 6670. *Carterocephalus micio* Oberthür, 1891** (Hesperiidae) Synonym(s): *micio* Oberthür, 1891 Range (in code): **CN Ti Sz T-T Yu**
- 6671. *Carterocephalus micio micio* Oberthür, 1891** (Hesperiidae) Synonym(s): *micio* Oberthür, 1891 Range (in code): **CN Ti Sz T-T Yu**
- 6672. *Carterocephalus niveomaculatus* Oberthür, 1887** (Hesperiidae) Synonym(s): *niveomaculatus* Oberthür, 1887 Original Reference: *Carterocephalus niveomaculatus* Oberthür, 1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T**
- 6673. *Carterocephalus niveomaculatus niveomaculatus* Oberthür, 1887** (Hesperiidae) Synonym(s): *niveomaculatus* Oberthür, 1887 Original Reference: *Carterocephalus niveomaculatus* Oberthür, 1887, Etüd. Ent. 11: 27-28, pl.2 fig.8. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T**
- 6674. *Carterocephalus palaemon* (Pallas, 1771)** (Hesperiidae) Synonym(s): *palaemon* Pallas, 1771; *paniscus* Fabricius, 1775; *brontes* [Denis & Schiffermüller], 1775; *mesapano* Scudder, 1868; *skada* Edwards, 1870. Original Reference: *Papilio palaemon* Pallas, 1771, Reise versch. Prov. Russ. Reichs 1: 471. Type(s): Russia. Range (in code): **Bn At Kts AT Ba BE BG B-H BY CH CZ DE EE ES FI FR GB Cc GG Smt Bjo GR HU HV IT LT LU LV NL NO PL RO RU SE SK Sm So Sr SS TR UA MK Ir RU Sb Kuz Sli Or Bs Tt Ur Cb Om No JP Hdo US Cf Cnt Id Mai Mch Mns Mon Msc Ndk Nh Nje Org Pns Vr Wc Ws Wy Als Kod CN Ui CA Yuk BCo Abt Ssk Mnt On Qb Lbr Nfl DMk DKe** Bionomy: Larva on *Molinia caerulea*, *M. c. arundinacea*, *Calamagrostis epigejos*, *Brachypodium sylvaticum*, *B. pinnatum*, *Bromus ramosus*, *Dactylis glomerata*, *Alopecurus pratensis*, *Phleum pratense* (Tolman, 1997).
- 6675. *Carterocephalus palaemon akaishianus* Fujioka, 1970** (Hesperiidae) Synonym(s): *akaishianus* Fujioka, 1970 Range (in code): **JP Hdo**
- 6676. *Carterocephalus palaemon albiguttatus* Christoph, 1893** (Hesperiidae) Synonym(s): *albiguttata* Christoph, 1893; *brontides* Heyne, [1895]; *murasei* Matsumura, 1925. Original Reference: *Carterocephalus palaemon* var. *albiguttata* Christoph, 1893, Dt. ent. Z., Iris 6: 87-88. Syntypes: [Russia]: Guberla, Vilui, Irkut. Range (in code): **Ir RU Sb Kuz Sli Or Bs Tt Ur Cb Om No At Bn**
- 6677. *Carterocephalus palaemon mandan* (Edwards, 1863)** (Hesperiidae) Synonym(s): *mandan* Edwards, 1863; *mesapano* Scudder, 1868; *skada* Edwards, 1870. Original Reference: *Hesperia*

mandan Edwards, 1863, Proc. ent. Soc. Philadelphia 2: 20-21. Neotype ♂: [Manitoba: Pine Ridge]: "Lake Winnipeg" (cf. Brown & Miller, 1977, Trans. Am. Ent. Soc. 103: 261-263). Range (in code): **US Cf Cnt Id Mai Mch Mns Mon Msc NDk Nh Nje Org Pns Vr Wc Ws Wy Als Kod CA Yuk BCo Abt Ssk Mnt On Qb Lbr Nfl DMk DKe**

6678. Carterocephalus palaemon palaemon (Pallas, 1771) (Hesperiidae) Synonym(s): *palaemon* Pallas, 1771; *paniscus* Fabricius, 1775; *brontes* [Denis & Schiffermüller], 1775; *mesapano* Scudder, 1868; *skada* Edwards, 1870. Original Reference: *Papilio palaemon* Pallas, 1771, Reise versch. Prov. Russ.

Reichs 1: 471. Type(s): Russia. Range (in code): **Kts AT Ba BE BG B-H Bv Bw BY CH CZ DE EE ES FI FR GB GG Smt Bjo Cc GR HU HV IT LT LU LV NL NO PL RO Rp RU SE SK Sm So Sr SS TR UA MK**

6679. Carterocephalus palaemon satakei (Matsumura, 1919) (Hesperiidae) Synonym(s): *satakei* Matsumura, 1919. Range (in code): **JP Hdo**

6680. Carterocephalus pulchrus Leech, 1891 (Hesperiidae) Synonym(s): *pulchra* Leech, 1891. Range (in code): **Amd CN Sz Ts T-T**

6681. Carterocephalus pulchrus ops Groum-Grshimailo, 1890 (Hesperiidae) Synonym(s): *ops* Groum-Grshimailo, 1890. Original Reference: *Carterocephalus ops* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 460. Syntypes ♂♀: [China]: "In montibus ad Dongar-tschen" Range (in code): **Amd CN Ts**

6682. Carterocephalus pulchrus pulchrus Leech, 1891 (Hesperiidae) Synonym(s): *pulchra* Leech, 1891. Range (in code): **CN Sz T-T**

6683. Carterocephalus silvicola (Meigen, 1829) (Hesperiidae) Synonym(s): *sylvius* Knoch, 1781 *nec* Poda, 1761; *silvicola* Meigen, 1829; *silvioides* Müller, 1920; *isshikii* Nakahara, 1926; *doi* Matsumura, 1928. Original Reference: *Hesperia silvicola* Meigen, 1829, Syst. Besch. eur. Schmett. 2 (2): 65, Taf. 55 figs. 7a, b, c. Syntypes: Braunschweig. Range (in code): **NO DK SE FI LV LT PL DE EE Mgd Am Vv Ba RU So At Bn Kts Kuz Krl Sli Or Bs Kg Cb Om No Cc AZ Kir JP Hkk CN Mc Ui** Bionomy: Larva on *Brachypodium sylvaticum*, *Bromus ramosus*, *Milium effusum*? *Cynosurus cristatus* (Tolman, 1997).

6684. Carterocephalus silvicola silvicola (Meigen, 1829) (Hesperiidae) Synonym(s): *sylvius* Knoch, 1781 *nec* Poda, 1761; *silvicola* Meigen, 1829; *silvioides* Müller, 1920; *isshikii* Nakahara, 1926; *doi* Matsumura, 1928. Original Reference: *Hesperia silvicola* Meigen, 1829, Syst. Besch. eur. Schmett. 2 (2): 65, Taf. 55 figs. 7a, b, c. Syntypes: Braunschweig. Range (in code): **NO DK SE FI LV LT PL DE EE Mgd Krl Am Vv Ba RU So At Bn Kts Kuz Sli Or Bs Kg Cb Om No Cc AZ Kir JP Hkk CN Mc Ui**

6685. Carystoides abrahami Freeman, 1969 (Hesperiidae) Synonym(s): *abrahami* Freeman, 1969. Range (in code): **MX**

6686. Carystoides basoches (Latreille, [1824]) (Hesperiidae) Synonym(s): *basoches* Latreille, [1824]; *brinoides* Möschler, 1877; *argyrocorone* Mabilie, 1878; *philodamas* Mabilie, 1883; *hebon* Mabilie, 1891. Range (in code): **MX**

6687. Carystoides escalantei Freeman, 1969 (Hesperiidae) Synonym(s): *escalantei* Freeman, 1969. Range (in code): **MX**

6688. Carystoides floresi Freeman, 1969 (Hesperiidae) Synonym(s): *floresi* Freeman, 1969. Range (in code): **MX**

6689. Carystoides hondura Evans, 1955 (Hesperiidae) Synonym(s): *hondura* Evans, 1955. Range (in code): **MX**

6690. Carystoides lila Evans, 1955 (Hesperiidae) Synonym(s): *lila* Evans, 1955. Range (in code): **MX**

6691. Carystoides mexicana Freeman, 1969 (Hesperiidae) Synonym(s): *mexicana* Freeman, 1969. Range (in code): **MX**

6692. Carystoides orbius Godman, 1901 (Hesperiidae) Synonym(s): *orbius* Godman, 1901. Range (in code): **MX**

6693. Carystus phorcus (Cramer, 1777) (Hesperiidae) Synonym(s): *phorcus* Cramer, 1777; *marpesia* Hewitson, 1868. Range (in code): **MX**

6694. Carystus senex (Plötz, 1882) (Hesperiidae) Synonym(s): *senex* Plötz, 1882. Range (in code): **MX**

6695. Celaenorrhinus ambareesa Moore, 1865 (Hesperiidae) Synonym(s): *ambareesa* Moore, 1865. Range (in code): **IN**

6696. Celaenorrhinus ambareesa ambareesa Moore, 1865 (Hesperiidae) Synonym(s): *ambareesa* Moore, 1865. Range (in code): **IN**

6697. Celaenorrhinus ambra Evans, 1937 (Hesperiidae) Synonym(s): *ambra* Evans, 1937. Original Reference: *Celaenorrhinus ambra* Evans, 1937, Catalogue African Hesperidae in the

- British Museum: 20-21, pl.1 fig.5. Holotype ♂: Madagascar: Foret d'Ambre, 3000ft. (BMNH).
Range (in code): **MG**
- 6698. *Celaenorrhinus andamanicus* Wood Mason & De Nicéville, 1881** (Hesperiidae)
Synonym(s): *andamanicus* Wood Mason & De Nicéville, 1881 Range (in code): **MM TH Cbi Adm IN**
- 6699. *Celaenorrhinus andamanicus andamanicus* Wood Mason & De Nicéville, 1881** (Hesperiidae) Synonym(s): *andamanicus* Wood Mason & De Nicéville, 1881 Range (in code): **Adm IN**
- 6700. *Celaenorrhinus andamanicus hanna* Evans, 1949** (Hesperiidae) Synonym(s): *hanna* Evans, 1949 Range (in code): **MM TH Cbi**
- 6701. *Celaenorrhinus ankasa* Larsen & Miller, 2005** (Hesperiidae) Synonym(s): *ankasa* Larsen & Miller, 2005 Range (in code): **GH**
- 6702. *Celaenorrhinus asmara* (Butler, [1879])** (Hesperiidae) Synonym(s): *asmara* Butler, [1879]; *goto* Mabille, 1883; *milinda* Fruhstorfer, 1909; *ayata* Fruhstorfer, 1909 Range (in code): **PH Pal MY Lkw ID Bor MY Clb Sum Ja MM Krh Shn Mrg TH Chy CMa Nrt Pbu TH Kbi Nst Ths Sya Bnk IN Ass VN**
- 6703. *Celaenorrhinus asmara asmara* (Butler, [1879])** (Hesperiidae) Synonym(s): *asmara* Butler, [1879]; *goto* Mabille, 1883; *milinda* Fruhstorfer, 1909; *ayata* Fruhstorfer, 1909 Range (in code): **MY Lkw ID Sum Ja TH Kbi Nst Ths Sya Bnk VN**
- 6704. *Celaenorrhinus asmara consertus* De Nicéville, 1890** (Hesperiidae) Synonym(s): *consertus* De Nicéville, 1890; *cacus* De Nicéville, 1890; *aditta* Fruhstorfer, 1909 Range (in code): **MM TH Chy CMa Nrt Pbu Ass Krh Shn Mrg IN vn**
- 6705. *Celaenorrhinus asmara palajava* (Staudinger, 1889)** (Hesperiidae) Synonym(s): *palajava* Staudinger, 1889 Original Reference: *Plesioneura palajava* Staudinger, 1889, Dt. ent. Z., Iris 2: 156. Syntypes 3♂: [Philippines]: Palawan (leg. Platen). Range (in code): **MY Bor ID Clb PH Pal**
- 6706. *Celaenorrhinus aspersa* Leech, 1891** (Hesperiidae) Synonym(s): *aspersa* Leech, 1891; *clitus* De Nicéville, 1891 Range (in code): **IN Nag MM CN Hn Sz VN Tda**
- 6707. *Celaenorrhinus aspersa aspersa* Leech, 1891** (Hesperiidae) Synonym(s): *aspersa* Leech, 1891; *clitus* De Nicéville, 1891 Range (in code): **IN Nag MM CN Hn Sz**
- 6708. *Celaenorrhinus aureus* Collins & Larsen, 2005** (Hesperiidae) Synonym(s): *aureus* Collins & Larsen, 2005 Range (in code): **CG**
- 6709. *Celaenorrhinus aurivittatus* (Moore, [1879])** (Hesperiidae) Synonym(s): *aurivittatus* Moore, [1879] Range (in code): **MY Bor KBa ID Sme Sum IN Ass CN Sz Adm MM TH Yal Chy Nna Cbi Nst Ths Sya Sgk Hya Tnc vn**
- 6710. *Celaenorrhinus aurivittatus aurivittatus* (Moore, [1879])** (Hesperiidae) Synonym(s): *aurivittatus* Moore, [1879] Range (in code): **IN Ass MM CN Sz Adm TH Yal Chy Nna Cbi**
- 6711. *Celaenorrhinus aurivittatus mahaca* Fruhstorfer, 1916** (Hesperiidae) Synonym(s): *mahaca* Fruhstorfer, 1916; *sumatranus* Mabille & Boulet, 1916 Range (in code): **ID Sum**
- 6712. *Celaenorrhinus aurivittatus simalurensis* Van Eecke, 1910** (Hesperiidae) Synonym(s): *simalurensis* Van Eecke, 1910 Range (in code): **ID Sme**
- 6713. *Celaenorrhinus aurivittatus vimana* Fruhstorfer, 1910** (Hesperiidae) Synonym(s): *vimana* Fruhstorfer, 1910 Range (in code): **MY Bor KBa**
- 6714. *Celaenorrhinus badia* (Hewitson, 1877)** (Hesperiidae) Synonym(s): *badia* Hewitson, 1877 Original Reference: *Pterygospidea badia* Hewitson, 1877, Ann. Mag. nat. Hist. (4): 20: 322. Type(s): [India]: Darjeeling (Atkinson). Range (in code): **SI Djl BT IN Ass**
- 6715. *Celaenorrhinus badia badia* (Hewitson, 1877)** (Hesperiidae) Synonym(s): *badia* Hewitson, 1877 Original Reference: *Pterygospidea badia* Hewitson, 1877, Ann. Mag. nat. Hist. (4): 20: 322. Type(s): [India]: Darjeeling (Atkinson). Range (in code): **SI Djl BT IN Ass**
- 6716. *Celaenorrhinus bakolo* Miller, 1964** (Hesperiidae) Synonym(s): *bakolo* Miller, 1964 Range (in code): **CM**
- 6717. *Celaenorrhinus bakolo bakolo* Miller, 1964** (Hesperiidae) Synonym(s): *bakolo* Miller, 1964 Range (in code): **CM**
- 6718. *Celaenorrhinus bazilanus* Fruhstorfer, 1909** (Hesperiidae) Synonym(s): *bazilanus* Fruhstorfer, 1909 Range (in code): **MY Bor PH Bas Mno**
- 6719. *Celaenorrhinus bazilanus bazilanus* Fruhstorfer, 1909** (Hesperiidae) Synonym(s): *bazilanus* Fruhstorfer, 1909 Range (in code): **PH Bas Mno**
- 6720. *Celaenorrhinus bazilanus paradoxus* Fruhstorfer, 1909** (Hesperiidae) Synonym(s): *paradoxus* Fruhstorfer, 1909 Range (in code): **MY Bor**

- 6721. *Celaenorrhinus beni* Bethune-Baker, 1908** (Hesperiidae) **Synonym(s):** *beni* Bethune-Baker, 1908. **Range (in code):** **ZR CG**
- 6722. *Celaenorrhinus beni* *beni* Bethune-Baker, 1908** (Hesperiidae) **Synonym(s):** *beni* Bethune-Baker, 1908. **Range (in code):** **ZR CG**
- 6723. *Celaenorrhinus beni* *jacquelinae* Miller, 1971** (Hesperiidae) **Synonym(s):** *jacquelinae* Miller, 1971. **Range (in code):** **CG**
- 6724. *Celaenorrhinus bettoni* Butler, 1902** (Hesperiidae) **Synonym(s):** *bettoni* Butler, 1902; *obscuripennis* Strand, 1913; *modestus* Rebel, 1914; *hypoxanthina* Mabil & Boulet, 1916. **Range (in code):** **TZ KE UG ZR CM ZW**
- 6725. *Celaenorrhinus bitjena* Evans, 1937** (Hesperiidae) **Synonym(s):** *bitjena* Evans, 1937. **Original Reference:** *Celaenorrhinus bitjena* Evans, 1937, Catalogue African Hesperiidae in the British Museum: 23, pl. 1 fig. 6. Holotype ♂: Cameroun: Bitje (BMNH). **Range (in code):** **CM**
- 6726. *Celaenorrhinus boadicea* (Hewitson, 1877)** (Hesperiidae) **Synonym(s):** *boadicea* Hewitson, 1877; *atratus* Mabil, 1891; *collucens* Holland, 1894; *#lucens* Mabil, 1896. **Original Reference:** *Pterygospidea boadicea* Hewitson, 1877, Ann. Mag. nat. Hist. (4): 20: 323. Type(s): Gaboon (Rogers). **Range (in code):** **NG CM GA SL CG UG**
- 6727. *Celaenorrhinus boadicea* *boadicea* (Hewitson, 1877)** (Hesperiidae) **Synonym(s):** *boadicea* Hewitson, 1877; *atratus* Mabil, 1891; *collucens* Holland, 1894; *#lucens* Mabil, 1896. **Original Reference:** *Pterygospidea boadicea* Hewitson, 1877, Ann. Mag. nat. Hist. (4): 20: 323. Type(s): Gaboon (Rogers). **Range (in code):** **NG GA SL CG CM UG**
- 6728. *Celaenorrhinus boadicea* *howarthi* Berger, 1976** (Hesperiidae) **Synonym(s):** *howarthi* Berger, 1976. **Range (in code):** **ZR UG**
- 6729. *Celaenorrhinus cameroni* (Distant, 1882)** (Hesperiidae) **Synonym(s):** *cameroni* Distant, 1882. **Range (in code):** **MY Lkw MM Mrg TH Nst Tng Rng Yal**
- 6730. *Celaenorrhinus choui* Gu, 1994** (Hesperiidae) **Synonym(s):** *choui* Gu, 1994. **Range (in code):** **CN**
- 6731. *Celaenorrhinus chrysoglossa* (Mabil, 1891)** (Hesperiidae) **Synonym(s):** *chrysoglossa* Mabil, 1891; *ploetzi* Swinhoe, 1907. **Range (in code):** **CM ZR CG**
- 6732. *Celaenorrhinus consanguinea* Leech, 1891** (Hesperiidae) **Synonym(s):** *consanguinea* Leech, 1891. **Range (in code):** **CN Yu Naq Lon Gaz Lsd Ndd Sz Dal T-T TW**
- 6733. *Celaenorrhinus consanguinea* *chihhsiao* Hsu, 1990** (Hesperiidae) **Synonym(s):** *chihhsiao* Hsu, 1990. **Range (in code):** **TW**
- 6734. *Celaenorrhinus consanguinea* *consanguinea* Leech, 1891** (Hesperiidae) **Synonym(s):** *consanguinea* Leech, 1891. **Range (in code):** **CN Yu Naq Lon Gaz Lsd Ndd Sz Dal T-T**
- 6735. *Celaenorrhinus cordeironis* Kielland, 1992** (Hesperiidae) **Synonym(s):** *cordeironis* Kielland, 1992
- 6736. *Celaenorrhinus dargei* Berger, 1976** (Hesperiidae) **Synonym(s):** *dargei* Berger, 1976. **Range (in code):** **CM**
- 6737. *Celaenorrhinus dhanada* (Moore, [1866])** (Hesperiidae) **Synonym(s):** *dhanada* Moore, 1865. **Original Reference:** *Plesioneura dhanada* Moore, [1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal. **Range (in code):** **MY Bor KBa Ass Krh Ben BT IN Kma Mus SI Up ID Sum Ja Bli Clb TH Chy CMa CDo VN**
- 6738. *Celaenorrhinus dhanada* *affinis* Elwes & Edwards, 1897** (Hesperiidae) **Synonym(s):** *affinis* Elwes & Edwards, 1897. **Range (in code):** **VN IN Ass MM Krh TH Chy CMa CDo**
- 6739. *Celaenorrhinus dhanada* *dentatus* Elwes & Edwards, 1897** (Hesperiidae) **Synonym(s):** *dentatus* Elwes & Edwards, 1897. **Range (in code):** **MY Bor KBa**
- 6740. *Celaenorrhinus dhanada* *dhanada* (Moore, [1866])** (Hesperiidae) **Synonym(s):** *dhanada* Moore, 1865. **Original Reference:** *Plesioneura dhanada* Moore, [1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal. **Range (in code):** **Ben BT IN Kma Mus SI Up**
- 6741. *Celaenorrhinus dhanada* *hersa* Evans, 1949** (Hesperiidae) **Synonym(s):** *hersa* Evans, 1949. **Range (in code):** **ID Sum**
- 6742. *Celaenorrhinus dhanada* *lativittus* Elwes & Edwards, 1897** (Hesperiidae) **Synonym(s):** *lativittus* Elwes & Edwards, 1897. **Range (in code):** **MY Bor KBa**
- 6743. *Celaenorrhinus dhanada* *sema* Evans, 1926** (Hesperiidae) **Synonym(s):** *sema* Evans, 1926. **Range (in code):** **ID Ja Bli**
- 6744. *Celaenorrhinus dhanada* *snelleni* Fruhstorfer, 1909** (Hesperiidae) **Synonym(s):** *snelleni* Fruhstorfer, 1909. **Range (in code):** **ID Clb**

- 6745. *Celaenorrhinus entellus* Hewitson, 1867** (Hesperiidae) Synonym(s): *entellus* Hewitson, 1867; *simula* Hewitson, 1877; *angustipennis* Elwes & Edwards, 1897; *binotatus* Fruhstorfer, 1909. Range (in code): ID Ja Sum
- 6746. *Celaenorrhinus entellus entellus* Hewitson, 1867** (Hesperiidae) Synonym(s): *entellus* Hewitson, 1867; *simula* Hewitson, 1877; *angustipennis* Elwes & Edwards, 1897; *binotatus* Fruhstorfer, 1909. Range (in code): ID Ja Sum
- 6747. *Celaenorrhinus ficulnea* Hewitson, 1868** (Hesperiidae) Synonym(s): *ficulnea* Hewitson, 1868; *signata* Druce, 1873. Range (in code): IN Nag Ass ID Nia Sum Hm Bch MM Mrg TH Rng Yal Tng Nst MY PH Pal Bor
- 6748. *Celaenorrhinus ficulnea crona* Hewitson, 1878** (Hesperiidae) Synonym(s): *crona* Hewitson, 1878; *batchianus* Elwes & Edwards, 1897. Range (in code): ID Hm Bch
- 6749. *Celaenorrhinus ficulnea ficulnea* Hewitson, 1868** (Hesperiidae) Synonym(s): *ficulnea* Hewitson, 1868; *signata* Druce, 1873. Range (in code): PH Pal MY Bor
- 6750. *Celaenorrhinus ficulnea niasica* Mabille, 1913** (Hesperiidae) Synonym(s): *niasica* Mabille, 1913; *ovalis* Mabille, 1913. Range (in code): ID Nia
- 6751. *Celaenorrhinus ficulnea queda* Plötz, 1885** (Hesperiidae) Synonym(s): *queda* Plötz, 1885; *nibana* Fruhstorfer, 1910. Range (in code): IN Nag Ass ID Sum MM Mrg TH Rng Yal Tng Nst MY
- 6752. *Celaenorrhinus ficulnea tola* Hewitson, 1878** (Hesperiidae) Synonym(s): *tola* Hewitson, 1878; *zawi* Plötz, 1885; *plesioneurae* Staudinger, 1888. Range (in code): ID Clb
- 6753. *Celaenorrhinus flavocincta* De Nicéville, 1887** (Hesperiidae) Synonym(s): *flavocincta* De Nicéville, 1887. Range (in code): BT SI IN
- 6754. *Celaenorrhinus flavocincta flavocincta* De Nicéville, 1887** (Hesperiidae) Synonym(s): *flavocincta* De Nicéville, 1887. Range (in code): BT SI IN
- 6755. *Celaenorrhinus fritzgaertneri* (Bailey, 1880)** (Hesperiidae) Synonym(s): *fritzgaertneri* Bailey, 1880; *variegatus* Godman & Salvin, 1894. Range (in code): US MX Arz Tx
- 6756. *Celaenorrhinus galenus* (Fabricius, 1793)** (Hesperiidae) Synonym(s): *galenus* Fabricius, 1793; *fulgens* Mabille, 1877; *biseriata* Butler, 1888; *maculata* Hampson, 1891; *hoehneli* Rogenhofer, 1891; *opalinus* Butler, 1901; *alluaudi* Mabille & Boullet, 1916; *jeanneli* Mabille & Boullet, 1916; *bryki* Aurivillius, 1925. Range (in code): ET MW ZW CG TZ Tnga Usa Ani KE ZR Bionomy: Larva on Hypoestes, Justicia (Acanthaceae) (Ackery et al., 1995).
- 6757. *Celaenorrhinus halconis* De Jong & Treadaway, 1993** (Hesperiidae) Synonym(s): *halconis* De Jong & Treadaway, 1993. Range (in code): PH Mdo
- 6758. *Celaenorrhinus handmani* Collins & Congdon, 1998** (Hesperiidae) Synonym(s): *handmani* Collins & Congdon, 1998. Range (in code): KE TZ MW ZM
- 6759. *Celaenorrhinus hecqui* Berger, 1976** (Hesperiidae) Synonym(s): *hecqui* Berger, 1976. Range (in code): ZR
- 6760. *Celaenorrhinus homeyeri* (Plötz, 1880)** (Hesperiidae) Synonym(s): *homeyeri* Plötz, 1880. Range (in code): AO UG ZR CG CM CI
- 6761. *Celaenorrhinus humbloti* (Mabille, 1884)** (Hesperiidae) Synonym(s): *humbloti* Mabille, 1884. Range (in code): MG
- 6762. *Celaenorrhinus illustris* (Mabille, 1891)** (Hesperiidae) Synonym(s): *illustris* Mabille, 1891; *#abbreviata* Aurivillius, 1925. Range (in code): UG ZR CG CM NG GA CF
- 6763. *Celaenorrhinus illustris daroa* Evans, 1937** (Hesperiidae) Synonym(s): *daroa* Evans, 1937. Original Reference: *Celaenorrhinus illustris* ssp. *daroa* Evans, 1937, Catalogue African Hesperiidae in the British Museum: 23-24. Holotype ♂: Uganda: Daro forest, Toro, 4000ft (BMNH). Range (in code): UG ZR CG
- 6764. *Celaenorrhinus illustris illustris* (Mabille, 1891)** (Hesperiidae) Synonym(s): *illustris* Mabille, 1891; *#abbreviata* Aurivillius, 1925. Range (in code): CM NG GA CF
- 6765. *Celaenorrhinus illustroides* Miller, 1971** (Hesperiidae) Synonym(s): *illustroides* Miller, 1971. Range (in code): CG
- 6766. *Celaenorrhinus inaequalis* Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *inaequalis* Elwes & Edwards, 1897. Range (in code): VN TH Srt MY Bor Prk ID Sum Ja
- 6767. *Celaenorrhinus inaequalis inaequalis* Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *inaequalis* Elwes & Edwards, 1897. Range (in code): ID Ja
- 6768. *Celaenorrhinus inaequalis irene* Evans, 1941** (Hesperiidae) Synonym(s): *irene* Evans, 1941. Range (in code): VN TH Srt MY Bor Prk ID Sum

- 6769. *Celaenorrhinus intermixtus* Aurivillius,1896** (Hesperiidae) Synonym(s): *intermixtus* Aurivillius,1896. Range (in code): CM ZR UG
- 6770. *Celaenorrhinus intermixtus evansi* Berger,1975** (Hesperiidae) Synonym(s): *evansi* Berger,1975. Range (in code): ZR UG
- 6771. *Celaenorrhinus intermixtus intermixtus* Aurivillius,1896** (Hesperiidae) Synonym(s): *intermixtus* Aurivillius,1896. Range (in code): CM ZR
- 6772. *Celaenorrhinus kasai* Evans,1956** (Hesperiidae) Synonym(s): *kasai* Evans,1956. Range (in code): ZR
- 6773. *Celaenorrhinus kasai kapangana* Berger,1976** (Hesperiidae) Synonym(s): *kapangana* Berger,1976. Range (in code): ZR
- 6774. *Celaenorrhinus kasai kasai* Evans,1956** (Hesperiidae) Synonym(s): *kasai* Evans,1956. Range (in code): ZR
- 6775. *Celaenorrhinus kiku* Hering,1918** (Hesperiidae) Synonym(s): *kiku* Hering,1918 Range (in code): CN
- 6776. *Celaenorrhinus kiku kiku* Hering,1918** (Hesperiidae) Synonym(s): *kiku* Hering,1918 Range (in code): CN
- 6777. *Celaenorrhinus kimboza* Evans,1949** (Hesperiidae) Synonym(s): *kimboza* Evans,1949. Range (in code): TZ
- 6778. *Celaenorrhinus kivuensis* Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *kivuensis* Joicey & Talbot,1921. Range (in code): ZR UG
- 6779. *Celaenorrhinus kuznetsovi* Devyatkin,2000** (Hesperiidae) Synonym(s): *kuznetsovi* Devyatkin,2000 Range (in code): VN
- 6780. *Celaenorrhinus ladana* (Butler,1870)** (Hesperiidae) Synonym(s): *ladana* Butler,1870; *vaijrada* Fruhstorfer,1911 Range (in code): TH Yal MY Bor
- 6781. *Celaenorrhinus ladana ladana* (Butler,1870)** (Hesperiidae) Synonym(s): *ladana* Butler,1870; *vaijrada* Fruhstorfer,1911 Range (in code): TH Yal MY Bor
- 6782. *Celaenorrhinus leona* Berger,1975** (Hesperiidae) Synonym(s): *leona* Berger,1975. Range (in code): SL
- 6783. *Celaenorrhinus leucocera* (Kollar,[1844])** (Hesperiidae) Synonym(s): *leucocera* Kollar,[1844]; *arminia* Plötz,1884. Original Reference: *Hesperia leucocera* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, pl. 18, figs. 3,4. Type ♀: Himalayas. Range (in code): Adm Ass Slo BT Ch CN Hn IN Hp Kma MM Haz Mre Pj Up PK SI TH Chy Nrt Cbi Srt Nst VN Ton MY Lkw
- 6784. *Celaenorrhinus leucocera leucocera* (Kollar,[1844])** (Hesperiidae) Synonym(s): *leucocera* Kollar,[1844]; *arminia* Plötz,1884. Original Reference: *Hesperia leucocera* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, pl. 18, figs. 3,4. Type ♀: Himalayas. Range (in code): Adm Ass Slo BT Ch CN Hn IN Hp Kma MM Haz Mre Pj Up PK SI TH Chy Nrt Cbi Srt Nst VN Ton MY Lkw
- 6785. *Celaenorrhinus lourentis* de Jong,1976** (Hesperiidae) Synonym(s): *lourentis* de Jong,1976. Range (in code): KE
- 6786. *Celaenorrhinus macrostictus* Holland,1893** (Hesperiidae) Synonym(s): *macrostictus* Holland,1893. Range (in code): KE UG ZR GA
- 6787. *Celaenorrhinus maculosa* C.Felder & R.Felder,[1867]** (Hesperiidae) Synonym(s): *maculosa* C.Felder & R.Felder,[1867]; *refulgens* Oberthür,1896 Range (in code): MN Fkn CN Sz T-T Hpe Tkg TW
- 6788. *Celaenorrhinus maculosa maculosa* C.Felder & R.Felder,[1867]** (Hesperiidae) Synonym(s): *maculosa* C.Felder & R.Felder,[1867]; *refulgens* Oberthür,1896 Range (in code): MN Fkn CN Sz T-T Hpe Tkg
- 6789. *Celaenorrhinus maculosa taiwanus* Matsumura,1919** (Hesperiidae) Synonym(s): *taiwanus* Matsumura,1919 Range (in code): TW
- 6790. *Celaenorrhinus major* Hsu,1990** (Hesperiidae) Synonym(s): *major* Hsu,1990
- 6791. *Celaenorrhinus meditrina* (Hewitson,1877)** (Hesperiidae) Synonym(s): *meditrina* Hewitson,1877; *interniplaga* Mabille,1891; *pooanus* Aurivillius,1910. Original Reference: *Pterygospidea meditrina* Hewitson,1877, Ann. Mag. nat. Hist. (4): 20: 322-323. Type(s): Fernando Po (Rogers). Range (in code): GO Bio CM GN NG GH ZR UG CG
- 6792. *Celaenorrhinus milleri* Collins & Larsen,2003** (Hesperiidae) Synonym(s): *milleri* Collins & Larsen,2003 Range (in code): CM

- 6793. *Celaenorrhinus mokeezi* (Wallengren,1857)** (Hesperiidae) **Synonym(s):** *mokeezi* Wallengren,1857; *amaponda* Trimen,1862. **Range (in code):** **MZ ZA Ec Tva Nta Kzu Ptb Lpo Spb Ent Mpu Brb Stj Tra Suw Ly Elo Esw** **Bionomy:** Larva on *Isoglossa*, *Justicia* (Acanthaceae) (Ackery et al.,1995).
- 6794. *Celaenorrhinus mokeezi mokeezi* (Wallengren,1857)** (Hesperiidae) **Synonym(s):** *mokeezi* Wallengren,1857; *amaponda* Trimen,1862. **Range (in code):** **ZA Ec Ptb Stj Tra**
- 6795. *Celaenorrhinus mokeezi separata* (Strand,1911)** (Hesperiidae) **Synonym(s):** *separata* Strand,1911 **Original Reference:** *Apallaga separata* Strand,1911, Ent. Rdsch. 1911: 28. **Range (in code):** **MZ ZA Kzu Nta Tva Lpo Spb Ent Mpu Brb Suw Ly**
- 6796. *Celaenorrhinus monartus* (Plötz,1884)** (Hesperiidae) **Synonym(s):** *monartus* Plötz,1884; *chiriquensis* Mabille,1891 **Range (in code):** **MX PA Cq**
- 6797. *Celaenorrhinus morena* Evans,1949** (Hesperiidae) **Synonym(s):** *morena* Evans,1949 **Range (in code):** **IN Nag SI Ass Mpr**
- 6798. *Celaenorrhinus morena morena* Evans,1949** (Hesperiidae) **Synonym(s):** *morena* Evans,1949 **Range (in code):** **IN Nag SI Ass Mpr**
- 6799. *Celaenorrhinus munda* Moore,1865** (Hesperiidae) **Synonym(s):** *munda* Moore,1865 **Range (in code):** **CN Yu IN Haz Mre Pj PK SI Sml Up Meg Ass MM Krh Khs TH Chy Cbi**
- 6800. *Celaenorrhinus munda joka* Evans,1949** (Hesperiidae) **Synonym(s):** *joka* Evans,1949 **Range (in code):** **CN Yu**
- 6801. *Celaenorrhinus munda maculicornis* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *maculicornis* Elwes & Edwards,1897 **Range (in code):** **SI IN Ass MM Krh Meg Khs TH Chy Cbi**
- 6802. *Celaenorrhinus munda munda* Moore,1865** (Hesperiidae) **Synonym(s):** *munda* Moore,1865 **Range (in code):** **IN Mre Haz Pj PK SI Sml Up**
- 6803. *Celaenorrhinus nigricans* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *nigricans* De Nicéville,1885 **Range (in code):** **PH Ley Luz Mno MY Bor KBa SI BT IN Ass MM Shn Krh TH Mrg Cbi Srt**
- 6804. *Celaenorrhinus nigricans balukinus* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *balukinus* Elwes & Edwards,1897 **Range (in code):** **MY Bor KBa**
- 6805. *Celaenorrhinus nigricans mindanus* De Jong,1981** (Hesperiidae) **Synonym(s):** *mindanus* De Jong,1981 **Range (in code):** **PH Ley Luz Mno**
- 6806. *Celaenorrhinus nigricans nigricans* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *nigricans* De Nicéville,1885 **Range (in code):** **SI BT IN Ass MM Shn Krh TH Mrg Cbi Srt**
- 6807. *Celaenorrhinus nigricans orbiferus* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *orbiferus* Elwes & Edwards,1897 **Range (in code):** **MY Bor KBa**
- 6808. *Celaenorrhinus nigropunctata* Bethune-Baker,1908** (Hesperiidae) **Synonym(s):** *nigropunctata* Bethune-Baker,1908 **Range (in code):** **ZR CG CM UG**
- 6809. *Celaenorrhinus nigropunctata netta* Evans,1937** (Hesperiidae) **Synonym(s):** *netta* Evans,1937 **Original Reference:** *Celaenorrhinus nigropunctata* ssp. *netta* Evans,1937, Catalogue African Hesperiidae in the British Museum: 25. Holotype ♂: Cameroons: Bitje (BMNH). **Range (in code):** **CM**
- 6810. *Celaenorrhinus nigropunctata nigropunctata* Bethune-Baker,1908** (Hesperiidae) **Synonym(s):** *nigropunctata* Bethune-Baker,1908 **Range (in code):** **ZR CG UG**
- 6811. *Celaenorrhinus nimba* Collins & Larsen,2000** (Hesperiidae) **Synonym(s):** *nimba* Collins & Larsen,2000 **Range (in code):** **CI**
- 6812. *Celaenorrhinus oscula* Evans,1949** (Hesperiidae) **Synonym(s):** *oscula* Evans,1949 **Range (in code):** **CN Sz Mou T-T VN**
- 6813. *Celaenorrhinus oscula oscula* Evans,1949** (Hesperiidae) **Synonym(s):** *oscula* Evans,1949 **Range (in code):** **CN Sz Mou T-T VN**
- 6814. *Celaenorrhinus ovalis* Evans,1937** **homonym** (Hesperiidae) **Synonym(s):** *ovalis* Evans,1937 *nec* Mab.,1913 **Original Reference:** *Celaenorrhinus medetrina* ssp. *ovalis* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23. Holotype ♂: Congo: Upper Kasai (BMNH). **Range (in code):** **KE ZR CM GH LR SL CI NG CF CG UG**
- 6815. *Celaenorrhinus ovalis ovalis* Evans,1937 (invalid name)** (Hesperiidae) **Synonym(s):** *ovalis* Evans,1937 *nec* Mab.,1913 **Original Reference:** *Celaenorrhinus medetrina* ssp. *ovalis* Evans,1937, Catalogue African Hesperiidae in the British Museum: 23. Holotype ♂: Congo: Upper Kasai (BMNH). **Range (in code):** **KE ZR CM GH LR SL CI NG CF CG UG**

- 6816. *Celaenorrhinus pahangensis* Naylor,1962** (Hesperiidae) Synonym(s): *pahangensis* Naylor,1962 _ Range (in code): MY
- 6817. *Celaenorrhinus pahangensis pahangensis* Naylor,1962** (Hesperiidae) Synonym(s): *pahangensis* Naylor,1962 _ Range (in code): MY
- 6818. *Celaenorrhinus patula* De Nicéville,1889** (Hesperiidae) Synonym(s): *patula* De Nicéville,1889; *pluscula* Leech,1894; *chinensis* Swinhoe,1907. _ Range (in code): CN Yu Sij Gaz Qq Gon Sz T-T IN SI Ass Nag Mpr MM Krh Shn TH CMa VN
- 6819. *Celaenorrhinus patula patula* De Nicéville,1889** (Hesperiidae) Synonym(s): *patula* De Nicéville,1889; *pluscula* Leech,1894; *chinensis* Swinhoe,1907. _ Range (in code): CN Yu Sij Gaz Qq Gon Sz T-T IN SI Ass Nag Mpr MM Krh Shn TH CMa VN
- 6820. *Celaenorrhinus perlustris* Rebel,1914** (Hesperiidae) Synonym(s): *perlustris* Rebel,1914. Range (in code): ZR UG CM
- 6821. *Celaenorrhinus perlustris katangensis* Berger,1976** (Hesperiidae) Synonym(s): *katangensis* Berger,1976 _ Range (in code): ZR
- 6822. *Celaenorrhinus perlustris mona* Evans,1937** (Hesperiidae) Synonym(s): *mona* Evans,1937 Original Reference: *Celaenorrhinus perlustris* ssp. *mona* Evans,1937, Catalogue African Hesperiidae in the British Museum: 24. Holotype ♂: Cameroons (BMNH). Range (in code): CM
- 6823. *Celaenorrhinus perlustris perlustris* Rebel,1914** (Hesperiidae) Synonym(s): *perlustris* Rebel,1914. _ Range (in code): UG ZR
- 6824. *Celaenorrhinus pero* De Nicéville,1889** (Hesperiidae) Synonym(s): *pero* De Nicéville,1889 _ Range (in code): IN Kma Mus SI Nag CN Sz Mou TH CMa
- 6825. *Celaenorrhinus pero lucifera* Leech,1894** (Hesperiidae) Synonym(s): *lucifera* Leech,1894 _ Range (in code): SI IN Nag CN Sz Mou TH CMa
- 6826. *Celaenorrhinus pero pero* De Nicéville,1889** (Hesperiidae) Synonym(s): *pero* De Nicéville,1889 _ Range (in code): IN Kma Mus
- 6827. *Celaenorrhinus phuongi* Devyatkin,2000** (Hesperiidae) Synonym(s): *phuongi* Devyatkin,2000 _ Range (in code): VN
- 6828. *Celaenorrhinus pinratanai* Eliot,1984** (Hesperiidae) Synonym(s): *pinratanai* Eliot,1984 Range (in code): TH Srt
- 6829. *Celaenorrhinus pinratanai pinratanai* Eliot,1984** (Hesperiidae) Synonym(s): *pinratanai* Eliot,1984 _ Range (in code): TH Srt
- 6830. *Celaenorrhinus plagiatus* Berger,1976** (Hesperiidae) Synonym(s): *plagiatus* Berger,1976 Range (in code): SL GH CI NG CM ZR
- 6831. *Celaenorrhinus plagiatus plagiatus* Berger,1976** (Hesperiidae) Synonym(s): *plagiatus* Berger,1976 _ Range (in code): SL GH CI NG CM ZR
- 6832. *Celaenorrhinus plagifera* De Nicéville,1889** (Hesperiidae) Synonym(s): *plagifera* De Nicéville,1889; *moelleri* Evans,1932 _ Range (in code): SI BT IN Ass MM CN Ti
- 6833. *Celaenorrhinus plagifera plagifera* De Nicéville,1889** (Hesperiidae) Synonym(s): *plagifera* De Nicéville,1889; *moelleri* Evans,1932 _ Range (in code): SI BT IN Ass MM CN Ti
- 6834. *Celaenorrhinus proxima* (Mabille,1877)** (Hesperiidae) Synonym(s): *proxima* Mabille,1877 _ Range (in code): NG SD UG TZ KE CI GH Bionomy: Larva on *Mimulopsis* (Acanthaceae) (Ackery et al.,1995).
- 6835. *Celaenorrhinus proxima maesseni* Berger,1976** (Hesperiidae) Synonym(s): *maesseni* Berger,1976 _ Range (in code): CI GH
- 6836. *Celaenorrhinus proxima proxima* (Mabille,1877)** (Hesperiidae) Synonym(s): *proxima* Mabille,1877. _ Range (in code): NG SD UG TZ KE
- 6837. *Celaenorrhinus proxima toro* Evans,1937** (Hesperiidae) Synonym(s): *toro* Evans,1937 Original Reference: *Celaenorrhinus proxima* ssp. *toro* Evans,1937, Catalogue African Hesperiidae in the British Museum: 20. Holotype ♂: Uganda: Daro forest, Toro, 4000ft (BMNH). Range (in code): UG
- 6838. *Celaenorrhinus pulomaya* (Moore,[1866])** (Hesperiidae) Synonym(s): *pulomaya* Moore,1865; *pila* Tytler,1915 Original Reference: *Plesioneura pulomaya* Moore,[1866], Proc. zool. Soc. Lond. 1865: 787. Type(s): Sikkim. Range (in code): SI Ass BT CN Yu TW IN
- 6839. *Celaenorrhinus pulomaya formosanus* Fruhstorfer,1909** (Hesperiidae) Synonym(s): *formosanus* Fruhstorfer,1909 _ Range (in code): TW

- 6840. *Celaenorrhinus pulomaya pulomaya* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *pulomaya* Moore,1865; *pila* Tytler,1915 **Original Reference:** *Plesioneura pulomaya* Moore,[1866], Proc. zool. Soc. Lond. 1865: 787. **Type(s):** Sikkim. **Range (in code):** **SI IN Ass Mpr BT CN Yu**
- 6841. *Celaenorrhinus putra* Moore,1865** (Hesperiidae) **Synonym(s):** *putra* Moore,1865 **Range (in code):** **ID Ja Sum MM Krh MY Bor KBa PH Pal IN Ben SI BT Ass TH Cbi Rng Nst**
- 6842. *Celaenorrhinus putra brahmaputra* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *brahmaputra* Elwes & Edwards,1897 **Range (in code):** **PH Pal MY Bor KBa**
- 6843. *Celaenorrhinus putra piepersi* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *piepersi* Fruhstorfer,1909; *parva* Evans,1932 **Range (in code):** **ID Ja**
- 6844. *Celaenorrhinus putra putra* Moore,1865** (Hesperiidae) **Synonym(s):** *putra* Moore,1865 **Range (in code):** **IN Ben SI BT Ass**
- 6845. *Celaenorrhinus putra questa* Evans,1949** (Hesperiidae) **Synonym(s):** *questa* Evans,1949 **Range (in code):** **ID Sum**
- 6846. *Celaenorrhinus putra sanda* Evans,1941** (Hesperiidae) **Synonym(s):** *sanda* Evans,1941 **Range (in code):** **MM Krh TH Cbi Rng Nst**
- 6847. *Celaenorrhinus pyrrha* De Nicéville,1889** (Hesperiidae) **Synonym(s):** *pyrrha* De Nicéville,1889 **Range (in code):** **BT SI IN Ass MM Shn Kch**
- 6848. *Celaenorrhinus pyrrha pyrrha* De Nicéville,1889** (Hesperiidae) **Synonym(s):** *pyrrha* De Nicéville,1889 **Range (in code):** **BT SI IN Ass MM Shn Kch**
- 6849. *Celaenorrhinus ratna* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *ratna* Fruhstorfer,1909; *clio* Mabille,1914 **Range (in code):** **TW IN SI Ass Hp Kma Nag CN Yu Gaz**
- 6850. *Celaenorrhinus ratna daphne* Evans,1949** (Hesperiidae) **Synonym(s):** *daphne* Evans,1949 **Original Reference:** *Celaenorrhinus ratna* ssp. *daphne* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 95. Holotype ♂: [India]: N.W. Himalayas (Kumaon) (BMNH). **Range (in code):** **IN Kma Hp**
- 6851. *Celaenorrhinus ratna ratna* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *ratna* Fruhstorfer,1909; *clio* Mabille,1914 **Range (in code):** **TW**
- 6852. *Celaenorrhinus ratna tytleri* Evans,1926** (Hesperiidae) **Synonym(s):** *tytleri* Evans,1926 **Range (in code):** **IN Nag SI Ass**
- 6853. *Celaenorrhinus rubeho* Kielland,1990** (Hesperiidae) **Synonym(s):** *rubeho* Kielland,1990 **Range (in code):** **TZ**
- 6854. *Celaenorrhinus ruficornis* Mabille,1878** (Hesperiidae) **Synonym(s):** *ruficornis* Mabille,1878 **Range (in code):** **IN NI ID Clb Ja**
- 6855. *Celaenorrhinus ruficornis area* Plötz,1885** (Hesperiidae) **Synonym(s):** *area* Plötz,1885; *anoma* Fruhstorfer,1909; *celebica* Evans,1932 **Range (in code):** **ID Clb**
- 6856. *Celaenorrhinus ruficornis fusca* Hampson,1889** (Hesperiidae) **Synonym(s):** *fusca* Hampson,1889 **Range (in code):** **IN NI**
- 6857. *Celaenorrhinus ruficornis ruficornis* Mabille,1878** (Hesperiidae) **Synonym(s):** *ruficornis* Mabille,1878 **Range (in code):** **ID Ja**
- 6858. *Celaenorrhinus rutilans* (Mabille,1877)** (Hesperiidae) **Synonym(s):** *rutilans* Mabille,1877; *tergemira* Hewitson,1877; *woermanni* Plötz,1879. **Range (in code):** **ZM ZR GA CM GH**
- 6859. *Celaenorrhinus sagamase* Collins & Larsen,2005** (Hesperiidae) **Synonym(s):** *sagamase* Collins & Larsen,2005 **Range (in code):** **GH**
- 6860. *Celaenorrhinus sanjeensis* Kielland,1990** (Hesperiidae) **Synonym(s):** *sanjeensis* Kielland,1990 **Range (in code):** **TZ**
- 6861. *Celaenorrhinus saturatus* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *saturatus* Elwes & Edwards,1897 **Range (in code):** **ID Ja**
- 6862. *Celaenorrhinus saturatus saturatus* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *saturatus* Elwes & Edwards,1897 **Range (in code):** **ID Ja**
- 6863. *Celaenorrhinus selysi* Berger,1955** (Hesperiidae) **Synonym(s):** *selysi* Berger,1955 **Range (in code):** **ZR**
- 6864. *Celaenorrhinus spilothyrsus* Felder,1868** (Hesperiidae) **Synonym(s):** *spilothyrsus* Felder,1868 **Range (in code):** **LK**
- 6865. *Celaenorrhinus spilothyrsus spilothyrsus* Felder,1868** (Hesperiidae) **Synonym(s):** *spilothyrsus* Felder,1868 **Range (in code):** **LK**
- 6866. *Celaenorrhinus stallingsi* Freeman,1946** (Hesperiidae) **Synonym(s):** *stallingsi* Freeman,1946 **Range (in code):** **US MX Tx**

- 6867. *Celaenorrhinus stola* Evans,1952** (Hesperiidae) Synonym(s): *stola* Evans,1952 _ Range (in code): MX
- 6868. *Celaenorrhinus sumitra* Moore,1865** (Hesperiidae) Synonym(s): *sumitra* Moore,1865
Range (in code): IN Ben SI Ass Mpr MM Shn
- 6869. *Celaenorrhinus sumitra sumitra* Moore,1865** (Hesperiidae) Synonym(s): *sumitra* Moore,1865 _ Range (in code): IN Ben SI Ass Mpr MM Shn
- 6870. *Celaenorrhinus suzannae* Berger,1976** (Hesperiidae) Synonym(s): *suzannae* Berger,1976
Range (in code): ZR
- 6871. *Celaenorrhinus tibetanus* Mabille,1876** (Hesperiidae) Synonym(s): *tibetanus* Mabille,1876; *latifascia* Mabille & Boulet,1919 _ Range (in code): CN Yu Mbl Sz Ti MM Chn
- 6872. *Celaenorrhinus tibetanus tibetanus* Mabille,1876** (Hesperiidae) Synonym(s): *tibetanus* Mabille,1876 _ Range (in code): CN Yu Mbl Sz Ti MM Chn
- 6873. *Celaenorrhinus toxopei* De Jong,1981** (Hesperiidae) Synonym(s): *toxopei* De Jong,1981
Range (in code): ID Ja
- 6874. *Celaenorrhinus treadawayi* De Jong,1981** (Hesperiidae) Synonym(s): *treadawayi* De Jong,1981 _ Range (in code): PH Mno
- 6875. *Celaenorrhinus treadawayi samarensis* De Jong,1981** (Hesperiidae) Synonym(s): *samarensis* De Jong,1981 _ Range (in code): PH Sam
- 6876. *Celaenorrhinus uluguru* Kielland,1990** (Hesperiidae) Synonym(s): *uluguru* Kielland,1990 _ Range (in code): TZ
- 6877. *Celaenorrhinus vietnamicus* Devyatkin,1998** (Hesperiidae) Synonym(s): *vietnamicus* Devyatkin,1998 _ Range (in code): VN Ton Tda
- 6878. *Celaenorrhinus yaojiani* Huang & Wu,2003** (Hesperiidae) Synonym(s): *yaojiani* Huang & Wu,2003 _ Range (in code): CN
- 6879. *Celaenorrhinus zanca* Evans,1937** (Hesperiidae) Synonym(s): *zanca* Evans,1937
Original Reference: Celaenorrhinus zanca Evans,1937, Catalogue African Hesperiidae in the British Museum: 20. Holotype ♂: Zanzibar (BMNH). Range (in code): TZ MW
- 6880. *Celaenorrhinus zea* Swinhoe,1909** (Hesperiidae) Synonym(s): *zea* Swinhoe,1909
- 6881. *Celaenorrhinus zea zea* Swinhoe,1909** (Hesperiidae) Synonym(s): *zea* Swinhoe,1909
- 6882. *Celotes limpia* Burns,1974** (Hesperiidae) Synonym(s): *limpia* Burns,1974 _ Range (in code): US MX Tx
- 6883. *Celotes nessus* (Edwards,1877)** (Hesperiidae) Synonym(s): *nessus* Edwards,1877; *notabilis* Strecker,1877; *radiatus* Plötz,1881 _ Range (in code): US MX Arz Cf Io Lou NMx Ok Tx
- 6884. *Cephise aelius* (Plötz,1881)** (Hesperiidae) Synonym(s): *aelius* Plötz,1881; *auginulus* Godman & Salvin,1893; *callicina* Schaus,1912 _ Range (in code): MX
- 6885. *Cephise guatemalaensis* (Freeman,1977)** (Hesperiidae) Synonym(s): *guatemalaensis* Freeman,1977 _ Range (in code): MX GT
- 6886. *Cephise mexicanus* Austin & Mielke,2000** (Hesperiidae) Synonym(s): *mexicanus* Austin & Mielke,2000 _ Range (in code): MX
- 6887. *Cephise nuspesez* Burns,1996** (Hesperiidae) Synonym(s): *nuspesez* Burns,1996 _ Range (in code): MX
- 6888. *Cephrenes acalle* (Hopffer,1874)** (Hesperiidae) Synonym(s): *acalle* Hopffer,1874
Range (in code): PH Bal Pal Stu Boh CmM Ceb Cts Ley Luz Mar Mdo Mno Neg Pan Pol Sam Sib TH Bnk Cbi Cbu Sbu Cma CDo Ray Nst Chw Ths IN Nk ID Nia Egg Baw Clb Ja Sum MY Bgk Sip SI Cle Ass CN Hn Yu Adm MM Mrg VN
- 6889. *Cephrenes acalle acalle* (Hopffer,1874)** (Hesperiidae) Synonym(s): *acalle* Hopffer,1874
Range (in code): ID Clb
- 6890. *Cephrenes acalle chrysozona* Plötz,1883** (Hesperiidae) Synonym(s): *chrysozona* Plötz,1883; *negrosiana* Fruhstorfer,1911 _ Range (in code): PH Boh CmM Ceb Cts Ley Luz Mar Mdo Mno Neg Pan Pol Sam Sib TH Bnk Cbi Cbu Sbu Cma Ray ID Nia IN Nk
- 6891. *Cephrenes acalle kayapu* (Doherty,1891)** (Hesperiidae) Synonym(s): *kayapu* Doherty,1891; *baweana* Fruhstorfer,1911 _ Range (in code): ID Egg Baw
- 6892. *Cephrenes acalle kliana* Evans,1934** (Hesperiidae) Synonym(s): *kliana* Evans,1934
Range (in code): PH Bal Pal Stu
- 6893. *Cephrenes acalle lompa* Evans,1934** (Hesperiidae) Synonym(s): *lompa* Evans,1934
Range (in code): ID Clb
- 6894. *Cephrenes acalle niasica* (Plötz,1886)** (Hesperiidae) Synonym(s): *niasica* Plötz,1886; *raktaja* Fruhstorfer,1911 _ Range (in code): ID Ja Sum MY Bgk Sip Nia TH Nst Chw Ths

- 6895. *Cephrenes acalle nicobarica* Evans,1932** (Hesperiidae) **Synonym(s):** *nicobarica* Evans,1932 _ Range (in code): **IN Nk**
- 6896. *Cephrenes acalle oceanica* (Mabille,1904)** (Hesperiidae) **Synonym(s):** *palmarum* Moore,1878 nec Feld.,1862; *oceanica* Mabille,1904; *hainanum* Sonan,1938 _ Range (in code): **TH Bnk Cbi Cbu Shu CMa CDo Ray IN Clc SI Ass CN Hn Yu Adm MM Mrg VN**
- 6897. *Cephrenes augiades* (C.Felder,1860)** (Hesperiidae) **Synonym(s):** *augiades* C.Felder,1860 Range (in code): **ID Tnm Bch Amb PG Wd NBr Nlr D-Y SB ID Ij Bru Aru AU NSw QAU Syd**
- 6898. *Cephrenes augiades arua* Evans,1935** (Hesperiidae) **Synonym(s):** *arua* Evans,1935 Range (in code): **ID Aru**
- 6899. *Cephrenes augiades augiades* (C.Felder,1860)** (Hesperiidae) **Synonym(s):** *augiades* C.Felder,1860 _ Range (in code): **ID Amb**
- 6900. *Cephrenes augiades bruno* Evans,1935** (Hesperiidae) **Synonym(s):** *bruno* Evans,1935 Range (in code): **PG ID Ij**
- 6901. *Cephrenes augiades burua* Evans,1935** (Hesperiidae) **Synonym(s):** *burua* Evans,1935 Range (in code): **ID Bru**
- 6902. *Cephrenes augiades meeki* Evans,1935** (Hesperiidae) **Synonym(s):** *meeki* Evans,1935 Range (in code): **PG Wd**
- 6903. *Cephrenes augiades sperthias* (C.Felder,1862)** (Hesperiidae) **Synonym(s):** *sperthias* C.Felder,1862; *palmarum* C.Felder,1862; *ulama* Butler,1870; *ismenoides* Mabille,1878 _ Range (in code): **AU NSw QAU Syd**
- 6904. *Cephrenes augiades tara* Evans,1935** (Hesperiidae) **Synonym(s):** *tara* Evans,1935 Range (in code): **ID Bch**
- 6905. *Cephrenes augiades tenimbra* Evans,1935** (Hesperiidae) **Synonym(s):** *tenimbra* Evans,1935 _ Range (in code): **ID Tnm**
- 6906. *Cephrenes augiades tugela* Evans,1949** (Hesperiidae) **Synonym(s):** *tugela* Evans,1949 Range (in code): **SB**
- 6907. *Cephrenes augiades websteri* Evans,1935** (Hesperiidae) **Synonym(s):** *websteri* Evans,1935 _ Range (in code): **PG NBr Nlr D-Y SB**
- 6908. *Cephrenes carna* Evans,1934** (Hesperiidae) **Synonym(s):** *carna* Evans,1934 _ Range (in code): **PG ID Ij Ob Aru**
- 6909. *Cephrenes carna augiana* Evans,1934** (Hesperiidae) **Synonym(s):** *augiana* Evans,1934 Range (in code): **ID Aru**
- 6910. *Cephrenes carna augusta* Evans,1934** (Hesperiidae) **Synonym(s):** *augusta* Evans,1934 Range (in code): **PG ID Ij**
- 6911. *Cephrenes carna carna* Evans,1934** (Hesperiidae) **Synonym(s):** *carna* Evans,1934 Range (in code): **ID Ob**
- 6912. *Cephrenes moseleyi* (Butler,1884)** (Hesperiidae) **Synonym(s):** *moseleyi* Butler,1884 Range (in code): **ID Tnm Bch Amb Bru Crm Kai Amb PG Fg Dmp Aru SB Bgv3 Isa Hon Hon7 Hon4 NGe1 NGe6**
- 6913. *Cephrenes moseleyi moseleyi* (Butler,1884)** (Hesperiidae) **Synonym(s):** *moseleyi* Butler,1884 _ Range (in code): **ID Tnm Bch Amb Bru Crm Kai Amb PG Fg Dmp Aru**
- 6914. *Cephrenes moseleyi shortlandica* Swinhoe,1915** (Hesperiidae) **Synonym(s):** *shortlandica* Swinhoe,1915 _ Range (in code): **SB PG Bgv3 Isa Hon Hon7 Hon4 NGe1 NGe6**
- 6915. *Cephrenes trichopepla* (Lower,1908)** (Hesperiidae) **Synonym(s):** *trichopepla* Lower,1908 Range (in code): **AU QAU**
- 6916. *Cephrenes trichopepla trichopepla* (Lower,1908)** (Hesperiidae) **Synonym(s):** *trichopepla* Lower,1908 _ Range (in code): **AU QAU**
- 6917. *Ceratrachia argyrosticha* (Plötz,1879)** (Hesperiidae) **Synonym(s):** *argyrosticha* Plötz,1879 Range (in code): **GH NG CM UG ZR**
- 6918. *Ceratrachia argyrosticha argyrosticha* (Plötz,1879)** (Hesperiidae) **Synonym(s):** *argyrosticha* Plötz,1879; *argyrospila* Plötz,1884; *#limbana* Strand,1913 _ Range (in code): **GH NG CM**
- 6919. *Ceratrachia argyrosticha enta* Evans,1947** (Hesperiidae) **Synonym(s):** *enta* Evans,1947 Range (in code): **UG ZR**
- 6920. *Ceratrachia aurea* Druce,1910** (Hesperiidae) **Synonym(s):** *aurea* Druce,1910; *guineensis* Strand,1913; *ugandae* Riley,1925 _ Range (in code): **ZR CM UG CG**
- 6921. *Ceratrachia bonga* Evans,1947** (Hesperiidae) **Synonym(s):** *bonga* Evans,1947 _ Range (in code): **TZ**

- 6922. *Ceratrachia brunnea* Bethune-Baker, 1906** (Hesperiidae) **Synonym(s):** *brunnea* Bethune-Baker, 1906 **Range (in code):** [CM](#) [UG](#) [ZR](#) [KE](#)
- 6923. *Ceratrachia brunnea brunnea* Bethune-Baker, 1906** (Hesperiidae) **Synonym(s):** *brunnea* Bethune-Baker, 1906 **Range (in code):** [KE](#) [UG](#) [ZR](#)
- 6924. *Ceratrachia brunnea ialemia* Druce, 1909** (Hesperiidae) **Synonym(s):** *ialemia* Druce, 1909 **Range (in code):** [CM](#)
- 6925. *Ceratrachia crowleyi* N.D.Riley, 1925** (Hesperiidae) **Synonym(s):** *crowleyi* N.D.Riley, 1925 **Range (in code):** [SL](#) [LR](#)
- 6926. *Ceratrachia flandria* Evans, 1956** (Hesperiidae) **Synonym(s):** *flandria* Evans, 1956 **Range (in code):** [ZR](#)
- 6927. *Ceratrachia flava* Hewitson, 1878** (Hesperiidae) **Synonym(s):** *flava* Hewitson, 1878; *charita* Plötz, 1879; *fasciata* Aurivillius, 1896; *tessmanniana* Strand, 1912 **Range (in code):** [CM](#) [NG](#) [UG](#) [KE](#) [GO](#) [Bio](#) [ZR](#) [CG](#) [GA](#)
- 6928. *Ceratrachia flava benitoensis* Miller, 1964** (Hesperiidae) **Synonym(s):** *benitoensis* Miller, 1964 **Range (in code):** [GO](#) [ZR](#) [CG](#) [GA](#)
- 6929. *Ceratrachia flava fernanda* Evans, 1937** (Hesperiidae) **Synonym(s):** *fernanda* Evans, 1937 **Range (in code):** [GO](#) [Bio](#)
- 6930. *Ceratrachia flava flava* Hewitson, 1878** (Hesperiidae) **Synonym(s):** *flava* Hewitson, 1878; *charita* Plötz, 1879; *fasciata* Aurivillius, 1896; *tessmanniana* Strand, 1912 **Range (in code):** [CM](#) [NG](#)
- 6931. *Ceratrachia flava semlikensis* Joicey & Talbot, 1921** (Hesperiidae) **Synonym(s):** *semlikensis* Joicey & Talbot, 1921; *#rebeli* Dufrane, 1945 **Range (in code):** [KE](#) [UG](#) [ZR](#)
- 6932. *Ceratrachia hollandi* Bethune-Baker, 1908** (Hesperiidae) **Synonym(s):** *hollandi* Bethune-Baker, 1908 **Range (in code):** [KE](#) [UG](#) [ZR](#) [GA](#) [GH](#) [GO](#) [Bio](#) [CM](#)
- 6933. *Ceratrachia hollandi clara* N.D.Riley, 1925** (Hesperiidae) **Synonym(s):** *clara* N.D.Riley, 1925 **Range (in code):** [GA](#) [GH](#)
- 6934. *Ceratrachia hollandi hollandi* Bethune-Baker, 1908** (Hesperiidae) **Synonym(s):** *hollandi* Bethune-Baker, 1908 **Range (in code):** [KE](#) [UG](#) [ZR](#)
- 6935. *Ceratrachia hollandi medea* Evans, 1937** (Hesperiidae) **Synonym(s):** *medea* Evans, 1937 **Range (in code):** [GO](#) [Bio](#) [ZR](#) [CM](#)
- 6936. *Ceratrachia mabirensis* N.D.Riley, 1925** (Hesperiidae) **Synonym(s):** *mabirensis* N.D.Riley, 1925; *toroensis* N.D.Riley, 1925 **Range (in code):** [KE](#) [UG](#) [ZR](#) [TZ](#)
- 6937. *Ceratrachia maesseni* Miller, 1971** (Hesperiidae) **Synonym(s):** *maesseni* Miller, 1971 **Range (in code):** [GH](#)
- 6938. *Ceratrachia nothus* (Fabricius, 1787)** (Hesperiidae) **Synonym(s):** *nothus* Fabricius, 1787; *enantia* Karsch, 1893 **Original Reference:** *Papilio nothus* Fabricius, 1787, Mant. Ins. 2: 88. **Type(s):** America. **Range (in code):** [SL](#) [GH](#) [TG](#) [NG](#) [CM](#) [GO](#)
- 6939. *Ceratrachia nothus makomensis* Strand, 1913** (Hesperiidae) **Synonym(s):** *makomensis* Strand, 1913 **Range (in code):** [NG](#) [CM](#) [GO](#)
- 6940. *Ceratrachia nothus nothus* (Fabricius, 1787)** (Hesperiidae) **Synonym(s):** *nothus* Fabricius, 1787; *enantia* Karsch, 1893 **Original Reference:** *Papilio nothus* Fabricius, 1787, Mant. Ins. 2: 88. **Type(s):** America. **Range (in code):** [SL](#) [GH](#) [TG](#)
- 6941. *Ceratrachia phocion* (Fabricius, 1781)** (Hesperiidae) **Synonym(s):** *phocion* Fabricius, 1781 **Range (in code):** [CM](#) [GA](#) [GO](#) [CG](#) [SN](#) [NG](#)
- 6942. *Ceratrachia phocion cameroni* Miller, 1971** (Hesperiidae) **Synonym(s):** *cameroni* Miller, 1971 **Range (in code):** [CM](#) [GA](#) [GO](#) [CG](#)
- 6943. *Ceratrachia phocion phocion* (Fabricius, 1781)** (Hesperiidae) **Synonym(s):** *phocion* Fabricius, 1781; *phocaeus* Westwood, [1852] **Range (in code):** [SN](#) [NG](#)
- 6944. *Ceratrachia punctata* Holland, 1896** (Hesperiidae) **Synonym(s):** *punctata* Holland, 1896 **Range (in code):** [CM](#) [AO](#)
- 6945. *Ceratrachia semilutea* Mabille, 1891** (Hesperiidae) **Synonym(s):** *semilutea* Mabille, 1891; *indeterminabilis* Strand, 1912 **Range (in code):** [NG](#) [CM](#) [GA](#) [ZR](#) [UG](#)
- 6946. *Ceratrachia weberi* Miller, 1964** (Hesperiidae) **Synonym(s):** *weberi* Miller, 1964 **Range (in code):** [CM](#)
- 6947. *Ceratrachia wollastoni* Heron, 1909** (Hesperiidae) **Synonym(s):** *wollastoni* Heron, 1909; *extensa* Aurivillius, 1925; *extensa* Evans, 1937; *#mariae* Dufrane, 1945 **Range (in code):** [UG](#) [Rz](#) [CM](#) [ZR](#) [KE](#) [CG](#)
- 6948. *Chaetocneme antipodes* (Guérin-Méneville, 1831)** (Hesperiidae) **Synonym(s):** *antipodes* Guérin-Méneville, 1831; *dichroa* Boisduval, 1832 **Range (in code):** [PG](#) [ID](#) [Bia](#)

- 6949. *Chaetocneme antipodes antipodes* (Guérin-Méneville,1831)** (Hesperiidae)
Synonym(s): *antipodes* Guérin-Méneville,1831; *dichroa* Boisduval,1832 _ Range (in code): PG
- 6950. *Chaetocneme antipodes biaka* Joicey & Talbot,1916** (Hesperiidae) Synonym(s):
biaka Joicey & Talbot,1916 _ Range (in code): ID Bia
- 6951. *Chaetocneme beata* Hewitson,1867** (Hesperiidae) Synonym(s): *beata* Hewitson,1867
Range (in code): AU NSW Syd
- 6952. *Chaetocneme beata beata* Hewitson,1867** (Hesperiidae) Synonym(s): *beata*
Hewitson,1867 _ Range (in code): AU NSW Syd
- 6953. *Chaetocneme callixenus* Hewitson,1867** (Hesperiidae) Synonym(s): *callixenus*
Hewitson,1867; *kallima* Swinhoe,1907 _ Range (in code): PG ID Wg Aru
- 6954. *Chaetocneme callixenus callixenus* Hewitson,1867** (Hesperiidae) Synonym(s):
callixenus Hewitson,1867; *kallima* Swinhoe,1907 _ Range (in code): PG ID Wg Aru
- 6955. *Chaetocneme callixenus stringa* Evans,1949** (Hesperiidae) Synonym(s): *stringa*
Evans,1949 _ Range (in code): PG
- 6956. *Chaetocneme critomedia* (Guérin-Méneville,1831)** (Hesperiidae) Synonym(s):
critomedia Guérin-Méneville,1831; *odix* Boisduval,1832; *latifascia* Rothschild,1915; *waigeuensis* Joicey &
Talbot,1917; *subornata* Mabilie & Boulet,1919. _ Range (in code): AU QAU ID Aru Ij Wg PG
- 6957. *Chaetocneme critomedia caristus* Hewitson,1867** (Hesperiidae) Synonym(s):
caristus Hewitson,1867 _ Range (in code): ID Aru
- 6958. *Chaetocneme critomedia critomedia* (Guérin-Méneville,1831)** (Hesperiidae)
Synonym(s): *critomedia* Guérin-Méneville,1831; *odix* Boisduval,1832; *latifascia* Rothschild,1915; *waigeuensis*
Joicey & Talbot,1917; *subornata* Mabilie & Boulet,1919. _ Range (in code): ID Ij Wg PG
- 6959. *Chaetocneme critomedia hydra* Evans,1934** (Hesperiidae) Synonym(s): *hydra*
Evans,1934 _ Range (in code): PG
- 6960. *Chaetocneme critomedia sphinterifera* Fruhstofer,1910** (Hesperiidae)
Synonym(s): *sphinterifera* Fruhstofer,1910 _ Range (in code): AU QAU
- 6961. *Chaetocneme denitza* Hewitson,1867** (Hesperiidae) Synonym(s): *denitza* Hewitson,1867
Range (in code): AU QAU Bri
- 6962. *Chaetocneme denitza denitza* Hewitson,1867** (Hesperiidae) Synonym(s): *denitza*
Hewitson,1867 _ Range (in code): AU QAU Bri
- 6963. *Chaetocneme editus* Plötz,1885** (Hesperiidae) Synonym(s): *editus* Plötz,1885; *stotharti*
Rothschild,1915 _ Range (in code): PG Nlr
- 6964. *Chaetocneme editus editus* Plötz,1885** (Hesperiidae) Synonym(s): *editus* Plötz,1885;
stotharti Rothschild,1915 _ Range (in code): PG
- 6965. *Chaetocneme editus trifenestrata* Fruhstorfer,1910** (Hesperiidae) Synonym(s):
trifenestrata Fruhstorfer,1910 _ Range (in code): PG Nlr
- 6966. *Chaetocneme helirius* (Cramer,[1775])** (Hesperiidae) Synonym(s): *helirius*
Cramer,[1775]; *corvus* Felder,1860; *cerinthus* Felder,1860; *aristippus* Fruhstorfer,1910. _ Range (in code):
ID Bch Hm Amb Bru Kai Crm PG NBr Nlr Wg Mi Dmp Fg
- 6967. *Chaetocneme helirius dissimilis* Swinhoe,1905** (Hesperiidae) Synonym(s): *dissimilis*
Swinhoe,1905 _ Range (in code): PG Wg ID Mi Dmp Fg
- 6968. *Chaetocneme helirius helirius* (Cramer,[1775])** (Hesperiidae) Synonym(s): *helirius*
Cramer,[1775]; *corvus* Felder,1860; *cerinthus* Felder,1860; *aristippus* Fruhstorfer,1910. _ Range (in code):
ID Amb Bru Kai Crm PG
- 6969. *Chaetocneme helirius morea* Evans,1934** (Hesperiidae) Synonym(s): *morea* Evans,1934
Range (in code): PG
- 6970. *Chaetocneme helirius naevifera* Mabilie,1888** (Hesperiidae) Synonym(s): *naevifera*
Mabilie,1888 _ Range (in code): ID Bch Hm
- 6971. *Chaetocneme helirius sombra* Evans,1934** (Hesperiidae) Synonym(s): *sombra*
Evans,1934 _ Range (in code): PG NBr Nlr
- 6972. *Chaetocneme kumpiana* Evans,1934** (Hesperiidae) Synonym(s): *kumpiana* Evans,1934
Range (in code): PG
- 6973. *Chaetocneme kumpiana kumpiana* Evans,1934** (Hesperiidae) Synonym(s): *kumpiana*
Evans,1934 _ Range (in code): PG
- 6974. *Chaetocneme lunula* Mabilie,1888** (Hesperiidae) Synonym(s): *lunula* Mabilie,1888;
oetwakensis Rothschild,1916 _ Range (in code): PG ID Mi Wg
- 6975. *Chaetocneme lunula lunula* Mabilie,1888** (Hesperiidae) Synonym(s): *lunula*
Mabilie,1888; *oetwakensis* Rothschild,1916 _ Range (in code): PG ID Mi Wg

- 6976. *Chaetocneme porphyropis* Meyrick & Lower,1902** (Hesperiidae) **Synonym(s):** *porphyropis* Meyrick & Lower,1902 **Range (in code): AU QAU**
- 6977. *Chaetocneme porphyropis porphyropis* Meyrick & Lower,1902** (Hesperiidae) **Synonym(s):** *porphyropis* Meyrick & Lower,1902 **Range (in code): AU QAU**
- 6978. *Chaetocneme tenuis* Van Eecke,1924** (Hesperiidae) **Synonym(s):** *tenuis* Van Eecke,1924 **Range (in code): PG Wg Mi**
- 6979. *Chaetocneme tenuis tenuis* Van Eecke,1924** (Hesperiidae) **Synonym(s):** *tenuis* Van Eecke,1924 **Range (in code): PG Wg Mi**
- 6980. *Chaetocneme triton* (Boisduval,1832)** (Hesperiidae) **Synonym(s):** *triton* Boisduval,1832 **Range (in code): PG Wg NBr Nlr**
- 6981. *Chaetocneme triton hibernia* Evans,1934** (Hesperiidae) **Synonym(s):** *hibernia* Evans,1934 **Range (in code): PG NBr Nlr**
- 6982. *Chaetocneme triton triton* (Boisduval,1832)** (Hesperiidae) **Synonym(s):** *triton* Boisduval,1832 **Range (in code): PG Wg**
- 6983. *Chalypyge chalybea* (Scudder,1872)** (Hesperiidae) **Synonym(s):** *chalybea* Scudder,1872; *zereba* Hewitson,1871 **Range (in code): MX VE**
- 6984. *Chalypyge chalybea chalybea* (Scudder,1872)** (Hesperiidae) **Synonym(s):** *chalybea* Scudder,1872; *zereba* Hewitson,1871 *nec* Hew.,1866 **Range (in code): MX VE**
- 6985. *Chalypyge chalybea chloris* (Evans,1951)** (Hesperiidae) **Synonym(s):** *chloris* Evans,1951 **Range (in code): MX**
- 6986. *Chamunda chamunda* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *chamunda* Moore,[1866] **Range (in code): IN Djl SI Ass MM Shn Krh MY TH CMa CDo**
- 6987. *Chamunda chamunda chamunda* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *chamunda* Moore,[1866] **Range (in code): IN Djl SI Ass MM Shn Krh MY TH CMa CDo**
- 6988. *Chioides albofasciatus* (Hewitson,[1867])** (Hesperiidae) **Synonym(s):** *albofasciatus* Hewitson,[1867] **Range (in code): MX**
- 6989. *Chioides catillus* (Cramer,[1780])** (Hesperiidae) **Synonym(s):** *catillus* Cramer,[1780]; *tarchon* Hübner,[1825]; *longicauda* Sepp,1848. **Range (in code): US MX Arz NMx Tx**
- 6990. *Chioides catillus catillus* (Cramer,[1780])** (Hesperiidae) **Synonym(s):** *catillus* Cramer,[1780]; *tarchon* Hübner,[1825]; *longicauda* Sepp,1848. **Range (in code): US MX Arz NMx Tx**
- 6991. *Chioides zilpa* (Butler,1874)** (Hesperiidae) **Synonym(s):** *zilpa* Butler,1874 **Range (in code): US MX Arz Tx CR**
- 6992. *Chioides zilpa namba* Evans,1952** (Hesperiidae) **Synonym(s):** *namba* Evans,1952 **Range (in code): MX**
- 6993. *Chioides zilpa zilpa* (Butler,1874)** (Hesperiidae) **Synonym(s):** *zilpa* Butler,1874 **Range (in code): CR**
- 6994. *Chiomara asychis* (Stoll,[1780])** (Hesperiidae) **Synonym(s):** *asychis* Stoll,[1780]; *dilucida* Plötz,1884 **Range (in code): US SR**
- 6995. *Chiomara georgina* (Reakirt,1868)** (Hesperiidae) **Synonym(s):** *georgina* Reakirt,1868 **Range (in code): US MX Vcr Arz Kan NMx Ne Tx**
- 6996. *Chiomara georgina georgina* (Reakirt,1868)** (Hesperiidae) **Synonym(s):** *georgina* Reakirt,1868 **Range (in code): US MX Vcr Arz Kan NMx Ne Tx**
- 6997. *Chiomara georgina pelagica* (Weeks,1891)** (Hesperiidae) **Synonym(s):** *pelagica* Weeks,1891 **Range (in code): MX**
- 6998. *Chiomara mithrax* (Möschler,1879)** (Hesperiidae) **Synonym(s):** *mithrax* Möschler,1879; *noctula* Plötz,1884; *gundlachi* Skinner & Ramsden,1923 **Range (in code): US MX Arz**
- 6999. *Choaspes benjaminii* (Guérin-Méneville,1843)** (Hesperiidae) **Synonym(s):** *benjaminii* Guérin-Méneville,1843 **Original Reference:** *Hesperia* (Thymele) *benjaminii* Guérin-Méneville,1843, [in] Delessert, *Souvenirs Voy. Inde* (2): 79, Pl.22 fig. 2. **Range (in code): MM TH CMa Nrt PH Pal ID Sum VN Ton JP Isg Iri TW Hdo Shk Kyu Yak Amm Oki CN Hpe Yu Naq IN Hp Kgr Kma NI Meg Ass Mys Ker NP SI Ass Tns MY**
- 7000. *Choaspes benjaminii benjaminii* (Guérin-Méneville,1843)** (Hesperiidae) **Synonym(s):** *benjaminii* Guérin-Méneville,1843 **Original Reference:** *Hesperia* (Thymele) *benjaminii* Guérin-Méneville,1843, [in] Delessert, *Souvenirs Voy. Inde* (2): 79, Pl.22 fig. 2 **Range (in code): LK IN NI Mys Ker MM Tns**
- 7001. *Choaspes benjaminii flavens* Eliot,1992** (Hesperiidae) **Synonym(s):** *flavens* Eliot,1992 **Range (in code): MY**

- 7002. *Choaspes benjaminii formosanus* (Fruhstorfer,1911)** (Hesperiidae) Synonym(s): *formosanus* Fruhstorfer,1911 _ Range (in code): JP Isg Iri TW MM TH CMa Nrt PH Pal VN Ton
- 7003. *Choaspes benjaminii japonicus* (Murray,1875)** (Hesperiidae) Synonym(s): *japonicus* Murray,1875 _ Original Reference: Ismene benjaminii var. japonica Murray,1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia. Range (in code): JP Hdo Shk Kyu Yak Amm Oki CN Hpe Yu Naq IN Hp Kgr Kma Meg Ass NP SI Ass
- 7004. *Choaspes benjaminii pallidus* Evans,1932** (Hesperiidae) Synonym(s): *pallidus* Evans,1932 _ Original Reference: Choaspes benjaminii pallida Evans,1932, Identification Indian Butterflies (edn.2): 321. Type(s): [Indonesia]: Sumatra. Range (in code): ID Sum
- 7005. *Choaspes estrellus* De Jong,1980** (Hesperiidae) Synonym(s): *estrellus* De Jong,1980 _ Range (in code): PH Luz Mdo Neg Pan Ley Mno Sam
- 7006. *Choaspes estrellus estrellus* De Jong,1980** (Hesperiidae) Synonym(s): *estrellus* De Jong,1980 _ Range (in code): PH Luz Mdo Neg Pan
- 7007. *Choaspes estrellus pallens* Schröder & Treadaway,1986** (Hesperiidae) Synonym(s): *pallens* Schröder & Treadaway,1986 _ Range (in code): PH Ley Mno Sam
- 7008. *Choaspes hemixanthus* Rothschild,1903** (Hesperiidae) Synonym(s): *hemixanthus* Rothschild,1903 _ Range (in code): CN Sz T-T Kgs Yu Hn NP SI IN BT Ass Krh MM TH CMa MY Prk PH Pal PG ID Sum Hm
- 7009. *Choaspes hemixanthus cora* Evans,1934** (Hesperiidae) Synonym(s): *cora* Evans,1934 _ Range (in code): ID Sum
- 7010. *Choaspes hemixanthus furcatus* Evans,1932** (Hesperiidae) Synonym(s): *furcatus* Evans,1932 _ Range (in code): CN Sz T-T Kgs Yu Hn NP SI IN BT Ass Krh MM TH CMa MY Prk PH Pal
- 7011. *Choaspes hemixanthus hemixanthus* Rothschild,1903** (Hesperiidae) Synonym(s): *hemixanthus* Rothschild,1903 _ Range (in code): PG
- 7012. *Choaspes hemixanthus mona* Evans,1934** (Hesperiidae) Synonym(s): *mona* Evans,1934 _ Range (in code): ID Hm
- 7013. *Choaspes iluensis* Ribbe,1900** (Hesperiidae) Synonym(s): *iluensis* Ribbe,1900 _ Range (in code): ID Crm PG
- 7014. *Choaspes iluensis iluensis* Ribbe,1900** (Hesperiidae) Synonym(s): *iluensis* Ribbe,1900 _ Range (in code): ID Crm
- 7015. *Choaspes iluensis ornatus* Rothschild,1903** (Hesperiidae) Synonym(s): *ornatus* Rothschild,1903 _ Range (in code): PG
- 7016. *Choaspes plateni* Staudinger,1888** (Hesperiidae) Synonym(s): *plateni* Staudinger,1888 _ Range (in code): SI IN Ass VN Ton CN Hn PH Mno Luz Mdo Pal Bil Boh Ley Pao Sam ID Ja Bli Neg ID Clb TH Rng Tng Srt
- 7017. *Choaspes plateni adhara* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *adhara* Fruhstorfer,1911 _ Range (in code): PH Mno
- 7018. *Choaspes plateni boreus* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *boreus* De Jong & Treadaway,1993 _ Range (in code): PH Luz Mdo
- 7019. *Choaspes plateni caudatus* Evans,1932** (Hesperiidae) Synonym(s): *caudatus* Evans,1932 _ Range (in code): PH Pal TH Rng Tng Srt
- 7020. *Choaspes plateni extensus* Evans,1932** (Hesperiidae) Synonym(s): *extensus* Evans,1932 _ Range (in code): ID Ja Bli
- 7021. *Choaspes plateni negrosa* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *negrosa* De Jong & Treadaway,1993 _ Range (in code): PH Neg
- 7022. *Choaspes plateni plateni* Staudinger,1888** (Hesperiidae) Synonym(s): *plateni* Staudinger,1888 _ Range (in code): ID Clb
- 7023. *Choaspes plateni stigmatus* Evans,1932** (Hesperiidae) Synonym(s): *stigmatus* Evans,1932 _ Range (in code): SI IN Ass VN Ton CN Hn
- 7024. *Choaspes plateni visaya* De Jong,1990** (Hesperiidae) Synonym(s): *visaya* De Jong,1990 _ Range (in code): PH Bil Boh Ley Pao Sam
- 7025. *Choaspes subcaudatus* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *subcaudatus* C.Felder & R.Felder,[1867] _ Range (in code): PH Taw MM Krh Mrg MY TH Nst Kna Bor ID Ja Sum Nia VN
- 7026. *Choaspes subcaudatus crawfurdi* Distant,1886** (Hesperiidae) Synonym(s): *crawfurdi* Distant,1886 _ Range (in code): PH Taw MM Krh Mrg MY Bor TH Nst Kna ID Sum Nia VN

- 7027. *Choaspes subcaudatus subcaudatus* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *subcaudatus* C.Felder & R.Felder,[1867] _ Range (in code): ID Ja
- 7028. *Choaspes xanthopogon* (Kollar,[1844])** (Hesperiidae) Synonym(s): *xanthopogon* Kollar,[1844]; *similis* Evans,1932 _ Original Reference: *Hesperia xanthopogon* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 453, Taf.18 figs.1,2. Type(s): Kaschmir. Range (in code): Ch IN Ass Hp Kma NP CN Yu Gaz Sz T-T TH CMa
- 7029. *Choaspes xanthopogon xanthopogon* (Kollar,[1844])** (Hesperiidae) Synonym(s): *xanthopogon* Kollar,[1844]; *similis* Evans,1932 _ Original Reference: *Hesperia xanthopogon* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 453, Taf.18 figs.1,2. Type(s): Kaschmir. Range (in code): Ch IN Ass Hp Kma NP CN Yu Gaz Sz T-T TH CMa
- 7030. *Chondrolepis cynthia* Evans,1936** (Hesperiidae) Synonym(s): *cynthia* Evans,1936 _ Range (in code): ZR UG
- 7031. *Chondrolepis leggei* (Heron,1909)** (Hesperiidae) Synonym(s): *leggei* Heron,1909 _ Range (in code): ZR UG KE _ Bionomy: Larva on *Setaria* (Poaceae) (Ackery et al.,1995).
- 7032. *Chondrolepis nero* Evans,1937** (Hesperiidae) Synonym(s): *nero* Evans,1937 _ Range (in code): NG CM
- 7033. *Chondrolepis niveicornis* (Plötz,1883)** (Hesperiidae) Synonym(s): *niveicornis* Plötz,1883; *murga* Mabilie,1890; *chirala* Trimen,1894; *albicornis* Butler,1896; *mirandus* Butler,1902 _ Range (in code): ET SD KE UG ZR TZ ZM AO MW Zom ZW NG CM
- 7034. *Chondrolepis niveicornis niveicornis* (Plötz,1883)** (Hesperiidae) Synonym(s): *niveicornis* Plötz,1883; *murga* Mabilie,1890; *chirala* Trimen,1894; *albicornis* Butler,1896; *mirandus* Butler,1902 _ Range (in code): SD KE UG ZR TZ ZM AO MW ZW NG CM
- 7035. *Chondrolepis niveicornis pseudonero* Berger,1984** (Hesperiidae) Synonym(s): *pseudonero* Berger,1984 _ Range (in code): ET
- 7036. *Chondrolepis obscurior* De Jong,1986** (Hesperiidae) Synonym(s): *obscurior* De Jong,1986 _ Range (in code): TZ
- 7037. *Chondrolepis similis* De Jong,1986** (Hesperiidae) Synonym(s): *similis* De Jong,1986 _ Range (in code): TZ
- 7038. *Chondrolepis telisignata* (Butler,1896)** (Hesperiidae) Synonym(s): *telisignata* Butler,1896 _ Range (in code): KE TZ MW
- 7039. *Chrysoplectrum epicincea* (Butler & Druce,1872)** (Hesperiidae) Synonym(s): *epicincea* Butler & Druce,1872 _ Range (in code): MX
- 7040. *Cobalopsis autumnata* (Plötz,1882)** (Hesperiidae) Synonym(s): *autumnata* Plötz,1882; *edda* Mabilie,1891 _ Range (in code): MX
- 7041. *Cobalopsis nero* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *nero* Herrich-Schäffer,1869; *lemur* Mabilie,1883; *cinerita* Plötz,1886; *dyscritus* Mabilie,1891; *zetis* Bell,1942 _ Range (in code): MX
- 7042. *Cobalus fidicula* (Hewitson,1877)** (Hesperiidae) Synonym(s): *fidicula* Hewitson,1877; *hesioides* Plötz,1882 _ Original Reference: *Hesperia fidicula* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 81. Type(s): Costa Rica (coll. Staudinger). Range (in code): CR MX
- 7043. *Codatractus alcaeus* (Hewitson,[1867])** (Hesperiidae) Synonym(s): *alcaeus* Hewitson,[1867]; *montezuma* Scudder,1872 _ Range (in code): US MX Tx
- 7044. *Codatractus alcaeus alcaeus* (Hewitson,[1867])** (Hesperiidae) Synonym(s): *alcaeus* Hewitson,[1867]; *montezuma* Scudder,1872 _ Range (in code): US MX Tx
- 7045. *Codatractus arizonensis* (Skinner,1905)** (Hesperiidae) Synonym(s): *arizonensis* Skinner,1905 _ Range (in code): US MX Arz NMx Tx
- 7046. *Codatractus arizonensis arizonensis* (Skinner,1905)** (Hesperiidae) Synonym(s): *arizonensis* Skinner,1905 _ Range (in code): US MX Arz NMx Tx
- 7047. *Codatractus bryaxis* (Hewitson,1867)** (Hesperiidae) Synonym(s): *bryaxis* Hewitson,1867 _ Range (in code): MX
- 7048. *Codatractus carlos* Evans,1952** (Hesperiidae) Synonym(s): *carlos* Evans,1952 _ Range (in code): MX
- 7049. *Codatractus cyda* (Godman,1901)** (Hesperiidae) Synonym(s): *cyda* Godman,1901 _ Range (in code): MX
- 7050. *Codatractus cyledis* (Dyar,1912)** (Hesperiidae) Synonym(s): *cyledis* Dyar,1912 _ Range (in code): MX

- 7051. *Codatractus melon* (Godman & Salvin,1893)** (Hesperiidae) Synonym(s): *melon* Godman & Salvin,1893 _ Range (in code): **MX**
- 7052. *Codatractus melon melon* (Godman & Salvin,1893)** (Hesperiidae) Synonym(s): *melon* Godman & Salvin,1893 _ Range (in code): **MX**
- 7053. *Codatractus mysie* (Dyar,1904)** (Hesperiidae) Synonym(s): *mysie* Dyar,1904 _ Range (in code): **US MX Arz**
- 7054. *Codatractus sallyae* A.Warren,1995** (Hesperiidae) Synonym(s): *sallyae* A.Warren,1995 Range (in code): **MX**
- 7055. *Codatractus uvydixa* (Dyar,1914)** (Hesperiidae) Synonym(s): *uvydixa* Dyar,1914 Range (in code): **MX**
- 7056. *Codatractus yucatanus* Freeman,1977** (Hesperiidae) Synonym(s): *yucatanus* Freeman,1977 _ Range (in code): **MX Yc**
- 7057. *Coeliades aeschylus* (Plötz,1884)** (Hesperiidae) Synonym(s): *aeschylus* Plötz,1884
- 7058. *Coeliades aeschylus aeschylus* (Plötz,1884)** (Hesperiidae) Synonym(s): *aeschylus* Plötz,1884 _ Range (in code): **SN GM SL ML**
- 7059. *Coeliades anchises* (Gerstraecker,1871)** (Hesperiidae) Synonym(s): *anchises* Gerstraecker,1871; *taranis* Hewitson,1876. Original Reference: *Ismene anchises* Gerstraecker,1871, Arch. Naturg. 1871 (1): 358. Type(s): [Tanzania]: See Jipe [Zanzibar]. Range (in code): **Ad Dh KE MZ OM Sk SO TZ YE ZA Tva Nta Kzy Bok**
- 7060. *Coeliades anchises anchises* (Gerstraecker,1871)** (Hesperiidae) Synonym(s): *anchises* Gerstraecker,1871; *taranis* Hewitson,1876. Original Reference: *Ismene anchises* Gerstraecker,1871, Arch. Naturg. 1871 (1): 358. Type(s): [Tanzania]: See Jipe [Zanzibar]. Range (in code): **Ad KE MZ SO TZ YE ZA Tva Nta Kzu Bok DJ**
- 7061. *Coeliades anchises jucunda* (Butler,1881)** (Hesperiidae) Synonym(s): *jucunda* Butler,1881 Original Reference: *Hesperia jucunda* Butler,1881, Proc. zool. Soc. Lond. 1881: 179, pl.18 fig.8. Syntypes: Sokotra. Range (in code): **Dh OM Sk**
- 7062. *Coeliades bixana* Evans,1940** (Hesperiidae) Synonym(s): *bixana* Evans,1940 _ Range (in code): **GH GN AO**
- 7063. *Coeliades bixana bixana* Evans,1940** (Hesperiidae) Synonym(s): *bixana* Evans,1940 Range (in code): **GH GN AO**
- 7064. *Coeliades bocagii* (Sharpe,1893)** (Hesperiidae) Synonym(s): *bocagii* Sharpe,1893 Range (in code): **ST**
- 7065. *Coeliades bocagii bocagii* (Sharpe,1893)** (Hesperiidae) Synonym(s): *bocagii* Sharpe,1893 _ Range (in code): **ST**
- 7066. *Coeliades chalybe* (Westwood,[1852])** (Hesperiidae) Synonym(s): *chalybe* Westwood,[1852] _ Range (in code): **GA AO TZ Tnga Usa Ani ET**
- 7067. *Coeliades chalybe chalybe* (Westwood,[1852])** (Hesperiidae) Synonym(s): *chalybe* Westwood,[1852] _ Range (in code): **GA AO TZ Tnga Usa Ani**
- 7068. *Coeliades chalybe immaculata* Carpenter,1935** (Hesperiidae) Synonym(s): *immaculata* Carpenter,1935 _ Range (in code): **ET**
- 7069. *Coeliades ernesti* (Grandidier,1867)** (Hesperiidae) Synonym(s): *ernesti* Grandidier,1867; *pansa* Hewitson,1867 _ Range (in code): **MG MU RE**
- 7070. *Coeliades ernesti ernesti* (Grandidier,1867)** (Hesperiidae) Synonym(s): *ernesti* Grandidier,1867; *pansa* Hewitson,1867 _ Range (in code): **MG MU RE**
- 7071. *Coeliades fervida* (Butler,1880)** (Hesperiidae) Synonym(s): *fervida* Butler,1880 Range (in code): **MG**
- 7072. *Coeliades fervida fervida* (Butler,1880)** (Hesperiidae) Synonym(s): *fervida* Butler,1880 Range (in code): **MG**
- 7073. *Coeliades fidia* Evans,1937** (Hesperiidae) Synonym(s): *fidia* Evans,1937 Original Reference: *Coeliades fidia* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13, pl.1 fig.2. Holotype ♂: Madagascar (Macoatana) (BMNH). Range (in code): **MG**
- 7074. *Coeliades fidia fidia* Evans,1937** (Hesperiidae) Synonym(s): *fidia* Evans,1937 Original Reference: *Coeliades fidia* Evans,1937, Catalogue African Hesperiidae in the British Museum: 13, pl.1 fig.2. Holotype ♂: Madagascar (Macoatana) (BMNH). Range (in code): **MG**
- 7075. *Coeliades forestan* (Stoll,[1782])** (Hesperiidae) Synonym(s): *forestan* Stoll,[1782]. Original Reference: *Papilio forestan* Stoll,[1782], [in] Cramer, Utitl. Kap. 4: 210, pl.391 figs. E,F. Type(s): [Africa]: "Cote de Bengal" [patria falsa]. Range (in code): **ZA Eca Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf Mdk Ent Suw Gau Jh Wri Wm Pre Mpu Brb Dbn Pel Grh Elo Mal Vf ZW BW NA KE TZ UG**

- MG RE SC KM MU MW Zom** Bionomy: Larva on Chrysobalanaceae (*Parinari curatellifolia*); Asclepiadaceae (*Marsdenia*, *Dregea*); Combretaceae (*Combretum bracteosum*, *C. apiculatum*, *Quisqualis*, *Terminalia*); Fabaceae (*Canavalia*, *Cassia*, *Crotalaria*, *Millettia sutherlandii*, *Phaseolus*, *Robinia pseudacacia*, *Lonchocarpus capassa*, *Indigofera*, *Sesbania*); Geraniaceae (*Geranium*), Malpighiaceae (*Sphedamnocarpus pruriens* ssp. *galphimifolius*); Malvaceae (*Gossypium*); Solanaceae (*Solanum mauritianum*).
- 7076. Coeliades forestan arbogastes (Guenée,1863)** (Hesperiidae) Synonym(s): *arbogastes* Guenée,1863 Range (in code): **MG SC**
- 7077. Coeliades forestan forestan (Stoll,[1782])** (Hesperiidae) Synonym(s): *forestan* Stoll,[1782]. Original Reference: *Papilio forestan* Stoll,[1782], [in] Cramer, *Uitl. Kap. 4: 210*, pl.391 figs. E,F. Type(s): [Africa]: "Cote de Bengal" [patria falsa]. Range (in code): **ZA Eca Dbn Pel Grh Elo Mal Vf Nta Kzu Ptb Tva Lpo Spb Mdk Kru Pma Pf Ent Suw Gau Jh Wri Wm Pre Mpu Brb ZW BW NA KE TZ UG MU RE KM MW Zom** Bionomy: Larva on Chrysobalanaceae (*Parinari curatellifolia*); Asclepiadaceae (*Marsdenia*, *Dregea*); Combretaceae (*Combretum bracteosum*, *C. apiculatum*, *Quisqualis*, *Terminalia*); Fabaceae (*Canavalia*, *Cassia*, *Crotalaria*, *Millettia sutherlandii*, *Phaseolus*, *Robinia pseudacacia*, *Lonchocarpus capassa*, *Indigofera*, *Sesbania*); Geraniaceae (*Geranium*), Malpighiaceae (*Sphedamnocarpus pruriens* ssp. *galphimifolius*); Malvaceae (*Gossypium*); Solanaceae (*Solanum mauritianum*).
- 7078. Coeliades hanno (Plötz,1879)** (Hesperiidae) Synonym(s): *hanno* Plötz,1879; *necho* Plötz,1884; *#tripunctata* Aurivillius,1925 Range (in code): **SN UG KE TZ AO**
- 7079. Coeliades hanno hanno (Plötz,1879)** (Hesperiidae) Synonym(s): *hanno* Plötz,1879; *necho* Plötz,1884; *#tripunctata* Aurivillius,1925 Range (in code): **SN UG KE TZ AO**
- 7080. Coeliades keithloa (Wallengren,1857)** (Hesperiidae) Synonym(s): *keithloa* Wallengren,1857 Range (in code): **KE Mb UG MZ ET SD ZA Ec Nta Kzu ZM**
- 7081. Coeliades keithloa keithloa (Wallengren,1857)** (Hesperiidae) Synonym(s): *keithloa* Wallengren,1857 Range (in code): **ET ZA Ec Nta Kzu ZM**
- 7082. Coeliades keithloa kenya Evans,1937** (Hesperiidae) Synonym(s): *kenya* Evans,1937 Original Reference: *Coeliades kenya* Evans,1937, *Catalogue African Hesperiidae in the British Museum: 14-15*, pl.1 fig.3. Holotype ♂: Kenya: Mombasa (BMNH). Range (in code): **KE Mb UG**
- 7083. Coeliades keithloa lorenzo Evans,1947** (Hesperiidae) Synonym(s): *lorenzo* Evans,1947 Range (in code): **MZ**
- 7084. Coeliades keithloa menelik (Ungemach,1932)** (Hesperiidae) Synonym(s): *menelik* Ungemach,1932 Range (in code): **ET SD**
- 7085. Coeliades keithloa merua Evans,1947** (Hesperiidae) Synonym(s): *merua* Evans,1947 Range (in code): **KE**
- 7086. Coeliades libeon (Druce,1875)** (Hesperiidae) Synonym(s): *libeon* Druce,1875; *unicolor* Mabille,1877; *andonginis* Plötz,1884; *brussauxi* Mabille,1891. Original Reference: *Ismene libeon* Druce,1875, *Proc. zool. Soc. Lond. 1875: 416*. Type: Angola. Range (in code): **AO CF LR KE ZA Kzu Nta Tra Tva Lpo Spb Pma Pf Pie Suw Mpu Brb MZ ZW NA** Bionomy: Larva on Drypetes gerrardii (Euphorbiaceae); *Craibia brevicaudata*, *Millettia* (Fabaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 7087. Coeliades libeon libeon (Druce,1875)** (Hesperiidae) Synonym(s): *libeon* Druce,1875; *unicolor* Mabille,1877; *andonginis* Plötz,1884; *brussauxi* Mabille,1891. Original Reference: *Ismene libeon* Druce,1875, *Proc. zool. Soc. Lond. 1875: 416*. Type: Angola. Range (in code): **AO CF LR KE ZA Kzu Nta Tra Tva Lpo Spb Pma Pf Pie Suw Mpu Brb MZ ZW NA** Bionomy: Larva on Drypetes gerrardii (Euphorbiaceae); *Craibia brevicaudata*, *Millettia* (Fabaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 7088. Coeliades pisistratus (Fabricius,1793)** (Hesperiidae) Synonym(s): *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857. Original Reference: *Hesperia pisistratus* Fabricius,1793, *Syst. Ent. 3 (1): 345*. Type: [Africa]: "America" [patria falsa]. Range (in code): **ZA ZA14 Lpo Tva Spb Mdk Kru K12 Ent Eca Nta Kzu Ptb MZ ZW BW NA** Bionomy: Larva on *Acridocarpus*, *Sphedamnocarpus pruriens*, *Triaspis macropteron* (Malpighiaceae); *Indigofera* (Fabaceae), *Marsdenia* (Asclepiadaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 7089. Coeliades pisistratus pisistratus (Fabricius,1793)** (Hesperiidae) Synonym(s): *pisistratus* Fabricius,1793; *valmaran* Wallengren,1857. Original Reference: *Hesperia pisistratus* Fabricius,1793, *Syst. Ent. 3 (1): 345*. Type: [Africa]: "America" [patria falsa]. Range (in code): **ZA ZA14 Lpo Tva Spb Mdk Kru K12 Ent Eca Nta Kzu Ptb MZ ZW BW NA** Bionomy: Larva on

- Acridocarpus, Sphedamnocarpus pruriens, Triaspis macropteron (Malpighiaceae); Indigofera (Fabaceae), Marsdenia (Asclepiadaceae) (Pringle & Henning, 1994; Ackery et al., 1995).
- 7090. Coeliades rama Evans, 1937** (Hesperiidae) Synonym(s): *rama Evans, 1937* Original Reference: Coeliades rama Evans, 1937, Catalogue African Hesperidae in the British Museum: 13. Holotype ♂: Madagascar: Antakares (BMNH). Range (in code): **MG**
- 7091. Coeliades rama rama Evans, 1937** (Hesperiidae) Synonym(s): *rama Evans, 1937* Original Reference: Coeliades rama Evans, 1937, Catalogue African Hesperidae in the British Museum: 13. Holotype ♂: Madagascar: Antakares (BMNH). Range (in code): **MG**
- 7092. Coeliades ramanatek (Boisduval, 1833)** (Hesperiidae) Synonym(s): *ramanatek Boisduval, 1833* Range (in code): **MG KM**
- 7093. Coeliades ramanatek comorana Evans, 1937** (Hesperiidae) Synonym(s): *comorana Evans, 1937* Original Reference: Coeliades ramanatek ssp. comorana Evans, 1937, Catalogue African Hesperidae in the British Museum: 12. Holotype ♂: Grand Comoro (BMNH). Range (in code): **KM**
- 7094. Coeliades ramanatek ramanatek (Boisduval, 1833)** (Hesperiidae) Synonym(s): *ramanatek Boisduval, 1833* Range (in code): **MG**
- 7095. Coeliades sejuncta (Mabille & Vuillot, 1891)** (Hesperiidae) Synonym(s): *sejuncta Mabille & Vuillot, 1891* Range (in code): **KE TZ MW**
- 7096. Coeliades sejuncta sejuncta (Mabille & Vuillot, 1891)** (Hesperiidae) Synonym(s): *sejuncta Mabille & Vuillot, 1891* Range (in code): **KE TZ MW**
- 7097. Cogia caicus (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *caicus Herrich-Schäffer, 1869; schaefferi Plötz, 1882* Range (in code): **US MX Arz NMx**
- 7098. Cogia caicus caicus (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *caicus Herrich-Schäffer, 1869; schaefferi Plötz, 1882* Range (in code): **US MX Arz NMx**
- 7099. Cogia caicus moschus (Edwards, 1882)** (Hesperiidae) Synonym(s): *moschus Edwards, 1882* Range (in code): **MX**
- 7100. Cogia cajeta (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *cajeta Herrich-Schäffer, 1869; thedea Dyar, 1912* Range (in code): **MX**
- 7101. Cogia cajeta cajeta (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *cajeta Herrich-Schäffer, 1869; thedea Dyar, 1912* Range (in code): **MX**
- 7102. Cogia cajeta eluina Godman & Salvin, 1894** (Hesperiidae) Synonym(s): *eluina Godman & Salvin, 1894* Range (in code): **MX**
- 7103. Cogia calchas (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *calchas Herrich-Schäffer, 1869* Range (in code): **US MX Tx**
- 7104. Cogia hippalus (Edwards, 1882)** (Hesperiidae) Synonym(s): *hippalus Edwards, 1882* Range (in code): **US MX Arz Tx**
- 7105. Cogia hippalus hippalus (Edwards, 1882)** (Hesperiidae) Synonym(s): *hippalus Edwards, 1882* Range (in code): **US MX Arz Tx**
- 7106. Cogia hippalus hiska Evans, 1953** (Hesperiidae) Synonym(s): *hiska Evans, 1953* Range (in code): **MX**
- 7107. Cogia hippalus peninsularis L. Miller & MacNeill, 1969** (Hesperiidae) Synonym(s): *peninsularis L. Miller & MacNeill, 1969* Range (in code): **MX**
- 7108. Cogia mala Evans, 1953** (Hesperiidae) Synonym(s): *mala Evans, 1953* Range (in code): **MX**
- 7109. Cogia outis (Skinner, 1894)** (Hesperiidae) Synonym(s): *outis Skinner, 1894* Range (in code): **US MX Aks Mis Ok Tx**
- 7110. Coladenia agni (De Nicéville, [1884])** (Hesperiidae) Synonym(s): *agni De Nicéville, [1884]* Range (in code): **SI IN Ass MM TH CMa Rng MY CN Hn**
- 7111. Coladenia agni agni (De Nicéville, [1884])** (Hesperiidae) Synonym(s): *agni De Nicéville, [1884]* Range (in code): **SI IN Ass MM TH CMa Rng MY CN Hn**
- 7112. Coladenia agnioides Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *agnioides Elwes & Edwards, 1897* Range (in code): **IN Ass Mpr Nag MM CN Fkn MY Lkw VN**
- 7113. Coladenia agnioides agnioides Elwes & Edwards, 1897** (Hesperiidae) Synonym(s): *agnioides Elwes & Edwards, 1897* Range (in code): **IN Ass Mpr Nag MM CN Fkn MY Lkw**
- 7114. Coladenia buehananii De Nicéville, 1889** (Hesperiidae) Synonym(s): *buehananii De Nicéville, 1889* Range (in code): **TH CMa MM Krh CN Yu Lsd**

- 7115. Coladenia buchananii buchananii De Nicéville, 1889** (Hesperiidae) **Synonym(s):** *buchananii De Nicéville, 1889* _ Range (in code): TH CMa MM Krh CN Yu Lsd
- 7116. Coladenia hoenei Evans, 1939** (Hesperiidae) **Synonym(s):** *hoenei Evans, 1939* _ Range (in code): CN Tkg
- 7117. Coladenia hoenei hoenei Evans, 1939** (Hesperiidae) **Synonym(s):** *hoenei Evans, 1939* _ Range (in code): CN Tkg
- 7118. Coladenia igna Semper, 1892** (Hesperiidae) **Synonym(s):** *igna Semper, 1892; sadakoe Sonan, 1936* _ Range (in code): PH Ley Luz Mdo Mno Sam TW ID Sum Ja Bor MY TH Rng
- 7119. Coladenia igna igna Semper, 1892** (Hesperiidae) **Synonym(s):** *igna Semper, 1892; sadakoe Sonan, 1936* _ Range (in code): PH Ley Luz Mdo Mno Sam TW ID Sum Ja Bor MY TH Rng
- 7120. Coladenia igna marinda De Jong & Treadaway, 1992** (Hesperiidae) **Synonym(s):** *marinda De Jong & Treadaway, 1992* _ Range (in code): PH Mar
- 7121. Coladenia indrani (Moore, [1866])** (Hesperiidae) **Synonym(s):** *indrani Moore, [1866]* **Original Reference:** *Plesioneura indrani Moore, [1866], Proc. zool. Soc. Lond. 1865: 789.* Range (in code): AF Ng Nu JP SG MY MM Mpr TH Cbu Nrt LK IN Oi NI Ben Kgr Hp Kma BT SI Ass
- 7122. Coladenia indrani indra Evans, 1926** (Hesperiidae) **Synonym(s):** *indra Evans, 1926* _ Range (in code): IN Oi NI
- 7123. Coladenia indrani indrani (Moore, [1866])** (Hesperiidae) **Synonym(s):** *indrani Moore, [1866]* **Original Reference:** *Plesioneura indrani Moore, [1866], Proc. zool. Soc. Lond. 1865: 789.* Range (in code): IN Ben Kgr Hp Kma BT SI Ass
- 7124. Coladenia indrani tissa Moore, 1881** (Hesperiidae) **Synonym(s):** *tissa Moore, 1881; lankae Plötz, 1885* _ Range (in code): LK
- 7125. Coladenia indrani uposathra Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *uposathra Fruhstorfer, 1911; atarana Evans, 1932* _ Range (in code): JP SG MY MM IN Ass Mpr TH Cbu Nrt
- 7126. Coladenia kehelatha Hewitson, 1878** (Hesperiidae) **Synonym(s):** *kehelatha Hewitson, 1878; atilia Mabilie, 1888.* _ Range (in code): ID Clb
- 7127. Coladenia kehelatha kehelatha Hewitson, 1878** (Hesperiidae) **Synonym(s):** *kehelatha Hewitson, 1878; atilia Mabilie, 1888.* _ Range (in code): ID Clb
- 7128. Coladenia laxmi (De Nicéville, [1889])** (Hesperiidae) **Synonym(s):** *laxmi De Nicéville, [1889]* _ Range (in code): IN Ass Mpr ID Sum CN Hn MY MM Mrg TH Krh Phr Tng Yal Nst
- 7129. Coladenia laxmi landa Evans, 1949** (Hesperiidae) **Synonym(s):** *landa Evans, 1949* _ Range (in code): IN Ass Mpr
- 7130. Coladenia laxmi laxmi (De Nicéville, [1889])** (Hesperiidae) **Synonym(s):** *laxmi De Nicéville, [1889]* _ Range (in code): Krh MM TH Phr
- 7131. Coladenia laxmi sobrina Elwes & Edwards, 1897** (Hesperiidae) **Synonym(s):** *sobrina Elwes & Edwards, 1897* _ Range (in code): ID Sum CN Hn MY MM Mrg TH Tng Yal Nst
- 7132. Coladenia maeniata Oberthür, 1896** (Hesperiidae) **Synonym(s):** *maeniata Oberthür, 1896* _ Range (in code): CN Yu Naq Sz T-T Dal
- 7133. Coladenia maeniata maeniata Oberthür, 1896** (Hesperiidae) **Synonym(s):** *maeniata Oberthür, 1896* _ Range (in code): CN Yu Naq Sz T-T Dal
- 7134. Coladenia minor Chiba, 1991** (Hesperiidae) **Synonym(s):** *minor Chiba, 1991* _ Range (in code): PH Luz Mar Mdo
- 7135. Coladenia minor minor Chiba, 1991** (Hesperiidae) **Synonym(s):** *minor Chiba, 1991* _ Range (in code): PH Luz Mar Mdo
- 7136. Coladenia ochracea De Jong & Treadaway, 1992** (Hesperiidae) **Synonym(s):** *ochracea De Jong & Treadaway, 1992* _ Range (in code): PH Ley Mno Pan
- 7137. Coladenia ochracea ochracea De Jong & Treadaway, 1992** (Hesperiidae) **Synonym(s):** *ochracea De Jong & Treadaway, 1992* _ Range (in code): PH Ley Mno Pan
- 7138. Coladenia palawana (Staudinger, 1889)** (Hesperiidae) **Synonym(s):** *palawana Staudinger, 1889* **Original Reference:** *Plesioneura atilia var. palawana Staudinger, 1889, Dt. ent. Z., Iris 2: 157. Type ♂: [Philippines]: Palawan (leg. Platen).* Range (in code): PH Pal MY ID Sum
- 7139. Coladenia palawana palawana (Staudinger, 1889)** (Hesperiidae) **Synonym(s):** *palawana Staudinger, 1889* **Original Reference:** *Plesioneura atilia var. palawana Staudinger, 1889, Dt. ent. Z., Iris 2: 157. Type ♂: [Philippines]: Palawan (leg. Platen).* Range (in code): PH Pal MY ID Sum
- 7140. Coladenia semperi Elwes & Edwards, 1897** (Hesperiidae) **Synonym(s):** *semperi Elwes & Edwards, 1897* _ Range (in code): PH CmM Ley

- 7141. Coladenia semperi semperi Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *semperi* Elwes & Edwards,1897 - Range (in code): **PH CmM Ley**
- 7142. Coladenia sheila Evans,1939** (Hesperiidae) Synonym(s): *sheila* Evans,1939 - Range (in code): **CN Tkg Fkn**
- 7143. Coladenia sheila sheila Evans,1939** (Hesperiidae) Synonym(s): *sheila* Evans,1939 - Range (in code): **CN Tkg Fkn**
- 7144. Coladenia similis De Jong & Treadaway,1992** (Hesperiidae) Synonym(s): *similis* De Jong & Treadaway,1992 - Range (in code): **PH CmM Luz Mar Mno**
- 7145. Coladenia similis similis De Jong & Treadaway,1992** (Hesperiidae) Synonym(s): *similis* De Jong & Treadaway,1992 - Range (in code): **PH CmM Luz Mar Mno**
- 7146. Coladenia tanya Devyatkin,2002** (Hesperiidae) Synonym(s): *tanya* Devyatkin,2002 - Range (in code): **VN**
- 7147. Coladenia uemurai Huang,2003** (Hesperiidae) Synonym(s): *uemurai* Huang,2003 - Range (in code): **CN Yu Gaz**
- 7148. Coladenia uemurai uemurai Huang,2003** (Hesperiidae) Synonym(s): *uemurai* Huang,2003 - Range (in code): **CN Yu Gaz**
- 7149. Coladenia vitrea Leech,1894** (Hesperiidae) Synonym(s): *vitrea* Leech,1894 - Range (in code): **CN Sz T-T**
- 7150. Coladenia vitrea vitrea Leech,1894** (Hesperiidae) Synonym(s): *vitrea* Leech,1894 - Range (in code): **CN Sz T-T**
- 7151. Conga chydaea (Butler,1877)** (Hesperiidae) Synonym(s): *chydaea* Butler,1877; *actor* Mabilie,1891; *vala* Mabilie,1891; *valo* Mabilie,1891 - Range (in code): **US MX Tx**
- 7152. Copaeodes aurantiacus (Hewitson,1868)** (Hesperiidae) Synonym(s): *aurantiacus* Hewitson,1868; *waco* Edwards,1868; *simplex* R.Felder,1869; *procris* Edwards,1871; *macra* Plötz,1884; *candida* Wright,1890 - Range (in code): **US MX Aks Arz Cf Col Kan NMx Ne Ok Tx Ut**
- 7153. Copaeodes minimus (Edwards,1870)** (Hesperiidae) Synonym(s): *minimus* Edwards,1870; *singularis* Plötz,1884; *rayata* Barnes & McDunnough,1913 - Range (in code): **US MX Aks Alb Arz Fl Ge Lou Mss NCa Oh Ok SCa Tx Vi**
- 7154. Corticea corticea (Plötz,1882)** (Hesperiidae) Synonym(s): *corticea* Plötz,1882 - Range (in code): **US MX Tx**
- 7155. Corticea lysias (Plötz,1883)** (Hesperiidae) Synonym(s): *lysias* Plötz,1883; *epiberus* Mabilie,1889 - Range (in code): **MX**
- 7156. Croitana croites (Hewitson,1874)** (Hesperiidae) Synonym(s): *croites* Hewitson,1874 - Range (in code): **AU WAu Bun**
- 7157. Croitana croites croites (Hewitson,1874)** (Hesperiidae) Synonym(s): *croites* Hewitson,1874 - Range (in code): **AU WAu Bun**
- 7158. Croitana croites pindar Waterhouse,1932** (Hesperiidae) Synonym(s): *pindar* Waterhouse,1932 - Range (in code): **AU**
- 7159. Croniades auraria Druce,1908** (Hesperiidae) Synonym(s): *auraria* Druce,1908 - Range (in code): **BO**
- 7160. Croniades machaon (Doubleday & Hewitson,1852)** (Hesperiidae) Synonym(s): *machaon* Doubleday & Hewitson,1852 - Range (in code): **BR RgS**
- 7161. Croniades pieria (Hewitson,1876)** (Hesperiidae) Synonym(s): *pieria* Hewitson,1876 - Range (in code): **BR Azn**
- 7162. Ctenoptilum multiguttatum De Nicéville,1890** (Hesperiidae) Synonym(s): *multiguttatum* De Nicéville,1890 - Range (in code): **TH Non CMA CDo MM IN Ass Mpr**
- 7163. Ctenoptilum multiguttatum multiguttatum De Nicéville,1890** (Hesperiidae) Synonym(s): *multiguttatum* De Nicéville,1890 - Range (in code): **TH Non CMA CDo MM IN Ass Mpr**
- 7164. Ctenoptilum vasava (Moore,1865)** (Hesperiidae) Synonym(s): *vasava* Moore,1865 - Range (in code): **CN Hpe Tkg Kwa Fkn IN Djl Ass SI MM Tvy TH Chy CMA Dst Nrt Non**
- 7165. Ctenoptilum vasava chinensis Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *chinensis* Elwes & Edwards,1897 - Range (in code): **CN Hpe Tkg Kwa Fkn**
- 7166. Ctenoptilum vasava vasava (Moore,1865)** (Hesperiidae) Synonym(s): *vasava* Moore,1865 - Range (in code): **IN Djl Ass SI MM Tvy TH Chy CMA Dst Nrt Non**
- 7167. Cupitha purrea (Moore,1877)** (Hesperiidae) Synonym(s): *purrea* Moore,1877; *tympanifera* Moore,1884; *verruca* Mabilie,1889; *lycorias* Mabilie,1893; *alara* Fruhstorfer,1911; *#purreea* Pinratana,1985 - Range (in code): **TH Chy CMA Cuo Cuo9 Nna Tng Cbi Cbu Rng Yal MM Peg ID Ja Nia Sum Clb MY Bor IN Ass Adm SI BT**

- 7168. *Cupitha purrea purrea* (Moore,1877)** (Hesperiidae) Synonym(s): *purrea* Moore,1877; *tympanifera* Moore,1884; *verruca* Mabilie,1889; *lycorias* Mabilie,1893; *alara* Fruhstorfer,1911; *#purreea* Pinratana,1985 _ Range (in code): TH Chy CMa Cuo Cuo9 Nna Tng Chi Chb Rng Yal MM Peg ID Ja Nia Sum Clb MY Bor IN Ass Adm SI BT
- 7169. *Cycloglypha thrasibulus* (Fabricius,1793)** (Hesperiidae) Synonym(s): *thrasibulus* Fabricius,1793; *lucida* Mabilie & Boulet,1917; *florita* Zikan,1938; *lepidozonos* Bryk,1953 _ Range (in code): MX
- 7170. *Cycloglypha tisia* Godman & Salvin,1896** (Hesperiidae) Synonym(s): *tisia* Godman & Salvin,1896 _ Range (in code): MX
- 7171. *Cyclosemia anastomosis* Mabilie,1878** (Hesperiidae) Synonym(s): *anastomosis* Mabilie,1878 _ Range (in code): MX
- 7172. *Cymaenes alumna* (Butler,1877)** (Hesperiidae) Synonym(s): *alumna* Butler,1877; *obsoleta* Möschler,1879; *obsoletus* Mabilie,1883; *sacchariphila* Dyar,1917; *argus* Draudt,1924; _ Range (in code): MX
- 7173. *Cymaenes fraus* (Godman,1900)** (Hesperiidae) Synonym(s): *fraus* Godman,1900 _ Range (in code): MX
- 7174. *Cymaenes laureolus* (Schaus,1913)** (Hesperiidae) Synonym(s): *laureolus* Schaus,1913 _ Range (in code): MX
- 7175. *Cymaenes odilia* (Burmeister,1878)** (Hesperiidae) Synonym(s): *odilia* Burmeister,1878; *corescens* Schaus,1902 _ Range (in code): AR Bue BR US MX Tx
- 7176. *Cymaenes theogenis* (Capronnier,1874)** (Hesperiidae) Synonym(s): *theogenis* Capronnier,1874; *sulla* Möschler,1879; *ancus* Möschler,1879; *conta* Plötz,1886; *astur* Mabilie,1891; *polistion* Schaus,1902 _ Range (in code): MX
- 7177. *Cymaenes trebius* (Mabilie,1891)** (Hesperiidae) Synonym(s): *trebius* Mabilie,1891; *isus* Godman,1900 _ Range (in code): MX CO Bgt
- 7178. *Cymaenes tripunctis* (Herrich-Schäffer,1865)** (Hesperiidae) Synonym(s): *tripunctis* Herrich-Schäffer,1865; *jamaca* Schaus,1902 _ Range (in code): US FI JM CU
- 7179. *Cynea cynea* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cynea* Hewitson,1876; *kasus* Möschler,1879; *tersa* Möschler,1879; *binaria* Mabilie,1891; *zaba* Strand,1921 _ Range (in code): MX
- 7180. *Cynea diluta* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *diluta* Herrich-Schäffer,1869; *erebina* Möschler,1879; *vellejus* Plötz,1882; *zeppa* Möschler,1883; *cleochares* Mabilie,1891; *alus* Godman,1900; *bomax* Schaus,1902 _ Range (in code): MX
- 7181. *Cynea fista* Evans,1955** (Hesperiidae) Synonym(s): *fista* Evans,1955 _ Range (in code): MX
- 7182. *Cynea irma* (Möschler,1879)** (Hesperiidae) Synonym(s): *irma* Möschler,1879; *leucopogon* Plötz,1882 _ Range (in code): MX
- 7183. *Cynea megalops* (Godman,1900)** (Hesperiidae) Synonym(s): *megalops* Godman,1900 _ Range (in code): MX
- 7184. *Cynea nigricola* Freeman,1969** (Hesperiidae) Synonym(s): *nigricola* Freeman,1969 _ Range (in code): MX
- 7185. *Cyrina cyrina* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cyrina* Hewitson,1876; *parca* Nicéville,1889; *meleagrina* Elwes & Edwards,1897 _ Range (in code): IN SI Djl BT Ass TH CMa MY Bor
- 7186. *Cyrina cyrina corpa* Evans,1949** (Hesperiidae) Synonym(s): *corpa* Evans,1949 _ Range (in code): MY Bor
- 7187. *Cyrina cyrina cyrina* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cyrina* Hewitson,1876; *parca* Nicéville,1889; *meleagrina* Elwes & Edwards,1897 _ Range (in code): IN SI Djl BT Ass TH CMa
- 7188. *Daimio celebica* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celebica* C.Felder & R.Felder,[1867]; *permena* Hewitson,1868; *nivescens* Fruhstorfer,1909 _ Range (in code): ID Clb
- 7189. *Daimio celebica celebica* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celebica* C.Felder & R.Felder,[1867]; *permena* Hewitson,1868; *nivescens* Fruhstorfer,1909 _ Range (in code): ID Clb
- 7190. *Daimio celebica sulina* Evans,1932** (Hesperiidae) Synonym(s): *sulina* Evans,1932 _ Range (in code): ID Clb
- 7191. *Daimio tethys* (Ménétriés,1857)** (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabilie & Boulet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930. Original Reference: *Pyrgus tethys* Ménétriés,1857, Enum. Corp. Anim. Mus. imp. Acad. Sci. Petrop., Cl. Ins., Lepid. 2: 126, Pl. 10, fig.8. Type(s): "Japon" [Itsu Peninsula, Honshu]. Range (in code): JP Hkk Hdo Shk Kyu Tsu MM Shn Hta MN TW RU Am Vv T-T Ti CN Mc Yu Ats Hun She Shs Hpe Fkn Tkg Kgs Stg Mou Ndd Lsd Bin Sz

- 7192. Daimio tethys birmana Evans,1926** (Hesperiidae) Synonym(s): *birmana* Evans,1926
Range (in code): **Yu Ats Ndd Lsd Bin CN MM Shn Hta**
- 7193. Daimio tethys moori (Mabille,1876)** (Hesperiidae) Synonym(s): *moori* Mabille,1876; *felderi* Butler,1881; *chinensis* Staudinger,1892; *epitaras* Oberthür,1907; *formosana* Matsumura,1919; *taiwana* Matsumura,1919; *saishiuana* Okamoto,1924. Original Reference: *Pterygospidea moori* Mabille,1876, Bull. Soc. ent. Fr. (5) 6: 152. Type(s): Mou-pin. Range (in code): **CN MN T-T Sz TW Hun She Shs Hpe Fkn Tkg Kgs Stg Mou**
- 7194. Daimio tethys roona Evans,1949** (Hesperiidae) Synonym(s): *roona* Evans,1949
Original Reference: *Daimio tethys* ssp. *roona* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 129. Holotype ♂: [China]: Se-Pin-Lou-Chan, Ya-Tcheou. Range (in code): **T-T Ti CN Yu Sz T-T**
- 7195. Daimio tethys tethys (Ménétriés,1857)** (Hesperiidae) Synonym(s): *tethys* Ménétriés,1857; *lineata* Mabille & Boullet,1916; *daiseni* Riley,1921; *yamashiroensis* Kato,1930. Original Reference: *Pyrgus tethys* Ménétriés,1857, Enum. Corp. Anim. Mus. imp. Acad. Sci. Petrop., Cl. Ins., Lepid. 2: 126, Pl. 10, fig.8. Type(s): "Japon" [Itsu Peninsula, Honshu]. Range (in code): **CN Mc JP MM MN TW RU Am Vv Hkk Hdo Shk Kyu Tsu**
- 7196. Dalla bubalon (Dyar,1921)** (Hesperiidae) Synonym(s): *bubalon* Dyar,1921
- 7197. Dalla dividuum (Dyar,1913)** (Hesperiidae) Synonym(s): *dividuum* Dyar,1913
- 7198. Dalla faula (Godman,1900)** (Hesperiidae) Synonym(s): *faula* Godman,1900
- 7199. Dalla kemneri Steinhäuser,1991** (Hesperiidae) Synonym(s): *kemneri* Steinhäuser,1991
- 7200. Dalla lalage (Godman,1900)** (Hesperiidae) Synonym(s): *lalage* Godman,1900
- 7201. Dalla lathaea (Schaus,1913)** (Hesperiidae) Synonym(s): *lathaea* Schaus,1913
- 7202. Dalla ligilla (Hewitson,1877)** (Hesperiidae) Synonym(s): *ligilla* Hewitson,1877 Original Reference: *Cyclopides ligilla* Hewitson,1877, Ann. Mag. nat. Hist. (4): 20: 325.
- 7203. Dalla mentor Evans,1955** (Hesperiidae) Synonym(s): *mentor* Evans,1955
- 7204. Dalla nubes Steinhäuser,1991** (Hesperiidae) Synonym(s): *nubes* Steinhäuser,1991
- 7205. Dalla ramirezi Freeman,1969** (Hesperiidae) Synonym(s): *ramirezi* Freeman,1969
- 7206. Dalla steinhauseri Freeman,1991** (Hesperiidae) Synonym(s): *steinhauseri* Freeman,1991
- 7207. Damas clavus (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *clavus* Herrich-Schäffer,1869; *crataea* Hewitson,1876; *cervus* Möschler,1877; *angulis* Plötz,1886; *ampyx* Mabille,1891; *polles* Godman,1901; *tripuncta* Draudt,1924 Range (in code): **MX**
- 7208. Dardarina dardaris (Hewitson,1877)** (Hesperiidae) Synonym(s): *dardaris* Hewitson,1877
Original Reference: *Cyclopides dardaris* Hewitson,1877, Ann. Mag. nat. Hist. (4): 20: 328.
Type(s): Mexico. Range (in code): **MX**
- 7209. Darpa hanria Moore,[1866]** (Hesperiidae) Synonym(s): *hanria* Moore,[1866] Range (in code): **VN SI IN Ass MM Shn NP LA TH CMa**
- 7210. Darpa hanria hanria Moore,[1866]** (Hesperiidae) Synonym(s): *hanria* Moore,[1866]
Range (in code): **VN SI IN Ass MM Shn NP LA TH CMa**
- 7211. Darpa pteria (Hewitson,1868)** (Hesperiidae) Synonym(s): *pteris* Hewitson,1868
Range (in code): **IN Ass MY TH Tng ID Bor Ja PH Pal Ley Luz Mno**
- 7212. Darpa pteria dealbata (Distant,1886)** (Hesperiidae) Synonym(s): *dealbata* Distant,1886
Range (in code): **PH Pal IN Ass MY ID Bor Ja TH Tng**
- 7213. Darpa pteria pteria (Hewitson,1868)** (Hesperiidae) Synonym(s): *pteris* Hewitson,1868
Range (in code): **PH Ley Luz Mno**
- 7214. Darpa striata (Druce,1873)** (Hesperiidae) Synonym(s): *striata* Druce,1873; *dimidiata* Fruhstorfer,1910 Range (in code): **IN Ass Mpr MM Shn Krh Mrg TH Rng Tng MY ID Nia Sum Bor**
- 7215. Darpa striata minta Evans,1949** (Hesperiidae) Synonym(s): *minta* Evans,1949 Range (in code): **IN Ass Mpr MM Shn Krh**
- 7216. Darpa striata striata (Druce,1873)** (Hesperiidae) Synonym(s): *striata* Druce,1873; *dimidiata* Fruhstorfer,1910 Range (in code): **MM Mrg TH Rng Tng MY ID Nia Sum Bor**
- 7217. Decinea huasteca (Freeman,1969)** (Hesperiidae) Synonym(s): *huasteca* Freeman,1969
Range (in code): **MX**
- 7218. Decinea lucifer (Hübner,[1831])** (Hesperiidae) Synonym(s): *lucifer* Hübner,[1831]; *pindar* Schaus,1913 Range (in code): **MX**
- 7219. Decinea mustea Freeman,1979** (Hesperiidae) Synonym(s): *mustea* Freeman,1979
Range (in code): **MX**
- 7220. Decinea percusius (Godman,1900)** (Hesperiidae) Synonym(s): *percusius* Godman,1900
Range (in code): **US Tx MX**

- 7221. *Decinea rindgei* Freeman,1968** (Hesperiidae) Synonym(s): *rindgei* Freeman,1968
Range (in code): **MX**
- 7222. *Diaeus varna* Evans,1953** (Hesperiidae) Synonym(s): *varna* Evans,1953 _ Range (in code): **MX**
- 7223. *Dispar compacta* (Butler,1882)** (Hesperiidae) Synonym(s): *compacta* Butler,1882; *scepticalis* Rosenstock,1885; *atraz* Mabilie,1891; *melissa* Mabilie,1891 _ Range (in code): **AU VAu Mel NSW Syd**
- 7224. *Dispar compacta compacta* (Butler,1882)** (Hesperiidae) Synonym(s): *compacta* Butler,1882; *scepticalis* Rosenstock,1885; *atraz* Mabilie,1891; *melissa* Mabilie,1891 _ Range (in code): **AU VAu Mel NSW Syd**
- 7225. *Doberes anticus* (Plötz,1884)** (Hesperiidae) Synonym(s): *anticus* Plötz,1884 _ Range (in code): **MX**
- 7226. *Doberes hewitsonius* (Reakirt,[1867])** (Hesperiidae) Synonym(s): *hewitsonius* Reakirt,[1867]; *mexicana* C.Felder & R.Felder,1867 _ Range (in code): **MX**
- 7227. *Doberes sobrinus* Godman & Salvin,1895** (Hesperiidae) Synonym(s): *sobrinus* Godman & Salvin,1895 _ Range (in code): **MX**
- 7228. *Drephalys dumeril* (Latreille,[1824])** (Hesperiidae) Synonym(s): *dumeril* (Latreille,[1824]); *formosus* C.Felder & R.Felder,1867 _ Range (in code): **MX**
- 7229. *Drephalys oria* Evans,1952** (Hesperiidae) Synonym(s): *oria* Evans,1952 _ Range (in code): **MX**
- 7230. *Dubiella belpa* Evans,1955** (Hesperiidae) Synonym(s): *belpa* Evans,1955 _ Range (in code): **MX**
- 7231. *Dyscophellus lama* Evans,1952** (Hesperiidae) Synonym(s): *lama* Evans,1952 _ Range (in code): **MX**
- 7232. *Dyscophellus nicephorus* (Hewitson,1876)** (Hesperiidae) Synonym(s): *nicephorus* Hewitson,1876; *dexo* Mabilie,1888 _ Range (in code): **MX**
- 7233. *Dyscophellus porcius* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *porcius* C.Felder & R.Felder,1862 _ Range (in code): **MX**
- 7234. *Dyscophellus porcius porcius* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *porcius* C.Felder & R.Felder,1862 _ Range (in code): **MX**
- 7235. *Dyscophellus ramon* Evans,1952** (Hesperiidae) Synonym(s): *ramon* Evans,1952
Range (in code): **MX**
- 7236. *Eagris decastigma* Mabilie,1891** (Hesperiidae) Synonym(s): *decastigma* Mabilie,1891
Range (in code): **SL NG KE UG GA CM CG ZR**
- 7237. *Eagris decastigma decastigma* Mabilie,1891** (Hesperiidae) Synonym(s): *decastigma* Mabilie,1891 _ Range (in code): **SL**
- 7238. *Eagris decastigma fuscata* Holland,1893** (Hesperiidae) Synonym(s): *fuscata* Holland,1893 _ Range (in code): **GA CM NG CG**
- 7239. *Eagris decastigma purpura* Evans,1937** (Hesperiidae) Synonym(s): *purpura* Evans,1937
Range (in code): **KE UG ZR**
- 7240. *Eagris denuba* (Plötz,1879)** (Hesperiidae) Synonym(s): *denuba* Plötz,1879; *decolor* Mabilie,1890. _ Range (in code): **SL CM GN GH SD ET**
- 7241. *Eagris denuba denuba* (Plötz,1879)** (Hesperiidae) Synonym(s): *denuba* Plötz,1879; *decolor* Mabilie,1890. _ Range (in code): **SL CM GN GH**
- 7242. *Eagris denuba oblitterata* Carpenter,1928** (Hesperiidae) Synonym(s): *oblitterata* Carpenter,1928 _ Range (in code): **SD ET**
- 7243. *Eagris hereus* (Druce,1875)** (Hesperiidae) Synonym(s): *hereus* Druce,1875; *birgitta* Strand,1913. _ Range (in code): **CM AO GN SL CI GH**
- 7244. *Eagris hereus hereus* (Druce,1875)** (Hesperiidae) Synonym(s): *hereus* Druce,1875; *birgitta* Strand,1913. _ Range (in code): **CM AO**
- 7245. *Eagris hereus quaterna* (Mabilie,1890)** (Hesperiidae) Synonym(s): *quaterna* Mabilie,1890 _ Range (in code): **GN SL CI GH**
- 7246. *Eagris lucetia* (Hewitson,1875)** (Hesperiidae) Synonym(s): *lucetia* Hewitson,1875
Range (in code): **KE UG SD ZR CG CM NG AO ZM** Bionomy: Larva on *Rhus* (Anacardiaceae), *Allophylus* (Sapindaceae) (Ackery, et al.,1995).
- 7247. *Eagris multiplagata* Bivar de Sousa & Mendes,2007** (Hesperiidae) Synonym(s): *multiplagata* Bivar de Sousa & Mendes,2007 Original Reference: *Eagris multiplagata* Bivar de Sousa

- & Mendes, 2007, *Shilap Revta lepid.* 35 (139): 312-313, figs. Holotype ♂: Angola: Kuanza Norte, Zenza do Itombe. Range (in code): AO
- 7248. *Eagris nottoana* (Wallengren, 1857)** (Hesperiidae) Synonym(s): *nottoana* Wallengren, 1857; *phyllophyle* Trimen, 1883; *flavipalpis* Plötz, 1884; *melancholica* Mabil, 1890; *quadrimaculata* Neustetter, 1916. Range (in code): MG ZA Cap Na Ec Tva Lpo Spb Kru Nel Mpu ZW MZ MW TZ KE UG ET Bionomy: Larva on *Scutia* (Rhamnaceae), *Dombeya* (Sterculiaceae), *Grewia* (Tiliaceae) (Ackery et al., 1995).
- 7249. *Eagris nottoana knysna* Evans, 1937** (Hesperiidae) Synonym(s): *knysna* Evans, 1937 Range (in code): ZA Cap Ec
- 7250. *Eagris nottoana nottoana* (Wallengren, 1857)** (Hesperiidae) Synonym(s): *nottoana* Wallengren, 1857; *phyllophyle* Trimen, 1883; *flavipalpis* Plötz, 1884; *melancholica* Mabil, 1890; *quadrimaculata* Neustetter, 1916. Range (in code): ZA Na Tva Lpo Spb Kru Ec Nel Mpu ZW MZ MW TZ KE UG ET
- 7251. *Eagris nottoana smithii* (Mabil, [1887])** (Hesperiidae) Synonym(s): *smithii* Mabil, [1887] Range (in code): MG
- 7252. *Eagris sabadius* (Gray, [1832])** (Hesperiidae) Synonym(s): *sabadius* Gray, [1832]; *mauritiana* Mabil & Boulet, 1916. Original Reference: *Hesperia sabadius* Gray, [1832], [in] Griffith, E., *The animal kingdom...* 15: pl. 99 fig. 2. Range (in code): SC KM MG TZ Tnga Usa Ani KE UG MW Zom ZM RE MU
- 7253. *Eagris sabadius aldarbanus* Fryer, 1912** (Hesperiidae) Synonym(s): *aldarbanus* Fryer, 1912
- 7254. *Eagris sabadius andracne* (Boisduval, 1833)** (Hesperiidae) Synonym(s): *andracne* Boisduval, 1833; *hyalinata* Saalmüller, 1878. Range (in code): MG
- 7255. *Eagris sabadius astoria* Holland, 1896** (Hesperiidae) Synonym(s): *astoria* Holland, 1896; *epira* Karsch, 1896; *plicata* Butler, 1901. Range (in code): TZ KE UG
- 7256. *Eagris sabadius comorana* Evans, 1937** (Hesperiidae) Synonym(s): *comorana* Evans, 1937 Range (in code): KM
- 7257. *Eagris sabadius maheta* Evans, 1937** (Hesperiidae) Synonym(s): *maheta* Evans, 1937 Range (in code): SC
- 7258. *Eagris sabadius ochreana* Lathy, 1901** (Hesperiidae) Synonym(s): *ochreana* Lathy, 1901 Original Reference: *Eagris ochreana* Lathy, 1901, *Trans. ent. Soc. London* "901 (1): 34, pl. iii fig. 6. Type: [Malawi]: Zomba. Range (in code): MW Zom ZM
- 7259. *Eagris sabadius sabadius* (Gray, [1832])** (Hesperiidae) Synonym(s): *sabadius* Gray, [1832]; *mauritiana* Mabil & Boulet, 1916. Original Reference: *Hesperia sabadius* Gray, [1832], [in] Griffith, E., *The animal kingdom...* 15: pl. 99 fig. 2. Range (in code): RE MU
- 7260. *Eagris subalbida* (Holland, 1893)** (Hesperiidae) Synonym(s): *subalbida* Holland, 1893; *theclides* Holland, 1896; *albiventer* Strand, 1913; *obscura* Aurivillius, 1925. Range (in code): CI GH ZR UG NG CM GA CG
- 7261. *Eagris subalbida aurivillii* (Neustetter, 1927)** (Hesperiidae) Synonym(s): *aurivillii* Neustetter, 1927 Range (in code): UG ZR CM
- 7262. *Eagris subalbida subalbida* (Holland, 1893)** (Hesperiidae) Synonym(s): *subalbida* Holland, 1893; *theclides* Holland, 1896; *albiventer* Strand, 1913; *obscura* Aurivillius, 1925. Range (in code): CI GH ZR GA CG
- 7263. *Eagris tetrastigma* (Mabil, 1891)** (Hesperiidae) Synonym(s): *tetrastigma* Mabil, 1891; *tristifica* Aurivillius, 1925. Range (in code): SL CI GH UG CM ZR NG
- 7264. *Eagris tetrastigma subolivescens* (Holland, 1892)** (Hesperiidae) Synonym(s): *subolivescens* Holland, 1892 Range (in code): CI GH NG
- 7265. *Eagris tetrastigma tetrastigma* (Mabil, 1891)** (Hesperiidae) Synonym(s): *tetrastigma* Mabil, 1891; *tristifica* Aurivillius, 1925. Range (in code): SL UG CM ZR
- 7266. *Eagris tigris* Evans, 1937** (Hesperiidae) Synonym(s): *tigris* Evans, 1937 Range (in code): UG ZR SD AO CM NG CI
- 7267. *Eagris tigris karyonza* Evans, 1956** (Hesperiidae) Synonym(s): *karyonza* Evans, 1956 Range (in code): UG
- 7268. *Eagris tigris tigris* Evans, 1937** (Hesperiidae) Synonym(s): *tigris* Evans, 1937 Range (in code): UG ZR SD AO CM NG CI
- 7269. *Eanthis tamenund* (Edwards, 1871)** (Hesperiidae) Synonym(s): *tamenund* Edwards, 1871 Range (in code): MX
- 7270. *Eanthis thraso* (Hübner, [1807])** (Hesperiidae) Synonym(s): *thraso* Hübner, [1807] Range (in code): MX

- 7271. Ebrietas anacreon (Staudinger,1876)** (Hesperiidae) Synonym(s): *anacreon* Staudinger,1876; *albunea* Staudinger,1876; *claudianus* Staudinger,1876; *ecliptica* Butler,1877; *tortricinus* Plötz,1884; *undulata* Plötz,1884; *halidus* Mabille,1891 Range (in code): **MX**
- 7272. Ebrietas evanidus Mabille,1897** (Hesperiidae) Synonym(s): *evanidus* Mabille,1897; *morio* Mabille & Boulet,1917 Range (in code): **MX**
- 7273. Ebrietas livius Mabille,1897** (Hesperiidae) Synonym(s): *livius* Mabille,1897; *minor* Mabille & Boulet,1917 Range (in code): **MX**
- 7274. Ebrietas osyris (Stausinger,1876)** (Hesperiidae) Synonym(s): *osyris* Stausinger,1876 Range (in code): **MX**
- 7275. Ebrietas sappho Steinhäuser,1974** (Hesperiidae) Synonym(s): *sappho* Steinhäuser,1974 Range (in code): **MX**
- 7276. Ebusus ebusus (Stoll,[1790])** (Hesperiidae) Synonym(s): *ebusus* Stoll,[1790] Range (in code): **MX**
- 7277. Ebusus ebusus nigrior L.Miller,1985** (Hesperiidae) Synonym(s): *nigrior* L.Miller,1985 Range (in code): **MX**
- 7278. Eetion elia (Hewitson,1866)** (Hesperiidae) Synonym(s): *elia* Hewitson,1866; *eburus* Plötz,1885; *magniplaga* Fruhstorfer,1911; *ayankara* Fruhstorfer,1911 Range (in code): **MM MY Prk Bor ID Sum TH Rng Nst Ths Sya**
- 7279. Eetion elia elia (Hewitson,1866)** (Hesperiidae) Synonym(s): *elia* Hewitson,1866; *eburus* Plötz,1885; *magniplaga* Fruhstorfer,1911; *ayankara* Fruhstorfer,1911 Range (in code): **MM MY Prk Bor ID Sum TH Rng Nst Ths Sya**
- 7280. Enosis achelous (Plötz,1882)** (Hesperiidae) Synonym(s): *achelous* Plötz,1882; *atheas* Godman,1900 Range (in code): **MX**
- 7281. Enosis immaculata (Hewitson,1868)** (Hesperiidae) Synonym(s): *immaculata* Hewitson,1868; *patens* Plötz,1882; *atrata* Mabille,1889; *coroicensis* Weeks,1901; *inframaculata* Strand,1921; *nigrans* Hayward,1940 Range (in code): **MX**
- 7282. Enosis matheri Freeman,1969** (Hesperiidae) Synonym(s): *matheri* Freeman,1969 Range (in code): **MX**
- 7283. Entheus crux Steinhäuser,1989** (Hesperiidae) Synonym(s): *crux* Steinhäuser,1989 Range (in code): **MX**
- 7284. Entheus matho Godman & Salvin,1879** (Hesperiidae) Synonym(s): *matho* Godman & Salvin,1879 Range (in code): **MX**
- 7285. Eogenes alcides Herrich-Schäffer,[1852]** (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852] Original Reference: *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur.6:38; ibidem 1:pl.7,figs.41-42. Syntypes: [Türkei]: Amasia. Range (in code): **T-S BI Ci CN Cc GG AM AZ Nv Ord IR Ab Mz Kh IQ Kp PK TM TR Ui Ii Tk KG**
- 7286. Eogenes alcides ahriman (Christoph,1884)** (Hesperiidae) Synonym(s): *ahriman* Christoph,1884 Original Reference: *Hesperia ahriman* Christoph,1884, [in] Romanoff, Mém. lépid. 1: 106, Taf.6 fig.5a,b. Syntypes: [Turkmenistan]: "Nuchur" [Kopetdagh]. Range (in code): **T-S CN Kp TM Ui Ii Tk KG**
- 7287. Eogenes alcides alcides Herrich-Schäffer,[1852]** (Hesperiidae) Synonym(s): *alcides* Herrich-Schäffer,[1852] Original Reference: *Hesperia alcides* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur.6:38; ibidem 1:pl.7,figs.41-42. Syntypes: [Türkei]: Amasia. Range (in code): **Cc GG IQ TR IR Ab Mz AM AZ Nv Ord**
- 7288. Eogenes alcides chitrala Evans,1949** (Hesperiidae) Synonym(s): *chitrala* Evans,1949 Original Reference: *Eogenes alcides* ssp. *chitrala* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 271. Type ♂: [Pakistan]: Chitral. (BMNH). Range (in code): **Ci PK**
- 7289. Eogenes alcides uraka Evans,1949** (Hesperiidae) Synonym(s): *uraka* Evans,1949 Original Reference: *Eogenes alcides* ssp. *uraka* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 271. Type ♂: [Pakistan]: Baluchistan: Urak. (BMNH). Range (in code): **BI PK**
- 7290. Eogenes lesliei (Evans,1910)** (Hesperiidae) Synonym(s): *lesliei* Evans,1910; *lesliei* Evans,1926 Original Reference: *Arnelta alcides lesliei* Evans,1910, J. Bombay nat. Hist. Soc. 20: 424. Type: [Pakistan]: Chitral. Range (in code): **Ci IQ Mnf PK TR IR AF Ng Kab Ca**
- 7291. Eogenes lesliei elama Wiltshire,1941** (Hesperiidae) Synonym(s): *elama* Wiltshire,1941 Original Reference: *Eogenes lesliei* ssp. *elama* Wiltshire,1941, J. Bombay nat. Hist. Soc. 44: 251, pl., fig.10. Type ♂: Iran: South West Iran: Khuzistan: Maidan-i-Naftun, 6.vi.38 (leg. Wiltshire) (BMNH). Range (in code): **IQ TR Mnf IR**

- 7292. *Eogenes lesliei lesliei* (Evans,1910)** (Hesperiidae) **Synonym(s):** *lesliei* Evans,1910; *lesliei* Evans,1926 **Original Reference:** Arnelta alcides lesliei Evans,1910, J. Bombay nat. Hist. Soc. 20: 424. Type: [Pakistan]: Chitral. **Range (in code):** **Ci PK AF Ng Kab Ca**
- 7293. *Epargyreus aspinus* Evans,1952** (Hesperiidae) **Synonym(s):** *aspinus* Evans,1952 **Range (in code):** **MX**
- 7294. *Epargyreus brodkorbi* Freeman,1969** (Hesperiidae) **Synonym(s):** *brodkorbi* Freeman,1969 **Range (in code):** **MX**
- 7295. *Epargyreus clarus* (Cramer,[1775])** (Hesperiidae) **Synonym(s):** *clarus* Cramer,[1775]; *tityrus* Fabricius,1775 nec Pod.,1761; *argentosus* Hayward,1933; *argenteola* Matsumura,1940. **Range (in code):** **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 7296. *Epargyreus clarus californicus* MacNeill,1975** (Hesperiidae) **Synonym(s):** *californicus* MacNeill,1975 **Range (in code):** **US Cf MX**
- 7297. *Epargyreus clarus clarus* (Cramer,[1775])** (Hesperiidae) **Synonym(s):** *clarus* Cramer,[1775]; *tityrus* Fabricius,1775 nec Pod.,1761; *argentosus* Hayward,1933; *argenteola* Matsumura,1940. **Range (in code):** **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 7298. *Epargyreus clarus huachuca* Dixon,1955** (Hesperiidae) **Synonym(s):** *huachuca* Dixon,1955 **Range (in code):** **US Arz**
- 7299. *Epargyreus clavicornis* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *clavicornis* Herrich-Schäffer,1869 **Range (in code):** **MX**
- 7300. *Epargyreus clavicornis tenda* Evans,1955** (Hesperiidae) **Synonym(s):** *tenda* Evans,1955 **Range (in code):** **MX**
- 7301. *Epargyreus deleoni* Freeman,1977** (Hesperiidae) **Synonym(s):** *deleoni* Freeman,1977 **Range (in code):** **MX**
- 7302. *Epargyreus exadeus* (Cramer,[1779])** (Hesperiidae) **Synonym(s):** *exadeus* Cramer,[1779] **Range (in code):** **MX**
- 7303. *Epargyreus exadeus cruza* Evans,1952** (Hesperiidae) **Synonym(s):** *cruza* Evans,1952 **Range (in code):** **MX**
- 7304. *Epargyreus exadeus exadeus* (Cramer,[1779])** (Hesperiidae) **Synonym(s):** *exadeus* Cramer,[1779] **Range (in code):** **MX**
- 7305. *Epargyreus socus* (Hübner,[1825])** (Hesperiidae) **Synonym(s):** *socus* Hübner,[1825] **Range (in code):** **MX**
- 7306. *Epargyreus socus orizaba* Scudder,1872** (Hesperiidae) **Synonym(s):** *orizaba* Scudder,1872; *cama* Evans,1952 **Range (in code):** **MX**
- 7307. *Epargyreus spina* Evans,1952** (Hesperiidae) **Synonym(s):** *spina* Evans,1952 **Range (in code):** **MX**
- 7308. *Epargyreus spinosa* Evans,1952** (Hesperiidae) **Synonym(s):** *spinosa* Evans,1952 **Range (in code):** **MX**
- 7309. *Epargyreus windi* Freeman,1969** (Hesperiidae) **Synonym(s):** *windi* Freeman,1969 **Range (in code):** **MX**
- 7310. *Epargyreus zestos* (Geyer,[1832])** (Hesperiidae) **Synonym(s):** *zestos* Geyer,[1832]; *oberon* Worthington,1881; *arsaces* Mabille,1903. **Range (in code):** **US Fl**
- 7311. *Epargyreus zestos zestos* (Geyer,[1832])** (Hesperiidae) **Synonym(s):** *zestos* Geyer,[1832]; *oberon* Worthington,1881; *arsaces* Mabille,1903. **Range (in code):** **US Fl**
- 7312. *Ephyriades brunneus*** (Hesperiidae) **Synonym(s):** **Range (in code):** **US Fl**
- 7313. *Eprius veleda* Godman,1901** (Hesperiidae) **Synonym(s):** *veleda* Godman,1901; *holaphegges* Dyar,1913 **Range (in code):** **MX**
- 7314. *Eretis buamba* Evans,1937** (Hesperiidae) **Synonym(s):** *buamba* Evans,1937 **Original Reference:** *Eretis buamba* Evans,1937, Catalogue African Hesperiidae in the British Museum: 39, pl.2 fig.19. Holotype ♂: Uganda: Bugoma Forest, Unyoro, 3700ft. (BMNH). **Range (in code):** **UG ZR**
- 7315. *Eretis buamba buamba* Evans,1937** (Hesperiidae) **Synonym(s):** *buamba* Evans,1937 **Original Reference:** *Eretis buamba* Evans,1937, Catalogue African Hesperiidae in the British Museum: 39, pl.2 fig.19. Holotype ♂: Uganda: Bugoma Forest, Unyoro, 3700ft. (BMNH). **Range (in code):** **UG ZR**

- 7316. Eretis cameroni Evans, 1937** (Hesperiidae) Synonym(s): *cameroni* Evans, 1937 Original Reference: Eretis cameroni Evans, 1937, Catalogue African Hesperidae in the British Museum: 38, pl.2 fig.16. Holotype ♂: Cameroon: Cameroons (Bitje) (BMNH). Range (in code): **NG CM ZR UG**
- 7317. Eretis cameroni cameroni Evans, 1937** (Hesperiidae) Synonym(s): *cameroni* Evans, 1937 Original Reference: Eretis cameroni Evans, 1937, Catalogue African Hesperidae in the British Museum: 38, pl.2 fig.16. Holotype ♂: Cameroon: Cameroons (Bitje) (BMNH). Range (in code): **NG CM ZR UG**
- 7318. Eretis djaelaelae (Wallengren, 1857)** (Hesperiidae) Synonym(s): *djaelaelae* Wallengren, 1857 Range (in code): **ZA Ec Nta Tva Lpo Spb Gau Pre Mpu Brb MZ ZM ZW MW** Bionomy: Larva on Acanthaceae (Asystasia, Chaetacanthus, Dischortiste, Justicia, Phaulopsis) (Ackery et al., 1995).
- 7319. Eretis djaelaelae djaelaelae (Wallengren, 1857)** (Hesperiidae) Synonym(s): *djaelaelae* Wallengren, 1857 Range (in code): **ZA Ec Nta Tva Lpo Spb Gau Pre Mpu Brb MZ ZM ZW MW** Bionomy: Larva on Acanthaceae (Asystasia, Chaetacanthus, Dischortiste, Justicia, Phaulopsis) (Ackery et al., 1995).
- 7320. Eretis herewardi N.D.Riley, 1921** (Hesperiidae) Synonym(s): *herewardi* N.D.Riley, 1921 Range (in code): **AO ZR UG KE MZ MW ZM**
- 7321. Eretis herewardi herewardi N.D.Riley, 1921** (Hesperiidae) Synonym(s): *herewardi* N.D.Riley, 1921 Range (in code): **ZR UG KE MZ MW ZM**
- 7322. Eretis herewardi rotundimacula Evans, 1937** (Hesperiidae) Synonym(s): *rotundimacula* Mabille & Boulet, 1916; *rotundimacula* Evans, 1937. Range (in code): **AO**
- 7323. Eretis lugens (Rogenhofer, 1891)** (Hesperiidae) Synonym(s): *lugens* Rogenhofer, 1891; *morosa* Rogenhofer, 1891. Range (in code): **GN SD ET AO TZ ZR** Bionomy: Larva on Acanthaceae (Asystasia, Barleria, Justicia) (Ackery et al., 1995).
- 7324. Eretis lugens lugens (Rogenhofer, 1891)** (Hesperiidae) Synonym(s): *lugens* Rogenhofer, 1891; *morosa* Rogenhofer, 1891. Range (in code): **GN SD ET AO TZ ZR**
- 7325. Eretis melania Mabille, 1891** (Hesperiidae) Synonym(s): *melania* Mabille, 1891; *perpaupera* Holland, 1892 Range (in code): **GN GA SD ZW AO**
- 7326. Eretis melania melania Mabille, 1891** (Hesperiidae) Synonym(s): *melania* Mabille, 1891; *perpaupera* Holland, 1892 Range (in code): **GN GA SD ZW AO**
- 7327. Eretis mitiana Evans, 1937** (Hesperiidae) Synonym(s): *mitiana* Evans, 1937 Original Reference: Eretis mitiana Evans, 1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.17. Holotype ♂: Uganda: Between Mitiana and Entebbe, 3800ft. (BMNH). Range (in code): **UG KE**
- 7328. Eretis mitiana mitiana Evans, 1937** (Hesperiidae) Synonym(s): *mitiana* Evans, 1937 Original Reference: Eretis mitiana Evans, 1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.17. Holotype ♂: Uganda: Between Mitiana and Entebbe, 3800ft. (BMNH). Range (in code): **KE UG**
- 7329. Eretis mixta Evans, 1937** (Hesperiidae) Synonym(s): *mixta* Evans, 1937 Original Reference: Eretis djaelaelae ssp. mixta Evans, 1937, Catalogue African Hesperidae in the British Museum: 37. Holotype ♂: Ethiopia: Abyssinia (Dire Daoua) (BMNH). Range (in code): **ET SD**
- 7330. Eretis mixta mixta Evans, 1937** (Hesperiidae) Synonym(s): *mixta* Evans, 1937 Original Reference: Eretis djaelaelae ssp. mixta Evans, 1937, Catalogue African Hesperidae in the British Museum: 37. Holotype ♂: Ethiopia: Abyssinia (Dire Daoua) (BMNH). Range (in code): **ET SD**
- 7331. Eretis plistonius (Plötz, 1879)** (Hesperiidae) Synonym(s): *plistonius* Plötz, 1879 Range (in code): **SN GH ZW**
- 7332. Eretis plistonius plistonius (Plötz, 1879)** (Hesperiidae) Synonym(s): *plistonius* Plötz, 1879 Range (in code): **SN GH ZW**
- 7333. Eretis umbra (Trimen, 1862)** (Hesperiidae) Synonym(s): *umbra* Trimen, 1862; *norica* Plötz, 1884. Range (in code): **ZM ZW MW MZ TZ KE UG ZA Nta Tva Ec** Bionomy: Larva on Acanthaceae (Chaetacanthus) (Ackery et al., 1995).
- 7334. Eretis umbra maculifera Mabille & Boulet, 1916** (Hesperiidae) Synonym(s): *maculifera* Mabille & Boulet, 1916 Range (in code): **TZ KE UG**
- 7335. Eretis umbra nox (Neave, 1910)** (Hesperiidae) Synonym(s): *nox* Neave, 1910 Range (in code): **ZM ZW MW MZ**

- 7336. Eretis umbra umbra (Trimen,1862)** (Hesperiidae) **Synonym(s):** *umbra* Trimen,1862; *norica* Plötz,1884. Range (in code): **ZA Nta Tva Ec**
- 7337. Eretis vaga Evans,1937** (Hesperiidae) **Synonym(s):** *vaga* Evans,1937 Original Reference: *Eretis vaga* Evans,1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.18. Holotype ♂: Cameroon: Cameroons (Bitje, Ja River) (BMNH). Range (in code): **NG CM ZR ZM UG KE**
- 7338. Eretis vaga vaga Evans,1937** (Hesperiidae) **Synonym(s):** *vaga* Evans,1937 Original Reference: *Eretis vaga* Evans,1937, Catalogue African Hesperidae in the British Museum: 39, pl.2 fig.18. Holotype ♂: Cameroon: Cameroons (Bitje, Ja River) (BMNH). Range (in code): **NG CM ZR ZM UG KE**
- 7339. Erionota acroleucus Wood-Mason & De Nicéville,1881** (Hesperiidae) **Synonym(s):** *acroleucus* Wood-Mason & De Nicéville,1881; *lara* Swinhoe,1890 Range (in code): **PH Luz ID Clb IN Nk TH Nst Chw Bnk**
- 7340. Erionota acroleucus acroleucus Wood-Mason & De Nicéville,1881** (Hesperiidae) **Synonym(s):** *acroleucus* Wood-Mason & De Nicéville,1881; *lara* Swinhoe,1890 Range (in code): **IN Nk**
- 7341. Erionota acroleucus apex Semper,1892** (Hesperiidae) **Synonym(s):** *apex* Semper,1892 Range (in code): **PH Luz TH Nst Chw Bnk**
- 7342. Erionota acroleucus sakita Ribbe,1895** (Hesperiidae) **Synonym(s):** *sakita* Ribbe,1895; *toradja* Fruhstorfer,1911 Range (in code): **ID Clb**
- 7343. Erionota grandis Leech,1894** (Hesperiidae) **Synonym(s):** *grandis* Leech,1894 Range (in code): **CN Sz T-T Yu**
- 7344. Erionota grandis alsatia Evans,1938** (Hesperiidae) **Synonym(s):** *alsatia* Evans,1938 Range (in code): **CN Yu**
- 7345. Erionota grandis grandis Leech,1894** (Hesperiidae) **Synonym(s):** *grandis* Leech,1894 Range (in code): **CN Sz T-T**
- 7346. Erionota harmachis (Hewitson,1878)** (Hesperiidae) **Synonym(s):** *harmachis* Hewitson,1878; *staudingeri* Distant,1886 Range (in code): **ID Sum Bgk MY Bor TH Nst Chw**
- 7347. Erionota harmachis harmachis (Hewitson,1878)** (Hesperiidae) **Synonym(s):** *harmachis* Hewitson,1878; *staudingeri* Distant,1886 Range (in code): **ID Sum Bgk MY Bor TH Nst Chw**
- 7348. Erionota hiraca Moore,1881** (Hesperiidae) **Synonym(s):** *hiraca* Moore,1881 Range (in code): **TH Bnk Cbu Ray Cbi Nrt Yal PH Ley Luz Mdo Mno Pal Pol Sam Tic IN SI Ass MM Bse VN Ton MY ID Nia Sip Ja Bor**
- 7349. Erionota hiraca apex Semper,1892** (Hesperiidae) **Synonym(s):** *apex* Semper,1892; *apicalis* Evans,1932 Range (in code): **TH Bnk Cbu Ray Cbi Nrt Yal PH Ley Luz Mdo Mno Pal Pol Sam Tic IN SI Ass MM Bse VN Ton MY ID Nia Sip Ja Bor**
- 7350. Erionota hiraca hiraca Moore,1881** (Hesperiidae) **Synonym(s):** *hiraca* Moore,1881 Range (in code): **IN Adm**
- 7351. Erionota surprisa De Jong & Treadaway,1992** (Hesperiidae) **Synonym(s):** *surprisa* De Jong & Treadaway,1992 Range (in code): **PH Bab Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam Taw**
- 7352. Erionota surprisa surprisa De Jong & Treadaway,1992** (Hesperiidae) **Synonym(s):** *surprisa* De Jong & Treadaway,1992 Range (in code): **PH Bab Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam Taw**
- 7353. Erionota sybiritia Hewitson,1876** (Hesperiidae) **Synonym(s):** *sybiritia* Hewitson,1876; *mabiliei* Staudinger,1889 Range (in code): **TH Cbi Tng PH Pal MM Tvy MY Bor SG VN**
- 7354. Erionota sybiritia sybiritia Hewitson,1876** (Hesperiidae) **Synonym(s):** *sybiritia* Hewitson,1876; *mabiliei* Staudinger,1889 Range (in code): **TH Cbi Tng PH Pal MM Tvy MY Bor SG**
- 7355. Erionota thrax (Linnaeus,1767)** (Hesperiidae) **Synonym(s):** *thrax* Linnaeus,1767 Range (in code): **TH Bnk Nna Ray Cbi Nrt Sgk Hya Tnc PH Din Hom Jol Ley Mno Sam Luz Ceb Cts Luz Mar Mas Mdo Mno Neg Pal Pan Pol Sib Stu Taw ID Ja Sum Nia Bgk Sbw Lb Bor Cib Sgr Ob Bch Hm Trn IN SI Ass MM VN MY**
- 7356. Erionota thrax alexandra Semper,1892** (Hesperiidae) **Synonym(s):** *alexandra* Semper,1892 Range (in code): **PH Luz**
- 7357. Erionota thrax hasdrubal Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *hasdrubal* Fruhstorfer,1910 Range (in code): **ID Ob Bch Hm Trn**
- 7358. Erionota thrax mindana Evans,1941** (Hesperiidae) **Synonym(s):** *mindana* Evans,1941 Range (in code): **PH Din Hom Jol Ley Mno Sam**

- 7359. Erionota thrax thrax (Linnaeus,1767)** (Hesperiidae) *Synonym(s): thrax Linnaeus,1767*
Range (in code): TH Bnk Nna Ray Cbi Nrt Sgk Hya Tnc PH Ceb Cts Luz Mar Mas Mdo Mno Neg Pal Pan Pol Sib Stu Taw ID Ja Sum Nia Bgk Shw Lb Bor Cib Sgr IN SI Ass MM VN MY
- 7360. Erionota torus Evans,1941** (Hesperiidae) *Synonym(s): torus Evans,1941* _ *Range (in code): TH CMA CDo Sbu Bnk Tng Rat Yal Nst Ths PH Ceb Din Ley Mno Neg Pan Sam IN SI Ddu Hp Ass MM Tvy VN Ton CN Fkn Kwa MY* *Bionomy: Larva on Musa [banana] (Musaceae) (Lewvanich,2001).*
- 7361. Erionota torus torus Evans,1941** (Hesperiidae) *Synonym(s): torus Evans,1941* _ *Range (in code): TH CMA CDo Sbu Bnk Tng Rat Yal Nst Ths PH Ceb Din Ley Mno Neg Pan Sam IN SI Ddu Hp Ass MM Tvy VN Ton CN Fkn Kwa MY* *Bionomy: Larva on Musa [banana] (Musaceae) (Lewvanich,2001).*
- 7362. Erionota tribus Evans,1941** (Hesperiidae) *Synonym(s): tribus Evans,1941* _ *Range (in code): ID Clb*
- 7363. Erionota tribus tribus Evans,1941** (Hesperiidae) *Synonym(s): tribus Evans,1941*
Range (in code): ID Clb
- 7364. Erynnis (Erynnides) afranius (Lintner,1878)** (Hesperiidae) *Synonym(s): afranius Lintner,1878* _ *Range (in code): US MX Arz Cf Col Id Kan Mon NDk NMx Neb Org SDk Ut Ws Wy CA Abt Yuk Mnt*
- 7365. Erynnis (Erynnides) baptisiae (Forbes,1936)** (Hesperiidae) *Synonym(s): baptisiae Forbes,1936* _ *Range (in code): US Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi Vr WVi Wc*
- 7366. Erynnis (Erynnides) funeralis (Scudder & Burgess,1870)** (Hesperiidae) *Synonym(s): funeralis Scudder & Burgess,1870; australis Mabille,1883* _ *Range (in code): US MX Aks Arz Cf Col Fl Idp Kan Knt Lou Mis Mss NMx Ne Neb Ok Tx Ut WVi*
- 7367. Erynnis (Erynnides) horatius (Scudder & Burgess,1870)** (Hesperiidae) *Synonym(s): horatius Scudder & Burgess,1870; virgilius Scudder & Burgess,1870; petronius Lintner,1881*
Range (in code): US Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NMx Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Ut Vi WVi Wc
- 7368. Erynnis (Erynnides) juvenalis (Fabricius,1793)** (Hesperiidae) *Synonym(s): juvenalis Fabricius,1793; costalis Westwood & Hewitson,1852; emnius Scudder & Burgess,1870; plautus Scudder & Burgess,1870* _ *Range (in code): US MX Aks Alb Arz Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi Vr WVi Wc Wy*
- 7369. Erynnis (Erynnides) juvenalis clitus (Edwards,1882)** (Hesperiidae) *Synonym(s): clitus Edwards,1882; maestus Godman & Salvin,1899* _ *Range (in code): MX US Arz Nh*
- 7370. Erynnis (Erynnides) lucilius (Scudder & Burgess,1870)** (Hesperiidae) *Synonym(s): lucilius Scudder & Burgess,1870* _ *Range (in code): US Cnt Idp Io Kan Knt Mch Mns Msc Nh Nje Ny Oh Pns RDi Vi Vr WVi Wc*
- 7371. Erynnis (Erynnides) martialis (Scudder,1869)** (Hesperiidae) *Synonym(s): martialis Scudder,1869; quercus Butler,1870; ausonius Lintner,1873* _ *Range (in code): US Aks Alb Cnt Col Fl Ge Id Idp Iln Io Kan Knt Lou Mch Mis Mns Mon Mrl Msc Mss NCa NMx Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi WVi Wc Wy*
- 7372. Erynnis (Erynnides) meridianus Bell,1927** (Hesperiidae) *Synonym(s): meridianus Bell,1927* _ *Range (in code): US MX Arz NMx Ne Tx Ut*
- 7373. Erynnis (Erynnides) meridianus fieldi Burns,1964** (Hesperiidae) *Synonym(s): fieldi Burns,1964* _ *Range (in code): MX*
- 7374. Erynnis (Erynnides) pacuvius (Lintner,1878)** (Hesperiidae) *Synonym(s): pacuvius Lintner,1878* _ *Range (in code): US MX Arz Cf Col Id Mon NMx Ne Org Ut Ws Wy*
- 7375. Erynnis (Erynnides) pacuvius callidus (Grinnell,1904)** (Hesperiidae) *Synonym(s): callidus Grinnell,1904* _ *Range (in code): MX US Cf*
- 7376. Erynnis (Erynnides) pacuvius lilius (Dyar,1904)** (Hesperiidae) *Synonym(s): lilius Dyar,1904* _ *Range (in code): CA BCo US Cf Mon Ne Org Ws*
- 7377. Erynnis (Erynnides) pacuvius pacuvius (Lintner,1878)** (Hesperiidae) *Synonym(s): pacuvius Lintner,1878* _ *Range (in code): MX US Arz Ut NMx*
- 7378. Erynnis (Erynnides) pacuvius pernigra (Grinnell,1905)** (Hesperiidae) *Synonym(s): pernigra Grinnell,1905* _ *Range (in code): US Cf*
- 7379. Erynnis (Erynnides) persius (Scudder,1864)** (Hesperiidae) *Synonym(s): persius Scudder,1864; borealis Cary,1906; avinoffi Holland,1930; fredericki Freeman,1943* _ *Range (in code): US Arz Cf Cnt Col Id Idp Iln Io Kan Lou Mai Mch Mon Mrl Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Ut Vi Vr Wc Ws Wy*

- 7380. Erynnis (Erynnides) proprius (Scudder & Burgess,1870)** (Hesperiidae) Synonym(s): *proprius* Scudder & Burgess,1870; *tibullus* Scudder & Burgess,1870 _ Range (in code): **US MX Cf Ne Org Ws**
- 7381. Erynnis (Erynnides) scudderi (Skinner,1914)** (Hesperiidae) Synonym(s): *scudderi* Skinner,1914 _ Range (in code): **US MX Arz NMx Tx**
- 7382. Erynnis (Erynnides) tristis (Boisduval,1852)** (Hesperiidae) Synonym(s): *tristis* Boisduval,1852 _ Range (in code): **US MX Arz Cf NMx Tx Ut CO CR GT HN MX PA**
- 7383. Erynnis (Erynnides) tristis pattersoni Burns,1964** (Hesperiidae) Synonym(s): *pattersoni* Burns,1964 _ Range (in code): **MX**
- 7384. Erynnis (Erynnides) tristis tatus (Edwards,1882)** (Hesperiidae) Synonym(s): *tatus* Edwards,1882; *albomarginatus* Godman & Salvin,1899 _ Range (in code): **CO CR GT HN MX PA US Arz NMx Tx**
- 7385. Erynnis (Erynnides) tristis tristis (Boisduval,1852)** (Hesperiidae) Synonym(s): *tristis* Boisduval,1852 _ Range (in code): **US Cf MX**
- 7386. Erynnis (Erynnides) zarucco (Lucas,1857)** (Hesperiidae) Synonym(s): *zarucco* Lucas,1857; *terentius* Scudder & Burgess,1870; *ovidius* Scudder & Burgess,1870; *naevius* Lintner,1881; *diogenes* Plötz,1884 _ Range (in code): **US Aks Alb Cnt Dw Fl Ge Ilm Knt Lou Mrl Mss NCa Nje Ok Pns Sca Tnn Tx Vi**
- 7387. Erynnis (Hesperopegasus) marloyi (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. Original Reference: Thanaos *marloyi* Boisduval,[1834], Icon. hist. Lépid. Europe 1: 241, pl.47 figs.6,7. Type ♂: Greece (BMNH). Range (in code): **AF AL BG GR IQ Rwz Shq IR Ab Qba Kp Fa Shr Kh LB MK RU TM TR Cc** Bionomy: Larva on *Pyrus spinosa* (Lafranchis,2003).
- 7388. Erynnis (Hesperopegasus) marloyi marloyi (Boisduval,[1834])** (Hesperiidae) Synonym(s): *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. Original Reference: Thanaos *marloyi* Boisduval,[1834], Icon. hist. Lépid. Europe 1: 241, pl.47 figs.6,7. Type ♂: Greece (BMNH). Range (in code): **IL He AF AL BG GR IQ Rwz Shq IR Ab Qba Kp Fa Shr Kh LB MK RU TM TR Cc** Bionomy: Larva on *Pyrus spinosa* (Lafranchis,2003).
- 7389. Erynnis (Hesperopegasus) max Evans,1949** (Hesperiidae) Synonym(s): *max* Evans,1949 Original Reference: *Erynnis marloyi* ssp. *max* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♂: [Pakistan]: Beluchistan: Khojak (BMNH). Range (in code): **Bl Chm Koj Qu PK**
- 7390. Erynnis (Hesperopegasus) max max Evans,1949** (Hesperiidae) Synonym(s): *max* Evans,1949 Original Reference: *Erynnis marloyi* ssp. *max* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♂: [Pakistan]: Beluchistan: Khojak (BMNH). Range (in code): **Bl Chm Koj Qu PK**
- 7391. Erynnis (Hesperopegasus) pathan Evans,1949** (Hesperiidae) Synonym(s): *pathan* Evans,1949 Original Reference: *Erynnis marloyi* ssp. *pathan* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 168. Holotype ♂: [Pakistan]: Chitral, Utzun valley (BMNH). Range (in code): **AF Ng Bl Ci Nwf PK IN Zh TJ**
- 7392. Erynnis (Hesperopegasus) pathan pathan Evans,1949** (Hesperiidae) Synonym(s): *pathan* Evans,1949 Original Reference: *Erynnis marloyi* ssp. *pathan* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 168. Holotype ♂: [Pakistan]: Chitral, Utzun valley (BMNH). Range (in code): **AF Ng IN Bl Ci Nwf PK Zh TJ**
- 7393. Erynnis (s.str.) brizo (Boisduval & Leconte,1834)** (Hesperiidae) Synonym(s): *brizo* Boisduval & Leconte,1834 _ Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Ilm Io Kan Knt Lou Mai Mch Mss Mns Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Pns RDi Sca SDk Tnn Tx Ut Vi WVi We Wy CA**
- 7394. Erynnis (s.str.) brizo brizo (Boisduval & Leconte,1834)** (Hesperiidae) Synonym(s): *brizo* Boisduval & Leconte,1834 _ Range (in code): **CA MX US Alb Aks Cnt Dw Fl Ge Ilm Idp Io Kan Knt Lou Mrl Msc Mch Mss Mns Nje Ny NCa Oh Rdi Pns Sca Tnn Tx Vi WVi We**
- 7395. Erynnis (s.str.) brizo burgessi (Skinner,1914)** (Hesperiidae) Synonym(s): *burgessi* Skinner,1914 _ Range (in code): **US Arz Cf Col Ne NMx Tx Ut**
- 7396. Erynnis (s.str.) brizo lacustra (Wright,1905)** (Hesperiidae) Synonym(s): *lacustra* Wright,1905 _ Range (in code): **MX US Cf**
- 7397. Erynnis (s.str.) brizo muelleri (Draudt,1923)** (Hesperiidae) Synonym(s): *muelleri* Draudt,1923 _ Range (in code): **MX**

- 7398. Erynnis (s.str.) brizo somnus (Lintner,1881)** (Hesperiidae) Synonym(s): *somnus* Lintner,1881. Range (in code): **US FI**
- 7399. Erynnis (s.str.) elbursina (Bytinski-Salz & Brandt,1937)** (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937. Original Reference: Thanaos elbursina Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: (3). Cotypes [Syntypes]: 2♂: Iran: Keredj, 1500m (in coll. Brandt). Range (in code): **IR Elb**
- 7400. Erynnis (s.str.) elbursina elbursina (Bytinski-Salz & Brandt,1937)** (Hesperiidae) Synonym(s): *elbursina* Bytinski-Salz & Brandt,1937. Original Reference: Thanaos elbursina Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: (3). Cotypes [Syntypes]: 2♂: Iran: Keredj, 1500m (in coll. Brandt). Range (in code): **IR Elb**
- 7401. Erynnis (s.str.) icelus (Scudder & Burgess,1870)** (Hesperiidae) Synonym(s): *icelus* Scudder & Burgess,1870; *boutista* Plötz,1884; *hamamaelidis* Scudder,1889. Range (in code): **US Aks Alb Arz Cf Cnt Col Fl Ge Id Idp Iln Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Ut Vi Vr WVi Wc Ws Wy**
- 7402. Erynnis (s.str.) mercurius (Dyar,1926)** (Hesperiidae) Synonym(s): *mercurius* Dyar,1926. Range (in code): **MX**
- 7403. Erynnis (s.str.) montanus (Bremer,1861)** (Hesperiidae) Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870. Original Reference: *Pyrgus montanus* Bremer,1861, Bull. phys. math. Acad. imp. Sci. St. Petersburg. 3: 556. Type(s): Russia: [Amur: Bureinsky Mts.]: "Bureja-Gebirge". Range (in code): **RU Vv Am JP Hkk Hdo Shk Kyu CN Yu Ti Sz Shs She Tkg Mc Hpe Hun Stg T-T Ats Btn**
- 7404. Erynnis (s.str.) montanus monta Evans,1949** (Hesperiidae) Synonym(s): *monta* Evans,1949. Range (in code): **CN Yu**
- 7405. Erynnis (s.str.) montanus montanus (Bremer,1861)** (Hesperiidae) Synonym(s): *montanus* Bremer,1861; *rusticanus* Butler,1870. Original Reference: *Pyrgus montanus* Bremer,1861, Bull. phys. math. Acad. imp. Sci. St. Petersburg. 3: 556. Type(s): Russia: [Amur: Bureinsky Mts.]: "Bureja-Gebirge". Range (in code): **RU Vv Am JP Hkk Hdo Shk Kyu CN Shs she Tkg Mc Hpe Hun Stg**
- 7406. Erynnis (s.str.) montanus nigrescens Leech,1894** (Hesperiidae) Synonym(s): *nigrescens* Leech,1894; *leechii* Elwes & Edwards,1897. Range (in code): **CN Ti Yu Sz T-T Ats Btn**
- 7407. Erynnis (s.str.) pelias Leech,1891** (Hesperiidae) Synonym(s): *pelias* Leech,1891. Range (in code): **Amd CN Nsh Sng Sz Tat Ts Yu Ti T-T Btn**
- 7408. Erynnis (s.str.) pelias erebus (Groum-Grshimailo,1890)** (Hesperiidae) Synonym(s): *erebus* Groum-Grshimailo,1890. Original Reference: *Nisoniades erebus* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 461. Syntypes ♂♀: [China: Qinghai]: *montibus Tetungensibus* et in *Sinin-Schan*. Range (in code): **Amd CN Nsh Sng Tat Ts**
- 7409. Erynnis (s.str.) pelias pelias Leech,1891** (Hesperiidae) Synonym(s): *pelias* Leech,1891. Range (in code): **CN Sz Yu Ti T-T Btn**
- 7410. Erynnis (s.str.) popoviana (Nordmann,1851)** (Hesperiidae) Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891. Original Reference: *Hesperia popoviana* Nordmann,1851, Bull. Soc. imp. Nat. Moscou 24 (4): 443. Syntypes: Umgegend von Kjachta [Kyakhta, Transbaikalia]. Range (in code): **RU MN CN Prj Us Am Ti Ts Stg She Pkn**
- 7411. Erynnis (s.str.) popoviana popoviana (Nordmann,1851)** (Hesperiidae) Synonym(s): *popoviana* Nordmann,1851; *sinina* Groum-Grshimailo,1891. Original Reference: *Hesperia popoviana* Nordmann,1851, Bull. Soc. imp. Nat. Moscou 24 (4): 443. Syntypes: Umgegend von Kjachta [Kyakhta, Transbaikalia]. Range (in code): **RU MN CN Prj Us Am Ti Ts Stg She Pkn**
- 7412. Erynnis (s.str.) tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. Original Reference: *Papilio tages* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): Europa. Range (in code): **At AL AT Ba BE BG BY CH Cr CZ DE DK EE ES An Mu Mu18 FR GB GR HU IE IQ IR Ab IT KG Kr LB LT LU LV MN NL NO PL PT RO RU Sb SE SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko MK SS HV B-H Mn Sau Tar CN Sz Ui Ce** Bionomy: Larva on *Lotus corniculatus*, *L. uliginosus*, *Hippocrepis comosa* (Tolman,1997).
- 7413. Erynnis (s.str.) tages cervantes (De Graslin,1836)** (Hesperiidae) Synonym(s): *cervantes* De Graslin,1836. Original Reference: *Thanaos cervantes* De Graslin,1836, Annls Soc. ent. Fr. 5: 558, tb.17 figs.1,2. Syntypes: Spain: Andalusia. Range (in code): **ES An Mu Mu18 FR**
- 7414. Erynnis (s.str.) tages tages (Linnaeus,1758)** (Hesperiidae) Synonym(s): *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. Original Reference: *Papilio tages* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): Europa. Range (in code): **AL AT**

Ba BE BG Bv Bw BY CH Cr CZ DE DK EE ES Mu FR GB GR HU IE IR IT KG Kr LB LT LU LV MN NL NO
PL PT RO Rp RU Sb SE SK Sm So Sr UA VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko MK SS HV B-H At
Mn Sau Tar CN Sz

- 7415. Erynnis (s.str.) tages unicolor (Freyer,[1848])** (Hesperiidae) Synonym(s): *unicolor* Freyer,[1848]; #*clarus* Caradja,1895; *magnatages* Verity,1938. Original Reference: *Hesperia unicolor* Freyer,[1848], Neuere Beitr. Schmett. 6 (85): 37, Taf. 505, fig.1. Type(s): Griechenland: auf den griechischen Inseln. Range (in code): GR TR IQ Cc
- 7416. Erynnis (s.str.) telemachus Burns,1960** (Hesperiidae) Synonym(s): *telemachus* Burns,1960 Range (in code): US Arz Col NMx Ne Ok Tx Ut Wy
- 7417. Euphyes alabamiae (Lindsey,1923)** (Hesperiidae) Synonym(s): *alabamiae* Lindsey,1923 Range (in code): US Alb
- 7418. Euphyes antra Evans,1955** (Hesperiidae) Synonym(s): *antra* Evans,1955 Range (in code): MX
- 7419. Euphyes arpa (Boisduval & LeConte,1834)** (Hesperiidae) Synonym(s): *arpa* Boisduval & LeConte,1834 Range (in code): US Fl Mss
- 7420. Euphyes bayensis Shuey,1989** (Hesperiidae) Synonym(s): *bayensis* Shuey,1989 Range (in code): US Tx
- 7421. Euphyes berryi (Bell,1941)** (Hesperiidae) Synonym(s): *berryi* Bell,1941 Range (in code): US Fl Ge NCa SCa
- 7422. Euphyes bimacula (Grote & Robinson,1867)** (Hesperiidae) Synonym(s): *bimacula* Grote & Robinson,1867; *acanoetus* Scudder,1868; *illinois* Dodge,1872 Range (in code): US Alb Cnt Col Ge Idp Iln Io Kan Mai Mch Mns Mrl Msc NCa Neb Nh Nje Ny Oh Pns RDi SCa SDk Vi Vr WVi Wc
- 7423. Euphyes canda Steinhäuser & A.Warren,2002** (Hesperiidae) Synonym(s): *canda* Steinhäuser & A.Warren,2002 Range (in code): MX
- 7424. Euphyes chamuli Freeman,1969** (Hesperiidae) Synonym(s): *chamuli* Freeman,1969 Range (in code): MX
- 7425. Euphyes conspicua (Edwards,1863)** (Hesperiidae) Synonym(s): *conspicua* Edwards,1863; *pontiac* Edwards,1863; *orono* Scudder,1872 Range (in code): US Cnt Dw Idp Iln Io Mch Mns Mrl Msc Neb Nh Nje Ny Oh Ok Pns RDi SCa Vi WVi Wc
- 7426. Euphyes conspicua buchholzi (Erich & Gillham,1951)** (Hesperiidae) Synonym(s): *buchholzi* Erlich & Gillham,1951 Range (in code): US Neb
- 7427. Euphyes conspicua conspicua (Edwards,1863)** (Hesperiidae) Synonym(s): *conspicua* Edwards,1863; *pontiac* Edwards,1863; *orono* Scudder,1872 Range (in code): US Mch
- 7428. Euphyes dion (Edwards,1879)** (Hesperiidae) Synonym(s): *dion* Edwards,1879 Range (in code): US Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi Vr Wc
- 7429. Euphyes dukesi (Lindsey,1923)** (Hesperiidae) Synonym(s): *dukesi* Lindsey,1923 Range (in code): US Aks Alb Fl Ge Idp Iln Knt Lou Mch Mis Mss NCa Oh SCa Tx Vi
- 7430. Euphyes macguirei Freeman,1975** (Hesperiidae) Synonym(s): *macguirei* Freeman,1975 Range (in code): US Tx
- 7431. Euphyes peneia (Godman,1900)** (Hesperiidae) Synonym(s): *peneia* Godman,1900; *catioides* Kaye,1925; *tristis* Lindsey,1925; *donahuei* Freeman,1967 Range (in code): MX
- 7432. Euphyes pilatka (Edwards,1867)** (Hesperiidae) Synonym(s): *pilatka* Edwards,1867; *floridensis* Plötz,1883 Range (in code): US Alb Fl Ge Lou Mrl Mss NCa SCa Vi
- 7433. Euphyes vestris (Boisduval,1852)** (Hesperiidae) Synonym(s): *vestris* Boisduval,1852 Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 7434. Euphyes vestris harbisoni Brown & McGuire,1983** (Hesperiidae) Synonym(s): *harbisoni* Brown & McGuire,1983 Range (in code): MX
- 7435. Euphyes vestris kiowah (Reakirt,1866)** (Hesperiidae) Synonym(s): *kiowah* Reakirt,1866 Range (in code): US Wy Col NMx Arz
- 7436. Euphyes vestris metacomet (Harris,1862)** (Hesperiidae) Synonym(s): *metacomet* Harris,1862; *rurea* Edwards,1862; *osyka* Edwards,1867 Range (in code): MX US Col Msc Lou
- 7437. Euphyes vestris vestris (Boisduval,1852)** (Hesperiidae) Synonym(s): *vestris* Boisduval,1852
- 7438. Euschemon rafflesia (Macleay,1827)** (Hesperiidae) Synonym(s): *rafflesia* Macleay,1827; *albo-ornatus* Olliff,1891; *alba* Mabille,1904. Range (in code): AU QAU

- 7439. *Euschemon rafflesia rafflesia* (Macleay,1827)** (Hesperiidae) Synonym(s): *rafflesia* Macleay,1827; *albo-ornatus* Olliff,1891; *alba* Mabile,1904. Range (in code): AU QAU
- 7440. *Euschemon rafflesia viridis* Waterhouse,1933** (Hesperiidae) Synonym(s): *viridis* Waterhouse,1933 Range (in code): AU QAU
- 7441. *Eutocus facilis* (Plötz,1884)** (Hesperiidae) Synonym(s): *facilis* Plötz,1884; *phthia* Godman,1901; *volasus* Godman,1901 Range (in code): MX
- 7442. *Eutychide complana* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *complana* Herrich-Schäffer,1869; *midia* Hewitson,1877; *favetta* Plötz,1882; *gura* Plötz,1882; *midia* Mabile,1891 Range (in code): MX
- 7443. *Eutychide ochus* Godman,1900** (Hesperiidae) Synonym(s): *ochus* Godman,1900 Range (in code): MX
- 7444. *Eutychide paria* (Plötz,1882)** (Hesperiidae) Synonym(s): *paria* Plötz,1882 Range (in code): MX
- 7445. *Exometoeca nycteris* Meyrick,1887** (Hesperiidae) Synonym(s): *nycteris* Meyrick,1887 Range (in code): AU WAU
- 7446. *Exometoeca nycteris nycteris* Meyrick,1887** (Hesperiidae) Synonym(s): *nycteris* Meyrick,1887 Range (in code): AU WAU
- 7447. *Felicena dirpha* (Boisduval,1832)** (Hesperiidae) Synonym(s): *dirpha* Boisduval,1832; ? *phalos* Boisduval,1832 Range (in code): Nlr Goo PG ID Ij Wan
- 7448. *Felicena dirpha albicilla* (Joicey & Talbot,1917)** (Hesperiidae) Synonym(s): *albicilla* Joicey & Talbot,1917 Range (in code): ID Ij Wan
- 7449. *Felicena dirpha dirpha* (Boisduval,1832)** (Hesperiidae) Synonym(s): *dirpha* Boisduval,1832; ? *phalos* Boisduval,1832 Range (in code): Nlr PG
- 7450. *Felicena dirpha nota* Evans,1949** (Hesperiidae) Synonym(s): *nota* Evans,1949 Range (in code): PG Goo
- 7451. *Felicena dora* Evans,1949** (Hesperiidae) Synonym(s): *dora* Evans,1949 Range (in code): PG
- 7452. *Felicena dora dora* Evans,1949** (Hesperiidae) Synonym(s): *dora* Evans,1949 Range (in code): PG
- 7453. *Flaccilla aecas* (Stoll,1781)** (Hesperiidae) Synonym(s): *aecas* Stoll,1781; *amana* Hewitson,1866 Range (in code): MX
- 7454. *Fresna carlo* Evans,1937** (Hesperiidae) Synonym(s): *carlo* Evans,1937 Range (in code): CM CI NG UG
- 7455. *Fresna cojo* (Karsch,1893)** (Hesperiidae) Synonym(s): *cojo* Karsch,1893 Range (in code): TG SN SL CI NG UG KE Bionomy: Larva on Andira, Milletia (Fabaceae) (Ackery et al.,1995).
- 7456. *Fresna maesseni* Miller,1971** (Hesperiidae) Synonym(s): *maesseni* Miller,1971 Range (in code): GH
- 7457. *Fresna netopha* (Hewitson,1878)** (Hesperiidae) Synonym(s): *netopha* Hewitson,1878 Range (in code): SL UG KE Bionomy: Larva on Paullinia (Sapindaceae) (Ackery et al.,1995).
- 7458. *Fresna nyassae* (Hewitson,1878)** (Hesperiidae) Synonym(s): *nyassae* Hewitson,1878; *roncilgonis* Plötz,1882; *ennuari* Riley,1921; *plata* Evans,1937; *joppa* Evans,1937 Range (in code): SL SD KE UG MW Zom ZW MZ ZM AO Bionomy: Larva on Albizia (Fabaceae) (Ackery et al.,1995).
- 7459. *Fulda bernieri* (Boisduval,1833)** (Hesperiidae) Synonym(s): *bernieri* Boisduval,1833; *cariate* Hewitson,1868; *ypsilon* Saalmüller,1884 Range (in code): MG
- 7460. *Fulda bernieri bernieri* (Boisduval,1833)** (Hesperiidae) Synonym(s): *bernieri* Boisduval,1833; *cariate* Hewitson,1868; *ypsilon* Saalmüller,1884 Range (in code): MG
- 7461. *Fulda bernieri gatiana* (Oberthür,1923)** (Hesperiidae) Synonym(s): *gatiana* Oberthür,1923 Range (in code): MG
- 7462. *Fulda bernieri lucida* Evans,1937** (Hesperiidae) Synonym(s): *lucida* Evans,1937 Range (in code): MG
- 7463. *Fulda bernieri pauliani* Evans,1952** (Hesperiidae) Synonym(s): *pauliani* Evans,1952 Range (in code): MG
- 7464. *Fulda coroller* (Boisduval,1833)** (Hesperiidae) Synonym(s): *coroller* Boisduval,1833; *antalcidas* C.Felder & R.Felder,[1867] Range (in code): MG
- 7465. *Fulda coroller australis* Viette,1956** (Hesperiidae) Synonym(s): *australis* Viette,1956 Range (in code): MG

- 7466. Fulda coroller coroller (Boisduval,1833)** (Hesperiidae) **Synonym(s):** *coroller* Boisduval,1833; *antalcidas* C.Felder & R.Felder,[1867] **Range (in code):** **MG**
- 7467. Fulda imorina Evans,1937** (Hesperiidae) **Synonym(s):** *imorina* Evans,1937 **Range (in code):** **MG**
- 7468. Fulda rhadama (Boisduval,1833)** (Hesperiidae) **Synonym(s):** *rhadama* Boisduval,1833 **Range (in code):** **MG**
- 7469. Galerga ellipsis (Saalmüller,1884)** (Hesperiidae) **Synonym(s):** *ellipsis* Saalmüller,1884; *mirza* Mabilie,[1887]; *idis* Oberthür,1916 **Range (in code):** **MG**
- 7470. Galerga fito (Evans,1937)** (Hesperiidae) **Synonym(s):** *fito* Evans,1937 **Range (in code):** **MG**
- 7471. Galerga hypostica Mabilie,1898** (Hesperiidae) **Synonym(s):** *hypostica* Mabilie,1898 **Range (in code):** **MG**
- 7472. Gamia abri Miller & Collins,1997** (Hesperiidae) **Synonym(s):** *abri* Miller & Collins,1997
- 7473. Gamia buchholzi (Plötz,1879)** (Hesperiidae) **Synonym(s):** *buchholzi* Plötz,1879; *ditissimus* Mabilie,1891; *basistriga* Holland,1893; *#robustus* Mabilie,1896 **Range (in code):** **KE UG ZR CG GA CM NG GH CI SL** **Bionomy:** Larva on Borassus, Phoenix, Raphia (Arecaceae) (Ackery et al.,1995).
- 7474. Gamia shelleyi (Sharpe,1890)** (Hesperiidae) **Synonym(s):** *shelleyi* Sharpe,1890; *galua* Holland,1891; *zintgraffi* Karsch,1892 **Range (in code):** **GA CM GN ZR TZ UG KE** **Bionomy:** Larva on Borassus, Cocos, Phoenix, Raphia (Arecaceae) (Ackery et al.,1995).
- 7475. Gangara lebadea Hewitson,1886** (Hesperiidae) **Synonym(s):** *lebadea* Hewitson,1886; *glandulosa* Distant,1886 **Range (in code):** **LK IN Adm PH Ley Pal TH Cbi Nna SI Ass MM Krh VN ID Ja Bor MY**
- 7476. Gangara lebadea andamanica (Wood-Mason & De Nicéville,1881)** (Hesperiidae) **Synonym(s):** *andamanica* Wood-Mason & De Nicéville,1881 **Range (in code):** **IN Adm**
- 7477. Gangara lebadea janlourensi Schröder & Treadaway,1987** (Hesperiidae) **Synonym(s):** *janlourensi* Schröder & Treadaway,1987 **Range (in code):** **PH Ley**
- 7478. Gangara lebadea lebadea Hewitson,1886** (Hesperiidae) **Synonym(s):** *lebadea* Hewitson,1886; *glandulosa* Distant,1886 **Range (in code):** **TH Cbi Nna IN SI Ass MM Krh VN ID Ja Bor MY**
- 7479. Gangara lebadea subfasciata (Moore,1878)** (Hesperiidae) **Synonym(s):** *subfasciata* Moore,1878 **Range (in code):** **LK**
- 7480. Gangara lebadea ustini Treadaway & Nuyda,1995** (Hesperiidae) **Synonym(s):** *ustini* Treadaway & Nuyda,1995 **Range (in code):** **PH Pal**
- 7481. Gangara sanguinocculus Martin,1895** (Hesperiidae) **Synonym(s):** *sanguinocculus* Martin,1895 **Range (in code):** **MM Krh MY ID Sum TH Rng**
- 7482. Gangara sanguinocculus sanguinocculus Martin,1895** (Hesperiidae) **Synonym(s):** *sanguinocculus* Martin,1895 **Range (in code):** **MM Krh MY ID Sum TH Rng**
- 7483. Gangara thyrsis (Fabricius,1775)** (Hesperiidae) **Synonym(s):** *thyrsis* Fabricius,1775; *pandia* Moore,1857; *yasodara* Fruhstorfer,1910; *hainana* Sonan,1920 **Original Reference:** *Papilio thyrsis* Fabricius,1775, Syst. Ent.: 532. Type(s): "America". **Range (in code):** **PH Neg Pan Pal CmL Ley Luz Mdo Mno Pao Sam Sib TH Chy CMa Qs Rng Tng Cbi Yal Nth Srt Nst Ths Chw LK IN Clc Ass Kgr Hp Adm MM VN CN Hn MY ID Sum Nia Bgk Bor Clb**
- 7484. Gangara thyrsis clothilda (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *clothilda* Herrich-Schäffer,1869 **Range (in code):** **LK**
- 7485. Gangara thyrsis magnificens De Jong & Treadaway,1993** (Hesperiidae) **Synonym(s):** *magnificens* De Jong & Treadaway,1993 **Range (in code):** **PH Neg Pan**
- 7486. Gangara thyrsis pandina Evans,1949** (Hesperiidae) **Synonym(s):** *pandina* Evans,1949 **Range (in code):** **ID Ja**
- 7487. Gangara thyrsis philippensis Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *philippensis* Fruhstorfer,1910 **Range (in code):** **PH CmL Ley Luz Mdo Mno Pao Sam Sib**
- 7488. Gangara thyrsis thyrsis (Fabricius,1775)** (Hesperiidae) **Synonym(s):** *thyrsis* Fabricius,1775; *pandia* Moore,1857; *yasodara* Fruhstorfer,1910; *hainana* Sonan,1920 **Original Reference:** *Papilio thyrsis* Fabricius,1775, Syst. Ent.: 532. Type(s): "America". **Range (in code):** **PH Pal TH Chy CMa Qs Rng Tng Cbi Yal Nth Srt Nst Ths Chw IN Ass Kgr Hp Clc Adm MM VN CN Hn MY ID Sum Nia Bgk Bor Clb**
- 7489. Ge geta De Nicéville,1895** (Hesperiidae) **Synonym(s):** *geta* De Nicéville,1895 **Range (in code):** **MM Mrg TH Yal MY Pen Sum Ja Bor ID**
- 7490. Ge geta geta De Nicéville,1895** (Hesperiidae) **Synonym(s):** *geta* De Nicéville,1895 **Range (in code):** **MM Mrg TH Yal MY Pen Sum Ja Bor ID**

- 7491. *Gegenes gambica* (Mabille,1878)** (Hesperiidae) Synonym(s): *gambica* Mabille,1878
Original Reference: Pamphila gambica Mabille,1878, Petit. nouv. Ent. 2: 233. Type(s): "Senegambia". Range (in code): **KE GM MZ ZW BW NA ZA Tva Lpo Spb Kru K12 Pma**
- 7492. *Gegenes gambica gambica* (Mabille,1878)** (Hesperiidae) Synonym(s): *gambica* Mabille,1878
Original Reference: Pamphila gambica Mabille,1878, Petit. nouv. Ent. 2: 233. Type(s): "Senegambia". Range (in code): **KE GM MZ ZW BW NA ZA Tva Lpo Spb Kru K12 Pma**
- 7493. *Gegenes hottentota* (Latreille,[1824])** (Hesperiidae) Synonym(s): *hottentota* Latreille,[1824]; *obumbrata* Trimen,1891; *ocra* Evans,1937. Original Reference: *Hesperia hottentota* Latreille,[1824], [in] Latreille & Godart, Ency. méth., Zool. 9: 777. Type(s): [South Africa]: Cap de Bonne-Esperance. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Wb Gau Pre Jh Brb Mpu Tva Lpo Spb Tra Stj Nta Kzu Lds ZM ZR ZW Har**
- 7494. *Gegenes hottentota hottentota* (Latreille,[1824])** (Hesperiidae) Synonym(s): *hottentota* Latreille,[1824]; *obumbrata* Trimen,1891; *ocra* Evans,1937. Original Reference: *Hesperia hottentota* Latreille,[1824], [in] Latreille & Godart, Ency. méth., Zool. 9: 777. Type(s): [South Africa]: Cap de Bonne-Esperance. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Wb Gau Pre Jh Brb Mpu Tva Lpo Spb Tra Stj Nta Kzu Lds ZM ZR ZW Har**
- 7495. *Gegenes niso* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *niso* Linnaeus,1764; *letterstedti* Wallengren,1857; *indica* Mabille,1883 Range (in code): **ZA Nta Kzu Ptb Tva Lpo Spb Mdk Kru K12 Pf AO MZ BW ZW** Bionomy: Larva on Ehrharta, Pennisetum, Zea (Poaceae) (Ackery et al.,1995).
- 7496. *Gegenes niso brevicornis* (Plötz,1884)** (Hesperiidae) Synonym(s): *brevicornis* Plötz,1884 Range (in code): **AO**
- 7497. *Gegenes niso niso* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *niso* Linnaeus,1764; *letterstedti* Wallengren,1857; *indica* Mabille,1883 Range (in code): **ZA Nta Kzu Ptb Tva Lpo Spb Mdk Kru K12 Pf MZ BW ZW** Bionomy: Larva on Ehrharta, Pennisetum, Zea (Poaceae) (Ackery et al.,1995).
- 7498. *Gegenes nostradamus* (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *#nostradamus* Rothschild,1913; *pumiliominima* Verity,1931; *megalegyna* Verity,1940 Original Reference: *Hesperia nostradamus* Fabricius,1793, Ent. syst. 3(1): 328-329. Type(s): Barbaria. Range (in code): **Ad AF AL As Ben BH BI Br Ci Cr Cu Dh DJ EG ET ER ES Mu Mu18 GR Rd Hj HV IN IT IQ Bgd Nsr JO KW LB IL Pa Hf MK Nwf OM Pj PK PT QA Rjp SA Sd Si SO SY TM TR Up AZ YE YE60 YU HV B-H Mt DZ MA Rbt Azr Agi Eba Sbd Bsk Gha Ajj Clo TN Cp Rw Nwf Ksl Ato SD** Bionomy: Larva on Aeluropus, Panicum (Poaceae) (Tolman,1997).
- 7499. *Gegenes nostradamus nostradamus* (Fabricius,1793)** (Hesperiidae) Synonym(s): *nostradamus* Fabricius,1793; *proclea* Walker,1870; *karsana* Moore,1874; *#nostradamus* Rothschild,1913; *pumiliominima* Verity,1931; *megalegyna* Verity,1940 Original Reference: *Hesperia nostradamus* Fabricius,1793, Ent. syst. 3(1): 328-329. Type(s): Barbaria. Range (in code): **Ad AF AL As Ben BH BI Br Ci Cr Cu Dh DJ EG ET ER ES Mu Mu18 GR Rd Hj HV IN IT IQ Bgd Nsr JO KW LB IL Pa Hf MK Nwf OM Pj PK PT QA Rjp SA Sd Si SO SY TM TR Up UZ YE YE60 YU HV B-H Mt DZ MA Rbt Azr Agi Eba Sbd Bsk Gha Ajj TN Cp Rw Nwf Ksl Ato SD**
- 7500. *Gegenes pumilio* (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 nec Fabr.,1775; *aetna* Boisduval,1840; *lefebvrui* Rambur,1842; *monochroa* Rebel,1907. Original Reference: *Papilio pumilio* Hoffmannsegg,1804, Mag. f. Insektenk. (Illiger) 3: 202. Lectotype selected by Hemming,1964, Annot. lep. (3): 112 (Pl.5 fig.2 of Cyrilli's Ent. Neap. published in 1787). Range (in code): **He IL AL BI Ci ES Mu FR GR Rd HV AF Hr BlM Ng Hyb IN IT JO Kul MT Nwf Pj PK Si Sk TR Up Wa YE YU Mt DZ Agi Clo MA TN IQ IR CY** Bionomy: Larva on Ehrhartia erecta, Cynodon dactylon, Hyparrhenia hirta (Tolman,1997).
- 7501. *Gegenes pumilio pumilio* (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *pumilio* Hoffmannsegg,1804; *pygmaeus* Cyrilli,1787 nec Fabr.,1775; *aetna* Boisduval,1840; *lefebvrui* Rambur,1842; *monochroa* Rebel,1907. Original Reference: *Papilio pumilio* Hoffmannsegg,1804, Mag. f. Insektenk. (Illiger) 3: 202. Lectotype selected by Hemming,1964, Annot. lep. (3): 112 (Pl.5 fig.2 of Cyrilli's Ent. neap. published in 1787). Range (in code): **AC He IL AL As BI Ci Dh DJ ES Mu ET ER FR GR Rd HV AF Hr BlM Ng Hyb IN IT JO Kul MT Nwf OM Pj PK SA SD SO Sa Si Sk TR Up Wa YE YU Mt DZ Agi Clo MA TN IQ IR CY**
- 7502. *Gerosis bhagava* (Moore,[1866])** (Hesperiidae) Synonym(s): *bhagava* Moore,[1866]; *milliana* Swinhoe,1912 Range (in code): **TH Cma CDo Nrt Knc Rat IN Adm MM Tvy NP Ass Mpr**
- 7503. *Gerosis bhagava andamanica* Wood-Mason & De Nicéville,1881** (Hesperiidae) Synonym(s): *andamanica* Wood-Mason & De Nicéville,1881 Range (in code): **IN Adm**

- 7504. *Gerosis bhagava bhagava* (Moore,[1866])** (Hesperiidae) Synonym(s): *bhagava* Moore,[1866]; *milliana* Swinhoe,1912 _ Range (in code): TH CMa CDo Nrt Knc Rat IN MM Tvy NP Ass Mpr
- 7505. *Gerosis corona* (Semper,1892)** (Hesperiidae) Synonym(s): *corona* Semper,1892 _ Range (in code): PH Ala CmM Ley Luz Mas Mdo Mno Pan Sam
- 7506. *Gerosis corona corona* (Semper,1892)** (Hesperiidae) Synonym(s): *corona* Semper,1892 _ Range (in code): PH Ala CmM Ley Luz Mas Mno Pan Sam
- 7507. *Gerosis corona halcona* Treadaway & Nuyda,1995** (Hesperiidae) Synonym(s): *halcona* Treadaway & Nuyda,1995 _ Range (in code): PH Mdo
- 7508. *Gerosis limax* (Plötz,1884)** (Hesperiidae) Synonym(s): *limax* Plötz,1884; *visana* Fruhstorfer,1910 _ Range (in code): MM Tvy Mrg TH Cbi Rng Tng Nst MY ID Sum Bor ID Nia Ja VN PH Bal Pal
- 7509. *Gerosis limax dirae* (De Nicéville,1895)** (Hesperiidae) Synonym(s): *dirae* De Nicéville,1895; *graya* Elwes & Edwards,1897 _ Range (in code): MM Mrg Tvy TH Cbi Rng Tng Nst MY ID Sum Bor VN
- 7510. *Gerosis limax fumosa* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *fumosa* Elwes & Edwards,1897 _ Range (in code): ID Nia
- 7511. *Gerosis limax limax* (Plötz,1884)** (Hesperiidae) Synonym(s): *limax* Plötz,1884; *visana* Fruhstorfer,1910 _ Range (in code): ID Ja
- 7512. *Gerosis limax philippina* Evans,1932** (Hesperiidae) Synonym(s): *philippina* Evans,1932 _ Range (in code): PH Bal Pal
- 7513. *Gerosis phisara* (Moore,1884)** (Hesperiidae) Synonym(s): *phisara* Moore,1884 _ Range (in code): CN Hn Yu Ndd Ti Sz T-T Hpe Kwa Kig SI IN Ass Hp Kma MM Tvy TH Cbi Nrt CMa CDo Nst Rat MY VN
- 7514. *Gerosis phisara phisara* (Moore,1884)** (Hesperiidae) Synonym(s): *phisara* Moore,1884; *hamiltonii* De Nicéville,1888; *kuki* Tytler,1915; *expansa* Mabile & Boulet,1916 _ Range (in code): SI IN Ass Hp Kma MM Tvy MY TH Cbi Nrt CMa CDo Rat Nst VN
- 7515. *Gerosis phisara rex* (Evans,1949)** (Hesperiidae) Synonym(s): *rex* Evans,1949 _ Range (in code): CN Yu Ndd Ti Sz T-T Hpe Kwa Kig
- 7516. *Gerosis phisara tenebrosa* Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *tenebrosa* Joicey & Talbot,1921 _ Range (in code): CN Hn TH
- 7517. *Gerosis sinica* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *sinica* C.Felder & R.Felder,1862; *diversa* Leech,1890 _ Range (in code): VN LA MY Bor CN Yu Lon Hpe Sz T-T IN Ass SI MM
- 7518. *Gerosis sinica minima* Swinhoe,1910** (Hesperiidae) Synonym(s): *minima* Swinhoe,1910 _ Range (in code): MY Bor
- 7519. *Gerosis sinica narada* (Moore,1884)** (Hesperiidae) Synonym(s): *narada* Moore,1884; *indica* Evans,1926. _ Range (in code): CN Yu Lon IN Ass SI MM LA VN
- 7520. *Gerosis sinica sinica* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *sinica* C.Felder & R.Felder,1862; *diversa* Leech,1890 _ Range (in code): CN Hpe Sz T-T
- 7521. *Gerosis tristis* (Eliot,1959)** (Hesperiidae) Synonym(s): *tristis* Eliot,1959 _ Range (in code): MY TH Nst Ths Sya
- 7522. *Gerosis tristis tristis* (Eliot,1959)** (Hesperiidae) Synonym(s): *tristis* Eliot,1959 _ Range (in code): MY TH Nst Ths Sya
- 7523. *Gerosis yuani* Huang,2003** (Hesperiidae) Synonym(s): *yuani* Huang,2003 _ Range (in code): CN Yu Ndd
- 7524. *Gerosis yuani yuani* Huang,2003** (Hesperiidae) Synonym(s): *yuani* Huang,2003 _ Range (in code): CN Yu Ndd
- 7525. *Gesta gesta* (Herrich-Schäffer,1863)** (Hesperiidae) Synonym(s): *gesta* Herrich-Schäffer,1863; *bigutta* Pittwitsch,1868; *brusus* Burmeister,1879; *blanda* Plötz,1884 _ Range (in code): US CU AR Bue
- 7526. *Gesta invisus* (Butler & Druce,1872)** (Hesperiidae) Synonym(s): *invisus* Butler & Druce,1872; *gorgona* Plötz,1884; *llano* Dodge,1903 _ Range (in code): MX CR GT US Tx
- 7527. *Gindanes brontius* Godman & Salvin,1895** (Hesperiidae) Synonym(s): *brontius* Godman & Salvin,1895 _ Range (in code): MX
- 7528. *Gindanes panaetius* Godman & Salvin,1895** (Hesperiidae) Synonym(s): *panaetius* Godman & Salvin,1895 _ Range (in code): MX
- 7529. *Gomialia elma* (Trimen,1862)** (Hesperiidae) Synonym(s): *elma* Trimen,1862; *jeanneli* Picard,1949. _ Original Reference: Pyrgus elma Trimen,1862, Trans. ent. Soc. Lond. 1862: 288.

Syntypes: Mossel Bay, Knysna, Plettenberg Bay- King William's Town, Cape of Good Hope.
Range (in code): **Ad AO As BF BI BJ BL BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd IN Poo KE Kre Kul Lhj LK LR LS MR MW MZ NA NE NG OM PK RW SA SD SL SN SO ST SZ TD TG TZ UG Up YE ZA Lpo Tva Spb Mdk Kru K12 Pf Ec Nta Kzu Mll Mpu Brb Ptc Wm Wri Gau Jh ZM ZR ZW YE47**

7530. Gomalia elma albofasciata Moore,1879 (Hesperiidae) Synonym(s): *albofasciata* Moore,1879; *litoralis* Swinhoe,1884 Original Reference: *Gomalia albofasciata* Moore, 1879, Proc. zool. Soc. Lond. 49: 144. Type: Ceylon. A single specimen captured between Kirrinde and Werewille beyond Hambantotte, on the S.E.Coast (in coll.Capt.Wade). Range (in code): **BI IN Kre Kul Lhj Poo LK PK Up SA As YE Ad YE47**

7531. Gomalia elma elma (Trimen,1862) (Hesperiidae) Synonym(s): *elma* Trimen,1862; *jeanneli* Picard,1949. Original Reference: *Pyrgus elma* Trimen,1862, Trans. ent. Soc. Lond. 1862: 288. Syntypes: Mossel Bay, Knysna, Plettenberg Bay- King William's Town, Cape of Good Hope. Range (in code): **AO BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd KE LR LS MR MW MZ NA NE NG OM RW SD SL SN SO ST SZ TD TG TZ UG ZA Lpo Tva Spb Mdk Kru K12 Pf Ec Nta Kzu Mll Mpu Brb Ptc Wm Wri Gau Jh ZM ZR ZW**

7532. Gorgyra aburae (Plötz,1879) (Hesperiidae) Synonym(s): *aburae* Plötz,1879 Range (in code): **SL GH LR NG CM**

7533. Gorgyra afikpo Druce,1909 (Hesperiidae) Synonym(s): *afikpo* Druce,1909 Range (in code): **SL LR CI NG CM CG UG**

7534. Gorgyra aretina (Hewitson,1878) (Hesperiidae) Synonym(s): *aretina* Hewitson,1878; *dolus* Plötz,1879; *#albiventris* Mabille,1896; *aretinodes* Strand,1913 Range (in code): **CM GN NG GA ZR SL LR GH UG KE**

7535. Gorgyra bibulus N.D.Riley,1929 (Hesperiidae) Synonym(s): *bibulus* N.D.Riley,1929 Range (in code): **KE UG ZR NG MW** Bionomy: Larva on Drypetes (Euphorbiaceae) (Ackery et al.,1995).

7536. Gorgyra bina Evans,1937 (Hesperiidae) Synonym(s): *bina* Evans,1937 Range (in code): **CM SL LR GA CG ZR UG**

7537. Gorgyra bule Miller,1964 (Hesperiidae) Synonym(s): *bule* Miller,1964 Range (in code): **CM**

7538. Gorgyra diva Evans,1937 (Hesperiidae) Synonym(s): *diva* Evans,1937 Range (in code): **KE TZ** Bionomy: Larva on Byroscarpus (Connaraceae) (Ackery et al.,1995).

7539. Gorgyra diversata Holland,1896 (Hesperiidae) Synonym(s): *diversata* Holland,1896; *diversata* Evans,1937 Range (in code): **CI GA CM GN LR AO UG**

7540. Gorgyra heterochrus (Mabille,1890) (Hesperiidae) Synonym(s): *heterochrus* Mabille,1890 Range (in code): **CI LR SL CM**

7541. Gorgyra johnstoni (Butler,1894) (Hesperiidae) Synonym(s): *johnstoni* Butler,1894 Range (in code): **ZW ZM ZR MZ MW TZ KE**

7542. Gorgyra kalinzu Evans,1949 (Hesperiidae) Synonym(s): *kalinzu* Evans,1949 Range (in code): **UG ZR**

7543. Gorgyra minima Holland,1896 (Hesperiidae) Synonym(s): *minima* Holland,1896 Range (in code): **GN CG SL NG CM UG**

7544. Gorgyra mocquersii Holland,1896 (Hesperiidae) Synonym(s): *mocquersii* Holland,1896 Range (in code): **CG SL LR NG CM GA AO CG ZR TZ UG**

7545. Gorgyra pali Evans,1937 (Hesperiidae) Synonym(s): *pali* Evans,1937 Range (in code): **CM LR GH NG CM ZR UG**

7546. Gorgyra rubescens Holland,1896 (Hesperiidae) Synonym(s): *rubescens* Holland,1896; *tessmanni* Strand,1913 Range (in code): **ZR CG GA CM NG**

7547. Gorgyra sara Evans,1937 (Hesperiidae) Synonym(s): *sara* Evans,1937 Range (in code): **SL LR CI NG CM ZR GO**

7548. Gorgyra sola Evans,1937 (Hesperiidae) Synonym(s): *sola* Evans,1937 Range (in code): **SL LR NG GA CM ZR**

7549. Gorgyra subfacatus (Mabille,1890) (Hesperiidae) Synonym(s): *subfacatus* Mabille,1890 Range (in code): **SL LR CI GH NG TZ**

7550. Gorgyra subfacatus subfacatus (Mabille,1890) (Hesperiidae) Synonym(s): *subfacatus* Mabille,1890 Range (in code): **SL LR CI GH NG**

7551. Gorgyra subfacatus vosseleri Grünberg,1907 (Hesperiidae) Synonym(s): *vosseleri* Grünberg,1907 Range (in code): **TZ**

- 7552. *Gorgyra subflavidus* Holland,1896** (Hesperiidae) Synonym(s): *subflavidus* Holland,1896;
pan Evans,1947 _ Range (in code): MZ TZ KE
- 7553. *Gorgythion begga* (Prittwitz,1868)** (Hesperiidae) Synonym(s): *begga* Prittwitz,1868;
tucumana Burmeister,1878 _ Range (in code): US MX FI Tx PE AR SR
- 7554. *Gorgythion begga pyralina* (Möschler,1877)** (Hesperiidae) Synonym(s): *pyralina*
Möschler,1877; *Schaus*,1902 _ Range (in code): MX PE
- 7555. *Grais stigmaticus* (Mabille,1883)** (Hesperiidae) Synonym(s): *stigmaticus* Mabille,1883;
fumosus Plötz,1884 _ Range (in code): US MX Arz Kan NMx Tx BR
- 7556. *Granila paseas* (Hewitson,1857)** (Hesperiidae) Synonym(s): *paseas* Hewitson,1857
Range (in code): BR
- 7557. *Gretna balenge* (Holland,1891)** (Hesperiidae) Synonym(s): *balenge* Holland,1891
Range (in code): LR SL CI GH NG CM GA ZR UG TZ
- 7558. *Gretna balenge balenge* (Holland,1891)** (Hesperiidae) Synonym(s): *balenge*
Holland,1891 _ Range (in code): NG CM GA ZR UG TZ
- 7559. *Gretna balenge zowa* Lindsey & Miller,1965** (Hesperiidae) Synonym(s): *zowa* Lindsey
& Miller,1965 _ Range (in code): SL CI GH LR
- 7560. *Gretna bugoma* Evans,1947** (Hesperiidae) Synonym(s): *bugoma* Evans,1947 _ Range (in code): UG
- 7561. *Gretna carmen* Evans,1937** (Hesperiidae) Synonym(s): *carmen* Evans,1937 _ Range (in code): CM ZR KE TZ Bionomy: Larva on *Borassus*, *Phoenix*, *Raphia* (Arecaceae) (Ackery et al.,1995).
- 7562. *Gretna carmen capra* Evans,1937** (Hesperiidae) Synonym(s): *capra* Evans,1937
Range (in code): KE TZ
- 7563. *Gretna carmen carmen* Evans,1937** (Hesperiidae) Synonym(s): *carmen* Evans,1937
Range (in code): CM ZR
- 7564. *Gretna cylinda* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cylinda* Hewitson,1876
Range (in code): LR CI CM AO ZR SD UG
- 7565. *Gretna lacida* (Hewitson,1876)** (Hesperiidae) Synonym(s): *lacida* Hewitson,1876
Range (in code): GA SL LR CM CG ZR
- 7566. *Gretna waga* (Plötz,1886)** (Hesperiidae) Synonym(s): *waga* Plötz,1886; *ilerda* Möschler,1887
Range (in code): GH SN ZR
- 7567. *Gretna zarembo* (Plötz,1884)** (Hesperiidae) Synonym(s): *zarembo* Plötz,1884 _ Range (in code): NG CM UG
- 7568. *Gretna zarembo jacksoni* Evans,1937** (Hesperiidae) Synonym(s): *jacksoni* Evans,1937
Range (in code): UG
- 7569. *Gretna zarembo zarembo* (Plötz,1884)** (Hesperiidae) Synonym(s): *zarembo* Plötz,1884
Range (in code): NG CM UG
- 7570. *Gyrogra subnotata* (Holland,1894)** (Hesperiidae) Synonym(s): *subnotata* Holland,1894;
#rufipuncta Mabille,1896 _ Range (in code): SL CI NG CM GA ZR CG
- 7571. *Halotus jonaveriorum* Burns,1992** (Hesperiidae) Synonym(s): *jonaveriorum* Burns,1992
Range (in code): MX
- 7572. *Halotus rica* (Bell,1942)** (Hesperiidae) Synonym(s): *rica* Bell,1942 _ Range (in code): MX
- 7573. *Halpe arcuata* Evans,1937** (Hesperiidae) Synonym(s): *arcuata* Evans,1937 _ Range (in code): VN MM Krh SI IN Ass MY TH Chy Nna CMa
- 7574. *Halpe arcuata arcuata* Evans,1937** (Hesperiidae) Synonym(s): *arcuata* Evans,1937
Range (in code): MM Krh SI IN Ass MY TH Chy Nna CMa
- 7575. *Halpe aurifera* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *aurifera* Elwes &
Edwards,1897; *hazis* Nicéville,1897 _ Range (in code): Nia ID MY TH MM Tvy
- 7576. *Halpe aurifera aurifera* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *aurifera*
Elwes & Edwards,1897; *hazis* Nicéville,1897 _ Range (in code): Nia ID MY TH MM Tvy
- 7577. *Halpe beturia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *beturia* Hewitson,1868;
majuscula Elwes & Edwards,1897. _ Range (in code): ID Clb
- 7578. *Halpe beturia beturia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *beturia*
Hewitson,1868; *majuscula* Elwes & Edwards,1897. _ Range (in code): ID Clb
- 7579. *Halpe burmana* Swinhoe,1913** (Hesperiidae) Synonym(s): *burmana* Swinhoe,1913
Range (in code): TH Chy MM

- 7580. Halpe burmana burmana Swinhoe,1913** (Hesperiidae) Synonym(s): *burmana Swinhoe,1913* - Range (in code): **TH Chy MM**
- 7581. Halpe clara Cassidy,1985** (Hesperiidae) Synonym(s): *clara Cassidy,1985* - Range (in code): **MY**
- 7582. Halpe clara clara Cassidy,1985** (Hesperiidae) Synonym(s): *clara Cassidy,1985* - Range (in code): **MY**
- 7583. Halpe dante Evans,1949** (Hesperiidae) Synonym(s): *dante Evans,1949* - Range (in code): **PH Luz Ley Mno Neg**
- 7584. Halpe dante dante Evans,1949** (Hesperiidae) Synonym(s): *dante Evans,1949* - Range (in code): **PH Neg**
- 7585. Halpe dante luzona Evans,1949** (Hesperiidae) Synonym(s): *luzona Evans,1949* - Range (in code): **PH Luz**
- 7586. Halpe dante tilia Evans,1949** (Hesperiidae) Synonym(s): *tilia Evans,1949* - Range (in code): **PH Ley Mno**
- 7587. Halpe dizangpusa Huang,2002** (Hesperiidae) Synonym(s): *dizangpusa Huang,2002* - Range (in code): **CN Anw**
- 7588. Halpe elana Eliot,1959** (Hesperiidae) Synonym(s): *elana Eliot,1959* - Range (in code): **MY TH Chy Cbi**
- 7589. Halpe elana elana Eliot,1959** (Hesperiidae) Synonym(s): *elana Eliot,1959* - Range (in code): **MY TH Chy Cbi**
- 7590. Halpe fasciata Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *fasciata Elwes & Edwards,1897* - Range (in code): **MY Bor**
- 7591. Halpe fasciata fasciata Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *fasciata Elwes & Edwards,1897* - Range (in code): **MY Bor**
- 7592. Halpe flava Evans,1926** (Hesperiidae) Synonym(s): *flava Evans,1926* - Range (in code): **MM Tvy Mrg Krh TH Yal Phe Nst MY Bor VN**
- 7593. Halpe flava flava Evans,1926** (Hesperiidae) Synonym(s): *flava Evans,1926* - Range (in code): **MM Tvy Mrg Krh TH Yal Phe Nst MY Bor VN**
- 7594. Halpe frontieri Devyatkin,1997** (Hesperiidae) Synonym(s): *frontieri Devyatkin,1997* - Range (in code): **VN**
- 7595. Halpe gamma Evans,1937** (Hesperiidae) Synonym(s): *gamma Evans,1937* - Range (in code): **CN T-T Sz TW Fkn**
- 7596. Halpe gamma gamma Evans,1937** (Hesperiidae) Synonym(s): *gamma Evans,1937* - Range (in code): **CN T-T Sz TW Fkn**
- 7597. Halpe hauxwelli Evans,1937** (Hesperiidae) Synonym(s): *hauxwelli Evans,1937* - Range (in code): **MM Shn Pey IN Ass Mpr MY Lkw TH CMa Cbu Nst Ths**
- 7598. Halpe hauxwelli hauxwelli Evans,1937** (Hesperiidae) Synonym(s): *hauxwelli Evans,1937* - Range (in code): **MM Shn Pey IN Ass Mpr MY Lkw TH CMa Cbu Nst Ths**
- 7599. Halpe hieron De Nicéville,1894** (Hesperiidae) Synonym(s): *hieron De Nicéville,1894* - Range (in code): **MY Prk ID Sum**
- 7600. Halpe hieron hieron De Nicéville,1894** (Hesperiidae) Synonym(s): *hieron De Nicéville,1894* - Range (in code): **MY Prk ID Sum**
- 7601. Halpe homolea (Hewitson,1868)** (Hesperiidae) Synonym(s): *homolea Hewitson,1868* - Range (in code): **LK SI IN Ass Meg Mpr Nag Slo MM Kath Hta Sad Msm Ti CN Khs Krh Shn NI Sz T-T Fkn SG MY VN**
- 7602. Halpe homolea aucma Swinhoe,1893** (Hesperiidae) Synonym(s): *aucma Swinhoe,1893; marta Swinhoe,1893; perara Swinhoe,1893* - Range (in code): **IN Ass Meg Mpr Nag Slo MM Kath Ti CN Khs Krh Shn NI Sz T-T Fkn SG MY**
- 7603. Halpe homolea ceylonica Moore,1878** (Hesperiidae) Synonym(s): *ceylonica Moore,1878* - Range (in code): **LK**
- 7604. Halpe homolea egena (C.Felder,1868)** (Hesperiidae) Synonym(s): *egenae C.Felder,1868; brunnea Moore,1881* - Range (in code): **LK**
- 7605. Halpe homolea filda Evans,1949** (Hesperiidae) Synonym(s): *filda Evans,1949* - Range (in code): **SI**
- 7606. Halpe homolea handa Evans,1949** (Hesperiidae) Synonym(s): *handa Evans,1949* - Range (in code): **VN MM Krh Shn Hta Sad**
- 7607. Halpe homolea hindu Evans,1937** (Hesperiidae) Synonym(s): *hindu Evans,1937* - Range (in code): **IN NI**

- 7608. Halpe homolea homolea (Hewitson,1868)** (Hesperiidae) Synonym(s): *homolea Hewitson,1868* _ Range (in code): SG MY
- 7609. Halpe homolea molta Evans,1949** (Hesperiidae) Synonym(s): *molta Evans,1949* _ Range (in code): SI
- 7610. Halpe homolea nephele Leech,1894** (Hesperiidae) Synonym(s): *nephele Leech,1894* _ Range (in code): CN Sz T-T Fkn
- 7611. Halpe homolea perfossa South,1913** (Hesperiidae) Synonym(s): *perfossa South,1913* _ Range (in code): MM Msm
- 7612. Halpe inconspicua De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *inconspicua De Jong & Treadaway,1993* _ Range (in code): PH Ley Pao Sam
- 7613. Halpe inconspicua inconspicua De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *inconspicua De Jong & Treadaway,1993* _ Range (in code): PH Ley Pao Sam
- 7614. Halpe insignis (Distant,1886)** (Hesperiidae) Synonym(s): *insignis Distant,1886* _ Range (in code): SG MM Mrg MY TH CMa ID Sum Bor
- 7615. Halpe insignis insignis (Distant,1886)** (Hesperiidae) Synonym(s): *insignis Distant,1886* _ Range (in code): SG MM Mrg MY TH CMa ID Sum Bor
- 7616. Halpe knyveti Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *knyveti Elwes & Edwards,1897; tytleri Evans,1932; kilda Evans,1937* _ Range (in code): IN Ass Meg Khs SI Nag MM Krh
- 7617. Halpe knyveti knyveti Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *knyveti Elwes & Edwards,1897; tytleri Evans,1932; kilda Evans,1937* _ Range (in code): IN Ass Meg Khs SI Nag MM Krh
- 7618. Halpe kumara De Nicéville,1885** (Hesperiidae) Synonym(s): *kumara De Nicéville,1885* _ Range (in code): SI IN Nag Khs Mpr Ass Meg
- 7619. Halpe kumara kumara De Nicéville,1885** (Hesperiidae) Synonym(s): *kumara De Nicéville,1885* _ Range (in code): SI IN Nag Khs Mpr Ass Meg
- 7620. Halpe kusala Fruhstorfer,1911** (Hesperiidae) Synonym(s): *kusala Fruhstorfer,1911; diana Evans,1932* _ Range (in code): MM Mrg TH CMa Loe VN Ann MY
- 7621. Halpe kusala kusala Fruhstorfer,1911** (Hesperiidae) Synonym(s): *kusala Fruhstorfer,1911; diana Evans,1932* _ Range (in code): MM Mrg TH CMa Loe VN Ann MY
- 7622. Halpe latipinna De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *latipinna De Jong & Treadaway,1993* _ Range (in code): PH Mdo
- 7623. Halpe latipinna latipinna De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *latipinna De Jong & Treadaway,1993* _ Range (in code): PH Mdo
- 7624. Halpe luteisquama (Mabille,1876)** (Hesperiidae) Synonym(s): *luteisquama Mabille,1876; bazilana Fruhstorfer,1911* _ Range (in code): PH Bas Ceb CmL Ley Luz Mar Mdo Mno Neg Pal Pan Rom Sib Stu Taw
- 7625. Halpe luteisquama luteisquama (Mabille,1876)** (Hesperiidae) Synonym(s): *luteisquama Mabille,1876; bazilana Fruhstorfer,1911* _ Range (in code): PH Bas Ceb CmL Ley Luz Mar Mdo Mno Neg Pal Pan Rom Sib Stu Taw
- 7626. Halpe mahapara Fruhstorfer,1911** (Hesperiidae) Synonym(s): *mahapara Fruhstorfer,1911* _ Range (in code): PH Cal Pal
- 7627. Halpe mahapara mahapara Fruhstorfer,1911** (Hesperiidae) Synonym(s): *mahapara Fruhstorfer,1911* _ Range (in code): PH Cal Pal
- 7628. Halpe ormenes Plötz,1886** (Hesperiidae) Synonym(s): *ormenes Plötz,1886* _ Range (in code): MM ID Sum Ja MY Nia TH Nna CMa
- 7629. Halpe ormenes ormenes Plötz,1886** (Hesperiidae) Synonym(s): *ormenes Plötz,1886* _ Range (in code): MM ID Sum Ja MY Nia
- 7630. Halpe ormenes vilasina Fruhstorfer,1911** (Hesperiidae) Synonym(s): *vilasina Fruhstorfer,1911; vistara Fruhstorfer,1911.* _ Range (in code): TH Nna CMa
- 7631. Halpe palawea (Staudinger,1889)** (Hesperiidae) Synonym(s): *palawea Staudinger,1889* _ Original Reference: Pamphila homolea var.? palawea Staudinger,1889, Dt. ent. Z., Iris 2: 144. Syntypes 5♂: [Philippines]: Palawan (leg. Platen). Range (in code): PH Cal Pal
- 7632. Halpe palawea palawea (Staudinger,1889)** (Hesperiidae) Synonym(s): *palawea Staudinger,1889* _ Original Reference: Pamphila homolea var.? palawea Staudinger,1889, Dt. ent. Z., Iris 2: 144. Syntypes 5♂: [Philippines]: Palawan (leg. Platen). Range (in code): PH Cal Pal
- 7633. Halpe paupera Devyatkin,2002** (Hesperiidae) Synonym(s): *paupera Devyatkin,2002* _ Range (in code): CN VN

- 7634. Halpe paupera walthewi Devyatkin,2002** (Hesperiidae) Synonym(s): *walthewi Devyatkin,2002* - Range (in code): **CN**
- 7635. Halpe pelethronix Fruhstorfer,1910** (Hesperiidae) Synonym(s): *pelethronix Fruhstorfer,1910; limbanga Evans,1932* - Range (in code): **MM Mrg Tvy Krh PH Pal ID Ja Bor Sum MY TH Rng Tng VN**
- 7636. Halpe pelethronix pagaia Evans,1932** (Hesperiidae) Synonym(s): *pagaia Evans,1932* - Range (in code): **VN MM Krh Mrg Tvy**
- 7637. Halpe pelethronix pelethronix Fruhstorfer,1910** (Hesperiidae) Synonym(s): *pelethronix Fruhstorfer,1910; limbanga Evans,1932* - Range (in code): **PH Pal ID Ja Bor Sum MY TH Rng Tng**
- 7638. Halpe porus (Mabille,1876)** (Hesperiidae) Synonym(s): *porus Mabille,1876; moorei E.Y.Watson,1893; teliga Swinhoe,1893; beturina Fruhstorfer,1911* - Range (in code): **LK IN Ass Adm Clc MM Tvy CN Hn KwT Kwa TH Chy CMA Cuo Cuo5 Nna Rat Sbu Cbi Knc Nrt Ray Nst Ths Sya Bnk MY Pen VN Ann**
- 7639. Halpe porus porus (Mabille,1876)** (Hesperiidae) Synonym(s): *porus Mabille,1876; moorei E.Y.Watson,1893; teliga Swinhoe,1893; beturina Fruhstorfer,1911* - Range (in code): **LK IN Ass Adm Clc MM Tvy CN Hn KwT Kwa TH Chy CMA Cuo Cuo5 Nna Rat Sbu Cbi Knc Nrt Ray Nst Ths Sya Bnk MY Pen VN Ann**
- 7640. Halpe purpurascens De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *purpurascens De Jong & Treadaway,1993* - Range (in code): **PH Ley Mas Mno Neg Pan**
- 7641. Halpe sikkima (Moore,1882)** (Hesperiidae) Synonym(s): *sikkima Moore,1882; selangora Swinhoe,1913* - Range (in code): **SI IN Ass Meg Khs MM Mrg Mpr TH CMA CN Hn MY ID Sum Ja Bor**
- 7642. Halpe sikkima sikkima (Moore,1882)** (Hesperiidae) Synonym(s): *sikkima Moore,1882; selangora Swinhoe,1913* - Range (in code): **SI IN Ass Meg Khs MM Mrg Mpr TH CMA CN Hn MY ID Sum Ja Bor**
- 7643. Halpe sulphurifera (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *sulphurifera Herrich-Schäffer,1869; joloana Fruhstorfer,1911.* - Range (in code): **PH Jol Ley Luz Mar Mas Mdo Mno Neg Pal Sib Taw**
- 7644. Halpe sulphurifera sulphurifera (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *sulphurifera Herrich-Schäffer,1869; joloana Fruhstorfer,1911.* - Range (in code): **PH Jol Ley Luz Mar Mas Mdo Mno Neg Pal Sib Taw**
- 7645. Halpe toxopea Evans,1932** (Hesperiidae) Synonym(s): *toxopea Evans,1932* - Range (in code): **ID Ja Sum Bor PH Cal Pal MY Lkw TH Tng**
- 7646. Halpe toxopea toxopea Evans,1932** (Hesperiidae) Synonym(s): *toxopea Evans,1932* - Range (in code): **ID Ja Sum Bor PH Cal Pal MY Lkw TH Tng**
- 7647. Halpe veluvana Fruhstorfer,1911** (Hesperiidae) Synonym(s): *veluvana Fruhstorfer,1911* - Range (in code): **IN Krh MM ID Sum MY Bor Ja Lkw VN**
- 7648. Halpe veluvana brevicornis Evans,1932** (Hesperiidae) Synonym(s): *brevicornis Evans,1932* - Range (in code): **IN Krh MM ID Sum MY Bor Lkw VN**
- 7649. Halpe veluvana veluvana Fruhstorfer,1911** (Hesperiidae) Synonym(s): *veluvana Fruhstorfer,1911* - Range (in code): **ID Ja**
- 7650. Halpe wantona Swinhoe,1893** (Hesperiidae) Synonym(s): *wantona Swinhoe,1893; confusa Evans,1932* - Range (in code): **MM Mpr IN Ass Shn Slo MY TH TAK Nna Rng VN**
- 7651. Halpe wantona wantona Swinhoe,1893** (Hesperiidae) Synonym(s): *wantona Swinhoe,1893; confusa Evans,1932* - Range (in code): **MM Mpr IN Ass Shn Slo MY TH TAK Nna Rng VN**
- 7652. Halpe zandra Evans,1937** (Hesperiidae) Synonym(s): *zandra Evans,1937* - Range (in code): **ID Ja**
- 7653. Halpe zandra zandra Evans,1937** (Hesperiidae) Synonym(s): *zandra Evans,1937* - Range (in code): **ID Ja**
- 7654. Halpe zema (Hewitson,1877)** (Hesperiidae) Synonym(s): *zema Hewitson,1877* - Original Reference: *Hesperia zema Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 77. Syntypes: Darjeeling, Sarawak (coll. Hewitson).* - Range (in code): **SI Djl IN Ass MM TH MY Nia Bor Swk ID**
- 7655. Halpe zema vistula Evans,1937** (Hesperiidae) Synonym(s): *vistula Evans,1937* - Range (in code): **MY Bor**
- 7656. Halpe zema zema (Hewitson,1877)** (Hesperiidae) Synonym(s): *zema Hewitson,1877* - Original Reference: *Hesperia zema Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 77. Syntypes: Darjeeling, Sarawak (coll. Hewitson).* - Range (in code): **SI Djl IN Ass MM TH MY Nia Bor Swk ID**

- 7657. Halpe zinda Evans,1937** (Hesperiidae) *Synonym(s): zinda Evans,1937* _ Range (in code): ID Ja MY
- 7658. Halpe zinda zinda Evans,1937** (Hesperiidae) *Synonym(s): zinda Evans,1937* _ Range (in code): ID Ja
- 7659. Halpe zinda zodia Eliot,1980** (Hesperiidae) *Synonym(s): zodia Eliot,1980* _ Range (in code): MY
- 7660. Halpe zola Evans,1937** (Hesperiidae) *Synonym(s): zola Evans,1937* _ Range (in code): MM Mpr Tvy Mrg TH CMa CDo Cbi Rng Nna Rat VN
- 7661. Halpe zola zamba Corbet,1940** (Hesperiidae) *Synonym(s): zamba Corbet,1940* _ Range (in code): MY
- 7662. Halpe zola zola Evans,1937** (Hesperiidae) *Synonym(s): zola Evans,1937* _ Range (in code): MM Mpr Tvy Mrg TH CMa CDo Cbi Rng Nna Rat VN
- 7663. Hasora (Discolor-gr.) borneensis Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): borneensis Elwes & Edwards,1897* _ Range (in code): MY Bor KBa PH Ley Luz Mas Mdo Mno
- 7664. Hasora (Discolor-gr.) borneensis borneensis Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): borneensis Elwes & Edwards,1897* _ Range (in code): MY Bor KBa
- 7665. Hasora (Discolor-gr.) borneensis luza Evans,1949** (Hesperiidae) *Synonym(s): luza Evans,1949* _ Range (in code): PH Ley Luz Mas Mdo Mno
- 7666. Hasora (Discolor-gr.) buina Evans,1926** (Hesperiidae) *Synonym(s): buina Evans,1926* _ Range (in code): SB Bgv
- 7667. Hasora (Discolor-gr.) buina buina Evans,1926** (Hesperiidae) *Synonym(s): buina Evans,1926* _ Range (in code): SB Bgv
- 7668. Hasora (Discolor-gr.) discolor (Felder,1859)** (Hesperiidae) *Synonym(s): discolor Felder,1859* _ Range (in code): Nlr PG ID Bch Amb Bru Ob Aru Kai AU QAU Wg
- 7669. Hasora (Discolor-gr.) discolor discolor (Felder,1859)** (Hesperiidae) *Synonym(s): discolor Felder,1859* _ Range (in code): ID Amb Bru Ob
- 7670. Hasora (Discolor-gr.) discolor eira Evans,1949** (Hesperiidae) *Synonym(s): eira Evans,1949* _ Range (in code): Nlr PG
- 7671. Hasora (Discolor-gr.) discolor mastusia Fruhstorfer,1911** (Hesperiidae) *Synonym(s): mastusia Fruhstorfer,1911* _ Range (in code): PG ID Aru Kai AU QAU Wg
- 7672. Hasora (Discolor-gr.) discolor splendida Mabilie,1876** (Hesperiidae) *Synonym(s): splendida Mabilie,1876* _ Range (in code): ID Bch
- 7673. Hasora (Discolor-gr.) umbrina Mabilie,1891** (Hesperiidae) *Synonym(s): umbrina Mabilie,1891; hobroa Swinhoe,1907* _ Range (in code): ID Clb
- 7674. Hasora (Discolor-gr.) umbrina umbrina Mabilie,1891** (Hesperiidae) *Synonym(s): umbrina Mabilie,1891; hobroa Swinhoe,1907* _ Range (in code): ID Clb
- 7675. Hasora (Lizetta-gr.) lizetta Plötz,1884** (Hesperiidae) *Synonym(s): lizetta Plötz,1884; hadria De Nicéville,1889; wortha Swinhoe,1907.* _ Range (in code): MY Prk ID Sum Ja
- 7676. Hasora (Lizetta-gr.) lizetta lizetta Plötz,1884** (Hesperiidae) *Synonym(s): lizetta Plötz,1884; hadria De Nicéville,1889; wortha Swinhoe,1907.* _ Range (in code): MY Prk ID Sum Ja
- 7677. Hasora (Lizetta-gr.) mus Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): mus Elwes & Edwards,1897* _ Range (in code): MY Bor KBa
- 7678. Hasora (Lizetta-gr.) mus mus Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): mus Elwes & Edwards,1897* _ Range (in code): MY Bor KBa
- 7679. Hasora (Lizetta-gr.) mus pahanga Evans,1926** (Hesperiidae) *Synonym(s): pahanga Evans,1926* _ Range (in code): MY
- 7680. Hasora (Lizetta-gr.) proxissima Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): proxissima Elwes & Edwards,1897* _ Range (in code): TH Chy Sbu PG SB MY Bor VN PH Pal Ley Mdo Mno
- 7681. Hasora (Lizetta-gr.) proxissima lavella Evans,1926** (Hesperiidae) *Synonym(s): lavella Evans,1926* _ Range (in code): SB
- 7682. Hasora (Lizetta-gr.) proxissima proxissima Elwes & Edwards,1897** (Hesperiidae) *Synonym(s): proxissima Elwes & Edwards,1897* _ Range (in code): PH Ley Mdo Mno
- 7683. Hasora (Lizetta-gr.) proxissima siamica Evans,1932** (Hesperiidae) *Synonym(s): siamica Evans,1932* _ Range (in code): VN TH Chy Sbu
- 7684. Hasora (Lizetta-gr.) proxissima siva Evans,1932** (Hesperiidae) *Synonym(s): siva Evans,1932* _ Range (in code): MY Bor PH Pal

- 7685. Hasora (Lizetta-gr.) proxissima takwa Evans,1949** (Hesperiidae) **Synonym(s):** *takwa Evans,1949* _ **Range (in code):** **PG**
- 7686. Hasora (Lizetta-gr.) salanga Plötz,1885** (Hesperiidae) **Synonym(s):** *salanga Plötz,1885; woolletti Riley,1923* _ **Range (in code):** **VN MM MY ID Sum Bor TH Srt**
- 7687. Hasora (Lizetta-gr.) salanga salanga Plötz,1885** (Hesperiidae) **Synonym(s):** *salanga Plötz,1885; woolletti Riley,1923* _ **Range (in code):** **VN MM MY ID Sum Bor TH Srt**
- 7688. Hasora (Mixta-gr.) badra (Moore,1858)** (Hesperiidae) **Synonym(s):** *badra Moore,1858; certhia Plötz,1884; godana Fruhstorfer,1911; sankarya Fruhstorfer,1911.* _ **Range (in code):** **LK PH Bal Cal Pal ID Ja Clb Flo Nia Egg Sum TW IN Adm Baw SI Ass TH Chy Rat Nrt Srt Nst Ths Sya Chw MM CN Hn Kig**
- 7689. Hasora (Mixta-gr.) badra badra (Moore,1858)** (Hesperiidae) **Synonym(s):** *badra Moore,1858; certhia Plötz,1884; godana Fruhstorfer,1911; sankarya Fruhstorfer,1911.* _ **Range (in code):** **PH Bal Cal Pal ID Ja Clb Flo Nia Egg Sum TW IN Adm Baw SI Ass TH Chy Rat Nrt Srt Nst Ths Sya Chw MM CN Hn Kig**
- 7690. Hasora (Mixta-gr.) badra lanka Evans,1926** (Hesperiidae) **Synonym(s):** *lanka Evans,1926* _ **Range (in code):** **LK**
- 7691. Hasora (Mixta-gr.) celaenus (Stoll,[1782])** (Hesperiidae) **Synonym(s):** *celaenus Stoll,[1782]; lugubris Boisduval,1832; violacea Elwes & Edwards,1897; akshita Fruhstorfer,1911.* _ **Range (in code):** **ID Amb Wg Bch Ob Crm Bru Aru Mi PG SB**
- 7692. Hasora (Mixta-gr.) celaenus celaenus (Stoll,[1782])** (Hesperiidae) **Synonym(s):** *celaenus Stoll,[1782]; lugubris Boisduval,1832; violacea Elwes & Edwards,1897; akshita Fruhstorfer,1911.* **Range (in code):** **ID Amb Wg Bch Ob Crm Bru Aru Mi PG SB**
- 7693. Hasora (Mixta-gr.) mixta (Mabille,1876)** (Hesperiidae) **Synonym(s):** *mixta Mabille,1876; cirta Fruhstorfer,1911* _ **Range (in code):** **ID Bch Amb Amb Ob Hm Nia Ja Sum Btu MY MM Clb Sla PH Bal Pal Taw Bas Bil Ceb CmL Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sam Sib**
- 7694. Hasora (Mixta-gr.) mixta fenestrata Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *fenestrata Fruhstorfer,1911* _ **Range (in code):** **ID Clb Sla**
- 7695. Hasora (Mixta-gr.) mixta mixta (Mabille,1876)** (Hesperiidae) **Synonym(s):** *mixta Mabille,1876; cirta Fruhstorfer,1911* _ **Range (in code):** **PH Bas Bil Ceb CmL Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sam Sib**
- 7696. Hasora (Mixta-gr.) mixta prabha Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *prabha Fruhstorfer,1911; lioneli Fruhstorfer,1911; tyrius Fruhstorfer,1911; yanuna Fruhstorfer,1911.* _ **Range (in code):** **ID Nia Ja Sum Btu MY MM PH Bal Pal Taw**
- 7697. Hasora (Mixta-gr.) mixta simplicissima (Mabille,1876)** (Hesperiidae) **Synonym(s):** *simplicissima Mabille,1876* _ **Range (in code):** **ID Bch Amb Amb Ob Hm**
- 7698. Hasora (Mixta-gr.) moestissima (Mabille,1876)** (Hesperiidae) **Synonym(s):** *moestissima Mabille,1876* _ **Range (in code):** **ID Aru Clb PH CmM Hom Ley Luz Mas Mdo Mno Neg Sam**
- 7699. Hasora (Mixta-gr.) moestissima moestissima (Mabille,1876)** (Hesperiidae) **Synonym(s):** *moestissima Mabille,1876* _ **Range (in code):** **ID Clb PH CmM Hom Ley Luz Mas Mdo Mno Neg Sam**
- 7700. Hasora (Mixta-gr.) moestissima unica Evans,1934** (Hesperiidae) **Synonym(s):** *unica Evans,1934* _ **Range (in code):** **ID Aru**
- 7701. Hasora (Mixta-gr.) perplexa (Mabille,1876)** (Hesperiidae) **Synonym(s):** *perplexa Mabille,1876* _ **Range (in code):** **ID Mlc**
- 7702. Hasora (Mixta-gr.) perplexa perplexa (Mabille,1876)** (Hesperiidae) **Synonym(s):** *perplexa Mabille,1876* _ **Range (in code):** **ID Mlc**
- 7703. Hasora (Mixta-gr.) quadripunctata (Mabille,1876)** (Hesperiidae) **Synonym(s):** *quadripunctata Mabille,1876* _ **Range (in code):** **TH Nst MY ID Bch Hm Clb Sum Ja PH CmM Din Ley Mdo Mno Sam**
- 7704. Hasora (Mixta-gr.) quadripunctata celebica Staudinger,1889** (Hesperiidae) **Synonym(s):** *celebica Staudinger,1889* _ **Range (in code):** **ID Clb**
- 7705. Hasora (Mixta-gr.) quadripunctata gnaeus Plötz,1884** (Hesperiidae) **Synonym(s):** *gnaeus Plötz,1884; madatta Fruhstorfer,1911* _ **Range (in code):** **TH Nst MY ID Sum Ja PH CmM Din Ley Mdo Mno Sam**
- 7706. Hasora (Mixta-gr.) quadripunctata quadripunctata (Mabille,1876)** (Hesperiidae) **Synonym(s):** *quadripunctata Mabille,1876* _ **Range (in code):** **ID Bch Hm**
- 7707. Hasora (Mixta-gr.) subcoelestis Rothschild,1916** (Hesperiidae) **Synonym(s):** *subcoelestis Rothschild,1916* _ **Range (in code):** **PG**

- 7708. Hasora (Mixta-gr.) subcoelestis subcoelestis Rothschild,1916** (Hesperiidae)
Synonym(s): *subcoelestis Rothschild,1916* _ Range (in code): PG
- 7709. Hasora (Mixta-gr.) vitta (Butler,1870)** (Hesperiidae) Synonym(s): *vitta Butler,1870; chabrona Plötz,1884.* _ Range (in code): CN Yu Bap Ndd PH Bal Luz Mdo Mno Pal MM TH Rng Cbi Chy Yal CMA Nrt Rat Sgk Hya Knc Nst Chw MY VN Ton ID Bor Sum Nia Clb Adm Wg IN PG
- 7710. Hasora (Mixta-gr.) vitta indica Evans,1932** (Hesperiidae) Synonym(s): *indica Evans,1932* _ Range (in code): CN Yu Bap Ndd TH Rng Nst Chw
- 7711. Hasora (Mixta-gr.) vitta manda Evans,1949** (Hesperiidae) Synonym(s): *manda Evans,1949* _ Range (in code): ID Adm
- 7712. Hasora (Mixta-gr.) vitta proximata Staudinger,1889** (Hesperiidae) Synonym(s): *proximata Staudinger,1889; pathana Fruhstorfer,1911.* _ Range (in code): PH Bal Luz Mdo Mno Pal
- 7713. Hasora (Mixta-gr.) vitta simillima Rothschild,1916** (Hesperiidae) Synonym(s): *simillima Rothschild,1916; latifascia Joicey & Talbot,1917.* _ Range (in code): ID Wg PG
- 7714. Hasora (Mixta-gr.) vitta sula Evans,1932** (Hesperiidae) Synonym(s): *sula Evans,1932* _ Range (in code): ID Clb
- 7715. Hasora (Mixta-gr.) vitta vitta (Butler,1870)** (Hesperiidae) Synonym(s): *vitta Butler,1870; chabrona Plötz,1884.* _ Range (in code): MM MY TH Cbi Chy Yal CMA Nrt Rat Sgk Hya Knc Nst VN Ton ID Bor Sum Nia Clb
- 7716. Hasora (Myra-gr.) anura De Nicéville,1889** (Hesperiidae) Synonym(s): *anura De Nicéville,1889* _ Range (in code): SI Khs IN Meg Ass Nag Mpr MM Shn CN Yu Qq Lsd Sz T-T Fkn Hun TH CMA VN
- 7717. Hasora (Myra-gr.) anura anura De Nicéville,1889** (Hesperiidae) Synonym(s): *anura De Nicéville,1889* _ Range (in code): SI Khs IN Meg Ass Nag Mpr MM Shn TH CMA VN
- 7718. Hasora (Myra-gr.) anura china Evans,1949** (Hesperiidae) Synonym(s): *china Evans,1949* _ Range (in code): CN Yu Qq Lsd Sz T-T Fkn Hun
- 7719. Hasora (Myra-gr.) danda Evans,1949** (Hesperiidae) Synonym(s): *danda Evans,1949* _ Range (in code): MM Shn IN Mpr Ass Krh TH CMA VN Ton
- 7720. Hasora (Myra-gr.) danda danda Evans,1949** (Hesperiidae) Synonym(s): *danda Evans,1949* _ Range (in code): MM Shn IN Mpr Ass Krh TH CMA VN Ton
- 7721. Hasora (Myra-gr.) myra (Hewitson,1867)** (Hesperiidae) Synonym(s): *myra Hewitson,1867* _ Range (in code): ID Sum Ja MY
- 7722. Hasora (Myra-gr.) myra funebris Evans,1932** (Hesperiidae) Synonym(s): *funebris Evans,1932* _ Range (in code): MY
- 7723. Hasora (Myra-gr.) myra myra (Hewitson,1867)** (Hesperiidae) Synonym(s): *myra Hewitson,1867* _ Range (in code): ID Sum Ja
- 7724. Hasora (Myra-gr.) zoma Evans,1934** (Hesperiidae) Synonym(s): *zoma Evans,1934* _ Range (in code): MY ID Sum TH Srt
- 7725. Hasora (Myra-gr.) zoma zoma Evans,1934** (Hesperiidae) Synonym(s): *zoma Evans,1934* _ Range (in code): MY ID Sum TH Srt
- 7726. Hasora (Thridas-gr.) khoda (Mabille,1876)** (Hesperiidae) Synonym(s): *khoda Mabille,1876* _ Range (in code): PG Dmp Bgv SB Hon Hon4 IN Ass MM Adm Kch AU QAU Bri NC MY TH Cbi ID Amb Bru Crm Sba Nia Ja Clb Tal PH Bal Ley Luz Mar Neg Pal Pan Sam Taw
- 7727. Hasora (Thridas-gr.) khoda burgeri Ribbe,1889** (Hesperiidae) Synonym(s): *burgeri Ribbe,1889* _ Range (in code): ID Clb Tal
- 7728. Hasora (Thridas-gr.) khoda coulteri Wood Mason & De Nicéville,1881** (Hesperiidae) Synonym(s): *coulteri Wood Mason & De Nicéville,1881* _ Range (in code): TH Cbi IN Ass MM Adm Kch
- 7729. Hasora (Thridas-gr.) khoda dampierensis Rothschild,1915** (Hesperiidae)
Synonym(s): *dampierensis Rothschild,1915* _ Range (in code): PG Dmp
- 7730. Hasora (Thridas-gr.) khoda haslia Swinhoe,1899** (Hesperiidae) Synonym(s): *haslia Swinhoe,1899* _ Original Reference: Hasora haslia Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 107-108. Syntypes 1♂ 5♀: [Australia]: "Brisbane". Range (in code): AU QAU Bri
- 7731. Hasora (Thridas-gr.) khoda khoda (Mabille,1876)** (Hesperiidae) Synonym(s): *khoda Mabille,1876* _ Range (in code): NC
- 7732. Hasora (Thridas-gr.) khoda linda Evans,1934** (Hesperiidae) Synonym(s): *linda Evans,1934* _ Range (in code): PG Bgv SB Hon Hon4
- 7733. Hasora (Thridas-gr.) khoda minsona Swinhoe,1907** (Hesperiidae) Synonym(s): *minsona Swinhoe,1907* _ Range (in code): MY PH Bal Ley Luz Mar Neg Pal Pan Sam Taw

- 7734. Hasora (Thridas-gr.) khoda plexa Evans,1949** (Hesperiidae) **Synonym(s):** *plexa Evans,1949* _ Range (in code): **ID Amb Bru Crm**
- 7735. Hasora (Thridas-gr.) khoda tantra Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *tantra Fruhstorfer,1911; avajra Fruhstorfer,1911.* _ Range (in code): **ID Sba Nia Ja**
- 7736. Hasora (Thridas-gr.) leucospila Mabilie,1891** (Hesperiidae) **Synonym(s):** *leucospila Mabilie,1891; palinda Swinhoe,1905; matisca Fruhstorfer,1911; parnia Fruhstorfer,1911.* _ Range (in code): **TH Rng Srt MY Bor KBa ID Amb Clb Ja MM Mrg Sum PH Bas Hom Ley Luz Mdo Mno Neg Pal Sam**
- 7737. Hasora (Thridas-gr.) leucospila leucospila Mabilie,1891** (Hesperiidae) **Synonym(s):** *leucospila Mabilie,1891; palinda Swinhoe,1905; matisca Fruhstorfer,1911; parnia Fruhstorfer,1911.* _ Range (in code): **TH Rng Srt MY Bor KBa ID Clb Ja MM Mrg Sum PH Bas Hom Ley Luz Mdo Mno Neg Pal Sam**
- 7738. Hasora (Thridas-gr.) leucospila spila Evans,1949** (Hesperiidae) **Synonym(s):** *spila Evans,1949* _ Range (in code): **ID Amb**
- 7739. Hasora (Thridas-gr.) thridas (Boisduval,1832)** (Hesperiidae) **Synonym(s):** *thridas Boisduval,1832; ribbei Plötz,1886; apara Fruhstorfer,1911.* _ Range (in code): **ID Bru Ob Hm Amb Crm Wg PG NBr Nlr NHa**
- 7740. Hasora (Thridas-gr.) thridas chalybeata Joicey & Talbot,1917** (Hesperiidae) **Synonym(s):** *chalybeata Joicey & Talbot,1917* _ Range (in code): **ID Wg PG NBr Nlr NHa**
- 7741. Hasora (Thridas-gr.) thridas thridas (Boisduval,1832)** (Hesperiidae) **Synonym(s):** *thridas Boisduval,1832; ribbei Plötz,1886; apara Fruhstorfer,1911.* _ Range (in code): **ID Bru Ob Hm Amb Crm**
- 7742. Hasora (Thridas-gr.) wilcocksi Eliot,1970** (Hesperiidae) **Synonym(s):** *wilcocksi Eliot,1970* _ Range (in code): **MY Tio**
- 7743. Hasora (s.str.) chromus (Cramer,[1782])** (Hesperiidae) **Synonym(s):** *alexis Fabricius,1775 nec Poda,1761; chromus Cramer,[1782]; contempta Plötz,[1883]; lucescens Lucas,1900; attenuata Mabilie,[1904] nec Staudinger,1889; ganapata Fruhstorfer,1911.* Original Reference: *Papilio chromus Cramer,[1782], Uitl. Kapellen 3(18): 37, Pl.214, figs. E, F.* _ Range (in code): **AU QAU FJ NH Amm Oki Isg Iri Yo JP PH Bas Ley Mar Neg Taw Tic IN PK Bl LK MM TH Knc Nth Nrt Rat TW MY Bor PG Nlr VN Ann CN Kgs ID Tnm SB Rs**
- 7744. Hasora (s.str.) chromus bilunata Butler,1882** (Hesperiidae) **Synonym(s):** *bilunata Butler,1882* _ Range (in code): **FJ NH**
- 7745. Hasora (s.str.) chromus chromus (Cramer,[1782])** (Hesperiidae) **Synonym(s):** *alexis Fabricius,1775 nec Poda,1761; chromus Cramer,[1782]; contempta Plötz,[1883]; lucescens Lucas,1900; attenuata Mabilie,[1904] nec Staudinger,1889; ganapata Fruhstorfer,1911.* Original Reference: *Papilio chromus Cramer,[1782], Uitl. Kapellen 3 (18): 37, Pl.214, figs. E, F.* _ Range (in code): **AU QAU PH Bas Ley Mar Neg Taw Tic IN PK Bl LK MM TH Knc Nth Nrt Rat TW MY Bor PG Nlr VN Ann CN Kgs ID Tnm SB Rs**
- 7746. Hasora (s.str.) chromus inermis Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *inermis Elwes & Edwards,1897* _ Range (in code): **Amm Oki Isg Iri Yo JP**
- 7747. Hasora (s.str.) coeruleostriata De Jong,1982** (Hesperiidae) **Synonym(s):** *coeruleostriata De Jong,1982* _ Range (in code): **PH Hom Ley Luz Mas Neg Pal Pan Sam**
- 7748. Hasora (s.str.) hurama (Butler,1870)** (Hesperiidae) **Synonym(s):** *hurama Butler,1870; vivapama Fruhstorfer,1911; postfasciata Rothschild,1916.* _ Range (in code): **SB PG Adl ID Aru Bch Ob Clb Bru Crm Amb Wg Mi Nlr Wd AU QAU**
- 7749. Hasora (s.str.) hurama arua Evans,1934** (Hesperiidae) **Synonym(s):** *arua Evans,1934* _ Range (in code): **ID Aru**
- 7750. Hasora (s.str.) hurama hurama (Butler,1870)** (Hesperiidae) **Synonym(s):** *hurama Butler,1870; vivapama Fruhstorfer,1911; postfasciata Rothschild,1916.* _ Range (in code): **ID Ob Clb Bru Crm Amb Wg Mi PG Nlr Wd AU QAU**
- 7751. Hasora (s.str.) hurama kieta Strand,1922** (Hesperiidae) **Synonym(s):** *kieta Strand,1922* _ Range (in code): **SB PG Adl**
- 7752. Hasora (s.str.) hurama mola Evans,1949** (Hesperiidae) **Synonym(s):** *mola Evans,1949* _ Range (in code): **ID Bch**
- 7753. Hasora (s.str.) mavis Evans,1934** (Hesperiidae) **Synonym(s):** *mavis Evans,1934* _ Range (in code): **PH Luz Neg Pao Sam**
- 7754. Hasora (s.str.) schoenherr (Latreille,1828)** (Hesperiidae) **Synonym(s):** *schoenherr Latreille,1828* _ Range (in code): **ID Ja PH Bal Pal Bab Boh CmM Ley Luz Mar Mdo Mno Neg Pan Pao Sam Sib IN Ass Nag Nia MM TH CMA CDo Cbi Nna Tng Srt Yal Rng VN Ton MY Bor Swk Sum**
- 7755. Hasora (s.str.) schoenherr babuyana Treadaway & Nuyda,1995** (Hesperiidae) **Synonym(s):** *babuyana Treadaway & Nuyda,1995* _ Range (in code): **PH Bab**

- 7756. Hasora (s.str.) schoenherr chuza (Hewitson,1867)** (Hesperiidae) Synonym(s): *chuza* Hewitson,1867; *sumatranus* Kalis,1933 _ Range (in code): PH Bal Pal MY Bor Swk Sum ID TH Tng Srt Yal Rng
- 7757. Hasora (s.str.) schoenherr cridatta Fruhstorfer,1911** (Hesperiidae) Synonym(s): *cridatta* Fruhstorfer,1911 _ Range (in code): IN Nia
- 7758. Hasora (s.str.) schoenherr gaspa Evans,1949** (Hesperiidae) Synonym(s): *gaspa* Evans,1949 _ Range (in code): IN Ass Nag MM TH CMa CDo Cbi Nna VN Ton
- 7759. Hasora (s.str.) schoenherr saida (Hewitson,1867)** (Hesperiidae) Synonym(s): *saida* Hewitson,1867; *gentiana* Felder,1867. _ Range (in code): PH Boh CmM Ley Luz Mar Mdo Mno Neg Pan Pao Sam Sib
- 7760. Hasora (s.str.) schoenherr schoenherr (Latreille,1828)** (Hesperiidae) Synonym(s): *schoenherr* Latreille,1828 _ Range (in code): ID Ja
- 7761. Hasora (s.str.) taminatus (Hübner,[1818])** (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818] _ Range (in code): PH Bal Pal Bas Boh Ceb CmL Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sib Taw Tic IN Adm Nk LK TW ID Sum Nia Ja Sbw Kgn Tim Sba Clb Wg Amb Bch Bru Crm Ob Kai Hm SI Hp Kgr CN Sz MM Krh MY Bor Hn TH CMa Loe Cbu Rng Tng Chy Rat Spk Nst VN
- 7762. Hasora (s.str.) taminatus amboinensis Swinhoe,1909** (Hesperiidae) Synonym(s): *amboinensis* Swinhoe,1909; *pramidha* Fruhstorfer,1911; *junta* Evans,1934. _ Range (in code): ID Amb Bch Bru Crm Ob Kai Hm
- 7763. Hasora (s.str.) taminatus andama Evans,1949** (Hesperiidae) Synonym(s): *andama* Evans,1949 _ Range (in code): IN Adm Nk
- 7764. Hasora (s.str.) taminatus attenuata Staudinger,1889** (Hesperiidae) Synonym(s): *attenuata* Staudinger,1889; *meala* Swinhoe,1907; *acakra* Fruhstorfer,1911. _ Range (in code): ID Clb
- 7765. Hasora (s.str.) taminatus bhavara Fruhstorfer,1911** (Hesperiidae) Synonym(s): *bhavara* Fruhstorfer,1911 _ Range (in code): SI IN Hp Kgr CN Sz MM Krh TH CMa Loe
- 7766. Hasora (s.str.) taminatus dipama Fruhstorfer,1911** (Hesperiidae) Synonym(s): *dipama* Fruhstorfer,1911 _ Range (in code): ID Wg
- 7767. Hasora (s.str.) taminatus malayana (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *malayana* C.Felder & R.Felder,1860; *almea* Swinhoe,1909; *conostigma* Joicey & Talbot,1921; *salemana* Kalis,1933. _ Range (in code): PH Bal Pal MY Bor CN Hn TH CMa Cbu Rng Tng Chy Rat Spk Nst ID Sum Nia Ja Sbw Kgn VN
- 7768. Hasora (s.str.) taminatus milona Evans,1932** (Hesperiidae) Synonym(s): *milona* Evans,1932 _ Range (in code): IN Nk
- 7769. Hasora (s.str.) taminatus padma Fruhstorfer,1911** (Hesperiidae) Synonym(s): *padma* Fruhstorfer,1911; *galaca* Fruhstorfer,1911. _ Range (in code): PH Bas Boh Ceb CmL Hom Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sib Taw Tic ID Tim Sba
- 7770. Hasora (s.str.) taminatus taminatus (Hübner,[1818])** (Hesperiidae) Synonym(s): *taminatus* Hübner,[1818] _ Range (in code): LK IN
- 7771. Hasora (s.str.) taminatus vairacana Fruhstorfer,1911** (Hesperiidae) Synonym(s): *vairacana* Fruhstorfer,1911 _ Range (in code): TW
- 7772. Helias cama Evans,1953** (Hesperiidae) Synonym(s): *cama* Evans,1953 _ Range (in code): MX
- 7773. Heliopetes alana (Reakirt,1868)** (Hesperiidae) Synonym(s): *alana* Reakirt,1868; *adusta* Plötz,1885; *ligania* Plötz,1885; *romaniana* Bryk,1953 _ Range (in code): MX
- 7774. Heliopetes arsalte (Linnaeus,1758)** (Hesperiidae) Synonym(s): *arsalte* Linnaeus,1758; *niveus* Cramer,1775; *crameri* Billberg,1820; *figara* Butler,1870; *janice* Ehrmann,1907 _ Range (in code): US MX Tx SR
- 7775. Heliopetes ericetorum (Boisduval,1852)** (Hesperiidae) Synonym(s): *ericetorum* Boisduval,1852; *alba* Edwards,1866 _ Range (in code): US MX Aks Arz Cf Col Id Mon NMx Ne Org Ut Ws Wy
- 7776. Heliopetes laviana (Hewitson,1868)** (Hesperiidae) Synonym(s): *laviana* Hewitson,1868; *pastor* R.Felder,1869; *oceanus* Edwards,1871; *dividua* Röber,1925 _ Range (in code): US MX Arz Tx
- 7777. Heliopetes macaira (Reakirt,[1867])** (Hesperiidae) Synonym(s): *macaira* Reakirt,[1867]; *nivea* Scudder,1872 nec Cr.,1775; *locutia* Hewitson,1875; *eulalia* Plötz,1885 _ Range (in code): US MX Tx PA BR
- 7778. Heliopyrgus domicella (Erichson,[1849])** (Hesperiidae) Synonym(s): *domicella* Erichson,[1849]; *nearchus* Edwards,1882; *aconita* Plötz,1884 _ Range (in code): US MX Arz Cf NMx Ne Tx GY

- 7779. *Heliopyrgus sublinea* (Schaus,1902)** (Hesperiidae) Synonym(s): *sublinea* Schaus,1902
Range (in code): **MX**
- 7780. *Hesperia attalus* (Edwards,1871)** (Hesperiidae) Synonym(s): *attalus* Edwards,1871;
seminola Scudder,1871; *quaiapen* Scudder,1889 - Range (in code): **US FI Ge Kan Lou Mis Mrl Msc Mss**
NCa Neb Nje Ny Ok Pns Sca Tx Vi
- 7781. *Hesperia attalus attalus* (Edwards,1871)** (Hesperiidae) Synonym(s): *attalus*
Edwards,1871; *seminola* Scudder,1871; *quaiapen* Scudder,1889 - Range (in code): **US Tx**
- 7782. *Hesperia attalus slossonae* (Skinner,1890)** (Hesperiidae) Synonym(s): *slossonae*
Skinner,1890 - Range (in code): **US FI**
- 7783. *Hesperia colorado* (Scudder,1874)** (Hesperiidae) Synonym(s): *colorado* Scudder,1874
Range (in code): **US MX Arz Cf Col Id NMx Ne Neb Org SDk Ut Ws Wy**
- 7784. *Hesperia colorado colorado* (Scudder,1874)** (Hesperiidae) Synonym(s): *colorado*
Scudder,1874 - Range (in code): **US Col MX**
- 7785. *Hesperia colorado leussleri* Lindsey,1940** (Hesperiidae) Synonym(s): *leussleri*
Lindsey,1940 - Range (in code): **MX**
- 7786. *Hesperia columbia* (Scudder,1872)** (Hesperiidae) Synonym(s): *columbia* Scudder,1872;
california Wright,1905; *erynnioides* Dyar,1907 - Range (in code): **US MX Cf Org**
- 7787. *Hesperia comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma* Linnaeus,1758;
virgula Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava*
Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. Original Reference:
Papilio comma Linnaeus,1758, Syst. Nat. (Edn.10) 1: 484. Type(s): Europe. Range (in code): **AF**
AL KK At Kts AT Ba BE BG Bqu Btn BY B-H CH Ci CN CZ DE DK EE ES FI FR GB GR HU HV IN IT Ju
Kbb Ku Ld Lho LT LU LV MK NL No NO PK PL PT RO RU SE Sha Si SK Sm So Sr Sz TR Ts T-S T-T SS
UA Ui Up Vi Yu YU Sur Ssx Mt Ko MA DZ KG Uk Rk Pw Om Mn Sp Or Bs Afr Lkr Ouk Lbs Tgz Mu Bn
Amd Kg Ur Sb Tt TJ Pm Al DsA KuA TrA Tls Ax Ket IQ LB Cc GG Smt Bjo Kak Lag US MX Arz Cf Col Id
Mai Mch Mns Mon Ndk NMx Ne Neb Nh Org SDk Ut Wc Ws Wy Ab Bionomy: Larva on Festuca
ovina, Lolium perenne, Lotus corniculatus (Tolman, 1997).
- 7788. *Hesperia comma assiniboia* (Lyman,1892)** (Hesperiidae) Synonym(s): *assiniboia*
Lyman,1892 - Range (in code): **US Mon Ndk**
- 7789. *Hesperia comma benuncas* (Oberthür,1912)** (Hesperiidae) Synonym(s): *benuncas*
Oberthür,1912 Original Reference: Augiades comma ssp. benuncas Oberthür,1912, Bull. Soc. ent.
Fr. 1912: 349, figs. Syntypes: Algeria: Lambese (BMNH). Range (in code): **MA Tgz Lkr Ouk DZ Lbs**
Afr
- 7790. *Hesperia comma comma* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *comma*
Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928;
alpiumflava Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. Original
Reference: Papilio comma Linnaeus,1758, Syst. Nat. (Edn.10) 1: 484. Type(s): Europe. Range (in
code): **Bv Bw DE Rp Kg RU Ur Sb Tt KG Uk Rk Pw Om Mn Sp Or Bs Cc GG Smt Bjo Kak Lag**
- 7791. *Hesperia comma dimila* (Moore,1874)** (Hesperiidae) Synonym(s): *dimila* Moore,1874;
indica-fusca Verity,1931. Original Reference: Pamphila dimila Moore, 1874, Proc. zool. Soc. Lond.
44: 576. Syntypes ♂♀: Runang Pass, Busahir (S.E. side, about 13000ft.) (Capt. H.B.Hellard).
Range (in code): **Btn CN IN Ld Lho Sz T-T Up Yu**
- 7792. *Hesperia comma dodgei* Bell,1927** (Hesperiidae) Synonym(s): *dodgei* Bell,1927
Range (in code): **US Cf**
- 7793. *Hesperia comma harpalus* (Edwards,1881)** (Hesperiidae) Synonym(s): *harpalus*
Edwards,1881; *cabelus* Edwards,1881; *idaho* Edwards,1883 - Range (in code): **US Ne Cf**
- 7794. *Hesperia comma hibera* (Verity,1928)** (Hesperiidae) Synonym(s): *hibera* Verity,1928
Original Reference: Urbicola comma race hibera Verity,1928, Bull. Soc. ent. Fr. 1928: 125.
Syntypes 1♂ 1♀: [Spain]: Aragon: [Prov. Teruel]: Albarracin, 1100m. Range (in code): **ES Mu**
- 7795. *Hesperia comma hulbirti* Lindsey,1939** (Hesperiidae) Synonym(s): *hulbirti* Lindsey,1939
Range (in code): **US Ws**
- 7796. *Hesperia comma lato* (Groum-Grshimailo,1890)** (Hesperiidae) Synonym(s): *lato*
Groum-Grshimailo,1890 Original Reference: Pamphila comma var.? lato Groum-
Grshimailo,1890, Horae Soc. ent. ross. 25: 459. Type: [China: Qinghai: Amdo]: in montibus
Dshachar. Range (in code): **Amd CN Ts**
- 7797. *Hesperia comma laurentina* (Lyman,1892)** (Hesperiidae) Synonym(s): *laurentina*
Lyman,1892 - Range (in code): **CA**
- 7798. *Hesperia comma lena* Korshunov & Gorbunov,1995** (Hesperiidae) Synonym(s):
lena Korshunov & Gorbunov,1995 Original Reference: *Hesperia comma* ssp. *lena* Korshunov &

- Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 39. Holotype: Russia: Sountar-Khayata Mts., Sountar valley. Range (in code): RU
- 7799. *Hesperia comma manitoba* (Scudder,1874)** (Hesperiidae) Synonym(s): *manitoba* Scudder,1874 Range (in code): US Col
- 7800. *Hesperia comma mixta* Alpheraky,1881** (Hesperiidae) Synonym(s): *mixta* Alpheraky,1881 Original Reference: *Hesperia comma* var. *mixta* Alpheraky,1881, Horae Soc. ent. ross. 16: 432. Syntypes ♂♀: [China: Uighur A.R.]: Kuldja, 8000-9000ft. Range (in code): CN Ju Ku T-S Ui KK KG TJ Pm Al DsA KuA TrA Tls Ax Ket
- 7801. *Hesperia comma ochracea* Lindsey,1941** (Hesperiidae) Synonym(s): *ochracea* Lindsey,1941 Range (in code): US Col
- 7802. *Hesperia comma oregonia* (Edwards,1883)** (Hesperiidae) Synonym(s): *oregonia* Edwards,1883 Range (in code): US Cf Ne
- 7803. *Hesperia comma pallida* (Staudinger,1901)** (Hesperiidae) Synonym(s): *pallida* Staudinger,1901 Original Reference: *Augiades comma* var. *pallida* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 92, nr.670c. Syntypes: Syr.; Taur.; Kurd. oc.; Pont.; Sic., Graec. Srp. Range (in code): IQ IL He GR LB RU SY TR Cc VI
- 7804. *Hesperia comma planula* Korshunov,1995** (Hesperiidae) Synonym(s): *planula* Korshunov,1995 Original Reference: *Hesperia comma* ssp. *planula* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Novossibirsk: Karasouk, near Krotovaya-Liaga lake. Range (in code): No RU
- 7805. *Hesperia comma shandura* Evans,1949** (Hesperiidae) Synonym(s): *mixta-conflua* Tutt,1905 (hom.); *shandura* Evans,1949 Original Reference: *Hesperia comma* ssp. *shandura* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 349. Type ♂: [Pakistan]: Chitral, Shandur Pass (BMNH). Range (in code): AF Asr Bqu Ci Gg Hu Nwf PK Sha
- 7806. *Hesperia comma shushkini* Korshunov,1995** (Hesperiidae) Synonym(s): *shushkini* Korshunov,1995 Original Reference: *Hesperia comma* ssp. *shushkini* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Altay: Tchoulichmane valley. Range (in code): Bn At Kts RU
- 7807. *Hesperia comma susanae* L.Miller,1962** (Hesperiidae) Synonym(s): *susanae* L.Miller,1962 Range (in code): US Arz
- 7808. *Hesperia comma tildenii* Freeman,[1956]** (Hesperiidae) Synonym(s): *tildenii* Freeman,[1956] Range (in code): US Cf
- 7809. *Hesperia comma yosemite* Leussler,1933** (Hesperiidae) Synonym(s): *yosemite* Leussler,1933 Range (in code): US Cf
- 7810. *Hesperia dacotae* (Skinner,1911)** (Hesperiidae) Synonym(s): *dacotae* Skinner,1911 Range (in code): US Io Mns NDk SDk
- 7811. *Hesperia florinda* Butler,1878** (Hesperiidae) Synonym(s): *florinda* Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895. Range (in code): JP RU CN Am Vv Sh
- 7812. *Hesperia florinda florinda* Butler,1878** (Hesperiidae) Synonym(s): *florinda* Butler,1878; *repugnans* Staudinger,1892; *mikado* Leech,1895. Range (in code): JP RU CN Am Vv Sh
- 7813. *Hesperia juba* (Scudder,1874)** (Hesperiidae) Synonym(s): *juba* Scudder,1874 Range (in code): US MX Arz Cf Col Id Mon NMx Ne Neb Org SDk Tx Ut Ws Wy
- 7814. *Hesperia leonardus* Harris,1862** (Hesperiidae) Synonym(s): *leonardus* Harris,1862 Range (in code): US Aks Alb Cnt Col Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Vi Vr WVi Wc Wy
- 7815. *Hesperia leonardus pawnee* Dodge,1874** (Hesperiidae) Synonym(s): *pawnee* Dodge,1874 Range (in code): US Col Mon
- 7816. *Hesperia lindseyi* (Holland,1930)** (Hesperiidae) Synonym(s): *lindseyi* Holland,1930 Range (in code): US Arz Cf Ne Org
- 7817. *Hesperia meskei* (Edwards,1877)** (Hesperiidae) Synonym(s): *meskei* Edwards,1877 Range (in code): US Aks Alb Fl Ge NCa SCa Tx
- 7818. *Hesperia meskei meskei* (Edwards,1877)** (Hesperiidae) Synonym(s): *meskei* Edwards,1877 Range (in code): US Tx
- 7819. *Hesperia meskei straton* (Edwards,1881)** (Hesperiidae) Synonym(s): *straton* Edwards,1881 Range (in code): US Fl
- 7820. *Hesperia metea* Scudder,1864** (Hesperiidae) Synonym(s): *metea* Scudder,1864 Range (in code): US Aks Alb Cnt Dw Ge Idp Iln Kan Knt Lou Mai Mch Mis Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi Vr WVi Wc

- 7821. *Hesperia metea licinus* (Edwards,1871)** (Hesperiidae) Synonym(s): *licinus* Edwards,1871; *horus* Edwards,1871; *belfragei* Freeman,1944 - Range (in code): US Tx
- 7822. *Hesperia metea metea* Scudder,1864** (Hesperiidae) Synonym(s): *metea* Scudder,1864
Range (in code): US Cnt
- 7823. *Hesperia miriamae* MacNeill,1959** (Hesperiidae) Synonym(s): *miriamae* MacNeill,1959
Range (in code): US Cf Ne
- 7824. *Hesperia nevada* (Scudder,1874)** (Hesperiidae) Synonym(s): *nevada* Scudder,1874
Range (in code): US Arz Cf Col Id Mon NMx Ne Org SDk Ut Ws Wy
- 7825. *Hesperia ottoe* (Edwards,1866)** (Hesperiidae) Synonym(s): *ottoe* Edwards,1866
Range (in code): US Col Idp Ilm Io Kan Mch Mis Mon NDk Neb Ok SDk Tx Wc Wy
- 7826. *Hesperia pahaska* Leussler,1938** (Hesperiidae) Synonym(s): *pahaska* Leussler,1938
Range (in code): US MX Arz Cf Col Kan Mns Mon NDk NMx Ne Neb SDk Tx Ut Wy
- 7827. *Hesperia pahaska martini* MacNeill,1964** (Hesperiidae) Synonym(s): *martini* MacNeill,1964 - Range (in code): US Cf
- 7828. *Hesperia pahaska pahaska* Leussler,1938** (Hesperiidae) Synonym(s): *pahaska* Leussler,1938 - Range (in code): US Neb MX
- 7829. *Hesperia pahaska williamsi* Lindsey,1940** (Hesperiidae) Synonym(s): *williamsi* Lindsey,1940 - Range (in code): MX US Arz
- 7830. *Hesperia pawnee* Dodge,1874** (Hesperiidae) Synonym(s): *pawnee* Dodge,1874 - Range (in code): US Neb
- 7831. *Hesperia sassacus* Harris,1862** (Hesperiidae) Synonym(s): *sassacus* Harris,1862
Range (in code): US Cnt Dw Ge Idp Ilm Knt Mai Mch Mns Mrl Msc NCa Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi Wc
- 7832. *Hesperia sassacus manitoboides* (Fletcher,1888)** (Hesperiidae) Synonym(s): *manitoboides* Fletcher,1888 - Range (in code): CA
- 7833. *Hesperia sassacus sassacus* Harris,1862** (Hesperiidae) Synonym(s): *sassacus* Harris,1862 - Range (in code): US
- 7834. *Hesperia uncas* (Edwards,1863)** (Hesperiidae) Synonym(s): *uncas* Edwards,1863; *ridingsii* Reakirt,1866 - Range (in code): US Arz Cf Col Io Kan Mns Mon NDk NMx Ne Neb Ok Org SDk Tx Ut Wy
- 7835. *Hesperia uncas gilberti* MacNeill,1964** (Hesperiidae) Synonym(s): *gilberti* MacNeill,1964
Range (in code): MX
- 7836. *Hesperia uncas lasus* (Edwards,1884)** (Hesperiidae) Synonym(s): *lasus* Edwards,1884
Range (in code): US Arz
- 7837. *Hesperia uncas macswaini* MacNeill,1964** (Hesperiidae) Synonym(s): *macswaini* MacNeill,1964 - Range (in code): US Cf
- 7838. *Hesperia uncas uncas* (Edwards,1863)** (Hesperiidae) Synonym(s): *uncas* Edwards,1863; *ridingsii* Reakirt,1866 - Range (in code): US Col
- 7839. *Hesperia viridis* (Edwards,1883)** (Hesperiidae) Synonym(s): *viridis* Edwards,1883
Range (in code): US MX Arz Col Kan NMx Neb Ok Tx Ut Wy
- 7840. *Hesperia woodgatei* (R.C.Williams,1914)** (Hesperiidae) Synonym(s): *woodgatei* R.C.Williams,1914 - Range (in code): US MX Arz Col NMx Tx
- 7841. *Hesperilla andersoni* Kirby,1893** (Hesperiidae) Synonym(s): *andersoni* Kirby,1893
Range (in code): AU VAu
- 7842. *Hesperilla andersoni andersoni* Kirby,1893** (Hesperiidae) Synonym(s): *andersoni* Kirby,1893 - Range (in code): AU VAu
- 7843. *Hesperilla chaostola* Meyrick,1887** (Hesperiidae) Synonym(s): *chaostola* Meyrick,1887
Range (in code): AU NSw TA VAu
- 7844. *Hesperilla chaostola chaostola* Meyrick,1887** (Hesperiidae) Synonym(s): *chaostola* Meyrick,1887 - Range (in code): AU NSw
- 7845. *Hesperilla chaostola chares* Waterhouse,1933** (Hesperiidae) Synonym(s): *chares* Waterhouse,1933 - Range (in code): AU VAu
- 7846. *Hesperilla chaostola leucophaea* Couchman,1945** (Hesperiidae) Synonym(s): *leucophaea* Couchman,1945 - Range (in code): TA
- 7847. *Hesperilla chrysotricha* Meyrick & Lower,1902** (Hesperiidae) Synonym(s): *chrysotricha* Meyrick & Lower,1902 - Range (in code): AU VAu Mel WAu Bun Pth Aby SAu TA
- 7848. *Hesperilla chrysotricha chrysotricha* Meyrick & Lower,1902** (Hesperiidae) Synonym(s): *chrysotricha* Meyrick & Lower,1902 - Range (in code): AU WAu Bun Pth Aby

- 7849. *Hesperilla chrysotricha cyclopila* Meyrick & Lower, 1902** (Hesperiidae)
Synonym(s): *cyclopila* Meyrick & Lower, 1902; *leucospila* Waterhouse, 1927 _ Range (in code): AU VAu Mel
- 7850. *Hesperilla chrysotricha leucosia* Waterhouse, 1938** (Hesperiidae) Synonym(s):
leucosia Waterhouse, 1938 _ Range (in code): AU SAu
- 7851. *Hesperilla chrysotricha plebeia* Waterhouse, 1927** (Hesperiidae) Synonym(s):
plebeia Waterhouse, 1927 _ Range (in code): TA
- 7852. *Hesperilla crypsargyra* Meyrick, 1887** (Hesperiidae) Synonym(s): *crypsargyra*
Meyrick, 1887 _ Range (in code): AU NSw Brr
- 7853. *Hesperilla crypsargyra crypsargyra* Meyrick, 1887** (Hesperiidae) Synonym(s):
crypsargyra Meyrick, 1887 _ Range (in code): AU NSw
- 7854. *Hesperilla crypsargyra hopsoni* Waterhouse, 1927** (Hesperiidae) Synonym(s):
hopsoni Waterhouse, 1927 _ Range (in code): AU NSw Brr
- 7855. *Hesperilla donnysa* Hewitson, 1868** (Hesperiidae) Synonym(s): *donnysa* Hewitson, 1868
Range (in code): AU NSw Syd QAU VAu Ade TA SAu WAu Bun Gtn
- 7856. *Hesperilla donnysa albina* Waterhouse, 1932** (Hesperiidae) Synonym(s): *albina*
Waterhouse, 1932 _ Range (in code): AU WAu Bun
- 7857. *Hesperilla donnysa aurantia* Waterhouse, 1927** (Hesperiidae) Synonym(s): *aurantia*
Waterhouse, 1927 _ Range (in code): TA
- 7858. *Hesperilla donnysa delos* Waterhouse, 1941** (Hesperiidae) Synonym(s): *delos*
Waterhouse, 1941 _ Range (in code): AU SAu
- 7859. *Hesperilla donnysa diluta* Waterhouse, 1932** (Hesperiidae) Synonym(s): *diluta*
Waterhouse, 1932 _ Range (in code): AU SAu
- 7860. *Hesperilla donnysa donnysa* Hewitson, 1868** (Hesperiidae) Synonym(s): *donnysa*
Hewitson, 1868 _ Range (in code): AU NSw Syd
- 7861. *Hesperilla donnysa flavescens* Waterhouse, 1927** (Hesperiidae) Synonym(s):
flavescens Waterhouse, 1927 _ Range (in code): AU VAu
- 7862. *Hesperilla donnysa flavia* Waterhouse, 1941** (Hesperiidae) Synonym(s): *flavia*
Waterhouse, 1941 _ Range (in code): AU SAu Ade
- 7863. *Hesperilla donnysa galena* Waterhouse, 1927** (Hesperiidae) Synonym(s): *donnysa*
galena Waterhouse, 1927 _ Range (in code): AU WAu Gtn
- 7864. *Hesperilla donnysa icaria* Waterhouse, 1941** (Hesperiidae) Synonym(s): *icaria*
Waterhouse, 1941 _ Range (in code): AU QAU
- 7865. *Hesperilla donnysa patmos* Waterhouse, 1941** (Hesperiidae) Synonym(s): *patmos*
Waterhouse, 1941 _ Range (in code): AU VAu
- 7866. *Hesperilla donnysa samos* Waterhouse, 1941** (Hesperiidae) Synonym(s): *samos*
Waterhouse, 1941 _ Range (in code): AU NSw
- 7867. *Hesperilla idothea* Miskin, 1889** (Hesperiidae) Synonym(s): *idothea* Miskin, 1889; *dispar*
Kirby, 1893 _ Range (in code): SAu AU TA VAu
- 7868. *Hesperilla idothea clara* Waterhouse, 1932** (Hesperiidae) Synonym(s): *clara*
Waterhouse, 1932 _ Range (in code): SAu AU TA
- 7869. *Hesperilla idothea idothea* Miskin, 1889** (Hesperiidae) Synonym(s): *idothea*
Miskin, 1889; *dispar* Kirby, 1893 _ Range (in code): VAu
- 7870. *Hesperilla malindeva* Lower, 1911** (Hesperiidae) Synonym(s): *malindeva* Lower, 1911
Range (in code): AU QAU
- 7871. *Hesperilla malindeva malindeva* Lower, 1911** (Hesperiidae) Synonym(s): *malindeva*
Lower, 1911 _ Range (in code): AU QAU
- 7872. *Hesperilla mastersi* Waterhouse, 1900** (Hesperiidae) Synonym(s): *mastersi*
Waterhouse, 1900 _ Range (in code): AU NSw Syd
- 7873. *Hesperilla mastersi mastersi* Waterhouse, 1900** (Hesperiidae) Synonym(s): *mastersi*
Waterhouse, 1900 _ Range (in code): AU NSw Syd
- 7874. *Hesperilla ornata* (Leach, [1815])** (Hesperiidae) Synonym(s): *ornata* Leach, [1815]
Range (in code): AU NSw QAU Kda VAu
- 7875. *Hesperilla ornata monotherm* Lower, 1907** (Hesperiidae) Synonym(s): *monotherm*
Lower, 1907 _ Range (in code): AU QAU Kda
- 7876. *Hesperilla ornata ornata* (Leach, [1815])** (Hesperiidae) Synonym(s): *ornata* Leach, [1815]
Range (in code): AU NSw QAU VAu

- 7877. *Hesperilla picta* (Leach,[1815])** (Hesperiidae) Synonym(s): *picta* Leach,[1815] _ Range (in code): AU NSW
- 7878. *Hesperilla picta picta* (Leach,[1815])** (Hesperiidae) Synonym(s): *picta* Leach,[1815] Range (in code): AU NSW
- 7879. *Hesperopsis alpheus* (Edwards,1876)** (Hesperiidae) Synonym(s): *alpheus* Edwards,1876 Range (in code): US MX Arz Cf Col NMx Ne Tx Ut
- 7880. *Hesperopsis alpheus alpheus* (Edwards,1876)** (Hesperiidae) Synonym(s): *alpheus* Edwards,1876 _ Range (in code): US NMx MX
- 7881. *Hesperopsis alpheus oricus* Edwards,1879** (Hesperiidae) Synonym(s): *oricus* Edwards,1879; *arizonensis* Mabille & Boulet,1917 _ Range (in code): US Ne Arz
- 7882. *Hesperopsis alpheus texana* Scott,1986** (Hesperiidae) Synonym(s): *texana* Scott,1986 Range (in code): US Tx MX
- 7883. *Hesperopsis graciellae* (MacNeill,1970)** (Hesperiidae) Synonym(s): *graciellae* MacNeill,1970 _ Range (in code): US MX Arz Cf Ne Ut
- 7884. *Hesperopsis libya* (Scudder,1878)** (Hesperiidae) Synonym(s): *libya* Scudder,1878 Range (in code): US MX Arz Cf Col Id Mon Ndk NMx Ne Org Ut Wy
- 7885. *Hesperopsis libya lena* (Edwards,1882)** (Hesperiidae) Synonym(s): *lena* Edwards,1882 Range (in code): US Mon
- 7886. *Hesperopsis libya libya* (Scudder,1878)** (Hesperiidae) Synonym(s): *libya* Scudder,1878 Range (in code): US Arz
- 7887. *Heteropterus morpheus* (Pallas,1771)** (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785. Original Reference: Papilio morpheus Pallas,1771, Reise versch. Prov. Russ. Reichs 1: 471, nr.64. Type(s): Russia: circa Samaram (Samara, Central Wolga region). Range (in code): AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR HU HV IT Kr LT LV NL PL RO RU SE SK Sm So Sr SS TR UA YU Or Bs Kg Ty Om At Bn CN Mc Shs KP KR Bionomy: Larva on Calamagrostis canescens, Brachypodium sylvaticum, Molinia caerulea, Phragmites australis (Tolman,1997).
- 7888. *Heteropterus morpheus morpheus* (Pallas,1771)** (Hesperiidae) Synonym(s): *morpheus* Pallas,1771; *speculum* Rottemburg,1775; *steropes* Denis & Schiffermüller,1775; *aracanthus* Fabricius,1777; *speculifer* Fourcroy,1785. Original Reference: Papilio morpheus Pallas,1771, Reise versch. Prov. Russ. Reichs 1: 471, nr.64. Type(s): Russia: circa Samaram (Samara, Central Wolga region). Range (in code): AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR HU HV IT Kr LT LV NL PL RO RU SE SK Sm So Sr SS TR UA YU Or Bs Kg Ty Om At Bn CN Mc Shs KP KR
- 7889. *Hewitsoniella migonitis* Hewitson,1876** (Hesperiidae) Synonym(s): *migonitis* Hewitson,1876; *aenesius* Hewitson,1876; *trimaculatus* Rothschild,1915 _ Range (in code): ID Mi Aru Wg PG Dmp
- 7890. *Hewitsoniella migonitis migonitis* Hewitson,1876** (Hesperiidae) Synonym(s): *migonitis* Hewitson,1876; *aenesius* Hewitson,1876; *trimaculatus* Rothschild,1915 _ Range (in code): ID Mi Aru Wg PG Dmp
- 7891. *Hidari bhawani* De Nicéville,1888** (Hesperiidae) Synonym(s): *bhawani* De Nicéville,1888 Range (in code): MY Lkw MM IN Ass TH Cph
- 7892. *Hidari bhawani bhawani* De Nicéville,1888** (Hesperiidae) Synonym(s): *bhawani* De Nicéville,1888 _ Range (in code): MY Lkw MM IN Ass TH Cph
- 7893. *Hidari doesoena* Martin,1895** (Hesperiidae) Synonym(s): *doesoena* Martin,1895 Range (in code): VN MY Bor Sbh KBa ID Sum Sip
- 7894. *Hidari doesoena doesoena* Martin,1895** (Hesperiidae) Synonym(s): *doesoena* Martin,1895 _ Range (in code): VN ID Sum Sip
- 7895. *Hidari gloria* Evans,1949** (Hesperiidae) Synonym(s): *gloria* Evans,1949 _ Range (in code): MY Bor Sbh KBa
- 7896. *Hidari irava* (Moore,[1858])** (Hesperiidae) Synonym(s): *thrax* Geyer nec Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931 _ Range (in code): PH Mno Sul TH Cbi Nst Ths Sya Yal Nna Rng Tng Sgk Hya PSu Tnc MM MY ID Sum Ja Bgk Bor
- 7897. *Hidari irava irava* (Moore,[1858])** (Hesperiidae) Synonym(s): *thrax* Geyer nec Linn.; *irava* Moore,[1858]; *hypaea* Hewitson,1868; *thracimima* Verity,1931 _ Range (in code): PH Mno Sul TH Cbi Nst Ths Sya Yal Nna Rng Tng Sgk Hya PSu Tnc MM MY ID Sum Ja Bgk Bor
- 7898. *Hoala amena* (Grose-Smith,1891)** (Hesperiidae) Synonym(s): *amena* Grose-Smith,1891 Range (in code): MG
- 7899. *Hoala arota* Evans,1937** (Hesperiidae) Synonym(s): *arota* Evans,1937 _ Range (in code): MG

- 7900. Hovala dispar (Mabille,1877)** (Hesperiidae) Synonym(s): *dispar* Mabille,1877; *disparilis* Oberthür,1916 _ Range (in code): MG
- 7901. Hovala pardalina (Butler,1879)** (Hesperiidae) Synonym(s): *pardalina* Butler,1879; *labordei* Oberthür,1916 _ Range (in code): MG
- 7902. Hovala saclavus (Mabille,1891)** (Hesperiidae) Synonym(s): *saclavus* Mabille,1891; *gallienii* Oberthür,1916 _ Range (in code): MG
- 7903. Hyalothyrus neleus (Linnaeus,1758)** (Hesperiidae) Synonym(s): *neleus* Linnaeus,1758 _ Range (in code): MX
- 7904. Hyalothyrus neleus pemphigargyra (Mabille,1888)** (Hesperiidae) Synonym(s): *pemphigargyra* Mabille,1888; *niger* Röber,1927 _ Range (in code): MX
- 7905. Hyarotis adrastus (Stoll,[1780])** (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780] _ Original Reference: Papilio adrastus Stoll,[1780], [in] Cramer, Uitl. Kapellen 4(27): 62, Pl.319, figs. F,G. Range (in code): LK IN Kgr NP SI Ass ID Ja Sip Mw MM CN Hn MY Bor Sum PH Cal Mno Pal TH Bnk CMa Cuo Cuo1 Qs Rat Chy Non Yal Nst Ths
- 7906. Hyarotis adrastus adrastus (Stoll,[1780])** (Hesperiidae) Synonym(s): *adrastus* Stoll,[1780] _ Original Reference: Papilio adrastus Stoll,[1780], [in] Cramer, Uitl. Kapellen 4(27): 62, Pl.319, figs. F,G. Range (in code): LK
- 7907. Hyarotis adrastus armax Evans,1942** (Hesperiidae) Synonym(s): *armax* Evans,1942 _ Range (in code): ID Sip
- 7908. Hyarotis adrastus praba (Moore,[1866])** (Hesperiidae) Synonym(s): *praba* Moore,[1866]; *phaeniceis* Hewitson,1871; *meluchus* Fruhstorfer,1911; *palawensis* Fruhstorfer,1911; *mindanaensis* Fruhstorfer,1911; *#prabha* Pinratana,1985. _ Original Reference: Plesioneura praba Moore,[1866], Proc. zool. Soc. Lond. 1865: 790. Type(s): Bengal. Range (in code): IN Kgr NP SI Ass ID Ja Mw MM CN Hn MY Bor Sum PH Cal Mno Pal TH Bnk CMa Cuo Cuo1 Qs Rat Chy Non Yal Nst Ths
- 7909. Hyarotis iadera De Nicéville,1895** (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897 _ Range (in code): MY Pen ID Sum Bor Sbt Bgk PH Pal TH Cbi Rng VN
- 7910. Hyarotis iadera iadera De Nicéville,1895** (Hesperiidae) Synonym(s): *iadera* De Nicéville,1895; *ciliata* Elwes & Edwards,1897 _ Range (in code): MY Pen ID Sum Bor Sbt Bgk PH Pal TH Cbi Rng VN
- 7911. Hyarotis microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907 _ Range (in code): LK IN Ass MM TH Cbi Nrt MY ID Sum Bor PH Luz Mdo
- 7912. Hyarotis microstictum coorga Evans,1949** (Hesperiidae) Synonym(s): *coorga* Evans,1949 _ Range (in code): LK
- 7913. Hyarotis microstictum microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): *microstictum* Wood-Mason & De Nicéville,1887; *biseriata* Elwes & Edwards,1897; *binghami* Swinhoe,1907 _ Range (in code): IN Ass MM TH Cbi Nrt MY ID Sum Bor PH Luz Mdo
- 7914. Hylephila phyleus (Drury,1773)** (Hesperiidae) Synonym(s): *phyleus* Drury,1773; *carin* Hübner,[1823]; *bucephalus* Stephens,1828; *hala* Butler,1870; *muertovalle* Scott,1981; *eureka* Austin & J.Emmel,1998 _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NMx Ne Neb Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Ut Vi WVi Wc
- 7915. Hylephila phyleus phyleus (Drury,1773)** (Hesperiidae) Synonym(s): *phyleus* Drury,1773; *carin* Hübner,[1823]; *bucephalus* Stephens,1828; *hala* Butler,1870; *muertovalle* Scott,1981; *eureka* Austin & J.Emmel,1998 _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa NMx Ne Neb Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Ut Vi WVi Wc
- 7916. Hypoleucis ophiusa (Hewitson,1866)** (Hesperiidae) Synonym(s): *ophiusa* Hewitson,1866 _ Range (in code): SN CM GA CG UG ZM ZR
- 7917. Hypoleucis ophiusa ophir Evans,1937** (Hesperiidae) Synonym(s): *ophir* Evans,1937 _ Range (in code): UG ZM ZR
- 7918. Hypoleucis ophiusa ophiusa (Hewitson,1866)** (Hesperiidae) Synonym(s): *ophiusa* Hewitson,1866 _ Range (in code): SN CM GA CG ZR
- 7919. Hypoleucis sophia Evans,1937** (Hesperiidae) Synonym(s): *sophia* Evans,1937 _ Range (in code): CI CM ZR UG
- 7920. Hypoleucis tripunctata Mabille,1891** (Hesperiidae) Synonym(s): *tripunctata* Mabille,1891; *titanota* Karsch,1893 _ Range (in code): GA GH TG UG ZR CG CM
- 7921. Hypoleucis tripunctata draga Evans,1937** (Hesperiidae) Synonym(s): *draga* Evans,1937 _ Range (in code): UG ZR
- 7922. Hypoleucis tripunctata tripunctata Mabille,1891** (Hesperiidae) Synonym(s): *tripunctata* Mabille,1891; *titanota* Karsch,1893 _ Range (in code): GA GH TG

- 7923. Hypoleucis tripunctata truda Evans,1937** (Hesperiidae) Synonym(s): *truda* Evans,1937
Range (in code): **CM CG**
- 7924. Iambrix distanti Shepherd,1937** (Hesperiidae) Synonym(s): *unicolor* Distant,1886 *nec* Mre.,1883; *distanti* Shepherd,1937 _ Range (in code): **MM Vp MY Bor ID Sum Nia Sbt Sip TH Rng Nst Ths Sya**
- 7925. Iambrix distanti distanti Shepherd,1937** (Hesperiidae) Synonym(s): *unicolor* Distant,1886 *nec* Mre.,1883; *distanti* Shepherd,1937 _ Range (in code): **MM Vp MY Bor ID Sum Nia Sbt Sip TH Rng Nst Ths Sya**
- 7926. Iambrix latifascia Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *latifascia* Elwes & Edwards,1897 _ Range (in code): **MY Bor Sbh KBa ID Sum**
- 7927. Iambrix latifascia latifascia Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *latifascia* Elwes & Edwards,1897 _ Range (in code): **MY Bor Sbh KBa ID Sum**
- 7928. Iambrix obliquans Mabille,1893** (Hesperiidae) Synonym(s): *obliquans* Mabille,1893
Range (in code): **TH Yal Nst Ths MM ID Ja MY Bgk**
- 7929. Iambrix obliquans obliquans Mabille,1893** (Hesperiidae) Synonym(s): *obliquans* Mabille,1893 _ Range (in code): **TH Yal Nst Ths MM ID Ja MY Bgk**
- 7930. Iambrix obliquans yamanta Fruhstorfer,1910** (Hesperiidae) Synonym(s): *yamanta* Fruhstorfer,1910 _ Range (in code): **MY Bor Sbh KBa**
- 7931. Iambrix salsala (Moore,1865)** (Hesperiidae) Synonym(s): *salsala* Moore,1865; *vasuba* Fruhstorfer,1910 _ Range (in code): **VN Ton IN Hp Kma Ben Meg Ass Mh Ap Goa Mys Tn Ker SI MM CN Hn HK ID Sum Ja NI LK TH Bnk Cbi Nna Yal Chy CMa Cuo Cuo1 Cuo7 Cuo9 Cu12 CDo CD2 Dst Tng Sgk Hya PSu Tnc Nst Ths Chw**
- 7932. Iambrix salsala luteipalpis Plötz,1886** (Hesperiidae) Synonym(s): *luteipalpis* Plötz,1886
Range (in code): **IN Mh Ap Goa Mys Tn Ker NI LK**
- 7933. Iambrix salsala salsala (Moore,1865)** (Hesperiidae) Synonym(s): *salsala* Moore,1865; *vasuba* Fruhstorfer,1910 _ Range (in code): **TH Bnk Cbi Nna Yal Chy CMa Cuo Cuo1 Cuo7 Cuo9 Cu12 CDo Dst CD2 Tng Sgk Hya PSu Tnc Nst Ths Chw VN Ton IN Hp Kma Ben Meg SI Ass MM CN Hn HK ID Sum Ja**
- 7934. Iambrix stellifer (Butler,1877)** (Hesperiidae) Synonym(s): *stellifer* Butler,1877; *mergus* Plötz,1884; *niasicus* Fruhstorfer,1910 _ Range (in code): **TH Pgg Yal Rng Nst Ths Sya Sgk Hya Tnc MM ID Nia Sum Ja Mw MY Bor**
- 7935. Iambrix stellifer stellifer (Butler,1877)** (Hesperiidae) Synonym(s): *stellifer* Butler,1877; *mergus* Plötz,1884; *niasicus* Fruhstorfer,1910 _ Range (in code): **TH Pgg Yal Rng Nst Ths Sya Sgk Hya Tnc MM ID Nia Sum Ja Mw MY Bor**
- 7936. Ilma irvina (Plötz,1886)** (Hesperiidae) Synonym(s): *irvina* Plötz,1886; *jovina* Swinhoe,1905
Range (in code): **ID Clb**
- 7937. Ilma irvina irvina (Plötz,1886)** (Hesperiidae) Synonym(s): *irvina* Plötz,1886; *jovina* Swinhoe,1905 _ Range (in code): **ID Clb**
- 7938. Isma binotatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897 _ Range (in code): **MY Bor Sbh KBa PH Mno**
- 7939. Isma binotatus binotatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *binotatus* Elwes & Edwards,1897; *cicatrosa* Elwes & Edwards,1897 _ Range (in code): **MY Bor Sbh KBa PH Mno**
- 7940. Isma bipunctatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *bipunctata* Elwes & Edwards,1897 _ Range (in code): **PH Mno Pal**
- 7941. Isma bipunctatus bipunctatus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *bipunctata* Elwes & Edwards,1897
- 7942. Isma bononia (Hewitson,1868)** (Hesperiidae) Synonym(s): *bononia* Hewitson,1868; *inarime* De Nicéville,1891; *zetis* Mabille,1893 _ Range (in code): **TH Nst Ths Srt Rng Tng MY Prk VN LA ID Ja Sum Bor MM Mrg Krh Tv**
- 7943. Isma bononia bononia (Hewitson,1868)** (Hesperiidae) Synonym(s): *bononia* Hewitson,1868; *inarime* De Nicéville,1891; *zetis* Mabille,1893 _ Range (in code): **TH Nst Ths Srt Rng Tng MY Prk ID Ja Sum Bor MM Mrg**
- 7944. Isma bononia idyalis De Nicéville,1897** (Hesperiidae) Synonym(s): *idyalis* De Nicéville,1897 _ Range (in code): **VN MM Krh Tv**
- 7945. Isma bononoides Druce,1912** (Hesperiidae) Synonym(s): *bononoides* Druce,1912; *matanga* Druce,1912 _ Range (in code): **MY Bor ID Sum Bgk**
- 7946. Isma bononoides bononoides Druce,1912** (Hesperiidae) Synonym(s): *bononoides* Druce,1912; *matanga* Druce,1912 _ Range (in code): **MY Bor ID Sum Bgk**

7947. **Isma cronus De Nicéville,1894** (Hesperiidae) Synonym(s): *cronus De Nicéville,1894*
Range (in code): ID Sum MY Bor
7948. **Isma cronus cronus De Nicéville,1894** (Hesperiidae) Synonym(s): *cronus De Nicéville,1894* _ Range (in code): ID Sum MY Bor
7949. **Isma dawna Evans,1926** (Hesperiidae) Synonym(s): *dawna Evans,1926* _ Range (in code): MM Krh Mrg
7950. **Isma dawna dawna Evans,1926** (Hesperiidae) Synonym(s): *dawna Evans,1926* _ Range (in code): MM Krh Mrg
7951. **Isma feralia (Hewitson,1868)** (Hesperiidae) Synonym(s): *feralia Hewitson,1868; javana Evans,1932* _ Range (in code): PH Ley Mno Sam TH Rng Tng Nst MY Bor ID Ja Sum MM Mrg
7952. **Isma feralia fenestrata Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *fenestrata Elwes & Edwards,1897; concinna Elwes & Edwards,1897* _ Range (in code): MY Bor
7953. **Isma feralia feralia (Hewitson,1868)** (Hesperiidae) Synonym(s): *feralia Hewitson,1868; javana Evans,1932* _ Range (in code): ID Ja
7954. **Isma feralia lenya Evans,1932** (Hesperiidae) Synonym(s): *lenya Evans,1932* _ Range (in code): TH Rng Tng Nst MM Mrg MY ID Sum
7955. **Isma feralia ssp.n.** (Hesperiidae) Synonym(s): _ Range (in code): PH Ley Mno Sam
7956. **Isma guttulifera Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *guttulifera Elwes & Edwards,1897; damocles Evans,1939* _ Range (in code): TH Tng MY Joh Bor Sbh KBa ID Sum Bgk
7957. **Isma guttulifera guttulifera Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *guttulifera Elwes & Edwards,1897; damocles Evans,1939* _ Range (in code): TH Tng MY Joh Bor Sbh KBa ID Sum Bgk
7958. **Isma hislopi Eliot,1973** (Hesperiidae) Synonym(s): *hislopi Eliot,1973* _ Range (in code): MY Joh TH Nst Ths Sya
7959. **Isma kuala Evans,1932** (Hesperiidae) Synonym(s): *kuala Evans,1932* _ Range (in code): TH Yal MY Pah
7960. **Isma kuala kuala Evans,1932** (Hesperiidae) Synonym(s): *kuala Evans,1932* _ Range (in code): TH Yal MY Pah
7961. **Isma miosticta De Nicéville,1891** (Hesperiidae) Synonym(s): *miosticta De Nicéville,1891; indistincta Druce,1912* _ Range (in code): TH Rng Tng Srt MY Prk Bor MM Mrg ID Bgk Sbt Sip
7962. **Isma miosticta miosticta De Nicéville,1891** (Hesperiidae) Synonym(s): *miosticta De Nicéville,1891; indistincta Druce,1912* _ Range (in code): TH Rng Tng Srt MY Prk Bor MM Mrg ID Bgk Sbt Sip
7963. **Isma obscura Distant,1886** (Hesperiidae) Synonym(s): *obscura Distant,1886* _ Range (in code): MM Krh Tvy TH Cbi Nna Srt Nst Lsa SG ID Sum Ja Ged MY Bor
7964. **Isma obscura bicolor Evans,1926** (Hesperiidae) Synonym(s): *bicolor Evans,1926*
Range (in code): MM Krh Tvy TH Cbi Nna Nst Lsa
7965. **Isma obscura fonta Evans,1949** (Hesperiidae) Synonym(s): *fonta Evans,1949* _ Range (in code): ID Sum
7966. **Isma obscura obscura Distant,1886** (Hesperiidae) Synonym(s): *obscura Distant,1886*
Range (in code): TH Srt MY SG ID Sum
7967. **Isma obscura purpurascens Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *purpurascens Elwes & Edwards,1897* _ Range (in code): MY Bor
7968. **Isma obscura vulsina Evans,1949** (Hesperiidae) Synonym(s): *vulsina Evans,1949*
Range (in code): ID Ja Ged
7969. **Isma protoclea (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *protoclea Herrich-Schäffer,1869* _ Range (in code): MM Mrg ID Sum Ja Sbt MY Bor TH Rng Yal Tng
7970. **Isma protoclea iapis De Nicéville,1890** (Hesperiidae) Synonym(s): *iapis De Nicéville,1890* _ Range (in code): MM Mrg ID Sum Sbt MY Bor TH Rng Yal Tng
7971. **Isma protoclea protoclea (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *protoclea Herrich-Schäffer,1869; vulso Mabille,1893* _ Range (in code): ID Ja
7972. **Isma umbrosa Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *umbrosa Elwes & Edwards,1897* _ Range (in code): VN TH Cbi Rng
7973. **Isma umbrosa ferox Evans,1932** (Hesperiidae) Synonym(s): *ferox Evans,1932*
7974. **Isma umbrosa umbrosa Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *umbrosa Elwes & Edwards,1897* _ Range (in code): TH Cbi Rng
7975. **Isoteinon lamprospilus C.Felder & R.Felder,1862** (Hesperiidae) Synonym(s): *lamprospilus C.Felder & R.Felder,1862* Original Reference: Isoteinon lamprospilus Felder &

- Felder, 1862, Wiener ent. Monarschr. 6: 30, nr.31. Syntypes: Ningpo. Range (in code): JP Hdo Shk Kyu Tsu
- 7976. Isoteinon lamprospilus formosanus Fruhstorfer, 1910** (Hesperiidae) Synonym(s): formosanus Fruhstorfer, 1910
- 7977. Isoteinon lamprospilus lamprospilus C.Felder & R.Felder, 1862** (Hesperiidae) Synonym(s): lamprospilus C.Felder & R.Felder, 1862 Original Reference: Isoteinon lamprospilus Felder & Felder, 1862, Wiener ent. Monarschr. 6: 30, nr.31. Syntypes: Ningpo. Range (in code): JP Hdo Shk Kyu Tsu
- 7978. Iton semamora (Moore, 1866)** (Hesperiidae) Synonym(s): semamora Moore, 1866 Range (in code): VN TH CMa Dst Cu0 Cu12 Nna Nst Ths
- 7979. Iton semamora barea (Hewitson, 1866)** (Hesperiidae) Synonym(s): barea Hewitson, 1866
- 7980. Iton semamora semamora (Moore, 1866)** (Hesperiidae) Synonym(s): semamora Moore, 1866 Range (in code): VN TH CMa Dst Cu0 Cu12 Nna Nst Ths
- 7981. Iton watsonii De Nicéville, 1895** (Hesperiidae) Synonym(s): watsonii De Nicéville, 1895 Range (in code): TH CMa Nst Ths Sgk Hya Tnc
- 7982. Iton watsonii watsonii De Nicéville, 1895** (Hesperiidae) Synonym(s): watsonii De Nicéville, 1895 Range (in code): TH CMa Nst Ths Sgk Hya Tnc
- 7983. Jemadia ahira (Hewitson, 1866)** (Hesperiidae) Synonym(s): ahira Hewitson, 1866 Range (in code): BR Para
- 7984. Jemadia alburnia (Mabille, 1891)** (Hesperiidae) Synonym(s): alburnia Mabille, 1891 Range (in code): BR
- 7985. Jemadia azeta (Hewitson, 1866)** (Hesperiidae) Synonym(s): azeta Hewitson, 1866 Range (in code): BO EC PY
- 7986. Jemadia fallax (Mabille, 1878)** (Hesperiidae) Synonym(s): fallax Mabille, 1878 Range (in code): BR
- 7987. Jemadia gnetus (Fabricius, 1781)** (Hesperiidae) Synonym(s): gnetus Fabricius, 1781; megalesius Hübner, [1819] Range (in code): SR
- 7988. Jemadia hephaestos (Möschler, 1883)** (Hesperiidae) Synonym(s): hephaestos Möschler, 1883; zamorae Mabille & Boulet, 1908 Range (in code): BO SR
- 7989. Jemadia hewitsoni (Mabille, 1878)** (Hesperiidae) Synonym(s): hewitsoni Mabille, 1878 Range (in code): CO
- 7990. Jemadia hospita (Butler, 1877)** (Hesperiidae) Synonym(s): hospita Butler, 1877 Range (in code): CO BR
- 7991. Jemadia imitator (Mabille, 1891)** (Hesperiidae) Synonym(s): imitator Mabille, 1891 Range (in code): BO
- 7992. Jemadia lecerfi Mabille & Boulet, 1908** (Hesperiidae) Synonym(s): lecerfi Mabille & Boulet, 1908 Range (in code): GY
- 7993. Jemadia lisetta Mabille & Boulet, 1908** (Hesperiidae) Synonym(s): lisetta Mabille & Boulet, 1908 Range (in code): PE
- 7994. Jemadia menechmus (Mabille, 1878)** (Hesperiidae) Synonym(s): menechmus Mabille, 1878 Range (in code): BR
- 7995. Jemadia patrobas (Hewitson, 1871)** (Hesperiidae) Synonym(s): vulcanus Hewitson, 1857 nec Cr., 1782; patrobas Hewitson, 1871 Range (in code): BR
- 7996. Jemadia polyzona (Latreille, 1823)** (Hesperiidae) Synonym(s): polyzona Latreille, 1823; jamina Butler, 1870 Range (in code): GY BR
- 7997. Jemadia pseudognetus (Mabille, 1878)** (Hesperiidae) Synonym(s): pseudognetus Mabille, 1878; dorylas Plötz, 1879; paulensis Schaus, 1902 Range (in code): CO MX
- 7998. Jemadia scomber Druce, 1908** (Hesperiidae) Synonym(s): scomber Druce, 1908 Range (in code): BO
- 7999. Jemadia sosia (Mabille, 1878)** (Hesperiidae) Synonym(s): sosia Mabille, 1878 Range (in code): BR
- 8000. Jemadia suzetta Mabille & Boulet, 1908** (Hesperiidae) Synonym(s): suzetta Mabille & Boulet, 1908 Range (in code): BO
- 8001. Jemadia ulyxes (Plötz, 1879)** (Hesperiidae) Synonym(s): ulyxes Plötz, 1879 Range (in code): SR
- 8002. Jemadia umbrata Mabille & Boulet, 1908** (Hesperiidae) Synonym(s): umbrata Mabille & Boulet, 1908 Range (in code): BO

- 8003. Jemadia zimra (Hewitson,1871)** (Hesperiidae) Synonym(s): *zimra* Hewitson,1871
Range (in code): PY BR
- 8004. Jemadia zonara (Hewitson,1866)** (Hesperiidae) Synonym(s): *zonara* Hewitson,1866
Range (in code): BR Azn EC
- 8005. Joanna joanna Evans,1955** (Hesperiidae) Synonym(s): *joanna* Evans,1955 - Range (in code): MX
- 8006. Jonaspyge jonas (C.Felder & R.Felder,1859)** (Hesperiidae) Synonym(s): *jonas* C.Felder & R.Felder,1859; *cydonia* Druce,1874 - Range (in code): MX
- 8007. Jonaspyge tzotzili (Freeman,1969)** (Hesperiidae) Synonym(s): *tzotzili* Freeman,1969
Range (in code): MX
- 8008. Justinia norda Evans,1955** (Hesperiidae) Synonym(s): *norda* Evans,1955 - Range (in code): MX
- 8009. Katreus dimidius (Holland,1896)** (Hesperiidae) Synonym(s): *dimidius* Holland,1896; *hollandi* Druce,1909; *#drucei* Evans,1937; *#karschi* Evans,1937 - Range (in code): SL GA CM ZR AO CI NG LR
- 8010. Katreus dimidius dimidius (Holland,1896)** (Hesperiidae) Synonym(s): *dimidius* Holland,1896; *hollandi* Druce,1909; *#drucei* Evans,1937; *#karschi* Evans,1937 - Range (in code): SL GA CM ZR AO CI NG LR
- 8011. Katreus holocaustus (Mabille,1891)** (Hesperiidae) Synonym(s): *holocaustus* Mabille,1891; *melichroptera* Karsch,1895 - Range (in code): SL NG CM CG
- 8012. Katreus holocaustus holocaustus (Mabille,1891)** (Hesperiidae) Synonym(s): *holocaustus* Mabille,1891; *melichroptera* Karsch,1895 - Range (in code): SL NG CM CG
- 8013. Katreus johnstonii (Butler,1888)** (Hesperiidae) Synonym(s): *johnstonii* Butler,1888; *apicalis* Mabille,1890; *percnoptera* Karsch,1895 - Range (in code): SL CM CI NG
- 8014. Kedestes barberae (Trimen,1873)** (Hesperiidae) Synonym(s): *barberae* Trimen,1873
Range (in code): ZA Wca Ec Nta Kzu Tva Gau Jh ZW
- 8015. Kedestes barberae barberae (Trimen,1873)** (Hesperiidae) Synonym(s): *barberae* Trimen,1873 - Range (in code): ZA Ec Nta Kzu Tva Gau Jh ZW
- 8016. Kedestes barberae bonsa Evans,1956** (Hesperiidae) Synonym(s): *bonsa* Evans,1956
Range (in code): ZA Ec
- 8017. Kedestes barberae bunta Evans,1956** (Hesperiidae) Synonym(s): *bunta* Evans,1956
Range (in code): ZA Wca
- 8018. Kedestes brunneostriga (Plötz,1884)** (Hesperiidae) Synonym(s): *brunneostriga* Plötz,1884 - Range (in code): AO ZR ZM MW TZ KE UG CG
- 8019. Kedestes callicles (Hewitson,1868)** (Hesperiidae) Synonym(s): *callicles* Hewitson,1868; *aleta* Plötz,1883 - Range (in code): SO ET ZA Tva Lpo Spb Mdk Kru K12 Pma Pin Mpu Brb Nel Gau Pre Jh Wm NM AO NG TZ KE MW Zom
- 8020. Kedestes chaca (Trimen,1873)** (Hesperiidae) Synonym(s): *chaca* Trimen,1873 - Range (in code): ZA Ec Grh Nta Kzu
- 8021. Kedestes heathi Hancock & Gardiner,1982** (Hesperiidae) Synonym(s): *heathi* Hancock & Gardiner,1982 - Range (in code): ZM
- 8022. Kedestes lema Neave,1910** (Hesperiidae) Synonym(s): *lema* Neave,1910 - Range (in code): ZR AO
- 8023. Kedestes lema lema Neave,1910** (Hesperiidae) Synonym(s): *lema* Neave,1910 - Range (in code): AO ZR
- 8024. Kedestes lema linka Evans,1956** (Hesperiidae) Synonym(s): *linka* Evans,1956 - Range (in code): ZW MW
- 8025. Kedestes lenis N.D.Riley,1932** (Hesperiidae) Synonym(s): *lenis* N.D.Riley,1932
Original Reference: Kedestes lenis Riley,1932, Ann. Mag. nat. Hist. 10 (10): 150-151. Holotype ♂: [South Africa]: "Cape of Good Hope" (F. Graham leg.). Range (in code): ZA Wca Nta Kzu Fs
- 8026. Kedestes lepenula (Wallengren,1857)** (Hesperiidae) Synonym(s): *lepenula* Wallengren,1857; *chersias* Hewitson,1877 - Range (in code): ZA Ec Tva Lpo Pie Fs Nca Pin Ptc Wm BW NA
- 8027. Kedestes macomo (Trimen,1862)** (Hesperiidae) Synonym(s): *macomo* Trimen,1862
Range (in code): ZA Tva Lpo Spb Kru Pma Pf Ec Kwi Nta Kzu Mll Mpu Brb MZ ZW
- 8028. Kedestes malua Neave,1910** (Hesperiidae) Synonym(s): *malua* Neave,1910 - Range (in code): ZM

- 8029. *Kedestes marshalli* Aurivillius,1925** (Hesperiidae) Synonym(s): *marshalli* Aurivillius,1925
Range (in code): ZW MZ
- 8030. *Kedestes michaeli* Gardiner & Hancock,1982** (Hesperiidae) Synonym(s): *michaeli* Gardiner & Hancock,1982 Range (in code): ZW ZM
- 8031. *Kedestes mohozutza* (Wallengren,1857)** (Hesperiidae) Synonym(s): *mohozutza* Wallengren,1857 Range (in code): ZA Ec Nta Kzu Ptb Tva Gau Jh ZW MW ZM ZR TZ UG KE
- 8032. *Kedestes monostichus* Hancock & Gardiner,1982** (Hesperiidae) Synonym(s): *monostichus* Hancock & Gardiner,1982 Range (in code): ZW NA
- 8033. *Kedestes nancy* Collins & T.Larsen,1991** (Hesperiidae) Synonym(s): *nancy* Collins & T.Larsen,1991 Range (in code): KE
- 8034. *Kedestes nerva* (Fabricius,1793)** (Hesperiidae) Synonym(s): *nerva* Fabricius,1793; *tucusa* Trimen,1883 Range (in code): ZA Tva Nta Kzu Gau Pre Wv Jh Rtb Mpu Brb AO ZM
- 8035. *Kedestes nerva nerva* (Fabricius,1793)** (Hesperiidae) Synonym(s): *nerva* Fabricius,1793; *tucusa* Trimen,1883 Range (in code): ZA Tva Nta Kzu Gau Pre Wv Jh Rtb Mpu Brb
- 8036. *Kedestes nerva paola* Plötz,1884** (Hesperiidae) Synonym(s): *paola* Plötz,1884 Range (in code): AO ZM
- 8037. *Kedestes niveostriga* (Trimen,1864)** (Hesperiidae) Synonym(s): *niveostriga* Trimen,1864
Range (in code): ZA Ec Nta Kzu LS
- 8038. *Kedestes pinheyi* Hancock & Gardiner,1982** (Hesperiidae) Synonym(s): *pinheyi* Hancock & Gardiner,1982 Range (in code): ZM
- 8039. *Kedestes protensa* Butler,1901** (Hesperiidae) Synonym(s): *protensa* Butler,1901; *chacoides* Gaede,1916 Range (in code): SL NG CM UG SD NW ZM
- 8040. *Kedestes rogersi* Druce,1907** (Hesperiidae) Synonym(s): *rogersi* Druce,1907 Range (in code): KE SD UG
- 8041. *Kedestes straeleni* Evans,1956** (Hesperiidae) Synonym(s): *straeleni* Evans,1956
Range (in code): ZR
- 8042. *Kedestes sublineata* Pennington,1953** (Hesperiidae) Synonym(s): *sublineata* Pennington,1953 Range (in code): NA
- 8043. *Kedestes wallengrenii* (Trimen,1883)** (Hesperiidae) Synonym(s): *wallengrenii* Trimen,1883 Range (in code): ZA Nta Kzu Ptb Tva Gau Jh Wv Buf Wri ZM ZW MZ TZ KE UG MW
- 8044. *Kedestes wallengrenii fenestratus* (Butler,1894)** (Hesperiidae) Synonym(s): *fenestratus* Butler,1894 Range (in code): MW
- 8045. *Kedestes wallengrenii wallengrenii* (Trimen,1883)** (Hesperiidae) Synonym(s): *wallengrenii* Trimen,1883 Range (in code): ZA Nta Kzu Ptb Tva Gau Jh Wv Buf Wri ZM ZW MZ TZ KE UG
- 8046. *Kobrona croma* Evans,1949** (Hesperiidae) Synonym(s): *croma* Evans,1949 Range (in code): PG
- 8047. *Kobrona croma croma* Evans,1949** (Hesperiidae) Synonym(s): *croma* Evans,1949
Range (in code): PG
- 8048. *Kobrona denva* Evans,1949** (Hesperiidae) Synonym(s): *denva* Evans,1949 Range (in code): PG
- 8049. *Kobrona denva denva* Evans,1949** (Hesperiidae) Synonym(s): *denva* Evans,1949
Range (in code): PG
- 8050. *Kobrona edina* Evans,1949** (Hesperiidae) Synonym(s): *edina* Evans,1949 Range (in code): PG
- 8051. *Kobrona edina edina* Evans,1949** (Hesperiidae) Synonym(s): *edina* Evans,1949
Range (in code): PG
- 8052. *Kobrona eva* Evans,1935** (Hesperiidae) Synonym(s): *eva* Evans,1935 Range (in code): ID Ij
- 8053. *Kobrona eva eva* Evans,1935** (Hesperiidae) Synonym(s): *eva* Evans,1935 Range (in code): ID Ij
- 8054. *Kobrona idea* Evans,1949** (Hesperiidae) Synonym(s): *idea* Evans,1949 Range (in code): ID Ij Fak
- 8055. *Kobrona idea idea* Evans,1949** (Hesperiidae) Synonym(s): *idea* Evans,1949 Range (in code): ID Ij Fak
- 8056. *Kobrona infralutea* (Rothschild,1916)** (Hesperiidae) Synonym(s): *infralutea* Rothschild,1916 Range (in code): ID Ij

- 8057. Kobrona infralutea infralutea (Rothschild,1916)** (Hesperiidae) **Synonym(s):** *infralutea Rothschild,1916* _ Range (in code): ID Ij
- 8058. Kobrona kobros (Plötz,1885)** (Hesperiidae) **Synonym(s):** *kobros Plötz,1885; novaguineae Rothschild,1915* _ Range (in code): ID Aru Mi Ij Kai Lt
- 8059. Kobrona kobros issla (Plötz,1886)** (Hesperiidae) **Synonym(s):** *issla Plötz,1886; isla De Nicéville,1892* _ Range (in code): ID Kai Lt
- 8060. Kobrona kobros kobros (Plötz,1885)** (Hesperiidae) **Synonym(s):** *kobros Plötz,1885; novaguineae Rothschild,1915* _ Range (in code): ID Aru Mi Ij
- 8061. Kobrona mirza Evans,1935** (Hesperiidae) **Synonym(s):** *mirza Evans,1935* _ Range (in code): PG
- 8062. Kobrona mirza mirza Evans,1935** (Hesperiidae) **Synonym(s):** *mirza Evans,1935* _ Range (in code): PG
- 8063. Kobrona pansa Evans,1934** (Hesperiidae) **Synonym(s):** *pansa Evans,1934* _ Range (in code): ID Ij PG
- 8064. Kobrona pansa pansa Evans,1934** (Hesperiidae) **Synonym(s):** *pansa Evans,1934* _ Range (in code): ID Ij
- 8065. Kobrona pansa panta Evans,1949** (Hesperiidae) **Synonym(s):** *panta Evans,1949* _ Range (in code): PG
- 8066. Kobrona rasta Evans,1935** (Hesperiidae) **Synonym(s):** *rasta Evans,1935* _ Range (in code): ID Ij
- 8067. Kobrona rasta rasta Evans,1935** (Hesperiidae) **Synonym(s):** *rasta Evans,1935* _ Range (in code): ID Ij
- 8068. Kobrona tabella Evans,1935** (Hesperiidae) **Synonym(s):** *tabella Evans,1935* _ Range (in code): ID Ij
- 8069. Kobrona tabella tabella Evans,1935** (Hesperiidae) **Synonym(s):** *tabella Evans,1935* _ Range (in code): ID Ij
- 8070. Kobrona vanda Evans,1949** (Hesperiidae) **Synonym(s):** *vanda Evans,1949* _ Range (in code): ID Ij
- 8071. Kobrona vanda vanda Evans,1949** (Hesperiidae) **Synonym(s):** *vanda Evans,1949* _ Range (in code): ID Ij
- 8072. Kobrona vasna Evans,1935** (Hesperiidae) **Synonym(s):** *vasna Evans,1935* _ Range (in code): PG
- 8073. Kobrona vasna vasna Evans,1935** (Hesperiidae) **Synonym(s):** *vasna Evans,1935* _ Range (in code): PG
- 8074. Kobrona wama (Plötz,1885)** (Hesperiidae) **Synonym(s):** *wama Plötz,1885* _ Range (in code): ID Aru Kai Ij PG Mi Fg Goo
- 8075. Kobrona wama rudha (Fruhstorfer,1911)** (Hesperiidae) **Synonym(s):** *rudha Fruhstorfer,1911* _ Range (in code): ID Ij PG Fg Mi Fg Goo
- 8076. Kobrona wama wama (Plötz,1885)** (Hesperiidae) **Synonym(s):** *wama Plötz,1885* _ Range (in code): ID Aru Kai
- 8077. Koruthaialos butleri (De Nicéville,1883)** (Hesperiidae) **Synonym(s):** *butleri De Nicéville,1883; nigerrima Swinhoe,1919* _ Range (in code): TH Rng Tak MM Shn IN Ass SI
- 8078. Koruthaialos butleri butleri (De Nicéville,1883)** (Hesperiidae) **Synonym(s):** *butleri De Nicéville,1883; nigerrima Swinhoe,1919* _ Range (in code): TH Rng Tak MM Shn IN Ass SI
- 8079. Koruthaialos focula (Plötz,1882)** (Hesperiidae) **Synonym(s):** *focula Plötz,1882; kophene De Nicéville,1896* _ Range (in code): ID Ja Sum MY Bor Sbh KBa
- 8080. Koruthaialos focula focula (Plötz,1882)** (Hesperiidae) **Synonym(s):** *focula Plötz,1882; kophene De Nicéville,1896* _ Range (in code): ID Ja Sum
- 8081. Koruthaialos focula frena Evans,1949** (Hesperiidae) **Synonym(s):** *frena Evans,1949* _ Range (in code): MY Bor Sbh KBa
- 8082. Koruthaialos focula kerala De Nicéville,1896** (Hesperiidae) **Synonym(s):** *kerala De Nicéville,1896* _ Range (in code): ID Sum
- 8083. Koruthaialos rubecula (Plötz,1882)** (Hesperiidae) **Synonym(s):** *rubecula Plötz,1882* _ Range (in code): IN Mpr Clc Meg Ass Khs Nag Syl BD MY Bor Sbh KBa PH Ceb Ley Mno Neg Sam Luz Mar Pal ID Nia Sum Ja Bli MM TH Cbi Nna CMa CDo Chy Rng Yal Tng Nst Ths Sya VN Ann Ton
- 8084. Koruthaialos rubecula atra Evans,1949** (Hesperiidae) **Synonym(s):** *atra Evans,1949* _ Range (in code): PH Ceb Ley Mno Neg Sam

- 8085. *Koruthaialos rubecula balina* Evans,1949** (Hesperiidae) **Synonym(s):** *balina* Evans,1949 **_ Range (in code):** **ID Bli**
- 8086. *Koruthaialos rubecula cachara* Evans,1949** (Hesperiidae) **Synonym(s):** *butleri* Wood-Mason & De Nicéville,1886 *nec De Nicé.,1883; cachara* Evans,1949 **_ Range (in code):** **IN Mpr Clc Meg Ass Khs Nag Syl BD**
- 8087. *Koruthaialos rubecula hector* E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *hector* E.Y.Watson,1893; *avidha* Fruhstorfer,1910; *gopaka* Fruhstorfer,1910 **_ Range (in code):** **MM TH Cbi Nna CMa CDo VN Ann Ton**
- 8088. *Koruthaialos rubecula luzonensis* Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *luzonensis* Fruhstorfer,1910 **_ Range (in code):** **PH Luz Mar**
- 8089. *Koruthaialos rubecula namata* Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *namata* Fruhstorfer,1910; *sumatrana* Evans,1932 **_ Range (in code):** **ID Sum**
- 8090. *Koruthaialos rubecula niasicus* Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *niasicus* Fruhstorfer,1910 **_ Range (in code):** **ID Nia**
- 8091. *Koruthaialos rubecula ponta* Evans,1949** (Hesperiidae) **Synonym(s):** *ponta* Evans,1949 **_ Range (in code):** **PH Pal**
- 8092. *Koruthaialos rubecula rubecula* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *rubecula* Plötz,1882 **_ Range (in code):** **MY Bor Nat TH Chy Rng Yal Tng Nst Ths Sya**
- 8093. *Koruthaialos rubecula rubina* Evans,1949** (Hesperiidae) **Synonym(s):** *rubina* Evans,1949 **_ Range (in code):** **MM Bor Sbh KBa Sum ID**
- 8094. *Koruthaialos rubecula verona* Evans,1949** (Hesperiidae) **Synonym(s):** *verona* Evans,1949 **_ Range (in code):** **ID Ja**
- 8095. *Koruthaialos sindu* (C.Felder & R.Felder,1860)** (Hesperiidae) **Synonym(s):** *sindu* C.Felder & R.Felder,1860 **_ Range (in code):** **PH Cal Pal ID Ja Nia Sip TH CMa Yal Tng Nst Lsa Sgk Hya Tnc IN Ass Nag Mpr MM Kath**
- 8096. *Koruthaialos sindu javanites* (Staudinger,1889)** (Hesperiidae) **Synonym(s):** *javanites* Staudinger,1889; *haraka* Fruhstorfer,1910 **_ Range (in code):** **ID Ja**
- 8097. *Koruthaialos sindu monda* Evans,1949** (Hesperiidae) **Synonym(s):** *monda* Evans,1949 **_ Range (in code):** **IN Ass Nag Mpr MM Kath**
- 8098. *Koruthaialos sindu palawites* (Staudinger,1889)** (Hesperiidae) **Synonym(s):** *palawites* Staudinger,1889 **_ Range (in code):** **PH Cal Pal**
- 8099. *Koruthaialos sindu rudra* Evans,1942** (Hesperiidae) **Synonym(s):** *rudra* Evans,1942 **_ Range (in code):** **ID Sip**
- 8100. *Koruthaialos sindu sindu* (C.Felder & R.Felder,1860)** (Hesperiidae) **Synonym(s):** *sindu* C.Felder & R.Felder,1860 **_ Range (in code):** **PH Pal TH CMa Yal Tng Nst Lsa Sgk Hya Tnc**
- 8101. *Koruthaialos sindu tanda* Evans,1949** (Hesperiidae) **Synonym(s):** *tanda* Evans,1949 **_ Range (in code):** **ID Nia**
- 8102. *Lento hermione* (Schaus,1913)** (Hesperiidae) **Synonym(s):** *hermione* Schaus,1913 **_ Range (in code):** **MX**
- 8103. *Lepella lepeletier* (Latreille,[1824])** (Hesperiidae) **Synonym(s):** *lepeletier* Latreille,[1824] **_ Range (in code):** **KE UG SD TZ ZR AO GA CM NG**
- 8104. *Leptalina unicolor* (Bremer & Grey,[1852])** (Hesperiidae) **Synonym(s):** *unicolor* Bremer & Grey,[1852]; *ornatus* Bremer,1861 **_ Original Reference:** *Steropes unicolor* Bremer & Grey,[1852], [in] Motschulsky, Etüd. ent. 1: 61. **_ Range (in code):** **RU JP CN Hpe Pkn Sb Am Vv Hkk Hdo Shk Kyu**
- 8105. *Leptalina unicolor unicolor* (Bremer & Grey,[1852])** (Hesperiidae) **Synonym(s):** *unicolor* Bremer & Grey,[1852]; *ornatus* Bremer,1861 **_ Original Reference:** *Steropes unicolor* Bremer & Grey,[1852], [in] Motschulsky, Etüd. ent. 1: 61. **_ Range (in code):** **RU JP CN Hpe Pkn Sb Am Vv Hkk Hdo Shk Kyu**
- 8106. *Lerema accius* (J.E.Smith,1797)** (Hesperiidae) **Synonym(s):** *accius* J.E.Smith,1797; *monoco* Scudder,1864; *nortonii* Edwards,1867; *punctella* Grote & Robinson,1867; *parumpunctata* Herrich-Schäffer,1869; *pattenii* Scudder,1872; *phocylides* Plötz,1882 **_ Range (in code):** **US MX Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Kan Knt Lou Mis Mrl Mss NCa NMx Nje Ny Ok Pns RDi SCa Tnn Tx Vi WVi**
- 8107. *Lerema liris* Evans,1955** (Hesperiidae) **Synonym(s):** *liris* Evans,1955 **_ Range (in code):** **US MX**
- 8108. *Lerema lochius* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *lochius* Plötz,1882; *dido* Plötz,1882 **_ Range (in code):** **MX**
- 8109. *Lerema lumina* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *lumina* Herrich-Schäffer,1869; *bipunctata* Mabilie,1899; *staurus* Mabilie,1904 **_ Range (in code):** **MX**

- 8110. *Lerodea arabus* (Edwards,1882)** (Hesperiidae) Synonym(s): *arabus* Edwards,1882; *dysaules* Godman,1900 _ Range (in code): **US MX Arz NMx Tx**
- 8111. *Lerodea eufala* (Edwards,1869)** (Hesperiidae) Synonym(s): *floridae* Mabille,1867; *eufala* Edwards,1869; *dispersa* Herrich-Schäffer,1869; *micylla* Burmeister,1878; *obscura* Mabille,1904 _ Range (in code): **US MX Aks Alb Arz Cf Col Fl Ge Idp Ilm Kan Knt Lou Mch Mis Mrl Mss NCa NDk NMx Ne Neb Nje Ny Oh Ok SCa SDk Tnn Tx Ut Vi Wc**
- 8112. *Lerodea similea* Bell,1942** (Hesperiidae) Synonym(s): *similea* Bell,1942 _ Range (in code): **MX**
- 8113. *Leucochitonea amneris* (Rebel & Rogenhofer,1894)** (Hesperiidae) Synonym(s): *amneris* Rebel & Rogenhofer,1894 _ Range (in code): **TZ**
- 8114. *Leucochitonea levubu* Wallengren,1857** (Hesperiidae) Synonym(s): *levubu* Wallengren,1857; *lactea* Plötz,1885; *#defecta* Aurivillius,1925 _ Original Reference: *Leucochitonea levubu* Wallengren,1857, K. svenska VetenskAkad. Handl. Stockholm (n.f.) 2 (1) 4: 52. Syntypes: [South Africa]: "Caffraria". Range (in code): **MW MZ ZW BW NA ZA Ec Tva Lpo Spb Mdk Slp Swt Wb Kru Pma Pf Ly Pin Ptc Wb Buf**
- 8115. *Librita heras* (Godman,1900)** (Hesperiidae) Synonym(s): *heras* Godman,1900 _ Range (in code): **MX**
- 8116. *Librita librita* (Plötz,1886)** (Hesperiidae) Synonym(s): *librita* Plötz,1886; *hecale* Godman,1900 _ Range (in code): **MX**
- 8117. *Lobocla bifasciata* (Bremer & Grey,1853)** (Hesperiidae) Synonym(s): *bifasciata* Bremer & Grey,1853; *kodairi* Sonan,1936; *disparalis* Murayama,1995. _ Original Reference: *Eudamus bifasciatus* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10, Tab.iii fig.1. Syntypes: China: near Pekin. Range (in code): **RU Vv Am KP CN Pkn TW Yu Dal Ndd Lon Gaz Gon Sz Hpe Tkg She Shs**
- 8118. *Lobocla bifasciata bifasciata* (Bremer & Grey,1853)** (Hesperiidae) Synonym(s): *bifasciata* Bremer & Grey,1853; *kodairi* Sonan,1936; *disparalis* Murayama,1995. _ Original Reference: *Eudamus bifasciatus* Bremer & Grey,1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10, Tab.iii fig.1. Syntypes: China: near Pekin. Range (in code): **RU Vv Am KP CN Pkn TW Yu Dal Ndd Lon Gaz Gon Sz Hpe Tkg She Shs**
- 8119. *Lobocla contracta* Leech,1894** (Hesperiidae) Synonym(s): *contracta* Leech,1894 Range (in code): **CN**
- 8120. *Lobocla contracta contracta* Leech,1894** (Hesperiidae) Synonym(s): *contracta* Leech,1894 _ Range (in code): **CN**
- 8121. *Lobocla germana* Oberthür,1886** (Hesperiidae) Synonym(s): *germana* Oberthür,1886 Range (in code): **CN Sz T-T Yu**
- 8122. *Lobocla germana germana* Oberthür,1886** (Hesperiidae) Synonym(s): *germana* Oberthür,1886 _ Range (in code): **CN Sz T-T Yu**
- 8123. *Lobocla liliana* (Atkinson,1871)** (Hesperiidae) Synonym(s): *liliana* Atkinson,1871; *casyapa* Moore,1884 _ Original Reference: *Plesioneura liliana* Atkinson,1871, Proc. zool. Soc. Lond. 1871: 216, t.12 fig.2. Type(s): China: Yunnan. Range (in code): **IN Kma Haz Mre Mus PK Up CN Yu Gon MM Ass Krh LA VN Ton TH CMa**
- 8124. *Lobocla liliana aborica* Tytler,1915** (Hesperiidae) Synonym(s): *aborica* Tytler,1915 Range (in code): **MM**
- 8125. *Lobocla liliana ignatius* Plötz,1882** (Hesperiidae) Synonym(s): *ignatius* Plötz,1882; *casyapa* Moore,1884. _ Range (in code): **IN Kma Haz Mre Mus PK Hp**
- 8126. *Lobocla liliana liliana* (Atkinson,1871)** (Hesperiidae) Synonym(s): *liliana* Atkinson,1871; *casyapa* Moore,1884 _ Original Reference: *Plesioneura liliana* Atkinson,1871, Proc. zool. Soc. Lond. 1871: 216, t.12 fig.2. Type(s): China: Yunnan. Range (in code): **VN IN Ass Krh MM LA CN Yu Gon TH CMa**
- 8127. *Lobocla liliana tonka* Evans,1949** (Hesperiidae) Synonym(s): *tonka* Evans,1949 Range (in code): **VN Ton**
- 8128. *Lobocla liliana zesta* Evans,1949** (Hesperiidae) Synonym(s): *zesta* Evans,1949 _ Range (in code): **MM**
- 8129. *Lobocla nepos* Oberthür,1886** (Hesperiidae) Synonym(s): *nepos* Oberthür,1886 Range (in code): **CN Sz T-T Yu**
- 8130. *Lobocla nepos nepos* Oberthür,1886** (Hesperiidae) Synonym(s): *nepos* Oberthür,1886 Range (in code): **CN Sz T-T Yu**

- 8131. Lobocla nepos phyllis Hemming,1933** (Hesperiidae) Synonym(s): *frater* Alpheraky,1897
nec Oberthür,1891; phyllis Hemming,1933. - Range (in code): CN Yu
- 8132. Lobocla proxima Leech,1891** (Hesperiidae) Synonym(s): *frater* Oberthür,1891; *proxima*
Leech,1891 - Range (in code): CN Ti Gey Yu
- 8133. Lobocla proxima proxima Leech,1891** (Hesperiidae) Synonym(s): *frater* Oberthür,1891;
proxima Leech,1891 - Range (in code): CN Ti Gey Yu
- 8134. Lobocla simplex Leech,1891** (Hesperiidae) Synonym(s): *simplex* Leech,1891; *gener*
Oberthür,1891 - Range (in code): CN Ti Gey Yu Dal Ats
- 8135. Lobocla simplex simplex Leech,1891** (Hesperiidae) Synonym(s): *simplex* Leech,1891;
gener Oberthür,1891 - Range (in code): CN Ti Gey Yu Dal Ats
- 8136. Lotongus avesta (Hewitson,1868)** (Hesperiidae) Synonym(s): *avesta* Hewitson,1868
Range (in code): TH Rng Nst Ths Sya
- 8137. Lotongus avesta avesta (Hewitson,1868)** (Hesperiidae) Synonym(s): *avesta*
Hewitson,1868 - Range (in code): TH Rng Nst Ths Sya
- 8138. Lotongus calathus (Hewitson,1876)** (Hesperiidae) Synonym(s): *calathus* Hewitson,1876
Range (in code): ID Ja Clb Sum Nia MY Bor Nat Bgk PH Bas Pal MM Tvy Krh Mrg VN Ton TH Cbi Nna Nst
- 8139. Lotongus calathus balta Evans,1949** (Hesperiidae) Synonym(s): *balta* Evans,1949
Range (in code): MM Tvy Krh Mrg VN Ton TH Cbi Nna
- 8140. Lotongus calathus calathus (Hewitson,1876)** (Hesperiidae) Synonym(s): *calathus*
Hewitson,1876; schaedia Hewitson,1876; *maculatus* Distant,1886; *surus* Mabilie,1895 - Range (in code): ID Sum MY Bor Nat Bgk PH Pal TH Nst
- 8141. Lotongus calathus parthenope Plötz,1886** (Hesperiidae) Synonym(s): *parthenope*
Plötz,1886; traviata Plötz,1886 - Range (in code): ID Nia Sum Bor MY
- 8142. Lotongus calathus shigeoi Treadaway & Nuyda,1994** (Hesperiidae) Synonym(s):
shigeoi Treadaway & Nuyda,1994 - Range (in code): PH Bas
- 8143. Lotongus calathus taprobanus Plötz,1885** (Hesperiidae) Synonym(s): *taprobanus*
Plötz,1885; mytheoides De Nicéville,1898 - Range (in code): ID Clb
- 8144. Lotongus calathus zalates Mabilie,1893** (Hesperiidae) Synonym(s): *zalates* Mabilie,1893
Range (in code): ID Ja
- 8145. Lotongus onara (Butler,1870)** (Hesperiidae) Synonym(s): *onara* Butler,1870 - Range (in code): ID Ja
- 8146. Lotongus onara onara (Butler,1870)** (Hesperiidae) Synonym(s): *onara* Butler,1870
Range (in code): ID Ja
- 8147. Lotongus sarala De Nicéville,1889** (Hesperiidae) Synonym(s): *sarala* De Nicéville,1889
Range (in code): IN Ass Meg Khs Bha MM CN Sz T-T VN Ton Hn TH Chy Cbi
- 8148. Lotongus sarala chinensis Evans,1932** (Hesperiidae) Synonym(s): *chinensis* Evans,1932
Range (in code): CN Sz T-T VN Ton TH Chy Cbi
- 8149. Lotongus sarala conjuncta Evans,1932** (Hesperiidae) Synonym(s): *conjuncta* Evans,1932
Range (in code): MM Bha
- 8150. Lotongus sarala quinquepuncta Joicey & Talbot,1921** (Hesperiidae) Synonym(s):
quinquepuncta Joicey & Talbot,1921 - Range (in code): CN Hn TH
- 8151. Lotongus sarala sarala De Nicéville,1889** (Hesperiidae) Synonym(s): *sarala* De
Nicéville,1889 - Range (in code): IN Ass Meg Khs
- 8152. Lychnuoides saptiae (Godman & Salvin,1879)** (Hesperiidae) Synonym(s): *saptiae*
Godman & Salvin,1879 - Range (in code): MX
- 8153. Mahotis crida (Doubleday & Hewitson,1851)** (Hesperiidae) Synonym(s): *crida*
Doubleday & Hewitson,1851 - Range (in code): NI
- 8154. Mahotis malis (Godman & Salvin,1879)** (Hesperiidae) Synonym(s): *malis* Godman &
Salvin,1879 - Range (in code): CO
- 8155. Mahotis nurseia (Swainson,1821)** (Hesperiidae) Synonym(s): *nurseia* Swainson,1821
Range (in code): PE EC
- 8156. Malaza carmides (Hewitson,1868)** (Hesperiidae) Synonym(s): *carmides* Hewitson,1868;
catocalinus Mabilie,1878 - Range (in code): MG
- 8157. Malaza empyreus (Mabilie,1878)** (Hesperiidae) Synonym(s): *empyreus* Mabilie,1878
Range (in code): MG
- 8158. Malaza fastuosus (Mabilie,1884)** (Hesperiidae) Synonym(s): *fastuosus* Mabilie,1884
Range (in code): MG

- 8159. Matapa aria (Moore,[1866])** (Hesperiidae) Synonym(s): *aria* Moore,[1866]; *neglecta* Mabilie,1876; *pulla* Plötz,1882. Original Reference: *Ismene aria* Moore,[1866], Proc. zool. Soc. Lond. 1865: 784. Type ♂: India: Bengal (BMNH). Range (in code): **LK IN Adm Mus SI Ass Ben MM TH CMa Cuo Cuo1 CDo Knc Nna Rat Cbu Loe Nst Chw Ths Sgk Hya Tnc Rng Bnk Nrt CN Fkn Kig Kwa Hn ID MY Bor Sum Ja Lb Bgk PH Cal Cts Hom Ley Luz Mdo Mno Neg Pal Pan Sib** Bionomy: Larva on Bambusa (Poaceae) (Lewvanich,2001).
- 8160. Matapa aria aria (Moore,[1866])** (Hesperiidae) Synonym(s): *aria* Moore,[1866]; *neglecta* Mabilie,1876; *pulla* Plötz,1882. Original Reference: *Ismene aria* Moore,[1866], Proc. zool. Soc. Lond. 1865: 784. Type ♂: India: Bengal (BMNH). Range (in code): **LK IN Adm Mus SI Ass Ben MM TH CMa Cuo Cuo1 CDo Knc Nna Rat Cbu Loe Nst Chw Ths Rng Sgk Hya Tnc Bnk Nrt CN Fkn Kig Kwa Hn ID MY Bor Sum Ja Lb Bgk PH Cal Cts Hom Ley Luz Mdo Mno Neg Pal Pan Sib** Bionomy: Larva on Bambusa (Poaceae) (Lewvanich,2001).
- 8161. Matapa celsina (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder,[1867]; *hyrmina* Hewitson,1867; *assur* Mabilie,1876; *ractaya* Fruhstorfer,1911 Range (in code): **ID Clb Bng PH Mno**
- 8162. Matapa celsina celsina (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *celsina* C.Felder & R.Felder,[1867]; *hyrmina* Hewitson,1867; *assur* Mabilie,1876; *ractaya* Fruhstorfer,1911 Range (in code): **ID Clb Bng PH Mno**
- 8163. Matapa cresta Evans,1949** (Hesperiidae) Synonym(s): *cresta* Evans,1949 Range (in code): **TH Cbi Nrt Cbu Rat Nst Ths Chw SI IN Ass MM VN Adm MY ID Sum Bor**
- 8164. Matapa cresta cresta Evans,1949** (Hesperiidae) Synonym(s): *cresta* Evans,1949 Range (in code): **TH Cbi Nrt Cbu Rat Nst Ths Chw SI IN Ass MM VN Adm MY ID Sum Bor**
- 8165. Matapa druna (Moore,[1866])** (Hesperiidae) Synonym(s): *druna* Moore,[1866]; *shalgrama* De Nicéville,1883 Range (in code): **SI IN Ass MM MY Bor ID Sum Ja VN TH Nna Nrt Nst Ths Sya**
- 8166. Matapa druna druna (Moore,[1866])** (Hesperiidae) Synonym(s): *druna* Moore,[1866]; *shalgrama* De Nicéville,1883 Range (in code): **SI IN Ass MM MY Bor ID Sum Ja VN TH Nna Nrt Nst Ths Sya**
- 8167. Matapa intermedia De Jong,1983** (Hesperiidae) Synonym(s): *intermedia* De Jong,1983 Range (in code): **PH Sam**
- 8168. Matapa intermedia nigrita De Jong,1983** (Hesperiidae) Synonym(s): *nigrita* De Jong,1983 Range (in code): **PH Sam**
- 8169. Matapa purpurascens Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *purpurascens* Elwes & Edwards,1897 Range (in code): **SI IN Ass Khs Meg MM Krh**
- 8170. Matapa purpurascens purpurascens Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *purpurascens* Elwes & Edwards,1897 Range (in code): **SI IN Ass Khs Meg MM Krh**
- 8171. Matapa sasivarna (Moore,[1866])** (Hesperiidae) Synonym(s): *sasivarna* Moore,[1866] Range (in code): **IN SI Ass MM MY ID Sum CN Hn TH Cbi Nrt Tng Nna Rng Pbu**
- 8172. Matapa sasivarna sasivarna (Moore,[1866])** (Hesperiidae) Synonym(s): *sasivarna* (Moore,[1866]) Range (in code): **IN SI Ass MM MY ID Sum CN Hn TH Cbi Nrt Tng Nna Rng Pbu**
- 8173. Megathymus beulahae D.Stallings & Turner,1958** (Hesperiidae) Synonym(s): *beulahae* D.Stallings & Turner,1958 Range (in code): **MX**
- 8174. Megathymus beulahae beulahae D.Stallings & Turner,1958** (Hesperiidae) Synonym(s): *beulahae* D.Stallings & Turner,1958 Range (in code): **MX**
- 8175. Megathymus beulahae gayleae D.Stallings, Turner & V.Stallings,1963** (Hesperiidae) Synonym(s): *gayleae* D.Stallings, Turner & V.Stallings,1963 Range (in code): **MX**
- 8176. Megathymus cofaqui (Strecker,1876)** (Hesperiidae) Synonym(s): *cofaqui* Strecker,1876 Range (in code): **US Fl Ge**
- 8177. Megathymus harrisi Freeman,1955** (Hesperiidae) Synonym(s): *harrisi* Freeman,1955 Range (in code): **US Ge**
- 8178. Megathymus streckeri (Skinner,1895)** (Hesperiidae) Synonym(s): *streckeri* Skinner,1895 Range (in code): **US Arz Kan Lou Mon NDk NMx Ok SDk Tx Ut Wy**
- 8179. Megathymus texanus Barnes & McDunnough,1912** (Hesperiidae) Synonym(s): *texanus* Barnes & McDunnough,1912 Range (in code): **US Tx Neb**
- 8180. Megathymus texanus leussleri Holland,1931** (Hesperiidae) Synonym(s): *leussleri* Holland,1931 Range (in code): **US Neb**
- 8181. Megathymus texanus texanus Barnes & McDunnough,1912** (Hesperiidae) Synonym(s): *texanus* Barnes & McDunnough,1912 Range (in code): **US Tx**

- 8182. *Megathymus ursus* Poling,1902** (Hesperiidae) Synonym(s): *ursus* Poling,1902 _ Range (in code): US MX Arz NMx Tx
- 8183. *Megathymus ursus deserti* R.Wielgus, D.Wielgus & J.Wielgus,1972** (Hesperiidae) Synonym(s): *deserti* R.Wielgus, D.Wielgus & J.Wielgus,1972 _ Range (in code): US Arz
- 8184. *Megathymus ursus ursus* Poling,1902** (Hesperiidae) Synonym(s): *ursus* Poling,1902 _ Range (in code): MX US Arz
- 8185. *Megathymus ursus violae* D.Stallings & Turner,1956** (Hesperiidae) Synonym(s): *violae* D.Stallings & Turner,1956 _ Range (in code): MX
- 8186. *Megathymus yuccae* (Boisduval & LeConte,[1837])** (Hesperiidae) Synonym(s): *yuccae* Boisduval & LeConte,[1837]; *alabamae* Freeman,1943 _ Range (in code): US MX Aks Alb Arz Cf Col Fl Ge Kan Knt Lou Mss NCa NMx Ne Neb Ok SCa Tx Ut Vi
- 8187. *Megathymus yuccae albasuffusa* R.Wielgus, D.Wielgus & J.Wielgus,1974** (Hesperiidae) Synonym(s): *albasuffusa* R.Wielgus, D.Wielgus & J.Wielgus,1974 _ Range (in code): US Arz
- 8188. *Megathymus yuccae arizonae* Tinkham,1954** (Hesperiidae) Synonym(s): *arizonae* Tinkham,1954 _ Range (in code): MX US Arz
- 8189. *Megathymus yuccae browni* D.Stallings & Turner,1960** (Hesperiidae) Synonym(s): *browni* D.Stallings & Turner,1960 _ Range (in code): US Ut
- 8190. *Megathymus yuccae buchholzi* Freeman,1952** (Hesperiidae) Synonym(s): *buchholzi* Freeman,1952 _ Range (in code): US Fl
- 8191. *Megathymus yuccae coloradensis* C.V.Riley,1877** (Hesperiidae) Synonym(s): *coloradensis* C.V.Riley,1877 _ Range (in code): US Col
- 8192. *Megathymus yuccae elidaensis* D.Stallings, Turner & V.Stallings,1966** (Hesperiidae) Synonym(s): *elidaensis* D.Stallings, Turner & V.Stallings,1966 _ Range (in code): US NMx
- 8193. *Megathymus yuccae kendalli* Freeman,1965** (Hesperiidae) Synonym(s): *kendalli* Freeman,1965 _ Range (in code): US Tx
- 8194. *Megathymus yuccae louiseae* Freeman,1963** (Hesperiidae) Synonym(s): *louiseae* Freeman,1963 _ Range (in code): MX US Tx
- 8195. *Megathymus yuccae martini* D.Stallings & Turner,1956** (Hesperiidae) Synonym(s): *martini* D.Stallings & Turner,1956 _ Range (in code): MX US Cf
- 8196. *Megathymus yuccae maudae* D.Stallings, Turner & V.Stallings,1966** (Hesperiidae) Synonym(s): *maudae* D.Stallings, Turner & V.Stallings,1966 _ Range (in code): US Cf
- 8197. *Megathymus yuccae navajo* Skinner,1911** (Hesperiidae) Synonym(s): *navajo* Skinner,1911 _ Range (in code): US NMx Arz NMx Ut
- 8198. *Megathymus yuccae reinthali* Freeman,1963** (Hesperiidae) Synonym(s): *reinthali* Freeman,1963 _ Range (in code): US Tx
- 8199. *Megathymus yuccae reubeni* D.Stallings, Turner & V.Stallings,1963** (Hesperiidae) Synonym(s): *reubeni* D.Stallings, Turner & V.Stallings,1963 _ Range (in code): MX US Tx
- 8200. *Megathymus yuccae stallingsi* Freeman,1943** (Hesperiidae) Synonym(s): *stallingsi* Freeman,1943 _ Range (in code): US Kan
- 8201. *Megathymus yuccae wilsonorum* D.Stallings & Turner,1958** (Hesperiidae) Synonym(s): *wilsonorum* D.Stallings & Turner,1958 _ Range (in code): MX
- 8202. *Megathymus yuccae winkensis* Freeman,1965** (Hesperiidae) Synonym(s): *winkensis* Freeman,1965 _ Range (in code): US Tx
- 8203. *Megathymus yuccae yuccae* (Boisduval & LeConte,[1837])** (Hesperiidae) Synonym(s): *yuccae* Boisduval & LeConte,[1837]; *alabamae* Freeman,1943 _ Range (in code): US Alb
- 8204. *Melanopyge erythrosticta* (Godman & Salvin,1879)** (Hesperiidae) Synonym(s): *erythrosticta* Godman & Salvin,1879 _ Range (in code): MX CO
- 8205. *Melanopyge hoffmanni* (Freeman,1977)** (Hesperiidae) Synonym(s): *hoffmanni* Freeman,1977 _ Range (in code): MX
- 8206. *Melanopyge mulleri* (Bell,1934)** (Hesperiidae) Synonym(s): *mulleri* Bell,1934; *plancartei* Hoffmann,1941 _ Range (in code): MX
- 8207. *Melphina argyrodes* (Holland,1894)** (Hesperiidae) Synonym(s): *argyrodes* Holland,1894 _ Range (in code): GA NG
- 8208. *Melphina evansi* Berger,1974** (Hesperiidae) Synonym(s): *evansi* Berger,1974 _ Range (in code): ZR

- 8209. *Melphina flavina* Lindsey & Miller, 1965** (Hesperiidae) Synonym(s): *#flavina* Evans, 1937; *flavina* Lindsey & Miller, 1965 _ Range (in code): UG SL
- 8210. *Melphina hulstaerti* Berger, 1974** (Hesperiidae) Synonym(s): *#hulstaerti* Evans, 1956; *hulstaerti* Berger, 1974 _ Range (in code): ZR
- 8211. *Melphina malthina* (Hewitson, 1876)** (Hesperiidae) Synonym(s): *malthina* Hewitson, 1876; *euryspila* Mabilie, 1891; ? *#eala* Evans, 1956 _ Range (in code): SL LR CI NG CM CG ZR
- 8212. *Melphina melphis* (Holland, 1893)** (Hesperiidae) Synonym(s): *melphis* Holland, 1893 _ Range (in code): SL CI NG CM GA
- 8213. *Melphina noctula* (Druce, 1909)** (Hesperiidae) Synonym(s): *noctula* Druce, 1909; *palocampta* Druce, 1909 _ Range (in code): CM GN NG CF UG
- 8214. *Melphina statira* (Mabilie, 1891)** (Hesperiidae) Synonym(s): *statira* Mabilie, 1891 _ Range (in code): SL LR CI NG
- 8215. *Melphina statirides* (Holland, 1896)** (Hesperiidae) Synonym(s): *statirides* Holland, 1896; *flavifasciola* Druce, 1909 _ Range (in code): LR NG CM GA GO CG
- 8216. *Melphina tarace* (Mabilie, 1891)** (Hesperiidae) Synonym(s): *tarace* Mabilie, 1891 _ Range (in code): SL CI NG CM CG
- 8217. *Melphina unistriga* (Holland, 1893)** (Hesperiidae) Synonym(s): *unistriga* Holland, 1893 _ Range (in code): GA UG SL
- 8218. *Mesodina aeluropis* Meyrick, 1901** (Hesperiidae) Synonym(s): *aeluropis* Meyrick, 1901 _ Range (in code): AU NSw
- 8219. *Mesodina aeluropis aeluropis* Meyrick, 1901** (Hesperiidae) Synonym(s): *aeluropis* Meyrick, 1901 _ Range (in code): AU NSw
- 8220. *Mesodina halyzia* (Hewitson, 1868)** (Hesperiidae) Synonym(s): *halyzia* Hewitson, 1868 _ Range (in code): AU NSw WAu Pth Bun
- 8221. *Mesodina halyzia cyanophracta* Lower, 1911** (Hesperiidae) Synonym(s): *cyanophracta* Lower, 1911 _ Range (in code): AU WAu Pth Bun
- 8222. *Mesodina halyzia halyzia* (Hewitson, 1868)** (Hesperiidae) Synonym(s): *halyzia* Hewitson, 1868 _ Range (in code): AU NSw
- 8223. *Metardaris cosinga* (Hewitson, 1874)** (Hesperiidae) Synonym(s): *cosinga* Hewitson, 1874; *obscura* Mabilie, 1904; *sanguinea* Mabilie, 1908 _ Range (in code): BO PE
- 8224. *Methion melas* Godman, 1900** (Hesperiidae) Synonym(s): *melas* Godman, 1900 _ Range (in code): MX
- 8225. *Methionopsis ina* (Plötz, 1882)** (Hesperiidae) Synonym(s): *ina* Plötz, 1882; *modestus* Godman, 1901 _ Range (in code): MX
- 8226. *Methionopsis typhon* Godman, 1901** (Hesperiidae) Synonym(s): *typhon* Godman, 1901 _ Range (in code): MX
- 8227. *Metisella abdeli abdeli* (Krüger, 1928)** (Hesperiidae) Synonym(s): *abdeli* Krüger, 1928
- 8228. *Metisella abdeli elgona* Evans, 1938** (Hesperiidae) Synonym(s): *elgona* Evans, 1938
- 8229. *Metisella aegipan* (Trimen, 1868)** (Hesperiidae) Synonym(s): *aegipan* Trimen, 1868 _ Range (in code): ZW ZA Ec Nta Kzu Tva Lpo Ly
- 8230. *Metisella aegipan aegipan* (Trimen, 1868)** (Hesperiidae) Synonym(s): *aegipan* Trimen, 1868 _ Range (in code): ZA Ec Nta Kzu Tva Lpo
- 8231. *Metisella aegipan inyang* Evans, 1956** (Hesperiidae) Synonym(s): *inyang* Evans, 1956 _ Range (in code): ZW
- 8232. *Metisella alticola* (Aurivillius, 1925)** (Hesperiidae) Synonym(s): *alticola* Aurivillius, 1925 _ Range (in code): ZR UG RW KE
- 8233. *Metisella angolana* (Karsch, 1896)** (Hesperiidae) Synonym(s): *angolana* Karsch, 1896 _ Range (in code): AO ZR
- 8234. *Metisella angolana angolana* (Karsch, 1896)** (Hesperiidae) Synonym(s): *angolana* Karsch, 1896 _ Range (in code): AO
- 8235. *Metisella angolana cooksoni* (Druce, 1905)** (Hesperiidae) Synonym(s): *cooksoni* Druce, 1905 _ Range (in code): ZR
- 8236. *Metisella carsoni* (Butler, 1898)** (Hesperiidae) Synonym(s): *carsoni* Butler, 1898 _ Range (in code): TZ
- 8237. *Metisella congdoni* de Jong & Kielland, 1983** (Hesperiidae) Synonym(s): *congdoni* de Jong & Kielland, 1983 _ Range (in code): TZ

- 8238. *Metisella decipiens* (Butler,1896)** (Hesperiidae) Synonym(s): *decipiens* Butler,1896
Range (in code): **MW TZ**
- 8239. *Metisella formosus* (Butler,1894)** (Hesperiidae) Synonym(s): *formosus* Butler,1894
Range (in code): **MW Zom ZR ZM TZ KE UG ZR ET**
- 8240. *Metisella formosus formosus* (Butler,1894)** (Hesperiidae) Synonym(s): *formosus* Butler,1894
Range (in code): **MW Zom**
- 8241. *Metisella formosus linda* Evans,1937** (Hesperiidae) Synonym(s): *linda* Evans,1937
Range (in code): **ZR ZM TZ KE**
- 8242. *Metisella formosus mittoni* Carcasson,1961** (Hesperiidae) Synonym(s): *mittoni* Carcasson,1961
Range (in code): **ET**
- 8243. *Metisella formosus nyanza* Evans,1937** (Hesperiidae) Synonym(s): *nyanza* Evans,1937
Range (in code): **UG ZR**
- 8244. *Metisella kakamega* De Jong,1976** (Hesperiidae) Synonym(s): *kakamega* De Jong,1976
Range (in code): **KE**
- 8245. *Metisella kambove* (Neave,1910)** (Hesperiidae) Synonym(s): *kambove* Neave,1910
Range (in code): **ZR ZM TZ**
- 8246. *Metisella kumbona* Evans,1937** (Hesperiidae) Synonym(s): *kumbona* Evans,1937
Range (in code): **CM NG**
- 8247. *Metisella malgacha* (Boisduval,1833)** (Hesperiidae) Synonym(s): *malgacha* Boisduval,1833; *limpopona* Wallengren,1857
Range (in code): **ZA Tva Ec Fs Gau Jh LZ Nta Kzu**
- 8248. *Metisella malgacha malchaga* (Boisduval,1833)** (Hesperiidae) Synonym(s): *malgacha* Boisduval,1833; *limpopona* Wallengren,1857
Range (in code): **ZA Tva Ec Fs Gau Jh**
- 8249. *Metisella malgacha orina* Vari,1976** (Hesperiidae) Synonym(s): *orina* Vari,1976
Range (in code): **LZ ZA Nta Kzu**
- 8250. *Metisella medea* Evans,1937** (Hesperiidae) Synonym(s): *medea* Evans,1937
Range (in code): **TZ KU ZR UG MW**
- 8251. *Metisella medea medea* Evans,1937** (Hesperiidae) Synonym(s): *medea* Evans,1937
Range (in code): **TZ KU ZR UG**
- 8252. *Metisella medea nyika* Evans,1937** (Hesperiidae) Synonym(s): *nyika* Evans,1937
Range (in code): **MW TZ**
- 8253. *Metisella meninx* (Trimen,1873)** (Hesperiidae) Synonym(s): *meninx* Trimen,1873; *argentiostriatus* Plötz,1886
Range (in code): **ZA Tva Gau Pre Jh Nta Kzu Fs Ptc Wri AO**
- 8254. *Metisella metis* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *metis* Linnaeus,1764
Range (in code): **ZA Wca Ec Nta Kzu Ptb Lpo Tva Spb Hgl Ent Mpu Brb Suw Ly Aup**
- 8255. *Metisella metis metis* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *metis* Linnaeus,1764
Range (in code): **ZA Wca Ec**
- 8256. *Metisella metis paris* Evans,1937** (Hesperiidae) Synonym(s): *paris* Evans,1937
Range (in code): **ZA Nta Kzu Ptb Lpo Tva Spb Hgl Ent Mpu Brb Suw Ly Aup**
- 8257. *Metisella midas* (Butler,1894)** (Hesperiidae) Synonym(s): *midas* Butler,1894; *xanthometis* Mabille,1898
Range (in code): **NG CM MW ZM ZR TZ KE UG**
- 8258. *Metisella midas malda* Evans,1937** (Hesperiidae) Synonym(s): *malda* Evans,1937
Range (in code): **NG CM**
- 8259. *Metisella midas midas* (Butler,1894)** (Hesperiidae) Synonym(s): *midas* Butler,1894; *xanthometis* Mabille,1898
Range (in code): **MW ZM ZR TZ KE UG**
- 8260. *Metisella orientalis* (Aurivillius,1925 /abdeli Krüger,1928 geçerli)** (Hesperiidae)
Synonym(s):
Range (in code): **ZW MZ MW TZ KE UG ZR RW BI CM**
- 8261. *Metisella perexcellens* (Butler,1896)** (Hesperiidae) Synonym(s): *perexcellens* Butler,1896
Range (in code): **MW**
- 8262. *Metisella perexcellens marunga* Evans,1937** (Hesperiidae) Synonym(s): *marunga* Evans,1937
Range (in code): **TZ**
- 8263. *Metisella perexcellens perexcellens* (Butler,1896)** (Hesperiidae) Synonym(s): *perexcellens* Butler,1896
Range (in code): **MW**
- 8264. *Metisella perexcellens sitebi* Kielland,1982** (Hesperiidae) Synonym(s): *sitebi* Kielland,1982
Range (in code): **TZ**
- 8265. *Metisella quadrisignatus* (Butler,1894)** (Hesperiidae) Synonym(s): *quadrisignatus* Butler,1894
Range (in code): **TZ SD KE MW Zom**

- 8266. *Metisella quadrisignatus nanda* Evans,1937** (Hesperiidae) Synonym(s): *nanda* Evans,1937 _ Range (in code): KE
- 8267. *Metisella quadrisignatus quadrisignatus* (Butler,1894)** (Hesperiidae) Synonym(s): *quadrisignatus* Butler,1894 _ Range (in code): TZ SD KE MW Zom
- 8268. *Metisella syrinx* (Trimen,1868)** (Hesperiidae) Synonym(s): *syrinx* Trimen,1868 _ Range (in code): ZA Wca Ec Nta Kzu LS
- 8269. *Metisella trisignatus* (Neave,1904)** (Hesperiidae) Synonym(s): *trisignatus* Neave,1904 _ Range (in code): KE ZM TZ
- 8270. *Metisella trisignatus tanga* Evans,1937** (Hesperiidae) Synonym(s): *tanga* Evans,1937 _ Range (in code): ZM TZ
- 8271. *Metisella trisignatus trisignatus* (Neave,1904)** (Hesperiidae) Synonym(s): *trisignatus* Neave,1904 _ Range (in code): KE
- 8272. *Metisella tsadicus* (Aurivillius,1905)** (Hesperiidae) Synonym(s): *tsadicus* Aurivillius,1905; *ogwany* Bethune-Baker,1906; *birbiranus* Ungemach,1932 _ Range (in code): TD CM SD UG ET
- 8273. *Metisella willemi* (Wallengren,1857)** (Hesperiidae) Synonym(s): *willemi* Wallengren,1857; *cheles* Hewitson,1868 _ Range (in code): NA ZA Tva Wb Lpo Ly Mpu Brb Gau Pre Wri Wm BW MZ ZW MW ZM ZR TZ KE UG SO
- 8274. *Metron chrysogastra* (Butler,1870)** (Hesperiidae) Synonym(s): *chrysogastra* Butler,1870; *goza* Hewitson,1877; *cuneata* Plötz,1882 _ Range (in code): MX
- 8275. *Meza banda* (Evans,1937)** (Hesperiidae) Synonym(s): *banda* Evans,1937 _ Range (in code): CM ZR
- 8276. *Meza budonga* (Evans,1938)** (Hesperiidae) Synonym(s): *budonga* Evans,1938 _ Range (in code): UG
- 8277. *Meza cybeutes* (Holland,1894)** (Hesperiidae) Synonym(s): *cybeutes* Holland,1894; *tessmanni* Strand,1913 _ Range (in code): GH SL GA CM ZR UG AO
- 8278. *Meza cybeutes cybeutes* (Holland,1894)** (Hesperiidae) Synonym(s): *cybeutes* Holland,1894; *tessmanni* Strand,1913 _ Range (in code): GA CM ZR
- 8279. *Meza cybeutes pallida* (Holland,1896)** (Hesperiidae) Synonym(s): *pallida* Holland,1896; *pallida* Evans,1937 _ Range (in code): ZR UG AO
- 8280. *Meza cybeutes volta* Miller,1971** (Hesperiidae) Synonym(s): *volta* Miller,1971 _ Range (in code): GH SL
- 8281. *Meza elba* (Evans,1937)** (Hesperiidae) Synonym(s): *elba* Evans,1937 _ Range (in code): SL CI NG CM CG
- 8282. *Meza indusiata* (Mabille,1891)** (Hesperiidae) Synonym(s): *indusiata* Mabille,1891; *kasai* Druce,1909; *#dualensis* Strand,1914 _ Range (in code): CM ZR SN UG
- 8283. *Meza larea* (Neave,1910)** (Hesperiidae) Synonym(s): *larea* Neave,1910; *#hias* Strand,1921 _ Range (in code): ZM ZR MW TZ
- 8284. *Meza leucophaea* (Holland,1894)** (Hesperiidae) Synonym(s): *leucophaea* Holland,1894 _ Range (in code): GA CM NG CI LR SL
- 8285. *Meza leucophaea bassa* Lindsey & Miller,1894** (Hesperiidae) Synonym(s): *bassa* Lindsey & Miller,1894 _ Range (in code): NG CI LR SL
- 8286. *Meza leucophaea leucophaea* (Holland,1894)** (Hesperiidae) Synonym(s): *leucophaea* Holland,1894 _ Range (in code): GA CM
- 8287. *Meza mabea* (Holland,1894)** (Hesperiidae) Synonym(s): *mabea* Holland,1894 _ Range (in code): GA CM
- 8288. *Meza mabiliei* (Holland,1893)** (Hesperiidae) Synonym(s): *mabiliei* Holland,1893 _ Range (in code): SL GA NG
- 8289. *Meza meza* (Hewitson,1877)** (Hesperiidae) Synonym(s): *meza* Hewitson,1877; *batea* Plötz,1879; *bubovi* Karsch,1893; *varia* Mabille,1896; *ogrugana* Lathy,1903 _ Original Reference: Hesperia meza Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 79. Type(s): Angola (Rogers). Range (in code): AO SN UG NG TG GH
- 8290. *Microceris variicolor* (Ménétriés,1855)** (Hesperiidae) Synonym(s): *variicolor* Ménétriés,1855 _ Range (in code): BR MiG
- 8291. *Mictris crispus* (Herrich-Schäffer,1870)** (Hesperiidae) Synonym(s): *crispus* Herrich-Schäffer,1870 _ Range (in code): MX
- 8292. *Mictris crispus caerula* (Mabille,1877)** (Hesperiidae) Synonym(s): *caerula* Mabille,1877 _ Range (in code): MX

- 8293. *Mimene albiclavata* (Butler,1882)** (Hesperiidae) Synonym(s): *albiclavata* Butler,1882
Range (in code): **PG D-Y Nlr**
- 8294. *Mimene albiclavata albiclavata* (Butler,1882)** (Hesperiidae) Synonym(s): *albiclavata* Butler,1882
Range (in code): **PG D-Y Nlr**
- 8295. *Mimene albidiscus* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *albidiscus* Joicey & Talbot,1917
Range (in code): **ID Bia PG Stn**
- 8296. *Mimene albidiscus albidiscus* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *albidiscus* Joicey & Talbot,1917
Range (in code): **ID Bia PG Stn**
- 8297. *Mimene atropatene* (Fruhstorfer,1911)** (Hesperiidae) Synonym(s): *atropatene* Fruhstorfer,1911; *wollastoni* Rothschild,1915
Range (in code): **ID Aru Wg Goo Fg PG**
- 8298. *Mimene atropatene atropatene* (Fruhstorfer,1911)** (Hesperiidae) Synonym(s): *atropatene* Fruhstorfer,1911; *wollastoni* Rothschild,1915
Range (in code): **ID Aru Wg Goo Fg PG**
- 8299. *Mimene basalis* Rothschild,1915** (Hesperiidae) Synonym(s): *basalis* Rothschild,1915
Range (in code): **ID Aru Wg Mi**
- 8300. *Mimene basalis basalis* Rothschild,1915** (Hesperiidae) Synonym(s): *basalis* Rothschild,1915; *viridicincta* Joicey & Talbot,1917
Range (in code): **ID Wg Mi**
- 8301. *Mimene basalis benita* Evans,1935** (Hesperiidae) Synonym(s): *benita* Evans,1935
Range (in code): **ID Aru**
- 8302. *Mimene biakensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *biakensis* Joicey & Talbot,1917
Range (in code): **PG ID Bia**
- 8303. *Mimene biakensis biakensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *biakensis* Joicey & Talbot,1917
Range (in code): **ID Bia**
- 8304. *Mimene biakensis gunta* Evans,1949** (Hesperiidae) Synonym(s): *gunta* Evans,1949
Range (in code): **PG**
- 8305. *Mimene celia* Evans,1935** (Hesperiidae) Synonym(s): *celia* Evans,1935
Range (in code): **PG ID Jo Aru Ij Fak**
- 8306. *Mimene celia brutus* Evans,1935** (Hesperiidae) Synonym(s): *brutus* Evans,1935
Range (in code): **ID Aru**
- 8307. *Mimene celia caesar* Evans,1935** (Hesperiidae) Synonym(s): *caesar* Evans,1935
Range (in code): **ID Ij Fak**
- 8308. *Mimene celia celia* Evans,1935** (Hesperiidae) Synonym(s): *celia* Evans,1935
Range (in code): **ID Jo**
- 8309. *Mimene celia sariba* Evans,1935** (Hesperiidae) Synonym(s): *sariba* Evans,1935
Range (in code): **PG**
- 8310. *Mimene cyanea* Evans,1928** (Hesperiidae) Synonym(s): *cyanea* Evans,1928
Range (in code): **ID Ij**
- 8311. *Mimene cyanea cyanea* Evans,1928** (Hesperiidae) Synonym(s): *cyanea* Evans,1928
Range (in code): **ID Ij**
- 8312. *Mimene kolbei* (Ribbe,1899)** (Hesperiidae) Synonym(s): *kolbei* Ribbe,1899
Range (in code): **PG ID NBr Aru Wg Vu Dmp**
- 8313. *Mimene kolbei kolbei* (Ribbe,1899)** (Hesperiidae) Synonym(s): *kolbei* Ribbe,1899
Range (in code): **PG NBr**
- 8314. *Mimene kolbei tenebricosa* (Mabille,1904)** (Hesperiidae) Synonym(s): *tenebricosa* Mabille,1904; *megathymoides* Rothschild,1915
Range (in code): **PG ID Aru Wg Vu Dmp**
- 8315. *Mimene lysima* (Swinhoe,1905)** (Hesperiidae) Synonym(s): *lysima* Swinhoe,1905; *miltiades* Fruhstorfer,1911
Range (in code): **PG ID Kai**
- 8316. *Mimene lysima lysima* (Swinhoe,1905)** (Hesperiidae) Synonym(s): *lysima* Swinhoe,1905; *miltiades* Fruhstorfer,1911
Range (in code): **PG ID Kai**
- 8317. *Mimene melie* (De Nicéville,1895)** (Hesperiidae) Synonym(s): *melie* De Nicéville,1895
Range (in code): **PG Dmp Vu**
- 8318. *Mimene melie melie* (De Nicéville,1895)** (Hesperiidae) Synonym(s): *melie* De Nicéville,1895
Range (in code): **PG Dmp Vu**
- 8319. *Mimene milnea* Evans,1935** (Hesperiidae) Synonym(s): *milnea* Evans,1935
Range (in code): **PG Fg**
- 8320. *Mimene milnea milnea* Evans,1935** (Hesperiidae) Synonym(s): *milnea* Evans,1935
Range (in code): **PG Fg**

- 8321. *Mimene miltias* (Karsch,1876)** (Hesperiidae) Synonym(s): *miltias* Karsch,1876 _ Range (in code): ID Jo PG
- 8322. *Mimene miltias miltias* (Karsch,1876)** (Hesperiidae) Synonym(s): *miltias* Karsch,1876 _ Range (in code): ID Jo PG
- 8323. *Mimene orida* (Boisduval,1832)** (Hesperiidae) Synonym(s): *orida* Boisduval,1832; *owgarra* Evans,1935 _ Range (in code): PG ID Ij Afk
- 8324. *Mimene orida orida* (Boisduval,1832)** (Hesperiidae) Synonym(s): *orida* Boisduval,1832; *owgarra* Evans,1935 _ Range (in code): PG ID Ij Afk
- 8325. *Mimene waigeuensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *waigeuensis* Joicey & Talbot,1917 _ Range (in code): ID Wg
- 8326. *Mimene waigeuensis waigeuensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *waigeuensis* Joicey & Talbot,1917 _ Range (in code): ID Wg
- 8327. *Mimene wandammanensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *wandammanensis* Joicey & Talbot,1917 _ Range (in code): ID Ij Afk
- 8328. *Mimene wandammanensis wandammanensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *wandammanensis* Joicey & Talbot,1917 _ Range (in code): ID Ij Afk
- 8329. *Mimia chiapaensis* Freeman,1969** (Hesperiidae) Synonym(s): *chiapaensis* Freeman,1969 _ Range (in code): MX
- 8330. *Mimoniades baroni* Mabilie & Boulet,1908** (Hesperiidae) Synonym(s): *baroni* Mabilie & Boulet,1908 _ Range (in code): BO
- 8331. *Mimoniades eupheme* Godman & Salvin,1875** (Hesperiidae) Synonym(s): *eupheme* Godman & Salvin,1875 _ Range (in code): PE EC
- 8332. *Mimoniades mimetes* Mabilie,1909** (Hesperiidae) Synonym(s): *mimetes* Mabilie,1909 _ Range (in code): GY
- 8333. *Mimoniades minthe* Godman & Salvin,1875** (Hesperiidae) Synonym(s): *minthe* Godman & Salvin,1875; *egena* Mabilie & Boulet,1908 _ Range (in code): BO
- 8334. *Mimoniades ocyalus* Hübner,1823** (Hesperiidae) Synonym(s): *ocyalus* Hübner,1823; *iphinous* Kirby,1871 _ Range (in code): BR
- 8335. *Mimoniades periphema* Hewitson,1874** (Hesperiidae) Synonym(s): *periphema* Hewitson,1874 _ Range (in code): PE BO
- 8336. *Mimoniades pityusa* Hewitson,1874** (Hesperiidae) Synonym(s): *pityusa* Hewitson,1874; *porus* Plötz,1879 _ Range (in code): PE CO
- 8337. *Mimoniades punctiger* Mabilie & Boulet,1908** (Hesperiidae) Synonym(s): *punctiger* Mabilie & Boulet,1908
- 8338. *Mimoniades sela* Hewitson,1866** (Hesperiidae) Synonym(s): *sela* Hewitson,1866 _ Range (in code): GD
- 8339. *Mimoniades versicolor* (Latreille,1823)** (Hesperiidae) Synonym(s): *versicolor* Latreille,1823; *mulcifer* Hübner,1825 _ Range (in code): BR
- 8340. *Miraja flora* (Oberthür,1923)** (Hesperiidae) Synonym(s): *flora* Oberthür,1923 _ Range (in code): MG
- 8341. *Miraja howa* (Mabilie,1876)** (Hesperiidae) Synonym(s): *howa* Mabilie,1876 _ Range (in code): MG
- 8342. *Miraja ismael* (Oberthür,1916)** (Hesperiidae) Synonym(s): *ismael* Oberthür,1916 _ Range (in code): MG
- 8343. *Miraja ochracea* Evans,1937** (Hesperiidae) Synonym(s): *ochracea* Evans,1937; *#pallida* Aurivillius,1925 _ Range (in code): MG
- 8344. *Miraja paroechus* (Mabilie,1887)** (Hesperiidae) Synonym(s): *paroechus* Mabilie,1887 _ Range (in code): MG
- 8345. *Miraja sida* Evans,1937** (Hesperiidae) Synonym(s): *sida* Evans,1937 _ Range (in code): MG
- 8346. *Miraja silvestralis* Viette,1956** (Hesperiidae) Synonym(s): *silvestralis* Viette,1956; *#hova* Mabilie,1887 _ Range (in code): MG
- 8347. *Miraja sylvia* Evans,1937** (Hesperiidae) Synonym(s): *sylvia* Evans,1937 _ Range (in code): MG
- 8348. *Miraja varians* (Oberthür,1916)** (Hesperiidae) Synonym(s): *variens* Oberthür,1916; *#brunnea* Oberthür,1916 _ Range (in code): MG
- 8349. *Mnaseas bicolor* (Mabilie,1889)** (Hesperiidae) Synonym(s): *bicolor* Mabilie,1889 _ Range (in code): MX

- 8350. *Mnasicles geta* Godman,1901** (Hesperiidae) Synonym(s): *geta* Godman,1901 _ Range (in code): MX
- 8351. *Mnasicles hicetaon* Godman,1901** (Hesperiidae) Synonym(s): *hicetaon* Godman,1901; *stollmeyeri* Bell,1932; *koehlerii* Hayward,1939 _ Range (in code): MX
- 8352. *Mnasilus allubita* (Butler,1877)** (Hesperiidae) Synonym(s): *allubita* Butler,1877; *evanidus* Mabil,1883; *umbrosus* Mabil,1883; *zalma* Plötz,1886; *amyra* Mabil,1891; *penicillatus* Godman,1900; *norma* Dyar,1917 _ Range (in code): MX
- 8353. *Mnasinous patage* Godman,1900** (Hesperiidae) Synonym(s): *patage* Godman,1900 _ Range (in code): MX
- 8354. *Mnasitheus chrysophrys* (Mabil,1891)** (Hesperiidae) Synonym(s): *chrysophrys* Mabil,1891; *cephis* Godman,1900 _ Range (in code): MX
- 8355. *Mnasitheus nitra* Evans,1955** (Hesperiidae) Synonym(s): *nitra* Evans,1955 _ Range (in code): MX
- 8356. *Moeris hyagnis* Godman,1900** (Hesperiidae) Synonym(s): *hyagnis* Godman,1900 _ Range (in code): MX
- 8357. *Moeris stroma* Evans,1955** (Hesperiidae) Synonym(s): *stroma* Evans,1955 _ Range (in code): MX
- 8358. *Moltena fiara* (Butler,1870)** (Hesperiidae) Synonym(s): *fiara* Butler,1870; *#natalica* Plötz,1882 _ Range (in code): ZA Ec Nta Kzu MZ
- 8359. *Monca crispinus* (Plötz,1882)** (Hesperiidae) Synonym(s): *crispinus* Plötz,1882; *tyrtaeus* Plötz,1882 _ Range (in code): US MX Tx
- 8360. *Monca jera* (Godman,1900)** (Hesperiidae) Synonym(s): *jera* Godman,1900 _ Range (in code): MX
- 8361. *Monza alberti* (Holland,1896)** (Hesperiidae) Synonym(s): *alberti* Holland,1896; *entebbea* Swinhoe,1909; *#bibundicana* Strand,1913; *#alenicola* Strand,1913 _ Range (in code): SN GA ZR UG KE
- 8362. *Monza cretacea* (Snellen,1872)** (Hesperiidae) Synonym(s): *cretacea* Snellen,1872; *gonessa* Hewitson,1877; *leucosoma* Mabil,1877; *camerona* Plötz,1879; *ploetziana* Strand,1921; *oldenburgi* Neustetter,1927 _ Range (in code): AO CG CM UG GN
- 8363. *Monza punctata* (Aurivillius,1910)** (Hesperiidae) Synonym(s): *punctata* Aurivillius,1910; *crona* Evans,1937; *#canda* Evans,1937 _ Range (in code): MW TZ ZR UG NG KE
- 8364. *Monza punctata crola* Evans,1937** (Hesperiidae) Synonym(s): *crola* Evans,1937; *crosa* Evans,1937; *#candia* Evans,1937 _ Range (in code): UG NG ZR KE
- 8365. *Monza punctata punctata* (Aurivillius,1910)** (Hesperiidae) Synonym(s): *punctata* Aurivillius,1910; *crona* Evans,1937; *#canda* Evans,1937 _ Range (in code): MW TZ ZR
- 8366. *Mooreana princeps* (Semper,1892)** (Hesperiidae) Synonym(s): *princeps* Semper,1892 _ Range (in code): PH Ley Mno Pao Sam
- 8367. *Mooreana princeps princeps* (Semper,1892)** (Hesperiidae) Synonym(s): *princeps* Semper,1892 _ Range (in code): PH Ley Mno Pao Sam
- 8368. *Mooreana trichoneura* (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *trichoneura* C.Felder & R.Felder,1860 _ Original Reference: Pterygospidea trichoneura C.Felder & R.Felder,1860, Wien. ent. Monatschr. 4: 402, nr.31. Range (in code): PH Pal CN Hn MM Tns Krh Shn TH Chy CMa CDo Cbi Nna Rng Yal Nst Chw Lsa IN Kma SI Ben VN Ton Ass MY Mrg Bor KBa ID Ja Nla
- 8369. *Mooreana trichoneura multipunctatus* (Crowley,1900)** (Hesperiidae) Synonym(s): *multipunctatus* Crowley,1900 _ Range (in code): CN Hn
- 8370. *Mooreana trichoneura nava* (Fruhstorfer,1909)** (Hesperiidae) Synonym(s): *nava* Fruhstorfer,1909 _ Range (in code): ID Ja
- 8371. *Mooreana trichoneura nivosa* (Fruhstorfer,1909)** (Hesperiidae) Synonym(s): *nivosa* Fruhstorfer,1909 _ Range (in code): ID Nla
- 8372. *Mooreana trichoneura pralaya* (Moore,[1866])** (Hesperiidae) Synonym(s): *pralaya* Moore,[1866]; *pellita* Fruhstorfer,1919. _ Original Reference: Pterygospidea pralaya Moore,[1866], Proc. zool. Soc. Lond. 1865: 779. Range (in code): MM Tns Krh Shn TH Chy CMa CDo Cbi Nna IN Kma SI Ben VN Ton Ass
- 8373. *Mooreana trichoneura trichoneura* (C.Felder & R.Felder,1860)** (Hesperiidae) Synonym(s): *trichoneura* C.Felder & R.Felder,1860 _ Original Reference: Pterygospidea trichoneura C.Felder & R.Felder,1860, Wien. ent. Monatschr. 4: 402, nr.31. Range (in code): MY TH Rng Yal Nst Chw Lsa MM Mrg

- 8374. Mooreana trichoneura trichoneuroides (Elwes & Edwards,1897)** (Hesperiidae)
Synonym(s): *trichoneuroides* Elwes & Edwards,1897 _ Range (in code): PH Pal MY Bor KBa
- 8375. Mopala orma (Plötz,1879)** (Hesperiidae) Synonym(s): *orma* Plötz,1879; *violascens* Plötz,1882
Range (in code): GA UG CM CI LR
- 8376. Morvinia falisca (Hewitson,1878)** (Hesperiidae) Synonym(s): *falisca* Hewitson,1878
Range (in code): MX
- 8377. Morvinia falisca lachesis (Dyar,1918)** (Hesperiidae) Synonym(s): *lachesis* Dyar,1918
Range (in code): MX
- 8378. Morys lyde Godman,1900** (Hesperiidae) Synonym(s): *lyde* Godman,1900 _ Range (in code): MX
- 8379. Morys miccythus Godman,1900** (Hesperiidae) Synonym(s): *miccythus* Godman,1900; *incompta* Hayward,1941 _ Range (in code): MX
- 8380. Morys valda Evans,1955** (Hesperiidae) Synonym(s): *valda* Evans,1955 _ Range (in code): MX
- 8381. Motasingha atralba (Tepper,1881)** (Hesperiidae) Synonym(s): *atralba* Tepper,1881
Range (in code): AU SAu WAu Aby Dha Gtn
- 8382. Motasingha atralba anaces Waterhouse,1937** (Hesperiidae) Synonym(s): *anaces* Waterhouse,1937 _ Range (in code): AU WAu
- 8383. Motasingha atralba anapus Waterhouse,1937** (Hesperiidae) Synonym(s): *anapus* Waterhouse,1937 _ Range (in code): AU WAu Aby
- 8384. Motasingha atralba atralba (Tepper,1881)** (Hesperiidae) Synonym(s): *atralba* Tepper,1881 _ Range (in code): AU SAu
- 8385. Motasingha atralba dactyliota (Meyrick,1887)** (Hesperiidae) Synonym(s): *dactyliota* Meyrick,1887 _ Range (in code): AU WAu Gtn
- 8386. Motasingha atralba nila Waterhouse,1932** (Hesperiidae) Synonym(s): *nila* Waterhouse,1932 _ Range (in code): AU WAu Dha
- 8387. Motasingha dirphia (Hewitson,1868)** (Hesperiidae) Synonym(s): *dirphia* Hewitson,1868
Range (in code): AU SAu QAU NSW WAu
- 8388. Motasingha dirphia dea Waterhouse,1933** (Hesperiidae) Synonym(s): *dea* Waterhouse,1933 _ Range (in code): AU NSW
- 8389. Motasingha dirphia dilata Waterhouse,1933** (Hesperiidae) Synonym(s): *dilata* Waterhouse,1933 _ Range (in code): AU QAU NSW
- 8390. Motasingha dirphia dirphia (Hewitson,1868)** (Hesperiidae) Synonym(s): *dirphia* Hewitson,1868 _ Range (in code): AU WAu
- 8391. Motasingha dirphia trimaculata (Tepper,1881)** (Hesperiidae) Synonym(s): *trimaculata* Tepper,1881; *quadrimaculata* Tepper,1881 _ Range (in code): AU SAu
- 8392. Mucia zygia (Plötz,1886)** (Hesperiidae) Synonym(s): *zygia* Plötz,1886; *thyia* Godman,1900; *matalma* Schaus,1902 _ Range (in code): MX
- 8393. Muschampia antonia (Speyer,1879)** (Hesperiidae) Synonym(s): *antonia* Speyer,1879
Original Reference: Pyrgus antonia Speyer,1879, Stettin ent. Ztg. 40: 342-344. Syntypes 4♂ 2♀: [Kazakhstan]: Saisan noor, See im Quellgebiet des Irtysh. Range (in code): T-S AF Ssn KG At Ti CN Ui Al T-A KK TeA Tar Sau TrA Aa Bkb Mrk Ikc
- 8394. Muschampia antonia antonia (Speyer,1879)** (Hesperiidae) Synonym(s): *antonia* Speyer,1879
Original Reference: Pyrgus antonia Speyer,1879, Stettin ent. Ztg. 40: 342-344. Syntypes 4♂ 2♀: [Kazakhstan]: Saisan noor, See im Quellgebiet des Irtysh. Range (in code): AF Ssn KG At Ti CN Ui Al T-A KK TeA Tar Sau TrA Aa Bkb Mrk Ikc T-S
- 8395. Muschampia antonia gigantea (Staudinger,1886)** (Hesperiidae) Synonym(s): *gigantea* Staudinger,1886
Original Reference: Pyrgus antonia var. gigantea Staudinger,1886, Stettin ent. Ztg. 47: 255-256. Syntypes: [Uzbekistan]: Margelan, Usgent; [Kirgizistan]: Osch. Range (in code): T-S Fe KK Osh UZ
- 8396. Muschampia antonia shivaensis (Wyatt,1961)** (Hesperiidae) Synonym(s): *shivaensis* Wyatt,1961
Original Reference: Ramburia antonia ssp. shivaensis Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♂: Afghanistan: Badakhshan: Shiva Mts., 6500-8000ft. Range (in code): AF Bd Shv
- 8397. Muschampia cribrellum (Eversmann,1841)** (Hesperiidae) Synonym(s): *cribrellum* Eversmann,1841
Original Reference: Hesperia cribrellum Eversmann,1841, Bull. Soc. nat.

- Moscou 1841 (1): 25. Range (in code): **Bn Ba MK RO RU BG Sm Sr VI UA HU MN CN Ui At Ts Amd Am KG Uk Or Kt Rk Kw Sp Mn Om Sau Tar** Bionomy: Larva on *Potentilla* sp. (Tolman,1997).
- 8398. *Muschampia cribrellum cribrellum* (Eversmann,1841)** (Hesperiidae) Synonym(s): *cribrellum* Eversmann,1841 Original Reference: *Hesperia cribrellum* Eversmann,1841, Bull. Soc. nat. Moscou 1841 (1): 25. Range (in code): **Ba MK RO RU BG Sm Sr VI UA HU KG Uk Or Kt Rk Kw Sp Mn Om Sau Tar**
- 8399. *Muschampia cribrellum heilong* (Streltsov & Dubatolov,1997)** (Hesperiidae) Synonym(s): *heilong* Streltsov & Dubatolov,1997 Original Reference: *Syrichthus cribrellum* ssp. *heilong* Streltsov & Dubatolov,1997, Atalanta 28 81/2): 125-127, figs. Holotype ♂: Russia: Blagovestchensk: surroundings of lake Peschanoje. Range (in code): **RU Am**
- 8400. *Muschampia cribrellum obscurior* (Staudinger,1892)** (Hesperiidae) Synonym(s): *obscurior* Staudinger,1892; *hybrida* Mabilie,1909; *incompleta* B.C.S.Warren,1926. Range (in code): **RU Bn At CN Ts Amd Am MN**
- 8401. *Muschampia gigas* (Bremer,1864)** (Hesperiidae) Synonym(s): *gigas* Bremer,1864; *minor* Mabilie,1909 Original Reference: *Hesperia gigas* Bremer,1864, Mém. Acad. imp. Sci. St.-Petersb. 8: 96, pl.8 fig.3. Syntypes: Russia: [Kazan Distr., Ussuri Region]: "Bai Possiet und port Bruce". Range (in code): **CN Mc RU Am Prj Us Vv**
- 8402. *Muschampia gigas gigas* (Bremer,1864)** (Hesperiidae) Synonym(s): *gigas* Bremer,1864; *minor* Mabilie,1909 Original Reference: *Hesperia gigas* Bremer,1864, Mém. Acad. imp. Sci. St.-Petersb. 8: 96, pl.8 fig.3. Syntypes: Russia: [Kazan Distr., Ussuri Region]: "Bai Possiet und port Bruce". Range (in code): **CN Mc RU Am Prj Us Vv**
- 8403. *Muschampia hieromax* (Hemming,1932)** (Hesperiidae) Synonym(s): *hieromax* Hemming,1932 Range (in code): **LB IL Pa JO**
- 8404. *Muschampia hieromax hieromax* (Hemming,1932)** (Hesperiidae) Synonym(s): *hieromax* Hemming,1932 Range (in code): **LB IL Pa JO**
- 8405. *Muschampia kuenlunus* (Groum-Grshimailo,1893)** (Hesperiidae) Synonym(s): *kuenlunus* Groum-Grshimailo,1893 Original Reference: *Pyrgus gigas* var. *kuenlunus* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: [Tadjikistan]: "In montibus Transalaiensibus (Pamir) [Zaalaisky Mts.]; [China: Uighur A.R.]: "in montibus ad flumen Chuan-che". Range (in code): **TJ Al Pm T-S Ax TrA Tls TeA KK KG CN Ui Kn TeA TrA Ax Tls**
- 8406. *Muschampia kuenlunus kuenlunus* (Groum-Grshimailo,1893)** (Hesperiidae) Synonym(s): *kuenlunus* Groum-Grshimailo,1893 Original Reference: *Pyrgus gigas* var. *kuenlunus* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: [Tadjikistan]: "In montibus Transalaiensibus (Pamir) [Zaalaisky Mts.]; [China: Uighur A.R.]: "in montibus ad flumen Chuan-che". Range (in code): **TJ Al Pm T-S Ax TrA Tls TeA KK KG CN Ui Kn TeA TrA Ax Tls**
- 8407. *Muschampia leuzeae* (Oberthür,1881)** (Hesperiidae) Synonym(s): *leuzeae* Oberthür,1881 Original Reference: *Syrichthus leuzeae* Oberthür,1881, Etud. Ent. 6: 60, pl.iii fig.10. Syntypes: Algérie: Mascara (BMNH). Range (in code): **DZ Masc Blid Cré Dju** Bionomy: Larva on *Phlomis* (Lamiaceae) (Tennent,1996).
- 8408. *Muschampia lutulentus* (Groum-Grshimailo,1887)** (Hesperiidae) Synonym(s): *lutulentus* Groum-Grshimailo,1887; *lutulentus* Mabilie,1909. Original Reference: *Syrichthus lutulentus* Groum-Grshimailo,1887, [in] Romanoff, Mém. Lépid. 3: 401. Syntypes: östliches Buchara [Kisil-Gasy in der Nähe des Liagar-Murda-Paß im Gissar Gebirge (cf. Lukhtanov & Lukhtanov,1994: 302)]. Range (in code): **AF Bd Bqu T-S His KG KK Ky TJ Syr Tm UZ**
- 8409. *Muschampia lutulentus jaxartensis* Lukhtanov,1994** (Hesperiidae) Synonym(s): *jaxartensis* Lukhtanov,1994 Original Reference: *Muschampia lutulentus* ssp. *jaxartensis* Lukhtanov,1994, Herbiopoliana 3: 302-303, Taf. 51 fig. 16 Karte 386. Holotype ♂: Kasachstan: Tschimkenter Gebiet, Syrdarjanischer Karatau, Ujuk in der Nähe von Kentau, 500m (ZISP). Range (in code): **KG T-S Ky Syr Tm KK UZ**
- 8410. *Muschampia lutulentus lutulentus* (Groum-Grshimailo,1887)** (Hesperiidae) Synonym(s): *lutulentus* Groum-Grshimailo,1887; *lutulentus* Mabilie,1909. Original Reference: *Syrichthus lutulentus* Groum-Grshimailo,1887, [in] Romanoff, Mém. Lépid. 3: 401. Syntypes: östliches Buchara [Kisil-Gasy in der Nähe des Liagar-Murda-Paß im Gissar Gebirge (cf. Lukhtanov & Lukhtanov,1994: 302)]. Range (in code): **T-S His KK TJ**
- 8411. *Muschampia mohammed* (Oberthür,1887)** (Hesperiidae) Synonym(s): *mohammed* Oberthür,1887; *ahmed* Oberthür,1912; *caid* Le Cerf,1923 Original Reference: *Syrichthus mohammed* Oberthür,1887, Bull. Soc. ent. Fr. 1887: xlviii. Type: Algérie, Sebdou, Lambessa. Range (in code): **DZ Lbs Sbd Ifr Azr Tlm Dju Dja MA** Bionomy: Larva on *Phlomis crinita*, *P. bovei* (Tolman,1997).

- 8412. *Muschampia musta* Evans,1949** (Hesperiidae) Synonym(s): *musta* Evans,1949
Original Reference: *Muschampia staudingeri* ssp. *musta* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 186. Type ♂: Afghanistan: [Kabul]: Paghman Mts., 8000ft. (BMNH). Range (in code): **AF BI Kab Kbb Bd Bqu Pag PK Pnj**
- 8413. *Muschampia musta loga* Evans,1949** (Hesperiidae) Synonym(s): *loga* Evans,1949
Original Reference: *Muschampia staudingeri* ssp. *loga* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 187. Type ♂: Afghanistan: Logar valley (BMNH). Range (in code): **AF Kbb Bd Bqu Pnj**
- 8414. *Muschampia musta musta* Evans,1949** (Hesperiidae) Synonym(s): *musta* Evans,1949
Original Reference: *Muschampia staudingeri* ssp. *musta* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 186. Type ♂: Afghanistan: [Kabul]: Paghman Mts., 8000ft. (BMNH). Range (in code): **AF Kab Pag**
- 8415. *Muschampia musta phil* Evans,1949** (Hesperiidae) Synonym(s): *phil* Evans,1949
Original Reference: *Muschampia staudingeri* ssp. *phil* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 187. Type ♂: [Pakistan]: Baluchistan: Chotair, 4000ft. (BMNH). Range (in code): **BI PK**
- 8416. *Muschampia nomas* (Lederer,1855)** (Hesperiidae) Synonym(s): *nomas* Lederer,1855
Original Reference: *Hesperia nomas* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 193, Taf.1 fig.7. Syntypes: [Lebanon]: Beirut, am Hundflusse (ZMHB). Range (in code): **LB Bei SY TR IL He**
- 8417. *Muschampia nomas nomas* (Lederer,1855)** (Hesperiidae) Synonym(s): *nomas* Lederer,1855
Original Reference: *Hesperia nomas* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 193, Taf.1 fig.7. Syntypes: [Lebanon]: Beirut, am Hundflusse (ZMHB). Range (in code): **IL He LB Bei SY TR**
- 8418. *Muschampia plurimacula* (Christoph,1893)** (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
Original Reference: *Syrichthus staudingeri* var. *plurimacula* Christoph,1893, Dt. ent. Z., Iris 6: 87. Type(s): [Iran]: Hyrcania, Schahrud. Range (in code): **IR Srd TR**
- 8419. *Muschampia plurimacula plurimacula* (Christoph,1893)** (Hesperiidae) Synonym(s): *plurimacula* Christoph,1893
Original Reference: *Syrichthus staudingeri* var. *plurimacula* Christoph,1893, Dt. ent. Z., Iris 6: 87. Type(s): [Iran]: Hyrcania, Schahrud. Range (in code): **IR Srd TR**
- 8420. *Muschampia poggei* (Lederer,1858)** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
Original Reference: *Hesperia poggei* Lederer,1858, Wien. ent. Monatschr. 2: 141. Syntypes ♂♀: Syrien: "auf den Bergen um Damask". Range (in code): **GG Cc IQ IR Ab LB SY TR AM Nv AZ**
- 8421. *Muschampia poggei mouchai* Alberti,1974** (Hesperiidae) Synonym(s): *mouchai* Alberti,1974
Range (in code): **IR**
- 8422. *Muschampia poggei patta* Evans,1949** (Hesperiidae) Synonym(s): *patta* Evans,1949
Original Reference: *Muschampia poggei* ssp. *patta* Evans,1949, Catalogue Hesperiidae Eur. Asia Australia Br. Mus.: 185. Type ♂: Afghanistan: Kuliab (BMNH). Range (in code): **AF**
- 8423. *Muschampia poggei poggei* (Lederer,1858)** (Hesperiidae) Synonym(s): *poggei* Lederer,1858
Original Reference: *Hesperia poggei* Lederer,1858, Wien. ent. Monatschr. 2: 141. Syntypes ♂♀: Syrien: "auf den Bergen um Damask". Range (in code): **GG Cc IQ IR LB SY TR Nv AM AZ**
- 8424. *Muschampia prometheus* (Groum-Grshimailo,1890)** (Hesperiidae) Synonym(s): *prometheus* Groum-Grshimailo,1890
Original Reference: *Pyrgus proteus* var. *prometheus* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 499-500, Pl.18 fig.1. Syntypes: [Tadikistan]: Transalai. Range (in code): **T-S T-A TJ Pm KK UZ Man**
- 8425. *Muschampia prometheus prometheus* (Groum-Grshimailo,1890)** (Hesperiidae) Synonym(s): *prometheus* Groum-Grshimailo,1890
Original Reference: *Pyrgus proteus* var. *prometheus* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 499-500, Pl.18 fig.1. Syntypes: [Tadikistan]: Transalai. Range (in code): **T-S T-A TJ Pm KK UZ Man**
- 8426. *Muschampia proteides* (F.Wagner,1929)** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001
Original Reference: *Hesperia proto* ssp. *proteides* F.Wagner,1929, Mitt. münch. ent. Ges. Taf.2 fig.26 Type ♂: [Türkei]: Akschehir [15 Febr.1929]. Range (in code): **Cm IQ IR Ab JO KG Kr LB MK Pa RU Sr TR UA Uk KG Cc AM IL Pa JO SY He**
Bionomy: Larva on *Phlomis brachyodon*, *P. chrysophylla*, *P. kurdica* (Lamiaceae) (Benjamini & Avni,2001).

- 8427. *Muschampia proteides proteides* (F.Wagner,1929)** (Hesperiidae) Synonym(s): *proteides* F.Wagner,1929; *lycaonius* F.Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *#lycaomius* Benjamini & Avni,2001 Original Reference: *Hesperia proto* ssp. *proteides* F.Wagner,1929, Mitt. münch. ent. Ges. Taf.2 fig.26 Type ♂: [Türkei]: Akschehir [15 Febr.1929]. Range (in code): **He Cm SY IQ IR Ab KG Kr LB MK Pa RU Sr TR UA Uk KG Cc AM SY**
- 8428. *Muschampia proteides stepporum* Benjamini & Avni,2001** (Hesperiidae) Synonym(s): *stepporum* Benjamini & Avni,2001 Original Reference: *Muschampia proteides* ssp. *stepporum* Benjamini & Avni,2001, Linneana Belgica 18 (1): 45-53, figs. Holotype ♂: Israel: Ma'ale Efraim, 300m (leg. & coll. D.Benjamini) Range (in code): **IL Pa JO** Bionomy: Larva on *Phlomis brachyodon*, *P. chrysophylla*, *P. kurdica* (Lamiaceae) (Benjamini & Avni,2001).
- 8429. *Muschampia proteus* (Staudinger,1886)** (Hesperiidae) Synonym(s): *proteus* Staudinger,1886 Original Reference: *Pyrgus* (Syrichthus) *proteus* Staudinger,1886, Stettin ent. Ztg. 47: 253-254. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Alai, Osch. Range (in code): **IR AF Al His TJ T-S Al Fe KK Osh UZ Ax TM At RU Ash Smk Na**
- 8430. *Muschampia proteus proteus* (Staudinger,1886)** (Hesperiidae) Synonym(s): *proteus* Staudinger,1886; *epimetheus* Mabilie,1909. Original Reference: *Pyrgus* (Syrichthus) *proteus* Staudinger,1886, Stettin ent. Ztg. 47: 253-254. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Alai, Osch. Range (in code): **IR AF Al His TJ T-S Al Fe KK Osh UZ Ax TM At RU Ash Smk Na**
- 8431. *Muschampia protheon* (Rambur,1858)** (Hesperiidae) Synonym(s): *protheon* Rambur,1858. Original Reference: *Pamphila protheon* Rambur,1858, Cat. lepid. Andalusie 1: 79, note. Syntypes: Russia mer. [Transbaikalia?] Range (in code): **Amd CN Kno Ts RU MN**
- 8432. *Muschampia protheon protheon* (Rambur,1858)** (Hesperiidae) Synonym(s): *protheon* Rambur,1858. Original Reference: *Pamphila protheon* Rambur,1858, Cat. lepid. Andalusie 1: 79, note. Syntypes: Russia mer. [Transbaikalia?] Range (in code): **Amd CN Kno Ts RU MN**
- 8433. *Muschampia proto* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808 Original Reference: *Papilio proto* Ochsenheimer,1808, Schmett. Eur. 1(2): 210. Type(s): Portugal. Range (in code): **IR Ab LB AL ES Mu Mu18 FR GR IT PT Si TR YU Mt MK DZ MA MR JO Zq Lbs Sbd Azr Tlm Blid Cré Dju Orn Clo Tue** Bionomy: Larva on *Phlomis crinita*, *P.bovei*, *P.fruticosa*, *P.lychnitis*, *P.herva-venti* (Tolman,1997).
- 8434. *Muschampia proto aragonensis* (De Sagarra,1924)** (Hesperiidae) Synonym(s): *aragonensis* De Sagarra,1924; *#rubea* De Sagarra,1924; *#fenestrata* De Sagarra,1924; *nigrita* Verity,1925; *clarescens* Agenjo,1934; *evansi* Bryk,1940 Original Reference: *Hesperia proto* rassa *aragonensis* De Sagarra,1924, Buttl. Inst. catal. Hist. nat. (2) 4: 203-204. Syntypes: Spanien: Albarracin. Range (in code): **AL IR LB ES Mu Mu18 GR Py Si TR YU Mt MK JO Zq**
- 8435. *Muschampia proto fulvosatura* Verity,1925** (Hesperiidae) Synonym(s): *fulvosatura* Verity,1925; *lambesa* Evans,1949 Original Reference: *Muschampia proto* race *fulvosatura* Verity,1925, Entomologist's Rec. J. Var. 1925: 54-55. Syntypes: Algeria. Range (in code): **DZ Orn Clo Tue Lbs Sbd Azr Tlm Blid Cré Dju MA**
- 8436. *Muschampia proto proto* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *proto* Ochsenheimer,1808 Original Reference: *Papilio proto* Ochsenheimer,1808, Schmett. Eur. 1(2): 210. Type(s): Portugal. Range (in code): **PT**
- 8437. *Muschampia proto williamsi* Querci,1932** (Hesperiidae) Synonym(s): *williamsi* Querci,1932 Range (in code): **PT**
- 8438. *Muschampia staudingeri* (Speyer,1879)** (Hesperiidae) Synonym(s): *staudingeri* Speyer,1879 Original Reference: *Pyrgus staudingeri* Speyer,1879, Stettin ent. Ztg. 40: 344-346. Syntypes 6♂: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh. Range (in code): **CN TM T-S Ui KG Ssn Sau TJ Pm DsA Kp Syr Mn Tk Bkb Tm Ktm Mrk Tar IR Kh** Bionomy: Larva on *Phlomis cancellata* (Daricheva & Devyatkin, 1990).
- 8439. *Muschampia staudingeri pseudoproteus* Devyatkin,1992** (Hesperiidae) Synonym(s): *pseudoproteus* Devyatkin,1992 Range (in code): **TJ His**
- 8440. *Muschampia staudingeri staudingeri* (Speyer,1879)** (Hesperiidae) Synonym(s): *staudingeri* Speyer,1879 Original Reference: *Pyrgus staudingeri* Speyer,1879, Stettin ent. Ztg. 40: 344-346. Syntypes 6♂: [Kazachstan]: Saisan noor, See im Quellgebiet des Irtysh. Range (in code): **T-S CN TM T-S Ui KG Ssn Sau DsA Mn Tk Bkb Tm Syr Ktm Mrk Tar**
- 8441. *Muschampia staudingeri variabilis* Devyatkin,1992** (Hesperiidae) Synonym(s): *variabilis* Devyatkin,1992. Range (in code): **TM Kp**

- 8442. *Muschampia staudingeri variegata* Devyatkin,1992** (Hesperiidae) Synonym(s): *variegata* Devyatkin,1992 _ Range (in code): **TJ Pm**
- 8443. *Muschampia tersa* Evans,1949** (Hesperiidae) Synonym(s): *tersa* Evans,1949 _ Original Reference: *Muschampia tessellum* ssp. *tersa* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 181. Syntypes 1♂ Iraq Kurdistan; [Iran] Persia (Ordub[ad] [Azerbaijan], Fars). Range (in code): **Cc AZ Nv Dk Fa IQ Ry IR Ab Khy Th TR**
- 8444. *Muschampia tersa tersa* Evans,1949** (Hesperiidae) Synonym(s): *tersa* Evans,1949 _ Original Reference: *Muschampia tessellum* ssp. *tersa* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 181. Syntypes 1♂ Iraq Kurdistan; [Iran] Persia (Ordub[ad] [Azerbaijan], Fars). Range (in code): **Cc AZ Nv Dk Fa IQ Ry IR Ab Khy Th TR**
- 8445. *Muschampia tessellum* (Hübner,[1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 _ Original Reference: *Papilio tessellum* Hübner,[1802], Samml. eur. Schmett. 1: pl.93, figs.469-470. Syntypes: Europa. Range (in code): **AL Am Amd Bn At Ax AZ Ba BY Cm CN Fa Fe GG Cc GR IL Ir IR Ab Khy Kh Ju KG KK Kno Kr Mc MK MN Na Nv Pa Pm RU Sm So Sp Sr T-A TJ TR Ts T-S UA Ui VI TM Kp Sb Ya Sb Au Sp Mn Tk Aa TrA DsA Uk Tar Mrk Sau Ket TeA KuA Kuz Sli T-S** _ Bionomy: Larva on *Phlomis samia* (Tolman, 1997); *Phlomis herba-venti* (Koçak, in litt).
- 8446. *Muschampia tessellum cribrelloides* (Gaede,1931)** (Hesperiidae) Synonym(s): *#cribrelloides* B.C.S.Warren,1926; *cribrelloides* Gaede,1931. _ Original Reference: *Hesperia* (Tuttia) *tessellum cribrelloides* Gaede,1931, [in] Seitz,A., Gross-Schmett. Erde 1 (suppl.): 312-313. Syntypes: Russia: Sarepta; [Kazakhstan]: Uralsk. Range (in code): **KG RU Sp Sr Uk CN Ui At Sb Au**
- 8447. *Muschampia tessellum dilutior* (Heyne,[1895])** (Hesperiidae) Synonym(s): *dilutior* Heyne,[1895]; *fucata* Mabille,1909; *minor* Mabille,1909. _ Original Reference: *Pyrgus tessellum* var. *dilutior* Heyne,[1895], [in] Rühl,F., Die palaearkt. Grossschmett. 1: 661. Type(s): Mongolei. Range (in code): **Am CH Fe KK MN Na RU At Bn T-A T-S Ui UZ**
- 8448. *Muschampia tessellum nigricans* (Mabille,1909)** (Hesperiidae) Synonym(s): *nigricans* Mabille,1909 _ Original Reference: *Hesperia tessellum* f. *nigricans* Mabille,1909, [in] Seitz, Gross-Schmett. Erde 1: 337. Type ♀: [China: Uighur A.R.]: Juldus. Range (in code): **CN Ir Ju RU T-S Ui**
- 8449. *Muschampia tessellum nobilis* (Staudinger,1882)** (Hesperiidae) Synonym(s): *nobilis* Staudinger,1882 _ Original Reference: *Pyrgus* (Syrichthus) *nobilis* Staudinger,1882, Berl. ent. Z. 26(1): 176-177. Syntypes: [Uzbekistan]: Samarkand, bei Ferab. Range (in code): **Smk UZ**
- 8450. *Muschampia tessellum tessellum* (Hübner,[1802])** (Hesperiidae) Synonym(s): *tessellum* Hübner,[1802]; *hibisci* Böber,1812; *mazzola* Ochsenheimer,1816 _ Original Reference: *Papilio tessellum* Hübner,[1802], Samml. eur. Schmett. 1: pl.93, figs.469-470. Syntypes: Europa. Range (in code): **AL Ba BY Cm GG Cc GR KG Kr MK RU Sm So Sr TR UA Vi Sp Mn Tk Aa T-S TrA DsA Uk Tar Mrk Sau Ket TeA KuA Kuz Sli**
- 8451. *Mylon ander* Evans,1953** (Hesperiidae) Synonym(s): *ander* Evans,1953 _ Range (in code): **MX**
- 8452. *Mylon cajus* (Plötz,1884)** (Hesperiidae) Synonym(s): *cajus* Plötz,1884 _ Range (in code): **MX**
- 8453. *Mylon cajus hera* Evans,1953** (Hesperiidae) Synonym(s): *hera* Evans,1953 _ Range (in code): **MX**
- 8454. *Mylon cristata* Austin,2000** (Hesperiidae) Synonym(s): *cristata* Austin,2000 _ Range (in code): **MX**
- 8455. *Mylon jason* (Ehrmann,1907)** (Hesperiidae) Synonym(s): *jason* Ehrmann,1907 _ Range (in code): **MX**
- 8456. *Mylon lassia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *lassia* Hewitson,1868; *pulcherius* R.Felder,1869; *parvus* Mabille & Boulet,1917 _ Range (in code): **MX**
- 8457. *Mylon maimon* (Fabricius,1775)** (Hesperiidae) Synonym(s): *maimon* Fabricius,1775; *menippus* Fabricius,1777; *melander* Cramer,1780; *albescens* Mabille & Boulet,1917 _ Range (in code): **MX**
- 8458. *Mylon pelopidas* (Fabricius,1793)** (Hesperiidae) Synonym(s): *pelopidas* Fabricius,1793; *ozema* Butler,1870 _ Range (in code): **MX**
- 8459. *Mylon salvia* Evans,1953** (Hesperiidae) Synonym(s): *salvia* Evans,1953 _ Range (in code): **MX**
- 8460. *Myrinia myris* (Mabille,1897)** (Hesperiidae) Synonym(s): *myris* Mabille,1897 _ Range (in code): **MX**

- 8461. *Myrinia raymundo* Freeman,1979** (Hesperiidae) Synonym(s): *raymundo* Freeman,1979
Range (in code): **MX**
- 8462. *Myscelus amystis* (Hewitson,1867)** (Hesperiidae) Synonym(s): *amystis* Hewitson,1867
Range (in code): **MX PE**
- 8463. *Myscelus amystis hages* Godman & Salvin,1893** (Hesperiidae) Synonym(s): *hages* Godman & Salvin,1893 Range (in code): **MX**
- 8464. *Myscelus assaricus* (Cramer,[1780])** (Hesperiidae) Synonym(s): *assaricus* Cramer,[1780]
Range (in code): **MX**
- 8465. *Myscelus assaricus michaeli* Nicolay,1975** (Hesperiidae) Synonym(s): *michaeli* Nicolay,1975 Range (in code): **MX**
- 8466. *Myscelus belti* Godman & Salvin,1879** (Hesperiidae) Synonym(s): *belti* Godman & Salvin,1879 Range (in code): **MX**
- 8467. *Myscelus illustris* Mabilles,1904** (Hesperiidae) Synonym(s): *illustris* Mabilles,1904
Range (in code): **BO PE**
- 8468. *Myscelus nobilis* (Cramer,[1779])** (Hesperiidae) Synonym(s): *nobilis* Cramer,[1779]; *salus* Fabricius,1793 Range (in code): **SR**
- 8469. *Myscelus orbius* Mabilles,1883** (Hesperiidae) Synonym(s): *orbius* Mabilles,1883 Range (in code): **BR PY**
- 8470. *Myscelus orthrus* Hewitson,1877** (Hesperiidae) Synonym(s): *orthrus* Hewitson,1877
Original Reference: *Myscelus orthrus* Hewitson,1877, Ann. Mag. nat. Hist. (4): 20: 319-320.
Range (in code): **BR**
- 8471. *Myscelus pegasus* Mabilles,1904** (Hesperiidae) Synonym(s): *pegasus* Mabilles,1904
Range (in code): **GY**
- 8472. *Myscelus perissodora* Dyar,1914** (Hesperiidae) Synonym(s): *perissodora* Dyar,1914
Range (in code): **MX**
- 8473. *Myscelus persela* Mabilles,1891** (Hesperiidae) Synonym(s): *persela* Mabilles,1891; *caucanus* Staudinger,1888 Range (in code): **BR**
- 8474. *Myscelus phoronis* Hewitson,1867** (Hesperiidae) Synonym(s): *phoronis* Hewitson,1867
Range (in code): **GD PE**
- 8475. *Myscelus santhilarius* (Latreille,1823)** (Hesperiidae) Synonym(s): *santhilarius* Latreille,1823 Range (in code): **GY BR**
- 8476. *Myscelus sothis* Mabilles,1883** (Hesperiidae) Synonym(s): *sothis* Mabilles,1883 Range (in code): **BR**
- 8477. *Mysoria affinis* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *affinis* Herrich-Schäffer,1869 Range (in code): **MX CO BR**
- 8478. *Mysoria ambigua* (Mabilles & Boulet,1908)** (Hesperiidae) Synonym(s): *ambigua* Mabilles & Boulet,1908; *proxima* Mabilles & Boulet,1908 Original Reference: *ambigua* Mabilles & Boulet,1908 Range (in code): **MX CO PY BR**
- 8479. *Mysoria cayennae* Mabilles & Boulet,1908** (Hesperiidae) Synonym(s): *acastus* Cramer,1780 (praeocc.); *phidias* Fabricius,1787 (praeocc.); *barcastus* Sepp,1855; *cayennae* Mabilles & Boulet,1908
- 8480. *Mysoria decolor* Mabilles & Boulet,1908** (Hesperiidae) Synonym(s): *Mabilles & Boulet,1908* Range (in code): **CR PA**
- 8481. *Mysoria pallens* (Mabilles,1891)** (Hesperiidae) Synonym(s): *pallens* Mabilles,1891
Range (in code): **BR**
- 8482. *Mysoria pardalina* (C.Felder & R.Felder,1867)** (Hesperiidae) Synonym(s): *pardalina* C.Felder & R.Felder,1867 Range (in code): **CO Bgt**
- 8483. *Mysoria sejanus* (Hopffer,1874)** (Hesperiidae) Synonym(s): *sejanus* Hopffer,1874
Range (in code): **BO**
- 8484. *Mysoria thasus* (Cramer,1782)** (Hesperiidae) Synonym(s): *thasus* Cramer,1782 Range (in code): **CO PE**
- 8485. *Mysoria venezuelae* (Scudder,1872)** (Hesperiidae) Synonym(s): *venezuelae* Scudder,1872
Range (in code): **MX PA CO**
- 8486. *Mysoria wilsoni* Freeman,1969** (Hesperiidae) Synonym(s): *wilsoni* Freeman,1969
Range (in code): **MX**
- 8487. *Naevolus orius* (Mabilles,1883)** (Hesperiidae) Synonym(s): *orius* Mabilles,1883; *naevolus* Godman,1900 Range (in code): **MX**

- 8488. *Narcosius colossus* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *colossus* Herrich-Schäffer,1869 **_ Range (in code):** **MX**
- 8489. *Narcosius nazaraeus* Steinhäuser,1986** (Hesperiidae) **Synonym(s):** *nazaraeus* Steinhäuser,1986 **_ Range (in code):** **MX**
- 8490. *Narcosius parisi* (R.S.Williams,1927)** (Hesperiidae) **Synonym(s):** *parisi* R.S.Williams,1927 **_ Range (in code):** **MX**
- 8491. *Narcosius parisi helen* (Evans,1952)** (Hesperiidae) **Synonym(s):** *helen* Evans,1952 **_ Range (in code):** **MX**
- 8492. *Narcosius samson* (Evans,1952)** (Hesperiidae) **Synonym(s):** *samson* Evans,1952 **_ Range (in code):** **MX**
- 8493. *Narcus broteas* (Cramer,1780)** (Hesperiidae) **Synonym(s):** *broteas* Cramer,1780; *cous* Möschler,1879; *eugamon* Godman & Salvin,1893 **_ Range (in code):** **MX**
- 8494. *Narcus paullinae* (Sepp,[1844])** (Hesperiidae) **Synonym(s):** *paullinae* Sepp,[1844]; *caepio* Herrich-Schäffer,1869; *gizala* Möschler,1870; *cephisus* Hewitson,1876; *nucula* Mabille,1883; *evathius* Mabille,1888; *mermeros* Mabille & Boullet,1912 **_ Range (in code):** **MX**
- 8495. *Narcus phintias* Schaus,1913** (Hesperiidae) **Synonym(s):** *phintias* Schaus,1913; *mackeyi* R.C.Williams,1933 **_ Range (in code):** **MX**
- 8496. *Narcus phocus* (Cramer,1777)** (Hesperiidae) **Synonym(s):** *phocus* Cramer,1777; *decemmaculata* Sepp,1844; *pherenice* Hewitson,1867; *dianina* Plötz,1882 **_ Range (in code):** **MX**
- 8497. *Narcus solon* Plötz,1882** (Hesperiidae) **Synonym(s):** *solon* Plötz,1882 **_ Range (in code):** **MX**
- 8498. *Narcus solon corilla* Evans,1952** (Hesperiidae) **Synonym(s):** *corilla* Evans,1952 **_ Range (in code):** **MX**
- 8499. *Nastra julia* (Freeman,1945)** (Hesperiidae) **Synonym(s):** *julia* Freeman,1945; *hoffmanni* Bell,1947 **_ Range (in code):** **US MX Arz Cf Mis Ne Tx**
- 8500. *Nastra leucone* (Godman,1900)** (Hesperiidae) **Synonym(s):** *leucone* Godman,1900 **_ Range (in code):** **MX**
- 8501. *Nastra lherminier* (Latreille,1824)** (Hesperiidae) **Synonym(s):** *lherminier* Latreille,1824; *fusca* Grote & Robinson,1867 **_ Range (in code):** **US Aks Alb Cnt Dw Fl Ge Idp Iln Kan Knt Lou Mch Mis Mns Mrl Mss NCa Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi WVi Wc**
- 8502. *Nastra neamathla* (Skinner & R.C.Williams,1923)** (Hesperiidae) **Synonym(s):** *neamathla* Skinner & R.C.Williams,1923 **_ Range (in code):** **US Fl Lou Mss Tx**
- 8503. *Neohesperilla crocea* (Miskin,1889)** (Hesperiidae) **Synonym(s):** *crocea* Miskin,1889; *satulla* Mabille,1891 **_ Range (in code):** **AU QAU**
- 8504. *Neohesperilla crocea crocea* (Miskin,1889)** (Hesperiidae) **Synonym(s):** *crocea* Miskin,1889; *satulla* Mabille,1891 **_ Range (in code):** **AU QAU**
- 8505. *Neohesperilla senta* (Miskin,1891)** (Hesperiidae) **Synonym(s):** *senta* Miskin,1891 **_ Range (in code):** **AU QAU**
- 8506. *Neohesperilla senta senta* (Miskin,1891)** (Hesperiidae) **Synonym(s):** *senta* Miskin,1891 **_ Range (in code):** **AU QAU**
- 8507. *Neohesperilla xanthomera* (Meyrick & Lower,1902)** (Hesperiidae) **Synonym(s):** *xanthomera* Meyrick & Lower,1902 **_ Range (in code):** **AU QAU Bri**
- 8508. *Neohesperilla xanthomera xanthomera* (Meyrick & Lower,1902)** (Hesperiidae) **Synonym(s):** *xanthomera* Meyrick & Lower,1902 **_ Range (in code):** **AU QAU Bri**
- 8509. *Neohesperilla xiphiphora* (Lower,1911)** (Hesperiidae) **Synonym(s):** *xiphiphora* Lower,1911 **_ Range (in code):** **AU NAU Dwn**
- 8510. *Neohesperilla xiphiphora xiphiphora* (Lower,1911)** (Hesperiidae) **Synonym(s):** *xiphiphora* Lower,1911 **_ Range (in code):** **AU NAU Dwn**
- 8511. *Neoxeniades luda* (Hewitson,1877)** (Hesperiidae) **Synonym(s):** *luda* Hewitson,1877; *hundurensis* Mabille,1891 **Original Reference:** *Hesperia luda* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 80. Type(s): Chiriqui (coll. Ribbe). **_ Range (in code):** **PA MX**
- 8512. *Neoxeniades molion* (Godman,1901)** (Hesperiidae) **Synonym(s):** *molion* Godman,1901; *phidonides* Mabille,1904 **_ Range (in code):** **MX**
- 8513. *Netrobalane canopus* (Trimen,1864)** (Hesperiidae) **Synonym(s):** *canopus* Trimen,1864; *orientalis* Aurivillius,1925 **_ Range (in code):** **NG CM ZR ZM MW MZ ZW ZA Tva Lpo Spb Kru Pma Pf Suw Ptc Mal Mdk TZ KE UG SD**
- 8514. *Netrocoryne repanda* Felder,1867** (Hesperiidae) **Synonym(s):** *repanda* Felder,1867; *vulpecula* Prittwitz,1868 **_ Range (in code):** **AU QAU NSw**

- 8515. Netrocoryne repanda expansa Waterhouse,1932** (Hesperiidae) Synonym(s): *expansa* Waterhouse,1932 _ Range (in code): AU QAU
- 8516. Netrocoryne repanda repanda Felder,1867** (Hesperiidae) Synonym(s): *repanda* Felder,1867; *vulpecula* Prittwitz,1868 _ Range (in code): AU QAU NSW
- 8517. Netrocoryne thaddeus Hewitson,1876** (Hesperiidae) Synonym(s): *thaddeus* Hewitson,1876; *hymenaeus* Hewitson,1876 _ Range (in code): ID Aru Ob PG
- 8518. Netrocoryne thaddeus thaddeus Hewitson,1876** (Hesperiidae) Synonym(s): *thaddeus* Hewitson,1876; *hymenaeus* Hewitson,1876 _ Range (in code): ID Aru Ob PG
- 8519. Nisoniades castolus (Hewitson,1878)** (Hesperiidae) Synonym(s): *castolus* Hewitson,1878; *alternata* R.C.Williams & Bell,1939; *hesione* Hayward,1939 _ Range (in code): MX
- 8520. Nisoniades comitana Freeman,1969** (Hesperiidae) Synonym(s): *comitana* Freeman,1969 _ Range (in code): MX
- 8521. Nisoniades ephora (Herrich-Schäffer,1870)** (Hesperiidae) Synonym(s): *ephora* Herrich-Schäffer,1870; *perforata* Plötz,1882; *tiphys* Godman & Salvin,1894; *peruana* R.C.Williams & Bell,1939 _ Range (in code): MX PE
- 8522. Nisoniades godma Evans,1953** (Hesperiidae) Synonym(s): *godma* Evans,1953 _ Range (in code): MX
- 8523. Nisoniades incomptus Austin,1997** (Hesperiidae) Synonym(s): *incomptus* Austin,1997 _ Range (in code): MX
- 8524. Nisoniades laurentina (R.C.Williams & Bell,1939)** (Hesperiidae) Synonym(s): *laurentina* R.C.Williams & Bell,1939 _ Range (in code): MX
- 8525. Nisoniades macarius (Herrich-Schäffer,1870)** (Hesperiidae) Synonym(s): *macarius* Herrich-Schäffer,1870; *albangula* Herrich-Schäffer,1870; *gonoptila* Burmeister,1878; *angulosus* Mabilie,1895; *rhamnes* Mabilie & Boulet,1917; *ruda* Mabilie & Boulet,1917 _ Range (in code): MX
- 8526. Nisoniades nikko Hayward,1948** (Hesperiidae) Synonym(s): *nikko* Hayward,1948 _ Range (in code): MX
- 8527. Nisoniades rubescens (Möschler,1876)** (Hesperiidae) Synonym(s): *rubescens* Möschler,1876; *bromias* Godman & Salvin,1894; *triangulus* Mabilie,1897; *clara* Mabilie & Boulet,1917; *nigra* Mabilie & Boulet,1917 _ Range (in code): US MX Tx SR BO
- 8528. Nisoniades vista Evans,1955** (Hesperiidae) Synonym(s): *vista* Evans,1955 _ Range (in code): MX
- 8529. Noctuana lactifera (Butler & Druce,1872)** (Hesperiidae) Synonym(s): *lactifera* Butler & Druce,1872 _ Range (in code): MX
- 8530. Noctuana lactifera bipuncta (Plötz,1884)** (Hesperiidae) Synonym(s): *bipuncta* Plötz,1884 _ Range (in code): MX
- 8531. Noctuana stator (Godman & Salvin,1899)** (Hesperiidae) Synonym(s): *stator* Godman & Salvin,1899 _ Range (in code): US MX
- 8532. Nosphittia perplexa (Mabilie,1878)** (Hesperiidae) Synonym(s): *perplexa* Mabilie,1878 _ Range (in code): BR
- 8533. Notocrypta caerulea Evans,1928** (Hesperiidae) Synonym(s): *caerulea* Evans,1928 _ Range (in code): PG
- 8534. Notocrypta caerulea caerulea Evans,1928** (Hesperiidae) Synonym(s): *caerulea* Evans,1928 _ Range (in code): PG
- 8535. Notocrypta clavata Staudinger,1889** (Hesperiidae) Synonym(s): *clavata* Staudinger,1889; *devadatta* Fruhstorfer,1911 _ Range (in code): PH Pal ID Nia Sum Sip MY Bor TH Chy CMa Rng Yal Tng Nst Ths Pbu Sgk Hya Knc MM Krh Shn Tvy Mrg VN Ton
- 8536. Notocrypta clavata clavata Staudinger,1889** (Hesperiidae) Synonym(s): *clavata* Staudinger,1889; *devadatta* Fruhstorfer,1911 _ Range (in code): PH Pal TH Rng Yal Tng Nst Ths Sgk Hya Knc ID Sum MY Bor
- 8537. Notocrypta clavata niasana Evans,1926** (Hesperiidae) Synonym(s): *niasana* Evans,1926 _ Range (in code): ID Nia
- 8538. Notocrypta clavata theba Evans,1949** (Hesperiidae) Synonym(s): *theba* Evans,1949 _ Range (in code): TH Chy CMa Pbu MM Krh Shn Tvy Mrg VN Ton
- 8539. Notocrypta clavata xantha Evans,1942** (Hesperiidae) Synonym(s): *xantha* Evans,1942 _ Range (in code): ID Sip
- 8540. Notocrypta curvifascia (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *curvifascia* C.Felder & R.Felder,1862; *restricta* Moore,1881 _ Range (in code): LK IN NP Ass Adm Slo MM

- CN Sz Yu HK TW TH Chy Cbi CMa CDo Nrt Tng Nna Nst ID Ja Sum MY Bor JP Bionomy: Larva on weed (Lewvanich,2001).
- 8541. *Notocrypta curvifascia chimaera* (Plötz,1882)** (Hesperiidae) Synonym(s): *chimaera* Plötz,1882; *fraga* Fruhstorfer,1911 Range (in code): ID Ja MY Bor
- 8542. *Notocrypta curvifascia corinda* Evans,1949** (Hesperiidae) Synonym(s): *corinda* Evans,1949 Range (in code): ID Sum MY TH Tng Nna Nst
- 8543. *Notocrypta curvifascia curvifascia* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *curvifascia* C.Felder & R.Felder,1862; *restricta* Moore,1881 Range (in code): LK IN NP Ass MM CN Sz Yu TW HK Adm JP TH Chy Cbi CMa CDo Nrt Bionomy: Larva on weed (Lewvanich,2001).
- 8544. *Notocrypta feisthamelii* (Boisduval,1832)** (Hesperiidae) Synonym(s): *feisthamelii* Boisduval,1832; *satra* Fruhstorfer,1911; *unipuncta* Rothschild,1915 Range (in code): IN Hp Sml Kgr SI Ass MM VN MY CN Sz T-T TH CMa Dst Dso9 Loe PH ID Amb Bru Crm Clb Mlc Bch Hm Trn Lb Sba Sbw Flo Wt Tnm Ja Bor
- 8545. *Notocrypta feisthamelii alinkara* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *alinkara* Fruhstorfer,1911 Range (in code): PH Bab Cal Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Pao Pol Sam Sib
- 8546. *Notocrypta feisthamelii alysos* (Moore,[1866])** (Hesperiidae) Synonym(s): *alysos* Moore,[1866] Original Reference: *Plesioneura alysos* Moore,[1866], Proc. zool. Soc. Lond. 1865: 789. Type(s): Bengal. Range (in code): IN Hp Sml Kgr SI Ass MM VN MY TH CMa Dst Dso9 Loe
- 8547. *Notocrypta feisthamelii avattana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *avattana* Fruhstorfer,1911 Range (in code): ID Ja MY Bor
- 8548. *Notocrypta feisthamelii celebensis* Staudinger,1889** (Hesperiidae) Synonym(s): *celebensis* Staudinger,1889 Range (in code): ID Clb
- 8549. *Notocrypta feisthamelii feisthamelii* (Boisduval,1832)** (Hesperiidae) Synonym(s): *feisthamelii* Boisduval,1832; *satra* Fruhstorfer,1911; *unipuncta* Rothschild,1915 Range (in code): ID Amb Bru Crm
- 8550. *Notocrypta feisthamelii padhana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *padhana* Fruhstorfer,1911; *samana* Fruhstorfer,1911 Range (in code): ID Mlc Bch Hm Trn
- 8551. *Notocrypta feisthamelii rectifasciata* Leech,1894** (Hesperiidae) Synonym(s): *rectifasciata* Leech,1894 Range (in code): CN Sz T-T
- 8552. *Notocrypta feisthamelii samyutta* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *samyutta* Fruhstorfer,1911; *dharana* Fruhstorfer,1911 Range (in code): ID Lb Sba Sbw Flo Wt Tnm
- 8553. *Notocrypta flavipes* (Janson,1886)** (Hesperiidae) Synonym(s): *flavipes* Janson,1886 Range (in code): PG ID Ij Snw
- 8554. *Notocrypta flavipes flavipes* (Janson,1886)** (Hesperiidae) Synonym(s): *flavipes* Janson,1886 Range (in code): PG ID Ij Snw
- 8555. *Notocrypta howarthi* Hayashi,1980** (Hesperiidae) Synonym(s): *howarthi* Hayashi,1980 Range (in code): PH Mno
- 8556. *Notocrypta howarthi howarthi* Hayashi,1980** (Hesperiidae) Synonym(s): *howarthi* Hayashi,1980 Range (in code): PH Mno
- 8557. *Notocrypta maria* Evans,1949** (Hesperiidae) Synonym(s): *maria* Evans,1949 Range (in code): PG ID Ij Afk
- 8558. *Notocrypta maria maria* Evans,1949** (Hesperiidae) Synonym(s): *maria* Evans,1949 Range (in code): PG ID Ij Afk
- 8559. *Notocrypta paralysos* (Wood Mason & De Nicéville,1881)** (Hesperiidae) Synonym(s): *paralysos* Wood Mason & De Nicéville,1881; *infrapicta* Strand,1920 Range (in code): TH Chy Nna Rng Yal Nst Chw Pbu CMa CDo PH Bal Cal Pal Stu Bas Bil Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam Sib Taw IN Knr Ass Adm Nk LK TW VN Ton SI MM MY Bor Bgk Lkw CN Hn ID Sum Nia Sip Ja Sgr Clb Sbw Bli Sla Tal
- 8560. *Notocrypta paralysos alysia* Evans,1926** (Hesperiidae) Synonym(s): *alysia* Evans,1926 Range (in code): LK
- 8561. *Notocrypta paralysos asawa* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *asawa* Fruhstorfer,1911; *arisana* Sonan,1930 Range (in code): TH Chy Nna Pbu CMa CDo TW VN Ton SI IN Ass MM MY Lkw CN Hn
- 8562. *Notocrypta paralysos chunda* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *chunda* Fruhstorfer,1911 Range (in code): PH Bal Cal Pal
- 8563. *Notocrypta paralysos mangla* Evans,1949** (Hesperiidae) Synonym(s): *mangla* Evans,1949 Range (in code): IN Knr

- 8564. Notocrypta paralysos nitron Evans,1942** (Hesperiidae) Synonym(s): *nitron Evans,1942*
Range (in code): **ID Sip**
- 8565. Notocrypta paralysos paralysos (Wood Mason & De Nicéville,1881)** (Hesperiidae)
Synonym(s): *paralysos Wood Mason & De Nicéville,1881; infrapicta Strand,1920* _ Range (in code): **IN Adm Nk**
- 8566. Notocrypta paralysos sidha Fruhstorfer,1911** (Hesperiidae) Synonym(s): *sidha Fruhstorfer,1911; sukavata Fruhstorfer,1911* _ Range (in code): **ID Ja Sbw Bli**
- 8567. Notocrypta paralysos teuta Evans,1949** (Hesperiidae) Synonym(s): *teuta Evans,1949*
Range (in code): **ID Nia**
- 8568. Notocrypta paralysos varians (Plötz,1882)** (Hesperiidae) Synonym(s): *varians Plötz,1882; leucographa Plötz,1882* _ Range (in code): **PH Stu TH Rng Yal Nst Chw MY Bgk Bor ID Sum**
- 8569. Notocrypta paralysos volux (Mabille,1883)** (Hesperiidae) Synonym(s): *volux Mabille,1883; mahima Fruhstorfer,1911* _ Range (in code): **PH Bas Bil Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam Sib Taw**
- 8570. Notocrypta paralysos yaya Fruhstorfer,1911** (Hesperiidae) Synonym(s): *yaya Fruhstorfer,1911* _ Range (in code): **ID Clb Sgr Sla Tal**
- 8571. Notocrypta pria (Druce,1873)** (Hesperiidae) Synonym(s): *pria Druce,1873* _ Range (in code): **MM Vp Tvy MY Bor TH Rng Nst Chw ID Sum**
- 8572. Notocrypta pria pria (Druce,1873)** (Hesperiidae) Synonym(s): *pria Druce,1873*
Range (in code): **MM Vp Tvy MY Bor TH Rng Nst Chw ID Sum**
- 8573. Notocrypta quadrata Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *quadrata Elwes & Edwards,1897* _ Range (in code): **MY Bor Sbh KBa ID Sum**
- 8574. Notocrypta quadrata quadrata Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *quadrata Elwes & Edwards,1897* _ Range (in code): **MY Bor Sbh KBa ID Sum**
- 8575. Notocrypta renardi (Oberthür,1878)** (Hesperiidae) Synonym(s): *renardi Oberthür,1878*
Range (in code): **ID Ij PG Aru Fg Goo NBr D-Y NHa FJ**
- 8576. Notocrypta renardi renardi (Oberthür,1878)** (Hesperiidae) Synonym(s): *renardi Oberthür,1878* _ Range (in code): **ID Ij PG Aru Fg Goo NBr D-Y NHa FJ**
- 8577. Notocrypta renardi roona Evans,1949** (Hesperiidae) Synonym(s): *roona Evans,1949*
- 8578. Notocrypta waigensis (Plötz,1882)** (Hesperiidae) Synonym(s): *waigensis Plötz,1882*
Range (in code): **ID Wg PG Fg Goo Tro Wd**
- 8579. Notocrypta waigensis aluensis Swinhoe,1907** (Hesperiidae) Synonym(s): *aluensis Swinhoe,1907* _ Range (in code): **ID PG Fg Goo Tro Wd**
- 8580. Notocrypta waigensis waigensis (Plötz,1882)** (Hesperiidae) Synonym(s): *waigensis Plötz,1882* _ Range (in code): **ID Wg**
- 8581. Notocrypta waigensis wanga Evans,1949** (Hesperiidae) Synonym(s): *wanga Evans,1949*
Range (in code): **PG**
- 8582. Nyctelius nyctelius (Latreille,1824)** (Hesperiidae) Synonym(s): *nyctelius Latreille,1824; ares C.Felder,1862; coscinia Herrich-Schäffer,1865; aegialea Plötz,1883* _ Range (in code): **US MX Arz Cf Fl Tx**
- 8583. Oarisma edwardsii (Barnes,1897)** (Hesperiidae) Synonym(s): *edwardsii Barnes,1897*
Range (in code): **US MX Arz Col NMx Tx Ut**
- 8584. Oarisma era Dyar,1927** (Hesperiidae) Synonym(s): *era Dyar,1927* _ Range (in code): **MX**
- 8585. Oarisma garita (Reakirt,1866)** (Hesperiidae) Synonym(s): *garita Reakirt,1866; hylax Edwards,1871* _ Range (in code): **US MX Arz Col Id Mns Mon Ndk NMx Neb Org Sdk Ut Ws Wy**
- 8586. Oarisma garita calega (Godman,1900)** (Hesperiidae) Synonym(s): *calega Godman,1900*
Range (in code): **MX**
- 8587. Oarisma garita garita (Reakirt,1866)** (Hesperiidae) Synonym(s): *garita Reakirt,1866; hylax Edwards,1871* _ Range (in code): **US**
- 8588. Oarisma poweshiek (Parker,1870)** (Hesperiidae) Synonym(s): *poweshiek Parker,1870*
Range (in code): **US Idp Ilm Io Mch Mns Ndk Sdk Wc**
- 8589. Ochloides agricola (Boisduval,1852)** (Hesperiidae) Synonym(s): *agricola Boisduval,1852; yreka Edwards,1866; milo Edwards,1883* _ Range (in code): **US Cf Org MX**
- 8590. Ochloides agricola agricola (Boisduval,1852)** (Hesperiidae) Synonym(s): *agricola Boisduval,1852; yreka Edwards,1866; milo Edwards,1883* _ Range (in code): **US Cf Org MX**
- 8591. Ochloides agricola nemorum (Boisduval,1852)** (Hesperiidae) Synonym(s): *nemorum Boisduval,1852* _ Range (in code): **US Cf**

- 8592. *Ochlodes agricola* verus (Edwards,1881)** (Hesperiidae) **Synonym(s):** *verus* Edwards,1881 **Range (in code):** **US Cf**
- 8593. *Ochlodes bouddha* Mabille,1876** (Hesperiidae) **Synonym(s):** *bouddha* Mabille,1876; *consors* Leech,1894 **Range (in code):** **CN Sz MM Kch Kam Bmy**
- 8594. *Ochlodes bouddha* Mabille,1876** (Hesperiidae) **Synonym(s):** *bouddha* Mabille,1876; *consors* Leech,1894 **Range (in code):** **CN Sz MM Kch Kam Bmy**
- 8595. *Ochlodes brahma* Moore,1878** (Hesperiidae) **Synonym(s):** *brahma* Moore,1878; *rama* Evans,1932 **Range (in code):** **Ass Chn IN Kma MM Mus NP SI Sml Up TH Cma Int**
- 8596. *Ochlodes brahma* Moore,1878** (Hesperiidae) **Synonym(s):** *brahma* Moore,1878; *rama* Evans,1932 **Range (in code):** **Ass Chn IN Kma MM Mus NP SI Sml Up TH Cma Int**
- 8597. *Ochlodes crataeis* Leech,1894** (Hesperiidae) **Synonym(s):** *crataeis* Leech,1894 **Range (in code):** **CN Sz**
- 8598. *Ochlodes crataeis* Leech,1894** (Hesperiidae) **Synonym(s):** *crataeis* Leech,1894 **Range (in code):** **CN Sz**
- 8599. *Ochlodes flavomaculatus* Draeseke,1905** (Hesperiidae) **Synonym(s):** *flavomaculatus* Draeseke,1905 **Range (in code):** **CN Sz T-T**
- 8600. *Ochlodes flavomaculatus* Draeseke,1905** (Hesperiidae) **Synonym(s):** *flavomaculatus* Draeseke,1905 **Range (in code):** **CN Sz T-T**
- 8601. *Ochlodes hyrcanus* (Christoph,1893)** (Hesperiidae) **Synonym(s):** *hyrcanus* Christoph,1893 **Original Reference:** *Hesperia hyrcana* Christoph,1893, Dt. ent. Z., Iris 6: 87. **Syntypes:** [Iran]: Hyrcania: Astrabad [=Gorgan]; [Aserbaidjan]: Lenkoran. **Range (in code):** **Cc AZ IR Gh Mz**
- 8602. *Ochlodes hyrcanus* (Christoph,1893)** (Hesperiidae) **Synonym(s):** *hyrcanus* Christoph,1893 **Original Reference:** *Hesperia hyrcana* Christoph,1893, Dt. ent. Z., Iris 6: 87. **Syntypes:** [Iran]: Hyrcania: Astrabad [=Gorgan]; [Aserbaidjan]: Lenkoran. **Range (in code):** **Cc AZ IR Gh Mz**
- 8603. *Ochlodes klapperichii* Evans,1940** (Hesperiidae) **Synonym(s):** *klapperichii* Evans,1940 **Range (in code):** **CN Fkn Kwa**
- 8604. *Ochlodes klapperichii* Evans,1940** (Hesperiidae) **Synonym(s):** *klapperichii* Evans,1940 **Range (in code):** **CN Fkn Kwa**
- 8605. *Ochlodes lanta* Evans,1939** (Hesperiidae) **Synonym(s):** *lanta* Evans,1939 **Range (in code):** **CN Yu**
- 8606. *Ochlodes lanta* Evans,1949** (Hesperiidae) **Synonym(s):** *lanta* Evans,1939 **Range (in code):** **CN Yu**
- 8607. *Ochlodes linga* Evans,1939** (Hesperiidae) **Synonym(s):** *linga* Evans,1939 **Range (in code):** **CN Tkg Shs**
- 8608. *Ochlodes linga* Evans,1939** (Hesperiidae) **Synonym(s):** *linga* Evans,1939 **Range (in code):** **CN Tkg Shs**
- 8609. *Ochlodes ochraceus* (Bremer,1861)** (Hesperiidae) **Synonym(s):** *ochracea* Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919 **Original Reference:** *Pamphila ochracea* Bremer,1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 47473. **Syntypes:** Russia: Amurland. **Range (in code):** **RU Am**
- 8610. *Ochlodes ochraceus* (Bremer,1861)** (Hesperiidae) **Synonym(s):** *ochracea* Bremer,1861; *rikuchina* Butler,1878; *ampittiformis* Matsumura,1919 **Original Reference:** *Pamphila ochracea* Bremer,1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 47473. **Syntypes:** Russia: Amurland. **Range (in code):** **RU Am**
- 8611. *Ochlodes siva* Moore,1878** (Hesperiidae) **Synonym(s):** *siva* Moore,1878 **Range (in code):** **TH Cma IN Ass Meg Khs SI Shn Knh Bha Sad MM TW CN Ti**
- 8612. *Ochlodes siva* karennia Evans,1932** (Hesperiidae) **Synonym(s):** *karennia* Evans,1932 **Range (in code):** **TH Cma Knh MM Bha Shn**
- 8613. *Ochlodes siva* niitakana Sonan,1936** (Hesperiidae) **Synonym(s):** *niitakana* Sonan,1936 **Range (in code):** **TW**
- 8614. *Ochlodes siva* Moore,1878** (Hesperiidae) **Synonym(s):** *siva* Moore,1878 **Range (in code):** **IN Ass Meg Khs SI Shn Sad MM**
- 8615. *Ochlodes siva* tarsa Evans,1949** (Hesperiidae) **Synonym(s):** *tarsa* Evans,1949 **Range (in code):** **CN Ti**
- 8616. *Ochlodes subhyalinus* (Bremer & Grey,1853)** (Hesperiidae) **Synonym(s):** *subhyalina* Bremer & Grey,1853; *vivax* Bryk,1946 **Original Reference:** *Hesperia subhyalina* Bremer &

- Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10-11, Tab.iii fig.4. Syntypes: China: near Pekin. Range (in code): **IN TW Ass SI Meg Khs RU Am Vv KP CN Mc MN MM T-T Sz Hnn Hpe Pkn Shs Tkg**
- 8617. *Ochlodes subhyalinus formosanus* Matsumura, 1919** (Hesperiidae) Synonym(s): *formosana* Matsumura, 1919 Range (in code): **TW**
- 8618. *Ochlodes subhyalinus pascus* Evans, 1949** (Hesperiidae) Synonym(s): *pasca* Evans, 1949 Original Reference: *Ochlodes subhyalina* ssp. *pasca* Evans, 1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 354. Holotype ♂: [India]: Khasi Hills (BMNH). Range (in code): **IN Ass SI Khs Meg**
- 8619. *Ochlodes subhyalinus subhyalinus* (Bremer & Grey, 1853)** (Hesperiidae) Synonym(s): *subhyalina* Bremer & Grey, 1853; *vivax* Bryk, 1946 Original Reference: *Hesperia subhyalina* Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 10-11, Tab.iii fig.4. Syntypes: China: near Pekin. Range (in code): **RU Am Vv KP CN Mc MN MM T-T Sz Hnn Hpe Pkn Shs Tkg**
- 8620. *Ochlodes sylvanoides* (Boisduval, 1852)** (Hesperiidae) Synonym(s): *sylvanoides* Boisduval, 1852; *pratincola* Boisduval, 1852; *napa* Edwards, 1865; *francisca* Plötz, 1883 Range (in code): **US MX Arz Cf Col Id Mon NDk NMx Ne Org Sdk Ut Ws Wy**
- 8621. *Ochlodes thibetanus* Oberthür, 1886** (Hesperiidae) Synonym(s): *thibetanus* Oberthür, 1886; *gautamae* Bryk, 1946 Range (in code): **KP KR CN Ti Btn Sz T-T Yu MM Hta**
- 8622. *Ochlodes thibetanus sanku* Evans, 1949** (Hesperiidae) Synonym(s): *sanku* Evans, 1949 Range (in code): **MM Hta**
- 8623. *Ochlodes thibetanus thibetanus* Oberthür, 1886** (Hesperiidae) Synonym(s): *thibetanus* Oberthür, 1886; *gautamae* Bryk, 1946 Range (in code): **KP KR CN Ti Btn Sz T-T Yu**
- 8624. *Ochlodes venatus* (Bremer & Grey, [1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey, [1852] Original Reference: *Hesperia venata* Bremer & Grey, 1852, [in] Motschulsky, Etüd. Ent. 1: 161. Type(s): China. Range (in code): **IR By Th Lo Ak Ab AL AT Ba BG BL BY CH CN CZ DE DK EE ES FI FR GB GR HU IT Kr LT LU LV Mc Na NL NO PL PT RO RU SE Si SK Sm So Sr Sz Ti TR Ts T-T UA Ui VI Vv Yu Cw Dv Smt H-W Sur Ssx Ken Mt Ko B-H HV SS MK SY KK KG Or Uk Bs Tr Cb Kg Ty Kw Pw Om No At Mn T-S Am Amd Ao Kts Mu Sp Tk At Bn Aa Db Kuz Sli Sau Tar DsA Ket Tu TeA KuA TrA Tls Ax IQ LB Cc Sro** Bionomy: Larva on *Dactylis glomerata*, *Molinia caerulea*, *Brachypodium pinnatum*, *B. sylvaticum*, *Poa pratensis*, *Festuca arundinacea*, *Calamagrotis epigejos*, *Luzula pilosa*, *Holcus lanatus*, *Elymus repens*, *Juncus effusus*, *Agrostis capillaris*, *Phleum pratense*, *Bromus erectus* (Tolman, 1997).
- 8625. *Ochlodes venatus faunus* (Turati, 1905)** (Hesperiidae) Synonym(s): *sylvanus* Esper, 1777 *nec* Dru., [1773]; *melicerta* Bergsträßer, 1780 *nec* Dru., [1773]; *faunus* Turati, 1905; *septentrionalis* Verity, 1919; *taurica* Gaede, 1931; *alexandra* Hemming, 1934; *esperi* Verity, 1934; *nicaeensis* Praviel, 1948; *concouleuse* Picard, 1948; *hesperodoron* Kaufman, 1956 Original Reference: *Augiades faunus* Turati, 1905, Naturalista sicil. 18: 14, pl.6 fig.5,9; pl.7 fig.3. Syntypes: Gavarnie (Pyrenees) [destroyed]. Range (in code): **AL Ao AT Ba BG BL Bv Bw BY CH CZ DE DK EE ES FI FR GR HU IQ IT Kr LT LU LV NL NO PL PT RO Rp RU SE Si SK Sm So Sr TR UA VI Mt Ko B-H HV SS MK SY KK KG Or Uk Bs Tr Cb Kg Ty Kw Pw Om No At Mn Sp Tk Aa Db Kuz Sli Sau Tar DsA Ket LB IR Ak Ab Th Lo By LB T-S Tu TeA KuA TrA Tls Ax At Bn Cc**
- 8626. *Ochlodes venatus sagittus* Hemming, 1934** (Hesperiidae) Synonym(s): *sylvanoides* Leech, 1894 *nec* Bsd., 1832; *sagitta* Hemming, 1934 Range (in code): **CN Na Sz Ti T-T Yu**
- 8627. *Ochlodes venatus septentrionalis* (Verity, 1919)** (Hesperiidae) Synonym(s): *septentrionalis* Verity, 1919 Original Reference: *Augiades venatus* race *septentrionalis* Verity, 1919, Entomologist's Rec. J. Var. 31: 28. Syntypes 2♂ 4♀: Inghilterra (=England). Range (in code): **GB Cw Dv Smt H-W Sur Ssx Ken**
- 8628. *Ochlodes venatus similis* Leech, 1894** (Hesperiidae) Synonym(s): *similis* Leech, 1894 Range (in code): **Am Amd At CN Mc RU Sz Ts Vv**
- 8629. *Ochlodes venatus venatus* (Bremer & Grey, [1852])** (Hesperiidae) Synonym(s): *venatus* Bremer & Grey, [1852] Original Reference: *Hesperia venata* Bremer & Grey, 1852, [in] Motschulsky, Etüd. Ent. 1: 161. Type(s): China. Range (in code): **CN RU**
- 8630. *Ochlodes yuma* (Edwards, 1873)** (Hesperiidae) Synonym(s): *yuma* Edwards, 1873; *scudderi* Skinner, 1899 Range (in code): **US Arz Cf Col Id NMx Ne Org Ut Ws Wy**
- 8631. *Ochus subvittatus* (Moore, 1878)** (Hesperiidae) Synonym(s): *subvittatus* Moore, 1878 Range (in code): **SI IN Ass Meg Khs CN Yu Lsd Bap TH CMa CDo Nst MM Mm Sad Shn Krh VN Ton**
- 8632. *Ochus subvittatus subradiatus* (Moore, 1878)** (Hesperiidae) Synonym(s): *subradiatus* Moore, 1878 Range (in code): **SI IN Ass Meg Khs**

- 8633. *Ochus subvittatus subvittatus* (Moore,1878)** (Hesperiidae) **Synonym(s):** *subvittatus* Moore,1878; *intricatus* Fruhstorfer,1910 _ **Range (in code):** **CN Yu Lsd Bap TH CMa CDo Nst MM Mm Sad Shn Krh CN Yu VN Ton**
- 8634. *Ocyba calathana* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *calathana* Hewitson,1868 **Range (in code):** **MX**
- 8635. *Ocyba calathana calanus* (Godman & Salvin,1894)** (Hesperiidae) **Synonym(s):** *calanus* Godman & Salvin,1894 _ **Range (in code):** **MX**
- 8636. *Ocybadistes ardea* Bethune-Baker,1906** (Hesperiidae) **Synonym(s):** *ardea* Bethune-Baker,1906; *udraka* Fruhstorfer,1910; *ardea* Rothschild,1915; *lucia* Evans,1934 _ **Range (in code):** **ID Kai Ij Fak Dm Aru Mi Wg PG Goo Dmp Vu NBr AU QAU**
- 8637. *Ocybadistes ardea ardea* Bethune-Baker,1906** (Hesperiidae) **Synonym(s):** *ardea* Bethune-Baker,1906; *udraka* Fruhstorfer,1910; *ardea* Rothschild,1915; *lucia* Evans,1934 _ **Range (in code):** **ID Ij Fak Dm Aru Mi Wg PG Goo Dmp Vu NBr**
- 8638. *Ocybadistes ardea dora* Evans,1934** (Hesperiidae) **Synonym(s):** *dora* Evans,1934 **Range (in code):** **ID Kai**
- 8639. *Ocybadistes ardea heterobathra* Lower,1908** (Hesperiidae) **Synonym(s):** *heterobathra* Lower,1908
- 8640. *Ocybadistes flavovittata* (Latreille,1823)** (Hesperiidae) **Synonym(s):** *flavovittata* Latreille,1823; *hespera* Waterhouse,1932 _ **Range (in code):** **ID Ij Cyc PG AU QAU Kda Syd NSW**
- 8641. *Ocybadistes flavovittata ceres* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *ceres* Waterhouse,1933 _ **Range (in code):** **AU QAU Kda**
- 8642. *Ocybadistes flavovittata flavovittata* (Latreille,1823)** (Hesperiidae) **Synonym(s):** *flavovittata* Latreille,1823; *hespera* Waterhouse,1932 _ **Range (in code):** **AU QAU Syd NSW**
- 8643. *Ocybadistes flavovittata kokoda* Evans,1949** (Hesperiidae) **Synonym(s):** *kokoda* Evans,1949 _ **Range (in code):** **ID Ij Cyc PG**
- 8644. *Ocybadistes flavovittata vesta* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *vesta* Waterhouse,1932
- 8645. *Ocybadistes hypomeloma* Lower,1911** (Hesperiidae) **Synonym(s):** *hypomeloma* Lower,1911 _ **Range (in code):** **AU QAU**
- 8646. *Ocybadistes hypomeloma hypomeloma* Lower,1911** (Hesperiidae) **Synonym(s):** *hypomeloma* Lower,1911 _ **Range (in code):** **AU QAU**
- 8647. *Ocybadistes hypomeloma vaga* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *vaga* Waterhouse,1932 _ **Range (in code):** **AU**
- 8648. *Ocybadistes papua* Evans,1934** (Hesperiidae) **Synonym(s):** *papua* Evans,1934 _ **Range (in code):** **PG Goo Fg**
- 8649. *Ocybadistes papua papua* Evans,1934** (Hesperiidae) **Synonym(s):** *papua* Evans,1934 **Range (in code):** **PG Goo Fg**
- 8650. *Ocybadistes walkeri* Heron,1894** (Hesperiidae) **Synonym(s):** *walkeri* Heron,1894; *sudodana* Fruhstorfer,1910 _ **Range (in code):** **ID Tnm Sba Flo Alo Tim Bbr Dm PG Fg AU NAu Dwn SAU Ade TA NSW QAU Cai Kda**
- 8651. *Ocybadistes walkeri hypochlora* Lower,1911** (Hesperiidae) **Synonym(s):** *hypochlora* Lower,1911 _ **Range (in code):** **AU SAU Ade**
- 8652. *Ocybadistes walkeri olivia* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *olivia* Waterhouse,1933 _ **Range (in code):** **AU NAu Dwn**
- 8653. *Ocybadistes walkeri sonia* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *sonia* Waterhouse,1933 _ **Range (in code):** **AU QAU Cai Kda**
- 8654. *Ocybadistes walkeri sophia* Evans,1934** (Hesperiidae) **Synonym(s):** *sophia* Evans,1934 **Range (in code):** **ID Tnm**
- 8655. *Ocybadistes walkeri sothis* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *sothis* Waterhouse,1933 _ **Range (in code):** **AU TA NSW QAU**
- 8656. *Ocybadistes walkeri walkeri* Heron,1894** (Hesperiidae) **Synonym(s):** *walkeri* Heron,1894; *sudodana* Fruhstorfer,1910 _ **Range (in code):** **ID Sba Flo Alo Tim Bbr Dm PG Fg**
- 8657. *Odina cuneiformis* Semper,1892** (Hesperiidae) **Synonym(s):** *cuneiformis* Semper,1892 **Range (in code):** **PH CmL Ley Luz Mar Mdo Pal**
- 8658. *Odina cuneiformis cuneiformis* Semper,1892** (Hesperiidae) **Synonym(s):** *cuneiformis* Semper,1892 _ **Range (in code):** **PH CmL Ley Luz Mar Mdo Pal**
- 8659. *Odina decoratus* (Hewitson,1867)** (Hesperiidae) **Synonym(s):** *decoratus* Hewitson,1867; *bicolor* Oberthür,1893. _ **Range (in code):** **VN Ton SI IN Ass MM TH Cbi Nna Cbu**

- 8660. *Odina decoratus decoratus* (Hewitson,1867)** (Hesperiidae) Synonym(s): *decoratus* Hewitson,1867; *bicolor* Oberthür,1893. _ Range (in code): VN Ton SI IN Ass MM TH Cbi Nna Cbu
- 8661. *Odina hieroglyphica* (Butler,1870)** (Hesperiidae) Synonym(s): *hieroglyphica* Butler,1870
_ Range (in code): ID Clb MY Prk Bor Swk Sum MM Mrg Tns TH Rng Yal
- 8662. *Odina hieroglyphica chrysomelaena* Mabille,1891** (Hesperiidae) Synonym(s): *chrysomelaena* Mabille,1891; *sulina* Evans,1932 _ Range (in code): ID Clb
- 8663. *Odina hieroglyphica hieroglyphica* (Butler,1870)** (Hesperiidae) Synonym(s): *hieroglyphica* Butler,1870 _ Range (in code): MY Bor Swk ID Sum
- 8664. *Odina hieroglyphica ortina* Evans,1941** (Hesperiidae) Synonym(s): *ortina* Evans,1941
_ Range (in code): MY Prk
- 8665. *Odina hieroglyphica ortygia* De Nicéville,1895** (Hesperiidae) Synonym(s): *ortygia* De Nicéville,1895 _ Range (in code): MM Mrg Tns TH Rng Yal
- 8666. *Odontoptilum angulatum* (C.Felder,1862)** (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909. Original Reference: Pterygospidea angulata C.Felder,1862, Verh. zool.- bot. Ges. Wien 12: 488, nr.149. Syntypes: China. Range (in code): CN SI ID Clb Lb Sbw IN NP BT MM TH Cbi Cbu Nrt Yal CMA CDo Nna Rat Nst Ths Hn MY Lkw LK Kgr Kul Ja Sum Bor Ass PH Bas Boh Ceb Ley Mdo Mno Neg Pan Sam Luz Mar Pol
- 8667. *Odontoptilum angulatum angulatum* (C.Felder,1862)** (Hesperiidae) Synonym(s): *angulatum* C.Felder,1862; *sura* Moore,1865; *sumatrana* Fruhstorfer,1909; *mahabini* Fruhstorfer,1909. Original Reference: Pterygospidea angulata C.Felder,1862, Verh. zool.- bot. Ges. Wien 12: 488, nr.149. Syntypes: China. Range (in code): CN SI ID IN NP BT MM TH Cbi Cbu Nrt Yal CMA CDo Nna Rat Nst Ths Hn MY Lkw LK Kgr Kul Ja Sum Bor Ass
- 8668. *Odontoptilum angulatum helias* (C.Felder & R.Felder,1867)** (Hesperiidae) Synonym(s): *helias* C.Felder & R.Felder,1867 _ Range (in code): ID Clb
- 8669. *Odontoptilum angulatum helisum* Semper,1892** (Hesperiidae) Synonym(s): *helisum* Semper,1892; *subangulata* Fruhstorfer,1909 _ Range (in code): PH Bas Boh Ceb Ley Mdo Mno Neg Pan Sam
- 8670. *Odontoptilum angulatum hyperides* Doherty,1891** (Hesperiidae) Synonym(s): *hyperides* Doherty,1891 _ Range (in code): ID Lb Sbw
- 8671. *Odontoptilum angulatum sinka* Evans,1949** (Hesperiidae) Synonym(s): *sinka* Evans,1949 _ Range (in code): PH Luz Mar Pol
- 8672. *Odontoptilum leptogrammum* (Hewitson,1868)** (Hesperiidae) Synonym(s): *leptogrammum* Hewitson,1868 _ Range (in code): PH Ceb Ley Luz Mdo Mno Sam Sib
- 8673. *Odontoptilum leptogrammum leptogrammum* (Hewitson,1868)** (Hesperiidae) Synonym(s): *leptogrammum* Hewitson,1868 _ Range (in code): PH Ceb Ley Luz Mdo Mno Sam Sib
- 8674. *Odontoptilum pygelum* (Hewitson,1868)** (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909 _ Range (in code): ID Sum Ja MM Krh Mrg MY Bor Nia Bgk TH Rng Yal PH Pal Sga Taw
- 8675. *Odontoptilum pygelum javanicum* Fruhstorfer,1909** (Hesperiidae) Synonym(s): *javanicum* Fruhstorfer,1909 _ Range (in code): ID Ja
- 8676. *Odontoptilum pygelum pygelum* (Hewitson,1868)** (Hesperiidae) Synonym(s): *pygela* Hewitson,1868; *ragupta* Fruhstorfer,1909 _ Range (in code): ID Sum MM Krh Mrg TH Rng Yal MY Bor Nia Bgk PH Pal Sga Taw
- 8677. *Oeonus pyste* Godman,1900** (Hesperiidae) Synonym(s): *pyste* Godman,1900 _ Range (in code): MX
- 8678. *Oerane microthyrus* (Mabille,1883)** (Hesperiidae) Synonym(s): *microthyrus* Mabille,1883; *mindorana* Semper,1892 _ Range (in code): PH Ley Luz Mar Mdo Mno Sam MY Prk ID Sum Ja Bgk MM Krh Mrg TH Tng Nst Lsa
- 8679. *Oerane microthyrus microthyrus* (Mabille,1883)** (Hesperiidae) Synonym(s): *microthyrus* Mabille,1883; *mindorana* Semper,1892 _ Range (in code): PH Ley Luz Mar Mdo Mno Sam
- 8680. *Oerane microthyrus neaera* (De Nicéville,1891)** (Hesperiidae) Synonym(s): *neaera* De Nicéville,1891; *pusilla* Fruhstorfer,1911 _ Range (in code): MY Prk ID Sum Ja Bgk MM Krh Mrg TH Tng Nst Lsa
- 8681. *Oligoria maculata*** (Hesperiidae) Synonym(s): _ Range (in code): US Fl Ge Lou Mrl Mss NCa Nje Ny Pns SCa Tx
- 8682. *Onenses hyalophora* (R.Felder,1869)** (Hesperiidae) Synonym(s): *hyalophora* R.Felder,1869 _ Range (in code): MX

- 8683. *Onespa nubis* Steinhäuser, 1974** (Hesperiidae) Synonym(s): *nubis* Steinhäuser, 1974
Range (in code): **MX**
- 8684. *Onophas columbaria* (Herrich-Schäffer, 1870)** (Hesperiidae) Synonym(s): *columbaria* Herrich-Schäffer, 1870; *flossites* Butler, 1874 _ Range (in code): **MX**
- 8685. *Onryza maga* (Leech, 1890)** (Hesperiidae) Synonym(s): *maga* Leech, 1890 _ Range (in code): **CN Fkn Hpe TW**
- 8686. *Onryza maga arisana* Matsumura, 1909** (Hesperiidae) Synonym(s): *arisana* Matsumura, 1909; *takeuchii* Matsumura, 1929 _ Range (in code): **TW**
- 8687. *Onryza maga maga* (Leech, 1890)** (Hesperiidae) Synonym(s): *maga* Leech, 1890
Range (in code): **CN Fkn Hpe**
- 8688. *Onryza meiktila* (De Nicéville, 1891)** (Hesperiidae) Synonym(s): *meiktila* De Nicéville, 1891
Range (in code): **MM Bha TH Knc Rat**
- 8689. *Onryza meiktila meiktila* (De Nicéville, 1891)** (Hesperiidae) Synonym(s): *meiktila* De Nicéville, 1891 _ Range (in code): **MM Bha TH Knc Rat**
- 8690. *Onryza perbella* Hering, 1918** (Hesperiidae) Synonym(s): *perbella* Hering, 1918 _ Range (in code): **CN**
- 8691. *Onryza perbella perbella* Hering, 1918** (Hesperiidae) Synonym(s): *perbella* Hering, 1918
Range (in code): **CN**
- 8692. *Onryza siamica* N.D.Riley & Godfrey, 1925** (Hesperiidae) Synonym(s): *siamica* N.D.Riley & Godfrey, 1925 _ Range (in code): **MM Bha Shn TH CMa Rat**
- 8693. *Onryza siamica siamica* N.D.Riley & Godfrey, 1925** (Hesperiidae) Synonym(s): *siamica* N.D.Riley & Godfrey, 1925 _ Range (in code): **MM Bha Shn TH CMa Rat**
- 8694. *Oreisplanus munionga* (Olliff, 1889)** (Hesperiidae) Synonym(s): *munionga* Olliff, 1889
Range (in code): **AU Ksc Cbr NSw**
- 8695. *Oreisplanus munionga munionga* (Olliff, 1889)** (Hesperiidae) Synonym(s): *munionga* Olliff, 1889 _ Range (in code): **AU Ksc Cbr NSw**
- 8696. *Oreisplanus perornatus* (Kirby, 1893)** (Hesperiidae) Synonym(s): *perornatus* Kirby, 1893
Range (in code): **AU VAu NSw**
- 8697. *Oreisplanus perornatus perornatus* (Kirby, 1893)** (Hesperiidae) Synonym(s): *perornatus* Kirby, 1893 _ Range (in code): **AU VAu NSw**
- 8698. *Oriens alfurus* (Plötz, 1885)** (Hesperiidae) Synonym(s): *alfurus* Plötz, 1885 _ Range (in code): **ID Clb**
- 8699. *Oriens alfurus alfurus* (Plötz, 1885)** (Hesperiidae) Synonym(s): *alfurus* Plötz, 1885
Range (in code): **ID Clb**
- 8700. *Oriens augustula* (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *augustula* Herrich-Schäffer, 1869; *fitjensis* Mabille, 1878; *chaura* Evans, 1934 _ Range (in code): **FJ WS**
- 8701. *Oriens augustula alexina* (Plötz, 1884)** (Hesperiidae) Synonym(s): *alexina* Plötz, 1884; *fraseri* Hopkins, 1927 _ Range (in code): **WS**
- 8702. *Oriens augustula augustula* (Herrich-Schäffer, 1869)** (Hesperiidae) Synonym(s): *augustula* Herrich-Schäffer, 1869; *fitjensis* Mabille, 1878; *chaura* Evans, 1934 _ Range (in code): **FJ**
- 8703. *Oriens californica* (Scudder, 1872)** (Hesperiidae) Synonym(s): *californica* Scudder, 1872; *akar* Mabille, 1883; *locus* Plötz, 1886 _ Range (in code): **PH Bal Hom Jol Ley Luz Mas Mdo Mno Pan Pol Sam Sib Taw**
- 8704. *Oriens californica californica* (Scudder, 1872)** (Hesperiidae) Synonym(s): *californica* Scudder, 1872; *akar* Mabille, 1883; *locus* Plötz, 1886 _ Range (in code): **PH Bal Hom Jol Ley Luz Mas Mdo Mno Pan Pol Sam Sib Taw**
- 8705. *Oriens concinna* (Elwes & Edwards, 1897)** (Hesperiidae) Synonym(s): *concinna* Elwes & Edwards, 1897 _ Range (in code): **IN NI Coö Pln**
- 8706. *Oriens concinna concinna* (Elwes & Edwards, 1897)** (Hesperiidae) Synonym(s): *concinna* Elwes & Edwards, 1897 _ Range (in code): **IN NI Coö Pln**
- 8707. *Oriens fons* Evans, 1949** (Hesperiidae) Synonym(s): *fons* Evans, 1949 _ Range (in code): **PH Bas Luz Mdo Mno Pan Sam**
- 8708. *Oriens fons fons* Evans, 1949** (Hesperiidae) Synonym(s): *fons* Evans, 1949 _ Range (in code): **PH Bas Luz Mdo Mno Pan Sam**
- 8709. *Oriens gola* (Moore, 1877)** (Hesperiidae) Synonym(s): *gola* Moore, 1877 _ Range (in code): **PH Bal Cal Luz Pal TH Rng Tng Bnk Ntt SPa Nst Ths Lsa Sgk Hya Tnc IN Adm MM MY ID Sum Ja Bor Sbw Lb Flo SG Nk Bgk Bli NP SI CN Hn Hpe**

- 8710. *Oriens gola gola* (Moore,1877) (Hesperiidae) Synonym(s): *gola* Moore,1877 _ Range (in code): IN Adm**
- 8711. *Oriens gola nipata* (Fruhstorfer,1911) (Hesperiidae) Synonym(s): *nipata* Fruhstorfer,1911; *rosa* Evans _ Range (in code): ID Sbw Lb Flo**
- 8712. *Oriens gola pseudolus* (Mabille,1883) (Hesperiidae) Synonym(s): *pseudolus* Mabille,1883; *fabriolata* Plötz,1884; *naranata* Distant,1886; *rajagriha* Fruhstorfer,1911; *trishna* Fruhstorfer,1911 Range (in code): PH Bal Cal Luz Pal TH Rng Tng Bnk Ntt SPa Nst Ths Lsa Sgk Hya Tnc MM MY ID Sum Ja Bor SG Nk Bgk Bli NP SI CN Hn Hpe**
- 8713. *Oriens goloides* (Moore,1881) (Hesperiidae) Synonym(s): *goloides* Moore,1881 _ Range (in code): TH CMa Chy Cbi Tng Bnk Nst Ths LK IN BT Ass NP MM Shn Mrg SI CN Hn MY VN**
- 8714. *Oriens goloides goloides* (Moore,1881) (Hesperiidae) Synonym(s): *goloides* Moore,1881 Range (in code): TH CMa Chy Cbi Tng Bnk Nst Ths LK IN BT Ass MM Shn Mrg SI CN Hn MY NP VN**
- 8715. *Oriens paragola* (De Nicéville,1895) (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932 _ Range (in code): TH Nst PH Pal MM Mrg ID Sum Ja MY Bor**
- 8716. *Oriens paragola paragola* (De Nicéville,1895) (Hesperiidae) Synonym(s): *paragola* De Nicéville,1895; *borneensis* Evans,1932 _ Range (in code): TH Nst PH Pal MM Mrg ID Sum Ja MY Bor**
- 8717. *Orses cynisca* (Swainson,1821) (Hesperiidae) Synonym(s): *cynisca* Swainson,1821; *catina* Hewitson,1866; *poyas* Reakirt,1867 _ Range (in code): MX**
- 8718. *Orthos gabina* (Godman,1900) (Hesperiidae) Synonym(s): *gabina* Godman,1900; *lateranus* Schaus,1913 _ Range (in code): MX**
- 8719. *Orthos lycortas* (Godman,1900) (Hesperiidae) Synonym(s): *lycortas* Godman,1900 Range (in code): MX**
- 8720. *Osmodes adon* (Mabille,1890) (Hesperiidae) Synonym(s): *adon* Mabille,1890; *barombina* Neustetter,1916; *noda* Evans,1951 _ Range (in code): SL CM CI GH ZR**
- 8721. *Osmodes adonia* Evans,1937 (Hesperiidae) Synonym(s): *adonia* Evans,1937 _ Range (in code): CM GA ZR UG**
- 8722. *Osmodes adonides* Miller,1971 (Hesperiidae) Synonym(s): *adonides* Miller,1971 Range (in code): GA**
- 8723. *Osmodes adosus* (Mabille,1890) (Hesperiidae) Synonym(s): *adosus* Mabille,1890; *#argentipuncta* Mabille,1896; *#argenteigutta* Holland,1896; *schultzei* Aurivillius,1925 _ Range (in code): SL ZR LR CM CG UG Bionomy: Larva on Marantochloa (Marantaceae) (Ackery et al.,1995).**
- 8724. *Osmodes banghaasi* Holland,1896 (Hesperiidae) Synonym(s): *banghaasi* Holland,1896 Range (in code): CG ZR**
- 8725. *Osmodes costatus* Aurivillius,1896 (Hesperiidae) Synonym(s): *costatus* Aurivillius,1896; *cottoni* Bethune-Baker,1908 _ Range (in code): ZR CM UG CG NG GH SL**
- 8726. *Osmodes distincta* Holland,1896 (Hesperiidae) Synonym(s): *distincta* Holland,1896 Range (in code): SL GA CM CG ZR UG**
- 8727. *Osmodes hollandi* Evans,1937 (Hesperiidae) Synonym(s): *hollandi* Evans,1937 _ Range (in code): CM NG GA CG ZR UG**
- 8728. *Osmodes laronia* (Hewitson,1868) (Hesperiidae) Synonym(s): *laronia* Hewitson,1868; *#bicuta* Mabille,1896 _ Range (in code): NG GN GA CM ZR UG KE**
- 8729. *Osmodes lindseyi* Miller,1964 (Hesperiidae) Synonym(s): *lindseyi* Miller,1964 _ Range (in code): CM GH LR SL**
- 8730. *Osmodes lindseyi lindseyi* Miller,1964 (Hesperiidae) Synonym(s): *lindseyi* Miller,1964 Range (in code): CM**
- 8731. *Osmodes lindseyi occidentalis* Miller,1971 (Hesperiidae) Synonym(s): *occidentalis* Miller,1971 _ Range (in code): GH LR SL**
- 8732. *Osmodes lux* Holland,1892 (Hesperiidae) Synonym(s): *lux* Holland,1892 _ Range (in code): LR GA CM GO ZR UG**
- 8733. *Osmodes maesseni* Miller,1971 (Hesperiidae) Synonym(s): *maesseni* Miller,1971 Range (in code): GH**
- 8734. *Osmodes minchini* Evans,1937 (Hesperiidae) Synonym(s): *minchini* Evans,1937 Range (in code): UG**
- 8735. *Osmodes omar* Swinhoe,1916 (Hesperiidae) Synonym(s): *omar* Swinhoe,1916 _ Range (in code): GN CM UG**
- 8736. *Osmodes thora* (Plötz,1884) (Hesperiidae) Synonym(s): *thora* Plötz,1884; *chrysaugae* Mabille,1891; *thops* Holland,1896 _ Range (in code): SL GN AO SD UG KE**

- 8737. *Osphantes ogowena* (Mabille,1891)** (Hesperiidae) **Synonym(s):** *ogowena* Mabille,1891
Range (in code): **ZR GA CG CM NG CI SL GN**
- 8738. *Osphantes ogowena lulua* Evans,1956** (Hesperiidae) **Synonym(s):** *lulua* Evans,1956
Range (in code): **ZR**
- 8739. *Osphantes ogowena ogowena* (Mabille,1891)** (Hesperiidae) **Synonym(s):** *ogowena* Mabille,1891
Range (in code): **GA CG CM NG CI SL GN**
- 8740. *Ouleus bubaris* (Godman & Salvin,1895)** (Hesperiidae) **Synonym(s):** *bubaris* Godman & Salvin,1895
Range (in code): **MX**
- 8741. *Ouleus calavius* (Godman & Salvin,1895)** (Hesperiidae) **Synonym(s):** *calavius* Godman & Salvin,1895; *colotes* Godman & Salvin,1895
Range (in code): **MX**
- 8742. *Ouleus cyrna* (Mabille,1895)** (Hesperiidae) **Synonym(s):** *cyrna* Mabille,1895; *fasciata* Godman & Salvin,1895; *simplex* Godman & Salvin,1895
Range (in code): **MX**
- 8743. *Ouleus salvina* Evans,1953** (Hesperiidae) **Synonym(s):** *salvina* Evans,1953
Range (in code): **MX**
- 8744. *Oxynetra confusa* Mabille,1904** (Hesperiidae) **Synonym(s):** *confusa* Mabille,1904
Range (in code): **PE**
- 8745. *Oxynetra felderi* Hopffer,1874** (Hesperiidae) **Synonym(s):** *felderi* Hopffer,1874
Range (in code): **BR Azn PE**
- 8746. *Oxynetra hopfferi* Staudinger,1888** (Hesperiidae) **Synonym(s):** *hopfferi* Staudinger,1888
Range (in code): **PA**
- 8747. *Oxynetra semihyalina* Felder,1862** (Hesperiidae) **Synonym(s):** *semihyalina* Felder,1862
Range (in code): **BR**
- 8748. *Oxyntes corusca* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *corusca* Herrich-Schäffer,1869; *martius* Mabille,1889
Range (in code): **MX**
- 8749. *Paches loxus* (Westwood,[1852])** (Hesperiidae) **Synonym(s):** *loxus* Westwood,[1852]
Range (in code): **MX**
- 8750. *Paches loxus gloriosus* Röber,1925** (Hesperiidae) **Synonym(s):** *gloriosus* Röber,1925
Range (in code): **MX**
- 8751. *Paches polla* (Mabille,1888)** (Hesperiidae) **Synonym(s):** *polla* Mabille,1888
Range (in code): **MX**
- 8752. *Pachyneuria licisca* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *licisca* Plötz,1882; *thyeses* Godman & Salvin,1894; *melcheri* Weeks,1906
Range (in code): **MX**
- 8753. *Panoquina errans* (Skinner,1892)** (Hesperiidae) **Synonym(s):** *errans* Skinner,1892
Range (in code): **US MX Cf**
- 8754. *Panoquina evadnes* (Stoll,1781)** (Hesperiidae) **Synonym(s):** *evadnes* Stoll,1781; *chlorus* Plötz,1882
Range (in code): **MX**
- 8755. *Panoquina evansi* (Freeman,1946)** (Hesperiidae) **Synonym(s):** *evansi* Freeman,1946
Range (in code): **MX**
- 8756. *Panoquina fusina*** (Hesperiidae) **Synonym(s):**
Range (in code): **US**
- 8757. *Panoquina hecebola* (Scudder,1872)** (Hesperiidae) **Synonym(s):** *hecebola* Scudder,1872; *parilis* Mabille,1891
Range (in code): **US MX Tx**
- 8758. *Panoquina lucas* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *lucas* Fabricius,1793; *sylvicola* Herrich-Schäffer,1865; *neriana* Plötz,1883; *woodruffi* E.Y.Watson,1937
Range (in code): **US MX**
Arz Tx
- 8759. *Panoquina ocola* (Edwards,1863)** (Hesperiidae) **Synonym(s):** *ocola* Edwards,1863; *stratyllis* Burmeister,1878; *heterospila* Mabille,1878; *ortygia* Möschler,1883
Range (in code): **US MX Aks**
Alb Arz Dw Fl Ge Iln Knt Lou Mis Mrl Msc Mss NCa Nje Ny Oh Ok Pns SCa Tnn Tx Vi WVi
- 8760. *Panoquina panoquin* (Scudder,1864)** (Hesperiidae) **Synonym(s):** *panoquin* Scudder,1864; *ophis* Edwards,1871; *wimico* Plötz,1883
Range (in code): **US Dw Fl Ge Lou Mrl Mss NCa**
Nje Ny Pns SCa Tx Vi
- 8761. *Panoquina panoquinoides* (Skinner,1891)** (Hesperiidae) **Synonym(s):** *panoquinoides* Skinner,1891
Range (in code): **US MX Fl Lou Tx**
- 8762. *Panoquina pauper* (Mabille,1878)** (Hesperiidae) **Synonym(s):** *pauper* Mabille,1878
Range (in code): **MX**
- 8763. *Papias dictys* Godman,1900** (Hesperiidae) **Synonym(s):** *dictys* Godman,1900; *scapa* Evans,1937
Range (in code): **MX**
- 8764. *Papias nigrans* (Schaus,1913)** (Hesperiidae) **Synonym(s):** *nigrans* Schaus,1913
Range (in code): **MX**

- 8765. Papias phaeomelas (Hübner,[1831])** (Hesperiidae) **Synonym(s):** *phaeomelas* Hübner,[1831]; *atramentarius* Mabilie,1883; *microsema* Godman,1900 - Range (in code): **MX**
- 8766. Papias phainis Godman,1900** (Hesperiidae) **Synonym(s):** *phainis* Godman,1900; *ctyanus* Schaus,1902; *sobrinus* Schaus,1902; *ignarus* Bell,1932; *unicolor* Hayward,1938; *modesta* Hayward,1939; *larias* Bell,1941 - Range (in code): **MX**
- 8767. Papias subcostulata (Herrich-Schäffer,1870)** (Hesperiidae) **Synonym(s):** *subcostulata* Herrich-Schäffer,1870; *infusata* Plötz,1882; *integra* Mabilie,1891 - Range (in code): **MX**
- 8768. Paracleros biguttulus (Mabilie,1890)** (Hesperiidae) **Synonym(s):** *biguttulus* Mabilie,1890; *sangoanus* Carcasson,1964 - Range (in code): **SL UG TZ**
- 8769. Paracleros maesseni Berger,1978** (Hesperiidae) **Synonym(s):** *maesseni* Berger,1978 - Range (in code): **GH**
- 8770. Paracleros overlaeti Berger,1978** (Hesperiidae) **Synonym(s):** *overlaeti* Berger,1978 - Range (in code): **GH CM GA ZR**
- 8771. Paracleros placidus (Plötz,1879)** (Hesperiidae) **Synonym(s):** *placidus* Plötz,1879; *substrigata* Holland,1893 - Range (in code): **CI GH**
- 8772. Paratrytone aphractioia Dyar,1914** (Hesperiidae) **Synonym(s):** *aphractioia* Dyar,1914 - Range (in code): **MX**
- 8773. Paratrytone decepta L.Miller & J.Miller,1972** (Hesperiidae) **Synonym(s):** *decepta* L.Miller & J.Miller,1972 - Range (in code): **MX**
- 8774. Paratrytone kemneri Steinhäuser,1996** (Hesperiidae) **Synonym(s):** *kemneri* Steinhäuser,1996 - Range (in code): **MX**
- 8775. Paratrytone omitemensis Steinhäuser,1996** (Hesperiidae) **Synonym(s):** *omitemensis* Steinhäuser,1996 - Range (in code): **MX**
- 8776. Paratrytone pilza Evans,1955** (Hesperiidae) **Synonym(s):** *pilza* Evans,1955 - Range (in code): **MX**
- 8777. Paratrytone polyclea Godman,1900** (Hesperiidae) **Synonym(s):** *polyclea* Godman,1900 - Range (in code): **MX**
- 8778. Paratrytone raspa (Evans,1955)** (Hesperiidae) **Synonym(s):** *raspa* Evans,1955; *miahua* Steinhäuser,1996 - Range (in code): **MX**
- 8779. Paratrytone rhexenor Godman,1900** (Hesperiidae) **Synonym(s):** *rhexenor* Godman,1900 - Range (in code): **MX**
- 8780. Paratrytone snowi (Edwards,1877)** (Hesperiidae) **Synonym(s):** *snowi* Edwards,1877 - Range (in code): **US MX Arz Col NMx Wy**
- 8781. Pardaleodes bule Holland,1896** (Hesperiidae) **Synonym(s):** *bule* Holland,1896; *makala* Bethune-Baker,1908; *#schultzei* Aurivillius,1925 - Range (in code): **GO KE UG ZR CG CM Bio**
- 8782. Pardaleodes edipus (Stoll,[1781])** (Hesperiidae) **Synonym(s):** *edipus* Stoll,[1781] - Range (in code): **GA CM GM ZR GO Bio**
- 8783. Pardaleodes incerta (Snellen,1872)** (Hesperiidae) **Synonym(s):** *incerta* Snellen,1872; *murcia* Plötz,1883; *diluta* Robbe,1892 - Range (in code): **CG KE SD AO TZ**
- 8784. Pardaleodes sator (Westwood,[1852])** (Hesperiidae) **Synonym(s):** *sator* Westwood,[1852]; *pusiella* Mabilie,1877 - Range (in code): **GN AO KE SD GA CM ZR**
- 8785. Pardaleodes tibullus (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *tibullus* Fabricius,1793; *reichenowi* Plötz,1879; *festus* Mabilie,1890; *torensis* Bethune-Baker,1906 - Range (in code): **GH CM CG GA UG GN**
- 8786. Pardaleodes xanthopeplus Holland,1892** (Hesperiidae) **Synonym(s):** *xanthopeplus* Holland,1892 - Range (in code): **GA CM GO LR**
- 8787. Parelbella macleannani (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *macleannani* Godman & Salvin,1893 - Range (in code): **MX PA**
- 8788. Parnara amalia Semper,1879** (Hesperiidae) **Synonym(s):** *amalia* Semper,1879
- 8789. Parnara amalia amalia Semper,1879** (Hesperiidae) **Synonym(s):** *amalia* Semper,1879
- 8790. Parnara battus Evans,1949** (Hesperiidae) **Synonym(s):** *batta* Evans,1949 - Range (in code): **CN Kwa VN**
- 8791. Parnara ganga Evans,1937** (Hesperiidae) **Synonym(s):** *ganga* Evans,1937 - Original Reference: Parnara ganga Evans,1937, Entomologist 70: 83. Range (in code): **CN Hn AF Nu Ng IN Ass Meg Khs MM Mpr MY Nag Sz Ton Up VN TH CMa Tng**
- 8792. Parnara ganga ganga Evans,1937** (Hesperiidae) **Synonym(s):** *ganga* Evans,1937 - Original Reference: Parnara ganga Evans,1937, Entomologist 70: 83. Range (in code): **CN Hn AF Nu Ng IN Ass Meg Khs MM Mpr MY Nag Sz Ton Up VN TH CMa Tng**

- 8793. *Parnara guttatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *guttatus* Bremer & Grey,[1852]; *fortunei* Felder,1862; *wambo* Plötz,1886; *kotoshana* Sonan,1936 Original Reference: Eudamus guttatus Bremer & Grey,[1852], [in] Motschulsky, Etüd. Ent. 1: 60. Range (in code): **IN Ass Ch Ci CN Hn AF BLM Hr Hyb Kma KP KR Ld Nwf PK SI Sz TW Up Yu Pkn RU Vv Mre Abb Haz Thu H-A TH Bnk CMA Cuo Cu12 Phu Chy Lmp Rng Nst Ths Chw**
- 8794. *Parnara guttatus andra* Evans,1949** (Hesperiidae) Synonym(s): *andra* Evans,1949
- 8795. *Parnara guttatus apostatus* Snellen,1880** (Hesperiidae) Synonym(s): *apostata* Snellen,1880 Range (in code): **TH Bnk CMA Cuo Cu12 Phu Chy Lmp Rng Nst Ths Chw**
- 8796. *Parnara guttatus guttatus* (Bremer & Grey,[1852])** (Hesperiidae) Synonym(s): *guttatus* Bremer & Grey,[1852] Original Reference: Eudamus guttatus Bremer & Grey,[1852], [in] Motschulsky, Etüd. Ent. 1: 60. Range (in code): **CN KP KR TW Pkn RU Vv**
- 8797. *Parnara guttatus mangala* (Moore,[1866])** (Hesperiidae) Synonym(s): *mangala* Moore,[1866]; *philino* Möschler,1879; *kolantus* Plötz,1885. Original Reference: Hesperia mangala Moore,[1866], Proc. zool. Soc. Lond. 1865: 792. Type(s): Bengal. Range (in code): **IN Ass Ch Ci CN Hn AF BLM Hr Hyb Kma Nwf PK SI Sz Up Yu Haz Mre Abb Thu H-A**
- 8798. *Parnara guttatus ogasawarensis* Matsumura,1926** (Hesperiidae) Synonym(s): *ogasawarensis* Matsumura,1926
- 8799. *Parnara guttatus ormuzd* (Groum-Grshimailo,1888)** (Hesperiidae) Synonym(s): *ormuzd* Groum-Grshimailo,1888 Original Reference: Pamphila ormuzd Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type ♂: Kabadian. Range (in code): **Br Uz**
- 8800. *Parnara kawazoei* Chiba & Eliot,1991** (Hesperiidae) Synonym(s): *kawazoei* Chiba & Eliot,1991 Range (in code): **PH Hom Ley Luz Mdo Mno Neg Pan Sam Sib**
- 8801. *Parnara kawazoei kawazoei* Chiba & Eliot,1991** (Hesperiidae) Synonym(s): *kawazoei* Chiba & Eliot,1991 Range (in code): **PH Hom Ley Luz Mdo Mno Neg Pan Sam Sib**
- 8802. *Parnara naso* (Fabricius,1798)** (Hesperiidae) Synonym(s): *naso* Fabricius,1798; *marchalli* Boisduval,1833 Original Reference: Hesperia naso Fabricius,1798, Ent. Syst. Suppl.: 431. Type(s): [Mauritius]. Range (in code): **MU MG RE SN ZA ZM ZR CM GA CN Hn ID IN Ass Ben Ch JP KH LK MM MY RE PH SI TW VN KE SD SO ET PH Cml Hom Ley Luz Mas Mdo Mno Rom Pal Sib Taw TH CMA Tak Tng Nst Ths Sgk Hya Tnc AU QAU**
- 8803. *Parnara naso bada* (Moore,1878)** (Hesperiidae) Synonym(s): *bada* Moore,1878; *quinigera* Moore,1878; *hainanus* Moore,1878; *intermedia* Plötz,1883; *daendali* Plötz,1883; *rondoa* Plötz,1886; *distinctus* Holland,1887; *philotas* De Nicéville,1895. Original Reference: Hesperia bada Moore,1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: [Sri Lanka]: Ceylon (BMNH). Range (in code): **Ass Ben Ch CN Hn ID IN JP KH LK MM MY PH SI TW VN TH CMA Tak Tng Nst Ths Sgk Hya Tnc**
- 8804. *Parnara naso bigutta* Evans,1937** (Hesperiidae) Synonym(s): *bigutta* Evans,1937 Original Reference: Parnara marchalii ssp. bigutta Evans,1937, Catalogue African Hesperiidae in the British Museum: 187. Holotype ♂: Reunion (BMNH). Range (in code): **RE**
- 8805. *Parnara naso borneana* Chiba & Eliot,1991** (Hesperiidae) Synonym(s): *borneana* Chiba & Eliot,1991 Range (in code): **PH Cml Hom Ley Luz Mas Mdo Mno Rom Pal Sib Taw**
- 8806. *Parnara naso monasi* (Trimen,1889)** (Hesperiidae) Synonym(s): *monasi* Trimen,1889; *neoba* Mabille,1891; *subochracea* Holland,1896; *anelia* Bethune-Baker,1908; *chambezi* Neave,1910. Original Reference: Pamphila monasi Trimen,1889, South African Butterflies: 317. Syntypes: South Africa: Urban, Natal. Range (in code): **ZA ZM ZR CM GA KE SD SO ET**
- 8807. *Parnara naso naso* (Fabricius,1798)** (Hesperiidae) Synonym(s): *naso* Fabricius,1798; *marchalli* Boisduval,1833 Original Reference: Hesperia naso Fabricius,1798, Ent. Syst. Suppl.: 431. Type(s): [Mauritius]. Range (in code): **MU**
- 8808. *Parnara naso podora* (Plötz,1884)** (Hesperiidae) Synonym(s): *podora* Plötz,1884 Original Reference: Plastingia podora Plötz,1884, Stettin ent. Ztg. 45: 150. Type(s): Senegal. Range (in code): **SN**
- 8809. *Parnara naso poutieri* (Boisduval,1833)** (Hesperiidae) Synonym(s): *poutieri* Boisduval,1833; *ibara* Plötz,1883; *albigutta* Mabille,[1887] Original Reference: Hesperia poutieri Boisduval,1833, Nouv. Annls. Mus. Hist. Nat. 2: 213. [Malagasy Republic]: "Tintingue, Sainte-Marie et a Foule-Pointe". Range (in code): **MG**
- 8810. *Parnara naso sida* Waterhouse,1934** (Hesperiidae) Synonym(s): *sida* Waterhouse,1934 Range (in code): **AU QAU**
- 8811. *Paronymus ligora* (Hewitson,1876)** (Hesperiidae) Synonym(s): *ligora* Hewitson,1876; *thersander* Mabille,1890 Range (in code): **SL AO UG**
- 8812. *Paronymus nevea* (Druce,1910)** (Hesperiidae) Synonym(s): *nevea* Druce,1910 Range (in code): **GN ZR**

- 8813. *Paronymus xanthias* (Mabille,1891)** (Hesperiidae) Synonym(s): *xanthias* Mabille,1891
Range (in code): **SL UG NR**
- 8814. *Paronymus xanthioides* (Holland,1892)** (Hesperiidae) Synonym(s): *xanthioides* Holland,1892
Range (in code): **GA CM CG**
- 8815. *Parosmodes lentiginosa* (Holland,1896)** (Hesperiidae) Synonym(s): *lentiginosa* Holland,1896
Range (in code): **GA CM NG GH LR SL**
- 8816. *Parosmodes morantii* (Trimen,1873)** (Hesperiidae) Synonym(s): *morantii* Trimen,1873; *ranoha* Westwood,1881; *icteria* Mabille,1891.
Range (in code): **SD KE UG CM NG GN GM ZA Nta Kzu Ptw Tva Lpo Spb Kru Suw Kom Gau Pre MZ ZW Vf MW Zom** Bionomy: Larva on Combretum, Quisqualis, Terminalia (Combretaceae), Bridelia (Euphorbiaceae) (Ackery et al.,1995).
- 8817. *Parosmodes morantii axis* Evans,1937** (Hesperiidae) Synonym(s): *axis* Evans,1937
Range (in code): **SD KE UG CM NG GN GM**
- 8818. *Parosmodes morantii morantii* (Trimen,1873)** (Hesperiidae) Synonym(s): *morantii* Trimen,1873; *ranoha* Westwood,1881; *icteria* Mabille,1891.
Range (in code): **ZA Nta Kzu Tva Lpo Spb Kru Suw Kom Gau Pre MZ ZW Vf MW Zom** Bionomy: Larva on Combretum, Quisqualis, Terminalia (Combretaceae), Bridelia (Euphorbiaceae) (Ackery et al.,1995).
- 8819. *Parosmodes onza* Evans,1956** (Hesperiidae) Synonym(s): *onza* Evans,1956
Range (in code): **UG**
- 8820. *Parphorus decorus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *decorus* Herrich-Schäffer,1869; *tanaquilus* Möschler,1879; *cotiso* Schaus,1913; *substriata* Hayward,1934
Range (in code): **MX**
- 8821. *Parphorus storax* (Mabille,1891)** (Hesperiidae) Synonym(s): *storax* Mabille,1891; *Tessmann*,1928
Range (in code): **MX**
- 8822. *Pasma polysema* (Lower,1908)** (Hesperiidae) Synonym(s): *polysema* Lower,1908
Range (in code): **AU NAu Dwn**
- 8823. *Pasma polysema polysema* (Lower,1908)** (Hesperiidae) Synonym(s): *polysema* Lower,1908
Range (in code): **AU NAu Dwn**
- 8824. *Pasma tasmanica* (Miskin,1889)** (Hesperiidae) Synonym(s): *tasmanica* Miskin,1889; *comma* Kirby,1893
Range (in code): **TA AU VAu NSw**
- 8825. *Pasma tasmanica tasmanica* (Miskin,1889)** (Hesperiidae) Synonym(s): *tasmanica* Miskin,1889; *comma* Kirby,1893
Range (in code): **TA AU VAu NSw**
- 8826. *Pastria albimedia* (Joicey & Talbot,1917)** (Hesperiidae) Synonym(s): *albimedia* Joicey & Talbot,1917
Range (in code): **ID Ij**
- 8827. *Pastria albimedia albimedia* (Joicey & Talbot,1917)** (Hesperiidae) Synonym(s): *albimedia* Joicey & Talbot,1917
Range (in code): **ID Ij**
- 8828. *Pastria pastria* Evans,1949** (Hesperiidae) Synonym(s): *pastria* Evans,1949
Range (in code): **PG**
- 8829. *Pastria pastria pastria* Evans,1949** (Hesperiidae) Synonym(s): *pastria* Evans,1949
Range (in code): **PG**
- 8830. *Pedesta baileyi* (South,1913)** (Hesperiidae) Synonym(s): *baileyi* South,1913
Range (in code): **CN Sz Yu**
- 8831. *Pedesta baileyi baileyi* (South,1913)** (Hesperiidae) Synonym(s): *baileyi* South,1913
Range (in code): **CN Yu**
- 8832. *Pedesta baileyi nanka* Evans,1949** (Hesperiidae) Synonym(s): *nanka* Evans,1949
Range (in code): **CN Sz Yu**
- 8833. *Pedesta blanchardii* (Mabille,1876)** (Hesperiidae) Synonym(s): *blanchardii* Mabille,1876
Range (in code): **CN Shs Sz T-T**
- 8834. *Pedesta blanchardii blanchardii* (Mabille,1876)** (Hesperiidae) Synonym(s): *blanchardii* Mabille,1876
Range (in code): **CN Sz T-T**
- 8835. *Pedesta blanchardii shensia* Evans,1949** (Hesperiidae) Synonym(s): *shensia* Evans,1949
Range (in code): **CN Shs**
- 8836. *Pedesta masuriensis* (Moore,1878)** (Hesperiidae) Synonym(s): *masuriensis* Moore,1878
Original Reference: *Isoeteinon masuriensis* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 693. Type ♂: India: Mussoorie (BMNH).
Range (in code): **IN Ass Hp Klu Kma SI Ti CN Yu Sz T-T**
- 8837. *Pedesta masuriensis masuriensis* (Moore,1878)** (Hesperiidae) Synonym(s): *masuriensis* Moore,1878
Original Reference: *Isoeteinon masuriensis* Moore,1878, Proc. zool. Soc. Lond. 48 (3): 693. Type ♂: India: Mussoorie (BMNH).
Range (in code): **IN Ass Hp Klu Kma SI**

- 8838. *Pedesta masuriensis tali* (Swinhoe,1912)** (Hesperiidae) Synonym(s): *tali Swinhoe,1912*
Range (in code): **CN Yu Sz T-T**
- 8839. *Pedesta panda Evans,1937*** (Hesperiidae) Synonym(s): *panda Evans,1937* _ Range (in code): **IN Ass Mpr Nag**
- 8840. *Pedesta panda panda Evans,1937*** (Hesperiidae) Synonym(s): *panda Evans,1937*
Range (in code): **IN Ass Mpr Nag**
- 8841. *Pedesta pandita* (De Nicéville,1885)** (Hesperiidae) Synonym(s): *pandita De Nicéville,1885*
Range (in code): **SI IN Ass Nag MM Shn VN Ton**
- 8842. *Pedesta pandita pandita* (De Nicéville,1885)** (Hesperiidae) Synonym(s): *pandita De Nicéville,1885* _ Range (in code): **SI IN Ass Nag MM Shn VN Ton**
- 8843. *Pedesta serena Evans,1937*** (Hesperiidae) Synonym(s): *serena Evans,1937* _ Range (in code): **CN Sz T-T Yu KG Nrk MM Kch Kam VN Ton**
- 8844. *Pedesta serena serena Evans,1937*** (Hesperiidae) Synonym(s): *serena Evans,1937*
Range (in code): **CN Sz T-T Yu KG Nrk MM Kch Kam VN Ton**
- 8845. *Pellicia angra Evans,1953*** (Hesperiidae) Synonym(s): *angra Evans,1953* _ Range (in code): **MX**
- 8846. *Pellicia arina Evans,1953*** (Hesperiidae) Synonym(s): *arina Evans,1953* _ Range (in code): **US MX Tx**
- 8847. *Pellicia dimidiata Herrich-Schäffer,1870*** (Hesperiidae) Synonym(s): *dimidiata Herrich-Schäffer,1870*; *didia Möscgler,1877*; *corinna Plötz,1882*; *nivonicus Plötz,1884*; *bilinea Mabille,1889*; *bobae Weeks,1906*; *hypsipyle Hayward,1947* _ Range (in code): **US MX Tx**
- 8848. *Pelopidas agna* (Moore,[1866])** (Hesperiidae) Synonym(s): *agna Moore,[1866]*; *dingo Evans,1949*. Original Reference: *Hesperia agna* Moore,[1866], Proc. zool. Soc. Lond. 1865: 791. Type(s): Bengal. Range (in code): **SB Adm Ass Ben Ch CN Cu Hn ID IN LK MM Haz Mre PH Pj PK SI TH Bnk CMA Nrt Rng Nna Nst Ths Chw Rat Tng TW Yu PH Bal Bas CmL Ceb Hom Jol Ley Luz Mas Mdo Mno Neg Pal Pao Sam Sib Stu Taw Tic AU PG**
- 8849. *Pelopidas agna agna* (Moore,[1866])** (Hesperiidae) Synonym(s): *agna Moore,[1866]*; *dingo Evans,1949*. Original Reference: *Hesperia agna* Moore,[1866], Proc. zool. Soc. Lond. 1865: 791. Type(s): Bengal. Range (in code): **Adm Ass Ben Ch CN Cu Hn ID IN LK MM Haz Mre PH Pj PK SI TH Bnk CMA Nrt Rng Nna Nst Ths Chw Rat Tng TW Yu PH Bal Bas CmL Ceb Hom Jol Ley Luz Mas Mdo Mno Neg Pal Pao Sam Sib Stu Taw Tic AU PG**
- 8850. *Pelopidas agna agnata Evans,1934*** (Hesperiidae) Synonym(s): *agnata Evans,1934*
Range (in code): **SB**
- 8851. *Pelopidas assamensis* De Nicéville,1882** (Hesperiidae) Synonym(s): *assamensis De Nicéville,1882* _ Range (in code): **MM IN Ass TH Chi Lam CMA CDo Tak Nst**
- 8852. *Pelopidas assamensis assamensis* De Nicéville,1882** (Hesperiidae) Synonym(s): *assamensis De Nicéville,1882* _ Range (in code): **MM IN Ass TH Chi Lam CMA CDo Tak Nst**
- 8853. *Pelopidas conjunctus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *conjunctus Herrich-Schäffer,1869* _ Range (in code): **PH Bas Boh CmL Ceb Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw TH CMA Cuo Cu12 Loe Tng Ptt Rng Ntt SPa**
- 8854. *Pelopidas conjunctus conjunctus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *conjunctus Herrich-Schäffer,1869* _ Range (in code): **PH Bas Boh CmL Ceb Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Sib Stu Taw TH CMA Cuo Cu12 Loe Tng Ptt Rng Ntt SPa**
- 8855. *Pelopidas conjunctus narooa* Moore,1878** (Hesperiidae) Synonym(s): *narooa Moore,1878*
- 8856. *Pelopidas jansonis* Butler,1878** (Hesperiidae) Synonym(s): *jansonis Butler,1878*
- 8857. *Pelopidas jansonis jansonis* Butler,1878** (Hesperiidae) Synonym(s): *jansonis Butler,1878*
- 8858. *Pelopidas lyelli* Rothschild,1915** (Hesperiidae) Synonym(s): *lyelli Rothschild,1915*
- 8859. *Pelopidas lyelli lyelli* Rothschild,1915** (Hesperiidae) Synonym(s): *lyelli Rothschild,1915*
- 8860. *Pelopidas lyelli mathewi* Evans,1937** (Hesperiidae) Synonym(s): *mathewi Evans,1937*
- 8861. *Pelopidas mathias* (Fabricius,1798)** (Hesperiidae) Synonym(s): *mathias Fabricius,1798*; *elegans Mabille,1877*; *umbrata Butler,1879*; *octofenestrata Saalmüller,1884*; *albirostris Mabille,1887*. Original Reference: *Hesperia mathias* Fabricius,1798, Suppl. Ent. Syst.: 433. Range (in code): **Ad IR As BD BF BH BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW HJ ID IN KE KH KM KW LK LR LS LY MA MG ML MM Tns MR MW MY MZ NA NE NG OM QA RW SA SD SL SN SO ST SZ TD TG TH TN TZ UG VN YE ZA Tva Lpo Spb Kru K12 Pma Gau Pre Brb ZM ZR PH Boh CmL CmM Ceb Cts Gui Hom Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Taw Nta Kzu Ptb IN Ass**

Slo Mpu Suw Buf Jh Wjk Wm AO Bnk CMa Nrt Knc Rat Chy Nna Nst Chw Ths Phu Tng Sgk Hya PSu Zom VN

- 8862. Pelopidas mathias mathias (Fabricius,1798)** (Hesperiidae) **Synonym(s):** *mathias* Fabricius,1798; *elegans* Mabilie,1877; *umbrata* Butler,1879; *octofenestrata* Saalmüller,1884; *albirostris* Mabilie,[1887]. **Original Reference:** *Hesperia mathias* Fabricius,1798, Suppl. Ent. Syst.: 433. **Range (in code):** **Ad IR As BD BF BH BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW Hj ID IN KE KH KM KW LK LR LS LY MA MG ML MM Tns MR MW MY MZ NA NE NG OM QA RW SA SD SL SN SO ST SZ TD TG TH TN TZ UG VN YE ZA Tva Lpo Spb Kru K12 Pma Gau Pre Brb ZM ZR PH Boh CmL CmM Ceb Cts Gui Hom Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Pao Sam Taw Nta Kzu Ptb IN Ass Slo Mpu Suw Buf Jh Wjk Wm AO Bnk CMa Nrt Knc Rat Chy Nna Nst Chw Ths Phu Tng Sgk Hya PSu Zom VN**
- 8863. Pelopidas mathias oberthueri Evans,1937** (Hesperiidae) **Synonym(s):** *oberthueri* Evans,1937
- 8864. Pelopidas mathias repetita Butler,1882** (Hesperiidae) **Synonym(s):** *repetita* Butler,1882
- 8865. Pelopidas sinensis Mabilie,1877** (Hesperiidae) **Synonym(s):** *sinensis* Mabilie,1877; *prominens* Moore,1882; *similis* Leech,1890 *nec* Moore,1881. **Range (in code):** **Ass CN IN Kma Kul MM Shn SI Up**
- 8866. Pelopidas sinensis sinensis Mabilie,1877** (Hesperiidae) **Synonym(s):** *sinensis* Mabilie,1877; *prominens* Moore,1882; *similis* Leech,1890 *nec* Moore,1881. **Range (in code):** **Ass CN IN Kma Kul MM Shn SI Up**
- 8867. Pelopidas subochraceus Moore,1878** (Hesperiidae) **Synonym(s):** *subochraceus* Moore,1878 **Range (in code):** **MM CN Hn Yu TH Nrt VN**
- 8868. Pelopidas subochraceus barneyi Evans,1937** (Hesperiidae) **Synonym(s):** *barneyi* Evans,1937 **Range (in code):** **TH Nrt**
- 8869. Pelopidas subochraceus subochraceus Moore,1878** (Hesperiidae) **Synonym(s):** *subochraceus* Moore,1878 **Range (in code):** **MM CN Hn Yu VN**
- 8870. Pelopidas thrax (Hübner,[1821])** (Hesperiidae) **Synonym(s):** *thrax* Hübner,[1821]; *midea* Walker,1870 **Original Reference:** *Gegenes thrax* Hübner,[1821], Samml. exot. Schmett. 2: pl.[150]. **Range (in code):** **SD ET SO DJ KE UG SZ ZA Nta Kzu Ptb Tva Lpo Gau Mal Spb Mdk Kru Pf Ec Wca Fs Mpu Kny OM Cu CY EG IL Pa IN IR Ab Ak Tbz IQ JO Kre Lhj MM Mpr PK SA Bhh Sd SI SY TR YE** **Bionomy:** Larva on *Panicum miliaceum* (Poaceae) (Tolman,1997).
- 8871. Pelopidas thrax flava Evans,1926** (Hesperiidae) **Synonym(s):** *flava* Evans,1926
- 8872. Pelopidas thrax inconspicua (Bertolini,1850)** (Hesperiidae) **Synonym(s):** *inconspicua* Bertolini,1850; *mohopaani* Wallengren,1857; *micipsa* Trimen,1862; *lodra* Plötz,1879 **Range (in code):** **SD ET SO DJ KE UG ZA Nta Kzu Ptb Tva Lpo Spb Mdk Mal Mpu Fs Gau Kru Pf Ec Wca Kny SZ**
- 8873. Pelopidas thrax masta Evans,1949** (Hesperiidae) **Synonym(s):** *masta* Evans,1949
- 8874. Pelopidas thrax thrax (Hübner,[1821])** (Hesperiidae) **Synonym(s):** *thrax* Hübner,[1821]; *midea* Walker,1870 **Original Reference:** *Gegenes thrax* Hübner,[1821], Samml. exot. Schmett. 2: pl.[150]. **Range (in code):** **Cu CY EG IL Pa IN IR IQ JO Kre Lhj PK SA Bhh Sd SY TR YE OM**
- 8875. Pemara pugnans (De Nicéville,1891)** (Hesperiidae) **Synonym(s):** *pugnans* De Nicéville,1891 **Range (in code):** **MM Mrg MY ID Sum Nia Mw Bgk Ja Bor TH Rng Tng Nst Ths Sya Lsa**
- 8876. Perichares lotus (Butler,1870)** (Hesperiidae) **Synonym(s):** *lotus* Butler,1870; *heroni* Kaye,1904 **Range (in code):** **MX**
- 8877. Perichares philetes (Gmelin,[1790])** (Hesperiidae) **Synonym(s):** *coridon* Fabricius,1775 *nec* Sc.,1863; *philetes* Gmelin,[1790]; *phocion* Fabricius,1793; *julianus* Turton,1806; *trinitad* Lucas,1857; **Range (in code):** **US MX Tx JM CU BR Rja VE**
- 8878. Perichares philetes adela (Hewitson,[1867])** (Hesperiidae) **Synonym(s):** *adela* Hewitson,[1867]; *dolores* Reakirt,1868; *marmorata* Scudder,1872 **Range (in code):** **BR Rja VE MX**
- 8879. Perrotia albiplaga Oberthür,1916** (Hesperiidae) **Synonym(s):** *albiplaga* Oberthür,1916; *albimacula* Oberthür,1916; *teresina* Oberthür,1923 **Range (in code):** **MG**
- 8880. Perrotia eximia (Oberthür,1923)** (Hesperiidae) **Synonym(s):** *eximia* Oberthür,1923 **Range (in code):** **MG**
- 8881. Perrotia gala Evans,1937** (Hesperiidae) **Synonym(s):** *gala* Evans,1937 **Range (in code):** **MG**
- 8882. Perrotia gillias (Mabilie,1878)** (Hesperiidae) **Synonym(s):** *gillias* Mabilie,1878; *epimalchus* Oberthür,1916 **Range (in code):** **MG**
- 8883. Perrotia kingdoni (Butler,1879)** (Hesperiidae) **Synonym(s):** *kingdoni* Butler,1879; *perroti* Oberthür,1916 **Range (in code):** **MG**

- 8884. Perrotia malchus (Mabille,1879)** (Hesperiidae) Synonym(s): *malchus* Mabille,1879; *apostrophia* Oberthür,1916 _ Range (in code): MG
- 8885. Phanes aletes (Geyer,[1832])** (Hesperiidae) Synonym(s): *alates* Geyer,[1832] _ Range (in code): MX
- 8886. Phanus albiapicalis Austin,1993** (Hesperiidae) Synonym(s): *albiapicalis* Austin,1993 _ Range (in code): MX
- 8887. Phanus confusus Austin,1993** (Hesperiidae) Synonym(s): *confusus* Austin,1993 _ Range (in code): MX
- 8888. Phanus marshallii Kirby,1880** (Hesperiidae) Synonym(s): *marshallii* Kirby,1880 _ Range (in code): MX
- 8889. Phanus rilma Evans,1952** (Hesperiidae) Synonym(s): *rilma* Evans,1952 _ Range (in code): MX
- 8890. Phanus vitreus (Stoll,1781)** (Hesperiidae) Synonym(s): *vitreus* Stoll,1781; *momus* Fabricius,1787; *godmani* R.C.Williams & Bell,1931 _ Range (in code): MX
- 8891. Pheraeus covadonga Freeman,1969** (Hesperiidae) Synonym(s): *covadonga* Freeman,1969 _ Range (in code): MX
- 8892. Pheraeus covadonga covadonga Freeman,1969** (Hesperiidae) Synonym(s): *covadonga* Freeman,1969 _ Range (in code): MX
- 8893. Pheraeus covadonga loxicha Steinhäuser,1991** (Hesperiidae) Synonym(s): *loxicha* Steinhäuser,1991 _ Range (in code): MX
- 8894. Phocides belus Godman & Salvin,1893** (Hesperiidae) Synonym(s): *belus* Godman & Salvin,1893 _ Range (in code): MX
- 8895. Phocides pigmalion (Cramer,[1779])** (Hesperiidae) Synonym(s): *pigmalion* Cramer,[1779]; *tenuistriga* Mabille & Boullet,1912; *vulcanides* Röber,1925; *iocularis* Röber,1925; *disparilis* Röber,1925. Original Reference: Papilio pigmalion Cramer,[1779], Uitl. Kapellen 3: 87. Type(s): "Surinam". Range (in code): US FI MX
- 8896. Phocides pigmalion okeechobee (Worthington,1881)** (Hesperiidae) Synonym(s): *okeechobee* Worthington,1881 Original Reference: Erycides pigmalion okeechobee Worthington,1881, Papilio 1: 133. Type: Florida: Collier Co., Marco Island. Range (in code): US
- 8897. Phocides pigmalion pigmalion (Cramer,[1779])** (Hesperiidae) Synonym(s): *pigmalion* Cramer,[1779]; *tenuistriga* Mabille & Boullet,1912; *vulcanides* Röber,1925; *iocularis* Röber,1925; *disparilis* Röber,1925. Original Reference: Papilio pigmalion Cramer,[1779], Uitl. Kapellen 3: 87. Type(s): "Surinam". Range (in code): US MX
- 8898. Phocides polybius (Fabricius,1793)** (Hesperiidae) Synonym(s): *palemon* Cramer,[1777] *nec* Pall.,1771; *polybius* Fabricius,1793; *cruentus* Hübner,[1819]; *#gunderi* Williams & Bell,1931 Original Reference: Papilio polybius Fabricius,1793, Ent. Syst. 3: 337. Type(s): "Indiis". Range (in code): US MX
- 8899. Phocides polybius lilea (Reakirt,[1867])** (Hesperiidae) Synonym(s): *lilea* Reakirt,[1867]; *albicilla* Herrich-Schäffer,1869; *socius* Butler & Druce,1872; *cruentus* Scudder,1872 *nec* Hübner,[1819]; *sanguinea* Scudder,[1871]; *decolor* Mabille,1880; *albiciliata* Röber,1925. Original Reference: Erycides palemon lilea Reakirt,[1867], Proc. Acad. Nat. Sci., Philadelphia 1866: 339. Type: "Mexico nr. Veracruz". Range (in code): US MX
- 8900. Phocides polybius polybius (Fabricius,1793)** (Hesperiidae) Synonym(s): *palemon* Cramer,[1777] *nec* Pall.,1771; *polybius* Fabricius,1793; *cruentus* Hübner,[1819]; *#gunderi* Williams & Bell,1931 Original Reference: Papilio polybius Fabricius,1793, Ent. Syst. 3: 337. Type(s): "Indiis". Range (in code): US
- 8901. Phocides urania (Westwood,1852)** (Hesperiidae) Synonym(s): *urania* Westwood,1852; *texana* Scudder,[1871]. Original Reference: Erycides urania Westwood,1852, Gen. diurn. Lepid. (2): 510. Type: "Mexico" (BMNH). Range (in code): US Tx MX
- 8902. Pholisora catullus (Fabricius,1793)** (Hesperiidae) Synonym(s): *catullus* Fabricius,1793 Range (in code): US MX **Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 8903. Pholisora mejicanus (Reakirt,[1867])** (Hesperiidae) Synonym(s): *mejicanus* Reakirt,[1867] _ Range (in code): US MX Col Kan NMx Tx
- 8904. Pintara bowringi Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *bowringi* Joicey & Talbot,1921; *choui* Gu,1994 _ Range (in code): CN Hn VN Tda
- 8905. Pintara bowringi bowringi Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *bowringi* Joicey & Talbot,1921; *choui* Gu,1994 _ Range (in code): CN Hn

- 8906. *Pintara bowringi colorata* Devyatkin,1998** (Hesperiidae) Synonym(s): *colorata* Devyatkin,1998 Original Reference: *Pintara bowringi* ssp. *colorata* Devyatkin,1998, Neue ent. Nachr. 41: 296-298, figs. Holotype ♂: North Vietnam: Vinh Phu Prov., Tam Dao 200m, 26.x.1996, A.Monastyrskii leg. Range (in code): VN Tda
- 8907. *Pintara capiloides* Devyatkin,1998** (Hesperiidae) Synonym(s): *capiloides* Devyatkin,1998 Original Reference: *Pintara capiloides* Devyatkin,1998, Neue ent. Nachr. 41: 295-296, fig. Holotype ♂: Central Vietnam: Binh Tri Thien Prov., Bach-Ma NP, 25.vii.1996, A.Monastyrskii leg. Range (in code): VN Bac
- 8908. *Pintara melli* (Hering,1918)** (Hesperiidae) Synonym(s): *melli* Hering,1918 Range (in code): CN
- 8909. *Pintara pinwilli* (Butler,[1879])** (Hesperiidae) Synonym(s): *pinwilli* Butler,[1879] Range (in code): MM Krh Vp TH Tng Sgk Hya Knc ID Sum MY Bor VN Ann MY
- 8910. *Pintara pinwilli banga* Evans,1949** (Hesperiidae) Synonym(s): *banga* Evans,1949 Range (in code): ID Sum MY Bor
- 8911. *Pintara pinwilli pinwilli* (Butler,[1879])** (Hesperiidae) Synonym(s): *pinwilli* Butler,[1879] Range (in code): MM Krh Vp TH Tng Sgk Hya Knc VN Ann MY
- 8912. *Pintara tabrica* Hewitson,1873** (Hesperiidae) Synonym(s): *tabrica* Hewitson,1873 Range (in code): IN Djl MM Kch CN VN Coc
- 8913. *Pintara tabrica tabrica* Hewitson,1873** (Hesperiidae) Synonym(s): *tabrica* Hewitson,1873 Range (in code): IN Djl MM Kch VN Coc
- 8914. *Pirdana albicornis* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *albicornis* Elwes & Edwards,1897 Range (in code): MY Bor Sbh KBa
- 8915. *Pirdana albicornis albicornis* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *albicornis* Elwes & Edwards,1897 Range (in code): MY Bor Sbh KBa
- 8916. *Pirdana distanti* Staudinger,1889** (Hesperiidae) Synonym(s): *distanti* Staudinger,1889 Range (in code): MM Tvy Krh TH Cbi Tng Srt MY ID Ja Sum Nia Bor
- 8917. *Pirdana distanti distanti* Staudinger,1889** (Hesperiidae) Synonym(s): *distanti* Staudinger,1889 Range (in code): TH Srt MY
- 8918. *Pirdana distanti pavona* De Nicéville,1895** (Hesperiidae) Synonym(s): *pavona* De Nicéville,1895; *niasica* Fruhstorfer,1911 Range (in code): ID Ja Sum Nia Bor
- 8919. *Pirdana distanti spenda* Evans,1949** (Hesperiidae) Synonym(s): *spenda* Evans,1949 Range (in code): TH Cbi Tng MM Tvy Krh
- 8920. *Pirdana fusca* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993 Range (in code): PH Mno Sam
- 8921. *Pirdana fusca fusca* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *fusca* De Jong & Treadaway,1993 Range (in code): PH Mno Sam
- 8922. *Pirdana hyela* (Hewitson,1867)** (Hesperiidae) Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911 Range (in code): IN SI Ass PH Luz Pal MM Mrg Krh Tvy TH Chy CMa Nrt Tng Cbi Nna Rng Ntt SPa Nst Ths Sya ID Ja Sum Clb Bor MY
- 8923. *Pirdana hyela hyela* (Hewitson,1867)** (Hesperiidae) Synonym(s): *hyela* Hewitson,1867; *scanda* Fruhstorfer,1911 Range (in code): PH Luz Pal ID Ja Sum Bor MY
- 8924. *Pirdana hyela ismene* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *ismene* C.Felder & R.Felder,[1867]; *sargon* Mabilie,1876 Range (in code): ID Clb
- 8925. *Pirdana hyela major* Evans,1932** (Hesperiidae) Synonym(s): *major* Evans,1932 Range (in code): IN SI Ass
- 8926. *Pirdana hyela rudolphii* Elwes & De Nicéville,1886** (Hesperiidae) Synonym(s): *rudolphii* Elwes & De Nicéville,1886 Range (in code): MM Mrg Krh Tvy MY TH Chy CMa Nrt Tng Cbi Nna Rng Ntt SPa Nst Ths Sya
- 8927. *Piruna aea* (Dyar,1912)** (Hesperiidae) Synonym(s): *aea* Dyar,1912; *sombra* Evans,1955; *cingo* Evans,1955 Range (in code): US MX Arz
- 8928. *Piruna aea mexicana* Freeman,1979** (Hesperiidae) Synonym(s): *mexicana* Freeman,1979 Range (in code): MX
- 8929. *Piruna brunnea* (Scudder,1872)** (Hesperiidae) Synonym(s): *brunnea* Scudder,1872 Range (in code): MX
- 8930. *Piruna ceracates* (Hewitson,1874)** (Hesperiidae) Synonym(s): *ceracates* Hewitson,1874 Range (in code): MX
- 8931. *Piruna cyclosticta* (Dyar,1920)** (Hesperiidae) Synonym(s): *cyclosticta* Dyar,1920 Range (in code): MX

- 8932. *Piruna dampfi* (Bell,1942)** (Hesperiidae) Synonym(s): *dampfi* Bell,1942 _ Range (in code): **MX**
- 8933. *Piruna gyrans* (Plötz,1884)** (Hesperiidae) Synonym(s): *gyrans* Plötz,1884; *anomala* Mabille,1889; *leucospila* Godman,1900; *sticta* Evans,1955 _ Range (in code): **MX**
- 8934. *Piruna haferniki* Freeman,1970** (Hesperiidae) Synonym(s): *haferniki* Freeman,1970
Range (in code): **US MX Tx**
- 8935. *Piruna jonka* Steinhäuser,1991** (Hesperiidae) Synonym(s): *jonka* Steinhäuser,1991
Range (in code): **MX**
- 8936. *Piruna kemneri* Freeman,1990** (Hesperiidae) Synonym(s): *kemneri* Freeman,1990
Range (in code): **MX**
- 8937. *Piruna maculata* Freeman,1970** (Hesperiidae) Synonym(s): *maculata* Freeman,1970
Range (in code): **MX**
- 8938. *Piruna microstictus* (Godman,1900)** (Hesperiidae) Synonym(s): *microstictus* Godman,1900; *ajijiciensis* Freeman,1970 _ Range (in code): **US MX Tx**
- 8939. *Piruna millerorum* Steinhäuser,1991** (Hesperiidae) Synonym(s): *millerorum* Steinhäuser,1991 _ Range (in code): **MX**
- 8940. *Piruna mullinsi* Freeman,1991** (Hesperiidae) Synonym(s): *mullinsi* Freeman,1991
Range (in code): **MX**
- 8941. *Piruna penaea* (Dyar,1918)** (Hesperiidae) Synonym(s): *penaea* Dyar,1918; *milpa* Freeman,1970 _ Range (in code): **MX**
- 8942. *Piruna pirus*** (Hesperiidae) Synonym(s): _ Range (in code): **US Arz Col Id Kan NMx Tx Ut Wy**
- 8943. *Piruna polingi* (Barnes,1900)** (Hesperiidae) Synonym(s): *polingi* Barnes,1900 _ Range (in code): **US MX Arz NMx Tx**
- 8944. *Piruna purepecha* A.Warren & Gonzalez,1998** (Hesperiidae) Synonym(s): *purepecha* A.Warren & Gonzalez,1998 _ Range (in code): **MX**
- 8945. *Piruna roeveri* (L.Miller & J.Miller,1972)** (Hesperiidae) Synonym(s): *roeveri* L.Miller & J.Miller,1972 _ Range (in code): **MX**
- 8946. *Piruna sina* Freeman,1970** (Hesperiidae) Synonym(s): *sina* Freeman,1970 _ Range (in code): **MX**
- 8947. *Pithauria marsena* (Hewitson,[1866])** (Hesperiidae) Synonym(s): *marsena* Hewitson,[1866]; *ornata* C.Felder & R.Felder,[1867]; *subornata* Plötz,1887; *aitchisoni* Wood-Mason & De Nicéville,[1887]; *uma* De Nicéville,1888; *glauca* Elwes & Edwards,1897 _ Range (in code): **TH Rng Yal MM Krh Tvy SI IN Ass Mpr Nat ID Sum Ja MY Bor VN Ton**
- 8948. *Pithauria marsena marsena* (Hewitson,[1866])** (Hesperiidae) Synonym(s): *marsena* Hewitson,[1866]; *ornata* C.Felder & R.Felder,[1867]; *subornata* Plötz,1887; *aitchisoni* Wood-Mason & De Nicéville,[1887]; *uma* De Nicéville,1888; *glauca* Elwes & Edwards,1897 _ Range (in code): **TH Rng Yal MM Krh Tvy SI IN Ass Mpr Nat ID Sum Ja MY Bor VN Ton**
- 8949. *Pithauria murdava* (Moore,[1866])** (Hesperiidae) Synonym(s): *murdava* Moore,[1866]; *weymeri* Plötz,1883 _ Range (in code): **TH CMa CDo Chy Nna IN Clc Ass SI Djl MM VN MY Bor**
- 8950. *Pithauria murdava murdava* (Moore,[1866])** (Hesperiidae) Synonym(s): *murdava* Moore,[1866]; *weymeri* Plötz,1883 _ Range (in code): **TH CMa CDo Chy Nna IN Clc Ass SI Djl MM VN MY Bor**
- 8951. *Pithauria stramineipennis* Wood-Mason & De Nicéville,[1887]** (Hesperiidae) Synonym(s): *stramineipennis* Wood-Mason & De Nicéville,[1887] _ Range (in code): **MY TH Chy CMa Nna Rng Cbi Knc Nrt Rat Nst Ths IN SI Ass MM CN Hn ID Sum CN Sz T-T VN**
- 8952. *Pithauria stramineipennis linus* Evans,1937** (Hesperiidae) Synonym(s): *linus* Evans,1937 _ Range (in code): **VN CN Sz T-T**
- 8953. *Pithauria stramineipennis stramineipennis* Wood-Mason & De Nicéville,[1887]** (Hesperiidae) Synonym(s): *stramineipennis* Wood-Mason & De Nicéville,[1887] _ Range (in code): **MY TH Chy CMa Nna Rng Cbi Knc Nrt Rat Nst Ths IN SI Ass MM CN Hn ID Sum**
- 8954. *Plastingia aurantiaca* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *aurantiaca* Elwes & Edwards,1897 _ Range (in code): **ID Sum MY Bor Swk Sbh KBa**
- 8955. *Plastingia aurantiaca aura* Evans,1941** (Hesperiidae) Synonym(s): *aura* Evans,1941
Range (in code): **MY Bor Sbh KBa**
- 8956. *Plastingia aurantiaca aurantiaca* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *aurantiaca* Elwes & Edwards,1897 _ Range (in code): **MY Bor Swk**
- 8957. *Plastingia aurantiaca montivaga* Pendlebury,1939** (Hesperiidae) Synonym(s): *montivaga* Pendlebury,1939 _ Range (in code): **ID Sum MY**

- 8958. *Plastingia callineura* (C.Felder & R.Felder,1867)** (Hesperiidae) **Synonym(s):** *callineura* C.Felder & R.Felder,1867 _ **Range (in code):** **ID Ja Nia MY Bor Sbh KBa MM Krh PH Pal ID Sum IN Ass Prk TH Sgk Hya Knc**
- 8959. *Plastingia callineura callineura* (C.Felder & R.Felder,1867)** (Hesperiidae) **Synonym(s):** *callineura* C.Felder & R.Felder,1867 _ **Range (in code):** **ID Ja**
- 8960. *Plastingia callineura niasana* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *niasana* Fruhstorfer,1909; *burmana* Evans,1926; *perakana* Evans,1926 _ **Range (in code):** **ID Nia MM Krh PH Pal ID Sum IN Ass MY Prk TH Sgk Hya Knc**
- 8961. *Plastingia callineura rubida* Evans,1941** (Hesperiidae) **Synonym(s):** *rubida* Evans,1941 **Range (in code):** **MY Bor Sbh KBa**
- 8962. *Plastingia flavescens* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *flavescens* C.Felder & R.Felder,[1867]; *atala* Fruhstorfer,1909; *samanga* Fruhstorfer,1909 _ **Range (in code):** **ID Clb**
- 8963. *Plastingia flavescens flavescens* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *flavescens* C.Felder & R.Felder,[1867]; *atala* Fruhstorfer,1909; *samanga* Fruhstorfer,1909 **Range (in code):** **ID Clb**
- 8964. *Plastingia mangola* Evans,1949** (Hesperiidae) **Synonym(s):** *mangola* Evans,1949 **Range (in code):** **ID Clb**
- 8965. *Plastingia mangola mangola* Evans,1949** (Hesperiidae) **Synonym(s):** *mangola* Evans,1949 _ **Range (in code):** **ID Clb**
- 8966. *Plastingia margherita margherita* Doherty,1889** (Hesperiidae) **Synonym(s):** *margherita* Doherty,1889 _ **Range (in code):** **IN Ass Mpr Nag**
- 8967. *Plastingia margherita miriam* Evans,1941** (Hesperiidae) **Synonym(s):** *miriam* Evans,1941 _ **Range (in code):** **MM Krh TH**
- 8968. *Plastingia naga* De Nicéville,1884** (Hesperiidae) **Synonym(s):** *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909 _ **Range (in code):** **ID Ja Sum Nia Bgk IN Ass MM MY PH Bal Cml Ley Luz Mar Mas Mdo Mno Pal Pao TH Nrt Tng Rng VN LA**
- 8969. *Plastingia naga naga* De Nicéville,1884** (Hesperiidae) **Synonym(s):** *naga* De Nicéville,1884; *palawata* Staudinger,1889; *valenia* Fruhstorfer,1909 _ **Range (in code):** **ID Ja Sum Nia Bgk IN Ass MM MY PH Bal Cml Ley Luz Mar Mas Mdo Mno Pal Pao TH Nrt Tng Rng VN LA**
- 8970. *Plastingia noemi* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *noemi* De Nicéville,1885 **Range (in code):** **IN SI Ass**
- 8971. *Plastingia noemi noemi* De Nicéville,1885** (Hesperiidae) **Synonym(s):** *noemi* De Nicéville,1885 _ **Range (in code):** **IN SI Ass**
- 8972. *Plastingia pellonia* Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *pellonia* Fruhstorfer,1911 **Range (in code):** **ID Sum Bgk Ja MM MY Bor PH Pal TH Cbi Rng**
- 8973. *Plastingia pellonia pellonia* Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *pellonia* Fruhstorfer,1911 _ **Range (in code):** **ID Sum Bgk Ja MM MY Bor PH Pal TH Cbi Rng**
- 8974. *Plastingia tessellata* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *tessellata* Hewitson,1866; *eulepis* C.Felder & R.Felder,[1867]; *mangolina* Fruhstorfer,1911 _ **Range (in code):** **ID Clb Sgr**
- 8975. *Plastingia tessellata tessa* Evans,1949** (Hesperiidae) **Synonym(s):** *tessa* Evans,1949 **Range (in code):** **Sgr ID**
- 8976. *Plastingia tessellata tessellata* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *tessellata* Hewitson,1866; *eulepis* C.Felder & R.Felder,[1867]; *mangolina* Fruhstorfer,1911 _ **Range (in code):** **ID Clb**
- 8977. *Plastingia viburnia* Semper,1892** (Hesperiidae) **Synonym(s):** *viburnia* Semper,1892 **Range (in code):** **PH Luz Mdo Mno Neg Pal Sam**
- 8978. *Plastingia viburnia viburnia* Semper,1892** (Hesperiidae) **Synonym(s):** *viburnia* Semper,1892 _ **Range (in code):** **PH Luz Mdo Mno Neg Pal Sam**
- 8979. *Platylesches affinissima* Strand,1921** (Hesperiidae) **Synonym(s):** *affinissima* Strand,1921 **Range (in code):** **MW ZW MZ GA SL CG**
- 8980. *Platylesches ayresii* (Trimen,1889)** (Hesperiidae) **Synonym(s):** *ayresii* Trimen,1889 **Range (in code):** **MZ NA ZA Ly Tva Lpo Nta Kzu Ksi Gau Jh Suw Spb Wjk Wri MZ BW**
- 8981. *Platylesches batangae* (Holland,1894)** (Hesperiidae) **Synonym(s):** *batangae* Holland,1894 _ **Range (in code):** **SN SL CM ZR AO**
- 8982. *Platylesches chamaeleon* (Mabille,1891)** (Hesperiidae) **Synonym(s):** *chamaeleon* Mabille,1891 _ **Range (in code):** **SL LR GH NG UG**

- 8983. *Platylesches chamaeleon chamaeleon* (Mabille,1891)** (Hesperiidae) Synonym(s): *chamaeleon* Mabille,1891 _ Range (in code): SL LR GH NG
- 8984. *Platylesches chamaeleon tero* Evans,1937** (Hesperiidae) Synonym(s): *tero* Evans,1937
Range (in code): UG
- 8985. *Platylesches fosta* Evans,1937** (Hesperiidae) Synonym(s): *fosta* Evans,1937 _ Range (in code): UG
- 8986. *Platylesches galesa* (Hewitson,1877)** (Hesperiidae) Synonym(s): *galesa* Hewitson,1877; *nigerrima* Butler,1894; *nigricans* Holland,1896; *depygata* Strand,1921
Original Reference: *Hesperia galesa* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 79. Type(s): West Africa (coll. Hewitson).
Range (in code): GM UG MZ ZW ZR ZA Tva Lpo Spb Kru K12 Bionomy: Larva on *Ehrharta* (Poaceae) (Ackery et al.,1995).
- 8987. *Platylesches iva* Evans,1937** (Hesperiidae) Synonym(s): *iva* Evans,1937 _ Range (in code): SL CI NG
- 8988. *Platylesches lamba* Neave,1910** (Hesperiidae) Synonym(s): *lamba* Neave,1910 _ Range (in code): ZM MW ZR
- 8989. *Platylesches langa* Evans,1937** (Hesperiidae) Synonym(s): *langa* Evans,1937 _ Range (in code): ZW MW ZR TZ NG
- 8990. *Platylesches larseni* Kielland,1992** (Hesperiidae) Synonym(s): *larseni* Kielland,1992
Range (in code): TZ
- 8991. *Platylesches moritili* (Wallengren,1857)** (Hesperiidae) Synonym(s): *moritili* Wallengren,1857; *zephora* Plötz,1884; *heterophila* Mabille,1891; *amadhu* Mabille,1891; *#costalis* Aurivillius,1925
Range (in code): SN KE AO ZR ZA Nta Kzu Tva Ec
- 8992. *Platylesches neba* (Hewitson,1877)** (Hesperiidae) Synonym(s): *neba* Hewitson,1877
Original Reference: *Hesperia neba* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 84. Type(s): [South Africa]: Natal (coll. Hewitson). Range (in code): MZ ZA Nta Kzu Tva Lpo
- 8993. *Platylesches panga* Evans,1937** (Hesperiidae) Synonym(s): *panga* Evans,1937 _ Range (in code): UG TZ ZR
- 8994. *Platylesches picanini* (Holland,1894)** (Hesperiidae) Synonym(s): *#grandiplaga* Mabille,1891; *picanini* Holland,1894; *goetzei* Grünberg,1907 _ Range (in code): TZ LR MZ GN UG ZM MW ZW ZA Tva Lpo Spb Tho Mal Sbs
- 8995. *Platylesches rasta* Evans,1937** (Hesperiidae) Synonym(s): *rasta* Evans,1937 _ Range (in code): UG MW TZ
- 8996. *Platylesches rasta anka* Evans,1937** (Hesperiidae) Synonym(s): *anka* Evans,1937
Range (in code): UG
- 8997. *Platylesches rasta rasta* Evans,1937** (Hesperiidae) Synonym(s): *rasta* Evans,1937
Range (in code): MW TZ
- 8998. *Platylesches robustus* Neave,1910** (Hesperiidae) Synonym(s): *robustus* Neave,1910; *ertli* Gaede,1917 _ Range (in code): CM TZ ZM ZW MW RW ZR ZA Nta Kzu Tva
- 8999. *Platylesches robustus robustus* Neave,1910** (Hesperiidae) Synonym(s): *robustus* Neave,1910; *ertli* Gaede,1917 _ Range (in code): TZ ZM ZW MW RW ZR ZA Nta Kzu Tva
- 9000. *Platylesches robustus villa* Evans,1937** (Hesperiidae) Synonym(s): *villa* Evans,1937
Range (in code): CM
- 9001. *Platylesches rossii* Belcastro,1986** (Hesperiidae) Synonym(s): *rossii* Belcastro,1986
Range (in code): SL
- 9002. *Platylesches shona* Evans,1937** (Hesperiidae) Synonym(s): *shona* Evans,1937 _ Range (in code): ZM ZW ZR
- 9003. *Platylesches tina* Evans,1937** (Hesperiidae) Synonym(s): *tina* Evans,1937 _ Range (in code): ZA Tva Lpo ZW MW UG KE
- 9004. *Ploetzia amygdalis* (Mabille,1877)** (Hesperiidae) Synonym(s): *amygdalis* Mabille,1877; *madagascariensis* Mabille,1887
Original Reference: *Hesperia amygdalis* Mabille,1877, Bull. Soc. ent. Fr. 11 (2): 234. Type: Madagascar. Range (in code): MG
- 9005. *Poanes aaroni* (Skinner,1890)** (Hesperiidae) Synonym(s): *aaroni* Skinner,1890 _ Range (in code): US Dw Fl Ge Lou Mrl NCa Nje Ny Sca Tx Vi
- 9006. *Poanes aaroni aaroni* (Skinner,1890)** (Hesperiidae) Synonym(s): *aaroni* Skinner,1890
Range (in code): US Nje
- 9007. *Poanes aaroni howardi* (Skinner,1896)** (Hesperiidae) Synonym(s): *howardi* Skinner,1896 _ Range (in code): US Fl

- 9008. Poanes hobomok (Harris,1862)** (Hesperiidae) Synonym(s): *hobomok* Harris,1862
Range (in code): **US Aks Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sca SDk Tnn Vi Vr WVi Wc Wy**
- 9009. Poanes inimica (Butler & Druce,1872)** (Hesperiidae) Synonym(s): *inimica* Butler & Druce,1872; *lupulina* Plötz,1882 _ Range (in code): **MX**
- 9010. Poanes massasoit (Scudder,1864)** (Hesperiidae) Synonym(s): *massasoit* Scudder,1864
Range (in code): **US Cnt Dw Idp Iln Io Mch Mns Mrl Msc NDk Nh Nje Ny Oh Pns RDi SDk Vr Wc**
- 9011. Poanes massasoit chermocki Andersen & Simmons,1976** (Hesperiidae)
Synonym(s): *chermocki* Andersen & Simmons,1976 _ Range (in code): **US Mrl**
- 9012. Poanes massasoit massasoit (Scudder,1864)** (Hesperiidae) Synonym(s): *massasoit* Scudder,1864 _ Range (in code): **US Msc Pns Mrl**
- 9013. Poanes melane (Edwards,1869)** (Hesperiidae) Synonym(s): *melane* Edwards,1869
Range (in code): **US MX Arz Cf Tx**
- 9014. Poanes melane melane (Edwards,1869)** (Hesperiidae) Synonym(s): *melane* Edwards,1869 _ Range (in code): **MX**
- 9015. Poanes melane poa Evans,1955** (Hesperiidae) Synonym(s): *poa* Evans,1955 _ Range (in code): **MX**
- 9016. Poanes melane vitellina (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *vitellina* Herrich-Schäffer,1869 _ Range (in code): **MX**
- 9017. Poanes monticola (Godman,1900)** (Hesperiidae) Synonym(s): *monticola* Godman,1900; *capta* L.Miller & J.Miller,1972 _ Range (in code): **MX**
- 9018. Poanes niveolimbus (Mabille,1889)** (Hesperiidae) Synonym(s): *niveolimbus* Mabille,1889
Range (in code): **MX**
- 9019. Poanes taxiles (Edwards,1881)** (Hesperiidae) Synonym(s): *taxiles* Edwards,1881; *psaumis* Godman,1900 _ Range (in code): **US MX Arz Col Id NMx Neb SDk Tx Ut Wy**
- 9020. Poanes viator (Edwards,1865)** (Hesperiidae) Synonym(s): *viator* Edwards,1865
Range (in code): **US Aks Alb Cnt Dw Fl Ge Idp Iln Io Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi Sca SDk Tx Vi Vr Wc**
- 9021. Poanes viator viator (Edwards,1865)** (Hesperiidae) Synonym(s): *viator* Edwards,1865
Range (in code): **US**
- 9022. Poanes viator zizaniae Shapiro,1971** (Hesperiidae) Synonym(s): *zizaniae* Shapiro,1971
Range (in code): **US Pns**
- 9023. Poanes yehl (Skinner,1893)** (Hesperiidae) Synonym(s): *yehl* Skinner,1893 _ Range (in code): **US Aks Alb Fl Ge Iln Knt Lou Mis Mss NCa Sca Tnn Tx Vi**
- 9024. Poanes zabulon (Boisduval & LeConte,[1837])** (Hesperiidae) Synonym(s): *zabulon* Boisduval & LeConte,[1837]; *erratica* Plötz,1883 _ Range (in code): **US MX Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mrl Msc Mss NCa Neb Nje Ny Oh Ok Pns RDi Sca SDk Tnn Tx Vi WVi**
- 9025. Polites baracoa (Lucas,1857)** (Hesperiidae) Synonym(s): *baracoa* Lucas,1857 _ Range (in code): **US Fl Ge**
- 9026. Polites carus (Edwards,1883)** (Hesperiidae) Synonym(s): *carus* Edwards,1883 _ Range (in code): **US MX Arz Cf Col NMx Ok Tx**
- 9027. Polites draco (Edwards,1871)** (Hesperiidae) Synonym(s): *draco* Edwards,1871 _ Range (in code): **US Arz Col Id Mon NMx Ne Ut Wy**
- 9028. Polites mardon (Edwards,1881)** (Hesperiidae) Synonym(s): *mardon* Edwards,1881
Range (in code): **US Cf Org Ws**
- 9029. Polites mystic (Edwards,1863)** (Hesperiidae) Synonym(s): *mystic* Edwards,1863
Range (in code): **US Arz Cnt Col Id Idp Iln Io Mai Mch Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Org Pns RDi SDk Vi Vr WVi Wc Ws Wy**
- 9030. Polites norae MacNeill,1993** (Hesperiidae) Synonym(s): *norae* MacNeill,1993 _ Range (in code): **MX**
- 9031. Polites origenes (Fabricius,1793)** (Hesperiidae) Synonym(s): *origenes* Fabricius,1793; *manataqua* Scudder,1864; *alcina* Skinner,1893 _ Range (in code): **US Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sca SDk Tnn Tx Vi Vr WVi Wc Wy**
- 9032. Polites peckius (W.Kirby,1837)** (Hesperiidae) Synonym(s): *peckius* W.Kirby,1837; *wamsutta* Harris,1862 _ Range (in code): **US Aks Arz Cnt Col Dw Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Vi Vr WVi Wc Ws Wy**

- 9033. *Polites pupillus* (Plötz,1882)** (Hesperiidae) Synonym(s): *pupillus* Plötz,1882; *catahorma* Dyar,1916 _ Range (in code): MX
- 9034. *Polites puxillius* (Mabille,1891)** (Hesperiidae) Synonym(s): *puxillius* Mabille,1891 _ Range (in code): MX
- 9035. *Polites rhesus* (Edwards,1883)** (Hesperiidae) Synonym(s): *rhesus* Edwards,1883; *axius* Plötz,1883 _ Range (in code): US MX Arz Col Kan Mon NDk NMx Neb Ok Sdk Tx Wy
- 9036. *Polites sabuleti* (Boisduval,1852)** (Hesperiidae) Synonym(s): *sabuleti* Boisduval,1852; *genoa* Plötz,1883 _ Range (in code): US MX Arz Cf Col Id Mon NMx Ne Neb Org Ut Ws Wy
- 9037. *Polites sabuleti chusca* (Edwards,1873)** (Hesperiidae) Synonym(s): *chusca* Edwards,1873 _ Range (in code): US Cf
- 9038. *Polites sabuleti sabuleti* (Boisduval,1852)** (Hesperiidae) Synonym(s): *sabuleti* Boisduval,1852; *genoa* Plötz,1883 _ Range (in code): US
- 9039. *Polites sabuleti tecumseh* (Grinnell,1903)** (Hesperiidae) Synonym(s): *tecumseh* Grinnell,1903 _ Range (in code): US Cf
- 9040. *Polites sonora* (Scudder,1872)** (Hesperiidae) Synonym(s): *sonora* Scudder,1872 _ Range (in code): US MX Arz Cf Col Id Mon Ne Org Ut Ws Wy
- 9041. *Polites sonora siris* (Edwards,1881)** (Hesperiidae) Synonym(s): *siris* Edwards,1881 _ Range (in code): US Ws
- 9042. *Polites sonora sonora* (Scudder,1872)** (Hesperiidae) Synonym(s): *sonora* Scudder,1872 _ Range (in code): US Cf
- 9043. *Polites sonora utahensis* (Skinner,1911)** (Hesperiidae) Synonym(s): *utahensis* Skinner,1911 _ Range (in code): US Ut
- 9044. *Polites subreticulata* (Plötz,1883)** (Hesperiidae) Synonym(s): *subreticulata* Plötz,1883; *citrus* Mabille,1889; *reticulata* Godman,1900 _ Range (in code): MX
- 9045. *Polites themistocles* (Latreille,1824)** (Hesperiidae) Synonym(s): *thauamas* Fabricius,1787 *nec* Hufn.,1766; *phocion* Fabricius,1798 *nec* Fabr.,1793; *themistocles* Latreille,1824; *cernes* Boisduval & LeConte,[1834]; *ahaton* Harris,1862 _ Range (in code): US Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Org Pns RDi SCa Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 9046. *Polites vibex* (Geyer,[1832])** (Hesperiidae) Synonym(s): *vibex* Geyer,[1832]; *brettus* Boisduval & LeConte,[1834]; *wingina* Scudder,1864; *osyka* Edwards,1867; *morganta* Plötz,1883; *unna* Plötz,1883 _ Range (in code): CO US MX Aks Alb Cnt Fl Ge Lou Mis Mrl Mss NCa Nje Ny Oh Ok Pns SCa Tx Vi WVi
- 9047. *Polites vibex brettoides* (Edwards,1883)** (Hesperiidae) Synonym(s): *brettoides* Edwards,1883; *clara* Plötz,1883; *stigma* Skinner,1896 _ Range (in code): US Cf NMx Tx
- 9048. *Polites vibex praeceps* (Scudder,1872)** (Hesperiidae) Synonym(s): *praeceps* Scudder,1872; *phormio* Mabille,1878; *sulfurina* Mabille,1878; *galenia* Möschler,1879; *humida* Möschler,1879; *clara* Plötz,1883; *zenkei* plötz,1883; *stigma* Skinner,1896; *hypozone* Dyar,1918 _ Range (in code): MX CO
- 9049. *Polyctor cleta* Evans,1953** (Hesperiidae) Synonym(s): *cleta* Evans,1953 _ Range (in code): MX
- 9050. *Polyctor enops* (Godman & Salvin,1894)** (Hesperiidae) Synonym(s): *enops* Godman & Salvin,1894 _ Range (in code): MX
- 9051. *Polygonus leo* (Gmelin,[1790])** (Hesperiidae) Synonym(s): *amyntas* Fabricius,1775 *nec* Pda,1761; *leo* Gmelin,1790; *savigny* Latreille,[1824]; *histrion* Röber,1925. _ Range (in code): US MX Arz Cf Fl NMx Ne Tx Ut PA
- 9052. *Polygonus leo arizonensis* (Skinner,1911)** (Hesperiidae) Synonym(s): *arizonensis* Skinner,1911; *pallida* Röber,1925 _ Range (in code): US Arz MX
- 9053. *Polygonus leo leo* (Gmelin,[1790])** (Hesperiidae) Synonym(s): *amyntas* Fabricius,1775 *nec* Pda,1761; *leo* Gmelin,1790; *savigny* Latreille,[1824]; *histrion* Röber,1925. _ Range (in code): US MX Arz Cf Fl NMx Ne Tx Ut PA
- 9054. *Polygonus manuli* Bell & Comstock,1948** (Hesperiidae) Synonym(s): *manuli* Bell & Comstock,1948 _ Original Reference: Polygonus manuli Bell & Comstock,1948, American Mus. Novitates 1379: 4-7. Holotype ♂: Brazil: Sta. Catharina: New Bremen (AMNH). Range (in code): US MX Fl Tx BR
- 9055. *Polygonus manuli manuli* Bell & Comstock,1948** (Hesperiidae) Synonym(s): *manuli* Bell & Comstock,1948 _ Original Reference: Polygonus manuli Bell & Comstock,1948, American Mus. Novitates 1379: 4-7. Holotype ♂: Brazil: Sta. Catharina: New Bremen (AMNH). Range (in code): US MX Fl Tx BR
- 9056. *Polygonus savigny* (Latreille,[1824])** (Hesperiidae) Synonym(s): *savigny* Latreille,[1824]; *manuli* Bell & W.P.Comstock,1948; *mimeticus* J.Zikan & W.Zikan,1968 _ Range (in code): MX BR

- 9057. Polythrix asine (Hewitson,1867)** (Hesperiidae) Synonym(s): *asine* Hewitson,1867
Range (in code): **MX**
- 9058. Polythrix auginus (Hewitson,1867)** (Hesperiidae) Synonym(s): *auginus* Hewitson,1867;
flammula Herrich-Schäffer,1869 Range (in code): **MX**
- 9059. Polythrix caunus (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *caunus* Herrich-Schäffer,1869; *lindora* Butler,1870 Range (in code): **MX**
- 9060. Polythrix kanshul Shuey,1991** (Hesperiidae) Synonym(s): *kanshul* Shuey,1991 Range (in code): **MX**
- 9061. Polythrix mexicanus Freeman,1969** (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
Range (in code): **US MX Arz Tx**
- 9062. Polythrix mexicanus Freeman,1969** (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
Range (in code): **MX**
- 9063. Polythrix mexicanus mexicanus Freeman,1969** (Hesperiidae) Synonym(s): *mexicanus* Freeman,1969
- 9064. Polythrix octomaculata (Sepp,1848)** (Hesperiidae) Synonym(s): *octomaculata* Sepp,1848
Range (in code): **US MX Arz Tx**
- 9065. Polythrix octomaculata (Sepp,[1844])** (Hesperiidae) Synonym(s): *octomaculata* Sepp,[1844]; *decussata* Ménétriés,1855; *calenus* Mabilie,1888; *alciphron* Godman & Salvin,1893; *elegans* Hayward,1933 Range (in code): **MX**
- 9066. Polythrix octomaculata octomaculata (Sepp,1848)** (Hesperiidae) Synonym(s): *octomaculata* Sepp,1848 Range (in code): **US MX Arz Tx**
- 9067. Polythrix procerus (Plötz,1880)** (Hesperiidae) Synonym(s): *procerus* Plötz,1880
- 9068. Polythrix procerus procerus (Plötz,1880)** (Hesperiidae) Synonym(s): *procerus* Plötz,1880
- 9069. Polytremis annama Evans,1937** (Hesperiidae) Synonym(s): *annama* Evans,1937
Range (in code): **VN Ann TH Cbu Nrt**
- 9070. Polytremis annama annama Evans,1937** (Hesperiidae) Synonym(s): *annama* Evans,1937 Range (in code): **VN Ann TH Cbu Nrt**
- 9071. Polytremis caerulescens (Mabilie,1876)** (Hesperiidae) Synonym(s): *caerulescens* Mabilie,1876 Range (in code): **CN Sz T-T**
- 9072. Polytremis caerulescens caerulescens (Mabilie,1876)** (Hesperiidae) Synonym(s): *caerulescens* Mabilie,1876 Range (in code): **CN Sz T-T**
- 9073. Polytremis discreta Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *discreta* Elwes & Edwards,1897; *himalaya* Evans,1926 Range (in code): **Meg Ass CN Sz Yu IN Khs Hp Sml MM Haz Mre NP PG Pj PK SI TH CMa CDo Ton T-T Up VN**
- 9074. Polytremis discreta discreta Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *discreta* Elwes & Edwards,1897; *himalaya* Evans,1926 Range (in code): **Meg Ass IN Khs Hp Sml MM Haz Mre NP PG Pj PK SI TH CMa CDo Ton Up VN**
- 9075. Polytremis discreta felicia Evans,1932** (Hesperiidae) Synonym(s): *felicia* Evans,1932
Range (in code): **CN Sz Yu**
- 9076. Polytremis eltola (Hewitson,1869)** (Hesperiidae) Synonym(s): *eltola* Hewitson,1869
Original Reference: *Hesperia eltola* Hewitson,1869, Exot. Butts. 4: Hesperiidae, pl.4 fig.40.
Range (in code): **PK Haz Mre Pj IN SI Ass Djl Kma Up MM MY TH CMa CDo TW VN**
- 9077. Polytremis eltola corbeti Evans,1927** (Hesperiidae) Synonym(s): *corbeti* Evans,1927
Range (in code): **MY**
- 9078. Polytremis eltola eltola (Hewitson,1869)** (Hesperiidae) Synonym(s): *eltola* Hewitson,1869
Original Reference: *Hesperia eltola* Hewitson,1869, Exot. Butts. 4: Hesperiidae, pl.4 fig.40. Range (in code): **PK Haz Mre Pj IN SI Ass Djl Kma Up MM TH CMa CDo VN**
- 9079. Polytremis eltola tappana Matsumura,1931** (Hesperiidae) Synonym(s): *tappana* Matsumura,1931 Range (in code): **TW**
- 9080. Polytremis feifei Huang,2002** (Hesperiidae) Synonym(s): *feifei* Huang,2002 Range (in code): **CN Sz**
- 9081. Polytremis lubricans (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *lubricans* Herrich-Schäffer,1869 Range (in code): **VN TW TH Chy CMa CDo Cbu Rng Cbi Nna Yal Nst PH Stu Taw**
- 9082. Polytremis lubricans lubricans (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *lubricans* Herrich-Schäffer,1869 Range (in code): **VN TH Chy CMa CDo Cbu Rng Cbi Nna Yal Nst PH Stu Taw**

- 9083. *Polytremis lubricans taiwana* Matsumura,1919** (Hesperiidae) Synonym(s): *taiwana* Matsumura,1919 _ Range (in code): TW
- 9084. *Polytremis mencia* (Moore,1877)** (Hesperiidae) Synonym(s): *mentia* Moore,1877
Original Reference: Pamphila mencia Moore,1877, Ann. Mag. nat. Hist. (4) 20: 52. Syntypes: [China]: Shanghai (coll. Pryer & Moore). Range (in code): CN TW
- 9085. *Polytremis mencia kiraizana* Sonan,1938** (Hesperiidae) Synonym(s): *kiraizana* Sonan,1938 _ Range (in code): TW
- 9086. *Polytremis mencia mencia* (Moore,1877)** (Hesperiidae) Synonym(s): *mentia* Moore,1877
Original Reference: Pamphila mencia Moore,1877, Ann. Mag. nat. Hist. (4) 20: 52. Syntypes: [China]: Shanghai (coll. Pryer & Moore). Range (in code): CN
- 9087. *Polytremis minuta* Evans,1926** (Hesperiidae) Synonym(s): *minuta* Evans,1926 _ Range (in code): TH IN Mpr MM Tvy MY Prk
- 9088. *Polytremis minuta minuta* Evans,1926** (Hesperiidae) Synonym(s): *minuta* Evans,1926
Range (in code): TH IN Mpr MM Tvy MY Prk
- 9089. *Polytremis nascens* (Leech,1894)** (Hesperiidae) Synonym(s): *nascens* Leech,1894
Range (in code): CN Sz T-T
- 9090. *Polytremis nascens nascens* (Leech,1894)** (Hesperiidae) Synonym(s): *nascens* Leech,1894 _ Range (in code): CN Sz T-T
- 9091. *Polytremis pellucida* (Murray,1875)** (Hesperiidae) Synonym(s): *pellucida* Murray,1875; *quinquepuncta* Mabilie,1883; *sachaliensis* Matsumura,1925. Original Reference: Pamphila pellucida Murray,1875, Entomologist's mon. Mag. 11: 172. Type ♂: Japan (BMNH). Range (in code): RU Sh JP KP CN Fkn
- 9092. *Polytremis pellucida pellucida* (Murray,1875)** (Hesperiidae) Synonym(s): *pellucida* Murray,1875; *quinquepuncta* Mabilie,1883; *sachaliensis* Matsumura,1925. Original Reference: Pamphila pellucida Murray,1875, Entomologist's mon. Mag. 11: 172. Type ♂: Japan (BMNH). Range (in code): RU Sh JP KP CN
- 9093. *Polytremis pellucida quanta* Evans,1949** (Hesperiidae) Synonym(s): *quanta* Evans,1949
Range (in code): CN Fkn
- 9094. *Polytremis theca* Evans,1937** (Hesperiidae) Synonym(s): *theca* Evans,1937 _ Range (in code): CN Sz T-T She
- 9095. *Polytremis theca fukia* Evans,1940** (Hesperiidae) Synonym(s): *fukia* Evans,1940
Range (in code): CN Sz T-T
- 9096. *Polytremis theca theca* Evans,1937** (Hesperiidae) Synonym(s): *theca* Evans,1937
Range (in code): CN Sz T-T She
- 9097. *Polytremis zina* (Evans,1932)** (Hesperiidae) Synonym(s): *zina* Evans,1932; *zinoides* Evans,1937
Original Reference: Baoris zina Evans,1932, Identification of Indian Butterflies (2): 415. Syntypes: "W. and C. China". Range (in code): RU Vv Am Mc CN Sz T-T Fkn KwT
- 9098. *Polytremis zina zina* (Evans,1932)** (Hesperiidae) Synonym(s): *zina* Evans,1932; *zinoides* Evans,1937
Original Reference: Baoris zina Evans,1932, Identification of Indian Butterflies (2): 415. Syntypes: "W. and C. China". Range (in code): RU Vv Am Mc CN Sz T-T Fkn KwT
- 9099. *Pompeius dares* (Plötz,1883)** (Hesperiidae) Synonym(s): *dares* Plötz,1883; *crassinota* Mabilie,1897; *menopsis* Schaus,1902 _ Range (in code): MX
- 9100. *Pompeius pompeius* (Latreille,[1824])** (Hesperiidae) Synonym(s): *pompeius* Latreille,[1824]; *athenion* Hübner,[1825]; *judas* Plötz,1882; *lagon* Mabilie,1891 _ Range (in code): MX
- 9101. *Pompeius verna* (Edwards,1862)** (Hesperiidae) Synonym(s): *verna* Edwards,1862; *pottowattomie* Worthington,1880; *vetulina* Plötz,1883; *sigida* Mabilie,1891; *sequoyah* Freeman,1942 _ Range (in code): US Aks Alb Cnt Dw Fl Ge Idp Il In Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi Vr WVi Wc
- 9102. *Potamanaxas unifasciata* (C.Felder & R.Felder,1867)** (Hesperiidae) Synonym(s): *unifasciata* C.Felder & R.Felder,1867; *marica* Godman & Salvin,1895 _ Range (in code): MX
- 9103. *Potanthus amor* Evans,1932** (Hesperiidae) Synonym(s): *amor* Evans,1932 _ Range (in code): ID Sba Tim
- 9104. *Potanthus amor amor* Evans,1932** (Hesperiidae) Synonym(s): *amor* Evans,1932
Range (in code): ID Sba Tim
- 9105. *Potanthus confucius* (C.Felder & R.Felder,1862)** (Hesperiidae) Synonym(s): *confucius* C.Felder & R.Felder,1862; *freda* Evans,1934 _ Range (in code): PH Pal TH Bnk Nna Lmp Yal CMa Nrt Rat IN Ass Pln NI Nk Adm MM VN Ann MY ID Sum Lb Sba Flo Alo Ja Bgk CN JP TW LK NP SI BT Hn

- 9106. *Potanthus confucius angustata* Matsumura, 1910** (Hesperiidae) **Synonym(s):** *angustata* Matsumura, 1910 **Range (in code):** TW
- 9107. *Potanthus confucius confucius* (C.Felder & R.Felder, 1862)** (Hesperiidae) **Synonym(s):** *confucius* C.Felder & R.Felder, 1862; *freda* Evans, 1934 **Range (in code):** PH CN JP
- 9108. *Potanthus confucius diana* Evans, 1949** (Hesperiidae) **Synonym(s):** *diana* Evans, 1949 **Range (in code):** IN Pln NI
- 9109. *Potanthus confucius dushta* Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *dushta* Fruhstorfer, 1911 **Range (in code):** TH Bnk Nna Lmp Yal CMa Nrt Rat IN Ass NP SI BT CN Hn MM VN Ann MY ID Sum Bgk
- 9110. *Potanthus confucius nina* Evans, 1932** (Hesperiidae) **Synonym(s):** *nina* Evans, 1932 **Range (in code):** IN Adm Nk
- 9111. *Potanthus confucius satra* Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *satra* Fruhstorfer, 1911 **Range (in code):** LK
- 9112. *Potanthus confucius yojana* Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *yojana* Fruhstorfer, 1911 **Range (in code):** PH Pal ID Sba Flo Alo Ja
- 9113. *Potanthus dara* (Kollar, [1844])** (Hesperiidae) **Synonym(s):** *dara* Kollar, [1844]; *maesa* Moore, 1865; *nala* Plötz, 1883; *zebra* Elwes & Edwards, 1897. **Original Reference:** *Hesperia dara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 455. Type(s): Kaschmir. **Range (in code):** Ch Ci IN Kma Kul Nwf PK Up
- 9114. *Potanthus dara dara* (Kollar, [1844])** (Hesperiidae) **Synonym(s):** *dara* Kollar, [1844]; *maesa* Moore, 1865; *nala* Plötz, 1883; *zebra* Elwes & Edwards, 1897. **Original Reference:** *Hesperia dara* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 455. Type(s): Kaschmir. **Range (in code):** Ch Ci IN Kma Kul Nwf PK Up
- 9115. *Potanthus eugenius* Devyatkin, 2003** (Hesperiidae) **Synonym(s):** *eugenius* Devyatkin, 2003 **Range (in code):** MM Kch
- 9116. *Potanthus fettingi* Möschler, 1878** (Hesperiidae) **Synonym(s):** *fettingi* Möschler, 1878; *euria* Plötz, 1883; *pavor* De Nicéville, 1894 **Range (in code):** PH Luz ID Sum Ja
- 9117. *Potanthus fettingi alpha* Evans, 1934** (Hesperiidae) **Synonym(s):** *alpha* Evans, 1934 **Range (in code):** PH Luz
- 9118. *Potanthus fettingi fettingi* Möschler, 1878** (Hesperiidae) **Synonym(s):** *fettingi* Möschler, 1878; *euria* Plötz, 1883; *pavor* De Nicéville, 1894 **Range (in code):** ID Sum
- 9119. *Potanthus fettingi orfitus* Mabille, 1874** (Hesperiidae) **Synonym(s):** *orfitus* Mabille, 1874 **Range (in code):** ID Ja
- 9120. *Potanthus flavum* (Murray, 1875)** (Hesperiidae) **Synonym(s):** *flavum* Murray, 1875; *japonica* Mabille, 1883 **Original Reference:** *Pamphila flava* Murray, 1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia. **Range (in code):** JP KP CN RU IN Am Vv Yu Stg Sz T-T Kwt Hun MM PH Mdo Krh Shn Nag TH
- 9121. *Potanthus flavumalcon* (Evans, 1932)** (Hesperiidae) **Synonym(s):** *alcon* Evans, 1932 **Original Reference:** *Padraona flavaalcon* Evans, 1932, Identification of Indian Butterflies (2): 403. Syntypes: "Karens". **Range (in code):** MM IN Nag Shn Krh TH
- 9122. *Potanthus flavum flavum* (Murray, 1875)** (Hesperiidae) **Synonym(s):** *flavum* Murray, 1875; *japonica* Mabille, 1883 **Original Reference:** *Pamphila flava* Murray, 1875, Entomologist's mon. Mag. 12: 4. Type(s): Japonia. **Range (in code):** JP KP CN RU Am Vv Yu Stg Sz T-T Kwt Hun
- 9123. *Potanthus flavum niobe* Evans, 1934** (Hesperiidae) **Synonym(s):** *niobe* Evans, 1934 **Range (in code):** PH Mdo
- 9124. *Potanthus ganda* Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *ganda* Fruhstorfer, 1911; *lena* Evans, 1934 **Range (in code):** TH Chy CMa Rng Tng Cbi Nna Tng PH Cal Pal ID Nia Ja MY Bor Hn CN Bli MM IN Ass
- 9125. *Potanthus ganda ganda* Fruhstorfer, 1911** (Hesperiidae) **Synonym(s):** *ganda* Fruhstorfer, 1911; *lena* Evans, 1934 **Range (in code):** TH Chy CMa Rng Tng Cbi Nna Tng ID Nia Ja MY Hn CN Bli MM IN Ass
- 9126. *Potanthus ganda marla* Evans, 1949** (Hesperiidae) **Synonym(s):** *marla* Evans, 1949 **Range (in code):** PH Cal Pal MY Bor
- 9127. *Potanthus hetaerus* Mabille, 1883** (Hesperiidae) **Synonym(s):** *hetaerus* Mabille, 1883 **Range (in code):** PH Bon Hom Ley Luz Mdo Mno Neg Pal Pan Pol Rom Sga Sib Taw Bal Cal Stu TH ID Clb MM Tvy Mrg IN Adm ID Sum Nia Ja

- 9128. *Potanthus hetaerus dina* Evans,1934** (Hesperiidae) Synonym(s): *dina* Evans,1934
Range (in code): ID Clb
- 9129. *Potanthus hetaerus hetaerus* Mabille,1883** (Hesperiidae) Synonym(s): *hetaerus* Mabille,1883
Range (in code): PH Bon Hom Ley Luz Mdo Mno Neg Pan Pol Rom Sga Sib Taw
- 9130. *Potanthus hetaerus serina* Plötz,1883** (Hesperiidae) Synonym(s): *serina* Plötz,1883; *charyawa* Fruhstorfer,1911; *sravasta* Fruhstorfer,1911; *rasana* Fruhstorfer,1911
Range (in code): TH MM Tvy Mrg IN Adm ID Sum Nia Ja PH Bal Cal Pal Stu
- 9131. *Potanthus ilion De Nicéville*,1897** (Hesperiidae) Synonym(s): *ilion* De Nicéville,1897; *sutrana* Evans,1932
Range (in code): ID Lb Tim Sba Sbw Alo
- 9132. *Potanthus ilion ilion De Nicéville*,1897** (Hesperiidae) Synonym(s): *ilion* De Nicéville,1897; *sutrana* Evans,1932
Range (in code): ID Lb Tim Sba Sbw Alo
- 9133. *Potanthus junio* Evans,1932** (Hesperiidae) Synonym(s): *juno* Evans,1932
Range (in code): TH CMA CDo Chy Tng Cbi MM Tvy Rgo IN Ass Mrg MY TW VN
- 9134. *Potanthus junio junio* Evans,1932** (Hesperiidae) Synonym(s): *juno* Evans,1932
Range (in code): TH CMA CDo Chy Tng Cbi MM Tvy Rgo IN Ass Mrg MY VN
- 9135. *Potanthus junio wilemanni* Evans,1934** (Hesperiidae) Synonym(s): *wilemanni* Evans,1934
Range (in code): TW
- 9136. *Potanthus lydia* Evans,1934** (Hesperiidae) Synonym(s): *lydia* Evans,1934
Range (in code): TH CMA Mae Bnk Nst Chw Ths IN Ass MM VN CN Sz Krh
- 9137. *Potanthus lydia fraseri* Evans,1934** (Hesperiidae) Synonym(s): *fraseri* Evans,1934
Range (in code): TH Nst Chw Ths
- 9138. *Potanthus lydia lydia* Evans,1934** (Hesperiidae) Synonym(s): *lydia* Evans,1934
Range (in code): TH CMA Mae Bnk Nst Ths IN Ass MM VN CN Sz Krh
- 9139. *Potanthus mara* Evans,1932** (Hesperiidae) Synonym(s): *mara* Evans,1932
Range (in code): IN SI Kma Ass CN
- 9140. *Potanthus mara kansa* Evans,1949** (Hesperiidae) Synonym(s): *kansa* Evans,1949
Range (in code): CN
- 9141. *Potanthus mara mara* Evans,1932** (Hesperiidae) Synonym(s): *mara* Evans,1932
Range (in code): IN SI Kma Ass
- 9142. *Potanthus mingo* (Edwards,1866)** (Hesperiidae) Synonym(s): *mingo* Edwards,1866; *nitida* Mabille,1877; *flavoguttata* Plötz,1883
Range (in code): PH Bas Jol Ley Luz Mas Mdo Mno Neg Pan Sam Sga Taw TH CMA Nst Ths IN Ass MM Mrg Krh VN MY ID Sum Ja
- 9143. *Potanthus mingo ajax* Evans,1932** (Hesperiidae) Synonym(s): *ajax* Evans,1932
Range (in code): TH CMA Nst Ths IN Ass MM Mrg Krh VN MY ID Sum
- 9144. *Potanthus mingo mingo* (Edwards,1866)** (Hesperiidae) Synonym(s): *mingo* Edwards,1866; *nitida* Mabille,1877; *flavoguttata* Plötz,1883
Range (in code): PH Bas Jol Ley Luz Mas Mdo Mno Neg Pan Sam Sga Taw
- 9145. *Potanthus mingo tanya* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *tanya* Fruhstorfer,1911
Range (in code): ID Ja
- 9146. *Potanthus nesta* Evans,1934** (Hesperiidae) Synonym(s): *nesta* Evans,1934
Range (in code): PH Bas Boh CmL CmM Ceb Cts Gui Hom Ley Luz Mar Mdo Mno Neg Pal Pan Pao Pol Sib Taw TH Bnk CMA Nst Ths Sya IN Ass MM Mrg SI BT VN ID Lb Ja Bli Kb
- 9147. *Potanthus nesta nesta* Evans,1934** (Hesperiidae) Synonym(s): *nesta* Evans,1934
Range (in code): TH Bnk CMA Nst Ths Sya IN Ass SI BT MM Mrg VN
- 9148. *Potanthus nesta netta* Evans,1934** (Hesperiidae) Synonym(s): *netta* Evans,1934
Range (in code): PH Bas Boh CmL CmM Ceb Cts Gui Hom Ley Luz Mar Mdo Mno Neg Pal Pan Pao Pol Sib Taw ID Lb Ja
- 9149. *Potanthus niobe* Evans,1934** (Hesperiidae) Synonym(s): *niobe* Evans,1934
Range (in code): PH Luz Mdo Din Mno Neg Sib
- 9150. *Potanthus niobe hyugai* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *hyugai* De Jong & Treadaway,1993
Range (in code): PH Luz Mdo
- 9151. *Potanthus niobe niobe* Evans,1934** (Hesperiidae) Synonym(s): *niobe* Evans,1934
Range (in code): PH Din Mno Neg Sib
- 9152. *Potanthus omaha* (Edwards,1863)** (Hesperiidae) Synonym(s): *omaha* Edwards,1863; *maesoides* Butler,1877; *luzonensis* Staudinger,1889
Range (in code): PH Mno Taw TH CMA Yal Nna Nst Ths Chw MM Krh Mrg Tvy MY VN Ann ID Sum Bor Clb
- 9153. *Potanthus omaha bione* Evans,1949** (Hesperiidae) Synonym(s): *bione* Evans,1949
Range (in code): PH Mno

- 9154. *Potanthus omaha copia* Evans,1932** (Hesperiidae) Synonym(s): *copia* Evans,1932
Range (in code): ID Sum
- 9155. *Potanthus omaha maesina* Evans,1934** (Hesperiidae) Synonym(s): *maesina* Evans,1934
Range (in code): PH Taw
- 9156. *Potanthus omaha nita* Evans,1934** (Hesperiidae) Synonym(s): *nita* Evans,1934
Range (in code): ID Clb
- 9157. *Potanthus omaha omaha* (Edwards,1863)** (Hesperiidae) Synonym(s): *omaha* Edwards,1863; *maesoides* Butler,1877; *luzonensis* Staudinger,1889
Range (in code): TH CMa Yal Nna Nst Ths Chw MM Mrg Tvy MY VN Ann
- 9158. *Potanthus omaha ottala* Swinhoe,1913** (Hesperiidae) Synonym(s): *ottala* Swinhoe,1913
Range (in code): MM Krh
- 9159. *Potanthus pallida* (Evans,1932)** (Hesperiidae) Synonym(s): *pallida* Evans,1932
Original Reference: Padraona pseudomaesa pallida Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: "Karens". Range (in code): SI LK IN BT Ass MM TH CMa Nrt Chb Nst Chw CN Yu Kma Sml VN
- 9160. *Potanthus pallida pallida* (Evans,1932)** (Hesperiidae) Synonym(s): *pallida* Evans,1932
Original Reference: Padraona pseudomaesa pallida Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: "Karens". Range (in code): SI LK IN BT Ass MM TH CMa Nrt Chb Nst Chw CN Yu Kma Sml
- 9161. *Potanthus palnia* Evans,1914** (Hesperiidae) Synonym(s): *palnia* Evans,1914
Range (in code): IN Pln NI Coo SI BT Ass MM CN Hpe Hn VN TH CMa Tak ID Sum
- 9162. *Potanthus palnia afer* Evans,1932** (Hesperiidae) Synonym(s): *afer* Evans,1932
Range (in code): ID Sum
- 9163. *Potanthus palnia palnia* Evans,1914** (Hesperiidae) Synonym(s): *palnia* Evans,1914
Range (in code): IN Pln NI Coo SI BT Ass MM CN Hpe Hn VN TH CMa Tak
- 9164. *Potanthus pamela* Evans,1934** (Hesperiidae) Synonym(s): *pamela* Evans,1934
Range (in code): TH Ntt SPa Nst Chw ID Sum Ja MY Bor
- 9165. *Potanthus pamela pamela* Evans,1934** (Hesperiidae) Synonym(s): *pamela* Evans,1934
Range (in code): TH Ntt SPa Nst Chw ID Sum Ja MY Bor
- 9166. *Potanthus pavus* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *pavus* Fruhstorfer,1911
Range (in code): TH CMa PH Din Luz Mdo Mno Pol Sib TW IN SI Ass MM Krh CN Yu Sz Hpe Hn MY ID Clb
- 9167. *Potanthus pavus lesbia* Evans,1934** (Hesperiidae) Synonym(s): *lesbia* Evans,1934
Range (in code): PH Din Luz Mdo Mno Pol Sib ID Clb
- 9168. *Potanthus pavus pavus* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *pavus* Fruhstorfer,1911
Range (in code): TH CMa TW IN SI Ass MM Krh CN Yu Sz Hpe Hn MY
- 9169. *Potanthus pseudomaesa* (Moore,1881)** (Hesperiidae) Synonym(s): *pseudomaesa* Moore,1881; *cato* Evans,1932.
Range (in code): Ass Ch CN Sz T-T Drm HK IN LK MM MY Shn SI Sml Sz T-T Up TH CMa Nrt
- 9170. *Potanthus pseudomaesa clio* (Evans,1932)** (Hesperiidae) Synonym(s): *clio* Evans,1932
Original Reference: Padraona cato clio Evans,1932, Identification of Indian Butterflies (2): 402. Syntypes: [India]: Kulu to Sikkim. Range (in code): Ass Ch CN Drm HK IN MM MY Shn SI Sml Up TH CMa Nrt
- 9171. *Potanthus pseudomaesa paula* Evans,1934** (Hesperiidae) Synonym(s): *paula* Evans,1934
Range (in code): CN Sz T-T
- 9172. *Potanthus pseudomaesa pseudomaesa* (Moore,1881)** (Hesperiidae) Synonym(s): *pseudomaesa* Moore,1881; *cato* Evans,1932.
Range (in code): IN LK
- 9173. *Potanthus purpura* Evans,1932** (Hesperiidae) Synonym(s): *purpura* Evans,1932
Range (in code): ID Ja
- 9174. *Potanthus purpura purpura* Evans,1932** (Hesperiidae) Synonym(s): *purpura* Evans,1932
Range (in code): ID Ja
- 9175. *Potanthus rectifasciatus* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *rectifasciatus* Elwes & Edwards,1897
Range (in code): SI IN MM Tvy Ass BT MY TH Chy Knc CMa Nst Chw VN
- 9176. *Potanthus rectifasciatus rectifasciatus* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *rectifasciatus* Elwes & Edwards,1897
Range (in code): SI IN MM Tvy Ass BT MY TH Chy Knc CMa Nst Chw VN
- 9177. *Potanthus serina* Plötz,1883** (Hesperiidae) Synonym(s): *serina* Plötz,1883
Range (in code): PH Bal Cal Pal Stu

- 9178. *Potanthus serina serina* Plötz,1883** (Hesperiidae) Synonym(s): *serina* Plötz,1883
- 9179. *Potanthus sita* Evans,1932** (Hesperiidae) Synonym(s): *sita* Evans,1932 _ Range (in code): IN SI Ass MM
- 9180. *Potanthus sita sita* Evans,1932** (Hesperiidae) Synonym(s): *sita* Evans,1932 _ Range (in code): IN SI Ass MM
- 9181. *Potanthus taxilus* Mabilie,1878** (Hesperiidae) Synonym(s): *taxilus* Mabilie,1878
Range (in code): PH ID Ja Lb Clb Ob Trn Hm Bch PG NBr ID Crm Bru Amb
- 9182. *Potanthus taxilus ahrendti* Plötz,1883** (Hesperiidae) Synonym(s): *ahrendti* Plötz,1883
Range (in code): ID Nia Sum Mw PG NBr ID Crm Bru Amb
- 9183. *Potanthus taxilus alma* Evans,1934** (Hesperiidae) Synonym(s): *alma* Evans,1934
Range (in code): ID Nia Sum Mw
- 9184. *Potanthus taxilus alpha* Evans,1934** (Hesperiidae) Synonym(s): *alpha* Evans,1934
Range (in code): PH
- 9185. *Potanthus taxilus nikaja* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *nikaja* Fruhstorfer,1911 _ Range (in code): ID Clb
- 9186. *Potanthus taxilus rabida* Evans,1949** (Hesperiidae) Synonym(s): *rabida* Evans,1949
Range (in code): ID Ob Trn Hm Bch
- 9187. *Potanthus taxilus sapitana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *sapitana* Fruhstorfer,1911 _ Range (in code): ID Lb
- 9188. *Potanthus taxilus taxilus* Mabilie,1878** (Hesperiidae) Synonym(s): *taxilus* Mabilie,1878
Range (in code): ID Ja
- 9189. *Potanthus tibetana* Huang,2002** (Hesperiidae) Synonym(s): *tibetana* Huang,2002
Original Reference: *Potanthus tibetana* Huang,2002, *Atalanta* 33 (1-2): 119-121, figs. Holotype ♂: China, S.E.Tibet, Lower Chayu. Range (in code): CN Ti VN Lci
- 9190. *Potanthus tibetana laocai* Devyatkin,2003** (Hesperiidae) Synonym(s): *laocai* Devyatkin,2003 _ Range (in code): VN Lci
- 9191. *Potanthus tibetana tibetana* Huang,2002** (Hesperiidae) Synonym(s): *tibetana* Huang,2002
Original Reference: *Potanthus tibetana* Huang,2002, *Atalanta* 33 (1-2): 119-121, figs. Holotype ♂: China, S.E.Tibet, Lower Chayu. Range (in code): CN Ti
- 9192. *Potanthus trachala* Mabilie,1877** (Hesperiidae) Synonym(s): *trachala* Mabilie,1877
Range (in code): MM Mrg IN Ass Mpr VN CN Hpe Fkn Yu Hn IN Adm MY Bor ID Ja Sum TH Chy CMa CDo Nrt Uth Cbi Nna Rng Tng
- 9193. *Potanthus trachala dilutior* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *dilutior* Elwes & Edwards,1897; *sumatrensis* Mabilie,1904 _ Range (in code): MY Bor ID Sum
- 9194. *Potanthus trachala ottalina* Evans,1932** (Hesperiidae) Synonym(s): *ottalina* Evans,1932
Range (in code): IN Adm
- 9195. *Potanthus trachala phoebe* Evans,1934** (Hesperiidae) Synonym(s): *phoebe* Evans,1934
Range (in code): CN Hpe Fkn Yu
- 9196. *Potanthus trachala trachala* Mabilie,1877** (Hesperiidae) Synonym(s): *trachala* Mabilie,1877; *zatilla* Plötz,1886 _ Range (in code): CN Hn ID Sum ja
- 9197. *Potanthus trachala tytleri* Evans,1914** (Hesperiidae) Synonym(s): *tytleri* Evans,1914; *ino* Evans,1932 _ Range (in code): MM Mrg IN Ass Mpr VN TH Chy CMa CDo Nrt Uth Cbi Nna Rng Tng
- 9198. *Potanthus tropica* Plötz,1883** (Hesperiidae) Synonym(s): *tropica* Plötz,1883 _ Range (in code): ID Ja
- 9199. *Potanthus tropica tropica* Plötz,1883** (Hesperiidae) Synonym(s): *tropica* Plötz,1883
Range (in code): ID Ja
- 9200. *Potanthus upadhana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *upadhana* Fruhstorfer,1911; *cakka* Fruhstorfer,1911 _ Range (in code): ID Ja Lb
- 9201. *Potanthus upadhana upadhana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *upadhana* Fruhstorfer,1911; *cakka* Fruhstorfer,1911 _ Range (in code): ID Ja Lb
- 9202. *Potanthus yani* Huang,2002** (Hesperiidae) Synonym(s): *yani* Huang,2002 _ Range (in code): CN Ahw
- 9203. *Prada papua* (Evans,1928)** (Hesperiidae) Synonym(s): *papua* Evans,1928 _ Range (in code): PG
- 9204. *Prada papua papua* (Evans,1928)** (Hesperiidae) Synonym(s): *papua* Evans,1928
Range (in code): PG

- 9205. Prada rawlinsonia Evans,1949** (Hesperiidae) Synonym(s): *rawlinsonia* Evans,1949
Range (in code): PG
- 9206. Prada rawlinsonia rawlinsonia Evans,1949** (Hesperiidae) Synonym(s): *rawlinsonia* Evans,1949
Range (in code): PG
- 9207. Prada rothschildi (Evans,1928)** (Hesperiidae) Synonym(s): *rothschildi* Evans,1928
Range (in code): PG
- 9208. Prada rothschildi rothschildi (Evans,1928)** (Hesperiidae) Synonym(s): *rothschildi* Evans,1928
Range (in code): PG
- 9209. Praescobura chrysomaculata Devyatkin,2002** (Hesperiidae) Synonym(s): *chrysomaculata* Devyatkin,2002
Range (in code): VN Lei
- 9210. Problema bulenta** (Hesperiidae) Synonym(s):
Range (in code): US Dw Ge Mrl NCa Nje SCa Vi
- 9211. Problema byssus** (Hesperiidae) Synonym(s):
Range (in code): US Aks Alb Fl Ge Idp Iln Io Kan Mis Mss NCa Ok SCa Tx Wc
- 9212. Procampa rara Holland,1892** (Hesperiidae) Synonym(s): *rara* Holland,1892 Original Reference: Procampa rara Holland,1892, Ann. Mag. nat. Hist. (6) 10: 293 et nota. Type: [Gabon]: "Ogové Valley". Range (in code): GA SL LR CI GH NG CM ZR UG
- 9213. Prosopalpus debilis (Plötz,1879)** (Hesperiidae) Synonym(s): *debilis* Plötz,1879; *duplex* Mabille,1890
Range (in code): SL CM GN SN LR CI GH GA
- 9214. Prosopalpus saga Evans,1937** (Hesperiidae) Synonym(s): *saga* Evans,1937
Range (in code): GN UG CM
- 9215. Prosopalpus styla Evans,1937** (Hesperiidae) Synonym(s): *styla* Evans,1937
Range (in code): KE UG SD TZ CM NG CI SL GM SN
- 9216. Proteides mercurius (Fabricius,1787)** (Hesperiidae) Synonym(s): *idas* Cramer,[1779] *nec* Linnaeus,1758; *mercurius* Fabricius,1787. Original Reference: Papilio mercurius Fabricius,1787, Mant. Ins. 2: 86. Lectotype: [French Guiana]: Cayenne (Kiel Museum). Range (in code): US MX Arz Fl Tx CU
- 9217. Proteides mercurius mercurius (Fabricius,1787)** (Hesperiidae) Synonym(s): *idas* Cramer,[1779] *nec* Linnaeus,1758; *mercurius* Fabricius,1787. Original Reference: Papilio mercurius Fabricius,1787, Mant. Ins. 2: 86. Lectotype: [French Guiana]: Cayenne (Kiel Museum).
- 9218. Proteides mercurius sanantonio (Lucas,1857)** (Hesperiidae) Synonym(s): *sanantonio* Lucas,1857 Original Reference: Eudamus sanantonio Lucas,1857, [in] Sagra, Hist. Cuba 7: 626. Type: "Cuba" (MNHN). Range (in code): CU
- 9219. Prusiana hercules (Mabille,1889)** (Hesperiidae) Synonym(s): *hercules* Mabille,1889; *androsthenes* Fruhstorfer
Range (in code): ID Clb
- 9220. Prusiana hercules hercules (Mabille,1889)** (Hesperiidae) Synonym(s): *hercules* Mabille,1889; *androsthenes* Fruhstorfer
Range (in code): ID Clb
- 9221. Prusiana kuehni (Plötz,1886)** (Hesperiidae) Synonym(s): *kuehni* Plötz,1886; *subrubra* Holland,1891; *simplex* Elwes & Edwards,1897
Range (in code): ID Clb
- 9222. Prusiana kuehni kuehni (Plötz,1886)** (Hesperiidae) Synonym(s): *kuehni* Plötz,1886; *subrubra* Holland,1891; *simplex* Elwes & Edwards,1897
Range (in code): ID Clb
- 9223. Prusiana prusias (C.Felder,1861)** (Hesperiidae) Synonym(s): *prusias* C.Felder,1861; *specularis* Plötz,1883; *batchiana* Swinhoe,1905
Range (in code): MY Bor ID Amb Bch Clb Sla Sly Mlc Kai PG PH Mno Mdo Luz Baz Pan Pol
- 9224. Prusiana prusias insularis (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *insularis* Elwes & Edwards,1897; *kreon* Fruhstorfer,1911
Range (in code): MY Bor
- 9225. Prusiana prusias matinus (Fruhstorfer,1911)** (Hesperiidae) Synonym(s): *matinus* Fruhstorfer,1911; *padhana* Fruhstorfer,1911; *sariputra* Fruhstorfer,1911
Range (in code): PH Mno Mdo Luz Baz Pan Pol
- 9226. Prusiana prusias prusias (C.Felder,1861)** (Hesperiidae) Synonym(s): *prusias* C.Felder,1861; *specularis* Plötz,1883; *batchiana* Swinhoe,1905
Range (in code): ID Amb Bch Clb Sla Sly Mlc Kai PG
- 9227. Pseudoborbo bevani (Moore,1878)** (Hesperiidae) Synonym(s): *bevani* Moore,1878; *modesta* Moore,[1884]; *vaika* Plötz,1886; *sarus* Mabille,1891; *thyone* Leech,[1893]. Original Reference: Hesperia bevani Moore,1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: India: Moulmein (BMNH). Range (in code): VN ID TH MY Hn CN TW BT Ch SI IN Yu Ass MM
- 9228. Pseudoborbo bevani bevani (Moore,1878)** (Hesperiidae) Synonym(s): *bevani* Moore,1878; *modesta* Moore,[1884]; *vaika* Plötz,1886; *sarus* Mabille,1891; *thyone* Leech,[1893]. Original

- Reference: *Hesperia bevani* Moore, 1878, Proc. zool. Soc. Lond. 48 (3): 688. Type ♂: India: Moulmein (BMNH). Range (in code): VN ID TH MY Hn CN TW BT Ch SI IN Yu Ass MM
- 9229. *Pseudocoladenia dan* (Fabricius, 1787)** (Hesperiidae) Synonym(s): dan Fabricius, 1787
Original Reference: Papilio dan Fabricius, 1787, Mant. Ins. 2: 88, nr. 798. Type(s): Tranquebariae. Range (in code): MY Meg Khs AF Ng Ch PK Kgr Hp Mus NP ID Sum Bor KBa Ja Lb Clb Flo Sba Sbw CN Sz T-T Mou IN Ass Tkg Fkn Hn KwT BT SI BT MM Shn Nag Mpr Mrg Sz T-T Yu Krh TH Chy CMa Cu0 Cu01 Cu05 Cu10 Cu12 CDo CD2 Nst Rng Yal Cbi Rat Tng Lam Ths Cw Lsa Sgk Hya Tnc VN
- 9230. *Pseudocoladenia dan dan* (Fabricius, 1787)** (Hesperiidae) Synonym(s): dan Fabricius, 1787
Original Reference: Papilio dan Fabricius, 1787, Mant. Ins. 2: 88, nr. 798. Type(s): Tranquebariae. Range (in code): IN
- 9231. *Pseudocoladenia dan dea* (Leech, 1894)** (Hesperiidae) Synonym(s): dea Leech, 1894
Range (in code): CN Sz T-T Mou
- 9232. *Pseudocoladenia dan decora* (Evans, 1939)** (Hesperiidae) Synonym(s): decora Evans, 1939
Original Reference: decora Evans, 1939 Range (in code): CN Tkg
- 9233. *Pseudocoladenia dan dhyana* (Fruhstorfer, 1909)** (Hesperiidae) Synonym(s): dhyana Fruhstorfer, 1909
Range (in code): TH Chy CMa Nst Ths Cw Lsa Rng Yal Cbi Rat Tng Lam Sgk Hya Tnc MY MM Krh Mrg VN
- 9234. *Pseudocoladenia dan eacus* (Latreille, 1823)** (Hesperiidae) Synonym(s): eacus Latreille, 1823; dichroa Plötz, 1884; lumbokiana Fruhstorfer, 1909; sumbawana Fruhstorfer, 1909.
Range (in code): ID Ja Lb Clb Flo Sba Sbw
- 9235. *Pseudocoladenia dan fabia* (Evans, 1949)** (Hesperiidae) Synonym(s): fabia Evans, 1949
Range (in code): IN Ass SI MM TH CMa Cu0 Cu01 Cu05 Cu10 Cu12 CDo CD2 CN Fkn Hn KwT BT
- 9236. *Pseudocoladenia dan fatih* (Kollar, [1844])** (Hesperiidae) Synonym(s): fatih Kollar, [1844]
Original Reference: *Hesperia fatih* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 454, Taf. 18 figs. 5, 6. Type(s): Kaschmir. Range (in code): AF Ng Ch PK IN Kgr Hp Mus NP
- 9237. *Pseudocoladenia dan fatua* (Evans, 1949)** (Hesperiidae) Synonym(s): fatua Evans, 1949
Range (in code): SI IN MM Mpr Ass Meg Khs BT Nag
- 9238. *Pseudocoladenia dan festa* (Evans, 1949)** (Hesperiidae) Synonym(s): festa Evans, 1949
Range (in code): SI BT MM Nag Mpr CN Sz T-T Yu Shn Krh
- 9239. *Pseudocoladenia dan fulvescens* (Elwes & Edwards, 1897)** (Hesperiidae)
Synonym(s): fulvescens Elwes & Edwards, 1897
Range (in code): MM Bor KBa
- 9240. *Pseudocoladenia dan sumatrana* (Fruhstorfer, 1910)** (Hesperiidae) Synonym(s): sumatrana Fruhstorfer, 1910
Range (in code): ID Sum
- 9241. *Pseudocopaodes eunus* (Hesperiidae)** Synonym(s):
Range (in code): US MX Cf Ne
- 9242. *Pseudokerana fulgur* (De Nicéville, 1894)** (Hesperiidae) Synonym(s): fulgur De Nicéville, 1894
Range (in code): MY ID Sum TH Tng
- 9243. *Pseudokerana fulgur fulgur* (De Nicéville, 1894)** (Hesperiidae) Synonym(s): fulgur De Nicéville, 1894
Range (in code): MY ID Sum TH Tng
- 9244. *Pteroteinon caenira* (Hewitson, 1867)** (Hesperiidae) Synonym(s): caenira Hewitson, 1867; calpis Plötz, 1879
Range (in code): GN GA CG ZR UG NG Caa
- 9245. *Pteroteinon capronnieri* (Plötz, 1879)** (Hesperiidae) Synonym(s): capronnieri Plötz, 1879
Range (in code): CM NG CG UG
- 9246. *Pteroteinon ceucaenira* (Druce, 1910)** (Hesperiidae) Synonym(s): ceucaenira Druce, 1910
Range (in code): ZR CI NG CM CG UG
- 9247. *Pteroteinon iricolor* (Holland, 1890)** (Hesperiidae) Synonym(s): iricolor Holland, 1890
Range (in code): GA Ogo SL CM CG ZR
- 9248. *Pteroteinon laterculus* (Holland, 1890)** (Hesperiidae) Synonym(s): laterculus Holland, 1890
Range (in code): GA Ogo SL CI CM ZR
- 9249. *Pteroteinon laufella* (Hewitson, 1868)** (Hesperiidae) Synonym(s): laufella Hewitson, 1868
Range (in code): NG Caa GN ZR AO
- 9250. *Pteroteinon pruna* Evans, 1937** (Hesperiidae) Synonym(s): pruna Evans, 1937
(in code): NG CM Bit ZR UG CI
- 9251. *Pteroteinon pruna pruna* Evans, 1937** (Hesperiidae) Synonym(s): pruna Evans, 1937
Range (in code): NG CM Bit ZR UG
- 9252. *Pteroteinon pruna reali* Berger, 1962** (Hesperiidae) Synonym(s): reali Berger, 1962
Range (in code): CI

- 9253. *Pudicitia pholus* (De Nicéville,1889)** (Hesperiidae) Synonym(s): *pholus* De Nicéville,1889
Range (in code): **IN SI Ass Nag**
- 9254. *Pudicitia pholus pholus* (De Nicéville,1889)** (Hesperiidae) Synonym(s): *pholus* De Nicéville,1889
Range (in code): **IN SI Ass Nag**
- 9255. *Pyrgus adepta* Plötz,1884** (Hesperiidae) Synonym(s): *adepta* Plötz,1884; *dion* Plötz,1884; *lycurgus* Plötz,1884
Range (in code): **MX**
- 9256. *Pyrgus aladaghensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten,1995
Original Reference: *Pyrgus aladaghensis* Prins & Poorten,1995, Phegea 23(1): 36-40, figs. Holotype ♂: Turkey: Niğde Pr.: Aladagh D., Eznevit v.,2800m. Range (in code): **TR**
- 9257. *Pyrgus aladaghensis aladaghensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *aladaghensis* De Prins & Poorten,1995
Original Reference: *Pyrgus aladaghensis* Prins & Poorten,1995, Phegea 23(1): 36-40, figs. Holotype ♂: Turkey: Niğde Pr.: Aladagh D., Eznevit v.,2800m. Range (in code): **TR**
- 9258. *Pyrgus albescens* Plötz,1884** (Hesperiidae) Synonym(s): *albescens* Plötz,1884; *occidentalis* Skinner,1906
Range (in code): **US MX Aks Arz Cf Col Fl NMx Ne Tx Ut**
- 9259. *Pyrgus alpinus* (Erschoff,1874)** (Hesperiidae) Synonym(s): *alpinus* Erschoff,1874
Original Reference: *Syrichthus alveus* var. *alpina* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 24, Pl.2 fig.18. Type: [Uzbekistan: Fergana]: Ktchi Alai (Kokand). Range (in code): **Aa AF Al Am Au Ax Bd CN Fe Ga Gg H-S Hu Ik KG KK Kmt M-A Msg Na Pm RU Sb Smk T-A TJ Ui Prj Us UZ Wk Ya DsA TeA KuA TrA Tls T-S**
- 9260. *Pyrgus alpinus alichurensis* De Jong,1975** (Hesperiidae) Synonym(s): *alichurensis* De Jong,1975
Original Reference: *Pyrgus alpinus* ssp. *alichurensis* De Jong,1975, Zool. Meded. 49: 6. Holotype ♂: Koytezek Pass, S. Alichur Mts. Range (in code): **Bik CN Gg Hu Msg Pm Sry Ui**
- 9261. *Pyrgus alpinus alpinus* (Erschoff,1874)** (Hesperiidae) Synonym(s): *alpinus* Erschoff,1874.
Original Reference: *Syrichthus alveus* var. *alpina* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepid.): 24, Pl.2 fig.18. Type: [Uzbekistan: Fergana]: Ktchi Alai (Kokand). Neotype ♂: "North Alai: Ispajran", designated by Korb & de Jong,2000, Alexanor 21:84. Range (in code): **Aa AF Al Am Au Ax Bd CN Fe Ga H-S Ik KG KK Kmt Na RU Sb Smk T-A TJ Ui Prj Us UZ T-S Wk Ya DsA TeA KuA TrA Tls**
- 9262. *Pyrgus alpinus anubis* Korb,2000** (Hesperiidae) Synonym(s): *anubis* Korb,2000
Original Reference: *Pyrgus alpinus* ssp. *anubis* Korb,2000, Alexanor 21: 85, fig.1. Holotype ♂: Kyrgyzstan: Mont. Kirghiz, vallée de Tschon Kuurtchak, Kysyl-Beles, 3500-3700m. (IZSP). Range (in code): **KK Ax T-S**
- 9263. *Pyrgus alpinus mustagatae* Alberti,1952** (Hesperiidae) Synonym(s): *mustagatae* Alberti,1952
Original Reference: *Pyrgus alpinus* ssp. *mustagatae* Alberti,1952, Z. Lepid. 2: 80. Holotype ♂: [China: Uighur A.R.]: Muztagh Ata (ZSM). Range (in code): **CN M-A Ui**
- 9264. *Pyrgus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
Original Reference: *Papilio alveus* Hübner,[1803], Samml. eur. Schmett. 1: pl.92 figs.461-463. Neotype ♂: Deutschl.: Münzinger Alb, Mehrstetten (Renner,1991). Range (in code): **IR Am Bn At Kts AT Ba BE BG BY CH CN CZ DE EE ES FI FR GR HU Ui Ii Ku IT Kr LT LU LV MK NL NO PL PT RO RU Sb SE Sj SK Sm So Sr TR Ts UA VI YU Mt Ko Kuz Sau Tar DsA KG T-S Bc Cc Arr** Bionomy: Larva on *Potentilla sterilis*, *Helianthemum nummularium* (Tolman, 1997).
- 9265. *Pyrgus alveus accreta* (Verity,1925)** (Hesperiidae) Synonym(s): *accreta* Verity,1925; *necacreta* Verity,1925; *grandis* Verity,1925; *magnalveus* Verity,1929; *pyreneialpium* Verity,1929; *lutetianus* Picard,1948; *subdecoloratus* Picard,1953.
Original Reference: *Hesperia alveus* race *accreta* Verity,1925, Entomologist's Rec. J. Var. 37: 55. Syntypes 8♂: [France]: Hautes Pyrenees: Gedre. Range (in code): **Bw DE FR Py**
- 9266. *Pyrgus alveus alveus* (Hübner,[1803])** (Hesperiidae) Synonym(s): *alveus* Hübner,[1803]; *alticolus* Rebel,1910; *ryffelensis* Oberthür,1910; *claralveus* Verity,1934; *confusa* Renner,1991; *germanica* Renner,1991.
Original Reference: *Papilio alveus* Hübner,[1803], Samml. eur. Schmett. 1: pl.92 figs.461-463. Neotype ♂: Deutschland: Münzinger Alb, Mehrstetten (Renner,1991). Range (in code): **B-H BL Bw CH DE DK EE FR HV LT LV MK NL PL Py RU SS YU Mt Ko TR IR Cc Arr**
- 9267. *Pyrgus alveus centralitaliae* (Verity,1920)** (Hesperiidae) Synonym(s): *centralitaliae* Verity,1920
Original Reference: *Hesperia alveus* race *centralitaliae* Verity,1920, Entomologist's Rec. J. Var. 32: 4. Syntypes 2♂ 1♀: Italia centrale: Piceno: Monti Sibillini, 1200-1400m. Range (in code): **IT**

- 9268. *Pyrgus alveus iliensis* (Reverdin,1912)** (Hesperiidae) Synonym(s): *iliensis* Reverdin,1912 (according to Prins & Poorten,1995, junior subjective synonym of *Pyrgus alveus alveus* Hbn.,1803). Original Reference: *Hesperia iliensis* Reverdin,1912, Bull. Soc. lépid. Genève 2: 155, t.16 figs.7-8, t.18 figs.1-2. Syntypes: [Kasachstan]: Turkestan oriental, dans la region d l'Ili. Lectotype ♂: Turkestan: Ili Gebiet, designated by De Prins & Poorten,1995, Phegea 23: 6. Range (in code): T-S At Kts Bc CN Ii KG Mn RU Sb Sp Tk Ui Kuz Sau Tar DsA
- 9269. *Pyrgus alveus jurassicus* (B.C.S.Warren,1926)** (Hesperiidae) Synonym(s): *jurassica* B.C.S.Warren,1926 Original Reference: *Hesperia alveus* race *jurassica* B.C.S.Warren,1926, Trans. ent. Soc. Lond. 74 81: 122, pl. xlii figs.9-12. Syntypes: France: Haute Savoie: Grand Salève; Eclépens (Vaud). Range (in code): CH FR
- 9270. *Pyrgus alveus kansuensis* (Reverdin,1927)** (Hesperiidae) Synonym(s): *kansuensis* Reverdin,1927 Original Reference: *Hesperia alveus* ssp.*kansuensis* Reverdin,1927, [in] Bang-Haas,O., Horae Macrolepidopt. 1: 54-55, t.7 fig.29. Type ♂: China sept. occ.: Kansu, Richthofen mont., westl. Liang-tsichou. Range (in code): CN Rth Ts
- 9271. *Pyrgus alveus reverdini* (Oberthür,1912)** (Hesperiidae) Synonym(s): *reverdini* Oberthür,1912 Original Reference: *Hesperia reverdini* Oberthür,1912, Etüd lépid. comp. 6: 72, pl.137 figs.1217. Syntypes: China: Szechwan: Ta-Tsien-Lou. Range (in code): CN Sz
- 9272. *Pyrgus alveus scandinavicus* (Strand,1903)** (Hesperiidae) Synonym(s): *scandinavicus* Strand,1903 Original Reference: *Hesperia alveus* *scandinavicus* Strand,1903, Arch. Naturv. Christian 25: 6. Syntypes: Dovre. Range (in code): FI NO SE
- 9273. *Pyrgus alveus sifanicus* Groum-Grshimailo,1890** (Hesperiidae) Synonym(s): *sifanicus* Groum-Grshimailo,1890 Original Reference: *Pyrgus alveus* var. *sifanicus* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 459. Syntypes: [China]: Dshachar, Kuku Noor. Range (in code): Amd CN Kno Ts
- 9274. *Pyrgus alveus speyeri* (Staudinger,1887)** (Hesperiidae) Synonym(s): *speyeri* Staudinger,1887 Original Reference: *Hesperia alveus* var. *speyeri* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 153, pl.8 fig.5. Syntypes: Russia: Amurland. Range (in code): Am At CN Ku RU Sj Ui
- 9275. *Pyrgus andromedae* (Wallengren,1853)** (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919. Original Reference: *Syrichtus andromedae* Wallengren,1853, Öfvers. K. Vetensk. Akad. Förh. 10: 25. Type(s): [Norway]: Dalarne. Range (in code): AT BG B-H BY CH DE ES FI FR IT MK NO RU SE SS UA YU Mt Bionomy: Larva on *Potentilla thuringiaca*, *Alchemilla glomerulans*, *Malva* (Tolman,1997).
- 9276. *Pyrgus andromedae andromedae* (Wallengren,1853)** (Hesperiidae) Synonym(s): *andromedae* Wallengren,1853; *striata* Vorbrodt,1912; *perseus* Schawerda,1919. Original Reference: *Syrichtus andromedae* Wallengren,1853, Öfvers. K. Vetensk. Akad. Förh. 10: 25. Type(s): [Norway]: Dalarne. Range (in code): AT BG B-H BY CH DE ES FI FR IT MK NO RU SE SS UA YU Mt
- 9277. *Pyrgus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927. Original Reference: *Syrichtus alveus* f.*armoricanus* Oberthür,1910, Etüd. Lépid. comp. 4: 411, pl.57 figs.509-517. Syntypes: France: Environs de Rennes. Range (in code): AL AT Ba BE BG B-H BY CH Co Cr CZ DE DK ES Mu FR GR HU HV IT MK NL PL LB PT RO RU Sa SE Si SK SS TR Cc UA YU Mt Ko Ur Kp TM IR Ab Kh IQ MA Ifr DZ Agi Bionomy: Larva on *Potentilla tabernaemontani*, *P. reptans*, *P. arenaria*, *Fragaria vesca*, *Helianthemum nummularium* (Tolman,1997).
- 9278. *Pyrgus armoricanus armoricanus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *armoricanus* Oberthür,1910; *petheri* Romei,1927. Original Reference: *Syrichtus alveus* f.*armoricanus* Oberthür,1910, Etüd. Lépid. comp. 4: 411, pl.57 figs.509-517. Syntypes: France: Environs de Rennes. Range (in code): ES Mu PT
- 9279. *Pyrgus armoricanus disjunctus* Alberti,1940** (Hesperiidae) Synonym(s): *disjunctus* Alberti,1940 Range (in code): Bv Bw CZ DE Rp
- 9280. *Pyrgus armoricanus maroccanus* Picard,1950** (Hesperiidae) Synonym(s): *maroccanus* Picard,1950 Original Reference: *Pyrgus armoricanus* *maroccanus* Picard,1950, Bull. Soc. Sc. nat. Maroc 28: 121-122, Type: Maroc, Ifrane. Range (in code): MA Ifr DZ Agi
- 9281. *Pyrgus armoricanus persicus* (Reverdin,1913)** (Hesperiidae) Synonym(s): *persicus* Reverdin,1913; *reverdini* le Cerf,1913 nec Oberthür,1912; *prostanæ* Pfeiffer,1927; *lecerfi* Verity,1928; *#poatpersica* Verity,1936. Original Reference: *Hesperia persica* ? Reverdin,1913, Bull. Soc. lépid. Genève 2 (4): 218-224, 6 textfigs., Pl.21 fig.4; Pl.22 fig.9. Syntypes: [Iran]: Kuldsar (North-East Iran) (MHNG). Range (in code): IR Ab Kh TR GR YU BG UA RU Cc GG AM AZ IQ TM Kp Ur

- 9282. *Pyrgus armoricanus philonides* (Hemming,1931)** (Hesperiidae) Synonym(s): *philonides* Hemming,1931 Original Reference: *Hesperia armoricanus* ssp. *philonides* Hemming,1931, Ann. Mag. nat. Hist. 10 (8): 534. Holotype ♂: Lebanon. Range (in code): **LB**
- 9283. *Pyrgus badachschanus* (Alberti,1940)** (Hesperiidae) Synonym(s): *badachschanus* Alberti,1940 Original Reference: *Hesperia badachschanus* Alberti, 1940, Mitt. münch. ent. Ges. 30: 239. Range (in code): **AF Bd Kbb Pnj Nks**
- 9284. *Pyrgus badachschanus badachschanus* (Alberti,1940)** (Hesperiidae) Synonym(s): *badachschanus* Alberti,1940 Original Reference: *Hesperia badachschanus* Alberti, 1940, Mitt. münch. ent. Ges. 30: 239. Range (in code): **AF Bd Kbb Pnj Nks**
- 9285. *Pyrgus bieti* (Oberthür,1886)** (Hesperiidae) Synonym(s): *bieti* Oberthür,1886 Original Reference: *Syrichtus bieti* Oberthür,1886, Etüd. ent. 11: 26, pl.vi fig.50. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **T-T CN Sz Yu Ti Btn**
- 9286. *Pyrgus bieti bieti* (Oberthür,1886)** (Hesperiidae) Synonym(s): *bieti* Oberthür,1886 Original Reference: *Syrichtus bieti* Oberthür,1886, Etüd. ent. 11: 26, pl.vi fig.50. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **T-T CN Sz Ti Btn**
- 9287. *Pyrgus bieti yunnanus* (Oberthür,1912)** (Hesperiidae) Synonym(s): *yunnanus* Oberthür,1912 Range (in code): **CN Yu**
- 9288. *Pyrgus bolkariensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *bolkariensis* De Prins & Poorten,1995 Original Reference: *Pyrgus bolkariensis* De Prins & Poorten,1995, Phegea 23 (1): 31-36, figs. Holotype ♂: Turkey: Taurus Mt., Bolkar D., Sivritepe, 3100m. Range (in code): **TR**
- 9289. *Pyrgus bolkariensis bolkariensis* De Prins & Poorten,1995** (Hesperiidae) Synonym(s): *bolkariensis* De Prins & Poorten,1995 Original Reference: *Pyrgus bolkariensis* De Prins & Poorten,1995, Phegea 23 (1): 31-36, figs. Holotype ♂: Turkey: Taurus Mt., Bolkar D., Sivritepe, 3100m. Range (in code): **TR**
- 9290. *Pyrgus cacaliae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cacaliae* Rambur,[1839]; *pyreneus* Picard,1947 Original Reference: *Hesperia cacaliae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Grande Chartreuse. Range (in code): **AT BG CH DE ES FR IT Py RO SS** Bionomy: Larva on *Potentilla*, *Sibbaldia* (Tolman,1997).
- 9291. *Pyrgus cacaliae cacaliae* (Rambur,1839)** (Hesperiidae) Synonym(s): *cacaliae* Rambur,[1839]; *pyreneus* Picard,1947 Original Reference: *Hesperia cacaliae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Grande Chartreuse. Range (in code): **AT BG CH DE ES FR IT Py RO SS**
- 9292. *Pyrgus carlinae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954. Original Reference: *Hesperia carlinae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Alpes. Range (in code): **AT CH FR IT NL CH DE ES PT SS TR IR Ab Cc** Bionomy: Larva on *Potentilla tabernaemontani*, *P. reptans*, *P. hirta*, *P. verna* (Tolman,1997).
- 9293. *Pyrgus carlinae carlinae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *carlinae* Rambur,[1839]; *olivacea* Oberthür,1910; *caecus* Turati & Verity,1911; *atrata* Verity,1925; *cottiana* Kaufman,1954. Original Reference: *Hesperia carlinae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Alpes. Range (in code): **AT CH FR IT NL**
- 9294. *Pyrgus carlinae cirsii* (Rambur,[1839])** (Hesperiidae) Synonym(s): *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. Original Reference: *Hesperia cirsii* Rambur,[1839], Faune ent. Andalousie 2 (4): 315 (nota), Pl.8, figs.12,o. Monotype ♂: Fontainebleau (cf. Evans,1946: 190) (BMNH). Range (in code): **CH DE ES FR IT PT SS TR IR Ab Cc** Bionomy: Larva on *Potentilla reptans*, *P. erecta*, *P. verna*, *P. sterilis*, *P. cinerea* (Rosaceae) (Tolman,1997).
- 9295. *Pyrgus carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813] Original Reference: *Papilio carthami* Hübner,[1813], Samml. eur. Schmett. 1: pl.143 figs. 721-723. Syntypes: Europa. Range (in code): **AL AT Ba BE BG B-H Brd Bv Bw BY CH CZ DE ES Mu FR GR HU HV IR Ab Oru IT KG Kp LT MK Mn NL PL PT Py RO RU Sb Sb SK Sm So Sr SS TM TR Arr UA Uk VI YU Mt Aq Ur** Bionomy: Larva on *Potentilla tabernaemontani*, *P. cinerea*, *P. arenaria*, *P. heterophylla* (Tolman,1997).
- 9296. *Pyrgus carthami analogus* Alberti,1938** (Hesperiidae) Synonym(s): *analogus* Alberti,1938 Range (in code): **B-H HV**
- 9297. *Pyrgus carthami carthami* (Hübner,[1813])** (Hesperiidae) Synonym(s): *carthami* Hübner,[1813] Original Reference: *Papilio carthami* Hübner,[1813], Samml. eur. Schmett. 1:

- pl.143 figs. 721-723. Syntypes: Europa. Range (in code): **AL AT Ba BE BG B-H Bv Bw BY CH CZ DE FR GR HU HV IT KG LT MK NL PL PT RO RU SK Sm So Sr SS TR Arr UA Uk VI YU Mt**
- 9298. *Pyrgus carthami lucasi* Reverdin,1929** (Hesperiidae) Synonym(s): *lucasi* Reverdin,1929
Range (in code): **FR**
- 9299. *Pyrgus carthami microcarthami* (Verity,1928)** (Hesperiidae) Synonym(s): *microcarthami* Verity,1928; *pyrenaica* B.C.S.Warren,1926 *nec* Tutt,1906. Original Reference: *Hesperia carthami microcarthami* Verity,1928, Bull. Soc. ent. Fr. 1928: 140 (nomen novum pro *pyrenaica* Warren,1926 *nec* Tutt,1906). Range (in code): **FR Py**
- 9300. *Pyrgus carthami moeschleri* (Herrich-Schäffer,[1854])** (Hesperiidae) Synonym(s): *moeschleri* Herrich-Schäffer,[1854] Original Reference: *Hesperia moeschleri* Herrich-Schäffer,[1854], Syst. Bearb. Schmett. Eur. 6: 175. Syntypes: Russia: Sarepta. Range (in code): **IR Ab KG Kp RU TM VI Uk Aq Ur**
- 9301. *Pyrgus carthami nemausensis* Picard,1948** (Hesperiidae) Synonym(s): *nemausensis* Picard,1948 Range (in code): **FR**
- 9302. *Pyrgus carthami nevadensis* Oberthür,1910** (Hesperiidae) Synonym(s): *nevadensis* Oberthür,1910 Range (in code): **BL ES Mu FR IT NL Si**
- 9303. *Pyrgus carthami pyrenaicus* (B.C.S.Warren,1926)** (Hesperiidae) Synonym(s): *pyrenaicus* B.C.S.Warren,1926 Original Reference: *Hesperia carthami* race *pyrenaica* B.C.S.Warren,1926, Trans. ent. Soc. Lond. 74 (1): 69, pl. xxiii figs.9-10. Syntypes: France: Pyrenée, Gavarnie. Range (in code): **ES FR Py**
- 9304. *Pyrgus carthami septentrionalis* Alberti,1938** (Hesperiidae) Synonym(s): *septentrionalis* Alberti,1938 Range (in code): **DE EE LT LV PL**
- 9305. *Pyrgus carthami valesiacus* Mabille,1876** (Hesperiidae) Synonym(s): *valesiacus* Mabille,1876 Original Reference: *Scelothrix carthami* var. *valesiaca* Mabille,1876, Bull. Soc. ent. Fr. (5) 6: 214. Type(s): Helvetia. Range (in code): **AT CH IT Val**
- 9306. *Pyrgus cashmirensis* Moore,1874** (Hesperiidae) Synonym(s): *cashmirensis* Moore,1874 Original Reference: *Pyrgus cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 274, Pl. 42 fig.7. Type ♂: Kashmir (BMNH). Range (in code): **AF Anj Asr Bbu Bd Bg Bqu Sfk Bt BT Ch Chr Ci Cls Gg His Hk Hp Hu IN Kma Kul Ld Lho Ngr PK Pm Shv Si TJ Wk Ys**
- 9307. *Pyrgus cashmirensis cashmirensis* Moore,1874** (Hesperiidae) Synonym(s): *cashmirensis* Moore,1874 Original Reference: *Pyrgus cashmirensis* Moore,1874, Proc. zool. Soc. Lond. 1874: 274, Pl. 42 fig.7. Type ♂: Kashmir (BMNH). Range (in code): **BT Bt Ch Hp IN Kma Kul Ld Lho Si**
- 9308. *Pyrgus cashmirensis pseudoalpinus* Alberti,1952** (Hesperiidae) Synonym(s): *pseudoalpinus* Alberti,1952 Original Reference: *Pyrgus cashmirensis* ssp. *pseudoalpina* Alberti,1952, Z. Lepid. 2: 85. Holotype ♂: [Pakistan]: Gilgit (in coll. Alberti). Range (in code): **AF Anj Asr Bbu Bd Bg Bt Ci Cls Gg Hk Hu Ngr PK Wk Ys**
- 9309. *Pyrgus cashmirensis pumilus* De Jong,1979** (Hesperiidae) Synonym(s): *pumilus* De Jong,1979 Original Reference: *Pyrgus cashmirensis* ssp. *pumilus* De Jong,1979, Zool. Meded. 54: 71-72, pl.2 figs. 15-16. Holotype ♂: Afghanistan: Badakhshan: Nasher to Kotal-e-Kamkhas, 3000-3500m, leg. Brade & Naumann (CN). Range (in code): **AF Bd Chr His Pm Shv TJ**
- 9310. *Pyrgus centaureae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839] Original Reference: *Hesperia centaureae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Lappland. Range (in code): **BY FI NO RU SE UA At Kts CA Lbr US Col Id Ilm Knt Mch Mns Mon Mrl NCa NMx Nje Ny Oh Pns Ut Vi WVi Ws Wy** Bionomy: Larva on *Rubus chamaemorus* (Tolman,1997).
- 9311. *Pyrgus centaureae centaureae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *centaureae* Rambur,[1839] Original Reference: *Hesperia centaureae* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.8. Syntypes: Lappland. Range (in code): **BY FI NO RU SE UA At Kts**
- 9312. *Pyrgus centaureae freija* (B.C.S.Warren,[1924])** (Hesperiidae) Synonym(s): *freija* B.C.S.Warren,[1924] Range (in code): **CA Lbr**
- 9313. *Pyrgus centaureae kurenzovi* Korshunov,1995** (Hesperiidae) Synonym(s): *sibirica* Kurenzov,1970 *nec* Rev.,1911; *kurenzovi* Korshunov,1995. Original Reference: *Pyrgus centaureae* ssp. *kurenzovi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 32 (nomen novum pro *sibirica* Kurenzov,1970 *nec* Reverdin,1911). Range (in code): **RU Sb**
- 9314. *Pyrgus centaureae loki* Evans,1953** (Hesperiidae) Synonym(s): *loki* Evans,1953
Range (in code): **US Col**

- 9315. *Pyrgus centaureae wyandot* (Edwards,1863) (Hesperiidae)** **Synonym(s):** *wyandot* Edwards,1863 **Range (in code):** **US Ny**
- 9316. *Pyrgus cinarae* (Rambur,[1839]) (Hesperiidae)** **Synonym(s):** *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 **Original Reference:** *Hesperia cinarae* Rambur,[1839], Faune ent. Andalousie 2 (4): Pl.8, figs.4,5,j. **Type(s):** [Russia]: Sarepta (BMNH). **Range (in code):** **AL BG Cm ES GR MK RU TR Cc UA VI Ur IR** **Bionomy:** Larva on *Potentilla recta* (Tolman,1997).
- 9317. *Pyrgus cinarae cinarae* (Rambur,[1839]) (Hesperiidae)** **Synonym(s):** *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 **Original Reference:** *Hesperia cinarae* Rambur,[1839], Faune ent. Andalousie 2 (4): Pl.8, figs.4,5,j. **Type(s):** [Russia]: Sarepta (BMNH). **Range (in code):** **AL BG Cm ES GR MK RU TR Cc UA VI Ur IR**
- 9318. *Pyrgus communis* (Grote,1872) (Hesperiidae)** **Synonym(s):** *communis* Grote,1872; *albivittata* Grote,1873; *insolatrix* Plötz,1884; *varus* Plötz,1884 **Range (in code):** **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nje Ny Oh Ok Org Pns RDk SCa SDk Tnn Tx Ut Vi WVi Wc Ws Wy**
- 9319. *Pyrgus darwazicus* Groum-Grshimailo,1890 (Hesperiidae)** **Synonym(s):** *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933. **Original Reference:** *Pyrgus alpina* var. *darwazica* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 502, Pl.21 fig.5. **Type** ♂: [Tadikistan]: Tuptschek (Darwaz mts) (BMNH). **Range (in code):** **Adr AF Anj Bd Bqu Chr Drw His Hk Pm Pnj Shv TJ**
- 9320. *Pyrgus darwazicus celsimontius* Kaufmann,1952 (Hesperiidae)** **Synonym(s):** *celsimontius* Kaufmann,1952; *lilliput* Wyatt & Omoto,1966. **Original Reference:** *Pyrgus darwazica celsimontia* Kauffmann,1952, Z. Lepid. 2: 85-86, figs. 3-4. **Holotype** ♀: Afghanistan: Badakhshan: Sebak-Tal (ZSM). **Range (in code):** **AF Anj Bd Bqu Hk**
- 9321. *Pyrgus darwazicus darwazicus* Groum-Grshimailo,1890 (Hesperiidae)** **Synonym(s):** *darwazicus* Groum-Grshimailo,1890; *submurina* Reverdin,1933. **Original Reference:** *Pyrgus alpina* var. *darwazica* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 502, Pl.21 fig.5. **Type** ♂: [Tadikistan]: Tuptschek (Darwaz mts) (BMNH). **Range (in code):** **Drw His Pm TJ**
- 9322. *Pyrgus darwazicus distinctus* De Jong,1979 (Hesperiidae)** **Synonym(s):** *distinctus* De Jong,1979 **Original Reference:** *Pyrgus darwazicus* ssp. *distinctus* De Jong,1979, Zool. Meded. 54: 64-67, figs. **Holotype** ♂: Tadjikistan: Khorog, 2700m. (RMNH). **Range (in code):** **Adr AF Bd Chr Pm Pnj Shv TJ**
- 9323. *Pyrgus dejeani* (Oberthür,1912) (Hesperiidae)** **Synonym(s):** *dejeani* Oberthür,1912 **Original Reference:** *Syrictus dejeani* Oberthür,1912, Etüd. lépid. comp. 6: 66-67. **Syntypes:** Chine: Ta-Tsien-Lou. **Range (in code):** **Amd CN Gy Nsh SI Sz Ti Ts T-T TM Kp**
- 9324. *Pyrgus dejeani dejeani* (Oberthür,1912) (Hesperiidae)** **Synonym(s):** *dejeani* Oberthür,1912 **Original Reference:** *Syrictus dejeani* Oberthür,1912, Etüd. lépid. comp. 6: 66-67. **Syntypes:** Chine: Ta-Tsien-Lou. **Range (in code):** **Amd CN Gy Nsh SI Sz Ti Ts T-T TM Kp**
- 9325. *Pyrgus foulquieri* (Oberthür,1910) (Hesperiidae)** **Synonym(s):** *foulquieri* Oberthür,1910; *bellieri* Oberthür,1910; *nigropicta* Verity,1926; *adkini* Picard,1948; *gaillardi* Picard,1948; *corsicae* Renner,1991; *trentinensis* Renner,1991. **Range (in code):** **Co ES FR IT F20 F06 F13 F38 F83 F12 F48 Cl Abz** **Bionomy:** Larva on *Potentilla* (Tolman,1997).
- 9326. *Pyrgus foulquieri foulquieri* (Oberthür,1910) (Hesperiidae)** **Synonym(s):** *foulquieri* Oberthür,1910; *bellieri* Oberthür,1910; *nigropicta* Verity,1926; *adkini* Picard,1948; *gaillardi* Picard,1948; *corsicae* Renner,1991; *trentinensis* Renner,1991. **Range (in code):** **Co ES FR IT F20 F06 F13 F38 F83 F12 F48 Cl Abz**
- 9327. *Pyrgus jupei* (Alberti,1967) (Hesperiidae)** **Synonym(s):** *jupei* Alberti,1967; *centralasiae* Renner,1991. **Original Reference:** *Hesperia jupei* Alberti,1967, Dt. ent. Z. (n.f.) 14(5): 464-465, 3 pls., figs. **Holotype** ♂: [Russia]: Kaukasus: Kazbek. **Range (in code):** **AZ GG Cc IR Kb Kc Nv RU TR**
- 9328. *Pyrgus jupei jupei* (Alberti,1967) (Hesperiidae)** **Synonym(s):** *jupei* Alberti,1967; *centralasiae* Renner,1991. **Original Reference:** *Hesperia jupei* Alberti,1967, Dt. ent. Z. (n.f.) 14(5): 464-465, 3 pls., figs. **Holotype** ♂: [Russia]: Kaukasus: Kazbek. **Range (in code):** **AZ GG Cc IR Kb Kc Nv RU TR**
- 9329. *Pyrgus maculatus* (Bremer & Grey,1852) (Hesperiidae)** **Synonym(s):** *maculatus* Bremer & Grey,1852; *zona* Mabille,1875; *albistriga* Mabille,1876. **Original Reference:** *Syrichthus maculatus* Bremer & Grey,1852, [in] Motschulsky, Etüd. Ent. 1: 61. **Syntypes:** [China: Beijing]: "environs de Pekin". **Range (in code):** **Am CN Fkn Hpe Hun JP Hkk Hdo Shk Kgs KP KR Kwa KwT Mc MN Pkn RU Sb She Shs Stg Sz Ti Ts Vv Yu**
- 9330. *Pyrgus maculatus bocki* (Oberthür,1912) (Hesperiidae)** **Synonym(s):** *bocki* Oberthür,1912 **Original Reference:** *Syrichthus maculatus bocki* Oberthür,1912, Etüd. lépid. comp.

- 6: 71, figs.1235-1236. Syntypes: Chine: Kiang Si. Range (in code): **CN Fkn Hpe Hun Kgs Kwa KwT Sz**
- 9331. *Pyrgus maculatus maculatus* (Bremer & Grey,1852)** (Hesperiidae) Synonym(s): *maculatus* Bremer & Grey,1852; *zona* Mabille,1875; *albistriga* Mabille,1876. Original Reference: *Syrichthus maculatus* Bremer & Grey,1852, [in] Motschulsky, Etüd. Ent. 1: 61. Syntypes: [China: Beijing]: "environs de Pekin". Range (in code): **Am CN JP Hkk Hdo Shk KP KR Mc MN Pkn RU Sb She Shs Stg Ts Vv**
- 9332. *Pyrgus maculatus thibetanus* (Oberthür,1891)** (Hesperiidae) Synonym(s): *thibetanus* Oberthür,1891 Original Reference: *Syrichthus maculatus* var. *thibetanus* Oberthür,1891, Etüd. Ent. 15: 20, pl.iii fig.27. Type(s): Chine: Ta-Tsien-Lou. Range (in code): **CN Sz Ti Yu T-T**
- 9333. *Pyrgus malvae* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938. Original Reference: *Papilio malvae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): [Europa]. Range (in code): **AL AT At Bn Ba BE BG Bw BY CH CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr JP Hkk LT LU LV NL NO PL PT RO RU Am Us Sr Ur SE SK Sm So Sr TR T-S UA Vi VI MK YU Cw Dv Smt H-W Sur Ssx Ken Ko Mt Uk TrA DsA Tar Sau Mn Sp Aem Ax Kuz Aq CN Ui Ku Fe UZ Man** Bionomy: Larva on *Potentilla sterilis*, *P. recta*, *P. tabernaemontani*, *P. pedata*, *P. palustris*, *P. erecta*, *P. anglica*, *P. argentea*, *Fragaria vesca*, *Agrimonia eupatoria*, *Rubus fruticosus* (Tolman, 1997).
- 9334. *Pyrgus malvae kauffmanni* Alberti,1955** (Hesperiidae) Synonym(s): *kauffmanni* Alberti,1955 Range (in code): **RU Am Us**
- 9335. *Pyrgus malvae malvae* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *malvae* Linnaeus,1758; *minor* Esper,1777; *sao* Bergsträßer,1779; *taras* Bergsträßer,1780; *altheae* Esper,1783; *malvarum* Ochsenheimer,1808; *cardui* Latreille,1823; *elegantior* Verity,1934; *#extrema* Pfeiffer,1938. Original Reference: *Papilio malvae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 485. Type(s): [Europa]. Range (in code): **AL AT Ba At Bn BE BG Bv Bw BY CH CZ DE DK EE ES Mu FI FR GB GR HU IT KG Kr LT LU LV NL NO PL PT RO Rp RU SE SK Sm So Sr TR UA Vi YU Cw Dv Smt H-W Sur Ssx Ken Ko Mt Uk TrA DsA Tar Sau Mn Sp Aem Ax Kuz Aq T-S CN Ui Ku Fe UZ Man**
- 9336. *Pyrgus malvoides* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *malvoides* Elwes & Edwards,1897; *alpina* Tutt,1906; *pseudomalvae* Verity,1913; *modestior* Verity,1929. Range (in code): **AT CH ES FR IT PT Si SS** Bionomy: Larva on *Potentilla pensylvanica* (Tolman,1997).
- 9337. *Pyrgus malvoides malvoides* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *malvoides* Elwes & Edwards,1897; *alpina* Tutt,1906; *pseudomalvae* Verity,1913; *modestior* Verity,1929. Range (in code): **AT CH ES FR IT PT Si SS**
- 9338. *Pyrgus melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. Original Reference: *Hesperia melotis* Duponchel,[1834], [in] Godart,J.B., Hist. nat. Lépid. Pap. Fr. 1: 251, Pl. 42 figs.1,2. Type(s): Libanon (cf. Hesselbarth,1995: 224). Range (in code): **GR IL Pa JO LB SY TR Cc IR Ab Elb Th Kdj**
- 9339. *Pyrgus melotis graecus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *graecus* Oberthür,1910 Original Reference: *Syrichthus malvae* race *graeca* Oberthür,1910, Etüd. lépid. comp. 4: 394, 396 Pl.54. Holotype ♂: |zmir "Graec" in error (cf. Hesselbarth,1955: 226). Range (in code): **TR**
- 9340. *Pyrgus melotis melotis* (Duponchel,[1834])** (Hesperiidae) Synonym(s): *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. Original Reference: *Hesperia melotis* Duponchel,[1834], [in] Godart,J.B., Hist. nat. Lépid. Pap. Fr. 1: 251, Pl. 42 figs.1,2. Type(s): Libanon (cf. Hesselbarth,1995: 224). Range (in code): **He IL Pa JO LB SY TR**
- 9341. *Pyrgus melotis ponticus* (Reverdin,1914)** (Hesperiidae) Synonym(s): *ponticus* Reverdin,1914; *caucasica* Rjabov,1926. Original Reference: *Hesperia pontica* Reverdin,1914, Bull. Soc. lépid. Gen×ve 3(1): 66, Pl. 3 figs. 6,12; Pl.4 figs. 2,3. Syntypes: Turquie: Amasia (in MHNG). Range (in code): **GG Cc TR IR Elb Th Kdj**
- 9342. *Pyrgus numidus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *numidus* Oberthür,1910; *scabellata* Oberthür,1915. Original Reference: *Syrichthus alveus numida* Oberthür,1910, Etüd. lépid. comp. 4: 404, pl.50 figs.484-486. Syntypes: Algerie, Lambessa. Range (in code): **MA Ouk DZ Lbs ES**
- 9343. *Pyrgus numidus numidus* (Oberthür,1910)** (Hesperiidae) Synonym(s): *numidus* Oberthür,1910; *scabellata* Oberthür,1915. Original Reference: *Syrichthus alveus numida* Oberthür,1910, Etüd. lépid. comp. 4: 404, pl.50 figs.484-486. Syntypes: Algerie, Lambessa. Range (in code): **MA Ouk DZ Lbs ES**

- 9344. *Pyrgus oberthuri* Leech, 1891** (Hesperiidae) Synonym(s): *oberthuri* Leech, 1891 Original Reference: *Pyrgus oberthuri* Leech, 1891, Entomologist 24 (suppl.): 59. Type(s): China: Wa Ssu Kow. Range (in code): **CN Yu Sz T-T Btn KG Nrk**
- 9345. *Pyrgus oberthuri delavayi* (Oberthür, 1891)** (Hesperiidae) Synonym(s): *delavayi* Oberthür, 1891 Original Reference: *Syrichthus delavayi* Oberthür, 1891, Etüd. ent. 15: 20-21, pl. iii fig. 31. Syntypes: Chine: Yunnan. Range (in code): **CN Yu Sz**
- 9346. *Pyrgus oberthuri oberthuri* Leech, 1891** (Hesperiidae) Synonym(s): *oberthuri* Leech, 1891 Original Reference: *Pyrgus oberthuri* Leech, 1891, Entomologist 24 (suppl.): 59. Type(s): China: Wa Ssu Kow. Range (in code): **CN T-T Sz T-T Btn KG Nrk**
- 9347. *Pyrgus oileus* (Linnaeus, 1767)** (Hesperiidae) Synonym(s): *oileus* Linnaeus, 1767; *syrichthus* Fabricius, 1775; *montivagus* Reakirt, 1867; *adjutrix* Plötz, 1884; *fumosa* Reverdin, 1919 Range (in code): **US MX Aks Arz Fl Ge Lou Mss NCa NMx SCa Tx**
- 9348. *Pyrgus onopordi* (Rambur, [1839])** (Hesperiidae) Synonym(s): *onopordi* Rambur, [1839]; *conyzae* Guenée, 1877; *fulvotincta* Verity, 1919; *venusta* Verity, 1925; *#nigrosatura* Verity, 1925 Original Reference: *Hesperia onopordi* Rambur, [1839], Faune ent. Andalousie 2 (4): pl. 8. Syntypes: Spain: Andalousie: Granada, etc. Range (in code): **MA Ouk Azr Fez DZ Sbd Abe Lbs CH DE ES Mu FR HV IT NL PT SS** Bionomy: Larva on *Malva neglecta*, *Malope malachoides* (Tolman, 1997).
- 9349. *Pyrgus onopordi onopordi* (Rambur, [1839])** (Hesperiidae) Synonym(s): *onopordi* Rambur, [1839]; *conyzae* Guenée, 1877; *fulvotincta* Verity, 1919; *venusta* Verity, 1925; *#nigrosatura* Verity, 1925 Original Reference: *Hesperia onopordi* Rambur, [1839], Faune ent. Andalousie 2 (4): pl. 8. Syntypes: Spain: Andalousie: Granada, etc. Range (in code): **MA Ouk Azr Fez DZ Abe Lbs Sbd CH DE ES Mu FR HV IT NL PT SS**
- 9350. *Pyrgus orcus* (Stoll, [1780])** (Hesperiidae) Synonym(s): *orcus* Stoll, [1780]; *tartarus* Hübner, [1813]; *cenchreus* Hewitson, 1878; *syrichthides* Reverdin, 1919 Range (in code): **MX**
- 9351. *Pyrgus philetas* Edwards, 1881** (Hesperiidae) Synonym(s): *philetas* Edwards, 1881 Range (in code): **US MX Aks Arz NMx Tx**
- 9352. *Pyrgus ruralis* (Boisduval, 1852)** (Hesperiidae) Synonym(s): *ruralis* Boisduval, 1852; *caespitatis* Boisduval, 1852; *ricara* Edwards, 1865; *petreius* Edwards, 1870 Range (in code): **US Cf Col Id Mon Ne Org Ut Ws Wy**
- 9353. *Pyrgus schansiensis* (Reverdin, 1915)** (Hesperiidae) Synonym(s): *schansiensis* Reverdin, 1915 Original Reference: *Hesperia schansiensis* Reverdin, 1915, Bull. Soc. lépid. Gen×ve 3: 109-112, pl. 5 fig. 3, pl. 6 fig. 5. Syntypes: China: Ta-tsing-schan (Schansi). Range (in code): **RU Vv CN Mc Shs**
- 9354. *Pyrgus schansiensis schansiensis* (Reverdin, 1915)** (Hesperiidae) Synonym(s): *schansiensis* Reverdin, 1915 Original Reference: *Hesperia schansiensis* Reverdin, 1915, Bull. Soc. lépid. Gen×ve 3: 109-112, pl. 5 fig. 3, pl. 6 fig. 5. Syntypes: China: Ta-tsing-schan (Schansi). Range (in code): **RU Vv CN Mc Shs**
- 9355. *Pyrgus scriptura* (Boisduval, 1852)** (Hesperiidae) Synonym(s): *scriptura* Boisduval, 1852 Range (in code): **US MX Arz Cf Col Mon Ndk NMx Ne Neb Sdk Tx Ut Wy**
- 9356. *Pyrgus scriptura apertorum* Austin, 1998** (Hesperiidae) Synonym(s): *apertorum* Austin, 1998 Range (in code): **MX**
- 9357. *Pyrgus serratulae* (Rambur, [1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur, [1839]; *caecus* Freyer, 1846; *occidentalis* Lucas, 1910 nec Skinn., 1906; *planorum* Verity, 1925; *magnagallica* Verity, 1931; *plurisignata* Silbernagel, 1946; *arvernensis* Picard, 1948. Original Reference: *Hesperia serratulae* Rambur, [1839], Faune ent. Andalousie 2 (4): 318, Pl. 8, figs. 9, m. Type(s): Andalousie (BMNH). Range (in code): **AL AT Bn At Ba BG B-H BL BY CH CZ DE DK EE ES Mu FR GR HU HV Ir IT KG Kp LB LT LU LV MK PL PT Py RO RU SK So Sr SS TM TR UA Uk Vt YU Mt Ko Cc GG AM IR Ab Kh IQ Sau Tar Mn CN Ui** Bionomy: Larva on *Potentilla tabernaemontani*, *P. reptans*, *P. recta*, *P. pedata*, *P. nevadensis* (Tolman, 1997).
- 9358. *Pyrgus serratulae alveoides* (Staudinger, 1901)** (Hesperiidae) Synonym(s): *alveoides* Staudinger, 1901 Original Reference: *Hesperia serratulae* var. *alveoides* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 96, nr. 701c. Syntypes: [Libanon]: Syria. Range (in code): **IQ IL He LB**
- 9359. *Pyrgus serratulae balcanicus* (B.C.S. Warren, 1926)** (Hesperiidae) Synonym(s): *balcanicus* B.C.S. Warren, 1926 Original Reference: *Hesperia serratulae* ssp. *balcanica* B.C.S. Warren, 1926, Trans. ent. Soc. London 1926: 97. Syntypes: Yugoslavia: Montenegro: Cetinje (BMNH). Range (in code): **BG GR MK Mt Ko TR YU**

- 9360. *Pyrgus serratulae major* (Staudinger,1878)** (Hesperiidae) Synonym(s): *major* Staudinger,1878 Original Reference: *Syrichthus serratulae* var. *major* Staudinger,1878, *Horae Soc. ent. ross.* 14: 292. Syntypes: [Türkei]: Amasia (ZMHB). Range (in code): **GR TR Cc GG AM IR**
- 9361. *Pyrgus serratulae serratulae* (Rambur,[1839])** (Hesperiidae) Synonym(s): *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 nec Skinner,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. Original Reference: *Hesperia serratulae* Rambur,[1839], *Faune ent. Andalousie* 2 (4): 318, Pl.8, figs.9,m. Type(s): Andalousie (BMNH). Range (in code): **AT B-H Bw CH CZ DE ES Mu FR HU HV IT MK Py SK SS YU**
- 9362. *Pyrgus serratulae sukhshini* Korshunov & Ivonine,1996** (Hesperiidae) Synonym(s): *sukhshini* Korshunov & Ivonine,1996 Original Reference: *Pyrgus serratulae* ssp. *sukhshini* Korshunov & Ivonine,1996, [in] Korshunov, *Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia"*: 11. Holotype: Altay: env. Tchibit, Tchouya valley. Range (in code): **Bn At RU**
- 9363. *Pyrgus serratulae uralensis* (B.C.S.Warren,1926)** (Hesperiidae) Synonym(s): *uralensis* B.C.S.Warren,1926 Original Reference: *Hesperia serratulae* ssp. *uralensis* B.C.S.Warren,1926, *Trans. ent. Soc. Lond.* 74 (1): 98, pl. xxix figs.1-6. Syntypes 2♂ 1♀: [Kazakhstan]: Uralsk. Range (in code): **Ir KG RU Uk Sau Tar Mn**
- 9364. *Pyrgus sibiricus* (Reverdin,1911)** (Hesperiidae) Synonym(s): *sibiricus* Reverdin,1911 Original Reference: *Hesperia sibirica* Reverdin,1911, *Bull. Soc. lepid. Gén×ve* 2: 78, pl.11 figs.13-14; pl.13 fig.6. Type(s): Russie: Altaï. Range (in code): **RU At Kts MN Sj**
- 9365. *Pyrgus sibiricus chapmani* B.C.S.Warren,1926** (Hesperiidae) Synonym(s): *chapmani* B.C.S.Warren,1926 Range (in code): **RU Sj**
- 9366. *Pyrgus sibiricus sibiricus* (Reverdin,1911)** (Hesperiidae) Synonym(s): *sibiricus* Reverdin,1911 Original Reference: *Hesperia sibirica* Reverdin,1911, *Bull. Soc. lepid. Gén×ve* 2: 78, pl.11 figs.13-14; pl.13 fig.6. Type(s): Russie: Altaï. Range (in code): **RU At Kts MN**
- 9367. *Pyrgus sidae* (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae* Esper,[1784] Original Reference: *Papilio sidae* Esper,[1784], *Die Schmett.* 1(2): 178, pl.90 fig.3. Syntypes: Russia: Wolga. Range (in code): **AL Ba BG B-H BY ES FR GR HV IT Kp MK RO RU So Sr SS TM TR Arr Cc IR Ab Kh GG UA VI YU Mt Ko KG Uk KK Na Ket Ax Ug Tls T-S** Bionomy: Larva on *Potentilla recta* (Tolman, 1997).
- 9368. *Pyrgus sidae evansi* Alberti,1957** (Hesperiidae) Synonym(s): *evansi* Alberti,1957 Original Reference: *Pyrgus sidae* ssp. *evansi* Alberti,1957, *Mitt. dt. ent. Ges.* 16(2): 27. Holotype ♂: [Turkmenistan]: Arwas, Kopet Dagħ (in ZMHB) Range (in code): **Kp TM**
- 9369. *Pyrgus sidae occiduus* (Verity,1925)** (Hesperiidae) Synonym(s): *occiduus* Verity,1925; *occidentalis* Verity,1919 nec Skinn.,1906. Original Reference: *Hesperia sidae occidua* Verity,1925, *Entomologist's Rec. J. Var.* 37: 76 (nomen novum *Hesperia sidae occidentalis* Verity,1919 nec *Hesperia serratulae* Lucas,1910). Range (in code): **FR**
- 9370. *Pyrgus sidae sidae* (Esper,[1784])** (Hesperiidae) Synonym(s): *sidae* Esper,[1784] Original Reference: *Papilio sidae* Esper,[1784], *Die Schmett.* 1(2): 178, pl.90 fig.3. Syntypes: Russia: Wolga. Range (in code): **AL Ba BG B-H BY ES FR GR HV IT MK RO RU So Sr SS TR GG Arr Cc IR Ab UA VI YU Mt Ko KG Uk KK Na Ket Ax Ug Tls T-S**
- 9371. *Pyrgus warrenensis* (Verity,1928)** (Hesperiidae) Synonym(s): *warrenensis* Verity,1928; *occidentalis* Renner,1991 nec Skinn.,1906; *dejongenensis* Taymans,1993. Original Reference: *Hesperia alveus* race *warrenensis* Verity,1928, *Bull. Soc. ent. Fr.* 1928: 140 [indication for specimens figured by Warren,1926, *Trans. ent. Soc. Lond.* 74: 120, pl.43]. Holotype ♂: Switzerland: Grisons. Range (in code): **AT CH DE FR IT**
- 9372. *Pyrgus warrenensis warrenensis* (Verity,1928)** (Hesperiidae) Synonym(s): *warrenensis* Verity,1928; *occidentalis* Renner,1991 nec Skinner,1906; *dejongenensis* Taymans,1993. Original Reference: *Hesperia alveus* race *warrenensis* Verity,1928, *Bull. Soc. ent. Fr.* 1928: 140 [indication for specimens figured by Warren,1926, *Trans. ent. Soc. Lond.* 74: 120, pl.43]. Holotype ♂: Switzerland: Grisons. Range (in code): **AT CH DE FR IT**
- 9373. *Pyrgus xanthus* Edwards,1878** (Hesperiidae) Synonym(s): *xanthus* Edwards,1878; *medunnoughi* Oberthür,1913 Range (in code): **US Arz Col NMx Ut**
- 9374. *Pyroneura agnesia* (Eliot,1967)** (Hesperiidae) Synonym(s): *agnesia* Eliot,1967 Range (in code): **MY PH Pal**
- 9375. *Pyroneura agnesia agnesia* (Eliot,1967)** (Hesperiidae) Synonym(s): *agnesia* Eliot,1967 Range (in code): **MY**

- 9376. *Pyroneura agnesia limbanga* (Eliot,1967)** (Hesperiidae) Synonym(s): *limbanga* Eliot,1967 _ Range (in code): PH Pal
- 9377. *Pyroneura callineura* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,[1867] _ Range (in code): TH Srt ID Ja MY Bor Sbh KBa IN Ass PH Pal VN
- 9378. *Pyroneura callineura callineura* (C.Felder & R.Felder,[1867])** (Hesperiidae) Synonym(s): *callineura* C.Felder & R.Felder,[1867] _ Range (in code): ID Ja
- 9379. *Pyroneura callineura donatana* (Eliot,1967)** (Hesperiidae) Synonym(s): *donatana* Eliot,1967 _ Range (in code): TH Srt
- 9380. *Pyroneura callineura natalia* Devyatkin,2003** (Hesperiidae) Synonym(s): *natalia* Devyatkin,2003 _ Range (in code): VN
- 9381. *Pyroneura callineura rubida* Evans,1941** (Hesperiidae) Synonym(s): *rubida* Evans,1941 _ Range (in code): MY Bor Sbh KBa
- 9382. *Pyroneura derna* (Evans,1941)** (Hesperiidae) Synonym(s): *derna* Evans,1941 _ Range (in code): MM Tvy ID Sbt Sum MY Bor PH Pal TH Cbi Nna Cph Rng
- 9383. *Pyroneura derna derna* (Evans,1941)** (Hesperiidae) Synonym(s): *derna* Evans,1941 _ Range (in code): MM Tvy ID Sbt Sum MY Bor PH Pal TH Cbi Nna Cph Rng
- 9384. *Pyroneura flavia* (Staudinger,1889)** (Hesperiidae) Synonym(s): *flavia* Staudinger,1889 _ Range (in code): ID Ja Sum MY Bor PH Pal TH Rng
- 9385. *Pyroneura flavia flavia* (Staudinger,1889)** (Hesperiidae) Synonym(s): *flavia* Staudinger,1889 _ Range (in code): PH Pal
- 9386. *Pyroneura flavia fruhstorferi* (Mabille,1893)** (Hesperiidae) Synonym(s): *fruhstorferi* Mabille,1893 _ Range (in code): ID Ja Sum MY Bor TH Rng
- 9387. *Pyroneura helena* (Butler,1870)** (Hesperiidae) Synonym(s): *helena* Butler,1870 _ Range (in code): MM Mrg TH ID Nat ID Sum MY Lkw Bor Bgk
- 9388. *Pyroneura helena helena* (Butler,1870)** (Hesperiidae) Synonym(s): *helena* Butler,1870 _ Range (in code): ID Sum MY Bor Bgk
- 9389. *Pyroneura helena natuna* (Fruhstorfer,1909)** (Hesperiidae) Synonym(s): *natuna* Fruhstorfer,1909 _ Range (in code): ID Nat TH MM Mrg MY Lkw
- 9390. *Pyroneura klanga* Evans,1941** (Hesperiidae) Synonym(s): *klanga* Evans,1941 _ Range (in code): MY Prk
- 9391. *Pyroneura klanga klanga* Evans,1941** (Hesperiidae) Synonym(s): *MY Prk* _ Original Reference: klanga Evans,1941
- 9392. *Pyroneura latoia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *latoia* Hewitson,1868 _ Range (in code): SG MY ID Ja Bor Sum TH Tng Yal Cbi MM Mrg Krh
- 9393. *Pyroneura latoia bardia* (Evans,1941)** (Hesperiidae) Synonym(s): *bardia* Evans,1941 _ Range (in code): MM Krh
- 9394. *Pyroneura latoia latoia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *latoia* Hewitson,1868 _ Range (in code): SG MY ID Ja Bor Sum MM Mrg TH Tng Yal Cbi
- 9395. *Pyroneura liburnia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *liburnia* Hewitson,1868 _ Range (in code): PH Hom Ley Mno Neg Taw Luz Mar Pol Mdo Pan Rom Sib
- 9396. *Pyroneura liburnia divinae* Schröder & Treadaway,1987** (Hesperiidae) Synonym(s): *divinae* Schröder & Treadaway,1987 _ Range (in code): PH Pan Rom Sib
- 9397. *Pyroneura liburnia dora* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *dora* De Jong & Treadaway,1993 _ Range (in code): PH Mdo
- 9398. *Pyroneura liburnia liburnia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *liburnia* Hewitson,1868 _ Range (in code): PH Luz Mar Pol
- 9399. *Pyroneura liburnia minda* (Evans,1941)** (Hesperiidae) Synonym(s): *minda* Evans,1941 _ Range (in code): PH Hom Ley Mno
- 9400. *Pyroneura liburnia rosa* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *rosa* De Jong & Treadaway,1993 _ Range (in code): PH Neg
- 9401. *Pyroneura liburnia wita* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *wita* De Jong & Treadaway,1993 _ Range (in code): PH Taw
- 9402. *Pyroneura margherita* (Doherty,1889)** (Hesperiidae) Synonym(s): *margherita* Doherty,1889 _ Range (in code): IN Ass Mpr Nag MM Krh TH CN Hn
- 9403. *Pyroneura margherita manda* Evans,1941** (Hesperiidae) Synonym(s): *manda* Evans,1941 _ Range (in code): CN Hn

- 9404. *Pyroneura margherita margherita* (Doherty,1889)** (Hesperiidae) **Synonym(s):** *margherita* (Doherty,1889) _ Range (in code): IN Ass Mpr Nag
- 9405. *Pyroneura margherita miriam* (Evans,1941)** (Hesperiidae) **Synonym(s):** *miriam* Evans,1941 _ Range (in code): TH MM Krh
- 9406. *Pyroneura niasana* (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s):** *niasana* Fruhstorfer,1909 _ Range (in code): ID Nia PH Pal TH Srt Tng Nst MM Krh
- 9407. *Pyroneura niasana burmana* (Evans,1926)** (Hesperiidae) **Synonym(s):** *burmana* Evans,1926 _ Range (in code): PH Pal TH Srt Tng Nst MM Krh
- 9408. *Pyroneura niasana niasana* (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s):** *niasana* Fruhstorfer,1909 _ Range (in code): ID Nia Sum
- 9409. *Pyroneura perakana* (Evans,1926)** (Hesperiidae) **Synonym(s):** *perakana* Evans,1926 _ Range (in code): MY Prk TH
- 9410. *Pyroneura perakana perakana* (Evans,1926)** (Hesperiidae) **Synonym(s):** *perakana* Evans,1926 _ Range (in code): MY Prk TH
- 9411. *Pyroneura vermiculata* (Hewitson,1878)** (Hesperiidae) **Synonym(s):** *vermiculata* Hewitson,1878 _ Range (in code): ID Sum
- 9412. *Pyroneura vermiculata vermiculata* (Hewitson,1878)** (Hesperiidae) **Synonym(s):** *vermiculata* Hewitson,1878 _ Range (in code): ID Sum
- 9413. *Pyrrhiades lucagus* (Cramer,[1777])** (Hesperiidae) **Synonym(s):** *lucagus* Cramer,[1777]
- 9414. *Pyrrhochalcia iphis* (Drury,[1773])** (Hesperiidae) **Synonym(s):** *iphis* Drury,[1773]; *phidias* Cramer,1779 nec Linn.,1758
- 9415. *Pyrrhopyge aerata* Godman & Salvin,1879** (Hesperiidae) **Synonym(s):** *aerata* Godman & Salvin,1879 _ Range (in code): BO
- 9416. *Pyrrhopyge aesculapius* Staudinger,1875** (Hesperiidae) **Synonym(s):** *aesculapius* Staudinger,1875; *variegaticeps* Godman & Salvin,1879 _ Range (in code): CR
- 9417. *Pyrrhopyge agenoria* Hewitson,1876** (Hesperiidae) **Synonym(s):** *agenoria* Hewitson,1876 _ Range (in code): BR Para
- 9418. *Pyrrhopyge amyclas* (Cramer,[1782])** (Hesperiidae) **Synonym(s):** *amyclas* Cramer,[1782]; *laonome* Swainson,1821 _ Range (in code): GY SR
- 9419. *Pyrrhopyge anina* Mabilie & Boulet,1908** (Hesperiidae) **Synonym(s):** *anina* Mabilie & Boulet,1908
- 9420. *Pyrrhopyge araethyrea* Hewitson,1870** (Hesperiidae) **Synonym(s):** *araethyrea* Hewitson,1870 _ Range (in code): EC
- 9421. *Pyrrhopyge aziza* Hewitson,1866** (Hesperiidae) **Synonym(s):** *aziza* Hewitson,1866 _ Range (in code): GD
- 9422. *Pyrrhopyge bogotana* Reakirt,1868** (Hesperiidae) **Synonym(s):** *bogotana* Reakirt,1868 _ Range (in code): CO
- 9423. *Pyrrhopyge cardus* Mabilie,1891** (Hesperiidae) **Synonym(s):** *cardus* Mabilie,1891 _ Range (in code): BO
- 9424. *Pyrrhopyge charybdis* Doubleday,1852** (Hesperiidae) **Synonym(s):** *charybdis* Doubleday,1852 _ Range (in code): BR
- 9425. *Pyrrhopyge cleopas* Mabilie & Boulet,1908** (Hesperiidae) **Synonym(s):** *cleopas* Mabilie & Boulet,1908 _ Range (in code): BO PE
- 9426. *Pyrrhopyge cossea* Druce,1875** (Hesperiidae) **Synonym(s):** *cossea* Druce,1875 _ Range (in code): BR
- 9427. *Pyrrhopyge creon* Druce,1874** (Hesperiidae) **Synonym(s):** *creon* Druce,1874; *cyclops* Staudinger,1875 _ Range (in code): HD CO
- 9428. *Pyrrhopyge creona* Druce,1874** (Hesperiidae) **Synonym(s):** *creona* Druce,1874; *aurora* Mabilie,1891 _ Range (in code): BO
- 9429. *Pyrrhopyge croceimargo* Mabilie & Boulet,1908** (Hesperiidae) **Synonym(s):** *croceimargo* Mabilie & Boulet,1908 _ Range (in code): BO
- 9430. *Pyrrhopyge cruor* Druce,1908** (Hesperiidae) **Synonym(s):** *cruor* Druce,1908 _ Range (in code): PE
- 9431. *Pyrrhopyge decipiens* Mabilie,1904** (Hesperiidae) **Synonym(s):** *decipiens* Mabilie,1904 _ Range (in code): EC
- 9432. *Pyrrhopyge denticulata* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *denticulata* Herrich-Schäffer,1869 _ Range (in code): BR

- 9433. *Pyrrhopyge dulcinea* Plötz,1879** (Hesperiidae) **Synonym(s):** *dulcinea* Plötz,1879
Range (in code): **BR**
- 9434. *Pyrrhopyge fassli* Boulet,1910** (Hesperiidae) **Synonym(s):** *fassli* Boulet,1910 **Range (in code):** **PE CO**
- 9435. *Pyrrhopyge fimbriata* Plötz,1882** (Hesperiidae) **Synonym(s):** *fimbriata* Plötz,1882
Range (in code): **MX**
- 9436. *Pyrrhopyge fleximargo* Mabil & Boulet,1908** (Hesperiidae) **Synonym(s):** *fleximargo* Mabil & Boulet,1908 **Range (in code):** **BO**
- 9437. *Pyrrhopyge fluminis* Butler,1873** (Hesperiidae) **Synonym(s):** *fluminis* Butler,1873
Range (in code): **BR**
- 9438. *Pyrrhopyge garata* Hewitson,1866** (Hesperiidae) **Synonym(s):** *garata* Hewitson,1866
Range (in code): **SR**
- 9439. *Pyrrhopyge gazera* Hewitson,1866** (Hesperiidae) **Synonym(s):** *gazera* Hewitson,1866
Range (in code): **BR**
- 9440. *Pyrrhopyge gellias* Godman & Salvin,1893** (Hesperiidae) **Synonym(s):** *gellias* Godman & Salvin,1893 **Range (in code):** **CR**
- 9441. *Pyrrhopyge gortyna* Hewitson,1866** (Hesperiidae) **Synonym(s):** *gortyna* Hewitson,1866
Range (in code): **BO**
- 9442. *Pyrrhopyge hadassa* Hewitson,1866** (Hesperiidae) **Synonym(s):** *hadassa* Hewitson,1866
Range (in code): **EC BO**
- 9443. *Pyrrhopyge hades* Mabil,1904** (Hesperiidae) **Synonym(s):** *hades* Mabil,1904
Range (in code): **BO**
- 9444. *Pyrrhopyge haemon* Godman & Salvin,1893** (Hesperiidae) **Synonym(s):** *haemon* Godman & Salvin,1893 **Range (in code):** **CR**
- 9445. *Pyrrhopyge hygiaea* C.Felder & R.Felder,1867** (Hesperiidae) **Synonym(s):** *hygiaea* C.Felder & R.Felder,1867 **Range (in code):** **EC**
- 9446. *Pyrrhopyge hylaeus* Mabil,1891** (Hesperiidae) **Synonym(s):** *hylaeus* Mabil,1891
Range (in code): **BO**
- 9447. *Pyrrhopyge hyperici* Hübner,[1823]** (Hesperiidae) **Synonym(s):** *hyperici* Hübner,[1823]
Range (in code): **BR**
- 9448. *Pyrrhopyge infantilis* Druce,1908** (Hesperiidae) **Synonym(s):** *infantilis* Druce,1908
Range (in code): **PE**
- 9449. *Pyrrhopyge insana* Staudinger,1875** (Hesperiidae) **Synonym(s):** *insana* Staudinger,1875
Range (in code): **PA Cq**
- 9450. *Pyrrhopyge intersecta* Herrich-Schäffer,1869** (Hesperiidae) **Synonym(s):** *intersecta* Herrich-Schäffer,1869 **Range (in code):** **BR**
- 9451. *Pyrrhopyge josepha* Plötz,1879** (Hesperiidae) **Synonym(s):** *josepha* Plötz,1879 **Range (in code):** **BR**
- 9452. *Pyrrhopyge kelita* Hewitson,1866** (Hesperiidae) **Synonym(s):** *kelita* Hewitson,1866; *tristis* Mabil & Boulet,1908 **Range (in code):** **EC PE BO**
- 9453. *Pyrrhopyge lampros* Hopffer,1874** (Hesperiidae) **Synonym(s):** *lampros* Hopffer,1874
Range (in code): **BR**
- 9454. *Pyrrhopyge latifasciata* Butler,1873** (Hesperiidae) **Synonym(s):** *latifasciata* Butler,1873
Range (in code): **CO PE**
- 9455. *Pyrrhopyge maculosa* Hewitson,1866** (Hesperiidae) **Synonym(s):** *maculosa* Hewitson,1866; *agathon* C.Felder & R.Felder,1867 **Range (in code):** **BR**
- 9456. *Pyrrhopyge maenas* (Fabricius,1787)** (Hesperiidae) **Synonym(s):** *bixae* Cramer,1780 *nec* Linn.; *maenas* Fabricius,1787 **Range (in code):** **GY**
- 9457. *Pyrrhopyge martena* Hewitson,1866** (Hesperiidae) **Synonym(s):** *martena* Hewitson,1866
Range (in code): **EC**
- 9458. *Pyrrhopyge melanomerus* Mabil & Boulet,1908** (Hesperiidae) **Synonym(s):** *melanomerus* Mabil & Boulet,1908 **Range (in code):** **BO**
- 9459. *Pyrrhopyge mendax* Mabil & Boulet,1908** (Hesperiidae) **Synonym(s):** *mendax* Mabil & Boulet,1908 **Range (in code):** **PE**
- 9460. *Pyrrhopyge menecrates* Mabil,1878** (Hesperiidae) **Synonym(s):** *menecrates* Mabil,1878 **Range (in code):** **BR BO**

- 9461. *Pyrrhopyge papius* Hopffer,1874** (Hesperiidae) **Synonym(s):** *papius* Hopffer,1874
Range (in code): **BR**
- 9462. *Pyrrhopyge passova* Hewitson,1866** (Hesperiidae) **Synonym(s):** *passova* Hewitson,1866
Range (in code): **BO**
- 9463. *Pyrrhopyge pelota* Plötz,1879** (Hesperiidae) **Synonym(s):** *pelota* Plötz,1879 **Range (in code):** **PY BR**
- 9464. *Pyrrhopyge phaeax* Hopffer,1874** (Hesperiidae) **Synonym(s):** *phaeax* Hopffer,1874
Range (in code): **PE**
- 9465. *Pyrrhopyge phidias* (Linnaeus,1764)** (Hesperiidae) **Synonym(s):** *phidias* Linnaeus,1764
Range (in code): **GY**
- 9466. *Pyrrhopyge phylleia* Hewitson,1874** (Hesperiidae) **Synonym(s):** *phylleia* Hewitson,1874
Range (in code): **BO**
- 9467. *Pyrrhopyge polemon* Hopffer,1874** (Hesperiidae) **Synonym(s):** *polemon* Hopffer,1874
Range (in code): **BR**
- 9468. *Pyrrhopyge proculus* Hopffer,1874** (Hesperiidae) **Synonym(s):** *zeleucus* Erichson,1848 nec Fabr.; *proculus* Hopffer,1874 **Range (in code):** **GY BO**
- 9469. *Pyrrhopyge pseudohadassa* Mabille & Boulet,1908** (Hesperiidae) **Synonym(s):** *pseudohadassa* Mabille & Boulet,1908 **Range (in code):** **PE**
- 9470. *Pyrrhopyge rhacia* Hewitson,1875** (Hesperiidae) **Synonym(s):** *rhacia* Hewitson,1875
- 9471. *Pyrrhopyge roscius* Hopffer,1874** (Hesperiidae) **Synonym(s):** *roscius* Hopffer,1874
Range (in code): **BR**
- 9472. *Pyrrhopyge rubricor* Mabille & Boulet,1908** (Hesperiidae) **Synonym(s):** *rubricor* Mabille & Boulet,1908 **Range (in code):** **EC**
- 9473. *Pyrrhopyge rufinucha* Godman & Salvin,1879** (Hesperiidae) **Synonym(s):** *rufinucha* Godman & Salvin,1879 **Range (in code):** **BO**
- 9474. *Pyrrhopyge sanies* Druce,1908** (Hesperiidae) **Synonym(s):** *sanies* Druce,1908 **Range (in code):** **PE**
- 9475. *Pyrrhopyge scylla* Ménétriés,1855** (Hesperiidae) **Synonym(s):** *scylla* Ménétriés,1855
Range (in code): **BO PE**
- 9476. *Pyrrhopyge semidentata* Mabille,1877** (Hesperiidae) **Synonym(s):** *semidentata* Mabille,1877 **Range (in code):** **CO**
- 9477. *Pyrrhopyge sergius* Hopffer,1874** (Hesperiidae) **Synonym(s):** *sergius* Hopffer,1874; *leucoloma* Erschoff,1874 **Range (in code):** **BR CO PE**
- 9478. *Pyrrhopyge styx* Möschler,1878** (Hesperiidae) **Synonym(s):** *styx* Möschler,1878
Range (in code): **CO**
- 9479. *Pyrrhopyge telassa* Hewitson,1866** (Hesperiidae) **Synonym(s):** *telassa* Hewitson,1866; *telassina* Mabille & Boulet,1908 **Range (in code):** **EC BR Para**
- 9480. *Pyrrhopyge tenuis* Mabille & Boulet,1908** (Hesperiidae) **Synonym(s):** *tenuis* Mabille & Boulet,1908 **Range (in code):** **PE**
- 9481. *Pyrrhopyge thericles* Mabille,1891** (Hesperiidae) **Synonym(s):** *thericles* Mabille,1891
Range (in code): **BO**
- 9482. *Pyrrhopyge zekeucus* (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *zekeucus* Fabricius,1793 **Range (in code):** **BR**
- 9483. *Pyrrhopyge zenodorus* Godman & Salvin,1893** (Hesperiidae) **Synonym(s):** *thasus* Butler & Druce,1874 nec Cr.; *zenodorus* Godman & Salvin,1893 **Range (in code):** **MX**
- 9484. *Pyrrhopyge zereda* Hewitson,1866** (Hesperiidae) **Synonym(s):** *zereda* Hewitson,1866; *rufipectus* Godman & Salvin,1879 **Range (in code):** **EC**
- 9485. *Pythonides assecla* Mabille,1883** (Hesperiidae) **Synonym(s):** *assecla* Mabille,1883
Range (in code): **MX**
- 9486. *Pythonides jovianus* (Stoll,[1782])** (Hesperiidae) **Synonym(s):** *jovianus* Stoll,[1782]
Range (in code): **MX**
- 9487. *Pythonides jovianus amaryllis* Staudinger,1876** (Hesperiidae) **Synonym(s):** *amaryllis* Staudinger,1876 **Range (in code):** **MX**
- 9488. *Pythonides mundo* Freeman,1979** (Hesperiidae) **Synonym(s):** *mundo* Freeman,1979
Range (in code): **MX**
- 9489. *Pythonides proxenus* Godman & Salvin,1895** (Hesperiidae) **Synonym(s):** *proxenus* Godman & Salvin,1895; *canace* Schaus,1913 **Range (in code):** **MX**

- 9490. *Pythonides pteras* (Godman & Salvin,1895)** (Hesperiidae) **Synonym(s):** *pteras* Godman & Salvin,1895 - Range (in code): MX
- 9491. *Pythonides rosa* Steinhäuser,1989** (Hesperiidae) **Synonym(s):** *rosa* Steinhäuser,1989 - Range (in code): MX
- 9492. *Quadrus anicius* (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *anicius* Godman & Salvin,1893 - Range (in code): MX
- 9493. *Quadrus cerialis* (Stoll,[1782])** (Hesperiidae) **Synonym(s):** *cerialis* Stoll,[1782]; *orcus* Fabricius,1793; *cerberus* Hübner,[1819]; *majorinus* Draudt,1922 - Range (in code): MX
- 9494. *Quadrus contubernalis* (Mabille,1883)** (Hesperiidae) **Synonym(s):** *contubernalis* Mabille,1883; *praxis* Plötz,1884 - Range (in code): MX
- 9495. *Quadrus francesius* Freeman,1969** (Hesperiidae) **Synonym(s):** *francesius* Freeman,1969 - Range (in code): MX
- 9496. *Quadrus lugubris* (R.Felder,1969)** (Hesperiidae) **Synonym(s):** *lugubris* R.Felder,1969; *obscurascens* Mabille & Boulet,1917 - Range (in code): MX
- 9497. *Quasimellana agnesae* (Bell,1959)** (Hesperiidae) **Synonym(s):** *agnesae* Bell,1959 - Range (in code): MX
- 9498. *Quasimellana andersoni* Burns,1994** (Hesperiidae) **Synonym(s):** *andersoni* Burns,1994 - Range (in code): MX
- 9499. *Quasimellana aurora* (Bell,1942)** (Hesperiidae) **Synonym(s):** *aurora* Bell,1942; *tecla* Steinhäuser,1974 - Range (in code): MX
- 9500. *Quasimellana balsa* (Bell,1942)** (Hesperiidae) **Synonym(s):** *balsa* Bell,1942; *freemani* Steinhäuser,1974 - Range (in code): MX
- 9501. *Quasimellana eulogius* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *eulogius* Plötz,1882; *mellona* Godman,1900; *heberia* Dyar,1914; *oaxaca* Freeman,1979 - Range (in code): US MX Tx
- 9502. *Quasimellana fieldi* (Bell,1942)** (Hesperiidae) **Synonym(s):** *fieldi* Bell,1942; *montezuma* Freeman,1969 - Range (in code): MX
- 9503. *Quasimellana mexicana* (Bell,1942)** (Hesperiidae) **Synonym(s):** *mexicana* Bell,1942 - Range (in code): MX
- 9504. *Quasimellana mulleri* (Bell,1942)** (Hesperiidae) **Synonym(s):** *mulleri* Bell,1942 - Range (in code): MX
- 9505. *Quasimellana myron* (Godman,1900)** (Hesperiidae) **Synonym(s):** *myron* Godman,1900 - Range (in code): MX
- 9506. *Quasimellana nayana* (Bell,1941)** (Hesperiidae) **Synonym(s):** *nayana* Bell,1941; *tamana* Steinhäuser,1974 - Range (in code): MX
- 9507. *Quasimellana servillius* (Möschler,1883)** (Hesperiidae) **Synonym(s):** *servillius* Möschler,1883; *verba* Evans,1955 - Range (in code): MX
- 9508. *Quasimellana siblinga* Burns,1994** (Hesperiidae) **Synonym(s):** *siblinga* Burns,1994 - Range (in code): MX
- 9509. *Quedara albifascia* (Moore,1878)** (Hesperiidae) **Synonym(s):** *albifascia* Moore,1878 - Range (in code): VN MM Tns
- 9510. *Quedara albifascia albifascia* (Moore,1878)** (Hesperiidae) **Synonym(s):** *albifascia* Moore,1878 - Range (in code): VN MM Tns
- 9511. *Quedara basiflava* (De Nicéville,1888)** (Hesperiidae) **Synonym(s):** *basiflava* De Nicéville,1888 - Range (in code): IN NI
- 9512. *Quedara basiflava basiflava* (De Nicéville,1888)** (Hesperiidae) **Synonym(s):** *basiflava* De Nicéville,1888 - Range (in code): IN NI
- 9513. *Quedara inornata* (Elwes & Edwards,1897)** (Hesperiidae) **Synonym(s):** *inornata* Elwes & Edwards,1897 - Range (in code): MY Bor Sbh KBa
- 9514. *Quedara inornata inornata* (Elwes & Edwards,1897)** (Hesperiidae) **Synonym(s):** *inornata* Elwes & Edwards,1897 - Range (in code): MY Bor Sbh KBa
- 9515. *Quedara monteithi* (Wood-Mason & De Nicéville,1887)** (Hesperiidae) **Synonym(s):** *monteithi* Wood-Mason & De Nicéville,1887; *comoploea* Swinhoe,1909 - Range (in code): PH Cal Ley Mno Pal Sam Bal TH CMa Rng MM Mrg ID Bgk Sum Bor Nia Ja VN
- 9516. *Quedara monteithi dissimilis* (Elwes & Edwards,1897)** (Hesperiidae) **Synonym(s):** *dissimilis* Elwes & Edwards,1897 - Range (in code): ID Ja Nia
- 9517. *Quedara monteithi monteithi* (Wood-Mason & De Nicéville,1887)** (Hesperiidae) **Synonym(s):** *monteithi* Wood-Mason & De Nicéville,1887; *comoploea* Swinhoe,1909 - Range (in code): PH Bal TH CMa Rng MM Mrg ID Bgk Sum Bor VN

- 9518. *Quedara monteithi noctis* (Staudinger,1889)** (Hesperiidae) **Synonym(s):** *noctis* Staudinger,1889; *aliena* Staudinger,1889 _ Range (in code): PH Cal Ley Mno Pal Sam
- 9519. *Quedara singularis* (Mabille,1893)** (Hesperiidae) **Synonym(s):** *singularis* Mabille,1893; *perfusca* Mabille,1893 _ Range (in code): ID Ja
- 9520. *Quedara singularis singularis* (Mabille,1893)** (Hesperiidae) **Synonym(s):** *singularis* Mabille,1893; *perfusca* Mabille,1893 _ Range (in code): ID Ja
- 9521. *Quinta cannae* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *canna* Herrich-Schäffer,1869; *calonice* Burmeister,1878; *osembo* Möschler,1883; *duspecca* Weeks,1902; *atiopides* Larranaga,1923 _ Range (in code): MX
- 9522. *Rachelia extrusus* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *extrusus* C.Felder & R.Felder,[1867]; *affinis* Mabille & Boulet,1912; *basalis* Joicey & Talbot,1916. _ Range (in code): AU
- 9523. *Rachelia extrusus extrusus* (C.Felder & R.Felder,[1867])** (Hesperiidae) **Synonym(s):** *extrusus* C.Felder & R.Felder,[1867]; *affinis* Mabille & Boulet,1912; *basalis* Joicey & Talbot,1916. _ Range (in code): AU
- 9524. *Rachelia extrusus icosia* (Fruhstorfer,1911)** (Hesperiidae) **Synonym(s):** *icosia* Fruhstorfer,1911
- 9525. *Remella duena* (Evans,1955)** (Hesperiidae) **Synonym(s):** *duena* Evans,1955 _ Range (in code): MX
- 9526. *Remella remus* (Fabricius,1798)** (Hesperiidae) **Synonym(s):** *remus* Fabricius,1798; *centralis* Herrich-Schäffer,1869 _ Range (in code): MX
- 9527. *Remella rita* (Evans,1955)** (Hesperiidae) **Synonym(s):** *rita* Evans,1955 _ Range (in code): MX
- 9528. *Remella vopiscus* (Herrich-Schäffer,1869)** (Hesperiidae) **Synonym(s):** *vopiscus* Herrich-Schäffer,1869; *justinoides* Butler & Druce,1872 _ Range (in code): MX
- 9529. *Rhabdomantis galatia* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *galatia* Hewitson,1868; *rhabdophorus* Mabille,1890 _ Range (in code): SL ZR UG NG
- 9530. *Rhabdomantis sosia* (Mabille,1891)** (Hesperiidae) **Synonym(s):** *sosia* Mabille,1891 _ Range (in code): GN GA CG ZR
- 9531. *Rhinton osca* (Plötz,1882)** (Hesperiidae) **Synonym(s):** *osca* Plötz,1882; *cabella* Plötz,1886; *chiriquensis* Mabille,1889; *biserta* Schaus,1902 _ Range (in code): US MX Tx PA
- 9532. *Ridens allyni* Freeman,1979** (Hesperiidae) **Synonym(s):** *allyni* Freeman,1979 _ Range (in code): MX
- 9533. *Ridens crison* (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *crison* Godman & Salvin,1893 _ Range (in code): MX
- 9534. *Ridens mephitis* (Hewitson,1876)** (Hesperiidae) **Synonym(s):** *mephitis* Hewitson,1876; *dinora* Plötz,1881 _ Range (in code): MX
- 9535. *Ridens mercedes* Steinhäuser,1983** (Hesperiidae) **Synonym(s):** *mercedes* Steinhäuser,1983 _ Range (in code): MX
- 9536. *Ridens miltas* (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *miltas* Godman & Salvin,1893 _ Range (in code): MX
- 9537. *Sabera aruana* (Plötz,1886)** (Hesperiidae) **Synonym(s):** *aruana* Plötz,1886 _ Range (in code): ID Aru PG
- 9538. *Sabera aruana aruana* (Plötz,1886)** (Hesperiidae) **Synonym(s):** *aruana* Plötz,1886 _ Range (in code): ID Aru
- 9539. *Sabera aruana lina* Evans,1949** (Hesperiidae) **Synonym(s):** *lina* Evans,1949 _ Range (in code): PG
- 9540. *Sabera biaga* Evans,1949** (Hesperiidae) **Synonym(s):** *biaga* Evans,1949 _ Range (in code): PG Aro
- 9541. *Sabera biaga biaga* Evans,1949** (Hesperiidae) **Synonym(s):** *biaga* Evans,1949 _ Range (in code): PG Aro
- 9542. *Sabera bicolor* Rothschild,1915** (Hesperiidae) **Synonym(s):** *bicolor* Rothschild,1915 _ Range (in code): ID Ij Snw Mi
- 9543. *Sabera bicolor bicolor* Rothschild,1915** (Hesperiidae) **Synonym(s):** *bicolor* Rothschild,1915 _ Range (in code): ID Ij Snw
- 9544. *Sabera bicolor misola* Evans,1949** (Hesperiidae) **Synonym(s):** *misola* Evans,1949 _ Range (in code): ID Mi

- 9545. Sabera caesina (Hewitson,1866)** (Hesperiidae) Synonym(s): *caesina* Hewitson,1866
Range (in code): **ID Aru Mi Mg PG Goo Fg AU QAU SB Rs**
- 9546. Sabera caesina albifascia (Miskin,1889)** (Hesperiidae) Synonym(s): *albifascia* Miskin,1889
Range (in code): **AU QAU**
- 9547. Sabera caesina barina Fruhstorfer,1911** (Hesperiidae) Synonym(s): *barina* Fruhstorfer,1911
Range (in code): **ID Mi Mg PG Goo Fg**
- 9548. Sabera caesina caesina (Hewitson,1866)** (Hesperiidae) Synonym(s): *caesina* Hewitson,1866
Range (in code): **ID Aru**
- 9549. Sabera caesina louisa Evans,1935** (Hesperiidae) Synonym(s): *louisa* Evans,1935
Range (in code): **SB Rs**
- 9550. Sabera caesina sudesta Evans,1935** (Hesperiidae) Synonym(s): *sudesta* Evans,1935
- 9551. Sabera dobboe (Plötz,1885)** (Hesperiidae) Synonym(s): *dobboe* Plötz,1885; *silativa* Swinhoe,1905; *sanghamitta* Fruhstorfer,1911; *bona* Evans,1935
Range (in code): **ID Kai Mef Aru Mi Wg PG Goo Fg SB Rs NHa AU QAU**
- 9552. Sabera dobboe autoleon (Miskin,1889)** (Hesperiidae) Synonym(s): *autoleon* Miskin,1889
Range (in code): **AU QAU**
- 9553. Sabera dobboe dobboe (Plötz,1885)** (Hesperiidae) Synonym(s): *dobboe* Plötz,1885; *silativa* Swinhoe,1905; *sanghamitta* Fruhstorfer,1911; *bona* Evans,1935
Range (in code): **ID Aru Mi Wg PG Goo Fg SB Rs**
- 9554. Sabera dobboe edna Evans,1935** (Hesperiidae) Synonym(s): *edna* Evans,1935
Range (in code): **ID Kai**
- 9555. Sabera dobboe hanova Evans,1949** (Hesperiidae) Synonym(s): *hanova* Evans,1949
Range (in code): **NHa PG**
- 9556. Sabera dobboe meforica Fruhstorfer,1911** (Hesperiidae) Synonym(s): *meforica* Fruhstorfer,1911
Range (in code): **ID Mef**
- 9557. Sabera dorena Evans,1935** (Hesperiidae) Synonym(s): *dorena* Evans,1935
Range (in code): **ID Wg**
- 9558. Sabera dorena dorena Evans,1935** (Hesperiidae) Synonym(s): *dorena* Evans,1935
Range (in code): **ID Wg**
- 9559. Sabera expansa Evans,1935** (Hesperiidae) Synonym(s): *expansa* Evans,1935
Range (in code): **PG**
- 9560. Sabera expansa expansa Evans,1935** (Hesperiidae) Synonym(s): *expansa* Evans,1935
Range (in code): **PG**
- 9561. Sabera fuliginosa (Miskin,1889)** (Hesperiidae) Synonym(s): *fuliginosa* Miskin,1889
Range (in code): **AU QAU ID Ij**
- 9562. Sabera fuliginosa chota Evans,1949** (Hesperiidae) Synonym(s): *chota* Evans,1949
Range (in code): **ID Ij**
- 9563. Sabera fuliginosa fuliginosa (Miskin,1889)** (Hesperiidae) Synonym(s): *fuliginosa* Miskin,1889
Range (in code): **AU QAU**
- 9564. Sabera fusca Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *fusca* Joicey & Talbot,1917
Range (in code): **ID Ij**
- 9565. Sabera fusca fusca Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *fusca* Joicey & Talbot,1917
Range (in code): **ID Ij**
- 9566. Sabera kumpia Evans,1949** (Hesperiidae) Synonym(s): *kumpia* Evans,1949
Range (in code): **ID Ij**
- 9567. Sabera kumpia baxta Evans,1949** (Hesperiidae) Synonym(s): *baxta* Evans,1949
Range (in code): **ID Ij**
- 9568. Sabera kumpia kumpia Evans,1949** (Hesperiidae) Synonym(s): *kumpia* Evans,1949
Range (in code): **ID Ij**
- 9569. Sabera tabla (Swinhoe,1905)** (Hesperiidae) Synonym(s): *tabla* Swinhoe,1905
Range (in code): **ID Ij**
- 9570. Sabera tabla tabla (Swinhoe,1905)** (Hesperiidae) Synonym(s): *tabla* Swinhoe,1905
Range (in code): **ID Ij**
- 9571. Salanoemia fuscicornis (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *fuscicornis* Elwes & Edwards,1897
Range (in code): **TH Rng Nna Nst Ths CMA CDo MM Krh MY Bor**
- 9572. Salanoemia fuscicornis fuscicornis (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *fuscicornis* Elwes & Edwards,1897
Range (in code): **TH Rng Nna Nst Ths CMA CDo MM Krh MY Bor**

- 9573. *Salanoemia noemi* (De Nicéville,1885)** (Hesperiidae) Synonym(s): *noemi* De Nicéville,1885 _ Range (in code): VN SI IN Ass
- 9574. *Salanoemia sala* (Hewitson,1866)** (Hesperiidae) Synonym(s): *sala* Hewitson,1866; *submaculata* Staudinger,1889; *maculicornis* Elwes & Edwards,1897; *kanara* Evans,1926 _ Range (in code): IN Knr MM Mrg MY Bor PH Pal TH Cph Nst
- 9575. *Salanoemia sala sala* (Hewitson,1866)** (Hesperiidae) Synonym(s): *sala* Hewitson,1866; *submaculata* Staudinger,1889; *maculicornis* Elwes & Edwards,1897; *kanara* Evans,1926 _ Range (in code): IN Knr MM Mrg MY Bor PH Pal TH Cph Nst
- 9576. *Salanoemia similis* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *similis* Elwes & Edwards,1897 _ Range (in code): PH Dum Pal MY Bor
- 9577. *Salanoemia similis similis* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *similis* Elwes & Edwards,1897 _ Range (in code): PH Dum Pal MY Bor
- 9578. *Salanoemia tavoyana* (Evans,1926)** (Hesperiidae) Synonym(s): *tavoyana* Evans,1926 _ Range (in code): VN MM Tvy Krh Mrg MY Bor TH Rng Nst
- 9579. *Salanoemia tavoyana tavoyana* (Evans,1926)** (Hesperiidae) Synonym(s): *tavoyana* Evans,1926 _ Range (in code): VN MM Tvy Krh Mrg MY Bor TH Rng Nst
- 9580. *Saliana antonius* (Latreille,[1824])** (Hesperiidae) Synonym(s): *antonius* Latreille,[1824] _ Range (in code): MX
- 9581. *Saliana esperi* Evans,1955** (Hesperiidae) Synonym(s): *esper* Evans,1955 _ Range (in code): MX
- 9582. *Saliana fusta* Evans,1955** (Hesperiidae) Synonym(s): *fusta* Evans,1955 _ Range (in code): MX
- 9583. *Saliana hewitsoni* (N.D.Riley,1926)** (Hesperiidae) Synonym(s): *hewitsoni* N.D.Riley,1926 _ Range (in code): MX
- 9584. *Saliana longirostris* (Sepp,1840)** (Hesperiidae) Synonym(s): *longirostris* Sepp,1840 _ Range (in code): MX
- 9585. *Saliana saladin* Evans,1955** (Hesperiidae) Synonym(s): *saladin* Evans,1955 _ Range (in code): MX
- 9586. *Saliana salius* (Cramer,[1775])** (Hesperiidae) Synonym(s): *salius* Cramer,[1775]; *trimacula* Mabille,1879 _ Range (in code): MX
- 9587. *Saliana severus* (Mabille,1895)** (Hesperiidae) Synonym(s): *severus* Mabille,1895 _ Range (in code): MX
- 9588. *Saliana triangularis* (Kaye,1914)** (Hesperiidae) Synonym(s): *triangularis* Kaye,1914 _ Range (in code): MX
- 9589. *Sancus fuligo* (Mabille,1876)** (Hesperiidae) Synonym(s): *fuligo* Mabille,1876; *forensis* Plötz,1884; *kethra* Plötz,1884; *ulunda* Staudinger,1889 _ Original Reference: Tagiades fuligo Mabille,1876, Annls Soc. ent. Fr. (5) 2: 271. Bull.: xxvi. Range (in code): ID Ja Sip Sum Clb MY Bor IN Ass MM Tns Vp PH Bal Bas Boh Ceb CmM Cts Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw TH Cbi Nrt Yal Nna Tng Nst Ths Sya Ntt SPa
- 9590. *Sancus fuligo fuligo* (Mabille,1876)** (Hesperiidae) Synonym(s): *fuligo* Mabille,1876; *forensis* Plötz,1884; *kethra* Plötz,1884; *ulunda* Staudinger,1889 _ Original Reference: Tagiades fuligo Mabille,1876, Annls Soc. ent. Fr. (5) 2: 271. Bull.: xxvi. Range (in code): PH Bal Bas Boh Ceb CmM Cts Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw TH Yal Tng Nst Ths Sya Ntt SPa ID Ja Sip Sum MY Bor MM Vp
- 9591. *Sancus fuligo fuscata* Snellen,1878** (Hesperiidae) Synonym(s): *fuscata* Snellen,1878; *celunda* Staudinger,1889. _ Range (in code): ID Clb
- 9592. *Sancus fuligo subfasciatus* (Moore,[1879])** (Hesperiidae) Synonym(s): *subfasciatus* Moore,[1879] _ Original Reference: Astictopterus subfasciatus Moore,[1879], Proc. zool. Soc. London 1878: 842. Syntypes ♂♀: [Myanmar]: Upper Tenasserim: Ahsown (coll. Wood-Mason). Range (in code): IN Ass MM Tns TH Cbi Nrt Yal Nna Tng
- 9593. *Sarangesa astrigera* Butler,1894** (Hesperiidae) Synonym(s): *astrigera* Butler,1894; *neavei* Riley,1921. _ Range (in code): MW Zom ZM UG TZ ZW
- 9594. *Sarangesa astrigera astrigera* Butler,1894** (Hesperiidae) Synonym(s): *astrigera* Butler,1894; *neavei* Riley,1921. _ Range (in code): MW Zom ZM UG TZ ZW
- 9595. *Sarangesa aza* Evans,1951** (Hesperiidae) Synonym(s): *aza* Evans,1951 _ Range (in code): SD TZ
- 9596. *Sarangesa aza aza* Evans,1951** (Hesperiidae) Synonym(s): *aza* Evans,1951 _ Range (in code): SD TZ

- 9597. *Sarangesa bouvieri* (Mabille,1877)** (Hesperiidae) Synonym(s): *bouvieri* Mabille,1877; *philotimus* Plötz,1879. Range (in code): GA SL AO ZW UG
- 9598. *Sarangesa bouvieri bouvieri* (Mabille,1877)** (Hesperiidae) Synonym(s): *bouvieri* Mabille,1877; *philotimus* Plötz,1879. Range (in code): GA SL AO ZW UG
- 9599. *Sarangesa brigida* (Plötz,1879)** (Hesperiidae) Synonym(s): *brigida* Plötz,1879; *brigidella* Plötz,1886; *aurimargo* Holland,1896. Range (in code): KE UG GA CF Nja CM UG SD ZR NG CI SL
- 9600. *Sarangesa brigida atra* Evans,1937** (Hesperiidae) Synonym(s): *atra* Evans,1937 Original Reference: *Sarangesa brigida* ssp. *atra* Evans,1937, Catalogue African Hesperiidae in the British Museum: 48. Holotype ♂: Uganda: Mpanga forest: Toro, 4800ft. (BMNH). Range (in code): KE UG
- 9601. *Sarangesa brigida brigida* (Plötz,1879)** (Hesperiidae) Synonym(s): *brigida* Plötz,1879; *brigidella* Plötz,1886; *aurimargo* Holland,1896. Range (in code): GA CF Nja CM UG SD ZR NG CI SL
- 9602. *Sarangesa brigida sanaga* Miller,1964** (Hesperiidae) Synonym(s): *sanaga* Miller,1964 Range (in code): CM
- 9603. *Sarangesa dasahara* (Moore,[1866])** (Hesperiidae) Synonym(s): *dasahara* Moore,[1866]; *philippus* Mabille,1883 Original Reference: *Sarangesa dasahara* Moore,[1866], Proc. zool. Soc. Lond. 1865 (3): 787. Range (in code): LK IN NI Poo Ben Adm SI BT Bi Ass MM CN Yu MY Lkw TH Chy Nna Tng CMA CDo Pap Mro Rng Sgk Hya PSu Nst Ths Chw
- 9604. *Sarangesa dasahara adona* Evans,1949** (Hesperiidae) Synonym(s): *adona* Evans,1949 Range (in code): IN
- 9605. *Sarangesa dasahara albicilia* Moore,[1881]** (Hesperiidae) Synonym(s): *albicilia* Moore,[1881]; *sezendis* Plötz,1885 Range (in code): LK
- 9606. *Sarangesa dasahara dasahara* (Moore,[1866])** (Hesperiidae) Synonym(s): *dasahara* Moore,[1866]; *philippus* Mabille,1883. Original Reference: *Sarangesa dasahara* Moore,[1866], Proc. zool. Soc. Lond. 1865 (3): 787. Range (in code): IN SI BT Bi Ass MM CN Yu MY Lkw TH Chy Nna Tng CMA CDo Pap Mro Rng Sgk Hya PSu Nst Ths Chw
- 9607. *Sarangesa dasahara davidsoni* Swinhoe,1912** (Hesperiidae) Synonym(s): *davidsoni* Swinhoe,1912; *hampsoni* Swinhoe,1912 Range (in code): IN NI Poo
- 9608. *Sarangesa dasahara sandra* Evans,1949** (Hesperiidae) Synonym(s): *sandra* Evans,1949 Range (in code): IN Adm
- 9609. *Sarangesa gaerdesi* Evans,1949** (Hesperiidae) Synonym(s): *gaerdesi* Evans,1949 Range (in code): NA
- 9610. *Sarangesa gaerdesi gaerdesi* Evans,1949** (Hesperiidae) Synonym(s): *gaerdesi* Evans,1949 Range (in code): NA
- 9611. *Sarangesa gaerdesi smithae* Vari,1976** (Hesperiidae) Synonym(s): *smithae* Vari,1976 Range (in code): NA
- 9612. *Sarangesa haplopa* Swinhoe,1907** (Hesperiidae) Synonym(s): *haplopa* Swinhoe,1907 Range (in code): UG KE ZR TZ MW
- 9613. *Sarangesa haplopa haplopa* Swinhoe,1907** (Hesperiidae) Synonym(s): *haplopa* Swinhoe,1907 Range (in code): UG KE ZR TZ MW
- 9614. *Sarangesa laelius* (Mabille,1877)** (Hesperiidae) Synonym(s): *laelius* Mabille,1877; *synestalmenus* Karsch,1893; *tristis* Rebel,1914; *laelioides* Riley,1921; *#coelius* De Fleury,1926. Range (in code): ET TG ZM ZW MW TZ
- 9615. *Sarangesa laelius laelius* (Mabille,1877)** (Hesperiidae) Synonym(s): *laelius* Mabille,1877; *synestalmenus* Karsch,1893; *tristis* Rebel,1914; *laelioides* Riley,1921; *#coelius* De Fleury,1926. Range (in code): ET TG ZM ZW MW TZ
- 9616. *Sarangesa lucidella* (Mabille,1891)** (Hesperiidae) Synonym(s): *lucidella* Mabille,1891; *ganyti* Bethune-Baker,1906. Range (in code): SD KE ZR ZM MW ZW TZ ET
- 9617. *Sarangesa lucidella helena* Evans,1947** (Hesperiidae) Synonym(s): *helena* Evans,1947 Range (in code): ET
- 9618. *Sarangesa lucidella lucidella* (Mabille,1891)** (Hesperiidae) Synonym(s): *lucidella* Mabille,1891; *ganyti* Bethune-Baker,1906. Range (in code): SD KE ZR ZM MW ZW TZ
- 9619. *Sarangesa lunula* Druce,1910** (Hesperiidae) Synonym(s): *lunula* Druce,1910 Range (in code): ZR
- 9620. *Sarangesa lunula lunula* Druce,1910** (Hesperiidae) Synonym(s): *lunula* Druce,1910 Range (in code): ZR
- 9621. *Sarangesa maculata* (Mabille,1891)** (Hesperiidae) Synonym(s): *maculata* Mabille,1891; *subalbicans* Bethune-Baker,1906. Range (in code): KE UG ZR CM SL TZ ZM MW Zom MZ

- 9622. *Sarangesa maculata maculata* (Mabille,1891)** (Hesperiidae) Synonym(s): *maculata* Mabille,1891; *subalbicans* Bethune-Baker,1906. Range (in code): **KE UG ZR CM SL TZ ZM MW Zom MZ**
- 9623. *Sarangesa majorella* (Mabille,1891)** (Hesperiidae) Synonym(s): *majorella* Mabille,1891 Range (in code): **SL GH CM**
- 9624. *Sarangesa majorella majorella* (Mabille,1891)** (Hesperiidae) Synonym(s): *majorella* Mabille,1891 Range (in code): **SL GH CM**
- 9625. *Sarangesa maxima* Neave,1910** (Hesperiidae) Synonym(s): *maxima* Neave,1910 Range (in code): **ZR ZM**
- 9626. *Sarangesa maxima maxima* Neave,1910** (Hesperiidae) Synonym(s): *maxima* Neave,1910 Range (in code): **ZR ZM**
- 9627. *Sarangesa motozi* (Wallengren,1857)** (Hesperiidae) Synonym(s): *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabille,1891; *pertusa* Mabille,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912. Range (in code): **ET MZ Del TZ KE ZA Tva Ec Pre Gau Mpu Brb Lpo Spb Mdk Lj Kru Pma Pf Suw Nel AO MW Zom**
- 9628. *Sarangesa motozi motozi* (Wallengren,1857)** (Hesperiidae) Synonym(s): *motozi* Wallengren,1857; *pato* Trimen,1862; *ophthalmica* Mabille,1891; *pertusa* Mabille,1891; *helmi* Karsch,1896; *ophthalmicodes* Strand,1912. Range (in code): **ET MZ Del TZ KE ZA Tva Ec Pre Gau Mpu Brb Lpo Spb Lj Mdk Kru Pma Pf Suw Nel AO MW Zom**
- 9629. *Sarangesa motozioides* Holland,1892** (Hesperiidae) Synonym(s): *motozioides* Holland,1892 Range (in code): **GA**
- 9630. *Sarangesa motozioides motozioides* Holland,1892** (Hesperiidae) Synonym(s): *motozioides* Holland,1892 Range (in code): **GA**
- 9631. *Sarangesa pandaensis* Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *pandaensis* Joicey & Talbot,1921 Range (in code): **ZR ZM AO**
- 9632. *Sarangesa pandaensis deningi* Evans,1956** (Hesperiidae) Synonym(s): *deningi* Evans,1956 Range (in code): **ZM**
- 9633. *Sarangesa pandaensis pandaensis* Joicey & Talbot,1921** (Hesperiidae) Synonym(s): *pandaensis* Joicey & Talbot,1921 Range (in code): **ZR AO**
- 9634. *Sarangesa penningtoni* Evans,1951** (Hesperiidae) Synonym(s): *penningtoni* Evans,1951 Range (in code): **ZM**
- 9635. *Sarangesa phidyle* (Walker,1870)** (Hesperiidae) Synonym(s): *phidyle* Walker,1870; *besa* Mabille,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937. Original Reference: Cyclopides *phidyle* Walker,1870, Entomologist 5: 56. Type(s): [Sudan]: Hor Tamanib. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE EG ZA Nta Tva Lpo NWe Nca Ec Kzu Mpu Fs Pel Mal Vf Spb Mdk ZM ZR ZW**
- 9636. *Sarangesa phidyle phidyle* (Walker,1870)** (Hesperiidae) Synonym(s): *phidyle* Walker,1870; *besa* Mabille,1891; *eliminata* Holland,1896; *deserticola* Rebel,1907; *#varia* Evans,1937. Original Reference: Cyclopides *phidyle* Walker,1870, Entomologist 5: 56. Type(s): [Sudan]: Hor Tamanib. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE EG ZA Nta Tva Lpo NWe Nca Ec Kzu Mpu Fs Pel Mal Vf Spb Mdk ZM ZR ZW**
- 9637. *Sarangesa princei* Karsch,1896** (Hesperiidae) Synonym(s): *princei* Karsch,1896 Range (in code): **KE TZ**
- 9638. *Sarangesa princei princei* Karsch,1896** (Hesperiidae) Synonym(s): *princei* Karsch,1896 Range (in code): **KE TZ**
- 9639. *Sarangesa purendra* (Moore,1857)** (Hesperiidae) Synonym(s): *purendra* Moore,1857 Original Reference: Pyrgus *purendra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 250. Type ♀: India: Kangra. Range (in code): **Bba IN Cu Kgr Hp Tn Klu Kma Sml NI Poo**
- 9640. *Sarangesa purendra hopkinsi* Evans,1921** (Hesperiidae) Synonym(s): *hopkinsi* Evans,1921 Range (in code): **IN Tn**
- 9641. *Sarangesa purendra pandra* Evans,1949** (Hesperiidae) Synonym(s): *pandra* Evans,1949 Range (in code): **IN NI Bba Poo**
- 9642. *Sarangesa purendra purendra* (Moore,1857)** (Hesperiidae) Synonym(s): *purendra* Moore,1857 Original Reference: Pyrgus *purendra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 250. Type ♀: India: Kangra. Range (in code): **IN Kgr Klu Kma Hp Sml**

- 9643. *Sarangesa purendra sati* De Nicéville, 1891** (Hesperiidae) **Synonym(s):** *sati* De Nicéville, 1891. **Range (in code):** **IN Cu**
- 9644. *Sarangesa ruona* Evans, 1937** (Hesperiidae) **Synonym(s):** *ruona* Evans, 1937. **Original Reference:** *Sarangesa ruona* Evans, 1937, Catalogue African Hesperidae in the British Museum: 45, pl.2 fig.22. Holotype ♂: Nyasaland: Ruvo Valley, 1000-2000ft. (BMNH). **Range (in code):** **MW ZA Tva Lpo Spb Ltr Kru Pma Pf TZ ZW**
- 9645. *Sarangesa ruona ruona* Evans, 1937** (Hesperiidae) **Synonym(s):** *ruona* Evans, 1937. **Original Reference:** *Sarangesa ruona* Evans, 1937, Catalogue African Hesperidae in the British Museum: 45, pl.2 fig.22. Holotype ♂: Nyasaland: Ruvo Valley, 1000-2000ft. (BMNH). **Range (in code):** **MW ZA Tva Lpo Spb Ltr Kru Pma Pf TZ ZW**
- 9646. *Sarangesa seineri* Strand, 1909** (Hesperiidae) **Synonym(s):** *seineri* Strand, 1909; *tanga* Evans, 1937. **Range (in code):** **ZR TZ KE ZA Tva Nta Lpo Spb Mdk Nta Kzu Dbn MW ZM ZW AO NA**
- 9647. *Sarangesa seineri durbana* Evans, 1937** (Hesperiidae) **Synonym(s):** *durbana* Evans, 1937. **Original Reference:** *Sarangesa seineri* ssp. *durbana* Evans, 1937, Catalogue African Hesperidae in the British Museum: 44. Holotype ♂: Kaffraria: Natal (BMNH). **Range (in code):** **ZA Nta Kzu Dbn**
- 9648. *Sarangesa seineri seineri* Strand, 1909** (Hesperiidae) **Synonym(s):** *seineri* Strand, 1909; *tanga* Evans, 1937. **Range (in code):** **ZR TZ KE ZA Tva Lpo Spb Mdk MW ZM ZW AO NA**
- 9649. *Sarangesa tertullianus* (Fabricius, 1793)** (Hesperiidae) **Synonym(s):** *tertullianus* Fabricius, 1793. **Range (in code):** **GA LR CM GN ZR UG**
- 9650. *Sarangesa tertullianus tertullianus* (Fabricius, 1793)** (Hesperiidae) **Synonym(s):** *tertullianus* Fabricius, 1793. **Range (in code):** **GA LR CM GN ZR UG**
- 9651. *Sarangesa thecla* (Plötz, 1879)** (Hesperiidae) **Synonym(s):** *thecla* Plötz, 1879; *semialba* Mabille, 1891. **Range (in code):** **GN SL LR NG CM GA UG KE**
- 9652. *Sarangesa thecla mabira* Evans, 1956** (Hesperiidae) **Synonym(s):** *mabira* Evans, 1956. **Range (in code):** **UG KE**
- 9653. *Sarangesa thecla thecla* (Plötz, 1879)** (Hesperiidae) **Synonym(s):** *thecla* Plötz, 1879; *semialba* Mabille, 1891. **Range (in code):** **GN SL LR NG CM GA**
- 9654. *Sarangesa tricerata* (Mabille, 1891)** (Hesperiidae) **Synonym(s):** *tricerata* Mabille, 1891. **Range (in code):** **GM ZR TZ SL CM GA**
- 9655. *Sarangesa tricerata compacta* Evans, 1951** (Hesperiidae) **Synonym(s):** *compacta* Evans, 1951. **Range (in code):** **TZ**
- 9656. *Sarangesa tricerata tricerata* (Mabille, 1891)** (Hesperiidae) **Synonym(s):** *tricerata* Mabille, 1891. **Range (in code):** **GM ZR SL CM GA**
- 9657. *Sarbia antias* (Felder, 1859)** (Hesperiidae) **Synonym(s):** *antias* Felder, 1859. **Range (in code):** **BR**
- 9658. *Sarbia catomelaena* Mabille & Boulet, 1908** (Hesperiidae) **Synonym(s):** *catomelaena* Mabille & Boulet, 1908. **Range (in code):** **BR MiG**
- 9659. *Sarbia damippe* Mabille & Boulet, 1908** (Hesperiidae) **Synonym(s):** *damippe* Mabille & Boulet, 1908. **Range (in code):** **BR**
- 9660. *Sarbia erythrosoma* Mabille, 1897** (Hesperiidae) **Synonym(s):** *erythrosoma* Mabille, 1897. **Range (in code):** **BR Azn**
- 9661. *Sarbia hegesippe* Mabille & Boulet, 1908** (Hesperiidae) **Synonym(s):** *hegesippe* Mabille & Boulet, 1908. **Range (in code):** **GY**
- 9662. *Sarbia luteizona* (Mabille, 1877)** (Hesperiidae) **Synonym(s):** *luteizona* Mabille, 1877. **Range (in code):** **MX**
- 9663. *Sarbia martii* (Plötz, 1879)** (Hesperiidae) **Synonym(s):** *martii* Plötz, 1879. **Range (in code):** **BR**
- 9664. *Sarbia oneka* (Hewitson, 1866)** (Hesperiidae) **Synonym(s):** *oneka* Hewitson, 1866. **Range (in code):** **EC**
- 9665. *Sarbia spixii* (Plötz, 1879)** (Hesperiidae) **Synonym(s):** *spixii* Plötz, 1879
- 9666. *Sarbia xanthippe* (Latreille, 1823)** (Hesperiidae) **Synonym(s):** *xanthippe* Latreille, 1823. **Range (in code):** **BR Rja**
- 9667. *Satarupa gopala* Moore, [1866]** (Hesperiidae) **Synonym(s):** *gopala* Moore, [1866]; *tonkiniana* Fruhstorfer, 1909; *hainana* Evans, 1932. **Range (in code):** **VN Ton CN Hn ID Sum SI IN Ass MY TH Loe**

- 9668. *Satarupa gopala gopala* Moore,[1866]** (Hesperiidae) **Synonym(s):** *gopala* Moore,[1866]; *tonkiniana* Fruhstorfer,1909; *hainana* Evans,1932. **Range (in code):** [VN Ton CN Hn ID Sum SI IN Ass TH Loe](#)
- 9669. *Satarupa gopala malaya* Evans,1932** (Hesperiidae) **Synonym(s):** *malaya* Evans,1932 **Range (in code):** [MY](#)
- 9670. *Satarupa majasra* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *majasra* Fruhstorfer,1909; *formosana* Matsumura,1910 *nec* Fruhstorfer,1909; *formosibia* Strand,1926; *formosicola* Matsumura,1929. **Range (in code):** [TW](#)
- 9671. *Satarupa majasra majasra* Fruhstorfer,1909** (Hesperiidae) **Synonym(s):** *majasra* Fruhstorfer,1909; *formosana* Matsumura,1910 *nec* Fruhstorfer,1909; *formosibia* Strand,1926; *formosicola* Matsumura,1929. **Range (in code):** [TW](#)
- 9672. *Satarupa monbeigi* Oberthür,1921** (Hesperiidae) **Synonym(s):** *monbeigi* Oberthür,1921 **Range (in code):** [MN CN Sz T-T Hun Hpe Kgs](#)
- 9673. *Satarupa monbeigi monbeigi* Oberthür,1921** (Hesperiidae) **Synonym(s):** *monbeigi* Oberthür,1921 **Range (in code):** [MN CN Sz T-T Hun Hpe Kgs](#)
- 9674. *Satarupa nymphalis* (Speyer,1879)** (Hesperiidae) **Synonym(s):** *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929. **Original Reference:** Tagiades nymphalis Speyer,1879, Stettin ent. Ztg. 40: 348-350. **Syntypes:** [Russia]: Wladiwostock. **Range (in code):** [RU Am Vv CN Mc Sz T-T KP Ti](#)
- 9675. *Satarupa nymphalis khamensis* (Alpheraky,1897)** (Hesperiidae) **Synonym(s):** *kamensis* Alpheraky,1897; *oberthueri* Evans,1932; *intermedia* Evans,1932. **Range (in code):** [CN Ti Sz T-T](#)
- 9676. *Satarupa nymphalis nymphalis* (Speyer,1879)** (Hesperiidae) **Synonym(s):** *nymphalis* Speyer,1879; *sugitanii* Matsumura,1929. **Original Reference:** Tagiades nymphalis Speyer,1879, Stettin ent. Ztg. 40: 348-350. **Syntypes:** [Russia]: Wladiwostock. **Range (in code):** [RU Am Vv CN Mc KP](#)
- 9677. *Satarupa splendens* Tytler,1915** (Hesperiidae) **Synonym(s):** *splendens* Tytler,1915 **Range (in code):** [IN Ass Nag CN Yu Mku](#)
- 9678. *Satarupa splendens splendens* Tytler,1915** (Hesperiidae) **Synonym(s):** *splendens* Tytler,1915 **Range (in code):** [IN Ass Nag CN Yu Mku](#)
- 9679. *Satarupa valentini* Oberthür,1921** (Hesperiidae) **Synonym(s):** *valentini* Oberthür,1921 **Range (in code):** [CN Sz T-T](#)
- 9680. *Satarupa valentini valentini* Oberthür,1921** (Hesperiidae) **Synonym(s):** *valentini* Oberthür,1921 **Range (in code):** [CN Sz T-T](#)
- 9681. *Satarupa zulla* Tytler,1915** (Hesperiidae) **Synonym(s):** *zulla* Tytler,1915 **Range (in code):** [CN Yu IN Nag SI](#)
- 9682. *Satarupa zulla ouvardi* Oberthür,1921** (Hesperiidae) **Synonym(s):** *ouvardi* Oberthür,1921 **Range (in code):** [CN Yu](#)
- 9683. *Satarupa zulla zulla* Tytler,1915** (Hesperiidae) **Synonym(s):** *zulla* Tytler,1915 **Range (in code):** [IN Nag SI](#)
- 9684. *Saturnus obscurus* (Bell,1941)** (Hesperiidae) **Synonym(s):** *obscurus* Bell,1941 **Range (in code):** [MX](#)
- 9685. *Scobura cephalocephala* (Hewitson,1876)** (Hesperiidae) **Synonym(s):** *cephala* Hewitson,1876 **Range (in code):** [TH Cbi Nna MM SI IN Djl Ass](#)
- 9686. *Scobura cephalocephala cephalocephala* (Hewitson,1876)** (Hesperiidae) **Synonym(s):** *cephala* Hewitson,1876 **Range (in code):** [TH Cbi Nna MM SI IN Djl Ass](#)
- 9687. *Scobura cephaloides* (De Nicéville,1888)** (Hesperiidae) **Synonym(s):** *cephaloides* De Nicéville,1888 **Range (in code):** [TH CMa Phe MM Shn VN Ton Hn CN IN Ass Mpr Krh Nag Bmy](#)
- 9688. *Scobura cephaloides cephaloides* (De Nicéville,1888)** (Hesperiidae) **Synonym(s):** *cephaloides* De Nicéville,1888 **Range (in code):** [MM IN Ass Mpr Krh Nag Shn Bmy](#)
- 9689. *Scobura cephaloides kinka* Evans,1949** (Hesperiidae) **Synonym(s):** *kinka* Evans,1949 **Range (in code):** [TH CMa Phe MM Shn VN Ton Hn CN](#)
- 9690. *Scobura coniata* Hering,1918** (Hesperiidae) **Synonym(s):** *coniata* Hering,1918 **Range (in code):** [CN Fkn Tkg](#)
- 9691. *Scobura coniata coniata* Hering,1918** (Hesperiidae) **Synonym(s):** *coniata* Hering,1918 **Range (in code):** [CN Fkn](#)
- 9692. *Scobura coniata lyso* Evans,1939** (Hesperiidae) **Synonym(s):** *lyso* Evans,1939 **Range (in code):** [CN Tkg](#)
- 9693. *Scobura eximia* Devyatkin,2002** (Hesperiidae) **Synonym(s):** *eximia* Devyatkin,2002 **Range (in code):** [VN](#)

- 9694. *Scobura isota* (Swinhoe,1893)** (Hesperiidae) Synonym(s): *isota* Swinhoe,1893 _ Range (in code): SI IN Ass MM TH Chy Rng MY VN Ton
- 9695. *Scobura isota isota* (Swinhoe,1893)** (Hesperiidae) Synonym(s): *isota* Swinhoe,1893
Range (in code): SI IN Ass MM TH Chy Rng MY VN Ton
- 9696. *Scobura phiditia* (Hewitson,1866)** (Hesperiidae) Synonym(s): *phiditia* Hewitson,1866;
martini Elwes & Edwards,1897 _ Range (in code): TH Cbi Nna IN Ass MM VN Ton MY SG ID Sum
- 9697. *Scobura phiditia phiditia* (Hewitson,1866)** (Hesperiidae) Synonym(s): *phiditia*
Hewitson,1866; martini Elwes & Edwards,1897 _ Range (in code): TH Cbi Nna IN Ass MM VN Ton MY SG ID Sum
- 9698. *Scobura tytleri* Evans,1914** (Hesperiidae) Synonym(s): *tytleri* Evans,1914 _ Range (in code): IN Ass Nag Mpr
- 9699. *Scobura tytleri tytleri* Evans,1914** (Hesperiidae) Synonym(s): *tytleri* Evans,1914
Range (in code): IN Ass Nag Mpr
- 9700. *Scobura woolletti* N.D.Riley,1923** (Hesperiidae) Synonym(s): *woolletti* N.D.Riley,1923
Range (in code): MY Bor IN Ass Mpr TH Rng ID Ja
- 9701. *Scobura woolletti cephalina* Evans,1932** (Hesperiidae) Synonym(s): *cephalina*
Evans,1932 _ Range (in code): ID Ja
- 9702. *Scobura woolletti woolletti* N.D.Riley,1923** (Hesperiidae) Synonym(s): *woolletti*
N.D.Riley,1923 _ Range (in code): MY Bor IN Ass Mpr TH Rng
- 9703. *Sebastonyma dolopia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *dolopia*
Hewitson,1868 _ Range (in code): SI IN Ass MM Sad
- 9704. *Sebastonyma dolopia dolopia* (Hewitson,1868)** (Hesperiidae) Synonym(s): *dolopia*
Hewitson,1868 _ Range (in code): SI IN Ass MM Sad
- 9705. *Sebastonyma medoensis* Lee,1979** (Hesperiidae) Synonym(s): *medoensis* Lee,1979
Range (in code): CN Yu Bap Mku Lon Qq
- 9706. *Sebastonyma medoensis albostrata* Huang,2003** (Hesperiidae) Synonym(s):
albostrata Huang,2003 _ Range (in code): CN Yu Qq
- 9707. *Sebastonyma medoensis medoensis* Lee,1979** (Hesperiidae) Synonym(s): *medoensis*
Lee,1979 _ Range (in code): CN Yu Bap Mku Lon
- 9708. *Sebastonyma pudens* Evans,1937** (Hesperiidae) Synonym(s): *pudens* Evans,1937
Range (in code): TH CMa Dst MM Sad Shn Krh
- 9709. *Sebastonyma pudens pudens* Evans,1937** (Hesperiidae) Synonym(s): *pudens*
Evans,1937 _ Range (in code): TH CMa Dst MM Sad Shn Krh
- 9710. *Semalea arela* (Mabille,1891)** (Hesperiidae) Synonym(s): *arela* Mabille,1891
- 9711. *Semalea atrio* (Mabille,1891)** (Hesperiidae) Synonym(s): *atrio* Mabille,1891
- 9712. *Semalea kola* Evans,1937** (Hesperiidae) Synonym(s): *kola* Evans,1937
- 9713. *Semalea proxima* (Plötz,1886)** (Hesperiidae) Synonym(s): *proxima* Plötz,1886
- 9714. *Semalea pulvina* (Plötz,1879)** (Hesperiidae) Synonym(s): *pulvina* Plötz,1879
- 9715. *Semalea sextilis* (Plötz,1886)** (Hesperiidae) Synonym(s): *sextilis* Plötz,1886
- 9716. *Seseria affinis* (Druce,1873)** (Hesperiidae) Synonym(s): *affinis* Druce,1873; *niphates*
Weymer,1873 _ Range (in code): ID Ja Nia Sum MY Bor Prk TH
- 9717. *Seseria affinis affinis* (Druce,1873)** (Hesperiidae) Synonym(s): *affinis* Druce,1873;
niphates Weymer,1873 _ Range (in code): ID Sum MY Bor
- 9718. *Seseria affinis javanensis* (Fruhstorfer,1909)** (Hesperiidae) Synonym(s): *javanensis*
Fruhstorfer,1909 _ Range (in code): ID Ja
- 9719. *Seseria affinis kirmana* (Plötz,1885)** (Hesperiidae) Synonym(s): *kirmana* Plötz,1885;
cognata Distant,1886 _ Range (in code): MY Prk TH
- 9720. *Seseria affinis niasica* Evans,1932** (Hesperiidae) Synonym(s): *niasica* Evans,1932
Range (in code): ID Nia
- 9721. *Seseria dohertyi* (E.Y.Watson,1893)** (Hesperiidae) Synonym(s): *dohertyi*
E.Y.Watson,1893 _ Original Reference: Satarupa dohertyi Watson,1893, Proc. zool. Soc. Lond. 1893: 46-47. Syntypes: [India]: "Kumaon" (leg. Doherty). Range (in code): VN IN Kma Mpr Mre Haz Nag PK SI Hp CN Hn Yu
- 9722. *Seseria dohertyi dohertyi* (E.Y.Watson,1893)** (Hesperiidae) Synonym(s): *dohertyi*
E.Y.Watson,1893 _ Original Reference: Satarupa dohertyi Watson,1893, Proc. zool. Soc. Lond. 1893: 46-47. Syntypes: [India]: "Kumaon" (leg. Doherty). Range (in code): IN Kma Mpr Mre Haz Nag PK SI Hp

- 9723. *Seseria dohertyi salex* Evans,1949** (Hesperiidae) **Synonym(s):** *saless* Evans,1949
Range (in code): VN CN Hn
- 9724. *Seseria dohertyi scona* Evans,1949** (Hesperiidae) **Synonym(s):** *scona* Evans,1949
Range (in code): CN Yu
- 9725. *Seseria formosana* (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s):** *formosana* Fruhstorfer,1909; *nigroguttata* Matsumura,1910. **Range (in code):** TW
- 9726. *Seseria formosana formosana* (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s):** *formosana* Fruhstorfer,1909; *nigroguttata* Matsumura,1910. **Range (in code):** TW
- 9727. *Seseria sambara* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *sambara* Moore,1865; *cosima* Plötz,1884. **Original Reference:** Satarupa sambara Moore,[1866], Proc. zool. Soc. Lond. 1865: 781. **Type(s):** Sikkim. **Range (in code):** TH VN Ton IN Ass BT Kma Mpr Nag SI Hp
- 9728. *Seseria sambara indosinica* (Fruhstorfer,1909)** (Hesperiidae) **Synonym(s):** *indosinica* Fruhstorfer,1909 **Range (in code):** VN Ton TH
- 9729. *Seseria sambara sambara* (Moore,[1866])** (Hesperiidae) **Synonym(s):** *sambara* Moore,1865; *cosima* Plötz,1884. **Original Reference:** Satarupa sambara Moore,[1866], Proc. zool. Soc. Lond. 1865: 781. **Type(s):** Sikkim. **Range (in code):** IN Ass BT Kma Mpr Nag SI Hp
- 9730. *Seseria sesame* Evans,1949** (Hesperiidae) **Synonym(s):** *sesame* Evans,1949 **Range (in code):** MY Bor Swk ID Sum
- 9731. *Seseria sesame sesame* Evans,1949** (Hesperiidae) **Synonym(s):** *sesame* Evans,1949
Range (in code): MY Bor Swk ID Sum
- 9732. *Seseria strigata* Evans,1926** (Hesperiidae) **Synonym(s):** *strigata* Evans,1926 **Range (in code):** MM Krh TH CMa Chy Nna Nst Ths
- 9733. *Seseria strigata strigata* Evans,1926** (Hesperiidae) **Synonym(s):** *strigata* Evans,1926
Range (in code): MM Krh TH CMa Chy Nna Nst Ths
- 9734. *Signeta flammeata* (Butler,1882)** (Hesperiidae) **Synonym(s):** *flammeata* Butler,1882; *eclipsis* Butler,1882; *atromacula* Miskin,1889 **Range (in code):** AU VAu Mel QAU Bri NSw
- 9735. *Signeta flammeata flammeata* (Butler,1882)** (Hesperiidae) **Synonym(s):** *flammeata* Butler,1882; *eclipsis* Butler,1882; *atromacula* Miskin,1889 **Range (in code):** AU VAu Mel QAU Bri NSw
- 9736. *Signeta tymbophora* (Meyrick & Lower,1902)** (Hesperiidae) **Synonym(s):** *tymbophora* Meyrick & Lower,1902
- 9737. *Signeta tymbophora tymbophora* (Meyrick & Lower,1902)** (Hesperiidae)
Synonym(s): *tymbophora* Meyrick & Lower,1902
- 9738. *Sostrata bifasciata*** (Hesperiidae) **Synonym(s):** **Range (in code):** US
- 9739. *Sostrata nordica* Evans,1953** (Hesperiidae) **Synonym(s):** *nordica* Evans,1953 **Range (in code):** MX
- 9740. *Sovia albipecta* (De Nicéville,1891)** (Hesperiidae) **Synonym(s):** *albipecta* De Nicéville,1891; *prominens* Evans,1932 **Range (in code):** TH Chy Phe Knc MM Shn Krh VN
- 9741. *Sovia albipecta albipecta* (De Nicéville,1891)** (Hesperiidae) **Synonym(s):** *albipecta* De Nicéville,1891; *prominens* Evans,1932 **Range (in code):** TH Chy Phe Knc MM Shn Krh VN
- 9742. *Sovia grahami* (Evans,1926)** (Hesperiidae) **Synonym(s):** *grahami* Evans,1926 **Range (in code):** IN Kma SI Ass Meg Khs CN Yu Yao
- 9743. *Sovia grahami grahami* (Evans,1926)** (Hesperiidae) **Synonym(s):** *grahami* Evans,1926
Range (in code): IN Kma SI Ass Meg Khs
- 9744. *Sovia grahami miliaohuae* Huang,2003** (Hesperiidae) **Synonym(s):** *miliaohuae* Huang,2003 **Range (in code):** CN Yu Yao
- 9745. *Sovia hyrtacus* (De Nicéville,1897)** (Hesperiidae) **Synonym(s):** *hyrtacus* De Nicéville,1897; *miesa* Kirby,1879 **Range (in code):** IN NI LK
- 9746. *Sovia hyrtacus hyrtacus* (De Nicéville,1897)** (Hesperiidae) **Synonym(s):** *hyrtacus* De Nicéville,1897; *miesa* Kirby,1879 **Range (in code):** IN NI LK
- 9747. *Sovia lucasii* (Mabille,1876)** (Hesperiidae) **Synonym(s):** *lucasii* Mabille,1876; *sona* Evans,1937 **Range (in code):** CN
- 9748. *Sovia lucasii lucasii* (Mabille,1876)** (Hesperiidae) **Synonym(s):** *lucasii* Mabille,1876; *sona* Evans,1937 **Range (in code):** CN
- 9749. *Sovia malta* Evans,1949** (Hesperiidae) **Synonym(s):** *malta* Evans,1949 **Range (in code):** IN Ass Mpr
- 9750. *Sovia malta malta* Evans,1949** (Hesperiidae) **Synonym(s):** *malta* Evans,1949 **Range (in code):** IN Ass Mpr

- 9751. *Sovia separata* (Moore,1882)** (Hesperiidae) Synonym(s): *separata* Moore,1882 Range (in code): CN Yu Bap Mku Lon Mbl Yao SI IN BT
- 9752. *Sovia separata magna* (Evans,1932)** (Hesperiidae) Synonym(s): *magna* Evans,1932 Range (in code): CN Yu Bap Mku Lon Mbl Yao
- 9753. *Sovia subflava* (Leech,1894)** (Hesperiidae) Synonym(s): *subflava* Leech,1894 Range (in code): CN
- 9754. *Sovia subflava subflava* (Leech,1894)** (Hesperiidae) Synonym(s): *subflava* Leech,1894 Range (in code): CN
- 9755. *Spathilepia clonius* (Cramer,1775)** (Hesperiidae) Synonym(s): *clonius* Cramer,1775 Range (in code): US MX Tx
- 9756. *Spialia* (Neospialia) *orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. Original Reference: Papilio orbifer Hübner,[1823], Samml. eur. Schmett. 1: pl.161 figs. 803-806. Syntypes: Europa. Range (in code): AF AL At Kts Ba BG BY CN GR HU HV JO IQ IR LB KG KK Kr MK RO RU Si SK Sm Sr SS TR AM UA Ui Vi YU Mt Ko Mn Sp Tk Aa Syr Tm Sau Mrk Tar TrA DsA Ax TeA Bl Ci Gg Kab Nwf Pag PK Sju Qu Urk Zi Shs Sng She Gor Mrw Man Nmg Br Smk Bsa Bei Aiz Zah Js Shq Dk Krd Km Amm Hal Dms Bld UA Cm Th T-S IL Pa Hf Rd Cc Ab Ak Msw Bionomy: Larva on Sanguisorba minor, Potentilla sp. (Lorkovic,1973; Anikin et al., 1993).
- 9757. *Spialia* (Neospialia) *orbifer carnea* (Reverdin,1927)** (Hesperiidae) Synonym(s): *carnea* Reverdin,1927 Original Reference: Hesperia carnea Reverdin,1927, [in] Bang-Haas,O., Horae Macrolepidopt. 1: 52-54, t.7 fig.28. Type ♀: Afghanistan: Pagmann mont., 30km wetsl. Kabul. Range (in code): AF Bl Ci Gg Kab Nwf Pag PK Qu Urk Zi
- 9758. *Spialia* (Neospialia) *orbifer hilaris* (Staudinger,1901)** (Hesperiidae) Synonym(s): *hilaris* Staudinger,1901; *secunda* Graves,1925. Original Reference: Hesperia orbifer var. hilaris Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:96. Syntypes: [Türkei]: Mardin; Syria. Range (in code): IL Js He Pa Hf IQ Shq Dk IR Ab Ak Msw Krd Km LB Bsa Bei Aiz Zah LY SY Hal Dms Bld TR JO Amm Cc
- 9759. *Spialia* (Neospialia) *orbifer lugens* (Staudinger,1886)** (Hesperiidae) Synonym(s): *lugens* Staudinger,1886; *murasaki* Sugitani,1936 Original Reference: Pyrgus orbifer var. lugens Staudinger,1886, Stettin ent. Ztg. 47: 256. Syntypes: Fergana (Margelan, Osch, Namangan). Range (in code): Am Ax CN Shs Sng She Fe Ik IR KK KG RU TM Ts T-S UZ Mn Sp T-S Tk Aa Syr Tm Sau Mrk Tar TrA Sju DsA Ax TeA Osh Gor Mrw Man Nmg Br Smk
- 9760. *Spialia* (Neospialia) *orbifer orbifer* (Hübner,[1823])** (Hesperiidae) Synonym(s): *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. Original Reference: Papilio orbifer Hübner,[1823], Samml. eur. Schmett. 1: pl.161 figs. 803-806. Syntypes: Europa. Range (in code): AL Ba BG GR Rd HU HV MK RO RU Si SK Sm Sr SS TR Vi YU UA Cm IR Th AM Cc
- 9761. *Spialia* (Neospialia) *orbifer pseudolugens* Gorbunov,1995** (Hesperiidae) Synonym(s): *pseudolugens* Gorbunov,1995 Original Reference: Spialia orbifer ssp. pseudolugens Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 31. Holotype: Russia: Western Altay: vic. Tourgousoun, Osinovka valley. Range (in code): At Kts RU
- 9762. *Spialia* (Neospialia) *sertorius* (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *sertorius* Hoffmannsegg,1804 Original Reference: Papilio sertorius Hoffmannsegg,1804, [in] Illiger's Mag. Insektenk. 3: 203. Type: Germany. Range (in code): AT BL BY CH Co CZ DE ES Mu Mu18 FR GR HU IT LU NL PT RU Si SK UA YU MA Azr Tgr Ifr DZ Sbd Lbs Orn Cst Agi Ktr Dje Khk Eba Afl Blid Abe Dja Btma Tlm TN Bionomy: Larva on Sanguisorba minor, Potentilla verna, Rubus idaeus (Rosaceae) (Verity,1940; Forster & Wohlfahrt,1955).
- 9763. *Spialia* (Neospialia) *sertorius ali* (Oberthür,1881)** (Hesperiidae) Synonym(s): *ali* Oberthür,1881; *therapnoides* Oberthür,1910; *#rungsii* Picard,1950 Original Reference: Syrichthus ali Oberthür,1881, Etüd. Ent. 6: 61, pl.ii fig.3. Syntypes: Algerié: Lambese (BMNH). Range (in code): MA Azr Tgr Ifr DZ Sbd Lbs Orn Cst Agi Ktr Dje Khk Eba Afl Blid Abe Dja Btma Tlm TN
- 9764. *Spialia* (Neospialia) *sertorius sertorius* (Hoffmannsegg,1804)** (Hesperiidae) Synonym(s): *sertorius* Hoffmannsegg,1804; *hibiscae* Hübner Original Reference: Papilio sertorius Hoffmannsegg,1804, [in] Illiger's Mag. Insektenk. 3: 203. Type: Germany. Range (in code): AT BL Bv Bw BY CH Co CZ DE ES Mu Mu18 FR GR HU IT LU NL PT Rp RU Si SK UA YU DZ MA TN
- 9765. *Spialia* (Neospialia) *therapne* (Rambur,1832)** (Hesperiidae) Synonym(s): *therapne* Rambur,1832 Original Reference: Hesperia therapne Rambur,1832, Annls Soc. ent. Fr. 1832: pl.7 fig.4. Type: Corsica. Range (in code): Co Sa

- 9766. *Spialia* (Neospialia) therapne therapne (Rambur,1832)** (Hesperiidae) Synonym(s): *therapne Rambur,1832* Original Reference: *Hesperia therapne* Rambur,1832, *Annls Soc. ent. Fr.* 1832: pl.7 fig.4. Type: Corsica. Range (in code): **Co Sa**
- 9767. *Spialia* (s.str.) agylla (Trimen,1889)** (Hesperiidae) Synonym(s): *agylla Trimen,1889* Range (in code): **ZA NWe Ec Wca Fs Tva Gau Jh LS BW**
- 9768. *Spialia* (s.str.) agylla agylla (Trimen,1889)** (Hesperiidae) Synonym(s): *agylla Trimen,1889* Range (in code): **ZA Ec Wca Fs Tva Gau Jh LS BW**
- 9769. *Spialia* (s.str.) agylla bamptoni Vari,1976** (Hesperiidae) Synonym(s): *bamptoni Vari,1976* Range (in code): **ZA NWe**
- 9770. *Spialia* (s.str.) asterodia (Trimen,1864)** (Hesperiidae) Synonym(s): *asterodia Trimen,1864* Original Reference: *Pyrgus asterodia* Trimen,1864, *Trans. ent. Soc. London* (3) 2: 178. Holotype ♂: Cape Prov., Plettenberg Bay (BMNH). Range (in code): **ZA Ec Nta Kzu Ptb Gau Jh Pre Ptc Tva Brb Mpu Mes Wjk Fs Spb Est LS MZ ZW Har Bul**
- 9771. *Spialia* (s.str.) colotes (Druce,1875)** (Hesperiidae) Synonym(s): *colotes Druce,1875* Original Reference: *Pyrgus colotes* Druce,1875, *Proc. zool. Soc. Lond.* 1875: 416. Syntypes: Angola. Range (in code): **Ad As Dh ET KE OM SA SO UG YE ZA Tva Lpo Spb Mdk Kru Pma Ptc Wm Gau Jh NA ZW TZ KE UG**
- 9772. *Spialia* (s.str.) colotes colotes (Druce,1875)** (Hesperiidae) Synonym(s): *colotes Druce,1875* Original Reference: *Pyrgus colotes* Druce,1875, *Proc. zool. Soc. Lond.* 1875: 416. Syntypes: Angola. Range (in code): **AO**
- 9773. *Spialia* (s.str.) colotes semiconfluens De Jong,1978** (Hesperiidae) Synonym(s): *semiconfluens De Jong,1978* Original Reference: *Spialia colotes* ssp. *semiconfluens* De Jong,1978, *Tijdschr. Ent.* 121: 58. Holotype ♂: Somalia: Bihendula. Range (in code): **Ad As Dh ET KE OM SA SO UG YE**
- 9774. *Spialia* (s.str.) colotes transvaaliae (Trimen,1889)** (Hesperiidae) Synonym(s): *transvaaliae Trimen,1889* Range (in code): **ZA Tva Lpo Spb Mdk Kru Pma Ptc Wm Gau Jh NA ZW TZ KE UG**
- 9775. *Spialia* (s.str.) confusa (Higgins,1924)** (Hesperiidae) Synonym(s): *confusa Higgins,1924; fasciata Higgins,1924; confusa Evans,1937* Original Reference: *Hesperia transvaaliae* var. *confusa* Higgins,1924, *Trans. ent. Soc. London* 1924: 90. Holotype ♂: SW shore Lake Nyasa, between Ft. Johnston and Monkey Bay (BMNH). Range (in code): **KE Nai ET ZW MZ ZA Nta Kzu Tva Lpo Mes TZ MW ZM**
- 9776. *Spialia* (s.str.) confusa confusa Evans,1937** (Hesperiidae) Synonym(s): *confusa Higgins,1924; fasciata Higgins,1924; confusa Evans,1937* Original Reference: *Hesperia transvaaliae* var. *confusa* Higgins,1924, *Trans. ent. Soc. London* 1924: 90. Holotype ♂: SW shore Lake Nyasa, between Ft. Johnston and Monkey Bay (BMNH). Range (in code): **ZW MZ ZA Nta Kzu Tva Lpo Mes TZ MW ZM**
- 9777. *Spialia* (s.str.) confusa obscura Evans,1937** (Hesperiidae) Synonym(s): *obscura Evans,1937* Original Reference: *Spialia confusa* ssp. *obscura* Evans,1937, *Catalogue African Hesperiidae in the British Museum*: 60. Holotype ♂: Kenya: Nairobi (BMNH). Range (in code): **KE Nai TZ ET**
- 9778. *Spialia* (s.str.) delagoae (Trimen,1898)** (Hesperiidae) Synonym(s): *delagoae Trimen,1898* Original Reference: *Pyrgus delagoae* Trimen,1898, *Trans. ent. Soc. London* 1898: 15. Syntypes: Mozambique: Delagoa Bay. Range (in code): **ZA NWe Nca Mpu Gau Tva Lpo Spb Mdk Kru Pma Nta Kzu MZ Del SZ AO NA ZW ZM BW UG KE**
- 9779. *Spialia* (s.str.) depauperata (Strand,1911)** (Hesperiidae) Synonym(s): *depauperata Strand,1911; rehousi Oberthür,1912* Range (in code): **TZ KE UG ZR MW ZM MZ ZA Tva Lpo Nta Kzu ZW**
- 9780. *Spialia* (s.str.) depauperata australis de Jong,1978** (Hesperiidae) Synonym(s): *australis de Jong,1978* Range (in code): **ZA Tva Lpo Nta Kzu ZW**
- 9781. *Spialia* (s.str.) depauperata depauperata (Strand,1911)** (Hesperiidae) Synonym(s): *depauperata Strand,1911; rehousi Oberthür,1912* Range (in code): **TZ KE UG ZR MW ZM MZ**
- 9782. *Spialia* (s.str.) diomus (Hopffer,1855)** (Hesperiidae) Synonym(s): *diomus Hopffer,1855; machacoana Butler,1899* Original Reference: *Pyrgus diomus* Hopffer,1855, *Ber. Verh. Akad. Wiss. Berlin* 1855: 643. Type(s): Mossambique. Range (in code): **Ad AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE Ad YE47 ZA Nta Kzu Ptb Gau Pre Tva Lpo Spb Kru Pma ZM ZR ZW**
- 9783. *Spialia* (s.str.) diomus diomus (Hopffer,1855)** (Hesperiidae) Synonym(s): *diomus Hopffer,1855; machacoana Butler,1899* Original Reference: *Pyrgus diomus* Hopffer,1855, *Ber. Verh.*

Akad. Wiss. Berlin 1855: 643. Type(s): Mossambique. Range (in code): **AC Ad AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE ZM ZR**

9784. *Spialia* (s.str.) *diomus ferax* (Wallengren,1863) (Hesperiidae) Synonym(s): *ferax* Wallengren,1863; *abscondita* Plötz,1884; *lacreuzei* Oberthür,1912 Range (in code): **ZA Nta Kzu Ptb Gau Pre Tva Lpo Spb Kru Pma ZW NA ZM MZ**

9785. *Spialia* (s.str.) *doris* (Walker,1870) (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885. Original Reference: Nisoniades *doris* Walker,1870, Entomologist 5: 56. Type(s): [Djibouti]: Tajora. Range (in code): **MA EG EG27 EG33 EG34 EG49 EG56 EG69 EG76 Ad As BH DZ Dh DJ ER ET ET87 Hd Hj JO KE Nai KW OM QA SA SA39 SD Kdf SD95 SO YE TM Kp UZ PK BI Cp Sd Krc Hyd IR Ahz Ke IN Rjp Cu** Bionomy: Larva on *Convolvulus lanatus* from Egypt (Graves,1925); *Convolvulus lanatus*, *C. captmedusae*, *C. trabutianus*, *Ipomoea stolonifera* (Tolman,1997).

9786. *Spialia* (s.str.) *doris amenophis* (Reverdin,1914) (Hesperiidae) Synonym(s): *amenophis* Reverdin,1914 Original Reference: *Hesperia* ? *amephonis* Reverdin,1914, Bull. Soc. Lépid. Genève 3: 55, pl.3 figs.5,11. Syntypes: Egypt: Heliopolis, désert, Wedi Risled. Range (in code): **EG EG27 EG33 EG34 EG49 EG56 EG69 EG76 JO**

9787. *Spialia* (s.str.) *doris daphne* Evans,1949 (Hesperiidae) Synonym(s): *daphne* Evans,1949 Original Reference: *Spialia doris* ssp. *daphne* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 177. Type ♂: [Morocco]: High Atlas, Ziz Valley leg. Miss Daphne Aubertin & R.E.Ellison (in BMHN). Range (in code): **MA**

9788. *Spialia* (s.str.) *doris doris* (Walker,1870) (Hesperiidae) Synonym(s): *doris* Walker,1870; *adenensis* Butler,1885. Original Reference: Nisoniades *doris* Walker,1870, Entomologist 5: 56. Type(s): [Djibouti]: Tajora. Range (in code): **BH Dh DJ ER ET ET87 KE Nai KW OM QA SA As SA39 SD Kdf SD95 SO YE Hd Hj Ad**

9789. *Spialia* (s.str.) *doris evanidus* (Butler,1880) (Hesperiidae) Synonym(s): *evanidus* Butler,1880 Original Reference: *Pyrgus evanidus* Butler,1880, Ann. Mag. nat. Hist. (5) 5: 223. Syntypes 2 ex.: [Pakistan]: Beloochistan, Hubb River, Sao. Range (in code): **TM Kp UZ PK BI Cp Sd Krc Hyd IR Ahz Ke IN Rjp Cu**

9790. *Spialia* (s.str.) *dromus* (Plötz,1884) (Hesperiidae) Synonym(s): *dromus* Plötz,1884; *zaira* Plötz,1884; *melaleuca* Oberthür,1912; *leucomelas* Oberthür,1912; *elongata* Higgins,1924; *meridionalis* Higgins,1924. Range (in code): **ZM ZW Vum TZ CG ZR BW MZ ZA Ec Tva Lpo Mal Nta Kzu Spb Suw Brb Wm Mpu Gau Pre NWe SZ MW Zom**

9791. *Spialia* (s.str.) *galba* (Fabricius,1793) (Hesperiidae) Synonym(s): *galba* Fabricius,1793. Original Reference: *Hesperia galba* Fabricius,1793, Ent. Syst. 3(1): 352. Type(s): Tranquebariae. Range (in code): **IN Clc Kma Ch Ass MM Shn SI Ass TH Cbi Knc**

9792. *Spialia* (s.str.) *galba galba* (Fabricius,1793) (Hesperiidae) Synonym(s): *galba* Fabricius,1793. Original Reference: *Hesperia galba* Fabricius,1793, Ent. Syst. 3(1): 352. Type(s): Tranquebariae. Range (in code): **IN Kma Ch Ass MM Shn SI Ass TH Cbi Knc**

9793. *Spialia* (s.str.) *galba superna* (Moore,1865) (Hesperiidae) Synonym(s): *superna* Moore,1865 Range (in code): **IN Clc**

9794. *Spialia* (s.str.) *geron* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893 Original Reference: *Hesperia geron* Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♀: [Pakistan]: "Quetta, Biluchistan" (leg. Watson in June) (BMNH). Range (in code): **PK BI Qu Bol Urk IR Ahz Elb Srd Shr AF Kab Ng**

9795. *Spialia* (s.str.) *geron geron* (E.Y.Watson,1893) (Hesperiidae) Synonym(s): *geron* E.Y.Watson,1893 Original Reference: *Hesperia geron* Watson,1893, Proc. zool. Soc. Lond. 1893: 65-67. Syntypes 6♂♀: [Pakistan]: "Quetta, Biluchistan" (leg. Watson in June) (BMNH). Range (in code): **PK BI Qu Bol Urk IR Ahz Elb Srd Shr AF Kab Ng**

9796. *Spialia* (s.str.) *kituina* (Karsch,1896) (Hesperiidae) Synonym(s): *kituina* Karsch,1896; *bettoni* Butler,1898 Range (in code): **KE Mb Tet Kib Tvt**

9797. *Spialia* (s.str.) *mafa* (Trimmen,1870) (Hesperiidae) Synonym(s): *mafa* Trimmen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935. Original Reference: *Pyrgus mafa* Trimmen,1870, Trans. ent. Soc. Lond. 1870: 386, pl.6 fig.12. Syntypes: Maseru, Koro-Koro, Potchefstroom, Trans-Vaal. Range (in code): **Ad As Dh ET KE MW MZ OM SA SO TZ YE ZA ZM ZR UG ZW Har BW NA AO Tva Ptc Brb Mpu Gau Jh Tva Lpo Mes Pre Est Fs**

9798. *Spialia* (s.str.) *mafa higgins* Evans,1937 (Hesperiidae) Synonym(s): *higgins* Evans,1937 Original Reference: *Spialia mafa* ssp. *higgins* Evans,1937, Catalogue African Hesperiidae in the

- British Museum: 62. Holotype ♂: Kenya: Mumias, 4000ft. (BMNH). Range (in code): **KE ET SO Ad As Dh ET KE OM SA SO TZ YE UG**
- 9799. *Spialia* (s.str.) *mafa mafa* (Trimen,1870)** (Hesperiidae) Synonym(s): *mafa* Trimen,1870; *oberthueri* Aurivillius,1925; *aurivilli* Shepard,1935. Original Reference: *Pyrgus mafa* Trimen,1870, Trans. ent. Soc. Lond. 1870: 386, pl.6 fig.12. Syntypes: Maseru, Koro-Koro, Potchefstroom, Trans-Vaal. Range (in code): **MW MZ ZA Ptc Brb Mpu Gau Jh Tva Lpo Mes Pre Est Fs ZM ZR ZW Har BW NA AO**
- 9800. *Spialia* (s.str.) *mangana* (Rebel,1899)** (Hesperiidae) Synonym(s): *mangana* Rebel,1899 Original Reference: *Hesperia* (*Pyrgus*) *mangana* Rebel,1899, Anz. Akad. Wiss. Wien 36: 359-360. Type ♀: [Yemen]: Ras Fartak. Range (in code): **Ad Dh ET Hd KE OM SO UG YE**
- 9801. *Spialia* (s.str.) *mangana mangana* (Rebel,1899)** (Hesperiidae) Synonym(s): *mangana* Rebel,1899 Original Reference: *Hesperia* (*Pyrgus*) *mangana* Rebel,1899, Anz. Akad. Wiss. Wien 36: 359-360. Type ♀: [Yemen]: Ras Fartak. Range (in code): **Ad Dh ET Hd KE OM SO UG YE**
- 9802. *Spialia* (s.str.) *nanus* (Trimen,1889)** (Hesperiidae) Synonym(s): *nanus* Trimen,1889 Range (in code): **ZA Wca Cto Fs Ec ZW**
- 9803. *Spialia* (s.str.) *osthelderi* (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932 Original Reference: *Hesperia* (*Powellia*) *osthelderi* Pfeiffer,1932, Mitt. münch. ent. Ges. 22 (2): 50. Syntypes ♂♀: [Turkey]: türkisch Nordsyrien: Marasch, 1000m. Range (in code): **AF IQ Su Dy TM TR Kp LB Bsa IR Ab Shr Ke Fa Kdj Se Msh Kh KK SY T-S Sus**
- 9804. *Spialia* (s.str.) *osthelderi gecko* Evans,1949** (Hesperiidae) Synonym(s): *gecko* Evans,1949 Original Reference: *Spialia osthelderi* ssp. *gecko* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 176. Holotype ♂: [Iran]: Hyrcania (BMNH). Range (in code): **AF IR Shr Ke Fa Kdj Se Msh Kh TM Kp KK T-S Sus**
- 9805. *Spialia* (s.str.) *osthelderi osthelderi* (Pfeiffer,1932)** (Hesperiidae) Synonym(s): *osthelderi* Pfeiffer,1932 Original Reference: *Hesperia* (*Powellia*) *osthelderi* Pfeiffer,1932, Mitt. münch. ent. Ges. 22 (2): 50. Syntypes ♂♀: [Turkey]: türkisch Nordsyrien: Marasch, 1000m. Range (in code): **IQ Su Dy TR LB Bsa SY**
- 9806. *Spialia* (s.str.) *paula* (Higgins,1924)** (Hesperiidae) Synonym(s): *paula* Higgins,1924 Original Reference: *Hesperia paula* Higgins,1924, Trans. ent. Soc. Lond. 72: 77, pl.8 fig.22, pl.9 fig.6. Holotype ♂: Zimbabwe: Bulawayo (BMNH). Range (in code): **ZA Tva Pie Rtb Nwe ZW Bul Har BW**
- 9807. *Spialia* (s.str.) *phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. Original Reference: *Hesperia phlomidis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 153, 164; Taf.2 figs.8,9. Type(s): aus der Türkei am Marmarameer". Range (in code): **AL BG Cr GR He IL Pa LB Ksr NaS SY Bld TR SS HV MK Mt B-H Cc AZ Nv Ord IR Ab Srd Kh**
- 9808. *Spialia* (s.str.) *phlomidis hermona* Evans,1956** (Hesperiidae) Synonym(s): *hermona* Evans,1956. Original Reference: *Spialia phlomidis* ssp. *hermona* Evans,1956, Ann. Mag. nat. Hist. 9 (12): 750. Type ♂: Hermon Mt. (BMNH). Range (in code): **Pa He IL SY**
- 9809. *Spialia* (s.str.) *phlomidis phlomidis* (Herrich-Schäffer,[1845])** (Hesperiidae) Synonym(s): *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. Original Reference: *Hesperia phlomidis* Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 153, 164; Taf.2 figs.8,9. Type(s): aus der Türkei am Marmarameer". Range (in code): **AL BG Cr GR LB NaS Ksr TR SS HV MK Mt B-H Cc AZ Nv Ord IR Srd SY Bld**
- 9810. *Spialia* (s.str.) *ploetzi* (Aurivillius,1891)** (Hesperiidae) Synonym(s): *ploetzi* Aurivillius,1891; *zebra* Rebel,1914 nec Butl.,1888; *rebeli* Higgins,1924. Range (in code): **SL NG CM TZ AO KE**
- 9811. *Spialia* (s.str.) *ploetzi occidentalis* de Jong,1977** (Hesperiidae) Synonym(s): *occidentalis* de Jong,1977 Range (in code): **SL NG**
- 9812. *Spialia* (s.str.) *ploetzi ploetzi* (Aurivillius,1891)** (Hesperiidae) Synonym(s): *ploetzi* Aurivillius,1891; *zebra* Rebel,1914 nec Butl.,1888; *rebeli* Higgins,1924. Range (in code): **CM TZ AO KE**
- 9813. *Spialia* (s.str.) *sataspes* (Trimen,1864)** (Hesperiidae) Synonym(s): *sataspes* Trimen,1864 Range (in code): **ZA Ec**
- 9814. *Spialia* (s.str.) *secessus* (Trimen,1891)** (Hesperiidae) Synonym(s): *secessus* Trimen,1891; *#trimeni* Aurivillius,1925 Original Reference: *Pyrgus secessus* Trimen,1891, Proc. zool. Soc. London 1891: 102, pl.9 fig.22. Holotype ♂: Omrorra, Damaraland (SAM, Cape Town). Range (in code): **AO ZA Nta Kzu Tva Lpo Spb Suw Mpu Brb ZW Bul Har TZ MW ZM ZR**
- 9815. *Spialia* (s.str.) *spio* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *spio* Linnaeus,1764; *vindex* Stoll,[1781]. Original Reference: *Papilio spio* Linnaeus,1764, Museum Ludovicae Ulricae:

338. Type(s): Congo. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW Hd KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE Sna ZA Nta Kzu Ptb Tva Lpo Spb Mdk Kru Pma K12 Wca Cto ZM ZR ZW**
- 9816. *Spialia* (s.str.) *spio* *spio* (Linnaeus,1764)** (Hesperiidae) Synonym(s): *spio* Linnaeus,1764; *vindex* Stoll,[1781]. Original Reference: *Papilio spio* Linnaeus,1764, Museum Ludovicae Ulrica: 338. Type(s): Congo. Range (in code): **AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW Hd KE LR LS ML MR MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Nta Kzu Ptb Tva Lpo Spb Mdk Kru Pma K12 Wca Cto ZM ZR ZW**
- 9817. *Spialia* (s.str.) *struvei* (Püngeler,1914)** (Hesperiidae) Synonym(s): *struvei* Püngeler,1914 Original Reference: *Hesperia struvei* Püngeler,1914, Dt. ent. Z., Iris 28: 37-38, Taf. 2 figs. 13,20. Syntypes: [China: Uighur A.R.]: Barkul. Range (in code): **Bkr CN Fe Nc Ord Ui IR T-S DsA KG Mg KK Al**
- 9818. *Spialia* (s.str.) *struvei* *fetida* Zhdanko,1992** (Hesperiidae) Synonym(s): *fetida* Zhdanko,1992 Original Reference: *Spialia fetida* Zhdanko,1992, Proc. Zool. Inst. St. Petersburg. 248: 184-186, figs. 1,2. Holotype ♂: Kazakhstan: Mangyschlak. Range (in code): **KG Mg**
- 9819. *Spialia* (s.str.) *struvei* *irida* Zhdanko,1993** (Hesperiidae) Synonym(s): *irida* Zhdanko,1993 Range (in code): **Al KK**
- 9820. *Spialia* (s.str.) *struvei* *struvei* (Püngeler,1914)** (Hesperiidae) Synonym(s): *struvei* Püngeler,1914 Original Reference: *Hesperia struvei* Püngeler,1914, Dt. ent. Z., Iris 28: 37-38, Taf. 2 figs. 13,20. Syntypes: [China: Uighur A.R.]: Barkul. Range (in code): **T-S Bkr CN Fe Nc Ord Ui IR DsA KG**
- 9821. *Spialia* (s.str.) *wrefordi* Evans,1951** (Hesperiidae) Synonym(s): *wrefordi* Evans,1951 Original Reference: *Spialia wrefordi* Evans,1951, Ann. Mag. nat. Hist. (12) 4: 1270-1271. Holotype ♂: Uganda, Kotido, Karamoja (BMNH). Range (in code): **KE UG**
- 9822. *Spialia* (s.str.) *wrefordi* *wrefordi* Evans,1951** (Hesperiidae) Synonym(s): *wrefordi* Evans,1951 Original Reference: *Spialia wrefordi* Evans,1951, Ann. Mag. nat. Hist. (12) 4: 1270-1271. Holotype ♂: Uganda, Kotido, Karamoja (BMNH). Range (in code): **KE UG**
- 9823. *Spialia* (s.str.) *zebra* (Butler,1888)** (Hesperiidae) Synonym(s): *zebra* Butler,1888; *hellas* De Nicéville,1889. Original Reference: *Pyrgus zebra* Butler, 1888, Ann. Mag. nat. Hist. 1888: 206. Range (in code): **Ad Cp Pj PK YE IN KE Mb Nai SD UG ET OM TZ**
- 9824. *Spialia* (s.str.) *zebra* *bifida* (Higgins,1924)** (Hesperiidae) Synonym(s): *bifida* Higgins,1924 Original Reference: *Hesperia bifida* Higgins,1924, Trans. ent. Soc. Lond. 72: 111. Holotype ♂: Kenya: Nairobi (BMNH). Range (in code): **KE Nai Mb SD UG ET YE OM TZ**
- 9825. *Spialia* (s.str.) *zebra* *zebra* (Butler,1888)** (Hesperiidae) Synonym(s): *zebra* Butler,1888; *hellas* De Nicéville,1889. Original Reference: *Pyrgus zebra* Butler, 1888, Ann. Mag. nat. Hist. 1888: 206. Range (in code): **Ad Cp Pj PK YE IN**
- 9826. *Stallingsia* *jacki* D.Stallings, Turner & V.Stallings,1963** (Hesperiidae) Synonym(s): *jacki* D.Stallings, Turner & V.Stallings,1963 Range (in code): **MX**
- 9827. *Stallingsia* *maculosa* (Freeman,1955)** (Hesperiidae) Synonym(s): *maculosa* Freeman,1955 Range (in code): **US Tx MX**
- 9828. *Stallingsia* *smithi* (Druce,1896)** (Hesperiidae) Synonym(s): *smithi* Druce,1896 Range (in code): **MX**
- 9829. *Staphylus* *ascalaphus* (Staudinger,1876)** (Hesperiidae) Synonym(s): *ascalaphus* Staudinger,1876 Range (in code): **MX**
- 9830. *Staphylus* *azteca* (Scudder,1872)** (Hesperiidae) Synonym(s): *azteca* Scudder,1872; *unifascia* Mabille,1889; *machuca* Schaus,1913; *quadratus* Dyar,1926; *inconstans* Bell,1932 Range (in code): **MX**
- 9831. *Staphylus* *ceos* (Edwards,1882)** (Hesperiidae) Synonym(s): *ceos* Edwards,1882 Range (in code): **US MX Arz Cf NMx Ne Tx**
- 9832. *Staphylus* *hayhurstii* (Edwards,1870)** (Hesperiidae) Synonym(s): *hayhurstii* Edwards,1870 Range (in code): **US Aks Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mis Mrl Mss NCa Neb Nje Oh Ok Pns SCa Sdk Tnn Tx Vi WVi**
- 9833. *Staphylus* *iguala* (R.C.Williams & Bell,1940)** (Hesperiidae) Synonym(s): *iguala* R.C.Williams & Bell,1940; *ziza* Evans,1953; *zuritus* Freeman,1969 Range (in code): **MX**
- 9834. *Staphylus* *lenis* Steinhäuser,1989** (Hesperiidae) Synonym(s): *lenis* Steinhäuser,1989 Range (in code): **MX**
- 9835. *Staphylus* *mazans* (Reakirt,[1867])** (Hesperiidae) Synonym(s): *mazans* Reakirt,[1867] Range (in code): **US MX Tx**

- 9836. *Staphylus tepeca* (Bell,1942)** (Hesperiidae) Synonym(s): *tepeca* Bell,1942 _ Range (in code): MX
- 9837. *Staphylus tierra* Evans,1953** (Hesperiidae) Synonym(s): *tierra* Evans,1953; *veytius* Freeman,1969 _ Range (in code): MX
- 9838. *Staphylus vincula* (Plötz,1886)** (Hesperiidae) Synonym(s): *vincula* Plötz,1886; *opites* Godman & Salvin,1896 _ Range (in code): MX
- 9839. *Staphylus vulgata* (Möschler,1879)** (Hesperiidae) Synonym(s): *vulgata* Möschler,1879 _ Range (in code): MX
- 9840. *Stimula swinhoei* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *swinhoei* Elwes & Edwards,1897 _ Range (in code): IN SI Ass MM Shn Krh VN
- 9841. *Stimula swinhoei disca* Evans,1949** (Hesperiidae) Synonym(s): *disca* Evans,1949 _ Range (in code): MM Krh
- 9842. *Stimula swinhoei swinhoei* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *swinhoei* Elwes & Edwards,1897 _ Range (in code): IN SI Ass MM Shn VN
- 9843. *Stinga morrisoni* (Edwards,1878)** (Hesperiidae) Synonym(s): *morrisoni* Edwards,1878 _ Range (in code): US MX Arz Col NMx Tx
- 9844. *Suada albinus* (Semper,1892)** (Hesperiidae) Synonym(s): *albina* Semper,1892; *flavea* Evans,1932 _ Range (in code): PH Bas Ley Luz Mno Pol
- 9845. *Suada albinus albinus* (Semper,1892)** (Hesperiidae) Synonym(s): *albina* Semper,1892; *flavea* Evans,1932 _ Range (in code): PH Bas Ley Luz Mno Pol
- 9846. *Suada albolineata* Devyatkin,2000** (Hesperiidae) Synonym(s): *albolineata* Devyatkin,2000 _ Range (in code): VN
- 9847. *Suada cataleucos* (Staudinger,1889)** (Hesperiidae) Synonym(s): *catoleucos* Staudinger,1889 _ Range (in code): PH Mno Pal MY Bor
- 9848. *Suada cataleucos cataleucos* (Staudinger,1889)** (Hesperiidae) Synonym(s): *catoleucos* Staudinger,1889 _ Range (in code): PH Mno Pal MY Bor
- 9849. *Suada swerga* (De Nicéville,1883)** (Hesperiidae) Synonym(s): *swerga* De Nicéville,1883; *moelleri* Moore,1883 _ Range (in code): SI IN Ass MM Mrg Shn Krh Tvy Pey MY TH CMa Nna Rat Knc Rng Nst Ths Sya VN ID Sum Ja
- 9850. *Suada swerga sedata* Evans,1949** (Hesperiidae) Synonym(s): *sedata* Evans,1949 _ Range (in code): ID Sum
- 9851. *Suada swerga suava* Evans,1949** (Hesperiidae) Synonym(s): *suava* Evans,1949 _ Range (in code): MM Mrg Shn Krh Tvy Pey MY TH CMa Nna Rat Knc Rng Nst Ths Sya VN
- 9852. *Suada swerga swerga* (De Nicéville,1883)** (Hesperiidae) Synonym(s): *swerga* De Nicéville,1883; *moelleri* Moore,1883 _ Range (in code): SI IN Ass
- 9853. *Suada swerga triplex* (Plötz,1884)** (Hesperiidae) Synonym(s): *triplex* Plötz,1884 _ Range (in code): ID Ja
- 9854. *Suastus everyx* Mabille,1883** (Hesperiidae) Synonym(s): *everyx* Mabille,1883; *tripura* De Nicéville,1883 _ Range (in code): TH Rng Tng MM Tvy MY Bor ID Sum Ja
- 9855. *Suastus everyx albescens* Mabille,1891** (Hesperiidae) Synonym(s): *albescens* Mabille,1891 _ Range (in code): ID Ja
- 9856. *Suastus everyx everyx* Mabille,1883** (Hesperiidae) Synonym(s): *everyx* Mabille,1883; *tripura* De Nicéville,1883 _ Range (in code): TH Rng Tng MM Tvy MY Bor ID Sum
- 9857. *Suastus gremius* (Fabricius,1798)** (Hesperiidae) Synonym(s): *gremius* Fabricius,1798; *disu* Kollar,1844; *divodasa* Moore,1865; *robsonii* De Nicéville,1895; *centripuncta* Seitz,1927 _ Range (in code): TH CMa Cuo Cuo1 Cuo7 Msa CRa Bnk Chu Lmp Nna Pkk Nst Ths Chw ID Sba Flo CN IN SI Ben Ass MM HK Hn TW LK VN
- 9858. *Suastus gremius chilon* Doherty,1891** (Hesperiidae) Synonym(s): *chilon* Doherty,1891 _ Range (in code): ID Sba Flo
- 9859. *Suastus gremius gremius* (Fabricius,1798)** (Hesperiidae) Synonym(s): *gremius* Fabricius,1798; *disu* Kollar,1844; *divodasa* Moore,1865; *robsonii* De Nicéville,1895; *centripuncta* Seitz,1927 _ Range (in code): TH CMa Cuo Cuo1 Cuo7 Msa CRa Bnk Chu Lmp Nna Pkk Nst Ths Chw CN IN SI Ben Ass MM HK Hn TW VN
- 9860. *Suastus gremius subgrisea* (Moore,1878)** (Hesperiidae) Synonym(s): *subgrisea* Moore,1878 _ Range (in code): LK
- 9861. *Suastus migreus* Semper,1892** (Hesperiidae) Synonym(s): *migreus* Semper,1892 _ Range (in code): PH Bab Ceb Hom Ley Luz Mar Mdo Mno Sib Taw

- 9862. *Suastus migreus migreus* Semper, 1892** (Hesperiidae) *Synonym(s): migreus Semper, 1892* - Range (in code): PH Bab Ceb Hom Ley Luz Mar Mdo Mno Sib Taw
- 9863. *Suastus minutus* (Moore, 1877)** (Hesperiidae) *Synonym(s): minutus Moore, 1877; sinhalus Plötz, 1885* - Range (in code): TH Chy Nrt Ray Cbu Rng Yal IN NI Ass Adm LK SI MM Mrg CN Hn ID Ja PH Pal Cal
- 9864. *Suastus minutus aditius* Evans, 1943** (Hesperiidae) *Synonym(s): aditia Evans, 1943* - Range (in code): SI IN Ass MM Mrg CN Hn ID Ja TH Chy Nrt Ray Cbu Rng Yal
- 9865. *Suastus minutus aditus* Moore, 1884** (Hesperiidae) *Synonym(s): aditus Moore, 1884* - Range (in code): IN Adm
- 9866. *Suastus minutus bipunctus* Swinhoe, 1894** (Hesperiidae) *Synonym(s): bipunctus Swinhoe, 1894* - Range (in code): LK IN NI
- 9867. *Suastus minutus compactus* De Jong & Treadaway, 1993** (Hesperiidae) *Synonym(s): compactus De Jong & Treadaway, 1993* - Range (in code): PH Cal
- 9868. *Suastus minutus minutus* (Moore, 1877)** (Hesperiidae) *Synonym(s): minutus Moore, 1877; sinhalus Plötz, 1885* - Range (in code): LK
- 9869. *Suastus minutus scopas* Staudinger, 1889** (Hesperiidae) *Synonym(s): scopas Staudinger, 1889* - Range (in code): PH Pal
- 9870. *Suniana lascivia* (Rosenstock, 1885)** (Hesperiidae) *Synonym(s): lascivia Rosenstock, 1885* - Range (in code): AU NSw QAU Kda PG ID Tim
- 9871. *Suniana lascivia lascivia* (Rosenstock, 1885)** (Hesperiidae) *Synonym(s): lascivia Rosenstock, 1885* - Range (in code): AU QAU NSw
- 9872. *Suniana lascivia neocles* (Mabille, 1891)** (Hesperiidae) *Synonym(s): neocles Mabille, 1891* - Range (in code): AU QAU Kda
- 9873. *Suniana lascivia pola* Evans, 1934** (Hesperiidae) *Synonym(s): pola Evans, 1934; ?lasus Waterhouse, 1937* - Range (in code): PG
- 9874. *Suniana lascivia tenuis* Evans, 1934** (Hesperiidae) *Synonym(s): tenuis Evans, 1934* - Range (in code): ID Tim
- 9875. *Suniana subfasciata* (Rothschild, 1915)** (Hesperiidae) *Synonym(s): subfasciata Rothschild, 1915* - Range (in code): ID Crm Amb
- 9876. *Suniana subfasciata subfasciata* (Rothschild, 1915)** (Hesperiidae) *Synonym(s): subfasciata Rothschild, 1915* - Range (in code): ID Crm Amb
- 9877. *Suniana sunias* (C. Felder, 1860)** (Hesperiidae) *Synonym(s): sunias C. Felder, 1860; yashtivana Fruhstorfer, 1910* - Range (in code): ID Crm Amb Kai Aru Bru Wg Ob Hm Bch Afk Ij Fak PG Wau AU NAu Dwn QAU NSw SB Goo Aro Dmp Vu Bsm NHa Nir FJ
- 9878. *Suniana sunias bella* Evans, 1934** (Hesperiidae) *Synonym(s): bella Evans, 1934* - Range (in code): ID Ob Hm Bch
- 9879. *Suniana sunias isabella* Evans, 1934** (Hesperiidae) *Synonym(s): isabella Evans, 1934* - Range (in code): SB PG Bsm NHa Nir
- 9880. *Suniana sunias nihana* (Fruhstorfer, 1910)** (Hesperiidae) *Synonym(s): nihana Fruhstorfer, 1910; fasciata Rothschild, 1915; aola Evans, 1934* - Range (in code): ID Wg Afk Ij Fak PG Wau
- 9881. *Suniana sunias nola* (Waterhouse, 1932)** (Hesperiidae) *Synonym(s): nola Waterhouse, 1932* - Range (in code): AU QAU NSw
- 9882. *Suniana sunias reactivita* (Mabille, 1877)** (Hesperiidae) *Synonym(s): reactivita Mabille, 1877* - Range (in code): FJ AU QAU
- 9883. *Suniana sunias sauda* Waterhouse, 1937** (Hesperiidae) *Synonym(s): sauda Waterhouse, 1937* - Range (in code): AU NAu Dwn
- 9884. *Suniana sunias sunias* (Felder, 1860)** (Hesperiidae) *Synonym(s): sunias C. Felder, 1860; yashtivana Fruhstorfer, 1910* - Range (in code): ID Crm Amb Kai Aru Bru
- 9885. *Suniana sunias tanus* (Plötz, 1885)** (Hesperiidae) *Synonym(s): tanus Plötz, 1885* - Range (in code): PG Goo Aro Dmp Vu
- 9886. *Synale cynaxa* (Hewitson, 1867)** (Hesperiidae) *Synonym(s): cynaxa Hewitson, 1867* - Range (in code): MX
- 9887. *Synapte malitiosa* (Herrich-Schäffer, 1869)** (Hesperiidae) *Synonym(s): malitiosa Herrich-Schäffer, 1869* - Range (in code): US MX Tx
- 9888. *Synapte pecta* Evans, 1955** (Hesperiidae) *Synonym(s): pecta Evans, 1955* - Range (in code): MX
- 9889. *Synapte salenus* (Mabille, 1883)** (Hesperiidae) *Synonym(s): salenus Mabille, 1883* - Range (in code): US MX Tx CO

- 9890. Synapte shiva Evans,1955** (Hesperiidae) Synonym(s): shiva Evans,1955 Range (in code): MX
- 9891. Synapte silius (Latreille,[1824])** (Hesperiidae) Synonym(s): silius Latreille,[1824]; lunata Plötz,1882; lycaenoides Plötz,1882; silene Plötz,1882; herus Mabille,1889; insidiosa Mabille,1891; dubitans Schaus,1902; restricta Harward,1934 Range (in code): MX
- 9892. Synapte silna Evans,1955** (Hesperiidae) Synonym(s): silna Evans,1955
- 9893. Synapte syraces (Godman,1901)** (Hesperiidae) Synonym(s): syraces Godman,1901 Range (in code): US MX Arz
- 9894. Systasea microsticta Dyar,1923** (Hesperiidae) Synonym(s): microsticta Dyar,1923 Range (in code): MX
- 9895. Systasea pulverulenta (R.Felder,1869)** (Hesperiidae) Synonym(s): pulverulenta R.Felder,1869; taeniatus Plötz,1884; filipalpis Mabille,1891 Range (in code): US MX Arz NMx Tx
- 9896. Systasea zampa (Edwards,1876)** (Hesperiidae) Synonym(s): zampa Edwards,1876; evansi Bell,1941 Range (in code): US MX Arz Cf NMx Ne Tx
- 9897. Tagiades (Nestus-gr) calliganus Butler,[1879]** (Hesperiidae) Synonym(s): calliganus Butler,[1879]; yapatha Fruhstorfer,1910 Range (in code): ID Nia Nag Ja Bor Sum MY MM TH Rng Yal
- 9898. Tagiades (Nestus-gr) calliganus calliganus Butler,[1879]** (Hesperiidae) Synonym(s): calliganus Butler,[1879]; yapatha Fruhstorfer,1910 Range (in code): ID Nia Nag Ja Bor Sum MY MM TH Rng Yal
- 9899. Tagiades (Nestus-gr) cohaerens Mabille,1914** (Hesperiidae) Synonym(s): cohaerens Mabille,1914; formosana Matsumura,1919 Range (in code): MM Krh PK Haz Mre NP SI IN Ass Shn CN TW MY TH CMa
- 9900. Tagiades (Nestus-gr) cohaerens cinda Evans,1933** (Hesperiidae) Synonym(s): cinda Evans,1933 Range (in code): MY
- 9901. Tagiades (Nestus-gr) cohaerens cohaerens Mabille,1914** (Hesperiidae) Synonym(s): cohaerens Mabille,1914; formosana Matsumura,1919 Range (in code): TW
- 9902. Tagiades (Nestus-gr) cohaerens cynthia Evans,1934** (Hesperiidae) Synonym(s): cynthia Evans,1934; pintra Evans,1934. Range (in code): MM Krh PK Haz Mre NP SI IN Ass Shn CN TH CMa
- 9903. Tagiades (Nestus-gr) litigious Möschler,1878** (Hesperiidae) Synonym(s): litigious Möschler,1878; vajuna Fruhstorfer,1910; eson Evans,1926; kotoshona Sonan,1936. Range (in code): LK TW IN Adm Ass MM SI TH CMa Yu CN Hn KwT Kwa ID Flo Sbw Ja Bli Lb
- 9904. Tagiades (Nestus-gr) litigious andamanicus Evans,1932** (Hesperiidae) Synonym(s): andamanicus Evans,1932; major Evans,1932. Range (in code): IN Adm
- 9905. Tagiades (Nestus-gr) litigious ceylonicus Evans,1932** (Hesperiidae) Synonym(s): ceylonicus Evans,1932 Range (in code): LK
- 9906. Tagiades (Nestus-gr) litigious litigious Möschler,1878** (Hesperiidae) Synonym(s): litigious Möschler,1878; vajuna Fruhstorfer,1910; eson Evans,1926; kotoshona Sonan,1936. Range (in code): TW IN Ass MM SI TH Yu CN Hn KwT Kwa
- 9907. Tagiades (Nestus-gr) litigious sambavanus Elwes & Edwards,1897** (Hesperiidae) Synonym(s): sambavanus Elwes & Edwards,1897 Range (in code): ID Flo Sbw
- 9908. Tagiades (Nestus-gr) litigious tubulus Fruhstorfer,1910** (Hesperiidae) Synonym(s): tubulus Fruhstorfer,1910 Range (in code): ID Ja Bli Lb
- 9909. Tagiades (Nestus-gr) menaka (Moore,[1866])** (Hesperiidae) Synonym(s): menaka Moore,[1866]; vulturna Plötz,1884; gavina Fruhstorfer,1910. Original Reference: Pterygospidea menaka Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type(s): Bengal. Range (in code): CN Sz T-T Kma Kul SI BT TH CMa Pbu VN Ton IN Clc Hp Ass MM Hn MY Prk
- 9910. Tagiades (Nestus-gr) menaka manis Evans,1933** (Hesperiidae) Synonym(s): manis Evans,1933 Range (in code): MY Prk
- 9911. Tagiades (Nestus-gr) menaka mantra Evans,1934** (Hesperiidae) Synonym(s): mantra Evans,1934 Range (in code): CN Sz T-T
- 9912. Tagiades (Nestus-gr) menaka menaka (Moore,[1866])** (Hesperiidae) Synonym(s): menaka Moore,[1866]; vulturna Plötz,1884; gavina Fruhstorfer,1910. Original Reference: Pterygospidea menaka Moore,[1866], Proc. zool. Soc. Lond. 1865: 778. Type(s): Bengal. Range (in code): VN Ton IN Clc Klu Kma Hp SI BT Ass MM TH CMa Pbu CN Hn
- 9913. Tagiades (Nestus-gr) nestus Felder,1860** (Hesperiidae) Synonym(s): nestus Felder,1860; metanga Ribbe,1889. Range (in code): ID Mef Bia Ob Amb Bru Crm Grm Wg Amb Kai Aru Mi Hm Bch Trn PG Dmp Fg Vu Tro Rs NBr Nlr NHa D-Y Wd SB

- 9914. Tagiades (Nestus-gr) nestus biakanus Evans,1934** (Hesperiidae) Synonym(s): *biakanus* Evans,1934 Range (in code): ID Bia
- 9915. Tagiades (Nestus-gr) nestus brunta Evans,1949** (Hesperiidae) Synonym(s): *brunta* Evans,1949 Range (in code): PG Wd
- 9916. Tagiades (Nestus-gr) nestus gilolensis Mabilie,1878** (Hesperiidae) Synonym(s): *gilolensis* Mabilie,1878; *ternatensis* Mabilie & Boulet,1916. Range (in code): ID Hm Bch Trn
- 9917. Tagiades (Nestus-gr) nestus junctus Evans,1949** (Hesperiidae) Synonym(s): *junctus* Evans,1949 Range (in code): ID Ob
- 9918. Tagiades (Nestus-gr) nestus korelus Mabilie,1891** (Hesperiidae) Synonym(s): *korelus* Mabilie,1891; *sivoo* Swinhoe,1904; *curiosa* Swinhoe,1905; *monachus* Fruhstorfer,1910; *curatus* Fruhstorfer,1910; *swinhoei* Fruhstorfer,1910. Range (in code): ID Wg Amb Kai Aru Mi PG SB Rs
- 9919. Tagiades (Nestus-gr) nestus meforus Evans,1934** (Hesperiidae) Synonym(s): *meforus* Evans,1934 Range (in code): Mef
- 9920. Tagiades (Nestus-gr) nestus nestus Felder,1860** (Hesperiidae) Synonym(s): *nestus* Felder,1860; *metanga* Ribbe,1889. Range (in code): Amb ID Crm Grm
- 9921. Tagiades (Nestus-gr) nestus pentajus Fruhstorfer,1910** (Hesperiidae) Synonym(s): *pentajus* Fruhstorfer,1910 Range (in code): ID Bru
- 9922. Tagiades (Nestus-gr) nestus presbyter Butler,1882** (Hesperiidae) Synonym(s): *presbyter* Butler,1882; *gracilentus* Weymer,1887 Range (in code): PG NBr Nlr NHa D-Y
- 9923. Tagiades (Nestus-gr) nestus suffusus Rothschild,1915** (Hesperiidae) Synonym(s): *suffusus* Rothschild,1915 Range (in code): PG Dmp Fg Vu Tro
- 9924. Tagiades (Nestus-gr) toba De Nicéville,1896** (Hesperiidae) Synonym(s): *toba* De Nicéville,1896 Range (in code): MM Mrg MY ID Sum Bor Nia TH Tng Nst Ths Sya Sgk Hya Knc
- 9925. Tagiades (Nestus-gr) toba nana Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *nana* Elwes & Edwards,1897 Range (in code): ID Nia
- 9926. Tagiades (Nestus-gr) toba toba De Nicéville,1896** (Hesperiidae) Synonym(s): *toba* De Nicéville,1896 Range (in code): MM Mrg MY ID Sum Bor TH Tng Nst Ths Sya Sgk Hya Knc
- 9927. Tagiades (Nestus-gr) trebellius (Hopffer,1874)** (Hesperiidae) Synonym(s): *trebellius* Hopffer,1874 Range (in code): SB NGe1 NGe NGe4 Cri Hon Chs Isa PG Bgv NGe6 ID Tal Sgr Aru Amb Wg Mi Grm Clb Sla Bgv4 Fg Dmp MY Bor KBa PH Bab Bas Boh Ceb CmM Din Hom Ley Luz Mar Mdo Pal Pan Pol Sam Sib Taw Tic
- 9928. Tagiades (Nestus-gr) trebellius canonicus Fruhstorfer,1910** (Hesperiidae) Synonym(s): *canonicus* Fruhstorfer,1910; *persimilis* Rothschild,1916 Range (in code): PG Fg Dmp SB
- 9929. Tagiades (Nestus-gr) trebellius kina Evans,1934** (Hesperiidae) Synonym(s): *kina* Evans,1934 Range (in code): MY Bor KBa
- 9930. Tagiades (Nestus-gr) trebellius lola Evans,1949** (Hesperiidae) Synonym(s): *lola* Evans,1949 Range (in code): PG Bgv4
- 9931. Tagiades (Nestus-gr) trebellius martinus Plötz,1884** (Hesperiidae) Synonym(s): *martinus* Plötz,1884; *stramineipennis* Mabilie,1903; *micaja* Fruhstorfer,1910 Range (in code): PH Bab Bas Boh Ceb CmM Din Hom Ley Luz Mar Mdo Pal Pan Pol Sam Sib Taw Tic
- 9932. Tagiades (Nestus-gr) trebellius mitra Mabilie,1895** (Hesperiidae) Synonym(s): *mitra* Mabilie,1895; *avathana* Fruhstorfer,1905 Range (in code): ID Sla
- 9933. Tagiades (Nestus-gr) trebellius moti Evans,1934** (Hesperiidae) Synonym(s): *moti* Evans,1934 Range (in code): ID Wg Mi Grm
- 9934. Tagiades (Nestus-gr) trebellius neira Plötz,1885** (Hesperiidae) Synonym(s): *neira* Plötz,1885 Range (in code): ID Aru Amb
- 9935. Tagiades (Nestus-gr) trebellius sem Mabilie,1883** (Hesperiidae) Synonym(s): *sem* Mabilie,1883 Range (in code): ID Tal Sgr
- 9936. Tagiades (Nestus-gr) trebellius sheba Evans,1934** (Hesperiidae) Synonym(s): *sheba* Evans,1934 Range (in code): SB Hon Chs Isa PG Bgv NGe6
- 9937. Tagiades (Nestus-gr) trebellius trebellius (Hopffer,1874)** (Hesperiidae) Synonym(s): *trebellius* Hopffer,1874 Range (in code): ID Clb
- 9938. Tagiades (Nestus-gr) trebellius vella Evans,1934** (Hesperiidae) Synonym(s): *vella* Evans,1934 Range (in code): SB NGe1 NGe NGe4 Cri
- 9939. Tagiades (Nestus-gr) ultra Evans,1932** (Hesperiidae) Synonym(s): *ultra* Evans,1932 Range (in code): PH Pal Bor Nia MY MM Mrg Sum TH Nrt Yal Nst
- 9940. Tagiades (Nestus-gr) ultra ultra Evans,1932** (Hesperiidae) Synonym(s): *ultra* Evans,1932 Range (in code): PH Pal Bor Nia MY MM Mrg Sum TH Nrt Yal Nst

- 9941. Tagiades (Nestus-gr) waterstradti Elwes & Edwards,1897** (Hesperiidae)
Synonym(s): *waterstradti* Elwes & Edwards,1897 Range (in code): **ID Sum Bor MY Swk KBa**
- 9942. Tagiades (Nestus-gr) waterstradti talanga Evans,1949** (Hesperiidae) Synonym(s):
talanga Evans,1949 Range (in code): **ID Sum Bor MY Swk**
- 9943. Tagiades (Nestus-gr) waterstradti waterstradti Elwes & Edwards,1897**
(Hesperiidae) Synonym(s): *waterstradti* Elwes & Edwards,1897 Range (in code): **MY Bor KBa**
- 9944. Tagiades (s.str.) flesus (Fabricius,1781)** (Hesperiidae) Synonym(s): *flesus*
Fabricius,1781; ophion Drury,1782; #ophelia Evans,1937. Original Reference: *Papilio flesus*
Fabricius,1781, Spec. Ins.: 155. Type(s): "Africa aequinoctiali". Range (in code): **SL ZR ZA Tva Lpo**
Spb Mdk Kru Pma Nta Kzu Ptb Suw Nel Mpu Brb TZ Tnga Usa Ani MW Zom Bionomy: Larva on
Dioscorea, Grewia (Ackery et al.,1995).
- 9945. Tagiades (s.str.) gana Moore,[1866]** (Hesperiidae) Synonym(s): *gana* Moore,[1866];
menantho Plötz,1885; *perakanus* Fruhstorfer,1910 Range (in code): **IN Adm Clc Oi NP SI Ass PH Cml**
Bas Bil Boh CmM Cts Din Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Sam Sia Sib Pal Stu Taw Bor
KBa Prk MY ID Sip Ja Nia Sum Mrg MM Krh TH Rng Yal Cma CDo Cmz Czo1 Dst Cuo Cu12 Rat Chy
Nst Ths Lsa VN Ton
- 9946. Tagiades (s.str.) gana alica Moore,1877** (Hesperiidae) Synonym(s): *alica* Moore,1877
Range (in code): **IN Adm**
- 9947. Tagiades (s.str.) gana athos Plötz,1884** (Hesperiidae) Synonym(s): *athos* Plötz,1884
Range (in code): **IN Clc Oi NP SI Ass TH**
- 9948. Tagiades (s.str.) gana elegans Mabilie,1877** (Hesperiidae) Synonym(s): *elegans*
Mabilie,1877 Range (in code): **PH Bas Bil Boh CmM Cts Din Ley Luz Mar Mas Mdo Mno Neg Pan**
Pao Pol Sam Sia Sib
- 9949. Tagiades (s.str.) gana gana Moore,[1866]** (Hesperiidae) Synonym(s): *gana*
Moore,[1866]; menantho Plötz,1885; *perakanus* Fruhstorfer,1910 Range (in code): **PH Pal Stu Taw Bor**
KBa Prk MY TH Rng Yal Nst Ths Lsa ID Ja Sum MM Mrg
- 9950. Tagiades (s.str.) gana jainas Fruhstorfer,1910** (Hesperiidae) Synonym(s): *jainas*
Fruhstorfer,1910 Range (in code): **ID Nia**
- 9951. Tagiades (s.str.) gana meetana Moore,1878** (Hesperiidae) Synonym(s): *meetana*
Moore,1878 Range (in code): **MM Krh TH Cma Cmz Czo1 CDo Dst Cuo Cu12 Rat Chy VN Ton**
- 9952. Tagiades (s.str.) gana narba Evans,1942** (Hesperiidae) Synonym(s): *narba* Evans,1942
Range (in code): **ID Sip**
- 9953. Tagiades (s.str.) gana sangarava Fruhstorfer,1910** (Hesperiidae) Synonym(s):
sangarava Fruhstorfer,1910
- 9954. Tagiades (s.str.) gana semperi Fruhstorfer,1910** (Hesperiidae) Synonym(s): *semperi*
Fruhstorfer,1910 Range (in code): **PH Cml**
- 9955. Tagiades (s.str.) gana silvius Evans,1934** (Hesperiidae) Synonym(s): *silvius* Evans,1934
Range (in code): **IN**
- 9956. Tagiades (s.str.) insularis Mabilie,1876** (Hesperiidae) Synonym(s): *insularis*
Mabilie,1876 Original Reference: *Tagiades insularis* Mabilie,1876, *Annls Soc. ent. Fr.* (5) 6: 272.
Type: "Madagascar". Range (in code): **MG KM**
- 9957. Tagiades (s.str.) insularis grandis Evans,1937** (Hesperiidae) Synonym(s): *grandis*
Evans,1937 Original Reference: *Tagiades insularis* ssp. *grandis* Evans,1937, *Catalogue African*
Hesperiidae in the British Museum: 28. Holotype ♂: Grand Comoro (BMNH). Range (in code):
KM
- 9958. Tagiades (s.str.) insularis insularis Mabilie,1876** (Hesperiidae) Synonym(s):
insularis Mabilie,1876 Original Reference: *Tagiades insularis* Mabilie,1876, *Annls Soc. ent. Fr.* (5)
6: 272. Type: "Madagascar". Range (in code): **MG**
- 9959. Tagiades (s.str.) insularis mayotta Evans,1937** (Hesperiidae) Synonym(s): *mayotta*
Evans,1937 Original Reference: *Tagiades insularis* ssp. *mayotta* Evans,1937, *Catalogue African*
Hesperiidae in the British Museum: 28. Holotype ♂: Grand Comoro: Mayotte (BMNH). Range
(in code): **KM**
- 9960. Tagiades (s.str.) japetus (Stoll,[1781])** (Hesperiidae) Synonym(s): *japetus* Stoll,[1781];
buruanus Fruhstorfer,1910; *eprius* Fruhstorfer,1910; *masistius* Fruhstorfer,1910; *deinolochus* Fruhstorfer,1910.
Range (in code): **IN Ass Oi Clc SI TH MM VN Bgv4 PG SB Adl ID AU LK MY Tnm Sum Bor Ja Egg Nk**
Nia Sla Sba Lb Sbw Flo Alo Clb Sly Tim Wt Bbr Baw Bli Kai PH Bas Bil Boh Cal Ceb Cml CmM Cts Gui
Ley Lub Luz Mas Mdo Mno Neg Pal Pan Pao Pol Sam Sia Sib Ob Amb Trn Beh Bru Grm KY Fg Vu Wg Ij
D-Y Goo Stn Tro NBr Nlr Dmp NHa Mi Bgv Chs Hon4 Hon Hon7 NGe NGe6 Hon1 Cri Isa NGe1 NGe4
Phu Srt Rng Tng Nna Nrt Nst Ths Lsa Pbu Sgk Hya Knc Cma Cuo Cu12

- 9961. Tagiades (s.str.) japetus atticus (Fabricius,1793)** (Hesperiidae) **Synonym(s):** *atticus* Fabricius,1793; *utanus* Plötz,1885; *rajaghra* Fruhstorfer,1910. Range (in code): **MY ID Sum Nia MM TH Phu Srt Rng Tng Nst Ths Lsa Sgk Hya Knc**
- 9962. Tagiades (s.str.) japetus avienus Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *avienus* Fruhstorfer,1910 Range (in code): **ID Kai**
- 9963. Tagiades (s.str.) japetus balanus Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *balanus* Fruhstorfer,1910 Range (in code): **ID MY Bor**
- 9964. Tagiades (s.str.) japetus bandanus Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *bandanus* Fruhstorfer,1910 Range (in code): **ID**
- 9965. Tagiades (s.str.) japetus brasidas Doherty,1890** (Hesperiidae) **Synonym(s):** *brasidas* Doherty,1890; *sumbae* van Eecke,1913. Range (in code): **ID Sba Lb Sbw Flo Alo**
- 9966. Tagiades (s.str.) japetus carnicus Evans,1934** (Hesperiidae) **Synonym(s):** *carnicus* Evans,1934 Range (in code): **IN Nk**
- 9967. Tagiades (s.str.) japetus enganicus Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *nepos* Latreille,1823 *nec* Fabr.,1793; *enganicus* Fruhstorfer,1910; *jetavana* Fruhstorfer,1910; *guineensis* Mabilie & Bouillet,1916. Range (in code): **ID Egg Ja Baw Bli**
- 9968. Tagiades (s.str.) japetus helferi Felder,1862** (Hesperiidae) **Synonym(s):** *helferi* Felder,1862; *noctis* Elwes & Edwards,1897. Range (in code): **IN Nk**
- 9969. Tagiades (s.str.) japetus hovius Swinhoe,1904** (Hesperiidae) **Synonym(s):** *hovius* Swinhoe,1904 Range (in code): **PG SB Bgv Chs Hon4 Hon Hon7 NGe NGe6 Hon1 Cri Isa NGe1 NGe4**
- 9970. Tagiades (s.str.) japetus inconspicuus Rothschild,1915** (Hesperiidae) **Synonym(s):** *inconspicuus* Rothschild,1915 Range (in code): **PG Adl**
- 9971. Tagiades (s.str.) japetus janetta Butler,1870** (Hesperiidae) **Synonym(s):** *janetta* Butler,1870; *kowaia* Plötz,1885; *gamelia* Miskin,1889; *tindalii* Ribbe,1889; *australiensis* Mabilie,1891; *bubasa* Swinhoe,1904; *louisa* Swinhoe,1907; *fergussonius* Fruhstorfer,1910; *vulcania* Evans,1934. Range (in code): **ID Aru PG AU KY Fg Vu Kai Wg Ij D-Y Goo Stn Tro NBr Nlr Dmp NHa Mi**
- 9972. Tagiades (s.str.) japetus japetus (Stoll,[1781])** (Hesperiidae) **Synonym(s):** *japetus* Stoll,[1781]; *buruanus* Fruhstorfer,1910; *eprius* Fruhstorfer,1910; *masistius* Fruhstorfer,1910; *deinolochus* Fruhstorfer,1910. Range (in code): **ID Ob Amb Trn Bch Bru Grm**
- 9973. Tagiades (s.str.) japetus kazanus Evans,1934** (Hesperiidae) **Synonym(s):** *kazanus* Evans,1934 Range (in code): **Bgv4 PG**
- 9974. Tagiades (s.str.) japetus mathias Evans,1934** (Hesperiidae) **Synonym(s):** *mathias* Evans,1934
- 9975. Tagiades (s.str.) japetus nankowra Evans,1934** (Hesperiidae) **Synonym(s):** *nankowra* Evans,1934 Range (in code): **IN Nk**
- 9976. Tagiades (s.str.) japetus navus Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *navus* Fruhstorfer,1910 Range (in code): **ID Sla**
- 9977. Tagiades (s.str.) japetus obscuratus Staudinger,1889** (Hesperiidae) **Synonym(s):** *obscuratus* Staudinger,1889 Range (in code): **ID Sgr**
- 9978. Tagiades (s.str.) japetus obscurus Mabilie,1876** (Hesperiidae) **Synonym(s):** *obscurus* Mabilie,1876; *distans* Moore,1881. Range (in code): **LK IN**
- 9979. Tagiades (s.str.) japetus prasnaja Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *prasnaja* Fruhstorfer,1910 Range (in code): **ID Clb Sly**
- 9980. Tagiades (s.str.) japetus ravi Moore,1865** (Hesperiidae) **Synonym(s):** *ravi* Moore,1865; *hasiana* Moore,1884; *lugens* Mabilie,1888; *epicharmus* Fruhstorfer,1910. Range (in code): **IN Ass SI TH Pbu Nna Nrt MM VN Oi Clc**
- 9981. Tagiades (s.str.) japetus tenimberanus Kalis,1933** (Hesperiidae) **Synonym(s):** *tenimberanus* Kalis,1933; *yamdena* Evans,1934. Range (in code): **ID Tnm**
- 9982. Tagiades (s.str.) japetus titus Plötz,1884** (Hesperiidae) **Synonym(s):** *titus* Plötz,1884 Range (in code): **PH Bas Bil Boh Cal Ceb CmL CmM Cts Gui Ley Lub Luz Mas Mdo Mno Neg Pal Pan Pao Pol Sam Sia Sib**
- 9983. Tagiades (s.str.) japetus xareus Mabilie,1891** (Hesperiidae) **Synonym(s):** *xareus* Mabilie,1891; *mangala* Fruhstorfer,1910. Range (in code): **ID Tim Wt Bbr**
- 9984. Tagiades (s.str.) lavatus Butler,[1879]** (Hesperiidae) **Synonym(s):** *lavatus* Butler,[1879]; *albiovittata* Moore,1883 Range (in code): **MY Bor Sum Ja MM TH Srt**
- 9985. Tagiades (s.str.) lavatus lavatus Butler,[1879]** (Hesperiidae) **Synonym(s):** *lavatus* Butler,[1879]; *albiovittata* Moore,1883 Range (in code): **MY Bor Sum Ja MM TH Srt**

- 9986. *Tagiades* (s.str.) *parra Fruhstorfer,1910* (Hesperiidae) Synonym(s): *parra Fruhstorfer,1910* Range (in code): Prk MY SI IN Ass MM Mrg TH Cbi Srt Nna Rng Tng Yal Nst Sgk Hya Tnc ID Nia Bor Ja Sum ID Pal Ley Mas PH**
- 9987. *Tagiades* (s.str.) *parra gala Evans,1949* (Hesperiidae) Synonym(s): *gala Evans,1949* Original Reference: Tagiades parra ssp. gala Evans,1949, A Catalogue Hesperiidae from Europe, Asia and Australia: 143-144. Type ♂: Sikkim (BMNH). Range (in code): SI IN Ass MM Mrg TH Cbi Srt Nna Rng Sgk Hya Tnc**
- 9988. *Tagiades* (s.str.) *parra naxos Evans,1949* (Hesperiidae) Synonym(s): *naxos Evans,1949* Original Reference: Tagiades parra ssp. naxos Evans,1949, A Catalogue Hesperiidae from Europe, Asia and Australia: 144. Type ♂: [Malaysia]: Perak, Lakatt and Pamboo (BMNH). Range (in code): Prk MY TH Tng Yal Nst**
- 9989. *Tagiades* (s.str.) *parra niasanus Mabilie & Boulet,1916* (Hesperiidae) Synonym(s): *niasanus Mabilie & Boulet,1916* Range (in code): ID Nia**
- 9990. *Tagiades* (s.str.) *parra parra Fruhstorfer,1910* (Hesperiidae) Synonym(s): *parra Fruhstorfer,1910; elongata Mabilie & Boulet,1916. Range (in code): PH Pal Bor Sum Ja ID***
- 9991. *Tagiades* (s.str.) *parra ssp.n.* (Hesperiidae) Synonym(s): Range (in code): PH Ley Mas**
- 9992. *Tagiades* (s.str.) *samboranus Grose-Smith,1891* (Hesperiidae) Synonym(s): *samboranus Grose-Smith,1891* Original Reference: Tagiades samborana Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 127. Type: Madagascar. Range (in code): MG KM**
- 9993. *Tagiades* (s.str.) *samboranus rana Evans,1937* (Hesperiidae) Synonym(s): *rana Evans,1937* Original Reference: Tagiades samborana ssp. rana Evans,1937, Catalogue African Hesperiidae in the British Museum: 29. Holotype ♂: Grand Comoro: Mayotte (BMNH). Range (in code): KM**
- 9994. *Tagiades* (s.str.) *samboranus samboranus Grose-Smith,1891* (Hesperiidae) Synonym(s): *samboranus Grose-Smith,1891* Original Reference: Tagiades samborana Grose-Smith,1891, Ann. Mag. nat. Hist. (6) 7: 127. Type: Madagascar. Range (in code): MG**
- 9995. *Talides alternata* Bell,1941 (Hesperiidae) Synonym(s): *alternata Bell,1941* Range (in code): MX**
- 9996. *Talides cantra* Evans,1955 (Hesperiidae) Synonym(s): *cantra Evans,1955* Range (in code): MX**
- 9997. *Talides sergestus* (Cramer,[1775]) (Hesperiidae) Synonym(s): *sergestus Cramer,[1775]; adjuncta Plötz,1882* Range (in code): MX**
- 9998. *Tapena thwaitesi* Moore,1881 (Hesperiidae) Synonym(s): *thwaitesi Moore,1881* Range (in code): MM Shn Mpr IN Ass TH CMa Dst Rng Cbu Rat Nst PH Bal Pal Prk MY Lkw ID Sum Bor**
- 9999. *Tapena thwaitesi bornea* Evans,1941 (Hesperiidae) Synonym(s): *bornea Evans,1941* Range (in code): PH Bal Pal Prk MY Lkw TH Nst ID Sum Bor**
- 10000. *Tapena thwaitesi minuscula* Elwes & Edwards,1897 (Hesperiidae) Synonym(s): *minuscula Elwes & Edwards,1897* Range (in code): MM Shn Mpr IN Ass TH CMa Dst Rng Cbu Rat**
- 10001. *Tapena thwaitesi thwaitesi* Moore,1881 (Hesperiidae) Synonym(s): *thwaitesi Moore,1881***
- 10002. *Taractrocera aliena* Plötz,1883 (Hesperiidae) Synonym(s): *aliena Plötz,1883; myconius Plötz,1884* Range (in code): ID Clb Lb Amb Sbw Bli MY Sum Ja Bgk**
- 10003. *Taractrocera aliena aliena* Plötz,1883 (Hesperiidae) Synonym(s): *aliena Plötz,1883; myconius Plötz,1884* Range (in code): MY ID Sum Ja Bgk**
- 10004. *Taractrocera aliena talantus* Plötz,1885 (Hesperiidae) Synonym(s): *talantus Plötz,1885; godhania Fruhstorfer,1910* Range (in code): ID Clb Lb Amb Sbw Bli**
- 10005. *Taractrocera anisomorpha* Lower,1911 (Hesperiidae) Synonym(s): *anisomorpha Lower,1911* Range (in code): AU NAu QAU Bri ID Tim**
- 10006. *Taractrocera anisomorpha anisomorpha* Lower,1911 (Hesperiidae) Synonym(s): *anisomorpha Lower,1911* Range (in code): AU NAu QAU Bri ID Tim**
- 10007. *Taractrocera archias* (C.Felder,1860) (Hesperiidae) Synonym(s): *archias C.Felder,1860; dschaka Plötz,1885; ikramana Fruhstorfer,1910; turica Seitz,1927* Range (in code): ID Ja Bli Bgk Tim Alo Sba Flo MM Krh VN Ann MY Tvy TH CMa Cuo Cuo5 Cuo7 Bnk Cbi Nrt Chy Knc Lmp**
- 10008. *Taractrocera archias archias* (C.Felder,1860) (Hesperiidae) Synonym(s): *archias C.Felder,1860; dschaka Plötz,1885; ikramana Fruhstorfer,1910; turica Seitz,1927* Range (in code): ID Ja Bli Bgk**
- 10009. *Taractrocera archias bavius* Mabilie,1891 (Hesperiidae) Synonym(s): *bavius Mabilie,1891* Range (in code): ID Tim**

- 10010. *Taractrocera archias kisaga* Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *kisaga Fruhstorfer,1910* _ Range (in code): **ID Alo Sba Flo**
- 10011. *Taractrocera archias quinta* Swinhoe,1905** (Hesperiidae) **Synonym(s):** *quinta Swinhoe,1905* _ Range (in code): **MM Krh VN Ann MY Tvy TH CMa Cuo Cuo5 Cuo7 Bnk Cbi Nrt Chy Knc Lmp**
- 10012. *Taractrocera archias samadha* Fruhstorfer,1910** (Hesperiidae) **Synonym(s):** *samadha Fruhstorfer,1910; aurea Evans,1932* _ Range (in code): **MM Tha TH**
- 10013. *Taractrocera ardonia* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *ardonia Hewitson,1868* _ Range (in code): **MY Bor ID Sum Sly Clb**
- 10014. *Taractrocera ardonia ardonia* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *ardonia Hewitson,1868* _ Range (in code): **ID Sly Clb**
- 10015. *Taractrocera ardonia sumatrensis* Evans,1926** (Hesperiidae) **Synonym(s):** *sumatrensis Evans,1926; lamia Evans,1934* _ Range (in code): **ID Sum MY Bor**
- 10016. *Taractrocera ceramas* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *ceramas Hewitson,1868; lynx Möschler,1878; silhetica Evans,1912* _ Range (in code): **MM IN Bba Ass Mpr Syl BD NI Mys Tn Pln CN Kgs Kig Kwa Fkn VN**
- 10017. *Taractrocera ceramas atropunctata* E.Y.Watson,1896** (Hesperiidae) **Synonym(s):** *atropunctata E.Y.Watson,1896* _ Range (in code): **MM IN Ass Mpr VN**
- 10018. *Taractrocera ceramas ceramas* (Hewitson,1868)** (Hesperiidae) **Synonym(s):** *ceramas Hewitson,1868; lynx Möschler,1878; silhetica Evans,1912* _ Range (in code): **Syl BD IN NI Mys Tn Pln**
- 10019. *Taractrocera ceramas media* Evans,1934** (Hesperiidae) **Synonym(s):** *media Evans,1934* _ Range (in code): **IN**
- 10020. *Taractrocera ceramas nicevillei* E.Y.Watson,1893** (Hesperiidae) **Synonym(s):** *nicevillei E.Y.Watson,1893* _ Range (in code): **IN Bba**
- 10021. *Taractrocera ceramas oberthueri* Elwes & Edwards,1897** (Hesperiidae) **Synonym(s):** *oberthueri Elwes & Edwards,1897* _ Range (in code): **IN**
- 10022. *Taractrocera ceramas thelma* Evans,1934** (Hesperiidae) **Synonym(s):** *thelma Evans,1934* _ Range (in code): **CN Kgs Kig Kwa Fkn**
- 10023. *Taractrocera danna* (Moore,1865)** (Hesperiidae) **Synonym(s):** *danna Moore,1865* _ Original Reference: Pamphila danna Moore,1865, Proc. zool. Soc. Lond. 1865: 508, pl.30 fig.8. Type(s): India borealis. Simla. Range (in code): **AF Ng Hyb PK Sml IN Ch Kma SI BT CN Ti**
- 10024. *Taractrocera danna danna* (Moore,1865)** (Hesperiidae) **Synonym(s):** *danna Moore,1865* _ Original Reference: Pamphila danna Moore,1865, Proc. zool. Soc. Lond. 1865: 508, pl.30 fig.8. Type(s): India borealis. Simla. Range (in code): **AF Ng Hyb PK Sml IN Ch Kma SI BT CN Ti**
- 10025. *Taractrocera dolon* Plötz,1884** (Hesperiidae) **Synonym(s):** *dolon Plötz,1884* _ Range (in code): **PG AU QAU Kda Cai**
- 10026. *Taractrocera dolon diomedes* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *diomedes Waterhouse,1933* _ Range (in code): **AU**
- 10027. *Taractrocera dolon dolon* Plötz,1884** (Hesperiidae) **Synonym(s):** *dolon Plötz,1884* _ Range (in code): **PG AU QAU Kda Cai**
- 10028. *Taractrocera flavoides* Leech,1894** (Hesperiidae) **Synonym(s):** *flavoides Leech,1894* _ Range (in code): **CN Sz T-T Ats Ti Btn**
- 10029. *Taractrocera flavoides flavoides* Leech,1894** (Hesperiidae) **Synonym(s):** *flavoides Leech,1894* _ Range (in code): **CN Sz T-T Ats Ti Btn**
- 10030. *Taractrocera ilia* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *ilia Waterhouse,1932* _ Range (in code): **PG ID Ij AU NAU**
- 10031. *Taractrocera ilia beata* Evans,1934** (Hesperiidae) **Synonym(s):** *beata Evans,1934* _ Range (in code): **PG ID Ij**
- 10032. *Taractrocera ilia ilia* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *ilia Waterhouse,1932* _ Range (in code): **AU NAU**
- 10033. *Taractrocera ina* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *ina Waterhouse,1932* _ Range (in code): **AU QAU**
- 10034. *Taractrocera ina ina* Waterhouse,1932** (Hesperiidae) **Synonym(s):** *ina Waterhouse,1932* _ Range (in code): **AU QAU**
- 10035. *Taractrocera ina iola* Waterhouse,1933** (Hesperiidae) **Synonym(s):** *iola Waterhouse,1933* _ Range (in code): **AU**

- 10036. *Taractrocera luzonensis* Staudinger, 1889** (Hesperiidae) **Synonym(s):** *luzonensis* Staudinger, 1889 **Range (in code):** PH Bal Bas Ceb Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Stu Tau
- 10037. *Taractrocera luzonensis luzonensis* Staudinger, 1889** (Hesperiidae) **Synonym(s):** *luzonensis* Staudinger, 1889 **Range (in code):** PH Bal Bas Ceb Din Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib
- 10038. *Taractrocera luzonensis stella* Evans, 1934** (Hesperiidae) **Synonym(s):** *stella* Evans, 1934 **Range (in code):** PH Stu Tau
- 10039. *Taractrocera maevius* (Fabricius, 1793)** (Hesperiidae) **Synonym(s):** *maevius* Fabricius, 1793; *flaccus* Fabricius, 1793 **Original Reference:** *Hesperia maevius* Fabricius, 1793, Ent. syst. 3(1): 352. Type(s): India orientali. **Range (in code):** AF Ng Ass Djl IN Kul Up LK MM Nwf Pes PK Shn SI TH CMa Cuo Cuo5 VN
- 10040. *Taractrocera maevius maevius* (Fabricius, 1793)** (Hesperiidae) **Synonym(s):** *maevius* Fabricius, 1793; *flaccus* Fabricius, 1793 **Original Reference:** *Hesperia maevius* Fabricius, 1793, Ent. syst. 3(1): 352. Type(s): India orientali. **Range (in code):** IN LK
- 10041. *Taractrocera maevius sagara* (Moore, [1866])** (Hesperiidae) **Synonym(s):** *sagara* Moore, 1865; *lineata* Druce, 1874 **Original Reference:** *Pamphila sagara* Moore, [1866], Proc. zool. Soc. Lond. 1865: 792. Type(s): Bengal. **Range (in code):** Ass Djl IN Kul Up MM AF Ng Nwf Pes PK Shn SI TH CMa Cuo Cuo5 VN
- 10042. *Taractrocera nigrolimbata* (Snellen, 1876)** (Hesperiidae) **Synonym(s):** *nigrolimbata* Snellen, 1876 **Range (in code):** VN
- 10043. *Taractrocera papyria* (Boisduval, 1832)** (Hesperiidae) **Synonym(s):** *papyria* Boisduval, 1832; *celaena* Cox, 1873; *fumosa* Guest, 1882; *alix* Plötz, 1884 **Range (in code):** PG AU QAU Kda TA
- 10044. *Taractrocera papyria agraulia* (Hewitson, 1868)** (Hesperiidae) **Synonym(s):** *agraulia* Hewitson, 1868; *minimus* Miskin, 1889 **Range (in code):** AU
- 10045. *Taractrocera papyria papyria* (Boisduval, 1832)** (Hesperiidae) **Synonym(s):** *papyria* Boisduval, 1832; *celaena* Cox, 1873; *fumosa* Guest, 1882; *alix* Plötz, 1884 **Range (in code):** PG AU QAU Kda TA
- 10046. *Taractrocera tilda* Evans, 1934** (Hesperiidae) **Synonym(s):** *tilda* Evans, 1934 **Range (in code):** CN Sz T-T Yu
- 10047. *Taractrocera tilda tilda* Evans, 1934** (Hesperiidae) **Synonym(s):** *tilda* Evans, 1934 **Range (in code):** CN Sz T-T Yu
- 10048. *Taractrocera ziclea* Plötz, 1884** (Hesperiidae) **Synonym(s):** *ziclea* Plötz, 1884 **Range (in code):** MM Mrg MY Bor ID Nia TH CMa ID Clb
- 10049. *Taractrocera ziclea bessa* Evans, 1949** (Hesperiidae) **Synonym(s):** *bessa* Evans, 1949
- 10050. *Taractrocera ziclea dongola* Evans, 1932** (Hesperiidae) **Synonym(s):** *dongola* Evans, 1932 **Range (in code):** ID Clb
- 10051. *Taractrocera ziclea stella* Evans, 1934** (Hesperiidae) **Synonym(s):** *stella* Evans, 1934 **Range (in code):** MY Bor
- 10052. *Taractrocera ziclea tissara* Fruhstorfer, 1910** (Hesperiidae) **Synonym(s):** *tissara* Fruhstorfer, 1910 **Range (in code):** ID Nia
- 10053. *Taractrocera ziclea zenia* Evans, 1934** (Hesperiidae) **Synonym(s):** *zenia* Evans, 1934 **Range (in code):** MM Mrg MY TH CMa
- 10054. *Taractrocera ziclea ziclea* Plötz, 1884** (Hesperiidae) **Synonym(s):** *ziclea* Plötz, 1884
- 10055. *Telemiades avitus* (Stoll, [1781])** (Hesperiidae) **Synonym(s):** *avitus* Stoll, [1781]; *lurideolus* Mabille, 1877; *lamus* Mabille, 1888; *xantho* Hayward, 1938 **Range (in code):** MX
- 10056. *Telemiades choricus* (Schaus, 1902)** (Hesperiidae) **Synonym(s):** *choricus* Schaus, 1902 **Range (in code):** MX
- 10057. *Telemiades fides* Bell, 1949** (Hesperiidae) **Synonym(s):** *fides* Bell, 1949 **Range (in code):** MX
- 10058. *Telemiades megallus* Mabille, 1888** (Hesperiidae) **Synonym(s):** *megallus* Mabille, 1888 **Range (in code):** MX
- 10059. *Telemiades nicomedes* (Möschler, 1879)** (Hesperiidae) **Synonym(s):** *nicomedes* Möschler, 1879; *meris* Plötz, 1886; *punctatus* Mabille & Boulet, [1917] **Range (in code):** MX
- 10060. *Telicota ancilla* (Herrich-Schäffer, 1869)** (Hesperiidae) **Synonym(s):** *ancilla* Herrich-Schäffer, 1869; *olivescens* Herrich-Schäffer, 1869. **Original Reference:** *Pamphila ancilla* Herrich-Schäffer, 1869, Stettin ent. Ztg. 1869: 79, nr. 59. **Range (in code):** PH Pal Bas Hom Ley Luz Mas Mdo Mno Neg Rom Sam Tic

- 10061. *Telicota ancilla ancilla* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *ancilla* Herrich-Schäffer,1869; *olivescens* Herrich-Schäffer,1869. Original Reference: Pamphila ancilla Herrich-Schäffer,1869, Stettin ent. Ztg. 1869: 79, nr.59.
- 10062. *Telicota ancilla angiana* Evans,1934** (Hesperiidae) Synonym(s): *angiana* Evans,1934
- 10063. *Telicota ancilla baudina* Evans,1949** (Hesperiidae) Synonym(s): *baudina* Evans,1949
- 10064. *Telicota ancilla horisha* Evans,1934** (Hesperiidae) Synonym(s): *horisha* Evans,1934
- 10065. *Telicota ancilla lanka* Evans,1932** (Hesperiidae) Synonym(s): *lanka* Evans,1932
- 10066. *Telicota ancilla lucca* Evans,1934** (Hesperiidae) Synonym(s): *lucca* Evans,1934
- 10067. *Telicota ancilla mamba* Evans,1949** (Hesperiidae) Synonym(s): *mamba* Evans,1949
- 10068. *Telicota ancilla minda* Evans,1934** (Hesperiidae) Synonym(s): *minda* Evans,1934
Range (in code): PH Bas Hom Ley Luz Mas Mdo Mno Neg Rom Sam Tic
- 10069. *Telicota ancilla santa* Evans,1934** (Hesperiidae) Synonym(s): *santa* Evans,1934
Range (in code): PH Pal
- 10070. *Telicota ancilla volens* Evans,1949** (Hesperiidae) Synonym(s): *volens* Evans,1949
- 10071. *Telicota aroa* Evans,1934** (Hesperiidae) Synonym(s): *aroa* Evans,1934
- 10072. *Telicota aroa aroa* Evans,1934** (Hesperiidae) Synonym(s): *aroa* Evans,1934
- 10073. *Telicota augias* (Linnaeus,1763)** (Hesperiidae) Synonym(s): *augias* Linnaeus,1763
Range (in code): PH Pal Boh Ceb CmM Cts Gui Ley Luz Mar Mdo Mno Neg Pan Sam Sib Taw TH CMa Yal Phr
- 10074. *Telicota augias anisodesma* Lower,1911** (Hesperiidae) Synonym(s): *anisodesma* Lower,1911
- 10075. *Telicota augias argilus* Waterhouse,1933** (Hesperiidae) Synonym(s): *argilus* Waterhouse,1933
- 10076. *Telicota augias arula* Evans,1934** (Hesperiidae) Synonym(s): *arula* Evans,1934
- 10077. *Telicota augias augias* (Linnaeus,1763)** (Hesperiidae) Synonym(s): *augias* Linnaeus,1763
Range (in code): PH Pal TH CMa Yal Phr
- 10078. *Telicota augias bunga* Evans,1934** (Hesperiidae) Synonym(s): *bunga* Evans,1934
- 10079. *Telicota augias florina* Evans,1949** (Hesperiidae) Synonym(s): *florina* Evans,1949
- 10080. *Telicota augias krefftii* MacLeay,1866** (Hesperiidae) Synonym(s): *krefftii* MacLeay,1866
- 10081. *Telicota augias pythias* Mabilie,1878** (Hesperiidae) Synonym(s): *pythias* Mabilie,1878
Range (in code): PH Boh Ceb CmM Cts Gui Ley Luz Mar Mdo Mno Neg Pan Sam Sib Taw
- 10082. *Telicota bambusae* (Moore,1878)** (Hesperiidae) Synonym(s): *bambusae* Moore,1878
Original Reference: Pamphila bambusae Moore,1878, Proc. zool. Soc. Lond. 48 (3): Type ♂: India: Calcutta (BMNH). Range (in code): Ann Ass Ben Clc ID IN Kma MM Tns MY BOR CN Oi Pj PK Mre Haz Up SI TH Nna Nst Ths Nrt Rat VN
- 10083. *Telicota bambusae bambusae* (Moore,1878)** (Hesperiidae) Synonym(s): *bambusae* Moore,1878
Original Reference: Pamphila bambusae Moore,1878, Proc. zool. Soc. Lond. 48 (3): Type ♂: India: Calcutta (BMNH). Range (in code): Ann Ass Ben Clc ID IN Kma MM Tns MY Oi Pj PK Haz Mre Up SI TH Nna Nst Ths Nrt Rat VN
- 10084. *Telicota besta* Evans,1949** (Hesperiidae) Synonym(s): *besta* Evans,1949 - Range (in code): TH Cbi Rat Cbu CMa CDo Nna Tng Nst Ths Bnk
- 10085. *Telicota besta bina* Evans,1949** (Hesperiidae) Synonym(s): *bina* Evans,1949 - Range (in code): TH Cbi Rat Cbu CMa CDo Nna Tng Nst Ths Bnk
- 10086. *Telicota brachydesma* Lower,1908** (Hesperiidae) Synonym(s): *brachydesma* Lower,1908
- 10087. *Telicota brachydesma brachydesma* Lower,1908** (Hesperiidae) Synonym(s): *brachydesma* Lower,1908
- 10088. *Telicota colon* (Fabricius,1775)** (Hesperiidae) Synonym(s): *colon* Fabricius,1775
Original Reference: Papilio colon Fabricius,1775, Syst. Ent.: 531. Type(s): "India". Range (in code): IN PH Boh Luz Mar Mas Mdo Mno Neg Pal Sib TH Bnk Knc Rng Tng Rat Nst Chw CMa CDo Nna Sgk
- 10089. *Telicota colon amba* Evans,1934** (Hesperiidae) Synonym(s): *amba* Evans,1934
- 10090. *Telicota colon argeus* Plötz,1883** (Hesperiidae) Synonym(s): *argeus* Plötz,1883
- 10091. *Telicota colon colon* (Fabricius,1775)** (Hesperiidae) Synonym(s): *colon* Fabricius,1775
Original Reference: Papilio colon Fabricius,1775, Syst. Ent.: 531. Type(s): "India". Range (in code): IN
- 10092. *Telicota colon elsa* Evans,1934** (Hesperiidae) Synonym(s): *elsa* Evans,1934
- 10093. *Telicota colon kala* Evans,1934** (Hesperiidae) Synonym(s): *kala* Evans,1934

- 10094. *Telicota colon stinga* Evans,1949** (Hesperiidae) Synonym(s): *stinga* Evans,1949
Range (in code): **TH Bnk Knc Rng Tng Rat Nst Chw CMA CDo Nna Sgk**
- 10095. *Telicota colon vaja* Corbet,1942** (Hesperiidae) Synonym(s): *vaja* Corbet,1942 _ Range
(in code): **PH Boh Luz Mar Mas Mdo Mno Neg Pal Sib**
- 10096. *Telicota colon vega* Evans,1949** (Hesperiidae) Synonym(s): *vega* Evans,1949
- 10097. *Telicota colon zara* Evans,1949** (Hesperiidae) Synonym(s): *zara* Evans,1949
- 10098. *Telicota doba* Evans,1949** (Hesperiidae) Synonym(s): *doba* Evans,1949
- 10099. *Telicota doba doba* Evans,1949** (Hesperiidae) Synonym(s): *doba* Evans,1949
- 10100. *Telicota eurotas* (C.Felder,1860)** (Hesperiidae) Synonym(s): *eurotas* C.Felder,1860
- 10101. *Telicota eurotas eurotas* (C.Felder,1860)** (Hesperiidae) Synonym(s): *eurotas* C.Felder,1860
- 10102. *Telicota eurotas eurychlora* Lower,1908** (Hesperiidae) Synonym(s): *eurychlora* Lower,1908
- 10103. *Telicota eurotas laconia* Waterhouse,1937** (Hesperiidae) Synonym(s): *laconia* Waterhouse,1937
- 10104. *Telicota gervasa* Evans,1949** (Hesperiidae) Synonym(s): *gervasa* Evans,1949
- 10105. *Telicota gervasa gervasa* Evans,1949** (Hesperiidae) Synonym(s): *gervasa* Evans,1949
- 10106. *Telicota hilda* Eliot,1959** (Hesperiidae) Synonym(s): *hilda* Eliot,1959 _ Range (in code):
TH Nst Ths MM MY PH Pal
- 10107. *Telicota hilda hilda* Eliot,1959** (Hesperiidae) Synonym(s): *hilda* Eliot,1959 _ Range (in code):
TH Nst Ths MM MY
- 10108. *Telicota hilda palawana* Murayama & Uehara,1992** (Hesperiidae) Synonym(s): *palawana* Murayama & Uehara,1992 _ Range (in code):
PH Pal
- 10109. *Telicota kaimana* Evans,1934** (Hesperiidae) Synonym(s): *kaimana* Evans,1934
- 10110. *Telicota kaimana kaimana* Evans,1934** (Hesperiidae) Synonym(s): *kaimana* Evans,1934
- 10111. *Telicota kezia* Evans,1949** (Hesperiidae) Synonym(s): *kezia* Evans,1949
- 10112. *Telicota kezia kezia* Evans,1949** (Hesperiidae) Synonym(s): *kezia* Evans,1949
- 10113. *Telicota kezia lenna* Evans,1949** (Hesperiidae) Synonym(s): *lenna* Evans,1949
- 10114. *Telicota laruta* Evans,1934** (Hesperiidae) Synonym(s): *laruta* Evans,1934
- 10115. *Telicota laruta laruta* Evans,1934** (Hesperiidae) Synonym(s): *laruta* Evans,1934
- 10116. *Telicota lettina* Evans,1934** (Hesperiidae) Synonym(s): *lettina* Evans,1934
- 10117. *Telicota lettina lettina* Evans,1934** (Hesperiidae) Synonym(s): *lettina* Evans,1934
- 10118. *Telicota linna* Evans,1949** (Hesperiidae) Synonym(s): *linna* Evans,1949 _ Range (in code):
VN TH Chy Nrt Cbi
- 10119. *Telicota linna bactra* Evans,1949** (Hesperiidae) Synonym(s): *bactra* Evans,1949
- 10120. *Telicota linna bodra* Evans,1949** (Hesperiidae) Synonym(s): *bodra* Evans,1949
- 10121. *Telicota linna linna* Evans,1949** (Hesperiidae) Synonym(s): *linna* Evans,1949 _ Range
(in code): **TH Chy Nrt Cbi**
- 10122. *Telicota melanion* Mabilie,1878** (Hesperiidae) Synonym(s): *melanion* Mabilie,1878
- 10123. *Telicota melanion godiva* Evans,1934** (Hesperiidae) Synonym(s): *godiva* Evans,1934
- 10124. *Telicota melanion melanion* Mabilie,1878** (Hesperiidae) Synonym(s): *melanion* Mabilie,1878
- 10125. *Telicota mesoptis* Lower,1911** (Hesperiidae) Synonym(s): *mesoptis* Lower,1911
- 10126. *Telicota mesoptis affinis* Rothschild,1915** (Hesperiidae) Synonym(s): *affinis* Rothschild,1915
- 10127. *Telicota mesoptis cadmus* Evans,1934** (Hesperiidae) Synonym(s): *cadmus* Evans,1934
- 10128. *Telicota mesoptis halma* Evans,1934** (Hesperiidae) Synonym(s): *halma* Evans,1934
- 10129. *Telicota mesoptis mesoptis* Lower,1911** (Hesperiidae) Synonym(s): *mesoptis* Lower,1911
- 10130. *Telicota ohara* Plötz,1883** (Hesperiidae) Synonym(s): *ohara* Plötz,1883 _ Range (in code):
TH Chy CMA CDo Nst Lsa Yal Cbi TAK TW VN PH Bal Bas Hom Ley Mar Mas Mdo Mno Neg Pal Pan Pol Sam Sib
- 10131. *Telicota ohara formosana* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *formosana* Fruhstorfer,1911 _ Range (in code):
TW
- 10132. *Telicota ohara iona* Evans,1949** (Hesperiidae) Synonym(s): *iona* Evans,1949
- 10133. *Telicota ohara ixion* Evans,1949** (Hesperiidae) Synonym(s): *ixion* Evans,1949
- 10134. *Telicota ohara jactus* Evans,1949** (Hesperiidae) Synonym(s): *jactus* Evans,1949
- 10135. *Telicota ohara jania* Evans,1949** (Hesperiidae) Synonym(s): *janina* Evans,1949 _ Range
(in code): **PH Bal Bas Hom Ley Mar Mas Mdo Mno Neg Pal Pan Pol Sam Sib**

- 10136. *Telicota ohara jix* Evans,1949** (Hesperiidae) Synonym(s): *jix* Evans,1949 _ Range (in code): VN TH Chy CMA CDo Nst Lsa Yal Cbi TAK
- 10137. *Telicota ohara ohara* Plötz,1883** (Hesperiidae) Synonym(s): *ohara* Plötz,1883
- 10138. *Telicota ohara rahula* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *rahula* Fruhstorfer,1911
- 10139. *Telicota ohara vedanga* Evans,1949** (Hesperiidae) Synonym(s): *vedanga* Evans,1949
- 10140. *Telicota paceka* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *paceka* Fruhstorfer,1911
- 10141. *Telicota paceka paceka* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *paceka* Fruhstorfer,1911
- 10142. *Telicota sadra* Evans,1949** (Hesperiidae) Synonym(s): *sadra* Evans,1949
- 10143. *Telicota sadra sadra* Evans,1949** (Hesperiidae) Synonym(s): *sadra* Evans,1949
- 10144. *Telicota subha* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *subha* Fruhstorfer,1911
- 10145. *Telicota subha subha* Fruhstorfer,1911** (Hesperiidae) Synonym(s): *subha* Fruhstorfer,1911
- 10146. *Telicota ternatensis* Swinhoe,1907** (Hesperiidae) Synonym(s): *ternatensis* Swinhoe,1907
- 10147. *Telicota ternatensis aruba* Evans,1949** (Hesperiidae) Synonym(s): *aruba* Evans,1949
- 10148. *Telicota ternatensis fenian* Evans,1949** (Hesperiidae) Synonym(s): *fenian* Evans,1949
- 10149. *Telicota ternatensis festa* Evans,1934** (Hesperiidae) Synonym(s): *festa* Evans,1934
- 10150. *Telicota ternatensis hesta* Evans,1934** (Hesperiidae) Synonym(s): *hesta* Evans,1934
- 10151. *Telicota ternatensis moorei* Rothschild,1915** (Hesperiidae) Synonym(s): *moorei* Rothschild,1915
- 10152. *Telicota ternatensis ranga* Evans,1949** (Hesperiidae) Synonym(s): *ranga* Evans,1949
- 10153. *Telicota ternatensis solva* Evans,1949** (Hesperiidae) Synonym(s): *solva* Evans,1949
- 10154. *Telicota ternatensis sula* Evans,1949** (Hesperiidae) Synonym(s): *sula* Evans,1949
- 10155. *Telicota ternatensis ternatensis* Swinhoe,1907** (Hesperiidae) Synonym(s): *ternatensis* Swinhoe,1907
- 10156. *Telicota ternatensis testa* Evans,1934** (Hesperiidae) Synonym(s): *testa* Evans,1934
- 10157. *Telicota torsa* Evans,1934** (Hesperiidae) Synonym(s): *torsa* Evans,1934
- 10158. *Telicota torsa torsa* Evans,1934** (Hesperiidae) Synonym(s): *torsa* Evans,1934
- 10159. *Telicota vinta* Evans,1949** (Hesperiidae) Synonym(s): *vinta* Evans,1949
- 10160. *Telicota vinta vinta* Evans,1949** (Hesperiidae) Synonym(s): *vinta* Evans,1949
- 10161. *Telles arcalaus* (Stoll,[1782])** (Hesperiidae) Synonym(s): *arcalaus* Stoll,[1782]; *uraniae* Sepp,1855; *submarmorata* Kaye,[1925] _ Range (in code): MX
- 10162. *Teniorhinus harona* (Westwood,1881)** (Hesperiidae) Synonym(s): *harona* Westwood,1881; *ruso* Mabille,1891; *merops* Weymer,1901 _ Range (in code): AO ZR TZ ZM MW Zom MZ ZW BW
- 10163. *Teniorhinus herilus* (Hopffer,1855)** (Hesperiidae) Synonym(s): *herilus* Hopffer,1855
- 10164. *Teniorhinus ignita* (Mabille,1877)** (Hesperiidae) Synonym(s): *ignita* Mabille,1877
- 10165. *Teniorhinus watsoni* Holland,1892** (Hesperiidae) Synonym(s): *watsoni* Holland,1892
- 10166. *Teniorhinus watsoni niger* (Druce,1910)** (Hesperiidae) Synonym(s): *niger* Druce,1910
- 10167. *Teniorhinus watsoni watsoni* Holland,1892** (Hesperiidae) Synonym(s): *watsoni* Holland,1892
- 10168. *Thargella caura* (Plötz,1882)** (Hesperiidae) Synonym(s): *caura* Plötz,1882; *lepte* Mabille,1883; *fuliginosa* Godman,1900; *sipariana* Kaye,[1925] _ Range (in code): MX
- 10169. *Theagenes aegides* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *aegides* Herrich-Schäffer,1869 _ Range (in code): MX
- 10170. *Thespieus aspernatus* Draudt,1934** (Hesperiidae) Synonym(s): *aspernatus* Draudt,1934
Range (in code): MX
- 10171. *Thespieus dalman* (Latreille,[1824])** (Hesperiidae) Synonym(s): *dalman* Latreille,[1824]
Range (in code): MX
- 10172. *Thespieus macareus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *macareus* Herrich-Schäffer,1869; *emacareus* Plötz,1882; *cacajo* Dyar,1913 _ Range (in code): US MX Tx
- 10173. *Thessia jalapus* (Plötz,1881)** (Hesperiidae) Synonym(s): *jalapus* Plötz,1881; *xerxes* Bell,1934
Range (in code): MX
- 10174. *Thoon modius* (Mabille,1889)** (Hesperiidae) Synonym(s): *modius* Mabille,1889; *viridiceps* Mabille,1889; *stilio* Mabille,1891; *cocalus* Godman,1900 _ Range (in code): MX
- 10175. *Thoon wellingi* Freeman,1969** (Hesperiidae) Synonym(s): *wellingi* Freeman,1969
Range (in code): MX

- 10176. *Thoressa aina* (De Nicéville,1890)** (Hesperiidae) Synonym(s): *aina* De Nicéville,1890
Range (in code): **IN SI**
- 10177. *Thoressa aina aina* (De Nicéville,1890)** (Hesperiidae) Synonym(s): *aina* De Nicéville,1890 _ Range (in code): **IN SI**
- 10178. *Thoressa astigmata* (Swinhoe,1890)** (Hesperiidae) Synonym(s): *astigmata* Swinhoe,1890
Range (in code): **LK IN NI Knr**
- 10179. *Thoressa astigmata astigmata* (Swinhoe,1890)** (Hesperiidae) Synonym(s): *astigmata* Swinhoe,1890 _ Range (in code): **LK IN NI Knr**
- 10180. *Thoressa bivitta* (Oberthür,1886)** (Hesperiidae) Synonym(s): *bivitta* Oberthür,1886; *albivitta* Oberthür,1886 _ Range (in code): **CN Sz Yu T-T**
- 10181. *Thoressa bivitta bivitta* (Oberthür,1886)** (Hesperiidae) Synonym(s): *bivitta* Oberthür,1886 _ Range (in code): **CN Sz Yu T-T**
- 10182. *Thoressa cerata* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cerata* Hewitson,1876
Range (in code): **SI IN Ass MM TH Nna Phe Nrt VN**
- 10183. *Thoressa cerata cerata* (Hewitson,1876)** (Hesperiidae) Synonym(s): *cerata* Hewitson,1876 _ Range (in code): **SI IN Ass MM TH Nna Phe Nrt VN**
- 10184. *Thoressa decorata* (Moore,1881)** (Hesperiidae) Synonym(s): *decorata* Moore,1881
Range (in code): **LK**
- 10185. *Thoressa decorata decorata* (Moore,1881)** (Hesperiidae) Synonym(s): *decorata* Moore,1881 _ Range (in code): **LK**
- 10186. *Thoressa evershedi* (Evans,1910)** (Hesperiidae) Synonym(s): *evershedi* Evans,1910; *cochina* Evans,1932 _ Range (in code): **IN Tn Pln**
- 10187. *Thoressa evershedi evershedi* (Evans,1910)** (Hesperiidae) Synonym(s): *evershedi* Evans,1910; *cochina* Evans,1932 _ Range (in code): **IN Tn Pln**
- 10188. *Thoressa fusca* (Elwes,1892)** (Hesperiidae) Synonym(s): *fusca* Elwes,1892 _ Range (in code): **VN IN Ass Meg Khs Mpr Nag MM Hta CN Sz T-T Fkn**
- 10189. *Thoressa fusca caenis* (Leech,1894)** (Hesperiidae) Synonym(s): *caenis* Leech,1894
Range (in code): **CN**
- 10190. *Thoressa fusca debilis* (Elwes & Edwards,1897)** (Hesperiidae) Synonym(s): *debilis* Elwes & Edwards,1897 _ Range (in code): **IN Ass Meg Khs**
- 10191. *Thoressa fusca fusca* (Elwes,1892)** (Hesperiidae) Synonym(s): *fusca* Elwes,1892
Range (in code): **IN Ass Mpr Nag MM Hta**
- 10192. *Thoressa fusca senna* Evans,1937** (Hesperiidae) Synonym(s): *senna* Evans,1937
Range (in code): **CN Sz T-T**
- 10193. *Thoressa fusca strona* Evans,1949** (Hesperiidae) Synonym(s): *strona* Evans,1949
Range (in code): **CN Fkn**
- 10194. *Thoressa gupta* (De Nicéville,1886)** (Hesperiidae) Synonym(s): *gupta* De Nicéville,1886
Range (in code): **VN SI IN CN Yu**
- 10195. *Thoressa gupta gupta* (De Nicéville,1886)** (Hesperiidae) Synonym(s): *gupta* De Nicéville,1886 _ Range (in code): **SI IN**
- 10196. *Thoressa honorei* (De Nicéville,1887)** (Hesperiidae) Synonym(s): *honorei* De Nicéville,1887 _ Range (in code): **IN NI Knr Tn Pln**
- 10197. *Thoressa honorei honorei* (De Nicéville,1887)** (Hesperiidae) Synonym(s): *honorei* De Nicéville,1887 _ Range (in code): **IN NI Knr Tn Pln**
- 10198. *Thoressa horishama* (Matsumura,1910)** (Hesperiidae) Synonym(s): *horishama* Matsumura,1910; *ara* Fruhstorfer,1911; *formosa* Seitz,1926; *aokii* Matsumura,1934 _ Range (in code): **TW**
- 10199. *Thoressa horishama horishama* (Matsumura,1910)** (Hesperiidae) Synonym(s): *horishama* Matsumura,1910; *ara* Fruhstorfer,1911; *formosa* Seitz,1926; *aokii* Matsumura,1934 _ Range (in code): **TW**
- 10200. *Thoressa hyrie* (De Nicéville,1891)** (Hesperiidae) Synonym(s): *hyrie* De Nicéville,1891; *merea* Evans,1932 _ Range (in code): **VN CN Ti BT IN Ass Nag Mpr MM Sad Shn**
- 10201. *Thoressa hyrie hyrie* (De Nicéville,1891)** (Hesperiidae) Synonym(s): *hyrie* De Nicéville,1891; *merea* Evans,1932 _ Range (in code): **CN Ti BT IN Ass Nag Mpr MM Sad Shn**
- 10202. *Thoressa justini* Inoue & Kawazoe,1969** (Hesperiidae) Synonym(s): *justini* Inoue & Kawazoe,1969 _ Range (in code): **PH Luz Ley**
- 10203. *Thoressa justini justini* Inoue & Kawazoe,1969** (Hesperiidae) Synonym(s): *justini* Inoue & Kawazoe,1969 _ Range (in code): **PH Luz**

- 10204. *Thoressa justini raphaeli* Nuyda & Kitamura, 1994** (Hesperiidae) **Synonym(s):** *raphaeli* Nuyda & Kitamura, 1994 - Range (in code): PH Ley
- 10205. *Thoressa kuata* Evans, 1940** (Hesperiidae) **Synonym(s):** *kuata* Evans, 1940 - Range (in code): CN Fkn Tkg
- 10206. *Thoressa kuata kuata* Evans, 1940** (Hesperiidae) **Synonym(s):** *kuata* Evans, 1940 - Range (in code): CN Fkn Tkg
- 10207. *Thoressa latris* (Leech, 1894)** (Hesperiidae) **Synonym(s):** *latris* Leech, 1894 - Range (in code): CN Sz T-T
- 10208. *Thoressa latris latris* (Leech, 1894)** (Hesperiidae) **Synonym(s):** *latris* Leech, 1894 - Range (in code): CN Sz T-T
- 10209. *Thoressa masoni* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *masoni* Moore, 1878 - Range (in code): MM Tns Mpr Tvy IN Ass TH Chy CMa CDo Nna Cbi Knc VN Ton
- 10210. *Thoressa masoni masoni* (Moore, 1878)** (Hesperiidae) **Synonym(s):** *masoni* Moore, 1878 - Range (in code): MM Tns Mpr Tvy IN Ass TH Chy CMa CDo Nna Cbi Knc VN Ton
- 10211. *Thoressa similissima* Devyatkin, 2002** (Hesperiidae) **Synonym(s):** *similissima* Devyatkin, 2002 - Range (in code): VN
- 10212. *Thoressa sitala* (De Nicéville, 1885)** (Hesperiidae) **Synonym(s):** *sitala* De Nicéville, 1885 - Range (in code): LK IN NI
- 10213. *Thoressa sitala sitala* (De Nicéville, 1885)** (Hesperiidae) **Synonym(s):** *sitala* De Nicéville, 1885 - Range (in code): LK IN NI
- 10214. *Thoressa submacula* (Leech, 1890)** (Hesperiidae) **Synonym(s):** *submacula* Leech, 1890 - Range (in code): VN Ton CN Fkn Tkg Hpe
- 10215. *Thoressa submacula submacula* (Leech, 1890)** (Hesperiidae) **Synonym(s):** *submacula* Leech, 1890 - Range (in code): VN Ton CN Fkn Tkg Hpe
- 10216. *Thoressa thandaunga* Evans, 1926** (Hesperiidae) **Synonym(s):** *thandaunga* Evans, 1926 - Range (in code): MM Hta Krh
- 10217. *Thoressa thandaunga thandaunga* Evans, 1926** (Hesperiidae) **Synonym(s):** *thandaunga* Evans, 1926 - Range (in code): MM Hta Krh
- 10218. *Thoressa varia* (Murray, 1876)** (Hesperiidae) **Synonym(s):** *varia* Murray, 1876; *melancholica* Bryk, 1942 - Range (in code): RU JP Krl Hkk
- 10219. *Thoressa varia varia* (Murray, 1876)** (Hesperiidae) **Synonym(s):** *varia* Murray, 1876; *melancholica* Bryk, 1942 - Range (in code): RU JP Krl Hkk
- 10220. *Thoressa zinnia* Evans, 1939** (Hesperiidae) **Synonym(s):** *zinnia* Evans, 1939 - Range (in code): CN Yu
- 10221. *Thoressa zinnia zinnia* Evans, 1939** (Hesperiidae) **Synonym(s):** *zinnia* Evans, 1939 - Range (in code): CN Yu
- 10222. *Thorybes bathyllus* (J.E.Smith, 1797)** (Hesperiidae) **Synonym(s):** *bathyllus* J.E.Smith, 1797; *syloson* Mabille, 1903 - Range (in code): US MX Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi WVi Wc
- 10223. *Thorybes bathyllus bathyllus* (J.E.Smith, 1797)** (Hesperiidae) **Synonym(s):** *bathyllus* J.E.Smith, 1797; *syloson* Mabille, 1903 - Range (in code): US MX Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi WVi Wc
- 10224. *Thorybes confusis* Bell, 1922** (Hesperiidae) **Synonym(s):** *confusis* Bell, 1922 - Range (in code): US Aks Alb Dw Fl Ge Idp Kan Knt Lou Mis Mrl Mss NCa Nje Oh Ok Pns SCa Tnn Tx Vi
- 10225. *Thorybes confusis confusis* Bell, 1922** (Hesperiidae) **Synonym(s):** *confusis* Bell, 1922 - Range (in code): US Aks Alb Dw Fl Ge Idp Kan Knt Lou Mis Mrl Mss NCa Nje Oh Ok Pns SCa Tnn Tx Vi
- 10226. *Thorybes diversus* Bell, 1927** (Hesperiidae) **Synonym(s):** *diversus* Bell, 1927 - Range (in code): US Cf Col Org Wy
- 10227. *Thorybes diversus diversus* Bell, 1927** (Hesperiidae) **Synonym(s):** *diversus* Bell, 1927 - Range (in code): US Cf Col Org Wy
- 10228. *Thorybes drusius* (Edwards, 1883)** (Hesperiidae) **Synonym(s):** *drusius* Edwards, 1883; *paucipuncta* Dyar, 1916 - Range (in code): US MX Arz Tx
- 10229. *Thorybes drusius drusius* (Edwards, 1883)** (Hesperiidae) **Synonym(s):** *drusius* Edwards, 1883; *paucipuncta* Dyar, 1916 - Range (in code): US MX Arz Tx

- 10230. *Thorybes mexicanus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *mexicanus* Herrich-Schäffer,1869; *ananius* Plötz,1882. Range (in code): US MX Arz Cf Col Id NMx Ne Org Ut Wy
- 10231. *Thorybes mexicanus dobra* Evans,1952** (Hesperiidae) Synonym(s): *dobra* Evans,1952. Range (in code): US MX
- 10232. *Thorybes mexicanus mexicanus* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *mexicanus* Herrich-Schäffer,1869; *ananius* Plötz,1882. Range (in code): US MX
- 10233. *Thorybes mexicanus nevada* Scudder,1872** (Hesperiidae) Synonym(s): *nevada* Scudder,1872. Range (in code): US Ne
- 10234. *Thorybes pylades* (Scudder,1870)** (Hesperiidae) Synonym(s): *pylades* Scudder,1870. Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 10235. *Thorybes pylades albosuffusa* Freeman,1943** (Hesperiidae) Synonym(s): *albosuffusa* Freeman,1943. Range (in code): MX
- 10236. *Thorybes pylades indistinctus* Austin & Emmel,1998** (Hesperiidae) Synonym(s): *indistinctus* Austin & Emmel,1998. Range (in code): MX
- 10237. *Thorybes pylades pylades* (Scudder,1870)** (Hesperiidae) Synonym(s): *pylades* Scudder,1870
- 10238. *Thorybes valerianus* (Plötz,1882)** (Hesperiidae) Synonym(s): *valerianus* Plötz,1882; ? *mysie* Dyar,1904. Range (in code): MX
- 10239. *Thorybes valerianus valerianus* (Plötz,1882)** (Hesperiidae) Synonym(s): *valerianus* Plötz,1882; ? *mysie* Dyar,1904. Range (in code): MX
- 10240. *Thracides phidon* (Cramer,[1775])** (Hesperiidae) Synonym(s): *phidon* Cramer,[1775]; *pyrophoros* Sepp,1844. Range (in code): MX
- 10241. *Thymelicus acteon* (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. Original Reference: Papilio acteon Rottemburg,1775, Naturforscher 6: 30. Type(s): Germany: Lansberg an der Warthe. Range (in code): DZ Tlm Taz Orn Csb MA TN AL AT Ba BE BG B-H Bv Bw CH Cr CZ DE ES Mu FR GB GR Rd HU HV IT LU MK NL PL PT RO Rp RU Si SK Sr SS TR Cc YU Ssx He CY IL Pa Hf IQ IR Ab LB SY Mt Ko Mu18 Bionomy: Larva on Brachypodium sylvaticum, B. pinnatum, Elymus repens, Calamagrostis epigejos (Tolman,1997).
- 10242. *Thymelicus acteon acteon* (Rottemburg,1775)** (Hesperiidae) Synonym(s): *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. Original Reference: Papilio acteon Rottemburg,1775, Naturforscher 6: 30. Type(s): Germany: Lansberg an der Warthe. Range (in code): AL AT Ba BE BG B-H Bv Bw CH Cr CZ DE ES Mu Mu18 FR GB GR Rd HU HV IT LU MK NL PL PT RO Rp RU Si SK Sr SS TR Cc YU Ssx He CY IL Pa Hf IQ IR Ab LB SY Mt Ko
- 10243. *Thymelicus acteon oranus* Evans,1949** (Hesperiidae) Synonym(s): *orana* Evans,1949; *maurus* Picard,1950. Original Reference: Thymelicus acteon ssp. orana Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 167. Holotype ♀: Algeria: Oran. Range (in code): DZ Orn Taz Tlm MA Csb TN
- 10244. *Thymelicus acteon virescens* Tutt,1905** (Hesperiidae) Synonym(s): *virescens* Tutt,1905
- 10245. *Thymelicus alaicus* (Filipjev,1931)** (Hesperiidae) Synonym(s): *alaicus* Filipjev,1931. Original Reference: Adopaea alaica Filipjev,1931, Abh. Pamir-Exped. (Lepidoptera) 8: 149, Abb.1. Syntypes: [W. Ghissar and Alai]: "Fuss des Berges Ulu-Kan; Dzhiptyk- SaryTash; Kshtut; Samarkandgebiet; Chamardan; Alai". Range (in code): T-S UZ TJ AF Pm Al KK
- 10246. *Thymelicus alaicus alaicus* (Filipjev,1931)** (Hesperiidae) Synonym(s): *alaicus* Filipjev,1931. Original Reference: Adopaea alaica Filipjev,1931, Abh. Pamir-Exped. (Lepidoptera) 8: 149, Abb.1. Syntypes: [W. Ghissar and Alai]: "Fuss des Berges Ulu-Kan; Dzhiptyk- SaryTash; Kshtut; Samarkandgebiet; Chamardan; Alai". Range (in code): T-S UZ TJ AF Pm Al KK
- 10247. *Thymelicus christi* (Rebel,1894)** (Hesperiidae) Synonym(s): *christi* Rebel,1894. Range (in code): Cn
- 10248. *Thymelicus christi christi* (Rebel,1894)** (Hesperiidae) Synonym(s): *christi* Rebel,1894. Range (in code): Cn
- 10249. *Thymelicus hamza* (Oberthür,1876)** (Hesperiidae) Synonym(s): *hamza* Oberthür,1876. Original Reference: Hesperia hamza Oberthür,1876, Etud. d'Ent. 1: 28-29, pl.3 figs.2a-c. Syntypes ♂♀: Algérie: Oran. Range (in code): DZ Orn Ges MA TN LY Cy

- 10250. *Thymelicus hamza hamza* (Oberthür,1876)** (Hesperiidae) Synonym(s): *hamza Oberthür,1876* Original Reference: *Hesperia hamza* Oberthür,1876, Etud. d'Ent. 1: 28-29, pl.3 figs.2a-c. Syntypes ♂♀: Algérie: Oran. Range (in code): **DZ Orn Ges MA TN**
- 10251. *Thymelicus hamza novissimus* (Turati,1921)** (Hesperiidae) Synonym(s): *novissima Turati,1921* Original Reference: *Adopaea novissima* Turati,1921, Atti Soc. ital. Sci. Nat. 60: 221. Type(s): Libya: Fuehat. Range (in code): **LY Cy**
- 10252. *Thymelicus hyrax* (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt,1937.* Original Reference: *Hesperia hyrax* Lederer,1861, Wien. ent. Monatschr. 5: 149, pl.1, fig.6. Syntypes: [Türkei]: Antiochia [=Antakya]; Lectotype ♂: "Antiochia", designated by Nekrutenko,1995 [in] Hesselbarth, et al.: 154 (ZMHB). Range (in code): **Chi GG Cc GR IL Pa Hf IR Elb LB Le Rd Sms TR**
- 10253. *Thymelicus hyrax hyrax* (Lederer,1861)** (Hesperiidae) Synonym(s): *hyrax Lederer,1861; pfeifferi Bytinski-Salz & Brandt,1937.* Original Reference: *Hesperia hyrax* Lederer,1861, Wien. ent. Monatschr. 5: 149, pl.1, fig.6. Syntypes: [Türkei]: Antiochia [=Antakya]; Lectotype ♂: "Antiochia", designated by Nekrutenko,1995 [in] Hesselbarth, et al.: 154 (ZMHB). Range (in code): **He Chi GG Cc GR IL Pa Hf IR Elb LB Le Rd Sms TR**
- 10254. *Thymelicus leoninus* (Butler,1878)** (Hesperiidae) Synonym(s): *leonina Butler,1878* Range (in code): **Am CN JP KP KR RU Sz T-T Yu Vv**
- 10255. *Thymelicus leoninus leoninus* (Butler,1878)** (Hesperiidae) Synonym(s): *leonina Butler,1878* Range (in code): **Am CN JP KP KR RU Vv**
- 10256. *Thymelicus leoninus tatsius* Evans,1949** (Hesperiidae) Synonym(s): *tatsia Evans,1949* Original Reference: *Thymelicus leonina* ssp. *tatsia* Evans,1949, Catalogue Hesperiidae Eur. Asia Austr. Br. Mus.: 346. Holotype ♂: China: Ta Tsien Lou (BMNH). Range (in code): **CN Sz T-T Yu**
- 10257. *Thymelicus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabilie,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934* Original Reference: *Papilio lineola* Ochsenheimer,1808, Schmett. Eur. 1(2):230-231. Type(s): Germania. Range (in code): **At Kts AF AL Ao AT Ax Ba BG B-H BL BY CH CN Co CZ DE DK EE ES FI FR GB GR HU HV IL IR IT JO KG KK LB LT LU LV MA MK NL NO Pa PL PT RO RU SE Si SK Sm So Sr SS TM TR T-S UA Ui Uk Vi YU Sur Ssx Ken Mt Ko DZ TN Or Bs Tt Cb Kg Ty Kt Rk Pw Ka Sp Mn No Tk Aa Mu Aq Bn Tm Kuz Sli Sau Tar DsA Ax Tls TrA T-S GG AZ Nv Ord Smt Bjo Cc IQ Mos US Cnt Col Dw Id Idp Iln Io Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk Neb Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi Wc Wy Ab Sro Jal Kh Ifr Lbs Afr Ges Lkr Ouk Dju Hr BIM** Bionomy: Larva on *Phleum pratense*, *Holcus mollis*, *Calamagrostis epigejos*, *Dactylis glomerata*, *Agrostis capillaris*, *Brachypodium pinnatum*, *B. sylvaticum*, *Arrhenatherum elatius*, *Triticum aestivum*, *Alopecurus pratensis*, *Carex acutiformis*, *Lolium perenne*, *Phalaris arundinacea*, *Anthoxanthum odoratum*, *Elymus repens* (Tolman, 1997).
- 10258. *Thymelicus lineolus kushanus* Wyatt,1961** (Hesperiidae) Synonym(s): *kushana Wyatt,1961* Original Reference: *Thymelicus lineola* ssp. *kushana* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 18, figs. Holotype ♂: Afghanistan: Badakhshan: Shiva Mts., 8500ft. Range (in code): **AF Bd Shv**
- 10259. *Thymelicus lineolus lineolus* (Ochsenheimer,1808)** (Hesperiidae) Synonym(s): *lineolus Ochsenheimer,1808; virgula Hübner,1813 nec Retz.,1783; ludoviciae Mabilie,1883; pallida Tutt,1896; clara Tutt,1905; hemmingi Romei,1927; melissus Zerny,1932; fornax Hemming,1934* Original Reference: *Papilio lineola* Ochsenheimer,1808, Schmett. Eur. 1(2):230-231. Type(s): Germania. Range (in code): **Bn At Kts He AL Ao AT Ba BG BL Bv Bw BY CH Co CZ DE DK EE ES FI FR GB GR HU IL IT JO KG LB LT LU LV NL NO PL PT RO Rp RU SE Si SK Sm So Sr TR UA Uk Vi YU Sur Ssx Ken Mt Ko Or Bs Tt Cb Kg Ty Kt Rk Pw Ka Sp Mn No Tk Aa Tm Kuz Sli Sau Tar DsA Ax Tls TrA IQ Mu T-S GG AZ Nv Ord Smt Bjo IQ Mos Cc**
- 10260. *Thymelicus lineolus pseudothomas* Zerny,1927** (Hesperiidae) Synonym(s): *pseudothomas Zerny,1927*
- 10261. *Thymelicus lineolus semicolon* (Staudinger,1892)** (Hesperiidae) Synonym(s): *semicolon Staudinger,1892; ifranensis Picard,1950* Original Reference: *Thymelicus lineolus* var. *semicolon* Staudinger,1892, Dt. ent. Z., Iris 5: 282. Type: Algerien, Lambessa. Range (in code): **DZ Dju Lbs Afr MA Lkr Ouk Ifr**
- 10262. *Thymelicus novus* (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus Reverdin,1916* Original Reference: *Adopea nova* Reverdin,1916, Bull. Soc. lépid. genève 3 (3): 125, Pl.7 fig.1N. Syntypes ♂♂: [Turquie]: Amasya (MHNG). Range (in code): **IQ IR TR**

- 10263. *Thymelicus novus novus* (Reverdin,1916)** (Hesperiidae) Synonym(s): *novus* Reverdin,1916 Original Reference: *Adopaea nova* Reverdin,1916, Bull. Soc. lépid. genève 3 (3): 125, Pl.7 fig.1N. Syntypes ♂♂: [Turquie]: Amasya (MHNG). Range (in code): **IQ IR TR**
- 10264. *Thymelicus stigma* (Staudinger,1886)** (Hesperiidae) Synonym(s): *stigma* Staudinger,1886 Original Reference: *Thymelicus* (Hesperia) *stigma* Staudinger,1886, Stettin ent. Ztg. 47: 252-253. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **Smk UZ**
- 10265. *Thymelicus stigma stigma* (Staudinger,1886)** (Hesperiidae) Synonym(s): *stigma* Staudinger,1886 Original Reference: *Thymelicus* (Hesperia) *stigma* Staudinger,1886, Stettin ent. Ztg. 47: 252-253. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **Smk UZ**
- 10266. *Thymelicus sylvaticus* (Bremer,1861)** (Hesperiidae) Synonym(s): *sylvatica* Bremer,1861 Original Reference: *Pamphila sylvatica* Bremer,1861, Bull. Acad. Imp. Sci. St. petersb. 3: 557. Syntypes: Russia: Ussuri. Range (in code): **Am CN JP KP KR Mc RU Sz T-T Vv**
- 10267. *Thymelicus sylvaticus astigmatus* Leech,1894** (Hesperiidae) Synonym(s): *astigmatus* Leech,1894
- 10268. *Thymelicus sylvaticus nervulatus* Mabille,1876** (Hesperiidae) Synonym(s): *nervulatus* Mabille,1876
- 10269. *Thymelicus sylvaticus occidentalis* Leech,1894** (Hesperiidae) Synonym(s): *occidentalis* Leech,1894 Range (in code): **CN Sz T-T**
- 10270. *Thymelicus sylvaticus occidentalis* Leech,1894** (Hesperiidae) Synonym(s): *occidentalis* Leech,1894
- 10271. *Thymelicus sylvaticus sylvaticus* (Bremer,1861)** (Hesperiidae) Synonym(s): *sylvatica* Bremer,1861 Original Reference: *Pamphila sylvatica* Bremer,1861, Bull. Acad. Imp. Sci. St. petersb. 3: 557. Syntypes: Russia: Ussuri. Range (in code): **Am CN JP KP KR Mc RU Vv**
- 10272. *Thymelicus sylvaticus tenebrosus* Leech,1894** (Hesperiidae) Synonym(s): *tenebrosus* Leech,1894
- 10273. *Thymelicus sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 Original Reference: *Papilio sylvestris* Poda,1761, Insecta Musei Graecensis: 79. Type(s): [Austria]: Graz. Range (in code): **AL AT Ba BE BG BY CH CZ DE DK EE ES Mu FR GB GR HU IT JO Kr LB LT LU LV MK NL PL PT RO RU Si SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken MA DZ IR Ab Kh Gls Cc GG AZ AM SY IQ Mnf Ur Or Bs** Bionomy: Larva on *Brachypodium sylvaticum*, *Holcus lanatus*, *H. mollis*, *Phleum pratense* (Tolman,1997).
- 10274. *Thymelicus sylvestris ibericus* (Tutt,[1905])** (Hesperiidae) Synonym(s): *ibericus* Tutt,[1905]. Original Reference: *Adopaea flavus* ab. *iberica* Tutt,[1905], Br. Lepid. 8: 107. Syntypes: Spain, France. Range (in code): **ES MA DZ PT**
- 10275. *Thymelicus sylvestris sylvestris* (Poda,1761)** (Hesperiidae) Synonym(s): *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thauas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 Original Reference: *Papilio sylvestris* Poda,1761, Insecta Musei Graecensis: 79. Type(s): [Austria]: Graz. Range (in code): **AL AT Ba BE BG Bv Bw BY CH CZ DE DK EE ES FR GB GR HU IT Kr LT LU LV MK NL PL PT RO Rp RU Si SK Sm So Sr TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken Ur Or Bs**
- 10276. *Thymelicus sylvestris syriacus* (Tutt,[1905])** (Hesperiidae) Synonym(s): *syriacus* Tutt,[1905]; *maxima* Verity,1936; *wernerii* Rebel,1937. Original Reference: *Adopaea flava* var. *syriaca* Tutt,[1905], Nat. Hist. Br. Butts. 1 (2): 107. Type ♂: Syria (BMNH). Range (in code): **IL He Pa JO LB TR GR IR Cc GG AZ AM SY IQ Mnf**
- 10277. *Tiacellia tiacellia* (Hewitson,1874)** (Hesperiidae) Synonym(s): *tiacellia* Hewitson,1874
- 10278. *Tiacellia tiacellia* (Hewitson,1874)** (Hesperiidae) Synonym(s): *tiacellia* Hewitson,1874
- 10279. *Tigasis simplex* (Bell,1930)** (Hesperiidae) Synonym(s): *simplex* Bell,1930 Range (in code): **MX**
- 10280. *Timochares ruptifasciata* (Plötz,1884)** (Hesperiidae) Synonym(s): *ruptifasciata* Plötz,1884; *obscurior* Draudt,1922 Range (in code): **US MX Arz Ilm NMx Tx**
- 10281. *Timochares trifasciata* (Hewitson,1868)** (Hesperiidae) Synonym(s): *trifasciata* Hewitson,1868; *hemula* Godman & Salvin,1896 Range (in code): **MX**
- 10282. *Tirynthia conflua* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *conflua* Herrich-Schäffer,1869 Range (in code): **MX**
- 10283. *Toxidia arfakensis* Joicey & Talbot,1917** (Hesperiidae) Synonym(s): *arfakensis* Joicey & Talbot,1917 Range (in code): **ID Ij Afk**

- 10284. *Toxidia arfakensis arfakensis* Joicey & Talbot, 1917** (Hesperiidae) **Synonym(s):** *arfakensis* Joicey & Talbot, 1917 _ Range (in code): ID Ij Afk
- 10285. *Toxidia crypsigramma* Meyrick & Lower, 1902** (Hesperiidae) **Synonym(s):** *crypsigramma* Meyrick & Lower, 1902 _ Range (in code): AU QAU
- 10286. *Toxidia crypsigramma crypsigramma* Meyrick & Lower, 1902** (Hesperiidae) **Synonym(s):** *crypsigramma* Meyrick & Lower, 1902 _ Range (in code): AU QAU
- 10287. *Toxidia doubledayi* (Felder, 1862)** (Hesperiidae) **Synonym(s):** *doubledayi* Felder, 1862; *leachi* Felder, 1862; *vallio* Mabille, 1883 _ Range (in code): AU NSW QAU Syd VAU
- 10288. *Toxidia doubledayi doubledayi* (Felder, 1862)** (Hesperiidae) **Synonym(s):** *doubledayi* Felder, 1862; *leachi* Felder, 1862; *vallio* Mabille, 1883 _ Range (in code): AU NSW QAU Syd VAU
- 10289. *Toxidia inornatus* (Butler, 1883)** (Hesperiidae) **Synonym(s):** *inornatus* Butler, 1883; *maykora* Plötz, 1885; *uniformis* Swinhoe, 1905 _ Range (in code): PG Goo ID Aru Kai Ij Afk Mi Wey Cyc Atr
- 10290. *Toxidia inornatus anga* Evans, 1949** (Hesperiidae) **Synonym(s):** *anga* Evans, 1949 _ Range (in code): PG Goo
- 10291. *Toxidia inornatus inornatus* (Butler, 1883)** (Hesperiidae) **Synonym(s):** *inornatus* Butler, 1883; *maykora* Plötz, 1885; *uniformis* Swinhoe, 1905 _ Range (in code): ID Aru Kai
- 10292. *Toxidia inornatus sekara* Plötz, 1885** (Hesperiidae) **Synonym(s):** *sekara* Plötz, 1885; *damora* Fruhstorfer, 1911 _ Range (in code): ID Ij Afk Mi Wey Cyc PG Atr
- 10293. *Toxidia melania* Waterhouse, 1903** (Hesperiidae) **Synonym(s):** *melania* Waterhouse, 1903 _ Range (in code): AU QAU Cai
- 10294. *Toxidia melania melania* Waterhouse, 1903** (Hesperiidae) **Synonym(s):** *melania* Waterhouse, 1903 _ Range (in code): AU QAU Cai
- 10295. *Toxidia parvulus* Plötz, 1884** (Hesperiidae) **Synonym(s):** *parvulus* Plötz, 1884; *humilis* Miskin, 1889; *ismene* Anderson & Spry, 1894 _ Range (in code): AU NSW QAU Syd Bri VAU
- 10296. *Toxidia parvulus parvulus* Plötz, 1884** (Hesperiidae) **Synonym(s):** *parvulus* Plötz, 1884; *humilis* Miskin, 1889; *ismene* Anderson & Spry, 1894 _ Range (in code): AU NSW QAU Syd Bri VAU
- 10297. *Toxidia peron* (Latreille, 1824)** (Hesperiidae) **Synonym(s):** *peron* Latreille, 1824; *kochii* Felder, 1862; *doclea* Hewitson, 1868; *arsenia* Plötz, 1884; *thielei* Strand, 1907 _ Range (in code): AU NSW Syd Bri QAU
- 10298. *Toxidia peron peron* (Latreille, 1824)** (Hesperiidae) **Synonym(s):** *peron* Latreille, 1824; *kochii* Felder, 1862; *doclea* Hewitson, 1868; *arsenia* Plötz, 1884; *thielei* Strand, 1907 _ Range (in code): AU NSW Syd Bri QAU
- 10299. *Toxidia rietmanni* (Semper, 1879)** (Hesperiidae) **Synonym(s):** *rietmanni* Semper, 1879; *extranea* Plötz, 1884; *leucostigma* Meyrick & Lower, 1902 _ Range (in code): AU QAU NSW Syd Kda
- 10300. *Toxidia rietmanni parasema* Lower, 1908** (Hesperiidae) **Synonym(s):** *parasema* Lower, 1908 _ Range (in code): AU QAU Kda
- 10301. *Toxidia rietmanni rietmanni* (Semper, 1879)** (Hesperiidae) **Synonym(s):** *rietmanni* Semper, 1879; *extranea* Plötz, 1884; *leucostigma* Meyrick & Lower, 1902 _ Range (in code): AU QAU NSW Syd
- 10302. *Toxidia sexguttata* (Herrich-Schäffer, 1869)** (Hesperiidae) **Synonym(s):** *sexguttata* Herrich-Schäffer, 1869 _ Range (in code): AU N AU QAU Roc
- 10303. *Toxidia sexguttata sela* Waterhouse, 1932** (Hesperiidae) **Synonym(s):** *sela* Waterhouse, 1932 _ Range (in code): AU N AU
- 10304. *Toxidia sexguttata sexguttata* (Herrich-Schäffer, 1869)** (Hesperiidae) **Synonym(s):** *sexguttata* Herrich-Schäffer, 1869 _ Range (in code): AU QAU Roc
- 10305. *Toxidia thyrrhus* Mabille, 1891** (Hesperiidae) **Synonym(s):** *thyrrhus* Mabille, 1891; *bathrophora* Meyrick & Lower, 1902 _ Range (in code): AU QAU
- 10306. *Toxidia thyrrhus thyrrhus* Mabille, 1891** (Hesperiidae) **Synonym(s):** *thyrrhus* Mabille, 1891; *bathrophora* Meyrick & Lower, 1902 _ Range (in code): AU QAU
- 10307. *Trapezites argenteornatus* Hewitson, 1868** (Hesperiidae) **Synonym(s):** *argenteornatus* Hewitson, 1868 _ Range (in code): AU WAU
- 10308. *Trapezites argenteornatus argenteornatus* Hewitson, 1868** (Hesperiidae) **Synonym(s):** *argenteornatus* Hewitson, 1868 _ Range (in code): AU WAU
- 10309. *Trapezites argenteornatus insula* Waterhouse, 1932** (Hesperiidae) **Synonym(s):** *insula* Waterhouse, 1932 _ Range (in code): AU WAU
- 10310. *Trapezites eliena* Hewitson, 1868** (Hesperiidae) **Synonym(s):** *eliena* Hewitson, 1868; *caecilius* Plötz, 1884 _ Range (in code): AU QAU NSW KY VAU

- 10311. Trapezites eliena eliena Hewitson,1868** (Hesperiidae) **Synonym(s):** *eliena* Hewitson,1868; *caecilius* Plötz,1884 **_ Range (in code): AU QAU NSW KY**
- 10312. Trapezites eliena monocycla Lower,1911** (Hesperiidae) **Synonym(s):** *monocycla* Lower,1911 **_ Range (in code): AU VAU**
- 10313. Trapezites heteromacula Meyrick & Lower,1902** (Hesperiidae) **Synonym(s):** *heteromacula* Meyrick & Lower,1902 **_ Range (in code): AU QAU**
- 10314. Trapezites heteromacula heteromacula Meyrick & Lower,1902** (Hesperiidae) **Synonym(s):** *heteromacula* Meyrick & Lower,1902 **_ Range (in code): AU QAU**
- 10315. Trapezites iacchoides Waterhouse,1903** (Hesperiidae) **Synonym(s):** *iacchoides* Waterhouse,1903; *obruta* Seitz,1927 **_ Range (in code): AU NSW**
- 10316. Trapezites iacchoides iacchoides Waterhouse,1903** (Hesperiidae) **Synonym(s):** *iacchoides* Waterhouse,1903; *obruta* Seitz,1927 **_ Range (in code): AU NSW**
- 10317. Trapezites iacchus (Fabricius,1775)** (Hesperiidae) **Synonym(s):** *iacchus* Fabricius,1775 **Original Reference:** Papilio iacchus Fabricius,1775, Syst. Ent.: 533. Type(s): "Nova Hollandia". **Range (in code): AU QAU**
- 10318. Trapezites iacchus iacchus (Fabricius,1775)** (Hesperiidae) **Synonym(s):** *iacchus* Fabricius,1775 **Original Reference:** Papilio iacchus Fabricius,1775, Syst. Ent.: 533. Type(s): "Nova Hollandia". **Range (in code): AU QAU**
- 10319. Trapezites lutea Tepper,1881** (Hesperiidae) **Synonym(s):** *lutea* Tepper,1881 **_ Range (in code): TA AU QAU NSW SAU**
- 10320. Trapezites lutea glaucus Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *glaucus* Waterhouse & Lyell,1914 **_ Range (in code): TA**
- 10321. Trapezites lutea leucon Waterhouse,1938** (Hesperiidae) **Synonym(s):** *leucon* Waterhouse,1938 **_ Range (in code): AU QAU NSW**
- 10322. Trapezites lutea lutea Tepper,1881** (Hesperiidae) **Synonym(s):** *lutea* Tepper,1881 **Range (in code): AU SAU**
- 10323. Trapezites maheta (Hewitson,1877)** (Hesperiidae) **Synonym(s):** *maheta* Hewitson,1877 **Original Reference:** Hesperia maheta Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 80. Type(s): [Australia]: Queensland (coll. Hewitson). **Range (in code): AU NSW QAU Bri**
- 10324. Trapezites maheta maheta (Hewitson,1877)** (Hesperiidae) **Synonym(s):** *maheta* Hewitson,1877 **Original Reference:** Hesperia maheta Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 80. Type(s): [Australia]: Queensland (coll. Hewitson). **Range (in code): AU QAU Bri**
- 10325. Trapezites maheta praxedes Plötz,1884** (Hesperiidae) **Synonym(s):** *praxedes* Plötz,1884 **Range (in code): AU NSW**
- 10326. Trapezites petalia Hewitson,1868** (Hesperiidae) **Synonym(s):** *petalia* Hewitson,1868; *megalopis* Meyrick,1887 **_ Range (in code): AU QAU Bri NSW**
- 10327. Trapezites petalia petalia Hewitson,1868** (Hesperiidae) **Synonym(s):** *petalia* Hewitson,1868; *megalopis* Meyrick,1887 **_ Range (in code): AU QAU Bri NSW**
- 10328. Trapezites phigalia Hewitson,1868** (Hesperiidae) **Synonym(s):** *phigalia* Hewitson,1868; *phlaea* Plötz,1884; *phillyra* Miskin,1889 **_ Range (in code): AU VAU Mel NSW QAU**
- 10329. Trapezites phigalia phigalia Hewitson,1868** (Hesperiidae) **Synonym(s):** *phigalia* Hewitson,1868; *phlaea* Plötz,1884; *phillyra* Miskin,1889 **_ Range (in code): AU VAU Mel NSW**
- 10330. Trapezites phigalia phila Waterhouse,1937** (Hesperiidae) **Synonym(s):** *phila* Waterhouse,1937 **_ Range (in code): AU QAU**
- 10331. Trapezites phigalioides Waterhouse,1903** (Hesperiidae) **Synonym(s):** *phigalioides* Waterhouse,1903 **_ Range (in code): AU VAU**
- 10332. Trapezites phigalioides phigalioides Waterhouse,1903** (Hesperiidae) **Synonym(s):** *phigalioides* Waterhouse,1903 **_ Range (in code): AU VAU**
- 10333. Trapezites sciron Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *sciron* Waterhouse & Lyell,1914 **_ Range (in code): AU WAU Bun Aby**
- 10334. Trapezites sciron sciron Waterhouse & Lyell,1914** (Hesperiidae) **Synonym(s):** *sciron* Waterhouse & Lyell,1914 **_ Range (in code): AU WAU Bun Aby**
- 10335. Trapezites symmumus Hübner,1823** (Hesperiidae) **Synonym(s):** *#symmumus* Hübner,[1819]; *symmumus* Hübner,1823. **_ Range (in code): AU NSW Syd VAU**
- 10336. Trapezites symmumus soma Waterhouse,1932** (Hesperiidae) **Synonym(s):** *soma* Waterhouse,1932 **_ Range (in code): AU VAU**

- 10337. Trapezites symmokus sombra Waterhouse, 1932** (Hesperiidae) Synonym(s): *sombra Waterhouse, 1932*
- 10338. Trapezites symmokus symmokus Hübner, 1823** (Hesperiidae) Synonym(s): *#symmokus Hübner, [1819]; symmokus Hübner, 1823.* Range (in code): **AU NSW Syd**
- 10339. Tromba xanthura (Godman, 1901)** (Hesperiidae) Synonym(s): *xanthura Godman, 1901* Range (in code): **MX**
- 10340. Tsitana dicksoni Evans, 1956** (Hesperiidae) Synonym(s): *dicksoni Evans, 1956* Range (in code): **ZA Wca Ec**
- 10341. Tsitana tsita (Trimen, 1870)** (Hesperiidae) Synonym(s): *tsita Trimen, 1870; monochromus Mabille, 1891* Range (in code): **ZA Ec Wca Tva Nta Kzu Lpo Fs LS MZ ZW**
- 10342. Tsitana tsita tsita (Trimen, 1870)** (Hesperiidae) Synonym(s): *tsita Trimen, 1870; monochromus Mabille, 1891* Range (in code): **ZA Tva Nta Kzu Lpo Fs LS MZ ZW**
- 10343. Tsitana tsita uitenhaga Evans, 1937** (Hesperiidae) Synonym(s): *uitenhaga Evans, 1937* Range (in code): **ZA Ec Wca**
- 10344. Tsitana tulbagha Evans, 1937** (Hesperiidae) Synonym(s): *tulbagha Evans, 1937* Range (in code): **ZA Wca**
- 10345. Tsitana tulbagha kaplani Dickson, 1976** (Hesperiidae) Synonym(s): *kaplani Dickson, 1976* Range (in code): **ZA Wca**
- 10346. Tsitana tulbagha tulbagha Evans, 1937** (Hesperiidae) Synonym(s): *tulbagha Evans, 1937* Range (in code): **ZA Wca**
- 10347. Tsitana wallacei (Neave, 1910)** (Hesperiidae) Synonym(s): *wallacei Neave, 1910* Range (in code): **ZM ZR TZ**
- 10348. Turesis tabascoensis Freeman, 1979** (Hesperiidae) Synonym(s): *tabascoensis Freeman, 1979* Range (in code): **MX**
- 10349. Turnerina hazelae (D. Stallings & Turner, 1958)** (Hesperiidae) Synonym(s): *hazelae D. Stallings & Turner, 1958* Range (in code): **MX**
- 10350. Turnerina mejicanus (Bell, 1938)** (Hesperiidae) Synonym(s): *mejicanus Bell, 1938* Range (in code): **MX**
- 10351. Typhedanus ampyx (Godman & Salvin, 1893)** (Hesperiidae) Synonym(s): *ampyx Godman & Salvin, 1893; alladius Godman & Salvin, 1894* Range (in code): **MX**
- 10352. Typhedanus salas Freeman, 1977** (Hesperiidae) Synonym(s): *salas Freeman, 1977* Range (in code): **MX**
- 10353. Typhedanus undulatus (Hewitson, [1867])** (Hesperiidae) Synonym(s): *undulatus Hewitson, [1867]; sumichrasti Scudder, 1872; elongatus Plötz, 1881; nicasius Plötz, 1881* Range (in code): **US MX Tx**
- 10354. Typhedanus undulatus undulatus (Hewitson, [1867])** (Hesperiidae) Synonym(s): *undulatus Hewitson, [1867]; sumichrasti Scudder, 1872; elongatus Plötz, 1881; nicasius Plötz, 1881* Range (in code): **US MX Tx**
- 10355. Udaspes folus (Cramer, [1775])** (Hesperiidae) Synonym(s): *folus Cramer, [1775]; cicero Fabricius, 1793* Original Reference: *Papilio folus Cramer, [1775], Uitl. Kapellen I: t. 74, fig. F.* Type(s): *Regio Indica.* Range (in code): **AF Ng Nu IN Ass Slo BT LK NP MM TH Bnk Pbu Cbu Yal CMa Rng CN Hn TW Yu MY ID Sum Ja Egg Lb Sbw**
- 10356. Udaspes folus folus (Cramer, [1775])** (Hesperiidae) Synonym(s): *folus Cramer, [1775]; cicero Fabricius, 1793* Original Reference: *Papilio folus Cramer, [1775], Uitl. Kapellen I: t. 74, fig. F.* Type(s): *Regio Indica.* Range (in code): **AF Ng Nu IN Ass Slo BT LK NP MM TH Bnk Pbu Cbu Yal CMa Rng CN Hn TW Yu MY ID Sum Ja Egg Lb Sbw**
- 10357. Udaspes stellata Oberthür, 1896** (Hesperiidae) Synonym(s): *stellata Oberthür, 1896* Range (in code): **CN Ti Yu**
- 10358. Udaspes stellata stellata Oberthür, 1896** (Hesperiidae) Synonym(s): *stellata Oberthür, 1896* Range (in code): **CN Ti Yu**
- 10359. Udranomia kikkawai (Weeks, 1906)** (Hesperiidae) Synonym(s): *kikkawai Weeks, 1906* Range (in code): **MX**
- 10360. Udranomia orcinus (C. Felder & R. Felder, 1867)** (Hesperiidae) Synonym(s): *orcinus C. Felder & R. Felder, 1867* Range (in code): **MX**
- 10361. Unkana ambasa (Moore, 1857)** (Hesperiidae) Synonym(s): *ambasa Moore, 1857; latreillei C. Felder & R. Felder, [1867]; cruda Herrich-Schäffer, 1869; anitta Plötz, 1882; palawana Fruhstorfer, 1911* Range (in code): **TH Cbi Cph Kbi Nst Ths Chw Rng PH Boh CmL Din Hom Ley Luz Mdo Mno Neg Pan Sam Sib Pal Stu Taw ID Nia Ja Sum IN MM Krh Mrg MY Bor VN**

- 10362. Unkana ambasa ambasa (Moore,1857)** (Hesperiidae) **Synonym(s):** *ambasa* Moore,1857; *latreillei* C.Felder & R.Felder,[1867]; *cruda* Herrich-Schäffer,1869; *anitta* Plötz,1882; *palawana* Fruhstorfer,1911
Range (in code): **PH Pal ID Ja**
- 10363. Unkana ambasa attina (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *attina* Hewitson,1866
Range (in code): **VN IN MM Krh Mrg TH Cbi Cph**
- 10364. Unkana ambasa batara Distant,1886** (Hesperiidae) **Synonym(s):** *batara* Distant,1886
Range (in code): **MY ID Sum Bor PH Stu Taw TH Kbi Nst Ths Chw Rng**
- 10365. Unkana ambasa mindanaensis Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *mindanaensis* Fruhstorfer,1911
Range (in code): **PH Boh CmL Din Hom Ley Luz Mdo Mno Neg Pan Sam Sib**
- 10366. Unkana ambasa tranga Evans,1949** (Hesperiidae) **Synonym(s):** *tranga* Evans,1949
Range (in code): **ID Nia**
- 10367. Unkana flava Evans,1932** (Hesperiidae) **Synonym(s):** *flava* Evans,1932
Range (in code): **MM Shn TH VN Ton**
- 10368. Unkana flava flava Evans,1932** (Hesperiidae) **Synonym(s):** *flava* Evans,1932
Range (in code): **MM Shn TH VN Ton**
- 10369. Unkana mythea (Hewitson,1877)** (Hesperiidae) **Synonym(s):** *mythea* Hewitson,1877
Original Reference: *Hesperia mythea* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 81. Type(s): [Malaysia]: Malacca (coll. Staudinger). **Range (in code):** **TH Tng Yal Nst Chw MY Bor MM Mrg ID Sum Bgk Nia**
- 10370. Unkana mythea kala Evans,1932** (Hesperiidae) **Synonym(s):** *kala* Evans,1932
Range (in code): **ID Nia**
- 10371. Unkana mythea mythea (Hewitson,1877)** (Hesperiidae) **Synonym(s):** *mythea* Hewitson,1877
Original Reference: *Hesperia mythea* Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 81. Type(s): [Malaysia]: Malacca (coll. Staudinger). **Range (in code):** **TH Tng Yal Nst Chw MY Bor MM Mrg ID Sum Bgk**
- 10372. Urbanus albimargo (Mabille,[1875])** (Hesperiidae) **Synonym(s):** *albimargo* Mabille,[1875]; *dominicanus* Plötz,1886; *triptolemus* Ehrmann,1907
Range (in code): **MX CO CR**
- 10373. Urbanus albimargo albimargo (Mabille,[1875])** (Hesperiidae) **Synonym(s):** *albimargo* Mabille,[1875]; *dominicanus* Plötz,1886; *triptolemus* Ehrmann,1907
Range (in code): **MX CO CR**
- 10374. Urbanus belli (Hayward,1935)** (Hesperiidae) **Synonym(s):** *belli* Hayward,1935; *alva* Evans,1952
Range (in code): **US Tx MX**
- 10375. Urbanus dorantes (Stoll,[1790])** (Hesperiidae) **Synonym(s):** *dorantes* Stoll,[1790]; *torones* Hübner,1821; *atletes* C.Felder & R.Felder,1862; *amisus* Hewitson,1867; *protillus* Herrich-Schäffer,1869; *kefersteinii* Plötz,1881; *retractus* Plötz,1881; *velinus* Plötz,1881; *rauterbergi* Skinner,1895
Range (in code): **BR SR NI CU VE Crc US MX Arz Cf Fl Lou Mis Mss NCa NMx Tnn Tx Vi**
- 10376. Urbanus dorantes calafia (R.C.Williams,1926)** (Hesperiidae) **Synonym(s):** *calafia* R.C.Williams,1926
Range (in code): **MX**
- 10377. Urbanus dorantes dorantes (Stoll,[1790])** (Hesperiidae) **Synonym(s):** *dorantes* Stoll,[1790]; *torones* Hübner,1821; *atletes* C.Felder & R.Felder,1862; *amisus* Hewitson,1867; *protillus* Herrich-Schäffer,1869; *kefersteinii* Plötz,1881; *retractus* Plötz,1881; *rauterbergi* Skinner,1895
Range (in code): **BR SR NI VE Crc US MX Arz Cf Fl Lou Mis Mss NCa NMx Tnn Tx Vi**
- 10378. Urbanus dorantes santiago (Lucas,1856)** (Hesperiidae) **Synonym(s):** *santiago* Lucas,1856; *cariosa* Herrich-Schäffer,1862; *corydon* Butler,1870; *larius* Plötz,1880
Range (in code): **CU**
- 10379. Urbanus doryssus (Swainson,1821)** (Hesperiidae) **Synonym(s):** *orion* Drury,1782 nec Pall.,1771 non Cr.,1779; *doryssus* Swainson,1821; *brachius* Geyer,1832; *leucites* Mabille,1888; *cleopatra* Ehrmann,1907; *interruptus* R.C.Williams,1926
Range (in code): **US MX Tx BR CO VE HN**
- 10380. Urbanus doryssus chales (Godman & Salvin,1893)** (Hesperiidae) **Synonym(s):** *chales* Godman & Salvin,1893; *interruptus* R.C.Williams,1926
Range (in code): **MX**
- 10381. Urbanus doryssus doryssus (Swainson,1821)** (Hesperiidae) **Synonym(s):** *orion* Drury,1782 nec Pall.,1771 non Cr.,1779; *doryssus* Swainson,1821; *brachius* Geyer,1832; *leucites* Mabille,1888; *cleopatra* Ehrmann,1907; *interruptus* R.C.Williams,1926
Range (in code): **US MX Tx BR CO VE HN**
- 10382. Urbanus esmeraldus (Butler,1877)** (Hesperiidae) **Synonym(s):** *esmeraldus* Butler,1877
Range (in code): **US MX Tx BR**
- 10383. Urbanus esmeraldus esmeraldus (Butler,1877)** (Hesperiidae) **Synonym(s):** *esmeraldus* Butler,1877
Range (in code): **US MX Tx BR**
- 10384. Urbanus procne (Plötz,1881)** (Hesperiidae) **Synonym(s):** *procne* Plötz,1881
Range (in code): **US MX Arz NMx Tx BR**

- 10385. *Urbanus procne procne* (Plötz,1881)** (Hesperiidae) Synonym(s): *procne* Plötz,1881
Range (in code): **US MX Arz NMx Tx BR**
- 10386. *Urbanus pronta* Evans,1952** (Hesperiidae) Synonym(s): *pronta* Evans,1952 _ Range (in code): **MX HN**
- 10387. *Urbanus pronus* Evans,1952** (Hesperiidae) Synonym(s): *pronus* Evans,1952 _ Range (in code): **US MX Mss Tx**
- 10388. *Urbanus proteus* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *proteus* Linnaeus,1758
Range (in code): **US MX Aks Alb Arz Cf Cnt Dw Fl Ge Kan Knt Lou Mch Mis Mrl Msc NCa NMx Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi Vr**
- 10389. *Urbanus proteus proteus* (Linnaeus,1758)** (Hesperiidae) Synonym(s): *proteus* Linnaeus,1758 _ Range (in code): **US MX Aks Alb Arz Cf Cnt Dw Fl Ge Kan Knt Lou Mch Mis Mrl Msc NCa NMx Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi Vr o**
- 10390. *Urbanus simplicius* (Stoll,[1790])** (Hesperiidae) Synonym(s): *simplicius* Stoll,[1790]; *gracilicauda* Plötz,1881; *pilatus* Plötz,1881; *borja* Ehrmann,1907; *thiemei* Ehrmann,1907 _ Range (in code): **US MX Cf Tx SR BR BO HN**
- 10391. *Urbanus simplicius simplicius* (Stoll,[1790])** (Hesperiidae) Synonym(s): *simplicius* Stoll,[1790]; *gracilicauda* Plötz,1881; *pilatus* Plötz,1881; *borja* Ehrmann,1907; *thiemei* Ehrmann,1907 _ Range (in code): **US MX Cf Tx SR BR BO HN**
- 10392. *Urbanus tanna* Evans,1952** (Hesperiidae) Synonym(s): *tanna* Evans,1952 _ Range (in code): **US MX Tx CO**
- 10393. *Urbanus tanna tanna* Evans,1952** (Hesperiidae) Synonym(s): *tanna* Evans,1952
Range (in code): **US MX Tx CO**
- 10394. *Urbanus teleus* (Hübner,[1821])** (Hesperiidae) Synonym(s): *dorantes* Hübner,[1807] *nec* St.,1790; *teleus* Hübner,[1821]; *zalanthus* Plötz,1880; *latipennis* Mabille & Vuillot,1891 _ Range (in code): **US MX Tx GY**
- 10395. *Urbanus teleus teleus* (Hübner,[1821])** (Hesperiidae) Synonym(s): *dorantes* Hübner,[1807] *nec* St.,1790; *teleus* Hübner,[1821]; *zalanthus* Plötz,1880; *latipennis* Mabille & Vuillot,1891
Range (in code): **US MX Tx GY**
- 10396. *Urbanus viridis* Freeman,1970** (Hesperiidae) Synonym(s): *viridis* Freeman,1970
Range (in code): **MX**
- 10397. *Urbanus viterboana* (Ehrmann,1907)** (Hesperiidae) Synonym(s): *viterboana* Ehrmann,1907 _ Range (in code): **MX**
- 10398. *Vacerra cervara* Steinhäuser,1974** (Hesperiidae) Synonym(s): *cervara* Steinhäuser,1974
Range (in code): **MX**
- 10399. *Vacerra gayra* (Dyar,1918)** (Hesperiidae) Synonym(s): *gayra* Dyar,1918 _ Range (in code): **MX**
- 10400. *Vacerra lachares* Godman,1900** (Hesperiidae) Synonym(s): *lachares* Godman,1900
Range (in code): **MX**
- 10401. *Vacerra litana* (Hewitson,[1866])** (Hesperiidae) Synonym(s): *litana* Hewitson,[1866]; *aeas* Plötz,1882 _ Range (in code): **MX**
- 10402. *Venada advena* (Mabille,1889)** (Hesperiidae) Synonym(s): *advena* Mabille,1889
Range (in code): **MX**
- 10403. *Vettius coryna* (Hewitson,1867)** (Hesperiidae) Synonym(s): *coryna* Hewitson,1867
Range (in code): **MX**
- 10404. *Vettius coryna argentius* Freeman,1969** (Hesperiidae) Synonym(s): *argentius* Freeman,1969 _ Range (in code): **MX**
- 10405. *Vettius coryna conka* Evans,1955** (Hesperiidae) Synonym(s): *conka* Evans,1955
Range (in code): **MX**
- 10406. *Vettius coryna coryna* (Hewitson,1867)** (Hesperiidae) Synonym(s): *coryna* Hewitson,1867
- 10407. *Vettius fantasos* (Cramer,1780)** (Hesperiidae) Synonym(s): *fantasos* Cramer,1780; *abebalus* Stoll,[1781]; *eucherus* Plötz,1882 _ Range (in code): **US MX Tx**
- 10408. *Vettius marcus* (Fabricius,1787)** (Hesperiidae) Synonym(s): *marcus* Fabricius,1787; *phyllides* Röber,1925 _ Range (in code): **MX**
- 10409. *Vettius onaca* Evans,1955** (Hesperiidae) Synonym(s): *onaca* Evans,1955 _ Range (in code): **MX**
- 10410. *Vettius pica* (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *pica* Herrich-Schäffer,1869 _ Range (in code): **MX**

- 10411. Vettius tertianus (Herrich-Schäffer,1869)** (Hesperiidae) Synonym(s): *tertianus* Herrich-Schäffer,1869 _ Range (in code): MX
- 10412. Vidius perigenes (Godman,1900)** (Hesperiidae) Synonym(s): *perigenes* Godman,1900 _ Range (in code): US MX Tx
- 10413. Vinius tryhana (Kaye,1914)** (Hesperiidae) Synonym(s): *tryhana* Kaye,1914; *sophistes* Dyar,1918 _ Range (in code): MX
- 10414. Vinpeius tinga (Evans,1955)** (Hesperiidae) Synonym(s): *tinga* Evans,1955; *freemani* L.Miller,1970 _ Range (in code): MX
- 10415. Virga clenchi L.Miller,1970** (Hesperiidae) Synonym(s): *clenchi* L.Miller,1970 _ Range (in code): MX
- 10416. Virga virginus (Möschler,1883)** (Hesperiidae) Synonym(s): *virginus* Möschler,1883; *cometho* Godman,1901; *silvanus* Harward,1947 _ Range (in code): MX
- 10417. Vlasta extrusus (Felder,1867)** (Hesperiidae) Synonym(s): *extrusus* Felder,1867 _ Range (in code): PG Stn Fg Goo Wg ID Aru
- 10418. Vlasta extrusus extrusus (Felder,1867)** (Hesperiidae) Synonym(s): *extrusus* Felder,1867 _ Range (in code): ID Aru
- 10419. Vlasta extrusus icosia Fruhstorfer,1911** (Hesperiidae) Synonym(s): *icosia* Fruhstorfer,1911; *affinis* Mabil & Boulet,1912; *basalis* Joicey & Talbot,1916. _ Range (in code): PG Stn Fg Goo Wg ID
- 10420. Wallengrenia curassavica (Snellen,1887)** (Hesperiidae) Synonym(s): *curassavica* Snellen,1887; *winslowi* Weeks,1906 _ Range (in code): MX
- 10421. Wallengrenia egeremet (Scudder,1864)** (Hesperiidae) Synonym(s): *egeremet* Scudder,1864; *ursa* Worthington,1880; *cinna* Plötz,1883 _ Range (in code): US Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Mai Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi Vr WVi Wc
- 10422. Wallengrenia otho (J.E.Smith,1797)** (Hesperiidae) Synonym(s): *otho* J.E.Smith,1797; *pustula* Geyer,1832; *jobrea* Dyar,1918 _ Range (in code): US MX Aks Alb Dw Fl Ge Kan Knt Lou Mis Mrl Mss NCa Ok SCa Tnn Tx Vi
- 10423. Windia windi Freeman,1969** (Hesperiidae) Synonym(s): *windi* Freeman,1969 _ Range (in code): US Arz MX
- 10424. Xanthodisca ariel (Mabille,1878)** (Hesperiidae) Synonym(s): *ariel* Mabille,1878 _ Range (in code): MG
- 10425. Xanthodisca astrape (Holland,1892)** (Hesperiidae) Synonym(s): *astrape* Holland,1892; *parcus* Karsch,1893; *eurydice* Aurivillius,1925 _ Range (in code): GA TG ZR UG GO CM NG GH LR CI
- 10426. Xanthodisca rega (Mabille,1890)** (Hesperiidae) Synonym(s): *rega* Mabille,1890; *staudingeri* Holland,1896; *sierrae* Holland,1896; *evansi* Picard,1949 _ Range (in code): SL GA CM
- 10427. Xanthodisca vibius (Hewitson,1878)** (Hesperiidae) Synonym(s): *vibius* Hewitson,1878 _ Range (in code): GA MW TZ KE UG ZR GO CM CI Bionomy: Larva on Amomum (Zingiberaceae) (Ackery et al.,1995).
- 10428. Xanthoneura corissa (Hewitson,1876)** (Hesperiidae) Synonym(s): *corissa* Hewitson,1876; *drancus* Plötz,1884; *lathonia* Elwes & Edwards,1897 _ Range (in code): MM Mrg Tvy MY Bor ID Sum Ja TH Rng Nst
- 10429. Xanthoneura corissa corissa (Hewitson,1876)** (Hesperiidae) Synonym(s): *corissa* Hewitson,1876; *drancus* Plötz,1884; *lathonia* Elwes & Edwards,1897 _ Range (in code): MY Bor
- 10430. Xanthoneura corissa indrasana (Elwes & De Nicéville,1887)** (Hesperiidae) Synonym(s): *indrasana* Elwes & De Nicéville,1887 _ Range (in code): MM Mrg Tvy MY TH Rng Nst
- 10431. Xanthoneura corissa patmapana (Fruhstorfer,1911)** (Hesperiidae) Synonym(s): *patmapana* Fruhstorfer,1911 _ Range (in code): ID Sum Ja
- 10432. Xanthoneura telesinus (Mabille,1878)** (Hesperiidae) Synonym(s): *telesinus* Mabille,1878 _ Range (in code): PH Boh Ley Luz Mdo Mno Neg Sam
- 10433. Xenia orchamus (Cramer,[1777])** (Hesperiidae) Synonym(s): *orchamus* Cramer,[1777]; *xanthothrix* Herrich-Schäffer,1869; *licia* Plötz,1882 _ Range (in code): MX
- 10434. Xenia pteras (Godman,1900)** (Hesperiidae) Synonym(s): *pteras* Godman,1900 _ Range (in code): MX
- 10435. Xenophanes tryxus (Stoll,1780)** (Hesperiidae) Synonym(s): *tryxus* Stoll,1780; *salvianus* Fabricius,1793; *ruatanensis* Godman & Salvin,1895; *euphemie* Ehrmann,1907; *perplexus* Bell,1942 _ Range (in code): US MX NMx Tx

- 10436. *Yanguna arinas* (Cramer,[1779])** (Hesperiidae) **Synonym(s):** *arinas* Cramer,[1779]; *arinus* Fabricius,1781 - Range (in code): SR
- 10437. *Yanguna aspilos Mabilie & Boulet,1908*** (Hesperiidae) **Synonym(s):** *aspilos* Mabilie & Boulet,1908 - Range (in code): PE
- 10438. *Yanguna aspitha* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *aspitha* Hewitson,1866 - Range (in code): BR Para
- 10439. *Yanguna assaricus* (Cramer,[1782])** (Hesperiidae) **Synonym(s):** *assaricus* Cramer,[1782]; *alsaricus* Fabricius,1793 - Range (in code): GY
- 10440. *Yanguna cometes* (Cramer,[1782])** (Hesperiidae) **Synonym(s):** *cometes* Cramer,[1782] - Range (in code): SR
- 10441. *Yanguna cosyra* (Druce,1875)** (Hesperiidae) **Synonym(s):** *cosyra* Druce,1875 - Range (in code): PE
- 10442. *Yanguna hadora* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *hadora* Hewitson,1866
- 10443. *Yanguna parima* (Plötz,1886)** (Hesperiidae) **Synonym(s):** *parima* Plötz,1886 - Range (in code): BO SR
- 10444. *Yanguna pedaia* (Hewitson,1866)** (Hesperiidae) **Synonym(s):** *pedaia* Hewitson,1866 - Range (in code): BR
- 10445. *Yanguna rubricollis* (Sepp,1848)** (Hesperiidae) **Synonym(s):** *rubricollis* Sepp,1848 - Range (in code): SR
- 10446. *Yanguna spatiosa* (Hewitson,1870)** (Hesperiidae) **Synonym(s):** *spatiosa* Hewitson,1870 - Range (in code): EC
- 10447. *Yanguna staudingeri* (Plötz,1879)** (Hesperiidae) **Synonym(s):** *staudingeri* Plötz,1879; *cometides* Mabilie & Boulet,1908 - Range (in code): PE
- 10448. *Yanoancistroides sinica* (H.Huang,1997)** (Hesperiidae) **Synonym(s):** *sinica* H.Huang,1997 - Range (in code): CN Sz
- 10449. *Zariaspes mys* (Hübner,[1808])** (Hesperiidae) **Synonym(s):** *mys* Hübner,[1808]; *dukolum* Blake,1879; *dryops* Mabilie,1883 - Range (in code): MX
- 10450. *Zariaspes mytheus* Godman,1900** (Hesperiidae) **Synonym(s):** *mytheus* Godman,1900; *chromis* Skinner,1919; *xanthopolys* Dyar,1926 - Range (in code): MX
- 10451. *Zela adorabilis* Fruhstorfer,1911** (Hesperiidae) **Synonym(s):** *adorabilis* Fruhstorfer,1911 - Range (in code): MY ID Sum Sbt Bor TH Tng
- 10452. *Zela elioti* Evans,1939** (Hesperiidae) **Synonym(s):** *elioti* Evans,1939 - Range (in code): MY Lkw TH Cbi
- 10453. *Zela excellens* Staudinger,1889** (Hesperiidae) **Synonym(s):** *excellens* Staudinger,1889; *solex* Evans,1939 - Range (in code): MY Bor PH Pal
- 10454. *Zela excellens excellens* Staudinger,1889** (Hesperiidae) **Synonym(s):** *excellens* Staudinger,1889; *solex* Evans,1939 - Range (in code): MY Bor PH Pal
- 10455. *Zela smaragdinus* (Druce,1913)** (Hesperiidae) **Synonym(s):** *smaragdinus* Druce,1913 - Range (in code): MY Bor TH Rng
- 10456. *Zela smaragdinus smaragdinus* (Druce,1913)** (Hesperiidae) **Synonym(s):** *smaragdinus* Druce,1913 - Range (in code): MY Bor TH Rng
- 10457. *Zela zenon* De Nicéville,1895** (Hesperiidae) **Synonym(s):** *zenon* De Nicéville,1895 - Range (in code): MY Bor Joh PH Pal
- 10458. *Zela zenon cowani* Evans,1939** (Hesperiidae) **Synonym(s):** *cowani* Evans,1939 - Range (in code): MY Joh
- 10459. *Zela zenon zenon* De Nicéville,1895** (Hesperiidae) **Synonym(s):** *zenon* De Nicéville,1895 - Range (in code): PH Pal MY Bor
- 10460. *Zela zero* Evans,1932** (Hesperiidae) **Synonym(s):** *zero* Evans,1932 - Range (in code): MY Bor Sbh Snk ID Sum
- 10461. *Zela zero zero* Evans,1932** (Hesperiidae) **Synonym(s):** *zero* Evans,1932 - Range (in code): MY Bor Sbh Snk ID Sum
- 10462. *Zela zeta* Devyatkin,2007** (Hesperiidae) **Synonym(s):** *zeta* Devyatkin,2007 - Range (in code): VN
- 10463. *Zela zeus* De Nicéville,1895** (Hesperiidae) **Synonym(s):** *zeus* De Nicéville,1895 - Range (in code): MY Bor ID Sum IN Ass Meg Khs MM Krh Mrg TH Cbi Nna PH Hom Ley Luz Mdo Mno Sam Sib Taw
- 10464. *Zela zeus major* Evans,1932** (Hesperiidae) **Synonym(s):** *major* Evans,1932 - Range (in code): PH Hom Ley Luz Mdo Mno Sam Sib

- 10465. Zela zeus optimus Fruhstorfer,1911** (Hesperiidae) Synonym(s): Fruhstorfer,1911
Range (in code): IN Ass Meg Khs MM Krh Mrg TH Cbi Nna
- 10466. Zela zeus zeus De Nicéville,1895** (Hesperiidae) Synonym(s): zeus De Nicéville,1895
Range (in code): MY Bor ID Sum PH Taw
- 10467. Zenis janka Evans,1955** (Hesperiidae) Synonym(s): janka Evans,1955; hemizona Dyar,1918
Range (in code): MX
- 10468. Zenonia anax Evans,1937** (Hesperiidae) Synonym(s): anax Evans,1937 _ Range (in code): MW TZ ZR
- 10469. Zenonia crasta Evans,1937** (Hesperiidae) Synonym(s): crasta Evans,1937 _ Range (in code): ZR BI RW UG
- 10470. Zenonia zeno (Trimen,1864)** (Hesperiidae) Synonym(s): zeno Trimen,1864; splendens Mabille,1877; coanza Plötz,1883; watsoni Butler,1894; zenides Strand,1918 _ Range (in code): NG ET ZA Tva Lpo Mpu Mal Wo Tra Ec Wv Mpu Brb Spb Suw Nel Wri ZW ZR MW AO
- 10471. Zera belti (Godman & Salvin,1894)** (Hesperiidae) Synonym(s): belti Godman & Salvin,1894 _ Range (in code): MX
- 10472. Zera difficilis (Weeks,1901)** (Hesperiidae) Synonym(s): difficilis Weeks,1901 _ Range (in code): MX
- 10473. Zera eboneus (Bell,1947)** (Hesperiidae) Synonym(s): eboneus Bell,1947 _ Range (in code): MX
- 10474. Zera hosta Evans,1953** (Hesperiidae) Synonym(s): hosta Evans,1953 _ Range (in code): MX
- 10475. Zera hyacinthinus (Mabille,1877)** (Hesperiidae) Synonym(s): hyacinthinus Mabille,1877
Range (in code): MX
- 10476. Zera tetrastigma (Sepp,[1844])** (Hesperiidae) Synonym(s): tetrastigma Sepp,[1844]; menedemus Godman & Salvin,1894; pelopea Godman & Salvin,1894 _ Range (in code): MX
- 10477. Zestusa dorus (Edwards,1882)** (Hesperiidae) Synonym(s): dorus Edwards,1882
Range (in code): US MX Arz Col NMx Tx Ut
- 10478. Zestusa dorus dorus (Edwards,1882)** (Hesperiidae) Synonym(s): dorus Edwards,1882
Range (in code): US MX Arz Col NMx Tx Ut
- 10479. Zestusa elwesi (Godman & Salvin,1893)** (Hesperiidae) Synonym(s): elwesi Godman & Salvin,1893 _ Range (in code): MX
- 10480. Zestusa levona Steinhäuser,1972** (Hesperiidae) Synonym(s): levona Steinhäuser,1972
Range (in code): MX
- 10481. Zestusa staudingeri (Mabille,1888)** (Hesperiidae) Synonym(s): staudingeri Mabille,1888
Range (in code): MX
- 10482. Zobera albopunctata Freeman,1970** (Hesperiidae) Synonym(s): albopunctata Freeman,1970 _ Range (in code): MX
- 10483. Zobera marginata Freeman,1979** (Hesperiidae) Synonym(s): marginata Freeman,1979
Range (in code): MX
- 10484. Zobera oaxaquena Steinhäuser,1991** (Hesperiidae) Synonym(s): oaxaquena Steinhäuser,1991 _ Range (in code): MX
- 10485. Zographetus abima (Hewitson,1877)** (Hesperiidae) Synonym(s): abima Hewitson,1877; palawanica Strand,1921 Original Reference: Hesperia abima Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 83-84. Type(s): Macassar (coll. Hewitson). Range (in code): PH Pal ID Clb
- 10486. Zographetus abima abima (Hewitson,1877)** (Hesperiidae) Synonym(s): abima Hewitson,1877; palawanica Strand,1921 Original Reference: Hesperia abima Hewitson,1877, Ann. Mag. nat. Hist. (4) 19: 83-84. Type(s): Macassar (coll. Hewitson). Range (in code): PH Pal ID Clb
- 10487. Zographetus doxus Eliot,1959** (Hesperiidae) Synonym(s): doxus Eliot,1959 _ Range (in code): PH Mas Pan Sib Taw TH Rng Cbi
- 10488. Zographetus doxus doxus Eliot,1959** (Hesperiidae) Synonym(s): doxus Eliot,1959
Range (in code): PH Mas Pan Sib Taw TH Rng Cbi
- 10489. Zographetus ogygia (Hewitson,1866)** (Hesperiidae) Synonym(s): ogygia Hewitson,1866; flavipennis De Nicéville,1885; flavalum De Nicéville,1887 _ Range (in code): PH CmM Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam IN Adm Ass SI TH MY VN ID Sum Nia Bgk Lb Sbw Flo Alo
- 10490. Zographetus ogygia andamana Evans,1926** (Hesperiidae) Synonym(s): andamana Evans,1926 _ Range (in code): IN Adm
- 10491. Zographetus ogygia durga (Plötz,1884)** (Hesperiidae) Synonym(s): durga Plötz,1884
Range (in code): PH CmM Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam ID Lb Sbw Flo Alo

- 10492. *Zographetus ogygia ogygia* (Hewitson,1866)** (Hesperiidae) Synonym(s): *ogygia* Hewitson,1866; *flavipennis* De Nicéville,1885; *flavulum* De Nicéville,1887 _ Range (in code): **SI IN Ass TH MY ID Sum Nia Bgk**
- 10493. *Zographetus ogygioides* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897 _ Range (in code): **PH Mas Pan Sib Taw TH Rng Cph MY Bor ID Sum**
- 10494. *Zographetus ogygioides ogygioides* Elwes & Edwards,1897** (Hesperiidae) Synonym(s): *ogygioides* Elwes & Edwards,1897 _ Range (in code): **PH Mas Pan Sib Taw TH Rng Cph MY Bor ID Sum**
- 10495. *Zographetus pallens* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993 _ Range (in code): **PH CmL Mar**
- 10496. *Zographetus pallens pallens* De Jong & Treadaway,1993** (Hesperiidae) Synonym(s): *pallens* De Jong & Treadaway,1993 _ Range (in code): **PH CmL Mar**
- 10497. *Zographetus rama* (Mabille,1876)** (Hesperiidae) Synonym(s): *rama* Mabille,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926 _ Range (in code): **PH Ley Mdo Sam TH Rng Chy MM Krh MY ID Clb Sum**
- 10498. *Zographetus rama rama* (Mabille,1876)** (Hesperiidae) Synonym(s): *rama* Mabille,1876; *graeae* De Nicéville,1895; *angulifera* Elwes & Edwards,1897; *dawna* Evans,1926 _ Range (in code): **PH Ley Mdo Sam TH Rng Chy MM Krh MY ID Clb Sum**
- 10499. *Zographetus satwa* (De Nicéville,1884)** (Hesperiidae) Synonym(s): *satwa* De Nicéville,1884 _ Range (in code): **TH CMa Rng Lmp Nna Ray Cbi ID Ja IN SI Ass MM MY**
- 10500. *Zographetus satwa satwa* (De Nicéville,1884)** (Hesperiidae) Synonym(s): *satwa* De Nicéville,1884 _ Range (in code): **TH CMa Rng Lmp Nna Ray Cbi ID Ja IN SI Ass MM MY**
- 10501. *Zophopetes cerymica* (Hewitson,1867)** (Hesperiidae) Synonym(s): *cerymica* Hewitson,1867 _ Range (in code): **SL CI LR GH TG**
- 10502. *Zophopetes dysmephila* (Trimen,1868)** (Hesperiidae) Synonym(s): *dysmephila* Trimen,1868 _ Range (in code): **SN ER ZA AO CM**
- 10503. *Zophopetes ganda* Evans,1937** (Hesperiidae) Synonym(s): *ganda* Evans,1937
- 10504. *Zophopetes haifa* Evans,1937** (Hesperiidae) Synonym(s): *haifa* Evans,1937
- 10505. *Zophopetes nobilior* (Holland,1896)** (Hesperiidae) Synonym(s): *nobilior* Holland,1896
- 10506. *Zopyrion sandace* Godman & Salvin,1896** (Hesperiidae) Synonym(s): *sandace* Godman & Salvin,1896 _ Range (in code): **MX**
- 10507. *Libythea (Jera) labdaca* Westwood & Hewitson,1851** (Libytheidae) Synonym(s): *labdaca* Westwood & Hewitson,1851 _ Range (in code): **SL GN ET KE TZ Tnga Usa Ani UG MG ZA Kzu Nta Ptb Dbn Ptw Elo Stj Tra Ec Tva Lpo ZW Har BW MZ AO**
- 10508. *Libythea (Jera) labdaca labdaca* Westwood & Hewitson,1851** (Libytheidae) Synonym(s): *labdaca* Westwood & Hewitson,1851 _ Range (in code): **SL GN ET KE UG**
- 10509. *Libythea (Jera) labdaca laius* Trimen,1879** (Libytheidae) Synonym(s): *laius* Trimen,1879 _ Original Reference: *Libythea laius* Trimen,1879, Trans. ent. Soc. London 1879 (4): 337-340. Syntypes: South Africa: Natal: Durban, Pinetown, Avoca, Illovo; Quilimane. Range (in code): **AO ZA Kzu Nta Ptb Dbn Stj Ptw Elo Tra Elo Ec Tva Lpo ZW Har BW MZ TZ Tnga Usa Ani**
- 10510. *Libythea (s.str.) celtis* (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782 _ Original Reference: *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch Insektengesch. (2) (4): 1, pl.8 figs.1-3. Type(s): S.Tirol: Bolzano. Range (in code): **AL AT BG B-H Bw BY CH Cr CY DZ Clo Blid TN ES Mu FR GR HU HV IQ IR Ab Elb Glb IT Kp MK PK Ci Nwf PT RO RU Sa Si SK SS TM TR Cc UA YU Tra Ax Tls KG CN TW JP KP KR T-S** _ Bionomy: Larva on *Celtis australis*, *C. caucasica*, *C. glabrata*, *Ulmus* (?) minor, *U. glabra* (Ulmaceae) (Tolman, 1997; Kemal & Koçak).
- 10511. *Libythea (s.str.) celtis celtis* (Laicharting,1782)** (Libytheidae) Synonym(s): *celtis* Laicharting,1782 _ Original Reference: *Papilio celtis* Laicharting,1782, [in] Fuessly, Arch Insektengesch. (2) (4): 1, pl.8 figs.1-3. Type(s): S.Tirol: Bolzano. Range (in code): **AL AT BG B-H Bw BY CH Cr CY DZ Clo Blid ES Mu FR GR HU HV IQ IR Elb IT Kp MK PT PK Ci Nwf RO RU Sa Si SK SS TM TR Cc UA YU Tra Ax Tls KG T-S** _ Bionomy: Larva on *Celtis australis*, *C. caucasica*, *C. glabrata*, *Ulmus* (?) minor, *U. glabra* (Ulmaceae) (Tolman, 1997; Kemal & Koçak).
- 10512. *Libythea (s.str.) celtis celtoides* Fruhstorfer,1909** (Libytheidae) Synonym(s): *celtoides* Fruhstorfer,1909 _ Original Reference: *Libythea celtis* ssp. *celtoides* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 209. Syntypes 3♂: Süd-Japan: Tsushima, Nagasaki (in coll. Fruhstorfer). Range (in code): **JP**

- 10513. *Libythea (s.str.) celtis chinensis* Fruhstorfer, 1909** (Libytheidae) Synonym(s): *chinensis* Fruhstorfer, 1909 Original Reference: *Libythea celtis* ssp. *chinensis* Fruhstorfer, 1909, Ent. Z., Stuttgart 22: 209. Syntypes: West-China: Ome-Shan (in coll. Fruhstorfer). Range (in code): **CN**
- 10514. *Libythea (s.str.) celtis formosana* Fruhstorfer, 1909** (Libytheidae) Synonym(s): *formosana* Fruhstorfer, 1909 Original Reference: *Libythea celtis* ssp. *formosana* Fruhstorfer, 1909, Ent. Z., Stuttgart 22: 209. Type ♂: Formosa: Horisha. Range (in code): **TW**
- 10515. *Libythea (s.str.) celtis matsumurae* Fruhstorfer, 1909** (Libytheidae) Synonym(s): *matsumurae* Fruhstorfer, 1909 Original Reference: *Libythea celtis* ssp. *matsumurae* Fruhstorfer, 1909, Ent. Z., Stuttgart 22: 209. Syntypes 3♂: Japan: Yesso, Sapporo (in coll. Fruhstorfer). Range (in code): **JP**
- 10516. *Libythea (s.str.) celtis* ssp.** (Libytheidae) Synonym(s): Range (in code): **PK Nwf**
- 10517. *Libythea (s.str.) geoffroy* Godart, [1823]** (Libytheidae) Synonym(s): *geoffroy* Godart, [1823] Range (in code): **PH Ceb Luz Mar Mdo Boh CmM Mno Pal Pan Pao Stu Taw MM TH Knc Rat Cbi Pht Kao Nna CN MY ID Ja Bli Lb Sbw Tim Sba Clb PG**
- 10518. *Libythea (s.str.) geoffroy alompra* Moore, 1901** (Libytheidae) Synonym(s): *alompra* Moore, 1901 Range (in code): **MM TH Knc Rat Cbi Pht Nna Kao MY**
- 10519. *Libythea (s.str.) geoffroy bardas* Fruhstorfer, 1914** (Libytheidae) Synonym(s): *bardas* Fruhstorfer, 1914 Range (in code): **PH Ceb Luz Mar Mdo**
- 10520. *Libythea (s.str.) geoffroy celebensis* Staudinger & Boisduval, 1859** (Libytheidae) Synonym(s): *celebensis* Staudinger & Boisduval, 1859 Range (in code): **ID Clb**
- 10521. *Libythea (s.str.) geoffroy geoffroy* Godart, [1823]** (Libytheidae) Synonym(s): *geoffroy* Godart, [1823] Range (in code): **ID Ja Bli Lb Sbw Tim**
- 10522. *Libythea (s.str.) geoffroy maenia* Fruhstorfer, 1902** (Libytheidae) Synonym(s): *maenia* Fruhstorfer, 1902 Range (in code): **PG**
- 10523. *Libythea (s.str.) geoffroy philippina* Staudinger, 1889** (Libytheidae) Synonym(s): *philippina* Staudinger, 1889 Original Reference: *Libythea geoffroyi* var. *philippina* Staudinger, 1889, Dt. ent. Z., Iris 2: 87-89. Syntypes 9♂ 3♀: [Philippinen]: Palawan. Range (in code): **PH Boh CmM Mno Pal Pan Pao Stu Taw**
- 10524. *Libythea (s.str.) geoffroy sumbensis* Pagenstecher, 1896** (Libytheidae) Synonym(s): *sumbensis* Pagenstecher, 1896 Range (in code): **ID Sba**
- 10525. *Libythea (s.str.) lepita* Moore, 1857** (Libytheidae) Synonym(s): *lepita* Moore, 1857 Original Reference: *Libythea lepita* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 240, nr. 519. Type(s): Bootan. Range (in code): **LK IN Ch Ass MM PK Mre Haz Cp Ci C-P TH CMa CDo**
- 10526. *Libythea (s.str.) lepita lepita* Moore, 1857** (Libytheidae) Synonym(s): *lepita* Moore, 1857 Original Reference: *Libythea lepita* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 240, nr. 519. Type(s): Bootan. Range (in code): **LK IN Ch Ass MM PK Mre Haz Cp Ci C-P TH CMa CDo**
- 10527. *Libythea (s.str.) myrrha* Godart, [1819]** (Libytheidae) Synonym(s): *myrrha* Godart, [1819] Original Reference: *Libythea myrrha* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 171, nr. 4. Range (in code): **Ld AF Ng Nu PH Pal ID Ja Bli Lb Sbw Sum Bor LK SI IN Ass MM TH CMa Chy Nna Kao TAK Cbi Phi Phe Nst Yal Loe Pbu MY CN**
- 10528. *Libythea (s.str.) myrrha borneensis* Fruhstorfer** (Libytheidae) Synonym(s): *borneensis* Fruhstorfer Range (in code): **MY Bor**
- 10529. *Libythea (s.str.) myrrha carma* Fruhstorfer, 1914** (Libytheidae) Synonym(s): *carma* Fruhstorfer, 1914 Range (in code): **IN**
- 10530. *Libythea (s.str.) myrrha hecura* Fruhstorfer, 1914** (Libytheidae) Synonym(s): *hecura* Fruhstorfer, 1914 Range (in code): **TH Nst Yal**
- 10531. *Libythea (s.str.) myrrha iwanagai* Hayashi, 1976** (Libytheidae) Synonym(s): *iwanagai* Hayashi, 1976 Range (in code): **PH Pal**
- 10532. *Libythea (s.str.) myrrha myrrha* Godart, [1819]** (Libytheidae) Synonym(s): *myrrha* Godart, [1819] Original Reference: *Libythea myrrha* Godart, [1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 171, nr. 4. Range (in code): **Ld ID Ja Bli Lb Sbw**
- 10533. *Libythea (s.str.) myrrha rama* Moore, 1872** (Libytheidae) Synonym(s): *rama* Moore, 1872 Range (in code): **LK**

- 10534. *Libythea (s.str.) myrrha sanguinalis* Fruhstorfer, 1898** (Libytheidae) Synonym(s): *sanguinalis* Fruhstorfer, 1898; *myrrhina* Fruhstorfer, 1910; *hecura* Fruhstorfer; *thira* Fruhstorfer _ Range (in code): **AF Ng Nu SI IN Ass MM TH CMa Chy Nna Kao Tak Cbi Phi Phe Pbu Loe MY CN ID Sum**
- 10535. *Libythea (s.str.) narina* Godart, [1819]** (Libytheidae) Synonym(s): *narina* Godart, [1819] Range (in code): **IN Ass MM TH CMa Knc Chy Nna Kao Cbi Pht Loe Pbu Nst MY ID Ja Bli Lb Sum Sba Sbw Clb PH Luz Mdo Pal PG**
- 10536. *Libythea (s.str.) narina canuleia* Fruhstorfer, 1910** (Libytheidae) Synonym(s): *canuleia* Fruhstorfer, 1910 _ Range (in code): **ID Clb**
- 10537. *Libythea (s.str.) narina hatami* Kenrick, 1911** (Libytheidae) Synonym(s): *hatami* Kenrick, 1911 _ Range (in code): **PG**
- 10538. *Libythea (s.str.) narina luzonica* Moore, 1901** (Libytheidae) Synonym(s): *luzonica* Moore, 1901 _ Range (in code): **PH Luz Mdo Pal**
- 10539. *Libythea (s.str.) narina narina* Godart, [1819]** (Libytheidae) Synonym(s): *narina* Godart, [1819] _ Range (in code): **ID Ja Bli Lb**
- 10540. *Libythea (s.str.) narina rohini* Marschall, 1881** (Libytheidae) Synonym(s): *rohini* Marschall, 1881; *libera* De Nicéville, 1890; *hybrida* Martin, 1896; *tibera* Pagenstecher, 1902 _ Range (in code): **IN Ass MM TH CMa Knc Chy Nna Kao Cbi Pht Loe Pbu Nst MY ID Sum**
- 10541. *Libythea (s.str.) narina sangha* Fruhstorfer, 1914** (Libytheidae) Synonym(s): *sangha* Fruhstorfer, 1914 _ Range (in code): **ID Sba**
- 10542. *Libythea (s.str.) narina sumbawana* Fruhstorfer, 1914** (Libytheidae) Synonym(s): *sumbawana* Fruhstorfer, 1914 _ Range (in code): **ID Sbw**
- 10543. *Libytheana bachmannii* (Kirtland, 1852)** (Libytheidae) Synonym(s): *bachmannii* Kirtland, 1852; *kirtlandi* Field, 1938 _ Range (in code): **US Oh Tx**
- 10544. *Libytheana bachmannii bachmannii* (Kirtland, 1852)** (Libytheidae) Synonym(s): *bachmannii* Kirtland, 1852; *kirtlandi* Field, 1938 _ Range (in code): **Us Oh**
- 10545. *Libytheana bachmannii larvata* (Strecker, [1878])** (Libytheidae) Synonym(s): *larvata* Strecker, [1878]; *streckeri* Field, 1938 _ Range (in code): **US Tx**
- 10546. *Libytheana carinenta* (Cramer, 1777)** (Libytheidae) Synonym(s): *carinenta* Cramer, 1777 Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Ut Vi Vr Wc Wy**
- 10547. *Libytheana carinenta mexicana* Michener, 1943** (Libytheidae) Synonym(s): *mexicana* Michener, 1943 _ Range (in code): **MX**
- 10548. *Libytheana motya* (Boisduval & Leconte, [1833])** (Libytheidae) Synonym(s): *motya* Boisduval & Leconte, [1833] _ Range (in code): **US**
- 10549. "*Strymonidia neosinica neosinica*" Lee, 1963** (Lycaenidae) Synonym(s): *neosinica* Lee, 1963 Original Reference: *Strymonidia neosinica* Lee, 1963, *Acta zool. sinica* 15(1): 105, pl.1 figs.9-10. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site, taxonomical status of this taxon needs further investigations. Range (in code): **CN Ui**
- 10550. "*Strymonidia neosinica*" Lee, 1963** (Lycaenidae) Synonym(s): *neosinica* Lee, 1963 Original Reference: *Strymonidia neosinica* Lee, 1963, *Acta zool. sinica* 15(1): 105, pl.1 figs.9-10. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site, taxonomical status of this taxon needs further investigations. Range (in code): **CN Ui**
- 10551. *Actizera atrigemmata* (Butler, 1878)** (Lycaenidae) Synonym(s): *atrigemmata* Butler, 1878 Range (in code): **MG**
- 10552. *Actizera lucida* (Trimen, 1883)** (Lycaenidae) Synonym(s): *lucida* Trimen, 1883; *drucei* Bethune-Baker, 1906. Original Reference: *Lycaena lucida* Trimen, 1883, *Trans. ent. Soc. Lond.* 1883: 282. Syntypes: South Africa: Cape Colony, Kaffraria Proper, Natal, Transvaal. Range (in code): **BJ BW CM KE MG MW MZ NA TZ YE ZA Tva Gau Pre Ec Nta Kzu ZW**
- 10553. *Actizera lucida lucida* (Trimen, 1883)** (Lycaenidae) Synonym(s): *lucida* Trimen, 1883; *drucei* Bethune-Baker, 1906. Original Reference: *Lycaena lucida* Trimen, 1883, *Trans. ent. Soc. Lond.* 1883: 282. Syntypes: South Africa: Cape Colony, Kaffraria Proper, Natal, Transvaal. Range (in code): **BJ BW CM KE MG MW MZ NA TZ YE ZA Tva Gau Pre Ec Nta Kzu ZW**
- 10554. *Actizera stellata* (Trimen, 1883)** (Lycaenidae) Synonym(s): *stellata* Trimen, 1883 Range (in code): **ZA Eca Fs ET ET08 SU UG KE ZR TZ MW**
- 10555. *Acupicta bubases* (Hewitson, 1875)** (Lycaenidae) Synonym(s): *bubases* Hewitson, 1875 Range (in code): **MY**
- 10556. *Acupicta flemingi* Eliot, 1975** (Lycaenidae) Synonym(s): *flemingi* Eliot, 1975 _ Range (in code): **MY**

- 10557. *Acytolepis lilacea* (Hampson,1889)** (Lycaenidae) Synonym(s): *lilacea* Hampson,1889; *crissa* De Nicéville,1894. Range (in code): **IN NI LK LA MM Pey TH**
- 10558. *Acytolepis lilacea indochinensis* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *indochinensis* Eliot & Kawazoe,1984 Range (in code): **LA MM Pey TH**
- 10559. *Acytolepis lilacea lilacea* (Hampson,1889)** (Lycaenidae) Synonym(s): *lilacea* Hampson,1889; *crissa* De Nicéville,1894. Range (in code): **IN NI**
- 10560. *Acytolepis lilacea moorei* (Toxopeus,1926)** (Lycaenidae) Synonym(s): *moorei* Toxopeus,1926 Range (in code): **LK**
- 10561. *Acytolepis najara* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *najara* Fruhstorfer,1910 Range (in code): **ID Clb**
- 10562. *Acytolepis najara najara* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *najara* Fruhstorfer,1910 Range (in code): **ID Clb**
- 10563. *Acytolepis puspa* (Horsfield,[1828])** (Lycaenidae) Synonym(s): *puspa* Horsfield,[1828]; *sanía* Fruhstorfer,1910; *contilia* Fruhstorfer,1910. Original Reference: *Polyommatus puspa* Horsfield,[1828], Descr. Cat. Lepid. Ins. Mus. East India Coy (1): 67. Range (in code): **AF PK IN Bba Nk Nag NP SI BT LK MM Krh Vp MY Bor P-T Lkw SG TH Nst Rng Sat CMa Chy Chu Nna Rat TW ID Ja Sum Nia Nat Dm Wt Tim Clb Bng Baw Kng Sla Mw Sip Pgi Sbt Kai LA KH CN Yu Hnn VN PH Bas CmM Jol Ley Mno Sam Taw Luz Mdo Pal HK Adm BD Kwa Mrg Log JP Kyu Cuo Cu10 CDo CD2 Sgk Hya Tnc Ng Nu**
- 10564. *Acytolepis puspa bazilana* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *bazilana* Fruhstorfer,1910; *georgi* Fruhstorfer,1910; *sabis* Fruhstorfer,1917. Range (in code): **PH Bas CmM Jol Ley Mno Sam Taw**
- 10565. *Acytolepis puspa cagaya* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *cagaya* C.Felder & R.Felder,[1865]; *ottonis* Fruhstorfer,1910. Range (in code): **PH Luz Mdo Pal**
- 10566. *Acytolepis puspa cyanescens* (De Nicéville,1890)** (Lycaenidae) Synonym(s): *cyanescens* De Nicéville,1890 Range (in code): **IN Nk**
- 10567. *Acytolepis puspa dammae* (Heron,1894)** (Lycaenidae) Synonym(s): *dammae* Heron,1894 Range (in code): **ID Dm Wt**
- 10568. *Acytolepis puspa darmis* (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *darmis* Fruhstorfer,1917; *roeberi* Fruhstorfer,1917. Range (in code): **ID Kai**
- 10569. *Acytolepis puspa deronda* (Fruhstorfer,1922)** (Lycaenidae) Synonym(s): *deronda* Fruhstorfer,1922 Range (in code): **ID Sla**
- 10570. *Acytolepis puspa felderi* Toxopeus,1927** (Lycaenidae) Synonym(s): *felderi* Toxopeus,1927 Range (in code): **IN Bba LK**
- 10571. *Acytolepis puspa gisca* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *gisca* Fruhstorfer,1910; *hermagoras* Fruhstorfer,1910; *#artena* Fruhstorfer,1917; *telis* Fruhstorfer,1917; *barneyi* Corbet,1941. Original Reference: *Cyaniris puspa gisca* Fruhstorfer,1910, Stettin ent. Ztg. 71 (1909): 285. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 174 (BMNH). Range (in code): **AF Ng Nu IN PK MM TH CMa Cuo Cu10 CDo CD2 Chy Chu Nna Rat VN CN Yu Hn LA KH HK Adm BD Kwa SI Mrg Log**
- 10572. *Acytolepis puspa hermione* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *hermione* Fruhstorfer,1910; *haani* Kalis,1938. Range (in code): **ID Baw Kng**
- 10573. *Acytolepis puspa ishigakiana* (Matsumura,1929)** (Lycaenidae) Synonym(s): *ishigakiana* Matsumura,1929; *umenonis* Matsumura,1931. Range (in code): **JP Kyu**
- 10574. *Acytolepis puspa kuehni* (Röber,1886)** (Lycaenidae) Synonym(s): *kuehni* Röber,1886; *martini* Fruhstorfer,1922; *hyllus* Fruhstorfer,1922; *kalawari* Ribbe,1926; *bangkaiensis* Ribbe,1926. Range (in code): **ID Clb Bng**
- 10575. *Acytolepis puspa lambi* (Distant,1882)** (Lycaenidae) Synonym(s): *lambi* Distant,1882; *imperatrix* Butler,1900. Range (in code): **MY Lkw SG TH Nst Rng Sat Sgk Hya Tnc MM Vp**
- 10576. *Acytolepis puspa mygdonia* (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *mygdonia* Fruhstorfer,1917; *tymbria* Fruhstorfer,1922. Range (in code): **MY Bor ID Sum**
- 10577. *Acytolepis puspa myla* (Fruhstorfer,1909)** (Lycaenidae) Synonym(s): *myla* Fruhstorfer,1909; *formosana* Bethune-Baker,1914; *postimacula* Matsumura,1929. Range (in code): **TW**
- 10578. *Acytolepis puspa prominens* (De Nicéville,1890)** (Lycaenidae) Synonym(s): *prominens* De Nicéville,1890 Range (in code): **IN Nk**
- 10579. *Acytolepis puspa puspa* (Horsfield,[1828])** (Lycaenidae) Synonym(s): *puspa* Horsfield,[1828]; *sanía* Fruhstorfer,1910; *contilia* Fruhstorfer,1910. Original Reference: *Polyommatus puspa* Horsfield,[1828], Descr. Cat. Lepid. Ins. Mus. East India Coy (1): 67. Lectotype ♂: Java,

- designated by Eliot & Kawazoe, 1983, Blue Butts Lycaenopsis Group: 179 (BMNH). Range (in code): IN Nag NP SI BT LK MM Krh MY PH TW ID Ja
- 10580. *Acytolepis puspa puspina* (Kheil, 1884)** (Lycaenidae) Synonym(s): *puspina* Kheil, 1884
Range (in code): ID Nia
- 10581. *Acytolepis puspa siporana* (N.D. Riley, 1943)** (Lycaenidae) Synonym(s): *siporana* N.D. Riley, 1943
Range (in code): ID Mw Sip Pgi Sbt
- 10582. *Acytolepis puspa timorensis* (Butler, 1900)** (Lycaenidae) Synonym(s): *timorensis* Butler, 1900
Range (in code): ID Tim
- 10583. *Acytolepis puspa vandeldeni* (Toxopeus, 1926)** (Lycaenidae) Synonym(s): *vandeldeni* Toxopeus, 1926
Range (in code): ID Sum
- 10584. *Acytolepis puspa volumnia* (Fruhstorfer, 1922)** (Lycaenidae) Synonym(s): *volumnia* Fruhstorfer, 1922
Range (in code): MY P-T ID Nat
- 10585. *Acytolepis ripte* (Druce, 1895)** (Lycaenidae) Synonym(s): *ripte* Druce, 1895
Range (in code): MY Bor
- 10586. *Acytolepis ripte ripte* (Druce, 1895)** (Lycaenidae) Synonym(s): *ripte* Druce, 1895
Range (in code): MY Bor
- 10587. *Acytolepis samanga* (Fruhstorfer, 1910)** (Lycaenidae) Synonym(s): *samanga* Fruhstorfer, 1910
Range (in code): ID Clb
- 10588. *Acytolepis samanga samanga* (Fruhstorfer, 1910)** (Lycaenidae) Synonym(s): *samanga* Fruhstorfer, 1910
Range (in code): ID Clb
- 10589. *Aethiopana honorius* (Fabricius, 1793)** (Lycaenidae) Synonym(s): *honorius* Fabricius, 1793; *teresa* Hewitson, 1869; *coarctata* Hulstaert, 1924
Range (in code): SL LR CI GH CM ZR NG UG Bionomy: Larva on Lichens with the ants *Crematogaster* (Ackery et al., 1995).
- 10590. *Aethiopana honorius divisa* (Butler, 1901)** (Lycaenidae) Synonym(s): *divisa* Butler, 1901
Range (in code): SL LR CI GH
- 10591. *Aethiopana honorius honorius* (Fabricius, 1793)** (Lycaenidae) Synonym(s): *honorius* Fabricius, 1793; *teresa* Hewitson, 1869; *coarctata* Hulstaert, 1924
Range (in code): CM ZR NG UG Bionomy: Larva on Lichens with the ants *Crematogaster* (Ackery et al., 1995).
- 10592. *Ahmetia achaja* (Fruhstorfer, [1912])** (Lycaenidae) Synonym(s): *achaja* Fruhstorfer, [1912]
Original Reference: Horaga achaja Fruhstorfer, [1912], Berl. ent. Z. 56 (3/4): 233-234. Type: Siam, Hinlap. Range (in code): TH CMa Knc Loe Lmp LA VN
- 10593. *Ahmetia achaja achaja* (Fruhstorfer, [1912])** (Lycaenidae) Synonym(s): *achaja* Fruhstorfer, [1912]
Original Reference: Horaga achaja Fruhstorfer, [1912], Berl. ent. Z. 56 (3/4): 233-234. Type: Siam, Hinlap. Range (in code): TH CMa Knc Loe Lmp LA
- 10594. *Ahmetia achaja jamadai* (Saito, 2008)** (Lycaenidae) Synonym(s): *jamadai* Saito, 2008
Range (in code): VN
- 10595. *Alaena amazoula* (Boisduval, 1847)** (Lycaenidae) Synonym(s): *amazoula* Boisduval, 1847; *#orphina* Vari, 1976.
Range (in code): ZR AO NA ZA Nta Kzu Tva Lpo Spb Mdk Ptb Ec Wm Mpu Brb Nel Mal Suw SZ MZ ZW MW ZM TZ BW
- 10596. *Alaena amazoula amazoula* (Boisduval, 1847)** (Lycaenidae) Synonym(s): *amazoula* Boisduval, 1847; *#orphina* Vari, 1976.
Range (in code): ZA Nta Kzu Ptb Ec MZ ZW
- 10597. *Alaena amazoula congoana* Aurivillius, 1914** (Lycaenidae) Synonym(s): *congoana* Aurivillius, 1914
Range (in code): ZR AO NA
- 10598. *Alaena amazoula nyasana* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *nyasana* Hawker-Smith, 1933
Range (in code): MW ZM TZ
- 10599. *Alaena amazoula ochroma* Vari, 1976** (Lycaenidae) Synonym(s): *ochroma* Vari, 1976
Range (in code): ZA Nta Kzu Tva Lpo Spb Mdk Ptb Ec Wm Mpu Brb Nel Mal Suw SZ ZW BW
- 10600. *Alaena bicolora* Bethune-Baker, 1924** (Lycaenidae) Synonym(s): *bicolora* Bethune-Baker, 1924
Range (in code): TZ
- 10601. *Alaena brainei* Vari, 1976** (Lycaenidae) Synonym(s): *brainei* Vari, 1976
Range (in code): NA
- 10602. *Alaena caissa Rebel & Rogenhofer*, 1894** (Lycaenidae) Synonym(s): *caissa* Rebel & Rogenhofer, 1894
Range (in code): TZ UG
- 10603. *Alaena caissa caissa Rebel & Rogenhofer*, 1894** (Lycaenidae) Synonym(s): *caissa* Rebel & Rogenhofer, 1894
Range (in code): TZ UG
- 10604. *Alaena caissa kagera* Talbot, 1935** (Lycaenidae) Synonym(s): *kagera* Talbot, 1935
Range (in code): TZ

- 10605. *Alaena dodomaensis* Kielland, 1983** (Lycaenidae) Synonym(s): *dodomaensis* Kielland, 1983
Range (in code): **TZ**
- 10606. *Alaena ferrulineata* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *ferrulineata* Hawker-Smith, 1933 _ Range (in code): **TZ**
- 10607. *Alaena interposita* Butler, 1883** (Lycaenidae) Synonym(s): *interposita* Butler, 1883
Range (in code): **TZ ZM ZR**
- 10608. *Alaena interposita hauttecoeuri* Oberthür, 1888** (Lycaenidae) Synonym(s): *hauttecoeuri* Oberthür, 1888; *aurantiaca* Butler, 1895 _ Range (in code): **TZ ZM ZR**
- 10609. *Alaena interposita interposita* Butler, 1883** (Lycaenidae) Synonym(s): *interposita* Butler, 1883 _ Range (in code): **TZ**
- 10610. *Alaena johanna* Sharpe, 1890** (Lycaenidae) Synonym(s): *johanna* Sharpe, 1890 _ Range (in code): **KE Mb**
- 10611. *Alaena johanna johanna* Sharpe, 1890** (Lycaenidae) Synonym(s): *johanna* Sharpe, 1890
Range (in code): **KE Mb**
- 10612. *Alaena johanna tsavoa* Jackson, 1966** (Lycaenidae) Synonym(s): *tsavoa* Jackson, 1966
Range (in code): **KE**
- 10613. *Alaena kiellandi* Carcasson, 1965** (Lycaenidae) Synonym(s): *kiellandi* Carcasson, 1965
Range (in code): **TZ**
- 10614. *Alaena lamborni* Giffrod, 1965** (Lycaenidae) Synonym(s): *lamborni* Giffrod, 1965; *ackeryi* D'Abbrera, 1980 _ Range (in code): **MW**
- 10615. *Alaena maculata* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *maculata* Hawker-Smith, 1933; *ochrea* Hawker-Smith, 1933 _ Range (in code): **ZR**
- 10616. *Alaena madibirensis* Wichgraf, 1921** (Lycaenidae) Synonym(s): *madibirensis* Wichgraf, 1921 _ Range (in code): **TZ**
- 10617. *Alaena margaritacea* Eltringham, 1929** (Lycaenidae) Synonym(s): *margaritacea* Eltringham, 1929 _ Range (in code): **ZA Tva Lpo Hae Wlk**
- 10618. *Alaena ngonga* Jackson, 1966** (Lycaenidae) Synonym(s): *ngonga* Jackson, 1966 _ Range (in code): **KE Nai TZ Srg**
- 10619. *Alaena nyassa* Hewitson, 1877** (Lycaenidae) Synonym(s): *nyassa* Hewitson, 1877 _ Range (in code): **ZW MZ TZ Tnga Usa ZR ZM MW**
- 10620. *Alaena nyassa major* Oberthür, 1888** (Lycaenidae) Synonym(s): *major* Oberthür, 1888
Range (in code): **TZ Tnga Usa**
- 10621. *Alaena nyassa marmorata* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *marmorata* Hawker-Smith, 1933 _ Range (in code): **ZR ZM**
- 10622. *Alaena nyassa nyassa* Hewitson, 1877** (Lycaenidae) Synonym(s): *nyassa* Hewitson, 1877
Range (in code): **ZW MZ MW**
- 10623. *Alaena oberthuri* Aurivillius, 1898** (Lycaenidae) Synonym(s): *oberthuri* Aurivillius, 1898
Range (in code): **ZR ZM**
- 10624. *Alaena ochracea* Butler, 1894** (Lycaenidae) Synonym(s): *ochracea* Butler, 1894 _ Range (in code): **MW**
- 10625. *Alaena picata* Sharpe, 1896** (Lycaenidae) Synonym(s): *picata* Sharpe, 1896; *rollei* Suffert, 1904; *mulsa* Thieme, 1904; *connectens* Talbot, 1935 _ Range (in code): **KE TZ Tnga Usa Ani MW**
- 10626. *Alaena picata interrupta* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *interrupta* Hawker-Smith, 1933 _ Range (in code): **MW**
- 10627. *Alaena picata picata* Sharpe, 1896** (Lycaenidae) Synonym(s): *picata* Sharpe, 1896; *rollei* Suffert, 1904; *mulsa* Thieme, 1904; *connectens* Talbot, 1935 _ Range (in code): **KE TZ Tnga Usa Ani**
- 10628. *Alaena reticulata* Butler, 1896** (Lycaenidae) Synonym(s): *reticulata* Butler, 1896 _ Range (in code): **MW ZM TZ**
- 10629. *Alaena rosei* Vane-Wright, 1980** (Lycaenidae) Synonym(s): *rosei* Vane-Wright, 1980
Range (in code): **AO**
- 10630. *Alaena subrubra* Bethune-Baker, 1915** (Lycaenidae) Synonym(s): *subrubra* Bethune-Baker, 1915 _ Range (in code): **SD UG** Bionomy: Larva on *Rhus* (Anacardiaceae) (Ackery et al., 1995).
- 10631. *Alaena unimaculosa* Hawker-Smith, 1926** (Lycaenidae) Synonym(s): *unimaculosa* Hawker-Smith, 1926 _ Range (in code): **ZR**
- 10632. *Allosmaitia pion* (Godman & Salvin, 1887)** (Lycaenidae) Synonym(s): *pion* Godman & Salvin, 1887 _ Range (in code): **US MX Tx GT PA Cq**

- 10633. Allotinus (Fabitaras) borneensis Moulton, 1911** (Lycaenidae) Synonym(s): *borneensis* Moulton, 1911; *elioti* Corbet, 1939 _ Range (in code): MT Bor
- 10634. Allotinus (Fabitaras) borneensis borneensis Moulton, 1911** (Lycaenidae) Synonym(s): *borneensis* Moulton, 1911; *elioti* Corbet, 1939 _ Range (in code): MY Bor
- 10635. Allotinus (Fabitaras) fabius (Distant & Pryer, 1887)** (Lycaenidae) Synonym(s): *fabius* Distant & Pryer, 1887 _ Range (in code): MY Bor Sbh KBa
- 10636. Allotinus (Fabitaras) fabius arrius Fruhstorfer, 1914** (Lycaenidae) Synonym(s): *arrius* Fruhstorfer, 1914 _ Range (in code): MY
- 10637. Allotinus (Fabitaras) fabius fabius (Distant & Pryer, 1887)** (Lycaenidae) Synonym(s): *fabius* Distant & Pryer, 1887
- 10638. Allotinus (Fabitaras) portunus (De Nicéville, 1894)** (Lycaenidae) Synonym(s): *portunus* De Nicéville, 1894 _ Range (in code): MY
- 10639. Allotinus (Fabitaras) portunus maitus Fruhstorfer, 1914** (Lycaenidae) Synonym(s): *maitus* Fruhstorfer, 1914; *fruhstorferi* Corbet, 1939 _ Range (in code): MY
- 10640. Allotinus (Fabitaras) portunus portunus (De Nicéville, 1894)** (Lycaenidae) Synonym(s): *portunus* De Nicéville, 1894
- 10641. Allotinus (Fabitaras) sarrastes Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *sarrastes* Fruhstorfer, 1913 _ Range (in code): TH Tng Phu Nst MY Lkw PH Mno
- 10642. Allotinus (Fabitaras) sarrastes sarrastes Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *sarrastes* Fruhstorfer, 1913 _ Range (in code): TH Tng Phu Nst MY Lkw PH Mno
- 10643. Allotinus (Fabitaras) strigatus Moulton, 1911** (Lycaenidae) Synonym(s): *strigatus* Moulton, 1911 _ Range (in code): MY Lkw
- 10644. Allotinus (Fabitaras) strigatus malayanus Corbet, 1939** (Lycaenidae) Synonym(s): *malayanus* Corbet, 1939 _ Range (in code): MY Lkw
- 10645. Allotinus (Fabitaras) strigatus strigatus Moulton, 1911** (Lycaenidae) Synonym(s): *strigatus* Moulton, 1911
- 10646. Allotinus (Paragerydus) apries Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *apries* Fruhstorfer, 1913; *eupalion* Fruhstorfer, 1914 _ Range (in code): MY PH Pal
- 10647. Allotinus (Paragerydus) apries apries Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *apries* Fruhstorfer, 1913; *eupalion* Fruhstorfer, 1914 _ Range (in code): MY
- 10648. Allotinus (Paragerydus) apries ristus Eliot, 1986** (Lycaenidae) Synonym(s): *ristus* Eliot, 1986 _ Range (in code): PH Pal
- 10649. Allotinus (Paragerydus) corbeti Eliot, 1956** (Lycaenidae) Synonym(s): *corbeti* Eliot, 1956 _ Range (in code): TH Phu Ntt Yal MY PH Mno
- 10650. Allotinus (Paragerydus) davidis Eliot, 1959** (Lycaenidae) Synonym(s): *davidis* Eliot, 1959 _ Range (in code): TH Rng Tng MY
- 10651. Allotinus (Paragerydus) davidis davidis Eliot, 1959** (Lycaenidae) Synonym(s): *davidis* Eliot, 1959 _ Range (in code): TH Rng Tng MY
- 10652. Allotinus (Paragerydus) horsfieldi (Moore, [1858])** (Lycaenidae) Synonym(s): *horsfieldi* Moore, [1858] _ Range (in code): TH Yal Sgk Hya Tnc MY Lkw
- 10653. Allotinus (Paragerydus) horsfieldi horsfieldi (Moore, [1858])** (Lycaenidae) Synonym(s): *horsfieldi* Moore, [1858]
- 10654. Allotinus (Paragerydus) horsfieldi nessus Corbet, 1939** (Lycaenidae) Synonym(s): *nessus* Corbet, 1939 _ Range (in code): MY TH Yal Sgk Hya Tnc
- 10655. Allotinus (Paragerydus) horsfieldi permangus Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *permangus* Fruhstorfer, 1913 _ Range (in code): MY Lkw
- 10656. Allotinus (Paragerydus) leogoron Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *leogoron* Fruhstorfer, 1916; *vadosus* Corbet, 1939; *lindus* Corbet, 1939 _ Range (in code): ID Sum MY Lkw TH Ntt SPa Nst Ths Sya Yal
- 10657. Allotinus (Paragerydus) leogoron leogoron Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *leogoron* Fruhstorfer, 1916; *vadosus* Corbet, 1939; *lindus* Corbet, 1939 _ Range (in code): ID Sum TH Ntt SPa Nst Ths Sya Yal MY Lkw
- 10658. Allotinus (Paragerydus) substrigosus (Moore, 1884)** (Lycaenidae) Synonym(s): *substrigosus* Moore, 1884 _ Range (in code): MM ID Sum Bor TH Phu Tng MY PH Mno Pal
- 10659. Allotinus (Paragerydus) substrigosus ballantinei Eliot, 1986** (Lycaenidae) Synonym(s): *ballantinei* Eliot, 1986 _ Range (in code): PH Pal
- 10660. Allotinus (Paragerydus) substrigosus substrigosus (Moore, 1884)** (Lycaenidae) Synonym(s): *substrigosus* Moore, 1884 _ Range (in code): MM ID Sum Bor TH Phu Tng MY

- 10661. Allotinus (Paragerydus) substrigosus yusukei Eliot,1986** (Lycaenidae)
Synonym(s): *yusukei* Eliot,1986 _ Range (in code): PH Mno
- 10662. Allotinus (Paragerydus) taras Doherty,1889** (Lycaenidae) Synonym(s): *taras* Doherty,1889 _ Range (in code): MM Tns BD Cta
- 10663. Allotinus (Paragerydus) unicolor C.Felder & R.Felder,[1865]** (Lycaenidae)
Synonym(s): *unicolor* C.Felder & R.Felder,[1865]; *dilutus* Corbet,1939 _ Range (in code): ID Sum MM TH Chy Cbi Phu Pgg TAK Tng Yal Nst Lsa Ths Sya Sgk Hya Tnc Knc Pbu MY Lkw PH Boh Mdo Sga Taw
Bionomy: Larva on *Chromolaena odorata* [sap sueg] (Asteraceae) (Lewvanich,2001).
- 10664. Allotinus (Paragerydus) unicolor georgius Fruhstorfer,1913** (Lycaenidae)
Synonym(s): *georgius* Fruhstorfer,1913 _ Range (in code): PH Boh Mdo Sga Taw
- 10665. Allotinus (Paragerydus) unicolor rekkia N.D.Riley & Godfrey,1921** (Lycaenidae)
Synonym(s): *rekkia* N.D.Riley & Godfrey,1921 _ Range (in code): MM TH Nst Pbu
- 10666. Allotinus (Paragerydus) unicolor unicolor C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *unicolor* C.Felder & R.Felder,[1865]; *dilutus* Corbet,1939 _ Range (in code): ID Sum TH Nst Lsa Ths Sya Chy Cbi Phu Pgg TAK Tng Yal Sgk Hya Tnc Knc MY Lkw Bionomy: Larva on *Chromolaena odorata* [sap sueg] (Asteraceae) (Lewvanich,2001).
- 10667. Allotinus (s.str.) fallax C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *fallax* C.Felder & R.Felder,[1865] _ Range (in code): MY Bor Sbh KBa PH Jol Stu Taw Boh Ceb Ley Luz Mar Mas Mdo Pan Sam Sib Bas Mdo CmM Din Hom Mno Pao
- 10668. Allotinus (s.str.) fallax aphacus Fruhstorfer,1913** (Lycaenidae) Synonym(s): *aphacus* Fruhstorfer,1913 _ Range (in code): PH CmM Din Hom Mno Pao
- 10669. Allotinus (s.str.) fallax apus De Nicéville,1895** (Lycaenidae) Synonym(s): *apus* De Nicéville,1895; *michaelis* Eliot,1959 _ Range (in code): MY
- 10670. Allotinus (s.str.) fallax dotion Fruhstorfer,1913** (Lycaenidae) Synonym(s): *dotion* Fruhstorfer,1913 _ Range (in code): PH Bas
- 10671. Allotinus (s.str.) fallax eryximachus Fruhstorfer,1913** (Lycaenidae) Synonym(s): *eryximachus* Fruhstorfer,1913 _ Range (in code): PH Mdo
- 10672. Allotinus (s.str.) fallax fallax C.Felder & R.Felder,[1865]** (Lycaenidae)
Synonym(s): *fallax* C.Felder & R.Felder,[1865] _ Range (in code): PH Boh Ceb Ley Luz Mar Mas Mdo Pan Sam Sib
- 10673. Allotinus (s.str.) fallax tymphrestus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *tymphrestus* Fruhstorfer,1916 _ Range (in code): PH Jol Stu Taw
- 10674. Allotinus (s.str.) subviolaceus C.Felder & R.Felder,[1865]** (Lycaenidae)
Synonym(s): *subviolaceus* C.Felder & R.Felder,[1865]; *alkamah* Distant,1886 _ Range (in code): IN Ass Mpr MM TH Chy Sgk Hya Tnc MY Lkw Bor Sbh KBa ID Ja PH Cal Luz Mno Pal Stu
- 10675. Allotinus (s.str.) subviolaceus manychus Fruhstorfer,1913** (Lycaenidae)
Synonym(s): *manychus* Fruhstorfer,1913 _ Range (in code): IN Ass Mpr MM TH Chy Sgk Hya Tnc
- 10676. Allotinus (s.str.) subviolaceus subviolaceus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *subviolaceus* C.Felder & R.Felder,[1865]; *alkamah* Distant,1886 _ Range (in code): MY Lkw Bor Sbh KBa ID Ja PH Cal Luz Mno Pal Stu
- 10677. Allotinus albatu C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *albatu* C.Felder & R.Felder,[1865] _ Range (in code): ID Clb PH Luz Mar Sam
- 10678. Allotinus albatu albatu C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *albatu* C.Felder & R.Felder,[1865] _ Range (in code): ID Clb
- 10679. Allotinus albatu mendax Eliot,1986** (Lycaenidae) Synonym(s): *mendax* Eliot,1986
Range (in code): PH Luz Mar Sam
- 10680. Allotinus alkamah Distant,1886** (Lycaenidae) Synonym(s): *alkamah* Distant,1886
Range (in code): MY
- 10681. Allotinus anaxandridas Fruhstorfer,1917** (Lycaenidae) Synonym(s): *anaxandridas* Fruhstorfer,1917
Original Reference: *Allotinus anaxandridas* Fruhstorfer,1917, [in] Seitz, Gross-Schmett. Erde 9: 814. Type: Philippines: Mindanao. Range (in code): PH Mno
- 10682. Allotinus drumila (Moore,1865)** (Lycaenidae) Synonym(s): *drumila* Moore,1865
Range (in code): IN Ass MM Shn TH CMA
- 10683. Allotinus drumila aphonius Fruhstorfer,1914** (Lycaenidae) Synonym(s): *aphonius* Fruhstorfer,1914 _ Range (in code): MM Shn TH CMA
- 10684. Allotinus drumila drumila (Moore,1865)** (Lycaenidae) Synonym(s): *drumila* Moore,1865 _ Range (in code): IN Ass

- 10685. Allotinus kudaratus Takanami,1990** (Lycaenidae) Synonym(s): *kudaratus Takanami,1990* - Range (in code): PH Mno Apo
- 10686. Allotinus luzonensis Eliot,1967** (Lycaenidae) Synonym(s): *luzonensis Eliot,1967* - Range (in code): PH Luz
- 10687. Allotinus melos Druce,1896** (Lycaenidae) Synonym(s): *melos Druce,1896* - Range (in code): PH Bal CagSul Ley Mno Pal Pan
- 10688. Allotinus nigrinus Semper,1889** (Lycaenidae) Synonym(s): *nigrinus Semper,1889* - Range (in code): PH Mno
- 10689. Allotinus nivalis (Druce,1873)** (Lycaenidae) Synonym(s): *nivalis Druce,1873* - Range (in code): MY Bor PH Hom Ley Luz Mar Mno Neg Sam Sib Taw
- 10690. Allotinus nivalis felderi Semper,1889** (Lycaenidae) Synonym(s): *felderi Semper,1889* - Range (in code): PH Hom Ley Luz Mar Mno Neg Sam Sib Taw
- 10691. Allotinus nivalis nivalis (Druce,1873)** (Lycaenidae) Synonym(s): *nivalis Druce,1873* - Range (in code): MY Bor
- 10692. Allotinus punctatus Semper,1889** (Lycaenidae) Synonym(s): *punctatus Semper,1889* - Range (in code): PH Mno
- 10693. Allotinus samarensis Eliot,1986** (Lycaenidae) Synonym(s): *samarensis Eliot,1986* - Range (in code): PH Ley Mar Sam
- 10694. Allotinus samarensis samarensis Eliot,1986** (Lycaenidae) Synonym(s): *samarensis Eliot,1986* - Range (in code): PH Ley Mar Sam
- 10695. Aloeides almeida (Felder,1862)** (Lycaenidae) Synonym(s): *almeida Felder,1862* - Range (in code): ZA Mpu Brb Ec Tva Gau Pre Jh Ptc Wel Mld
- 10696. Aloeides angolensis Tite & Dickson,1973** (Lycaenidae) Synonym(s): *angolensis Tite & Dickson,1973* - Range (in code): AO
- 10697. Aloeides apicalis Tite & Dickson,1968** (Lycaenidae) Synonym(s): *apicalis Tite & Dickson,1968* - Range (in code): ZA
- 10698. Aloeides aranda (Wallengren,1857)** (Lycaenidae) Synonym(s): *aranda Wallengren,1857; mars Trimen,1862; zilka Grose-Smith,1900; rougemonti Oberthür,1909; marshalli Aurivillius,1923* - Range (in code): MZ ZA Gau Pre Jh Tva Lpo Spb Suw Pot Suw Mpu Brb Ptc Ly Wel Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).
- 10699. Aloeides arida Tite & Dickson,1968** (Lycaenidae) Synonym(s): *arida Tite & Dickson,1968* - Range (in code): ZA Wca Nca Ec
- 10700. Aloeides bamptoni Tite & Dickson,1977** (Lycaenidae) Synonym(s): *bamptoni Tite & Dickson,1977* - Range (in code): ZA Wca
- 10701. Aloeides barklyi (Trimen,1874)** (Lycaenidae) Synonym(s): *barklyi Trimen,1874* - Range (in code): ZA Wca
- 10702. Aloeides braueri Tite & Dickson,1968** (Lycaenidae) Synonym(s): *braueri Tite & Dickson,1968* - Range (in code): ZA Ec LS
- 10703. Aloeides cafferariae Henning,1987** (Lycaenidae) Synonym(s): *cafferariae Henning,1987* - Range (in code): ZA Ec Elo
- 10704. Aloeides caledoni Tite & Dickson,1973** (Lycaenidae) Synonym(s): *caledoni Tite & Dickson,1973* - Range (in code): ZA Ec
- 10705. Aloeides carolynnae Dickson,1983** (Lycaenidae) Synonym(s): *carolynnae Dickson,1983* - Range (in code): ZA Wca
- 10706. Aloeides clarki Tite & Dickson,1968** (Lycaenidae) Synonym(s): *clarki Tite & Dickson,1968* - Range (in code): ZA Ec Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).
- 10707. Aloeides conradsi (Aurivillius,1907)** (Lycaenidae) Synonym(s): *conradsi Aurivillius,1907* - Range (in code): TZ ZM MW KE Nai
- 10708. Aloeides conradsi angoniensis Tite & Dickson,1973** (Lycaenidae) Synonym(s): *angoniensis Tite & Dickson,1973* - Range (in code): TZ ZM MW
- 10709. Aloeides conradsi conradsi (Aurivillius,1907)** (Lycaenidae) Synonym(s): *conradsi Aurivillius,1907* - Range (in code): TZ KE
- 10710. Aloeides conradsi jacksoni Tite & Dickson,1973** (Lycaenidae) Synonym(s): *jacksoni Tite & Dickson,1973* - Range (in code): KE TZ Nai
- 10711. Aloeides conradsi talboti Tite & Dickson,1973** (Lycaenidae) Synonym(s): *talboti Tite & Dickson,1973* - Range (in code): KE TZ

- 10712. *Aloeides damarensis* (Trimen,1891)** (Lycaenidae) Synonym(s): *damarensis* Trimen,1891
Range (in code): **ZA Ec Fs Tva Lpo Spb Mdk Kru Pma Won NA BW Nta Kzu ZW Bul Har MZ**
Bionomy: Larva on *Aspalathus* (Fabaceae) (Pringle et al.,1994).
- 10713. *Aloeides damarensis damarensis* (Trimen,1891)** (Lycaenidae) Synonym(s): *damarensis* Trimen,1891
Range (in code): **NA ZA Ec Fs Tva Lpo Spb Mdk Kru Pma Won BW**
Bionomy: Larva on *Aspalathus* (Fabaceae) (Pringle et al.,1994).
- 10714. *Aloeides damarensis mashona* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *mashona* Tite & Dickson,1973
Range (in code): **ZA Nta Kzu ZW Bul Har MZ**
- 10715. *Aloeides dentatis* (Swierstra,1909)** (Lycaenidae) Synonym(s): *dentatis* Swierstra,1909
Range (in code): **ZA Gau Pre Jh Ptc Wv Tva Lpo LS Fs** Bionomy: Larva on *Hermannia* (Sterculiaceae) (Ackery et al.,1995).
- 10716. *Aloeides dentatis dentatis* (Swierstra,1909)** (Lycaenidae) Synonym(s): *dentatis* Swierstra,1909
Range (in code): **ZA Gau Pre Jh Ptc Wv Tva Lpo LS Fs**
- 10717. *Aloeides dentatis maseruna* (N.D.Riley,1938)** (Lycaenidae) Synonym(s): *maseruna* N.D.Riley,1938
Range (in code): **ZA Fs Tva Lpo LS**
- 10718. *Aloeides depicta* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *depicta* Tite & Dickson,1968
Range (in code): **ZA Wca Ec** Bionomy: Larva on *Aspalathus* (Fabaceae) (Ackery et al.,1995).
- 10719. *Aloeides dicksoni* Henning,1987** (Lycaenidae) Synonym(s): *dicksoni* Henning,1987
Range (in code): **ZA Ec**
- 10720. *Aloeides dryas* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *dryas* Tite & Dickson,1968
Range (in code): **ZA Tva Lpo Spb Suw Nta Kzu**
- 10721. *Aloeides egerides* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *egerides* Tite & Dickson,1968
Range (in code): **ZA Ec**
- 10722. *Aloeides gowani* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *gowani* Tite & Dickson,1968
Range (in code): **ZA Ec** Bionomy: Larva on *Aspalathus* (Fabaceae) (Ackery et al.,1995).
- 10723. *Aloeides griseus* N.D.Riley,1921** (Lycaenidae) Synonym(s): *griseus* N.D.Riley,1921
Range (in code): **ZM**
- 10724. *Aloeides henningi* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *henningi* Tite & Dickson,1973
Range (in code): **ZA Tva Lpo Nta Kzu Fs LS** Bionomy: Larva on *Aspalathus* (Fabaceae) (Ackery et al.,1995).
- 10725. *Aloeides juana* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *juana* Tite & Dickson,1968
Range (in code): **ZA Wca**
- 10726. *Aloeides kaplani* Tite & Dickson,1977** (Lycaenidae) Synonym(s): *kaplani* Tite & Dickson,1977
Range (in code): **ZA Wca**
- 10727. *Aloeides lutescens* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *lutescens* Tite & Dickson,1968
Range (in code): **ZA Wca**
- 10728. *Aloeides macmasteri* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *macmasteri* Tite & Dickson,1973
Range (in code): **ZA Wca**
- 10729. *Aloeides maluti* Pringle,1983** (Lycaenidae) Synonym(s): *maluti* Pringle,1983
Range (in code): **LS**
- 10730. *Aloeides margaretae* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *margaretae* Tite & Dickson,1968
Range (in code): **ZA Wca**
- 10731. *Aloeides merces* Henning & Henning,1986** (Lycaenidae) Synonym(s): *merces* Henning & Henning,1986
Range (in code): **ZA Tva Lpo Wkk**
- 10732. *Aloeides molomo* (Trimen,1870)** (Lycaenidae) Synonym(s): *molomo* Trimen,1870
Range (in code): **TZ MW Uma ZM Nca Gau Jh ZA LS Ec Fs Nta Kzu Tva Lpo Pot Wel Mpu Brb BW ZW**
- 10733. *Aloeides molomo coalescens* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *coalescens* Tite & Dickson,1973
Range (in code): **ZW Uma**
- 10734. *Aloeides molomo handmani* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *handmani* Tite & Dickson,1973
Range (in code): **MW**
- 10735. *Aloeides molomo kiellandi* Carcasson,1961** (Lycaenidae) Synonym(s): *kiellandi* Carcasson,1961
Range (in code): **TZ**
- 10736. *Aloeides molomo krooni* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *krooni* Tite & Dickson,1973
Range (in code): **BW ZA Nca**

- 10737. *Aloeides molomo molomo* (Trimen,1870)** (Lycaenidae) Synonym(s): *molomo* Trimen,1870 _ Range (in code): ZA LS Ec Fs Nta Kzu Tva Lpo Pot Wel Mpu Brb BW ZW
- 10738. *Aloeides molomo mumbuensis* N.D.Riley,1921** (Lycaenidae) Synonym(s): *mumbuensis* N.D.Riley,1921 _ Range (in code): ZM
- 10739. *Aloeides nollothi* Tite & Dickson,1977** (Lycaenidae) Synonym(s): *nollothi* Tite & Dickson,1977 _ Range (in code): ZA NWe Nca
- 10740. *Aloeides nubilus* Henning & Henning,1982** (Lycaenidae) Synonym(s): *nubilus* Henning & Henning,1982 _ Range (in code): ZA Tva Lpo
- 10741. *Aloeides oreas* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *oreas* Tite & Dickson,1968 _ Range (in code): ZA Ec Fs LS Nta Kzu
- 10742. *Aloeides pallida* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *pallida* Tite & Dickson,1968 _ Range (in code): ZA Wca Fs Ec Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).
- 10743. *Aloeides pallida grandis* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *grandis* Tite & Dickson,1968 _ Range (in code): ZA Wca
- 10744. *Aloeides pallida jonathani* Pringle,1987** (Lycaenidae) Synonym(s): *jonathani* Pringle,1987 _ Range (in code): ZA Ec
- 10745. *Aloeides pallida littoralis* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *littoralis* Tite & Dickson,1968 _ Range (in code): ZA Ec
- 10746. *Aloeides pallida pallida* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *pallida* Tite & Dickson,1968 _ Range (in code): ZA Ec Fs
- 10747. *Aloeides penningtoni* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *penningtoni* Tite & Dickson,1968; *natalensis* Tite & Dickson,1968. _ Range (in code): ZA Nta Kzu Tva Lpo Ec
- 10748. *Aloeides pierus* (Cramer,[1779])** (Lycaenidae) Synonym(s): *pierus* Cramer,[1779]; *euadrus* Fabricius,1787. _ Range (in code): ZA Ec Wca Nta Kzu Tva Lpo ZW Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).
- 10749. *Aloeides plowesi* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *plowesi* Tite & Dickson,1973 _ Range (in code): ZW Har
- 10750. *Aloeides pringlei* Tite & Dickson,1976** (Lycaenidae) Synonym(s): *pringlei* Tite & Dickson,1976 _ Range (in code): ZA Ec
- 10751. *Aloeides quickelbergei* Tite & Dickson,1968** (Lycaenidae) Synonym(s): *quickelbergei* Tite & Dickson,1968 _ Range (in code): ZA Ec
- 10752. *Aloeides rileyi* Tite & Dickson,1976** (Lycaenidae) Synonym(s): *rileyi* Tite & Dickson,1976; *taylori* Tite & Dickson,1976. _ Range (in code): ZA Fs LS
- 10753. *Aloeides rossouwi* Henning & Henning,1982** (Lycaenidae) Synonym(s): *rossouwi* Henning & Henning,1982 _ Range (in code): ZA Tva Mpu Ly Stb
- 10754. *Aloeides simplex* (Trimen,1893)** (Lycaenidae) Synonym(s): *simplex* Trimen,1893 _ Range (in code): ZA Wca NA BW Nca
- 10755. *Aloeides stevensoni* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *stevensoni* Tite & Dickson,1973 _ Range (in code): ZA Tva Lpo Hae
- 10756. *Aloeides susanae* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *susanae* Tite & Dickson,1973 _ Range (in code): ZA Fs Nta Kzu Tva Lpo
- 10757. *Aloeides swanepoeli* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *swanepoeli* Tite & Dickson,1973 _ Range (in code): ZA Nta Kzu Tva Lpo Spb Ltr SZ
- 10758. *Aloeides taikosama* (Wallengren,1857)** (Lycaenidae) Synonym(s): *taikosama* Wallengren,1857; *orthrus* Trimen,1874. _ Range (in code): ZA Tva Lpo Spb Gau Pre Jh Mpu Brb Nta Kzu Pot Ly Wb LS NA BW ZW MZ
- 10759. *Aloeides tearei* Henning & Henning,1982** (Lycaenidae) Synonym(s): *tearei* Henning & Henning,1982 _ Range (in code): NA
- 10760. *Aloeides thyra* (Linnaeus,1764)** (Lycaenidae) Synonym(s): *thyra* Linnaeus,1764; *nycetus* Stoll,[1781]; *euadrus* Fabricius,1787. _ Range (in code): ZA Gau Pre Jh Wca Tva Lpo Spb Suw Mpu Brb Ly Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).
- 10761. *Aloeides titei* Henning,1987** (Lycaenidae) Synonym(s): *titei* Henning,1987 _ Range (in code): ZA Tva Lpo Wkk Nta Kzu
- 10762. *Aloeides trimeni* Tite & Dickson,1973** (Lycaenidae) Synonym(s): *trimeni* Tite & Dickson,1973 _ Range (in code): ZA BW LS ZW Fs Tva Lpo Nta Kzu Ec Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al.,1995).

- 10763. *Aloeides trimeni southeyae* Tite & Dickson, 1973** (Lycaenidae) **Synonym(s):** *southeyae* Tite & Dickson, 1973 - Range (in code): **ZA Ec**
- 10764. *Aloeides trimeni trimeni* Tite & Dickson, 1973** (Lycaenidae) **Synonym(s):** *trimeni* Tite & Dickson, 1973 - Range (in code): **ZA BW LS ZW Fs Tva Lpo Nta Kzu Ec**
- 10765. *Aloeides vansoni* Tite & Dickson, 1968** (Lycaenidae) **Synonym(s):** *vansoni* Tite & Dickson, 1968 - Range (in code): **ZA Ec Wca**
- 10766. *Amblopala avidiena* (Hewitson, 1877)** (Lycaenidae) **Synonym(s):** *avidiena* Hewitson, 1877 - Range (in code): **CN TW**
- 10767. *Amblopala avidiena avidiena* (Hewitson, 1877)** (Lycaenidae) **Synonym(s):** *avidiena* Hewitson, 1877 - Range (in code): **CN**
- 10768. *Amblopala avidiena y-fasciata* (Sonan, 1929)** (Lycaenidae) **Synonym(s):** *y-fasciata* Sonan, 1929; *katakirii* Sonan, 1932 - Range (in code): **TW**
- 10769. *Amblypodia anita* Hewitson, 1862** (Lycaenidae) **Synonym(s):** *anita* Hewitson, 1862 - Range (in code): **CN Hn LK SI IN Adm Ass Mpr MM VN TH Cbi CMA Cuo Cuo2 Cu12 Dst Knc Nrt Phr Uth Sbu Ubo Nst Ths MY Lkw** Bionomy: Larva on leaf of *Cananga odorata* (Anonaceae) [kradang nga thai] (Lewvanich, 2001).
- 10770. *Amblypodia anita andamanica* (N.D.Riley, 1922)** (Lycaenidae) **Synonym(s):** *andamanica* N.D.Riley, 1922 - Original Reference: *Horsfieldia anita* ssp. *andamanica* N.D.Riley, 1922, Entomologist 55: 28. Type: India: Andaman Is. - Range (in code): **IN Adm**
- 10771. *Amblypodia anita anita* Hewitson, 1862** (Lycaenidae) **Synonym(s):** *anita* Hewitson, 1862 - Range (in code): **IN VN TH Cbi CMA Cuo Cuo2 Cu12 Dst Knc Nrt Phr Uth Sbu Ubo Nst Ths MY Lkw** Bionomy: Larva on leaf of *Cananga odorata* (Anonaceae) [kradang nga thai] (Lewvanich, 2001).
- 10772. *Amblypodia anita dina* Fruhstorfer, 1907** (Lycaenidae) **Synonym(s):** *dina* Fruhstorfer, 1907 - Range (in code): **IN SI**
- 10773. *Amblypodia anita gigantea* (Tytler, 1927)** (Lycaenidae) **Synonym(s):** *gigantea* Tytler, 1927 - Range (in code): **IN Ass Mpr**
- 10774. *Amblypodia anita hainana* Crowley, 1900** (Lycaenidae) **Synonym(s):** *hainana* Crowley, 1900 - Range (in code): **CN Hn**
- 10775. *Amblypodia anita naradoides* Moore, 1879** (Lycaenidae) **Synonym(s):** *naradoides* Moore, 1879 - Range (in code): **LK**
- 10776. *Amblypodia anita parva* Eliot, 1980** (Lycaenidae) **Synonym(s):** *parva* Eliot, 1980 - Range (in code): **MY**
- 10777. *Amblypodia annetta* Staudinger, 1888** (Lycaenidae) **Synonym(s):** *annetta* Staudinger, 1888; *anna* Staudinger, 1888 - Range (in code): **ID Bch Amb Crm Wg Ij Ob PG**
- 10778. *Amblypodia annetta eberalda* Fruhstorfer, 1907** (Lycaenidae) **Synonym(s):** *eberalda* Fruhstorfer, 1907 - Range (in code): **ID Ij PG**
- 10779. *Amblypodia annetta elga* Fruhstorfer, 1907** (Lycaenidae) **Synonym(s):** *elga* Fruhstorfer, 1907 - Range (in code): **ID Ob**
- 10780. *Amblypodia annetta fabiana* Fruhstorfer, 1907** (Lycaenidae) **Synonym(s):** *fabiana* Fruhstorfer, 1907 - Range (in code): **ID Wg**
- 10781. *Amblypodia anniella* Hewitson, 1862** (Lycaenidae) **Synonym(s):** *anniella* Hewitson, 1862 - Range (in code): **MY SG**
- 10782. *Amblypodia narada* (Horsfield, [1828])** (Lycaenidae) **Synonym(s):** *narada* Horsfield, [1828]; *mohamad Kalis*, 1933 - Range (in code): **ID Sum Kgn Ja Nia Clb Sbt Mw PH Bas Boh Ceb Ley Luz Mar Mdo Neg Pal Taw Stu Mno MY Lkw Bor MM Tns TH Cbi CMA CDo Rng Tak Nst Ths Pbu Srt VN**
- 10783. *Amblypodia narada andersoni* Moore, 1884** (Lycaenidae) **Synonym(s):** *andersoni* Moore, 1884 - Range (in code): **MM Mrg**
- 10784. *Amblypodia narada confusa* (N.D.Riley, 1922)** (Lycaenidae) **Synonym(s):** *confusa* N.D.Riley, 1922 - Range (in code): **ID Clb**
- 10785. *Amblypodia narada erichsonii* C.Felder & R.Felder, [1865]** (Lycaenidae) **Synonym(s):** *C.Felder & R.Felder*, [1865] - Range (in code): **PH Bas Boh Ceb Ley Luz Mar Mdo Neg Pal Taw**
- 10786. *Amblypodia narada fara* Fruhstorfer, 1907** (Lycaenidae) **Synonym(s):** *fara* Fruhstorfer, 1907 - Range (in code): **ID Sum**
- 10787. *Amblypodia narada narada* (Horsfield, [1828])** (Lycaenidae) **Synonym(s):** *narada* Horsfield, [1828]; *mohamad Kalis*, 1933 - Range (in code): **ID Ja Kgn**

- 10788. *Amblypodia narada plateni* (N.D.Riley,1922)** (Lycaenidae) Synonym(s): *plateni* N.D.Riley,1922 _ Range (in code): PH Mno
- 10789. *Amblypodia narada pycnoptera* (Toxopeus,1930)** (Lycaenidae) Synonym(s): *pycnoptera* Toxopeus,1930 _ Range (in code): ID Nia
- 10790. *Amblypodia narada salvia* Fruhstorfer,1907** (Lycaenidae) Synonym(s): *salvia* Fruhstorfer,1907 _ Range (in code): MY Bor
- 10791. *Amblypodia narada sicutensis* Treadaway & Nuyda,1993** (Lycaenidae) Synonym(s): *sicutensis* Treadaway & Nuyda,1993 _ Range (in code): PH Stu
- 10792. *Amblypodia narada smedleyi* N.D.Riley,1945** (Lycaenidae) Synonym(s): *smedleyi* N.D.Riley,1945 _ Range (in code): ID Sbt Mw
- 10793. *Amblypodia narada taoana* Moore,[1879]** (Lycaenidae) Synonym(s): *taoana* Moore,[1879] _ Range (in code): MM Tns TH Cbi CMa CDo Rng TAc Nst Ths Pbu Srt VN MY Lkw
- 10794. *Ancema blanka* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *blanka* De Nicéville,1894 _ Range (in code): PH Pal MY TH Chy Cbi CMa CDo Knc Kao Phu IN MM
- 10795. *Ancema blanka blanka* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *blanka* De Nicéville,1894 _ Range (in code): PH Pal MY
- 10796. *Ancema blanka minturna* (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *minturna* Fruhstorfer,[1912] _ Range (in code): IN MM TH Chy Cbi CMa CDo Knc Kao Phu
- 10797. *Ancema ctesia* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ctesia* Hewitson,[1865] Original Reference: Camena ctesia Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 47-48; 2 (plates): pl.20 figs.1.2. Range (in code): NP SI MM TH CMa CDo MY
- 10798. *Ancema ctesia agalla* (Fruhstorfer,1912)** (Lycaenidae) Synonym(s): *agalla* Fruhstorfer,1912 _ Range (in code): NP SI MM TH CMa CDo
- 10799. *Ancema ctesia ctesia* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ctesia* Hewitson,[1865] Original Reference: Camena ctesia Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 47-48; 2 (plates): pl.20 figs.1.2. Range (in code): MY
- 10800. *Anthene abruptus* (Gaede,1915)** (Lycaenidae) Synonym(s): *abruptus* Gaede,1915 Range (in code): CM
- 10801. *Anthene afra* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *afra* Bethune-Baker,1910; *lysias* Hulsart,1924. _ Range (in code): ZR CM RW BI UG TZ KE
- 10802. *Anthene alberta* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *alberta* Bethune-Baker,1910 _ Range (in code): ZR AO UG TZ KE
- 10803. *Anthene amarah* (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *amarah* Guérin-Méneville,1849; *olympusa* Walker,1870. Original Reference: Polyommatus amarah Guérin-Méneville,1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 384, pl.11 figs. 5,6. Type(s): [Ethiopié]: Abyssinié. Range (in code): Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd Hj IR Hz B-A KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru Pma Mdk Nta Kzu Wnn Gau Pre Mpu Brb ZM ZR ZW JO
- 10804. *Anthene amarah amarah* (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *amarah* Guérin-Méneville,1849; *olympusa* Walker,1870. Original Reference: Polyommatus amarah Guérin-Méneville,1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 384, pl.11 figs. 5,6. Type(s): [Ethiopié]: Abyssinié. Range (in code): Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW Hd Hj IR Hz B-A KE LR LS ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Mdk Kru Pma Nta Kzu Wnn Gau Pre Mpu Brb ZM ZR ZW JO
- 10805. *Anthene amarah orphna* Clench,1965** (Lycaenidae) Synonym(s): *orphna* Clench,1965 Range (in code): LR
- 10806. *Anthene arnoldi* (Jones,1918)** (Lycaenidae) Synonym(s): *arnoldi* Jones,1918 _ Range (in code): ZW
- 10807. *Anthene arora* T.Larsen,1983** (Lycaenidae) Synonym(s): *arora* T.Larsen,1983 Original Reference: *Anthene arora* Larsen,1983, Butterflies of Saudi Arabia 5: 389, pl. 1 figs.13-15. Holotype ♂: Yemen: Wadi Dahr, 2500m. Range (in code): As SA YE
- 10808. *Anthene arora arora* T.Larsen,1983** (Lycaenidae) Synonym(s): *arora* T.Larsen,1983 Original Reference: *Anthene arora* Larsen,1983, Butterflies of Saudi Arabia 5: 389, pl. 1 figs.13-15. Holotype ♂: Yemen: Wadi Dahr, 2500m. Range (in code): As SA YE
- 10809. *Anthene aurea* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *aurea* Bethune-Baker,1910 _ Range (in code): GH

- 10810. *Anthene aurobrunnea* (Ungemach,1932)** (Lycaenidae) Synonym(s): *aurobrunnea* Ungemach,1932 _ Range (in code): ET
- 10811. *Anthene bakeri* (Druce,1910)** (Lycaenidae) Synonym(s): *bakeri* Druce,1910; *ja Bethune-Baker*,1910 _ Range (in code): ZR CM
- 10812. *Anthene barnesi* Stevenson,1940** (Lycaenidae) Synonym(s): *barnesi* Stevenson,1940 _ Range (in code): ZW Vum
- 10813. *Anthene bipuncta* (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *bipuncta* Joicey & Talbot,1921 _ Range (in code): ZR CF
- 10814. *Anthene bitje* (Druce,1910)** (Lycaenidae) Synonym(s): *bitje* Druce,1910 _ Range (in code): LR ZR CM
- 10815. *Anthene bjoernstadi* Collins & T.Larsen,1991** (Lycaenidae) Synonym(s): *bjoernstadi* Collins & T.Larsen,1991 _ Range (in code): KE Kkm
- 10816. *Anthene buchholzi* (Plötz,1880)** (Lycaenidae) Synonym(s): *buchholzi* Plötz,1880 _ Range (in code): CM
- 10817. *Anthene butleri* (Oberthür,1880)** (Lycaenidae) Synonym(s): *butleri* Oberthür,1880
Original Reference: *Lycaena* (Lampides) *butleri* Oberthür,1880, *Annali Mus. civ. Stor. nat. Giacomo Doria* 15: 170, pl.1 fig.2. Syntypes: Ethiopie: Mantek, Mahal-Uonz. Range (in code): Ad ET Hd KE Elg SD UG YE MW MZ ZW ZA Ec Fs Tva Lpo Nta Kzu Nca Grh Gau Pre Jh Wb Bfk
- 10818. *Anthene butleri arabicus* Gabriel,1954** (Lycaenidae) Synonym(s): *arabicus* Gabriel,1954
Original Reference: *Anthene butleri* ssp. *arabicus* Gabriel,1954, *Br. Mus. Nat. Hist. exped. South-West Arabia* 1 (25): 379-380. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH) Range (in code): Ad Hd YE
- 10819. *Anthene butleri butleri* (Oberthür,1880)** (Lycaenidae) Synonym(s): *butleri* Oberthür,1880
Original Reference: *Lycaena* (Lampides) *butleri* Oberthür,1880, *Annali Mus. civ. Stor. nat. Giacomo Doria* 15: 170, pl.1 fig.2. Syntypes: Ethiopie: Mantek, Mahal-Uonz. Range (in code): ET KE SD UG
- 10820. *Anthene butleri galla* Stempffer,1947** (Lycaenidae) Synonym(s): *galla* Stempffer,1947
Range (in code): ET
- 10821. *Anthene butleri livida* (Trimen,1881)** (Lycaenidae) Synonym(s): *livida* Trimen,1881
Original Reference: *Lycaenesthes livida* Trimen,1881, *Trans. ent. Soc. London* 1881 (4): 443-445. Syntypes ♂♀: South Africa: Grahamstown, Uitenhage (on Cannon Hill). Range (in code): MW MZ ZW ZA Ec Fs Tva Lpo Nta Kzu Nca Grh Gau Pre Jh Wb Bfk
- 10822. *Anthene butleri stempfferi* Storace,1954** (Lycaenidae) Synonym(s): *stempfferi* Storace,1954 _ Range (in code): KE Elg TZ
- 10823. *Anthene chirinda* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *chirinda* Bethune-Baker,1910 _ Range (in code): TZ MW ZW Crd
- 10824. *Anthene collinsi* D'Abrera,1980** (Lycaenidae) Synonym(s): *collinsi* D'Abrera,1980
Range (in code): ET
- 10825. *Anthene contrastata* (Ungemach,1932)** (Lycaenidae) Synonym(s): *contrastata* Ungemach,1932
Original Reference: *Lycaenesthes contrastata* Ungemach,1932, *Mém. Soc. Sci. nat. Maroc* 32: 86-87, pl.2 fig.16. Type: [Ethiopie]: Abyssinie: Ouallaga: Bedellé. Range (in code): Ad ET KE Elg SO UG YE ZW ZA Tva Lpo Spb Kru Pma
- 10826. *Anthene contrastata contrastata* (Ungemach,1932)** (Lycaenidae) Synonym(s): *contrastata* Ungemach,1932
Original Reference: *Lycaenesthes contrastata* Ungemach,1932, *Mém. Soc. Sci. nat. Maroc* 32: 86-87, pl.2 fig.16. Type: [Ethiopie]: Abyssinie: Ouallaga: Bedellé. Range (in code): Ad ET SO YE
- 10827. *Anthene contrastata mashuna* (Stevenson,1937)** (Lycaenidae) Synonym(s): *mashuna* Stevenson,1937 _ Range (in code): KE ZW ZA Tva Lpo Spb Kru Pma
- 10828. *Anthene contrastata turkana* Stempffer,1936** (Lycaenidae) Synonym(s): *turkana* Stempffer,1936 _ Range (in code): KE Elg SO UG
- 10829. *Anthene crawshayi* (Butler,1899)** (Lycaenidae) Synonym(s): *crawshayi* Butler,1899; *marginata* Hulstaert,1924 _ Range (in code): SL ET ZM MW TZ ZR NG UG KE
- 10830. *Anthene crawshayi crawshayi* (Butler,1899)** (Lycaenidae) Synonym(s): *crawshayi* Butler,1899; *marginata* Hulstaert,1924 _ Range (in code): SL NG ZR UG KE TZ MW ZM
- 10831. *Anthene crawshayi minuta* (Bethune-Baker,1916)** (Lycaenidae) Synonym(s): *minuta* Bethune-Baker,1916; *#albilunata* Ungemach,1932; *sobrino* Talbot,1935. _ Range (in code): SD KE ET UG
- 10832. *Anthene definita* (Butler,1899)** (Lycaenidae) Synonym(s): *definita* Butler,1899 _ Range (in code): ET GN CM ZR ZA Nta Kzu Pth

- 10833. *Anthene definita definita* (Butler,1899)** (Lycaenidae) Synonym(s): *definita* Butler,1899
Range (in code): **ET GN CM ZR ZA Nta Kzu Ptb**
- 10834. *Anthene definita nigrocaudata* (Pagenstecher,1902)** (Lycaenidae) Synonym(s): *nigrocaudata* Pagenstecher,1902; *liguroides* Strand,1911; *fasciata* Ungemach,1932. Range (in code): **ET**
- 10835. *Anthene discimacula* (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *discimacula* Joicey & Talbot,1921 Range (in code): **ZR**
- 10836. *Anthene emolus* (Godart,[1824])** (Lycaenidae) Synonym(s): *emolus* Godart,[1824]
Range (in code): **IN SI BT Ass MM PH Luz Pal TH Bnk CMa Cuo Cu12 CDo Dsk Hpt Knc Nna Nrt Cbu Rat Pbu Rng Yal Nst Ths Sgk Hya Tnc MY SG Bor ID Sum** Bionomy: Larva on leaf of *Mangifera indica* (Anacardiaceae) [mango], *Eugenia* (Myrtaceae) [rose apple], *Lagerstroemia speciosa* (Lythraceae) [queen's crape myrtle] (Lewvanich,2001).
- 10837. *Anthene emolus emolus* (Godart,[1824])** (Lycaenidae) Synonym(s): *emolus* Godart,[1824] Range (in code): **IN SI BT Ass MM TH Bnk CMa Cuo Cu12 CDo Dsk Hpt Nna Nrt Cbu Knc Rat Pbu** Bionomy: Larva on leaf of *Mangifera indica* (Anacardiaceae) [mango], *Eugenia* (Myrtaceae) [rose apple], *Lagerstroemia speciosa* (Lythraceae) [queen's crape myrtle] (Lewvanich,2001).
- 10838. *Anthene emolus goberus* (Fruhstorfer,1916)** (Lycaenidae) Synonym(s): *goberus* Fruhstorfer,1916 Range (in code): **MY SG Bor ID Sum TH Rng Yal Nst Ths Sgk Hya Tnc**
- 10839. *Anthene emolus modesta* Staudinger,1889** (Lycaenidae) Synonym(s): *modesta* Staudinger,1889 Range (in code): **PH Luz Pal**
- 10840. *Anthene erythropoecilus* (Holland,1893)** (Lycaenidae) Synonym(s): *erythropoecilus* Holland,1893 Range (in code): **GA**
- 10841. *Anthene flavomaculatus* (Grose-Smith & Kirby,1893)** (Lycaenidae) Synonym(s): *flavomaculatus* Grose-Smith & Kirby,1893 Range (in code): **CI NG CM AO**
- 10842. *Anthene hobleyi* (Neave,1904)** (Lycaenidae) Synonym(s): *hobleyi* Neave,1904 Range (in code): **UG ZR RW BI KE Elg TZ**
- 10843. *Anthene hobleyi elgonensis* (Aurivillius,1925)** (Lycaenidae) Synonym(s): *elgonensis* Aurivillius,1925 Range (in code): **KE Elg**
- 10844. *Anthene hobleyi hobleyi* (Neave,1904)** (Lycaenidae) Synonym(s): *hobleyi* Neave,1904
Range (in code): **ZR UG KE TZ RW BI**
- 10845. *Anthene hobleyi kigezi* Stempffer,1961** (Lycaenidae) Synonym(s): *kigezi* Stempffer,1961
Range (in code): **UG ZR RW BI**
- 10846. *Anthene hobleyi ufipa* Kielland,1990** (Lycaenidae) Synonym(s): *ufipa* Kielland,1990
Range (in code): **TZ**
- 10847. *Anthene hodsoni* (Talbot,1935)** (Lycaenidae) Synonym(s): *hodsoni* Talbot,1935 Range (in code): **ET SD UG KE**
- 10848. *Anthene hodsoni hodsoni* (Talbot,1935)** (Lycaenidae) Synonym(s): *hodsoni* Talbot,1935
Range (in code): **ET SD UG KE**
- 10849. *Anthene hodsoni usamba* (Talbot,1937)** (Lycaenidae) Synonym(s): *usamba* Talbot,1937
Range (in code): **KE**
- 10850. *Anthene indefinita* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *indefinita* Bethune-Baker,1910; *bigamica* Strand,1911; *#oculata* Stempffer,1946. Range (in code): **UG TZ KE ZR ET BI**
- 10851. *Anthene ituria* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *ituria* Bethune-Baker,1910 Range (in code): **ZR UG**
- 10852. *Anthene janna* Gabriel,1949** (Lycaenidae) Synonym(s): *janna* Gabriel,1949 Range (in code): **ET SO KE**
- 10853. *Anthene juba* (Fabricius,1787)** (Lycaenidae) Synonym(s): *juba* Fabricius,1787; *dewitzi* Staudinger,1891. Range (in code): **SL CM**
- 10854. *Anthene kampala* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *kampala* Bethune-Baker,1910 Range (in code): **UG CM CF ZR**
- 10855. *Anthene katera* Talbot,1937** (Lycaenidae) Synonym(s): *katera* Talbot,1937 Range (in code): **UG ZR**
- 10856. *Anthene kersteni* (Gerstaecker,1871)** (Lycaenidae) Synonym(s): *kersteni* Gerstaecker,1871
Range (in code): **TZ Tnga Usa Ani ET UG KE MW ZW MZ ZA Nta Kzu**
- 10857. *Anthene lachares* (Hewitson,1878)** (Lycaenidae) Synonym(s): *lachares* Hewitson,1878; *pulcher* Grose-Smith & Kirby,1893; *liparis* Grose-Smith,1898; *obsolescens* Bethune-Baker,1910; *bitje* Stempffer,1946
nec Druc.,1910. Range (in code): **SL UG CM ZR GA**

- 10858. *Anthene lachares lachares* (Hewitson,1878)** (Lycaenidae) Synonym(s): *lachares* Hewitson,1878; *pulcher* Grose-Smith & Kirby,1893; *liparis* Grose-Smith,1898; *obsolescens* Bethune-Baker,1910; *bitje* Stempffer,1946 nec Druc.,1910. _ Range (in code): SL UG CM ZR GA
- 10859. *Anthene lachares toroensis* Stempffer,1947** (Lycaenidae) Synonym(s): *toroensis* Stempffer,1947 _ Range (in code): UG ZR
- 10860. *Anthene larydas* (Cramer,[1780])** (Lycaenidae) Synonym(s): *larydas* Cramer,[1780]; *perides* Fabricius,1793. _ Range (in code): GH SL UG KE TZ Tnga Usa Ani
- 10861. *Anthene lasti* (Grose-Smith & Kirby,1894)** (Lycaenidae) Synonym(s): *lasti* Grose-Smith & Kirby,1894 _ Range (in code): KE Mb TZ Tnga Usa Ani MW ZW
- 10862. *Anthene lemnos* (Hewitson,1878)** (Lycaenidae) Synonym(s): *lemnos* Hewitson,1878 _ Range (in code): MZ MW ZW ZA Nta Kzu TZ Tnga Usa Ani KE
- 10863. *Anthene lemnos lemnos* (Hewitson,1878)** (Lycaenidae) Synonym(s): *lemnos* Hewitson,1878 _ Range (in code): MZ MW ZW ZA Nta Kzu
- 10864. *Anthene lemnos loa* (Strand,1911)** (Lycaenidae) Synonym(s): *loa* Strand,1911 _ Range (in code): KE TZ Tnga Usa Ani
- 10865. *Anthene leptala* (Courvoisier,1914)** (Lycaenidae) Synonym(s): *leptala* Courvoisier,1914 _ Range (in code): TZ
- 10866. *Anthene leptines* (Hewitson,1874)** (Lycaenidae) Synonym(s): *leptines* Hewitson,1874; *arnoldi* Aurivillius,1923 nec Jon.,1918. _ Range (in code): CM GA CF ZR
- 10867. *Anthene levis* (Hewitson,1878)** (Lycaenidae) Synonym(s): *levis* Hewitson,1878; *grisea* Talbot,1935 _ Range (in code): UG SL GA CM CF ZR
- 10868. *Anthene licates* (Hewitson,1873)** (Lycaenidae) Synonym(s): *licates* Hewitson,1873 _ Range (in code): PH Sga Pal MY Sgo ID Bch
- 10869. *Anthene licates addenda* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *addenda* Fruhstorfer,1916 _ Range (in code): PH Sga Pal
- 10870. *Anthene licates dusuntua* Corbet,1940** (Lycaenidae) Synonym(s): *dusuntua* Corbet,1940 _ Range (in code): MY Sgo
- 10871. *Anthene licates philetas* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *philetas* Fruhstorfer,1916 _ Range (in code): ID Bch
- 10872. *Anthene ligures* (Hewitson,1874)** (Lycaenidae) Synonym(s): *ligures* Hewitson,1874; *amanica* Strand,1909; *ochreofascia* Talbot,1935. _ Range (in code): UG CM ZR AO KE TZ MW
- 10873. *Anthene liodes* (Hewitson,1874)** (Lycaenidae) Synonym(s): *liodes* Hewitson,1874; *adherbal* Mabille,1877; *monteironis* Kirby,1878; *bihe* Bethune-Baker,1910. _ Range (in code): MW Zom AO SL ZR UG KE TZ ZW ZA Tva Lpo Kru Pma K12 Spb Gau Pre Nta Kzu Est Wnn Kkf
- 10874. *Anthene locuples* (Grose-Smith,1898)** (Lycaenidae) Synonym(s): *locuples* Grose-Smith,1898 _ Range (in code): NG CM CF ZR
- 10875. *Anthene lunulata* (Trimen,1894)** (Lycaenidae) Synonym(s): *lunulata* Trimen,1894; *hewitsoni* Aurivillius,1898; *grosei* Aurivillius,1898; *sanguinea* Bethune-Baker,1910; *aquilonis* Hulstaert,1924; *#magna* Hulstaert,1924. _ Range (in code): ZW CM AO ZR SN ML SD MZ
- 10876. *Anthene lycaenina* (C.Felder & R.Felder,[1867])** (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder,[1867] _ Range (in code): LK IN SI Ass MM LA CN Hn Adm Sum ID Bor MY TH CMA CDo Cbi Chy Knc Nna Nrt Rat Yal Nst Ths PH Pal Luz Mdo Mno
- 10877. *Anthene lycaenina lycaenina* (C.Felder & R.Felder,[1867])** (Lycaenidae) Synonym(s): *lycaenina* C.Felder & R.Felder,[1867] _ Range (in code): IN LK
- 10878. *Anthene lycaenina lycambes* (Hewitson,1868)** (Lycaenidae) Synonym(s): *lycambes* Hewitson,1868 _ Range (in code): IN SI Ass MM LA CN Hn TH CMA CDo Cbi Chy Knc Nna Nrt Rat
- 10879. *Anthene lycaenina miya* (Fruhstorfer,1916)** (Lycaenidae) Synonym(s): *miya* Fruhstorfer,1916 _ Range (in code): Adm Sum ID Bor MY TH Yal Nst Ths PH Pal
- 10880. *Anthene lycaenina villosina* Fruhstorfer,1923** (Lycaenidae) Synonym(s): *villosina* Fruhstorfer,1923 _ Range (in code): PH Luz Mdo Mno
- 10881. *Anthene lychnaptes* (Holland,1891)** (Lycaenidae) Synonym(s): *lychnaptes* Holland,1891; *lychnoptera* Grose-Smith & Kirby,1893. _ Range (in code): GA
- 10882. *Anthene lychnides* (Hewitson,1878)** (Lycaenidae) Synonym(s): *lychnides* Hewitson,1878 _ Range (in code): NG
- 10883. *Anthene lysicles* (Hewitson,1874)** (Lycaenidae) Synonym(s): *lysicles* Hewitson,1874 _ Range (in code): NG SL LR CM GA CF ZR
- 10884. *Anthene madibirensis* (Wichgraf,1921)** (Lycaenidae) Synonym(s): *madibirensis* Wichgraf,1921 _ Range (in code): TZ

- 10885. *Anthene mahota* (Grose-Smith,1887)** (Lycaenidae) Synonym(s): *mahota* Grose-Smith,1887 _ Range (in code): LR NG CM GA CF ZR
- 10886. *Anthene makala* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *makala* Bethune-Baker,1910 _ Range (in code): ZR CM CF
- 10887. *Anthene melambrotus* (Holland,1893)** (Lycaenidae) Synonym(s): *melambrotus* Holland,1893 _ Range (in code): GA
- 10888. *Anthene millari* (Trimen,1893)** (Lycaenidae) Synonym(s): *millari* Trimen,1893 _ Range (in code): ZA Nta Kzu Wnn Est Tva Lpo BW SZ
- 10889. *Anthene minima* (Trimen,1893)** (Lycaenidae) Synonym(s): *minima* Trimen,1893 _ Range (in code): KE TZ BW ZA Tva Lpo Nta Kzu Mv
- 10890. *Anthene montana* Kielland,1990** (Lycaenidae) Synonym(s): *montana* Kielland,1990 _ Range (in code): TZ
- 10891. *Anthene mpanda* Kielland,1990** (Lycaenidae) Synonym(s): *mpanda* Kielland,1990 _ Range (in code): TZ
- 10892. *Anthene ngoko* Stempffer,1962** (Lycaenidae) Synonym(s): *ngoko* Stempffer,1962 _ Range (in code): CM CF
- 10893. *Anthene nigropunctata* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *nigropunctata* Bethune-Baker,1910 _ Range (in code): GN CI CF ZR AO TZ MW ZM ZW BJ
- 10894. *Anthene onias* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *onias* Hulstaert,1924 _ Range (in code): ZR
- 10895. *Anthene opalina* Stempffer,1946** (Lycaenidae) Synonym(s): *opalina* Stempffer,1946 _ Range (in code): SO ET KE TZ Dss
- 10896. *Anthene otacilia* (Trimen,1868)** (Lycaenidae) Synonym(s): *otacilia* Trimen,1868; *tongidensis* Bethune-Baker,1926. _ Range (in code): SO ET ZA Tva Lpo Nta Kzu Ec Grh Est Gau Pre Mgl Wm TZ KE ZM MW MZ ZW SZ
- 10897. *Anthene otacilia dulcis* (Pagenstecher,1902)** (Lycaenidae) Synonym(s): *dulcis* Pagenstecher,1902; *benadirensis* Stempffer,1947. _ Range (in code): SO ET
- 10898. *Anthene otacilia kikuyu* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *kikuyu* Bethune-Baker,1910 _ Range (in code): KE TZ
- 10899. *Anthene otacilia otacilia* (Trimen,1868)** (Lycaenidae) Synonym(s): *otacilia* Trimen,1868; *tongidensis* Bethune-Baker,1926. _ Range (in code): ZA Tva Lpo Nta Kzu Ec Grh Gau Pre Mgl Wm TZ ZM MW MZ ZW SZ
- 10900. *Anthene pitmani* Stempffer,1936** (Lycaenidae) Synonym(s): *pitmani* Stempffer,1936 _ Range (in code): SO KE ET
- 10901. *Anthene pitmani pitmani* Stempffer,1936** (Lycaenidae) Synonym(s): *pitmani* Stempffer,1936 _ Range (in code): KE ET
- 10902. *Anthene pitmani somalina* Stempffer,1936** (Lycaenidae) Synonym(s): *somalina* Stempffer,1936 _ Range (in code): SO
- 10903. *Anthene princeps* (Butler,1876)** (Lycaenidae) Synonym(s): *princeps* Butler,1876; *neglecta* Trimen,1891; *uganda* Bethune-Baker,1910. _ Range (in code): UG ET ZA Nta Kzu Dbn Mv Ptb Tva Spb Lj
Bionomy: Larva on Entada, Millettia (Fabaceae) (Ackery et al.,1995).
- 10904. *Anthene princeps princeps* (Butler,1876)** (Lycaenidae) Synonym(s): *princeps* Butler,1876; *neglecta* Trimen,1891; *uganda* Bethune-Baker,1910. _ Range (in code): UG ET ZA Nta Kzu Dbn Mv Ptb Tva Spb Lj
- 10905. *Anthene princeps smithi* (Mabille,1877)** (Lycaenidae) Synonym(s): *smithi* Mabille,1877; *lochias* Hewitson,1878; *mabillei* Lathy,1921. _ Range (in code): MG
- 10906. *Anthene pyroptera* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *pyroptera* Aurivillius,1895 _ Range (in code): CM GA CF ZR
- 10907. *Anthene radiata* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *radiata* Bethune-Baker,1910 _ Range (in code): SL
- 10908. *Anthene ramnika* D'Abrera,1980** (Lycaenidae) Synonym(s): *ramnika* D'Abrera,1980 _ Range (in code): ZR CM
- 10909. *Anthene rhodesiana* Stempffer,1962** (Lycaenidae) Synonym(s): *rhodesiana* Stempffer,1962 _ Range (in code): ZW ZM
- 10910. *Anthene rothschildi* (Aurivillius,1922)** (Lycaenidae) Synonym(s): *rothschildi* Aurivillius,1922 _ Range (in code): ET

- 10911. *Anthene rubricinctus* (Holland,1891)** (Lycaenidae) Synonym(s): *rubricinctus* Holland,1891; *musagetes* Holland,1891 _ Range (in code): GN GA SL LR NG ZR MW AO ZR TZ GN UG TZ KE
- 10912. *Anthene rubricinctus anadema* (Druce,1905)** (Lycaenidae) Synonym(s): *anadema* Druce,1905 _ Range (in code): AO ZR TZ MW
- 10913. *Anthene rubricinctus jeanneli* Stempffer,1961** (Lycaenidae) Synonym(s): *elgonensis* Stempffer,1936 nec Auriv.,1925; *#latefasciata* Stempffer,1944; *jeanneli* Stempffer,1961 _ Range (in code): UG TZ KE
- 10914. *Anthene rubricinctus rubricinctus* (Holland,1891)** (Lycaenidae) Synonym(s): *rubricinctus* Holland,1891; *musagetes* Holland,1891 _ Range (in code): GN GA SL LR NG ZR
- 10915. *Anthene rubrimaculata* (Strand,1909)** (Lycaenidae) Synonym(s): *rubrimaculata* Strand,1909 _ Range (in code): TZ Tnga Usa Ani KE
- 10916. *Anthene rubrimaculata rubrimaculata* (Strand,1909)** (Lycaenidae) Synonym(s): *rubrimaculata* Strand,1909 _ Range (in code): TZ Tnga Usa Ani KE
- 10917. *Anthene rubrimaculata tukuyu* Kielland,1990** (Lycaenidae) Synonym(s): *tukuyu* Kielland,1990 _ Range (in code): TZ
- 10918. *Anthene rufomarginata* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *rufomarginata* Bethune-Baker,1910 _ Range (in code): ZR
- 10919. *Anthene ruwenzoricus* (Grünberg,1911)** (Lycaenidae) Synonym(s): *ruwenzoricus* Grünberg,1911 _ Range (in code): ZR UG Rz
- 10920. *Anthene saddacus* (Talbot,1935)** (Lycaenidae) Synonym(s): *saddacus* Talbot,1935 _ Range (in code): ET
- 10921. *Anthene schoutedeni* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *schoutedeni* Hulstaert,1924 _ Range (in code): SL CM ZR RW BI UG KE TZ ET
- 10922. *Anthene scintillula* (Holland,1891)** (Lycaenidae) Synonym(s): *scintillula* Holland,1891 _ Range (in code): SL CM GA GN CF ZR UG
- 10923. *Anthene sheppardi* Stevenson,1940** (Lycaenidae) Synonym(s): *sheppardi* Stevenson,1940 _ Range (in code): ZW Crd MZ TZ
- 10924. *Anthene suquala* (Pagenstecher,1902)** (Lycaenidae) Synonym(s): *suquala* Pagenstecher,1902 _ Range (in code): ET
- 10925. *Anthene sylvanus* (Drury,[1773])** (Lycaenidae) Synonym(s): *sylvanus* Drury,[1773]; *moncus* Fabricius,1781; *syllidus* Hübner,[1826]; *locra* Plötz,1880; *#natalensis* Staudinger & Schatz,1888. _ Range (in code): SN SL LR CI NG ZR UG TZ ZA Nta Kzu
- 10926. *Anthene sylvanus albicans* (Grünberg,1910)** (Lycaenidae) Synonym(s): *albicans* Grünberg,1910 _ Range (in code): UG
- 10927. *Anthene sylvanus niveus* Stempffer,1954** (Lycaenidae) Synonym(s): *niveus* Stempffer,1954 _ Range (in code): ZR
- 10928. *Anthene sylvanus sylvanus* (Drury,[1773])** (Lycaenidae) Synonym(s): *sylvanus* Drury,[1773]; *moncus* Fabricius,1781; *syllidus* Hübner,[1826]; *locra* Plötz,1880; *#natalensis* Staudinger & Schatz,1888. _ Range (in code): SN SL LR CI NG ZR TZ ZA Nta Kzu
- 10929. *Anthene talboti* Stempffer,1936** (Lycaenidae) Synonym(s): *talboti* Stempffer,1936 _ Range (in code): UG KE TZ ZW SZ ZA Tva Lpo Ec Nta Kzu Umk
- 10930. *Anthene ukerewensis* (Strand,1909)** (Lycaenidae) Synonym(s): *ukerewensis* Strand,1909 _ Range (in code): TZ
- 10931. *Anthene uzungwae* Kielland,1990** (Lycaenidae) Synonym(s): *uzungwae* Kielland,1990 _ Range (in code): TZ
- 10932. *Anthene versatilis* (Bethune-Baker,1910)** (Lycaenidae) Synonym(s): *versatilis* Bethune-Baker,1910 _ Range (in code): GA
- 10933. *Anthene wilsoni* (Talbot,1935)** (Lycaenidae) Synonym(s): *wilsoni* Talbot,1935 _ Range (in code): ET SD UG KE TZ
- 10934. *Anthene xanthopocilus* (Holland,1893)** (Lycaenidae) Synonym(s): *xanthopocilus* Holland,1893 _ Range (in code): GA ZR CF
- 10935. *Anthene zenkeri* (Karsch,1895)** (Lycaenidae) Synonym(s): *zenkeri* Karsch,1895 _ Range (in code): CM CF ZR UG
- 10936. *Antigius attilia* (Bremer,1861)** (Lycaenidae) Synonym(s): *attilia* Bremer,1861 _ Original Reference: Thecla attilia Bremer,1861, Bull. Acad. Sci. St. Petersburg. 3: 469. Range (in code): RU Am Vv TW

- 10937. *Antigius attilia attilia* (Bremer,1861)** (Lycaenidae) Synonym(s): *attilia* Bremer,1861
Original Reference: Thecla attilia Bremer,1861, Bull. Acad. Sci. St. Petersburg. 3: 469. Range (in code): RU Am Vv
- 10938. *Antigius attilia obsoletus* (Takeuchi,1929)** (Lycaenidae) Synonym(s): *obsoletus* Takeuchi,1929 Range (in code): TW
- 10939. *Antigius butleri butleri* (Fenton,1881)** (Lycaenidae) Synonym(s): *butleri* Fenton,1881 Range (in code): RU Vv
- 10940. *Antigius butleri butleri* (Fenton,1881)** (Lycaenidae) Synonym(s): *butleri* Fenton,1881 Range (in code): RU Vv
- 10941. *Aphnaeus (Paraphnaeus) hutchinsonii* Trimen,1887** (Lycaenidae) Synonym(s): *hutchinsonii* Trimen,1887 Range (in code): ZA Nta Kzu Est Gau Pre Tva Lpo Spb Suw Lev Mpu Nel Eur Brb Rtb TZ KE MZ MW SO BW
- 10942. *Aphnaeus (s.str.) adamsi* Stempffer,1954** (Lycaenidae) Synonym(s): *adamsi* Stempffer,1954 Range (in code): CM ZR Bit
- 10943. *Aphnaeus (s.str.) affinis* Riley,1921** (Lycaenidae) Synonym(s): *affinis* Riley,1921; *seydeli* Berger,1953 Range (in code): ZM ZR
- 10944. *Aphnaeus (s.str.) argyrocyclus* Holland,1890** (Lycaenidae) Synonym(s): *argyrocyclus* Holland,1890 Range (in code): GA Ogo CI CM CG ZR UG Bionomy: Larva on Alchornea (Euphorbiaceae) (Ackery et al.,1995).
- 10945. *Aphnaeus (s.str.) asterius* Plötz,1880** (Lycaenidae) Synonym(s): *asterius* Plötz,1880; *chalybeatus* Sharpe,1890; *ilogo* Holland,1890; *argenteola* Holland,1890 Range (in code): SL GA CG ZR UG
- 10946. *Aphnaeus (s.str.) brahami* Lathy,1903** (Lycaenidae) Synonym(s): *brahami* Lathy,1903 Range (in code): NG BJ ZR TZ ZM
- 10947. *Aphnaeus (s.str.) carcassoni* T.Larsen,1986** (Lycaenidae) Synonym(s): *carcassoni* T.Larsen,1986 Range (in code): TZ
- 10948. *Aphnaeus (s.str.) chapini* (Holland,1920)** (Lycaenidae) Synonym(s): *chapini* Holland,1920 Range (in code): ZR CM UG CG
- 10949. *Aphnaeus (s.str.) chapini chapini* (Holland,1920)** (Lycaenidae) Synonym(s): *chapini* Holland,1920 Range (in code): ZR
- 10950. *Aphnaeus (s.str.) chapini occidentalis* Clench,1963** (Lycaenidae) Synonym(s): *occidentalis* Clench,1963 Range (in code): CM CG
- 10951. *Aphnaeus (s.str.) chapini ugandae* Stempffer,1961** (Lycaenidae) Synonym(s): *ugandae* Stempffer,1961 Range (in code): UG
- 10952. *Aphnaeus (s.str.) coronae* Talbot,1935** (Lycaenidae) Synonym(s): *coronae* Talbot,1935 Range (in code): SD UG KE
- 10953. *Aphnaeus (s.str.) coronae coronae* Talbot,1935** (Lycaenidae) Synonym(s): *coronae* Talbot,1935 Range (in code): UG SD
- 10954. *Aphnaeus (s.str.) coronae littoralis* Carcasson,1964** (Lycaenidae) Synonym(s): *littoralis* Carcasson,1964 Range (in code): KE
- 10955. *Aphnaeus (s.str.) erikssoni* Trimen,1891** (Lycaenidae) Synonym(s): *erikssoni* Trimen,1891; *bruneeli* Berger,1951 Range (in code): AO ZW TZ ZM ZR NA MW MZ
- 10956. *Aphnaeus (s.str.) erikssoni barnesi* Stempffer,1954** (Lycaenidae) Synonym(s): *barnesi* Stempffer,1954 Range (in code): ZW
- 10957. *Aphnaeus (s.str.) erikssoni erikssoni* Trimen,1891** (Lycaenidae) Synonym(s): *erikssoni* Trimen,1891; *bruneeli* Berger,1951 Range (in code): AO NA ZM ZR
- 10958. *Aphnaeus (s.str.) erikssoni kiellandi* Stempffer,1972** (Lycaenidae) Synonym(s): *kiellandi* Stempffer,1972 Range (in code): TZ
- 10959. *Aphnaeus (s.str.) erikssoni mashunae* Stempffer,1954** (Lycaenidae) Synonym(s): *mashunae* Stempffer,1954 Range (in code): ZW
- 10960. *Aphnaeus (s.str.) erikssoni rex* Aurivillius,1909** (Lycaenidae) Synonym(s): *rex* Aurivillius,1909 Range (in code): TZ MW ZM MZ
- 10961. *Aphnaeus (s.str.) flavescens* Stempffer,1954** (Lycaenidae) Synonym(s): *flavescens* Stempffer,1954 Range (in code): MW KE
- 10962. *Aphnaeus (s.str.) flavescens flavescens* Stempffer,1954** (Lycaenidae) Synonym(s): *flavescens* Stempffer,1954 Range (in code): MW
- 10963. *Aphnaeus (s.str.) flavescens williamsi* Carcasson,1964** (Lycaenidae) Synonym(s): *williamsi* Carcasson,1964 Range (in code): KE

- 10964. *Aphnaeus* (s.str.) *gilloni* Stempffer,1966** (Lycaenidae) Synonym(s): *gilloni* Stempffer,1966 _ Range (in code): CI UG
- 10965. *Aphnaeus* (s.str.) *herbuloti* Stempffer,1971** (Lycaenidae) Synonym(s): *herbuloti* Stempffer,1971 _ Range (in code): CM
- 10966. *Aphnaeus* (s.str.) *jacksoni* Stempffer,1954** (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1954 _ Range (in code): UG KE Elg
- 10967. *Aphnaeus* (s.str.) *jefferyi* Hawker-Smith,1928** (Lycaenidae) Synonym(s): *jefferyi* Hawker-Smith,1928 _ Range (in code): KE UG
- 10968. *Aphnaeus* (s.str.) *marshalli* Neave,1910** (Lycaenidae) Synonym(s): *marshalli* Neave,1910 _ Range (in code): TZ ZR ZM ZW
- 10969. *Aphnaeus* (s.str.) *mirabilis* Safian, Libert & Collins,2013** (Lycaenidae) Synonym(s): *mirabilis* Safian, Libert & Collins,2013 _ Range (in code): LR
- 10970. *Aphnaeus* (s.str.) *neavei* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *neavei* Bethune-Baker,1926 _ Range (in code): KE
- 10971. *Aphnaeus* (s.str.) *nimbaensis* Safian, Libert & Collins,2013** (Lycaenidae) Synonym(s): *nimbaensis* Safian, Libert & Collins,2013 _ Range (in code): LR
- 10972. *Aphnaeus* (s.str.) *nyanzae* Stempffer,1954** (Lycaenidae) Synonym(s): *nyanzae* Stempffer,1954 _ Range (in code): UG
- 10973. *Aphnaeus* (s.str.) *orcas* (Drury,1782)** (Lycaenidae) Synonym(s): *orcas* Drury,1782; *guttatus* Plötz,1880; *hollandi* Butler,1902; *rattrayi* Sharpe,1904; *helioborus* Schultze,1916; *#overlaeti* Berger,1953; *#fontainei* Berger,1953; *#paupera* Stempffer,1954 _ Range (in code): SL CM ZR UG KE ZM AO
Bionomy: Larva on Alchornea (Euphorbiaceae), Albizia (Fabaceae), Loranthus (Loranthaceae) (Ackery et al.,1995).
- 10974. *Aphnaeus* (s.str.) *questiauxi* Aurivillius,1903** (Lycaenidae) Synonym(s): *questiauxi* Aurivillius,1903 _ Range (in code): ZR ZM
- 10975. *Apporasa* *atkinsoni* (Hewitson,[1869])** (Lycaenidae) Synonym(s): *atkinsoni* Hewitson,[1869] _ Range (in code): IN Ass MM TH CMa Nrt Uth
- 10976. *Araotes* *lapithis* (Moore,[1858])** (Lycaenidae) Synonym(s): *lapithis* Moore,[1858] _ Range (in code): TH Cbi Chy Kbi Rng Phu Tng MY Lkw PH Pal
- 10977. *Araotes* *lapithis* *arianus* Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *arianus* Fruhstorfer,[1912] _ Range (in code): PH Pal
- 10978. *Araotes* *lapithis* *lapithis* (Moore,[1858])** (Lycaenidae) Synonym(s): *lapithis* Moore,[1858] _ Range (in code): TH Cbi Chy
- 10979. *Araotes* *lapithis* *uruwela* Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *uruwela* Fruhstorfer,[1912] _ Range (in code): TH Kbi Rng Phu Tng MY Lkw
- 10980. *Araotes* *perrhaebis* Semper,1890** (Lycaenidae) Synonym(s): *perrhaebis* Semper,1890 _ Range (in code): PH Bas Mno
- 10981. *Araotes* *perrhaebis* *perrhaebis* Semper,1890** (Lycaenidae) Synonym(s): *perrhaebis* Semper,1890 _ Range (in code): PH Bas Mno
- 10982. *Araragi* *enthea* (Janson,1877)** (Lycaenidae) Synonym(s): *enthea* Janson,1877 _ Original Reference: Thecla enthea Janson,1877, Cistula ent. 2: 157. Range (in code): RU Vv TW
- 10983. *Araragi* *enthea* *enthea* (Janson,1877)** (Lycaenidae) Synonym(s): *enthea* Janson,1877 _ Original Reference: Thecla enthea Janson,1877, Cistula ent. 2: 157. Range (in code): RU Vv
- 10984. *Araragi* *enthea* *morisonensis* Inoue,1942** (Lycaenidae) Synonym(s): *morisonensis* Inoue,1942 _ Range (in code): TW
- 10985. *Arawacus* *jada* (Hewitson,[1867])** (Lycaenidae) Synonym(s): *jada* Hewitson,[1867] _ Range (in code): US MX Arz
- 10986. *Arcas* *cypria* (Geyer,[1837])** (Lycaenidae) Synonym(s): *cypria* Geyer,[1837]; *paphia* C.Felder & R.Felder,1865; *publica* Röber,1923 _ Range (in code): MX CO
- 10987. *Arcas* *delphia* Nicolay,1971** (Lycaenidae) Synonym(s): *delphia* Nicolay,1971; *#katia* Salazar,2001; *katia* K.Johnson & Salazar,2002 _ Range (in code): CR CO
- 10988. *Arcas* *ducalis* (Westwood,1852)** (Lycaenidae) Synonym(s): *ducalis* Westwood,1852 _ Range (in code): BR
- 10989. *Arcas* *imperialis* (Cramer,1775)** (Lycaenidae) Synonym(s): *#actaeon* Fabricius,1775; *imperialis* Cramer,1775; *venus* Fabricius,1781; *oakesii* Butler,1884; *magnifica* Austin & K.Johnson,1995 _ Range (in code): SR CO BR

- 10990. Arcas jivaro Nicolay,1971** (Lycaenidae) Synonym(s): *jivaro Nicolay,1971* _ Range (in code): EC
- 10991. Arcas nicolayi Salazar & Constantino,1995** (Lycaenidae) Synonym(s): *nicolayi Salazar & Constantino,1995; lecomi Salazar & Constantino,1995; alleluia Balint,2002* _ Range (in code): CO PE
- 10992. Arcas splendor (Druce,1907)** (Lycaenidae) Synonym(s): *splendor Druce,1907* _ Range (in code): CO
- 10993. Arcas tuneta (Hewitson,1865)** (Lycaenidae) Synonym(s): *tuneta Hewitson,1865; marginata Austin & K.Johnson,1995; viriditas Austin & K.Johnson,1995; arcadia Balint,2002* _ Range (in code): BR Sct Rn Azn
- 10994. Argyraspodes argyraspis (Trimen,1873)** (Lycaenidae) Synonym(s): *argyraspis Trimen,1873* _ Range (in code): ZA Wca Ec Fs BW NA
- 10995. Argyrocheila bitje Bethune-Baker,1915** (Lycaenidae) Synonym(s): *bitje Bethune-Baker,1915* _ Range (in code): CM Bit NG
- 10996. Argyrocheila inundifera Hawker-Smith,1933** (Lycaenidae) Synonym(s): *inundifera Hawker-Smith,1933* _ Range (in code): ZR
- 10997. Argyrocheila undifera Staudinger,1892** (Lycaenidae) Synonym(s): *undifera Staudinger,1892* _ Range (in code): GA Ogo SL CI CM CG GA ZR UG
- 10998. Argyrocheila undifera ugandae Hawker-Smith,1933** (Lycaenidae) Synonym(s): *ugandae Hawker-Smith,1933* _ Range (in code): UG ZR
- 10999. Argyrocheila undifera undifera Staudinger,1892** (Lycaenidae) Synonym(s): *undifera Staudinger,1892* _ Range (in code): GA Ogo SL CI CM CG GA ZR
- 11000. Arhopala aberrans De Nicéville,1888** (Lycaenidae) Synonym(s): *aberrans De Nicéville,1888; #aberans Pinratana,1981* _ Range (in code): SI IN Ass MM CN TH CMa Nrt
- 11001. Arhopala abseus (Hewitson,1862)** (Lycaenidae) Synonym(s): *abseus Hewitson,1862* _ Range (in code): PH Bon Cal Pal Taw Bas Boh CmL Luz Mar Mdo Mno Neg Pao Sam IN Ass MM TH CMa Cuo Cu01 Cu09 Cu10 Cbi Cbu Nrt Rng Tng Yal Tuo Nst Sgk Hya Tnc VN LK
- 11002. Arhopala abseus abseus (Hewitson,1862)** (Lycaenidae) Synonym(s): *abseus Hewitson,1862* _ Range (in code): PH Bon Cal Pal Taw TH Tuo Yal
- 11003. Arhopala abseus amphaea C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *amphaea C.Felder & R.Felder,[1865]; oghatinna Fruhstorfer,1914* _ Range (in code): PH Bas Boh CmL Luz Mar Mdo Mno Neg Pao Sam
- 11004. Arhopala abseus indicus Riley,1923** (Lycaenidae) Synonym(s): *indicus Riley,1923* _ Range (in code): IN Ass MM TH CMa Cuo Cu01 Cu09 Cu10 CDo VN
- 11005. Arhopala abseus mackwoodi N.D.Riley,1923** (Lycaenidae) Synonym(s): *mackwoodi N.D.Riley,1923* _ Range (in code): LK
- 11006. Arhopala abseus ophiala Corbet,1941** (Lycaenidae) Synonym(s): *ophiala Corbet,1941* _ Range (in code): MM TH Cbi Cbu Nrt Rng Tng Yal Nst Sgk Hya Tnc
- 11007. Arhopala ace De Nicéville,[1893]** (Lycaenidae) Synonym(s): *ace De Nicéville,[1893]* _ Range (in code): IN Mpr MM MY TH Loe ID Sum Bor
- 11008. Arhopala ace ace De Nicéville,[1893]** (Lycaenidae) Synonym(s): *ace De Nicéville,[1893]* _ Range (in code): MY ID Sum Bor
- 11009. Arhopala ace arata Tytler,1915** (Lycaenidae) Synonym(s): *arata Tytler,1915* _ Range (in code): IN Mpr MM TH Loe
- 11010. Arhopala acetes (Hewitson,1862)** (Lycaenidae) Synonym(s): *acetes Hewitson,1862* _ Range (in code): ID Clb Bng
- 11011. Arhopala achelous (Hewitson,1862)** (Lycaenidae) Synonym(s): *achelous Hewitson,1862* _ Range (in code): MY Pen
- 11012. Arhopala achelous achelous (Hewitson,1862)** (Lycaenidae) Synonym(s): *achelous Hewitson,1862* _ Range (in code): MY
- 11013. Arhopala achelous malu Corbet,1946** (Lycaenidae) Synonym(s): *malu Corbet,1946* _ Range (in code): MY Pen
- 11014. Arhopala acheolus (Hewitson,1862)** (Lycaenidae) Synonym(s): *acheolus Hewitson,1862* _ Range (in code): MY SG Bor
- 11015. Arhopala acta (Evans,1957)** (Lycaenidae) Synonym(s): *acta Evans,1957* _ Range (in code): MY ID Sum
- 11016. Arhopala aedias (Hewitson,1862)** (Lycaenidae) Synonym(s): *aedias Hewitson,1862* _ Range (in code): PH Mno ID Ja Mrg MM Krh TH Nst Ths Sya Tng Rng Sgk Hya Tnc MY Sum Nia Bor Bgk Lkw

- 11017. Arhopala aedias aedias (Hewitson,1862)** (Lycaenidae) Synonym(s): *aedias*
Hewitson,1862 _ Range (in code): **ID Ja**
- 11018. Arhopala aedias agnis C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *agnis*
C.Felder & R.Felder,[1865] _ Range (in code): **TH Rng Tng MY ID Sum Bgk Nia Bor**
- 11019. Arhopala aedias meritatus Corbet,1941** (Lycaenidae) Synonym(s): *meritatus* Corbet,1941
Range (in code): **MM Mrg TH Nst Ths Sya Tng MY Lkw**
- 11020. Arhopala aedias oenotria (Hewitson,1869)** (Lycaenidae) Synonym(s): *oenotria*
Hewitson,1869 _ Range (in code): **PH Mno**
- 11021. Arhopala aedias yendava (Grose-Smith,1887)** (Lycaenidae) Synonym(s): *yendava*
Grose-Smith,1887 _ Range (in code): **MM Krh**
- 11022. Arhopala aedidas agnis C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *agnis*
C.Felder & R.Felder,[1865] _ Range (in code): **PH Stu**
- 11023. Arhopala aedidas oenotria Hewitson,1869** (Lycaenidae) Synonym(s): *oenotria*
Hewitson,1869 _ Range (in code): **PH Ceb Ley Luz Mdo Mno Pal**
- 11024. Arhopala aeeta De Nicéville,1893** (Lycaenidae) Synonym(s): *aeeta* De Nicéville,1893
Range (in code): **Mpr IN Ass MM TH Cbi Loe VN Ann**
- 11025. Arhopala agaba (Hewitson,1862)** (Lycaenidae) Synonym(s): *agaba* Hewitson,1862
Range (in code): **MM Mrg TH Cbi CMA Khn Nrt Ptt Tng Lkw MY VN ID Sum PH Mno**
- 11026. Arhopala agaba agaba (Hewitson,1862)** (Lycaenidae) Synonym(s): *agaba* Hewitson,1862
Range (in code): **MM Mrg TH Cbi CMA Khn Nrt Ptt Tng Lkw MY VN ID Sum PH Mno**
- 11027. Arhopala agelastus (Hewitson,1862)** (Lycaenidae) Synonym(s): *agelastus* Hewitson,1862
Range (in code): **MM Mrg TH Chy Rng Tng MY SG Lkw**
- 11028. Arhopala agelastus agelastus (Hewitson,1862)** (Lycaenidae) Synonym(s): *agelastus*
Hewitson,1862 _ Range (in code): **TH MY SG Lkw**
- 11029. Arhopala agelastus perissa Doherty,1889** (Lycaenidae) Synonym(s): *perissa*
Doherty,1889 _ Range (in code): **MM Mrg TH Chy Rng Tng MY**
- 11030. Arhopala agesias (Hewitson,1862)** (Lycaenidae) Synonym(s): *agesias* Hewitson,1862
Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY ID Sum Bor Pla**
- 11031. Arhopala agesilaus (Staudinger,1889)** (Lycaenidae) Synonym(s): *agesilaus*
Staudinger,1889 _ Range (in code): **PH Boh Ley Mdo Mno Pal TH MY Lkw Mrg MM Bgk Bor**
- 11032. Arhopala agesilaus agesilaus (Staudinger,1889)** (Lycaenidae) Synonym(s): *agesilaus*
Staudinger,1889 _ Range (in code): **PH Pal MY Bor**
- 11033. Arhopala agesilaus gesa Corbet,1941** (Lycaenidae) Synonym(s): *gesa* Corbet,1941
Range (in code): **TH MY Lkw Mrg MM Bgk**
- 11034. Arhopala agesilaus philippa Evans,1957** (Lycaenidae) Synonym(s): *philippa* Evans,1957
Range (in code): **PH Boh Ley Mdo Mno**
- 11035. Arhopala agrata De Nicéville,1890** (Lycaenidae) Synonym(s): *agrata* De Nicéville,1890
Range (in code): **IN Ass MM Mrg TH Ntt Nst Ths Sya CMA Rng SG MY PH Pal ID Sum Ja Nia Pla Bor**
- 11036. Arhopala agrata agrata De Nicéville,1890** (Lycaenidae) Synonym(s): *agrata* De Nicéville,1890 _ Range (in code): **SG TH Ntt Nst Ths Sya MY ID Sum Ja Nia**
- 11037. Arhopala agrata binghami Corbet,1946** (Lycaenidae) Synonym(s): *binghami* Corbet,1946
Range (in code): **IN Ass MM Mrg TH CMA Rng Nst Ths Sya**
- 11038. Arhopala agrata brooki Bethune-Baker,1903** (Lycaenidae) Synonym(s): *brookii*
Bethune-Baker,1903 _ Range (in code): **MY ID Pla Bor**
- 11039. Arhopala agrata shirozui Hayashi,1976** (Lycaenidae) Synonym(s): *shirozui* Hayashi,1976
Range (in code): **PH Pal**
- 11040. Arhopala aida De Nicéville,1889** (Lycaenidae) Synonym(s): *aida* De Nicéville,1889
Range (in code): **IN MM Mrg TH Cbi Kao Rng Ray Lkw VN CN Hn MY**
- 11041. Arhopala aida aida De Nicéville,1889** (Lycaenidae) Synonym(s): *aida* De Nicéville,1889
Range (in code): **IN MM Mrg TH Cbi Kao Rng Ray MY Lkw VN CN Hn**
- 11042. Arhopala aida ophir (Evans,1957)** (Lycaenidae) Synonym(s): *ophir* Evans,1957
Range (in code): **MY**
- 11043. Arhopala alaconia (Hewitson,1869)** (Lycaenidae) Synonym(s): *alaconia* Hewitson,1869
Range (in code): **PH Pal MY Bor MM Mrg TH Rng Tng**
- 11044. Arhopala alaconia alaconia (Hewitson,1869)** (Lycaenidae) Synonym(s): *alaconia*
Hewitson,1869 _ Range (in code): **MY Bor**

- 11045. Arhopala alaconia aloana Corbet,1941** (Lycaenidae) Synonym(s): *aloana* Corbet,1941
Range (in code): MM
- 11046. Arhopala alaconia media (Evans,1957)** (Lycaenidae) Synonym(s): *media* Evans,1957;
kempi Eliot,1959 - Range (in code): MM Mrg TH Rng Tng MY
- 11047. Arhopala alaconia oberthueri (Staudinger,1889)** (Lycaenidae) Synonym(s):
oberthueri Staudinger,1889 - Range (in code): PH Pal
- 11048. Arhopala alax (Evans,1932)** (Lycaenidae) Synonym(s): *alax* Evans,1932; *#arax*
Pinratana,1981 - Range (in code): IN Mpr MM TH CMa CDo
- 11049. Arhopala alea (Hewitson,1862)** (Lycaenidae) Synonym(s): *alea* Hewitson,1862 - Range (in code): IN
- 11050. Arhopala alesia C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *alesia* C.Felder
& R.Felder,[1865] - Range (in code): PH Ley Luz Mar Mdo Mno Taw Neg MM Mpr IN Ass TH VN Adm
- 11051. Arhopala alesia alesia C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *alesia*
C.Felder & R.Felder,[1865] - Range (in code): PH Ley Luz Mar Mdo Mno Taw
- 11052. Arhopala alesia mio Hayashi,1981** (Lycaenidae) Synonym(s): *mio* Hayashi,1981
Range (in code): PH Neg
- 11053. Arhopala alesia sacharja Fruhstorfer,1934** (Lycaenidae) Synonym(s): *sacharja*
Fruhstorfer,1934 - Range (in code): MM Mpr IN Ass TH VN
- 11054. Arhopala alesia wimberleyi (De Nicéville,1887)** (Lycaenidae) Synonym(s):
wimberleyi De Nicéville,1887 - Range (in code): Adm IN
- 11055. Arhopala alexandrae Schröder & Treadaway,1978** (Lycaenidae) Synonym(s):
alexandrae Schröder & Treadaway,1978 - Range (in code): PH Mno
- 11056. Arhopala alica Evans,1957** (Lycaenidae) Synonym(s): *alica* Evans,1957 - Range (in code): Bor MY
- 11057. Arhopala alitaeus (Hewitson,1862)** (Lycaenidae) Synonym(s): *alitaeus* Hewitson,1862
Range (in code): PH Ley Mno Pao Sam Bab Boh Luz Mar Neg Sib Bas Pal ID Clb Bng MM Mrg TH Cbi Uth Tuo Sgk Hya Tnc Lkw MY SG
- 11058. Arhopala alitaeus alitaeus (Hewitson,1862)** (Lycaenidae) Synonym(s): *alitaeus*
Hewitson,1862 - Range (in code): ID Clb Bng
- 11059. Arhopala alitaeus mindanaensis Bethune-Baker,1903** (Lycaenidae) Synonym(s):
Bethune-Baker,1903 - Range (in code): PH Ley Mno Pao Sam
- 11060. Arhopala alitaeus mirabella Doherty,1889** (Lycaenidae) Synonym(s): *mirabella*
Doherty,1889; *valika* Corbet,1941 - Range (in code): MM Mrg TH Cbi Uth Tuo Sgk Hya Tnc MY Lkw
- 11061. Arhopala alitaeus myrtale Staudinger,1889** (Lycaenidae) Synonym(s): *myrtale*
Staudinger,1889 - Range (in code): PH Pal
- 11062. Arhopala alitaeus panta (Evans,1957)** (Lycaenidae) Synonym(s): *panta* Evans,1957
Original Reference: Narathura alitaeus ssp. panta Evans,1957, Bull. Br. Mus. (Nat. Hist.) Ent. 5:
106. Holotype: Philippines: Mindanao (BMNH). Range (in code): PH Mno
- 11063. Arhopala alitaeus pardenas Corbet,1941** (Lycaenidae) Synonym(s): *pardenas*
Corbet,1941 - Range (in code): MY SG
- 11064. Arhopala alitaeus shigae Murayama & Okamura,1973** (Lycaenidae) Synonym(s):
shigae Murayama & Okamura,1973 - Range (in code): PH Bab Boh Luz Mar Neg Sib
- 11065. Arhopala alitaeus zilensis Fruhstorfer,1914** (Lycaenidae) Synonym(s): *zilensis*
Fruhstorfer,1914 - Range (in code): PH Bas
- 11066. Arhopala allata (Staudinger,1889)** (Lycaenidae) Synonym(s): *allata* Staudinger,1889
Range (in code): PH Pal Luz Mno Sam MM Shn TH IN Mpr Bor Sum ID
- 11067. Arhopala allata allata (Staudinger,1889)** (Lycaenidae) Synonym(s): *allata*
Staudinger,1889 - Range (in code): PH Pal
- 11068. Arhopala allata atarana (Tytler,1926)** (Lycaenidae) Synonym(s): *atarana* Tytler,1926
Range (in code): MM Shn
- 11069. Arhopala allata evandra Corbet,1941** (Lycaenidae) Synonym(s): *evandra* Corbet,1941
Range (in code): MY Bor
- 11070. Arhopala allata pambihira Takanami,1982** (Lycaenidae) Synonym(s): *allata*
Staudinger,1889 - Range (in code): PH Luz Mno Sam
- 11071. Arhopala allata pandora Corbet,1941** (Lycaenidae) Synonym(s): *pandora* Corbet,1941
Range (in code): TH MY ID Sum

- 11072. Arhopala allata suffusa (Tytler,1915)** (Lycaenidae) **Synonym(s):** *suffusa* Tytler,1915
Range (in code): **IN Mpr**
- 11073. Arhopala amantes (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *amantes* Hewitson,1862
Range (in code): **LK IN SI Ass MM TH CMa CDo Mae VN?**
- 11074. Arhopala amantes amantes (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *amantes* Hewitson,1862
Range (in code): **LK IN**
- 11075. Arhopala amantes amatrix De Nicéville,1891** (Lycaenidae) **Synonym(s):** *amatrix* De Nicéville,1891
Range (in code): **MM TH CMa CDo Mae VN?**
- 11076. Arhopala amantes apella (Swinhoe,1886)** (Lycaenidae) **Synonym(s):** *apella* Swinhoe,1886
Range (in code): **IN SI Ass**
- 11077. Arhopala ammon (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *ammon* Hewitson,1862
Range (in code): **Lkw MY SG Swk Bor TH**
- 11078. Arhopala ammon ammon (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *ammon* Hewitson,1862
Range (in code): **Lkw MY SG TH**
- 11079. Arhopala ammon sarawaca Moulton,1911** (Lycaenidae) **Synonym(s):** *sarawaca* Moulton,1911
Range (in code): **MY Swk Bor**
- 11080. Arhopala ammonides (Doherty,1891)** (Lycaenidae) **Synonym(s):** *ammonides* Doherty,1891
Range (in code): **MM Mrg IN Ass MY ID Sum Lkw CN Hn Bor TH Cbi Rng Nst**
- 11081. Arhopala ammonides ammonides (Doherty,1891)** (Lycaenidae) **Synonym(s):** *ammonides* Doherty,1891
Range (in code): **MM Mrg TH Cbi Rng Nst**
- 11082. Arhopala ammonides apurpurosa Barlow, Banks & Holloway** (Lycaenidae) **Synonym(s):**
Range (in code): **MY Bor**
- 11083. Arhopala ammonides bowringi Evans,1957** (Lycaenidae) **Synonym(s):** *bowringi* Evans,1957
Range (in code): **CN Hn**
- 11084. Arhopala ammonides chunsu Fruhstorfer,1914** (Lycaenidae) **Synonym(s):** *chunsu* Fruhstorfer,1914
Range (in code): **ID Sum MY**
- 11085. Arhopala ammonides elira Corbet,1941** (Lycaenidae) **Synonym(s):** *elira* Corbet,1941
Range (in code): **IN Ass**
- 11086. Arhopala ammonides monava Corbet,1941** (Lycaenidae) **Synonym(s):** *monava* Corbet,1941
Range (in code): **MY Lkw**
- 11087. Arhopala amphimuta (C.Felder & R.Felder,1860)** (Lycaenidae) **Synonym(s):** *amphimuta* C.Felder & R.Felder,1860; *asia* De Nicéville,[1893]
Range (in code): **PH Luz Pal ID Ja MY Sum Bor Bgk TH MM Mrg Lkw**
- 11088. Arhopala amphimuta amphimuta (C.Felder & R.Felder,1860)** (Lycaenidae) **Synonym(s):** *amphimuta* C.Felder & R.Felder,1860; *asia* De Nicéville,[1893]
Range (in code): **PH Luz Pal ID MY Sum Bor Bgk**
- 11089. Arhopala amphimuta milleriana Corbet,1941** (Lycaenidae) **Synonym(s):** *milleriana* Corbet,1941
Range (in code): **TH MM Mrg Lkw MY**
- 11090. Arhopala amphimuta quadra (Evans,1957)** (Lycaenidae) **Synonym(s):** *quadra* Evans,1957
Range (in code): **ID Ja**
- 11091. Arhopala anamuta Semper,1890** (Lycaenidae) **Synonym(s):** *anamuta* Semper,1890
Range (in code): **PH Mdo Mno**
- 11092. Arhopala anarte (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *anarte* Hewitson,1862; *morphicolor* Corbet,1941
Range (in code): **IN Ass MY MM TH CMa CDo ID Sum Ja Bor PH Pal?**
- 11093. Arhopala anarte anarte (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *anarte* Hewitson,1862; *morphicolor* Corbet,1941
Range (in code): **IN Ass MY MM TH CMa CDo ID Sum Bor PH Pal?**
- 11094. Arhopala anarte azurea De Nicéville** (Lycaenidae) **Synonym(s):**
Range (in code): **ID Ja**
- 11095. Arhopala anella De Nicéville,1895** (Lycaenidae) **Synonym(s):** *anella* De Nicéville,1895
Range (in code): **MY ID Sum Bor**
- 11096. Arhopala annulata C.Felder,1860** (Lycaenidae) **Synonym(s):** *annulata* C.Felder,1860
Range (in code): **PH Mno Pal**
- 11097. Arhopala anthelus Westwood,1851** (Lycaenidae) **Synonym(s):** *anthelus* Westwood,1851
Range (in code): **MM Mrg TH Tuo Pgg Rng Tng Nst VN Bor MY ID Sum Nia Ja PH Pan Din Mar Pal Mdo Boh Ley Luz Mno Sam**
- 11098. Arhopala anthelus anthea (Evans,1925)** (Lycaenidae) **Synonym(s):** *anthea* Evans,1925
Range (in code): **MM Mrg TH Pgg Rng Tng Nst VN**

- 11099. Arhopala anthelus anthelus Westwood,1851** (Lycaenidae) Synonym(s): *anthelus Westwood,1851* _ Range (in code): MM
- 11100. Arhopala anthelus anunda Hewitson,1869** (Lycaenidae) Synonym(s): *anunda Hewitson,1869* _ Range (in code): ID Sum MY Bor
- 11101. Arhopala anthelus grahami Corbet,1941** (Lycaenidae) Synonym(s): *grahami Corbet,1941* _ Range (in code): TH Tuo MY Lkw
- 11102. Arhopala anthelus impar (Evans,1957)** (Lycaenidae) Synonym(s): *impar Evans,1957* _ Range (in code): PH Mdo
- 11103. Arhopala anthelus jabadia Fruhstorfer,1914** (Lycaenidae) Synonym(s): *jabadia Fruhstorfer,1914* _ Range (in code): ID Ja
- 11104. Arhopala anthelus majestatis Fruhstorfer,1914** (Lycaenidae) Synonym(s): *majestatis Fruhstorfer,1914* _ Range (in code): ID Nia
- 11105. Arhopala anthelus marinduquensis Hayashi, Schröder & Treadaway,1984** (Lycaenidae) Synonym(s): *marinduquensis Hayashi, Schröder & Treadaway,1984* _ Range (in code): PH Mar
- 11106. Arhopala anthelus paradisi Schröder & Treadaway,1990** (Lycaenidae) Synonym(s): *paradisi Schröder & Treadaway,1990* _ Range (in code): PH Din
- 11107. Arhopala anthelus reverie Seki,1994** (Lycaenidae) Synonym(s): *reverie Seki,1994* _ Range (in code): PH Pan
- 11108. Arhopala anthelus sanmariana Osada & Hashimoto,1987** (Lycaenidae) Synonym(s): *sanmariana Osada & Hashimoto,1987* _ Range (in code): PH Luz
- 11109. Arhopala anthelus saturator (Staudinger,1889)** (Lycaenidae) Synonym(s): *saturator Staudinger,1889* _ Range (in code): PH Pal
- 11110. Arhopala anthelus sotades Fruhstorfer,1914** (Lycaenidae) Synonym(s): *sotades Fruhstorfer,1914* _ Range (in code): PH Boh Ley Luz Mno Sam
- 11111. Arhopala antimuta (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *antimuta C.Felder & R.Felder,[1865]; davidsonii De Nicéville,1890; tana Corbet,1941* _ Range (in code): MM Mrg TH Lkw MY SG ID Sum Nia Nat Bor Bgk
- 11112. Arhopala antimuta antimuta (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *antimuta C.Felder & R.Felder,[1865]; davidsonii De Nicéville,1890; tana Corbet,1941* _ Range (in code): MM Mrg TH Lkw MY SG ID Sum Nia Nat
- 11113. Arhopala antimuta timana Corbet,1941** (Lycaenidae) Synonym(s): *timana Corbet,1941* _ Range (in code): MY Bor Bgk
- 11114. Arhopala araxes C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *araxes C.Felder & R.Felder,[1865]* _ Range (in code): ID Sum Ja Sbw Sba Clb Sgr Kla Tal
- 11115. Arhopala araxes araxes C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *araxes C.Felder & R.Felder,[1865]* _ Range (in code): Clb Sgr ID
- 11116. Arhopala araxes onetor Fruhstorfer,1914** (Lycaenidae) Synonym(s): *onetor Fruhstorfer,1914* _ Range (in code): ID Sum Ja Sbw Sba
- 11117. Arhopala araxes talauta (Evans,1957)** (Lycaenidae) Synonym(s): *talauta Evans,1957* _ Range (in code): ID Tal
- 11118. Arhopala araxes verelius Fruhstorfer,1914** (Lycaenidae) Synonym(s): *verelius Fruhstorfer,1914* _ Range (in code): ID Kla
- 11119. Arhopala argentea Staudinger,1888** (Lycaenidae) Synonym(s): *argentea Staudinger,1888; clarissa Grose-Smith* _ Range (in code): ID Clb
- 11120. Arhopala ariana (Evans,1925)** (Lycaenidae) Synonym(s): *ariana Evans,1925* _ Range (in code): TH Cbi MM Mrg MY Lkw
- 11121. Arhopala ariana ariana (Evans,1925)** (Lycaenidae) Synonym(s): *ariana Evans,1925* _ Range (in code): TH Cbi MM Mrg MY Lkw
- 11122. Arhopala arianaga Corbet,1941** (Lycaenidae) Synonym(s): *arianaga Corbet,1941* _ Range (in code): MY
- 11123. Arhopala ariel (Doherty,1891)** (Lycaenidae) Synonym(s): *ariel Doherty,1891; antis Corbet,1941* _ Range (in code): IN Ass MY Bor TH Tng
- 11124. Arhopala aroa (Hewitson,[1863])** (Lycaenidae) Synonym(s): *aroa Hewitson,[1863]; arops Corbet,1941* _ Range (in code): MM Mrg TH Cbi Rng Sgk Hya Tnc MY Bor ID Sum Ja PH Bas
- 11125. Arhopala aroa aroa (Hewitson,[1863])** (Lycaenidae) Synonym(s): *aroa Hewitson,[1863]; arops Corbet,1941* _ Range (in code): TH MY Bor ID Sum Ja PH Bas

- 11126. Arhopala aroa esava Corbet,1941** (Lycaenidae) Synonym(s): *esava Corbet,1941*
Range (in code): **MM Mrg TH Rng Cbi Sgk Hya Tnc**
- 11127. Arhopala aronya Hewitson,1869** (Lycaenidae) Synonym(s): *aronya Hewitson,1869*
Range (in code): **PH Neg Din Ley Luz Mar Mdo Mno**
- 11128. Arhopala aronya aronya Hewitson,1869** (Lycaenidae) Synonym(s): *aronya Hewitson,1869*
Range (in code): **PH Din Ley Luz Mar Mdo Mno**
- 11129. Arhopala aronya natsumiae Hayashi,1981** (Lycaenidae) Synonym(s): *natsumiae Hayashi,1981*
Range (in code): **PH Neg**
- 11130. Arhopala arsenius C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *arsenius C.Felder & R.Felder,[1865]*
Range (in code): **PH Luz Neg Mdo**
- 11131. Arhopala arsenius arsenius C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *arsenius C.Felder & R.Felder,[1865]*
Range (in code): **PH Luz Neg**
- 11132. Arhopala arsenius everetti Evans,1957** (Lycaenidae) Synonym(s): *everetti Evans,1957*
Range (in code): **PH Mdo**
- 11133. Arhopala arvina (Hewitson,1863)** (Lycaenidae) Synonym(s): *arvina Hewitson,1863*
Range (in code): **IN Ass MM Mrg TH CMa Nrt Rng Tng Sgk Hya Tnc MY Bor ID Sum Ja CN Hn**
- 11134. Arhopala arvina aboe De Nicéville,1895** (Lycaenidae) Synonym(s): *aboe De Nicéville,1895*
Range (in code): **MM Mrg TH CMa Nrt Rng Tng Sgk Hya Tnc**
- 11135. Arhopala arvina adalitas Corbet,1941** (Lycaenidae) Synonym(s): *adalitas Corbet,1941*
Range (in code): **MY Bor ID Sum**
- 11136. Arhopala arvina ardea (Evans,1932)** (Lycaenidae) Synonym(s): *ardea Evans,1932*
Original Reference: *Amblypodia arvina* var. *ardea* Evans,1932, Identif. Ind. Butts.: 268. Type(s): India: Assam (BMNH). Range (in code): **IN Ass CN Hn**
- 11137. Arhopala arvina arvina (Hewitson,1863)** (Lycaenidae) Synonym(s): *arvina Hewitson,1863*
Range (in code): **ID Ja**
- 11138. Arhopala asinarus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *asinarus C.Felder & R.Felder,[1865]*
Range (in code): **MM TH Tng Cbi CMa Uth Srt Nst VN Coc Krh Rgo Bse**
- 11139. Arhopala asinarus asinarus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *asinarus C.Felder & R.Felder,[1865]*
Range (in code): **MM TH Cbi CMa Uth Srt Nst VN Coc**
- 11140. Arhopala asinarus tonguva (Grose-Smith,1887)** (Lycaenidae) Synonym(s): *tonguva Grose-Smith,1887*
Range (in code): **TH Tng MM Krh Rgo Bse**
- 11141. Arhopala asopia (Hewitson,1869)** (Lycaenidae) Synonym(s): *asopia Hewitson,1869*
Range (in code): **IN Ass MM TH CMa Cmz Cz11 Phi**
- 11142. Arhopala athada (Staudinger,1889)** (Lycaenidae) Synonym(s): *athada Staudinger,1889; agamemnon Corbet,1941*
Range (in code): **IN Ass MM Mrg PH Mno SG TH Rng Tng MY ID Sum Bor Bgk Baw**
- 11143. Arhopala athada apha De Nicéville,1895** (Lycaenidae) Synonym(s): *apha De Nicéville,1895*
Range (in code): **IN Ass MM Mrg TH**
- 11144. Arhopala athada athada (Staudinger,1889)** (Lycaenidae) Synonym(s): *athada Staudinger,1889; agamemnon Corbet,1941*
Range (in code): **SG TH Rng Tng MY ID Sum Bor Bgk Baw**
- 11145. Arhopala athada wilemani Evans,1957** (Lycaenidae) Synonym(s): *wilemani Evans,1957*
Range (in code): **PH Mno**
- 11146. Arhopala atosia (Hewitson,[1863])** (Lycaenidae) Synonym(s): *atosia Hewitson,[1863]*
Range (in code): **ID Sum Bgk Pla TH Srt Cbi Nst Ths Sgk Hya Tnc CMa CDo SG MY Bor Lkw MM Mrg PH Pal**
- 11147. Arhopala atosia aria (Evans,1932)** (Lycaenidae) Synonym(s): *aria Evans,1932*
Original Reference: *Amblypodia atosia* var. *aria* Evans,1932, Identif. Ind. Butts.:258. Type: [Myanmar]: Burma. Range (in code): **MM**
- 11148. Arhopala atosia aricia (Staudinger,1889)** (Lycaenidae) Synonym(s): *aricia Staudinger,1889*
Original Reference: *Amblypodia aricia* Staudinger,1889, Dt. ent. Z., Iris 2: 124, pl.1 fig.15. Type: Philippines: Palawan. Range (in code): **PH Pal**
- 11149. Arhopala atosia atosia (Hewitson,[1863])** (Lycaenidae) Synonym(s): *atosia Hewitson,[1863]*
Range (in code): **Bor MY ID Sum Bgk Pla**
- 11150. Arhopala atosia jahara Corbet,1941** (Lycaenidae) Synonym(s): *jahara Corbet,1941*
Range (in code): **MM Mrg TH Nst Ths Sgk Hya Tnc MY Lkw**
- 11151. Arhopala atosia malayana Bethune-Baker,1903** (Lycaenidae) Synonym(s): *malayana Bethune-Baker,1903; udapa Corbet,1941*
Range (in code): **TH Srt Nst Cbi MY SG**

- 11152. Arhopala atrax (Hewitson,1867)** (Lycaenidae) Synonym(s): *atrax* Hewitson,1867
Range (in code): **IN Ass MM TH CMa Cuo Cuo7 Loe Nrt**
- 11153. Arhopala aurea (Hewitson,1862)** (Lycaenidae) Synonym(s): *aurea* Hewitson,1862
Range (in code): **MY SG ID Sum**
- 11154. Arhopala aurelia (Evans,[1925])** (Lycaenidae) Synonym(s): *aurelia* (Evans,[1925])
Range (in code): **IN Ass MY Lkw TH Cbi CMa Cuo Cuo9 Tng Uth Nst**
- 11155. Arhopala avatha De Nicéville,[1896]** (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896]
Range (in code): **PH Mno Pan Taw Bor MY TH Nst ID Sum**
- 11156. Arhopala avatha avatha De Nicéville,[1896]** (Lycaenidae) Synonym(s): *avatha* De Nicéville,[1896]
Range (in code): **PH Taw Bor MY TH Nst ID Sum**
- 11157. Arhopala avatha lana Evans,1957** (Lycaenidae) Synonym(s): *lana* Evans,1957
Range (in code): **PH Mno Pan**
- 11158. Arhopala avathina Corbet,1941** (Lycaenidae) Synonym(s): *avathina* Corbet,1941
Range (in code): **MY ID Sum Bor Pla TH Ntt SPa Nst Ths Sya**
- 11159. Arhopala avathina avathina Corbet,1941** (Lycaenidae) Synonym(s): *avathina* Corbet,1941
Range (in code): **MY TH Ntt SPa Nst Ths Sya**
- 11160. Arhopala avathina neon Corbet,1941** (Lycaenidae) Synonym(s): *neon* Corbet,1941
Range (in code): **ID Sum Bor Pla MY**
- 11161. Arhopala azinis De Nicéville,1896** (Lycaenidae) Synonym(s): *azinis* De Nicéville,1896
Range (in code): **MY ID Sum Ja Bor**
- 11162. Arhopala azinis azinis De Nicéville,1896** (Lycaenidae) Synonym(s): *azinis* De Nicéville,1896
Range (in code): **MY ID Sum Ja**
- 11163. Arhopala azinis kouna Bethune-Baker,1896** (Lycaenidae) Synonym(s): *kouna* Bethune-Baker,1896
Range (in code): **MY Bor**
- 11164. Arhopala baluensis Bethune-Baker,1904** (Lycaenidae) Synonym(s): *baluensis* Bethune-Baker,1904
Range (in code): **MY Bor Pla**
- 11165. Arhopala barami Bethune-Baker,1903** (Lycaenidae) Synonym(s): *barami* Bethune-Baker,1903
Range (in code): **MM Mrg TH Rng Bor MY Pen SG**
- 11166. Arhopala barami barami Bethune-Baker,1903** (Lycaenidae) Synonym(s): *barami* Bethune-Baker,1903
- 11167. Arhopala barami penanga Corbet,1941** (Lycaenidae) Synonym(s): *penanga* Corbet,1941
Range (in code): **MY Pen SG**
- 11168. Arhopala barami woodii Ollenbach,1921** (Lycaenidae) Synonym(s): *woodii* Ollenbach,1921
Range (in code): **MM Mrg TH Rng**
- 11169. Arhopala bazaloides (Hewitson,1878)** (Lycaenidae) Synonym(s): *bazaloides* (Hewitson,1878)
Range (in code): **IN Ass TH Rng Lkw MY LK**
- 11170. Arhopala bazaloides bazaloides (Hewitson,1878)** (Lycaenidae) Synonym(s): *bazaloides* (Hewitson,1878)
Range (in code): **IN Ass TH Rng Lkw MY**
- 11171. Arhopala bazaloides lanka (Evans,1957)** (Lycaenidae) Synonym(s): *lanka* Evans,1957
Range (in code): **LK**
- 11172. Arhopala bazalus (Hewitson,1862)** (Lycaenidae) Synonym(s): *bazalus* Hewitson,1862
Range (in code): **ID Sum Ja IN Ass Meg SI MM Mrg TH Tng CN TW MY PH Mno**
- 11173. Arhopala bazalus asagiae Hayashi,1978** (Lycaenidae) Synonym(s): *asagiae* Hayashi,1978
Range (in code): **PH Mno**
- 11174. Arhopala bazalus bazalus (Hewitson,1862)** (Lycaenidae) Synonym(s): *bazalus* Hewitson,1862
Range (in code): **IN Ass Meg ID Sum Ja**
- 11175. Arhopala bazalus teesta De Nicéville,1886** (Lycaenidae) Synonym(s): *teesta* De Nicéville,1886
Range (in code): **SI MM TH Mrg CN**
- 11176. Arhopala bazalus turbata (Butler,1881)** (Lycaenidae) Synonym(s): *turbata* Butler,1881
Range (in code): **TW**
- 11177. Arhopala bazalus zalinda Corbet,1941** (Lycaenidae) Synonym(s): *zalinda* Corbet,1941
Range (in code): **TH Tng MY**
- 11178. Arhopala bella Bethune-Baker,1896** (Lycaenidae) Synonym(s): *bella* Bethune-Baker,1896
Range (in code): **MY Bor**
- 11179. Arhopala belpheobe Doherty,1889** (Lycaenidae) Synonym(s): *belpheobe* Doherty,1889
Range (in code): **IN Ass MY**

- 11180. Arhopala belpheobe belpheobe Doherty,1889** (Lycaenidae) Synonym(s): *belpheobe Doherty,1889* _ Range (in code): IN Ass
- 11181. Arhopala belpheobe cowani Corbet,1941** (Lycaenidae) Synonym(s): *cowani Corbet,1941* _ Range (in code): MY
- 11182. Arhopala birmana (Moore,1883)** (Lycaenidae) Synonym(s): *birmana Moore,1883* _ Range (in code): Mpr IN Ass MM CN TW TH CMa Cuo Cuo6 Loe PH Pal
- 11183. Arhopala birmana asakurae (Matsumura,1910)** (Lycaenidae) Synonym(s): *asakurae Matsumura,1910; uchidae Matsumura,1926; #oryuzana Corbet,1941* _ Range (in code): TW
- 11184. Arhopala birmana birmana (Moore,1883)** (Lycaenidae) Synonym(s): *birmana Moore,1883* _ Range (in code): Mpr IN Ass MM CN TH CMa Cuo Cuo6 Loe
- 11185. Arhopala birmana hiurai Hayashi,1976** (Lycaenidae) Synonym(s): *hiurai Hayashi,1976* _ Range (in code): PH Pal
- 11186. Arhopala borneensis Bethune-Baker,1896** (Lycaenidae) Synonym(s): *borneensis Bethune-Baker,1896* _ Range (in code): MY Bor
- 11187. Arhopala brooksiana Corbet,1941** (Lycaenidae) Synonym(s): *brooksiana Corbet,1941* _ Range (in code): MY ID Sum Btu Mrg MM
- 11188. Arhopala buddha Bethune-Baker,1903** (Lycaenidae) Synonym(s): *buddha Bethune-Baker,1903* _ Range (in code): TH Rng Tng Sgk Hya Tnc MY Lkw PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 11189. Arhopala buddha buddha Bethune-Baker,1903** (Lycaenidae) Synonym(s): *buddha Bethune-Baker,1903*
- 11190. Arhopala buddha cooperi (Evans,[1925])** (Lycaenidae) Synonym(s): *cooperi Evans,[1925]; gana Corbet,1941* _ Range (in code): TH Rng Tng Sgk Hya Tnc MY Lkw PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 11191. Arhopala caeca (Hewitson,[1863])** (Lycaenidae) Synonym(s): *caeca Hewitson,[1863]* _ Range (in code): Bor MY ID Sum
- 11192. Arhopala camdana Corbet,1941** (Lycaenidae) Synonym(s): *camdana Corbet,1941* _ Range (in code): MY ID Sum
- 11193. Arhopala camdana camdana Corbet,1941** (Lycaenidae) Synonym(s): *camdana Corbet,1941* _ Range (in code): MY ID Sum
- 11194. Arhopala camdeo (Moore,[1858])** (Lycaenidae) Synonym(s): *camdeo Moore,[1858]* _ Range (in code): NP BT SI IN Ass Mpr MM TH Rng Tak VN
- 11195. Arhopala cardoni Corbet,1941** (Lycaenidae) Synonym(s): *cardoni Corbet,1941* _ Range (in code): MY
- 11196. Arhopala chamaeleona Bethune-Baker,1903** (Lycaenidae) Synonym(s): *Bethune-Baker,1903* _ Range (in code): PH Luz Mar Mdo Din Ley Mno Neg Pao Sam PG
- 11197. Arhopala chamaeleona chamaeleona Bethune-Baker,1903** (Lycaenidae) Synonym(s): *Bethune-Baker,1903* _ Range (in code): PG
- 11198. Arhopala chamaeleona maputi Takanami,1984** (Lycaenidae) Synonym(s): *maputi Takanami,1984* _ Range (in code): PH Luz Mar Mdo
- 11199. Arhopala chamaeleona mizunumai Hayashi,1978** (Lycaenidae) Synonym(s): *mizunumai Hayashi,1978* _ Range (in code): PH Din Ley Mno Neg Pao Sam
- 11200. Arhopala cleander (C.Felder,1860)** (Lycaenidae) Synonym(s): *cleander C.Felder,1860* _ Range (in code): AU PH CmL Ley Luz Mno Neg Stu TH Rng Tuo Sgk Hya Tnc MY Bor Swk ID Sum Lb Ja Clb Sly Bng
- 11201. Arhopala cleander aphadantas Corbet,1941** (Lycaenidae) Synonym(s): *aphadantas Corbet,1941* _ Range (in code): TH Sgk Hya Tnc MY
- 11202. Arhopala cleander apharida Corbet,1941** (Lycaenidae) Synonym(s): *apharida Corbet,1941* _ Range (in code): ID Lb Ja
- 11203. Arhopala cleander incerta Moulton,1911** (Lycaenidae) Synonym(s): *incerta Moulton,1911* _ Range (in code): MY Bor Swk ID Sum
- 11204. Arhopala cleander malayica Bethune-Baker,1903** (Lycaenidae) Synonym(s): *malayica Bethune-Baker,1903* _ Range (in code): PH CmL Ley Luz Mno Neg Stu
- 11205. Arhopala cleander regia (Evans,1925)** (Lycaenidae) Synonym(s): *regia Evans,1925* _ Range (in code): TH Rng Tuo

- 11206. Arhopala cleander sostrata (Fruhstorfer,1914)** (Lycaenidae) Synonym(s): *sostrata* Fruhstorfer,1914 _ Range (in code): ID Clb Sly Bng
- 11207. Arhopala comica De Nicéville,1900** (Lycaenidae) Synonym(s): *comica* De Nicéville,1900
Range (in code): Mpr IN Ass MM TH
- 11208. Arhopala corinda (Hewitson,1869)** (Lycaenidae) Synonym(s): *corinda* Hewitson,1869
Range (in code): PH Bas Boh Ley Luz Mar Mas Mdo Mno Neg Sam Sib MM Mrg TH Kao Rng Lkw MY ID Sum Bor
- 11209. Arhopala corinda acestes De Nicéville,[1893]** (Lycaenidae) Synonym(s): *acesstes* De Nicéville,[1893] _ Range (in code): MY ID Sum Bor
- 11210. Arhopala corinda corestes Corbet,1941** (Lycaenidae) Synonym(s): *corestes* Corbet,1941
Range (in code): TH Kao Rng MM Mrg Lkw MY
- 11211. Arhopala corinda corinda (Hewitson,1869)** (Lycaenidae) Synonym(s): *corinda* Hewitson,1869 _ Range (in code): PH Bas Boh Ley Luz Mar Mas Mdo Mno Neg Sam Sib
- 11212. Arhopala curiosa Evans,1957** (Lycaenidae) Synonym(s): *curiosa* Evans,1957 _ Range (in code): BT
- 11213. Arhopala dajagaka Bethune-Baker,1897** (Lycaenidae) Synonym(s): *dajagaka* Bethune-Baker,1897 _ Range (in code): Bor MY
- 11214. Arhopala davaona Semper,1890** (Lycaenidae) Synonym(s): *davaona* Semper,1890
Range (in code): PH Mno
- 11215. Arhopala delta (Evans,1957)** (Lycaenidae) Synonym(s): *delta* Evans,1957 _ Range (in code): TH MY ID Sum Bor
- 11216. Arhopala democritus (Fabricius,1793)** (Lycaenidae) Synonym(s): *democritus* Fabricius,1793 _ Range (in code): MM Mrg TH Yal CMA Nst Ths Sya Phu Rng Tng Uth Ntt SPa Sgk Hya Tnc VN Lkw MY SG ID Sum Bor
- 11217. Arhopala democritus buxtoni Hewitson,1878** (Lycaenidae) Synonym(s): *buxtoni* Hewitson,1878 _ Range (in code): ID Sum
- 11218. Arhopala democritus democritus (Fabricius,1793)** (Lycaenidae) Synonym(s): *democritus* Fabricius,1793 _ Range (in code): MM Mrg TH CMA Nst Ths Sya Phu Rng Tng Sgk Hya Tnc Uth VN Lkw MY
- 11219. Arhopala democritus lycaenaria (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *lycaenaria* C.Felder & R.Felder,1860 _ Range (in code): TH Yal Ntt SPa MY SG
- 11220. Arhopala democritus olinda Druce,1873** (Lycaenidae) Synonym(s): *olinda* Druce,1873
Range (in code): MY Bor
- 11221. Arhopala denta Evans,1957** (Lycaenidae) Synonym(s): *denta* Evans,1957 _ Range (in code): MY Bor
- 11222. Arhopala dispar Riley & Godfrey,1921** (Lycaenidae) Synonym(s): *dispar* Riley & Godfrey,1921 _ Range (in code): MM TH Chy IN Ass MY
- 11223. Arhopala dispar dispar Riley & Godfrey,1921** (Lycaenidae) Synonym(s): *dispar* Riley & Godfrey,1921 _ Range (in code): MM TH Chy IN Ass
- 11224. Arhopala dispar pendleburyi Corbet,1941** (Lycaenidae) Synonym(s): *pendleburyi* Corbet,1941 _ Range (in code): MY
- 11225. Arhopala dodonaea (Moore,1857)** (Lycaenidae) Synonym(s): *dodonaea* Moore,1857
Original Reference: Amblypodia dodonaea Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 43, nr. 65, pl.1a fig.8. Range (in code): PK Nwf Ci Thu IN Kma Hp SI
- 11226. Arhopala dodonaea dodonaea (Moore,1857)** (Lycaenidae) Synonym(s): *dodonaea* Moore,1857
Original Reference: Amblypodia dodonaea Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 43, nr. 65, pl.1a fig.8. Range (in code): PK Nwf Ci Thu IN Kma Hp SI
- 11227. Arhopala dohertyi Bethune-Baker,1903** (Lycaenidae) Synonym(s): *dohertyi* Bethune-Baker,1903 _ Range (in code): ID Clb
- 11228. Arhopala elizabethae (Eliot,1959)** (Lycaenidae) Synonym(s): *elizabethae* Eliot,1959
Range (in code): MY
- 11229. Arhopala elopura Druce,1894** (Lycaenidae) Synonym(s): *elopura* Druce,1894 _ Range (in code): Lkw MY MM Mrg TH Cbi Nrt Rng Tng Yal Nst Ths VN Bor ID Sum
- 11230. Arhopala elopura dama Swinhoe,[1911]** (Lycaenidae) Synonym(s): *dama* Swinhoe,[1911]
Range (in code): Lkw MY MM Mrg TH Cbi Nrt Rng Tng Yal Nst Ths VN
- 11231. Arhopala elopura elopura Druce,1894** (Lycaenidae) Synonym(s): *elopura* Druce,1894
Range (in code): Bor ID Sum MY

- 11232. Arhopala epimete (Staudinger,1889)** (Lycaenidae) **Synonym(s):** *epimete* Staudinger,1889
Range (in code): **PH Mno Pal MM Mrg Lkw MY Bor TH CMa CDo Rng ID Sum**
- 11233. Arhopala epimete duessa Doherty,1889** (Lycaenidae) **Synonym(s):** *duessa* Doherty,1889
Range (in code): **MM Mrg Lkw MY TH CMa CDo Rng**
- 11234. Arhopala epimete epimete (Staudinger,1889)** (Lycaenidae) **Synonym(s):** *epimete* Staudinger,1889
Range (in code): **PH Pal Bor MY**
- 11235. Arhopala epimete magindana Osada,1987** (Lycaenidae) **Synonym(s):** *magindana* Osada,1987
Range (in code): **PH Mno**
- 11236. Arhopala epimete suedas Corbet,1941** (Lycaenidae) **Synonym(s):** *suedas* Corbet,1941
Range (in code): **MY ID Sum**
- 11237. Arhopala epimuta (Moore,[1858])** (Lycaenidae) **Synonym(s):** *epimuta* Moore,[1858]
Range (in code): **MY SG ID Sum Bor MM TH**
- 11238. Arhopala epimuta elsiei (Evans,1925)** (Lycaenidae) **Synonym(s):** *elsiei* Evans,1925
Range (in code): **MM TH**
- 11239. Arhopala epimuta epiala Corbet,1941** (Lycaenidae) **Synonym(s):** *epiala* Corbet,1941
Range (in code): **MY SG ID Sum**
- 11240. Arhopala epimuta epimuta (Moore,[1858])** (Lycaenidae) **Synonym(s):** *epimuta* Moore,[1858]
Range (in code): **MY Bor**
- 11241. Arhopala eridanus (C.Felder,1860)** (Lycaenidae) **Synonym(s):** *eridanus* C.Felder,1860
Range (in code): **Sla ID Clb Mlc Bng PH Bal Cuy Pal**
- 11242. Arhopala eridanus davalma H.G.Schröder & Treadaway,2006** (Lycaenidae)
Synonym(s): *davalma* H.G.Schröder & Treadaway,2006 **Original Reference:** *Arhopala eridanus* ssp. *davalma* H.G.Schröder & Treadaway,2006, Nachr. ent. Ver. Apollo (N.F.) 27 (4): 201-203, figs. Holotype ♂: Philippinen, E.Mindanao, Davao Prov., Mt. Magsad, 1200m (SMFL). Range (in code): **PH Mno**
- 11243. Arhopala eridanus dilutior Staudinger,1889** (Lycaenidae) **Synonym(s):** *dilutior* Staudinger,1889
Range (in code): **PH Bal Cuy Pal**
- 11244. Arhopala eridanus elfeta Hewitson,1869** (Lycaenidae) **Synonym(s):** *elfeta* Hewitson,1869
Range (in code): **Sla ID Bng**
- 11245. Arhopala eridanus eridanus (C.Felder,1860)** (Lycaenidae) **Synonym(s):** *eridanus* C.Felder,1860
Range (in code): **ID Mlc**
- 11246. Arhopala eridanus lewara Ribbe,1926** (Lycaenidae) **Synonym(s):** *lewara* Ribbe,1926
Range (in code): **ID Clb**
- 11247. Arhopala eumolphus (Cramer,[1780])** (Lycaenidae) **Synonym(s):** *eumolphus* Cramer,[1780]
Range (in code): **PH Pal SI IN Ass MM TH Kbi Rng Cbi Nrt CMa CDo CN Hn Mrg MY ID Sum Bgk Bor Ja**
- 11248. Arhopala eumolphus adonias Hewitson,1862** (Lycaenidae) **Synonym(s):** *adonias* Hewitson,1862
Range (in code): **ID Ja**
- 11249. Arhopala eumolphus aristomachus Fruhstorfer,1914** (Lycaenidae) **Synonym(s):** *aristomachus* Fruhstorfer,1914
Range (in code): **PH Pal**
- 11250. Arhopala eumolphus eumolphus (Cramer,[1780])** (Lycaenidae) **Synonym(s):** *eumolphus* Cramer,[1780]
Range (in code): **SI IN Ass MM TH Cbi Nrt CMa CDo CN Hn**
- 11251. Arhopala eumolphus maxwelli (Distant,1885)** (Lycaenidae) **Synonym(s):** *maxwelli* Distant,1885; *farquhari* Distant,1885
Range (in code): **Mrg MM TH Kbi Rng MY ID Sum Bgk Bor**
- 11252. Arhopala evansi Corbet,1941** (Lycaenidae) **Synonym(s):** *evansi* Corbet,1941
Range (in code): **PH Stu MY TH Yal**
- 11253. Arhopala fulla (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *fulla* Hewitson,1862
Range (in code): **AU PH Luz Mar Mdo Mno MM Mrg TH CMa CDo IN Adm ID Sum Bor**
- 11254. Arhopala fulla andamanica Wood-Mason & De Nicéville,1881** (Lycaenidae)
Synonym(s): *andamanica* Wood-Mason & De Nicéville,1881
Range (in code): **IN Adm**
- 11255. Arhopala fulla fulla (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *fulla* Hewitson,1862
Range (in code): **AU**
- 11256. Arhopala fulla ignara Riley & Godfrey,1921** (Lycaenidae) **Synonym(s):** *ignara* Riley & Godfrey,1921
Range (in code): **MM Mrg TH CMa CDo**
- 11257. Arhopala fulla intacta Corbet,1941** (Lycaenidae) **Synonym(s):** *intacta* Corbet,1941
Range (in code): **TH MY ID Sum Bor**

- 11258. Arhopala fulla santa (Evans,1957)** (Lycaenidae) Synonym(s): *santa* Evans,1957
Range (in code): **PH Luz Mar Mdo Mno**
- 11259. Arhopala ganesa (Moore,1857)** (Lycaenidae) Synonym(s): *ganesa* Moore,1857 Original Reference: Amblypodia ganesa Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 44, nr.66 pl.1 fig.9. Range (in code): **Ci Kma IN Hp PK Nwf SI Ass MM CN Hn TW**
- 11260. Arhopala ganesa formosana Kato,1930** (Lycaenidae) Synonym(s): *formosana* Kato,1930
Range (in code): **TW**
- 11261. Arhopala ganesa ganesa (Moore,1857)** (Lycaenidae) Synonym(s): *ganesa* Moore,1857
Original Reference: Amblypodia ganesa Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 44, nr.66 pl.1 fig.9. Range (in code): **Ci Kma IN Hp PK Nwf SI**
- 11262. Arhopala ganesa seminigra (Leech,1890)** (Lycaenidae) Synonym(s): *seminigra* Leech,1890
Range (in code): **CN Hn**
- 11263. Arhopala ganesa watsoni (Evans,1957)** (Lycaenidae) Synonym(s): *watsoni* Evans,1957
Range (in code): **IN Ass MM**
- 11264. Arhopala grandimuta Seki,1993** (Lycaenidae) Synonym(s): *grandimuta* Seki,1993
Range (in code): **PH Ley Mno**
- 11265. Arhopala grandimuta grandimuta Seki,1993** (Lycaenidae) Synonym(s): *grandimuta* Seki,1993
Range (in code): **PH Ley**
- 11266. Arhopala grandimuta takanamii Seki,1993** (Lycaenidae) Synonym(s): *takanamii* Seki,1993
Range (in code): **PH Mno**
- 11267. Arhopala havilandi Bethune-Baker,1896** (Lycaenidae) Synonym(s): *havilandi* Bethune-Baker,1896
Range (in code): **TH Kbi MY Bor Lkw**
- 11268. Arhopala havilandi havilandi Bethune-Baker,1896** (Lycaenidae) Synonym(s): *havilandi* Bethune-Baker,1896
Range (in code): **MY Bor**
- 11269. Arhopala havilandi kota (Evans,1957)** (Lycaenidae) Synonym(s): *kota* Evans,1957
Range (in code): **MY**
- 11270. Arhopala havilandi wilcocksii Eliot,1973** (Lycaenidae) Synonym(s): *wilcocksii* Eliot,1973
Range (in code): **TH Kbi Lkw MY**
- 11271. Arhopala hellada Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *hellada* Fruhstorfer,[1914]
Range (in code): **ID Sum MY Nia**
- 11272. Arhopala hellada hellada Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *hellada* Fruhstorfer,[1914]
Range (in code): **ID Nia**
- 11273. Arhopala hellada ozana Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *ozana* Fruhstorfer,[1914]
Range (in code): **ID Sum MY**
- 11274. Arhopala hellenore Doherty,1889** (Lycaenidae) Synonym(s): *hellenore* Doherty,1889
Range (in code): **ID Sum MY IN Ass Mpr MM Mrg TH Cbi CMa Pbu VN CN Hn**
- 11275. Arhopala hellenore hellenore Doherty,1889** (Lycaenidae) Synonym(s): *hellenore* Doherty,1889
Range (in code): **IN Ass Mpr MM Mrg TH Cbi CMa Pbu VN CN Hn**
- 11276. Arhopala hellenore siroes Fruhstorfer,1914** (Lycaenidae) Synonym(s): *siroes* Fruhstorfer,1914
Range (in code): **ID Sum MY**
- 11277. Arhopala hesba Hewitson,1869** (Lycaenidae) Synonym(s): *hesba* Hewitson,1869
Range (in code): **PH Boh Ley Mdo Mno Sam**
- 11278. Arhopala hinigugma Takanami,1985** (Lycaenidae) Synonym(s): *hinigugma* Takanami,1985
Range (in code): **PH Ley Luz Mno Neg**
- 11279. Arhopala horsfieldi Pagenstecher,1890** (Lycaenidae) Synonym(s): *horsfieldi* Pagenstecher,1890
Range (in code): **PH Pal ID Ja MM Mrg TH CMa Rng Tng Nst Ths Ntt SPa MY Lkw Sum Bgk Bor Nia**
- 11280. Arhopala horsfieldi basiviridis De Nicéville,1891** (Lycaenidae) Synonym(s): *basiviridis* De Nicéville,1891
Range (in code): **MY ID Sum Bgk Bor**
- 11281. Arhopala horsfieldi eurysthenes Fruhstorfer,1914** (Lycaenidae) Synonym(s): *eurysthenes* Fruhstorfer,1914
Range (in code): **MM Mrg TH CMa Rng Tng Nst Ths Ntt SPa MY Lkw**
- 11282. Arhopala horsfieldi horsfieldi Pagenstecher,1890** (Lycaenidae) Synonym(s): *horsfieldi* Pagenstecher,1890
Range (in code): **ID Ja**
- 11283. Arhopala horsfieldi palawanica Hayashi,1976** (Lycaenidae) Synonym(s): *palawanica* Hayashi,1976
Range (in code): **PH Pal**
- 11284. Arhopala horsfieldi serpa Fruhstorfer,1899** (Lycaenidae) Synonym(s): *serpa* Fruhstorfer,1899
Range (in code): **ID Nia**

- 11285. Arhopala hypomuta (Hewitson,1862)** (Lycaenidae) Synonym(s): *hypomuta* Hewitson,1862 Range (in code): TH Tuo MY ID Sum Bor Bgk
- 11286. Arhopala hypomuta hypomuta (Hewitson,1862)** (Lycaenidae) Synonym(s): *hypomuta* Hewitson,1862 Range (in code): TH Tuo MY ID Sum Bor Bgk
- 11287. Arhopala ijauensis Bethune-Baker,1897** (Lycaenidae) Synonym(s): *ijauensis* Bethune-Baker,1897 Range (in code): MM Mrg TH Phu Rng Nst Ths Sya MY Lkw
- 11288. Arhopala ilocana Osada & Hashimoto,1987** (Lycaenidae) Synonym(s): *ilocana* Osada & Hashimoto,1987 Range (in code): PH Luz
- 11289. Arhopala inornata (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897 Range (in code): MY TH Rng Tng Yal Nst ID Sum Bor PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 11290. Arhopala inornata empesta Corbet,1941** (Lycaenidae) Synonym(s): *empesta* Corbet,1941 Range (in code): MY Bor
- 11291. Arhopala inornata inornata (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *inornata* C.Felder & R.Felder,1860; *brahma* Bethune-Baker,1897 Range (in code): MY TH Rng Tng Yal Nst ID Sum PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 11292. Arhopala irregularis Bethune-Baker,1903** (Lycaenidae) Synonym(s): *irregularis* Bethune-Baker,1903 Range (in code): ID Clb Bng
- 11293. Arhopala japonica Murray,1875** (Lycaenidae) Synonym(s): *japonica* Murray,1875 Range (in code): JP TW
- 11294. Arhopala japonica kotoshona (Sonan,1940)** (Lycaenidae) Synonym(s): *kotoshona* Sonan,1940 Range (in code): TW
- 11295. Arhopala johoreana Corbet,1941** (Lycaenidae) Synonym(s): *johoreana* Corbet,1941 Range (in code): ID Nia MY
- 11296. Arhopala johoreana johoreana Corbet,1941** (Lycaenidae) Synonym(s): *johoreana* Corbet,1941 Range (in code): MY
- 11297. Arhopala johoreana kalima (Evans,1957)** (Lycaenidae) Synonym(s): *kalima* Evans,1957 Range (in code): ID Nia
- 11298. Arhopala khamti Doherty,1891** (Lycaenidae) Synonym(s): *khamti* Doherty,1891 Range (in code): TH
- 11299. Arhopala kinabala Druce,1895** (Lycaenidae) Synonym(s): *kinabala* Druce,1895 Range (in code): MY Bor ID Sum
- 11300. Arhopala kurzi (Distant,1885)** (Lycaenidae) Synonym(s): *kurzi* Distant,1885 Range (in code): MY
- 11301. Arhopala labuana Bethune-Baker,1896** (Lycaenidae) Synonym(s): *labuana* Bethune-Baker,1896 Range (in code): MM TH Rng Sgk Hya Tnc MY ID Sum Bor
- 11302. Arhopala lurida Corbet,1941** (Lycaenidae) Synonym(s): *lurida* Corbet,1941 Range (in code): TH Srt Sgk Hya Tnc MY Bor Mw SG Lkw ID Sum
- 11303. Arhopala luzonensis Takanami & Ballantine,1987** (Lycaenidae) Synonym(s): *luzonensis* Takanami & Ballantine,1987 Range (in code): PH Luz
- 11304. Arhopala major (Staudinger,1889)** (Lycaenidae) Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903 Range (in code): PH Luz Pal MM Mrg TH MY Lkw ID Sum Nia Bor
- 11305. Arhopala major major (Staudinger,1889)** (Lycaenidae) Synonym(s): *major* Staudinger,1889; *catori* Bethune-Baker,1903 Range (in code): PH Luz Pal MM Mrg TH MY Lkw ID Sum Nia Bor
- 11306. Arhopala major parvimaculata Okubo,1983** (Lycaenidae) Synonym(s): *parvimaculata* Okubo,1983 Range (in code): MY
- 11307. Arhopala matsutaroi Hayashi,1979** (Lycaenidae) Synonym(s): *matsutaroi* Hayashi,1979 Range (in code): PH Mno
- 11308. Arhopala metamuta (Hewitson,[1863])** (Lycaenidae) Synonym(s): *metamuta* Hewitson,[1863]; *gunongensis* Bethune-Baker,1897 Range (in code): TH MY ID Sum Bor
- 11309. Arhopala metamuta hilda (Evans,1957)** (Lycaenidae) Synonym(s): *hilda* Evans,1957 Range (in code): Bor MY
- 11310. Arhopala metamuta metamuta (Hewitson,[1863])** (Lycaenidae) Synonym(s): *metamuta* Hewitson,[1863]; *gunongensis* Bethune-Baker,1897 Range (in code): TH MY ID Sum

- 11311. Arhopala milleri Corbet,1941** (Lycaenidae) **Synonym(s):** *milleri* Corbet,1941 _ Range (in code): **Lkw MY TH Ntt Tng SG Bor**
- 11312. Arhopala moolaiana (Moore,[1879])** (Lycaenidae) **Synonym(s):** *moolaiana* Moore,[1879] Range (in code): **MM Tvy Tns Krh Mrg TH Nst Ths Sya Cbi CMa CDo ID Pgi Sum MY Bor Sbt Sip**
- 11313. Arhopala moolaiana klossi Corbet,1941** (Lycaenidae) **Synonym(s):** *klossi* Corbet,1941 Range (in code): **Pgi Sbt Sip ID**
- 11314. Arhopala moolaiana maya (Evans,1932)** (Lycaenidae) **Synonym(s):** *maya* Evans,1932 Range (in code): **MM Mrg TH Nst Ths Sya**
- 11315. Arhopala moolaiana moolaiana (Moore,[1879])** (Lycaenidae) **Synonym(s):** *moolaiana* Moore,[1879] _ Range (in code): **MM Tns Krh Tvy**
- 11316. Arhopala moolaiana yajuna Corbet,1941** (Lycaenidae) **Synonym(s):** *yajuna* Corbet,1941 Range (in code): **ID Sum TH Nst MY Bor**
- 11317. Arhopala moorei Bethune-Baker,1896** (Lycaenidae) **Synonym(s):** *moorei* Bethune-Baker; *waterstradti* Bethune-Baker _ Range (in code): **TH MY Bor**
- 11318. Arhopala moorei busa Corbet,1941** (Lycaenidae) **Synonym(s):** *busa* Corbet,1941; *santava* Corbet,1941 _ Range (in code): **TH MY**
- 11319. Arhopala moorei moorei Bethune-Baker,1896** (Lycaenidae) **Synonym(s):** *moorei* Bethune-Baker; *waterstradti* Bethune-Baker _ Range (in code): **MY Bor**
- 11320. Arhopala muta (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *muta* Hewitson,1862 Range (in code): **ID Ja MM Mrg TH Nia Sum Bor**
- 11321. Arhopala muta gloria (Evans,1957)** (Lycaenidae) **Synonym(s):** *gloria* Evans,1957 Range (in code): **ID Nia**
- 11322. Arhopala muta maranda Corbet,1941** (Lycaenidae) **Synonym(s):** *maranda* Corbet,1941; *tropaea* Corbet,1941 _ Range (in code): **MY**
- 11323. Arhopala muta merguiana Corbet,1941** (Lycaenidae) **Synonym(s):** *merguiana* Corbet,1941 _ Range (in code): **MM Mrg TH**
- 11324. Arhopala muta muta (Hewitson,1862)** (Lycaenidae) **Synonym(s):** *muta* Hewitson,1862 Range (in code): **ID Ja**
- 11325. Arhopala muta trima Corbet,1941** (Lycaenidae) **Synonym(s):** *trima* Corbet,1941; *wallacei* Corbet,1941 _ Range (in code): **ID Sum**
- 11326. Arhopala myrtha (Staudinger,1889)** (Lycaenidae) **Synonym(s):** *myrtha* Staudinger,1889 Range (in code): **PH Pal**
- 11327. Arhopala myrzala (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *myrzala* Hewitson,1869 Range (in code): **PH Luz Mno MY Lkw SG Bor TH Sgk**
- 11328. Arhopala myrzala conjuncta Corbet,1941** (Lycaenidae) **Synonym(s):** *conjuncta* Corbet,1941 _ Range (in code): **TH MY Lkw**
- 11329. Arhopala myrzala lammas Corbet,1941** (Lycaenidae) **Synonym(s):** *lammas* Corbet,1941 Range (in code): **TH Sgk MY SG Bor**
- 11330. Arhopala myrzala myrzala Hewitson,1869** (Lycaenidae) **Synonym(s):** *myrzala* Hewitson,1869 _ Range (in code): **PH Luz Mno**
- 11331. Arhopala myrzalina Corbet,1941** (Lycaenidae) **Synonym(s):** *myrzalina* Corbet,1941 Range (in code): **MY**
- 11332. Arhopala nakamotoi Hayashi,1978** (Lycaenidae) **Synonym(s):** *nakamotoi* Hayashi,1978 Range (in code): **PH Mno**
- 11333. Arhopala nankoshana (Shimonoya & Murayama,1976)** (Lycaenidae) **Synonym(s):** *nankoshana* Shimonoya & Murayama,1976 _ Range (in code): **TW**
- 11334. Arhopala nicevillei Bethune-Baker,1903** (Lycaenidae) **Synonym(s):** *nicevillei* Bethune-Baker,1903 _ Range (in code): **BT IN Ass Mpr MM TH CMa VN**
- 11335. Arhopala norda (Evans,1957)** (Lycaenidae) **Synonym(s):** *norda* Evans,1957 _ Range (in code): **TH Nst MY Lkw**
- 11336. Arhopala norda norda (Evans,1957)** (Lycaenidae) **Synonym(s):** *norda* Evans,1957 Range (in code): **TH Nst MY Lkw**
- 11337. Arhopala norda ronda Eliot,1992** (Lycaenidae) **Synonym(s):** *ronda* Eliot,1992 _ Range (in code): **MY**
- 11338. Arhopala normani Eliot,1972** (Lycaenidae) **Synonym(s):** *normani* Eliot,1972 _ Range (in code): **TH Yal MY ID Sum?**

- 11339. Arhopala ocrida Hewitson,1869** (Lycaenidae) Synonym(s): *ocrida Hewitson,1869*
Range (in code): **PH Sga Taw Boh Ley Luz Mno Sam Sib**
- 11340. Arhopala ocrida cionnii Schröder & Treadaway,1994** (Lycaenidae) Synonym(s): *cionnii Schröder & Treadaway,1994* _ Range (in code): **PH Sga Taw**
- 11341. Arhopala ocrida ocrida Hewitson,1869** (Lycaenidae) Synonym(s): *ocrida Hewitson,1869*
Range (in code): **PH Boh Ley Luz Mno Sam Sib**
- 11342. Arhopala oenea (Hewitson,1869)** (Lycaenidae) Synonym(s): *oenea Hewitson,1869*
Range (in code): **IN SI Ass MM TH VN CN Hn**
- 11343. Arhopala opalina (Moore,[1884])** (Lycaenidae) Synonym(s): *opalina Moore,[1884]*
Range (in code): **IN Ass MM TH Nrt MY ID Sum**
- 11344. Arhopala opalina azata De Nicéville,[1896]** (Lycaenidae) Synonym(s): *azata De Nicéville,[1896]* _ Range (in code): **MY ID Sum**
- 11345. Arhopala opalina opalina (Moore,[1884])** (Lycaenidae) Synonym(s): *opalina Moore,[1884]* _ Range (in code): **IN Ass MM TH Nrt**
- 11346. Arhopala ormistoni Riley,1920** (Lycaenidae) Synonym(s): *ormistoni Riley,1920*
Range (in code): **LK**
- 11347. Arhopala overdijkinki Corbet,1941** (Lycaenidae) Synonym(s): *overdijkinki Corbet,1941*
Range (in code): **ID Ja MY**
- 11348. Arhopala overdijkinki overdijkinki Corbet,1941** (Lycaenidae) Synonym(s): *overdijkinki Corbet,1941* _ Range (in code): **ID Ja**
- 11349. Arhopala overdijkinki unda (Evans,1957)** (Lycaenidae) Synonym(s): *unda Evans,1957*
Range (in code): **MY**
- 11350. Arhopala paraganesa (De Nicéville,1882)** (Lycaenidae) Synonym(s): *paraganesa De Nicéville,1882* _ Range (in code): **PH Pal IN NP SI Ass MM TH Chy CMa Loe Nrt**
- 11351. Arhopala paraganesa dusunensis Barlow, Banks & Holloway** (Lycaenidae) Synonym(s): _ Range (in code): **MY Bor**
- 11352. Arhopala paraganesa hammon Fruhstorfer,1914** (Lycaenidae) Synonym(s): *hammon Fruhstorfer,1914* _ Range (in code): **ID Ja**
- 11353. Arhopala paraganesa mendava Corbet,1941** (Lycaenidae) Synonym(s): *mendava Corbet,1941* _ Range (in code): **MY**
- 11354. Arhopala paraganesa paraganesa (De Nicéville,1882)** (Lycaenidae) Synonym(s): *paraganesa De Nicéville,1882* _ Range (in code): **IN NP SI**
- 11355. Arhopala paraganesa tomokoae Hayashi,1976** (Lycaenidae) Synonym(s): *tomokoae Hayashi,1976* _ Range (in code): **PH Pal**
- 11356. Arhopala paraganesa zephyretta Doherty,1891** (Lycaenidae) Synonym(s): *zephyretta Doherty,1891* _ Range (in code): **IN Ass MM TH Chy CMa Loe Nrt**
- 11357. Arhopala paralea (Evans,[1925])** (Lycaenidae) Synonym(s): *paralea Evans,[1925]*
Range (in code): **IN Ass Mpr MM TH CMa Loe**
- 11358. Arhopala paramuta De Nicéville,1883** (Lycaenidae) Synonym(s): *paramuta De Nicéville,1883* _ Range (in code): **TW IN Ass SI MM TH CMa CN**
- 11359. Arhopala paramuta horishana Matsumura,1910** (Lycaenidae) Synonym(s): *horishana Matsumura,1910* _ Range (in code): **TW**
- 11360. Arhopala paramuta paramuta De Nicéville,1883** (Lycaenidae) Synonym(s): *paramuta De Nicéville,1883* _ Range (in code): **IN Ass SI MM TH CMa CN**
- 11361. Arhopala perimuta (Moore,[1858])** (Lycaenidae) Synonym(s): *perimuta Moore,[1858]*
Range (in code): **MM Mrg TH Nst MY SI IN Ass**
- 11362. Arhopala perimuta perimuta (Moore,[1858])** (Lycaenidae) Synonym(s): *perimuta Moore,[1858]* _ Range (in code): **SI IN Ass MM TH**
- 11363. Arhopala perimuta regina Corbet,1941** (Lycaenidae) Synonym(s): *regina Corbet,1941; linta Corbet,1941* _ Range (in code): **MM Mrg TH Nst MY**
- 11364. Arhopala phaenops C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *phaenops C.Felder & R.Felder,[1865]* _ Range (in code): **TH Rng PH Pal Boh CmL CmM Luz Mdo Mno Taw Bas**
- 11365. Arhopala phaenops detrita Staudinger,1889** (Lycaenidae) Synonym(s): *detrita Staudinger,1889* _ Range (in code): **PH Pal**
- 11366. Arhopala phaenops phaenops C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *phaenops C.Felder & R.Felder,[1865]* _ Range (in code): **PH Boh CmL CmM Luz Mdo Mno**

- 11367. Arhopala phaenops sandakani Bethune-Baker,1896** (Lycaenidae) **Synonym(s):** *sandakani Bethune-Baker,1896* - Range (in code): **TH Rng PH Taw**
- 11368. Arhopala phaenops termerion Fruhstorfer,1914** (Lycaenidae) **Synonym(s):** *termerion Fruhstorfer,1914* - Range (in code): **PH Bas**
- 11369. Arhopala phanda Corbet,1941** (Lycaenidae) **Synonym(s):** *phanda Corbet,1941* - Range (in code): **SG TH Cbi Rng Yal Nst Ths Sya Sgk Hya Tnc MY ID Sum Bor**
- 11370. Arhopala pseudocentaurus Doubleday,1847** (Lycaenidae) **Synonym(s):** *pseudocentaurus Doubleday,1847* - Range (in code): **PH Bab Cuy Din Dum Hom Ley Luz Mar Mas Mdo Mno Pol Sam Sib Taw MM TH CMA Cuo Cuo7 Rng Tng Bnk Sbu Pkk Nst Sgk Hya Tnc VN CN Hn ID Sum IN Ass SI Adm ID Btu Ja MY Lkw P-T** Bionomy: Larva on flower of *Mangifera indica* (Anacardiaceae) [mango], *Eugenia* (Myrtaceae) [rose apple] (Lewvanich,2001).
- 11371. Arhopala pseudocentaurus aglais C.Felder & R.Felder,[1865]** (Lycaenidae) **Synonym(s):** *aglais C.Felder & R.Felder,[1865]; setsuroi Hayashi,1981* - Range (in code): **PH Bab Cuy Din Dum Hom Ley Luz Mar Mas Mdo Mno Pol Sam Sib Taw**
- 11372. Arhopala pseudocentaurus amazona (Pagenstecher,1890)** (Lycaenidae) **Synonym(s):** *amazona Pagenstecher,1890* - Range (in code): **ID Ja**
- 11373. Arhopala pseudocentaurus centenius Fruhstorfer** (Lycaenidae) **Synonym(s):** *centenius Fruhstorfer* - Range (in code): **ID Btu**
- 11374. Arhopala pseudocentaurus coruscans Wood-Mason & De Nicéville,1881** (Lycaenidae) **Synonym(s):** *coruscans Wood-Mason & De Nicéville,1881* - Range (in code): **IN Adm**
- 11375. Arhopala pseudocentaurus dixonii Eliot,1978** (Lycaenidae) **Synonym(s):** *dixonii Eliot,1978* - Range (in code): **P-T ID**
- 11376. Arhopala pseudocentaurus nakula (C.Felder & R.Felder,1860)** (Lycaenidae) **Synonym(s):** *nakula C.Felder & R.Felder,1860* - Range (in code): **TH CMA Cuo Cuo7 Rng Tng Bnk Sbu Pkk Nst Sgk Hya Tnc MY Lkw** Bionomy: Larva on flower of *Mangifera indica* (Anacardiaceae) [mango], *Eugenia* (Myrtaceae) [rose apple] (Lewvanich,2001).
- 11377. Arhopala pseudocentaurus pirithous Moore,1883** (Lycaenidae) **Synonym(s):** *pirithous Moore,1883* - Range (in code): **IN Ass SI**
- 11378. Arhopala pseudocentaurus pseudocentaurus Doubleday,1847** (Lycaenidae) **Synonym(s):** *pseudocentaurus Doubleday,1847* - Range (in code): **MM TH VN CN Hn ID Sum**
- 11379. Arhopala pseudomuta (Staudinger,1889)** (Lycaenidae) **Synonym(s):** *pseudomuta Staudinger,1889; rafflesii De Nicéville,1890; epibata Corbet,1948* - Range (in code): **MY Lkw MM Mrg TH Rng SG ID Sum Bor**
- 11380. Arhopala pseudomuta ariavana Corbet,1941** (Lycaenidae) **Synonym(s):** *ariavana Corbet,1941* - Range (in code): **MY Lkw MM Mrg TH Rng**
- 11381. Arhopala pseudomuta contra (Evans,1957)** (Lycaenidae) **Synonym(s):** *contra Evans,1957* - Range (in code): **MY ID Sum Bor**
- 11382. Arhopala pseudomuta pseudomuta (Staudinger,1889)** (Lycaenidae) **Synonym(s):** *pseudomuta Staudinger,1889; rafflesii De Nicéville,1890; epibata Corbet,1948* - Range (in code): **MY SG**
- 11383. Arhopala rama (Kollar,[1844])** (Lycaenidae) **Synonym(s):** *rama Kollar,[1844]* Original Reference: Thecla rama Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf.4, figs.1,2. Type(s): Kaschmir. Range (in code): **Ch PK Dew Haz Mre Thu SI NP IN Ass MM TH CMA CN**
- 11384. Arhopala rama rama (Kollar,[1844])** (Lycaenidae) **Synonym(s):** *rama Kollar,[1844]* Original Reference: Thecla rama Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf.4, figs.1,2. Type(s): Kaschmir. Range (in code): **Ch PK Dew Haz Mre Thu SI NP IN Ass MM CN**
- 11385. Arhopala rama ramosa (Evans,[1925])** (Lycaenidae) **Synonym(s):** *ramosa Evans,[1925]* Original Reference: Amblypodia rama ssp. ramosa Evans,[1925], J. Bombay nat. Hist. Soc. 30: 634, fig. Range (in code): **TH CMA**
- 11386. Arhopala rudepoema Seki,1994** (Lycaenidae) **Synonym(s):** *rudepoema Seki,1994* Range (in code): **PH Ley Mar Mdo Mno Neg Pal**
- 11387. Arhopala sakaguchii Hayashi,1981** (Lycaenidae) **Synonym(s):** *sakaguchii Hayashi,1981* Range (in code): **PH Neg**
- 11388. Arhopala sanghira Bethune-Baker,1897** (Lycaenidae) **Synonym(s):** *sanghira Bethune-Baker,1897* - Range (in code): **ID Sgr**
- 11389. Arhopala sceva Bethune-Baker,1903** (Lycaenidae) **Synonym(s):** *sceva Bethune-Baker,1903* - Range (in code): **ID Sum Bor MY**

- 11390. Arhopala sceva indra Evans,1957** (Lycaenidae) Synonym(s): *indra Evans,1957* - Range (in code): Bor MY
- 11391. Arhopala sceva sceva Bethune-Baker,1903** (Lycaenidae) Synonym(s): *sceva Bethune-Baker,1903* - Range (in code): ID Sum
- 11392. Arhopala selta (Hewitson,1869)** (Lycaenidae) Synonym(s): *selta Hewitson,1869* - Range (in code): IN Adm MM Mrg MY TH Rng Tng Yal Nst ID? ?Sum PH Taw
- 11393. Arhopala selta constanceae De Nicéville** (Lycaenidae) Synonym(s): - Range (in code): IN Adm
- 11394. Arhopala selta hislopi Eliot,1962** (Lycaenidae) Synonym(s): *hislopi Eliot,1962* - Range (in code): PH Taw
- 11395. Arhopala selta selta (Hewitson,1869)** (Lycaenidae) Synonym(s): *selta Hewitson,1869* - Range (in code): MM Mrg MY TH Rng Tng Yal Nst ID? ?Sum
- 11396. Arhopala semperi Bethune-Baker,1896** (Lycaenidae) Synonym(s): *semperi Bethune-Baker,1896* - Range (in code): MY Bor
- 11397. Arhopala semperi russelli Eliot,1962** (Lycaenidae) Synonym(s): *russelli Eliot,1962* - Range (in code): MY
- 11398. Arhopala semperi semperi Bethune-Baker,1896** (Lycaenidae) Synonym(s): *semperi Bethune-Baker,1896* - Range (in code): MY Bor
- 11399. Arhopala siabra Corbet,1941** (Lycaenidae) Synonym(s): *siabra Corbet,1941* - Range (in code): ID Pla
- 11400. Arhopala silhetensis (Hewitson,1862)** (Lycaenidae) Synonym(s): *silhetensis Hewitson,1862* - Range (in code): PH Ley Luz Mar Mdo Mno Neg MY IN SI Ass Mpr Mrg TH CMA CDo Rng Tuo Tng Yal Nst Lsa Sgk Hya Tnc VN ID Ja SG Sum Bor
- 11401. Arhopala silhetensis adorea De Nicéville,1890** (Lycaenidae) Synonym(s): *De Nicéville,1890* - Range (in code): TH Tuo Tng Yal Nst Lsa Sgk Hya Tnc MY SG ID Sum Bor
- 11402. Arhopala silhetensis fundania Fruhstorfer,1934** (Lycaenidae) Synonym(s): *fundania Fruhstorfer,1934* - Range (in code): ID Ja
- 11403. Arhopala silhetensis philippina Hayashi,1981** (Lycaenidae) Synonym(s): *philippina Hayashi,1981* - Range (in code): PH Ley Luz Mar Mdo Mno Neg
- 11404. Arhopala silhetensis silhetensis (Hewitson,1862)** (Lycaenidae) Synonym(s): *silhetensis Hewitson,1862* - Range (in code): MY IN SI Ass Mpr Mrg TH CMA CDo Rng VN
- 11405. Arhopala similis Druce,1895** (Lycaenidae) Synonym(s): *similis Druce,1895* - Range (in code): TH Yal MY ID Sum Bor Lgg
- 11406. Arhopala singla De Nicéville,1885** (Lycaenidae) Synonym(s): *singla De Nicéville,1885* - Range (in code): IN SI MM TH CMA Loe BT NP Ass CN
- 11407. Arhopala sintanga Corbet,1948** (Lycaenidae) Synonym(s): *sintanga Corbet,1948* - Range (in code): MY Bor
- 11408. Arhopala sintanga sintanga Corbet,1948** (Lycaenidae) Synonym(s): *sintanga Corbet,1948* - Range (in code): MY Bor
- 11409. Arhopala sintanga tani Eliot,1992** (Lycaenidae) Synonym(s): *tani Eliot,1992* - Range (in code): MY
- 11410. Arhopala staudingeri Semper,1890** (Lycaenidae) Synonym(s): *staudingeri Semper,1890* - Range (in code): PH Luz Boh Ley Mno Pao Sam Neg
- 11411. Arhopala staudingeri castagnedai Osada & Hashimoto,1987** (Lycaenidae) Synonym(s): *castagnedai Osada & Hashimoto,1987* - Range (in code): PH Luz
- 11412. Arhopala staudingeri negrosiana Hayashi,1981** (Lycaenidae) Synonym(s): *negrosiana Hayashi,1981* - Range (in code): PH Neg
- 11413. Arhopala staudingeri staudingeri Semper,1890** (Lycaenidae) Synonym(s): *staudingeri Semper,1890* - Range (in code): PH Boh Ley Mno Pao Sam
- 11414. Arhopala stinga (Evans,1957)** (Lycaenidae) Synonym(s): *stinga Evans,1957* - Range (in code): MY
- 11415. Arhopala stubbsi Eliot,1962** (Lycaenidae) Synonym(s): *stubbsi Eliot,1962* - Range (in code): MY
- 11416. Arhopala sublustris Bethune-Baker,1904** (Lycaenidae) Synonym(s): *sublustris Bethune-Baker,1904* - Range (in code): PH Taw MY SG Lkw ID Sum Ja Bor Nat? Mw MM TH Chi Kbi Tng Nst Ths Sya
- 11417. Arhopala sublustris karnyi Corbet,1941** (Lycaenidae) Synonym(s): *karnyi Corbet,1941* - Range (in code): ID Mw

- 11418. Arhopala sublustris ralanda Corbet,1941** (Lycaenidae) Synonym(s): *ralanda Corbet,1941* _ Range (in code): MM TH Nst Ths Sya
- 11419. Arhopala sublustris ridleyi Corbet,1941** (Lycaenidae) Synonym(s): *ridleyi Corbet,1941* _ Range (in code): MY SG Lkw TH Cbi Kbi Tng
- 11420. Arhopala sublustris sublustris Bethune-Baker,1904** (Lycaenidae) Synonym(s): *sublustris Bethune-Baker,1904* _ Range (in code): PH Taw ID Sum Ja Bor Nat?
- 11421. Arhopala tameanga Bethune-Baker,1896** (Lycaenidae) Synonym(s): *tameanga Bethune-Baker,1896* _ Range (in code): MY Bor
- 11422. Arhopala tephelis Hewitson,1869** (Lycaenidae) Synonym(s): *tephelis Hewitson,1869* _ Range (in code): ID Clb PH Bab Boh Cal Ceb Luz Mno Pal Sam Sib
- 11423. Arhopala tephelis bicolora Röber,1886** (Lycaenidae) Synonym(s): *bicolora Röber,1886* _ Range (in code): ID Clb
- 11424. Arhopala tephelis unnoi Hayashi,1976** (Lycaenidae) Synonym(s): *unnoi Hayashi,1976* _ Range (in code): PH Bab Boh Cal Ceb Luz Mno Pal Sam Sib
- 11425. Arhopala theba Hewitson,1863** (Lycaenidae) Synonym(s): *theba Hewitson,1863* _ Range (in code): PH Ley Luz Mar Mdo Mno Neg Pan Sam
- 11426. Arhopala tindongani Nuyda & Takanami,1990** (Lycaenidae) Synonym(s): *tindongani Nuyda & Takanami,1990* _ Range (in code): PH Luz
- 11427. Arhopala trionocea Semper,1890** (Lycaenidae) Synonym(s): *trionocea Semper,1890* _ Range (in code): PH Ley Luz Mar Mno Sam
- 11428. Arhopala trogon (Distant,1884)** (Lycaenidae) Synonym(s): *trogon Distant,1884* _ Range (in code): MY SG Bor ID Sum
- 11429. Arhopala tropaea Corbet,1941** (Lycaenidae) Synonym(s): *tropaea Corbet,1941* _ Range (in code): MY TH Nst
- 11430. Arhopala varro Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *varro Fruhstorfer,[1914]* _ Range (in code): MM Krh
- 11431. Arhopala varro selama (Eliot,1959)** (Lycaenidae) Synonym(s): *selama Eliot,1959* _ Range (in code): MY
- 11432. Arhopala varro varro Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *varro Fruhstorfer,[1914]* _ Range (in code): MY
- 11433. Arhopala vihara (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *vihara C.Felder & R.Felder,1860* _ Range (in code): TH Rng Tng Ntt SPa MM Mrg MY Lkw ID Sum Nat Bor Nia? Pgi
- 11434. Arhopala vihara hirava Corbet,1941** (Lycaenidae) Synonym(s): *hirava Corbet,1941* _ Range (in code): TH Rng Tng Ntt SPa MM Mrg MY Lkw
- 11435. Arhopala vihara pagia Corbet,1941** (Lycaenidae) Synonym(s): *pagia Corbet,1941* _ Range (in code): ID Pgi
- 11436. Arhopala vihara vihara (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *vihara C.Felder & R.Felder,1860* _ Range (in code): ID Sum MY Nat Bor Nia?
- 11437. Arhopala weelii Piepers & Snellen,1918** (Lycaenidae) Synonym(s): *weelii Piepers & Snellen,1918* _ Range (in code): ID Ja
- 11438. Arhopala wildeyana Corbet,1941** (Lycaenidae) Synonym(s): *wildeyana Corbet,1941* _ Range (in code): TH Tuo MY Lkw SG
- 11439. Arhopala wildeyana havea Corbet,1941** (Lycaenidae) Synonym(s): *havea Corbet,1941* _ Range (in code): TH Tuo MY Lkw
- 11440. Arhopala wildeyana wildeyana Corbet,1941** (Lycaenidae) Synonym(s): *wildeyana Corbet,1941* _ Range (in code): SG MY
- 11441. Arhopala zambra Swinhoe,[1911]** (Lycaenidae) Synonym(s): *zambra Swinhoe,[1911]* _ Range (in code): PH Mdo Ley Mno Neg MY MM TH CMa Nst Rng Tng Yal ID Sum Nia Ja Bor Baw Bgk
- 11442. Arhopala zambra kitamurai Seki,1994** (Lycaenidae) Synonym(s): *kitamurai Seki,1994* _ Range (in code): PH Mdo
- 11443. Arhopala zambra plateni Evans,1957** (Lycaenidae) Synonym(s): *plateni Evans,1957* _ Range (in code): PH Ley Mno
- 11444. Arhopala zambra triviata Seki,1994** (Lycaenidae) Synonym(s): *triviata Seki,1994* _ Range (in code): PH Neg
- 11445. Arhopala zambra zambra Swinhoe,[1911]** (Lycaenidae) Synonym(s): *zambra Swinhoe,[1911]* _ Range (in code): MY MM TH CMa Nst Rng Tng Yal ID Sum Nia Ja Bor Baw Bgk

- 11446. Arhopala zeta Moore,1878** (Lycaenidae) Synonym(s): *zeta Moore,1878* _ Range (in code): IN Adm
- 11447. Arhopala zylda Corbet,1941** (Lycaenidae) Synonym(s): *zylda Corbet,1941* _ Range (in code): MY ID Sum
- 11448. Arhopala zylda elioti Corbet,1941** (Lycaenidae) Synonym(s): *elioti Corbet,1941* _ Range (in code): MY
- 11449. Arhopala zylda zylda Corbet,1941** (Lycaenidae) Synonym(s): *zylda Corbet,1941* _ Range (in code): ID Sum
- 11450. Artipe anna (Druce,1896)** (Lycaenidae) Synonym(s): *anna Druce,1896* _ Range (in code): MY
- 11451. Artipe anna anna (Druce,1896)** (Lycaenidae) Synonym(s): *anna Druce,1896* _ Range (in code): MY
- 11452. Artipe eryx (Linnaeus,1771)** (Lycaenidae) Synonym(s): *eryx Linnaeus,1771* _ Range (in code): SI IN MM Adm TH CMa CDo Nrt MY
- 11453. Artipe eryx eryx (Linnaeus,1771)** (Lycaenidae) Synonym(s): *eryx Linnaeus,1771* _ Range (in code): SI IN MM Adm TH CMa CDo Nrt
- 11454. Artipe eryx excellens Eliot,1959** (Lycaenidae) Synonym(s): *excellens Eliot,1959* _ Range (in code): MY
- 11455. Artopoetes pryeri (Murray,1873)** (Lycaenidae) Synonym(s): *pryeri Murray,1873*
Original Reference: *Lycaena pryeri* Murray,1873, *Entomologist's mon. Mag.* 10: 126. Type(s): Japonia. Range (in code): JP RU Vv
- 11456. Artopoetes pryeri pryeri (Murray,1873)** (Lycaenidae) Synonym(s): *pryeri Murray,1873*
Original Reference: *Lycaena pryeri* Murray,1873, *Entomologist's mon. Mag.* 10: 126. Type(s): Japonia. Range (in code): JP RU Vv
- 11457. Aslauga arbi Collins & Libert,1997** (Lycaenidae) Synonym(s): *arbi Collins & Libert,1997*
- 11458. Aslauga atrophifurca Cottrell,1981** (Lycaenidae) Synonym(s): *atrophifurca Cottrell,1981* _ Range (in code): ZW Vum Har
- 11459. Aslauga aura Druce,1913** (Lycaenidae) Synonym(s): *aura Druce,1913* _ Range (in code): CM Bit GA
- 11460. Aslauga australis Cottrell,1981** (Lycaenidae) Synonym(s): *australis Cottrell,1981* _ Range (in code): ZA Ec Stj Tra Nta Kzu Dbn Elo
- 11461. Aslauga bella Bethune-Baker,1914** (Lycaenidae) Synonym(s): *bella Bethune-Baker,1914* _ Range (in code): NG Lgo
- 11462. Aslauga bitjensis Bethune-Baker,1925** (Lycaenidae) Synonym(s): *bitjensis Bethune-Baker,1925* _ Range (in code): CM Bit
- 11463. Aslauga camerunica Stempffer,1969** (Lycaenidae) Synonym(s): *camerunica Stempffer,1969* _ Range (in code): CM
- 11464. Aslauga lamborni Bethune-Baker,1914** (Lycaenidae) Synonym(s): *lamborni Bethune-Baker,1914* _ Range (in code): CI SL UG NG Lgo Bionomy: Larva carnivorous on coccids (*Stictococcus*), associated with *Crematogaster* ants (Ackery et al.,1995).
- 11465. Aslauga latifurca Cottrell,1981** (Lycaenidae) Synonym(s): *latifurca Cottrell,1981* _ Range (in code): ZM MW KE Bionomy: Larva carnivorous on young membracids and coccids (Ackery et al.,1995).
- 11466. Aslauga marshalli Butler,1899** (Lycaenidae) Synonym(s): *marshalli Butler,1899*, *marginaria* Talbot,1937 _ Range (in code): ZM TZ KE UG BI ZR CF AO ZW Har MZ
- 11467. Aslauga modesta Schultze,1923** (Lycaenidae) Synonym(s): *modesta Schultze,1923* _ Range (in code): CM
- 11468. Aslauga orientalis Cottrell,1981** (Lycaenidae) Synonym(s): *orientalis Cottrell,1981* _ Range (in code): TZ KE Bionomy: Larva carnivorous on coccids and associated with ants (Ackery et al.,1995).
- 11469. Aslauga pandora Druce,1913** (Lycaenidae) Synonym(s): *pandora Druce,1913* _ Range (in code): UG CG ZR CM
- 11470. Aslauga purpurascens Holland,1890** (Lycaenidae) Synonym(s): *purpurascens Holland,1890* _ Range (in code): GA Ogo CG ZR Bionomy: Larva carnivorous on coccids, membracids, psyllids (Ackery et al.,1995).
- 11471. Aslauga vininga (Hewitson,1875)** (Lycaenidae) Synonym(s): *vininga Hewitson,1875*; *marginata* Plötz,1880; *marginalis* Kirby,1890; *subfulvida* Holland,1890 _ Range (in code): GA Ogo GO Bio

- SL NG ZR LR GH** Bionomy: Larva carnivorous on coccids, pseudococcids and associated with ants (Ackery et al.,1995).
- 11472. *Athysanota ornata* (Mabille,1890)** (Lycaenidae) Synonym(s): *ornata* Mabille,1890; *pseudosoyauxii* Ehrmann,1894 Range (in code): **LR NG CM GO GA CG ZR UG TZ**
- 11473. *Athysanota ornata flava* (Holland,1920)** (Lycaenidae) Synonym(s): *flava* Holland,1920 Range (in code): **GO**
- 11474. *Athysanota ornata ornata* (Mabille,1890)** (Lycaenidae) Synonym(s): *ornata* Mabille,1890; *pseudosoyauxii* Ehrmann,1894 Range (in code): **LR NG CM**
- 11475. *Athysanota ornata vestalis* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *vestalis* Aurivillius,1895 Range (in code): **CM GA CG ZR UG TZ**
- 11476. *Atlides atys* (Cramer,1779)** (Lycaenidae) Synonym(s): *atys* Cramer,1779; *scamander* Hübner,[1819] Range (in code): **SR**
- 11477. *Atlides bacis* (Godman & Salvin,1887)** (Lycaenidae) Synonym(s): *bacis* Godman & Salvin,1887; *vulnerata* Staudinger,1888; *melidor* Druce,1909 Range (in code): **PA CO PE**
- 11478. *Atlides browni* Constantino, Salazar & K.Johnson,1993** (Lycaenidae) Synonym(s): *browni* Constantino, Salazar & K.Johnson,1993 Range (in code): **CO**
- 11479. *Atlides carpasia* (Hewitson,1868)** (Lycaenidae) Synonym(s): *carpasia* Hewitson,1868 Range (in code): **MX**
- 11480. *Atlides cosa* (Hewitson,1867)** (Lycaenidae) Synonym(s): *cosa* Hewitson,1867
- 11481. *Atlides gaumeri* (Godman,1901)** (Lycaenidae) Synonym(s): *gaumeri* Godman,1901 Range (in code): **MX**
- 11482. *Atlides halesus* (Cramer,1777)** (Lycaenidae) Synonym(s): *halesus* Cramer,1777; *dolichos* Hübner,1823; *juanita* Scudder,1868; *cynara* Godman & Salvin,1887; *#corcorani* Gunder,1934; *#estesi* Clench,1942 Range (in code): **US MX Aks Alb Arz Cf Col Dw Fl Ge Il In Kan Knt Lou Mis Mrl Mss NCa NMx Ne Nje Ny Oh Ok Org Tnn Tx Ut Vi WVi**
- 11483. *Atlides havila* (Hewitson,1878)** (Lycaenidae) Synonym(s): *havila* Hewitson,1878 Range (in code): **CO**
- 11484. *Atlides inachus* (Cramer,1775)** (Lycaenidae) Synonym(s): *inachus* Cramer,1775; *baeton* Sepp,[1829]; *carpophora* Hewitson,1868 Range (in code): **SR MX**
- 11485. *Atlides misma* D'Abrera,1995** (Lycaenidae) Synonym(s): *misma* D'Abrera,1995 Range (in code): **BR**
- 11486. *Atlides polama* (Schaus,1902)** (Lycaenidae) Synonym(s): *polama* Schaus,1902 Range (in code): **BR Rja**
- 11487. *Atlides polybe* (Linnaeus,1763)** (Lycaenidae) Synonym(s): *polybe* Linnaeus,1763
- 11488. *Atlides rustan* (Stoll,1780)** (Lycaenidae) Synonym(s): *rustan* Stoll,1780; *macaria* Swainson,1822 Range (in code): **BR**
- 11489. *Atlides sp.n.*** (Lycaenidae) Synonym(s): Range (in code): **PE**
- 11490. *Atlides sp.n.*** (Lycaenidae) Synonym(s): Range (in code): **CO**
- 11491. *Atlides sp.n.*** (Lycaenidae) Synonym(s): Range (in code): **CR**
- 11492. *Atlides sp.n.*** (Lycaenidae) Synonym(s): Range (in code): **SR**
- 11493. *Atlides sp.n.*** (Lycaenidae) Synonym(s): Range (in code): **BR Bah**
- 11494. *Atlides zava* (Hewitson,1878)** (Lycaenidae) Synonym(s): *zava* Hewitson,1878; *#iracema* J.Zikan & W.Zikan,1968 Range (in code): **BR Rja**
- 11495. *Austrozephyrus absolon* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *absolon* Hewitson,[1865] Range (in code): **MY Pah ID Ja Sum**
- 11496. *Austrozephyrus absolon absolon* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *absolon* Hewitson,[1865] Range (in code): **ID Ja**
- 11497. *Austrozephyrus absolon malayicus* (Pendlebury,1939)** (Lycaenidae) Synonym(s): *malayicus* Pendlebury,1939; *#albifasciatus* Howarth,1957 Range (in code): **MY Pah**
- 11498. *Austrozephyrus absolon thamar* (Toxopeus,1935)** (Lycaenidae) Synonym(s): *thamar* Toxopeus,1935 Range (in code): **ID Sum**
- 11499. *Austrozephyrus borneanus* Pendlebury,1939** (Lycaenidae) Synonym(s): *borneanus* Pendlebury,1939 Range (in code): **MY Bor**
- 11500. *Austrozephyrus reginae* Schröder & Treadaway,1982** (Lycaenidae) Synonym(s): *reginae* Schröder & Treadaway,1982 Range (in code): **PH Pal**
- 11501. *Axiocerses amanga* (Westwood,1881)** (Lycaenidae) Synonym(s): *amanga* Westwood,1881; *mendeche* Grose-Smith,1889. Original Reference: *Zeritis amanga* Westwood,1881,

- [in] Oates' Matabeleland: 351. Type: [Zimbabwe]: "Gwailo River". Range (in code): **NA AO CM NG ZW KE CM ZA Kzu Mpu Brb Mgl Wm Nel Wri Gau Pre Lpo Tva Spb Slp Mdk Kru Pma MZ ZM TZ**
- 11502. *Axiocerses amanga amanga* (Westwood,1881)** (Lycaenidae) Synonym(s): *amanga* Westwood,1881; *mendeche* Grose-Smith,1889. Original Reference: Zeritis *amanga* Westwood,1881, [in] Oates' Matabeleland: 351. Type: [Zimbabwe]: "Gwailo River". Range (in code): **ZA ZW Kzu Mpu Brb Mgl Wm Nel Wri Gau Pre Lpo Tva Spb Slp Mdk Kru Pma MZ ZM KE TZ** Bionomy: Larva on *Ximenia americana* in Kenya, *X. caffra* in Transvaal (Oleaceae) (Jackson & Bampton ex Pringle et al.,1994: 175).
- 11503. *Axiocerses amanga baumi* Weymer,1901** (Lycaenidae) Synonym(s): *baumi* Weymer,1901 Range (in code): **NA AO**
- 11504. *Axiocerses amanga borealis* Aurivillius,1915** (Lycaenidae) Synonym(s): *borealis* Aurivillius,1915 Range (in code): **CM NG**
- 11505. *Axiocerses argenteomaculata* Pagenstecher,1902** (Lycaenidae) Synonym(s): *argenteomaculata* Pagenstecher,1902 Range (in code): **ET**
- 11506. *Axiocerses bambana* Grose-Smith,1900** (Lycaenidae) Synonym(s): *bambana* Grose-Smith,1900 Range (in code): **ZM ZR TZ**
- 11507. *Axiocerses bambana bambana* Grose-Smith,1900** (Lycaenidae) Synonym(s): *bambana* Grose-Smith,1900 Range (in code): **TZ**
- 11508. *Axiocerses bambana orichalcea* Henning & Henning,1996** (Lycaenidae) Synonym(s): *orichalcea* Henning & Henning,1996 Original Reference: *Axiocerses bambana* ssp. *orichalcea* Henning & Henning,1996, *Metamorphosis Suppl.*1: 20-21, figs. Holotype ♂: Zambia: Mkushi (A.Heath leg.) (TMP). Range (in code): **ZM ZR**
- 11509. *Axiocerses bamptoni* Henning & Henning,1996** (Lycaenidae) Synonym(s): *bamptoni* Henning & Henning,1996. Original Reference: *Axiocerses bamptoni* Henning & Henning,1996, *Metamorphosis Suppl.*1: 33-34, figs. Holotype ♂: Malawi: Mulanje Crater (TMP). Range (in code): **MW**
- 11510. *Axiocerses callaghani* Henning & Henning,1996** (Lycaenidae) Synonym(s): *callaghani* Henning & Henning,1996 Original Reference: *Axiocerses callaghani* Henning & Henning,1996, *Metamorphosis Suppl.*1: 11, figs. Holotype ♂: Nigeria: Agbara Estate, Ogun State, 20.iii.1988 (C.J.Callaghan leg.) (TMP). Range (in code): **NG**
- 11511. *Axiocerses coalescens* Henning & Henning,1996** (Lycaenidae) Synonym(s): *coalescens* Henning & Henning,1996 Original Reference: *Axiocerses coalescens* Henning & Henning,1996, *Metamorphosis Suppl.*1: 27-28, figs. Holotype ♂: Zambia: Mitundu South, Mufulira (TMP). Range (in code): **ZM ZW TZ MW MZ ZA Gau Lpo Tva Mal Wb Mll**
- 11512. *Axiocerses collinsi* Henning & Henning,1996** (Lycaenidae) Synonym(s): *collinsi* Henning & Henning,1996. Original Reference: *Axiocerses collinsi* Henning & Henning,1996, *Metamorphosis Suppl.*1: 34-36, figs. Holotype ♂: Kenya: Shimba Hills (TMP). Range (in code): **KE**
- 11513. *Axiocerses croesus* (Trimen,1862)** (Lycaenidae) Synonym(s): *croesus* Trimen,1862 Original Reference: Zeritis *croesus* Trimen,1862, *Trans. ent. Soc. London* 3: 283. Type: [South Africa]: "King Williams Town" (Type could not be found (Henning & Henning,1996)). Range (in code): **ZA Ec Kzu**
- 11514. *Axiocerses harpax* (Fabricius,1775)** (Lycaenidae) Synonym(s): *harpax* Fabricius,1775; *perion* Stoll,[1782]; *piscatoris* Clench,1943. Original Reference: *Papilio harpax* Fabricius,1775, *Syst. Ent., App.*: 809. Type(s): Africa. Range (in code): **Ad As BF CM Dh DJ ET GN Hd KE NG OM SA SD SN SO TZ UG YE ZR LR TG CI ML**
- 11515. *Axiocerses harpax efulena* Clench,1963** (Lycaenidae) Synonym(s): *efulena* Clench,1963 Range (in code): **CM**
- 11516. *Axiocerses harpax harpax* (Fabricius,1775)** (Lycaenidae) Synonym(s): *harpax* Fabricius,1775; *perion* Stoll,[1782]; *piscatoris* Clench,1943. Original Reference: *Papilio harpax* Fabricius,1775, *Syst. Ent., App.*: 809. Type(s): Africa. Range (in code): **GN NG LR TG CI ML**
- 11517. *Axiocerses harpax kadugli* Talbot,1935** (Lycaenidae) Synonym(s): *kadugli* Talbot,1935. Original Reference: *Axiocerses harpax* f. ? race *kadugli* Talbot,1935, *Entomologist's mon. Mag.* 71: 120, pl.ii fig.9. Type ♂: Sudan: Kadugli, Nuba Hills between el Obeid and lake No. Range (in code): **Ad As BF Dh DJ Hd OM SA SD SN SO YE**
- 11518. *Axiocerses harpax ugandana* Clench,1963** (Lycaenidae) Synonym(s): *ugandana* Clench,1963 Range (in code): **UG ZR KE TZ**

- 11519. *Axiocerses heathi* Henning & Henning,1996** (Lycaenidae) Synonym(s): *heathi* Henning & Henning,1996 Original Reference: *Axiocerses heathi* Henning & Henning,1996, *Metamorphosis Suppl.*1: 23, figs. Holotype ♂: Zambia: Ikelenge (TMP). Range (in code): **ZM**
- 11520. *Axiocerses jacksoni* Stempffer,1948** (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1948 Range (in code): **ET SO KE**
- 11521. *Axiocerses karinae* Henning & Henning,1996** (Lycaenidae) Synonym(s): *karinae* Henning & Henning,1996 Original Reference: *Axiocerses karinae* Henning & Henning,1996, *Metamorphosis Suppl.*1: 28-29, figs. Holotype ♂: Malawi: Dzalanyama Forest Reserve (TMP). Range (in code): **MW**
- 11522. *Axiocerses kiellandi* Henning & Henning,1996** (Lycaenidae) Synonym(s): *kiellandi* Henning & Henning,1996. Original Reference: *Axiocerses kiellandi* Henning & Henning,1996, *Metamorphosis Suppl.*1: 32-33, figs. Holotype ♂: Tanzania: Ifakara, Masagati Forest (TMP). Range (in code): **TZ**
- 11523. *Axiocerses maureli* Dufrane,1954** (Lycaenidae) Synonym(s): *maureli* Dufrane,1954 Range (in code): **ET**
- 11524. *Axiocerses melanica* Henning & Henning,1996** (Lycaenidae) Synonym(s): *melanica* Henning & Henning,1996. Original Reference: *Axiocerses melanica* Henning & Henning,1996, *Metamorphosis Suppl.*1: 24, figs. Holotype ♂: Zambia: Kalanghusa River (TMP). Range (in code): **ZM**
- 11525. *Axiocerses melanica aurata* Henning & Henning,1996** (Lycaenidae) Synonym(s): *aurata* Henning & Henning,1996 Original Reference: *Axiocerses melanica* ssp. *aurata* Henning & Henning,1996, *Metamorphosis Suppl.*1: 24-25, figs. Holotype ♂: Zambia: Zambezi Source 5000ft. (TMP). Range (in code): **ZM**
- 11526. *Axiocerses melanica melanica* Henning & Henning,1996** (Lycaenidae) Synonym(s): *melanica* Henning & Henning,1996. Original Reference: *Axiocerses melanica* Henning & Henning,1996, *Metamorphosis Suppl.*1: 24, figs. Holotype ♂: Zambia: Kalanghusa River (TMP). Range (in code): **ZM**
- 11527. *Axiocerses nyika* Quickelberge,1984** (Lycaenidae) Synonym(s): *nyika* Quickelberge,1984 Range (in code): **MW**
- 11528. *Axiocerses punicea* (Grose-Smith,1889)** (Lycaenidae) Synonym(s): *punicea* Grose-Smith,1889 Original Reference: *Chrysorychia punicea* Grose-Smith,1889, *Ann. Mag. nat. Hist.* 3 (6): 134. Type: Kenya: "Neighbourhood of Mombasa, East Coast of Africa". Range (in code): **KE TZ MW Zom ZW MZ ZR**
- 11529. *Axiocerses punicea cruenta* (Trimen,1894)** (Lycaenidae) Synonym(s): *cruenta* Trimen,1894 Original Reference: *Chrysorychia cruenta* Trimen,1894, *Proc. zool. Soc. London* 1894: 55, pl.6 fig.13. Type: [Zimbabwe]: "Mineni Valley". Range (in code): **ZW MZ**
- 11530. *Axiocerses punicea punicea* (Grose-Smith,1889)** (Lycaenidae) Synonym(s): *punicea* Grose-Smith,1889 Original Reference: *Chrysorychia punicea* Grose-Smith,1889, *Ann. Mag. nat. Hist.* 3 (6): 134. Type: Kenya: "Neighbourhood of Mombasa, East Coast of Africa". Range (in code): **KE TZ MW Zom**
- 11531. *Axiocerses styx* Rebel,1908** (Lycaenidae) Synonym(s): *styx* Rebel,1908 Range (in code): **TZ**
- 11532. *Axiocerses susannae* Henning & Henning,1996** (Lycaenidae) Synonym(s): *susannae* Henning & Henning,1996 Original Reference: *Axiocerses susannae* Henning & Henning,1996, *Metamorphosis Suppl.*1: 15-16, figs. Holotype ♂: Zimbabwe: Harare, (Mulin leg.) (TMP). Range (in code): **ZW**
- 11533. *Axiocerses tjoane* (Wallengren,1857)** (Lycaenidae) Synonym(s): *tjoane* Wallengren,1857 Original Reference: *Chrysorychia tjoane* Wallengren,1857, *K. Svensk. vetensk. Handl.* 2 (4): 44. Lectotype ♂: [South Africa]: "Caffraria" (designated by Henning & Henning,1996) (BMNH). Range (in code): **ZA Ec Nca Kzu Nta Lpo Tva Mpu Gau Wb Spb Lj Ptb Sbs Tz Ly SZ MZ AO TZ KE ZM NA MW ZW ZR**
- 11534. *Axiocerses tjoane rubescens* Henning & Henning,1996** (Lycaenidae) Synonym(s): *rubescens* Henning & Henning,1996 Original Reference: *Axiocerses tjoane* ssp. *rubescens* Henning & Henning,1996, *Metamorphosis Suppl.*1: 15, figs. 6,15,34,Pls.1,7,8. Holotype ♂: Zambia: Mwinilunga 1600m 2.xi.1981 (leg.Bampton) (TMP). Range (in code): **ZM ZR**
- 11535. *Axiocerses tjoane tjoane* (Wallengren,1857)** (Lycaenidae) Synonym(s): *tjoane* Wallengren,1857 Original Reference: *Chrysorychia tjoane* Wallengren,1857, *K. Svensk. vetensk.*

- Handl. 2 (4): 44. Lectotype ♂: [South Africa]: "Caffraria" (designated by Henning & Henning, 1996) (BMNH). Range (in code): **ZA Ec Nca Kzu Nta Lpo Tva Mpu Gau Wb Spb Lj Ptb Sbs Tz Ly SZ MZ AO TZ KE ZM NA MW ZW**
- 11536. Azanus (Azanisis) isis (Drury, [1773])** (Lycaenidae) Synonym(s): *isis Drury, [1773]; caeruleoalbus Goeze, [1779]; camillus Cramer, [1780]; isarchus Fabricius, 1793.* Range (in code): **SL GN UG ET ZR AO** Bionomy: Larva on Dichrostachys (Fabaceae) (Ackery et al., 1995).
- 11537. Azanus (s.str.) jesous (Guérin-Méneville, 1849)** (Lycaenidae) Synonym(s): *jesous Guérin-Méneville, 1849; agave Walker, 1870; sigillata Butler, 1876.* Original Reference: Polyommatus jesous Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 383, pl. 11 figs. 3, 4. Type(s): [Ethiopia]: Abyssinie. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM CY Dh DJ EG EH ER ET MA GA GH GM GN Hd Hj IL Pa Hf IR JO KE LB LR LY MR MZ NE NG OM RW SA SD SO SZ TD TG TZ UG YE ZA Tva Lpo Spb Mdk Kru Pma Pf Gau Pre Nta Kzu Wnn ZM ZR ZW MM IN LK** Bionomy: Larva on Fabaceae (Acacia gummifera, Dichrostachys, Medicago, Entada); Prosopis farcta (Ackery et al., 1995; Tolman, 1997).
- 11538. Azanus (s.str.) jesous gamra (Lederer, 1855)** (Lycaenidae) Synonym(s): *gamra Lederer, 1855* Original Reference: Lycaena gamra Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 189, Taf. 1, fig. 3. Type: [Lebanon]: Beirut. Range (in code): **CY IL Pa Hf IR JO LB Bei MM IN LK**
- 11539. Azanus (s.str.) jesous jesous (Guérin-Méneville, 1849)** (Lycaenidae) Synonym(s): *jesous Guérin-Méneville, 1849; agave Walker, 1870; sigillata Butler, 1876.* Original Reference: Polyommatus jesous Guérin-Méneville, 1849, [in] Lefebvre, Voyage en Abyssinie (4) 6 (Zoologie): 383, pl. 11 figs. 3, 4. Type(s): [Ethiopia]: Abyssinie. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ MA EG EH ER ET GA GH GM GN Hd Hj KE LR LY MR MZ NE NG OM RW SA SD SO SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru Pma Pf Mdk Gau Pre Nta Kzu Wnn ZM ZR ZW** Bionomy: Larva on Fabaceae (Acacia gummifera, Dichrostachys, Medicago, Entada); Prosopis farcta (Ackery et al., 1995; Tolman, 1997).
- 11540. Azanus (s.str.) mirza (Plötz, 1880)** (Lycaenidae) Synonym(s): *mirza Plötz, 1880; occidentalis Butler, 1888; #dificiens Dufrane, 1953; #ornata Dufrane, 1953; mirzellus Koçak, 1980 [rejected, Opinion 1478, 1988].* Original Reference: Lycaena mirza Plötz, 1880, Stettin ent. Ztg. 41: 203. Syntypes: Cameroon: Victoria. Range (in code): **CM ZR ET SO KE UG TZ MZ ZA Tva Lpo Spb Mdk Mpu Brb ZM YE** Bionomy: Larva on Fabaceae (Acacia, Dichrostachys), Sapindaceae (Allophylus) [on flowers and buds] (Ackery et al., 1995).
- 11541. Azanus (s.str.) mirza mirza (Plötz, 1880)** (Lycaenidae) Synonym(s): *mirza Plötz, 1880; occidentalis Butler, 1888; #dificiens Dufrane, 1953; #ornata Dufrane, 1953; mirzellus Koçak, 1980 [rejected, Opinion 1478, 1988].* Original Reference: Lycaena mirza Plötz, 1880, Stettin ent. Ztg. 41: 203. Syntypes: Cameroon: Victoria. Range (in code): **CM ZR ET SO KE UG TZ MZ ZA Tva Lpo Spb Mdk Mpu Brb ZM YE** Bionomy: Larva on Fabaceae (Acacia, Dichrostachys), Sapindaceae (Allophylus) [on flowers and buds] (Ackery et al., 1995).
- 11542. Azanus (s.str.) moriqua (Wallengren, 1857)** (Lycaenidae) Synonym(s): *moriqua Wallengren, 1857; benigna Möschler, 1884.* Original Reference: Lycaena moriqua Wallengren, 1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 39. Syntypes: [South Africa]: Caffraria. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW Zom MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Lpo Tva Spb Kru Pma Lj Gau Pre Jh Buf Wb Wv Wel Mpu Brb Nta Kzu Wnn ZM ZR ZW** Bionomy: Larva on Fabaceae (Acacia) [on flowers and buds] (Ackery et al., 1995).
- 11543. Azanus (s.str.) moriqua moriqua (Wallengren, 1857)** (Lycaenidae) Synonym(s): *moriqua Wallengren, 1857; benigna Möschler, 1884.* Original Reference: Lycaena moriqua Wallengren, 1857, K. svenska VetenskAkad. Handl., Stockholm (n.f.) 2 (4): 39. Syntypes: [South Africa]: Caffraria. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW Zom MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Lpo Tva Spb Kru Pma Lj Gau Pre Jh Buf Wb Wv Wel Mpu Brb Nta Kzu Wnn ZM ZR ZW** Bionomy: Larva on Fabaceae (Acacia) [on flowers and buds] (Ackery et al., 1995).
- 11544. Azanus (s.str.) natalensis (Trimen & Bowker, 1887)** (Lycaenidae) Synonym(s): *natalensis Trimen & Bowker, 1887* Range (in code): **ZA Tra Ec Nta Kzu Est Tva Spb Lj Ent Kru Pf Mpu Brb Gau Pre Jh Wri Lpo MZ Del ZW KE** Bionomy: Larva on Fabaceae (Acacia karroo, A. abyssinica) [on flowers and buds] (Pringle et al., 1994; Ackery et al., 1995).
- 11545. Azanus (s.str.) sitalces (Mabille, 1900)** (Lycaenidae) Synonym(s): *sitalces Mabille, 1900; rubripuncta Lathy, 1921* Range (in code): **KM MG**
- 11546. Azanus (s.str.) sitalces mayotti D'Abrera, 1980** (Lycaenidae) Synonym(s): *mayotti D'Abrera, 1980* Range (in code): **KM**

- 11547. Azanus (s.str.) sitalces sitalces (Mabille,1900)** (Lycaenidae) **Synonym(s):** *sitalces* Mabille,1900; *rubripuncta* Lathy,1921 **Range (in code):** **MG**
- 11548. Azanus (s.str.) soalalicus (Karsch,1900)** (Lycaenidae) **Synonym(s):** *soalalicus* Karsch,1900 **Range (in code):** **MG**
- 11549. Azanus (s.str.) ubaldus (Stoll,[1782])** (Lycaenidae) **Synonym(s):** *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894. **Original Reference:** Papilio ubaldus Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: 209, pl.390, figs. L,M. **Type(s):** India: Coromandel. **Range (in code):** **Ad AO As BF BH BI BJ BW CF CG CI CM DJ DZ EG EG11 EH ER ET GA GH GM GN GO Bio GW Hd Hj IN IR Hz KE LR LS ML MR MW MZ NA NE NG OM QA RW JO SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Mdk Wm Nta Kzu Est Wb Gau Jh Wel Buf ZM ZR ZW PK Cp MM LK IN Kgr SD91 SD119 Kba Ato Cn MA TN** **Bionomy:** Larva on Fabaceae (*Acacia raddiana*, *A. seyal*) (Ackery et al.,1995; Tolman,1997).
- 11550. Azanus (s.str.) ubaldus ubaldus (Stoll,[1782])** (Lycaenidae) **Synonym(s):** *ubaldus* Stoll,[1782]; *zena* Moore,1865; *ethoda* Walker,1870; *itea* Walker,1870; *macalenga* Trimen,1870; *thebana* Staudinger,1894. **Original Reference:** Papilio ubaldus Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: 209, pl.390, figs. L,M. **Type(s):** India: Coromandel. **Range (in code):** **Ad AO As BF BH BI BJ BW CF CG CI CM DJ DZ EG EG11 EH ER ET GA GH GM GN GO Bio GW Hd Hj IN IR Hz KE LR LS ML MR MW MZ NA NE NG OM QA RW JO SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Mdk Wm Nta Kzu Est Wb Gau Jh Wel Buf ZM ZR ZW PK Cp MM LK IN Kgr SD91 SD119 Kba Ato Cn MA TN** **Bionomy:** Larva on Fabaceae (*Acacia raddiana*, *A. seyal*) (Ackery et al.,1995; Tolman,1997).
- 11551. Azanus (s.str.) uranus Butler,1886** (Lycaenidae) **Synonym(s):** *uranus* Butler,1886 **Original Reference:** Azanus uranus Butler,1886, Proc. zool. Soc. London 56: 366, nr.40, pl.xxxv fig.1. **Syntypes:** [Pakistan]: Hassan Abdal, Campbellpore. **Range (in code):** **PK Pj Cp H-A Ci AF Ng Jla IN MM**
- 11552. Azanus (s.str.) uranus uranus Butler,1886** (Lycaenidae) **Synonym(s):** *uranus* Butler,1886 **Original Reference:** Azanus uranus Butler,1886, Proc. zool. Soc. London 56: 366, nr.40, pl.xxxv fig.1. **Syntypes:** [Pakistan]: Hassan Abdal, Campbellpore. **Range (in code):** **PK Pj Cp H-A Ci AF Ng Jla IN MM**
- 11553. Azanus (s.str.) urios Riley & Godfrey,1921** (Lycaenidae) **Synonym(s):** *urios* Riley & Godfrey,1921 **Range (in code):** **MM TH CMa Knc Phr Nth** **Bionomy:** Larva probably on *Pithecellobium dulce*, *Prosotas* (Pinratana,1981).
- 11554. Baliochila amanica Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *amanica* Stempffer & Bennett,1953 **Range (in code):** **TZ Tnga Usa Ani KE**
- 11555. Baliochila arbi Henning & Henning,2004** (Lycaenidae) **Synonym(s):** *arbi* Henning & Henning,2004
- 11556. Baliochila aslanga (Trimen,1873)** (Lycaenidae) **Synonym(s):** *aslanga* Trimen,1873 **Range (in code):** **MW Zom ZA Nta Kzu Ptw ZW**
- 11557. Baliochila barnesi Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *barnesi* Stempffer & Bennett,1953 **Range (in code):** **ZW MZ**
- 11558. Baliochila congdoni Kielland,1990** (Lycaenidae) **Synonym(s):** *congdoni* Kielland,1990 **Range (in code):** **TZ Mgr**
- 11559. Baliochila dubiosa Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *dubiosa* Stempffer & Bennett,1953 **Range (in code):** **MW KE TZ**
- 11560. Baliochila fragilis Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *fragilis* Stempffer & Bennett,1953 **Range (in code):** **KE SO TZ**
- 11561. Baliochila hildegarda (Kirby,1887)** (Lycaenidae) **Synonym(s):** *hildegarda* Kirby,1887; *freya* Grose-Smith & Kirby,1894 **Range (in code):** **TZ Tnga Usa Kgo KE Nai? Mb MW Zom ZW ZM ZR**
- 11562. Baliochila latimarginata (Hawker-Smith,1933)** (Lycaenidae) **Synonym(s):** *latimarginata* Hawker-Smith,1933 **Range (in code):** **KE Mb TZ Tnga Usa**
- 11563. Baliochila lipara Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *lipara* Stempffer & Bennett,1953 **Range (in code):** **MW MZ ZW ZM TZ Mgr Kgo KE**
- 11564. Baliochila minima (Hawker-Smith,1933)** (Lycaenidae) **Synonym(s):** *minima* Hawker-Smith,1933 **Range (in code):** **KE TZ Tnga**
- 11565. Baliochila neavei Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *neavei* Stempffer & Bennett,1953 **Range (in code):** **MZ MW TZ BI ZR Shb**
- 11566. Baliochila nguru Kielland,1986** (Lycaenidae) **Synonym(s):** *nguru* Kielland,1986 **Range (in code):** **TZ**
- 11567. Baliochila nyasae Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *nyasae* Stempffer & Bennett,1953 **Range (in code):** **MW**

- 11568. *Baliochila petersi* Stempffer & Bennett, 1956** (Lycaenidae) Synonym(s): *petersi* Stempffer & Bennett, 1956 _ Range (in code): LR
- 11569. *Baliochila pringlei* Stempffer, 1967** (Lycaenidae) Synonym(s): *pringlei* Stempffer, 1967; #*pringlei* Kielland, 1990 _ Range (in code): TZ Tnga Usa Ani
- 11570. *Baliochila pseudofragilis* Kielland, 1976** (Lycaenidae) Synonym(s): *pseudofragilis* Kielland, 1976 _ Range (in code): KE TZ Aus
- 11571. *Baliochila singularis* Stempffer & Bennett, 1953** (Lycaenidae) Synonym(s): *singularis* Stempffer & Bennett, 1953; #*martyni* Bennet, 1969 _ Range (in code): ZW BW
- 11572. *Baliochila stygia* Stempffer & Bennett, 1953** (Lycaenidae) Synonym(s): *stygia* Stempffer & Bennett, 1953 _ Range (in code): KE Mb TZ Pb Zz
- 11573. *Baliochila woodi* (Riley, 1943)** (Lycaenidae) Synonym(s): *woodi* Riley, 1943 _ Range (in code): MW Mje TZ
- 11574. *Batelusia zebra* Druce, 1910** (Lycaenidae) Synonym(s): *zebra* Druce, 1910 _ Range (in code): CM Bit CG
- 11575. *Bindahara phocides* (Fabricius, 1793)** (Lycaenidae) Synonym(s): *phocides* Fabricius, 1793 _ Range (in code): LK SG MY Lkw TH Cbi CMa CDo Nrt Nna Rng Tng SI IN Adm MM PH Cat Ceb CmM Cts Luz Mar Mas Mdo Mno Pan Sam Sib Bal Cal Pal Sga Stu Taw
- 11576. *Bindahara phocides origenes* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *origenes* Fruhstorfer, 1912 _ Range (in code): PH Cat Ceb CmM Cts Luz Mar Mas Mdo Mno Pan Sam Sib
- 11577. *Bindahara phocides phocides* (Fabricius, 1793)** (Lycaenidae) Synonym(s): *phocides* Fabricius, 1793 _ Range (in code): SI IN Adm MM SG MY Lkw TH Cbi CMa CDo Nrt Nna Rng Tng PH Bal Cal Pal Sga Stu Taw
- 11578. *Bothrinia chennelli* (De Nicéville, 1883)** (Lycaenidae) Synonym(s): *chennelli* De Nicéville, 1883 _ Range (in code): MM Krh TH CMa
- 11579. *Bothrinia chennelli celastroides* Shirozu & Saigusa, 1962** (Lycaenidae) Synonym(s): *celastroides* Shirozu & Saigusa, 1962 _ Range (in code): MM Krh TH CMa
- 11580. *Bothrinia chennelli chennelli* (De Nicéville, 1883)** (Lycaenidae) Synonym(s): *chennelli* De Nicéville, 1883
- 11581. *Brangas caranus* (Stoll, 1780)** (Lycaenidae) Synonym(s): *caranus* Stoll, 1780 _ Range (in code): SR
- 11582. *Brangas carthaea* (Hewitson, 1868)** (Lycaenidae) Synonym(s): *carthaea* Hewitson, 1868 _ Range (in code): MX
- 11583. *Brangas coccineifrons* (Godman & Salvin, 1887)** (Lycaenidae) Synonym(s): *coccineifrons* Godman & Salvin, 1887 _ Range (in code): NI CO
- 11584. *Brangas dydimaon* (Cramer, 1777)** (Lycaenidae) Synonym(s): *dydimaon* Cramer, 1777 _ Range (in code): SR
- 11585. *Brangas felderi* (Goodson, 1945)** (Lycaenidae) Synonym(s): *felderi* Goodson, 1945 _ Range (in code): CO EC
- 11586. *Brangas getus* (Fabricius, 1787)** (Lycaenidae) Synonym(s): *pelops* Stoll, 1781 *nec* Dru., 1773; *getus* Fabricius, 1787 _ Range (in code): SR
- 11587. *Brangas neora* (Hewitson, 1867)** (Lycaenidae) Synonym(s): *neora* Hewitson, 1867 _ Range (in code): GT
- 11588. *Brangas rita* (Goodson, 1945)** (Lycaenidae) Synonym(s): *rita* Goodson, 1945 _ Range (in code): CO
- 11589. *Brangas silumena* (Hewitson, 1867)** (Lycaenidae) Synonym(s): *silumena* Hewitson, 1867
- 11590. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): BR
- 11591. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): CR
- 11592. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): VE
- 11593. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): VE
- 11594. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): VE
- 11595. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): PE
- 11596. *Brangas sp.n.*** (Lycaenidae) Synonym(s): _ Range (in code): EC
- 11597. *Brangas teucra* (Hewitson, 1868)** (Lycaenidae) Synonym(s): *teucra* Hewitson, 1868 _ Range (in code): BR
- 11598. *Brangas torfrida* (Hewitson, 1867)** (Lycaenidae) Synonym(s): *torfrida* Hewitson, 1867 _ Range (in code): BR
- 11599. *Brephidium exilis* (Boisduval, 1832)** (Lycaenidae) Synonym(s): *exilis* Boisduval, 1832 _ Range (in code): US MX Aks Arz Cf Col Id Kan Lou Mis NMx Ne Neb Ok Org Tx Ut Wy SA AE OM

- 11600. Brephidium isophthalma** (Lycaenidae) Synonym(s): *isophthalma* Lou Mss Sca Tx Range (in code): **US Alb Fl Ge**
- 11601. Brephidium metophis** (Wallengren,1860) (Lycaenidae) Synonym(s): *metophis* Wallengren,1860 Original Reference: Lycaena metophis Wallengren,1860, Wien. ent. Monatschr. 4: 37. Range (in code): **NA MZ ZW ZA BW Nta Tva Fs**
- 11602. Britomartis cleoboides** (Elwes,[1893]) (Lycaenidae) Synonym(s): *cleoboides* Elwes,[1893] Range (in code): **MY Lkw TH Bnk Tng Nst**
- 11603. Britomartis cleoboides cleoboides** (Elwes,[1893]) (Lycaenidae) Synonym(s): *cleoboides* Elwes,[1893]
- 11604. Britomartis cleoboides viga** (Corbet,1940) (Lycaenidae) Synonym(s): *viga* Corbet,1940 Range (in code): **MY Lkw TH Bnk Tng Nst**
- 11605. Bullis buto** (De Nicéville,[1895]) (Lycaenidae) Synonym(s): *buto* De Nicéville,[1895] Range (in code): **MY**
- 11606. Bullis buto buto** (De Nicéville,[1895]) (Lycaenidae) Synonym(s): *buto* De Nicéville,[1895]
- 11607. Bullis buto cowani** (Corbet,1940) (Lycaenidae) Synonym(s): *cowani* Corbet,1940 Range (in code): **MY**
- 11608. Bullis elioti** (Corbet,1940) (Lycaenidae) Synonym(s): *elioti* Corbet,1940 Range (in code): **MY**
- 11609. Bullis elioti elioti** (Corbet,1940) (Lycaenidae) Synonym(s): *elioti* Corbet,1940 Range (in code): **MY**
- 11610. Bullis stigmata** (Druce,1904) (Lycaenidae) Synonym(s): *stigmata* Druce,1904 Range (in code): **Bor MY TH Tng**
- 11611. Bullis stigmata stigmata** (Druce,1904) (Lycaenidae) Synonym(s): *stigmata* Druce,1904 Range (in code): **Bor MY TH Tng**
- 11612. Cacyreus audeoudi Stempffer,1936** (Lycaenidae) Synonym(s): *audeoudi* Stempffer,1936 Range (in code): **KE Elg GN ZR UG TZ**
- 11613. Cacyreus darius** (Mabille,1877) (Lycaenidae) Synonym(s): *darius* Mabille,1877 Range (in code): **MG RE KM** Bionomy: Larva on Coleus (Lamiaceae) (Ackery et al.,1995).
- 11614. Cacyreus dicksoni Pennington,1962** (Lycaenidae) Synonym(s): *dicksoni* Pennington,1962 Range (in code): **ZA Wca** Bionomy: Larva on Geranium, Pelargonium (Geraniaceae) (Ackery et al.,1995).
- 11615. Cacyreus ethiopicus Tite,1961** (Lycaenidae) Synonym(s): *ethiopicus* Tite,1961 Range (in code): **ET**
- 11616. Cacyreus lingens** (Stoll,[1782]) (Lycaenidae) Synonym(s): *lingens* Stoll,[1782]; *ericus* Fabricius,1793; *ciliaris* Aurivillius,1910 Range (in code): **ZA Nta Kzu Kkf Tva Lpo TZ Mru ZM MZ KE MW Zom** Bionomy: Larva on Geranium (Geraniaceae); Calamintha, Coleus, Lavandula, Mentha, Plastostema, Salvia, Satureja (Lamiaceae) (Ackery et al.,1995).
- 11617. Cacyreus marshalli Butler,[1898]** (Lycaenidae) Synonym(s): *marshalli* Butler,[1898] Original Reference: Cacyreus marshalli Butler,[1898], Proc. zool. Soc. Lond. 1897: 845, pl.50 fig.5. Syntypes: South Africa: Estcourt (4000ft), Frere (3800ft). Range (in code): **ZA MZ ZW Cap Tva Spb Ent Lj Nta Kzu Ptb Est Fre Gau Jh Mpu Brb Fs NL BE CH FR MA PT ES Mu IT Co Sa Si MT GB DE HV SS Md MT GR TR** Bionomy: Larva on Geranium, Pelargonium (Geraniaceae) (Ackery et al.,1995).
- 11618. Cacyreus marshalli marshalli Butler,[1898]** (Lycaenidae) Synonym(s): *marshalli* Butler,[1898] Original Reference: Cacyreus marshalli Butler,[1898], Proc. zool. Soc. Lond. 1897: 845, pl.50 fig.5. Syntypes: South Africa: Estcourt (4000ft), Frere (3800ft). Range (in code): **ZA MZ ZW Cap Tva Spb Ent Lj Nta Kzu Ptb Est Fre Gau Jh Mpu Brb Fs NL BE CH FR MA PT ES Mu IT Co Sa Si MT GB DE HV SS Md MT GR TR** Bionomy: Larva on Geranium, Pelargonium (Geraniaceae) (Ackery et al.,1995).
- 11619. Cacyreus niebuhri T.Larsen,1982** (Lycaenidae) Synonym(s): *niebuhri* T.Larsen,1982 Original Reference: Cacyreus niebuhri Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 43, pl.1,2 fig.6 Holotype ♂: Yemen: Ibb Province, Jabal Bada'an, 2400m. (BMNH). Range (in code): **YE** Bionomy: Larva on Pelargonium (Geraniaceae) (Ackery et al.,1995).
- 11620. Cacyreus niebuhri niebuhri T.Larsen,1982** (Lycaenidae) Synonym(s): *niebuhri* T.Larsen,1982 Original Reference: Cacyreus niebuhri Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 43, pl.1,2 fig.6 Holotype ♂: Yemen: Ibb Province, Jabal Bada'an, 2400m. (BMNH). Range (in code): **YE** Bionomy: Larva on Pelargonium (Geraniaceae) (Ackery et al.,1995).

- 11621. Cacyreus tespis (Herbst,[1804])** (Lycaenidae) Synonym(s): *palemon* Stoll,[1782] *nec palaemon* Pall.,1771; *tespis* Herbst,[1804]; *fracta* Grünberg,1911 (Koçak,1996). Range (in code): **UG Rz TZ ZR Kvu RW BI MZ ZW ET Shw ZA Nta Kzu Gau Jh Ly Tva Lpo Pre Wri Mpu Brb LS** Bionomy: Larva on Geranium, Pelargonium (Geraniaceae) (Ackery et al.,1995).
- 11622. Cacyreus tespis ghimirra Talbot,1935** (Lycaenidae) Synonym(s): *ghimirra* Talbot,1935. Range (in code): **ET Shw**
- 11623. Cacyreus tespis tespis (Herbst,[1804])** (Lycaenidae) Synonym(s): *palemon* Stoll,[1782] *nec palaemon* Pall.,1771; *tespis* Herbst,[1804]; *fracta* Grünberg,1911 (Koçak,1996). Range (in code): **UG Rz TZ ZR Kvu RW BI MZ ZW ZA Nta Kzu Gau Jh Ly Tva Lpo Pre Wri Mpu Brb LS**
- 11624. Cacyreus virilis Stempffer,1936** (Lycaenidae) Synonym(s): *#virilis* Aurivillius,1924; *virilis* Stempffer,1936. Original Reference: Cacyreus virilis Stempffer, 1936, Bull. Soc. ent. Fr. 1936: 283. Range (in code): **YE OM SA As UG KE SO ZA Tva Gau Jh MG Sk CM Nta NG ZR TZ Tnga Usa Ani Aus MW BI ZW** Bionomy: Larva on Calamintha, Coleus, Lavandula, Salvia (Lamiaceae) (Ackery et al.,1995).
- 11625. Cacyreus virilis virilis Stempffer,1936** (Lycaenidae) Synonym(s): *#virilis* Aurivillius,1924; *virilis* Stempffer,1936. Original Reference: Cacyreus virilis Stempffer, 1936, Bull. Soc. ent. Fr. 1936: 283. Range (in code): **YE OM SA As UG KE SO ZA Tva Gau Jh MG Sk CM Nta NG ZR TZ Tnga Usa Ani Aus MW BI ZW** Bionomy: Larva on Calamintha, Coleus, Lavandula, Salvia (Lamiaceae) (Ackery et al.,1995). larva on Calamitha, Coleus, Lavandula, Salvia (Lamiaceae) (Ackery et al.,1995).
- 11626. Caleta caleta (Hewitson,[1876])** (Lycaenidae) Synonym(s): *caleta* Hewitson,[1876] Original Reference: Lycaena caleta Hewitson,[1876], Exot. Butts. 5: pl.1 fig.1. Range (in code): **ID Clb TH CMa Cuo Cuo6 CDo CD2 Hpt PH Bas CmM Ley Mno Sam Sul** Bionomy: Larva on Zizyphus rugosa (Rhamnaceae) (Robinson et al.,2005).
- 11627. Caleta caleta argola (Hewitson,[1876])** (Lycaenidae) Synonym(s): *argola* Hewitson,[1876] Original Reference: Lycaena argola Hewitson,[1876], Exot. Butts. 5: pl.1 fig.7. Type: Philippines. Range (in code): **PH Bas Ley Mno Sam Sul**
- 11628. Caleta caleta caleta (Hewitson,[1876])** (Lycaenidae) Synonym(s): *caleta* Hewitson,[1876] Original Reference: Lycaena caleta Hewitson,[1876], Exot. Butts. 5: pl.1 fig.1. Range (in code): **ID Clb TH CMa Cuo Cuo6 CDo CD2 Hpt**
- 11629. Caleta caleta gerasa (Fruhstorfer,1918)** (Lycaenidae) Synonym(s): *gerasa* Fruhstorfer,1918 Range (in code): **PH CmM**
- 11630. Caleta decidia (Hewitson,[1876])** (Lycaenidae) Synonym(s): *decidia* Hewitson,[1876] Original Reference: Lycaena decidia Hewitson,[1876], Exot. Butts. 5: pl.1 fig.4. Type: India: Nilgiris. Range (in code): **IN Ass MM TH CMa Knc Loc Tak Uth** Bionomy: Larva on Rhamnaceae (Robinson et al.,2005).
- 11631. Caleta decidia decidia (Hewitson,[1876])** (Lycaenidae) Synonym(s): *decidia* Hewitson,[1876] Original Reference: Lycaena decidia Hewitson,[1876], Exot. Butts. 5: pl.1 fig.4. Type: India: Nilgiris. Range (in code): **IN Ass MM TH CMa Knc Loc Tak Uth**
- 11632. Caleta elna (Hewitson,[1876])** (Lycaenidae) Synonym(s): *elna* Hewitson,[1876] Original Reference: Lycaena elna Hewitson,[1876], Exot. Butts. 5: pl.1 fig.8. Type: Java. Range (in code): **IN Adm MM TH Rng Tng Yal CMa Dst CDo Pbu Nna Nst Nrt Kao VN MY Bor Lkw P-T PH Pal ID Sum Ja** Bionomy: Larva on Zizyphus oenopia, Z.mauritiana (Rhamnaceae) (Robinson et al.,2005).
- 11633. Caleta elna elna (Hewitson,[1876])** (Lycaenidae) Synonym(s): *elna* Hewitson,[1876] Original Reference: Lycaena elna Hewitson,[1876], Exot. Butts. 5: pl.1 fig.8. Type: Java. Range (in code): **ID Ja**
- 11634. Caleta elna elvira (Fruhstorfer,1918)** (Lycaenidae) Synonym(s): *elvira* Fruhstorfer,1918 Original Reference: Castalius elna ssp. elvira Fruhstorfer,1918, Tijdschr. Ent. 61: 38. Syntypes: Sumatra, Borneo. Range (in code): **ID Adm MY Bor Lkw ID Sum TH Rng Tng Yal Nst Nrt Kao PH Pal** Bionomy: Larva on Zizyphus oenopia, Z.mauritiana (Rhamnaceae) (Robinson et al.,2005).
- 11635. Caleta elna epeus (Corbet,1938)** (Lycaenidae) Synonym(s): *epeus* Corbet,1938 Range (in code): **MY P-T**
- 11636. Caleta elna noliteia (Fruhstorfer,1918)** (Lycaenidae) Synonym(s): *noliteia* Fruhstorfer,1918 Range (in code): **MM TH CMa Dst CDo Pbu Nna VN**
- 11637. Caleta roxus (Godart,[1824])** (Lycaenidae) Synonym(s): *roxus* Godart,[1824] Range (in code): **IN Ass MM TH Nrt Tng Yal Nst Ths Sgk Hya Tnc Knc Nrt Rat CMa CDo CD2 MY Lkw P-T PH**

- Bon Cal Ceb CmM Din Luz Mar Mas Mdo Mno Pal Pan Sga Stu Taw** Bionomy: Larva on Rhamnaceae (Robinson et al., 2005).
- 11638. Caleta roxus angustior Staudinger, 1889** (Lycaenidae) Synonym(s): *angustior* Staudinger, 1889 Range (in code): **PH Bon Cal Ceb CmM Din Luz Mar Mas Mdo Mno Pal Pan Sga Stu Taw**
- 11639. Caleta roxus pemanggilensis Eliot, 1978** (Lycaenidae) Synonym(s): *pemanggilensis* Eliot, 1978 Range (in code): **MY**
- 11640. Caleta roxus pothus (Fruhstorfer, 1918)** (Lycaenidae) Synonym(s): *pothus* Fruhstorfer, 1918 Range (in code): **TH Nrt Tng Yal Nst Ths Sgk Hya Tnc MY Lkw**
- 11641. Caleta roxus rhodoides Eliot, 1992** (Lycaenidae) Synonym(s): *rhodoides* Eliot, 1992 Range (in code): **MY P-T**
- 11642. Caleta roxus roxanus (De Nicéville, 1897)** (Lycaenidae) Synonym(s): *roxana* De Nicéville, 1897 Range (in code): **IN Ass MM TH CMa CDo CD2 Knc Nrt Rat**
- 11643. Caleta roxus roxus (Godart, [1824])** (Lycaenidae) Synonym(s): *roxus* Godart, [1824]
- 11644. Callenya kaguya Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *kaguya* Eliot & Kawazoe, 1984 Range (in code): **PH Pal**
- 11645. Callenya kaguya kaguya Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *kaguya* Eliot & Kawazoe, 1984 Range (in code): **PH Pal**
- 11646. Callenya lenya (Evans, 1932)** (Lycaenidae) Synonym(s): *lenya* Evans, 1932; *cowani* Corbet, 1940. Range (in code): **MM MY**
- 11647. Callenya lenya baluana Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *baluana* Eliot & Kawazoe, 1984
- 11648. Callenya lenya lenya (Evans, 1932)** (Lycaenidae) Synonym(s): *lenya* Evans, 1932; *cowani* Corbet, 1940. Range (in code): **MM MY**
- 11649. Callenya melaena (Doherty, 1889)** (Lycaenidae) Synonym(s): *melaena* Doherty, 1889; *latimargo* Matsumura, 1929 (*praeocc.*). Range (in code): **MM Tns**
- 11650. Callenya melaena melaena (Doherty, 1889)** (Lycaenidae) Synonym(s): *melaena* Doherty, 1889; *latimargo* Matsumura, 1929 (*praeocc.*). Range (in code): **MM Tns**
- 11651. Callenya melaena shonen (Esaki, 1932)** (Lycaenidae) Synonym(s): *shonen* Esaki, 1932
- 11652. Callophrys affinis (Edwards, 1862)** (Lycaenidae) Synonym(s): *affinis* Edwards, 1862 Range (in code): **US Ut Ws**
- 11653. Callophrys affinis albipalpis Gorelick, 2005** (Lycaenidae) Synonym(s): *albipalpis* Gorelick, 2005 Range (in code): **US**
- 11654. Callophrys affinis apama (Edwards, 1882)** (Lycaenidae) Synonym(s): *apama* Edwards, 1882 Range (in code): **US Arz**
- 11655. Callophrys affinis chapmani Gorelick, 2005** (Lycaenidae) Synonym(s): *chapmani* Gorelick, 2005 Range (in code): **US**
- 11656. Callophrys affinis homoperplexa Barnes & Benjamin, 1923** (Lycaenidae) Synonym(s): *homoperplexa* Barnes & Benjamin, 1923 Range (in code): **US**
- 11657. Callophrys affinis washingtonia Clench, 1945** (Lycaenidae) Synonym(s): *washingtonia* Clench, 1945 Range (in code): **US Ws**
- 11658. Callophrys afghana Krupitsky, Pljushtch & Pak, 2012** (Lycaenidae) Synonym(s): *afghana* Krupitsky, Pljushtch & Pak, 2012 Original Reference: Callophrys afghana Krupitsky, Pljushtch & Pak, 2012, Atalanta 43 (1/2): 145-146, figs. 5-8. Holotype ♂: Central Afghanistan, Bamian Prov., 10km S Bamian, Hushkak village 2600-2800m 29-30 v 2010 O.Pak & E.Ivanova leg. (ZMMU, Moscow). Range (in code): **AF Bm Pag**
- 11659. Callophrys armeniaca Zhdanko, 1998** (Lycaenidae) Synonym(s): *armeniaca* Zhdanko, 1998 Original Reference: Callophrys armeniaca Zhdanko, 1998, Vestn. Kaz. Univ. 6: 47-48, fig. 5. Holotype ♂: Armenia: [NW. Erivan], Aragatz, 2000m. Range (in code): **Cc AM Eri** Bionomy: Larva on ? Onobrychis (Fabaceae) (Tusov, 2000).
- 11660. Callophrys armeniaca armeniaca Zhdanko, 1998** (Lycaenidae) Synonym(s): *armeniaca* Zhdanko, 1998 Original Reference: Callophrys armeniaca Zhdanko, 1998, Vestn. Kaz. Univ. 6: 47-48, fig. 5. Holotype ♂: Armenia: [NW. Erivan], Aragatz, 2000m. Range (in code): **Cc AM Eri** Bionomy: Larva on ? Onobrychis (Fabaceae) (Tusov, 2000).
- 11661. Callophrys augustinus (Westwood, 1852)** (Lycaenidae) Synonym(s): *augustus* W.Kirby, 1837 nec Fabr., 1793; *augustinus* Westwood, 1852; *croesioides* Scudder, 1876; *immaculata* Cockle, 1910 nec Fuchs, 1891; *helenae* Dos Passos, 1943; *annetteae* Dos Passos, 1943; *concava* Austin, 1998 Range (in code):

US MX Alb Arz Cf Cnt Col Dw Ge Id Knt Mai Mch Mns Mon Mrl Msc Mss NCa NMx Ne Nh Nje Ny Oh
Org Pns RDi Sca Sdk Tnn Ut Vi Vr WVi We Ws Wy

- 11662. *Callophrys avis* Chapman, 1909** (Lycaenidae) Synonym(s): *avis* Chapman, 1909 - Range (in code): ES Cz Mlg Ter FR PT F66 F83 Fo6 MA Ifr DZ Ktr Dju Agi Sbd TN Bionomy: Larva on Arbutus unedo, Salvia verbenaca, Vibernum tinus, Coriara myrtifolia (Tolman, 1997).
- 11663. *Callophrys avis avis* Chapman, 1909** (Lycaenidae) Synonym(s): *avis* Chapman, 1909 Range (in code): ES Cz Mlg Ter FR PT F66 F83 Fo6 MA Ifr DZ Ktr Dju Agi Sbd TN Bionomy: Larva on Arbutus unedo, Salvia verbenaca, Vibernum tinus, Coriara myrtifolia (Tolman, 1997).
- 11664. *Callophrys avis barraguei* Dujardin, 1972** (Lycaenidae) Synonym(s): *barraguei* Dujardin, 1972 - Range (in code): FR
- 11665. *Callophrys butleri* Migranov, 1992** (Lycaenidae) Synonym(s): *butleri* Migranov, 1992; *#butlerovi* Lukhtanov & Lukhtanov, 1994. Original Reference: *Callophrys butleri* Migranov, 1992, Bulavousye cheshuekrylye Bashkirii: 89. Holotype: Russia: Südural: Kungaktau-Gebirge: Berg Jangudai. Range (in code): Ba RU
- 11666. *Callophrys butleri butleri* Migranov, 1992** (Lycaenidae) Synonym(s): *butleri* Migranov, 1992; *#butlerovi* Lukhtanov & Lukhtanov, 1994. Original Reference: *Callophrys butleri* Migranov, 1992, Bulavousye cheshuekrylye Bashkirii: 89. Holotype: Russia: Südural: Kungaktau-Gebirge: Berg Jangudai. Range (in code): Ba RU
- 11667. *Callophrys chalybeitincta* Sovinsky, 1905** (Lycaenidae) Synonym(s): *chalybeitincta* Sovinsky, 1905; *caerulescens* A. Bang-Haas, 1912; *eitschbergeri* Dantchenko, 2000; *nigra* Stradomsky, 2005 Original Reference: *Callophrys rubi* var. *chalybeitincta* Sovinsky, 1905, Russk. ent. Obozr. 5: 109. Syntypes: [Russia]: Dagestan: Derbent; [Aserbaidjan]: Elisabethpol. Lectotype ♂: Derbenta (designated by Nekrutenko, [in] Hesselbarth, 1995: 515). Range (in code): AZ Kir GG RU Kr Nov Da Ao TR Cc UA Kkv IR Ak Zj AM
- 11668. *Callophrys danchenkoi* Zhdanko, 1998** (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko, 1998 Original Reference: *Callophrys danchenkoi* Zhdanko, 1998, Vestn. Kaz. Univ. 6: 48-49, fig. 3. Holotype ♂: Armenia: Daralagez, 1100m. Range (in code): Cc AM Alg Eri IR Ab Ak Msw Elb Fa Ke Zj SY Dms TR Bionomy: Larva on Ferula rigidula (Apiaceae) (Tusov, 2000).
- 11669. *Callophrys danchenkoi danchenkoi* Zhdanko, 1998** (Lycaenidae) Synonym(s): *danchenkoi* Zhdanko, 1998 Original Reference: *Callophrys danchenkoi* Zhdanko, 1998, Vestn. Kaz. Univ. 6: 48-49, fig. 3. Holotype ♂: Armenia: Daralagez, 1100m. Range (in code): Cc AM Alg Eri IR Ab Ak Msw Elb Fa Ke Zj SY Dms TR
- 11670. *Callophrys dospassosi* Clench, 1981** (Lycaenidae) Synonym(s): *dospassosi* Clench, 1981; *searsi* Clench, 1981 - Range (in code): MX
- 11671. *Callophrys dumetorum* (Boisduval, 1852)** (Lycaenidae) Synonym(s): *dumetorum* Boisduval, 1852; *perplexa* Barnes & Benjamin, 1923 - Range (in code): US MX Arz Cf Col Id Mon NMx Ne Neb Org Ut Ws Wy
- 11672. *Callophrys dumetorum dumetorum* (Boisduval, 1852)** (Lycaenidae) Synonym(s): *dumetorum* Boisduval, 1852; *perplexa* Barnes & Benjamin, 1923 - Range (in code): US Cf
- 11673. *Callophrys dumetorum oregonensis* Görelick, 1968** (Lycaenidae) Synonym(s): *oregonensis* Görelick, 1968 - Range (in code): US Org
- 11674. *Callophrys dumetorum viridis* (Edwards, 1862)** (Lycaenidae) Synonym(s): *viridis* Edwards, 1862 - Range (in code): US
- 11675. *Callophrys eryphon* (Boisduval, 1852)** (Lycaenidae) Synonym(s): *eryphon* Boisduval, 1852 Range (in code): US Arz Cf Col Id Mai Mch Mns Mon Ndk NMx Ne Neb Nh Org Sdk Ut Ws Wy
- 11676. *Callophrys estela* Clench, 1981** (Lycaenidae) Synonym(s): *estela* Clench, 1981 - Range (in code): MX
- 11677. *Callophrys farsica* Ten Hagen, 2009** (Lycaenidae) Synonym(s): *farsica* Ten Hagen, 2009 Range (in code): IR Fa By
- 11678. *Callophrys fotis* (Strecker, 1878)** (Lycaenidae) Synonym(s): *fotis* Strecker, 1878 - Range (in code): US Arz Cf Col NMx Ne Ut
- 11679. *Callophrys frivaldskyi* (Lederer, 1855)** (Lycaenidae) Synonym(s): *frivaldskyi* Lederer, 1855 Original Reference: Thecla frivaldskyi Lederer, 1855, Verh. zool.-bot. Ver. Wien 5: 100, Taf. 1 f. 1. Syntypes: [Russia: Altai]: "Berge in der Nähe von Ust-Buchtarminsk". Range (in code): Buc Am At CN Ui KG Kmt Mc Mn Om RU Sb Sh Sp To Ty Prj Us Kuz Sli
- 11680. *Callophrys frivaldskyi arquata* Johnson, 1992** (Lycaenidae) Synonym(s): *arquata* Johnson, 1992; *#aquilonaria* Korb, 2000 Original Reference: Ahlbergia arquata Johnson, 1992, Neue

- ent. Nachr. 29: 27. Holotype: "E.Turkestan: Rietschensk" [?Kazachstan: Semiretschje] (cf. Lukhtanov,1994, Herbiopoliana 3: 231). Range (in code): **KG? RU Bn**
- 11681. Callophrys frivaldskyi frivaldskyi (Lederer,1855)** (Lycaenidae) Synonym(s): *frivaldskyi Lederer,1855* Original Reference: Thecla frivaldskyi Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 100, Taf.1 f.1. Syntypes: [Russia: Altai]: "Berge in der Nähe von Ust-Buchtarminsk". Range (in code): **Buc Am At CN Ui KG Kmt Mc Mn Om RU Sb Sh Sp To Ty Prj Us Kuz Sli**
- 11682. Callophrys gryneus (Hübner,[1819])** (Lycaenidae) Synonym(s): *damon Stoll,1782 nec Denis & Schiff.,1775; gryneus Hübner,[1819]; damastus Godart,[1824]; auburniana Harris,1862; patersoniana Brehme,1907; octoscripta Buchholz,1951* Original Reference: Lycus gryneus Hübner,[1819], Verz. bekannt. Schmett. (5): 74 (pro damon Stoll,1781). Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 11683. Callophrys gryneus gryneus (Hübner,[1819])** (Lycaenidae) Synonym(s): *damon Stoll,1782 nec Denis & Schiff.,1775; gryneus Hübner,[1819]; damastus Godart,[1824]; auburniana Harris,1862; patersoniana Brehme,1907; octoscripta Buchholz,1951* Original Reference: Lycus gryneus Hübner,[1819], Verz. bekannt. Schmett. (5): 74 (pro damon Stoll,1781). Range (in code): **US**
- 11684. Callophrys gryneus loki (Skinner,1907)** (Lycaenidae) Synonym(s): *loki Skinner,1907* Range (in code): **US Cf**
- 11685. Callophrys gryneus muiri (Edwards,1881)** (Lycaenidae) Synonym(s): *muiri Edwards,1881* Range (in code): **US CF**
- 11686. Callophrys gryneus nelsoni (Boisduval,1869)** (Lycaenidae) Synonym(s): *nelsoni Boisduval,1869* Range (in code): **US MX Cf Id Mon Ne Org Ws**
- 11687. Callophrys gryneus siva (Edwards,1874)** (Lycaenidae) Synonym(s): *siva Edwards,1874; rhodope Godman & Salvin,1887* Range (in code): **US**
- 11688. Callophrys gryneus sweadneri (Chermock,1945)** (Lycaenidae) Synonym(s): *sweadneri Chermock,1945* Range (in code): **US**
- 11689. Callophrys gryneus thornei (J.W.Brown,1983)** (Lycaenidae) Synonym(s): *thornei J.W.Brown,1983* Range (in code): **US**
- 11690. Callophrys guatemalena Clench,1981** (Lycaenidae) Synonym(s): *guatemalena Clench,1981* Range (in code): **GT**
- 11691. Callophrys henrici (Grote & Robinson,1867)** (Lycaenidae) Synonym(s): *irus Boisduval & Le Conte,[1835] nec Godt.,[1824]; henrici Grote & Robinson,1867; solatus Cook & F.E.Watson,1909; margaretae Dos Passos,1943; turneri Clech,1943; viridissima Pavulaan,1998; yahwehus Gatrell,1999* Range (in code): **US MX Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NMx Neb Nh Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi WVi Wc**
- 11692. Callophrys herculeana Pfeiffer,1927** (Lycaenidae) Synonym(s): *herculeana Pfeiffer,1927* Range (in code): **TR**
- 11693. Callophrys hesseli (Rawson & Ziegler,1950)** (Lycaenidae) Synonym(s): *hesseli Rawson & Ziegler,1950* Range (in code): **US Cnt Dw Fl Ge Mai Mrl Msc NCa Nh Nje Ny RDi Vi**
- 11694. Callophrys irus (Godart,[1824])** (Lycaenidae) Synonym(s): *irus Godart,[1824]; balteata Scudder,1889* Range (in code): **US Aks Alb Cnt Dw Fl Ge Idp Iln Knt Lou Mai Mch Mrl Msc NCa Nh Nje Ny Oh Ok Pns RDi Tnn Tx Vi Vr WVi Wc**
- 11695. Callophrys johnsoni (Skinner,1904)** (Lycaenidae) Synonym(s): *johnsoni Skinner,1904* Range (in code): **US Cf Id Org Ws**
- 11696. Callophrys kermanica Krupitsky & Devyatkin,2012** (Lycaenidae) Synonym(s): *kermanica Krupitsky & Devyatkin,2012* Original Reference: Callophrys kermanica Krupitsky & Devyatkin,2012, Atalanta 43 (1/2): 149-150, figs. Holotype ♂: South Iran, Kerman Prov. ca 35km SSW Rayen, vic. Goruh 3000m 24 v 2011 A.L.Devyatkin leg. (ZMMU, Moscow). Range (in code): **IR Ke**
- 11697. Callophrys korea K.Johnson,1992** (Lycaenidae) Synonym(s): *korea K.Johnson,1992* Range (in code): **KP RU Vv**
- 11698. Callophrys korea korea K.Johnson,1992** (Lycaenidae) Synonym(s): *korea K.Johnson,1992* Range (in code): **KP RU Vv**
- 11699. Callophrys lanoraieensis (Sheppard,1934)** (Lycaenidae) Synonym(s): *lanoraieensis Sheppard,1934* Range (in code): **CA Qb US Mai Nh Ny**
- 11700. Callophrys leechuanlungi Huang & Chen,2005** (Lycaenidae) Synonym(s): *leechuanlungi Huang & Chen,2005* Range (in code): **CN Kgs Fkn Tkg**
- 11701. Callophrys mcfarlandi (P.Ehrlich & Clench,1960)** (Lycaenidae) Synonym(s): *mcfarlandi P.Ehrlich & Clench,1960; madreoriente K.Johnson,1988* Range (in code): **US NMx MX**

- 11702. *Callophrys mossii* (Edwards,1881)** (Lycaenidae) **Synonym(s):** *mossii* Edwards,1881
Range (in code): **US Cf Col Id Mon Org Ws Wy**
- 11703. *Callophrys mystaphia* Miller,[1913]** (Lycaenidae) **Synonym(s):** *mystaphia* Miller,[1913]
Original Reference: *Callophrys mystaphia* Miller,[1913], Dt. ent. Z., Iris 26 [31.12.1912]: 222.
Syntypes 2♂♂ 2♀♀: [Türkei]: Kars: Novoja Nicolaewka. **Lectotype** ♂: [Turkey: Kars Pr.]: Kağızman (Nekrutenko, [in] Hesselbarth,1995: 517). **Range (in code):** **TR Cc** **Bionomy:** Larva on *Rheum ribes* (Polygonaceae) (Kemal,2009).
- 11704. *Callophrys mystaphia mystaphia* Miller,[1913]** (Lycaenidae) **Synonym(s):** *mystaphia* Miller,[1913]
Original Reference: *Callophrys mystaphia* Miller,[1913], Dt. ent. Z., Iris 26 [31.12.1912]: 222. **Syntypes** 2♂♂ 2♀♀: [Türkei]: Kars: Novoja Nicolaewka. **Lectotype** ♂: [Turkey: Kars Pr.]: Kağızman (Nekrutenko, [in] Hesselbarth,1995: 517). **Range (in code):** **TR Cc** **Bionomy:** Larva on *Rheum ribes* (Polygonaceae) (Kemal,2009).
- 11705. *Callophrys mystaphioides* Krupitsky & Kolesnichenko,2013** (Lycaenidae) **Synonym(s):** *mystaphioides* Krupitsky & Kolesnichenko,2013
Original Reference: *Callophrys mystaphioides* Krupitsky & Kolesnichenko,2013, Zootaxa 3619 (4): 461-464, figs. **Holotype** ♂: Iran, Esfahan prov. Golpayegan, Kocherey village, 28 iv.2007 A.Zamesov leg. (ZMMU, Moscow). **Range (in code):** **IR Es Fa** **Bionomy:** Larva on *Rheum persicum* (ten Hagen,2006; Krupitsky & Kolesnichenko,2013).
- 11706. *Callophrys naderii* Ten Hagen,2008** (Lycaenidae) **Synonym(s):** *naderii* Ten Hagen,2008
Original Reference: *Callophrys naderii* Ten Hagen,2008, Nachr. ent. Ver. Apollo (N.F.) 29 (1/2): 9-12, figs. **Holotype** ♂: Iran: Kerman, Qohrod Mts., Gardaneh Khaeneh, Sorkh 2400m, 3.vi.2005, leg. J.Klir (SMF). **Range (in code):** **IR Fa Ke Bl Qu PJ AF Kab**
- 11707. *Callophrys nippon* (Hübner,[1823])** (Lycaenidae) **Synonym(s):** *nippon* Hübner,[1823]
Range (in code): **US Aks Alb Cnt Dw Fl Ge Idp Ilm Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa Neb Nh Nje Ny Oh Ok Pns RDi Tnn Tx Vi Vr WVi Wc**
- 11708. *Callophrys paulae* Pfeiffer,1932** (Lycaenidae) **Synonym(s):** *paulae* Pfeiffer,1932; *?alpicola* Koçak,1989
Original Reference: *Callophrys paulae* Pfeiffer,1932, Mitt. münch. ent. Ges. 22: 30-31, Taf.3 fig.13. **Type** ♂: [Turkey]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Achyr Dag, 1800-2000m. **Range (in code):** **Cc AM AZ TR IR Kh TM Kp** **Bionomy:** Larva on *Onobrychis cornuta* (Fabaceae) (Tusov,2000).
- 11709. *Callophrys paulae jomuda* Nekrutenko & Tshikolovets,1997** (Lycaenidae) **Synonym(s):** *hatuma* Zhdanko,[1996]; *jomuda* Nekrutenko & Tshikolovets,1997
Range (in code): **IR Kh TM Kp** **Bionomy:** Larva on *Onobrychis cornuta* (Fabaceae) (Tusov,2000).
- 11710. *Callophrys paulae kolak* Higgins,1965** (Lycaenidae) **Synonym(s):** *kolak* Higgins,1965
Range (in code): **Cc TR AZ** **Bionomy:** Larva on *Onobrychis cornuta* (Fabaceae) (Tusov,2000).
- 11711. *Callophrys paulae paulae* Pfeiffer,1932** (Lycaenidae) **Synonym(s):** *paulae* Pfeiffer,1932; *?alpicola* Koçak,1989
Original Reference: *Callophrys paulae* Pfeiffer,1932, Mitt. münch. ent. Ges. 22: 30-31, Taf.3 fig.13. **Type** ♂: [Turkey]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Achyr Dag, 1800-2000m **Range (in code):** **Cc AM IR TR** **Bionomy:** Larva on *Onobrychis cornuta* (Fabaceae) (Tusov,2000).
- 11712. *Callophrys polios* (Cook & F.E.Watson,1907)** (Lycaenidae) **Synonym(s):** *polios* Cook & F.E.Watson,1907
Range (in code): **US Cf Cnt Col Id Idp Ilm Mai Mch Mns Mon Msc NDk NMx Nh Nje Ny Org Pns RDi Sdk Ut Vi WVi Wc Ws Wy**
- 11713. *Callophrys prodiga* K.Johnson,1992** (Lycaenidae) **Synonym(s):** *prodiga* K.Johnson,1992
Range (in code): **CN Yu**
- 11714. *Callophrys rubi* (Linnaeus,1758)** (Lycaenidae) **Synonym(s):** *rubi* Linnaeus,1758; *caecus* Fourcroy,1785; *virgatus* Verity,1913; *herculeana* Pfeiffer,1927
Original Reference: *Papilio rubi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. **Type(s):** [Sweden (Verity,1943)]. **Range (in code):** **Ae AL AM At Bn AT AZ Ba BE BG BY CH CN Co CZ DE DK EE ES Mu Mu18 FI FR GB GG GR HU IE IQ IR IT KG Kp LB LT LU LV MK NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr TM TR UA Ui Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken MA DZ TN TrA Sau Tar DsA PK Ci Nwf Bl T-S Cc Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ces Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Arr Dju Ifr Clo Orn** **Bionomy:** Larva on *Cytisus scoparius*, *C. nigricans*, *C. villosus*, *Genista tinctoria*, *G. angelica*, *G. pilosa*, *G. germanica*, *G. (?) corsica*, *Chamaespartium sagittale*, *Chamaecytisus hirsutus*, *C. iliatus*, *C. eriocarpus*; *Ulex europaeus*, *U. minor*, *Anthyllis vulneraria*, *Dorycnium hirsutum*, *D. suffruticosum*, *Onobrychis viciifolia*, *Helianthemum nummularium*; ayrıca *Arbutus*, *Vaccinium*, *Rhamnus*, *Frangula*, *Cornus* ve *Rubus*'un çiçek ve meyvaları (Tolman, 1997); *Calophaca*

soongorica (Zhdanko, 1997); Colutea cilicica (Fabaceae) Rhamnus depressus ex Gaziler (İğdır) (Rhamnaceae) (Kemal, in litt.).

- 11715. Callophrys rubi borealis Krulikowsky, 1890** (Lycaenidae) *Synonym(s): borealis Krulikowsky, 1890* Original Reference: Callophrys rubi var. borealis Krulikowsky, 1890, Bull. Soc. Nat. Moscou (N.S.) 4: 217. Syntypes: Russia: Kasan. Range (in code): T-S Aa Bs Cb KG Kg Kt Kw Mn No Om Or RU Sb Sm Sp Sr Tk To Tt Ty Uk TrA Sau Tar DsA
- 11716. Callophrys rubi fervida Staudinger, 1901** (Lycaenidae) *Synonym(s): fervida Staudinger, 1901* Original Reference: Callophrys rubi var. (gen. aest.?) fervida Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 70. Syntypes: Iberia m., Maur.; Asia minor. Range (in code): MA DZ Clo Orn Dju Ifr TN ES Mu18 Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm
- 11717. Callophrys rubi rubi (Linnaeus, 1758)** (Lycaenidae) *Synonym(s): rubi Linnaeus, 1758; caecus Fourcroy, 1785; virgatus Verity, 1913; herculeana Pfeiffer, 1927* Original Reference: Papilio rubi Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 483. Type(s): [Sweden (Verity, 1943)]. Range (in code): IL He Ae AL AM Ao AT AZ Ba BE BG Bw BY CH Co CZ DE DK EE FI FR GB GG GR HU IE IQ IR IT KG LB LT LU LV MK NL NO PL PT Rd RO Rp RU Sa SE Si SK Sm So Sr TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken PK Ci Nwf Bl Cc
- 11718. Callophrys rubi schamyl Sheldon, 1914** (Lycaenidae) *Synonym(s): schamyl Sheldon, 1914* Range (in code): RU Cc
- 11719. Callophrys rubi sibirica (Heyne, [1895])** (Lycaenidae) *Synonym(s): sibirica Heyne, [1895]* Original Reference: Thecla rubi var. sibirica Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 740. Type(s): [Russia]: Südsibirien. Range (in code): RU Sb At Bn
- 11720. Callophrys scaphia Clench, 1981** (Lycaenidae) *Synonym(s): scaphia Clench, 1981* Range (in code): MX
- 11721. Callophrys sheridanii (Edwards, 1877)** (Lycaenidae) *Synonym(s): sheridanii Edwards, 1877* Range (in code): US Arz Cf Col Id Mon NDk NMx Ne Org Ut Ws Wy
- 11722. Callophrys sheridanii comstocki Henne, 1940** (Lycaenidae) *Synonym(s): comstocki Henne, 1940* Range (in code): US Arz Cf Col Ne Ut
- 11723. Callophrys sheridanii lemberti Tilden, 1963** (Lycaenidae) *Synonym(s): lemberti Tilden, 1963* Range (in code): US
- 11724. Callophrys sheridanii sheridanii (Edwards, 1877)** (Lycaenidae) *Synonym(s): sheridanii Edwards, 1877* Range (in code): US Ne
- 11725. Callophrys spinetorum (Hewitson, 1867)** (Lycaenidae) *Synonym(s): spinetorum Hewitson, 1867; ninus Edwards, 1871; cuyamaca Wright, 1922; millerorum Clench, 1981* Range (in code): US MX Arz Cf Col Id Mon NMx Ne Ok Org Tx Ut Ws Wy
- 11726. Callophrys suaveola (Staudinger, 1881)** (Lycaenidae) *Synonym(s): suaveola Staudinger, 1881; titanus Zhdanko, 1998* Original Reference: Thecla rubi var.? suaveola Staudinger, 1881, Stettin ent. Ztg. 42(7/9): 279-280. Syntypes 4♂: Lepsa, Saisan. Lectotype ♂: [Kasachstan]: Lepsa [Dschungarischer Alatau] (designated by Bernardi, 1964: 276). Range (in code): UZ KK KG Ky Sp Tk DsA Nym SAT Bkb Mrk TrA Syr Tm Sau Ktm Lps T-S Ota At MN Bionomy: Larva on Ferula spp. (Apiaceae) (Zhdanko, 2000).
- 11727. Callophrys suaveola kozlovi Krupitsky & Yakovlev, 2012** (Lycaenidae) *Synonym(s): kozlovi Krupitsky & Yakovlev, 2012* Original Reference: Callophrys suaveola ssp. kozlovi Krupitsky & Yakovlev, 2012, Cauc. ent. Bull. 8 (2): 261-263, figs. Holotype ♂: W. Mongolia, Hovd aimak, Arshantyn-Nuruu Mts. 1600-1800m 17-18.5.2012 Yakovlev leg (ZMMSU, Moscow). Range (in code): MN At
- 11728. Callophrys suaveola suaveola (Staudinger, 1881)** (Lycaenidae) *Synonym(s): suaveola Staudinger, 1881; titanus Zhdanko, 1998* Original Reference: Thecla rubi var.? suaveola Staudinger, 1881, Stettin ent. Ztg. 42(7/9): 279-280. Syntypes 4♂: Lepsa, Saisan. Lectotype ♂: [Kasachstan]: Lepsa [Dschungarischer Alatau] (designated by Bernardi, 1964: 276). Range (in code): UZ KK KG Ky Sp Tk DsA Nym SAT Bkb Mrk TrA Syr Tm Sau Ktm Lps T-S Ota
- 11729. Callophrys succuba Krupitsky, Pljushtch & Pak, 2015** (Lycaenidae) *Synonym(s): succuba Krupitsky, Pljushtch & Pak, 2015* Original Reference: Callophrys succuba Krupitsky, Pljushtch & Pak, 2015, Zootaxa 4027 (2): 282-285, figs. Holotype ♂: Afghanistan, Bamyān Prov., Band-e Amir 3100m 1 vi 2012, Pljushtch leg. (ZMMU). Range (in code): AF BM BdA
- 11730. Callophrys turkingtoni Johnson, 1976** (Lycaenidae) *Synonym(s): turkingtoni Johnson, 1976* Range (in code): MX

- 11731. Callophrys xami (Reakirt,1866)** (Lycaenidae) Synonym(s): *xami* Reakirt,1866; *blenina* Hewitson,1868; *texami* Clench,1981 Range (in code): **US MX Arz NMx Tx**
- 11732. Calycopis cecrops (Fabricius,1793)** (Lycaenidae) Synonym(s): *cecrops* Fabricius,1793; *poeas* Hübner,[1811] Range (in code): **US Aks Alb Cnt Col Dw Fl Ge Idp Iln Kan Knt Lou Mch Mis Mrl Mss Nca Neb Nje Ny Oh Ok Pns RDi SCa Tnn Tx Vi WVi**
- 11733. Calycopis isobeon (Butler & Druce,1872)** (Lycaenidae) Synonym(s): *isobeon* Butler & Druce,1872 Range (in code): **US MX Kan Mss Tx**
- 11734. Capys alphaeus (Cramer,[1777])** (Lycaenidae) Synonym(s): *alphaeus* Cramer,[1777] Range (in code): **ZA Kzu Nta Ptb Tva Lpo Ly Ptc Kkf Spb Suw Bul ZW Wca Ec Grh Pel**
- 11735. Capys alphaeus alphaeus (Cramer,[1777])** (Lycaenidae) Synonym(s): *alphaeus* Cramer,[1777] Range (in code): **ZA Wca Ec Grh Pel**
- 11736. Capys alphaeus extentus Quickelberge,1979** (Lycaenidae) Synonym(s): Range (in code): **ZA Kzu Nta Ptb Tva Lpo Ly Ptc Spb Suw Kkf Bul ZW**
- 11737. Capys bamptoni Henning & Henning,1988** (Lycaenidae) Synonym(s): *bamptoni* Henning & Henning,1988 Range (in code): **SD**
- 11738. Capys brunneus Aurivillius,1916** (Lycaenidae) Synonym(s): *brunneus* Aurivillius,1916 Range (in code): **TZ MW ZM**
- 11739. Capys brunneus brunneus Aurivillius,1916** (Lycaenidae) Synonym(s): *brunneus* Aurivillius,1916 Range (in code): **TZ MW**
- 11740. Capys brunneus heathi Henning & Henning,1988** (Lycaenidae) Synonym(s): *heathi* Henning & Henning,1988 Range (in code): **ZM**
- 11741. Capys calpurnia Henning & Henning,1988** (Lycaenidae) Synonym(s): *calpurnia* Henning & Henning,1988 Range (in code): **KE**
- 11742. Capys catharus Riley,1932** (Lycaenidae) Synonym(s): *catharus* Riley,1932 Original Reference: *Capys catharus* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 144-145, pl. viii figs. 6,7. Holotype ♂: [Zaire]: Belgian Congo: Region de M'Pala, Tanganyika Prov., (R. P. Guillemé leg.) (BMNH). Range (in code): **ZR KE UG**
- 11743. Capys catharus catharus Riley,1932** (Lycaenidae) Synonym(s): *catharus* Riley,1932 Original Reference: *Capys catharus* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 144-145, pl. viii figs. 6,7. Holotype ♂: [Zaire]: Belgian Congo: Region de M'Pala, Tanganyika Prov., (R. P. Guillemé leg.) (BMNH). Range (in code): **ZR**
- 11744. Capys catharus rileyi Stempffer,1967** (Lycaenidae) Synonym(s): *rileyi* Stempffer,1967 Range (in code): **KE UG**
- 11745. Capys collinsi Henning & Henning,1988** (Lycaenidae) Synonym(s): *collinsi* Henning & Henning,1988 Range (in code): **KE**
- 11746. Capys connexivus Butler,1897** (Lycaenidae) Synonym(s): *connexivus* Butler,1897 Range (in code): **MW TZ AO ZM ZW**
- 11747. Capys connexivus connexivus Butler,1897** (Lycaenidae) Synonym(s): *connexivus* Butler,1897 Range (in code): **MW TZ AO ZM ZW**
- 11748. Capys connexivus gardineri Henning & Henning,1988** (Lycaenidae) Synonym(s): *gardineri* Henning & Henning,1988 Range (in code): **ZM**
- 11749. Capys cupreus Henning & Henning,1988** (Lycaenidae) Synonym(s): *cupreus* Henning & Henning,1988 Range (in code): **KE**
- 11750. Capys disjunctus Trimen,1895** (Lycaenidae) Synonym(s): *disjunctus* Trimen,1895 Range (in code): **CM NG ZA Ec Nta Kzu Tva Mpu Brb Gau Jh ZW Bul**
- 11751. Capys disjunctus bamendanus Schultze,1909** (Lycaenidae) Synonym(s): *bamendanus* Schultze,1909 Range (in code): **CM NG**
- 11752. Capys disjunctus disjunctus Trimen,1895** (Lycaenidae) Synonym(s): *disjunctus* Trimen,1895 Range (in code): **ZA Ec Nta Kzu Tva Mpu Brb Gau Jh ZW Bul**
- 11753. Capys hermes Henning & Henning,1988** (Lycaenidae) Synonym(s): *hermes* Henning & Henning,1988 Range (in code): **KE**
- 11754. Capys juliae Henning & Henning,1988** (Lycaenidae) Synonym(s): *juliae* Henning & Henning,1988 Range (in code): **KE**
- 11755. Capys meruensis Henning & Henning,1988** (Lycaenidae) Synonym(s): *meruensis* Henning & Henning,1988 Range (in code): **KE**
- 11756. Capys penningtoni Riley,1932** (Lycaenidae) Synonym(s): *penningtoni* Riley,1932 Original Reference: *Capys penningtoni* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 142-143, pl. viii

- figs. 4,5. Holotype ♂: [Zaire]: [South Africa]: Natal: Inhlozane, 4.x.30 (K. M. Pennington leg.) (BMNH). Range (in code): **ZA Nta Kzu Lot**
- 11757. *Castalius rosimon* (Fabricius,1775)** (Lycaenidae) Synonym(s): *rosimon* Fabricius,1775
Range (in code): **LK IN MM MY Lkw TH CMa Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 Cui2 CDo CD2 Chy Cbu Rng Rat Atg Nna Nst Chw Sgk Hya Tnc PH Luz Sam** Bionomy: Larva on *Paliurus ramosissimus*, *Zizyphus jujuba*, *Z. mauritiana*, *Z. oenoplia* (Rhamnaceae) (Robinson et al.,2005).
- 11758. *Castalius rosimon monrosi* Semper,1889** (Lycaenidae) Synonym(s): *monrosi* Semper,1889 Range (in code): **PH Luz Sam**
- 11759. *Castalius rosimon rosimon* (Fabricius,1775)** (Lycaenidae) Synonym(s): *rosimon* Fabricius,1775 Range (in code): **CN HK LK IN Adm MM MY Lkw TH CMa Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 Cui2 CDo CD2 Chy Cbu Rng Rat Atg Nna Nst Chw Sgk Hya Tnc** Bionomy: Larva on *Paliurus ramosissimus*, *Zizyphus jujuba*, *Z. mauritiana*, *Z. oenoplia* (Rhamnaceae) (Robinson et al.,2005).
- 11760. *Catapaecilma elegans* (Druce,1873)** (Lycaenidae) Synonym(s): *elegans* Druce,1873
Range (in code): **MY Lkw TH Tng Nst**
- 11761. *Catapaecilma elegans elegans* (Druce,1873)** (Lycaenidae) Synonym(s): *elegans* Druce,1873
- 11762. *Catapaecilma elegans zephyria* Fruhstorfer,1915** (Lycaenidae) Synonym(s): *zephyria* Fruhstorfer,1915 Range (in code): **MY Lkw TH Tng Nst**
- 11763. *Catapaecilma evansi* Pendlebury,1933** (Lycaenidae) Synonym(s): *evansi* Pendlebury,1933
Range (in code): **MY PH Pal CmL Mar Luz Mdo Neg**
- 11764. *Catapaecilma evansi evansi* Pendlebury,1933** (Lycaenidae) Synonym(s): *evansi* Pendlebury,1933 Range (in code): **PH Pal MY**
- 11765. *Catapaecilma evansi parva* Schröder & Treadaway,1988** (Lycaenidae) Synonym(s): *parva* Schröder & Treadaway,1988 Range (in code): **PH Neg**
- 11766. *Catapaecilma evansi rizali* Takanami,1984** (Lycaenidae) Synonym(s): *rizali* Takanami,1984 Range (in code): **PH CmL Mar Luz Mdo**
- 11767. *Catapaecilma gracilis* Semper,1890** (Lycaenidae) Synonym(s): *gracilis* Semper,1890
Range (in code): **PH Boh Ceb Ley Luz Mdo Mno Pao Sam**
- 11768. *Catapaecilma lila* Eliot,1967** (Lycaenidae) Synonym(s): *lila* Eliot,1967 Range (in code): **MY**
- 11769. *Catapaecilma lila lila* Eliot,1967** (Lycaenidae) Synonym(s): *lila* Eliot,1967 Range (in code): **MY**
- 11770. *Catapaecilma major* Druce,1895** (Lycaenidae) Synonym(s): *major* Druce,1895 Range (in code): **LK MM TH CMa CRa Nst MY**
- 11771. *Catapaecilma major albicans* Corbet,1941** (Lycaenidae) Synonym(s): *albicans* Corbet,1941 Range (in code): **MM TH CMa CRa**
- 11772. *Catapaecilma major emas* Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *emas* Fruhstorfer,[1912]; *tyana* Fruhstorfer,1915 Range (in code): **MY TH Nst**
- 11773. *Catapaecilma major major* Druce,1895** (Lycaenidae) Synonym(s): *major* Druce,1895
- 11774. *Catapaecilma nakamotoi* Hayashi,1979** (Lycaenidae) Synonym(s): *nakamotoi* Hayashi,1979 Range (in code): **PH Mno**
- 11775. *Catapaecilma nuydai* Takanami,1984** (Lycaenidae) Synonym(s): *nuydai* Takanami,1984
Range (in code): **PH Mno**
- 11776. *Catapaecilma subochracea* Elwes,[1893]** (Lycaenidae) Synonym(s): *subochracea* Elwes,[1893] Range (in code): **MM TH CMa CDo Chy Tvy IN Nag Ass**
- 11777. *Catapaecilma subochracea subochracea* Elwes,[1893]** (Lycaenidae) Synonym(s): *subochracea* Elwes,[1893] Range (in code): **MM TH CMa CDo Chy Tvy IN Nag Ass**
- 11778. *Catochrysops panormus* (C.Felder,1860)** (Lycaenidae) Synonym(s): *panormus* C.Felder,1860 Range (in code): **PH Bal Mno Pal Stu Taw LK IN Ass MM MY Prk Lkw TH CMa Cuo Cuo6 Cuo7 Cui2 Dst Qs Dsk Hpt Cbu Loe Nna Rng Tak Nst Chw** Bionomy: Larva on *Cajanus cajan*, *Dolichos*, *Phaseolus*, *Vigna* (Fabaceae) (Robinson et al.,2005).
- 11779. *Catochrysops panormus exiguus* (Distant,1886)** (Lycaenidae) Synonym(s): *exiguus* Distant,1886; *perakana* Corbet,1938 Range (in code): **PH Bal Mno Pal Stu Taw IN Ass MM MY Prk Lkw TH CMa Cuo Cuo6 Cuo7 Cui2 Dst Dsk Hpt Cbu Loe Nna Rng Tak Nst Chw**
- 11780. *Catochrysops panormus panormus* (C.Felder,1860)** (Lycaenidae) Synonym(s): *panormus* C.Felder,1860

- 11781. *Catochrysops strabo* (Fabricius,1793)** (Lycaenidae) Synonym(s): *strabo* Fabricius,1793; *riama* Corbet,1938 Original Reference: *Hesperia strabo* Fabricius,1793, Ent. Syst. 3(1): 287. Type(s): India orientali. Range (in code): **LK IN Nag MM Krh PH Bal Bas Boh Din Dum Jol Ley Luz Mas Mdo Mno Pal Pan Sam MY Lkw TH Chy CMA Knc Lmp Mae Nrt Rat Nst Chw Bnk TAK CN HK** Bionomy: Larva on *Cajanus cajan*, *Acacia*, *Dolichos*, *Butea monosperma*, *Phaseolus*, *Desmodium dalbergioides*, *D.heterocarpon*, *Dunbaria villosa* (Fabaceae) (Robinson et al.,2005).
- 11782. *Catochrysops strabo luzonensis* Tite,1959** (Lycaenidae) Synonym(s): *luzonensis* Tite,1959 Range (in code): **PH Bal Bas Boh Din Dum Jol Ley Luz Mas Mdo Mno Pal Pan Sam**
- 11783. *Catochrysops strabo strabo* (Fabricius,1793)** (Lycaenidae) Synonym(s): *strabo* Fabricius,1793; *riama* Corbet,1938 Original Reference: *Hesperia strabo* Fabricius,1793, Ent. Syst. 3(1): 287. Type(s): India orientali. Range (in code): **IN Nag MM Krh MY Lkw TH Chy CMA Knc Lmp Mae Nrt Rat TAK Nst Chw Bnk CN HK**
- 11784. *Catopyrops ancyra* (C.Felder,1860)** (Lycaenidae) Synonym(s): *ancyra* C.Felder,1860 Range (in code): **TH Yal PH Ley Luz Mar Mno Pal Stu**
- 11785. *Catopyrops ancyra aberrans* (Elwes,[1893])** (Lycaenidae) Synonym(s): *aberrans* Elwes,[1893] Range (in code): **TH Yal**
- 11786. *Catopyrops ancyra almora* Druce,1873** (Lycaenidae) Synonym(s): *almora* Druce,1873 Range (in code): **PH Ley Luz Mar Mno Pal Stu**
- 11787. *Catopyrops ancyra ancyra* (C.Felder,1860)** (Lycaenidae) Synonym(s): *ancyra* C.Felder,1860
- 11788. *Cebrella* (Chelakina) *lingga* (Moulton,1912)** (Lycaenidae) Synonym(s): *lingga* Moulton,1912 Range (in code): **MY Bor Swk**
- 11789. *Cebrella* (Chelakina) *lingga hollowayi* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *hollowayi* Eliot & Kawazoe,1984
- 11790. *Cebrella* (Chelakina) *lingga lingga* (Moulton,1912)** (Lycaenidae) Synonym(s): *lingga* Moulton,1912 Range (in code): **MY Bor Swk**
- 11791. *Cebrella* (Chelakina) *matanga* (Chapman,1911)** (Lycaenidae) Synonym(s): *matanga* Chapman,1911; *delampra* Moulton,1912. Range (in code): **MY Bor**
- 11792. *Cebrella* (Chelakina) *matanga matanga* (Chapman,1911)** (Lycaenidae) Synonym(s): *matanga* Chapman,1911; *delampra* Moulton,1912. Range (in code): **MY Bor**
- 11793. *Cebrella* (Chelakina) *nigerrima* (Moulton,1912)** (Lycaenidae) Synonym(s): *nigerrima* Moulton,1912; *chelaka* Moulton,1913. Range (in code): **MY**
- 11794. *Cebrella* (Chelakina) *nigerrima kerionga* Eliot,1992** (Lycaenidae) Synonym(s): *kerionga* Eliot,1992 Range (in code): **MY**
- 11795. *Cebrella* (Chelakina) *nigerrima nigerrima* (Moulton,1912)** (Lycaenidae) Synonym(s): *nigerrima* Moulton,1912; *chelaka* Moulton,1913.
- 11796. *Cebrella* (s.str.) *pellecebra* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *pellecebra* Fruhstorfer,1910 Range (in code): **MY TH Ntt Nst Lsa**
- 11797. *Cebrella* (s.str.) *pellecebra moultoni* (Chapman,1911)** (Lycaenidae) Synonym(s): *moultoni* Chapman,1911; *oskewa* Moulton,1912. Range (in code): **MY**
- 11798. *Cebrella* (s.str.) *pellecebra pellecebra* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *pellecebra* Fruhstorfer,1910 Range (in code): **TH Ntt Nst Lsa**
- 11799. *Cebrella* (s.str.) *penelope* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe,1984 Range (in code): **PH Mno Pan**
- 11800. *Cebrella* (s.str.) *penelope kashiwii* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *kashiwii* Eliot & Kawazoe,1984 Range (in code): **PH Pan**
- 11801. *Cebrella* (s.str.) *penelope penelope* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *penelope* Eliot & Kawazoe,1984 Range (in code): **PH Mno**
- 11802. *Celarchus* (Armentulus) *shelfordii* (De Nicéville,1902)** (Lycaenidae) Synonym(s): *shelfordii* De Nicéville,1902 Range (in code): **MY Bor**
- 11803. *Celarchus* (Armentulus) *shelfordii elizabethae* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *elizabethae* Eliot & Kawazoe,1984
- 11804. *Celarchus* (Armentulus) *shelfordii montanensis* (Barlow, Banks & Holloway,1971)** (Lycaenidae) Synonym(s): *montanensis* Barlow, Banks & Holloway,1971
- 11805. *Celarchus* (Armentulus) *shelfordii shelfordii* (De Nicéville,1902)** (Lycaenidae) Synonym(s): *shelfordii* De Nicéville,1902 Range (in code): **MY Bor**
- 11806. *Celarchus* (s.str.) *archagathos* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder,[1865] Range (in code): **PH Bas CmM Mno Ley**

- 11807. Celarchus (s.str.) archagathos archagathos (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *archagathos* C.Felder & R.Felder,[1865] _ Range (in code): **PH Bas Cmm Mno**
- 11808. Celarchus (s.str.) archagathos leytensis Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *leytensis* Eliot & Kawazoe,1984 _ Range (in code): **PH Ley**
- 11809. Celarchus (s.str.) hermarchus (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer,1910 _ Range (in code): **PH Luz Mar Mas Neg Ley Mdo Rom Sam Sib**
- 11810. Celarchus (s.str.) hermarchus hermarchus (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *hermarchus* Fruhstorfer,1910 _ Range (in code): **PH Luz Mar Mas Neg**
- 11811. Celarchus (s.str.) hermarchus vesontia Fruhstorfer,1917** (Lycaenidae) Synonym(s): *vesontia* Fruhstorfer,1917 _ Range (in code): **PH Ley Mdo Rom Sam Sib**
- 11812. Celastrina acesina (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *acesina* Bethune-Baker,1906 _ Range (in code): **PG**
- 11813. Celastrina acesina acesina (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *acesina* Bethune-Baker,1906 _ Range (in code): **PG**
- 11814. Celastrina algermoni (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *oreas* Leach (praeocc.); *algermoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974. _ Range (in code): **PH Luz MY Bor Sbh**
- 11815. Celastrina algermoni algermoni (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *oreas* Leach (praeocc.); *algermoni* Fruhstorfer,1917; *nuydai* Hayashi & Iwanaga,1974. _ Range (in code): **PH Luz**
- 11816. Celastrina algermoni kadazanensis Barlow, Banks & Holloway,1971** (Lycaenidae) Synonym(s): *kadazanensis* Barlow, Banks & Holloway,1971; *kawazoei* Hayashi & Iwanaga,1974. _ Range (in code): **MY Bor Sbh**
- 11817. Celastrina argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. Original Reference: *Papilio argiolus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type ♀: Europa (Linnean coll. London) [gen.vern.]. Range (in code): **He IL Ae AL AM Ao At AT AZ Ba BE BG BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU IE IQ IR IT KG KK Ku LT LU LV MA MK MT NL NO PL PT Rd RO RU Sa Se Si SK Sm So Sr TM TN TR UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli DsA KuA Ax Sau Ta JP MN KP KR TW Yu PH Luz Vv Sh Buc Mrk US CA MX PA LB Sj AF Als Ssk Mnt Mon Wc Nfl Ti Btn Ats BCo Cf Ut Ne NMx PA GT Us Mc Bry Ok SCa Tx Ge Lou Kan Aks Mss Alb Bn T-S Ab Ak Elb Th Ha Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa Ndk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi SDk Tnn Ut Vi Vr WVi We Ws Wy Nsr TH CMa CDo MM NP IN Clc SI Slo Ass VN Ann Cc Arr Shf Agi** Bionomy: Larva on *Malus sieversii*, *Cuscuta engelmannii* (Zhdanko, 1997); *Rubus fruticosus*, *R.idaeus*, *R.discolore*, *Filipendula ulmaria*, *Discolores*, *Pyracantha coccinea*, *Ulex europaeus*, *Genista tinctoria*, *Spartium junceum*, *Dorycnium pentaphyllum*, *Medicago sativa*, *Astragalus glycyphyllos*, *Melilotus alba*, *M.officinalis*, *Galega officinalis*, *Colutea arborescens*, *Robinia pseudacacia*, *Euonymus europaeus*, *Clematis vitalba*, *Rhamnus cartharticus*, *Frangula alnus*, *Humulus lupulus*, *Calluna vulgaris*, *Erica*, etc. (Tolman,1997).
- 11818. Celastrina argiolus argiolus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 nec Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. Original Reference: *Papilio argiolus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 483. Type ♀: Europa (Linnean coll. London) [gen.vern.]. Range (in code): **Ae AL AM Ao At Bn AT AZ Ba BE BG Bw BY CH Co Cr CZ DE DK EE ES Mu FI FR GB GG GR HU IE IT KG LT LU LV MK MT NL NO PL PT Rd RO Rp RU Sa SE Si SK Sm So Sr UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Kuz Sli Sau Sju Tar Buc Mrk Cc**
- 11819. Celastrina argiolus bieneri Forster,1941** (Lycaenidae) Synonym(s): *bieneri* Forster,1941 Original Reference: *Celastrina argiolus* ssp. *bieneri* Forster,1941, Mitt. münch. ent. Ges. 31: 614, pl.21,22 figs.3,4. Holotype: U.S.S.R.: Transbaikalia (ZSM). Range (in code): **RU Bry**
- 11820. Celastrina argiolus caphis (Fruhstorfer,1922)** (Lycaenidae) Synonym(s): *caphis* Fruhstorfer,1922 Original Reference: *Lycaenopsis argiolus caphis* Fruhstorfer,1922, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 871. Syntypes: China: Omei Shan and Ningpo. Range (in code): **CN TW Yu**
- 11821. Celastrina argiolus cinerea (Edwards,1883)** (Lycaenidae) Synonym(s): *cinerea* Edwards,1883; *arizonensis* Edwards,1884. Original Reference: *Lycaena cinerea* Edwards,1883,

- Papilio 3: 8. Lectotype ♂: U.S.A. Arizona, designated by Brown (1970: 428) (CM,Pittsburgh).
Range (in code): **US MX Ut Ne NMx**
- 11822. *Celastrina argiolus echo* (Edwards,1864)** (Lycaenidae) Synonym(s): *echo Edwards,1864*
Original Reference: *Lycaena echo* Edwards,1864, Proc. ent. Soc. Philad. 2: 506. Neotype ♂: U.S.A. California, designated by Brown (1970:430) (CM,Pittsburgh). Range (in code): **US CA BCo Cf**
- 11823. *Celastrina argiolus gozora* (Boisduval,1870)** (Lycaenidae) Synonym(s): *gozora Boisduval,1870*
Original Reference: *Lycaena gozora* Boisduval,1870, Considerations sur les Lépidoptères envoyés du Guatemala a M. de l'Orza: 17. Syntypes: Guatemala. Range (in code): **MX PA GT**
- 11824. *Celastrina argiolus hypoleuca* (Kollar,[1849])** (Lycaenidae) Synonym(s): *hypoleuca Kollar,[1849]; paraleuca Röber,1897.*
Original Reference: *Lycaena hypoleuca* Kollar,[1849], Deksch. Akad. Wiss. Wien 1: 52. Type(s): [Iran]: Farsistan [=Shiraz] (NHMW?). Range (in code): **LB CY AF IQ Nsr IR Ab Ak Elb Th Ha Fa TM KK TR Cc KG T-S Sju DsA TrA KuA Ax CN Ui Ku Sj RU**
- 11825. *Celastrina argiolus iyntheana* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *iyntheana De Nicéville,1884; jyntheana De Nicéville,1884; sikkima Moore,1884; bothrinoides Chapman,1909; puspargiolus Chapman,1909; herophilus Fruhstorfer,1910; citation Fruhstorfer,1910*
Range (in code): **IN Cle SI Slo Ass VN Ann TH CMa CDo NP MM**
- 11826. *Celastrina argiolus ladon* (Cramer,[1780])** (Lycaenidae) Synonym(s): *ladon Cramer,[1780]; pseudargiolus Boisduval & Le Conte,1835; violacea Edwards,1866; neglectamajor Tutt,1908.*
Original Reference: *Papilio ladon* Cramer,[1780], Utitl. Kapellen: 141, pl.270 figs.D,E. Neotype ♂: U.S.A.: Maryland (AME, Saratosa), designated by Clench & Miller,1980: 17, figs.910. Range (in code): **US Ok SCa Tx Ge Lou Kan Aks Mss Alb MX Arz Cf Cnt Col Dw Fl Id Idp Iln Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Nje Ny Oh Org Pns RDi Sdk Tnn Ut Vi Vr WVi Wc Ws Wy**
- 11827. *Celastrina argiolus ladonides* (De l'Orza,1869)** (Lycaenidae) Synonym(s): *ladonides De l'Orza,1869; levettii Butler,1883; sachaliensis Esaki,1922; sachaliensis Matsumura,1925; heringi Kardakov,1928; ussuriensis Forster,1941.*
Original Reference: *Lycaena ladonides* De l'Orza,1869, Lépid. japon. Expos. Int. 1867: 20. Syntypes: Japan. Range (in code): **RU Vv Sh Prj Us Mc CN KP KR JP**
- 11828. *Celastrina argiolus lucia* (Kirby,1837)** (Lycaenidae) Synonym(s): *lucia Kirby,1837; neglecta Edwards,1862; marginata Edwards,1883; argentata T.B.Fletcher,1903.*
Original Reference: *Lycaena lucia* Kirby,1837, [in] Richardson, J., Fauna Boreali-Americana or the zoology of the northern parts of British America... pt.4, Insects: 299, pl.3 figs. 8,9. Syntypes: Canada: Saskatchewan. Range (in code): **CA US Als Ssk Mnt Mon Wc Nfl**
- 11829. *Celastrina argiolus mauretana* (Rothschild,1925)** (Lycaenidae) Synonym(s): *algorica Oberthür,1915 nec Heyne,1895; mauretana Rothschild,1925*
Original Reference: *Lycaena argiolus mauretana* Rothschild,1925, Novit. zool. 32: 214 (nomen novum pro algorica Oberthür,1915 nec Heyne,1895). Range (in code): **ES MA DZ Agi TN MT Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm**
- 11830. *Celastrina argiolus ssp.n.*** (Lycaenidae) Synonym(s):
Original Reference: *Celastrina argiolus ssp.n.*: Eliot & Kawazoe,1983, Blue Butterflies of the Lycaenopsis Group: 219. Range (in code): **CN Ti Btn Ats**
- 11831. *Celastrina argiolus sugurui* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *sugurui Eliot & Kawazoe,1984*
Original Reference: *Celastrina argiolus ssp. sugurui* Eliot & Kawazoe,1983, Blue Butterflies of the Lycaenopsis Group: 215, fig1.59. Holotype ♂: Philippines: Luzon, 40km from Baguio, Asin hot spring, 460m. (NSM,Tokyo). Range (in code): **PH Luz**
- 11832. *Celastrina fedoseevi* Korshunov & Ivonin,1990** (Lycaenidae) Synonym(s): *fedoseevi Korshunov & Ivonin,1990*
Range (in code): **RU Am**
- 11833. *Celastrina fedoseevi fedoseevi* Korshunov & Ivonin,1990** (Lycaenidae) Synonym(s): *fedoseevi Korshunov & Ivonin,1990*
Range (in code): **RU Am**
- 11834. *Celastrina filipjevi* (Riley,1934)** (Lycaenidae) Synonym(s): *filipjevi Riley,1934*
Original Reference: *Lycaenopsis filipjevi* Riley,1934, Entomologist 67: 85, pl.1 figs.1-6. Holotype ♂: [Russia]: Ussuri (BMNH). Range (in code): **RU Vv Mc CN KP**
- 11835. *Celastrina filipjevi admirabilis* (Sugitani,1936)** (Lycaenidae) Synonym(s): *admirabilis Sugitani,1936*
Original Reference: *Lycaenopsis admirabilis* Sugitani,1936, Zephyrus 6: 164, pl.9 figs. 7,10. Holotype ♂: North Korea: Fukuoka. Range (in code): **KP**

- 11836. *Celastrina filipjevi filipjevi* (Riley,1934)** (Lycaenidae) Synonym(s): *filipjevi* Riley,1934
Original Reference: Lycaenopsis filipjevi Riley,1934, Entomologist 67: 85, pl.1 figs.1-6. Holotype ♂: [Russia]: Ussuri (BMNH). Range (in code): **RU Vv Mc CN**
- 11837. *Celastrina gigas gigas* (Hemming,1928)** (Lycaenidae) Synonym(s): *gigas* Hemming,1928
Original Reference: Lycaenopsis gigas Hemming,1928, Proc. ent. Soc. Lond. 3: 30, pl.ii fig.5. Holotype ♂: [India]: Mussourie (H.D.Peile) (BMNH). Range (in code): **IN Mus Sml Dlh Kgr Hp PK Haz Mre Kma**
- 11838. *Celastrina gigas gigas* (Hemming,1928)** (Lycaenidae) Synonym(s): *gigas* Hemming,1928
Original Reference: Lycaenopsis gigas Hemming,1928, Proc. ent. Soc. Lond. 3: 30, pl.ii fig.5. Holotype ♂: [India]: Mussourie (H.D.Peile) (BMNH). Range (in code): **IN Mus Sml Dlh Kgr Hp PK Haz Mre Kma**
- 11839. *Celastrina huegelii huegelii* (Moore,1882)** (Lycaenidae) Synonym(s): *huegelii* Moore,1882
Original Reference: Cyaniris huegelii Moore,1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes ♂♀: Kashmir, Simla, Masuri, Dharmasala. Range (in code): **Drm IN Mus Sml Up**
- 11840. *Celastrina huegelii huegelii* (Moore,1882)** (Lycaenidae) Synonym(s): *huegelii* Moore,1882
Original Reference: Cyaniris huegelii Moore,1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes ♂♀: Kashmir, Simla, Masuri, Dharmasala. Range (in code): **Drm IN Mus Sml Up**
- 11841. *Celastrina huegelii oreoides* (Evans,1925)** (Lycaenidae) Synonym(s): *oreoides* Evans,1925
- 11842. *Celastrina kollari kollari* (Westwood,[1852])** (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919. Original Reference: Lycaena kollari Westwood,[1852], [in] Doubleday, Gen. diurn. Lep.: 491, nr. 69 (nomen novum pro coelestina Kollar,1848 nec Eversmann,1843). Syntypes: Kashmir. Range (in code): **IN PK Pj Ch AF Ng Jla Ci Haz Mre Nwf Kma TH MM Ass VN NP SI CN Ti**
- 11843. *Celastrina kollari iynteara* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *iynteara* De Nicéville,1884; *iynteara* Moore,1884; *sikkima* Moore,1884; *victoria* Swinhoe,1893; *bothrinoides* Chapman,1909; *puspargolus* Chapman,1909; *albocaeruleoides* Chapman,1909; *herophilus* Fruhstorfer,1910; *citon* Fruhstorfer,1910. Original Reference: Cyaniris iynteara De Nicéville,1884, J. Asiat. Soc. Bengal 52: 69, pl.1 figs.7a,b. Lectotype ♂: India: Sikkim, designated by Eliot & Kawazoe (1983: 217) (ZSI, Calcutta) [Wet season form]. Range (in code): **IN Meg Khs TH MM Ass VN Ann NP SI CN Ti**
- 11844. *Celastrina kollari kollari* (Westwood,[1852])** (Lycaenidae) Synonym(s): *coelestina* Kollar,1848 nec Evers.,1843; *kollari* Westwood,[1852]; *kasmira* Moore,1865; *trita* Swinhoe,1919. Original Reference: Lycaena kollari Westwood,[1852], [in] Doubleday, Gen. diurn. Lep.: 491, nr. 69 (nomen novum pro coelestina Kollar,1848 nec Eversmann,1843). Syntypes: Kashmir. Range (in code): **IN PK Pj Ch AF Ng Jla Ci Haz Mre Nwf Kma**
- 11845. *Celastrina ladon argentata* (Lycaenidae)** Synonym(s): _ Range (in code): **US Mch Mss**
- 11846. *Celastrina ladon humulus* (Lycaenidae)** Synonym(s): _ Range (in code): **US Col**
- 11847. *Celastrina ladon idella* (Lycaenidae)** Synonym(s): _ Range (in code): **US Dw Ge Mrl NCa Nje SCa Vi**
- 11848. *Celastrina ladon ladon* (Lycaenidae)** Synonym(s): _ Range (in code): **US**
- 11849. *Celastrina ladon neglecta* (Lycaenidae)** Synonym(s): _ Range (in code): **US Aks Alb Cnt Col Dw Fl Ge Idp Ilm Io Kan Knt Lou Mai Mis Mns Mon Mrl Msc NCa NDk Neb Nh Ny Oh Ok Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi We Wy**
- 11850. *Celastrina ladon ssp.* (Lycaenidae)** Synonym(s): _ Range (in code): **US**
- 11851. *Celastrina ladon violacea* (Lycaenidae)** Synonym(s): _ Range (in code): **US**
- 11852. *Celastrina lavendularis lavendularis* (Moore,1877)** (Lycaenidae) Synonym(s): *lavendularis* Moore,1877; *amitra* Fruhstorfer,1922. _ Range (in code): **TH CMa Pbu Nna PH Ley Luz Mas Mdo Mno Neg ID Flo PG Aro**
- 11853. *Celastrina lavendularis aroana* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *aroana* Eliot & Kawazoe,1984 _ Range (in code): **PG Aro**
- 11854. *Celastrina lavendularis chloe* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *chloe* Eliot & Kawazoe,1984
- 11855. *Celastrina lavendularis epicharma* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *epicharma* Fruhstorfer,1910
- 11856. *Celastrina lavendularis floresiana* (Courvoisier,1910)** (Lycaenidae) Synonym(s): *floresiana* Courvoisier,1910 _ Range (in code): **ID Flo**
- 11857. *Celastrina lavendularis gadara* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *gadara* Fruhstorfer,1910

- 11858. *Celastrina lavendularis hermesianax* (Fruhstorfer,1910)** (Lycaenidae)
Synonym(s): *hermesianax* Fruhstorfer,1910 _ Range (in code): **PH Ley Luz Mas Mdo Mno Neg**
- 11859. *Celastrina lavendularis himilcon* (Fruhstorfer,1909)** (Lycaenidae) Synonym(s):
himilcon Fruhstorfer,1909; *crimissa* Fruhstorfer,1917.
- 11860. *Celastrina lavendularis isabella* Corbet,1937** (Lycaenidae) Synonym(s): *isabella* Corbet,1937
- 11861. *Celastrina lavendularis lavendularis* (Moore,1877)** (Lycaenidae) Synonym(s):
lavendularis Moore,1877; *amitra* Fruhstorfer,1922.
- 11862. *Celastrina lavendularis limbata* (Moore,1879)** (Lycaenidae) Synonym(s): *limbata* Moore,1879; *placida* De Nicéville,1884; *placida* Moore,1884; *hegesander* Fruhstorfer,1910. _ Range (in code): **TH CMa Pbu Nna**
- 11863. *Celastrina lavendularis lyce* (Grose-Smith,1896)** (Lycaenidae) Synonym(s): *lyce* Grose-Smith,1896; *pellonia* Fruhstorfer,1910.
- 11864. *Celastrina lavendularis placidina* (Fruhstorfer,1917)** (Lycaenidae) Synonym(s):
placidina Fruhstorfer,1917; *alta* Barlow, Banks & Holloway,1971.
- 11865. *Celastrina morsheadi* (Evans,1915)** (Lycaenidae) Synonym(s): *morsheadi* Evans,1915
- 11866. *Celastrina morsheadi astynome* (Oberthür,1919)** (Lycaenidae) Synonym(s):
astynome Oberthür,1919
- 11867. *Celastrina morsheadi morsheadi* (Evans,1915)** (Lycaenidae) Synonym(s): *morsheadi* Evans,1915
- 11868. *Celastrina neglectamajor*** (Lycaenidae) Synonym(s): _ Range (in code): **US Aks Cnt Dw Ge Idp Knt Mis Mrl NCa Nje Ny Oh Pns SCa Tnn Vi WVi**
- 11869. *Celastrina nigra*** (Lycaenidae) Synonym(s): _ Range (in code): **US Aks Idp Ilm Knt Mis Mrl NCa Oh Pns Tnn Vi WVi**
- 11870. *Celastrina oreas* (Leech,1893)** (Lycaenidae) Synonym(s): *oreas* Leech,1893 Original Reference: *Cyaniris oreas* Leech,1893, Butts China Corea Japan: 321, pl.31 figs.12,15. Lectotype ♂: China: Ta-Chien-Lu, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 237 (BMNH). Range (in code): **RU Vv CN KP TW MM Yu Sz Ass IN**
- 11871. *Celastrina oreas arisana* (Matsumura,1926)** (Lycaenidae) Synonym(s): *arisana* Matsumura,1926
- 11872. *Celastrina oreas baileyi* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *baileyi* Eliot & Kawazoe,1984
- 11873. *Celastrina oreas hoenei* Forster,1941** (Lycaenidae) Synonym(s): *hoenei* Forster,1941
- 11874. *Celastrina oreas mirificus* (Sugitani,1936)** (Lycaenidae) Synonym(s): *mirificus* Sugitani,1936 Original Reference: *Lycaenopsis mirificus* Sugitani,1936, Zephyrus 6: 167, pl.9 figs. 11,12. Holotype ♂: North Korea: Fukuoka. Range (in code): **KP RU Vv**
- 11875. *Celastrina oreas oreana* (Swinhoe,1910)** (Lycaenidae) Synonym(s): *oreana* Swinhoe,1910
- 11876. *Celastrina oreas oreas* (Leech,1893)** (Lycaenidae) Synonym(s): *oreas* Leech,1893 Original Reference: *Cyaniris oreas* Leech,1893, Butts China Corea Japan: 321, pl.31 figs.12,15. Lectotype ♂: China: Ta-Chien-Lu, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 237 (BMNH). Range (in code): **CN**
- 11877. *Celastrina oreas septentrionis* Forster,1941** (Lycaenidae) Synonym(s): *septentrionis* Forster,1941
- 11878. *Celastrina oreas yunnana* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *yunnana* Eliot & Kawazoe,1984 _ Range (in code): **CN Yu**
- 11879. *Celastrina perplexa* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *perplexa* Eliot & Kawazoe,1984
- 11880. *Celastrina perplexa perplexa* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *perplexa* Eliot & Kawazoe,1984
- 11881. *Celastrina philippina* Semper,1889** (Lycaenidae) Synonym(s): *philippina* Semper,1889 Range (in code): **PH Cts Luz Mas Mno Neg Pal ID Amb Crm ID Bch PG Vu**
- 11882. *Celastrina philippina labranda* (Fruhstorfer,1917)** (Lycaenidae) Synonym(s):
labranda Fruhstorfer,1917 _ Range (in code): **ID Amb Crm**
- 11883. *Celastrina philippina nedda* (Grose-Smith,1894)** (Lycaenidae) Synonym(s): *nedda* Grose-Smith,1894; *vulcanica* Rothschild,1915; *artinia* Fruhstorfer,1917; *lychorida* Fruhstorfer,1917. _ Range (in code): **ID Bch PG Vu**
- 11884. *Celastrina philippina philippina* Semper,1889** (Lycaenidae) Synonym(s): *philippina* Semper,1889 _ Range (in code): **PH Cts Luz Mas Mno Neg Pal**

- 11885. *Celastrina philippina phuste* (Druce,1895)** (Lycaenidae) Synonym(s): *phuste* Druce,1895 _ Range (in code): **ID**
- 11886. *Celatoxia albidisca* (Moore,1884)** (Lycaenidae) Synonym(s): *albidisca* Moore,1884 _ Range (in code): **IN NI**
- 11887. *Celatoxia albidisca albidisca* (Moore,1884)** (Lycaenidae) Synonym(s): *albidisca* Moore,1884 _ Range (in code): **IN NI**
- 11888. *Celatoxia carna* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *carna* De Nicéville,1895 _ Original Reference: *Cyaniris carna* De Nicéville,1895, J. Bomb. nat. Hist. Soc. 9: 274. _ Range (in code): **IN MY ID Ja Sum AF Ng**
- 11889. *Celatoxia carna carna* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *carna* De Nicéville,1895 _ Original Reference: *Cyaniris carna* De Nicéville,1895, J. Bomb. nat. Hist. Soc. 9: 274. _ Range (in code): **IN MY ID Sum Ja**
- 11890. *Celatoxia carna carnita* (Fruhstorfer,1922)** (Lycaenidae) Synonym(s): *carnita* Fruhstorfer,1922
- 11891. *Celatoxia marginata* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *marginata* De Nicéville,1884; *marginata* Moore,1884; *victoria* Swinhoe,1893; *marata* Corbet,1936. _ Range (in code): **IN Meg Ass Khs NP MM Krh MY Prk TH CMa CDo Cbi VN Ton TW**
- 11892. *Celatoxia marginata marginata* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *marginata* De Nicéville,1884; *marata* Corbet,1936. _ Range (in code): **IN Meg Ass Khs NP MM Krh TH CMa CDo VN Ton TW**
- 11893. *Celatoxia marginata splendens* (Butler,1900)** (Lycaenidae) Synonym(s): *splendens* Butler,1900 _ Range (in code): **MY Prk TH Cbi**
- 11894. *Cesa waggae* (Sharpe,1898)** (Lycaenidae) Synonym(s): *waggae* Sharpe,1898 _ Original Reference: *Spindasis waggae* Sharpe,1898, Proc. zool. Soc. London 1898: 370, 372. Syntypes: Somalia: Wagga Mountain 6000ft. (BMNH). _ Range (in code): **SO ET**
- 11895. *Chaetoprocta odata* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *odata* Hewitson,[1865] _ Original Reference: *Dipsas odata* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 66, 2 (plates): pl.30 figs. 13,14. _ Range (in code): **AF PK Nwf Ci IN Kma SI**
- 11896. *Chaetoprocta odata odata* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *odata* Hewitson,[1865] _ Original Reference: *Dipsas odata* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 66, 2 (plates): pl.30 figs. 13,14. _ Range (in code): **AF PK Nwf Ci IN Kma SI**
- 11897. *Charana mandarina* (Hewitson,[1863])** (Lycaenidae) Synonym(s): *mandarina* Hewitson,[1863] _ Range (in code): **SI MM TH MY**
- 11898. *Charana mandarina mandarina* (Hewitson,[1863])** (Lycaenidae) Synonym(s): *mandarina* Hewitson,[1863] _ Range (in code): **SI MM TH**
- 11899. *Charana mandarina splendida* Moulton,1911** (Lycaenidae) Synonym(s): *splendida* Moulton,1911 _ Range (in code): **MY**
- 11900. *Cheritra aenea* Semper,1890** (Lycaenidae) Synonym(s): *aenea* Semper,1890 _ Range (in code): **PH Mdo**
- 11901. *Cheritra freja* (Fabricius,1793)** (Lycaenidae) Synonym(s): *freja* Fabricius,1793 _ Original Reference: *Hesperia freja* Fabricius,1793, Ent. Syst. 3(1): 263. Type(s): Java. _ Range (in code): **ID TH Chy CMa Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 CDo Loe Ubo Dst Qs Cbi Nan Nrt Rng Tng Yal Sbu Nna Sak Nst Chw Sgk Hya Tnc MY MM Mrg IN LK LA VN** _ Bionomy: Larva on leaf of *Litchi chinensis* [litchi], *Mischocarpus sundaicus* (Sapindaceae), *Macadamia integrifolia* [macadamia nut] (Proteaceae), *Polyalthia viridis* [yang on], *Mangifera indica*, *Monocarpia marginalis* (Annonaceae); *Adenathera pavonina*, *Derris elliptica*, *Xylia xylocarpa* (Fabaceae), *Cinnamomum zeylanicum* (Lauraceae) (Lewvanich,2001; et seq.).
- 11902. *Cheritra freja evansi* Cowan,1965** (Lycaenidae) Synonym(s): *evansi* Cowan,1965 _ Range (in code): **IN LA VN MM TH Chy CMa Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 CDo Loe Ubo Sbu Nna Sak** _ Bionomy: Larva on leaf of *Litchi chinensis* [litchi], *Mischocarpus sundaicus* (Sapindaceae), *Macadamia integrifolia* [macadamia nut] (Proteaceae), *Polyalthia viridis* [yang on], *Mangifera indica*, *Monocarpia marginalis* (Annonaceae); *Adenathera pavonina*, *Derris elliptica*, *Xylia xylocarpa* (Fabaceae), *Cinnamomum zeylanicum* (Lauraceae) (Lewvanich,2001; et seq.).
- 11903. *Cheritra freja freja* (Fabricius,1793)** (Lycaenidae) Synonym(s): *freja* Fabricius,1793 _ Original Reference: *Hesperia freja* Fabricius,1793, Ent. Syst. 3(1): 263. Type(s): Java. _ Range (in code): **MM Mrg MY ID TH Cbi Nan Nna Nrt Rng Tng Yal Nst Chw Sgk Hya Tnc**

- 11904. Cheritra freja frigga Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *frigga Fruhstorfer,[1912]* _ Range (in code): **MY**
- 11905. Cheritra orpheus (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *orpheus C.Felder & R.Felder,[1865]* _ Range (in code): **PH Ley Mno Sam Luz Mar Mdo Neg Cal Pal Tic**
- 11906. Cheritra orpheus eurydice Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *eurydice Fruhstorfer,[1912]* _ Range (in code): **PH Cal Pal**
- 11907. Cheritra orpheus orpheus (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *orpheus C.Felder & R.Felder,[1865]* _ Range (in code): **PH Luz Mar Mdo Neg Tic**
- 11908. Cheritra orpheus orphnine Cowan,1967** (Lycaenidae) Synonym(s): *orphnine Cowan,1967* _ Range (in code): **PH Ley Mno Sam**
- 11909. Cheritrella truncipennis De Nicéville,1887** (Lycaenidae) Synonym(s): *truncipennis De Nicéville,1887* _ Range (in code): **SI IN Ass Krh MM TH CMA**
- 11910. Cheritrella truncipennis truncipennis De Nicéville,1887** (Lycaenidae) Synonym(s): *truncipennis De Nicéville,1887* _ Range (in code): **SI IN Ass Krh MM TH CMA**
- 11911. Chilades (Freyeria) minuscula (Aurivillius,1909)** (Lycaenidae) Synonym(s): *minuscula Aurivillius,1909*
- 11912. Chilades (Freyeria) putli (Kollar,[1844])** (Lycaenidae) Synonym(s): *putli Kollar,[1844]; orientalis Forster,1980* _ Original Reference: *Lycaena putli* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir. _ Range (in code): **LK IN Ass MM Ch NP AF Ng Hyb PK Cp Nwf Pes TH CMA Lmp Mae Cbu Knc Nrt Nst Chw MY Lkw ID Clb PH TW PG AU**
- 11913. Chilades (Freyeria) putli putli (Kollar,[1844])** (Lycaenidae) Synonym(s): *putli Kollar,[1844]; orientalis Forster,1980* _ Original Reference: *Lycaena putli* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir. _ Range (in code): **LK IN Ass MM Ch NP AF Ng Hyb PK Cp Nwf Pes TH CMA Lmp Mae Cbu Knc Nrt Nst Chw MY Lkw ID Clb PH PG AU TW**
- 11914. Chilades (Freyeria) trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931* _ Original Reference: *Lycaena trochylus* Freyer,[1843], Neuere Beitr. Schmett. 5(74): 98-99, Taf.440 fig.1. Syntypes: europäische Türkei. _ Range (in code): **Ad AE AF AO As BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE KW LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG NJ OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE ZM ZR ZW AU MY PG PH Luz VN Pa Hf He Ci Ato Kba Ab Elb Th Kp Fa Ss Kru Pma Cc CY LK Ng Jla Bl** _ Bionomy: Larva on *Heliotropium hirsutissimum* (Boraginaceae); *Andrachne telephioides* (Tolman, 1997).
- 11915. Chilades (Freyeria) trochylus gnoma Snellen,1876** (Lycaenidae) Synonym(s): *gnoma Snellen,1876* _ Range (in code): **PH Luz**
- 11916. Chilades (Freyeria) trochylus trochylus (Freyer,[1843])** (Lycaenidae) Synonym(s): *trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931* _ Original Reference: *Lycaena trochylus* Freyer,[1843], Neuere Beitr. Schmett. 5(74): 98-99, Taf.440 fig.1. Syntypes: europäische Türkei. _ Range (in code): **Ad AE AF AO As BF BH BI BJ BW CF CG Chi CI CM Cr Dh DJ DZ EG EH ER ET GA GH GM GN Bio GR GW Hd Hj IL IN IQ IR JO KE KW LB LR LS LY MA ML MM MR Mu MW MZ NA NE Nf NG NJ OM PK QA Rd RW SA SD SL Sms SN SO ST SY SZ TD TG TN TR ZA Gau Ptc Lpo Tva Spb Mdk Ent TM TZ UG YE ZM ZR ZW AU MY PG PH Luz TH VN Pa Hf He Ci Ato Kba Ab Elb Th Kp Fa Ss Kru Pma Cc CY LK Ng Jla Bl**
- 11917. Chilades (Lachides) galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba Lederer,1855* _ Original Reference: *Lycaena galba* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4. Syntypes: [Libanon]: Beirut. _ Range (in code): **AF Hr BLM BH CY IL IQ Agh Bag Su Cc AZ IR Ab Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY TR AE PK Wa Bl Pm TJ** _ Bionomy: Larva on *Acacia campbelli*, *A.leucophloea*, *Prosopis stephaniana*, *Prosopis farcta* (Fabaceae) (Peile,1922 et seq.).
- 11918. Chilades (Lachides) galba galba (Lederer,1855)** (Lycaenidae) Synonym(s): *galba Lederer,1855* _ Original Reference: *Lycaena galba* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 190, pl.1 fig.4. Syntypes: [Libanon]: Beirut. _ Range (in code): **AF Hr BLM BH CY IL IQ Agh Bag Su Cc AZ IR Fa Km Lo JO KW LB Bei Nf Nj QA SA SA78 SY TR AE** _ Bionomy: Larva on *Acacia campbelli*, *A.leucophloea*, *Prosopis stephaniana*, *Prosopis farcta* (Fabaceae) (Peile,1922 et seq.).
- 11919. Chilades (Lachides) galba phiala (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *phiala Groum-Grshimailo,1890* _ Original Reference: *Lycaena phiala* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 366, Pl.21, fig.4. _ Range (in code): **PK Wa Bl Pm TJ**

- 11920. Chilades (Luthrodes) pandava (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe. **Original Reference:** *Lycaena pandava* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 84, nr.19. Type(s): Java. **Range (in code):** **IN Ass BD MM VN TH CMa Cu01 Cu07 Cu09 Cu10 Cu12 Cbu CDo CD2 Pap Knc Bnk Nrt Sgk Hya Tnc PSu MY Lkw LK MM Nwf PK Bl Sd Pj PH Luz**
- 11921. Chilades (Luthrodes) pandava minuta (Evans,1932)** (Lycaenidae) **Synonym(s):** *minuta* Evans,1932 **Original Reference:** *Euchrysops pandava minuta* Evans,1932, Identification of Indian Butterflies (2): 235. Syntypes: [Pakistan]: Sind, Baluchistan, N.W.F. Province, Punjab. **Range (in code):** **Nwf PK Bl Sd Pj**
- 11922. Chilades (Luthrodes) pandava pandava (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *pandava* Horsfield,[1829]; *bengalia* De Nicéville; *nicola* Swinhoe. **Original Reference:** *Lycaena pandava* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 84, nr.19. Type(s): Java. **Range (in code):** **LK IN Ass BD MM VN TH CMa Cu01 Cu07 Cu09 Cu10 Cu12 CDo CD2 Pap Cbu Knc Nrt Bnk Sgk Hya Tnc PSu MY Lkw**
- 11923. Chilades (Luthrodes) pandava vapanda Semper,1889** (Lycaenidae) **Synonym(s):** *vapanda* Semper,1889 **Range (in code):** **PH Luz**
- 11924. Chilades (s.str.) lajus (Stoll,[1780])** (Lycaenidae) **Synonym(s):** *lajus* Stoll,[1780] *nec laia* Cr.,[1779]; *cajus* Fabricius,1793; *brahmina* C.Felder & R.Felder,1865; *varunana* Moore,[1866]; *kandura* Moore,[1866] **Original Reference:** *Papilio lajus* Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.319, figs. D,E. **Range (in code):** **LK IN Ass MM Tvy TH Cbi Cbu Loe Kbi Chy Phu Pkk Sat Ray Rat MY Lkw VN PH Luz Pal**
- 11925. Chilades (s.str.) lajus athenus (C.Felder & R.Felder,[1865])** (Lycaenidae) **Synonym(s):** *athenus* C.Felder & R.Felder,[1865]; *calyptre* Fruhstorfer,1916 **Range (in code):** **PH Luz Pal**
- 11926. Chilades (s.str.) lajus lajus (Stoll,[1780])** (Lycaenidae) **Synonym(s):** *lajus* Stoll,[1780] *nec laia* Cr.,[1779]; *cajus* Fabricius,1793; *brahmina* C.Felder & R.Felder,1865; *varunana* Moore,[1866]; *kandura* Moore,[1866] **Original Reference:** *Papilio lajus* Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.319, figs. D,E. **Range (in code):** **LK IN Ass MM TH Cbu Cbi Kbi Loe Chy Ray Pkk Bnk MY VN**
- 11927. Chilades (s.str.) lajus tavoyanus Evans,[1925]** (Lycaenidae) **Synonym(s):** *tavoyanus* Evans,[1925] **Range (in code):** **MY Lkw MM Tvy TH Cbi Phu Pkk Kbi Sat Ray Rat**
- 11928. Chilades (s.str.) parrhasius (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *lempkei* Blom,1979. **Original Reference:** *Hesperia parrhasius* Fabricius,1793, Ent. Syst. 3(1): 289. Type(s): Java. **Range (in code):** **AE BH Dh Hd KW OM QA YE YE47 Ad SA AF Hr BLM Ng Ca IN LK PH Boh Cts Ley Luz Mno PK Sd Krc Pj Nwf Bl Pes Cp IR Fa Hz Ss**
- 11929. Chilades (s.str.) parrhasius parrhasius (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *parrhasius* Fabricius,1793; *contracta* Butler,1880; *ella* Butler,1881; *minuta* Evans,1932; *lempkei* Blom,1979. **Original Reference:** *Hesperia parrhasius* Fabricius,1793, Ent. Syst. 3(1): 289. Type(s): Java. **Range (in code):** **AE BH Dh Hd KW OM QA YE YE47 Ad SA AF Hr BLM Ng Ca IN LK PH Boh Cts Ley Luz Mno PK Sd Krc Pj Nwf Bl Pes Cp IR Fa Hz Ss**
- 11930. Chilades alberta Butler,1901** (Lycaenidae) **Synonym(s):** *alberta* Butler,1901 **Range (in code):** **UG**
- 11931. Chilades eleusis (Demaision,1888)** (Lycaenidae) **Synonym(s):** *eleusis* Demaison,1888; *pudorina* Mabilie,1890; *serrula* Mabilie,1890; *pharaonis* Staudinger,1894; *#strigatus* Aurivillius,1925 **Range (in code):** **SN TD EG EG11 ET SD SD91 SD119** **Bionomy:** Larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 11932. Chilades elicola (Strand,1911)** (Lycaenidae) **Synonym(s):** *elicola* Strand,1911 **Range (in code):** **ET**
- 11933. Chilades kedonga (Grose-Smith,1898)** (Lycaenidae) **Synonym(s):** *kedonga* Grose-Smith,1898; *pulchristriata* Bethune-Baker,1905 **Range (in code):** **UG KE ET** **Bionomy:** Larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 11934. Chilades lajus (C.Felder & R.Felder,[1865])** (Lycaenidae) **Synonym(s):** *lajus* C.Felder & R.Felder,[1865] **Range (in code):** **PH Boh Hom Ley Mno Pal Sam Taw**
- 11935. Chilades mindora (C.Felder & R.Felder,[1865])** (Lycaenidae) **Synonym(s):** *mindora* C.Felder & R.Felder,[1865] **Range (in code):** **PH Bon Cal Ceb CmL Hom Ley Luz Mar Mas Mdo Mno Pal Sam Sga Taw Tic**
- 11936. Chilades nigeriae (Sharpe,1902)** (Lycaenidae) **Synonym(s):** *nigeriae* Sharpe,1902 **Range (in code):** **NG**

- 11937. *Chilades sanctithomae* (Sharpe,1893)** (Lycaenidae) Synonym(s): *sanctithomae* Sharpe,1893 - Range (in code): ST
- 11938. *Chliaria balua* Moulton,1911** (Lycaenidae) Synonym(s): *balua* Moulton,1911 - Range (in code): MY Bor
- 11939. *Chliaria balua balua* Moulton,1911** (Lycaenidae) Synonym(s): *balua* Moulton,1911 - Range (in code): MY Bor
- 11940. *Chliaria balua gabrieli* Corbet,1938** (Lycaenidae) Synonym(s): *gabrieli* Corbet,1938 - Range (in code): MY
- 11941. *Chliaria kina* (Hewitson,1869)** (Lycaenidae) Synonym(s): *kina* Hewitson,1869 - Range (in code): MY TH CMa CDo Tak IN NP MM
- 11942. *Chliaria kina celastroides* Corbet,1938** (Lycaenidae) Synonym(s): *celastroides* Corbet,1938 - Range (in code): MY
- 11943. *Chliaria kina kina* (Hewitson,1869)** (Lycaenidae) Synonym(s): *kina* Hewitson,1869 - Range (in code): TH CMa CDo Tak IN NP MM
- 11944. *Chliaria othona* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *othona* Hewitson,[1865] - Range (in code): TH Cbi Cbu CMa CDo Knc Nrt Tng Uth MY IN Ass MM Adm
- 11945. *Chliaria othona othona* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *othona* Hewitson,[1865] - Range (in code): TH Cbi Cbu CMa CDo Knc Nrt Tng Uth IN Ass MM Adm
- 11946. *Chliaria othona semanga* Corbet,1940** (Lycaenidae) Synonym(s): *semanga* Corbet,1940 - Range (in code): MY
- 11947. *Chliaria pahanga* Corbet,1938** (Lycaenidae) Synonym(s): *pahanga* Corbet,1938 - Range (in code): MY
- 11948. *Chliaria pahanga pahanga* Corbet,1938** (Lycaenidae) Synonym(s): *pahanga* Corbet,1938 - Range (in code): MY
- 11949. *Chloroselas argentea* Riley,1932** (Lycaenidae) Synonym(s): *argentea* Riley,1932
Original Reference: *Chloroselas argentea* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 145-146, pl. ix figs. 3,4. Holotype ♂: [Zimbabwe]: South Rhodesia: Xmas Pass, 3.xi.24 (E. W. Lannin leg.) (BMNH). Range (in code): ZW
- 11950. *Chloroselas azurea* Butler,1900** (Lycaenidae) Synonym(s): *azurea* Butler,1900 - Range (in code): KE TZ
- 11951. *Chloroselas esmeralda* Butler,[1886]** (Lycaenidae) Synonym(s): *esmeralda* Butler,[1886]
Original Reference: *Chloroselas esmeralda* Butler, [1886], Proc. zool. Soc. Lond. 55 (1885): 765, pl.xlvii fig.4. Type ♂: Somaliland: Zaila (Capt. Nurse). Range (in code): YE OM SO Zai
- 11952. *Chloroselas esmeralda bilqis* T.Larsen,1983** (Lycaenidae) Synonym(s): *bilqis* T.Larsen,1983 - Range (in code): YE OM
- 11953. *Chloroselas esmeralda esmeralda* Butler,[1886]** (Lycaenidae) Synonym(s): *esmeralda* Butler,[1886] Original Reference: *Chloroselas esmeralda* Butler, [1886], Proc. zool. Soc. Lond. 55 (1885): 765, pl.xlvii fig.4. Type ♂: Somaliland: Zaila (Capt. Nurse). Range (in code): SO
- 11954. *Chloroselas minima* Jackson,1966** (Lycaenidae) Synonym(s): *minima* Jackson,1966 - Range (in code): KE TZ
- 11955. *Chloroselas ogadenensis* Jackson,1966** (Lycaenidae) Synonym(s): *ogadenensis* Jackson,1966 - Range (in code): SO
- 11956. *Chloroselas overlaeti* Stempffer,1956** (Lycaenidae) Synonym(s): *overlaeti* Stempffer,1956 - Range (in code): ZR ZM TZ
- 11957. *Chloroselas psedozeritis* (Trimen,1873)** (Lycaenidae) Synonym(s): *psedozeritis* Trimen,1873 - Range (in code): UG TZ ET KE ZA Lpo Tva Spb Kru Pma Wca Ec Nta Kzu BW ZW MZ ZM MW
- 11958. *Chloroselas psedozeritis pseudozeritis* (Trimen,1873)** (Lycaenidae) Synonym(s): *psedozeritis* Trimen,1873 - Range (in code): ZA Lpo Tva Spb Kru Pma Wca Ec Nta Kzu Wm BW ZW MZ ZM MW
- 11959. *Chloroselas psedozeritis tytleri* Riley,1932** (Lycaenidae) Synonym(s): *tytleri* Riley,1932
Original Reference: *Chloroselas psedozeritis* ssp. *tytleri* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 147, pl. ix figs. 7,8. Holotype ♂: [Kenya]: East Africa: Tonjido 4500ft., (H.C.Tytler leg.) (BMNH). Range (in code): TZ ET KE
- 11960. *Chloroselas psedozeritis umbrosa* Jackson,1966** (Lycaenidae) Synonym(s): *umbrosa* Jackson,1966 - Range (in code): UG KE

- 11961. *Chloroselas tamaniba* (Walker,1870)** (Lycaenidae) Synonym(s): *tamaniba* Walker,1870
Range (in code): SD
- 11962. *Chloroselas taposana* Riley,1932** (Lycaenidae) Synonym(s): *taposana* Riley,1932
Original Reference: *Chloroselas taposana* Riley,1932, Ann. Mag. nat. Hist. 10 (10): 146-147, pl. ix
figs. 5,6. Holotype ♂: South Sudan: Taposa, Upper Nile Prov., near Akobo Post, Akobo River,
15.1.30 (Major F. Moysey) (BMNH). Range (in code): SD
- 11963. *Chloroselas trembathi* Collins & T.Larsen,1991** (Lycaenidae) Synonym(s): *trembathi*
Collins & T.Larsen,1991 Range (in code): KE
- 11964. *Chloroselas vansomeri* Jackson,1966** (Lycaenidae) Synonym(s): *vansomeri*
Jackson,1966 Range (in code): KE
- 11965. *Chlorostrymon maesites*** (Lycaenidae) Synonym(s): Range (in code): US FI
- 11966. *Chlorostrymon simaethis*** (Lycaenidae) Synonym(s): Range (in code): US MX Arz
Cf FI NMx Ne Tx Ut
- 11967. *Chlorostrymon telea*** (Lycaenidae) Synonym(s): Range (in code): US MX Tx
- 11968. *Chrysoritis (Oxychaeta) dicksoni* (Gabriel,1947)** (Lycaenidae) Synonym(s): *dicksoni*
Gabriel,1947 Range (in code): ZA Wca
- 11969. *Chrysoritis (Poecilmitis) aethon* (Trimen,1887)** (Lycaenidae) Synonym(s): *aethon*
Trimen,1887 Range (in code): ZA Tva Lpo Ly
- 11970. *Chrysoritis (Poecilmitis) aureus* Van Son,1966** (Lycaenidae) Synonym(s): *aureus* Van
Son,1966 Range (in code): ZA Tva Hei Bionomy: Larva on Clutia (Euphorbiaceae) (Ackery et
al.,1995).
- 11971. *Chrysoritis (Poecilmitis) chrysaor* (Trimen,1864)** (Lycaenidae) Synonym(s):
chrysaor Trimen,1864 Range (in code): ZA Ec LS Fs Bionomy: Larva on Cotyledon
(Crassulaceae), Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 11972. *Chrysoritis (Poecilmitis) lycegenes* (Trimen,1874)** (Lycaenidae) Synonym(s):
lycegenes Trimen,1874 Range (in code): ZA Tva Nta Kzu Fs Bionomy: Larva on Rhus
(Anacardiaceae); Diospyros, Royena (Ebenaceae); Myrsine (Myrsinaceae) (Ackery et al.,1995).
- 11973. *Chrysoritis (Poecilmitis) lycia* Riley,1938** (Lycaenidae) Synonym(s): *lycia* Riley,1938
Range (in code): ZA Bionomy: Larva on Cotyledon (Crassulaceae) (Ackery et al.,1995).
- 11974. *Chrysoritis (Poecilmitis) lyncurium* (Trimen,1868)** (Lycaenidae) Synonym(s):
lyncurium Trimen,1868 Range (in code): ZA Tra
- 11975. *Chrysoritis (Poecilmitis) midas* Pennington,1962** (Lycaenidae) Synonym(s): *midas*
Pennington,1962 Range (in code): ZA
- 11976. *Chrysoritis (Poecilmitis) natalensis* Van Son,1966** (Lycaenidae) Synonym(s):
natalensis Van Son,1966 Range (in code): ZA Nta Kzu Hwk Ptw Umk Ngo Tra Bionomy: Larva on
Chrysanthemoides (Asteraceae); Cotyledon (Crassulaceae) (Ackery et al.,1995).
- 11977. *Chrysoritis (Poecilmitis) phosphor* (Trimen,1864)** (Lycaenidae) Synonym(s):
phosphor Trimen,1864 Range (in code): ZA Nta Kzu Esw Blw Kkf Tva Grk Ec
- 11978. *Chrysoritis (Poecilmitis) phosphor borealis* Quickelberge,1972** (Lycaenidae)
Synonym(s): *borealis* Quickelberge,1972 Range (in code): ZA Nta Kzu Esw Blw Kkf Tva Grk
- 11979. *Chrysoritis (Poecilmitis) phosphor phosphor* (Trimen,1864)** (Lycaenidae)
Synonym(s): *phosphor* Trimen,1864 Range (in code): ZA Ec
- 11980. *Chrysoritis (Thysbe) adonis* Pennington,1962** (Lycaenidae) Synonym(s): *adonis*
Pennington,1962 Range (in code): ZA Bionomy: Larva on Zygophyllum (Zygophyllaceae)
(Ackery et al.,1995).
- 11981. *Chrysoritis (Thysbe) aridus* Pennington,1953** (Lycaenidae) Synonym(s): *aridus*
Pennington,1953 Range (in code): ZA Bionomy: Larva on *Chrysanthemoides* (Asteraceae);
Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 11982. *Chrysoritis (Thysbe) atlantica* Dickson,1966** (Lycaenidae) Synonym(s): *atlantica*
Dickson,1966 Range (in code): ZA Bionomy: Larva on *Chrysanthemoides* (Asteraceae);
Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 11983. *Chrysoritis (Thysbe) azurius* Swanepoel,1975** (Lycaenidae) Synonym(s): *azurius*
Swanepoel,1975 Range (in code): ZA
- 11984. *Chrysoritis (Thysbe) balli* Dickson & Henning,[1981]** (Lycaenidae) Synonym(s):
balli Dickson & Henning,[1981] Range (in code): ZA Wca Bionomy: Larva on Thesium
(Santalaceae) (Ackery et al.,1995).

- 11985. Chrysoritis (Thysbe) bamptoni Dickson, 1976** (Lycaenidae) Synonym(s): *bamptoni* Dickson, 1976 Range (in code): **ZA Wca** Bionomy: Larva on Lebeckia (Fabaceae); Zygophyllum (Zygophyllaceae) (Ackery et al., 1995).
- 11986. Chrysoritis (Thysbe) beaufortia Dickson, 1966** (Lycaenidae) Synonym(s): *beaufortia* Dickson, 1966 Range (in code): **ZA Wca** Bionomy: Larva on Dimorphotheca (Asteraceae) (Ackery et al., 1995).
- 11987. Chrysoritis (Thysbe) beaufortia beaufortia Dickson, 1966** (Lycaenidae) Synonym(s): *beaufortia* Dickson, 1966 Range (in code): **ZA Wca**
- 11988. Chrysoritis (Thysbe) beaufortia charlesi Dickson, 1970** (Lycaenidae) Synonym(s): *charlesi* Dickson, 1970 Range (in code): **ZA Wca**
- 11989. Chrysoritis (Thysbe) beulah Quickelberge, 1966** (Lycaenidae) Synonym(s): *beulah* Quickelberge, 1966 Range (in code): **ZA Ec**
- 11990. Chrysoritis (Thysbe) braueri Pennington, 1967** (Lycaenidae) Synonym(s): *braueri* Pennington, 1967 Range (in code): **ZA** Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al., 1995).
- 11991. Chrysoritis (Thysbe) brooksi Riley, 1938** (Lycaenidae) Synonym(s): *brooksi* Riley, 1938 Range (in code): **ZA Cto** Bionomy: Larva on Aspalathus (Fabaceae) (Ackery et al., 1995).
- 11992. Chrysoritis (Thysbe) brooksi brooksi Riley, 1938** (Lycaenidae) Synonym(s): *brooksi* Riley, 1938 Range (in code): **ZA Cto**
- 11993. Chrysoritis (Thysbe) brooksi tearei Dickson, 1966** (Lycaenidae) Synonym(s): *tearei* Dickson, 1966 Range (in code): **ZA Cto**
- 11994. Chrysoritis (Thysbe) daphne Dickson, 1975** (Lycaenidae) Synonym(s): *daphne* Dickson, 1975 Range (in code): **ZA Wca**
- 11995. Chrysoritis (Thysbe) endymion Pennington, 1962** (Lycaenidae) Synonym(s): *endymion* Pennington, 1962 Range (in code): **ZA** Bionomy: Larva on Thesium (Santalaceae) (Ackery et al., 1995).
- 11996. Chrysoritis (Thysbe) henningi (Bampton, 1981)** (Lycaenidae) Synonym(s): *henningi* Bampton, 1981. Original Reference: Poecilmitis henningi Bampton, 1981, Entomologist's Rec. J. Var. 93 (9/10): 189-191, pl. iv figs. 1, 2, 5, 6. Holotype ♂: South Africa: Cape Province: Huis River Pass, near Calitzdorp, 2.xii.1975 (G.A. Henning leg.) (TMP). Range (in code): **ZA Wca**
- 11997. Chrysoritis (Thysbe) hyperion Dickson, 1975** (Lycaenidae) Synonym(s): *hyperion* Dickson, 1975 Range (in code): **ZA Wca**
- 11998. Chrysoritis (Thysbe) irene Pennington, 1968** (Lycaenidae) Synonym(s): *irene* Pennington, 1968 Range (in code): **ZA Wca**
- 11999. Chrysoritis (Thysbe) kaplani Henning, 1979** (Lycaenidae) Synonym(s): *kaplani* Henning, 1979 Range (in code): **ZA** Bionomy: Larva on Dimorphotheca (Asteraceae) (Ackery et al., 1995).
- 12000. Chrysoritis (Thysbe) lyndseyae Henning, 1979** (Lycaenidae) Synonym(s): *lyndseyae* Henning, 1979 Range (in code): **ZA Cap**
- 12001. Chrysoritis (Thysbe) lysander Pennington, 1962** (Lycaenidae) Synonym(s): *lysander* Pennington, 1962 Range (in code): **ZA Cap** Bionomy: Larva on Aspalathus (Fabaceae); Zygophyllum (Zygophyllaceae) (Ackery et al., 1995).
- 12002. Chrysoritis (Thysbe) lysander hantamsbergae Dickson, 1978** (Lycaenidae) Synonym(s): *hantamsbergae* Dickson, 1978 Range (in code): **ZA Wca**
- 12003. Chrysoritis (Thysbe) lysander lysander Pennington, 1962** (Lycaenidae) Synonym(s): *lysander* Pennington, 1962 Range (in code): **ZA**
- 12004. Chrysoritis (Thysbe) nigricans (Aurivillius, 1923)** (Lycaenidae) Synonym(s): *nigricans* Aurivillius, 1923 Range (in code): **ZA Cap Wca** Bionomy: Larva on Osteospermum (Asteraceae); Zygophyllum (Zygophyllaceae) (Ackery et al., 1995).
- 12005. Chrysoritis (Thysbe) nigricans nigricans (Aurivillius, 1923)** (Lycaenidae) Synonym(s): *nigricans* Aurivillius, 1923 Range (in code): **ZA Cap**
- 12006. Chrysoritis (Thysbe) nigricans zwartbergae Dickson, 1982** (Lycaenidae) Synonym(s): *zwartbergae* Dickson, 1982 Range (in code): **ZA Wca**
- 12007. Chrysoritis (Thysbe) orientalis Swanepoel, 1976** (Lycaenidae) Synonym(s): *orientalis* Swanepoel, 1976 Range (in code): **ZA Nta Kzu Drb**

- 12008. Chrysoritis (Thysbe) palmus (Stoll,[1781])** (Lycaenidae) Synonym(s): *palmus* Stoll,[1781] - Range (in code): ZA Cap Ec Pel Wca Kny Bionomy: Larva on Chrysanthemoides (Asteraceae); Berzelia (Bruniaceae); Aspalathus (Fabaceae) (Ackery et al.,1995).
- 12009. Chrysoritis (Thysbe) palmus margueritae Dickson,1982** (Lycaenidae) Synonym(s): *margueritae* Dickson,1982 - Range (in code): ZA Wca Kny
- 12010. Chrysoritis (Thysbe) palmus palmus (Stoll,[1781])** (Lycaenidae) Synonym(s): *palmus* Stoll,[1781] - Range (in code): ZA Cap
- 12011. Chrysoritis (Thysbe) pan Pennington,1962** (Lycaenidae) Synonym(s): *pan* Pennington,1962 - Range (in code): ZA Cap Bionomy: Larva on Chrysanthemoides (Asteraceae) (Ackery et al.,1995).
- 12012. Chrysoritis (Thysbe) pelion Pennington,1953** (Lycaenidae) Synonym(s): *pelion* Pennington,1953 - Range (in code): ZA Nta Kzu Cap LS
- 12013. Chrysoritis (Thysbe) penningtoni Riley,1938** (Lycaenidae) Synonym(s): *penningtoni* Riley,1938 - Range (in code): ZA Ec
- 12014. Chrysoritis (Thysbe) perseus Henning,1977** (Lycaenidae) Synonym(s): *perseus* Henning,1977 - Range (in code): ZA Wca Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12015. Chrysoritis (Thysbe) plutus Pennington,1967** (Lycaenidae) Synonym(s): *plutus* Pennington,1967 - Range (in code): ZA Wca Cap Bionomy: Larva on Thesium (Santalaceae) (Ackery et al.,1995).
- 12016. Chrysoritis (Thysbe) psyche Pennington,1967** (Lycaenidae) Synonym(s): *psyche* Pennington,1967 - Range (in code): ZA Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12017. Chrysoritis (Thysbe) pyramus Pennington,1953** (Lycaenidae) Synonym(s): *pyramus* Pennington,1953 - Range (in code): ZA Cap Bionomy: Larva on Osteospermum (Asteraceae) (Ackery et al.,1995).
- 12018. Chrysoritis (Thysbe) rileyi Dickson,1966** (Lycaenidae) Synonym(s): *rileyi* Dickson,1966 Range (in code): ZA Wca Wr Bionomy: Larva on Thesium (Santalaceae) (Ackery et al.,1995).
- 12019. Chrysoritis (Thysbe) stepheni Dickson,1978** (Lycaenidae) Synonym(s): *stepheni* Dickson,1978 - Range (in code): ZA Wca Bionomy: Larva on Dimorphotheca (Asteraceae) (Ackery et al.,1995).
- 12020. Chrysoritis (Thysbe) swanepoeli Dickson,1965** (Lycaenidae) Synonym(s): *swanepoeli* Dickson,1965 - Range (in code): ZA Cap Bionomy: Larva on Thesium (Santalaceae), Cotyledon (Crassulaceae) (Ackery et al.,1995).
- 12021. Chrysoritis (Thysbe) thysbe (Linnaeus,1764)** (Lycaenidae) Synonym(s): *thysbe* Linnaeus,1764; *nais* Cramer,[1775] *nec* Forst.,1771; *splendens* Swainson,1833; *osbecki* Aurivillius,1882 - Range (in code): ZA Wca Bionomy: Larva on Zygophyllum (Zygophyllaceae); Chrysanthemoides (Asteraceae); Asbalanthus, Lebeckia (Fabaceae) (Ackery et al.,1995).
- 12022. Chrysoritis (Thysbe) thysbe schloszae (Dickson,1994)** (Lycaenidae) Synonym(s): *schloszae* Dickson,1994 - Range (in code): ZA
- 12023. Chrysoritis (Thysbe) thysbe thysbe (Linnaeus,1764)** (Lycaenidae) Synonym(s): *thysbe* Linnaeus,1764; *nais* Cramer,[1775] *nec* Forst.,1771; *splendens* Swainson,1833; *osbecki* Aurivillius,1882 Range (in code): ZA Wca
- 12024. Chrysoritis (Thysbe) trimeni Riley,1938** (Lycaenidae) Synonym(s): *trimeni* Riley,1938 Range (in code): ZA Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12025. Chrysoritis (Thysbe) turneri Riley,1938** (Lycaenidae) Synonym(s): *turneri* Riley,1938 Range (in code): ZA Ec LS
- 12026. Chrysoritis (Thysbe) turneri amatola Dickson & McMaster,1967** (Lycaenidae) Synonym(s): *amatola* Dickson & McMaster,1967 - Range (in code): ZA Ec LS
- 12027. Chrysoritis (Thysbe) turneri turneri Riley,1938** (Lycaenidae) Synonym(s): *turneri* Riley,1938 - Range (in code): ZA Ec
- 12028. Chrysoritis (Thysbe) uranus Pennington,1962** (Lycaenidae) Synonym(s): *uranus* Pennington,1962 - Range (in code): ZA Cap Bionomy: Larva on Asbalanthus (Fabaceae); Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12029. Chrysoritis (Thysbe) uranus schoemani (A.Heath,1994)** (Lycaenidae) Synonym(s): *schoemani* A.Heath,1994

- 12030. Chrysoritis (Thysbe) uranus uranus Pennington,1962** (Lycaenidae) **Synonym(s):** *uranus* Pennington,1962
Z _ Range (in code): **ZA Cap**
- 12031. Chrysoritis (Thysbe) violescens Dickson,1971** (Lycaenidae) **Synonym(s):** *violescens* Dickson,1971 _ Range (in code): **ZA Wca**
- 12032. Chrysoritis (Thysbe) whitei (Dickson,1994)** (Lycaenidae) **Synonym(s):** *whitei* Dickson,1994 _ Range (in code): **ZA**
- 12033. Chrysoritis (Thysbe) williami A.Heath,1997** (Lycaenidae) **Synonym(s):** *dicksoni* Henning,1977 nec Gabr.,1947; *williami* A.Heath,1997. _ Range (in code): **ZA**
- 12034. Chrysoritis (Thysbe) wykehami Dickson,1980** (Lycaenidae) **Synonym(s):** *wykehami* Dickson,1980 _ Range (in code): **ZA Wca**
- 12035. Chrysoritis (s.str.) chrysantas (Trimen,1868)** (Lycaenidae) **Synonym(s):** *chrysantas* Trimen,1868 _ Range (in code): **ZA Cap NA**
- 12036. Chrysoritis (s.str.) coetzeri (Dickson,1994)** (Lycaenidae) **Synonym(s):** *coetzeri* Dickson,1994
- 12037. Chrysoritis (s.str.) cottrelli (Dickson,1975)** (Lycaenidae) **Synonym(s):** *cottrelli* Dickson,1975 _ Range (in code): **ZA Wca Kny** Bionomy: Larva on Chrysanthemoides (Asteraceae) (Ackery et al.,1995).
- 12038. Chrysoritis (s.str.) felthami (Trimen,1904)** (Lycaenidae) **Synonym(s):** *felthami* Trimen,1904 _ Range (in code): **ZA Wca** Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12039. Chrysoritis (s.str.) felthami dukei Dickson,1967** (Lycaenidae) **Synonym(s):** *dukei* Dickson,1967 _ Range (in code): **ZA**
- 12040. Chrysoritis (s.str.) felthami felthami (Trimen,1904)** (Lycaenidae) **Synonym(s):** *felthami* Trimen,1904 _ Range (in code): **ZA Wca**
- 12041. Chrysoritis (s.str.) oreas (Trimen,1891)** (Lycaenidae) **Synonym(s):** *oreas* Trimen,1891
Original Reference: Zeritis oreas Trimen,1891, Trans. ent. Soc. London 1891 (1): 176-178.
Syntypes 18♂♂: South Africa: Natal, Drakensberg 7000ft. Range (in code): **ZA Nta Kzu Drb**
- 12042. Chrysoritis (s.str.) pyroeis (Trimen,1864)** (Lycaenidae) **Synonym(s):** *pyroeis* Trimen,1864 _ Range (in code): **ZA Ec Pel Cap** Bionomy: Larva on Zygophyllum (Zygophyllaceae) (Ackery et al.,1995).
- 12043. Chrysoritis (s.str.) pyroeis hersaleki Dickson,1970** (Lycaenidae) **Synonym(s):** *hersaleki* Dickson,1970 _ Range (in code): **ZA Ec Pel**
- 12044. Chrysoritis (s.str.) pyroeis pyroeis (Trimen,1864)** (Lycaenidae) **Synonym(s):** *pyroeis* Trimen,1864 _ Range (in code): **ZA Cap**
- 12045. Chrysoritis (s.str.) zeuxo (Linnaeus,1764)** (Lycaenidae) **Synonym(s):** *zeuxo* Linnaeus,1764 _ Range (in code): **ZA Cap** Bionomy: Larva on Chrysanthemoides (Asteraceae) (Ackery et al.,1995).
- 12046. Chrysoritis (s.str.) zonarius (Riley,1938)** (Lycaenidae) **Synonym(s):** *zonarius* Riley,1938
Range (in code): **ZA Cap** Bionomy: Larva on Chrysanthemoides (Asteraceae) (Ackery et al.,1995).
- 12047. Chrysozephyrus assamicus (Tytler,1915)** (Lycaenidae) **Synonym(s):** *assamicus* Tytler,1915 Original Reference: *assamicus* Tytler,1915, J. Bombay nat. Hist. Soc. 24: 130. Type: India: Assam Manipur (BMNH). Range (in code): **BT SI IN Ass Mpr**
- 12048. Chrysozephyrus atabyrius (Oberthür,1913)** (Lycaenidae) **Synonym(s):** *atabyrius* Oberthür,1913 _ Range (in code): **CN Sz**
- 12049. Chrysozephyrus aurorinus (Oberthür,1880)** (Lycaenidae) **Synonym(s):** *aurorinus* Oberthür,1880; *evanidus* Murayama,1947 _ Range (in code): **CN JP**
- 12050. Chrysozephyrus aurorinus alpinus (Murayama,1955)** (Lycaenidae) **Synonym(s):** *alpinus* Murayama,1955 _ Range (in code): **JP**
- 12051. Chrysozephyrus aurorinus kansaiensis (Murayama,1955)** (Lycaenidae) **Synonym(s):** *kansaiensis* Murayama,1955 _ Range (in code): **JP**
- 12052. Chrysozephyrus bhutanensis (Howarth,1957)** (Lycaenidae) **Synonym(s):** *bhutanensis* Howarth,1957 _ Range (in code): **BT IN SI NP**
- 12053. Chrysozephyrus birupa (Moore,1877)** (Lycaenidae) **Synonym(s):** *birupa* Moore,1877
Original Reference: *Dipsas birupa* Moore,1877, Ann. Mag. nat. Hist. 20: 51. Type: India: Masuri (BMNH). Range (in code): **IN Mus**

- 12054. Chrysozephyrus birupa birupa (Moore,1877)** (Lycaenidae) Synonym(s): *birupa* Moore,1877 Original Reference: *Dipsas birupa* Moore,1877, Ann. Mag. nat. Hist. 20: 51. Type: India: Masuri (BMNH). Range (in code): **IN Mus**
- 12055. Chrysozephyrus chinensis (Howarth,1957)** (Lycaenidae) Synonym(s): *chinensis* Howarth,1957 Range (in code): **CN**
- 12056. Chrysozephyrus desgodinsi (Oberthür,1886)** (Lycaenidae) Synonym(s): *desgodinsi* Oberthür,1886; *nishikaze* Araki & Sibatani,1941 Range (in code): **TW CN SI IN Ass Mpr**
- 12057. Chrysozephyrus desgodinsi desgodinsi (Oberthür,1886)** (Lycaenidae) Synonym(s): *desgodinsi* Oberthür,1886 Range (in code): **CN**
- 12058. Chrysozephyrus desgodinsi dumoides (Tytler,1915)** (Lycaenidae) Synonym(s): *dumoides* Tytler,1915 Range (in code): **IN SI Mpr**
- 12059. Chrysozephyrus disparatus (Howarth,1957)** (Lycaenidae) Synonym(s): *disparatus* Howarth,1957 Range (in code): **CN Yu TW IN SI Ass**
- 12060. Chrysozephyrus disparatus interpositus (Howarth,1957)** (Lycaenidae) Synonym(s): *interpositus* Howarth,1957 Range (in code): **IN SI**
- 12061. Chrysozephyrus disparatus pseudoletus (Howarth,1957)** (Lycaenidae) Synonym(s): *pseudoletus* Howarth,1957 Range (in code): **IN Ass**
- 12062. Chrysozephyrus disparatus pseudotaiwanus (Howarth,1957)** (Lycaenidae) Synonym(s): *pseudotaiwanus* Howarth,1957 Range (in code): **TW**
- 12063. Chrysozephyrus dubernardi (N.D.Riley,1939)** (Lycaenidae) Synonym(s): *dubernardi* N.D.Riley,1939 Original Reference: *Thecla coruscans* ssp. *dubernardi* N.D.Riley,1939, Novit. zool. 41: 356. Type: China: Yunnan (BMNH). Range (in code): **CN Yu**
- 12064. Chrysozephyrus formosanus (Esaki,1932)** (Lycaenidae) Synonym(s): *formosanus* Esaki,1932; *esakii* Sonan,1940; *teiso* Sonan,1941; *sanctissima* Araki & Sibatani,1941; *#kappanzanus* Murayama & Shimonoya,1963; *#latilineatus* Murayama & Shimonoya,1963 Range (in code): **TW**
- 12065. Chrysozephyrus hisamatsusanus (Nagami & Ishiga,1937)** (Lycaenidae) Synonym(s): *hisamatsusanus* Nagami & Ishiga,1937 Range (in code): **JP**
- 12066. Chrysozephyrus intermedius (Tytler,1915)** (Lycaenidae) Synonym(s): *intermedia* Tytler,1915 Range (in code): **IN Ass Mpr Nag**
- 12067. Chrysozephyrus jakamensis (Tytler,1915)** (Lycaenidae) Synonym(s): *jakamensis* Tytler,1915 Range (in code): **IN Ass Mpr**
- 12068. Chrysozephyrus kabura (Tytler,1915)** (Lycaenidae) Synonym(s): *kabura* Tytler,1915; *#kabrua* D'Abrera,1986 Range (in code): **IN SI Ass Mpr TW**
- 12069. Chrysozephyrus kabura kabura (Tytler,1915)** (Lycaenidae) Synonym(s): *kabura* Tytler,1915; *#kabrua* D'Abrera,1986 Range (in code): **IN SI Ass Mpr**
- 12070. Chrysozephyrus kabura niitakanus (Kano,1928)** (Lycaenidae) Synonym(s): *niitakanus* Kano,1928; *kanonis* Matsumura,1929; *neidhoeferi* Shimonoya & Murayama,1971 Range (in code): **TW**
- 12071. Chrysozephyrus khasius (De Nicéville,1890)** (Lycaenidae) Synonym(s): *khasius* De Nicéville,1890 Range (in code): **IN Ass Meg Khs**
- 12072. Chrysozephyrus kirbariensis (Tytler,1915)** (Lycaenidae) Synonym(s): *kirbariensis* Tytler,1915 Range (in code): **IN Ass Nag Mpr NP**
- 12073. Chrysozephyrus kirbariensis shakunage Fujioka,1970** (Lycaenidae) Synonym(s): *shakunage* Fujioka,1970 Range (in code): **NP**
- 12074. Chrysozephyrus marginatus (Howarth,1957)** (Lycaenidae) Synonym(s): *marginatus* Howarth,1957 Range (in code): **CN**
- 12075. Chrysozephyrus mushaellus (Matsumura,1938)** (Lycaenidae) Synonym(s): *mushaellus* Matsumura,1938; *chungianus* Murayama,1958; *hsuehshanus* Murayama & Shimonoya,1969; *muhshengi* Shimonoya & Murayama,1971 Range (in code): **TW**
- 12076. Chrysozephyrus nigroapicalis (Howarth,1957)** (Lycaenidae) Synonym(s): *nigroapicalis* Howarth,1957 Range (in code): **CN**
- 12077. Chrysozephyrus nigroapicalis philipi Eliot** (Lycaenidae) Synonym(s): *philipi* Eliot
- 12078. Chrysozephyrus paonus (Tytler,1915)** (Lycaenidae) Synonym(s): *paona* Tytler,1915 Range (in code): **IN Ass Mpr Nag**
- 12079. Chrysozephyrus pedius (Leach,1893)** (Lycaenidae) Synonym(s): *pedius* Leach,1893 Range (in code): **CN**
- 12080. Chrysozephyrus rarasanus (Matsumura,1939)** (Lycaenidae) Synonym(s): *rarasanus* Matsumura,1939 Range (in code): **TW**

- 12081. Chrysozephyrus sandersi (Howarth,1957)** (Lycaenidae) Synonym(s): *sandersi* Howarth,1957 Range (in code): IN SI
- 12082. Chrysozephyrus sikkimensis (Howarth,1957)** (Lycaenidae) Synonym(s): *sikkimensis* Howarth,1957 Range (in code): SI IN TH CMa Int
- 12083. Chrysozephyrus smaragdinus (Bremer,1861)** (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861 Original Reference: Thecla smaragdina Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur. Range (in code): RU Vv
- 12084. Chrysozephyrus smaragdinus smaragdinus (Bremer,1861)** (Lycaenidae) Synonym(s): *smaragdina* Bremer,1861 Original Reference: Thecla smaragdina Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur. Range (in code): RU Vv
- 12085. Chrysozephyrus souleanus (Riley,1939)** (Lycaenidae) Synonym(s): *souleana* Riley,1939 Original Reference: Thecla souleana Riley,1939, Novit. zool. 41: 357. Holotype ♂: West China: Szechuan: Talu distr.: Yaréngong (BMNH). Range (in code): Hp IN
- 12086. Chrysozephyrus souleanus souleanus (Riley,1939)** (Lycaenidae) Synonym(s): *souleana* Riley,1939 Original Reference: Thecla souleana Riley,1939, Novit. zool. 41: 357. Holotype ♂: West China: Szechuan: Talu distr.: Yaréngong (BMNH). Range (in code): Hp IN
- 12087. Chrysozephyrus splendidulus Murayama & Shimonoya,1965** (Lycaenidae) Synonym(s): *splendidulus* Murayama & Shimonoya,1965; *#splendidulus* Chen,1974 Range (in code): TW
- 12088. Chrysozephyrus surioius (Tytler,1915)** (Lycaenidae) Synonym(s): *surioius* Tytler,1915 Range (in code): IN Ass Mpr
- 12089. Chrysozephyrus sylus (Kollar,[1844])** (Lycaenidae) Synonym(s): *syla* Kollar,[1844] Original Reference: Thecla syla Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.4, figs.7,8. Type(s): Kaschmir. Range (in code): Ass AF Ch IN Hp PK SI Nwf Ci Sfk Kma
- 12090. Chrysozephyrus sylus sylus (Kollar,[1844])** (Lycaenidae) Synonym(s): *syla* Kollar,[1844] Original Reference: Thecla syla Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf.4, figs.7,8. Type(s): Kaschmir. Range (in code): Ass AF Ch IN Hp PK SI Nwf Ci Sfk Kma
- 12091. Chrysozephyrus tienmushanus Shirozu & Yamamoto,1959** (Lycaenidae) Synonym(s): *tienmushanus* Shirozu & Yamamoto,1959 Range (in code): CN
- 12092. Chrysozephyrus trilokus (Hannington,1910)** (Lycaenidae) Synonym(s): *trilokus* Hannington,1910 Range (in code): IN Hp
- 12093. Chrysozephyrus trilokus trilokus (Hannington,1910)** (Lycaenidae) Synonym(s): *trilokus* Hannington,1910 Range (in code): IN Hp
- 12094. Chrysozephyrus tytleri (Howarth,1957)** (Lycaenidae) Synonym(s): *tytleri* Howarth,1957 Range (in code): IN Ass Mpr
- 12095. Chrysozephyrus vittatus (Tytler,1915)** (Lycaenidae) Synonym(s): *vittatus* Tytler,1915 Range (in code): CN IN Ass Mpr
- 12096. Chrysozephyrus watsoni (Evans,1927)** (Lycaenidae) Synonym(s): *watsoni* Evans,1927 Range (in code): MM Shn
- 12097. Chrysozephyrus yuchingkinus Murayama & Shimonoya,1965** (Lycaenidae) Synonym(s): *yuchingkinus* Murayama & Shimonoya,1965; *#etsu D'Abrera*,1986 Range (in code): TW
- 12098. Chrysozephyrus zoa (De Nicéville,1889)** (Lycaenidae) Synonym(s): *zoa* De Nicéville,1889 Range (in code): IN SI Ass Mpr
- 12099. Cigaritis acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932 Original Reference: Lycaena acamas Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by Olivier & Nekrutenko,2000. Range (in code): DZ Idl Ah Tmn NE LY Ad AF Hr Kab Ng As BH CY Dh EG Hd IL Pa Hf JO KW LB OM PK QA SA SD SO SY TR AE Ci Nwf Cp Sd Krc Bl Chm IR Elb Fa Ke TM Kp
- 12100. Cigaritis acamas acamas (Klug,1834)** (Lycaenidae) Synonym(s): *acamas* Klug,1834; *obscurata* Staudinger,1901; *#düldüli* Pfeiffer,1932; *dueldueli* Pfeiffer,1932 Original Reference: Lycaena acamas Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 7-9. Lectotype ♀: Syria, designated by Olivier & Nekrutenko,2000. Range (in code): He CY EG IL Pa Hf JO LB SY TR IR Elb Fa Ke TM Kp
- 12101. Cigaritis acamas bellatrix (Butler,1886)** (Lycaenidae) Synonym(s): *bellatrix* Butler,1886 Original Reference: Spindasis bellatrix Butler,1886, Entomologist's mon. Mag. 2: 369. Type: Sudan: Suakim. Range (in code): Ad As Dh Hd SA SD SO

- 12102. *Cigaritis acamas chitralensis* (Riley,1925)** (Lycaenidae) Synonym(s): *chitralensis* Riley,1925 Original Reference: *Apharitis acamas* ssp. *chitralensis* Riley,1925, Novit. zool. 32: 90-92. Syntypes ♂♀: [Pakistan]: [NWFP]: Chitral, Nagar 4000ft, Utzen Nullah, Drosh, etc.. Range (in code): **PK Nwf Ci**
- 12103. *Cigaritis acamas cypriaca* (Riley,1925)** (Lycaenidae) Synonym(s): *cypriaca* Riley,1925 Original Reference: *Apharitis acamas* ssp. *cypriaca* Riley,1925, Novit. zool. 32: 89. Syntypes: Cyprus: Episkopis (junior synonym of *C. acamas acamas* Klug (vide Ackery,et al., 1995: 556). Range (in code): **CY**
- 12104. *Cigaritis acamas divisa* (Rothschild,1915)** (Lycaenidae) Synonym(s): *divisa* Rothschild,1915 Original Reference: *Spindasis acamas* ssp. *divisa* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16: 248. Type ♂: Sahara: Hoggar Mts. Range (in code): **DZ Tmn Idl Ah**
- 12105. *Cigaritis acamas egyptiaca* (Riley,1925)** (Lycaenidae) Synonym(s): *egyptiaca* Riley,1925 Original Reference: *Apharitis acamas* ssp. *egyptiaca* Riley,1925, Novit. zool. 32: 88. Syntypes: Egypt: Mokaddam Hills; [Israel] Palestine: Ludd (junior synonym of *C. acamas acamas* Klug (vide Ackery,et al., 1995: 556). Range (in code): **EG IL JO**
- 12106. *Cigaritis acamas hypargyros* (Butler,1886)** (Lycaenidae) Synonym(s): *hypargyros* Butler,1886 Original Reference: *Spindasis hypargyros* Butler,1886, Proc. zool. Soc. Lond. 1886: 369, Pl.35 fig. 3. Syntypes ♂♀: [Pakistan]: Campbellpore. Range (in code): **AF Hr Kab Ng BH KW OM PK QA AE Pj Cp Sd Krc Chm Bl**
- 12107. *Cigaritis allardi Oberthür,1909*** (Lycaenidae) Synonym(s): *allardi* Oberthür,1909 Original Reference: *Cigaritis allardi* Oberthür,1909, Etüdes lépid. comp. 3: 401. Type: Algerie: Oran: Sebdou. Range (in code): **MA Agd Azr DZ Sbd TN** Bionomy: Larva on *Genista quadriflora* (Fabaceae), *Cistus salvifolius* (Cistaceae); *Fumara thymifolia*, *Helianthemum hirtum ruficomum* (Asteraceae) (Tolman,1997).
- 12108. *Cigaritis allardi allardi Oberthür,1909*** (Lycaenidae) Synonym(s): *allardi* Oberthür,1909 Original Reference: *Cigaritis allardi* Oberthür,1909, Etüdes lépid. comp. 3: 401. Type: Algerie: Oran: Sebdou. Range (in code): **DZ Sbd**
- 12109. *Cigaritis allardi estherae* Brévignon,1985** (Lycaenidae) Synonym(s): *estherae* Brévignon,1985 Original Reference: *Cigaritis allardi* ssp. *estherae* Brévignon,1985, Alexanor 13: 307-308. Holotype ♂: Morocco: Agadir. Range (in code): **MA Agd**
- 12110. *Cigaritis allardi meridionalis* Riley,1925** (Lycaenidae) Synonym(s): *meridionalis* Riley,1925 Original Reference: *Cigaritis allardi* ssp. *meridionalis* Riley,1925, Novit. zool. 32: 72. Syntypes 44♂ 20♀: Algerie: Djebel Mekter. Range (in code): **DZ**
- 12111. *Cigaritis allardi occidentalis* Le Cerf,1923** (Lycaenidae) Synonym(s): *occidentalis* Le Cerf,1923 Original Reference: *Cigaritis allardi* ssp. *occidentalis* Le Cerf,1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes: Morocco: Harscha, near Tedders. Range (in code): **MA Azr**
- 12112. *Cigaritis apelles* (Oberthür,1878)** (Lycaenidae) Synonym(s): *apelles* Oberthür,1878 Range (in code): **TZ ZM ZR MZ KE ZW Bul ZA Kzu Nta Mkz**
- 12113. *Cigaritis apuleia* Hulstaert,1924** (Lycaenidae) Synonym(s): *apuleia* Hulstaert,1924 Range (in code): **ZR CF**
- 12114. *Cigaritis avriko* (Karsch,1893)** (Lycaenidae) Synonym(s): *avriko* Karsch,1893 Range (in code): **CM TG NG BF UG KE**
- 12115. *Cigaritis baghirmii* Stempffer,1946** (Lycaenidae) Synonym(s): *baghirmii* Stempffer,1946 Range (in code): **TD**
- 12116. *Cigaritis brunnea* Jackson,1966** (Lycaenidae) Synonym(s): *brunnea* Jackson,1966 Range (in code): **ZW Vf ZM ZR TZ UG**
- 12117. *Cigaritis buchanani* (Rothschild,1921)** (Lycaenidae) Synonym(s): *buchanani* Rothschild,1921 Range (in code): **NG ML TD**
- 12118. *Cigaritis cilissa* Lederer,1861** (Lycaenidae) Synonym(s): *cilissa* Lederer,1861; *minima* Staudinger,1901 Original Reference: *Cigaritis cilissa* Lederer,1861, Wien. ent. Monatschr. 5: 147, pl.1 fig.1. Syntypes: [Türkei]: Mersin, Antiochia [=Antakya]. Range (in code): **IQ Ry TR LB IL Pa IR**
- 12119. *Cigaritis cilissa cilissa* Lederer,1861** (Lycaenidae) Synonym(s): *cilissa* Lederer,1861; *minima* Staudinger,1901 Original Reference: *Cigaritis cilissa* Lederer,1861, Wien. ent. Monatschr. 5: 147, pl.1 fig.1. Syntypes: [Türkei]: Mersin, Antiochia [=Antakya]. Range (in code): **IQ Ry TR LB IL Pa IR**

- 12120. *Cigaritis collinsi* Kielland,1980** (Lycaenidae) Synonym(s): *collinsi* Kielland,1980
Range (in code): TZ
- 12121. *Cigaritis crustaria* (Holland,1890)** (Lycaenidae) Synonym(s): *crustaria* Holland,1890
Range (in code): GN LR CI GA CM NG ZR UG
- 12122. *Cigaritis crustaria crustaria* (Holland,1890)** (Lycaenidae) Synonym(s): *crustaria* Holland,1890
Range (in code): GA CM NG ZR UG
- 12123. *Cigaritis crustaria mysteriosa* Clench,1965** (Lycaenidae) Synonym(s): *mysteriosa* Clench,1965
Range (in code): GN LR CI
- 12124. *Cigaritis cynica* Riley,1921** (Lycaenidae) Synonym(s): *cynica* Riley,1921
Range (in code): ZM
- 12125. *Cigaritis dufranei* Bouyer,1991** (Lycaenidae) Synonym(s): *dufranei* Bouyer,1991
Range (in code): ZR
- 12126. *Cigaritis elima* (Moore,1877)** (Lycaenidae) Synonym(s): *elima* Moore,1877
Original Reference: Aphnaeus elima Moore,1877, Ann. Mag. nat. Hist. 1877: 51. Range (in code): IN Kgr LK Ch PK Nwf Ci
- 12127. *Cigaritis elima elima* (Moore,1877)** (Lycaenidae) Synonym(s): *elima* Moore,1877
Original Reference: Aphnaeus elima Moore,1877, Ann. Mag. nat. Hist. 1877: 51. Range (in code): IN
- 12128. *Cigaritis elima uniformis* (Moore,1882)** (Lycaenidae) Synonym(s): *uniformis* Moore,1882
Original Reference: Aphnaeus uniformis Moore,1882, Proc. zool. Soc. Lond. 1882: 251. Type(s): [India: Kangra distr.]: "Mount Meru, Wurdhan" (BMNH). Range (in code): Ch PK Nwf Ci IN Kgr
- 12129. *Cigaritis ella* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ella* Hewitson,[1865]; *chaka* Wallengren,1875; *junodi* D'Abbrera,1980.
Range (in code): ZA Tva Lpo Suw Kru Pf Nta Kzu Gau Pre Mpu Brb Wv Kom Jh Wm Ptc ZW MZ MW ZM TZ ZR BW NA
- 12130. *Cigaritis elwesi* (Riley,1925)** (Lycaenidae) Synonym(s): *elwesi* Riley,1925
- 12131. *Cigaritis elwesi elwesi* (Riley,1925)** (Lycaenidae) Synonym(s): *elwesi* Riley,1925
- 12132. *Cigaritis epargyros* (Eversmann,1854)** (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
Original Reference: Polyommatus epargyros Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 178-180, f.1,2. Syntypes: Südl. Kirghisensteppen, Aralsee, Sir-Darja. Range (in code): T-S AF Hr Aq CN Db IQ Su IR Lo Km Ab Ak KG KK Kp Ky PK BI Tk TM Ui UZ Ii RU At Am
Bionomy: Larva on *Alhagi pseudoalhagi*, *A. canescens* (Zhdanko, 1997).
- 12133. *Cigaritis epargyros epargyros* (Eversmann,1854)** (Lycaenidae) Synonym(s): *epargyros* Eversmann,1854
Original Reference: Polyommatus epargyros Eversmann,1854, Bull. Soc. imp. Nat. Moscou 27: 178-180, f.1,2. Syntypes: Südl. Kirghisensteppen, Aralsee, Sir-Darja. Range (in code): T-S Aq CN Db KG KK Ky Tk Ui UZ Ii RU At Am
- 12134. *Cigaritis epargyros marginalis* Riley,1921** (Lycaenidae) Synonym(s): *marginalis* Riley,1921
Original Reference: Aphnaeus epargyros ssp. marginalis Riley,1921, Ann. Mag. nat. Hist. 9(8): 598. Syntypes 4♂ 6♀: [Iraq]: Paitak, Suleimanyeh. Range (in code): IQ Su IR Lo Km Ab Ak
- 12135. *Cigaritis epargyros transcaspica* Staudinger,1901** (Lycaenidae) Synonym(s): *transcaspica* Staudinger,1901
Original Reference: Cigaritis acamas var. *transcaspica* Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:76. Type(s): [Turkmenistan]: Tura occ.-mer.: Nuchur. Range (in code): AF Hr Kp PK TM BI
- 12136. *Cigaritis gilletti* (Riley,1925)** (Lycaenidae) Synonym(s): *gilletti* Riley,1925
Original Reference: Apharitis gilletti Riley,1925, Novit. zool. 32: 85, fig.6. Syntypes 2♂ 1♀: Somaliland (BMNH). Range (in code): ET
- 12137. *Cigaritis gilletti gilletti* (Riley,1925)** (Lycaenidae) Synonym(s): *gilletti* Riley,1925
Original Reference: Apharitis gilletti Riley,1925, Novit. zool. 32: 85, fig.6. Syntypes 2♂ 1♀: Somaliland (BMNH). Range (in code): ET
- 12138. *Cigaritis homeyeri* (Dewitz,1887)** (Lycaenidae) Synonym(s): *homeyeri* Dewitz,1887; *kallimon* Druce,1887; *#fracta* Stempffer,1948
Range (in code): ZR ZW AO NA ZM ZR CG GA MW MZ TZ UG
- 12139. *Cigaritis ictis* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ictis* Hewitson,[1865]
Original Reference: Aphneus ictis Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 61, 2 (plates): pl.25 figs. 8,9. Syntypes: India borealis. Range (in code): LK IN

- 12140. *Cigaritis ictis ictis* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ictis* Hewitson,[1865]
Original Reference: *Aphneus ictis* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 61, 2 (plates): pl.25 figs. 8,9. Syntypes: India borealis. Range (in code): **IN**
- 12141. *Cigaritis iza* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *iza* Hewitson,[1865] Range (in code): **CM GA ZR**
- 12142. *Cigaritis kutu* Corbet,1940** (Lycaenidae) Synonym(s): *kutu* Corbet,1940 Range (in code): **MY**
- 12143. *Cigaritis kutu kutu* Corbet,1940** (Lycaenidae) Synonym(s): *kutu* Corbet,1940 Range (in code): **MY**
- 12144. *Cigaritis lilacina* (Moore,1884)** (Lycaenidae) Synonym(s): *lilacina* Moore,1884
Original Reference: *Aphnaeus lilacinus* Moore,1884, J. Asiat. Soc. Bengal 1884: 28. Type ♀: India: Kussowli. Range (in code): **IN Ass Ben Mys Pj Bba Mh**
- 12145. *Cigaritis lilacina lilacina* (Moore,1884)** (Lycaenidae) Synonym(s): *lilacina* Moore,1884
Original Reference: *Aphnaeus lilacinus* Moore,1884, J. Asiat. Soc. Bengal 1884: 28. Type ♀: India: Kussowli. Range (in code): **IN Ass Ben Mys Pj Bba Mh**
- 12146. *Cigaritis lohita* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *lohita* Horsfield,[1829]
Original Reference: *Amblypodia lohita* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 106, nr.38. Range (in code): **MM VN MY Lkw SG TH Kbi Nrt Tng Chy Kao Nst Rat Ths Chw Pkk CMa CDo ID Sum Bor NP SI IN LK**
- 12147. *Cigaritis lohita himalayanus* (Moore,1884)** (Lycaenidae) Synonym(s): *himalayanus* Moore,1884 Range (in code): **NP SI IN MM TH Chy Kao Pkk CMa CDo**
- 12148. *Cigaritis lohita lohita* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *lohita* Horsfield,[1829]
Original Reference: *Amblypodia lohita* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 106, nr.38. Range (in code): **IN**
- 12149. *Cigaritis lohita senama* (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *senama* Fruhstorfer,[1912] Range (in code): **MM VN MY Lkw SG TH Kbi Nrt Tng Nst Rat Ths Chw ID Sum Bor**
- 12150. *Cigaritis lohita zebrinus* (Moore,1884)** (Lycaenidae) Synonym(s): *zebrinus* Moore,1884; *milleri* Corbet,1940 Range (in code): **MY**
- 12151. *Cigaritis lunulifera* (Moore,1879)** (Lycaenidae) Synonym(s): *lunulifera* Moore,1879
Original Reference: *Aphnaeus lunulifera* Moore,1879, Proc. zool. Soc. London 1879: 140. Type: Sikkim: Darjeeling (BMNH). Range (in code): **IN LK Ass SI Djl**
- 12152. *Cigaritis lutosus* (Plötz,1880)** (Lycaenidae) Synonym(s): *lutosus* Plötz,1880 Range (in code): **GH**
- 12153. *Cigaritis maxima* (Elwes,1892)** (Lycaenidae) Synonym(s): *maxima* Elwes,1892 Range (in code): **MM Shn TH CMa Chy Nna TAK**
- 12154. *Cigaritis maxima maxima* (Elwes,1892)** (Lycaenidae) Synonym(s): *maxima* Elwes,1892
Range (in code): **MM Shn TH CMa Chy Nna TAK**
- 12155. *Cigaritis menelas* Druce,1907** (Lycaenidae) Synonym(s): *menelas* Druce,1907 Range (in code): **NG CM ZR**
- 12156. *Cigaritis modesta* (Trimen,1891)** (Lycaenidae) Synonym(s): *modesta* Trimen,1891
Range (in code): **ZM ZR NA**
- 12157. *Cigaritis modesta heathi* D'Abrera,1980** (Lycaenidae) Synonym(s): *heathi* D'Abrera,1980 Range (in code): **ZM ZR**
- 12158. *Cigaritis modesta modesta* (Trimen,1891)** (Lycaenidae) Synonym(s): *modesta* Trimen,1891 Range (in code): **NA**
- 12159. *Cigaritis montana* Joicey & Talbot,1924** (Lycaenidae) Synonym(s): *montana* Joicey & Talbot,1924 Range (in code): **ZR ZM**
- 12160. *Cigaritis mozambica* (Bertolini,1850)** (Lycaenidae) Synonym(s): *mozambica* Bertolini,1850; *caffer* Trimen,1868. Original Reference: *Thecla etolus* var. *mozambica* Bertolini,1850, Mem. Reale Acc. Sci. Ist. Bol. (1) 2: 177. Type(s)::[Mozambique]: "Coste del Coromandel". Range (in code): **ZA Tva Spb Lj Nta Kzu NG MZ**
- 12161. *Cigaritis myrmecophila* Dumont,1922** (Lycaenidae) Synonym(s): *myrmecophila* Dumont,1922
Original Reference: *Cigaritis myrmecophila* Dumont,1922, Bull. Soc. ent. Fr. 1922: 217. Syntypes: Tunisia: dunes de Tozeur-Nefta. Range (in code): **DZ Bsk Abe Ah Ajj EG Fa Ke IR JO LY OM TN** Bionomy: Larva on *Calligonum comosum* (Tolman,1997).
- 12162. *Cigaritis myrmecophila farsica* (Rose & Schurian,1977)** (Lycaenidae) Synonym(s): *farsica* Rose & Schurian,1977 Original Reference: *Apharitis myrmecophila* ssp. *farsica* Rose &

- Schurian, 1977, Ent.Z., Frankf.a.M. 87(14): 146-148, fig.1. Holotype ♂: Iran: Südiran: Dasht-i-Arjan. Range (in code): Fa Ke IR
- 12163. *Cigaritis myrmecophila myrmecophila* Dumont, 1922** (Lycaenidae) Synonym(s): *myrmecophila* Dumont, 1922 Original Reference: *Cigaritis myrmecophila* Dumont, 1922, Bull. Soc. ent. Fr. 1922: 217. Syntypes: Tunisia: dunes de Tozeur-Nefta. Range (in code): DZ Bsk Abe Ah Ajj EG JO LY OM TN
- 12164. *Cigaritis nairobiensis* Sharpe, 1904** (Lycaenidae) Synonym(s): *nairobiensis* Sharpe, 1904 Range (in code): KE Nai ZA ZM TZ
- 12165. *Cigaritis namaqua* (Trimen, 1874)** (Lycaenidae) Synonym(s): *namaqua* Trimen, 1874 Range (in code): ZA Wca
- 12166. *Cigaritis natalensis* (Westwood, [1851])** (Lycaenidae) Synonym(s): *natalensis* Westwood, [1851]; *masilikazi* Wallengren, 1857; *#obscura Aurivillius*, 1923 Range (in code): ZA Kzu Nta Ptb Tva Lpo Spb Mdk Gau Pre Ec Mpu MZ ZW MW ZM
- 12167. *Cigaritis natalensis natalensis* (Westwood, [1851])** (Lycaenidae) Synonym(s): *natalensis* Westwood, [1851]; *masilikazi* Wallengren, 1857; *#obscura Aurivillius*, 1923 Range (in code): ZA Kzu Nta Ptb Tva Lpo Spb Mdk Gau Pre Ec Mpu MZ ZW MW ZM
- 12168. *Cigaritis nilus* (Hewitson, [1865])** (Lycaenidae) Synonym(s): *nilus* Hewitson, [1865]; *subaureus* Smith, 1898; *kaduglii* Bethune-Baker, 1916. Original Reference: *Aphnaeus nilus* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 62. Range (in code): SD CI NG
- 12169. *Cigaritis nilus nilus* (Hewitson, [1865])** (Lycaenidae) Synonym(s): *nilus* Hewitson, [1865]; *subaureus* Smith, 1898; *kaduglii* Bethune-Baker, 1916. *nilus* Hewitson, 1865; *subaureus* Smith, 1898; *kaduglii* Bethune-Baker, 1916. *nilus* Hewitson, 1865; *subaureus* Smith, 1898; *kaduglii* Bethune-Baker, 1916. Original Reference: *Aphnaeus nilus* Hewitson, [1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 62. Range (in code): SD CI NG
- 12170. *Cigaritis nipalicus* (Moore, 1884)** (Lycaenidae) Synonym(s): *nipalicus* Moore, 1884 Range (in code): NP
- 12171. *Cigaritis nipalicus nipalicus* (Moore, 1884)** (Lycaenidae) Synonym(s): *nipalicus* Moore, 1884 Range (in code): NP
- 12172. *Cigaritis nyassae* (Butler, 1884)** (Lycaenidae) Synonym(s): *nyassae* Butler, 1884 Range (in code): ZW ZM MW Zom MZ TZ KE UG
- 12173. *Cigaritis phanes* (Trimen, 1873)** (Lycaenidae) Synonym(s): *phanes* Trimen, 1873; *erna* Staudinger, 1888; *#phanis* Swierstra, 1909 Range (in code): ZA Nta Kzu Wnn Est Tva Lpo Spb Nbs Kru Pma Pf Nca Wca Wb Ly Suw Mgl Wm Bfk Noo Mpu Brb BW NA MZ MW ZW
- 12174. *Cigaritis pinheyi* A. Heath, 1983** (Lycaenidae) Synonym(s): *pinheyi* A. Heath, 1983 Range (in code): ZM ZR
- 12175. *Cigaritis schistacea* (Moore, 1881)** (Lycaenidae) Synonym(s): *schistacea* Moore, 1881 Range (in code): IN LK MM
- 12176. *Cigaritis scotti* Gabriel, 1954** (Lycaenidae) Synonym(s): *scotti* Gabriel, 1954 Original Reference: *Spindasis scotti* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 378, pl. xviii fig. 8. Holotype ♀: Yemen: Western Aden Protectorate: Wadi east of Jebel Ma'fari, 4200ft. (BMNH) Range (in code): Dh OM YE
- 12177. *Cigaritis scotti scotti* Gabriel, 1954** (Lycaenidae) Synonym(s): *scotti* Gabriel, 1954 Original Reference: *Spindasis scotti* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 378, pl. xviii fig. 8. Holotype ♀: Yemen: Western Aden Protectorate: Wadi east of Jebel Ma'fari, 4200ft. (BMNH) Range (in code): Dh OM YE
- 12178. *Cigaritis seliga* (Fruhstorfer, [1912])** (Lycaenidae) Synonym(s): *seliga* Fruhstorfer, [1912] Range (in code): MM Tvy TH Chy CMa TAK Nst Chw MY
- 12179. *Cigaritis seliga seliga* (Fruhstorfer, [1912])** (Lycaenidae) Synonym(s): *seliga* Fruhstorfer, [1912] Range (in code): MM Tvy TH Chy CMa TAK Nst Chw MY
- 12180. *Cigaritis shaba* Bouyer, 1991** (Lycaenidae) Synonym(s): *shaba* Bouyer, 1991 Range (in code): ZR
- 12181. *Cigaritis siphax* Lucas, 1849** (Lycaenidae) Synonym(s): *siphax* Lucas, 1849; *erythrea* Staudinger, 1892; *#pallascens* Oberthür, 1896; *#supraimpunctata* Oberthür, 1896; *impunctata* Oberthür, 1909; *immaculatus* Oberthür, 1915; *funebri* Oberthür, 1915; *orientalis* Riley, 1925 Original Reference: *Cigaritis siphax* Lucas, 1849, Expl. Alg. Zool. 3: 362, nr. 39, pl. 1 fig. 8. Type(s): Algeria. Range (in code): DZ Sbd Cst Afl Dju Clo TN
- 12182. *Cigaritis siphax siphax* Lucas, 1849** (Lycaenidae) Synonym(s): *siphax* Lucas, 1849; *erythrea* Staudinger, 1892; *#pallascens* Oberthür, 1896; *#supraimpunctata* Oberthür, 1896; *impunctata* Oberthür, 1909; *immaculatus* Oberthür, 1915; *funebri* Oberthür, 1915; *orientalis* Riley, 1925 Original Reference: *Cigaritis*

- siphax Lucas, 1849, Expl. Alg. Zool. 3: 362, nr.39, pl.1 fig.8. Type(s): Algeria. Range (in code): **DZ Sbd Cst Afl Dju Clo TN**
- 12183. Cigaritis somalina Butler,1885** (Lycaenidae) Synonym(s): *somalina* Butler,1885
Original Reference: Spindasis somalina Butler,1885, Proc. zool. Soc. Lond. 1885: 764, pl.47 fig.5.
Synypes: Somalia: less than 80 miles S. of Berbera. Range (in code): **KE SO YE**
- 12184. Cigaritis somalina somalina Butler,1885** (Lycaenidae) Synonym(s): *somalina* Butler,1885
Original Reference: Spindasis somalina Butler,1885, Proc. zool. Soc. Lond. 1885: 764, pl.47 fig.5. Synypes: Somalia: less than 80 miles S. of Berbera. Range (in code): **KE SO YE**
- 12185. Cigaritis syama (Horsfield,[1829])** (Lycaenidae) Synonym(s): *syama* Horsfield,[1829]
Range (in code): **PH Boh Ceb CmL Cts Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam IN NP SI MM TH CMA CDo CD2 CRa Cmz Cz11 Phr Bnk Srr Knc Loe Sbu Uth Ntt Yal Nst Lsa MY SG**
- 12186. Cigaritis syama negrita C.Felder,1862** (Lycaenidae) Synonym(s): *negrita* C.Felder,1862
Range (in code): **PH Boh Ceb CmL Cts Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam**
- 12187. Cigaritis syama peguanus (Moore,1884)** (Lycaenidae) Synonym(s): *peguanus* Moore,1884
Range (in code): **IN NP SI MM TH CMA CDo CD2 CRa Cmz Cz11 Knc Loe Sbu Uth Phr Bnk Srr**
- 12188. Cigaritis syama syama (Horsfield,[1829])** (Lycaenidae) Synonym(s): *syama* Horsfield,[1829]
- 12189. Cigaritis syama terana (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *terana* Fruhstorfer,[1912]
Range (in code): **TH Ntt Yal Nst Lsa MY SG**
- 12190. Cigaritis tanganyikae Kielland,1990** (Lycaenidae) Synonym(s): *tanganyikae* Kielland,1990
Range (in code): **TZ**
- 12191. Cigaritis tanganyikae tanganyikae Kielland,1990** (Lycaenidae) Synonym(s): *tanganyikae* Kielland,1990
Range (in code): **TZ**
- 12192. Cigaritis tavetensis Lathy,1906** (Lycaenidae) Synonym(s): *tavetensis* Lathy,1906
Range (in code): **TZ KE UG**
- 12193. Cigaritis tavetensis tavetensis Lathy,1906** (Lycaenidae) Synonym(s): *tavetensis* Lathy,1906
Range (in code): **TZ KE UG**
- 12194. Cigaritis trimeni Neave,1910** (Lycaenidae) Synonym(s): *trimeni* Neave,1910
Range (in code): **AO ZR TZ MW ZM**
- 12195. Cigaritis trimeni congolana Dufrane,1954** (Lycaenidae) Synonym(s): *congolana* Dufrane,1954
Range (in code): **ZR**
- 12196. Cigaritis trimeni trimeni Neave,1910** (Lycaenidae) Synonym(s): *trimeni* Neave,1910
Range (in code): **AO TZ MW ZM**
- 12197. Cigaritis uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005; *ottostaudingeri* Weidenhoffer & Bozano,2007
Original Reference: Cigaritis uighurica Kemal & Koçak,2005, Cent. ent. Stud., Priamus 11 (3): 44.
Holotype ♂: Turkey: Malatya Prov., Malatya 1100m, A. Koçak leg. (Cesa). Range (in code): **IQ IR Zj Fa Ke TR**
- 12198. Cigaritis uighurica uighurica Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *maxima* Staudinger,1901 nec Elw.,1892; *uighurica* Kemal & Koçak,2005; *ottostaudingeri* Weidenhoffer & Bozano,2007
Original Reference: Cigaritis uighurica Kemal & Koçak,2005, Cent. ent. Stud., Priamus 11 (3): 44. Holotype ♂: Turkey: Malatya Prov., Malatya 1100m, A. Koçak leg. (Cesa).
Range (in code): **IQ IR Zj Fa Ke TR**
- 12199. Cigaritis victoriae (Butler,1884)** (Lycaenidae) Synonym(s): *victoriae* Butler,1884
Range (in code): **ZW TZ MW KE**
- 12200. Cigaritis victoriae victoriae (Butler,1884)** (Lycaenidae) Synonym(s): *victoriae* Butler,1884
Range (in code): **ZW TZ MW KE**
- 12201. Cigaritis vixinga (Hewitson,1875)** (Lycaenidae) Synonym(s): *vixinga* Hewitson,1875
Range (in code): **MY Bor ID Sum TH Phr**
- 12202. Cigaritis vixinga davidsoni Talbot,1936** (Lycaenidae) Synonym(s): *davidsoni* Talbot,1936
Range (in code): **ID Sum TH Phr**
- 12203. Cigaritis vixinga vixinga (Hewitson,1875)** (Lycaenidae) Synonym(s): *vixinga* Hewitson,1875
Range (in code): **MY Bor**
- 12204. Cigaritis vulcanus (Fabricius,1775)** (Lycaenidae) Synonym(s): *vulcanus* Fabricius,1775
Range (in code): **LK MM Tvy TH CMA Lmp Mae Phr**
- 12205. Cigaritis vulcanus tavoyanus (Evans,1925)** (Lycaenidae) Synonym(s): *tavoyanus* Evans,1925
Range (in code): **MM Tvy TH CMA Lmp Mae Phr**

- 12206. *Cigaritis vulcanus vulcanus* (Fabricius,1775)** (Lycaenidae) **Synonym(s):** *vulcanus* Fabricius,1775
- 12207. *Cigaritis zohra* Donzel,1847** (Lycaenidae) **Synonym(s):** *zohra* Donzel,1847; *#massinissa* Lucas,1847; *jugurtha* Oberthür,1876; *littoralis* Riley,1925 **Original Reference:** *Cigaritis zohra* Donzel,1847, Annls Soc. ent. Fr. 1847: 528, Tab.8 figs. 5,6. Syntypes: Algerie: Djebel Amour. **Range (in code):** **DZ Saia Afl Orn Eba Sbd BSa Bsk TN Gf MA Ifr** **Bionomy:** Larva on *Coronilla minima* (1.,2.instars) (Fabaceae) (Tolman,1997).
- 12208. *Cigaritis zohra monticola* Riley,1925** (Lycaenidae) **Synonym(s):** *monticola* Riley,1925; *ungemachi* Rothschild,1926 **Range (in code):** **MA**
- 12209. *Cigaritis zohra zohra* Donzel,1847** (Lycaenidae) **Synonym(s):** *zohra* Donzel,1847; *#massinissa* Lucas,1847; *jugurtha* Oberthür,1876; *littoralis* Riley,1925 **Original Reference:** *Cigaritis zohra* Donzel,1847, Annls Soc. ent. Fr. 1847: 528, Tab.8 figs. 5,6. Syntypes: Algerie: Djebel Amour. **Range (in code):** **DZ Saia Afl Orn Eba Sbd BSa Bsk TN Gf MA Ifr**
- 12210. *Citrinophila bennetti* Jackson,1967** (Lycaenidae) **Synonym(s):** *bennetti* Jackson,1967 **Range (in code):** **GA CM**
- 12211. *Citrinophila erastus* (Hewitson,1866)** (Lycaenidae) **Synonym(s):** *erastus* Hewitson,1866; *erasmus* Kirby,1887; *flaveola* Kirby,1887 **Range (in code):** **ZR UG GA GO Bio ZR GH CI**
- 12212. *Citrinophila erastus erastus* (Hewitson,1866)** (Lycaenidae) **Synonym(s):** *erastus* Hewitson,1866; *erasmus* Kirby,1887; *flaveola* Kirby,1887 **Range (in code):** **GA GO Bio ZR GH CI**
- 12213. *Citrinophila erastus pallida* Hawker-Smith,1933** (Lycaenidae) **Synonym(s):** *pallida* Hawker-Smith,1933 **Range (in code):** **ZR UG**
- 12214. *Citrinophila marginalis* Kirby,1887** (Lycaenidae) **Synonym(s):** *marginalis* Kirby,1887; *serena* Kirby,1890; *pusio* Grose-Smith,1898 **Range (in code):** **GH SL NG ZR CI LR**
- 12215. *Citrinophila similis* (Kirby,1887)** (Lycaenidae) **Synonym(s):** *similis* Kirby,1887 **Range (in code):** **GH CM NG SL**
- 12216. *Citrinophila tenera* (Kirby,1887)** (Lycaenidae) **Synonym(s):** *tenera* Kirby,1887; *limbata* Kirby,1887 **Range (in code):** **CM GA NG CG ZR UG**
- 12217. *Citrinophila terias* Joicey & Talbot,1921** (Lycaenidae) **Synonym(s):** *terias* Joicey & Talbot,1921; *regularis* Schultze,1923 **Range (in code):** **ZR CM GA CG**
- 12218. *Citrinophila unipunctata* Bethune-Baker,1908** (Lycaenidae) **Synonym(s):** *unipunctata* Bethune-Baker,1908 **Range (in code):** **ZR UG CG**
- 12219. *Cnodontes pallida* (Trimen,1898)** (Lycaenidae) **Synonym(s):** *pallida* Trimen,1898 **Range (in code):** **NA BW ZW ZA Lpo Tva Spb Mdk Tho ZM**
- 12220. *Cnodontes penningtoni* Bennett,1954** (Lycaenidae) **Synonym(s):** *penningtoni* Bennett,1954 **Range (in code):** **ZA Nta Kzu SZ Tva Lpo Mdk Spb Kru Pma Wca BW MZ**
- 12221. *Cnodontes vansomeri* Stempffer & Bennett,1953** (Lycaenidae) **Synonym(s):** *vansomeri* Stempffer & Bennett,1953 **Range (in code):** **KE TZ MW ZM ZR AO**
- 12222. *Cnodontes vansoni* Stempffer & Bennett,1956** (Lycaenidae) **Synonym(s):** *vansoni* Stempffer & Bennett,1956 **Range (in code):** **ZA Tva Gau Pre Slpp**
- 12223. *Cooksonia aliciae* Talbot,1935** (Lycaenidae) **Synonym(s):** *aliciae* Talbot,1935 **Range (in code):** **MW**
- 12224. *Cooksonia arbi* Collins & Larsen,2008** (Lycaenidae) **Synonym(s):** *arbi* Collins & Larsen,2008
- 12225. *Cooksonia neavei* (Druce,1912)** (Lycaenidae) **Synonym(s):** *neavei* Druce,1912 **Range (in code):** **TZ ZW**
- 12226. *Cooksonia neavei neavei* (Druce,1912)** (Lycaenidae) **Synonym(s):** *neavei* Druce,1912 **Range (in code):** **TZ ZW**
- 12227. *Cooksonia neavei rhodesiae* Pinhey,1962** (Lycaenidae) **Synonym(s):** *rhodesiae* Pinhey,1962 **Range (in code):** **ZW**
- 12228. *Cooksonia nozolinoi* Mendes & Bivar de Sousa,2007** (Lycaenidae) **Synonym(s):** *nozolinoi* Mendes & Bivar de Sousa,2007 **Range (in code):** **AO**
- 12229. *Cooksonia trimeni* Druce,1905** (Lycaenidae) **Synonym(s):** *trimeni* Druce,1905 **Range (in code):** **ZR Shb ZM**
- 12230. *Cooksonia trimeni terpsichore* Talbot,1935** (Lycaenidae) **Synonym(s):** *terpsichore* Talbot,1935 **Range (in code):** **ZR Shb**
- 12231. *Cooksonia trimeni trimeni* Druce,1905** (Lycaenidae) **Synonym(s):** *trimeni* Druce,1905 **Range (in code):** **ZR ZM**

- 12232. *Cordelia comes* (Leech,1890)** (Lycaenidae) **Synonym(s):** *comes* Leech,1890 _ Range (in code): **CN TW**
- 12233. *Cordelia comes wilemaniella* (Matsumura,1929)** (Lycaenidae) **Synonym(s):** *wilemaniella* Matsumura,1929 _ Range (in code): **TW**
- 12234. *Coreana raphaelis* (Oberthür,1880)** (Lycaenidae) **Synonym(s):** *raphaelis* Oberthür,1880
Original Reference: Thecla raphaelis Oberthür,1880, Etüd. ent. 5: 20, pl.5 fig.1. Range (in code): **RU Vv**
- 12235. *Coreana raphaelis raphaelis* (Oberthür,1880)** (Lycaenidae) **Synonym(s):** *raphaelis* Oberthür,1880
Original Reference: Thecla raphaelis Oberthür,1880, Etüd. ent. 5: 20, pl.5 fig.1. Range (in code): **RU Vv**
- 12236. *Creon cleobis* (Godart,[1824])** (Lycaenidae) **Synonym(s):** *cleobis* Godart,[1824]
Original Reference: Polyommatus cleobis Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 634. Type(s): India: Bengale. Range (in code): **IN MM TH CMa MY**
- 12237. *Creon cleobis cleobis* (Godart,[1824])** (Lycaenidae) **Synonym(s):** *cleobis* Godart,[1824]
Original Reference: Polyommatus cleobis Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 634. Type(s): India: Bengale. Range (in code): **IN MM TH CMa**
- 12238. *Creon cleobis queda* (Corbet,1938)** (Lycaenidae) **Synonym(s):** *queda* Corbet,1938; *pendleburyi* Corbet,1940 _ Range (in code): **MY**
- 12239. *Crudaria capensis* Van Son,1956** (Lycaenidae) **Synonym(s):** *capensis* Van Son,1956
Range (in code): **ZA Ec**
- 12240. *Crudaria leroma* (Wallengren,1857)** (Lycaenidae) **Synonym(s):** *leroma* Wallengren,1857; *zorites* Hewitson,1874; *delagoensis* Sharpe,1891; *#albomaculata* Aurivillius,1923. _ Range (in code): **BW ZW MZ ZM MW TZ ZA Ec Nce Fs Nta Kzu Wnn Fre Gau Pre Tva Lpo**
- 12241. *Crudaria wykehami* Dickson,1983** (Lycaenidae) **Synonym(s):** *wykehami* Dickson,1983
Range (in code): **ZA Wca**
- 12242. *Cupidesthes albida* (Aurivillius,1923)** (Lycaenidae) **Synonym(s):** *albida* Aurivillius,1923
Range (in code): **ZR**
- 12243. *Cupidesthes arescopia* Bethune-Baker,1910** (Lycaenidae) **Synonym(s):** *arescopia* Bethune-Baker,1910; *hilarion* Hulstaert,1924 _ Range (in code): **CM Bit GA CG LR ZR UG**
- 12244. *Cupidesthes arescopia arescopia* Bethune-Baker,1910** (Lycaenidae) **Synonym(s):** *arescopia* Bethune-Baker,1910; *hilarion* Hulstaert,1924 _ Range (in code): **CM Bit GA CG LR**
- 12245. *Cupidesthes arescopia orientalis* (Stempffer,1962)** (Lycaenidae) **Synonym(s):** *orientalis* Stempffer,1962 _ Range (in code): **ZR UG**
- 12246. *Cupidesthes caerulea* Jackson,1966** (Lycaenidae) **Synonym(s):** *caerulea* Jackson,1966
Range (in code): **CM CG**
- 12247. *Cupidesthes cuprifascia* Joicey & Talbot,1921** (Lycaenidae) **Synonym(s):** *cuprifascia* Joicey & Talbot,1921 _ Range (in code): **ZR CG**
- 12248. *Cupidesthes irumu* Stempffer,1948** (Lycaenidae) **Synonym(s):** *irumu* Stempffer,1948
Range (in code): **GH CG ZR TZ**
- 12249. *Cupidesthes jacksoni* Stempffer,1969** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer,1969
Range (in code): **CI**
- 12250. *Cupidesthes leonina* (Bethune-Baker,1903)** (Lycaenidae) **Synonym(s):** *leonina* Bethune-Baker,1903 _ Range (in code): **SL CM ZR UG TZ**
- 12251. *Cupidesthes lithas* (Druce,1890)** (Lycaenidae) **Synonym(s):** *lithas* Druce,1890 _ Range (in code): **SL TG CG ZR UG CM**
- 12252. *Cupidesthes mimetica* (Druce,1910)** (Lycaenidae) **Synonym(s):** *mimetica* Druce,1910; *mimetica* Bethune-Baker,1910 _ Range (in code): **CM Bit**
- 12253. *Cupidesthes minor* Joicey & Talbot,1921** (Lycaenidae) **Synonym(s):** *minor* Joicey & Talbot,1921 _ Range (in code): **ZR**
- 12254. *Cupidesthes paludicola* (Holland,1891)** (Lycaenidae) **Synonym(s):** *paludicola* Holland,1891; *brunneus* Grose-Smith & Kirby,1897 _ Range (in code): **GA CI**
- 12255. *Cupidesthes paralithas* Bethune-Baker,1926** (Lycaenidae) **Synonym(s):** *paralithas* Bethune-Baker,1926 _ Range (in code): **CI NG CM**
- 12256. *Cupidesthes robusta* Aurivillius,1895** (Lycaenidae) **Synonym(s):** *robusta* Aurivillius,1895
Range (in code): **CM CG**
- 12257. *Cupidesthes thyrsis* (Kirby,1878)** (Lycaenidae) **Synonym(s):** *thyrsis* Kirby,1878
Range (in code): **GA GO Bio CG ZR**

- 12258. *Cupidesthes vidua* Talbot, 1929** (Lycaenidae) **Synonym(s):** *vidua* Talbot, 1929 **Range (in code):** **AO**
- 12259. *Cupidesthes voltae* Sharpe, 1890** (Lycaenidae) **Synonym(s):** *voltae* Sharpe, 1890 **Range (in code):** **SL GH LR CI ZR UG GA TZ**
- 12260. *Cupidesthes voltae gabunica* (Aurivillius, 1898)** (Lycaenidae) **Synonym(s):** *gabunica* Aurivillius, 1898 **Range (in code):** **GA**
- 12261. *Cupidesthes voltae voltae* Sharpe, 1890** (Lycaenidae) **Synonym(s):** *voltae* Sharpe, 1890 **Range (in code):** **SL GH LR CI ZR UG**
- 12262. *Cupidesthes voltae ysobelae* Jackson, 1966** (Lycaenidae) **Synonym(s):** *ysobelae* Jackson, 1966 **Range (in code):** **UG TZ ZR**
- 12263. *Cupido* (Everes) *acaudata* (Lee, 1963)** (Lycaenidae) **Synonym(s):** *acaudata* Lee, 1963 **Original Reference:** Everes *acaudata* Lee, 1963, Acta zool. sinica 15(1): 104, pl.1 figs.3,4. Holotype ♂: Sinkiang [Uighur A.R.]. No precise collecting site. This proposal needs confirmation. **Range (in code):** **CN Ui**
- 12264. *Cupido* (Everes) *acaudata acaudata* (Lee, 1963)** (Lycaenidae) **Synonym(s):** *acaudata* Lee, 1963 **Original Reference:** Everes *acaudata* Lee, 1963, Acta zool. sinica 15(1): 104, pl.1 figs.3,4. Holotype ♂: Sinkiang [Uighur A.R.]. No precise collecting site. This proposal needs confirmation. **Range (in code):** **CN Ui**
- 12265. *Cupido* (Everes) *alcetas* (Hoffmannsegg, 1804)** (Lycaenidae) **Synonym(s):** *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775; *alcetas* Hoffmannsegg, 1804; *coretas* Ochsenheimer, 1808. **Original Reference:** [Papilio] *alcetas* Hoffmannsegg, 1804, Magazin Insektenk. (Illiger) 3: 205 (nomen novum pro *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775). Type: Austria. **Range (in code):** **AL AT At Bn Ba BG BY CH Co CZ ES FI FR GR HU IT MK RO RU SK Sm So Sr TR UA Cm YU KG Mn** **Bionomy:** Larva on *Coronilla varia*, *Galega officinalis* (Fabaceae) (Tolman, 1997).
- 12266. *Cupido* (Everes) *alcetas alcetas* (Hoffmannsegg, 1804)** (Lycaenidae) **Synonym(s):** *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775; *alcetas* Hoffmannsegg, 1804; *coretas* Ochsenheimer, 1808. **Original Reference:** [Papilio] *alcetas* Hoffmannsegg, 1804, Magazin Insektenk. (Illiger) 3: 205 (nomen novum pro *tiresias* Hübner, [1800] *nec tiresias* Rottemburg, 1775). Type: Austria. **Range (in code):** **AL AT At Bn Ba BG BY CH Co CZ ES FI FR GR HU IT MK RO RU SK Sm So Sr TR UA Cm YU KG Mn**
- 12267. *Cupido* (Everes) *alcetas dilutior* (Verity, 1934)** (Lycaenidae) **Synonym(s):** *dilutior* Verity, 1934 **Original Reference:** Everes *alcetas dilutior* Verity, 1934, Entomologist's Rec. J. Var. 46 (suppl.): 34. Syntypes: Italy: Firenze. **Range (in code):** **FR IT**
- 12268. *Cupido* (Everes) *argiades* (Pallas, 1771)** (Lycaenidae) **Synonym(s):** *argiades* Pallas, 1771; *tiresias* Rottemburg, 1775; *amyntas* [Denis & Schiffermüller], 1775 *nec* Poda, 1761; *irenae* Dujardin, 1974. **Original Reference:** Papilio *argiades* Pallas, 1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1:472. Type(s): Russia: Samara. **Range (in code):** **AL Ao Am At Bn AT Ba BE BG BY CH CN CZ DE EE ES FI FR GB Cc GG GR HU Ii IT Ku LT LU LV MK NL PL RO RU SE Si SK Sm So Sr TR UA VI YU KG Or Bs Cb Ty Kw Om Pw Sp Mn No To Kuz Sli Tar SI BT JP PK Ch IN Ci Kma T-S TrA** **Bionomy:** Larva on *Lotus corniculatus*, *L. uliginosus*, *Coronilla varia*, *Medicago sativa*, *M. lupulina*, *Trifolium pratense*, *Astragalus glycyphyllos* (Fabaceae) (Zhdanko, 1997; Tolman, 1997).
- 12269. *Cupido* (Everes) *argiades argiades* (Pallas, 1771)** (Lycaenidae) **Synonym(s):** *argiades* Pallas, 1771; *tiresias* Rottemburg, 1775; *amyntas* [Denis & Schiffermüller], 1775 *nec* Poda, 1761; *irenae* Dujardin, 1974. **Original Reference:** Papilio *argiades* Pallas, 1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1:472. Type(s): Russia: Samara. **Range (in code):** **AL Ao At Bn AT Ba BE BG Bw BY CH CZ DE EE ES FI FR GB Cc GG GR HU IT LT LU LV MK NL PL RO RU SE Si SK Sm So Sr TR UA VI YU KG Or Bs Cb Ty Kw Om Pw Sp Mn No To Kuz Sli Tar TrA T-S**
- 12270. *Cupido* (Everes) *argiades hellotia* (Ménétriés, 1857)** (Lycaenidae) **Synonym(s):** *hellotia* Ménétriés, 1857; *#bellotia* Kirby, 1871. **Original Reference:** *Lycaena hellotia* Ménétriés, 1857, Enum. anim. Mus. imp. Acad. Sci. Petropolitanae. Ins., Lepid. 2: 124, t.10 fig.6. Type(s): Japonia. **Range (in code):** **SI BT JP**
- 12271. *Cupido* (Everes) *argiades indica* (Evans, 1932)** (Lycaenidae) **Synonym(s):** *indica* Evans, 1932 **Original Reference:** Everes *argiades indica* Evans, 1932, Identification of Indian Butterflies (2): 219. Syntypes: [Pakistan]: Chitral; [India]: Kumaon. **Range (in code):** **PK IN Ci Kma**
- 12272. *Cupido* (Everes) *argiades seitzi* (Wnukowsky, 1928)** (Lycaenidae) **Synonym(s):** *seitzi* Wnukowsky, 1928 **Original Reference:** *Ununcula argiades seitzi* Wnukowsky, 1928, Dt. ent. Z., Iris 42: 2 (nomen novum pro *amurensis* Heyne, [1895] *nec* Staudinger, 1892). Type(s): Russia: Amurland. **Range (in code):** **RU Am**

- 12273. Cupido (Everes) decolor (Staudinger,1886)** (Lycaenidae) Synonym(s): *decolor Staudinger,1886* Original Reference: *Lycaena argiades* var. *decolor* Staudinger,1886, Stettin ent. Ztg. 47: 203. Syntypes ♂♀: [Usbekistan]: Margelan. Range (in code): **KG Tk UZ Man TM Ii Sju**
- 12274. Cupido (Everes) decolor decolor (Staudinger,1886)** (Lycaenidae) Synonym(s): *decolor Staudinger,1886* Original Reference: *Lycaena argiades* var. *decolor* Staudinger,1886, Stettin ent. Ztg. 47: 203. Syntypes ♂♀: [Usbekistan]: Margelan. Range (in code): **KG Tk UZ Man TM Ii Sju**
- 12275. Cupido (Everes) decoloratus (Staudinger,1886)** (Lycaenidae) Synonym(s): *decoloratus Staudinger,1886*. Original Reference: *Lycaena argiades* ab. (var.) *decoloratus* Staudinger,1886, Stettin ent. Ztg. 47(4/6): 203-204. Syntypes: [Austria]: Wien; Ungarn, Bulgarien. Range (in code): **AL AT BG BY CZ ES GR HU RO RU SK TR UA YU** Bionomy: Larva on *Medicago lupulina*, *M. sativa* (Fabaceae) (Tolman,1997).
- 12276. Cupido (Everes) decoloratus decoloratus (Staudinger,1886)** (Lycaenidae) Synonym(s): *decoloratus Staudinger,1886* Original Reference: *Lycaena argiades* ab. (var.) *decoloratus* Staudinger,1886, Stettin ent. Ztg. 47(4/6): 203-204. Syntypes: [Austria]: Wien; Ungarn, Bulgarien. Range (in code): **AL AT BG BY CZ ES GR HU RO RU SK TR UA YU**
- 12277. Cupido (Everes) dipora (Moore,1865)** (Lycaenidae) Synonym(s): *dipora Moore,1865* Original Reference: *Lycaena dipora* Moore,1865, Proc. zool. Soc. Lond. 1865: 506, pl. fig.8. Range (in code): **IN Kgr Hp PK Haz Mre TH Loe**
- 12278. Cupido (Everes) dipora dipora (Moore,1865)** (Lycaenidae) Synonym(s): *dipora Moore,1865* Original Reference: *Lycaena dipora* Moore,1865, Proc. zool. Soc. Lond. 1865: 506, pl. fig.8. Range (in code): **IN Kgr Hp PK Haz Mre TH Loe**
- 12279. Cupido (Everes) diporides Chapman,1908** (Lycaenidae) Synonym(s): *diporides Chapman,1908* Range (in code): **IN PK MM Wa Djl Sml Mus TH Loe Khn**
- 12280. Cupido (Everes) diporides diporides Chapman,1908** (Lycaenidae) Synonym(s): *diporides Chapman,1908* Range (in code): **IN PK MM Wa Djl Sml Mus TH Loe Khn**
- 12281. Cupido (Everes) lacturnus (Godart,[1824])** (Lycaenidae) Synonym(s): *lacturnus Godart,[1824]* Range (in code): **LK PH Luz Mno Pal Taw TH Bnk CMa Cuo Cuo4 CDo CD2 Knc Loe Lmp Nst Chw Ths Chb MY**
- 12282. Cupido (Everes) lacturnus lacturnus (Godart,[1824])** (Lycaenidae) Synonym(s): *lacturnus Godart,[1824]* Range (in code): **PH Luz Mno Pal Taw**
- 12283. Cupido (Everes) lacturnus rileyi (Godfrey,1916)** (Lycaenidae) Synonym(s): *rileyi Godfrey,1916* Range (in code): **TH Bnk CMa Cuo Cuo4 CDo CD2 Knc Loe Lmp Cbu Nst Chw Ths MY**
- 12284. Cupido (Everes) shandura (Evans,1932)** (Lycaenidae) Synonym(s): *shandura Evans,1932* Original Reference: *Everes shandura* Evans,1932, Identification Indian Butts. (edn.2): 219. Syntypes: [Pakistan]: Chitral, Shandur Pass. Range (in code): **Ci PK Sha**
- 12285. Cupido (Everes) shandura shandura (Evans,1932)** (Lycaenidae) Synonym(s): *shandura Evans,1932* Original Reference: *Everes shandura* Evans,1932, Identification Indian Butts. (edn.2): 219. Syntypes: [Pakistan]: Chitral, Shandur Pass. Range (in code): **Ci PK Sha**
- 12286. Cupido (Sinocupido) lokiangensis (Lee,1963)** (Lycaenidae) Synonym(s): *lokiangensis Lee,1963* Original Reference: *Sinocupido lokiangensis* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.5-8. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site. It needs further taxonomical investigation. Range (in code): **CN Ui**
- 12287. Cupido (Sinocupido) lokiangensis lokiangensis (Lee,1963)** (Lycaenidae) Synonym(s): *lokiangensis Lee,1963* Original Reference: *Sinocupido lokiangensis* Lee,1963, Acta zool. sinica 15(1): 105, pl.1 figs.5-8. Holotype ♂: China: Sinkiang [Uighur A.R.]. No precise collecting site. It needs further taxonomical investigation. Range (in code): **CN Ui**
- 12288. Cupido (s.str.) alainus (Staudinger,1887)** (Lycaenidae) Synonym(s): *alainus Staudinger,1887* Original Reference: *Lycaena alaina* Staudinger,1887, Stettin ent. Ztg. 48: 50-51. Syntypes 10 ♂♀: [Tadjikistan]: südlichen Alai (Transalai). Range (in code): **T-A TJ**
- 12289. Cupido (s.str.) alainus alainus (Staudinger,1887)** (Lycaenidae) Synonym(s): *alainus Staudinger,1887* Original Reference: *Lycaena alaina* Staudinger,1887, Stettin ent. Ztg. 48: 50-51. Syntypes 10 ♂♀: [Tadjikistan]: südlichen Alai (Transalai). Range (in code): **T-A TJ**
- 12290. Cupido (s.str.) buddhista (Alpheraky,1881)** (Lycaenidae) Synonym(s): *buddhista Alpheraky,1881; balinti D'Abrera,1993* Original Reference: *[Lycaena] buddhista* Alpheraky,1881, Horae Soc. ent. ross. 16: 393-395, Taf. 14 figs. 9, 10. Syntypes ♂♀: [China]: Kuldja, 7000ft. Range

- (in code): **T-S Aa CN KG KK Ku Tk Ui Ket Tu TeA KuA TrA DsA Sju Sau** Bionomy: Larva on *Oxytropis pagobia*, *O. trajectory*, *O. microsphaera* (Zhdanko, 1997).
- 12291. Cupido (s.str.) buddhista buddhista (Alpheraky,1881)** (Lycaenidae) Synonym(s): *buddhista* Alpheraky,1881; *balinti* D'Abrera,1993. Original Reference: [Lycaena] *buddhista* Alpheraky,1881, Horae Soc. ent. ross. 16: 393-395, Taf. 14 figs. 9, 10. Syntypes ♂♂: [China]: Kuldja, 7000ft. Range (in code): **Aa CN KG KK Ku Tk Ui Ket Tu T-S TeA KuA TrA DsA Sju Sau**
- 12292. Cupido (s.str.) buddhista garmicus J.Stshetkin & J.Stshtetkin,1986** (Lycaenidae) Synonym(s): *garmicus* J.Stshetkin & J.Stshtetkin,1986 Original Reference: *Cupido buddhista* ssp. *garmicus* J.Stshetkin & J.Stshtetkin,1986, Zool. Zh. 65: 1092-1093. Holotype: Tadjikistan: northern slopes of the Peter the Great Mts. Khazor-Chasma valley, 2100m. Range (in code): **TJ**
- 12293. Cupido (s.str.) carswelli Stempffer,1927** (Lycaenidae) Synonym(s): *carswelli* Stempffer,1927 Range (in code): **ES Mu Mlg** Bionomy: Larva on *Anthyllis vulneraria* (Fabaceae) (Tolman,1997).
- 12294. Cupido (s.str.) carswelli carswelli Stempffer,1927** (Lycaenidae) Synonym(s): *carswelli* Stempffer,1927 Range (in code): **ES Mu Mlg**
- 12295. Cupido (s.str.) gisela (Püngeler,1901)** (Lycaenidae) Synonym(s): *gisela* Püngeler,1901 Original Reference: *Lycaena gisela* Püngeler,1901, Dt. ent. Z., Iris 14: 180. Syntypes: [Uighur A.R.]: Turkestan: Aksu. Range (in code): **T-S Au CN Ui**
- 12296. Cupido (s.str.) gisela gisela (Püngeler,1901)** (Lycaenidae) Synonym(s): *gisela* Püngeler,1901 Original Reference: *Lycaena gisela* Püngeler,1901, Dt. ent. Z., Iris 14: 180. Syntypes: [Uighur A.R.]: Turkestan: Aksu. Range (in code): **T-S Au CN Ui**
- 12297. Cupido (s.str.) happensis (Matsumura,1927)** (Lycaenidae) Synonym(s): *happensis* Matsumura,1927 Range (in code): **KP KR RU Us**
- 12298. Cupido (s.str.) lorquini (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): *lorquini* Herrich-Schäffer,[1851] Original Reference: *Lycaena lorquini* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 6: 25. Type(s): Spain. Range (in code): **ES PT MA DZ Anna Svl Grn Ex Mlg Cz Jae Ges** Bionomy: Larva on *Anthyllis vulneraria* (Fabaceae) (Tolman,1997).
- 12299. Cupido (s.str.) lorquini lorquini (Herrich-Schäffer,[1851])** (Lycaenidae) Synonym(s): *lorquini* Herrich-Schäffer,[1851] Original Reference: *Lycaena lorquini* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 6: 25. Type(s): Spain. Range (in code): **ES PT MA DZ Anna Svl Grn Ex Mlg Cz Jae Ges**
- 12300. Cupido (s.str.) minimus (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. Original Reference: *Papilio minimus* Fuessly,1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31. Type(s): Schweiz. Range (in code): **AL At Bn Kts AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR HU IE IT KK LT LU LV MK NL NO PL PT RO RU SE Si SK Sm So Sr TR Cc GG Smt Akh IR Ab UA VI YU Cw Dv H-W Sur Ssx Ken KG Uk Cb Kt Kw Om No Pw Sp Mn Bs Sau CN Ui** Bionomy: Larva on *Anthyllis vulneraria* (Fabaceae) (Tolman,1997).
- 12301. Cupido (s.str.) minimus albocilius Oorschot et al.,1984** (Lycaenidae) Synonym(s): *albocilia* Oorschot et al.,1984 Original Reference: *Cupido minimus* ssp. *albocilia* Oorschot et al.,1984, Ent. Ber., Amst. 44: 142, figs. Holotype ♂: Turkey: Prov. Niğde: Aladağlar, 18km. SE. of Çamardı (ITZA). Range (in code): **TR**
- 12302. Cupido (s.str.) minimus alsoides (Gerhard,[1851])** (Lycaenidae) Synonym(s): *alsoides* Gerhard,[1851] Original Reference: *Lycaena alsus* var. *alsoides* Gerhard,[1851], Versuch Monogr. eur. Schmett.: t.13, fig.3. Range (in code): **FR**
- 12303. Cupido (s.str.) minimus magnus (Staudinger,1892)** (Lycaenidae) Synonym(s): *magnus* Staudinger,1892 Range (in code): **RU**
- 12304. Cupido (s.str.) minimus minimus (Fuessly,1775)** (Lycaenidae) Synonym(s): *minimus* Fuessly,1775; *alsus* [Denis & Schiffermüller],1775; *pseudolus* Bersträßer,[1779]; *puer* Schrank,1801. Original Reference: *Papilio minimus* Fuessly,1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31. Type(s): Schweiz. Range (in code): **AL AT Ba BE BG Bw BY CH CZ DE DK EE ES FI FR GB GR HU IE IT LT LU LV MK NL NO PL PT RO Rp RU SE Si SK Sm So Sr TR Cc GG Smt Akh UA VI YU Cw Dv H-W Sur Ssx Ken KG Uk Cb Kt Kw Om No Pw Sp Mn At Kts Bs**
- 12305. Cupido (s.str.) minimus noguerae Haig-Thomas,1929** (Lycaenidae) Synonym(s): *noguerae* Haig-Thomas,1929 Range (in code): **FR**
- 12306. Cupido (s.str.) minimus trinacriae Verity,1919** (Lycaenidae) Synonym(s): *trinacriae* Verity,1919 Original Reference: *Cupido minimus* race *trinacriae* Verity,1919, Entomologist's

- Rec. J. Var. 31: 47. Syntypes: [Italy]: Isola di Sicilia: Palermo: Monreale: San Martino, 800m. Range (in code): IT Si
- 12307. Cupido (s.str.) minimus tusovi Lukhtanov & Lukhtanov,1994** (Lycaenidae) Synonym(s): *tusovi Lukhtanov & Lukhtanov,1994*. Original Reference: Cupido minimus ssp. tusovi Lukhtanov & Lukhtanov,1994, Herbiopoliana 3: 247, Taf. 56 fig.11. Holotype ♂: Kazakhstan: Saur mts., Shanaturmys 1000m. Range (in code): KG Mn Sau RU At Bn
- 12308. Cupido (s.str.) nagarensis Charmeux & Desse,2006** (Lycaenidae) Synonym(s): *nagarensis Charmeux & Desse,2006* Range (in code): PK
- 12309. Cupido (s.str.) osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833]*. Original Reference: Polyommatus osiris Meigen,[1829], Syst. Besch. eur. Schmett. 2:7, pl.46, figs. 3a,b. Range (in code): Lim Ae AL At AT Ba BG BY CH DE ES Mu FR GR HU IT KK MK PT RO RU SK Sr TR Arr Cc GG Smt Akh T-S UA YU KG Sau Tar DsA Ket Tls IR Ab Ak Msw CN Ui Bionomy: Larva on Onobrychis viciifolia, O. montana, O. arenaria (Fabaceae) (Tolman, 1997).
- 12310. Cupido (s.str.) osiris bernardiana Beuret,1957** (Lycaenidae) Synonym(s): *bernardiana Beuret,1957* Range (in code): FR
- 12311. Cupido (s.str.) osiris majuspunctata (Verity,1934)** (Lycaenidae) Synonym(s): *majuspunctata Verity,1934*. Original Reference: Argus sebrus race majuspunctata Verity,1934, Entomologist's Rec. J. Var. 46 (Suppl.): (33)-(34). Syntypes 15♂♂ 10♀♀: [Turkey]: Akshehir. Range (in code): Cc TR Arr IR Ab Ak
- 12312. Cupido (s.str.) osiris osiris (Meigen,[1829])** (Lycaenidae) Synonym(s): *osiris Meigen,[1829]; saportae Duponchel,1832; violacea Verity,1911; sebrus Boisduval,[1833]*. Original Reference: Polyommatus osiris Meigen,[1829], Syst. Besch. eur. Schmett. 2:7, pl.46, figs.3a,b. Range (in code): Lim Ae AL At AT Ba BG Bw BY CH DE ES Mu FR GR HU IT MK PT RO RU SK Sr UA Va YU KG Sau Tar DsA Ket Tls T-S GG Smt Akh Cc TR
- 12313. Cupido (s.str.) pakistanus Salk & Weiss,1998** (Lycaenidae) Synonym(s): *pakistanus Salk & Weiss,1998; ? shandura Evans,1912* Original Reference: Cupido pakistanus Salk & Weiss,1998, Linneana Belgica 16 (6): 242-244, figs.4-6. Holotype ♂: Nord Pakistan: Chitral/Gilgit, Shandur pass 4100m. Range (in code): Ci Gg PK
- 12314. Cupido (s.str.) pakistanus pakistanus Salk & Weiss,1998** (Lycaenidae) Synonym(s): *pakistanus Salk & Weiss,1998; ? shandura Evans,1912* Original Reference: Cupido pakistanus Salk & Weiss,1998, Linneana Belgica 16 (6): 242-244, figs.4-6. Holotype ♂: Nord Pakistan: Chitral/Gilgit, Shandur pass 4100m. Range (in code): Ci Gg PK
- 12315. Cupido (s.str.) peri Zhdanko,2000** (Lycaenidae) Synonym(s): *peri Zhdanko,2000* Range (in code): TJ
- 12316. Cupido (s.str.) prosecusa (Erschoff,1874)** (Lycaenidae) Synonym(s): *prosecusa Erschoff,1874* Original Reference: Lycaena prosecusa Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 13, Taf.1 fig.9. Syntypes: [Kasachstan]: Turkestan Gegend. Range (in code): CN Ii KG KK T-S Ui Au Ln Ik SAt Mn Ssn Alk Ii Ky Tk Bionomy: Larva on Sphaerophysa salsula, Halimodendron halodendron (Zhdanko, 1997).
- 12317. Cupido (s.str.) prosecusa duplex (Alpheraky,1889)** (Lycaenidae) Synonym(s): *duplex Alpheraky,1889* Original Reference: Lycaena duplex Alpheraky,1889, [in] Romanoff, Mém. Lépid. 5: 78. Syntypes: [Uighur A.R.]: zw. Aksu u. Lob-Nor, 3000 ft. Range (in code): T-S CN Au Ln Ui
- 12318. Cupido (s.str.) prosecusa korlana (Staudinger,1901)** (Lycaenidae) Synonym(s): *korlana Staudinger,1901* Original Reference: Lycaena prosecusa var. korlana Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 90, nr.643b. Syntypes: [China]: Tien-Shan c.m. (Korla). Range (in code): CN KI T-S Ui
- 12319. Cupido (s.str.) prosecusa prosecusa (Erschoff,1874)** (Lycaenidae) Synonym(s): *prosecusa Erschoff,1874* Original Reference: Lycaena prosecusa Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 13, Taf.1 fig.9. Syntypes: [Kasachstan]: Turkestan Gegend. Range (in code): CN Ii KG KK T-S Ui Ik SAt Mn Ssn Alk Ii Ky Tk
- 12320. Cupido (s.str.) staudingeri (Christoph,1873)** (Lycaenidae) Synonym(s): *staudingeri Christoph,1873* Original Reference: Lycaena staudingeri Christoph, 1873, Horae Soc. ent. ross. 10: 26-27, Tab.I figs. 5,6. Syntypes 2♂ 2♀: [Iran]: Nord-Persien: Tasch. Range (in code): TR IR Elb Gor Fa Sse Zj Ab TS Tkb
- 12321. Cupido (s.str.) staudingeri ardakanus Ten Hagen,2008** (Lycaenidae) Synonym(s): *ardakanus Ten Hagen,2008* Original Reference: Cupido staudingeri ssp. ardakanus Ten

- Hagen, 2008, Nachr. ent. Ver. Apollo 28 (3/4): 165, figs. Holotype ♂: Iran: Boyer-Amad-o Kuhgiluye, Kuh-e Dinar, 2700m (SMFL). Range (in code): IR Fa Sse
- 12322. Cupido (s.str.) staudingeri osirisimile Ten Hagen, 2008** (Lycaenidae) Synonym(s): *osirisimile Ten Hagen, 2008* Original Reference: Cupido staudingeri ssp. osirisimile Ten Hagen, 2008, Nachr. ent. Ver. Apollo 28 (3/4): 168-169, figs. Holotype ♂: Iran: Zanzan, NE Takab, 2400m (SMFL). Range (in code): TR IR Ab TS Tkb Zj
- 12323. Cupido (s.str.) staudingeri staudingeri (Christoph, 1873)** (Lycaenidae) Synonym(s): *staudingeri Christoph, 1873* Original Reference: Lycaena staudingeri Christoph, 1873, Horae Soc. ent. ross. 10: 26-27, Tab. I figs. 5, 6. Syntypes 2♂ 2♀: [Iran]: Nord-Persien: Tasch. Range (in code): IR Elb Gor
- 12324. Cupido (s.str.) tuzovi Zhdanko, 1994** (Lycaenidae) Synonym(s): *tuzovi Zhdanko, 1994* Original Reference: Cupido tuzovi Zhdanko, 1994, Selevinia 1994 (1): 73. Holotype ♂: Kazakhstan: 35km SE Kenderlyk, Ajna Bulak valley. Range (in code): KG
- 12325. Cupidopsis cissus (Godart, [1824])** (Lycaenidae) Synonym(s): *cissus Godart, [1824]; catharina Trimen, 1862; abberans Butler, 1878; #albiradiatus Stoneham, 1938; #immaculatus Stoneham, 1938.* Range (in code): MW Zom ZA Tva Lpo Spb Gau Jh Pre Mpu Brb Kwi Ec MG KE
- 12326. Cupidopsis jobates (Hopffer, 1855)** (Lycaenidae) Synonym(s): *jobates Hopffer, 1855; siwani Trimen, 1862; #conjugens Strand, 1912; #ochreopuncta Aurivillius, 1925.* Original Reference: Lycaena jobates Hopffer, 1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. Range (in code): AO BJ ET GN KE TG TZ UG YE ZA Tva Lpo Spb Pma Kru Kom Gau Jh Wel Ptc Mpu Brb ZR NA MZ Del MG
- 12327. Cupidopsis jobates jobates (Hopffer, 1855)** (Lycaenidae) Synonym(s): *jobates Hopffer, 1855; siwani Trimen, 1862; #conjugens Strand, 1912; #ochreopuncta Aurivillius, 1925.* Original Reference: Lycaena jobates Hopffer, 1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. Range (in code): AO BJ GN KE TG TZ UG YE ZA Tva Lpo Spb Pma Kru Kom Gau Jh Wel Ptc Mpu Brb ZR NA MZ Del MG
- 12328. Cupidopsis jobates uranochroa Ungemach, 1932** (Lycaenidae) Synonym(s): *uranochroa Ungemach, 1932* Range (in code): ET
- 12329. Cupidopsis mauritanica Riley, 1932** (Lycaenidae) Synonym(s): *mauritanica Riley, 1932* Original Reference: Cupidopsis mauritanica Riley, 1932, Ann. Mag. nat. Hist. 10 (10): 141-142, pl. ix figs. 1, 2. Holotype ♂: Mauretania: between Kiffa and Tidjida (Miss Mary Steele leg.). Range (in code): MR SN
- 12330. Curetis acuta Moore, 1877** (Lycaenidae) Synonym(s): *acuta Moore, 1877*
- 12331. Curetis acuta acuta Moore, 1877** (Lycaenidae) Synonym(s): *acuta Moore, 1877*
- 12332. Curetis acuta formosana Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): TW
- 12333. Curetis acuta naga Evans, 1954** (Lycaenidae) Synonym(s): *naga Evans, 1954* Range (in code): IN Nag Ass MM
- 12334. Curetis angulata Moore, 1883** (Lycaenidae) Synonym(s): *angulata Moore, 1883* Original Reference: Curetis angulata Moore, 1883, Proc. zool. Soc. Lond. 53: 522, pl. xlviii fig. 2. Syntypes ♂♀: N. W. Himalayas. Range (in code): IN
- 12335. Curetis angulata angulata Moore, 1883** (Lycaenidae) Synonym(s): *angulata Moore, 1883* Original Reference: Curetis angulata Moore, 1883, Proc. zool. Soc. Lond. 53: 522, pl. xlviii fig. 2. Syntypes ♂♀: N. W. Himalayas. Range (in code): IN
- 12336. Curetis brunnea Wileman, 1909** (Lycaenidae) Synonym(s): *brunnea Wileman, 1909* Range (in code): TW
- 12337. Curetis bulis (Westwood, [1851])** (Lycaenidae) Synonym(s): *bulis Westwood, [1851]* Range (in code): TH CMa Cuo Cu10 Cnz Czo1 CDo Nst Ths Sya Lsa Knc Kao Nrt TAK MY Lkw SI IN Ass MM CN Yu Hn VN SG
- 12338. Curetis bulis bulis (Westwood, [1851])** (Lycaenidae) Synonym(s): *bulis Westwood, [1851]* Range (in code): TH CMa Cuo Cu09 Cu10 Cnz Czo1 CDo Nst Ths Sya Lsa Knc Kao Nrt TAK SI IN Ass MM CN Yu VN SG MY
- 12339. Curetis bulis doxa Evans, 1954** (Lycaenidae) Synonym(s): *doxa Evans, 1954* Range (in code): CN Hn
- 12340. Curetis bulis stigmata (Moore, 1879)** (Lycaenidae) Synonym(s): *stigmata Moore, 1879; nisias Fruhstorfer, 1908* Range (in code): MY Lkw
- 12341. Curetis dentata Moore, 1879** (Lycaenidae) Synonym(s): *dentata Moore, 1879* Range (in code): TH Chy CMa Lmp Nrt IN NP SI Ass MM

- 12342. *Curetis dentata denta* Evans,1954** (Lycaenidae) Synonym(s): *denta* Evans,1954
Range (in code): CN Hn
- 12343. *Curetis dentata dentata* Moore,1879** (Lycaenidae) Synonym(s): *dentata* Moore,1879
Range (in code): TH Chy CMA Lmp Nrt IN NP SI Ass MM
- 12344. *Curetis felderi* Distant,1884** (Lycaenidae) Synonym(s): *felderi* Distant,1884; *gabrieli* Corbet,1937
Range (in code): MY
- 12345. *Curetis felderi felderi* Distant,1884** (Lycaenidae) Synonym(s): *felderi* Distant,1884; *gabrieli* Corbet,1937
Range (in code): MY
- 12346. *Curetis freda* Eliot,1959** (Lycaenidae) Synonym(s): *freda* Eliot,1959
Range (in code): MY Bor ID Sum
- 12347. *Curetis freda freda* Eliot,1959** (Lycaenidae) Synonym(s): *freda* Eliot,1959
Range (in code): MY Bor ID Sum
- 12348. *Curetis insularis* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *insularis* Horsfield,[1829]
Range (in code): MY Lkw TH Rng Yal ID Sum Bor Ja
- 12349. *Curetis insularis insularis* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *insularis* Horsfield,[1829]
Range (in code): ID Ja
- 12350. *Curetis insularis pseudoinsularis* Fruhstorfer,1908** (Lycaenidae) Synonym(s): *pseudoinsularis* Fruhstorfer,1908
Range (in code): MY Lkw TH Rng Yal ID Sum Bor
- 12351. *Curetis nesophila* (C.Felder & R.Felder,1862)** (Lycaenidae) Synonym(s): *nesophila* C.Felder & R.Felder,1862
Range (in code): PH Bas Boh Ley Mar Mno Neg Pao Sam
- 12352. *Curetis regula* Evans,1954** (Lycaenidae) Synonym(s): *regula* Evans,1954
Range (in code): TH Tng Nst Lsa MY Bor ID Sum Ja MM
- 12353. *Curetis regula regula* Evans,1954** (Lycaenidae) Synonym(s): *regula* Evans,1954
Range (in code): TH Tng Nst Lsa MY Bor ID Sum Ja MM
- 12354. *Curetis santana* (Moore,[1858])** (Lycaenidae) Synonym(s): *santana* Moore,[1858]
Range (in code): MY SG TH Rng Tng Yal Sgk Hya Tnc MM Shn Mrg VN ID Sum Bgk Bor Nia
- 12355. *Curetis santana ge* Fruhstorfer** (Lycaenidae) Synonym(s):
Range (in code): ID Nia
- 12356. *Curetis santana malayica* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *malayica* C.Felder & R.Felder,[1865]; *honesta* Fruhstorfer,1908
Range (in code): MY SG TH Rng Tng Yal MM Shn Mrg VN ID Sum Bgk Bor
- 12357. *Curetis santana santana* (Moore,[1858])** (Lycaenidae) Synonym(s): *santana* Moore,[1858]
- 12358. *Curetis saronis* Moore,1877** (Lycaenidae) Synonym(s): *saronis* Moore,1877
Range (in code): IN Adm TH Knc Nst Nrt Ntt Rng Sgk Hya Tnc ID Sum MY VN
- 12359. *Curetis saronis indosinica* Fruhstorfer,1908** (Lycaenidae) Synonym(s): *indosinica* Fruhstorfer,1908
Range (in code): TH Knc Nst Nrt Ntt Rng Sgk Hya Tnc VN
- 12360. *Curetis saronis saronis* Moore,1877** (Lycaenidae) Synonym(s): *saronis* Moore,1877
Range (in code): IN Adm
- 12361. *Curetis saronis sumatrana* Corbet,1937** (Lycaenidae) Synonym(s): *sumatrana* Corbet,1937
Range (in code): ID Sum MY
- 12362. *Curetis siva* Evans,1954** (Lycaenidae) Synonym(s): *siva* Evans,1954
Range (in code): IN
- 12363. *Curetis sperthis* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *sperthis* C.Felder & R.Felder,[1865]
Range (in code): SG MY Bor Tio Lkw TH Loe Kao Nna Rng Tng Yal MM Krh Mrg ID Sum Ja Bgk Nia Sba Sbw Baw
- 12364. *Curetis sperthis baweana* Fruhstorfer** (Lycaenidae) Synonym(s):
Range (in code): ID Baw
- 12365. *Curetis sperthis kawazoei* Okubo,1983** (Lycaenidae) Synonym(s): *kawazoei* Okubo,1983
Range (in code): MY Tio
- 12366. *Curetis sperthis kiritana* Doherty** (Lycaenidae) Synonym(s):
Range (in code): ID Sba Sbw
- 12367. *Curetis sperthis niasica* Fruhstorfer** (Lycaenidae) Synonym(s):
Range (in code): ID Nia
- 12368. *Curetis sperthis sperthis* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *sperthis* C.Felder & R.Felder,[1865]
Range (in code): SG MY Bor Lkw TH Loe Kao Nna Rng Tng Yal MM Krh Mrg ID Sum Ja Bgk
- 12369. *Curetis tagalica* (C.Felder & R.Felder,1862)** (Lycaenidae) Synonym(s): *tagalica* C.Felder & R.Felder,1862
Range (in code): PH Stu Bal Dum Pal Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan

Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic TH Rng Yal Nst Chw Ths Pbu Bnk MY Lkw ID
Sum Bor Ja Bli Nia P-T Nat

- 12370. *Curetis tagalica hera* Fruhstorfer, 1908** (Lycaenidae) Synonym(s): *hera Fruhstorfer, 1908*
Range (in code): ID Nia
- 12371. *Curetis tagalica jopa* Fruhstorfer, 1908** (Lycaenidae) Synonym(s): *jopa Fruhstorfer, 1908*
Range (in code): TH Rng Yal Nst Chw Ths Pbu Bnk MY Lkw ID Sum Bor Ja Bli
- 12372. *Curetis tagalica labuana* Evans, 1954** (Lycaenidae) Synonym(s): *labuana Evans, 1954*
Range (in code): MY P-T Nat
- 12373. *Curetis tagalica palawanica* Staudinger, 1889** (Lycaenidae) Synonym(s): *palawanica Staudinger, 1889* Range (in code): PH Bal Dum Pal
- 12374. *Curetis tagalica tagalica* (C.Felder & R.Felder, 1862)** (Lycaenidae) Synonym(s): *tagalica C.Felder & R.Felder, 1862* Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Tab Taw Tic
- 12375. *Curetis tagalica takanamii* Schröder & Treadaway, 1989** (Lycaenidae) Synonym(s): *takanamii Schröder & Treadaway, 1989* Range (in code): PH Stu
- 12376. *Curetis thetis* (Drury, 1773)** (Lycaenidae) Synonym(s): *thetis Drury, 1773* Range (in code): IN Ass LK Nk Clb Sly
- 12377. *Curetis thetis gloriosa* Moore** (Lycaenidae) Synonym(s): Range (in code): IN Ass
- 12378. *Curetis thetis kondula* Evans, 1954** (Lycaenidae) Synonym(s): *kondula Evans, 1954*
Range (in code): IN Nk
- 12379. *Curetis thetis nicobarica* Swinhoe** (Lycaenidae) Synonym(s): Range (in code): IN Nk
- 12380. *Curetis thetis obscura* Evans, 1932** (Lycaenidae) Synonym(s): *obscura Evans, 1932*
Range (in code): IN Nk
- 12381. *Curetis thetis saleyerensis* Chapman** (Lycaenidae) Synonym(s): Range (in code): ID Sly
- 12382. *Curetis thetis thetis* (Drury, 1773)** (Lycaenidae) Synonym(s): *thetis Drury, 1773* Range (in code): IN LK
- 12383. *Curetis thetis venata* Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): ID Clb
- 12384. *Curetis tonkina* Evans, 1954** (Lycaenidae) Synonym(s): *tonkina Evans, 1954* Range (in code): VN Ton MM
- 12385. *Cyaniriodes libna* (Hewitson, 1869)** (Lycaenidae) Synonym(s): *libna Hewitson, 1869*
Range (in code): MM TH Sgk Hya Tnc Yal PH Pal Sam Taw
- 12386. *Cyaniriodes libna andersonii* (Moore, 1884)** (Lycaenidae) Synonym(s): *andersonii Moore, 1884* Range (in code): MM MY TH Sgk Hya Tnc Yal
- 12387. *Cyaniriodes libna miotsukushi* Hayashi, 1976** (Lycaenidae) Synonym(s): *miotsukushi Hayashi, 1976* Range (in code): PH Pal
- 12388. *Cyaniriodes libna samarana* Schröder & Treadaway, 1994** (Lycaenidae) Synonym(s): *samarana Schröder & Treadaway, 1994* Range (in code): PH Sam
- 12389. *Cyaniriodes libna tawicolana* Schröder & Treadaway, 1994** (Lycaenidae) Synonym(s): *tawicolana Schröder & Treadaway, 1994* Range (in code): PH Taw
- 12390. *Cyaniriodes siraspiorum* Schröder & Treadaway, 1976** (Lycaenidae) Synonym(s): *siraspiorum Schröder & Treadaway, 1976; leyte Medicielo, 1993* Range (in code): PH Ley Luz Mno Sam
- 12391. *Cyanophrys goodsoni*** (Lycaenidae) Synonym(s): Range (in code): US MX Tx
- 12392. *Cyanophrys herodotus*** (Lycaenidae) Synonym(s): Range (in code): US MX Tx
- 12393. *Cyanophrys miserabilis* (Clench, 1946)** (Lycaenidae) Synonym(s): *miserabilis Clench, 1946; longula auct. nec Hew., 1868.* Range (in code): US MX Arz Tx
- 12394. *Cyclyrus mandersi* (Druce, 1907)** (Lycaenidae) Synonym(s): *mandersi Druce, 1907*
Range (in code): MU
- 12395. *Cyclyrus webbianus* (Brullé, [1840])** (Lycaenidae) Synonym(s): *webbianus Brullé, [1840]*
Original Reference: Polyommatus webbianus Brullé, [1840], Hist. nat. Can. Ent.: 93, pl.4 figs.1,1a. Syntypes: [Spain]: Canary Islands. Range (in code): Cn Bionomy: Larva on Cytisus canariensis, Spartocytisus rubigenus, Lotus sessilifolius, L. hillebrandii, L. glaucus (Fabaceae); Adenocarpus viscosus, Teline stenopetala (Tolman, 1997).
- 12396. *Cyclyrus webbianus webbianus* (Brullé, [1840])** (Lycaenidae) Synonym(s): *webbianus Brullé, [1840]* Original Reference: Polyommatus webbianus Brullé, [1840], Hist. nat. Can. Ent.: 93, pl.4 figs.1,1a. Syntypes: [Spain]: Canary Islands. Range (in code): Cn Bionomy:

- Larva on *Cytisus canariensis*, *Spartocytisus rubigenus*, *Lotus sessilifolius*, *L. hillebrandii*, *L. glaucus* (Fabaceae); *Adenocarpus viscosus*, *Teline stenopetala* (Tolman,1997).
- 12397. *Dacalana akayamai* Hayashi, Schröder & Treadaway,1983** (Lycaenidae)
Synonym(s): *akayamai* Hayashi, Schröder & Treadaway,1983 _ Range (in code): PH Mno
- 12398. *Dacalana aristarchus* Fruhstorfer,1912** (Lycaenidae) Synonym(s): *aristarchus* Fruhstorfer,1912; *natsumiae* Hayashi,1983 _ Range (in code): PH Bas Mno
- 12399. *Dacalana burmana* Moore,1884** (Lycaenidae) Synonym(s): *burmana* Moore,1884
Range (in code): MM TH CMa MY Lkw
- 12400. *Dacalana burmana burmana* Moore,1884** (Lycaenidae) Synonym(s): *burmana* Moore,1884 _ Range (in code): MM TH CMa MY Lkw
- 12401. *Dacalana cotys* (Hewitson,1865)** (Lycaenidae) Synonym(s): *cotys* Hewitson,1865
Range (in code): TH Knc
- 12402. *Dacalana cotys cotys* (Hewitson,1865)** (Lycaenidae) Synonym(s): *cotys* Hewitson,1865
Range (in code): TH Knc
- 12403. *Dacalana cremera* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *cremera* De Nicéville,1894 _ Range (in code): MY
- 12404. *Dacalana cremera cremera* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *cremera* De Nicéville,1894
- 12405. *Dacalana cremera ricardi* (Eliot,1959)** (Lycaenidae) Synonym(s): *ricardi* Eliot,1959
Range (in code): MY
- 12406. *Dacalana irmae* Hayashi, Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *irmae* Hayashi, Schröder & Treadaway,1983 _ Range (in code): PH Sib
- 12407. *Dacalana kurosawai* Hayashi,1976** (Lycaenidae) Synonym(s): *kurosawai* Hayashi,1976
Range (in code): PH Cal Pal
- 12408. *Dacalana liaoi* Hayashi, Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *liaoi* Hayashi, Schröder & Treadaway,1983; *negrosensis* M.Okano & T.Okano,1991 _ Range (in code): PH Neg Pan
- 12409. *Dacalana mio* Hayashi, Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *mio* Hayashi, Schröder & Treadaway,1983 _ Range (in code): PH Mno
- 12410. *Dacalana monsaponia* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978 _ Range (in code): PH Luz Mar Mdo Mno
- 12411. *Dacalana monsaponia marinduquensis* Hayashi, Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *marinduquensis* Hayashi, Schröder & Treadaway,1983 _ Range (in code): PH Luz Mar Mdo
- 12412. *Dacalana monsaponia monsaponia* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *monsaponia* Schröder & Treadaway,1978; *sugimotoi* Hayashi,1978 _ Range (in code): PH Mno
- 12413. *Dacalana penicilligera* De Nicéville,1890** (Lycaenidae) Synonym(s): *penicilligera* De Nicéville,1890 _ Range (in code): IN Ass MM TH Cbi CMa Nna
- 12414. *Dacalana penicilligera penicilligera* De Nicéville,1890** (Lycaenidae) Synonym(s): *penicilligera* De Nicéville,1890 _ Range (in code): IN Ass MM TH Cbi CMa Nna
- 12415. *Dacalana polyorketes* Fruhshtorfer,1912** (Lycaenidae) Synonym(s): *polyorketes* Fruhshtorfer,1912 _ Range (in code): PH Ley Mno Pao Sam Sga Hom
- 12416. *Dacalana polyorketes kawamurai* Takanami,1988** (Lycaenidae) Synonym(s): *kawamurai* Takanami,1988 _ Range (in code): PH Sga
- 12417. *Dacalana polyorketes laduanae* Schröder & Treadaway,1989** (Lycaenidae) Synonym(s): *laduanae* Schröder & Treadaway,1989 _ Range (in code): PH Hom
- 12418. *Dacalana polyorketes polyorketes* Fruhshtorfer,1912** (Lycaenidae) Synonym(s): *polyorketes* Fruhshtorfer,1912 _ Range (in code): PH Ley Mno Pao Sam
- 12419. *Dacalana sannio* Druce,1895** (Lycaenidae) Synonym(s): *sannio* Druce,1895 _ Range (in code): PH Mno Sul Luz
- 12420. *Dacalana sannio lucillae* Hayashi, Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *lucillae* Hayashi, Schröder & Treadaway,1983 _ Range (in code): PH Luz
- 12421. *Dacalana sannio sannio* Druce,1895** (Lycaenidae) Synonym(s): *sannio* Druce,1895
Range (in code): PH Mno Sul
- 12422. *Dacalana sinhara* Fruhstorfer,[1914]** (Lycaenidae) Synonym(s): *sinhara* Fruhstorfer,[1914] _ Range (in code): MY MM TH Nst Ths Sya ID Sum Bor

- 12423. Dacalana sinhara sinhara Fruhstorfer,[1914]** (Lycaenidae) **Synonym(s):** *sinhara Fruhstorfer,[1914]* _ Range (in code): MY MM TH Nst Ths Sya ID Sum Bor
- 12424. Dacalana treadawayi Hayashi,1984** (Lycaenidae) **Synonym(s):** *treadawayi Hayashi,1984* _ Range (in code): PH Mno
- 12425. Dacalana vidura (Horsfield,[1828])** (Lycaenidae) **Synonym(s):** *vidura Horsfield,[1828]* _ Range (in code): MY
- 12426. Dacalana vidura azyada Fruhstorfer,[1914]** (Lycaenidae) **Synonym(s):** *azyada Fruhstorfer,[1914]* _ Range (in code): MY
- 12427. Dacalana vidura vidura (Horsfield,[1828])** (Lycaenidae) **Synonym(s):** *vidura Horsfield,[1828]*
- 12428. Danis schaeffera (Eschscholtz,1821)** (Lycaenidae) **Synonym(s):** *schaeffera Eschscholtz,1821* _ Range (in code): PH Bal Boh Ceb Cts Luz Mas Mdo Mno Neg Pal Sga Sib Taw Tic
- 12429. Dapidodigma demeter Clench,1961** (Lycaenidae) **Synonym(s):** *demeter Clench,1961* _ Range (in code): CI CM GH GA CG ZR AO SD
- 12430. Dapidodigma demeter demeter Clench,1961** (Lycaenidae) **Synonym(s):** *demeter Clench,1961* _ Range (in code): CI CM GH GA CG
- 12431. Dapidodigma demeter nuptus Clench,1961** (Lycaenidae) **Synonym(s):** *nuptus Clench,1961* _ Range (in code): AO ZR
- 12432. Dapidodigma demeter sudsudana D'Abrera,1980** (Lycaenidae) **Synonym(s):** *sudsudana D'Abrera,1980* _ Range (in code): SD
- 12433. Dapidodigma hymen (Fabricius,1775)** (Lycaenidae) **Synonym(s):** *hymen Fabricius,1775; liger Cramer,[1779]* _ Range (in code): SL NG
- 12434. Deloneura arbi Congdon & Collins,1998** (Lycaenidae) **Synonym(s):** *arbi Congdon & Collins,1998* _ Range (in code): TZ
- 12435. Deloneura barca (Grose-Smith,1901)** (Lycaenidae) **Synonym(s):** *barca Grose-Smith,1901* _ Range (in code): AO
- 12436. Deloneura immaculata Trimen,1868** (Lycaenidae) **Synonym(s):** *immaculata Trimen,1868* _ Range (in code): ZA Tra
- 12437. Deloneura millari Trimen,1906** (Lycaenidae) **Synonym(s):** *millari Trimen,1906* _ Range (in code): ZA Nta Kzu Dbn Elo Tra Ec MZ
- 12438. Deloneura millari dondoensis Pennington,1953** (Lycaenidae) **Synonym(s):** *dondoensis Pennington,1953* _ Range (in code): MZ
- 12439. Deloneura millari millari Trimen,1906** (Lycaenidae) **Synonym(s):** *millari Trimen,1906* _ Range (in code): ZA Nta Kzu Dbn Elo Tra Ec
- 12440. Deloneura ochrascens Neave,1904** (Lycaenidae) **Synonym(s):** *ochrascens Neave,1904* _ Range (in code): UG KE Mb TZ MW
- 12441. Deloneura ochrascens littoralis Talbot,1935** (Lycaenidae) **Synonym(s):** *littoralis Talbot,1935* _ Range (in code): KE Mb TZ MW
- 12442. Deloneura ochrascens ochrascens Neave,1904** (Lycaenidae) **Synonym(s):** *ochrascens Neave,1904* _ Range (in code): UG KE
- 12443. Deloneura sheppardi Stevenson,1934** (Lycaenidae) **Synonym(s):** *sheppardi Stevenson,1934* _ Range (in code): ZW MZ
- 12444. Deloneura subfusca Hawker-Smith,1933** (Lycaenidae) **Synonym(s):** *subfusca Hawker-Smith,1933; innesi Van Son,1949* _ Range (in code): ZR MW TZ ZM ZW Har
- 12445. Deramas alixae Eliot,1978** (Lycaenidae) **Synonym(s):** *alixae Eliot,1978* _ Range (in code): MY
- 12446. Deramas alixae alixae Eliot,1978** (Lycaenidae) **Synonym(s):** *alixae Eliot,1978* _ Range (in code): MY
- 12447. Deramas anshadorum Eliot,1986** (Lycaenidae) **Synonym(s):** *anshadorum Eliot,1986* _ Range (in code): MY
- 12448. Deramas anshadorum anshadorum Eliot,1986** (Lycaenidae) **Synonym(s):** *anshadorum Eliot,1986* _ Range (in code): MY
- 12449. Deramas antynax Eliot,1970** (Lycaenidae) **Synonym(s):** *antynax Eliot,1970* _ Range (in code): MY
- 12450. Deramas antynax antynax Eliot,1970** (Lycaenidae) **Synonym(s):** *antynax Eliot,1970* _ Range (in code): MY
- 12451. Deramas anyx Eliot,1964** (Lycaenidae) **Synonym(s):** *anyx Eliot,1964* _ Range (in code): MY

- 12452. *Deramas anyx anyx* Eliot,1964** (Lycaenidae) Synonym(s): *anyx* Eliot,1964 _ Range (in code): MY
- 12453. *Deramas basrii* Eliot,1992** (Lycaenidae) Synonym(s): *basrii* Eliot,1992 _ Range (in code): MY
- 12454. *Deramas basrii basrii* Eliot,1992** (Lycaenidae) Synonym(s): *basrii* Eliot,1992 _ Range (in code): MY
- 12455. *Deramas bidotata* Fruhstorfer,1914** (Lycaenidae) Synonym(s): *bidotata* Fruhstorfer,1914; *philippinensis* Hayashi,1981 _ Range (in code): PH CmL Luz Mar Mdo
- 12456. *Deramas bidotata bidotata* Fruhstorfer,1914** (Lycaenidae) Synonym(s): *bidotata* Fruhstorfer,1914; *philippinensis* Hayashi,1981 _ Range (in code): PH CmL Luz Mar Mdo
- 12457. *Deramas evelynae* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway,1978; *kawazoei* Hayashi,1981 _ Range (in code): PH Luz Mar Neg Mdo
- 12458. *Deramas evelynae evelynae* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *evelynae* Schröder & Treadaway,1978; *kawazoei* Hayashi,1981 _ Range (in code): PH Luz Mar
- 12459. *Deramas evelynae nahomiae* Takanami,1985** (Lycaenidae) Synonym(s): *nahomiae* Takanami,1985 _ Range (in code): PH Neg
- 12460. *Deramas evelynae tsuiso* Takanami,1987** (Lycaenidae) Synonym(s): *tsuiso* Takanami,1987 _ Range (in code): PH Mdo
- 12461. *Deramas ikedai* Hayashi,1978** (Lycaenidae) Synonym(s): *ikedai* Hayashi,1978 _ Range (in code): PH Mno Apo
- 12462. *Deramas ikedai ikedai* Hayashi,1978** (Lycaenidae) Synonym(s): *ikedai* Hayashi,1978 _ Range (in code): PH Mno Apo
- 12463. *Deramas jasoda* (De Nicéville,[1889])** (Lycaenidae) Synonym(s): *jasoda* De Nicéville,[1889] _ Range (in code): MM TH Yal MY Lkw Bor ID Sum?
- 12464. *Deramas jasoda bradamante* (Doherty,1890)** (Lycaenidae) Synonym(s): *bradamante* Doherty,1890 _ Range (in code): MY Bor ID Sum?
- 12465. *Deramas jasoda jasoda* (De Nicéville,[1889])** (Lycaenidae) Synonym(s): *jasoda* De Nicéville,[1889] _ Range (in code): MM TH Yal MY Lkw
- 12466. *Deramas livens* Distant,1886** (Lycaenidae) Synonym(s): *livens* Distant,1886; *pharygoides* De Nicéville,1890 _ Range (in code): MM Tns Mrg ID Sum Bgk TH Yal Rng MY Lkw PH Mno
- 12467. *Deramas livens evansi* Eliot,1964** (Lycaenidae) Synonym(s): *evansi* Eliot,1964 _ Range (in code): MM Tns Mrg TH Rng
- 12468. *Deramas livens livens* Distant,1886** (Lycaenidae) Synonym(s): *livens* Distant,1886; *pharygoides* De Nicéville,1890 _ Range (in code): ID Sum Bgk TH Yal MY Lkw
- 12469. *Deramas livens montana* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *montana* Schröder & Treadaway,1978 _ Range (in code): PH Mno
- 12470. *Deramas mindanensis* Eliot,1964** (Lycaenidae) Synonym(s): *mindanensis* Eliot,1964 _ Range (in code): PH Mno
- 12471. *Deramas mindanensis mindanensis* Eliot,1964** (Lycaenidae) Synonym(s): *mindanensis* Eliot,1964 _ Range (in code): PH Mno
- 12472. *Deramas nelvis* Eliot,1964** (Lycaenidae) Synonym(s): *nelvis* Eliot,1964 _ Range (in code): MY PH Mno Apo ID Sum
- 12473. *Deramas nelvis manobo* Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *manobo* Schröder & Treadaway,1978 _ Range (in code): PH Mno Apo
- 12474. *Deramas nelvis nelvis* Eliot,1964** (Lycaenidae) Synonym(s): *nelvis* Eliot,1964 _ Range (in code): MY ID Sum
- 12475. *Deramas nigrescens* Eliot,1964** (Lycaenidae) Synonym(s): *nigrescens* Eliot,1964 _ Range (in code): ID Clb
- 12476. *Deramas nigrescens nigrescens* Eliot,1964** (Lycaenidae) Synonym(s): *nigrescens* Eliot,1964 _ Range (in code): ID Clb
- 12477. *Deramas nolens* Eliot,1964** (Lycaenidae) Synonym(s): *nolens* Eliot,1964 _ Range (in code): MM MY
- 12478. *Deramas nolens nolens* Eliot,1964** (Lycaenidae) Synonym(s): *nolens* Eliot,1964 _ Range (in code): MY MM
- 12479. *Deramas nolens pasteuri* Eliot,1978** (Lycaenidae) Synonym(s): *pasteuri* Eliot,1978 _ Range (in code): MY

- 12480. *Deramas sumikat* Schröder & Treadaway, 1986** (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway, 1986 _ Range (in code): PH Neg
- 12481. *Deramas sumikat sumikat* Schröder & Treadaway, 1986** (Lycaenidae) Synonym(s): *sumikat* Schröder & Treadaway, 1986 _ Range (in code): PH Neg
- 12482. *Deramas tomokoae* Hayashi, 1978** (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978 _ Range (in code): PH Ley Mno
- 12483. *Deramas tomokoae tomokoae* Hayashi, 1978** (Lycaenidae) Synonym(s): *tomokoae* Hayashi, 1978 _ Range (in code): PH Ley Mno
- 12484. *Deramas toshikoae* Hayashi, 1981** (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981 _ Range (in code): PH Ley
- 12485. *Deramas toshikoae toshikoae* Hayashi, 1981** (Lycaenidae) Synonym(s): *toshikoae* Hayashi, 1981 _ Range (in code): PH Ley
- 12486. *Deramas treadawayi* Hayashi, 1981** (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981 _ Range (in code): PH Mno Apo
- 12487. *Deramas treadawayi treadawayi* Hayashi, 1981** (Lycaenidae) Synonym(s): *treadawayi* Hayashi, 1981 _ Range (in code): PH Mno Apo
- 12488. *Deramas woolletti* Eliot, 1970** (Lycaenidae) Synonym(s): *woolletti* Eliot, 1970 _ Range (in code): MY Bor
- 12489. *Deramas woolletti woolletti* Eliot, 1970** (Lycaenidae) Synonym(s): *woolletti* Eliot, 1970 _ Range (in code): MY Bor
- 12490. *Desmolycaena arabica* Riley, 1932** (Lycaenidae) Synonym(s): *arabica* Riley, 1932
Original Reference: *Desmolycaena arabica* Riley, 1932, Ann. Mag. nat. Hist. 10 (10): 148-149, pl. ix figs. 9, 10. Holotype ♂: Hadramault 4000ft. (Lt.-Col. M.T. Boscawen leg.) (BMNH). Range (in code): SO YE Hd
- 12491. *Desmolycaena arabica arabica* Riley, 1932** (Lycaenidae) Synonym(s): *arabica* Riley, 1932
Original Reference: *Desmolycaena arabica* Riley, 1932, Ann. Mag. nat. Hist. 10 (10): 148-149, pl. ix figs. 9, 10. Holotype ♂: Hadramault 4000ft. (Lt.-Col. M.T. Boscawen leg.) (BMNH). Range (in code): SO YE Hd
- 12492. *Desmolycaena mazoensis* Trimen, 1898** (Lycaenidae) Synonym(s): *mazoensis* Trimen, 1898 _ Range (in code): ZA Tva Lpo Spb Kru Pma Nta Kzu ZW BW
- 12493. *Desmolycaena rogersi* Riley, 1932** (Lycaenidae) Synonym(s): *rogersi* Riley, 1932 _ Range (in code): KE TZ Dss
- 12494. *Deudorix (Actis) mimeta* (Karsch, 1895)** (Lycaenidae) Synonym(s): *mimeta* Karsch, 1895; *perigrapha* Karsch, 1895; *unda* Gaede, 1915 _ Range (in code): CM GA CG ZR Kvu TZ UG KE
- 12495. *Deudorix (Actis) mimeta baginei* Collins & T. Larsen, 1991** (Lycaenidae) Synonym(s): *baginei* Collins & T. Larsen, 1991 _ Range (in code): UG KE
- 12496. *Deudorix (Actis) mimeta mimeta* (Karsch, 1895)** (Lycaenidae) Synonym(s): *mimeta* Karsch, 1895; *perigrapha* Karsch, 1895; *unda* Gaede, 1915 _ Range (in code): CM GA CG ZR Kvu TZ
- 12497. *Deudorix (Actis) ula* (Karsch, 1895)** (Lycaenidae) Synonym(s): *ula* Karsch, 1895; *#nigrostriata* Aurivillius, 1923 _ Range (in code): CM ZR
- 12498. *Deudorix (Diopetes) aucta* Karsch, 1895** (Lycaenidae) Synonym(s): *aucta* Karsch, 1895 _ Range (in code): TG
- 12499. *Deudorix (Diopetes) aurivilliusi* Stempffer, 1954** (Lycaenidae) Synonym(s): *aurivilliusi* Stempffer, 1954 _ Range (in code): SL LR GH NG
- 12500. *Deudorix (Diopetes) catalla* Karsch, 1895** (Lycaenidae) Synonym(s): *catalla* Karsch, 1895 _ Range (in code): CM GH GO ZR
- 12501. *Deudorix (Diopetes) corruscans* Aurivillius, 1898** (Lycaenidae) Synonym(s): *corruscans* Aurivillius, 1898 _ Range (in code): GA Ogo CM ZR
- 12502. *Deudorix (Diopetes) deritas* Hewitson, 1874** (Lycaenidae) Synonym(s): *deritas* Hewitson, 1874 _ Range (in code): AO CI CM CG ZR UG
- 12503. *Deudorix (Diopetes) fumata* Stempffer, 1954** (Lycaenidae) Synonym(s): *fumata* Stempffer, 1954 _ Range (in code): GH CM GA
- 12504. *Deudorix (Diopetes) kedassa* Druce, 1910** (Lycaenidae) Synonym(s): *kedassa* Druce, 1910 _ Range (in code): CM Bit
- 12505. *Deudorix (Diopetes) laticlavata* Clench, 1965** (Lycaenidae) Synonym(s): *laticlavata* Clench, 1965 _ Range (in code): CM

- 12506. Deudorix (Diopetes) nirmo Clench,1965** (Lycaenidae) Synonym(s): *nirmo Clench,1965*
Range (in code): **CM**
- 12507. Deudorix (Diopetes) pasteon Druce,1910** (Lycaenidae) Synonym(s): *pasteon Druce,1910; bwamba Stempffer,1962* _ Range (in code): **CM Bit ZR UG**
- 12508. Deudorix (Diopetes) pseudoderitas Stempffer,1964** (Lycaenidae) Synonym(s): *pseudoderitas Stempffer,1964* _ Range (in code): **CG NG ZR UG**
- 12509. Deudorix (Diopetes) sadeska Clench,1965** (Lycaenidae) Synonym(s): *sadeska Clench,1965* _ Range (in code): **CM**
- 12510. Deudorix (Diopetes) violetta Aurivillius,1898** (Lycaenidae) Synonym(s): *violetta Aurivillius,1898* _ Range (in code): **SL GH NG GA ZR UG**
- 12511. Deudorix (Hypokopelates) anetia Hulstaert,1924** (Lycaenidae) Synonym(s): *anetia Hulstaert,1924* _ Range (in code): **ZR UG**
- 12512. Deudorix (Hypokopelates) anetta (Talbot,1935)** (Lycaenidae) Synonym(s): *anetta Talbot,1935* _ Range (in code): **NG ZR CG GH SN**
- 12513. Deudorix (Hypokopelates) angelita Suffert,1904** (Lycaenidae) Synonym(s): *angelita Suffert,1904; makala Bethune-Baker,1908* _ Range (in code): **CI CM CG ZR**
- 12514. Deudorix (Hypokopelates) angelita angelita Suffert,1904** (Lycaenidae) Synonym(s): *angelita Suffert,1904; makala Bethune-Baker,1908* _ Range (in code): **CM CG ZR**
- 12515. Deudorix (Hypokopelates) angelita schultzei Aurivillius,1907** (Lycaenidae) Synonym(s): *schultzei Aurivillius,1907* _ Range (in code): **CM**
- 12516. Deudorix (Hypokopelates) aruma (Hewitson,1873)** (Lycaenidae) Synonym(s): *aruma Hewitson,1873; rava Holland,1892* _ Range (in code): **GA ZR**
- 12517. Deudorix (Hypokopelates) aruma aruma (Hewitson,1873)** (Lycaenidae) Synonym(s): *aruma Hewitson,1873; rava Holland,1892* _ Range (in code): **GA ZR**
- 12518. Deudorix (Hypokopelates) aruma simplex (Schultze,1917)** (Lycaenidae) Synonym(s): *simplex Schultze,1917* _ Range (in code): **ZR**
- 12519. Deudorix (Hypokopelates) azurea Stempffer,1964** (Lycaenidae) Synonym(s): *azurea Stempffer,1964* _ Range (in code): **UG CG**
- 12520. Deudorix (Hypokopelates) canescens (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *canescens Joicey & Talbot,1921; fusca Aurivillius,1923* _ Range (in code): **ZR UG**
- 12521. Deudorix (Hypokopelates) catori Bethune-Baker,1903** (Lycaenidae) Synonym(s): *catori Bethune-Baker,1903* _ Range (in code): **SL**
- 12522. Deudorix (Hypokopelates) cobaltina Stempffer,1964** (Lycaenidae) Synonym(s): *cobaltina Stempffer,1964* _ Range (in code): **CG NG CM GO ZR**
- 12523. Deudorix (Hypokopelates) dimitris D'Abrera,1980** (Lycaenidae) Synonym(s): *dimitris D'Abrera,1980* _ Range (in code): **NG CM**
- 12524. Deudorix (Hypokopelates) eleala (Hewitson,1865)** (Lycaenidae) Synonym(s): *eleala Hewitson,1865* _ Range (in code): **NG Caa CM ZR**
- 12525. Deudorix (Hypokopelates) elealodes Bethune-Baker,1908** (Lycaenidae) Synonym(s): *elealodes Bethune-Baker,1908; #lineosa Joicey & Talbot,1921; mariana Hulstaert,1924*
Range (in code): **ZR**
- 12526. Deudorix (Hypokopelates) infuscata Stempffer,1964** (Lycaenidae) Synonym(s): *infuscata Stempffer,1964* _ Range (in code): **CG NG UG**
- 12527. Deudorix (Hypokopelates) ituri Bethune-Baker,1908** (Lycaenidae) Synonym(s): *ituri Bethune-Baker,1908* _ Range (in code): **ZR UG**
- 12528. Deudorix (Hypokopelates) kafuensis Neave,1910** (Lycaenidae) Synonym(s): *kafuensis Neave,1910; feminina Hulstaert,1924* _ Range (in code): **ZM ZR Shb MW TZ**
- 12529. Deudorix (Hypokopelates) kallipygos (Birket-Smith,1960)** (Lycaenidae) Synonym(s): *kallipygos Birket-Smith,1960* _ Range (in code): **CM**
- 12530. Deudorix (Hypokopelates) leonina Bethune-Baker,1904** (Lycaenidae) Synonym(s): *leonina Bethune-Baker,1904* _ Range (in code): **SL NG CM ZR UG**
- 12531. Deudorix (Hypokopelates) marginata Stempffer,1962** (Lycaenidae) Synonym(s): *marginata Stempffer,1962* _ Range (in code): **CG NG ZR**
- 12532. Deudorix (Hypokopelates) mera (Hewitson,1873)** (Lycaenidae) Synonym(s): *mera Hewitson,1873; #kinumbensis Dufrane,1945* _ Range (in code): **AO ZR UG CM**
- 12533. Deudorix (Hypokopelates) moyambina (Bethune-Baker,1904)** (Lycaenidae) Synonym(s): *moyambina Bethune-Baker,1904* _ Range (in code): **SL CI CG**

- 12534. Deudorix (Hypokopelates) nyanzana Stempffer, 1957** (Lycaenidae) Synonym(s): *nyanzana Stempffer, 1957* - Range (in code): UG
- 12535. Deudorix (Hypokopelates) obscura (Bethune-Baker, 1914)** (Lycaenidae) Synonym(s): *obscura Bethune-Baker, 1914* - Range (in code): NG UG
- 12536. Deudorix (Hypokopelates) otraeda (Hewitson, 1863)** (Lycaenidae) Synonym(s): *otraeda Hewitson, 1863; genuba Hewitson, 1875* - Range (in code): SL CM CG ZR UG TZ
- 12537. Deudorix (Hypokopelates) petersi Stempffer & Bennett, 1956** (Lycaenidae) Synonym(s): *petersi Stempffer & Bennett, 1956* - Range (in code): LR
- 12538. Deudorix (Hypokopelates) sevastopulo D'Abrera, 1980** (Lycaenidae) Synonym(s): *sevastopulo D'Abrera, 1980* - Range (in code): NG CM
- 12539. Deudorix (Hypokopelates) tenuivittata Stempffer, 1951** (Lycaenidae) Synonym(s): *tenuivittata Stempffer, 1951* - Range (in code): ZR
- 12540. Deudorix (Hypokopelates) ugandae (Talbot, 1935)** (Lycaenidae) Synonym(s): *ugandae Talbot, 1935* - Range (in code): UG ZR
- 12541. Deudorix (Hypokopelates) ultramarina Stempffer, 1964** (Lycaenidae) Synonym(s): *ultramarina Stempffer, 1964* - Range (in code): CG NG CM ZR UG
- 12542. Deudorix (Hypokopelates) viridis Stempffer, 1964** (Lycaenidae) Synonym(s): *viridis Stempffer, 1964* - Range (in code): SL GN CI GH BJ NG
- 12543. Deudorix (Hypomyrina) nomenia (Hewitson, 1874)** (Lycaenidae) Synonym(s): *nomenia Hewitson, 1874; nomion Staudinger, 1891; acares Karsch, 1893; fourneriae Gabriel, 1939* - Range (in code): NG Caa TG SL UG CM GA ZR TZ
- 12544. Deudorix (Kopelates) virgata (Druce, 1891)** (Lycaenidae) Synonym(s): *virgata Druce, 1891; gracilis Staudinger, 1891* - Range (in code): SL CM CG
- 12545. Deudorix (Pilodeudorix) ankoleensis Stempffer, 1953** (Lycaenidae) Synonym(s): *ugandae Stempffer, 1946 nec Talb., 1935; ankoleensis Stempffer, 1953* - Range (in code): UG
- 12546. Deudorix (Pilodeudorix) bemba Neave, 1910** (Lycaenidae) Synonym(s): *bemba Neave, 1910* - Range (in code): ZM ZR Shb TZ
- 12547. Deudorix (Pilodeudorix) caerulea Druce, 1890** (Lycaenidae) Synonym(s): *caerulea Druce, 1890; obscurata Trimen, 1891; hollandi Ehrmann, 1894; batikelides Holland, 1920* - Range (in code): NG NA LR ZR ET ZW
- 12548. Deudorix (Pilodeudorix) cameroni (Plötz, 1880)** (Lycaenidae) Synonym(s): *cameroni Plötz, 1880; nobilis Staudinger, 1891; barbatus Druce, 1891* - Range (in code): SL CI CM UG ZR ZM MW TZ
- 12549. Deudorix (Pilodeudorix) cameroni cameroni (Plötz, 1880)** (Lycaenidae) Synonym(s): *cameroni Plötz, 1880; nobilis Staudinger, 1891; barbatus Druce, 1891* - Range (in code): CM SL CI ZR UG
- 12550. Deudorix (Pilodeudorix) cameroni katanga Clench, 1965** (Lycaenidae) Synonym(s): *katanga Clench, 1965* - Range (in code): ZR ZM MW TZ
- 12551. Deudorix (Pilodeudorix) diyllus Hewitson, 1878** (Lycaenidae) Synonym(s): *diyllus Hewitson, 1878; debilis Staudinger, 1891* - Range (in code): SL LR CI NG UG CG ZR Kvu Bionomy: Larva on Pterocarpus (Fabaceae) (Ackery et al., 1995).
- 12552. Deudorix (Pilodeudorix) diyllus congoana Aurivillius, 1923** (Lycaenidae) Synonym(s): *congoana Aurivillius, 1923; orientalis Stempffer, 1957* - Range (in code): ZR Kvu CG UG
- 12553. Deudorix (Pilodeudorix) diyllus diyllus Hewitson, 1878** (Lycaenidae) Synonym(s): *diyllus Hewitson, 1878; debilis Staudinger, 1891* - Range (in code): SL LR CI NG UG
- 12554. Deudorix (Pilodeudorix) kohli Aurivillius, 1921** (Lycaenidae) Synonym(s): *kohli Aurivillius, 1921* - Range (in code): CG ZR UG
- 12555. Deudorix (Pilodeudorix) rodgersi (Kielland, 1985)** (Lycaenidae) Synonym(s): *rodgersi Kielland, 1985* - Range (in code): TZ Tnga Usa
- 12556. Deudorix (Pilodeudorix) zela (Hewitson, 1869)** (Lycaenidae) Synonym(s): *zela Hewitson, 1869; simplex Staudinger, 1891* - Range (in code): SL SN NG ZR UG
- 12557. Deudorix (Pilodeudorix) zeloides (Butler, 1901)** (Lycaenidae) Synonym(s): *zeloides Butler, 1901* - Range (in code): MW UG TZ ZM ZW
- 12558. Deudorix (Pilodeudorix) zelomina Rebel, 1914** (Lycaenidae) Synonym(s): *zelomina Rebel, 1914* - Range (in code): ZR Kvu UG BI RW
- 12559. Deudorix (Virachola) affinis Rothschild, 1915** (Lycaenidae) Synonym(s): *affinis Rothschild, 1915* - Range (in code): PG Dmp

- 12560. Deudorix (Virachola) affinis affinis Rothschild,1915** (Lycaenidae) Synonym(s): *affinis Rothschild,1915* - Range (in code): **PG Dmp**
- 12561. Deudorix (Virachola) antalus (Hopffer,1855)** (Lycaenidae) Synonym(s): *antulus Hopffer,1855; anta Trimen,1862; gambius Mabille,[1887]; kitobolensis Strand,1912* - Original Reference: Dipsas antalus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 641. Type(s): Mossambique. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS MG ML MR MU MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Spb Mdk Kru Pf Lj Kzu Nta Ptb Ptc Suw Gau Jh Mgl Kom Wri Ptc ZM ZR ZW** - Bionomy: Larva on Nymania (Aitoniaceae), Paphia (Apiaceae), Quisqualis (Combretaceae), Acacia, Albizia, Baphia, Bauhinia, Caesalpinia, Cajanus, Canavalia, Cassia, Crotalaria, Dolichos, Phaseolus, Pisum, Schotia, Sutherlandia, Vigna (Fabaceae); Syzygium (Myrtaceae); Olea, Ximenia (Oleaceae); Prunus (Rosaceae); Cardiospermum (Sapindaceae); Capsicum (Solanaceae) [within fruits and galls associated by ants] (Ackery et al.,1995).
- 12562. Deudorix (Virachola) antalus antalus (Hopffer,1855)** (Lycaenidae) Synonym(s): *antulus Hopffer,1855; anta Trimen,1862; gambius Mabille,[1887]; kitobolensis Strand,1912* - Original Reference: Dipsas antalus Hopffer,1855, Ber. Verh. Akad. Wiss. Berlin 1855: 641. Type(s): Mossambique. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET FP GA GH GM GN GO GW KE KM LR LS MG ML MR MU MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Spb Mdk Kru Pf Lj Kzu Nta Ptb Ptc Suw Gau Jh Mgl Kom Wri Ptc ZM ZR ZW** - Bionomy: Larva on Nymania (Aitoniaceae), Paphia (Apiaceae), Quisqualis (Combretaceae), Acacia, Albizia, Baphia, Bauhinia, Caesalpinia, Cajanus, Canavalia, Cassia, Crotalaria, Dolichos, Phaseolus, Pisum, Schotia, Sutherlandia, Vigna (Fabaceae); Syzygium (Myrtaceae); Olea, Ximenia (Oleaceae); Prunus (Rosaceae); Cardiospermum (Sapindaceae); Capsicum (Solanaceae) [within fruits and galls associated by ants] (Ackery et al.,1995).
- 12563. Deudorix (Virachola) badhami Carcasson,1961** (Lycaenidae) Synonym(s): *badhami Carcasson,1961* - Range (in code): **ZR ZM**
- 12564. Deudorix (Virachola) baronica Ungemach,1932** (Lycaenidae) Synonym(s): *baronica Ungemach,1932* - Range (in code): **ET**
- 12565. Deudorix (Virachola) batikeli (Boisduval,1833)** (Lycaenidae) Synonym(s): *batikeli Boisduval,1833; tsiphana Boisduval,1833; licinia Mabille,1878; derona Grose-Smith,1891* - Range (in code): **MG**
- 12566. Deudorix (Virachola) batikelides Holland,1920** (Lycaenidae) Synonym(s): *batikelides Holland,1920* - Range (in code): **ZR KE Mb**
- 12567. Deudorix (Virachola) caliginosa Lathy,1903** (Lycaenidae) Synonym(s): *caliginosa Lathy,1903* - Range (in code): **NG CG ZM UG**
- 12568. Deudorix (Virachola) chalybeata Joicey & Talbot,1926** (Lycaenidae) Synonym(s): *chalybeata Joicey & Talbot,1926* - Range (in code): **ST**
- 12569. Deudorix (Virachola) dariaves Hewitson,1877** (Lycaenidae) Synonym(s): *dariaves Hewitson,1877* - Range (in code): **MZ Del ZA Nta Kzu Tva MW TZ ZW**
- 12570. Deudorix (Virachola) dinochares Grose-Smith,1887** (Lycaenidae) Synonym(s): *dinochares Grose-Smith,1887; dieden Karsch,1900; rhodesiensis Stevenson,1937* - Original Reference: Deudorix dinochares Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 19: 64. Syntypes: Mozambique: Delagoa Bay. Range (in code): **BW KE MG MZ Del NG SZ TZ UG YE ZA Tva Lpo Spb Kru K12 Pma ZM ZR ZW Har** - Bionomy: Larva on Combretum, Quisqualis (Combretaceae); Acacia, Burkea, Dolichos, Lablab, Schotia, tamarindus, Vigna (Fabaceae); Psidium, Syzygium (Myrtaceae); Ximenia (Oleaceae); Macadamia (Proteaceae); Prunus (Rosaceae); Coffea, Gardenia (Rubiaceae) [within bean pods, tend by Pheidole ants] (Ackery et al.,1995).
- 12571. Deudorix (Virachola) dinochares dinochares Grose-Smith,1887** (Lycaenidae) Synonym(s): *dinochares Grose-Smith,1887; dieden Karsch,1900; rhodesiensis Stevenson,1937* - Original Reference: Deudorix dinochares Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 19: 64. Syntypes: Mozambique: Delagoa Bay. Range (in code): **BW KE MG MZ Del NG SZ TZ UG YE ZA Tva Lpo Spb Kru K12 Pma ZM ZR ZW Har** - Bionomy: Larva on Combretum, Quisqualis (Combretaceae); Acacia, Burkea, Dolichos, Lablab, Schotia, tamarindus, Vigna (Fabaceae); Psidium, Syzygium (Myrtaceae); Ximenia (Oleaceae); Macadamia (Proteaceae); Prunus (Rosaceae); Coffea, Gardenia (Rubiaceae) [within bean pods, tend by Pheidole ants] (Ackery et al.,1995).
- 12572. Deudorix (Virachola) dinomenes Grose-Smith,1887** (Lycaenidae) Synonym(s): *dinomenes Grose-Smith,1887* - Range (in code): **MZ Del CI SL GH ZR UG KE ZM ZW MW ZA Nta Kzu TZ** - Bionomy: Larva on Deinbollia (Sapindaceae) (Ackery et al.,1995).

- 12573. Deudorix (Virachola) dinomenes dinomenes Grose-Smith, 1887** (Lycaenidae)
Synonym(s): *dinomenes* Grose-Smith, 1887 _ Range (in code): **MZ Del CI SL GH ZR UG KE ZM ZW MW ZA Nta Kzu TZ** Bionomy: Larva on Deinbollia (Sapindaceae) (Ackery et al., 1995).
- 12574. Deudorix (Virachola) diocles Hewitson, 1869** (Lycaenidae) Synonym(s): *diocles* Hewitson, 1869; *vosseleri* Strand, 1911 _ Range (in code): **ZA Nta Kzu TZ ZW MZ ZM ZR MW Zom KE** Bionomy: Larva on Combretum (Combretaceae); Acacia, Baphia, Bauhinia, Caesalpinia, Millettia, Schotia (Fabaceae); Syzygium (Myrtaceae); Macadamia (Proteaceae); Prunus (Rosaceae) [accompanied by ants] (Ackery, et al., 1995).
- 12575. Deudorix (Virachola) diomedes Jackson, 1966** (Lycaenidae) Synonym(s): *diomedes* Jackson, 1966 _ Range (in code): **UG KE GH CI SL**
- 12576. Deudorix (Virachola) ecaudata Gifford, 1963** (Lycaenidae) Synonym(s): *dohertyi* Bethune-Baker, 1905 nec Obth., 1894; *ecaudata* Gifford, 1963 _ Range (in code): **KE TZ MW** Bionomy: Larva on Acacia (Fabaceae) [perhaps accompanied with Pheidole ants] (Ackery, et al., 1995).
- 12577. Deudorix (Virachola) edwardsi Gabriel, 1939** (Lycaenidae) Synonym(s): *edwardsi* Gabriel, 1939 _ Range (in code): **UG Rz ZR**
- 12578. Deudorix (Virachola) galathea (Swainson, 1821)** (Lycaenidae) Synonym(s): *galathea* Swainson, 1821 _ Range (in code): **SL LR CI NG CM**
- 12579. Deudorix (Virachola) isocrates (Fabricius, 1793)** (Lycaenidae) Synonym(s): *isocrates* Fabricius, 1793; *pann* Fabricius, 1793 Original Reference: *Hesperia isocrates* Fabricius, 1793, Ent. Syst. 3 (1): 266. Type: India. Range (in code): **LK IN TH CMa CDo Pkk Nrt Sup Sbu Sak** Bionomy: Larva bores fruit of Punica granatum (Punicaceae) (Lewvanich, 2001).
- 12580. Deudorix (Virachola) isocrates isocrates (Fabricius, 1793)** (Lycaenidae) Synonym(s): *isocrates* Fabricius, 1793; *pann* Fabricius, 1793 Original Reference: *Hesperia isocrates* Fabricius, 1793, Ent. Syst. 3 (1): 266. Type: India. Range (in code): **LK IN TH CMa CDo Pkk Nrt Sup Sbu Sak** Bionomy: Larva bores fruit of Punica granatum (Punicaceae) (Lewvanich, 2001).
- 12581. Deudorix (Virachola) jacksoni Talbot, 1935** (Lycaenidae) Synonym(s): *jacksoni* Talbot, 1935 _ Range (in code): **UG KE TZ Tnga Usa** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 12582. Deudorix (Virachola) kayonza Stempffer, 1956** (Lycaenidae) Synonym(s): *kayonza* Stempffer, 1956 _ Range (in code): **UG CG CM**
- 12583. Deudorix (Virachola) kessuma (Horsfield, [1829])** (Lycaenidae) Synonym(s): *kessuma* Horsfield, [1829] _ Range (in code): **IN MY Bor Lkw TH Lmp Rng PH Mno Pal ID Nia Ja Sbw**
- 12584. Deudorix (Virachola) kessuma clearchus Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *clearchus* Fruhstorfer, 1912 _ Range (in code): **ID Sbw**
- 12585. Deudorix (Virachola) kessuma deliochus (Hewitson, 1874)** (Lycaenidae) Synonym(s): *deliochus* Hewitson, 1874 _ Range (in code): **IN MY Lkw TH Lmp Rng PH Mno Pal**
- 12586. Deudorix (Virachola) kessuma kessuma (Horsfield, [1829])** (Lycaenidae) Synonym(s): *kessuma* Horsfield, [1829] _ Range (in code): **ID Ja**
- 12587. Deudorix (Virachola) kessuma throana Fruhstorfer, 1914** (Lycaenidae) Synonym(s): *throana* Fruhstorfer, 1914 _ Range (in code): **MY Bor**
- 12588. Deudorix (Virachola) kessuma tucca Fruhstorfer, 1915** (Lycaenidae) Synonym(s): *tucca* Fruhstorfer, 1915 _ Range (in code): **ID Nia**
- 12589. Deudorix (Virachola) livia (Klug, 1834)** (Lycaenidae) Synonym(s): *livia* Klug, 1834; *pallascens* Rothschild, 1921 Original Reference: *Lycaena livia* Klug, 1834, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl. 40 figs. 3-6. Syntypes: [Egypt]: Kineh, Assuan; [Saudi Arabia]: Arabia. Range (in code): **DZ Ath Idl Ah Ajj Ad As BH Dh EG Hd Hj LB IL Pa Js JO IR Hz KE KW NE OM QA SA SD SN SO TZ UG YE YE47 CY GR** Bionomy: Larva on Acacia (Fabaceae); Phoenix (Palmae); Punica (Punicaceae); Olea (Oleaceae); Eriobotrya; Allium (Alliaceae); Gardenia (Rubiaceae); Psidium (Myrtaceae); Lycopersicum (Solanaceae) (Ackery et al., 1995; Müller et al., 2005).
- 12590. Deudorix (Virachola) livia barnetti Libert, 2005** (Lycaenidae) Synonym(s): *barnetti* Libert, 2005 _ Range (in code): **OM**
- 12591. Deudorix (Virachola) livia livia (Klug, 1834)** (Lycaenidae) Synonym(s): *livia* Klug, 1834; *pallascens* Rothschild, 1921 Original Reference: *Lycaena livia* Klug, 1834, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl. 40 figs. 3-6. Syntypes: [Egypt]: Kineh, Assuan; [Saudi Arabia]: Arabia. Range (in code): **DZ Idl Ah Ajj Ad As BH Dh EG Hd Hj LB IL Pa Js JO IR Hz KE KW NE OM QA SA SD SN SO TZ UG YE CY GR** Bionomy: Larva on Acacia ((Fabaceae); Phoenix (Palmae); Punica (Punicaceae); Olea (Oleaceae); Eriobotrya (Müller et al., 2005).

- 12592. Deudorix (Virachola) lorisona (Hewitson,1862)** (Lycaenidae) Synonym(s): *lorisona* Hewitson,1862; *bimaculata* Hewitson,1874; *alticola* Aurivillius,1923; *#obliterata* Hawker-Smith,1928; *#unimaculata* Hawker-Smith,1928; *#albifrons* Stempffer,1948 _ Range (in code): **ZW MZ MW TZ Tnga Usa Ani KE Nai UG ZR Shb GA SL**
- 12593. Deudorix (Virachola) lorisona coffea Jackson,1966** (Lycaenidae) Synonym(s): *coffea* Jackson,1966 _ Range (in code): **MZ MW TZ Tnga Usa Ani KE Nai**
- 12594. Deudorix (Virachola) lorisona lorisona (Hewitson,1862)** (Lycaenidae) Synonym(s): *lorisona* Hewitson,1862; *bimaculata* Hewitson,1874; *alticola* Aurivillius,1923; *#obliterata* Hawker-Smith,1928; *#unimaculata* Hawker-Smith,1928; *#albifrons* Stempffer,1948 _ Range (in code): **SL ZR Shb UG KE**
- 12595. Deudorix (Virachola) lorisona rutshuruensis (Berger,1981)** (Lycaenidae) Synonym(s): *rutshuruensis* Berger,1981 _ Range (in code): **ZR UG**
- 12596. Deudorix (Virachola) lorisona sesse Stempffer & Jackson,1962** (Lycaenidae) Synonym(s): *sesse* Stempffer & Jackson,1962 _ Range (in code): **UG**
- 12597. Deudorix (Virachola) magda Gifford,1963** (Lycaenidae) Synonym(s): *magda* Gifford,1963 _ Range (in code): **MW ZW** Bionomy: Larva on Uapaca (Uapacaceae) (Ackery et al.,1995).
- 12598. Deudorix (Virachola) masamichii Okubo,1983** (Lycaenidae) Synonym(s): *masamichii* Okubo,1983 _ Range (in code): **PH Mno**
- 12599. Deudorix (Virachola) montana Kielland,1985** (Lycaenidae) Synonym(s): *montana* Kielland,1985 _ Range (in code): **TZ MW**
- 12600. Deudorix (Virachola) mpanda Kielland,1990** (Lycaenidae) Synonym(s): *mpanda* Kielland,1990 _ Range (in code): **TZ**
- 12601. Deudorix (Virachola) nicephora Hulstaert,1924** (Lycaenidae) Synonym(s): *nicephora* Hulstaert,1924 _ Range (in code): **ZR AO ZM ZW**
- 12602. Deudorix (Virachola) odana Druce,1887** (Lycaenidae) Synonym(s): *odana* Druce,1887 Range (in code): **CM SL NG ZR UG KE** Bionomy: Larva on Caesalpinia, Canavalia (Fabaceae) [on seed pods] (Ackery et al.,1995).
- 12603. Deudorix (Virachola) penningtoni Van Son,1949** (Lycaenidae) Synonym(s): *penningtoni* Van Son,1949 _ Range (in code): **ZA Kzu Nta TZ** Bionomy: Larva on Acacia (Fabaceae) (Ackery et al.,1995).
- 12604. Deudorix (Virachola) perse Hewitson,[1863]** (Lycaenidae) Synonym(s): *perse* Hewitson,[1863] Original Reference: Deudorix perse Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 18, nr.2, pl.8 figs. 24-26. Syntypes: India. Range (in code): **LK IN Adm MM Ass Kgr TH CMa CDo Lmp MY Bor**
- 12605. Deudorix (Virachola) perse ghela Fruhstorfer,1912** (Lycaenidae) Synonym(s): *ghela* Fruhstorfer,1912 _ Range (in code): **LK**
- 12606. Deudorix (Virachola) perse maseas Fruhstorfer,1912** (Lycaenidae) Synonym(s): *maseas* Fruhstorfer,1912 _ Range (in code): **IN Adm**
- 12607. Deudorix (Virachola) perse perse Hewitson,[1863]** (Lycaenidae) Synonym(s): *perse* Hewitson,[1863] Original Reference: Deudorix perse Hewitson,[1863], Ill. diurn. Lepid., Lycaenidae 1 (text): 18, nr.2, pl.8 figs. 24-26. Syntypes: India. Range (in code): **IN MM Ass Kgr TH CMa CDo Lmp**
- 12608. Deudorix (Virachola) perse silo Fruhstorfer,1912** (Lycaenidae) Synonym(s): *silo* Fruhstorfer,1912 _ Range (in code): **MY Bor**
- 12609. Deudorix (Virachola) renidens (Mabille,1884)** (Lycaenidae) Synonym(s): *renidens* Mabille,1884 _ Range (in code): **MG**
- 12610. Deudorix (Virachola) renidens renidens (Mabille,1884)** (Lycaenidae) Synonym(s): *renidens* Mabille,1884 _ Range (in code): **MG**
- 12611. Deudorix (Virachola) rubida (Tytler,1927)** (Lycaenidae) Synonym(s): *rubida* Tytler,1927 _ Range (in code): **TH**
- 12612. Deudorix (Virachola) rubida rubida (Tytler,1927)** (Lycaenidae) Synonym(s): *rubida* Tytler,1927 _ Range (in code): **TH**
- 12613. Deudorix (Virachola) similis (Hewitson,[1863])** (Lycaenidae) Synonym(s): *similis* Hewitson,[1863] _ Range (in code): **MY PH Bab Luz Mar Mdo Mno Pal AU NAU**
- 12614. Deudorix (Virachola) similis dalyensis Le Souff & Tindale,1970** (Lycaenidae) Synonym(s): *dalyensis* Le Souff & Tindale,1970 _ Range (in code): **AU NAU**

- 12615. Deudorix (Virachola) similis similis (Hewitson,[1863])** (Lycaenidae) Synonym(s): *similis* Hewitson,[1863] _ Range (in code): MY
- 12616. Deudorix (Virachola) similis vocetius Fruhstorfer,1912** (Lycaenidae) Synonym(s): *vocetius* Fruhstorfer,1912 _ Range (in code): PH Bab Luz Mar Mdo Mno Pal
- 12617. Deudorix (Virachola) subguttata (Elwes,[1893])** (Lycaenidae) Synonym(s): *subguttata* Elwes,[1893] _ Range (in code): MY
- 12618. Deudorix (Virachola) subguttata malaya Pendlebury & Corbet,1933** (Lycaenidae) Synonym(s): *malaya* Pendlebury & Corbet,1933 _ Range (in code): MY
- 12619. Deudorix (Virachola) subguttata subguttata (Elwes,[1893])** (Lycaenidae) Synonym(s): *subguttata* Elwes,[1893]
- 12620. Deudorix (Virachola) suk Stempffer,1948** (Lycaenidae) Synonym(s): *suk* Stempffer,1948 _ Range (in code): KE UG Bionomy: Larva on Acacia (Fabaceae) [associated with Pheidole ants] (Ackery et al.,1995).
- 12621. Deudorix (Virachola) ufipa Kielland,1978** (Lycaenidae) Synonym(s): *ufipa* Kielland,1978 _ Range (in code): TZ
- 12622. Deudorix (Virachola) vansomereni Stempffer,1951** (Lycaenidae) Synonym(s): *vansomereni* Stempffer,1951 _ Range (in code): KE TZ Bionomy: Larva on Agelaea? (Connaraceae) (Ackery et al.,1995).
- 12623. Deudorix (Virachola) vansonii Pennington,1948** (Lycaenidae) Synonym(s): *vansonii* Pennington,1948 _ Range (in code): Za Kzu Nta ZW MW Bionomy: Larva on Acacia (Fabaceae) [in galls] (Ackery et al.,1995).
- 12624. Deudorix (Virachola) wardi (Mabille,1878)** (Lycaenidae) Synonym(s): *wardi* Mabille,1878; *rutila* Mabille,1878; *diapolis* Hewitson,1878; *#rutilans* Mabille,[1887] _ Range (in code): MG
- 12625. Deudorix (s.str.) apayao Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway,1983 _ Range (in code): PH Pal
- 12626. Deudorix (s.str.) apayao apayao Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *apayao* Schröder & Treadaway,1983 _ Range (in code): PH Pal
- 12627. Deudorix (s.str.) elioti Corbet,1940** (Lycaenidae) Synonym(s): *elioti* Corbet,1940 Original Reference: Deudorix elioti Corbet,1940, Entomologist 73: 42. Holotype: Singapore. Range (in code): MY SG TH Phu
- 12628. Deudorix (s.str.) elioti elioti Corbet,1940** (Lycaenidae) Synonym(s): *elioti* Corbet,1940 Original Reference: Deudorix elioti Corbet,1940, Entomologist 73: 42. Holotype: Singapore. Range (in code): MY SG TH Phu
- 12629. Deudorix (s.str.) epijarbas (Moore,[1858])** (Lycaenidae) Synonym(s): *epijarbas* Moore,[1858] Original Reference: Dipsas epijarbas Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 32, nr.40. Range (in code): SI IN Mh Ker Meg Mys Apr Hp Ass MM Adm Nk VN LK PK Haz Mre Ci Nwf Kma MY P-T Lkw PH Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu Taw TH Ntt Tng Yal Cbi CMa CDo Cbu Knc TAK Trat Nst Srt Pkk Bionomy: Larva on Nephelium lappaceum [rambutan] (Sapindaceae) (Lewvanich,2001).
- 12630. Deudorix (s.str.) epijarbas amatius Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *amatius* Fruhstorfer,[1912] _ Range (in code): SI IN Ass MM Adm Nk VN TH Cbi CMa CDo Cbu Knc TAK Trat Nst Srt Bionomy: Larva on Nephelium lappaceum [rambutan] (Sapindaceae) (Lewvanich,2001).
- 12631. Deudorix (s.str.) epijarbas ancus Fruhstorfer,1912** (Lycaenidae) Synonym(s): *ancus* Fruhstorfer,1912 _ Range (in code): PK Mre Haz Ci Nwf IN Kma
- 12632. Deudorix (s.str.) epijarbas cinnabarus Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *cinnabarus* Fruhstorfer,[1912] _ Range (in code): TH Ntt Tng Pkk Yal MY P-T
- 12633. Deudorix (s.str.) epijarbas epijarbas (Moore,[1858])** (Lycaenidae) Synonym(s): *epijarbas* Moore,[1858] Original Reference: Dipsas epijarbas Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 32, nr.40. Range (in code): IN Mh Ker Meg Mys Apr Hp Ass LK MY Lkw PH Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Stu Taw
- 12634. Deudorix (s.str.) philippinensis Schröder, Treadaway & Hayashi,1981** (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi,1981 _ Range (in code): PH Mar Mas Mdo Mno Neg Sib
- 12635. Deudorix (s.str.) philippinensis philippinensis Schröder, Treadaway & Hayashi,1981** (Lycaenidae) Synonym(s): *philippinensis* Schröder, Treadaway & Hayashi,1981 Range (in code): PH Mar Mas Mdo Mno Neg Sib

- 12636. Deudorix (s.str.) staudingeri Druce, 1895** (Lycaenidae) Synonym(s): *staudingeri Druce, 1895* Original Reference: Deudorix staudingeri Druce, 1895, Proc. zool. Soc. London 1895: 621, pl.34 fig.10. Type: [Malaysia]: Borneo. Range (in code): MY Bor
- 12637. Deudorix (s.str.) staudingeri staudingeri Druce, 1895** (Lycaenidae) Synonym(s): *staudingeri Druce, 1895* Original Reference: Deudorix staudingeri Druce, 1895, Proc. zool. Soc. London 1895: 621, pl.34 fig.10. Type: [Malaysia]: Borneo. Range (in code): MY Bor
- 12638. Deudorix (s.str.) sumatrensis Fruhstorfer, [1912]** (Lycaenidae) Synonym(s): *sumatrensis Fruhstorfer, [1912]; stubbsi Eliot, 1960* Range (in code): ID Sum MY
- 12639. Deudorix (s.str.) sumatrensis sumatrensis Fruhstorfer, [1912]** (Lycaenidae) Synonym(s): *sumatrensis Fruhstorfer, [1912]; stubbsi Eliot, 1960* Range (in code): ID Sum MY
- 12640. Discolampa ethion (Westwood, [1851])** (Lycaenidae) Synonym(s): *ethion Westwood, [1851]* Range (in code): LK IN Ass MM VN PH Ley Luz Mar Mdo Mno Pal Pao Sga Taw Neg MY Lkw TH CMa Cuo Cuo5 Cu12 Chy Cbi Knc Uth Loc Mae Nrt Tng Rng Sat Ntt Nna Nst Ths Sya Sgk Hya Tnc
- 12641. Discolampa ethion ethion (Westwood, [1851])** (Lycaenidae) Synonym(s): *ethion Westwood, [1851]* Range (in code): LK IN Ass MM VN TH CMa Cuo Cuo5 Cu12 Chy Cbi Knc Uth Loc Mae Nrt Tng Sgk Hya Tnc
- 12642. Discolampa ethion negrosiana Murayama, 1983** (Lycaenidae) Synonym(s): *negrosiana Murayama, 1983* Range (in code): PH Neg
- 12643. Discolampa ethion thalimar (Fruhstorfer, 1922)** (Lycaenidae) Synonym(s): *thalimar Fruhstorfer, 1922* Range (in code): TH Rng Sat Ntt Nna Nst Ths Sya MY Lkw
- 12644. Discolampa ethion ulysses Staudinger, 1889** (Lycaenidae) Synonym(s): *ulysses Staudinger, 1889* Range (in code): PH Ley Luz Mar Mdo Mno Pal Pao Sga Taw
- 12645. Drina borromeorum Schröder & Treadaway, 1991** (Lycaenidae) Synonym(s): *borromeorum Schröder & Treadaway, 1991* Range (in code): PH Taw
- 12646. Drina cowani Corbet, 1940** (Lycaenidae) Synonym(s): *cowani Corbet, 1940* Range (in code): MY
- 12647. Drina cowani cowani Corbet, 1940** (Lycaenidae) Synonym(s): *cowani Corbet, 1940* Range (in code): MY
- 12648. Drina discophora (C.Felder & R.Felder, 1862)** (Lycaenidae) Synonym(s): *discophora C.Felder & R.Felder, 1862* Range (in code): PH Ala Bat Luz Mar Mdo
- 12649. Drina donina (Hewitson, [1865])** (Lycaenidae) Synonym(s): *donina Hewitson, [1865]* Range (in code): MY Lkw TH Sgk Cbi CMa Kbi Loc Rng Pbu Nst Ths Sya MM VN
- 12650. Drina donina donina (Hewitson, [1865])** (Lycaenidae) Synonym(s): *donina Hewitson, [1865]* Range (in code): TH Cbi CMa Kbi Loc Rng Pbu Nst Ths Sya
- 12651. Drina donina usira (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *usira C.Felder & R.Felder, [1865]* Range (in code): MY Lkw TH Sgk
- 12652. Drina maneia (Hewitson, [1863])** (Lycaenidae) Synonym(s): *maneia Hewitson, [1863]* Range (in code): MY TH Rng MM Mrg
- 12653. Drina maneia maneia (Hewitson, [1863])** (Lycaenidae) Synonym(s): *maneia Hewitson, [1863]* Range (in code): MY TH Rng MM Mrg
- 12654. Drina mavortia (Hewitson, 1869)** (Lycaenidae) Synonym(s): *mavortia Hewitson, 1869* Range (in code): PH Boh Ceb Ley Mno Sam
- 12655. Drupadia cinesoides (De Nicéville, 1889)** (Lycaenidae) Synonym(s): *cinesoides De Nicéville, 1889* Range (in code): MY
- 12656. Drupadia cinesoides cinesoides (De Nicéville, 1889)** (Lycaenidae) Synonym(s): *cinesoides De Nicéville, 1889* Range (in code): MY
- 12657. Drupadia estella (Hewitson, [1863])** (Lycaenidae) Synonym(s): *estella Hewitson, [1863]* Range (in code): MY Lkw MM Tvy TH Rng ID Sum
- 12658. Drupadia estella estella (Hewitson, [1863])** (Lycaenidae) Synonym(s): *estella Hewitson, [1863]* Range (in code): ID Sum
- 12659. Drupadia estella nicevillei (Doherty, 1889)** (Lycaenidae) Synonym(s): *nicevillei Doherty, 1889* Range (in code): MM Tvy TH Rng
- 12660. Drupadia estella semperna (Corbet, 1944)** (Lycaenidae) Synonym(s): *semperna Corbet, 1944* Range (in code): MY Lkw
- 12661. Drupadia hayashii Schröder & Treadaway, 1989** (Lycaenidae) Synonym(s): *hayashii Schröder & Treadaway, 1989* Range (in code): PH Stu

- 12662. *Drupadia johorensis* (Cowan,1958)** (Lycaenidae) **Synonym(s):** *johorensis* Cowan,1958
Range (in code): MY Joh TH Yal
- 12663. *Drupadia johorensis johorensis* (Cowan,1958)** (Lycaenidae) **Synonym(s):** *johorensis* Cowan,1958
Range (in code): MY Joh TH Yal
- 12664. *Drupadia niasica* (Röber,1886)** (Lycaenidae) **Synonym(s):** *niasica* Röber,1886
Range (in code): ID Nia PH Ley Mno Pao Mdo Luz Mar Pol Sib Jol MY Lkw
- 12665. *Drupadia niasica biranta* (Riley,1942)** (Lycaenidae) **Synonym(s):** *biranta* Riley,1942
Range (in code): MY Lkw
- 12666. *Drupadia niasica florens* Cowan,1974** (Lycaenidae) **Synonym(s):** *florens* Cowan,1974
Range (in code): PH Ley Mno Pao
- 12667. *Drupadia niasica natinus* Takanami,1987** (Lycaenidae) **Synonym(s):** *natinus* Takanami,1987
Range (in code): PH Mdo
- 12668. *Drupadia niasica niasica* (Röber,1886)** (Lycaenidae) **Synonym(s):** *niasica* Röber,1886
Range (in code): ID Nia
- 12669. *Drupadia niasica perlisa* (Riley,1942)** (Lycaenidae) **Synonym(s):** *perlisa* Riley,1942;
cuboidea Okubo,1983
Range (in code): MY
- 12670. *Drupadia niasica ssp.*** (Lycaenidae) **Synonym(s):** **Range (in code):** PH Luz Mar Pol Sib
- 12671. *Drupadia niasica thaenia* Druce,1895** (Lycaenidae) **Synonym(s):** *thaenia* Druce,1895
Range (in code): PH Jol
- 12672. *Drupadia ravindra* (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *ravindra* Horsfield,[1829]
Range (in code): PH Bal Jol Sga Stu Taw Luz Mdo Pol Mno Pal MY Lkw TH CMA Nna Rng Tng Yal Nst Ths Sya Sgk Hya Tnc MM Krh VN SG
- 12673. *Drupadia ravindra balabacola* Schröder & Treadaway,1989** (Lycaenidae) **Synonym(s):** *balabacola* Schröder & Treadaway,1989
Range (in code): PH Bal
- 12674. *Drupadia ravindra boisduvali* Moore,1884** (Lycaenidae) **Synonym(s):** *boisduvali* Moore,1884
Range (in code): TH CMA Nna Rng Nst Ths Sgk Hya Tnc MM Krh VN
- 12675. *Drupadia ravindra caerulea* Okubo,1983** (Lycaenidae) **Synonym(s):** *caerulea* Okubo,1983
Range (in code): MY
- 12676. *Drupadia ravindra joloana* Staudinger,1889** (Lycaenidae) **Synonym(s):** *joloana* Staudinger,1889
Range (in code): PH Jol Sga Stu Taw
- 12677. *Drupadia ravindra moorei* (Distant,1882)** (Lycaenidae) **Synonym(s):** *moorei* Distant,1882
Range (in code): MY Lkw SG TH Tng Yal Nst Ths Sya
- 12678. *Drupadia ravindra okurai* M.Okano & T.Okano,1991** (Lycaenidae) **Synonym(s):** *okurai* M.Okano & T.Okano,1991
Range (in code): PH Mno
- 12679. *Drupadia ravindra ravindra* (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *ravindra* Horsfield,[1829]
- 12680. *Drupadia ravindra ravindrana* Staudinger,1889** (Lycaenidae) **Synonym(s):** *ravindrana* Staudinger,1889
Range (in code): PH Pal
- 12681. *Drupadia ravindra resoluta* Cowan,1974** (Lycaenidae) **Synonym(s):** *resoluta* Cowan,1974
Range (in code): PH Luz Mdo Pol
- 12682. *Drupadia rufotaenia* (Fruhstorfer,[1912])** (Lycaenidae) **Synonym(s):** *rufotaenia* Fruhstorfer,[1912]
Range (in code): MM TH Rng PH Bal Pal Mdo
- 12683. *Drupadia rufotaenia archbaldi* (Evans,1932)** (Lycaenidae) **Synonym(s):** *archbaldi* Evans,1932
Range (in code): MM TH Rng
- 12684. *Drupadia rufotaenia praecox* Cowan,1974** (Lycaenidae) **Synonym(s):** *praecox* Cowan,1974
Range (in code): PH Mdo
- 12685. *Drupadia rufotaenia rufotaenia* (Fruhstorfer,[1912])** (Lycaenidae) **Synonym(s):** *rufotaenia* Fruhstorfer,[1912]
- 12686. *Drupadia rufotaenia torquata* Cowan,1974** (Lycaenidae) **Synonym(s):** *torquata* Cowan,1974
Range (in code): PH Bal Pal
- 12687. *Drupadia scaeva* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *scaeva* Hewitson,[1863]
Range (in code): MY Lkw Krh Ass IN MM TH Yal Cbu Phr Tng Cbi
- 12688. *Drupadia scaeva cooperi* (Tytler,1940)** (Lycaenidae) **Synonym(s):** *cooperi* Tytler,1940
Range (in code): TH Cbu Phr MM
- 12689. *Drupadia scaeva melisa* (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *melisa* Hewitson,1869
Range (in code): MY Lkw Krh Ass IN MM TH Yal

- 12690. *Drupadia scaeva scaeva* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *scaeva* Hewitson,[1863] **Range (in code):** MY TH Yal Tng
- 12691. *Drupadia theda* (C.Felder & R.Felder,1862)** (Lycaenidae) **Synonym(s):** *theda* C.Felder & R.Felder,1862 **Range (in code):** PH Luz Mar Mas Pan Boh Ley Mno Pao Sam Sga Taw Pal Myo Mdo MY Lkw MM TH Rat Ntt Yal Phu Rng Tuo Tng Nst Ths Sya Chw Sgk Hya Tnc
- 12692. *Drupadia theda fabricii* Moore,1884** (Lycaenidae) **Synonym(s):** *fabricii* Moore,1884 **Range (in code):** MM TH Rat
- 12693. *Drupadia theda miyo* Takanami,1987** (Lycaenidae) **Synonym(s):** *miyo* Takanami,1987 **Range (in code):** PH Myo Mdo
- 12694. *Drupadia theda osadai* Takanami,1987** (Lycaenidae) **Synonym(s):** *osadai* Takanami,1987 **Range (in code):** PH Boh
- 12695. *Drupadia theda pekas* Takanami,1982** (Lycaenidae) **Synonym(s):** *pekas* Takanami,1982 **Range (in code):** PH Ley Mno Pao Sam
- 12696. *Drupadia theda renonga* (Corbet,1938)** (Lycaenidae) **Synonym(s):** *renonga* Corbet,1938 **Range (in code):** MY Lkw TH Tng Tuo Rng Phu MM
- 12697. *Drupadia theda tawiensis* Schröder & Treadaway,1989** (Lycaenidae) **Synonym(s):** *tawiensis* Schröder & Treadaway,1989 **Range (in code):** PH Sga Taw
- 12698. *Drupadia theda theda* (C.Felder & R.Felder,1862)** (Lycaenidae) **Synonym(s):** *theda* C.Felder & R.Felder,1862 **Range (in code):** PH Luz Mar Mas Pan
- 12699. *Drupadia theda thesmia* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *thesmia* Hewitson,[1863] **Range (in code):** MY SG TH Ntt Sgk Hya Tnc Yal Nst Ths Sya Chw
- 12700. *Drupadia theda unicolor* Staudinger,1889** (Lycaenidae) **Synonym(s):** *unicolor* Staudinger,1889 **Range (in code):** PH Pal
- 12701. *Durbania amakosa* Trimen,1862** (Lycaenidae) **Synonym(s):** *amakosa* Trimen,1862 **Range (in code):** SZ ZA Tva Lpo Ly Wkk Ec Tra Nta Kzu Kwi Dbn Blw Ptb Kkf Ngo Mpu Brb
- 12702. *Durbania amakosa albescens* Quickelberge,1981** (Lycaenidae) **Synonym(s):** *albescens* Quickelberge,1981 **Range (in code):** ZA Nta Kzu
- 12703. *Durbania amakosa amakosa* Trimen,1862** (Lycaenidae) **Synonym(s):** *amakosa* Trimen,1862 **Range (in code):** ZA Ec Tra Nta Kzu Kwi
- 12704. *Durbania amakosa ayresi* Van Son,1941** (Lycaenidae) **Synonym(s):** *ayresi* Van Son,1941 **Range (in code):** SZ ZA Tva Wkk Mpu Brb Lpo Ly
- 12705. *Durbania amakosa flavida* Quickelberge,1981** (Lycaenidae) **Synonym(s):** *flavida* Quickelberge,1981 **Range (in code):** ZA Nta Kzu Dbn Ngo
- 12706. *Durbania amakosa natalensis* Van Son,1959** (Lycaenidae) **Synonym(s):** *natalensis* Van Son,1959 **Range (in code):** ZA Nta Kzu Blw Ptb Kkf
- 12707. *Durbania amakosa penningtoni* Van Son,1959** (Lycaenidae) **Synonym(s):** *penningtoni* Van Son,1959 **Range (in code):** ZA Ec Grh
- 12708. *Durbania limbata* Trimen,1887** (Lycaenidae) **Synonym(s):** *limbata* Trimen,1887; *amabilis* Staudinger,1888 **Range (in code):** ZA Nta Kzu Tva Wkk Est Fs
- 12709. *Durbaniella clarki* (Van Son,1941)** (Lycaenidae) **Synonym(s):** *clarki* Van Son,1941 **Range (in code):** ZA Wca
- 12710. *Durbaniopsis saga* (Trimen,1883)** (Lycaenidae) **Synonym(s):** *saga* Trimen,1883 **Range (in code):** ZA Wca
- 12711. *Egumbia ernesti* (Karsch,1895)** (Lycaenidae) **Synonym(s):** *ernesti* Karsch,1895; *catori* Bethune-Baker,1924; *katangana* Romieux,1937 **Range (in code):** TG NG ZR UG
- 12712. *Eicochrysops antoto* (Strand,1911)** (Lycaenidae) **Synonym(s):** *antoto* Strand,1911 **Range (in code):** ET
- 12713. *Eicochrysops distractus* (De Joannis & Verity,1913)** (Lycaenidae) **Synonym(s):** *distractus* De Joannis & Verity,1913 **Range (in code):** UG KE ER ET TZ
- 12714. *Eicochrysops dudgeoni* Riley,1929** (Lycaenidae) **Synonym(s):** *dudgeoni* Riley,1929 **Range (in code):** NG GN
- 12715. *Eicochrysops eicetrochilus* Bethune-Baker,1924** (Lycaenidae) **Synonym(s):** *eicetrochilus* Bethune-Baker,1924 **Range (in code):** ZR AO ZM TZ ZW Har
- 12716. *Eicochrysops fontainei* Stempffer,1961** (Lycaenidae) **Synonym(s):** *fontainei* Stempffer,1961 **Range (in code):** ZR
- 12717. *Eicochrysops hippocrates* (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *hippocrates* Fabricius,1793; *delicatula* Mabilie,1877 **Range (in code):** ZA Tva Lpo Spb Pma Pf Kru Suw Wri Nel Mpu Brb ZR MG TZ Tnga Usa Ani

- 12718. Eicochrysops masai (Bethune-Baker,1905)** (Lycaenidae) Synonym(s): *masai* Bethune-Baker,1905 _ Range (in code): UG KE TZ ET
- 12719. Eicochrysops meryamae Rougeot,1983** (Lycaenidae) Synonym(s): *meryamae* Rougeot,1983 _ Range (in code): ET
- 12720. Eicochrysops messapus (Godart,[1824])** (Lycaenidae) Synonym(s): *messapus* Godart,[1824]; *acca* Westwood,[1851] _ Range (in code): ET TZ MW ZM ZW BW ZA Tva Nta Kzu Ec Wca LS KE UG
- 12721. Eicochrysops messapus mahallakoaena (Wallengren,1857)** (Lycaenidae) Synonym(s): *mahallakoaena* Wallengren,1857 _ Range (in code): TZ MW ZM ZW BW ZA Tva Nta Kzu Ec
- 12722. Eicochrysops messapus messapus (Godart,[1824])** (Lycaenidae) Synonym(s): *messapus* Godart,[1824]; *acca* Westwood,[1851] _ Range (in code): ZA Wca LS
- 12723. Eicochrysops messapus nandiana (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *nandiana* Bethune-Baker,1906 _ Range (in code): KE UG
- 12724. Eicochrysops messapus sebadis (Guérin-Méneville,1849)** (Lycaenidae) Synonym(s): *sebadis* Guérin-Méneville,1849 _ Range (in code): ET
- 12725. Eicochrysops pauliani Stempffer,1950** (Lycaenidae) Synonym(s): *pauliani* Stempffer,1950 _ Range (in code): MG
- 12726. Eicochrysops pinheyi A.Heath,1985** (Lycaenidae) Synonym(s): *pinheyi* A.Heath,1985 _ Range (in code): ZM
- 12727. Eicochrysops pusillus (Ungemach,1932)** (Lycaenidae) Synonym(s): *pusillus* Ungemach,1932 _ Range (in code): ET
- 12728. Eicochrysops rogersi Bethune-Baker,1924** (Lycaenidae) Synonym(s): *rogersi* Bethune-Baker,1924 _ Range (in code): KE
- 12729. Eicochrysops sanguigutta (Mabille,1879)** (Lycaenidae) Synonym(s): *sanguigutta* Mabille,1879; *caeruleoarcuata* Saalmüller,1884 _ Range (in code): MG KM
- 12730. Electrostrymon angelia (Hewitson,1874)** (Lycaenidae) Synonym(s): *angelia* Hewitson,1874 _ Range (in code): CU JM US FI
- 12731. Electrostrymon canus** (Lycaenidae) Synonym(s): _ Range (in code): US MX Tx
- 12732. Electrostrymon endymion (Fabricius,1775)** (Lycaenidae) Synonym(s): *endymion* Fabricius,1775; *xenophon* Donovan,1800; *hugon* Godart,[1824] _ Range (in code): PA US
- 12733. Electrostrymon sangala** (Lycaenidae) Synonym(s): _ Range (in code): US MX Tx
- 12734. Enos falerina (Hewitson,1867)** (Lycaenidae) Synonym(s): *falerina* Hewitson,1867 _ Range (in code): BR
- 12735. Enos maculata (Lathy,1936)** (Lycaenidae) Synonym(s): *maculata* Lathy,1936 _ Range (in code): PE
- 12736. Enos mazurka (Hewitson,1867)** (Lycaenidae) Synonym(s): *mazurka* Hewitson,1867 _ Range (in code): BR
- 12737. Enos myrtea (Hewitson,1867)** (Lycaenidae) Synonym(s): *myrtea* Hewitson,1867 _ Range (in code): BR
- 12738. Enos thara (Hewitson,1867)** (Lycaenidae) Synonym(s): *thara* Hewitson,1867; *ivelia* Gosse,1880; *eunus* Godman & Salvin,1887 _ Range (in code): PY GT BR Rja
- 12739. Eooxylides etias (Smith,1887)** (Lycaenidae) Synonym(s): *etias* Smith,1887 _ Original Reference: Hypolycaena etias Smith,1887, Ann. Mag. nat. Hist. (5) 19: 268. Type: Borneo. Range (in code): MY Bor PH Bas
- 12740. Eooxylides etias shahaniae Treadaway & Nuyda,1994** (Lycaenidae) Synonym(s): *shahaniae* Treadaway & Nuyda,1994 _ Range (in code): PH Bas
- 12741. Eooxylides meduana (Hewitson,1869)** (Lycaenidae) Synonym(s): *meduana* Hewitson,1869 _ Range (in code): PH Boh Ceb Din Ley Mno Pao Sam
- 12742. Eooxylides tharis (Geyer,[1837])** (Lycaenidae) Synonym(s): *tharis* Geyer,[1837] _ Range (in code): PH Bal Pal MY SG TH Nst Ths Sya Ntt Tng Yal
- 12743. Eooxylides tharis distanti Riley,1942** (Lycaenidae) Synonym(s): *distanti* Riley,1942 _ Range (in code): MY SG TH Nst Ths Sya Ntt Tng Yal
- 12744. Eooxylides tharis tharisides Fruhstorfer,1904** (Lycaenidae) Synonym(s): *tharisides* Fruhstorfer,1904 _ Range (in code): PH Bal Pal
- 12745. Epitola adolphifriderici Schultze,1911** (Lycaenidae) Synonym(s): *adolphifriderici* Schultze,1911 _ Range (in code): CM ZR

- 12746. *Epitola alba* Jackson,1962** (Lycaenidae) Synonym(s): *alba* Jackson,1962 _ Range (in code): CG
- 12747. *Epitola albomaculata* Bethune-Baker,1903** (Lycaenidae) Synonym(s): *albomaculata* Bethune-Baker,1903 _ Range (in code): SL CI NG
- 12748. *Epitola azurea* Jackson,1962** (Lycaenidae) Synonym(s): *azurea* Jackson,1962; *carpenteri* Bethune-Baker,1922 _ Range (in code): UG
- 12749. *Epitola badura* Kirby,1890** (Lycaenidae) Synonym(s): *badura* Kirby,1890 _ Range (in code): CI NG ZR UG
- 12750. *Epitola bwamba* Jackson,1964** (Lycaenidae) Synonym(s): *bwamba* Jackson,1964 _ Range (in code): UG
- 12751. *Epitola carcina* Hewitson,1873** (Lycaenidae) Synonym(s): *carcina* Hewitson,1873; *kholifa* Bethune-Baker,1904; *entebbeana* Bethune-Baker,1926 _ Range (in code): NG SL LR CI NG CG ZR
- 12752. *Epitola carilla* Roche,1954** (Lycaenidae) Synonym(s): *carilla* Roche,1954 _ Range (in code): UG
- 12753. *Epitola catuna* Kirby,1890** (Lycaenidae) Synonym(s): *catuna* Kirby,1890; *mus* Suffert,1904 _ Range (in code): CM GO GA CG ZR UG
- 12754. *Epitola catuna carpenteri* Bethune-Baker,1922** (Lycaenidae) Synonym(s): *carpenteri* Bethune-Baker,1922 _ Range (in code): UG
- 12755. *Epitola catuna catuna* Kirby,1890** (Lycaenidae) Synonym(s): *catuna* Kirby,1890; *mus* Suffert,1904 _ Range (in code): CM GO GA CG ZR UG
- 12756. *Epitola cepheana* Hewitson,1873** (Lycaenidae) Synonym(s): *cephena* Hewitson,1873 _ Range (in code): SL CI LR GH NG CM GA CG UG ZR
- 12757. *Epitola cepheana cepheana* Hewitson,1873** (Lycaenidae) Synonym(s): *cephena* Hewitson,1873; *doleta* Kirby,1890; *leonina* Bethune-Baker,1904; *leonensis* Bethune-Baker,1904 _ Range (in code): SL CI LR GH NG CM GA CG
- 12758. *Epitola cepheana entebbeana* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *entebbeana* Bethune-Baker,1926 _ Range (in code): UG
- 12759. *Epitola ceraunia* Hewitson,1873** (Lycaenidae) Synonym(s): *ceraunia* Hewitson,1873; *dewitzi* Kirby,1887 _ Range (in code): CM SL ZR UG
- 12760. *Epitola cercene* Hewitson,1873** (Lycaenidae) Synonym(s): *cercene* Hewitson,1873; *versicolor* Kirby,1887 _ Range (in code): CM AO ZR UG
- 12761. *Epitola cercenoides* Holland,1890** (Lycaenidae) Synonym(s): *cercenoides* Holland,1890; *batesi* Druce,1910 _ Range (in code): CM CI ZR UG
- 12762. *Epitola cinerea* Berger,1981** (Lycaenidae) Synonym(s): *cinerea* Berger,1981 _ Range (in code): ZR
- 12763. *Epitola coerulea* Jackson,1962** (Lycaenidae) Synonym(s): *coerulea* Jackson,1962 _ Range (in code): CG ZR
- 12764. *Epitola conception* Suffert,1904** (Lycaenidae) Synonym(s): *conception* Suffert,1904 _ Range (in code): CM
- 12765. *Epitola congoana* Aurivillius,1923** (Lycaenidae) Synonym(s): *congoana* Aurivillius,1923 _ Range (in code): ZR NG
- 12766. *Epitola conjuncta* Grose-Smith & Kirby,1893** (Lycaenidae) Synonym(s): *conjuncta* Grose-Smith & Kirby,1893 _ Range (in code): SL CI NG CG ZR
- 12767. *Epitola conjuncta budduana* Talbot,1937** (Lycaenidae) Synonym(s): *budduana* Talbot,1937 _ Range (in code): UG
- 12768. *Epitola conjuncta conjuncta* Grose-Smith & Kirby,1893** (Lycaenidae) Synonym(s): *conjuncta* Grose-Smith & Kirby,1893 _ Range (in code): SL CI NG CG ZR
- 12769. *Epitola convexa* Roche,1954** (Lycaenidae) Synonym(s): *convexa* Roche,1954 _ Range (in code): UG CG ZR
- 12770. *Epitola crowleyi* Sharpe,1890** (Lycaenidae) Synonym(s): *hewitsoni* Staudinger,1889 nec Mab.,1877; *crowleyi* Sharpe,1890 _ Range (in code): SL NG ZR UG
- 12771. *Epitola crowleyi crowleyi* Sharpe,1890** (Lycaenidae) Synonym(s): *hewitsoni* Staudinger,1889 nec Mab.,1877; *crowleyi* Sharpe,1890 _ Range (in code): SL NG ZR UG
- 12772. *Epitola crowleyi holochroma* Berger,1981** (Lycaenidae) Synonym(s): *holochroma* Berger,1981 _ Range (in code): ZR
- 12773. *Epitola cyanea* Jackson,1964** (Lycaenidae) Synonym(s): *cyanea* Jackson,1964 _ Range (in code): UG

- 12774. *Epitola daveyi* Roche,1954** (Lycaenidae) **Synonym(s):** *daveyi* Roche,1954 _ Range (in code): NG SL
- 12775. *Epitola decellei* Stempffer,1956** (Lycaenidae) **Synonym(s):** *decellei* Stempffer,1956 Range (in code): ZR
- 12776. *Epitola dolorosa* Roche,1954** (Lycaenidae) **Synonym(s):** *dolorosa* Roche,1954 _ Range (in code): UG ZR
- 12777. *Epitola dorothea* Bethune-Baker,1904** (Lycaenidae) **Synonym(s):** *dorothea* Bethune-Baker,1904 _ Range (in code): SL GH AO ZR
- 12778. *Epitola dubia* Jackson,1964** (Lycaenidae) **Synonym(s):** *dubia* Jackson,1964 _ Range (in code): CG ZR UG
- 12779. *Epitola dunia* Kirby,1887** (Lycaenidae) **Synonym(s):** *dunia* Kirby,1887 _ Range (in code): SL CI NG CG CM
- 12780. *Epitola elissa* Grose-Smith,1898** (Lycaenidae) **Synonym(s):** *elissa* Grose-Smith,1898; *oniensis* Roche,1954 _ Range (in code): SL NG CM
- 12781. *Epitola flavoantennata* Roche,1954** (Lycaenidae) **Synonym(s):** *flavoantennata* Roche,1954 Range (in code): CM CG ZR
- 12782. *Epitola gerina* Hewitson,1878** (Lycaenidae) **Synonym(s):** *gerina* Hewitson,1878 _ Range (in code): CI NG CG ZR UG
- 12783. *Epitola ghesquierei* Roche,1954** (Lycaenidae) **Synonym(s):** *ghesquierei* Roche,1954; *nigeriae* Jackson,1962 _ Range (in code): NG CM CG ZR
- 12784. *Epitola goodi* Holland,1890** (Lycaenidae) **Synonym(s):** *goodi* Holland,1890 _ Range (in code): GA ZR UG
- 12785. *Epitola hewitsoni* Mabille,1877** (Lycaenidae) **Synonym(s):** *hewitsoni* Mabille,1877; *falkensteinii* Dewitz,1879 _ Range (in code): AO
- 12786. *Epitola hewitsonioides* Hawker-Smith,1933** (Lycaenidae) **Synonym(s):** *hewitsonioides* Hawker-Smith,1933 _ Range (in code): CM CG ZR
- 12787. *Epitola ikoya* Roche,1954** (Lycaenidae) **Synonym(s):** *ikoya* Roche,1954 _ Range (in code): NG ZR
- 12788. *Epitola insulana* Aurivillius,1923** (Lycaenidae) **Synonym(s):** *insulana* Aurivillius,1923 Range (in code): GO
- 12789. *Epitola intermedia* Roche,1954** (Lycaenidae) **Synonym(s):** *intermedia* Roche,1954 Range (in code): CG UG
- 12790. *Epitola iturina* Joicey & Talbot,1921** (Lycaenidae) **Synonym(s):** *iturina* Joicey & Talbot,1921; *bella* Aurivillius,1923 _ Range (in code): CM CG ZR
- 12791. *Epitola ivoirensis* Jackson,1967** (Lycaenidae) **Synonym(s):** *ivoirensis* Jackson,1967 Range (in code): CI
- 12792. *Epitola kamengensis* Jackson,1962** (Lycaenidae) **Synonym(s):** *kamengensis* Jackson,1962 Range (in code): UG KE TZ
- 12793. *Epitola katerae* Jackson,1962** (Lycaenidae) **Synonym(s):** *katerae* Jackson,1962 _ Range (in code): UG
- 12794. *Epitola katherinae* Poulton,1929** (Lycaenidae) **Synonym(s):** *katherinae* Poulton,1929 Range (in code): NG
- 12795. *Epitola lamborni* Bethune-Baker,1922** (Lycaenidae) **Synonym(s):** *lamborni* Bethune-Baker,1922 _ Range (in code): NG
- 12796. *Epitola leonina* Staudinger,1888** (Lycaenidae) **Synonym(s):** *leonina* Staudinger,1888; *ciconia* Grose-Smith,1892 _ Range (in code): SL NG ZR UG
- 12797. *Epitola liana* Roche,1954** (Lycaenidae) **Synonym(s):** *liana* Roche,1954 _ Range (in code): UG SL ZR
- 12798. *Epitola maculata* Hawker-Smith,1926** (Lycaenidae) **Synonym(s):** *maculata* Hawker-Smith,1926; *pulchra* Jackson,1964 _ Range (in code): CG CI ZR UG
- 12799. *Epitola magnifica* Jackson,1964** (Lycaenidae) **Synonym(s):** *magnifica* Jackson,1964 Range (in code): CG
- 12800. *Epitola mara* Talbot,1935** (Lycaenidae) **Synonym(s):** *mara* Talbot,1935 _ Range (in code): UG
- 12801. *Epitola marginata* Kirby,1887** (Lycaenidae) **Synonym(s):** *marginata* Kirby,1887; *umbratilis* Holland,1890 _ Range (in code): NG CG GA ZR UG

- 12802. *Epitola mengoensis* Bethune-Baker, 1906** (Lycaenidae) **Synonym(s):** *mengoensis* Bethune-Baker, 1906 **Range (in code):** **UG**
- 12803. *Epitola mercedes* Suffert, 1904** (Lycaenidae) **Synonym(s):** *mercedes* Suffert, 1904 **Range (in code):** **CM NG**
- 12804. *Epitola miranda* Staudinger, 1889** (Lycaenidae) **Synonym(s):** *miranda* Staudinger, 1889 **Range (in code):** **UG ZR TZ SL CI NG CM**
- 12805. *Epitola miranda miranda* Staudinger, 1889** (Lycaenidae) **Synonym(s):** *miranda* Staudinger, 1889 **Range (in code):** **SL CI NG CM**
- 12806. *Epitola miranda vidua* Talbot, 1935** (Lycaenidae) **Synonym(s):** *vidua* Talbot, 1935 **Range (in code):** **UG ZR TZ**
- 12807. *Epitola mirifica* Jackson, 1964** (Lycaenidae) **Synonym(s):** *mirifica* Jackson, 1964 **Range (in code):** **CG**
- 12808. *Epitola mongiro* Jackson, 1968** (Lycaenidae) **Synonym(s):** *mongiro* Jackson, 1968 **Range (in code):** **UG ZR**
- 12809. *Epitola moyambina* Bethune-Baker, 1903** (Lycaenidae) **Synonym(s):** *moyambina* Bethune-Baker, 1903 **Range (in code):** **SL NG**
- 12810. *Epitola mpangensis* Jackson, 1962** (Lycaenidae) **Synonym(s):** *mpangensis* Jackson, 1962 **Range (in code):** **KE UG ZR**
- 12811. *Epitola nigra* Bethune-Baker, 1903** (Lycaenidae) **Synonym(s):** *nigra* Bethune-Baker, 1903 **Range (in code):** **SL CI CM NG**
- 12812. *Epitola nigrovenata* Jackson, 1962** (Lycaenidae) **Synonym(s):** *nigrovenata* Jackson, 1962 **Range (in code):** **NG CG ZR**
- 12813. *Epitola nitide* Druce, 1910** (Lycaenidae) **Synonym(s):** *nitide* Druce, 1910 **Range (in code):** **CM CG**
- 12814. *Epitola obscura* Hawker-Smith, 1933** (Lycaenidae) **Synonym(s):** *obscura* Hawker-Smith, 1933 **Range (in code):** **LR CI NG**
- 12815. *Epitola orientalis* Roche, 1954** (Lycaenidae) **Synonym(s):** *orientalis* Roche, 1954 **Range (in code):** **UG**
- 12816. *Epitola ouesso* Jackson, 1962** (Lycaenidae) **Synonym(s):** *ouesso* Jackson, 1962 **Range (in code):** **CG CM**
- 12817. *Epitola pinodes* Druce, 1890** (Lycaenidae) **Synonym(s):** *pinodes* Druce, 1890 **Range (in code):** **SL CI NG ZR**
- 12818. *Epitola pinodoides* Grose-Smith & Kirby, 1893** (Lycaenidae) **Synonym(s):** *pinodoides* Grose-Smith & Kirby, 1893 **Range (in code):** **SL**
- 12819. *Epitola posthumus* (Fabricius, 1793)** (Lycaenidae) **Synonym(s):** *posthumus* Fabricius, 1793; *elion* Westwood, [1851]; *belli* Hewitson, 1874 **Range (in code):** **SL CI GH NG CM CG ZR UG**
- 12820. *Epitola pseudelissa* Jackson, 1968** (Lycaenidae) **Synonym(s):** *pseudelissa* Jackson, 1968 **Range (in code):** **NG SL**
- 12821. *Epitola pseudoconjuncta* Jackson, 1962** (Lycaenidae) **Synonym(s):** *pseudoconjuncta* Jackson, 1962 **Range (in code):** **UG CG**
- 12822. *Epitola pulverulenta* Dufrane, 1953** (Lycaenidae) **Synonym(s):** *pulverulenta* Dufrane, 1953 **Range (in code):** **ZR**
- 12823. *Epitola rileyi* Audeoud, 1936** (Lycaenidae) **Synonym(s):** *rileyi* Audeoud, 1936 **Range (in code):** **CM**
- 12824. *Epitola semibrunnea* Bethune-Baker, 1916** (Lycaenidae) **Synonym(s):** *semibrunnea* Bethune-Baker, 1916; *ammon Joicey & Talbot*, 1921 **Range (in code):** **CM ZR UG**
- 12825. *Epitola staudingeri* Kirby, 1890** (Lycaenidae) **Synonym(s):** *staudingeri* Kirby, 1890 **Range (in code):** **CG ZR GA SL NG**
- 12826. *Epitola staudingeri aequatorialis* Jackson, 1962** (Lycaenidae) **Synonym(s):** *aequatorialis* Jackson, 1962 **Range (in code):** **CG ZR GA**
- 12827. *Epitola staudingeri staudingeri* Kirby, 1890** (Lycaenidae) **Synonym(s):** *staudingeri* Kirby, 1890 **Range (in code):** **SL NG**
- 12828. *Epitola stempfferi* Jackson, 1962** (Lycaenidae) **Synonym(s):** *stempfferi* Jackson, 1962 **Range (in code):** **GA ZR CG**
- 12829. *Epitola subargentea* Jackson, 1964** (Lycaenidae) **Synonym(s):** *subargentea* Jackson, 1964 **Range (in code):** **UG**

- 12830. *Epitola subgriseata* Jackson,1964** (Lycaenidae) Synonym(s): *subgriseata* Jackson,1964
Range (in code): **UG**
- 12831. *Epitola sublustris* Bethune-Baker,1904** (Lycaenidae) Synonym(s): *sublustris* Bethune-Baker,1904 _ Range (in code): **SL CI GH NG CM ZR**
- 12832. *Epitola suzannae* Berger,1981** (Lycaenidae) Synonym(s): *suzannae* Berger,1981 _ Range (in code): **ZR**
- 12833. *Epitola tumentia* Druce,1910** (Lycaenidae) Synonym(s): *tumentia* Druce,1910 _ Range (in code): **NG CG ZR**
- 12834. *Epitola uniformis* Kirby,1887** (Lycaenidae) Synonym(s): *uniformis* Kirby,1887 _ Range (in code): **SL AO CM ZR**
- 12835. *Epitola urania* Kirby,1887** (Lycaenidae) Synonym(s): *urania* Kirby,1887 _ Range (in code): **SL CI CM GA CG ZR UG**
- 12836. *Epitola urania tanganikensis* Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *tanganikensis* Joicey & Talbot,1921 _ Range (in code): **ZR UG**
- 12837. *Epitola urania urania* Kirby,1887** (Lycaenidae) Synonym(s): *urania* Kirby,1887
Range (in code): **SL CI CM GA CG**
- 12838. *Epitola vinalli* Talbot,1935** (Lycaenidae) Synonym(s): *vinalli* Talbot,1935; *subcoerulea* Roche,1954 _ Range (in code): **GA SL ZR CG**
- 12839. *Epitola virginea* Bethune-Baker,1904** (Lycaenidae) Synonym(s): *virginea* Bethune-Baker,1904 _ Range (in code): **SL CI GH NG**
- 12840. *Epitola viridana* Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *viridana* Joicey & Talbot,1921 _ Range (in code): **CG ZR UG KE CM**
- 12841. *Epitola viridana radiata* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *radiata* Bethune-Baker,1926 _ Range (in code): **CM**
- 12842. *Epitola viridana viridana* Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *viridana* Joicey & Talbot,1921 _ Range (in code): **CG ZR UG KE**
- 12843. *Epitola zelica* Kirby,1890** (Lycaenidae) Synonym(s): *zelica* Kirby,1890; *subalba* Bethune-Baker,1915 _ Range (in code): **CM UG**
- 12844. *Epitola zelza* Hewitson,1873** (Lycaenidae) Synonym(s): *zelza* Hewitson,1873; *badia* Kirby,1887 _ Range (in code): **CM NG CG ZR**
- 12845. *Epitolina catori* Bethune-Baker,1904** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1904 _ Range (in code): **SL NG CI UG**
- 12846. *Epitolina catori catori* Bethune-Baker,1904** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1904 _ Range (in code): **SL NG CI**
- 12847. *Epitolina catori ugandae* Jackson,1962** (Lycaenidae) Synonym(s): *ugandae* Jackson,1962
Range (in code): **UG**
- 12848. *Epitolina dispar* (Kirby,1887)** (Lycaenidae) Synonym(s): *dispar* Kirby,1887; *mnestra* Möschler,1887; *melissa* Druce,1888; *cordelia* Kirby,1890; *dubia* Kirby,1890 _ Range (in code): **CM GH GA Ogo SL ZR GN UG**
- 12849. *Eresina bergeri* Stempffer,1956** (Lycaenidae) Synonym(s): *bergeri* Stempffer,1956
Range (in code): **ZR UG CG**
- 12850. *Eresina bilinea* Talbot,1935** (Lycaenidae) Synonym(s): *bilinea* Talbot,1935 _ Range (in code): **ZR KE UG**
- 12851. *Eresina conradti* Stempffer,1956** (Lycaenidae) Synonym(s): *conradti* Stempffer,1956
Range (in code): **CM UG**
- 12852. *Eresina corynetes* (Grose-Smith & Kirby,1890)** (Lycaenidae) Synonym(s): *corynetes* Grose-Smith & Kirby,1890 _ Range (in code): **CM GA**
- 12853. *Eresina crola* Talbot,1935** (Lycaenidae) Synonym(s): *crola* Talbot,1935 _ Range (in code): **KE UG**
- 12854. *Eresina fontainei* Stempffer,1956** (Lycaenidae) Synonym(s): *fontainei* Stempffer,1956
Range (in code): **KE ZR UG CM NG CI**
- 12855. *Eresina fusca* (Cator,1904)** (Lycaenidae) Synonym(s): *fusca* Cator,1904 _ Range (in code): **SL CI NG**
- 12856. *Eresina jacksoni* Stempffer,1961** (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1961
Range (in code): **KE UG SL**
- 12857. *Eresina katangana* Stempffer,1956** (Lycaenidae) Synonym(s): *katangana* Stempffer,1956
Range (in code): **ZR**

- 12858. *Eresina katera* Stempffer, 1962** (Lycaenidae) Synonym(s): *katera* Stempffer, 1962
Range (in code): **UG**
- 12859. *Eresina likouala* Stempffer, 1962** (Lycaenidae) Synonym(s): *likouala* Stempffer, 1962
Range (in code): **CG**
- 12860. *Eresina maesseni* Stempffer, 1956** (Lycaenidae) Synonym(s): *maesseni* Stempffer, 1956
Range (in code): **GH NG**
- 12861. *Eresina masaka* Stempffer, 1962** (Lycaenidae) Synonym(s): *masaka* Stempffer, 1962
Range (in code): **UG**
- 12862. *Eresina pseudofusca* Stempffer, 1961** (Lycaenidae) Synonym(s): *pseudofusca* Stempffer, 1961
Range (in code): **CI GH UG NG**
- 12863. *Eresina rougeoti* Stempffer, 1956** (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1956
Range (in code): **ZR UG CG GA CM NG GO SL**
- 12864. *Eresina saundersi* Stempffer, 1956** (Lycaenidae) Synonym(s): *saundersi* Stempffer, 1956
Range (in code): **GH NG CI**
- 12865. *Eresina theodori* Stempffer, 1956** (Lycaenidae) Synonym(s): *theodori* Stempffer, 1956
Range (in code): **NG GH CI SL**
- 12866. *Eresina toroensis* Joicey & Talbot, 1921** (Lycaenidae) Synonym(s): *toroensis* Joicey & Talbot, 1921
Range (in code): **UG ZR**
- 12867. *Eresinopsides bichroma* Strand, 1911** (Lycaenidae) Synonym(s): *bichroma* Strand, 1911; *staphyla* Hulstaert, 1924
Range (in code): **TZ ZR KE**
- 12868. *Eresinopsides bichroma bichroma* Strand, 1911** (Lycaenidae) Synonym(s): *bichroma* Strand, 1911; *staphyla* Hulstaert, 1924
Range (in code): **TZ ZR**
- 12869. *Eresinopsides bichroma jefferyi* Stempffer, 1950** (Lycaenidae) Synonym(s): *jefferyi* Stempffer, 1950
Range (in code): **KE**
- 12870. *Eresiomera beni* (Stempffer, 1961)** (Lycaenidae) Synonym(s): *beni* Stempffer, 1961
Range (in code): **CM CG ZR UG**
- 12871. *Eresiomera bicolor* (Grose-Smith & Kirby, 1890)** (Lycaenidae) Synonym(s): *bicolor* Grose-Smith & Kirby, 1890
Range (in code): **NG CI**
- 12872. *Eresiomera clenchi* (Stempffer, 1961)** (Lycaenidae) Synonym(s): *clenchi* Stempffer, 1961
Range (in code): **GA CM CG**
- 12873. *Eresiomera cornesi* (Stempffer, 1969)** (Lycaenidae) Synonym(s): *cornesi* Stempffer, 1969
Range (in code): **NG**
- 12874. *Eresiomera cornucopiae* (Holland, 1892)** (Lycaenidae) Synonym(s): *cornucopiae* Holland, 1892
Range (in code): **GA**
- 12875. *Eresiomera isca* (Hewitson, 1873)** (Lycaenidae) Synonym(s): *isca* Hewitson, 1873; *#demaculata* Hulstaert, 1924
Range (in code): **GN CM GA ZR UG**
- 12876. *Eresiomera isca isca* (Hewitson, 1873)** (Lycaenidae) Synonym(s): *isca* Hewitson, 1873; *#demaculata* Hulstaert, 1924
Range (in code): **GN CM GA ZR**
- 12877. *Eresiomera isca magnimacula* (Rebel, 1914)** (Lycaenidae) Synonym(s): *magnimacula* Rebel, 1914
Range (in code): **ZR UG**
- 12878. *Eresiomera issia* (Stempffer, 1969)** (Lycaenidae) Synonym(s): *issia* Stempffer, 1969
Range (in code): **CI**
- 12879. *Eresiomera jacksoni* (Stempffer, 1969)** (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1969
Range (in code): **CI**
- 12880. *Eresiomera mapongwa* (Holland, 1893)** (Lycaenidae) Synonym(s): *mapongwa* Holland, 1893
Range (in code): **GA**
- 12881. *Eresiomera nigeriana* (Stempffer, 1962)** (Lycaenidae) Synonym(s): *nigeriana* Stempffer, 1962
Range (in code): **NG**
- 12882. *Eresiomera osheba* (Holland, 1890)** (Lycaenidae) Synonym(s): *osheba* Holland, 1890; *minium* Druce, 1910; *mildbraedi* Schultze, 1912
Range (in code): **AO CG GA CM**
- 12883. *Eresiomera ouesso* (Stempffer, 1962)** (Lycaenidae) Synonym(s): *ouesso* Stempffer, 1962
Range (in code): **CG NG**
- 12884. *Eresiomera paradoxa* (Schultze, 1917)** (Lycaenidae) Synonym(s): *paradoxa* Schultze, 1917
Range (in code): **CM CG UG**
- 12885. *Eresiomera paradoxa orientalis* (Stempffer, 1962)** (Lycaenidae) Synonym(s): *orientalis* Stempffer, 1962
Range (in code): **UG**

- 12886. Eresiomera paradoxa paradoxa (Schultze,1917)** (Lycaenidae) Synonym(s): *paradoxa* Schultze,1917 _ Range (in code): CM CG
- 12887. Eresiomera phaeochiton (Grünberg,1910)** (Lycaenidae) Synonym(s): *phaeochiton* Grünberg,1910 _ Range (in code): GO
- 12888. Eresiomera rougeoti (Stempffer,1961)** (Lycaenidae) Synonym(s): *rougeoti* Stempffer,1961 _ Range (in code): GA CG
- 12889. Eresiomera rutilo (Druce,1910)** (Lycaenidae) Synonym(s): *rutilo* Druce,1910 _ Range (in code): CM UG GA CG
- 12890. Erikssonina acraeina Trimen,1891** (Lycaenidae) Synonym(s): *acraeina* Trimen,1891 _ Range (in code): ZA Tva Lpo NA BW
- 12891. Erikssonina cooksoni Druce,1905** (Lycaenidae) Synonym(s): *cooksoni* Druce,1905 _ Range (in code): ZR
- 12892. Erora laeta (Edwards,1862)** (Lycaenidae) Synonym(s): *laeta* Edwards,1862; *clothilde* Edwards,1863 _ Range (in code): CA On Qb US Ge Knt Mai Mch Mrl Msc NCa Nh Nje Ny Oh Pns Tnn Vi Vr WVi Wc
- 12893. Erora quaderna (Hewitson,1868)** (Lycaenidae) Synonym(s): *quaderna* Hewitson,1868 _ Range (in code): US MX Arz Cf NMx Tx
- 12894. Euaspa forsteri (Esaki & Shirozu,1943)** (Lycaenidae) Synonym(s): *forsteri* Esaki & Shirozu,1943 _ Range (in code): TW
- 12895. Euaspa forsteri forsteri (Esaki & Shirozu,1943)** (Lycaenidae) Synonym(s): *forsteri* Esaki & Shirozu,1943 _ Range (in code): TW
- 12896. Euaspa milionia (Hewitson,[1869])** (Lycaenidae) Synonym(s): *milionia* Hewitson,[1869] _ Original Reference: Myrina milionia Hewitson,[1869], Ill. diurn. Lepid., Lycaenidae 1 (text), Suppl.: 5; 2 (plates), Suppl.: suppl. pl.3 figs.79,80. Range (in code): PK Mre Haz IN Kma NP TW
- 12897. Euaspa milionia formosana Nomura,1931** (Lycaenidae) Synonym(s): *formosana* Nomura,1931 _ Range (in code): TW
- 12898. Euaspa milionia milionia (Hewitson,[1869])** (Lycaenidae) Synonym(s): *milionia* Hewitson,[1869] _ Original Reference: Myrina milionia Hewitson,[1869], Ill. diurn. Lepid., Lycaenidae 1 (text), Suppl.: 5; 2 (plates), Suppl.: suppl. pl.3 figs.79,80. Range (in code): PK Mre Kma Haz IN NP
- 12899. Euaspa pavo De Nicéville,1887** (Lycaenidae) Synonym(s): *pavo* De Nicéville,1887 _ Range (in code): BT IN Ass Nag
- 12900. Euaspa pavo pavo De Nicéville,1887** (Lycaenidae) Synonym(s): *pavo* De Nicéville,1887 _ Range (in code): BT IN Ass Nag
- 12901. Euaspa tayal (Esaki & Shirozu,1943)** (Lycaenidae) Synonym(s): *tayal* Esaki & Shirozu,1943 _ Range (in code): TW
- 12902. Euaspa tayal tayal (Esaki & Shirozu,1943)** (Lycaenidae) Synonym(s): *tayal* Esaki & Shirozu,1943 _ Range (in code): TW
- 12903. Euchrysops abyssinica (Aurivillius,1922)** (Lycaenidae) Synonym(s): *abyssinica* Aurivillius,1922 _ Range (in code): ET
- 12904. Euchrysops albistriata (Capronnier,1889)** (Lycaenidae) Synonym(s): *albistriata* Capronnier,1889 _ Range (in code): GN SL LR CM ZR CI
- 12905. Euchrysops albistriata albistriata (Capronnier,1889)** (Lycaenidae) Synonym(s): *albistriata* Capronnier,1889 _ Range (in code): ZR
- 12906. Euchrysops albistriata greenwoodi D'Abrera,1980** (Lycaenidae) Synonym(s): *greenwoodi* D'Abrera,1980 _ Range (in code): GN SL LR CM CI
- 12907. Euchrysops barkeri (Trimen,1893)** (Lycaenidae) Synonym(s): *barkeri* Trimen,1893 _ Range (in code): ZA Nta Kzu Dbn Esw Lpo Tva Spb Kru K12 Pma Wm Ly SZ ZR KE UG TZ ZM MW ZW NA _ Bionomy: Larva on Bignoniaceae (Tecomaria), Fabaceae (Crotalaria, Eriosema, Ocimum, Rhynchosia, Vigna) (Ackery et al.,1995).
- 12908. Euchrysops brunneus Bethune-Baker,1923** (Lycaenidae) Synonym(s): *brunneus* Bethune-Baker,1923 _ Range (in code): SO KE Nai UG
- 12909. Euchrysops cnejus (Fabricius,1798)** (Lycaenidae) Synonym(s): *cnejus* Fabricius,1798; *pandia* Kollar,[1844]; *patala* Kollar,[1844]; *hypoleuca* Prittwitz,1867; *samoa* Herrich-Schäffer,1869; *amazara* Kirby,1871; *hapalina* Butler,1883; *vitiensis* Butler,1883; *trifracta* Butler,1884; *theseus* Swinhoe,1885; *luzonicus* Röber,1886; *cnidus* Waterhouse & Lyell,1914; *suffusus* Rothschild,1915 _ Original Reference: Hesperia cnejus Fabricius,1798, Ent. Syst., Suppl.: 430. Type(s): India. Range (in code): IN LK MM Adm Nk

PK Cp Haz Mre Pj MY Lkw LA VN TH CMa Cbu Knc Phu Nst Chw Bnk CN TW JP PG AU FJ PH Luz Ceb Ley Pal Taw ID

- 12910. *Euchrysops cnejus cnejus* (Fabricius,1798)** (Lycaenidae) **Synonym(s):** *cnejus* Fabricius,1798; *pandia* Kollar,[1844]; *patala* Kollar,[1844]; *hypoleuca* Prittwitz,1867; *samoa* Herrich-Schäffer,1869; *amazara* Kirby,1871; *hapalina* Butler,1883; *vitiensis* Butler,1883; *trifracta* Butler,1884; *theseus* Swinhoe,1885; *luzonicus* Röber,1886; *cnidus* Waterhouse & Lyell,1914; *suffusus* Rothschild,1915 **Original Reference:** *Hesperia cnejus* Fabricius,1798, Ent. Syst., Suppl.: 430. **Type(s):** India. **Range (in code):** **IN LK MM Adm Nk PK Cp Haz Mre Pj MY Lkw LA VN TH CMa Cbu Knc Phu Nst Chw Bnk CN TW JP PG AU FJ PH Luz Ceb Ley Pal Taw ID**
- 12911. *Euchrysops crawshayi* (Butler,1899)** (Lycaenidae) **Synonym(s):** *crawshayi* Butler,1899; *subdita* Grose-Smith,1901; *crawshayinus* Aurivillius,1924 **Range (in code):** **KE UG TZ SD RW BI**
- 12912. *Euchrysops crawshayi crawshayi* (Butler,1899)** (Lycaenidae) **Synonym(s):** *crawshayi* Butler,1899; *subdita* Grose-Smith,1901; *crawshayinus* Aurivillius,1924 **Range (in code):** **KE UG TZ SD**
- 12913. *Euchrysops crawshayi fontainei* Stempffer,1967** (Lycaenidae) **Synonym(s):** *fontainei* Stempffer,1967 **Range (in code):** **RW BI**
- 12914. *Euchrysops cyclopteris* (Butler,1876)** (Lycaenidae) **Synonym(s):** *cyclopteris* Butler,1876 **Range (in code):** **ET NG CF SD**
- 12915. *Euchrysops decaryi* Stempffer,1947** (Lycaenidae) **Synonym(s):** *decaryi* Stempffer,1947 **Range (in code):** **MG**
- 12916. *Euchrysops dolorosa* (Trimen,1887)** (Lycaenidae) **Synonym(s):** *dolorosa* Trimen,1887. **Original Reference:** *Lycaena dolorosa* Trimen,1887, South African Butterflies 2: 41. **Syntypes:** [South Africa]: "Potchefstroom District; Natal: Estcourt, Biggarsberg, Blue Bank near Drakensberg, Kaffraria Pr.- Bashee R." **Range (in code):** **ZA Tva Lpo Spb Nta Kzu Ec ZM ZW NA** **Bionomy:** Larva on Fabaceae (Vigna), Lamiaceae (Becium, Salvia) (Ackery et al.,1995).
- 12917. *Euchrysops horus* (Stoneham,1938)** (Lycaenidae) **Synonym(s):** *horus* Stoneham,1938 **Range (in code):** **KE**
- 12918. *Euchrysops jacksoni* Stempffer,1952** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer,1952 **Range (in code):** **SN CI GH NG UG**
- 12919. *Euchrysops kabrosae* (Bethune-Baker,1906)** (Lycaenidae) **Synonym(s):** *kabrosae* Bethune-Baker,1906 **Range (in code):** **KE UG**
- 12920. *Euchrysops katangae* Bethune-Baker,1923** (Lycaenidae) **Synonym(s):** *katangae* Bethune-Baker,1923 **Range (in code):** **ZR**
- 12921. *Euchrysops latrunculata* (Grünberg,1910)** (Lycaenidae) **Synonym(s):** *latrunculata* Grünberg,1910 **Range (in code):** **CM**
- 12922. *Euchrysops lois* (Butler,1886)** (Lycaenidae) **Synonym(s):** *lois* Butler,1886 **Original Reference:** *Catochrysops lois* Butler,1886, Proc. zool. Soc. Lond. 1885: 762. **Syntypes:** Somalia: Bunder Maria. **Range (in code):** **Ad As Dh Hd OM SA SO YE**
- 12923. *Euchrysops lois lois* (Butler,1886)** (Lycaenidae) **Synonym(s):** *lois* Butler,1886 **Original Reference:** *Catochrysops lois* Butler,1886, Proc. zool. Soc. Lond. 1885: 762. **Syntypes:** Somalia: Bunder Maria. **Range (in code):** **Ad As Dh Hd OM SA SO YE**
- 12924. *Euchrysops malathana* (Boisduval,1833)** (Lycaenidae) **Synonym(s):** *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabille,1877. **Original Reference:** *Lycaena malathana* Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 174. **Syntypes:** Madagascar. **Range (in code):** **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MG ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE YE47 ZA Tva Lpo Spb Mdk Kru Pma K12 Ent ZM ZR ZW**
- 12925. *Euchrysops malathana malathana* (Boisduval,1833)** (Lycaenidae) **Synonym(s):** *malathana* Boisduval,1833; *asopus* Hopffer,1855; *kama* Trimen,1862; *conguensis* Mabille,1877. **Original Reference:** *Lycaena malathana* Boisduval,1833, Nouv. Annls Mus. Hist. Nat. Paris 2: 174. **Syntypes:** Madagascar. **Range (in code):** **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS MG ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE YE47 ZA Tva Lpo Spb Mdk Kru Pma K12 Ent ZM ZR ZW**
- 12926. *Euchrysops mauensis* Bethune-Baker,1923** (Lycaenidae) **Synonym(s):** *mauensis* Bethune-Baker,1923 **Range (in code):** **ET KE**
- 12927. *Euchrysops mauensis abyssiniae* Storace,1950** (Lycaenidae) **Synonym(s):** *abyssiniae* Storace,1950 **Range (in code):** **ET**
- 12928. *Euchrysops mauensis mauensis* Bethune-Baker,1923** (Lycaenidae) **Synonym(s):** *mauensis* Bethune-Baker,1923 **Range (in code):** **KE**

- 12929. *Euchrysops migiurtiniensis* Stempffer, 1946** (Lycaenidae) **Synonym(s):** *migiurtiniensis* Stempffer, 1946 **Range (in code):** **SO**
- 12930. *Euchrysops nandensis* (Neave, 1904)** (Lycaenidae) **Synonym(s):** *nandensis* Neave, 1904 **Range (in code):** **KE ET TZ**
- 12931. *Euchrysops nilotica* (Aurivillius, 1904)** (Lycaenidae) **Synonym(s):** *nilotica* Aurivillius, 1904 **Range (in code):** **SD**
- 12932. *Euchrysops osiris* (Hopffer, 1855)** (Lycaenidae) **Synonym(s):** *osiris* Hopffer, 1855; *anubis* Snellen, 1872; *phoa* Snellen, 1872; *pyrrhops* Mabille, 1877; *cuprescens* Sharpe, 1898; *australis* Hulstaert, 1924. **Original Reference:** *Lycaena osiris* Hopffer, 1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. **Type(s):** Mossambique. **Range (in code):** **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG OM RW SA Bhh SD SL SN SO ST SZ TD TG TN TZ UG YE ZA Tva Lpo Spb Kru Pma K12 Suw Ly Wri Wb Mpu Brb ZM ZR ZW**
- 12933. *Euchrysops osiris orientalis* Hulstaert, 1924** (Lycaenidae) **Synonym(s):** *orientalis* Hulstaert, 1924 **Range (in code):** **UG**
- 12934. *Euchrysops osiris osiris* (Hopffer, 1855)** (Lycaenidae) **Synonym(s):** *osiris* Hopffer, 1855; *anubis* Snellen, 1872; *phoa* Snellen, 1872; *pyrrhops* Mabille, 1877; *cuprescens* Sharpe, 1898; *australis* Hulstaert, 1924. **Original Reference:** *Lycaena osiris* Hopffer, 1855, Ber. Verh. Akad. Wiss. Berlin 1855: 642. **Type(s):** Mossambique. **Range (in code):** **Ad AO As BF BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TN TZ YE ZA Tva Lpo Spb Kru Pma K12 Suw Ly Wri Wb Mpu Brb ZM ZR ZW**
- 12935. *Euchrysops philbyi* Gabriel, 1954** (Lycaenidae) **Synonym(s):** *philbyi* Gabriel, 1954 **Original Reference:** *Euchrysops philbyi* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 386, pl. xviii figs. 6, 7. Holotype ♂: Saudi Arabia: Hamuma. (BMNH) **Range (in code):** **As SA YE**
- 12936. *Euchrysops philbyi philbyi* Gabriel, 1954** (Lycaenidae) **Synonym(s):** *philbyi* Gabriel, 1954 **Original Reference:** *Euchrysops philbyi* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 386, pl. xviii figs. 6, 7. Holotype ♂: Saudi Arabia: Hamuma. (BMNH) **Range (in code):** **As SA YE**
- 12937. *Euchrysops reducta* Hulstaert, 1924** (Lycaenidae) **Synonym(s):** *reducta* Hulstaert, 1924 **Range (in code):** **ET ZR CM**
- 12938. *Euchrysops reducta niveocincta* Ungemach, 1932** (Lycaenidae) **Synonym(s):** *niveocincta* Ungemach, 1932 **Range (in code):** **ET**
- 12939. *Euchrysops reducta reducta* Hulstaert, 1924** (Lycaenidae) **Synonym(s):** *reducta* Hulstaert, 1924 **Range (in code):** **ZR CM**
- 12940. *Euchrysops severini* Hulstaert, 1924** (Lycaenidae) **Synonym(s):** *severini* Hulstaert, 1924 **Range (in code):** **ZR TZ UG KE ET**
- 12941. *Euchrysops subpallida* Bethune-Baker, 1923** (Lycaenidae) **Synonym(s):** *subpallida* Bethune-Baker, 1923; *major* Bethune-Baker, 1923; *fescennia* Hulstaert, 1924 **Range (in code):** **KE Nai ZM ZR TZ MW ZW BW NA NG ZA**
- 12942. *Euchrysops unigemmata* (Butler, 1895)** (Lycaenidae) **Synonym(s):** *unigemmata* Butler, 1895; *browni* Stempffer, 1954 **Range (in code):** **MW ZR**
- 12943. *Euliphyra leucyana* (Hewitson, 1874)** (Lycaenidae) **Synonym(s):** *leucyana* Hewitson, 1874 **Range (in code):** **NG UG ZR CM CI LR SL**
- 12944. *Euliphyra mirifica* Holland, 1890** (Lycaenidae) **Synonym(s):** *mirifica* Holland, 1890 **Range (in code):** **AO GA NG CG CM CI LR SL**
- 12945. *Euliphyra mirifica mirifica* Holland, 1890** (Lycaenidae) **Synonym(s):** *mirifica* Holland, 1890 **Range (in code):** **AO GA NG CG**
- 12946. *Euliphyra mirifica sjoestedti* Aurivillius, 1895** (Lycaenidae) **Synonym(s):** *sjoestedti* Aurivillius, 1895; *hewitsoni* Aurivillius, 1898 **Range (in code):** **CM CI LR SL**
- 12947. *Eumaeus atala* (Poey, 1832)** (Lycaenidae) **Synonym(s):** *atala* Poey, 1832; *florida* Röber, 1926; *grayi* W.P. Comstock & Huntington, 1943 **Range (in code):** **US Fl Ilm CU**
- 12948. *Eumaeus childrenae* (Gray, 1832)** (Lycaenidae) **Synonym(s):** *childrenae* Gray, 1832; *debora* Geyer, [1834] **Range (in code):** **MX**
- 12949. *Eumaeus godartii* (Boisduval, 1870)** (Lycaenidae) **Synonym(s):** *godartii* Boisduval, 1870; *costaricensis* Draudt, 1916 **Range (in code):** **CR GT**
- 12950. *Eumaeus minyas* (Hübner, [1809])** (Lycaenidae) **Synonym(s):** *minyas* Hübner, [1809]; *#minijas* Poey, 1832; *peruviana* Lathy, 1926; *superbus* Röber, 1926 **Range (in code):** **PE BO**

- 12951. Eumaeus toxana (Boisduval,1870)** (Lycaenidae) Synonym(s): *toxana* Boisduval,1870; *brasiliensis* Draudt,1919; *obsoleta* Lathy,1926; *giganteus* Röber,1927; *splendidissima* Bryk,1953; *sara* Constantino & K.Johnson,1997 _ Range (in code): BR BO EC PE CO
- 12952. Eumaeus toxea (Godart,[1824])** (Lycaenidae) Synonym(s): *toxea* Godart,[1824]
- 12953. Euphilotes battoides** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Cf Col Id Mon NMx Ne Org Ut Ws
- 12954. Euphilotes battoides allyni** (Lycaenidae) Synonym(s): _ Range (in code): US
- 12955. Euphilotes battoides baueri** (Lycaenidae) Synonym(s): _ Range (in code): US Arz Ne Ut
- 12956. Euphilotes battoides bernardino** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Cf Ne Ut
- 12957. Euphilotes battoides centralis** (Lycaenidae) Synonym(s): _ Range (in code): US
- 12958. Euphilotes battoides ellisi** (Lycaenidae) Synonym(s): _ Range (in code): US Arz Cf Col Ne Ut
- 12959. Euphilotes battoides intermedia** (Lycaenidae) Synonym(s): _ Range (in code): US Cf Ne Org
- 12960. Euphilotes enoptes** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Cf Col Id Mon NMx Ne Neb Org SDk Ws Wy
- 12961. Euphilotes enoptes ancilla** (Lycaenidae) Synonym(s): _ Range (in code): US Cf Col Id Mon NMx Ne Neb Org SDk Ut Ws Wy
- 12962. Euphilotes enoptes dammersi** (Lycaenidae) Synonym(s): _ Range (in code): US
- 12963. Euphilotes enoptes mojave** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Cf Ne Ut
- 12964. Euphilotes rita** (Lycaenidae) Synonym(s): _ Range (in code): US Arz Col NMx Ne Neb Tx Ut Wy
- 12965. Euphilotes rita pallescens** (Lycaenidae) Synonym(s): _ Range (in code): US Arz Cf Ne Ut
- 12966. Euphilotes spaldingi** (Lycaenidae) Synonym(s): _ Range (in code): US Arz Col NMx Ne Ut
- 12967. Euthecta cooksoni Bennett,1954** (Lycaenidae) Synonym(s): *cooksoni* Bennett,1954 Range (in code): MZ
- 12968. Evenus batesii (Hewitson,1865)** (Lycaenidae) Synonym(s): *batesii* Hewitson,1865; *teresina* Hewitson,1878; *claudia* Brévignon,2000 _ Range (in code): BR Rja PA GF
- 12969. Evenus candidus (Druce,1907)** (Lycaenidae) Synonym(s): *candidus* Druce,1907; *gloriosa* Lathy,1930; *cuprea* Lathy,1930 _ Range (in code): CO EC
- 12970. Evenus coronata (Hewitson,1865)** (Lycaenidae) Synonym(s): *coronata* Hewitson,1865; *watkinsi* Lathy,1926 _ Range (in code): CO GT PE
- 12971. Evenus floralia (Druce,1907)** (Lycaenidae) Synonym(s): *floralia* Druce,1907; *tagyroides* Lathy,1930 _ Range (in code): BR GF
- 12972. Evenus gabriela (Cramer,1775)** (Lycaenidae) Synonym(s): *gabriela* Cramer,1775; *gabrielis* Fabricius,1781; *gabriel* Godart,[1824]; *boyi* Röber,1931 _ Range (in code): GY BR Azn
- 12973. Evenus latreillii (Hewitson,1865)** (Lycaenidae) Synonym(s): *latreillii* Hewitson,1865 Range (in code): BR
- 12974. Evenus regalis (Cramer,1775)** (Lycaenidae) Synonym(s): *regalis* Cramer,1775; *endymion* Fabricius,1781 nec Fabr.,1775 _ Range (in code): SR
- 12975. Evenus satyroides (Hewitson,1865)** (Lycaenidae) Synonym(s): *satyroides* Hewitson,1865; *arachne* Goodson,1945; *aganippe* Goodson,1945 _ Range (in code): BR MtG Sct
- 12976. Evenus sponsa (Möschler,1877)** (Lycaenidae) Synonym(s): *sponsa* Möschler,1877; *ornatrix* Druce,1907 _ Range (in code): SR GY
- 12977. Evenus sumptuosa (Druce,1907)** (Lycaenidae) Synonym(s): *sumptuosa* Druce,1907 Range (in code): BR EsS
- 12978. Evenus tagyra (Hewitson,1865)** (Lycaenidae) Synonym(s): *tagyra* Hewitson,1865 Range (in code): BR
- 12979. Evenus tematheia (Hewitson,1865)** (Lycaenidae) Synonym(s): *tematheia* Hewitson,1865 Range (in code): BR
- 12980. Everes amyntula** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Cf Col Id Mch Mns Mon NDk NMx Ne Neb Org SDk Ut Wc Ws Wy
- 12981. Everes comyntas** (Lycaenidae) Synonym(s): _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Vi Vr WVi Wc Ws Wy

- 12982. *Falcuna campimus* (Holland,1890)** (Lycaenidae) Synonym(s): *campimus* Holland,1890
Range (in code): **GA SL CM NG GH**
- 12983. *Falcuna campimus campimus* (Holland,1890)** (Lycaenidae) Synonym(s): *campimus* Holland,1890 _ Range (in code): **GA SL CM**
- 12984. *Falcuna campimus dilatata* (Schultze,1923)** (Lycaenidae) Synonym(s): *dilatata* Schultze,1923 _ Range (in code): **CM NG GH**
- 12985. *Falcuna dorotheae* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *dorotheae* Stempffer & Bennett,1963 _ Range (in code): **CM Bit ZR Kvu**
- 12986. *Falcuna gitte* Bennett,1969** (Lycaenidae) Synonym(s): *gitte* Bennett,1969 _ Range (in code): **NG**
- 12987. *Falcuna hollandii* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *lybissa* Dewitz,1887; *hollandii* Aurivillius,1895; *hollandi* Aurivillius,1898 _ Range (in code): **AO ZR CG CM Bit GO**
- 12988. *Falcuna hollandii hollandii* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *lybissa* Dewitz,1887; *hollandii* Aurivillius,1895; *hollandi* Aurivillius,1898 _ Range (in code): **ZR AO**
- 12989. *Falcuna hollandii nigricans* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *nigricans* Stempffer & Bennett,1963 _ Range (in code): **CG ZR**
- 12990. *Falcuna hollandii suffusa* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *suffusa* Stempffer & Bennett,1963 _ Range (in code): **CM Bit GO**
- 12991. *Falcuna iturina* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *iturina* Stempffer & Bennett,1963 _ Range (in code): **ZR Kvu UG**
- 12992. *Falcuna kasai* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *kasai* Stempffer & Bennett,1963 _ Range (in code): **ZR Kvu**
- 12993. *Falcuna lacteata* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *lacteata* Stempffer & Bennett,1963 _ Range (in code): **AO**
- 12994. *Falcuna leonensis* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *leonensis* Stempffer & Bennett,1963 _ Range (in code): **GN SL LR CI GH**
- 12995. *Falcuna libyssa* (Hewitson,1866)** (Lycaenidae) Synonym(s): *libyssa* Hewitson,1866
Range (in code): **AO NG Caa CM GO**
- 12996. *Falcuna libyssa angolensis* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *angolensis* Stempffer & Bennett,1963 _ Range (in code): **AO**
- 12997. *Falcuna libyssa cameroonica* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *cameroonica* Stempffer & Bennett,1963 _ Range (in code): **CM GO**
- 12998. *Falcuna libyssa libyssa* (Hewitson,1866)** (Lycaenidae) Synonym(s): *libyssa* Hewitson,1866 _ Range (in code): **NG Caa**
- 12999. *Falcuna lybia* (Staudinger,1892)** (Lycaenidae) Synonym(s): *lybia* Staudinger,1892
Range (in code): **GA CM CG**
- 13000. *Falcuna margarita* (Suffert,1904)** (Lycaenidae) Synonym(s): *margarita* Suffert,1904; *latemarginata* Schultze,1917 _ Range (in code): **CM ZR Shb CG GA**
- 13001. *Falcuna melandeta* (Holland,1893)** (Lycaenidae) Synonym(s): *melandeta* Holland,1893
Range (in code): **GA Ogo**
- 13002. *Falcuna orientalis* (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *orientalis* Bethune-Baker,1906; *confluens* Grünberg,1908 _ Range (in code): **UG KE ZR Kvu**
- 13003. *Falcuna orientalis bwamba* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *bwamba* Stempffer & Bennett,1963 _ Range (in code): **UG ZR Kvu**
- 13004. *Falcuna orientalis orientalis* (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *orientalis* Bethune-Baker,1906; *confluens* Grünberg,1908 _ Range (in code): **UG KE**
- 13005. *Falcuna overlaeti* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *overlaeti* Stempffer & Bennett,1963 _ Range (in code): **ZR**
- 13006. *Falcuna reducta* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *reducta* Stempffer & Bennett,1963 _ Range (in code): **CM Bit**
- 13007. *Falcuna semliki* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *semliki* Stempffer & Bennett,1963 _ Range (in code): **ZR**
- 13008. *Falcuna synesia* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *synesia* Hulstaert,1924; *#landana* Stempffer & Bennett,1963 _ Range (in code): **CM Bit CF ZR AO GA GO Bio CG**
- 13009. *Falcuna synesia fusca* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *fusca* Stempffer & Bennett,1963 _ Range (in code): **CF CM Bit**

- 13010. *Falcuna synesia gabonensis* Stempffer & Bennett,1963** (Lycaenidae) Synonym(s): *gabonensis* Stempffer & Bennett,1963 - Range (in code): GA GO Bio
- 13011. *Falcuna synesia synesia* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *synesia* Hulstaert,1924; #landana Stempffer & Bennett,1963 - Range (in code): AO ZR
- 13012. *Famegana alsulus* (Herrich-Schäffer,1869)** (Lycaenidae) Synonym(s): *alsulus* Herrich-Schäffer,1869 - Range (in code): PH Luz
- 13013. *Favonius aquamarinus* Dubatolov & Sergeev,1987** (Lycaenidae) Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987 - Range (in code): RU Vv
- 13014. *Favonius aquamarinus aquamarinus* Dubatolov & Sergeev,1987** (Lycaenidae) Synonym(s): *aquamarinus* Dubatolov & Sergeev,1987 - Range (in code): RU Vv
- 13015. *Favonius jezoensis* (Matsumura,1915)** (Lycaenidae) Synonym(s): *jezoensis* Matsumura,1915 - Range (in code): RU Vv
- 13016. *Favonius jezoensis jezoensis* (Matsumura,1915)** (Lycaenidae) Synonym(s): *jezoensis* Matsumura,1915 - Range (in code): RU Vv
- 13017. *Favonius korshunovi* Dubatolov & Sergeev,1982** (Lycaenidae) Synonym(s): *korshunovi* Dubatolov & Sergeev,1982 - Range (in code): RU Vv
- 13018. *Favonius korshunovi korshunovi* Dubatolov & Sergeev,1982** (Lycaenidae) Synonym(s): *korshunovi* Dubatolov & Sergeev,1982 - Range (in code): RU Vv
- 13019. *Favonius latifasciatus* (Shirozu & Hayasi,1959)** (Lycaenidae) Synonym(s): *latifasciatus* Shirozu & Hayasi,1959 - Range (in code): RU Vv
- 13020. *Favonius latifasciatus latifasciatus* (Shirozu & Hayasi,1959)** (Lycaenidae) Synonym(s): *latifasciatus* Shirozu & Hayasi,1959 - Range (in code): RU Vv
- 13021. *Favonius orientalis* (Murray,1875)** (Lycaenidae) Synonym(s): *orientalis* Murray,1875
Original Reference: Dipsas orientalis Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes: Japonia. Range (in code): RU Vv JP
- 13022. *Favonius orientalis orientalis* (Murray,1875)** (Lycaenidae) Synonym(s): *orientalis* Murray,1875
Original Reference: Dipsas orientalis Murray,1875, Entomologist's mon. Mag. 11: 169. Syntypes: Japonia. Range (in code): RU Vv JP
- 13023. *Favonius saphirinus* (Staudinger,1887)** (Lycaenidae) Synonym(s): *saphirinus* Staudinger,1887 - Range (in code): RU Vv
- 13024. *Favonius saphirinus saphirinus* (Staudinger,1887)** (Lycaenidae) Synonym(s): *saphirinus* Staudinger,1887 - Range (in code): RU Vv
- 13025. *Favonius ultramarinus* (Fixsen,1887)** (Lycaenidae) Synonym(s): *ultramarinus* Fixsen,1887 - Range (in code): RU Vv
- 13026. *Favonius ultramarinus ultramarinus* (Fixsen,1887)** (Lycaenidae) Synonym(s): *ultramarinus* Fixsen,1887 - Range (in code): RU Vv
- 13027. *Feniseca tarquinius* (Fabricius,1793)** (Lycaenidae) Synonym(s): *tarquinius* Fabricius,1793; *crataegi* Boisduval & Leconte,[1833]; *porsenna* Scudder,1864 - Range (in code): US Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi CA Nsc
- 13028. *Feniseca tarquinius novascotiae* McDunnough,1935** (Lycaenidae) Synonym(s): *novascotiae* McDunnough,1935 - Range (in code): CA Nsc
- 13029. *Feniseca tarquinius tarquinius* (Fabricius,1793)** (Lycaenidae) Synonym(s): *tarquinius* Fabricius,1793; *crataegi* Boisduval & Leconte,[1833]; *porsenna* Scudder,1864 - Range (in code): US Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi
- 13030. *Flos adriana* De Nicéville,1883** (Lycaenidae) Synonym(s): *adriana* De Nicéville,1883
Range (in code): SI IN Ass MM TH Knc
- 13031. *Flos adriana adriana* De Nicéville,1883** (Lycaenidae) Synonym(s): *adriana* De Nicéville,1883 - Range (in code): SI IN Ass MM TH Knc
- 13032. *Flos anniella* (Hewitson,1862)** (Lycaenidae) Synonym(s): *anniella* Hewitson,1862
Range (in code): PH Ley Luz Mar Mdo Mno Neg Pal MM Mrg MY Lkw Bor SG ID Sum Ja TH CMa TAK Nst Tng Yal
- 13033. *Flos anniella anniella* (Hewitson,1862)** (Lycaenidae) Synonym(s): *anniella* Hewitson,1862 - Range (in code): PH Ley Luz Mar Mdo Mno Neg Pal TH Nst Tng Yal SG MY ID Sum Bor

- 13034. Flos anniella artegai Doherty, 1889** (Lycaenidae) Synonym(s): *artegai Doherty, 1889*
Original Reference: Flos artegai Doherty, 1889, J. Asiat. Soc. Bengal 58: 423, pl. 23 fig. 5. Type: [Myanmar]: Burma: Tenasserim. Range (in code): MM Tns Mrg Lkw MY TH CMa CDo TAK Tng
- 13035. Flos anniella malangana (Toxopeus, 1929)** (Lycaenidae) Synonym(s): *malangana Toxopeus, 1929*
Original Reference: Amblypodia anniella ssp. malangana Toxopeus, 1929, Tijdschr. Ent. 72: 220. Type: [Indonesia]: Java. Range (in code): ID Ja
- 13036. Flos apidanus (Cramer, [1777])** (Lycaenidae) Synonym(s): *apidanus Cramer, [1777]; dorimond Stoll, 1790; antipaxas Fruhstorfer, 1914; alter Toxopeus, 1929* Range (in code): PH Bal Boh Luz Mdo Pal Pan Sam Mno Taw MM Mrg IN Ass VN TH Bnk Nna Nth Srt Nst Ths MY Bor Lkw ID Sum Bgk Btg Clb Nia Baw Ja Bli Lb Sbw Tan Bionomy: Larva on Eugenia [rose apple] (Myrtaceae) (Lewvanich, 2001).
- 13037. Flos apidanus ahamus Doherty, 1891** (Lycaenidae) Synonym(s): *ahamus Doherty, 1891*
Range (in code): MM Mrg IN Ass VN TH Bnk Nna Nth Srt Nst Ths MY Lkw Bionomy: Larva on Eugenia [rose apple] (Myrtaceae) (Lewvanich, 2001).
- 13038. Flos apidanus ambigua (Toxopeus, 1929)** (Lycaenidae) Synonym(s): *ambigua Toxopeus, 1929; anthracophila Toxopeus, 1929* Range (in code): ID Sum
- 13039. Flos apidanus apidanus (Cramer, [1777])** (Lycaenidae) Synonym(s): *apidanus Cramer, [1777]; dorimond Stoll, 1790; antipaxas Fruhstorfer, 1914; alter Toxopeus, 1929* Range (in code): ID Ja Bli Sbw Tan
- 13040. Flos apidanus arahat (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *arahat Fruhstorfer, 1914* Original Reference: Arhopala apidanus ssp. arahat Fruhstorfer, 1914, Dt. ent. Z., Iris 28: 127. Type: Bawean I. Range (in code): ID Baw
- 13041. Flos apidanus berossus (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *berossus Fruhstorfer, 1914* Range (in code): Bor
- 13042. Flos apidanus comes (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *comes Fruhstorfer, 1914* Range (in code): ID Lb
- 13043. Flos apidanus himma (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *himmma Fruhstorfer, 1914* Range (in code): PH Mno
- 13044. Flos apidanus palawanus (Staudinger, 1889)** (Lycaenidae) Synonym(s): *palawanus Staudinger, 1889* Original Reference: Amblypodia apidanus ssp. palawanus Staudinger, 1889, Dt. ent. Z., Iris 2: 130. Type: [Philippines]: Palawan. Range (in code): PH Bal Boh Luz Mdo Pal Pan Sam
- 13045. Flos apidanus phalakron (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *phalakron Fruhstorfer, 1914* Original Reference: Arhopala apidanus ssp. phalakron Fruhstorfer, 1914, Dt. ent. Z., Iris 28: 128. Type: Sumatra I. Range (in code): ID Sum
- 13046. Flos apidanus saturatus (Snellen, 1890)** (Lycaenidae) Synonym(s): *saturatus Snellen, 1890; kartaphilus Fruhstorfer, 1914* Range (in code): MY PH Taw ID Sum Bgk Btg
- 13047. Flos apidanus viribus (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *viribus Fruhstorfer, 1914* Range (in code): MY Bor
- 13048. Flos apidanus xisuthurus (Fruhstorfer, 1914)** (Lycaenidae) Synonym(s): *xisuthurus Fruhstorfer, 1914* Original Reference: Arhopala apidanus ssp. xisuthurus Fruhstorfer, 1914, Dt. ent. Z., Iris 28: 126. Type: Nias I. Range (in code): ID Nia
- 13049. Flos arca De Nicéville, 1883** (Lycaenidae) Synonym(s): *arca De Nicéville, 1883* Range (in code): ID Clb
- 13050. Flos areste (Hewitson, 1862)** (Lycaenidae) Synonym(s): *areste Hewitson, 1862* Range (in code): CN NP BT SI IN Ass MM TH CMa MY CMa Int
- 13051. Flos areste areste (Hewitson, 1862)** (Lycaenidae) Synonym(s): *areste Hewitson, 1862* Range (in code): CN NP BT SI IN Ass MM TH CMa MY CMa Int
- 13052. Flos asoka De Nicéville, 1883** (Lycaenidae) Synonym(s): *asoka De Nicéville, 1883* Range (in code): CN HK SI IN Ass MM TH CMa Nrt Nst Ths
- 13053. Flos asoka asoka De Nicéville, 1883** (Lycaenidae) Synonym(s): *asoka De Nicéville, 1883* Range (in code): CN HK SI IN Ass MM TH CMa Nrt Nst Ths
- 13054. Flos bungo Evans, 1957** (Lycaenidae) Synonym(s): *bungo Evans, 1957* Original Reference: Flos bungo Evans, 1957, Bull. Br. Mus. (Nat. Hist.) Ent. 5: 131. Holotype: Nias. Range (in code): ID Nia
- 13055. Flos chinensis (C. Felder & R. Felder, [1865])** (Lycaenidae) Synonym(s): *chinensis C. Felder & R. Felder, [1865]* Range (in code): CN BT IN SI Ass

- 13056. Flos diardi (Hewitson,1862)** (Lycaenidae) Synonym(s): *diardi* Hewitson,1862 _ Range (in code): **MM Mrg IN SI Ass TH Cbi CMA Kbi Tng Yal MY Bor SG ID Sum Ja PH Ley Luz Mar Mas Mdo Mno Neg Pal Sam Sga Stu Taw**
- 13057. Flos diardi capeta Hewitson,1878** (Lycaenidae) Synonym(s): *capeta* Hewitson,1878; *almansor Fruhstorfer,1914* _ Range (in code): **PH Ley Luz Mar Mas Mdo Mno Neg Pal Sam Sga Stu Taw TH Kbi Tng Yal SG MY Bor ID Sum Ja**
- 13058. Flos diardi diardi (Hewitson,1862)** (Lycaenidae) Synonym(s): *diardi* Hewitson,1862 Range (in code): **MM Mrg IN SI Ass TH Cbi CMA**
- 13059. Flos fulgida (Hewitson,[1863])** (Lycaenidae) Synonym(s): *fulgida* Hewitson,[1863] Range (in code): **SI IN Ass MM TH CMA Cuo Cuo6 CDo Nrt Nst Ths PH Bas Boh Mdo Mno MY SG Bor ID Sum Ja**
- 13060. Flos fulgida fulgida (Hewitson,[1863])** (Lycaenidae) Synonym(s): *fulgida* Hewitson,[1863] _ Range (in code): **IN SI Ass MM TH CMA Cuo Cuo6 CDo Nrt**
- 13061. Flos fulgida singhapura (Distant,1885)** (Lycaenidae) Synonym(s): *singhapura* Distant,1885 _ Range (in code): **MY SG TH Nst Ths Bor ID Sum Ja**
- 13062. Flos fulgida zilana Fruhstorfer,1900** (Lycaenidae) Synonym(s): *zilana* Fruhstorfer,1900 Range (in code): **PH Bas Boh Mdo Mno**
- 13063. Flos iriya Fruhstorfer,1914** (Lycaenidae) Synonym(s): *iriya* Fruhstorfer,1914 _ Range (in code): **PH Bas Luz Mdo Mno Pan**
- 13064. Flos kuhni Röber,1887** (Lycaenidae) Synonym(s): *kuhni* Röber,1887 _ Range (in code): **ID Clb Bng**
- 13065. Flos morphina (Distant,1884)** (Lycaenidae) Synonym(s): *morphina* Distant,1884 Range (in code): **MY PH Pal Bor ID Sum**
- 13066. Flos morphina morphina (Distant,1884)** (Lycaenidae) Synonym(s): *morphina* Distant,1884 _ Range (in code): **MY PH Pal Bor ID Sum**
- 13067. Flos morphina sidicina (Fruhstorfer,1914)** (Lycaenidae) Synonym(s): *sidicina* Fruhstorfer,1914 _ Range (in code): **ID Sum**
- 13068. Glaucopsyche (Apelles) astraia (Freyer,[1851])** (Lycaenidae) Synonym(s): *astraia* Freyer,[1851]; *#astraia Gerhard,1853* Original Reference: *Lycaena astraia* Freyer,[1851], *Neuere Beitr. Schmett.* 6(98): 161, Taf.583, figs.1,2. Type(s): Türkei: Amasia. Range (in code): **TR**
- 13069. Glaucopsyche (Apelles) astraia astraia (Freyer,[1851])** (Lycaenidae) Synonym(s): *astraia* Freyer,[1851]; *#astraia Gerhard,1853* Original Reference: *Lycaena astraia* Freyer,[1851], *Neuere Beitr. Schmett.* 6(98): 161, Taf.583, figs.1,2. Type(s): Türkei: Amasia. Range (in code): **TR**
- 13070. Glaucopsyche (Apelles) astraia eckweileri Koçak,1979** (Lycaenidae) Synonym(s): *eckweileri* Koçak,1979 Original Reference: *Glaucopsyche astraia* ssp.*eckweileri* Koçak,1979, *Atalanta* 10(4a): 310-311, figs. Holotype ♂: Turkey: Antalya Prov., Kohu Mts. (in coll. CESA). Range (in code): **TR**
- 13071. Glaucopsyche (Apelles) hazeri Karbalaye & Harandi,2007** (Lycaenidae) Synonym(s): *hazeri* Karbalaye & Harandi,2007 Original Reference: *Glaucopsyche hazeri* Karbalaye & Harandi,2007, *Atalanta* 38 (1/2): 177-178, figs. Holotype ♂: Iran: Kerman: Ghare Ayyoub Mt. Dehaj, 280km NW Kerman city 2300-2500m A.Karbalaye leg. (PPDRIT). Range (in code): **IR Ke**
- 13072. Glaucopsyche (Apelles) melanops (Boisduval,1828)** (Lycaenidae) Synonym(s): *melanops* Boisduval,1828; *saportae* Geyer,[1832] Original Reference: *Polyommatus melanops* Boisduval,1828, *Eur. lepid. Index*: 13. Syntypes: France: Galloprov., circa Aix. Range (in code): **DZ Agi Lbs Dju Ktr ES Mu Mui8 FR MA PT** Bionomy: Larva on *Dorycnium decumbens*, *D. suffruticosum*, *Genista*, *Lotus hispidus*, *Anthyllis cytisoides* (Fabaceae) (Tolman,1997).
- 13073. Glaucopsyche (Apelles) melanops algerica (Heyne,[1895])** (Lycaenidae) Synonym(s): *algerica* Heyne,[1895] Original Reference: *Lycaena melanops* var. *algerica* Heyne,[1895], [in] Rühl,F., *Die Palaearkt. Grossschmett. Naturg.* 1:768. Syntype(s): Algier: Nemours, Maeta, Lambessa. Range (in code): **DZ Agi Lbs Dju Ktr ES**
- 13074. Glaucopsyche (Apelles) melanops alluaudi (Oberthür,1922)** (Lycaenidae) Synonym(s): *alluaudi* Oberthür,1922 Original Reference: *Lycaena melanops* var. *alluaudi* Oberthür,1922, *Etüd. lepid. comp.* 19(1): 113. Syntypes: Morocco: Grand-Atlas, Glaoui; Haute-Reraya entre Asni et Arround, 1600-2000m. Range (in code): **MA**
- 13075. Glaucopsyche (Apelles) melanops cantabra Agenjo,1967** (Lycaenidae) Synonym(s): *cantabra* Agenjo,1967 _ Range (in code): **Ct ES**

- 13076. *Glaucopsyche (Apelles) melanops justoi* Agenjo, 1967** (Lycaenidae) Synonym(s): *justoi* Agenjo, 1967 Range (in code): **ES Mu Mu18**
- 13077. *Glaucopsyche (Apelles) melanops marchandii* (Boisduval, 1836)** (Lycaenidae) Synonym(s): *marchandii* Boisduval, 1836; *diversa* Sagarra, 1926. Original Reference: *Argus marchandii* Boisduval, 1836, *Revue ent.* 2(3): 121, pl. 27. Type(s): [Spain]: Environs de Barcelone". Range (in code): **ES**
- 13078. *Glaucopsyche (Apelles) melanops melanops* (Boisduval, 1828)** (Lycaenidae) Synonym(s): *melanops* Boisduval, 1828; *saportae* Geyer, [1832] Original Reference: *Polyommatus melanops* Boisduval, 1828, *Eur. lepid. Index*: 13. Syntypes: France: Galloprov., circa Aix. Range (in code): **FR**
- 13079. *Glaucopsyche (Apelles) melanops williamsi* (Hemming, 1931)** (Lycaenidae) Synonym(s): *williamsi* Hemming, 1931 Original Reference: *Apelles melanops williamsi* Hemming, 1931, *Trans. ent. Soc. Lond.* 79(2): 331-332, Pl. 9 figs. 8, 9. Holotype ♂: Portugal: Oporto. Range (in code): **ES PT**
- 13080. *Glaucopsyche (Apelles) paphos* (Chapman, 1920)** (Lycaenidae) Synonym(s): *paphos* Chapman, 1920 Original Reference: *Glaucopsyche paphos* Chapman, 1920, *Trans. ent. Soc. Lond.* 1920 (1/2): 166-169, figs. Syntypes: Cyprus. Range (in code): **CY Rd**
- 13081. *Glaucopsyche (Apelles) paphos paphos* (Chapman, 1920)** (Lycaenidae) Synonym(s): *paphos* Chapman, 1920 Original Reference: *Glaucopsyche paphos* Chapman, 1920, *Trans. ent. Soc. Lond.* 1920 (1/2): 166-169, figs. Syntypes: Cyprus. Range (in code): **CY Rd**
- 13082. *Glaucopsyche (Bajluana) argali* (Elwes, 1899)** (Lycaenidae) Synonym(s): *argali* Elwes, 1899 Original Reference: *Lycaena argali* Elwes, 1899, *Trans. ent. Soc. Lond.* 1899: 328. Syntypes: [Russia]: [Tschuja-Steppe in East Altai]: "mountains south of Kuch Agatch". Range (in code): **RU At Tj KG Sau Ssn Mrk Ktm**
- 13083. *Glaucopsyche (Bajluana) argali argali* (Elwes, 1899)** (Lycaenidae) Synonym(s): *argali* Elwes, 1899 Original Reference: *Lycaena argali* Elwes, 1899, *Trans. ent. Soc. Lond.* 1899: 328. Syntypes: [Russia]: [Tschuja-Steppe in East Altai]: "mountains south of Kuch Agatch". Range (in code): **At RU Tj**
- 13084. *Glaucopsyche (Bajluana) argali arkhar* Lukhtanov, 1990** (Lycaenidae) Synonym(s): *arkhar* Lukhtanov, 1990 Original Reference: *Glaucopsyche argali* ssp. *arkhar* Lukhtanov, 1990, *Vestn. zool.* 1990 (6): 21, figs. Holotype ♂: East Kasachstan: Saur mountain range, ca. Zaisan, 1000m. Range (in code): **KG Sau Ssn Mrk Ktm**
- 13085. *Glaucopsyche (Iolana) alfierii* Wiltshire, 1948** (Lycaenidae) Synonym(s): *alfierii* Wiltshire, 1948 Original Reference: *Iolana alfierii* Wiltshire, 1948, *Bull. Soc. Fouad I Ent.* 32: 219-220, fig. 1; pl. I figs. 1, 2. Holotype ♂: Egypt: South Sinai, Wadi el Rabaa (Gebel Katherine) 1500m. (leg. and in coll. A. Alfieri). Range (in code): **EG Sn IL JO**
- 13086. *Glaucopsyche (Iolana) alfierii alfierii* Wiltshire, 1948** (Lycaenidae) Synonym(s): *alfierii* Wiltshire, 1948 Original Reference: *Iolana alfierii* Wiltshire, 1948, *Bull. Soc. Fouad I Ent.* 32: 219-220, fig. 1; pl. I figs. 1, 2. Holotype ♂: Egypt: South Sinai, Wadi el Rabaa (Gebel Katherine) 1500m. (leg. and in coll. A. Alfieri). Range (in code): **EG Sn IL JO**
- 13087. *Glaucopsyche (Iolana) andreasi* (Sheljuzhko, 1919)** (Lycaenidae) Synonym(s): *andreasi* Sheljuzhko, 1919 Original Reference: *Lycaena iolas andreasi* Sheljuzhko, 1919, *Neue Beitr. Insektenk.* 1: 129. Syntypes: [Turkmenistan]: "Firuza bei Askahabad". Range (in code): **Kp TM IR Kh Elb Th** Bionomy: Larva on *Colutea atabaevii* (=kopetdaghensis) (Fabaceae) (Kuznetsov, 1960; Zhdanko, 1997).
- 13088. *Glaucopsyche (Iolana) andreasi andreasi* (Sheljuzhko, 1919)** (Lycaenidae) Synonym(s): *andreasi* Sheljuzhko, 1919 Original Reference: *Lycaena iolas andreasi* Sheljuzhko, 1919, *Neue Beitr. Insektenk.* 1: 129. Syntypes: [Turkmenistan]: "Firuza bei Askahabad". Range (in code): **Kp TM IR Kh** Bionomy: Larva on *Colutea atabaevii* (=kopetdaghensis) (Fabaceae) (Kuznetsov, 1960; Zhdanko, 1997).
- 13089. *Glaucopsyche (Iolana) andreasi khayyami* Bernardi, 1964** (Lycaenidae) Synonym(s): *khayyami* Bernardi, 1964 Original Reference: *Iolana iolas* ssp. *khayyami* Bernardi, 1964, *Alexandria* 3: 212-214. Holotype ♂: Iran: Demavend, 2100-2400m. Range (in code): **IR Elb Th**
- 13090. *Glaucopsyche (Iolana) arjanica* Rose, 1979** (Lycaenidae) Synonym(s): *arjanica* Rose, 1979 Original Reference: *Iolana iolas* ssp. *arjanica* Rose, 1979, *Atalanta* 10(2): 155-157, figs. 1, 2. Holotype ♂: Iran: Fars: Shiraz: Dasht-e-Arjan, 2000-2200m. Range (in code): **IR Fa**

- 13091. *Glaucopsyche (Iolana) debilitata* (Schultz,1905)** (Lycaenidae) Synonym(s): *debilitata* Schultz,1905; *saritae* Fernandez-Rubio,1973 Original Reference: *Lycaena iolas* var. *debilitata* Schultz,1905, Ent. Z., Frankf. a. M. 19: 18. Type(s): Algier. Range (in code): **DZ Sbd Eba MA TN ES Grn**
- 13092. *Glaucopsyche (Iolana) debilitata debilitata* (Schultz,1905)** (Lycaenidae) Synonym(s): *debilitata* Schultz,1905 Original Reference: *Lycaena iolas* var. *debilitata* Schultz,1905, Ent. Z., Frankf. a. M. 19: 18. Type(s): Algier. Range (in code): **DZ Sbd Eba MA TN**
- 13093. *Glaucopsyche (Iolana) debilitata farriolsi* Sagarra,1930** (Lycaenidae) Synonym(s): *farriolsi* Sagarra,1930; *thomasi* Hemming,1931; *fidelis* Gomez-Bustillo,1973 Range (in code): **ES Mdr**
- 13094. *Glaucopsyche (Iolana) gigantea* (Groum-Grshimailo,1895)** (Lycaenidae) Synonym(s): *gigantea* Groum-Grshimailo,1895 Original Reference: *Lycaena gigantea* Groum-Grshimailo,1895, [in] Romanoff, Mém. lépid. 2: 215, nota 4; ibid. 1890, 4: 418, pl.9 figs. 8A, 8B. Syntypes: [Tadjikistan]: Alai, Utsch-Kurgan. Range (in code): **TJ Z-G KK Osh T-S UZ** Bionomy: Larva on *Colutea paulsenii* (Fabaceae) (Zhdanko,1997).
- 13095. *Glaucopsyche (Iolana) gigantea gigantea* (Groum-Grshimailo,1885)** (Lycaenidae) Synonym(s): *gigantea* Groum-Grshimailo,1885 Original Reference: *Lycaena gigantea* Groum-Grshimailo,1895, [in] Romanoff, Mém. lépid. 2: 215, nota 4; ibid. 1890, 4: 418, pl.9 figs. 8A, 8B. Syntypes: [Tadjikistan]: Alai, Utsch-Kurgan. Range (in code): **TJ Z-G**
- 13096. *Glaucopsyche (Iolana) gigantea iphicles* (Staudinger,1886)** (Lycaenidae) Synonym(s): *iphicles* Staudinger,1886 Original Reference: *Lycaena iphicles* Staudinger,1886, Stettin ent. Ztg. 47: 227. Syntypes: [Usbekistan]: Samarkand, Alai; [Kirgizistan]: Osch. Range (in code): **KK Osh T-S UZ**
- 13097. *Glaucopsyche (Iolana) gilgitica* (Tytler,1926)** (Lycaenidae) Synonym(s): *gilgitica* Tytler,1926 Original Reference: *Polyommatus iolas* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 586, pl.1 fig.16. Syntypes: [Pakistan]: Yasin, Gilgit. Range (in code): **Gg Ys PK Ci Nwf**
- 13098. *Glaucopsyche (Iolana) gilgitica gilgitica* (Tytler,1926)** (Lycaenidae) Synonym(s): *gilgitica* Tytler,1926 Original Reference: *Polyommatus iolas* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 586, pl.1 fig.16. Syntypes: [Pakistan]: Yasin, Gilgit. Range (in code): **Gg Ys PK Ci Nwf**
- 13099. *Glaucopsyche (Iolana) iolas* (Ochsenheimer,1816)** (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977. Original Reference: *Lycaena iolas* Ochsenheimer,1816, Schmett. Eur. 4: 144-145. Syntypes: Ungarn. Range (in code): **AL BG B-H CH ES Mu FR GR HU HV IT MK RO TM YU** Bionomy: Larva on *Colutea arborescens*, *C. cilicica* (Fabaceae) (Tolman,1997).
- 13100. *Glaucopsyche (Iolana) iolas bureschi* Hemming,1931** (Lycaenidae) Synonym(s): *bureschi* Hemming,1931 Original Reference: *Iolana iolas* ssp. *bureschi* Hemming,1931, Trans. ent. Soc. London 79(2): 327-328. Holotype ♀: Bulgaria: Slivno. Range (in code): **BG**
- 13101. *Glaucopsyche (Iolana) iolas iolas* (Ochsenheimer,1816)** (Lycaenidae) Synonym(s): *iolas* Ochsenheimer,1816; *obscuriolas* Betti,1977. Original Reference: *Lycaena iolas* Ochsenheimer,1816, Schmett. Eur. 4: 144-145. Syntypes: Ungarn. Range (in code): **B-H CH ES FR HU HV IT MK RO YU**
- 13102. *Glaucopsyche (Iolana) iolas protogenes* (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *protogenes* Fruhstorfer,1917. Original Reference: *Lycaena iolas* ssp. *protogenes* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 31. Syntypes: Frankreich: Bases-Alpes: Digne. Range (in code): **Fo4 FR**
- 13103. *Glaucopsyche (Iolana) iolas wulschlegeli* Oberthür,1915** (Lycaenidae) Synonym(s): *wulschlegeli* Oberthür,1915; *eurysthenes* Fruhstorfer,1917. Range (in code): **FR**
- 13104. *Glaucopsyche (Iolana) kermani* (Dumont,2004)** (Lycaenidae) Synonym(s): *kermani* Dumont,2004 Range (in code): **IR Ke**
- 13105. *Glaucopsyche (Iolana) lessei* Bernardi,1964** (Lycaenidae) Synonym(s): *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 Original Reference: *Iolana iolas* ssp. *lessei* Bernardi,1964, Alexanor 3: 276-277. Holotype ♂: Turquie: Amasia. Range (in code): **Cc TR LB**
- 13106. *Glaucopsyche (s.str.) aeruginosa* (Staudinger,1881)** (Lycaenidae) Synonym(s): *aeruginosa* Staudinger,1881; *subalexis* Obraztsov,1936. Original Reference: *Lycaena cyllarus* var. *aeruginosa* Staudinger,1881, Stettin ent. Ztg. 42: 285-286. Type ♂: [Dschungar] Ala-Tau (cf. Hanus et al.,1997). Range (in code): **KG KK IR Ab Ak Fa PK Bl Wa T-S DsA Sau Tar TrA CN Ui Ku Tlk** Bionomy: Larva on *Hedysarum songoricum* (Fabaceae) (Zhdanko, 1997).
- 13107. *Glaucopsyche (s.str.) aeruginosa aeruginosa* (Staudinger,1881)** (Lycaenidae) Synonym(s): *aeruginosa* Staudinger,1881; *subalexis* Obraztsov,1936. Original Reference: *Lycaena*

cyllarus var. aeruginosa Staudinger, 1881, Stettin ent. Ztg. 42: 285-286. Type ♂: [Dschungar] Ala-Tau (cf. Hanus et al., 1997). Range (in code): **KG KK IR Ab Ak Fa PK Bl Wa T-S DsA Sau Tar TrA CN Ui Ku Tlk**

- 13108. Glaucopsyche (s.str.) alexis (Poda, 1761)** (Lycaenidae) Synonym(s): *alexis* Poda, 1761; *damaetas* [Denis & Schiffermüller, 1775; #*sublugens* Strand, 1909; #*insulicola* Turati & Fiori, 1930; *mironi* Coutsis, 1976. Original Reference: *Papilio alexis* Poda, 1761, *Insecta Musei Graecensis*: 77. Type(s): [Austria]: Steiermark. Range (in code): **AF AL AM AT At Bn Cc AZ Ba BE BG BY CH Co CZ DE DK DZ Afl Lbs BtNa EE ES Mu Mu18 FI FR GG GR Rd HU Ii IT KG Ku LT LU LV MK NO PL PT RO RU SE Si SK Sm So Sr TM TN TR Arr LB IQ UA Uk VI YU He IL Pa Hf IR Ab Jal Th** Bionomy: Larva on *Onobrychis radiata*, *Astragalus onobrychis*, *A. glycyphyllos*, *Galega officinalis*, *Vicia*, *Coronilla varia*, *Calycotome villosa*, *Spartium junceum*, *Medicago*, *Melilotus alba*, *Cytisus*, *Colutea arborascens* (Fabaceae) (Weidenhoffer & Vanek, 1977; Tolman, 1997)
- 13109. Glaucopsyche (s.str.) alexis alexis (Poda, 1761)** (Lycaenidae) Synonym(s): *alexis* Poda, 1761; *damaetas* [Denis & Schiffermüller, 1775; #*sublugens* Strand, 1909; #*insulicola* Turati & Fiori, 1930; *mironi* Coutsis, 1976. Original Reference: *Papilio alexis* Poda, 1761, *Insecta Musei Graecensis*: 77. Type(s): [Austria]: Steiermark. Range (in code): **Ae At Bn AL AT Ba BE BG BY CH Co CZ DE DK EE FI FR GR HU IT KG LT LU LV MK NO PL Rd RO RU SE Si SK Sm So Sr TR Arr UA Uk VI YU Cc**
- 13110. Glaucopsyche (s.str.) alexis cyllarus (Rottemburg, 1775)** (Lycaenidae) Synonym(s): *cyllarus* Rottemburg, 1775; *dimus* Bergsträßer, [1779]; *bronthe* Bergsträßer, [1779]; *phobos* Bergsträßer, [1779]. Original Reference: *Papilio cyllarus* Rottemburg, 1775, *Naturforscher* 6: 20. Type(s): Germania. Range (in code): **Bw DE FR**
- 13111. Glaucopsyche (s.str.) alexis helena Agenjo, 1967** (Lycaenidae) Synonym(s): *helena* Agenjo, 1967 Range (in code): **ES**
- 13112. Glaucopsyche (s.str.) alexis latina Hartig, 1939** (Lycaenidae) Synonym(s): *latina* Hartig, 1939 Range (in code): **FR**
- 13113. Glaucopsyche (s.str.) alexis lugens (Caradja, 1893)** (Lycaenidae) Synonym(s): #*lugens* Caradja, 1893 Original Reference: *Lycaena cyllarus* ab. (et var?) *lugens* Caradja, 1893, *Dt. ent. Z.*, *Iris* 6: 177. Syntypes 6♂: Rumanien: Tultscha. Range (in code): **RO GG AM Cc AZ RU TR IQ LB IR**
- 13114. Glaucopsyche (s.str.) alexis maritimalpium Verity, 1928** (Lycaenidae) Synonym(s): *alpina* Turati & Verity, 1911 nec Berce, 1867; *maritimalpium* Verity, 1928; *selene* Hemming, 1934. Original Reference: *Glaucopsyche cyllarus* race *maritimalpium* Verity, 1928, *Bull. Soc. ent. Fr.* 1928: 141 (nomen novum pro *alpina* Turati & Verity, 1911 nec Berce, 1867). Range (in code): **Fo6 FR**
- 13115. Glaucopsyche (s.str.) alexis melanoposmater Verity, 1928** (Lycaenidae) Synonym(s): *melanoposmater* Verity, 1928 Original Reference: *Glaucopsyche cyllarus* race *melanopostmater* Verity, 1928, *Bull. Soc. ent. Fr.* (8): 141. Syntypes: Algeria: Oran, Aflou. Range (in code): **DZ TN Afl Lbs BtNa**
- 13116. Glaucopsyche (s.str.) alexis morena Agenjo, [1927]** (Lycaenidae) Synonym(s): *morena* Agenjo, [1927] Range (in code): **ES Mu Mu18**
- 13117. Glaucopsyche (s.str.) alexis pauper Verity, 1919** (Lycaenidae) Synonym(s): *pauper* Verity, 1919 Original Reference: *Glaucopsyche cyllarus* race *pauper* Verity, 1919, *Entomologist's Rec. J. Var.* 31: 29. Syntypes: Italy: Firenze. Range (in code): **FR IT**
- 13118. Glaucopsyche (s.str.) alexis pauperella De Sagarra, 1926** (Lycaenidae) Synonym(s): *pauperella* De Sagarra, 1926 Range (in code): **ES FR**
- 13119. Glaucopsyche (s.str.) alexis schneideri (Strand, 1903)** (Lycaenidae) Synonym(s): *schneideri* Strand, 1903 Range (in code): **NO**
- 13120. Glaucopsyche (s.str.) alexis tristis (Gerhard, [1851])** (Lycaenidae) Synonym(s): *tristis* Gerhard, [1851] Original Reference: *Lycaena coelestina* var. *tristis* Gerhard, [1851], *Versuch Mongr. eur. Lycaeniden* (4): 9, Taf. 15 figs. 4a, b. Type (s): "Türkei" (junior subj. synonym of *alexis* Poda, 1761 cf. Hesselbarth, 1995). Range (in code): **TR**
- 13121. Glaucopsyche (s.str.) charybdis (Staudinger, 1886)** (Lycaenidae) Synonym(s): *charybdis* Staudinger, 1886 Original Reference: *Lycaena charybdis* Staudinger, 1886, *Stettin ent. Ztg.* 47: 226-227. Syntypes: [Usbekistan]: Margelan, Namangan. Range (in code): **222 T-S UZ KG Aa Man Nmg Syr Tm Ii**
- 13122. Glaucopsyche (s.str.) charybdis charybdis (Staudinger, 1886)** (Lycaenidae) Synonym(s): *charybdis* Staudinger, 1886 Original Reference: *Lycaena charybdis* Staudinger, 1886, *Stettin ent. Ztg.* 47: 226-227. Syntypes: [Usbekistan]: Margelan, Namangan. Range (in code): **UZ KG T-S Aa Man Nmg Syr Tm Ii**

- 13123. *Glaucopsyche* (s.str.) *laetifica* (Püngeler,1898)** (Lycaenidae) Synonym(s): *laetifica* Püngeler,1898 Original Reference: *Lycaena laetifica* Püngeler,1898, *Societas Ent.* 13(8): 57. Syntypes: [China: Uighur A.R.]: Ili-Gebiet. Range (in code): **Aa CN Ii KG Tk T-S Ui UZ Syr Tm**
- 13124. *Glaucopsyche* (s.str.) *laetifica laetifica* (Püngeler,1898)** (Lycaenidae) Synonym(s): *laetifica* Püngeler,1898 Original Reference: *Lycaena laetifica* Püngeler,1898, *Societas Ent.* 13(8): 57. Syntypes: [China: Uighur A.R.]: Ili-Gebiet. Range (in code): **Aa CN Ii KG Tk T-S Ui UZ Syr Tm**
- 13125. *Glaucopsyche* (s.str.) *lycormas* (Butler,1868)** (Lycaenidae) Synonym(s): *lycormas* Butler,1868 Original Reference: *Polyommatus lycormas* Butler,1868, *J. linn. Soc. Lond., Zool.* 9: 57. Syntypes ♂♀: North Japan. Range (in code): **At Bn JP MN RU Ya Mc KP CN Am Sh Kuz Sli NAT Vv Sb Sj Kuz Sli NAT**
- 13126. *Glaucopsyche* (s.str.) *lycormas lederi* (A.Bang-Haas,1907)** (Lycaenidae) Synonym(s): *lederi* A.Bang-Haas,1907 Original Reference: *Lycaena lycormas* var. *lederi* A.Bang-Haas,1907, *Dt. ent. Z., Iris* 20: 69-70. Syntypes: [Russia]: Sajangebiete (Munku). Range (in code): **At Bn MN RU Sb Sj Kuz Sli NAT**
- 13127. *Glaucopsyche* (s.str.) *lycormas lycormas* (Butler,1868)** (Lycaenidae) Synonym(s): *lycormas* Butler,1868 Original Reference: *Polyommatus lycormas* Butler,1868, *J. linn. Soc. Lond., Zool.* 9: 57. Syntypes ♂♀: North Japan. Range (in code): **JP**
- 13128. *Glaucopsyche* (s.str.) *lygdamus* (Doubleday,1841)** (Lycaenidae) Synonym(s): *lygdamus* Doubleday,1841; *nittanyensis* Chermock,1944; *boydi* Clarck,1948 Original Reference: *Polyommatus lygdamus* Doubleday,1841, *Entomologist* 1: 209. Type: "pine forests of Georgia" (BMNH). Range (in code): **RU US MX Aks Alb Arz Cf Cnt Col Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Ny Oh Ok Org Pns Sca Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 13129. *Glaucopsyche* (s.str.) *lygdamus lygdamus* (Doubleday,1841)** (Lycaenidae) Synonym(s): *lygdamus* Doubleday,1841; *nittanyensis* Chermock,1944; *boydi* Clarck,1948 Original Reference: *Polyommatus lygdamus* Doubleday,1841, *Entomologist* 1: 209. Range (in code): **RU US MX Aks Alb Arz Cf Cnt Col Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDk NMx Ne Neb Nh Ny Oh Ok Org Pns Sca Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 13130. *Glaucopsyche* (s.str.) *piasus* (Boisduval,1852)** (Lycaenidae) Synonym(s): *piasus* Boisduval,1852; *viaca* Edwards,1871 Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Neb Org Sdk Ut Ws Wy**
- 13131. *Glaucopsyche* (s.str.) *piasus piasus* (Boisduval,1852)** (Lycaenidae) Synonym(s): *piasus* Boisduval,1852; *viaca* Edwards,1871 Range (in code): **US Cf**
- 13132. *Glaucopsyche* (s.str.) *seminigra* Howarth & Povolny,1976** (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny,1976 Original Reference: *Glaucopsyche seminigra* Howarth & Povolny,1976, *Cas. morav. Mus. Brne* 61: 144. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Sarobi 1000m (in coll. Povolny). Range (in code): **AF Log Bm Kab TM Kp IR Ha Elb Th**
- 13133. *Glaucopsyche* (s.str.) *seminigra safidensis* Blom,1979** (Lycaenidae) Synonym(s): *safidensis* Blom,1979 Original Reference: *Glaucopsyche alexis* ssp. *safidensis* Blom,1979, *Ent. Ber., Amst.* 39: 186-187, figs.7-10. Holotype ♂: Iran: Hamadan: east of Hamadan, Avaj 2000-2300m (in coll. Blom). Range (in code): **IR Ha Elb Th Kp TM**
- 13134. *Glaucopsyche* (s.str.) *seminigra seminigra* Howarth & Povolny,1976** (Lycaenidae) Synonym(s): *seminigra* Howarth & Povolny,1976 Original Reference: *Glaucopsyche seminigra* Howarth & Povolny,1976, *Cas. morav. Mus. Brne* 61: 144. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Sarobi 1000m (in coll. Povolny). Range (in code): **AF Log Bm Kab**
- 13135. *Glaucopsyche* (s.str.) *tshatkala* (Korb,1997)** (Lycaenidae) Synonym(s): *tshatkala* Korb,1997 Range (in code): **UZ**
- 13136. *Glaucopsyche* (s.str.) *xerces* (Boisduval,1852)** (Lycaenidae) Synonym(s): *xerces* Boisduval,1852; *antiacis* Boisduval,1852; *polyphemus* Boisduval,1869 Range (in code): **US Cf**
- 13137. *Goldia pacifica* (Dubatolov & Korshunov,1984)** (Lycaenidae) Synonym(s): *pacifica* Dubatolov & Korshunov,1984 Range (in code): **RU Vv**
- 13138. *Goldia pacifica pacifica* (Dubatolov & Korshunov,1984)** (Lycaenidae) Synonym(s): *pacifica* Dubatolov & Korshunov,1984 Range (in code): **RU Vv**
- 13139. *Habrodais grunus* (Boisduval,1852)** (Lycaenidae) Synonym(s): *grunus* Boisduval,1852 Range (in code): **US MX Arz Cf Ne Org Ut Ws**

- 13140. Habrodais grunus grunus (Boisduval,1852)** (Lycaenidae) **Synonym(s):** *grunus Boisduval,1852* - Range (in code): **US Cf**
- 13141. Habrodais grunus herri Field,1938** (Lycaenidae) **Synonym(s):** *herri Field,1938* - Range (in code): **US Org**
- 13142. Habrodais grunus lorquini Field,1938** (Lycaenidae) **Synonym(s):** *lorquini Field,1938* - Range (in code): **US Cf**
- 13143. Harpendyreus aequatorialis (Sharpe,1892)** (Lycaenidae) **Synonym(s):** *aequatorialis Sharpe,1892; sharpiae Butler,1901* - Range (in code): **TZ ZR KE**
- 13144. Harpendyreus aequatorialis aequatorialis (Sharpe,1892)** (Lycaenidae) **Synonym(s):** *aequatorialis Sharpe,1892; sharpiae Butler,1901* - Range (in code): **KE**
- 13145. Harpendyreus aequatorialis vulcanica (Joicey & Talbot,1924)** (Lycaenidae) **Synonym(s):** *vulcanica Joicey & Talbot,1924* - Range (in code): **TZ ZR**
- 13146. Harpendyreus argenteostriata Stempffer,1961** (Lycaenidae) **Synonym(s):** *argenteostriata Stempffer,1961; collinsi Kielland,1987* - Range (in code): **ZR RW**
- 13147. Harpendyreus berger Stempffer,1976** (Lycaenidae) **Synonym(s):** *berger Stempffer,1976* - Range (in code): **TZ**
- 13148. Harpendyreus boma (Bethune-Baker,1926)** (Lycaenidae) **Synonym(s):** *boma Bethune-Baker,1926* - Range (in code): **TZ**
- 13149. Harpendyreus hazelae Stempffer,1973** (Lycaenidae) **Synonym(s):** *hazelae Stempffer,1973* - Range (in code): **MW**
- 13150. Harpendyreus junio (Butler,1897)** (Lycaenidae) **Synonym(s):** *juno Butler,1897* - Range (in code): **TZ MW**
- 13151. Harpendyreus kisaba (Joicey & Talbot,1921)** (Lycaenidae) **Synonym(s):** *kisaba Joicey & Talbot,1921; ruandensis Joicey & Talbot,1924* - Range (in code): **ZR RW**
- 13152. Harpendyreus major (Joicey & Talbot,1924)** (Lycaenidae) **Synonym(s):** *major Joicey & Talbot,1924* - Range (in code): **ZM ZR TZ RW BI**
- 13153. Harpendyreus marlieri Stempffer,1961** (Lycaenidae) **Synonym(s):** *marlieri Stempffer,1961* - Range (in code): **ZR**
- 13154. Harpendyreus marungensis (Joicey & Talbot,1924)** (Lycaenidae) **Synonym(s):** *marungensis Joicey & Talbot,1924* - Range (in code): **UG RW KE TZ ZR**
- 13155. Harpendyreus marungensis mangalisae Kielland,1986** (Lycaenidae) **Synonym(s):** *mangalisae Kielland,1986* - Range (in code): **TZ**
- 13156. Harpendyreus marungensis marungensis (Joicey & Talbot,1924)** (Lycaenidae) **Synonym(s):** *marungensis Joicey & Talbot,1924* - Range (in code): **ZR TZ**
- 13157. Harpendyreus marungensis wollastoni (Bethune-Baker,1926)** (Lycaenidae) **Synonym(s):** *wollastoni Bethune-Baker,1926* - Range (in code): **UG RW KE**
- 13158. Harpendyreus meruana (Aurivillius,1910)** (Lycaenidae) **Synonym(s):** *meruana Aurivillius,1910* - Range (in code): **TZ**
- 13159. Harpendyreus noquasa (Trimen,1887)** (Lycaenidae) **Synonym(s):** *noquasa Trimen,1887* - Range (in code): **ZA Nta Kzu Tva Ec Hwk Ptb**
- 13160. Harpendyreus notoba (Trimen,1868)** (Lycaenidae) **Synonym(s):** *notoba Trimen,1868* - Range (in code): **ZA Ptc Tva Fs Nca Ec**
- 13161. Harpendyreus reginaldi Heron,1909** (Lycaenidae) **Synonym(s):** *reginaldi Heron,1909* - Range (in code): **UG RW ZR**
- 13162. Harpendyreus tsomo (Trimen,1868)** (Lycaenidae) **Synonym(s):** *tsomo Trimen,1868* - Range (in code): **ZA LS Tra Ec Fs**
- 13163. Heliophorus (Kulua) androcles (Westwood,[1851])** (Lycaenidae) **Synonym(s):** *androcles Westwood,[1851]* - Original Reference: Ilerda androcles Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.75 fig.2; *ibid.* (2): 487 [1852]. Type (s): India: Silhet. - Range (in code): **IN Ch Kma Syl Ass Slo TH MM CN Yu**
- 13164. Heliophorus (Kulua) androcles androcles (Westwood,[1851])** (Lycaenidae) **Synonym(s):** *androcles Westwood,[1851]* - Original Reference: Ilerda androcles Westwood,[1851], [in] Doubleday, Genera diurn. lepid. (2): pl.75 fig.2; *ibid.* (2): 487 [1852]. Type (s): India: Silhet. - Range (in code): **IN Syl Slo Ass**
- 13165. Heliophorus (Kulua) androcles coruscans (Moore,1882)** (Lycaenidae) **Synonym(s):** *coruscans Moore,1882* - Original Reference: Ilerda coruscans Moore,1882, Proc.

- zool. Soc. Lond. 1882: 248. Syntypes: [India]: N.W.Himalaya: Bisahur between Sarhan and Tranda; Dharmasala (in coll. Moore; BMNH). Range (in code): **Ch IN Kma**
- 13166. *Heliophorus (Kulua) androcles rubidus* Riley, 1929** (Lycaenidae) Synonym(s): *rubidus* Riley, 1929 Range (in code): **TH MM IN Ass CN Yu**
- 13167. *Heliophorus (Kulua) bakeri* Evans, 1927** (Lycaenidae) Synonym(s): *bakeri* Evans, 1927 Original Reference: *Heliophorus bakeri* Evans, 1927, Identification of Indian Butterflies (1): 158. Range (in code): **Ch IN PK Nwf Ci**
- 13168. *Heliophorus (Kulua) bakeri bakeri* Evans, 1927** (Lycaenidae) Synonym(s): *bakeri* Evans, 1927 Original Reference: *Heliophorus bakeri* Evans, 1927, Identification of Indian Butterflies (1): 158. Range (in code): **Ch IN PK Nwf Ci**
- 13169. *Heliophorus (Nesa) sena* (Kollar, [1844])** (Lycaenidae) Synonym(s): *sena* Kollar, [1844] Original Reference: *Polyommatus sena* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 415, pl.5 figs.3,4. Syntypes: Kashmir. Range (in code): **AF Ng Ch IN Nu Hp Sml Kma PK Ci Dew Thu Mre Haz Abb** Bionomy: Larva on *Abutilon* (Malvaceae), *Rumex hastatula* (Polygonaceae) (Robinson et al., 2005).
- 13170. *Heliophorus (Nesa) sena sena* (Kollar, [1844])** (Lycaenidae) Synonym(s): *sena* Kollar, [1844] Original Reference: *Polyommatus sena* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 415, pl.5 figs.3,4. Syntypes: Kashmir. Range (in code): **AF Ng Ch IN Nu Hp Sml Kma PK Ci Dew Thu Mre Haz Abb** Bionomy: Larva on *Abutilon* (Malvaceae), *Rumex hastatula* (Polygonaceae) (Robinson et al., 2005).
- 13171. *Heliophorus (s.str.) brahma* (Moore, 1888)** (Lycaenidae) Synonym(s): *brahma* Moore, 1888 Range (in code): **IN TH CMa MM** Bionomy: Larva on *Rumex* (Polygonaceae) (Robinson et al., 2005).
- 13172. *Heliophorus (s.str.) brahma brahma* (Moore, 1888)** (Lycaenidae) Synonym(s): *brahma* Moore, 1888 Range (in code): **IN**
- 13173. *Heliophorus (s.str.) brahma mogoka* Evans, 1932** (Lycaenidae) Synonym(s): *mogoka* Evans, 1932 Range (in code): **TH CMa MM**
- 13174. *Heliophorus (s.str.) epicles* (Godart, [1824])** (Lycaenidae) Synonym(s): *epicles* Godart, [1824] Range (in code): **CN Hn HK TW TH CMa Kao Pbu Nst Kna NP SI IN BT Ass MM Adm ID Sum Bli Clb Ja VN Ton** Bionomy: Larva on *Polygonum chinense* (Polygonaceae) (Robinson et al., 2005).
- 13175. *Heliophorus (s.str.) epicles epicles* (Godart, [1824])** (Lycaenidae) Synonym(s): *epicles* Godart, [1824] Range (in code): **ID Ja**
- 13176. *Heliophorus (s.str.) epicles latilimbatus* (Fruhstorfer, 1908)** (Lycaenidae) Synonym(s): *latilimbatus* Fruhstorfer, 1908 Range (in code): **TH Kao Pbu Nst Kna NP SI IN BT Ass MM Adm**
- 13177. *Heliophorus (s.str.) hybridus* Tytler, 1912** (Lycaenidae) Synonym(s): *hybridus* Tytler, 1912 Range (in code): **TH CMa Int IN Ass Nag MM**
- 13178. *Heliophorus (s.str.) hybridus hybridus* Tytler, 1912** (Lycaenidae) Synonym(s): *hybridus* Tytler, 1912 Range (in code): **TH CMa Int IN Ass Nag MM**
- 13179. *Heliophorus (s.str.) ila* (De Nicéville, 1896)** (Lycaenidae) Synonym(s): *ila* De Nicéville, 1896 Range (in code): **TW TH CMa Dst Qs MM Tns** Bionomy: Larva on *Rumex*, *Polygonum chinense* (Polygonaceae) (Robinson et al., 2005).
- 13180. *Heliophorus (s.str.) ila ila* (De Nicéville, 1896)** (Lycaenidae) Synonym(s): *ila* De Nicéville, 1896
- 13181. *Heliophorus (s.str.) ila nulus* Eliot, 1963** (Lycaenidae) Synonym(s): *nulus* Eliot, 1963 Range (in code): **TH CMa Dst Qs MM Tns**
- 13182. *Heliophorus (s.str.) indicus* (Fruhstorfer, 1908)** (Lycaenidae) Synonym(s): *indicus* Fruhstorfer, 1908 Range (in code): **TH CMa Dst Dso8 Pap Mro Loe SI BT IN Ass MM**
- 13183. *Heliophorus (s.str.) indicus indicus* (Fruhstorfer, 1908)** (Lycaenidae) Synonym(s): *indicus* Fruhstorfer, 1908 Range (in code): **TH CMa Dst Dso8 Pap Mro Loe SI BT IN Ass MM**
- 13184. *Heliophorus (s.str.) kiana* (Lycaenidae)** Synonym(s): Range (in code): **MY Bor** Bionomy: Larva on *Polygonum chinense* (Polygonaceae) (Robinson et al., 2005).
- 13185. *Heliophorus (s.str.) langii* (Moore, 1883)** (Lycaenidae) Synonym(s): *langii* Moore, 1883 Original Reference: *Ilerda langii* Moore, 1883, Proc. zool. Soc. Lond. 53: 526. Type(s): [India]: N. W. Himalaya: Masuri. Range (in code): **IN**

- 13186. *Heliophorus (s.str.) langii langii* (Moore,1883)** (Lycaenidae) Synonym(s): *langii* Moore,1883 Original Reference: Ilerda langii Moore, 1883, Proc. zool. Soc. Lond. 53: 526. Type(s): [India]: N. W. Himalaya: Masuri. Range (in code): **IN**
- 13187. *Heliophorus (s.str.) tamu* (Kollar,[1844])** (Lycaenidae) Synonym(s): *tamu* Kollar,[1844], *viridipunctata* De Nicéville,1890; *hewitsoni* Moore Original Reference: Polyommatus tamu Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 417, pl.5 figs.7,8. Syntypes: Kashmir. Range (in code): **PK Nwf Ci Haz Mre Siao Ch CN IN**
- 13188. *Heliophorus (s.str.) tamu tamu* (Kollar,[1844])** (Lycaenidae) Synonym(s): *tamu* Kollar,[1844], *viridipunctata* De Nicéville,1890; *hewitsoni* Moore Original Reference: Polyommatus tamu Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 417, pl.5 figs.7,8. Syntypes: Kashmir. Range (in code): **PK Nwf Ci Mre Haz Siao Ch CN IN**
- 13189. *Hemiargus ammon*** (Lycaenidae) Synonym(s): Range (in code): **US FI**
- 13190. *Hemiargus ceraunus*** (Lycaenidae) Synonym(s): Range (in code): **US MX Arz Cf Col FI Ge Kan Mss NCa NMx Ne SCa Tx Ut**
- 13191. *Hemiargus isola*** (Lycaenidae) Synonym(s): Range (in code): **US MX Aks Arz Cf Col Id Idp Ilm Io Kan Lou Mch Mis Mns Mss Ndk NMx Ne Neb Oh Ok SDk Tnn Tx Ut We Ws Wy**
- 13192. *Hemiargus thomasi*** (Lycaenidae) Synonym(s): Range (in code): **US FI**
- 13193. *Hewitsonia bitjeana* Bethune-Baker,1915** (Lycaenidae) Synonym(s): *bitjeana* Bethune-Baker,1915; *beryllina* Schlutze,1916 Range (in code): **CM Bit CG**
- 13194. *Hewitsonia boisduvalii* (Hewitson,1869)** (Lycaenidae) Synonym(s): *boisduvalii* Hewitson,1869; *borealis* Schultze,1916; *virilis* Aurivillius,1923 Range (in code): **LR ZR CM GA CG CI NG GH**
- 13195. *Hewitsonia boisduvalii boisduvalii* (Hewitson,1869)** (Lycaenidae) Synonym(s): *boisduvalii* Hewitson,1869; *borealis* Schultze,1916; *virilis* Aurivillius,1923 Range (in code): **LR ZR CM GA CG**
- 13196. *Hewitsonia boisduvalii congoensis* Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *congoensis* Joicey & Talbot,1921; *#albifascia* Hulstaert,1924 Range (in code): **ZR**
- 13197. *Hewitsonia boisduvalii nigrescens* Jackson,1962** (Lycaenidae) Synonym(s): *nigrescens* Jackson,1962 Range (in code): **LR CI NG GH CM**
- 13198. *Hewitsonia crippsi* Stoneham,1934** (Lycaenidae) Synonym(s): *crippsi* Stoneham,1934 Range (in code): **KE UG**
- 13199. *Hewitsonia danane* Stempffer,1969** (Lycaenidae) Synonym(s): *danane* Stempffer,1969 Range (in code): **CI**
- 13200. *Hewitsonia dennisangwina* D'Abrera,1980** (Lycaenidae) Synonym(s): *dennisangwina* D'Abrera,1980 Range (in code): **NG Caa**
- 13201. *Hewitsonia gomensis* Dufrane,1953** (Lycaenidae) Synonym(s): *#intermedia* Joicey & Talbot,1921; *gomensis* Dufrane,1953; *intermedia* Jackson,1962 Range (in code): **ZR UG**
- 13202. *Hewitsonia kirbyi* Dewitz,1879** (Lycaenidae) Synonym(s): *kirbyi* Dewitz,1879; *preussi* Staudinger,1891 Range (in code): **NG CM CG GA ZR AO**
- 13203. *Hewitsonia kirbyi kirbyi* Dewitz,1879** (Lycaenidae) Synonym(s): *kirbyi* Dewitz,1879; *preussi* Staudinger,1891 Range (in code): **NG CM CG GA ZR AO**
- 13204. *Hewitsonia kirbyi sankuru* Berger,1981** (Lycaenidae) Synonym(s): *sankuru* Berger,1981 Range (in code): **ZR**
- 13205. *Hewitsonia magdalenae* Stempffer,1951** (Lycaenidae) Synonym(s): *magdalenae* Stempffer,1951 Range (in code): **ZR**
- 13206. *Hewitsonia mittoni* Jackson,1964** (Lycaenidae) Synonym(s): *mittoni* Jackson,1964 Range (in code): **UG**
- 13207. *Hewitsonia similis* (Aurivillius,1891)** (Lycaenidae) Synonym(s): *similis* Aurivillius,1891 Range (in code): **GA CI NG CG**
- 13208. *Hewitsonia similis similis* (Aurivillius,1891)** (Lycaenidae) Synonym(s): *similis* Aurivillius,1891 Range (in code): **GA CI NG CG**
- 13209. *Hewitsonia similis ugandae* Jackson,1962** (Lycaenidae) Synonym(s): *ugandae* Jackson,1962 Range (in code): **ZR UG**
- 13210. *Horaga albimacula* (Wood-Mason & De Nicéville,1881)** (Lycaenidae) Synonym(s): *albimacula* Wood-Mason & De Nicéville,1881 Range (in code): **MY PH Pal LK IN**
- 13211. *Horaga albimacula albimacula* (Wood-Mason & De Nicéville,1881)** (Lycaenidae) Synonym(s): *albimacula* Wood-Mason & De Nicéville,1881

- 13212. Horaga albigmacula albistigmata Moulton,1912** (Lycaenidae) Synonym(s): *albistigmata* Moulton,1912 _ Range (in code): MY
- 13213. Horaga albigmacula anytus Staudinger,1889** (Lycaenidae) Synonym(s): *anytus* Staudinger,1889 _ Range (in code): PH Pal
- 13214. Horaga albigmacula viola Moore,1882** (Lycaenidae) Synonym(s): *viola* Moore,1882
Original Reference: Horaga viola Moore,1882, Proc. zool. Soc. Lond. 52: 248. Syntypes ♂♀:
[India]: Dharmasala (BMNH). Range (in code): IN
- 13215. Horaga amethystus Druce,1903** (Lycaenidae) Synonym(s): *amethystus* Druce,1903
Range (in code): TH Rng MY Bor PH Stu ID Ja Nia
- 13216. Horaga amethystus amethystus Druce,1903** (Lycaenidae) Synonym(s): *amethystus* Druce,1903 _ Range (in code): MY Bor
- 13217. Horaga amethystus isna Corbet,1941** (Lycaenidae) Synonym(s): *isna* Corbet,1941
Range (in code): ID Nia
- 13218. Horaga amethystus overdijkinki Corbet,1941** (Lycaenidae) Synonym(s): *overdijkinki* Corbet,1941 _ Range (in code): ID Ja
- 13219. Horaga amethystus purpurascens Corbet,1941** (Lycaenidae) Synonym(s): *purpurascens* Corbet,1941 _ Range (in code): TH Rng MY
- 13220. Horaga amethystus sibuensis Schröder & Treadaway,1990** (Lycaenidae) Synonym(s): *sibuensis* Schröder & Treadaway,1990 _ Range (in code): PH Stu
- 13221. Horaga araotina Evans,[1933]** (Lycaenidae) Synonym(s): *araotina* Evans,[1933]
Range (in code): MY Sgo
- 13222. Horaga araotina araotina Evans,[1933]** (Lycaenidae) Synonym(s): *araotina* Evans,[1933] _ Range (in code): MY Sgo
- 13223. Horaga bilineata Semper,1890** (Lycaenidae) Synonym(s): *bilineata* Semper,1890
Range (in code): PH CmL Ley Luz Mar Mdo Mno Neg Pao
- 13224. Horaga chalcedonyx Fruhstorfer,1914** (Lycaenidae) Synonym(s): *chalcedonyx* Fruhstorfer,1914 _ Range (in code): PH Luz Mar Neg MY SG
- 13225. Horaga chalcedonyx chalcedonyx Fruhstorfer,1914** (Lycaenidae) Synonym(s): *chalcedonyx* Fruhstorfer,1914
- 13226. Horaga chalcedonyx malaya Corbet,1941** (Lycaenidae) Synonym(s): *malaya* Corbet,1941
Range (in code): MY SG
- 13227. Horaga chalcedonyx ssp.** (Lycaenidae) Synonym(s): _ Range (in code): PH Luz Mar Neg
- 13228. Horaga lefebvrei C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *lefebvrei* C.Felder & R.Felder,1862 _ Range (in code): PH Boh Ley Mno Neg Pao Sam Luz Mdo
- 13229. Horaga lefebvrei lefebvrei C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *lefebvrei* C.Felder & R.Felder,1862 _ Range (in code): PH Luz
- 13230. Horaga lefebvrei osma Fruhstorfer,1912** (Lycaenidae) Synonym(s): *osma* Fruhstorfer,1912 _ Range (in code): PH Boh Ley Mno Neg Pao Sam
- 13231. Horaga natsumiae Hayashi,1984** (Lycaenidae) Synonym(s): *natsumiae* Hayashi,1984
Range (in code): PH CmL Ley Mar Mdo Mno Neg
- 13232. Horaga onyx (Moore,[1858])** (Lycaenidae) Synonym(s): *onyx* Moore,[1858] Original Reference: Thecla onyx Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 30, nr.35. Range (in code): LK NP MM TH Cbi CMa Cu07 Cu10 Lmp MY
- 13233. Horaga onyx onyx (Moore,[1858])** (Lycaenidae) Synonym(s): *onyx* Moore,[1858]
Original Reference: Thecla onyx Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 30, nr.35. Range (in code): NP MM TH Cbi CMa Cu07 Cu10 Lmp
- 13234. Horaga onyx sardonix Fruhstorfer,1914** (Lycaenidae) Synonym(s): *sardonix* Fruhstorfer,1914 _ Range (in code): MY
- 13235. Horaga syrinx (C.Felder,1860)** (Lycaenidae) Synonym(s): *syrinx* C.Felder,1860 _ Range (in code): MY Lkw PH Boh CmL Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sib Siq CmM Jol Stu Taw Pal Bas MM Mm TH Rng
- 13236. Horaga syrinx ashinica Murayama & Okamura,1973** (Lycaenidae) Synonym(s): *ashinica* Murayama & Okamura,1973 _ Range (in code): PH Boh CmL Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sib Siq
- 13237. Horaga syrinx camiguina Semper,1890** (Lycaenidae) Synonym(s): *camiguina* Semper,1890 _ Range (in code): PH CmM

- 13238. Horaga syrinx decolor Staudinger,1889** (Lycaenidae) Synonym(s): *decolor*
Staudinger,1889 _ Range (in code): PH Pal
- 13239. Horaga syrinx joloana Fruhstorfer,1912** (Lycaenidae) Synonym(s): *joloana*
Fruhstorfer,1912 _ Range (in code): PH Jol Stu Taw
- 13240. Horaga syrinx maenala (Hewitson,1869)** (Lycaenidae) Synonym(s): *maenala*
Hewitson,1869; *halba Distant,1886* _ Range (in code): MY Lkw
- 13241. Horaga syrinx moulmeina Moore,1883** (Lycaenidae) Synonym(s): *moulmeina*
Moore,1883 _ Range (in code): MM Mm TH Rng
- 13242. Horaga syrinx paulla Fruhstorfer,1912** (Lycaenidae) Synonym(s): *paulla*
Fruhstorfer,1912 _ Range (in code): PH Bas
- 13243. Hypaurotis crysalus** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Col NMx Ne Tx Ut Wy
- 13244. Hypochrysops coelisparus (Butler,1883)** (Lycaenidae) Synonym(s): *coelisparus*
Butler,1883 _ Range (in code): TH Kbi MY ID Nia Bor Sum
- 13245. Hypochrysops coelisparus coelisparus (Butler,1883)** (Lycaenidae) Synonym(s): *coelisparus* Butler,1883 _ Range (in code): ID Nia
- 13246. Hypochrysops coelisparus kerri Riley,1932** (Lycaenidae) Synonym(s): *kerri*
Riley,1932 _ Range (in code): TH Kbi MY Bor ID Sum
- 13247. Hypolycaena (Hemiolaus) caeculus Hopffer,1855** (Lycaenidae) Synonym(s): *caeculus* Hopffer,1855; *dolores Suffert,1904*; *obscurus Suffert,1904*; *#duponti Dufrane,1953* _ Range (in code): ZA Tva Lpo Spb Kru K12 Pma Pf TZ ZR Shb MZ ZM MW Zom ZW BW NA SZ KE Mb
- 13248. Hypolycaena (Hemiolaus) caeculus caeculus Hopffer,1855** (Lycaenidae) Synonym(s): *caeculus* Hopffer,1855; *dolores Suffert,1904*; *obscurus Suffert,1904*; *#duponti Dufrane,1953*
Range (in code): ZA Tva Lpo Spb Kru K12 Pma Pf TZ ZR Shb MZ ZM MW Zom ZW BW SZ
- 13249. Hypolycaena (Hemiolaus) caeculus littoralis (Stempffer,1954)** (Lycaenidae) Synonym(s): *littoralis* Stempffer,1954 _ Range (in code): KE Mb TZ
- 13250. Hypolycaena (Hemiolaus) caeculus tsodilensis Pinhey,1969** (Lycaenidae) Synonym(s): *tsodilensis* Pinhey,1969 _ Range (in code): BW NA
- 13251. Hypolycaena (Hemiolaus) caeculus vividus (Pinhey,1962)** (Lycaenidae) Synonym(s): *vividus* Pinhey,1962 _ Range (in code): ZM TZ
- 13252. Hypolycaena (Hemiolaus) ceres (Hewitson,1865)** (Lycaenidae) Synonym(s): *ceres* Hewitson,1865; *mabiliei Aurivillius,1923* _ Range (in code): ZA Tva Mpu Brb MG
- 13253. Hypolycaena (Hemiolaus) cobaltina (Aurivillius,1898)** (Lycaenidae) Synonym(s): *cobaltina* Aurivillius,1898 _ Range (in code): MG
- 13254. Hypolycaena (Hemiolaus) margites (Mabille,1899)** (Lycaenidae) Synonym(s): *margites* Mabille,1899 _ Range (in code): MG
- 13255. Hypolycaena (Hemiolaus) maryra (Mabille,[1887])** (Lycaenidae) Synonym(s): *maryra* Mabille,[1887] _ Range (in code): MG
- 13256. Hypolycaena (Hemiolaus) varnieri (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *#varnieri* Stempffer,1942; *varnieri* Stempffer & Bennett,1958 _ Range (in code): MG
- 13257. Hypolycaena (s.str.) amabilis (De Nicéville,[1895])** (Lycaenidae) Synonym(s): *amabilis* De Nicéville,[1895] _ Range (in code): MY TH ID Ja
- 13258. Hypolycaena (s.str.) amabilis amabilis (De Nicéville,[1895])** (Lycaenidae) Synonym(s): *amabilis* De Nicéville,[1895] _ Range (in code): ID Ja
- 13259. Hypolycaena (s.str.) amabilis lisba (Corbet,1948)** (Lycaenidae) Synonym(s): *lisba* Corbet,1948 _ Range (in code): MY TH
- 13260. Hypolycaena (s.str.) amanica Stempffer,1951** (Lycaenidae) Synonym(s): *amanica* Stempffer,1951 _ Range (in code): TZ Tnga Usa Ani Ulu
- 13261. Hypolycaena (s.str.) amanica amanica Stempffer,1951** (Lycaenidae) Synonym(s): *amanica* Stempffer,1951 _ Range (in code): TZ Tnga Usa Ani Ulu
- 13262. Hypolycaena (s.str.) antifaunus (Westwood,[1851])** (Lycaenidae) Synonym(s): *antifaunus* Westwood,[1851]; *similis* Dufrane,1945; *#latefasciata* Dufrane,1953 _ Range (in code): UG TZ KE GH ZR SL AO
- 13263. Hypolycaena (s.str.) antifaunus antifaunus (Westwood,[1851])** (Lycaenidae) Synonym(s): *antifaunus* Westwood,[1851]; *similis* Dufrane,1945; *#latefasciata* Dufrane,1953 _ Range (in code): GH ZR SL AO
- 13264. Hypolycaena (s.str.) antifaunus latimacula (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *latimacula* Joicey & Talbot,1921 _ Range (in code): UG TZ KE

- 13265. Hypolycaena (s.str.) auricostalis (Butler,1897)** (Lycaenidae) Synonym(s): *auricostalis* Butler,1897; *sebasta* Hulstaert,1924 _ Range (in code): **ZR MW ZM TZ**
- 13266. Hypolycaena (s.str.) auricostalis auricostalis (Butler,1897)** (Lycaenidae) Synonym(s): *auricostalis* Butler,1897; *sebasta* Hulstaert,1924 _ Range (in code): **ZR MW ZM TZ**
- 13267. Hypolycaena (s.str.) auricostalis frommi Strand,1911** (Lycaenidae) Synonym(s): *frommi* Strand,1911 _ Range (in code): **TZ**
- 13268. Hypolycaena (s.str.) buxtoni Hewitson,1874** (Lycaenidae) Synonym(s): *buxtoni* Hewitson,1874; *seamani* Trimen,1874 _ Range (in code): **ZA Tra MZ ZW Stj Ksi Nta Kzu Ptw Ec MW KE Mb TZ ZM ZR**
- 13269. Hypolycaena (s.str.) buxtoni buxtoni Hewitson,1874** (Lycaenidae) Synonym(s): *buxtoni* Hewitson,1874; *seamani* Trimen,1874 _ Range (in code): **ZA Tra MZ ZW Stj Ksi Nta Kzu Ptw Ec MW**
- 13270. Hypolycaena (s.str.) buxtoni rogersi Bethune-Baker,1924** (Lycaenidae) Synonym(s): *rogersi* Bethune-Baker,1924 _ Range (in code): **KE Mb TZ**
- 13271. Hypolycaena (s.str.) buxtoni spurcus Talbot,1929** (Lycaenidae) Synonym(s): *spurcus* Talbot,1929; *#divisa* Talbot,1935. _ Range (in code): **ZM TZ ZR**
- 13272. Hypolycaena (s.str.) condamini Stempffer,1956** (Lycaenidae) Synonym(s): *condamini* Stempffer,1956 _ Range (in code): **SN**
- 13273. Hypolycaena (s.str.) dubia Aurivillius,1895** (Lycaenidae) Synonym(s): *dubia* Aurivillius,1895 _ Range (in code): **SL CM ZR UG**
- 13274. Hypolycaena (s.str.) erylus (Godart,[1824])** (Lycaenidae) Synonym(s): *erylus* Godart,[1824] _ Range (in code): **PH Cuy Dum Pal Bon Jol Sga Sis Stu Taw Bas CmM Din Ley Mno Sam CmL Luz Mar Mas Mdo Neg Pan Rom Sib MY Lkw TH Nst Ths Chw Rng Tng Chy CMa Cuo Cuo4 Cuo7 Cbi Kao Lmp Nna SG Bor**
- 13275. Hypolycaena (s.str.) erylus aimnestus Fruhstorfer,1912** (Lycaenidae) Synonym(s): *aimnestus* Fruhstorfer,1912 _ Range (in code): **PH Cuy Dum Pal**
- 13276. Hypolycaena (s.str.) erylus georgius Fruhstorfer,1912** (Lycaenidae) Synonym(s): *georgius* Fruhstorfer,1912 _ Range (in code): **PH Bon Jol Sga Sis Stu Taw**
- 13277. Hypolycaena (s.str.) erylus himavantus Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *himavantus* Fruhstorfer,[1912] _ Range (in code): **TH Chy CMa Cuo Cuo4 Cuo7 Cbi Kao Lmp Nna Nst Chw**
- 13278. Hypolycaena (s.str.) erylus orsiphantus Fruhstorfer,1912** (Lycaenidae) Synonym(s): *orsiphantus* Fruhstorfer,1912 _ Range (in code): **PH Bas CmM Din Ley Mno Sam**
- 13279. Hypolycaena (s.str.) erylus teatus Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *teatus* Fruhstorfer,[1912] _ Range (in code): **SG Bor MY Lkw TH Nst Ths Rng Tng Nna**
- 13280. Hypolycaena (s.str.) erylus tmolus C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *tmolus* C.Felder & R.Felder,1862 _ Range (in code): **PH CmL Luz Mar Mas Mdo Neg Pan Rom Sib**
- 13281. Hypolycaena (s.str.) hatita Hewitson,1865** (Lycaenidae) Synonym(s): *hatita* Hewitson,1865 _ Range (in code): **ET UG KE NG GH SL CM GA CF ZR TZ ZM MW**
- 13282. Hypolycaena (s.str.) hatita anara T.Larsen,1986** (Lycaenidae) Synonym(s): *anara* T.Larsen,1986 _ Range (in code): **NG**
- 13283. Hypolycaena (s.str.) hatita hatita Hewitson,1865** (Lycaenidae) Synonym(s): *hatita* Hewitson,1865 _ Range (in code): **GH SL CM GA CF ZR**
- 13284. Hypolycaena (s.str.) hatita japhusa Riley,1921** (Lycaenidae) Synonym(s): *japhusa* Riley,1921 _ Range (in code): **TZ ZM MW**
- 13285. Hypolycaena (s.str.) hatita ugandae Sharpe,1904** (Lycaenidae) Synonym(s): *ugandae* Sharpe,1904 _ Range (in code): **UG ZR KE**
- 13286. Hypolycaena (s.str.) irawana Hayashi, Schröder & Treadaway,1984** (Lycaenidae) Synonym(s): *irawana* Hayashi, Schröder & Treadaway,1984 _ Range (in code): **PH Pal**
- 13287. Hypolycaena (s.str.) ithna Hewitson,1869** (Lycaenidae) Synonym(s): *ithna* Hewitson,1869 _ Range (in code): **PH Ceb CmL Dum Luz Mar Mno Pal Pan Sga Sib Sis Taw**
- 13288. Hypolycaena (s.str.) jacksoni Bethune-Baker,1906** (Lycaenidae) Synonym(s): *jacksoni* Bethune-Baker,1906; *puella* Joicey & Talbot,1921 _ Range (in code): **UG ZR RW BI**
- 13289. Hypolycaena (s.str.) kadiskos Druce,1890** (Lycaenidae) Synonym(s): *kadiskos* Druce,1890 _ Range (in code): **NG**
- 13290. Hypolycaena (s.str.) lebona (Hewitson,1865)** (Lycaenidae) Synonym(s): *lebona* Hewitson,1865; *#anomala* Dufrane,1953; *#splendens* Dufrane,1953 _ Range (in code): **CM NG ZR**

- 13291. Hypolycaena (s.str.) lebona coerulea Aurivillius,1895** (Lycaenidae) **Synonym(s):** *coerulea Aurivillius,1895; #scintillans Aurivillius,1895.* Range (in code): **CM**
- 13292. Hypolycaena (s.str.) lebona lebona (Hewitson,1865)** (Lycaenidae) **Synonym(s):** *lebona Hewitson,1865; #anomala Dufrane,1953; #splendens Dufrane,1953* Range (in code): **NG ZR**
- 13293. Hypolycaena (s.str.) liara Druce,1890** (Lycaenidae) **Synonym(s):** *liara Druce,1890; symmacha Hulstaert,1924; bitjeana Bethune-Baker,1926; plana Talbot,1935* Range (in code): **NG ZR CM Bit ZM LR**
- 13294. Hypolycaena (s.str.) liara liara Druce,1890** (Lycaenidae) **Synonym(s):** *liara Druce,1890; symmacha Hulstaert,1924; bitjeana Bethune-Baker,1926; plana Talbot,1935* Range (in code): **NG ZR CM Bit ZM LR**
- 13295. Hypolycaena (s.str.) lochmophila Tite,1967** (Lycaenidae) **Synonym(s):** *lochmophila Tite,1967* Range (in code): **ZA Nta Kzu Ksi MW ZW**
- 13296. Hypolycaena (s.str.) merguia (Doherty,1889)** (Lycaenidae) **Synonym(s):** *merguia Doherty,1889* Range (in code): **MY Mrg Krh MM TH Yal TAK Tng**
- 13297. Hypolycaena (s.str.) merguia merguia (Doherty,1889)** (Lycaenidae) **Synonym(s):** *merguia Doherty,1889* Range (in code): **Mrg MM TH TAK Tng**
- 13298. Hypolycaena (s.str.) merguia skapane Druce,1895** (Lycaenidae) **Synonym(s):** *skapane Druce,1895* Range (in code): **MY TH Yal**
- 13299. Hypolycaena (s.str.) merguia watsoni Swinhoe,1911** (Lycaenidae) **Synonym(s):** *watsoni Swinhoe,1911* Range (in code): **MM Krh TH**
- 13300. Hypolycaena (s.str.) naara Hewitson,1873** (Lycaenidae) **Synonym(s):** *naara Hewitson,1873* Range (in code): **AO CM GA CF ZR**
- 13301. Hypolycaena (s.str.) nigra Bethune-Baker,1914** (Lycaenidae) **Synonym(s):** *nigra Bethune-Baker,1914* Range (in code): **SL NG CM GA ZR UG**
- 13302. Hypolycaena (s.str.) nilgirica Moore,1883** (Lycaenidae) **Synonym(s):** *nilgirica Moore,1883* Range (in code): **IN LK**
- 13303. Hypolycaena (s.str.) ogadenensis Stempffer,1946** (Lycaenidae) **Synonym(s):** *ogadenensis Stempffer,1946* Range (in code): **ET Ogd**
- 13304. Hypolycaena (s.str.) othona Hewitson,1865** (Lycaenidae) **Synonym(s):** *othona Hewitson,1865* Range (in code): **IN PH Pal**
- 13305. Hypolycaena (s.str.) othona waltraudae Treadaway & Nuyda,1994** (Lycaenidae) **Synonym(s):** *waltraudae Treadaway & Nuyda,1994* Range (in code): **PH Pal**
- 13306. Hypolycaena (s.str.) pachalica Butler,1888** (Lycaenidae) **Synonym(s):** *pachalica Butler,1888; aureolineata Bethune-Baker,1906.* Original Reference: Hypolycaena (Tatura) pachalica Butler,1888, Proc. zool. Soc. Lond. 1888: 69. Syntypes: [Uganda]: Wadelai (leg.Emin Pacha). Range (in code): **Ad As MW SA TZ UG YE ZM ZR**
- 13307. Hypolycaena (s.str.) pachalica pachalica Butler,1888** (Lycaenidae) **Synonym(s):** *pachalica Butler,1888; aureolineata Bethune-Baker,1906.* Original Reference: Hypolycaena (Tatura) pachalica Butler,1888, Proc. zool. Soc. Lond. 1888: 69. Syntypes: [Uganda]: Wadelai (leg.Emin Pacha). Range (in code): **Ad As MW SA TZ UG YE ZM ZR**
- 13308. Hypolycaena (s.str.) philippus (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *philippus Fabricius,1793* Original Reference: Hesperia philippus Fabricius,1793, Ent. Syst. 3(1): 283. Type(s): [Africa]; "India" [Patria falsa]. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Kru Pma Pf Mdk Kzu Nta Ptb Suw Mpu Brb Jh Wm Bfk Nel Wri ZM ZR ZW Har MG KM SC Ald Csm**
- 13309. Hypolycaena (s.str.) philippus philippus (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *philippus Fabricius,1793* Original Reference: Hesperia philippus Fabricius,1793, Ent. Syst. 3(1): 283. Type(s): [Africa]; "India" [Patria falsa]. Range (in code): **Ad AO As BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW Zom MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Kru Pma Pf Spb Lj Mdk Kzu Nta Ptb Suw Mpu Brb Jh Wm Bfk Nel Wri ZM ZR ZW Har**
- 13310. Hypolycaena (s.str.) philippus ramonza (Saalmüller,1878)** (Lycaenidae) **Synonym(s):** *ramonza Saalmüller,1878* Range (in code): **MG KM SC Ald Csm**
- 13311. Hypolycaena (s.str.) schroederi Hayashi,1984** (Lycaenidae) **Synonym(s):** *schröderi Hayashi,1984* Range (in code): **PH Sam Mno**
- 13312. Hypolycaena (s.str.) schubotzi Aurivillius,1923** (Lycaenidae) **Synonym(s):** *schubotzi Aurivillius,1923* Range (in code): **ZR**

- 13313. Hypolycaena (s.str.) shirozui Hayashi,1981** (Lycaenidae) Synonym(s): *shirozui Hayashi,1981* _ Range (in code): PH Ley Mno Sam Neg
- 13314. Hypolycaena (s.str.) shirozui madilimi Treadaway & Nuyda,1995** (Lycaenidae) Synonym(s): *madilimi Treadaway & Nuyda,1995* _ Range (in code): PH Neg
- 13315. Hypolycaena (s.str.) shirozui shirozui Hayashi,1981** (Lycaenidae) Synonym(s): *shirozui Hayashi,1981* _ Range (in code): PH Ley Mno Sam
- 13316. Hypolycaena (s.str.) sipylus C.Felder,1860** (Lycaenidae) Synonym(s): *sipylus C.Felder,1860* _ Range (in code): PH Ala Bal Bas Boh Ceb CmM Jol Ley Luz Mar Mas Mdo Mno Pal Pan Sam ID Amb Clb Ij Lb Wg Clb Kgn Sbw
- 13317. Hypolycaena (s.str.) sipylus bella Kalis,1933** (Lycaenidae) Synonym(s): *bella Kalis,1933* _ Range (in code): ID Ij
- 13318. Hypolycaena (s.str.) sipylus capella Fruhstorfer,1912** (Lycaenidae) Synonym(s): *capella Fruhstorfer,1912* _ Range (in code): ID Lb
- 13319. Hypolycaena (s.str.) sipylus giscon Fruhstorfer,1912** (Lycaenidae) Synonym(s): *giscon Fruhstorfer,1912* _ Range (in code): ID Clb
- 13320. Hypolycaena (s.str.) sipylus intermedius Kalis,1938** (Lycaenidae) Synonym(s): *intermedius Kalis,1938* _ Range (in code): ID Kgn
- 13321. Hypolycaena (s.str.) sipylus kalawara Ribbe,1926** (Lycaenidae) Synonym(s): *kalawara Ribbe,1926* _ Range (in code): ID Clb
- 13322. Hypolycaena (s.str.) sipylus minor Ribbe,1926** (Lycaenidae) Synonym(s): *minor Ribbe,1926* _ Range (in code): ID Clb
- 13323. Hypolycaena (s.str.) sipylus numa Fruhstorfer,1912** (Lycaenidae) Synonym(s): *numa Fruhstorfer,1912* _ Range (in code): ID Sbw
- 13324. Hypolycaena (s.str.) sipylus pictor Fruhstorfer,1912** (Lycaenidae) Synonym(s): *pictor Fruhstorfer,1912* _ Range (in code): ID Wg
- 13325. Hypolycaena (s.str.) sipylus rhodanus Fruhstorfer,1912** (Lycaenidae) Synonym(s): *rhodanus Fruhstorfer,1912* _ Range (in code): ID Clb
- 13326. Hypolycaena (s.str.) sipylus sipylus C.Felder,1860** (Lycaenidae) Synonym(s): *sipylus C.Felder,1860* _ Range (in code): ID Amb Clb
- 13327. Hypolycaena (s.str.) sipylus tharrytas C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *tharrytas C.Felder & R.Felder,1862* _ Range (in code): PH Ala Bal Bas Boh Ceb CmM Jol Ley Luz Mar Mas Mdo Mno Pal Pan Sam
- 13328. Hypolycaena (s.str.) suda Lamas,2007** (Lycaenidae) Synonym(s): *#obscura Stempffer,1947; obscura Larsen,1991 nec obscurus Suff.,1904; suda lamas,2007* _ Original Reference: Hypolycaena suda Lamas,2007, Metamorphosis 18 (4): 129 (nomen novum pro #obscura Stempffer,1947 nec obscurus Suffert,1904). Range (in code): SD SO TZ UG KE
- 13329. Hypolycaena (s.str.) tearei Henning,1981** (Lycaenidae) Synonym(s): *tearei Henning,1981* _ Original Reference: Hypolycaena tearei Henning,1981, Entomologists's Rec. J. Var. 93: 55. Holotype: Mozambique: Amatongas Forest. Range (in code): MZ ZW Crd
- 13330. Hypolycaena (s.str.) thecloides (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *thecloides C.Felder & R.Felder,1860* _ Range (in code): IN Nk MM Tvy SG MY TH Rng Pgg Nst PH Cal Ceb cmM Luz Mdo Mno Pal Sib Cts Sia
- 13331. Hypolycaena (s.str.) thecloides camotana Fruhstorfer,1912** (Lycaenidae) Synonym(s): *camotana Fruhstorfer,1912* _ Range (in code): PH Cts
- 13332. Hypolycaena (s.str.) thecloides nicobarica Evans,1925** (Lycaenidae) Synonym(s): *nicobarica Evans,1925* _ Range (in code): IN Nk
- 13333. Hypolycaena (s.str.) thecloides philippina Staudinger,1889** (Lycaenidae) Synonym(s): *philippina Staudinger,1889* _ Range (in code): PH Cal Ceb cmM Luz Mdo Mno Pal Sib
- 13334. Hypolycaena (s.str.) thecloides thecloides (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *thecloides C.Felder & R.Felder,1860* _ Range (in code): MM Tvy SG MY TH Rng Pgg Nst
- 13335. Hypolycaena (s.str.) thecloides vardara Fruhstorfer,1912** (Lycaenidae) Synonym(s): *vardara Fruhstorfer,1912* _ Range (in code): PH Sia
- 13336. Hypolycaena (s.str.) toshikoe Hayashi,1984** (Lycaenidae) Synonym(s): *toshikoe Hayashi,1984* _ Range (in code): PH Luz
- 13337. Hypostrymon critola** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Kan
- 13338. Hypothecla astyla C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *astyla C.Felder & R.Felder,1862* _ Range (in code): PH Pal Bas Luz Mar Mdo Bil Boh Ceb Ley Mno Pao Sam

- 13339. Hypothecla astyla astyla C.Felder & R.Felder,1862** (Lycaenidae) Synonym(s): *astyla* C.Felder & R.Felder,1862 _ Range (in code): PH Luz Mar Mdo
- 13340. Hypothecla astyla mindanaensis Fruhstorfer,1912** (Lycaenidae) Synonym(s): *mindanaensis* Fruhstorfer,1912 _ Range (in code): PH Bil Boh Ceb Ley Mno Pao Sam
- 13341. Hypothecla astyla palawensis Hayashi,1976** (Lycaenidae) Synonym(s): *palawensis* Hayashi,1976 _ Range (in code): PH Pal
- 13342. Hypothecla astyla tegea Fruhstorfer,1912** (Lycaenidae) Synonym(s): *tegea* Fruhstorfer,1912 _ Range (in code): PH Bas
- 13343. Iolaus (Argiolaus) pallene (Wallengren,1857)** (Lycaenidae) Synonym(s): *pallene* Wallengren,1857 _ Range (in code): ZA Kzu Nta Ndu Wnn Tva Lpo Spb Kru Pma Mpu Brb Wv Wm Nel AO ZW TZ ZR KE SD Bionomy: Larva on Loranthus (Loranthaceae), Ximenia (Oleaceae) (Ackery et al.,1995).
- 13344. Iolaus (Argiolaus) aequatorialis (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *aequatorialis* Stempffer & Bennett,1958 _ Range (in code): GA UG ZR
- 13345. Iolaus (Argiolaus) alcibiades Kirby,1871** (Lycaenidae) Synonym(s): *alcibiades* Kirby,1871; *julianus* Staudinger,1891 _ Range (in code): SL CM GH CI NG GO Bio CG ZR Bionomy: Larva on Culcasia (Araceae), Loranthus (Loranthaceae) on flowers and attended by Crematogaster ants (Ackery et al.,1995).
- 13346. Iolaus (Argiolaus) bergeri (Stempffer,1953)** (Lycaenidae) Synonym(s): *bergeri* Stempffer,1953 _ Range (in code): ZR
- 13347. Iolaus (Argiolaus) caesareus Aurivillius,1895** (Lycaenidae) Synonym(s): *caesareus* Aurivillius,1895 _ Range (in code): CM ZR
- 13348. Iolaus (Argiolaus) calisto (Westwood,[1851])** (Lycaenidae) Synonym(s): *calisto* Westwood,[1851] _ Range (in code): SL GW GA CI NG
- 13349. Iolaus (Argiolaus) cottrelli (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *cottrelli* Stempffer & Bennett,1958 _ Range (in code): UG ZM
- 13350. Iolaus (Argiolaus) crawshayi (Butler,1901)** (Lycaenidae) Synonym(s): *crawshayi* Butler,1901 Original Reference: Argiolaus crawshayi Butler,1901, Proc. zool. Soc. London 1900: 926, pl. lviii fig.3. Type ♀: [Kenya]: British East Africa: Kikuyu 6800ft. (R. Crawshay leg.) (BMNH). Range (in code): KE Mb UG ET SO ZR Shb TZ Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13351. Iolaus (Argiolaus) crawshayi crawshayi (Butler,1901)** (Lycaenidae) Synonym(s): *crawshayi* Butler,1901 Original Reference: Argiolaus crawshayi Butler,1901, Proc. zool. Soc. London 1900: 926, pl. lviii fig.3. Type ♀: [Kenya]: British East Africa: Kikuyu 6800ft. (R. Crawshay leg.) (BMNH). Range (in code): KE Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13352. Iolaus (Argiolaus) crawshayi elgonae (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *elgonae* Stempffer & Bennett,1958 _ Range (in code): KE UG
- 13353. Iolaus (Argiolaus) crawshayi littoralis (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *littoralis* Stempffer & Bennett,1958; *kalleb* Koçak,1996 _ Range (in code): KE Mb TZ ZR Shb
- 13354. Iolaus (Argiolaus) crawshayi maureli Dufrane,1954** (Lycaenidae) Synonym(s): *maureli* Dufrane,1954 _ Range (in code): ET SO
- 13355. Iolaus (Argiolaus) crawshayi niloticus (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *niloticus* Stempffer & Bennett,1958 _ Range (in code): UG
- 13356. Iolaus (Argiolaus) crawshayi nyanzae (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *nyanzae* Stempffer & Bennett,1958 _ Range (in code): KE UG
- 13357. Iolaus (Argiolaus) diana A.Heath,1983** (Lycaenidae) Synonym(s): *diana* A.Heath,1983 Range (in code): ZM Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13358. Iolaus (Argiolaus) ismenias (Klug,1834)** (Lycaenidae) Synonym(s): *ismenias* Klug,1834 Range (in code): SN NG SD ET UG Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13359. Iolaus (Argiolaus) ismenias ismenias (Klug,1834)** (Lycaenidae) Synonym(s): *ismenias* Klug,1834 _ Range (in code): SN NG SD UG
- 13360. Iolaus (Argiolaus) ismenias piaggiae Oberthür,1883** (Lycaenidae) Synonym(s): *piaggiae* Oberthür,1883 _ Range (in code): ET

- 13361. Iolaus (Argiolaus) iturensis (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *iturensis* Joicey & Talbot,1921 - Range (in code): **ZR Shb AO TZ UG KE** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13362. Iolaus (Argiolaus) kayonza (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *kayonza* Stempffer & Bennett,1958 - Range (in code): **UG**
- 13363. Iolaus (Argiolaus) lalos (Druce,1896)** (Lycaenidae) Synonym(s): *lalos* Druce,1896 Range (in code): **TZ Dss Tnga Usa Pb Ulg KE MW Zom ZW UG**
- 13364. Iolaus (Argiolaus) lalos kigezi (Druce,1896)** (Lycaenidae) Synonym(s): *kigezi* Druce,1896 - Range (in code): **UG**
- 13365. Iolaus (Argiolaus) lalos lalos (Druce,1896)** (Lycaenidae) Synonym(s): *lalos* Druce,1896 Range (in code): **TZ Dss Tnga Usa Pb Ulg KE MW Zom ZW**
- 13366. Iolaus (Argiolaus) laonides Aurivillius,1898** (Lycaenidae) Synonym(s): *laonides* Aurivillius,1898 - Range (in code): **SL CI GH NG CM**
- 13367. Iolaus (Argiolaus) lukabas Druce,1890** (Lycaenidae) Synonym(s): *lukabas* Druce,1890; *julius* Staudinger,1891; *lekanion* Druce,1891 - Range (in code): **SL GA CM**
- 13368. Iolaus (Argiolaus) maritimus (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *maritimus* Stempffer & Bennett,1958 - Range (in code): **KE TZ Tnga Usa**
- 13369. Iolaus (Argiolaus) maritimus maritimus (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *maritimus* Stempffer & Bennett,1958 - Range (in code): **KE**
- 13370. Iolaus (Argiolaus) maritimus usambara (Stempffer,1961)** (Lycaenidae) Synonym(s): *usambara* Stempffer,1961 - Range (in code): **TZ Tnga Usa**
- 13371. Iolaus (Argiolaus) montana (Kielland,1978)** (Lycaenidae) Synonym(s): *montana* Kielland,1978 - Range (in code): **TZ**
- 13372. Iolaus (Argiolaus) ndolae (Stempffer & Bennett,1958)** (Lycaenidae) Synonym(s): *ndolae* Stempffer & Bennett,1958 - Range (in code): **ZM MW TZ ZR Shb** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13373. Iolaus (Argiolaus) pamelae A.Heath,1983** (Lycaenidae) Synonym(s): *pamelae* A.Heath,1983 - Range (in code): **ZM** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13374. Iolaus (Argiolaus) paneperata Druce,1890** (Lycaenidae) Synonym(s): *paneperata* Druce,1890; *elisa* Suffert,1904 - Range (in code): **NG SL TG GH NG CM ZR TZ** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13375. Iolaus (Argiolaus) parasılanus Rebel,1914** (Lycaenidae) Synonym(s): *parasılanus* Rebel,1914 - Range (in code): **GH GA CG ZR Kvu UG KE**
- 13376. Iolaus (Argiolaus) parasılanus divaricatus (Riley,1928)** (Lycaenidae) Synonym(s): *divaricatus* Riley,1928 - Range (in code): **KE UG ZR**
- 13377. Iolaus (Argiolaus) parasılanus mabiliei (Riley,1928)** (Lycaenidae) Synonym(s): *mabiliei* Riley,1928 - Range (in code): **ZR CG GA**
- 13378. Iolaus (Argiolaus) parasılanus maesseni Stempffer & Bennett,1958** (Lycaenidae) Synonym(s): *maesseni* Stempffer & Bennett,1958 - Range (in code): **GH**
- 13379. Iolaus (Argiolaus) parasılanus parasılanus Rebel,1914** (Lycaenidae) Synonym(s): *parasılanus* Rebel,1914 - Range (in code): **ZR Kvu**
- 13380. Iolaus (Argiolaus) poecilaon (Riley,1928)** (Lycaenidae) Synonym(s): *poecilaon* Riley,1928 - Range (in code): **UG ZR ZM CG CM NG**
- 13381. Iolaus (Argiolaus) poecilaon fisheri A.Heath,1983** (Lycaenidae) Synonym(s): *fisheri* A.Heath,1983 - Range (in code): **ZM**
- 13382. Iolaus (Argiolaus) poecilaon poecilaon (Riley,1928)** (Lycaenidae) Synonym(s): *poecilaon* Riley,1928 - Range (in code): **UG ZR CG CM NG**
- 13383. Iolaus (Argiolaus) silarus Druce,1885** (Lycaenidae) Synonym(s): *silarus* Druce,1885; *lasius* Suffert,1904 - Range (in code): **MZ TZ NA ZW BW MW ZM KE ZA Tva Spb Lj Kzu Nta Ndu** Bionomy: Larva on Loranthus, Erianthemum (Loranthaceae) (Ackery et al.,1995).
- 13384. Iolaus (Argiolaus) silas (Westwood,[1851])** (Lycaenidae) Synonym(s): *silas* Westwood,[1851] - Range (in code): **ZA Wv Suw Mpu Nel Tva Lpo Spb Kru Pma Nta Kzu ZW BW ZR Shb TZ KE** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13385. Iolaus (Argiolaus) stewarti A.Heath,1985** (Lycaenidae) Synonym(s): *stewarti* A.Heath,1985 - Range (in code): **ZM** Bionomy: Larva on Tapinanthus (Loranthaceae) (Ackery et al.,1995).

- 13386. Iolaus (Argiolaus) theodori Stempffer, 1970** (Lycaenidae) Synonym(s): *theodori* Stempffer, 1970 _ Range (in code): **GH**
- 13387. Iolaus (Argiolaus) vansomeri Stempffer & Bennett, 1958** (Lycaenidae) Synonym(s): *vansomeri* Stempffer & Bennett, 1958 _ Range (in code): **UG**
- 13388. Iolaus (Epamera) aemulus Trimen, 1895** (Lycaenidae) Synonym(s): *aemulus* Trimen, 1895 _ Range (in code): **ZA Kzu Nta Ndu Dbn Ec KE TZ**
- 13389. Iolaus (Epamera) aemulus aemulus Trimen, 1895** (Lycaenidae) Synonym(s): *aemulus* Trimen, 1895 _ Range (in code): **ZA Kzu Nta Ndu Dbn Ec**
- 13390. Iolaus (Epamera) aemulus apatosa (Stempffer, 1952)** (Lycaenidae) Synonym(s): *#apatosa* Talbot, 1935; *apatosa* Stempffer, 1952 _ Range (in code): **KE TZ**
- 13391. Iolaus (Epamera) aethria Karsch, 1893** (Lycaenidae) Synonym(s): *aethria* Karsch, 1893; *mirabilis* Druce, 1903 _ Range (in code): **TG SL NG CM GO Bio** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13392. Iolaus (Epamera) agnes Aurivillius, 1898** (Lycaenidae) Synonym(s): *agnes* Aurivillius, 1898 _ Range (in code): **CM NG CG ZR**
- 13393. Iolaus (Epamera) alienus Trimen, 1898** (Lycaenidae) Synonym(s): *alienus* Trimen, 1898 _ Range (in code): **ZA Tva Lpo Spb Suw Nta Kzu MZ BW ZW ZM MW TZ NG CM BF NA UG SD KE** Bionomy: Larva on Loranthus, Tapinanthus (Loranthaceae) (Ackery et al., 1995).
- 13394. Iolaus (Epamera) alienus alienus Trimen, 1898** (Lycaenidae) Synonym(s): *alienus* Trimen, 1898 _ Range (in code): **ZA Tva Lpo Spb Suw Nta Kzu MZ BW ZW ZM MW TZ**
- 13395. Iolaus (Epamera) alienus bicaudatus Aurivillius, 1905** (Lycaenidae) Synonym(s): *bicaudatus* Aurivillius, 1905 _ Range (in code): **NG CM BF**
- 13396. Iolaus (Epamera) alienus sophiae Henning & Henning, 1991** (Lycaenidae) Synonym(s): *sophiae* Henning & Henning, 1991 _ Range (in code): **NA**
- 13397. Iolaus (Epamera) alienus ugandae Stempffer, 1953** (Lycaenidae) Synonym(s): *ugandae* Stempffer, 1953 _ Range (in code): **UG SD KE**
- 13398. Iolaus (Epamera) aphnaeoides Trimen, 1873** (Lycaenidae) Synonym(s): *aphnaeoides* Trimen, 1873 _ Range (in code): **ZA Ec Grh** Bionomy: Larva on Tapinanthus (Loranthaceae) (Ackery et al., 1995).
- 13399. Iolaus (Epamera) arborifera (Butler, 1901)** (Lycaenidae) Synonym(s): *arborifera* Butler, 1901 Original Reference: Epamera arborifera Butler, 1901, Proc. zool. Soc. London 1900: 927, pl. lviii fig. 2. Type ♂: [Kenya]: British East Africa: Roromo, Kikuyu 6800ft. (R. Crawshay leg.) (BMNH). _ Range (in code): **KE** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13400. Iolaus (Epamera) aurivillii Röber, 1900** (Lycaenidae) Synonym(s): *sappirinus* Aurivillius, 1897 nec Rüb., 1887; *aurivillii* Röber, 1900 _ Range (in code): **GA Ogo CM UG KE**
- 13401. Iolaus (Epamera) australis Stevenson, 1937** (Lycaenidae) Synonym(s): *australis* Stevenson, 1937 _ Range (in code): **ZW** Bionomy: Larva on Globimetula, Tapinanthus (Loranthaceae) (Ackery et al., 1995).
- 13402. Iolaus (Epamera) bakeri (Riley, 1928)** (Lycaenidae) Synonym(s): *bakeri* Riley, 1928 _ Range (in code): **MZ ZW MW ZM ZR Kvu Shb** Bionomy: Larva on Tapinanthus (Loranthaceae) (Ackery et al., 1995).
- 13403. Iolaus (Epamera) banco Stempffer, 1966** (Lycaenidae) Synonym(s): *banco* Stempffer, 1966 _ Range (in code): **CI**
- 13404. Iolaus (Epamera) bansana Bethune-Baker, 1926** (Lycaenidae) Synonym(s): *bansana* Bethune-Baker, 1926 _ Range (in code): **CM UG KE** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13405. Iolaus (Epamera) bansana bansana Bethune-Baker, 1926** (Lycaenidae) Synonym(s): *bansana* Bethune-Baker, 1926 _ Range (in code): **CM**
- 13406. Iolaus (Epamera) bansana yalae Riley, 1928** (Lycaenidae) Synonym(s): *yalae* Riley, 1928 _ Range (in code): **KE UG**
- 13407. Iolaus (Epamera) bellina (Plötz, 1880)** (Lycaenidae) Synonym(s): *bellina* Plötz, 1880 _ Range (in code): **GH SL CM ST GA CG ZR Kvu UG**
- 13408. Iolaus (Epamera) bellina bellina (Plötz, 1880)** (Lycaenidae) Synonym(s): *bellina* Plötz, 1880 _ Range (in code): **GH**
- 13409. Iolaus (Epamera) bellina exquisita (Riley, 1928)** (Lycaenidae) Synonym(s): *exquisita* Riley, 1928; *iaspis* Druce, 1890 _ Range (in code): **SL CM GA CG ZR Kvu**

- 13410. Iolaus (Epamera) bellina maris (Riley,1928)** (Lycaenidae) Synonym(s): *maris* Riley,1928 _ Range (in code): ST
- 13411. Iolaus (Epamera) coelestis Bethune-Baker,1926** (Lycaenidae) Synonym(s): *coelestis* Bethune-Baker,1926 _ Range (in code): CM Bit CI CG ZR
- 13412. Iolaus (Epamera) congdoni (Kielland,1985)** (Lycaenidae) Synonym(s): *congdoni* Kielland,1985 _ Range (in code): TZ Ulg Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13413. Iolaus (Epamera) congdoni congdoni (Kielland,1985)** (Lycaenidae) Synonym(s): *congdoni* Kielland,1985 _ Range (in code): TZ
- 13414. Iolaus (Epamera) congdoni uluguru (Kielland,1985)** (Lycaenidae) Synonym(s): *uluguru* Kielland,1985 _ Range (in code): TZ Ulg
- 13415. Iolaus (Epamera) creta Hewitson,1878** (Lycaenidae) Synonym(s): *creta* Hewitson,1878; *fuscmarginata* Joicey & Talbot,1921; *alberici* Dufrane,1945 _ Range (in code): ZR Kvu CG NG CM GA UG
- 13416. Iolaus (Epamera) cytaeis Hewitson,1875** (Lycaenidae) Synonym(s): *cytaeis* Hewitson,1875 _ Range (in code): SL LR GO Bio NG GA CG ZR
- 13417. Iolaus (Epamera) cytaeis caerulea (Riley,1928)** (Lycaenidae) Synonym(s): *caerulea* Riley,1928 _ Range (in code): ZR
- 13418. Iolaus (Epamera) cytaeis cytaeis Hewitson,1875** (Lycaenidae) Synonym(s): *cytaeis* Hewitson,1875 _ Range (in code): GO Bio NG GA CG ZR
- 13419. Iolaus (Epamera) cytaeis leonis (Riley,1928)** (Lycaenidae) Synonym(s): *leonis* Riley,1928 _ Range (in code): SL LR
- 13420. Iolaus (Epamera) diametra (Karsch,1895)** (Lycaenidae) Synonym(s): *diametra* Karsch,1895 _ Range (in code): ZA Kzu Nta Ndu ET TZ Tnga Usa CM KE UG ZR Kvu Bionomy: Larva on Actinanthella, Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13421. Iolaus (Epamera) diametra aethes Clench,1964** (Lycaenidae) Synonym(s): *aethes* Clench,1964 _ Range (in code): CM
- 13422. Iolaus (Epamera) diametra congco Lamas,2007** (Lycaenidae) Synonym(s): *littoralis* Congdon & Collins,1998 nec Stempffer. & Benn.,1958; *congco* Lamas,2007
- 13423. Iolaus (Epamera) diametra diametra (Karsch,1895)** (Lycaenidae) Synonym(s): *diametra* Karsch,1895 _ Range (in code): ET TZ Tnga Usa
- 13424. Iolaus (Epamera) diametra mafugae (Stempffer & Bennett,1959)** (Lycaenidae) Synonym(s): *mafugae* Stempffer & Bennett,1959 _ Range (in code): UG ZR Kvu
- 13425. Iolaus (Epamera) diametra natalica Vari,1976** (Lycaenidae) Synonym(s): *natalica* Vari,1976 _ Range (in code): ZA Kzu Nta Ndu
- 13426. Iolaus (Epamera) dubiosa (Stempffer & Bennett,1959)** (Lycaenidae) Synonym(s): *dubiosa* Stempffer & Bennett,1959 _ Range (in code): TZ Tnga Usa
- 13427. Iolaus (Epamera) farquharsoni (Bethune-Baker,1922)** (Lycaenidae) Synonym(s): *farquharsoni* Bethune-Baker,1922 _ Range (in code): NG CM UG Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13428. Iolaus (Epamera) flavilinea (Riley,1928)** (Lycaenidae) Synonym(s): *flavilinea* Riley,1928 _ Range (in code): CM Bit
- 13429. Iolaus (Epamera) fontainei (Stempffer,1956)** (Lycaenidae) Synonym(s): *fontainei* Stempffer,1956 _ Range (in code): ZR SL NG CG UG
- 13430. Iolaus (Epamera) frater (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *frater* Joicey & Talbot,1921 _ Range (in code): CI NG CM Bit ZR Kvu CG
- 13431. Iolaus (Epamera) frater frater (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *frater* Joicey & Talbot,1921 _ Range (in code): ZR Kvu CG
- 13432. Iolaus (Epamera) frater kamerunica (Riley,1928)** (Lycaenidae) Synonym(s): *kamerunica* Riley,1928 _ Range (in code): CM Bit ZR
- 13433. Iolaus (Epamera) frater kumboae (Bethune-Baker,1926)** (Lycaenidae) Synonym(s): *kumboae* Bethune-Baker,1926 _ Range (in code): NG CI
- 13434. Iolaus (Epamera) gemmarius (Druce,1910)** (Lycaenidae) Synonym(s): *gemmarius* Druce,1910 _ Range (in code): NG CM Bit
- 13435. Iolaus (Epamera) glaucus (Butler,[1886])** (Lycaenidae) Synonym(s): *glaucus* Butler,[1886] Original Reference: *Iolaus glaucus* Butler,[1886], Proc. zool. Soc. Lond. 55 (1885): 766. Syntypes: Somalia: Duderu (Capt. Nurse). Range (in code): Ad As Dh ET Hd Hj IL Pa JO OM

- SA SO Zai YE** Bionomy: Larva on Loranthus (Loranthaceae) associated with ants (Ackery et al.,1995).
- 13436. Iolaus (Epamera) glaucus glaucus (Butler,[1886])** (Lycaenidae) Synonym(s): *glaucus* Butler,[1886] Original Reference: Iolaus glaucus Butler,[1886], Proc. zool. Soc. Lond. 55 (1885): 766. Syntypes: Somalia: Duderu (Capt. Nurse). Range (in code): **Ad As Dh ET Hd Hj OM SA SO Zai YE**
- 13437. Iolaus (Epamera) glaucus jordanus (Staudinger,[1897])** (Lycaenidae) Synonym(s): *jordanus* Staudinger,[1897] Original Reference: Iolaus jordanus Staudinger,[1897], Dt. ent. Z., Iris 10: 153-155, Taf.v, fig. 5. Syntypes: Palästina: Jordanthal. Range (in code): **IL Pa JO** Bionomy: Larva on Loranthus (Loranthaceae) associated with ants (Ackery et al.,1995).
- 13438. Iolaus (Epamera) handmani (Gifford,1965)** (Lycaenidae) Synonym(s): *handmani* Gifford,1965 Range (in code): **MW**
- 13439. Iolaus (Epamera) helenae Henning & Henning,1989** (Lycaenidae) Synonym(s): *helenae* Henning & Henning,1989 Range (in code): **ZM** Bionomy: Larva on Tapinanthus (Loranthaceae) (Ackery et al.,1995).
- 13440. Iolaus (Epamera) hemicyanus Sharpe,1904** (Lycaenidae) Synonym(s): *hemicyanus* Sharpe,1904; *bryki* Aurivillius,1925; *toroensis* Riley,1929 Range (in code): **CM CG ZR Kvu UG KE**
- 13441. Iolaus (Epamera) hemicyanus barbara Suffert,1904** (Lycaenidae) Synonym(s): *barbara* Suffert,1904; *mildbreadi* Schultze,1912; *yokoana* Bethune-Baker,1926 Range (in code): **CM**
- 13442. Iolaus (Epamera) hemicyanus barnsi (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *barnsi* Joicey & Talbot,1921 Range (in code): **ZR Kvu CG**
- 13443. Iolaus (Epamera) hemicyanus hemicyanus Sharpe,1904** (Lycaenidae) Synonym(s): *hemicyanus* Sharpe,1904; *bryki* Aurivillius,1925; *toroensis* Riley,1929 Range (in code): **UG KE**
- 13444. Iolaus (Epamera) iasis Hewitson,1865** (Lycaenidae) Synonym(s): *iasis* Hewitson,1865; *bertha* Suffert,1904 Range (in code): **SN TG CM GA ZR AO UG KE**
- 13445. Iolaus (Epamera) iasis albomaculatus Sharpe,1904** (Lycaenidae) Synonym(s): *albomaculatus* Sharpe,1904 Range (in code): **UG KE**
- 13446. Iolaus (Epamera) iasis iasis Hewitson,1865** (Lycaenidae) Synonym(s): *iasis* Hewitson,1865; *bertha* Suffert,1904 Range (in code): **SN TG CM GA ZR AO**
- 13447. Iolaus (Epamera) jacksoni (Stempffer,1950)** (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1950 Range (in code): **KE**
- 13448. Iolaus (Epamera) kelle Stempffer,1967** (Lycaenidae) Synonym(s): *kelle* Stempffer,1967 Range (in code): **CG**
- 13449. Iolaus (Epamera) laon Hewitson,1878** (Lycaenidae) Synonym(s): *laon* Hewitson,1878; *adamsi* Lathy,1903; *emma* Suffert,1904 Range (in code): **LR TG NG GH** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13450. Iolaus (Epamera) longicauda (Stempffer & Bennett,1959)** (Lycaenidae) Synonym(s): *longicauda* Stempffer & Bennett,1959 Range (in code): **NG**
- 13451. Iolaus (Epamera) maesa (Hewitson,1862)** (Lycaenidae) Synonym(s): *maesa* Hewitson,1862 Range (in code): **SL NG ZR CG UG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13452. Iolaus (Epamera) mermis (Druce,1896)** (Lycaenidae) Synonym(s): *mermis* Druce,1896 Range (in code): **TZ Dss KE**
- 13453. Iolaus (Epamera) mimosae Trimen,1874** (Lycaenidae) Synonym(s): *mimosae* Trimen,1874 Range (in code): **ZA Ec Grh Ec Kzu Nta Ndu Lpo Tva Spb Mdk Mpu Brb Noo KE UG SO ET ZW BW MW** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13454. Iolaus (Epamera) mimosae berbera (Bethune-Baker,1924)** (Lycaenidae) Synonym(s): *berbera* Bethune-Baker,1924; *septentrionalis* Stempffer,1948 Range (in code): **SO ET**
- 13455. Iolaus (Epamera) mimosae haemus (Talbot,1935)** (Lycaenidae) Synonym(s): *haemus* Talbot,1935 Range (in code): **KE UG**
- 13456. Iolaus (Epamera) mimosae mimosae Trimen,1874** (Lycaenidae) Synonym(s): *mimosae* Trimen,1874 Range (in code): **ZA Ec Grh Ec**
- 13457. Iolaus (Epamera) mimosae pamela (Dickson,1976)** (Lycaenidae) Synonym(s): *pamela* Dickson,1976 Range (in code): **NA**
- 13458. Iolaus (Epamera) mimosae rhodosense (Stempffer & Bennett,1959)** (Lycaenidae) Synonym(s): *rhodosense* Stempffer & Bennett,1959 Range (in code): **ZA Kzu Nta Ndu Lpo Tva Spb Mdk ZW BW MW TZ KE**

- 13459. Iolaus (Epamera) mongiro Stempffer, 1969** (Lycaenidae) Synonym(s): *mongiro* Stempffer, 1969 _ Range (in code): **UG**
- 13460. Iolaus (Epamera) moyambina (Stempffer & Bennett, 1959)** (Lycaenidae) Synonym(s): *moyambina* Stempffer & Bennett, 1959 _ Range (in code): **SL LR CG**
- 13461. Iolaus (Epamera) nasisii (Riley, 1928)** (Lycaenidae) Synonym(s): *nasisii* Riley, 1928 _ Range (in code): **KE ZW NA ZA Tva Lpo** _ Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13462. Iolaus (Epamera) neavei (Druce, 1910)** (Lycaenidae) Synonym(s): *neavei* Druce, 1910 _ Range (in code): **CM Bit CG ZR UG**
- 13463. Iolaus (Epamera) neavei katera Talbot, 1937** (Lycaenidae) Synonym(s): *katera* Talbot, 1937 _ Range (in code): **UG**
- 13464. Iolaus (Epamera) neavei neavei (Druce, 1910)** (Lycaenidae) Synonym(s): *neavei* Druce, 1910 _ Range (in code): **CM Bit CG ZR**
- 13465. Iolaus (Epamera) nolaensis (Stempffer, 1951)** (Lycaenidae) Synonym(s): *nolaensis* Stempffer, 1951 _ Range (in code): **CG TZ Tnga Usa Ani**
- 13466. Iolaus (Epamera) nolaensis amanica (Stempffer, 1951)** (Lycaenidae) Synonym(s): *amanica* Stempffer, 1951 _ Range (in code): **TZ Tnga Usa Ani**
- 13467. Iolaus (Epamera) nolaensis nolaensis (Stempffer, 1951)** (Lycaenidae) Synonym(s): *nolaensis* Stempffer, 1951 _ Range (in code): **CG**
- 13468. Iolaus (Epamera) normani (T. Larsen, 1986)** (Lycaenidae) Synonym(s): *normani* T. Larsen, 1986 _ Range (in code): **NG**
- 13469. Iolaus (Epamera) normani normani (T. Larsen, 1986)** (Lycaenidae) Synonym(s): *normani* T. Larsen, 1986 _ Range (in code): **NG**
- 13470. Iolaus (Epamera) nursei (Butler, 1896)** (Lycaenidae) Synonym(s): *nursei* Butler, 1896 _ Original Reference: *Iolaus nursei* Butler, 1896, Proc. zool. Soc. Lond. 66: 251, pl. 10 fig. 16. Syntypes ♂♀: [Yemen]: Shaik Othman (Col. Yerbury, Capt. Nurse). _ Range (in code): **Ad As SA YE YE60** _ Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13471. Iolaus (Epamera) nursei nursei (Butler, 1896)** (Lycaenidae) Synonym(s): *nursei* Butler, 1896 _ Original Reference: *Iolaus nursei* Butler, 1896, Proc. zool. Soc. Lond. 66: 251, pl. 10 fig. 16. Syntypes ♂♀: [Yemen]: Shaik Othman (Col. Yerbury, Capt. Nurse). _ Range (in code): **Ad As SA YE YE60** _ Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13472. Iolaus (Epamera) obscurus Aurivillius, 1923** (Lycaenidae) Synonym(s): *obscurus* Aurivillius, 1923; *yusuf* Koçak, 1996 _ Range (in code): **NA** _ Bionomy: Larva on Plicosepalus (Loranthaceae) (Ackery et al., 1995).
- 13473. Iolaus (Epamera) penningtoni (Stempffer & Bennett, 1959)** (Lycaenidae) Synonym(s): *penningtoni* Stempffer & Bennett, 1959 _ Range (in code): **ZW** _ Bionomy: Larva on Helixanthera (Loranthaceae) (Ackery et al., 1995).
- 13474. Iolaus (Epamera) pollux Aurivillius, 1895** (Lycaenidae) Synonym(s): *pollux* Aurivillius, 1895; *parva* Bethune-Baker, 1926 _ Range (in code): **CM Bit ZR NG GA CI LR UG ZR**
- 13475. Iolaus (Epamera) pollux albocaerulea (Riley, 1929)** (Lycaenidae) Synonym(s): *albocaerulea* Riley, 1929 _ Range (in code): **UG**
- 13476. Iolaus (Epamera) pollux oberthueri (Riley, 1929)** (Lycaenidae) Synonym(s): *oberthueri* Riley, 1929 _ Range (in code): **CI LR**
- 13477. Iolaus (Epamera) pollux pollux Aurivillius, 1895** (Lycaenidae) Synonym(s): *pollux* Aurivillius, 1895; *parva* Bethune-Baker, 1926 _ Range (in code): **CM Bit NG GA CG**
- 13478. Iolaus (Epamera) pseudofrater Stempffer, 1962** (Lycaenidae) Synonym(s): *pseudofrater* Stempffer, 1962 _ Range (in code): **UG**
- 13479. Iolaus (Epamera) pseudopollux Stempffer, 1962** (Lycaenidae) Synonym(s): *pseudopollux* Stempffer, 1962 _ Range (in code): **UG**
- 13480. Iolaus (Epamera) sappirus (Druce, 1902)** (Lycaenidae) Synonym(s): *sappirus* Druce, 1902 _ Range (in code): **SL NG CG ZR Kvü**
- 13481. Iolaus (Epamera) scintillans Aurivillius, 1905** (Lycaenidae) Synonym(s): *scintillans* Aurivillius, 1905; *gazei* Druce, 1912 _ Range (in code): **SN CM NG SD UG** _ Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al., 1995).
- 13482. Iolaus (Epamera) sciophilus (Schultze, 1916)** (Lycaenidae) Synonym(s): *sciophilus* Schultze, 1916 _ Range (in code): **CM NG**

- 13483. Iolaus (Epamera) sibella (Druce,1910)** (Lycaenidae) Synonym(s): *sibella* Druce,1910
Range (in code): **CM Bit ZR UG KE**
- 13484. Iolaus (Epamera) sidus Trimen,1864** (Lycaenidae) Synonym(s): *sidus* Trimen,1864
Range (in code): **ZA Kzu Nta Ndu Ec ZW ZM ZR MZ MW TZ KE UG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13485. Iolaus (Epamera) silanus Grose-Smith,1889** (Lycaenidae) Synonym(s): *silanus* Grose-Smith,1889
Range (in code): **ZR TZ Tnga Usa KE Mb**
- 13486. Iolaus (Epamera) silanus alticola (Stempffer,1961)** (Lycaenidae) Synonym(s): *alticola* Stempffer,1961
Range (in code): **TZ Tnga Usa**
- 13487. Iolaus (Epamera) silanus silanus Grose-Smith,1889** (Lycaenidae) Synonym(s): *silanus* Grose-Smith,1889
Range (in code): **KE Mb TZ**
- 13488. Iolaus (Epamera) silanus silenus (Hawker-Smith,1928)** (Lycaenidae) Synonym(s): *silenus* Hawker-Smith,1928
Range (in code): **ZR**
- 13489. Iolaus (Epamera) stenogrammica (Riley,1928)** (Lycaenidae) Synonym(s): *stenogrammica* Riley,1928
Range (in code): **UG ZR**
- 13490. Iolaus (Epamera) tajoraca Walker,1870** (Lycaenidae) Synonym(s): *tajoraca* Walker,1870
Range (in code): **DJ ET SO KE UG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13491. Iolaus (Epamera) tajoraca ertli Aurivillius,1916** (Lycaenidae) Synonym(s): *ertli* Aurivillius,1916
Range (in code): **TZ Tnga Usa Ani**
- 13492. Iolaus (Epamera) tajoraca tajoraca Walker,1870** (Lycaenidae) Synonym(s): *tajoraca* Walker,1870
Range (in code): **DJ ET SO KE UG**
- 13493. Iolaus (Epamera) umbrosa (Butler,1886)** (Lycaenidae) Synonym(s): *umbrosa* Butler,1886
Range (in code): **SD TD ET NE**
- 13494. Iolaus (Epamera) umbrosa sudanicus Aurivillius,1905** (Lycaenidae) Synonym(s): *sudanicus* Aurivillius,1905
Range (in code): **SD TD ET NE**
- 13495. Iolaus (Epamera) umbrosa umbrosa (Butler,1886)** (Lycaenidae) Synonym(s): *umbrosa* Butler,1886
Range (in code): **SO KE**
- 13496. Iolaus (Epamera) violacea (Riley,1928)** (Lycaenidae) Synonym(s): *violacea* Riley,1928; *katanganus* Romieux,1934
Range (in code): **AO ZR Shb ZW ZM MW TZ MZ**
- 13497. Iolaus (Etesiolaus) catori Bethune-Baker,1904** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1904
Range (in code): **SL GH ZR LR CI UG KE TZ Tnga Usa**
- 13498. Iolaus (Etesiolaus) catori catori Bethune-Baker,1904** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1904
Range (in code): **SL LR CI GH NG CM**
- 13499. Iolaus (Etesiolaus) catori cottoni Bethune-Baker,1908** (Lycaenidae) Synonym(s): *cottoni* Bethune-Baker,1908
Range (in code): **ZR UG KE TZ Tnga Usa**
- 13500. Iolaus (Etesiolaus) pinheyi (Kielland,1986)** (Lycaenidae) Synonym(s): *pinheyi* Kielland,1986
Range (in code): **TZ Tnga Usa**
- 13501. Iolaus (Iolaphilus) gabunicus (Riley,1928)** (Lycaenidae) Synonym(s): *gabunicus* Riley,1928
Range (in code): **GA CM UG KE**
- 13502. Iolaus (Iolaphilus) henryi (Stempffer,1961)** (Lycaenidae) Synonym(s): *henryi* Stempffer,1961
Range (in code): **UG**
- 13503. Iolaus (Iolaphilus) iulus Hewitson,1869** (Lycaenidae) Synonym(s): *iulus* Hewitson,1869; *aelianus* Staudinger,1891; *matilda* Suffert,1904; *entebbeae* Riley,1928
Range (in code): **UG SL GA TG GM NG ZR CG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 13504. Iolaus (Iolaphilus) jamesoni (Druce,1891)** (Lycaenidae) Synonym(s): *jamesoni* Druce,1891
Range (in code): **ZR**
- 13505. Iolaus (Iolaphilus) menas Druce,1890** (Lycaenidae) Synonym(s): *menas* Druce,1890
Range (in code): **GM SN NG SD GA UG KE TZ**
- 13506. Iolaus (Iolaphilus) menas menas Druce,1890** (Lycaenidae) Synonym(s): *menas* Druce,1890
Range (in code): **GM SN NG SD GA UG KE TZ**
- 13507. Iolaus (Iolaphilus) menas tatiana (D'Abrera,1980)** (Lycaenidae) Synonym(s): *tatiana* D'Abrera,1980
Range (in code): **UG KE**
- 13508. Iolaus (Iolaphilus) schultzei Aurivillius,1905** (Lycaenidae) Synonym(s): *schultzei* Aurivillius,1905
Range (in code): **CM**

- 13509. Iolaus (Iolaphilus) trimeni Wallengren, 1875** (Lycaenidae) **Synonym(s):** *trimeni* Wallengren, 1875; *anesius* Hulstaert, 1924. Range (in code): **ZA Tva Spb Lj Gau Pre Suw Wm Bfk Wri Mpu Nel ZW ZR Shb BW MZ MW ZM AO TZ**
- 13510. Iolaus (Pseudiolaus) lulua (Riley, 1944)** (Lycaenidae) **Synonym(s):** *lulua* Riley, 1944. Range (in code): **ZA Kzu Nta Ndu MZ**
- 13511. Iolaus (Pseudiolaus) poultoni (Riley, 1928)** (Lycaenidae) **Synonym(s):** *poultoni* Riley, 1928. Range (in code): **KE ZW MZ**
- 13512. Iolaus (Stugeta) bowkeri Trimen, 1864** (Lycaenidae) **Synonym(s):** *bowkeri* Trimen, 1864. Original Reference: Iolaus bowkeri Trimen, 1864, Trans. ent. Soc. London (3) 2: 176. Type: [South Africa]: "Bashee River, Kaffraria". Range (in code): **ZA Ec Nca Wca Nta Kzu Ndu Fs Tva Lpo Spb Mdk Kru Pma Ly Mpu Brb Gau Pre Wm Nel BW NA ZW ET ZR AO SL SO TZ KE MW**
- 13513. Iolaus (Stugeta) bowkeri albeza Koçak, 1996** (Lycaenidae) **Synonym(s):** *caerulea* Stempffer, 1947 nec Ril., 1928; *albeza* Koçak, 1996. Range (in code): **SO**
- 13514. Iolaus (Stugeta) bowkeri bowkeri Trimen, 1864** (Lycaenidae) **Synonym(s):** *bowkeri* Trimen, 1864. Original Reference: Iolaus bowkeri Trimen, 1864, Trans. ent. Soc. London (3) 2: 176. Type: [South Africa]: "Bashee River, Kaffraria". Range (in code): **ZA Ec Wca Nta Kzu**
- 13515. Iolaus (Stugeta) bowkeri ethiopica (Stempffer & Bennett, 1958)** (Lycaenidae) **Synonym(s):** *ethiopica* Stempffer & Bennett, 1958. Range (in code): **ET**
- 13516. Iolaus (Stugeta) bowkeri henningi (Dickson, 1980)** (Lycaenidae) **Synonym(s):** *henningi* Dickson, 1980. Range (in code): **ZA Nca Fs Tva Lpo**
- 13517. Iolaus (Stugeta) bowkeri kedonga (Van Someren, 1939)** (Lycaenidae) **Synonym(s):** *kedonga* Van Someren, 1939. Range (in code): **KE**
- 13518. Iolaus (Stugeta) bowkeri maria (Suffert, 1904)** (Lycaenidae) **Synonym(s):** *maria* Suffert, 1904. Range (in code): **AO ZR**
- 13519. Iolaus (Stugeta) bowkeri mombasae (Butler, 1901)** (Lycaenidae) **Synonym(s):** *mombasae* Butler, 1901. Range (in code): **KE**
- 13520. Iolaus (Stugeta) bowkeri nyanzana (Wichgraf, 1911)** (Lycaenidae) **Synonym(s):** *nyanzana* Wichgraf, 1911. Range (in code): **KE**
- 13521. Iolaus (Stugeta) bowkeri nyasana (Talbot, 1935)** (Lycaenidae) **Synonym(s):** *nyasana* Talbot, 1935. Range (in code): **MW**
- 13522. Iolaus (Stugeta) bowkeri occidentalis (Stempffer & Bennett, 1958)** (Lycaenidae) **Synonym(s):** *occidentalis* Stempffer & Bennett, 1958. Range (in code): **SL**
- 13523. Iolaus (Stugeta) bowkeri tearei (Dickson, 1980)** (Lycaenidae) **Synonym(s):** *tearei* Dickson, 1980. Original Reference: Stugeta bowkeri ssp. tearei Dickson, 1980, Entomologist's Rec. J. Var. 91: 38, pl.1 figs.9-12. Holotype: South Africa: Transvaal: Zoutpan [=Saltpan, Zoutpansberg]. Range (in code): **ZA Kuz Nta Tva Lpo Spb Mdk Ndu Ly Mpu Brb Gau Pre Wm Nel NA ZW BW**
- 13524. Iolaus (Stugeta) carpenteri (Stempffer, 1946)** (Lycaenidae) **Synonym(s):** *carpenteri* Stempffer, 1946. Range (in code): **KE**
- 13525. Iolaus (Stugeta) marmoreus (Butler, 1866)** (Lycaenidae) **Synonym(s):** *marmoreus* Butler, 1866. Range (in code): **KE SD CI GN GH NG UG**
- 13526. Iolaus (Stugeta) marmoreus marmoreus (Butler, 1866)** (Lycaenidae) **Synonym(s):** *marmoreus* Butler, 1866. Range (in code): **SD CI GN GH NG UG**
- 13527. Iolaus (Stugeta) marmoreus olalae (Stoneham, 1934)** (Lycaenidae) **Synonym(s):** *olalae* Stoneham, 1934. Range (in code): **KE**
- 13528. Iolaus (Stugeta) mimetica (Aurivillius, 1916)** (Lycaenidae) **Synonym(s):** *mimetica* Aurivillius, 1916. Range (in code): **TZ**
- 13529. Iolaus (Stugeta) somalina (Stempffer, 1946)** (Lycaenidae) **Synonym(s):** *somalina* Stempffer, 1946. Range (in code): **SO KE**
- 13530. Iolaus (Stugeta) subinfusata (Grünberg, 1910)** (Lycaenidae) **Synonym(s):** *subinfusata* Grünberg, 1910. Range (in code): **ZA Nca Wca NA BW**
- 13531. Iolaus (Stugeta) subinfusata reynoldsi (Dickson, 1980)** (Lycaenidae) **Synonym(s):** *reynoldsi* Dickson, 1980. Range (in code): **ZA Nca Wca**
- 13532. Iolaus (Stugeta) subinfusata subinfusata (Grünberg, 1910)** (Lycaenidae) **Synonym(s):** *subinfusata* Grünberg, 1910. Range (in code): **NA BW**
- 13533. Iolaus (Tanuetheira) timon (Fabricius, 1787)** (Lycaenidae) **Synonym(s):** *timon* Fabricius, 1787. Range (in code): **SL CM GA CG UG ZR AO**

- 13534. Iolaus (Tanuetheira) timon congoensis (Joicey & Talbot,1921)** (Lycaenidae)
Synonym(s): *congoensis* Joicey & Talbot,1921 _ Range (in code): ZR
- 13535. Iolaus (Tanuetheira) timon orientius Hulstaert,1924** (Lycaenidae) Synonym(s):
orientius Hulstaert,1924 _ Range (in code): UG
- 13536. Iolaus (Tanuetheira) timon timon (Fabricius,1787)** (Lycaenidae) Synonym(s): *timon*
Fabricius,1787; prometheus Druce,1891 _ Range (in code): SL CM GA CG UG ZR AO
- 13537. Iolaus (Trichiolaus) argentarius Butler,1879** (Lycaenidae) Synonym(s): *argentarius*
Butler,1879; leucoceros Oberthür,1916 _ Range (in code): MG
- 13538. Iolaus (Trichiolaus) mermeros (Mabille,1878)** (Lycaenidae) Synonym(s): *mermeros*
Mabille,1878 _ Range (in code): MG
- 13539. Iolaus (s.str.) bilineata Bethune-Baker,1908** (Lycaenidae) Synonym(s): *bilineata*
Bethune-Baker,1908 _ Range (in code): ZR
- 13540. Iolaus (s.str.) bolissus Hewitson,1873** (Lycaenidae) Synonym(s): *bolissus* Hewitson,1873
Range (in code): CM GA CG ZR UG KE
- 13541. Iolaus (s.str.) bolissus aurorus Clench,1964** (Lycaenidae) Synonym(s): *aurorus*
Clench,1964 _ Range (in code): UG KE
- 13542. Iolaus (s.str.) bolissus azureus Clench,1964** (Lycaenidae) Synonym(s): *azureus*
Clench,1964 _ Range (in code): CM LR
- 13543. Iolaus (s.str.) bolissus bolissus Hewitson,1873** (Lycaenidae) Synonym(s): *bolissus*
Hewitson,1873 _ Range (in code): ZR CG GA
- 13544. Iolaus (s.str.) carinus Hewitson,1873** (Lycaenidae) Synonym(s): *carinus* Hewitson,1873;
gabonensis Stempffer,1951 _ Range (in code): GA
- 13545. Iolaus (s.str.) eurus (Cramer,[1779])** (Lycaenidae) Synonym(s): *eurus* Cramer,[1779];
thuraui Suffert,1904 _ Range (in code): SN CI NG CM GA GO Bio ZR Kvu
- 13546. Iolaus (s.str.) eurus eurus (Cramer,[1779])** (Lycaenidae) Synonym(s): *eurus*
Cramer,[1779]; thuraui Suffert,1904 _ Range (in code): SN NG CM GA GO Bio ZR Kvu
- 13547. Iolaus (s.str.) eurus susurro Lamas,2007** (Lycaenidae) Synonym(s): *helius*
Fabricius,1781 nec Cr.,1779; susurro Lamas,2007 _ Range (in code): SN CI
- 13548. Iolaus (s.str.) vexillarius Clench,1964** (Lycaenidae) Synonym(s): *vexillarius* Clench,1964
Range (in code): CM GA NG GH SL GN SN
- 13549. Ionolyce helicon (C.Felder,1860)** (Lycaenidae) Synonym(s): *helicon* C.Felder,1860
Range (in code): IN LK MM Mrg MY Lkw SG TH Cbi CMa Nna Rng Tng Yal Nst PH Pal Ala Bab Bal Bat
Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub
Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 13550. Ionolyce helicon helicon (C.Felder,1860)** (Lycaenidae) Synonym(s): *helicon*
C.Felder,1860
- 13551. Ionolyce helicon merguiana (Moore,1884)** (Lycaenidae) Synonym(s): *merguiana*
Moore,1884 _ Range (in code): IN LK MM Mrg MY Lkw SG TH Cbi CMa Knc Nna Nrt Nst PH Pal
- 13552. Ionolyce helicon ssp.** (Lycaenidae) Synonym(s): _ Range (in code): PH Ala Bab Bal
Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley
Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 13553. Iraota distanti (Staudinger,1889)** (Lycaenidae) Synonym(s): *nila Distant,1886 (praeocc.);*
distanti Staudinger,1889 _ Range (in code): MY TH Yal
- 13554. Iraota distanti distanti (Staudinger,1889)** (Lycaenidae) Synonym(s): *nila Distant,1886*
(praeocc.); distanti Staudinger,1889 _ Range (in code): MY TH Yal
- 13555. Iraota rochana (Horsfield,[1829])** (Lycaenidae) Synonym(s): *rochana* Horsfield,[1829]
Range (in code): PH Bal Cal Pal Bon Sga Taw Stu Neg Bab Boh Ceb Din Ley Luz Mar Mdo Mno Pao
Sam TH Chy CMa Mae Nna Nst Ths IN Ass MM MY Lkw SG
- 13556. Iraota rochana austrosuluensis Schröder & Treadaway,1989** (Lycaenidae)
Synonym(s): *austrosuluensis* Schröder & Treadaway,1989 _ Range (in code): PH Bon Sga Taw
- 13557. Iraota rochana boswelliana Distant,1885** (Lycaenidae) Synonym(s): *boswelliana*
Distant,1885 _ Range (in code): MY Lkw TH Chy CMa Mae Nna Nst Ths
- 13558. Iraota rochana boudanti Treadaway & Nuyda,1993** (Lycaenidae) Synonym(s):
boudanti Treadaway & Nuyda,1993 _ Range (in code): PH Stu
- 13559. Iraota rochana garzoni Schröder & Treadaway,1986** (Lycaenidae) Synonym(s):
garzoni Schröder & Treadaway,1986 _ Range (in code): PH Neg
- 13560. Iraota rochana indalawanae Schröder & Treadaway,1993** (Lycaenidae)
Synonym(s): *indalawanae* Schröder & Treadaway,1993 _ Range (in code): PH Bal

- 13561. *Iraota rochana lazarena* C.Felder & R.Felder, 1862** (Lycaenidae) Synonym(s): *lazarena* C.Felder & R.Felder, 1862 _ Range (in code): PH Bab Boh Ceb Din Ley Luz Mar Mdo Mno Pao Sam
- 13562. *Iraota rochana ottonis* Fruhstorfer, 1907** (Lycaenidae) Synonym(s): *ottonis* Fruhstorfer, 1907 _ Range (in code): PH Cal Pal
- 13563. *Iraota rochana rochana* (Horsfield, [1829])** (Lycaenidae) Synonym(s): *rochana* Horsfield, [1829] _ Range (in code): IN Ass MM
- 13564. *Iraota timoleon* (Stoll, [1790])** (Lycaenidae) Synonym(s): *timoleon* Stoll, [1790] _ Original Reference: Papilio timoleon Stoll, [1790], [in] Cramer, Uitl. Kapellen, Suppl.: pl.32, fig. 4. Range (in code): LK IN Ass MM TH Bnk CMa CDo Mae Nna Phr Ubo MY
- 13565. *Iraota timoleon timoleon* (Stoll, [1790])** (Lycaenidae) Synonym(s): *timoleon* Stoll, [1790] _ Original Reference: Papilio timoleon Stoll, [1790], [in] Cramer, Uitl. Kapellen, Suppl.: pl.32, fig. 4. Range (in code): IN Ass MM TH Bnk CMa CDo Mae Nna Phr Ubo
- 13566. *Iraota timoleon wickii* Eliot, 1980** (Lycaenidae) Synonym(s): *wickii* Eliot, 1980 _ Range (in code): MY
- 13567. *Iridana bwamba* Stempffer, 1964** (Lycaenidae) Synonym(s): *bwamba* Stempffer, 1964 _ Range (in code): UG
- 13568. *Iridana euprepes* (Druce, 1905)** (Lycaenidae) Synonym(s): *euprepes* Druce, 1905 _ Range (in code): ZR
- 13569. *Iridana exquisita* (Grose-Smith, 1898)** (Lycaenidae) Synonym(s): *exquisita* Grose-Smith, 1898 _ Range (in code): GA Ogo NG CG
- 13570. *Iridana gabunica* Stempffer, 1964** (Lycaenidae) Synonym(s): *gabunica* Stempffer, 1964 _ Range (in code): GA
- 13571. *Iridana ghanana* Stempffer, 1964** (Lycaenidae) Synonym(s): *ghanana* Stempffer, 1964 _ Range (in code): GH CM NG
- 13572. *Iridana hypocala* Eltringham, 1929** (Lycaenidae) Synonym(s): *hypocala* Eltringham, 1929; *magnifica* Hawker-Smith, 1933 _ Range (in code): UG ZR
- 13573. *Iridana incredibilis* (Staudinger, 1891)** (Lycaenidae) Synonym(s): *incredibilis* Staudinger, 1891; *ansorgei* Grose-Smith, 1898 _ Range (in code): SL LR CI ZR UG
- 13574. *Iridana jacksoni* Stempffer, 1964** (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1964 _ Range (in code): UG
- 13575. *Iridana katera* Stempffer, 1964** (Lycaenidae) Synonym(s): *katera* Stempffer, 1964 _ Range (in code): UG
- 13576. *Iridana marina* Talbot, 1935** (Lycaenidae) Synonym(s): *marina* Talbot, 1935 _ Range (in code): UG ZR
- 13577. *Iridana nigeriana* Stempffer, 1964** (Lycaenidae) Synonym(s): *nigeriana* Stempffer, 1964 _ Range (in code): NG CI
- 13578. *Iridana obscura* Stempffer, 1964** (Lycaenidae) Synonym(s): *obscura* Stempffer, 1964 _ Range (in code): UG
- 13579. *Iridana perdita* (Kirby, 1890)** (Lycaenidae) Synonym(s): *perdita* Kirby, 1890 _ Range (in code): CM UG?
- 13580. *Iridana rougeoti* Stempffer, 1964** (Lycaenidae) Synonym(s): *rougeoti* Stempffer, 1964 _ Range (in code): GA CI NG ZR?
- 13581. *Iridana tororo* Stempffer, 1964** (Lycaenidae) Synonym(s): *tororo* Stempffer, 1964 _ Range (in code): UG KE
- 13582. *Iridana unyoro* Stempffer, 1964** (Lycaenidae) Synonym(s): *unyoro* Stempffer, 1964 _ Range (in code): UG
- 13583. *Jacoona anasuja* (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *anasuja* C.Felder & R.Felder, [1865] _ Range (in code): SG MY TH CMa Rng Tng
- 13584. *Jacoona anasuja anasuja* (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *anasuja* C.Felder & R.Felder, [1865] _ Range (in code): SG MY
- 13585. *Jacoona anasuja nigerrima* Corbet, 1948** (Lycaenidae) Synonym(s): *nigerrima* Corbet, 1948 _ Range (in code): TH CMa Rng Tng
- 13586. *Jamides abdul* (Distant, 1886)** (Lycaenidae) Synonym(s): *abdul* Distant, 1886; *marakata* Doherty, 1890 _ Range (in code): ID Sum MY P-T TH Yal Pbu Loe
- 13587. *Jamides abdul abdul* (Distant, 1886)** (Lycaenidae) Synonym(s): *abdul* Distant, 1886; *marakata* Doherty, 1890 _ Range (in code): ID Sum MY P-T TH Yal Pbu Loe

- 13588. Jamides abdul pemanggilensis Eliot,1978** (Lycaenidae) Synonym(s): *pemanggilensis* Eliot,1978 _ Range (in code): MY P-T
- 13589. Jamides alecto (C.Felder,1860)** (Lycaenidae) Synonym(s): *alecto* C.Felder,1860
Range (in code): PH Pal Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pan Sam TH Rng CMA Dst Qs CDo Chy Knc Nna TAK Sgk Hya Tnc PSu Tng Nst Ths Sya MY LK IN SI Ass MM NP ID Sum
- 13590. Jamides alecto ageladas (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *ageladas* Fruhstorfer,1915 _ Range (in code): ID Sum MY TH Rng Sgk Hya Tnc PSu Tng Nst Ths Sya
- 13591. Jamides alecto alecto (C.Felder,1860)** (Lycaenidae) Synonym(s): *alecto* C.Felder,1860
- 13592. Jamides alecto alocina Swinhoe,1915** (Lycaenidae) Synonym(s): *alocina* Swinhoe,1915
Range (in code): IN SI Ass MM NP TH CMA CDo Chy Knc Nna TAK
- 13593. Jamides alecto kawazoei Hayashi,1976** (Lycaenidae) Synonym(s): *kawazoei* Hayashi,1976 _ Range (in code): PH Pal
- 13594. Jamides alecto manilana Toxopeus,1930** (Lycaenidae) Synonym(s): *manilana* Toxopeus,1930 _ Range (in code): PH Cat Ceb Ley Luz Mar Mas Mdo Mno Neg Pan Sam
- 13595. Jamides alsietus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *alsietus* Fruhstorfer,1916
Range (in code): PH Pal Luz Bas Mno Neg
- 13596. Jamides alsietus alsietus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *alsietus* Fruhstorfer,1916 _ Range (in code): PH Bas Mno Neg
- 13597. Jamides alsietus camarines Takanami,1990** (Lycaenidae) Synonym(s): *camarines* Takanami,1990 _ Range (in code): PH Luz
- 13598. Jamides alsietus sabatus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *sabatus* Fruhstorfer,1916 _ Range (in code): PH Pal
- 13599. Jamides aratus (Stoll,[1781])** (Lycaenidae) Synonym(s): *aratus* Stoll,[1781] _ Range (in code): MY P-T PH Stu Bal Pal
- 13600. Jamides aratus adana (Druce,1873)** (Lycaenidae) Synonym(s): *adana* Druce,1873
Range (in code): MY P-T PH Stu
- 13601. Jamides aratus nausiphanes Fruhstorfer,1916** (Lycaenidae) Synonym(s): *nausiphanes* Fruhstorfer,1916 _ Range (in code): PH Bal Pal
- 13602. Jamides bochus (Stoll,[1782])** (Lycaenidae) Synonym(s): *bochus* Stoll,[1782] Original Reference: Papilio bochus Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: pl.391, figs. C,D. Range (in code): Sml Hp IN NP LK MM PH Ley Mno Sam Cat Ceb Luz Mas Mdo Neg Pan Sib Bal Cal Pal Taw TH Chy CMA Cuo Cu12 Dst Nna Nst Lsa Loe MY Lkw Rng Sat
- 13603. Jamides bochus bochus (Stoll,[1782])** (Lycaenidae) Synonym(s): *bochus* Stoll,[1782] Original Reference: Papilio bochus Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: pl.391, figs. C,D. Range (in code): Sml Hp IN NP LK MM TH Chy CMA Cuo Cu12 Dst Nna Loe MY Lkw
- 13604. Jamides bochus georgi Fruhstorfer,1916** (Lycaenidae) Synonym(s): *georgi* Fruhstorfer,1916 _ Range (in code): PH Ley Mno Sam
- 13605. Jamides bochus herodicus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *herodicus* Fruhstorfer,1916 _ Range (in code): PH Cat Ceb Luz Mas Mdo Neg Pan Sib
- 13606. Jamides bochus nabonassar Fruhstorfer,1916** (Lycaenidae) Synonym(s): *nabonassar* Fruhstorfer,1916 _ Range (in code): PH Bal Cal Pal Taw MY Lkw TH Rng Sat Nst Lsa
- 13607. Jamides caeruleus (Druce,1873)** (Lycaenidae) Synonym(s): *caeruleus* Druce,1873
Range (in code): MY TH Cbi Rng Yal Nst
- 13608. Jamides caeruleus caeruleus (Druce,1873)** (Lycaenidae) Synonym(s): *caeruleus* Druce,1873 _ Range (in code): MY TH Cbi Rng Yal Nst
- 13609. Jamides callistus Röber,1886** (Lycaenidae) Synonym(s): *callistus* Röber,1886 _ Range (in code): PH Luz Mar Sib Ley Mno Cal Pal Stu Bas Mdo Pan
- 13610. Jamides callistus amastris Fruhstorfer,1916** (Lycaenidae) Synonym(s): *amastris* Fruhstorfer,1916 _ Range (in code): PH Ley Mno
- 13611. Jamides callistus callistus Röber,1886** (Lycaenidae) Synonym(s): *callistus* Röber,1886
Range (in code): PH Luz Mar Sib
- 13612. Jamides callistus cleitus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *cleitus* Fruhstorfer,1916 _ Range (in code): PH Bas
- 13613. Jamides callistus mioae Hayashi,1976** (Lycaenidae) Synonym(s): *mioae* Hayashi,1976
Range (in code): PH Cal Pal Stu
- 13614. Jamides callistus neaethus Fruhstorfer,1916** (Lycaenidae) Synonym(s): *neaethus* Fruhstorfer,1916 _ Range (in code): PH Mdo Pan

- 13615. Jamides celeno (Cramer,[1775])** (Lycaenidae) **Synonym(s):** *celeno* Cramer,[1775]; *alexis* Stoll,1790 *nec* Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819]. **Original Reference:** *Papilio celeno* Cramer,[1775], Uitl. Kapellen 1: 51. **Range (in code):** **CN Hn NH AF Ng Nu PK VN Ton NP LK IN Ass MM PH Jol Luz Mdo Mno Pal TH Cbi CMA Cu0 Cu05 Cu07 Cu09 Cu12 Dst CDo Nrt Pgg Phu Tng Bnk Sgk Hya Tnc MY Lkw NH SB**
- 13616. Jamides celeno aelianus (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *aelianus* Fabricius,1793 **Range (in code):** **PK IN MM VN MY Lkw TH CMA CDo Pgg Phu Tng**
- 13617. Jamides celeno celeno (Cramer,[1775])** (Lycaenidae) **Synonym(s):** *celeno* Cramer,[1775]; *alexis* Stoll,1790 *nec* Poda,1761; *aelianus* Fabricius,1793; *zethus* Hübner,[1819]. **Original Reference:** *Papilio celeno* Cramer,[1775], Uitl. Kapellen 1: 51. **Range (in code):** **CN Hn NH AF NP IN MM TH Cbi CMA Cu0 Cu05 Cu07 Cu09 Cu12 Dst Bnk Nrt**
- 13618. Jamides celeno optimus Röber,1886** (Lycaenidae) **Synonym(s):** *optimus* Röber,1886 **Range (in code):** **PH Jol Luz Mdo Mno Pal**
- 13619. Jamides cleodus C.Felder & R.Felder,[1865]** (Lycaenidae) **Synonym(s):** *cleodus* C.Felder & R.Felder,[1865] **Range (in code):** **PH Luz Neg Sib Hom Ley Mno Sam Bas Jol Sga Bal Pal Mdo**
- 13620. Jamides cleodus cleodus C.Felder & R.Felder,[1865]** (Lycaenidae) **Synonym(s):** *cleodus* C.Felder & R.Felder,[1865] **Range (in code):** **PH Luz Neg Sib**
- 13621. Jamides cleodus itumunus Treadaway & Nuyda,1995** (Lycaenidae) **Synonym(s):** *itumunus* Treadaway & Nuyda,1995 **Range (in code):** **PH Hom**
- 13622. Jamides cleodus manias Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *manias* Fruhstorfer,1916 **Range (in code):** **PH Ley Mno Sam**
- 13623. Jamides cleodus potidalon Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *potidalon* Fruhstorfer,1916 **Range (in code):** **PH Bas Jol Sga**
- 13624. Jamides cleodus semperi Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *semperi* Fruhstorfer,1916 **Range (in code):** **PH Mdo**
- 13625. Jamides cleodus trichonis Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *trichonis* Fruhstorfer,1916 **Range (in code):** **PH Bal Pal**
- 13626. Jamides coruscans (Moore,1877)** (Lycaenidae) **Synonym(s):** *coruscans* Moore,1877 **Original Reference:** *Lampides coruscans* Moore,1877, Ann. Mag. nat. Hist. (4) 20: 341. Type: Ceylon. **Range (in code):** **LK**
- 13627. Jamides cunilda (Snellen,1896)** (Lycaenidae) **Synonym(s):** *cunilda* Snellen,1896 **Range (in code):** **PH Pal TH Ntt SPa Nst**
- 13628. Jamides cunilda nisanca (Fruhstorfer)** (Lycaenidae) **Synonym(s):** **Range (in code):** **TH Ntt SPa Nst**
- 13629. Jamides cunilda sekii Takanami,1988** (Lycaenidae) **Synonym(s):** *sekii* Takanami,1988 **Range (in code):** **PH Pal**
- 13630. Jamides cyta (Boisduval,1832)** (Lycaenidae) **Synonym(s):** *cyta* Boisduval,1832 **Range (in code):** **MM TH Rng MY PH CmL ley Luz Mar Mno Neg Pan Sam Sga Sib Taw Pal Mdo**
- 13631. Jamides cyta koenigswarteri Schröder,Treadaway & Nuyda,1993** (Lycaenidae) **Synonym(s):** *koenigswarteri* Schröder,Treadaway & Nuyda,1993 **Range (in code):** **PH Mdo**
- 13632. Jamides cyta minna Riley & Corbet,1938** (Lycaenidae) **Synonym(s):** *minna* Riley & Corbet,1938 **Range (in code):** **MY TH Rng MM**
- 13633. Jamides cyta natsumiae Hayashi,1976** (Lycaenidae) **Synonym(s):** *natsumiae* Hayashi,1976 **Range (in code):** **PH Pal**
- 13634. Jamides cyta raddatzi Schröder & Treadaway,1984** (Lycaenidae) **Synonym(s):** *raddatzi* Schröder & Treadaway,1984 **Range (in code):** **PH CmL ley Luz Mar Mno Neg Pan Sam Sga Sib Taw**
- 13635. Jamides elpis (Godart,[1824])** (Lycaenidae) **Synonym(s):** *elpis* Godart,[1824] **Range (in code):** **MM SG PH Bas Mno Sam Ley Bal Pal MY Lkw TH Phu Nrt Rng Tng Nna**
- 13636. Jamides elpis phaliga Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *phaliga* Fruhstorfer,1916 **Range (in code):** **PH Bas Mno Sam Ley**
- 13637. Jamides elpis pseudelpis (Butler,1879)** (Lycaenidae) **Synonym(s):** *pseudelpis* Butler,1879 **Range (in code):** **MM SG MY Lkw TH Phu Nrt Rng Tng Nna PH Bal Pal**
- 13638. Jamides ferrari Evans,1932** (Lycaenidae) **Synonym(s):** *ferrari* Evans,1932 **Range (in code):** **ID Nk MY Lkw TH Nst Ths Sya**
- 13639. Jamides ferrari evansi Riley & Corbet,1938** (Lycaenidae) **Synonym(s):** *evansi* Riley & Corbet,1938 **Range (in code):** **MY Lkw TH Nst Ths Sya**

- 13640. *Jamides ferrari ferrari* Evans,1932** (Lycaenidae) **Synonym(s):** *ferrari Evans,1932*
Range (in code): **ID Nk**
- 13641. *Jamides lacteata* (De Nicéville,1895)** (Lycaenidae) **Synonym(s):** *lacteata De Nicéville,1895*
Original Reference: *Lampides lacteata De Nicéville,1895, J. Bombay nat. Hist. Soc. 10: 36. Type: Ceylon.* **Range (in code):** **LK IN SI Ass MM?**
- 13642. *Jamides malaccanus* (Röber,1886)** (Lycaenidae) **Synonym(s):** *malaccanus Röber,1886*
Range (in code): **MY Lkw P-T TH Phu Rng Sat Tng Sgk Hya Tnc PSu Nst**
- 13643. *Jamides malaccanus aurensis* Eliot,1978** (Lycaenidae) **Synonym(s):** *aurensis Eliot,1978*
Range (in code): **MY P-T**
- 13644. *Jamides malaccanus malaccanus* (Röber,1886)** (Lycaenidae) **Synonym(s):** *malaccanus Röber,1886* **Range (in code):** **TH Phu Rng Sat Tng Sgk Hya Tnc PSu MY Lkw Nst**
- 13645. *Jamides parasaturatus* (Fruhstorfer,1915)** (Lycaenidae) **Synonym(s):** *parasaturatus Fruhstorfer,1915* **Range (in code):** **TH Sat Tng MY Lkw**
- 13646. *Jamides parasaturatus paramalaccanus* Riley & Corbet,1938** (Lycaenidae) **Synonym(s):** *paramalaccanus Riley & Corbet,1938* **Range (in code):** **TH Sat Tng MY Lkw**
- 13647. *Jamides parasaturatus parasaturatus* (Fruhstorfer,1915)** (Lycaenidae) **Synonym(s):** *parasaturatus Fruhstorfer,1915*
- 13648. *Jamides philatus* (Snellen,1878)** (Lycaenidae) **Synonym(s):** *philatus Snellen,1878*
Range (in code): **PH Bas Jol Pal Stu Taw Luz Mar Mdo MY Lkw TH Nrt Rng TAK**
- 13649. *Jamides philatus amphyssina* Staudinger,1889** (Lycaenidae) **Synonym(s):** *amphyssina Staudinger,1889* **Range (in code):** **PH Bas Jol Pal Stu Taw**
- 13650. *Jamides philatus osias* (Röber,1886)** (Lycaenidae) **Synonym(s):** *osias Röber,1886*
Range (in code): **PH Luz Mar Mdo**
- 13651. *Jamides philatus philatus* (Snellen,1878)** (Lycaenidae) **Synonym(s):** *philatus Snellen,1878*
- 13652. *Jamides philatus subditus* (Moore,1886)** (Lycaenidae) **Synonym(s):** *subditus Moore,1886* **Range (in code):** **MY Lkw TH Nrt Rng TAK**
- 13653. *Jamides pura* (Moore,1886)** (Lycaenidae) **Synonym(s):** *pura Moore,1886* **Range (in code):** **IN Ass BD Cta MM Tns ID Sum Ja Bor MY TH Phu Rng Sat Tng Sgk Hya Tnc PH Bal Pal Stu Taw**
- 13654. *Jamides pura eordaea* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *eordaea Fruhstorfer,1916* **Range (in code):** **PH Bal Pal Stu Taw**
- 13655. *Jamides pura pura* (Moore,1886)** (Lycaenidae) **Synonym(s):** *pura Moore,1886*
Range (in code): **MM ID Sum Ja Bor MY TH Phu Rng Sat Tng Sgk Hya Tnc**
- 13656. *Jamides rothschildi* Hayashi,1977** (Lycaenidae) **Synonym(s):** *rothschildi Hayashi,1977*
Range (in code): **PH Luz Mas Mno Neg Pan Pal**
- 13657. *Jamides rothschildi aritai* Hayashi,1976** (Lycaenidae) **Synonym(s):** *aritai Hayashi,1976*
Range (in code): **PH Pal**
- 13658. *Jamides rothschildi mindanensis* Hayashi,1977** (Lycaenidae) **Synonym(s):** *mindanensis Hayashi,1977* **Range (in code):** **PH Luz Mas Mno Neg Pan**
- 13659. *Jamides schatzi* (Röber,1886)** (Lycaenidae) **Synonym(s):** *schatzi Röber,1886* **Range (in code):** **ID Bch PH Ceb Ley Luz Mar Mas Mno Neg Pan Sib Pal**
- 13660. *Jamides schatzi jumaloni* Hayashi,1976** (Lycaenidae) **Synonym(s):** *jumaloni Hayashi,1976* **Range (in code):** **PH Pal**
- 13661. *Jamides schatzi nakamotoi* Hayashi,1977** (Lycaenidae) **Synonym(s):** *nakamotoi Hayashi,1977* **Range (in code):** **PH Ceb Ley Luz Mar Mas Mno Neg Pan Sib**
- 13662. *Jamides suidas* C.Felder & R.Felder,[1865]** (Lycaenidae) **Synonym(s):** *suidas C.Felder & R.Felder,[1865]* **Range (in code):** **PH Bab Boh Ley Luz Mar Mdo Mno Pol Sib**
- 13663. *Jamides talinga* (Kheil,1884)** (Lycaenidae) **Synonym(s):** *talinga Kheil,1884* **Range (in code):** **MY P-T TH Rng Tng Nst Ths Ntt SPa**
- 13664. *Jamides talinga talinga* (Kheil,1884)** (Lycaenidae) **Synonym(s):** *talinga Kheil,1884*
Range (in code): **MY P-T TH Rng Tng Nst Ths Ntt SPa**
- 13665. *Jamides virgulatus* Druce,1895** (Lycaenidae) **Synonym(s):** *virgulatus Druce,1895*
Range (in code): **PH Pal TH Rng Sat Tng MY Lkw**
- 13666. *Jamides virgulatus nisanca* (Fruhstorfer,1915)** (Lycaenidae) **Synonym(s):** *nisanca Fruhstorfer,1915* **Range (in code):** **TH Rng Sat Tng MY Lkw**
- 13667. *Jamides virgulatus virgulatus* Druce,1895** (Lycaenidae) **Synonym(s):** *virgulatus Druce,1895*

- 13668. *Jamides zebra* (Druce,1895)** (Lycaenidae) **Synonym(s):** *zebra* Druce,1895 _ Range (in code): MY TH Yal
- 13669. *Jamides zebra lakatti* Corbet,1940** (Lycaenidae) **Synonym(s):** *lakatti* Corbet,1940 Range (in code): MY TH Yal
- 13670. *Jamides zebra zebra* (Druce,1895)** (Lycaenidae) **Synonym(s):** *zebra* Druce,1895
- 13671. *Japonica adusta* (Riley,1930)** (Lycaenidae) **Synonym(s):** *adusta* Riley,1930 _ Range (in code): RU Vv
- 13672. *Japonica adusta adusta* (Riley,1930)** (Lycaenidae) **Synonym(s):** *adusta* Riley,1930 Range (in code): RU Vv
- 13673. *Japonica lutea* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *lutea* Hewitson,[1865] Original Reference: Dipsas lutea Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.9,10. **Type(s):** Japonia. Range (in code): JP RU Vv TW
- 13674. *Japonica lutea lutea* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *lutea* Hewitson,[1865] Original Reference: Dipsas lutea Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.9,10. **Type(s):** Japonia. Range (in code): JP RU Vv
- 13675. *Japonica lutea patungkaonui* Murayama,1956** (Lycaenidae) **Synonym(s):** *patungkaonui* Murayama,1956 _ Range (in code): TW
- 13676. *Japonica saepestriata* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *saepestriata* Hewitson,[1865] Original Reference: Dipsas saepestriata Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8. **Type(s):** Japonia. Range (in code): JP RU Vv
- 13677. *Japonica saepestriata saepestriata* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *saepestriata* Hewitson,[1865] Original Reference: Dipsas saepestriata Hewitson,[1865], Ill. diurn. Lep., Lycaenidae 1 (text): 67; 2 (plates): pl.26 figs.7,8. **Type(s):** Japonia. Range (in code): JP RU Vv
- 13678. *Keraunogramma helena* Röber,1887** (Lycaenidae) **Synonym(s):** *helena* Röber,1887 Range (in code): ID Clb Bng
- 13679. *Lachnocnema abyssinica* Libert,1996** (Lycaenidae) **Synonym(s):** *abyssinica* Libert,1996 Range (in code): ET
- 13680. *Lachnocnema angolanus* Libert,1996** (Lycaenidae) **Synonym(s):** *angolanus* Libert,1996 Range (in code): AO
- 13681. *Lachnocnema bamptoni* Libert,1996** (Lycaenidae) **Synonym(s):** *bamptoni* Libert,1996 Range (in code): AO
- 13682. *Lachnocnema bibulus* (Fabricius,1793)** (Lycaenidae) **Synonym(s):** *bibulus* Fabricius,1793; *laches* Fabricius,1793; *delegorguei* Boisduval,1847; *emperamus* Snellen,1872. _ Range (in code): ZA Nta Kzu Tva Lpo Spb Lj Mdt Wb Wo Wm Wri Kom Gau Mgl Kru Pf Pma K12 Mes ZW MZ BW NA NR AO MW Zom
- 13683. *Lachnocnema brimo* Karsch,1893** (Lycaenidae) **Synonym(s):** *brimo* Karsch,1893; *sudanica* Aurivillius,1905; *obliquisigna* Hulstaert,1924; *rectifascia* Hulstaert,1924; _ Range (in code): ZW Har TG GN ET MW ZM ZR NG
- 13684. *Lachnocnema brimoides* Libert,1996** (Lycaenidae) **Synonym(s):** *brimoides* Libert,1996 Range (in code): ZA TZ
- 13685. *Lachnocnema busoga* Bethune-Baker,1906** (Lycaenidae) **Synonym(s):** *busoga* Bethune-Baker,1906 _ Range (in code): UG
- 13686. *Lachnocnema camerunica* D'Abrera,1980** (Lycaenidae) **Synonym(s):** *camerunica* D'Abrera,1980 _ Range (in code): CM
- 13687. *Lachnocnema disrupta* Talbot,1935** (Lycaenidae) **Synonym(s):** *disrupta* Talbot,1935 Range (in code): UG ZM
- 13688. *Lachnocnema divergens* Gaede,1915** (Lycaenidae) **Synonym(s):** *divergens* Gaede,1915 Range (in code): CM KE ZR CF
- 13689. *Lachnocnema dohertyi* Libert,1996** (Lycaenidae) **Synonym(s):** *dohertyi* Libert,1996 Range (in code): KE Mb
- 13690. *Lachnocnema ducarmei* Libert,1996** (Lycaenidae) **Synonym(s):** *ducarmei* Libert,1996 Range (in code): ZR
- 13691. *Lachnocnema durbani* Trimen,1887** (Lycaenidae) **Synonym(s):** *durbani* Trimen,1887 Range (in code): ZA Nta Kzu Ec Grh Kwi Est Lds ZW ZM MW UG KE
- 13692. *Lachnocnema exiguus* Holland,1890** (Lycaenidae) **Synonym(s):** *exiguus* Holland,1890 Range (in code): GA UG ZR CF

- 13693. *Lachnocnema jacksoni* Stempffer, 1967** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer, 1967 **Range (in code):** **UG**
- 13694. *Lachnocnema katangae* Libert, 1996** (Lycaenidae) **Synonym(s):** *katangae* Libert, 1996 **Range (in code):** **ZR**
- 13695. *Lachnocnema magna* Aurivillius, 1895** (Lycaenidae) **Synonym(s):** *magna* Aurivillius, 1895; *umbra* Grose-Smith, 1901; *niveus* Druce, 1910. **Range (in code):** **CM UG ZR GA NG CI**
- 13696. *Lachnocnema makakensis* Birket-Smith, 1960** (Lycaenidae) **Synonym(s):** *makakensis* Birket-Smith, 1960 **Range (in code):** **CM**
- 13697. *Lachnocnema pseudobibulus* Libert, 1996** (Lycaenidae) **Synonym(s):** *pseudobibulus* Libert, 1996 **Range (in code):** **ZA**
- 13698. *Lachnocnema regularis* Libert, 1996** (Lycaenidae) **Synonym(s):** *regularis* Libert, 1996 **Range (in code):** **TZ ZA Tva Lpo AO ZR**
- 13699. *Lachnocnema regularis grisea* Libert, 1996** (Lycaenidae) **Synonym(s):** *grisea* Libert, 1996 **Range (in code):** **TZ**
- 13700. *Lachnocnema regularis regularis* Libert, 1996** (Lycaenidae) **Synonym(s):** *regularis* Libert, 1996 **Range (in code):** **ZA Tva Lpo AO ZR**
- 13701. *Lachnocnema reutlingeri* Holland, 1892** (Lycaenidae) **Synonym(s):** *reutlingeri* Holland, 1892; *luna* Druce, 1910. **Range (in code):** **CM GO GA ZR UG KE**
- 13702. *Laeosopis evippus* (Hübner, 1793)** (Lycaenidae) **Synonym(s):** *evippus* Hübner, 1793; *roboris* Esper, [1793]. **Range (in code):** **ES Mu FR IT PT Lis** **Bionomy:** Larva on *Fraxinus excelsior* (Oleaceae) (Tolman, 1997).
- 13703. *Laeosopis evippus demissa* Verity, 1943** (Lycaenidae) **Synonym(s):** *demissa* Verity, 1943 **Original Reference:** *Laeosopis roboris* race *demissa* Verity, 1943, *Le farfalle diurne d'Italia* 2: 342. **Syntypes** 1♂ 2♀: [France]: St.-Baume, 700m; Pyrenees-Orientales; Alp Maritime. **Range (in code):** **FR IT**
- 13704. *Laeosopis evippus escorialensis* (Oberthür, 1910)** (Lycaenidae) **Synonym(s):** *escorialensis* Oberthür, 1910 **Range (in code):** **ES**
- 13705. *Laeosopis evippus evippus* (Hübner, 1793)** (Lycaenidae) **Synonym(s):** *evippus* Hübner, 1793; *roboris* Esper, [1793]. **Range (in code):** **ES** **Bionomy:** Larva on *Fraxinus excelsior* (Oleaceae) (Tolman, 1997).
- 13706. *Laeosopis evippus higginsii* Agenjo, 1963** (Lycaenidae) **Synonym(s):** *higginsii* Agenjo, 1963 **Range (in code):** **ES**
- 13707. *Laeosopis evippus lusitanica* Staudinger, [1892]** (Lycaenidae) **Synonym(s):** *lusitanica* Staudinger, [1892]. **Original Reference:** *Laeosopis roboris* var. *lusitanica* Staudinger, [1892], *Dt. ent. Z.*, *Iris* 4: 232. **Syntypes:** Portugal: Lissabon. **Range (in code):** **PT Lis**
- 13708. *Laeosopis evippus magis* Agenjo, 1963** (Lycaenidae) **Synonym(s):** *magis* Agenjo, 1963 **Range (in code):** **ES**
- 13709. *Laeosopis evippus mudarra* Agenjo, 1963** (Lycaenidae) **Synonym(s):** *mudarra* Agenjo, 1963 **Range (in code):** **ES**
- 13710. *Laeosopis evippus portensis* Betti, 1977** (Lycaenidae) **Synonym(s):** *portensis* Betti, 1977 **Range (in code):** **FR**
- 13711. *Laeosopis evippus thiersi* Betti, 1977** (Lycaenidae) **Synonym(s):** *thiersi* Betti, 1977 **Range (in code):** **FR**
- 13712. *Lamasina draudti* (Lathy, 1926)** (Lycaenidae) **Synonym(s):** *draudti* Lathy, 1926; *godmani* Goodson, 1945 **Range (in code):** **CO GT**
- 13713. *Lamasina ganimedes* (Cramer, 1775)** (Lycaenidae) **Synonym(s):** *ganimedes* Cramer, 1775; *#ganymedes* Fabricius, 1776; *nobilis* Herrich-Schäffer, [1853]; *bimaculata* (Möschler, 1877) **Range (in code):** **SR**
- 13714. *Lamasina rhaptissima* (K.Johnson, 1991)** (Lycaenidae) **Synonym(s):** *mirabilis* Lathy, 1930 nec Ersch., 1874; *rhaptissima* K.Johnson, 1991; *mirabilissima* D'Abrera, 1995 **Range (in code):** **EC**
- 13715. *Lamasina saphonota* (Constantino, Salazar & K.Johnson, 1993)** (Lycaenidae) **Synonym(s):** *saphonota* Constantino, Salazar & K.Johnson, 1993 **Range (in code):** **CO**
- 13716. *Lampides boeticus* (Linnaeus, 1767)** (Lycaenidae) **Synonym(s):** *boeticus* Linnaeus, 1767; *damoetes* Fabricius, 1775; *coluteae* Fuessly, 1775; *pisorum* Fourcroy, 1785; *boedicus* Borkhausen, 1788; *#baeticus* Latreille, 1809; *armeniensis* Gerhard, 1886; *bagus* Distant, 1886 **Original Reference:** *Papilio boeticus* Linnaeus, 1767, *Syst. Nat.* (Edn.12) 1(2): 789. **Type(s):** Barbaria [Algeria]. **Range (in code):** **Ae AF AL AM AZ Ba BE BG BH B-H BY CH CN Co Cr CY DE DK DZ EG ES FR GG GR HU IL IN IQ IR IT JO**

- Kab Kbb KG KK KW LB Ld LY MA MK MN MT NL OM Pag PK Cp PT QA Rd RO RU SA Sa Si SK Sm So
Sr SW SY TJ TM TN TR UA AE UZ YE YU Cw Dv Smt H-W Sur Ssx Ken Cy Ao Mu18 Ci He Ket DsA Tls
TrA Cp T-S Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz
Zj Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv
Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm PG Vu
Dmp PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din
Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq
Sis Stu Tab MW Zom ZA Tva Lpo Spb Lj Mdk Kru Pma Pf Nta Kzu Ptb Fre Gau Pre Jh Brn Mpu US Pa
Hf TH CMa Cuo Cuo7 Cu12 Lmp Sgk Hya PSu Nst Chw Ths Sya Bnk Kci MY Lkw IN Ass MM VN Hw SD
SD91 SD119 Bgd Cc SO Zai Ad DZ Ah Agi Anna Orn Sbd Ges Ng Jla Lgh Kab Hr BLM Bionomy: Larva
on Alhagi, Colutea persica, C. paulsenii, C. cilicica; Cassia didymobothrya, Pisum sativum,
Chamaecytisus palmensis, Helianthemum helianthemoides, Phaseolus vulgaris, Cercis
siliquastrum, Robinia pseudacacia (Fabaceae) (Zhdanko,1997; Tolman,1997).
- 13717. *Larinopoda aspidos* Druce,1890** (Lycaenidae) Synonym(s): *aspidos* Druce,1890;
latimarginata Grose-Smith,1898; *brenda* Druce,1903 Range (in code): **NG CI**
- 13718. *Larinopoda batesi* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *batesi* Bethune-
Baker,1926 Range (in code): **CM Bit**
- 13719. *Larinopoda eurema* (Plötz,1880)** (Lycaenidae) Synonym(s): *eurema* Plötz,1880; *varipes*
Kirby,1887; *libussa* Staudinger,1888 Range (in code): **GH GN SL NG CM CG**
- 13720. *Larinopoda lagyra* (Hewitson,1866)** (Lycaenidae) Synonym(s): *lagyra* Hewitson,1866
Range (in code): **NG Caa CI CM GA ZR Kvu UG**
- 13721. *Larinopoda lagyra lagyra* (Hewitson,1866)** (Lycaenidae) Synonym(s): *lagyra*
Hewitson,1866; *lara* Staudinger,1892; *emilia* Suffert,1904; *gyrala* Suffert,1904; *#punctata* Druce,1910; *#deficiens*
Dufrane,1953 Range (in code): **NG Caa CI CM GA ZR Kvu UG**
- 13722. *Larinopoda lagyra reducta* Berger,1981** (Lycaenidae) Synonym(s): *reducta* Berger,1981
Range (in code): **ZR**
- 13723. *Larinopoda lircaea* (Hewitson,1866)** (Lycaenidae) Synonym(s): *lircaea* Hewitson,1866;
lycaenoides Butler,1871; *hermansii* Aurivillius,1896; *spuma* Druce,1910; *#alenica* Strand,1914; *#alenicola*
Strand,1914; *#benitonis* Strand,1914; *#makomensis* Strand,1914; *#simekoa* Strand,1914; *#bibundica*
Strand,1914; *innocentia* Gaede,1916 Range (in code): **NG Caa CM CF GO ZR SD**
- 13724. *Larinopoda tera* (Hewitson,1873)** (Lycaenidae) Synonym(s): *tera* Hewitson,1873; *soyauxii*
Dewitz,1879 Range (in code): **GA CM CG AO ZR Kvu UG KE TZ**
- 13725. *Lepidochrysops abri* Libert & Collins,2001** (Lycaenidae) Synonym(s): *abri* Libert &
Collins,2001
- 13726. *Lepidochrysops aethiopica* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s):
aethiopica Bethune-Baker,1923; *nyasae* Bethune-Baker,1923 Range (in code): **MZ MW**
- 13727. *Lepidochrysops albilinea* Tite,1959** (Lycaenidae) Synonym(s): *albilinea* Tite,1959
Range (in code): **SD**
- 13728. *Lepidochrysops anerius* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *anerius*
Hulstaert,1924 Range (in code): **ZR ZM TZ**
- 13729. *Lepidochrysops anerius anerius* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *anerius*
Hulstaert,1924 Range (in code): **ZR ZM**
- 13730. *Lepidochrysops anerius kiellandi* Stempffer,1972** (Lycaenidae) Synonym(s):
kiellandi Stempffer,1972 Range (in code): **TZ**
- 13731. *Lepidochrysops ansorgei* Tite,1959** (Lycaenidae) Synonym(s): *ansorgei* Tite,1959
Range (in code): **AO**
- 13732. *Lepidochrysops arabicus* Gabriel,1954** (Lycaenidae) Synonym(s): *arabicus* Gabriel,1954
Original Reference: *Lepidochrysops arabicus* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-
West Arabia 1 (25): 384-385, pl.xviii figs.9,15,16. Holotype ♂: Yemen: Western Aden
Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH). Range (in code): **Ad YE**
- 13733. *Lepidochrysops arabicus arabicus* Gabriel,1954** (Lycaenidae) Synonym(s): *arabicus*
Gabriel,1954 Original Reference: *Lepidochrysops arabicus* Gabriel,1954, Br. Mus. Nat. Hist.
exped. South-West Arabia 1 (25): 384-385, pl.xviii figs.9,15,16. Holotype ♂: Yemen: Western
Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH). Range (in code): **Ad YE**
- 13734. *Lepidochrysops asteris* (Godart,[1824])** (Lycaenidae) Synonym(s): *asteris*
Godart,[1824]; *caffrariae* Trimen,1887 Range (in code): **ZA Ec Grh Kwi Nta Kzu**
- 13735. *Lepidochrysops auratus* Quickelberge,1979** (Lycaenidae) Synonym(s): *auratus*
Quickelberge,1979 Range (in code): **MW**
- 13736. *Lepidochrysops australis* Tite,1964** (Lycaenidae) Synonym(s): *australis* Tite,1964
Range (in code): **ZA Wca Cld**

- 13737. *Lepidochrysops azureus* (Butler,1879)** (Lycaenidae) **Synonym(s):** *azureus* Butler,1879
Range (in code): **MG**
- 13738. *Lepidochrysops bacchus* Riley,1938** (Lycaenidae) **Synonym(s):** *bacchus* Riley,1938
Range (in code): **ZA Wca Cto**
- 13739. *Lepidochrysops badhami* Van Son,1956** (Lycaenidae) **Synonym(s):** *badhami* Van Son,1956
Range (in code): **ZA Wca**
- 13740. *Lepidochrysops balli* Dickson,1985** (Lycaenidae) **Synonym(s):** *balli* Dickson,1985
Range (in code): **ZA Wca**
- 13741. *Lepidochrysops barnesi* Pennington,1953** (Lycaenidae) **Synonym(s):** *barnesi* Pennington,1953
Range (in code): **ZW**
- 13742. *Lepidochrysops braueri* Dickson,1966** (Lycaenidae) **Synonym(s):** *braueri* Dickson,1966
Range (in code): **ZA Ec Wca Kny**
- 13743. *Lepidochrysops budama* Van Someren,1957** (Lycaenidae) **Synonym(s):** *budama* Van Someren,1957
Range (in code): **UG**
- 13744. *Lepidochrysops butha* (Strand,1911)** (Lycaenidae) **Synonym(s):** *butha* Strand,1911
Range (in code): **GH**
- 13745. *Lepidochrysops caerulea* Tite,1961** (Lycaenidae) **Synonym(s):** *caerulea* Tite,1961
Range (in code): **MG**
- 13746. *Lepidochrysops carsoni* (Butler,1901)** (Lycaenidae) **Synonym(s):** *carsoni* Butler,1901
Range (in code): **TZ**
- 13747. *Lepidochrysops chala* Kielland,1980** (Lycaenidae) **Synonym(s):** *chala* Kielland,1980
Range (in code): **TZ**
- 13748. *Lepidochrysops chalceus* Quickelberge,1979** (Lycaenidae) **Synonym(s):** *chalceus* Quickelberge,1979
Range (in code): **MW**
- 13749. *Lepidochrysops chloauges* (Bethune-Baker,1923)** (Lycaenidae) **Synonym(s):** *chloauges* Bethune-Baker,1923
Range (in code): **MW ZM ZR ZW AO**
- 13750. *Lepidochrysops cinerea* (Bethune-Baker,1923)** (Lycaenidae) **Synonym(s):** *cinerea* Bethune-Baker,1923
Range (in code): **ZM ZR TZ KE ET**
- 13751. *Lepidochrysops cinerea cinerea* (Bethune-Baker,1923)** (Lycaenidae) **Synonym(s):** *cinerea* Bethune-Baker,1923
Range (in code): **ZM ZR TZ**
- 13752. *Lepidochrysops cinerea kitale* (Stempffer,1936)** (Lycaenidae) **Synonym(s):** *kitale* Stempffer,1936
Range (in code): **KE**
- 13753. *Lepidochrysops cinerea lunulifer* (Ungemach,1932)** (Lycaenidae) **Synonym(s):** *lunulifer* Ungemach,1932
Range (in code): **ET**
- 13754. *Lepidochrysops coxii* Pinhey,1945** (Lycaenidae) **Synonym(s):** *coxii* Pinhey,1945
Range (in code): **ZW**
- 13755. *Lepidochrysops cupreus* (Neave,1910)** (Lycaenidae) **Synonym(s):** *cupreus* Neave,1910
Range (in code): **ZM TZ**
- 13756. *Lepidochrysops delicata* (Bethune-Baker,1923)** (Lycaenidae) **Synonym(s):** *delicata* Bethune-Baker,1923
Range (in code): **MW MZ**
- 13757. *Lepidochrysops desmondi* Stempffer,1951** (Lycaenidae) **Synonym(s):** *desmondi* Stempffer,1951
Range (in code): **KE TZ MW**
- 13758. *Lepidochrysops dollmani* (Bethune-Baker,1923)** (Lycaenidae) **Synonym(s):** *dollmani* Bethune-Baker,1923
Range (in code): **ZM TZ**
- 13759. *Lepidochrysops dukei* Cottrell,1965** (Lycaenidae) **Synonym(s):** *dukei* Cottrell,1965
Range (in code): **ZA Wca Wr**
- 13760. *Lepidochrysops elgonae* Stempffer,1950** (Lycaenidae) **Synonym(s):** *elgonae* Stempffer,1950
Range (in code): **KE**
- 13761. *Lepidochrysops elgonae elgonae* Stempffer,1950** (Lycaenidae) **Synonym(s):** *elgonae* Stempffer,1950
Range (in code): **KE**
- 13762. *Lepidochrysops elgonae moyo* Van Someren,1957** (Lycaenidae) **Synonym(s):** *moyo* Van Someren,1957
Range (in code): **KE**
- 13763. *Lepidochrysops erici* Gardiner,2003** (Lycaenidae) **Synonym(s):** *erici* Gardiner,2003
Range (in code): **ZM**
- 13764. *Lepidochrysops erici erici* Gardiner,2003** (Lycaenidae) **Synonym(s):** *erici* Gardiner,2003
Range (in code): **ZM**

- 13765. *Lepidochrysops evae* Gardiner,2003** (Lycaenidae) Synonym(s): *evae* Gardiner,2003
Range (in code): **ZM**
- 13766. *Lepidochrysops evae evae* Gardiner,2003** (Lycaenidae) Synonym(s): *evae* Gardiner,2003
Range (in code): **ZM**
- 13767. *Lepidochrysops flavisquamosa* Tite,1959** (Lycaenidae) Synonym(s): *flavisquamosa* Tite,1959
Range (in code): **AO**
- 13768. *Lepidochrysops forsskali* T.Larsen,1982** (Lycaenidae) Synonym(s): *forsskali* T.Larsen,1982
Original Reference: *Lepidochrysops forsskali* Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 50-51, pl.2 fig.10. Holotype ♂: Yemen: Ibb Province, Jabal Sumara, ca 2 km NE of Dalil village, 1900m. (BMNH). Range (in code): **Ad As SA YE**
- 13769. *Lepidochrysops forsskali forsskali* T.Larsen,1982** (Lycaenidae) Synonym(s): *forsskali* T.Larsen,1982
Original Reference: *Lepidochrysops forsskali* Larsen,1982, Biol. Skr. Dan. Vid. Selsk. 23 (3): 50-51, pl.2 fig.10. Holotype ♂: Yemen: Ibb Province, Jabal Sumara, ca 2 km NE of Dalil village, 1900m. (BMNH). Range (in code): **Ad As SA YE**
- 13770. *Lepidochrysops fulvescens* Tite,1961** (Lycaenidae) Synonym(s): *fulvescens* Tite,1961
Range (in code): **AO**
- 13771. *Lepidochrysops fumosa* (Butler,1886)** (Lycaenidae) Synonym(s): *fumosa* Butler,1886
Range (in code): **ET SO**
- 13772. *Lepidochrysops glauca* (Trimen,1887)** (Lycaenidae) Synonym(s): *glauca* Trimen,1887
Range (in code): **GA ZR AO MW ZW BW ZA Tva Lpo Ptc Wb Rtb Mpu Wv Buf Wri Ly Gau Pre**
- 13773. *Lepidochrysops glauca glauca* (Trimen,1887)** (Lycaenidae) Synonym(s): *glauca* Trimen,1887
Range (in code): **GA ZR AO MW BW ZA Tva Lpo Ptc Wb Rtb Mpu Wv Buf Wri Ly Gau Pre**
- 13774. *Lepidochrysops glauca swinburnei* Stevenson,1939** (Lycaenidae) Synonym(s): *swinburnei* Stevenson,1939
Range (in code): **ZW**
- 13775. *Lepidochrysops grahami* (Trimen,1893)** (Lycaenidae) Synonym(s): *grahami* Trimen,1893
Range (in code): **ZA Wca**
- 13776. *Lepidochrysops grandis* Talbot,1937** (Lycaenidae) Synonym(s): *grandis* Talbot,1937
Range (in code): **MG**
- 13777. *Lepidochrysops guichardi* Gabriel,1949** (Lycaenidae) Synonym(s): *guichardi* Gabriel,1949
Range (in code): **ET**
- 13778. *Lepidochrysops handmanni* Quickelberge,1980** (Lycaenidae) Synonym(s): *handmanni* Quickelberge,1980
Range (in code): **MW**
- 13779. *Lepidochrysops haveni* T.Larsen,1983** (Lycaenidae) Synonym(s): *haveni* T.Larsen,1983
Original Reference: *Lepidochrysops haveni* Larsen,1983, Fauna Saudi Arabia 5: 407, pl.1 figs.9-11. Holotype ♂: Yemen: Hajjah, Wadi Sharas, 900m. Range (in code): **YE**
- 13780. *Lepidochrysops haveni haveni* T.Larsen,1983** (Lycaenidae) Synonym(s): *haveni* T.Larsen,1983
Original Reference: *Lepidochrysops haveni* Larsen,1983, Fauna Saudi Arabia 5: 407, pl.1 figs.9-11. Holotype ♂: Yemen: Hajjah, Wadi Sharas, 900m. Range (in code): **YE**
- 13781. *Lepidochrysops hawkeri* (Talbot,1929)** (Lycaenidae) Synonym(s): *hawkeri* Talbot,1929
Range (in code): **AO**
- 13782. *Lepidochrysops heathi* Gardiner,1998** (Lycaenidae) Synonym(s): *heathi* Gardiner,1998
Range (in code): **ZM**
- 13783. *Lepidochrysops heathi heathi* Gardiner,1998** (Lycaenidae) Synonym(s): *heathi* Gardiner,1998
Range (in code): **ZM**
- 13784. *Lepidochrysops hypopolia* (Trimen,1887)** (Lycaenidae) Synonym(s): *hypopolia* Trimen,1887
Range (in code): **ZA Tva Wel Gau Jh Nta Kzu Ptc**
- 13785. *Lepidochrysops ignota* (Trimen,1887)** (Lycaenidae) Synonym(s): *ignota* Trimen,1887
Range (in code): **ZA Tva Nta Kzu Est Ptc Pot Gau Jh Wel Mpu Brb Ly Ulu Mld**
- 13786. *Lepidochrysops intermedia* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *intermedia* Bethune-Baker,1923
Range (in code): **ZM MW MZ**
- 13787. *Lepidochrysops intermedia cottrelli* Stempffer,1954** (Lycaenidae) Synonym(s): *cottrelli* Stempffer,1954
Range (in code): **ZM MW**
- 13788. *Lepidochrysops intermedia intermedia* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *intermedia* Bethune-Baker,1923
Range (in code): **MZ ZM MW**
- 13789. *Lepidochrysops inyangae* (Pinhey,1945)** (Lycaenidae) Synonym(s): *inyangae* Pinhey,1945
Range (in code): **ZW**

- 13790. *Lepidochrysops irvingi* (Swanepoel,1948)** (Lycaenidae) Synonym(s): *irvingi* Swanepoel,1948 _ Range (in code): ZA Tva Mpu Brb
- 13791. *Lepidochrysops jacksoni* Van Someren,1957** (Lycaenidae) Synonym(s): *jacksoni* Van Someren,1957 _ Range (in code): UG
- 13792. *Lepidochrysops jamesi* Swanepoel,1971** (Lycaenidae) Synonym(s): *jamesi* Swanepoel,1971 _ Range (in code): ZA Wca Ec Stl
- 13793. *Lepidochrysops jamesi claassensi* Dickson,1982** (Lycaenidae) Synonym(s): *claassensi* Dickson,1982 _ Range (in code): ZA Wca
- 13794. *Lepidochrysops jamesi jamesi* Swanepoel,1971** (Lycaenidae) Synonym(s): *jamesi* Swanepoel,1971 _ Range (in code): ZA Ec Stl
- 13795. *Lepidochrysops jansei* Van Someren,1957** (Lycaenidae) Synonym(s): *jansei* Van Someren,1957 _ Range (in code): KE
- 13796. *Lepidochrysops jefferyi* (Swiestra,1909)** (Lycaenidae) Synonym(s): *jefferyi* Swiestra,1909 _ Range (in code): ZA Tva Mpu Brb
- 13797. *Lepidochrysops kennethi* Kielland,1986** (Lycaenidae) Synonym(s): *kennethi* Kielland,1986 _ Range (in code): TZ
- 13798. *Lepidochrysops ketsi* Cottrell,1965** (Lycaenidae) Synonym(s): *ketsi* Cottrell,1965 _ Range (in code): ZA Ec Grh Fs Wca Tva
- 13799. *Lepidochrysops kilimanjarensis* (Strand,1909)** (Lycaenidae) Synonym(s): *kilimanjarensis* Strand,1909 _ Range (in code): TZ
- 13800. *Lepidochrysops koaena* (Strand,1911)** (Lycaenidae) Synonym(s): *koaena* Strand,1911 _ Range (in code): TZ
- 13801. *Lepidochrysops kocak* Seven,1997** (Lycaenidae) Synonym(s): *gigantea* Trimen,1898 nec Groum-Grsh.,1885; *kocak* Seven,1997. _ Range (in code): ZW MZ
- 13802. *Lepidochrysops labwor* Van Someren,1957** (Lycaenidae) Synonym(s): *labwor* Van Someren,1957 _ Range (in code): UG
- 13803. *Lepidochrysops lerothodi* (Trimen,1904)** (Lycaenidae) Synonym(s): *lerothodi* Trimen,1904 _ Range (in code): LS ZA Fs Ec
- 13804. *Lepidochrysops letsea* (Trimen,1870)** (Lycaenidae) Synonym(s): *letsea* Trimen,1870 _ Range (in code): ZW LS ZA Tva Fs Nca
- 13805. *Lepidochrysops leucon* (Mabille,1879)** (Lycaenidae) Synonym(s): *leucon* Mabille,1879 _ Range (in code): MG
- 13806. *Lepidochrysops littoralis* Swanepoel & Vari,1983** (Lycaenidae) Synonym(s): *littoralis* Swanepoel & Vari,1983 _ Range (in code): ZA Wca
- 13807. *Lepidochrysops loewensteini* (Swanepoel,1951)** (Lycaenidae) Synonym(s): *loewensteini* Swanepoel,1951 _ Range (in code): ZA Ec LS
- 13808. *Lepidochrysops longifalces* Tite,1961** (Lycaenidae) Synonym(s): *longifalces* Tite,1961 _ Range (in code): ZW Uma BW MW
- 13809. *Lepidochrysops lotana* Swanepoel,1962** (Lycaenidae) Synonym(s): *lotana* Swanepoel,1962 _ Range (in code): ZA Nta Kzu Rie Ptb
- 13810. *Lepidochrysops lukenia* Van Someren,1957** (Lycaenidae) Synonym(s): *lukenia* Van Someren,1957 _ Range (in code): TZ KE Nai
- 13811. *Lepidochrysops mashuna* (Trimen,1894)** (Lycaenidae) Synonym(s): *mashuna* Trimen,1894 _ Range (in code): ZW Har
- 13812. *Lepidochrysops mcgregori* Pennington,1970** (Lycaenidae) Synonym(s): *mcgregori* Pennington,1970 _ Range (in code): ZA Wca
- 13813. *Lepidochrysops methymna* (Trimen,1862)** (Lycaenidae) Synonym(s): *methymna* Trimen,1862; *major* Murray,1956 _ Range (in code): ZA Wca Cto Wel
- 13814. *Lepidochrysops methymna dicksoni* Tite,1964** (Lycaenidae) Synonym(s): *dicksoni* Tite,1964 _ Range (in code): ZA Wca Cto
- 13815. *Lepidochrysops methymna methymna* (Trimen,1862)** (Lycaenidae) Synonym(s): *methymna* Trimen,1862; *major* Murray,1956 _ Range (in code): ZA Wca Cto Wel
- 13816. *Lepidochrysops michaeli* Gardiner,2003** (Lycaenidae) Synonym(s): *michaeli* Gardiner,2003 _ Range (in code): ZM
- 13817. *Lepidochrysops michaeli michaeli* Gardiner,2003** (Lycaenidae) Synonym(s): *michaeli* Gardiner,2003 _ Range (in code): ZM

- 13818. *Lepidochrysops michellae* Henning & Henning, 1983** (Lycaenidae) Synonym(s): *michellae* Henning & Henning, 1983 _ Range (in code): NA
- 13819. *Lepidochrysops mpanda* Tite, 1961** (Lycaenidae) Synonym(s): *mpanda* Tite, 1961 _ Range (in code): TZ
- 13820. *Lepidochrysops nacrescens* Tite, 1961** (Lycaenidae) Synonym(s): *nacrescens* Tite, 1961 _ Range (in code): AO
- 13821. *Lepidochrysops naidina* (Bethune-Baker, 1886)** (Lycaenidae) Synonym(s): *naidina* Bethune-Baker, 1886 _ Range (in code): SO
- 13822. *Lepidochrysops neavei* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *neavei* Bethune-Baker, 1923 _ Range (in code): MW MZ
- 13823. *Lepidochrysops negus* (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *negus* C.Felder & R.Felder, [1865] _ Range (in code): ET SD
- 13824. *Lepidochrysops negus negus* (C.Felder & R.Felder, [1865])** (Lycaenidae) Synonym(s): *negus* C.Felder & R.Felder, [1865] _ Range (in code): ET
- 13825. *Lepidochrysops negus wau* (Wichgraf, 1921)** (Lycaenidae) Synonym(s): *wau* Wichgraf, 1921 _ Range (in code): SD
- 13826. *Lepidochrysops neonegus* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *neonegus* Bethune-Baker, 1923; *variegata* Bethune-Baker, 1923 _ Range (in code): UG KE Nai
- 13827. *Lepidochrysops neonegus borealis* Van Someren, 1957** (Lycaenidae) Synonym(s): *borealis* Van Someren, 1957 _ Range (in code): UG KE
- 13828. *Lepidochrysops neonegus neonegus* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *neonegus* Bethune-Baker, 1923; *variegata* Bethune-Baker, 1923 _ Range (in code): KE Nai
- 13829. *Lepidochrysops nevillei* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *nevillei* Bethune-Baker, 1923 _ Range (in code): ZW Hfo
- 13830. *Lepidochrysops nigeriae* Stempffer, 1957** (Lycaenidae) Synonym(s): *nigeriae* Stempffer, 1957 _ Range (in code): NG CI
- 13831. *Lepidochrysops nigrita* Tite, 1959** (Lycaenidae) Synonym(s): *nigrita* Tite, 1959 _ Range (in code): SD
- 13832. *Lepidochrysops nyika* Tite, 1961** (Lycaenidae) Synonym(s): *nyika* Tite, 1961 _ Range (in code): MW
- 13833. *Lepidochrysops oosthuizeni* Swanepoel & Vari, 1983** (Lycaenidae) Synonym(s): *oosthuizeni* Swanepoel & Vari, 1983 _ Range (in code): ZA LS Ec Fs
- 13834. *Lepidochrysops oreas* Tite, 1964** (Lycaenidae) Synonym(s): *oreas* Tite, 1964 _ Range (in code): ZA Wca
- 13835. *Lepidochrysops oreas junae* Dickson, 1974** (Lycaenidae) Synonym(s): *junae* Dickson, 1974 _ Range (in code): ZA Wca
- 13836. *Lepidochrysops oreas oreas* Tite, 1964** (Lycaenidae) Synonym(s): *oreas* Tite, 1964 _ Range (in code): ZA Wca
- 13837. *Lepidochrysops ortygia* (Trimen, 1887)** (Lycaenidae) Synonym(s): *ortygia* Trimen, 1887 _ Range (in code): ZA Tva LS Ec Wca Cto Grh Fs
- 13838. *Lepidochrysops outeniqua* Swanepoel & Vari, 1983** (Lycaenidae) Synonym(s): *outeniqua* Swanepoel & Vari, 1983 _ Range (in code): ZA
- 13839. *Lepidochrysops pampolis* (Druce, 1905)** (Lycaenidae) Synonym(s): *pampolis* Druce, 1905 _ Range (in code): ZR
- 13840. *Lepidochrysops parsimon* (Fabricius, 1775)** (Lycaenidae) Synonym(s): *parsimon* Fabricius, 1775; *celaeus* Stoll, [1781]; *loveni* Aurivillius, 1922; *#albicans* Hulstaert, 1924 _ Range (in code): ZR RW ET SL KE UG TZ AO ZM MW
- 13841. *Lepidochrysops parsimon abyssiniensis* (Strand, 1911)** (Lycaenidae) Synonym(s): *abyssiniensis* Strand, 1911 _ Range (in code): ET
- 13842. *Lepidochrysops parsimon kivuensis* (Joicey & Talbot, 1921)** (Lycaenidae) Synonym(s): *kivuensis* Joicey & Talbot, 1921 _ Range (in code): ZR RW
- 13843. *Lepidochrysops parsimon oculus* (Ungemach, 1932)** (Lycaenidae) Synonym(s): *oculus* Ungemach, 1932 _ Range (in code): ET
- 13844. *Lepidochrysops parsimon parsimon* (Fabricius, 1775)** (Lycaenidae) Synonym(s): *parsimon* Fabricius, 1775; *celaeus* Stoll, [1781]; *loveni* Aurivillius, 1922; *#albicans* Hulstaert, 1924 _ Range (in code): SL KE UG TZ AO ZM MW

- 13845. *Lepidochrysops patricia* (Trimen,1887)** (Lycaenidae) Synonym(s): *patricia* Trimen,1887; *#radiata* Woodhall,2000 Original Reference: *Lycaena patricia* Trimen & Bowker,1887, South African Butterflies 2: 20. Syntypes: Potchefstroom, Pretoria. Range (in code): **ZA Nta Kzu Est Wnn Ptb Dbn Mpu Stb Gau Pre Ptc LS SZ Nca Ec Wca Fs NWe Tva Lpo Spb Mdk Pf ZW BW NA MZ** Bionomy: Larva on Lantana salvifolia, L. camara, L. rugosa (Verbenaceae); *Salvia repens* (Lamiaceae) (Murray,1935; Clark & Dickson,1957; Willams,1996).
- 13846. *Lepidochrysops peculiaris* (Rogenhofer,1891)** (Lycaenidae) Synonym(s): *peculiaris* Rogenhofer,1891; *perpulchra* Holland,1892 Range (in code): **KE MW Zom TZ ZW**
- 13847. *Lepidochrysops peculiaris hypoleucus* (Butler,1894)** (Lycaenidae) Synonym(s): *hypoleucus* Butler,1894; *exclusa* Trimen,1894 Range (in code): **KE MW Zom TZ ZW**
- 13848. *Lepidochrysops peculiaris peculiaris* (Rogenhofer,1891)** (Lycaenidae) Synonym(s): *peculiaris* Rogenhofer,1891; *perpulchra* Holland,1892 Range (in code): **KE TZ**
- 13849. *Lepidochrysops penningtoni* Dickson,1969** (Lycaenidae) Synonym(s): *penningtoni* Dickson,1969 Range (in code): **ZA Wca**
- 13850. *Lepidochrysops pephredo* (Trimen,1889)** (Lycaenidae) Synonym(s): *pephredo* Trimen,1889 Range (in code): **ZA Nta Kzu Est**
- 13851. *Lepidochrysops pittawayi* T.Larsen,1983** (Lycaenidae) Synonym(s): *pittawayi* T.Larsen,1983 Range (in code): **SA Bhb**
- 13852. *Lepidochrysops plebeia* (Butler,1898)** (Lycaenidae) Synonym(s): *plebeia* Butler,1898 Range (in code): **ZW Har ZA Nta Kzu Est Tva Fs Nca ZM MW MZ BW SZ NA ZR TZ**
- 13853. *Lepidochrysops plebeia plebeia* (Butler,1898)** (Lycaenidae) Synonym(s): *plebeia* Butler,1898 Range (in code): **ZW Har ZA Nta Kzu Est Tva Fs Nca ZM MW MZ BW SZ NA**
- 13854. *Lepidochrysops plebeia proclus* (Hulstaert,1924)** (Lycaenidae) Synonym(s): *proclus* Hulstaert,1924 Range (in code): **ZR TZ**
- 13855. *Lepidochrysops polydialecta* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *polydialecta* Bethune-Baker,1923 Range (in code): **SD KE SN ML NE NG ZR SO UG**
- 13856. *Lepidochrysops poseidon* Pringle,1987** (Lycaenidae) Synonym(s): *poseidon* Pringle,1987 Range (in code): **ZA Ec**
- 13857. *Lepidochrysops praeterita* Swanepoel,1962** (Lycaenidae) Synonym(s): *praeterita* Swanepoel,1962 Range (in code): **ZA Tva Ptc**
- 13858. *Lepidochrysops pringlei* Dickson,1982** (Lycaenidae) Synonym(s): *pringlei* Dickson,1982 Range (in code): **ZA Wca**
- 13859. *Lepidochrysops procera* (Trimen,1893)** (Lycaenidae) Synonym(s): *procera* Trimen,1893 Range (in code): **ZA Tva Wri Ptc Nta Kzu Est**
- 13860. *Lepidochrysops pterou* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *pterou* Bethune-Baker,1923 Range (in code): **ET KE UG**
- 13861. *Lepidochrysops pterou lilacina* (Ungemach,1932)** (Lycaenidae) Synonym(s): *lilacina* Ungemach,1932 Range (in code): **ET**
- 13862. *Lepidochrysops pterou pterou* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *pterou* Bethune-Baker,1923 Range (in code): **KE UG**
- 13863. *Lepidochrysops pterou suk* Van Someren,1957** (Lycaenidae) Synonym(s): *suk* Van Someren,1957 Range (in code): **KE**
- 13864. *Lepidochrysops puncticilia* (Trimen,1883)** (Lycaenidae) Synonym(s): *puncticilia* Trimen,1883 Range (in code): **ZA Wca Gau Jh**
- 13865. *Lepidochrysops quassi* (Karsch,1895)** (Lycaenidae) Synonym(s): *quassi* Karsch,1895; *phasma* Butler,1901 Range (in code): **TG NG GH CM**
- 13866. *Lepidochrysops quickelbergei* Swanepoel,1969** (Lycaenidae) Synonym(s): *quickelbergei* Swanepoel,1969 Range (in code): **ZA Wca Cer**
- 13867. *Lepidochrysops reichenowi* (Dewitz,1879)** (Lycaenidae) Synonym(s): *reichenowi* Dewitz,1879 Range (in code): **AO**
- 13868. *Lepidochrysops rhodesensae* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *rhodesensae* Bethune-Baker,1923 Range (in code): **ZM**
- 13869. *Lepidochrysops ringa* Tite,1959** (Lycaenidae) Synonym(s): *ringa* Tite,1959 Range (in code): **NG**
- 13870. *Lepidochrysops robertsoni* Cottrell,1965** (Lycaenidae) Synonym(s): *robertsoni* Cottrell,1965 Range (in code): **ZA Wca Mui Fs Tva**

- 13871. *Lepidochrysops rossouwi* Henning & Henning, 1994** (Lycaenidae) Synonym(s): *rossouwi* Henning & Henning, 1994 Original Reference: *Lepidochrysops rossouwi* Henning & Henning, 1994. [in] Pringle, Henning & Ball [eds]. Pennington's butterflies of southern Africa (2nd edition): 256. Holotype ♂: South Africa: Stoffberg, Transvaal (TMP). Range (in code): ZA Tva Mpu Stb Ly BW Bionomy: Larva on Lantana rugosa (Verbenaceae) [Williams, in Pringle, et al., 1994].
- 13872. *Lepidochrysops ruthica* Pennington, 1953** (Lycaenidae) Synonym(s): *ruthica* Pennington, 1953 Range (in code): ZW
- 13873. *Lepidochrysops skotios* (Druce, 1905)** (Lycaenidae) Synonym(s): *skotios* Druce, 1905; *orontius* Hulstaert, 1924; *brabo* Hulstaert, 1924 Range (in code): ZR
- 13874. *Lepidochrysops solwezii* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *solwezii* Bethune-Baker, 1923 Range (in code): ZM ZR TZ ZW MW
- 13875. *Lepidochrysops southeyae* Pennington, 1967** (Lycaenidae) Synonym(s): *southeyae* Pennington, 1967 Range (in code): ZA Wca
- 13876. *Lepidochrysops stormsi* (Robbe, 1892)** (Lycaenidae) Synonym(s): *stormsi* Robbe, 1892 Range (in code): ZR ZM
- 13877. *Lepidochrysops subvariegata* Talbot, 1935** (Lycaenidae) Synonym(s): *subvariegata* Talbot, 1935 Range (in code): ET
- 13878. *Lepidochrysops swanepoeli* (Pennington, 1948)** (Lycaenidae) Synonym(s): *swanepoeli* Pennington, 1948 Range (in code): ZA Tva Mpu Brb Nta Kzu
- 13879. *Lepidochrysops swartbergensis* Swanepoel, 1969** (Lycaenidae) Synonym(s): *swartbergensis* Swanepoel, 1969 Range (in code): ZA Wca Pra
- 13880. *Lepidochrysops synchrematiza* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *synchrematiza* Bethune-Baker, 1923; *sylvius* Hulstaert, 1924 Range (in code): SL GH GN CM NG ZR
- 13881. *Lepidochrysops tantalus* (Trimen & Bowker, 1887)** (Lycaenidae) Synonym(s): *tantalus* Trimen & Bowker, 1887 Range (in code): ZA Tva Lpo Spb Tra Dbn Nta Kzu Ptw Mv Est Hae Gau Jh Ly Mpu Brb
- 13882. *Lepidochrysops titei* Dickson, 1976** (Lycaenidae) Synonym(s): *titei* Dickson, 1976 Range (in code): ZA Wca
- 13883. *Lepidochrysops trimeni* (Bethune-Baker, 1923)** (Lycaenidae) Synonym(s): *trimeni* Bethune-Baker, 1923 Range (in code): ZA Wca
- 13884. *Lepidochrysops turlini* Stempffer, 1971** (Lycaenidae) Synonym(s): *turlini* Stempffer, 1971 Range (in code): MG
- 13885. *Lepidochrysops vansoni* (Swanepoel, 1949)** (Lycaenidae) Synonym(s): *vansoni* Swanepoel, 1949 Original Reference: Cupido (*Lepidochrysops*) *vansoni* Swanepoel, 1949, J. ent. Soc. sth. Afr. 12: 123. Type: South Africa: Transvaal, Soutpansberg, Vivo 3km W, Swartklip. Range (in code): ZA Tva Lpo Spb Vvo Swt Pie NA ZW Bul
- 13886. *Lepidochrysops variabilis* Cottrell, 1965** (Lycaenidae) Synonym(s): *variabilis* Cottrell, 1965 Range (in code): ZA Ec Grh Nta Kzu Tva Fs LS ZW
- 13887. *Lepidochrysops vera* Tite, 1961** (Lycaenidae) Synonym(s): *vera* Tite, 1961 Range (in code): NG
- 13888. *Lepidochrysops victori* Pringle, 1984** (Lycaenidae) Synonym(s): *victori* Pringle, 1984 Range (in code): ZA Ec
- 13889. *Lepidochrysops victoriae* (Karsch, 1895)** (Lycaenidae) Synonym(s): *victoriae* Karsch, 1895; *acholi* Bethune-Baker, 1906 Range (in code): KE SD UG BJ Nai
- 13890. *Lepidochrysops victoriae vansomeri* Stempffer, 1951** (Lycaenidae) Synonym(s): *vansomeri* Stempffer, 1951 Range (in code): KE Nai
- 13891. *Lepidochrysops victoriae victoriae* (Karsch, 1895)** (Lycaenidae) Synonym(s): *victoriae* Karsch, 1895; *acholi* Bethune-Baker, 1906 Range (in code): KE SD UG BJ
- 13892. *Lepidochrysops violetta* (Pinhey, 1945)** (Lycaenidae) Synonym(s): *violetta* Pinhey, 1945 Range (in code): ZW MW
- 13893. *Lepidochrysops wykehami* Tite, 1964** (Lycaenidae) Synonym(s): *wykehami* Tite, 1964 Range (in code): ZA Wca
- 13894. *Leptomyrina* (Gonatomyrina) *gorgias* (Stoll, [1790])** (Lycaenidae) Synonym(s): *gorgias* Stoll, [1790] Range (in code): ZA Lpo Tva Spb Kru K12 Ec Nta Kzu Fs BW MZ ZW UG KE Mb TZ SO ZM Bionomy: Larva on Cotyledon, Kalanchoe (Crassulaceae) (Ackery et al., 1995).

- 13895. Leptomyrina (Gonatomyrina) gorgias cana Talbot,1935** (Lycaenidae) Synonym(s): *cana Talbot,1935* _ Range (in code): **UG KE**
- 13896. Leptomyrina (Gonatomyrina) gorgias gorgias (Stoll,[1790])** (Lycaenidae) Synonym(s): *gorgias Stoll,[1790]* _ Range (in code): **ZA Lpo Tva Spb Kru K12 Ec Nta Kzu Fs BW MZ ZW**
- 13897. Leptomyrina (Gonatomyrina) gorgias sobrina Talbot,1935** (Lycaenidae) Synonym(s): *sobrina Talbot,1935* _ Range (in code): **KE Mb SO TZ MZ ZM**
- 13898. Leptomyrina (Gonatomyrina) handmani Gifford,1965** (Lycaenidae) Synonym(s): *handmani Gifford,1965* _ Range (in code): **MW**
- 13899. Leptomyrina (Gonatomyrina) henningi Dickson,1976** (Lycaenidae) Synonym(s): *henningi Dickson,1976* _ Range (in code): **NA ZA Tva Lpo BW ZW** Bionomy: Larva on Crassula, Cotyledon (Crassulaceae) (Ackery et al.,1995).
- 13900. Leptomyrina (Gonatomyrina) lara (Linnaeus,1764)** (Lycaenidae) Synonym(s): *lara Linnaeus,1764* _ Range (in code): **ZA Cap LS** Bionomy: Larva on Mesembryanthemum (Aizoaceae), Cotyledon, Crassula, Echeveria, Kalanchoe (Crassulaceae) (Ackery et al.,1995).
- 13901. Leptomyrina (Leptomyrina) boschi Strand,1911** (Lycaenidae) Synonym(s): *boschi Strand,1911* _ Range (in code): **ET**
- 13902. Leptomyrina (Leptomyrina) hirundo (Wallengren,1857)** (Lycaenidae) Synonym(s): *hirundo Wallengren,1857* _ Range (in code): **ZA Tva Spb Lj Lpo Mpu Brb Ec Nta Kzu KE MW Zom ZW MZ BW** Bionomy: Larva on Crassula, Cotyledon, Bryophyllum, Kalanchoe (Crassulaceae) (Ackery et al.,1995).
- 13903. Leptomyrina (Leptomyrina) makala Bethune-Baker,1908** (Lycaenidae) Synonym(s): *makala Bethune-Baker,1908* _ Range (in code): **ZR Kvu CG UG**
- 13904. Leptomyrina (Leptomyrina) phidias (Fabricius,1793)** (Lycaenidae) Synonym(s): *phidias Fabricius,1793; rabe Boisduval,1833* _ Range (in code): **MG RE**
- 13905. Leptomyrina (Leptomyrina) sudanica Stempffer,1964** (Lycaenidae) Synonym(s): *sudanica Stempffer,1964* _ Range (in code): **SD**
- 13906. Leptotes adamsoni Collins & T.Larsen,1991** (Lycaenidae) Synonym(s): *adamsoni Collins & T.Larsen,1991* _ Range (in code): **KE**
- 13907. Leptotes babaulti (Stempffer,1935)** (Lycaenidae) Synonym(s): *babaulti Stempffer,1935* Original Reference: Syntarucus babaulti Stempffer,1935, Mission Scientifique de l'Omo 2: 235, text-fig.9, pl.9 fig.7. Holotype: Kenya: Kitale. Range (in code): **ET KE RW TZ UG YE ZR ZA Tva Spb Lj Mdk Mpu Brb Ly**
- 13908. Leptotes babaulti babaulti (Stempffer,1935)** (Lycaenidae) Synonym(s): *babaulti Stempffer,1935* Original Reference: Syntarucus babaulti Stempffer,1935, Mission Scientifique de l'Omo 2: 235, text-fig.9, pl.9 fig.7. Holotype: Kenya: Kitale. Range (in code): **ET KE RW TZ UG YE ZR ZA Tva Spb Lj Mdk Mpu Brb Ly**
- 13909. Leptotes brevidentatus (Tite,1958)** (Lycaenidae) Synonym(s): *brevidentatus Tite,1958* Original Reference: Syntarucus brevidentatus Tite,1958, Entomologist 91: 189, text-fig.A, pl.2 figs.1,2. Holotype ♂: Tanzania: West shore of Lake Manyara. Range (in code): **Ad AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Fs Nta Kzu Mpu Tva Lpo Gau ZM ZR ZW**
- 13910. Leptotes brevidentatus brevidentatus (Tite,1958)** (Lycaenidae) Synonym(s): *brevidentatus Tite,1958* Original Reference: Syntarucus brevidentatus Tite,1958, Entomologist 91: 189, text-fig.A, pl.2 figs.1,2. Holotype ♂: Tanzania: West shore of Lake Manyara. Range (in code): **Ad AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Fs Nta Kzu Mpu Tva Lpo Gau ZM ZR ZW**
- 13911. Leptotes casca (Tite,1958)** (Lycaenidae) Synonym(s): *casca Tite,1958* _ Range (in code): **KM**
- 13912. Leptotes cassioides (Capronnier,1889)** (Lycaenidae) Synonym(s): *cassioides Capronnier,1889* _ Range (in code): **ZR**
- 13913. Leptotes cassius** (Lycaenidae) Synonym(s): _ Range (in code): **US MX Aks Alb Fl Ge Kan Lou Mis NMx Ok Sca Tx Vi**
- 13914. Leptotes jeanneli (Stempffer,1935)** (Lycaenidae) Synonym(s): *jeanneli Stempffer,1935* Original Reference: Syntarucus jeanneli Stempffer,1935, Mission Scientifique de l'Omo 2: 232, text-fig.7, pl.9 fig.6. Holotype: Kenya: Mont Elgon, 2470m. Range (in code): **AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Ent ZM ZR ZW**

- 13915. *Leptotes jeanneli jeanneli* (Stempffer,1935)** (Lycaenidae) Synonym(s): *jeanneli* Stempffer,1935 Original Reference: Syntarucus jeanneli Stempffer,1935, Mission Scientifique de l'Omo 2: 232, text-fig.7, pl.9 fig.6. Holotype: Kenya: Mont Elgon, 2470m. Range (in code): **AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE LR LS ML MR MW MZ NA NE NG RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Ent ZM ZR ZW**
- 13916. *Leptotes marginalis* (Stempffer,[1944])** (Lycaenidae) Synonym(s): *marginalis* Stempffer,[1944] Range (in code): **UG SD KE ZR RW BI TZ**
- 13917. *Leptotes marina*** (Lycaenidae) Synonym(s): Range (in code): **US MX Aks Arz Cf Col Idp Iln Io Kan Knt Mis Mns Mss NMx Ne Neb Ny Oh Ok Org Pns SDk Tx Ut Vi Wc Wy**
- 13918. *Leptotes mayottensis* (Tite,1958)** (Lycaenidae) Synonym(s): *mayottensis* Tite,1958 Range (in code): **KM**
- 13919. *Leptotes pirithous* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. Original Reference: Papilio pirithous Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 790. Type(s): Barbaria [Algeria]. Range (in code): **Ad Ae AL As AT BG BY CH Cm Co Cr CY DE Dh DZ EG ES Mu18 FR GR HU IL IT LB LY MA MK MT PT Rd RU SA Sa Si TN TR UA YE YU JO Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm ZA Tva Lpo Spb Gau Pre Mpu Brb MZ Pa Hf SD SD91 SD119 TZ Tnga Usa Ani Agi** Bionomy: Larva on *Lythrum salicaria* (Lythraceae); *Calluna vulgaris* (Ericaceae); *Sambucus ebulus*, *Jasminum*, *Quercus suber* (Fagaceae); *Galega officinalis* (Fabaceae) (Tolman,1997).
- 13920. *Leptotes pirithous insulana* (Aurivillius,1909)** (Lycaenidae) Synonym(s): *insulana* Aurivillius,1909 Range (in code): **MZ**
- 13921. *Leptotes pirithous pirithous* (Linnaeus,1767)** (Lycaenidae) Synonym(s): *pirithous* Linnaeus,1767; *telicanus* Lang,1789 *tetrica* Sagarra,1925. Original Reference: Papilio pirithous Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 790. Type(s): Barbaria [Algeria]. Range (in code): **Ad Ae AL As AT BG BY CH Cm Co Cr CY DE Dh DZ EG ES Mu18 FR GR HU IL IT LB LY MA MK MT PT Rd RU SA Sa Si TN TR UA YE YU JO Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm ZA Tva Lpo Spb Gau Pre Mpu Brb Pa Hf SD SD91 SD119 TZ Tnga Usa Ani Agi** Bionomy: Larva on *Lythrum salicaria* (Lythraceae); *Calluna vulgaris* (Ericaceae); *Sambucus ebulus*, *Jasminum*, *Quercus suber* (Fagaceae); *Galega officinalis* (Fabaceae) (Tolman,1997).
- 13922. *Leptotes plinius* (Fabricius,1793)** (Lycaenidae) Synonym(s): *plinius* Fabricius,1793 Range (in code): **MM Krh PH Ley Luz Mno TH Bnk Chy CMa Cuo Cuo1 Cuo2 Cuo7 Cuo9 Cuo10 Cuo12 CDo CD2 Cnz Czi1 Dsk Hpt Lmp Tht Cbu Knc Nrt Bnk**
- 13923. *Leptotes plinius leopardus* Schultze,1910** (Lycaenidae) Synonym(s): *leopardus* Schultze,1910 Range (in code): **PH Ley Luz Mno**
- 13924. *Leptotes pulchrus* (Murray,1874)** (Lycaenidae) Synonym(s): *pulchra* Murray,1874; *#deficiens* Dufrane,1953 Original Reference: *Lycaena pulchra* Murray,1874, Trans. ent. Soc. Lond. 1874: 524, Pl.10 figs.7,8. Syntypes: West Africa. Range (in code): **ZR ZA Nta Kzu NG KE**
- 13925. *Leptotes pulchrus pulchrus* (Murray,1874)** (Lycaenidae) Synonym(s): *pulchra* Murray,1874; *#deficiens* Dufrane,1953 Original Reference: *Lycaena pulchra* Murray,1874, Trans. ent. Soc. Lond. 1874: 524, Pl.10 figs.7,8. Syntypes: West Africa. Range (in code): **ZR ZA Nta Kzu NG KE**
- 13926. *Leptotes rabefaner* (Mabille,1877)** (Lycaenidae) Synonym(s): *rabefaner* Mabille,1877 Range (in code): **MG**
- 13927. *Leptotes socotranus* (Ogilvie-Grant,1899)** (Lycaenidae) Synonym(s): *socotranus* Ogilvie-Grant,1899 Original Reference: *Tarucus socotranus* Ogilvie-Grant,1899, Bull. Lpool. Mus. 2: 10. Type(s): Sokotra. Range (in code): **Sk**
- 13928. *Leptotes socotranus socotranus* (Ogilvie-Grant,1899)** (Lycaenidae) Synonym(s): *socotranus* Ogilvie-Grant,1899 Original Reference: *Tarucus socotranus* Ogilvie-Grant,1899, Bull. Lpool. Mus. : 10. Type(s): Sokotra. Range (in code): **Sk**
- 13929. *Leptotes terrenus* (Joicey & Talbot,1926)** (Lycaenidae) Synonym(s): *terrenus* Joicey & Talbot,1926 Range (in code): **ST**
- 13930. *Lestranicus transpectus* (Moore,1879)** (Lycaenidae) Synonym(s): *transpectus* Moore,1879; *latimargo* Moore,1884. Range (in code): **IN Ass BD MM TH Cbi Chy CMa CDo Cuo Cuo5 Knc VN CN Yu**
- 13931. *Lestranicus transpectus transpectus* (Moore,1879)** (Lycaenidae) Synonym(s): *transpectus* Moore,1879; *latimargo* Moore,1884. Range (in code): **IN Ass BD MM TH Cbi Chy CMa Cuo Cuo5 CDo Knc VN CN Yu**

- 13932. *Lestranicus yoshidai* Eliot & Kawazoe, 1984** (Lycaenidae) **Synonym(s):** *yoshidai* Eliot & Kawazoe, 1984 _ Range (in code): PH Mno
- 13933. *Lestranicus yoshidai yoshidai* Eliot & Kawazoe, 1984** (Lycaenidae) **Synonym(s):** *yoshidai* Eliot & Kawazoe, 1984 _ Range (in code): PH Mno
- 13934. *Leucantigius atayalica* Shirozu & Murayama, 1943** (Lycaenidae) **Synonym(s):** *atayalica* Shirozu & Murayama, 1943 _ Range (in code): TW
- 13935. *Lipaphnaeus aderna* (Plötz, 1880)** (Lycaenidae) **Synonym(s):** *aderna* Plötz, 1880
- 13936. *Lipaphnaeus aderna aderna* (Plötz, 1880)** (Lycaenidae) **Synonym(s):** *aderna* Plötz, 1880
- 13937. *Lipaphnaeus aderna pan* (Talbot, 1935)** (Lycaenidae) **Synonym(s):** *pan* Talbot, 1935
- 13938. *Lipaphnaeus aderna spindasoides* (Aurivillius, 1916)** (Lycaenidae) **Synonym(s):** *spindasoides* Aurivillius, 1916
- 13939. *Lipaphnaeus eustorgia* (Hulstaert, 1924)** (Lycaenidae) **Synonym(s):** *eustorgia* Hulstaert, 1924
- 13940. *Lipaphnaeus leonina* (Sharpe, 1890)** (Lycaenidae) **Synonym(s):** *leonina* Sharpe, 1890
- 13941. *Lipaphnaeus leonina bitje* (Druce, 1910)** (Lycaenidae) **Synonym(s):** *bitje* Druce, 1910
- 13942. *Lipaphnaeus leonina ivoirensis* Stempffer, 1966** (Lycaenidae) **Synonym(s):** *ivoirensis* Stempffer, 1966
- 13943. *Lipaphnaeus leonina leonina* (Sharpe, 1890)** (Lycaenidae) **Synonym(s):** *leonina* Sharpe, 1890
- 13944. *Lipaphnaeus leonina paradoxa* (Schultze, 1908)** (Lycaenidae) **Synonym(s):** *paradoxa* Schultze, 1908
- 13945. *Lipaphnaeus loxura* (Rebel, 1914)** (Lycaenidae) **Synonym(s):**
- 13946. *Liphyra brassolis* Westwood, 1864** (Lycaenidae) **Synonym(s):** *brassolis* Westwood, 1864
Range (in code): SI IN MM MY Bor TH Bnk CMA Rat Sgk Nst Chw PH Hom Luz ID Sum
- 13947. *Liphyra brassolis abbreviata* Strand, 1911** (Lycaenidae) **Synonym(s):** *abbreviata* Strand, 1911 _ Range (in code): MY ID Sum Bor
- 13948. *Liphyra brassolis brassolis* Westwood, 1864** (Lycaenidae) **Synonym(s):** *brassolis* Westwood, 1864 _ Range (in code): SI IN MM TH Bnk CMA Rat Sgk Nst Chw
- 13949. *Liphyra brassolis hermelnydae* Schröder & Treadaway, 1988** (Lycaenidae) **Synonym(s):** *hermelnydae* Schröder & Treadaway, 1988 _ Range (in code): PH Hom
- 13950. *Liphyra brassolis justini* Schröder & Treadaway, 1988** (Lycaenidae) **Synonym(s):** *justini* Schröder & Treadaway, 1988 _ Range (in code): PH Luz
- 13951. *Liptena albicans* Cator, 1904** (Lycaenidae) **Synonym(s):** *albicans* Cator, 1904 _ Range (in code): SL GN LR CI GH NG
- 13952. *Liptena albomacula* Hawker-Smith, 1933** (Lycaenidae) **Synonym(s):** *albomacula* Hawker-Smith, 1933 _ Range (in code): ZR UG CM
- 13953. *Liptena alluaudi* Mabilie, 1890** (Lycaenidae) **Synonym(s):** *alluaudi* Mabilie, 1890
Range (in code): CI GN NG
- 13954. *Liptena amabilis* Schultze, 1923** (Lycaenidae) **Synonym(s):** *amabilis* Schultze, 1923
Range (in code): CM
- 13955. *Liptena angusta* Suffert, 1904** (Lycaenidae) **Synonym(s):** *angusta* Suffert, 1904 _ Range (in code): CI NG CM UG
- 13956. *Liptena bassae* Bethune-Baker, 1926** (Lycaenidae) **Synonym(s):** *subpunctata* Bethune-Baker, 1906; *bassae* Bethune-Baker, 1926 _ Range (in code): NG
- 13957. *Liptena batesana* Bethune-Baker, 1926** (Lycaenidae) **Synonym(s):** *batesana* Bethune-Baker, 1926 _ Range (in code): CM Bit CG UG
- 13958. *Liptena bergeri* Stempffer, Bennett & May, 1974** (Lycaenidae) **Synonym(s):** *bergeri* Stempffer, Bennett & May, 1974 _ Range (in code): ZR
- 13959. *Liptena bolivari* Kheil, 1905** (Lycaenidae) **Synonym(s):** *bolivari* Kheil, 1905 _ Range (in code): GO CM NG
- 13960. *Liptena catalina* (Grose-Smith & Kirby, 1887)** (Lycaenidae) **Synonym(s):** *catalina* Grose-Smith & Kirby, 1887 _ Range (in code): CM SL LR GH NG GA
- 13961. *Liptena confusa* Aurivillius, 1898** (Lycaenidae) **Synonym(s):** *confusa* Aurivillius, 1898
Range (in code): CM
- 13962. *Liptena congoana* Hawker-Smith, 1933** (Lycaenidae) **Synonym(s):** *congoana* Hawker-Smith, 1933 _ Range (in code): CG ZR UG
- 13963. *Liptena decempunctata* Schultze, 1923** (Lycaenidae) **Synonym(s):** *decempunctata* Schultze, 1923 _ Range (in code): CM

- 13964. *Liptena decipiens* (Kirby,1890)** (Lycaenidae) Synonym(s): *decipiens* Kirby,1890
Range (in code): **TG NG CM Bit CG Brv GA ZR**
- 13965. *Liptena decipiens decipiens* (Kirby,1890)** (Lycaenidae) Synonym(s): *decipiens* Kirby,1890
Range (in code): **TG NG CM**
- 13966. *Liptena decipiens leucostola* (Holland,1890)** (Lycaenidae) Synonym(s): *leucostola* Holland,1890; *cameroona* Bethune-Baker,1926; *citronensis* Bethune-Baker,1926
Range (in code): **GA CM Bit CG ZR**
- 13967. *Liptena decipiens stebema* Lamas,2007** (Lycaenidae) Synonym(s): *etoumbi* Stempffer,Bennett & May,1974 nec Stempff.,1964; *stebema* Lamas,2007
Range (in code): **CG Brv**
- 13968. *Liptena despecta* (Holland,1890)** (Lycaenidae) Synonym(s): *despecta* Holland,1890; *modestissima* Rebel,1914; *langi* Holland,1920
Range (in code): **GA Ogo ZR NG CM CG**
- 13969. *Liptena durbania* Bethune-Baker,1915** (Lycaenidae) Synonym(s): *durbania* Bethune-Baker,1915; *rectifascia* Hawker-Smith,1933
Range (in code): **CM Bit CG**
- 13970. *Liptena eketi* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *eketi* Bethune-Baker,1926
Range (in code): **NG**
- 13971. *Liptena eukrinaria* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *eukrinaria* Bethune-Baker,1926
Range (in code): **CM NG**
- 13972. *Liptena eukrines* Druce,1905** (Lycaenidae) Synonym(s): *eukrines* Druce,1905; *#obsoleta* Dufrane,1953
Range (in code): **ZM ZR**
- 13973. *Liptena eukrinoides* Talbot,1937** (Lycaenidae) Synonym(s): *eukrinoides* Talbot,1937
Range (in code): **UG**
- 13974. *Liptena evanescens* (Kirby,1887)** (Lycaenidae) Synonym(s): *evanescens* Kirby,1887; *xanthis* Holland,1920
Range (in code): **CM GA Ogo CI**
- 13975. *Liptena fatima* (Kirby,1890)** (Lycaenidae) Synonym(s): *fatima* Kirby,1890
Range (in code): **GO Bio CM NG ZR**
- 13976. *Liptena ferruginea* Schultze,1923** (Lycaenidae) Synonym(s): *Schultze,1923*
Range (in code): **CM CG**
- 13977. *Liptena ferrymani* (Grose-Smith & Kirby,1891)** (Lycaenidae) Synonym(s): *ferrymani* Grose-Smith & Kirby,1891
Range (in code): **CI NG CM SD**
- 13978. *Liptena ferrymani bigoti* (Stempffer,1964)** (Lycaenidae) Synonym(s): *bigoti* Stempffer,1964
Range (in code): **CI**
- 13979. *Liptena ferrymani ferrymani* (Grose-Smith & Kirby,1891)** (Lycaenidae) Synonym(s): *ferrymani* Grose-Smith & Kirby,1891
Range (in code): **NG CM SD**
- 13980. *Liptena flavicans* (Grose-Smith & Kirby,1891)** (Lycaenidae) Synonym(s): *flavicans* Grose-Smith & Kirby,1891
Range (in code): **CM LR CI NG ZR UG GA CG**
- 13981. *Liptena flavicans aequatorialis* Stempffer,1956** (Lycaenidae) Synonym(s): *aequatorialis* Stempffer,1956
Range (in code): **ZR UG**
- 13982. *Liptena flavicans flavicans* (Grose-Smith & Kirby,1891)** (Lycaenidae) Synonym(s): *flavicans* Grose-Smith & Kirby,1891
Range (in code): **CM**
- 13983. *Liptena flavicans katera* Stempffer,1956** (Lycaenidae) Synonym(s): *katera* Stempffer,1956
Range (in code): **UG**
- 13984. *Liptena flavicans oniens* Talbot,1935** (Lycaenidae) Synonym(s): *oniens* Talbot,1935
Range (in code): **LR CI NG CM**
- 13985. *Liptena flavicans praeusta* Schultze,1917** (Lycaenidae) Synonym(s): *praeusta* Schultze,1917
Range (in code): **GA CG ZR CM**
- 13986. *Liptena fontainei* Stempffer,Bennett & May,1974** (Lycaenidae) Synonym(s): *fontainei* Stempffer,Bennett & May,1974
Range (in code): **ZR**
- 13987. *Liptena fulvicans* Hawker-Smith,1933** (Lycaenidae) Synonym(s): *Hawker-Smith,1933*
Range (in code): **ZR**
- 13988. *Liptena gordonii* (Druce,1903)** (Lycaenidae) Synonym(s): *gordonii* Druce,1903; *bakeriana* Cator,1904
Range (in code): **SL NG UG**
- 13989. *Liptena griveaudi* Stempffer,1969** (Lycaenidae) Synonym(s): *griveaudi* Stempffer,1969
Range (in code): **CI**
- 13990. *Liptena hapale* Talbot,1935** (Lycaenidae) Synonym(s): *hapale* Talbot,1935
Range (in code): **UG**
- 13991. *Liptena helena* (Druce,1888)** (Lycaenidae) Synonym(s): *helena* Druce,1888; *erycinoides* Grose-Smith & Kirby,1890
Range (in code): **CM SL LR CG**

- 13992. *Liptena homeyeri* Dewitz,1884** (Lycaenidae) **Synonym(s):** *homeyeri* Dewitz,1884
Range (in code): **TZ ZM ZR Shb Kvu AO**
- 13993. *Liptena homeyeri homeyeri* Dewitz,1884** (Lycaenidae) **Synonym(s):** *homeyeri* Dewitz,1884
Range (in code): **TZ ZM ZR Shb Kvu AO**
- 13994. *Liptena homeyeri straminea* Stempffer,Bennett & May,1974** (Lycaenidae)
Synonym(s): *straminea* Stempffer,Bennett & May,1974
Range (in code): **AO**
- 13995. *Liptena ideoides* Dewitz,1887** (Lycaenidae) **Synonym(s):** *ideoides* Dewitz,1887; *girthii* Dewitz,1887
Range (in code): **ZR GA CG UG**
- 13996. *Liptena ilaro* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *ilaro* Stempffer,Bennett & May,1974
Range (in code): **NG**
- 13997. *Liptena infima* (Grose-Smith & Kirby,1890)** (Lycaenidae) **Synonym(s):** *infima* Grose-Smith & Kirby,1890
Range (in code): **SL LR GH NG?**
- 13998. *Liptena inframacula* Hawker-Smith,1933** (Lycaenidae) **Synonym(s):** *inframacula* Hawker-Smith,1933
Range (in code): **CM Bit CG**
- 13999. *Liptena intermedia* Grünberg,1910** (Lycaenidae) **Synonym(s):** *intermedia* Grünberg,1910
Range (in code): **CM GO**
- 14000. *Liptena lualaba* Berger,1981** (Lycaenidae) **Synonym(s):** *lualaba* Berger,1981
Range (in code): **ZR**
- 14001. *Liptena modesta* (Kirby,1890)** (Lycaenidae) **Synonym(s):** *modesta* Kirby,1890; *latruncularia* Holland,1890
Range (in code): **GA Ogo UG ZR Kvu CM NG LR**
- 14002. *Liptena mwagensis* Dufrane,1953** (Lycaenidae) **Synonym(s):** *mwagensis* Dufrane,1953
Range (in code): **ZR**
- 14003. *Liptena nigromarginata* Stempffer,1961** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer,1954 nec Carp.,1934; *nigromarginata* Stempffer,1961
Range (in code): **UG ZR**
- 14004. *Liptena o-rubrum* (Holland,1890)** (Lycaenidae) **Synonym(s):** *o-rubrum* Holland,1890
Range (in code): **CM GA Ogo UG ZR Kvu CG**
- 14005. *Liptena o-rubrum o-rubrum* (Holland,1890)** (Lycaenidae) **Synonym(s):** *o-rubrum* Holland,1890
Range (in code): **CM GA Ogo UG**
- 14006. *Liptena o-rubrum teroana* Talbot,1935** (Lycaenidae) **Synonym(s):** *teroana* Talbot,1935
Range (in code): **UG**
- 14007. *Liptena o-rubrum tripunctata* (Grose-Smith & Kirby,1894)** (Lycaenidae)
Synonym(s): *tripunctata* Grose-Smith & Kirby,1894
Range (in code): **ZR Kvu CG**
- 14008. *Liptena occidentalis* Bethune-Baker,1926** (Lycaenidae) **Synonym(s):** *occidentalis* Bethune-Baker,1926
Range (in code): **CM Bit**
- 14009. *Liptena ochrea* Hawker-Smith,1933** (Lycaenidae) **Synonym(s):** *ochrea* Hawker-Smith,1933
Range (in code): **CM Bit CG**
- 14010. *Liptena opaca* Kirby,1890** (Lycaenidae) **Synonym(s):** *opaca* Kirby,1890; *immaculata* Grünberg,1910
Range (in code): **GO NG CM ZR GA UG**
- 14011. *Liptena opaca centralis* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *centralis* Stempffer,Bennett & May,1974
Range (in code): **CM CG**
- 14012. *Liptena opaca gabunica* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *gabunica* Stempffer,Bennett & May,1974
Range (in code): **GA ZR**
- 14013. *Liptena opaca opaca* Kirby,1890** (Lycaenidae) **Synonym(s):** *opaca* Kirby,1890; *immaculata* Grünberg,1910
Range (in code): **GO NG CM**
- 14014. *Liptena opaca sankuru* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *sankuru* Stempffer,Bennett & May,1974
Range (in code): **ZR CM Bit**
- 14015. *Liptena opaca ugandana* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *ugandana* Stempffer,Bennett & May,1974
Range (in code): **UG**
- 14016. *Liptena otlauga* (Grose-Smith & Kirby,1890)** (Lycaenidae) **Synonym(s):** *otlauga* Grose-Smith & Kirby,1890
Range (in code): **LR NG CM GA**
- 14017. *Liptena ouesso* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *ouesso* Stempffer,Bennett & May,1974
Range (in code): **CM CG Brv**
- 14018. *Liptena ouesso mayombe* Stempffer,Bennett & May,1974** (Lycaenidae)
Synonym(s): *mayombe* Stempffer,Bennett & May,1974
Range (in code): **CM CG**
- 14019. *Liptena ouesso ouesso* Stempffer,Bennett & May,1974** (Lycaenidae) **Synonym(s):** *ouesso* Stempffer,Bennett & May,1974
Range (in code): **CM CG Brv**

- 14020. *Liptena overlaeti* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *overlaeti* Stempffer, Bennett & May, 1974 _ Range (in code): ZR
- 14021. *Liptena pearmani* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *pearmani* Stempffer, Bennett & May, 1974 _ Range (in code): GH NG
- 14022. *Liptena perobscura* Druce, 1910** (Lycaenidae) Synonym(s): *perobscura* Druce, 1910; *kelle* Stempffer, 1964 _ Range (in code): CM Bit CG
- 14023. *Liptena praestans* (Grose-Smith, 1901)** (Lycaenidae) Synonym(s): *praestans* Grose-Smith, 1901 _ Range (in code): ZR CM CG UG SL CI
- 14024. *Liptena praestans congoensis* Schultze, 1923** (Lycaenidae) Synonym(s): *congoensis* Schultze, 1923; *hulstaerti* Hawker-Smith, 1933; *kamitugensis* Dufrane, 1945 _ Range (in code): ZR CM CG UG
- 14025. *Liptena praestans praestans* (Grose-Smith, 1901)** (Lycaenidae) Synonym(s): *praestans* Grose-Smith, 1901 _ Range (in code): SL CI
- 14026. *Liptena rochei* Stempffer, 1951** (Lycaenidae) Synonym(s): *rochei* Stempffer, 1951 _ Range (in code): SL NG
- 14027. *Liptena rubromacula* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *rubromacula* Hawker-Smith, 1933 _ Range (in code): ZR UG
- 14028. *Liptena rubromacula jacksoni* Carpenter, 1934** (Lycaenidae) Synonym(s): *jacksoni* Carpenter, 1934 _ Range (in code): UG
- 14029. *Liptena rubromacula rubromacula* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *rubromacula* Hawker-Smith, 1933 _ Range (in code): ZR
- 14030. *Liptena sauberi* Schultze, 1912** (Lycaenidae) Synonym(s): *sauberi* Schultze, 1912 _ Range (in code): CM
- 14031. *Liptena septistrigata* (Bethune-Baker, 1903)** (Lycaenidae) Synonym(s): *septistrigata* Bethune-Baker, 1903 _ Range (in code): SL NG
- 14032. *Liptena similis* (Kirby, 1890)** (Lycaenidae) Synonym(s): *similis* Kirby, 1890; *olombo* Holland, 1890 _ Range (in code): GA Ogo GN SL NG CM
- 14033. *Liptena simplicia* Möschler, 1887** (Lycaenidae) Synonym(s): *simplicia* Möschler, 1887; *albula* Druce, 1888; *semilimbata* Mabilie, 1890 _ Range (in code): GH CM CI GN NG CG
- 14034. *Liptena submacula* Lathy, 1903** (Lycaenidae) Synonym(s): *submacula* Lathy, 1903 _ Range (in code): CI GH NG LR SL
- 14035. *Liptena submacula liberiana* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *liberiana* Stempffer, Bennett & May, 1974 _ Range (in code): LR LR CI
- 14036. *Liptena submacula maesseni* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *maesseni* Stempffer, Bennett & May, 1974 _ Range (in code): GH
- 14037. *Liptena submacula submacula* Lathy, 1903** (Lycaenidae) Synonym(s): *submacula* Lathy, 1903 _ Range (in code): NG
- 14038. *Liptena submacula tringa* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *tringa* Stempffer, Bennett & May, 1974 _ Range (in code): CI GH
- 14039. *Liptena subsuffusa* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *subsuffusa* Hawker-Smith, 1933 _ Range (in code): ZR Kvu
- 14040. *Liptena subundularis* Staudinger, 1892** (Lycaenidae) Synonym(s): *subundularis* Staudinger, 1892 _ Range (in code): GA Ogo GO Bio CM
- 14041. *Liptena subvariegata* Grose-Smith & Kirby, 1890** (Lycaenidae) Synonym(s): *subvariegata* Grose-Smith & Kirby, 1890 _ Range (in code): NG CM ZR
- 14042. *Liptena subvariegata aliquantum* Druce, 1910** (Lycaenidae) Synonym(s): *aliquantum* Druce, 1910 _ Range (in code): ZR
- 14043. *Liptena subvariegata subvariegata* Grose-Smith & Kirby, 1890** (Lycaenidae) Synonym(s): *subvariegata* Grose-Smith & Kirby, 1890 _ Range (in code): NG CM
- 14044. *Liptena tiassale* Stempffer, 1969** (Lycaenidae) Synonym(s): *tiassale* Stempffer, 1969 _ Range (in code): CI
- 14045. *Liptena titei* Stempffer, Bennett & May, 1974** (Lycaenidae) Synonym(s): *titei* Stempffer, Bennett & May, 1974 _ Range (in code): CM NG CI
- 14046. *Liptena tricolora* (Bethune-Baker, 1915)** (Lycaenidae) Synonym(s): *tricolora* Bethune-Baker, 1915 _ Range (in code): CM Bit
- 14047. *Liptena tullia* (Staudinger, 1892)** (Lycaenidae) Synonym(s): *tullia* Staudinger, 1892 _ Range (in code): NG CM CG GA

- 14048. *Liptena tulliana* Grose-Smith, 1901** (Lycaenidae) **Synonym(s):** *tulliana* Grose-Smith, 1901
Range (in code): **ZR Kvu**
- 14049. *Liptena turbata* (Kirby, 1890)** (Lycaenidae) **Synonym(s):** *turbata* Kirby, 1890 **Range (in code):** **CM CI CG GA ZR**
- 14050. *Liptena undina* (Grose-Smith & Kirby, 1894)** (Lycaenidae) **Synonym(s):** *undina* Grose-Smith & Kirby, 1894 **Range (in code):** **ZR CM GA CG UG**
- 14051. *Liptena undularis* Hewitson, 1866** (Lycaenidae) **Synonym(s):** *undularis* Hewitson, 1866
Range (in code): **CG GA GH CM ZR AO**
- 14052. *Liptena xanthostola* (Holland, 1890)** (Lycaenidae) **Synonym(s):** *xanthostola* Holland, 1890
Range (in code): **SL GH LR CI GN GA Ogo NG CM GO ZR UG AO Kvu KE SD**
- 14053. *Liptena xanthostola coomassiensis* Hawker-Smith, 1933** (Lycaenidae) **Synonym(s):** *coomassiensis* Hawker-Smith, 1933 **Range (in code):** **SL GH LR CI GN**
- 14054. *Liptena xanthostola xantha* (Grose-Smith, 1901)** (Lycaenidae) **Synonym(s):** *xantha* Grose-Smith, 1901 **Range (in code):** **UG AO ZR Kvu KE SD**
- 14055. *Liptena xanthostola xanthostola* (Holland, 1890)** (Lycaenidae) **Synonym(s):** *xanthostola* Holland, 1890 **Range (in code):** **GA Ogo NG CM GO ZR**
- 14056. *Liptena yakadumae* Schultze, 1917** (Lycaenidae) **Synonym(s):** *yakadumae* Schultze, 1917
Range (in code): **CM**
- 14057. *Logania distanti* Semper, 1889** (Lycaenidae) **Synonym(s):** *distanti* Semper, 1889; *massalia* Doherty, 1891 **Range (in code):** **IN Ass MM MY Bor? ID Sum TH LA PH Ceb Luz Mno Neg Sam Bal**
- 14058. *Logania distanti distanti* Semper, 1889** (Lycaenidae) **Synonym(s):** *distanti* Semper, 1889; *massalia* Doherty, 1891 **Range (in code):** **IN Ass MM MY Bor? ID Sum TH LA PH Ceb Luz Mno Neg Sam**
- 14059. *Logania distanti drucei* Moulton, 1911** (Lycaenidae) **Synonym(s):** *drucei* Moulton, 1911
Range (in code): **PH Bal**
- 14060. *Logania malayica* Distant, 1884** (Lycaenidae) **Synonym(s):** *malayica* Distant, 1884
Range (in code): **MY PH Ley Mno Sam TH Tng Yal**
- 14061. *Logania malayica malayica* Distant, 1884** (Lycaenidae) **Synonym(s):** *malayica* Distant, 1884 **Range (in code):** **MY TH Tng Yal**
- 14062. *Logania malayica subura* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *subura* Fruhstorfer, 1914 **Range (in code):** **PH Ley Mno Sam**
- 14063. *Logania marmorata* Moore, 1884** (Lycaenidae) **Synonym(s):** *marmorata* Moore, 1884
Range (in code): **SG MM Krh Mrg MY Lkw ID Ja Sbw PH Bal Cal Luz Mar Pal Jol Ley Mno Sam Taw Ceb Mdo CagSul TH Cbi Nna Tng Yal**
- 14064. *Logania marmorata damis* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *damis* Fruhstorfer, 1914 **Range (in code):** **MY Lkw TH Tng Yal SG**
- 14065. *Logania marmorata faustina* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *faustina* Fruhstorfer, 1914 **Range (in code):** **PH Jol Ley Mno Sam Taw**
- 14066. *Logania marmorata hilaeira* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *hilaeira* Fruhstorfer, 1914 **Range (in code):** **PH CagSul**
- 14067. *Logania marmorata javanica* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *javanica* Fruhstorfer, 1914 **Range (in code):** **ID Ja**
- 14068. *Logania marmorata marmorata* Moore, 1884** (Lycaenidae) **Synonym(s):** *marmorata* Moore, 1884 **Range (in code):** **MM Krh Mrg TH Cbi Nna**
- 14069. *Logania marmorata palawana* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *palawana* Fruhstorfer, 1914 **Range (in code):** **PH Bal Cal Luz Mar Pal**
- 14070. *Logania marmorata samosata* Fruhstorfer, 1914** (Lycaenidae) **Synonym(s):** *samosata* Fruhstorfer, 1914 **Range (in code):** **PH Ceb Mdo**
- 14071. *Logania massalia* Doherty, 1891** (Lycaenidae) **Synonym(s):** *massalia* Doherty, 1891
Range (in code): **IN Ass MM MY TH CMa Dst Qs Cbi Nrt**
- 14072. *Logania massalia massalia* Doherty, 1891** (Lycaenidae) **Synonym(s):** *massalia* Doherty, 1891; *luca* De Nicéville, 1894 **Range (in code):** **IN Ass MM MY TH CMa Dst Qs Cbi Nrt**
- 14073. *Logania regina* (Druce, 1873)** (Lycaenidae) **Synonym(s):** *regina* Druce, 1873 **Range (in code):** **MM MY TH Yal PH Sga Taw ID Sum**
- 14074. *Logania regina evora* Fruhstorfer, 1916** (Lycaenidae) **Synonym(s):** *evora* Fruhstorfer, 1916
Range (in code): **PH Sga Taw**
- 14075. *Logania regina regina* (Druce, 1873)** (Lycaenidae) **Synonym(s):** *regina* Druce, 1873

- 14076. *Logania regina sriwa* Distant,1886** (Lycaenidae) **Synonym(s):** *sriwa* Distant,1886
Range (in code): **MM MY TH Yal ID Sum**
- 14077. *Logania waltraudae* Eliot,1986** (Lycaenidae) **Synonym(s):** *waltraudae* Eliot,1986
Range (in code): **PH Sam**
- 14078. *Lontalius eltus treadawayi* Eliot,1986** (Lycaenidae) **Synonym(s):** *treadawayi* Eliot,1986
Range (in code): **PH Sam**
- 14079. *Loxura athymnus* (Stoll,[1780])** (Lycaenidae) **Synonym(s):** *athymnus* Stoll,[1780]
Original Reference: *Papilio athymnus* Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.331, figs. D,E. **Range (in code):** **LK IN Ass MM PH Luz TH Cbi CMA Cuo Cuo1 Cuo2 Cuo9 Cuo10 Cui2 Dst CDo Knc Loe Nna Rat Sbu TAK Ntt Yal Pkk Nst Lsa MY Lkw SG**
- 14080. *Loxura athymnus athymnus* (Stoll,[1780])** (Lycaenidae) **Synonym(s):** *athymnus* Stoll,[1780] **Original Reference:** *Papilio athymnus* Stoll,[1780], [in] Cramer, Uitl. Kapellen 4: pl.331, figs. D,E.
- 14081. *Loxura athymnus continentalis* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *continentalis* Fruhstorfer,[1912] **Range (in code):** **IN Ass MM TH CMA Cuo Cuo1 Cuo2 Cuo9 Cuo10 Cui2 Cbi CDo Dst Knc Loe Nna Rat Sbu TAK**
- 14082. *Loxura athymnus fuconius* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *fuconius* Fruhstorfer,[1912] **Range (in code):** **MY SG Lkw TH Ntt Yal Pkk Nst Lsa**
- 14083. *Loxura atymnus luzonica* Swinhoe,1917** (Lycaenidae) **Synonym(s):** *luzonica* Swinhoe,1917 **Range (in code):** **PH Luz**
- 14084. *Loxura cassiopeia* Distant,1884** (Lycaenidae) **Synonym(s):** *cassiopeia* Distant,1884
Range (in code): **PH Ceb Mno Pal MY TH Yal**
- 14085. *Loxura cassiopeia cassiopeia* Distant,1884** (Lycaenidae) **Synonym(s):** *cassiopeia* Distant,1884 **Range (in code):** **TH Yal MY**
- 14086. *Loxura cassiopeia owadai* Hayashi,1977** (Lycaenidae) **Synonym(s):** *owadai* Hayashi,1977
Range (in code): **PH Ceb Mno**
- 14087. *Loxura cassiopeia yilma* Fruhstorfer,1926** (Lycaenidae) **Synonym(s):** *yilma* Fruhstorfer,1926 **Range (in code):** **PH Pal**
- 14088. *Lycaena (Alciphronia) alciphron* (Rottemburg,1775)** (Lycaenidae) **Synonym(s):** *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. **Original Reference:** *Papilio alciphron* Rottemburg,1775, Naturforscher 6: 11.Type(s): Deutschland: Berlin. **Range (in code):** **AL Cc AM Bn At Kts AT AZ Ba BG Bry BY CH CN Ui MN CZ DE DK EE ES Mu FR GG GR HU IQ IR Ab Ak Elb IT KG LT LV PL PT RO RU Si SK Sm So Sr TR T-S UA Uk VI YU KK Or Cb Ty Om Sp Tk Aa Rk Aq Tar Sau DsA Ket KuA TrA Nrk** **Bionomy:** Larva on *Rumex acetosa*, *R. scutatus* (Kumakov & Korshunov, 1979; Tolman, 1997; Zhdanko, 1997).
- 14089. *Lycaena (Alciphronia) alciphron alciphron* (Rottemburg,1775)** (Lycaenidae) **Synonym(s):** *alciphron* Rottemburg,1775; *lampetie* [Denis & Schiffermüller],1775; *hiere* Fabricius,1787. **Original Reference:** *Papilio alciphron* Rottemburg,1775, Naturforscher 6: 11.Type(s): Deutschland: Berlin. **Range (in code):** **AL Cc AM AT AZ Ba BG Bw BY CH CZ DE DK EE ES FR GG GR HU IQ IR IT KG LT LV PL PT RO RU Si SK Sm So Sr TR UA Uk VI YU Brd**
- 14090. *Lycaena (Alciphronia) alciphron burgundiae* (Bellenger & Descimon,1977)** (Lycaenidae) **Synonym(s):** *burgundiae* Bellenger & Descimon,1977 **Range (in code):** **FR**
- 14091. *Lycaena (Alciphronia) alciphron gallon* (Fruhstorfer,1917)** (Lycaenidae) **Synonym(s):** *gallon* Fruhstorfer,1917 **Range (in code):** **FR**
- 14092. *Lycaena (Alciphronia) alciphron gordius* (Sulzer,1776)** (Lycaenidae) **Synonym(s):** *gordius* Sulzer,1776; *isokrates* Fruhstorfer,1909; *romanorum* Fruhstorfer,1909; *gaudeolus* Fruhstorfer,1909. **Original Reference:** *Papilio gordius* Sulzer,1776, Abgekürzte Geschichte der Insecten: 146, Taf.18, figs.7,8. Type(s): [Switzerland]: Graubünden. **Range (in code):** **FR ES PT IT Si CH**
- 14093. *Lycaena (Alciphronia) alciphron heracleanus* (Blachier,1908)** (Lycaenidae) **Synonym(s):** *heracleanus* Blachier,1908 **Original Reference:** *Chrysophanus alciphron* var. *heracleana* Blachier,1908, Annls Soc. ent. Fr. 77: 217. Type: Marocco, Atlas Mts. **Range (in code):** **MA**
- 14094. *Lycaena (Alciphronia) alciphron insignis* (De Sagarra,1924)** (Lycaenidae) **Synonym(s):** *insignis* De Sagarra,1924; ? *paupercula* De Sagarra,1924. **Original Reference:** *Loweia alciphron* rassa *insignis* De Sagarra,1924, Butl. Inst. catal. Hist. nat. 24: 201. Type: Spain: Albarracin (Arago), 1100m Querci leg. (MCNB). **Range (in code):** **ES Mu**
- 14095. *Lycaena (Alciphronia) alciphron melibaeus* (Staudinger,1878)** (Lycaenidae) **Synonym(s):** *melibaeus* Staudinger,1878; *fruginus* Fruhstorfer,1917. **Original Reference:** *Polyommatus*

- alciphron var. melibaeus Staudinger, 1878, Horae Soc. ent. ross. 14: 231-232. Syntypes: [Türkei]: Amasia: Kyschlatschyk, Jenikeui. Lectotype ♂: Amasia (designated by Wagener, 1995: 479) (ZMHB). Range (in code): Cc GG GR IQ IR Ab Ak Elb Le TR AM
- 14096. *Lycaena (Alciphronia) alciphron minutepunctata* (Verity, 1948)** (Lycaenidae)
Synonym(s): *minutepunctata* Verity, 1948 Range (in code): FR
- 14097. *Lycaena (Alciphronia) alciphron morvandica* (Bellenger & Descimon, 1977)** (Lycaenidae)
Synonym(s): *morvandica* Bellenger & Descimon, 1977 Range (in code): FR
- 14098. *Lycaena (Alciphronia) alciphron naryna* (Oberthür, 1910)** (Lycaenidae)
Synonym(s): *naryna* Oberthür, 1910 Original Reference: Chrysophanus alciphron var. naryna Oberthür, 1910, Etüd. lépid. comp. 4: 115, pl. 49 fig. 407. Syntypes: [Kasachstan]: Semirechgensee: Fort-Naryn. Range (in code): T-S Aa Bn At Kts Bs Cb Dg Ka KG Kg KK Kt Kw Mn Na Om Or Pp Pw Rk RU Sm Sp Sr Tk Tt Ty Uk Or Cb Ty Om Sp Tk Aa Rk Aq Tar Sau DsA Ket KuA TrA Nrk
- 14099. *Lycaena (Alciphronia) alciphron oceani* (Verity, 1943)** (Lycaenidae) Synonym(s): *oceani* Verity, 1943 Range (in code): FR
- 14100. *Lycaena (Alciphronia) alciphron ochsenfeldinus* (Betti, 1977)** (Lycaenidae)
Synonym(s): *ochsenfeldinus* Betti, 1977 Range (in code): FR
- 14101. *Lycaena (Alciphronia) alciphron peride* Koçak & Kemal, 2007** (Lycaenidae)
Synonym(s): *rubidus* Korshunov, 1995 nec Behr, 1866; *peride* Koçak & Kemal, 2007 Original Reference: *Lycaena (Alciphronia) alciphron* ssp. *peride* Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 135: 2 (nomen novum pro *Heodes alciphron* ssp. *rubidus* Korshunov, 1995 nec Behr, 1866). Holotype: Russia. Range (in code): Bry RU MN
- 14102. *Lycaena (Alciphronia) alciphron veronicus* (Fruhstorfer, 1917)** (Lycaenidae)
Synonym(s): *veronius* Fruhstorfer, 1917 Original Reference: Chrysophanus alciphron ssp. *veronicus* Fruhstorfer, 1917, Ent. Rdsch. 34: 17. Syntypes: France: Pyrenäen: Gedre. Range (in code): FR Py
- 14103. *Lycaena (Antipodolycaena) boldenarum* White, 1862** (Lycaenidae) Synonym(s): *boldenarum* White, 1862 Original Reference: *Lycaena boldenarum* White, 1862, Proc. ent. Soc. 3 (1): 26. Type: New Zealand. Range (in code): NZ
- 14104. *Lycaena (Chalceria) heteronea* (Boisduval, 1852)** (Lycaenidae) Synonym(s): *heteronea* Boisduval, 1852; *gravenotata* Klots, 1930; *klotsi* Field, 1936 Range (in code): US MX Arz Cf Col Id Mon NMx Ne Org Ut Ws Wy Bionomy: Larva on Eriogonum (Polygonaceae) (Warren et al., 2009).
- 14105. *Lycaena (Chalceria) heteronea austin* Koçak & Kemal, 2007** (Lycaenidae)
Synonym(s): *rutula* Austin, 1998 nec Werne, 1864; *austin* Koçak & Kemal, 2007 Original Reference: *Lycaena (Chalceria) heteronea* ssp. *austin* Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 135: 2 (nomen novum pro *rutula* Austin, 1998 nec Werne, 1864). Range (in code): US Arz Ne Col Cf
- 14106. *Lycaena (Chalceria) heteronea clara* Edwards, 1880** (Lycaenidae) Synonym(s): *clara* Edwards, 1880 Range (in code): US Cf
- 14107. *Lycaena (Chalceria) heteronea northi* Emmel & Pratt, 1998** (Lycaenidae)
Synonym(s): *northi* Emmel & Pratt, 1998 Range (in code): US
- 14108. *Lycaena (Chalceria) heteronea submaculata* Emmel & Pratt, 1998** (Lycaenidae)
Synonym(s): *submaculata* Emmel & Pratt, 1998 Range (in code): US
- 14109. *Lycaena (Chalceria) rubidus* (Behr, 1866)** (Lycaenidae) Synonym(s): *rubidus* Behr, 1866 Range (in code): US Arz Cf Col Id Mon NDK NMx Ne Neb Org SDk Ut Ws Wy
- 14110. *Lycaena (Chalceria) rubidus duofacies* K. Johnson & Balogh, 1977** (Lycaenidae)
Synonym(s): *duofacies* K. Johnson & Balogh, 1977 Range (in code): US
- 14111. *Lycaena (Chalceria) rubidus ferrisi* (K. Johnson & Balogh, 1977)** (Lycaenidae)
Synonym(s): *ferrisi* K. Johnson & Balogh, 1977 Range (in code): US Arz
- 14112. *Lycaena (Chalceria) rubidus longi* K. Johnson & Balogh, 1977** (Lycaenidae)
Synonym(s): *longi* K. Johnson & Balogh, 1977 Range (in code): US Neb
- 14113. *Lycaena (Chalceria) rubidus monachensis* K. Johnson & Balogh, 1977** (Lycaenidae) Synonym(s): *monachensis* K. Johnson & Balogh, 1977 Range (in code): US Cf
- 14114. *Lycaena (Chalceria) rubidus perkinsorum* K. Johnson & Balogh, 1977** (Lycaenidae) Synonym(s): *perkinsorum* K. Johnson & Balogh, 1977 Range (in code): US Org
- 14115. *Lycaena (Chalceria) rubidus rubidus* (Behr, 1866)** (Lycaenidae) Synonym(s): *rubidus* Behr, 1866 Range (in code): US Org

- 14116. *Lycaena (Chalceria) rubidus sirius* (Edwards,1871)** (Lycaenidae) Synonym(s): *sirius* Edwards,1871 _ Range (in code): US Col
- 14117. *Lycaena (Epidemia) dorcas* W.Kirby,1837** (Lycaenidae) Synonym(s): *dorcas* W.Kirby,1837; *anthelle* Doubleday,1847 _ Range (in code): US Idp Mai Mch Mns Oh Wc
- 14118. *Lycaena (Epidemia) dorcas arcticus* (Ferris,1977)** (Lycaenidae) Synonym(s): *arcticus* Ferris,1977 _ Range (in code): US
- 14119. *Lycaena (Epidemia) dorcas castro* (Reakirt,1866)** (Lycaenidae) Synonym(s): *castro* Reakirt,1866 _ Range (in code): US Col
- 14120. *Lycaena (Epidemia) dorcas claytoni* Brower,1940** (Lycaenidae) Synonym(s): *claytoni* Brower,1940 _ Range (in code): US
- 14121. *Lycaena (Epidemia) dorcas dorcas* W.Kirby,1837** (Lycaenidae) Synonym(s): *dorcas* W.Kirby,1837; *anthelle* Doubleday,1847 _ Range (in code): US
- 14122. *Lycaena (Epidemia) dorcas dospassosi* McDunnough,1940** (Lycaenidae) Synonym(s): *dospassosi* McDunnough,1940 _ Range (in code): US
- 14123. *Lycaena (Epidemia) dorcas florus* (Edwards,1883)** (Lycaenidae) Synonym(s): *florus* Edwards,1883 _ Range (in code): US Mon
- 14124. *Lycaena (Epidemia) dorcas megaloceras* (Ferris,1977)** (Lycaenidae) Synonym(s): *megaloceras* Ferris,1977 _ Range (in code): US
- 14125. *Lycaena (Epidemia) epixanthe* (Boisduval & Leconte,[1833])** (Lycaenidae) Synonym(s): *epixanthe* Boisduval & Leconte,[1833]; *hypoxanthe* W.Kirby,1862 _ Range (in code): US Cnt Idp Mai Mch Mns Mrl Msc Nh Nje Ny Oh Pns RDi Vr WVi Wc
- 14126. *Lycaena (Epidemia) helloides* (Boisduval,1852)** (Lycaenidae) Synonym(s): *helloides* Boisduval,1852 _ Range (in code): US MX Cf Col Id Idp Iln Io Kan Mch Mns Mon NDk NMx Ne Neb Ny Oh Ok Org SDk Ut Wc Ws Wy
- 14127. *Lycaena (Epidemia) mariposa* (Reakirt,1866)** (Lycaenidae) Synonym(s): *mariposa* Reakirt,1866; *zeroe* Boisduval,1869 _ Range (in code): US Cf Id Mon Org Ws Wy CA BCo
- 14128. *Lycaena (Epidemia) mariposa charlottensis* (Holland,1930)** (Lycaenidae) Synonym(s): *charlottensis* Holland,1930 _ Range (in code): CA BCo
- 14129. *Lycaena (Epidemia) mariposa mariposa* (Reakirt,1866)** (Lycaenidae) Synonym(s): *mariposa* Reakirt,1866; *zeroe* Boisduval,1869 _ Range (in code): US Cf
- 14130. *Lycaena (Epidemia) mariposa penroseae* Field,1938** (Lycaenidae) Synonym(s): *penroseae* Field,1938 _ Range (in code): US Wy
- 14131. *Lycaena (Epidemia) nivalis* (Boisduval,1869)** (Lycaenidae) Synonym(s): *nivalis* Boisduval,1869; *ianthe* Edwards,1871 _ Range (in code): US Cf Col Mon Ne Org Ut Ws Wy
- 14132. *Lycaena (Epidemia) nivalis browni* Dos Passos,1938** (Lycaenidae) Synonym(s): *browni* Dos Passos,1938 _ Range (in code): US
- 14133. *Lycaena (Epidemia) nivalis nivalis* (Boisduval,1869)** (Lycaenidae) Synonym(s): *nivalis* Boisduval,1869; *ianthe* Edwards,1871 _ Range (in code): US Cf
- 14134. *Lycaena (Gaeides) dione* (Scudder,1869)** (Lycaenidae) Synonym(s): *dione* Scudder,1869 _ Range (in code): US Col Id Iln Io Kan Mis Mns Mon NDk NMx Neb Ok SDk Tx Wc Wy
- 14135. *Lycaena (Gaeides) editha* (Mead,1878)** (Lycaenidae) Synonym(s): *editha* Mead,1878; *#vanduzei* Gunder,1927 _ Range (in code): US Cf Col Id Mon Ne Org Ut Ws Wy
- 14136. *Lycaena (Gaeides) editha editha* (Mead,1878)** (Lycaenidae) Synonym(s): *editha* Mead,1878; *#vanduzei* Gunder,1927 _ Range (in code): US Cf
- 14137. *Lycaena (Gaeides) editha vurali* Koçak,1984** (Lycaenidae) Synonym(s): *#meadi* Field,1936; *montana* Field,1936 *nec* Mey.-Dür,1852; *vurali* Koçak,1984 _ Original Reference: Gaeides editha ssp. vurali Koçak,1984, Priamus 3 (3): 94-95 (nomen novum pro montana Field,1936 nec Meyer-Dür,1852). Range (in code): US Mon Wy
- 14138. *Lycaena (Gaeides) gorgon* (Boisduval,1852)** (Lycaenidae) Synonym(s): *gorgon* Boisduval,1852 _ Range (in code): US MX Cf Org
- 14139. *Lycaena (Gaeides) xanthoides* (Boisduval,1852)** (Lycaenidae) Synonym(s): *xanthoides* Boisduval,1852 _ Range (in code): US MX Cf Org
- 14140. *Lycaena (Helleia) helle* ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller],1775; *amphidamas* Esper,1781; *xanthe* Lang,1789 *nec* [Denis & Schiffermüller],1775. Original Reference: Papilio helle [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 181. Type(s): Austria: Wienergegend. Range (in code): Cc Smt Akh At Bn Kts AT Ba BE BY CH CZ DE EE ES FI FR GG HU KG LT LU NO PL RU Prj Us SE SK Sm So Sr UA Uk

- LAT Wn Kuz Sli Sau Tar DsA Ket Lps T-S CN Ui** Bionomy: Larva on Polygonum bistorta, P. viviparum, P. ?nitens (Polygonaceae) (Zhdanko,1997; Tolman,1997).
- 14141. Lycaena (Helleia) helle helle ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *helle* [Denis & Schiffermüller],1775; *amphidamas* Esper,1781; *xanthe* Lang,1789 nec [Denis & Schiffermüller],1775. Original Reference: Papilio helle [Denis & Schiffermüller],1775, Ankündigung eines syst. Werkes Schmett. Wiener Gegend: 181. Type(s): Austria: Wienergegend. Range (in code): **Cc GG Smt Akh AT Ba BE Bw BY CH CZ DE EE ES FI HU KG LT LU NO PL RU SE SK Sm So Sr UA Uk LAT Wn CN Ui**
- 14142. Lycaena (Helleia) helle leonia (Beuret,1926)** (Lycaenidae) Synonym(s): *leonia* Beuret,1926; *eneli* Betti,1977 Range (in code): **FR**
- 14143. Lycaena (Helleia) helle perrettei (Weiss,1977)** (Lycaenidae) Synonym(s): *perrettei* Weiss,1977; *#perrettei* Weiss,1977; *#perretei* Leraut,1997. Original Reference: Lycaena helle ssp. perrettei Weiss,1977, Linneana Belg. 6 (10): 254-256, figs. Holotype ♂: France: Gérardmer (Vosges), 800m. Range (in code): **FR**
- 14144. Lycaena (Helleia) helle phintonis (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *phintonis* Fruhstorfer,1910 Original Reference: Chrysophanus amphidamas phintonis Fruhstorfer,1910, Ent. Z., Stuttgart 24(26): 144. Syntypes: Russia: Irkutsk. Range (in code): **T-S Aa Am Bn At Kts Bs KG Kw Mn MN No Om Or RU Sb Sp Tk To Ty Uk Prj Us Kuz Sli Sau Tar DsA Ket Lps**
- 14145. Lycaena (Helleia) helle pyrenaica (Deslandes,1930)** (Lycaenidae) Synonym(s): *pyrenaica* Deslandes,1930; *deslandesi* Hemming,1932; *arvenica* Bernardi & De Lesse,1952; *magdalenae* Guérin,1959. Range (in code): **FR Py**
- 14146. Lycaena (Helleia) helle shchurovi Gorbunov,2001** (Lycaenidae) Synonym(s): *shchurovi* Gorbunov,2001 Original Reference: Lycaena helle ssp. shchurovi Gorbunov,2001, Butterflies of Russia: 110. Holotype ♂: Russia: NW Caucasus Lagonaki plateau, Belorechensky pass 1800-1950m, subalpine meadows. Range (in code): **RU Cc**
- 14147. Lycaena (Hollylycaena) thoe (Guérin-Ménéville,[1831])** (Lycaenidae) Synonym(s): *thoe* Guérin-Ménéville,[1831]; *hyllus* sensu auct. nec Cr.,[1775] Range (in code): **US Aks Cnt Col Dw Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc Mss NDK NMx Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Ut Vi Vr WVi Wc Wy**
- 14148. Lycaena (Heodes) ottomanus (Lefèbvre,[1830])** (Lycaenidae) Synonym(s): *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830. Original Reference: Polyommatus ottomanus Lefèbvre,[1830], Magas. Zool. 1(1): text, Taf.19. Syntypes: [Turquie]: "route de Smirne a Cosntantinople, puis entre Moalitch et Dérékeuil, pres la mer de Marmara". Range (in code): **AL BG GR Mt TR MK** Bionomy: Larva on Rumex acetosella, R. hydrolapathum, R. acetosa, Polygonum aviculare (Polygonaceae) (Tolman,1997).
- 14149. Lycaena (Heodes) ottomanus ottomanus (Lefèbvre,[1830])** (Lycaenidae) Synonym(s): *ottomanus* Lefèbvre,[1830]; *legeri* Freyer,1830. Original Reference: Polyommatus ottomanus Lefèbvre,[1830], Magas. Zool. 1(1): text, Taf.19. Syntypes: [Turquie]: "route de Smirne a Cosntantinople, puis entre Moalitch et Dérékeuil, pres la mer de Marmara". Range (in code): **AL BG GR Mt TR MK**
- 14150. Lycaena (Heodes) virgaureae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. Original Reference: Papilio virgaureae Linnaeus,1758, Syst. Nat. (Edn.10)1: 484. Syntypes: Europa, Africa; [Sweden (Verity,1943)]. Range (in code): **AL AM TR Bn At Kts AT Aty Ba BE BG BY CH Cm CN CZ DE DK EE ES FI FR Cc GG IR Ab Qo GR HU IT Ju KG KK LT LU LV MK MN NL NO PL PT RO RU SE SK Sm So Sr St Tk UA Ui VI YU TeA Kuz DsA TrA T-S** Bionomy: Larva on Rumex acetosa (Polygonaceae) (Tolman,1997).
- 14151. Lycaena (Heodes) virgaureae alexandrae (Fruhstorfer,1909)** (Lycaenidae) Synonym(s): *alexandrae* Fruhstorfer,1909 Original Reference: Chrysophanus virgaureae ssp. alexandrae Fruhstorfer,1909, Int. ent. Z. 3: 120. Syntypes: [Russia]: Ural, Turgojak. Range (in code): **RU Ur**
- 14152. Lycaena (Heodes) virgaureae apennina Calberla,1887** (Lycaenidae) Synonym(s): *apennina* Calberla,1887; *inalpinus* Verity,1913 Range (in code): **FR**
- 14153. Lycaena (Heodes) virgaureae aureomicans (Heyne,1897)** (Lycaenidae) Synonym(s): *aureomicans* Heyne,1897; *denizae* Eckweiler & Rose,1993. Original Reference: Polyommatus virgaureae var. aureomicans Heyne,1897, Societas ent. 12: 9. Type(s): [Türkei]: Mersina (südl. Kleinasien, Taurus). Range (in code): **TR**

- 14154. *Lycaena (Heodes) virgaureae caucasica* (Jachontov,1909)** (Lycaenidae)
Synonym(s): *caucasica* Jachontov,1909 Original Reference: Chrysophanus virgaureae var. caucasica Jachontov,1909, Russk. ent. Obozr. 8 (1908): 291. Syntypes: [Russia]: Caucasus septentrionalis. Beschtau. Range (in code): **RU St**
- 14155. *Lycaena (Heodes) virgaureae chrysorhoas* (Fruhstorfer,1917)** (Lycaenidae)
Synonym(s): *chrysorhoas* Fruhstorfer,1917 Original Reference: Chrysophanus virgaureae ssp. chrysorhoas Fruhstorfer,1917, Dt. ent. Z., Iris 31: 33. Syntypes: Deutschland. Range (in code): **DE FR**
- 14156. *Lycaena (Heodes) virgaureae gravesica* Verity,1929** (Lycaenidae) Synonym(s): *gravesica* Verity,1929; *gravesi* Verity,1929 Original Reference: Heodes virgaureae gravesica Verity,1929, Bull. Soc. ent. Fr. 1929: 129. Syntypes 6 ♂♂ 12 ♀♀ [France: Cevennes]: Mt. Aigoual. Range (in code): **FR**
- 14157. *Lycaena (Heodes) virgaureae miegii* (Vogel,1857)** (Lycaenidae) Synonym(s): *miegii* Vogel,1857 Range (in code): **ES PT**
- 14158. *Lycaena (Heodes) virgaureae montanus* (Meyer-Dür,1851)** (Lycaenidae)
Synonym(s): *montanus* Meyer-Dür,1851 Range (in code): **AT CH**
- 14159. *Lycaena (Heodes) virgaureae pelusiota* (Fruhstorfer,1910)** (Lycaenidae)
Synonym(s): *pelusiota* Fruhstorfer,1910; *mediomontana* Verity,1929; *delicata* Higgins,1950. Original Reference: Chrysophanus virgaureae ssp. pelusiota Fruhstorfer,1910, Ent. Z., Stuttgart 24: 144. Sntypes: Italia: Aostatal: Cogne, Vieje. Range (in code): **Aos FR IT**
- 14160. *Lycaena (Heodes) virgaureae pyrenaicola* Graves,1928** (Lycaenidae) Synonym(s): *pyrenaicola* Graves,1928 Range (in code): **FR**
- 14161. *Lycaena (Heodes) virgaureae pyrenemontana* Verity,1929** (Lycaenidae)
Synonym(s): *pyrenemontana* Verity,1929 Original Reference: Heodes virgaureae pyrenemontana Verity,1929, Bull. Soc. ent. Fr. 1929: 131. Syntypes 10 ♂♂ [France]: Hautes Pyrenees: Gedre. Range (in code): **FR**
- 14162. *Lycaena (Heodes) virgaureae vera* Hemming,1928** (Lycaenidae) Synonym(s): *vera* Hemming,1928 Range (in code): **FR**
- 14163. *Lycaena (Heodes) virgaureae virgaureae* (Linnaeus,1758)** (Lycaenidae)
Synonym(s): *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. Original Reference: Papilio virgaureae Linnaeus,1758, Syst. Nat. (Edn.10)1: 484. Syntypes: Europa, Africa; [Sweden (Verity,1943)]. Range (in code): **AL AM TR Bn At Kts Ba BE BG Bw BY Cm CZ DE DK EE FI Cc GG GR HU IT LT LU LV MK NL NO PL RO Rp RU SE SK Sm So Sr UA VI YU**
- 14164. *Lycaena (Heodes) virgaureae virgaureola* (Staudinger,1892)** (Lycaenidae)
Synonym(s): *virgaureola* Staudinger,1892; *mongolica* Kurensov,1970. Original Reference: Chrysophanus virgaureae var. virgaureola Staudinger,1892, Dt. ent. Z., Iris 5: 314. Range (in code): **T-S Ir MN RU Sb Sj KG CN Ui Ju TeA DsA TrA**
- 14165. *Lycaena (Hermelycaena) hermes* (Edwards,1870)** (Lycaenidae) Synonym(s): *hermes* Edwards,1870; *delsud* Wright,1906 Range (in code): **US MX Cf**
- 14166. *Lycaena (Hyrceanana) caspius* (Lederer,1869)** (Lycaenidae) Synonym(s): *caspius* Lederer,1869 Original Reference: Polyommatus caspius Lederer,1869, Horae Soc. ent. ross. 6: 76-77. Type ♂: [Iran]: Persien: Astrabad. Range (in code): **IR Gor AF Pag Bm PK Bl TJ**
- 14167. *Lycaena (Hyrceanana) caspius afghanus* Howarth & Povolny,1976** (Lycaenidae)
Synonym(s): *afghana* Howarth & Povolny,1976 Original Reference: Lycaena caspius ssp. afghana Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 150-151. Holotype ♂: Afghanistan: Central Afghanistan: Kabul, Paghman (in coll.Haws). Range (in code): **AF Pag Bm**
- 14168. *Lycaena (Hyrceanana) caspius caspius* (Lederer,1869)** (Lycaenidae) Synonym(s): *caspius* Lederer,1869 Original Reference: Polyommatus caspius Lederer,1869, Horae Soc. ent. ross. 6: 76-77. Type ♂: [Iran]: Persien: Astrabad. Range (in code): **IR Gor**
- 14169. *Lycaena (Hyrceanana) caspius meridionalis* (Stshetkin,1963)** (Lycaenidae)
Synonym(s): *meridionalis* Stshetkin,1963 Range (in code): **TJ**
- 14170. *Lycaena (Hyrceanana) caspius susanus* (Swinhoe,1889)** (Lycaenidae) Synonym(s): *susanus* Swinhoe,1889; *susanus* De Nicéville,1890 Original Reference: Chrysophanus susanus Swinhoe,1889, Proc. zool. Soc. London 1889: 397. Type: [Pakistan]: Biluchistan. Range (in code): **PK Bl Qu**

- 14171. *Lycaena (Hyrceanana) evansi* De Nicéville, 1902** (Lycaenidae) Synonym(s): *evansi* De Nicéville, 1902 Original Reference: *Lycaena evansi* De Nicéville, 1902, J. Bombay nat. Hist. Soc. 14(2): 249. Type(s): [Pakistan]: Chitral. Range (in code): **Ci PK Nwf**
- 14172. *Lycaena (Hyrceanana) evansi evansi* Nicéville, 1902** (Lycaenidae) Synonym(s): *evansi* Nicéville, 1902 Original Reference: *Lycaena evansi* De Nicéville, 1902, J. Bombay nat. Hist. Soc. 14(2): 249. Type(s): [Pakistan]: Chitral. Range (in code): **Ci PK Nwf**
- 14173. *Lycaena (Hyrceanana) pamirus* Nekrutenko, 1983** (Lycaenidae) Synonym(s): *pamirus* Nekrutenko, 1983 Range (in code): **TJ Pm** Bionomy: Larva on Polygonum ? paronychioides (Polygonaceae) (Zhdanko, 1997).
- 14174. *Lycaena (Hyrceanana) pamirus pamirus* Nekrutenko, 1983** (Lycaenidae) Synonym(s): *pamirus* Nekrutenko, 1983 Range (in code): **TJ Pm**
- 14175. *Lycaena (Hyrceanana) sarthus* (Staudinger, 1886)** (Lycaenidae) Synonym(s): *sartha* Staudinger, 1886 Original Reference: *Polyommatus sarthus* Staudinger, 1886, Stettin ent. Ztg. 47: 202-203. Syntypes 3♂ 1♀: [Tadjikistan]: Ala-Gebirge, Kara Kasuk Pass. Range (in code): **UZ TJ**
- 14176. *Lycaena (Hyrceanana) sarthus hofmanni* Ten Hagen, 2006** (Lycaenidae) Synonym(s): *hofmanni* Ten Hagen, 2006 Range (in code): **IR**
- 14177. *Lycaena (Hyrceanana) sarthus ophion* Hemming, 1933** (Lycaenidae) Synonym(s): *caudatus* Staudinger, 1901 (p.75) *nec* Stgr. 1901 (p.73); *ophion* Hemming, 1933 Original Reference: *Lycaena ophion* Hemming, 1933, Entomologist 66: 278 (nomen novum pro *caudatus* Staudinger, 1901 *nec* Stgr., 1901). Range (in code): **UZ**
- 14178. *Lycaena (Hyrceanana) sarthus sarthus* (Staudinger, 1886)** (Lycaenidae) Synonym(s): *sartha* Staudinger, 1886 Original Reference: *Polyommatus sarthus* Staudinger, 1886, Stettin ent. Ztg. 47: 202-203. Syntypes 3♂ 1♀: [Tadjikistan]: Ala-Gebirge, Kara Kasuk Pass. Range (in code): **TJ**
- 14179. *Lycaena (Hyrceanana) sultan* (Lang, 1884)** (Lycaenidae) Synonym(s): *sultan* Lang, 1884; *sultani* Staudinger, 1886 Original Reference: *Polyommatus sultan* Lang, 1884, Butts. Eur.: 368. Type: Samarkand. Range (in code): **UZ Smk** Bionomy: Larva on Polygonum paronychioides (Polygonaceae) (Zhdanko, 1997).
- 14180. *Lycaena (Hyrceanana) sultan sultan* (Lang, 1884)** (Lycaenidae) Synonym(s): *sultan* Lang, 1884; *sultani* Staudinger, 1886 Original Reference: *Polyommatus sultan* Lang, 1884, Butts. Eur.: 368. Type: Samarkand. Range (in code): **UZ**
- 14181. *Lycaena (Hyrceanana) transiens* (Staudinger, 1886)** (Lycaenidae) Synonym(s): *transiens* Staudinger, 1886 Original Reference: *Polyommatus caspius* var. *transiens* Staudinger, 1886, Stettin ent. Ztg. 47: 201. Syntypes: [Usbekistan]: Samarkand. Range (in code): **Smk UZ**
- 14182. *Lycaena (Hyrceanana) transiens transiens* (Staudinger, 1886)** (Lycaenidae) Synonym(s): *transiens* Staudinger, 1886 Original Reference: *Polyommatus caspius* var. *transiens* Staudinger, 1886, Stettin ent. Ztg. 47: 201. Syntypes: [Usbekistan]: Samarkand. Range (in code): **Smk UZ**
- 14183. *Lycaena (Loweia) tityrus* (Poda, 1761)** (Lycaenidae) Synonym(s): *tityrus* Poda, 1761; *acirion* [Brünnich], 1763; *orientalis* Staudinger, 1881; *argentifex* Balint, 1990. Original Reference: *Papilio tityrus* Poda, 1761, Insecta Musei Graecensis: 77. Type(s): [Austria]: Graz. Range (in code): **AF Ca AL Cc AM Bn At AT AZ Ba BE BG BY CH CZ DE DK EE ES FR GG GR HU IQ IR Ab Ak Msw Elb Th Ha IT LB LT LU LV MK NL PL PT RO RU SK Sm So Sr TR UA YU KG Tt Uk Aq Rk Ka Pw Om Sp Tk DsA Tar Lps CN Ui** Bionomy: Larva on Rumex acetosa, R. scutatus (Polygonaceae) (Tolman, 1997).
- 14184. *Lycaena (Loweia) tityrus bleusei* Oberthür, 1896** (Lycaenidae) Synonym(s): *bleusei* Oberthür, 1896 Range (in code): **ES**
- 14185. *Lycaena (Loweia) tityrus catherinei* Verity, 1948** (Lycaenidae) Synonym(s): *catherinei* Verity, 1948 Original Reference: *Heodes tityrus catherinei* Verity, 1948, Variations géographiques et saisonnières des papillons diurnes en France: 58. Syntypes 1♂ 3♀: [France: Hautes Pyrenées]: Val d'Heas, 1500m. Range (in code): **FR**
- 14186. *Lycaena (Loweia) tityrus dorilis* (Hufnagel, 1766)** (Lycaenidae) Synonym(s): *dorilis* Hufnagel, 1766; *phocas* Rottemburg, 1775; *xanthe* [Denis & Schiffermüller], 1775; *circe* [Denis & Schiffermüller], 1775 *nec* Fabricius, 1775; *garbus* Fabricius, 1787; *myopa* Latreille, 1805. Range (in code): **DE FR Brd**
- 14187. *Lycaena (Loweia) tityrus itaforum* (Verity, 1919)** (Lycaenidae) Synonym(s): *itaforum* Verity, 1919 Original Reference: *Loweia dorilis* race *itaforum* Verity, 1919, Entomologist's Rec. J. Var. 31: 29. Syntypes 24♂ 5♀: Italia centrale: Lucca: Fiume Camaione, 300m. Range (in code): **FR IT**

- 14188. *Lycaena (Loweia) tityrus opisthochros* (Verity,1939)** (Lycaenidae) Synonym(s): *opisthochros* Verity,1939 Original Reference: *Palaeoloweia tityrus* race *opisthochros* Verity,1939, *Lambillionea* 39: 186. Syntypes 4♂ 1♀: Iran: Elbursgebirge: Nissa (Brandt leg.). Range (in code): **IR Ab Ak Elb Th Ha AF Ca**
- 14189. *Lycaena (Loweia) tityrus pallidepicta* (Verity,1934)** (Lycaenidae) Synonym(s): *pallidepicta* Verity,1934; *oceanitis* Verity,1948. Original Reference: *Palaeoloweia tityrus pallidepicta* Verity,1934, *Entomologist's Rec. J. Var., Suppl.* 46: 16. Syntypes: [France]: Vaucluse: Mont Ventoux. Range (in code): **FR**
- 14190. *Lycaena (Loweia) tityrus subalpinus* Speyer,1851** (Lycaenidae) Synonym(s): *subalpinus* Speyer,1851; *mixtalpina* Verity,1948. Range (in code): **AT CH FR IT**
- 14191. *Lycaena (Loweia) tityrus tityrus* (Poda,1761)** (Lycaenidae) Synonym(s): *tityrus* Poda,1761; *acrimon* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. Original Reference: *Papilio tityrus* Poda,1761, *Insecta Musei Graecensis*: 77. Type(s): [Austria]: Graz. Range (in code): **Sms At Bn AL Cc AM AZ Ba BE BG Bw BY CZ DE DK EE ES GG GR HU IQ LB LT LU LV MK NL PL PT RO Rp RU SK Sm So Sr TR UA YU KG Tt Uk Aq Rk Ka Pw Om Sp Tk DsA Tar Lps**
- 14192. *Lycaena (Margelycaena) euphratica* (Eckweiler,1989)** (Lycaenidae) Synonym(s): *euphratica* Eckweiler,1989 Original Reference: *Lycaena* (Phoenicurusia) *euphratica* Eckweiler,1989, *Nachr. ent. Ver. Apollo* (N.F.) 10(2): 83-90, figs. Holotype ♂: Türkiye: Bingöl, 14-24km S Genç, 1200-1400m (ITZA). Range (in code): **TR IR Ab**
- 14193. *Lycaena (Margelycaena) euphratica euphratica* (Eckweiler,1989)** (Lycaenidae) Synonym(s): *euphratica* Eckweiler,1989 Original Reference: *Lycaena* (Phoenicurusia) *euphratica* Eckweiler,1989, *Nachr. ent. Ver. Apollo* (N.F.) 10(2): 83-90, figs. Holotype ♂: Türkiye: Bingöl, 14-24km S Genç, 1200-1400m (ITZA). Range (in code): **TR IR Ab**
- 14194. *Lycaena (Margelycaena) margelanica* (Staudinger,1881)** (Lycaenidae) Synonym(s): *margelanica* Staudinger,1881 Original Reference: *Polyommatus phoenicurus* var. *margelanica* Staudinger,1881, *Stettin ent. Ztg.* 42: 282-283. Syntypes: [Usbekistan]: Margelan. Range (in code): **T-S KK Man UZ AF TJ TrA Syr Tls Ax Tm KG Aa** Bionomy: Larva on *Atraphaxis pyrifolia* (Polygonaceae) (Zhdanko, 1997).
- 14195. *Lycaena (Margelycaena) margelanica legezi* (Zhdanko,1999)** (Lycaenidae) Synonym(s): *legezi* Zhdanko,1999 Original Reference: *Phoenicurusia margelanica* ssp. *legezi* Zhdanko,1999, *Tethys* 1: 214. Holotype ♂: Tadjikistan. Range (in code): **TJ**
- 14196. *Lycaena (Margelycaena) margelanica margelanica* (Staudinger,1881)** (Lycaenidae) Synonym(s): *margelanica* Staudinger,1881 Original Reference: *Polyommatus phoenicurus* var. *margelanica* Staudinger,1881, *Stettin ent. Ztg.* 42: 282-283. Syntypes: [Usbekistan]: Margelan. Range (in code): **T-S KK Man UZ AF**
- 14197. *Lycaena (Margelycaena) margelanica nigra* (Zhdanko,1999)** (Lycaenidae) Synonym(s): *nigra* Zhdanko,1999 Original Reference: *Phoenicurusia margelanica* ssp. *nigra* Zhdanko,1999, *Tethys* 1: 214. Holotype ♂: Kazakhstan: Zailiskiy Alatau, Alma-Ata 1000m. Range (in code): **T-S KG Aa TrA Syr Tls Ax Tm**
- 14198. *Lycaena (Mirzakhania) kasyapa* (Moore,1865)** (Lycaenidae) Synonym(s): *kasyapa* Moore,1865 Original Reference: *Chrysophanus kasyapa* Moore,1865, *Proc. zool. Soc. London* 35: 506-507, pl.31 fig.10. Syntypes: [India]: Lower Kunawur, 7-8000 feet. Range (in code): **Ch IN PK Swa Sgl Ci Mus IN**
- 14199. *Lycaena (Mirzakhania) kasyapa kalashi* Charmeux & Desse,2006** (Lycaenidae) Synonym(s): *kalashi* Charmeux & Desse,2006 Range (in code): **PK Ci**
- 14200. *Lycaena (Mirzakhania) kasyapa kasyapa* (Moore,1865)** (Lycaenidae) Synonym(s): *kasyapa* Moore,1865 Original Reference: *Chrysophanus kasyapa* Moore,1865, *Proc. zool. Soc. London* 35: 506-507, pl.31 fig.10. Syntypes: [India]: Lower Kunawur, 7-8000 feet. Range (in code): **Ch IN PK Swa Sgl Ci Mus IN**
- 14201. *Lycaena (Palaeochrysophanus) candens* (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845] Original Reference: *Polyommatus candens* Herrich-Schäffer,[1845], *Syst. Bearb. Schmett. Eur.* 1: 133, figs.240-243. Syntypes: [Türkei]: Brussa [Bursa, Uludagh]. Range (in code): **AL Cc GG Akh Cbo GR IR Ab Elb Mz RO TR Arr YU BG B-H HV MK Ril** Bionomy: Larva on *Rumex acetosa* (Polygonaceae) (Tolman,1997).
- 14202. *Lycaena (Palaeochrysophanus) candens candens* (Herrich-Schäffer,[1845])** (Lycaenidae) Synonym(s): *candens* Herrich-Schäffer,[1845] Original Reference: *Polyommatus*

- candens Herrich-Schäffer,[1845], Syst. Bearb. Schmett. Eur. 1: 133, figs.240-243. Syntypes: [Türkei]: Brussa [Bursa, Uludagh]. Range (in code): Cc TR Arr
- 14203. *Lycaena (Palaeochrysophanus) candens candissima* (Pfeiffer,1937)** (Lycaenidae)
Synonym(s): *candissima* Pfeiffer,1937 Original Reference: *Chrysophanus hippothoe* ssp. *candissima* Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 36. Holotype ♂: Iran: Elbursgebirge: Tacht-i-Suleiman- Gruppe, Kendevan-Pass, 3000m. (in coll. Pfeiffer) (ZSM). Range (in code): IR Elb Mz
- 14204. *Lycaena (Palaeochrysophanus) candens leonhardi* (Fruhstorfer,1917)** (Lycaenidae)
Synonym(s): *leonhardi* Fruhstorfer,1917 Original Reference: *Chrysophanus hippothoe* ssp. *leonhardi* Fruhstorfer,1917, Ent. Rdsch. 34: 16. Syntypes: Bulgarien: Rila Mts.; Bosnien-Herzegowina: Vucijabara. Range (in code): AL BG B-H GR HV MK Rl
- 14205. *Lycaena (Palaeochrysophanus) candens pfeifferi* (Beuret,1952)** (Lycaenidae)
Synonym(s): *pfeifferi* Beuret,1952; *transcaucasiensis* auct. Original Reference: *Palaeochrysophanus candens* ssp. *pfeifferi* Beuret,1952, Mitt. ent. Ges. Basel 2: 59-60. Syntypes: Transcaucasien: Achalzich (Chambobel), leg. Korb (ZSM). Range (in code): Cc GG Smt Akh Cbo TR
- 14206. *Lycaena (Palaeochrysophanus) hippothoe* (Linnaeus,1761)** (Lycaenidae)
Synonym(s): *hippothoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 nec Drury,1773; *euridice* Rottenburg,1775 nec Johansson,1763. Original Reference: *Papilio hippothoe* Linnaeus,1761, Fauna Suecica: 274. Syntypes: Schweden. Range (in code): At Kts AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR GR HU HV IT KG LT LU LV MK NL NO PL Pt PT RO RU SE Sj SK Sm So Sr UA Uk VI YU Cb Ty Kw Om Mn Sp Bionomy: Larva on *Polygonum bistorta*, *Rumex acetosa* (Polygonaceae) (Tolman,1997).
- 14207. *Lycaena (Palaeochrysophanus) hippothoe amurensis* (Staudinger,1892)** (Lycaenidae)
Synonym(s): *amurensis* Staudinger,1892 Range (in code): RU Am
- 14208. *Lycaena (Palaeochrysophanus) hippothoe eurydame* (Hoffmannsegg,1806)** (Lycaenidae)
Synonym(s): *eurydame* Hoffmannsegg,1806; *eurybia* Ochsenheimer,1808; *cisalpina* Fruhstorfer,1909. Range (in code): AT CH FR IT RU At Bn Bionomy: Larva on *Polygonum bistorta*, *Rumex acetosa* (Polygonaceae) (Tolman,1997).
- 14209. *Lycaena (Palaeochrysophanus) hippothoe hippothoe* (Linnaeus,1761)** (Lycaenidae)
Synonym(s): *hippothoe* Linnaeus,1761; *chryseis* [Denis & Schiffermüller],1775 nec Drury,1773; *euridice* Rottenburg,1775 nec Johansson,1763. Original Reference: *Papilio hippothoe* Linnaeus,1761, Fauna Suecica: 274. Syntypes: Schweden. Range (in code): At Kts Ba BG B-H BY CZ DK EE FI GR HU HV KG LT LU LV MK NL NO PL Pt RO RU SE SK Sm So Sr UA Uk VI YU Cb Ty Kw Om Mn Sp
- 14210. *Lycaena (Palaeochrysophanus) hippothoe mirus* Verity,1913** (Lycaenidae)
Synonym(s): *mirus* Verity,1913; *bernardii* Beuret,1955. Range (in code): ES FR
- 14211. *Lycaena (Palaeochrysophanus) hippothoe mirusnigra* (Agenjo,1944)** (Lycaenidae)
Synonym(s): *mirusnigra* Agenjo,1944 Range (in code): ES
- 14212. *Lycaena (Palaeochrysophanus) hippothoe paraeurydice* Verity,1943** (Lycaenidae)
Synonym(s): *paraeurydice* Verity,1943 Range (in code): FR
- 14213. *Lycaena (Palaeochrysophanus) hippothoe parrai* (Agenjo,1944)** (Lycaenidae)
Synonym(s): *parrai* Agenjo,1944 Range (in code): ES
- 14214. *Lycaena (Palaeochrysophanus) hippothoe sajana* (Kozhantschikov,1923)** (Lycaenidae)
Synonym(s): *sajana* Kozhantschikov,1923 Original Reference: *Chrysophanus hippothoe* ssp. *sajana* Kozhantschikov,1923, Jb. Staatsmus. Minussinsk 1: 10. Type(s): Russia: Sajan Gebirge, Bubja-See, 1400m. Range (in code): RU Sj
- 14215. *Lycaena (Palaeochrysophanus) hippothoe stiberi* (Gerhard,1853)** (Lycaenidae)
Synonym(s): *stiberi* Gerhard,1853 Original Reference: *Polyommatus stiberi* Gerhard,1853, Versuch Monogr. eur. Schmett.: t.35, figs.1a-b. Type(s): Lapponia. Range (in code): FI NO RU SE
- 14216. *Lycaena (Palaeochrysophanus) hippothoe sumadiensis* (Szabo,1956)** (Lycaenidae)
Synonym(s): *sumadiensis* Szabo,1956 Range (in code): HU YU
- 14217. *Lycaena (Palaeochrysophanus) hippothoe valderiana* (Turati & Verity,1910)** (Lycaenidae)
Synonym(s): *valderiana* Turati & Verity,1910 Range (in code): FR
- 14218. *Lycaena (Phoenicurusia) alexandra* (Püngeler,1901)** (Lycaenidae)
Synonym(s): *alexandra* Püngeler,1901 Original Reference: *Chrysophanus athamantis* var. *alexandra* Püngeler,1901, Dt. ent. Z., Iris 14: 179, Taf.2 figs.6, 6a, 6b. Syntypes: [Kirghizistan]: Alexander Gebirge. Range (in code): T-S Ax KG KK Syr Tm Tk Tyk DsA Ii Dj CN Ui Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae) (Zhdanko,1997).
- 14219. *Lycaena (Phoenicurusia) alexandra alexandra* (Püngeler,1901)** (Lycaenidae)
Synonym(s): *alexandra* Püngeler,1901 Original Reference: *Chrysophanus athamantis* var.

- alexandra Püngeler, 1901, Dt. ent. Z., Iris 14: 179, Taf. 2 figs. 6, 6a, 6b. Syntypes: [Kirghizistan]: Alexander Gebirge. Range (in code): T-S Ax KG KK Tk Tyk DsA Ii
- 14220. *Lycaena (Phoenicurusia) alexandra darja* (Zhdanko, 1990)** (Lycaenidae)
Synonym(s): *darja* Zhdanko, 1990 Original Reference: *Athamanthia alexandra* ssp. *darja* Zhdanko, 1990, Ent. Obozr. 69: 141-143. Holotype: [Kasachstan]: Syrdarja Karatau, Baigakum. Range (in code): T-S KG Syr Tm
- 14221. *Lycaena (Phoenicurusia) alexandra zhanibeki* (Zhdanko, 1999)** (Lycaenidae)
Synonym(s): *zhanibeki* Zhdanko, 1999 Original Reference: *Athamanthia alexandra* ssp. *zhanibeki* Zhdanko, 1999, Tethys 1: 215. Holotype ♂: Kazakhstan: Djarkent, 1200m. Range (in code): T-S KG Tk Dj DsA CN Ui
- 14222. *Lycaena (Phoenicurusia) athamantis* (Eversmann, 1854)** (Lycaenidae)
Synonym(s): *athamantis* Eversmann, 1854 Original Reference: *Polyommatus athamantis* Eversmann, 1854, Bull. Soc. imp. Nat. Moscou 27: 180-181, figs. 3, 4. Syntypes: Südl. Kirghisen-Steppen; Aralsee. Range (in code): T-S Aq CN Ii KG Ku Ui AF Kab Bm PK BI Urk Mtz DsA Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae) (Zhdanko, 1997).
- 14223. *Lycaena (Phoenicurusia) athamantis athamantis* (Eversmann, 1854)** (Lycaenidae)
Synonym(s): *athamantis* Eversmann, 1854 Original Reference: *Polyommatus athamantis* Eversmann, 1854, Bull. Soc. imp. Nat. Moscou 27: 180-181, figs. 3, 4. Syntypes: Südl. Kirghisen-Steppen; Aralsee. Range (in code): Aq KG
- 14224. *Lycaena (Phoenicurusia) athamantis balucha* (Howarth & Povolny, 1976)** (Lycaenidae)
Synonym(s): *balucha* Howarth & Povolny, 1976 Original Reference: *Lycaena athamantis* ssp. *balucha* Howarth & Povolny, 1976, Cas. morav. Mus. Brne 61: 150. Holotype ♂: Pakistan: Baluchistan: Old Urak; also Mehtarzai Pass, Kahan (BMNH). Range (in code): PK BI Urk Mtz
- 14225. *Lycaena (Phoenicurusia) athamantis iliensis* (Staudinger, 1886)** (Lycaenidae)
Synonym(s): *iliensis* Staudinger, 1886 Original Reference: *Polyommatus phoenicurus* var. *iliensis* Staudinger, 1886, Stettin ent. Ztg. 47: 203. Syntypes ♂♀: [China: Uigur A.R.]: Kuldja-District. Range (in code): T-S CN Ii Ku Ui KG Tk DsA
- 14226. *Lycaena (Phoenicurusia) athamantis povolnyi* (Howarth & Povolny, 1976)** (Lycaenidae)
Synonym(s): *povolnyi* Howarth & Povolny, 1976 Original Reference: *Lycaena athamantis* ssp. *povolnyi* Howarth & Povolny, 1976, Cas. morav. Mus. Brne 61: 149-150. Holotype ♂: Afghanistan: Sarobi. Range (in code): AF Bm Kab
- 14227. *Lycaena (Phoenicurusia) dimorpha* (Staudinger, 1881)** (Lycaenidae)
Synonym(s): *dimorphus* Staudinger, 1881 Original Reference: *Polyommatus dimorphus* Staudinger, 1881, Stettin ent. Ztg. 42: 282. Syntypes 1♂ 5♀: [Kasachstan]: Dschungarischer Alatau: Lepsa. Range (in code): T-S Aa Aq At CN KG MN RU Sp Sp Tk Tk Ui UZ Nym Ktm DsA Lps Bog TrA Kst Bionomy: Larva on *Atraphaxis spinosa*, *A. laetevirens* (Polygonaceae) (Zhdanko, 1997).
- 14228. *Lycaena (Phoenicurusia) dimorpha bogutena* (Zhdanko, 1990)** (Lycaenidae)
Synonym(s): *bogutena* Zhdanko, 1990 Original Reference: *Athamanthia dimorpha* ssp. *bogutena* Zhdanko, 1990, Ent. Obozr. 69: 141. Holotype: Kasachstan: Sartugai im Boguty-Gebirge [Alma-Ata-Gebiet, 5km W. Tscharyn]. Range (in code): T-S Aa KG Bog
- 14229. *Lycaena (Phoenicurusia) dimorpha dimorpha* (Staudinger, 1881)** (Lycaenidae)
Synonym(s): *dimorphus* Staudinger, 1881 Original Reference: *Polyommatus dimorphus* Staudinger, 1881, Stettin ent. Ztg. 42: 282. Syntypes 1♂ 5♀: [Kasachstan]: Dschungarischer Alatau: Lepsa. Range (in code): T-S At CN KG MN RU Sp Tk Ui Nym Ktm DsA Lps
- 14230. *Lycaena (Phoenicurusia) dimorpha funeraria* (Nekrutenko, 1984)** (Lycaenidae)
Synonym(s): *funeraria* Nekrutenko, 1984 Original Reference: *Lycaena dimorpha* ssp. *funeraria* Nekrutenko, 1984, Vestn. zool. 1984 (6): 47. Holotype ♂: [Uzbekistan]: Burtschmulla im Tschatkal-Gebirge. Range (in code): UZ
- 14231. *Lycaena (Phoenicurusia) dimorpha infera* (Nekrutenko, 1984)** (Lycaenidae)
Synonym(s): *infera* Nekrutenko, 1984 Original Reference: *Lycaena dimorpha* ssp. *infera* Nekrutenko, 1984, Vestn. zool. 1984 (6): 47. Holotype ♂: [Uzbekistan]: Taschkent: Chumsan im Karshantau-Gebirge. Range (in code): UZ Kst Bionomy: Larva on *Atraphaxis pyrifolia* (Polygonaceae) (Zhdanko, 1997).
- 14232. *Lycaena (Phoenicurusia) dimorpha irghiza* (Nekrutenko, 1984)** (Lycaenidae)
Synonym(s): *irghiza* Nekrutenko, 1984 Original Reference: *Lycaena japhetica* ssp. *irghiza*

- Nekrutenko, 1984, Vestn. zool. 1984 (6): 31, figs. Holotype ♂: [Kasachstan]: Aktjubinsk: Irgiz. Range (in code): Aq KG
- 14233. *Lycaena (Phoenicurusia) dimorpha turgena* (Zhdanko, 1990)** (Lycaenidae) Synonym(s): *turgena* Zhdanko, 1990 Original Reference: Athamanthia dimorpha ssp. turgena Zhdanko, 1990, Ent. Obozr. 69: 140. Holotype: Kasachstan: [85km E. Alma-Ata]: Transili-Alatau: Turgen Schlucht. Range (in code): T-S Aa KG TrA Bionomy: Larva on Atraphaxis pyrifolia (Polygonaceae) (Zhdanko, 1997).
- 14234. *Lycaena (Phoenicurusia) eitschbergeri* (Lukhtanov, 1993)** (Lycaenidae) Synonym(s): *eitschbergeri* Lukhtanov, 1993 Original Reference: Athamanthia eitschbergeri Lukhtanov, 1993, Atalanta 24: 71. Holotype ♂: Kirghizistan: westl. Terskei-Alatau. Range (in code): T-S Ikc KK TeA Bionomy: Larva on Atraphaxis sp. (Polygonaceae) (Lukhtanov & Lukhtanov, 1994).
- 14235. *Lycaena (Phoenicurusia) eitschbergeri eitschbergeri* (Lukhtanov, 1993)** (Lycaenidae) Synonym(s): *eitschbergeri* Lukhtanov, 1993 Original Reference: Athamanthia eitschbergeri Lukhtanov, 1993, Atalanta 24: 71. Holotype ♂: Kirghizistan: westl. Terskei-Alatau. Range (in code): T-S Ikc KK TeA
- 14236. *Lycaena (Phoenicurusia) issykkuli* (Zhdanko, 1990)** (Lycaenidae) Synonym(s): *issykkuli* Zhdanko, 1990 Original Reference: Athamanthia issykkuli Zhdanko, 1990, Ent. Obozr. 69 (1): 135, figs. 4,5. Holotype ♂: [Kirghizistan]: Issyk-Kul. Range (in code): T-S Ik KK
- 14237. *Lycaena (Phoenicurusia) issykkuli issykkuli* (Zhdanko, 1990)** (Lycaenidae) Synonym(s): *issykkuli* Zhdanko, 1990 Original Reference: Athamanthia issykkuli Zhdanko, 1990, Ent. Obozr. 69 (1): 135, figs. 4,5. Holotype ♂: [Kirghizistan]: Issyk-Kul. Range (in code): T-S Ik KK
- 14238. *Lycaena (Phoenicurusia) japhetica* (Nekrutenko & Effendi, 1983)** (Lycaenidae) Synonym(s): *japhetica* Nekrutenko & Effendi, 1983 Original Reference: *Lycaena japhetica* Nekrutenko & Effendi, 1983, Vestn. zool. (4): 12, pl.1 figs. Holotype ♂: [Aserbaidjan]: Apsheron, Tazakend, Dizavar-çay, 250m Range (in code): Cc AZ
- 14239. *Lycaena (Phoenicurusia) japhetica japhetica* (Nekrutenko & Effendi, 1983)** (Lycaenidae) Synonym(s): *japhetica* Nekrutenko & Effendi, 1983 Original Reference: *Lycaena japhetica* Nekrutenko & Effendi, 1983, Vestn. zool. (4): 12, pl.1 figs. Holotype ♂: [Aserbaidjan]: Apsheron, Tazakend, Dizavar-çay, 250m Range (in code): Cc AZ
- 14240. *Lycaena (Phoenicurusia) melicertes* Nekrutenko, 1985** (Lycaenidae) Synonym(s): *melicertes* Nekrutenko, 1985 Range (in code): Cc AZ
- 14241. *Lycaena (Phoenicurusia) melicertes melicertes* Nekrutenko, 1985** (Lycaenidae) Synonym(s): *melicertes* Nekrutenko, 1985 Range (in code): Cc AZ
- 14242. *Lycaena (Phoenicurusia) phoenicurus* (Lederer, 1870)** (Lycaenidae) Synonym(s): *phoenicurus* Lederer, 1870; *transcaucasica* Miller, 1923 Original Reference: *Polyommatus phoenicurus* Lederer, 1870, Horae Soc. ent. ross. 8: 8-9, Taf.I figs.4,5. Syntypes 13♂♀: [Iran]: Astrabad [=Gorgan]. Lectotype ♂, designated by Nekrutenko, 1995 [in] Hesselbarth et al., p.499 (ZMHB). Range (in code): TR Cc IR Ab Elb Th Ss Yz Kh TM Kp PK Bionomy: Larva on Atraphaxis spinosa (Polygonaceae) (Zhdanko, 1993).
- 14243. *Lycaena (Phoenicurusia) phoenicurus athamantides* (Eckweiler & Ten Hagen, 2001)** (Lycaenidae) Synonym(s): *athamantides* Eckweiler & Ten Hagen, 2001 Original Reference: *Lycaena (Phoenicurusia) phoenicurus* ssp. *athamantides* Eckweiler & Ten Hagen, 2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 49-52, figs. Holotype ♂: Iran: Yazd, Shir Kuh, Sanich Abad, 30km SW Taft, 2800-3000m (SMFL). Range (in code): IR Yz
- 14244. *Lycaena (Phoenicurusia) phoenicurus monalisa* Eckweiler, 2004** (Lycaenidae) Synonym(s): *monalisa* Eckweiler, 2004 Original Reference: *Lycaena (Phoenicurusia) phoenicurus* ssp. *monalisa* Eckweiler, 2004, Nachr. ent. Ver. Apollo (N.F.) 25 (3): 104, figs. Holotype ♂: Iran, Khorasan, Kharveola 25km E Tabas 1300-1400m, leg. Eckweiler. Range (in code): IR Kh
- 14245. *Lycaena (Phoenicurusia) phoenicurus phoenicurus* (Lederer, 1870)** (Lycaenidae) Synonym(s): *phoenicurus* Lederer, 1870; *transcaucasica* Miller, 1923 Original Reference: *Polyommatus phoenicurus* Lederer, 1870, Horae Soc. ent. ross. 8: 8-9, Taf.I figs.4,5. Syntypes 13♂♀: [Iran]: Astrabad [=Gorgan]. Lectotype ♂, designated by Nekrutenko, 1995 [in] Hesselbarth et al., p.499 (ZMHB). Range (in code): TR Cc IR Elb Th Ss Bionomy: Larva on Atraphaxis spinosa (Polygonaceae) (Zhdanko, 1993).

- 14246. *Lycaena (Phoenicurusia) phoenicurus scintillans (Christoph,1887)*** (Lycaenidae)
Synonym(s): *scintillans* Christoph,1887 Original Reference: *Polyommatus phoenicurus* var. *scintillans* Christoph,1887, Stettin ent. Ztg. 48: 162. Syntypes: [Turkmenistan]: Germob (Achal-Tekke Gebiet). Range (in code): **TM Kp**
- 14247. *Lycaena (Phoenicurusia) rushanica (Zhdanko,1990)*** (Lycaenidae) Synonym(s): *rushanica* Zhdanko,1990 Original Reference: *Athamanthia rushanica* Zhdanko,1990, Ent. Obozr. 69 (1): 138, figs. 6,7. Holotype ♂: Tadjikistan: Pamir: Chorog, 2500m. Range (in code): **TJ Pm Chr** Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae) (Zhdanko,1997).
- 14248. *Lycaena (Phoenicurusia) rushanica rushanica (Zhdanko,1990)*** (Lycaenidae) Synonym(s): *rushanica* Zhdanko,1990 Original Reference: *Athamanthia rushanica* Zhdanko,1990, Ent. Obozr. 69 (1): 138, figs. 6,7. Holotype ♂: Tadjikistan: Pamir: Chorog, 2500m. Range (in code): **TJ Pm Chr**
- 14249. *Lycaena (Phoenicurusia) sogdiana (Zhdanko,1990)*** (Lycaenidae) Synonym(s): *sogdiana* Zhdanko,1990 Range (in code): **TJ KK** Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae) (Zhdanko,1997).
- 14250. *Lycaena (Phoenicurusia) sogdiana sogdiana (Zhdanko,1990)*** (Lycaenidae) Synonym(s): *sogdiana* Zhdanko,1990 Range (in code): **TJ KK**
- 14251. *Lycaena (Tharsalea) arota (Boisduval,1852)*** (Lycaenidae) Synonym(s): *arota* Boisduval,1852 Range (in code): **US MX Arz Cf Col Id NMx Ne Org Ut Wy**
- 14252. *Lycaena (Tharsalea) arota arota (Boisduval,1852)*** (Lycaenidae) Synonym(s): *arota* Boisduval,1852 Range (in code): **US Cf**
- 14253. *Lycaena (Tharsalea) arota nubila Comstock,1926*** (Lycaenidae) Synonym(s): *nubila* Comstock,1926 Range (in code): **US Cf**
- 14254. *Lycaena (Tharsalea) arota schellbachii Tilden,1955*** (Lycaenidae) Synonym(s): *schellbachii* Tilden,1955 Range (in code): **US Arz**
- 14255. *Lycaena (Tharsalea) arota virginensis (Edwards,1870)*** (Lycaenidae) Synonym(s): *virginensis* Edwards,1870 Range (in code): **US Ne**
- 14256. *Lycaena (Thersamolycaena) aeolides Churkin,1999*** (Lycaenidae) Synonym(s): *aeolides* Churkin,1999 Original Reference: *Thersamonolycaena* [sic!] *aeolides* Churkin,1999, Atalanta 29 (1/4): 125, pl.iv fig.1. Holotype ♂: Ghissar, Fanskie Mts. Range (in code): **TJ Gis**
- 14257. *Lycaena (Thersamolycaena) aeolides aeolides Churkin,1999*** (Lycaenidae) Synonym(s): *aeolides* Churkin,1999 Original Reference: *Thersamonolycaena* [sic!] *aeolides* Churkin,1999, Atalanta 29 (1/4): 125, pl.iv fig.1. Holotype ♂: Ghissar, Fanskie Mts. Range (in code): **TJ Gis**
- 14258. *Lycaena (Thersamolycaena) aeolus (Wyatt,1961)*** (Lycaenidae) Synonym(s): *aeolus* Wyatt,1961 Original Reference: *Lycaena aeolus* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♀: Afghanistan: Bala Quran, Anjuman valley, Hindukush Mts., 14300ft. Range (in code): **AF Anj Bd Bqu Hk**
- 14259. *Lycaena (Thersamolycaena) aeolus aeolus (Wyatt,1961)*** (Lycaenidae) Synonym(s): *aeolus* Wyatt,1961 Original Reference: *Lycaena aeolus* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 17, figs. Holotype ♀: Afghanistan: Bala Quran, Anjuman valley, Hindukush Mts., 14300ft. Range (in code): **AF Anj Bd Bqu Hk**
- 14260. *Lycaena (Thersamolycaena) dabrerai (Balint,1996)*** (Lycaenidae) Synonym(s): *dabrerai* Balint,1996 Original Reference: *Lycaena dabrerai* Balint,1996, Linneana Belg. 15 (6): 237-239, figs.1,2,5,7. Holotype ♂: Mongolia: Bajanchongor aimak: Cagan Bogd u, Toorin bulag 13km O. von Grenzposten Cagan-bulag, 1500m (HNHM). Range (in code): **MN**
- 14261. *Lycaena (Thersamolycaena) dabrerai dabrerai (Balint,1996)*** (Lycaenidae) Synonym(s): *dabrerai* Balint,1996 Original Reference: *Lycaena dabrerai* Balint,1996, Linneana Belg. 15 (6): 237-239, figs.1,2,5,7. Holotype ♂: Mongolia: Bajanchongor aimak: Cagan Bogd u, Toorin bulag 13km O. von Grenzposten Cagan-bulag, 1500m (HNHM). Range (in code): **MN**
- 14262. *Lycaena (Thersamolycaena) dispar ([Haworth],1802)*** (Lycaenidae) Synonym(s): *dispar* [Haworth],1802; *hippotoe* Rottentburg,1775 nec Linnaeus,1761. Original Reference: *Papilio dispar* [Haworth],1802, Prodromus Lepid. Br.: 3,nr.44, nota. Type(s): Anglia: [Cambridgeshire and Huntingdonshire] (Frohawke,1924). Range (in code): **At Bn AL Am Ao AT Ba BG BL BY CH Cm CN CZ DE DK EE FR GB GR HU IT IR Mz Gor KG Ku LT LU LV NL PL RO RU SE SK Sm So Sr TR UA Ui Uk VI YU Sau Ket Tar DsA KuA TrA T-S Sb Am Prj Us** Bionomy: Larva on *Polygonum undulatum*,

Rumex hydrolapathum, *R. crispus*, *R. aquaticus*, *R. acetosella* (Polygonaceae) (Kumakov,1977; Tolman,1997; Zhdanko, 1997).

- 14263. *Lycaena (Thersamolycaena) dispar aurata* (Leech,1887)** (Lycaenidae) Synonym(s): *aurata* Leech,1887; *borodowskyi* Groum-Grshimailo,1900; *parvus* Kurentzov,1941. Range (in code): **RU Sb Am Prj Us**
- 14264. *Lycaena (Thersamolycaena) dispar batava* (Oberthür,1920)** (Lycaenidae) Synonym(s): *batava* Oberthür,1920 Range (in code): **GB NL**
- 14265. *Lycaena (Thersamolycaena) dispar burdigalensis* (Lucas,1913)** (Lycaenidae) Synonym(s): *burdigalensis* Lucas,1913 Range (in code): **FR**
- 14266. *Lycaena (Thersamolycaena) dispar carueli* (Le Moul,1945)** (Lycaenidae) Synonym(s): *carueli* Le Moul,1945 Range (in code): **FR**
- 14267. *Lycaena (Thersamolycaena) dispar dispar* ([Haworth],1802)** (Lycaenidae) Synonym(s): *dispar* [Haworth],1802 Original Reference: *Papilio dispar* [Haworth],1802, *Prodromus Lepid. Br.*: 3,nr.44, nota. Type(s): Anglia: [Cambridgeshire and Huntingdonshire] (Frohaw,1924). Range (in code): **GB**
- 14268. *Lycaena (Thersamolycaena) dispar festivus* (Krulikowsky,1909)** (Lycaenidae) Synonym(s): *festivus* Krulikowsky,1909 Original Reference: *Chrysophanus dispar* var. *festivus* Krulikowsky,1909, *Revue russk. Ent.* 9: 300. Syntypes: Russia orientalis [Vjatka Gebiet] (cf. Lukhtanov,1994, *Herbipoliana* 3: 238). Range (in code): **At Bn Aa Aq Bs Cb CN Ka KG KK Kt Ku Kw No Om Or Pw Rk RU Sb Sm Sp Sr T-S Tk Tt Ty Ui Uk Sau Ket Tar DsA KuA TrA**
- 14269. *Lycaena (Thersamolycaena) dispar gronieri* (Bernardi,1963)** (Lycaenidae) Synonym(s): *gronieri* Bernardi,1963 Range (in code): **FR**
- 14270. *Lycaena (Thersamolycaena) dispar rutilus* (Werneburg,1864)** (Lycaenidae) Synonym(s): *hippotoe* Ochsenheimer,1808 nec Linnaeus,1761; *rutilus* Werneburg,1864. Original Reference: [Polyommatus] *rutilus* Werneburg,1864, *Beitr. Schmett.* 1: 391 (nomen novum pro *Papilio hippotoe* Ochsenheimer,1808 nec Linnaeus,1761). Syntypes: Süddeutschland, Italien, Schweden. Range (in code): **AL Am Ao AT Ba BG BL Bw BY CH Cm CZ DE DK EE FR GB GR HU IT KG LT LU LV NL PL RO RU SE SK Sm So Sr TR UA Uk VI YU IR Mz Gor**
- 14271. *Lycaena (Thersamolycaena) pavana* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *pavana* Horsfield,[1829] Original Reference: *Lycaena pavana* Horsfield,[1829], *Descr. Cat. Lepid. Ins. Mus. East India Coy* (2): 77, nr.12. Type(s): Java. Range (in code): **ID**
- 14272. *Lycaena (Thersamolycaena) pavana pavana* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *pavana* Horsfield,[1829] Original Reference: *Lycaena pavana* Horsfield,[1829], *Descr. Cat. Lepid. Ins. Mus. East India Coy* (2): 77, nr.12. Type(s): Java. Range (in code): **ID**
- 14273. *Lycaena (Thersamolycaena) splendens* (Staudinger,1881)** (Lycaenidae) Synonym(s): *splendens* Staudinger,1881 Original Reference: *Polyommatus splendens* Staudinger,1881, *Stettin ent. Ztg.* 42: 280-281. Syntypes 20♂♂: [Kasachstan]: Dschungarischer Alatau, Lepsa. Range (in code): **Aa CN KG KK Sda Tk T-S Ui Ju Ket DsA KuA TrA Lps** Bionomy: *Polygonum alpinum* ? (Zhdanko, 1997).
- 14274. *Lycaena (Thersamolycaena) splendens splendens* (Staudinger,1881)** (Lycaenidae) Synonym(s): *splendens* Staudinger,1881 Original Reference: *Polyommatus splendens* Staudinger,1881, *Stettin ent. Ztg.* 42: 280-281. Syntypes 20♂♂: [Kasachstan]: Dschungarischer Alatau, Lepsa. Range (in code): **Aa CN KG KK Sda Tk T-S Ui Ju Ket DsA KuA TrA Lps**
- 14275. *Lycaena (Thersamolycaena) violacea* (Staudinger,1892)** (Lycaenidae) Synonym(s): *violacea* Staudinger,1892 Range (in code): **MN RU Sb**
- 14276. *Lycaena (Thersamolycaena) violacea violacea* (Staudinger,1892)** (Lycaenidae) Synonym(s): *violacea* Staudinger,1892 Range (in code): **MN RU Sb**
- 14277. *Lycaena (Thersamonia) aditya* (Moore,1874)** (Lycaenidae) Synonym(s): *aditya* Moore,1874 Original Reference: *Chrysophanus aditya* Moore,1874, *Proc. zool. Soc. Lond.* 1874: 571-572. Syntypes: "Dras Valley (between Tashgam and Korkitchoor), Ladak (Capt. H.B.Hellard)". Range (in code): **Ld AF Bd PK Ci Nwf TJ Pm**
- 14278. *Lycaena (Thersamonia) aditya aditya* (Moore,1874)** (Lycaenidae) Synonym(s): *aditya* Moore,1874 Original Reference: *Chrysophanus aditya* Moore,1874, *Proc. zool. Soc. Lond.* 1874: 571-572. Syntypes: "Dras Valley (between Tashgam and Korkitchoor), Ladak (Capt. H.B.Hellard)". Range (in code): **Ld AF Bd PK Ci Nwf TJ Pm**
- 14279. *Lycaena (Thersamonia) aditya charmesse* Lamas,2008** (Lycaenidae) Synonym(s): *churkini* Charmeux & Desse,2006 nec *churkini* Zhdank.,2000; *charmesse* Lamas,2008

- 14280. *Lycaena (Thersamonia) alaica (Groum-Grshimailo,1888)*** (Lycaenidae)
Synonym(s): *alaica Groum-Grshimailo,1888* Original Reference: Polyommatus thersamon var. *alaica* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305-306. Type(s): [Kirgizistan]: Alai [Malyi Karamyk river, near Daraut-Kurgan]. Range (in code): **TJ AI AF Bd KK Gis**
- 14281. *Lycaena (Thersamonia) alaica alaica (Groum-Grshimailo,1888)*** (Lycaenidae)
Synonym(s): *alaica Groum-Grshimailo,1888* Original Reference: Polyommatus thersamon var. *alaica* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305-306. Type(s): [Kirgizistan]: Alai [Malyi Karamyk river, near Daraut-Kurgan]. Range (in code): **TJ AI AF Bd KK Gis**
- 14282. *Lycaena (Thersamonia) alpherakii (Groum-Grshimailo,1888)*** (Lycaenidae)
Synonym(s): *alpherakii Groum-Grshimailo,1888* Original Reference: Polyommatus alpherakii Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305. Type ♂: [Pakistan]: Hindukusch orient. [Hunza]. Range (in code): **PK Hu Ys CN Ui TJ Pm** Bionomy: Larva on *Acantholimon pamiricum* (Plumbaginaceae) (Zhdanko, 1997).
- 14283. *Lycaena (Thersamonia) alpherakii alpherakii (Groum-Grshimailo,1888)*** (Lycaenidae) Synonym(s): *alpherakii Groum-Grshimailo,1888* Original Reference: Polyommatus alpherakii Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 305. Type ♂: [Pakistan]: Hindukusch orient. [Hunza]. Range (in code): **PK Hu Ys CN Ui TJ Pm** Bionomy: Larva on *Acantholimon pamiricum* (Plumbaginaceae) (Zhdanko, 1997).
- 14284. *Lycaena (Thersamonia) alpherakii sergeii Lamas,2008*** (Lycaenidae) Synonym(s): *zhdankoi Crkin,2002 nec Lukht.,2000; sergeii Lamas,2008*
- 14285. *Lycaena (Thersamonia) asabinus (Gerhard,[1850])*** (Lycaenidae) Synonym(s): *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852]*. Original Reference: Polyommatus asabinus Gerhard,[1850], Versuch Monogr. eur. Schmett.: 3: 7, Taf.9 figs.3a-c. Type(s): [Türkei]: Amasya. Range (in code): **Cc GG IQ IR Ab Jal Qba LB TR**
- 14286. *Lycaena (Thersamonia) asabinus asabinus (Gerhard,[1850])*** (Lycaenidae)
Synonym(s): *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852]*. Original Reference: Polyommatus asabinus Gerhard,[1850], Versuch Monogr. eur. Schmett.: 3: 7, Taf.9 figs.3a-c. Type(s): [Türkei]: Amasya. Range (in code): **He IL Cc GG IQ IR Ab Jal Qba LB TR**
- 14287. *Lycaena (Thersamonia) asabinus satraps (Staudinger,1878)*** (Lycaenidae)
Synonym(s): *satraps Staudinger,1878* Original Reference: Polyommatus satraps Staudinger,1878, Horae Soc. ent. ross. 14: 230-231. Lectotype ♂: [Türkei]: Taurus, Külek (designated by Nekrutenko, in Hesselbarth,1995: 494). Range (in code): **TR**
- 14288. *Lycaena (Thersamonia) asabinus tauricus (Heyne,[1895])*** (Lycaenidae)
Synonym(s): *tauricus Heyne,[1895]* Original Reference: Polyommatus asabinus var. *tauricus* Heyne,[1895], [in] Rühl,F., Die palaearkt. Grossschmett. Naturg. 1: 744. Type(s): [Türkei]: Taurus. Range (in code): **TR**
- 14289. *Lycaena (Thersamonia) attila Zhdanko,1990*** (Lycaenidae) Synonym(s): *attila Zhdanko,1990* Original Reference: Thersamonia attila Zhdanko,1990, Ent. Obozr. 69 (1): 140, fig.10. Holotype ♂: [China: Uighur A.R.]: Kaschgaria. Range (in code): **CN Ui Ga KK T-S**
- 14290. *Lycaena (Thersamonia) attila attila Zhdanko,1990*** (Lycaenidae) Synonym(s): *attila Zhdanko,1990* Original Reference: Thersamonia attila Zhdanko,1990, Ent. Obozr. 69 (1): 140, fig.10. Holotype ♂: [China: Uighur A.R.]: Kaschgaria. Range (in code): **CN Ui Ga KK T-S**
- 14291. *Lycaena (Thersamonia) eberti (Forster,1972)*** (Lycaenidae) Synonym(s): *eberti Forster,1972* Original Reference: Lycaena lampon ssp. eberti Forster,1972, Ent. Z., Frankf.a.M. 82(20):225-226, fig.5. Holotype ♂: Afghanistan: Band-i-Amir 2900-3100m. Range (in code): **AF**
- 14292. *Lycaena (Thersamonia) eberti eberti (Forster,1972)*** (Lycaenidae) Synonym(s): *eberti Forster,1972* Original Reference: Lycaena lampon ssp. eberti Forster,1972, Ent. Z., Frankf.a.M. 82(20):225-226, fig.5. Holotype ♂: Afghanistan: Band-i-Amir 2900-3100m. Range (in code): **AF**
- 14293. *Lycaena (Thersamonia) kefersteinii (Gerhard,[1850])*** (Lycaenidae) Synonym(s): *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852]*. Original Reference: Polyommatus kefersteinii Gerhard,[1850], Versuch Monogr. eur. Schmett.: 7, pl.9 figs.4a-c. Syntypes: Türkei [=Amasya]. Range (in code): **He IL LB TR IR Ab Khy Ak Sah Elb Th Cc GG Ru Smt Akh Sah Zj Mz** Bionomy: Larva on *Achantholimon* (Schurian & Fiedler,1996).

- 14294. *Lycaena (Thersamonia) kefersteinii hyrcana* (Neuburger,1903)** (Lycaenidae)
Synonym(s): *hyrcana* Neuburger,1903 Original Reference: *Chrysophanus ochimus* var. *hyrcana* Neuburger,1903, Societas ent. 18(8): 59. Syntypes: [Iran]: Hyrcania. Range (in code): **IR Elb Th**
- 14295. *Lycaena (Thersamonia) kefersteinii kefersteinii* (Gerhard,[1850])** (Lycaenidae)
Synonym(s): *kefersteinii* Gerhard,[1850]; *phaeton* Freyer,[1850]; *#ochimus* Herrich-Schäffer,[1851]; *ochimus* Herrich-Schäffer,[1852]. Original Reference: *Polyommatus kefersteinii* Gerhard,[1850], Versuch Monogr. eur. Schmett.: 7, pl.9 figs.4a-c. Syntypes: Türkei [=Amasya]. Range (in code): **He IL LB TR Cc GG Smt Akh** Bionomy: Larva on *Acantholimon* (Schurian & Fiedler,1996).
- 14296. *Lycaena (Thersamonia) kefersteinii ocliferius* (Nekrutenko,1977)** (Lycaenidae)
Synonym(s): *ocliferius* Nekrutenko,1977 Original Reference: *Heodes (Thersamonia) ochimus* ssp. *ocliferius* Nekrutenko,1977, Dop. Akad. Nauk. Ukr.RSR, Ser. 3(5): 457-460. Holotype ♂: Georgia: Rustavi Aspindza district, 1200m. Range (in code): **Cc GG Ru**
- 14297. *Lycaena (Thersamonia) kefersteinii sahandensis* Schurian & Hofmann,1982** (Lycaenidae) Synonym(s): *sahandensis* Schurian & Hofmann,1982 Original Reference: *Thersamonia kefersteinii* ssp. *sahandensis* Schurian & Hofmann,1982, Nachr. ent. Ver. Apollo, Suppl.2: 22-23, figs. Holotype ♂: Iran: 25km S.E. of Tabriz, Gombar, Sahand Dag 8500-10500ft., leg. C.Wyatt (LNK). Range (in code): **IR Ab Ak Sah**
- 14298. *Lycaena (Thersamonia) kurdistanicus* (Riley,1921)** (Lycaenidae) Synonym(s): *kurdistanica* Riley,1921 Original Reference: *Heodes thersamon* ssp. *kurdistanica* Riley,1921, Ann. Mag. nat. Hist. 8: 598. Syntypes: Iran: Harir, Karind Gorge and Kermanshah (BMNH). Range (in code): **AF Hr BIM IR Ak Ab Sro Shf Jal Km IQ TR LB**
- 14299. *Lycaena (Thersamonia) kurdistanicus kurdistanicus* (Riley,1921)** (Lycaenidae)
Synonym(s): *kurdistanica* Riley,1921 Original Reference: *Heodes thersamon* ssp. *kurdistanica* Riley,1921, Ann. Mag. nat. Hist. 8: 598. Syntypes: Iran: Harir, Karind Gorge and Kermanshah (BMNH). Range (in code): **AF Hr BIM IR Ak Ab Sro Shf Jal Km IQ TR LB**
- 14300. *Lycaena (Thersamonia) lampon* (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon* Lederer,1870 Original Reference: *Polyommatus lampon* Lederer,1870, Horae Soc. ent. ross. 8: 8, Taf.I figs. 2,3. Syntypes 9♂ 4♀: [Iran]: Astrabad [=Gorgan]. Range (in code): **IR Ab Khy Elb Th Mz Es Fa Ke Ss TR TM Kp** Bionomy: Larva on *Acantholimon erinacium* or *A. pulchellum* (Plumbaginaceae) (Zhdanko, 1997).
- 14301. *Lycaena (Thersamonia) lampon lampon* (Lederer,1870)** (Lycaenidae) Synonym(s): *lampon* Lederer,1870 Original Reference: *Polyommatus lampon* Lederer,1870, Horae Soc. ent. ross. 8: 8, Taf.I figs. 2,3. Syntypes 9♂ 4♀: [Iran]: Astrabad [=Gorgan]. Range (in code): **IR Ab Khy Mz Elb Es Th Fa Ke Ss TR TM Kp**
- 14302. *Lycaena (Thersamonia) lamponides* (Staudinger,1901)** (Lycaenidae) Synonym(s): *lamponides* Staudinger,1901; *peanus* Zhdanko,1990 Original Reference: *Chrysophanus lampon* var. *lamponides* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 73. Lectotype ♂: [Iran: Schahkuh]: Hadschyabad leg. Haberhauer (MNHU). Range (in code): **IR Srd Elb**
- 14303. *Lycaena (Thersamonia) lamponides lamponides* (Staudinger,1901)** (Lycaenidae)
Synonym(s): *lamponides* Staudinger,1901; *peanus* Zhdanko,1990 Original Reference: *Chrysophanus lampon* var. *lamponides* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 73. Lectotype ♂: [Iran: Schahkuh]: Hadschyabad leg. Haberhauer (MNHU). Range (in code): **IR Srd Elb**
- 14304. *Lycaena (Thersamonia) phoebus* (Blachier,1905)** (Lycaenidae) Synonym(s): *phoebus* Blachier,1905 Original Reference: *Chrysophanus phoebus* Blachier,1905, Bull. Soc. ent. Fr. 74: 212. Syntypes: L'Atlas marocain. Range (in code): **MA** Bionomy: Larva on *Polygonum aviculare* (Tolman,1997).
- 14305. *Lycaena (Thersamonia) phoebus phoebus* (Blachier,1905)** (Lycaenidae)
Synonym(s): *phoebus* Blachier,1905 Original Reference: *Chrysophanus phoebus* Blachier,1905, Bull. Soc. ent. Fr. 74: 212. Syntypes: L'Atlas marocain. Range (in code): **MA** Bionomy: Larva on *Polygonum aviculare* (Tolman,1997).
- 14306. *Lycaena (Thersamonia) solskyi* (Erschoff,1874)** (Lycaenidae) Synonym(s): *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888. Original Reference: *Polyommatus solskyi* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2 (5) 3: 8, pl.1 f.7. Syntypes: [Usbekistan]: Samarkand. Range (in code): **T-S UZ KG Syr Tm Al Tls Smk KK T-A CN Ui**
- 14307. *Lycaena (Thersamonia) solskyi solskyi* (Erschoff,1874)** (Lycaenidae) Synonym(s): *solskyi* Erschoff,1874; *fulminans* Groum-Grshimailo,1888. Original Reference: *Polyommatus solskyi*

- Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5)3: 8, pl.1 f.7. Syntypes: [Usbekistan]: Samarkand. Range (in code): T-S UZ KG Syr Tm Al Tls Smk KK T-A CN Ui
- 14308. *Lycaena (Thersamonia) thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. Original Reference: Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta. Range (in code): At Bn Ao He Kos AF AL AT Ba BG BY CN Ui CY CZ GR EG Sn HU Ii IL Pa Hf IR Kh IT JO KG KK MK PL Rd RO RU SK Sm Sr Tk TR T-S UA Uk VI YU SY Buc Nym SAT Sau Tar Mrk DsA TrA Aa Tk Rk Aq Syr Tm Cc Bionomy: Larva on Polygonum aviculare (Falkovitsh, 1969; Tolman, 1997); Sarothamnus scoparius (Kumakov, 1977); Polygonum historta, Atraphaxis laetevirens, Artemisia dracunculus ? (Zhdanko, 1997).
- 14309. *Lycaena (Thersamonia) thersamon persica* (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870 Original Reference: Polyommatus thersamon var. persica Bienert,1870, Lepid. Ergebn. Reise in Persien: 28. Type(s): [Iran]: Persien: NW.Meschchet. Range (in code): AF IR Kh Msh KK Kp TM
- 14310. *Lycaena (Thersamonia) thersamon thersamon* (Esper,[1784])** (Lycaenidae) Synonym(s): *hyllus* Cramer,[1775]; *thersamon* Esper,[1784]; *omphale* Klug,1834; *persica* Bienert,1870; *#militaris* Graves,1925. Original Reference: Papilio thersamon Esper,[1784], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 176, pl.89, fig.6 Type(s): [Russia]: Sarepta. Range (in code): At Bn Ao He Kos AL AT Ba BG BY CY CZ EG Sn GR HU IL Pa Hf IT JO KG MK PL Rd RO RU SK Sm Sr TR UA Uk VI YU SY Buc Nym SAT Sau Tar Mrk T-S DsA TrA Aa Tk Rk Aq Syr Tm Cc
- 14311. *Lycaena (Thersamonia) thetis* (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834. Original Reference: Lycaena thetis Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 17,18. Syntypes: Syria. Range (in code): GR IQ IR Ab Sro Qba Elb Th LB Cc TR Arr Bionomy: Larva on Acantholimon androsaceum (Plumbaginaceae) (Tolman, 1997).
- 14312. *Lycaena (Thersamonia) thetis elbursina* (Pfeiffer,1937)** (Lycaenidae) Synonym(s): *elbursina* Pfeiffer,1937 Original Reference: Chrysophanus thetis ssp. elbursina Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 36. Holotype ♂: Iran: Elbursgebirge: Kendevan Pass, 2700m. Range (in code): IR Elb Th
- 14313. *Lycaena (Thersamonia) thetis ignitus* (Herrich-Schäffer,1852)** (Lycaenidae) Synonym(s): *#ignitus* Herrich-Schäffer,1846; *ignitus* Herrich-Schäffer,1852; *caudatus* Staudinger,1901. Original Reference: Polyommatus ignitus Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 32, Taf. 69, fig.323. Syntypes: [Türkei]: Ararat (M.Wagner). Range (in code): Cc TR Arr IQ
- 14314. *Lycaena (Thersamonia) thetis thetis* (Klug,1834)** (Lycaenidae) Synonym(s): *thetis* Klug,1834. Original Reference: Lycaena thetis Klug,1834, [in] Ehrenberg, Symb. Phys. Ins. 4: pl.40 figs. 17,18. Syntypes: Syria. Range (in code): GR Cc TR
- 14315. *Lycaena (Thersamonia) thetis zahaltensis* (Graves,1910)** (Lycaenidae) Synonym(s): *zahaltensis* Graves,1910 Original Reference: Chrysophanus thetis var. zahaltensis Graves,1910, Entomologist's Rec. J. Var. 22: 273. Syntypes ♂♂: [Lebanon]: Ain Zahalta. Range (in code): LB Aiz
- 14316. *Lycaena (s.str.) abbottii* (Holland,1892)** (Lycaenidae) Synonym(s): *abbottii* Holland,1892 Original Reference: Chrysophanus abbottii Holland,1892, Entomologist (suppl.) 25: 90. Type: Eastern Africa. Range (in code): TZ KE MW
- 14317. *Lycaena (s.str.) clarki* Clark & Dickson,1971** (Lycaenidae) Synonym(s): *clarki* Clark & Dickson,1971 Range (in code): ZA Ec Nta Kzu Fs Tva Mpu LS
- 14318. *Lycaena (s.str.) kiyokoae* Sakai,1978** (Lycaenidae) Synonym(s): *kiyokoae* Sakai,1978 Original Reference: Lycaena kiyokoae Sakai,1978, Atalanta 9(1): 115, figs.11,12. Holotype: Afghanistan: Mt. Shahfuladi, 4000-4500m. Range (in code): AF Kbb
- 14319. *Lycaena (s.str.) kiyokoae kiyokoae* Sakai,1978** (Lycaenidae) Synonym(s): *kiyokoae* Sakai,1978 Original Reference: Lycaena kiyokoae Sakai,1978, Atalanta 9(1): 115, figs.11,12. Holotype: Afghanistan: Mt. Shahfuladi, 4000-4500m. Range (in code): AF Kbb
- 14320. *Lycaena (s.str.) orus* (Cramer,[1780])** (Lycaenidae) Synonym(s): *orus* Cramer,[1780]; *arcas* Fabricius,1787 nec Rott.,1775 non Dru.,1773 Range (in code): ZA Wca Ec Pel Tva Gau Pre Jh Ptc
- 14321. *Lycaena (s.str.) phlaeas* (Linnaeus,1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 nec Linn.,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 Original Reference: Papilio phlaeas Linnaeus,1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia. Range (in code): Ad Ae AF AL AM Ao As At AT Aty AZ Ba BE BG BY CH Cm CN Co Cr CY CZ DE DK EE ES FI FR GB GG GR HU IE IL IN IQ IR IT JO KG Kgs KK Kmt Ku LB Ld LT LU LV MK MN MT NL NO PK PL PT Rd RO RU SA Sa SE Si SK Sm So Sr SY Ti TJ Tk TM TR UA Ui Uk VI YE YU Cw Dv Smt Mui8 Bn Cy LY H-W Sur Ssx Ken MA DZ TN Pm Bik Ci Bl Ca Cp Sau Tar

DsA Ax TrA KuA TeA Ket T-S Pes Mre Mus Krl JP US Cf UG ZR ET Md Mon Abt CA Msc Ab Ak B-A Bk Brz Bu By Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Prj Us Pa Hf Sml Arr Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm US Aks Cf Cnt Col Dw Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc NCa NDK NMx Neb Nh Nje Ny Oh Ok Org Pns RDi SDk Tnn Ut Vi Vr WVi Wc Wy Um Adu Bgd Cc Msw Qba Bhh Gha Azr Rbt Ges Ng Jla Hr BLM Bionomy: Larva on Rumex acetosella, R. acetosa, R. hydrolapathum, R. scutatus, R. thyrsoides, R. papilio, R. vesicarius, R. tingitanus, R. maderensis, Polygonum aviculare (Polygonaceae) (Tolman, 1997; Zhdanko, 1997).

- 14322. *Lycaena* (s.str.) *phlaeas americanus* Harris, 1862** (Lycaenidae) Synonym(s): *americana* Harris, 1862 Original Reference: *Lycaena phlaeas americana* Harris, 1862, Rept. Ins. Inj. Veg.: 273. Type(s): Massachusetts (Type may be in MCZ or lost) [Miller & Brown, 1981: 93]. Range (in code): **US Msc Fl Nje Mis**
- 14323. *Lycaena* (s.str.) *phlaeas arctodon* Ferris, 1974** (Lycaenidae) Synonym(s): *arctodon* Ferris, 1974 Original Reference: *Lycaena phlaeas* ssp. *arctodon* Ferris, 1974, Bull. Allyn Mus. (18): 4-5. Holotype ♂: U.S.A.: Montana: E side of Beartooth Pass, Carbon Co. (AME). Range (in code): **US Mon**
- 14324. *Lycaena* (s.str.) *phlaeas arethusa* (Wolley-Dod, 1907)** (Lycaenidae) Synonym(s): *arethusa* Wolley-Dod, 1907 Original Reference: *Chrysophanus phlaeas arethusa* Wolley-Dod, 1907, Canad. ent. 39: 169. Holotype ♂: Canada: Alberta: nr. Calgary (USNM). Range (in code): **CA Abt**
- 14325. *Lycaena* (s.str.) *phlaeas chinensis* (C.Felder & R.Felder, 1862)** (Lycaenidae) Synonym(s): *chinensis* C.Felder & R.Felder, 1862; *matsumurana* Bryk, 1946. Original Reference: *Chrysophanus phlaeas* var. *chinensis* C.Felder & R.Felder, 1862, Verh. zool.- bot. Ges. Wien 12: 488, nr.150. Type(s): China: Shanghai. Range (in code): **CN KP KR RU Prj Us**
- 14326. *Lycaena* (s.str.) *phlaeas cyrenaicus* (Turati, 1921)** (Lycaenidae) Synonym(s): *cyrenaicus* Turati, 1921 Original Reference: *Rumicia phlaeas* f. *cyrenaicus* Turati, 1921, Atti soc. ital. sci. Nat. 60: 219. Type: [Libya]: Cyrenaica. Range (in code): **LY Si Cy**
- 14327. *Lycaena* (s.str.) *phlaeas daimio* (Matsumura, 1919)** (Lycaenidae) Synonym(s): *#daimio* Seitz, 1909; *daimio* Matsumura, 1919; *japonica* Ford, 1924; *kurilensis* Matsumura, 1919; *distalba* Kuway, 1926; *kuriliphlaeas* Bryk, 1942. Range (in code): **JP RU Krl**
- 14328. *Lycaena* (s.str.) *phlaeas ethiopicus* (Poulton, 1922)** (Lycaenidae) Synonym(s): *ethiopica* Poulton, 1922 Original Reference: *Heodes ethiopica* Poulton, 1922, Proc. ent. Soc. London 1921: 86. Type: Uganda: S.W.Uganda: high country near Lake Kivu and between it and the northern end of Tanganyika. Range (in code): **UG ZR TZ**
- 14329. *Lycaena* (s.str.) *phlaeas feildeni* (M'Lachan, 1878)** (Lycaenidae) Synonym(s): *feildeni* M'Lachan, 1878 Original Reference: *Chrysophanus phlaeas feildeni* M'Lachan, 1878, J. linn. Soc. (London) 14: 111. Type(s): Grand Land, Northwest Territories (Type unknown). Range (in code): **US**
- 14330. *Lycaena* (s.str.) *phlaeas flavens* (Ford, 1924)** (Lycaenidae) Synonym(s): *flavens* Ford, 1924 Original Reference: *Heodes phlaeas* ssp. *flavens* Ford, 1924, Trans. ent. Soc. London 1923: 725-726. Type ♂: China: Tibet: Gyantse, Lhasa, 13000ft. (BMNH). Range (in code): **CN Ti**
- 14331. *Lycaena* (s.str.) *phlaeas ganalicus* Gorbunov, 1995** (Lycaenidae) Synonym(s): *ganalica* Gorbunov, 1995 Original Reference: *Lycaena phlaeas* ssp. *ganalica* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 162. Holotype: Russia: Kamtschatka: Ganaly. Range (in code): **Kmt RU**
- 14332. *Lycaena* (s.str.) *phlaeas hypophlaeas* (Boisduval, 1852)** (Lycaenidae) Synonym(s): *hypophlaeas* Boisduval, 1852 Original Reference: *Polyommatus hypophlaeas* Boisduval, 1852, Anns Soc. ent. Fr. (2) 10: 291. Type: [U.S.A.]: "northern California". Holotype may be in USNM. Range (in code): **US Cf**
- 14333. *Lycaena* (s.str.) *phlaeas indicus* (Evans, 1925)** (Lycaenidae) Synonym(s): *indicus* Evans, 1925 Original Reference: *Heodes phlaeas* ssp. *indicus* Evans, 1925, J. Bombay nat. Hist. Soc. 30 (3): 616. Type: India: Simla. Range (in code): **Ch Kma IN Hp Sml PK Pes Haz Mre Mus**
- 14334. *Lycaena* (s.str.) *phlaeas lusitanicus* (Bryk, 1940)** (Lycaenidae) Synonym(s): *lusitanicus* Bryk, 1940 Original Reference: *Heodes phlaeas* ssp. *lusitanicus* Bryk, 1940, Ark. Zool. 32A (22): 20, figs. Type: Portugal. Range (in code): **ES Mu18 PT Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm**
- 14335. *Lycaena* (s.str.) *phlaeas oxianus* (Groum-Grshimailo, 1890)** (Lycaenidae) Synonym(s): *oxiana* Groum-Grshimailo, 1890; *turanica* Heyne, [1895]; *naruna* Courvoisier, 1911; *coccineus*

- Ford, 1924.* Original Reference: *Polyommatus phlaeas* var. *oxiana* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 365. Syntypes: [Uzbekistan]: Bokhara. Range (in code): **Kp TM TJ T-S KG CN Ui Um Adu Sau Tar DsA Ax TrA KuA TeA DsA Ket KK UZ**
- 14336. *Lycaena* (s.str.) *phlaeas phlaeas* (Linnaeus, 1761)** (Lycaenidae) Synonym(s): *phlaeas* Linnaeus, 1761; *virgaureae* Fourcroy, 1785 nec Linn., 1758; *eleus* Fabricius, 1798; *aestivus* Zeller, 1850; *schmidtii* Gerhard, 1853 Original Reference: *Papilio phlaeas* Linnaeus, 1761, Fauna Suecica (2): 285. Type(s): Sweden, Westermannia. Range (in code): **Ae AL AM Ao AT AZ Ba BE BG Bw BY CH Co Cr CY CZ DE DK EE FI FR GB GG GR HU IE IL IT JO KG LB LT LU LV MK MT NL NO PL Rd RO RU Sa SE Si SK Sm So Sr SY UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Cc**
- 14337. *Lycaena* (s.str.) *phlaeas phlaeoides* (Staudinger, 1901)** (Lycaenidae) Synonym(s): *phlaeoides* Staudinger, 1901 Original Reference: *Chrysophanus phlaeas* v. *phlaeoides* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 74, nr. 512e. Syntypes: Madeira. Range (in code): **Md**
- 14338. *Lycaena* (s.str.) *phlaeas polaris* Courvoisier, 1911** (Lycaenidae) Synonym(s): *polaris* Courvoisier, 1911; *hyperborea* Ford, 1924 Range (in code): **NO Lpp RU Ur Sb**
- 14339. *Lycaena* (s.str.) *phlaeas pseudophlaeas* (Lucas, 1866)** (Lycaenidae) Synonym(s): *pseudophlaeas* Lucas, 1866; *meneliki* Thierry-Mieg, 1910. Original Reference: *Chrysophanus pseudophlaeas* Lucas, 1866, Annls Soc. ent. Fr. (4) 5: 499. Syntypes: [Ethiopia]: Abyssinie. Range (in code): **ET**
- 14340. *Lycaena* (s.str.) *phlaeas shields* Koçak & Kemal, 2007** (Lycaenidae) Synonym(s): *alpestris* Emmel & Pratt, 1998 nec Frr., 1851; *shields* Koçak & Kemal, 2007 Original Reference: *Lycaena* (s.str.) *phlaeas* ssp. *shields* Koçak & Kemal, 2007, Cent. ent. Stud., Misc. Pap. 135: 7 (nomen novum pro *alpestris* Emmel & Pratt, 1998 nec Frr., 1851). Holotype: U.S.A.: California. Range (in code): **US Cf**
- 14341. *Lycaena* (s.str.) *phlaeas shima* Gabriel, 1954** (Lycaenidae) Synonym(s): *shima* Gabriel, 1954 Original Reference: *Lycaena phlaeas* ssp. *shima* Gabriel, 1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 388. Holotype ♂: Yemen: Western Aden Protectorate: Jebel Jihaf, Shima, 7000ft. (BMNH). Range (in code): **As SA YE**
- 14342. *Lycaena* (s.str.) *phlaeas stygianus* (Butler, 1880)** (Lycaenidae) Synonym(s): *stygianus* Butler, 1880; *comedarum* Groum-Grshimailo, 1890 Original Reference: *Chrysophanus stygianus* Butler, 1880, Proc. zool. Soc. London 50: 408, pl. xxxix fig. 5. Range (in code): **Adr AF Ng Jla Hr BLM Hk PK Ci Cp Ca Haz Mre Bl Ld TJ Pm Bik**
- 14343. *Lycaena* (s.str.) *phlaeas timeus* (Cramer, [1777])** (Lycaenidae) Synonym(s): *timeus* Cramer, [1777]; *eleus* Fabricius, 1798; *turcicus* Gerhard, [1850]. Original Reference: *Papilio timeus* Cramer, [1777], Utitl. Kapellen 2 (16): 137, pl. 186 figs. E, F. Syntypes ♀: [Turkey]: Smirne [=Izmir]. Range (in code): **He IL Hf JO IQ Bgd LB Pa SY TR Cc**
- 14344. *Lycaena* (s.str.) *svenhedini* (Nordstroem, 1934)** (Lycaenidae) Synonym(s): *svenhedini* Nordstroem, 1934 Original Reference: *Chrysophanus svenhedini* Nordstroem, 1934, Ark. Zool. 27 A (7): 30-31. Syntypes: China: South Kansu. Range (in code): **CN Gn**
- 14345. *Lycaena* (s.str.) *svenhedini svenhedini* (Nordstroem, 1934)** (Lycaenidae) Synonym(s): *svenhedini* Nordstroem, 1934 Original Reference: *Chrysophanus svenhedini* Nordstroem, 1934, Ark. Zool. 27 A (7): 30-31. Syntypes: China: South Kansu. Range (in code): **CN Gn**
- 14346. *Lycaena* (s.tr.) *cupreus* (Edwards, 1870)** (Lycaenidae) Synonym(s): *cupreus* Edwards, 1870 Range (in code): **CA BCo US Cf Col Id Mon NMx Ne Org Ut Ws Wy**
- 14347. *Lycaena* (s.tr.) *cupreus henryae* (Cadbury, 1937)** (Lycaenidae) Synonym(s): *henryae* Cadbury, 1937 Range (in code): **CA BCo**
- 14348. *Lycaena* (s.tr.) *cupreus snowi* (Edwards, [1881])** (Lycaenidae) Synonym(s): *snowi* Edwards, [1881] Range (in code): **US Col**
- 14349. *Lycaena* *li* (Oberthür, 1886)** (Lycaenidae) Synonym(s): *li* Oberthür, 1886 Original Reference: *Chrysophanus li* Oberthür, 1886, Bull. Soc. ent. Fr. 6 (6): xxii. Type: Tibet. Range (in code): **CN Ti**
- 14350. *Lycaena* *ouang* (Oberthür, 1891)** (Lycaenidae) Synonym(s): *ouang* Oberthür, 1891 Original Reference: *Chrysophanus ouang* Oberthür, 1891, Etüd. d'Ent. 15: 17, pl. 2 fig. 19. Type: China: Tse-kou. Range (in code): **CN**
- 14351. *Lycaena* *pang* (Oberthür, 1886)** (Lycaenidae) Synonym(s): *pang* Oberthür, 1886 Original Reference: *Chrysophanus pang* Oberthür, 1886, Bull. Soc. ent. Fr. 6 (6): xii. Type: Tibet. Range (in code): **CN Ti**

- 14352. *Lycaena tseng* (Oberthür,1886)** (Lycaenidae) Synonym(s): *tseng* Oberthür,1886
Original Reference: Chrysophanus tseng Oberthür,1886, Bull. Soc. ent. Fr. 6 (6): xiii. Type: Tibet. Range (in code): **CN Ti**
- 14353. *Lycaenopsis haraldus* (Fabricius,1787)** (Lycaenidae) Synonym(s): *haraldus* Fabricius,1787; *ananga* C.Felder & R.Felder,[1865] Original Reference: Papilio haraldus Fabricius,1787, Mant. Ins.: 82. Type ♂: [West Malaysia]: "India Orientali" (ZM,Copenhagen). Range (in code): **TH Tng Kbi Rng Tng MM ID Bor Ja Sum MY Lkw VN Ann**
- 14354. *Lycaenopsis haraldus annamitica* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *annamitica* Eliot & Kawazoe,1984 Original Reference: Lycaenopsis haraldus ssp. annamitica Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 39, figs.12, 426, 427. Holotype ♂: Vietnam: Annam, Soul-Dau, par Nhatrang,1916 (R. Gallois leg.) (ex. Oberthür coll.) (BMNH). Range (in code): **VN Ann**
- 14355. *Lycaenopsis haraldus cornuta* (Druce,1873)** (Lycaenidae) Synonym(s): *cornuta* Druce,1873 Original Reference: Cupido cornuta Druce,1873, Proc. zool. Soc. Lond. 1873: 349, pl.32 fig.5. Lectotype ♀: Borneo (BMNH) (designated by Eliot & Kawazoe, 1983: 38). Range (in code): **Bor Ja ID**
- 14356. *Lycaenopsis haraldus haraldus* (Fabricius,1787)** (Lycaenidae) Synonym(s): *haraldus* Fabricius,1787; *ananga* C.Felder & R.Felder,[1865] Original Reference: Papilio haraldus Fabricius,1787, Mant. Ins.: 82. Type ♂: [West Malaysia]: "India Orientali" (ZM,Copenhagen). Range (in code): **ID Sum MY Lkw TH Tng Kbi**
- 14357. *Lycaenopsis haraldus renonga* Riley,1932** (Lycaenidae) Synonym(s): *renonga* Riley,1932 Original Reference: Lycaenopsis haraldus ssp. renonga Riley,1932, J. Siam. Soc. nat. Hist. suppl. 8: 251, pl.22 fig.4. Holotype ♂: [Thailand]: Siam (BMNH). Range (in code): **MM TH Rng Tng**
- 14358. *Mahathala ameria* (Hewitson,1862)** (Lycaenidae) Synonym(s): *ameria* Hewitson,1862; *zistra* Fruhstorfer,1908 Range (in code): **IN MM MY TH CMa Knc Nna Nrt ID Sum Ja CN Hn VN TW**
- 14359. *Mahathala ameria ameria* (Hewitson,1862)** (Lycaenidae) Synonym(s): *ameria* Hewitson,1862; *zistra* Fruhstorfer,1908 Range (in code): **IN MM TH CMa Knc Nna Nrt**
- 14360. *Mahathala ameria hainani* Bethune-Baker,1903** (Lycaenidae) Synonym(s): *hainani* Bethune-Baker,1903; *formosana* Fruhstorfer,1908 Range (in code): **CN Hn TW**
- 14361. *Mahathala ameria javana* Fruhstorfer,1908** (Lycaenidae) Synonym(s): *javana* Fruhstorfer,1908 Range (in code): **ID Ja**
- 14362. *Mahathala ariadeva* Fruhstorfer,1908** (Lycaenidae) Synonym(s): *ariadeva* Fruhstorfer,1908 Range (in code): **MM TH CMa Knc Nst Ths Sya MY**
- 14363. *Mahathala ariadeva ariadeva* Fruhstorfer,1908** (Lycaenidae) Synonym(s): *ariadeva* Fruhstorfer,1908 Range (in code): **MY TH Nst Ths Sya ID Sum**
- 14364. *Mahathala ariadeva burmana* Talbot,1942** (Lycaenidae) Synonym(s): *burmana* Talbot,1942 Original Reference: Mahathala ameria ssp. burmana Talbot,1942, Proc. R. ent. Soc. Lond. (B) 11: 122. Type: [Myanmar]: Burma. Range (in code): **MM TH CMa Knc**
- 14365. *Manto hypoleuca* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *hypoleuca* Hewitson,[1865] Range (in code): **PH Bal Pal MY TH Tng**
- 14366. *Manto hypoleuca martina* Hewitson,1869** (Lycaenidae) Synonym(s): *martina* Hewitson,1869; *paluana* Staudinger,1889 Range (in code): **PH Bal Pal**
- 14367. *Manto hypoleuca terana* (Seitz,1926)** (Lycaenidae) Synonym(s): *terana* Seitz,1926 Range (in code): **MY TH Tng**
- 14368. *Mantoides gama* (Distant,1886)** (Lycaenidae) Synonym(s): *gama* Distant,1886 Range (in code): **SG MY TH Tng**
- 14369. *Mantoides gama gama* (Distant,1886)** (Lycaenidae) Synonym(s): *gama* Distant,1886 Range (in code): **SG MY TH Tng**
- 14370. *Matsutaroa iljai* Hayashi, Schröder & Treadaway,1984** (Lycaenidae) Synonym(s): *iljai* Hayashi, Schröder & Treadaway,1984 Range (in code): **PH Mas Neg Pan**
- 14371. *Megalopalpus angulosus* Grünberg,1910** (Lycaenidae) Synonym(s): *angulosus* Grünberg,1910 Range (in code): **GO CM ZR**
- 14372. *Megalopalpus metaleucus* Karsch,1893** (Lycaenidae) Synonym(s): *metaleucus* Karsch,1893 Range (in code): **TG LR CI CM ZR UG**

- 14373. *Megalopalpus simplex* Röber, 1886** (Lycaenidae) Synonym(s): *simplex* Röber, 1886; *bicoloria* Capronnier, 1889; *similis* Kirby, 1890; *gigas* Bethune-Baker, 1914 _ Range (in code): ZR CM GH LR NG GA UG
- 14374. *Megalopalpus zymna* (Westwood, [1851])** (Lycaenidae) Synonym(s): *zymna* Westwood, [1851]; *#pallida* Aurivillius, 1922 _ Range (in code): ZR CM GH LR NG GA UG Rz GO AO SD ZW Bionomy: Larva carnivorous on *Leptocentrus*, *Anchon*, *Gargara* (Membracidae) Synonym(s): , *Nehela* (Cicadellidae) Synonym(s): ; accompanied by *Pheidole* ants (Ackery et al., 1995).
- 14375. *Megisba malaya* (Horsfield, 1828)** (Lycaenidae) Synonym(s): *malaya* Horsfield, 1828 Range (in code): LK IN Adm Oi Bba Ass SI MY Lkw TH Yal Rng Cbi CMa Knc Nna Nst Ths TW JP Ri ID Ja Clb Sla Tuk Wt Dm Tim Ja Bli Sbw Alo Flo Lb PH Bal Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw
- 14376. *Megisba malaya anomala* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *anomala* Eliot & Kawazoe, 1984 _ Range (in code): ID Wt Dm Tim
- 14377. *Megisba malaya malaya* (Horsfield, 1828)** (Lycaenidae) Synonym(s): *malaya* Horsfield, 1828. _ Range (in code): ID Ja Bli Sbw Alo Flo Lb
- 14378. *Megisba malaya presbyter* Fruhstorfer, 1918** (Lycaenidae) Synonym(s): *presbyter* Fruhstorfer, 1918. _ Range (in code): IN Adm
- 14379. *Megisba malaya sikkima* Moore, 1884** (Lycaenidae) Synonym(s): *sikkima* Moore, 1884; *albidisca* Moore, 1884; *volubilis* Fruhstorfer, 1918; *velina* Fruhstorfer, 1918; *infumata* Fruhstorfer, 1918; *rosanna* Fruhstorfer, 1918; *iwasakii* Matsumura, 1919; *#siebersi* Toxopeus, 1927. _ Range (in code): PH Bal Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Stu Taw MY Lkw TH Yal Rng Cbi CMa Knc Nna Nst Ths IN Ass TW JP Ri ID Ja Clb Sla Tuk
- 14380. *Megisba malaya thwaitesi* Moore, 1881** (Lycaenidae) Synonym(s): *thwaitesi* Moore, 1881; *ganga* Swinhoe, 1885 _ Range (in code): LK IN Oi Bba SI
- 14381. *Megisba strongyle* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *strongyle* C.Felder, 1860 Range (in code): AU QAU KY Cai ID Tnm Bia Hm Mlc Bru Amb Crm Grm Ij Mi PG SB NBr Nlr Tro Aru Fg Ls Vu NHa
- 14382. *Megisba strongyle aenigma* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *aenigma* Eliot & Kawazoe, 1984 _ Range (in code): ID Tnm
- 14383. *Megisba strongyle caudata* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *caudata* Eliot & Kawazoe, 1984 _ Range (in code): PG NBr Nlr
- 14384. *Megisba strongyle clerica* Fruhstorfer, 1918** (Lycaenidae) Synonym(s): *clerica* Fruhstorfer, 1918 _ Range (in code): PG Tro
- 14385. *Megisba strongyle monacha* Grose-Smith, 1894** (Lycaenidae) Synonym(s): *monacha* Grose-Smith, 1894; *insulicola* Rothschild, 1915. _ Range (in code): ID Ij Mi PG SB Aru Fg Ls Vu NHa
- 14386. *Megisba strongyle nigra* (Miskin, 1890)** (Lycaenidae) Synonym(s): *nigra* Miskin, 1890 Range (in code): AU QAU KY Cai
- 14387. *Megisba strongyle orientalis* Joicey & Talbot, 1916** (Lycaenidae) Synonym(s): *orientalis* Joicey & Talbot, 1916 _ Range (in code): ID Bia
- 14388. *Megisba strongyle strongyle* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *strongyle* C.Felder, 1860 _ Range (in code): ID Mlc Bru Amb Crm Grm
- 14389. *Megisba strongyle strongyloides* Fruhstorfer, 1918** (Lycaenidae) Synonym(s): *strongyloides* Fruhstorfer, 1918 _ Range (in code): ID Hm
- 14390. *Micropentila adelgitha* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *adelgitha* Hewitson, 1874; *moneta* Mabille, 1890 Original Reference: *Liptena adelgitha* Hewitson, 1874, *Entomologist's mon. Mag.* 11: 36. Type ♂: "Gaboon (Rogers)". Range (in code): GA CI LR GH NG CG ZR
- 14391. *Micropentila adelgunda* (Staudinger, 1892)** (Lycaenidae) Synonym(s): *adelgunda* Staudinger, 1892 _ Range (in code): GA Ogo CM ZR
- 14392. *Micropentila alberta* (Staudinger, 1892)** (Lycaenidae) Synonym(s): *alberta* Staudinger, 1892 _ Range (in code): GA Ogo CG
- 14393. *Micropentila bakotae* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *bakotae* Stempffer & Bennett, 1965 _ Range (in code): CG
- 14394. *Micropentila bitjeana* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *bitjeana* Stempffer & Bennett, 1965 _ Range (in code): CM Bit
- 14395. *Micropentila brunnea* Kirby, 1887** (Lycaenidae) Synonym(s): *brunnea* Kirby, 1887 Range (in code): SL LR CI NG CM GO Bio CG GA ZR

- 14396. *Micropentila brunnea brunnea* Kirby, 1887** (Lycaenidae) Synonym(s): *brunnea* Kirby, 1887 _ Range (in code): SL LR CI NG CM GO Bio
- 14397. *Micropentila brunnea centralis* Bennett, 1966** (Lycaenidae) Synonym(s): *centralis* Bennett, 1966 _ Range (in code): CG GA ZR
- 14398. *Micropentila bunyoro* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *bunyoro* Stempffer & Bennett, 1965 _ Range (in code): UG ZR
- 14399. *Micropentila catocala* Strand, 1914** (Lycaenidae) Synonym(s): *catocala* Strand, 1914 _ Range (in code): CM
- 14400. *Micropentila cherereti* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *cherereti* Stempffer & Bennett, 1965 _ Range (in code): UG
- 14401. *Micropentila cingulum* Druce, 1910** (Lycaenidae) Synonym(s): *cingulum* Druce, 1910 _ Range (in code): CM Bit GA CG
- 14402. *Micropentila dorothea* Bethune-Baker, 1903** (Lycaenidae) Synonym(s): *dorothea* Bethune-Baker, 1903 _ Range (in code): SL CI GH NG CM GA
- 14403. *Micropentila flavopunctata* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *flavopunctata* Stempffer & Bennett, 1965 _ Range (in code): CM Bit NG CG
- 14404. *Micropentila fontainei* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *fontainei* Stempffer & Bennett, 1965 _ Range (in code): ZR UG
- 14405. *Micropentila fulvula* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *fulvula* Hawker-Smith, 1933 _ Range (in code): CM Bit CG
- 14406. *Micropentila fuscula* (Grose-Smith, 1898)** (Lycaenidae) Synonym(s): *fuscula* Grose-Smith, 1898 _ Range (in code): NG CM
- 14407. *Micropentila gabunica* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *gabunica* Stempffer & Bennett, 1965 _ Range (in code): GA CG
- 14408. *Micropentila galenides* (Holland, 1895)** (Lycaenidae) Synonym(s): *galenides* Holland, 1895 _ Range (in code): CM
- 14409. *Micropentila jacksoni* Talbot, 1937** (Lycaenidae) Synonym(s): *jacksoni* Talbot, 1937 _ Range (in code): UG
- 14410. *Micropentila katangana* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *katangana* Stempffer & Bennett, 1965 _ Range (in code): ZR
- 14411. *Micropentila katerae* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *katerae* Stempffer & Bennett, 1965 _ Range (in code): UG CI
- 14412. *Micropentila kelleana* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *kelleana* Stempffer & Bennett, 1965 _ Range (in code): CG
- 14413. *Micropentila mabangi* Bethune-Baker, 1904** (Lycaenidae) Synonym(s): *mabangi* Bethune-Baker, 1904 _ Range (in code): SL CI
- 14414. *Micropentila mamfe* T.Larsen, 1986** (Lycaenidae) Synonym(s): *mamfe* T.Larsen, 1986 _ Range (in code): GH
- 14415. *Micropentila mpigi* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *mpigi* Stempffer & Bennett, 1965 _ Range (in code): UG
- 14416. *Micropentila nigeriana* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *nigeriana* Stempffer & Bennett, 1965 _ Range (in code): NG Caa CM GH
- 14417. *Micropentila ogojae* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *ogojae* Stempffer & Bennett, 1965 _ Range (in code): NG CG
- 14418. *Micropentila sankuru* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *sankuru* Stempffer & Bennett, 1965 _ Range (in code): ZR
- 14419. *Micropentila souanke* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *souanke* Stempffer & Bennett, 1965 _ Range (in code): CG
- 14420. *Micropentila subplagata* Bethune-Baker, 1915** (Lycaenidae) Synonym(s): *subplagata* Bethune-Baker, 1915 _ Range (in code): CM Bit UG
- 14421. *Micropentila triangularis* Aurivillius, 1895** (Lycaenidae) Synonym(s): *triangularis* Aurivillius, 1895 _ Range (in code): CM
- 14422. *Micropentila ugandae* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *ugandae* Hawker-Smith, 1933 _ Range (in code): UG CM GA CG ZR
- 14423. *Micropentila victoriae* Stempffer & Bennett, 1965** (Lycaenidae) Synonym(s): *victoriae* Stempffer & Bennett, 1965 _ Range (in code): UG KE ZR Kvu

- 14424. *Micropentila villiersi* Stempffer, 1970** (Lycaenidae) Synonym(s): *villiersi* Stempffer, 1970
Range (in code): GA
- 14425. *Micropsyche ariana* Mattoni, 1981** (Lycaenidae) Synonym(s): *ariana* Mattoni, 1981
Original Reference: *Micropsyche ariana* Mattoni, 1981, J. Res. Lepid. 18 (4): 256. Holotype: Afghanistan. Range (in code): AF
- 14426. *Micropsyche ariana ariana* Mattoni, 1981** (Lycaenidae) Synonym(s): *ariana* Mattoni, 1981
Original Reference: *Micropsyche ariana* Mattoni, 1981, J. Res. Lepid. 18 (4): 256. Holotype: Afghanistan. Range (in code): AF
- 14427. *Miletus ancon* (Doherty, 1889)** (Lycaenidae) Synonym(s): *ancon* Doherty, 1889 - Range (in code): MM Shn Krh Tvy TH Cbi CMa CDo Chy Nrt Phr Phe Tng ID Sum MY Bor Sbh KBa Swk
- 14428. *Miletus ancon ancon* (Doherty, 1889)** (Lycaenidae) Synonym(s): *ancon* Doherty, 1889
Range (in code): MM Shn Krh Tvy TH Cbi CMa CDo Chy Tng
- 14429. *Miletus ancon gigantes* (De Nicéville, 1894)** (Lycaenidae) Synonym(s): *gigantes* De Nicéville, 1894 - Range (in code): ID Sum
- 14430. *Miletus ancon gigas* (Druce, 1895)** (Lycaenidae) Synonym(s): *gigas* Druce, 1895; *anconides* Fruhstorfer, 1913 - Range (in code): MY Bor Sbh KBa Swk
- 14431. *Miletus ancon siamensis* (Godfrey, 1916)** (Lycaenidae) Synonym(s): *siamensis* Godfrey, 1916
Original Reference: *Gerydus ancon* ssp. *siamensis* Godfrey, 1916, J. nat. Hist. Soc. Siam 2: 134. Syntypes: [Thailand]: Siam. Range (in code): TH CMa Chy
- 14432. *Miletus archilochus* (Fruhstorfer, 1913)** (Lycaenidae) Synonym(s): *archilochus* Fruhstorfer, 1913 - Range (in code): VN Ton
- 14433. *Miletus archilochus archilochus* (Fruhstorfer, 1913)** (Lycaenidae) Synonym(s): *archilochus* Fruhstorfer, 1913 q - Range (in code): VN Ton
- 14434. *Miletus atimonicus* Murayama & Okamura, 1973** (Lycaenidae) Synonym(s): *atimonicus* Murayama & Okamura, 1973 - Range (in code): PH Luz Mar Neg
- 14435. *Miletus bazilanus* Fruhstorfer, 1913** (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer, 1913
Range (in code): PH Bas Mno
- 14436. *Miletus biggsii* (Distant, 1884)** (Lycaenidae) Synonym(s): *biggsii* Distant, 1884; *#atomaria* Fruhstorfer, 1913; *xeragis* Fruhstorfer, 1915; *hyllus* Fruhstorfer, 1915; *sebethus* Fruhstorfer, 1915; *extraneus* Toxopeus, 1929 - Range (in code): Bor ID Sme Sum Nia Nat Btu MM TH CMa Phu Tng MY Lkw SG
- 14437. *Miletus biggsii albotignula* (Van Eecke, 1914)** (Lycaenidae) Synonym(s): *albotignula* Van Eecke, 1914 - Range (in code): ID Sme
- 14438. *Miletus biggsii biggsii* (Distant, 1884)** (Lycaenidae) Synonym(s): *biggsii* Distant, 1884; *#atomaria* Fruhstorfer, 1913; *xeragis* Fruhstorfer, 1915; *hyllus* Fruhstorfer, 1915; *sebethus* Fruhstorfer, 1915; *extraneus* Toxopeus, 1929 - Range (in code): Bor ID Sum MM TH CMa Phu Tng MY Lkw SG
- 14439. *Miletus biggsii natunensis* (Fruhstorfer, 1915)** (Lycaenidae) Synonym(s): *natunensis* Fruhstorfer, 1915 - Range (in code): ID Nat
- 14440. *Miletus biggsii niasicus* (Fruhstorfer, 1913)** (Lycaenidae) Synonym(s): *niasicus* Fruhstorfer, 1913; *batunensis* Fruhstorfer, 1913 - Range (in code): ID Nia Btu
- 14441. *Miletus boisduvali* Moore, 1857** (Lycaenidae) Synonym(s): *boisduvali* Moore, 1857; *stygianus* Butler, 1884; *ceramensis* Ribbe, 1889; *acragas* Doherty, 1891; *vincula* Druce, 1895; *buruensis* Holland, 1900; *lombokianus* Fruhstorfer, 1913; *dossemus* Fruhstorfer, 1913; *adeus* Fruhstorfer, 1913; *heraeon* Fruhstorfer, 1915; *courvoisieri* Fruhstorfer, 1915; *oxylus* Fruhstorfer, 1915 - Range (in code): IN SI Ass MM Tns BD Cta Ij Fak Trn ID Clb Tim Kai Ob Crm Bru Sba Lb Ja Bor MY
- 14442. *Miletus boisduvali avitus* (Fruhstorfer, 1915)** (Lycaenidae) Synonym(s): *avitus* Fruhstorfer, 1915 - Range (in code): ID Tim Kai
- 14443. *Miletus boisduvali boisduvali* Moore, 1857** (Lycaenidae) Synonym(s): *boisduvali* Moore, 1857; *stygianus* Butler, 1884; *ceramensis* Ribbe, 1889; *acragas* Doherty, 1891; *vincula* Druce, 1895; *buruensis* Holland, 1900; *lombokianus* Fruhstorfer, 1913; *dossemus* Fruhstorfer, 1913; *adeus* Fruhstorfer, 1913; *heraeon* Fruhstorfer, 1915; *courvoisieri* Fruhstorfer, 1915; *oxylus* Fruhstorfer, 1915 - Range (in code): Ij Fak Trn ID Ob Crm Bru Sba Lb Ja Bor MY
- 14444. *Miletus boisduvali diotrophes* (Fruhstorfer, 1913)** (Lycaenidae) Synonym(s): *diotrophes* Fruhstorfer, 1913 - Range (in code): ID Clb
- 14445. *Miletus celinus* Eliot, 1961** (Lycaenidae) Synonym(s): *celinus* Eliot, 1961 - Range (in code): ID Clb
- 14446. *Miletus celinus celinus* Eliot, 1961** (Lycaenidae) Synonym(s): *celinus* Eliot, 1961 - Range (in code): ID Clb
- 14447. *Miletus cellarius* (Fruhstorfer, 1913)** (Lycaenidae) Synonym(s): *cellarius* Fruhstorfer, 1913
Range (in code): MY Bor Sbh KBa

- 14448. *Miletus cellarius cellarius* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *cellarius* Fruhstorfer,1913 _ Range (in code): MY Bor Sbh KBa
- 14449. *Miletus chinensis* C.Felder,1862** (Lycaenidae) Synonym(s): *chinensis* C.Felder,1862 Range (in code): IN Ass Kma SI Up MM Shn Hpi Krh Chn Tns CN Yu Hn TH Bnk Cbi CMa CuO CuO7 Knc Nna Loe Nst Ths MY Prk
- 14450. *Miletus chinensis assamensis* (Doherty,1891)** (Lycaenidae) Synonym(s): *assamensis* Doherty,1891; *milvius* Fruhstorfer,1913 _ Range (in code): IN Ass Kma SI Up
- 14451. *Miletus chinensis chinensis* C.Felder,1862** (Lycaenidae) Synonym(s): *chinensis* C.Felder,1862 _ Range (in code): CN Yu Hn
- 14452. *Miletus chinensis learchus* C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *learchus* C.Felder & R.Felder,[1865]; *irroratus* Druce,1874; *kelantanus* Corbet,1938 _ Range (in code): MM Tns TH Bnk Cbi CMa CuO CuO7 Knc Nna Loe Nst Ths MY Prk
- 14453. *Miletus chinensis longeana* (De Nicéville,1898)** (Lycaenidae) Synonym(s): *longeana* De Nicéville,1898 _ Range (in code): MM Chn Shn Hpi Krh
- 14454. *Miletus croton* (Doherty,1889)** (Lycaenidae) Synonym(s): *croton* Doherty,1889 _ Range (in code): MM Krh Tvy Tns Shn TH CMa CDo Chy Knc
- 14455. *Miletus croton corus* Eliot,1961** (Lycaenidae) Synonym(s): *corus* Eliot,1961 Original Reference: *Miletus croton* ssp. *corus* Eliot,1961, Bull. Raffles Mus. 26: 162. Holotype ♂: Ken District, Loi Mwe, 20.viii.1927 (ex Tytler coll.). Range (in code): MM Shn TH CMa CDo Chy
- 14456. *Miletus croton croton* (Doherty,1889)** (Lycaenidae) Synonym(s): *croton* Doherty,1889; *tavoyana* Evans,1932 _ Range (in code): TH Knc MM Tns Tvy
- 14457. *Miletus croton karenia* (Evans,1932)** (Lycaenidae) Synonym(s): *karenia* Evans,1932 Range (in code): MM Krh
- 14458. *Miletus drucei* (Semper,1888)** (Lycaenidae) Synonym(s): *drucei* Semper,1888; *philippus* Staudinger,1889; *jacchus* Fruhstorfer,1913; *palanius* Fruhstorfer,1913; *epidurus* Fruhstorfer,1913 _ Range (in code): PH Bal Boh Ceb Luz Mdo Pal Sam MY Bor
- 14459. *Miletus drucei drucei* (Semper,1888)** (Lycaenidae) Synonym(s): *drucei* Semper,1888; *philippus* Staudinger,1889; *jacchus* Fruhstorfer,1913; *palanius* Fruhstorfer,1913; *epidurus* Fruhstorfer,1913 Range (in code): PH Bal Boh Ceb Luz Mdo Pal Sam
- 14460. *Miletus drucei metrovius* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *metrovius* Fruhstorfer,1913; *phradimon* Fruhstorfer,1915 _ Range (in code): MY Bor
- 14461. *Miletus gaesa* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *gaesa* De Nicéville,1895 Range (in code): MY Lkw Bor ID Sum
- 14462. *Miletus gaesa carrinas* (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *carrinas* Fruhstorfer,1915 _ Range (in code): MY Bor
- 14463. *Miletus gaesa gaesa* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *gaesa* De Nicéville,1895 _ Range (in code): MY Lkw ID Sum
- 14464. *Miletus gaetulus* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gaetulus* De Nicéville,1894 Range (in code): ID Nia Sum MY Bor Sbh KBa
- 14465. *Miletus gaetulus aphytis* Fruhstorfer,1913** (Lycaenidae) Synonym(s): *aphytis* Fruhstorfer,1913 _ Range (in code): ID Nia
- 14466. *Miletus gaetulus gaetulus* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gaetulus* De Nicéville,1894 _ Range (in code): ID Sum
- 14467. *Miletus gaetulus innocens* (Druce,1895)** (Lycaenidae) Synonym(s): *innocens* Druce,1895 Range (in code): ID Sum MY Bor Sbh KBa
- 14468. *Miletus gallus* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gallus* De Nicéville,1894 Range (in code): ID Sum Ja TH Sat MY
- 14469. *Miletus gallus gallus* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gallus* De Nicéville,1894 _ Range (in code): ID Sum TH Sat MY
- 14470. *Miletus gallus leucocyon* (Toxopeus,1940)** (Lycaenidae) Synonym(s): *leucocyon* Toxopeus,1940 _ Range (in code): ID Ja
- 14471. *Miletus gigantes* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gigantes* De Nicéville,1894 Range (in code): MY
- 14472. *Miletus gigantes gigantes* (De Nicéville,1894)** (Lycaenidae) Synonym(s): *gigantes* De Nicéville,1894 _ Range (in code): MY
- 14473. *Miletus gopara* (De Nicéville,1890)** (Lycaenidae) Synonym(s): *gopara* De Nicéville,1890; *denticulata* Fruhstorfer,1913 _ Range (in code): ID Sum Ja MY Prk Bor TH Tng PH Sga Stu Taw

- 14474. *Miletus gopara artaxus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *artaxus* Fruhstorfer,1913; #oichalia Fruhstorfer,1913 _ Range (in code): ID Ja
- 14475. *Miletus gopara eustatius* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *eustatius* Fruhstorfer,1913 _ Range (in code): MY Bor PH Sga Stu Taw
- 14476. *Miletus gopara gopara* (De Nicéville,1890)** (Lycaenidae) Synonym(s): *gopara* De Nicéville,1890; *denticulata* Fruhstorfer,1913 _ Range (in code): ID Sum TH Tng MY Prk
- 14477. *Miletus gopara pardus* Eliot,1961** (Lycaenidae) Synonym(s): *pardus* Eliot,1961 _ Range (in code): ID Sum
- 14478. *Miletus heracleion* (Doherty,1891)** (Lycaenidae) Synonym(s): *heracleion* Doherty,1891 _ Range (in code): MY Prk Sbh Bor KBa
- 14479. *Miletus heracleion arion* Eliot,1961** (Lycaenidae) Synonym(s): *arion* Eliot,1961 _ Range (in code): MY Bor Sbh KBa
- 14480. *Miletus heracleion heracleion* (Doherty,1891)** (Lycaenidae) Synonym(s): *heracleion* Doherty,1891 _ Range (in code): MY Prk
- 14481. *Miletus leos* (Guérin-Méneville,1830)** (Lycaenidae) Synonym(s): *leos* Guérin-Méneville,1830; *boisduvalii* Butler,1884 *nec* Mr.,1857; *meronus* Fruhstorfer,1913; *amphiarus* Fruhstorfer,1913; *gardineri* Fruhstorfer,1914 _ Range (in code): PG ID Sbw Flo Alo Sba Wt Sly Clb Mlc Mge Ob Bch Hm Aru Mi Wg Ij Amb Crm Bru
- 14482. *Miletus leos aronicus* (Fruhstorfer,1914)** (Lycaenidae) Synonym(s): *rex* Fruhstorfer,1913 *nec* Bsd.1832; *aronicus* Fruhstorfer,1914; *nineyanus* Fruhstorfer,1914; *acrisius* Fruhstorfer,1914 _ Range (in code): PG ID Aru Mi Wg Ij
- 14483. *Miletus leos catoleucos* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *catoleucos* Fruhstorfer,1913 _ Range (in code): ID Sly
- 14484. *Miletus leos florensis* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *florensis* Fruhstorfer,1913; *eulus* Fruhstorfer,1913 _ Range (in code): ID Sbw Flo Alo
- 14485. *Miletus leos leos* (Guérin-Méneville,1830)** (Lycaenidae) Synonym(s): *leos* Guérin-Méneville,1830; *boisduvalii* Butler,1884 *nec* Mr.,1857; *meronus* Fruhstorfer,1913; *amphiarus* Fruhstorfer,1913; *gardineri* Fruhstorfer,1914 _ Range (in code): ID Amb Crm Bru
- 14486. *Miletus leos mangolicus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *mangolicus* Fruhstorfer,1913 _ Range (in code): ID Mge
- 14487. *Miletus leos maximus* (Holland,1890)** (Lycaenidae) Synonym(s): *maximus* Holland,1890; *sarus* Fruhstorfer,1913; #divisa Fruhstorfer,1913 _ Range (in code): ID Clb
- 14488. *Miletus leos tellus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *tellus* Fruhstorfer,1913 _ Range (in code): ID Wt
- 14489. *Miletus leos teos* (Doherty,1891)** (Lycaenidae) Synonym(s): *teos* Doherty,1891 _ Range (in code): ID Sba
- 14490. *Miletus leos vaneeckeii* (Toxopeus,1930)** (Lycaenidae) Synonym(s): *vaneeckeii* Toxopeus,1930 _ Range (in code): ID Clb
- 14491. *Miletus leos virtus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *virtus* Fruhstorfer,1913; *pentheus* Fruhstorfer,1913 _ Range (in code): ID Mlc Ob Bch Hm
- 14492. *Miletus mallus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *mallus* Fruhstorfer,1913; *gethusus* Fruhstorfer,1915 _ Range (in code): MM Shn MY TH CMa Dst Qs Chy Nna Bnk Loe VN Ton Ann
- 14493. *Miletus mallus mallus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *mallus* Fruhstorfer,1913; *gethusus* Fruhstorfer,1915 _ Range (in code): MM MY TH Chy Nna Bnk VN Ton Ann
- 14494. *Miletus mallus shania* (Evans,1932)** (Lycaenidae) Synonym(s): *shania* Evans,1932 _ Range (in code): MM Shn TH CMa Dst Qs Loe
- 14495. *Miletus melanion* C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *melanion* Felder & Felder,1865 _ Range (in code): PH Bas Luz Mno Neg Pal Ley Mdo
- 14496. *Miletus melanion bazilanus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *bazilanus* Fruhstorfer,1913 _ Range (in code): PH Bas
- 14497. *Miletus melanion euphranor* Fruhstorfer,1914** (Lycaenidae) Synonym(s): *euphranor* Fruhstorfer,1914 _ Range (in code): PH Ley Mdo
- 14498. *Miletus melanion melanion* C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *melanion* Felder & Felder,1865 _ Range (in code): PH Luz Mno Neg Pal
- 14499. *Miletus melanion vitelianus* (Fruhstorfer,1913)** (Lycaenidae) Synonym(s): *vitelianus* Fruhstorfer,1913 _ Range (in code): PH Mno

- 14500. *Miletus nymphis* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *nymphis* Fruhstorfer,1913
Range (in code): [ID Sum MM Shn Krh TH Tng Yal MY](#)
- 14501. *Miletus nymphis eneus* Eliot,1961** (Lycaenidae) **Synonym(s):** *eneus* Eliot,1961 **Range (in code):** [ID Sum](#)
- 14502. *Miletus nymphis fictus* Corbet,1939** (Lycaenidae) **Synonym(s):** *fictus* Corbet,1939
Range (in code): [ID Sum TH Tng Yal MY](#)
- 14503. *Miletus nymphis nymphis* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *nymphis* Fruhstorfer,1913 **Range (in code):** [ID Sum](#)
- 14504. *Miletus nymphis porus* Eliot,1961** (Lycaenidae) **Synonym(s):** *porus* Eliot,1961 **Range (in code):** [MM Shn Krh TH](#)
- 14505. *Miletus symethus* (Cramer,1777)** (Lycaenidae) **Synonym(s):** *symethus* Cramer,1777; *pandu* Horsfield,1828 **Original Reference:** *Papilio symethus* Cramer,1777, *Uitl. Kapellen* 2: Tab. cxlix, figs. B,C. **Range (in code):** [TH Phu P-T MY Bor BN SG Lkw Prk ID Bor Btu Nia Ja Bli Lb PH Luz Mar Mdo Jol Mno Taw Pal](#)
- 14506. *Miletus symethus acampsis* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *acampsis* Fruhstorfer,1913 **Range (in code):** [ID Sum](#)
- 14507. *Miletus symethus batuensis* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *batuensis* Fruhstorfer,1913 **Range (in code):** [ID Btu](#)
- 14508. *Miletus symethus edonus* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *edonus* Fruhstorfer,1913 **Range (in code):** [PH Pal](#)
- 14509. *Miletus symethus hierophantes* (Fruhstorfer,1915)** (Lycaenidae) **Synonym(s):** *hierophantes* Fruhstorfer,1915 **Range (in code):** [PH Jol Mno Taw MY Bor](#)
- 14510. *Miletus symethus nuctus* Eliot,1961** (Lycaenidae) **Synonym(s):** *nuctus* Eliot,1961
Range (in code): [ID Sum](#)
- 14511. *Miletus symethus perlucidus* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *perlucidus* Fruhstorfer,1913; *megaris* Fruhstorfer,1913 **Range (in code):** [ID Ja Bli Lb](#)
- 14512. *Miletus symethus petronius* (Distant & Pryer,1887)** (Lycaenidae) **Synonym(s):** *petronius* Distant & Pryer,1887; *diopethes* Fruhstorfer,1913 **Range (in code):** [TH Phu MY Bor BN Lkw SG](#)
- 14513. *Miletus symethus phantus* Eliot,1986** (Lycaenidae) **Synonym(s):** *phantus* Eliot,1986
Range (in code): [PH Luz Mar](#)
- 14514. *Miletus symethus philopator* (Fruhstorfer,1914)** (Lycaenidae) **Synonym(s):** *philopator* Fruhstorfer,1914 **Range (in code):** [PH Mdo](#)
- 14515. *Miletus symethus solitarius* Okubo,1983** (Lycaenidae) **Synonym(s):** *solitarius* Okubo,1983 **Range (in code):** [MY P-T](#)
- 14516. *Miletus symethus symethus* (Cramer,1777)** (Lycaenidae) **Synonym(s):** *symethus* Cramer,1777; *pandu* Horsfield,1828 **Range (in code):** [ID Ja](#)
- 14517. *Miletus symethus vespasianus* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *vespasianus* Fruhstorfer,1913 **Range (in code):** [ID Nia](#)
- 14518. *Miletus takanamii* Eliot,1986** (Lycaenidae) **Synonym(s):** *takanamii* Eliot,1986 **Range (in code):** [PH Mno](#)
- 14519. *Miletus valeus* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *valeus* Fruhstorfer,1913; *pallaxopas* Fruhstorfer,1913 **Range (in code):** [MY ID Sum](#)
- 14520. *Miletus valeus valeus* (Fruhstorfer,1913)** (Lycaenidae) **Synonym(s):** *valeus* Fruhstorfer,1913; *pallaxopas* Fruhstorfer,1913 **Range (in code):** [MY ID Sum](#)
- 14521. *Miletus zinckenii* C.Felder & R.Felder,1865** (Lycaenidae) **Synonym(s):** *zinckenii* C.Felder & R.Felder,1865 **Range (in code):** [ID Ja MY Bor Sbh KBa](#)
- 14522. *Miletus zinckenii improbus* (Druce,1896)** (Lycaenidae) **Synonym(s):** *improbus* Druce,1896 **Range (in code):** [MY Bor Sbh KBa](#)
- 14523. *Miletus zinckenii zinckenii* C.Felder & R.Felder,1865** (Lycaenidae) **Synonym(s):** *zinckenii* C.Felder & R.Felder,1865 **Range (in code):** [ID Ja](#)
- 14524. *Mimacraea angustata* Schultze,1923** (Lycaenidae) **Synonym(s):** *angustata* Schultze,1923
Range (in code): [ZR](#)
- 14525. *Mimacraea charmian* Grose-Smith & Kirby,1889** (Lycaenidae) **Synonym(s):** *charmian* Grose-Smith & Kirby,1889 **Range (in code):** [NG CM ZR](#)
- 14526. *Mimacraea charmian charmian* Grose-Smith & Kirby,1889** (Lycaenidae) **Synonym(s):** *charmian* Grose-Smith & Kirby,1889 **Range (in code):** [NG CM](#)

- 14527. *Mimacraea charmion ertli* Joicey & Talbot, 1924** (Lycaenidae) **Synonym(s):** *ertli* Joicey & Talbot, 1924 **_ Range (in code):** **ZR**
- 14528. *Mimacraea costleyi* Druce, 1912** (Lycaenidae) **Synonym(s):** *costleyi* Druce, 1912 **_ Range (in code):** **MW**
- 14529. *Mimacraea darwinia* Butler, 1872** (Lycaenidae) **Synonym(s):** *darwinia* Butler, 1872 **_ Range (in code):** **CI LR NG CM GA ZR**
- 14530. *Mimacraea darwinia apicalis* Grose-Smith & Kirby, 1889** (Lycaenidae) **Synonym(s):** *apicalis* Grose-Smith & Kirby, 1889 **_ Range (in code):** **NG CM GA ZR**
- 14531. *Mimacraea darwinia darwinia* Butler, 1872** (Lycaenidae) **Synonym(s):** *darwinia* Butler, 1872 **_ Range (in code):** **CI LR**
- 14532. *Mimacraea eltringhami* Druce, 1912** (Lycaenidae) **Synonym(s):** *eltringhami* Druce, 1912 **_ Range (in code):** **ZR UG**
- 14533. *Mimacraea eltringhami burgeoni* Hawker-Smith, 1928** (Lycaenidae) **Synonym(s):** *burgeoni* Hawker-Smith, 1928 **_ Range (in code):** **ZR UG**
- 14534. *Mimacraea eltringhami eltringhami* Druce, 1912** (Lycaenidae) **Synonym(s):** *eltringhami* Druce, 1912 **_ Range (in code):** **UG**
- 14535. *Mimacraea flavofasciata* Schultze, 1912** (Lycaenidae) **Synonym(s):** *flavofasciata* Schultze, 1912 **_ Range (in code):** **CM**
- 14536. *Mimacraea gelinia* (Oberthür, 1893)** (Lycaenidae) **Synonym(s):** *gelinia* Oberthür, 1893 **_ Range (in code):** **TZ Tnga Usa**
- 14537. *Mimacraea gelinia gelinia* (Oberthür, 1893)** (Lycaenidae) **Synonym(s):** *gelinia* Oberthür, 1893 **_ Range (in code):** **TZ Tnga Usa**
- 14538. *Mimacraea gelinia nguru* Kielland, 1986** (Lycaenidae) **Synonym(s):** *nguru* Kielland, 1986 **_ Range (in code):** **TZ**
- 14539. *Mimacraea graeseri* Schultze, 1912** (Lycaenidae) **Synonym(s):** *graeseri* Schultze, 1912 **_ Range (in code):** **ZR**
- 14540. *Mimacraea krausei* Dewitz, 1889** (Lycaenidae) **Synonym(s):** *krausei* Dewitz, 1889; *#obsolescens* Hawker & Smith, 1926 **_ Range (in code):** **ZR CG UG SD KE**
- 14541. *Mimacraea krausei karschioides* Carpenter & Jackson, 1950** (Lycaenidae) **Synonym(s):** *karschioides* Carpenter & Jackson, 1950 **_ Range (in code):** **SD**
- 14542. *Mimacraea krausei krausei* Dewitz, 1889** (Lycaenidae) **Synonym(s):** *krausei* Dewitz, 1889; *#obsolescens* Hawker & Smith, 1926 **_ Range (in code):** **ZR CG UG**
- 14543. *Mimacraea krausei masindae* Bethune-Baker, 1913** (Lycaenidae) **Synonym(s):** *masindae* Bethune-Baker, 1913; *#viviana* Talbot, 1935; *#citrifascia* Talbot, 1935 **_ Range (in code):** **UG**
- 14544. *Mimacraea krausei poultoni* Neave, 1904** (Lycaenidae) **Synonym(s):** *poultoni* Neave, 1904; *luteomaculata* Grünberg, 1908; *elgonae* Talbot, 1935 **_ Range (in code):** **UG KE**
- 14545. *Mimacraea laeta* Schultze, 1912** (Lycaenidae) **Synonym(s):** *laeta* Schultze, 1912 **_ Range (in code):** **CM ?ZR**
- 14546. *Mimacraea landbecki* Druce, 1910** (Lycaenidae) **Synonym(s):** *landbecki* Druce, 1910 **_ Range (in code):** **ZR UG TZ CG CM**
- 14547. *Mimacraea mariae* Dufrane, 1945** (Lycaenidae) **Synonym(s):** *mariae* Dufrane, 1945 **_ Range (in code):** **ZR**
- 14548. *Mimacraea marshalli* Trimen, 1898** (Lycaenidae) **Synonym(s):** *marshalli* Trimen, 1898 **_ Range (in code):** **ZW ZM ZR Kvu MW Zom TZ KE UG**
- 14549. *Mimacraea marshalli dohertyi* Rothschild, 1901** (Lycaenidae) **Synonym(s):** *dohertyi* Rothschild, 1901; *#somereni* Talbot, 1937 **_ Range (in code):** **KE TZ**
- 14550. *Mimacraea marshalli marshalli* Trimen, 1898** (Lycaenidae) **Synonym(s):** *marshalli* Trimen, 1898 **_ Range (in code):** **ZW ZM ZR Kvu MW**
- 14551. *Mimacraea marshalli media* Talbot, 1937** (Lycaenidae) **Synonym(s):** *media* Talbot, 1937 **_ Range (in code):** **KE UG**
- 14552. *Mimacraea marshalli nzoia* Talbot, 1937** (Lycaenidae) **Synonym(s):** *nzoia* Talbot, 1937 **_ Range (in code):** **KE**
- 14553. *Mimacraea neavei* Eltringham, 1909** (Lycaenidae) **Synonym(s):** *neavei* Eltringham, 1909 **_ Range (in code):** **CM**
- 14554. *Mimacraea neokoton* Druce, 1907** (Lycaenidae) **Synonym(s):** *neokoton* Druce, 1907 **_ Range (in code):** **ZW Crd**

- 14555. *Mimacraea neurata* Holland,1895** (Lycaenidae) Synonym(s): *neurata* Holland,1895; *alciopina* Joicey & Talbot,1924; *#incurvata* Talbot,1935; *#lineata* Talbot,1935 - Range (in code): GH SL NG CG ZR Shb
- 14556. *Mimacraea neurata fulvaria* Aurivillius,1895** (Lycaenidae) Synonym(s): *fulvaria* Aurivillius,1895 - Range (in code): CG ZR Shb
- 14557. *Mimacraea neurata neurata* Holland,1895** (Lycaenidae) Synonym(s): *neurata* Holland,1895; *alciopina* Joicey & Talbot,1924; *#incurvata* Talbot,1935; *#lineata* Talbot,1935 - Range (in code): GH SL NG
- 14558. *Mimacraea paragora* Rebel,1911** (Lycaenidae) Synonym(s): *paragora* Rebel,1911 - Range (in code): TZ
- 14559. *Mimacraea pseudepaea* Schultze,1923** (Lycaenidae) Synonym(s): *pseudepaea* Schultze,1923 - Range (in code): CM
- 14560. *Mimacraea pulverulenta* Schultze,1912** (Lycaenidae) Synonym(s): *pulverulenta* Schultze,1912 - Range (in code): ZR
- 14561. *Mimacraea schmidtii* Schultze,1923** (Lycaenidae) Synonym(s): *schmidtii* Schultze,1923 - Range (in code): CM
- 14562. *Mimacraea schubotzi* Schultze,1912** (Lycaenidae) Synonym(s): *schubotzi* Schultze,1912 - Range (in code): CM ZR
- 14563. *Mimacraea skoptoles* Druce,1907** (Lycaenidae) Synonym(s): *skoptoles* Druce,1907 - Range (in code): ZR Shb TZ
- 14564. *Mimacraea telloides* Schultze,1923** (Lycaenidae) Synonym(s): *telloides* Schultze,1923 - Range (in code): CM
- 14565. *Mimeresia cellularis* (Kirby,1890)** (Lycaenidae) Synonym(s): *cellularis* Kirby,1890; *mondo* Holland,1890 - Range (in code): CM GA CG NG CI
- 14566. *Mimeresia debora* (Kirby,1890)** (Lycaenidae) Synonym(s): *debora* Kirby,1890; *ashira* Holland,1890 - Range (in code): SL GH GA Ogo CG ZR UG CM SL
- 14567. *Mimeresia debora barnsi* (Hawker-Smith,1933)** (Lycaenidae) Synonym(s): *barnsi* Hawker-Smith,1933 - Range (in code): ZR UG
- 14568. *Mimeresia debora catori* (Bethune-Baker,1904)** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1904 - Range (in code): GH SL
- 14569. *Mimeresia debora debora* (Kirby,1890)** (Lycaenidae) Synonym(s): *debora* Kirby,1890; *ashira* Holland,1890 - Range (in code): GA Ogo CG ZR CM SL
- 14570. *Mimeresia debora deborula* (Aurivillius,1898)** (Lycaenidae) Synonym(s): *deborula* Aurivillius,1898 - Range (in code): ZR CG
- 14571. *Mimeresia dinora* (Kirby,1890)** (Lycaenidae) Synonym(s): *dinora* Kirby,1890; *carlota* Suffert,1904 - Range (in code): CM NG
- 14572. *Mimeresia dinora dinora* (Kirby,1890)** (Lycaenidae) Synonym(s): *dinora* Kirby,1890; *carlota* Suffert,1904 - Range (in code): CM NG KE UG ZR
- 14573. *Mimeresia dinora discirubra* (Talbot,1937)** (Lycaenidae) Synonym(s): *discirubra* Talbot,1937 - Range (in code): KE UG ZR
- 14574. *Mimeresia dinora meyerbeeri* D'Abrera,1980** (Lycaenidae) Synonym(s): *meyerbeeri* D'Abrera,1980 - Range (in code): UG
- 14575. *Mimeresia drucei* (Stempffer,1954)** (Lycaenidae) Synonym(s): *drucei* Stempffer,1954 - Range (in code): CM Bit NG UG ZR
- 14576. *Mimeresia drucei drucei* (Stempffer,1954)** (Lycaenidae) Synonym(s): *drucei* Stempffer,1954 - Range (in code): CM Bit
- 14577. *Mimeresia drucei owerri* Stempffer,1961** (Lycaenidae) Synonym(s): *owerri* Stempffer,1961 - Range (in code): NG
- 14578. *Mimeresia drucei ugandae* (Stempffer,1954)** (Lycaenidae) Synonym(s): *ugandae* Stempffer,1954 - Range (in code): UG ZR
- 14579. *Mimeresia flavillacea* (Grünberg,1910)** (Lycaenidae) Synonym(s): *flavillacea* Grünberg,1910 - Range (in code): CM UG GA GO ZR
- 14580. *Mimeresia flavillacea flavillacea* (Grünberg,1910)** (Lycaenidae) Synonym(s): *flavillacea* Grünberg,1910 - Range (in code): CM GO GA
- 14581. *Mimeresia flavillacea griseata* (Talbot,1937)** (Lycaenidae) Synonym(s): *griseata* Talbot,1937 - Range (in code): UG ZR

- 14582. *Mimeresia issia* Stempffer,1969** (Lycaenidae) Synonym(s): *issia* Stempffer,1969
Range (in code): **CI**
- 14583. *Mimeresia libentina* (Hewitson,1866)** (Lycaenidae) Synonym(s): *libentina* Hewitson,1866; *zerita* Plötz,1880; *rubrica* Druce,1888; *zoraida* Grose-Smith,1890
Range (in code): **GO Bio CI LR SL NG Caa CM GA**
- 14584. *Mimeresia libentina isabellae* (Schultze,1917)** (Lycaenidae) Synonym(s): *isabellae* Schultze,1917
Range (in code): **GO Bio NG CI LR SL**
- 14585. *Mimeresia libentina libentina* (Hewitson,1866)** (Lycaenidae) Synonym(s): *libentina* Hewitson,1866; *zerita* Plötz,1880; *rubrica* Druce,1888; *zoraida* Grose-Smith,1890
Range (in code): **NG Caa CM GA**
- 14586. *Mimeresia moreelsi* (Aurivillius,1901)** (Lycaenidae) Synonym(s): *moreelsi* Aurivillius,1901
Range (in code): **ZR UG CM Bit CG GO GA**
- 14587. *Mimeresia moreelsi moreelsi* (Aurivillius,1901)** (Lycaenidae) Synonym(s): *moreelsi* Aurivillius,1901
Range (in code): **ZR**
- 14588. *Mimeresia moreelsi purpurea* (Hawker-Smith,1933)** (Lycaenidae) Synonym(s): *purpurea* Hawker-Smith,1933; *alberici* Dufrane,1945
Range (in code): **ZR UG**
- 14589. *Mimeresia moreelsi tessmanni* (Grünberg,1910)** (Lycaenidae) Synonym(s): *tessmanni* Grünberg,1910; *#decolorata* Hulstaert,1924
Range (in code): **CM Bit CG GO GA**
- 14590. *Mimeresia moyambina* (Bethune-Baker,1904)** (Lycaenidae) Synonym(s): *moyambina* Bethune-Baker,1904
Range (in code): **SL CI**
- 14591. *Mimeresia neavei* (Joicey & Talbot,1921)** (Lycaenidae) Synonym(s): *neavei* Joicey & Talbot,1921
Range (in code): **ZR UG**
- 14592. *Mimeresia pseudocellularis* Stempffer,1968** (Lycaenidae) Synonym(s): *pseudocellularis* Stempffer,1968
Range (in code): **CG**
- 14593. *Mimeresia russulus* (Druce,1910)** (Lycaenidae) Synonym(s): *russulus* Druce,1910
Range (in code): **CM CG ZR UG**
- 14594. *Mimeresia russulus katangae* (Hawker-Smith,1926)** (Lycaenidae) Synonym(s): *katangae* Hawker-Smith,1926
Range (in code): **ZR**
- 14595. *Mimeresia russulus russulus* (Druce,1910)** (Lycaenidae) Synonym(s): *russulus* Druce,1910
Range (in code): **CM CG ZR**
- 14596. *Mimeresia russulus unyoro* Stempffer,1961** (Lycaenidae) Synonym(s): *unyoro* Stempffer,1961
Range (in code): **UG**
- 14597. *Mimeresia semirufa* (Grose-Smith,1902)** (Lycaenidae) Synonym(s): *semirufa* Grose-Smith,1902
Range (in code): **SL GH**
- 14598. *Ministrymon azia*** (Lycaenidae) Synonym(s):
Range (in code): **US MX Col FI Tx**
- 14599. *Ministrymon clytie*** (Lycaenidae) Synonym(s):
Range (in code): **US MX Tx**
- 14600. *Ministrymon leda*** (Lycaenidae) Synonym(s):
Range (in code): **US MX Arz Cf Col NMx Ne Neb Tx Ut**
- 14601. *Mithras catrea* (Hewitson,1874)** (Lycaenidae) Synonym(s): *catrea* Hewitson,1874
Range (in code): **BR**
- 14602. *Mithras colombiensis* (K.Johnson & Constantino,1997)** (Lycaenidae) Synonym(s): *colombiensis* K.Johnson & Constantino,1997; *hannelore* Balint & Moser,2001
Range (in code): **CO BR**
- 14603. *Mithras elis* (Cramer,1779)** (Lycaenidae) Synonym(s): *elis* Cramer,1779
Range (in code): **SR**
- 14604. *Mithras nautes* (Cramer,1779)** (Lycaenidae) Synonym(s): *nautes* Cramer,1779
Range (in code): **SR**
- 14605. *Mithras oroanna* (Balint,2002)** (Lycaenidae) Synonym(s): *#cosmophila* Tessmann,1928; *oroanna* Balint,2002
Range (in code): **PE**
- 14606. *Mithras orobia* (Hewitson,1867)** (Lycaenidae) Synonym(s): *orobia* Hewitson,1867
Range (in code): **BR**
- 14607. *Mithras orobiana* (Hewitson,1867)** (Lycaenidae) Synonym(s): *orobiana* Hewitson,1867
Range (in code): **BR**
- 14608. *Mithras orocana* (Druce,1912)** (Lycaenidae) Synonym(s): *orocana* Druce,1912
Range (in code): **PE**
- 14609. *Mithras sp.n.*** (Lycaenidae) Synonym(s):
Range (in code): **EC**
- 14610. *Mithras sp.n.*** (Lycaenidae) Synonym(s):
Range (in code): **GT**
- 14611. *Mithras sp.n.*** (Lycaenidae) Synonym(s):
Range (in code): **PA**
- 14612. *Mithras sp.n.*** (Lycaenidae) Synonym(s):
Range (in code): **EC**

- 14613. Mithras sp.n.** (Lycaenidae) Synonym(s): Range (in code): **EC**
- 14614. Mithras vossoroca (Balint & Moser,2001)** (Lycaenidae) Synonym(s): *vossoroca Balint & Moser,2001* Range (in code): **BR Sct**
- 14615. Monodontides (Buakraengius) cara Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *cara Eliot & Kawazoe,1984*
- 14616. Monodontides (Buakraengius) cara cara Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *cara Eliot & Kawazoe,1984*
- 14617. Monodontides (s.str.) apona (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *apona Fruhstorfer,1910* Range (in code): **PH Mno Apo**
- 14618. Monodontides (s.str.) apona apona (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *apona Fruhstorfer,1910*
- 14619. Monodontides (s.str.) argioloides (Rothschild,1915)** (Lycaenidae) Synonym(s): *argioloides Rothschild,1915*
- 14620. Monodontides (s.str.) argioloides argioloides (Rothschild,1915)** (Lycaenidae) Synonym(s): *argioloides Rothschild,1915*
- 14621. Monodontides (s.str.) hondai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *hondai Eliot & Kawazoe,1984* Range (in code): **PH Luz Mas Mdo Mno Neg Pal Pan**
- 14622. Monodontides (s.str.) hondai hondai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *hondai Eliot & Kawazoe,1984*
- 14623. Monodontides (s.str.) kolari (Ribbe,1926)** (Lycaenidae) Synonym(s): *kolari Ribbe,1926* Range (in code): **PH Mno**
- 14624. Monodontides (s.str.) kolari kolari (Ribbe,1926)** (Lycaenidae) Synonym(s): *kolari Ribbe,1926*
- 14625. Monodontides (s.str.) luzonensis Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *luzonensis Eliot & Kawazoe,1984* Range (in code): **PH Luz Mdo**
- 14626. Monodontides (s.str.) luzonensis luzonensis Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *luzonensis Eliot & Kawazoe,1984* Range (in code): **PH Luz Mdo**
- 14627. Monodontides (s.str.) musina (Snellen,1892)** (Lycaenidae) Synonym(s): *musina Snellen,1892; candaules De Nicéville,1895; lugra Druce,1895.*
- 14628. Monodontides (s.str.) musina musina (Snellen,1892)** (Lycaenidae) Synonym(s): *musina Snellen,1892; candaules De Nicéville,1895; lugra Druce,1895.*
- 14629. Monodontides (s.str.) musina musinoides (Swinhoe,1910)** (Lycaenidae) Synonym(s): *musinoides Swinhoe,1910; parishii Rhé-Philippe,1911.*
- 14630. Monodontides (s.str.) musina pelides (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *pelides Fruhstorfer,1910*
- 14631. Monodontides (s.str.) ternatensis Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *ternatensis Eliot & Kawazoe,1984*
- 14632. Monodontides (s.str.) ternatensis ternatensis Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *ternatensis Eliot & Kawazoe,1984*
- 14633. Mota massyla (Hewitson,[1869])** (Lycaenidae) Synonym(s): *massyla Hewitson,[1869]* Range (in code): **TH CDo CMa BT IN SI Ass Mpr MM**
- 14634. Myrina anettae De Fleury,1924** (Lycaenidae) Synonym(s): *anettae De Fleury,1924* Range (in code): **GN GH UG** Bionomy: Larva on Ficus (Moraceae) (Ackery et al.,1995).
- 14635. Myrina dermaptera (Wallengren,1857)** (Lycaenidae) Synonym(s): *dermaptera Wallengren,1857; #clermaptera Butler,[2001].* Range (in code): **ZA Ec Nta SZ Tva Spb Lj MZ ZW MW TZ KE** Bionomy: Larva on Ficus (Moraceae) (Ackery et al.,1995).
- 14636. Myrina dermaptera dermaptera (Wallengren,1857)** (Lycaenidae) Synonym(s): *dermaptera Wallengren,1857; #clermaptera Butler,[2001].* Range (in code): **ZA Ec Nta SZ Tva Spb Lj MZ**
- 14637. Myrina dermaptera nyassae Talbot,1935** (Lycaenidae) Synonym(s): *nyassae Talbot,1935* Range (in code): **ZW MW TZ KE**
- 14638. Myrina sharpei Bethune-Baker,1906** (Lycaenidae) Synonym(s): *sharpei Bethune-Baker,1906* Range (in code): **ZR CG KE UG** Bionomy: Larva on Ficus (Moraceae) (Ackery et al.,1995).
- 14639. Myrina sharpei fontainei Stempffer,1961** (Lycaenidae) Synonym(s): *fontainei Stempffer,1961* Range (in code): **ZR**
- 14640. Myrina sharpei sharpei Bethune-Baker,1906** (Lycaenidae) Synonym(s): *sharpei Bethune-Baker,1906* Range (in code): **CG KE UG**

- 14641. *Myrina silenus* (Fabricius,1775)** (Lycaenidae) Synonym(s): *silenus* Fabricius,1775
Original Reference: Papilio silenus Fabricius,1775, Syst. Ent.: 531. Type(s): Sierra Leon Africae.
Range (in code): **ZR Ad AO As Dh ET GN Hd KE OM SA Bhh SD SL TD UG YE ZA Wca Nca Ec Kny Grh Kwi Tva Lpo Spb Lj Kru K12 Pma Kzu Nta Ptb Gau Pre Jh Gau Wv Ly Suw Wri Bfk Mpu Brb**
Bionomy: Larva on Ficus (Moraceae) (Ackery et al.,1995).
- 14642. *Myrina silenus ficedula* Trimen,1879** (Lycaenidae) Synonym(s): *ficedula* Trimen,1879
Original Reference: Myrina ficedula Trimen,1879, Trans. ent. Soc. London 1879 (4): 340-342.
Syntypes: South Africa: Cape Colony, Knysna Grahamstown, King William's Town Fort Warden, Kei River; Kafirland: Bashee R., Natal: Durban; Transvaal: Leydenburg. Range (in code): **ZA Wca Nca Ec Kny Grh Kwi Tva Lpo Spb Lj Kru K12 Pma Kzu Nta Ptb Gau Pre Jh Gau Wv Ly Suw Wri Bfk Mpu Brb**
- 14643. *Myrina silenus nzoiae* D'Abrera,1980** (Lycaenidae) Synonym(s): *nzoiae* Stoneham,1937; *nzoiae* D'Abrera,1980. Original Reference: Myrina silenus ssp. nzoiae D'Abrera,1980, Butterflies Afrotropical Region: 473. [treated as a subspecies; therefore nomenclaturally available]. Range (in code): **Ad As Dh ET Hd KE OM SA YE**
- 14644. *Myrina silenus penningtoni* Dickson & Stephen,1971** (Lycaenidae) Synonym(s): *penningtoni* Dickson & Stephen,1971. Range (in code): **ZA Wca**
- 14645. *Myrina silenus silenus* (Fabricius,1775)** (Lycaenidae) Synonym(s): *silenus* Fabricius,1775
Original Reference: Papilio silenus Fabricius,1775, Syst. Ent.: 531. Type(s): Sierra Leon Africae.
Range (in code): **AO GN SD SL TD UG ZR**
- 14646. *Myrina subornata* Lathy,1903** (Lycaenidae) Synonym(s): *subornata* Lathy,1903 Range (in code): **CM NG BF GH KE SD UG** Bionomy: Larva on Ficus (Moraceae) (Ackery et al.,1995).
- 14647. *Myrina subornata kacheleba* D'Abrera,1980** (Lycaenidae) Synonym(s): *kacheleba* D'Abrera,1980 Range (in code): **KE**
- 14648. *Myrina subornata nuba* Talbot,1935** (Lycaenidae) Synonym(s): *nuba* Talbot,1935
Range (in code): **SD UG**
- 14649. *Myrina subornata subornata* Lathy,1903** (Lycaenidae) Synonym(s): *subornata* Lathy,1903 Range (in code): **CM NG BF GH**
- 14650. *Nacaduba angusta* (Druce,1873)** (Lycaenidae) Synonym(s): *angusta* Druce,1873; *hondai* Hayashi,1977 Range (in code): **MM Krh ID Sum PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic MY Lkw TH Chy Cbi Nrt Rag Tng Nst CMA**
- 14651. *Nacaduba angusta albida* Riley & Godfrey,1925** (Lycaenidae) Synonym(s): *albida* Riley & Godfrey,1925 Range (in code): **MM TH CMA Cbi Nst**
- 14652. *Nacaduba angusta angusta* (Druce,1873)** (Lycaenidae) Synonym(s): *angusta* Druce,1873; *hondai* Hayashi,1977 Range (in code): **PH Pal**
- 14653. *Nacaduba angusta kerriana* Distant,1886** (Lycaenidae) Synonym(s): *kerriana* Distant,1886 Range (in code): **MM Krh ID Sum MY Lkw TH Chy Cbi Nrt Rag Tng**
- 14654. *Nacaduba angusta limbura* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *limbura* Fruhstorfer,1916 Range (in code): **PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 14655. *Nacaduba berenice* (Herrich-Schäffer,1869)** (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer,1869 Range (in code): **LK VN TH Tuo Tng Yal Cbi CMA CDo Knc Nna Nrt MY Lkw PH Bas Ley Luz Mno Neg Pal Taw**
- 14656. *Nacaduba berenice aphyra* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *aphyra* Fruhstorfer,1916 Range (in code): **VN TH Cbi CMA CDo Knc Nna Nrt**
- 14657. *Nacaduba berenice berenice* (Herrich-Schäffer,1869)** (Lycaenidae) Synonym(s): *berenice* Herrich-Schäffer,1869
- 14658. *Nacaduba berenice icena* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *icena* Fruhstorfer,1916 Range (in code): **TH Tuo Tng Yal MY Lkw**
- 14659. *Nacaduba berenice zygida* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *zygida* Fruhstorfer,1916 Range (in code): **PH Bas Ley Luz Mno Neg Pal Taw**
- 14660. *Nacaduba beroe* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder,[1865] Range (in code): **LK IN MM TH Cbi CMA CDo CRa Nna Nrt Nst VN MY Lkw PH Ley Luz Mar Mno Neg Pal**
- 14661. *Nacaduba beroe beroe* (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *beroe* C.Felder & R.Felder,[1865] Range (in code): **PH Ley Luz Mar Mno Neg Pal**

- 14662. *Nacaduba beroe gythion* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *gythion* Fruhstorfer, 1916 _ Range (in code): IN MM TH Cbi CMa CDo CRa Nna Nrt VN
- 14663. *Nacaduba beroe neon* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *neon* Fruhstorfer, 1916 _ Range (in code): MY Lkw TH Nst
- 14664. *Nacaduba calauria* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *calauria* C.Felder, 1860 _ Range (in code): SG TH Yal Nst MY Lkw
- 14665. *Nacaduba calauria calauria* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *calauria* C.Felder, 1860
- 14666. *Nacaduba calauria malayica* Corbet, 1938** (Lycaenidae) Synonym(s): *malayica* Corbet, 1938 _ Range (in code): SG TH Yal Nst MY Lkw
- 14667. *Nacaduba dana* De Nicéville, 1883** (Lycaenidae) Synonym(s): *dana* De Nicéville, 1883 _ Range (in code): IN Hp Kma SI BT Nl Bd Cta MM Tns
- 14668. *Nacaduba hermus* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *hermus* C.Felder, 1860 _ Range (in code): LK IN Ass MM TH CMa Chy Nrt Rng Sgk Yal SG MY Lkw PH Bas Mar Mno ID Amb
- 14669. *Nacaduba hermus hermus* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *hermus* C.Felder, 1860 _ Range (in code): ID Amb
- 14670. *Nacaduba hermus swatipa* Corbet, 1938** (Lycaenidae) Synonym(s): *swatipa* Corbet, 1938 _ Range (in code): IN Ass MM TH CMa Chy Nrt Rng Sgk Yal SG MY Lkw
- 14671. *Nacaduba hermus tairea* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *tairea* Fruhstorfer, 1916 _ Range (in code): PH Bas Mar Mno
- 14672. *Nacaduba kirtoni* Eliot, 1984** (Lycaenidae) Synonym(s): *kirtoni* Eliot, 1984 _ Range (in code): MY
- 14673. *Nacaduba kirtoni kirtoni* Eliot, 1984** (Lycaenidae) Synonym(s): *kirtoni* Eliot, 1984 _ Range (in code): MY
- 14674. *Nacaduba kurava* (Moore, [1858])** (Lycaenidae) Synonym(s): *kurava* Moore, [1858] _ Range (in code): LK IN Ker Goa Mys Mh SI NP MM Sdm Nk VN TH CMa Dst Qs Cuo Cuo9 Cbi Nrt Nna Phu Rng Tng Tuo MY Lkw PH Luz Mar Mno Neg Pal
- 14675. *Nacaduba kurava canaraica* Toxopeus, 1927** (Lycaenidae) Synonym(s): *canaraica* Toxopeus, 1927 _ Range (in code): IN Ker Goa Mys Mh
- 14676. *Nacaduba kurava euplea* Fruhstorfer, 1915** (Lycaenidae) Synonym(s): *euplea* Fruhstorfer, 1915 _ Range (in code): IN SI NP MM Sdm Nk VN TH CMa Dst Qs Cuo Cuo9 Cbi Nrt
- 14677. *Nacaduba kurava fujiokai* Hayashi, 1976** (Lycaenidae) Synonym(s): *fujiokai* Hayashi, 1976 _ Range (in code): PH Luz Mar Mno Neg Pal
- 14678. *Nacaduba kurava kurava* (Moore, [1858])** (Lycaenidae) Synonym(s): *kurava* Moore, [1858]
- 14679. *Nacaduba kurava nemana* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *nemana* Fruhstorfer, 1916 _ Range (in code): TH CMa Nrt Nna Phu Rng Tng Tuo MY Lkw
- 14680. *Nacaduba ollyetti* Corbet, 1947** (Lycaenidae) Synonym(s): *ollyetti* Corbet, 1947 _ Original Reference: *Nacaduba ollyetti* Corbet, 1947, Proc. R. ent. Soc. London (B) 16: 1. Range (in code): LK
- 14681. *Nacaduba pactolus* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *pactolus* C.Felder, 1860 _ Range (in code): LK IN SI MM VN TH Cbi CMa Dst Nrt Tak Nst MY PH Bas Boh Luz Mno Pao Pal Sam Taw ID Amb
- 14682. *Nacaduba pactolus continentalis* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *continentalis* Fruhstorfer, 1916 _ Range (in code): IN SI MM VN TH Cbi CMa Dst Nrt TAK
- 14683. *Nacaduba pactolus neaira* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *neaira* Fruhstorfer, 1916 _ Range (in code): PH Bas Boh Luz Mno Pao Pal Sam Taw
- 14684. *Nacaduba pactolus odons* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *odons* Fruhstorfer, 1916 _ Range (in code): MY TH Cbi Nst
- 14685. *Nacaduba pactolus pactolus* (C.Felder, 1860)** (Lycaenidae) Synonym(s): *pactolus* C.Felder, 1860 _ Range (in code): ID Amb
- 14686. *Nacaduba pavana* (Horsfield, [1828])** (Lycaenidae) Synonym(s): *pavana* Horsfield, [1828] _ Range (in code): IN SI MM TH Knc Cbi Nst Ths Sya MY Lkw SG
- 14687. *Nacaduba pavana asaga* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *asaga* Fruhstorfer, 1916 _ Range (in code): PH Pal
- 14688. *Nacaduba pavana georgi* Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *georgi* Fruhstorfer, 1916 _ Range (in code): PH Ley Mno Sib

- 14689. *Nacaduba pavana singapura* Corbet,1938** (Lycaenidae) **Synonym(s):** *singapura* Corbet,1938 **_ Range (in code):** **MY SG TH Nst Ths Sya**
- 14690. *Nacaduba pavana vajuva* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *vajuva* Fruhstorfer,1916 **_ Range (in code):** **IN SI MM TH Knc Cbi MY Lkw**
- 14691. *Nacaduba pendleburyi* Corbet,1938** (Lycaenidae) **Synonym(s):** *pendleburyi* Corbet,1938 **_ Range (in code):** **MY**
- 14692. *Nacaduba pendleburyi penangensis* Tite,1963** (Lycaenidae) **Synonym(s):** *penangensis* Tite,1963 **_ Range (in code):** **MY**
- 14693. *Nacaduba pendleburyi pendleburyi* Corbet,1938** (Lycaenidae) **Synonym(s):** *pendleburyi* Corbet,1938 **_ Range (in code):** **MY**
- 14694. *Nacaduba plumbeomicans* Wood-Mason & De Nicéville,1880** (Lycaenidae) **Synonym(s):** *plumbeomicans* Wood-Mason & De Nicéville,1880; *nicobarica* Wood-Mason & De Nicéville,1881 **_ Range (in code):** **IN Adm Nk MM Mrg Tns Ass BD Cta**
- 14695. *Nacaduba russelli* Tite,1963** (Lycaenidae) **Synonym(s):** *russelli* Tite,1963 **_ Range (in code):** **MY SG**
- 14696. *Nacaduba russelli russelli* Tite,1963** (Lycaenidae) **Synonym(s):** *russelli* Tite,1963 **_ Range (in code):** **MY SG**
- 14697. *Nacaduba sanaya* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *sanaya* Fruhstorfer,1916 **_ Range (in code):** **IN Ass Nk MM TH Nst Phu Rng Tng SG MY Lkw PH Ceb Ley Luz Mno Taw**
- 14698. *Nacaduba sanaya elioti* Corbet,1938** (Lycaenidae) **Synonym(s):** *elioti* Corbet,1938 **_ Range (in code):** **IN Ass Nk MM TH Nst Phu Rng Tng SG MY Lkw PH Taw**
- 14699. *Nacaduba sanaya metallica* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *metallica* Fruhstorfer,1916 **_ Range (in code):** **PH Ceb Ley Luz Mno**
- 14700. *Nacaduba sanaya sanaya* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *sanaya* Fruhstorfer,1916
- 14701. *Nacaduba sericina* (C.Felder & R.Felder,[1865])** (Lycaenidae) **Synonym(s):** *sericina* C.Felder & R.Felder,[1865] **_ Range (in code):** **PH Bab Ley Luz Mar Mas Mdo Neg Pan Pol Sam Sib Pal Bas Bon Mno Sga Taw**
- 14702. *Nacaduba sericina palawana* Hayashi,1977** (Lycaenidae) **Synonym(s):** *palawana* Hayashi,1977 **_ Range (in code):** **PH Pal**
- 14703. *Nacaduba sericina sericina* (C.Felder & R.Felder,[1865])** (Lycaenidae) **Synonym(s):** *sericina* C.Felder & R.Felder,[1865] **_ Range (in code):** **PH Bab Ley Luz Mar Mas Mdo Neg Pan Pol Sam Sib**
- 14704. *Nacaduba sericina thaumus* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *thaumus* Fruhstorfer,1916 **_ Range (in code):** **PH Bas Bon Mno Sga Taw**
- 14705. *Nacaduba sinhala* Ormiston,1924** (Lycaenidae) **Synonym(s):** *sinhala* Ormiston,1924 **_ Original Reference:** *Nacaduba sinhala* Ormiston,1924, *Butterflies of Ceylon*: 53. **_ Range (in code):** **LK**
- 14706. *Nacaduba solta* Eliot,1955** (Lycaenidae) **Synonym(s):** *solta* Eliot,1955 **_ Range (in code):** **MY**
- 14707. *Nacaduba solta solta* Eliot,1955** (Lycaenidae) **Synonym(s):** *solta* Eliot,1955 **_ Range (in code):** **MY**
- 14708. *Nacaduba subperusia* (Snellen,1896)** (Lycaenidae) **Synonym(s):** *subperusia* Snellen,1896 **_ Range (in code):** **IN Ass MM Adm ID Sum TH Tng Nst Chw MY Lkw SG PH Jol Ley Luz Mar Mdo Mno Pal Sib Stu**
- 14709. *Nacaduba subperusia intricata* Corbet,1938** (Lycaenidae) **Synonym(s):** *intricata* Corbet,1938 **_ Range (in code):** **MY**
- 14710. *Nacaduba subperusia lysa* Fruhstorfer,1916** (Lycaenidae) **Synonym(s):** *lysa* Fruhstorfer,1916 **_ Range (in code):** **IN Ass MM Adm ID Sum TH Tng Nst Chw MY Lkw SG**
- 14711. *Nacaduba subperusia paska* Eliot,1955** (Lycaenidae) **Synonym(s):** *paska* Eliot,1955 **_ Range (in code):** **PH Jol Ley Luz Mar Mdo Mno Pal Sib Stu**
- 14712. *Nacaduba subperusia subperusia* (Snellen,1896)** (Lycaenidae) **Synonym(s):** *subperusia* Snellen,1896
- 14713. *Neaveia lamborni* Druce,1910** (Lycaenidae) **Synonym(s):** *lamborni* Druce,1910
- 14714. *Neaveia lamborni lamborni* Druce,1910** (Lycaenidae) **Synonym(s):** *lamborni* Druce,1910
- 14715. *Neaveia lamborni orientalis* Jackson,1962** (Lycaenidae) **Synonym(s):** *orientalis* Jackson,1962
- 14716. *Neocheritra amrita* (C.Felder & R.Felder,1860)** (Lycaenidae) **Synonym(s):** *amrita* C.Felder & R.Felder,1860; *paulina* Riley **_ Range (in code):** **SG MY TH Nst Chw Rng Krh MM**

- 14717. *Neocheritra amrita amrita* (C.Felder & R.Felder,1860)** (Lycaenidae) **Synonym(s):** *amrita* C.Felder & R.Felder,1860; *paulina* Riley **Range (in code):** **SG MY TH Nst Chw Rng Krh MM**
- 14718. *Neocheritra fabronia* (Hewitson,1878)** (Lycaenidae) **Synonym(s):** *fabronia* Hewitson,1878 **Range (in code):** **SI MM TH CMa Loe MY**
- 14719. *Neocheritra fabronia fabronia* (Hewitson,1878)** (Lycaenidae) **Synonym(s):** *fabronia* Hewitson,1878 **Range (in code):** **SI MM TH CMa Loe**
- 14720. *Neocheritra fabronia lina* (Eliot,1959)** (Lycaenidae) **Synonym(s):** *lina* Eliot,1959 **Range (in code):** **MY**
- 14721. *Neocheritra manata* Semper,1890** (Lycaenidae) **Synonym(s):** *manata* Semper,1890 **Range (in code):** **PH Apo Mno**
- 14722. *Neocheritra manata gertrudes* Schröder & Treadaway,1978** (Lycaenidae) **Synonym(s):** *gertrudes* Schröder & Treadaway,1978; *toshikoe* Hayashi,1978 **Range (in code):** **PH Mno Apo**
- 14723. *Neocheritra manata manata* Semper,1890** (Lycaenidae) **Synonym(s):** *manata* Semper,1890 **Range (in code):** **PH Mno**
- 14724. *Neopitola barombiensis* (Kirby,1890)** (Lycaenidae) **Synonym(s):** *barombiensis* Kirby,1890 **Range (in code):** **CM CG ZR UG**
- 14725. *Neolycaena (Rhymnaria) aeto* Zhdanko,[1996]** (Lycaenidae) **Synonym(s):** *aeto* Zhdanko,[1996] **Original Reference:** *Neolycaena aeto* Zhdanko,[1996], Selevinia 1: 73. Holotype ♂: Tadjikistan... **Range (in code):** **TJ** **Bionomy:** Larva on Caragana turkestanica (Zhdanko,2000).
- 14726. *Neolycaena (Rhymnaria) aeto aeto* Zhdanko,[1996]** (Lycaenidae) **Synonym(s):** *aeto* Zhdanko,[1996] **Original Reference:** *Neolycaena aeto* Zhdanko,[1996], Selevinia 1: 73. Holotype ♂: Tadjikistan... **Range (in code):** **TJ**
- 14727. *Neolycaena (Rhymnaria) carbonaria* (Groum-Grshimailo,1890)** (Lycaenidae) **Synonym(s):** *carbonaria* Groum-Grshimailo,1890 **Original Reference:** *Lycaena tengstroemi* var. *carbonaria* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 387-388, pl.viii fig.9. Syntypes ♂♀: Goultscha. **Range (in code):** **KK UZ**
- 14728. *Neolycaena (Rhymnaria) carbonaria carbonaria* (Groum-Grshimailo,1890)** (Lycaenidae) **Synonym(s):** *carbonaria* Groum-Grshimailo,1890 **Original Reference:** *Lycaena tengstroemi* var. *carbonaria* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 387-388, pl.viii fig.9. Syntypes ♂♀: Goultscha. **Range (in code):** **KK UZ**
- 14729. *Neolycaena (Rhymnaria) connae* Evans,1932** (Lycaenidae) **Synonym(s):** *connae* Evans,1932 **Original Reference:** *Neolycaena connae* Evans,1932, Identification Indian Butterflies (2): 247. Type(s): [Pakistan]: Baluchistan. **Range (in code):** **BI PK**
- 14730. *Neolycaena (Rhymnaria) connae connae* Evans,1932** (Lycaenidae) **Synonym(s):** *connae* Evans,1932 **Original Reference:** *Neolycaena connae* Evans,1932, Identification Indian Butterflies (2): 247. Type(s): [Pakistan]: Baluchistan. **Range (in code):** **BI PK**
- 14731. *Neolycaena (Rhymnaria) davidi* (Oberthür,1881)** (Lycaenidae) **Synonym(s):** *davidi* Oberthür,1881 **Original Reference:** *Lycaena tengstroemi* var. *davidi* Oberthür,1881, Etüd. Ent. 6(3): 13, pl.8 fig.1. Syntypes: Russia: Tura. **Range (in code):** **CN Gn MN Pkn RU Ts Tv** **Bionomy:** Larva on Caragana pygmaea, C. microphylla (Korshunov & Gorbunov, 1995).
- 14732. *Neolycaena (Rhymnaria) davidi davidi* (Oberthür,1881)** (Lycaenidae) **Synonym(s):** *davidi* Oberthür,1881 **Original Reference:** *Lycaena tengstroemi* var. *davidi* Oberthür,1881, Etüd. Ent. 6(3): 13, pl.8 fig.1. Syntypes: Russia: Tura. **Range (in code):** **MN RU Tv**
- 14733. *Neolycaena (Rhymnaria) davidi ssp.n.*** (Lycaenidae) **Synonym(s):** **Range (in code):** **CN Pkn**
- 14734. *Neolycaena (Rhymnaria) davidi tangutica* (Groum-Grshimailo,1890)** (Lycaenidae) **Synonym(s):** *tangutica* Groum-Grshimailo,1890 **Original Reference:** *Lycaena tengstroemi* var. *tangutica* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 452. Syntypes: [China: Qinghai: Amdo]: Dshachar Mt. **Range (in code):** **Amd CN Ts**
- 14735. *Neolycaena (Rhymnaria) eckweileri* Lukhtanov,1993** (Lycaenidae) **Synonym(s):** *eckweileri* Lukhtanov,1993 **Original Reference:** *Neolycaena eckweileri* Lukhtanov,1993, Atalanta 24: 65, figs. Holotype ♂: Kasachstan: Dschungarischer Alatau: Dshalanaschkol (175km E.Sharkent). **Range (in code):** **T-S Aa KG Tk Alk Aem DsA CN Ui** **Bionomy:** Larva on Onobrychis sp.? (Lukhtanov & Lukhtanov, 1994); Caragana aurantiaca (Zhdanko, 1997).

- 14736. *Neolycaena (Rhymnaria) eckweileri eckweileri* Lukhtanov,1993** (Lycaenidae)
Synonym(s): *eckweileri* Lukhtanov,1993 Original Reference: *Neolycaena eckweileri* Lukhtanov,1993, Atalanta 24: 65, figs. Holotype ♂: Kasachstan: Dschungarischer Alatau: Dshalanaschkol (175km E.Sharkent). Range (in code): **KG Tk Alk T-S DsA Aem CN Ui**
- 14737. *Neolycaena (Rhymnaria) eckweileri transiliensis* Lukhtanov,1993** (Lycaenidae)
Synonym(s): *transiliensis* Lukhtanov,1993 Original Reference: *Neolycaena eckweileri* ssp. *transiliensis* Lukhtanov,1993, Atalanta 24: 67, figs. Holotype ♂: Kasachstan: Transili-Alatau, Kaskelen. Range (in code): **TrA T-S Aa KG**
- 14738. *Neolycaena (Rhymnaria) falkovitshi* Zhdanko & Korshunov,1985** (Lycaenidae)
Synonym(s): *falkovitshi* Zhdanko & Korshunov,1985 Original Reference: *Neolycaena falkovitshi* Zhdanko & Korshunov,1985, [in] Korshunov, Pauki i nasekomye Sibiri: 61. Holotype ♂: Russia: [Kemerovo Gebiet: Myski, Kusnezki Alatau]: Gornaja Schorija. Range (in code): **RU At Bionomy**: Larva on Caragana frutex ? (Korshunov, 1985).
- 14739. *Neolycaena (Rhymnaria) falkovitshi falkovitshi* Zhdanko & Korshunov,1985** (Lycaenidae) Synonym(s): *falkovitshi* Zhdanko & Korshunov,1985 Original Reference: *Neolycaena falkovitshi* Zhdanko & Korshunov,1985, [in] Korshunov, Pauki i nasekomye Sibiri: 61. Holotype ♂: Russia: [Kemerovo Gebiet: Myski, Kusnezki Alatau]: Gornaja Schorija. Range (in code): **RU At**
- 14740. *Neolycaena (Rhymnaria) iliensis* (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *iliensis* Groum-Grshimailo,1890 Original Reference: *Lycaena tengstroemi* var. *iliensis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 452. Syntypes: [China]: Ili: Sujdun [Süydong]. Range (in code): **T-S CN Ii Sjd Khr KG Tk Ui Alk**
- 14741. *Neolycaena (Rhymnaria) iliensis iliensis* (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *iliensis* Groum-Grshimailo,1890 Original Reference: *Lycaena tengstroemi* var. *iliensis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 452. Syntypes: [China]: Ili: Sujdun [Süydong]. Range (in code): **CN Ii Sjd Khr T-S KG Tk Ui Alk**
- 14742. *Neolycaena (Rhymnaria) irkuta* Zhdanko,[1996]** (Lycaenidae) Synonym(s): *irkuta* Zhdanko,[1996] Original Reference: *Neolycaena irkuta* Zhdanko,[1996], Selevinia 1: 73. Holotype ♂: Russia: Irkut. Range (in code): **RU Irk Bionomy**: Larva on Caragana sp. ? (Zhdanko, 2000)
- 14743. *Neolycaena (Rhymnaria) irkuta irkuta* Zhdanko,[1996]** (Lycaenidae) Synonym(s): *irkuta* Zhdanko,[1996] Original Reference: *Neolycaena irkuta* Zhdanko,[1996], Selevinia 1: 73. Holotype ♂: Russia: Irkut. Range (in code): **RU Irk**
- 14744. *Neolycaena (Rhymnaria) kozlovi* Zhdanko,[1996]** (Lycaenidae) Synonym(s): *kozlovi* Zhdanko,[1996] Original Reference: *Neolycaena kozlovi* Zhdanko,[1996], Selevinia 2: 95. Holotype ♂: Mongolia: Gobi. Range (in code): **MN**
- 14745. *Neolycaena (Rhymnaria) kozlovi kozlovi* Zhdanko,[1996]** (Lycaenidae) Synonym(s): *kozlovi* Zhdanko,[1996] Original Reference: *Neolycaena kozlovi* Zhdanko,[1996], Selevinia 2: 95. Holotype ♂: Mongolia: Gobi. Range (in code): **MN**
- 14746. *Neolycaena (Rhymnaria) rhymnus* (Eversmann,1832)** (Lycaenidae) Synonym(s): *rhymnus* Eversmann,1832 *rufina* Lukhtanov,1994 Original Reference: *Lycaena rhymnus* Eversmann,1832, Nouv. Mém. Soc. nat. Moscou 2: 350, pl.19 figs.1,2. Lectotype ♂: Russia: Wolga Gebiet, Sergievsk (designated by Zhdanko, 1983, Ent Obozr. 62(1): 150). Range (in code): **Aq At Ba KG RU Ro Sj Ur Sm So Sr Uk VI Buc Nym Ktm Bkb Ssn Tar Sau Mn Gj CN Ui UA Cm Kkv Bionomy**: Larva on Caragana frutex (Zhdanko, 1997).
- 14747. *Neolycaena (Rhymnaria) rhymnus betpakdalensis* Zhdanko,1998** (Lycaenidae) Synonym(s): *betpakdalensis* Zhdanko,1998 Original Reference: *Neolycaena rhymnus* ssp. *betpakdalensis* Zhdanko,1998, Ent. Obozr. 77 (3): 645. Holotype ♂: Kazakhstan: Betpakdal. Range (in code): **KG**
- 14748. *Neolycaena (Rhymnaria) rhymnus rhymnus* (Eversmann,1832)** (Lycaenidae) Synonym(s): *rhymnus* Eversmann,1832 *rufina* Lukhtanov,1994 Original Reference: *Lycaena rhymnus* Eversmann,1832, Nouv. Mém. Soc. nat. Moscou 2: 350, pl.19 figs.1,2. Lectotype ♂: Russia: Wolga Gebiet, Sergievsk (designated by Zhdanko, 1983, Ent Obozr. 62(1): 150). Range (in code): **Aq At Ba BY KG RU Ro Sm So Sr UA Uk VI Buc Nym Ktm Bkb Ssn Tar Sau Mn Gj CN Ui UA Cm Kkv**
- 14749. *Neolycaena (Rhymnaria) rufina* Lukhtanov,1994** (Lycaenidae) Synonym(s): *rufina* Lukhtanov,1994 Original Reference: *Neolycaena rufina* Lukhtanov,1994, Atalanta 25 (1/2): 200-202, Taf. Holotype ♂: Kasachstan: Dshungarischer Alatau, Katutau-Gebirge, Koibyn-Tal, 60km W. Dsharkent, 1000m. Range (in code): **KG Tk DsA T-S**

- 14750. Neolycaena (Rhymnaria) rufina rufina Lukhtanov,1994** (Lycaenidae) Synonym(s): *rufina Lukhtanov,1994* Original Reference: Neolycaena rufina Lukhtanov,1994, Atalanta 25 (1/2): 200-202, Taf. Holotype ♂: Kasachstan: Dshungarischer Alatau, Katutau-Gebirge, Koibyn-Tal, 60km W. Dsharkent, 1000m. Range (in code): **T-S KG Tk DsA**
- 14751. Neolycaena (Rhymnaria) sajana Zhdanko,[1996]** (Lycaenidae) Synonym(s): *sajana Zhdanko,[1996]* Original Reference: Neolycaena sajana Zhdanko,[1996], Selevinia 2: 95. Holotype ♂: Russia: Sajan. Range (in code): **RU Sj** Bionomy: Larva on Caragana sp. (Zhdanko,2000).
- 14752. Neolycaena (Rhymnaria) sajana sajana Zhdanko,[1996]** (Lycaenidae) Synonym(s): *sajana Zhdanko,[1996]* Original Reference: Neolycaena sajana Zhdanko,[1996], Selevinia 2: 95. Holotype ♂: Russia: Sajan. Range (in code): **RU Sj**
- 14753. Neolycaena (Rhymnaria) soezen Seven,2014** (Lycaenidae) Synonym(s): *soezen Seven,2014* Original Reference: Neolycaena soezen Seven,2014, Shilap Revta lepid. 42 (166): 312-313, figs. Holotype ♂: Turkey, Eskişehir Prov., Günyüzü 780m 8 v 2014 leg. S.Seven. Range (in code): **TR** Bionomy: Larva on Caragana grandiflora (Fabaceae) (Seven,2014).
- 14754. Neolycaena (Rhymnaria) submontana Zhdanko,[1996]** (Lycaenidae) Synonym(s): *submontana Zhdanko,[1996]* Original Reference: Neolycaena submontana Zhdanko,[1996], Selevinia 1: 74. Holotype ♂: Kazakhstan: Almaty, Zailisky Alatau. Range (in code): **T-S KG Aa TrA Mn KK Sau Osh** Bionomy: Larva on Astragalus arbuscula (Fabaceae) (Zhdanko,1997).
- 14755. Neolycaena (Rhymnaria) submontana oschi Zhdanko,1998** (Lycaenidae) Synonym(s): *oschi Zhdanko,1998* Original Reference: Neolycaena submontana ssp. oschi Zhdanko,1998, Ent. Obozr. 77 (3): 650. Holotype ♂: Kirgizistan: Osch. Range (in code): **T-S KK Osh**
- 14756. Neolycaena (Rhymnaria) submontana saurica Zhdanko,1998** (Lycaenidae) Synonym(s): *saurica Zhdanko,1998* Original Reference: Neolycaena submontana ssp. saurica Zhdanko,1998, Ent. Obozr. 77 (3): 650. Holotype ♂: Kazakhstan: Tarbagatai, Saur Mts. Range (in code): **KG Sau Mn**
- 14757. Neolycaena (Rhymnaria) submontana submontana Zhdanko,[1996]** (Lycaenidae) Synonym(s): *submontana Zhdanko,[1996]* Original Reference: Neolycaena submontana Zhdanko,[1996], Selevinia 1: 74. Holotype ♂: Kazakhstan: Almaty, Zailisky Alatau. Range (in code): **T-S KG Aa TrA**
- 14758. Neolycaena (Rhymnaria) tengstroemi (Erschoff,1874)** (Lycaenidae) Synonym(s): *tengstroemi Erschoff,1874* Original Reference: Lycaena tengstroemi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 11, Taf.1 fig.8. Syntypes: [Kasachstan]: in der Kisilkum Wüste, am Syr-Darja. Range (in code): **T-S KG At Nym Ktm Bkb Mrk Sau SdA Ket Bog KuA TrA Ax Syr Tm KK Mg DsA CN Ui Kml** Bionomy: Larva on Caragana grandiflora, Astragalus paucijugus (Lukhtanov & Lukhtanov, 1994; Zhdanko, 1997).
- 14759. Neolycaena (Rhymnaria) tengstroemi balchaschensis Zhdanko,1998** (Lycaenidae) Synonym(s): *balchaschensis Zhdanko,1998* Original Reference: Neolycaena tengstroemi ssp. balchaschensis Zhdanko,1998, Ent. Obozr. 77 (3): 648-649. Holotype ♂: Kazakhstan: Balchasch. Range (in code): **KG**
- 14760. Neolycaena (Rhymnaria) tengstroemi kasakhstana Lukhtanov,1990** (Lycaenidae) Synonym(s): *kasakhstana Lukhtanov,1990* Original Reference: Neolycaena tengstroemi ssp.kasakhstana Lukhtanov,1990, Vestn. zool. 1990 (6): 19-21, figs. Holotype ♂: West Kasachstan: Mangyshlak peninsula, Shetpe, 300m. Range (in code): **KG Mg**
- 14761. Neolycaena (Rhymnaria) tengstroemi tengstroemi (Erschoff,1874)** (Lycaenidae) Synonym(s): *tengstroemi Erschoff,1874* Original Reference: Lycaena tengstroemi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 11, Taf.1 fig.8. Syntypes: [Kasachstan]: in der Kisilkum Wüste, am Syr-Darja. Range (in code): **T-S KG At Nym Ktm Bkb Mrk Sau SdA Ket Bog KuA TrA Ax Syr Tm KK DsA**
- 14762. Neolycaena (s.str.) lunara Zhdanko,1998** (Lycaenidae) Synonym(s): *lunara Zhdanko,1998* Original Reference: Neolycaena lunara Zhdanko,1998, Zool. Zh. 77 (2): 198-199, figs. 1,5; 2,3. Holotype ♂: Tadjikistan. Range (in code): **TJ** Bionomy: Larva on Caragana turkestanica ? (Zhdanko,2000).
- 14763. Neolycaena (s.str.) lunara lunara Zhdanko,1998** (Lycaenidae) Synonym(s): *lunara Zhdanko,1998* Original Reference: Neolycaena lunara Zhdanko,1998, Zool. Zh. 77 (2): 198-199, figs. 1,5; 2,3. Holotype ♂: Tadjikistan. Range (in code): **TJ**

- 14764. *Neolycaena* (s.str.) *medea* Zhdanko,1998** (Lycaenidae) Synonym(s): *medea* Zhdanko,1998 Original Reference: *Neolycaena medea* Zhdanko,1998, Zool. Zh. 77 (2): 196-198, figs. 1,6; 2,1. Holotype ♂: Kirgizistan: Terskey Alatau.Tamga, 2500m. Range (in code): **T-S KK TeA Na** Bionomy: Larva on Caragana sp. (Zhdanko,2000).
- 14765. *Neolycaena* (s.str.) *medea medea* Zhdanko,1998** (Lycaenidae) Synonym(s): *medea* Zhdanko,1998 Original Reference: *Neolycaena medea* Zhdanko,1998, Zool. Zh. 77 (2): 196-198, figs. 1,6; 2,1. Holotype ♂: Kirgizistan: Terskey Alatau.Tamga, 2500m. Range (in code): **T-S KK TeA Na**
- 14766. *Neolycaena* (s.str.) *musa* Zhdanko & Yakovlev,2001** (Lycaenidae) Synonym(s): *musa* Zhdanko & Yakovlev,2001 Range (in code): **MN**
- 14767. *Neolycaena* (s.str.) *musa musa* Zhdanko & Yakovlev,2001** (Lycaenidae) Synonym(s): *musa* Zhdanko & Yakovlev,2001 Range (in code): **MN**
- 14768. *Neolycaena* (s.str.) *olga* Lukhtanov,1999** (Lycaenidae) Synonym(s): *olga* Lukhtanov,1999 Original Reference: *Neolycaena* (s.str.) *olga* Lukhtanov,1999, Atalanta 30 (1/4): 131-133, Taf. ixb, Abb.1-6. Holotype ♂: Kirgisien: Tienschan: Suusamyр-Kette, Kysyloi 30km W. Tschaek, 1800m. (ZISP). Range (in code): **KK Sus T-S** Bionomy: Larva on Caragana sp. (Zhdanko,2000).
- 14769. *Neolycaena* (s.str.) *olga olga* Lukhtanov,1999** (Lycaenidae) Synonym(s): *olga* Lukhtanov,1999 Original Reference: *Neolycaena* (s.str.) *olga* Lukhtanov,1999, Atalanta 30 (1/4): 131-133, Taf. ixb, Abb.1-6. Holotype ♂: Kirgisien: Tienschan: Suusamyр-Kette, Kysyloi 30km W. Tschaek, 1800m. (ZISP). Range (in code): **KK Sus T-S**
- 14770. *Neolycaena* (s.str.) *pretiosa* (Lang,1884)** (Lycaenidae) Synonym(s): *pretiosa* Lang,1884; *pretiosa* Staudinger,1886 Original Reference: *Lycaena pretiosa* Lang,1884, Rhopalocera europa descripta delineata 1: 370. Type(s): [Uzbekistan]: Margelan. Range (in code): **KK? UZ** Bionomy: Larva on Caragana turkestanica (Zhdanko, 1997).
- 14771. *Neolycaena* (s.str.) *pretiosa pretiosa* (Lang,1884)** (Lycaenidae) Synonym(s): *pretiosa* Lang,1884; *pretiosa* Staudinger,1886 Original Reference: *Lycaena pretiosa* Lang,1884, Rhopalocera europa descripta delineata 1: 370. Type(s): [Uzbekistan]: Margelan. Range (in code): **KK? UZ**
- 14772. *Neolycaena* (s.str.) *sinensis* (Alpheraky,1881)** (Lycaenidae) Synonym(s): *sinensis* Alpheraky,1881; *yiliensis* Huang & Murayama,1992. Original Reference: *Lycaena sinensis* Alpheraky,1881, Horae Soc. ent. ross. 16: 383, pl.14 fig.7. Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): **CN KK Ku T-S Ui Aem DsA Ket TeA KuA KG Um** Bionomy: Larva on Caragana aurantiaca (Zhdanko, 1997).
- 14773. *Neolycaena* (s.str.) *sinensis sinensis* (Alpheraky,1881)** (Lycaenidae) Synonym(s): *sinensis* Alpheraky,1881; *yiliensis* Huang & Murayama,1992. Original Reference: *Lycaena sinensis* Alpheraky,1881, Horae Soc. ent. ross. 16: 383, pl.14 fig.7. Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): **CN KK Ku T-S Ui Aem DsA Ket TeA KuA KG Um**
- 14774. *Neomyrina nivea* (Godman & Salvin,1878)** (Lycaenidae) Synonym(s): *nivea* Godman & Salvin,1878 Range (in code): **MY Lkw MM TH Cbi CMa Cuo Cuo1 Cuo2 Cuo9 Cuo10 Uth Rng**
- 14775. *Neomyrina nivea hiemalis* (Godman & Salvin,1878)** (Lycaenidae) Synonym(s): *hiemalis* Godman & Salvin,1878 Range (in code): **MY Lkw TH Cbi CMa Cuo Cuo1 Cuo2 Cuo9 Cuo10 Uth**
- 14776. *Neomyrina nivea nivea* (Godman & Salvin,1878)** (Lycaenidae) Synonym(s): *nivea* Godman & Salvin,1878
- 14777. *Neomyrina nivea periculosa* Fruhstorfer,1913** (Lycaenidae) Synonym(s): *periculosa* Fruhstorfer,1913 Range (in code): **MY TH Rng**
- 14778. *Neopithecops iolanthe* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *iolanthe* Eliot & Kawazoe,1984 Range (in code): **PH Boh**
- 14779. *Neopithecops iolanthe boholicus* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *boholicus* Eliot & Kawazoe,1984 Range (in code): **PH Boh**
- 14780. *Neopithecops iolanthe iolanthe* Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *iolanthe* Eliot & Kawazoe,1984
- 14781. *Neopithecops lucifer* (Röber,1886)** (Lycaenidae) Synonym(s): *lucifer* Röber,1886
- 14782. *Neopithecops lucifer heria* (Fruhstorfer,1919)** (Lycaenidae) Synonym(s): *heria* Fruhstorfer,1919
- 14783. *Neopithecops lucifer lucifer* (Röber,1886)** (Lycaenidae) Synonym(s): *lucifer* Röber,1886

- 14784. *Neopithecops lucifer parumbretta* Eliot & Kawazoe, 1984** (Lycaenidae)
Synonym(s): *parumbretta* Eliot & Kawazoe, 1984
- 14785. *Neopithecops sumbanus* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *sumbanus* Eliot & Kawazoe, 1984
- 14786. *Neopithecops sumbanus orientalis* Eliot & Kawazoe, 1984** (Lycaenidae)
Synonym(s): *orientalis* Eliot & Kawazoe, 1984
- 14787. *Neopithecops sumbanus sumbanus* Eliot & Kawazoe, 1984** (Lycaenidae)
Synonym(s): *sumbanus* Eliot & Kawazoe, 1984
- 14788. *Neopithecops umbretta* Grose-Smith, 1895** (Lycaenidae) Synonym(s): *umbretta* Grose-Smith, 1895
- 14789. *Neopithecops umbretta dorothea* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *dorothea* Eliot & Kawazoe, 1984
- 14790. *Neopithecops umbretta obianus* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *obianus* Eliot & Kawazoe, 1984
- 14791. *Neopithecops umbretta tituria* (Fruhstorfer, 1919)** (Lycaenidae) Synonym(s): *tituria* Fruhstorfer, 1919
- 14792. *Neopithecops umbretta umbretta* Grose-Smith, 1895** (Lycaenidae) Synonym(s): *umbretta* Grose-Smith, 1895
- 14793. *Neopithecops zalmora* (Butler, 1870)** (Lycaenidae) Synonym(s): *zalmora* Butler, 1870; *nihana* Moore, 1878; *horsfieldi* Distant, 1884; *dolona* Fruhstorfer, 1919; *fedora* Fruhstorfer, 1919; *colutha* Fruhstorfer, 1919; *batuanus* Riley, 1944. Original Reference: *Pithecops zalmora* Butler, 1870, Cat. diurn. Lep. Fabricius: 161. Range (in code): **LK IN Adm MM TH CMa Chy Nna Rng Sat Tng Nst Chw Ths KH LA VN CN TW MY ID Sum Nia Nag PH Ceb Ley Luz Pal Taw**
- 14794. *Neopithecops zalmora andamanus* Eliot & Kawazoe, 1984** (Lycaenidae)
Synonym(s): *andamanus* Eliot & Kawazoe, 1984 Original Reference: *Neopithecops zalmora* ssp. *andamanus* Eliot & Kawazoe, 1983, Blue Butts Lycaenopsis Group: 45, figs. Holotype ♂: Andaman Is.: S. Andaman I. (M.L. Ferrar coll.) (BMNH). Range (in code): **IN Adm**
- 14795. *Neopithecops zalmora dharma* (Moore, 1881)** (Lycaenidae) Synonym(s): *dharma* Moore, 1881; *gaura* Moore, 1884; *todara* Fruhstorfer, 1922. Original Reference: *Pithecops dharma* Moore, 1881, Lepid. Ceylon 1: 72, pl. 34 fig. 4. Type ♀: [Sri Lanka]: Ceylon (BMNH). Range (in code): **IN LK**
- 14796. *Neopithecops zalmora indigeta* (Fruhstorfer, 1919)** (Lycaenidae) Synonym(s): *indigeta* Fruhstorfer, 1919
- 14797. *Neopithecops zalmora pertimidis* Toxopeus, 1930** (Lycaenidae) Synonym(s): *pertimidis* Toxopeus, 1930 Original Reference: *Neopithecops pertimidis* Toxopeus, 1930, De soort als Functie van Plaatsen Tidj...: 106. Holotype ♂: Borneo. Range (in code): **Bor**
- 14798. *Neopithecops zalmora zalmora* (Butler, 1870)** (Lycaenidae) Synonym(s): *zalmora* Butler, 1870; *nihana* Moore, 1878; *horsfieldi* Distant, 1884; *dolona* Fruhstorfer, 1919; *fedora* Fruhstorfer, 1919; *colutha* Fruhstorfer, 1919; *batuanus* Riley, 1944. Original Reference: *Pithecops zalmora* Butler, 1870, Cat. diurn. Lep. Fabricius: 161. Range (in code): **IN MM TH CMa Chy Nna Rng Sat Tng Nst Chw Ths KH LA VN CN TW MY ID Sum Nia Bor Nag PH Ceb Ley Luz Pal Taw**
- 14799. *Neozephyrus brillantinus* (Staudinger, 1887)** (Lycaenidae) Synonym(s): *brillantinus* Staudinger, 1887 Range (in code): **RU Vv**
- 14800. *Neozephyrus brillantinus brillantinus* (Staudinger, 1887)** (Lycaenidae)
Synonym(s): *brillantinus* Staudinger, 1887 Range (in code): **RU Vv**
- 14801. *Neozephyrus coruscans* (Leach, 1893)** (Lycaenidae) Synonym(s): *coruscans* Leach, 1893 Range (in code): **CN TW**
- 14802. *Neozephyrus coruscans coruscans* (Leach, 1893)** (Lycaenidae) Synonym(s): *coruscans* Leach, 1893 Range (in code): **CN**
- 14803. *Neozephyrus coruscans takasagoensis* (Nire, 1920)** (Lycaenidae) Synonym(s): *takasagoensis* Nire, 1920; *tattakana* Matsumura, 1929 Range (in code): **TW**
- 14804. *Neozephyrus helenae* Howarth, 1957** (Lycaenidae) Synonym(s): *helenae* Howarth, 1957 Range (in code): **CN**
- 14805. *Neozephyrus japonicus* (Murray, 1875)** (Lycaenidae) Synonym(s): *japonica* Murray, 1875 Original Reference: *Dipsas japonica* Murray, 1875, Entomologist's mon. Mag. 11: 169. Syntypes ♂♀: Japonia. Range (in code): **JP RU Am Vv TW**
- 14806. *Neozephyrus japonicus japonicus* (Murray, 1875)** (Lycaenidae) Synonym(s): *japonica* Murray, 1875 Original Reference: *Dipsas japonica* Murray, 1875, Entomologist's mon. Mag. 11: 169. Syntypes ♂♀: Japonia. Range (in code): **JP RU Am Vv TW**

- 14807. Neozephyrus lethus (Watson,1897)** (Lycaenidae) Synonym(s): *letha* Watson,1897
Range (in code): **MM Chn**
- 14808. Neozephyrus taiwanus (Wileman,1908)** (Lycaenidae) Synonym(s): *taiwanus* Wileman,1908; *taiheizana* Nomura,1931 _ Range (in code): **TW**
- 14809. Neozephyrus taxilus (Bremer,1861)** (Lycaenidae) Synonym(s): *taxila* Bremer,1861; *sidemina* Kardakoff,1928; *koreana* N.D.Riley,1939; *kawamotoi* Murayama,1956 Original Reference: Thecla *taxila* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur. Range (in code): **RU Sh Am Vv Us KP KR JP**
- 14810. Neozephyrus taxilus monticola Shirozu,1952** (Lycaenidae) Synonym(s): *monticola* Shirozu,1952 _ Range (in code): **JP**
- 14811. Neozephyrus taxilus sachalinensis (Matsumura,1928)** (Lycaenidae) Synonym(s): *sachalinensis* Matsumura,1928 _ Range (in code): **RU Sh**
- 14812. Neozephyrus taxilus taxilus (Bremer,1861)** (Lycaenidae) Synonym(s): *taxila* Bremer,1861; *sidemina* Kardakoff,1928; *koreana* N.D.Riley,1939; *kawamotoi* Murayama,1956 Original Reference: Thecla *taxila* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. 3: 470. Type(s): Russia: Amur. Range (in code): **RU Am Vv Us KP KR**
- 14813. Neurellipes aequatorialis (Stempffer,1962)** (Lycaenidae) Synonym(s): *aequatorialis* Stempffer,1962 _ Range (in code): **ZR**
- 14814. Neurellipes chryseostictus Bethune-Baker,1910** (Lycaenidae) Synonym(s): *chryseostictus* Bethune-Baker,1910 _ Range (in code): **SL NG CM CG ZR UG**
- 14815. Neurellipes fulvus (Stempffer,1962)** (Lycaenidae) Synonym(s): *fulvus* Stempffer,1962
Range (in code): **CI GH NG CM**
- 14816. Neurellipes gemmifera (Neave,1910)** (Lycaenidae) Synonym(s): *gemmifera* Neave,1910; *pluricauda* Ungemach,1932 _ Range (in code): **ET UG KE ZM**
- 14817. Neurellipes likouala (Stempffer,1962)** (Lycaenidae) Synonym(s): *likouala* Stempffer,1962
Range (in code): **CG ZR**
- 14818. Neurellipes lusones (Hewitson,1874)** (Lycaenidae) Synonym(s): *lusones* Hewitson,1874; *fulvimacula* Mabilie,1890 _ Range (in code): **GA GN CI SL AO ZR UG**
- 14819. Neurellipes meander (Plötz,1880)** (Lycaenidae) Synonym(s): *meander* Plötz,1880
Range (in code): **GA CM**
- 14820. Neurellipes staudingeri (Grose-Smith & Kirby,1894)** (Lycaenidae) Synonym(s): *staudingeri* Grose-Smith & Kirby,1894 _ Range (in code): **SL GA ZR UG KE TZ**
- 14821. Neurellipes staudingeri obsoleta Stempffer,1947** (Lycaenidae) Synonym(s): *obsoleta* Stempffer,1947 _ Range (in code): **KE**
- 14822. Neurellipes staudingeri staudingeri (Grose-Smith & Kirby,1894)** (Lycaenidae) Synonym(s): *staudingeri* Grose-Smith & Kirby,1894 _ Range (in code): **SL GA ZR UG TZ**
- 14823. Neurypexina kalinzu Stempffer,1950** (Lycaenidae) Synonym(s): *kalinzu* Stempffer,1950
Range (in code): **UG**
- 14824. Neurypexina lamprocles (Hewitson,1878)** (Lycaenidae) Synonym(s): *lamprocles* Hewitson,1878 _ Range (in code): **CI NG CM CG ZR**
- 14825. Neurypexina lyzanius (Hewitson,1874)** (Lycaenidae) Synonym(s): *lyzanius* Hewitson,1874; *regillus* Holland,1891; *turbatus* Grose-Smith & Kirby,1897 Original Reference: Lycaenesthes *lyzanius* Hewitson,1874, Entomologist's mon. Mag. 11: 36. Type ♀: "Old Calabar". Range (in code): **SL ZR AO NG Caa GA**
- 14826. Neurypexina quadricaudata (Bethune-Baker,1926)** (Lycaenidae) Synonym(s): *quadricaudata* Bethune-Baker,1926 _ Range (in code): **CM Bit UG**
- 14827. Niphanda asialis (De Nicéville,1895)** (Lycaenidae) Synonym(s): *asialis* De Nicéville,1895
Range (in code): **TH CMa CDo IN Ass MM MY**
- 14828. Niphanda asialis asialis (De Nicéville,1895)** (Lycaenidae) Synonym(s): *asialis* De Nicéville,1895
- 14829. Niphanda asialis marcia Fawcett,1904** (Lycaenidae) Synonym(s): *marcia* Fawcett,1904
Range (in code): **TH CMa CDo IN Ass MM MY**
- 14830. Niphanda cymbia (De Nicéville,1884)** (Lycaenidae) Synonym(s): *cymbia* De Nicéville,1884 _ Range (in code): **MY TH CMa Chy SI MM**
- 14831. Niphanda cymbia cymbia (De Nicéville,1884)** (Lycaenidae) Synonym(s): *cymbia* De Nicéville,1884 _ Range (in code): **MY TH CMa Chy SI MM**

- 14832. *Niphanda fusca* (Bremer & Grey,1852)** (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852 _ Range (in code): RU Vv Am
- 14833. *Niphanda fusca fusca* (Bremer & Grey,1852)** (Lycaenidae) Synonym(s): *fusca* Bremer & Grey,1852 _ Range (in code): RU Vv Am
- 14834. *Niphanda stubbsi* Howarth,1956** (Lycaenidae) Synonym(s): *stubbsi* Howarth,1956 Range (in code): MY
- 14835. *Niphanda stubbsi stubbsi* Howarth,1956** (Lycaenidae) Synonym(s): *stubbsi* Howarth,1956 _ Range (in code): MY
- 14836. *Niphanda tessellata* Moore,[1875]** (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886 _ Range (in code): PH Luz Mar Mno Sga TH CMa MY MM Shn
- 14837. *Niphanda tessellata aristarcha* Fruhstorfer,1919** (Lycaenidae) Synonym(s): *aristarcha* Fruhstorfer,1919 _ Range (in code): PH Luz Mar Mno Sga
- 14838. *Niphanda tessellata tessellata* Moore,[1875]** (Lycaenidae) Synonym(s): *tessellata* Moore,[1875]; *aethiops* Distant,1886 _ Range (in code): TH CMa MY MM Shn
- 14839. *Notarthrinus binghami* Chapman,1908** (Lycaenidae) Synonym(s): *binghami* Chapman,1908
- 14840. *Notarthrinus binghami binghami* Chapman,1908** (Lycaenidae) Synonym(s): *binghami* Chapman,1908
- 14841. *Oboronia albicosta* (Gaede,1916)** (Lycaenidae) Synonym(s): *albicosta* Gaede,1916 Range (in code): CM ZR UG
- 14842. *Oboronia bueronica* Karsch,1895** (Lycaenidae) Synonym(s): *bueronica* Karsch,1895 Range (in code): MZ MW TZ Tnga Usa Ani
- 14843. *Oboronia guessfeldti* (Dewitz,1879)** (Lycaenidae) Synonym(s): *guessfeldti* Dewitz,1879; *elorina* Staudinger,1888 _ Range (in code): SN SL LR ZR UG KE
- 14844. *Oboronia liberiana* Stempffer,1950** (Lycaenidae) Synonym(s): *liberiana* Stempffer,1950 Range (in code): LR CI
- 14845. *Oboronia pseudopunctatus* (Strand,1912)** (Lycaenidae) Synonym(s): *pseudopunctatus* Strand,1912; *arctimargo* Hulstaert,1924 _ Range (in code): CM Bit ZR GA UG
- 14846. *Oboronia punctatus* (Dewitz,1879)** (Lycaenidae) Synonym(s): *punctatus* Dewitz,1879; *#jacksoni* Stempffer,1942; *staudingeri* Hemming,1960 _ Range (in code): GN LR ZR AO CM GA
- 14847. *Ocaria ocrisia*** (Lycaenidae) Synonym(s): _ Range (in code): US MX Tx
- 14848. *Oenomaus ortygnus*** (Lycaenidae) Synonym(s): _ Range (in code): US MX Tx
- 14849. *Orachrysops ariadne* (Butler,1898)** (Lycaenidae) Synonym(s): *ariadne* Butler,1898 Range (in code): ZA Nta Kzu Kkf
- 14850. *Orachrysops lacrimosa* (Bethune-Baker,1923)** (Lycaenidae) Synonym(s): *lacrimosa* Bethune-Baker,1923 _ Range (in code): ZA Ec Nta Kzu
- 14851. *Orachrysops major Vari & Kroon,1986*** (Lycaenidae) Synonym(s): *major* Vari & Kroon,1986 _ Range (in code): ZA Nta Kzu Tva Fs
- 14852. *Orachrysops niobe* (Trimen,1862)** (Lycaenidae) Synonym(s): *niobe* Trimen,1862 Range (in code): ZA Wca Kny Tva Ptc Mpu Brb Wri
- 14853. *Oraidium barberae* (Trimen,1868)** (Lycaenidae) Synonym(s): *barberae* Trimen,1868 Range (in code): ZW ZA Ec Grh Mrr Tva Lpo Spb Mdk Wb Mpu Brb
- 14854. *Oreolyce* (Arletta) *vardhana* (Moore,1874)** (Lycaenidae) Synonym(s): *vardhana* Moore,1874 Original Reference: Polyommatus vardhana Moore,1874, Proc. zool. Soc. Lond. 1874: 572-573, pl.lxvi fig. 5. Syntypes 4♂ 3♀: Busahir: Jako, valley of Rupin river. Lectotype ♂: India (BMNH), (designated by Eliot & Kawazoe, 1983: 35). Range (in code): PK Pj Haz Mre IN Hp Up NP
- 14855. *Oreolyce* (Arletta) *vardhana nepalica* (Forster,1980)** (Lycaenidae) Synonym(s): *nepalica* Forster,1980 Original Reference: Arletta vardhana ssp. nepalica Forster,1980, Spixiana 3 (1): 6, figs. 17-20. Holotype ♂: Nepal (ZSM). Range (in code): NP
- 14856. *Oreolyce* (Arletta) *vardhana vardhana* (Moore,1874)** (Lycaenidae) Synonym(s): *vardhana* Moore,1874 Original Reference: Polyommatus vardhana Moore,1874, Proc. zool. Soc. Lond. 1874: 572-573, pl.lxvi fig. 5. Syntypes 4♂ 3♀: Busahir: Jako, valley of Rupin river. Lectotype ♂: India (BMNH), (designated by Eliot & Kawazoe, 1983: 35). Range (in code): PK Pj Haz Mre IN Hp Up
- 14857. *Oreolyce* (s.str.) *archena* (Corbet,1940)** (Lycaenidae) Synonym(s): *archena* Corbet,1940 Original Reference: Celastrina nearcha ssp. archena Corbet,1940, Proc. R. ent. Soc. Lond. (B) 9: 143. Holotype ♂: West Malaysia, 3500ft [1070m] (BMNH). Range (in code): MY ID Sum

- 14858. Oreolyce (s.str.) archena archena (Corbet,1940)** (Lycaenidae) Synonym(s): *archena* Corbet,1940 Original Reference: Celastrina nearcha ssp. archena Corbet,1940, Proc. R. ent. Soc. Lond. (B) 9: 143. Holotype ♂: West Malaysia, 3500ft [1070m] (BMNH). Range (in code): **MY ID Sum**
- 14859. Oreolyce (s.str.) archena bouldoides Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *bouldoides* Eliot & Kawazoe,1984 Original Reference: Oreolyce (Oreolyce) archena ssp. bouldoides Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 32-33, figs. Holotype ♂: [Indonesia]: Sumatra: Liwa, 900-1400m (leg. W.Doherty) (BMNH). Range (in code): **ID Sum**
- 14860. Oreolyce (s.str.) bouldi (Chapman,1912)** (Lycaenidae) Synonym(s): *bouldi* Chapman,1912 Original Reference: Notarthrinus bouldi Chapman,1912, Entomologist's mon. Mag. 48: 103, pl.6 figs.1,2,5. Holotype ♂: Borneo: Sarawak (BMNH). Range (in code): **Swk**
- 14861. Oreolyce (s.str.) bouldi bouldi (Chapman,1912)** (Lycaenidae) Synonym(s): *bouldi* Chapman,1912 Original Reference: Notarthrinus bouldi Chapman,1912, Entomologist's mon. Mag. 48: 103, pl.6 figs.1,2,5. Holotype ♂: Borneo: Sarawak (BMNH). Range (in code): **Swk**
- 14862. Oreolyce (s.str.) dohertyi (Tytler,1915)** (Lycaenidae) Synonym(s): *dohertyi* Tytler,1915 Original Reference: Cyaniris dohertyi Tytler,1915, J. Bombay nat. Hist. Soc. 24: 121, pl.4 figs. 45,46. Lectotype ♂: India: Naga Hills (BMNH) (designated by Eliot & Kawazoe, 1983: 33). Range (in code): **IN Ass**
- 14863. Oreolyce (s.str.) dohertyi dohertyi (Tytler,1915)** (Lycaenidae) Synonym(s): *dohertyi* Tytler,1915 Original Reference: Cyaniris dohertyi Tytler,1915, J. Bombay nat. Hist. Soc. 24: 121, pl.4 figs. 45,46. Lectotype ♂: India: Naga Hills (BMNH) (designated by Eliot & Kawazoe, 1983: 33). Range (in code): **IN Ass**
- 14864. Oreolyce (s.str.) nearcha (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *nearcha* Fruhstorfer,1917 Original Reference: Lycaenopsis (Notarthrinus) quadriplaga ssp. nearcha Fruhstorfer,1917, Arch. Naturgesch. 82 (A) (1) 1916: 38, pl.1 fig.11. Lectotype ♂: [Indonesia]: Sumatra (BMNH) (designated by Eliot & Kawazoe, 1983: 29). Range (in code): **ID Sum**
- 14865. Oreolyce (s.str.) nearcha nearcha (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *nearcha* Fruhstorfer,1917 Original Reference: Lycaenopsis (Notarthrinus) quadriplaga ssp. nearcha Fruhstorfer,1917, Arch. Naturgesch. 82 (A) (1) 1916: 38, pl.1 fig.11. Lectotype ♂: [Indonesia]: Sumatra (BMNH) (designated by Eliot & Kawazoe, 1983: 29). Range (in code): **ID Sum**
- 14866. Oreolyce (s.str.) quadriplaga (Snellen,1892)** (Lycaenidae) Synonym(s): *quadriplaga* Snellen,1892 Original Reference: Lycaena quadriplaga Snellen,1892, J. Lepid. Soc. 26: 143. Lectotype ♂: [Indonesia]: Java: [East Java] (BMNH) (selected by de Jong, designated by Eliot & Kawazoe, 1983: 28). Range (in code): **ID Ja**
- 14867. Oreolyce (s.str.) quadriplaga quadriplaga (Snellen,1892)** (Lycaenidae) Synonym(s): *quadriplaga* Snellen,1892 Original Reference: Lycaena quadriplaga Snellen,1892, J. Lepid. Soc. 26: 143. Lectotype ♂: [Indonesia]: Java: [East Java] (BMNH) (selected by de Jong, designated by Eliot & Kawazoe, 1983: 28). Range (in code): **ID Ja**
- 14868. Ornipholidotos aurivilliusi Stempffer,1967** (Lycaenidae) Synonym(s): *aurivilliusi* Stempffer,1967 Range (in code): **GA Ogo CM**
- 14869. Ornipholidotos bakotae Stempffer,1962** (Lycaenidae) Synonym(s): *bakotae* Stempffer,1962 Range (in code): **CG CM NG**
- 14870. Ornipholidotos bitjeensis Stempffer,1957** (Lycaenidae) Synonym(s): *bitjeensis* Stempffer,1957 Range (in code): **CM Bit NG**
- 14871. Ornipholidotos camerunensis Stempffer,1964** (Lycaenidae) Synonym(s): *camerunensis* Stempffer,1964 Range (in code): **CM NG**
- 14872. Ornipholidotos congoensis Stempffer,1964** (Lycaenidae) Synonym(s): *congoensis* Stempffer,1964 Range (in code): **CG ZR GA**
- 14873. Ornipholidotos emarginata (Hawker-Smith,1933)** (Lycaenidae) Synonym(s): *emarginata* Hawker-Smith,1933 Range (in code): **ZR UG**
- 14874. Ornipholidotos etoumbi Stempffer,1967** (Lycaenidae) Synonym(s): *etoumbi* Stempffer,1967 Range (in code): **CG**
- 14875. Ornipholidotos gabonensis Stempffer,1947** (Lycaenidae) Synonym(s): *gabonensis* Stempffer,1947 Range (in code): **GA CG AO UG**
- 14876. Ornipholidotos issia Stempffer,1969** (Lycaenidae) Synonym(s): *issia* Stempffer,1969 Range (in code): **CI**

- 14877. *Ornipholidotos jacksoni* Stempffer, 1961** (Lycaenidae) Synonym(s): *jacksoni* Stempffer, 1961 _ Range (in code): UG
- 14878. *Ornipholidotos katangae* Stempffer, 1947** (Lycaenidae) Synonym(s): *katangae* Stempffer, 1947 _ Range (in code): ZR CM UG
- 14879. *Ornipholidotos kelle* Stempffer, 1967** (Lycaenidae) Synonym(s): *kelle* Stempffer, 1967 _ Range (in code): CG
- 14880. *Ornipholidotos kirbyi* (Aurivillius, 1895)** (Lycaenidae) Synonym(s): *kirbyi* Aurivillius, 1895; *#fumosa* Schultze, 1923 _ Range (in code): CM UG ZR CG GO NG CI LR
- 14881. *Ornipholidotos larseni* Stempffer, 1969** (Lycaenidae) Synonym(s): *larseni* Stempffer, 1969 _ Range (in code): NG CM CI
- 14882. *Ornipholidotos latimargo* (Hawker-Smith, 1933)** (Lycaenidae) Synonym(s): *latimargo* Hawker-Smith, 1933 _ Range (in code): SD UG ZR
- 14883. *Ornipholidotos likouala* Stempffer, 1969** (Lycaenidae) Synonym(s): *likouala* Stempffer, 1969 _ Range (in code): CG
- 14884. *Ornipholidotos muhata* (Dewitz, 1887)** (Lycaenidae) Synonym(s): *muhata* Dewitz, 1887 _ Range (in code): ZR CM CG
- 14885. *Ornipholidotos nguru* Kielland, 1987** (Lycaenidae) Synonym(s): *nguru* Kielland, 1987 _ Range (in code): TZ
- 14886. *Ornipholidotos nigeriae* Stempffer, 1964** (Lycaenidae) Synonym(s): *nigeriae* Stempffer, 1964 _ Range (in code): NG CI
- 14887. *Ornipholidotos ntebi* (Bethune-Baker, 1906)** (Lycaenidae) Synonym(s): *ntebi* Bethune-Baker, 1906 _ Range (in code): UG ZR CG
- 14888. *Ornipholidotos onitshae* Stempffer, 1962** (Lycaenidae) Synonym(s): *onitshae* Stempffer, 1962 _ Range (in code): NG CM
- 14889. *Ornipholidotos overlaeti* Stempffer, 1947** (Lycaenidae) Synonym(s): *overlaeti* Stempffer, 1947 _ Range (in code): ZR SL CM UG KE TZ
- 14890. *Ornipholidotos paradoxa* (Druce, 1910)** (Lycaenidae) Synonym(s): *paradoxa* Druce, 1910 _ Range (in code): CM Bit UG CG CM ZR
- 14891. *Ornipholidotos perfragilis* (Holland, 1890)** (Lycaenidae) Synonym(s): *perfragilis* Holland, 1890; *sylphida* Staudinger, 1892 _ Range (in code): GA Ogo CM NG CI
- 14892. *Ornipholidotos peucetia* (Hewitson, 1866)** (Lycaenidae) Synonym(s): *peucetia* Hewitson, 1866 _ Range (in code): MW Zom ZM UG ZR TZ Tnga Usa Pb KE Mb SO ZA Nta Kzu MZ
- 14893. *Ornipholidotos peucetia penningtoni* (Riley, 1944)** (Lycaenidae) Synonym(s): *peucetia* penningtoni (Riley, 1944) _ Range (in code): ZA Nta Kzu MZ
- 14894. *Ornipholidotos peucetia peucedata* (Grose-Smith, 1889)** (Lycaenidae) Synonym(s): *peucedata* Grose-Smith, 1889; *chyuluensis* Van Someren, 1939; *orientalis* Storace, 1947 _ Range (in code): TZ Tnga Usa Pb KE Mb SO
- 14895. *Ornipholidotos peucetia peucetia* (Hewitson, 1866)** (Lycaenidae) Synonym(s): *peucetia* Hewitson, 1866 _ Range (in code): MW Zom ZM TZ UG ZR
- 14896. *Ornipholidotos sylpha* (Kirby, 1890)** (Lycaenidae) Synonym(s): *sylpha* Kirby, 1890 _ Range (in code): CM GO Bio CG
- 14897. *Ornipholidotos tanganyikae* Kielland, 1983** (Lycaenidae) Synonym(s): *tanganyikae* Kielland, 1983 _ Range (in code): TZ
- 14898. *Ornipholidotos teroensis* Stempffer, 1957** (Lycaenidae) Synonym(s): *teroensis* Stempffer, 1957 _ Range (in code): UG
- 14899. *Ornipholidotos tiassale* Stempffer, 1969** (Lycaenidae) Synonym(s): *tiassale* Stempffer, 1969 _ Range (in code): CI
- 14900. *Ornipholidotos tirza* (Hewitson, 1873)** (Lycaenidae) Synonym(s): *tirza* Hewitson, 1873 _ Range (in code): GA CM CG ZR
- 14901. *Ornipholidotos ugandae* Stempffer, 1947** (Lycaenidae) Synonym(s): *ugandae* Stempffer, 1947 _ Range (in code): UG AO ZR CG GO CM NG GA SL
- 14902. *Orthomiella lucida* Forster, 1942** (Lycaenidae) Synonym(s): *lucida* Forster, 1942 _ Range (in code): CN Kwa
- 14903. *Orthomiella pontis* (Elwes, 1887)** (Lycaenidae) Synonym(s): *pontis* Elwes, 1887 _ Range (in code): SI MM Chn CN Fkn Kwa TH CMa CDo
- 14904. *Orthomiella pontis fukienensis* Forster, 1942** (Lycaenidae) Synonym(s): *fukienensis* Forster, 1942 _ Range (in code): CN Fkn Kwa

- 14905. *Orthomiella pontis rovorea* (Fruhstorfer,1918)** (Lycaenidae) Synonym(s): *rovorea Fruhstorfer,1918* - Range (in code): MM Chn
- 14906. *Orthomiella rantaizana* (Wileman,1910)** (Lycaenidae) Synonym(s): *rantaizana Wileman,1910* - Range (in code): TW
- 14907. *Orthomiella ronkayana* Balint,1997** (Lycaenidae) Synonym(s): *ronkayana Balint,1997*
Original Reference: *Orthomiella ronkayana* Balint,1997, Folia ent hung. 58: 6-7, figs. Holotype ♀:
Nepal: Koshi, Taplejung area SW of Mamanke, 1700m (HNHM). Range (in code): NP
- 14908. *Orthomiella sinensis* (Elwes,1887)** (Lycaenidae) Synonym(s): *sinensis Elwes,1887*
Range (in code): CN MM
- 14909. *Otnjukovia tatjana* (Zhdanko,1984)** (Lycaenidae) Synonym(s): *tatjana Zhdanko,1984*.
Original Reference: *Turanana* (Otaria) *tatjana* Zhdanko,1984, Trudy zool. Inst. Leningr. 122:
104. Holotype ♂: Kazakhstan: 11 km S Otar (170km W. Alma-Ata)". Range (in code): T-S KK Ikc
KG TrA Ktm Bkb Mn Ota
- 14910. *Otnjukovia tatjana tatjana* (Zhdanko,1984)** (Lycaenidae) Synonym(s): *tatjana Zhdanko,1984*
Original Reference: *Turanana* (Otaria) *tatjana* Zhdanko,1984, Trudy zool. Inst. Leningr. 122: 104. Holotype ♂: Kazakhstan: 11 km S Otar (170km W. Alma-Ata)". Range (in code): KK Ikc KG T-S TrA Ktm Bkb Mn Ota
- 14911. *Oxylides bella* Aurivillius,1898** (Lycaenidae) Synonym(s): *bella Aurivillius,1898*
Range (in code): ZR
- 14912. *Oxylides faunus* (Drury,[1773])** (Lycaenidae) Synonym(s): *faunus Drury,[1773]; hesiodus Fabricius,1793* - Range (in code): GH GN NG CM ZR Shb Kvu AO UG
- 14913. *Oxylides faunus albata* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *albata Aurivillius,1895; feminina Sharpe,1904* - Range (in code): ZR UG CM
- 14914. *Oxylides faunus binza* Berger,1981** (Lycaenidae) Synonym(s): *#coerulescens Aurivillius,1923; binza Berger,1981* - Range (in code): ZR
- 14915. *Oxylides faunus faunus* (Drury,[1773])** (Lycaenidae) Synonym(s): *faunus Drury,[1773]; hesiodus Fabricius,1793* - Range (in code): GH GN NG CM ZR AO
- 14916. *Oxylides faunus stempfferi* Berger,1981** (Lycaenidae) Synonym(s): *stempfferi Berger,1981* - Range (in code): ZR Kvu Shb
- 14917. *Oxylides gloveri* Hawker-Smith,1929** (Lycaenidae) Synonym(s): *gloveri Hawker-Smith,1929* - Range (in code): CG ZR
- 14918. *Paiwarria antinous* (C.Felder & R.Felder,1865)** (Lycaenidae) Synonym(s): *antinous C.Felder & R.Felder,1865* - Range (in code): CO
- 14919. *Paiwarria aphaca* (Hewitson,1867)** (Lycaenidae) Synonym(s): *aphaca Hewitson,1867*
Range (in code): BR
- 14920. *Paiwarria episcopalis* (Fassl,1912)** (Lycaenidae) Synonym(s): *episcopalis Fassl,1912; phacana Draudt,1920* - Range (in code): CO
- 14921. *Paiwarria sp.n.*** (Lycaenidae) Synonym(s): - Range (in code): EC
- 14922. *Paiwarria telemus* (Cramer,1775)** (Lycaenidae) Synonym(s): *telemus Cramer,1775*
Range (in code): GY
- 14923. *Paiwarria umbratus* (Geyer,[1837])** (Lycaenidae) Synonym(s): *umbratus Geyer,[1837]; gauna Boisduval,1870; parthenia Hewitson,1874; colombiensis K.Johnson,1992* - Range (in code): MX Yc
CR NI CO
- 14924. *Paiwarria venulius* (Cramer,1779)** (Lycaenidae) Synonym(s): *venulius Cramer,1779*
Range (in code): SR
- 14925. *Palaeophilotes (Inderskia) marina* Zhdanko,2004** (Lycaenidae) Synonym(s): *marina Zhdanko,2004* - Range (in code): KG
- 14926. *Palaeophilotes (Inderskia) marina marina* Zhdanko,2004** (Lycaenidae) Synonym(s): *marina Zhdanko,2004* - Range (in code): KG
- 14927. *Palaeophilotes (Inderskia) panope* (Eversmann,1851)** (Lycaenidae) Synonym(s): *panope Eversmann,1851*
Original Reference: *Lycaena panope* Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 619. Syntypes ♂♀: "les steppes baignées de l'Oural inferieur" [Kasachstan: Indersk]. Range (in code): Gj KG Uk TM Krn Ind
- 14928. *Palaeophilotes (Inderskia) panope panope* (Eversmann,1851)** (Lycaenidae) Synonym(s): *panope Eversmann,1851*
Original Reference: *Lycaena panope* Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 619. Syntypes ♂♀: "les steppes baignées de l'Oural inferieur" [Kasachstan: Indersk]. Range (in code): Gj KG Uk TM Krn Ind

- 14929. Palaeophilotes (Inderskia) svetlana Yakovlev,2003** (Lycaenidae) Synonym(s): *svetlana Yakovlev,2003* - Range (in code): MN
- 14930. Palaeophilotes (Inderskia) svetlana svetlana Yakovlev,2003** (Lycaenidae) Synonym(s): *svetlana Yakovlev,2003* - Range (in code): MN
- 14931. Palaeophilotes (s.str.) triphysina (Staudinger,[1892])** (Lycaenidae) Synonym(s): *triphysina Staudinger,[1892]; yüliana Chuan-Lung,1963.* Original Reference: Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2. Syntypes: [China: Uighur A.R.]: Kaschgar-Gebiet. Range (in code): MN CN Ku Ga Ui
- 14932. Palaeophilotes (s.str.) triphysina lama Yakovlev,2005** (Lycaenidae) Synonym(s): *lama Yakovlev,2005* - Range (in code): MN
- 14933. Palaeophilotes (s.str.) triphysina triphysina (Staudinger,[1892])** (Lycaenidae) Synonym(s): *triphysina Staudinger,[1892]; yüliana Chuan-Lung,1963.* Original Reference: Lycaena triphysina Staudinger,[1892], Dt. ent. Z., Iris 4: 235-236, Taf.III, fig.2. Syntypes: [China: Uighur A.R.]: Kaschgar-Gebiet. Range (in code): CN Ku Ga Ui
- 14934. Pamela dudgeonii (De Nicéville,1894)** (Lycaenidae) Synonym(s): *dudgeonii De Nicéville,1894* - Range (in code): BT
- 14935. Pamela dudgeonii dudgeonii (De Nicéville,1894)** (Lycaenidae) Synonym(s): *dudgeonii De Nicéville,1894* - Range (in code): BT
- 14936. Paraslauga kallimoides (Schultze,1912)** (Lycaenidae) Synonym(s): *kallimoides Schultze,1912; cephren Druce,1913* - Range (in code): CM Bit ZR CG
- 14937. Parelodina aroa Bethune-Baker,1904** (Lycaenidae) Synonym(s): *aroa Bethune-Baker,1904*
- 14938. Parelodina aroa aroa Bethune-Baker,1904** (Lycaenidae) Synonym(s): *aroa Bethune-Baker,1904*
- 14939. Parrhasius m-album (Boisduval & Leconte,[1833])** (Lycaenidae) Synonym(s): *m-album Boisduval & Leconte,[1833]* - Range (in code): US Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mrl Msc Mss NCa Nje Ny Oh Ok Pns RDi Tnn Tx Vi WVi Wc
- 14940. Paruparo annie Takanami,1982** (Lycaenidae) Synonym(s): *annie Takanami,1982* Range (in code): PH Luz
- 14941. Paruparo cebuensis Jumalon,1975** (Lycaenidae) Synonym(s): *cebuensis Jumalon,1975* Range (in code): PH Hom Ceb Mno Ley Boh Neg
- 14942. Paruparo cebuensis amethystina Schröder & Treadaway,1988** (Lycaenidae) Synonym(s): *amethystina Schröder & Treadaway,1988* - Range (in code): PH Hom
- 14943. Paruparo cebuensis cebuensis Jumalon,1975** (Lycaenidae) Synonym(s): *cebuensis Jumalon,1975* - Range (in code): PH Ceb
- 14944. Paruparo cebuensis chotaroi Hayashi,1977** (Lycaenidae) Synonym(s): *chotaroi Hayashi,1977* - Range (in code): PH Mno
- 14945. Paruparo cebuensis mediciei M.Okano & T.Okano,1991** (Lycaenidae) Synonym(s): *mediciei M.Okano & T.Okano,1991* - Range (in code): PH Ley
- 14946. Paruparo cebuensis soloni M.Okano & T.Okano,1990** (Lycaenidae) Synonym(s): *soloni M.Okano & T.Okano,1990* - Range (in code): PH Boh
- 14947. Paruparo cebuensis treadawayi Jumalon,1975** (Lycaenidae) Synonym(s): *treadawayi Jumalon,1975* - Range (in code): PH Neg
- 14948. Paruparo lumawigi Schröder,1976** (Lycaenidae) Synonym(s): *lumawigi Schröder,1976* Range (in code): PH CmL Luz Mar Sib Mdo Mno Pan
- 14949. Paruparo lumawigi jumaloni Treadaway & Nuyda,1993** (Lycaenidae) Synonym(s): *jumaloni Treadaway & Nuyda,1993* - Range (in code): PH Sib
- 14950. Paruparo lumawigi lumawigi Schröder,1976** (Lycaenidae) Synonym(s): *lumawigi Schröder,1976* - Range (in code): PH CmL Luz Mar
- 14951. Paruparo lumawigi mindorana Schröder & Treadaway,1993** (Lycaenidae) Synonym(s): *mindorana Schröder & Treadaway,1993* - Range (in code): PH Mdo
- 14952. Paruparo lumawigi panayensis Hayashi, Schröder & Treadaway,1984** (Lycaenidae) Synonym(s): *panayensis Hayashi, Schröder & Treadaway,1984* - Range (in code): PH Mno Pan
- 14953. Paruparo mamertina Hewitson,1869** (Lycaenidae) Synonym(s): *mamertina Hewitson,1869* - Range (in code): PH Mno Ley Hom Sam
- 14954. Paruparo mamertina jeanhooperae Schröder & Treadaway,1988** (Lycaenidae) Synonym(s): *jeanhooperae Schröder & Treadaway,1988* - Range (in code): PH Hom Sam

- 14955. Paruparo mamertina mamertina Hewitson,1869** (Lycaenidae) Synonym(s): *mamertina Hewitson,1869* _ Range (in code): PH Mno
- 14956. Paruparo mamertina rahmani Jumalon,1975** (Lycaenidae) Synonym(s): *rahmani Jumalon,1975* _ Range (in code): PH Ley
- 14957. Paruparo mio Hayashi, Schröder & Treadaway,1984** (Lycaenidae) Synonym(s): *mio Hayashi, Schröder & Treadaway,1984* _ Range (in code): PH Mno
- 14958. Paruparo rosemarie Seki,1993** (Lycaenidae) Synonym(s): *rosemarie Seki,1993* _ Range (in code): PH Ley
- 14959. Paruparo violacea Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *violacea Schröder & Treadaway,1978* _ Range (in code): PH Mno
- 14960. Pentila (Liptenara) batesi Bethune-Baker,1915** (Lycaenidae) Synonym(s): *batesi Bethune-Baker,1915* _ Range (in code): CM Bit ZR
- 14961. Pentila (Liptenara) hiendlmayri (Dewitz,1887)** (Lycaenidae) Synonym(s): *hiendlmayri Dewitz,1887* _ Range (in code): ZR CG UG
- 14962. Pentila (Liptenara) schoutedeni (Hawker-Smith,1926)** (Lycaenidae) Synonym(s): *schoutedeni Hawker-Smith,1926* _ Range (in code): ZR
- 14963. Pentila (s.str.) abraxas (Westwood,[1851])** (Lycaenidae) Synonym(s): *abraxas Westwood,[1851]; tripunctata Aurivillius,1895* _ Range (in code): CM GN NG GA CG TG LR SL GN NG CM
- 14964. Pentila (s.str.) abraxas abraxas (Westwood,[1851])** (Lycaenidae) Synonym(s): *abraxas Westwood,[1851]; tripunctata Aurivillius,1895* _ Range (in code): CG TG LR SL GN NG CM
- 14965. Pentila (s.str.) abraxas maculata (Kirby,1887)** (Lycaenidae) Synonym(s): *maculata Kirby,1887* _ Range (in code): CM GN NG GA
- 14966. Pentila (s.str.) abraxas pardalena Druce,1910** (Lycaenidae) Synonym(s): *pardalena Druce,1910; affixa Schultze,1923* _ Range (in code): CM NG GO Bio CM ZR
- 14967. Pentila (s.str.) abraxas subochracea Hawker-Smith,1933** (Lycaenidae) Synonym(s): *subochracea Hawker-Smith,1933* _ Range (in code): ZR
- 14968. Pentila (s.str.) alba Dewitz,1886** (Lycaenidae) Synonym(s): *alba Dewitz,1886* _ Range (in code): ZR UG
- 14969. Pentila (s.str.) amenaida Hewitson,1873** (Lycaenidae) Synonym(s): *amenaida Hewitson,1873* _ Range (in code): AO MW Zom
- 14970. Pentila (s.str.) amenaidoides (Holland,1893)** (Lycaenidae) Synonym(s): *amenaidoides Holland,1893* _ Range (in code): ZR GA CM
- 14971. Pentila (s.str.) auga Karsch,1895** (Lycaenidae) Synonym(s): *auga Karsch,1895* _ Range (in code): CM
- 14972. Pentila (s.str.) bitje Druce,1910** (Lycaenidae) Synonym(s): *bitje Druce,1910* _ Range (in code): CM NG
- 14973. Pentila (s.str.) camerunica Stempffer & Bennett,1961** (Lycaenidae) Synonym(s): *camerunica Stempffer & Bennett,1961* _ Range (in code): CM NG
- 14974. Pentila (s.str.) carcassoni Stempffer & Bennett,1961** (Lycaenidae) Synonym(s): *carcassoni Stempffer & Bennett,1961* _ Range (in code): MW
- 14975. Pentila (s.str.) christina Suffert,1904** (Lycaenidae) Synonym(s): *christina Suffert,1904* _ Range (in code): CM CG ZR
- 14976. Pentila (s.str.) cloetensi Aurivillius,1898** (Lycaenidae) Synonym(s): *cloetensi Aurivillius,1898* _ Range (in code): GO CM GA CG UG ZR
- 14977. Pentila (s.str.) cloetensi albida Hawker-Smith,1933** (Lycaenidae) Synonym(s): *albida Hawker-Smith,1933* _ Range (in code): UG
- 14978. Pentila (s.str.) cloetensi aspasia Grünberg,1910** (Lycaenidae) Synonym(s): *aspasia Grünberg,1910* _ Range (in code): GO CM GA CG
- 14979. Pentila (s.str.) cloetensi catauga Rebel,1914** (Lycaenidae) Synonym(s): *catauga Rebel,1914* _ Range (in code): ZR
- 14980. Pentila (s.str.) cloetensi cloetensi Aurivillius,1898** (Lycaenidae) Synonym(s): *cloetensi Aurivillius,1898; elfrieda Suffert,1904* _ Range (in code): ZR
- 14981. Pentila (s.str.) cloetensi latefasciata Stempffer & Bennett,1961** (Lycaenidae) Synonym(s): *latefasciata Stempffer & Bennett,1961* _ Range (in code): ZR
- 14982. Pentila (s.str.) cloetensi lucayensis Schultze,1923** (Lycaenidae) Synonym(s): *lucayensis Schultze,1923* _ Range (in code): ZR

- 14983. *Pentila* (s.str.) *condamini* Stempffer, 1963** (Lycaenidae) Synonym(s): *condamini* Stempffer, 1963 _ Range (in code): **SN LR CI**
- 14984. *Pentila* (s.str.) *fallax* Bethune-Baker, 1915** (Lycaenidae) Synonym(s): *fallax* Bethune-Baker, 1915 _ Range (in code): **CG CM NG**
- 14985. *Pentila* (s.str.) *fidonioides* Schultze, 1923** (Lycaenidae) Synonym(s): *fidonioides* Schultze, 1923 _ Range (in code): **CM**
- 14986. *Pentila* (s.str.) *glagoessa* (Holland, 1893)** (Lycaenidae) Synonym(s): *glagoessa* Holland, 1893 _ Range (in code): **GA NG CM ZR UG**
- 14987. *Pentila* (s.str.) *hewitsoni* (Grose-Smith & Kirby, 1887)** (Lycaenidae) Synonym(s): *hewitsoni* Grose-Smith & Kirby, 1887; *laura* Kirby, 1890; *limbata* Holland, 1893 _ Range (in code): **NG GA CI CM ZR**
- 14988. *Pentila* (s.str.) *inconspicua* Druce, 1910** (Lycaenidae) Synonym(s): *inconspicua* Druce, 1910 _ Range (in code): **ZR CM CG ZR UG KE**
- 14989. *Pentila* (s.str.) *landbecki* Stempffer & Bennett, 1961** (Lycaenidae) Synonym(s): *landbecki* Stempffer & Bennett, 1961 _ Range (in code): **ZR**
- 14990. *Pentila* (s.str.) *mesia* Hulstaert, 1924** (Lycaenidae) Synonym(s): *mesia* Hulstaert, 1924 _ Range (in code): **CM**
- 14991. *Pentila* (s.str.) *nero* (Grose-Smith & Kirby, 1894)** (Lycaenidae) Synonym(s): *nero* Grose-Smith & Kirby, 1894; *bertha* Grose-Smith & Kirby, 1894 _ Range (in code): **CG CM**
- 14992. *Pentila* (s.str.) *nigeriana* Stempffer & Bennett, 1961** (Lycaenidae) Synonym(s): *nigeriana* Stempffer & Bennett, 1961 _ Range (in code): **NG**
- 14993. *Pentila* (s.str.) *occidentium* Aurivillius, 1898** (Lycaenidae) Synonym(s): *occidentium* Aurivillius, 1898 _ Range (in code): **ZR CM NG GA GO**
- 14994. *Pentila* (s.str.) *occidentium gabunica* Stempffer & Bennett, 1961** (Lycaenidae) Synonym(s): *gabunica* Stempffer & Bennett, 1961 _ Range (in code): **GA GO**
- 14995. *Pentila* (s.str.) *occidentium occidentium* Aurivillius, 1898** (Lycaenidae) Synonym(s): *occidentium* Aurivillius, 1898; *immaculata* Suffert, 1904; *#congoana* Strand, 1918 _ Range (in code): **ZR CM NG**
- 14996. *Pentila* (s.str.) *pauli* Staudinger, 1888** (Lycaenidae) Synonym(s): *pauli* Staudinger, 1888 _ Range (in code): **ZW ET SD CM GA CG CF ZR ZM KE UG AO NG GH CI SL SN ZR TZ MW**
- 14997. *Pentila* (s.str.) *pauli alberta* Hulstaert, 1924** (Lycaenidae) Synonym(s): *alberta* Hulstaert, 1924 _ Range (in code): **ZR TZ**
- 14998. *Pentila* (s.str.) *pauli benguellana* Stempffer & Bennett, 1961** (Lycaenidae) Synonym(s): *benguellana* Stempffer & Bennett, 1961 _ Range (in code): **AO**
- 14999. *Pentila* (s.str.) *pauli clarensis* Neave, 1903** (Lycaenidae) Synonym(s): *clarensis* Neave, 1903 _ Range (in code): **KE UG**
- 15000. *Pentila* (s.str.) *pauli elisabetha* Hulstaert, 1924** (Lycaenidae) Synonym(s): *elisabetha* Hulstaert, 1924; *#nigribasis* Hulstaert, 1924 _ Range (in code): **ZR ZM**
- 15001. *Pentila* (s.str.) *pauli leopardina* Schultze, 1923** (Lycaenidae) Synonym(s): *leopardina* Schultze, 1923 _ Range (in code): **CM GA CG CF ZR**
- 15002. *Pentila* (s.str.) *pauli multiplagata* Bethune-Baker, 1908** (Lycaenidae) Synonym(s): *multiplagata* Bethune-Baker, 1908 _ Range (in code): **ZR SD**
- 15003. *Pentila* (s.str.) *pauli nyassana* Aurivillius, 1898** (Lycaenidae) Synonym(s): *nyassana* Aurivillius, 1898; *dama* Suffert, 1904 _ Range (in code): **MW TZ**
- 15004. *Pentila* (s.str.) *pauli obsoleta* Hawker-Smith, 1933** (Lycaenidae) Synonym(s): *obsoleta* Hawker-Smith, 1933; *cataractae* Stevenson, 1940 _ Range (in code): **ZW**
- 15005. *Pentila* (s.str.) *pauli pauli* Staudinger, 1888** (Lycaenidae) Synonym(s): *pauli* Staudinger, 1888; *radiata* Lathy, 1903; *multipunctata* Lathy, 1903 _ Range (in code): **NG GH CI SL SN**
- 15006. *Pentila* (s.str.) *pauli ras* Talbot, 1935** (Lycaenidae) Synonym(s): *ras* Talbot, 1935 _ Range (in code): **ET**
- 15007. *Pentila* (s.str.) *petreia* Hewitson, 1874** (Lycaenidae) Synonym(s): *petreia* Hewitson, 1874; *tripunctata* Druce, 1888 _ Range (in code): **GH LR NG**
- 15008. *Pentila* (s.str.) *petreoides* Bethune-Baker, 1915** (Lycaenidae) Synonym(s): *petreoides* Bethune-Baker, 1915 _ Range (in code): **GN LR GH**
- 15009. *Pentila* (s.str.) *phidia* Hewitson, 1874** (Lycaenidae) Synonym(s): *phidia* Hewitson, 1874; *nunu* Karsch, 1893 _ Range (in code): **SL LR CI GH TG**

- 15010. *Pentila* (s.str.) *picena* Hewitson,1874** (Lycaenidae) Synonym(s): *picena* Hewitson,1874
Range (in code): **GH CI NG**
- 15011. *Pentila* (s.str.) *picena catori* Bethune-Baker,1906** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1906
Range (in code): **NG**
- 15012. *Pentila* (s.str.) *picena cydaria* (Grose-Smith,1898)** (Lycaenidae) Synonym(s): *cydaria* Grose-Smith,1898
Range (in code): **NG GH**
- 15013. *Pentila* (s.str.) *picena picena* Hewitson,1874** (Lycaenidae) Synonym(s): *picena* Hewitson,1874
Range (in code): **GH CI**
- 15014. *Pentila* (s.str.) *preussi* Staudinger,1888** (Lycaenidae) Synonym(s): *preussi* Staudinger,1888; *paucipunctata* Kirby,1890; *lunaris* Weymer,1892
Range (in code): **CM SL CI SN**
- 15015. *Pentila* (s.str.) *preussi faye* Stempffer,1963** (Lycaenidae) Synonym(s): *faye* Stempffer,1963
Range (in code): **SN**
- 15016. *Pentila* (s.str.) *preussi preussi* Staudinger,1888** (Lycaenidae) Synonym(s): *preussi* Staudinger,1888; *paucipunctata* Kirby,1890; *lunaris* Weymer,1892
Range (in code): **CM SL CI**
- 15017. *Pentila* (s.str.) *pseudorotha* Stempffer & Bennett,1961** (Lycaenidae) Synonym(s): *pseudorotha* Stempffer & Bennett,1961
Range (in code): **CM NG**
- 15018. *Pentila* (s.str.) *rogersi* (Druce,1907)** (Lycaenidae) Synonym(s): *rogersi* Druce,1907
Range (in code): **KE Mb**
- 15019. *Pentila* (s.str.) *rogersi parapetreia* Rebel,1908** (Lycaenidae) Synonym(s): *parapetreia* Rebel,1908; *derema* Strand,1911
Range (in code): **TZ**
- 15020. *Pentila* (s.str.) *rogersi rogersi* (Druce,1907)** (Lycaenidae) Synonym(s): *rogersi* Druce,1907
Range (in code): **KE Mb**
- 15021. *Pentila* (s.str.) *rondo* Kielland,1990** (Lycaenidae) Synonym(s): *rondo* Kielland,1990
Range (in code): **TZ**
- 15022. *Pentila* (s.str.) *rotha* Hewitson,1873** (Lycaenidae) Synonym(s): *rotha* Hewitson,1873
Range (in code): **CM GA CG**
- 15023. *Pentila* (s.str.) *rotha marianna* Suffert,1904** (Lycaenidae) Synonym(s): *marianna* Suffert,1904
Range (in code): **CM**
- 15024. *Pentila* (s.str.) *rotha rotha* Hewitson,1873** (Lycaenidae) Synonym(s): *rotha* Hewitson,1873
Range (in code): **GA CG**
- 15025. *Pentila* (s.str.) *subfuscata* Hawker-Smith,1933** (Lycaenidae) Synonym(s): *subfuscata* Hawker-Smith,1933
Range (in code): **ZR**
- 15026. *Pentila* (s.str.) *swynnertoni* Stempffer & Bennett,1961** (Lycaenidae) Synonym(s): *swynnertoni* Stempffer & Bennett,1961
Range (in code): **MZ ZA Nta Kzu ZW**
- 15027. *Pentila* (s.str.) *tachyroides* Dewitz,1879** (Lycaenidae) Synonym(s): *tachyroides* Dewitz,1879; *mylothrina* Butler,1888; *roidesta* Suffert,1904
Range (in code): **CM NA UG CI ZR**
- 15028. *Pentila* (s.str.) *tachyroides isiro* Berger,1981** (Lycaenidae) Synonym(s): *isiro* Berger,1981
Range (in code): **ZR**
- 15029. *Pentila* (s.str.) *tachyroides tachyroides* Dewitz,1879** (Lycaenidae) Synonym(s): *tachyroides* Dewitz,1879; *mylothrina* Butler,1888; *roidesta* Suffert,1904
Range (in code): **CM NA UG CI**
- 15030. *Pentila* (s.str.) *torrida* (Kirby,1887)** (Lycaenidae) Synonym(s): *torrida* Kirby,1887; *lavinia* Kirby,1890
Range (in code): **NG GA CG ZR**
- 15031. *Pentila* (s.str.) *tropicalis* (Boisduval,1847)** (Lycaenidae) Synonym(s): *tropicalis* Boisduval,1847
Range (in code): **TZ Pb KE Mb ZA Lpo Tva Spb Tho ZW MZ MW ZM**
- 15032. *Pentila* (s.str.) *tropicalis chyulu* Van Someren,1939** (Lycaenidae) Synonym(s): *chyulu* Van Someren,1939
Range (in code): **KE**
- 15033. *Pentila* (s.str.) *tropicalis fuscipunctata* Henning & Henning,1994** (Lycaenidae) Synonym(s): *fuscipunctata* Henning & Henning,1994
Original Reference: *Pentila tropicalis* ssp. *fuscipunctata* Henning & Henning,1994, [in] Pringle et al.,1994, Pennington's Butts. Southern Africa (2nd Edn.): 127-128, pl.116. Holotype ♂: South Africa: Thohoyandou, Venda: Tchatchingo Potholes, 16 Apr.1988 Henning leg. (TMP).
Range (in code): **ZA Lpo Tva Spb Tho ZW MZ MW ZM**
- 15034. *Pentila* (s.str.) *tropicalis mombasae* (Grose-Smith & Kirby,1889)** (Lycaenidae) Synonym(s): *mombasae* Grose-Smith & Kirby,1889; *lasti* Grose-Smith & Kirby,1889
Range (in code): **TZ Pb KE Mb**
- 15035. *Pentila* (s.str.) *tropicalis tropicalis* (Boisduval,1847)** (Lycaenidae) Synonym(s): *tropicalis* Boisduval,1847
Range (in code): **ZA Kzu Nta Ptb**

- 15036. *Pentila (s.str.) umangiana* Aurivillius,1898** (Lycaenidae) **Synonym(s):** *umangiana* Aurivillius,1898 **Range (in code):** **UG SD TZ CG CM ZR**
- 15037. *Pentila (s.str.) umangiana connectens* Hulstaert,1924** (Lycaenidae) **Synonym(s):** *connectens* Hulstaert,1924 **Range (in code):** **UG SD ZR TZ**
- 15038. *Pentila (s.str.) umangiana fontainei* Stempffer & Bennett,1961** (Lycaenidae) **Synonym(s):** *fontainei* Stempffer & Bennett,1961 **Range (in code):** **ZR**
- 15039. *Pentila (s.str.) umangiana meridionalis* Berger,1981** (Lycaenidae) **Synonym(s):** *meridionalis* Berger,1981 **Range (in code):** **ZR**
- 15040. *Pentila (s.str.) umangiana prodita* Schultze,1923** (Lycaenidae) **Synonym(s):** *prodita* Schultze,1923 **Range (in code):** **CG CM**
- 15041. *Pentila (s.str.) umangiana umangiana* Aurivillius,1898** (Lycaenidae) **Synonym(s):** *umangiana* Aurivillius,1898 **Range (in code):** **ZR**
- 15042. *Pentila (s.str.) umbra* Holland,1892** (Lycaenidae) **Synonym(s):** *umbra* Holland,1892 **Range (in code):** **GA**
- 15043. *Petrelaea dana* (De Nicéville,[1884])** (Lycaenidae) **Synonym(s):** *dana* De Nicéville,[1884] **Range (in code):** **TH CMa Knc Mae Yal PH Mno Pal IN MM Adm Bor MY**
- 15044. *Petrelaea dana dana* (De Nicéville,[1884])** (Lycaenidae) **Synonym(s):** *dana* De Nicéville,[1884] **Range (in code):** **TH CMa Knc Mae Yal IN MM Adm Bor MY**
- 15045. *Phaeostrymon alcestis*** (Lycaenidae) **Synonym(s):** **Range (in code):** **US MX Arz Col Kan Mis NMx Ok Tx**
- 15046. *Phasis braueri* Dickson,1968** (Lycaenidae) **Synonym(s):** *braueri* Dickson,1968 **Range (in code):** **ZA Ec Qt Wca**
- 15047. *Phasis clavum* Swanepoel,1953** (Lycaenidae) **Synonym(s):** *#clavum* Murray,1935; *clavum* Swanepoel,1953 **Range (in code):** **ZA Wca**
- 15048. *Phasis clavum clavum* Swanepoel,1953** (Lycaenidae) **Synonym(s):** *#clavum* Murray,1935; *clavum* Swanepoel,1953 **Range (in code):** **ZA Wca**
- 15049. *Phasis clavum erythema* Quickelberge,1980** (Lycaenidae) **Synonym(s):** *erythema* Quickelberge,1980 **Range (in code):** **ZA Wca**
- 15050. *Phasis pringlei* Dickson,1977** (Lycaenidae) **Synonym(s):** *pringlei* Dickson,1977 **Range (in code):** **ZA Wca Ec Stl**
- 15051. *Phasis thero* (Linnaeus,1764)** (Lycaenidae) **Synonym(s):** *thero* Linnaeus,1764; *rumina* Drury,[1773] *nec* Linn.,1758; *salmoneus* Stoll,[1781]; *erosine* Fabricius,1787; *pulsus* Herbst,1793 **Range (in code):** **ZA Wca Cdb Ec Kny**
- 15052. *Phasis thero cedarbergae* Dickson & Wykeham,1974** (Lycaenidae) **Synonym(s):** *cedarbergae* Dickson & Wykeham,1974 **Range (in code):** **ZA Wca Cdb**
- 15053. *Phasis thero thero* (Linnaeus,1764)** (Lycaenidae) **Synonym(s):** *thero* Linnaeus,1764; *rumina* Drury,[1773] *nec* Linn.,1758; *salmoneus* Stoll,[1781]; *erosine* Fabricius,1787; *pulsus* Herbst,1793 **Range (in code):** **ZA Wca Ec Kny**
- 15054. *Phengaris albida* Leech,1893** (Lycaenidae) **Synonym(s):** *albida* Leech,1893 **Range (in code):** **CN**
- 15055. *Phengaris alcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) **Synonym(s):** *alcon* [Denis & Schiffermüller],1775 **Original Reference:** *Papilio alcon* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s):* Austria: Wien (official name no.1480. ICZN, Opinion 503; 1958). **Range (in code):** **Ao At Bn AT Ba BE BY CH CN CZ DE DK EE ES FR HU IT HV KG NL PL RO RU SE SK Sm So Sr T-S UA Ur Ui Uk VI LAT Wn Or Bs Tt Cb Kg Ty Om Ka Sp Mn** **Bionomy:** Larva on *Gentiana pneumonanthe*, *G. asclepiacea*, *G. cruciata* (*Gentianaceae*) (Tolman, 1997); *Gentiana tianschanica* (*Gentianaceae*) (Zhdanko, 1997).
- 15056. *Phengaris alcon aigoualensis* Bernardi & Gaillard,1953** (Lycaenidae) **Synonym(s):** *aigoualensis* Bernardi & Gaillard,1953 **Range (in code):** **FR**
- 15057. *Phengaris alcon alcon* ([Denis & Schiffermüller],1775)** (Lycaenidae) **Synonym(s):** *alcon* [Denis & Schiffermüller],1775 **Original Reference:** *Papilio alcon* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s):* Austria: Wien (official name no.1480. ICZN, Opinion 503; 1958). **Range (in code):** **Ao AT At Bn Ba BE Bw BY CH CZ DE DK EE ES FR HU IT KG NL PL RO RU SE SK Sm So Sr UA Uk VI LAT Wn**
- 15058. *Phengaris alcon jennisiejensis* (Sheljuzhko,1928)** (Lycaenidae) **Synonym(s):** *jennisiejensis* Sheljuzhko,1928 **Original Reference:** *Lycaena alcon* ssp. *jennisiejensis* Sheljuzhko,1928, *Lepid. Rdsch. 2(4): 46, fig.5. Type ♂:* [Russia]: Sibirien: Gouvern. Jennisiej, Umgebung Minussinsk: Tagarskij Ostrov. **Range (in code):** **RU Sb Ur**

- 15059. Phengaris alcon nestae (Higgins,1930)** (Lycaenidae) Synonym(s): *nestae* Higgins,1930; *taranis* Cleu,1950 Original Reference: *Lycaena alcon* ssp. *nestae* Higgins,1930, Entomologist 63: 100, pl.2 fig.11. Syntypes 10♂ 7♀: Italy: Piedmonte, Limone 5000ft. Range (in code): **FR IT**
- 15060. Phengaris alcon sebastos (Rebel & Zerny,[1931])** (Lycaenidae) Synonym(s): *sebastos* Rebel & Zerny,[1931]; *limitenea* Balint,1985. Original Reference: *Lycaena alcon* ssp. *sebastos* Rebel & Zerny,[1931], Denkschr. Akad. Wiss. Wien 103: 82., Taf. fig.11-12. Syntypes 5♂ 2♀: Albanien: Shkala e Bicajt, Beshtriq. Range (in code): **AL MK RO**
- 15061. Phengaris alcon tolistus (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *tolistus* Fruhstorfer,1917 Original Reference: *Lycaena alcon* ssp. *tolistus* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 4. Syntypes: Bosnien: Koricna. Range (in code): **B-H**
- 15062. Phengaris arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelriae* Lempke,1956 Original Reference: *Papilio arion* Linnaeus,1758, Syst. Nat. (Edn.10)1: 483. Type(s): Europa [Deutschland, Nürnberg]. Range (in code): **AL At Bn Kts AM Cc AT Ba BE BG BY CH CN Co CZ DE DK EE ES FI FR GB GG Bjo GR HU IT HV IR Ab Ak Ar Kb Kc LT LU LV MK NL PL PT RO RU Pja SE SK Sm So Sr St TR T-S UA Ui VI YU B-H Wat SAT Cat Nat Sau Tar DsA Ket Tu KuA TrA KG** Bionomy: Larva on *Thymus serpyllum*, *T. praecox*, *Ziziphora clinodoides* (Lamiaceae) (Zhdanko,1997; Tolman,1997).
- 15063. Phengaris arion aglaophon (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *aglaophon* Fruhstorfer,1915; *vernetensis* Oberthür,1916. Original Reference: *Lycaena arion* ssp. *aglaophon* Fruhstorfer,1915, Societas ent. 30: 68. Syntypes: Pyrenaeen. Range (in code): **FR Py**
- 15064. Phengaris arion alconoides (Keferstein,1851)** (Lycaenidae) Synonym(s): *alconoides* Keferstein,1851; *delphinatus* Fruhstorfer,1910; *tainaron* Fruhstorfer,1915; *vesubia* Fruhstorfer,1917. Range (in code): **FR**
- 15065. Phengaris arion antesion (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *antesion* Fruhstorfer,1917 Original Reference: *Lycaena arion* ssp. *antesion* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 27. Type: Bosnia: Maklen Pass. Range (in code): **B-H MK AL YU**
- 15066. Phengaris arion arion (Linnaeus,1758)** (Lycaenidae) Synonym(s): *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *telegones* Bergsträßer,1779; *mamers* Bergsträßer,1779; *arctophoni* Bergsträßer,1779; *arcina* Fruhstorfer,1910; *eutyphron* Fruhstorfer,1915; *microchroa* Verity,1948; *gelriae* Lempke,1956 Original Reference: *Papilio arion* Linnaeus,1758, Syst. Nat. (Edn.10)1: 483. Type(s): Europa [Deutschland, Nürnberg]. Range (in code): **AL AT Ba BE BG Bw BY CH Co CZ DE DK EE ES FI FR GB GR HU IT Kb Kc LT LU LV MK NL PL PT RO RU SE SK Sm So Sr St UA VI YU**
- 15067. Phengaris arion arthurus (Melvill,1873)** (Lycaenidae) Synonym(s): *arthurus* Melvill,1873; *obscura* Christ,1878; *alpina* Fabre,1899; *ofenia* Tutt,1909. Range (in code): **FR**
- 15068. Phengaris arion ligurica (Wagner,1904)** (Lycaenidae) Synonym(s): *ligurica* Wagner,1904 Range (in code): **FR Co**
- 15069. Phengaris arion pyrenaefuscans Verity,1948** (Lycaenidae) Synonym(s): *pyrenaefuscans* Verity,1948 Original Reference: *Maculinea arion* race *pyrenaefuscans* Verity,1948, Les variations géographiques et saisonnières des papillons diurnes en France: 106. Syntypes: 5♂: [France: Hautes-Pyrenées]: Gedre. Range (in code): **FR Py**
- 15070. Phengaris arion rueli (Krulikovsky,1882)** (Lycaenidae) Synonym(s): *rueli* Krulikovsky,1882; *baschkiria* Krulikovsky,1897. Original Reference: *Lycaena arion rueli* Krulikovsky,1882, Societas ent. 7: 1. Syntypes: Russie orientale: Kasan, Gouv. de Wiatka. Range (in code): **Aq At Bn Kts Ba KG Ks RU Sb Sp Tk Uk Ur Wat SAT Cat Nat Sau Tar DsA Ket Tu KuA TrA T-S**
- 15071. Phengaris arion zara (Jachontov,1935)** (Lycaenidae) Synonym(s): *caucasica* Jachontov,1914 nec Led.,1870; *zara* Jachontov,1935 Original Reference: *Lycaena arion* var. *zara* Jachontov,1935, Unsere Tagfalter, ein Bestimmungsschlüssel: 153. Type(s): Russia, Caucasus: Pjatigorsk. Range (in code): **Cc GG Bjo RU Pja AM TR IR Ab Ak Ar** Bionomy: Larva on *Thymus* sp. (Lamiaceae) (Kemal,2009).
- 15072. Phengaris arionides (Staudinger,1887)** (Lycaenidae) Synonym(s): *arionides* Staudinger,1887 Range (in code): **RU Vv**
- 15073. Phengaris arionides arionides (Staudinger,1887)** (Lycaenidae) Synonym(s): *arionides* Staudinger,1887 Range (in code): **RU Vv**
- 15074. Phengaris atroguttata (Oberthür,1876)** (Lycaenidae) Synonym(s): *atroguttata* Oberthür,1876 Range (in code): **IN Ass Nag MM Chn CN Yu TW**

- 15075. Phengaris atroguttata formosana (Matsumura,1926)** (Lycaenidae) Synonym(s): *formosana* Matsumura,1926 _ Range (in code): **TW**
- 15076. Phengaris atroguttata juvenana (Forster,1940)** (Lycaenidae) Synonym(s): *juvenana* Forster,1940 _ Range (in code): **CN Yu**
- 15077. Phengaris atroguttata lampra (Röber,1926)** (Lycaenidae) Synonym(s): *lampra* Röber,1926 _ Range (in code): **IN Nag**
- 15078. Phengaris cyanecula (Eversmann,1848)** (Lycaenidae) Synonym(s): *cyanecula* Eversmann,1848; *philidor* Fruhstorfer,1915. Original Reference: *Lycaena cyanecula* Eversmann,1848, Bull. Soc. nat. Moscou 21(2): 207. Type(s): Russia: Kiachta im östlichen Siberien. Range (in code): **At Ax CN Ir KK KG Al MN RU Sb Tv Ts T-S Prj Us TeA**
- 15079. Phengaris cyanecula cyanecula (Eversmann,1848)** (Lycaenidae) Synonym(s): *cyanecula* Eversmann,1848; *philidor* Fruhstorfer,1915. Original Reference: *Lycaena cyanecula* Eversmann,1848, Bull. Soc. nat. Moscou 21(2): 207. Type(s): Russia: Kiachta im östlichen Siberien. Range (in code): **Mc CN Am RU At Sb Tv**
- 15080. Phengaris cyanecula obscurior (Staudinger,1901)** (Lycaenidae) Synonym(s): *obscurior* Staudinger,1901; *naruena* Courvoisier,1910; *sosinomos* Fruhstorfer,1915. _ Range (in code): **KK Ax T-S**
- 15081. Phengaris cyanecula taras (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *taras* Fruhstorfer,1915 Original Reference: *Lycaena arion* ssp. *taras* Fruhstorfer,1915, Societas ent. 30: 68. Type(s): Monti Aurunci: Petralla. Range (in code): **KK Al**
- 15082. Phengaris cyanecula ussuriensis (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *ussuriensis* Sheljuzhko,1928 Original Reference: *Lycaena arion* ssp. *ussuriensis* Sheljuzhko,1928, Lepid. Rdsch. 2: figs.8,9. Holotype ♂: Russia: Ussuri: Novo-Kijevsk. Range (in code): **RU Prj Us**
- 15083. Phengaris daitozana Wileman,1908** (Lycaenidae) Synonym(s): *daitozana* Wileman,1908 Range (in code): **TW**
- 15084. Phengaris kurentzovi Sibatani, Saigusa & Hirowatari,1994** (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari,1994 _ Range (in code): **RU Vv**
- 15085. Phengaris kurentzovi kurentzovi Sibatani, Saigusa & Hirowatari,1994** (Lycaenidae) Synonym(s): *kurentzovi* Sibatani, Saigusa & Hirowatari,1994 _ Range (in code): **RU Vv**
- 15086. Phengaris nausithous (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *nausithous* Bergsträsser,1779; *nausithoe* Bergsträsser,1779; *arcas* Rottemburg,1775 nec Drury,1773; *erebus* Knoch,1782. Original Reference: *Papilio nausithous* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg. *Papilio nausithous* Bergsträsser,1779, Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg. Range (in code): **Cc AM AT Ba BY CH CZ DE ES FR GG HU KG NL PL RU VI Sb No SK Sm So Sr TR UA Kiw Uk HV YU Mn Sj At Bn** Bionomy: Larva on *Sanguisorba officinalis* (Rosaceae) (authors).
- 15087. Phengaris nausithous agenjo (Vilarrubia,1948)** (Lycaenidae) Synonym(s): *agenjo* Vilarrubia,1948 _ Range (in code): **ES**
- 15088. Phengaris nausithous kijeensis (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *kijeensis* Sheljuzhko,1928 Original Reference: *Lycaena arcas* ssp. *kijeensis* Sheljuzhko,1928, Mitt. münch. ent. Ges. 19: 330. Type: Ukraine: Kiev. Range (in code): **UA Kiw RU VI**
- 15089. Phengaris nausithous nausithous (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *nausithous* Bergsträsser,1779; *nausithoe* Bergsträsser,1779; *arcas* Rottemburg,1775 nec Drury,1773; *erebus* Knoch,1782. Original Reference: *Papilio nausithous* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 fig.1. Type(s): Deutschland: Hanau-Münzenberg. Range (in code): **AT Ba Bw BY CH CZ DE FR HU KG NL PL RU Sb No SK Sm So Sr Uk YU Sj At Bn Mn** Bionomy: Larva on *Sanguisorba officinalis* (Rosaceae) (authors).
- 15090. Phengaris nausithous ssp.** (Lycaenidae) Synonym(s): _ Range (in code): **Cc TR AM GG** Bionomy: Larva on *Sanguisorba officinalis* (Rosaceae) (Kemal,2009).
- 15091. Phengaris rebeli (Hirschke,1904)** (Lycaenidae) Synonym(s): *rebeli* Hirschke,1904; *coerulea* Vorbrodt,1912; *latimargo* Courvoisier,1913; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. Original Reference: *Lycaena alcon rebeli* Hirschke,1904, Jb. Wien. ent. Ver. 15: 110-111. Type(s): Österreich. Range (in code): **AL AT BE BG CH CZ DE ES FR GR IT HV KK SK YU Cc GG AM TR Ax KK KG Tk T-S Aa DsA Ket TeA KuA TrA RU Kb Kc At Sj KP KR** Bionomy: Larva on *Gentiana cruciata*, *G. germanica*, *G. asclepiadea* (Gentianaceae) (Tolman, 1997).
- 15092. Phengaris rebeli cordidula (Jachontov,[1909])** (Lycaenidae) Synonym(s): *cordidula* Jachontov,[1909] _ Range (in code): **RU Cc Kb Kc**

- 15093. Phengaris rebeli imitator Tusov,2000** (Lycaenidae) **Synonym(s):** *alconides* Korb,1997 *nec alconides* Auriv.,1888 *non* Dahlstrom,1899; *imitator* Tusov,2000. **Original Reference:** *Maculinea alcon* ssp. *imitator* Tusov,2000, Guides Butts. Russia 2: 155 (nom. nov. pro *alconides* Korb,1997 (Alexanor 20(1): 63, figs.1-4. Holotype ♂: [Kirgizistan]: monts Alexandre: vallée de Chon-Kuurchak) *nec* Aurivillius,1888 *non* Dahlstrom,1899 (ZISP). **Range (in code):** Ax KK KG Tk T-S Aa DsA Ket TeA KuA TrA
- 15094. Phengaris rebeli monticola (Staudinger,1901)** (Lycaenidae) **Synonym(s):** *monticola* Staudinger,1901. **Original Reference:** *Lycaena alcon* var. *monticola* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 90, nr.644a. Syntypes: Caucasus, Helv., ?Pont., ?Lyd. mont. Locus typicus: [Georgia]: Achalziche (restricted by Hesselbarth, 1995: 576). **Range (in code):** Cc GG Kb Kc AM RU TR
- 15095. Phengaris rebeli rebeli (Hirschke,1904)** (Lycaenidae) **Synonym(s):** *rebeli* Hirschke,1904; *coerulea* Vorbodt,1912; *latimargo* Courvoisier,1913; *xerophila* Berger,1946; *alpicola* Beuret,1949; *cruciata* Beuret,1949; *gadmensis* Beuret,1949; *magnalpicola* Beuret,1949. **Original Reference:** *Lycaena alcon rebeli* Hirschke,1904, Jb. Wien. ent. Ver. 15: 110-111. Type(s): Oesterreich. **Range (in code):** AL AT BE BG Bw CH CZ DE ES FR GR IT KK SK YU
- 15096. Phengaris takamukui (Matsumura,1919)** (Lycaenidae) **Synonym(s):** *takamukui* Matsumura,1919
- 15097. Phengaris telejus (Bergsträßer,[1779])** (Lycaenidae) **Synonym(s):** *diomedes* Rottemburg,1775 *nec* Linn.,1758; *telejus* Bergsträßer,[1779]; *telegonus* Bergsträßer,[1779]; *arctophylax* Bergsträßer,[1779]; *arctophanus* Bergsträßer,[1779]; *euphemus* Hübner,[1800]. **Original Reference:** *Papilio telejus* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 figs.5,6. Syntypes: Deutschland: Hanau-Münzenberg. **Range (in code):** Bn At Kts AT BE BY CH CZ DE ES FR HU IT HV KG LT LV NL PL RU SK Sm So Sr Sj UA Uk YU Sb MN Ur Sb Kuz DsA Or Bs Tt Cb Kw Ty Ka Pw Om No Mn Sp Tk CN Ui Prj Us Vv Mc KR KP Sh Krl JP **Bionomy:** Larva on *Sanguisorba officinalis* (Rosaceae) (Tolman,1997).
- 15098. Phengaris telejus albocuneata (Spuler,1908)** (Lycaenidae) **Synonym(s):** *albocuneata* Spuler,1908 **Range (in code):** FR
- 15099. Phengaris telejus burdigalensis Stempffer,1932** (Lycaenidae) **Synonym(s):** *burdigalensis* Stempffer,1932 **Range (in code):** FR
- 15100. Phengaris telejus doli (Matsumura,1928)** (Lycaenidae) **Synonym(s):** *doli* Matsumura,1928 **Range (in code):** RU Krl
- 15101. Phengaris telejus kasamoto (Druce,1875)** (Lycaenidae) **Synonym(s):** *kasamoto* Druce,1875 **Range (in code):** RU Prj Us Vv CN Mc KR KP
- 15102. Phengaris telejus obscurata (Staudinger,1892)** (Lycaenidae) **Synonym(s):** *obscurata* Staudinger,1892 **Original Reference:** *Lycaena euphemus* var. *obscurata* Staudinger,1892, Dt. ent. Z., Iris 5: 320. Syntypes: Russia: Kentei-Gebirge. **Range (in code):** RU Sb At Bn MN KG Ur Sb Kuz DsA Or Bs Tt Cb Kw Ty Ka Pw Om No Mn Sp Tk
- 15103. Phengaris telejus ogumae (Matsumura,1910)** (Lycaenidae) **Synonym(s):** *ogumae* Matsumura,1910 **Range (in code):** JP Sh RU
- 15104. Phengaris telejus splendens (Kozhantshikov,1924)** (Lycaenidae) **Synonym(s):** *splendens* Kozhantshikov,1924 **Range (in code):** RU At Sj
- 15105. Phengaris telejus telejus (Bergsträßer,[1779])** (Lycaenidae) **Synonym(s):** *diomedes* Rottemburg,1775 *nec* Linn.,1758; *telejus* Bergsträßer,[1779]; *telegonus* Bergsträßer,[1779]; *arctophylax* Bergsträßer,[1779]; *arctophanus* Bergsträßer,[1779]; *euphemus* Hübner,[1800]. **Original Reference:** *Papilio telejus* Bergsträßer,[1779], Nomencl. Besch. Ins. 2: 70, Taf. 43 figs.5,6. Syntypes: Deutschland: Hanau-Münzenberg. **Range (in code):** AT BE Bw BY CH CZ DE ES Cc GG AM FR HU IT LT LV NL PL RU SK Sb Sm So Sr UA Uk YU
- 15106. Phengaris telejus thersandrus (Fruhstorfer,1917)** (Lycaenidae) **Synonym(s):** *thersandrus* Fruhstorfer,1917; *micromelanica* Verity,1943. **Original Reference:** *Lycaena telejus* ssp. *thersandrus* Fruhstorfer,1917, Dt. ent. Z., Iris 31: 26. Syntypes: Frankreich: Vaud: Eclepens. **Range (in code):** FR
- 15107. Philiris baiteta C.J.Müller,2014** (Lycaenidae) **Synonym(s):** *baiteta* C.J.Müller,2014 **Range (in code):** PG ID Ij Snw
- 15108. Philiris bubalisatina C.J.Müller,2014** (Lycaenidae) **Synonym(s):** *bubalisatina* C.J.Müller,2014 **Range (in code):** PG Sep
- 15109. Philiris hindenburgensis C.J.Müller,2014** (Lycaenidae) **Synonym(s):** *hindenburgensis* C.J.Müller,2014 **Range (in code):** PG

- 15110. *Philiris parsonsi* C.J.Müller,2014** (Lycaenidae) Synonym(s): *parsonsi* C.J.Müller,2014
Range (in code): **PG**
- 15111. *Philiris petriei* C.J.Müller,2014** (Lycaenidae) Synonym(s): *petriei* C.J.Müller,2014
Range (in code): **PG NBr**
- 15112. *Philiris radicala* C.J.Müller,2014** (Lycaenidae) Synonym(s): *radicala* C.J.Müller,2014
Range (in code): **PG**
- 15113. *Philotes sonorensis*** (Lycaenidae) Synonym(s): Range (in code): **US MX Cf**
- 15114. *Philotiella speciosa*** (Lycaenidae) Synonym(s): Range (in code): **US MX Arz Cf Ne**
Org Ut
- 15115. *Philotiella speciosa leona*** (Lycaenidae) Synonym(s): Range (in code): **US Org**
- 15116. *Phlyaria cyara* (Hewitson,1876)** (Lycaenidae) Synonym(s): *cyara* Hewitson,1876
Range (in code): **AO NG ZR Kvu UG KE TZ** Bionomy: Larva on Albizia (Fabaceae) (Ackery et al.,1995).
- 15117. *Phlyaria cyara cyara* (Hewitson,1876)** (Lycaenidae) Synonym(s): *cyara* Hewitson,1876
Range (in code): **AO NG ZR UG**
- 15118. *Phlyaria cyara stactalla* Karsch,1895** (Lycaenidae) Synonym(s): *stactalla* Karsch,1895
Range (in code): **GH SL NG**
- 15119. *Phlyaria cyara tenuimarginata* (Grünberg,1908)** (Lycaenidae) Synonym(s): *tenuimarginata* Grünberg,1908 Range (in code): **KE TZ UG ZR Kvu**
- 15120. *Phlyaria heritsia* (Hewitson,1876)** (Lycaenidae) Synonym(s): *heritsia* Hewitson,1876
Range (in code): **CM NG KE TZ AO MW SD ZR Shb ZM** Bionomy: Larva on Bridelia (Euphorbiaceae) (Ackery et al.,1995).
- 15121. *Phlyaria heritsia chibonotana* (Aurivillius,1910)** (Lycaenidae) Synonym(s): *chibonotana* Aurivillius,1910 Range (in code): **TZ**
- 15122. *Phlyaria heritsia heritsia* (Hewitson,1876)** (Lycaenidae) Synonym(s): *heritsia* Hewitson,1876 Range (in code): **NG AO ZR CM**
- 15123. *Phlyaria heritsia intermedia* Tite,1958** (Lycaenidae) Synonym(s): *intermedia* Tite,1958
Range (in code): **ZR UG SD KE TZ**
- 15124. *Phlyaria heritsia virgo* (Butler,1896)** (Lycaenidae) Synonym(s): *virgo* Butler,1896
Range (in code): **TZ ZR Shb MW ZM**
- 15125. *Phytala aequatorialis* Jackson,1964** (Lycaenidae) Synonym(s): *aequatorialis* Jackson,1964
Range (in code): **NG Lgo**
- 15126. *Phytala benitensis* (Holland,1890)** (Lycaenidae) Synonym(s): *benitensis* Holland,1890
Range (in code): **NG GA CG CM**
- 15127. *Phytala elais* (Westwood,[1851])** (Lycaenidae) Synonym(s): *elais* Westwood,[1851]
Range (in code): **GH NG CM GA CG SL LR CI UG ZR SD**
- 15128. *Phytala elais catori* Bethune-Baker,1903** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1903 Range (in code): **SL LR CI**
- 15129. *Phytala elais elais* (Westwood,[1851])** (Lycaenidae) Synonym(s): *elais* Westwood,[1851]
Range (in code): **GH NG CM GA CG**
- 15130. *Phytala elais ugandae* Jackson,1964** (Lycaenidae) Synonym(s): *ugandae* Jackson,1964
Range (in code): **UG ZR SD**
- 15131. *Phytala henleyi* (Kirby,1890)** (Lycaenidae) Synonym(s): *henleyi* Kirby,1890 Range (in code): **LR CI GH CM NG CG ZR**
- 15132. *Phytala hyetta* Hewitson,1873** (Lycaenidae) Synonym(s): *hyetta* Hewitson,1873 Range (in code): **ZR AO**
- 15133. *Phytala hyettina* Aurivillius,1898** (Lycaenidae) Synonym(s): *hyettina* Aurivillius,1898
Range (in code): **SL CI GH**
- 15134. *Phytala hyettoides* (Aurivillius,1895)** (Lycaenidae) Synonym(s): *hyettoides* Aurivillius,1895 Range (in code): **SL CI GH NG CM GO Bio**
- 15135. *Phytala intermixta* Aurivillius,1898** (Lycaenidae) Synonym(s): *intermixta* Aurivillius,1898
Range (in code): **GA CI CM CG**
- 15136. *Phytala nigrescens* Jackson,1964** (Lycaenidae) Synonym(s): *nigrescens* Jackson,1964
Range (in code): **NG**
- 15137. *Phytala obscura* Schultze,1916** (Lycaenidae) Synonym(s): *obscura* Schultze,1916
Range (in code): **GO Bio**

- 15138. *Phytala reducta* Aurivillius,1923** (Lycaenidae) **Synonym(s):** *reducta* Aurivillius,1923
Range (in code): CM CG
- 15139. *Phytala rezia* (Grose-Smith & Kirby,1893)** (Lycaenidae) **Synonym(s):** *rezia* Grose-Smith & Kirby,1893
Range (in code): CM GA
- 15140. *Phytala schultzei* Aurivillius,1923** (Lycaenidae) **Synonym(s):** *schultzei* Aurivillius,1923
Range (in code): NG CM GA CG ZR
- 15141. *Phytala vansomeri* Jackson,1964** (Lycaenidae) **Synonym(s):** *vansomeri* Jackson,1964
Range (in code): UG ZR
- 15142. *Pithecops corvus* Fruhstorfer,[1919]** (Lycaenidae) **Synonym(s):** *corvus* Fruhstorfer,[1919]
Range (in code): IN Ass MM VN MY Lkw TH CMa Loc Tng Yal PH Bas Boh Ley Luz Mar Mas Mdo Mno Pal Pan Pao Sam Sga Sib
- 15143. *Pithecops corvus correctus* Cowan,1966** (Lycaenidae) **Synonym(s):** *correctus* Cowan,1966
Range (in code): IN Ass MM VN TH CMa Loc
- 15144. *Pithecops corvus corvus* Fruhstorfer,[1919]** (Lycaenidae) **Synonym(s):** *corvus* Fruhstorfer,[1919]
Range (in code): MY Lkw TH Tng Yal PH Bas Boh Ley Luz Mar Mas Mdo Mno Pal Pan Pao Sam Sga Sib
- 15145. *Pithecops fulgens* Doherty,1889** (Lycaenidae) **Synonym(s):** *fulgens* Doherty,1889
Range (in code): MY
- 15146. *Plautella cossaea* (De Nicéville,1895)** (Lycaenidae) **Synonym(s):** *cossaea* De Nicéville,1895
Range (in code): ID Ja Sum Nia MM TH Tng Sat MY Bor Swk KBa Kcg
- 15147. *Plautella cossaea cossaea* (De Nicéville,1895)** (Lycaenidae) **Synonym(s):** *cossaea* De Nicéville,1895
Range (in code): ID Sum
- 15148. *Plautella cossaea hegesias* (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *hegesias* Fruhstorfer,1910
Range (in code): ID Nia
- 15149. *Plautella cossaea pambui* (Eliot,1973)** (Lycaenidae) **Synonym(s):** *pambui* Eliot,1973
Range (in code): TH Tng Sat MY MM
- 15150. *Plautella cossaea plauta* (Druce,1895)** (Lycaenidae) **Synonym(s):** *plauta* Druce,1895
Range (in code): MY Bor KBa
- 15151. *Plautella cossaea sabatina* (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *sabatina* Fruhstorfer,1910
Range (in code): ID Ja
- 15152. *Plautella cossaea sonchus* (Druce,1896)** (Lycaenidae) **Synonym(s):** *sonchus* Druce,1896; *distanti* Fruhstorfer,1910.
Range (in code): MY Swk Kcg
- 15153. *Plebejus* (Alpherakya) *bellonus* (Groum-Grshimailo,1888)** (Lycaenidae) **Synonym(s):** *bellonus* Groum-Grshimailo,1888
Original Reference: *Lycaena bellona* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: Afghanistan: Roschan. Lectotype ♂: Koudara, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH). **Range (in code):** AF
- 15154. *Plebejus* (Alpherakya) *bellonus bellonus* (Groum-Grshimailo,1888)** (Lycaenidae) **Synonym(s):** *bellonus* Groum-Grshimailo,1888
Original Reference: *Lycaena bellona* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♂: Afghanistan: Roschan. Lectotype ♂: Koudara, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH). **Range (in code):** AF
- 15155. *Plebejus* (Alpherakya) *devanicus* (Moore,1874)** (Lycaenidae) **Synonym(s):** *devanicus* Moore,1874
Original Reference: *Polyommatus devanica* Moore,1874, Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig. 4. Syntypes: Ladak, Dras valley. **Range (in code):** AF Dra Kab Kbb Ci Nwf Ch Ld Pag PK Pm Pnj Swa TJ
Bionomy: Larva on *Pseudosedum* sp. ? (Zhdanko, 1997).
- 15156. *Plebejus* (Alpherakya) *devanicus devanicus* (Moore,1874)** (Lycaenidae) **Synonym(s):** *devanicus* Moore,1874
Original Reference: *Polyommatus devanica* Moore,1874, Proc. zool. Soc. Lond. 1874: 573, pl.lxvi fig. 4. Syntypes: Ladak, Dras valley. **Range (in code):** Dra Ld PK Ci Nwf Ch Pm Swa TJ
- 15157. *Plebejus* (Alpherakya) *devanicus kohibabaensis* (Sakai,1978)** (Lycaenidae) **Synonym(s):** *kohibabaensis* Sakai,1978
Original Reference: *Polyommatus devanica* ssp. *kohibabaensis* Sakai,1978, Atalanta 9(1): 116, fig. Holotype ♂: Afghanistan: Paghman Mts., 3500-3800m. **Range (in code):** AF Kab Kbb Pag Pnj
- 15158. *Plebejus* (Alpherakya) *pilgram* Balint & Johnson,1997** (Lycaenidae) **Synonym(s):** *pilgram* Balint & Johnson,1997; *serica* Groum-Grsh.,1902 nec Felder,1862.
Original Reference: *Plebejus pilgram* Balint & Johnson,1997, Neue ent. Nachr. 40: 16, nota 12 (nomen novum pro *Lycaena serica* Groum-Grsh.,1902 nec Felder,1862).

- 15159. Plebejus (Alpherakya) pilgram pilgram Balint & Johnson,1997** (Lycaenidae)
Synonym(s): *pilgram Balint & Johnson,1997; serica Groum-Grsh.,1902 nec Felder,1862.* Original Reference: Plebejus pilgram Balint & Johnson,1997, Neue ent. Nachr. 40: 16, nota 12 (nomen novum pro Lycaena serica Groum-Grsh.,1902 nec Felder,1862).
- 15160. Plebejus (Alpherakya) sartoides (Swinhoe,1910)** (Lycaenidae) Synonym(s): *sartoides Swinhoe,1910* Original Reference: Lycaena sartoides Swinhoe,1910, [in] Moore,F., Lepid. Ind. 1910: 21-22. Syntypes: [Pakistan]: Chitral. Range (in code): **PK Ci Nwf Gg Asr Ch Gs IN**
- 15161. Plebejus (Alpherakya) sartoides gooraisicus (Tytler,1926)** (Lycaenidae)
Synonym(s): *gooraisica Tytler,1926* Range (in code): **Ch Gs IN**
- 15162. Plebejus (Alpherakya) sartoides rupalus (Tytler,1926)** (Lycaenidae) Synonym(s): *rupala Tytler,1926* Range (in code): **Gg Asr PK**
- 15163. Plebejus (Alpherakya) sartoides sartoides (Swinhoe,1910)** (Lycaenidae)
Synonym(s): *sartoides Swinhoe,1910* Original Reference: Lycaena sartoides Swinhoe,1910, [in] Moore,F., Lepid. Ind. 1910: 21-22. Syntypes: [Pakistan]: Chitral. Range (in code): **PK Ci Nwf**
- 15164. Plebejus (Alpherakya) sartus (Alpheraky,1881)** (Lycaenidae) Synonym(s): *sartus Alpheraky,1881; phryxis Staudinger,1886* Original Reference: Lycaena sarta Alpheraky,1881, Horae Soc. ent. ross. 16: 387-389, Taf. 14 fig. 8. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **Aa CN Db KG KK Ku Ky Sp Tk Ui Sau Mrk Ktm DsA Ii Ket Bog TeA TrA KuA T-I Syr Tm Ax T-S** Bionomy: Larva on Pseudosedum longidentatum, Rosularia kokandica (Zhdanko, 1997).
- 15165. Plebejus (Alpherakya) sartus sartus (Alpheraky,1881)** (Lycaenidae) Synonym(s): *sartus Alpheraky,1881; phryxis Staudinger,1886* Original Reference: Lycaena sarta Alpheraky,1881, Horae Soc. ent. ross. 16: 387-389, Taf. 14 fig. 8. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **Aa CN Db KG KK Ku Ky Sp Tk Ui Sau Mrk Ktm T-S DsA Ii Ket Bog TeA TrA KuA T-I Syr Tm Ax**
- 15166. Plebejus (Icaricia) acmon (Westwood & Hewitson,[1852])** (Lycaenidae)
Synonym(s): *acmon Westwood & Hewitson,[1852]; antaegon Boisduval,1852; cottlei Grinnell,1916* Range (in code): **US MX Cf Ne Org Ws**
- 15167. Plebejus (Icaricia) icarioides (Boisduval,1852)** (Lycaenidae) Synonym(s): *icarioides Boisduval,1852; phileros Boisduval,1869; fulla Edwards,1870; mintha Edwards,1870* Range (in code): **US MX Arz Cf Col Id Mon NDk NMx Ne Neb Org SDk Ut Ws Wy**
- 15168. Plebejus (Icaricia) icarioides missionensis Hovanitz,1937** (Lycaenidae)
Synonym(s): *missionensis Hovanitz,1937* Range (in code): **US Cf**
- 15169. Plebejus (Icaricia) lupini (Boisduval,1869)** (Lycaenidae) Synonym(s): *lupini Boisduval,1869* Range (in code): **US MX Arz Cf Col Id Kan Mns Mon NDk NMx Ne Neb Nje Ok Org SDk Tx Ut Ws Wy**
- 15170. Plebejus (Icaricia) neurona (Skinner,1902)** (Lycaenidae) Synonym(s): *neurona Skinner,1902* Range (in code): **US Cf**
- 15171. Plebejus (Icaricia) shasta (Edwards,1862)** (Lycaenidae) Synonym(s): *shasta Edwards,1862; zelmira C.Felder & R.Felder,[1865]; calchas Behr,1867; nivium Boisduval,1869* Range (in code): **US Arz Cf Col Id Mon NDk NMx Ne Neb Org SDk Ut Wy**
- 15172. Plebejus (Kretania) carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].* Original Reference: Lycaena carmon Gerhard,[1851], Versuch Monogr. eur. Schmett. (7):15,nr.58, pl.25 figs.1a-c. Syntypes: Türkei [=Amasya]. Range (in code): **AM AZ Cc Arr GG Smt Akh GR Sms IL Pa IR LB RU Kr SY TR** Bionomy: Larva on Astragalus (Astracantha) rumelica, A. gummifera (Fabaceae) (Tolman,1997).
- 15173. Plebejus (Kretania) carmon carmon (Gerhard,[1851])** (Lycaenidae) Synonym(s): *carmon Gerhard,[1851, November]; eurypilus Freyer,[1851,December].* Original Reference: Lycaena carmon Gerhard,[1851], Versuch Monogr. eur. Schmett. (7):15,nr.58, pl.25 figs.1a-c. Syntypes: Türkei [=Amasya]. Range (in code): **AM AZ Cc Arr GG Smt Akh GR Sms IR RU SY TR**
- 15174. Plebejus (Kretania) carmon euaemon (Hemming,1931)** (Lycaenidae) Synonym(s): *euaemon Hemming,1932; #euaemom Shchurov & Lukhtanov,2001.* Original Reference: Polyommatus eurypilus ssp. euaemon Hemming,1931, Ann. Mag. nat. Hist. (10)8: 536. Holotype ♂: Lebanon: Mt. Hermon 1700m (in BMHN). Range (in code): **He IL Pa LB SY TR**
- 15175. Plebejus (Kretania) carmon pelopides Poorten,1984** (Lycaenidae) Synonym(s): *pelopides Poorten,1984* Original Reference: Kretania eurypilus ssp.pelopides Poorten,1984, Nota lepid. 7(2): 164-166, figs.1-6. Holotype ♂: Greece: Southern Peloponesos, 1900m. (VLCA). Range (in code): **GR**

- 15176. Plebejus (Kretania) carmon zamotajlovi (Shchurov & Lukhtanov,2001)** (Lycaenidae) Synonym(s): *zamotajlovi Shchurov & Lukhtanov,2001* Original Reference: *Kretania zamotajlovi Shchurov & Lukhtanov,2001*, *Atalanta* 32 (1/2): 220-224, figs. Holotype ♂: Russia: Krasnodar territory, Black Sea coast, Abrau Peninsula, 120m (ZISP). Range (in code): RU Kr
- 15177. Plebejus (Kretania) csomai (Balint,1992)** (Lycaenidae) Synonym(s): *csomai Balint,1992* Original Reference: *Polyommatus (Kretania) csomai Balint,1992*, *Linneana Belg.* 13 (8): 434-438, figs. Holotype ♂: [Pakistan]: Chitral (BMNH). Range (in code): Ci Nwf PK
- 15178. Plebejus (Kretania) csomai csomai (Balint,1992)** (Lycaenidae) Synonym(s): *csomai Balint,1992* Original Reference: *Polyommatus (Kretania) csomai Balint,1992*, *Linneana Belg.* 13 (8): 434-438, figs. Holotype ♂: [Pakistan]: Chitral (BMNH). Range (in code): Ci Nwf PK
- 15179. Plebejus (Kretania) iranica (Forster,1938)** (Lycaenidae) Synonym(s): *iranica Forster,1938* Original Reference: *Lycaena (Plebeius) euryphilus ssp.iranica Forster,1938*, *Ent. Rdsch.* 55: 216-217, figs. Holotype ♂: [Iran]: Persia sept., Elburs m. sept. Tacht i Suleiman, Vandarban-Tal 1900-2200m (ZSSM). Range (in code): AF IR Ak Ab Jal Elb Ke Kp TM TR IQ
- 15180. Plebejus (Kretania) iranica iranica (Forster,1938)** (Lycaenidae) Synonym(s): *iranica Forster,1938* Original Reference: *Lycaena (Plebeius) euryphilus ssp.iranica Forster,1938*, *Ent. Rdsch.* 55: 216-217, figs. Holotype ♂: [Iran]: Persia sept., Elburs m. sept. Tacht i Suleiman, Vandarban-Tal 1900-2200m (ZSSM). Range (in code): AF IR Ak Ab Jal Elb Ke Kp TM TR IQ
- 15181. Plebejus (Kretania) psylorita (Freyer,1845)** (Lycaenidae) Synonym(s): *psylorita Freyer,1845* Original Reference: *Lycaena psylorita Freyer,1845*, *Neuere Beitr.* 5: pl. 469, figs. 3,4. Syntypes: Creta. Range (in code): Cr GR
- 15182. Plebejus (Kretania) psylorita psylorita (Freyer,1845)** (Lycaenidae) Synonym(s): *psylorita Freyer,1845* Original Reference: *Lycaena psylorita Freyer,1845*, *Neuere Beitr.* 5: pl. 469, figs. 3,4. Syntypes: Creta. Range (in code): Cr GR
- 15183. Plebejus (Lycaeides) agnatus (Staudinger,1889)** (Lycaenidae) Synonym(s): *agnatus Staudinger,1889* Original Reference: *Lycaena agnatus (christophi var.? Staudinger,1889*, *Stettin ent. Ztg.* 50: 19-20. Syntypes 5♂ 2♀: [Kirgizistan]: in den Gebirgen südlich von Issyk-Kul. Range (in code): Au CN Dj Ga Ik KG KK Kl Pm Tj Tk Ui T-S
- 15184. Plebejus (Lycaeides) agnatus agnatus (Staudinger,1889)** (Lycaenidae) Synonym(s): *agnatus Staudinger,1889* Original Reference: *Lycaena agnatus (christophi var.? Staudinger,1889*, *Stettin ent. Ztg.* 50: 19-20. Syntypes 5♂ 2♀: [Kirgizistan]: in den Gebirgen südlich von Issyk-Kul. Range (in code): CN T-S Au Dj Ik Kl Tk Ui
- 15185. Plebejus (Lycaeides) agnatus rognedus (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *rogneda Groum-Grshimailo,1890* Original Reference: *Lycaena christophi var. rogneda Groum-Grshimailo,1890*, [in] *Romanoff, Mém. lépid.* 4: 376. Syntypes ♂♀: [China: Uighur A.R.]: "Kaschgar (environs de Myn-iola"; [Tadjikistan]: Darvaz: "Khingooob-Darya". Range (in code): Ga Pm Ui CN TJ
- 15186. Plebejus (Lycaeides) argyrognomon (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *argyrognomon Bergsträßer,[1779]*; *argyrobius Bergsträßer,[1779]*; *argyrocapelus Bergsträßer,[1779]*; *argyrocopus Bergsträßer,[1779]*; *argyroela Bergsträßer,[1779]*; *argyrophylax Bergsträßer,[1779]*; *isemenias Meigen,1829*; *ligurica Oberthür,1910*; *aegus Chapman,1917* Original Reference: *Papilio argyrognomon Bergsträßer,[1779]*, *Nom. Besch. Ins. Graftschaft Hanau-Munzenburg* 2: 76, pl.46, figs. 1-2. Range (in code): AL Cc AM At Bn Kts At Ba BG BL BY CH CN CZ DE ES FR GR HU IT Ju KK LT LV NO PL RO RU SE FI SK Sm So Sr TR UA Ui UZ YU KG Uk Kuz Sli Sau Tar DsA Ax TrA TeA T-S Bc Bionomy: Larva on *Medicago sativa*, *Melilotus officinalis*, *Trifolium repens*, *T. pratense*, *Coronilla varia*, *Astragalus glycyphyllos*, *A. brachilobus*, *A. sogotensis*, *Vicia cracca*, *Lotus corniculatus*, *Onobrychis viciifolia* (Fabaceae) (Malicky,1969; et seq.).
- 15187. Plebejus (Lycaeides) argyrognomon aegina (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *aegina Groum-Grshimailo,1890*; *regina Rühl,[1893]*. Original Reference: *Lycaena aegina Groum-Grshimailo,1890*, *Horae Soc. ent. ross.* 25: 451. Syntypes: [China: Uighur A.R.]: Thian-Shan orientali [Tengri Tagh]: Boro-Choro mts. Range (in code): Bc CN T-S Ui
- 15188. Plebejus (Lycaeides) argyrognomon argyrognomon (Bergsträßer,1779)** (Lycaenidae) Synonym(s): *argyrognomon Bergsträßer,[1779]*; *argyrobius Bergsträßer,[1779]*; *argyrocapelus Bergsträßer,[1779]*; *argyrocopus Bergsträßer,[1779]*; *argyroela Bergsträßer,[1779]*; *argyrophylax Bergsträßer,[1779]*; *isemenias Meigen,1829*; *ligurica Oberthür,1910*; *aegus Chapman,1917* Original Reference: *Papilio argyrognomon Bergsträßer,[1779]*, *Nom. Besch. Ins. Graftschaft Hanau-Munzenburg* 2:

- 76, pl.46, figs. 1-2. Range (in code): **AT Ba BL Bw BY CH CZ DE ES FR HU IT LT LV NO PL RU SE FI SK Sm So Sr UA**
- 15189. Plebejus (Lycaeides) argyrognomon bellofontanensis Stempffer** (Lycaenidae)
Synonym(s): *bellofontanensis* Stempffer Range (in code): **FR**
- 15190. Plebejus (Lycaeides) argyrognomon caspicus (Forster,1936)** (Lycaenidae)
Synonym(s): *caspica* Forster,1936 Original Reference: *Lycaena argyrognomon* ssp. *caspica* Forster,1936, Mitt. münch. ent. Ges. 26 (2): 74. Syntypes: Russia: Sarepta (ZSM). Range (in code): **RU Sr Cc TR** Bionomy: Larva on *Vicia cracca*, *Astragalus glycyphyllos* (Fabaceae) (Hesselbarth et al.,1995).
- 15191. Plebejus (Lycaeides) argyrognomon danapriensis (Stempffer & Schmidt)** (Lycaenidae) Synonym(s): *danapriensis* Stempffer & Schmidt Range (in code): **PL RU UA**
- 15192. Plebejus (Lycaeides) argyrognomon dubius (Schulz,1881)** (Lycaenidae)
Synonym(s): *dubia* Schulz,1881 Original Reference: *Lycaena dubia* Schulz,1881, [in] Hering, Stettin ent. Ztg. 42: 135. Syntypes: [Deutschland]: Pommern: Garz. Range (in code): **DE PL**
- 15193. Plebejus (Lycaeides) argyrognomon euergetes Stauder** (Lycaenidae) Synonym(s): *euergetes* Stauder Range (in code): **AT BG B-H HU HV Krt MK YU**
- 15194. Plebejus (Lycaeides) argyrognomon gabrieli Balint,1988** (Lycaenidae)
Synonym(s): *gabrieli* Balint,1988
- 15195. Plebejus (Lycaeides) argyrognomon ganssuensis (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *ganssuensis* Groum-Grshimailo,1890. Original Reference: *Lycaena argus* var. *ganssuensis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 450-451. Syntypes: [China]: Kansu: Schin-tschenj, Tetungensibus mont. Range (in code): **CN Gn Sz**
- 15196. Plebejus (Lycaeides) argyrognomon latiaris (Rostagno)** (Lycaenidae) Synonym(s): *latiaris* Rostagno; *mira* Verity,1915; *calabricola* Verity,1921; *sabina* Dahl. Range (in code): **Clr IT Tc**
- 15197. Plebejus (Lycaeides) argyrognomon letitius Hemming,1934** (Lycaenidae)
Synonym(s): *ligurica* Oberthür,1910 nec Wagner,1904; *letitia* Hemming,1934; *laria* Verity,1937; *lombardiana* Beuret,1938. Range (in code): **FR IT Lig Lm**
- 15198. Plebejus (Lycaeides) argyrognomon norvegicus (Nordström,1935)** (Lycaenidae)
Synonym(s): *norvegica* Nordström,1935 Original Reference: *Lycaena argyrognomon norvegica* Nordström,1935, Norsk. Ent. Tidsskr. 1935: 87. Syntypes: Norwegen: Oslo; Lysaker. Range (in code): **NO**
- 15199. Plebejus (Lycaeides) argyrognomon praeterinsularis (Verity,1921)** (Lycaenidae)
Synonym(s): *praeterinsularis* Verity,1921 Original Reference: *Plebejus insularis* race *praeterinsularis* Verity,1921, Entomologist's Rec. J. Var. 33: 175. Syntypes: Japan: Yokohama. Range (in code): **JP KP**
- 15200. Plebejus (Lycaeides) argyrognomon septentrionalis (Beuret)** (Lycaenidae)
Synonym(s): *septentrionalis* Beuret Range (in code): **CH FR**
- 15201. Plebejus (Lycaeides) argyrognomon ssp.** (Lycaenidae) Synonym(s): Range (in code): **TR**
- 15202. Plebejus (Lycaeides) argyrognomon tapinaegus (Verity,1948)** (Lycaenidae)
Synonym(s): *tapinaegus* Verity,1948. Original Reference: *Lycaeides argyrognomon* race *tapinaegus* Verity,1948, Les variations géographiques et saisonnières des papillons diurnes en France: 117. Syntypes 2♂: [France]: Charente: Monthiers, s.Boeme. Range (in code): **FR**
- 15203. Plebejus (Lycaeides) bergi Kusnezov,1908** (Lycaenidae) Synonym(s): *bergi* Kusnezov,1908 Original Reference: *Plebejus argyrognomon* var. *bergi* Kusnezov,1908, Izv. turkes. otd. imp. russ. geogr. obshch. 4(8): 107 Pl.4a figs. 1-3. Lectotype ♂: [Kasachstan]: Northern shores of Aral Sea, designated by Zhdanko,2000, Guide Butts. Russia 2: 168 (ZISP). Range (in code): **Aq KG Ky**
- 15204. Plebejus (Lycaeides) bergi bergi Kusnezov,1908** (Lycaenidae) Synonym(s): *bergi* Kusnezov,1908 Original Reference: *Plebejus argyrognomon* var. *bergi* Kusnezov,1908, Izv. turkes. otd. imp. russ. geogr. obshch. 4(8): 107 Pl.4a figs. 1-3. Lectotype ♂: [Kasachstan]: Northern shores of Aral Sea, designated by Zhdanko,2000, Guide Butts. Russia 2: 168 (ZISP). Range (in code): **Aq KG Ky**
- 15205. Plebejus (Lycaeides) calliopis (Boisduval,1832)** (Lycaenidae) Synonym(s): *calliopis* Boisduval,1832; *calliopes* Verity,1929. Range (in code): **Bss Fo6 FR**
- 15206. Plebejus (Lycaeides) christophi (Staudinger,1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger,1874; *argivus* Staudinger,1886. Original Reference: *Lycaena christophi*

- Staudinger, 1874, Stettin ent. Ztg. 35(1/3): 87-90. Syntypes: [Iran]: Schahrud; [Turkmenistan]: Krasnowodsk; Lectotype ♂: Iran: Schahrud (designated by Olivier, et al., 1998, Phegea 26 (3): 91) (ZMHB). Range (in code): Aa AF Ng Hr BLM Aq Ci CN Fe Gg Gn IR Ab Ak Elb Kp Fa Ss KG KK Ky PK Pm T-A TJ Tk TM TR Ui UZ Krn Ii T-S Cc Bionomy: Larva on Alhagi sp. (Christoph, 1877); Hyppophae rhamnoides (Degtjareva & Stshetkin, 1975); Alhagi pseudalhagi (Zhdanko, 1997).
- 15207. Plebejus (Lycaeides) christophi bactrianus (Groum-Grshimailo, 1890)** (Lycaenidae) Synonym(s): *bactriana* Groum-Grshimailo, 1890 Original Reference: *Lycaena roxane* var. et ab. *bactriana* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 374. Syntypes ♂♀: [Tadjikistan]: Pamir. Range (in code): Pm TJ
- 15208. Plebejus (Lycaeides) christophi christophi (Staudinger, 1874)** (Lycaenidae) Synonym(s): *christophi* Staudinger, 1874; *argivus* Staudinger, 1886. Original Reference: *Lycaena christophi* Staudinger, 1874, Stettin ent. Ztg. 35(1/3): 87-90. Syntypes: [Iran]: Schahrud; [Turkmenistan]: Krasnowodsk; Lectotype ♂: Iran: Schahrud (designated by Olivier, et al., 1998, Phegea 26 (3): 91) (ZMHB). Range (in code): T-S CN IR KG Tk TM Ui Krn Ii
- 15209. Plebejus (Lycaeides) christophi lesliei (Tytler, 1926)** (Lycaenidae) Synonym(s): *lesliei* Tytler, 1926 Original Reference: *Lycaena christophi* ssp. *lesliei* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 584, pl.i fig.2. Syntypes 4♂ 2♀: [Pakistan]: Chitral (BMNH). Range (in code): PK Nwf Ci
- 15210. Plebejus (Lycaeides) christophi nanshanicus (Forster, 1936)** (Lycaenidae) Synonym(s): *nanshanica* Forster, 1936 Original Reference: *Lycaena christophi* ssp. *nanshanica* Forster, 1936, Mitt. münch. ent. Ges. 26(2): 84. Holotype ♂: [China]: Kansu: Richthofengebirge: Dingtsiangmiau Pass, 2800m. Range (in code): CN Gn
- 15211. Plebejus (Lycaeides) christophi samudra (Moore, [1875])** (Lycaenidae) Synonym(s): *samudra* Moore, [1875]; *bracteata* Butler, 1880. Original Reference: *Polyommatus samudra* Moore, [1875], Proc. zool. Soc. Lond. 1874: 574, pl.lxvii, fig.2. Syntypes: Gol and Skardo, Baltistan. Range (in code): AF Ng Hr BLM Bt Gg Hu PK Skd Ld
- 15212. Plebejus (Lycaeides) christophi submontanus Stshetkin, 1960** (Lycaenidae) Synonym(s): *submontana* Stshetkin, 1960
- 15213. Plebejus (Lycaeides) christophi tomyris (Groum-Grshimailo, 1890)** (Lycaenidae) Synonym(s): *tomyris* Groum-Grshimailo, 1890. Original Reference: *Lycaena tomyris* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 377-378, pl.vii fig.5. Syntypes ♂♀: [Tadjikistan]: Transalai Mts., Aram riv. Range (in code): T-A TJ
- 15214. Plebejus (Lycaeides) christophi transcaasicus (Rebel, 1901)** (Lycaenidae) Synonym(s): *transcaasicus* Rebel, 1901 Original Reference: *Lycaena argyrognomon* var. *transcaasica* Rebel, 1901, Annln. naturh. Mus. Wien 16: 166-167. Syntypes 2♂ 3♀: [Armenia]: Eriwan; [Turkey]: Kulp (Tuzluca); Lectotype ♀: [Turkey]: [İğdir: Gaziler] Kulp (designated by Olivier et al., 1998, Phegea 26 (3): 92) Range (in code): Cc AM TR IR Ab Ak
- 15215. Plebejus (Lycaeides) cleobis Bremer, 1861** (Lycaenidae) Synonym(s): *cleobis* Bremer, 1861 Original Reference: *Plebejus cleobis* Bremer, 1861, Mém. Acad. imp. Sci. St. Petersburg 3: 472. Lectotype ♂: Russia: [N.Transbaikal]: "Nord. Seite Baikal", designated by Samodurov et al., 2000, Guide Butts. Russia 2: 161 (ZISP). Range (in code): RU Am Prj Us At Sb Ya Sj Tv MN JP
- 15216. Plebejus (Lycaeides) cleobis cleobis Bremer, 1861** (Lycaenidae) Synonym(s): *cleobis* Bremer, 1861 Original Reference: *Plebejus cleobis* Bremer, 1861, Mém. Acad. imp. Sci. St. Petersburg 3: 472. Lectotype ♂: Russia: [N.Transbaikal]: "Nord. Seite Baikal", designated by Samodurov et al., 2000, Guide Butts. Russia 2: 161 (ZISP). Range (in code): RU Sb
- 15217. Plebejus (Lycaeides) cleobis iburiensis (Butler, [1882])** (Lycaenidae) Synonym(s): *iburiensis* Butler, [1882] Range (in code): JP
- 15218. Plebejus (Lycaeides) cleobis kenteanus (Staudinger, 1892)** (Lycaenidae) Synonym(s): *kenteanus* Staudinger, 1892 Range (in code): RU Sj Tv MN
- 15219. Plebejus (Lycaeides) cleobis ongodai Tutt, 1908** (Lycaenidae) Synonym(s): *ongodai* Tutt, 1908 Range (in code): At RU
- 15220. Plebejus (Lycaeides) cleobis tancrei (Graeser, 1888)** (Lycaenidae) Synonym(s): *tancrei* Graeser, 1888; *ternejanus* Kurentzov, 1970. Range (in code): RU Am Prj Us
- 15221. Plebejus (Lycaeides) cleobis verchojanicus (Kurentzov, 1970)** (Lycaenidae) Synonym(s): *verchojanicus* Kurentzov, 1970; *caeruleus* Gorbunov, 1995 Range (in code): RU Ya

- 15222. Plebejus (Lycaeides) idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. Original Reference: Papilio idas Linnaeus,1761, Fauna Suecica (2): 284. Type(s): Suecia. Range (in code): **T-S Ui Ku Cc AM Ao At AT Ba BE BG B-H BY CH Co CZ DE DK EE ES FI FR GG GR HU HV IT IR Ab Elb KG KK LB LT LV MK NL NO PL PT RO RU Sa SE Si SK Sm So Sr SS TR Arr UA Uk VI YU DsA TeA KuA TrA US Cf Col Id Mai Mch Mns Mon Ne Org Ut Wc Ws Wy** Bionomy: Larva on Cytisus scoparius, Genista pilosa, Lotus corniculatus, Melilotus alba, Anthyllis vulneraria, Calluna vulgaris (Tolman,1997); Astragalus alpinus, Cicer flexuosum (Fabaceae) (Zhdanko,1997).
- 15223. Plebejus (Lycaeides) idas aeginus (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *aegina* Groum-Grshimailo,1890; *#narvena* Courvoisier,1913; *colossa* A.Bang-Haas Original Reference: Lycaena aegina Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 451. Lectotype ♂: [China: Uighur A.R.]: Tien Chan [Tengri Tagh], Boro-Choro Mts. (BMNH) (designated by Balint,1999, Neue ent. Nachr. 46:8). Range (in code): **T-S Au CN Dj Ik Ju KG KK Ku Na Tk Ui**
- 15224. Plebejus (Lycaeides) idas alpinus (Berce,1867)** (Lycaenidae) Synonym(s): *alpina* Berce,1867; *alpophila* Verity,1919. Range (in code): **DE FR**
- 15225. Plebejus (Lycaeides) idas altarmenus (Forster,1936)** (Lycaenidae) Synonym(s): *altarmena* Forster,1936 Original Reference: Lycaena idas ssp. altarmena Forster,1936, Mitt. münch. ent. Ges. 26 (2): 103-104. Syntypes: [Türkei]: Agri Dag; Lectotype ♀: [Georgia]: "Achalzich Chambobel" (designated by Olivier et al., 1998, Phegea 26 (3): 95) (ZSSM). Range (in code): **Cc Smt Akh AM Arr GG Ksp TR RU IR Elb**
- 15226. Plebejus (Lycaeides) idas argulus (Frey,1882)** (Lycaenidae) Synonym(s): *argulus* Frey,1882 Range (in code): **Bss CH FR Va**
- 15227. Plebejus (Lycaeides) idas armoricanus (Oberthür,1910)** (Lycaenidae) Synonym(s): *armoricana* Oberthür,1910; *saturior* Verity,1924; *idasoides* Beuret,1934; *subsaturior* Verity,1948. Range (in code): **DE FR**
- 15228. Plebejus (Lycaeides) idas baldur (Hemming,1934)** (Lycaenidae) Synonym(s): *#balcanica* Züllich,1929 nec *Lycaena balkanica* Freyer,[1844]; *baldur* Hemming,1934. Original Reference: Lycaeides argyrognomon baldur Hemming,1934, Stylops 3(9): 193 (nomen novum rpo Lycaena argyrognomon f.balkanica Züllich,1929 nec Lycaena balkanica Freyer,[1844]). Syntypes: Bulgarien: Rilagebirge; [Bosna-Herzegowina]: Vucija bara. Range (in code): **TR Cc AM BG B-H GG LB MK**
- 15229. Plebejus (Lycaeides) idas bavaricus Forster,1936** (Lycaenidae) Synonym(s): *bavarica* Forster,1936 Original Reference: Lycaena idas ssp.bavarica Forster,1936, Mitt. münch. ent. Ges. 26(2): 90. Syntypes 32♂ 29♀: Deutschland: Bayern: südl. München, Wolfratshausen. Range (in code): **Bv DE**
- 15230. Plebejus (Lycaeides) idas bellieri Oberthür,1910** (Lycaenidae) Synonym(s): *corsica* Tutt,1909 nec *Bellier*,1862; *bellieri* Oberthür,1910 Range (in code): **Co F2o**
- 15231. Plebejus (Lycaeides) idas dalmatinus (Neustetter,1938)** (Lycaenidae) Synonym(s): *#croatica* Grund,1913; *dalmatina* Neustetter,1938; *croatica* Heydemann,1938. Original Reference: Lycaena argyrognomon ssp. dalmatina Neustetter,1938, Ent. Rdsch. 55: 315-316. Syntypes: [Croatia]: Dalmatien: Biokovogebirge, oberhalb Makarska-Podgora, 600-1400m. Range (in code): **HV**
- 15232. Plebejus (Lycaeides) idas difficilis (Stauder,1922)** (Lycaenidae) Synonym(s): *difficilis* Stauder,1922. Original Reference: Lycaena difficilis Stauder,1922, Ent. Anz. 2 (10): 109-111. Syntypes 305♂ 89♀: Österreich: Arlberggebiet, Tirolerseite bei 1400m; Umgebung Innsbruck, an der Talsohle. Range (in code): **AT**
- 15233. Plebejus (Lycaeides) idas gazeli (Beuret,1934)** (Lycaenidae) Synonym(s): *gazeli* Beuret,1934; *batavana* Beuret,1936. Range (in code): **FR**
- 15234. Plebejus (Lycaeides) idas haefelfingeri (Beuret,1935)** (Lycaenidae) Synonym(s): *aegidion* Frey,1880 nec *Meisner*,1818; *haefelfingeri* Beuret,1935. Range (in code): **CH FR**
- 15235. Plebejus (Lycaeides) idas idas (Linnaeus,1761)** (Lycaenidae) Synonym(s): *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. Original Reference: Papilio idas Linnaeus,1761, Fauna Suecica (2): 284. Type(s): Suecia. Range (in code): **FI NO RU SE**
- 15236. Plebejus (Lycaeides) idas lapponicus (Gerhard,1877)** (Lycaenidae) Synonym(s): *lapponicus* Gerhard,1877 Range (in code): **NO**
- 15237. Plebejus (Lycaeides) idas lycidasoides Beuret** (Lycaenidae) Synonym(s): *lycidasoides* Beuret Range (in code): **Bw**

- 15238. Plebejus (Lycaeides) idas magnalpinus Verity, 1927** (Lycaenidae) Synonym(s): *magnalpina* Verity, 1927; *maritimalpina* Beuret, 1938. Original Reference: Plebejus idas race magnalpina Verity, 1927, *Annls Soc. ent. Fr.* 96: 10. Syntypes 10♂ 4♀: [Italy: Torino]: Alpi Cozie: Cesana, 1300m. Range (in code): **Fo6 FR IT**
- 15239. Plebejus (Lycaeides) idas picos Agenjo, 1966** (Lycaenidae) Synonym(s): *picos* Agenjo, 1966 Range (in code): **ES**
- 15240. Plebejus (Lycaeides) idas rauracus (Beuret, 1934)** (Lycaenidae) Synonym(s): *rauraca* Beuret, 1934; *#postrauraca* Beuret, 1934. Range (in code): **FR**
- 15241. Plebejus (Lycaeides) idas rhenanus Heydemann** (Lycaenidae) Synonym(s): *rhenana* Heydemann Range (in code): **Rp**
- 15242. Plebejus (Lycaeides) idas selda (Higgins, 1964)** (Lycaenidae) Synonym(s): *selda* Higgins, 1964 Original Reference: Lycaeides idas ssp. selda Higgins, 1964, *Entomologist* 97: 199. Holotype ♂: Lebanon: Les C×dres at 6500ft. (in coll. Higgins) (BMNH). Range (in code): **LB**
- 15243. Plebejus (Lycaeides) idas tshimganus Forster, 1936** (Lycaenidae) Synonym(s): *tshimgana* Forster, 1936 Original Reference: Lycaena idas ssp. tshimgana Forster, 1936, *Mitt. m×nch. ent. Ges.* 26(2): 104-105. Syntypes: Westlichen Thian-Shan [Tengri Tagh]: mts. Bolshoi Tshimgan, 1500-2000m. Range (in code): **Dj Ik T-S KG KK Na Tas TJ Tk UZ**
- 15244. Plebejus (Lycaeides) kapanovi Zhdanko & Churkin, 2004** (Lycaenidae) Synonym(s): *kapanovi* Zhdanko & Churkin, 2004 Original Reference: Plebejus kapanovi Zhdanko & Churkin, 2004, *Helios* 5: 65-66, figs. Holotype ♂: East Kazakhstan: SE Balkhash region, Matai v. Range (in code): **KG**
- 15245. Plebejus (Lycaeides) lepidus Zhdanko, 2000** (Lycaenidae) Synonym(s): *lepidus* Zhdanko, 2000 Original Reference: Plebejus lepidus Zhdanko, 2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 165-166, pl. 74 figs. 31-33. Holotype ♂: E. Kazakhstan: 15km E. of Aksuat (ZISP). Range (in code): **KG Mn Ssn**
- 15246. Plebejus (Lycaeides) lepidus lepidus Zhdanko, 2000** (Lycaenidae) Synonym(s): *lepidus* Zhdanko, 2000 Original Reference: Plebejus lepidus Zhdanko, 2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 165-166, pl. 74 figs. 31-33. Holotype ♂: E. Kazakhstan: 15km E. of Aksuat (ZISP). Range (in code): **KG Mn Ssn**
- 15247. Plebejus (Lycaeides) maidantagi Zhdanko & Churkin, 2001** (Lycaenidae) Synonym(s): *maidantagi* Zhdanko & Churkin, 2001 Original Reference: Plebejus maidantagi Zhdanko & Churkin, 2001, *Helios* 2: 64-65, figs. Holotype ♂: Uch-Turphan vic., Taushkan Darya R. Range (in code): **KG**
- 15248. Plebejus (Lycaeides) maracandicus (Erschoff, 1874)** (Lycaenidae) Synonym(s): *maracandica* Erschoff, 1874; *dschagatai* Groum-Grshimailo, 1887; *buchara* Forster, 1936. Original Reference: Lycaena aegon var. maracandica Erschoff, 1874, [in] Fedtschenko, *Reise nach Turkestan* 2, 5(3) (Lepidoptera): 10. Syntypes: [Uzbekistan]: Kisilkum. Range (in code): **AF Hr BLM UZ Br Smk RU KG Sb Ya Tv MN Au CN Dj T-S Ju KG Kl Kml Sem Tk Ui Cc AM Ao RU Sr TR Ur** Bionomy: Larva on *Astragalus sogotensis* (Fabaceae) (Zhdanko, 1997).
- 15249. Plebejus (Lycaeides) maracandicus chalcha (Korshunov, 1982)** (Lycaenidae) Synonym(s): *chalcha* Korshunov, 1982 Range (in code): **RU MN Tv Sb**
- 15250. Plebejus (Lycaeides) maracandicus jakuticus (Kurentzov, 1970)** (Lycaenidae) Synonym(s): *jakuticus* Kurentzov, 1970 Range (in code): **RU Ya**
- 15251. Plebejus (Lycaeides) maracandicus maracandicus (Erschoff, 1874)** (Lycaenidae) Synonym(s): *maracandica* Erschoff, 1874; *dschagatai* Groum-Grshimailo, 1887; *buchara* Forster, 1936. Original Reference: Lycaena aegon var. maracandica Erschoff, 1874, [in] Fedtschenko, *Reise nach Turkestan* 2, 5(3) (Lepidoptera): 10. Syntypes: [Uzbekistan]: Kisilkum. Range (in code): **UZ**
- 15252. Plebejus (Lycaeides) maracandicus planorum (Alpheraky, 1881)** (Lycaenidae) Synonym(s): *planorum* Alpheraky, 1881; *calmuca* Groum-Grshimailo, 1891; *#calmuca* Staudinger, 1901. Original Reference: [Lycaena] argus var. planorum Alpheraky, 1881, *Horae Soc. ent. ross.* 16: 379-380. Syntypes: [China: Uighur A.R.]: Tian-Chian mts. [Tengri Tagh]: Kouldja, vallée de l'Ili Kounguesse, 2500-9000ft. Range (in code): **Au CN Dj T-S Ju KG Kl Kml Sem Tk Ui Ii**
- 15253. Plebejus (Lycaeides) maracandicus transbaicalensis (Kurentzov, 1970)** (Lycaenidae) Synonym(s): *transbaicalensis* Kurentzov, 1970 Range (in code): **Sb RU**
- 15254. Plebejus (Lycaeides) melissa (Edwards, 1873)** (Lycaenidae) Synonym(s): *melissa* Edwards, 1873; *pseudosamuelis* Nabakov, 1949 Range (in code): **US MX Arz Cf Col Id Idp Io Kan Mch Mns Mon NDK NMx Ne Neb Nh Nje Ny Oh Ok Org Pns Sdk Tx Ut Wc Ws Wy**

- 15255. *Plebejus (Lycaeides) melissa annetta* (Edwards,1882)** (Lycaenidae) **Synonym(s):** *annetta* Edwards,1882 **Range (in code):** **US Ut**
- 15256. *Plebejus (Lycaeides) melissa fridayi* Chermock,1945** (Lycaenidae) **Synonym(s):** *fridayi* Chermock,1945 **Range (in code):** **US Cf**
- 15257. *Plebejus (Lycaeides) melissa melissa* (Edwards,1873)** (Lycaenidae) **Synonym(s):** *melissa* Edwards,1873; *pseudosamuelis* Nabakov,1949 **Range (in code):** **US Col**
- 15258. *Plebejus (Lycaeides) melissa paradoxa* Chermock,1945** (Lycaenidae) **Synonym(s):** *paradoxa* Chermock,1945; *inyoensis* Nabakov,1949 **Range (in code):** **US Cf**
- 15259. *Plebejus (Lycaeides) melissa samuelis* Nabakov,1944** (Lycaenidae) **Synonym(s):** *samuelis* Nabakov,1944 **Range (in code):** **US Ny**
- 15260. *Plebejus (Lycaeides) mongolicus* (Rühl,[1893])** (Lycaenidae) **Synonym(s):** *mongolicus* Rühl,[1893] **Original Reference:** *Lycaena argus* var. *mongolica* Rühl,[1893], *Palaearkt. Grossschmett. Naturg.* 1: 235. Type (s): Centralasien. Neotype ♂: N. Mongolia: Darkhan, designated by Samodurov et al.,2000, [in] Tusov et al., *Guide Butts. Russia* 2: 166, pl. 83 figs. 26,27 (ZSBS). **Range (in code):** **At Bn Kts CN IMn MN Mnu RU**
- 15261. *Plebejus (Lycaeides) mongolicus mongolicus* (Rühl,[1893])** (Lycaenidae) **Synonym(s):** *mongolicus* Rühl,[1893] **Original Reference:** *Lycaena argus* var. *mongolica* Rühl,[1893], *Palaearkt. Grossschmett. Naturg.* 1: 235. Type (s): Centralasien. Neotype ♂: N. Mongolia: Darkhan, designated by Samodurov et al.,2000, [in] Tusov et al., *Guide Butts. Russia* 2: 166, pl. 83 figs. 26,27 (ZSBS). **Range (in code):** **At Bn Kts CN IMn MN Mnu RU**
- 15262. *Plebejus (Lycaeides) noah* (Herz,1900)** (Lycaenidae) **Synonym(s):** *noah* Herz,1900 **Original Reference:** *Lycaena noah* Herz,1900, *Annu. Mus. zool. St. Petersburg* 5: 442. Syntypes: [Uzbekistan]: "Noah-Pairambar...Bucharen, Noah". Lectotype ♂: [?Nuratau Mts.], designated by Zhdanko,2000, *Guide Butts. Russia* 2: 169 (ZISP). **Range (in code):** **UZ**
- 15263. *Plebejus (Lycaeides) noah noah* (Herz,1900)** (Lycaenidae) **Synonym(s):** *noah* Herz,1900 **Original Reference:** *Lycaena noah* Herz,1900, *Annu. Mus. zool. St. Petersburg* 5: 442. Syntypes: [Uzbekistan]: "Noah-Pairambar...Bucharen, Noah". Lectotype ♂: [?Nuratau Mts.], designated by Zhdanko,2000, *Guide Butts. Russia* 2: 169 (ZISP). **Range (in code):** **UZ**
- 15264. *Plebejus (Lycaeides) nushibi* Zhdanko,2000** (Lycaenidae) **Synonym(s):** *nushibi* Zhdanko,2000 **Original Reference:** *Plebejus nushibi* Zhdanko,2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 163, pl.74 figs. 43-45. Holotype ♂: SE. Kazakhstan: Zailisky Alatau Mts. Kaskelen Gorge, 1500m. (ZISP). **Range (in code):** **KG TrA Aa** **Bionomy:** Larva on *Onobrychis* sp. (Fabaceae) (Zhdanko,2000).
- 15265. *Plebejus (Lycaeides) nushibi nushibi* Zhdanko,2000** (Lycaenidae) **Synonym(s):** *nushibi* Zhdanko,2000 **Original Reference:** *Plebejus nushibi* Zhdanko,2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 163, pl.74 figs. 43-45. Holotype ♂: SE. Kazakhstan: Zailisky Alatau Mts. Kaskelen Gorge, 1500m. (ZISP). **Range (in code):** **KG TrA Aa** **Bionomy:** Larva on *Onobrychis* sp. (Fabaceae) (Zhdanko,2000).
- 15266. *Plebejus (Lycaeides) pseudoaegon* (Butler,[1882])** (Lycaenidae) **Synonym(s):** *pseudoaegon* Butler,[1882] **Original Reference:** *Lycaena pseudoaegon* Butler,[1882], *Proc. zool. Soc. Lond.* 1882 (4): 851. Type(s): [Japan]: "Iburi, Hokkaido". **Range (in code):** **JP CN Mc RU Prj Us CN Pkn Sz** **Bionomy:** Larva on *Vicia amoena* (Fabaceae) (Dantchenko, in litt.).
- 15267. *Plebejus (Lycaeides) pseudoaegon insularis* (Leech,[1893])** (Lycaenidae) **Synonym(s):** *insularis* Leech,[1893] **Range (in code):** **JP**
- 15268. *Plebejus (Lycaeides) pseudoaegon pseudoaegon* (Butler,[1882])** (Lycaenidae) **Synonym(s):** *pseudoaegon* Butler,[1882] **Original Reference:** *Lycaena pseudoaegon* Butler,[1882], *Proc. zool. Soc. Lond.* 1882 (4): 851. Type(s): [Japan]: "Iburi, Hokkaido". **Range (in code):** **JP**
- 15269. *Plebejus (Lycaeides) pseudoaegon sinicus* Forster,1936** (Lycaenidae) **Synonym(s):** *sinica* Forster,1936 **Original Reference:** *Lycaena argyrognomon* ssp. *sinica* Forster,1936, *Mitt. münch. ent. Ges.* 26(2): 77-78. Holotype ♂: China: Szechuan: O-mi-sien. **Range (in code):** **CN Pkn Sz**
- 15270. *Plebejus (Lycaeides) pseudoaegon ussuricus* (Forster,1936)** (Lycaenidae) **Synonym(s):** *ussurica* Forster,1936 **Original Reference:** *Lycaena argyrognomon* ssp. *ussurica* Forster,1936, *Mitt. münch. ent. Ges.* 26(2): 80. Syntypes 12♂ 11♀: [Russia]: Nikolsk Ussurisk. **Range (in code):** **CN Mc RU Prj Us**
- 15271. *Plebejus (Lycaeides) roxane* (Groum-Grshimailo,1887)** (Lycaenidae) **Synonym(s):** *roxane* Groum-Grshimailo,1887 **Range (in code):** **KK Pm**

- 15272. *Plebejus (Lycaeides) roxane roxane* (Groum-Grshimailo,1887) (Lycaenidae)**
Synonym(s): *roxane* Groum-Grshimailo,1887 Range (in code): **KK Pm**
- 15273. *Plebejus (Lycaeides) sajlugemica* Zhdanko,1999 (Lycaenidae)** Synonym(s):
sajlugemica Zhdanko,1999 Range (in code): **RU At**
- 15274. *Plebejus (Lycaeides) subsolanus* (Eversmann,1851) (Lycaenidae)** Synonym(s):
subsolanus Eversmann,1851; *cleobis* Bremer,1861. Original Reference: *Lycaena subsolanus*
Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 620-621. Lectotype ♂: Russia: "Irkoutzk" (ZISP).
Range (in code): **Am Amd At Kts CN JP KP RU Sb Sj Sz Ts Ui Kuz No**
- 15275. *Plebejus (Lycaeides) subsolanus boreas* Balint,1988 (Lycaenidae)** Synonym(s):
boreas Balint,1988
- 15276. *Plebejus (Lycaeides) subsolanus ida* (Groum-Grshimailo,1890) (Lycaenidae)**
Synonym(s): *ida* Groum-Grshimailo,1890; *kenteana* Staudinger,1892 Original Reference: *Lycaena ida*
Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 451-452. Syntypes: [China]: Amdo, Dshachar.
Range (in code): **Amd CN Jc RU Sj Sz Ts Ui**
- 15277. *Plebejus (Lycaeides) subsolanus sifanicus* (Groum-Grshimailo,1890) (Lycaenidae)** Synonym(s):
sifanicus Groum-Grshimailo,1890 Original Reference: *Lycaena argus*
var. *sifanica* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 450. Syntypes: [China]: mont.
Dshachar. Range (in code): **CN Gn MN**
- 15278. *Plebejus (Lycaeides) subsolanus subsolanus* (Eversmann,1851) (Lycaenidae)**
Synonym(s): *subsolanus* Eversmann,1851; *cleobis* Bremer,1861. Original Reference: *Lycaena*
subsolanus Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 620-621. Lectotype ♂: Russia:
"Irkoutzk" (ZISP). Range (in code): **Am At Kts CN JP KP RU Sb Kuz No**
- 15279. *Plebejus (Lycaeides) tillo* Zhdanko & Churkin,2001 (Lycaenidae)** Synonym(s): *tillo*
Zhdanko & Churkin,2001 Range (in code): **TJ Pm**
- 15280. *Plebejus (Lycaeides) uiguricus* Zhdanko,2000 (Lycaenidae)** Synonym(s): *uiguricus*
Zhdanko,2000 Original Reference: *Plebejus uiguricus* Zhdanko,2000, Helios 1: 101. Holotype ♂:
Kazakhstan: Bukombai, 20km SE, Karatozai, Kurshum Mts., S. Altai. Range (in code): **KG At Sau Tar**
- 15281. *Plebejus (Lycaeides) uiguricus uiguricus* Zhdanko,2000 (Lycaenidae)**
Synonym(s): *uiguricus* Zhdanko,2000 Original Reference: *Plebejus uiguricus* Zhdanko,2000,
Helios 1: 101. Holotype ♂: Kazakhstan: Bukombai, 20km SE, Karatozai, Kurshum Mts., S. Altai.
Range (in code): **KG At Sau Tar**
- 15282. *Plebejus (Lycaeides) zhadankoi* Churkin,2002 (Lycaenidae)** Synonym(s): *zhadankoi*
Churkin,2002 Range (in code): **KG**
- 15283. *Plebejus (Plebejides) allardi* (Oberthür,1874) (Lycaenidae)** Synonym(s): *allardi*
Oberthür,1874 Original Reference: *Lycaena allardii* Oberthür,1874, Petit. nouv. ent. 1: 412.
Syntypes: Algérie: Oran. Lectotype ♂: Sebdo (Oran) (designated by Balint,1999, Neue ent.
Nachr. 46: 10) (BMNH). Range (in code): **DZ Ges Sbd MA TN LY** Bionomy: Larva on *Astragalus*
caprinus (Fabaceae) (Tolman,1997).
- 15284. *Plebejus (Plebejides) allardi allardi* (Oberthür,1874) (Lycaenidae)** Synonym(s):
allardi Oberthür,1874 Original Reference: *Lycaena allardii* Oberthür,1874, Petit. nouv. ent. 1: 412.
Syntypes: Algérie: Oran. Lectotype ♂: Sebdo (Oran) (designated by Balint,1999, Neue ent.
Nachr. 46: 10) (BMNH). Range (in code): **DZ Ges Sbd TN LY**
- 15285. *Plebejus (Plebejides) allardii antiatlasicus* Tarrier,1996 (Lycaenidae)** Synonym(s):
antiatlasicus Tarrier,1996 Original Reference: *Plebejus allardii* ssp. *antiatlasicus* Tarrier,1996,
Alexandor 19(4): 198-201, figs. Holotype ♂: Maroc: Tiz-n-Tarakatine, 1600m. (ISR). Range (in code): **MA**
- 15286. *Plebejus (Plebejides) beani* Balint & Johnson,1997 (Lycaenidae)** Synonym(s): *indica*
Evans,1925 nec Murray,1874; beani Balint & Johnson,1997 Original Reference: *Plebejus beani* Balint &
Johnson,1997, Neue ent. Nachr. 40: 4 (nomen novum pro *Lycaena pylaon* ssp. *indica* Evans,1925
nec Lycaena indica Murray,1874). Syntypes: [Pakistan]: Baluchistan: Khojak Pass. Range (in code): **Bl Koj PK Wa**
- 15287. *Plebejus (Plebejides) beani beani* Balint & Johnson,1997 (Lycaenidae)**
Synonym(s): *indica* Evans,1925 nec Murray,1874; *beani* Balint & Johnson,1997 Original Reference:
Plebejus beani Balint & Johnson,1997, Neue ent. Nachr. 40: 4 (nomen novum pro *Lycaena*
pylaon ssp. *indica* Evans,1925 nec *Lycaena indica* Murray,1874). Syntypes: [Pakistan]:
Baluchistan: Khojak Pass. Range (in code): **Bl Koj PK Wa**

- 15288. *Plebejus (Plebejides) brethertoni (Brown,1976)*** (Lycaenidae) Synonym(s): *brethertoni Brown,1976* Original Reference: *Plebejus pylaon* ssp. *brethertoni* Brown,1976, Ent. Ber., Amst. 36: 46. Holotype ♂: Greece: Mt. Chelmos (Aroani Oros), 1800m. (in coll. J.Brown). Range (in code): GR Chl
- 15289. *Plebejus (Plebejides) brethertoni brethertoni (Brown,1976)*** (Lycaenidae) Synonym(s): *brethertoni Brown,1976* Original Reference: *Plebejus pylaon* ssp. *brethertoni* Brown,1976, Ent. Ber., Amst. 36: 46. Holotype ♂: Greece: Mt. Chelmos (Aroani Oros), 1800m. (in coll. J.Brown). Range (in code): GR Chl
- 15290. *Plebejus (Plebejides) hespericus (Rambur,[1839])*** (Lycaenidae) Synonym(s): *hespericus Rambur,[1839]* Original Reference: *Polyommatus hespericus* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.10. Syntypes: Andalousie, Sierra d'Alfacar. Range (in code): ES
- 15291. *Plebejus (Plebejides) hespericus galani Agenjo,1967*** (Lycaenidae) Synonym(s): *galani Agenjo,1967* Original Reference: *Plebejus (Plebejus) pylaon* ssp. *galani* Agenjo,1967, Eos 43: 21. Range (in code): ES
- 15292. *Plebejus (Plebejides) hespericus hespericus (Rambur,[1839])*** (Lycaenidae) Synonym(s): *hespericus Rambur,[1839]* Original Reference: *Polyommatus hespericus* Rambur,[1839], Faune ent. Andalousie 2 (4): pl.10. Syntypes: Andalousie, Sierra d'Alfacar. Range (in code): ES
- 15293. *Plebejus (Plebejides) hespericus matildae Gomez Bustillo & Fernandez-Rubio,1972*** (Lycaenidae) Synonym(s): *matildae Gomez Bustillo & Fernandez-Rubio,1972* Original Reference: *Plebejus (Plebejus) pylaon* ssp. *matildae* Gomez Bustillo & Fernandez-Rubio,1972, Publ. Arch. Inst. Acl. 17: 23-24, figs. Holotype ♂: Spain: Prov. de Madrid, de Campo Real, 650m. (in G.Bustillo coll.). Range (in code): ES Mdr
- 15294. *Plebejus (Plebejides) hespericus pardoi Gomez Bustillo & Fernandez-Rubio,1972*** (Lycaenidae) Synonym(s): *pardoi Gomez Bustillo & Fernandez-Rubio,1972* Original Reference: *Plebejus (Plebejus) pylaon* ssp. *pardoi* Gomez Bustillo & Fernandez-Rubio,1972, Publ. Arch. Inst. Acl. 17: 24-26, figs. Holotype ♂: Spain: Prov. de Madrid, del Monte "El Regajal", Aranjuez, 680m (in G.Bustillo coll.). Range (in code): ES Mdr
- 15295. *Plebejus (Plebejides) klausrosei Balint,[1993]*** (Lycaenidae) Synonym(s): *klausrosei Balint,[1993]* Original Reference: *Plebeius zephyrinus* ssp. *klausrosei* Balint,[1993], Ent. Obozr. 71 (4) (1992): 875, figs.55-58. Holotype ♂: Tadzikistan: Wachschski Chrebet (in coll. Rose). Range (in code): TJ Pm
- 15296. *Plebejus (Plebejides) magnificus Balint,1987*** (Lycaenidae) Synonym(s): *magnificus Balint,1987* Original Reference: *Plebejus (Plebejides) sephirus* ssp. *magnificus* Balint,1987, Galathea 3: 101. Holotype ♂: Macedonia: Ochrida. Range (in code): MK
- 15297. *Plebejus (Plebejides) magnificus magnificus Balint,1987*** (Lycaenidae) Synonym(s): *magnificus Balint,1987* Original Reference: *Plebejus (Plebejides) sephirus* ssp. *magnificus* Balint,1987, Galathea 3: 101. Holotype ♂: Macedonia: Ochrida. Range (in code): MK
- 15298. *Plebejus (Plebejides) martini (Allard,1867)*** (Lycaenidae) Synonym(s): *martini Allard,1867* Original Reference: *Lycaena martinii* Allard,1867, Annls Soc. ent. Fr. 25: 319. Syntypes: Algeria: Lambessa. Range (in code): DZ Lbs Btna Tlm Dja Ges MA Rf Bionomy: Larva on *Astragalus armatus*, *Astragalus incanus incurvus*, *Astragalus massiliensis*, *Acanthyllis numidia* (Fabaceae) (Tolman,1997).
- 15299. *Plebejus (Plebejides) martini martini (Allard,1867)*** (Lycaenidae) Synonym(s): *martini Allard,1867* Original Reference: *Lycaena martinii* Allard,1867, Annls Soc. ent. Fr. 25: 319. Syntypes: Algeria: Lambessa. Range (in code): DZ Ges Lbs Btna Tlm Dja Bionomy: Larva on *Astragalus massiliensis*, *Acanthyllis numidia* (Fabaceae) (Tolman,1997).
- 15300. *Plebejus (Plebejides) martini regularis Tennent,1995*** (Lycaenidae) Synonym(s): *regularis Tennent,1995* Original Reference: *Plebejus martini* ssp. *regularis* Tennent,1995, Entomologist's Gaz. 46(2): 121-124. Range (in code): MA Rf Bionomy: Larva on *Astragalus armatus* (Fabaceae) (Tolman,1997).
- 15301. *Plebejus (Plebejides) martini ungemachi (Rothschild,1925)*** (Lycaenidae) Synonym(s): *ungemachi Rothschild,1925* Original Reference: *Lycaena allardi* ssp. *ungemachi* Rothschild,1926, Bull. Soc. Sci. nat. Maroc 5 (1925): 333. Type: Morocco: Middle Atlas Mts.: Aghbalu Larbi. Range (in code): MA Bionomy: Larva on *Astragalus incanus incurvus* (Fabaceae) (Tolman,1997).

- 15302. Plebejus (Plebejides) modicus Verity,1935** (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935 Original Reference: *Plebeius sephyrus* race *modica* Verity,1935, Bull. Soc. ent. Fr. 40: 245. Syntypes: [Turquie]: Ak-Chehir. Range (in code): **GG Smt Akh Cc TR RU Kc Teb**
- 15303. Plebejus (Plebejides) modicus abchasicus Nekrutenko,1975** (Lycaenidae) Synonym(s): *abchasicus* Nekrutenko,1975 Original Reference: *Plebejus (Plebejides) pylaon* ssp. *abchasicus* Nekrutenko,1975, J. Lepid. Soc. 29 (3): 151-153, figs.1,2,7-9. Holotype ♂: [Georgia]: SW Caucasus, Abkhasian A.S.S.R., Lake Ritsa vicinity, 500-800m (ZMKSU). Range (in code): **Cc GG Smt Akh**
- 15304. Plebejus (Plebejides) modicus albertii Nekrutenko,1975** (Lycaenidae) Synonym(s): *albertii* Nekrutenko,1975 Range (in code): **Cc RU Kc Teb**
- 15305. Plebejus (Plebejides) modicus modicus Verity,1935** (Lycaenidae) Synonym(s): *modicus* Verity,1935; *microsephyrus* Verity,1935 Original Reference: *Plebeius sephyrus* race *modica* Verity,1935, Bull. Soc. ent. Fr. 40: 245. Syntypes: [Turquie]: Ak-Chehir. Range (in code): **GG Smt Akh Cc TR**
- 15306. Plebejus (Plebejides) nichollae (Elwes,1901)** (Lycaenidae) Synonym(s): *nichollae* Elwes,1901 Original Reference: *Lycaena zephyrus* var. *nicholli* Elwes,1901, [in] Nicholl,M., Trans. ent. Soc. Lond. 1901 (1): 95-96. Syntypes: Lebanon: Anti-Lebanon, 3000-6000ft. Range (in code): **SY JO TR LB He IL**
- 15307. Plebejus (Plebejides) nichollae akbesianus Oberthür,1904** (Lycaenidae) Synonym(s): *akbesianus* Oberthür,1904; *#akbesina Rebel,1917* Original Reference: *Lycaena zephyrus* var. *akbesiana* Oberthür,1904, Lépid. comp. 1: 16, pl.2 figs. 21-22. Lectotype ♂: [Turquie]: Syrie, Akbes (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH). Range (in code): **TR**
- 15308. Plebejus (Plebejides) nichollae cleopatra Hemming,1934** (Lycaenidae) Synonym(s): *cleopatra* Hemming,1934 Original Reference: *Plebejus cleopatra* Hemming,1934, Entomologist 67: 30. Type ♀: Palestine, Tel Khuweilfe, 11 miles north-west of Beersheba. Range (in code): **JO**
- 15309. Plebejus (Plebejides) nichollae nichollae Elwes,1901** (Lycaenidae) Synonym(s): *nichollae* Elwes,1901 Original Reference: *Lycaena zephyrus* var. *nicholli* Elwes,1901, [in] Nicholl,M., Trans. ent. Soc. Lond. 1901 (1): 95-96. Syntypes: Lebanon: Anti-Lebanon, 3000-6000ft. Range (in code): **He IL LB SY**
- 15310. Plebejus (Plebejides) patriarcha Balint,1992** (Lycaenidae) Synonym(s): *patriarcha* Balint,1992 Original Reference: *Plebejus (Plebejides) patriarcha* Balint,1992, Atalanta 23 (1/2): 134-136, Pl.viii, figs. Holotype ♂: Tadjikistan: Darwas, Karnak (BMNH). Range (in code): **TJ**
- 15311. Plebejus (Plebejides) patriarcha patriarcha Balint,1992** (Lycaenidae) Synonym(s): *patriarcha* Balint,1992 Original Reference: *Plebejus (Plebejides) patriarcha* Balint,1992, Atalanta 23 (1/2): 134-136, Pl.viii, figs. Holotype ♂: Tadjikistan: Darwas, Karnak (BMNH). Range (in code): **TJ**
- 15312. Plebejus (Plebejides) philbyi Graves,1925** (Lycaenidae) Synonym(s): *philbyi* Graves,1925 Original Reference: *Plebeius sephyrus* ssp. *philbyi* Graves, 1925, Trans. ent. Soc. Lond. 1925: 55, pl.5 figs. 1,2. Syntypes 2♀: Transjordan: Petra. Range (in code): **JO**
- 15313. Plebejus (Plebejides) philbyi philbyi Graves,1925** (Lycaenidae) Synonym(s): *philbyi* Graves,1925 Original Reference: *Plebeius sephyrus* ssp. *philbyi* Graves, 1925, Trans. ent. Soc. Lond. 1925: 55, pl.5 figs. 1,2. Syntypes 2♀: Transjordan: Petra. Range (in code): **JO**
- 15314. Plebejus (Plebejides) pylaon (Fischer v. Waldheim,1832)** (Lycaenidae) Synonym(s): *pylaon* Fischer v. Waldheim,1832 Original Reference: *Lycaena pylaon* Fischer von Waldheim,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 357-358, pl.19 figs.5,6. Syntypes: [Russia]: Sarepta. Neotype ♂: Sarepta (Krasnoarmejsk) designated by Lukhtanov,1990, Linneana belgica 12(7): 277-278 (ZSM). Range (in code): **Ao Gj KG Kp Kt Mn Or Pe RU Sm Sr TM Uk VI Buc Bkb Nym Ktm Sau Trt Tj CAT DsA Alk T-S Tk CN Ui** Bionomy: Larva on *Astragalus exscapus*, *A. dasyanthus*, *A. parnassi cyllenus*, *A. angustifolius*, *Astracantha rumelica* (Tolman, 1997); *Astragalus rupifragus* (Zhdanko, 1997).
- 15315. Plebejus (Plebejides) pylaon forsteri Balint,1990** (Lycaenidae) Synonym(s): *forsteri* Balint,1990 Original Reference: *Plebejus (Plebejides) pylaon* ssp. *forsteri* Balint,1990, Linneana Belg. 12 (7): 279-281. Holotype ♂: [Kazachstan]: Tien-Shan, vallée de la Kopa [Dshungarian Ala Tau]. Range (in code): **KG T-S Tk DsA Alk CN Ui**

- 15316. Plebejus (Plebejides) pylaon katunensis Balint & Lukhtanov,1990** (Lycaenidae)
Synonym(s): *katunensis* Balint & Lukhtanov,1990 Original Reference: Plebejus (Plebejides) pylaon ssp. katunensis Balint & Lukhtanov,1990, Linneana Belgica 12 (7): 281-291, figs. Holotype ♂: [Russia]: U.R.S.S., Altai Central, Katun r., 1200m, 5km W. Katanda. Range (in code): **At Kts RU Trt Tj Cat**
- 15317. Plebejus (Plebejides) pylaon pylaon (Fischer de Waldheim,1832)** (Lycaenidae)
Synonym(s): *pylaon* Fischer de Waldheim,1832 Original Reference: Lycaena pylaon Fischer von Waldheim,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 357-358, pl.19 figs.5,6. Neotype ♂: [Russia]: U.R.S.S., Sarepta, designated by Balint,1990, Linneana Belg. 12 (7): 277. Range (in code): **Ao Gj KG Kt Mn Or Pe RU Sm Sr Uk Vl Buc Bkb Nym Ktm Sau**
- 15318. Plebejus (Plebejides) pylaon turcmenicus (Forster,1936)** (Lycaenidae)
Synonym(s): *turcmenicus* Forster,1936 Original Reference: Lycaena turcmenica Forster,1936, Mitt. münch. ent. Ges. 26: 55. Syntypes: [Turkmenistan]: Achal-Tekke, Jablonowka. Range (in code): **Kp TM**
- 15319. Plebejus (Plebejides) sephirus (Fivaldszky,1835)** (Lycaenidae) Synonym(s): *sephirus* Fivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovacsi* Szabo,1954; *foticus* Szabo,1956. Original Reference: Lycaena sephirus Fivaldszky,1835, Magy. Tud. tars. Evk. 2: 269. Syntypes: [Bulgaria]: Haemeus, Szliven (=Sliven). Range (in code): **BG HU MK AL RO TR Cc AM Ved**
- 15320. Plebejus (Plebejides) sephirus semiturcmenicus Balint,1991** (Lycaenidae)
Synonym(s): *semiturcmenicus* Balint,1991 Original Reference: Plebejus sephirus ssp. semiturcmenicus Balint,1991, A janus pannoniensis Muzeum évkönyve 35: 51. Type: Armenia: Vedi. Range (in code): **AM Cc Ved**
- 15321. Plebejus (Plebejides) sephirus sephirus (Fivaldszky,1835)** (Lycaenidae)
Synonym(s): *sephirus* Fivaldszky,1835; *uhryki* Rebel,1911; *proximus* Szabo,1954; *kovacsi* Szabo,1954; *foticus* Szabo,1956. Original Reference: Lycaena sephirus Fivaldszky,1835, Magy. Tud. tars. Evk. 2: 269. Syntypes: [Bulgaria]: Haemeus, Szliven (=Sliven). Range (in code): **BG HU MK AL RO TR**
- 15322. Plebejus (Plebejides) trappi (Verity,1927)** (Lycaenidae) Synonym(s): *lycidas* Trapp,1863 nec Meigen,1830; *trappi* Verity,1927. Original Reference: Plebejus sephyrus trappi Verity,1927, Annls Soc. ent. Fr. 96: 16 (nomen novum pro Lycaena sephyrus lycidas Trapp,1863 nec Polyommatus lycidas Meigen,1830). Range (in code): **CH FR IT**
- 15323. Plebejus (Plebejides) trappi trappi (Verity,1927)** (Lycaenidae) Synonym(s): *lycidas* Trapp,1863 nec Meigen,1830; *trappi* Verity,1927. Original Reference: Plebejus sephyrus trappi Verity,1927, Annls Soc. ent. Fr. 96: 16 (nomen novum pro Lycaena sephyrus lycidas Trapp,1863 nec Polyommatus lycidas Meigen,1830). Range (in code): **CH FR IT**
- 15324. Plebejus (Plebejides) usbekus Forster,1939** (Lycaenidae) Synonym(s): *zephyrinus* Staudinger,1886 nec Christoph,1884; *usbekus* Forster,1939 Original Reference: Plebejus pylaon usbeka Forster,1939, Dan. sci. Invest. Iran 1: 6. (nomen novum pro zephyrinus Staudinger,1886 nec Christoph,1884). Syntypes: [Usbekistan]: Samarkand. Range (in code): **T-S CN Fe Gul KK Ku Osh Smk Ui UZ KG Syr Tm**
- 15325. Plebejus (Plebejides) usbekus usbekus Forster,1939** (Lycaenidae) Synonym(s): *zephyrinus* Staudinger,1886 nec Christoph,1884; *usbekus* Forster,1939 Original Reference: Plebejus pylaon usbeka Forster,1939, Dan. sci. Invest. Iran 1: 6. (nomen novum pro zephyrinus Staudinger,1886 nec Christoph,1884). Syntypes: [Usbekistan]: Samarkand. Range (in code): **CN Fe Gul KK Ku T-S Osh Smk Ui UZ KG Syr Tm**
- 15326. Plebejus (Plebejides) vogelii (Oberthür,1910)** (Lycaenidae) Synonym(s): *vogelii* Oberthür,1910 Range (in code): **MA** Bionomy: Larva on Erodium petraeum crispum (Tolman, 1997).
- 15327. Plebejus (Plebejides) vogelii insperatus Tennent,1996** (Lycaenidae) Synonym(s): *insperatus* Tennent,1996 Range (in code): **MA**
- 15328. Plebejus (Plebejides) vogelii vogelii (Oberthür,1910)** (Lycaenidae) Synonym(s): *vogelii* Oberthür,1910 Range (in code): **MA**
- 15329. Plebejus (Plebejides) zephyrinus (Christoph,1884)** (Lycaenidae) Synonym(s): *zephyrinus* Christoph,1884 Original Reference: Lycaena zephyrus var. zephyrinus Christoph,1884, [in] Romanoff, Mém. Lépid. 1: 102. Syntypes: [Turkmenistan]: Askhabad. Range (in code): **TR Cc AZ Nv Ord GG IQ IR KG Kp TM Sau Mn Ak Ab Elb Mz Lo Fa Shr RU T-S Ax Fe UZ**
- 15330. Plebejus (Plebejides) zephyrinus iranica Koçak,1980** (Lycaenidae) Synonym(s): *iranica* Forster,1939 nec Forst.,1939; *iranica* Koçak,1980 Original Reference: Plebejus pylaon ssp. iranica Koçak, 1980, Nota lepid. 2 (4): 141, nomen novum pro Plebejus pylaon iranica

- Forster, 1939, Lepidopteren aus Iran: 5, nec *Plebeius euryphilus iranica* Forster, 1938, Ent. Rdsch. 55: 216. Range (in code): IR Lo Fa Shr
- 15331. *Plebejus (Plebejides) zephyrinus ordubadi* (Forster, 1938)** (Lycaenidae)
Synonym(s): *ordubadi* Forster, 1938 Original Reference: *Lycaena (Plebeius) pylaon* ssp. *ordubadi* Forster, 1938, Ent. Rdsch. 55: 238. Holotype ♂: [Aserbaidjan]: Russisch- Armenien: Ordubad, 900m. Range (in code): Smt Akh Cc AZ GG Nv Ord TR IQ IR Ak Ab
- 15332. *Plebejus (Plebejides) zephyrinus solimanus* (Forster, 1938)** (Lycaenidae)
Synonym(s): *solimanus* Forster, 1938 Original Reference: *Lycaena (Plebejus) pylaon* ssp. *solimana* Forster, 1938, Ent. Rdsch. 55: 336. Holotype ♂: [Iran]: Elbursgebirge: Tacht-i-Suleiman, Vandarban. Range (in code): IR Elb Mz
- 15333. *Plebejus (Plebejides) zephyrinus tarbagataiensis* Balint, [1993]** (Lycaenidae)
Synonym(s): *tarbagataiensis* Balint, [1993] Original Reference: *Plebeius zephyrinus* ssp. *tarbagataiensis* Balint, [1993], Ent. Obozr. 71 (4) (1992): 875-876, figs. 69, 70. Holotype ♂: [Kazachstan]: Kenderlik, S. Altai [Saur Gebirge], leg. Rückbeil, ex Tancre (in Elwes coll.). Range (in code): KG Mn Sau
- 15334. *Plebejus (Plebejides) zephyrinus zephyrinus* (Christoph, 1884)** (Lycaenidae)
Synonym(s): *zephyrinus* Christoph, 1884 Original Reference: *Lycaena zephyrus* var. *zephyrinus* Christoph, 1884, [in] Romanoff, Mém. Lépid. 1: 102. Syntypes: [Turkmenistan]: Askhabad. Range (in code): T-S Ax Fe UZ KK Kp Smk TM
- 15335. *Plebejus (Plebulina) emigdionis* (Grinnell, 1905)** (Lycaenidae) Synonym(s): *emigdionis* Grinnell, 1905; *melimona* Wright, 1905 Range (in code): US Cf
- 15336. *Plebejus (ardis-gr) baroghilus* (Tytler, 1926)** (Lycaenidae) Synonym(s): *baroghila* Tytler, 1926 Original Reference: *Lycaena baroghila* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 583, pl. i fig. 1. Syntypes 1♂ 1♀: [Pakistan]: Baroghil Pass (leg. Lieut.-Col. Lorimer). Range (in code): Bg PK
- 15337. *Plebejus (ardis-gr) baroghilus baroghilus* (Tytler, 1926)** (Lycaenidae) Synonym(s): *baroghila* Tytler, 1926 Original Reference: *Lycaena baroghila* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 583, pl. i fig. 1. Syntypes 1♂ 1♀: [Pakistan]: Baroghil Pass (leg. Lieut.-Col. Lorimer). Range (in code): Bg PK
- 15338. *Plebejus (ardis-gr) eversmanni* (Lang, 1884)** (Lycaenidae) Synonym(s): *eversmanni* Lang, 1884; *eversmanni* Staudinger, 1886 (hom.); *grumi* Staudinger, 1901; *ardis* Balint & Johnson, 1997. Original Reference: *Lycaena eversmanni* Lang, 1884, Rhop. Europae 1: 370. Lectotype ♂: [Uzbekistan: W. Ghissar]: "Samarkand" designated by Balint, 1999. Range (in code): AF Adr Bd T-S KK Osh UZ Smk TM Kp Pm TJ Bionomy: Larva on *Chesneya ternata*, *C. qunata*, *C. gissarica* (Zhdanko, 1997).
- 15339. *Plebejus (ardis-gr) eversmanni badachshanus* Forster, 1972** (Lycaenidae)
Synonym(s): *badachshana* Forster, 1972 Original Reference: *Plebejus eversmanni* ssp. *badachshana* Forster, 1972, Ent. Z., Frankf. a. M. 82(20): 226-227, Abb. 1-2. Holotype ♂: Afghanistan: Badakhshan: Khinch-e-Andarab, 3500-4000m. Range (in code): Adr Bd AF TJ Pm
- 15340. *Plebejus (ardis-gr) eversmanni eversmanni* (Lang, 1884)** (Lycaenidae)
Synonym(s): *eversmanni* Lang, 1884; *eversmanni* Staudinger, 1886 (hom.); *grumi* Staudinger, 1901; *ardis* Balint & Johnson, 1997. Original Reference: *Lycaena eversmanni* Lang, 1884, Rhop. Europae 1: 370. Lectotype ♂: [Uzbekistan: W. Ghissar]: "Samarkand" designated by Balint, 1999. Range (in code): T-S KK Osh UZ Smk TM Kp
- 15341. *Plebejus (ardis-gr) firuskuhi* Forster, 1940** (Lycaenidae) Synonym(s): *firuskuhi* Forster, 1940 Range (in code): AF Hrz Pnj
- 15342. *Plebejus (ardis-gr) firuskuhi firuskuhi* Forster, 1940** (Lycaenidae) Synonym(s): *firuskuhi* Forster, 1940 Range (in code): AF Hrz Pnj
- 15343. *Plebejus (ardis-gr) kwaja* (Evans, 1932)** (Lycaenidae) Synonym(s): *kwaja* Evans, 1932 Original Reference: *Polyommatus hyrcana kwaja* Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan. Range (in code): PK BI
- 15344. *Plebejus (ardis-gr) kwaja kwaja* (Evans, 1932)** (Lycaenidae) Synonym(s): *kwaja* Evans, 1932 Original Reference: *Polyommatus hyrcana kwaja* Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan. Range (in code): PK BI
- 15345. *Plebejus (s.str.) argus* (Linnaeus, 1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus, 1758; *aegon* Denis & Schiffermiller, 1775; *plouharnelensis* Oberthür, 1926; *pulchraphilonome* Verity, 1931. Original Reference: *Papilio argus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 483. Syntypes: Europa, Africa.

Range (in code): **AL Ao At Bn Kts AT Ba BE BG BY CH CN Co CZ DE DK EE ES Mu FI FR GB GR HU IT IR Elb Ab Ak IQ KG Ku LT LU LV NL NO PL PT RO RU Sa SE Si SK Sm So Sr TR Cc GG Smt Akh AZ AM UA Ui Kml Uk VI Ya YU Cw Dv Smt H-W Sur Ssx Ken Kuz Sli Sau Tar Mn Mgd KP KR JP Sh Us Arr Shf Khy AF Kab** Bionomy: Larva on Lotus, Ulex, Cytisus, Genista, Colutea, Astragalus, Ononis, Medicago, Hippocrepis, Coronilla, Galega, Helianthemum, Calluna vulgaris, ? Erica (Tolman,1997).

- 15346. Plebejus (s.str.) argus aegiades (Gerhard,[1852])** (Lycaenidae) Synonym(s): *aegiades* Gerhard,[1852] Range (in code): **FR**
- 15347. Plebejus (s.str.) argus aegidion (Meisner,1818)** (Lycaenidae) Synonym(s): *aegidion* Meisner,1818; *valmasinii* Perlini,1905; *alpina* Courv.,1910 *nec* Berce,1967; *claraobscura* Verity,1931 Original Reference: Papilio aegidion Meisner,1818, Naturw. Anz. 1: 88. Syntypes: Schweiz: Berner Alpen, Grimsel Pass. Range (in code): **AL AT BG CH GR IT Kc RO RU**
- 15348. Plebejus (s.str.) argus aegon ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *aegon* [Denis & Schiffermüller],1775; *uliginosa* Dannehl; *cretaephilonome* Verity,1931. Original Reference: Papilio aegon [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 185. Type(s): [Austria]: Vienna district. Range (in code): **AT Bv DE FR LAT Wn**
- 15349. Plebejus (s.str.) argus argus (Linnaeus,1758)** (Lycaenidae) Synonym(s): *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931. Original Reference: Papilio argus Linnaeus,1758, Syst. Nat. (Edn.10)1: 483. Syntypes: Europa, Africa. Range (in code): **Bw DE SE**
- 15350. Plebejus (s.str.) argus bellus (Herrich-Schäffer,[1844])** (Lycaenidae) Synonym(s): *bellus* Herrich-Schäffer,[1844]; *tscherkessica* Forster,1936; *#georgica* Forster,1936. Original Reference: Lycaena bella Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: figs.227-228. Range (in code): **Aj Akh Arr Cc AZ AM GG Smt Akh Kb Ksp RU Teb TR IQ IR Ab Ak**
- 15351. Plebejus (s.str.) argus branuelasensis Tutt,1908** (Lycaenidae) Synonym(s): *branuelasensis* Tutt,1908
- 15352. Plebejus (s.str.) argus caeruleus Gorbunov,1995** (Lycaenidae) Synonym(s): *caeruleus* Gorbunov,1995 Original Reference: Plebejus argus ssp. caerulea Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 176. Range (in code): **RU**
- 15353. Plebejus (s.str.) argus clarasiaticus (Verity,1931)** (Lycaenidae) Synonym(s): *clarasiatica* Verity,1931; *katunica* Standel,1960. Original Reference: Lycaeides argus race clarasiatica Verity,1931, Dt. ent. Z., Iris 45: 62. Syntypes 1♂ 1♀: [Russia]: Gouv. Irkutsk: Sajon mts. or. Mondy: Chulugaischa, 2600m. Range (in code): **RU At Sj Am**
- 15354. Plebejus (s.str.) argus cleomenes (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *cleomenes* Fruhstorfer,1910 Original Reference: Lycaena argus ssp. cleomenes Fruhstorfer,1910, Int. ent. Z. 4: 62. Syntypes: Krain. Range (in code): **AT BG B-H Krt PL RO SK**
- 15355. Plebejus (s.str.) argus coreanus Tutt,1909** (Lycaenidae) Synonym(s): *coreanus* Tutt,1909 Range (in code): **KR KP**
- 15356. Plebejus (s.str.) argus corsicus (Bellier,1862)** (Lycaenidae) Synonym(s): *corsicus* Bellier,1862 Original Reference: Lycaena aegon var. corsica Bellier,1862, Annl's Soc. ent. Fr. (4) 2: 615, pl.14 fig.5. Lectotype ♂: Corse: Montagnes (designated by Balint,1999, Neue ent. Nachr. 46: 24) (BMNH). Range (in code): **Co F2o Sa**
- 15357. Plebejus (s.str.) argus gaillardi (Beuret,1950)** (Lycaenidae) Synonym(s): *gaillardi* Beuret,1950 Range (in code): **FR**
- 15358. Plebejus (s.str.) argus hypochionalpinus (Verity,1931)** (Lycaenidae) Synonym(s): *hypochionalpina* Verity,1931; *claralpina* Verity,1931. Original Reference: Lycaeides argus race hypochionalpina Verity,1931, Dt. ent. Z., Iris 45: 52. Syntypes 4♂ 1♀: [France]: Basses-Alpes: Annot, 700m. Range (in code): **Bss FR**
- 15359. Plebejus (s.str.) argus hypochionoides (Tutt,1909)** (Lycaenidae) Synonym(s): *hypochionoides* Tutt,1909; *pyrenaica* Tutt,1909. Range (in code): **FR Py**
- 15360. Plebejus (s.str.) argus hypochionus (Rambur,1858)** (Lycaenidae) Synonym(s): *hypochionus* Rambur,1858 Range (in code): **An Ct ES**
- 15361. Plebejus (s.str.) argus italorum Verity,1919** (Lycaenidae) Synonym(s): *italorum* Verity,1919 Original Reference: Plebejus argus race italorum Verity,1919, Entomologist's Rec. J. Var. 31: 45. Syntypes 6♂ 6♀: Italy: Toscana: Appennino Pistoiese: Abetone, 1300m. Range (in code): **IT Tc**

- 15362. *Plebejus (s.str.) argus kurentzovi* Koçak,1980** (Lycaenidae) Synonym(s): *orientalis* Kurentzov,1970 nec Tutt,1909; *kurentzovi* Koçak,1980 Original Reference: *Plebejus (s.str.) argus kurentzovi* Koçak,1980, *Nota lepid.* 2 (4): 142 (nomen novum pro *orientalis* Kurentzov,1970 nec Tutt,1909). Range (in code): **RU Us Am**
- 15363. *Plebejus (s.str.) argus lydiades* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *lydiades* Fruhstorfer,1910; *#pseudohypochiona* Verity,1931. Original Reference: *Lycaena argus* ssp. *lydiades* Fruhstorfer,1910, *Int. ent. Z.* 4: 62. Syntypes: France: Alpes-Maritimes: Menton. Range (in code): **Fo6 FR**
- 15364. *Plebejus (s.str.) argus micrargus* (Butler,1873)** (Lycaenidae) Synonym(s): *micrargus* Butler,1873; *japonica* Oberthür,1910 Range (in code): **JP RU Prj Us Am Sh**
- 15365. *Plebejus (s.str.) argus obensis* Forster,1936** (Lycaenidae) Synonym(s): *obensis* Forster,1936; *korshunovi* Standel,1960. Original Reference: *Lycaena argus* ssp. *obensis* Forster,1936, *Mitt. münche. ent. Ges.* 26(2): 135. Syntypes: [Russia]: Barnaul, Westsibirien. Range (in code): **Bn RU At Sb Ur**
- 15366. *Plebejus (s.str.) argus orientalis* (Tutt,1909)** (Lycaenidae) Synonym(s): *orientalis* Tutt,1909 Original Reference: *Lycaena argus* var. *orientalis* Tutt,1909, *Nat. Hist. Br. Butts.* 3 (8/9): 192-194. Syntypes: Asia Minor, Persia. Range (in code): **MK TR**
- 15367. *Plebejus (s.str.) argus orientoloides* (Verity,1931)** (Lycaenidae) Synonym(s): *orientoloides* Verity,1931 Original Reference: *Lycaeides argus* race *orientoloides* Verity,1931, *Dt. ent. Z., Iris* 45: 48. Syntypes: North Iran. Range (in code): **Dam Elb IR Shh**
- 15368. *Plebejus (s.str.) argus pamirus* (Forster,1936)** (Lycaenidae) Synonym(s): *pamirus* Forster,1936 Original Reference: *Lycaena argus* ssp. *pamira* Forster,1936, *Mitt. münche. ent. Ges.* 26(2): 138. Syntypes 3♂: [Tadjikistan]: Pamir: Kalailiabi-ob, 1700m. Range (in code): **KK Pm TJ**
- 15369. *Plebejus (s.str.) argus philomene* (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *philomene* Bergsträßer,[1779]; *philomenus* Bergsträßer,[1779]; *argyrotoxis* Bergsträßer,[1779]; *argyra* Bergsträßer,[1779]; *argyraphalara* Bergsträßer,[1779]; *cretaephilonome* Verity,1931. Original Reference: *Papilio philomene* Bergsträßer,[1779], *Nomencl. Besch. Ins.* 2: Taf. 44 figs.6-8. Syntypes: Deutschland: Hanau-Münzenberg. Range (in code): **FR DE**
- 15370. *Plebejus (s.str.) argus sophianus* (Verity,1931)** (Lycaenidae) Synonym(s): *sophianus* Verity,1931 Original Reference: *Lycaeides argus* race *sophiana* Verity,1931, *Dt. ent. Z., Iris* 45: 60. Syntypes: [Bulgaria]: 10km W. Sofia: Lulin, 2700ft. Range (in code): **BG**
- 15371. *Plebejus (s.str.) argus sultanus* (Forster,1936)** (Lycaenidae) Synonym(s): *sultanus* Forster,1936; *#anatolica* Forster,1936 Original Reference: *Lycaena argus* ssp. *sultana* Forster,1936, *Mitt. münch. ent. Ges.* 26(2): 128-129. Holotype ♂: [Türkei]: Akschehir: Sultan Dag, 1800-2000m. Range (in code): **TR**
- 15372. *Plebejus (s.str.) argus wolgensis* (Forster,1936)** (Lycaenidae) Synonym(s): *wolgensis* Forster,1936 Original Reference: *Lycaena argus* ssp. *wolgensis* Forster,1936, *Mitt. münch. ent. Ges.* 26(2): 132-133. Holotype ♂: [Russia]: Sarepta. Range (in code): **Aty Cm CN Fe Ik Kg KK Ku RU Smk Sr Tar Tas UA Ui Kml Uk Ur UZ**
- 15373. *Plebejus (s.str.) dzhzaki* Zhdanko,2000** (Lycaenidae) Synonym(s): *dzhzaki* Zhdanko,2000 Original Reference: *Plebejus dzhzaki* Zhdanko,2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 159-160, pl.73 figs.40-42. Holotype ♂: Uzbekistan: Dzhzak region, near Buston (ZISP). Range (in code): **UZ**
- 15374. *Plebejus (s.str.) dzhzaki dzhzaki* Zhdanko,2000** (Lycaenidae) Synonym(s): *dzhzaki* Zhdanko,2000 Original Reference: *Plebejus dzhzaki* Zhdanko,2000, [in] Tusov, et al., *Guide Butts. Russia* 2: 159-160, pl.73 figs.40-42. Holotype ♂: Uzbekistan: Dzhzak region, near Buston (ZISP). Range (in code): **UZ**
- 15375. *Plebejus (s.str.) saepiolus* (Boisduval,1852)** (Lycaenidae) Synonym(s): *saepiolus* Boisduval,1852; *rufescens* Boisduval,1869 Range (in code): **US MX Cf Col Id Io Mai Mch Mns Mon NDk NMx Ne Neb Nh Org SDk Ut Wc Ws Wy**
- 15376. *Polyommatus (Agriades (Mestore)) ellisi* Marschall,1882** (Lycaenidae) Synonym(s): *ellisi* Marschall,1882 Original Reference: *Polyommatus ellisi* Marschall,1882, *J. Asiat. Soc. Bengal* 51 (2): 41, pl.4 fig.4. Type: N.W.Himalayas. Range (in code): **IN**
- 15377. *Polyommatus (Agriades (Mestore)) ellisi ellisi* Marschall,1882** (Lycaenidae) Synonym(s): *ellisi* Marschall,1882 Original Reference: *Polyommatus ellisi* Marschall,1882, *J. Asiat. Soc. Bengal* 51 (2): 41, pl.4 fig.4. Type: N.W.Himalayas. Range (in code): **IN**

- 15378. Polyommatus (Agriades (Mestore)) errans (Riley,1927)** (Lycaenidae) Synonym(s): *errans* Riley,1927 Original Reference: *Lycaena* dis ssp. *errans* Riley,1927, Trans. ent. Soc. London 75: 128. Type: Tibet. Range (in code): **CN Ti**
- 15379. Polyommatus (Agriades (Mestore)) errans errans (Riley,1927)** (Lycaenidae) Synonym(s): *errans* Riley,1927 Original Reference: *Lycaena* dis ssp. *errans* Riley,1927, Trans. ent. Soc. London 75: 128. Type: Tibet. Range (in code): **CN Ti**
- 15380. Polyommatus (Agriades (Mestore)) jaloka (Moore,[1874])** (Lycaenidae) Synonym(s): *jaloka* Moore,[1875] Original Reference: *Polyommatus* *jaloka* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573-574, pl.lxvi fig. 3. Syntypes: Rajdiangan Pass, Sursungar and Stakpila Passes, and Baitul, Cashmere. Range (in code): **Bt Ch Ld PK**
- 15381. Polyommatus (Agriades (Mestore)) jaloka jaloka (Moore,[1875])** (Lycaenidae) Synonym(s): *jaloka* Moore,[1875] Original Reference: *Polyommatus* *jaloka* Moore,[1875], Proc. zool. Soc. Lond. 1874: 573-574, pl.lxvi fig. 3. Syntypes: Rajdiangan Pass, Sursungar and Stakpila Passes, and Baitul, Cashmere. Range (in code): **Bt Ch Ld PK**
- 15382. Polyommatus (Agriades (Mestore)) janigena (Riley,1923)** (Lycaenidae) Synonym(s): *janigena* Riley,1923 Original Reference: *Lycaena* *janigena* Riley,1923, Trans. ent. Soc. London 1923: 475-476, pl. xxxvi figs.4,5. Syntypes 1♂ 1♀: "Nyenyan, 13,000ft" (BMNH). Range (in code): **CN Ti**
- 15383. Polyommatus (Agriades (Mestore)) janigena janigena (Riley,1923)** (Lycaenidae) Synonym(s): *janigena* Riley,1923 Original Reference: *Lycaena* *janigena* Riley,1923, Trans. ent. Soc. London 1923: 475-476, pl. xxxvi figs.4,5. Syntypes 1♂ 1♀: "Nyenyan, 13,000ft" (BMNH). Range (in code): **CN Ti**
- 15384. Polyommatus (Agriades (Mestore)) kurtjohnsoni (Balint,1997)** (Lycaenidae) Synonym(s): *kurtjohnsoni* Balint,1997 Original Reference: *Agriades* *kurtjohnsoni* Balint,1997, Neue ent. Nachr. 40: 47, Pls. 3-4 figs. 4-5. Holotype ♂: Nepal, Jargeng Khola 14000ft. (in BMHN). Range (in code): **NP**
- 15385. Polyommatus (Agriades (Mestore)) kurtjohnsoni kurtjohnsoni Balint,1997** (Lycaenidae) Synonym(s): *kurtjohnsoni* Balint,1997 Original Reference: *Agriades* *kurtjohnsoni* Balint,1997, Neue ent. Nachr. 40: 47, Pls. 3-4 figs. 4-5. Holotype ♂: Nepal, Jargeng Khola 14000ft. (in BMHN). Range (in code): **NP**
- 15386. Polyommatus (Agriades (Mestore)) leela (De Nicéville,1884)** (Lycaenidae) Synonym(s): *leela* De Nicéville,1884 Original Reference: *Lycaena* *leela* De Nicéville,1884, J. Asiat. Soc. Bengal 52: 66, pl.1 figs.3,3a. Type: Ladak. Range (in code): **Ld**
- 15387. Polyommatus (Agriades (Mestore)) leela leela (De Nicéville,1884)** (Lycaenidae) Synonym(s): *leela* De Nicéville,1884 Original Reference: *Lycaena* *leela* De Nicéville,1884, J. Asiat. Soc. Bengal 52: 66, pl.1 figs.3,3a. Type: Ladak. Range (in code): **Ld**
- 15388. Polyommatus (Agriades (Mestore)) morsheadi (Evans,1923)** (Lycaenidae) Synonym(s): *morsheadi* Evans,1923 Original Reference: *Lycaena* *morsheadi* Evans,1923, [in] Riley,N.D., Trans. ent. Soc. London 1923: 478. Syntypes 1♂ 1♀: Tasam 15,500ft., Phuse La 16,000ft (BMNH). Range (in code): **CN Ti**
- 15389. Polyommatus (Agriades (Mestore)) morsheadi morsheadi (Evans,1923)** (Lycaenidae) Synonym(s): *morsheadi* Evans,1923 Original Reference: *Lycaena* *morsheadi* Evans,1923, [in] Riley,N.D., Trans. ent. Soc. London 1923: 478. Syntypes 1♂ 1♀: Tasam 15,500ft., Phuse La 16,000ft (BMNH). Range (in code): **CN Ti**
- 15390. Polyommatus (Agriades (s.str.)) aegagrus (Christoph,1873)** (Lycaenidae) Synonym(s): *aegagrus* Christoph,1873 Original Reference: *Lycaena* *aegagrus* Christoph,1873, Horae Soc. ent. ross. 10: 24, Tab.1 figs. 3,4. Syntypes: [Iran]: Nord-Persien: Schahkuh. Range (in code): **IR Se Mz Th Elb**
- 15391. Polyommatus (Agriades (s.str.)) aegagrus aegagrus (Christoph,1873)** (Lycaenidae) Synonym(s): *aegagrus* Christoph,1873 Original Reference: *Lycaena* *aegagrus* Christoph,1873, Horae Soc. ent. ross. 10: 24, Tab.1 figs. 3,4. Syntypes: [Iran]: Nord-Persien: Schahkuh. Range (in code): **IR Se Mz Th Elb**
- 15392. Polyommatus (Agriades (s.str.)) aquilo (Boisduval,1832)** (Lycaenidae) Synonym(s): *aquilo* Boisduval,1832 Original Reference: *Argus* *aquilo* Boisduval,1832, Icones... pl.12 figs. 7,8. Range (in code): **NO RU Ur Kmt Sb** Bionomy: Larva on Saxifraga aizoides, S. oppositifolia (Tolman, 1997).

- 15393. *Polyommatus (Agriades (s.str.)) aquilo aquilina* (Staudinger,1901) (Lycaenidae)**
Synonym(s): *aquilina* Staudinger,1901 Original Reference: *Lycaena orbitulus* var. *aquilina* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 81. Syntypes: Norvegia: Lapland. Range (in code): NO
- 15394. *Polyommatus (Agriades (s.str.)) aquilo aquilo* (Boisduval,1832) (Lycaenidae)**
Synonym(s): *aquilo* Boisduval,1832 Original Reference: *Argus aquilo* Boisduval,1832, Icones... pl.12 figs. 7,8. Range (in code): RU Ur
- 15395. *Polyommatus (Agriades (s.str.)) aquilo wosnesenskyi* (Ménétriés,1855) (Lycaenidae)**
Synonym(s): *wosnesenskyi* Ménétriés,1855 Original Reference: *Lycaena wosnesenskyi* Ménétriés,1855, Enum. anim. Mus. imp. Acad. Sci. Petropolitanae. Ins., Lepid. 1: 95, t.4 fig.6. Type(s): Russia: Kamtschatka. Range (in code): RU Kmt Sb
- 15396. *Polyommatus (Agriades (s.str.)) diodorus diodorus* (Bremer,1861) (Lycaenidae)**
Synonym(s): *diodorus* Bremer,1861. Original Reference: *Lycaena diodorus* Bremer,1861, Mém. Acad. imp. Sci. St. Petersburg 3: 471. Syntypes: Russia: "Nordseite des Baikal-Sees". Range (in code): Bn At Sj Kts Ir KG Mn MN RU Sb Bionomy: Larva on *Saxifraga stelleriana* (Korshunov & Gorbunov,1995; Zhdanko,1997).
- 15397. *Polyommatus (Agriades (s.str.)) diodorus diodorus* (Bremer,1861) (Lycaenidae)**
Synonym(s): *diodorus* Bremer,1861. Original Reference: *Lycaena diodorus* Bremer,1861, Mém. Acad. imp. Sci. St. Petersburg 3: 471. Syntypes: Russia: "Nordseite des Baikal-Sees". Range (in code): MN RU Sb
- 15398. *Polyommatus (Agriades (s.str.)) diodorus orbitulinus* (Staudinger,1892) (Lycaenidae)**
Synonym(s): *orbitulinus* Staudinger,1892. Range (in code): KG RU At Sj Bn At Sj Kts
- 15399. *Polyommatus (Agriades (s.str.)) dis dis* (Groum-Grshimailo,1890) (Lycaenidae)**
Synonym(s): *dis* Groum-Grshimailo,1890 Original Reference: *Lycaena dis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 453. Syntypes: [China]: Amdo. Range (in code): Amd CN Ts
- 15400. *Polyommatus (Agriades (s.str.)) dis dis* (Groum-Grshimailo,1890) (Lycaenidae)**
Synonym(s): *dis* Groum-Grshimailo,1890 Original Reference: *Lycaena dis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 453. Syntypes: [China]: Amdo. Range (in code): Amd CN Ts
- 15401. *Polyommatus (Agriades (s.str.)) franklinii franklinii* (Curtis,1835) (Lycaenidae)**
Synonym(s): *franklinii* Curtis,1835; *suttoni* Holland,1931 Range (in code): US Arz Cf Col Id Mai Mon Ndk NMx Ne Org Sdk Ut Ws Wy Als CA Mnt BCo
- 15402. *Polyommatus (Agriades (s.str.)) franklinii bryanti* (Leussler,1935) (Lycaenidae)**
Synonym(s): *bryanti* Leussler,1935; *#kohlsaati* Gunder,1932 Range (in code): US Als
- 15403. *Polyommatus (Agriades (s.str.)) franklinii franklinii* (Curtis,1835) (Lycaenidae)**
Synonym(s): *franklinii* Curtis,1835; *suttoni* Holland,1931 Range (in code): US Arz Cf Col Id Mai Mon Ndk NMx Ne Org Sdk Ut Ws Wy
- 15404. *Polyommatus (Agriades (s.str.)) franklinii lacustris* (Freeman,1939) (Lycaenidae)**
Synonym(s): *lacustris* Freeman,1939 Range (in code): CA Mnt
- 15405. *Polyommatus (Agriades (s.str.)) franklinii megallo* (McDunnough,1927) (Lycaenidae)**
Synonym(s): *megallo* McDunnough,1927 Range (in code): CA BCo
- 15406. *Polyommatus (Agriades (s.str.)) franklinii podarce* (C.Felder & R.Felder,[1865]) (Lycaenidae)**
Synonym(s): *podarce* C.Felder & R.Felder,[1865]; *tehamia* Reakirt,[1866]; *cilla* Behr,1867; *nestos* Boisduval,1869 Range (in code): US Cf Ne Org
- 15407. *Polyommatus (Agriades (s.str.)) franklinii rustica* (Edwards,1865) (Lycaenidae)**
Synonym(s): *rustica* Edwards,1865 Range (in code): US Col
- 15408. *Polyommatus (Agriades (s.str.)) glandon glandon* (De Prunner,1798) (Lycaenidae)**
Synonym(s): *glandon* De Prunner,1798; *meleager* Hübner,[1804] *nec* Esper,1778; *rustica* Edwards,1864. Original Reference: *Papilio glandon* De Prunner,1798, Lepidoptera Pedemontana: 76. Type ♀: [Italy]: Piedmont. Range (in code): AT CH DE ES FI FR IT NO RU At Bn Kts Sb MN Sau Tar KG Mn Bionomy: Larva on *Vitaliana* [Androsace] *primuliflora*, *Androsace obtusifolia*, *A. chamaejasme* (Primulaceae) (Tolman, 1997).
- 15409. *Polyommatus (Agriades (s.str.)) glandon glandon* (De Prunner,1798) (Lycaenidae)**
Synonym(s): *glandon* De Prunner,1798; *meleager* Hübner,[1804] *nec* Esper,1778; *rustica* Edwards,1864. Original Reference: *Papilio glandon* De Prunner,1798, Lepidoptera Pedemontana: 76. Type ♀: [Italy]: Piedmont. Range (in code): RU Ur

- 15410. Polyommatus (Agriades (s.str.)) glandon magnaglandon (Verity,1949)** (Lycaenidae) Synonym(s): *oberthueri* Staudinger,1901 nec Groum-Grshimailo,1887; *magnaglandon* Verity,1949. Original Reference: Agriades glandon magnaglandon Verity,1949, Les variations géographiques et saisonnières des papillons diurnes en France 1/3: 134 (nomen novum pro *Lycaena orbitulus oberthueri* Stgr.,1901 nec Gr.-Grsh.,1887). Range (in code): **FR**
- 15411. Polyommatus (Agriades (s.str.)) glandon orbitulinus (Staudinger,1892)** (Lycaenidae) Synonym(s): *orbitulinus* Staudinger,1892 Original Reference: *Lycaena orbitulus* var. *orbitulinus* Staudinger,1892, Dt. ent. Z., Iris 5: 318. Syntypes: Russia: "Kentei-Gebirge". Range (in code): **RU Sb MN At Sau Tar KG Mn**
- 15412. Polyommatus (Agriades (s.str.)) glandon rubini (Churkin,2005)** (Lycaenidae) Synonym(s): *rubini* Churkin,2005 Range (in code): **RU MN**
- 15413. Polyommatus (Agriades (s.str.)) glandon zullichi (Hemming,1933)** (Lycaenidae) Synonym(s): *zullichi* Hemming,1933 Range (in code): **BG**
- 15414. Polyommatus (Agriades (s.str.)) luanus (Evans,1915)** (Lycaenidae) Synonym(s): *luanus* Evans,1915 Range (in code): **CN Ti**
- 15415. Polyommatus (Agriades (s.str.)) luanus luanus (Evans,1915)** (Lycaenidae) Synonym(s): *luanus* Evans,1915 Range (in code): **CN Ti**
- 15416. Polyommatus (Agriades (s.str.)) pheretiades (Eversmann,1843)** (Lycaenidae) Synonym(s): *pheretiades* Eversmann,1843 Original Reference: *Lycaena pheretiades* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16(3): 537, pl.7 figs.3a,b. Syntypes: [Kasachstan]: Noor-Saisan. Range (in code): **AF Bd Bqu TJ Pm Adr Hk Nmg Ax Tls CN Ju Ga Cho KK Sda Tek T-S Ui KG DsA Tar Sau Ssn TrA KuA TeA Tu** Bionomy: Larva on *Androsace lehmanniana* (Primulaceae) (Zhdanko,1997).
- 15417. Polyommatus (Agriades (s.str.)) pheretiades andarabi (Forster,1937)** (Lycaenidae) Synonym(s): *andarabi* Forster,1937 Original Reference: *Lycaena pheretiades* ssp. *andarabi* Forster,1937, Mitt. münch. ent. Ges. 27: 61, Abb.28,29. Holotype ♂: Afghanistan: West-Hindukusch, Andarab, 4000-4500m. Range (in code): **Adr AF Hk**
- 15418. Polyommatus (Agriades (s.str.)) pheretiades dschagataicus (A.Bang-Haas,1915)** (Lycaenidae) Synonym(s): *dschagataicus* A.Bang-Haas,1915 Original Reference: *Lycaena pheretiades* var. *dschagataicus* A.Bang-Haas,1915, Dt. ent. Z., Iris 29: 100. Type(s): [China: Uighur A.R.]: Chotan. Range (in code): **CN Ui Cho**
- 15419. Polyommatus (Agriades (s.str.)) pheretiades micrus (Avinoff,1910)** (Lycaenidae) Synonym(s): *micra* Avinoff,1910 Range (in code): **Pm TJ**
- 15420. Polyommatus (Agriades (s.str.)) pheretiades multipletus Tschikolovetz,1997** (Lycaenidae) Synonym(s): *multipletus* Tschikolovetz
- 15421. Polyommatus (Agriades (s.str.)) pheretiades pherecydes (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *pheres* Staudinger,1886 nec Boisduval,1852; *pherecydes* Groum-Grshimailo,1890 Original Reference: *Lycaena pheretiades* var. *pherecydes* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 391, nota 193 (nom. nov. pro *pheres* Staudinger,1886 nec Boisduval,1852). Syntypes: [Uzbekistan]: Namangan; [Kirgizistan/Tadjikistan]: südl. Alai (cf. Koçak,B.,1998). Range (in code): **AF Bd Bqu T-S AF TJ Pm UZ Nmg KK Ax Tls**
- 15422. Polyommatus (Agriades (s.str.)) pheretiades pheretiades (Eversmann,1843)** (Lycaenidae) Synonym(s): *pheretiades* Eversmann,1843 Original Reference: *Lycaena pheretiades* Eversmann,1843, Bull. Soc. imp. Nat. Moscou 16(3): 537, pl.7 figs.3a,b. Syntypes: [Kasachstan]: Noor-Saisan. Range (in code): **KG T-S DsA Tar Sau Ssn**
- 15423. Polyommatus (Agriades (s.str.)) pheretiades philebus (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *philebus* Fruhstorfer,1915 Original Reference: *Lycaena pheretiades* var. *philebus* Fruhstorfer,1915, Societas ent. 30: 73. Type(s): [China: Uighur A.R.]: Kaschgar. Range (in code): **CN Ui Ga**
- 15424. Polyommatus (Agriades (s.str.)) pheretiades pseudomicrus Tshikolovets,1997** (Lycaenidae) Synonym(s): *pseudomicrus* Tshikolovets,1997 Range (in code): **TJ Pm**
- 15425. Polyommatus (Agriades (s.str.)) pheretiades tekessanus (Alpheraky,1897)** (Lycaenidae) Synonym(s): *tekessana* Alpheraky,1897 Original Reference: *Lycaena pheretiades* var. *tekessana* Alpheraky,1897, [in] Romanoff, Mém. Lépid. 9: 234, pl.12 fig.3. Syntypes: [China: Uighur A.R.]: flumen Tekesse. Range (in code): **CN Tek T-S Ui KG TrA KuA Tu TeA**

- 15426. *Polyommatus (Agriades (s.str.)) pyrenaicus (Boisduval,1840)*** (Lycaenidae)
Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus Naderi,2003* Original Reference: *Lycaena orbitulus* var. *pyrenaica* Boisduval,1840, Gen. Index meth. eur. Lepid.: 11. Type(s): Pyren. Range (in code): **Cc BG ES FR GR TR Arr YU RU Voo GG IR Ab UA Kkv** Bionomy: Larva on *Androsace villosa* (Primulaceae) (Tolman,1997).
- 15427. *Polyommatus (Agriades (s.str.)) pyrenaicus araraticus (Gerhard,1853)*** (Lycaenidae) Synonym(s): *araraticus* Gerhard,1853; *latedisjuncta* Alberti,1973; *erzurumensis* Eckweiler & Hesselbarth,1978 (cf. Varga, 1977:274). Original Reference: *Lycaena orbitulus* var. *araraticus* Gerhard,1853, Versuch Monogr. eur. Schmett. [5]: 11, Taf.18 figs.3a-c. Syntypes: Ararat (types vernichtet). Range (in code): **Cc GG RU TR Arr IR Ab**
- 15428. *Polyommatus (Agriades (s.str.)) pyrenaicus asturiensis (Oberthür,1910)*** (Lycaenidae) Synonym(s): *asturiensis* Oberthür,1910 Original Reference: *Lycaena pyrenaica* var. *asturiensis* Oberthür,1910, Etud. lepid. comp. 4: 293. Lectotype ♂: Asturias, Picos de Europe,2000m, designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH). Range (in code): **Atu ES San**
- 15429. *Polyommatus (Agriades (s.str.)) pyrenaicus dardanus (Freyer,[1844])*** (Lycaenidae) Synonym(s): *dardanus* Freyer,[1844]; *hesselbarthi* Nekrutenko,1974 nec Manl.,1970. Original Reference: *Lycaena dardanus* Freyer,[1844], Neuere Beitr. Schmett. 5:59, Taf.149,fig.2,3. Syntypes: Europ.Türkei [Herzegowina] (Nekrutenko,1974). Material unknown (Hesselbarth, 1995: 622). Lectotype ♂: Bursa (designated by Balint,1999, Neue ent. Nachr. 46: 25). Range (in code): **TR 16**
- 15430. *Polyommatus (Agriades (s.str.)) pyrenaicus ergane (Higgins,1981)*** (Lycaenidae) Synonym(s): *ergane* Higgins,1981 Original Reference: *Agriades pyrenaicus* ssp. *ergane* Higgins,1981, Entomologist's Gaz. 32: 231. Holotype ♂: Divnogorje, Lislinsky Region, Woronesch Distr. (Korshunov, 1984). Range (in code): **RU Voo UA Kkv**
- 15431. *Polyommatus (Agriades (s.str.)) pyrenaicus kudrnai (Koçak,1980)*** (Lycaenidae) Synonym(s): *rebeli* Tuleschkov,1932 nec Hirsch.,1904; *kudrnai* Koçak,1980. Original Reference: *Agriades pyrenaica* ssp. *kudrnai* Koçak,1980, Nota lepid. 2 (4): 142 (nomen novum pro *Lycaena orbitulus rebeli* Tuleschkov,1932 nec *Lycaenaalcon rebeli* Hirschke,1904). Range (in code): **GR**
- 15432. *Polyommatus (Agriades (s.str.)) pyrenaicus pyrenaicus (Boisduval,1840)*** (Lycaenidae) Synonym(s): *pyrenaicus* Boisduval,1840; *#pyrenicus Naderi,2003* Original Reference: *Lycaena orbitulus* var. *pyrenaica* Boisduval,1840, Gen. Index meth. eur. Lepid.: 11. Type(s): Pyren. Range (in code): **ES FR**
- 15433. *Polyommatus (Agriades (s.str.)) pyrenaicus yusuf (Koçak & Seven,1995)*** (Lycaenidae) Synonym(s): *yusuf* Koçak & Seven,1995 Original Reference: *Agriades pyrenaicus* ssp. *yusuf* Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 25: 2-3. Holotype ♂: Turkey: Kayseri, Erciyas Dağı 2200m (CESA). Range (in code): **TR**
- 15434. *Polyommatus (Agriades (s.str.)) sikkimus (Bath,1900)*** (Lycaenidae) Synonym(s): *sikkima* Bath,1900 Original Reference: *Lycaena pheretes* var. *sikkima* Bath,1900, Entomologist 33: 199. Lectotype ♂: Samdong, near Darjeeling, designated by Balint,1999, Neue ent. Nachr. 46: 59 (BMNH). Range (in code): **SI IN**
- 15435. *Polyommatus (Agriades (s.str.)) sikkimus sikkimus (Bath,1900)*** (Lycaenidae) Synonym(s): *sikkima* Bath,1900 Original Reference: *Lycaena pheretes* var. *sikkima* Bath,1900, Entomologist 33: 199. Lectotype ♂: Samdong, near Darjeeling, designated by Balint,1999, Neue ent. Nachr. 46: 59 (BMNH). Range (in code): **SI IN**
- 15436. *Polyommatus (Agriades (s.str.)) walterforster Koçak,1996*** (Lycaenidae) Synonym(s): *forsteri* Sakai,1978 nec Pff.,1938; *walterforster* Koçak,1996 Original Reference: *Polyommatus (Agriades) walterforster* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 15-16 (nomen novum pro *Agriades pheretiades* ssp. *forsteri* Sakai,1978 nec Pfeiffer,1938 (secondary homonym)). Holotype ♂: Afghanistan: Paghman Mt., 3300-3800m. Range (in code): **AF Kab Kbb Pag**
- 15437. *Polyommatus (Agriades (s.str.)) walterforster walterforster Koçak,1996*** (Lycaenidae) Synonym(s): *forsteri* Sakai,1978 nec Pff.,1938; *walterforster* Koçak,1996 Original Reference: *Polyommatus (Agriades) walterforster* Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 15-16 (nomen novum pro *Agriades pheretiades* ssp. *forsteri* Sakai,1978 nec Pfeiffer,1938 (secondary homonym)). Holotype ♂: Afghanistan: Paghman Mt., 3300-3800m. Range (in code): **AF Kab Kbb Pag**

- 15438. Polyommatus (Albulina (Pamiria)) arcaseia (Fruhstorfer,1916)** (Lycaenidae)
Synonym(s): *arcaseia* Fruhstorfer,1916 _ Range (in code): **CN Ti KhD**
- 15439. Polyommatus (Albulina (Pamiria)) arcaseia arcaseia (Fruhstorfer,1916)**
(Lycaenidae) Synonym(s): *arcaseia* Fruhstorfer,1916 _ Range (in code): **CN Ti KhD**
- 15440. Polyommatus (Albulina (Pamiria)) chrysopis (Groum-Grshimailo,1888)**
(Lycaenidae) Synonym(s): *chrysopis* Groum-Grshimailo,1888; *gilgitica* Tytler,1926. Original Reference: *Lycaena chrysopis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♀: [Pakistan]: Hindukusch orient. [Hunza]. Lectotype ♂: Beik, designated by Balint,1993 [in] d'Abrera,1993: 498 (BMNH). Range (in code): **AF Ci Ld PK Pm TJ**
- 15441. Polyommatus (Albulina (Pamiria)) chrysopis chrysopis (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *chrysopis* Groum-Grshimailo,1888; *gilgitica* Tytler,1926. Original Reference: *Lycaena chrysopis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes ♂♀: [Pakistan]: Hindukusch orient. [Hunza]. Lectotype ♂: Beik, designated by Balint,1993 [in] d'Abrera,1993: 498 (BMNH). Range (in code): **AF Ci Ld PK Pm TJ**
- 15442. Polyommatus (Albulina (Pamiria)) farazi (Pagès & Charmeux,1997)**
(Lycaenidae) Synonym(s): *farazi* Pagès & Charmeux,1997 Original Reference: *Albulina farazi* Pagès & Charmeux,1997, Alexanor 19(8): 483-484, figs. Holotype ♂: Pakistan: Chitral, 3000m Range (in code): **Ci PK Sha**
- 15443. Polyommatus (Albulina (Pamiria)) farazi farazi (Pagès & Charmeux,1997)**
(Lycaenidae) Synonym(s): *farazi* Pagès & Charmeux,1997 Original Reference: *Albulina farazi* Pagès & Charmeux,1997, Alexanor 19(8): 483-484, figs. Holotype ♂: Pakistan: Chitral, 3000m Range (in code): **Ci PK Sha**
- 15444. Polyommatus (Albulina (Pamiria)) farmanali (Charmeux,2002)** (Lycaenidae)
Synonym(s): *farmanali* Charmeux,2002 _ Range (in code): **PK Nwf Ci**
- 15445. Polyommatus (Albulina (Pamiria)) galatheus (Blanchard,[1844])** (Lycaenidae)
Synonym(s): *galathea* Blanchard,[1844]; *nycula* Moore,1865 Original Reference: *Lycaena galathea* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 21, t.1 figs. 5,6. Syntypes: Cashmir. Range (in code): **IN Ch Ld Ci Cls Nwf PK**
- 15446. Polyommatus (Albulina (Pamiria)) galatheus chitralicus (Evans,1925)**
(Lycaenidae) Synonym(s): *chitralica* Evans,1925 _ Range (in code): **PK Ci Nwf Cls**
- 15447. Polyommatus (Albulina (Pamiria)) galatheus depreei (Tytler)** (Lycaenidae)
Synonym(s): *depreei* Tytler _ Range (in code): **Ld**
- 15448. Polyommatus (Albulina (Pamiria)) galatheus galatheus (Blanchard,[1844])**
(Lycaenidae) Synonym(s): *galathea* Blanchard,[1844]; *nycula* Moore,1865 Original Reference: *Lycaena galathea* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 21, t.1 figs. 5,6. Syntypes: Cashmir. Range (in code): **Ch Kma IN**
- 15449. Polyommatus (Albulina (Pamiria)) issus (Zhdanko,1995)** (Lycaenidae)
Synonym(s): *issa* Zhdanko,1995 Original Reference: *Pamiria issa* Zhdanko,1995, Zool. Zh. 74 (10): 123, figs. Holotype ♂: Southern Pamir, Hindukush. "Tura". Range (in code): **Hk Pm TJ AF**
- 15450. Polyommatus (Albulina (Pamiria)) issus issus (Zhdanko,1995)** (Lycaenidae)
Synonym(s): *issa* Zhdanko,1995 Original Reference: *Pamiria issa* Zhdanko,1995, Zool. Zh. 74 (10): 123, figs. Holotype ♂: Southern Pamir, Hindukush. "Tura". Range (in code): **Hk Pm TJ AF**
- 15451. Polyommatus (Albulina (Pamiria)) lehanus Moore,1878** (Lycaenidae) Synonym(s): *lehanus* Moore,1878 Original Reference: *Polyommatus lehanus* Moore, 1878, Ann. Mag. nat. Hist. 5 (1): 230. Syntypes: [India]: Ladak, Leh 11538ft. Range (in code): **Ld SI PK Nwf Ci IN Kma CN Ui Sdh Ga Cho Yk M-A**
- 15452. Polyommatus (Albulina (Pamiria)) lehanus armatheus (Fruhstorfer,1916)**
(Lycaenidae) Synonym(s): *armathea* Fruhstorfer,1916 Original Reference: *Lycaena pheres* var. *armathea* Fruhstorfer,1916, Ent. Rdsch. 33: 18. Type(s): [China: Uighur A.R.]: Schahidullah in Süid-Chotan, 4500m. Range (in code): **CN Ui Sdh**
- 15453. Polyommatus (Albulina (Pamiria)) lehanus artenitus (Fruhstorfer,1916)**
(Lycaenidae) Synonym(s): *artenita* Fruhstorfer,1916 Original Reference: *Lycaena pheres* var. *artenita* Fruhstorfer,1916, Ent. Rdsch. 33: 18. Type(s): Mustagata, Yarkend, Beik im Hindukusch. Range (in code): **CN Ui Yk M-A**
- 15454. Polyommatus (Albulina (Pamiria)) lehanus asiaticus Elwes,1882** (Lycaenidae)
Synonym(s): *asiaticus* Elwes,1882 Original Reference: *Lycaena pheretes* var. *asiatica*

- Elwes, 1882, Proc. zool. Soc. Lond. 52 (4): 404. Lectotype ♀: Sikkim: Chumbi, designated by Balint, 1999, Neue ent. Nachr. 46: 15 (BMNH). Range (in code): SI
- 15455. Polyommatus (Albulina (Pamiria)) lehanus lehanus Moore, 1878** (Lycaenidae) Synonym(s): *lehanus* Moore, 1878 Original Reference: Polyommatus lehanus Moore, 1878, Ann. Mag. nat. Hist. 5 (1): 230. Syntypes: [India]: Ladak, Leh 11538ft. Range (in code): Ld PK Nwf Ci IN Kma CN Ui Ga Cho Yk
- 15456. Polyommatus (Albulina (Pamiria)) lehanus pharis (Fawcett, 1904)** (Lycaenidae) Synonym(s): *pharis* Fawcett, 1904 Range (in code): CN Ti
- 15457. Polyommatus (Albulina (Pamiria)) metallicus (C. Felder & R. Felder, [1865])** (Lycaenidae) Synonym(s): *metallica* C. Felder & R. Felder, [1865] Original Reference: Lycaena metallica C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283-284, Tab. xxxv fig. 7, 8. Syntypes ♂♀: Ladak. Range (in code): Ld Kul IN PK Gg Sha Cls Asr Bg
- 15458. Polyommatus (Albulina (Pamiria)) metallicus gilgiticus (Tytler)** (Lycaenidae) Synonym(s): *gilgitica* Tytler Range (in code): PK Gg Sha Cls Asr Bg
- 15459. Polyommatus (Albulina (Pamiria)) metallicus metallicus (C. Felder & R. Felder, [1865])** (Lycaenidae) Synonym(s): *metallica* C. Felder & R. Felder, [1865] Original Reference: Lycaena metallica C. Felder & R. Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283-284, Tab. xxxv fig. 7, 8. Syntypes ♂♀: Ladak. Range (in code): Ld Kul IN
- 15460. Polyommatus (Albulina (Pamiria)) omphisus (Moore, [1875])** (Lycaenidae) Synonym(s): *omphisa* Moore, [1875] Original Reference: Polyommatus omphisa Moore, [1875], Proc. zool. Soc. Lond. 1874: 573, pl. lxvi fig. 2. Syntypes ♂♀: Ladak: Dras valley. Range (in code): Dra Ld Ch IN
- 15461. Polyommatus (Albulina (Pamiria)) omphisus omphisus (Moore, [1875])** (Lycaenidae) Synonym(s): *omphisa* Moore, [1875] Original Reference: Polyommatus omphisa Moore, [1875], Proc. zool. Soc. Lond. 1874: 573, pl. lxvi fig. 2. Syntypes ♂♀: Ladak: Dras valley. Range (in code): Dra Ld Ch IN
- 15462. Polyommatus (Albulina (Pamiria)) selma Koçak, 1996** (Lycaenidae) Synonym(s): *chitralensis* Tytler, 1926 nec Swinh., 1910; *selma* Koçak, 1996 Original Reference: Polyommatus (Albulina) selma Koçak, 1996, Cent. ent. Stud., Misc. Pap. 30/33: 16 (nomen novum pro chitralensis Tytler, 1926 nec Swinhoe, 1910). Range (in code): AF Bd Nks Ci Nwf PK
- 15463. Polyommatus (Albulina (Pamiria)) selma selma Koçak, 1996** (Lycaenidae) Synonym(s): *chitralensis* Tytler, 1926 nec Swinh., 1910; *selma* Koçak, 1996 Original Reference: Polyommatus (Albulina) selma Koçak, 1996, Cent. ent. Stud., Misc. Pap. 30/33: 16 (nomen novum pro chitralensis Tytler, 1926 nec Swinhoe, 1910). Range (in code): AF Bd Nks Ci Nwf PK
- 15464. Polyommatus (Albulina (Patricius)) felicis (Oberthür, 1887)** (Lycaenidae) Synonym(s): *felicis* Oberthür, 1887 Original Reference: Lycaena felicis Oberthür, 1887, Etüd. Ent. 11: 21-22, Pl. 7 fig. 52. Syntypes: Chine: Ta-Tsien-Lou. Range (in code): CN Sz T-T
- 15465. Polyommatus (Albulina (Patricius)) felicis felicis (Oberthür, 1887)** (Lycaenidae) Synonym(s): *felicis* Oberthür, 1887 Original Reference: Lycaena felicis Oberthür, 1887, Etüd. Ent. 11: 21-22, Pl. 7 fig. 52. Syntypes: Chine: Ta-Tsien-Lou. Range (in code): CN Sz T-T
- 15466. Polyommatus (Albulina (Patricius)) gaborronkayi (Balint, 1997)** (Lycaenidae) Synonym(s): *gaborronkayi* Balint, 1997 Original Reference: Albulina gaborronkayi Balint, 1997, Neue ent. Nachr. 40: 48, Pls. Holotype ♂: [China]: S.E. Thibet: Ralung (in BMNH). Range (in code): CN Ti
- 15467. Polyommatus (Albulina (Patricius)) gaborronkayi gaborronkayi (Balint, 1997)** (Lycaenidae) Synonym(s): *gaborronkayi* Balint, 1997 Original Reference: Albulina gaborronkayi Balint, 1997, Neue ent. Nachr. 40: 48, Pls. Holotype ♂: [China]: S.E. Thibet: Ralung (in BMNH). Range (in code): CN Ti
- 15468. Polyommatus (Albulina (Patricius)) lucifera (Staudinger, 1867)** (Lycaenidae) Synonym(s): *lucifera* Staudinger, 1867; *lornex* Higgins, 1982. Original Reference: Lycaena lucifera Staudinger, 1867, Stettin ent. Ztg. 28: 100. Syntypes: Ust-Kamengorsk, Altai. Range (in code): At Kts CN Ir KG MN Mn RU Sj Sb Ti Ktm Buc
- 15469. Polyommatus (Albulina (Patricius)) lucifera lucifera (Staudinger, 1867)** (Lycaenidae) Synonym(s): *lucifera* Staudinger, 1867; *lornex* Higgins, 1982. Original Reference: Lycaena lucifera Staudinger, 1867, Stettin ent. Ztg. 28: 100. Syntypes: Ust-Kamengorsk, Altai. Range (in code): At Kts CN Ir KG MN Mn RU Sj Sb Ti Ktm Buc

- 15470. *Polyommatus* (*Albulina* (*Patricius*)) *lucifera selengensis* (Forster,1940)** (Lycaenidae) Synonym(s): *biton* Bremer,1861 (hom.); *selengensis* Forster,1940; *otton* Korshunov,1996. Range (in code): **RU Sj**
- 15471. *Polyommatus* (*Albulina* (*Patricius*)) *themis* (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *themis* Groum-Grshimailo,1890 Original Reference: *Lycaena themis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 451. Syntypes: [China]: Amdo: Sinin-Gebirge. Range (in code): **Amd CN Sng Ts**
- 15472. *Polyommatus* (*Albulina* (*Patricius*)) *themis themis* (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *themis* Groum-Grshimailo,1890 Original Reference: *Lycaena themis* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 451. Syntypes: [China]: Amdo: Sinin-Gebirge. Range (in code): **Amd CN Sng Ts**
- 15473. *Polyommatus* (*Albulina* (*Patricius*)) *younghusbandi* (Elwes,1906)** (Lycaenidae) Synonym(s): *younghusbandi* Elwes,1906 Original Reference: *Lycaena younghusbandi* Elwes,1906, Proc. zool. Soc. Lond. 1906: 484, Pl. 36 fig.10. Syntypes ♂♀: [China]: Tibet: Gyantze. Range (in code): **CN Ti**
- 15474. *Polyommatus* (*Albulina* (*Patricius*)) *younghusbandi younghusbandi* (Elwes,1906)** (Lycaenidae) Synonym(s): *younghusbandi* Elwes,1906 Original Reference: *Lycaena younghusbandi* Elwes,1906, Proc. zool. Soc. Lond. 1906: 484, Pl. 36 fig.10. Syntypes ♂♀: [China]: Tibet: Gyantze. Range (in code): **CN Ti**
- 15475. *Polyommatus* (*Albulina* (*Plebejidea*)) *afshar* (Eckweiler,1998)** (Lycaenidae) Synonym(s): *afshar* Eckweiler,1998 Original Reference: *Plebejus* (*Plebejidea*) *afshar* Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 229-233, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Binalut, 15km SW Zoshk, 2300-2500m. Range (in code): **IR Kh**
- 15476. *Polyommatus* (*Albulina* (*Plebejidea*)) *afshar afshar* (Eckweiler,1998)** (Lycaenidae) Synonym(s): *afshar* Eckweiler,1998 Original Reference: *Plebejus* (*Plebejidea*) *afshar* Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 229-233, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Binalut, 15km SW Zoshk, 2300-2500m. Range (in code): **IR Kh**
- 15477. *Polyommatus* (*Albulina* (*Plebejidea*)) *afshar tandurensis* (Carbonell & Naderi,2002)** (Lycaenidae) Synonym(s): *tandurensis* Carbonell & Naderi,2002 Range (in code): **IR Kh**
- 15478. *Polyommatus* (*Albulina* (*Plebejidea*)) *callaghani* (Carbonell & Naderi,2007)** (Lycaenidae) Synonym(s): *callaghani* Carbonell & Naderi,2007 Original Reference: *Plebejus* *callaghani* Carbonell & Naderi,2007, Bull. ent. Soc. Fr. 112 (1): 126. Holotype ♂: Iran: Tehran, Karaj. Range (in code): **IR Elb Th Kdj Zj**
- 15479. *Polyommatus* (*Albulina* (*Plebejidea*)) *callaghani callaghani* (Carbonell & Naderi,2007)** (Lycaenidae) Synonym(s): *callaghani* Carbonell & Naderi,2007 Original Reference: *Plebejus* *callaghani* Carbonell & Naderi,2007, Bull. ent. Soc. Fr. 112 (1): 126. Holotype ♂: Iran: Tehran, Karaj. Range (in code): **IR Elb Th Kdj Zj**
- 15480. *Polyommatus* (*Albulina* (*Plebejidea*)) *cyane* (Eversmann,1837)** (Lycaenidae) Synonym(s): *cyane* Eversmann,1837 Original Reference: *Lycaena cyane* Eversmann,1837, Bull. Soc. nat. Moscou 10(1): 22. Type(s): Russia: östlicher Orenburgischer Gouvernement. Range (in code): **At Kts Ba CN Gn Lc Ju KG KK MN Or RU Sb Sj Sm Ui VI Nym Ktm Sau Mon Tar Buc Bkb Tj CAT No Uk Ur T-I TrA TeA T-S** Bionomy: Larva on *Goniolimon cuspidatum*, *Limonium leptolobum* (Zhdanko, 1997).
- 15481. *Polyommatus* (*Albulina* (*Plebejidea*)) *cyane cyane* (Eversmann,1837)** (Lycaenidae) Synonym(s): *cyane* Eversmann,1837 Original Reference: *Lycaena cyane* Eversmann,1837, Bull. Soc. nat. Moscou 10(1): 22. Type(s): Russia: östlicher Orenburgischer Gouvernement. Range (in code): **T-S Ba CN Ju KG KK Or RU Sm Ui VI Uk Ur**
- 15482. *Polyommatus* (*Albulina* (*Plebejidea*)) *cyane deserticola* (Elwes,1899)** (Lycaenidae) Synonym(s): *deserticola* Elwes,1899 Original Reference: *Lycaena cyane* var. *deserticola* Elwes,1899, Trans. ent. Soc. London 1899: 325. Syntypes: Russia: Altai, Tchuja Steppe. Range (in code): **At Kts MN No RU Sb Tj CAT**
- 15483. *Polyommatus* (*Albulina* (*Plebejidea*)) *cyane ella* (Bollow,1931)** (Lycaenidae) Synonym(s): *ella* Bollow,1931 Original Reference: *Lycaena cyane ella* Bollow,1931, [in] Seitz, Die Gross-Schmett. Erde 1 (suppl.): 267. Type(s): [Kirgizistan]: Issyk-Kul. Range (in code): **T-S Aa CN Ju KG KK Ui T-I TrA TeA**

- 15484. Polyommatus (Albulina (Plebejidea)) cyane kozhantschikovi (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *kozantschikovi Sheljuzhko,1928* - Range (in code): **RU Sb CN Gn Lc**
- 15485. Polyommatus (Albulina (Plebejidea)) cyane maximus (O.Bang-Haas,1927)** (Lycaenidae) Synonym(s): *maxima O.Bang-Haas,1927* Original Reference: *Lycaena cyane ssp. maxima O.Bang-Haas,1927, Horae Macrolepid. 1: 52, t.7 f.24,25. Syntypes: China sept. or.: Kansu: Lanchowfu. Range (in code):* **CN Gn**
- 15486. Polyommatus (Albulina (Plebejidea)) cyane tarbagata Suschkin,1909** (Lycaenidae) Synonym(s): *tarbagata Suschkin,1909* Original Reference: *Lycaena cyane tarbagata Suschkin,1909, Ent. Rdsch. 26(10): 59. Type(s): [Kasachstan]: Tarbagatai. Range (in code):* **KG Mn Nym Ktm Sau Mon Tar Buc Bkb**
- 15487. Polyommatus (Albulina (Plebejidea)) elvira (Eversmann,1854)** (Lycaenidae) Synonym(s): *elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.* Original Reference: *Lycaena elvira Eversmann,1854, Bull. Soc. nat. Moscou 27 (2): 177. Syntypes: südlichen Kirgisensteppen [Südkasachstan, wahrscheinlich am Fluss Syrdarja] (cf. Lukhtanov,1994, Herbiopoliana 3: 278). Range (in code):* **T-S Aa KG KK Ky Sp Tk UZ Ii Alk CN Ui** Bionomy: Larva on Alhagi sp. ? (Lukhtanov & Lukhtanov, 1994); *Goniolimon gmelinii* (Zhdanko, 1997).
- 15488. Polyommatus (Albulina (Plebejidea)) elvira elvira (Eversmann,1854)** (Lycaenidae) Synonym(s): *elvira Eversmann,1854; oberthueri Groum-Grshimailo,1887.* Original Reference: *Lycaena elvira Eversmann,1854, Bull. Soc. nat. Moscou 27 (2): 177. Syntypes: südlichen Kirgisensteppen [Südkasachstan, wahrscheinlich am Fluss Syrdarja] (cf. Lukhtanov,1994, Herbiopoliana 3: 278). Range (in code):* **T-S Aa KG KK Ky Sp Tk UZ Ii Alk CN Ui**
- 15489. Polyommatus (Albulina (Plebejidea)) ferganus (Staudinger,1881)** (Lycaenidae) Synonym(s): *fergana Staudinger,1881; torgouta Alpheraky,1881* Original Reference: *Lycaena loewii var.? fergana Staudinger,1881, Stettin ent. Ztg. 42: 262. Syntypes: [Usbekistan]: Margelan. Range (in code):* **CN Fe KG KK Ku Ky Sp Tk TM Kp T-S Ui UZ Syr Tm Ktm Bkb DsA Tar Bog TrA Ax Man IR Kh Gor Se**
- 15490. Polyommatus (Albulina (Plebejidea)) ferganus ferganus (Staudinger,1881)** (Lycaenidae) Synonym(s): *fergana Staudinger,1881; torgouta Alpheraky,1881* Original Reference: *Lycaena loewii var.? fergana Staudinger,1881, Stettin ent. Ztg. 42: 262. Syntypes: [Usbekistan]: Margelan. Range (in code):* **CN Fe KG KK Ku Ky Sp Tk TM Kp T-S Ui UZ Syr Tm Ktm Bkb DsA Tar Bog TrA Ax Man IR Kh Gor Se**
- 15491. Polyommatus (Albulina (Plebejidea)) ferganus nikolaii (Lamas,2008)** (Lycaenidae) Synonym(s): *rubini Churkin,2006 nec Churk.,2005; nikolaii Lamas,2008* - Range (in code): **KG**
- 15492. Polyommatus (Albulina (Plebejidea)) loewii (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii Zeller,1847; empyrea Gerhard,[1851]; gigas Staudinger,1871; #robusta Turati & Fiori,1930; germanicae Pfeiffer,1932; dzhegamati Sheljuzhko,1934.* Original Reference: *Lycaena loewii Zeller,1847, Isis 1847: 9-10. Syntypes ♂♀: [Türkei]: Makri [Fethiye]. Range (in code):* **Nwf Ci BI Chm Bm Kab AF Cc AM AZ EG GG Smt Akh GR IL IQ IR Ab Ak Msw Zj By Fa Elb Th JO Kc KG KK LB Nf Nj OM PK Rd RU SA SY TJ TM TR Ld Ng Hr Log Kab** Bionomy: Larva on *Astragalus spinosus*, *A. sieberi* (Fabaceae) (Tolman,1997).
- 15493. Polyommatus (Albulina (Plebejidea)) loewii afghanus Howarth & Povolny,1976** (Lycaenidae) Synonym(s): *afghana Howarth & Povolny,1976* Original Reference: *Polyommatus loewii ssp. afghana Howarth & Povolny, 1976, Cas. morav. Mus. Brne 61: 142. Holotype ♂: Afghanistan: Arbarp, 10 miles W. of Kabul (BMNH). Range (in code):* **AF Bm Kab Ng Hr Log**
- 15494. Polyommatus (Albulina (Plebejidea)) loewii antilbanoticus (Hemming,1929)** (Lycaenidae) Synonym(s): *antilbanotica Hemming,1929* Original Reference: *Polyommatus loewii antilbanotica Hemming,1929, Proc. ent. Soc. Lond. 4: 4-5. Holotype ♂: [Lebanon]: Baalbek (in BMHN). Range (in code):* **LB**
- 15495. Polyommatus (Albulina (Plebejidea)) loewii battenfeldi (Rose & Schurian,[1978])** (Lycaenidae) Synonym(s): *battenfeldi Rose & Schurian,[1978]* Original Reference: *Plebejus loewii ssp. battenfeldi Rose & Schurian,[1978], J. ent. Soc. Iran 4 (1/2): 74-77, figs. Holotype ♂: Iran: Prov. Khuzestan, Sisakht, nördl. Yassudj, 2250m (in coll. K.Rose). Range (in code):* **IR By**
- 15496. Polyommatus (Albulina (Plebejidea)) loewii chamanicus (Moore,1884)** (Lycaenidae) Synonym(s): *chamanica Moore,1884* - Range (in code): **BI Chm PK**

- 15497. *Polyommatus (Albulina (Plebejidea)) loewii grossi* (Rose,1975)** (Lycaenidae)
Synonym(s): *grossi* Rose,1975 Original Reference: *Plebejus loewii* ssp. *grossi* Rose,1975, J. ent. Soc. Iran, Suppl. 1: 45-47, figs. 62-64. Holotype ♂: Iran: Elburs S-Seite: Rudehen, 60km östl. Tehran, 1700-1800m. (in coll. Rose). Range (in code): **IR Elb Th**
- 15498. *Polyommatus (Albulina (Plebejidea)) loewii hissaricus* (Stshetkin,1963)** (Lycaenidae) Synonym(s): *hissarica* Stshetkin,1963 Range (in code): **TJ**
- 15499. *Polyommatus (Albulina (Plebejidea)) loewii hoffmanni* (Rose & Schurian,[1978])** (Lycaenidae) Synonym(s): *hoffmanni* Rose & Schurian,[1978] Original Reference: *Plebejus loewii* ssp. *hoffmanni* Rose & Schurian,[1978], J. ent. Soc. Iran 4 (1/2): 72-74, figs. Holotype ♂: Iran: Prov. Fars, Persepolis, 60km nördl. Shiraz, 1600m (in coll. K.Rose). Range (in code): **IR Fa**
- 15500. *Polyommatus (Albulina (Plebejidea)) loewii laura* Evans,1932** (Lycaenidae) Synonym(s): *laura* Evans,1932 Original Reference: *Polyommatus loewii laura* Evans,1932, Identification of Indian Butterflies (2): 227. Lectotype ♂: Ladak, designated by Balint,1999, Neue ent. Nachr. 46: 41 (BMNH). Range (in code): **Ld**
- 15501. *Polyommatus (Albulina (Plebejidea)) loewii lockarti* (Hemming,1929)** (Lycaenidae) Synonym(s): *lockarti* Hemming,1929 Original Reference: *Polyommatus loewii* ssp. *lockarti* Hemming,1929,Proc. ent. Soc. Lond. 1929 (4): 3. Holotype ♂: Transjordan: Qasr Azraq (in BMNH). Range (in code): **JO**
- 15502. *Polyommatus (Albulina (Plebejidea)) loewii loewii* (Zeller,1847)** (Lycaenidae) Synonym(s): *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germaniciae* Pfeiffer,1932; *dzhegamati* Sheljuzhko,1934. Original Reference: *Lycaena loewii* Zeller,1847, Isis 1847: 9-10. Syntypes ♂♀: [Türkei]: Makri [Fethiye]. Range (in code): **Ae Cc GG Smt Akh GR Kc Rd AM AZ RU TR IQ**
- 15503. *Polyommatus (Albulina (Plebejidea)) loewii minimus* Junge & Rose,1978** (Lycaenidae) Synonym(s): *minimus* Junge & Rose,1978. Range (in code): **TR**
- 15504. *Polyommatus (Albulina (Plebejidea)) loewii sanoga* (Evans,1925)** (Lycaenidae) Synonym(s): *sanoga* Evans,1925 Original Reference: *Lycaena loewii* ssp. *sanoga* Evans,1925, J. Bomb. nat. Hist. Soc. 30: 346, pl.27 figs.23.5. Lectotype ♂: [Pakistan]: Chitral (leg. Major F.Wall) (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 56-57. Range (in code): **PK Nwf Ci**
- 15505. *Polyommatus (Albulina (Plebejidea)) loewii schwingenschussi* (Pfeiffer,1937)** (Lycaenidae) Synonym(s): *schwingenschussi* Pfeiffer,1937 Original Reference: *Lycaena loewii* ssp. *schwingenschussi* Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 34-35. Holotype ♂: Iran: Demavend, Pelur 2000m. Range (in code): **IR Elb**
- 15506. *Polyommatus (Albulina (Plebejidea)) loewii uranicola* (Walker,1870)** (Lycaenidae) Synonym(s): *uranicola* Walker,1870 Original Reference: *Lampides uranicola* Walker,1870, Entomologist 5: 52, nr.45 Syntypes: Egypt: Mt. Sinai, Wady Genneh. Range (in code): **EG Sn JO**
- 15507. *Polyommatus (Albulina (Plebejidea)) miris* (Staudinger,1881)** (Lycaenidae) Synonym(s): *miris* Staudinger,1881; *#oblitescens* Schultz,1906 Original Reference: *Lycaena miris* Staudinger,1881, Stettin ent. Ztg. 42: 263-264. Syntypes ♂♀: [Iran]: Schahrud; [Kasachstan]: Lepsa, Saisan. Range (in code): **T-S Aa CN IR Elb Gor Kh Fa KG Mg Sp Tk TM Kp Ui Tar Buc Sau TrA DsA Ssn Lps MN** Bionomy: Larva on *Astragalus balchaschensis* (Zhdanko, 1997).
- 15508. *Polyommatus (Albulina (Plebejidea)) miris miris* (Staudinger,1881)** (Lycaenidae) Synonym(s): *miris* Staudinger,1881; *#oblitescens* Schultz,1906 Original Reference: *Lycaena miris* Staudinger,1881, Stettin ent. Ztg. 42: 263-264. Syntypes ♂♀: [Iran]: Schahrud; [Kasachstan]: Lepsa, Saisan. Range (in code): **T-S Aa CN IR Elb Gor Kh Fa KG Mg Sp Tk TM Ui Tar Buc Sau TrA DsA Ssn Lps MN**
- 15509. *Polyommatus (Albulina (Plebejidea)) rosei* (Eckweiler,1989)** (Lycaenidae) Synonym(s): *rosei* Eckweiler,1989 Original Reference: *Plebejus (Vacciniina) rosei* Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 90-95, figs. Holotype ♂: Osttürkei: Prov. Van: Kurubaş Geçidi, 1900-2000m, 12km südl. Van (in coll. Rose). Range (in code): **TR IR Ab Lo** Bionomy: Larva on *Hedysarum varium* (nec *syriacum*!) (Fabaceae) (Kemal & Özgökçe,2010).
- 15510. *Polyommatus (Albulina (Plebejidea)) rosei oshtoranus* Weidenhoffer,2002** (Lycaenidae) Synonym(s): *oshtoranus* Weidenhoffer,2002 Original Reference: *Plebejus (Plebejidea) rosei* ssp. *oshtoranus* Weidenhoffer,2002, Ent. Z. 112 (3): 74. Holotype ♂: Iran: Lorestan Prov., Kuh-e Oshturan 20km SE Dorud, 2750m. Range (in code): **IR Lo**

- 15511. *Polyommatus (Albulina (Plebejidea)) rosei rosei* (Eckweiler,1989)** (Lycaenidae)
Synonym(s): *rosei* Eckweiler,1989 Original Reference: Plebejus (Vacciniina) *rosei* Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 90-95, figs. Holotype ♂: Osttürkei: Prov. Van: Kurubaş Geçidi, 1900-2000m, 12km südl. Van (in coll. Rose). Range (in code): **TR IR Ab Bionomy:** Larva on *Hedysarum varium* (nec *syriacum*!) (Fabaceae) (Kemal & Özgökçe,2010).
- 15512. *Polyommatus (Albulina (Vacciniina)) alcedo* (Christoph,1877)** (Lycaenidae)
Synonym(s): *alcedo* Christoph,1877 Original Reference: *Lycaena alcedo* Christoph,1877, Horae Soc. ent. ross. 12: 233, pl.5 figs.3,4. Syntypes: [Iran]: Schahkuh, Schahrud. Lectotype ♀: [Iran]: Shahkuh (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH). Range (in code): **Cc AM AZ IR Ab Yz Elb Ke TR IQ**
- 15513. *Polyommatus (Albulina (Vacciniina)) alcedo alcedo* (Christoph,1877)** (Lycaenidae) Synonym(s): *alcedo* Christoph,1877 Original Reference: *Lycaena alcedo* Christoph,1877, Horae Soc. ent. ross. 12: 233, pl.5 figs.3,4. Syntypes: [Iran]: Schahkuh, Schahrud. Lectotype ♀: [Iran]: Shahkuh (designated by Balint,1999, Neue ent. Nachr. 46: 9) (BMNH). Range (in code): **Cc AM AZ IR Ab Elb Ke TR IQ**
- 15514. *Polyommatus (Albulina (Vacciniina)) alcedo ardashir* (Eckweiler,1998)** (Lycaenidae) Synonym(s): *ardashir* Eckweiler,1998 Original Reference: Plebejus (Vacciniina) *alcedo* ssp. *ardashir* Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 234-236, figs. Holotype ♂: Iran: Yazd: Shir Kuh, Deh Bala, S. Taft, 2600-2700m. Range (in code): **IR Yz**
- 15515. *Polyommatus (Albulina (Vacciniina)) alcedo hodja* (Moore)** (Lycaenidae)
Synonym(s): *hodja* Moore
- 15516. *Polyommatus (Albulina (Vacciniina)) alcedo madina* Zhdanko,2000** (Lycaenidae) Synonym(s): *madina* Zhdanko,2000 Original Reference: *Vacciniina alcedo* ssp. *madina* Zhdanko,2000, Helios 1: 100. Holotype ♂: Armenia, Akhtara Gorge, Arpaçay near Vaik 1700m. Range (in code): **Cc AM**
- 15517. *Polyommatus (Albulina (Vacciniina)) alcedo zoro* (Eckweiler,1998)** (Lycaenidae)
Synonym(s): *zoro* Eckweiler,1998 Original Reference: Plebejus (Vacciniina) *alcedo* ssp. *zoro* Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 236-237, figs. Holotype ♂: Iran: Kerman: Sae-e-Siab, N. Kuhpayeh, 2700-2900m. Range (in code): **IR Ke**
- 15518. *Polyommatus (Albulina (Vacciniina)) antoninae* Lukhtanov,1999** (Lycaenidae)
Synonym(s): *antoninae* Lukhtanov,1999 Original Reference: *Polyommatus antoninae* Lukhtanov,1999, Atalanta 30 (1/4): 148-149. Holotype ♂: Kirgisien: West-Tienschan: Tschatkalski Gebirge, Tschaptschama Pass, 2850m. (in EMEM). Range (in code): **T-S KK Tkl Tls**
- 15519. *Polyommatus (Albulina (Vacciniina)) antoninae antoninae* Lukhtanov,1999** (Lycaenidae) Synonym(s): *antoninae* Lukhtanov,1999 Original Reference: *Polyommatus antoninae* Lukhtanov,1999, Atalanta 30 (1/4): 148-149. Holotype ♂: Kirgisien: West-Tienschan: Tschatkalski Gebirge, Tschaptschama Pass, 2850m. (in EMEM). Range (in code): **T-S KK Tkl Tls**
- 15520. *Polyommatus (Albulina (Vacciniina)) balinti* (D'Abrera,1993)** (Lycaenidae)
Synonym(s): *balinti* D'Abrera,1993 Original Reference: Plebejus (Vacciniina) *balinti* D'Abrera,1993, Butterflies of the Holarctic Region (3): 491, figs. Holotype ♂: [Turkmenistan]: "Tura" (BMNH). Range (in code): **TM**
- 15521. *Polyommatus (Albulina (Vacciniina)) balinti balinti* (D'Abrera,1993)** (Lycaenidae) Synonym(s): *balinti* D'Abrera,1993 Original Reference: Plebejus (Vacciniina) *balinti* D'Abrera,1993, Butterflies of the Holarctic Region (3): 491, figs. Holotype ♂: [Turkmenistan]: "Tura" (BMNH). Range (in code): **TM**
- 15522. *Polyommatus (Albulina (Vacciniina)) iris* (Lang,1884)** (Lycaenidae) Synonym(s): *iris* Lang,1884; *iris* Staudinger,1886; *neiris* Tshikolovets,1997. Original Reference: *Lycaena iris* Lang,1884, Rhopalocera europa descripta delineata 1: 369. Lectotype ♂: Samarkand, designated by Balint,1999, Neue ent. Nachr. 46: 37 (BMNH). Range (in code): **AF Kab Pag Hrz Pnj Bd Bqu UZ Smk PK Bl Qu Nwf Ci TJ Dsb Asr Gg**
- 15523. *Polyommatus (Albulina (Vacciniina)) iris ashretha* (Evans,1925)** (Lycaenidae)
Synonym(s): *ashretha* Evans,1925 Original Reference: *Lycaena iris* ssp. *ashretha* Evans,1925, J. Bombay nat. Hist. Soc. 30: 346, pl.27 fig.23,6. Lectotype ♂: [Pakistan]: Chitral: Ziarat, 8-9000ft., designated by Balint,1999, Neue ent. Nachr. 46: 15 (BMNH). Range (in code): **AF Kab Pag Hrz Pnj Bd Bqu PK Nwf Ci**
- 15524. *Polyommatus (Albulina (Vacciniina)) iris dushanbe* Lukhtanov,1999** (Lycaenidae) Synonym(s): *dushanbe* Lukhtanov,1999 Original Reference: *Polyommatus ashretha*

- ssp. dushanbe Lukhtanov,1999, Atalanta 30 (1/4): 149-150. Holotype ♂: Tadschikistan: Dushanbe, 900m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): TJ Dsb
- 15525. Polyommatus (Albulina (Vacciniina)) iris hanna Evans,1932** (Lycaenidae) Synonym(s): *hanna Evans,1932* Original Reference: Polyommatus iris hanna Evans,1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Baluchistan. Range (in code): PK Bl Qu
- 15526. Polyommatus (Albulina (Vacciniina)) iris iris (Lang,1884)** (Lycaenidae) Synonym(s): *iris Lang,1884; iris Staudinger,1886; neoiris Tshikolovets,1997.* Original Reference: Lycaena iris Lang,1884, Rhopalocera europa descripta delineata 1: 369. Lectotype ♂: Samarkand, designated by Balint,1999, Neue ent. Nachr. 46: 37 (BMNH). Range (in code): UZ Smk
- 15527. Polyommatus (Albulina (Vacciniina)) iris marlene (Hemming,1934)** (Lycaenidae) Synonym(s): *astorica Tytler,1926 nec Ev.,1925; marlene Hemming,1934.* Original Reference: Agriades glandon ssp. marlene Hemming,1934, Stylops 3: 193 (nomen novum pro Lycaena orbitulus astorica Tytler,1926, J. Bombay nat. Hist. Soc. 31: 585, figs. nec Lycaena astorica Evans,1925. Lectotype ♂: [Pakistan]: Astor, designated by Balint,1999: 16. Range (in code): Asr Gg PK
- 15528. Polyommatus (Albulina (Vacciniina)) morgianus (Kirby,1871)** (Lycaenidae) Synonym(s): *hyrcana Lederer,1869 nec Feld.,1860; morgiana Kirby,1871.* Original Reference: Cupido morgiana Kirby,1871, Syn. Cat. Diurnal Lepid.: 369, nr.232 (pro hyrcana Led.,1869 nec Felder,1860). Range (in code): TR Cc AZ Nv IR Ak Ab Kh Es Fa Ke Elb Mz Yz Ss Bionomy: Larva on Hedysarum atropatanum (Fabaceae) (Tusov et al.,2000).
- 15529. Polyommatus (Albulina (Vacciniina)) morgianus badgiri (Ten Hagen & Schurian,2001)** (Lycaenidae) Synonym(s): *badgiri Ten Hagen & Schurian,2001* Original Reference: Plebejus (Vacciniina) morgianus ssp. badgiri Ten Hagen & Schurian,2001, Nachr. ent. Ver. Apollo (N.F.) 21 (4): 193, 196, figs.9-11,16. Holotype ♂: Iran: Yazd: Shir Kuh, südl. Deh Bala, 3000-3300m, 16.vii.1999, Ten Hagen leg. (SMFL). Range (in code): IR Yz
- 15530. Polyommatus (Albulina (Vacciniina)) morgianus blomi (Rose & Schurian,1977)** (Lycaenidae) Synonym(s): *blomi Rose & Schurian,1977* Original Reference: Vacciniina hyrcana ssp. blomi Rose & Schurian,1977, Ent. Z., Frankf. a. M. 87(14): 148-150, Abb.2. Holotype ♂: Iran: Südiran: Fars, Dasht-e-Arjan, 2000-2200m (in coll. Rose). Range (in code): TR Nv Cc AZ Fa Ke Ak Ab IR
- 15531. Polyommatus (Albulina (Vacciniina)) morgianus montetaftanus (Ten Hagen & Schurian,2001)** (Lycaenidae) Synonym(s): *montetaftanus Ten Hagen & Schurian,2001* Original Reference: Plebejus (Vacciniina) morgianus ssp. montetaftanus Ten Hagen & Schurian,2001, Nachr. ent. Ver. Apollo (N.F.) 21 (4): 196-200, fig.17. Holotype ♂: Südost-Iran: Baludschistan: Kuh e Taftan, Varadj, 2200-2700m, 17-21.v.1978, Eckweiler leg. (SMFL). Range (in code): Ss IR Bionomy: Larva on Hedysarum atropatanum (Fabaceae) (Tusov et al.,2000).
- 15532. Polyommatus (Albulina (Vacciniina)) morgianus morgianus (Kirby,1871)** (Lycaenidae) Synonym(s): *hyrcana Lederer,1869 nec Feld.,1860; morgiana Kirby,1871.* Original Reference: Cupido morgiana Kirby,1871, Syn. Cat. Diurnal Lepid.: 369, nr.232 (pro hyrcana Led.,1869 nec Felder,1860). Range (in code): IR Elb Mz Kh
- 15533. Polyommatus (Albulina (Vacciniina)) morgianus vaneki (Weidenhoffer & Klir,2000)** (Lycaenidae) Synonym(s): *vaneki Weidenhoffer & Klir,2000* Original Reference: Plebejus (Vacciniina) vaneki Weidenhoffer & Klir,2000, Linneana Belg. 17 (7): 289-290, figs.1.1, 2.1, 2.7-8. Holotype ♂: Iran: Prov. Esfahan: Kuhha Qohrud Mts., 10km east of Zefre, 2500-2700m (ZSM). Range (in code): IR Es
- 15534. Polyommatus (Albulina (Vacciniina)) omotoi (Forster,1972)** (Lycaenidae) Synonym(s): *omotoi Forster,1972* Original Reference: Vacciniina omotoi Forster,1972, Ent. Z., Frankf. a. M. 82 (20): 231-232, Abb. 6-7. Holotype ♂: Afghanistan: Koh-i-Baba Mts., Panjao, 2700-3000m Range (in code): AF Kbb Pnj
- 15535. Polyommatus (Albulina (Vacciniina)) omotoi omotoi (Forster,1972)** (Lycaenidae) Synonym(s): *omotoi Forster,1972* Original Reference: Vacciniina omotoi Forster,1972, Ent. Z., Frankf. a. M. 82 (20): 231-232, Abb. 6-7. Holotype ♂: Afghanistan: Koh-i-Baba Mts., Panjao, 2700-3000m Range (in code): AF Kbb Pnj
- 15536. Polyommatus (Albulina (Vacciniina)) optilete (Knoch,1781)** (Lycaenidae) Synonym(s): *optilete Knoch,1781* Original Reference: Papilio optilete Knoch,1781, Beitr. Insecten-Geschichte 1: 76, Tab.5 figs.5,6. Syntypes: [Germany]: Leipzig bei Schwickert (type

- probably lost). Range (in code): **Am At Kts AT Ba BY CH CN CZ DE DK EE FI FI FR Ir IT JP Hkk KP LT LV MN NL NO PL RU Sb SE Sh SK Sr UA YU MK Ur Kuz US Als** Bionomy: Larva on *Vaccinium uliginosum*, *V. myrtillus*, *V. oxycoccus*, *Erica tetralix* (Tolman, 1997).
- 15537. Polyommatus (Albulina (Vacciniina)) optilete cosanus Higgins,1930** (Lycaenidae) Synonym(s): *cosana* Higgins,1930; *media* Verity,1943. Original Reference: *Polyommatus optilete* ssp. *cosana* Higgins,1930, *Entomologist* 63: 126. Syntypes 8♂ 4♀: Italy: Piedmonte, Sestrieres. Range (in code): **FR IT**
- 15538. Polyommatus (Albulina (Vacciniina)) optilete cyparissus (Hübner,[1813])** (Lycaenidae) Synonym(s): *cyparissus* Hübner,[1813] Original Reference: *Papilio cyparissus* Hübner,[1813], *Samml. eur. Schmett.* 1: pl.129, figs. 654-657. Syntypes: Europa. Range (in code): **FR IT CH DE YU MK CZ SK**
- 15539. Polyommatus (Albulina (Vacciniina)) optilete daizetsuzana (Matsumura,1926)** (Lycaenidae) Synonym(s): *daizetsuzana* Matsumura,1926; *kurilensis* Matsumura,1927; *kamuikotana* Matsumura,1928; *nemoptilete* Bryk,1942 Range (in code): **JP Krl Hkk**
- 15540. Polyommatus (Albulina (Vacciniina)) optilete jotunensis (Henriksen,1982)** (Lycaenidae) Synonym(s): *jotunensis* Henriksen,1982 Range (in code): **NO**
- 15541. Polyommatus (Albulina (Vacciniina)) optilete optilete (Knoch,1781)** (Lycaenidae) Synonym(s): *optilete* Knoch,1781 Original Reference: *Papilio optilete* Knoch,1781, *Beitr. Insecten-Geschichte* 1: 76, Tab.5 figs.5,6. Syntypes: [Germany]: Leipzig bei Schwickert (type probably lost). Range (in code): **Bw DE DK NO FI SE PL EE LT LV RU At Kts**
- 15542. Polyommatus (Albulina (Vacciniina)) optilete sibiricus (Staudinger,1892)** (Lycaenidae) Synonym(s): *sibiricus* Staudinger,1892; *uralensis* Seitz,1909 *nec* Elw.,1899; *medea* Hemming,1934. Original Reference: *Lycaena optilete* var. *sibiricus* Staudinger,1892, *Dt. ent. Z.*, *Iris* 5: 317. Syntypes: Russia: "Kentei-Gebirge". Range (in code): **RU Sb Ur At Kuz**
- 15543. Polyommatus (Albulina (Vacciniina)) rutilans (Staudinger,1886)** (Lycaenidae) Synonym(s): *rutilans* Staudinger,1886 Original Reference: *Lycaena rutilans* Staudinger,1886, *Stettin ent. Ztg.* 47: 208-209, Syntypes: [Tadjikistan]: Südlich Alai. Range (in code): **KK Al TJ T-S**
- 15544. Polyommatus (Albulina (Vacciniina)) rutilans rutilans (Staudinger,1886)** (Lycaenidae) Synonym(s): *rutilans* Staudinger,1886 Original Reference: *Lycaena rutilans* Staudinger,1886, *Stettin ent. Ztg.* 47: 208-209, Syntypes: [Tadjikistan]: Südlich Alai. Range (in code): **KK Al TJ T-S**
- 15545. Polyommatus (Albulina (Vacciniina)) sieversii (Christoph,1873)** (Lycaenidae) Synonym(s): *sieversii* Christoph,1873 Original Reference: *Lycaena sieversii* Christoph, 1873, *Horae Soc. ent. ross.* 10: 23, Tab.I figs. 1,2. Syntypes ♂♀: [Iran]: Nord-Persien: Schahkuh, 4000-10000ft. Range (in code): **AF Bd Bqu Prw Pnj UZ TJ IR Ak Elb Se PK Bl** Bionomy: Larva on *Astragalus sericeopuberulus* (Zhdanko, 1997).
- 15546. Polyommatus (Albulina (Vacciniina)) sieversii felicius Evans,1932** (Lycaenidae) Synonym(s): *felicia* Evans,1932 Original Reference: *Polyommatus sieversii felicia* Evans,1932, *Identification of Indian Butterflies* (2): 227. Syntypes: [Pakistan]: Baluchistan. Range (in code): **AF Bd Bqu Prw Pnj PK Bl**
- 15547. Polyommatus (Albulina (Vacciniina)) sieversii haberhaueri (Staudinger,1886)** (Lycaenidae) Synonym(s): *haberhaueri* Staudinger,1886 Original Reference: *Lycaena sieversii* var. *haberhaueri* Staudinger,1886, *Stettin ent. Ztg.* 47: 206. Syntypes ♂♀: [Usbekistan]: Namangan, Samarkand. Range (in code): **UZ TJ**
- 15548. Polyommatus (Albulina (Vacciniina)) sieversii sieversii (Christoph,1873)** (Lycaenidae) Synonym(s): *sieversii* Christoph,1873 Original Reference: *Lycaena sieversii* Christoph, 1873, *Horae Soc. ent. ross.* 10: 23, Tab.I figs. 1,2. Syntypes ♂♀: [Iran]: Nord-Persien: Schahkuh, 4000-10000ft. Range (in code): **IR Se Elb Ak**
- 15549. Polyommatus (Albulina (Vacciniina)) vaneki (Weidenhoffer & Klir,2000)** (Lycaenidae) Synonym(s): *vaneki* Weidenhoffer & Klir,2000 Original Reference: *Plebejus* (Vacciniina) *vaneki* Weidenhoffer & Klir,2000, *Linneana Belg.* 17 (7): 289-292, figs. Holotype ♂: Iran: Prov. Esfahan, Kuhha Qohrud Mts., 10km E Zefre, 2500-2700m, 18.vi.1999 leg. J. Klir (ZSM). Range (in code): **IR Es**
- 15550. Polyommatus (Albulina (s.str.)) amphirrhoe (Oberthür,1910)** (Lycaenidae) Synonym(s): *amphirrhoe* Oberthür,1910 Range (in code): **CN Sz T-T**
- 15551. Polyommatus (Albulina (s.str.)) amphirrhoe amphirrhoe (Oberthür,1910)** (Lycaenidae) Synonym(s): *amphirrhoe* Oberthür,1910 Range (in code): **CN Sz T-T**

- 15552. Polyommatus (Albulina (s.str.)) orbitulus (De Prunner,1798)** (Lycaenidae)
Synonym(s): *orbitulus* De Prunner,1798; *atys* Hübner,1804 nec Cr.,1780; *pheretes* Hoffmannsegg,1804; *pheretes* Hübner,1806. Original Reference: Papilio orbitulus De Prunner,1798, Lepidoptera Pedemontana: 75. Type(s): [Italy]: Piedmont. Range (in code): **Am At Kts AT Ba BY CH CN DE FR Ir IT KG MN NO NP RU Sb SE Ts UA Ui YU Ur Sj Sau Tar Mn Nym Ktm Asr Cls PK Ch Gs IN Ti Cyu Yu Lji Sz T-T Njb She Gn Hnn Ltg** Bionomy: Larva on Astragalus alpinus (Tolman, 1997).
- 15553. Polyommatus (Albulina (s.str.)) orbitulus astoricus (Tytler,1926) ?** (Lycaenidae)
Synonym(s): *astoricus* Tytler,1926 Range (in code): **Asr Cls PK Ch Gs IN**
- 15554. Polyommatus (Albulina (s.str.)) orbitulus chaos (Lamas,2008)** (Lycaenidae)
Synonym(s): *tibetana* D'Abrera,1993 nec Forst.,1940; *chaos* Lamas,2008 Range (in code): **CN Ti**
- 15555. Polyommatus (Albulina (s.str.)) orbitulus demulaensis (Huang,2001)** (Lycaenidae) Synonym(s): *demulaensis* Huang,2001 Range (in code): **CN Ti Cyu**
- 15556. Polyommatus (Albulina (s.str.)) orbitulus dongdalaensis (Huang,2001)** (Lycaenidae) Synonym(s): *dongdalaensis* Huang,2001 Range (in code): **CN Ti**
- 15557. Polyommatus (Albulina (s.str.)) orbitulus litangensis (Huang,2001)** (Lycaenidae) Synonym(s): *litangensis* Huang,2001 Range (in code): **CN Sz Ltg**
- 15558. Polyommatus (Albulina (s.str.)) orbitulus lobbichleri (Forster,1961)** (Lycaenidae) Synonym(s): *lobbichleri* Forster,1961 Original Reference: *Albulina orbitulus* ssp. *lobbichleri* Forster,1961, Veröff. zool. StSamml. Münch. 6: 148-149, Taf.xiv figs.3,6. Holotype ♂: Nepal: Tukucha, 2500m. (ZSM). Range (in code): **NP**
- 15559. Polyommatus (Albulina (s.str.)) orbitulus luxurians (Forster,1940)** (Lycaenidae)
Synonym(s): *luxurians* (Forster,1940 Range (in code): **CN Yu Lji**
- 15560. Polyommatus (Albulina (s.str.)) orbitulus major (Evans,1915)** (Lycaenidae)
Synonym(s): *major* Evans,1915 Range (in code): **CN Ti Njb**
- 15561. Polyommatus (Albulina (s.str.)) orbitulus orbitulus (De Prunner,1798)** (Lycaenidae) Synonym(s): *orbitulus* De Prunner,1798; *atys* Hübner,1804 nec Cr.,1780; *pheretes* Hoffmannsegg,1804; *pheretes* Hübner,1806. Original Reference: Papilio orbitulus De Prunner,1798, Lepidoptera Pedemontana: 75. Type(s): [Italy]: Piedmont. Range (in code): **AT Ba BY CH DE FR IT NO RU SE UA YU At Kts Ur**
- 15562. Polyommatus (Albulina (s.str.)) orbitulus pheretimus (Staudinger,1892)** (Lycaenidae) Synonym(s): *phetimus* Staudinger,1892 Range (in code): **CN RU**
- 15563. Polyommatus (Albulina (s.str.)) orbitulus qinlingensis (Wang,1998)** (Lycaenidae) Synonym(s): *qinlingensis* Wang,1998 Range (in code): **CN Hnn**
- 15564. Polyommatus (Albulina (s.str.)) orbitulus sajanus (Heyne,[1895])** (Lycaenidae)
Synonym(s): *sajanus* Heyne,[1895] Original Reference: *Lycaena pheretes* var. *sajana* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:757. Type(s): [Russia]: südliches Sibirien. Range (in code): **KG MN Mn RU At Sb Sj Sau Tar Nym Ktm**
- 15565. Polyommatus (Albulina (s.str.)) orbitulus shanxiensis (Murayama,1983)** (Lycaenidae) Synonym(s): *shanxiensis* Murayama,1983 Range (in code): **CN She**
- 15566. Polyommatus (Albulina (s.str.)) orbitulus tatsienluica (Oberthür,1910)** (Lycaenidae) Synonym(s): *tatsienluica* Oberthür,1910 Range (in code): **CN Sz T-T**
- 15567. Polyommatus (Albulina (s.str.)) orbitulus tyrone (Forster,1940)** (Lycaenidae)
Synonym(s): *tyrone* Forster,1940 Range (in code): **CN Gn**
- 15568. Polyommatus (Albulina (s.str.)) orbonus (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *orbona* Groum-Grshimailo,1890; *tartarus* Staudinger,1895 Original Reference: *Lycaena orbona* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 452. Syntypes ♂♀: [China: Qinghai]: In regione Amdo, in montibus ad Guj-duj. Range (in code): **Amd CN Ts**
- 15569. Polyommatus (Albulina (s.str.)) pharis (Fawcett,1904)** (Lycaenidae) Synonym(s): *pharis* Fawcett,1904. Original Reference: *Lycaena pheretes* var. *pharis* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 138, Pl.9 figs. 5, 5a. Syntypes ♂♀: [China]: Tibet: Khamba Jong, 15000ft. Range (in code): **CN IN SI Ti**
- 15570. Polyommatus (Albulina (s.str.)) pharis pharis (Fawcett,1904)** (Lycaenidae)
Synonym(s): *pharis* Fawcett,1904 Original Reference: *Lycaena pheretes* var. *pharis* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 138, Pl.9 figs. 5, 5a. Syntypes ♂♀: [China]: Tibet: Khamba Jong, 15000ft. Range (in code): **CN IN SI Ti**
- 15571. Polyommatus (Aricia (Eumedonia)) annulatus (Elwes,1906)** (Lycaenidae)
Synonym(s): *annulatus* Elwes,1906; *tibetanus* Forster,1940 Original Reference: *Lycaena semiargus*

- var. *annulata* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 484-485, Pl.36 figs. 11,12. Syntypes: China: Tibet: Gyantze. Lectotype ♂: Gyangste, 1 3000ft. (designated by Balint, 1999, Neue ent. Nachr. 46: 12) (BMNH). Range (in code): **CN Ti**
- 15572. Polyommatus (Aricia (Eumedonia)) annulatus annulatus (Elwes, 1906)** (Lycaenidae) Synonym(s): *annulatus* Elwes, 1906; *tibetanus* Forster, 1940 Original Reference: *Lycaena semiargus* var. *annulata* Elwes, 1906, Proc. zool. Soc. Lond. 1906: 484-485, Pl.36 figs. 11,12. Syntypes: China: Tibet: Gyantze. Lectotype ♂: Gyangste, 1 3000ft. (designated by Balint, 1999, Neue ent. Nachr. 46: 12) (BMNH). Range (in code): **CN Ti**
- 15573. Polyommatus (Aricia (Eumedonia)) astoricus (Evans, 1925)** (Lycaenidae) Synonym(s): *astorica* Evans, 1925; *astorica* Tytler, 1926. Original Reference: *Lycaena astorica* Evans, 1925, J. Bomb. nat. Hist. Soc. 30: 346. Lectotype ♂: Astor 9000ft, designated by Balint, 1999, Neue ent. Nachr. 46: 15 (BMNH). Range (in code): **Asr Gg PK**
- 15574. Polyommatus (Aricia (Eumedonia)) astoricus astoricus (Evans, 1925)** (Lycaenidae) Synonym(s): *astorica* Evans, 1925; *astorica* Tytler, 1926. Original Reference: *Lycaena astorica* Evans, 1925, J. Bomb. nat. Hist. Soc. 30: 346. Lectotype ♂: Astor 9000ft, designated by Balint, 1999, Neue ent. Nachr. 46: 15 (BMNH). Range (in code): **Asr Gg PK**
- 15575. Polyommatus (Aricia (Eumedonia)) eumedon (Esper, [1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg, 1775 nec Fabr., 1775; *eumedon* Esper, [1780]; *osiris* O. Bang-Haas, 1927 nec Hopff., 1855; *rumeliensis* Eitschberger & Stein., 1975; *jeanensis* Eitschberger & Stein., 1975; *kagizmanensis* Koçak, 1980. Original Reference: *Papilio eumedon* Esper, [1780], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3. Range (in code): **AL Bn Kts At AT Aty Ba BG BY CH CN CZ DE EE ES FI FR Cc GG GR HU Ir IT KK KG Kmt LB LT LV NO PK PL RO RU SE Si SK Sm So Sr TR T-S UA Ui YU Or Uk Bs Cb Kt Ty Kw Om Pw Sp Mn No Tk Aa Db Syr Tm Sau Tar Kuz Sli DsA Ket TeA KuA TrA Ax Bbu Ci Gg Nwf T-S IR Ab Sry Evl Arr** Bionomy: Larva on *Geranium sanguineum*, *G. sylvaticum*, *G. tuberosum*, *G. palustre*, *G. pratense*, *G. cinereum* (Geraniaceae) (Tolman, 1997); *Erodium absinthoides armenum* (det. N. Adigüzel) (Koçak, in litt.).
- 15576. Polyommatus (Aricia (Eumedonia)) eumedon aladaghensis (Koçak, 1979)** (Lycaenidae) Synonym(s): *aladaghensis* Koçak, 1979 Original Reference: *Aricia (Eumedonia) eumedon* ssp. *aladaghensis* Koçak, 1979, Atalanta 10(4a): 314-317 figs. Holotype ♂: Turkey: Niğde: Demirkazik, 1600-2500m (in coll. Cesa). Range (in code): **TR**
- 15577. Polyommatus (Aricia (Eumedonia)) eumedon antiquus (Heyne, [1895])** (Lycaenidae) Synonym(s): *antiquus* Heyne, [1895] Original Reference: *Lycaena eumedon* var. *antiqua* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 761. Type(s): Tura. Range (in code): **TM**
- 15578. Polyommatus (Aricia (Eumedonia)) eumedon belinus (De Prunner, 1798)** (Lycaenidae) Synonym(s): *belinus* De Prunner, 1798; *glaciata* Verity, 1921. Original Reference: *Papilio belinus* De Prunner, 1798, Lepidoptera Pedemontana: 77. Type(s): [Italy]: Piedmont. Range (in code): **FR**
- 15579. Polyommatus (Aricia (Eumedonia)) eumedon bercelemensis Schurian, Castelain & Weiss, 2014** (Lycaenidae) Synonym(s): *bercelemensis* Schurian, Castelain & Weiss, 2014 Original Reference: *Eumedonia eumedon* ssp. *bercelemensis* Schurian, Castelain & Weiss, 2014, Nachr. ent. Ver. Apollo (N.F.) 35 (1/2): 2. Holotype ♂: Türkiye, Hakkari Prov. Bercelem 2900-3000m, leg. Christian Castelain, 21 vii 2013 (FNS). Range (in code): **TR**
- 15580. Polyommatus (Aricia (Eumedonia)) eumedon boliviariensis (De Sagarra, 1930)** (Lycaenidae) Synonym(s): *boliviariensis* De Sagarra, 1930 Range (in code): **ES**
- 15581. Polyommatus (Aricia (Eumedonia)) eumedon borealis (Wahlgren, 1930)** (Lycaenidae) Synonym(s): *borealis* Wahlgren, 1930 Range (in code): **NO**
- 15582. Polyommatus (Aricia (Eumedonia)) eumedon eumedon (Esper, [1780])** (Lycaenidae) Synonym(s): *chiron* Rottemburg, 1775 nec Fabr., 1775; *eumedon* Esper, [1780]; *osiris* Bang-Haas, 1927 nec Hopffer, 1855; *rumeliensis* Eitschberger & Stein., 1975; *jeanensis* Eitschberger & Stein., 1975; *kagizmanensis* Koçak, 1980. Original Reference: *Papilio eumedon* Esper, [1780], Die Schmett. 1 (Bd.2) Forts. Tagschmett.: 16: pl.52, figs.2,3. Range (in code): **Aa At Bn Kts AT Aty BG B-H Bw CN DE HV KG KK MK Mn RU Sp SS Stm Tk TR Ui Kml Ur YU Or Uk Bs Cb Kt Ty Kw Om Pw Sp Mn No Tk Aa Db Tm Sau Tar Kuz Sli DsA Ket TeA KuA TrA Ax T-S Syr Cc**
- 15583. Polyommatus (Aricia (Eumedonia)) eumedon fylgides (Gorbunov, 1995)** (Lycaenidae) Synonym(s): *fylgides* Gorbunov, 1995 Original Reference: *Eumedonia eumedon* ssp. *fylgides* Gorbunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 178. Holotype: Russia: Kamtshatka: Paratounka. Range (in code): **Kmt RU**

- 15584. Polyommatus (Aricia (Eumedonia)) eumedon grassoides (Eitschberger & Steiniger,1975)** (Lycaenidae) Synonym(s): *grassoides* Eitschberger & Steiniger,1975; *montriensis* Nel,1976. Original Reference: *Eumedonia eumedon* ssp. *grassoides* Eitschberger & Steiniger,1975, *Atalanta* 6 (2): 113-115, figs. Holotype ♂: France: Grasse (Alpes-Maritimes) (in coll. Eitschberger). Range (in code): **FR**
- 15585. Polyommatus (Aricia (Eumedonia)) eumedon jermyni (Swinhoe,1910)** (Lycaenidae) Synonym(s): *jermyni* Swinhoe,1910 Original Reference: *Plebejus eumedon* var. *jermyni* Swinhoe,1910, [in] Moore,F., *Lepid. Ind.* 8: 89, pl.660 fig.2. Lectotype ♂: [Pakistan]: Gilgit, Babusar Pass, 10400ft. (BMNH), designated by Balint,1999, *Neue ent. Nachr.* 46: 39. Range (in code): **PK Bbu Ci Gg Nwf**
- 15586. Polyommatus (Aricia (Eumedonia)) eumedon mariensis (Eitschberger & Steiniger,1975)** (Lycaenidae) Synonym(s): *mariensis* Eitschberger & Steiniger,1975 Original Reference: *Eumedonia eumedon* ssp. *mariensis* Eitschberger & Steiniger,1975, *Atalanta* 6 (2): 116-119, figs. Holotype ♂: Espana: Almeria, Sierra de Maria, Barranco Agrio, 1400-2040m (in coll. Eitschberger). Range (in code): **ES Alm**
- 15587. Polyommatus (Aricia (Eumedonia)) eumedon modestus (Nekrutenko,1972)** (Lycaenidae) Synonym(s): *modestus* Nekrutenko,1972 Original Reference: *Eumedonia eumedon* ssp. *modestus* Nekrutenko,1972, *J. Lepid. Soc.* 26 (4): 215-218. Holotype ♂: [Georgia]: Abchasia: Ritsa Nature reserve, 1500-2500m. Range (in code): **Cc GG TR**
- 15588. Polyommatus (Aricia (Eumedonia)) eumedon moenus (Eitschberger & Steiniger,1975)** (Lycaenidae) Synonym(s): *moenus* Eitschberger & Steiniger,1975 Original Reference: *Eumedonia eumedon* ssp. *moenus* Eitschberger & Steiniger,1975, *Atalanta* 6 (2): 99-106, figs. Holotype ♂: Deutschland: Nordbayern: Thüringersheim, Rotlaufberg, 300m (in coll. Eitschberger). Range (in code): **Bv Bw DE**
- 15589. Polyommatus (Aricia (Eumedonia)) eumedon mylittus (Hemming,1931)** (Lycaenidae) Synonym(s): *mylittus* Hemming,1931 Original Reference: *Aricia chiron* ssp. *mylitta* Hemming,1931, *Stylops* 1: 12. Holotype ♂: Lebanon: Cedar Mts. (BMNH). Range (in code): **LB**
- 15590. Polyommatus (Aricia (Eumedonia)) eumedon namus Koçak & Kemal,2002** (Lycaenidae) Synonym(s): *namus* Koçak & Kemal,2002 Original Reference: *Polyommatus (Aricia (Eumedonia)) eumedon* ssp. *namus* Koçak & Kemal,2002, *Cent. ent. Stud. Misc. Pap.* 82/85: 20. Holotype ♂: Turkey: Van Prov. Karabel geçidinin doğu yamaçları, 2700-3000m, M.Kemal leg. (in coll. Cesa). Range (in code): **TR** Bionomy: Larva on *Erodium absynthoides armenum* (det. N.Adıgüzel), Van Prov. Karabel geçidi 2700m (Koçak, in litt.).
- 15591. Polyommatus (Aricia (Eumedonia)) eumedon nebrodensis (Ragusa,1919)** (Lycaenidae) Synonym(s): *nebrodensis* Ragusa,1919 Range (in code): **Si IT**
- 15592. Polyommatus (Aricia (Eumedonia)) eumedon nitschei (Hemming,1933)** (Lycaenidae) Synonym(s): *alticola* Nitsche,1926 nec Chr.,1893; *nitschei* Hemming,1933. Range (in code): **FR**
- 15593. Polyommatus (Aricia (Eumedonia)) eumedon sarykola (Sheljuzhko,1914)** (Lycaenidae) Synonym(s): *sarykola* Sheljuzhko,1914 Original Reference: *Lycaena eumedon* ssp. *sarykola* Sheljuzhko,1914, *Dt. ent. Z., Iris* 26: 21-22. Syntypes ♂♀: [Uighur Ili]: östl. Pamir: Tash-Kurgan, Sarykol-Gebirge. Range (in code): **CN Ui Sry Evl**
- 15594. Polyommatus (Aricia (Eumedonia)) kogistanus (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *kogistana* Groum-Grshimailo,1888 Original Reference: *Lycaena kogistana* Groum-Grshimailo,1888, *Horae Soc. ent. ross.* 22: 306. Syntypes ♂♀: Darwaz. Range (in code): **TJ**
- 15595. Polyommatus (Aricia (Eumedonia)) kogistanus kogistanus (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *kogistana* Groum-Grshimailo,1888 Original Reference: *Lycaena kogistana* Groum-Grshimailo,1888, *Horae Soc. ent. ross.* 22: 306. Syntypes ♂♀: Darwaz. Range (in code): **TJ**
- 15596. Polyommatus (Aricia (Eumedonia)) timidus (Groum-Grshimailo,1885)** (Lycaenidae) Synonym(s): *timida* Groum-Grshimailo,1885
- 15597. Polyommatus (Aricia (Eumedonia)) timidus timidus (Groum-Grshimailo,1885)** (Lycaenidae) Synonym(s): *timida* Groum-Grshimailo,1885
- 15598. Polyommatus (Aricia (Pseudoaricia)) hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993. Original Reference: *Lycaena hyacinthus* Herrich-Schäffer,[1847], *Syst.*

Beschr. Schmett. Eur. Papilionides: Taf.72 figs. 345-348; ibid. 6: 29. Type(s): "Aus der Türkei".
Range (in code): **TR**

- 15599. Polyommatus (Aricia (Pseudoaricia)) hyacinthus hyacinthus (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *hyacinthus* Herrich-Schäffer,[1847]; *guelayae* Schurian & Rose,1991; *silvestris* Schurian & Eckweiler,1993. Original Reference: *Lycaena hyacinthus* Herrich-Schäffer,[1847], Syst. Beschr. Schmett. Eur. Papilionides: Taf.72 figs. 345-348; ibid. 6: 29. Type(s): "Aus der Türkei". Range (in code): **TR**
- 15600. Polyommatus (Aricia (Pseudoaricia)) isauricus (Staudinger,1871)** (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871 Original Reference: *Lycaena isaurica* Staudinger,1871, Berl. ent. Z. 14: 327-328. Syntypes 4♂: [Türkei]: [İçel]: Karli Boghas. Range (in code): **LB TR Cc**
- 15601. Polyommatus (Aricia (Pseudoaricia)) isauricus dorsumstellae (Graves,1923)** (Lycaenidae) Synonym(s): *dorsumstellae* Graves,1923 Original Reference: *Polyommatus isaurica* ssp. *dorsum-stellae* Graves,1923, Entomologist 56: 156. Syntypes: Lebanon: Dhahr el Khodb (in BMNH). Range (in code): **He IL LB TR**
- 15602. Polyommatus (Aricia (Pseudoaricia)) isauricus isauricus (Staudinger,1871)** (Lycaenidae) Synonym(s): *isauricus* Staudinger,1871 Original Reference: *Lycaena isaurica* Staudinger,1871, Berl. ent. Z. 14: 327-328. Syntypes 4♂: [Türkei]: [İçel]: Karli Boghas. Range (in code): **TR**
- 15603. Polyommatus (Aricia (Pseudoaricia)) isauricus latimargo (Miller,1923)** (Lycaenidae) Synonym(s): *#latimargo* Courvoisier,1913; *latimargo* Miller,1923. Original Reference: *Lycaena isaurica* ab. *latimargo* Courvoisier,1913, Ent. Mitt. 2 (10): 291 (infrasubspecific name! Miller (1923, Izv. mork. ent. Obshch 2(2): 100) used subspecific category for *latimargo*). Type ♂: Türkei: Kars: Kağızman (in NHMB). Range (in code): **TR Cc**
- 15604. Polyommatus (Aricia (Pseudoaricia)) nicias (Meigen,1830)** (Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832. Original Reference: *Polyommatus nicias* Meigen,1830, Syst. Beschr. eur. Schmett. 2: 10, af.45 figs.3a,b. Syntypes: Rhätische Alpen. Range (in code): **At Kts Ba BY CH ES FI FR IT RU Sb SE Sm UA Ur KG Mn Buc** Bionomy: Larva on *Geranium sylvaticum*, *G. pratense* (Geraniaceae) (Tolman, 1997).
- 15605. Polyommatus (Aricia (Pseudoaricia)) nicias bittis (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *septentrionalis* Krulikowsky,1908 *nec* Fuchs,1901; *bittis* Fruhstorfer,1915 Original Reference: *Lycaena donzelii bittis* Fruhstorfer,1915, Societas Ent. 30: 73. Syntypes: Russia: Altai. Range (in code): **At Kts RU Sb Ur KG Mn Buc**
- 15606. Polyommatus (Aricia (Pseudoaricia)) nicias borsippus (Fruhstorfer,1915)** (Lycaenidae) Synonym(s): *borsippa* Fruhstorfer,1915
- 15607. Polyommatus (Aricia (Pseudoaricia)) nicias kolosovi (Korshunov,1995)** (Lycaenidae) Synonym(s): *kolosovi* Korshunov,1995 Original Reference: *Aricia nicias* ssp. *kolosovi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 179 (nomen novum pro *septentrionalis* Krulikowsky,1909 *nec* Fuchs,1900). Range (in code): **RU**
- 15608. Polyommatus (Aricia (Pseudoaricia)) nicias nicias (Meigen,1830)** (Lycaenidae) Synonym(s): *nicias* Meigen,1830; *donzelii* Boisduval,1832. Original Reference: *Polyommatus nicias* Meigen,1830, Syst. Beschr. eur. Schmett. 2: 10, af.45 figs.3a,b. Syntypes: Rhätische Alpen. Range (in code): **Ba BY CH ES FI FR IT RU SE Sm UA**
- 15609. Polyommatus (Aricia (Pseudoaricia)) nicias scandicus (Wahlgren,1930)** (Lycaenidae) Synonym(s): *scandica* Wahlgren,1930 Range (in code): **SE FI**
- 15610. Polyommatus (Aricia (Pseudoaricia)) teberdinus (Sheljuzhko,1934)** (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934 Original Reference: *Lycaena teberdina* Sheljuzhko,1934, Z. öst. EntVer. 19: 39-40, figs. 5-8. Syntypes: [Russia]: Chatipara-Berg., 2200-2300m. Range (in code): **Kc Teb RU Cc TR**
- 15611. Polyommatus (Aricia (Pseudoaricia)) teberdinus nahizericus (Eckweiler,1978)** (Lycaenidae) Synonym(s): *nahizericus* Eckweiler,1978 Original Reference: *Aricia teberdina* ssp. *nahizerica* Eckweiler,1978, Nota lepid. 1 (3): 115-118, figs. 1-4. Holotype ♂: Türkei: Erzurum Prov., Nahizer am Ovit Geçidi 1700-1900m. Range (in code): **TR**
- 15612. Polyommatus (Aricia (Pseudoaricia)) teberdinus teberdinus (Sheljuzhko,1934)** (Lycaenidae) Synonym(s): *teberdinus* Sheljuzhko,1934 Original Reference: *Lycaena teberdina* Sheljuzhko,1934, Z. öst. EntVer. 19: 39-40, figs. 5-8. Syntypes: [Russia]: Chatipara-Berg., 2200-2300m. Range (in code): **Cc Kc Teb RU**

- 15613. Polyommatus (Aricia (Pseudoaricia)) torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993 Original Reference: Polyommatus (Aricia) *torulensis* Hesselbarth & Siepe,1993, Phegea 21 (2): 47-53, figs., Taf. Holotype ♂: Türkiye: Gümüşhane Prov., Demirkaynak, 1100-1150m. (ITZA). Range (in code): **TR** Bionomy: Larva on Geranium (Geraniaceae) (Schurian,2002).
- 15614. Polyommatus (Aricia (Pseudoaricia)) torulensis torulensis Hesselbarth & Siepe,1993** (Lycaenidae) Synonym(s): *torulensis* Hesselbarth & Siepe,1993 Original Reference: Polyommatus (Aricia) *torulensis* Hesselbarth & Siepe,1993, Phegea 21 (2): 47-53, figs., Taf. Holotype ♂: Türkiye: Gümüşhane Prov., Demirkaynak, 1100-1150m. (ITZA). Range (in code): **TR** Bionomy: Larva on Geranium (Geraniaceae) (Schurian,2002).
- 15615. Polyommatus (Aricia (Ultraaricia)) anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980. Original Reference: Lycaena *anteros* Freyer,[1838], Neuere Beitr. Schmett. 3(45): 101, pl.265 fig.1 Syntypes: [Türkei]: Konstantinopel [=Istanbul]. Range (in code): **BG TR Cc GG RU IR Ak Ab** Bionomy: Larva on Geranium *asphodeloides*, *G. sanguineum* [lower altitudes]; *G. macrorrhizum*, *G. cinereum* [upper altitudes] (Geraniaceae) (Tolman, 1997); Geranium *pyrenaicum*? (Schurian,1995).
- 15616. Polyommatus (Aricia (Ultraaricia)) anteros anteros (Freyer,[1838])** (Lycaenidae) Synonym(s): *anteros* Freyer,[1838]; *eroides* Gerhard,[1851] nec Frivaldsky,1835; *orpheus* Nekrutenko,1980. Original Reference: Lycaena *anteros* Freyer,[1838], Neuere Beitr. Schmett. 3(45): 101, pl.265 fig.1 Syntypes: [Türkei]: Konstantinopel [=Istanbul]. Range (in code): **TR BG IR Ab Ak** Bionomy: Larva on Geranium *asphodeloides*, *G. sanguineum* [lower altitudes]; *G. macrorrhizum*, *G. cinereum* [upper altitudes] (Geraniaceae) (Tolman, 1997); Geranium *pyrenaicum*? (Schurian,1995).
- 15617. Polyommatus (Aricia (Ultraaricia)) anteros dombaiensis (Alberti,1969)** (Lycaenidae) Synonym(s): *dombaiensis* Alberti,1969 Original Reference: Lycaena *anteros* ssp. *dombaiensis* Alberti,1969, Dt. ent. Z. (N.F.) 16 (1/3): 197, Taf. 2 fig.1c. Holotype ♂: Grosser Kaukasus: Dombai, Tschurtschur Pass, 2200-2900m (ZSSM). Range (in code): **RU Cc**
- 15618. Polyommatus (Aricia (Ultraaricia)) bassoni (T.Larsen,1974)** (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974 Original Reference: Aricia *crassipuncta* ssp. *bassoni* Larsen,1974, Butterflies of Lebanon: 172-174, Pl. 161. Holotype ♂: Lebanon: Jabal Qammoua, 1800m (raised to species category by Larsen,1995, Nota lepid. 17(3/4): 121-123). Range (in code): **He IL Pa LB TR**
- 15619. Polyommatus (Aricia (Ultraaricia)) bassoni bassoni (T.Larsen,1974)** (Lycaenidae) Synonym(s): *bassoni* T.Larsen,1974 Original Reference: Aricia *crassipuncta* ssp. *bassoni* Larsen,1974, Butterflies of Lebanon: 172-174, Pl. 161. Holotype ♂: Lebanon: Jabal Qammoua, 1800m (raised to species category by Larsen,1995, Nota lepid. 17(3/4): 121-123). Range (in code): **He IL Pa LB TR**
- 15620. Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. Original Reference: Lycaena *anteros* var. *crassipuncta* Christoph,1893, Dt. ent. Z., Iris 6: 86. Type(s): Armenia rossicae [Türkei]: [Iğdır Pr.]: Kazıkoparan. Range (in code): **Cc AM IQ IR Ab Ak Nv Elb Th Es TR**
- 15621. Polyommatus (Aricia (Ultraaricia)) crassipunctus crassipunctus (Christoph,1893)** (Lycaenidae) Synonym(s): *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. Original Reference: Lycaena *anteros* var. *crassipuncta* Christoph,1893, Dt. ent. Z., Iris 6: 86. Type(s): Armenia rossicae [Türkei]: [Iğdır Pr.]: Kazıkoparan. Range (in code): **Cc AM IR Ab Ak Nv TR**
- 15622. Polyommatus (Aricia (Ultraaricia)) crassipunctus mehmetcik Koçak & Kemal,2002** (Lycaenidae) Synonym(s): *mehmetcik* Koçak & Kemal,2002 Original Reference: Polyommatus (Aricia (Ultraaricia)) *crassipunctus* ssp. *mehmetcik* Koçak & Kemal,2002, Cent. ent. Stud., Misc. Pap. 82/85: 20. Holotype ♂: Turkey: Van Prov., Karabel geçidinin doğu yamaçları, 2700-3000m, M.Kemal leg. (in coll. Cesa). Range (in code): **TR IQ IR**
- 15623. Polyommatus (Aricia (Ultraaricia)) crassipunctus varicolor ten Hagen & Schurian,2009** (Lycaenidae) Synonym(s): *varicolor* ten Hagen & Schurian,2009 Original Reference: Polyommatus (Aricia) *crassipunctus* ssp. *varicolor* ten Hagen & Schurian,2009,

- Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 9-16, figs. Holotype ♂: Iran: Esfahan, W. Fereydoun Shahr vic. Sibac 2450m, 12 vi.2003 leg. W. Ten Hagen (SMFL). Range (in code): **IR Es**
- 15624. Polyommatus (Aricia (Ultraaricia)) morronensis Ribbe,1910** (Lycaenidae) Synonym(s): *morronensis* Ribbe,1910 Range (in code): **AD ES Cl Grn Sor San Av Leo Mu F65** Bionomy: Larva on *Erodium cicutarium*, *E. ciconium*, *E. malacoides*, *Erodium foetidum* var. *glandulosum* (Tolman,1997; Dantart & Lockwood,2002).
- 15625. Polyommatus (Aricia (Ultraaricia)) morronensis elsaе (Wyatt,1952)** (Lycaenidae) Synonym(s): *elsaе* Wyatt,1952 Original Reference: *Plebejus ramburi* ssp. *elsaе* Wyatt,1952, Z. Wien. ent. Ges. 37: 206, Taf.26, figs.A2. Holotype ♂: Spanien: Nordspanien: Prov. Leon: Riano, 1700m. (LNK). Range (in code): **ES Leo**
- 15626. Polyommatus (Aricia (Ultraaricia)) morronensis hesselbarthi (Manley,1970)** (Lycaenidae) Synonym(s): *hesselbarthi* Manley,1970 Original Reference: *Aricia morronensis* ssp. *hesselbarthi* Manley,1970, Field Guide to the Butterflies and Burnets of Spain: 95, pl.31 fig.49; pl.32 figs. 1-3. Range (in code): **ES**
- 15627. Polyommatus (Aricia (Ultraaricia)) morronensis morronensis Ribbe,1910** (Lycaenidae) Synonym(s): *morronensis* Ribbe,1910 Range (in code): **ES Mu F65**
- 15628. Polyommatus (Aricia (Ultraaricia)) morronensis navarredondae (Wyatt,1952)** (Lycaenidae) Synonym(s): *navarredondae* Wyatt,1952 Original Reference: *Plebejus ramburi* ssp. *navarredondae* Wyatt,1952, Z. Wien. ent. Ges. 37: 206, Taf.26, figs.A4. Holotype ♂: Spanien: Prov. Avila: Sierra de Gredos, 1000-1200m. (LNK). Range (in code): **ES Av**
- 15629. Polyommatus (Aricia (Ultraaricia)) morronensis ordesae (Sagarra,1930)** (Lycaenidae) Synonym(s): *ordesae* Sagarra,1930 Range (in code): **ES Cl AD** Bionomy: Larva on *Erodium foetidum* var. *glandulosum* (Dantart & Lockwood,2002).
- 15630. Polyommatus (Aricia (Ultraaricia)) morronensis ramburi (Verity,1913)** (Lycaenidae) Synonym(s): *idas* Rambur,1842 nec Linnaeus,1761; *ramburi* Verity,1913 Original Reference: *Lycaena ramburi* Verity,1913, J. linn. Soc., Zool. 32: 189 (nomen novum pro *Lycaena idas* Rambur,1842 nec Linnaeus,1761). Range (in code): **ES**
- 15631. Polyommatus (Aricia (Ultraaricia)) vandarbani (Pfeiffer,1937)** (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer,1937 Original Reference: *Lycaena hyacinthus* ssp. *vandarbani* Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 35. Holotype ♂: Iran: Elbursgeb.: Tacht-i-Suleiman, Vandarban. Range (in code): **IR Mz Elb Th Gor**
- 15632. Polyommatus (Aricia (Ultraaricia)) vandarbani vandarbani (Pfeiffer,1937)** (Lycaenidae) Synonym(s): *vandarbani* Pfeiffer,1937 Original Reference: *Lycaena hyacinthus* ssp. *vandarbani* Pfeiffer,1937, Mitt. münch. ent. Ges. 27: 35. Holotype ♂: Iran: Elbursgeb.: Tacht-i-Suleiman, Vandarban. Range (in code): **IR Mz Elb Th Gor**
- 15633. Polyommatus (Aricia (Umpria)) chinensis (Murray,1874)** (Lycaenidae) Synonym(s): *chinensis* Murray,1874 Original Reference: *Lycaena chinensis* Murray, 1874, Trans. ent. Soc. Lond. 1874: 523, pl.10 fig. 5. Type(s): China. Range (in code): **CN RU Prj Us Am Sb T-S Krn TM Kp UZ Ui KG Ii Bog DsA Syr Tm Ky** Bionomy: Larva on *Erodium oxyrhynchum* (Zhdanko, 1997).
- 15634. Polyommatus (Aricia (Umpria)) chinensis chinensis (Murray,1874)** (Lycaenidae) Synonym(s): *chinensis* Murray,1874 Original Reference: *Lycaena chinensis* Murray, 1874, Trans. ent. Soc. Lond. 1874: 523, pl.10 fig. 5. Type(s): China. Range (in code): **CN RU Prj Us Am**
- 15635. Polyommatus (Aricia (Umpria)) chinensis myrmecias (Christoph,1877)** (Lycaenidae) Synonym(s): *myrmecias* Christoph,1877 Original Reference: *Lycaena myrmecias* Christoph,1877, Horae Soc. ent. ross. 12: 235-236, Taf.v fig. 7. Syntypes: [Turkmenistan]: Krasnowodsk. Range (in code): **T-S Krn TM Kp UZ CN Ui KG Ii Bog DsA Syr Tm Ky** Bionomy: Larva on *Erodium oxyrhynchum* (Zhdanko, 1997).
- 15636. Polyommatus (Aricia (Umpria)) chinensis sibiricanus (Kozhanchikov,1923)** (Lycaenidae) Synonym(s): *sibiricanus* Kozhanchikov,1923 Range (in code): **RU Sb**
- 15637. Polyommatus (Aricia (Umpria)) scythissus (Nekrutenko,1985)** (Lycaenidae) Synonym(s): *scythissa* Nekrutenko,1985 Original Reference: *Aricia scythissa* Nekrutenko,1985, Vestn. zool. 1985 (4): 32, fig. 3 (1a,b) 4(3). Holotype ♂: Kirgizistan: östl. Terskei Ala-Tau: Molo-Schlucht. Range (in code): **T-S KK TeA** Bionomy: Larva on *Geranium saxatile* (Geraniaceae) (Zhdanko, 1997).
- 15638. Polyommatus (Aricia (Umpria)) scythissus scythissus (Nekrutenko,1985)** (Lycaenidae) Synonym(s): *scythissa* Nekrutenko,1985 Original Reference: *Aricia scythissa*

Nekrutenko, 1985, Vestn. zool. 1985 (4): 32, fig. 3 (1a,b) 4(3). Holotype ♂: Kirgizistan: östl. Terskei Ala-Tau: Molo-Schlucht. Range (in code): T-S KK TeA

- 15639. Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel, 1766 nec Linn., 1763; *alexis* Rottemburg, 1775 nec Poda, 1761; *agestis* [Denis & Schiffermüller], 1775; *astrarche* Bergsträßer, [1779]. Original Reference: Papilio agestis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett, Wienergegend: 184. Type(s): [Austria]: Vienna district. Range (in code): AL AM Ao At AT AZ Ba BE BG B-H BY CH CN Co Cr CZ DE DK FR GB GG GR ES Mu HU HV IL IQ IR IT JO KG KK Ku LB LT LU MK MT NL PL Rd RO RU SE Si SK Sm So Sr SS SY Tk TM TR T-S UA Ui Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Sau Tar DsA TrA Ax T-S PK Nwf Ci Mre Haz IN Kma Bl Sml Hp Ch CY Ab Sro Msw Qba Ak Elb Th Kp Fa Cc Arr AF Hr Bionomy: Larva on Helianthemum nummularium, Erodium cicutarium, E. ciconium, Geranium tuberosum, G. asphodeloides, G. sanguineum (Geraniaceae) (Tolman, 1997); Geranium collinum, G. divaricatum (Zhdanko, 1997).
- 15640. Polyommatus (Aricia (s.str.)) agestis aestivus (Zeller, 1847)** (Lycaenidae) Synonym(s): *aestiva* Zeller, 1847; *calida* Bellier, 1862 Original Reference: Lycaena agestis var. aestiva Zeller, 1847, Isis 1847: 155. Lectotype ♂: Italy: Sicily, Aetna (designated by Balint, 1999, Neue ent. Nachr. 46:8) (BMNH). Range (in code): FR Co IT Si
- 15641. Polyommatus (Aricia (s.str.)) agestis agestis ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): *medon* Hufnagel, 1766 nec Linn., 1763; *alexis* Rottemburg, 1775 nec Poda, 1761; *agestis* [Denis & Schiffermüller], 1775; *astrarche* Bergsträßer, [1779]. Original Reference: Papilio agestis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett, Wienergegend: 184. Type(s): [Austria]: Vienna district. Range (in code): He AL AM Ao At AT AZ Ba BE BG B-H Bw BY CH Co Cr CZ DE DK FR GB GG GR HU HV IL IQ IR IT JO KG KK LB LT LU MK MT NL PL Rd RO RU SE Si SK Sm So Sr SS SY TM TR UA Uk Vi YU Cw Dv Smt H-W Sur Ssx Ken LAT Wn Sau Tar DsA TrA Ax CY T-S Ab Sro Msw Qba Ak Elb Th Kp Fa Cc Arr
- 15642. Polyommatus (Aricia (s.str.)) agestis gallicus (Oberthür, 1910)** (Lycaenidae) Synonym(s): *gallica* Oberthür, 1910 Range (in code): FR
- 15643. Polyommatus (Aricia (s.str.)) agestis nazirus Moore, 1865** (Lycaenidae) Synonym(s): *nazirus* Moore, 1865 Original Reference: Polyommatus nazira Moore, 1865, Proc. zool. Soc. Lond. 1865: 504, pl. xxxi fig. 4. Range (in code): AF Hr Ch PK Ci Haz Mre Bl IN Hp Sml Kma
- 15644. Polyommatus (Aricia (s.str.)) agestis subcalidus (Verity, 1920)** (Lycaenidae) Synonym(s): *subcalida* Verity, 1920 Original Reference: Aricia medon race subcalida Verity, 1920, Entomologist's Rec. J. Var. 32: 150. Syntypes ♂♂: Italia centrale: Lucca: Fiume Fegana, 500m. Range (in code): FR IT
- 15645. Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius, 1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius, 1793. Original Reference: Hesperia artaxerxes Fabricius, 1793, Ent. Syst. 3(1): 297, nr. 129 Taf. 63, fig. 2. Type(s): England: Scotland. Range (in code): AT Bn At Kts Ba BG CH CZ DE DK DZ EE ES Mu FI FR GB GR HU IT LT LV KG KK MK NO RO RU Kc Teb SE Si SK So Sr TR IR Ab Qo YU Sli Kuz Nat Tk DsA Lps Ket TrA Ax TeA KuA T-S CN Ui Kml AF AM Cc AZ Kir GG Bku Bjo Smt Bionomy: Larva on Helianthemum nummularium (Tolman, 1997).
- 15646. Polyommatus (Aricia (s.str.)) artaxerxes allous (Geyer, [1836])** (Lycaenidae) Synonym(s): *allous* Geyer, [1836]; *alpina* Staudinger, 1871; *delphica* Wnukowsky, 1929. Original Reference: Papilio allous Geyer, [1836], [in] Hübner, J., Samml. eur. Schmett. 1: Taf. 200 figs. 988-992. Syntypes: Frankreich, Provence, Basses Alpes (Allos) Range (in code): AT CH FR IT
- 15647. Polyommatus (Aricia (s.str.)) artaxerxes artaxerxes (Fabricius, 1793)** (Lycaenidae) Synonym(s): *artaxerxes* Fabricius, 1793 Original Reference: Hesperia artaxerxes Fabricius, 1793, Ent. Syst. 3(1): 297, nr. 129 Taf. 63, fig. 2. Type(s): England: Scotland.
- 15648. Polyommatus (Aricia (s.str.)) artaxerxes hercynicus (Kames, 1969)** (Lycaenidae) Synonym(s): *hercynica* Kames, 1969 Range (in code): Bw DE
- 15649. Polyommatus (Aricia (s.str.)) artaxerxes lepsinskanus (Obraztsov, 1935)** (Lycaenidae) Synonym(s): *#lepsinskana* Obraztsov, 1935 Original Reference: Lycaena allous ssp. inhonora natio lepsinskana Obraztsov, 1935, Folia zool. Hydrobiol. 8: 147. Syntypes: [Kazakhstan]: Lepsinsk. Range (in code): T-S Aa KG KK Tk DsA Lps Ket TrA Ax TeA KuA
- 15650. Polyommatus (Aricia (s.str.)) artaxerxes macedonicus (Verity, 1936)** (Lycaenidae) Synonym(s): *macedonicus* Verity, 1936; *issekutzi* Balogh, 1956. Original Reference: Aricia montensis race macedonicus Verity, 1936, Entomologist's Rec. J. Var. 48 (Suppl.): (7). Syntypes 9♂♂: Greece: Olympos, Vermion above Naoussa (MZSF). Range (in code): BG GR MK HU RO TR

- 15651. *Polyommatus (Aricia (s.str.)) artaxerxes montensis* (Verity,1928) (Lycaenidae)**
Synonym(s): *montana* Heyne,[1895] nec Meyer-Dür,1852; *nevadensis* Oberthür,1909 nec Oberthür,1909; *montensis* Verity,1928. Original Reference: *Aricia medon montensis* Verity,1928, Bull. Soc. ent. Fr. 1928: 180 (nomen novum pro *Lycaena astrarche montana* Heyne,1895 nec *Lycaena acis* Meyer-Dür,1852). Range (in code): **DZ ES FR Mu**
- 15652. *Polyommatus (Aricia (s.str.)) artaxerxes rambringi* Hoegh-Guldberg,1966 (Lycaenidae)** Synonym(s): *rambringi* Hoegh-Guldberg,1966 Range (in code): **SE**
- 15653. *Polyommatus (Aricia (s.str.)) artaxerxes sarmatis* (Groum-Grshimailo,1890) (Lycaenidae)** Synonym(s): *sarmatis* Groum-Grshimailo,1890; *inhonora* Jachontov,1909. Original Reference: *Lycaena astrarche* var. *sarmatis* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 393. Lectotype ♂: Russia: Ural, Sarda, designated by Balint,1999, Neue ent. Nachr. 46: 57 (BMNH). Range (in code): **AF Ch IN Kab KK Kul Pm Shv Up RU Ur IR**
- 15654. *Polyommatus (Aricia (s.str.)) artaxerxes semimontensis* (Verity,1928) (Lycaenidae)** Synonym(s): *semimontensis* Verity,1928; *alpiummagna* Verity,1943; *debrosi* Beuret,1960. Original Reference: *Aricia medon* race *semimontensis* Verity,1928, Bull. Soc. ent. Fr. 1928: 180. Syntypes 22♂♂: [Spain]: Catalonia: [Montseny]: Santa Fe, 1200m. Range (in code): **FR ES**
- 15655. *Polyommatus (Aricia (s.str.)) artaxerxes sheljuzhkoii* (Obraztsov,1935) (Lycaenidae)** Synonym(s): *sheljuzhkoii* Obraztsov,1935; *#azerbajdzhana* Obraztsov,1935. Original Reference: *Lycaena allous* ssp. *sheljuzhkoii* Obraztsov, 1935, Folia zool. Hydrobiol. 8: 148. Syntypes 16♂♂ 3♀: [Russia]: Nordwestlicher Kaukasus, Teberda Gebiet. Range (in code): **AF Cc AM AZ Kir RU Kc Teb GG Bku Bjo Smt TR IR Ab Qo**
- 15656. *Polyommatus (Aricia (s.str.)) artaxerxes strandi* (Obraztsov,1935) (Lycaenidae)** Synonym(s): *strandii* Obraztsov,1935 Original Reference: *Lycaena allous* ssp. *strandii* Obraztsov,1935, Folia zool. Hydrobiol. 8: 149. Syntypes: Russia: Sibirien: "Amur, Tomsk, Irkutsk, Tobolsk". Range (in code): **Am Ir KG Mn RU Sb To Bn At Sli Kuz Nat Kts**
- 15657. *Polyommatus (Aricia (s.str.)) artaxerxes transalaicus* Obraztsov,1935 (Lycaenidae)** Synonym(s): *transalaica* Obraztsov,1935 Range (in code): **KK T-A T-S**
- 15658. *Polyommatus (Aricia (s.str.)) artaxerxes turgaicus* (Obraztsov,1935) (Lycaenidae)** Synonym(s): *turgaicus* Obraztsov,1935 Original Reference: *Lycaena allous* ssp. *turgaica* Obraztsov,1935, Folia zool. Hydrobiol. 8: 147. Syntypes: [Kazachstan]: "Ber-Tshogur" (Turgai Provinz). Range (in code): **Aq KG**
- 15659. *Polyommatus (Aricia (s.str.)) cramera* (Eschscholtz, 1821) (Lycaenidae)** Synonym(s): *cramera* Eschscholtz,1821; *canariensis* Blachier,1889 Original Reference: *Lycaena cramera* Eschscholtz,1821, Kotzeb. Reise 3: 217, pl.10 figs.26a,b. Syntypes: Canary Islands. Range (in code): **ES Mu Mu18 PT Cn MA DZ Sbd Sor Ear Lbs Clo Ges** Bionomy: Larva on *Erodium*, *Geranium* (Geraniaceae), *Helianthemum* (Cistaceae) (Malicky,1969; et seq.).
- 15660. *Polyommatus (Aricia (s.str.)) cramera cramera* (Eschscholtz,1821) (Lycaenidae)** Synonym(s): *cramera* Eschscholtz,1821; *canariensis* Blachier,1889 Original Reference: *Lycaena cramera* Eschscholtz,1821, Kotzeb. Reise 3: 217, pl.10 figs.26a,b. Syntypes: Canary Islands. Range (in code): **ES PT Cn MA DZ Sbd Sor Ear Lbs Clo Ges**
- 15661. *Polyommatus (Aricia (s.str.)) cramera subcramera* (Manley & Allcard,1970) (Lycaenidae)** Synonym(s): *subcramera* Manley & Allcard,1970 Range (in code): **ES Mu Mu18**
- 15662. *Polyommatus (s.str. (Agrodiaetus (Actisia))) actis* (Herrich-Schäffer,[1851]) (Lycaenidae)** Synonym(s): *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851]. Original Reference: *Lycaena actis* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 1: Taf. 104 figs. 496-499 [uninominal]; ibidem 6, Nachr. Bd. 1: 24. Syntypes ♂♀: "aus Kleinasien" (MNHUB) (Olivier et al.,2000). Lectotype ♂: "Tokat", designated by Olivier (2000). Range (in code): **TR**
- 15663. *Polyommatus (s.str. (Agrodiaetus (Actisia))) actis actis* (Herrich-Schäffer,[1851]) (Lycaenidae)** Synonym(s): *atys* Gerhard,[May,1851] nec *atys* Hübner,1804 non Cramer,1780; *actis* Herrich-Schäffer,[December,1851]; *athis* Freyer,[December,1851]. Original Reference: *Lycaena actis* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 1: Taf. 104 figs. 496-499 [uninominal]; ibidem 6, Nachr. Bd. 1: 24. Syntypes ♂♀: "aus Kleinasien" (MNHUB) (Olivier et al.,2000). Lectotype ♂: "Tokat", designated by Olivier (2000). Range (in code): **TR**
- 15664. *Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis* (Carbonell,1997) (Lycaenidae)** Synonym(s): *artvinensis* Carbonell,1997 Original Reference: *Agrodiaetus actis* ssp.

- artvinensis Carbonell,1997, Linneana Belg. 16 (4): 140-141, figs. Holotype ♂: [Turquie]: Erzurum Prov., gorge apres Tortum, 1400m (MNHNP). Range (in code): Cc TR
- 15665. Polyommatus (s.str. (Agrodiaetus (Actisia))) artvinensis artvinensis (Carbonell,1997)** (Lycaenidae) Synonym(s): artvinensis Carbonell,1997 Original Reference: Agrodiaetus actis ssp. artvinensis Carbonell,1997, Linneana Belg. 16 (4): 140-141, figs. Holotype ♂: [Turquie]: Erzurum Prov., gorge apres Tortum, 1400m (MNHNP). Range (in code): Cc TR
- 15666. Polyommatus (s.str. (Agrodiaetus (Actisia))) bilgini (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): bilgini Dantchenko & Lukhtanov,2002 Range (in code): TR
- 15667. Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius (Carbonell,1998)** (Lycaenidae) Synonym(s): cilicius Carbonell,1998 Original Reference: Agrodiaetus cilicius Carbonell,1998, Linneana Belg. 16 (8): 346, figs. Holotype ♂: Turquie: Prov. Karaman / İçel: Sertavul geçidi, 1600m (MNHNP). Range (in code): TR
- 15668. Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius bolkarensis (Carbonell,1998)** (Lycaenidae) Synonym(s): bolkarensis Carbonell,1998 Original Reference: Agrodiaetus cilicius ssp. bolkarensis Carbonell,1998, Linneana Belg. 16 (8): 346-347, figs. Holotype ♂: Turquie: Prov. Niğde: E. Çaykavak geçidi, 1400m (MNHNP). Range (in code): TR
- 15669. Polyommatus (s.str. (Agrodiaetus (Actisia))) cilicius cilicius (Carbonell,1998)** (Lycaenidae) Synonym(s): cilicius Carbonell,1998 Original Reference: Agrodiaetus cilicius Carbonell,1998, Linneana Belg. 16 (8): 346, figs. Holotype ♂: Turquie: Prov. Karaman / İçel: Sertavul geçidi, 1600m (MNHNP). Range (in code): TR
- 15670. Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii (Forster,1956)** (Lycaenidae) Synonym(s): firdussii Forster,1956 Original Reference: Agrodiaetus damone ssp. firdussii Forster,1956, Z. Wien. ent. Ges. 41: 58-59, pl.8,9 figs. Holotype ♂: [Iran]: Nordiran: Schahkuh, 1800-2000m. Range (in code): Cc AM IR Ak Tbz Gor Shh
- 15671. Polyommatus (s.str. (Agrodiaetus (Actisia))) firdussii firdussii (Forster,1956)** (Lycaenidae) Synonym(s): firdussii Forster,1956 Original Reference: Agrodiaetus damone ssp. firdussii Forster,1956, Z. Wien. ent. Ges. 41: 58-59, pl.8,9 figs. Holotype ♂: Iran: Nordiran: Schahkuh, 1800-2000m. Range (in code): IR Gor Shh
- 15672. Polyommatus (s.str. (Agrodiaetus (Actisia))) haigi (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): haigi Dantchenko & Lukhtanov,2002 Original Reference: Agrodiaetus haigi Dantchenko & Lukhtanov,2002, Atalanta 33 (1/2): 99-100, figs. Holotype ♂: Turkey: Van Prov., Çatak 34km N 2100m 22.vii.2001 A.Dantchenko leg. (MCZH). Range (in code): TR
- 15673. Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis (Forster,1960)** (Lycaenidae) Synonym(s): pseudactis Forster,1960 Original Reference: Agrodiaetus actis ssp. pseudactis Forster,1960, Z. Wien. ent. Ges. 45: 107-109, Taf.10 & 11 figs. 4 & 5. Holotype ♂: Armenia, mts. Daralagez, pag. Martiros, ca.2000m. Range (in code): Cc AM Eri IR Gor Ab Khy IQ Ry TR Arr
- 15674. Polyommatus (s.str. (Agrodiaetus (Actisia))) pseudactis pseudactis (Forster,1960)** (Lycaenidae) Synonym(s): pseudactis Forster,1960 Original Reference: Agrodiaetus actis ssp. pseudactis Forster,1960, Z. Wien. ent. Ges. 45: 107-109, Taf.10 & 11 figs. 4 & 5. Holotype ♂: Armenia, mts. Daralagez, pag. Martiros, ca.2000m. Range (in code): Cc AM Eri IR Ab Khy Gor IQ Ry TR Arr
- 15675. Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis (Koçak,1979)** (Lycaenidae) Synonym(s): sertavulensis Koçak,1979 Original Reference: Agrodiaetus pseudactis ssp. sertavulensis Koçak,1979, Atalanta 10 (4a): 323, figs.30,31. Holotype ♂: Turkey: Konya Pr.: Sertavul Geçidi, 1600m (in coll. CESA). Range (in code): TR
- 15676. Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis ernesti Eckweiler,1989** (Lycaenidae) Synonym(s): ernesti Eckweiler,1989 Original Reference: Polyommatus (Agrodiaetus) firdussii ssp. ernesti Eckweiler,1989, Nachr. ent. Ver. Apollo (N.F.) 10(2): 97-101, figs. Holotype ♂: Türkei: Prov. Antalya, Elmalı, Kohu Dağları, Dokuz Gölü, 1700-2000m. (in coll. Eckweiler). Range (in code): TR
- 15677. Polyommatus (s.str. (Agrodiaetus (Actisia))) sertavulensis sertavulensis (Koçak,1979)** (Lycaenidae) Synonym(s): sertavulensis Koçak,1979 Original Reference: Agrodiaetus pseudactis ssp. sertavulensis Koçak,1979, Atalanta 10 (4a): 323, figs.30,31. Holotype ♂: Turkey: Konya Pr.: Sertavul Geçidi, 1600m (in coll. CESA). Range (in code): TR

- 15678. Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti Olivier, Poorten, Puplesiene & de Prins, 2000** (Lycaenidae) Synonym(s): *sigberti* Olivier, Poorten, Puplesiene & de Prins, 2000 Original Reference: Polyommatus (Agrodiaetus) *sigberti* Olivier, Poorten, Puplesiene & de Prins, 2000, Phegea 28 (2): 67-71, figs. Holotype ♂: Turkey: Kayseri, Aladağlar E-side 34km S. Yahyali 2800-2900m (ISZMA). Range (in code): **TR**
- 15679. Polyommatus (s.str. (Agrodiaetus (Actisia))) sigberti sigberti Olivier, Poorten, Puplesiene & de Prins, 2000** (Lycaenidae) Synonym(s): *sigberti* Olivier, Poorten, Puplesiene & de Prins, 2000 Original Reference: Polyommatus (Agrodiaetus) *sigberti* Olivier, Poorten, Puplesiene & de Prins, 2000, Phegea 28 (2): 67-71, figs. Holotype ♂: Turkey: Kayseri, Aladağlar E-side 34km S. Yahyali 2800-2900m (ISZMA). Range (in code): **TR**
- 15680. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper, [1783])** (Lycaenidae) Synonym(s): *admetus* Esper, [1783] Original Reference: Papilio *admetus* Esper, [1783], Die Schmett. 1(2): Forts. 148, Taf. 82 figs. 2, 3. Syntypes: Ungarn. Range (in code): **AT BG BY GR HU RU SK TR UA YU MK Mt KG Sb Cc AM Zng AZ Tlh** Bionomy: Larva on *Onobrychis viciifolia*, *O. caput-galli* (Tolman, 1997).
- 15681. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus admetus (Esper, [1783])** (Lycaenidae) Synonym(s): *admetus* Esper, [1783] Original Reference: Papilio *admetus* Esper, [1783], Die Schmett. 1(2): Forts. 148, Taf. 82 figs. 2, 3. Syntypes: Ungarn. Range (in code): **AT BG BY GR HU RU SK UA YU MK Mt KG Sb**
- 15682. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus anatoliensis (Forster, 1960)** (Lycaenidae) Synonym(s): *anatoliensis* Forster, 1960 Original Reference: *Agrodiaetus admetus* ssp. *anatoliensis* Forster, 1960, Ent. Z., Frankf.a.M. 70(3): 20-22. Holotype ♂: [Türkei]: Anatolien c.: Akshehir. Range (in code): **Cc TR**
- 15683. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus malievi (Dantchenko & Lukhtanov, 2005)** (Lycaenidae) Synonym(s): *malievi* Dantchenko & Lukhtanov, 2005 Original Reference: *Agrodiaetus admetus* ssp. *malievi* Dantchenko & Lukhtanov, 2005, Atalanta 35 (3/4): 331-332, figs. Holotype ♂: Azerbaidjan: Transcaucasia, Talysh Mts., Zuvand Plateau, Mistan village 2000m leg. Dantchenko & Lukhtanov (HU). Range (in code): **Cc AZ Tlh**
- 15684. Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus yeranyani (Dantchenko & Lukhtanov, 2005)** (Lycaenidae) Synonym(s): *yeranyani* Dantchenko & Lukhtanov, 2005 Original Reference: *Agrodiaetus admetus* ssp. *yeranyani* Dantchenko & Lukhtanov, 2005, Atalanta 35 (3/4): 329-331, figs. Holotype ♂: Armenia: Transcaucasia, Zangezur Mts., Kajaran distr. 1900m leg. Dantchenko (HU). Range (in code): **Cc AM Zng**
- 15685. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis (Zerny, 1932)** (Lycaenidae) Synonym(s): *alcestis* Zerny, 1932; *ahmadi* Carbonell, 2001; *karacetinae* Lukhtanov & Dantchenko, 2002. Original Reference: *Lycaena* (Hirsutina) *ripperti* ssp. *alcestis* Zerny, 1932, Dt. ent. Z., Iris 46: 186-187. Syntypes: Lebanon: Bscharre, 1400-1900m. Lectotype ♂: Liban: Cedern b. Becharré, 1900m (designated by Balint, 1999, Neue ent. Nachr. 46: 9) (BMNH). Range (in code): **IL He Pa Cc AM GG IQ IR Ab Ak Mrd Zj LB TR SY Bld**
- 15686. Polyommatus (s.str. (Agrodiaetus (Admetusia))) alcestis alcestis (Zerny, 1932)** (Lycaenidae) Synonym(s): *alcestis* Zerny, 1932; *ahmadi* Carbonell, 2001; *karacetinae* Lukhtanov & Dantchenko, 2002. Original Reference: *Lycaena* (Hirsutina) *ripperti* ssp. *alcestis* Zerny, 1932, Dt. ent. Z., Iris 46: 186-187. Syntypes: Lebanon: Bscharre, 1400-1900m. Lectotype ♂: Liban: Cedern b. Becharré, 1900m (designated by Balint, 1999, Neue ent. Nachr. 46: 9) (BMNH). Range (in code): **IL Pa LB SY Bld**
- 15687. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus (Brandt, 1938)** (Lycaenidae) Synonym(s): *ardschira* Brandt, 1938 Original Reference: *Lycaena ardschira* Brandt, 1938, Ent. Rdsch. 55: 672-673, Pl. 4 figs. 6-8. Syntypes: Iran: Com×e, 2600m. Range (in code): **IR Ab TS Tkb Fa Zj**
- 15688. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus ardschirus (Brandt, 1938)** (Lycaenidae) Synonym(s): *ardschira* Brandt, 1938 Original Reference: *Lycaena ardschira* Brandt, 1938, Ent. Rdsch. 55: 672-673, Pl. 4 figs. 6-8. Syntypes: Iran: Com×e, 2600m. Range (in code): **IR Fa**
- 15689. Polyommatus (s.str. (Agrodiaetus (Admetusia))) ardschirus luna Eckweiler, 2002** (Lycaenidae) Synonym(s): *luna* Eckweiler, 2002 Original Reference: Polyommatus (Agrodiaetus) *ardschira* ssp. *luna* Eckweiler, 2002, Nachr. ent. Ver. Apollo (N.F.)

- 23 (1/2): 77, figs. Holotype ♂: Iran, Zanjan, 50km SW Zanjan 2200-2300m leg. Eckweiler. Range (in code): IR Zj Ab TS Tkb
- 15690. Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis (Brown,1976)** (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976 Original Reference: *Agrodiaetus alcestis* ssp. *aroaniensis* Brown,1976, Entomologist's Gaz. 27: 78-82, pl.4 fig.2; pl.5 figs.7,8. Holotype ♂: Greece: Mt. Chelmos, Kamena Allonia, 1200m. (in coll. J.Brown). Range (in code): GR Chl MK BG TR Bionomy: Larva on *Onobrychis arenaria* (Tolman,1997).
- 15691. Polyommatus (s.str. (Agrodiaetus (Admetusia))) aroaniensis aroaniensis (Brown,1976)** (Lycaenidae) Synonym(s): *aroaniensis* Brown,1976 Original Reference: *Agrodiaetus alcestis* ssp. *aroaniensis* Brown,1976, Entomologist's Gaz. 27: 78-82, pl.4 fig.2; pl.5 figs.7,8. Holotype ♂: Greece: Mt. Chelmos, Kamena Allonia, 1200m. (in coll. J.Brown). Range (in code): GR Chl MK BG TR
- 15692. Polyommatus (s.str. (Agrodiaetus (Admetusia))) belovi (Dantchenko & Lukhtanov,2005)** (Lycaenidae) Synonym(s): *belovi* Dantchenko & Lukhtanov,2005 Original Reference: *Agrodiaetus belovi* Dantchenko & Lukhtanov,2005, Atalanta 35 (3/4): 328-329, figs. Holotype ♂: Armenia: Transcaucasia, Gegamsky mts., Khosrov reserve, 1800m leg. Dantchenko (HU). Range (in code): Cc AM Kho
- 15693. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) Synonym(s): *dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003 Original Reference: *Agrodiaetus dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003, Nota lepid. 26 (1/2): 66-71, figs. Holotype ♂: Turkey: Van Prov., 34km N Çatak, 20.vii.2001 Dantchenko leg. (MCZH). Range (in code): BG TR
- 15694. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi dantchenkoi (Lukhtanov, Wiemers & Meusemann,2003)** (Lycaenidae) Synonym(s): *dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003 Original Reference: *Agrodiaetus dantchenkoi* Lukhtanov, Wiemers & Meusemann,2003, Nota lepid. 26 (1/2): 66-71, figs. Holotype ♂: Turkey: Van Prov., 34km N Çatak, 20.vii.2001 Dantchenko leg. (MCZH). Range (in code): TR
- 15695. Polyommatus (s.str. (Agrodiaetus (Admetusia))) dantchenkoi orphicus Kolev,2005** (Lycaenidae) Synonym(s): *orphicus* Kolev,2005 Range (in code): BG
- 15696. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demavendi de Lesse,1960* Original Reference: *Lycaena ripertii* ssp. *demavendi* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 194. Holotype ♂: [Iran]: Ort Demavend (Tar-Tal), 2200-2500m. Range (in code): IR Ab Ak Qba Msw Lo Kd Mz Kh TR Cc AM
- 15697. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi amasyensis (De Lesse,1961)** (Lycaenidae) Synonym(s): *amasyensis* De Lesse,1961 Original Reference: *Agrodiaetus demavendi* ssp. *amasyensis* De Lesse,1961, Revue fr. Ent. 28(2): 96, figs. Holotype ♂: Turquie: Amasya (in MHNP). Range (in code): TR Cc
- 15698. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi demavendi (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *demavendi* Pfeiffer,1938; *#demavendi de Lesse,1960* Original Reference: *Lycaena ripertii* ssp. *demavendi* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 194. Holotype ♂: [Iran]: Ort Demavend (Tar-Tal), 2200-2500m. Range (in code): IR Elb Mz Cc AM
- 15699. Polyommatus (s.str. (Agrodiaetus (Admetusia))) demavendi lorestanus Eckweiler,1997** (Lycaenidae) Synonym(s): *lorestanus* Eckweiler,1997 Original Reference: *Polyommatus (Agrodiaetus) demavendi* ssp. *lorestanus* Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 8-9, figs. Holotype ♂: Iran: Lorestan Dorud Saravand, 2000-2300m. Range (in code): IR Lo Kd
- 15700. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eleniae Coutsis & De Prins,2005** (Lycaenidae) Synonym(s): *eleniae* Coutsis & De Prins,2005 Range (in code): GR
- 15701. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eleniae eleniae Coutsis & De Prins,2005** (Lycaenidae) Synonym(s): *eleniae* Coutsis & De Prins,2005 Range (in code): GR
- 15702. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): *eriwanensis* Forster,1960 Original Reference: *Agrodiaetus ripartii* ssp. *eriwanensis* Forster,1960, Ent. Z., Frankf. a. M. 70(3): 19-20. Holotype ♂: [Armenia]: Eriwan (in ZSSM). Range (in code): Cc GG AM Eri Cc TR Arr IR Ab Slm

- 15703. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis eriwanensis (Forster,1960)** (Lycaenidae) Synonym(s): *eriwanensis* Forster,1960 Original Reference: *Agrodiaetus ripartii* ssp. *eriwanensis* Forster,1960, Ent. Z., Frankf. a. M. 70(3): 19-20. Holotype ♂: [Armenia]: Eriwan (in ZSSM). Range (in code): **GG AM Eri Cc TR Arr IR Ab SIm**
- 15704. Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis interjectus (De Lesse,1960)** (Lycaenidae) Synonym(s): *interjectus* De Lesse,1960 Original Reference: *Agrodiaetus interjectus* De Lesse,1960, Revue fr. Ent. 27(3): 253-257, pl.1 figs.6c; pl.2 figs.1-4. Holotype ♂: Turquie: Erzincan, 1200m. Range (in code): **TR**
- 15705. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei (Oberthür,1910)** (Lycaenidae) Synonym(s): *fabressei* Oberthür,1910 Original Reference: *Lycaena rippertii* f. geog. *fabressei* Oberthür,1910, Etüd. lepid. comp. 4 (1): 260. Syntypes ♂♂♀♀: [Spain: Teruel]: "Albarracin" (BMNH). Range (in code): **ES Mu** Bionomy: Larva on *Onobrychis viciifolia* (Tolman,1997).
- 15706. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei fabressei (Oberthür,1910)** (Lycaenidae) Synonym(s): *fabressei* Oberthür,1910 Original Reference: *Lycaena rippertii* f. geog. *fabressei* Oberthür,1910, Etüd. lepid. comp. 4 (1): 260. Syntypes ♂♂♀♀: [Spain: Teruel]: "Albarracin" (BMNH). Range (in code): **ES**
- 15707. Polyommatus (s.str. (Agrodiaetus (Admetusia))) fabressei violetae (Gomez-Bustillo, Hermosa & Borrego,1979)** (Lycaenidae) Synonym(s): *violetae* Gomez-Bustillo, Hermosa & Borrego,1979 Original Reference: *Agrodiaetus violetae* Gomez-Bustillo, Hermosa & Borrego,1979, Shilap Rev. Lepid. 7 (1): 51. Holotype ♂: Spain: Malaga: Sierra de Almijara, 1150m. Range (in code): **ES Mu** Bionomy: Larva on *Onobrychis viciifolia*, *O. peduncularis* (Tolman,1997).
- 15708. Polyommatus (s.str. (Agrodiaetus (Admetusia))) galloi (Balletto & Toso,1979)** (Lycaenidae) Synonym(s): *galloi* Balletto & Toso,1979 Original Reference: *Agrodiaetus galloi* Balletto & Toso,1979, Nota lepid. 2 (1/2): 14-22, figs. Holotype ♂: Italy: Southern Italy: in the massif of Mount Pollino, Lucania. 1550m. (MCSNGD). Range (in code): **IT**
- 15709. Polyommatus (s.str. (Agrodiaetus (Admetusia))) galloi galloi (Balletto & Toso,1979)** (Lycaenidae) Synonym(s): *galloi* Balletto & Toso,1979 Original Reference: *Agrodiaetus galloi* Balletto & Toso,1979, Nota lepid. 2 (1/2): 14-22, figs. Holotype ♂: Italy: Southern Italy: in the massif of Mount Pollino, Lucania. 1550m. (MCSNGD). Range (in code): **IT**
- 15710. Polyommatus (s.str. (Agrodiaetus (Admetusia))) humedasmae (Toso & Balletto,1976)** (Lycaenidae) Synonym(s): *humedasmae* Toso & Balletto,1976 Original Reference: *Agrodiaetus humedasmae* Toso & Balletto,1976, Ann. Mus. Civ. Stor. Nat. Giacomo Doria 81: 125, fig. Holotype ♂: Italy: Valle Aosta: "dintorni di Cogne, 800-900m" (MCGD). Range (in code): **IT** Bionomy: Larva on *Onobrychis viciifolia* (Tolman,1997).
- 15711. Polyommatus (s.str. (Agrodiaetus (Admetusia))) humedasmae humedasmae (Toso & Balletto,1976)** (Lycaenidae) Synonym(s): *humedasmae* Toso & Balletto,1976 Original Reference: *Agrodiaetus humedasmae* Toso & Balletto,1976, Ann. Mus. Civ. Stor. Nat. Giacomo Doria 81: 125, fig. Holotype ♂: Italy: Valle Aosta: "dintorni di Cogne, 800-900m" (MCGD). Range (in code): **IT**
- 15712. Polyommatus (s.str. (Agrodiaetus (Admetusia))) khorasanensis (Carbonell,2001)** (Lycaenidae) Synonym(s): *khorasanensis* Carbonell,2001 Range (in code): **IR Kh**
- 15713. Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978 Original Reference: *Agrodiaetus nephohiptamenos* Brown & Coutsis,1978, Entomologist's Gaz. 29: 207-212, pl.12 figs. Holotype ♂: Greece: NE Greece, 1800m (in coll.J.Brown). Range (in code): **BG GR** Bionomy: Larva on *Onobrychis montana scardica* (Tolman,1997).
- 15714. Polyommatus (s.str. (Agrodiaetus (Admetusia))) nephohiptamenos nephohiptamenos (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *nephohiptamenos* Brown & Coutsis,1978 Original Reference: *Agrodiaetus nephohiptamenos* Brown & Coutsis,1978, Entomologist's Gaz. 29: 207-212, pl.12 figs. Holotype ♂: Greece: NE Greece, 1800m (in coll.J.Brown). Range (in code): **BG GR**
- 15715. Polyommatus (s.str. (Agrodiaetus (Admetusia))) paulae Wiemers & De Prins,2004** (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins,2004 Original Reference: *Polyommatus (Agrodiaetus) paulae* Wiemers & De Prins,2004, Ent. Z., Stuttg. 114 (4): 158-

- Holotype ♂: Iran: Azerbaijan-e Sharqi, Ahar Pass 20km SW Ahar 1800-1850m 13 vii 2000 M. Wiemers leg. (ZFMK). Range (in code): IR Aha
- 15716. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *paulae paulae* Wiemers & De Prins, 2004** (Lycaenidae) Synonym(s): *paulae* Wiemers & De Prins, 2004 Original Reference: *Polyommatus* (*Agrodiaetus*) *paulae* Wiemers & De Prins, 2004, Ent. Z., Stuttg. 114 (4): 158-159. Holotype ♂: Iran: Azerbaijan-e Sharqi, Ahar Pass 20km SW Ahar 1800-1850m 13 vii 2000 M. Wiemers leg. (ZFMK). Range (in code): IR
- 15717. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* (Freyer, [1830])** (Lycaenidae) Synonym(s): *ripartii* Freyer, [1830]. Original Reference: *Lycaena ripartii* Freyer, [1830], Neuere Beitr. Schmett. 3: 128, pl. 133, fig. 3. Type(s): Spain. Range (in code): At Bn Ba BG BY ES FR GR IT KG KK RU Sm Sr TM TR UA Uk YU Sau Tar TrA DsA Tls Ax Syr Tm T-S CN Ui Cc Bionomy: Larva on *Onobrychis viciifolia*, *O. arenaria*, *O. saxatilis*, *O. alba*, *O. montana* (Tolman, 1997); *Hedysarum montanum* (Zhdanko, 1997).
- 15718. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii budashkini* Kolev & De Prins, 1995** (Lycaenidae) Synonym(s): *budashkini* Kolev & De Prins, 1995 Original Reference: *Polyommatus* (*Agrodiaetus*) *budashkini* Kolev & De Prins, 1995, Phegea 23 (2): 121, figs. Holotype ♂: Ukraine: Crimea: Sudak (in coll. de Prins). Range (in code): Cm UA
- 15719. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii curinieri* Sourès, 1974** (Lycaenidae) Synonym(s): *curinieri* Sourès, 1974 Range (in code): FR
- 15720. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii exuberans* (Verity, 1926)** (Lycaenidae) Synonym(s): *exuberans* Verity, 1926; *#rufolunulata* Verity, 1943. Original Reference: *Hirsutina admetus* race *exuberans* Verity, 1926, Entomologist's Rec. J. Var. 38: 121. Syntypes 4♂ 1♀: [Italy: Piemonte]: Alpi Cozie: Val Susa: Oulx [=Ulzio], 1100m. Range (in code): FR IT
- 15721. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii montanesus* (Gomez-Bustillo, 1971)** (Lycaenidae) Synonym(s): *montanesa* Gomez-Bustillo, 1971 Original Reference: *Plebejus ripartii* ssp. *montanesa* Gomez-Bustillo, 1971, Soc. Cienc. Nat. Aranzadi, Publ. 19: 8. Holotype ♂: Spain: Prov. Santander: T.M. de Valdeprado. Range (in code): ES
- 15722. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii paralcestis* (Forster, 1960)** (Lycaenidae) Synonym(s): *paralcestis* Forster, 1960 Original Reference: *Agrodiaetus ripartii* ssp. *paralcestis* Forster, 1960, Ent. Z., Frankf. a. M. 70(3): 17-19. Holotype ♂: Türkiye: Konya: Umç. Akşehir. Range (in code): TR Cc
- 15723. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii pelopi* (Brown, 1976)** (Lycaenidae) Synonym(s): *pelopi* Brown, 1976. Original Reference: *Agrodiaetus ripartii* ssp. *pelopi* Brown, 1976, Ent. Ber., Amst. 36: 46-47. Holotype ♂: Greece: Peloponnes, Chelmos Mt. (in coll. J. Brown). Range (in code): GR Chl
- 15724. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii ramonagenjo* Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *agenjoi* Forster, 1965 nec Higg., 1948; *ramonagenjo* Koçak & Kemal, 2001 Original Reference: *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii* ssp. *ramonagenjo* Koçak & Kemal, 2001 Range (in code): ES
- 15725. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii ripartii* (Freyer, 1830)** (Lycaenidae) Synonym(s): *ripartii* Freyer, 1830 Original Reference: *Lycaena ripartii* Freyer, [1830], Neuere Beitr. Schmett. 3: 128, pl. 133, fig. 3. Type(s): Spain. Range (in code): ES
- 15726. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii rippertii* (Boisduval, 1832)** (Lycaenidae) Synonym(s): *rippertii* Boisduval, 1832 Original Reference: *Polyommatus rippertii* Boisduval, 1832, Icones hist. Lépid. 1: 68, pl. 16 figs. 4-6. Syntypes: [France: Alpes de Haute Provence]: aux environs de Digne (BMNH?). Range (in code): FR
- 15727. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *ripartii tengritaghius* Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *tengritaghius* Koçak & Kemal, 2001 Original Reference: *Polyommatus* (s.str. (*Admetusia*)) *ripartii* ssp. *tengritaghius* Koçak & Kemal, 2001, Priamus 10 (3/4): 137. Holotype ♂: Kazakhstan: Gerbi Trans-Ili Alatau: Kordai Pass 1100m (in coll. Cesa). Range (in code): Sau Tar TrA DsA Tls Ax Syr Tm T-S KG KK CN Ui
- 15728. *Polyommatus* (s.str. (*Agrodiaetus* (*Admetusia*))) *urmiaensis* Schurian & Ten Hagen, 2003** (Lycaenidae) Synonym(s): *urmiaensis* Schurian & Ten Hagen, 2003 Original Reference: *Polyommatus* (*Agrodiaetus*) *urmiaensis* Schurian & Ten Hagen, 2003, Nachr. ent. Ver. Apollo (N.F.) 24 (1/2): 1-4, figs. Holotype ♂: Iran: Azarbaygan-e Garbi, vic. Salmas 60km

nörtl. Orumiyeh 1700-1800m 11.vii.1999 leg. & in coll. Schurian (SZFL). Range (in code): **IR Ab Slm**

15729. Polyommatus (s.str. (Agrodiaetus (Admetusia))) urmiaensis urmiaensis Schurian & Ten Hagen,2003 (Lycaenidae) Synonym(s): *urmiaensis Schurian & Ten Hagen,2003* Original Reference: Polyommatus (Agrodiaetus) urmiaensis Schurian & Ten Hagen,2003, Nachr. ent. Ver. Apollo (N.F.) 24 (1/2): 1-4, figs. Holotype ♂: Iran: Azarbaygan-e Garbi, vic. Salmas 60km nörtl. Orumiyeh 1700-1800m 11.vii.1999 leg. & in coll. Schurian (SZFL). Range (in code): **IR Ab Slm**

15730. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *valiabadi Rose & Schurian,[1978]* Original Reference: Agrodiaetus rjabovi ssp. valiabadi Rose & Schurian,[1978], J. ent. Soc. Iran (1977) 4(1/2): 62-63, figs. Holotype ♂: Iran: Elburs N-Seite: Valiabad (in coll. Schurian). Range (in code): **Cc AM IR Mz**

15731. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi rjabovianus (Koçak,1980) (Lycaenidae) Synonym(s): *rjabovianus Koçak,1980* Original Reference: Agrodiaetus rjabovianus Koçak,1980, Nota lepid. 2(4): 142 (nomen nov. pro rjabovi Forster,1960 nec Obraztsov,1956). Range (in code): **Cc AM**

15732. Polyommatus (s.str. (Agrodiaetus (Admetusia))) valiabadi valiabadi (Rose & Schurian,[1978]) (Lycaenidae) Synonym(s): *valiabadi Rose & Schurian,[1978]* Original Reference: Agrodiaetus rjabovi ssp. valiabadi Rose & Schurian,[1978], J. ent. Soc. Iran (1977) 4(1/2): 62-63, figs. Holotype ♂: Iran: Elburs N-Seite: Valiabad (in coll. Schurian). Range (in code): **IR Mz Elb**

15733. Polyommatus (s.str. (Agrodiaetus (Antidolus))) ainsae (Forster,1961) (Lycaenidae) Synonym(s): *ainsae Forster,1961* Original Reference: Agrodiaetus dolus ssp. ainsae Forster,1961, Z. Wien. ent. Ges. 46: 76, figs. Holotype ♂: Spanien: Pyrenäen: Ainsa. Range (in code): **Bgs ES Hue** Bionomy: Larva on Onobrychis ? viciifolia (Tolman,1997).

15734. Polyommatus (s.str. (Agrodiaetus (Antidolus))) ainsae ainsae (Forster,1961) (Lycaenidae) Synonym(s): *ainsae Forster,1961* Original Reference: Agrodiaetus dolus ssp. ainsae Forster,1961, Z. Wien. ent. Ges. 46: 76, figs. Holotype ♂: Spanien: Pyrenäen: Ainsa. Range (in code): **Bgs ES Hue**

15735. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus (Rebel,1901) (Lycaenidae) Synonym(s): *antidolus Rebel,1901* Original Reference: Lycaena dolus var. antidolus Rebel,1901, Annln naturh. Mus. Wien 16: 167. Syntypes 3♂: [Türkei]: [İğdır]: [Tuzluca]: Takaltu Dag. Lectotype ♂, designated by Forster, 1961, Z. Wien. ent. Ges. 46: 111 (ZSM). Range (in code): **TR Cc IR Ab TS**

15736. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus aereus Eckweiler,1998 (Lycaenidae) Synonym(s): *aereus Eckweiler,1998* Original Reference: Polyommatus (Agrodiaetus) antidolus ssp. aereus Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19 (3/4): 220-225, figs. Holotype ♂: Iran: Azarbayjan-e-Gharbi, Takab, 10 km. E. Takht-e-Soleyman, 2300m. Range (in code): **IR Ab TS**

15737. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus antidolus (Rebel,1901) (Lycaenidae) Synonym(s): *antidolus Rebel,1901* Original Reference: Lycaena dolus var. antidolus Rebel,1901, Annln naturh. Mus. Wien 16: 167. Syntypes 3♂: [Türkei]: [İğdır]: [Tuzluca]: Takaltu Dag. Lectotype ♂, designated by Forster, 1961, Z. Wien. ent. Ges. 46: 111 (ZSM). Range (in code): **TR Cc**

15738. Polyommatus (s.str. (Agrodiaetus (Antidolus))) antidolus pertekensis (Carbonell,2003) (Lycaenidae) Synonym(s): *pertekensis Carbonell,2003* Original Reference: Agrodiaetus antidolus ssp. pertekensis Carbonell,2003, Bull. Soc. ent. Fr. 103 (5): 445-446, fig. Holotype ♂: Turquie, Entre Pertek et Tunceli, 1500m 17 vii 1959, leg. H.de Lesse (MNHN Paris). Range (in code): **TR**

15739. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus (Hübner,[1823]) (Lycaenidae) Synonym(s): *dolus Hübner,[1823]* Original Reference: Papilio dolus Hübner,[1823], Samml. eur. Schmett. 1: pl.159, figs. 793-796. Syntypes: Europa. Range (in code): **FR ES IT** Bionomy: Larva on Onobrychis viciifolia (Tolman,1997).

15740. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus dolus (Hübner,[1823]) (Lycaenidae) Synonym(s): *dolus Hübner,[1823]* Original Reference: Papilio dolus

- Hübner,[1823], Samml. eur. Schmett. 1: pl.159, figs. 793-796. Syntypes: Europa. Range (in code): FR
- 15741. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus gargano (Wimmers,1931)** (Lycaenidae) Synonym(s): *gargano Wimmers,1931* Original Reference: Lycaena dolus var. gargano Wimmers,1932, Ent. Z., Frankf. a. M. 45 (7): 96. Syntypes ♂♂♀♀: [Italy: Puglia: Foggia]: Mte. Gargano. Range (in code): IT
- 15742. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus pseudovirgilius (De Lesse,1962)** (Lycaenidae) Synonym(s): *pseudovirgilius De Lesse,1962; magnabrillata Gomez-Bustillo,1971; iris Agenjo,[1973] nec Lang,1884.* Original Reference: Agrodiaetus dolus ssp. pseudovirgilius De Lesse,1962, Alexanor 2 (7): 285. Holotype ♂: [Spain: Burgos]: "25km W. Burgos, prxs Villanueva de Aragon (MNHNP). Range (in code): ES
- 15743. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus virgilius (Oberthür,1910)** (Lycaenidae) Synonym(s): *virgilius Oberthür,1910* Original Reference: Lycaena dolus race virgilia Oberthür,1910, Etüd. lepid. comp. 4 (1): 263. Syntypes 350♂♂♀♀: [Italy: Abruzzi e Molise: L'Aquila]: "Italie méridionale... Sulmona" (BMNH?). Range (in code): IT
- 15744. Polyommatus (s.str. (Agrodiaetus (Antidolus))) dolus vittatus (Oberthür,1892)** (Lycaenidae) Synonym(s): *vittatus Oberthür,1892* Original Reference: Lycaena dolus f. geog. vittata Oberthür,1892, Bull. Soc. ent. Fr. 1892: x. Syntypes 27♂♂♀♀: [France]: Loz×re (BMNH?). Range (in code): FR
- 15745. Polyommatus (s.str. (Agrodiaetus (Antidolus))) femininoides (Eckweiler,1987)** (Lycaenidae) Synonym(s): *femininoides Eckweiler,1987* Original Reference: Agrodiaetus antidolus ssp. femininoides Eckweiler,1987, Acta ent. Mus. Nat. Pragae 42: 49, figs. Holotype ♂: Iran: Elburs Mts., 8km N.E.Ziaran, 2400m. Range (in code): Qz Elb IR Mz
- 15746. Polyommatus (s.str. (Agrodiaetus (Antidolus))) fulgens (De Sagarra,1926)** (Lycaenidae) Synonym(s): *fulgens De Sagarra,1926* Original Reference: Hirsutina dolus rassa fulgens De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 271-272. Type: Spain: Santa Coloma de Queralt (MCNB). Range (in code): ES
- 15747. Polyommatus (s.str. (Agrodiaetus (Antidolus))) fulgens fulgens (De Sagarra,1926)** (Lycaenidae) Synonym(s): *fulgens De Sagarra,1926* Original Reference: Hirsutina dolus rassa fulgens De Sagarra,1926, Butll. Inst. catal. Hist. nat. 25: 271-272. Type: Spain: Santa Coloma de Queralt (MCNB). Range (in code): ES
- 15748. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus (Forster,1961)** (Lycaenidae) Synonym(s): *kurdistanicus Forster,1961* Original Reference: Agrodiaetus antidolus ssp. kurdistanica Forster,1961, Z. Wien. ent. Ges. 46: 111, pl.14,15 fig.17. Holotype ♂: [Türkei]: Van: Ereğ Dag, 2000-2500m, 17.8.1935, leg. Fuss (ZSSM). Range (in code): TR
- 15749. Polyommatus (s.str. (Agrodiaetus (Antidolus))) kurdistanicus kurdistanicus (Forster,1961)** (Lycaenidae) Synonym(s): *kurdistanicus Forster,1961* Original Reference: Agrodiaetus antidolus ssp. kurdistanica Forster,1961, Z. Wien. ent. Ges. 46: 111, pl.14,15 fig.17. Holotype ♂: [Türkei]: Van: Ereğ Dag, 2000-2500m, 17.8.1935, leg. Fuss (ZSSM). Range (in code): TR
- 15750. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas (Freyer,[1837])** (Lycaenidae) Synonym(s): *menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.* Original Reference: Lycaena menalcas Freyer,[1837], Neuere Beitr. Schmett. 3: 46, Taf.223, figs.2,3. Syntypes: Türkiye: Konstantinopel [İstanbul] (BMNH). Range (in code): TR
- 15751. Polyommatus (s.str. (Agrodiaetus (Antidolus))) menalcas menalcas (Freyer,[1837])** (Lycaenidae) Synonym(s): *menalcas Freyer,[1837]; epidolus Boisduval,1840; #amasina Neuburger,1900.* Original Reference: Lycaena menalcas Freyer,[1837], Neuere Beitr. Schmett. 3: 46, Taf.223, figs.2,3. Syntypes: Türkiye: Konstantinopel [İstanbul] (BMNH). Range (in code): TR
- 15752. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates (Staudinger,1878)** (Lycaenidae) Synonym(s): *mithridates Staudinger,1878* Original Reference: Lycaena mithridates Staudinger,1878, Horae Soc. ent. ross. 14: 247-248. Syntypes 3♂: [Türkei]: Amasia. Range (in code): TR Cc IQ
- 15753. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates mithridates (Staudinger,1878)** (Lycaenidae) Synonym(s): *mithridates Staudinger,1878* Original Reference: Lycaena mithridates Staudinger,1878, Horae Soc. ent. ross. 14: 247-248. Syntypes 3♂: [Türkei]: Amasia. Range (in code): TR Cc

- 15754. Polyommatus (s.str. (Agrodiaetus (Antidolus))) mithridates saetosus (Pfeiffer,1932)** (Lycaenidae) Synonym(s): *saetosus* Pfeiffer,1932; *#kovachi* Wiltshire,1957 Original Reference: *Lycaena mithridates* ssp. *saetosus* Pfeiffer,1932, Mitt. münch. ent. Ges. 22: 44, pl.3 figs.19,20. Type ♂: [Türkei]: türkisch Nordsyrien: Marasch [Kahramanmaraş], Seitun [Süleymanli]. Range (in code): **TR IQ**
- 15755. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani (Le Cerf,[1910])** (Lycaenidae) Synonym(s): *morgani* Le Cerf,[1910] Original Reference: *Lycoena morgani* Le Cerf,[1910], Bull. Mus. natn. Hist. nat. Paris 3: 535-536. Syntypes 4♂ 2♀: [Iran]: Perse, Deh Tcheshma (MNHNP). Range (in code): **IR Ab Kd Snj**
- 15756. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani morgani (Le Cerf,[1910])** (Lycaenidae) Synonym(s): *morgani* Le Cerf,[1910] Original Reference: *Lycoena morgani* Le Cerf,[1910], Bull. Mus. natn. Hist. nat. Paris 3: 535-536. Syntypes 4♂ 2♀: [Iran]: Perse, Deh Tcheshma (MNHNP). Range (in code): **IR Ab Kd**
- 15757. Polyommatus (s.str. (Agrodiaetus (Antidolus))) morgani sanandajensis (Carbonell,2003)** (Lycaenidae) Synonym(s): *sanandajensis* Carbonell,2003 Original Reference: *Agrodiaetus morgani* ssp. *sanandajensis* Carbonell,2003, Bull. Soc. ent. Fr. 103 (5): 446, fig. Holotype ♂: Iran, Sanandadj, col route Hamadan km 20 vers E, 2300-2500m, leg. H.de Lesse (MNHN Paris). Range (in code): **IR Kd Snj**
- 15758. Polyommatus (s.str. (Agrodiaetus (Dagmara))) dagmarus (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *dagmara* Groum-Grshimailo,1888 Original Reference: *Lycaena dagmara* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes: [Tadjikistan: Darwaz]: Khingoob-Darya, prxs de Tobi-Dara, 5500-7000ft. (ZIANP). Range (in code): **TJ**
- 15759. Polyommatus (s.str. (Agrodiaetus (Dagmara))) dagmarus dagmarus (Groum-Grshimailo,1888)** (Lycaenidae) Synonym(s): *dagmara* Groum-Grshimailo,1888 Original Reference: *Lycaena dagmara* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 306. Syntypes: [Tadjikistan: Darwaz]: Khingoob-Darya, prxs de Tobi-Dara, 5500-7000ft. (ZIANP). Range (in code): **TJ**
- 15760. Polyommatus (s.str. (Agrodiaetus (Dagmara))) pulchellus Bernardi,1951** (Lycaenidae) Synonym(s): *pulcher* Sheljuzhko,1928 nec Murray,1873; *pulchella* Bernardi,1951 Original Reference: *Polyommatus pulchella* Bernardi,1951, Bull. Soc. ent. Fr. 56 (2): 30 (nomen novum pro *pulchra* Sheljuzhko,1928 nec Murray). Range (in code): **TJ Pm**
- 15761. Polyommatus (s.str. (Agrodiaetus (Dagmara))) pulchellus chaburobatus Tschikolowez,1992** (Lycaenidae) Synonym(s): *chaburobatus* Tschikolowez,1992 Original Reference: *Polyommatus (Paragrodiaetus) pulchra* ssp. *chaburobata* Tschikolowez,1992, Atalanta 23 (1/2): 162. Holotype ♂: Tadjikistan: Darwaz Mts., Chaburobat Pass, 3500m (in coll.Tschikolowez). Range (in code): **TJ**
- 15762. Polyommatus (s.str. (Agrodiaetus (Dagmara))) pulchellus pulchellus Bernardi,1951** (Lycaenidae) Synonym(s): *pulcher* Sheljuzhko,1928 nec Murray,1873; *pulchella* Bernardi,1951 Original Reference: *Polyommatus pulchella* Bernardi,1951, Bull. Soc. ent. Fr. 56 (2): 30 (nomen novum pro *pulchra* Sheljuzhko,1928 nec Murray). Range (in code): **TJ Pm**
- 15763. Polyommatus (s.str. (Agrodiaetus (Damaia))) dama (Staudinger,[1892])** (Lycaenidae) Synonym(s): *dama* Staudinger,[1892] Original Reference: *Lycaena dama* Staudinger, [1892], Dt. ent. Z., Iris 4: 234. Lectotype ♂: [Turkey, Malatya Prov.]: Malatya, [late July] 1884 leg. Manisadjian (MNHU), designated by Olivier et al.,1999, Nota lepid. 22 (3): 202, 204 figs. 2,3. Range (in code): **TR**
- 15764. Polyommatus (s.str. (Agrodiaetus (Damaia))) dama dama (Staudinger,[1892])** (Lycaenidae) Synonym(s): *dama* Staudinger,[1892] Original Reference: *Lycaena dama* Staudinger, [1892], Dt. ent. Z., Iris 4: 234. Lectotype ♂: [Turkey, Malatya Prov.]: Malatya, [late July] 1884 leg. Manisadjian (MNHU), designated by Olivier et al.,1999, Nota lepid. 22 (3): 202,204 figs. 2,3. Range (in code): **TR**
- 15765. Polyommatus (s.str. (Agrodiaetus (Damaia))) deebe (T.Larsen,1974)** (Lycaenidae) Synonym(s): *deebe* T.Larsen,1974 Original Reference: *Agrodiaetus deebe* Larsen,1974, Alexanor 8 (7): 305-307, fig. 3. Holotype ♂: Liban: Anti-Liban, Nabi Sbat, 1600m (MNHNP). Range (in code): **LB SY**
- 15766. Polyommatus (s.str. (Agrodiaetus (Damaia))) deebe deebe (T.Larsen,1974)** (Lycaenidae) Synonym(s): *deebe* T.Larsen,1974 Original Reference: *Agrodiaetus deebe*

- Larsen, 1974, Alexanor 8 (7): 305-307, fig. 3. Holotype ♂: Liban: Anti-Liban, Nabi Sbat, 1600m (MNHNP). Range (in code): LB SY
- 15767. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *hamadanensis* (De Lesse, 1959)** (Lycaenidae) Synonym(s): *hamadanensis* De Lesse, 1959 Original Reference: *Agrodiaetus dama* ssp. *hamadanensis* De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (2): 14. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan, 2350m. (MNHNP). Range (in code): IR Elb Th Ha
- 15768. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *hamadanensis hamadanensis* (De Lesse, 1959)** (Lycaenidae) Synonym(s): *hamadanensis* De Lesse, 1959 Original Reference: *Agrodiaetus dama* ssp. *hamadanensis* De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (2): 14. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan, 2350m. (MNHNP). Range (in code): IR Ha
- 15769. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *hamadanensis splendens* (Forster, 1961)** (Lycaenidae) Synonym(s): *splendens* Forster, 1961 nec Stefanelli, 1904 Original Reference: *Polyommatus* (s.str. (*Agrodiaetus*)) *hamadanensis* (nom. nov. pro *Agrodiaetus hamadanensis* ssp. *splendens* Forster, 1961, Z. Wien. ent. Ges. 46: 46-47, pls. 12, 13 f. 24, nec *splendens* Stefanelli, 1904). Holotype ♂: Iran: Elbursgebirge: Keredj, 1800m (ZSM). Range (in code): IR Th Elb
- 15770. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *hopfferi* (Gerhard, [1851])** (Lycaenidae) Synonym(s): *#hopferi* Herrich-Schäffer, [August, 1851] (uninominal); *hopfferi* Gerhard, [November, 1851]; *hopfferi* Herrich-Schäffer, 31. December, 1851]; *hadjina* Heyne, [1895]; *malatiae* Forster, 1961. Original Reference: *Lycaena hopfferi* Gerhard, [1851], Versuch Monogr. eur. Schmett. (6): 13, Taf. 21 figs. 2a-c. Type(s): Türkei [Turkey: Tokat] (destroyed). Range (in code): TR Cc
- 15771. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *hopfferi hopfferi* (Gerhard, [1851])** (Lycaenidae) Synonym(s): *#hopferi* Herrich-Schäffer, [August, 1851] (uninominal); *hopfferi* Gerhard, [November, 1851]; *hopfferi* Herrich-Schäffer, 31. December, 1851]; *hadjina* Heyne, [1895]; *malatiae* Forster, 1961. Original Reference: *Lycaena hopfferi* Gerhard, [1851], Versuch Monogr. eur. Schmett. (6): 13, Taf. 21 figs. 2a-c. Type(s): Türkei [Turkey: Tokat] (destroyed). Range (in code): TR Cc
- 15772. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *karindus* (Riley, 1921)** (Lycaenidae) Synonym(s): *karindus* Riley, 1921 Original Reference: *Lycaena dama* ssp. *karinda* Riley, 1921, Ann. Mag. nat. Hist. (9) 8: 597. Lectotype ♂: [Iran]: N.W. Persia: Karind Gorge, 6000ft. (Peile leg.) (BMNH), designated by Balint, 1999, Neue ent. Nachr. 46: 39. Range (in code): IR Km Krd
- 15773. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *larseni* (Carbonell, 1994)** (Lycaenidae) Synonym(s): *larseni* Carbonell, 1994 Original Reference: *Agrodiaetus theresiae* ssp. *larseni* Carbonell, 1994, Linneana Belg. 14(6): 300-301, figs. Holotype ♂: Liban: Les Cedres 2000m (in MNHN). Range (in code): LB SY
- 15774. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *larseni larseni* (Carbonell, 1994)** (Lycaenidae) Synonym(s): *larseni* Carbonell, 1994 Original Reference: *Agrodiaetus theresiae* ssp. *larseni* Carbonell, 1994, Linneana Belg. 14(6): 300-301, figs. Holotype ♂: Liban: Les Cedres 2000m (in MNHN). Range (in code): LB SY
- 15775. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *lycius* (Carbonell, 1996)** (Lycaenidae) Synonym(s): *lycius* Carbonell, 1996 Original Reference: *Agrodiaetus lycius* Carbonell, 1996, Linneana Belgica 15(7): 281-285, 9 figs. Holotype ♂: Turquie: Antalya Prov. Elmali et Korkuteli, 1150m. Range (in code): TR
- 15776. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *lycius lycius* (Carbonell, 1996)** (Lycaenidae) Synonym(s): *lycius* Carbonell, 1996 Original Reference: *Agrodiaetus lycius* Carbonell, 1996, Linneana Belgica 15(7): 281-285, 9 figs. Holotype ♂: Turquie: Antalya Prov. Elmali et Korkuteli, 1150m. Range (in code): TR
- 15777. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *poseidon* (Herrich-Schäffer, [1851])** (Lycaenidae) Synonym(s): *poseidon* Herrich-Schäffer, [1851]; *mesopotamica* Staudinger, 1892. Original Reference: *Lycaena poseidon* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 24. Type(s): [Türkei]: Kleinasien: [Amasya]. Range (in code): TR Cc
- 15778. *Polyommatus* (s.str. (*Agrodiaetus* (*Damaia*))) *poseidon poseidon* (Herrich-Schäffer, [1851])** (Lycaenidae) Synonym(s): *poseidon* Herrich-Schäffer, [1851]; *mesopotamica* Staudinger, 1892. Original Reference: *Lycaena poseidon* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 24. Type(s): [Türkei]: Kleinasien: [Amasya]. Range (in code): TR Cc

- 15779. Polyommatus (s.str. (Agrodiaetus (Damaia))) sennanensis (De Lesse,1959)** (Lycaenidae) Synonym(s): *sennanensis* De Lesse,1959 Original Reference: *Agrodiaetus hopfferi* ssp. *sennanensis* De Lesse,1959, Bull. Mens. Soc. linn. Lyon 28 (5): 150-151. Holotype ♂: [Iran: Kordestan]: "Hamakasi (Iran W), route Sanandadj km 10" (MNHNP). Range (in code): IR Kd
- 15780. Polyommatus (s.str. (Agrodiaetus (Damaia))) sennanensis sennanensis (De Lesse,1959)** (Lycaenidae) Synonym(s): *sennanensis* De Lesse,1959 Original Reference: *Agrodiaetus hopfferi* ssp. *sennanensis* De Lesse,1959, Bull. Mens. Soc. linn. Lyon 28 (5): 150-151. Holotype ♂: [Iran: Kordestan]: "Hamakasi (Iran W), route Sanandadj km 10" (MNHNP). Range (in code): IR Kd
- 15781. Polyommatus (s.str. (Agrodiaetus (Damaia))) theresiae Schurian, Oorschot & Brink,1992** (Lycaenidae) Synonym(s): *theresiae* Schurian et al.,1992 Original Reference: *Polyommatus (Agrodiaetus) theresiae* Schurian, Oorschot & Brink,1992, Nachr. ent. Ver. Apollo (N.F.) 12 (4): 227-231, col. pl., figs.1-4. Holotype ♂: Turkey: Adana Prov., 6-18km N. Saimbeyli, 1600-1750m [collected type-series is 235♂♂ 43♀♀]. Range (in code): TR
- 15782. Polyommatus (s.str. (Agrodiaetus (Damaia))) theresiae theresiae Schurian, Oorschot & Brink,1992** (Lycaenidae) Synonym(s): *theresiae* Schurian et al.,1992 Original Reference: *Polyommatus (Agrodiaetus) theresiae* Schurian, Oorschot & Brink,1992, Nachr. ent. Ver. Apollo (N.F.) 12 (4): 227-231, col. pl., figs.1-4. Holotype ♂: Turkey: Adana Prov., 6-18km N. Saimbeyli, 1600-1750m [collected type-series is 235♂♂ 43♀♀]. Range (in code): TR
- 15783. Polyommatus (s.str. (Agrodiaetus (Juldus))) actinides (Staudinger,1886)** (Lycaenidae) Synonym(s): *actinides* Staudinger,1886 Original Reference: *Lycaena actis* var. *actinides* Staudinger,1886, Stettin ent. Ztg. 47: 214-215. Syntypes: [Kirgizistan]: Südlich Alai. Range (in code): KK AI T-S TJ
- 15784. Polyommatus (s.str. (Agrodiaetus (Juldus))) actinides actinides (Staudinger,1886)** (Lycaenidae) Synonym(s): *actinides* Staudinger,1886 Original Reference: *Lycaena actis* var. *actinides* Staudinger,1886, Stettin ent. Ztg. 47: 214-215. Syntypes: [Kirgizistan]: Südlich Alai. Range (in code): KK AI T-S TJ
- 15785. Polyommatus (s.str. (Agrodiaetus (Juldus))) actinides weidenhofferi Eckweiler,1997** (Lycaenidae) Synonym(s): *weidenhofferi* Eckweiler,1997 Original Reference: *Polyommatus (Agrodiaetus) actinides* ssp. *weidenhofferi* Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 13, figs. Holotype ♂: Kirgizia: Kirgizskii Ridge, Ala- Archa-Ak-Sai, 2000m (in coll. Eckweiler). Range (in code): T-S KK KG TrA Ax
- 15786. Polyommatus (s.str. (Agrodiaetus (Juldus))) afghanicus (Forster,1973)** (Lycaenidae) Synonym(s): *afghanicus* Forster,1973 Original Reference: *Agrodiaetus afghanica* Forster,1973, Ent. Z., Frankf.a.M. 83(18): 209-211, figs. Holotype ♂: Afghanistan: Val Panjshir sup., 2800-3400m. leg. K.Omoto (ZSM). Range (in code): AF Prw Pjr Hk
- 15787. Polyommatus (s.str. (Agrodiaetus (Juldus))) afghanicus afghanicus (Forster,1973)** (Lycaenidae) Synonym(s): *afghanicus* Forster,1973 Original Reference: *Agrodiaetus afghanica* Forster,1973, Ent. Z., Frankf.a.M. 83(18): 209-211, figs. Holotype ♂: Afghanistan: Val Panjshir sup., 2800-3400m. leg. K.Omoto (ZSM). Range (in code): AF Prw Pjr Hk
- 15788. Polyommatus (s.str. (Agrodiaetus (Juldus))) faramarzii Skala,2001** (Lycaenidae) Synonym(s): *faramarzii* Skala,2001 Original Reference: *Polyommatus (Agrodiaetus) faramarzii* Skala,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 101-102, figs. 1-4. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg.Skala (ZSM). Range (in code): IR Bk
- 15789. Polyommatus (s.str. (Agrodiaetus (Juldus))) faramarzii faramarzii Skala,2001** (Lycaenidae) Synonym(s): *faramarzii* Skala,2001 Original Reference: *Polyommatus (Agrodiaetus) faramarzii* Skala,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 101-102, figs. 1-4. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg.Skala (ZSM). Range (in code): IR Bk
- 15790. Polyommatus (s.str. (Agrodiaetus (Juldus))) hyrsyz Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *hyrsyz* Koçak & Kemal,2001 Original Reference: *Polyommatus (s.str. (Agrodiaetus (Juldus))) hyrsyz* Koçak & Kemal,2001, Cent. ent. Stud., Misc. pap. 78 / 79: 9. Holotype ♂: Kirgizistan: Terskey Alatau, Przewalsk, Karakol vadisi, 1850-2150m (coll. Cesa). Range (in code): KK TeA

- 15791. Polyommatus (s.str. (Agrodiaetus (Juldus))) hyrsyz hyrsyz Koçak & Kemal,2001** (Lycaenidae) Synonym(s): *hyrsyz Koçak & Kemal,2001* Original Reference: Polyommatus (s.str. (Agrodiaetus (Juldus))) hyrsyz Koçak & Kemal,2001, Cent. ent. Stud., Misc. pap. 78 / 79: 9. Holotype ♂: Kirgizistan: Terskey Alatau, Przewalsk, Karakol vadisi, 1850-2150m (coll. Cesa). Range (in code): KK TeA
- 15792. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides (Staudinger,1886)** (Lycaenidae) Synonym(s): *iphigenides Staudinger,1886* Original Reference: Lycaena kindermanni var.iphigenides Staudinger,1886, Stettin ent. Ztg. 47: 214. Syntypes 4♂: [Usbekistan]: Namangan, Margelan; Lectotype ♂: "Namangan" (designated by Forster,1960). Range (in code): T-S Au CN Fe KG Ky Ui UZ Man Tm Syr
- 15793. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides iphigenides (Staudinger,1886)** (Lycaenidae) Synonym(s): *iphigenides Staudinger,1886* Original Reference: Lycaena kindermanni var.iphigenides Staudinger,1886, Stettin ent. Ztg. 47: 214. Syntypes 4♂: [Usbekistan]: Namangan, Margelan; Lectotype ♂: "Namangan" (designated by Forster,1960). Range (in code): Fe UZ Man
- 15794. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides ishkashimicus Stchetkin,1986** (Lycaenidae) Synonym(s): *ishkashimicus Stchetkin,1986* Original Reference: Polyommatus iphigenia ssp. ishkashimicus Stchetkin,1986, Zool. Zh. 65 (7): 1093. Holotype ♂: [Tadjikistan: Pamir Mts.]: Chorog, 3500-3700m (ZMMG). Range (in code): TJ Pm
- 15795. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides karatavicus Lukhtanov,1990** (Lycaenidae) Synonym(s): *karatavicus Lukhtanov,1990* Original Reference: Polyommatus (Agrodiaetus) iphigenides ssp. karatavica Lukhtanov,1990, Vestn. zool. 1990 (6): 21-22, figs. Holotype ♂: Kasachstan: Chimkent distr.: Syrdaryinsky Karatau, ca. Mynzhilki, 1800m. Range (in code): T-S KG Ky Syr Tm
- 15796. Polyommatus (s.str. (Agrodiaetus (Juldus))) iphigenides luktanovi Dantchenko,1993** (Lycaenidae) Synonym(s): *luktanovi Dantchenko,1993* Range (in code): KK
- 15797. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus (Staudinger,1886)** (Lycaenidae) Synonym(s): *juldusa Staudinger,1886; duplicata A.Bang-Haas,1910.* Original Reference: Lycaena kindermanni var. juldusa Staudinger,1886, Stettin ent. Ztg. 47: 213. Syntypes: [China: Uighur A.R.]: Juldus-Gebirge [Tengri Tagh]. Range (in code): Ach Ax CN Gg Hu Ik Ju Au KG KK Kl Kml Ku PK Tk T-S Ui TeA DsA Nrk Ket Tyk KuA Bionomy: Larva on Hedysarum aculeatum (Zhdanko, 1997).
- 15798. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus juldusus (Staudinger,1886)** (Lycaenidae) Synonym(s): *juldusa Staudinger,1886; duplicata A.Bang-Haas,1910.* Original Reference: Lycaena kindermanni var. juldusa Staudinger,1886, Stettin ent. Ztg. 47: 213. Syntypes: [China: Uighur A.R.]: Juldus-Gebirge [Tengri Tagh]. Range (in code): CN Ju Ku T-S Ui Au
- 15799. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus kasachstanus Lukhtanov & Dantchenko,1994** (Lycaenidae) Synonym(s): *kasachstanus Lukhtanov & Dantchenko,1994* Original Reference: Polyommatus (Agrodiaetus) juldusa ssp. kasachstanus Lukhtanov & Dantchenko,1994, Herbipoliana 3: 286, Taf.56 figs. 12,13. Holotype ♂: Kasachstan: Dschungarischer Alatau, Katutau, Koibyn-Tal. 800-2000m. (ZISP). Range (in code): T-S KG Tk TeA DsA Nrk Ket Tyk
- 15800. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus kirgisorum Lukhtanov & Dantchenko,1994** (Lycaenidae) Synonym(s): *kirgisorum Lukhtanov & Dantchenko,1994* Original Reference: Polyommatus (Agrodiaetus) juldusa ssp. kirgisorum Lukhtanov & Dantchenko,1994, Herbipoliana 3: 286, Taf.56 figs. 14,15. Holotype ♂: Kirgisien: Kirgisisches Gebirge: Schamsi, 1750m. (ZISP). Range (in code): T-S Ax Ik KK KuA TeA
- 15801. Polyommatus (s.str. (Agrodiaetus (Juldus))) juldusus rueckbeili (Forster,1960)** (Lycaenidae) Synonym(s): *rueckbeili Forster,1960* Original Reference: Agrodiaetus iphigenia ssp. f.alt? rückbeili Forster,1960, Z. Wien. ent.Ges. 45: 126-128, Taf.10,11, figs.21,22. Holotype ♂: [China: Uighur A.R.]: Ost-Turkestan: Aksu, 1900m. (ZSM). Range (in code): T-S Ach Alt Au CN Ga Gg Hu Kl Kml Ku PK Ui
- 15802. Polyommatus (s.str. (Agrodiaetus (Juldus))) melanius (Staudinger,1886)** (Lycaenidae) Synonym(s): *melanius Staudinger,1886* Original Reference: Lycaena kindermanni var. melania Staudinger,1886, Stettin ent. Ztg. 47: 213-214. Syntypes 2♂: [Tadjikistan]: südlichen Alai. Range (in code): KK Al

- 15803. Polyommatus (s.str. (Agrodiaetus (Juldus))) melanius melanius (Staudinger,1886)** (Lycaenidae) Synonym(s): *melanius Staudinger,1886* Original Reference: *Lycaena kindermanni* var. *melania* Staudinger,1886, Stettin ent. Ztg. 47: 213-214. Syntypes 2♂: [Tadjikistan]: südlichen Alai. Range (in code): **KK AI**
- 15804. Polyommatus (s.str. (Agrodiaetus (Juldus))) muelleriae Eckweiler,1997** (Lycaenidae) Synonym(s): *muelleriae Eckweiler,1997* Original Reference: *Polyommatus (Agrodiaetus) muelleriae* Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 11-12, figs. Holotype ♂: Pakistan: Chitral, Birmoglasht, 2700-2900m (in coll. Eckweiler). Range (in code): **Ci PK Nwf**
- 15805. Polyommatus (s.str. (Agrodiaetus (Juldus))) muelleriae muelleriae Eckweiler,1997** (Lycaenidae) Synonym(s): *muelleriae Eckweiler,1997* Original Reference: *Polyommatus (Agrodiaetus) muelleriae* Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 11-12, figs. Holotype ♂: Pakistan: Chitral, Birmoglasht, 2700-2900m (in coll. Eckweiler). Range (in code): **Ci PK Nwf**
- 15806. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides (Staudinger,1886)** (Lycaenidae) Synonym(s): *phyllides Staudinger,1886* Original Reference: *Lycaena phyllis* var. *phyllides* Staudinger,1886, Stettin ent. Ztg. 47: 225. Syntypes: [Usbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Osch. Range (in code): **T-S Ax Fe Ik KG KK TM UZ Kp AI Man Osh Tls IR Kh**
- 15807. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides askhabadicus (Forster,1960)** (Lycaenidae) Synonym(s): *#ashabadica Forster,1960; askhabadica Forster,1960* Original Reference: *Agrodiaetus phyllis* ssp. *askhabadica* Forster,1960, Z. Wien. ent. Ges. 45: 135-136, figs. Holotype ♂: [Turkmenia]: Transkaspien: Kuschka. Range (in code): **Kp TM IR Kh**
- 15808. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides kentauensis Lukhtanov,1990** (Lycaenidae) Synonym(s): *kentauensis Lukhtanov,1990* Original Reference: *Polyommatus (Agrodiaetus) phyllides* ssp. *kentauensis* Lukhtanov,1990, Vestn. zool. 1990 (6): 22, figs. Holotype ♂: Kasachstan: Chimkent distr.: Syrdaryinsky Karatau, Boyaldyr valley, 700m. Range (in code): **KG T-S Ky Syr Tm**
- 15809. Polyommatus (s.str. (Agrodiaetus (Juldus))) phyllides phyllides (Staudinger,1886)** (Lycaenidae) Synonym(s): *phyllides Staudinger,1886* Original Reference: *Lycaena phyllis* var. *phyllides* Staudinger,1886, Stettin ent. Ztg. 47: 225. Syntypes: [Usbekistan]: Margelan, Namangan, Samarkand; [Kirgizistan]: Osch. Range (in code): **T-S Ax Fe Ik KG KK UZ AI Man Osh Tls**
- 15810. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides (Staudinger,1886)** (Lycaenidae) Synonym(s): *poseidonides Staudinger,1886* Original Reference: *Lycaena poseidon* var. *poseidonides* Staudinger,1886, Stettin ent. Ztg. 47: 225. Syntypes 4♂: [Usbekistan]: Samarkand, Südl. Alai. Range (in code): **His Smk TJ UZ PK Bg Pm Ci Hu Nwf**
- 15811. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides danilevskyi Dantchenko,1994** (Lycaenidae) Synonym(s): *danilevskyi Dantchenko,1994* Original Reference: *Polyommatus (Agrodiaetus) ischkaschimicus* ssp. *danilevskyi* Dantchenko,1994, Atalanta 25 (1/2): 204-205, pl.viib figs. 1-4. Holotype ♂: Tadjikistan, Ghissar mountain range, Anzob Pass 3000m. Range (in code): **TJ His**
- 15812. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides florenciae (Tytler,1926)** (Lycaenidae) Synonym(s): *florenciae Tytler,1926; ? evansi Forster,1956* Original Reference: *Lycaena florenciae* Tytler,1926, J. Bomb. nat. Hist. Soc. 31: 583, pl.i fig.4. Syntypes 2♂: [Pakistan]: Baroghil Pass (leg. Lieut.-Col. Lorimer). Range (in code): **PK Bg Ci Hu Nwf**
- 15813. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides poseidonides (Staudinger,1886)** (Lycaenidae) Synonym(s): *poseidonides Staudinger,1886* Original Reference: *Lycaena poseidon* var. *poseidonides* Staudinger,1886, Stettin ent. Ztg. 47: 225. Syntypes 4♂: [Usbekistan]: Samarkand, Südl. Alai. Range (in code): **His Smk TJ UZ**
- 15814. Polyommatus (s.str. (Agrodiaetus (Juldus))) poseidonides rickmersi (Forster,1956)** (Lycaenidae) Synonym(s): *rickmersi Forster,1956* Original Reference: *Agrodiaetus caerulea* ssp. *rickmersi* Forster,1956, Z. Wien. ent. Ges. 41: 48-49, figs. Holotype ♂: [Tadjikistan]: Pamir: Muskulak, 3600-4000m. Range (in code): **Pm TJ**
- 15815. Polyommatus (s.str. (Agrodiaetus (Juldus))) praeactinides (Forster,1960)** (Lycaenidae) Synonym(s): *praeactinides Forster,1960* Original Reference: *Agrodiaetus actis* ssp. *praeactinides* Forster,1960, Z. Wien. ent. Ges. 41: 111, figs. Holotype ♂: [Kasachstan]: Mts. Karatau, pag. Vyssokoje (Prov. Syr-Darja). Range (in code): **T-S KG KK Tls Ax**

- 15816. *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *praeactinides praeactinides* (Forster,1960) (Lycaenidae) Synonym(s): *praeactinides* Forster,1960 Original Reference: *Agrodiaetus actis* ssp. *praeactinides* Forster,1960, Z. Wien. ent. Ges. 41: 111, figs. Holotype ♂: [Kasachstan]: Mts. Karatau, pag. Vyssokoje (Prov. Syr-Darja). Range (in code): T-S KG KK Tls Ax**
- 15817. *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *shahrami* Skala,2001 (Lycaenidae) Synonym(s): *shahrami* Skala,2001 Original Reference: *Polyommatus* (*Agrodiaetus*) *shahrami* Skala,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 102-103, figs. 9-12. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg.Skala (ZSM). Range (in code): IR Bk**
- 15818. *Polyommatus* (s.str. (*Agrodiaetus* (*Juldus*))) *shahrami shahrami* Skala,2001 (Lycaenidae) Synonym(s): *shahrami* Skala,2001 Original Reference: *Polyommatus* (*Agrodiaetus*) *shahrami* Skala,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 102-103, figs. 9-12. Holotype ♂: Iran: Cahar Mahall- o- Bahtiyari, Zarde Kuh massive 3000m 12 vii 2000 leg.Skala (ZSM). Range (in code): IR Bk**
- 15819. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis* (De Lesse,1963) (Lycaenidae) Synonym(s): *ectabanensis* De Lesse,1963; *avajicus* Blom,1979; *#ecbatanensis* Nazari,2003 Original Reference: *Agrodiaetus altivagans* ssp. *ectabanensis* De Lesse,1963, Alexanor 3 (4): 167. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan (Iran W), 2350m (MNHNP). Range (in code): IR Ha Ak Cc AZ**
- 15820. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis ectabanensis* (De Lesse,1963) (Lycaenidae) Synonym(s): *ectabanensis* De Lesse,1963; *avajicus* Blom,1979; *#ecbatanensis* Nazari,2003 Original Reference: *Agrodiaetus altivagans* ssp. *ectabanensis* De Lesse,1963, Alexanor 3 (4): 167. Holotype ♂: Iran: Hamadan: col route Kazvin a Hamadan (Iran W), 2350m (MNHNP). Range (in code): IR Ha**
- 15821. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *ectabanensis gorbunovi* Dantchenko & Lukhtanov,1994 (Lycaenidae) Synonym(s): *gorbunovi* Dantchenko & Lukhtanov,1994 Original Reference: *Polyommatus* (*Agrodiaetus*) *gorbunovi* Dantchenko & Lukhtanov,1994, Atalanta 25 (1/2): 207-208, Pl.8 figs.1-4. Holotype ♂: Azerbaidzhan: Talysh Mts., Zuvand, Mistan 1900m. Range (in code): Cc AZ IR Ak**
- 15822. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *erzindjanensis* (Carbonell,2002) (Lycaenidae) Synonym(s): *erzindjanensis* Carbonell,[2003] Original Reference: *Agrodiaetus erzindjanensis* Carbonell,[2003], Bull. Soc. ent. Fr. 107 (2002) (5): 524. Holotype ♂: [Erzincan Province]: Spikör geçidi, 2400-2500m, 6 viii 1988, Carbonell & Mollet leg. (MNHNP). Range (in code): TR**
- 15823. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *maraschi* (Forster,1956) (Lycaenidae) Synonym(s): *maraschi* Forster,1956 Original Reference: *Agrodiaetus damone* ssp. *maraschi* Forster,1956, Z. Wien. ent. Ges. 41: 57-58, figs. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch. Range (in code): TR**
- 15824. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *maraschi maraschi* (Forster,1956) (Lycaenidae) Synonym(s): *maraschi* Forster,1956 Original Reference: *Agrodiaetus damone* ssp. *maraschi* Forster,1956, Z. Wien. ent. Ges. 41: 57-58, figs. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch. Range (in code): TR**
- 15825. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa* Koçak & Hosseinpour,1996 (Lycaenidae) Synonym(s): *brandti* Forster,1956 nec Pff.,1938; *musa* Koçak & Hosseinpour,1996; *fredi* Eckweiler,1997. Original Reference: *Polyommatus* (*Agrodiaetus*) *cyaneus* ssp. *musa* Koçak & Hosseinpour,1996, Priamus 7(3): 117 (nomen novum pro *brandti* Forster,1956 nec Pfeiffer,1938). Range (in code): IR Fa Spd Es**
- 15826. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa esfahensis* (Carbonell,2000) (Lycaenidae) Synonym(s): *esfahensis* Carbonell,2000 Original Reference: *Agrodiaetus musa* ssp. *esfahensis* Carbonell,2000, Linneana Belg. 17 (5): 215, figs. Holotype ♂: Iran: Esfahan: Qamsar, 2200-2300m. (MNHNP). Range (in code): IR Es**
- 15827. *Polyommatus* (s.str. (*Agrodiaetus* (*Musa*))) *musa musa* Koçak & Hosseinpour,1996 (Lycaenidae) Synonym(s): *brandti* Forster,1956 nec Pff.,1938; *musa* Koçak & Hosseinpour,1996; *fredi* Eckweiler,1997. Original Reference: *Polyommatus* (*Agrodiaetus*) *cyaneus* ssp. *musa* Koçak & Hosseinpour,1996, Priamus 7(3): 117 (nomen novum pro *brandti* Forster,1956 nec Pfeiffer,1938). Range (in code): IR Fa Spd**

- 15828. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi (Brandt,1938)** (Lycaenidae) Synonym(s): *pfeifferi* Brandt,1938 Original Reference: *Lycaena pfeifferi* Brandt,1938, Ent. Rdsch. 55: 671, Pl.4 figs.1-3. Syntypes: Iran: Barm-i-Firus, 3750m; Elbursgebirge: Nissa. Range (in code): **IR Es Mz Kz**
- 15829. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi astyages Skala,2001** (Lycaenidae) Synonym(s): *astyages* Skala,2001 Original Reference: *Polyommatus (Agrodiaetus) pfeifferi* ssp. *astyages* Skala,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 104, figs. 21-24. Holotype ♂: Iran: Esfahan, Khounsar 2950-3100m 16 vii 2000 leg. Skala (ZMFL). Range (in code): **IR Es**
- 15830. Polyommatus (s.str. (Agrodiaetus (Musa))) pfeifferi pfeifferi (Brandt,1938)** (Lycaenidae) Synonym(s): *pfeifferi* Brandt,1938 Original Reference: *Lycaena pfeifferi* Brandt,1938, Ent. Rdsch. 55: 671, Pl.4 figs.1-3. Syntypes: Iran: Barm-i-Firus, 3750m; Elbursgebirge: Nissa. Range (in code): **IR Mz Kz**
- 15831. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri (Forster,1956)** (Lycaenidae) Synonym(s): *wagneri* Forster,1956 Original Reference: *Agrodiaetus damone* ssp. *wagneri* Forster,1956, Z. Wien. ent. Ges. 41: 55. Holotype ♂: [Türkei]: Anatolien: Akshehir. Range (in code): **TR Cc IQ IR**
- 15832. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri iphiactis (Lukhtanov & Dantchenko,2003)** (Lycaenidae) Synonym(s): *iphiactis* Lukhtanov & Dantchenko,2003 Original Reference: *Agrodiaetus wagneri* ssp. *iphiactis* Lukhtanov & Dantchenko,2003, Atalanta 34 (3/4): 425, figs. Holotype ♂: Turquie: Erzincan 47km W, 2000m [Sakaltutan geçidi], 21.vii.1959 leg. H.de Lesse (MNHNP). Range (in code): **TR**
- 15833. Polyommatus (s.str. (Agrodiaetus (Musa))) wagneri wagneri (Forster,1956)** (Lycaenidae) Synonym(s): *wagneri* Forster,1956 Original Reference: *Agrodiaetus damone* ssp. *wagneri* Forster,1956, Z. Wien. ent. Ges. 41: 55. Holotype ♂: [Türkei]: Anatolien: Akshehir. Range (in code): **TR Cc IQ IR**
- 15834. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi Stchetkin,1980** (Lycaenidae) Synonym(s): *avinovi* Stchetkin,1980 Original Reference: *Polyommatus avinovi* Stchetkin,1980, Zool. zh. 59 (2): 303, fig. Holotype ♂: [Tadjikistan]: Peter I. Mts.: Chazor-Tshashma, 2100m (ZIANP). Range (in code): **TJ**
- 15835. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi avinovi Stchetkin,1980** (Lycaenidae) Synonym(s): *avinovi* Stchetkin,1980 Original Reference: *Polyommatus avinovi* Stchetkin,1980, Zool. zh. 59 (2): 303, fig. Holotype ♂: [Tadjikistan]: Peter I. Mts.: Chazor-Tshashma, 2100m (ZIANP). Range (in code): **TJ**
- 15836. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) avinovi dangara Eckweiler,1997** (Lycaenidae) Synonym(s): *dangara* Eckweiler,1997 Original Reference: *Polyommatus (Agrodiaetus) avinovi* ssp. *dangara* Eckweiler,1997, Nachr. ent. Ver. Apollo (N.F.) Suppl. 16: 20-21, figs. Holotype ♂: Tadjikistan: Dangara (in coll. Eckweiler). Range (in code): **TJ**
- 15837. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi (De Lesse,1962)** (Lycaenidae) Synonym(s): *baltazardi* De Lesse,1962 Original Reference: *Agrodiaetus baltazardi* De Lesse,1962, Alexanor 2 (8): 310. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar, 3200m (MNHNP). Range (in code): **IR Ke**
- 15838. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) baltazardi baltazardi (De Lesse,1962)** (Lycaenidae) Synonym(s): *baltazardi* De Lesse,1962 Original Reference: *Agrodiaetus baltazardi* De Lesse,1962, Alexanor 2 (8): 310. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar, 3200m (MNHNP). Range (in code): **IR Ke**
- 15839. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra Evans,1932** (Lycaenidae) Synonym(s): *bogra* Evans,1932 Original Reference: *Polyommatus actis* bogra Evans,1932, Identification Indian Butterflies (2): 231. Syntypes ♂♀: [Pakistan]: Baluchistan, >7000ft. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 19 (BMNH). Range (in code): **Bl PK IR Ss Kh AF Kab Pag Bm Slg Kbb Pjr Gbh**
- 15840. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra afghanistanus (Forster,1972)** (Lycaenidae) Synonym(s): *afghanistanus* Forster,1972 Original Reference: *Agrodiaetus damone* ssp. *afghanistana* Forster,1972, Ent. Z., Frankf. a. M. 82(20): 232-235, fig.9. Holotype ♂: Afghanistan: Kabul, Darulfunun 1800m, 11 6 1953 leg. J.Klapperich (Carnegie Museum). Range (in code): **AF Kab Pag Slg Bm Kbb Pjr Gbh**

- 15841. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra birjandensis Eckweiler,2003** (Lycaenidae) Synonym(s): *birjandensis* Eckweiler,2003 _ Range (in code): IR Kh
- 15842. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra bogra Evans,1932** (Lycaenidae) Synonym(s): *bogra* Evans,1932 Original Reference: Polyommatus actis bogra Evans,1932, Identification Indian Butterflies (2): 231. Syntypes ♂♀: [Pakistan]: Baluchistan, >7000ft. Range (in code): BI PK
- 15843. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) bogra taftanus Eckweiler,1997** (Lycaenidae) Synonym(s): *taftanus* Eckweiler,1997 Original Reference: Polyommatus (Agrodiaetus) bogra ssp. taftanus Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 14-16, figs. Holotype ♂: Iran: Beludschistan: Kuh-e-Taftan, Varaj, 2200-2700m. Range (in code): Ss IR
- 15844. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri Ten Hagen,1998** (Lycaenidae) Synonym(s): *eckweileri* Hagen,1998 Original Reference: Polyommatus (Agrodiaetus) eckweileri Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 18 (4): 315-318, Abb. 1-4. Holotype ♂: Iran: Kashan: Qamsar, Ghorod Janin Paß, 2500-2600m (SMF). Range (in code): IR Kh
- 15845. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) eckweileri eckweileri Ten Hagen,1998** (Lycaenidae) Synonym(s): *eckweileri* Hagen,1998 Original Reference: Polyommatus (Agrodiaetus) eckweileri Ten Hagen,1998, Nachr. ent. Ver. Apollo (N.F.) 18 (4): 315-318, Abb. 1-4. Holotype ♂: Iran: Kashan: Qamsar, Ghorod Janin Paß, 2500-2600m (SMF). Range (in code): IR Kh
- 15846. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii (Lederer,1869)** (Lycaenidae) Synonym(s): *erschoffii* Lederer,1869 Original Reference: Lycaena erschoffii Lederer,1869, Horae Soc. ent. ross. 6: 80, Taf.4 figs. 4-5. Syntypes ♂♀: [Iran: Elburs Mts.]: "Hadschyabad und Schaku". Range (in code): IR AF Kp TM
- 15847. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii erschoffii (Lederer,1869)** (Lycaenidae) Synonym(s): *erschoffii* Lederer,1869 Original Reference: Lycaena erschoffii Lederer,1869, Horae Soc. ent. ross. 6: 80, Taf.4 figs. 4-5. Syntypes ♂♀: [Iran: Elburs Mts.]: "Hadschyabad und Schaku". Range (in code): IR
- 15848. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii pashtu Eckweiler,1997** (Lycaenidae) Synonym(s): *pashtu* Eckweiler,1997 Original Reference: Polyommatus (Agrodiaetus) erschoffii ssp. pashtu Eckweiler,1997, Nachr. ent. Ver. Apollo (N.F.) Suppl. 16: 16-17, fig. Holotype ♂: Afghanistan: Kotale Altimur 2900m (coll.Eckweiler). (Range (in code): AF
- 15849. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii tahirides Eckweiler,1998** (Lycaenidae) Synonym(s): *tahirides* Eckweiler,1998 Original Reference: Polyommatus (Agrodiaetus) erschoffii ssp. tahirides Eckweiler,1998, Nachr. ent. Ver. Apollo (N.F.) 19(3/4): 225-228, figs. Holotype ♂: Iran: Khorasan: Kuh-e-Sorkh (Ost), S. Kallehmenar, 45km. S. Fariman, 2300-2400m. Range (in code): IR Kh
- 15850. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) erschoffii tekkeanus (Christoph,1887)** (Lycaenidae) Synonym(s): *tekkeanus* Christoph,1887 Original Reference: Lycaena erschoffii var. tekkeana Christoph,1887, [in] Romanoff, Mém. lépid. 3: 52, pl.3 fig.1. Holotype ♂: [Turkmenistan]: Kopet Mts., "aus dem Gebirge bei Ashkabad" (ZIANP). Range (in code): Kp TM
- 15851. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) frauvarianae Balint,1997** (Lycaenidae) Synonym(s): *frauvarianae* Balint,1997 Original Reference: Polyommatus frauvarianae Balint,1997, Neue ent. Nachr. 40: 49, Pls. Holotype ♂: Afghanistan: Band-i Amir, 3000m. (in NHMW). Range (in code): AF
- 15852. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) frauvarianae frauvarianae Balint,1997** (Lycaenidae) Synonym(s): *frauvarianae* Balint,1997 Original Reference: Polyommatus frauvarianae Balint,1997, Neue ent. Nachr. 40: 49, Pls. Holotype ♂: Afghanistan: Band-i Amir, 3000m. (in NHMW). Range (in code): AF
- 15853. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias (Lederer,1871)** (Lycaenidae) Synonym(s): *glaucias* Lederer,1871 Original Reference: Lycaena glaucias Lederer,1871, Horae Soc. ent. ross. 8: 10, Taf.I figs. 6,7. Syntypes: [Iran]: Astrabad [=Gorgan]. Range (in code): IR Gor Kp TM

- 15854. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) glaucias glaucias (Lederer,1871)** (Lycaenidae) Synonym(s): *glaucias Lederer,1871* Original Reference: *Lycaena glaucias Lederer,1871, Horae Soc. ent. ross. 8: 10, Taf.I figs. 6,7. Syntypes: [Iran]: Astrabad [=Gorgan]. Range (in code): IR Gor Kp TM*
- 15855. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausschuriani Ten Hagen,1999** (Lycaenidae) Synonym(s): *klausschuriani Ten Hagen,1999* Original Reference: *Polyommatus (Agrodiaetus) klausschuriani Ten Hagen,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-23, figs. Holotype ♂: Iran: Mazanderan, Elburs, vic. Veresk, 1800-2000m (SMFL). Range (in code): IR Mz Elb*
- 15856. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) klausschuriani klausschuriani Ten Hagen,1999** (Lycaenidae) Synonym(s): *klausschuriani Ten Hagen,1999* Original Reference: *Polyommatus (Agrodiaetus) klausschuriani Ten Hagen,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-23, figs. Holotype ♂: Iran: Mazanderan, Elburs, vic. Veresk, 1800-2000m (SMFL). Range (in code): IR Mz Elb*
- 15857. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) magnificus (Groum-Grshimailo,1885)** (Lycaenidae) Synonym(s): *magnificus Groum-Grshimailo,1885; superbus Staudinger,1887.* Original Reference: *Lycaena magnifica Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 232. Syntypes: [Tadjikistan: Trans-Alai]: "in einem kleinen schluchtartigen Thale, eine Werst weit von Kitschi-Karamuk". Range (in code): TJ*
- 15858. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) magnificus magnificus (Groum-Grshimailo,1885)** (Lycaenidae) Synonym(s): *magnificus Groum-Grshimailo,1885; superbus Staudinger,1887.* Original Reference: *Lycaena magnifica Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 232. Syntypes: [Tadjikistan: Trans-Alai]: "in einem kleinen schluchtartigen Thale, eine Werst weit von Kitschi-Karamuk". Range (in code): TJ*
- 15859. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) nadirus (Moore,1884)** (Lycaenidae) Synonym(s): *nadirus Moore,1884* Original Reference: *Lycaena nadira Moore, 1884, J. asiat. Soc. Beng. 53 (2): 24. Type ♀: Afghanistan: Kabul. Range (in code): AF Kab*
- 15860. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) sephidarensis Karbalaye,2008** (Lycaenidae) Synonym(s): *sephidarensis Karbalaye,2008* Original Reference: *Polyommatus (Agrodiaetus) sephidarensis Karbalaye,2008, Atalanta 39 (1/4): 311-313, figs. Holotype ♂: Iran: Fars Prov., Sephidar Mts. (PPDRI). Range (in code): IR Fa*
- 15861. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) sephidarensis sephidarensis Karbalaye,2008** (Lycaenidae) Synonym(s): *sephidarensis Karbalaye,2008* Original Reference: *Polyommatus (Agrodiaetus) sephidarensis Karbalaye,2008, Atalanta 39 (1/4): 311-313, figs. Holotype ♂: Iran: Fars Prov., Sephidar Mts. (PPDRI). Range (in code): IR Fa*
- 15862. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis Ten Hagen & Eckweiler,2001** (Lycaenidae) Synonym(s): *shirkuhensis Ten Hagen & Eckweiler,2001* Original Reference: *Polyommatus (Agrodiaetus) shirkuhensis Ten Hagen & Eckweiler,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 53-56, Abb. 5-8, 14. Holotype ♂: Iran: Yazd, Shir Kuh, Deh Bala S. Taft, 2600-2900m (SMFL). Range (in code): IR Yz*
- 15863. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) shirkuhensis shirkuhensis Ten Hagen & Eckweiler,2001** (Lycaenidae) Synonym(s): *shirkuhensis Ten Hagen & Eckweiler,2001* Original Reference: *Polyommatus (Agrodiaetus) shirkuhensis Ten Hagen & Eckweiler,2001, Nachr. ent. Ver. Apollo (N.F.) 22 (2): 53-56, Abb. 5-8, 14. Holotype ♂: Iran: Yazd, Shir Kuh, Deh Bala S. Taft, 2600-2900m (SMFL). Range (in code): IR Yz*
- 15864. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni Schurian & Eckweiler,1999** (Lycaenidae) Synonym(s): *tenhageni Schurian & Eckweiler,1999* Original Reference: *Polyommatus (Agrodiaetus) tenhageni Schurian & Eckweiler,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 120-123, figs. Holotype ♂: Iran: Khorasan, Kuh-e-Sorkh, nördl. Torbat-e-Heydariyeh, Paß S. Robat Sang, 1800m (SMFL) Range (in code): IR Kh*
- 15865. Polyommatus (s.str. (Agrodiaetus (Paragrodiaetus))) tenhageni tenhageni Schurian & Eckweiler,1999** (Lycaenidae) Synonym(s): *tenhageni Schurian & Eckweiler,1999* Original Reference: *Polyommatus (Agrodiaetus) tenhageni Schurian & Eckweiler,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 120-123, figs. Holotype ♂: Iran: Khorasan, Kuh-e-Sorkh, nördl. Torbat-e-Heydariyeh, Paß S. Robat Sang, 1800m (SMFL) Range (in code): IR Kh*
- 15866. Polyommatus (s.str. (Agrodiaetus (Peileia))) peilei (Bethune-Baker,1921)** (Lycaenidae) Synonym(s): *peilei Bethune-Baker,1921* Original Reference: *Lycaena peilei Bethune-*

- Baker, 1921, Entomologist's Rec. J. Var. 33: 63. Syntypes: [Iran]: Karind Gorge. Range (in code): **IR Kd Bne Lo Krd Sq**
- 15867. Polyommatus (s.str. (Agrodiaetus (Peileia))) peilei peilei (Bethune-Baker, 1921)** (Lycaenidae) Synonym(s): *peilei Bethune-Baker, 1921* Original Reference: *Lycaena peilei Bethune-Baker, 1921, Entomologist's Rec. J. Var. 33: 63. Syntypes: [Iran]: Karind Gorge. Range (in code):* **IR Kd Bne Lo Krd Sq**
- 15868. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi (De Lesse, 1959)** (Lycaenidae) Synonym(s): *baytopi De Lesse, 1959* Original Reference: *Agrodiaetus baytopi De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (7/9): 44-48, figs. 1-8. Holotype ♂: Turquie: Ağrı Prov., Doğubayazıt (MHNP). Range (in code):* **TR Cc IR Ak Ab Sil Arr**
- 15869. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi baytopi (De Lesse, 1959)** (Lycaenidae) Synonym(s): *baytopi De Lesse, 1959* Original Reference: *Agrodiaetus baytopi De Lesse, 1959, Bull. Soc. ent. Mulhouse 1959 (7/9): 44-48, figs. 1-8. Holotype ♂: Turquie: Ağrı Prov., Doğubayazıt (MHNP). Range (in code):* **TR Cc IR Ak Ab Sil Arr**
- 15870. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi ilkkursun Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *ilkkursun Koçak & Kemal, 2001* Original Reference: *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) baytopi ssp. ilkkursun Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78 / 79: 10. Holotype ♂: Türkiye: Van: Çatak 35km N, 2000-2200m (coll. Cesa). Range (in code):* **TR**
- 15871. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius Eckweiler & Ten Hagen, 1998** (Lycaenidae) Synonym(s): *darius Eckweiler & Ten Hagen, 1998* Original Reference: *Polyommatus (Agrodiaetus) darius Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo (N.F.) 19 (2): 110-112, Abb. 1-6. Holotype ♂: Iran: Demavend, Polur, 2400m (in coll. Eckweiler). Range (in code):* **IR Elb Dam Ak**
- 15872. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius darius Eckweiler & Ten Hagen, 1998** (Lycaenidae) Synonym(s): *darius Eckweiler & Ten Hagen, 1998* Original Reference: *Polyommatus (Agrodiaetus) darius Eckweiler & Ten Hagen, 1998, Nachr. ent. Ver. Apollo (N.F.) 19 (2): 110-112, Abb. 1-6. Holotype ♂: Iran: Demavend, Polur, 2400m (in coll. Eckweiler). Range (in code):* **IR Elb Dam**
- 15873. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) darius masulensis Ten Hagen & Schurian, 2000** (Lycaenidae) Synonym(s): *masulensis Ten Hagen & Schurian, 2000* Original Reference: *Polyommatus (Agrodiaetus) darius ssp. masulensis Ten Hagen & Schurian, 2000, Nachr. ent. Ver. Apollo N.F. 21 (2): 113-115, figs. 1-6. Holotype ♂: Iran: Azarbaygan-e Sharqi, 20km NW Masuleh, 2300-2400m (SMFL). Range (in code):* **IR Ak**
- 15874. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) ıgisizilim Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *ıgisizilim Koçak & Kemal, 2001* Original Reference: *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) ıgisizilim Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78/79: 10. Holotype ♂: Türkiye: Van: Bahçesaray, Karabel geçidi, 2700m (coll. Cesa). Range (in code):* **TR**
- 15875. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) ıgisizilim ıgisizilim Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *ıgisizilim Koçak & Kemal, 2001* Original Reference: *Polyommatus (s.str. (Agrodiaetus (Phyllisia))) ıgisizilim Koçak & Kemal, 2001, Cent. ent. Stud., Misc. Pap. 78/79: 10. Holotype ♂: Türkiye: Van: Bahçesaray, Karabel geçidi, 2700m (coll. Cesa). Range (in code):* **TR**
- 15876. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon Eckweiler & Rose, 1993** (Lycaenidae) Synonym(s): *iphicarmon Eckweiler & Rose, 1993* Original Reference: *Polyommatus (Agrodiaetus) iphigenia ssp. iphicarmon Eckweiler & Rose, 1993, Nachr. ent. Ver. Apollo N.F. 13(3a): 360-361, figs. Holotype ♂: Türkiye: Isparta, Eğridir, Aksu, Dedegöl Dağ, 1500-1800m. Range (in code):* **TR**
- 15877. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphicarmon iphicarmon Eckweiler & Rose, 1993** (Lycaenidae) Synonym(s): *iphicarmon Eckweiler & Rose, 1993* Original Reference: *Polyommatus (Agrodiaetus) iphigenia ssp. iphicarmon Eckweiler & Rose, 1993, Nachr. ent. Ver. Apollo N.F. 13(3a): 360-361, figs. Holotype ♂: Türkiye: Isparta, Eğridir, Aksu, Dedegöl Dağ, 1500-1800m. Range (in code):* **TR**
- 15878. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon (Staudinger, 1899)** (Lycaenidae) Synonym(s): *iphidamon Staudinger, 1899* Original Reference: *Lycaena damone var. iphidamon Staudinger, 1899, Dt. ent. Z., Iris 12: 144. Lectotype ♂: [Iran]: Schakuh, designated by Forster, 1960, Z. Wien. ent. Ges. 45: 118. Range (in code):* **IR Ak Ab Elb Gor Shh**

- 15879. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphidamon iphidamon (Staudinger,1899)** (Lycaenidae) Synonym(s): *iphidamon Staudinger,1899* Original Reference: *Lycaena damone* var. *iphidamon* Staudinger,1899, Dt. ent. Z., Iris 12: 144. Lectotype ♂: [Iran]: Schakuh, designated by Forster,1960, Z. Wien. ent. Ges. 45: 118. Range (in code): IR Ab Ak Elb Gor Shh
- 15880. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *iphigenia Herrich-Schäffer,[1847]* Original Reference: *Lycaena iphigenia* Herrich-Schäffer,[1847], Syst. Bearb. Schmett. Eur. 1: pl.73, fig.354; [1851], ibid.6:24. Syntypes: Türkei: [Bursa, Uludağ]. Range (in code): IR Ab Qo GR TR Arr AM Cc IR Ab Bionomy: Larva on *Onobrychis alba* (Tolman,1997).
- 15881. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia araratensis (De Lesse,1957)** (Lycaenidae) Synonym(s): *araratensis De Lesse,1957* Original Reference: *Agrodiaetus araratensis* De Lesse, 1957, Lambillionea 57: 66-69. Holotype ♂: Turquie: Hama Dag, 2400m; Ağrı Mt. 2800-3200m. (MHNP). Range (in code): IR Ab Qo TR Arr AM Cc
- 15882. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia barthae (Pfeiffer,1932)** (Lycaenidae) Synonym(s): *barthae Pfeiffer,1932*; *#zuleikae Pfeiffer,1932*. Original Reference: *Lycaena iphigenia* ssp. *barthae* Pfeiffer,1932, Mitt. münch. ent. Ges. 22:47, Pl.4 figs.6,20. Holotype ♂: [Türkei]: türkisch Nordsyrien: Marasch, 600-900m (ZSM). Range (in code): TR
- 15883. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia iphigenia (Herrich-Schäffer,[1847])** (Lycaenidae) Synonym(s): *iphigenia Herrich-Schäffer,[1847]* Original Reference: *Lycaena iphigenia* Herrich-Schäffer,[1847], Syst. Bearb. Schmett. Eur. 1: pl.73, fig.354; [1851], ibid.6:24. Syntypes: Türkei: [Bursa, Uludağ]. Range (in code): TR Cc
- 15884. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia manuelae Eckweiler & Schurian,2013** (Lycaenidae) Synonym(s): *manuelae Eckweiler & Schurian,2013* Original Reference: *Polyommatus (Agrodiaetus) iphigenia* ssp. *manuelae* Eckweiler & Schurian,2013, Nachr. ent. Ver. Apollo (N.F.) 33 (4): 185-186. Holotype ♂: Turkey, Hakkari Prov. Kırıkdağ, Dez-Tal 2100-2200m leg. Eckweiler (SMNK). Range (in code): TR
- 15885. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) iphigenia nonacriensis (Brown,1977)** (Lycaenidae) Synonym(s): *nonacriensis Brown,1977* Original Reference: *Agrodiaetus iphigenia* ssp. *nonacriensis* Brown,1977, Entomologist's Gaz. 28 (1): 3. Holotype ♂: Greece: Peloponnesos: Mountains of N. Peloponnesos, 1200m (in coll. J. Brown). Range (in code): GR
- 15886. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii (De Lesse,1963)** (Lycaenidae) Synonym(s): *mofidii De Lesse,1963* Original Reference: *Agrodiaetus mofidii* de Lesse,1963, Alexanor 3: 34-35. Holotype ♂: Iran: Kopet Dag: Koutchan, 1800m. Range (in code): IR Kh Qh
- 15887. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii mofidii (De Lesse,1963)** (Lycaenidae) Synonym(s): *mofidii De Lesse,1963* Original Reference: *Agrodiaetus mofidii* de Lesse,1963, Alexanor 3: 34-35. Holotype ♂: Iran: Kopet Dag: Koutchan, 1800m. Range (in code): IR Kh Qh
- 15888. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) mofidii sorkhensis Eckweiler,2003** (Lycaenidae) Synonym(s): *sorkhensis Eckweiler,2003* Original Reference: *Polyommatus (Agrodiaetus) mofidii* ssp. *sorkhensis* Eckweiler,2003, Nachr. ent. Ver. Apollo (n.s.) 24 (1/2): 52, figs. Holotype ♂: Iran, Khorasan, Kuh-e-Sorkh (Ost), S Kallehmenar 45km S Fariman, 2300-2400m 12 vii 1998 leg.Eckweiler (SMFL). Range (in code): IR Kh
- 15889. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis (Christoph,1877)** (Lycaenidae) Synonym(s): *phyllis Christoph,1877* Original Reference: *Lycaena damon* var. *phyllis* Christoph,1877, Horae Soc. ent. ross. 12: 237-238, Taf.v fig. 9,10. Lectotype ♂: [Iran: Elburs]: "bei Schakuh", designated by Eckweiler & Ten Hagen,1998, Nachr. ent. Ver. Apollo 19 (2): 113 (MNHU). Range (in code): Cc RU Da AM AZ IR Elb Shh Nv TR IQ GG
- 15890. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis dagestanicus (Forster,1960)** (Lycaenidae) Synonym(s): *dagestanica Forster,1960* Original Reference: *Agrodiaetus phyllis* ssp. *dagestanica* Forster,1960, Z. Wien. ent. Ges. 45: 134, Taf.10,11,fig.28. Holotype ♂: [Russia]: Dagestan: Chodzhah-machi (ZSM). Range (in code): Cc RU Da
- 15891. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) phyllis nekrutenkoi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *nekrutenkoi Dantchenko &*

- Lukhtanov,1994* Original Reference: *Polyommatus (Agrodiaetus) phyllis* ssp. *nekrutenkoi* Dantchenko & Lukhtanov,1994, *Atalanta* 25 (1/2): 210-211, pl.viii figs.13-16. Holotype ♂: Azerbaidzhan, East Caucasus: Mt. Duihrar (ZISP). Range (in code): **Cc AZ**
- 15892. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis phyllis* (Christoph,1877)** (Lycaenidae) Synonym(s): *phyllis* Christoph,1877 Original Reference: *Lycaena damon* var. *phyllis* Christoph,1877, *Horae Soc. ent. ross.* 12: 237-238, Taf.v fig. 9,10. Lectotype ♂: [Iran: Elburs]: "bei Schahkuh", designated by Eckweiler & Ten Hagen,1998, *Nachr. ent. Ver. Apollo* 19 (2): 113 (MNHU). Range (in code): **IR Elb Shh**
- 15893. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis wolfgangeckweiler* Koçak & Kemal,2000** (Lycaenidae) Synonym(s): *sheljuzhkoi* Forster,1960 nec Obratzov,1935; *wolfgangeckweiler* Koçak & Kemal,2000. Original Reference: *Polyommatus* (s.str. (*Agrodiaetus*)) *phyllis* ssp. *wolfgangeckweiler* Koçak & Kemal,2000, *Centr. ent. Stud., Misc. Pap.* 62: 7. Nomen novum pro *sheljuzhkoi* Forster,1960 nec Obratzov,1935. Holotype ♂ (for *sheljuzhkoi* Forster,1960): Armenien: Mt.Daralagez. Range (in code): **Cc AM Alg GG Nv AZ**
- 15894. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *phyllis zeitunus* (Forster,1960)** (Lycaenidae) Synonym(s): *zeituna* Forster,1960 Original Reference: *Agrodiaetus phyllis* ssp. *zeituna* Forster,1960, *Z. Wien. ent. Ges.* 45: 129-130, Taf.10,11 fig.23. Holotype ♂: [Türkei]: Zeitun [=Suleymanlı] (ZSM). Range (in code): **TR**
- 15895. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus* (Christoph,1877)** (Lycaenidae) Synonym(s): *posthumus* Christoph,1877 Original Reference: *Lycaena damon* var. *posthumus* Christoph,1877, *Horae Soc. ent. ross.* 12: 238-239, Taf.v fig.11. Lectotype ♂: [Iran: Elburs]: "auf dem Schahkuh-Gebirge", designated by Eckweiler & Ten Hagen,1998, *Nachr. ent. Ver. Apollo* 19 (2): 113 (MNHU). Range (in code): **IR Elb Shh**
- 15896. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus birunii* Eckweiler & Ten Hagen,1998** (Lycaenidae) Synonym(s): *birunii* Eckweiler & Ten Hagen,1998 Original Reference: *Polyommatus* (*Agrodiaetus*) *posthumus* ssp. *birunii* Eckweiler & Ten Hagen,1998, *Nachr. ent. Ver. Apollo* 19 (2): 116-118. Holotype ♂: Iran: Elburs Gebirge: 15km E. Firuzkuh Pass 2300-2400m (in coll. Eckweiler). Range (in code): **Elb IR**
- 15897. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *posthumus posthumus* (Christoph,1877)** (Lycaenidae) Synonym(s): *posthumus* Christoph,1877 Original Reference: *Lycaena damon* var. *posthumus* Christoph,1877, *Horae Soc. ent. ross.* 12: 238-239, Taf.v fig.11. Lectotype ♂: [Iran: Elburs]: "auf dem Schahkuh-Gebirge", designated by Eckweiler & Ten Hagen,1998, *Nachr. ent. Ver. Apollo* 19 (2): 113 (MNHU). Range (in code): **IR Elb Shh**
- 15898. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *rovshani* Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *rovshani* Dantchenko & Lukhtanov,1994 Original Reference: *Polyommatus* (*Agrodiaetus*) *rovshani* Dantchenko & Lukhtanov,1994, *Atalanta* 25 (1/2): 208-209, Pl.8, figs.5-8. Holotype ♂: Azerbaidzhan, Talysh Mts., Zuvand, Mistan 1900m. Range (in code): **Cc AZ IR Ak Ab**
- 15899. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *rovshani rovshani* Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *rovshani* Dantchenko & Lukhtanov,1994 Original Reference: *Polyommatus* (*Agrodiaetus*) *rovshani* Dantchenko & Lukhtanov,1994, *Atalanta* 25 (1/2): 208-209, Pl.8, figs.5-8. Holotype ♂: Azerbaidzhan, Talysh Mts., Zuvand, Mistan 1900m. Range (in code): **Cc AZ IR Ak Ab**
- 15900. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri* (De Lesse,1960)** (Lycaenidae) Synonym(s): *tankeri* De Lesse,1960 Original Reference: *Agrodiaetus tankeri* De Lesse, 1960, *Bull. Soc. ent. Mulhouse* 1960 (10): 76-77. Holotype ♂: Turquie: [Bayburt Province]: Kop Dağı Geçidi, 2400-2600m. (MHNP). Range (in code): **TR Cc**
- 15901. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *tankeri tankeri* (De Lesse,1960)** (Lycaenidae) Synonym(s): *tankeri* De Lesse,1960 Original Reference: *Agrodiaetus tankeri* De Lesse, 1960, *Bull. Soc. ent. Mulhouse* 1960 (10): 76-77. Holotype ♂: Turquie: [Bayburt Province]: Kop Dağı Geçidi, 2400-2600m. (MHNP). Range (in code): **TR Cc**
- 15902. *Polyommatus* (s.str. (*Agrodiaetus* (*Phyllisia*))) *vanensis* (De Lesse,1957)** (Lycaenidae) Synonym(s): *vanensis* De Lesse,1957 Original Reference: *Agrodiaetus vanensis* De Lesse,1957, *Lambillionea* 1957 (9/10): 69-71. Holotype ♂: Turquie: Ağrı: Doğubayazıt, 2100m. (MHNP). Range (in code): **TR IQ Er Ry Cc AM IR Ak Ab GG**

- 15903. Polyommatus (s.str. (Agrodiaetus (Phyllisia))) vanensis vanensis (De Lesse,1957)** (Lycaenidae) Synonym(s): *vanensis* De Lesse,1957 Original Reference: *Agrodiaetus vanensis* De Lesse,1957, *Lambillionea* 1957 (9/10): 69-71. Holotype ♂: Turquie: Agri: Dogubayazit, 2100m. (MHNP). Range (in code): **TR IQ Er Ry Cc AM IR Ak Ab GG**
- 15904. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) altivagans (Forster,1956)** (Lycaenidae) Synonym(s): *altivagans* Forster,1956; *vaspurakani* Lukhtanov & Dantchenko,2003 Original Reference: *Agrodiaetus altivagans* Forster,1956, *Z. Wien. ent. Ges.* 41: 60, pl.8,9 figs. Holotype ♂: Armenien: Daralagez: Jarzud, supra pag. Martiros. Range (in code): **IR Ab Nv Ak Mrd Tbz TR RU Da Cc AZ AM Alg Arr**
- 15905. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) altivagans altivagans (Forster,1956)** (Lycaenidae) Synonym(s): *altivagans* Forster,1956; *vaspurakani* Lukhtanov & Dantchenko,2003 Original Reference: *Agrodiaetus altivagans* Forster,1956, *Z. Wien. ent. Ges.* 41: 60, pl.8,9 figs. Holotype ♂: Armenien: Daralagez: Jarzud, supra pag. Martiros. Range (in code): **IR Nv TR RU Da Cc AZ AM Alg Arr**
- 15906. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) anticarmon (Koçak,1983)** (Lycaenidae) Synonym(s): *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994 Original Reference: *Agrodiaetus anticarmon* Koçak,1983, *Priamus* 3 (1): 34-35. Holotype ♂: East Turkey: [Hakkari Prov., Şemdinli] (in coll.Cesa). Range (in code): **TR**
- 15907. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) anticarmon anticarmon (Koçak,1983)** (Lycaenidae) Synonym(s): *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994 Original Reference: *Agrodiaetus anticarmon* Koçak,1983, *Priamus* 3 (1): 34-35. Holotype ♂: East Turkey: [Hakkari Prov., Şemdinli] (in coll.Cesa). Range (in code): **TR**
- 15908. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) arasbarani (Carbonell & Naderi,2000)** (Lycaenidae) Synonym(s): *arasbarani* Carbonell & Naderi,2000 Original Reference: *Agrodiaetus arasbarani* Carbonell & Naderi,2000, *Linneana Belg.* 17 (5): 218-219, figs. Holotype ♂: Iran: Azarbayejan-e- Sharqi: Arasbaran 1600-2200m. (Mus. Hist. nat. Karaj, Iran). Range (in code): **IR Ak AM Cc**
- 15909. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) arasbarani arasbarani (Carbonell & Naderi,2000)** (Lycaenidae) Synonym(s): *arasbarani* Carbonell & Naderi,2000 Original Reference: *Agrodiaetus arasbarani* Carbonell & Naderi,2000, *Linneana Belg.* 17 (5): 218-219, figs. Holotype ♂: Iran: Azarbayejan-e- Sharqi: Arasbaran 1600-2200m. (Mus. Hist. nat. Karaj, Iran). Range (in code): **IR Ak**
- 15910. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) arasbarani ihmal Koçak & Kemal,2008** (Lycaenidae) Synonym(s): *neglectus* Dantchenko,2000 nec Strad. & Arz.,1999; *ihmal* Koçak & Kemal,2008 Original Reference: *Polyommatus* (s.str. (*Agrodiaetus*)) *arasbarani* ssp. *ihmal* Koçak & Kemal,2008, *Cent. ent. Stud., Misc. Pap.* 143: 7 (nom. nov. pro *neglectus* Dantchenko,2000 *neglectus* Stradomsky & Arzanov,1999). Type: Armenia: Migry. Range (in code): **AM Cc**
- 15911. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) aserbeidschanus (Forster,1956)** (Lycaenidae) Synonym(s): *aserbeidschana* Forster,1956 Original Reference: *Agrodiaetus transcaspica* ssp. *aserbeidschana* Forster,1956, *Z. Wien. ent. Ges.* 41: 72-74, figs. Holotype ♂: Armenia: Mts. Zangezur, pag. Kadzharantz (pr. mts. Kapudzhich). Range (in code): **Cc AZ AM Da GG Nv TR IR Ab**
- 15912. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) aserbeidschanus aserbeidschanus (Forster,1956)** (Lycaenidae) Synonym(s): *aserbeidschana* Forster,1956 Original Reference: *Agrodiaetus transcaspica* ssp. *aserbeidschana* Forster,1956, *Z. Wien. ent. Ges.* 41: 72-74, figs. Holotype ♂: Armenia: Mts. Zangezur, pag. Kadzharantz (pr. mts. Kapudzhich). Range (in code): **Cc AZ AM Da GG Nv TR IR Ab**
- 15913. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) caeruleus (Staudinger,1871)** (Lycaenidae) Synonym(s): *caeruleus* Staudinger,1871 Original Reference: *Lycaena damon* var.? *caerulea* Staudinger,1871, *Cat. Lepid. Eur. Faunengeb.* (2): 13. Syntypes ♂♀: [Iran]: Hyrcanien alp. [Astrabad]. Range (in code): **IR Cc TR Gor Mz Elb**
- 15914. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) caeruleus caeruleus (Staudinger,1871)** (Lycaenidae) Synonym(s): *caeruleus* Staudinger,1871 Original Reference: *Lycaena damon* var.? *caerulea* Staudinger,1871, *Cat. Lepid. Eur. Faunengeb.* (2): 13. Syntypes ♂♀: [Iran]: Hyrcanien alp. [Astrabad]. Range (in code): **IR Cc TR Gor Elb**

- 15915. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) caeruleus khoshyeilaqi (Blom,1979)** (Lycaenidae) Synonym(s): *khoshyeilaqi* Blom,1979 Original Reference: *Agrodiaetus khoshyeilaqi* Blom,1979, Ent. Ber., Amst. 39: 12, figs.8,9. Holotype ♂: Iran: Mazandaran Prov., Khosh Yeilaq, Kuh-e-Sovar, 2000-2500m (in coll. Blom). Range (in code): IR Mz Elb
- 15916. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) damonides (Staudinger,1899)** (Lycaenidae) Synonym(s): *damonides* Staudinger,1899 Original Reference: *Lycaena damone* var. *damonides* Staudinger,1899, Dt. ent. Z., Iris 12: 138-139. Lectotype ♂: [Azerbaijan: Nachitshevan]: Ordubad [recte Ordubad] (MNHUB). Range (in code): Cc AM AZ Nv
- 15917. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) damonides damonides (Staudinger,1899)** (Lycaenidae) Synonym(s): *damonides* Staudinger,1899 Original Reference: *Lycaena damone* var. *damonides* Staudinger,1899, Dt. ent. Z., Iris 12: 138-139. Lectotype ♂: [Azerbaijan: Nachitshevan]: Ordubad [recte Ordubad] (MNHUB). Range (in code): Cc AM AZ Nv
- 15918. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) dizinensis (Schurian,1982)** (Lycaenidae) Synonym(s): *dizinensis* Schurian,1982 Original Reference: *Agrodiaetus dizinensis* Schurian,1982, Ent. Z., Frankf. a. M. 92(7): 92, fig. Holotype ♂: [Iran]: elburz mts., Prov. Teheran, Dizin bei Gajereh, 3500m. Range (in code): IR Th Elb
- 15919. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) dizinensis dizinensis (Schurian,1982)** (Lycaenidae) Synonym(s): *dizinensis* Schurian,1982 Original Reference: *Agrodiaetus dizinensis* Schurian,1982, Ent. Z., Frankf. a. M. 92(7): 92, fig. Holotype ♂: [Iran]: elburz mts., Prov. Teheran, Dizin bei Gajereh, 3500m. Range (in code): IR Th Elb
- 15920. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) elbursicus (Forster,1956)** (Lycaenidae) Synonym(s): *elbursica* Forster,1956. Original Reference: *Agrodiaetus transcaspica* ssp. *elbursica* Forster,1956, Z. Wien. ent. Ges. 41: 74-76, figs. Holotype ♂: [Iran]: Persia sept., Elburs mts. c., Kendevan-Paß, 2800-3000m. Range (in code): IR Elb Th Gh
- 15921. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) elbursicus elbursicus (Forster,1956)** (Lycaenidae) Synonym(s): *elbursica* Forster,1956. Original Reference: *Agrodiaetus transcaspica* ssp. *elbursica* Forster,1956, Z. Wien. ent. Ges. 41: 74-76, figs. Holotype ♂: [Iran]: Persia sept., Elburs mts. c., Kendevan-Paß, 2800-3000m. Range (in code): IR Elb Th
- 15922. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) elbursicus gilanensis Eckweiler,2002** (Lycaenidae) Synonym(s): *gilanensis* Eckweiler,2002 Original Reference: *Polyommatus (Agrodiaetus) elbursicus* ssp. *gilanensis* Eckweiler,2002, Nachr. ent. Ver. Apollo (N.F.) 23 (1/2): 77, figs. Holotype ♂: Iran, Gilan, Rudbar 10km W Baresar 1300m leg.Eckweiler. Range (in code): IR Gh
- 15923. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) eurypilos (Gerhard,[1851])** (Lycaenidae) Synonym(s): *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 Original Reference: *Lycaena eurypilos* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 11, Pl.20 figs.1a-c. Syntypes: "Türkei". Neotype ♂: Turkey: Tokat Prov., Çamlıbel 1300m, selected by Koçak,2000, Misc. Pap. 65/66: 9 (CESA). Range (in code): TR Cc
- 15924. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) eurypilos eurypilos (Gerhard,[1851])** (Lycaenidae) Synonym(s): *eurypilos* Gerhard,[1851]; *carmon* Herrich-Schäffer,[1851 December]; *munzuricus* Rose,1978 Original Reference: *Lycaena eurypilos* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 11, Pl.20 figs.1a-c. Syntypes: "Türkei". Neotype ♂: Turkey: Tokat Prov., Çamlıbel 1300m, selected by Koçak,2000, Misc. Pap. 65/66: 9 (CESA). Range (in code): TR Cc
- 15925. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) guezelmavi Olivier et al.,1999** (Lycaenidae) Synonym(s): *guezelmavi* Olivier et al.,1999 Original Reference: *Polyommatus (Agrodiaetus) guezelmavi* Olivier et al.,1999, Phegea 27(1): 5-7, figs. Holotype ♂: Turkey: Konya, Taşkent, Palaz Dağı, 1500-1600m (ISZMA). Range (in code): TR
- 15926. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) guezelmavi guezelmavi Olivier et al.,1999** (Lycaenidae) Synonym(s): *guezelmavi* Olivier et al.,1999 Original Reference: *Polyommatus (Agrodiaetus) guezelmavi* Olivier et al.,1999, Phegea 27(1): 5-7, figs. Holotype ♂: Turkey: Konya, Taşkent, Palaz Dağı, 1500-1600m (ISZMA). Range (in code): TR
- 15927. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) huberti (Carbonell,1993)** (Lycaenidae) Synonym(s): *huberti* Carbonell,1993 Original Reference: *Agrodiaetus huberti*

- Carbonell, 1993, *Linneana belg.* 14(2): 91, figs. Holotype ♂: Turquie: 15km N. Ağrı, 1700m (MNHN) Range (in code): TR Arr AM Cc IR Ab Sil
- 15928. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) huberti huberti (Carbonell, 1993)** (Lycaenidae) Synonym(s): huberti Carbonell, 1993 Original Reference: *Agrodiaetus huberti* Carbonell, 1993, *Linneana belg.* 14(2): 91, figs. Holotype ♂: Turquie: 15km N. Ağrı, 1700m (MNHN) Range (in code): TR Arr AM Cc IR Ab Sil
- 15929. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) kendevari (Forster, 1956)** (Lycaenidae) Synonym(s): kendevari Forster, 1956 Original Reference: *Agrodiaetus carmon* ssp. *kendevari* Forster, 1956, *Z. Wien. ent. Ges.* 41: 88-89, figs. Holotype ♂: [Iran]: Pers. Elbursgeb., Kendevarpaß, 2600-3100m. Range (in code): IR Elb Th Shh Gor
- 15930. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) kendevari kendevari (Forster, 1956)** (Lycaenidae) Synonym(s): kendevari Forster, 1956 Original Reference: *Agrodiaetus carmon* ssp. *kendevari* Forster, 1956, *Z. Wien. ent. Ges.* 41: 88-89, figs. Holotype ♂: [Iran]: Pers. Elbursgeb., Kendevarpaß, 2600-3100m. Range (in code): IR Elb Th
- 15931. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) kendevari pseudoxerxes (Forster, 1956)** (Lycaenidae) Synonym(s): pseudoxerxes Forster, 1956 Original Reference: *Agrodiaetus carmon* ssp. *pseudoxerxes* Forster, 1956, *Z. Wien. ent. Ges.* 41: 118-119, figs. Holotype ♂: [Iran]: Persia s., Elburs mts., Schahkuh. Range (in code): IR Elb Shh Gor
- 15932. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) lukhtanovi (Dantchenko, 2005)** (Lycaenidae) Synonym(s): lukhtanovi Dantchenko, 2005 Range (in code): Cc AZ
- 15933. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) lukhtanovi lukhtanovi (Dantchenko, 2005)** (Lycaenidae) Synonym(s): lukhtanovi Dantchenko, 2005 Range (in code): Cc AZ
- 15934. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) ninae (Forster, 1956)** (Lycaenidae) Synonym(s): ninae Forster, 1956 Original Reference: *Agrodiaetus transcaspica* ssp. *ninae* Forster, 1956, *Z. Wien. ent. Ges.* 41: 70, pls. 8, 9 figs. 23, 24. Holotype ♂: Armenia: Mts. Daralagez: Güartshin. Range (in code): Cc AM Alg TR IR Ak Ab Sil
- 15935. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) ninae ninae (Forster, 1956)** (Lycaenidae) Synonym(s): ninae Forster, 1956 Original Reference: *Agrodiaetus transcaspica* ssp. *ninae* Forster, 1956, *Z. Wien. ent. Ges.* 41: 70, pls. 8, 9 figs. 23, 24. Holotype ♂: Armenia: Mts. Daralagez: Güartshin. Range (in code): Cc AM TR IR Ak Ab Sil
- 15936. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) pierceae (Lukhtanov & Dantchenko, 2002)** (Lycaenidae) Synonym(s): pierceae Lukhtanov & Dantchenko, 2002; #ierceae Lukhtanov & Dantchenko, 2002 Original Reference: *Agrodiaetus pierceae* Lukhtanov & Dantchenko, 2002, *Atalanta* 33 (1/2): 100-102, figs. Holotype ♂: Turkey: Van Prov., Güzeldere geçidi 2700m 24.vii.2001 A.Dantchenko leg. (MCZH). Range (in code): TR
- 15937. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) schuriani (Rose, 1978)** (Lycaenidae) Synonym(s): #schuriani Rose, 1978 [conditionally proposed]; kunchuy Koçak, 1999 Original Reference: *Polyommatus* (s.str. (*Agrodiaetus*)) *kunchuy* Koçak, 1999, *Cent. ent. Stud.* 59: 5-6, figs. Holotype ♂: Turkey: Ankara Prov., Çal Dağı, 1100m. (in coll. Cesa). Range (in code): TR
- 15938. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) schuriani attalaensis Carbonell, Borie & De Prins, 2004** (Lycaenidae) Synonym(s): attalaensis Carbonell, Borie & De Prins, 2004 Range (in code): TR
- 15939. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) schuriani schuriani (Rose, 1978)** (Lycaenidae) Synonym(s): #schuriani Rose, 1978 [conditionally proposed]; kunchuy Koçak, 1999 Original Reference: *Polyommatus* (s.str. (*Agrodiaetus*)) *kunchuy* Koçak, 1999, *Cent. ent. Stud.* 59: 5-6, figs. Holotype ♂: Turkey: Ankara Prov., Çal Dağı, 1100m. (in coll. Cesa). Range (in code): TR
- 15940. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) shamil (Dantchenko, 2000)** (Lycaenidae) Synonym(s): shamil Dantchenko, 2000 Original Reference: *Agrodiaetus shamil* Dantchenko, 2000, [in] Tusov et al., *Guide Butts. Russia* 2: 199-200, pl. 80 figs. 25-27. Holotype ♂: NE. Caucasus: Daghestan, vicinity of Gunib, 1800m (ZSBS). Range (in code): Cc RU Da AZ Bionomy: Larva on *Onobrychis bobrovii* (Dantchenko, 2000).
- 15941. Polyommatus (s.str. (Agrodiaetus (Transcaspius))) shamil shamil (Dantchenko, 2000)** (Lycaenidae) Synonym(s): shamil Dantchenko, 2000 Original Reference: *Agrodiaetus shamil* Dantchenko, 2000, [in] Tusov et al., *Guide Butts. Russia* 2: 199-200, pl. 80

- figs. 25-27. Holotype ♂: NE. Caucasus: Daghestan, vicinity of Gunib, 1800m (ZSBS). Range (in code): **Cc RU Da AZ** Bionomy: Larva on *Onobrychis bobrovii* (Dantchenko,2000).
- 15942. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *surakovi Dantchenko & Lukhtanov,1994*; *sekercioglui Dantchenko & Lukhtanov,2002* Original Reference: *Polyommatus (Agrodiaetus) carmon ssp. surakovi Dantchenko & Lukhtanov,1994*, *Atalanta* 25 (1/2): 209, figs. Holotype ♂: Azerbaidzhan: Nakhichevan, Buzgov, 1000m. (in coll. Dantchenko). Range (in code): **AM Nv AZ Cc TR IR Ab**
- 15943. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) surakovi surakovi Dantchenko & Lukhtanov,1994** (Lycaenidae) Synonym(s): *surakovi Dantchenko & Lukhtanov,1994*; *sekercioglui Dantchenko & Lukhtanov,2002* Original Reference: *Polyommatus (Agrodiaetus) carmon ssp. surakovi Dantchenko & Lukhtanov,1994*, *Atalanta* 25 (1/2): 209, figs. Holotype ♂: Azerbaidzhan: Nakhichevan, Buzgov, 1000m. (in coll. Dantchenko). Range (in code): **TR AZ Nv Cc AM IR Ab**
- 15944. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus (Heyne,[1895])** (Lycaenidae) Synonym(s): *transcaspicus Heyne,[1895]*; *transcaspicus Staudinger,1899*. Original Reference: *Lycaena damon var. transcaspica Heyne,[1895]*, [in] Rühl,F., *Die Palaearkt. Grossschmett. Naturg.* 1:764. Type(s): [Turkmenistan]: Achal Tekke. Range (in code): **TR IR Kh TM Kp**
- 15945. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus difficillimus (Forster,1956)** (Lycaenidae) Synonym(s): *difficillimus Forster,1956* Original Reference: *Agrodiaetus transcaspica ssp. difficillima Forster,1956*, *Z. Wien. ent. Ges.* 41:76-77, Pl.10,11 figs. Holotype ♂: Iran: Nordpersien: Schahkuh. Range (in code): **IR Elb Gor Shh**
- 15946. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus firuze (Carbonell,1993)** (Lycaenidae) Synonym(s): *firuze Carbonell,1993* Original Reference: *Agrodiaetus ninae ssp. firuze Carbonell,1993*, *Linneana Belg.* 14 (2): 103, figs. Holotype ♂: Turquie: Gümüşhane: Kelkit, 1550m (MNHN). Range (in code): **TR**
- 15947. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus kotzschii (Forster,1956)** (Lycaenidae) Synonym(s): *kotzschii Forster,1956* Original Reference: *Agrodiaetus transcaspica ssp. kotzschii Forster,1956*, *Z. Wien. ent. Ges.* 41: 78-79, pls. 10-11 figs. 6,7. Holotype ♂: Iran: Kuh-i-Mirabi, 2200m. Range (in code): **IR Kh**
- 15948. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) transcaspicus transcaspicus (Heyne,[1895])** (Lycaenidae) Synonym(s): *transcaspicus Heyne,[1895]*; *transcaspicus Staudinger,1899*. Original Reference: *Lycaena damon var. transcaspica Heyne,[1895]*, [in] Rühl,F., *Die Palaearkt. Grossschmett. Naturg.* 1:764. Type(s): [Turkmenistan]: Achal Tekke. Range (in code): **IR Kh TM Kp**
- 15949. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicola (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicola Koçak,1977*; *#turcicolus Nazari,2003* Original Reference: *Agrodiaetus (s.str.) transcaspica ssp. turcicola Koçak,1977*, *Atalanta* 8 (1): 55-56, figs.17-20. Holotype ♂: Turkey: Van Prov.: vicinity of Van, 1800m [Kurubaş] (in coll. Cesa). Range (in code): **TR IR Ab Sro**
- 15950. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicola turcicola (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicola Koçak,1977*; *#turcicolus Nazari,2003* Original Reference: *Agrodiaetus (s.str.) transcaspica ssp. turcicola Koçak,1977*, *Atalanta* 8 (1): 55-56, figs.17-20. Holotype ♂: Turkey: Van Prov.: vicinity of Van, 1800m [Kurubaş] (in coll. Cesa). Range (in code): **TR IR Ab Sro**
- 15951. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus Koçak,1977* Original Reference: *Agrodiaetus turcicus Koçak,1977*, *Atalanta* 8 (1): 54-55, figs. 13-16,23. Holotype ♂: Turkey: Kars Pr.: Kağızman-Cumaçay, 2500m (in coll. Cesa). Range (in code): **TR Cc GG AM IR**
- 15952. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) turcicus turcicus (Koçak,1977)** (Lycaenidae) Synonym(s): *turcicus Koçak,1977* Original Reference: *Agrodiaetus turcicus Koçak,1977*, *Atalanta* 8 (1): 54-55, figs. 13-16,23. Holotype ♂: Turkey: Kars Pr.: Kağızman-Cumaçay, 2500m (in coll. Cesa). Range (in code): **TR Cc GG AM IR**
- 15953. Polyommatus (s.str. (Agrodiaetus (Transcaspicus))) yurinekrutenko Koçak,1996** (Lycaenidae) Synonym(s): *ciscaucasicus Forster,1956 nec Jach.,1914*; *yurinekrutenko Koçak,1996*; *carmonides Eckweiler,1997*. Original Reference: *Polyommatus (Agrodiaetus)*

- yurinekrutenko Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 23 (nomen novum pro ciscaucas Forster,1956 nec Jachontov,1914). Holotype ♂: [Russia: Caucasus]: "Ciscaucasia, Kislovodsk". Range (in code): **RU Kis Cc** Bionomy: Larva on Onobrychis vassilczenkoi (Fabaceae) (Dantchenko,2000).
- 15954. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) yurinekrutenko yurinekrutenko Koçak,1996** (Lycaenidae) Synonym(s): *ciscaucasicus* Forster,1956 nec Jach.,1914; *yurinekrutenko* Koçak,1996; *carmonides* Eckweiler,1997. Original Reference: Polyommatus (Agrodiaetus) yurinekrutenko Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 23 (nomen novum pro ciscaucas Forster,1956 nec Jachontov,1914). Holotype ♂: [Russia: Caucasus]: "Ciscaucasia, Kislovodsk". Range (in code): **RU Kis Cc** Bionomy: Larva on Onobrychis vassilczenkoi (Fabaceae) (Dantchenko,2000).
- 15955. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zapvadi (Carbonell,1993)** (Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993 Original Reference: Agrodiaetus elbursica ssp. zapvadi Carbonell,1993, Linneana Belgica 14 (2): 94-103, fig.H, Taf.2 figs.1-3. Holotype ♂: Turquie: Van: Güzelsu 2100m (MHNP). Range (in code): **TR IQ**
- 15956. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zapvadi zapvadi (Carbonell,1993)** (Lycaenidae) Synonym(s): *zapvadi* Carbonell,1993 Original Reference: Agrodiaetus elbursica ssp. zapvadi Carbonell,1993, Linneana Belgica 14 (2): 94-103, fig.H, Taf.2 figs.1-3. Holotype ♂: Turquie: Van: Güzelsu 2100m (MHNP). Range (in code): **TR IQ**
- 15957. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zarathustra Eckweiler,1997** (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997 Original Reference: Polyommatus (Agrodiaetus) zarathustra Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 9-10, figs. Holotype ♂: Iran: Lorestan, Dorud, Saravand 2000-2300m (in coll. Eckweiler). Range (in code): **IR Lo Cc AZ AM**
- 15958. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zarathustra zarathustra Eckweiler,1997** (Lycaenidae) Synonym(s): *zarathustra* Eckweiler,1997 Original Reference: Polyommatus (Agrodiaetus) zarathustra Eckweiler,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 9-10, figs. Holotype ♂: Iran: Lorestan, Dorud, Saravand 2000-2300m (in coll. Eckweiler). Range (in code): **IR Lo**
- 15959. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zardensis Schurian & Ten Hagen,2001** (Lycaenidae) Synonym(s): *zardensis* Schurian & Ten Hagen,2001 Original Reference: Polyommatus (s.str. (Agrodiaetus)) zardensis Schurian & Ten Hagen,2001, Nachr. ent. Ver. Apollo, N.F. 22 (1): 1-4, 5 figs. Holotype ♂: Iran: Esfahan, 25km südlich Daran, 2400-2450m leg. & in coll. Schurian. Range (in code): **IR Es**
- 15960. Polyommatus (s.str. (Agrodiaetus (Transcaspian))) zardensis zardensis Schurian & Ten Hagen,2001** (Lycaenidae) Synonym(s): *zardensis* Schurian & Ten Hagen,2001 Original Reference: Polyommatus (s.str. (Agrodiaetus)) zardensis Schurian & Ten Hagen,2001, Nachr. ent. Ver. Apollo, N.F. 22 (1): 1-4, 5 figs. Holotype ♂: Iran: Esfahan, 25km südlich Daran, 2400-2450m leg. & in coll. Schurian. Range (in code): **IR Es**
- 15961. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze (Carbonell,2000)** (Lycaenidae) Synonym(s): *barmifiruze* Carbonell,2000 Original Reference: Agrodiaetus barmifiruze Carbonell,2000, Linneana Belg. 17 (5): 213-215, figs. Holotype ♂: Iran: Fars: Ardekan, route de Komeh 2650-2900m. (MNHNP). Range (in code): **IR Fa**
- 15962. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) barmifiruze barmifiruze (Carbonell,2000)** (Lycaenidae) Synonym(s): *barmifiruze* Carbonell,2000 Original Reference: Agrodiaetus barmifiruze Carbonell,2000, Linneana Belg. 17 (5): 213-215, figs. Holotype ♂: Iran: Fars: Ardekan, route de Komeh 2650-2900m. (MNHNP). Range (in code): **IR Fa**
- 15963. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956. Original Reference: Lycaena damone var. cyanea Staudinger,1899, Dt. ent. Z., Iris 12: 142. Lectotype ♂: Hankynda, designated by Forster,1956, Z. Wien. ent. Z. 41: 85 (MNHU). Range (in code): **AM AZ Hkd GG Cc TR IR Ke Ab Ak Mrd Ha Km Krd** Bionomy: Larva on Onobrychis atropatana, O. heterophylla (Dantchenko,2000).
- 15964. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus cyaneus (Staudinger,1899)** (Lycaenidae) Synonym(s): *cyaneus* Staudinger,1899; *pseudocyaneus* Forster,1956. Original Reference: Lycaena damone var. cyanea Staudinger,1899, Dt. ent. Z., Iris 12: 142.

Lectotype ♂: Hankynda, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU). Range (in code): AM AZ Hkd GG Cc TR IR Ak Ab

- 15965. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus damalis (Riley, 1921)** (Lycaenidae) Synonym(s): damalis Riley, 1921 Original Reference: Lycaena damone ssp. damalis Riley, 1921, Ann. Mag. nat. Hist. (9) 8: 597. Lectotype ♂: [Iran]: N.W. Persia: Karind Gorge, 6000ft (designated by Balint, 1999, Neue ent. Nachr. 46: 25) (BMNH). Range (in code): IR Km Krd
- 15966. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus kermansis (De Lesse, 1963)** (Lycaenidae) Synonym(s): kermansis De Lesse, 1963; delessei Balint, 1997 nec Carbon., 1994 Original Reference: Agrodiaetus cyanea ssp. kermansis De Lesse, 1963, Alexanor 2 (8): 311. Holotype ♂: Iran: Kerman: Kuh-i-Lalihzar (Kerman), Iran sud-est, 2800m (MNHNP). Range (in code): IR Ke
- 15967. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) cyaneus paracyaneus (De Lesse, 1963)** (Lycaenidae) Synonym(s): paracyaneus De Lesse, 1963 Original Reference: Agrodiaetus cyanea ssp. paracyaneus De Lesse, 1963, Revue fr. Ent. 30 (3): 178. Holotype ♂: Iran: Hamadan: col entre Kazvin et Hamadan, 2350m. (MNHNP). Range (in code): IR Ha
- 15968. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba De Prins, 1991** (Lycaenidae) Synonym(s): merhaba De Prins, 1991 Original Reference: Polyommatus (Agrodiaetus) merhaba De Prins, 1991, Phegea 19 (4): 141-148, pl.1,2 figs.1-18. Holotype ♂: Turkey: Artvin Prov., Çoruh valley, Kılıçkaya 1000m, 14-20km SW Yusufeli (ITZA). Range (in code): TR Cc
- 15969. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) merhaba merhaba De Prins, 1991** (Lycaenidae) Synonym(s): merhaba De Prins, 1991 Original Reference: Polyommatus (Agrodiaetus) merhaba De Prins, 1991, Phegea 19 (4): 141-148, pl.1,2 figs.1-18. Holotype ♂: Turkey: Artvin Prov., Çoruh valley, Kılıçkaya 1000m, 14-20km SW Yusufeli (ITZA). Range (in code): TR Cc
- 15970. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) shahkuhensis V. Lukhtanov, Shapoval & Dantchenko, 2008** (Lycaenidae) Synonym(s): shahkuhensis V. Lukhtanov, Shapoval & Dantchenko, 2008 Original Reference: Agrodiaetus shahkuhensis V. Lukhtanov, Shapoval & Dantchenko, 2008, Comp. Cytogen. 2 (2): 99-114, figs. Holotype ♂: Iran: Range (in code): IR Shh
- 15971. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes (Staudinger, 1899)** (Lycaenidae) Synonym(s): xerxes Staudinger, 1899 Original Reference: Lycaena damone var. xerxes Staudinger, 1899, Dt. ent. Z., Iris 12: 143. Lectotype ♂: [Iran]: Schahrud, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU). Range (in code): IR Se
- 15972. Polyommatus (s.str. (Agrodiaetus (Xerxesia))) xerxes xerxes (Staudinger, 1899)** (Lycaenidae) Synonym(s): xerxes Staudinger, 1899 Original Reference: Lycaena damone var. xerxes Staudinger, 1899, Dt. ent. Z., Iris 12: 143. Lectotype ♂: [Iran]: Schahrud, designated by Forster, 1956, Z. Wien. ent. Z. 41: 85 (MNHU). Range (in code): IR Se
- 15973. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles (Herrich-Schäffer, [1844])** (Lycaenidae) Synonym(s): damocles Herrich-Schäffer, [1844] Original Reference: Lycaena damocles Herrich-Schäffer, [1844], Syst. Bearb. Schmett. Eur. 1: 113, figs. 214-217. Neotype ♂: Südliches Russland: Guberli im Südurale 220km SEE Orenburg), designated by Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 79. Range (in code): RU Ur Sr UI So UA Cm TR Cc
- 15974. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles damocles (Herrich-Schäffer, [1844])** (Lycaenidae) Synonym(s): damocles Herrich-Schäffer, [1844] Original Reference: Lycaena damocles Herrich-Schäffer, [1844], Syst. Bearb. Schmett. Eur. 1: 113, figs. 214-217. Neotype ♂: Südliches Russland: Guberli im Südurale 220km SEE Orenburg), designated by Dantchenko & Lukhtanov, 1993, Atalanta 24 (1/4): 79. Range (in code): RU Ur
- 15975. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles krymaeus (Sheljuzhko, 1928)** (Lycaenidae) Synonym(s): krymaea Sheljuzhko, 1928 Original Reference: Lycaena damone ssp. krymaea Sheljuzhko, 1928, Lepid. Rdsch. 2(4): 45-46. Syntypes 4♂: [Ukraine]: Krym: ? Umg. Kertsh u. Staryj Krym. Range (in code): Cm UA
- 15976. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles rossicus Dantchenko & Lukhtanov, 1993** (Lycaenidae) Synonym(s): rossicus Dantchenko & Lukhtanov, 1993 Original Reference: Polyommatus (Agrodiaetus) damocles ssp. rossicus Dantchenko & Lukhtanov, 1993,

Atalanta 24 (1/4): 80. Holotype ♂: Russia: Saratov-Gebiet, Volsk-Umgebung (ZMSP). Range (in code): **Sr Ul So RU**

15977. Polyommatus (s.str. (Agrodiaetus (s.str.))) damocles tortumensis (Carbonell,2003) (Lycaenidae) Synonym(s): *tortumensis* Carbonell,2003 Original Reference: *Agrodiaetus damocles* ssp. *tortumensis* Carbonell,2003, Bull. Soc. ent. Fr. 103 (2): 175-176, fig. Holotype ♂: Turquie: Prov. Artvin, Kilickaya 1200m, 7.viii.1992 Carbonell leg. (MNHNP). Range (in code): **TR Cc**

15978. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775 Original Reference: *Papilio damon* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district. Range (in code): **AL Bn At Kts AT Ba BG BY CH CN CZ DE EE ES FR Cc GG GR IT KG KK Kr LV MN PL RU Kis SK Sm So Sr TR Arr T-S UA Ui Ur VI YU LAT Wn Kuz Sli Sau Tar TrA DsA KuA T-S** Bionomy: Larva on *Onobrychis alba*, *O. montana* (Tolman, 1997); *Onobrychis ferganica* (Zhdanko, 1997).

15979. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon acutus (Agenjo,[1973]) (Lycaenidae) Synonym(s): *acutus* Agenjo,[1973] Original Reference: *Plebejus* (*Agrodiaetus*) *damon* ssp. *acuta* Agenjo,[1973], Graellsia 26 (1971): 30. Holotype ♂: Spain: Burgos: Paramo de Masa, 1001m. Range (in code): **ES**

15980. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ausonius (Verity,1914) (Lycaenidae) Synonym(s): *ausonius* Verity,1914 Original Reference: *Lycaena damon ausonia* Verity,1914, Bull. Soc. ent. ital. 45: 232. Syntypes: Italy: Marche: Piceno, Massiccio Sibillini, Bolognola, Dintorni di Bolognola, 1200-1400m. Range (in code): **IT**

15981. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon biton (Sulzer,1776) (Lycaenidae) Synonym(s): *biton* Sulzer,1776 Original Reference: *Papilio biton* Sulzer,1776, Abgekürzte Geschichte der Insecten: 146, Taf.18, fig.9. Syntypes: [Switzerland]: "aus der Schweiz". Range (in code): **CH**

15982. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon cabreræ (De Sagarra,1930) (Lycaenidae) Synonym(s): *cabreræ* De Sagarra,1930; *meridiocassus* Verity,1951 Original Reference: *Hirsutina damon razza cabreræ* De Sagarra,1930, Butleti Inst. Catal. Hist. Nat. (2) 10 (7): 118. Syntypes 2♂♂: Spain: Cabrera... Sant Pere de Montgrony" (MCTB). Range (in code): **ES FR**

15983. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon clarior (Verity,1943) (Lycaenidae) Synonym(s): *clarior* Verity,1943 Original Reference: *Agrodiaetus damon* race *clarior* Verity,1943, Le farfalle diurne d'Italia 2: 326. Syntypes 4♂ 7♀: Suisse: Neuchatel: Dombresson. Range (in code): **FR CH**

15984. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon damon ([Denis & Schiffermüller],1775) (Lycaenidae) Synonym(s): *damon* [Denis & Schiffermüller],1775 Original Reference: *Papilio damon* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district. Range (in code): **AL AT Ba BG Bs Bw BY CH CZ DE EE ES FR GR IT KG LV Or PL RU SK Sm Sm So Sr UA Ur VI YU LAT Wn**

15985. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ferreti (Favre,1903) (Lycaenidae) Synonym(s): *ferreti* Favre,1903 Original Reference: *Lycaena damon* var. *ferreti* Favre,1903, Mitt. schweiz. ent. Ges. 11 (1), suppl.: 5. Syntypes: Schweiz: Valais: "Gd Ferret ou Ferrex". Range (in code): **FR CH**

15986. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon kotshubeji (Sovinsky,[1916]) (Lycaenidae) Synonym(s): *kotshubeji* Sovinsky,[1916] Original Reference: *Lycaena damon* ssp. *kotshubeji* Sovinsky,[1916], Russk. ent. Obozr. 15(3): 388-389. Syntypes 9♂: Türkei: Kars: Kağızman (in ZMKU). Range (in code): **Cc Arr TR**

15987. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon merzbacheri (Courvoisier,1913) (Lycaenidae) Synonym(s): *merzbacheri* Courvoisier,1913 Original Reference: *Lycaena damon* f. *merzbacheri* Courvoisier,1913, Ent. Mitt. 2 (10): 293. Syntypes: Dscharkent (infrasubspecific name!). Range (in code): **Aa CN KG KK Tk T-S Ui TrA DsA KuA**

15988. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon mongolensis (Koçak,1980) (Lycaenidae) Synonym(s): *mongolensis* Koçak,1980 Original Reference: *Agrodiaetus damon* ssp. *mongolensis* Koçak,1980, Nota lepid. 2(4): 142 (nomen novum pro *mongolica* Kurenzov,1970 nec Rühl,[1893]). Holotype ♂: Mongolia: "iz severnoi Mongolii". Range (in code): **At Bn Kts Cb Ka KG Kw Mn MN Om Pw RU Sp Ty Kuz Sli Sau Tar**

- 15989. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon nogueraae (De Sagarra,1924)** (Lycaenidae) Synonym(s): *nogueraae* De Sagarra,1924 Original Reference: Hirsutina damon rassa nogueraae De Sagarra,1924, Butlleti Inst. Catal. Hist. Nat. (2) 4 (9): 203. Holotype ♂: [Spain: Teruel]: Noguera (Arago), 1400m. (MCTB). Range (in code): ES
- 15990. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon rufosaturior Verity,1943** (Lycaenidae) Synonym(s): *rufosaturior* Verity,1943 Original Reference: Agrodiaetus damon race rufosaturior Verity,1943, Le farfalle diurne d'Italia 2: 328. Syntypes 10♂ 8♀: [Italy: Torino]: Alpi Cozie: Val Susa: Oulx [=Ulzio], 1100m. Range (in code): FR IT
- 15991. Polyommatus (s.str. (Agrodiaetus (s.str.))) damon zhicharevi (Sovinsky,[1916])** (Lycaenidae) Synonym(s): *damon zhicharevi* Sovinsky,[1916] Original Reference: Lycaena damon ssp. zhicharevi Sovinsky,[1916], Russk. ent. Obozr. 15(3): 384. Syntypes 51♂♂ 19♀♀: Russia: Kislovodsk. Range (in code): Cc Kr Kis RU GG
- 15992. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone (Eversmann,1841)** (Lycaenidae) Synonym(s): *damone* Eversmann,1841 Original Reference: Lycaena damone Eversmann,1841, Bull. Soc. nat. Moscou 14 (1): 18. Lectotype ♂: [Russia]: Wolga-Gebiet, Sergiewsk (110km NE. Samara) (ZISP). Range (in code): At Ba RU Sm So Sr TM UA Ur VI MN KG Mn Sau Tar
- 15993. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone altaicus (Elwes,1899)** (Lycaenidae) Synonym(s): *sibirica* Staudinger,1899 *nec* Staudinger,1892; *altaicus* Elwes,1899; *altaiensis* Forster,1956. Original Reference: Lycaena damone ssp. altaica Elwes,1899, Trans. ent. Soc. Lond. 1899 (3): 327. Syntypes: [Russia]: Altai: Tchuja, Bashkaus valley, Ongadai. Lectotype ♂: Ongodai (Altai Mts.) (designated by Balint,1999, Neue ent. Nachr. 46: 11) (BMNH). Range (in code): At KG Mn RU Sau Tar
- 15994. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone bogdoolensis Dantchenko & Lukhtanov,1997** (Lycaenidae) Synonym(s): *bogdoolensis* Dantchenko & Lukhtanov,1997 Original Reference: Polyommatus (Agrodiaetus) damone ssp. bogdoolensis Dantchenko & Lukhtanov,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 33-34, figs. Holotype ♂: West Mongolia: Altai, Khovd region, the mountains North to Kobdo River, leg. Groum-Grshimailo (in ZIMP). Range (in code): MN
- 15995. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone damone (Eversmann,1841)** (Lycaenidae) Synonym(s): *damone* Eversmann,1841 Original Reference: Lycaena damone Eversmann,1841, Bull. Soc. nat. Moscou 14 (1): 18. Lectotype ♂: [Russia]: Wolga-Gebiet, Sergiewsk (110km NE. Samara) (ZISP). Range (in code): RU Sm
- 15996. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone irinae Dantchenko,1997** (Lycaenidae) Synonym(s): *irinae* Dantchenko,1997 Original Reference: Polyommatus (Agrodiaetus) damone ssp. irinae Dantchenko,1997, Nachr. ent. Ver. Apollo, Suppl. 16: 30-33, figs. Holotype ♂: Russia: Volga Region: Kamyschin, vic. Olkhovka (in ZSBS). Range (in code): RU VI
- 15997. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone pljushtchi Budashkin & Lukhtanov,1993** (Lycaenidae) Synonym(s): *pljushtchi* Budashkin & Lukhtanov,1993 Original Reference: Polyommatus (Agrodiaetus) pljushtchi Budashkin & Lukhtanov,1993, Atalanta 24 (1/4): 86. pl.v figs.1-4. Holotype ♂: Ukraine: Krim: Aj-Petri-Jaila (ZISP). Range (in code): Cm UA
- 15998. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone tanais Dantchenko & Pljushtch,1993** (Lycaenidae) Synonym(s): *tanais* Dantchenko & Pljushtch,1993 Original Reference: Polyommatus (Agrodiaetus) damone ssp. tanais Dantchenko & Pljushtch,1993, Atalanta 24 (1/4): 78. Holotype ♂: Ukraine : Donezk-Gebiet, Umgebung von Kramatorsk, Belenjkoe (ZMUM). Range (in code): UA
- 15999. Polyommatus (s.str. (Agrodiaetus (s.str.))) damone walteri Dantchenko & Lukhtanov,1993** (Lycaenidae) Synonym(s): *walteri* Dantchenko & Lukhtanov,1993 Original Reference: Polyommatus (Agrodiaetus) damone ssp. walteri Dantchenko & Lukhtanov,1993, Atalanta 24 (1/4): 79-80. Holotype ♂: Nordwestmongolei: Ureg-Nur (DMM). Range (in code): MN
- 16000. Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): *kanduli* Dantchenko & Lukhtanov,2002 Original Reference: Agrodiaetus damocles ssp. kanduli Dantchenko & Lukhtanov,2002, Atalanta 33 (1/2): 95-96, figs. Holotype ♂: Turkey: Erzincan Prov., Munzur Dağları, Yıldız 1700m 17 vii.2001, A.Dantchenko leg. (MCZH). Range (in code): TR

- 16001. Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli kanduli (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): *kanduli Dantchenko & Lukhtanov,2002* Original Reference: *Agrodiaetus damocles* ssp. *kanduli* Dantchenko & Lukhtanov,2002, Atalanta 33 (1/2): 95-96, figs. Holotype ♂: Turkey: Erzincan Prov., Munzur Dağları, Yıldız 1700m 17.vii.2001, A.Dantchenko leg. (MCZH). Range (in code): **TR**
- 16002. Polyommatus (s.str. (Agrodiaetus (s.str.))) kanduli urartua (Carbonell,2003)** (Lycaenidae) Synonym(s): *urartua Carbonell,2003* Original Reference: *Agrodiaetus damocles* ssp. *urartua* Carbonell,2003, Bull. Soc. ent. Fr. 103 (2): 175. Holotype ♂: Turquie: Prov. Van: Kurubaş geçidi 2000m 13.vii.1991 Carbonell leg. (MNHNP). Range (in code): **TR**
- 16003. Polyommatus (s.str. (Agrodiaetus (s.str.))) putnami (Dantchenko & Lukhtanov,2002)** (Lycaenidae) Synonym(s): *putnami Dantchenko & Lukhtanov,2002* Original Reference: *Agrodiaetus putnami* Dantchenko & Lukhtanov,2002, Atalanta 33 (1/2): 96-97, figs. Holotype ♂: Turkey: Erzurum Prov. 8km W Kayabaşı 1900m 28.vii.2001 A.Dantchenko leg. (MCZH). Range (in code): **TR**
- 16004. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi (Brandt,1938)** (Lycaenidae) Synonym(s): *stempfferi Brandt,1938* Original Reference: *Lycaena stempfferi* Brandt,1938, Ent. Rdsch. 55: 671-672, Pl.4 figs.4-5. Syntypes: Iran: Am Gipfel des Barm-i-Firus, 3750m. Range (in code): **IR Es Kz Yz Bk**
- 16005. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi golestanus Skala,2002** (Lycaenidae) Synonym(s): *golestanus Skala,2002* Original Reference: *Polyommatus (Agrodiaetus) stempfferi* ssp. *golestanus* Skala,2002, Linneana belg. 18 (6): 295-298, figs. Holotype ♂: Iran: Esfahan: Fereidun Shar, 3700-3900m, 30.vii.-1.viii.2001, leg. Skala (ZSM). Range (in code): **IR Es**
- 16006. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi jaffar Skala,2002** (Lycaenidae) Synonym(s): *jaffar Skala,2002* Original Reference: *Polyommatus (Agrodiaetus) stempfferi* ssp. *jaffar* Skala,2002, Linneana belg. 18 (6): 299, figs. Holotype ♂: Iran: Khuzistan/Bahtari: Kuh-e- Haft Cheshmeh, 3800-4000m, 19-22.vii.2001, leg. Skala (ZSM). Range (in code): **IR Kz Bk**
- 16007. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi stempfferi (Brandt,1938)** (Lycaenidae) Synonym(s): *stempfferi Brandt,1938* Original Reference: *Lycaena stempfferi* Brandt,1938, Ent. Rdsch. 55: 671-672, Pl.4 figs.4-5. Syntypes: Iran: Am Gipfel des Barm-i-Firus, 3750m. Range (in code): **IR Kz**
- 16008. Polyommatus (s.str. (Agrodiaetus (s.str.?))) stempfferi zoroaster Skala,2002** (Lycaenidae) Synonym(s): *zoroaster Skala,2002* Original Reference: *Polyommatus (Agrodiaetus) stempfferi* ssp. *zoroaster* Skala,2002, Linneana belg. 18 (6): 293-294, figs. Holotype ♂: Iran: Yazd: Shir Kuh, S. Deh Bala, 3000-3300m, 16.vii.1999 leg. Schurian (ZSM). Range (in code): **IR Yz**
- 16009. Polyommatus (s.str. (Agrodiaetus) cilicinus (Charmieux,2008)** (Lycaenidae) Synonym(s): *cilicinus Charmieux,2008* Original Reference: *Agrodiaetus cilicinus* Charmieux,2008, Revue Lépid. Fr. 17 (41): 128-130, figs. Holotype ♂: Turquie: İçel Prov., Sertavul Pass 1700m, 8.vii.2003 J.-F.Charmeux leg. (MNHN). Range (in code): **TR**
- 16010. Polyommatus (s.str. (Cyaniris)) antiochenus (Lederer,1861)** (Lycaenidae) Synonym(s): *antiochena Lederer,1861* Original Reference: *Lycaena antiochena* Lederer,1861, Wien. ent. Monatschr. 5 (5): 148, Taf. 1 figs. 2,3. Syntypes: Antiochia. Range (in code): **He IL Pa LB SY TR**
- 16011. Polyommatus (s.str. (Cyaniris)) antiochenus helenus (Staudinger,1862)** (Lycaenidae) Synonym(s): *helenus Staudinger,1862* Original Reference: *Lycaena helena* Staudinger,1862, Stettin ent. Ztg. 1862: 265. Range (in code): **GR**
- 16012. Polyommatus (s.str. (Cyaniris)) antiochenus nurmuhemmet Kemal & Koçak,2005** (Lycaenidae) Synonym(s): *#nurmemed Kemal & Koçak,2005; nurmuhemmet Kemal & Koçak,2005* Original Reference: *Polyommatus (s.str. (Cyaniris)) bellis* nurmuhemmet Kemal & Koçak,2005, Cent ent. Stud., Priamus 11 (3): 50. Holotype ♀: Turkey: Van Prov., Aatak: Narlı Meşeliği 1600m, M. Kemal & A. Koçak leg. (Cesa). Range (in code): **TR**
- 16013. Polyommatus (s.str. (Cyaniris)) bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis Freyer,[1842]* Original Reference: *Lycaena bellis* Freyer,[1842], Neuere Beitr. Schmett. 5: 26, Taf.398, figs.1,2. Type(s): Türkei. Lectotype ♂: Suburbs of Istanbul (designated by

- Balint,1999, Neue ent. Nachr. 46: 18-19) (BMNH). Range (in code): **AM GG Cc IR Ab Ak Elb Th Gor Se TR SY LB IQ He IL Pa** Bionomy: Larva on Trifolium (Fabaceae).
- 16014. Polyommatus (s.str. (Cyaniris)) bellis bellis (Freyer,[1842])** (Lycaenidae) Synonym(s): *bellis* Freyer,[1842] Original Reference: *Lycaena bellis* Freyer,[1842], Neuere Beitr. Schmett. 5: 26, Taf.398, figs.1,2. Type (s): Türkei. Lectotype ♂: Suburbs of Istanbul (designated by Balint,1999, Neue ent. Nachr. 46: 18-19) (BMNH). Range (in code): **TR**
- 16015. Polyommatus (s.str. (Cyaniris)) bellis intermedius (Tutt,[1909])** (Lycaenidae) Synonym(s): *intermedia* Tutt,[1909] Range (in code): **TR GG AM Cc**
- 16016. Polyommatus (s.str. (Cyaniris)) bellis mesopotamicus (Tutt,[1909])** (Lycaenidae) Synonym(s): *mesopotamica* Tutt,[1909] Original Reference: *Cyaniris semiargus mesopotamica* Tutt,[1909], Nat. Hist. Brit. Butts. 3: 277. Type(s): [Turkey]: Malatia. Range (in code): **TR**
- 16017. Polyommatus (s.str. (Cyaniris)) bellis mohammad Koçak & Hosseinpour,1996** (Lycaenidae) Synonym(s): *persica* Tutt,[1909] *nec* Bien.,1870; *mohammad Koçak & Hosseinpour,1996* Original Reference: *Polyommatus (Cyaniris) bellis* ssp. *mohammad Koçak & Hosseinpour,1996*, Cent. ent. Stud., Misc. Pap. 30/33: 18. Holotype ♂: Iran: Tehran, Dizin 3200m. (in coll. CESA). Range (in code): **IR Ab Ak Elb Th Gor Se**
- 16018. Polyommatus (s.str. (Cyaniris)) bellis parnassius (Staudinger,1870)** (Lycaenidae) Synonym(s): *parnassia* Staudinger,1870 Original Reference: *Lycaena semiargus* var. *parnassia* Staudinger,1870, Horae Soc. ent. ross. 7: 55. Syntypes: Griechenland: Parnass. Range (in code): **GR**
- 16019. Polyommatus (s.str. (Cyaniris)) bellis ssp.n.** (Lycaenidae) Synonym(s): Range (in code): **TR**
- 16020. Polyommatus (s.str. (Cyaniris)) persephattus (Alpheraky,1881)** (Lycaenidae) Synonym(s): *persephatta* Alpheraky,1881 Original Reference: *Lycaena persephatta* Alpheraky,1881, Horae Soc. ent. ross. 16: 395-396. Taf. 14 fig.11. Syntypes ♂♀: [China]: Kuldja. Range (in code): **CN KK T-S Ui Ku KG Tk Aa DsA Ket TeA KuA TrA Tls Ax Ky Tm Syr** Bionomy: Larva on Geranium saxatile (Geraniaceae) (Zhdanko, 1997).
- 16021. Polyommatus (s.str. (Cyaniris)) persephattus minshelkensis Lukhtanov,1990** (Lycaenidae) Synonym(s): *minshelkensis* Lukhtanov,1990 Original Reference: *Polyommatus persephatta* ssp. *minshelkensis* Lukhtanov,1990, Vestn. zool. 1990 (6): 21, fig. Holotype ♂: Kasachstan: Chimkent distr.: Syrdaryinsky Karatau, ca. Mynzhilki, 1800m. Range (in code): **T-S KG Ky Syr Tm**
- 16022. Polyommatus (s.str. (Cyaniris)) persephattus minutus (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *minuta* Groum-Grshimailo,1890 Original Reference: *Lycaena persephatta* var. *minuta* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 415, pl.x fig.3. Syntypes: [Tadjikistan]: Mt. Alai, Touptschek. Range (in code): **AI TJ**
- 16023. Polyommatus (s.str. (Cyaniris)) persephattus persephattus (Alpheraky,1881)** (Lycaenidae) Synonym(s): *persephatta* Alpheraky,1881 Original Reference: *Lycaena persephatta* Alpheraky,1881, Horae Soc. ent. ross. 16: 395-396. Taf. 14 fig.11. Syntypes ♂♀: [China]: Kuldja. Range (in code): **CN KK T-S Ui Ku KG Tk Aa DsA Ket TeA KuA TrA Tls Ax**
- 16024. Polyommatus (s.str. (Cyaniris)) semiargus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *semiargus* Rottemburg,1775; *acis* Denis & Schiffermüller,1775 *nec* Dry.,1773; *byzas* Bergsträßer,[1779]; *byze* Bergsträßer,[1779]; *argopoeus* Bergsträßer,[1779]; *byzenus* Bergsträßer,[1779]; *argopoei* Bergsträßer,[1779]; *cimon* Lewin,1795; *argianus* Dalman,1816. Original Reference: *Papilio semiargus* Rottemburg,1775, Naturforscher 6: 20. Type(s): [Deutschland]: Halle. Range (in code): **AL At Bn Kts AT Ba BE BG TR B-H CH CN Ui CZ DE DK EE ES FI FR GB GR HU HV Ii IT KK KG LT LU LV MA MK NL NO PL PT RO RU SE Si SK Sm So Sr SS UA Ur UZ VI YU Uk OR Bs Ch Kg Ty Sb Om To Pw Kw Fe Nmg Sp Mn Tk Aa Kuz No Sau Tar DsA TeA KuA TrA Ax AM GG AZ Bw T-S Cc Am MA Ifr Azr** Bionomy: Larva on Trifolium pratense (Tolman, 1997).
- 16025. Polyommatus (s.str. (Cyaniris)) semiargus altaianus (Tutt,[1909])** (Lycaenidae) Synonym(s): *altaianus* Tutt,[1909]; *pavlovi* Kurentzov,1970 Original Reference: *Cyaniris semiargus* var. *altaiana* Tutt,[1909], Nat. Hist. Br. Butts. 10: 270. Lectotype ♂: Tien Chan: Yir Madan (designated by Balint,1999, Neue ent. Nachr. 46: 10) (BMNH). Range (in code): **T-S Bn At Kts RU UZ TJ KG Sp Mn Tk Aa Kuz No Sau Tar DsA TeA KuA TrA Ax CN Ui**
- 16026. Polyommatus (s.str. (Cyaniris)) semiargus balcanicus (Tutt,[1909])** (Lycaenidae) Synonym(s): *balcanicus* Tutt,[1909]. Original Reference: *Cyaniris semiargus* var. *balcanica* Tutt,[1909], Nat. Hist. Br. Butts. 10: 272. Syntypes: [Bosnia-Herzegowina]: Bosnia;

- Bulgaria. Lectotype ♂: S.W. Bulgaria: Rilo Dag (designated by Balint, 1999, Neue ent. Nachr. 46: 17) (BMNH). Range (in code): BG B-H MK YU
- 16027. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus ferganus* (Tutt, [1909])** (Lycaenidae)
Synonym(s): *fergana* Tutt, [1909] Original Reference: *Cyaniris semiargus* var. *fergana* Tutt, [1909], Nat. Hist. Br. Butts. 10: 271. Lectotype ♂: [Uzbekistan]: Namangan (designated by Balint, 1999, Neue ent. Nachr. 46: 31) (BMNH). Range (in code): KK UZ Fe Nmg
- 16028. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus kojirei* (Murayama, 1947)** (Lycaenidae)
Synonym(s): *amurensis* Tutt, [1909] *nec* Stgr., 1892; *kojirei* Murayama, 1947; *monarchus* Higgins, 1981 Range (in code): RU Am
- 16029. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus maroccanus* (Lucas, 1920)** (Lycaenidae)
Synonym(s): *maroccana* Lucas, 1920 Original Reference: *Lycaena semiargus* var. *maroccana* Lucas, 1920, Bull. Soc. ent. Fr. 1920 (17): 298. Type(s): Maroc: Meknez, 1800m. Range (in code): MA Ifr Azr
- 16030. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus meyerdueri* Vives Moreno, 1994** (Lycaenidae)
Synonym(s): *montana* Meyer-Dür, 1851 *nec* Mey.-Dür, 1851; *meyerdueri* Vives Moreno, 1994 Range (in code): FR
- 16031. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus montanagrandis* Tutt, [1909]** (Lycaenidae)
Synonym(s): *coelestina* Milliere, 1874 *nec* Eversmann, 1843; *transiens* Stauder, 1925 *nec* Melcon, 1910; *montanagrandis* Tutt, 1909; *semimontana* Bollow, 1931. Range (in code): FR
- 16032. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus savoienensis* Leraut, 1980** (Lycaenidae)
Synonym(s): *#montanaclara* Verity, 1943; *savoienensis* Leraut, 1980 Range (in code): FR
- 16033. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus semiargus* (Rottemburg, 1775)** (Lycaenidae)
Synonym(s): *semiargus* Rottemburg, 1775; *acis* Denis & Schiffermüller, 1775 *nec* Dry., 1773; *byzas* Bergsträßer, [1779]; *byze* Bergsträßer, [1779]; *argopoeus* Bergsträßer, [1779]; *byzenus* Bergsträßer, [1779]; *argopoei* Bergsträßer, [1779]; *cimon* Lewin, 1795; *argianus* Dalman, 1816. Original Reference: *Papilio semiargus* Rottemburg, 1775, Naturforscher 6: 20. Type(s): [Deutschland]. Range (in code): Bw DE FR Rp
- 16034. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus transiens* (Melcon, 1910)** (Lycaenidae)
Synonym(s): *transiens* Melcon, 1910 Original Reference: *Lycaena semiargus* var. *transiens* Melcon, 1910, Bol. Soc. espan. 1910: 229. Range (in code): ES
- 16035. *Polyommatus* (s.str. (*Cyaniris*)) *semiargus uralensis* (Tutt, [1909])** (Lycaenidae)
Synonym(s): *uralensis* Tutt, [1909] Original Reference: *Cyaniris semiargus* var. *uralensis* Tutt, [1909], Nat. Hist. Brit. Butts. 10: 270. Lectotype ♂: [Russia]: Miashk (designated by Balint, 1999, Neue ent. Nachr. 46: 62) (BMNH). Range (in code): RU Ur Bs Cb Kg Ty Sb Om To Pw Kw Uk KG
- 16036. *Polyommatus* (s.str. (*Lysandra*)) *albicans* (Gerhard, [1851])** (Lycaenidae)
Synonym(s): *albicans* Gerh., [1851]; *aragonensis* Gerh., [1851]; *albicans* H.-S., 1851; *guadarramensis* Ribbe, 1910; *penuelaensis* Ribbe, 1910; *transalbicans* Tutt, 1914; *cuencana* Vrtý., 1926; *bolivari* Romei, 1927; *esteparina* Agenjo, 1956; *anamariae* Agenjo, 1968; *betica* Betti, 1970... Original Reference: *Lycaena corydon* var. *albicans* Gerhard, [1851], Versuch Monogr. eur. Schmett.: 17, Pl. 31 figs. 2a-d. Syntypes: Spanien. Neotype ♂: Granada (selected by Schurian, 1988) (ZMB). Range (in code): MA ES Mu Leo Bgs San Vit Nrr Zg Hue Ter Cue Gu Sor Rio Zm Sma Val Seg Av Ccs Bad Cd Svl Jae CRe Tol Mdr Cue Act Grn Muc Alc Bionomy: Larva on *Hippocrepis comosa*, H. ? *multisilquosa* (Tolman, 1997).
- 16037. *Polyommatus* (s.str. (*Lysandra*)) *albicans albicans* (Gerhard, [1851])** (Lycaenidae)
Synonym(s): *albicans* Gerh., [1851]; *aragonensis* Gerh., [1851]; *albicans* H.-S., 1851; *guadarramensis* Ribbe, 1910; *penuelaensis* Ribbe, 1910; *transalbicans* Tutt, 1914; *cuencana* Vrtý., 1926; *bolivari* Romei, 1927; *esteparina* Agenjo, 1956; *anamariae* Agenjo, 1968; *betica* Betti, 1970... Original Reference: *Lycaena corydon* var. *albicans* Gerhard, [1851], Versuch Monogr. eur. Schmett.: 17, Pl. 31 figs. 2a-d. Syntypes: Spanien. Neotype ♂: Granada (selected by Schurian, 1988) (ZMB). (verschollen). Range (in code): ES Mu Leo Bgs San Vit Nrr Zg Hue Ter Cue Gu Sor Rio Zm Sma Val Seg Av Ccs Bad Cd Svl Jae CRe Tol Mdr Cue Act Grn Muc Alc
- 16038. *Polyommatus* (s.str. (*Lysandra*)) *albicans berber* (Le Cerf, 1932)** (Lycaenidae)
Synonym(s): *berber* Le Cerf, 1932; *dujardini* Barragué, 1987. Original Reference: *Lycaena coridon* berber Le Cerf, 1932, Bull. Soc. ent. Fr. 37: 163-164. Syntypes: Morocco: Ksar el Kebir, Daya Chikker, Timesmout, Tameghilt, Moussah ou Salah (Middle Atlas Mts.). Range (in code): MA Rf
- 16039. *Polyommatus* (s.str. (*Lysandra*)) *albicans esteparina* (Agenjo, 1956)** (Lycaenidae)
Synonym(s): *esteparina* Agenjo, 1956 Range (in code): ES
- 16040. *Polyommatus* (s.str. (*Lysandra*)) *arzanovi* Stradomsky & Shchurov, 2005** (Lycaenidae)
Synonym(s): *arzanovi* Stradomsky & Shchurov, 2005 Original Reference:

Polyommatus (Meleageria) *arzanovi* Stradomsky & Shchurov, 2005, *Phegea* 33 (2): 70-74, figs. Holotype ♂: Russia: Karachai-Cherkessia: Mussa-Achitara, 2300m Stradomsky leg. (ZMMU). Range (in code): **Cc RU Kc**

16041. *Polyommatus* (s.str. (*Lysandra*)) *bellargus* (Rottemburg, 1775) (Lycaenidae) Synonym(s): *bellargus* Rottemburg, 1775; *thetis* Rottemburg, 1775 nec Dru., 1773; *adonis* Denis & Schiffermüller, [1775]; *salacia* Bergsträßer, 1779; *venilia* Bergsträßer, 1779;; *hyacinthus* Lewin, 1795; *urania* Gerhard, [1851]; *persemagna* Verity, 1937; *arentissima* Verity, 1937; *arens* Verity, 1937; *arentior* Verity, 1937; *antearentior* Verity, 1937; *parabellargus* Verity, 1939; *shakla* Higgins, 1958 Original Reference: *Papilio bellargus* Rottemburg, 1775, *Naturforscher* 6:25. Type(s): Deutschland. Range (in code): **AL AM AT AZ Cc Arr BG B-H BL BY CH CZ DE EE ES Mu Mu18 FR GB GG GR HU HV IQ Hjo IR Ab LB IT LT LU LV MK PL PT RO RU Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken** Bionomy: Larva on *Hippocrepis comosa*, *Coronilla varia* (Tolman, 1997).

16042. *Polyommatus* (s.str. (*Lysandra*)) *bellargus bellargus* (Rottemburg, 1775) (Lycaenidae) Synonym(s): *bellargus* Rottemburg, 1775; *thetis* Rottemburg, 1775 nec Dru., 1773; *adonis* Denis & Schiffermüller, [1775]; *salacia* Bergsträßer, 1779; *venilia* Bergsträßer, 1779;; *hyacinthus* Lewin, 1795; *urania* Gerhard, [1851]; *persemagna* Verity, 1937; *arentissima* Verity, 1937; *arens* Verity, 1937; *arentior* Verity, 1937; *antearentior* Verity, 1937; *parabellargus* Verity, 1939; *shakla* Higgins, 1958 Original Reference: *Papilio bellargus* Rottemburg, 1775, *Naturforscher* 6:25. Type(s): Deutschland. Range (in code): **AL AM AT Arr AZ BG B-H BL Bw BY CH CZ DE EE ES Mu Mu18 FR GB GG Cc GR HU HV IQ IR IT LT LU LV MK PL PT RO Rp RU Si SK Sm So Sr SS TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken**

16043. *Polyommatus* (s.str. (*Lysandra*)) *bellargus etruscus* (Verity, 1919) (Lycaenidae) Synonym(s): *etrusca* Verity, 1919; *magnalutea* Verity, 1919. Original Reference: *Agriades thetis* race *etrusca* Verity, 1919, *Entomologist's Rec. J. Var.* 31: 29-30. Syntypes 9♂ 15♀: Italy: Toscana: Firenze, Pian di Mugnone, 200m. Range (in code): **FR IT**

16044. *Polyommatus* (s.str. (*Lysandra*)) *bellargus fuscescens* (Tutt, 1909) (Lycaenidae) Synonym(s): *fuscescens* Tutt, 1909 Range (in code): **FR**

16045. *Polyommatus* (s.str. (*Lysandra*)) *bellargus inalpinus* (Verity, 1919) (Lycaenidae) Synonym(s): *inalpina* Verity, 1919 Original Reference: *Agriades thetis* race *inalpina* Verity, 1919, *Entomologist's Rec. J. Var.* 31: 29. Syntypes 4♂ 3♀: [Switzerland]: Vallese. Range (in code): **FR CH**

16046. *Polyommatus* (s.str. (*Lysandra*)) *bellargus pictonensis* (Hemming, 1931) (Lycaenidae) Synonym(s): *coelestis* Oberthür, 1908 nec Alph., 1897; *pictonensis* Hemming, 1931 Range (in code): **FR**

16047. *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus* (Verity, 1921) (Lycaenidae) Synonym(s): *caelestissima* Verity, 1921 Original Reference: *Agriades coridon* race *caelestissima* Verity, 1921, *Entomologist's Rec. J. Var.* 33: 191. Syntypes 5♂ 1♀: Spain: [Teruel]: Albarracin, Tragacete. Range (in code): **ES Abr Ter** Bionomy: Larva on *Hippocrepis comosa* (Tolman, 1997).

16048. *Polyommatus* (s.str. (*Lysandra*)) *caelestissimus caelestisvisimus* (Verity, 1921) (Lycaenidae) Synonym(s): *caelestissima* Verity, 1921 Original Reference: *Agriades coridon* race *caelestissima* Verity, 1921, *Entomologist's Rec. J. Var.* 33: 191. Syntypes 5♂ 1♀: Spain: [Teruel]: Albarracin, Tragacete. Range (in code): **ES Abr Ter**

16049. *Polyommatus* (s.str. (*Lysandra*)) *coridon* (Poda, 1761) (Lycaenidae) Synonym(s): *coridon* Poda, 1761; *graeca* Heyne, 1895; *torgniensis* Haverkampff, 1906; *altica* Neustetter, 1909; *alpiumpallida* Verity, 1926; *jurae* Verity, 1926; *insulana* Verity, 1926; *galliae* Verity, 1926; *narbonensis* Verity, 1926; *fumosa* Verity, 1926; *italagallica* Verity, 1926; *dinia* Verity, 1926; *minutepunctata* Verity, 1926; *bieneri* Stauder, 1924; *nicaeensis* Dujardin, 1944. Original Reference: *Papilio coridon* Poda, 1761, *Insecta Musei Graecensis*: 77-78. Type(s): [Austria]: Graz. Range (in code): **AL AT Ba BE BG Bw BY CH CZ DE EE ES FR GB GR HU IT LT LU NL PL RO RU Sa SK Sm So Sr TR UA Ur VI YU** Bionomy: Larva on *Hippocrepis comosa* (Tolman, 1997).

16050. *Polyommatus* (s.str. (*Lysandra*)) *coridon apenninus* Zeller, 1847 (Lycaenidae) Synonym(s): *apennina* Zeller, 1847; *superapennina* Verity, 1915; *apuana* Verity, 1915; *sibyllina* Verity, 1915; *rufosplendens* Verity, 1926; *rufoclarens* Verity, 1926; *maritimarum* Verity, 1943. Original Reference: *Polyommatus corydon* var. *apennina* Zeller, 1847, *Isis* 1847: 148. Lectotype ♂: Italien: Perugia, Foligno (designated by Schurian, 1988: 130) (BMNH). Range (in code): **IT**

16051. *Polyommatus* (s.str. (*Lysandra*)) *coridon borussius* (Dadd, 1908) (Lycaenidae) Synonym(s): *borussia* Dadd, 1908; *saxonica* Verity, 1919. Original Reference: *Lycaena corydon* *borussia* Dadd, 1908, *Proc. ent. Soc. Lonon* 1908: 13. Type(s): [Deutschland]: Ostpreussen: Berlin und Osterode. Range (in code): **DE HU CZ SK PL RU Ur UA**

- 16052. Polyommatus (s.str. (Lysandra)) coridon coridon (Poda,1761) (Lycaenidae)**
Synonym(s): *coridon* Poda,1761; *graeca* Heyne,1895; *torgniensis* Haverkamp,1906; *altica* Neustetter,1909; *alpiumpallida* Verity,1926; *jurae* Verity,1926; *insulana* Verity,1926; *galliae* Verity,1926; *narbonensis* Verity,1926; *fumosa* Verity,1926; *italagallica* Verity,1926; *diniae* Verity,1926; *minutepunctata* Verity,1926; *bieneri* Stauder,1924; *nicaeensis* Dujardin,1944. Original Reference: *Papilio coridon* Poda,1761, *Insecta Musei Graecensis*: 77-78. Type(s): [Austria]: Graz. Range (in code): **FR IT CH AT DE BE GB SS B-H HV YU MK GR TR BG RO**
- 16053. Polyommatus (s.str. (Lysandra)) coridon gennargenti (Leigheb,1987) (Lycaenidae)** Synonym(s): *gennargenti* Leigheb,1987. Range (in code): **Sa IT**
- 16054. Polyommatus (s.str. (Lysandra)) coridon menendezpelayoi (Agenjo,1956) (Lycaenidae)** Synonym(s): *asturiensis* Sagarra,1924 *nec* Obth.,1910; *menendez-pelayoi* Agenjo,1956; *burgalesa* Agenjo,1956; *manleyi* De Lesse,1962; *mattonensis* Gomez-Bustillo,1980; *guipuzcoana* Gomez-Bustillo,1981. Original Reference: *Plebejus* (Lysandra) *coridon menendez-pelayoi* Agenjo,1956, *Graellsia* 14: 80. Range (in code): **Atu ES Leo Bgs Rio Sor Zg**
- 16055. Polyommatus (s.str. (Lysandra)) coridon nufrellensis (Schurian,1977) (Lycaenidae)** Synonym(s): *nufrellensis* Schurian,1977. Original Reference: *Lysandra coridon* ssp. *nufrellensis* Schurian,1977, *Ent. Z., Frankf. a. M.* 87 (3): 13-18. Holotype ♂: Insel Korsika: Westseite Mufrella, 1900-2200m. (in coll. Schurian). Range (in code): **Co**
- 16056. Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer,[1852]) (Lycaenidae)** Synonym(s): *corydonius* Herrich-Schäffer,[1852] Original Reference: *Lycaena corydonius* Herrich-Schäffer,[1852], *Syst. Bearb. Schmett. Eur.* 6: 27, ibidem 1: pl.123 figs.595-596. Syntypes: Türkei; Südrussland. Neotype ♂: [Azerbaidjan]: Helenendorf, designated by Schurian (1988: 139) (NHMW). Range (in code): **Cc AZ RU TR GG AM IR Ak Ab**
- 16057. Polyommatus (s.str. (Lysandra)) corydonius caucasicus (Lederer,1870) (Lycaenidae)** Synonym(s): *caucasicus* Lederer,1870; *caeruleosmar* Verity,1939; *#sokolowskii* Wojtusiak & Niesiolowski,1946. Original Reference: *Lycaena corydon* var. *caucasica* Lederer,1870, *Annls Soc. ent. Belg.* 13: 23. Syntypes: Transcaucasie. Lectotype ♂, designated by Schurian (1988: 139). Range (in code): **TR Cc AM GG IR Ak Ab**
- 16058. Polyommatus (s.str. (Lysandra)) corydonius ciscaucasicus (Jachontov,1914) (Lycaenidae)** Synonym(s): *#ciscaucasicus* Jachontov,1914; *ciscaucasica* Bollow,1931. Original Reference: *Lysandra corydon ciscaucasica* Bollow,1931, [in] Seitz,A., *Die Gross-Schmett. Erde* 1 (suppl.): 284. Russia: Nordkaukasus: Zheleznowodsk, Kislowodsk. Range (in code): **RU**
- 16059. Polyommatus (s.str. (Lysandra)) corydonius corydonius (Herrich-Schäffer,[1852]) (Lycaenidae)** Synonym(s): *corydonius* Herrich-Schäffer,[1852] Original Reference: *Lycaena corydonius* Herrich-Schäffer,[1852], *Syst. Bearb. Schmett. Eur.* 6: 27, ibidem 1: pl.123 figs.595-596. Syntypes: Türkei; Südrussland. Neotype ♂: [Azerbaidjan]: Helenendorf, designated by Schurian (1988: 139) (NHMW). Range (in code): **Cc AZ**
- 16060. Polyommatus (s.str. (Lysandra)) dezinus Freina & Witt,1983 (Lycaenidae)** Synonym(s): *dezinus* Freina & Witt,1983. Original Reference: *Lysandra dezinus* Freina & Witt, 1983, *Entomofauna* 4 (14): 182-187. Holotype ♂: Türkei: Hakkari Prov., Dez-Tal, 1500-1800m (in coll. Freina). Range (in code): **TR**
- 16061. Polyommatus (s.str. (Lysandra)) dezinus dezinus Freina & Witt,1983 (Lycaenidae)** Synonym(s): *dezinus* Freina & Witt,1983. Original Reference: *Lysandra dezinus* Freina & Witt, 1983, *Entomofauna* 4 (14): 182-187. Holotype ♂: Türkei: Hakkari Prov., Dez-Tal, 1500-1800m (in coll. Freina). Range (in code): **TR**
- 16062. Polyommatus (s.str. (Lysandra)) hispanus (Herrich-Schäffer,1852) (Lycaenidae)** Synonym(s): *hispanus* Herrich-Schäffer,1852; *rezniceki* Bartel,1904; *meridionalis* Tutt,1909; *constanti* Reverdin,1910; *#florentina* Verity,1915; *#altera* Verity,1915; *#prior* Verity,1921; *septembris* Verity,1923; *galliaealbicans* Verity,1939; *pseudoalbicans* De Lesse,1962... Original Reference: *Lycaena corydon* var. *hispana* Herrich-Schäffer,1852, *Syst. Bearb. Schmett. Eur.* 6: 27, Taf.2104 figs.500-501. Lectotype ♂: [Barcelona] (Lederer,1852: 37) (designated by Schurian,1988) (ZMHUB). Range (in code): **ES Gna Bar Lda Trg Hue FR IT Vcl Alc** Bionomy: Larva on *Hippocrepis comosa*, *Anthyllis gerardi?* (Tolman, 1997).
- 16063. Polyommatus (s.str. (Lysandra)) hispanus gudarensis (Aistleitner,1989) (Lycaenidae)** Synonym(s): *gudarensis* Aistleitner,1989. Range (in code): **ES**
- 16064. Polyommatus (s.str. (Lysandra)) hispanus hispanus (Herrich-Schäffer,1852) (Lycaenidae)** Synonym(s): *hispanus* Herrich-Schäffer,1852; *rezniceki* Bartel,1904; *meridionalis* Tutt,1909; *constanti* Reverdin,1910; *#florentina* Verity,1915; *#altera* Verity,1915; *#prior* Verity,1921; *septembris* Verity,1923;

- galliaealbicans* Verity,1939; *pseudoalbicans* De Lesse,1962... Original Reference: *Lycaena corydon* var. *hispana* Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 27, Taf.2104 figs.500-501. Lectotype ♂: [Barcelona] (Lederer,1852: 37) (designated by Schurian,1988) (ZMHUB). Range (in code): ES Gna Bar Lda Trg Hue FR IT
- 16065. *Polyommatus* (s.str. (*Lysandra*)) *hispanus semperi* (Agenjo,1956)** (Lycaenidae) Synonym(s): *semperi* Agenjo,1956; *lucentina* De Lesse,1969. Original Reference: *Plebejus* (*Lysandra*) *coridon* (*hispana*) *semperi* Agenjo,1956, Graellsia 24: 47. Holotype ♂: Spain: Prov. Alicante, El Liriet, Benidorm. Range (in code): ES Vcl Alc
- 16066. *Polyommatus* (s.str. (*Lysandra*)) *melamarinus* (Dantchenko,2000)** (Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000 Original Reference: *Lysandra melamarina* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 187-188, pl.75 figs. 28-30. Holotype ♂: W. Caucasus: Lazarevskoe (SDM). Range (in code): RU Cc Kr Soc Tua Bionomy: Larva on *Hippocrepis emeroides* ? (Dantchenko,2000).
- 16067. *Polyommatus* (s.str. (*Lysandra*)) *melamarinus melamarinus* (Dantchenko,2000)** (Lycaenidae) Synonym(s): *melamarina* Dantchenko,2000 Original Reference: *Lysandra melamarina* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 187-188, pl.75 figs. 28-30. Holotype ♂: W. Caucasus: Lazarevskoe (SDM). Range (in code): RU Cc Kr Soc Tua Bionomy: Larva on *Hippocrepis emeroides* ? (Dantchenko,2000).
- 16068. *Polyommatus* (s.str. (*Lysandra*)) *ossmar* (Gerhard,[1851])** (Lycaenidae) Synonym(s): *ossmar* Gerhard,[1851] Original Reference: *Lycaena corydon* var. *ossmar* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17 Pl. 31 figs. 4a-c. Syntypes: Türkei. Neotype ♂: "Amasia", designated by Schurian,1989, Neue ent. Nachr. 24:70 (in coll. Staudinger) (MNHB). Range (in code): TR
- 16069. *Polyommatus* (s.str. (*Lysandra*)) *ossmar ankara* (Schurian & Hoffmann,1983)** (Lycaenidae) Synonym(s): *ankara* Schurian & Hoffmann,1983 Original Reference: *Lysandra ankara* Schurian & Hoffmann,1983, Nachr. ent. Ver. Apollo (N.F.) 3(4): 121-124, Abb.2,3. Holotype ♂: Türkei: Ankara, Kızılcahamam: Kargasekmez Geçidi 1100-1400m. (in coll. Schurian). Range (in code): TR
- 16070. *Polyommatus* (s.str. (*Lysandra*)) *ossmar olympicus* Lederer,1852** (Lycaenidae) Synonym(s): *olympicus* Lederer,1852 Original Reference: *Lycaena corydon* var. *olympica* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 20, 36, NACHtrag: 53. Lectotype ♂: [Türkei]: Olymp bei Bursa (Uludağ) (designated by Schurian,1988: 136) (NHMW). Range (in code): TR
- 16071. *Polyommatus* (s.str. (*Lysandra*)) *ossmar ossmar* (Gerhard,[1851])** (Lycaenidae) Synonym(s): *ossmar* Gerhard,[1851] Original Reference: *Lycaena corydon* var. *ossmar* Gerhard,[1851], Versuch Monogr. eur. Schmett.: 17 Pl. 31 figs. 4a-c. Syntypes: Türkei. Neotype ♂: "Amasia", designated by Schurian,1989, Neue ent. Nachr. 24:70 (in coll. Staudinger) (MNHB). Range (in code): TR
- 16072. *Polyommatus* (s.str. (*Lysandra*)) *philippi* (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *philippi* Brown & Coutsis,1978 Original Reference: *Lysandra philippi* Brown & Coutsis,1978, Entomologist's Gaz. 29: 201-206, pl.12 figs.1,2, text-figs. 1-4. Holotype ♂: Greece: mountains of NE.Greece: 900m (in coll. J.Brown). Range (in code): GR Bionomy: Larva on *Hippocrepis comosa* (Tolman, 1997).
- 16073. *Polyommatus* (s.str. (*Lysandra*)) *philippi philippi* (Brown & Coutsis,1978)** (Lycaenidae) Synonym(s): *philippi* Brown & Coutsis,1978 Original Reference: *Lysandra philippi* Brown & Coutsis,1978, Entomologist's Gaz. 29: 201-206, pl.12 figs.1,2, text-figs. 1-4. Holotype ♂: Greece: mountains of NE.Greece: 900m (in coll. J.Brown). Range (in code): GR
- 16074. *Polyommatus* (s.str. (*Lysandra*)) *punctiferus* (Oberthür,1876)** (Lycaenidae) Synonym(s): *punctifera* Oberthür,1876 Original Reference: *Lycaena adonis* var. *punctifera* Oberthür,1876, Etüdes d'Ent. 1: 23. Type ♂: Algérie: Lambéze. Range (in code): MA Ifr Azr DZ Lbs Mage Sbd Ges TN
- 16075. *Polyommatus* (s.str. (*Lysandra*)) *punctiferus punctiferus* (Oberthür,1876)** (Lycaenidae) Synonym(s): *punctifera* Oberthür,1876 Original Reference: *Lycaena adonis* var. *punctifera* Oberthür,1876, Etüdes d'Ent. 1: 23. Type ♂: Algérie: Lambéze. Range (in code): MA Ifr Azr DZ Lbs Mage Sbd Ges TN
- 16076. *Polyommatus* (s.str. (*Lysandra*)) *sheikh* (Dantchenko,2000)** (Lycaenidae) Synonym(s): *sheikh* Dantchenko,2000 Original Reference: *Lysandra sheikh* Dantchenko,2000, [in] Tusov et al., Guide Butts. Russia 2: 188-189, pl.75 figs. 40-42. Holotype ♂: N.E. Caucasus:

- Dagestan: vicinity of Gunib, 1800m. (SDM). Range (in code): **Cc RU Da** Bionomy: Larva on *Securigera varia* ? (Dantchenko,2000).
- 16077. Polyommatus (s.str. (Lysandra)) sheikh sheikh (Dantchenko,2000)** (Lycaenidae) Synonym(s): *sheikh Dantchenko,2000* Original Reference: *Lysandra sheikh Dantchenko,2000*, [in] Tusov et al., Guide Butts. Russia 2: 188-189, pl.75 figs. 40-42. Holotype ♂: N.E. Caucasus: Dagestan: vicinity of Gunib, 1800m. (SDM). Range (in code): **Cc RU Da** Bionomy: Larva on *Securigera varia* ? (Dantchenko,2000).
- 16078. Polyommatus (s.str. (Lysandra)) syriacus (Tutt,1914)** (Lycaenidae) Synonym(s): *syriacus Tutt,1914* Original Reference: *Agriades coridon* var. *syriaca* Tutt,1914, Nat. Hist. Br. Butts 4: 58-59. Syntypes: Lebanon: Antilebanon. Lectotype ♂: "Afka, Libanon, 6000ft Nicholl", designated by Schurian,1989, Neue ent. Nachr. 24:88 (BMNH). Range (in code): **LB TR SY**
- 16079. Polyommatus (s.str. (Lysandra)) syriacus burak Koçak,1992** (Lycaenidae) Synonym(s): *tauricus Schurian,1991 nec Heyn.,[1895] non Venzm.,1920; burak Koçak,1992.* Original Reference: *Lysandra syriaca* ssp. *burak* Koçak,1992, Cent. ent. Stud., Misc. Pap. 16: 6-7. Holotype ♂: Turkey: İçel: Aamalan 850m (in coll. CESA). Range (in code): **TR**
- 16080. Polyommatus (s.str. (Lysandra)) syriacus syriacus (Tutt,1914)** (Lycaenidae) Synonym(s): *syriacus Tutt,1914* Original Reference: *Agriades coridon* var. *syriaca* Tutt,1914, Nat. Hist. Br. Butts 4: 58-59. Syntypes: Lebanon: Antilebanon. Lectotype ♂: "Afka, Libanon, 6000ft Nicholl", designated by Schurian,1989, Neue ent. Nachr. 24:88 (BMNH). Range (in code): **LB SY**
- 16081. Polyommatus (s.str. (Meleageria)) daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* Original Reference: *Papilio daphnis* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district. Range (in code): **Aq Sms AL Cc AM AT AZ Ba BG B-H BY CH CZ DE ES FR GG GR HU HV Iq IR Ab Ak Mrd Qba Sro Lo Ha Elb Th Gor IT KG LB MK PL RO RU Si SK Sm So Sr SS SY TR UA VI YU LAT Wn** Bionomy: Larva on *Coronilla varia* (Tolman, 1997).
- 16082. Polyommatus (s.str. (Meleageria)) daphnis alpium (Verity,1926)** (Lycaenidae) Synonym(s): *alpium Verity,1926* Range (in code): **FR**
- 16083. Polyommatus (s.str. (Meleageria)) daphnis brandti (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *brandti Pfeiffer,1938* Original Reference: *Lycaena meleager* ssp. *brandti* Pfeiffer,1938, Mitt. münch. ent. Ges. 28 (2): 191. Syntypes: [Iran]: Südseite des Kendevan-Passes; Demavend im Elbursgebirge (ZSSM). Range (in code): **IR Th Elb**
- 16084. Polyommatus (s.str. (Meleageria)) daphnis daphnis ([Denis & Schiffermüller],1775)** (Lycaenidae) Synonym(s): *daphnis [Denis & Schiffermüller],1775; endymion [Denis & Schiffermüller],1775 nec Fabricius,1775; meleager Esper,1778; dalmatina Wagner,1909.* Original Reference: *Papilio daphnis* [Denis & Schiff.],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 182. Type(s): [Austria]: Vienna district. Range (in code): **Sms AL AT Ba BG B-H Bw BY CH CZ DE FR GR HU HV Iq IT KG MK PL RO RU Si SK Sm So Sr SS TR UA Aq VI YU LAT Wn**
- 16085. Polyommatus (s.str. (Meleageria)) daphnis elamitus (Le Cerf,1913)** (Lycaenidae) Synonym(s): *elamita Le Cerf,1913; vangoelensis Schurian & Häuser,1981.* Original Reference: *Lycaena meleager* var. *elamita* Le Cerf,1913, Annls. Hist. nat. deleg. Perse 2(2): 65, Pl.2 figs. 23,24. Syntypes: Iran: Lorestan, Arabistan. Range (in code): **IR Ha Lo TR Iq**
- 16086. Polyommatus (s.str. (Meleageria)) daphnis hayesi (T.Larsen,1974)** (Lycaenidae) Synonym(s): *hayesi T.Larsen,1974* Original Reference: *Meleageria daphnis* ssp. *hayesi* Larsen,1974, Alexanor 8 (7): 304-305, fig.2. Holotype ♂: Liban: Anti-Liban, Nabi-Sbat, 1600m (MNHN). Range (in code): **LB**
- 16087. Polyommatus (s.str. (Meleageria)) daphnis macra (Verity,1920)** (Lycaenidae) Synonym(s): *macra Verity,1920* Range (in code): **FR**
- 16088. Polyommatus (s.str. (Meleageria)) daphnis marcidus (Lederer,1871)** (Lycaenidae) Synonym(s): *marcida Lederer,1871* Original Reference: *Lycaena marcida* Lederer,1871, Horae Soc. ent. ross. 8: 10-11, Taf.1 fig.8. Syntypes 2♂: [Iran]: Persien: Astrabad [Gorgan]. Range (in code): **IR Elb Gor**
- 16089. Polyommatus (s.str. (Meleageria)) daphnis marteniana (De Sagarra,1926)** (Lycaenidae) Synonym(s): *marteniana De Sagarra,1926* Original Reference: *Meleageria meleager* rassa *marteniana* De Sagarra,1926, Butll. Inst. Catalana Hist. Nat. (2) 5: 271. Type: Santa Coloma de Queralt (S.Novellas leg) (MCNB). Range (in code): **ES**

- 16090. *Polyommatus* (s.str. (*Meleageria*)) *daphnis narsanus* (Alberti,1973) (Lycaenidae)**
 Synonym(s): *narsana* Alberti,1973 Original Reference: *Lycaena meleager* ssp. *narsana* Alberti,1973, *Atalanta* (Würzburg) 4B: 380-393. Holotype ♂: Northwest-Kaukasus, Dzhemagat-Tal, 1200-1800m. (ZSSM). Range (in code): **RU Cc GG TR**
- 16091. *Polyommatus* (s.str. (*Meleageria*)) *daphnis versicolor* (Heyne,[1895]) (Lycaenidae)**
 Synonym(s): *versicolor* Heyne,[1895]; *ignorata* Staudinger,1901; *erciyasi* Schurian & Häuser,1981; *palandoekis* Schurian & Häuser,1981; *dugijani* Schurian & Häuser,1981. Original Reference: *Lycaena meleager* var. *versicolor* Heyne,[1895], [in] Rühl,F., *Die palaearkt. Grossschmett. Naturg.* 1: 764. Type(s): Amasia, Mesopotamien. Range (in code): **Cc AM AZ GG TR IR Ab Ak Mrd Qba Sro**
- 16092. *Polyommatus* (s.str. (*Neolysandra*)) *alticola* (Christoph,1893) (Lycaenidae)**
 Synonym(s): *alticola* Christoph,1893; *alexander* Higgins,1981 Original Reference: *Lycaena coelestina* var. *alticola* Christoph,1893, *Dt. ent. Z., Iris* 6: 86. Syntypes: Armeniae rossicae [Türkei]: Urmus, Kasikoparan. Lectotype ♂: Kasikoparan (designated by Nekrutenko in Hesselbarth,1995: 652); Balint's (1999: 11) designation is invalid. Range (in code): **Cc AM TR IQ IR Ak Ab**
- 16093. *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus* (Eversmann,1843) (Lycaenidae)**
 Synonym(s): *coelestinus* Eversmann,1843 Original Reference: *Lycaena coelestina* Eversmann,1843, *Bull. Soc. imp. Nat. Moscou* 16 (3): 535. Syntypes: Russia: südlichen Ural. Range (in code): **Cc AM Ba GR IR Ak Mrd Ab Sah Elb Mz KG RU Sr Uk VI Aq** Bionomy: Larva on *Vicia cracca stenophylla* (Tolman, 1997).
- 16094. *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus coelestinus* (Eversmann,1843) (Lycaenidae)**
 Synonym(s): *coelestinus* Eversmann,1843 Original Reference: *Lycaena coelestina* Eversmann,1843, *Bull. Soc. imp. Nat. Moscou* 16 (3): 535. Syntypes: Russia: südlichen Ural. Range (in code): **Ba KG RU Sr Uk VI Aq**
- 16095. *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus hera* (Eckweiler & Schurian,1980) (Lycaenidae)**
 Synonym(s): *hera* Eckweiler & Schurian,1980 Original Reference: *Neolysandra coelestina* ssp. *hera* Eckweiler & Schurian,1980, *Atalanta* 11(1):71. Holotype ♂: Giechenland: Chelmos Gebirge, Zachlorou, 1500-1700m. (in coll. Eckweiler). Range (in code): **GR**
- 16096. *Polyommatus* (s.str. (*Neolysandra*)) *coelestinus hofizi* (Bernardi,1964) (Lycaenidae)**
 Synonym(s): *iranica* Pfeiffer,1938 nec Forst.,1938; *hofizi* Bernardi,1964; *saadii* Eckweiler & Schurian,1980 Original Reference: *Lysandra coelestina* ssp. *hofizi* Bernardi,1964, *Alexanor* 3: 274 (nomen novum pro *Lycaena coelestina iranica* Pfeiffer,1938 nec *Lycaena euryphilus iranica* Forster,1938). Range (in code): **IR Elb Mz**
- 16097. *Polyommatus* (s.str. (*Neolysandra*)) *coronus* (Verity,1936) (Lycaenidae)**
 Synonym(s): *coronus* Verity,1936 Original Reference: *Lysandra corona* Verity,1936, *Entomologist's Rec. J. Var.* 48: 106. Syntypes: [Iran]: Elburs mt.: Kendevan, 3000m. Range (in code): **IR Elb Th Mz**
- 16098. *Polyommatus* (s.str. (*Neolysandra*)) *coronus coronus* (Verity,1936) (Lycaenidae)**
 Synonym(s): *coronus* Verity,1936 Original Reference: *Lysandra corona* Verity,1936, *Entomologist's Rec. J. Var.* 48: 106. Syntypes: [Iran]: Elburs mt.: Kendevan, 3000m. Range (in code): **IR Elb Th Mz**
- 16099. *Polyommatus* (s.str. (*Neolysandra*)) *diana* (Miller,[1913]) (Lycaenidae)**
 Synonym(s): *diana* Miller,[1913] Original Reference: *Lycaena diana* Miller,[1913], *Dt. ent. Z., Iris* 26 [31.12.1912]: 220-221. Syntypes 7♂ 3♀: [Türkei]: [Kars: Kağızman]: Kagyzman, umg. Bergsee Tschangle. Lectotype ♂: Kağızman (designated by Nekrutenko, in Hesselbarth,1995: 655). Range (in code): **TR Cc IR Ab TS AM Eri** Bionomy: Larva on *Vicia* sp.
- 16100. *Polyommatus* (s.str. (*Neolysandra*)) *diana diana* (Miller,[1913]) (Lycaenidae)**
 Synonym(s): *diana* Miller,[1913] Original Reference: *Lycaena diana* Miller,[1913], *Dt. ent. Z., Iris* 26 [31.12.1912]: 220-221. Syntypes 7♂ 3♀: [Türkei]: [Kars: Kağızman]: Kagyzman, umg. Bergsee Tschangle. Lectotype ♂: Kağızman (designated by Nekrutenko, in Hesselbarth,1995: 655). Range (in code): **AM Eri TR Cc** Bionomy: Larva on *Vicia* sp.
- 16101. *Polyommatus* (s.str. (*Neolysandra*)) *diana omnicaruleus* (Weidenhoffer,2002) (Lycaenidae)**
 Synonym(s): *omnicaruleus* Weidenhoffer,2002 Range (in code): **IR Ab TS**

- 16102. Polyommatus (s.str. (Neolysandra)) ellisoni (Pfeiffer,1931)** (Lycaenidae)
Synonym(s): *ellisoni* Pfeiffer,1931 Original Reference: *Lycaena ellisoni* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 65. Syntypes ♂♀: Lebanon: Cedar Mts., Bsharre. Range (in code): **LB**
- 16103. Polyommatus (s.str. (Neolysandra)) ellisoni ellisoni (Pfeiffer,1931)** (Lycaenidae)
Synonym(s): *ellisoni* Pfeiffer,1931 Original Reference: *Lycaena ellisoni* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 65. Syntypes ♂♀: Lebanon: Cedar Mts., Bsharre. Range (in code): **LB**
- 16104. Polyommatus (s.str. (Neolysandra)) fatima Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980 Original Reference: *Neolysandra coelestina* ssp. *fatima* Eckweiler & Schurian,1980, Atalanta 11 (1): 72, Abb.4,5. Holotype ♂: Türkiye: Hakkari, Bercelem Yaylası 2500-2800m. [paratypes 129♂♂ 75♀♀] (in coll. Eckweiler). Range (in code): **TR IR Ab Sil**
- 16105. Polyommatus (s.str. (Neolysandra)) fatima fatima Eckweiler & Schurian,1980** (Lycaenidae) Synonym(s): *fatima* Eckweiler & Schurian,1980 Original Reference: *Neolysandra coelestina* ssp. *fatima* Eckweiler & Schurian,1980, Atalanta 11 (1): 72, Abb.4,5. Holotype ♂: Türkiye: Hakkari, Bercelem Yaylası 2500-2800m. [paratypes 129♂♂ 75♀♀] (in coll. Eckweiler). Range (in code): **TR IR Ab Sil**
- 16106. Polyommatus (s.str. (Neolysandra)) fereiduna Skala,2002** (Lycaenidae)
Synonym(s): *fereiduna* Skala,2002 Range (in code): **IR Es**
- 16107. Polyommatus (s.str. (Neolysandra)) fereiduna fereiduna Skala,2002** (Lycaenidae) Synonym(s): *fereiduna* Skala,2002 Range (in code): **IR Es**
- 16108. Polyommatus (s.str. (Neolysandra)) nazugum Kemal & Koçak,2013** (Lycaenidae)
Synonym(s): *nazugum* Kemal & Koçak,2013 Original Reference: *Polyommatus* (Neolysandra) *nazugum* Kemal & Koçak,2013, Misc. Pap. 160: 6. Holotype ♂: Turkey, Kahramanmaraş, Nurhak Mt. 1950-2000m 30 6 2008 M.Kemal & A.Koçak leg. (coll. Cesa). Range (in code): **TR**
- 16109. Polyommatus (s.str. (Neolysandra)) ponticus (Courvoisier,1911)** (Lycaenidae)
Synonym(s): *ponticus* Courvoisier,1911 Original Reference: *Lycaena pontica* Courvoisier,1911, Dt. ent. Z., Iris 25: 107, pl.2 f.12. Type ♂: [Turquie]: Amasia (in NHMB) Range (in code): **TR**
- 16110. Polyommatus (s.str. (Neolysandra)) ponticus goeksunensis Kemal & Koçak,2013** (Lycaenidae) Synonym(s): *goeksunensis* Kemal & Koçak,2013 Range (in code): **TR**
- 16111. Polyommatus (s.str. (Neolysandra)) ponticus ponticus (Courvoisier,1911)** (Lycaenidae) Synonym(s): *ponticus* Courvoisier,1911 Original Reference: *Lycaena pontica* Courvoisier,1911, Dt. ent. Z., Iris 25: 107, pl.2 f.12. Type ♂: [Turquie]: Amasia (in NHMB) Range (in code): **TR**
- 16112. Polyommatus (s.str. (Neolysandra)) ponticus ssp.** (Lycaenidae) Synonym(s): Range (in code): **TR**
- 16113. Polyommatus (s.str. (Plebicula)) abdelaziz (Blachier,1908)** (Lycaenidae)
Synonym(s): *#cyanea* Aigner,1906; *#azurea* Blachier,1908; *abdelaziz* Blachier,1908; *bettii* Barragué,1987. Original Reference: *Lycaena amandus* var. *abdelaziz* Blachier, 1908, Anns Soc. ent. Fr. 77: 218, Syntypes: [High] Atlas Mts. (Morocco) . Range (in code): **MA DZ Dju Azr**
- 16114. Polyommatus (s.str. (Plebicula)) abdelaziz abdelaziz (Blachier,1908)** (Lycaenidae) Synonym(s): *#cyanea* Aigner,1906; *#azurea* Blachier,1908; *abdelaziz* Blachier,1908; *bettii* Barragué,1987. Original Reference: *Lycaena amandus* var. *abdelaziz* Blachier, 1908, Anns Soc. ent. Fr. 77: 218, Syntypes: [High] Atlas Mts. (Morocco). Range (in code): **MA DZ Dju Azr**
- 16115. Polyommatus (s.str. (Plebicula)) amandus (Schneider,1792)** (Lycaenidae)
Synonym(s): *icarius* Esper,1789 nec Rottentburg,1775; *amandus* Schneider,1792 Original Reference: *Papilio amandus* Schneider,1792, Neuestes Mag. 4: 428. Type(s): Sweden. Range (in code): **Lsb Bn At AL AM AT AZ Ba BG BY Cc CH CN CZ DE DK EE ES FI FR GG GR HU IQ IR Ak Ab Jal Elb Th IT KG KK LB LT LV NO PL RU SE Si SK Sm So Sr Tk TR T-S UA Ui Uk Vl YU Aq Cb Bs Or Kg Pp Kw Ty Pw Om No Mn Sp Tk Aa Db Ax Kuz Sli Sau Tar DsA TrA TeA T-S** Bionomy: Larva on *Vicia cracca*, *V. villosa*, *V. onobrychoides*, *V. terasperma*, *V. incana*, *V. sibthorpii*, *V. cassubica* (Tolman, 1997); *Vicia kokandica*, *V. costata*, *Medicago romanica* (Zhdanko, 1997).
- 16116. Polyommatus (s.str. (Plebicula)) amandus achaianus (Brown,1977)** (Lycaenidae)
Synonym(s): *achaianus* Brown,1977 Original Reference: *Plebicula amanda* ssp. *achaiana* Brown,1977, Entomologist's Gaz. 28: 166-167. Holotype ♂: Greece: Mt.Chelmos: Boros Vrasi,1000m. Range (in code): **GR**

- 16117. *Polyommatus* (s.str. (Plebicula)) *amandus agathon* Godart,[1824]** (Lycaenidae)
Synonym(s): *agathon* Godart,[1824]; *pyrenaeorum* Verity,1949. Original Reference: *Polyommatus agathon* Godart,[1824], Ency. méth. 9(2): 695. Syntypes: France: Paris. Range (in code): **FR**
- 16118. *Polyommatus* (s.str. (Plebicula)) *amandus amandus* (Schneider,1792)** (Lycaenidae) Synonym(s): *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792. Original Reference: *Papilio amandus* Schneider,1792, Neuestes Mag. 4:428. Type(s): Sweden. Range (in code): **AL AT Ba At Bn BG Bw BY Cc CH CZ DE DK EE FI FR GR HU IT KG Le LT LV NO PL RU SE Si SK Sm So Sr UA Uk VI YU**
- 16119. *Polyommatus* (s.str. (Plebicula)) *amandus amatus* (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *amatus* Groum-Grshimailo,1890 Original Reference: *Lycaena amanda* var. *amata* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 403. Lectotype ♂: [Tadjikistan]: Transalai: Baldjouan (designated by Balint,1999, Neue ent. Nachr. 46: 11) (BMNH). Range (in code): **T-S KK TJ T-A**
- 16120. *Polyommatus* (s.str. (Plebicula)) *amandus amurensis* (Staudinger,1892)** (Lycaenidae) Synonym(s): *amurensis* Staudinger,1892 Original Reference: *Lycaena amanda* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. Lépid. 6: 162. Syntypes: Russia: Amur. Range (in code): **RU Am**
- 16121. *Polyommatus* (s.str. (Plebicula)) *amandus antheus* Hemming,1932** (Lycaenidae) Synonym(s): *antheus* Hemming,1932 Original Reference: *Polyommatus amandus* ssp. *anthea* Hemming,1932, Entomologist 65: 268. Holotype ♂: Lebanon: Ain Zahalta, 7000ft. (According to Hesselbarth et al. (1995) invalid). Range (in code): **He IL LB**
- 16122. *Polyommatus* (s.str. (Plebicula)) *amandus brendus* Hemming,1932** (Lycaenidae) Synonym(s): *brenda* Hemming,1932 Original Reference: *Polyommatus amandus* ssp. *brenda* Hemming,1932, Entomologist 65: 269. Holotype ♂: Lebanon: Ain Zahalta, 1900-3000m. Range (in code): **LB**
- 16123. *Polyommatus* (s.str. (Plebicula)) *amandus isias* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *isias* Fruhstorfer,1910 Original Reference: *Lycaena amandus* ssp. *isias* Fruhstorfer,1910, Societas ent. 25: 47. Syntypes: France: Alpes-Maritimes: Moulinet bei Menton. Range (in code): **Fo6 FR**
- 16124. *Polyommatus* (s.str. (Plebicula)) *amandus ludovicanus* (Betti,1977)** (Lycaenidae) Synonym(s): *ludovicana* Betti,1977 Range (in code): **FR**
- 16125. *Polyommatus* (s.str. (Plebicula)) *amandus orientalis* (Staudinger,1901)** (Lycaenidae) Synonym(s): *orientalis* Staudinger,1901; *gina* Higgins,1958. Original Reference: *Lycaena amanda* var. *orientalis* Staudinger,1901, Cat. Lepid. palaeart. Faunengeb. 1:85. Syntypes: Pontus; Armenia; Hyrcania.. Lectotype ♂: Turquie: Amasia (designated by Bernardi,1964: 273-74) (ZMHB). Range (in code): **TR IQ IR Ak Ab Jal Elb Th Cc AZ AM GG**
- 16126. *Polyommatus* (s.str. (Plebicula)) *amandus tova* Higgins,1948** (Lycaenidae) Synonym(s): *tova* Higgins,1948 Original Reference: *Polyommatus amandus* ssp. *tova* Higgins,1948, Entomologist 81: 50-51. Holotype ♂: Spain: Granada, Sierra Nevada, 5500ft. (in coll. Higgins). Range (in code): **ES**
- 16127. *Polyommatus* (s.str. (Plebicula)) *amandus turensis* (Heyne,[1895])** (Lycaenidae) Synonym(s): *turensis* Heyne,[1895] Original Reference: *Lycaena amanda* var. *turensis* Heyne,[1895], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg.1: 762. Type(s): [Turkmenistan]: Tura. Range (in code): **KG TM UZ**
- 16128. *Polyommatus* (s.str. (Plebicula)) *atlanticus* (Elwes,1906)** (Lycaenidae) Synonym(s): *atlanticus* Elwes,1906 Original Reference: *Lycaena hylas* var. *atlantica* Elwes,1906 [in] Meade-Waldo, Trans. ent. Soc. London 53: 380, pl.19 figs.5,6. Lectotype ♂: Morocco: Imentalla, Atlas Mts., 5500ft., designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH). Range (in code): **MA DZ Dju Dja** Bionomy: Larva on *Anthyllis vulneraria* (Tolman,1997).
- 16129. *Polyommatus* (s.str. (Plebicula)) *atlanticus atlanticus* (Elwes,1906)** (Lycaenidae) Synonym(s): *atlanticus* Elwes,1906 Original Reference: *Lycaena hylas* var. *atlantica* Elwes,1906 [in] Meade-Waldo, Trans. ent. Soc. London 53: 380, pl.19 figs.5,6. Lectotype ♂: Morocco: Imentalla, Atlas Mts., 5500ft., designated by Balint,1999, Neue ent. Nachr. 46: 16 (BMNH). Range (in code): **MA DZ**
- 16130. *Polyommatus* (s.str. (Plebicula)) *atlanticus barraguei* Dujardin,1977** (Lycaenidae) Synonym(s): *barraguei* Dujardin,1977 Range (in code): **DZ Dju Dja**

- 16131. *Polyommatus* (s.str. (Plebicula)) *atlanticus weissii* Dujardin, 1977** (Lycaenidae)
Synonym(s): *weissii* Dujardin, 1977 Original Reference: *Polyommatus atlanticus* ssp. *weissii* Dujardin, 1977, Entomops 43: 93-100. Range (in code): **MA**
- 16132. *Polyommatus* (s.str. (Plebicula)) *dorylas* ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller], 1775; *hylas* Esper, [1778] nec Linnaeus, 1758; *argester* Bergsträßer, [1779]; *magna* Balint, 1985. Original Reference: *Papilio dorylas* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 322. Type(s): [Austria]: Vienna district. Range (in code): **AL AT Ba BE BG BY CH CZ DE ES FR GG Cc GR HU IT KG LT LV PL RO RU SE SK Sr TR UA Uk YU LAT Wn** Bionomy: Larva on *Anthyllis vulneraria* (Tolman, 1997).
- 16133. *Polyommatus* (s.str. (Plebicula)) *dorylas armenus* (Staudinger, 1871)** (Lycaenidae) Synonym(s): *armenus* Staudinger, 1871 Original Reference: *Lycaena hylas* var. *armena* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 12. Type(s): Armenia. Lectotype ♂: [Georgia]: Achalzich (designated by Nekrutenko, 1995 [in] Hesselbarth, et al., Tagfalter der Türkei: 658 (ZMHB). Range (in code): **AM Cc GG TR**
- 16134. *Polyommatus* (s.str. (Plebicula)) *dorylas dorylas* ([Denis & Schiffermüller], 1775)** (Lycaenidae) Synonym(s): *dorylas* [Denis & Schiffermüller], 1775; *hylas* Esper, [1778] nec Linnaeus, 1758; *argester* Bergsträßer, [1779]; *magna* Balint, 1985. Original Reference: *Papilio dorylas* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 322. Type(s): [Austria]: Vienna district. Range (in code): **AL AT Ba BE BG Bw BY CH CZ DE ES FR GR HU IT KG LT LV PL RO RU SE SK Sr TR UA Uk YU LAT Wn**
- 16135. *Polyommatus* (s.str. (Plebicula)) *dorylas macromargaritus* Verity, 1926** (Lycaenidae) Synonym(s): *macromargarita* Verity, 1926 Range (in code): **FR**
- 16136. *Polyommatus* (s.str. (Plebicula)) *dorylas micromargaritus* Verity, 1926** (Lycaenidae) Synonym(s): *micromargarita* Verity, 1926; *#anteparvaplumbea* Verity, 1934. Range (in code): **FR**
- 16137. *Polyommatus* (s.str. (Plebicula)) *dorylas parvaplumbeus* Verity, 1934** (Lycaenidae) Synonym(s): *parvaplumbea* Verity, 1934 Range (in code): **FR**
- 16138. *Polyommatus* (s.str. (Plebicula)) *escheri* (Hübner, [1823])** (Lycaenidae) Synonym(s): *escheri* Hübner, [1823]; *agestor* Godart, 1823. Original Reference: *Papilio escheri* Hübner, [1823], Samml. eur. Schmett. I: pl. 160, figs. 799-800. Type(s): Europa. "Var, S. France" (Verity, 1943; Higgins & Riley, 1970: 297). Range (in code): **BG BY CH ES Mu FR GR HU IT MT PT RU TR UA YU** Bionomy: Larva on *Astragalus monspessulanus*, *A. sempervirens*, *A. exscapus*, *A. incanus* (Tolman, 1997).
- 16139. *Polyommatus* (s.str. (Plebicula)) *escheri agenjoi* Higgins, 1948** (Lycaenidae) Synonym(s): *agenjoi* Higgins, 1948 Original Reference: *Polyommatus escheri* race *agenjoi* Higgins, 1948, Entomologist 81: 52. Holotype ♂: Spain: Granada, Sierra Nevada, 8500ft. (in coll. Higgins). Range (in code): **ES**
- 16140. *Polyommatus* (s.str. (Plebicula)) *escheri ahmar* (Le Cerf, 1928)** (Lycaenidae) Synonym(s): *ahmar* Le Cerf, 1928 Original Reference: *Lycaena escheri* ssp. *ahmar* Le Cerf, 1928, Encycl. ent. (B) 3: 117. Holotype ♂: Morocco: Moyen Atlas. Range (in code): **MA**
- 16141. *Polyommatus* (s.str. (Plebicula)) *escheri balestrei* (Fruhstorfer, 1910)** (Lycaenidae) Synonym(s): *balestrei* Fruhstorfer, 1910 Original Reference: *Lycaena escheri* ssp. *balestrei* Fruhstorfer, 1910, Societas ent. 25: 48. Syntypes: France: Alpes-Maritimes: Moulinet bei Menton. Range (in code): **Fo6 FR**
- 16142. *Polyommatus* (s.str. (Plebicula)) *escheri dalmaticus* (Speyer, 1882)** (Lycaenidae) Synonym(s): *dalmaticus* Speyer, 1882; *parnassica* Brown, 1977. Original Reference: *Agrodiaetus dalmatica* Speyer, 1882, Stettin ent. Ztg. 43(7/9): 381. Type(s): [Croatia]: Dalmatien (Type unknown). Range (in code): **BG GR HV MK TR**
- 16143. *Polyommatus* (s.str. (Plebicula)) *escheri escheri* (Hübner, [1823])** (Lycaenidae) Synonym(s): *escheri* Hübner, [1823]; *agestor* Godart, 1823. Original Reference: *Papilio escheri* Hübner, [1823], Samml. eur. Schmett. I: pl. 160, figs. 799-800. Type(s): Europa. "Var, S. France" (Verity, 1943; Higgins & Riley, 1970: 297). Range (in code): **CH ES FR IT PT**
- 16144. *Polyommatus* (s.str. (Plebicula)) *escheri helenae* (Oberthür, 1910)** (Lycaenidae) Synonym(s): *helenae* Oberthür, 1910 Original Reference: *Lycaena escheri* var. *helenae* Oberthür, 1910, Etüd. lépid. comp. 4: 218, pl. 49 figs. 415, 416. Lectotype ♂: Charente-inferieure, Dompierres-Mer (BMNH), designated by Balint, 1999, Neue ent. Nachr. 46: 35. Range (in code): **FR**

- 16145. Polyommatus (s.str. (Plebicula)) escheri microstictus Verity,1929** (Lycaenidae)
Synonym(s): *microsticta* Verity,1929 Range (in code): FR
- 16146. Polyommatus (s.str. (Plebicula)) escheri rondoui (Oberthür,1906)** (Lycaenidae)
Synonym(s): *rondoui* Oberthür,1906; *rondoudimidia* Verity,1929. Range (in code): FR
- 16147. Polyommatus (s.str. (Plebicula)) escheri roseonitens (Oberthür,1910)** (Lycaenidae) Synonym(s): *roseonitens* Oberthür,1910 Range (in code): ES Mu
- 16148. Polyommatus (s.str. (Plebicula)) escheri splendens Stefanelli,1904** (Lycaenidae)
Synonym(s): *splendens* Stefanelli,1904; *sicca* Verity,1929. Range (in code): FR IT
- 16149. Polyommatus (s.str. (Plebicula)) golgus (Hübner,[1813])** (Lycaenidae)
Synonym(s): *golgus* Hübner,[1813] Original Reference: Papilio golgus Hübner,[1813], Samml. eur. Schmett. 1: pl.136, figs. 688-689. Syntypes: Europa. Range (in code): ES Grn Bionomy: Larva on Anthyllis vulneraria arundana (Tolman,1997).
- 16150. Polyommatus (s.str. (Plebicula)) golgus golgus (Hübner,[1813])** (Lycaenidae)
Synonym(s): *golgus* Hübner,[1813] Original Reference: Papilio golgus Hübner,[1813], Samml. eur. Schmett. 1: pl.136, figs. 688-689. Syntypes: Europa. Range (in code): ES Grn
- 16151. Polyommatus (s.str. (Plebicula)) nivescens (Keferstein,1851)** (Lycaenidae)
Synonym(s): *nivescens* Keferstein,1851 Original Reference: Lycaena nivescens Keferstein,1851, Stettin ent. Ztg. 1851: 309. Type: Spain: Sierra de Alfacer, Granada. Range (in code): ES Mu Ter Cue Bionomy: Larva on Anthyllis vulneraria (Tolman,1997).
- 16152. Polyommatus (s.str. (Plebicula)) nivescens nivescens (Keferstein,1851)** (Lycaenidae) Synonym(s): *nivescens* Keferstein,1851 Original Reference: Lycaena nivescens Keferstein,1851, Stettin ent. Ztg. 1851: 309. Type: Spain: Sierra de Alfacer, Granada. Range (in code): ES Mu Ter Cue
- 16153. Polyommatus (s.str. (Sublysandra)) adulterinus Heydemann,1954** (Lycaenidae)
Synonym(s): *adulterinus* Heydemann,1954 Original Reference: Polyommatus adulterinus Heydemann,1954, Z. Wien. ent. Ges. 39: 425-426. Holotype ♂: Afghanistan: Kabul. Range (in code): AF Kab
- 16154. Polyommatus (s.str. (Sublysandra)) adulterinus adulterinus Heydemann,1954** (Lycaenidae) Synonym(s): *adulterinus* Heydemann,1954 Original Reference: Polyommatus adulterinus Heydemann,1954, Z. Wien. ent. Ges. 39: 425-426. Holotype ♂: Afghanistan: Kabul. Range (in code): AF Kab
- 16155. Polyommatus (s.str. (Sublysandra)) aedon (Christoph,1877)** (Lycaenidae)
Synonym(s): *aedon* Christoph,1877 Original Reference: Lycaena aedon Christoph,1877, Horae Soc. ent. ross. 12: 236-237, Taf.v fig.8. Syntypes: [Iran]: Schahkuh. Range (in code): IR Ab Khy Elb Th Ha TR Cc Bionomy: Larva on Cicer ? arietinum C. anatolicum (Fabaceae) (Hesselbarth et al.,1995); Cicer anatolicum (Fabaceae) (Kemal, in litt.).
- 16156. Polyommatus (s.str. (Sublysandra)) aedon aedon (Christoph,1877)** (Lycaenidae)
Synonym(s): *aedon* Christoph,1877 Original Reference: Lycaena aedon Christoph,1877, Horae Soc. ent. ross. 12: 236-237, Taf.v fig.8. Syntypes: [Iran]: Schahkuh. Range (in code): IR Elb Th Ha
- 16157. Polyommatus (s.str. (Sublysandra)) aedon araxianus (Koçak,1980)** (Lycaenidae)
Synonym(s): *araxianus* Koçak,1980 Original Reference: Agrodiaetus (Sublysandra) myrrhus ssp. araxiana Koçak,1980, Atalanta 11 (4): 266-267, figs. 6-9. Holotype ♂: Turkey: Kars: Akçay, 1500-1700m. Range (in code): TR Cc
- 16158. Polyommatus (s.str. (Sublysandra)) aedon myrrhinus (Staudinger,1901)** (Lycaenidae) Synonym(s): *myrrhinus* Staudinger,1901; *noacki* Koçak,1980 Original Reference: Lycaena myrrha var. myrrhina Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb.1: 85. Type(s): [Türkei]: Gümüşhane. Range (in code): TR Cc IR Ab Khy Bionomy: Larva on Cicer ? arietinum C. anatolicum (Fabaceae) (Hesselbarth et al.,1995); Cicer anatolicum (Fabaceae) (Kemal, in litt.).
- 16159. Polyommatus (s.str. (Sublysandra)) cinyraeus (Nekrutenko & Effendi,1979)** (Lycaenidae) Synonym(s): *cinyraeus* Nekrutenko & Effendi,1979 Original Reference: Lysandra cinyraea Nekrutenko & Effendi,1979, Dopovidi Akad. Nauk. UkrRSR Ser.B. 7: 581-584, fig.1. Holotype ♂: [Azerbaidjan]: Nachitschewan, Daralagez Gebirge, Umgebung des Dorfes Kjukju 2000m (SIZK). Range (in code): Cc AZ Nv AM
- 16160. Polyommatus (s.str. (Sublysandra)) cornelius (Freyer,[1850])** (Lycaenidae)
Synonym(s): *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. Original Reference: Lycaena cornelia

- Freyer,[1850], Neuere Beitr. Schmett. 6: 145, Taf. 572, fig.1. Type(s): Türkei, Amasia. Range (in code): TM TR AF
- 16161. Polyommatus (s.str. (Sublysandra)) cornelius anaticus (Koçak,1975)** (Lycaenidae) Synonym(s): *anaticus* Koçak,1975 Original Reference: *Lysandra anatica* Koçak,1975, Atalanta 6 (1): 31-34, figs.1-5. Holotype ♂: Turkey: Erzincan Pr.: Danz Dağı, 2800m (in coll. Cesa). Range (in code): TR
- 16162. Polyommatus (s.str. (Sublysandra)) cornelius cornelius (Freyer,[1850])** (Lycaenidae) Synonym(s): *cornelius* Freyer,[1850]; *cornelia* Gerhard,[1851]; *candalus* Herrich-Schäffer,[1851]; *zuleikae* Pfeiffer,1932; *eberti* Koçak,1979; *subtilis* Pages & Charmeux,1992. Original Reference: *Lycaena cornelia* Freyer,[1850], Neuere Beitr. Schmett. 6: 145, Taf. 572, fig.1. Type(s): Türkei, Amasia. Range (in code): TR
- 16163. Polyommatus (s.str. (Sublysandra)) cornelius delerei Heydemann,1954** (Lycaenidae) Synonym(s): *delerei* Heydemann,1954 Original Reference: *Polyommatus candalus* var. *delerei* Heydemann,1954, Z. Wien. ent. Ges. 39: 424-425, Taf. 36 Abb. 16,17. Syntypes: Afghanistan: Kabul u. Darulfunun. Range (in code): AF
- 16164. Polyommatus (s.str. (Sublysandra)) isauricoides (Graves,1923)** (Lycaenidae) Synonym(s): *isauricoides* Graves,1923 Original Reference: *Polyommatus candalus* ssp.*isauricoides* Graves,1923, Entomologist 61: 155-156. Syntypes 8♂ 3♀: Lebanon: Husn Niha; J.Sannin; Ain Ata; Akfa. Range (in code): LB IL He
- 16165. Polyommatus (s.str. (Sublysandra)) isauricoides isauricoides (Graves,1923)** (Lycaenidae) Synonym(s): *isauricoides* Graves,1923 Original Reference: *Polyommatus candalus* ssp.*isauricoides* Graves,1923, Entomologist 61: 155-156. Syntypes 8♂ 3♀: Lebanon: Husn Niha; J.Sannin; Ain Ata; Akfa. Range (in code): LB IL He
- 16166. Polyommatus (s.str. (Sublysandra)) muetingi (Balint,1992)** (Lycaenidae) Synonym(s): *muetingi* Balint,1992 Original Reference: *Agrodiaetus muetingi* Balint,1992, Linneana Belg. 13 (8): 405-407, figs.8,9. Holotype ♂: Afghanistan: Vicinity of Kabul, 2500m (HNHM). Range (in code): AF Kab
- 16167. Polyommatus (s.str. (Sublysandra)) muetingi muetingi (Balint,1992)** (Lycaenidae) Synonym(s): *muetingi* Balint,1992 Original Reference: *Agrodiaetus muetingi* Balint,1992, Linneana Belg. 13 (8): 405-407, figs.8,9. Holotype ♂: Afghanistan: Vicinity of Kabul, 2500m (HNHM). Range (in code): AF Kab
- 16168. Polyommatus (s.str. (Sublysandra)) myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852] Original Reference: *Lycaena myrrha* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:26; ibid. 1: figs.508-511. Syntypes: [Türkei]: Kleinasien [=Amasya]. Range (in code): TR Cc IR Ab Sro Bionomy: Larva on *Cicer anaticum* (Fabaceae) (Nekrutenko & Effendi,1979).
- 16169. Polyommatus (s.str. (Sublysandra)) myrrhus bahramii (Carbonell & Skala,2005)** (Lycaenidae) Synonym(s): *bahramii* Carbonell & Skala,2005 Original Reference: *Sublysandra myrrha* ssp. *bahramii* Carbonell & Skala,2005, Bull. Soc. ent. Fr. 110 (4/5): 381, fig. Holotype ♂: Iran, Prov. Hamadan, Kuh-e-Alvand, leg. Bahrami (MNHN Paris) Range (in code): IR Ha
- 16170. Polyommatus (s.str. (Sublysandra)) myrrhus garrinus (Carbonell & Skala,2005)** (Lycaenidae) Synonym(s): *garrina* Carbonell & Skala,2005 Original Reference: *Sublysandra myrrha* ssp. *garrina* Carbonell & Skala,2005, Bull. Soc. ent. Fr. 110 (4/5): 382, fig. Holotype ♂: Iran, Prov. Lorestan, Kuh-e-Garrin, leg. Skala (MNHN Paris). Range (in code): IR Lo
- 16171. Polyommatus (s.str. (Sublysandra)) myrrhus hakkariensis (Koçak,1977)** (Lycaenidae) Synonym(s): *hakkariensis* Koçak,1977 Original Reference: *Agrodiaetus* (Sublysandra) *candalus* ssp. *hakkariensis* Koçak, 1977, Atalanta 8 (1): 53, figs. 11-12. Holotype ♂: Turkey: Hakkari Prov., ■zümcü, 1300m. (CESA). Range (in code): TR IR Ab Sro
- 16172. Polyommatus (s.str. (Sublysandra)) myrrhus myrrhus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *myrrhus* Herrich-Schäffer,[1852] Original Reference: *Lycaena myrrha* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:26; ibid. 1: figs.508-511. Syntypes: [Türkei]: Kleinasien [=Amasya]. Range (in code): TR
- 16173. Polyommatus (s.str. (Sublysandra)) nuksani (Forster,1937)** (Lycaenidae) Synonym(s): *nuksani* Forster,1937 Original Reference: *Lycaena candalus* ssp. *nuksani* Forster,1937, Mitt. münch. ent. Ges. 27: 62-63, Abb.1-3. Holotype ♂: Afghanistan: Nordost-Hindukusch, Nuksan Pass Nordseite, 3500-4000m. Range (in code): AF Hk

- 16174. *Polyommatus* (s.str. (Sublysandra)) *nuksani nuksani* (Forster,1937)**
(Lycaenidae) Synonym(s): *nuksani* Forster,1937 Original Reference: *Lycaena candalus* ssp. *nuksani* Forster,1937, Mitt. münch. ent. Ges. 27: 62-63, Abb.1-3. Holotype ♂: Afghanistan: Nordost-Hindukusch, Nuksan Pass Nordseite, 3500-4000m. Range (in code): **AF Hk**
- 16175. *Polyommatus* (s.str. (Thersitesia)) *thersites* (Canterer,[1835])** (Lycaenidae)
Synonym(s): *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. Original Reference: *Argus thersites* Canterer,[1835], Hist. nat. Lép. Rhop. Pap. diurn. Dép...: 53, pl.11, figs.1,2. Syntypes: NW.France: Vosges,etc. Range (in code): **Cc AZ Sms Kos AL AT Ba BE B-H BY CH CZ DE ES Mu FR GR HU HV IR Ak Ab Qba Elb Th IT KG KK LB MA MK MN PL PT Rd RO RU SK Sm So Sr SS SY TM TR UA YU TrA TeA T-S DsA Tar Sau Sj GG Tbl MA Azr Ifr** Bionomy: Larva on *Onobrychis caput-galli*, *O.viciifolia*, *O.peduncularis* *O.radiata* (Weidenhoffer & Vanek,1977; Tolman, 1997; Zhdanko, 1997).
- 16176. *Polyommatus* (s.str. (Thersitesia)) *thersites alexius* (Freyer)** (Lycaenidae)
Synonym(s): *alexius* Freyer Range (in code): **Shl**
- 16177. *Polyommatus* (s.str. (Thersitesia)) *thersites ardavdanus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *ardavdana* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *ardavdana* Obraztsov,1936, Lambillionea 36: 15. Syntypes 3♂: [Ukraine]: Crimée. Range (in code): **Cm UA**
- 16178. *Polyommatus* (s.str. (Thersitesia)) *thersites gandzhanus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *gandzhana* Obraztsov,1936; *#nigrovenata* Obraztsov,1936. Original Reference: *Lycaena thersites* ssp. *gandzhana* Obraztsov,1936, Lambillionea 36: 17. Syntypes: 2♂ 3♀: [Azerbaijan]: Gandzha (Jelisavetpol) (A.Kastshenko leg.); Adzhi-Kent. Range (in code): **Cc AZ**
- 16179. *Polyommatus* (s.str. (Thersitesia)) *thersites gravesi* (Chapman,1912)**
(Lycaenidae) Synonym(s): *gravesi* Chapman,1912 Range (in code): **IL Pa**
- 16180. *Polyommatus* (s.str. (Thersitesia)) *thersites hypanicus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *hypanica* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *hypanica* Obraztsov,1936, Lambillionea 36: 14. Syntypes 6♂ 3♀: [Russia]: env. Nikolajev sur le Bug meridional: Varvarovka; Malaja Korenicha. Range (in code): **RU**
- 16181. *Polyommatus* (s.str. (Thersitesia)) *thersites josephinus* (De Sagarra,1924)**
(Lycaenidae) Synonym(s): *josephina* De Sagarra,1924 Original Reference: *Agriades thersites* *rassa josephina* De Sagarra,1924, Butl. Inst. catal. Hist. nat. 24: 202. Type: Spain: Albarracin (Arago), 1100m Querci leg. (MCNB). Range (in code): **ES Mu**
- 16182. *Polyommatus* (s.str. (Thersitesia)) *thersites karatshaicus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *karatshaica* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *karatshaica* Obraztsov,1936, Lambillionea 36: 15-16. Syntypes 4♂: [Russia]: Teberda, Prov. Karatshaj. Range (in code): **Kb RU**
- 16183. *Polyommatus* (s.str. (Thersitesia)) *thersites ketshevanus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *ketshevana* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *ketshevana* Obraztsov,1936, Lambillionea 36: 17-18. Syntypes 2♂ 1♀: [Turquie]: Ketshevan, Kars Prov., Kagyzman. Range (in code): **Cc TR IR Ak Ab Elb Th**
- 16184. *Polyommatus* (s.str. (Thersitesia)) *thersites narzanus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *narzana* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *narzana* Obraztsov,1936, Lambillionea 36: 16-17. Syntypes 5♂ 6♀: [Russia]: Kislovodsk. Range (in code): **Kr RU St**
- 16185. *Polyommatus* (s.str. (Thersitesia)) *thersites orientis* (Sheljuzhko,1928)**
(Lycaenidae) Synonym(s): *orientalis* Chapman,1912 *nec* Staudinger,1901; *orientis* Sheljuzhko,1928. Original Reference: *Lycaena thersites orientis* Sheljuzhko,1928, Lep. Rdsch. 2: 128 (nom. nov. pro *Lycaena thersites orientalis* Chapman,1913, Trans. ent. Soc. Lond. 60 (4):675, *nec* *Lycaena amandus orientalis* Staudinger,1901, Cat. lepid. pal. Faun. 3 (1):85). Syntypes: Altai. Range (in code): **T-S At KG KK Mn RU Sb Sp Tk TrA TeA DsA Tar Sau Sj**
- 16186. *Polyommatus* (s.str. (Thersitesia)) *thersites rjabovi* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *rjabovi* Obraztsov,1936 Original Reference: *Lycaena thersites* ssp. *rjabovi* Obraztsov,1936, Lambillionea 36: 16. Syntypes ♂♀: [Russia]: Dagestan, Kumtor kale, Derbent, Machatsh-kala. Range (in code): **Cc Da RU**
- 16187. *Polyommatus* (s.str. (Thersitesia)) *thersites sheljuzhkoianus* (Obraztsov,1936)**
(Lycaenidae) Synonym(s): *sheljuzhkoiana* Obraztsov,1936 Original Reference: *Lycaena thersites*

- ssp. *sheljuzhkoiana* Obratzov, 1936, *Lambillionea* 36: 12-13. Syntypes 7♂ 3♀: Gr×ce: Megaspoleon et Messoruion 650-1200m.; 1♂: Gr×ce: Mt. Chelmos. Range (in code): GR
- 16188. *Polyommatus* (s.str. (Thersitesia)) *thersites thersites* (Canterer, [1835])** (Lycaenidae) Synonym(s): *thersites* Canterer, [1835]; *chapmani* Ball, 1914; *meridiana* Verity, 1919; *#hibernata* Verity, 1919 Original Reference: *Argus thersites* Canterer, [1835], *Hist. nat. Léop. Rhop. Pap. diurn. Dép...*: 53, pl.11, figs.1,2. Syntypes: France: Vosges, etc. Range (in code): FR F88 IT
- 16189. *Polyommatus* (s.str. (Thersitesia)) *thersites zhicharevi* (Obratzov, 1936)** (Lycaenidae) Synonym(s): *zhicharevi* Obratzov, 1936 Original Reference: *Lycaena thersites* ssp. *zhicharevi* Obratzov, 1936, *Lambillionea* 36: 13. Syntypes ♂♀: [Russia]: Charkov. Range (in code): RU
- 16190. *Polyommatus* (s.str.) *abdon* Aistleitner & Aistleitner, 1994** (Lycaenidae) Synonym(s): *abdon* Aistleitner & Aistleitner, 1994 Original Reference: *Polyommatus abdon* Aistleitner & Aistleitner, 1994, *Atalanta* 25 (1/2): 215-222, Abb. Holotype ♂: Hispania: Prov. Albacete, Sra. de Alcaraz, Pto. de Crucetillas, 1300-1400m (in coll. Aistleitner). Range (in code): ES Mu
- 16191. *Polyommatus* (s.str.) *abdon* *abdon* Aistleitner & Aistleitner, 1994** (Lycaenidae) Synonym(s): *abdon* Aistleitner & Aistleitner, 1994 Original Reference: *Polyommatus abdon* Aistleitner & Aistleitner, 1994, *Atalanta* 25 (1/2): 215-222, Abb. Holotype ♂: Hispania: Prov. Albacete, Sra. de Alcaraz, Pto. de Crucetillas, 1300-1400m (in coll. Aistleitner). Range (in code): ES Mu
- 16192. *Polyommatus* (s.str.) *aloisi* Balint, 1988** (Lycaenidae) Synonym(s): *aloisi* Balint, 1988 Original Reference: *Polyommatus aloisi* Balint, 1988, *Atalanta* 18: 385-387, figs.1-3. Holotype ♂: Mongolia: Ömnögovi aimak, Govi Altay, Mts. Gurvan Sayhan uul, valley Alyut am, 2400m (HNHM). Range (in code): MN
- 16193. *Polyommatus* (s.str.) *aloisi* *aloisi* Balint, 1988** (Lycaenidae) Synonym(s): *aloisi* Balint, 1988 Original Reference: *Polyommatus aloisi* Balint, 1988, *Atalanta* 18: 385-387, figs.1-3. Holotype ♂: Mongolia: Ömnögovi aimak, Govi Altay, Mts. Gurvan Sayhan uul, valley Alyut am, 2400m (HNHM). Range (in code): MN
- 16194. *Polyommatus* (s.str.) *amor* (Lang, 1884)** (Lycaenidae) Synonym(s): *amor* Lang, 1884; *amor* Staudinger, 1886 [Lectotype ♂: "Samarkand" designated by Lukhtanov, 1994, *Herbipoliana* 3: 272 (ZMHUB)]. Original Reference: *Lycaena eros* var. *amor* Lang, 1884, *Rhopalocera europaea descripta & delineata*: 371. Lectotype ♂: Samarkand. (designated by Balint, 1999, *Neue ent. Nachr.* 46: 11) (BMNH). Range (in code): T-S Bc CN KG KK Smk Ui UZ TrA TeA KuA Ax TJ Pm Bionomy: Larva on *Astragalus* sp. (Zhdanko, 1997).
- 16195. *Polyommatus* (s.str.) *amor* *amor* (Lang, 1884)** (Lycaenidae) Synonym(s): *amor* Lang, 1884; *amor* Staudinger, 1886 [Lectotype ♂: "Samarkand" designated by Lukhtanov, 1994, *Herbipoliana* 3: 272 (ZMHUB)]. Original Reference: *Lycaena eros* var. *amor* Lang, 1884, *Rhopalocera europaea descripta & delineata*: 371. Lectotype ♂: Samarkand. (designated by Balint, 1999, *Neue ent. Nachr.* 46: 11) (BMNH). Range (in code): Smk UZ
- 16196. *Polyommatus* (s.str.) *amor annamaria* Balint, 1992** (Lycaenidae) Synonym(s): *annamaria* Balint, 1992 Original Reference: *Polyommatus* (s.str.) *annamaria* Balint, 1992, *Linneana Belg.* 13(8): 424-428, 3 figs. Holotype ♂: [Tajikistan]: Pamirs, Blankulu (BMNH). Range (in code): Pm TJ
- 16197. *Polyommatus* (s.str.) *amor vantshensis* Tchikolovets, 1995** (Lycaenidae) Synonym(s): *vantshensis* Tchikolovets, 1995 Range (in code): TJ Pm
- 16198. *Polyommatus* (s.str.) *amor wiskotti* (Courvoisier, 1910)** (Lycaenidae) Synonym(s): *#wiskotti* Courvoisier, 1910 Original Reference: [*Lycaena*] *icarus* f. *wiskotti* Courvoisier, 1910, *Ent. Z., Frankf. a. M.* 24: 141. Type(s): [Kirgizistan]: Naryn. (unavailable name!). Range (in code): T-S Aa Bc CN KG KK Ui TrA TeA KuA Ax
- 16199. *Polyommatus* (s.str.) *andronicus* Coutsis & Ghavalas, 1995** (Lycaenidae) Synonym(s): *andronicus* Coutsis & Ghavalas, 1995 Original Reference: *Polyommatus andronicus* Coutsis & Ghavalas, 1995, *Phegea* 23 (3): 147-156, figs. Holotype ♂: Greece: Macedonia, Drama district, Mt. Falakro 1700m. (in coll. Coutsis). Range (in code): GR
- 16200. *Polyommatus* (s.str.) *andronicus* *andronicus* Coutsis & Ghavalas, 1995** (Lycaenidae) Synonym(s): *andronicus* Coutsis & Ghavalas, 1995 Original Reference: *Polyommatus andronicus* Coutsis & Ghavalas, 1995, *Phegea* 23 (3): 147-156, figs. Holotype ♂: Greece: Macedonia, Drama district, Mt. Falakro 1700m. (in coll. Coutsis). Range (in code): GR

- 16201. Polyommatus (s.str.) arianus Moore,[1866]** (Lycaenidae) Synonym(s): *arianus* Moore,[1866]; *droshana* Evans,1925. Original Reference: Polyommatus ariana Moore,[1866], Proc. zool. Soc. London (1865) 35: 504, pl.31 fig.2. Syntypes: [India]: Kunawur, 8000-10000ft. Lectotype ♂, designated by Balint,1999, Neue ent. Nachr. 46: 14 (BMNH). Range (in code): **AF Kab Hp IN Ch PK Haz Mre Bg Ci Knw Spi Kgr Kul Kag LlZ**
- 16202. Polyommatus (s.str.) arianus arianus Moore,[1866]** (Lycaenidae) Synonym(s): *arianus* Moore,[1866]; *droshana* Evans,1925. Original Reference: Polyommatus ariana Moore,[1866], Proc. zool. Soc. London (1865) 35: 504, pl.31 fig.2. Syntypes: [India]: Kunawur, 8000-10000ft. Range (in code): **AF Kab Hp IN Ch PK Haz Mre Bg Ci Knw Spi Kgr Kul Kag LlZ**
- 16203. Polyommatus (s.str.) balletto Koçak,1996** (Lycaenidae) Synonym(s): *alaicus* Balletto & Nekrutenko,1987 nec Groum-Grsh.,1888; *balletto* Koçak,1996; *morkaleb* Korb,2000 Original Reference: Polyommatus (s.str.) kashgarensis ssp. balletto Koçak,1996, Cent. ent. Stud., Misc. Pap. 30/33: 29 (nomen novum pro Polyommatus alaicus Balletto & Nekrutenko,1986 nec Polyommatus thersamon var. alaica Groum-Grshimailo,1888). Range (in code): **TJ Drw**
- 16204. Polyommatus (s.str.) boisduvalii (Herrich-Schäffer,[1844])** (Lycaenidae) Synonym(s): *anteros* Boisduval,1840 nec Freyer,1839; *boisduvalii* Herrich-Schäffer,[1844] Original Reference: Lycaena boisduvalii Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: pl.2 figs.7-9. Syntypes: Russia: "aus dem südlichen Russland". Range (in code): **Ba CZ EE KG LT LV SK Sm So Sr Uk Ze Sb** Bionomy: Larva on Chamaecytisus ruthenicus (Tusov et al.,2000)
- 16205. Polyommatus (s.str.) boisduvalii boisduvalii (Herrich-Schäffer,[1844])** (Lycaenidae) Synonym(s): *anteros* Boisduval,1840 nec Freyer,1839; *boisduvalii* Herrich-Schäffer,[1844] Original Reference: Lycaena boisduvalii Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: pl.2 figs.7-9. Syntypes: Russia: "aus dem südlichen Russland". Range (in code): **Ba CZ EE KG LT LV SK Sm So Sr Uk Ze Sb**
- 16206. Polyommatus (s.str.) bollandi Dumont,1998** (Lycaenidae) Synonym(s): *bollandi* Dumont,1998 Original Reference: Polyommatus bollandi Dumont,1998, Linneana Belg. 16 (8): 335-336, figs. Holotype ♂: Turquie: Hatay: Kizildağ, 1500m (BMNH). Range (in code): **TR**
- 16207. Polyommatus (s.str.) bollandi bollandi Dumont,1998** (Lycaenidae) Synonym(s): *bollandi* Dumont,1998 Original Reference: Polyommatus bollandi Dumont,1998, Linneana Belg. 16 (8): 335-336, figs. Holotype ♂: Turquie: Hatay: Kizildağ, 1500m (BMNH). Range (in code): **TR**
- 16208. Polyommatus (s.str.) buzulmavi Carbonell,1991** (Lycaenidae) Synonym(s): *buzulmavi* Carbonell,1991 Original Reference: Polyommatus buzulmavi Carbonell, 1991, Linneana Belg. 13 (4): 223, pls.1,2,4. Holotype ♂: Turquie: Hakkari, Dez, 1400-2200m (MHNP). Range (in code): **TR**
- 16209. Polyommatus (s.str.) buzulmavi buzulmavi Carbonell,1991** (Lycaenidae) Synonym(s): *buzulmavi* Carbonell,1991 Original Reference: Polyommatus buzulmavi Carbonell, 1991, Linneana Belg. 13 (4): 223, pls.1,2,4. Holotype ♂: Turquie: Hakkari, Dez, 1400-2200m (MHNP). Range (in code): **TR**
- 16210. Polyommatus (s.str.) buzulmavi narlica Carbonell,1991** (Lycaenidae) Synonym(s): *narlica* Carbonell,1991 Range (in code): **TR**
- 16211. Polyommatus (s.str.) chitralensis (Swinhoe,1910)** (Lycaenidae) Synonym(s): *chitralensis* Swinhoe,1910 Range (in code): **Ci PK Nwf**
- 16212. Polyommatus (s.str.) chitralensis chitralensis (Swinhoe,1910)** (Lycaenidae) Synonym(s): *chitralensis* Swinhoe,1910 Range (in code): **Ci PK Nwf**
- 16213. Polyommatus (s.str.) ciloicus De Freina & Witt,1983** (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983 Original Reference: Polyommatus ciloicus De Freina & Witt,1983, Entomofauna 4(14): 187-196, figs.6,10. Holotype ♂: [Türkei]: Hakkari Pr.: Dez Tal, 1500-1800m. Range (in code): **TR IR Ab TS Qz Elb**
- 16214. Polyommatus (s.str.) ciloicus alamuticus Naderi & Ten Hagen,2006** (Lycaenidae) Synonym(s): *alamuticus* Naderi & Ten Hagen,2006 Original Reference: Polyommatus ciloicus ssp. alamuticus Naderi & Ten Hagen,2006, Nachr. ent. Ver. Apollo (N.F.) 27 (3): 171-175, figs. Holotype ♂: Iran: Qazvin Prov., N. Qazvin 2000m 23.v.2005, leg. A.R.Naderi (PPDRI). Range (in code): **IR Qz Elb**
- 16215. Polyommatus (s.str.) ciloicus azarisorum (Weidenhoffer,2002)** (Lycaenidae) Synonym(s): *azarisorum* Weidenhoffer,2002 Range (in code): **IR Ab TS**
- 16216. Polyommatus (s.str.) ciloicus ciloicus De Freina & Witt,1983** (Lycaenidae) Synonym(s): *ciloicus* De Freina & Witt,1983 Original Reference: Polyommatus ciloicus De Freina

- & Witt, 1983, Entomofauna 4 (14): 187-196, figs. 6, 10. Holotype ♂: [Türkei]: Hakkari Pr.: Dez Tal, 1500-1800m. Range (in code): TR
- 16217. Polyommatus (s.str.) drasulus (Swinhoe, 1910)** (Lycaenidae) Synonym(s): *drasula Swinhoe, 1910* - Range (in code): PK
- 16218. Polyommatus (s.str.) drasulus drasulus (Swinhoe, 1910)** (Lycaenidae) Synonym(s): *drasula Swinhoe, 1910* - Range (in code): PK
- 16219. Polyommatus (s.str.) elenus Stradomsky & Arzanov, 1999** (Lycaenidae) Synonym(s): *elena Stradomsky & Arzanov, 1999* - Range (in code): RU Ro Cc Kc Pe
- 16220. Polyommatus (s.str.) erigone (Groum-Grshimailo, 1890)** (Lycaenidae) Synonym(s): *erigone Groum-Grshimailo, 1890* Original Reference: *Lycaena erigone Groum-Grshimailo, 1890*, [in] Romanoff, Mém. lepid. 4: 396. Syntypes: [Tadjikistan: East Pamir]: "... rive du Tschatschakty, ... l'Ak-Baital meridional...". Range (in code): Pm TJ
- 16221. Polyommatus (s.str.) erigone erigone (Groum-Grshimailo, 1890)** (Lycaenidae) Synonym(s): *erigone Groum-Grshimailo, 1890* Original Reference: *Lycaena erigone Groum-Grshimailo, 1890*, [in] Romanoff, Mém. lepid. 4: 396. Syntypes: [Tadjikistan: East Pamir]: "... rive du Tschatschakty, ... l'Ak-Baital meridional...". Range (in code): TJ Pm
- 16222. Polyommatus (s.str.) eroides (Frivaldsky, 1835)** (Lycaenidae) Synonym(s): *eroides Frivaldsky, 1835* Original Reference: *Lycena eroides Frivaldsky, 1835*, Köslések a balkany vidékén tett természettudományi utazásról.: 270, pl. 7 f. 3. Type(s): Balkany. Range (in code): AL Cc AZ Ba BG BY CZ EE GG LT LV MK PL RU SK Sm So Sr Tai TR Ze Sb CN Ui Ts Amd Bionomy: Larva on *Genista depressa* (Tolman, 1997)
- 16223. Polyommatus (s.str.) eroides epodes Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *epodes Fruhstorfer, 1916* - Range (in code): KK
- 16224. Polyommatus (s.str.) eroides eroides (Frivaldsky, 1835)** (Lycaenidae) Synonym(s): *eroides Frivaldsky, 1835* Original Reference: *Lycena eroides Frivaldsky, 1835*, Köslések a balkany vidékén tett természettudományi utazásról.: 270, pl. 7 f. 3. Type(s): Balkany. Range (in code): AL BG MK TR
- 16225. Polyommatus (s.str.) eroides tartarus Fruhstorfer, 1916** (Lycaenidae) Synonym(s): *tartarus Fruhstorfer, 1916* - Range (in code): CN Ui
- 16226. Polyommatus (s.str.) eros (Ochsenheimer, 1808)** (Lycaenidae) Synonym(s): *tithonus Hübner, [1804] nec Linn., 1771; eros Ochsenheimer, 1808* Original Reference: *Papilio eros Ochsenheimer, 1808*, Schmett. Eur. 1(2): 42. Syntypes: Tyroler und Schweizer Alpen. Range (in code): Ak AT CH DE ES FR GR IR Ab Sah Sbl IT YU KG DsA Ket TeA KuA TrA AF Hk PK Bl Wa Zh Qu Zi Ci Nwf Hyb IN Kma Up Bph Mil T-S RU Kr Cc Tai TR BY UA PL Bionomy: Larva on *Oxytropis halleri*, *O. campestris* (Tolman, 1997).
- 16227. Polyommatus (s.str.) eros caerulescens (Oberthür, 1884)** (Lycaenidae) Synonym(s): *caerulescens Oberthür, 1884* - Range (in code): FR
- 16228. Polyommatus (s.str.) eros dux Riley, 1926** (Lycaenidae) Synonym(s): *dux Riley, 1926* Original Reference: *Polyommatus dux Riley, 1926*, Entomologist's mon Mag. 1926: 278-279. Holotype ♂: India, N. Kumaon, Milam [3400m]; Burphu [3300m] (BMNH). Range (in code): IN Kma Up Bph Mil
- 16229. Polyommatus (s.str.) eros eros (Ochsenheimer, 1808)** (Lycaenidae) Synonym(s): *tithonus Hübner, [1804] nec Linn., 1771; eros Ochsenheimer, 1808*. Original Reference: *Papilio eros Ochsenheimer, 1808*, Schmett. Eur. 1(2): 42. Syntypes: Tyroler und Schweizer Alpen. Range (in code): AT CH DE ES FR GR IT YU
- 16230. Polyommatus (s.str.) eros italicus Oberthür, 1910** (Lycaenidae) Synonym(s): *italicus Oberthür, 1910* - Range (in code): IT
- 16231. Polyommatus (s.str.) eros krziwitskyi Koçak & Kemal, 2001** (Lycaenidae) Synonym(s): *orientalis Krziwitsky, 1983 nec Stgr., 1901; krziwitskyi Koçak & Kemal, 2001; silvester Korb & Bolshakov, 2011* Original Reference: *Polyommatus (s.str.) boisduvalii ssp. krziwitskyi Koçak & Kemal, 2001*, Cent. ent. Stud., Misc. Pap. 75: 2 (nomen novum pro *orientalis* Krziwitsky, 1983 nec Staudinger, 1901). Range (in code): RU BY UA PL
- 16232. Polyommatus (s.str.) eros meoticus Zhdanko & Stshurov, 1998** (Lycaenidae) Synonym(s): *meoticus Zhdanko & Stshurov, 1998* Original Reference: *Polyommatus meoticus Zhdanko & Stshurov, 1998*, Vestn. Kaz. Univ. 6: 49-52, figs. 7, 9. Holotype ♂: Russia: Adegeya: North- West Caucasus, Azish Mts., 1350m. Range (in code): RU Kr Cc

- 16233. *Polyommatus (s.str.) eros micreros* Verity,1949** (Lycaenidae) Synonym(s): *micreros* Verity,1949 Original Reference: *Polyommatus eros* race *micreros* Verity,1949, Les variations géographiques et saisonnières des Papillons diurnes en France: 148. Syntypes: France: Pyrenees: Vernet-les-Bains: Col Vert. Range (in code): **FR Py**
- 16234. *Polyommatus (s.str.) eros taimyrensis* Korshunov,1982** (Lycaenidae) Synonym(s): *taimyrensis* Korshunov,1982 Range (in code): **RU Tai**
- 16235. *Polyommatus (s.str.) eros wazirus* Evans,1932** (Lycaenidae) Synonym(s): *wazira* Evans,1932 Original Reference: *Polyommatus eros wazira* Evans,1932, Identification Indian Buttw (edn.2): 232. Type(s): [Pakistan]: Waziristan, Razmak. Range (in code): **Wa PK BI**
- 16236. *Polyommatus (s.str.) eros yildizae* Koçak,1977** (Lycaenidae) Synonym(s): *yildizae* Koçak,1977; *#yulduzae* Korb,2000. Original Reference: *Polyommatus eroides* ssp. *yildizae* Koçak,1977, Atalanta 8(1): 50-51, figs. Holotype ♂: Turkey: [Bayburt Province]: Kop Dağı 2500m (in coll. CESA). Range (in code): **TR Cc**
- 16237. *Polyommatus (s.str.) erotides* (Staudinger,1892)** (Lycaenidae) Synonym(s): *erotides* Staudinger,1892 Original Reference: *Lycaena eros* var. *erotides* Staudinger,1892, Dt. ent. Z., Iris 5: 319. Syntypes: Russia: "Kentei-Gebirge". Range (in code): **CN KK KP KR Ku MN RU Sb Ui Ya At Kts KG Buc Nym Mn Amd Gn Sz**
- 16238. *Polyommatus (s.str.) erotides amdoensis* (Wnukowsky,1929)** (Lycaenidae) Synonym(s): *helenae* Groum-Grshimailo,1891 nec Stgr.,1862; *amdoensis* Wnukowsky,1929. Original Reference: *Lycaena tythonus* ssp. *amdoensis* Wnukowsky,1929, Zool. Anz. 83: 221 (nomen novum pro *helenae* Gr.-Grsh.,1891 nec Staudinger,1862). Range (in code): **CN Ts Amd**
- 16239. *Polyommatus (s.str.) erotides erotides* (Staudinger,1892)** (Lycaenidae) Synonym(s): *erotides* Staudinger,1892 Original Reference: *Lycaena eros* var. *erotides* Staudinger,1892, Dt. ent. Z., Iris 5: 319. Syntypes: Russia: "Kentei-Gebirge". Range (in code): **At Kts CN Ku MN RU Sb Ui Ya KG Buc Nym Mn**
- 16240. *Polyommatus (s.str.) erotides gansuensis* Murayama,1983** (Lycaenidae) Synonym(s): *gansuensis* Murayama,1983 Range (in code): **CN Gn**
- 16241. *Polyommatus (s.str.) erotides klaphecki* Courvoisier,1910** (Lycaenidae) Synonym(s): *klaphecki* Courvoisier,1910 Range (in code): **CN Gn Shd**
- 16242. *Polyommatus (s.str.) erotides sichuanus* Murayama,1983** (Lycaenidae) Synonym(s): *sichuanus* Murayama,1983 Range (in code): **CN Sz**
- 16243. *Polyommatus (s.str.) erotides vasilyi* Tchikolovets,1995** (Lycaenidae) Synonym(s): *vasilyi* Tchikolovets,1995 Range (in code): **TJ Pm T-S**
- 16244. *Polyommatus (s.str.) erotulus* Nekrutenko,1985** (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994. Original Reference: *Polyommatus eroides* ssp. *erotulus* Nekrutenko,1985, Vestn. zool. (4): 34 pl.3 f.2a,b. Holotype ♂: Aserbaidjan: Talysch: Zuvand, Mistan 2000m. Range (in code): **Cc AZ IR Ak TR**
- 16245. *Polyommatus (s.str.) erotulus erotulus* Nekrutenko,1985** (Lycaenidae) Synonym(s): *erotulus* Nekrutenko,1985; *delessei* Carbonell,1994. Original Reference: *Polyommatus eroides* ssp. *erotulus* Nekrutenko,1985, Vestn. zool. (4): 34 pl.3 f.2a,b. Holotype ♂: Aserbaidjan: Talysch: Zuvand, Mistan 2000m. Range (in code): **Cc AZ IR Ak**
- 16246. *Polyommatus (s.str.) erotulus molleti* Carbonell,[1994]** (Lycaenidae) Synonym(s): *molleti* Carbonell,[1994] Original Reference: *Polyommatus molleti* Carbonell,[1994], Linneana Belg. 14(4): 230, Pl. Holotype ♂: Turquie: Niğde Pr. Bolkar Mt. 2900-3000m (in MHNP). Range (in code): **TR**
- 16247. *Polyommatus (s.str.) forsteri* (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938 Original Reference: *Lycaena eroides* ssp. *forsteri* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 193-194, fig. Holotype ♂: [Iran]: Tacht i Suleiman (Särdab-Tal). Range (in code): **IR Elb Mz**
- 16248. *Polyommatus (s.str.) forsteri forsteri* (Pfeiffer,1938)** (Lycaenidae) Synonym(s): *forsteri* Pfeiffer,1938 Original Reference: *Lycaena eroides* ssp. *forsteri* Pfeiffer,1938, Mitt. münch. ent. Ges. 28(2): 193-194, fig. Holotype ♂: [Iran]: Tacht i Suleiman (Särdab-Tal). Range (in code): **IR Elb Mz**
- 16249. *Polyommatus (s.str.) gracilis* (Evans,1912)** (Lycaenidae) Synonym(s): *gracilis* Evans,1912 Original Reference: *Lycaena* (Phengaris) *sarta gracilis* Evans,1912, J. Bombay nat. Hist. Soc. 21: 984. Syntypes: [Pakistan]: Chitral. Range (in code): **PK Ci Nwf**

- 16250. Polyommatus (s.str.) gracilis gracilis (Evans,1912)** (Lycaenidae) Synonym(s): *gracilis* Evans,1912 Original Reference: Lycaena (Phengaris) sarta *gracilis* Evans,1912, J. Bombay nat. Hist. Soc. 21: 984. Syntypes: [Pakistan]: Chitral. Range (in code): **PK Ci Nwf**
- 16251. Polyommatus (s.str.) hunza (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *hunza* Groum-Grshimailo,1890 Original Reference: Lycaena *hunza* Grum-Grshimailo,1890, [in] Romanoff, Mém. Lépid.4: 397, figs. Syntypes: [Pakistan]: Himalaya occ.: Moustag, Beik, Kounjout. Range (in code): **CN Hu PK Ui Pm**
- 16252. Polyommatus (s.str.) hunza hunza (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *hunza* Groum-Grshimailo,1890 Original Reference: Lycaena *hunza* Grum-Grshimailo,1890, [in] Romanoff, Mém. Lépid.4: 397, figs. Syntypes: [Pakistan]: Himalaya occ.: Moustag, Beik, Kounjout. Range (in code): **CN Hu PK Ui Pm**
- 16253. Polyommatus (s.str.) icadius (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890 Original Reference: Lycaena *icarus* var.*icadius* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 402. Syntypes: [Pakistan]: Mont Kounjout. Range (in code): **Ky Pm TJ Syr Tm Tls Al T-S RU Cc At KG Mn** Bionomy: Larva on *Cicer songaricum*, *C. flexuosum* (Fabaceae) (Zhdanko, 1997).
- 16254. Polyommatus (s.str.) icadius candidus Zhdanko,2000** (Lycaenidae) Synonym(s): *candidus* Zhdanko,2000 Range (in code): **KG T-S**
- 16255. Polyommatus (s.str.) icadius cicero Ivonin & Kosterin,2001** (Lycaenidae) Synonym(s): *cicero* Ivonin & Kosterin,2001 Range (in code): **RU At KG Mn**
- 16256. Polyommatus (s.str.) icadius fominae Stradomsky,2005** (Lycaenidae) Synonym(s): *fominae* Stradomsky,2005; *shchurovi* Stradomsky,2006 Range (in code): **RU Cc**
- 16257. Polyommatus (s.str.) icadius icadius (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *icadius* Groum-Grshimailo,1890 Original Reference: Lycaena *icarus* var.*icadius* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 402. Syntypes: [Pakistan]: Mont Kounjout. Range (in code): **KG T-S Ky Pm TJ Syr Tm Tls Al**
- 16258. Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *celina* Austaut,1879; *neglectus* Stradomsky & Arzanov,1999 Original Reference: *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia. Range (in code): **Ae AF AL Ao AT Ba BE BG B-H BY CH CN Co Cr CY CZ DE DK DZ EE ES FI FR GB GR HU HV IE Ii IL IQ IR IT JO KG KK Ku LB LT LU LV MA MK MN MT NL NO PK PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TJ TM TN TR T-S Tv UA Ui Uk Us UZ VI YU Cw Dv Smt H-W Sur Ssx Ken Mu Mu18 Bn At Kts Sau Tar Buc Bkb Mrk Ssn Ktm Nym Sb Dsa Tra Kua Tea Ax Ii Kuz Sli Bl Ci Nwf Kmt Sju Prj Pa Hf Cc Kc Pe Ir Irk Bc Arr Ab Sro Jal Shf Msw Swa Sgl Mdy Btma Nra Abe Sbd Lbs Ges MA Tgr Rbt Azr LY Cy Hr BLM Ng Kab Ca** Bionomy: Larva on *Galega*, *Ononis*, *Lotus corniculatus*, *L. lancerottensis*, *Medicago lupulina*, *Trifolium*, *Melilotus*, *Genista*, *Astragalus*, *Astracantha*, *Onobrychis*, *Anthyllis*, *Coronilla* (Tolman, 1997); *Medicago romanica*, *Trifolium repens* (Zhdanko, 1997).
- 16259. Polyommatus (s.str.) icarus (Rottemburg,1775), ssp.** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fuscioles* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; Original Reference: *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia. Range (in code): **Cc TR SY IL He Pa Hf LB**
- 16260. Polyommatus (s.str.) icarus ammosovi (Kurentzov,1970)** (Lycaenidae) Synonym(s): *amosovi* Kurentzov,1970 Range (in code): **RU Kmt**
- 16261. Polyommatus (s.str.) icarus bellicarus Bryk,1940** (Lycaenidae) Synonym(s): *bellicarus* Bryk,1940 Range (in code): **ES Mu Mu18**
- 16262. Polyommatus (s.str.) icarus boalensis Verhulst,1985** (Lycaenidae) Synonym(s): *boalensis* Verhulst,1985
- 16263. Polyommatus (s.str.) icarus claracaelestis Verity,1949** (Lycaenidae) Synonym(s): *claracaelestis* Verity,1949 Range (in code): **FR**
- 16264. Polyommatus (s.str.) icarus flavocinctatus Rowland-Brown,1909** (Lycaenidae) Synonym(s): *flavocinctata* Rowland-Brown,1909 Range (in code): **Co F20**
- 16265. Polyommatus (s.str.) icarus fuchsi (Sheljuzhko,1928)** (Lycaenidae) Synonym(s): *sibiricus* Fuchs,1901 (praeocc.); *fuchsi* Sheljuzhko,1928 Range (in code): **RU Sb**

- 16266. Polyommatus (s.str.) icarus fugitivus (Butler,1881)** (Lycaenidae) Synonym(s): *fugitiva* Butler,1881 Original Reference: *Lycaena fugitiva* Butler,1881, Proc. zool. Soc. London 51 (3): 606. Lectotype ♂: [Pakistan]: Beluchistan: Quetta (BMNH), designated by Balint,1999, Neue ent. Nachr. 46: 32. Range (in code): **PK BI AF Hr BIM Ng Kab Ca**
- 16267. Polyommatus (s.str.) icarus icarus (Rottemburg,1775)** (Lycaenidae) Synonym(s): *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; *neglectus* Stradomsky & Arzanov,1999 Original Reference: *Papilio icarus* Rottemburg,1775, Naturforscher 6: 21. Type(s): Saxonia. Range (in code): **AL At Bn AT BE BG B-H Bv Bw BY CH Co Cr CY CZ DE DK EE ES FI FR GB GR HU HV IE IT LT LU LV MK MT NL NO PL PT Rd RO Rp RU Sa SE Si Sj SK SS TR UA YU Cw Dv Smt H-W Sur Ssx Ken**
- 16268. Polyommatus (s.str.) icarus jotunensis Henriksen,1982** (Lycaenidae) Synonym(s): *jotunensis* Henriksen,1982 Range (in code): **NO**
- 16269. Polyommatus (s.str.) icarus korshunovi Gorbunov,1995** (Lycaenidae) Synonym(s): *korshunovi* Gorbunov,1995 Original Reference: *Polyommatus icarus* ssp. *korshunovi* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 184. Holotype: Russia: Tuva, Erzine River. Range (in code): **RU Tv**
- 16270. Polyommatus (s.str.) icarus napaea (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *napaea* Groum-Grshimailo,1890 Original Reference: *Lycaena napaea* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 453-454. Type ♂: [Uighur Ili]: Boro-Choro Mt., Ludshan. Range (in code): **T-S Amd Bc CN KG KK MN Ts Ui TrA Sju DsA Ket KuA**
- 16271. Polyommatus (s.str.) icarus omelkoi Dubatolov & Korshunov,1995** (Lycaenidae) Synonym(s): *omelkoi* Dubatolov & Korshunov,1995 Original Reference: *Polyommatus icarus* ssp. *omelkoi* Dubatolov & Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 184. Holotype: Russia: Ussuri: Anoutchino, 14km N. Tchernichevka. Range (in code): **RU Prj Us**
- 16272. Polyommatus (s.str.) icarus rufoprivatus Verity,1926** (Lycaenidae) Synonym(s): *rufoprivata* Verity,1926 Range (in code): **FR**
- 16273. Polyommatus (s.str.) icarus sardous (Wagner,1909)** (Lycaenidae) Synonym(s): *sardoa* Wagner,1909 Original Reference: *Lycaena icarus* var. *sardoa* Wagner,1909, Ent. Z., Stuttgart 23 (4): 17. Syntypes 4♂ 2♀: Sardinien: Laconi. Range (in code): **Sa Co IT FR**
- 16274. Polyommatus (s.str.) icarus septentrionalis Fuchs,1900** (Lycaenidae) Synonym(s): *septentrionalis* Fuchs,1900 Range (in code): **NO**
- 16275. Polyommatus (s.str.) icarus zelleri Verity,1919** (Lycaenidae) Synonym(s): *#meridionalis* Tutt,1909; *zelleri* Verity,1919 Original Reference: *Polyommatus icarus* race *zelleri* Verity,1919, Entomologists's Rec. J. Var. 31: 44 (nomen novum pro *Polyommatus icarus* ab. *meridionalis* Tutt,1909). Type(s): Southern Italia. Range (in code): **IT**
- 16276. Polyommatus (s.str.) imanishi (Takeuchi,1936)** (Lycaenidae) Synonym(s): *imanishi* Takeuchi,1936 Range (in code): **RU Sh**
- 16277. Polyommatus (s.str.) imanishi imanishi (Takeuchi,1936)** (Lycaenidae) Synonym(s): *imanishi* Takeuchi,1936 Range (in code): **RU Sh**
- 16278. Polyommatus (s.str.) juno Hemming,1933** (Lycaenidae) Synonym(s): *juno* Hemming,1933 Original Reference: *Polyommatus icarus* ssp. *juno* Hemming,1933, Entomologist 66: 7-8. Holotype ♂: Lebanon: Sannin. Range (in code): **LB**
- 16279. Polyommatus (s.str.) juno juno Hemming,1933** (Lycaenidae) Synonym(s): *juno* Hemming,1933 Original Reference: *Polyommatus icarus* ssp. *juno* Hemming,1933, Entomologist 66: 7-8. Holotype ♂: Lebanon: Sannin. Range (in code): **He IL LB**
- 16280. Polyommatus (s.str.) kaabaki Korb,2000** (Lycaenidae) Synonym(s): *kaabaki* Korb,2000 Original Reference: *Polyommatus kaabaki* Korb,2000, Alexanor 21 (1): 54-56, figs. 10,16. Holotype ♂: Russia: Altai Meridional, Oukok, Djazator (IZSP). Range (in code): **RU At**
- 16281. Polyommatus (s.str.) kaabaki kaabaki Korb,2000** (Lycaenidae) Synonym(s): *kaabaki* Korb,2000 Original Reference: *Polyommatus kaabaki* Korb,2000, Alexanor 21 (1): 54-56, figs. 10,16. Holotype ♂: Russia: Altai Meridional, Oukok, Djazator (IZSP). Range (in code): **RU At**
- 16282. Polyommatus (s.str.) kamtschadalis (Sheljuzhko,1933)** (Lycaenidae) Synonym(s): *kamtschadalis* Sheljuzhko,1933 Range (in code): **RU Kmt Tai**

- 16283. *Polyommatus* (s.str.) *kamtschadalis* *kamtschadalis* (Sheljuzhko,1933)** (Lycaenidae) Synonym(s): *kamtschadalis* Sheljuzhko,1933 - Range (in code): **RU Kmt**
- 16284. *Polyommatus* (s.str.) *kamtschadalis* *taimyrensis* Korshunov,1982** (Lycaenidae) Synonym(s): *taimyrensis* Korshunov,1982 - Original Reference: *Polyommatus eros* ssp. *taimyrensis* Korshunov,1982, *Poleznye i vrednye nasekomye Sibiri*: 84. Holotype: Russia: Fluss Rynmaja im Taimyr. Range (in code): **RU Tai**
- 16285. *Polyommatus* (s.str.) *kashgharensis* Moore,1878** (Lycaenidae) Synonym(s): *kashgharensis* Moore,1878; *yarkundensis* Moore,1878. - Original Reference: *Polyommatus kashgharensis* Moore, 1878, *Ann. Mag. nat. Hist.* 5 (1): 230. Type ♂: [China: Uighur A.R.]: Yarkund, Yangihissar, 4320ft. Range (in code): **RU Tv TM TJ Gis Pm CN KK Ti? Ui Um Yk Ga**
- 16286. *Polyommatus* (s.str.) *menelaos* Brown,1976** (Lycaenidae) Synonym(s): *menelaos* Brown,1976 - Original Reference: *Polyommatus menelaos* Brown,1976, *Entomologist's Gaz.* 27: 82-83, pl.4 figs.3,5; pl.5 fig.9,10. Holotype ♂: Greece: Langadha, Mt. Taygetos, 1400m. (in coll. J.Brown). Range (in code): **GR** - Bionomy: Larva on *Astragalus taygetus* (Tolman,1997).
- 16287. *Polyommatus* (s.str.) *menelaos* *menelaos* Brown,1976** (Lycaenidae) Synonym(s): *menelaos* Brown,1976 - Original Reference: *Polyommatus menelaos* Brown,1976, *Entomologist's Gaz.* 27: 82-83, pl.4 figs.3,5; pl.5 fig.9,10. Holotype ♂: Greece: Langadha, Mt. Taygetos, 1400m. (in coll. J.Brown). Range (in code): **GR**
- 16288. *Polyommatus* (s.str.) *omotoi* Forster,1972** (Lycaenidae) Synonym(s): *omotoi* Forster,1972 - Original Reference: *Polyommatus candalus* ssp. *omotoi* Forster,1972, *Ent. Z., Frankf. a. M.* 82(20): 228, 229-230, Abb. 3-4. Holotype ♂: Afghanistan: Badakhshan: Bela Kuran, 3200-3500m. Range (in code): **AF Bqu**
- 16289. *Polyommatus* (s.str.) *omotoi* *omotoi* Forster,1972** (Lycaenidae) Synonym(s): *omotoi* Forster,1972 - Original Reference: *Polyommatus candalus* ssp. *omotoi* Forster,1972, *Ent. Z., Frankf. a. M.* 82(20): 228, 229-230, Abb. 3-4. Holotype ♂: Afghanistan: Badakhshan: Bela Kuran, 3200-3500m. Range (in code): **AF Bqu**
- 16290. *Polyommatus* (s.str.) *persicus* (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993]. - Original Reference: *Lycaena icarus* var. *persica* Bienert,1870, *Lepid. Ergebn. Reise in Persien*: 29: Syntypes: [Iran]: Khorasan: Nishapur, Saebzevar, Meschhet. Lectotype ♂: "Persia", designated by Nekrutenko,1988 (ZMHU). Range (in code): **AF Hr IQ IR Yz PK Ci TR TM Kp TJ Gis Pm CN KK Ti? Ui Um Yk Ga RU Tv T-S KG Drw TJ At DsA TrA KuA Sau Tar** - Bionomy: Larva on *Trifolium*, *Medicago* (Zhdanko, pers.com.).
- 16291. *Polyommatus* (s.str.) *persicus* *persicus* (Bienert,1870)** (Lycaenidae) Synonym(s): *persica* Bienert,1870; *bienerti* Balint,[1993]. - Original Reference: *Lycaena icarus* var. *persica* Bienert,1870, *Lepid. Ergebn. Reise in Persien*: 29: Syntypes: [Iran]: Khorasan: Nishapur, Saebzevar, Meschhet. Lectotype ♂: "Persia", designated by Nekrutenko,1988 (ZMHU). Range (in code): **IQ IR Yz TR TM Kp**
- 16292. *Polyommatus* (s.str.) *persicus* *szabokyi* (Balint,1990)** (Lycaenidae) Synonym(s): *szabokyi* Balint,1990; *korshunovi* Gorbunov,1995. - Range (in code): **RU Tv**
- 16293. *Polyommatus* (s.str.) *persicus* *turanicus* Heyne,[1895]** (Lycaenidae) Synonym(s): *turanicus* Heyne,[1895]. - Original Reference: *Lycaena icarus* var. *turanica* Heyne,[1895], [in] Rühl,F., *Die palaearkt. Grossschmett.* 1: 761. Type (s): Tura. Range (in code): **T-S KG Drw TJ At DsA TrA KuA Sau Tar KK**
- 16294. *Polyommatus* (s.str.) *pseuderos* (Moore,1879)** (Lycaenidae) Synonym(s): *pseuderos* Moore,1879 - Original Reference: *Lycaena pseuderos* Moore,1879, *Proc. zool. Soc. Lond.* 1879: 138. Range (in code): **AF Prw Pnj IN Kul Up Asr Gg Ch Haz Mre PK CN Gn Sz T-T NP**
- 16295. *Polyommatus* (s.str.) *pseuderos* *biluchus* (Moore,1884)** (Lycaenidae) Synonym(s): *bilucha* Moore,1884; *drunela* Swinhoe,1910; *shingara* Evans,1932 - Original Reference: *Lycaena bilucha* Moore, 1884, *J. asiat. Soc. Beng.* 53 (2) (1): 24. Type ♂: [Pakistan]: S. Beluchistan: Chaman. Lectotype ♂, designated by Balint,1999, *Neue ent. Nachr.* 46: 19 (BMNH). Range (in code): **AF Prw Pnj Hk PK Bl Zh Qu Zi Hyb**
- 16296. *Polyommatus* (s.str.) *pseuderos* *droshanus* Swinhoe,1910** (Lycaenidae) Synonym(s): *droshanus* Swinhoe,1910 - Range (in code): **PK Ci Nwf**
- 16297. *Polyommatus* (s.str.) *pseuderos* *nepalensis* Forster,1961** (Lycaenidae) Synonym(s): *nepalensis* Forster,1961; ? *sichuanicus* Murayama,1983 (cf. Balint,1992, *Linneana belg.* 13(8): 431). - Original Reference: *Polyommatus nepalensis* Forster,1961, *Veröff. zool. StSamml. Münch.* 6:

- 149-150, Taf.xiv figs.1,2,4,5. Holotype ♂: Nepal: Mustangbhot, Gargompa, 4000m. (ZSM). Range (in code): CN NP Sz
- 16298. Polyommatus (s.str.) pseuderos pseuderos (Moore,1879)** (Lycaenidae)
Synonym(s): *pseuderos* Moore,1879 Original Reference: Lycaena pseuderos Moore,1879, Proc. zool. Soc. Lond. 1879: 138. Range (in code): IN Kul Up Asr Gg Ch Haz Mre PK
- 16299. Polyommatus (s.str.) pseuderos tatsienluicus (Fruhstorfer,1916)** (Lycaenidae)
Synonym(s): *tatsienluica* Fruhstorfer,1916; ? *gansuensis* Murayama,1983 (cf. Balint,1992, Linneana belg. 13(8): 431). Range (in code): CN Gn Sz T-T
- 16300. Polyommatus (s.str.) stigmatiferus Courvoisier,1903** (Lycaenidae) Synonym(s): *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995; *erotides* sensu Zhdanko,1997. Original Reference: Polyommatus eros stigmatifera Courvoisier,1903, Mitt. schweiz. ent. Ges. 11: 23. Type(s): [China: Uighur A.R.]: Kuldja. Range (in code): KG DsA Ket TeA KuA TrA Tar Sau T-S At Ui CN Ku Bionomy: Astragalus nivalis (Zhdanko, 1997).
- 16301. Polyommatus (s.str.) stigmatiferus stigmatiferus Courvoisier,1903** (Lycaenidae)
Synonym(s): *stigmatifera* Courvoisier,1903; *lunulata* Courvoisier,1903; *vasilyi* Tshikolovets,1995. Original Reference: Polyommatus eros stigmatifera Courvoisier,1903, Mitt. schweiz. ent. Ges. 11: 23. Type(s): [China: Uighur A.R.]: Kuldja. Range (in code): KG DsA Ket TeA KuA TrA Tar Sau T-S At Ui CN Ku
- 16302. Polyommatus (s.str.) stoliczkanus C.Felder & R.Felder,[1865]** (Lycaenidae)
Synonym(s): *stoliczkanus* C.Felder & R.Felder,[1865] Original Reference: Lycaena stoliczкана C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283, Tab.xxxv fig.10,11. Syntypes ♂♀: Ladak. Range (in code): CN IN Ld Ti Bt Gg Cls Kag Haz Nar Kk LlZ PK Skd
- 16303. Polyommatus (s.str.) stoliczkanus janetae Evans,1927** (Lycaenidae) Synonym(s): *janetae* Evans,1927 Original Reference: Polyommatus eros race janetae Evans,1927, Tijdschr. Ent. 70: 161-162. Syntypes 57♂♂: [Pakistan]: Khunjerah, Ghujerab, Batura, 3000-4500m. Range (in code): Bt Gg Kag Haz Nar Cls Kk LlZ PK Skd
- 16304. Polyommatus (s.str.) stoliczkanus stoliczkanus C.Felder & R.Felder,[1865]** (Lycaenidae) Synonym(s): *stoliczkanus* C.Felder & R.Felder,[1865] Original Reference: Lycaena stoliczкана C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 283, Tab.xxxv fig.10,11. Syntypes ♂♀: Ladak. Range (in code): CN IN Ld Ti
- 16305. Polyommatus (s.str.) sutlejus (Moore,1882)** (Lycaenidae) Synonym(s): *sutleja* Moore,1882 Original Reference: Lycaena sutleja Moore,1882, Proc. zool. Soc. Lond. 1882: 246-247. Type ♂: India: Kangra district. Range (in code): Drm IN Kgr Up Sut
- 16306. Polyommatus (s.str.) sutlejus sutlejus (Moore,1882)** (Lycaenidae) Synonym(s): *sutleja* Moore,1882 Original Reference: Lycaena sutleja Moore,1882, Proc. zool. Soc. Lond. 1882: 246-247. Type ♂: India: Kangra district. Range (in code): Drm IN Kgr Up Sut
- 16307. Polyommatus (s.str.) tshetverikovi Nekrutenko,1977** (Lycaenidae) Synonym(s): *tshetverikovi* Nekrutenko,1977 Original Reference: Polyommatus eroides ssp.tshetverikovi Nekrutenko,1977, Dopov. Akad. Nauk. ukrRSR Ser.B(1977): 180-181, figs. Holotype ♂: Caucasus: Teberda. Range (in code): RU Cc AZ GG
- 16308. Polyommatus (s.str.) tshetverikovi tshetverikovi Nekrutenko,1977** (Lycaenidae)
Synonym(s): *tshetverikovi* Nekrutenko,1977 Original Reference: Polyommatus eroides ssp.tshetverikovi Nekrutenko,1977, Dopov. Akad. Nauk. ukrRSR Ser.B(1977): 180-181, figs. Holotype ♂: Caucasus: Teberda. Range (in code): Cc RU GG
- 16309. Polyommatus (s.str.) tsvetaevi (Kurenzov,1970)** (Lycaenidae) Synonym(s): *tsvetaevi* Kurenzov,1970 Range (in code): KP KR RU Vv
- 16310. Polyommatus (s.str.) tsvetaevi tsvetaevi (Kurenzov,1970)** (Lycaenidae)
Synonym(s): *tsvetaevi* Kurenzov,1970 Range (in code): KP KR RU Vv
- 16311. Polyommatus (s.str.) venus (Staudinger,1886)** (Lycaenidae) Synonym(s): *venus* Staudinger,1886 Original Reference: Lycaena venus Staudinger,1886, Stettin ent. Ztg. 47: 211. Syntypes 10♂ 6♀: Südl. Alai. Lectotype ♂: "Alai", designated by Lukhtanov,1994, Herbiopoliana 3: 272 (ZMHUB). Range (in code): T-S Al AF Amd Bqu CN Ui KK Tat Ti TM Ts UZ Bionomy: Oxytropis talassica (Zhdanko, 1997).
- 16312. Polyommatus (s.str.) venus lama (Groum-Grshimailo,1890)** (Lycaenidae)
Synonym(s): *lama* Groum-Grshimailo,1890; *sinina* Groum-Grshimailo,1890 Original Reference: Lycaena eros var. lama Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 453. Syntypes: [China: Qinghai: Amdo]: Tetungensibus, Schin-tschenj. Range (in code): Amd CN Tat Ts

- 16313. *Polyommatus (s.str.) venus venus* (Staudinger,1886) (Lycaenidae) Synonym(s):** *venus Staudinger,1886* Original Reference: Lycaena venus Staudinger,1886, Stettin ent. Ztg. 47: 211. Syntypes 10♂ 6♀: Südl. Alai. Lectotype ♂: "Alai", designated by Lukhtanov,1994, Herbiopoliana 3: 272 (ZMHUB). Range (in code): **T-S KK TM UZ AI**
- 16314. *Polyommatus (s.str.) zanganus zanganus* Huang,1998 (Lycaenidae) Synonym(s):** *zanganus Huang,1998* Range (in code): **CN Ti**
- 16315. *Polyommatus (s.str.) zanganus zanganus* Huang,1998 (Lycaenidae) Synonym(s):** *zanganus Huang,1998* Range (in code): **CN Ti**
- 16316. *Poriskina phakos* Druce,1895 (Lycaenidae) Synonym(s):** *phakos Druce,1895* Range (in code): **PH Luz Mno Sam**
- 16317. *Poritia erycinoides* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s):** *erycinoides C.Felder & R.Felder,[1865]; #erycioides Koçak & Kemal,2009* Range (in code): **SG MM Shn MY Lkw TH Yal Rng CMa Chy Cbu Knc Khn Loe TAK PH Pal**
- 16318. *Poritia erycinoides elsiei* Evans,1925 (Lycaenidae) Synonym(s):** *elsiei Evans,1925* Range (in code): **MM Shn TH CMa Loe**
- 16319. *Poritia erycinoides erycinoides* (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s):** *erycinoides C.Felder & R.Felder,[1865]*
- 16320. *Poritia erycinoides kinoshitai* Hayashi,1976 (Lycaenidae) Synonym(s):** *kinoshitai Hayashi,1976* Range (in code): **PH Pal**
- 16321. *Poritia erycinoides phraatica* Hewitson,1874 (Lycaenidae) Synonym(s):** *phraatica Hewitson,1874; naukydes Fruhstorfer,1912; nigra Fruhstorfer,1912; demaculata Fruhstorfer,1912; coronata Fruhstorfer,1912* Range (in code): **TH CMa Yal Rng MY Lkw MM Shn SG**
- 16322. *Poritia erycinoides tavoyana* Doherty,1889 (Lycaenidae) Synonym(s):** *tavoyana Doherty,1889* Range (in code): **TH CMa Chy Cbu Knc Khn Loe TAK MM Tvy**
- 16323. *Poritia fruhstorferi* Corbet,1940 (Lycaenidae) Synonym(s):** *fruhstorferi Corbet,1940* Range (in code): **ID Sum Ja**
- 16324. *Poritia hewitsoni* Moore,[1866] (Lycaenidae) Synonym(s):** *hewitsoni Moore,[1866]* Range (in code): **IN Ass SI BT Hp Kma BD Cta PH Luz MY Lkw TH CMa Cu0 Cu03 Cu12 Lmp Tht MM Tvy Akn Tns**
- 16325. *Poritia hewitsoni hewitsoni* Moore,[1866] (Lycaenidae) Synonym(s):** *hewitsoni Moore,[1866]* Range (in code): **IN Ass MM TH CMa Cu0 Cu03 Cu12 Lmp Tht**
- 16326. *Poritia hewitsoni solitaria* Schröder & Treadaway,1989 (Lycaenidae) Synonym(s):** *solitaria Schröder & Treadaway,1989* Range (in code): **PH Luz**
- 16327. *Poritia hewitsoni taleva* Corbet,1940 (Lycaenidae) Synonym(s):** *#nigritia Fruhstorfer,1912; taleva Corbet,1940* Range (in code): **MY Lkw**
- 16328. *Poritia languana* Schröder & Treadaway,1986 (Lycaenidae) Synonym(s):** *languana Schröder & Treadaway,1986* Range (in code): **PH Pal**
- 16329. *Poritia manilia* Fruhstorfer,1912 (Lycaenidae) Synonym(s):** *manilia Fruhstorfer,1912* Range (in code): **MY**
- 16330. *Poritia manilia evansi* Corbet,1940 (Lycaenidae) Synonym(s):** *evansi Corbet,1940* Range (in code): **MY**
- 16331. *Poritia manilia manilia* Fruhstorfer,1912 (Lycaenidae) Synonym(s):** *manilia Fruhstorfer,1912* Range (in code): **MY**
- 16332. *Poritia phama* Druce,1896 (Lycaenidae) Synonym(s):** *phama Druce,1896* Range (in code): **Bor MY Lkw ID Sum Ja PH Pal IN Ass MM Tvy TH Rng Tng Yal Nst Chw**
- 16333. *Poritia phama geta* Fawcett,1897 (Lycaenidae) Synonym(s):** *geta Fawcett,1897* Range (in code): **IN Ass MM TH**
- 16334. *Poritia phama palawana* Osada,1994 (Lycaenidae) Synonym(s):** *palawana Osada,1994* Range (in code): **PH Pal**
- 16335. *Poritia phama phama* Druce,1895 (Lycaenidae) Synonym(s):** *phama Druce,1895* Range (in code): **Bor MY Sum Ja ID**
- 16336. *Poritia phama rajata* Corbet,1940 (Lycaenidae) Synonym(s):** *rajata Corbet,1940* Range (in code): **MY**
- 16337. *Poritia phama regia* Evans,1921 (Lycaenidae) Synonym(s):** *regia Evans,1921* Range (in code): **MM Tvy MY Lkw TH Rng Tng Yal Nst Chw**
- 16338. *Poritia philota* Hewitson,1874 (Lycaenidae) Synonym(s):** *philota Hewitson,1874; #penumbrata Morrell,1957; #lugubris Eliot,1957; #ornata Eliot,1957* Range (in code): **MM ID Sum TH Pgg Rng Nst Ths Tng MY PH Boh Din Ley Mno Neg Pao Sam Mdo Luz**

- 16339. *Poritia philota glennuydai* Schröder & Treadaway, 1989** (Lycaenidae) **Synonym(s):** *glennuydai* Schröder & Treadaway, 1989 **Range (in code):** **PH Luz**
- 16340. *Poritia philota mindora* Osada, 1994** (Lycaenidae) **Synonym(s):** *mindora* Osada, 1994 **Range (in code):** **PH Mdo**
- 16341. *Poritia philota phare* Druce, 1895** (Lycaenidae) **Synonym(s):** *phare* Druce, 1895; *sugimotoi* Hayashi, 1978 **Range (in code):** **PH Boh Din Ley Mno Neg Pao Sam**
- 16342. *Poritia philota philota* Hewitson, 1874** (Lycaenidae) **Synonym(s):** *philota* Hewitson, 1874; *#penumbrata* Morrell, 1957; *#lugubris* Eliot, 1957; *#ornata* Eliot, 1957 **Range (in code):** **MM ID Sum TH Pgg Rng Nst Ths Tng MY**
- 16343. *Poritia phormedon* Druce, 1895** (Lycaenidae) **Synonym(s):** *phormedon* Druce, 1895 **Range (in code):** **Bor MY**
- 16344. *Poritia plateni* Staudinger, 1889** (Lycaenidae) **Synonym(s):** *plateni* Staudinger, 1889 **Range (in code):** **MY Bor ID Sum TH Ntt PH Pal**
- 16345. *Poritia pleurata* Hewitson, 1874** (Lycaenidae) **Synonym(s):** *pleurata* Hewitson, 1874 **Range (in code):** **ID Sum MY Lkw**
- 16346. *Poritia pleurata pleurata* Hewitson, 1874** (Lycaenidae) **Synonym(s):** *pleurata* Hewitson, 1874 **Range (in code):** **ID Sum MY Lkw**
- 16347. *Poritia promula* Hewitson, 1874** (Lycaenidae) **Synonym(s):** *promula* Hewitson, 1874 **Range (in code):** **ID Ja MY**
- 16348. *Poritia promula elegans* Fruhstorfer, [1919]** (Lycaenidae) **Synonym(s):** *elegans* Fruhstorfer, [1919] **Range (in code):** **MY**
- 16349. *Poritia promula promula* Hewitson, 1874** (Lycaenidae) **Synonym(s):** *promula* Hewitson, 1874 **Range (in code):** **ID Ja**
- 16350. *Poritia sumatrae* (C.Felder & R.Felder, [1865])** (Lycaenidae) **Synonym(s):** *sumatrae* C.Felder & R.Felder, [1865] **Range (in code):** **MM TH Rng Tng Nst ID Sum MY**
- 16351. *Poritia sumatrae sumatrae* (C.Felder & R.Felder, [1865])** (Lycaenidae) **Synonym(s):** *sumatrae* C.Felder & R.Felder, [1865] **Range (in code):** **MM TH Rng Tng Nst ID Sum MY**
- 16352. *Poritia talophi* Hayashi, Schröder & Treadaway, 1984** (Lycaenidae) **Synonym(s):** *talophi* Hayashi, Schröder & Treadaway, 1984 **Range (in code):** **PH Boh Ley Mno Sam**
- 16353. *Powellana cottoni* Bethune-Baker, 1908** (Lycaenidae) **Synonym(s):** *cottoni* Bethune-Baker, 1908; *weberi* Holland, 1913; *virginea* Birket-Smith, 1960 **Range (in code):** **ZR CM CG UG**
- 16354. *Praephilotes anthracias* (Christoph, 1877)** (Lycaenidae) **Synonym(s):** *anthracias* Christoph, 1877 **Original Reference:** *Lycaena anthracias* Christoph, 1877, *Horae Soc. ent. ross.* 12: 239-240, Taf.v fig. 12. **Syntypes:** [Turkmenistan]: Krasnowodsk. **Range (in code):** **CN Krn Ku TM Ui TJ UZ Ky Syr Tm Ii Tk KG Ssn** **Bionomy:** *Calligonum leucocladum*, *C. eriopodum*, *C. griseum* (Zhdanko, 1997).
- 16355. *Praephilotes anthracias anthracias* (Christoph, 1877)** (Lycaenidae) **Synonym(s):** *anthracias* Christoph, 1877 **Original Reference:** *Lycaena anthracias* Christoph, 1877, *Horae Soc. ent. ross.* 12: 239-240, Taf.v fig. 12. **Syntypes:** [Turkmenistan]: Krasnowodsk. **Range (in code):** **CN Krn Ku TM Ui TJ UZ Ky Syr Tm Ii Tk KG Ssn**
- 16356. *Praephilotes violacea* Howarth & Povolny, 1976** (Lycaenidae) **Synonym(s):** *violacea* Howarth & Povolny, 1976 **Original Reference:** *Praephilotes violacea* Howarth & Povolny, 1976, *Cas. morav. Mus. Brne* 61: 143. **Holotype** ♂: Afghanistan: East Afghanistan: Nangrahar, Tor-Khama (in coll. Povolny). **Range (in code):** **AF Ng**
- 16357. *Praephilotes violacea violacea* Howarth & Povolny, 1976** (Lycaenidae) **Synonym(s):** *violacea* Howarth & Povolny, 1976 **Original Reference:** *Praephilotes violacea* Howarth & Povolny, 1976, *Cas. morav. Mus. Brne* 61: 143. **Holotype** ♂: Afghanistan: East Afghanistan: Nangrahar, Tor-Khama (in coll. Povolny). **Range (in code):** **AF Ng**
- 16358. *Pratapa deva* (Moore, [1858])** (Lycaenidae) **Synonym(s):** *deva* Moore, [1858] **Range (in code):** **LK IN NP MM TH CMa CRa Nkh MY PH Luz Mno**
- 16359. *Pratapa deva deva* (Moore, [1858])** (Lycaenidae) **Synonym(s):** *deva* Moore, [1858] **Range (in code):** **LK IN**
- 16360. *Pratapa deva devana* Druce, 1895** (Lycaenidae) **Synonym(s):** *devana* Druce, 1895 **Range (in code):** **PH Luz Mno**
- 16361. *Pratapa deva lila* (Moore, 1883)** (Lycaenidae) **Synonym(s):** *lila* Moore, 1883 **Range (in code):** **IN NP MM TH CMa CRa Nkh**
- 16362. *Pratapa deva relata* (Distant, 1884)** (Lycaenidae) **Synonym(s):** *relata* Distant, 1884 **Range (in code):** **MY**

- 16363. *Pratapa icetas* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *icetas* Hewitson,[1865]
Original Reference: *Iolaus icetas* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 44, 2 (plates): pl.18 figs. 6,7. Range (in code): **SI IN Kgr Kma MY**
- 16364. *Pratapa icetas extensa* Evans,[1925]** (Lycaenidae) Synonym(s): *extensa* Evans,[1925]
Range (in code): **TH Loe**
- 16365. *Pratapa icetas icetas* (Hewitson,[1865])** (Lycaenidae) Synonym(s): *icetas* Hewitson,[1865]
Original Reference: *Iolaus icetas* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 44, 2 (plates): pl.18 figs. 6,7. Range (in code): **IN Kgr Kma**
- 16366. *Pratapa icetas sakaia* Corbet,1940** (Lycaenidae) Synonym(s): *sakaia* Corbet,1940
Range (in code): **MY**
- 16367. *Pratapa icetoides* (Elwes,[1893])** (Lycaenidae) Synonym(s): *icetoides* Elwes,[1893]
Range (in code): **PH Dum Pal TH CMa Phu MY SG**
- 16368. *Pratapa icetoides calculis* Druce,1895** (Lycaenidae) Synonym(s): *calculis* Druce,1895
Range (in code): **MY SG TH Phu**
- 16369. *Pratapa icetoides icetoides* (Elwes,[1893])** (Lycaenidae) Synonym(s): *icetoides* Elwes,[1893]
Range (in code): **TH CMa**
- 16370. *Pratapa icetoides marikit* Schröder & Treadaway,1986** (Lycaenidae) Synonym(s): *marikit* Schröder & Treadaway,1986
Range (in code): **PH Dum Pal**
- 16371. *Pratapa ismaeli* Schröder & Treadaway,1983** (Lycaenidae) Synonym(s): *ismaeli* Schröder & Treadaway,1983
Range (in code): **PH Mno Apo**
- 16372. *Pratapa tyotaroi* Hayashi,1981** (Lycaenidae) Synonym(s): *tyotaroi* Hayashi,1981
Range (in code): **PH Mdo Mar**
- 16373. *Pratapa tyotaroi mindorensis* Treadaway & Nuyda,1995** (Lycaenidae) Synonym(s): *mindorensis* Treadaway & Nuyda,1995
Range (in code): **PH Mdo**
- 16374. *Pratapa tyotaroi tyotaroi* Hayashi,1981** (Lycaenidae) Synonym(s): *tyotaroi* Hayashi,1981
Range (in code): **PH Mar**
- 16375. *Prosotas aluta* (Druce,1873)** (Lycaenidae) Synonym(s): *aluta* Druce,1873
Range (in code): **MY ID Sum Bor IN MM Adm TH Cbi CMa CDo Cbu Kao Nna PH Bas Mar Mno Pal Sam Sga**
Bionomy: Larva on *Dalbergia pinnata* (Fabaceae) (Robinson et al.,2005).
- 16376. *Prosotas aluta coelestis* (Wood-Mason & De Nicéville,1896)** (Lycaenidae) Synonym(s): *coelestis* Wood-Mason & De Nicéville,1896
Range (in code): **IN MM Adm TH Cbi CMa CDo Cbu Kao Nna**
Bionomy: Larva on *Dalbergia pinnata* (Fabaceae) (Robinson et al.,2005).
- 16377. *Prosotas aluta nanda* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *nanda* De Nicéville,1895
Range (in code): **MY ID Sum Bor TH**
- 16378. *Prosotas aluta philiata* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *philiata* Fruhstorfer,1916
Range (in code): **PH Bas Mar Mno Pal Sam Sga**
- 16379. *Prosotas bhutea* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *bhutea* De Nicéville,1884
Range (in code): **SI Djl IN TH Nst Ths MY Bor Sbh**
- 16380. *Prosotas bhutea bhutea* (De Nicéville,1884)** (Lycaenidae) Synonym(s): *bhutea* De Nicéville,1884
Range (in code): **SI Djl IN TH Nst Ths**
- 16381. *Prosotas bhutea tambunanensis* Barlow, Banks & Holloway,1971** (Lycaenidae) Synonym(s): *tambunanensis* Barlow, Banks & Holloway,1971
Range (in code): **MY Bor Sbh**
- 16382. *Prosotas dubiosa* (Semper,[1879])** (Lycaenidae) Synonym(s): *dubiosa* Semper,[1879]
Range (in code): **LK IN NP MM Adm TH Bnk Knc Nrt Yal Sgk Hya Tnc CMa Nna Rat Ntt SPa PH Luz Mar Mno Neg Pal MY**
Bionomy: Larva on *Acacia mangium*, *A. caesia* (Fabaceae); Sapindaceae, Proteaceae (Robinson et al.,2005).
- 16383. *Prosotas dubiosa indica* (Evans,1925)** (Lycaenidae) Synonym(s): *indica* Evans,1925
Range (in code): **LK IN NP MM Adm TH CMa Nna Rat Ntt SPa Bnk**
- 16384. *Prosotas dubiosa lumpura* Corbet,1938** (Lycaenidae) Synonym(s): *lumpura* Corbet,1938
Range (in code): **MY TH Bnk CMa Knc Nna Nrt Yal Sgk Hya Tnc PH Luz Mar Mno Neg**
- 16385. *Prosotas dubiosa subardates* Piepers & Snellen,1918** (Lycaenidae) Synonym(s): *subardates* Piepers & Snellen,1918
Range (in code): **PH Pal**
- 16386. *Prosotas gracilis* (Röber,1886)** (Lycaenidae) Synonym(s): *gracilis* Röber,1886
Range (in code): **MY ID Sum TH Cbi CMa Cuo Cuo2 Cuo7 Cuo9 Cuo10 Dsk Hpt Knc Nrt PH Pal Luz Mno**
- 16387. *Prosotas gracilis donina* Snellen,1901** (Lycaenidae) Synonym(s): *donina* Snellen,1901
Range (in code): **PH Pal**

- 16388. *Prosotas gracilis ni* (De Nicéville,1902)** (Lycaenidae) Synonym(s): *ni* De Nicéville,1902
Range (in code): **MY ID Sum TH Cbi CMa Cuo Cuo2 Cuo7 Cuo9 Cui0 Dsk Hpt Knc Nrt**
- 16389. *Prosotas gracilis ssp.*** (Lycaenidae) Synonym(s): *Range (in code): PH Luz Mno*
- 16390. *Prosotas lutea* (Martin,1895)** (Lycaenidae) Synonym(s): *lutea* Martin,1895 *Range (in code): SI IN MM TH CMa Cuo Cuo9 Knc Nna Nrt MY ID Sum*
- 16391. *Prosotas lutea lutea* (Martin,1895)** (Lycaenidae) Synonym(s): *lutea* Martin,1895
Range (in code): **ID Sum**
- 16392. *Prosotas lutea sivoka* (Evans,1910)** (Lycaenidae) Synonym(s): *sivoka* Evans,1910
Range (in code): **SI IN MM TH CMa Cuo Cuo9 Knc Nna Nrt MY**
- 16393. *Prosotas maputi* (Semper,1889)** (Lycaenidae) Synonym(s): *maputi* Semper,1889; ?*elsa* Grose-Smith,1895
Original Reference: Chilades ? *maputi* Semper,1889, Die Schmett. Philippinischen Inseln: 170, pl.32 fig.26. Type: Mindanao (Rio Maputi & Saloc) (SMF). Range (in code): **PH Mno Mar Mdo**
- 16394. *Prosotas nelides* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *nelides* De Nicéville,1895
Range (in code): **PH Pal**
- 16395. *Prosotas nora* (C.Felder,1860)** (Lycaenidae) Synonym(s): *nora* C.Felder,1860 *Range (in code): ID Sum Ja Bor LK PK IN MM VN TH Cbi CMa Dst Bnk Knc Lmp Nna Yal Nst Ths PH Bas Ley Luz Mar Mdo Mno Neg Sam Pal Stu MY*
Bionomy: Larva on *Acacia nilotica*, *A. caesia*, *Mimosa himalayana* (Fabaceae); Myrtaceae, Combretaceae, Sapindaceae (Robinson et al.,2005).
- 16396. *Prosotas nora nora* (C.Felder,1860)** (Lycaenidae) Synonym(s): *nora* C.Felder,1860
Range (in code): **LK PK IN MM VN TH Cbi CMa Dst Bnk Knc Lmp Nna** Bionomy: Larva on *Acacia nilotica*, *A. caesia*, *Mimosa himalayana* (Fabaceae) (Robinson et al.,2005).
- 16397. *Prosotas nora semperi* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *semperi* Fruhstorfer,1916 *Range (in code): PH Bas Ley Luz Mar Mdo Mno Neg Sam*
- 16398. *Prosotas nora superdates* Fruhstorfer,1916** (Lycaenidae) Synonym(s): *superdates* Fruhstorfer,1916 *Range (in code): MY ID Sum Ja Bor TH Yal Nst Ths MY PH Pal Stu*
- 16399. *Prosotas noreia* (R.Felder,1868)** (Lycaenidae) Synonym(s): *noreia* R.Felder,1868
Range (in code): **LK IN Ass MM TH CMa CRa Knc Mae Uth**
- 16400. *Prosotas noreia hampsoni* (De Nicéville,1885)** (Lycaenidae) Synonym(s): *hampsoni* De Nicéville,1885 *Range (in code): IN Ass MM TH CMa CRa Knc Mae Uth*
- 16401. *Prosotas pia Toxopeus*,1929** (Lycaenidae) Synonym(s): *pia* Toxopeus,1929 *Range (in code): SI IN Ass MM TH CMa Knc Nna Nst MY*
- 16402. *Prosotas pia marginata* Tite,1963** (Lycaenidae) Synonym(s): *marginata* Tite,1963
Range (in code): **SI IN Ass MM TH CMa Knc Nna**
- 16403. *Prosotas pia pia* Toxopeus,1929** (Lycaenidae) Synonym(s): *pia* Toxopeus,1929 *Range (in code): MY TH Nst*
- 16404. *Protantigius superans* (Oberthür,1914)** (Lycaenidae) Synonym(s): *superans* Oberthür,1914
Original Reference: *Drina superans* Oberthür,1914, Etüd. lépid. comp. 9 (2): 54-55, pl. 255 figs. 2155-2156. Range (in code): **RU Vv**
- 16405. *Protantigius superans superans* (Oberthür,1914)** (Lycaenidae) Synonym(s): *superans* Oberthür,1914
Original Reference: *Drina superans* Oberthür,1914, Etüd. lépid. comp. 9 (2): 54-55, pl. 255 figs. 2155-2156. Range (in code): **RU Vv**
- 16406. *Pseudaletis agrippina* Druce,1888** (Lycaenidae) Synonym(s): *agrippina* Druce,1888; *tricolor* Staudinger,1891 *Range (in code): CI CM NG ZR*
- 16407. *Pseudaletis angustimargo* Hawker-Smith,1926** (Lycaenidae) Synonym(s): *angustimargo* Hawker-Smith,1926 *Range (in code): ZR UG NG*
- 16408. *Pseudaletis antimachus* (Staudinger,1888)** (Lycaenidae) Synonym(s): *antimachus* Staudinger,1888 *Range (in code): GA*
- 16409. *Pseudaletis arrhon* Druce,1913** (Lycaenidae) Synonym(s): *arrhon* Druce,1913 *Range (in code): CM Bit*
- 16410. *Pseudaletis batesi* Druce,1910** (Lycaenidae) Synonym(s): *batesi* Druce,1910 *Range (in code): CM Bit CI*
- 16411. *Pseudaletis busoga* Van Someren,1939** (Lycaenidae) Synonym(s): *busoga* Van Someren,1939 *Range (in code): UG ZR*
- 16412. *Pseudaletis catori* Bethune-Baker,1926** (Lycaenidae) Synonym(s): *catori* Bethune-Baker,1926 *Range (in code): NG*

- 16413. *Pseudaletis clymenus* (Druce,1885)** (Lycaenidae) **Synonym(s):** *clymenus* Druce,1885
Range (in code): [CG CM NG SL LR](#)
- 16414. *Pseudaletis clymenus clymenus* (Druce,1885)** (Lycaenidae) **Synonym(s):** *clymenus* Druce,1885
Range (in code): [CM NG](#)
- 16415. *Pseudaletis clymenus subangulata* Talbot,1935** (Lycaenidae) **Synonym(s):** *subangulata* Talbot,1935
Range (in code): [SL LR](#)
- 16416. *Pseudaletis dardanella* N.D.Riley,1922** (Lycaenidae) **Synonym(s):** *dardanella* N.D.Riley,1922
Range (in code): [CM](#)
- 16417. *Pseudaletis leonis* (Staudinger,1888)** (Lycaenidae) **Synonym(s):** *leonis* Staudinger,1888; *trifasciata* Sharpe,1890
Range (in code): [SL CI CM](#)
- 16418. *Pseudaletis lusambo* Stempffer,1961** (Lycaenidae) **Synonym(s):** *lusambo* Stempffer,1961
Range (in code): [ZR](#)
- 16419. *Pseudaletis mazanguli* Neave,1910** (Lycaenidae) **Synonym(s):** *mazanguli* Neave,1910
Range (in code): [ZR](#)
- 16420. *Pseudaletis nigra* Holland,1892** (Lycaenidae) **Synonym(s):** *nigra* Holland,1892; *occidentalis* Bethune-Baker,1926
Range (in code): [GA Ogo](#)
- 16421. *Pseudaletis nigra fontainei* Stempffer,1961** (Lycaenidae) **Synonym(s):** *fontainei* Stempffer,1961
Range (in code): [ZR](#)
- 16422. *Pseudaletis nigra nigra* Holland,1892** (Lycaenidae) **Synonym(s):** *nigra* Holland,1892; *occidentalis* Bethune-Baker,1926
Range (in code): [GA Ogo CM Bit UG](#)
- 16423. *Pseudaletis richardi* Stempffer,1953** (Lycaenidae) **Synonym(s):** *richardi* Stempffer,1953
Range (in code): [GN LR](#)
- 16424. *Pseudaletis spolia* N.D.Riley,1922** (Lycaenidae) **Synonym(s):** *spolia* N.D.Riley,1922
Range (in code): [CM](#)
- 16425. *Pseudaletis ugandae* N.D.Riley,1928** (Lycaenidae) **Synonym(s):** *ugandae* N.D.Riley,1928
Range (in code): [UG Eth](#)
- 16426. *Pseudaletis zebra* Holland,1891** (Lycaenidae) **Synonym(s):** *zebra* Holland,1891
Range (in code): [GA Ogo ZR CG CM](#)
- 16427. *Pseuderessia cornucopiae* (Holland,1892)** (Lycaenidae) **Synonym(s):** *cornucopiae* Holland,1892
Range (in code): [GA Ogo](#)
- 16428. *Pseuderessia eleaza* (Hewitson,1873)** (Lycaenidae) **Synonym(s):** *eleaza* Hewitson,1873; *catharina* Butler,1874; *variegata* Grose-Smith & Kirby,1890; *picta* Grose-Smith,1898
Range (in code): [SL LR UG GH CI NG Caa CM GO CG ZR](#)
- 16429. *Pseuderessia eleaza eleaza* (Hewitson,1873)** (Lycaenidae) **Synonym(s):** *eleaza* Hewitson,1873; *catharina* Butler,1874; *variegata* Grose-Smith & Kirby,1890; *picta* Grose-Smith,1898
Range (in code): [SL UG GH CI NG Caa CM GO CG ZR](#)
- 16430. *Pseuderessia eleaza katera* Stempffer,1961** (Lycaenidae) **Synonym(s):** *katera* Stempffer,1961
Range (in code): [UG ZR Kvu](#)
- 16431. *Pseuderessia eleaza nigra* Cator,1904** (Lycaenidae) **Synonym(s):** *nigra* Cator,1904
Range (in code): [LR SL](#)
- 16432. *Pseuderessia mapongua* (Holland,1893)** (Lycaenidae) **Synonym(s):** *mapongua* Holland,1893
Range (in code): [GA](#)
- 16433. *Pseuderessia vidua* Talbot,1937** (Lycaenidae) **Synonym(s):** *vidua* Talbot,1937
Range (in code): [KE UG ZR](#)
- 16434. *Pseudonacaduba aethiops* (Mabille,1877)** (Lycaenidae) **Synonym(s):** *aethiops* Mabille,1877; *melania* Capronnier,1889 *nec* Stgr.,1886; *stratola* Holland,1891.
Range (in code): [SL CM EO GA ZR AO TZ UG](#)
- 16435. *Pseudonacaduba sichela* (Wallengren,1857)** (Lycaenidae) **Synonym(s):** *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; *#sichelia* Swierstra,1909.
Range (in code): [MW Zom MG MZ Del ZA Ec Tva Spb Hgl Gau Jh Pre Mpu Brb Wv Wri Wel Nel Buf CM TZ Tnga Usa Ani](#)
- 16436. *Pseudonacaduba sichela reticulum* (Mabille,1877)** (Lycaenidae) **Synonym(s):** *reticulum* Mabille,1877
Range (in code): [MG](#)
- 16437. *Pseudonacaduba sichela sichela* (Wallengren,1857)** (Lycaenidae) **Synonym(s):** *sichela* Wallengren,1857; *dexamene* Druce,1887; *docilis* Butler,1888; *#sichelia* Swierstra,1909.
Range (in code): [MW Zom MZ Del ZA Ec Tva Spb Hgl Gau Pre Jh Mpu Brb Wv Wri Wel Nel Buf CM TZ Tnga Usa Ani](#)

- 16438. *Pseudoneaveia jacksoni* Stempffer,1964** (Lycaenidae) Synonym(s): *jacksoni* Stempffer,1964 Range (in code): **ZR**
- 16439. *Pseudophilotes abencerragus* (Pierret,1837)** (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837 Original Reference: *Argus abencerragus* Pierret,1837, *Annls. Soc. ent. Fr.* 9: 21, pl.1 fig.7. Syntypes: [Algérie], Oran. Range (in code): **MA Atj Cue DZ Ktr Orn Ges EG ES Mu IL Pa JO LY Cy Mdr Ngv PT SA Sn TN Gf** Bionomy: Larva on *Thymus algeriensis*, *T.hirtus*, *T.fontanesii*, *Salvia taraxicifolia*, *Medicago ? turbinata*, *Cleonia lusitanica* (Chrétien,1917; et seq.).
- 16440. *Pseudophilotes abencerragus abencerragus* (Pierret,1837)** (Lycaenidae) Synonym(s): *abencerragus* Pierret,1837 Original Reference: *Argus abencerragus* Pierret,1837, *Annls. Soc. ent. Fr.* 9: 21, pl.1 fig.7. Syntypes: [Algérie], Oran. Range (in code): **MA DZ Orn**
- 16441. *Pseudophilotes abencerragus amelia* (Hemming,1927)** (Lycaenidae) Synonym(s): *amelia* Hemming,1927; *mattoni Gomez-Bustillo,1982*; *mattonica Gomez-Bustillo,1982*. Original Reference: *Turania amelia* Hemming,1927, *Entomologist* 60: 277. Holotype ♂: Portugal: Alemtejo. Range (in code): **An Atj Cue ES Mu Mdr PT**
- 16442. *Pseudophilotes abencerragus cavazzae* (Romei,1927)** (Lycaenidae) Synonym(s): *cavazzae* Romei,1927. Range (in code): **LY Tp**
- 16443. *Pseudophilotes abencerragus coloniarum* (Turati,1927)** (Lycaenidae) Synonym(s): *coloniarum* Turati,1927. Range (in code): **Cy EG LY**
- 16444. *Pseudophilotes abencerragus famelica* (Buxton,1914)** (Lycaenidae) Synonym(s): *#famelica Seitz,1909*; *famelica Buxton,1914*. Range (in code): **DZ TN**
- 16445. *Pseudophilotes abencerragus felix* Manil,2006** (Lycaenidae) Synonym(s): *felix* Manil,2006 Range (in code): **MA**
- 16446. *Pseudophilotes abencerragus nabataeus* (Graves,1925)** (Lycaenidae) Synonym(s): *nabataeus* Graves,1925 Original Reference: *Turania baton* ssp. *nabataeus* Graves, 1925, *Trans. ent. Soc. Lond.* 1925: 62, pl.5 fig.5. Syntypes ♂: Transjordan: Petra. Range (in code): **IL Pa JO Ngv SA Sn EG**
- 16447. *Pseudophilotes barbaggiae* De Prins & Poorten,1982** (Lycaenidae) Synonym(s): *barbaggiae* De Prins & Poorten,1982 Original Reference: *Pseudophilotes barbaggiae* De Prins & Poorten,1982, *Phegea* 10 (2): 61-76, figs. Holotype ♂: Italy: Sardinia, Gennargentu massive. Range (in code): **IT Sa** Bionomy: Larva on *Thymus ? herba-barona* (Tolman, 1997).
- 16448. *Pseudophilotes barbaggiae barbaggiae* De Prins & Poorten,1982** (Lycaenidae) Synonym(s): *barbaggiae* De Prins & Poorten,1982 Original Reference: *Pseudophilotes barbaggiae* De Prins & Poorten,1982, *Phegea* 10 (2): 61-76, figs. Holotype ♂: Italy: Sardinia, Gennargentu massive. Range (in code): **IT Sa**
- 16449. *Pseudophilotes baton* (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 *nec* Linnaeus,1758; *baton* Bergsträßer,[1779]; *hylactor* Bergsträßer,[1779]Bergsträßer,[1779]; *amphion* Esper,1780; *#praecocior* Verity,1919; *#obscurata* Verity,1919; *oicles* Dannehl,1925. Original Reference: *Papilio baton* Bergsträßer,[1779], *Nom. Ins.* 3: 18, pl.60, figs. 6-8. Range (in code): **An Bar CH CH Cl Cue DE DZ ES Mu Mu18 FR Gl Grn IT MA Mdr PT Pto Si Tol Zg** Bionomy: Larva on *Thymus mastichina*, *T. villosus*, *T. serpyllum*, *T. vulgaris*, *T. praecox*, *Saturja montana*, *S. hortensis*, *Lavendula staechas*, *L. angustifolia*, *L. latifolia*, *Mentha suaveolens*, *M. longifolia*, *M. rotunda*, *Calamintha nepeta* (Tolman, 1997).
- 16450. *Pseudophilotes baton albonotata* (De Sagarra,1926)** (Lycaenidae) Synonym(s): *albonotata* De Sagarra,1926 Original Reference: *Scolitantides baton* rassa *albonotata* De Sagarra,1926,1926, *Butll. Inst. Cat.* 1926 (2), 6: 137. Syntypes: Espana: Barcelona, Llinas. Range (in code): **Bar Cl Cue ES FR Mdr Tol Zg**
- 16451. *Pseudophilotes baton baton* (Bergsträßer,[1779])** (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 *nec* Linnaeus,1758; *baton* Bergsträßer,[1779]; *hylactor* Bergsträßer,[1779]Bergsträßer,[1779]; *amphion* Esper,1780; *#praecocior* Verity,1919; *#obscurata* Verity,1919; *oicles* Dannehl,1925. Original Reference: *Papilio baton* Bergsträßer,[1779], *Nom. Ins.* 3: 18, pl.60, figs. 6-8. Range (in code): **Bv Bw CH CH Co DE FR IT Si**
- 16452. *Pseudophilotes baton occidentalis* (Hemming,1929)** (Lycaenidae) Synonym(s): *occidentalis* Hemming,1929 Original Reference: *Turanana baton* ssp. *occidentalis* Hemming,1929, *Entomologist* 62: 29-30, Pls. Holotype ♂: Northern Portugal: Oporto. Range (in code): **DZ MA PT Pto**
- 16453. *Pseudophilotes baton panoptes* (Hübner,[1813])** (Lycaenidae) Synonym(s): *panoptes* Hübner,[1813]; *andalusica* Ribbe,1910; *orlaria* Ribbe,1910. Original Reference: *Papilio panoptes* Hübner,[1813], *Samml. eur. Schmett.* 1: pl.132, figs. 670-673. Syntypes: Europa. Range (in code):

- An ES Mu Mu18 Gl Grn** Bionomy: Larva on Thymus mastichina, T. villosus, Saturja montana (Tolman, 1997).
- 16454. Pseudophilotes baton praepanoptes (Verity,1928)** (Lycaenidae) Synonym(s): *praepanoptes* Verity,1928 Original Reference: Turania hylas praepanoptes Verity,1928, Bull. Soc. ent. Fr. 1928: 143. Syntypes 2♂: [France]: Pyrenees--Orientales: Ambollos. Range (in code): **FR Py**
- 16455. Pseudophilotes jacuticus Korshunov & Viidalepp,1980** (Lycaenidae) Synonym(s): *jacuticus* Korshunov & Viidalepp,1980 Range (in code): **RU Ya**
- 16456. Pseudophilotes jacuticus jacuticus Korshunov & Viidalepp,1980** (Lycaenidae) Synonym(s): *jacuticus* Korshunov & Viidalepp,1980 Range (in code): **RU**
- 16457. Pseudophilotes jordanicus Benyamini,2000** (Lycaenidae) Synonym(s): *jordanicus* Benyamini,2000 Original Reference: Pseudophilotes jordanicus Benyamini,2000, Linneana Belg. 17 (8): 360-362, figs. Holotype ♂: Jordan-Saudi Arabia border: "Jebel Umm-Adami 23.4.2000, 1770m" leg. & coll. Benyamini Range (in code): **JO SA**
- 16458. Pseudophilotes sinaicus Nakamura,1975** (Lycaenidae) Synonym(s): *sinaicus* Nakamura,1975 Original Reference: Pseudophilotes sinaicus Nakamura,1975, J. Ent. (B) 44 (3): 290-294, figs. Holotype ♂: Egypt: South Sinai: Wadi Shag, 1850m (BMNH). Range (in code): **EG Sn**
- 16459. Pseudophilotes sinaicus sinaicus Nakamura,1975** (Lycaenidae) Synonym(s): *sinaicus* Nakamura,1975 Original Reference: Pseudophilotes sinaicus Nakamura,1975, J. Ent. (B) 44 (3): 290-294, figs. Holotype ♂: Egypt: South Sinai: Wadi Shag, 1850m (BMNH). Range (in code): **EG Sn**
- 16460. Pseudophilotes vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865 Original Reference: Polyommatus vicrama Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.6. Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni. Range (in code): **AF Ng Kab Jla AL At Bn AT Ba BG BY CY Ch Ci CN Cr CZ DE EE FI GR HU Ii IN IR Ab Ak Shf Elb Fa Kp IL Pa JO IQ IT KG Ld LT LV PK PL RO RU SK Sm So Sr Ti TM TR Cc GG Smt Akh UA Ui VI YU Uk Kt Ka Sp Sau Tar DsA TrA Db Syr Tm Ku T-S** Bionomy: Larva on Thymus serpyllum (Kumakov & Korshunov, 1979); Thymus longicaulis chaubardii, T. glabrescens, T. (?) comptus, T. ocheus, T. striatus / atticus, Satureja montana, S. thymbra (Tolman, 1997); Thymus marschallianus (Zhdanko, 1997).
- 16461. Pseudophilotes vicrama astabene (Hemming,1932)** (Lycaenidae) Synonym(s): *clara* Staudinger,1901; *astabene* Hemming,1932 Original Reference: Philotes vicrama astabene Hemming,1932, Entomologist 65: 181 (nomen nov. pro clara Stgr.,1901). Range (in code): **CY SY IL He Pa JO IR Ab Elb Th Fa IQ Kp OM TM KG Sp Sau Tar T-S DsA TrA Db Syr Tm RU At CN Ui Ku Ng Kab Jla AF**
- 16462. Pseudophilotes vicrama cashmirensis (Moore,1874)** (Lycaenidae) Synonym(s): *cashmirensis* Moore,1874 Original Reference: Scolitantides cashmirensis Moore,1874, Proc. zool. Soc. Lond. 1874: 272. Syntypes: N.E. Cashmere: Soonamurg. Range (in code): **Ch Ci Ld PK Snm Gg**
- 16463. Pseudophilotes vicrama pallida Shchetkin,1960** (Lycaenidae) Synonym(s): *pallida* Shchetkin,1960 Range (in code): **TJ**
- 16464. Pseudophilotes vicrama schiffermuelleri (Hemming,1929)** (Lycaenidae) Synonym(s): *hylas* Denis & Schiffermüller,1775 nec Linn.,1758; *schiffermülleri* Hemming,1929. Original Reference: Turanana vicrama ssp. schiffermülleri Hemming,1929, Entomologist 62: 61, Taf.1 figs.6,8; Taf.2 figs.19-22. Holotype ♂: Austria: Deutsch-Altenburg (BMNH). Range (in code): **Ae AL AT BG B-H BY Cr CZ DE FI GR HU HV IR IT LT LV MK PL Rd RO RU SK SS TM TR Cc GG Smt Akh UA YU KG Uk**
- 16465. Pseudophilotes vicrama vicrama (Moore,1865)** (Lycaenidae) Synonym(s): *vicrama* Moore,1865 Original Reference: Polyommatus vicrama Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.6. Syntypes: Tibet: Shipkee; [India]: Middle Kunawur: Cheeni. Range (in code): **CN IN Ti**
- 16466. Pseudotajuria donatana (De Nicéville,[1889])** (Lycaenidae) Synonym(s): *donatana* De Nicéville,[1889] Range (in code): **MY TH Phi MM SG**
- 16467. Pseudotajuria donatana bilara M.Okano & T.Okano,1990** (Lycaenidae) Synonym(s): *bilara* M.Okano & T.Okano,1990 Range (in code): **PH Boh**
- 16468. Pseudotajuria donatana donatana (De Nicéville,[1889])** (Lycaenidae) Synonym(s): *donatana* De Nicéville,[1889] Range (in code): **MY TH Phi MM SG**
- 16469. Pseudotajuria donatana mansaka Osada,1987** (Lycaenidae) Synonym(s): *mansaka* Osada,1987 Range (in code): **PH Mno**

- 16470. *Ptelina carnuta* (Hewitson,1873)** (Lycaenidae) Synonym(s): *carnuta* Hewitson,1873
Range (in code): **CM ZR SL UG GA**
- 16471. *Ptelina carnuta carnuta* (Hewitson,1873)** (Lycaenidae) Synonym(s): *carnuta* Hewitson,1873
Range (in code): **GA**
- 16472. *Ptelina carnuta parva* (Kirby,1887)** (Lycaenidae) Synonym(s): *parva* Kirby,1887;
kamitugensis Dufrane,1945
Range (in code): **CM ZR SL UG**
- 16473. *Ptelina subhyalina* Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *subhyalina* Joicey & Talbot,1921
Range (in code): **ZR**
- 16474. *Ptox catreus* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *catreus* De Nicéville,1895;
semoni Pagenstecher,1895.
Range (in code): **ID Ja**
- 16475. *Ptox catreus catreus* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *catreus* De Nicéville,1895;
semoni Pagenstecher,1895.
Range (in code): **ID Ja**
- 16476. *Ptox catreus hermeias* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *hermeias* Fruhstorfer,1910
Range (in code): **ID Ja**
- 16477. *Ptox corythus* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *corythus* De Nicéville,1895
Range (in code): **ID Sum**
- 16478. *Ptox corythus corythus* (De Nicéville,1895)** (Lycaenidae) Synonym(s): *corythus* De Nicéville,1895
- 16479. *Ptox corythus gaius* (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *gaius* Fruhstorfer,1910
Range (in code): **ID Sum**
- 16480. *Purlisa gigantea* (Distant,1881)** (Lycaenidae) Synonym(s): *gigantea* Distant,1881
Range (in code): **MY SG Lkw TH Tng**
- 16481. *Purlisa gigantea gigantea* (Distant,1881)** (Lycaenidae) Synonym(s): *gigantea* Distant,1881
Range (in code): **MY SG Lkw TH Tng**
- 16482. *Quercusia quercus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758;
longicauda Riley,1921
Original Reference: *Papilio quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [England (Verity,1943)].
Range (in code): **AL AM Ao AT AZ Ba BE BG B-H BY CH Cr CY CZ DE DK DZ EE ES FI FR GB GG GR HU HV IE IQ IR Fa IT KG LB Le LT LU LV MA MK NL NO PL PT Rd RO RU Sa Sms SE Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken SY Alv Atu Av Bad Bar Bgs C-M Cas Ccs Cor Dja Cue Ct Gna Gp Gu Hue Lda Leo Mdr Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Ter Tol Trg Val Vcl Zg Zm Akh Ab Rf**
Bionomy: Larva on *Quercus robur*, *Q. ilex*, *Q. coccifera*, *Q. petraea*, *Q. cerris*, *Q. pubescens* (Tolman,1997).
- 16483. *Quercusia quercus ibericus* (Staudinger,1901)** (Lycaenidae) Synonym(s): *ibericus* Staudinger,1901
Original Reference: *Zephyrus quercus* var. *iberica* Staudinger,1901, Cat. lepid. palaearct. Faunengeb. 3 (1): 71 (nom. nov. pro *quercus* Obth. nec Linnaeus). Syntypes: Maur., Ib. c. et m.
Range (in code): **DZ Dja ES MA Rf PT Alm CRe Cd Cz Grn Hv Jae Mlg Mu Svl**
Bionomy: Larva on *Quercus ilex*, *Q. coccifera* (Tolman,1997).
- 16484. *Quercusia quercus interjectus* (Verity,1919)** (Lycaenidae) Synonym(s): *interjectus* Verity,1919
Range (in code): **FR**
- 16485. *Quercusia quercus quercus* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *quercus* Linnaeus,1758;
longicauda Riley,1921
Original Reference: *Papilio quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [England (Verity,1943)].
Range (in code): **He IL AL Cc AM Ao AT AZ Ba BE BG B-H Bw BY CH Cm Cr CY CZ DE DK EE ES FI FR GB GG GR HU HV IE IQ IR Fa IT KG LB Le LT LU LV MK NL NO PL Rd RO Rp RU Sa Sms SE Si SK Sm So Sr SS TR UA Uk VI YU Cw Dv Smt Akh H-W Sur Ssx Ken SY**
- 16486. *Rachana australis* (Schröder & Treadaway,1990)** (Lycaenidae) Synonym(s): *australis* Schröder & Treadaway,1990
Range (in code): **PH Mno**
- 16487. *Rachana circumdata* (Schröder, Treadaway & Hayashi,1981)** (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi,1981
Range (in code): **PH Luz Mar Mdo Neg Pan**
- 16488. *Rachana circumdata circumdata* (Schröder, Treadaway & Hayashi,1981)** (Lycaenidae) Synonym(s): *circumdata* Schröder, Treadaway & Hayashi,1981
Range (in code): **PH Luz Mar Mdo**
- 16489. *Rachana circumdata panayensis* Schröder, Treadaway & Hayashi,1981** (Lycaenidae) Synonym(s): *panayensis* Schröder, Treadaway & Hayashi,1981;
negrosensis M.Okano & T.Okano,1990
Range (in code): **PH Neg Pan**
- 16490. *Rachana jalindra* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *jalindra* Horsfield,[1829]
Range (in code): **IN MY Lkw TH CMa NP SI MM PH Dum Pal Sga Taw Luz Mdo Mno Bal**

- 16491. *Rachana jalindra balabacensis* Schröder & Treadaway, 1986** (Lycaenidae)
Synonym(s): *balabacensis* Schröder & Treadaway, 1986 Range (in code): PH Bal
- 16492. *Rachana jalindra burbona* (Hewitson, 1878)** (Lycaenidae) Synonym(s): *burbona* Hewitson, 1878 Range (in code): MY Lkw
- 16493. *Rachana jalindra indra* (Moore, 1883)** (Lycaenidae) Synonym(s): *indra* Moore, 1883
Range (in code): TH CMa NP SI MM
- 16494. *Rachana jalindra jalindra* (Horsfield, [1829])** (Lycaenidae) Synonym(s): *jalindra* Horsfield, [1829] Range (in code): IN
- 16495. *Rachana jalindra maganda* (Takanami, 1982)** (Lycaenidae) Synonym(s): *maganda* Takanami, 1982 Range (in code): PH Mno
- 16496. *Rachana jalindra mindorensis* (Schröder & Treadaway, 1985)** (Lycaenidae)
Synonym(s): *mindorensis* Schröder & Treadaway, 1985 Range (in code): PH Mdo
- 16497. *Rachana jalindra obsoleta* (Schröder & Treadaway, 1993)** (Lycaenidae)
Synonym(s): *obsoleta* Schröder & Treadaway, 1993 Range (in code): PH Sga Taw
- 16498. *Rachana jalindra palawandra* (Staudinger, 1889)** (Lycaenidae) Synonym(s):
palawandra Staudinger, 1889 Range (in code): PH Dum Pal
- 16499. *Rachana jalindra shiraishii* (Takanami, 1984)** (Lycaenidae) Synonym(s): *shiraishii* Takanami, 1984 Range (in code): PH Luz
- 16500. *Rachana mariaba* (Hewitson, 1869)** (Lycaenidae) Synonym(s): *mariaba* Hewitson, 1869
Range (in code): PH Ley Mno Sam
- 16501. *Rachana mioae* (Hayashi, 1978)** (Lycaenidae) Synonym(s): *mioae* Hayashi, 1978
Range (in code): PH Mno
- 16502. *Rachana plateni* (Semper, 1890)** (Lycaenidae) Synonym(s): *plateni* Semper, 1890
Range (in code): PH Sga Bas Ley Mno Sam
- 16503. *Rachana plateni parvula* (Schröder & Treadaway, 1989)** (Lycaenidae) Synonym(s):
parvula Schröder & Treadaway, 1989 Range (in code): PH Sga
- 16504. *Rachana plateni plateni* (Semper, 1890)** (Lycaenidae) Synonym(s): *plateni* Semper, 1890;
navales Schröder & Treadaway, 1986 Range (in code): PH Bas Ley Mno Sam
- 16505. *Rapala abnormis* Elwes, [1893]** (Lycaenidae) Synonym(s): *abnormis* Elwes, [1893]
Range (in code): MM Krh TH CMa MY ID Ja
- 16506. *Rapala abnormis abnormis* Elwes, [1893]** (Lycaenidae) Synonym(s): *abnormis* Elwes, [1893] Range (in code): MM Krh TH CMa MY
- 16507. *Rapala abnormis abusina* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *abusina* Fruhstorfer, 1912 Range (in code): ID Ja
- 16508. *Rapala albapex* De Nicéville, 1897** (Lycaenidae) Synonym(s): *albapex* De Nicéville, 1897
Range (in code): MY Bor
- 16509. *Rapala arata* (Bremer, 1861)** (Lycaenidae) Synonym(s): *arata* Bremer, 1861 Original Reference: Thecla arata Bremer, 1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 470. Range (in code): RU Vv Am JP
- 16510. *Rapala arata arata* (Bremer, 1861)** (Lycaenidae) Synonym(s): *arata* Bremer, 1861
Original Reference: Thecla arata Bremer, 1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 470. Range (in code): RU Vv Am JP
- 16511. *Rapala caerulea* (Bremer & Grey, 1853)** (Lycaenidae) Synonym(s): *caerulea* Bremer & Grey, 1853
Original Reference: Thecla caerulea Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 8, nr.9. Type: China: Pekin. Range (in code): CN Pkn
- 16512. *Rapala caerulea caerulea* (Bremer & Grey, 1853)** (Lycaenidae) Synonym(s): *caerulea* Bremer & Grey, 1853
Original Reference: Thecla caerulea Bremer & Grey, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen China's: 8, nr.9. Type: China: Pekin. Range (in code): CN Pkn
- 16513. *Rapala caerulescens* Staudinger, 1889** (Lycaenidae) Synonym(s): *caerulescens* Staudinger, 1889 Range (in code): PH Bas Ceb Jol Luz Mar Mdo Mno Sib
- 16514. *Rapala cowani* Corbet, 1939** (Lycaenidae) Synonym(s): *cowani* Corbet, 1939 Range (in code): MY Joh
- 16515. *Rapala cowani cowani* Corbet, 1939** (Lycaenidae) Synonym(s): *cowani* Corbet, 1939
Range (in code): MY Joh
- 16516. *Rapala damona* Swinhoe, 1890** (Lycaenidae) Synonym(s): *damona* Swinhoe, 1890
Range (in code): PH Mdo Pal TH Cbi CMa MY Lkw

- 16517. *Rapala damona damona* Swinhoe, 1890** (Lycaenidae) Synonym(s): *damona* Swinhoe, 1890 _ Range (in code): PH Mdo Pal TH Cbi CMa MY Lkw
- 16518. *Rapala dieneces* (Hewitson, 1878)** (Lycaenidae) Synonym(s): *dieneces* Hewitson, 1878
Range (in code): PH Bas Mno Pal Sga TH CMa CDo Sgk Pgg Phu Nst Chw Nna MY Lkw
- 16519. *Rapala dieneces dieneces* (Hewitson, 1878)** (Lycaenidae) Synonym(s): *dieneces* Hewitson, 1878 _ Range (in code): PH Bas Mno Pal Sga TH CMa Sgk CDo Pgg Phu Nna Nst Chw MY Lkw
- 16520. *Rapala diopites* (Hewitson, 1869)** (Lycaenidae) Synonym(s): *diopites* Hewitson, 1869
Range (in code): PH Bal Cal CmL Pal Bas Boh Ceb CmM Cts Din Gui Ley Luz Mar Mas Mdo Mno Neg Pan Sam Sga Sib Stu Taw
- 16521. *Rapala diopites alcetas* (Staudinger, 1889)** (Lycaenidae) Synonym(s): *alcetas* Staudinger, 1889 _ Original Reference: Deudorix alcetas Staudinger, 1889, Dt. ent. Z., Iris 1889: 119. Syntypes: Philippines: Palawan. Range (in code): PH Bal Cal Pal
- 16522. *Rapala diopites alcetina* Semper, 1890** (Lycaenidae) Synonym(s): *alcetina* Semper, 1890
Range (in code): PH Bas Boh Ceb CmM Cts Din Gui Ley Luz Mar Mas Mdo Mno Neg Pan Sam Sga Sib Stu Taw
- 16523. *Rapala diopites diopites* (Hewitson, 1869)** (Lycaenidae) Synonym(s): *diopites* Hewitson, 1869 _ Range (in code): PH CmL
- 16524. *Rapala domitia* (Hewitson, [1863])** (Lycaenidae) Synonym(s): *domitia* Hewitson, [1863]
Range (in code): MY Lkw TH Tng Bor SG
- 16525. *Rapala domitia domitia* (Hewitson, [1863])** (Lycaenidae) Synonym(s): *domitia* Hewitson, [1863] _ Range (in code): MY SG
- 16526. *Rapala domitia flemingi* Eliot, 1969** (Lycaenidae) Synonym(s): *flemingi* Eliot, 1969
Range (in code): MY Lkw TH Tng
- 16527. *Rapala elcia* (Hewitson, [1863])** (Lycaenidae) Synonym(s): *elcia* Hewitson, [1863]
Range (in code): PH Luz Mar Pol
- 16528. *Rapala elcia elcia* (Hewitson, [1863])** (Lycaenidae) Synonym(s): *elcia* Hewitson, [1863]
Range (in code): PH Luz Mar Pol
- 16529. *Rapala extensa* (Evans, 1926)** (Lycaenidae) Synonym(s): *extensa* Evans, 1926 _ Range (in code): PK Ci Nwf
- 16530. *Rapala extensa extensa* (Evans, 1926)** (Lycaenidae) Synonym(s): *extensa* Evans, 1926
Range (in code): PK Ci Nwf
- 16531. *Rapala hades* (De Nicéville, 1895)** (Lycaenidae) Synonym(s): *hades* De Nicéville, 1895
Range (in code): MM TH MY PH Mno Neg Pan
- 16532. *Rapala hypargyria* Elwes, [1893]** (Lycaenidae) Synonym(s): *hypargyria* Elwes, [1893]
Original Reference: Rapala hypargyria Elwes, [1893], Proc. zool. Soc. London 1892: 643, pl. 44 fig. 7. Type: [Myanmar]: Karen Hills. Range (in code): MM Krh TH CMa MY
- 16533. *Rapala hypargyria hypargyria* Elwes, [1893]** (Lycaenidae) Synonym(s): *hypargyria* Elwes, [1893]
Original Reference: Rapala hypargyria Elwes, [1893], Proc. zool. Soc. London 1892: 643, pl. 44 fig. 7. Type: [Myanmar]: Karen Hills. Range (in code): MM Krh TH CMa MY
- 16534. *Rapala iarbus* (Fabricius, 1787)** (Lycaenidae) Synonym(s): *iarbus* Fabricius, 1787; *ocerta* Fruhtsorfer, [1912] _ Original Reference: Papilio iarbus Fabricius, 1787, Mant. Ins. 2: 68, nr. 648. Type(s): Siam. Range (in code): TH CMa Cuo Cu12 CDo Cbu Kao Knc Kbi Loe Phr Nna Ntt Tak Tng Sgk Hya PSu Bnk Nst Ch PK Haz Mre Kma IN _ Bionomy: Larva on Senna occidentalis [coffea senna] (Fabaceae) (Lewvanich, 2001).
- 16535. *Rapala iarbus iarbus* (Fabricius, 1787)** (Lycaenidae) Synonym(s): *iarbus* Fabricius, 1787; *ocerta* Fruhtsorfer, [1912] _ Original Reference: Papilio iarbus Fabricius, 1787, Mant. Ins. 2: 68, nr. 648. Type(s): Siam. Range (in code): TH CMa Cuo Cu12 CDo Cbu Kao Knc Kbi Loe Phr Nna Ntt Tak Tng Sgk Hya PSu Bnk Nst _ Bionomy: Larva on Senna occidentalis [coffea senna] (Fabaceae) (Lewvanich, 2001).
- 16536. *Rapala iarbus sorya* (Kollar, [1844])** (Lycaenidae) Synonym(s): *sorya* Kollar, [1844]
Original Reference: Thecla sorya Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 414, Taf. 5, figs. 1, 2. Type(s): Kaschmir. Range (in code): Ch PK Haz Mre Kma IN
- 16537. *Rapala lankana* (Moore, [1879])** (Lycaenidae) Synonym(s): *lankana* Moore, [1879]
Range (in code): LK IN
- 16538. *Rapala lankana lankana* (Moore, [1879])** (Lycaenidae) Synonym(s): *lankana* Moore, [1879] _ Range (in code): LK IN

- 16539. *Rapala manea* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *manea* Hewitson,[1863]
Range (in code): TH CMa CDo Cbi Uth Rng SG MY Lkw Bor PH Boh Luz Mar Mdo Mno Neg Pal Stu
Taw ID Sum Clb Baw Lb Ja Bli Egg Adm LK IN Ass MM **Bionomy:** Larva on Nephelium lappaceum
[rambutan], Dimocarpus longan (Sapindaceae) (Lewvanich,2001).
- 16540. *Rapala manea asikana* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *asikana*
Fruhstorfer,1912 **Range (in code):** ID Ja Bli
- 16541. *Rapala manea baweanica* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *baweanica*
Fruhstorfer,1912 **Range (in code):** ID Baw
- 16542. *Rapala manea chozeba* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *chozeba*
Hewitson,[1863] **Range (in code):** TH SG MY Lkw ID Sum Bor
- 16543. *Rapala manea enganica* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *enganica*
Fruhstorfer,1912 **Range (in code):** ID Egg
- 16544. *Rapala manea ingana* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *ingana*
Fruhstorfer,1912 **Range (in code):** PH Pal
- 16545. *Rapala manea lombokiana* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *lombokiana*
Fruhstorfer,1912 **Range (in code):** ID Lb
- 16546. *Rapala manea manea* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *manea*
Hewitson,[1863] **Range (in code):** ID Clb
- 16547. *Rapala manea philippensis* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *philippensis*
Fruhstorfer,1912 **Range (in code):** PH Boh Luz Mar Mdo Mno Neg Stu Taw
- 16548. *Rapala manea schistacea* (Moore,[1881])** (Lycaenidae) **Synonym(s):** *schistacea*
Moore,[1881] **Range (in code):** LK IN Clc Ass Adm MM TH CMa CDo Cbi Uth Rng **Bionomy:**
Larva on Nephelium lappaceum [rambutan], Dimocarpus longan (Sapindaceae)
(Lewvanich,2001).
- 16549. *Rapala masara* Osada,1987** (Lycaenidae) **Synonym(s):** *masara* Osada,1987 **Range (in code):** PH Mno
- 16550. *Rapala micans* (Bremer & Grey,1853)** (Lycaenidae) **Synonym(s):** *micans* Bremer &
Grey,1853 **Original Reference:** Thecla micans Bremer & Grey,1853, Beiträge zur
Schmetterlings-Fauna des nördlichen China's: 9 nr.30. Syntypes: China: Peking. **Range (in code):**
CN Pkn Ci Kma IN PK
- 16551. *Rapala micans micans* (Bremer & Grey,1853)** (Lycaenidae) **Synonym(s):** *micans*
Bremer & Grey,1853 **Original Reference:** Thecla micans Bremer & Grey,1853, Beiträge zur
Schmetterlings-Fauna des nördlichen China's: 9 nr.30. Syntypes: China: Peking. **Range (in code):**
CN Pkn
- 16552. *Rapala micans selira* (Moore,1874)** (Lycaenidae) **Synonym(s):** *selira* Moore,1874; *roana*
Fruhstorfer,1930 **Original Reference:** Deudorix selira Moore,1874, Proc. zool. Soc. Lond. 1874:
272. **Range (in code):** Ci Kma IN PK
- 16553. *Rapala nissa* (Kollar,[1844])** (Lycaenidae) **Synonym(s):** *nissa* Kollar,[1844] **Original**
Reference: Thecla nissa Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 412, Taf.4,
figs.3,4. Type(s): Kaschmir. **Range (in code):** Ch PK Haz Mre SI MM IN TH CMa Loe MY
- 16554. *Rapala nissa nissa* (Kollar,[1844])** (Lycaenidae) **Synonym(s):** *nissa* Kollar,[1844]
Original Reference: Thecla nissa Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4:
412, Taf.4, figs.3,4. Type(s): Kaschmir. **Range (in code):** Ch PK Haz Mre SI MM IN
- 16555. *Rapala nissa nissoides* Swinhoe,1915** (Lycaenidae) **Synonym(s):** *nissoides* Swinhoe,1915
Range (in code): TH CMa
- 16556. *Rapala nissa pahangana* Pendlebury & Corbet,1933** (Lycaenidae) **Synonym(s):**
pahangana Pendlebury & Corbet,1933 **Range (in code):** MY
- 16557. *Rapala nissa ranta* Swinhoe,1897** (Lycaenidae) **Synonym(s):** *ranta* Swinhoe,1897
Range (in code): TH CMa Loe
- 16558. *Rapala pheretima* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *phetima*
Hewitson,[1863] **Range (in code):** TH Cbi CMa Cuo Cuo4 Cuo7 CDo Cbu Nna Bnk Cbu Knc Lmp Nrt
Nth Tng Sgk Hya PSu Tnc Nst Chw MY Lkw Tio **Bionomy:** Larva on Nephelium lappaceum
[rambutan], Dimocarpus longan, Litchi chinensis (Sapindaceae), Mangifera indica [mango]
(Anacardiaceae) (Lewvanich,2001).
- 16559. *Rapala pheretima petosiris* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *petosiris*
Hewitson,[1863] **Range (in code):** TH Cbi CMa Cuo Cuo4 Cuo7 CDo Cbu Nna Bnk Knc Lmp Nrt Nth
Bionomy: Larva on Nephelium lappaceum [rambutan], Dimocarpus longan, Litchi chinensis
(Sapindaceae), Mangifera indica [mango] (Anacardiaceae) (Lewvanich,2001).

- 16560. *Rapala pheretima pheretima* (Hewitson,[1863])** (Lycaenidae) **Synonym(s):** *phetima* Hewitson,[1863] **Range (in code): MY**
- 16561. *Rapala pheretima sequeira* (Distant,1885)** (Lycaenidae) **Synonym(s):** *sequeira* Distant,1885; *utimutis* Distant,1885 **Range (in code): TH Tng Sgk Hya PSu Tnc Nst Chw MY Lkw**
- 16562. *Rapala pheretima tiomana* Eliot,1978** (Lycaenidae) **Synonym(s):** *tiomana* Eliot,1978 **Range (in code): MY Tio**
- 16563. *Rapala phrangida* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *phrangida* Fruhstorfer,1912 **Range (in code): PH Ley Luz**
- 16564. *Rapala rectivitta* (Moore,[1879])** (Lycaenidae) **Synonym(s):** *rectivitta* Moore,[1879] **Range (in code): IN TH CMa**
- 16565. *Rapala rectivitta rectivitta* (Moore,[1879])** (Lycaenidae) **Synonym(s):** *rectivitta* Moore,[1879] **Range (in code): IN TH CMa**
- 16566. *Rapala refulgens* De Nicéville,1891** (Lycaenidae) **Synonym(s):** *refulgens* De Nicéville,1891 **Range (in code): IN Ass MM TH CMa**
- 16567. *Rapala refulgens refulgens* De Nicéville,1891** (Lycaenidae) **Synonym(s):** *refulgens* De Nicéville,1891 **Range (in code): IN Ass MM TH CMa**
- 16568. *Rapala renata* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *renata* Fruhstorfer,1912 **Range (in code): ID Ja**
- 16569. *Rapala renata renata* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *renata* Fruhstorfer,1912 **Range (in code): ID Ja**
- 16570. *Rapala rhodopis* De Nicéville,[1896]** (Lycaenidae) **Synonym(s):** *rhodopis* De Nicéville,[1896] **Range (in code): ID Sum MY**
- 16571. *Rapala rhoecus* De Nicéville,[1895]** (Lycaenidae) **Synonym(s):** *rhoecus* De Nicéville,[1895] **Range (in code): TH CMa Loe Rng Tng MY Lkw PH Pal MM ID Sum Bor**
- 16572. *Rapala rhoecus melida* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *melida* Fruhstorfer,1912 **Range (in code): PH Pal**
- 16573. *Rapala rhoecus rhoecus* De Nicéville,[1895]** (Lycaenidae) **Synonym(s):** *rhoecus* De Nicéville,[1895] **Range (in code): TH CMa Loe Rng Tng MY Lkw ID Sum Bor**
- 16574. *Rapala rosacea* De Nicéville,1888** (Lycaenidae) **Synonym(s):** *rosacea* De Nicéville,1888 **Range (in code): IN SI Ass**
- 16575. *Rapala rosacea rosacea* De Nicéville,1888** (Lycaenidae) **Synonym(s):** *rosacea* De Nicéville,1888 **Range (in code): IN SI Ass**
- 16576. *Rapala scintilla* De Nicéville,1890** (Lycaenidae) **Synonym(s):** *scintilla* De Nicéville,1890 **Range (in code): IN SI Ass MM TH Tng Knc CMa Cuo Cu12 Dst Pkk PH Bab CmM Ley Mar Mno Pal Pao Sam** **Bionomy:** Larva on *Ziziphus mauritiana* [jujube] (Rhamnaceae), *Butea monosterna* (Fabaceae) (Lewvanich,2001).
- 16577. *Rapala scintilla nemana* Semper,1890** (Lycaenidae) **Synonym(s):** *nemana* Semper,1890 **Range (in code): PH Bab CmM Ley Mar Mno Pal Pao Sam**
- 16578. *Rapala scintilla scintilla* De Nicéville,1890** (Lycaenidae) **Synonym(s):** *scintilla* De Nicéville,1890 **Range (in code): IN SI Ass MM TH Tng Knc CMa Cuo Cu12 Dst Pkk** **Bionomy:** Larva on *Ziziphus mauritiana* [jujube] (Rhamnaceae), *Butea monosterna* (Fabaceae) (Lewvanich,2001).
- 16579. *Rapala suffusa* (Moore,[1879])** (Lycaenidae) **Synonym(s):** *suffusa* Moore,[1879] **Range (in code): IN Ass MM TH CMa CDo Phr Rng TAK VN ID Ja Nia MY Lkw PH Bal Pal**
- 16580. *Rapala suffusa anabasis* Staudinger,1889** (Lycaenidae) **Synonym(s):** *anabasis* Staudinger,1889 **Range (in code): PH Bal Pal**
- 16581. *Rapala suffusa barthema* (Distant,1885)** (Lycaenidae) **Synonym(s):** *barthema* Distant,1885 **Range (in code): MY Lkw**
- 16582. *Rapala suffusa catulus* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *catulus* Fruhstorfer,1912 **Range (in code): ID Nia**
- 16583. *Rapala suffusa praxeas* Fruhstorfer,1914** (Lycaenidae) **Synonym(s):** *praxeas* Fruhstorfer,1914 **Range (in code): ID Ja**
- 16584. *Rapala suffusa suffusa* (Moore,[1879])** (Lycaenidae) **Synonym(s):** *suffusa* Moore,[1879] **Range (in code): IN Ass MM TH CMa CDo Phr Rng TAK VN**
- 16585. *Rapala takasagonis* Matsumura,1929** (Lycaenidae) **Synonym(s):** *takasagonis* Matsumura,1929 **Range (in code): TW**

- 16586. *Rapala takasagonis takasagonis* Matsumura, 1929** (Lycaenidae) Synonym(s): *takasagonis* Matsumura, 1929 _ Range (in code): TW
- 16587. *Rapala tara* De Nicéville, 1888** (Lycaenidae) Synonym(s): *tara* De Nicéville, 1888 _ Range (in code): IN SI Ass MM
- 16588. *Rapala tara tara* De Nicéville, 1888** (Lycaenidae) Synonym(s): *tara* De Nicéville, 1888 _ Range (in code): IN SI Ass MM
- 16589. *Rapala tomokoae* Hayashi, Schröder & Treadaway, 1978** (Lycaenidae) Synonym(s): *tomokoae* Hayashi, Schröder & Treadaway, 1978 _ Range (in code): PH Siq Boh Neg Pan Ley Mno Sam Taw
- 16590. *Rapala tomokoae bilara* M.Okano & T.Okano, 1990** (Lycaenidae) Synonym(s): *bilara* M.Okano & T.Okano, 1990 _ Range (in code): PH Boh
- 16591. *Rapala tomokoae* ssp.** (Lycaenidae) Synonym(s): _ Range (in code): PH Siq
- 16592. *Rapala tomokoae takanamii* Hayashi, 1984** (Lycaenidae) Synonym(s): *takanamii* Hayashi, 1984 _ Range (in code): PH Neg Pan
- 16593. *Rapala tomokoae tomokoae* Hayashi, Schröder & Treadaway, 1978** (Lycaenidae) Synonym(s): *tomokoae* Hayashi, Schröder & Treadaway, 1978 _ Range (in code): PH Ley Mno Sam Taw
- 16594. *Rapala vajana* Corbet, 1940** (Lycaenidae) Synonym(s): *vajana* Corbet, 1940 _ Range (in code): ID Ja
- 16595. *Rapala varuna* (Horsfield, [1829])** (Lycaenidae) Synonym(s): *varuna* Horsfield, [1829] Original Reference: Thecla varuna Horsfield, [1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.24. Type(s): Java. Range (in code): IN LK TW ID Sum Ja Lb Bli PH Sga Stu Taw Baz Luz Mar Mno Neg Pal TH Chy CMa Nrt Phi Tng Nst Ths MY Lkw
- 16596. *Rapala varuna arima* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *arima* Fruhstorfer, 1912 _ Range (in code): ID Lb Bli
- 16597. *Rapala varuna formosana* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *formosana* Fruhstorfer, 1912 _ Range (in code): TW
- 16598. *Rapala varuna nada* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *nada* Fruhstorfer, 1912 _ Range (in code): PH Baz Luz Mar Mno Neg Pal
- 16599. *Rapala varuna orseis* (Hewitson, [1863])** (Lycaenidae) Synonym(s): *orseis* Hewitson, [1863] _ Range (in code): ID Sum TH Chy CMa Nrt Phi Tng Nst Ths MY Lkw
- 16600. *Rapala varuna* ssp.** (Lycaenidae) Synonym(s): _ Range (in code): PH Sga Stu Taw
- 16601. *Rapala varuna varuna* (Horsfield, [1829])** (Lycaenidae) Synonym(s): *varuna* Horsfield, [1829] Original Reference: Thecla varuna Horsfield, [1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.24. Type(s): Java. Range (in code): ID Ja
- 16602. *Rapala zamona* Fruhstorfer, 1912** (Lycaenidae) Synonym(s): *zamona* Fruhstorfer, 1912 _ Range (in code): PH Bab Luz
- 16603. *Rathinda amor* (Fabricius, 1775)** (Lycaenidae) Synonym(s): *amor* Fabricius, 1775 _ Range (in code): IN Ass LK
- 16604. *Ravenna nivea* (Nire, 1920)** (Lycaenidae) Synonym(s): *nivea* Nire, 1920 _ Range (in code): TW
- 16605. *Rekoa marius*** (Lycaenidae) Synonym(s): _ Range (in code): US MX Arz Tx
- 16606. *Rekoa palegon*** (Lycaenidae) Synonym(s): _ Range (in code): US MX Tx
- 16607. *Remelana davis* Jumalon, 1975** (Lycaenidae) Synonym(s): *davis* Jumalon, 1975 _ Range (in code): PH Mno Luz Mar Neg Mdo
- 16608. *Remelana davis davis* Jumalon, 1975** (Lycaenidae) Synonym(s): *davis* Jumalon, 1975 _ Range (in code): PH Mno
- 16609. *Remelana davis fulminans* Schröder & Treadaway, 1978** (Lycaenidae) Synonym(s): *fulminans* Schröder & Treadaway, 1978 _ Range (in code): PH Luz Mar
- 16610. *Remelana davis negrosensis* M.Okano & T.Okano, 1990** (Lycaenidae) Synonym(s): *negrosensis* M.Okano & T.Okano, 1990 _ Range (in code): PH Neg
- 16611. *Remelana davis noeli* Treadaway & Nuyda, 1993** (Lycaenidae) Synonym(s): *noeli* Treadaway & Nuyda, 1993 _ Range (in code): PH Mdo
- 16612. *Remelana jangala* (Horsfield, 1829)** (Lycaenidae) Synonym(s): *jangala* Horsfield, 1829 _ Range (in code): ID Ja IN SI Ass MM TH Chy CMa CDo Kao Nna Yal Nst Ths MY SG ID Sum Nia Adm Baw Bor Clb CN HK Hn PH Cal Dum Pal Bal Bas Boh Bon Ceb CmL Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Rom Sam Sga Sib Stu Taw
- 16613. *Remelana jangala andamanica* De Nicéville** (Lycaenidae) Synonym(s): _ Range (in code): IN Adm

- 16614. Remelana jangala baweana Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): ID Baw
- 16615. Remelana jangala centa Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): ID Nia
- 16616. Remelana jangala esra Fruhstorfer,1907** (Lycaenidae) Synonym(s): *esra Fruhstorfer,1907* Range (in code): PH Cal Dum Pal
- 16617. Remelana jangala hainanensis Joicey & Talbot** (Lycaenidae) Synonym(s): Range (in code): CN Hn
- 16618. Remelana jangala huberta Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): MY Bor
- 16619. Remelana jangala jangala (Horsfield,1829)** (Lycaenidae) Synonym(s): *jangala Horsfield,1829* Range (in code): ID Ja
- 16620. Remelana jangala mudra Fruhstorfer** (Lycaenidae) Synonym(s): Range (in code): CN HK
- 16621. Remelana jangala orsolina Hewitson** (Lycaenidae) Synonym(s): Range (in code): ID Clb
- 16622. Remelana jangala ravata (Moore,1865)** (Lycaenidae) Synonym(s): *ravata Moore,1865* Range (in code): SI IN Ass MM TH Chy CMa CDo Kao Nna
- 16623. Remelana jangala travana (Hewitson,[1865])** (Lycaenidae) Synonym(s): *travana Hewitson,[1865]* Range (in code): TH Yal Nst Ths MY SG ID Sum
- 16624. Remelana jangala westermanni (C.Felder & R.Felder,[1865])** (Lycaenidae) Synonym(s): *westermanni C.Felder & R.Felder,[1865]* Range (in code): PH Bal Bas Boh Bon Ceb CmL Cts Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Rom Sam Sga Sib Stu Taw
- 16625. Rhinelephas arrhina Toxopeus,1927** (Lycaenidae) Synonym(s): *arrhina Toxopeus,1927* Range (in code): ID Sum
- 16626. Rhinelephas arrhina arrhina Toxopeus,1927** (Lycaenidae) Synonym(s): *arrhina Toxopeus,1927* Range (in code): ID Sum
- 16627. Rhinelephas cyanicornis (Snellen,1892)** (Lycaenidae) Synonym(s): *cyanicornis Snellen,1892; pallax Fruhstorfer,1910.* Range (in code): ID Ja
- 16628. Rhinelephas cyanicornis cyanicornis (Snellen,1892)** (Lycaenidae) Synonym(s): *cyanicornis Snellen,1892; pallax Fruhstorfer,1910.* Range (in code): ID Ja
- 16629. Rhinelephas cyanicornis denkeri Toxopeus,1928** (Lycaenidae) Synonym(s): *denkeri Toxopeus,1928* Range (in code): ID Ja
- 16630. Ritra aurea (Druce,1873)** (Lycaenidae) Synonym(s): *aurea Druce,1873* Range (in code): MY PH Bal Pal
- 16631. Ritra aurea aurea (Druce,1873)** (Lycaenidae) Synonym(s): *aurea Druce,1873* Range (in code): PH Bal Pal
- 16632. Ritra aurea volumnia (Fruhstorfer,[1912])** (Lycaenidae) Synonym(s): *volumnia Fruhstorfer,[1912]* Range (in code): MY
- 16633. Rubrapterus bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius Eversmann,1832* Original Reference: Lycaena bavius Eversmann,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 349-350. figs.3,4. Syntypes: [Russia]: Baschkiriae. Range (in code): Ba Ce Cm GR HU IL Pa Hf IR Ab Elb Mz KG LB MK RO RU Sm Sr SY TR Cc UA Uk VI Bionomy: Larva on Salvia nutans, S. officinalis, S. verbenaca (Tolman,1997).
- 16634. Rubrapterus bavius bavius (Eversmann,1832)** (Lycaenidae) Synonym(s): *bavius Eversmann,1832* Original Reference: Lycaena bavius Eversmann,1832, Nouv. Mém. Soc. imp. Nat. Moscou 2: 349-350. figs.3,4. Syntypes: [Russia]: Baschkiriae. Range (in code): Ba Ce KG RU Sm Sr Uk VI
- 16635. Rubrapterus bavius casimiri (Hemming,1932)** (Lycaenidae) Synonym(s): *casimiri Hemming,1932* Range (in code): MK GR
- 16636. Rubrapterus bavius egeus (Herrich-Schäffer,[1852])** (Lycaenidae) Synonym(s): *egea Herrich-Schäffer,[1852]* Original Reference: Lycaena egea Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 25; [1847], ibid. Taf.74 figs. 357-360 [uninominal]. Type(s): Türkei (Types unknown). Range (in code): TR Cc
- 16637. Rubrapterus bavius eitschbergeri (Koçak,1975)** (Lycaenidae) Synonym(s): *eitschbergeri Koçak,1975* Original Reference: Pseudophilotes bavius ssp. eitschbergeri Koçak,1975, Atalanta 6 (1): 50-51, figs. Holotype ♂: Turkey: South-Eastern Turkey: Urfa Prov.: district of Çamlıdere, 700m (in coll. Cesa). Range (in code): IL Pa LB SY TR

- 16638. *Rubrapteris bavius hungaricus* (Dioszegy,1913)** (Lycaenidae) **Synonym(s):** *hungaricus* Dioszegy,1913 **Range (in code):** **Cm HU RO UA**
- 16639. *Rubrapteris bavius masal* Koçak,1998** (Lycaenidae) **Synonym(s):** *masal* Koçak,1998 **Original Reference:** *Rubrapteris bavius* ssp. *masal* Koçak,1998, Cent. ent. Stud., Misc. Pap. 57: 7-8. Holotype ♂: Turkey: Tunceli Prov., Ovacık, Munzur Dağları, 1800m (CESA). **Range (in code):** **TR**
- 16640. *Rubrapteris bavius oenalpae* (Koçak,1975)** (Lycaenidae) **Synonym(s):** *oenalpae* Koçak,1975; *#onalpe* Coutsis,2008 **Original Reference:** *Pseudophilotes bavius* ssp. *oenalpae* Koçak,1975, Atalanta 6 (1): 51-52, figs.3,4,7,8. Holotype ♂: Turkey: Central Turkey: Ankara Prov.: district of Beynam, 1200m (in coll. Cesa). **Range (in code):** **TR**
- 16641. *Rubrapteris bavius vanicola* (Koçak,1977)** (Lycaenidae) **Synonym(s):** *vanicola* Koçak,1977 **Original Reference:** *Pseudophilotes bavius* ssp. *vanicola* Koçak,1977, Atalanta 8(1): 47-48, f.1-4. Holotype ♂: Turkey: Van Pr.: Āatak, 2000m. **Range (in code):** **TR IR Mz**
- 16642. *Rubrapteris fatma* (Oberthür,1890)** (Lycaenidae) **Synonym(s):** *fatma* Oberthür,1890 **Original Reference:** *Lycaena bavius* var. *fatma* Oberthür,1890, Etüd. Ent. 13: 19, pl.vii figs.50,51. Syntypes: Algerié: Djebel-Aur×s, au voisinage de Lambése. **Range (in code):** **DZ Dja Taz Lbs MA Ifr**
- 16643. *Rysops scintilla* (Mabille,1877)** (Lycaenidae) **Synonym(s):** *scintilla* Mabille,1877 **Range (in code):** **MG**
- 16644. *Sancterila deliciosa* (Pagenstecher,1896)** (Lycaenidae) **Synonym(s):** *deliciosa* Pagenstecher,1896 **Range (in code):** **ID Clb**
- 16645. *Sancterila deliciosa deliciosa* (Pagenstecher,1896)** (Lycaenidae) **Synonym(s):** *deliciosa* Pagenstecher,1896 **Range (in code):** **ID Clb**
- 16646. *Sancterila pratorum Eliot & Kawazoe,1984*** (Lycaenidae) **Synonym(s):** *pratorum* Eliot & Kawazoe,1984
- 16647. *Sancterila pratorum pratorum* Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *pratorum* Eliot & Kawazoe,1984
- 16648. *Sancterila russelli* Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *russelli* Eliot & Kawazoe,1984
- 16649. *Sancterila russelli russelli* Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *russelli* Eliot & Kawazoe,1984
- 16650. *Sancterila sohmai* Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *sohmai* Eliot & Kawazoe,1984
- 16651. *Sancterila sohmai sohmai* Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *sohmai* Eliot & Kawazoe,1984
- 16652. *Satyrium (Armenia) hyrcanicum* (Riley,1939)** (Lycaenidae) **Synonym(s):** *hyrcanicum* Riley,1939 **Original Reference:** *Strymon ledereri* ssp. *hyrcanica* Riley,1939, Novit. zool. 41: 360. Holotype ♂: [Iran]: N.E.Persia: Hyrcania. **Range (in code):** **AF Bm Kota Cc AM AZ GG IR Ab Zj Elb Mz TJ TR** **Bionomy:** Larva on *Atraphaxis* (Polygonaceae).
- 16653. *Satyrium (Armenia) hyrcanicum badachshanicum* (Stshetkin,1984)** (Lycaenidae) **Synonym(s):** *badachshanica* Stshetkin,1984 **Original Reference:** *Pseudothecla cyri* ssp. *badachshanica* Stshetkin,1984, Zool. Zh. 63(6): 1430-1432. Holotype ♂: Afghanistan: Badakhshan. **Range (in code):** **AF Bd**
- 16654. *Satyrium (Armenia) hyrcanicum bamianum* Krupitsky, Pljushtch & Pak,2015** (Lycaenidae) **Synonym(s):** *bamianum* Krupitsky, Pljushtch & Pak,2015 **Original Reference:** *Satyrium (Armenia) hyrcanica* ssp. *bamiana* Krupitsky, Pljushtch & Pak,2015, Zootaxa 3985 (3): 428-429, figs. Holotype ♂: Afghanistan, Bamyan prov., Band-e-Amir 2900m Y.E.Skrylnik leg. (ZMMU). **Range (in code):** **AF Bm Kota**
- 16655. *Satyrium (Armenia) hyrcanicum cyri* Nekrutenko,1978** (Lycaenidae) **Synonym(s):** *cyri* Nekrutenko,1978 **Original Reference:** *Pseudothecla ledereri* ssp. *cyri* Nekrutenko,1978, Dokl. Akad. Nauk UkrSSR (B) (1): 85, figs. Holotype ♂: [Azerbaijan]: Jenikend, north Chanlar Kura r. **Range (in code):** **Cc AM AZ GG TR**
- 16656. *Satyrium (Armenia) hyrcanicum hyrcanicum* (Riley,1939)** (Lycaenidae) **Synonym(s):** *hyrcanicum* Riley,1939 **Original Reference:** *Strymon ledereri* ssp. *hyrcanica* Riley,1939, Novit. zool. 41: 360. Holotype ♂: [Iran]: N.E.Persia: Hyrcania. **Range (in code):** **IR Zj Elb Mz**
- 16657. *Satyrium (Armenia) hyrcanicum seravshanicum* (Stshetkin,1984)** (Lycaenidae) **Synonym(s):** *seravshanica* Stshetkin,1984 **Original Reference:** *Pseudothecla cyri* ssp. *seravshanica*

- Stshetkin, 1984, Zool. Zh. 63(6): 1430-1432. Holotype ♂: [Tadjikistan]: Zeravshanskij Range, Western Pamir. Range (in code): TJ
- 16658. *Satyrrium (Armenia) ledereri (Boisduval, 1848)*** (Lycaenidae) Synonym(s): *ledereri Boisduval, 1848* Original Reference: *Lycaena ledereri* Boisduval, 1848, Annls Soc. ent. Fr. 1848: xxix. Type(s): [Russia]: Caucase. Range (in code): Cc AZ GG GR LB Sms TR Arr IR Ab Bionomy: Larva on *Atraphaxis billardieri* var. *billardieri* (Polygonaceae) (Tolman, 1994); on *Atraphaxis spinosa* from Tuzluca (Iğdır) (Kemal & Koçak, in litt.).
- 16659. *Satyrrium (Armenia) ledereri christinae Olivier, 1989*** (Lycaenidae) Synonym(s): *christinae Olivier, 1989* Original Reference: *Satyrrium (Superflua) ledereri* ssp. *christinae* Olivier, 1989, Phegea 17 (1): 8-17, figs. Holotype ♂: Greece: Samos, Mt. Karvouni, 1150m, 11.vi.1988, leg. A. Olivier (ITZA). Range (in code): GR Sms Bionomy: Larva on *Atraphaxis billardieri* var. *billardieri* (Polygonaceae) (Tolman, 1994).
- 16660. *Satyrrium (Armenia) ledereri ledereri (Boisduval, 1848)*** (Lycaenidae) Synonym(s): *ledereri Boisduval, 1848* Original Reference: *Lycaena ledereri* Boisduval, 1848, Annls Soc. ent. Fr. 1848: xxix. Type(s): [Russia]: Caucase. Range (in code): Cc AZ GG TR Arr IR Ab
- 16661. *Satyrrium (Armenia) ledereri nazeri (T. Larsen, 1974)*** (Lycaenidae) Synonym(s): *nazeri T. Larsen, 1974* Original Reference: *Fixsenia ledereri* ssp. *nazeri* Larsen, 1974, Alexanor 8: 301-302, f.1. Holotype ♂: Liban: Jabal Kesrouan, 1600m (MNHNP). Range (in code): LB
- 16662. *Satyrrium (Nordmannia) abdominalis (Gerhard, [1850])*** (Lycaenidae) Synonym(s): *abdominalis* Gerhard, [1850]; *gerhardi* Staudinger, [1895]; *alboabdominalis* Pfeiffer, 1938; *persica* Riley, 1939; *#gerhardti* Wiltshire, 1943; *elta* Higgins, 1964. Original Reference: *Thecla abdominalis* Gerhard, [1850], Versuch Monogr. eur. Schmett.: 4, Pl. 4 figs. 3a-c. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad]. Range (in code): He IL AM Cc AZ GG IQ IR Elb Ab Khy Ak Fa Ke LB TR Bionomy: Larva on *Prunus*, *Amygdalus*, *Crataegus* (Rosaceae), *Eleagnus*, *Lonicera persica* (Wiltshire, 1943); on *Cerasus brachypetala bornmuelleri* (Rosaceae) (Kemal & Mükemre, 2011).
- 16663. *Satyrrium (Nordmannia) abdominalis abdominalis (Gerhard, [1850])*** (Lycaenidae) Synonym(s): *abdominalis* Gerhard, [1850]; *gerhardi* Staudinger, [1895]; *alboabdominalis* Pfeiffer, 1938; *persica* Riley, 1939; *#gerhardti* Wiltshire, 1943; *elta* Higgins, 1964. Original Reference: *Thecla abdominalis* Gerhard, [1850], Versuch Monogr. eur. Schmett.: 4, Pl. 4 figs. 3a-c. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad]. Range (in code): He IL AM Cc AZ GG IQ IR Elb Ab Ak Fa Ke LB TR Bionomy: Larva on *Prunus*, *Amygdalus*, *Crataegus* (Rosaceae), *Eleagnus*, *Lonicera persica* (Wiltshire, 1943); on *Cerasus brachypetala bornmuelleri* (Rosaceae) (Kemal & Mükemre, 2011).
- 16664. *Satyrrium (Nordmannia) acaciae (Fabricius, 1787)*** (Lycaenidae) Synonym(s): *acaciae* Fabricius, 1787; *nostras* Courvoisier, 1913; *guichardi* Higgins, 1965. Original Reference: *Papilio acaciae* Fabricius, 1787, Mant. Ins. 2: 69. Type(s): Russia australiori. Range (in code): AL AT Ba BE BG B-H BY CH Cm Cr CZ DE ES FR GR HU HV IT LU MK PL RO RU SK Sm Sr SS TR Cc UA VI YU Ur KG Aq Bionomy: Larva on *Prunus spinosa* (Tolman, 1997).
- 16665. *Satyrrium (Nordmannia) acaciae acaciae (Fabricius, 1787)*** (Lycaenidae) Synonym(s): *acaciae* Fabricius, 1787; *nostras* Courvoisier, 1913; *guichardi* Higgins, 1965. Original Reference: *Papilio acaciae* Fabricius, 1787, Mant. Ins. 2: 69. Type(s): Russia australiori. Range (in code): AL AT Ba BE BG B-H Bw BY CH Cm Cr CZ DE ES FR GR HU HV IT LU MK PL RO RU SK Sm Sr SS TR Cc UA VI YU Ur KG Aq
- 16666. *Satyrrium (Nordmannia) acaciae fumosa (De Sagarra, 1926)*** (Lycaenidae) Synonym(s): *fumosa* De Sagarra, 1926 Range (in code): CI ES
- 16667. *Satyrrium (Nordmannia) armenum (Rebel, 1901)*** (Lycaenidae) Synonym(s): *armenum Rebel, 1901* Original Reference: *Thecla myrtale* var. *armena* Rebel, 1901, Annln naturh. Mus. Wien 16: 165-166. Syntypes: [Türkei]: [Iğdır Pr.]: "Kasikoparan". Range (in code): TR Cc
- 16668. *Satyrrium (Nordmannia) armenum armenum (Rebel, 1901)*** (Lycaenidae) Synonym(s): *armenum Rebel, 1901* Original Reference: *Thecla myrtale* var. *armena* Rebel, 1901, Annln naturh. Mus. Wien 16: 165-166. Syntypes: [Türkei]: [Iğdır Pr.]: "Kasikoparan". Range (in code): TR Cc
- 16669. *Satyrrium (Nordmannia) esculi (Hübner, [1804])*** (Lycaenidae) Synonym(s): *esculi* Hübner, [1804] Original Reference: *Papilio esculi* Hübner, [1824], Samml. eur. Schmett. 1: pl. 109, figs. 559-560. Syntypes: Europa. Range (in code): DZ Cst Clo Sbd Rf Lbs Dju Tue ES Mu FR IT MA PT TN Bionomy: Larva on *Quercus coccifera*, *Q. ilex* (Tolman, 1997).

- 16670. *Satyrrium (Nordmannia) esculi esculi* (Hübner,[1804])** (Lycaenidae) **Synonym(s):** *esculi Hübner,[1804]* **Original Reference:** Papilio esculi Hübner,[1824], Samml. eur. Schmett. 1: pl.109, figs. 559-560. **Syntypes:** Europa. **Range (in code):** **ES FR IT PT**
- 16671. *Satyrrium (Nordmannia) esculi ilicioides* (Gerhard,[1850])** (Lycaenidae) **Synonym(s):** *ilicioides Gerhard,[1850]* **Original Reference:** Thecla aesculi var. ilicioides Gerhard,[1850], Versuch Monogr. eur. Schmett.: t.4, figs. 4-5. **Range (in code):** **CI ES**
- 16672. *Satyrrium (Nordmannia) esculi mauretanicum* (Staudinger,1892)** (Lycaenidae) **Synonym(s):** *mauretanica Staudinger,1892* **Original Reference:** Thecla ilicis var. mauretanica Staudinger,1892, Dt. ent. Z., Iris 5: 279. **Syntypes:** Algerien: Prov. Constantine: Collo; Tunis. **Range (in code):** **DZ Tue Cst Clo Sbd Rf Lbs Dju MA TN**
- 16673. *Satyrrium (Nordmannia) herzi* (Fixsen,1887)** (Lycaenidae) **Synonym(s):** *herzi Fixsen,1887* **Range (in code):** **RU Vv**
- 16674. *Satyrrium (Nordmannia) herzi herzi* (Fixsen,1887)** (Lycaenidae) **Synonym(s):** *herzi Fixsen,1887* **Range (in code):** **RU Vv**
- 16675. *Satyrrium (Nordmannia) ilicis* (Esper,[1779])** (Lycaenidae) **Synonym(s):** *ilicis Esper,[1779]* **Original Reference:** Papilio ilicis Esper,[1779], Die Schmett. 1(1):353; [1789], ibid. (suppl.): 28 pl.98 figs.11,12. **Syntypes:** Deutschland: Erlangen. **Range (in code):** **AL Cc AM AT AZ Ba BE BG B-H BY CH CZ DE DK EE ES Mu FR GG GR HU HV IQ IR Ab IT LB LT LU LV MK NL NO PL PT RO RU SE SK Sm So Sr SS TR UA VI YU SY IL Pa Hf** **Bionomy:** Larva on Quercus coccifera, Q. ilex, Q. robur (Tolman, 1997); Quercus pubescens (Koçak, in litt.).
- 16676. *Satyrrium (Nordmannia) ilicis cerri* (Hübner,[1824])** (Lycaenidae) **Synonym(s):** *cerri Hübner,[1824]* **Original Reference:** Papilio cerri Hübner,[1824], Samml. eur. Schmett. 1: pl.175, figs. 863-866. **Syntypes:** Europa.
- 16677. *Satyrrium (Nordmannia) ilicis ilicis* (Esper,[1779])** (Lycaenidae) **Synonym(s):** *ilicis Esper,[1779]*; *linceus Fabr.,1787*; *caudatula Zeller,1847*; *bischoffii Gerhard,1850*; *cilicica Holtz,1897*; *syrta Pfeiffer,1932*; *prinoptas Zerny,1932*. **Original Reference:** Papilio ilicis Esper,[1779], Die Schmett. 1(1):353; [1789], ibid. (suppl.): 28 pl.98 figs.11,12. **Syntypes:** Deutschland: Erlangen. **Range (in code):** **IL He AL Cc AM AT AZ Ba BE BG B-H Bw BY CH CZ DE DK EE ES Mu FR GG GR HU HV IQ IT LB LT LU LV MK NL NO PL PT RO RU SE SK Sm So Sr SS TR UA VI YU SY**
- 16678. *Satyrrium (Nordmannia) latior* (Fixsen,1887)** (Lycaenidae) **Synonym(s):** *latior Fixsen,1887* **Range (in code):** **RU Vv Am**
- 16679. *Satyrrium (Nordmannia) latior latior* (Fixsen,1887)** (Lycaenidae) **Synonym(s):** *latior Fixsen,1887* **Range (in code):** **RU Vv Am**
- 16680. *Satyrrium (Nordmannia) marcidum* (Riley,1921)** (Lycaenidae) **Synonym(s):** *marcidum Riley,1921* **Original Reference:** Strymon marcidus Riley,1921, Ann. Mag. nat. Hist. 8: 600. Type ♀: Iran: Kermanshah, Harir, Karind Gorge (in BMHN). **Range (in code):** **IQ IR Ab Km Krd TR** **Bionomy:** Larva probably on Prunus tenella (Rosaceae) (near Erüh) (Hesselbarth et al.,1995).
- 16681. *Satyrrium (Nordmannia) marcidum marcidum* (Riley,1921)** (Lycaenidae) **Synonym(s):** *marcidum Riley,1921* **Original Reference:** Strymon marcidus Riley,1921, Ann. Mag. nat. Hist. 8: 600. Type ♀: Iran: Kermanshah, Harir, Karind Gorge (in BMHN). **Range (in code):** **IR Ab Km Krd IQ TR**
- 16682. *Satyrrium (Nordmannia) marcidum mardinum* Oorschot et al.,1985** (Lycaenidae) **Synonym(s):** *mardinum Oorschot et al.,1985* **Original Reference:** Satyrrium marcidus ssp. mardinus Oorschot et al.,1985, Ent. Ber., Amst. 45(10): 145-149, 3 figs. Holotype ♂: Turkey: Mardin 1000-1100m. (in ITZA). **Range (in code):** **TR** **Bionomy:** Larva probably on Prunus tenella (Rosaceae) (near Erüh) (Hesselbarth et al.,1995).
- 16683. *Satyrrium (Nordmannia) myrtale* (Klug,1834)** (Lycaenidae) **Synonym(s):** *myrtale Klug,1834* **Original Reference:** Lycaena myrtale Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 15,16. Type(s): [Lebanon]: "Syria". **Range (in code):** **LB SY IL He**
- 16684. *Satyrrium (Nordmannia) myrtale myrtale* (Klug,1834)** (Lycaenidae) **Synonym(s):** *myrtale Klug,1834* **Original Reference:** Lycaena myrtale Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 15,16. Type(s): [Lebanon]: "Syria". **Range (in code):** **IL He LB SY**
- 16685. *Satyrrium (Nordmannia) zabni* Oorschot & Brink,1991** (Lycaenidae) **Synonym(s):** *#zabni Higgins,1964*; *zabni Oorschot & Brink,1991*. **Original Reference:** Satyrrium ilicis ssp. zabni Oorschot & Brink,1991, Ent. Ber., Amst. 51 (3): 38-43, 5 figs. Holotype ♂: Turkey: Hakkari prov., 35-40km. E. Uludere, 1200-1300m. (ITZA). **Range (in code):** **IQ Er Slh IR Lo TR**

- 16686. *Satyrrium (Nordmannia) zabni zabni* Oorschot & Brink,1991** (Lycaenidae)
Synonym(s): *#zabni Higgins,1964; zabni Oorschot & Brink,1991.* Original Reference: *Satyrrium ilicis* ssp. *zabni* Oorschot & Brink,1991, Ent. Ber., Amst. 51 (3): 38-43, 5 figs. Holotype ♂: Turkey: Hakkari prov., 35-40km. E. Uludere, 1200-1300m. (ITZA). Range (in code): **IQ Er SIh IR Lo TR**
- 16687. *Satyrrium (Strymonidia) eximium* (Fixsen,1887)** (Lycaenidae) Synonym(s): *eximius Fixsen,1887*
- 16688. *Satyrrium (Strymonidia) eximium eximium* (Fixsen,1887)** (Lycaenidae)
Synonym(s): *eximius Fixsen,1887*
- 16689. *Satyrrium (Strymonidia) pruni* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *pruni Linnaeus,1758* Original Reference: *Papilio pruni* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Europa]. Range (in code): **AT Ba BG BL BY CH CZ DE DK EE ES FI FR GB HU HV IT KG LT LU LV MK NL PL RO RU SE SK Sm So Sp Sr SS UA VI YU At Bn Ktm Ur Mc Am** Bionomy: Larva on *Prunus spinosa* (Tolman,1997).
- 16690. *Satyrrium (Strymonidia) pruni pruni* (Linnaeus,1758)** (Lycaenidae) Synonym(s): *pruni Linnaeus,1758* Original Reference: *Papilio pruni* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Europa]. Range (in code): **At Bn AT Ba BG BL Bw BY CH CZ DE DK EE ES FI FR GB HU HV IT KG LT LU LV MK NL PL RO RU SE SK Sm So Sp Sr SS UA VI YU** Bionomy: Larva on *Prunus spinosa* (Tolman,1997).
- 16691. *Satyrrium (Strymonidia) prunoides* (Staudinger,1887)** (Lycaenidae) Synonym(s): *prunoides Staudinger,1887* Original Reference: *Thecla prunoides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 129, Taf.6 figs.1a-b. Syntypes: Russia: "Wladiwostok". Range (in code): **KG Mn Nym At Bn Kts MN RU Prj Us Sb Am Pr Mc KP No Kuz Sli NAT WAt SAT CAT**
- 16692. *Satyrrium (Strymonidia) prunoides prunoides* (Staudinger,1887)** (Lycaenidae)
Synonym(s): *prunoides Staudinger,1887* Original Reference: *Thecla prunoides* Staudinger,1887, [in] Romanoff, Mém. lépid. 3: 129, Taf.6 figs.1a-b. Syntypes: Russia: "Wladiwostok". Range (in code): **KG Mn Nym At Bn Kts MN RU Prj Us Sb Am Pr Mc KP No Kuz Sli NAT WAt SAT CAT**
- 16693. *Satyrrium (Strymonidia) rubicundum* (Leech,1885)** (Lycaenidae) Synonym(s): *rubicunda Leech,1885*
- 16694. *Satyrrium (Strymonidia) rubicundum rubicundum* (Leech,1885)** (Lycaenidae)
Synonym(s): *rubicunda Leech,1885*
- 16695. *Satyrrium (Strymonidia) spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* Original Reference: *Papilio spini* Fabricius,1787, Mant. Ins. 2: 68. Syntypes: Germania. Range (in code): **AF AL AM AT AZ Ba BE BG BY CH CZ DE ES FR GG GR HU IQ IR Ab Ak Elb IT KG Kp LB Le LT LU PL PT RO RU SK Sm So Sr TM TR UA Uk VI Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Arr Hr** Bionomy: Larva on *Rhamnus alaternus*, *R. lycioides*, *R. alpinus*, *Paliurus spinachristi* (Tolman, 1997).
- 16696. *Satyrrium (Strymonidia) spini bofilii* (De Sagarra,1924)** (Lycaenidae) Synonym(s): *bofilii De Sagarra,1924* Original Reference: *Strymon spini* rassa *bofilii* De Sagarra,1924, Butl. Inst. catal. Hist. nat. 24: 200. Type: Spain: Albarracin (Arago), 1100m, Querci leg. (MCNB). Range (in code): **ES Mu**
- 16697. *Satyrrium (Strymonidia) spini leonensis* (Manley,1970)** (Lycaenidae) Synonym(s): *leonensis Manley,1970* Range (in code): **CI ES Leo**
- 16698. *Satyrrium (Strymonidia) spini melantho* (Klug,1834)** (Lycaenidae) Synonym(s): *melantho Klug,1834.* Original Reference: *Lycaena melantho* Klug,1834, [in] Ehrenberg, Symbolae Physicae...Insecta 4: Taf.40 figs. 10,11. Type(s): [Lebanon]: "Syria". Range (in code): **SY LB IL He**
- 16699. *Satyrrium (Strymonidia) spini spini* (Fabricius,1787)** (Lycaenidae) Synonym(s): *#spini [Denis & Schiffermüller],1775; lynceus Esper,[1779] nec Drury,1773; spini Fabricius,1787; cerasi Herbst,1804 nec Fabricius,1787; melantho Klug,1834; #albosparsa Oberthür,1910; anatolicus De Lattin,1950.* Original Reference: *Papilio spini* Fabricius,1787, Mant. Ins. 2: 68. Syntypes: Germania. Range (in code): **AF IQ AL Cc AM AT AZ Ba BE BG Bw BY CH CZ DE ES FR GG GR HU IR Ab Ak Elb IT KG Le LT LU PL PT RO RU SK Sm So Sr TR Arr UA Uk VI**
- 16700. *Satyrrium (Strymonidia) w-album* (Knoch,1782)** (Lycaenidae) Synonym(s): *w-album Knoch,1782; cerasi Fabricius,1787; majuscula Jachontov,1911.* Original Reference: *Papilio w-album* Knoch,1782, Beitr. Insecten-Geschichte 2: 85, Tab.6 figs.1,2. Syntypes: [Germany]: Leipzig bei Schwickert. Range (in code): **AL Cc AM AT AZ Ba BE BG B-H BY CH CI Cm Ct CZ DE DK EE ES FI FR**

- GB GG GR HU HV IT KG LT LU LV MK NL NO PL RO RU SE Si SK Sm So Sr SS TR IR Ab UA Uk Ur VI
YU Smt H-W Sur Ssx Ken Aq Bionomy: Larva on *Ulmus glabra* (Tolman, 1997).
- 16701. *Satyrrium (Strymonidia) w-album w-album (Knoch,1782)*** (Lycaenidae)
Synonym(s): *w-album Knoch,1782; cerasi Fabricius,1787; majuscula Jachontov,1911.* Original Reference:
Papilio w-album Knoch,1782, Beitr. Insecten-Geschichte 2: 85, Tab.6 figs.1,2. Syntypes:
[Germany]: Leipzig bei Schwickert. Range (in code): **AL Cc AM AT AZ Ba BE BG B-H Bw BY CH CI
Cm Ct CZ DE DK EE ES FI FR GB GG GR HU HV IT KG LT LU LV MK NL NO PL RO RU SE Si SK Sm So
Sr SS TR IR Ab UA Uk Ur VI YU Smt H-W Sur Ssx Ken Aq**
- 16702. *Satyrrium (Superflua) acaudatum (Staudinger,1901)*** (Lycaenidae) Synonym(s):
acaudatum Staudinger,1901 Original Reference: *Thecla lunulata* var. *acaudata* Staudinger,1901,
Cat. lepid. palaearkt. Faunengeb. 3(1): 70, nr.470a. Syntypes: [Uzbekistan]: Fergana; Lectotype
♂: "Margelan", designated by Luukhtanov,1995, Nachr. ent. Ver. Apollo (N.F. 16(1): 51-52 (ZMB).
Range (in code): **T-S KK UZ KG Tls Syr Tm Ax Bog Sju T-I Ket Tk Man Kor** Bionomy: *Cerasus*
erythrocarpa, *C. tianschanica* (Zhdanko, 1997).
- 16703. *Satyrrium (Superflua) acaudatum acaudatum (Staudinger,1901)*** (Lycaenidae)
Synonym(s): *acaudatum Staudinger,1901* Original Reference: *Thecla lunulata* var. *acaudata*
Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 70, nr.470a. Syntypes: [Uzbekistan]:
Fergana; Lectotype ♂: "Margelan", designated by Luukhtanov,1995, Nachr. ent. Ver. Apollo (N.F.
16(1): 51-52 (ZMB). Range (in code): **KK UZ KG T-S Tls Syr Tm Ax Bog Sju T-I Ket Tk Man Kor**
- 16704. *Satyrrium (Superflua) deria (Moore,1865)*** (Lycaenidae) Synonym(s): *deria Moore,1865*
Original Reference: *Thecla deria* Moore, 1865, Proc. zool. Soc. Lond. 35: 507, pl.xxxi fig.11.
Type(s): India: Upper Kunawur, upper Spiti River, 11000ft. Range (in code): **PK Bl Ci Kma IN**
- 16705. *Satyrrium (Superflua) goniopterum Lukhtanov,1995*** (Lycaenidae) Synonym(s):
goniopterum Lukhtanov,1995 Original Reference: *Satyrrium (Superflua) goniopterum*
Lukhtanov,1995, Nachr. ent. Ver. Apollo N.F. 16(1): 52-57, figs. Holotypus ♂: Usbekistan:
südwestl. Teil des Gissar-Gebirges, Tuda, 2400m. Range (in code): **UZ**
- 16706. *Satyrrium (Superflua) goniopterum goniopterum Lukhtanov,1995*** (Lycaenidae)
Synonym(s): *goniopterum Lukhtanov,1995* Original Reference: *Satyrrium (Superflua) goniopterum*
Lukhtanov,1995, Nachr. ent. Ver. Apollo N.F. 16(1): 52-57, figs. Holotypus ♂: Usbekistan:
südwestl. Teil des Gissar-Gebirges, Tuda, 2400m. Range (in code): **UZ**
- 16707. *Satyrrium (Superflua) jebelum (Nakamura,1975)*** (Lycaenidae) Synonym(s): *jebelum*
Nakamura,1975 Original Reference: *Strymonidia jebelia* Nakamura,1975, J. Ent. (B) 44 (3): 283-
290, figs. Holotype ♂: Egypt: South Sinai: Jebel Babu, 2000m (BMNH). Range (in code): **EG Sn**
- 16708. *Satyrrium (Superflua) jebelum jebelum (Nakamura,1975)*** (Lycaenidae)
Synonym(s): *jebelum Nakamura,1975* Original Reference: *Strymonidia jebelia* Nakamura,1975,
J. Ent. (B) 44 (3): 283-290, figs. Holotype ♂: Egypt: South Sinai: Jebel Babu, 2000m (BMNH).
Range (in code): **EG Sn**
- 16709. *Satyrrium (Superflua) khowari Charmeux,2004*** (Lycaenidae) Synonym(s): *khowari*
Charmeux,2004 Original Reference: *Satyrrium (Superflua) khowari* Charmeux,2004, Phegea 32
(1): 9-10, figs. Holotype ♂: Pakistan: Chitral, vallee du Bumburet, 2600m, 9.viii.1996, J.Pages
leg. (MNHNP). Range (in code): **PK Ci Nwf AF Pag**
- 16710. *Satyrrium (Superflua) lunulatum (Erschoff,1874)*** (Lycaenidae) Synonym(s):
lunulatum Erschoff,1874 Original Reference: *Thecla lunulata* Erschoff,1874, [in] Fedtschenko,
Reise in Turkestan 2(5) 3: 7, Taf.1 fig.5. Syntypes: Zaravschan-Thal. Range (in code): **TJ TM Kp
IR Elb**
- 16711. *Satyrrium (Superflua) lunulatum lunulatum (Erschoff,1874)*** (Lycaenidae)
Synonym(s): *lunulatum Erschoff,1874* Original Reference: *Thecla lunulata* Erschoff,1874, [in]
Fedtschenko, Reise in Turkestan 2(5) 3: 7, Taf.1 fig.5. Syntypes: Zaravschan-Thal. Range (in
code): **TJ TM Kp IR Elb**
- 16712. *Satyrrium (Superflua) mirabilis (Erschoff,1874)*** (Lycaenidae) Synonym(s): *mirabilis*
Erschoff,1874 Original Reference: *Thecla mirabilis* Erschoff,1874, [in] Fedtschenko, Reise in
Turkestan 2(5) 3: 7, Taf.1 fig.4. Syntypes: Zaravschan-Thal. Range (in code): **Kp TM TJ KK UZ**
- 16713. *Satyrrium (Superflua) persepolis (Eckweiler & Ten Hagen,2003)*** (Lycaenidae)
Synonym(s): *persepolis Eckweiler & Ten Hagen,2003* Range (in code): **IR Es Fa Ke Ss**
- 16714. *Satyrrium (Superflua) sassanides (Kollar,[1849])*** (Lycaenidae) Synonym(s):
sassanides Kollar,[1849] Original Reference: *Thecla sassanides* Kollar,[1849], Deksch. Akad.
Wiss. Wien 1: 51. Type(s): [Iran]: Farsistan [=Shiraz]. Range (in code): **AF IR Kbb Kp Ld PK TM TJ
KK Bl Ci Kma IN IR Fa Ke Kh Ss** Bionomy: Larva on *Amygdalus spinosissima* (Zhdanko, 1997).

- 16715. *Satyrrium (Superflua) sassanides sassanides* (Kollar,[1849])** (Lycaenidae)
Synonym(s): *sassanides* Kollar,[1849] Original Reference: Thecla sassanides Kollar,[1849],
Dekschr. Akad. Wiss. Wien 1: 51. Type(s): [Iran]: Farsistan [=Shiraz]. Range (in code): **AF Kbb IR**
Fa Ke Kh Ss
- 16716. *Satyrrium (Superflua) skrylniki* Krupitsky, Pljushtch & Pak,2015** (Lycaenidae)
Synonym(s): *skrylniki* Krupitsky, Pljushtch & Pak,2015 Range (in code): **AF Bm Kota Kbb**
- 16717. *Satyrrium acadica*** (Lycaenidae) Synonym(s): Range (in code): **US Cnt Col Id Idp Iln Io**
Kan Knt Mai Mch Mis Mns Mon Mrl Msc NDk Neb Nh Nje Ny Oh Pns RDi SDk Vr Wc Ws Wy
- 16718. *Satyrrium auretteum*** (Lycaenidae) Synonym(s): Range (in code): **US MX Cf Org**
- 16719. *Satyrrium behrii*** (Lycaenidae) Synonym(s): Range (in code): **US Arz Cf Col Id NMx Ne**
Ok Org Tx Ut Ws Wy
- 16720. *Satyrrium calanus*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Alb Cnt Col Dw**
Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns
RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Wy
- 16721. *Satyrrium californica*** (Lycaenidae) Synonym(s): Range (in code): **US MX Cf Col Id**
Mon Ne Org Ut Ws Wy
- 16722. *Satyrrium caryaevorum*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Cnt Ge**
Idp Iln Io Kan Knt Mch Mis Mns Mrl Msc NCa Neb Nje Ny Oh Pns RDi SDk Vi Vr WVi Wc
- 16723. *Satyrrium edwardsii*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Cnt Ge Idp**
Iln Io Kan Knt Mai Mch Mis Mns Mrl Msc NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi
Vr WVi Wc
- 16724. *Satyrrium favonius* (J.E.Smith,1797)** (Lycaenidae) Synonym(s): *favonius* J.E.Smith,1797
Range (in code): **US Aks Alb Cnt Col Fl Idp Iln Kan Knt Lou Mai Mch Mis Mrl Msc Mss NCa NMx Nje**
Ny Oh Ok Pns RDi SCa Tx Vi WVi
- 16725. *Satyrrium favonius favonius* (J.E.Smith,1797)** (Lycaenidae) Synonym(s): *favonius*
J.E.Smith,1797 Range (in code): **US**
- 16726. *Satyrrium favonius ontario* (W.H.Edwards,1868)** (Lycaenidae) Synonym(s): *ontario*
W.H.Edwards,1868 Range (in code): **US**
- 16727. *Satyrrium fuliginosa*** (Lycaenidae) Synonym(s): Range (in code): **US Cf Col Id Mon Ne**
Org Ut Ws Wy
- 16728. *Satyrrium ilavia*** (Lycaenidae) Synonym(s): Range (in code): **US Arz NMx**
- 16729. *Satyrrium kingi*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Alb Dw Fl Ge Mrl**
Mss NCa Tx Vi
- 16730. *Satyrrium liparops*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Alb Cnt Col**
Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny
Oh Ok Pns RDi SCa SDk Tnn Tx Vi Vr WVi Wc Wy
- 16731. *Satyrrium polingi*** (Lycaenidae) Synonym(s): Range (in code): **US MX NMx Tx**
- 16732. *Satyrrium saepium*** (Lycaenidae) Synonym(s): Range (in code): **US MX Arz Cf Col Id**
Mon NMx Ne Org Ut Ws Wy
- 16733. *Satyrrium sylvinus*** (Lycaenidae) Synonym(s): Range (in code): **US MX Arz Cf Col Id**
Mon NMx Ne Org Ut Ws Wy
- 16734. *Satyrrium tetra*** (Lycaenidae) Synonym(s): Range (in code): **US MX Cf Ne Org**
- 16735. *Satyrrium titus*** (Lycaenidae) Synonym(s): Range (in code): **US Aks Alb Arz Cf Cnt Col**
Dw Fl Ge Id Idp Iln Io Kan Knt Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny
Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy
- 16736. *Scolitantides orion* (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771; *battus* Denis
& Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche* Fruhstorfer,1910;
lariana Fruhstorfer,1910; *micrometioche* Verity,1943. Original Reference: Papilio orion Pallas,1771,
Reise durch die verschiedenen Provinzen des russischen Reiches 1: 471. Type(s): Russia: Sysranj
prope Wolga. Range (in code): **AL At Bn AT Ba BG B-H BY CH CN CZ DE EE ES FI FR GR HU Ii IT JP**
KG KP KR MK MN NO PL RO RU SE SK Sm So Sr Ti TR Ce T-S UA Ui VI YU Uk Sau Mrk Tlk Tar DsA
TrA Kts Bionomy: Larva on Sedum telephium (Crassulaceae) (Fabricius,1781); Sedum album
(Tolman, 1997); Sedum hybridum (Zhdanko, 1997).
- 16737. *Scolitantides orion jezoensis* Matsumura,1919** (Lycaenidae) Synonym(s): *jezoensis*
Matsumura,1919 Range (in code): **Hkk JP**
- 16738. *Scolitantides orion orion* (Pallas,1771)** (Lycaenidae) Synonym(s): *orion* Pallas,1771;
battus Denis & Schiffermüller,1775; *telephii* Esper,1779; *sedi* Fabricius,1781; *hecateus* Drapiez,1819; *metioche*
Fruhstorfer,1910; *lariana* Fruhstorfer,1910; *micrometioche* Verity,1943. Original Reference: Papilio orion
Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 471. Type(s):
Russia: Sysranj prope Wolga. Range (in code): **AL AT Ba BG B-H Bhm BY CH CZ DE ES Fo6 Fo7 F15**
F26 F42 F43 F46 F48 F52 F63 F69 F83 F84 FR Fvg GR HU IT KG Mce MK Mt PL RO RU Sav SK Sm So

- Sr SS TR Cc Trl Tsn UA Ur Va VI YU Uk** Bionomy: Larva on Sedum telephium (Crassulaceae) (Fabricius,1781); Sedum album (Tolman, 1997); Sedum hybridum (Zhdanko, 1997).
- 16739. Scolitantides orion orithyia (Groum-Grshimailo,1892)** (Lycaenidae) Synonym(s): *ornata* Staudinger,1892 *nec* Mab.,1890 *non* Stgr.,1892; *orithyia* Groum-Grshimailo,1892; *coreana* Matsumura,1926; *athene* Hemming,1934; *johanseni* Wnukowsky,1934; *#dageletensis* Seok,1938. Original Reference: Lycaena orion var. orithyia Grom-Grshimailo,1892, Horae Soc. ent. ross. 25: 452. Syntypes: [China: Amdo]: "in valle fluminis Sininensis". Range (in code): **Am Ask At Bn Kts CN Ii KP KR Mc MN Pkn RU Sb Sj T-S Ui Tlk Su Vv Ya Amd Ts KG Sau Mrk Tar DsA TrA**
- 16740. Scolitantides orion parvula (De Sagarra,1926)** (Lycaenidae) Synonym(s): *parvula* De Sagarra,1926 Original Reference: Scolitantides orion rassa parvula De Sagarra,1926, Butll. Inst. Catalana Hist. Nat. (2) 5: 272. Type: Catalogne, Esplugas de Francolí (MCNB). Range (in code): **FR ES**
- 16741. Scolitantides orion tytleri Evans,1924** (Lycaenidae) Synonym(s): *tytleri* Evans,1924 Original Reference: Scolitantides orion ssp. tytleri Evans,1924, J. Bombay nat. Hist. Soc. 29: 973. Type: Tibet: Lhasa 200km S.E., Gyantse (H.C.Tytler leg.,1911) (BMNH). Range (in code): **CN Ti**
- 16742. Scolitantides orion ultraornata Verity,1937** (Lycaenidae) Synonym(s): *ultraornata* Verity,1937 Original Reference: Scolitantides orion race ultraornata Verity,1937, Entomologist's Rec. J. Var. 49: 72. Syntypes 8♂ 6♀: Finlandia: Sortavala, Riekkalansaari. Range (in code): **FI K-R NO Pt RU SE**
- 16743. Semanga superba (Druce,1873)** (Lycaenidae) Synonym(s): *superba* Druce,1873 Range (in code): **SG ID Sum Ja MM Mrg PH Sga TH Sat Cbi MY Lkw Bor**
- 16744. Semanga superba deliciosa Seitz,1926** (Lycaenidae) Synonym(s): *deliciosa* Seitz,1926 Range (in code): **TH Sat MY Lkw SG ID Sum MM Mrg**
- 16745. Semanga superba gloriosa Fruhstorfer,1912** (Lycaenidae) Synonym(s): *gloriosa* Fruhstorfer,1912 Original Reference: Semanga superba ssp. gloriosa Fruhstorfer,1912, Berl. ent. Z. 56: 263. Type: Indonesia: Java. Range (in code): **ID Ja**
- 16746. Semanga superba siamensis Talbot,1936** (Lycaenidae) Synonym(s): *siamensis* Talbot,1936 Original Reference: Semanga superba ssp. siamensis Talbot,1936, Entomologist 69: 58. Type: Siam. Range (in code): **TH Cbi**
- 16747. Semanga superba superba (Druce,1873)** (Lycaenidae) Synonym(s): *superba* Druce,1873 Range (in code): **MY Bor PH Sga**
- 16748. Shijimia moorei (Leech,1929)** (Lycaenidae) Synonym(s): *moorei* Leech,1929 Range (in code): **TH CMA**
- 16749. Shijimia moorei moorei (Leech,1929)** (Lycaenidae) Synonym(s): *moorei* Leech,1929
- 16750. Shijimiaeoides divina (Fixsen,1887)** (Lycaenidae) Synonym(s): *divina* Fixsen,1887 Original Reference: Lycaena divina Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 286-288, pl.13 figs. 5a,b. Syntypes: Korea. Range (in code): **RU Vv KP KR**
- 16751. Shijimiaeoides divina barine (Leech,1893)** (Lycaenidae) Synonym(s): *barine* Leech,1893 Original Reference: Lycaena barine Leech,1893, Butts China Japan Corea (2): 304, pl.31 fig.14. Range (in code): **CN**
- 16752. Shijimiaeoides divina divina (Fixsen,1887)** (Lycaenidae) Synonym(s): *divina* Fixsen,1887 Original Reference: Lycaena divina Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 286-288, pl.13 figs. 5a,b. Syntypes: Korea. Range (in code): **RU Vv KP KR**
- 16753. Shirozua jonasi (Janson,1887)** (Lycaenidae) Synonym(s): *jonasi* Janson,1887 Original Reference: Thecla jonasi Janson,1877, Cistula ent. 2: 157. Range (in code): **RU Vv**
- 16754. Shirozua jonasi jonasi (Janson,1887)** (Lycaenidae) Synonym(s): *jonasi* Janson,1887 Original Reference: Thecla jonasi Janson,1877, Cistula ent. 2: 157. Range (in code): **RU Vv**
- 16755. Siderus tephraeus** (Lycaenidae) Synonym(s): Range (in code): **US Tx**
- 16756. Sidima amarylde Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *amarylde* Eliot & Kawazoe,1984
- 16757. Sidima amarylde amarylde Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *amarylde* Eliot & Kawazoe,1984
- 16758. Sidima idamis (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *idamis* Fruhstorfer,1917
- 16759. Sidima idamis idamis (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *idamis* Fruhstorfer,1917
- 16760. Sidima murayamai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *murayamai* Eliot & Kawazoe,1984 Range (in code): **PH Mno**
- 16761. Sidima murayamai murayamai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *murayamai* Eliot & Kawazoe,1984

- 16762. *Sidima sulawesiana* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *sulawesiana* Eliot & Kawazoe, 1984
- 16763. *Sidima sulawesiana sulawesiana* Eliot & Kawazoe, 1984** (Lycaenidae) Synonym(s): *sulawesiana* Eliot & Kawazoe, 1984
- 16764. *Simiskina pasira* (Moulton, 1911)** (Lycaenidae) Synonym(s): *pasira* Moulton, 1911
Range (in code): **MM ID Sum Bor TH Yal PH Pal CmM MY Lkw**
- 16765. *Simiskina pasira pasira* (Moulton, 1911)** (Lycaenidae) Synonym(s): *pasira* Moulton, 1911
Range (in code): **MM ID Sum Bor TH Yal PH Pal MY Lkw**
- 16766. *Simiskina pasira semperi* Fruhstorfer, 1919** (Lycaenidae) Synonym(s): *semperi* Fruhstorfer, 1919
Range (in code): **PH CmM**
- 16767. *Simiskina pavonica* De Nicéville, 1895** (Lycaenidae) Synonym(s): *pavonica* De Nicéville, 1895
Range (in code): **MY**
- 16768. *Simiskina pavonica pavonica* De Nicéville, 1895** (Lycaenidae) Synonym(s): *pavonica* De Nicéville, 1895
Range (in code): **MY**
- 16769. *Simiskina pediada* (Hewitson, 1877)** (Lycaenidae) Synonym(s): *pediada* Hewitson, 1877
Range (in code): **MY Lkw**
- 16770. *Simiskina pediada pediada* (Hewitson, 1877)** (Lycaenidae) Synonym(s): *pediada* Hewitson, 1877
Range (in code): **MY Lkw**
- 16771. *Simiskina phalena* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *phalena* Hewitson, 1874
Range (in code): **IN Ass MM TH Rng Tng PH Luz Pal Boh Ley Mno**
- 16772. *Simiskina phalena harterti* Doherty, 1889** (Lycaenidae) Synonym(s): *harterti* Doherty, 1889
Range (in code): **IN Ass MM TH Rng Tng**
- 16773. *Simiskina phalena hayashii* Schröder & Treadaway, 1979** (Lycaenidae) Synonym(s): *hayashii* Schröder & Treadaway, 1979
Range (in code): **PH Boh Ley Mno**
- 16774. *Simiskina phalena howarthi* Hayashi, 1976** (Lycaenidae) Synonym(s): *howarthi* Hayashi, 1976
Range (in code): **PH Pal**
- 16775. *Simiskina phalena ilagana* Osada & Hashimoto, 1987** (Lycaenidae) Synonym(s): *ilagana* Osada & Hashimoto, 1987
Range (in code): **PH Luz**
- 16776. *Simiskina phalena phalena* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *phalena* Hewitson, 1874
- 16777. *Simiskina phalia* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *phalia* Hewitson, 1874
Range (in code): **MM Krh TH CMa Cuo Cuo1 Cuo6 Cuo9 Cuo10 Nrt TAK Cbi Cbu PH Pal MY**
Bionomy: Larva on *Ochroma lagopus* (Bombacaceae), *Shorea atrinervosa*, *S.obscura*, *S.rugosa* (Dipterocarpaceae) (Robinson et al., 2005).
- 16778. *Simiskina phalia binghami* Fruhstorfer, [1912]** (Lycaenidae) Synonym(s): *binghami* Fruhstorfer, [1912]
Range (in code): **MM Krh TH CMa Cuo Cuo1 Cuo6 Cuo9 Cuo10 Nrt TAK Cbi Cbu**
Bionomy: Larva on *Ochroma lagopus* (Bombacaceae), *Shorea atrinervosa*, *S.obscura*, *S.rugosa* (Dipterocarpaceae) (Robinson et al., 2005).
- 16779. *Simiskina phalia morishitai* Hayashi, 1976** (Lycaenidae) Synonym(s): *morishitai* Hayashi, 1976
Range (in code): **PH Pal**
- 16780. *Simiskina phalia phalia* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *phalia* Hewitson, 1874
- 16781. *Simiskina phalia potina* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *potina* Hewitson, 1874; *fulgens* Distant, 1886
Range (in code): **MY**
- 16782. *Simiskina pharyge* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *pharyge* Hewitson, 1874
Range (in code): **MM ID Sum Bor TH Rng Yal MY Lkw**
- 16783. *Simiskina pharyge deolina* (Fruhstorfer, 1917)** (Lycaenidae) Synonym(s): *deolina* Fruhstorfer, 1917
Range (in code): **MM ID Sum Bor TH Rng Yal MY Lkw**
- 16784. *Simiskina pharyge pharyge* (Hewitson, 1874)** (Lycaenidae) Synonym(s): *pharyge* Hewitson, 1874
- 16785. *Simiskina philura* (Druce, 1895)** (Lycaenidae) Synonym(s): *philura* Druce, 1895
Range (in code): **MY**
- 16786. *Simiskina philura elioti* Corbet, 1940** (Lycaenidae) Synonym(s): *elioti* Corbet, 1940
Range (in code): **MY**
- 16787. *Simiskina philura philura* (Druce, 1895)** (Lycaenidae) Synonym(s): *philura* Druce, 1895
- 16788. *Simiskina proxima* De Nicéville, 1895** (Lycaenidae) Synonym(s): *proxima* De Nicéville, 1895
Range (in code): **MM TH Nrt Rng Phu MY Lkw**

- 16789. *Simiskina proxima dohertyi* Evans,[1925]** (Lycaenidae) Synonym(s): *dohertyi* Evans,[1925] - Range (in code): **MM TH Nrt Rng Phu MY Lkw**
- 16790. *Simiskina proxima proxima* De Nicéville,1895** (Lycaenidae) Synonym(s): *proxima* De Nicéville,1895
- 16791. *Simiskina sibatika* Eliot,1969** (Lycaenidae) Synonym(s): *sibatika* Eliot,1969 - Range (in code): **MY**
- 16792. *Simiskina sibatika sibatika* Eliot,1969** (Lycaenidae) Synonym(s): *sibatika* Eliot,1969 - Range (in code): **MY**
- 16793. *Sinia lanty* (Oberthür,1887)** (Lycaenidae) Synonym(s): *lanty* Oberthür,1887 - Original Reference: *Lycaena lanty* Oberthür,1887, Etüd. Ent. 11: 21, pl.7 fig.53. Syntypes ♂♀: Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T**
- 16794. *Sinia lanty lanty* (Oberthür,1887)** (Lycaenidae) Synonym(s): *lanty* Oberthür,1887 - Original Reference: *Lycaena lanty* Oberthür,1887, Etüd. Ent. 11: 21, pl.7 fig.53. Syntypes ♂♀: Chine: Ta-Tsien-Lou. Range (in code): **Amd CN Sz Ts T-T**
- 16795. *Sinthusia chandrana* (Moore,1882)** (Lycaenidae) Synonym(s): *chandrana* Moore,1882 - Original Reference: *Hypolycaena chandrana* Moore, 1882, Proc. zool. Soc. Lond. 52: 249, pl.xi figs.2,2a. Type ♂: India: Lahul (BMNH). Range (in code): **IN TH Chy CMa SI MM**
- 16796. *Sinthusia chandrana chandrana* (Moore,1882)** (Lycaenidae) Synonym(s): *chandrana* Moore,1882 - Original Reference: *Hypolycaena chandrana* Moore, 1882, Proc. zool. Soc. Lond. 52: 249, pl.xi figs.2,2a. Type ♂: India: Lahul (BMNH). Range (in code): **IN**
- 16797. *Sinthusia chandrana grotei* (Moore,1884)** (Lycaenidae) Synonym(s): *grotei* Moore,1884 - Range (in code): **TH Chy CMa SI MM**
- 16798. *Sinthusia malika* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *malika* Horsfield,[1829] - Range (in code): **MY Lkw TH Nna Nst Chw Sbu ID Nia Sum Ja**
- 16799. *Sinthusia malika amata* Distant,1886** (Lycaenidae) Synonym(s): *amata* Distant,1886 - Range (in code): **MY Lkw TH Nna Nst Chw Sbu**
- 16800. *Sinthusia malika malika* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *malika* Horsfield,[1829] - Range (in code): **ID Sum Ja**
- 16801. *Sinthusia malika niasicola* Fruhstorfer,1912** (Lycaenidae) Synonym(s): *niasicola* Fruhstorfer,1912 - Original Reference: *Sinthusia malika* ssp. *niasicola* Fruhstorfer,1912, Berl. ent. Z. 56: 229. Type: Indonesia: Nias Is. Range (in code): **ID Nia**
- 16802. *Sinthusia mindanensis* Hayashi, Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway,1978 - Range (in code): **PH Neg Mno Apo Ley Mno Sam**
- 16803. *Sinthusia mindanensis mindanensis* Hayashi, Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *mindanensis* Hayashi, Schröder & Treadaway,1978 - Range (in code): **PH Mno Apo**
- 16804. *Sinthusia mindanensis stephaniae* Hayashi, Schröder & Treadaway,1978** (Lycaenidae) Synonym(s): *stephaniae* Hayashi, Schröder & Treadaway,1978 - Range (in code): **PH Ley Mno Sam**
- 16805. *Sinthusia mindanensis yoshiae* Hayashi,1981** (Lycaenidae) Synonym(s): *yoshiae* Hayashi,1981 - Range (in code): **PH Neg**
- 16806. *Sinthusia nasaka* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *nasaka* Horsfield,[1829] - Original Reference: *Thecla nasaka* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.23. Type(s): Java. Range (in code): **ID PH Pal MY Prk Lkw TH Chy Knc Tng Nst Ths IN SI MM**
- 16807. *Sinthusia nasaka amba* (Kirby,1878)** (Lycaenidae) Synonym(s): *amba* Kirby,1878; *amboides* Elwes,[1893] - Range (in code): **MY Prk Lkw TH Chy Knc Tng Nst Ths IN SI MM**
- 16808. *Sinthusia nasaka nasaka* (Horsfield,[1829])** (Lycaenidae) Synonym(s): *nasaka* Horsfield,[1829] - Original Reference: *Thecla nasaka* Horsfield,[1829], Descr. Cat. Lepid. Ins. Mus. East India Coy (2): 91, nr.23. Type(s): Java. Range (in code): **ID**
- 16809. *Sinthusia nasaka ogatai* Hayashi,1976** (Lycaenidae) Synonym(s): *ogatai* Hayashi,1976 - Range (in code): **PH Pal**
- 16810. *Sinthusia nastumiae* Hayashi,1979** (Lycaenidae) Synonym(s): *nastumiae* Hayashi,1979 - Range (in code): **PH Ley Mno Luz Mar Mdo Neg**
- 16811. *Sinthusia nastumiae natsumiae* Hayashi,1979** (Lycaenidae) Synonym(s): *natsumiae* Hayashi,1979 - Range (in code): **PH Ley Mno**

- 16812. *Sinthus* *natsumiae* *ondai* Takanami,1982** (Lycaenidae) **Synonym(s):** *ondai* Takanami,1982 _ **Range (in code):** **PH Luz Mar Mdo Neg**
- 16813. *Sinthus* *peregrinus* Staudinger,1889** (Lycaenidae) **Synonym(s):** *peregrinus* Staudinger,1889 _ **Range (in code):** **PH Bas Mno Pal**
- 16814. *Sinthus* *privata* Fruhstorfer,1912** (Lycaenidae) **Synonym(s):** *privata* Fruhstorfer,1912 _ **Range (in code):** **PH Pal MY Bor**
- 16815. *Sinthus* *privata* *kawazoei* Hayashi,1976** (Lycaenidae) **Synonym(s):** *kawazoei* Hayashi,1976 _ **Range (in code):** **PH Pal**
- 16816. *Sithon* *nedymond* (Cramer,[1780])** (Lycaenidae) **Synonym(s):** *nedymond* Cramer,[1780] _ **Range (in code):** **MY Lkw TH Pgg Phu Rng Tng Sgk Hya Tnc**
- 16817. *Sithon* *nedymond* *ismarus* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *ismarus* Fruhstorfer,[1912] _ **Range (in code):** **MY Lkw TH Pgg Phu Rng Tng Sgk Hya Tnc**
- 16818. *Sithon* *nedymond* *nedymond* (Cramer,[1780])** (Lycaenidae) **Synonym(s):** *nedymond* Cramer,[1780] _ **Range (in code):** **MY TH Tng**
- 16819. *Spalgis* *epius* (Westwood,[1851])** (Lycaenidae) **Synonym(s):** *epius* Westwood,[1851]; *strigatus* Semper,1889; *georgi* Fruhstorfer,1919; *semperi* Fruhstorfer,1923 _ **Range (in code):** **LK IN Adm MM Mrg Nk SG MY Lkw P-T TH CMa Cuo Cuo2 Cuo7 Cuo9 Cuo10 Chi Chy Nrt PH Boh Ceb Ley Luz Mar Mas Mno Neg Pal Sga Stu Taw TW ID Sum Ja Bli Lb Sbw Sba Clb**
- 16820. *Spalgis* *epius* *epius* (Westwood,[1851])** (Lycaenidae) **Synonym(s):** *epius* Westwood,[1851]; *strigatus* Semper,1889; *georgi* Fruhstorfer,1919; *semperi* Fruhstorfer,1923 _ **Range (in code):** **LK IN MM Mrg SG Nk MY Lkw TH CMa Cuo Cuo2 Cuo7 Cuo9 Cuo10 Chi Chy Nrt TW ID Sum Ja Bli Lb Sbw Sba Clb**
- 16821. *Spalgis* *epius* *nubilus* (Moore,1884)** (Lycaenidae) **Synonym(s):** *nubilus* Moore,1884 _ **Range (in code):** **IN Adm MY P-T**
- 16822. *Spalgis* *jacksoni* Stempffer,1967** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer,1967 _ **Range (in code):** **TZ**
- 16823. *Spalgis* *jacksoni* *jacksoni* Stempffer,1967** (Lycaenidae) **Synonym(s):** *jacksoni* Stempffer,1967
- 16824. *Spalgis* *jacksoni* *stempfperi* Kielland,1985** (Lycaenidae) **Synonym(s):** *stempfperi* Kielland,1985 _ **Range (in code):** **TZ**
- 16825. *Spalgis* *lemolea* Druce,1890** (Lycaenidae) **Synonym(s):** *lemolea* Druce,1890
- 16826. *Spalgis* *pilos* Druce,1890** (Lycaenidae) **Synonym(s):** *pilos* Druce,1890
- 16827. *Spalgis* *takanamii* Eliot,1984** (Lycaenidae) **Synonym(s):** *takanamii* Eliot,1984 _ **Range (in code):** **PH Mno Apo**
- 16828. *Spalgis* *tinting*a (Boisduval,1833)** (Lycaenidae) **Synonym(s):** *tinting*a Boisduval,1833
- 16829. *Stempfferia* *abriana* Libert & Collins,1997** (Lycaenidae) **Synonym(s):** *abriana* Libert & Collins,1997 _ **Range (in code):** **CM**
- 16830. *Stempfferia* *carcassoni* Jackson,1962** (Lycaenidae) **Synonym(s):** *carcassoni* Jackson,1962 _ **Range (in code):** **ZR CG**
- 16831. *Strymon* *acis* (Drury,1773)** (Lycaenidae) **Synonym(s):** *acis* Drury,1773 _ **Range (in code):** **US FI DOM**
- 16832. *Strymon* *albata* (C.Felder & R.Felder,1865)** (Lycaenidae) **Synonym(s):** *albata* C.Felder & R.Felder,1865 _ **Range (in code):** **US MX Tx**
- 16833. *Strymon* *alea* (Godman & Salvin,1887)** (Lycaenidae) **Synonym(s):** *alea* Godman & Salvin,1887 _ **Range (in code):** **US MX Tx**
- 16834. *Strymon* *amonensis* D.Smith, K.Johnson, J.Y.Miller & McKnzie,1991** (Lycaenidae) **Synonym(s):** *amonensis* D.Smith, K.Johnson, J.Y.Miller & McKnzie,1991 _ **Range (in code):** **PR**
- 16835. *Strymon* *avalona* (W.G.Wright,1905)** (Lycaenidae) **Synonym(s):** *avalona* W.G.Wright,1905 _ **Range (in code):** **US Cf**
- 16836. *Strymon* *bazochii* (Godart,[1824])** (Lycaenidae) **Synonym(s):** *bazochii* Godart,[1824] _ **Range (in code):** **US MX Tx**
- 16837. *Strymon* *bebrycia* (Hewitson,1868)** (Lycaenidae) **Synonym(s):** *bebrycia* Hewitson,1868 _ **Range (in code):** **US MX Arz NMx Tx**
- 16838. *Strymon* *cestri* (Reakirt,[1867])** (Lycaenidae) **Synonym(s):** *cestri* Reakirt,[1867] _ **Range (in code):** **US MX Arz Tx**
- 16839. *Strymon* *christophe*i (W.Comstock & Huntington,1943)** (Lycaenidae) **Synonym(s):** *christophe*i W.Comstock & Huntington,1943 _ **Range (in code):** **DO**

- 16840. Strymon columella (Fabricius,1793)** (Lycaenidae) Synonym(s): *columella* Fabricius,1793
Range (in code): VI AG
- 16841. Strymon istapa (Reakirt,[1867])** (Lycaenidae) Synonym(s): *istapa* Reakirt,[1867]
Range (in code): US MX BcN Arz Cf Tx Fl PR BS AR
- 16842. Strymon istapa arecibo (W.Comstock & Huntington,1943)** (Lycaenidae)
Synonym(s): *arecibo* W.Comstock & Huntington,1943 Range (in code): PR
- 16843. Strymon istapa clenchi Austin & J.Emmel,1998** (Lycaenidae) Synonym(s): *clenchi* Austin & J.Emmel,1998 Range (in code): MX BcN
- 16844. Strymon istapa cybira (Hewitson,1874)** (Lycaenidae) Synonym(s): *cybira* Hewitson,1874
Range (in code): BS
- 16845. Strymon istapa istapa (Reakirt,[1867])** (Lycaenidae) Synonym(s): *istapa* Reakirt,[1867]
Range (in code): US Tx MX AR
- 16846. Strymon istapa modesta (Maynard,1873)** (Lycaenidae) Synonym(s): *modesta* Maynard,1873 Range (in code): US FI
- 16847. Strymon limenia (Hewitson,1868)** (Lycaenidae) Synonym(s): *limenia* Hewitson,1868
Range (in code): US
- 16848. Strymon martialis (Herrich-Schäffer,1864)** (Lycaenidae) Synonym(s): *martialis* Herrich-Schäffer,1864 Range (in code): US FI CU JM BS
- 16849. Strymon melinus Hübner,1818** (Lycaenidae) Synonym(s): *melinus* Hübner,1818
Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa Sdk Tnn Tx Ut Vi WVi Wc Ws Wy
- 16850. Strymon mulucha (Hewitson,1867)** (Lycaenidae) Synonym(s): *mulucha* Hewitson,1867
Range (in code): US
- 16851. Strymon rufofusca (Hewitson,1877)** (Lycaenidae) Synonym(s): *rufofusca* Hewitson,1877
Range (in code): US MX Tx
- 16852. Strymon serapio (Godman & Salvin,1887)** (Lycaenidae) Synonym(s): *serapio* Godman & Salvin,1887 Range (in code): US MX Tx
- 16853. Strymon toussainti (W.Comstock & Huntington,1943)** (Lycaenidae) Synonym(s): *toussainti* W.Comstock & Huntington,1943 Range (in code): DO CU
- 16854. Strymon yojoa (Reakirt,[1867])** (Lycaenidae) Synonym(s): *yojoo* Reakirt,[1867]
Range (in code): US MX Tx
- 16855. Suasa lisides (Hewitson,[1863])** (Lycaenidae) Synonym(s): *lisides* Hewitson,[1863]
Range (in code): PH Pal TH CMA Phu Rng Yal Nst MY
- 16856. Suasa lisides liris Staudinger,1889** (Lycaenidae) Synonym(s): *liris* Staudinger,1889
Range (in code): PH Pal
- 16857. Suasa lisides lisides (Hewitson,[1863])** (Lycaenidae) Synonym(s): *lisides* Hewitson,[1863] Range (in code): TH CMA Phu Rng Yal
- 16858. Suasa lisides suessa De Nicéville,[1893]** (Lycaenidae) Synonym(s): *suessa* De Nicéville,[1893] Range (in code): MY TH Nst
- 16859. Surendra florimel Doherty,1889** (Lycaenidae) Synonym(s): *florimel* Doherty,1889
Range (in code): MM TH Rng MY ID Sum Ja
- 16860. Surendra kalawara Ribbe,1926** (Lycaenidae) Synonym(s): *kalawara* Ribbe,1926
Original Reference: Surendra kalawara Ribbe,1926, Ent. Mitt. 15: 86. Type: Indonesia: Celebes.
Range (in code): ID Clb
- 16861. Surendra learmondi Tytler,1940** (Lycaenidae) Synonym(s): *learmondi* Tytler,1940
Original Reference: Surendra learmondi Tytler,1940, J. Bombay nat. Hist. Soc. 42: 122. Type: [Myanmar]: Burma: Shan States. Range (in code): MM Shn
- 16862. Surendra manilana (C.Felder & R.Felder,1862)** (Lycaenidae) Synonym(s): *manilana* C.Felder & R.Felder,1862 Range (in code): PH Bon Luz Mar Mdo Mno Neg Pan Bal Cal Pal
- 16863. Surendra manilana johneliotti Schröder & Treadaway,1993** (Lycaenidae)
Synonym(s): *johneliotti* Schröder & Treadaway,1993 Range (in code): PH Bon
- 16864. Surendra manilana manilana (C.Felder & R.Felder,1862)** (Lycaenidae)
Synonym(s): *manilana* C.Felder & R.Felder,1862 Range (in code): PH Luz Mar Mdo Mno Neg Pan
- 16865. Surendra oligosema Röber,1927** (Lycaenidae) Synonym(s): *oligosema* Röber,1927
Original Reference: Surendra oligosema Röber,1927, Int. ent. Z. 21: 106. Type: Borneo. Range (in code): MY Bor

- 16866. Surendra quercetorum (Moore,[1858])** (Lycaenidae) Synonym(s): *quercetorum* Moore,[1858]; #*quercetorum* Lewvanich,2001 - Range (in code): IN MM TH CMa Cu09 Knc Kbi
Loe Nna Nrt Rng Rat Pgg Sbu Cbu Cph Sak Nst Ths Pbu Pkk Bionomy: Larva on Acacia pennata [cha om], A. comosa [nam han] (Fabaceae) (Lewvanich,2001).
- 16867. Surendra quercetorum quercetorum (Moore,[1858])** (Lycaenidae) Synonym(s): *quercetorum* Moore,[1858]; #*quercetorum* Lewvanich,2001 - Range (in code): IN MM TH CMa Cu09 Knc Kbi
Loe Nna Nrt Rng Rat Pgg Sbu Cbu Cph Sak Nst Ths Pbu Pkk Bionomy: Larva on Acacia pennata [cha om], A. comosa [nam han] (Fabaceae) (Lewvanich,2001).
- 16868. Surendra stimula De Nicéville,1895** (Lycaenidae) Synonym(s): *stimula* De Nicéville,1895
Range (in code): ID Ja
- 16869. Surendra vivarna (Horsfield,[1829])** (Lycaenidae) Synonym(s): *vivarna* Horsfield,[1829]
Range (in code): VN PH Bal Cal Pal MM MY Bor TH Nst Ths Sya Ntt Rng Tng Yal ID Sum Nia Ja Clb
Kgn IN Adm LK
- 16870. Surendra vivarna agdistis (Fruhstorfer,1907)** (Lycaenidae) Synonym(s): *agdistis* Fruhstorfer,1907 - Range (in code): ID Nia
- 16871. Surendra vivarna amisena (Hewitson,1862)** (Lycaenidae) Synonym(s): *amisena* Hewitson,1862 - Range (in code): MM MY TH Nst Ths Sya Ntt Rng Tng Yal ID Sum
- 16872. Surendra vivarna biplagiata Butler,1883** (Lycaenidae) Synonym(s): *biplagiata* Butler,1883 Original Reference: Surendra biplagiata Butler,1883, Proc. zool. Soc. Lond. 1883: 147, pl.24 fig.12. Type: India: Madras (BMNH). Range (in code): IN
- 16873. Surendra vivarna discalis Moore,1879** (Lycaenidae) Synonym(s): *discalis* Moore,1879
Range (in code): LK
- 16874. Surendra vivarna latimargo Moore,1879** (Lycaenidae) Synonym(s): *latimargo* Moore,1879 Original Reference: Surendra latimargo Moore,1879, Proc. zool. Soc. London 1879: 142. Type: India: Andamans. Range (in code): IN Adm
- 16875. Surendra vivarna neritos (Fruhstorfer,1907)** (Lycaenidae) Synonym(s): *neritos* Fruhstorfer,1907 - Range (in code): VN
- 16876. Surendra vivarna palowna Staudinger,1889** (Lycaenidae) Synonym(s): *palowna* Staudinger,1889 - Range (in code): MY Bor PH Bal Cal Pal
- 16877. Surendra vivarna samina (Fruhstorfer,1907)** (Lycaenidae) Synonym(s): *samina* Fruhstorfer,1907 - Range (in code): ID Clb
- 16878. Surendra vivarna vandeldeni Kalis,1933** (Lycaenidae) Synonym(s): *vandeldeni* Kalis,1933 - Range (in code): ID Kgn
- 16879. Surendra vivarna vivarna (Horsfield,[1829])** (Lycaenidae) Synonym(s): *vivarna* Horsfield,[1829] - Range (in code): ID Ja
- 16880. Symoptera amasa (Hewitson,1869)** (Lycaenidae) Synonym(s): *amasa* Hewitson,1869
Range (in code): NG Caa CM GA
- 16881. Symoptera bonifacei Stempffer,1961** (Lycaenidae) Synonym(s): *bonifacei* Stempffer,1961
Range (in code): CM NG CG
- 16882. Symoptera homeyerii (Dewitz,1879)** (Lycaenidae) Synonym(s): *homeyerii* Dewitz,1879; *mixture* Hulstaert,1924 - Range (in code): AO ZR
- 16883. Symoptera melanomitra Karsch,1895** (Lycaenidae) Synonym(s): *melanomitra* Karsch,1895 - Range (in code): CM GA CG ZR
- 16884. Symoptera nivea Joicey & Talbot,1924** (Lycaenidae) Synonym(s): *nivea* Joicey & Talbot,1924 - Range (in code): ZR
- 16885. Tajuria alangani Schröder, Treadaway & Nuyda,1993** (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda,1993 - Range (in code): PH Mdo
- 16886. Tajuria alangani alangani Schröder, Treadaway & Nuyda,1993** (Lycaenidae) Synonym(s): *alangani* Schröder, Treadaway & Nuyda,1993 - Range (in code): PH Mdo
- 16887. Tajuria albiplaga De Nicéville,1887** (Lycaenidae) Synonym(s): *albiplaga* De Nicéville,1887
Range (in code): MY
- 16888. Tajuria albiplaga albiplaga De Nicéville,1887** (Lycaenidae) Synonym(s): *albiplaga* De Nicéville,1887
- 16889. Tajuria albiplaga alixiae Eliot,1973** (Lycaenidae) Synonym(s): *alixiae* Eliot,1973
Range (in code): MY
- 16890. Tajuria berensis Druce,1896** (Lycaenidae) Synonym(s): *berensis* Druce,1896 - Range (in code): PH Mno MY

- 16891. *Tajuria berensis berensis* Druce,1896** (Lycaenidae) **Synonym(s):** *berensis* Druce,1896
Range (in code): **PH Mno**
- 16892. *Tajuria berensis larutensis* Pendlebury,1933** (Lycaenidae) **Synonym(s):** *larutensis* Pendlebury,1933
Range (in code): **MY**
- 16893. *Tajuria cippus* (Fabricius,1798)** (Lycaenidae) **Synonym(s):** *cippus* Fabricius,1798
Range (in code): **PK LK IN MM TH CMa Cuo Cuo3 Cuo7 Bnk Cbu Cbi Phu Yal Sbu Nst Ths Chw MY**
- 16894. *Tajuria cippus cippus* (Fabricius,1798)** (Lycaenidae) **Synonym(s):** *cippus* Fabricius,1798
Range (in code): **PK IN MM TH CMa Cuo Cuo3 Cuo7 Cbu Cbi Phu Sbu**
- 16895. *Tajuria cippus maxentius* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *maxentius* Fruhstorfer,[1912]
Range (in code): **MY TH Yal Nst Ths Chw Bnk**
- 16896. *Tajuria culta* De Nicéville,1896** (Lycaenidae) **Synonym(s):** *culta* De Nicéville,1896
Range (in code): **TH Bnk CMa IN Ass MM**
- 16897. *Tajuria culta culta* De Nicéville,1896** (Lycaenidae) **Synonym(s):** *culta* De Nicéville,1896
Range (in code): **TH Bnk CMa IN Ass MM**
- 16898. *Tajuria deudorix* (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *deudorix* Hewitson,1869
Range (in code): **PH Boh CmL Luz Mar Mdo Ley Mno Pal MY Lkw TH Yal Phu SG**
- 16899. *Tajuria deudorix deudorix* (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *deudorix* Hewitson,1869
Range (in code): **PH Ley Mno**
- 16900. *Tajuria deudorix ingeni* (Corbet,1948)** (Lycaenidae) **Synonym(s):** *ingeni* Corbet,1948
Range (in code): **MY Lkw TH Phu Yal SG**
- 16901. *Tajuria deudorix primitivoi* Osada,1987** (Lycaenidae) **Synonym(s):** *primitivoi* Osada,1987
Range (in code): **PH Boh**
- 16902. *Tajuria deudorix yuhkichii* Hayashi,1984** (Lycaenidae) **Synonym(s):** *yuhkichii* Hayashi,1984
Range (in code): **PH Pal**
- 16903. *Tajuria deudorix zoletai* Osada,1987** (Lycaenidae) **Synonym(s):** *zoletai* Osada,1987
Range (in code): **PH CmL Luz Mar Mdo**
- 16904. *Tajuria diaeus* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *diaeus* Hewitson,[1865]
Original Reference: *Iolaus diaeus* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 45, 2 (plates): pl.20 figs. 26-28. Syntypes: India. **Range (in code):** **IN NP Mus MM TH CMa**
- 16905. *Tajuria diaeus diaeus* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *diaeus* Hewitson,[1865]
Original Reference: *Iolaus diaeus* Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 45, 2 (plates): pl.20 figs. 26-28. Syntypes: India. **Range (in code):** **IN NP Mus MM**
- 16906. *Tajuria diaeus thydia* Tytler,1915** (Lycaenidae) **Synonym(s):** *thydia* Tytler,1915
Range (in code): **IN MM TH CMa**
- 16907. *Tajuria dominus* Druce,1895** (Lycaenidae) **Synonym(s):** *dominus* Druce,1895
Range (in code): **PH Dum Pal MY**
- 16908. *Tajuria dominus dominus* Druce,1895** (Lycaenidae) **Synonym(s):** *dominus* Druce,1895
Range (in code): **PH Dum Pal MY**
- 16909. *Tajuria igolotiana* Murayama & Okamura,1973** (Lycaenidae) **Synonym(s):** *igolotiana* Murayama & Okamura,1973
Range (in code): **PH Luz Mno**
- 16910. *Tajuria igolotiana fumiae* Hayashi,1984** (Lycaenidae) **Synonym(s):** *fumiae* Hayashi,1984
Range (in code): **PH Mno**
- 16911. *Tajuria igolotiana igolotiana* Murayama & Okamura,1973** (Lycaenidae) **Synonym(s):** *igolotiana* Murayama & Okamura,1973
Range (in code): **PH Luz**
- 16912. *Tajuria illurgioides* De Nicéville,1890** (Lycaenidae) **Synonym(s):** *illurgioides* De Nicéville,1890
- 16913. *Tajuria illurgioides illurgioides* De Nicéville,1890** (Lycaenidae) **Synonym(s):** *illurgioides* De Nicéville,1890
- 16914. *Tajuria illurgis* (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *illurgis* Hewitson,1869
Original Reference: *Iolaus illurgis* Hewitson,1869, Ill. diurn. Lepid., Suppl.: 10, nr.26, pl.4 figs. 37-38. Syntypes: Sikkim. **Range (in code):** **NP SI IN Mus MM**
- 16915. *Tajuria illurgis illurgis* (Hewitson,1869)** (Lycaenidae) **Synonym(s):** *illurgis* Hewitson,1869
Original Reference: *Iolaus illurgis* Hewitson,1869, Ill. diurn. Lepid., Suppl.: 10, nr.26, pl.4 figs. 37-38. Syntypes: Sikkim. **Range (in code):** **NP SI IN Mus MM**
- 16916. *Tajuria inexpectata* Eliot,1973** (Lycaenidae) **Synonym(s):** *inexpectata* Eliot,1973
Range (in code): **MY**

- 16917. Tajuria inexpectata inexpectata Eliot,1973** (Lycaenidae) Synonym(s): *inexpectata Eliot,1973* _ Range (in code): MY
- 16918. Tajuria isaeus (Hewitson,[1865])** (Lycaenidae) Synonym(s): *isaeus Hewitson,[1865]* _ Range (in code): PH Pal TH Rng Tng Yal MY IN Ass MM
- 16919. Tajuria isaeus isaeus (Hewitson,[1865])** (Lycaenidae) Synonym(s): *isaeus Hewitson,[1865]* _ Range (in code): PH Pal
- 16920. Tajuria isaeus tyro De Nicéville,1895** (Lycaenidae) Synonym(s): *tyro De Nicéville,1895* _ Range (in code): TH IN Ass MM
- 16921. Tajuria isaeus verna Corbet,1940** (Lycaenidae) Synonym(s): *verna Corbet,1940* _ Range (in code): TH Rng Tng Yal MY
- 16922. Tajuria ister (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ister Hewitson,[1865]* _ Range (in code): MY
- 16923. Tajuria ister ister (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ister Hewitson,[1865]*
- 16924. Tajuria ister tussis Druce,1895** (Lycaenidae) Synonym(s): *tussis Druce,1895* _ Range (in code): MY
- 16925. Tajuria jalajala C.Felder,1862** (Lycaenidae) Synonym(s): *jalajala C.Felder,1862; pinamalaya Takanami,1987* _ Range (in code): PH Boh CmM Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Sam
- 16926. Tajuria jalajala jalajala C.Felder,1862** (Lycaenidae) Synonym(s): *jalajala C.Felder,1862; pinamalaya Takanami,1987* _ Range (in code): PH Boh CmM Ley Luz Mar Mas Mdo Mno Neg Pan Pao Pol Sam
- 16927. Tajuria jalajala steffi Schröder & Treadaway,1988** (Lycaenidae) Synonym(s): *steffi Schröder & Treadaway,1988* _ Range (in code): PH Hom
- 16928. Tajuria jehana Moore,1883** (Lycaenidae) Synonym(s): *jehana Moore,1883* Original Reference: Tajuria jehana Moore, 1883, Proc. zool. Soc. Lond. 53: 529, pl.xlix fig.7. Syntypes ♂♂: Lucknow. Range (in code): IN LK
- 16929. Tajuria jehana jehana Moore,1883** (Lycaenidae) Synonym(s): *jehana Moore,1883* Original Reference: Tajuria jehana Moore, 1883, Proc. zool. Soc. Lond. 53: 529, pl.xlix fig.7. Syntypes ♂♂: Lucknow. Range (in code): IN
- 16930. Tajuria luculenta Leech,1890** (Lycaenidae) Synonym(s): *luculenta Leech,1890* _ Range (in code): MY CN IN Ass
- 16931. Tajuria luculenta luculenta Leech,1890** (Lycaenidae) Synonym(s): *luculenta Leech,1890* _ Range (in code): CN IN Ass
- 16932. Tajuria luculenta taorana Corbet,1940** (Lycaenidae) Synonym(s): *taorana Corbet,1940* _ Range (in code): MY
- 16933. Tajuria maculata (Hewitson,[1865])** (Lycaenidae) Synonym(s): *maculata Hewitson,[1865]* _ Range (in code): MY TH CMa TAK SI IN MM
- 16934. Tajuria maculata maculata (Hewitson,[1865])** (Lycaenidae) Synonym(s): *maculata Hewitson,[1865]* _ Range (in code): MY TH CMa TAK SI IN MM
- 16935. Tajuria mantra (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *mantra C.Felder & R.Felder,1860* _ Range (in code): PH Pal Sga Boh Ley Mno Neg Pao Sam MY TH Phu MM Tvy SG
- 16936. Tajuria mantra kimia Treadaway & Nuyda,1995** (Lycaenidae) Synonym(s): *kimia Treadaway & Nuyda,1995* _ Range (in code): PH Sga
- 16937. Tajuria mantra lucrosa Fruhstorfer,1912** (Lycaenidae) Synonym(s): *lucrosa Fruhstorfer,1912; visayana M.Okano & T.Okano,1991* _ Range (in code): PH Boh Ley Mno Neg Pao Sam
- 16938. Tajuria mantra mantra (C.Felder & R.Felder,1860)** (Lycaenidae) Synonym(s): *mantra C.Felder & R.Felder,1860* _ Range (in code): PH Pal MY TH Phu SG MM Tvy
- 16939. Tajuria mantra vergara Semper,1890** (Lycaenidae) Synonym(s): *vergara Semper,1890* _ Range (in code): PH Mno
- 16940. Tajuria matsutaroi Hayashi,1984** (Lycaenidae) Synonym(s): *matsutaroi Hayashi,1984* _ Range (in code): PH Ley Mno Apo
- 16941. Tajuria megistia (Hewitson,1869)** (Lycaenidae) Synonym(s): *megistia Hewitson,1869*
- 16942. Tajuria megistia megistia (Hewitson,1869)** (Lycaenidae) Synonym(s): *megistia Hewitson,1869*
- 16943. Tajuria megistia thria De Nicéville,[1896]** (Lycaenidae) Synonym(s): *thria De Nicéville,[1896]* _ Range (in code): MY
- 16944. Tajuria melastigma De Nicéville,1887** (Lycaenidae) Synonym(s): *melastigma De Nicéville,1887*

- 16945. *Tajuria melastigma melastigma* De Nicéville, 1887** (Lycaenidae) **Synonym(s):** *melastigma* De Nicéville, 1887
- 16946. *Tajuria mizunumai* Hayashi, 1978** (Lycaenidae) **Synonym(s):** *mizunumai* Hayashi, 1978
Range (in code): **PH Mno Apo**
- 16947. *Tajuria sunia* Moulton, 1911** (Lycaenidae) **Synonym(s):** *sunia* Moulton, 1911
Range (in code): **MY**
- 16948. *Tajuria sunia sunia* Moulton, 1911** (Lycaenidae) **Synonym(s):** *sunia* Moulton, 1911
Range (in code): **MY**
- 16949. *Tajuria yajna* (Doherty, 1886)** (Lycaenidae) **Synonym(s):** *yajna* Doherty, 1886
Range (in code): **TH CMa MY MM Shn**
- 16950. *Tajuria yajna ellisi* Evans, [1925]** (Lycaenidae) **Synonym(s):** *ellisi* Evans, [1925]
Range (in code): **TH CMa**
- 16951. *Tajuria yajna selangorana* Pendlebury & Corbet, 1933** (Lycaenidae) **Synonym(s):** *selangorana* Pendlebury & Corbet, 1933
Range (in code): **MY**
- 16952. *Tajuria yajna yajna* (Doherty, 1886)** (Lycaenidae) **Synonym(s):** *yajna* Doherty, 1886
- 16953. *Talica nyseus* (Guérin-Ménéville, 1843)** (Lycaenidae) **Synonym(s):** *nyseus* Guérin-Ménéville, 1843
Range (in code): **LK MM Shn TH CMa CDo Pkk TAc Knc Phr VN**
- 16954. *Talica nyseus burmana* Evans, 1925** (Lycaenidae) **Synonym(s):** *burmana* Evans, 1925
Range (in code): **MM Shn TH CMa CDo Pkk**
- 16955. *Talica nyseus macbethi* Riley, 1932** (Lycaenidae) **Synonym(s):** *macbethi* Riley, 1932
Original Reference: *Talica macbethi* Riley, 1932, J. Siam Soc. nat. Hist., Suppl. 8: 251-252, pl. 22 figs. 7, 8. Holotype ♀: [Thailand]: E. Siam: Lat Bua Kao, on the Korat line, 7.2.1929 leg. Mr. J.J. McBeth. **Range (in code):** **TH TAc Knc VN**
- 16956. *Talica nyseus metana* Riley & Godfrey, 1921** (Lycaenidae) **Synonym(s):** *metana* Riley & Godfrey, 1921
Range (in code): **TH Knc Phr**
- 16957. *Talica nyseus nyseus* (Guérin-Ménéville, 1843)** (Lycaenidae) **Synonym(s):** *nyseus* Guérin-Ménéville, 1843
Range (in code): **LK IN**
- 16958. *Taraka hamada* (Druce, 1875)** (Lycaenidae) **Synonym(s):** *hamada* Druce, 1875
Range (in code): **SI IN Apr Meg Ben MM TH CMa Atg TAc MY Bor Id Sum Ja Bli Lb**
- 16959. *Taraka hamada hamada* (Druce, 1875)** (Lycaenidae) **Synonym(s):** *hamada* Druce, 1875
- 16960. *Taraka hamada mendesia* Fruhstorfer, 1918** (Lycaenidae) **Synonym(s):** *mendesia* Fruhstorfer, 1918
Range (in code): **SI IN Apr Meg Ben MM TH CMa Atg TAc MY Bor Id Sum**
- 16961. *Taraka hamada nivata* Fruhstorfer, 1918** (Lycaenidae) **Synonym(s):** *nivata* Fruhstorfer, 1918
Range (in code): **ID Ja Bli Lb**
- 16962. *Taraka mahanetra* Doherty, 1890** (Lycaenidae) **Synonym(s):** *mahanetra* Doherty, 1890; *hantu* Corbet, 1938
Range (in code): **ID Sum TH Yal MY**
- 16963. *Taraka mahanetra mahanetra* Doherty, 1890** (Lycaenidae) **Synonym(s):** *mahanetra* Doherty, 1890; *hantu* Corbet, 1938
Range (in code): **ID Sum TH Yal MY**
- 16964. *Tarucus (Thespis-gr) thespis* (Linnaeus, 1764)** (Lycaenidae) **Synonym(s):** *thespis* Linnaeus, 1764; *pitho* Linnaeus, 1764.
Range (in code): **ZA Ec Grh Wca Cer Stj Tra**
- 16965. *Tarucus (s.str.) alteratus* Moore, 1882** (Lycaenidae) **Synonym(s):** *alteratus* Moore, 1882
Original Reference: *Tarucus alteratus* Moore, 1882, Proc. zool. Soc. Lond. 1882: 245, pl. 12 figs. 4, 4a. Syntypes: [India]: N.W. Himalaya; Dharmasala. **Range (in code):** **IN Hp Drm Kgr Pes Nwf PK Kul**
- 16966. *Tarucus (s.str.) alteratus alteratus* Moore, 1882** (Lycaenidae) **Synonym(s):** *alteratus* Moore, 1882
Original Reference: *Tarucus alteratus* Moore, 1882, Proc. zool. Soc. Lond. 1882: 245, pl. 12 figs. 4, 4a. Syntypes: [India]: N.W. Himalaya; Dharmasala. **Range (in code):** **IN Hp Drm Kgr Pes Nwf PK Kul**
- 16967. *Tarucus (s.str.) balkanicus* (Freyer, [1843])** (Lycaenidae) **Synonym(s):** *balkanicus* Freyer, [1843]; *#balcanica* Howarth & Povolny, 1976
Original Reference: *Lycaena balkanica* Freyer, [1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs. 1, 2. Type(s): Türkei. **Range (in code):** **AE AF Ng Jla AL Cc AM AZ BG BH Cr CY Dh DZ Gha Bsk EG EH GG GR Hd IL IN IQ Nsr Agh Bgd IR Ab JO KK KW LB LY LY MA MK MR NE Nf NG Nj OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE Bl Bol Nwf Pes Elb Th Kp**
Bionomy: Larva on *Zizyphus lotus*, *Paliurus spina-christi* (Tolman, 1997).
- 16968. *Tarucus (s.str.) balkanicus areshanus* Bethune-Baker, 1918** (Lycaenidae) **Synonym(s):** *areshanus* Bethune-Baker, 1918
Range (in code): **IQ Bgd Nsr Agh IR Elb Th Kp TM**

- 16969. Tarucus (s.str.) balkanicus balkanicus (Freyer,[1843])** (Lycaenidae) Synonym(s): *balkanicus* Freyer,[1843]; #*balcanica* Howarth & Povolny,1976 Original Reference: *Lycaena balkanica* Freyer,[1843], Neuere Beitr. Schmett. 5(71): 63, Taf. 421 figs. 1,2. Type(s): Türkei. Range (in code): **AE AF Ng Jla AL Cc AM AZ BG BH Cr CY Dh DZ Bsk Gha EG EH GG GR Hd IL IN JO KK KW LB LY LY MA MK MR NE Nf NG NG Nj OM PK QA SA SD SI SY TJ TM TN TR UG UZ YE** Bionomy: Larva on *Zizyphus lotus*, *Paliurus spina-christi* (Tolman,1997).
- 16970. Tarucus (s.str.) balkanicus nigrus Bethune-Baker,1918** (Lycaenidae) Synonym(s): *nigrus* Bethune-Baker,1918 Range (in code): **PK IN BI Bol Nwf Pes**
- 16971. Tarucus (s.str.) bowkeri (Trimen,1883)** (Lycaenidae) Synonym(s): *bowkeri* Trimen,1883 Range (in code): **ZA Tva Lpo Grk Mpu Pil Bbg Spb Nta Kzu Tra Stj**
- 16972. Tarucus (s.str.) bowkeri bowkeri (Trimen,1883)** (Lycaenidae) Synonym(s): *bowkeri* Trimen,1883 Range (in code): **ZA Nta Kzu Tra Stj**
- 16973. Tarucus (s.str.) bowkeri transvaalensis Quickelberge,1972** (Lycaenidae) Synonym(s): *transvaalensis* Quickelberge,1972 Range (in code): **ZA Tva Lpo Grk Mpu Pil Bbg Spb**
- 16974. Tarucus (s.str.) callinarus Butler,1886** (Lycaenidae) Synonym(s): *callinara* Butler,1886 Original Reference: *Tarucus callinara* Butler,1886, Ann. Mag. nat. Hist. (5) 18: 185, nr.24. Range (in code): **PK Pj IN MM Pes Nwf TH CMA CDo Cbu Knc Lmp Sbu Cbi Rat** Bionomy: Larva on *Zizyphus mauritiana* [jujube] (Rhamnaceae), *Melaleuca quinquenervia* (Myrtaceae) (Lewvanich,2001).
- 16975. Tarucus (s.str.) callinarus callinarus Butler,1886** (Lycaenidae) Synonym(s): *callinara* Butler,1886 Original Reference: *Tarucus callinara* Butler,1886, Ann. Mag. nat. Hist. (5) 18: 185, nr.24. Range (in code): **PK Pj IN MM Pes Nwf TH CMA CDo Cbu Knc Lmp Sbu Cbi Rat** Bionomy: Larva on *Zizyphus mauritiana* [jujube] (Rhamnaceae), *Melaleuca quinquenervia* (Myrtaceae) (Lewvanich,2001).
- 16976. Tarucus (s.str.) extricatus Butler,1886** (Lycaenidae) Synonym(s): *extricatus* Butler,1886 Original Reference: *Tarucus extricatus* Butler,1886, Proc. zool. Soc. Lond. 1886: 366, pl.35 fig.2. Syntypes ♂♀: [Pakistan]: Campbellpore; Kurrachee. Range (in code): **PK Cp Krc Sd Nwf Mh Bba Rjp IN**
- 16977. Tarucus (s.str.) extricatus extricatus Butler,1886** (Lycaenidae) Synonym(s): *extricatus* Butler,1886 Original Reference: *Tarucus extricatus* Butler,1886, Proc. zool. Soc. Lond. 1886: 366, pl.35 fig.2. Syntypes ♂♀: [Pakistan]: Campbellpore; Kurrachee. Range (in code): **PK Cp Krc Sd Nwf Mh Bba Rjp IN**
- 16978. Tarucus (s.str.) grammicus (Grose-Smith & Kirby,1893)** (Lycaenidae) Synonym(s): *grammicus* Grose-Smith & Kirby,1893; *louisae* Sharpe,1898. Original Reference: *Lycaenesthes grammicus* Grose-Smith & Kirby,1893, [in] Grose-Smith & Kirby,1892-1897, *Rhopalocera exotica*, being illustrations of new, rare and unfigured species of butterflies 2: 102, pl.23 figs.3,4. Syntypes: [Kenya]: Mombasa. Range (in code): **ET KE SO TZ YE**
- 16979. Tarucus (s.str.) grammicus grammicus (Grose-Smith & Kirby,1893)** (Lycaenidae) Synonym(s): *grammicus* Grose-Smith & Kirby,1893; *louisae* Sharpe,1898. Original Reference: *Lycaenesthes grammicus* Grose-Smith & Kirby,1893, [in] Grose-Smith & Kirby,1892-1897, *Rhopalocera exotica*, being illustrations of new, rare and unfigured species of butterflies 2: 102, pl.23 figs.3,4. Syntypes: [Kenya]: Mombasa. Range (in code): **ET KE SO TZ YE**
- 16980. Tarucus (s.str.) hazarus Evans,1932** (Lycaenidae) Synonym(s): *hazarus* Evans,1932 Original Reference: *Tarucus venosus hazara* Evans,1932, Identification Indian Butterflies (2): 215. Syntypes: [Pakistan]: Abbotabad (mile 6 Thundiani Road). Range (in code): **PK Haz Mre Abb**
- 16981. Tarucus (s.str.) hazarus hazarus Evans,1932** (Lycaenidae) Synonym(s): *hazarus* Evans,1932 Original Reference: *Tarucus venosus hazara* Evans,1932, Identification Indian Butterflies (2): 215. Syntypes: [Pakistan]: Abbotabad (mile 6 Thundiani Road). Range (in code): **PK Haz Mre Abb**
- 16982. Tarucus (s.str.) indicus Evans,1932** (Lycaenidae) Synonym(s): *indicus* Evans,1932 Original Reference: *Tarucus theophrastus indica* Evans,1932, Identification Indian Butterflies (2): 216. Syntypes: [Pakistan]: Baluchistan; [India]: Punjab, Kathiawar, Rajputana. Range (in code): **IN Pj PK BI**
- 16983. Tarucus (s.str.) indicus indicus Evans,1932** (Lycaenidae) Synonym(s): *indicus* Evans,1932 Original Reference: *Tarucus theophrastus indica* Evans,1932, Identification Indian Butterflies (2): 216. Syntypes: [Pakistan]: Baluchistan; [India]: Punjab, Kathiawar, Rajputana. Range (in code): **IN Pj PK BI**

- 16984. Tarucus (s.str.) kiki T.Larsen,1976** (Lycaenidae) Synonym(s): *kiki T.Larsen,1976*
Range (in code): **NG**
- 16985. Tarucus (s.str.) kulala Evans,1955** (Lycaenidae) Synonym(s): *kulala Evans,1955*
Range (in code): **KE**
- 16986. Tarucus (s.str.) legrasi Stempffer,1948** (Lycaenidae) Synonym(s): *legrasi Stempffer,1948*
Range (in code): **SN**
- 16987. Tarucus (s.str.) nara (Kollar,[1844])** (Lycaenidae) Synonym(s): *nara Kollar,[1844]*
Original Reference: Lycaena nara Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 421. Type(s): Kaschmir. Range (in code): **Ch PK Pj Cp AF Ng IN SI LK Sd Mus**
- 16988. Tarucus (s.str.) nara nara (Kollar,[1844])** (Lycaenidae) Synonym(s): *nara Kollar,[1844]*
Original Reference: Lycaena nara Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 421. Type(s): Kaschmir. Range (in code): **Ch PK Pj Cp AF Ng IN SI LK Sd Mus**
- 16989. Tarucus (s.str.) quadratus Ogilvie-Grant,1899** (Lycaenidae) Synonym(s): *quadratus Ogilvie-Grant,1899*
Original Reference: Tarucus quadratus Ogilvie-Grant,1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra. Range (in code): **Sk**
- 16990. Tarucus (s.str.) quadratus Ogilvie-Grant,1899** (Lycaenidae) Synonym(s): *quadratus Ogilvie-Grant,1899*
Original Reference: Tarucus quadratus Ogilvie-Grant,1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra. Range (in code): **Sk**
- 16991. Tarucus (s.str.) quadratus quadratus Ogilvie-Grant,1899** (Lycaenidae)
Synonym(s): *quadratus Ogilvie-Grant,1899* Original Reference: Tarucus quadratus Ogilvie-Grant,1899, Bull. Lpool. Mus. 2: 10. Syntypes: Sokotra. Range (in code): **Sk**
- 16992. Tarucus (s.str.) rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea Austaut,1885; mediterraneae Bethune-Baker,1918.* Original Reference: Lycaena theophrastus var. rosacea Austaut,1885, Naturaliste 7 (18): 141. Syntypes: Alderia: entre El-Arricha et le Maroc. Range (in code): **MA DZ EG EH ET IQ Nsr Agh Mg Bgd IR Fa Ke Hz JO KE LB LY MA MR OM QA SA SD SN SO TD TN UG YE BI AF Ng PK** Bionomy: Larva on Zizyphus, Paliurus spina-christi (Tolman,1997).
- 16993. Tarucus (s.str.) rosaceus rosaceus (Austaut,1885)** (Lycaenidae) Synonym(s): *rosacea Austaut,1885; mediterraneae Bethune-Baker,1918.* Original Reference: Lycaena theophrastus var. rosacea Austaut,1885, Naturaliste 7 (18): 141. Syntypes: Alderia: entre El-Arricha et le Maroc. Range (in code): **MA DZ EG EH ET IQ Nsr Agh Mq Bgd IR Fa Ke Hz JO KE LB LY MA MR OM QA SA SD SN SO TD TN UG YE BI AF Ng PK** Bionomy: Larva on Zizyphus, Paliurus spina-christi (Tolman,1997).
- 16994. Tarucus (s.str.) sybaris (Hopffer,1855)** (Lycaenidae) Synonym(s): *sybaris Hopffer,1855*
Range (in code): **ZA Nta Kzu Ptb Ec Tva Lpo Kru Pf Fs Blo Nca NA BW**
- 16995. Tarucus (s.str.) sybaris linearis (Aurivillius,1924)** (Lycaenidae) Synonym(s): *linearis Aurivillius,1924*
Range (in code): **ZA Fs Blo Nca NA BW**
- 16996. Tarucus (s.str.) sybaris sybaris (Hopffer,1855)** (Lycaenidae) Synonym(s): *sybaris Hopffer,1855*
Range (in code): **ZA Nta Kzu Ptb Ec Tva Lpo Kru Pf**
- 16997. Tarucus (s.str.) theophrastus (Fabricius,1793)** (Lycaenidae) Synonym(s): *theophrastus Fabricius,1793; #radiata Oberthür,1910; #micaerulescens Oberthür,1910; #teophrastus Rothschild,1913* Original Reference: Hesperia theophrastus Fabricius,1793, Ent. Syst. 3(1): 281. Type(s): Marocco. Range (in code): **As BF DZ EG EH ES Mu18 ET KE LY MA ML MR NE NG OM SA Bh1 SD Si SN SO TD TN UG YE Cz Alm Mu Mlg Grn Clo Bsk Ktr Agi Cst Gha Sbd Ah Idl Hdd Gtt Omy Onç Ges** Bionomy: Larva on Zizyphus lotus, Z. jujuba, Paliurus spina-christi (Tolman,1997).
- 16998. Tarucus (s.str.) theophrastus theophrastus (Fabricius,1793)** (Lycaenidae)
Synonym(s): *theophrastus Fabricius,1793; #radiata Oberthür,1910; #micaerulescens Oberthür,1910; #teophrastus Rothschild,1913* Original Reference: Hesperia theophrastus Fabricius,1793, Ent. Syst. 3(1): 281. Type(s): Marocco. Range (in code): **As BF DZ Gha Sbd Idl Ah Hdd Gtt Omy Onç EG EH ES Mu18 ET KE LY MA ML MR NE NG OM SA SD Si SN SO TD TN UG YE Cz Alm Mu Mlg Grn Clo Bsk Ktr Agi Cst Ges** Bionomy: Larva on Zizyphus lotus, Z. jujuba, Paliurus spina-christi (Tolman,1997).
- 16999. Tarucus (s.str.) ungemachi Stempffer,1942** (Lycaenidae) Synonym(s): *ungemachi Stempffer,1942*
Range (in code): **ET**
- 17000. Tarucus (s.str.) venosus Moore,1882** (Lycaenidae) Synonym(s): *venosus Moore,1882*
Original Reference: Tarucus venosus Moore,1882, Proc. zool. Soc. Lond. 52: 245-246, pl.12 f.6. Syntypes: [India]: Dharmshala. Range (in code): **IN PK Pj Kgr Kul**

- 17001. *Tarucus (s.str.) venosus venosus* Moore, 1882** (Lycaenidae) Synonym(s): *venosus* Moore, 1882 Original Reference: *Tarucus venosus* Moore, 1882, Proc. zool. Soc. Lond. 52: 245-246, pl. 12 f. 6. Syntypes: [India]: Dharmshala. Range (in code): **IN PK Pj Kgr Kul**
- 17002. *Tarucus (s.str.) waterstradti* Druce, 1895** (Lycaenidae) Synonym(s): *waterstradti* Druce, 1895 Range (in code): **MY PH Mno**
- 17003. *Tarucus (s.str.) waterstradti simillimus* Schröder & Treadaway, 1985** (Lycaenidae) Synonym(s): *simillimus* Schröder & Treadaway, 1985 Range (in code): **PH Mno**
- 17004. *Tarucus (s.str.) waterstradti vileja* (Fruhstorfer, 1918)** (Lycaenidae) Synonym(s): *vileja* Fruhstorfer, 1918 Range (in code): **MY**
- 17005. *Tarucus (s.str.) waterstradti waterstradti* Druce, 1895** (Lycaenidae) Synonym(s): *waterstradti* Druce, 1895
- 17006. *Telipna acraea* (Westwood, [1851])** (Lycaenidae) Synonym(s): *acraea* Westwood, [1851]; *echo* Grose-Smith & Kirby, 1890 Range (in code): **GH SL CI LR**
- 17007. *Telipna acraea acraea* (Westwood, [1851])** (Lycaenidae) Synonym(s): *acraea* Westwood, [1851]; *echo* Grose-Smith & Kirby, 1890 Range (in code): **GH SL CI LR**
- 17008. *Telipna acraea bimacula* (Plötz, 1880)** (Lycaenidae) Synonym(s): *bimacula* Plötz, 1880; *fervida* Grose-Smith & Kirby, 1890 Range (in code): **CM NG**
- 17009. *Telipna acraea conjuncta* Jackson, 1969** (Lycaenidae) Synonym(s): *conjuncta* Jackson, 1969 Range (in code): **NG**
- 17010. *Telipna acraea nigrita* Jackson, 1969** (Lycaenidae) Synonym(s): *nigrita* Jackson, 1969 Range (in code): **ZR**
- 17011. *Telipna acraea zairiensis* Berger, 1981** (Lycaenidae) Synonym(s): *zairiensis* Berger, 1981 Range (in code): **ZR**
- 17012. *Telipna acraeoides* (Grose-Smith & Kirby, 1890)** (Lycaenidae) Synonym(s): *acraeoides* Grose-Smith & Kirby, 1890 Range (in code): **AO**
- 17013. *Telipna albofasciata* Aurivillius, 1910** (Lycaenidae) Synonym(s): *albofasciata* Aurivillius, 1910; *laplumei* Devos, 1917 Range (in code): **GO Bio CM GA CG ZR SD**
- 17014. *Telipna atrinervis* Hulstaert, 1924** (Lycaenidae) Synonym(s): *atrinervis* Hulstaert, 1924; *ja* Bethune-Baker, 1926; *venanigra* Bethune-Baker, 1926 Range (in code): **CM Bit GA NG CG ZR**
- 17015. *Telipna aurivillii* Rebel, 1914** (Lycaenidae) Synonym(s): *aurivillii* Rebel, 1914; *rothioides* Holland, 1920 Range (in code): **ZR CG UG**
- 17016. *Telipna aurivillii aurivillii* Rebel, 1914** (Lycaenidae) Synonym(s): *aurivillii* Rebel, 1914; *rothioides* Holland, 1920 Range (in code): **ZR CG**
- 17017. *Telipna aurivillii jefferyi* Jackson, 1969** (Lycaenidae) Synonym(s): *jefferyi* Jackson, 1969 Range (in code): **UG**
- 17018. *Telipna cameroonensis* Jackson, 1969** (Lycaenidae) Synonym(s): *cameroonensis* Jackson, 1969 Range (in code): **CM NG ZR**
- 17019. *Telipna citrimaculata* Schultze, 1916** (Lycaenidae) Synonym(s): *citrimaculata* Schultze, 1916 Range (in code): **CM ZR UG**
- 17020. *Telipna citrimaculata angustifascia* Joicey & Talbot, 1921** (Lycaenidae) Synonym(s): *angustifascia* Joicey & Talbot, 1921 Range (in code): **ZR**
- 17021. *Telipna citrimaculata citrimaculata* Schultze, 1916** (Lycaenidae) Synonym(s): *citrimaculata* Schultze, 1916 Range (in code): **CM**
- 17022. *Telipna citrimaculata neavei* Bethune-Baker, 1926** (Lycaenidae) Synonym(s): *neavei* Bethune-Baker, 1926 Range (in code): **UG**
- 17023. *Telipna consanguinea* Rebel, 1914** (Lycaenidae) Synonym(s): *consanguinea* Rebel, 1914 Range (in code): **CM GA CG ZR UG**
- 17024. *Telipna consanguinea consanguinea* Rebel, 1914** (Lycaenidae) Synonym(s): *consanguinea* Rebel, 1914 Range (in code): **ZR CM GA CG**
- 17025. *Telipna consanguinea ugandae* Bethune-Baker, 1926** (Lycaenidae) Synonym(s): *ugandae* Bethune-Baker, 1926 Range (in code): **UG**
- 17026. *Telipna erica* Suffert, 1904** (Lycaenidae) Synonym(s): *erica* Suffert, 1904; *nigra* Suffert, 1904 Range (in code): **CM CG ZR**
- 17027. *Telipna exsuperia* Hulstaert, 1924** (Lycaenidae) Synonym(s): *exsuperia* Hulstaert, 1924; *kelle* Jackson, 1969 Range (in code): **CM Bit CG ZR**
- 17028. *Telipna hollandi* Joicey & Talbot, 1921** (Lycaenidae) Synonym(s): *hollandi* Joicey & Talbot, 1921 Range (in code): **ZR CM**

- 17029. *Telipna kayonza* Jackson,1969** (Lycaenidae) **Synonym(s):** *kayonza* Jackson,1969
Range (in code): **UG**
- 17030. *Telipna lotti* Jackson,1969** (Lycaenidae) **Synonym(s):** *lotti* Jackson,1969 _ **Range (in code):** **SD**
- 17031. *Telipna maesseni* Stempffer,1970** (Lycaenidae) **Synonym(s):** *maesseni* Stempffer,1970
Range (in code): **GH**
- 17032. *Telipna medjensis* Holland,1920** (Lycaenidae) **Synonym(s):** *medjensis* Holland,1920
Range (in code): **ZR**
- 17033. *Telipna nyanza* Neave,1904** (Lycaenidae) **Synonym(s):** *nyanza* Neave,1904 _ **Range (in code):** **ZR UG Etb**
- 17034. *Telipna plagiata* Joicey & Talbot,1921** (Lycaenidae) **Synonym(s):** *plagiata* Joicey & Talbot,1921 _ **Range (in code):** **ZR**
- 17035. *Telipna rothi* (Grose-Smith,1898)** (Lycaenidae) **Synonym(s):** *rothi* Grose-Smith,1898
Range (in code): **NG GH GN**
- 17036. *Telipna rufilla* (Grose-Smith,1901)** (Lycaenidae) **Synonym(s):** *rufilla* Grose-Smith,1901
Range (in code): **NG**
- 17037. *Telipna ruspinoide* Schultze,1923** (Lycaenidae) **Synonym(s):** *ruspinoide* Schultze,1923
Range (in code): **NG CM CG ZR**
- 17038. *Telipna ruspinoide* katangae Stempffer,1961** (Lycaenidae) **Synonym(s):** *katangae* Stempffer,1961 _ **Range (in code):** **ZR**
- 17039. *Telipna ruspinoide* ruspinoide Schultze,1923** (Lycaenidae) **Synonym(s):** *ruspinoide* Schultze,1923 _ **Range (in code):** **CM NG CG ZR**
- 17040. *Telipna sanguinea* (Plötz,1880)** (Lycaenidae) **Synonym(s):** *sanguinea* Plötz,1880; *annecke* Dewitz,1886; *bistrigata* Aurivillius,1925; *mariae* Dufrane,1945 _ **Range (in code):** **NG CM ZR AO UG TZ**
- 17041. *Telipna sanguinea* depuncta Talbot,1937** (Lycaenidae) **Synonym(s):** *depuncta* Talbot,1937 _ **Range (in code):** **UG**
- 17042. *Telipna sanguinea* kigoma Kielland,1978** (Lycaenidae) **Synonym(s):** *kigoma* Kielland,1978 _ **Range (in code):** **TZ**
- 17043. *Telipna sanguinea* sanguinea (Plötz,1880)** (Lycaenidae) **Synonym(s):** *sanguinea* Plötz,1880; *annecke* Dewitz,1886; *bistrigata* Aurivillius,1925; *mariae* Dufrane,1945 _ **Range (in code):** **NG CM ZR AO**
- 17044. *Telipna semirufa* (Grose-Smith & Kirby,1889)** (Lycaenidae) **Synonym(s):** *semirufa* Grose-Smith & Kirby,1889 _ **Range (in code):** **SL GH NG**
- 17045. *Telipna sheffieldi* Bethune-Baker,1926** (Lycaenidae) **Synonym(s):** *sheffieldi* Bethune-Baker,1926 _ **Range (in code):** **UG**
- 17046. *Telipna sulpitia* Hulstaert,1924** (Lycaenidae) **Synonym(s):** *sulpitia* Hulstaert,1924
Range (in code): **ZR CM SD**
- 17047. *Telipna transverstigna* Druce,1910** (Lycaenidae) **Synonym(s):** *transverstigna* Druce,1910
Range (in code): **CM Bit CG**
- 17048. *Telipna villiersi* Stempffer,1965** (Lycaenidae) **Synonym(s):** *villiersi* Stempffer,1965
Range (in code): **CG ZR**
- 17049. *Teratoneura isabellae* Dudgeon,1909** (Lycaenidae) **Synonym(s):** *isabellae* Dudgeon,1909
Range (in code): **ZR CG UG SL CM**
- 17050. *Teratoneura isabellae* congoensis Stempffer,1954** (Lycaenidae) **Synonym(s):** *congoensis* Stempffer,1954 _ **Range (in code):** **ZR CG UG**
- 17051. *Teratoneura isabellae* isabellae Dudgeon,1909** (Lycaenidae) **Synonym(s):** *isabellae* Dudgeon,1909 _ **Range (in code):** **SL CM**
- 17052. *Teratozephyrus arisanus* (Wileman,1909)** (Lycaenidae) **Synonym(s):** *arisanus* Wileman,1909 _ **Range (in code):** **TW**
- 17053. *Teratozephyrus arisanus* arisanus (Wileman,1909)** (Lycaenidae) **Synonym(s):** *arisanus* Wileman,1909 _ **Range (in code):** **TW**
- 17054. *Teratozephyrus hecale* (Leech,1893)** (Lycaenidae) **Synonym(s):** *hecale* Leech,1893
Range (in code): **CN Sz TW**
- 17055. *Teratozephyrus hecale* hecale (Leech,1893)** (Lycaenidae) **Synonym(s):** *hecale* Leech,1893 _ **Range (in code):** **CN Sz**
- 17056. *Teratozephyrus hecale* yugaii (Kano,1928)** (Lycaenidae) **Synonym(s):** *yugaii* Kano,1928; *shirakiana* Matsumura,1929; *niitakana* Matsumura,1929 _ **Range (in code):** **TW**

- 17057. Teratozephyrus tsangkie (Oberthür,1886)** (Lycaenidae) Synonym(s): *tsangkie* Oberthür,1886; *doni* Tytler _ Range (in code): CN Ti IN Mpr
- 17058. Teriomima micra (Grose-Smith,1898)** (Lycaenidae) Synonym(s): *micra* Grose-Smith,1898 _ Range (in code): KE TZ Tnga Usa Ani
- 17059. Teriomima parva Hawker-Smith,1933** (Lycaenidae) Synonym(s): *parva* Hawker-Smith,1933 _ Range (in code): KE Mb MZ TZ
- 17060. Teriomima puella Kirby,1887** (Lycaenidae) Synonym(s): *puella* Kirby,1887 _ Range (in code): MZ MW TZ
- 17061. Teriomima puellaris (Trimen,1894)** (Lycaenidae) Synonym(s): *puellaris* Trimen,1894 _ Range (in code): MZ ZW
- 17062. Teriomima subpunctata Kirby,1887** (Lycaenidae) Synonym(s): *subpunctata* Kirby,1887; *delicatula* Kirby,1890 _ Range (in code): KE TZ
- 17063. Teriomima zuluana Van Son,1949** (Lycaenidae) Synonym(s): *zuluana* Van Son,1949 _ Range (in code): ZA Kzu Nta
- 17064. Tetrarhanis diversa (Bethune-Baker,1904)** (Lycaenidae) Synonym(s): *diversa* Bethune-Baker,1904 _ Range (in code): GN SL GA ZR AO SD KE UG
- 17065. Tetrarhanis diversa diversa (Bethune-Baker,1904)** (Lycaenidae) Synonym(s): *diversa* Bethune-Baker,1904 _ Range (in code): GN SL GA ZR AO
- 17066. Tetrarhanis diversa ilala (N.D.Riley,1929)** (Lycaenidae) Synonym(s): *ilala* N.D.Riley,1929 _ Range (in code): SD KE UG
- 17067. Tetrarhanis etoumbi (Stempffer,1964)** (Lycaenidae) Synonym(s): *etoumbi* Stempffer,1964 _ Range (in code): CG GA
- 17068. Tetrarhanis ilma (Hewitson,1873)** (Lycaenidae) Synonym(s): *ilma* Hewitson,1873 _ Range (in code): GN CG ZR AO TZ UG ZR Kvu
- 17069. Tetrarhanis ilma daltoni (Poulton,1929)** (Lycaenidae) Synonym(s): *daltoni* Poulton,1929 _ Range (in code): TZ UG
- 17070. Tetrarhanis ilma ilma (Hewitson,1873)** (Lycaenidae) Synonym(s): *ilma* Hewitson,1873 _ Range (in code): GN CG ZR AO
- 17071. Tetrarhanis ilma lathyi Joicey & Talbot,1921** (Lycaenidae) Synonym(s): *lathyi* Joicey & Talbot,1921 _ Range (in code): ZR Kvu
- 17072. Tetrarhanis ilma ugandae (Stempffer,1964)** (Lycaenidae) Synonym(s): *ugandae* Stempffer,1964 _ Range (in code): KE UG
- 17073. Tetrarhanis laminifer Clench,1965** (Lycaenidae) Synonym(s): *laminifer* Clench,1965 _ Range (in code): LR CM GA GO
- 17074. Tetrarhanis nubifera (Druce,1910)** (Lycaenidae) Synonym(s): *nubifera* Druce,1910 _ Range (in code): NG CG CM Bit
- 17075. Tetrarhanis ogojae (Stempffer,1961)** (Lycaenidae) Synonym(s): *ogojae* Stempffer,1961 _ Range (in code): NG
- 17076. Tetrarhanis onitshae (Stempffer,1962)** (Lycaenidae) Synonym(s): *onitshae* Stempffer,1962 _ Range (in code): NG
- 17077. Tetrarhanis rougeoti (Stempffer,1954)** (Lycaenidae) Synonym(s): *rougeoti* Stempffer,1954 _ Range (in code): ZR GA CG
- 17078. Tetrarhanis schoutedeni (Berger,1954)** (Lycaenidae) Synonym(s): *schoutedeni* Berger,1954; *collitorum* Birket-Smith,1960 _ Range (in code): ZR CM
- 17079. Tetrarhanis simplex (Aurivillius,1895)** (Lycaenidae) Synonym(s): *simplex* Aurivillius,1895 _ Range (in code): CM NG CG
- 17080. Tetrarhanis souanke (Stempffer,1962)** (Lycaenidae) Synonym(s): *souanke* Stempffer,1962 _ Range (in code): CG
- 17081. Tetrarhanis stempfferi (Berger,1954)** (Lycaenidae) Synonym(s): *stempfferi* Berger,1954 _ Range (in code): ZR LR NG CM CG
- 17082. Tetrarhanis stempfferi kigezi (Stempffer,1956)** (Lycaenidae) Synonym(s): *kigezi* Stempffer,1956 _ Range (in code): UG
- 17083. Tetrarhanis stempfferi stempfferi (Berger,1954)** (Lycaenidae) Synonym(s): *stempfferi* Berger,1954 _ Range (in code): ZR LR NG CM CG
- 17084. Tetrarhanis symplocus Clench,1965** (Lycaenidae) Synonym(s): *symplocus* Clench,1965 _ Range (in code): LR SL TG

- 17085. Thaduka multicaudata Moore,[1879]** (Lycaenidae) Synonym(s): *multicaudata* Moore,[1879] Original Reference: Thaduka multicaudata Moore,[1879], Proc. zool. Soc. London 1878: 836, pl.iii fig.7. Type: [Myanmar]: Burma, Tenasserim (BMNH). Range (in code): **MM Tns TH Chy CMa Knc Nna IN Knr**
- 17086. Thaduka multicaudata kanara Evans,1925** (Lycaenidae) Synonym(s): *kanara* Evans,1925 Range (in code): **IN Knr**
- 17087. Thaduka multicaudata multicaudata Moore,[1879]** (Lycaenidae) Synonym(s): *multicaudata* Moore,[1879] Original Reference: Thaduka multicaudata Moore,[1879], Proc. zool. Soc. London 1878: 836, pl.iii fig.7. Type: [Myanmar]: Burma, Tenasserim (BMNH). Range (in code): **MM Tns TH Chy CMa Knc Nna**
- 17088. Thaeides goleta (Hewitson,1877)** (Lycaenidae) Synonym(s): *goleta* Hewitson,1877; *rusticum* Le Crom & K.Johnson,1997 Range (in code): **CO**
- 17089. Thaeides muela (Dyar,1913)** (Lycaenidae) Synonym(s): *muela* Dyar,1913; *dissentanea* Draudt,1919; *putreensis* K.Johnson,1992 Range (in code): **PE CL**
- 17090. Thaeides pyrczi (K.Johnson, Le Crom & Constantino,1997)** (Lycaenidae) Synonym(s): *pyrczi* K.Johnson, Le Crom & Constantino,1997 Range (in code): **VE**
- 17091. Thaeides theia (Hewitson,1870)** (Lycaenidae) Synonym(s): *theia* Hewitson,1870; *aethesa* Hewitson,1874 nec Hew.,1867; *annandon* K.Johnson, Kruse & Kroenlein,1997 Range (in code): **EC**
- 17092. Thaeides xavieri (Le Crom & K.Johnson,1997)** (Lycaenidae) Synonym(s): *xavieri* Le Crom & K.Johnson,1997 Range (in code): **CO**
- 17093. Thamala marciana (Hewitson,[1863])** (Lycaenidae) Synonym(s): *marciana* Hewitson,[1863] Range (in code): **MM Krh TH Tng Rng CMa Nrt Nst Ths Sya MY Lkw VN**
- 17094. Thamala marciana marciana (Hewitson,[1863])** (Lycaenidae) Synonym(s): *marciana* Hewitson,[1863] Range (in code): **TH CMa**
- 17095. Thamala marciana miniata Moore,1878** (Lycaenidae) Synonym(s): *miniata* Moore,1878 Range (in code): **MM Krh TH Nrt VN**
- 17096. Thamala marciana petrella Seitz,1926** (Lycaenidae) Synonym(s): *petrella* Seitz,1926 Range (in code): **MM TH Nrt**
- 17097. Thamala marciana sarupa Corbet,1944** (Lycaenidae) Synonym(s): *sarupa* Corbet,1944 Range (in code): **MY Lkw TH Tng Rng Nst Ths Sya**
- 17098. Thecla betulae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850]. Original Reference: Papilio betulae Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Sweden (Verity,1947)]. Range (in code): **Ao At Bn AT Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GR HU IE IT KG LT LU LV NL NO PL PT RO RU SE SK Sm So Sr TR Cc AZ Kir UA Ui Uk VI YU Cw Dv GG Smt H-W Sur Ssx Ken Om No Kg Mn Sp Tk Kuz Sli Sau Tar Ku T-S Gna Lda Hue Nrr Alv Ct Atu** Bionomy: Larva on Prunus spinosa, Padus avium, P. asiatica, Armeniaca mandshurica, Corylus avellana, Crataegus monogyna (Kumakov & Korshunov, 1979; Dantchenko et al., 1995; Tolman,1997).
- 17099. Thecla betulae betulae (Linnaeus,1758)** (Lycaenidae) Synonym(s): *betulae* Linnaeus,1758; *apelles* De Villers,1789; *spinosae* Gerhard,[1850]. Original Reference: Papilio betulae Linnaeus,1758, Syst. Nat. (Edn.10) 1: 482. Type(s): [Sweden (Verity,1947)]. Range (in code): **Ao At Bn AT Ba BE BG BY CH CN CZ DE DK EE ES FI FR GB GR HU IE IT KG LT LU LV NL NO PL PT RO RU SE SK Sm So Sr TR Cc AZ Kir UA Ui Uk VI YU Cw Dv GG Smt H-W Sur Ssx Ken Om No Kg Mn Sp Tk Kuz Sli T-S Sau Tar Ku Gna Lda Hue Nrr Alv Ct Atu**
- 17100. Thecla betulae crassa Leech,1894** (Lycaenidae) Synonym(s): *crassa* Leech,1894 Range (in code): **CN**
- 17101. Thecla betulina Staudinger,1887** (Lycaenidae) Synonym(s): *betulina* Staudinger,1887 Range (in code): **RU Vv**
- 17102. Thecla betulina betulina Staudinger,1887** (Lycaenidae) Synonym(s): *betulina* Staudinger,1887 Range (in code): **RU Vv**
- 17103. Thecla ziha (Hewitson,1865)** (Lycaenidae) Synonym(s): *ziha* Hewitson,[1865] Original Reference: Dipsas ziha Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 65; 2 (plates): pl.26 figs. 4,5. Range (in code): **IN Kma Haz PK Mre**
- 17104. Thecla ziha ziha (Hewitson,[1865])** (Lycaenidae) Synonym(s): *ziha* Hewitson,[1865] Original Reference: Dipsas ziha Hewitson,[1865], Ill. diurn. Lepid. Lycaenidae 1 (text): 65; 2 (plates): pl.26 figs. 4,5. Range (in code): **IN Kma Haz PK Mre**
- 17105. Theorema dysmenia Draudt,1919** (Lycaenidae) Synonym(s): *dysmenia* Draudt,1919 Range (in code): **CO**

- 17106. Theorema eumenia Hewitson, 1865** (Lycaenidae) Synonym(s): *eumenia* Hewitson, 1865; *titania* Strecker, 1885; *chiriquensis* Niepelt, 1927 Range (in code): **PA CO CR**
- 17107. Theorema sapho (Staudinger, 1888)** (Lycaenidae) Synonym(s): *sapho* Staudinger, 1888; *wernerii* M. Hering, 1925 Range (in code): **CO**
- 17108. Theroniphas alberici (Dufrane, 1945)** (Lycaenidae) Synonym(s): *alberici* Dufrane, 1945 Range (in code): **NG CM GA ZR UG**
- 17109. Theroniphas albocaerula Stempffer, 1956** (Lycaenidae) Synonym(s): *albocaerula* Stempffer, 1956 Range (in code): **UG**
- 17110. Theroniphas bibundana (Grünberg, 1910)** (Lycaenidae) Synonym(s): *bibundana* Grünberg, 1910 Range (in code): **CM**
- 17111. Theroniphas caerulea Stempffer, 1956** (Lycaenidae) Synonym(s): *caerulea* Stempffer, 1956 Range (in code): **UG**
- 17112. Theroniphas distincta (Talbot, 1935)** (Lycaenidae) Synonym(s): *distincta* Talbot, 1935 Range (in code): **UG RW BI TZ ZR Shb ZM**
- 17113. Theroniphas fontainei Stempffer, 1956** (Lycaenidae) Synonym(s): *fontainei* Stempffer, 1956 Range (in code): **ZR GA CG TZ**
- 17114. Theroniphas fumosa Stempffer, 1952** (Lycaenidae) Synonym(s): *fumosa* Stempffer, 1952 Range (in code): **CM NG GA CG ZR**
- 17115. Theroniphas kamitugensis (Dufrane, 1945)** (Lycaenidae) Synonym(s): *kamitugensis* Dufrane, 1945 Range (in code): **ZR Kvu**
- 17116. Theroniphas kigezi Stempffer, 1956** (Lycaenidae) Synonym(s): *kigezi* Stempffer, 1956 Range (in code): **UG**
- 17117. Theroniphas leucocyanea Clench, 1961** (Lycaenidae) Synonym(s): *leucocyanea* Clench, 1961 Range (in code): **CM GA**
- 17118. Theroniphas micylus (Cramer, [1780])** (Lycaenidae) Synonym(s): *micylus* Cramer, [1780] Range (in code): **SL KE ET TZ Tnga Usa Ani MW MZ NG**
- 17119. Theroniphas micylus colorata (Ungemach, 1932)** (Lycaenidae) Synonym(s): *colorata* Ungemach, 1932 Range (in code): **KE ET TZ Tnga Usa Ani MW MZ NG**
- 17120. Theroniphas micylus micylus (Cramer, [1780])** (Lycaenidae) Synonym(s): *micylus* Cramer, [1780] Range (in code): **SL NG**
- 17121. Theroniphas plurilimbata Karsch, 1895** (Lycaenidae) Synonym(s): *plurilimbata* Karsch, 1895; *trypherotha* Bethune-Baker, 1909 Range (in code): **CG UG ZR Kvu RW BI**
- 17122. Theroniphas plurilimbata plurilimbata Karsch, 1895** (Lycaenidae) Synonym(s): *plurilimbata* Karsch, 1895; *trypherotha* Bethune-Baker, 1909 Range (in code): **ZR CG UG**
- 17123. Theroniphas plurilimbata rutshurensis (Joicey & Talbot, 1921)** (Lycaenidae) Synonym(s): *rutshurensis* Joicey & Talbot, 1921 Range (in code): **ZR Kvu UG RW BI**
- 17124. Theroniphas stempfferi Clench, 1961** (Lycaenidae) Synonym(s): *stempfferi* Clench, 1961 Range (in code): **CM**
- 17125. Theroniphas togara (Plötz, 1880)** (Lycaenidae) Synonym(s): *togara* Plötz, 1880 Range (in code): **CF CM GA CG ZR UG**
- 17126. Theroniphas togara bugalla Stempffer & Jackson, 1962** (Lycaenidae) Synonym(s): *bugalla* Stempffer & Jackson, 1962 Range (in code): **UG**
- 17127. Theroniphas togara togara (Plötz, 1880)** (Lycaenidae) Synonym(s): *togara* Plötz, 1880 Range (in code): **CF CM GA CG ZR UG**
- 17128. Thermozephyrus ataxus (Westwood, [1851])** (Lycaenidae) Synonym(s): *ataxus* Westwood, [1851]; *kirishimaensis* Okajima, 1922 Original Reference: *Dipsas ataxus* Westwood, [1851], [in] Doubleday, *Genera diurn. lepid.* (2): pl. 74, fig. 7; *ibid.* (2): 480 [1852]. Type (s): India: Simla. Range (in code): **CN MM IN Ass Nag TW JP**
- 17129. Thermozephyrus ataxus ataxus (Westwood, [1851])** (Lycaenidae) Synonym(s): *ataxus* Westwood, [1851]; *kirishimaensis* Okajima, 1922 Original Reference: *Dipsas ataxus* Westwood, [1851], [in] Doubleday, *Genera diurn. lepid.* (2): pl. 74, fig. 7; *ibid.* (2): 480 [1852]. Type (s): India: Simla. Range (in code): **IN MM**
- 17130. Thermozephyrus ataxus lingi (Okano & Okura, 1969)** (Lycaenidae) Synonym(s): *lingi* Okano & Okura, 1969; *subnivalis* Kawazoe & Wakabayashi, 1969 Range (in code): **TW**
- 17131. Thermozephyrus ataxus zulla (Tytler, 1915)** (Lycaenidae) Synonym(s): *zulla* Tytler, 1915 Range (in code): **CN IN Ass Nag**

- 17132. Thestor basutus (Wallengren,1857)** (Lycaenidae) Synonym(s): *basutus* Wallengren,1857
Range (in code): LS ZA Tva Lpo Gau Nta Kzu
- 17133. Thestor basutus basutus (Wallengren,1857)** (Lycaenidae) Synonym(s): *basutus* Wallengren,1857
Range (in code): ZA Kzu LS
- 17134. Thestor basutus capeneri Dickson,1972** (Lycaenidae) Synonym(s): *capeneri* Dickson,1972
Range (in code): ZA Tva Lpo Gau
- 17135. Thestor brachycerus (Trimen,1883)** (Lycaenidae) Synonym(s): *brachycerus* Trimen,1883
Range (in code): ZA Wca
- 17136. Thestor brachycerus brachycerus (Trimen,1883)** (Lycaenidae) Synonym(s): *brachycerus* Trimen,1883
Range (in code): ZA Wca
- 17137. Thestor braunsi Van Son,1941** (Lycaenidae) Synonym(s): *braunsi* Van Son,1941
Range (in code): ZA Wca
- 17138. Thestor braunsi braunsi Van Son,1941** (Lycaenidae) Synonym(s): *braunsi* Van Son,1941
Range (in code): ZA Wca
- 17139. Thestor camdeboo Dickson & Wykeham,1994** (Lycaenidae) Synonym(s): *camdeboo* Dickson & Wykeham,1994. Original Reference: Thestor camdeboo Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 148-149, pl.117. Holotype ♂: South Africa: Eastern Cape Prov., Camdeboo Mountain, nr Aberdeen, 11 Nov. 1982 (coll. Pringle). Range (in code): ZA Ec
- 17140. Thestor camdeboo camdeboo Dickson & Wykeham,1994** (Lycaenidae) Synonym(s): *camdeboo* Dickson & Wykeham,1994. Original Reference: Thestor camdeboo Dickson & Wykeham,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 148-149, pl.117. Holotype ♂: South Africa: Eastern Cape Prov., Camdeboo Mountain, nr Aberdeen, 11 Nov. 1982 (coll. Pringle). Range (in code): ZA Ec
- 17141. Thestor compassbergae Quickelberge & McMaster,1970** (Lycaenidae) Synonym(s): *compassbergae* Quickelberge & McMaster,1970
Range (in code): ZA Wca
- 17142. Thestor compassbergae compassbergae Quickelberge & McMaster,1970** (Lycaenidae) Synonym(s): *compassbergae* Quickelberge & McMaster,1970
Range (in code): ZA Wca
- 17143. Thestor dicksoni Riley,1954** (Lycaenidae) Synonym(s): *dicksoni* Riley,1954
Range (in code): ZA Wca
- 17144. Thestor dicksoni calviniae Riley,1954** (Lycaenidae) Synonym(s): *calviniae* Riley,1954
Range (in code): ZA Wca
- 17145. Thestor dicksoni dicksoni Riley,1954** (Lycaenidae) Synonym(s): *dicksoni* Riley,1954
Range (in code): ZA Wca
- 17146. Thestor dicksoni warreni Ball,1994** (Lycaenidae) Synonym(s): *warreni* Ball,1994
Original Reference: Thestor dicksoni ssp. warreni Ball,1994, [in] Pringle & Henning,1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143, pl.156. Holotype ♂: South Africa: Western Cape Prov., 10km. west of Graafwater, 100m, 17 Apr.1991 (J.B.Ball leg.) (TMP). Range (in code): ZA Wca
- 17147. Thestor dryburghi Van Son,1966** (Lycaenidae) Synonym(s): *dryburghi* Van Son,1966
Range (in code): ZA Wca
- 17148. Thestor dryburghi dryburghi Van Son,1966** (Lycaenidae) Synonym(s): *dryburghi* Van Son,1966
Range (in code): ZA Wca
- 17149. Thestor dukei Van Son,1951** (Lycaenidae) Synonym(s): *dukei* Van Son,1951
Range (in code): ZA Wca
- 17150. Thestor dukei dukei Van Son,1951** (Lycaenidae) Synonym(s): *dukei* Van Son,1951
Range (in code): ZA Wca
- 17151. Thestor holmesi Van Son,1951** (Lycaenidae) Synonym(s): *holmesi* Van Son,1951
Range (in code): ZA Wca
- 17152. Thestor holmesi holmesi Van Son,1951** (Lycaenidae) Synonym(s): *holmesi* Van Son,1951
Range (in code): ZA Wca
- 17153. Thestor kaplani Dickson & Stephen,1971** (Lycaenidae) Synonym(s): *kaplani* Dickson & Stephen,1971
Range (in code): ZA Wca
- 17154. Thestor kaplani kaplani Dickson & Stephen,1971** (Lycaenidae) Synonym(s): *kaplani* Dickson & Stephen,1971
Range (in code): ZA Wca
- 17155. Thestor malagas Dickson & Wykeham,1994** (Lycaenidae) Synonym(s): *malagas* Dickson & Wykeham,1994
Original Reference: Thestor malagas Dickson & Wykeham,1994, [in]

- Pringle & Henning, 1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143-145, pl.117. Holotype ♂: South Africa: Western Cape Prov., Langebaan, 14 Mar. 1991 (T.Waters leg.) (BMNH). Range (in code): ZA Wca
- 17156. Thestor malagas malagas Dickson & Wykeham, 1994** (Lycaenidae) Synonym(s): *malagas Dickson & Wykeham, 1994* Original Reference: Thestor malagas Dickson & Wykeham, 1994, [in] Pringle & Henning, 1994, Pennington's Butterflies of southern Africa (2nd Edn.): 143-145, pl.117. Holotype ♂: South Africa: Western Cape Prov., Langebaan, 14 Mar. 1991 (T.Waters leg.) (BMNH). Range (in code): ZA Wca
- 17157. Thestor montanus Van Son, 1941** (Lycaenidae) Synonym(s): *montanus Van Son, 1941* Range (in code): ZA Wca
- 17158. Thestor montanus montanus Van Son, 1941** (Lycaenidae) Synonym(s): *montanus Van Son, 1941* Range (in code): ZA Wca
- 17159. Thestor murrayi Swanepoel, 1953** (Lycaenidae) Synonym(s): *murrayi Swanepoel, 1953* Range (in code): ZA Wca
- 17160. Thestor murrayi murrayi Swanepoel, 1953** (Lycaenidae) Synonym(s): *murrayi Swanepoel, 1953* Range (in code): ZA Wca
- 17161. Thestor penningtoni Van Son, 1949** (Lycaenidae) Synonym(s): *penningtoni Van Son, 1949* Range (in code): ZA Wca
- 17162. Thestor penningtoni penningtoni Van Son, 1949** (Lycaenidae) Synonym(s): *penningtoni Van Son, 1949* Range (in code): ZA Wca
- 17163. Thestor petra Pennington, 1962** (Lycaenidae) Synonym(s): *petra Pennington, 1962* Range (in code): ZA Wca
- 17164. Thestor petra petra Pennington, 1962** (Lycaenidae) Synonym(s): *petra Pennington, 1962* Range (in code): ZA Wca
- 17165. Thestor pictus Van Son, 1941** (Lycaenidae) Synonym(s): *pictus Van Son, 1941* Range (in code): ZA Wca
- 17166. Thestor pictus pictus Van Son, 1941** (Lycaenidae) Synonym(s): *pictus Van Son, 1941* Range (in code): ZA Wca
- 17167. Thestor pringlei Dickson, 1976** (Lycaenidae) Synonym(s): *pringlei Dickson, 1976* Range (in code): ZA Wca
- 17168. Thestor pringlei pringlei Dickson, 1976** (Lycaenidae) Synonym(s): *pringlei Dickson, 1976* Range (in code): ZA Wca
- 17169. Thestor protumnus (Linnaeus, 1764)** (Lycaenidae) Synonym(s): *protumnus Linnaeus, 1764* Range (in code): Za Nca Wca
- 17170. Thestor protumnus aridus Van Son, 1941** (Lycaenidae) Synonym(s): *aridus Van Son, 1941* Range (in code): ZA Nca
- 17171. Thestor protumnus mijburghi Dickson & Wykeham, 1994** (Lycaenidae) Synonym(s): *mijburghi Dickson & Wykeham, 1994* Range (in code): ZA
- 17172. Thestor protumnus protumnus (Linnaeus, 1764)** (Lycaenidae) Synonym(s): *protumnus Linnaeus, 1764* Range (in code): ZA Wca
- 17173. Thestor rileyi Pennington, 1956** (Lycaenidae) Synonym(s): *rileyi Pennington, 1956* Range (in code): ZA Wca
- 17174. Thestor rileyi rileyi Pennington, 1956** (Lycaenidae) Synonym(s): *rileyi Pennington, 1956* Range (in code): ZA Wca
- 17175. Thestor rooibergensis A.Heath, 1994** (Lycaenidae) Synonym(s): *rooibergensis A.Heath, 1994* Original Reference: Thestor rooibergensis A.Heath, 1994, [in] Pringle & Henning, 1994, Pennington's Butterflies of southern Africa (2nd Edn.): 146-147, pl.156. Holotype ♂: South Africa: Western Cape Prov., Rooiberg Mountain, 24 Oct. 1990 (A.Heath leg.) (TMP). Range (in code): ZA Wca
- 17176. Thestor rooibergensis rooibergensis A.Heath, 1994** (Lycaenidae) Synonym(s): *rooibergensis A.Heath, 1994* Original Reference: Thestor rooibergensis A.Heath, 1994, [in] Pringle & Henning, 1994, Pennington's Butterflies of southern Africa (2nd Edn.): 146-147, pl.156. Holotype ♂: South Africa: Western Cape Prov., Rooiberg Mountain, 24 Oct. 1990 (A.Heath leg.) (TMP). Range (in code): ZA Wca
- 17177. Thestor rossouwi Dickson, 1971** (Lycaenidae) Synonym(s): *rossouwi Dickson, 1971* Range (in code): ZA Wca

- 17178. Thestor rossouwi rossouwi Dickson,1971** (Lycaenidae) Synonym(s): *rossouwi* Dickson,1971 - Range (in code): ZA Wca
- 17179. Thestor stepheni Swanepeel,1968** (Lycaenidae) Synonym(s): *stepheni* Swanepeel,1968 - Range (in code): ZA Wca
- 17180. Thestor stepheni stepheni Swanepeel,1968** (Lycaenidae) Synonym(s): *stepheni* Swanepeel,1968 - Range (in code): ZA Wca
- 17181. Thestor strutti Van Son,1951** (Lycaenidae) Synonym(s): *strutti* Van Son,1951 - Range (in code): ZA Wca
- 17182. Thestor strutti strutti Van Son,1951** (Lycaenidae) Synonym(s): *strutti* Van Son,1951 - Range (in code): ZA Wca
- 17183. Thestor swanepeeli Pennington,1971** (Lycaenidae) Synonym(s): *swanepeeli* Pennington,1971 - Range (in code): ZA
- 17184. Thestor swanepeeli swanepeeli Pennington,1971** (Lycaenidae) Synonym(s): *swanepeeli* Pennington,1971 - Range (in code): ZA
- 17185. Thestor tempe Pennington,1962** (Lycaenidae) Synonym(s): *tempe* Pennington,1962 - Range (in code): ZA
- 17186. Thestor tempe tempe Pennington,1962** (Lycaenidae) Synonym(s): *tempe* Pennington,1962 - Range (in code): ZA
- 17187. Thestor vansoni Pennington,1962** (Lycaenidae) Synonym(s): *vansoni* Pennington,1962 - Range (in code): ZA Wca
- 17188. Thestor vansoni vansoni Pennington,1962** (Lycaenidae) Synonym(s): *vansoni* Pennington,1962 - Range (in code): ZA Wca
- 17189. Thestor yildizae Koçak,1983** (Lycaenidae) Synonym(s): *obscurus* Van Son,1941 nec Rühl,[1893]; *yildizae* Koçak,1983. Original Reference: Thestor yildizae Koçak,1983, Priamus 3 (1): 39 (nomen novum pro Thestor obscurus Van Son,1941 nec Thestor nogelii var. obscura Rühl,[1893]). Range (in code): ZA Wca
- 17190. Thestor yildizae yildizae Koçak,1983** (Lycaenidae) Synonym(s): *obscurus* Van Son,1941 nec Rühl,[1893]; *yildizae* Koçak,1983. Original Reference: Thestor yildizae Koçak,1983, Priamus 3 (1): 39 (nomen novum pro Thestor obscurus Van Son,1941 nec Thestor nogelii var. obscura Rühl,[1893]). Range (in code): ZA Wca
- 17191. Thrix scopula (Distant,1886)** (Lycaenidae) Synonym(s): *scopula* Distant,1886 - Range (in code): MY
- 17192. Thrix scopula nisibis (De Nicéville,[1895])** (Lycaenidae) Synonym(s): *nisibis* De Nicéville,[1895] - Range (in code): MY
- 17193. Thrix scopula scopula (Distant,1886)** (Lycaenidae) Synonym(s): *scopula* Distant,1886
- 17194. Ticherra acte (Moore,[1858])** (Lycaenidae) Synonym(s): *acte* Moore,[1858] Original Reference: Myrina acte Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 47, nr.77. Range (in code): IN MM TH Chy Uth CMa CDo MY
- 17195. Ticherra acte acte (Moore,[1858])** (Lycaenidae) Synonym(s): *acte* Moore,[1858] Original Reference: Myrina acte Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 47, nr.77. Range (in code): IN MM TH Chy Uth CMa CDo
- 17196. Ticherra acte liviana Fruhstorfer,[1912]** (Lycaenidae) Synonym(s): *liviana* Fruhstorfer,[1912] - Range (in code): MY
- 17197. Tmolus echion** (Lycaenidae) Synonym(s): - Range (in code): US
- 17198. Tomares (nogelii) dobrogensis (Caradja,1895)** (Lycaenidae) Synonym(s): *obscura* Rühl,[1893] Original Reference: Thestor nogelii var. dobrogensis Caradja,1895, Dt. ent. Z., Iris 8: 34. Syntypes: Rumänien: Dobrudscha, Tultscha (Tulcea). Range (in code): TR RO Bionomy: Larva on Astragalus ponticus (Tolman,1997).
- 17199. Tomares (nogelii) dobrogensis dobrogensis (Caradja,1895)** (Lycaenidae) Synonym(s): *dobrogensis* Caradja,1895 Original Reference: Thestor nogelii var. dobrogensis Caradja,1895, Dt. ent. Z., Iris 8: 34. Syntypes: Rumänien: Dobrudscha, Tultscha (Tulcea). Range (in code): RO
- 17200. Tomares (nogelii) dobrogensis monotona (Schwingschuss,1939)** (Lycaenidae) Synonym(s): *monotona* Schwingschuss,1939 Original Reference: Thestor nogelii ssp. monotona Schwingschuss,1939, Ent. Rdsch. 56: 328. Syntypes: [Türkei]: Bolu: 2km nördl. von Bolu (bei einem Friedhof); 7km südl. von Bolu (Umg. der Therme), an Astragalus ponticus (Typen in coll. Schwingschuss). Range (in code): TR

- 17201. Tomares (nogelii) dobrogensis uighurica Koçak, Seven & Kemal,2000** (Lycaenidae) Synonym(s): *uighurica* Koçak, Seven & Kemal,2000; *#pallidior* Koçak, Seven & Kemal,2000. Original Reference: Tomares (nogelii) dobrogensis ssp. uighurica Koçak, Seven & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/67: 14. Holotype ♂: Turkey: Ankara Prov., Ayaş Mts. (in coll. Cesa). Range (in code): **TR**
- 17202. Tomares (nogelii) nesimachus (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893 Original Reference: Thestor nesimachus Oberthür,1893, Etud. Ent. 18: 14,pl.2, fig.30. Syntypes: [Turquie]: [Hatay]: Akbes. Range (in code): **TR SY LB JO IL**
- 17203. Tomares (nogelii) nesimachus nesimachus (Oberthür,1893)** (Lycaenidae) Synonym(s): *nesimachus* Oberthür,1893 Original Reference: Thestor nesimachus Oberthür,1893, Etud. Ent. 18: 14,pl.2, fig.30. Syntypes: [Turquie]: [Hatay]: Akbes. Range (in code): **TR SY LB JO IL**
- 17204. Tomares (nogelii) nogelii (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] Original Reference: Lycaena nogelii Freyer,[1851], Neuere Beitr. Schmett. 6(96): 148-149, Taf.574 figs.1,2. Syntypes ♂♀: [Türkei]: Amasia. Range (in code): **RU Sr TR UA LB SY** Bionomy: Larva on Astragalus ponticus (Tolman,1997).
- 17205. Tomares (nogelii) nogelii aurantiaca (Staudinger,1901)** (Lycaenidae) Synonym(s): *aurantiaca* Staudinger,1901 Original Reference: Thestor nogelii var. aurantiaca Staudinger,1901, Cat. lepid. Palaearct. Faunengeb. 1:72. Syntypes: [Türkei]: Kaisarie, Aintab [=Gaziantep]. Range (in code): **TR LB SY**
- 17206. Tomares (nogelii) nogelii cesa Koçak, Seven & Kemal,2000** (Lycaenidae) Synonym(s): *cesa* Koçak, Seven & Kemal,2000 Original Reference: Tomares (nogelii) nogelii ssp. cesa Koçak, Seven & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/67: 14. Holotype ♂: Turkey: Elazığ Prov., Hazer lake north-eastern banks 1250m (in coll.Cesa). Range (in code): **TR**
- 17207. Tomares (nogelii) nogelii nogelii (Freyer,[1851])** (Lycaenidae) Synonym(s): *#nogelii* Herrich-Schäffer,[1851]; *nogelii* Freyer,[1851]; *nogelii* Herrich-Schäffer,[1852] Original Reference: Lycaena nogelii Freyer,[1851], Neuere Beitr. Schmett. 6(96): 148-149, Taf.574 figs.1,2. Syntypes ♂♀: [Türkei]: Amasia. Range (in code): **TR**
- 17208. Tomares (nogelii) nogelii obscura (Rühl,[1893])** (Lycaenidae) Synonym(s): *obscura* Rühl,[1893] Original Reference: Thestor nogelii var. obscura Rühl,[1893], Palaearkt. Grossschmett. Naturg. 1 (4): 199. Syntypes: Russisch-Armenien (in coll.Rühl) (?MZSF). Range (in code): **TR**
- 17209. Tomares (nogelii) nogelii ssp.** (Lycaenidae) Synonym(s): Range (in code): **TR**
- 17210. Tomares ballus (Fabricius,1787)** (Lycaenidae) Synonym(s): *ballus* Fabricius,1787 Original Reference: Papilio ballus Fabricius,1787, Mant. Ins. 2: 80, nr. 719. Type(s): Hispania. Range (in code): **ES Mu FR PT MA Rbt Agd DZ Masc Ktr Ges Agi Lbs Cst Phv LY Cy TN EG F66 F83 Fo6 F13 Cy** Bionomy: Larva on Medicago littoralis, M. truncatula, M. lupulina, M. truncatula, Dorycnium hirsutum, Lotus hispidus, Anthyllis tetraphylla (Tolman,1997).
- 17211. Tomares ballus ballus (Fabricius,1787)** (Lycaenidae) Synonym(s): *ballus* Fabricius,1787 Original Reference: Papilio ballus Fabricius,1787, Mant. Ins. 2: 80, nr. 719. Type(s): Hispania. Range (in code): **ES FR PT MA Agd DZ Masc Ktr Ges Agi Lbs Cst Phv EG F66 F83 Fo6 F13 Cy** Bionomy: Larva on Medicago littoralis, M. truncatula, M. lupulina, M. truncatula, Dorycnium hirsutum, Lotus hispidus, Anthyllis tetraphylla (Tolman,1997).
- 17212. Tomares ballus cyrenaicus Turati,1924** (Lycaenidae) Synonym(s): *cyrenaicus* Turati,1924 Range (in code): **LY Cy TN**
- 17213. Tomares callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848; *epiphania* Boisduval,1848; *#dentata* Staudinger,[1892] Original Reference: Lycaena callimachus Eversmann,1848, Bull. Soc. Nat. Moscou 21: 208. Syntypes: Russia: Wolga, Ural; [Azerbaidjan]: "Helenendorf" [Kirovabad]. Range (in code): **Cc AZ Kir TR IQ IR Ab Elb Fa Ao RU Sr Uk Vl Cm Syr Tm Gj Ind KK KG TrA GG Tbl Smt Akh** Bionomy: Larva on Onobrychis radiata (Weidenhoffer & Vanek,1977); Astragalus macropterus (Zhdanko, 1997).
- 17214. Tomares callimachus callimachus (Eversmann,1848)** (Lycaenidae) Synonym(s): *callimachus* Eversmann,1848; *epiphania* Boisduval,1848; *#dentata* Staudinger,[1892] Original Reference: Lycaena callimachus Eversmann,1848, Bull. Soc. Nat. Moscou 21: 208. Syntypes: Russia: Wolga, Ural; [Azerbaidjan]: "Helenendorf" [Kirovabad]. Range (in code): **TR Cc AZ Kir Ao GG Smt Akh Tbl RU Sr Vl Syr Tm Gj Ind IR Elb**

- 17215. Tomares callimachus hafis (Kollar,[1849])** (Lycaenidae) Synonym(s): *hafis Kollar,[1849]* Original Reference: Polyommatus hafis Kollar,[1849], Deksch. Akad. Wiss. Wien 1: 51. Type ♀: [Iran]: Farsistan [=Shiraz]. Range (in code): **IR Fa Km**
- 17216. Tomares callimachus mebep Koçak & Kemal,2005** (Lycaenidae) Synonym(s): *mebep Koçak & Kemal,2005* Original Reference: Tomares desinens ssp. mebep Koçak & Kemal,2005, Priamus 11 (3): 53-54. Holotype ♂: Turkey: Çatak, Narlı meşeliği 1600m 10 5 2003, A.Koçak & M.Kemal leg. (Cesa). Range (in code): **TR IQ**
- 17217. Tomares callimachus tauricus Korb & Yakovlev,1998** (Lycaenidae) Synonym(s): *tauricus Korb & Yakovlev,1998* Range (in code): **Cm RU KK KG TrA**
- 17218. Tomares desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens Nekrutenko & Effendi,1980* Original Reference: Tomares desinens Nekrutenko & Effendi,1980, Nota lepid. 3 (1/2): 69-72, figs.1-8. Holotype ♂: [Azerbaidjan]: Talysch mts. Zuvand: Hili-Dara,1800m. Range (in code): **Cc AZ Zu IR Zj Th Elb**
- 17219. Tomares desinens alborzicus Weidenhoffer & Bozano,2004** (Lycaenidae) Synonym(s): *alborzicus Weidenhoffer & Bozano,2004* Range (in code): **IR Elb Th**
- 17220. Tomares desinens desinens Nekrutenko & Effendi,1980** (Lycaenidae) Synonym(s): *desinens Nekrutenko & Effendi,1980* Original Reference: Tomares desinens Nekrutenko & Effendi,1980, Nota lepid. 3 (1/2): 69-72, figs.1-8. Holotype ♂: [Azerbaidjan]: Talysch mts. Zuvand: Hili-Dara,1800m. Range (in code): **Cc AZ Zu IR Zj**
- 17221. Tomares fedtschenkoi (Erschoff,1874)** (Lycaenidae) Synonym(s): *fedtschenkoi Erschoff,1874* Original Reference: Thestor fedtschenkoi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 8, Taf.1 fig.6. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **T-S KG Aa Smk UZ TJ KK Ax TrA** Bionomy: Larva on Astragalus chlorodontus, A. agameticus (Zhdanko, 1997).
- 17222. Tomares fedtschenkoi alpina (Groum-Grshimailo,1890)** (Lycaenidae) Synonym(s): *alpina Groum-Grshimailo,1890* Original Reference: Thestor fedtschenkoi var. alpina Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 357-358. Syntypes: [Tadjikistan]: Pamir: "Akwai-Polousak, dans le mont Darwaz, 9500ft". Range (in code): **TJ Pm**
- 17223. Tomares fedtschenkoi fedtschenkoi (Erschoff,1874)** (Lycaenidae) Synonym(s): *fedtschenkoi Erschoff,1874* Original Reference: Thestor fedtschenkoi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 8, Taf.1 fig.6. Syntypes: [Uzbekistan]: Samarkand. Range (in code): **KG Aa Smk UZ TJ KK T-S Ax TrA**
- 17224. Tomares mauretanicus (Lucas,1849)** (Lycaenidae) Synonym(s): *mauretanicus Lucas,1849; undulatus Gerhard,1853; #mauritanicus Oberthür,1881; boisduvali Oberthür,1910; maroccanus Zopp,1954; antonius Brevignon,1985* Original Reference: Polyommatus mauretanicus Lucas, 1849, Expl. Alg. Zool. 3: 360, nr.39, pl.1 fig.3. Type(s): Algeria. Range (in code): **MA DZ Sbd Tlm Agi Béj Lbs Ges TN**
- 17225. Tomares mauretanicus amelnorum Tarrier,1998** (Lycaenidae) Synonym(s): *amelnorum Tarrier,1998* Range (in code): **MA**
- 17226. Tomares mauretanicus mauretanicus (Lucas,1849)** (Lycaenidae) Synonym(s): *mauretanicus Lucas,1849; undulatus Gerhard,1853; #mauritanicus Oberthür,1881; boisduvali Oberthür,1910; maroccanus Zopp,1954; antonius Brevignon,1985* Original Reference: Polyommatus mauretanicus Lucas, 1849, Expl. Alg. Zool. 3: 360, nr.39, pl.1 fig.3. Type(s): Algeria. Range (in code): **MA DZ Sbd Tlm Agi Béj Lbs Ges TN**
- 17227. Tomares romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi Christoph,1882* Original Reference: Thestor romanovi Christoph,1882, Horae Soc. ent. ross. 17 (1/2): 106. Lectotype ♂: [Azerbaidjan]: Nachitschewan: Ordubad (designated by Nekrutenko,1995 [in] Hesselbarth et al., 1995: 506 (ZIMP)). Range (in code): **Cc AZ GG Tbl IR Ab Elb Fa Kp Nv Ord TM TR Arr** Bionomy: Larva on Astragalus finitimus, Onobrychis radiata (Weidenhoffer & Vanek,1977); Astragalus schahrudensis (Zhdanko,1997).
- 17228. Tomares romanovi cachetinus Nekrutenko,1978** (Lycaenidae) Synonym(s): *cachetinus Nekrutenko,1978* Original Reference: Tomares romanovi ssp. cachetinus Nekrutenko,1978, Dokl. Akad. NaukUkrSSR (Ser.B) (1): 87, fig.7; textfigs. 2g,d,v. Holotype ♂: Georgia: East Georgia: Waschlowai Nature reserve, Pantischara (ZISK). Range (in code): **Cc GG Tbl**
- 17229. Tomares romanovi cyprius (Stichel,1911)** (Lycaenidae) Synonym(s): *cyprius Stichel,1911* Original Reference: Thestor romanovi ssp. cyprius Stichel,1911, Z. Wiss. InsektenBiol. 6: 76-77. Syntypes: [Iran]: Persien: Sutanabad, 3000-3500m. Range (in code): **IR Elb Fa Kp TM**

- 17230. Tomares romanovi maculifera (Staudinger,[1892])** (Lycaenidae) Synonym(s): *maculifera* Staudinger,[1892] Original Reference: Thestor romanovi var. maculifera Staudinger,[1892], Dt. ent. Z., Iris 4: 233. Syntypes: [Türkei]: Mardin. Range (in code): **TR**
- 17231. Tomares romanovi romanovi (Christoph,1882)** (Lycaenidae) Synonym(s): *romanovi* Christoph,1882 Original Reference: Thestor romanovi Christoph,1882, Horae Soc. ent. ross. 17 (1/2): 106. Lectotype ♂: [Azerbaidjan]: Nachitschewan: Ordubad (designated by Nekrutenko,1995 [in] Hesselbarth et al., 1995: 506 (ZIMP). Range (in code): **Cc AZ Nv Ord TR Arr**
- 17232. Tomares telemachus Zhdanko,2000** (Lycaenidae) Synonym(s): *telemachus* Zhdanko,2000 Original Reference: Tomares telemachus Zhdanko,2000, [in] Tusov et al., Guide Butts. Russia 2: 121-122, pl. 56 figs. 29-31. Holotype ♂: [Turkmenistan]: Kopet Dag, 70km E of Ashkhabad, Karachaudan, 800m (ZISP). Range (in code): **TM Kp** Bionomy: *Astragalus* sp. ? (Zhdanko,2000).
- 17233. Tomares telemachus telemachus Zhdanko,2000** (Lycaenidae) Synonym(s): *telemachus* Zhdanko,2000 Original Reference: Tomares telemachus Zhdanko,2000, [in] Tusov et al., Guide Butts. Russia 2: 121-122, pl. 56 figs. 29-31. Holotype ♂: [Turkmenistan]: Kopet Dag, 70km E of Ashkhabad, Karachaudan, 800m (ZISP). Range (in code): **TM Kp** Bionomy: *Astragalus* sp. ? (Zhdanko,2000).
- 17234. Tongeia fischeri (Eversmann,1843)** (Lycaenidae) Synonym(s): *fischeri* Eversmann,1843 Original Reference: *Lycaena fischeri* Eversmann,1843, Bull. Soc. nat. Moscou 16(3): 537. Type(s): Russia: Ural. Range (in code): **Am Kts At Bn Ba CN Ir JP KG KP MN RU Sb Sh Sr Ui Uk Ur** Sau Mrk Tar DsA T-S Bionomy: *Orostachis spinosa* (Zhdanko, 1997).
- 17235. Tongeia fischeri fischeri (Eversmann,1843)** (Lycaenidae) Synonym(s): *fischeri* Eversmann,1843 Original Reference: *Lycaena fischeri* Eversmann,1843, Bull. Soc. nat. Moscou 16(3): 537. Type(s): Russia: Ural. Range (in code): **Am Kts At Ba Bn CN Ir JP KG KP MN RU Sb Sh Sr Ui Uk Ur** Sau Mrk Tar DsA T-S
- 17236. Tongeia potanini (Alpheraky,1889)** (Lycaenidae) Synonym(s): *potanini* Alpheraky,1889 Range (in code): **MM TH Sat Yal CMa CDo Knc Loe Rat MY Lkw Prk**
- 17237. Tongeia potanini glycon (Corbet,1940)** (Lycaenidae) Synonym(s): *glycon* Corbet,1940 Range (in code): **MY Lkw Prk TH Sat Yal**
- 17238. Tongeia potanini potanini (Alpheraky,1889)** (Lycaenidae) Synonym(s): *potanini* Alpheraky,1889
- 17239. Tongeia potanini umbriel (Doherty,1889)** (Lycaenidae) Synonym(s): *umbriel* Doherty,1889 Range (in code): **MM TH CMa CDo Knc Loe Rat**
- 17240. Toxochitona ankole Stempffer,1967** (Lycaenidae) Synonym(s): *ankole* Stempffer,1967
- 17241. Toxochitona gerda (Kirby,1890)** (Lycaenidae) Synonym(s): *gerda* Kirby,1890
- 17242. Toxochitona sankuru Stempffer,1961** (Lycaenidae) Synonym(s): *sankuru* Stempffer,1961
- 17243. Toxochitona vansomeri (Stempffer,1954)** (Lycaenidae) Synonym(s): *vansomeri* Stempffer,1954
- 17244. Triclema africana Bethune-Baker,1926** (Lycaenidae) Synonym(s): *africana* Bethune-Baker,1926
- 17245. Triclema coerulea (Aurivillius,1895)** (Lycaenidae) Synonym(s): *coerulea* Aurivillius,1895
- 17246. Triclema fasciatus (Aurivillius,1895)** (Lycaenidae) Synonym(s): *fasciatus* Aurivillius,1895
- 17247. Triclema hades Bethune-Baker,1910** (Lycaenidae) Synonym(s): *hades* Bethune-Baker,1910
- 17248. Triclema inconspicua Druce,1910** (Lycaenidae) Synonym(s): *inconspicua* Druce,1910
- 17249. Triclema inferna Bethune-Baker,1926** (Lycaenidae) Synonym(s): *inferna* Bethune-Baker,1926
- 17250. Triclema kamilila Bethune-Baker,1910** (Lycaenidae) Synonym(s): *kamilila* Bethune-Baker,1910
- 17251. Triclema kimboza Kielland,1990** (Lycaenidae) Synonym(s): *kimboza* Kielland,1990
- 17252. Triclema lacides (Hewitson,1874)** (Lycaenidae) Synonym(s): *lacides* Hewitson,1874
- 17253. Triclema lamias (Hewitson,1878)** (Lycaenidae) Synonym(s): *lamias* Hewitson,1878
- 17254. Triclema lamias kateriae D'Abrera,1980** (Lycaenidae) Synonym(s): *kateriae* D'Abrera,1980
- 17255. Triclema lamias lamias (Hewitson,1878)** (Lycaenidae) Synonym(s): *lamias* Hewitson,1878
- 17256. Triclema lucretilis (Hewitson,1874)** (Lycaenidae) Synonym(s): *lucretilis* Hewitson,1874
- 17257. Triclema lucretilis albipicta Talbot,1935** (Lycaenidae) Synonym(s): *albipicta* Talbot,1935

- 17258. *Triclema lucretilis lucretilis* (Hewitson,1874)** (Lycaenidae) **Synonym(s):** *lucretilis Hewitson,1874*
- 17259. *Triclema lutzi* Holland,1920** (Lycaenidae) **Synonym(s):** *lutzi Holland,1920*
- 17260. *Triclema maesseni* (Stempffer,1957)** (Lycaenidae) **Synonym(s):** *maesseni Stempffer,1957*
- 17261. *Triclema marshalli* (Bethune-Baker,1903)** (Lycaenidae) **Synonym(s):** *marshalli Bethune-Baker,1903*
- 17262. *Triclema nigeriae* (Aurivillius,1905)** (Lycaenidae) **Synonym(s):** *nigeriae Aurivillius,1905*
- 17263. *Triclema obscura* Druce,1910** (Lycaenidae) **Synonym(s):** *obscura Druce,1910*
- 17264. *Triclema oculatus* (Grose-Smith & Kirby,1893)** (Lycaenidae) **Synonym(s):** *oculatus Grose-Smith & Kirby,1893*
- 17265. *Triclema phoenicis* Karsch,1893** (Lycaenidae) **Synonym(s):** *phoenicis Karsch,1893*
- 17266. *Triclema rufoplagata* Bethune-Baker,1910** (Lycaenidae) **Synonym(s):** *rufoplagata Bethune-Baker,1910*
- 17267. *Triclema tisamenus* (Holland,1891)** (Lycaenidae) **Synonym(s):** *tisamenus Holland,1891*
- 17268. *Trimenia argyroplaga* (Dickson,1967)** (Lycaenidae) **Synonym(s):** *argyroplaga Dickson,1967* - Range (in code): **ZA Ec Grh Wca**
- 17269. *Trimenia macmasteri* Dickson,1968** (Lycaenidae) **Synonym(s):** *macmasteri Dickson,1968* Range (in code): **ZA Ec**
- 17270. *Trimenia macmasteri macmasteri* Dickson,1968** (Lycaenidae) **Synonym(s):** *macmasteri Dickson,1968* - Range (in code): **ZA Ec**
- 17271. *Trimenia macmasteri mijiburghi* Dickson,1980** (Lycaenidae) **Synonym(s):** *mijiburghi Dickson,1980* - Range (in code): **ZA Wca**
- 17272. *Trimenia malagrida* (Wallengren,1857)** (Lycaenidae) **Synonym(s):** *malagrida Wallengren,1857; aglaspis Trimen,1862* - Range (in code): **ZA Wca** Bionomy: Larva on *Aspalanthus* (Fabaceae); *Trichogyne* (Asteraceae) (Ackery et al.,1995).
- 17273. *Trimenia malagrida cedrusmontana* Dickson & Stephen,1975** (Lycaenidae) **Synonym(s):** *cedrusmontana Dickson & Stephen,1975* - Range (in code): **ZA Wca Cdb**
- 17274. *Trimenia malagrida malagrida* (Wallengren,1857)** (Lycaenidae) **Synonym(s):** *malagrida Wallengren,1857; aglaspis Trimen,1862* - Range (in code): **ZA Wca**
- 17275. *Trimenia malagrida paarlensis* (Dickson,1967)** (Lycaenidae) **Synonym(s):** *paarlensis Dickson,1967* - Range (in code): **ZA Wca**
- 17276. *Trimenia wallengreni* (Trimen,1887)** (Lycaenidae) **Synonym(s):** *wallengreni Trimen,1887* Range (in code): **ZA Ec Grh** Bionomy: Larva on *Senecio* (Asteraceae) (Ackery et al.,1995).
- 17277. *Trimenia wykehami* (Dickson,1969)** (Lycaenidae) **Synonym(s):** *wykehami Dickson,1969* Range (in code): **ZA Wca**
- 17278. *Tumerepedes flava* Bethune-Baker,1913** (Lycaenidae) **Synonym(s):** *flava Bethune-Baker,1913*
- 17279. *Turanana anisophtalma* (Kollar,[1849])** (Lycaenidae) **Synonym(s):** *anisophtalma Kollar,[1849]* Original Reference: *Lycaena anisophtalma* Kollar,[1849], *Dekschr. Akad. Wiss. Wien* 1: 51-52. Type ♀: [Iran]: Farsistan [=Shiraz]. Range (in code): **AF Hr IR Fa Elb Th**
- 17280. *Turanana anisophtalma anisophtalma* (Kollar,[1849])** (Lycaenidae) **Synonym(s):** *anisophtalma Kollar,[1849]* Original Reference: *Lycaena anisophtalma* Kollar,[1849], *Dekschr. Akad. Wiss. Wien* 1: 51-52. Type ♀: [Iran]: Farsistan [=Shiraz]. Range (in code): **AF Hr IR Fa Elb Th**
- 17281. *Turanana chitrali* Charmeux & Pagès,2004** (Lycaenidae) **Synonym(s):** *chitrali Charmeux & Pagès,2004* - Range (in code): **PK Ci Nwf**
- 17282. *Turanana cytis* (Christoph,1877)** (Lycaenidae) **Synonym(s):** *cytis Christoph,1876* Original Reference: *Lycaena cytis* Christoph,1877, *Horae Soc. ent. ross.* 12: 234-235, pl.5 figs.5,6. Syntypes: [Iran]: Schahkuh. Range (in code): **IR Ak Sah Elb Fa TM TR UZ**
- 17283. *Turanana cytis cytis* (Christoph,1877)** (Lycaenidae) **Synonym(s):** *cytis Christoph,1876* Original Reference: *Lycaena cytis* Christoph,1877, *Horae Soc. ent. ross.* 12: 234-235, pl.5 figs.5,6. Syntypes: [Iran]: Schahkuh. Range (in code): **IR Ak Sah Elb Fa**
- 17284. *Turanana cytis kurdistan* Eckweiler,1984** (Lycaenidae) **Synonym(s):** *kurdistan Eckweiler,1984* Original Reference: *Turanana cytis* ssp. *kurdistan* Eckweiler,1984, *Nachr. ent. Ver. Apollo(N.F.)* 5(2/3):66-67, figs.2,3. Holotype ♂: Türki: Hakkari: Cilo-dağlari, Supadurek 2700-3100m, leg.Görgner (coll.Eckweiler). Range (in code): **TR IR**
- 17285. *Turanana cytis tuzovi* Tschikolovetz** (Lycaenidae) **Synonym(s):** *tuzovi Tschikolovetz*

- 17286. *Turanana dushak* Dubatolov, 1989** (Lycaenidae) Synonym(s): *dushak* Dubatolov, 1989
Original Reference: Turanana dushak Dubatolov, 1989, Proc. zool. Inst. USSR 200: 136-137, fig. 1.
Holotype ♂: Turkmenia: Kopet Dag. Range (in code): **Kp TM IR Kh** Bionomy: Larva on Acantholimon pulchellum (Plumbaginaceae) (Zhdanko, 1997).
- 17287. *Turanana dushak dushak* Dubatolov, 1989** (Lycaenidae) Synonym(s): *dushak* Dubatolov, 1989
Original Reference: Turanana dushak Dubatolov, 1989, Proc. zool. Inst. USSR 200: 136-137, fig. 1. Holotype ♂: Turkmenia: Kopet Dag. Range (in code): **Kp TM IR Kh**
- 17288. *Turanana endymion* (Freyer, [1850])** (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]; #*panagaea* Herrich-Schäffer, [1851]; *endymion* Gerhard, [1851]; *panagaea* Herrich-Schäffer, [1852] Original Reference: Lycaena endymion Freyer, [1850], Neuere Beitr. 6: 145, Taf. 572 figs. 2, 3. Syntypes: Türkei: Amasia; Neotype ♂: Turkey: [Samsun Prov.: Ladik]: "Amasia, 10km SW Ladik (900m)" designated by Coutsis (2005, Nota lepid. 27: 251-272). Range (in code): **Cc GG IL Pa He IR LB TR IQ Zj Ab Ak Elb Kp Se Ha TM Ke** Bionomy: Larva on Acantholimon adrosaceum (Plumbaginaceae) (Tolman, 1997).
- 17289. *Turanana endymion ahasveros* (Bytinski-Salz & Brandt, 1937)** (Lycaenidae) Synonym(s): *ahasveros* Bytinski-Salz & Brandt, 1937; # *ahasveri* Eckweiler & Hofmann, 1980 Original Reference: Lycaena (Glaucopsyche) panagaea ssp. ahasveros Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: (2). Cotypes [Syntypes] ♂♀: Iran: Keredj, 1700m (in coll. Bytinski-Salz & Brandt). Range (in code): **IR Zj Elb Ab Ak Se Ha Kp TM Ke**
- 17290. *Turanana endymion endymion* (Freyer, [1850])** (Lycaenidae) Synonym(s): *endymion* Freyer, [1850]; #*panagaea* Herrich-Schäffer, [1851]; *endymion* Gerhard, [1851]; *panagaea* Herrich-Schäffer, [1852] Original Reference: Lycaena endymion Freyer, [1850], Neuere Beitr. 6: 145, Taf. 572 figs. 2, 3. Syntypes: Türkei: Amasia; Neotype ♂: Turkey: [Samsun Prov.: Ladik]: "Amasia, 10km SW Ladik (900m)" designated by Coutsis (2005, Nota lepid. 27: 251-272). Range (in code): **He IL Pa LB TR Cc IQ**
- 17291. *Turanana grumi* (Forster, 1937)** (Lycaenidae) Synonym(s): *grumi* Forster, 1937; *kotzschiorum* Tshikolovets, 1996. Original Reference: Glaucopsyche grumi Forster, 1937, Mitt. münch. ent. Ges. 27: 58-59 (nom. nov. pro alaica Groum-Grshimailo nec Staudinger). Lectotype ♂: Afghanistan: Nuksan Pass, figured by Forster (1937, Taf. 4 fig. 30), designated by Zhdanko, 1997, Zoosyst. Ross. 5(2): 312. Range (in code): **AF Bd Hk**
- 17292. *Turanana grumi grumi* (Forster, 1937)** (Lycaenidae) Synonym(s): *grumi* Forster, 1937; *kotzschiorum* Tshikolovets, 1996. Original Reference: Glaucopsyche grumi Forster, 1937, Mitt. münch. ent. Ges. 27: 58-59 (nom. nov. pro alaica Groum-Grshimailo nec Staudinger). Lectotype ♂: Afghanistan: Nuksan Pass, figured by Forster (1937, Taf. 4 fig. 30), designated by Zhdanko, 1997, Zoosyst. Ross. 5(2): 312. Range (in code): **AF Bd Hk**
- 17293. *Turanana jurileontyi* Shchetkin, 1986** (Lycaenidae) Synonym(s): *jurileontyi* Shchetkin, 1986 Original Reference: Turanana jurileontyi Shchetkin, 1986, Senckenberg. biol. 66: 251-254, figs. Range (in code): **TJ**
- 17294. *Turanana jurileontyi jurileontyi* Shchetkin, 1986** (Lycaenidae) Synonym(s): *jurileontyi* Shchetkin, 1986 Original Reference: Turanana jurileontyi Shchetkin, 1986, Senckenberg. biol. 66: 251-254, figs. Range (in code): **TJ**
- 17295. *Turanana kugitangi* Zhdanko, 1984** (Lycaenidae) Synonym(s): *kugitangi* Zhdanko, 1984 Original Reference: Trudy zool. Inst. Leningr. 122: 104-105. Holotype ♂: Turkmenistan: East Turkmenia, Kugitangtai. Range (in code): **TM** Bionomy: Larva on Acantholimon erythraeum ? (Plumbaginaceae) (Zhdanko, 1997).
- 17296. *Turanana kugitangi kugitangi* Zhdanko, 1984** (Lycaenidae) Synonym(s): *kugitangi* Zhdanko, 1984 Original Reference: Trudy zool. Inst. Leningr. 122: 104-105. Holotype ♂: Turkmenistan: East Turkmenia, Kugitangtai. Range (in code): **TM**
- 17297. *Turanana laspura* (Evans, 1932)** (Lycaenidae) Synonym(s): *laspura* Evans, 1932 Original Reference: Polyommatus cytis laspura Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Chitral. Range (in code): **AF KK PK Ci Nwf TJ UZ**
- 17298. *Turanana laspura laspura* (Evans, 1932)** (Lycaenidae) Synonym(s): *laspura* Evans, 1932 Original Reference: Polyommatus cytis laspura Evans, 1932, Identification of Indian Butterflies (2): 227. Syntypes: [Pakistan]: Chitral. Range (in code): **AF KK PK Ci Nwf TJ UZ**
- 17299. *Turanana mizildigara* Tshikolovets, 1997** (Lycaenidae) Synonym(s): *mizildigara* Tshikolovets, 1997 Original Reference: Turanana mizildigara Tshikolovets, 1997, Phegea 25(3):

- 117-121, figs. Holotype ♂: Tadjikistan: Gorno-Badakhshanskaya, Ishkashimskiy Mts. river Sangdzhegar, mazar Mizildigar, 3600m. Range (in code): TJ
- 17300. *Turanana mizildigara mizildigara Tshikolovets,1997*** (Lycaenidae) Synonym(s): *mizildigara Tshikolovets,1997* Original Reference: *Turanana mizildigara Tshikolovets,1997*, *Phegea* 25(3): 117-121, figs. Holotype ♂: Tadjikistan: Gorno-Badakhshanskaya, Ishkashimskiy Mts. river Sangdzhegar, mazar Mizildigar, 3600m. Range (in code): TJ
- 17301. *Turanana panaegides (Staudinger,1886)*** (Lycaenidae) Synonym(s): *panaegides Staudinger,1886* Original Reference: *Lycaena panaegides Staudinger,1886*, *Stettin ent. Ztg.* 47: 206-207. Syntypes: [Usbekistan]: Samarkand. Range (in code): T-S Tkl Smk UZ Tls Syr Tm KG Bionomy: Larva on *Acantholimon laxum*, *A. alatavicum* (Plumbaginaceae) (Zhdanko, 1997).
- 17302. *Turanana panaegides alaica (Staudinger,1886)*** (Lycaenidae) Synonym(s): *alaica Staudinger,1886* Original Reference: *Lycaena panaegides var. alaica Staudinger,1886*, *Stettin ent. Ztg.* 47: 206-207. Syntypes: [Usbekistan]: Margelan. Range (in code): UZ
- 17303. *Turanana panaegides panaegides (Staudinger,1886)*** (Lycaenidae) Synonym(s): *panaegides Staudinger,1886* Original Reference: *Lycaena panaegides Staudinger,1886*, *Stettin ent. Ztg.* 47: 206-207. Syntypes: [Usbekistan]: Samarkand. Range (in code): Smk UZ
- 17304. *Turanana panagaeides tshatkalica Stshetkin,1984*** (Lycaenidae) Synonym(s): *tshatkalica Stshetkin,1984* Original Reference: *Turanana panagaeides ssp. tshatkalica Stshetkin,1984*, *Dokl. Akad. Nauk Tadzhik SSR* 27 (5): 291. Holotype : Tshimgan im Tschatkal-Gebirge. Range (in code): Tkl UZ T-S Tls KG Syr Tm
- 17305. *Turanana taygetica (Rebel,1902)*** (Lycaenidae) Synonym(s): *taygetica Rebel,1902* Original Reference: *Lycaena panagaea var. taygetica Rebel,1902*, *Berl. ent. Z.* 47: 90. Syntypes 1♂ 2♀: Greece: Taygetos, 2100m. Lectotype ♂, designated by Coutsis (2005). Range (in code): GR TR
- 17306. *Turanana taygetica endymioides Coutsis,2005*** (Lycaenidae) Synonym(s): *endymioides Coutsis,2005* Range (in code): GR
- 17307. *Turanana taygetica micrasiatica Coutsis,2006*** (Lycaenidae) Synonym(s): *micrasiatica Coutsis,2006* Range (in code): TR
- 17308. *Turanana taygetica taygetica (Rebel,1902)*** (Lycaenidae) Synonym(s): *taygetica Rebel,1902* Original Reference: *Lycaena panagaea var. taygetica Rebel,1902*, *Berl. ent. Z.* 47: 90. Syntypes 1♂ 2♀: Greece: Taygetos, 2100m. Lectotype ♂, designated by Coutsis (2005). Range (in code): GR
- 17309. *Tuxentius calice (Hopffer,1855)*** (Lycaenidae) Synonym(s): *calice Hopffer,1855* Range (in code): MZ ZR KE TZ AO ZM MW ZW BW ZA Nta Kzu Est Wnn Mpu Brb Tva Lpo Ly Wb Gau Pre
- 17310. *Tuxentius calice calice (Hopffer,1855)*** (Lycaenidae) Synonym(s): *calice Hopffer,1855* Range (in code): MZ ZR TZ AO ZM MW ZW BW ZA Nta Kzu Est Wnn Mpu Brb Tva Lpo Ly Wb Gau Pre
- 17311. *Tuxentius calice gregorii (Butler,1894)*** (Lycaenidae) Synonym(s): *gregorii Butler,1894* Range (in code): TZ KE
- 17312. *Tuxentius carana (Hewitson,1876)*** (Lycaenidae) Synonym(s): *carana Hewitson,1876* Range (in code): CM GA CF ZR AO GH NG
- 17313. *Tuxentius carana carana (Hewitson,1876)*** (Lycaenidae) Synonym(s): *carana Hewitson,1876* Range (in code): CM GA CF ZR AO
- 17314. *Tuxentius carana kontu (Karsch,1893)*** (Lycaenidae) Synonym(s): *kontu Karsch,1893* Range (in code): GH NG
- 17315. *Tuxentius cretosus (Butler,1876)*** (Lycaenidae) Synonym(s): *cretosus Butler,1876* Range (in code): SN ET SO UG KE
- 17316. *Tuxentius cretosus cretosus (Butler,1876)*** (Lycaenidae) Synonym(s): *cretosus Butler,1876* Range (in code): ET
- 17317. *Tuxentius cretosus lactinatus (Butler,1886)*** (Lycaenidae) Synonym(s): *lactinatus Butler,1886* Range (in code): SO
- 17318. *Tuxentius cretosus nodieri (Oberthür,1883)*** (Lycaenidae) Synonym(s): *nodieri Oberthür,1883; anomalogramma Bethune-Baker,1911.* Range (in code): SN
- 17319. *Tuxentius cretosus usemia (Neave,1904)*** (Lycaenidae) Synonym(s): *usemia Neave,1904* Range (in code): KE UG
- 17320. *Tuxentius ertli (Aurivillius,1907)*** (Lycaenidae) Synonym(s): *ertli Aurivillius,1907* Range (in code): MW TZ

- 17321. *Tuxentius ertli ertli* (Aurivillius,1907) (Lycaenidae) Synonym(s): *ertli* Aurivillius,1907**
Range (in code): MW TZ
- 17322. *Tuxentius gabrieli Balint,1999* (Lycaenidae) Synonym(s): *interruptus* Gabriel,1954 *nec* Moore,1883; *gabrieli* Balint,1999; *gabriel* Kemal,1999. **Range (in code): Ad As SA YE****
- 17323. *Tuxentius gabrieli gabrieli Balint,1999* (Lycaenidae) Synonym(s): *interruptus* Gabriel,1954 *nec* Mre,1883; *gabrieli* Balint,1999; *gabriel* Kemal,1999. **Range (in code): Ad As SA YE****
- 17324. *Tuxentius hesperis* (Vari,1976) (Lycaenidae) Synonym(s): *hesperis* Vari,1976 **Range (in code): ZA Nca****
- 17325. *Tuxentius kaffana* (Talbot,1935) (Lycaenidae) Synonym(s): *kaffana* Talbot,1935 **Range (in code): ET****
- 17326. *Tuxentius margaritaceus* (Sharpe,1892) (Lycaenidae) Synonym(s): *margaritaceus* Sharpe,1892 **Range (in code): KE Elg SD ZR UG TZ ZM CM****
- 17327. *Tuxentius melaena* (Trimen,1887) (Lycaenidae) Synonym(s): *melaena* Trimen,1887; *#melas* Aurivillius,1924. **Range (in code): ET KE TZ ZR ZM MW MZ ZW ZA Nca ZA Ec Kwi Ptw Est Kzu Nta Ptb Tva Lpo Spb Lj Mdk Gau Pre Kru Pma Pf Mll Wb Kom Bfk Nel Wri** **Bionomy:** Larva on Acacia (Fabaceae), Zizyphus (Rhamnaceae) (Ackery et al.,1995).**
- 17328. *Tuxentius melaena griqua* (Trimen,1887) (Lycaenidae) Synonym(s): *griqua* Trimen,1887 **Range (in code): ZA Nca****
- 17329. *Tuxentius melaena melaena* (Trimen,1887) (Lycaenidae) Synonym(s): *melaena* Trimen,1887; *#melas* Aurivillius,1924. **Range (in code): ET KE TZ ZR ZM MW MZ ZW ZA Ec Kwi Ptw Est Kzu Nta Ptb Tva Lpo Spb Lj Mdk Gau Pre Kru Pma Pf Mll Wb Kom Bfk Nel Wri****
- 17330. *Tuxentius stempfferi* (Kielland,1976) (Lycaenidae) Synonym(s): *stempfferi* Kielland,1976 **Range (in code): TZ****
- 17331. *Tylopaedia sardonix* (Trimen,1868) (Lycaenidae) Synonym(s): *sardonix* Trimen,1868; *#knobeli* Van Son,1959 **Range (in code): ZA Wca Ec Fs NA BW** **Bionomy:** Larva on Aspalanthus (Fabaceae) (Ackery et al.,1995).**
- 17332. *Tylopaedia sardonix peringueyi* (Dickson,1969) (Lycaenidae) Synonym(s): *peringueyi* Dickson,1969 **Range (in code): ZA Wca Ec****
- 17333. *Tylopaedia sardonix sardonix* (Trimen,1868) (Lycaenidae) Synonym(s): *sardonix* Trimen,1868; *#knobeli* Van Son,1959 **Range (in code): ZA Wca Ec Fs NA BW****
- 17334. *Udara (Penudara) albocaerulea scharffi* (Corbet,1937) (Lycaenidae) Synonym(s): *scharffi* Corbet,1937**
- 17335. *Udara (Penudara) albocaerulea* (Moore,1879) (Lycaenidae) Synonym(s): *albocaeruleus* Moore,1879; *amadis* Fruhstorfer,1910; *sauteri* Fruhstorfer,1917. **Original Reference:** Polyommatus albocaeruleus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal, Deyra Doon. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 153 (BNMH). **Range (in code): NP IN Nag AF Ng ID TW JP CN MM****
- 17336. *Udara (Penudara) albocaerulea albocaerulea* (Moore,1879) (Lycaenidae) Synonym(s): *albocaeruleus* Moore,1879; *amadis* Fruhstorfer,1910; *sauteri* Fruhstorfer,1917. **Original Reference:** Polyommatus albocaeruleus Moore,1879, Proc. zool. Soc. London 1879: 139. Syntypes ♂♀: Nepal, Deyra Doon. Lectotype ♂: India, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 153 (BNMH). **Range (in code): NP IN Nag AF Ng ID TW JP CN MM****
- 17337. *Udara (Penudara) oviana* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *oviana* Fruhstorfer,1917**
- 17338. *Udara (Penudara) oviana oviana* (Fruhstorfer,1917) (Lycaenidae) Synonym(s): *oviana* Fruhstorfer,1917**
- 17339. *Udara (Penudara) tyotaroi* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *tyotaroi* Eliot & Kawazoe,1984**
- 17340. *Udara (Penudara) tyotaroi tyotaroi* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *tyotaroi* Eliot & Kawazoe,1984**
- 17341. *Udara (Perivaga) antonia* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *antonia* Eliot & Kawazoe,1984 **Range (in code): PG****
- 17342. *Udara (Perivaga) antonia antonia* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *antonia* Eliot & Kawazoe,1984 **Range (in code): PG****
- 17343. *Udara (Perivaga) cybele* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *cybele* Eliot & Kawazoe,1984 **Range (in code): ID Ij****
- 17344. *Udara (Perivaga) cybele cybele* Eliot & Kawazoe,1984 (Lycaenidae) Synonym(s): *cybele* Eliot & Kawazoe,1984 **Range (in code): ID Ij****

- 17345. Udara (Perivaga) cybele yukizawai Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *yukizawai* Eliot & Kawazoe,1984 _ Range (in code): ID Ij
- 17346. Udara (Perivaga) laetitia Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *laetitia* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17347. Udara (Perivaga) laetitia laetitia Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *laetitia* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17348. Udara (Perivaga) manokwariensis (Joicey, Noakes & Talbot,1916)** (Lycaenidae)
Synonym(s): *manokwariensis* Joicey, Noakes & Talbot,1916 _ Range (in code): ID Ij PG
- 17349. Udara (Perivaga) manokwariensis albescens Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *albescens* Eliot & Kawazoe,1984 _ Range (in code): ID Ij
- 17350. Udara (Perivaga) manokwariensis leucothelia (Jordan,1930)** (Lycaenidae)
Synonym(s): *leucothelia* Jordan,1930 _ Range (in code): PG
- 17351. Udara (Perivaga) manokwariensis manokwariensis (Joicey, Noakes & Talbot,1916)** (Lycaenidae) Synonym(s): *manokwariensis* Joicey, Noakes & Talbot,1916
- 17352. Udara (Perivaga) meeki (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *meeki* Bethune-Baker,1906
- 17353. Udara (Perivaga) meeki arfaki (Bethune-Baker,1909)** (Lycaenidae) Synonym(s): *arfaki* Bethune-Baker,1909
- 17354. Udara (Perivaga) meeki kunupiensis (Wind & Clench,1947)** (Lycaenidae)
Synonym(s): *kunupiensis* Wind & Clench,1947
- 17355. Udara (Perivaga) meeki meeki (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *meeki* Bethune-Baker,1906
- 17356. Udara (Perivaga) owgarra (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *owgarra* Bethune-Baker,1906
- 17357. Udara (Perivaga) owgarra mima (Joicey & Talbot,1916)** (Lycaenidae) Synonym(s): *mima* Joicey & Talbot,1916
- 17358. Udara (Perivaga) owgarra owgarra (Bethune-Baker,1906)** (Lycaenidae)
Synonym(s): *owgarra* Bethune-Baker,1906
- 17359. Udara (Perivaga) pullus (Joicey & Noakes,1916)** (Lycaenidae) Synonym(s): *pullus* Joicey & Noakes,1916 _ Range (in code): ID Ij
- 17360. Udara (Perivaga) pullus pullus (Joicey & Noakes,1916)** (Lycaenidae) Synonym(s): *pullus* Joicey & Noakes,1916 _ Range (in code): ID Ij
- 17361. Udara (Perivaga) sibatani Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *sibatani* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17362. Udara (Perivaga) sibatani kodama Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *kodama* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17363. Udara (Perivaga) sibatani pallescens Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *pallescens* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17364. Udara (Perivaga) sibatani sibatani Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *sibatani* Eliot & Kawazoe,1984 _ Range (in code): PG
- 17365. Udara (Selmanix) aemulus Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *aemulus* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Apo
- 17366. Udara (Selmanix) aemulus aemulus Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *aemulus* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Apo
- 17367. Udara (Selmanix) ceyx (De Nicéville,1892)** (Lycaenidae) Synonym(s): *ceyx* De Nicéville,1892 _ Range (in code): ID Ja
- 17368. Udara (Selmanix) ceyx ceyx (De Nicéville,1892)** (Lycaenidae) Synonym(s): *ceyx* De Nicéville,1892 _ Range (in code): ID Ja
- 17369. Udara (Selmanix) ceyx nix (Toxopeus,1928)** (Lycaenidae) Synonym(s): *nix* Toxopeus,1928 _ Range (in code): ID Ja
- 17370. Udara (Selmanix) nishiyamai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *nishiyamai* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Apo
- 17371. Udara (Selmanix) nishiyamai nishiyamai Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *nishiyamai* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Apo
- 17372. Udara (Selmanix) santotomasana Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *santotomasana* Eliot & Kawazoe,1984 _ Range (in code): PH Luz Mdo Mno Apo
- 17373. Udara (Selmanix) santotomasana santotomasana Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *santotomasana* Eliot & Kawazoe,1984 _ Range (in code): PH Luz Mdo

- 17374. Udara (Selmanix) santotomasana subpura Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *subpura* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Apo
- 17375. Udara (Selmanix) selma (Druce,1895)** (Lycaenidae) Synonym(s): *selma* Druce,1895
Range (in code): IN Ass MM PH Mdo TH MY Bor Swk ID Sum
- 17376. Udara (Selmanix) selma arsina (Fruhstorfer,1922)** (Lycaenidae) Synonym(s):
arsina Fruhstorfer,1922 _ Range (in code): PH Mdo
- 17377. Udara (Selmanix) selma cerima (Corbet,1937)** (Lycaenidae) Synonym(s): *cerima*
Corbet,1937 _ Range (in code): IN Ass MM TH
- 17378. Udara (Selmanix) selma elothales (Fruhstorfer,1910)** (Lycaenidae) Synonym(s):
elothales Fruhstorfer,1910; *jugurtha* Fruhstorfer,1910 _ Range (in code): ID Sum
- 17379. Udara (Selmanix) selma mindanensis Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *mindanensis* Eliot & Kawazoe,1984 _ Range (in code): PH Mno Neg Pal
- 17380. Udara (Selmanix) selma selma (Druce,1895)** (Lycaenidae) Synonym(s): *selma*
Druce,1895 _ Range (in code): MY Bor Swk
- 17381. Udara (Selmanix) selma tanarata (Corbet,1937)** (Lycaenidae) Synonym(s): *tanarata*
Corbet,1937; *parvula* Corbet,1938. _ Range (in code): MY
- 17382. Udara (Selmanix) wilemani Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s):
wilemani Eliot & Kawazoe,1984 _ Range (in code): PH Luz
- 17383. Udara (Selmanix) wilemani wilemani Eliot & Kawazoe,1984** (Lycaenidae)
Synonym(s): *wilemani* Eliot & Kawazoe,1984 _ Range (in code): PH Luz
- 17384. Udara (Vaga) blackburni (Tuely,1878)** (Lycaenidae) Synonym(s): *blackburni* Tuely,1878
Range (in code): Hw
- 17385. Udara (Vaga) blackburni blackburni (Tuely,1878)** (Lycaenidae) Synonym(s):
blackburni Tuely,1878 _ Range (in code): Hw
- 17386. Udara (Vaga) ogasawaraensis (Pryer,1886)** (Lycaenidae) Synonym(s): *ogasawaraensis*
Pryer,1886 _ Range (in code): JP Bo
- 17387. Udara (s.str.) akasa (Horsfield,1828)** (Lycaenidae) Synonym(s): *akasa* Horsfield,1828;
calon Fruhstorfer,1910.
- 17388. Udara (s.str.) akasa akasa (Horsfield,1828)** (Lycaenidae) Synonym(s): *akasa*
Horsfield,1828; *calon* Fruhstorfer,1910.
- 17389. Udara (s.str.) akasa catullus (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *catullus*
Fruhstorfer,1910
- 17390. Udara (s.str.) akasa mavisa (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *mavisa*
Fruhstorfer,1917
- 17391. Udara (s.str.) akasa sadanobui Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s):
sadanobui Eliot & Kawazoe,1984
- 17392. Udara (s.str.) aristinus (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *aristinus*
Fruhstorfer,1917; *klossi* Corbet,1937.
- 17393. Udara (s.str.) aristinus aristinus (Fruhstorfer,1917)** (Lycaenidae) Synonym(s):
aristinus Fruhstorfer,1917; *klossi* Corbet,1937.
- 17394. Udara (s.str.) aristius (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *aristius*
Fruhstorfer,1910
- 17395. Udara (s.str.) aristius aristius (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *aristius*
Fruhstorfer,1910
- 17396. Udara (s.str.) aristius lewari (Ribbe,1926)** (Lycaenidae) Synonym(s): *lewari* Ribbe,1926
- 17397. Udara (s.str.) camenae (De Nicéville,1895)** (Lycaenidae) Synonym(s): *camenae* De
Nicéville,1895 _ Range (in code): PH Luz Mno Pal
- 17398. Udara (s.str.) camenae camenae (De Nicéville,1895)** (Lycaenidae) Synonym(s):
camenae De Nicéville,1895
- 17399. Udara (s.str.) camenae euphron (Fruhstorfer,1910)** (Lycaenidae) Synonym(s):
euphron Fruhstorfer,1910; *valeria* Fruhstorfer,1910
- 17400. Udara (s.str.) camenae filipina (Murayama & Okamura,1973)** (Lycaenidae)
Synonym(s): *filipina* Murayama & Okamura,1973 _ Range (in code): PH Luz Mno Pal
- 17401. Udara (s.str.) camenae mansuela Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s):
mansuela Eliot & Kawazoe,1984
- 17402. Udara (s.str.) camenae pendleburyi (Corbet,1937)** (Lycaenidae) Synonym(s):
pendleburyi Corbet,1937
- 17403. Udara (s.str.) camenae strophis (Druce,1895)** (Lycaenidae) Synonym(s): *strophis*
Druce,1895

- 17404. Udara (s.str.) cardia (Felder,1860)** (Lycaenidae) Synonym(s): *cardia* *Felder,1860*; *owgarra* *Bethune-Baker,1908*. Range (in code): **ID Mlc Bru Amb PG SB Aru Kai Bgv Eca Adl Bsm Ls Manu Tro**
- 17405. Udara (s.str.) cardia cardia (Felder,1860)** (Lycaenidae) Synonym(s): *cardia* *Felder,1860*; *owgarra* *Bethune-Baker,1908*. Range (in code): **ID Bru Amb PG SB Aru Kai Bgv Eca Adl Bsm Ls Manu Tro**
- 17406. Udara (s.str.) cardia miyashitai Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *miyashitai* *Eliot & Kawazoe,1984* Range (in code): **ID Mlc**
- 17407. Udara (s.str.) coalita (De Nicéville,1891)** (Lycaenidae) Synonym(s): *coalita* *De Nicéville,1891*; *polemonia* *Toxopeus,1928*.
- 17408. Udara (s.str.) coalita briga (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *briga* *Fruhstorfer,1917*; *margarelon* *Fruhstorfer,1922*.
- 17409. Udara (s.str.) coalita coalita (De Nicéville,1891)** (Lycaenidae) Synonym(s): *coalita* *De Nicéville,1891*; *polemonia* *Toxopeus,1928*.
- 17410. Udara (s.str.) cyma (Toxopeus,1927)** (Lycaenidae) Synonym(s): *cyma* *Toxopeus,1927* Range (in code): **PH Pal MM Mrg**
- 17411. Udara (s.str.) cyma cyma (Toxopeus,1927)** (Lycaenidae) Synonym(s): *cyma* *Toxopeus,1927* Range (in code): **MM Mrg**
- 17412. Udara (s.str.) cyma elioti Hayashi,1976** (Lycaenidae) Synonym(s): *elioti* *Hayashi,1976* Range (in code): **PH Pal**
- 17413. Udara (s.str.) dilecta (Moore,1879)** (Lycaenidae) Synonym(s): *dilectus* *Moore,1879*; *hermonthis* *Fruhstorfer,1909*; *hainana* *Fruhstorfer,1910*. Original Reference: *Polyommatus dilectus* *Moore,1879*, *Proc. zool. Soc. London* 1879: 139. Syntypes ♂♀: Nepal; N. Cachar. Lectotype ♂: Nepal, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 85 (BMNH). Range (in code): **AF Ng Nu NP IN CN TW Hnn PK MM TH Cbi CMa Nna Loe Nrt Kao VN MY JP PH**
- 17414. Udara (s.str.) dilecta coalitoides (Rothschild,1915)** (Lycaenidae) Synonym(s): *coalitoides* *Rothschild,1915*
- 17415. Udara (s.str.) dilecta dilecta (Moore,1879)** (Lycaenidae) Synonym(s): *dilectus* *Moore,1879*; *hermonthis* *Fruhstorfer,1909*; *hainana* *Fruhstorfer,1910*. Original Reference: *Polyommatus dilectus* *Moore,1879*, *Proc. zool. Soc. London* 1879: 139. Syntypes ♂♀: Nepal; N. Cachar. Lectotype ♂: Nepal, designated by Eliot & Kawazoe,1983, Blue Butts Lycaenopsis Group: 85 (BMNH). Range (in code): **AF Ng Nu NP IN CN TW Hnn PK MM TH Cbi CMa Nna Loe Nrt Kao VN MY JP PH Mno**
- 17416. Udara (s.str.) dilecta neodilecta (Corbet,1937)** (Lycaenidae) Synonym(s): *neodilecta* *Corbet,1937*
- 17417. Udara (s.str.) dilecta paracatius (Fruhstorfer,1917)** (Lycaenidae) Synonym(s): *paracatius* *Fruhstorfer,1917* Range (in code): **PH Mno**
- 17418. Udara (s.str.) dilecta parva Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *parva* *Eliot & Kawazoe,1984*
- 17419. Udara (s.str.) dilecta subcoalita (Rothschild,1915)** (Lycaenidae) Synonym(s): *subcoalita* *Rothschild,1915*; *cynanae* *Fruhstorfer,1917*; *#paradilecta* *Fruhstorfer,1917*; *lombokensis* *Fruhstorfer,1917*; *paradilecta* *Toxopeus,1927*; *#phoenix* *Toxopeus,1928*.
- 17420. Udara (s.str.) dilecta thoria (Fruhstorfer,1910)** (Lycaenidae) Synonym(s): *thoria* *Fruhstorfer,1910*
- 17421. Udara (s.str.) dilectissima (Druce,1895)** (Lycaenidae) Synonym(s): *dilectissima* *Druce,1895* Range (in code): **PH Luz Mar Mno MY Bor**
- 17422. Udara (s.str.) dilectissima dilectissima (Druce,1895)** (Lycaenidae) Synonym(s): *dilectissima* *Druce,1895* Range (in code): **MY Bor**
- 17423. Udara (s.str.) dilectissima luzona Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *luzona* *Eliot & Kawazoe,1984* Range (in code): **PH Luz Mar Mno**
- 17424. Udara (s.str.) drucei (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *drucei* *Bethune-Baker,1906*; *parvipuncta* *Rothschild,1915*.
- 17425. Udara (s.str.) drucei drucei (Bethune-Baker,1906)** (Lycaenidae) Synonym(s): *drucei* *Bethune-Baker,1906*; *parvipuncta* *Rothschild,1915*.
- 17426. Udara (s.str.) etsuzoi Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *etsuzoi* *Eliot & Kawazoe,1984*
- 17427. Udara (s.str.) etsuzoi etsuzoi Eliot & Kawazoe,1984** (Lycaenidae) Synonym(s): *etsuzoi* *Eliot & Kawazoe,1984*
- 17428. Udara (s.str.) lanka (Moore,1877)** (Lycaenidae) Synonym(s): *lanka* *Moore,1877*
- 17429. Udara (s.str.) lanka lanka (Moore,1877)** (Lycaenidae) Synonym(s): *lanka* *Moore,1877*

- 17430. Udara (s.str.) masinissa (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *masinissa* Fruhstorfer,1910 _ Range (in code): ID Flo Lb
- 17431. Udara (s.str.) masinissa masinissa (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *masinissa* Fruhstorfer,1910 _ Range (in code): ID Flo Lb
- 17432. Udara (s.str.) placidula (Druce,1895)** (Lycaenidae) **Synonym(s):** *placidula* Druce,1895 Range (in code): IN Ass MM Mpr MY LA PH Luz Mno Pal TH CMa ID Sum Clb Bor Flo Tim Bru Mlc Ja Bli Lb
- 17433. Udara (s.str.) placidula calata (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *calata* Fruhstorfer,1910 _ Range (in code): ID Lb Flo Tim
- 17434. Udara (s.str.) placidula confusa Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *confusa* Eliot & Kawazoe,1984 _ Range (in code): ID Bru
- 17435. Udara (s.str.) placidula howarthi (Cantlie & Norman,1960)** (Lycaenidae) **Synonym(s):** *howarthi* Cantlie & Norman,1960 _ Range (in code): IN Ass MM Mpr TH CMa LA
- 17436. Udara (s.str.) placidula intensa (Toxopeus,1928)** (Lycaenidae) **Synonym(s):** *intensa* Toxopeus,1928 _ Range (in code): ID Sum
- 17437. Udara (s.str.) placidula irenae (Corbet,1937)** (Lycaenidae) **Synonym(s):** *irenae* Corbet,1937 _ Range (in code): MY
- 17438. Udara (s.str.) placidula kawazoei Hayashi,1976** (Lycaenidae) **Synonym(s):** *kawazoei* Hayashi,1976 _ Range (in code): PH Luz Mno Pal
- 17439. Udara (s.str.) placidula lyseas (Grose-Smith,1895)** (Lycaenidae) **Synonym(s):** *lyseas* Grose-Smith,1895 _ Range (in code): ID Mlc
- 17440. Udara (s.str.) placidula placidula (Druce,1895)** (Lycaenidae) **Synonym(s):** *placidula* Druce,1895 _ Range (in code): PH Mno Bor Clb ID
- 17441. Udara (s.str.) placidula snelleni (Toxopeus,1926)** (Lycaenidae) **Synonym(s):** *snelleni* Toxopeus,1926 _ Range (in code): ID Ja Bli
- 17442. Udara (s.str.) rona (Grose-Smith,1894)** (Lycaenidae) **Synonym(s):** *rona* Grose-Smith,1894; *beretava* Ribbe,1899; *biagi* Bethune-Baker,1908; *thorinda* Toxopeus,1928.
- 17443. Udara (s.str.) rona catius (Fruhstorfer,1910)** (Lycaenidae) **Synonym(s):** *catius* Fruhstorfer,1910; *astarga* Fruhstorfer,1910; *xanthippe* Corbet,1937.
- 17444. Udara (s.str.) rona rona (Grose-Smith,1894)** (Lycaenidae) **Synonym(s):** *rona* Grose-Smith,1894; *beretava* Ribbe,1899; *biagi* Bethune-Baker,1908; *thorinda* Toxopeus,1928.
- 17445. Udara (s.str.) serangana Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *serangana* Eliot & Kawazoe,1984
- 17446. Udara (s.str.) serangana serangana Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *serangana* Eliot & Kawazoe,1984
- 17447. Udara (s.str.) singalensis (Felder,1868)** (Lycaenidae) **Synonym(s):** *singalensis* Felder,1868 _ Range (in code): LK
- 17448. Udara (s.str.) singalensis singalensis (Felder,1868)** (Lycaenidae) **Synonym(s):** *singalensis* Felder,1868 _ Range (in code): LK
- 17449. Udara (s.str.) tenella (Miskin,1891)** (Lycaenidae) **Synonym(s):** *tenella* Miskin,1891
- 17450. Udara (s.str.) toxopeusi (Corbet,1937)** (Lycaenidae) **Synonym(s):** *toxopeusi* Corbet,1937
- 17451. Udara (s.str.) toxopeusi nieuwenhuisi Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *nieuwenhuisi* Eliot & Kawazoe,1984
- 17452. Udara (s.str.) toxopeusi toxopeusi (Corbet,1937)** (Lycaenidae) **Synonym(s):** *toxopeusi* Corbet,1937
- 17453. Una philippensis Schröder & Treadaway,1986** (Lycaenidae) **Synonym(s):** *philippensis* Schröder & Treadaway,1986 _ Range (in code): PH Mno
- 17454. Una usta (Distant,1886)** (Lycaenidae) **Synonym(s):** *usta* Distant,1886 _ Range (in code): TH CMa Int Nst Rng Yal IN Ass MM MY SG
- 17455. Una usta usta (Distant,1886)** (Lycaenidae) **Synonym(s):** *usta* Distant,1886 _ Range (in code): TH CMa Int Nst Rng Yal IN Ass MM MY SG
- 17456. Uranobothria celebica (Fruhstorfer,1917)** (Lycaenidae) **Synonym(s):** *celebica* Fruhstorfer,1917
- 17457. Uranobothria celebica celebica (Fruhstorfer,1917)** (Lycaenidae) **Synonym(s):** *celebica* Fruhstorfer,1917
- 17458. Uranobothria tsukadai Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *tsukadai* Eliot & Kawazoe,1984
- 17459. Uranobothria tsukadai tsukadai Eliot & Kawazoe,1984** (Lycaenidae) **Synonym(s):** *tsukadai* Eliot & Kawazoe,1984

- 17460. *Uranothauma antinorii* (Oberthür,1883)** (Lycaenidae) Synonym(s): *antinorii* Oberthür,1883 _ Range (in code): ET KE UG ZM MW ZW
- 17461. *Uranothauma antinorii antinorii* (Oberthür,1883)** (Lycaenidae) Synonym(s): *antinorii* Oberthür,1883 _ Range (in code): ET
- 17462. *Uranothauma antinorii felthami* (Stevenson,1934)** (Lycaenidae) Synonym(s): *felthami* Stevenson,1934 _ Range (in code): KE UG ZM MW ZW
- 17463. *Uranothauma artemenes* (Mabille,1880)** (Lycaenidae) Synonym(s): *artemenes* Mabille,1880; *auratus* Butler,1880. _ Range (in code): MG
- 17464. *Uranothauma confusa* Kielland,1989** (Lycaenidae) Synonym(s): *confusa* Kielland,1989 _ Range (in code): TZ MW
- 17465. *Uranothauma cordatus* (Sharpe,1892)** (Lycaenidae) Synonym(s): *cordatus* Sharpe,1892 _ Range (in code): KE UG ZR TZ
- 17466. *Uranothauma crawshayi* Butler,1895** (Lycaenidae) Synonym(s): *crawshayi* Butler,1895; *pseudocrawshayi* Kielland,1980. _ Range (in code): MW TZ
- 17467. *Uranothauma cuneatum* Tite,1958** (Lycaenidae) Synonym(s): *cuneatum* Tite,1958 _ Range (in code): TZ MW UG
- 17468. *Uranothauma delatorum* Heron,1909** (Lycaenidae) Synonym(s): *delatorum* Heron,1909 _ Range (in code): UG ZR KE SD TZ
- 17469. *Uranothauma falkensteini* (Dewitz,1879)** (Lycaenidae) Synonym(s): *falkensteini* Dewitz,1879 _ Range (in code): AO KE Mb TZ Tnga Usa Ani ZM MW Zom
- 17470. *Uranothauma kilimensis* Kielland,1985** (Lycaenidae) Synonym(s): *kilimensis* Kielland,1985 _ Range (in code): TZ
- 17471. *Uranothauma lukwangule* Kielland,1987** (Lycaenidae) Synonym(s): *lukwangule* Kielland,1987 _ Range (in code): TZ
- 17472. *Uranothauma lunifer* (Rebel,1914)** (Lycaenidae) Synonym(s): *lunifer* Rebel,1914 _ Range (in code): ZR UG RW TZ
- 17473. *Uranothauma nguru* Kielland,1985** (Lycaenidae) Synonym(s): *nguru* Kielland,1985 _ Range (in code): TZ
- 17474. *Uranothauma nubifer* (Trimen,1895)** (Lycaenidae) Synonym(s): *nubifer* Trimen,1895; *pelotus* Karsch,1895; *distinctesignatus* Strand,1911. _ Range (in code): ET TZ CM NG ZA Nta Tva Spb Lj Gau Pre Jh Wv Mpu Brb Bionomy: Larva on Acacia, Albizia (Fabaceae) (Ackery et al.,1995).
- 17475. *Uranothauma poggei* (Dewitz,1879)** (Lycaenidae) Synonym(s): *poggei* Dewitz,1879 _ Range (in code): AO UG ZR TZ ZM MW Zom ZW GN LR CI
- 17476. *Uranothauma uganda* Kielland,1980** (Lycaenidae) Synonym(s): *uganda* Kielland,1980 _ Range (in code): TZ MW
- 17477. *Uranothauma usambarae* Kielland,1980** (Lycaenidae) Synonym(s): *usambarae* Kielland,1980 _ Range (in code): TZ Tnga Usa
- 17478. *Uranothauma vansomereni* Stempffer,1951** (Lycaenidae) Synonym(s): *vansomereni* Stempffer,1951 _ Range (in code): KE TZ ZR ZM MW ZW
- 17479. *Uranothauma williamsi* Carcasson,1961** (Lycaenidae) Synonym(s): *williamsi* Carcasson,1961 _ Range (in code): TZ
- 17480. *Ussuriana takarana* Araki & Hirayama,1941** (Lycaenidae) Synonym(s): *takarana* Araki & Hirayama,1941; *psedibara* Mizoguchi & Hiura,1958 _ Range (in code): TW
- 17481. *Vansomerenia rogersi* (Riley,1932)** (Lycaenidae) Synonym(s): *rogersi* Riley,1932 _ Original Reference: Desmolycaena rogersi Riley,1932, Ann. Mag. nat. Hist. 10 (10): 149-150, pl. ix figs. 11-14. Holotype ♂: [Tanzania]: Tanganyika Terr. Kongwa, W. of Dar-es-Salaam (Oxford Univ. Museum). Range (in code): TZ KE
- 17482. *Wagimo signata* (Butler,1882)** (Lycaenidae) Synonym(s): *signata* Butler,1882 _ Range (in code): RU Vv
- 17483. *Wagimo signata signata* (Butler,1882)** (Lycaenidae) Synonym(s): *signata* Butler,1882 _ Range (in code): RU Vv
- 17484. *Wagimo sulgeri* (Oberthür,1908)** (Lycaenidae) Synonym(s): *sulgeri* Oberthür,1908 _ Range (in code): TW CN
- 17485. *Wagimo sulgeri insularis* Shirozu,1957** (Lycaenidae) Synonym(s): *insularis* Shirozu,1957 _ Range (in code): TW
- 17486. *Wagimo sulgeri sulgeri* (Oberthür,1908)** (Lycaenidae) Synonym(s): *sulgeri* Oberthür,1908 _ Range (in code): CN

- 17487. *Yasoda androconifera* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *androconifera* Fruhstorfer,[1912] **_ Range (in code): VN TH Kao**
- 17488. *Yasoda androconifera androconifera* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *androconifera* Fruhstorfer,[1912] **_ Range (in code): VN TH Kao**
- 17489. *Yasoda pita* (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *pita* Horsfield,[1829] **_ Range (in code): MY Lkw TH Kbi Phu Rng Tng**
- 17490. *Yasoda pita dohertyi* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *dohertyi* Fruhstorfer,[1912] **_ Range (in code): MY Lkw TH Kbi Phu Rng Tng**
- 17491. *Yasoda pita pita* (Horsfield,[1829])** (Lycaenidae) **Synonym(s):** *pita* Horsfield,[1829]
- 17492. *Yasoda pitane* De Nicéville,[1893]** (Lycaenidae) **Synonym(s):** *pitane* De Nicéville,[1893] **_ Range (in code): MY**
- 17493. *Yasoda pitane laruta* Eliot,1962** (Lycaenidae) **Synonym(s):** *laruta* Eliot,1962 **_ Range (in code): MY**
- 17494. *Yasoda pitane pitane* De Nicéville,[1893]** (Lycaenidae) **Synonym(s):** *pitane* De Nicéville,[1893]
- 17495. *Yasoda tripunctata* (Hewitson,1863)** (Lycaenidae) **Synonym(s):** *tripunctata* Hewitson,1863 **_ Range (in code): IN MM Krh TH CMa Cbi Nst Lsa VN**
- 17496. *Yasoda tripunctata atrinotata* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *atrinotata* Fruhstorfer,[1912] **_ Range (in code): TH Cbi Nst Lsa VN**
- 17497. *Yasoda tripunctata tripunctata* (Hewitson,1863)** (Lycaenidae) **Synonym(s):** *tripunctata* Hewitson,1863 **_ Range (in code): IN MM Krh TH CMa**
- 17498. *Yettekizia kumukuleensis* (Huang & Murayama,1988)** (Lycaenidae) **Synonym(s):** *kumukuleensis* Huang & Murayama,1988 **_ Range (in code): CN Ui Alt**
- 17499. *Zeltus amasa* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *amasa* Hewitson,[1865] **_ Range (in code): PH Pal Mno MY Lkw TH CMa Cu0 Cu01 Cu12 CDo Cmz Cz11 Nst Sgk Hya Tnc**
- 17500. *Zeltus amasa amasa* (Hewitson,[1865])** (Lycaenidae) **Synonym(s):** *amasa* Hewitson,[1865] **_ Range (in code): TH CMa Cu0 Cu01 Cu12 CDo Cmz Cz11**
- 17501. *Zeltus amasa masaya* Takanami,1984** (Lycaenidae) **Synonym(s):** *masaya* Takanami,1984 **_ Range (in code): PH Mno**
- 17502. *Zeltus amasa maximinianus* Fruhstorfer,[1912]** (Lycaenidae) **Synonym(s):** *maximinianus* Fruhstorfer,[1912] **_ Range (in code): MY Lkw TH Nst Sgk Hya Tnc**
- 17503. *Zeltus amasa miyatakei* Hayashi,1977** (Lycaenidae) **Synonym(s):** *miyatakei* Hayashi,1977 **_ Range (in code): PH Pal**
- 17504. *Zeritis aurivillii* Schultze,1908** (Lycaenidae) **Synonym(s):** *aurivillii* Schultze,1908
- 17505. *Zeritis fontainei* Stempffer,1956** (Lycaenidae) **Synonym(s):** *fontainei* Stempffer,1956
- 17506. *Zeritis krystyna* D'Abrera,1980** (Lycaenidae) **Synonym(s):** *krystyna* D'Abrera,1980
- 17507. *Zeritis neriene* Boisduval,1836** (Lycaenidae) **Synonym(s):** *neriene* Boisduval,1836
- 17508. *Zeritis pulcherrima* Aurivillius,1923** (Lycaenidae) **Synonym(s):** *pulcherrima* Aurivillius,1923
- 17509. *Zeritis sorhagenii* (Dewitz,1879)** (Lycaenidae) **Synonym(s):** *sorhagenii* Dewitz,1879
- 17510. *Zesius chrysomallus* Hübner,[1819]** (Lycaenidae) **Synonym(s):** *chrysomallus* Hübner,[1819] **_ Range (in code): LK IN**
- 17511. *Zinaspa distorta* (De Nicéville,1887)** (Lycaenidae) **Synonym(s):** *distorta* De Nicéville,1887 **_ Range (in code): IN SI**
- 17512. *Zinaspa todara* (Moore,[1884])** (Lycaenidae) **Synonym(s):** *todara* Moore,[1884] **_ Original Reference:** Surendra todara Moore,[1884], Proc. zool. Soc. London 1883 (4): 530. Type: India: Nilgiris. **_ Range (in code): CN Ti IN NI Krh MM MY TH Cbi CMa CDo Phu Uth**
- 17513. *Zinaspa todara karenia* (Evans,[1925])** (Lycaenidae) **Synonym(s):** *karenia* Evans,[1925]; #*karennina* D'Abrera,1986 **_ Range (in code): MM Krh MY TH Cbi CMa CDo Phu Uth**
- 17514. *Zinaspa todara neglecta* South,1913** (Lycaenidae) **Synonym(s):** *neglecta* South,1913 **_ Range (in code): CN Ti**
- 17515. *Zinaspa todara todara* (Moore,[1884])** (Lycaenidae) **Synonym(s):** *todara* Moore,[1884] **_ Original Reference:** Surendra todara Moore,[1884], Proc. zool. Soc. London 1883 (4): 530. Type: India: Nilgiris. **_ Range (in code): IN NI**
- 17516. *Zinaspa zana* De Nicéville,1898** (Lycaenidae) **Synonym(s):** *zana* De Nicéville,1898 **_ Range (in code): CN Ti**
- 17517. *Zintha hintza* (Trimen,1864)** (Lycaenidae) **Synonym(s):** *hintza* Trimen,1864. **_ Original Reference:** *Lycaena hintza* Trimen,1864, Trans. ent. Soc. London (3) 2: 177. Type: South Africa:

- "British Kaffraria". Range (in code): **ZA Nta Kzu Ptb Tva Lpo Spb Mdk Ent Kru Pma Pf K12 Gau Pre TZ KE ZR MW ZM ZW BW NA ET**
- 17518. Zintha hintza hintza (Trimen,1864)** (Lycaenidae) Synonym(s): *hintza* Trimen,1864. Original Reference: *Lycaena hintza* Trimen,1864, Trans. ent. Soc. London (3) 2: 177. Type: South Africa: "British Kaffraria". Range (in code): **ZA Nta Kzu Ptb Tva Lpo Kru Pma Pf K12 Spb Mdk Ent Gau Pre TZ KE ZR MW ZM ZW BW NA**
- 17519. Zintha hintza krooni (Dickson,1973)** (Lycaenidae) Synonym(s): *krooni* Dickson,1973. Original Reference: *Castalius hintza* ssp. *krooni* Dickson,1973, Entomologist's Rec. J. Var. 85: 137, pl.9 figs.1-4. Holotype: Namibia: "Otavi". Range (in code): **NA**
- 17520. Zintha hintza resplendens (Butler,1876)** (Lycaenidae) Synonym(s): *resplendens* Butler,1876 Original Reference: *Castalius resplendens* Butler,1876, Ann. Mag. nat. Hist. (4) 18: 484. Syntypes: [Ethiopia]: "Atbara". Range (in code): **ET**
- 17521. Zizeeria (Pseudozizeeria) maha (Kollar,[1844])** (Lycaenidae) Synonym(s): *maha* Kollar,[1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler. Original Reference: *Lycaena maha* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir. Range (in code): **Ch IN Ass Slo Nag SI NP CN Ti AF Ng Lgh PK Bl Ci Haz Mre Cp MM Krh PH Luz TH CMa Cuo Cuo1 Cuo5 Cuo6 Cuo7 Cu12 Cnz Czo1 Qs Int JP**
- 17522. Zizeeria (Pseudozizeeria) maha maha (Kollar,[1844])** (Lycaenidae) Synonym(s): *maha* Kollar,[1844]; *chandala* Moore; *diluta* Felder; *squalida* Butler. Original Reference: *Lycaena maha* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 422. Type(s): Kaschmir. Range (in code): **Ch IN Ass Slo Nag SI NP CN Ti AF Ng Lgh PK Bl Ci Haz Mre Cp MM Krh TH CMa Cuo Cuo1 Cuo5 Cuo6 Cuo7 Cu12 Cnz Czo1 Qs Int**
- 17523. Zizeeria (Pseudozizeeria) maha okinawana Matsumura,1929** (Lycaenidae) Synonym(s): *okinawana* Matsumura,1929 Range (in code): **PH Luz JP**
- 17524. Zizeeria (s.str.) karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865 Original Reference: *Polyommatus karsandra* Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.7. Type: [India]: NW.India: from Oudh to the Punjab. Range (in code): **AF Ng Jla AU BH Cr CY MA TN DZ Tou Omy Gle ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Haz Mre QA SA Si SY TH Nrt Rat CMa Cnz Cuo Cuo1 Nst Chw MY Lkw TN TR AE VN YE PH Jol Luz Mno Pal** Bionomy: Larva on *Melilotus indica*, *Medicago sativa* (Tolman,1997).
- 17525. Zizeeria (s.str.) karsandra karsandra (Moore,1865)** (Lycaenidae) Synonym(s): *karsandra* Moore,1865 Original Reference: *Polyommatus karsandra* Moore,1865, Proc. zool. Soc. London 35: 505, pl.31, fig.7. Type: [India]: NW.India: from Oudh to the Punjab. Range (in code): **AF Ng Jla AU BH Cr CY MA TN DZ Tou Omy Gle ID IL Pa Hf IN IQ Diw IR Elb Th Fa JO KW LB MM Nf Nj OM PK Ci Cp Haz Mre QA SA Si SY TH Nrt Rat CMa Cnz Cuo Cuo1 Nst Chw MY Lkw TN TR AE VN YE PH Jol Luz Mno Pal**
- 17526. Zizeeria (s.str.) knysna (Trimen,1862)** (Lycaenidae) Synonym(s): *lysimon* Hübner,[1804] *nec Stll*,[1790]; *knysna* Trimen,1862. Original Reference: *Lycaena knysna* Trimen,1862, Trans. ent. Soc. Lond. (3) 1: 282. Syntypes: South Africa: Cape Town, Knysna, Plettenberg Bay, King William's Town, Graham's Town, Keiskamma River, near Bodiam, Port Elisabeth. Range (in code): **BF BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ES Mu Mu18 ET GA GH GM GN GO Bio GW Hd Hj KE LR LS LY MA MG Mkh ML MR MT MW MZ NA NE NG OM PT RW SA SC SD SL SN SO ST SZ TD TG TN TZ UG YE ZA Tva Lpo Spb Mdk Nta Kzu Ptb Wca Ec Fs Kwi Pel Kny Grh Cto Kru Pf Cn QA Ad AO As Plt ZM ZR ZW Est Wnn Gau Pre EGo7 SD91 SD119** Bionomy: Larva on *Amaranthus*, *Medicago sativa*, *M. tribuloides*, *M. minima*, *M. lupulina*, *Acanthyllis*, *Melilotus messanensis*, *Tribulus terrestris* (Tolman,1997).
- 17527. Zizeeria (s.str.) knysna knysna (Trimen,1862)** (Lycaenidae) Synonym(s): *lysimon* Hübner,[1804] *nec Stll*,[1790]; *knysna* Trimen,1862. Original Reference: *Lycaena knysna* Trimen,1862, Trans. ent. Soc. Lond. (3) 1: 282. Syntypes: South Africa: Cape Town, Knysna, Plettenberg Bay, King William's Town, Graham's Town, Keiskamma River, near Bodiam, Port Elisabeth. Range (in code): **BF BI BJ BW CF CG CI CM Dh DJ DZ EG EH ER ES Mu Mu18 ET GA GH GM GN GO Bio GW Hd Hj KE LR LS LY MA MG Mkh ML MR MT MW MZ NA NE NG OM PT RW SA SC SD SL SN SO ST SZ TD TG TN TZ UG YE ZA Tva Lpo Spb Mdk Nta Kzu Ptb Wca Ec Fs Kwi Pel Kny Grh Cto Kru Pf Cn QA Ad AO As Plt ZM ZR ZW Est Wnn Gau Pre EGo7 SD91 SD119** Bionomy: Larva on *Amaranthus*, *Medicago sativa*, *M. tribuloides*, *M. minima*, *M. lupulina*, *Acanthyllis*, *Melilotus messanensis*, *Tribulus terrestris* (Tolman,1997).
- 17528. Zizina antanossa (Mabille,1877)** (Lycaenidae) Synonym(s): *antanossa* Mabille,1877 Original Reference: *Lycaena antanossa* Mabille,1877, Bull. Soc. ent. Fr. (5)7: 72. Syntypes: Madagascar. Range (in code): **AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio**

GW KE KM LR LS MG ML MR MW MZ NA NE NG RE RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva
Lpo Spb Kru Pma Pf Wv Mpu Brb Nta Kzu Wnn Ptb Dbn Est ZM ZR ZW MA DZ

- 17529. *Zizina antanossa antanossa* (Mabille,1877)** (Lycaenidae) **Synonym(s):** *antanossa Mabille,1877* **Original Reference:** *Lycaena antanossa* Mabille,1877, Bull. Soc. ent. Fr. (5)7: 72. **Syntypes:** Madagascar. **Range (in code):** AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS MG ML MR MW MZ NA NE NG RE RW SD SL SN SO ST SZ TD TG TZ UG YE ZA Tva Lpo Spb Kru Pma Pf Wv Mpu Brb Nta Kzu Wnn Ptb Dbn Est ZM ZR ZW MA DZ
- 17530. *Zizina otis* (Fabricius,1787)** (Lycaenidae) **Synonym(s):** *otis Fabricius,1787* **Original Reference:** *Papilio otis* Fabricius,1787, Mant. Ins. 2: 73, nr.689. **Type(s):** China. **Range (in code):** AF Ng Jla Lgh CN IN Ass SI NZ SB FJ AU PH Boh Ceb Jol Ley Luz Mno Pal MY Lkw TH CMa Cuo Cuo2 Cuo7 Cu10 Cu12 Int CDo Nst Chw Dsk Hpt Sgk Hya PSu MY LO
- 17531. *Zizina otis indica* (Murray,1874)** (Lycaenidae) **Synonym(s):** *indica Murray,1874* **Original Reference:** *Lycaena indica* Murray, 1874, Trans. ent. Soc. Lond. 1874: 525, pl.10 figs. 2,3. **Range (in code):** IN AF Ng Jla Lgh
- 17532. *Zizina otis lampa* (Corbet,1940)** (Lycaenidae) **Synonym(s):** *lampa Corbet,1940* **Range (in code):** MY Lkw TH CMa Cuo Cuo2 Cu10 Cuo7 Cu12 CDo Dsk Hpt Sgk Hya PSu Nst Chw
- 17533. *Zizina otis otis* (Fabricius,1787)** (Lycaenidae) **Synonym(s):** *otis Fabricius,1787* **Original Reference:** *Papilio otis* Fabricius,1787, Mant. Ins. 2: 73, nr.689. **Type(s):** China. **Range (in code):** CN PH Boh Ceb Jol Ley Luz Mno Pal
- 17534. *Zizina otis sangra* (Moore,1865)** (Lycaenidae) **Synonym(s):** *sangra Moore,1865* **Original Reference:** *Polyommatus sangra* Moore,1865, Proc. zool. Soc. London 1865: 772, pl.41 f.8. **Type:** Bengal. **Range (in code):** IN Ben TH CMa Int
- 17535. *Zizula cyna*** (Lycaenidae) **Synonym(s):** **Range (in code):** US MX Arz NMx Tx
- 17536. *Zizula hylax* (Fabricius,1775)** (Lycaenidae) **Synonym(s):** *hylax Fabricius,1775*; *gaika Trimen,1862*; *mylica Guenée,1863*; *cleodora Walker,1870*; *perparva Saalmüller,1884*. **Original Reference:** *Papilio hylax* Fabricius,1775, Syst. Ent.: 526. **Type(s):** India orientali. **Range (in code):** Ad AO As AU BD BF BI BJ BW CF CG CI Clb CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW Hd Hn ID IN Ja KE KH Kmt LK LR LS LY MA MG ML MM MR MU MW MY MZ NA NE NG OM PH PK Ci RE RW SA SD SL Smt SN SO ST SZ TD TG TH TN TW TZ UG VN YE ZA Tva Lpo Spb Mdk Ent Sk Nta Kzu Ptb Est Wnn Gau Pre Mpu Brb Kru Pf ZM ZR ZW PH Ley Luz Mar Pal Stu Taw Bnk Knc Khn Lkw Rng Yal CMa Cuo Cuo1 Cuo2 Cuo7 Cu12 Sgk Hya PSu Tnga Usa Ani Bhh **Bionomy:** Larva on *Chaetacanthus*, *Dischoriste repens*, *Justicia*, *Phaulopsis*, *Ruellia*, *Blechnum pyramidatum*, *Dipliptera chinensis* (Acanthaceae), *Oxalis corniculata* (Oxalidaceae), *Lantana camara* (Verbenaceae), *Tribulus* (Zygophyllaceae), *Mimosa pudica* (Fabaceae) (Ackery et al.,1995 et seq.).
- 17537. *Zizula hylax hylax* (Fabricius,1775)** (Lycaenidae) **Synonym(s):** *hylax Fabricius,1775*; *gaika Trimen,1862*; *mylica Guenée,1863*; *cleodora Walker,1870*; *perparva Saalmüller,1884*. **Original Reference:** *Papilio hylax* Fabricius,1775, Syst. Ent.: 526. **Type(s):** India orientali. **Range (in code):** Ad AO As AU BD BF BI BJ BW CF CG CI Clb CM Dh DJ DZ EG EH ER ET GA GH GM GN GO Bio GW Hd Hn ID IN Ja KE KH Kmt LK LR LS LY MA MG ML MM MR MU MW MY MZ NA NE NG OM PH PK Ci RE RW SA SD SL Smt SN SO ST SZ TD TG TH TN TW TZ UG VN YE ZA Tva Lpo Spb Mdk Ent Nta Kzu Ptb Est Wnn Gau Pre Mpu Brb Kru Pf ZM ZR ZW PH Ley Luz Mar Pal Stu Taw Bnk Knc Khn Lkw Rng Yal CMa Cuo Cuo1 Cuo2 Cuo7 Cu12 Sgk Hya PSu Tnga Usa Ani **Bionomy:** Larva on *Chaetacanthus*, *Dischoriste repens*, *Justicia*, *Phaulopsis*, *Ruellia*, *Blechnum pyramidatum*, *Dipliptera chinensis* (Acanthaceae), *Oxalis corniculata* (Oxalidaceae), *Lantana camara* (Verbenaceae), *Tribulus* (Zygophyllaceae), *Mimosa pudica* (Fabaceae) (Ackery et al.,1995 et seq.).
- 17538. "*Papilio*" *chiansiades* Westwood,1872** (Papilionidae) **Synonym(s):** *chiansiades Westwood,1872* **Range (in code):** VE Amz
- 17539. "*Papilio*" *hyppason* Cramer,1775** (Papilionidae) **Synonym(s):** *hyppason Cramer,1775* **Range (in code):** VE Dlt
- 17540. "*Papilio*" *hyppason rousseaudecellei* Le Moult,1933** (Papilionidae) **Synonym(s):** *rousseaudecellei Le Moult,1933* **Range (in code):** VE Dlt
- 17541. "*Papilio*" *rhodostictus* Butler & Druce,1874** (Papilionidae) **Synonym(s):** *rhodostictus Butler & Druce,1874* **Range (in code):** VE Tac Bna
- 17542. "*Papilio*" *torquatus* Cramer,1777** (Papilionidae) **Synonym(s):** *torquatus Cramer,1777* **Range (in code):** VE Amz Blr Agu Cbb Tac t21
- 17543. "*Papilio*" *torquatus orchamus* Boisduval,1836** (Papilionidae) **Synonym(s):** *orchamus Boisduval,1836* **Range (in code):** VE Tac
- 17544. "*Papilio*" *torquatus torquatus* Cramer,1777** (Papilionidae) **Synonym(s):** *torquatus Cramer,1777* **Range (in code):** VE Amz Blr Agu Cbb Tac t21

- 17545. Archon apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907 Original Reference: Doritis apollinus var. *apollinaris* Staudinger,[1892], Dt. ent. Z., Iris 4: 225. Syntypes: [Türkei: Erzincan Prov.]: nordöstlichen Kleinasien: Goman Otti, 1500m., lectotype designated by Wagener (1995). Range (in code): **Dk IQ Mos IR Lo Km TR** Bionomy: Larva on *Aristolochia bottae* (Koçak & Kemal,2007); on *Aristolochia hyrcana* (Aristolochiaceae) (Carbonell,2013).
- 17546. Archon apollinaris apollinaris (Staudinger,[1892])** (Papilionidae) Synonym(s): *apollinaris* Staudinger,[1892]; *pallidior* Spuler,1892; *#mardina* Stichel,1907 Original Reference: Doritis apollinus var. *apollinaris* Staudinger,[1892], Dt. ent. Z., Iris 4: 225. Syntypes: [Türkei: Erzincan Prov.]: nordöstlichen Kleinasien: Goman Otti, 1500m., lectotype designated by Wagener (1995). Range (in code): **Dk IQ Mos IR Lo Km TR**
- 17547. Archon apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. Original Reference: Papilio apollinus Herbst,1798, [in] Jablonsky, Natursyst. Ins. (Schmett.) 9: 156, pl.250, figs.5-8. Syntypes: [Turkey]: Ourlac [Urla (İzmir)]. Neotype: İzmir (de Freina,1985) Range (in code): **GR JO IL Pa Hf LB Bei Rd SY Drz Ksb TR** Bionomy: Larva on *Aristolochia bodamae*, A. maurorum (Koçak, in litt.).
- 17548. Archon apollinus amasinus (Staudinger,1901)** (Papilionidae) Synonym(s): *amasinus* Staudinger,1901 Original Reference: Doritis apollinus var. *amasina* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 4, nr.13c. Syntypes: [Türkei]: Pont.; Kurd. oc. Range (in code): **TR**
- 17549. Archon apollinus apollinus (Herbst,1798)** (Papilionidae) Synonym(s): *apollinus* Herbst,1798; *pythius* Esper,1805; *thia* Hübner,1806; *annii* Ondrias, Kouts. & Douma-Petridou,1979. Original Reference: Papilio apollinus Herbst,1798, [in] Jablonsky, Natursyst. Ins. (Schmett.) 9: 156, pl.250, figs.5-8. Syntypes: [Turkey]: Ourlac [Urla (İzmir)]. Neotype: İzmir (de Freina,1985). Range (in code): **GR Rd TR**
- 17550. Archon apollinus armeniacus Sheljuzhko,1925** (Papilionidae) Synonym(s): *armeniacus* Sheljuzhko,1925 Original Reference: Archon apollinus ssp. *armeniaca* Sheljuzhko,1925, Z. öst. Ent. Ver. 10: 85. Type: [Gümüşhane]: Akbunuz, zw. Bayburt u. Kelkit. Range (in code): **TR**
- 17551. Archon apollinus bellargus (Staudinger,[1892])** (Papilionidae) Synonym(s): *bellargus* Staudinger,[1892] Original Reference: Doritis apollinus var. *bellargus* Staudinger,[1892], Dt. ent. Z., Iris 4: 226. Syntypes: [Syria]: südlich Antiochia, Kessab [near Yayladağ in Syrian territory]. Range (in code): **He IL Pa Hf JO LB SY Ksb TR**
- 17552. Archon apollinus drusicus De Freina & Leestmans,2003** (Papilionidae) Synonym(s): *drusicus* De Freina & Leestmans,2003 Original Reference: Archon apollinus ssp. *drusicus* De Freina & Leestmans,2003, Linneana Belg. 19 (1): 26-31, figs. Holotype ♂: Syrie: Djebel ed Druz, 7km N.-E. de Shahba, env. de Shaqqa, 1250m, 10-11.iv.88 (coll. de Freina) (ZSM). Range (in code): **SY Drz**
- 17553. Archon apollinus forsteri Koçak,1977** (Papilionidae) Synonym(s): *forsteri* Koçak,1977 Original Reference: Archon apollinus ssp. *forsteri* Koçak,1977, NachrBl. bayer. Ent. 26(3): 55-60, figs. Holotype ♂: Turkey: Kastamonu, Ödemiş. Range (in code): **TR**
- 17554. Archon apollinus lichyi Carbonell & Brevignon,1983** (Papilionidae) Synonym(s): *lichyi* Carbonell & Brevignon,1983 Range (in code): **TR**
- 17555. Archon apollinus nikodemusi Stüning & Wagener,1989** (Papilionidae) Synonym(s): *nikodemusi* Stüning & Wagener,1989 Original Reference: Archon apollinus ssp. *nikodemusi* Stüning & Wagener,1989, Nachr. ent. Ver. Apollo (N.F.) 10 (2): 135-142, Abb. Holotype ♂: Türkiye: Istanbul: Anbarlı-Äekmece (40km westl. Istanbul), ca.60m. (ZFMK). Range (in code): **TR**
- 17556. Archon apollinus thracicus (Buresch,1915)** (Papilionidae) Synonym(s): *thracicus* Buresch,1915 Original Reference: Doritis apollinus var. *thracica* Buresch, 1915, Spis. bulg. Akad. Nauk (Sofia) 12: 39. Syntypes: [Turkey]: Kuru Dag (on the boundary of the provinces Äanakkale and Edirne in Turkey-in-Europe) (NHMS, RNHL). Range (in code): **BG TR**
- 17557. Archon apollinus wagneri Koçak,1976** (Papilionidae) Synonym(s): *wagneri* Koçak,1976 Original Reference: Archon apollinus ssp. *wagneri* Koçak,1976, Atalanta 7: 43-44, figs. 3-4. Holotype ♂: Turkey: Maraş Prov.: Pazarcık, 720m, 19.iii.1974, A.Koçak leg. (Cesa). Range (in code): **TR**

- 17558. Archon apollinus wyatti Koçak,1976** (Papilionidae) Synonym(s): *wyatti* Koçak,1976
Original Reference: Archon apollinus ssp. wyatti Koçak,1976, Atalanta 7: 42-43, figs. 1-2.
Holotype ♂: Turkey: Isparta Prov.: vicinity of Eğirdir lake, 1000m, 1.v.1973 leg. A.Koçak (Cesa).
Range (in code): **TR**
- 17559. Archon bostanchii De Freina & Naderi,2003** (Papilionidae) Synonym(s): *bostanchii* De Freina & Naderi,2003
Original Reference: Archon apollinaris ssp. bostanchii De Freina & Naderi,2003, Atalanta 34 (3-4): 431-432, figs. Holotype ♂: Iran, Lorestan Prov., Pol-e-Dokhtar 900m, leg.Naderi (PPDRI). Range (in code): **IR Lo**
- 17560. Archon bostanchii bostanchii De Freina & Naderi,2003** (Papilionidae) Synonym(s): *bostanchii* De Freina & Naderi,2003
Original Reference: Archon apollinaris ssp. bostanchii De Freina & Naderi,2003, Atalanta 34 (3-4): 431-432, figs. Holotype ♂: Iran, Lorestan Prov., Pol-e-Dokhtar 900m, leg.Naderi (PPDRI). Range (in code): **IR Lo**
- 17561. Atrophaneura (Pharmacophagus) antenor (Drury,[1773])** (Papilionidae) Synonym(s): *antenor* Drury,[1773]; *gehleni* Le Moul't,1912; *albomaculata* Le Moul't,1912; *niger* Diehl,1962.
Original Reference: Papilio antenor Drury,[1773], Ill. nat. Hist. 2: index et 4, pl.3 fig.1. Range (in code): **MG**
- 17562. Atrophaneura (Pharmacophagus) antenor antenor (Drury,[1773])** (Papilionidae) Synonym(s): *antenor* Drury,[1773]; *gehleni* Le Moul't,1912; *albomaculata* Le Moul't,1912; *niger* Diehl,1962.
Original Reference: Papilio antenor Drury,[1773], Ill. nat. Hist. 2: index et 4, pl.3 fig.1. Range (in code): **MG**
- 17563. Atrophaneura (s.str. (Byasa)) adamsoni (Grose-Smith,1886)** (Papilionidae) Synonym(s): *adamsoni* Grose-Smith,1886; *minereoides* Elwes & De Nicéville,1887; *takakoe* Uehara,2006.
Original Reference: Papilio adamsoni Grose-Smith,1886, Ann. Mag. nat. Hist. (5) 18: 149. Syntypes ♂: [Myanmar]: Saluen R., S.Shan States. Range (in code): **MM TH Shn Cbi Cbu Rat CMa Dst Cuo Cuo8 CDo Nan Pht Nst Sgk Hya Tnc Lsa LA L39 L13**
- 17564. Atrophaneura (s.str. (Byasa)) adamsoni adamsoni (Grose-Smith,1886)** (Papilionidae) Synonym(s): *adamsoni* Grose-Smith,1886; *minereoides* Elwes & De Nicéville,1887; *takakoe* Uehara,2006.
Original Reference: Papilio adamsoni Grose-Smith,1886, Ann. Mag. nat. Hist. (5) 18: 149. Syntypes ♂: [Myanmar]: Saluen R., S.Shan States. Range (in code): **MM TH Shn Cbi Cbu Rat CMa Dst Cuo Cuo8 CDo Nan Pht Nst Sgk Hya Tnc Lsa LA L39 L13**
- 17565. Atrophaneura (s.str. (Byasa)) alcinous (Klug,1836)** (Papilionidae) Synonym(s): *alcinous* Klug,1836; *spathatus* Butler,1881; *haemotostictus* Butler,1881.
Original Reference: Papilio alcinous Klug,1836, Neue Schmett.: Taf.1, Abb.1-4. Type(s): Japonia. Range (in code): **IN Mpr Nag JP KP CN Hpe Ti RU Vv Mc TW Ton VN**
- 17566. Atrophaneura (s.str. (Byasa)) alcinous alcinous (Klug,1836)** (Papilionidae) Synonym(s): *alcinous* Klug,1836; *spathatus* Butler,1881; *haemotostictus* Butler,1881.
Original Reference: Papilio alcinous Klug,1836, Neue Schmett.: Taf.1, Abb.1-4. Type(s): Japonia. Range (in code): **JP**
- 17567. Atrophaneura (s.str. (Byasa)) alcinous mausonensis (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *mausonensis* Fruhstorfer,1901
Original Reference: Papilio alcinous ssp. mausonensis Fruhstorfer,1901, Societ. Ent. Syntypes: [Vietnam]: Nord-Tonkin: Mau-Son Gebirge. Range (in code): **TW CN Ton VN**
- 17568. Atrophaneura (s.str. (Byasa)) alcinous nana Draeseke,1923** (Papilionidae) Synonym(s): *nana* Draeseke,1923 *nec* Obth.,1879 *non* Herbst,1804.
Original Reference: Papilio ab. nana Draeseke,1923, Dt. ent. Z., Iris 37: 56. Range (in code): **CN Hpe**
- 17569. Atrophaneura (s.str. (Byasa)) alcinous tytleri (Evans,1923)** (Papilionidae) Synonym(s): *impediens* Tytler,1915 *nec* Rothschild,1895; *tytleri* Evans,1923
Original Reference: Byasa alcinous tytleri Evans,1923, J. Bomb. nat. Hist. Soc. 29: 233, 245. Syntypes: India: Manipur (nomen novum pro Papilio alcinous impediens Tytler,1915 *nec* Rothschild,1895). Range (in code): **IN Mpr Nag**
- 17570. Atrophaneura (s.str. (Byasa)) crassipes (Oberthür,1893)** (Papilionidae) Synonym(s): *crassipes* Oberthür,1893
Original Reference: Papilio crassipes Oberthür,1893, Etüd. Ent. 17: 2, pl.4 figs. 38,38a. Syntypes: Tonkin. Range (in code): **VN Ton MM Shn TH Doi LA L16 L37**
- 17571. Atrophaneura (s.str. (Byasa)) crassipes crassipes (Oberthür,1883)** (Papilionidae) Synonym(s): *crassipes* Oberthür,1893
Original Reference: Papilio crassipes Oberthür,1893, Etüd. Ent. 17: 2, pl.4 figs. 38,38a. Syntypes: Tonkin. Range (in code): **VN Ton MM Shn TH Doi LA L16 L37**

- 17572. *Atrophaneura* (s.str. (Byasa)) *daemonius* (Alpheraky,1895)** (Papilionidae)
Synonym(s): *daemonius* Alpheraky,1895; *yunnana* Mell,1938 nec Obth.,1907. Original Reference:
Papilio daemonius Alpheraky,1895, Dt. ent. Z., Iris 8: 180-181. Syntypes ♂♀: [China]:
"montagnes Kham, près de Batang" (leg. Potanine). Range (in code): **CN Ti Yu Btn Dal**
- 17573. *Atrophaneura* (s.str. (Byasa)) *daemonius daemonius* (Alpheraky,1895)**
(Papilionidae) Synonym(s): *daemonius* Alpheraky,1895; *yunnana* Mell,1938 nec Obth.,1907. Original
Reference: *Papilio daemonius* Alpheraky,1895, Dt. ent. Z., Iris 8: 180-181. Syntypes ♂♀: [China]:
"montagnes Kham, près de Batang" (leg. Potanine). Range (in code): **CN Ti Yu Btn Dal**
- 17574. *Atrophaneura* (s.str. (Byasa)) *dasarada* (Moore,1857)** (Papilionidae) Synonym(s):
dasarada Moore,1857 Original Reference: *Papilio dasarada* Moore,1857, [in] Horsfield & Moore,
Cat. lep. Ins. Mus. East India Coy (1): 96. Range (in code): **Ass MM Nag SI NP BT CN Yu Hn Mrg**
Tns Sz Ch Hp IN Kma Mus Up Dj Kul Slo TH CMa Dst Dso9 Qs Chy TAK CDo CRa Nan LA L41 L42 VN
Ton
- 17575. *Atrophaneura* (s.str. (Byasa)) *dasarada barata* (Rothschild,1908)** (Papilionidae)
Synonym(s): *barata* Rothschild,1908 Original Reference: *Papilio philoxenus* ab. *barata*
Rothschild,1908, Novit. Zool. 15: 168. Range (in code): **TH CMa Chy TAK CDo Dst Dso9 CRa Nan**
MM LA L41 L42 VN Ton
- 17576. *Atrophaneura* (s.str. (Byasa)) *dasarada dasarada* (Moore,1857)** (Papilionidae)
Synonym(s): *dasarada* Moore,1857 Original Reference: *Papilio dasarada* Moore,1857, [in]
Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 96.
- 17577. *Atrophaneura* (s.str. (Byasa)) *dasarada hedistus* (Jordan,1928)** (Papilionidae)
Synonym(s): *hedistus* Jordan,1928 Range (in code): **CN Yu Sz**
- 17578. *Atrophaneura* (s.str. (Byasa)) *dasarada melanurus* (Rothschild,1905)**
(Papilionidae) Synonym(s): *melanurus* Rothschild,1905
- 17579. *Atrophaneura* (s.str. (Byasa)) *dasarada ravana* (Moore,1857)** (Papilionidae)
Synonym(s): *ravana* Moore,1857 Original Reference: *Papilio ravana* Moore,1857, [in] Horsfield
& Moore, Cat. lep. Ins. Mus. East India Coy (1): 96. Range (in code): **Ch Hp IN Kma Mus Up Dj Kul**
Slo Ass
- 17580. *Atrophaneura* (s.str. (Byasa)) *impediens* (Rothschild,1895)** (Papilionidae)
Synonym(s): *impediens* Rothschild,1895; *#fatuus* Rothschild,1895 Original Reference: *Papilio alcinous*
impediens Rothschild,1895, Novit. zool. 2: 272. Type: China: Ta-Tsien-Lou. Range (in code): **CN**
T-T TW
- 17581. *Atrophaneura* (s.str. (Byasa)) *impediens febanus* (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *febanus* Fruhstorfer,1908; *jonasi* Rothschild,1908; *koannania* Matsumura,1908
Range (in code): **TW**
- 17582. *Atrophaneura* (s.str. (Byasa)) *impediens impediens* (Rothschild,1895)**
(Papilionidae) Synonym(s): *impediens* Rothschild,1895; *#fatuus* Rothschild,1895 Original Reference:
Papilio alcinous impediens Rothschild,1895, Novit. zool. 2: 272. Type: China: Ta-Tsien-Lou.
Range (in code): **CN T-T**
- 17583. *Atrophaneura* (s.str. (Byasa)) *laos* Riley & Godfrey,1921** (Papilionidae)
Synonym(s): *laos* Riley & Godfrey,1921 Original Reference: *Atrophaneura laos* Riley &
Godfrey,1921, J. nat. Hist. Soc. Siam 4 (3): 168, pl.4 fig.1. Type ♂: [Laos]: French Laos, Ban Na
Sao, 1920. Feb.23 (BMNH). Range (in code): **TH Nkh LA Lo7 L40**
- 17584. *Atrophaneura* (s.str. (Byasa)) *laos laos* Riley & Godfrey,1921** (Papilionidae)
Synonym(s): *laos* Riley & Godfrey,1921 Original Reference: *Atrophaneura laos* Riley &
Godfrey,1921, J. nat. Hist. Soc. Siam 4 (3): 168, pl.4 fig.1. Type ♂: [Laos]: French Laos, Ban Na
Sao, 1920. Feb.23 (BMNH). Range (in code): **TH Nkh LA Lo7 L40**
- 17585. *Atrophaneura* (s.str. (Byasa)) *latreillei* (Donovan,1826)** (Papilionidae)
Synonym(s): *latreillei* Donovan,1826; *minereus* Gray,1831. Original Reference: *Papilio latreillei*
Donovan,1826, Naturalist's Repository 4: pl.140. Type(s): Nepal. Range (in code): **AF Ng IN Ass**
Nag Kma Mus Mpr NP PK SI MM LA VN Ton CN
- 17586. *Atrophaneura* (s.str. (Byasa)) *latreillei afghana* Howarth & Povolny,1973**
(Papilionidae) Synonym(s): *afghana* Howarth & Povolny,1973 Original Reference: *Atrophaneura*
(*Parides*) *latreillei* ssp. *afghana* Howarth & Povolny,1973, Cas. morav. Mus. Brne 58: 140-141,
figs. Holotype ♂: Afghanistan: Nangrahar, Jalalabad, 580m. Range (in code): **AF Ng**
- 17587. *Atrophaneura* (s.str. (Byasa)) *latreillei kabrua* (Tytler,1915)** (Papilionidae)
Synonym(s): *kabrua* Tytler,1915; *#kabma* Sharp,1917 Original Reference: *Papilio kabrua*

- Tytler, 1915, J. Bombay nat. Hist. Soc. 23 (3): 513. Type: India: Naga Hills. Range (in code): **IN Nag Ass Mpr MM CN**
- 17588. *Atrophaneura* (s.str. (Byasa)) *latreillei latreillei* (Donovan, 1826)** (Papilionidae)
Synonym(s): *latreillei* Donovan, 1826; *minereus* Gray, 1831. Original Reference: Papilio *latreillei* Donovan, 1826, Naturalist's Repository 4: pl. 140. Type(s): Nepal. Range (in code): **IN Nag Kma Mus NP PK SI**
- 17589. *Atrophaneura* (s.str. (Byasa)) *latreillei robus* (Jordan, 1928)** (Papilionidae)
Synonym(s): *robus* Jordan, 1928 Range (in code): **LA VN Ton**
- 17590. *Atrophaneura* (s.str. (Byasa)) *mencius* (Felder, 1862)** (Papilionidae) Synonym(s): *mencius* Felder, 1862 Original Reference: Papilio *mencius* Felder, 1862, Wien. ent. Monatschr. 6: 22. Type: China: Ningpo. Range (in code): **CN Gn Mc Yu T-T Sz RU Vv**
- 17591. *Atrophaneura* (s.str. (Byasa)) *mencius mencius* (Felder, 1862)** (Papilionidae)
Synonym(s): *mencius* Felder, 1862 Original Reference: Papilio *mencius* Felder, 1862, Wien. ent. Monatschr. 6: 22. Type: China: Ningpo. Range (in code): **CN Mc Yu T-T Sz RU Vv**
- 17592. *Atrophaneura* (s.str. (Byasa)) *mencius rhadinus* (Jordan, 1928)** (Papilionidae)
Synonym(s): *rhadinus* Jordan, 1928 Range (in code): **CN Yu**
- 17593. *Atrophaneura* (s.str. (Byasa)) *mencius tsinlingshani* (Rosen, 1929)** (Papilionidae)
Synonym(s): *tsinlingshani* Rosen, 1929 Original Reference: Papilio *mencius* ssp. *tsinlingshani* Rosen, 1929, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 7. Syntypes: [China]: Ost-Kansu Tsinlingshan (Liogang u. Hweisi). Range (in code): **CN Gn**
- 17594. *Atrophaneura* (s.str. (Byasa)) *nevilli* (Wood-Mason, 1882)** (Papilionidae)
Synonym(s): *ravana* Oberthür, 1879 nec Moore, 1857; *nevilli* Wood-Mason, 1882; *chentsong* Oberthür, 1886. Original Reference: Papilio *nevilli* Wood-Mason, 1882, Ann. Mag. nat. Hist. (5) 9: 105. Type(s): Cachar. Range (in code): **CN**
- 17595. *Atrophaneura* (s.str. (Byasa)) *nevilli nevilli* (Wood-Mason, 1882)** (Papilionidae)
Synonym(s): *ravana* Oberthür, 1879 nec Moore, 1857; *nevilli* Wood-Mason, 1882; *chentsong* Oberthür, 1886. Original Reference: Papilio *nevilli* Wood-Mason, 1882, Ann. Mag. nat. Hist. (5) 9: 105. Type(s): Cachar. Range (in code): **CN**
- 17596. *Atrophaneura* (s.str. (Byasa)) *plutonium* (Oberthür, 1876)** (Papilionidae)
Synonym(s): *plutonium* Oberthür, 1876; *#fatuus* Rothschild, 1895. Original Reference: Papilio *plutonium* Oberthür, 1876, Etüd. d'Ent. 2: 16. Syntypes ♂♀: China: Moupin. Range (in code): **CN BT SI Ti Sz T-T**
- 17597. *Atrophaneura* (s.str. (Byasa)) *plutonium plutonium* (Oberthür, 1876)** (Papilionidae) Synonym(s): *plutonium* Oberthür, 1876; *#fatuus* Rothschild, 1895. Original Reference: Papilio *plutonium* Oberthür, 1876, Etüd. d'Ent. 2: 16. Syntypes ♂♀: China: Moupin. Range (in code): **CN BT SI Ti Sz T-T**
- 17598. *Atrophaneura* (s.str. (Byasa)) *polla* De Nicéville, 1897** (Papilionidae) Synonym(s): *polla* De Nicéville, 1897 Range (in code): **MM Shn Chn**
- 17599. *Atrophaneura* (s.str. (Byasa)) *polla polla* De Nicéville, 1897** (Papilionidae)
Synonym(s): *polla* De Nicéville, 1897 Range (in code): **MM Shn Chn**
- 17600. *Atrophaneura* (s.str. (Byasa)) *polyeuctes* (Doubleday, 1842)** (Papilionidae)
Synonym(s): *philoxenus* Gray, 1831 nec Esp., [1780]; *polyeuctes* Doubleday, 1842; *hostilius* Fruhstorfer, 1908 (homonym); *polymitis* Tytler, 1912; *nepenthes* Ehrmann, 1920 Original Reference: Papilio *polyeuctes* Doubleday, 1842, [in] Gray's Zool. Misc. (5): 74. Type: Sylhet. Range (in code): **SI IN TH CMa CDo MY MM CN NP TW Ass Slo LA VN Ton CN Yu**
- 17601. *Atrophaneura* (s.str. (Byasa)) *polyeuctes lama* (Oberthür, 1876)** (Papilionidae)
Synonym(s): *lama* Oberthür, 1876; *roseus* Draeseke, 1923 nec Oberthür, 1879. Original Reference: Papilio *lama* Oberthür, 1876, Etüd. Ent. 2: 15, pl. 3 fig. 1. Syntypes: Chine: [Szechuan]: Moupin. Range (in code): **CN Sz Ch Ti**
- 17602. *Atrophaneura* (s.str. (Byasa)) *polyeuctes letincius* (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *philoxenus* Gray, 1853 nec Esp., [1780]; *letincius* Fruhstorfer, 1908 Original Reference: Papilio *philoxenus letincius* Fruhstorfer, 1908, Ent. Z., Stuttgart 22 (18): 72. Type (s): N.W. India. Range (in code): **Ch IN Kma Ass Slo NP**
- 17603. *Atrophaneura* (s.str. (Byasa)) *polyeuctes polyeuctes* (Doubleday, 1842)** (Papilionidae) Synonym(s): *philoxenus* Gray, 1831 nec Esp., [1780]; *polyeuctes* Doubleday, 1842; *hostilius* Fruhstorfer, 1908 (homonym); *polymitis* Tytler, 1912; *nepenthes* Ehrmann, 1920 Original Reference: Papilio *polyeuctes* Doubleday, 1842, [in] Gray's Zool. Misc. (5): 74. Type: Sylhet. Range (in code): **IN SI TH CMa CDo LA VN Ton CN Yu**

- 17604. *Atrophaneura* (s.str. (Byasa)) *polyeuctes punchi* (O.Bang-Haas,1933)** (Papilionidae) Synonym(s): *punchi* O.Bang-Haas,1933 Original Reference: *Papilio philoxenus punchi* O.Bang-Haas,1933, Ent. Z., Frankf. a. M. 46(24): 261. Syntypes ♂♀: West Kashmir: Punch State. Range (in code): **Ch Pu**
- 17605. *Atrophaneura* (s.str. (Byasa)) *polyeuctes termessus* (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *termessus* Fruhstorfer,1908 Range (in code): **TW**
- 17606. *Atrophaneura* (s.str. (Losaria)) *coon* (Fabricius,1793)** (Papilionidae) Synonym(s): *coon* Fabricius,1793; *hypenor* Godart,1819. Original Reference: *Papilio coon* Fabricius,1793, Ent. syst. 3 (1): 10. Range (in code): **MM Mrg Mm Tns ID Ja Sum IN Nk TH Cbi Rng Phr Tng Nst Ths Sgk Hya Tnc MY Lkw VN LA CN Hn**
- 17607. *Atrophaneura* (s.str. (Losaria)) *coon coon* (Fabricius,1793)** (Papilionidae) Synonym(s): *coon* Fabricius,1793; *hypenor* Godart,1819. Original Reference: *Papilio coon* Fabricius,1793, Ent. syst. 3 (1): 10. Range (in code): **ID Ja Sum**
- 17608. *Atrophaneura* (s.str. (Losaria)) *coon delianus* (Fruhstorfer,1895)** (Papilionidae) Synonym(s): *delianus* Fruhstorfer,1895 Original Reference: *Papilio doubledayi* var. *delianus* Fruhstorfer,1895, Ent. Nachr. 1895: 196. Syntypes: Sumatra. Range (in code): **ID Sum**
- 17609. *Atrophaneura* (s.str. (Losaria)) *coon doubledayi* (Wallace,1865)** (Papilionidae) Synonym(s): *doubledayi* Wallace,1865; *merguia* Tytler,1939 Original Reference: *Papilio doubledayi* Wallace,1865, Trans. linn. Soc. Lond. 25 (1): 42, note. Syntypes ♂♀: [Myanmar]: Moulmein. Range (in code): **MM Mrg Mm Tns TH Cbi Rng Phr Tng Nst Ths Sgk Hya Tnc MY Lkw VN LA**
- 17610. *Atrophaneura* (s.str. (Losaria)) *coon insperatus* (Joicey & Talbot,1921)** (Papilionidae) Synonym(s): *insperatus* Joicey & Talbot,1921 Range (in code): **CN Hn**
- 17611. *Atrophaneura* (s.str. (Losaria)) *coon palembanganus* (Rothschild,1896)** (Papilionidae) Synonym(s): *palembanganus* Rothschild,1896 Range (in code): **ID Sum**
- 17612. *Atrophaneura* (s.str. (Losaria)) *coon patianus* (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *patianus* Fruhstorfer,1898 Range (in code): **ID Ja**
- 17613. *Atrophaneura* (s.str. (Losaria)) *coon sambilanga* (Doherty,1886)** (Papilionidae) Synonym(s): *sambilanga* Doherty,1886 Original Reference: *Papilio doubledayi* var. *sambilanga* Doherty,1886, J. Asiat. Soc. Beng. 1886: 263, nr.20. Syntypes: Great Nicobar. Range (in code): **IN Nk**
- 17614. *Atrophaneura* (s.str. (Losaria)) *neptunus* (Guérin-Méneville,[1840])** (Papilionidae) Synonym(s): *neptunus* Guérin-Méneville,[1840]; *thetys* Guenée,1878. Original Reference: *Papilio neptunus* Guérin-Méneville,[1840], Revue zool. (Soc. Cuv.): 343. Type(s): Malaya Peninsula. Range (in code): **MY Lkw MM TH Rng Tng Yal Nst Ths Sya PH Pal Taw Sum Bor ID Nia**
- 17615. *Atrophaneura* (s.str. (Losaria)) *neptunus dacasini* Schröder,1976** (Papilionidae) Synonym(s): *dacasini* Schröder,1976 Range (in code): **Pal PH**
- 17616. *Atrophaneura* (s.str. (Losaria)) *neptunus doris* (Rothschild,1908)** (Papilionidae) Synonym(s): *doris* Rothschild,1908
- 17617. *Atrophaneura* (s.str. (Losaria)) *neptunus fehri* (Honrath,1891)** (Papilionidae) Synonym(s): *fehri* Honrath,1891 Original Reference: *Papilio neptunus* var. *fehri* Honrath,1891, Berl. ent. Z. 36: 432. Syntypes: [Indonesia]: Nias Island. Range (in code): **ID Nia**
- 17618. *Atrophaneura* (s.str. (Losaria)) *neptunus matbai* Schröder & Treadaway,1990** (Papilionidae) Synonym(s): *matbai* Schröder & Treadaway,1990 Range (in code): **Taw PH**
- 17619. *Atrophaneura* (s.str. (Losaria)) *neptunus neptunus* (Guérin-Méneville,[1840])** (Papilionidae) Synonym(s): *neptunus* Guérin-Méneville,[1840]; *thetys* Guenée,1878. Original Reference: *Papilio neptunus* Guérin-Méneville,[1840], Revue zool. (Soc. Cuv.): 343. Type(s): Malaya Peninsula. Range (in code): **MY Lkw MM TH Rng Tng Yal Nst Ths Sya**
- 17620. *Atrophaneura* (s.str. (Losaria)) *neptunus padanganus* (Rothschild,1908)** (Papilionidae) Synonym(s): *padanganus* Rothschild,1908
- 17621. *Atrophaneura* (s.str. (Losaria)) *neptunus siborangitana* (Tsukada & Nishiyama,1980)** (Papilionidae) Synonym(s): *sumatrana* Hagen,[1894] (p.21) *nec sumatrana* Hagen,[1894] (p.20); *siborangitana* Tsukada & Nishiyama,1980; *muadder* Koçak & Kemal,2000. Range (in code): **ID Sum**
- 17622. *Atrophaneura* (s.str. (Losaria)) *rhodifer* (Butler,1876)** (Papilionidae) Synonym(s): *rhodifer* Butler,1876 Original Reference: *Papilio rhodifer* Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: [India]: Andaman Isl. Range (in code): **IN Adm**

- 17623. *Atrophaneura* (s.str. (*Losaria*)) *rhodifer* *rhodifer* (Butler,1876) (Papilionidae)**
Synonym(s): *rhodifer* Butler,1876 Original Reference: *Papilio rhodifer* Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: [India]: Andaman Isl. Range (in code): **IN Adm**
- 17624. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* (Zincken,1831) (Papilionidae)**
Synonym(s): *adamas* Zincken,1831 Range (in code): **ID Ja Egg Flo Bli Sbw Baw Lb Kgn Tan**
- 17625. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *adamas* (Zincken,1831) (Papilionidae)**
Synonym(s): *adamas* Zincken,1831 Range (in code): **ID Ja Egg**
- 17626. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *agricola* Tsukada & Nishiyama,1980 (Papilionidae)**
Synonym(s): *agricola* Tsukada & Nishiyama,1980 Range (in code): **ID Tan**
- 17627. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *antissa* (Jordan,1908) (Papilionidae)**
Synonym(s): *antissa* Jordan,1908 Range (in code): **ID Kgn**
- 17628. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *balinus* (Fruhstorfer,1908) (Papilionidae)**
Synonym(s): *balinus* Fruhstorfer,1908 Range (in code): **ID Bli**
- 17629. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *floresianus* (Rothschild,1908) (Papilionidae)**
Synonym(s): *floresianus* Rothschild,1908 Range (in code): **ID Flo**
- 17630. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *lombockensis* (Rothschild,1896) (Papilionidae)**
Synonym(s): *lombockensis* Rothschild,1896; #askra Fruhstorfer,1911. Range (in code): **ID Lb**
- 17631. *Atrophaneura* (s.str. (*Pachliopta*)) *adamas* *sapienta* Tsukada & Nishiyama,1980 (Papilionidae)**
Synonym(s): *sapienta* Tsukada & Nishiyama,1980 Range (in code): **ID Sbw**
- 17632. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* (Fabricius,1793) (Papilionidae)**
Synonym(s): *antiphus* Fabricius,1793 Original Reference: *Papilio antiphus* Fabricius,1793, Ent. Syst. 3(1): 10, nr.28. Type(s): India. Range (in code): **IN MY Bor PH Pal Cal Cuy Bas Jol Sga Sis Stu Taw ID Sum Ja Nia**
- 17633. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *acuta* (Druce,1873) (Papilionidae)**
Synonym(s): *acuta* Druce,1873; *periphus* Oberthür,1879; *poseidippus* Fruhstorfer,1911. Original Reference: *Papilio acuta* Druce,1873, Proc. zool. Soc. London 1873: 358. Syntypes: North Borneo. Range (in code): **PH Bas Sga Stu Taw MY Bor**
- 17634. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *anadyomene* (Toxopeus,1941) (Papilionidae)**
Synonym(s): *aphrodite* Kalis,1933 nec Fabr.,1787; *anadyomene* Toxopeus,1941 Range (in code): **ID Sum**
- 17635. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *antiphulus* (Fruhstorfer,1902) (Papilionidae)**
Synonym(s): *antiphulus* Fruhstorfer,1902 Range (in code): **PH Jol**
- 17636. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *antiphus* (Fabricius,1793) (Papilionidae)**
Synonym(s): *antiphus* Fabricius,1793 Original Reference: *Papilio antiphus* Fabricius,1793, Ent. Syst. 3(1): 10, nr.28. Type(s): India. Range (in code): **IN Ja Sum Nia**
- 17637. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *elioti* (Page & Treadaway,1995) (Papilionidae)**
Synonym(s): *elioti* Page & Treadaway,1995 Original Reference: *Pachliopta antiphus* ssp. *elioti* Page & Treadaway,1995, N.Achr. ent. Ver., Apollo Suppl.14: 137, figs.8-11. Holotype ♂: Philippines: Bud Siasi, 900m (coll. Treadaway). Range (in code): **PH Sis**
- 17638. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *kameiros* (Fruhstorfer,1911) (Papilionidae)**
Synonym(s): *kameiros* Fruhstorfer,1911 Original Reference: *Papilio aristolochiae* ssp. *kameiros* Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes 1♂ 2♀: [Indonesia]: Insel Nias. Range (in code): **ID Nia**
- 17639. *Atrophaneura* (s.str. (*Pachliopta*)) *antiphus* *yoshikoe* (Okano,1988) (Papilionidae)**
Synonym(s): *brevicauda* Staudinger,1889 nec Saund.,1869; *yoshikoe* Okano,1988. Range (in code): **PH Pal Cal Cuy**
- 17640. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae* (Fabricius,1775) (Papilionidae)**
Synonym(s): *aristolochiae* Fabricius,1775; *diphilus* Esper,[1793]; *thoas* Swainson,1833. Original Reference: *Papilio aristolochiae* Fabricius,1775, Syst. Ent.: 443. Type(s): Indiae orientalis. Range (in code): **AF Ng Jla IN Ass Slo PK ID Sbw TW PH Bat TH Bnk CMA Cuo Cuo7 Cuo9 Cuo10 Cuo12 CDo CD2 Nrt Cbi Knc Lop Sbu Rat Rng Yal Tng Pap Mro Mae Dst Kao Ntt SPa Sgk Hya Tnc PSu MY Lkw P-T SG VN Ton Tda LA L13 L25 L39 L28 L31** Bionomy: Larva on Citrus aurantifolia [common lime] (Rutaceae), Ageratum conyzoides [goat weed] (Asteraceae), Aristolochia pothieri [krachao sida], A.tagala [krachao phi mot] (Aristolochiaceae) (Lewvanich,2001).

- 17641. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae adaeus* (Rothschild,1908)**
(Papilionidae) Synonym(s): *adaeus Rothschild,1908*
- 17642. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae aristolochiae* (Fabricius,1775)**
(Papilionidae) Synonym(s): *aristolochiae Fabricius,1775*; *diphilus Esper,[1793]*; *thoas Swainson,1833*.
Original Reference: *Papilio aristolochiae* Fabricius,1775, Syst. Ent.: 443. Type(s): Indiae orientalis. Range (in code): **AF IN Ass Slo PK**
- 17643. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae asteris* (Rothschild,1908)**
(Papilionidae) Synonym(s): *asteris Rothschild,1908* Original Reference: *Papilio asteris* Rothschild,1908, Novit. zool. 15 (1): 167. Range (in code): **TH Rng Yal Tng Kao Ntt SPa Sgk Hya Tnc PSu MY Lkw P-T SG**
- 17644. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae austrosundanus* (Rothschild,1895)**
(Papilionidae) Synonym(s): *austrosundanus Rothschild,1895* Original Reference: *Papilio aristolochiae* ssp. *austrosundanus* Rothschild,1895, Novit. zool. 2: 249-250. Syntypes 12♂ 3♀: Sambawa. Range (in code): **ID Sbw**
- 17645. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae camorta* (Moore,1877)**
(Papilionidae) Synonym(s): *camorta Moore,1877*. Original Reference: *Papilio aristolochiae* var. *camorta* Moore,1877, Proc. zool. Soc. Lond. 1877: 592. Type ♀: Kamorta.
- 17646. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae ceylonica* (Moore,1881)**
(Papilionidae) Synonym(s): *ceyloicus Moore,1881* Original Reference: *Menelaides ceyloicus* Moore,1881, Lepid. Ceylon 1: 151, pl.57 fig.2. Syntypes: Ceylon. Range (in code): **LK**
- 17647. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae goniopeltis* (Rothschild,1908)**
(Papilionidae) Synonym(s): *goniopeltis Rothschild,1908* Range (in code): **TH Bnk CMa Cu0 Cu07 Cu09 Cu10 Cu12 CDo CD2 Pap Mro Lop Sbu Nrt Cbi Knc Rat CDo CD2 Mae Dst MM LA L13 L25 L39 L28 L31 VN Adm HK CN** Bionomy: Larva on Citrus aurantifolia [common lime] (Rutaceae), Ageratum conyzoides [goat weed] (Asteraceae), Aristolochia pothieri [krachao sida], A.tagala [krachao phi mot] (Aristolochiaceae) (Lewvanich,2001).
- 17648. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae interpositus* Fruhstorfer,1904**
(Papilionidae) Synonym(s): *interpositus Fruhstorfer,1904*; *formosensis Rebel,1906* Range (in code): **TW PH Bat**
- 17649. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae kondulana* (Evans,1932)**
(Papilionidae) Synonym(s): *kondulana Evans,1932* Original Reference: *Tros aristolochiae kondulana* Evans,1932, Identification Indian Butterflies (edn.2): 45. Type(s): South Nicobars.
- 17650. *Atrophaneura* (s.str. (*Pachliopta*)) *aristolochiae sawi* (Evans,1932)**
(Papilionidae) Synonym(s): *sawi Evans,1932* Original Reference: *Tros aristolochiae sawi* Evans,1932, Identification Indian Butterflies (edn.2): 44. Type(s): Car Nicobars.
- 17651. *Atrophaneura* (s.str. (*Pachliopta*)) *atropos* (Staudinger,1888)**
(Papilionidae) Synonym(s): *atropos Staudinger,1888* Original Reference: *Papilio antiphus* var? *atropos* Staudinger,1888, Dt. ent. Z., Iris 1: 276-277. Syntypes: 1♂ 7♀: [Philippinen]: Palawan. Range (in code): **PH Bal Bus Pal**
- 17652. *Atrophaneura* (s.str. (*Pachliopta*)) *atropos atropos* (Staudinger,1888)**
(Papilionidae) Synonym(s): *atropos Staudinger,1888* Original Reference: *Papilio antiphus* var? *atropos* Staudinger,1888, Dt. ent. Z., Iris 1: 276-277. Syntypes: 1♂ 7♀: [Philippinen]: Palawan. Range (in code): **PH Bal Bus Pal**
- 17653. *Atrophaneura* (s.str. (*Pachliopta*)) *hector* (Linnaeus,1758)**
(Papilionidae) Synonym(s): *hector Linnaeus,1758* Original Reference: *Papilio hector* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.2. Type(s): Indiae. Range (in code): **IN Oi Clc Mh Guj Oi Ker Ben Apr BD Cta MM LK Adm**
- 17654. *Atrophaneura* (s.str. (*Pachliopta*)) *hector hector* (Linnaeus,1758)**
(Papilionidae) Synonym(s): *hector Linnaeus,1758* Original Reference: *Papilio hector* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.2. Type(s): Indiae. Range (in code): **IN Mh Guj Oi Ker Ben Apr MM LK Adm**
- 17655. *Atrophaneura* (s.str. (*Pachliopta*)) *jophon* (Gray,[1853])**
(Papilionidae) Synonym(s): *jophon Gray,[1853]* Original Reference: *Papilio jophon* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 10, nr.35, pl.4 fig.4. Type: "Ceylon". Range (in code): **LK**
- 17656. *Atrophaneura* (s.str. (*Pachliopta*)) *jophon jophon* (Gray,[1853])**
(Papilionidae) Synonym(s): *jophon Gray,[1853]* Original Reference: *Papilio jophon* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 10, nr.35, pl.4 fig.4. Type: "Ceylon". Range (in code): **LK**
- 17657. *Atrophaneura* (s.str. (*Pachliopta*)) *kotzebuea* (Eschscholtz,1821)**
(Papilionidae) Synonym(s): *kotzebuea Eschscholtz,1821*; *asina Tsukada & Nishiyama,1980*. Original Reference: *Papilio*

- kotzebuea Eschscholtz, 1821, Kotzeb. Reise 3: 202, Tab. 1 figs. 2a, b. Type: "Manilla". Range (in code): PH Bab Luz Boh Ceb Mar Mas Mdo Neg Pan Tic Din Hom Ley Mno Pao Sam Sar
- 17658. Atrophaneura (s.str. (Pachliopta)) kotzebuea bilara (Page & Treadaway, 1995)** (Papilionidae) Synonym(s): *bilara* Page & Treadaway, 1995 Original Reference: Pachliopta kotzebuea ssp. bilara Page & Treadaway, 1995, Neue ent. Nachr., Apollo Suppl. 14: 144-146, figs. 20-23. Holotype ♂: Philippines: Bohol: Bilar (coll. Treadaway). Range (in code): PH Boh Ceb
- 17659. Atrophaneura (s.str. (Pachliopta)) kotzebuea deseileus (Fruhstorfer, 1911)** (Papilionidae) Synonym(s): *deseileus* Fruhstorfer, 1911 Original Reference: Papilio aristolochiae ssp. deseileus Fruhstorfer, 1911, Ent. Rdsch. 28 (23): 178. Syntypes ♂♀: [Philippinen]: Mindoro. Range (in code): PH Mar Mas Mdo Neg Pan Tic
- 17660. Atrophaneura (s.str. (Pachliopta)) kotzebuea kotzebuea (Eschscholtz, 1821)** (Papilionidae) Synonym(s): *kotzebuea* Eschscholtz, 1821 Original Reference: Papilio kotzebuea Eschscholtz, 1821, Kotzeb. Reise 3: 202, Tab. 1 figs. 2a, b. Type: Manilla. Range (in code): PH Luz
- 17661. Atrophaneura (s.str. (Pachliopta)) kotzebuea matacong (Page & Treadaway, 1995)** (Papilionidae) Synonym(s): *matacong* Page & Treadaway, 1995 Original Reference: Pachliopta kotzebuea ssp. matacong Page & Treadaway, 1995, Neue ent. Nachr., Apollo Suppl. 14: 142-143, figs. 14-15. Holotype ♂: Philippines: S. Luzon: Matacong (coll. Treadaway). Range (in code): PH Luz
- 17662. Atrophaneura (s.str. (Pachliopta)) kotzebuea tindongani (Page & Treadaway, 1995)** (Papilionidae) Synonym(s): *#tindongana* Page & Treadaway, 1995; *tindongani* Page & Treadaway, 1995 Original Reference: Pachliopta kotzebuea ssp. tindongani Page & Treadaway, 1995, Neue ent. Nachr., Apollo Suppl. 14: 141-142, figs. 12-13. Holotype ♂: Philippines: N.E. Luzon: Sierra Madre, Sulong River (coll. Treadaway). Range (in code): PH Bab Luz
- 17663. Atrophaneura (s.str. (Pachliopta)) kotzebuea treadaway (Koçak & Kemal, 2000)** (Papilionidae) Synonym(s): *philippus* Semper, 1891 nec Wallace, 1865; *treadaway* Koçak & Kemal, 2000 Original Reference: Pachliopta kotzebuea ssp. treadaway Koçak & Kemal, 2000, Cent. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro Papilio (Menelaides) aristolochiae var. philippus Semper, 1891 nec Papilio philippus Wallace, 1865 [P. lorquinianus philippus]). Range (in code): PH Din Hom Ley Mno Pao Sam Sar
- 17664. Atrophaneura (s.str. (Pachliopta)) leytenensis Murayama, 1978** (Papilionidae) Synonym(s): *leytenensis* Murayama, 1978; *buraki* Koçak, 1983 Range (in code): PH Mno Pao Sam
- 17665. Atrophaneura (s.str. (Pachliopta)) leytenensis leytenensis Murayama, 1978** (Papilionidae) Synonym(s): *leytenensis* Murayama, 1978; *buraki* Koçak, 1983 Range (in code): PH Mno Pao Sam
- 17666. Atrophaneura (s.str. (Pachliopta)) liris (Godart, [1819])** (Papilionidae) Synonym(s): *liris* Godart, [1819] Original Reference: Papilio liris Godart, [1819], Ency. méth. 9: 72, 132. Type(s): Timor. Range (in code): N Au ID Sra Tim Wt Dm Svu Bbr Lt
- 17667. Atrophaneura (s.str. (Pachliopta)) liris damaricus (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *damaricus* Fruhstorfer, 1908 Original Reference: Papilio liris ssp. damaricus Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49-50. Syntypes 3♂ 1♀: Insel Damar. Range (in code): ID Dm
- 17668. Atrophaneura (s.str. (Pachliopta)) liris deridderi Neukirschen, 1992** (Papilionidae) Synonym(s): *deridderi* Neukirschen, 1992 Original Reference: Pachliopta liris ssp. deridderi Neukirschen, 1992, Ent. Z., Frankf. a. M. 102: 261-263, Abb. 2. Holotype ♂: Indonesien: Baray Darya-Gruppe, Serua Is. (ZMHUB). Range (in code): ID Sra
- 17669. Atrophaneura (s.str. (Pachliopta)) liris gaetus (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *gaetus* Fruhstorfer, 1908; *#pseudoliris* Fruhstorfer, 1908. Original Reference: Papilio liris ssp. gaetus Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49. Syntypes 2♂: Insel Savu. Range (in code): ID Svu
- 17670. Atrophaneura (s.str. (Pachliopta)) liris navigator (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *navigator* Fruhstorfer, 1908 Original Reference: Papilio liris ssp. navigator Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49. Syntypes 2♂: Insel Babber. Range (in code): ID Bbr
- 17671. Atrophaneura (s.str. (Pachliopta)) liris pallidus (Rothschild, 1895)** (Papilionidae) Synonym(s): *pallidus* Rothschild, 1895 Original Reference: Papilio liris ssp. pallidus

- Rothschild, 1895, Novit. zool. 2: 236. Syntypes: Letti (10♂ 3♀); Moa (2♂) (leg. Doherty). Range (in code): ID Lt
- 17672. *Atrophaneura* (s.str. (Pachliopta)) *liris velificatus* (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *velificatus* Fruhstorfer, 1908 Original Reference: Papilio *liris* ssp. *velificatus* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 50. Syntypes: Insel Roma, östl. Wetter. Range (in code): ID
- 17673. *Atrophaneura* (s.str. (Pachliopta)) *liris wetterensis* (Rothschild, 1895)** (Papilionidae) Synonym(s): *wetterensis* Rothschild, 1895 Original Reference: Papilio *liris* ssp. *wetterensis* Rothschild, 1895, Novit. zool. 2: 236. Syntypes 2♂ 1♀: Wetter (leg. W. Doherty). Range (in code): ID Wt
- 17674. *Atrophaneura* (s.str. (Pachliopta)) *mariae* (Semper, 1878)** (Papilionidae) Synonym(s): *mariae* Semper, 1878 Original Reference: Papilio *mariae* Semper, 1878, Verh. Ver. naturw. Unterh. Hamburg 3: 115. Syntypes: Philippines. Range (in code): PH Boh Ley Mno Sam Luz Pol
- 17675. *Atrophaneura* (s.str. (Pachliopta)) *mariae almae* (Semper, 1891)** (Papilionidae) Synonym(s): *almae* Semper, 1891 Original Reference: Papilio (Menelaides) *almae* Semper, 1891, Philipp. Tagfalter: 270, nr. 396, Taf. 46 fig. 6. Syntypes 2 ex: Philippines: Polillo. Range (in code): PH Luz Pol
- 17676. *Atrophaneura* (s.str. (Pachliopta)) *mariae camarines* Schröder & Treadaway, 1978** (Papilionidae) Synonym(s): *camarines* Schröder & Treadaway, 1978 Range (in code): PH Luz
- 17677. *Atrophaneura* (s.str. (Pachliopta)) *mariae mariae* (Semper, 1878)** (Papilionidae) Synonym(s): *mariae* Semper, 1878 Original Reference: Papilio *mariae* Semper, 1878, Verh. Ver. naturw. Unterh. Hamburg 3: 115. Syntypes: Philippines. Range (in code): PH Boh Ley Mno Sam Luz Pol
- 17678. *Atrophaneura* (s.str. (Pachliopta)) *oreon* (Doherty, 1891)** (Papilionidae) Synonym(s): *oreon* Doherty, 1891 Original Reference: Papilio (Menelaides) *oreon* Doherty, 1891, J. asiat. Soc. Bengal 1891: 192, nr. 109. Type(s): [Indonesia]: Sumba Island. Range (in code): ID Sba Alo
- 17679. *Atrophaneura* (s.str. (Pachliopta)) *oreon godmani* (Röber, 1891)** (Papilionidae) Synonym(s): *godmani* Röber, 1891 Original Reference: Papilio *godmani* Röber, 1891, Tijdschr. Ent. 34: 271. Syntypes: Alor IIs. Range (in code): ID Alo
- 17680. *Atrophaneura* (s.str. (Pachliopta)) *oreon oreon* (Doherty, 1891)** (Papilionidae) Synonym(s): *oreon* Doherty, 1891 Original Reference: Papilio (Menelaides) *oreon* Doherty, 1891, J. asiat. Soc. Bengal 1891: 192, nr. 109. Type(s): [Indonesia]: Sumba Island. Range (in code): ID Sba
- 17681. *Atrophaneura* (s.str. (Pachliopta)) *pandiyana* (Moore, 1881)** (Papilionidae) Synonym(s): *pandiyana* Moore, 1881 Original Reference: Papilio *pandiyana* Moore, 1881, Trans. Ent. Soc. London 1881: 313. Type: India: Travancore. Range (in code): IN
- 17682. *Atrophaneura* (s.str. (Pachliopta)) *pandiyana pandiyana* (Moore, 1881)** (Papilionidae) Synonym(s): *pandiyana* Moore, 1881 Original Reference: Papilio *pandiyana* Moore, 1881, Trans. Ent. Soc. London 1881: 313. Type: India: Travancore. Range (in code): IN
- 17683. *Atrophaneura* (s.str. (Pachliopta)) *phlegon* (C. Felder & R. Felder, 1864)** (Papilionidae) Synonym(s): *phlegon* C. Felder & R. Felder, 1864 Original Reference: Papilio *phlegon* C. Felder & R. Felder, 1864, Verh. zool.- bot. Ges. Wien 14: 326. Type: Mindanao. Range (in code): PH Mno Sib Gui Luz Mar Mdo Pan
- 17684. *Atrophaneura* (s.str. (Pachliopta)) *phlegon phlegon* (C. Felder & R. Felder, 1864)** (Papilionidae) Synonym(s): *phlegon* C. Felder & R. Felder, 1864 Original Reference: Papilio *phlegon* C. Felder & R. Felder, 1864, Verh. zool.- bot. Ges. Wien 14: 326. Type: Mindanao. Range (in code): PH Mno
- 17685. *Atrophaneura* (s.str. (Pachliopta)) *phlegon splendida* Schröder & Treadaway, 1984** (Papilionidae) Synonym(s): *splendida* Schröder & Treadaway, 1984 Range (in code): PH Sib
- 17686. *Atrophaneura* (s.str. (Pachliopta)) *phlegon strandi* Bryk, 1930** (Papilionidae) Synonym(s): *strand* Bryk, 1930 Range (in code): PH Gui Luz Mar Mdo Pan
- 17687. *Atrophaneura* (s.str. (Pachliopta)) *polydorus* (Linnaeus, 1763)** (Papilionidae) Synonym(s): *polydorus* Linnaeus, 1763 Original Reference: Papilio *polydorus* Linnaeus, 1763,

- Amoen. Acad. 6: 401, nr.50. Type(s): "India". Range (in code): ID Amb Crm Ob AU PG Fg Ls Kkr Dmp Ij Bru Adl Mi Tro Eca Bgv Bgv3 NBr QAU Tnm Bch Hm Kai Aru Vu Nlr D-Y Manu
- 17688. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus aignanus* (Rothschild,1898)**
(Papilionidae) Synonym(s): *aignanus* Rothschild,1898 Range (in code): PG Ls
- 17689. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus albosignatus* (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *albosignatus* Fruhstorfer,1908 Original Reference: *Papilio polydorus* ssp. *albosignatus* Fruhstorfer,1908, Int. ent. Z. 2 (8): 49. Syntypes 3♂ 5♀: [Papua New Guinea]: Milnebai, Collingwoodbai. Range (in code): PG
- 17690. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus asinius* (Fruhstorfer,1904)**
(Papilionidae) Synonym(s): *asinus* Fruhstorfer,1904 Range (in code): PG
- 17691. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus dampierensis* (Hagen,1897)**
(Papilionidae) Synonym(s): *dampierensis* Hagen,1897 Original Reference: *Papilio polydorus dampierensis* Hagen,1897, Jb. Nass. Ver. Nat. 50: 50, nr.6. Syntypes: Dampier Island. Range (in code): PG Kkr Dmp
- 17692. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus godartianus* (Lucas,1852)**
(Papilionidae) Synonym(s): *godartianus* Lucas,1852; *papuanus* Oberthür,1879. Original Reference: *Papilio godartianus* Lucas,1852, Revue Zool. 1852: 129, T. 10, fig.1. "Iles de Océan Pasifique". Range (in code): PG Ij ID
- 17693. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus humboldti* (Rothschild,1908)**
(Papilionidae) Synonym(s): *humboldti* Rothschild,1908 Range (in code): Ij ID
- 17694. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus kajelanus* (Fruhstorfer,1898)**
(Papilionidae) Synonym(s): *kajelanus* Fruhstorfer,1898 Range (in code): ID Bru
- 17695. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus lascarus* (Fruhstorfer,1913)**
(Papilionidae) Synonym(s): *lascarus* Fruhstorfer,1913 Range (in code): PG
- 17696. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus leodamas* (Wallace,1865)**
(Papilionidae) Synonym(s): *leodamas* Wallace,1865 Original Reference: *Papilio leodamas* Wallace,1865, Trans. linn. Soc. 25: 43. Range (in code): ID Mi
- 17697. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus manus* (Talbot,1932)**
(Papilionidae) Synonym(s): *manus* Talbot,1932 Range (in code): PG Adl
- 17698. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus meforanus* (Rothschild,1908)**
(Papilionidae) Synonym(s): *meforanus* Rothschild,1908 Range (in code): Ij ID
- 17699. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus naissus* (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *naissus* Fruhstorfer,1908 Original Reference: *Papilio polydorus* ssp. *naissus* Fruhstorfer,1908, Int. ent. Z. 2 (8): 49. Syntypes ♂♂: [Papua New Guinea]: Ferguson. Range (in code): PG Fg Tro Eca
- 17700. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus novobritannicus* (Rothschild,1895)**
(Papilionidae) Synonym(s): *novobritannicus* Rothschild,1895 Original Reference: *Papilio polydorus* ssp. *novobritannicus* Rothschild,1895, Novit. zool. 2: 242-243. Syntypes: [Papua New Guinea]: New Britain (2♂ 5♀); Duke of York Island (2♂). Range (in code): PG NBr
- 17701. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus orinomus* (Rothschild,1908)**
(Papilionidae) Synonym(s): *orinomus* Rothschild,1908 Range (in code): PG
- 17702. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus polydaemon* (Mathew,1887)**
(Papilionidae) Synonym(s): *polydaemon* Mathew,1887 Original Reference: *Papilio polydaemon* Mathew,1887, Trans. ent. Soc. Lond. 1887 (1): 48-49. Type ♂: Solomon Islands: Ugi. Range (in code): SB Bgv Bgv3
- 17703. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus queenslandicus* (Rothschild,1895)**
(Papilionidae) Synonym(s): *queenslandicus* Rothschild,1895 Original Reference: *Papilio polydorus* ssp. *queenslandicus* Rothschild,1895, Novit. zool. 2: 240. Syntypes: [Australia]: Queensland (3♂ 3♀); Thursday Island (2♂). Range (in code): AU QAU
- 17704. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus septentrionalis* (Rothschild,1895)**
(Papilionidae) Synonym(s): *septentrionalis* Rothschild,1895 Original Reference: *Papilio polydorus* ssp. *septentrionalis* Rothschild,1895, Novit. zool. 2: 240. Syntypes 1♂ 3♀: Halmahera (Doherty leg., August). Range (in code): ID Bch Hm
- 17705. *Atrophaneura* (s.str. (*Pachliopta*)) *polydorus tenimberensis* (Rothschild,1895)**
(Papilionidae) Synonym(s): *tenimberensis* Rothschild,1895 Original Reference: *Papilio polydorus*

- ssp. *tenimberensis* Rothschild, 1895, Novit. zool. 2: 239-240. Syntypes 3♂ 5♀: Tenimber Isl. (Doherty leg. June-July). Range (in code): ID Tnm
- 17706. *Atrophaneura* (s.str. (Pachliopta)) *polydorus thessalia* (Swinhoe, 1893)** (Papilionidae) Synonym(s): *thessalia* Swinhoe, 1893 Original Reference: Menelaides *thessalia* Swinhoe, 1893, Ann. Mag. nat. Hist. (6): 12: 258. Type: Key Is. Range (in code): ID Kai
- 17707. *Atrophaneura* (s.str. (Pachliopta)) *polydorus ulawaensis* (Joicey & Talbot, 1918)** (Papilionidae) Synonym(s): *ulawaensis* Joicey & Talbot, 1918 Original Reference: Papilio *polydorus* ssp. ? ab. *ulawaensis* Joicey & Talbot, 1918, Proc. zool. Soc. London 1917: 272. Type ♀: North Solomons: Ulawa Island (ex. coll. Grose-Smith). Range (in code): SB
- 17708. *Atrophaneura* (s.str. (Pachliopta)) *polydorus utuanensis* (Ribbe, 1898)** (Papilionidae) Synonym(s): *utuanensis* Ribbe, 1898 Original Reference: Papilio *polydorus utuanensis* Ribbe, 1898, Dt. ent. Z., Iris 1898: 68. Syntypes: New Ireland, Duke of York Isl. Range (in code): PG Nlr D-Y Manu Adl
- 17709. *Atrophaneura* (s.str. (Pachliopta)) *polydorus varus* Fruhstorfer, 1906** (Papilionidae) Synonym(s): *varus* Fruhstorfer, 1906 Range (in code): ID Aru
- 17710. *Atrophaneura* (s.str. (Pachliopta)) *polydorus vulcanicus* (Rothschild, 1915)** (Papilionidae) Synonym(s): *vulcanicus* Rothschild, 1915 Original Reference: Papilio *polydorus* ssp. *vulcanicus* Rothschild, 1915, Novit. zool. 22: 193. Syntypes 5♂ 8♀: Vulcan Island. Range (in code): PG Vu
- 17711. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes* (Boisduval, 1836)** (Papilionidae) Synonym(s): *polyphontes* Boisduval, 1836 Original Reference: Papilio *polyphontes* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 268, nr. 91. Type(s): Celebes. Range (in code): ID Mge Clb Bch Hm Trn Mti Tal
- 17712. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes aipytos* (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *aipytos* Fruhstorfer, 1908 Original Reference: Papilio *polyphontes* ssp. *aipytos* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49. Syntypes 3♂ 1♀: [Indonesia]: Sula-Mangoli. Range (in code): ID Mge
- 17713. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes lingonus* (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *lingonus* Fruhstorfer, 1908 Original Reference: Papilio *polyphontes* ssp. *lingonus* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49. Syntypes ♂♀: [Indonesia]: Talaut. Range (in code): ID Tal
- 17714. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes polyphontes* (Boisduval, 1836)** (Papilionidae) Synonym(s): *polyphontes* Boisduval, 1836 Original Reference: Papilio *polyphontes* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 268, nr. 91. Type(s): Celebes. Range (in code): ID Clb
- 17715. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes rosea* (Oberthür, 1879)** (Papilionidae) Synonym(s): *rosea* Oberthür, 1879 Original Reference: Papilio *polyphontes* var. *rosea* Oberthür, 1879, Etüd. Ent. 4: 113, nr. 59. Syntypes: [Indonesia]: Celebes. Range (in code): Clb ID
- 17716. *Atrophaneura* (s.str. (Pachliopta)) *polyphontes sejanus* (Fruhstorfer, 1908)** (Papilionidae) Synonym(s): *sejanus* Fruhstorfer, 1908 Original Reference: Papilio *polyphontes* ssp. *sejanus* Fruhstorfer, 1908, Int. ent. Z. 2 (8): 49. Syntypes 1♂ 1♀: [Indonesia]: Ternate, Batjan. Range (in code): Bch Hm Trn Mti ID
- 17717. *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi* (Semper, 1891)** (Papilionidae) Synonym(s): *schadenbergi* Semper, 1891 Original Reference: Papilio (Menelaides) *schadenbergi* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 1; Taf. 45 fig. 5. Syntypes ♂♀: Philippines: N. Luzon: Babuyan. Range (in code): PH Cml Luz
- 17718. *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi micholitzii* (Semper, 1891)** (Papilionidae) Synonym(s): *micholitzii* Semper, 1891 Original Reference: Papilio (Menelaides) *schadenbergi* var. *micholitzii* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 2; Taf. 45 fig. 6. Syntypes ♂♀: Philippines: N. Luzon. Range (in code): PH Cml Luz
- 17719. *Atrophaneura* (s.str. (Pachliopta)) *schadenbergi schadenbergi* (Semper, 1891)** (Papilionidae) Synonym(s): *schadenbergi* Semper, 1891 Original Reference: Papilio (Menelaides) *schadenbergi* Semper, 1891, Philipp. Tagfalter: 269, Taf. 44 fig. 1; Taf. 45 fig. 5. Syntypes ♂♀: Philippines: N. Luzon: Babuyan. Range (in code): PH Luz
- 17720. *Atrophaneura* (s.str. (Pangerana)) *aidoneus* (Doubleday, 1845)** (Papilionidae) Synonym(s): *aidoneus* Doubleday, 1845 Original Reference: Papilio *aidoneus* Doubleday, 1845,

- Ann. Mag. nat. Hist. 16: 178. Type(s): India. Range (in code): [CN Hn IN Ass Slo MM Shn VN TH CMa CDo LA](#)
- 17721. *Atrophaneura* (s.str. (Pangerana)) *aidoneus aidoneus* (Doubleday,1845)** (Papilionidae) Synonym(s): *aidoneus* Doubleday,1845 Original Reference: *Papilio aidoneus* Doubleday,1845, Ann. Mag. nat. Hist. 16: 178. Type(s): India. Range (in code): [CN Hn IN Ass Slo MM Shn VN TH CMa CDo LA](#)
- 17722. *Atrophaneura* (s.str. (Pangerana)) *dixoni* Grose-Smith,1900** (Papilionidae) Synonym(s): *dixoni* Grose-Smith,1900 Range (in code): [ID Clb](#)
- 17723. *Atrophaneura* (s.str. (Pangerana)) *dixoni dixoni* Grose-Smith,1900** (Papilionidae) Synonym(s): *dixoni* Grose-Smith,1900
- 17724. *Atrophaneura* (s.str. (Pangerana)) *hageni* (Rogenhofer,1889)** (Papilionidae) Synonym(s): *hageni* Rogenhofer,1889 Original Reference: *Papilio hageni* Rogenhofer,1889, Verh. zool.- bot. Ges. Wien 39: 1. Type ♂: Indonesia: Sumatra. Range (in code): [ID Sum](#)
- 17725. *Atrophaneura* (s.str. (Pangerana)) *hageni hageni* (Rogenhofer,1889)** (Papilionidae) Synonym(s): *hageni* Rogenhofer,1889 Original Reference: *Papilio hageni* Rogenhofer,1889, Verh. zool.- bot. Ges. Wien 39: 1. Type ♂: Indonesia: Sumatra. Range (in code): [ID Sum](#)
- 17726. *Atrophaneura* (s.str. (Pangerana)) *horishana* (Matsumura,1910)** (Papilionidae) Synonym(s): *horishana* Matsumura,1910; *sauteri* Heyne,1913 Range (in code): [TW](#)
- 17727. *Atrophaneura* (s.str. (Pangerana)) *horishana horishana* (Matsumura,1910)** (Papilionidae) Synonym(s): *horishana* Matsumura,1910; *sauteri* Heyne,1913 Range (in code): [TW](#)
- 17728. *Atrophaneura* (s.str. (Pangerana)) *kuehni* (Honrath,1886)** (Papilionidae) Synonym(s): *kuehni* Honrath,1886 Original Reference: *Papilio kühni* Honrath,1886, Berl. ent. Z. 30: 294, Taf.6 fig.1, 1a. Syntypes ♂♀: [Indonesia]: E. Celebes: Tombugu. Range (in code): [ID Clb](#)
- 17729. *Atrophaneura* (s.str. (Pangerana)) *kuehni kuehni* (Honrath,1886)** (Papilionidae) Synonym(s): *kuehni* Honrath,1886 Original Reference: *Papilio kühni* Honrath,1886, Berl. ent. Z. 30: 294, Taf.6 fig.1, 1a. Syntypes ♂♀: [Indonesia]: E. Celebes: Tombugu. Range (in code): [ID Clb](#)
- 17730. *Atrophaneura* (s.str. (Pangerana)) *luchti* Roepke,1935** (Papilionidae) Synonym(s): *luchti* Roepke,1935 Range (in code): [ID Ja](#)
- 17731. *Atrophaneura* (s.str. (Pangerana)) *luchti luchti* Roepke,1935** (Papilionidae) Synonym(s): *luchti* Roepke,1935
- 17732. *Atrophaneura* (s.str. (Pangerana)) *noctis* (Hewitson,1859)** (Papilionidae) Synonym(s): *noctis* Hewitson,1859 Original Reference: *Papilio noctis* Hewitson,1859, Proc. zool. Soc. London 1859: 423, Pl.66 fig.5,6. Range (in code): [Bor](#)
- 17733. *Atrophaneura* (s.str. (Pangerana)) *noctula* (Westwood,1872)** (Papilionidae) Synonym(s): *noctula* Westwood,1872; *strix* Westwood,1872. Original Reference: *Papilio noctula* Westwood,1872, Trans. ent. Soc. London 1872: 90, Pl.4 fig.3. Type(s): Borneo. Range (in code): [Bor ID MY](#)
- 17734. *Atrophaneura* (s.str. (Pangerana)) *nox* (Swainson,[1822])** (Papilionidae) Synonym(s): *nox* Swainson,[1822]; *noctula* Westwood,1872; *strix* Westwood,1872 Original Reference: *Papilio nox* Swainson,[1822], Zool. Illustr. (1) 2 (20): pl.102. Type(s): Java. Range (in code): [ID Nia Sum Pad Ja Bli MY Bor](#)
- 17735. *Atrophaneura* (s.str. (Pangerana)) *nox banjermasinus* (Fruhstorfer,1899)** (Papilionidae) Synonym(s): *banjermasinus* Fruhstorfer,1899 Range (in code): [MY Bor](#)
- 17736. *Atrophaneura* (s.str. (Pangerana)) *nox erebus* (Wallace,1865)** (Papilionidae) Synonym(s): *erebus* Wallace,1865 Original Reference: *Papilio erebus* Wallace,1865, Trans. linn. Soc. 25: 41. Syntypes: Malacca: Borneo. Range (in code): [ID Sum MY Bor](#)
- 17737. *Atrophaneura* (s.str. (Pangerana)) *nox henricus* (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *henricus* Fruhstorfer,1898 Range (in code): [ID Sum](#)
- 17738. *Atrophaneura* (s.str. (Pangerana)) *nox niepeltiana* (Strand,1914)** (Papilionidae) Synonym(s): *niepeltiana* Strand,1914 Range (in code): [ID Sum](#)
- 17739. *Atrophaneura* (s.str. (Pangerana)) *nox nox* (Swainson,[1822])** (Papilionidae) Synonym(s): *nox* Swainson,[1822]; *noctula* Westwood,1872; *strix* Westwood,1872 Original Reference: *Papilio nox* Swainson,[1822], Zool. Illustr. (1) 2 (20): pl.102. Range (in code): [ID Ja](#)
- 17740. *Atrophaneura* (s.str. (Pangerana)) *nox nyx* (De Nicéville,1897)** (Papilionidae) Synonym(s): *nyx* De Nicéville,1897 Range (in code): [ID Bli](#)
- 17741. *Atrophaneura* (s.str. (Pangerana)) *nox petronius* (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *petronius* Fruhstorfer,1901 Range (in code): [ID Nia](#)

- 17742. *Atrophaneura* (s.str. (Pangerana)) *nox solokanus* Fruhstorfer,1902**
(Papilionidae) Synonym(s): *solokanus* Fruhstorfer,1902 _ Range (in code): ID Sum Pad
- 17743. *Atrophaneura* (s.str. (Pangerana)) *priapus* (Boisduval,1836)** (Papilionidae)
Synonym(s): *priapus* Boisduval,1836 _ Original Reference: Papilio priapus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.3. Range (in code): ID Ja
- 17744. *Atrophaneura* (s.str. (Pangerana)) *priapus dilutus* (Fruhstorfer,1895)**
(Papilionidae) Synonym(s): *dilutus* Fruhstorfer,1895 _ Original Reference: Papilio dilutus Fruhstorfer,1895, Ent. Nachr. 1895: 169. Syntypes: East Java. Range (in code): ID Ja
- 17745. *Atrophaneura* (s.str. (Pangerana)) *priapus priapus* (Boisduval,1836)**
(Papilionidae) Synonym(s): *priapus* Boisduval,1836 _ Original Reference: Papilio priapus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.3. Range (in code): ID Ja
- 17746. *Atrophaneura* (s.str. (Pangerana)) *semperi* (C.Felder & R.Felder,1861)**
(Papilionidae) Synonym(s): *semperi* C.Felder & R.Felder,1861 _ Original Reference: Papilio semperi C.Felder & R.Felder,1861, Wien. ent. Monatschr. (5): 297. Syntypes: Philippines: Luzon: Polillo. Range (in code): PH Cml Luz Pol Mdo Mno Neg Mas Sib Pan Pal Cal Boh Ley Pan Sam TW
- 17747. *Atrophaneura* (s.str. (Pangerana)) *semperi albofasciata* (Semper,1892)**
(Papilionidae) Synonym(s): *albofasciata* Semper,1892; *albofasciatus* Staudinger,[1895]. _ Original Reference: Papilio (*Atrophaneura*) *semperi* var. *albofasciata* Semper,1892, Philipp. Tagfalter: 273. Syntypes: Philippines: Panay, Mindoro. Range (in code): PH Mdo
- 17748. *Atrophaneura* (s.str. (Pangerana)) *semperi aphthonia* (Rothschild,1908)**
(Papilionidae) Synonym(s): *aphthonia* Rothschild,1908 _ Range (in code): Mno PH
- 17749. *Atrophaneura* (s.str. (Pangerana)) *semperi baglantis* (Rothschild,1908)**
(Papilionidae) Synonym(s): *baglantis* Rothschild,1908 _ Range (in code): Neg Mas PH
- 17750. *Atrophaneura* (s.str. (Pangerana)) *semperi imogene* Schröder & Treadaway,1979** (Papilionidae) Synonym(s): *imogene* Schröder & Treadaway,1979 _ Range (in code): Sib PH
- 17751. *Atrophaneura* (s.str. (Pangerana)) *semperi lizae* Schröder & Treadaway,1984**
(Papilionidae) Synonym(s): *lizae* Schröder & Treadaway,1984 _ Range (in code): Pan PH
- 17752. *Atrophaneura* (s.str. (Pangerana)) *semperi melanotus* (Staudinger,1889)**
(Papilionidae) Synonym(s): *melanotus* Staudinger,1889 _ Original Reference: Papilio *semperi* var. *melanotus* Staudinger,1889, Dt. ent. Z., Iris 2: 13. Type ♀: [Philippinen]: Palawan. Range (in code): Cal Pal PH
- 17753. *Atrophaneura* (s.str. (Pangerana)) *semperi semperi* (C.Felder & R.Felder,1861)**
(Papilionidae) Synonym(s): *semperi* C.Felder & R.Felder,1861 _ Original Reference: Papilio *semperi* C.Felder & R.Felder,1861, Wien. ent. Monatschr. (5): 297. Syntypes: Philippines: Luzon: Polillo. Range (in code): Cml Luz Pol PH
- 17754. *Atrophaneura* (s.str. (Pangerana)) *semperi sorsogona* Page & Treadaway,1990**
(Papilionidae) Synonym(s): *sorsogona* Page & Treadaway,1990 _ Range (in code): Luz PH
- 17755. *Atrophaneura* (s.str. (Pangerana)) *semperi supernotatus* (Rothschild,1895)**
(Papilionidae) Synonym(s): *supernotatus* Rothschild,1895 _ Original Reference: Papilio *semperi* ssp. *supernotatus* Rothschild,1895, Novit. Zool. 2: 257. Holotype ♀: [Philippines]: Bohol; paratypes from "Samar, Mindanao, Panaon, Camiguin, Siargao". Range (in code): PH Boh Ley Pan Sam
- 17756. *Atrophaneura* (s.str. (Pangerana)) *sycorax* (Grose-Smith,1885)** (Papilionidae)
Synonym(s): *sycorax* Grose-Smith,1885 _ Original Reference: Papilio *sycorax* Grose-Smith,1885, Entomologist's mon. Mag. 21: 251. Type: Indonesia: Sumatra. Range (in code): ID Sum Ja MM MY TH Rng Srt Pht
- 17757. *Atrophaneura* (s.str. (Pangerana)) *sycorax carolinae* (Toxopeus,1936)**
(Papilionidae) Synonym(s): *carolinae* Toxopeus,1936; *pariwononis* Tsukada & Nishiyama,1979 _ Range (in code): ID Sum
- 17758. *Atrophaneura* (s.str. (Pangerana)) *sycorax egertoni* (Distant,1886)**
(Papilionidae) Synonym(s): *egertoni* Distant,1886 _ Original Reference: Papilio *egertoni* Distant,1886, Ann. Mag. nat. Hist. (5) 17: 251. Type: Perak. Range (in code): TH Rng Srt Pht MY
- 17759. *Atrophaneura* (s.str. (Pangerana)) *sycorax sycorax* (Grose-Smith,1885)**
(Papilionidae) Synonym(s): *sycorax* Grose-Smith,1885 _ Original Reference: Papilio *sycorax* Grose-Smith,1885, Entomologist's mon. Mag. 21: 251. Type ♀: Indonesia: Sumatra. Range (in code): ID Sum

- 17760. Atrophaneura (s.str. (Pangerana)) varuna (White,1842)** (Papilionidae)
Synonym(s): *varuna* White,1842 Original Reference: Papilio *varuna* White,1842, Entomologist
1: 280. Type(s): Penang. Range (in code): **IN MM Tvy Tns MY SI TH Pht CMa CDo Ptt Yal Tng Nst**
Kma Syl Ass Ton Tda VN LA L38
- 17761. Atrophaneura (s.str. (Pangerana)) varuna astorion (Westwood,1842)** (Papilionidae)
Synonym(s): *astorion* Westwood,1842; *chara* Westwood,1842. Original Reference:
Papilio *astorion* Westwood,1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet. Range (in code):
Kma IN Syl Ass Ton Tda VN Ton TH Pht CMa CDo MM Tvy Tns LA L38
- 17762. Atrophaneura (s.str. (Pangerana)) varuna varuna (White,1842)** (Papilionidae)
Synonym(s): *varuna* White,1842 Original Reference: Papilio *varuna* White,1842, Entomologist
1: 280. Type(s): Penang. Range (in code): **MY SI TH Ptt Yal Tng Nst**
- 17763. Atrophaneura (s.str. (Pangerana)) zaleucus (Hewitson,1865)** (Papilionidae)
Synonym(s): *zaleucus* Hewitson,1865; *liziensis* Zhao,1997 Original Reference: Papilio *zaleucus*
Hewitson,1865, Exot. Butts. 3: Pl.7 figs. 24,25. Range (in code): **CN Ti MM VN Ton Tns Shn TH**
CMa CDo Cbi Rat Chy Cbu
- 17764. Atrophaneura (s.str. (Pangerana)) zaleucus zaleucus (Hewitson,1865)** (Papilionidae)
Synonym(s): *zaleucus* Hewitson,1865; *liziensis* Zhao,1997 Original Reference: Papilio
zaleucus Hewitson,1865, Exot. Butts. 3: Pl.7 figs. 24,25. Range (in code): **CN Ti MM VN Ton Tns**
Shn TH CMa CDo Cbi Rat Chy Cbu
- 17765. Battus archidamas (Boisduval,1836)** (Papilionidae) Synonym(s): *archidamas*
Boisduval,1836; *lindenii* Ehrmann,1926 Range (in code): **CL**
- 17766. Battus archidamas archidamas (Boisduval,1836)** (Papilionidae) Synonym(s):
archidamas Boisduval,1836; *lindenii* Ehrmann,1926 Range (in code): **CL**
- 17767. Battus belus (Cramer,1777)** (Papilionidae) Synonym(s): *belus* Cramer,1777; *numitor*
Cramer,1777; *amulius* Esper,1784; *caburi* Kaye,1906 Range (in code): **CO c27 VE Amz Blr SR EC GF GY**
BR Para
- 17768. Battus belus belemus (Bates,1864)** (Papilionidae) Synonym(s): *belemus* Bates,1864
Range (in code): **BR Para**
- 17769. Battus belus belus (Cramer,1777)** (Papilionidae) Synonym(s): *belus* Cramer,1777; *numitor*
Cramer,1777; *amulius* Esper,1784; *caburi* Kaye,1906 Range (in code): **SR GF GY BR**
- 17770. Battus belus cochabamba (Weeks,1901)** (Papilionidae) Synonym(s): *cochabamba*
Weeks,1901; *chalceus* Rothschild & Jordan,1906; *cochabambanus* Zischka,1950 Range (in code): **EC PE**
- 17771. Battus belus varus (Kollar,[1849])** (Papilionidae) Synonym(s): *varus* Kollar,[1849];
heteropterus Zikan,1937 Range (in code): **CO c27 VE Amz Blr EC**
- 17772. Battus crassus (Cramer,1777)** (Papilionidae) Synonym(s): *crassus* Cramer,1777 Range
(in code): **CO c19 c22 c27 c26 c30 EC VE Tac Yy Crc**
- 17773. Battus crassus crassus (Cramer,1777)** (Papilionidae) Synonym(s): *crassus* Cramer,1777
Range (in code): **CO c19 c22 c26 EC**
- 17774. Battus crassus hirundo (Röber,1925)** (Papilionidae) Synonym(s): *hirundo* Röber,1925
Range (in code): **BO**
- 17775. Battus crassus lepidus (C.Felder & R.Felder,1861)** (Papilionidae) Synonym(s):
lepidus C.Felder & R.Felder,1861 Range (in code): **CO c27 c26 c30 VE Tac Yy Crc EC**
- 17776. Battus devilliers (Godart,1822)** (Papilionidae) Synonym(s): *devilliers* Godart,1822
Range (in code): **CU**
- 17777. Battus devilliers devilliers (Godart,1822)** (Papilionidae) Synonym(s): *devilliers*
Godart,1822 Range (in code): **CU**
- 17778. Battus eracon (Godman & Salvin,1897)** (Papilionidae) Synonym(s): *eracon* Godman &
Salvin,1897 Range (in code): **MX Clm Grr Mic Jls**
- 17779. Battus ingenuus (Dyar,1907)** (Papilionidae) Synonym(s): *latinus* C.Felder & R.Felder,1861;
ingenuus Dyar,1907; *chrysomaculatus* Niepelt,1915; *camposia* Schaus,1928 Range (in code): **CO c27 c07**
c22 VE Tac Agu Blr Mra EC MX
- 17780. Battus laodamas (C.Felder & R.Felder,1869)** (Papilionidae) Synonym(s): *laodamas*
C.Felder & R.Felder,1869 Range (in code): **CO c30 c22**
- 17781. Battus laodamas copanae (Reakirt,1863)** (Papilionidae) Synonym(s): *copanae*
Reakirt,1863; *chrysodamas* Bates,1864; *chrysomealus* Ehrmann,1912 Range (in code): **GT**
- 17782. Battus laodamas laodamas (C.Felder & R.Felder,1869)** (Papilionidae) Synonym(s):
laodamas C.Felder & R.Felder,1869 Range (in code): **CO c30 c22**

- 17783. *Battus laodamas oipas* (Godman & Salvin,1897)** (Papilionidae) Synonym(s): *procas* Godman & Salvin,1890 nec Cr.,1777; *oipas* Godman & Salvin,1897; *procas* Godman & Salvin,1890 - Range (in code): MX Clm
- 17784. *Battus laodamas rhipidius* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *rhipidius* Rothschild & Jordan,1906 - Range (in code): CR
- 17785. *Battus lycidas* (Cramer,1777)** (Papilionidae) Synonym(s): *lycidas* Cramer,1777; *erymanthus* Cramer,1777; *adlatus* Niepelt,1915 - Range (in code): SR CO c05 c19 c27 VE Blr Bna Zul Tac Coj SR EC
- 17786. *Battus madyes* (Doubleday,1846)** (Papilionidae) Synonym(s): *madyes* Doubleday,1846; *#maydes* Racheli & Pariset,1992 - Range (in code): BO EC
- 17787. *Battus madyes chlorodamas* (Guenée,1872)** (Papilionidae) Synonym(s): *chlorodamas* Guenée,1872; *marsyas* Staudinger,1894 - Range (in code): PE
- 17788. *Battus madyes lojaensis* Möhn,1999** (Papilionidae) Synonym(s): *lojaensis* Möhn,1999 - Range (in code): EC
- 17789. *Battus madyes madyes* (Doubleday,1846)** (Papilionidae) Synonym(s): *madyes* Doubleday,1846; *#maydes* Racheli & Pariset,1992 - Range (in code): BO
- 17790. *Battus madyes magnimacula* Joicey & Talbot,1925** (Papilionidae) Synonym(s): *magnimacula* Joicey & Talbot,1925 - Range (in code): EC
- 17791. *Battus madyes montebanus* (Dyar,1913)** (Papilionidae) Synonym(s): *crispus* Rothschild & Jordan,1906 nec Cr.,1777; *montebanus* Dyar,1913
- 17792. *Battus madyes philetas* (Hewitson,1869)** (Papilionidae) Synonym(s): *philetas* Hewitson,1869; *adloni* Ehrmann,1925; *fabius* Biedermann,1935 nec Cr.,1777 - Range (in code): EC BO
- 17793. *Battus madyes plinius* (Weymer,1890)** (Papilionidae) Synonym(s): *plinius* Weymer,1890 - Range (in code): PE
- 17794. *Battus madyes tucumanus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *tucumanus* Rothschild & Jordan,1906 - Range (in code): AR
- 17795. *Battus philenor* (Linnaeus,1771)** (Papilionidae) Synonym(s): *philenor* Linnaeus,1771; *astinus* Drury,[1773]; *#obsoleta* Ehrmann,1900; *wasmuthi* Weeks,1901; *serpentariae* Fabricius,1938; *insularis* Vazquez,1957 - Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mrl Msc Mss NCa NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut Vi Vr WVi We
- 17796. *Battus philenor corbis* (Godman & Salvin,1890)** (Papilionidae) Synonym(s): *corbis* Godman & Salvin,1890; *acauda* Oberthür,1879; *nezahualcayoti* Strecker,1885 - Range (in code): MX
- 17797. *Battus philenor hirsutus* (Skinner,1908)** (Papilionidae) Synonym(s): *hirsutus* Skinner,1908; *#inghami* Gunder,1927. - Range (in code): US Cf
- 17798. *Battus philenor orsua* (Godman & Salvin,1890)** (Papilionidae) Synonym(s): *orsua* Godman & Salvin,1890 - Range (in code): MX
- 17799. *Battus philenor philenor* (Linnaeus,1771)** (Papilionidae) Synonym(s): *philenor* Linnaeus,1771; *astinus* Drury,[1773]; *#obsoleta* Ehrmann,1900; *#wasmuthi* Weeks,1901. - Range (in code): US MX Aks Alb Arz Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mrl Msc Mss NCa NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sca SDk Tnn Tx Ut Vi Vr WVi We
- 17800. *Battus polydamas* (Linnaeus,1758)** (Papilionidae) Synonym(s): *polydamas* Linnaeus,1758 - Range (in code): US MX Aks Arz Cf Fl Ge Knt Lou Mis NMx Neb Nh Tx VE Tac Agu Blr Crc EC CO c16 c14 c27 c26 c24 CU BS GP
- 17801. *Battus polydamas antiquus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *antiquus* Rothschild & Jordan,1906; *#antiquus* Riley,1975
- 17802. *Battus polydamas cebriones* (Dalman,1823)** (Papilionidae) Synonym(s): *cebriones* Dalman,1823
- 17803. *Battus polydamas christopheranus* (Hall,1936)** (Papilionidae) Synonym(s): *christopheranus* Hall,1936
- 17804. *Battus polydamas cubensis* (Dufrane,1946)** (Papilionidae) Synonym(s): *cubensis* Dufrane,1946 - Range (in code): CU
- 17805. *Battus polydamas dominicus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *dominicus* Rothschild & Jordan,1906
- 17806. *Battus polydamas grenadensis* (Hall,1930)** (Papilionidae) Synonym(s): *grenadensis* Hall,1930
- 17807. *Battus polydamas jamaicensis* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *jamaicensis* Rothschild & Jordan,1906 - Range (in code): JM
- 17808. *Battus polydamas lucayus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *lucayus* Rothschild & Jordan,1906. - Range (in code): BS

- 17809. Battus polydamas lucianus (Rothschild & Jordan,1906)** (Papilionidae)
Synonym(s): *lucianus* Rothschild & Jordan,1906
- 17810. Battus polydamas neodamas (Lucas,1852)** (Papilionidae) Synonym(s): *neodamas* Lucas,1852 Range (in code): GP
- 17811. Battus polydamas polycrates (Hopffer,1866)** (Papilionidae) Synonym(s): *polycrates* Hopffer,1866; *hypodamus* Guenée,1872
- 17812. Battus polydamas polydamas (Linnaeus,1758)** (Papilionidae) Synonym(s): *polydamas* Linnaeus,1758 Range (in code): EC CO c16 c14 c27 c26 c24
- 17813. Battus polydamas thymus (Rothschild & Jordan,1906)** (Papilionidae)
Synonym(s): *thymus* Rothschild & Jordan,1906
- 17814. Battus polydamas vincentius (Rothschild & Jordan,1906)** (Papilionidae)
Synonym(s): *vincentius* Rothschild & Jordan,1906
- 17815. Battus polystictus (Butler,1874)** (Papilionidae) Synonym(s): *polystictus* Butler,1874
Range (in code): BR
- 17816. Battus polystictus galenus (Fruhstorfer,1907)** (Papilionidae) Synonym(s): *janira* Rothschild & Jordan,1906 nec Linn.,1758; *galenus* Fruhstorfer,1907 Original Reference: Papilio polystictus galenus Fruhstorfer,1907, Stettin ent. Ztg. 68: 296. Type: "Surinam" [patria falsa]. Range (in code): BR
- 17817. Battus polystictus polystictus (Butler,1874)** (Papilionidae) Synonym(s): *polystictus* Butler,1874 Range (in code): BR
- 17818. Battus streckerianus (Honrath,1884)** (Papilionidae) Synonym(s): *streckerianus* Honrath,1884 Range (in code): PE Cuz
- 17819. Battus streckerianus atahualpa Racheli & Pischedda,1987** (Papilionidae)
Synonym(s): *atahualpa* Racheli & Pischedda,1987 Range (in code): PE
- 17820. Battus streckerianus peruanus (Fuchs,1954)** (Papilionidae) Synonym(s): *peruanus* Fuchs,1954 Range (in code): PE Cuz
- 17821. Battus streckerianus streckerianus (Honrath,1884)** (Papilionidae) Synonym(s): *streckerianus* Honrath,1884; *mathani* Oberthür,1892 Range (in code): PE
- 17822. Battus zetides Munroe,1971** (Papilionidae) Synonym(s): *zetes* Westwood,147 nec Linn.,1758; *zetides* Munroe,1971 Range (in code): HT
- 17823. Bhutanitis lidderdalii Atkinson,1873** (Papilionidae) Synonym(s): *lidderdalii* Atkinson,1873 Original Reference: Bhutanitis lidderdalii Atkinson,1873, Proc. zool. Soc. Lond. 1873: 570, pl.50. Type ♂: Bhutan: Buxa, 6000ft. (leg. Lidderdale). Range (in code): BT IN Nag TH CMa CDo
- 17824. Bhutanitis lidderdalii lidderdalii Atkinson,1873** (Papilionidae) Synonym(s): *lidderdalii* Atkinson,1873 Original Reference: Bhutanitis lidderdalii Atkinson,1873, Proc. zool. Soc. Lond. 1873: 570, pl.50. Type ♂: Bhutan: Buxa, 6000ft. (leg. Lidderdale). Range (in code): BT IN Nag
- 17825. Bhutanitis lidderdalii ocellatomaculata Igarashi,1979** (Papilionidae) Synonym(s): *ocellatomaculata* Igarashi,1979 Original Reference: Bhutanitis lidderdalii ssp. ocellatomaculata Igarashi,1979, Tyo to Ga 30 (1/2): 69-72, figs. Holotype ♂: Thailand: Chiang Mai, Chiang Dao (NSMT). Range (in code): TH CMa CDo
- 17826. Bhutanitis ludlowi Gabriel,1942** (Papilionidae) Synonym(s): *ludlowi* Gabriel,1942 Original Reference: Bhutanitis ludlowi Gabriel,1942, Entomologist 75: 189. Range (in code): BT
- 17827. Bhutanitis ludlowi ludlowi Gabriel,1942** (Papilionidae) Synonym(s): *ludlowi* Gabriel,1942 Original Reference: Bhutanitis ludlowi Gabriel,1942, Entomologist 75: 189. Range (in code): BT
- 17828. Bhutanitis mansfieldi (Riley,1939)** (Papilionidae) Synonym(s): *mansfieldi* Riley,1939 Original Reference: Armandia mansfieldi Riley,1939, Entomologist 72: 207. Range (in code): CN Yu
- 17829. Bhutanitis mansfieldi mansfieldi (Riley,1939)** (Papilionidae) Synonym(s): *mansfieldi* Riley,1939 Original Reference: Armandia mansfieldi Riley,1939, Entomologist 72: 207. Range (in code): CN Yu
- 17830. Bhutanitis thaidina (Blanchard,1871)** (Papilionidae) Synonym(s): *thaidina* Blanchard,1871 Original Reference: Armandia thaidina Blanchard,1871, C. R. Acad. Sci., Paris 72: 809, nota 3. Range (in code): CN Sz Yu Xis Jg

- 17831. *Bhutanitis thaidina thaidina* (Blanchard,1871)** (Papilionidae) Synonym(s): *thaidina* Blanchard,1871 Original Reference: *Armandia thaidina* Blanchard,1871, C. R. Acad. Sci., Paris 72: 809, nota 3. Range (in code): **CN Sz Yu Xis Jg**
- 17832. *Chilasa (Agehana) elwesi* Leech,1889** (Papilionidae) Synonym(s): *elwesi* Leech,1889 Original Reference: *Papilio elwesi* Leech,1889, Trans. ent. Soc. Lond. 1889: 113, t.7 fig.1. Type ♂: China: Kiu-Kiang. Range (in code): **CN**
- 17833. *Chilasa (Agehana) elwesi elwesi* Leech,1889** (Papilionidae) Synonym(s): *elwesi* Leech,1889 Original Reference: *Papilio elwesi* Leech,1889, Trans. ent. Soc. Lond. 1889: 113, t.7 fig.1. Type ♂: China: Kiu-Kiang. Range (in code): **CN**
- 17834. *Chilasa (Agehana) maraho* Shiraki & Sonan,1934** (Papilionidae) Synonym(s): *maraho* Shiraki & Sonan,1934 Original Reference: *Papilio maraho* Shiraki & Sonan,1934, Zephyrus 5 (4): 177. Type: Formosa. Range (in code): **TW**
- 17835. *Chilasa (s.str. (Cadugoides)) agestor* (Gray,1831)** (Papilionidae) Synonym(s): *agestor* Gray,1831 Original Reference: *Papilio agestor* Gray,1831, Zool. Misc. 1831: 32 Type(s): "Sumatra" (err.). Range (in code): **IN Ch Ass Pu Hp Kma Mus CN MM VN Ton TH Chy CMa Int Dst CDo LA L10 L32 L38 BT TW NP Kdu Lal Bhp SI Ass MY Shn**
- 17836. *Chilasa (s.str. (Cadugoides)) agestor agestor* (Gray,1831)** (Papilionidae) Synonym(s): *agestor* Gray,1831 Original Reference: *Papilio agestor* Gray,1831, Zool. Misc. 1831: 32 Type(s): "Sumatra" (err.). Range (in code): **NP Kdu Lal Bhp SI Ass MM MY Shn TH Chy CMa Int Dst CDo LA L10 L32 L38 BT**
- 17837. *Chilasa (s.str. (Cadugoides)) agestor agestorides* (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *agestorides* Fruhstorfer,1909 Original Reference: *Papilio agestor* ssp. *agestorides* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 190. Syntypes: Tibet (?), SW-China, Lou-Tse-Kiang (in coll. Fruhstorfer). Range (in code): **CN**
- 17838. *Chilasa (s.str. (Cadugoides)) agestor chiraghshahi* (Bang-Haas,1933)** (Papilionidae) Synonym(s): *chiraghshahi* Bang-Haas,1933 Original Reference: *Papilio agestor* ssp. *vchiraghshahi* Bang-Haas,1933, Ent. Z., Frankf.a. M. 46(24): 261. Type ♂: West Kashmir, Punch State, Jhelum River. Range (in code): **Ch Pu**
- 17839. *Chilasa (s.str. (Cadugoides)) agestor cresconius* (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *cresconius* Fruhstorfer,1909 Original Reference: *Papilio agestor* ssp. *cresconius* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 190. Syntypes 12♂: "Oberbirma, Assam" (in coll. Fruhstorfer). Range (in code): **Ass IN MM**
- 17840. *Chilasa (s.str. (Cadugoides)) agestor govindra* (Moore,1864)** (Papilionidae) Synonym(s): *govindra* Moore,1864 Original Reference: *Papilio govindra* Moore,1864 [in] Lang & Moore, Entomologist's mon. Mag. 1: 101. Type: N.W.India. Range (in code): **Ch Hp IN Kma Mus**
- 17841. *Chilasa (s.str. (Cadugoides)) agestor matsumurae* (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *matsumurae* Fruhstorfer,1908; *matsumurae* Fruhstorfer,1909; *galbanus* O.Bang-Haas,1935 Original Reference: *Papilio agestor* ssp. *matsumurae* Fruhstorfer,1908, Int. ent. Z. 2: 282. Type ♂: Formosa: Horisha (in coll. Fruhstorfer). Range (in code): **TW**
- 17842. *Chilasa (s.str. (Cadugoides)) agestor restricta* (Leech,1893)** (Papilionidae) Synonym(s): *restricta* Leech,1893 Original Reference: *Papilio agestor* var. *restricta* Leech,1893, Butt. China: 557, t.35 fig.5. Type ♀: China: Chang-Yang. Range (in code): **CN**
- 17843. *Chilasa (s.str. (Cadugoides)) agestor teruyoae* Shinkai,1996** (Papilionidae) Synonym(s): *teruyoae* Shinkai,1996 Original Reference: *Chilasa agestor* ssp. *teruyoae* Shinkai,1996, Futao 23: 16, pl.4 figs. 1-6. Holotype: N. Vietnam: Mt. Pia Oac 1911m, A. Shinkai leg. (coll. Morita). Range (in code): **VN Ton**
- 17844. *Chilasa (s.str. (Cadugoides)) epycides* (Hewitson,1864)** (Papilionidae) Synonym(s): *epycides* Hewitson,1864 Original Reference: *Papilio epycides* Hewitson,1864, Ill. exot. Butts. 2: Pap., pl.6 fig.16. Type: N.India (BMNH) Range (in code): **CN Sz IN SI MM Kch Shn TW TH CMa CRa Mae CDo Dst Nan VN Ton Ldo LA L32 L38**
- 17845. *Chilasa (s.str. (Cadugoides)) epycides curiatus* (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *curiatus* Fruhstorfer,1901 Original Reference: *Papilio epycides* *curiatus* Fruhstorfer,1901, Dt. ent. Z., Iris 14 (2): 349. Type: [Myanmar] (BMNH). Range (in code): **MM Kch**
- 17846. *Chilasa (s.str. (Cadugoides)) epycides epycides* (Hewitson,1864)** (Papilionidae) Synonym(s): *epycides* Hewitson,1864 Original Reference: *Papilio epycides* Hewitson,1864, Ill. exot. Butts. 2: Pap., pl.6 fig.16. Type: N.India (BMNH) Range (in code): **IN SI TH CMa CRa Mae CDo Dst Nan**

- 17847. Chilasa (s.str. (Cadugoides)) epycides horatius (Blanchard,1871)** (Papilionidae)
Synonym(s): *horatius* Blanchard,1871 _ Range (in code): **CN Sz**
- 17848. Chilasa (s.str. (Cadugoides)) epycides hypochra (Jordan,1909)** (Papilionidae)
Synonym(s): *hypochra* Jordan,1909 _ Original Reference: Papilio epycides hypochra Jordan,1909, [in] Seitz,A., Gross-Schmett. Erde 9: 41. Type(s): [Myanmar]: Shan States. Range (in code): **MM Shn LA L32 L38**
- 17849. Chilasa (s.str. (Cadugoides)) epycides imitata Monastyrskii & Devyatkin,2003** (Papilionidae) Synonym(s): *imitata* Monastyrskii & Devyatkin,2003 _ Original Reference: Chilasa imitata Monastyrskii & Devyatkin,2003, Atalanta 34 (1/2): 77. Holotype ♂: C. Vietnam, Lam Dong Prov., Bi Doup 2200m (ALM leg.). Range (in code): **VN Ldo**
- 17850. Chilasa (s.str. (Cadugoides)) epycides melanoleucus (Ney,1911)** (Papilionidae)
Synonym(s): *melanoleucus* Ney,1911; #pullata Nire,1917; uwakurona Matsumura,1929; #shirakurona Matsumura,1929 _ Range (in code): **TW**
- 17851. Chilasa (s.str. (Cadugoides)) epycides muhabbet Koçak,2005** (Papilionidae)
Synonym(s): *camilla* Rousseau-Decelle,1947 nec Linn.,1764; muhabbet Koçak,2005 _ Range (in code): **VN Ton**
- 17852. Chilasa (s.str. (Cadugoides)) slateri (Hewitson,[1859])** (Papilionidae) Synonym(s): *slateri* Hewitson,[1859] _ Original Reference: Papilio slateri Hewitson,[1859], Ill. exot. Butts. 2 (3): pl. [2] fig.9. Syntypes: Darjiling (BMNH). Range (in code): **IN SI Djl MM Tns Tvy MY Prk ID Sum TH Cbi Cma CDo Chy Phi Srt Rng Dst Nna Utt Pht Yal LA L31 L10 L34 L38 VN Ton CN**
- 17853. Chilasa (s.str. (Cadugoides)) slateri marginata (Oberthür,1893)** (Papilionidae)
Synonym(s): *marginata* Oberthür,1893 _ Range (in code): **TH Cbi Cma CDo Chy Phi LA VN Ton**
- 17854. Chilasa (s.str. (Cadugoides)) slateri perses (De Nicéville,1894)** (Papilionidae)
Synonym(s): *perses* De Nicéville,1894 [May]; *petra* De Nicéville,1894 [May]; *sumatrana* Hagen,[1894] [July]; #sticheli Tetens,1900. _ Original Reference: Papilio (Menamopsis) perses De Nicéville,1894, J. Asiat. Soc. Bengal (2) 63 (1): 46, nr.40, t.4 fig.7. Syntypes: [Indonesia]: N. E. Sumatra. Range (in code): **MY Prk ID Sum TH Rng Srt Yal**
- 17855. Chilasa (s.str. (Cadugoides)) slateri slateri (Hewitson,[1859])** (Papilionidae)
Synonym(s): *slateri* Hewitson,[1859] _ Original Reference: Papilio slateri Hewitson,[1859], Ill. exot. Butts. 2 (3): pl. [2] fig.9. Syntypes: Darjiling (BMNH). Range (in code): **TH Dst Nna Utt Mae Cbi Rng Pht LA L31 L10 L34 L38 IN SI Djl**
- 17856. Chilasa (s.str. (Cadugoides)) slateri tavoyanus (Butler,1882)** (Papilionidae)
Synonym(s): *tavoyanus* Butler,1882; *clarae* Marshall,1882 _ Original Reference: Papilio tavoyanus Butler,1882, Ann. Mag. nat. Hist. 5 (10): 373. Type: [Myanmar]: Burma, Thoungyeen valley, Tenasserim. Range (in code): **MM Tvy Tns TH Srt**
- 17857. Chilasa (s.str. (laglaizei-gr)) laglaizei (Depuiset,1877)** (Papilionidae) Synonym(s): *laglaizei* Depuiset,1877; *alcidinus* Butler,1883. _ Original Reference: Papilio laglaizei Depuiset,1877, Bull. Soc. ent. Fr. 1877: 171. Type(s): New Guinea. Range (in code): **PG ID Aru Wg**
- 17858. Chilasa (s.str. (laglaizei-gr)) laglaizei laglaizei (Depuiset,1877)** (Papilionidae)
Synonym(s): *laglaizei* Depuiset,1877; *alcidinus* Butler,1883. _ Original Reference: Papilio laglaizei Depuiset,1877, Bull. Soc. ent. Fr. 1877: 171. Type(s): New Guinea. Range (in code): **PG ID Aru Wg**
- 17859. Chilasa (s.str. (laglaizei-gr)) moernerii (Aurivillius,1919)** (Papilionidae)
Synonym(s): *moernerii* Aurivillius,1919 _ Range (in code): **PG NBr**
- 17860. Chilasa (s.str. (laglaizei-gr)) moernerii mayrhoferi (O.Bang-Haas,1939)** (Papilionidae) Synonym(s): *mayrhoferi* O.Bang-Haas,1939 _ Range (in code): **PG NBr**
- 17861. Chilasa (s.str. (laglaizei-gr)) moernerii moernerii (Aurivillius,1919)** (Papilionidae)
Synonym(s): *moernerii* Aurivillius,1919 _ Range (in code): **PG NBr**
- 17862. Chilasa (s.str. (laglaizei-gr)) toboroi (Ribbe,1907)** (Papilionidae) Synonym(s): *toboroi* Ribbe,1907; *tobori* Mos,1909; *reductus* Niepelt,1920 nec Rothschild,1915. _ Original Reference: Papilio toboroi Ribbe,1907, Dt. ent. Z., Iris 20: 59, Taf.5 fig.1. Type(s): Bougainville Isl. Range (in code): **PG Bgv**
- 17863. Chilasa (s.str. (laglaizei-gr)) toboroi toboroi (Ribbe,1907)** (Papilionidae)
Synonym(s): *toboroi* Ribbe,1907; *tobori* Mos,1909; *reductus* Niepelt,1920 nec Rothschild,1915. _ Original Reference: Papilio toboroi Ribbe,1907, Dt. ent. Z., Iris 20: 59, Taf.5 fig.1. Type(s): Bougainville Isl. Range (in code): **PG Bgv**
- 17864. Chilasa (s.str. (s.str.)) clytia (Linnaeus,1758)** (Papilionidae) Synonym(s): *clytia* Linnaeus,1758; *dissimilis* Linnaeus,1758. _ Original Reference: Papilio clytia Linnaeus,1758, Syst. Nat. (Ed.10) 1: 479. Type(s): India. Range (in code): **Ch IN Ass Slo Kma Mus Hn NP Ctw Ctw1 Ctw3 Ctw4**

- Ctw5 Ctw6 Ctw7 TW MY PH Cuy Cal Pal CmL Cat Luz Mar Mdo Rom Sib Bas Boh Ceb Jol Ley Mno Neg Pan Sam Siq ID Flo Tim TH Chy Knc Nrt Rat Phi Tng Cbu Ray CMA Cuo Cuo7 CDo CD2 Nna Nan Sbu Cbi Cph Nst CN Hn VN Ton Tda Chw Lsa Ths Cuo5 Adm LK MM Tns SG LA Bionomy: Larva on leaf of *Elaeocarpus sphaericus* [bead tree] (Elaeocarpaceae), *Cinnamomum bejolghota* [op choei], *C. iners* [chiat], *Litsea glutinosa* [mi men] (Lauraceae), *Clausena excavata* [mi] (Rutaceae) (Lewvanich,2001).
- 17865. Chilasa (s.str. (s.str.)) clytia clytia (Linnaeus,1758)** (Papilionidae) Synonym(s): *clytia* Linnaeus,1758; *dissimilis* Linnaeus,1758. Original Reference: *Papilio clytia* Linnaeus,1758, Syst. Nat. (Ed.10) 1: 479. Type(s): India. Range (in code): **Ch IN Kma Mus Ass Slo NP Ctw Ctw1 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 TH Chy Knc Nrt Rat Phi Tng Cbu Ray CMA Cuo Cuo5 Cuo7 CDo CD2 Nna Nan Sbu Cbi Cph Nst Chw Lsa Ths LA** Bionomy: Larva on leaf of *Elaeocarpus sphaericus* [bead tree] (Elaeocarpaceae), *Cinnamomum bejolghota* [op choei], *C. iners* [chiat], *Litsea glutinosa* [mi men] (Lauraceae), *Clausena excavata* [mi] (Rutaceae) (Lewvanich,2001).
- 17866. Chilasa (s.str. (s.str.)) clytia cuyo Mediciello & Hanafusa,1994** (Papilionidae) Synonym(s): *cuyo* Mediciello & Hanafusa,1994 Range (in code): **Cuy PH**
- 17867. Chilasa (s.str. (s.str.)) clytia echidna (Boisduval,[1836])** (Papilionidae) Synonym(s): *echidna* Boisduval,[1836] Original Reference: *Papilio echidna* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 378. Range (in code): **ID Tim**
- 17868. Chilasa (s.str. (s.str.)) clytia flavolimbatus (Oberthür,1879)** (Papilionidae) Synonym(s): *flavolimbatus* Oberthür,1879 Range (in code): **ID Adm**
- 17869. Chilasa (s.str. (s.str.)) clytia lankeswara (Moore,1879)** (Papilionidae) Synonym(s): *lankeswara* Moore,1879 Range (in code): **LK IN MM Tns SG MY**
- 17870. Chilasa (s.str. (s.str.)) clytia palephates (Westwood,1845)** (Papilionidae) Synonym(s): *palephates* Westwood,1845 Range (in code): **CmL Cat Luz Mar Mdo Rom Sib PH**
- 17871. Chilasa (s.str. (s.str.)) clytia palephatides (Fruhstorfer,1911)** (Papilionidae) Synonym(s): *palephatides* Fruhstorfer,1911; *visayensis* Okano & Okano,1987 Original Reference: *Papilio clytia* ssp. *palephatides* Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: [Philippines]: Mindoro Is. Range (in code): **Bas Boh Ceb Jol Ley Mno Neg Pan Sam Siq PH**
- 17872. Chilasa (s.str. (s.str.)) clytia panopinus (Staudinger,1889)** (Papilionidae) Synonym(s): *panopinus* Staudinger,1889; *sapores* Fruhstorfer,1911 Original Reference: *Papilio panope* var. *panopinus* Staudinger,1889, Dt. ent. Z., Iris 2: 9-10. Syntypes 30♂♂: [Philippinen]: Palawan. Range (in code): **Cal Pal PH**
- 17873. Chilasa (s.str. (s.str.)) clytia takizawai Myashita,1980** (Papilionidae) Synonym(s): *takizawai* Myashita,1980 Range (in code): **ID Flo**
- 17874. Chilasa (s.str. (s.str.)) paradoxa (Zincken,1831)** (Papilionidae) Synonym(s): *paradoxa* Zincken,1831 Original Reference: *Papilio paradoxa* Zincken,1831, Nova Acta Acad. nat. Cur. 15 (1): 162. Range (in code): **PH Pal ID Nia Ja TH Chy Rng Yal Tng CMA LA**
- 17875. Chilasa (s.str. (s.str.)) paradoxa aenigma (Wallace,1865)** (Papilionidae) Synonym(s): *aenigma* Wallace,1865 Original Reference: *Papilio aenigma* Wallace,1865, Trans. linn. Soc. 25: 60, pl.7 fig.3. Syntypes: Borneo. Range (in code): **TH Rng Tng Yal**
- 17876. Chilasa (s.str. (s.str.)) paradoxa melanostoma Jordan,1909** (Papilionidae) Synonym(s): *melanostoma* Jordan,1909 Range (in code): **Pal PH**
- 17877. Chilasa (s.str. (s.str.)) paradoxa niasicus (Rothschild,1895)** (Papilionidae) Synonym(s): *niasicus* Rothschild,1895. Original Reference: *Papilio paradoxus* ssp. *niasicus* Rothschild,1895, Novit. zool. 2: 372. Syntypes 3♂ 1♀: [Indonesia]: Nias Island. Range (in code): **ID Nia**
- 17878. Chilasa (s.str. (s.str.)) paradoxa paradoxa (Zincken,1831)** (Papilionidae) Synonym(s): *paradoxa* Zincken,1831 Original Reference: *Papilio paradoxa* Zincken,1831, Nova Acta Acad. nat. Cur. 15 (1): 162. Range (in code): **ID Ja**
- 17879. Chilasa (s.str. (s.str.)) paradoxa telearchus (Hewitson,1852)** (Papilionidae) Synonym(s): *telearchus* Hewitson,1852 Original Reference: *Papilio telearchus* Hewitson,1852, Trans. ent. Soc. London (ser.ii) 2: 22, pl.6 fig.3. Syntypes: Mont. Kasiyae. Range (in code): **TH Chy LA**
- 17880. Chilasa (s.str. (s.str.)) paradoxa telesicles (Felder,1864)** (Papilionidae) Synonym(s): *telesicles* Felder,1864 Original Reference: *Papilio telesicles* Felder,1864, Verh. zool.-bot. Ges. Wien 14: 308, nr. 273. Syntypes: Borneo. Range (in code): **ID**
- 17881. Chilasa (s.str. (veiovis-gr)) carolinensis Jumalon,1967** (Papilionidae) Synonym(s): *carolinensis* Jumalon,1967 Range (in code): **Mno PH**

- 17882. Chilasa (s.str. (veiovis-gr)) carolinensis carolinensis Jumalon,1967** (Papilionidae) Synonym(s): *carolinensis* Jumalon,1967 Range (in code): **Mno PH**
- 17883. Chilasa (s.str. (veiovis-gr)) osmana osmana Jumalon,1967** (Papilionidae) Synonym(s): *osmana* Jumalon,1967 Range (in code): **Ley Mno PH**
- 17884. Chilasa (s.str. (veiovis-gr)) osmana osmana Jumalon,1967** (Papilionidae) Synonym(s): *osmana* Jumalon,1967 Range (in code): **Ley Mno PH**
- 17885. Chilasa (s.str. (veiovis-gr)) veiovis (Hewitson,1865)** (Papilionidae) Synonym(s): *veiovis* Hewitson,1865; *samanganus* Fruhstorfer,1901; *samangus* Martin,1915 Original Reference: *Papilio veiovis* Hewitson,1865, Ill. exot. Butts. 3: Pap., t.7 fig.20. Syntypes: [Indonesia]: Menado. Range (in code): **Clb ID**
- 17886. Chilasa (s.str. (veiovis-gr)) veiovis veiovis (Hewitson,1865)** (Papilionidae) Synonym(s): *veiovis* Hewitson,1865; *samanganus* Fruhstorfer,1901; *samangus* Martin,1915 Original Reference: *Papilio veiovis* Hewitson,1865, Ill. exot. Butts. 3: Pap., t.7 fig.20. Syntypes: [Indonesia]: Menado. Range (in code): **Clb ID**
- 17887. Cressida cressida (Fabricius,1793)** (Papilionidae) Synonym(s): *cressida* Fabricius,1793 Range (in code): **AU NAu Dwn PG ID Tnm Bbr Lt**
- 17888. Cressida cressida cassandra (Waterhouse & Lyell,1914)** (Papilionidae) Synonym(s): *cassandra* Waterhouse & Lyell,1914 Range (in code): **AU NAu Dwn**
- 17889. Cressida cressida troilus (Butler,1876)** (Papilionidae) Synonym(s): *troilus* Butler,1876 Range (in code): **PG**
- 17890. Eurytides callias (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *callias* Rothschild & Jordan,1906 Range (in code): **CO co7 co5**
- 17891. Eurytides callias callias (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *callias* Rothschild & Jordan,1906 Range (in code): **CO co7 co5**
- 17892. Eurytides celadon (Lucas,[1852])** (Papilionidae) Synonym(s): *sinon* Cramer,[1780] *nec* Poda,1761; *celadon* Lucas,[1852]. Range (in code): **CU US FI**
- 17893. Eurytides celadon celadon (Lucas,[1852])** (Papilionidae) Synonym(s): *sinon* Cramer,[1780] *nec* Poda,1761; *celadon* Lucas,[1852]. Range (in code): **CU US FI**
- 17894. Eurytides dolicaon hebreus Brown & Lamas,1994** (Papilionidae) Synonym(s): *hebreus* Brown & Lamas,1994 Range (in code): **CO c22**
- 17895. Eurytides dolicaon (Cramer,1775)** (Papilionidae) Synonym(s): *dolicaon* Cramer,1775 Range (in code): **CO co5 co7 co8 co4 c22 VE BR EC PA**
- 17896. Eurytides dolicaon deileon (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *deileon* C.Felder & R.Felder,1865 Range (in code): **CO co5 co7 co8 co4**
- 17897. Eurytides marcellus (Cramer,[1777])** (Papilionidae) Synonym(s): *ajax* Linnaeus,1758 (p.p.); *marcellus* Cramer,[1777]; *telamonides* Felder & Felder,[1864]; *abbotii*, *walshii* Edwards,1872; *floridensis* Holland,1898; *lecontei* Rothschild & Jordan,1906; *broweri* Gunder,1927; *carolinianus* Holland,1931; *pricei* Field,1936... Range (in code): **US MX Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi WVi Wc** Bionomy: Larva on Annonaceae (*Asimina triloba*, *A. parviflora*, *A. speciosa*, *A. pygmaea*, *A. obovata*, *A. reticulata*, *A. longifolia*, *A. angustifolia*, *A. incana*, *A. palustris*) (Scott,1986).
- 17898. Eurytides marcellus marcellus (Cramer,[1777])** (Papilionidae) Synonym(s): *ajax* Linnaeus,1758 (p.p.); *marcellus* Cramer,[1777]; *telamonides* Felder & Felder,[1864]; *abbotii*, *walshii* Edwards,1872; *floridensis* Holland,1898; *lecontei* Rothschild & Jordan,1906; *broweri* Gunder,1927; *carolinianus* Holland,1931; *pricei* Field,1936... Range (in code): **US MX Aks Alb Cnt Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Msc Mss NCa Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Vi WVi Wc** Bionomy: Larva on Annonaceae (*Asimina triloba*, *A. parviflora*, *A. speciosa*, *A. pygmaea*, *A. obovata*, *A. reticulata*, *A. longifolia*, *A. angustifolia*, *A. incana*, *A. palustris*) (Scott,1986).
- 17899. Eurytides orabilis (Butler,1872)** (Papilionidae) Synonym(s): *orabilis* Butler,1872 Range (in code): **CR CO c27 c28**
- 17900. Eurytides orabilis isocharis (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *isocharis* Rothschild & Jordan,1906 Range (in code): **CO c27 c28**
- 17901. Eurytides philolaus (Boisduval,1836)** (Papilionidae) Synonym(s): *philolaus* Boisduval,1836; *#nigrescens* Eimer,1889; *niger* Eimer,1889; *felicis* Fruhstorfer,1904; *#vazquezeae* Beutelspacher,1976. Range (in code): **US MX Tx HN** Bionomy: Larva on Annonaceae (*Annona*) (Scott,1986).
- 17902. Eurytides philolaus philolaus (Boisduval,1836)** (Papilionidae) Synonym(s): *philolaus* Boisduval,1836; *#nigrescens* Eimer,1889; *niger* Eimer,1889; *felicis* Fruhstorfer,1904; *#vazquezeae*

- Beutelspacher*,1976. _ Range (in code): **US MX Tx HN** _ Bionomy: Larva on Annonaceae (*Annona*) (Scott,1986).
- 17903. Eurytides serville (Godart,[1824])** (Papilionidae) Synonym(s): *serville Godart,[1824]* _ Range (in code): **BO EC VE CO c26 c30 c01 c22**
- 17904. Eurytides serville acritus (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *acritus Rothschild & Jordan,1906* _ Range (in code): **CO c26**
- 17905. Eurytides serville columbus (Kollar,1850)** (Papilionidae) Synonym(s): *columbus Kollar,1850* _ Range (in code): **CO c30 c01 c22**
- 17906. Graphium (Arisbe (adamastor-gr.)) abri Smith & Vane-Wright,2001** (Papilionidae) Synonym(s): *abri Smith & Vane-Wright,2001* _ Range (in code): **CF**
- 17907. Graphium (Arisbe (adamastor-gr.)) abri abri Smith & Vane-Wright,2001** (Papilionidae) Synonym(s): *abri Smith & Vane-Wright,2001* _ Range (in code): **CF**
- 17908. Graphium (Arisbe (adamastor-gr.)) adamastor (Boisduval,1836)** (Papilionidae) Synonym(s): *adamastor Boisduval,1836; dimbroko Berger,1950; zongo Berger,1950* _ Original Reference: *Papilio adamastor Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 371, nr.216.* _ Range (in code): **GN TG SL ZR NG GH**
- 17909. Graphium (Arisbe (adamastor-gr.)) adamastor adamastor (Boisduval,1836)** (Papilionidae) Synonym(s): *adamastor Boisduval,1836; dimbroko Berger,1950; zongo Berger,1950* _ Original Reference: *Papilio adamastor Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 371, nr.216.* _ Range (in code): **GN TG SL ZR NG GH**
- 17910. Graphium (Arisbe (adamastor-gr.)) agamedes (Westwood,1842)** (Papilionidae) Synonym(s): *agamedes Westwood,1842; medesaga Suffert,1904* _ Range (in code): **GH TG BJ CM CF ZR**
- 17911. Graphium (Arisbe (adamastor-gr.)) agamedes agamedes (Westwood,1842)** (Papilionidae) Synonym(s): *agamedes Westwood,1842; medesaga Suffert,1904* _ Range (in code): **GH TG BJ CM CF ZR**
- 17912. Graphium (Arisbe (adamastor-gr.)) almansor (Honrath,1884)** (Papilionidae) Synonym(s): *almansor Honrath,1884* _ Range (in code): **ZM AO UG KE TZ RW BR ZR ET CM GH CG ZR SD CF** _ Bionomy: Larva on Pseudospondias (*Anacardiaceae*) (Ackery, et al.,1995).
- 17913. Graphium (Arisbe (adamastor-gr.)) almansor almansor (Honrath,1884)** (Papilionidae) Synonym(s): *almansor Honrath,1884* _ Range (in code): **ZR ZM TZ AO**
- 17914. Graphium (Arisbe (adamastor-gr.)) almansor birbiri (Ungemach,1932)** (Papilionidae) Synonym(s): *birbiri Ungemach,1932* _ Range (in code): **ET**
- 17915. Graphium (Arisbe (adamastor-gr.)) almansor carchedonius (Karsch,1895)** (Papilionidae) Synonym(s): *carchedonius Karsch,1895* _ Range (in code): **TG GH**
- 17916. Graphium (Arisbe (adamastor-gr.)) almansor escherichi (Gaede,1915)** (Papilionidae) Synonym(s): *escherichi Gaede,1915; snowi Gabriel,1945.* _ Range (in code): **CM CG ZR SD CF**
- 17917. Graphium (Arisbe (adamastor-gr.)) almansor uganda (Lathy,1906)** (Papilionidae) Synonym(s): *uganda Lathy,1906; graueri Grünberg,1908* _ Range (in code): **UG KE TZ RW BR ZR**
- 17918. Graphium (Arisbe (adamastor-gr.)) auriger (Butler,1876)** (Papilionidae) Synonym(s): *auriger Butler,1876; harpagon Grose-Smith,1890.* _ Original Reference: *Papilio auriger Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: "Gaboons".* _ Range (in code): **ZR GA CM CF ZR**
- 17919. Graphium (Arisbe (adamastor-gr.)) auriger auriger (Butler,1876)** (Papilionidae) Synonym(s): *auriger Butler,1876; harpagon Grose-Smith,1890.* _ Original Reference: *Papilio auriger Butler,1876, Entomologist's mon. Mag. 13: 57. Syntypes: "Gaboons".* _ Range (in code): **GA**
- 17920. Graphium (Arisbe (adamastor-gr.)) auriger eyeni Berger,1950** (Papilionidae) Synonym(s): *eyeni Berger,1950* _ Range (in code): **ZR**
- 17921. Graphium (Arisbe (adamastor-gr.)) aurivilliusi (Seeldrayers,1896)** (Papilionidae) Synonym(s): *aurivilliusi Seeldrayers,1896* _ Original Reference: *Papilio aurivilliusi Seeldrayers,1896, Annls Soc. ent. Belg. 40: 499, 1 fig. Type: [Zaire]: "Congo".* _ Range (in code): **ZR**
- 17922. Graphium (Arisbe (adamastor-gr.)) aurivilliusi aurivilliusi (Seeldrayers,1896)** (Papilionidae) Synonym(s): *aurivilliusi Seeldrayers,1896* _ Original Reference: *Papilio aurivilliusi Seeldrayers,1896, Annls Soc. ent. Belg. 40: 499, 1 fig. Type: [Zaire]: "Congo".* _ Range (in code): **ZR**
- 17923. Graphium (Arisbe (adamastor-gr.)) fulleri (Grose-Smith,1883)** (Papilionidae) Synonym(s): *fulleri Grose-Smith,1883; bouletti Le Cerf,1912; transiens Le Cerf,1912 nec Hag.,1897; foersterius*

- Strand,1913; sanganus Strand,1913; sanganoides Strand,1913; stetteni Strand,1913; weberi Holland,1917; #gabrieli Berger,1950* _ Range (in code): **CM GA CG CI GH RW BI ZR AO**
- 17924. Graphium (Arisbe (adamastor-gr.)) fulleri fulleri (Grose-Smith,1883)** (Papilionidae) Synonym(s): *fulleri Grose-Smith,1883; bouletti Le Cerf,1912; transiens Le Cerf,1912 nec Hag.,1897; foersterius Strand,1913; sanganus Strand,1913; sanganoides Strand,1913; stetteni Strand,1913; weberi Holland,1917; #gabrieli Berger,1950* _ Range (in code): **CM GA CG**
- 17925. Graphium (Arisbe (adamastor-gr.)) fulleri ucalegonides (Staudinger,1884)** (Papilionidae) Synonym(s): *ucalegonides Staudinger,1884; phrynon Druce,1895; #cuvelieri Dufrane,1946* _ Range (in code): **RW BI ZR AO**
- 17926. Graphium (Arisbe (adamastor-gr.)) hachei (Dewitz,1881)** (Papilionidae) Synonym(s): *hachei Dewitz,1881; camerunicus Le Cerf,1924* _ Range (in code): **CM Bit AO CF ZR Bmb Skr Lsb**
- 17927. Graphium (Arisbe (adamastor-gr.)) hachei hachei (Dewitz,1881)** (Papilionidae) Synonym(s): *hachei Dewitz,1881; camerunicus Le Cerf,1924* _ Range (in code): **CM Bit AO CF ZR Bmb Skr**
- 17928. Graphium (Arisbe (adamastor-gr.)) hachei moebii (Suffert,1904)** (Papilionidae) Synonym(s): *moebii Suffert,1904; martensi Dufrane,1946* _ Range (in code): **GA ZR Kvu Lsb**
- 17929. Graphium (Arisbe (adamastor-gr.)) kigoma Carcasson,1964** (Papilionidae) Synonym(s): *kigoma Carcasson,1964* _ Range (in code): **TZ**
- 17930. Graphium (Arisbe (adamastor-gr.)) kigoma kigoma Carcasson,1964** (Papilionidae) Synonym(s): *kigoma Carcasson,1964* _ Range (in code): **TZ**
- 17931. Graphium (Arisbe (adamastor-gr.)) olbrechtsi Berger,1950** (Papilionidae) Synonym(s): *olbrechtsi Berger,1950* _ Range (in code): **ZR**
- 17932. Graphium (Arisbe (adamastor-gr.)) olbrechtsi olbrechtsi Berger,1950** (Papilionidae) Synonym(s): *olbrechtsi Berger,1950* _ Range (in code): **ZR**
- 17933. Graphium (Arisbe (adamastor-gr.)) olbrechtsi tongoni Berger,1969** (Papilionidae) Synonym(s): *tongoni Berger,1969* _ Range (in code): **ZR**
- 17934. Graphium (Arisbe (adamastor-gr.)) poggianus (Honrath,1884)** (Papilionidae) Synonym(s): *poggianus Honrath,1884* _ Original Reference: *Papilio poggianus Honrath,1884, Berl. ent. Z. 28: 210, pl.7 fig.9. Type(s): "Guinea" (patria falsa!).* _ Range (in code): **AO ZR ZM**
- 17935. Graphium (Arisbe (adamastor-gr.)) poggianus poggianus (Honrath,1884)** (Papilionidae) Synonym(s): *poggianus Honrath,1884* _ Original Reference: *Papilio poggianus Honrath,1884, Berl. ent. Z. 28: 210, pl.7 fig.9. Type(s): "Guinea" (patria falsa!).* _ Range (in code): **AO ZR ZM**
- 17936. Graphium (Arisbe (adamastor-gr.)) poggianus wranghami Kielland,1978** (Papilionidae) Synonym(s): *wranghami Kielland,1978* _ Range (in code): **TZ**
- 17937. Graphium (Arisbe (adamastor-gr.)) rileyi Berger,1950** (Papilionidae) Synonym(s): *rileyi Berger,1950* _ Range (in code): **CI GH Ate**
- 17938. Graphium (Arisbe (adamastor-gr.)) schoubotzi (Schultze,1913)** (Papilionidae) Synonym(s): *odin Strand,1910 nec Fabr.,1793; schoubotzi Schultze,1913.* _ Range (in code): **ZR CM CF**
- 17939. Graphium (Arisbe (adamastor-gr.)) schoubotzi schoubotzi (Schultze,1913)** (Papilionidae) Synonym(s): *odin Strand,1910 nec Fabr.,1793; schoubotzi Schultze,1913.* _ Range (in code): **ZR CM CF**
- 17940. Graphium (Arisbe (adamastor-gr.)) simoni (Aurivillius,1898)** (Papilionidae) Synonym(s): *simoni Aurivillius,1898* _ Range (in code): **AO ZR CM**
- 17941. Graphium (Arisbe (adamastor-gr.)) simoni simoni (Aurivillius,1898)** (Papilionidae) Synonym(s): *simoni Aurivillius,1898* _ Range (in code): **AO ZR CM**
- 17942. Graphium (Arisbe (adamastor-gr.)) ucalegon (Hewitson,1865)** (Papilionidae) Synonym(s): *ucalegon Hewitson,1865; legonuca Suffert,1904; #superfluosa Strand,1912; #addenda Strand,1913* _ Range (in code): **NG Caa CM GO GA ZR AO UG TZ**
- 17943. Graphium (Arisbe (adamastor-gr.)) ucalegon fontainei Berger,1981** (Papilionidae) Synonym(s): *fontainei Berger,1981* _ Range (in code): **ZR**
- 17944. Graphium (Arisbe (adamastor-gr.)) ucalegon schoutedeni Berger,1950** (Papilionidae) Synonym(s): *schoutedeni Berger,1950* _ Range (in code): **ZR UG TZ**
- 17945. Graphium (Arisbe (adamastor-gr.)) ucalegon ucalegon (Hewitson,1865)** (Papilionidae) Synonym(s): *ucalegon Hewitson,1865; legonuca Suffert,1904; #superfluosa Strand,1912; #addenda Strand,1913* _ Range (in code): **NG Caa CM GO GA ZR AO**

- 17946. Graphium (Arisbe (angolanus-gr.)) angolanus (Goeze,1779)** (Papilionidae)
 Synonym(s): *angolanus* Goeze,1779; *corrineus* Bertoloni,1850; *anthemenes* Wallengren,1857; *#corinneus* Butler,1895; *lapydes* Suffert,1904; *howelli* Turlin & Lequeux,1992. Original Reference: Papilio angolanus Goeze,1779, Ent. Beytr. 3 (1): 87. Type(s): "Angolae". Range (in code): **AO ZW MZ ZA Tva Nta Kzu Spb Lj Mdk Ent Kru Pma MW Zom ZM BW ET KE TZ Tnga Usa Ani UG SD ZR NG SN GA GN SL LR BF GH Ate TG CI CM TD CF ZR** Bionomy: Larva on Annona senegalensis, Spshedamnocarpus pruriens (Malpighiaceae) (Pringle & Henning,1994).
- 17947. Graphium (Arisbe (angolanus-gr.)) angolanus angolanus (Goeze,1779)** (Papilionidae) Synonym(s): *angolanus* Goeze,1779; *corrineus* Bertoloni,1850; *anthemenes* Wallengren,1857; *#corinneus* Butler,1895; *lapydes* Suffert,1904; *howelli* Turlin & Lequeux,1992. Original Reference: Papilio angolanus Goeze,1779, Ent. Beytr. 3 (1): 87. Type(s): "Angolae". Range (in code): **AO KE ZW MZ ZA Tva Spb Lj Mdk Ent Kru Pma Nta Kzu TZ MW Zom ZM ZR BW** Bionomy: Larva on Annona senegalensis, Spshedamnocarpus pruriens (Malpighiaceae) (Pringle & Henning,1994).
- 17948. Graphium (Arisbe (angolanus-gr.)) angolanus baronis (Ungemach,1932)** (Papilionidae) Synonym(s): *pylades* Fabricius,1793 nec Stoll,[1782]; *baronis* Ungemach,1932; *calabar* Hancock,1985. Original Reference: Papilio pylades ssp. baronis Ungemach,1932, Mém. Soc. Sci. Nat. Maroc 32: 21, pl.1 fig.1. Type: Ethiopia: "Baro, 14 Mai 25" (MNHN). Range (in code): **ET KE TZ Tnga Usa Ani UG SD ZR NG SN GA GN SL LR BF GH Ate TG CI CM TD CF ZR**
- 17949. Graphium (Arisbe (angolanus-gr.)) endochus (Boisduval,1836)** (Papilionidae) Synonym(s): *endochus* Boisduval,1836 Original Reference: Papilio endochus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 243, nr. 68. Type(s): Madagascar. Range (in code): **MG**
- 17950. Graphium (Arisbe (angolanus-gr.)) endochus endochus (Boisduval,1836)** (Papilionidae) Synonym(s): *endochus* Boisduval,1836 Original Reference: Papilio endochus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 243, nr. 68. Type(s): Madagascar. Range (in code): **MG**
- 17951. Graphium (Arisbe (angolanus-gr.)) morania (Angas,[1849])** (Papilionidae) Synonym(s): *morania* Angas,[1849]; *#vansoniana* Storace,1953; *#holoplaga* Grei,1986. Original Reference: Papilio morania Angas,[1849], The kafirs illustrated in a series...: [52], pl.30 fig.1. Lectotype ♂: [South Africa]: "Natal and the Zulu Country", designated by Smith & Vane-Wright,2001. Range (in code): **ZA Nta Kzu Lpo Tva Kru SZ ZW BW MZ** Bionomy: Larva on Annonaceae (Hexalobus monopetalus, Uvaria caffra, Artabotrys brachypetalus, A. monteiroae, Annona senegalensis) (Pringle & Henning,1994).
- 17952. Graphium (Arisbe (angolanus-gr.)) morania morania (Angas,[1849])** (Papilionidae) Synonym(s): *morania* Angas,[1849]; *#vansoniana* Storace,1953; *#holoplaga* Grei,1986. Original Reference: Papilio morania Angas,[1849], The kafirs illustrated in a series...: [52], pl.30 fig.1. Lectotype ♂: [South Africa]: "Natal and the Zulu Country", designated by Smith & Vane-Wright,2001. Range (in code): **ZA Nta Tva Lpo Kru SZ ZW BW MZ** Bionomy: Larva on Annonaceae (Hexalobus monopetalus, Uvaria caffra, Artabotrys brachypetalus, A. monteiroae, Annona senegalensis) (Pringle & Henning,1994).
- 17953. Graphium (Arisbe (angolanus-gr.)) ridleyanus (White,1843)** (Papilionidae) Synonym(s): *ridleyanus* White,1843; *fumatus* Niepelt,1915; *fumosus* Holland,1920; *njami* Röber,1928. Original Reference: Papilio ridleyanus White,1843, Ann. Mag. nat. Hist. 12: 262. Lectotype ♂: Zaire: "Zaire", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): **ZR SD CM TZ CF GO NG GA BI AO UG ZA ZW** Bionomy: Larva on Annonaceae (Popowia congoensis) (Fontaine,1985).
- 17954. Graphium (Arisbe (angolanus-gr.)) ridleyanus ridleyanus (White,1843)** (Papilionidae) Synonym(s): *ridleyanus* White,1843; *fumatus* Niepelt,1915; *fumosus* Holland,1920; *njami* Röber,1928. Original Reference: Papilio ridleyanus White,1843, Ann. Mag. nat. Hist. 12: 262. Lectotype ♂: Zaire: "Zaire", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): **ZR SD CM TZ CF GO NG GA BI AO UG ZA ZW** Bionomy: Larva on Annonaceae (Popowia congoensis) (Fontaine,1985).
- 17955. Graphium (Arisbe (angolanus-gr.)) schaffgotschi (Niepelt,1927)** (Papilionidae) Synonym(s): *schaffgotschi* Niepelt,1927. Original Reference: Papilio morania ssp. schaffgotschi Niepelt,1927, 53, fig. Holotype ♂: [Namibia]: "Deutsch-Südwest Afrika" (BMNH). Range (in code): **ZR ZM AO**

- 17956. Graphium (Arisbe (angolanus-gr.)) schaffgotschi schaffgotschi (Niepelt,1927)** (Papilionidae) Synonym(s): *schaffgotschi* Niepelt,1927. Original Reference: Papilio morania ssp. schaffgotschi Niepelt,1927, 53, fig. Holotype ♂: [Namibia]: "Deutsch-Südwest Afrika" (BMNH). Range (in code): **ZR ZM AO**
- 17957. Graphium (Arisbe (angolanus-gr.)) taboranus (Oberthür,1886)** (Papilionidae) Synonym(s): *taboranus* Oberthür,1886; *nivinox* Butler,[1894]. Original Reference: Papilio taboranus Oberthür,1886, Bull. Soc. ent. Fr. 6: cxiv. Type ♀: Tanzania: "Tabora, dans l'Ounyanyambé" (BMNH). Range (in code): **TZ ZM ZR AO MW ZW**
- 17958. Graphium (Arisbe (angolanus-gr.)) taboranus taboranus (Oberthür,1886)** (Papilionidae) Synonym(s): *taboranus* Oberthür,1886; *nivinox* Butler,[1894]. Original Reference: Papilio taboranus Oberthür,1886, Bull. Soc. ent. Fr. 6: cxiv. Type ♀: Tanzania: "Tabora, dans l'Ounyanyambé" (BMNH). Range (in code): **TZ ZM ZR AO MW ZW**
- 17959. Graphium (Arisbe (antheus-gr.)) antheus (Cramer,[1779])** (Papilionidae) Synonym(s): *antheus* Cramer,[1779]; *antharis* Godart,[1819]; *nyassae* Butler,1877; *lurlinus* Butler,1883; *evombaroides* Eimer,1889; *utuba* Hampson,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc. Original Reference: Papilio antheus Cramer,[1779], Utitl. Kap. 3: 71, pl.234, figs.B,C. Syntypes: [Africa]: "Eiland, Amboina". Range (in code): **ZA Tra Tva Spb Lj Mdk Lpo Kru Pma Mpu Brb ZW BW NA TZ Tnga Usa Ani GH Ate** Bionomy: Larva on Annonaceae (Hexalobus monopetalus, Uvaria caffra, U. kirkii, U. schweinfurthii, U. welwitehii, Artabotrys monteiroae, A. brachypetalus, Cleistochlamys kirkii, Annona senegalensis, A. reticulata, Monodora junodii, Monanthotaxis caffra), Apocynaceae (Landolphia) (Van Son,1949; Monfort,1987; Pringle & Henning,1994; Henning et al.,1997; Kroon,1999; Smith & Vane-Wright,2001).
- 17960. Graphium (Arisbe (antheus-gr.)) antheus antheus (Cramer,[1779])** (Papilionidae) Synonym(s): *antheus* Cramer,[1779]; *antharis* Godart,[1819]; *nyassae* Butler,1877; *lurlinus* Butler,1883; *evombaroides* Eimer,1889; *utuba* Hampson,1891; *hollandi*, *mercutius* Grose-Smith & Kirby,1894, etc. Original Reference: Papilio antheus Cramer,[1779], Utitl. Kap. 3: 71, pl.234, figs.B,C. Syntypes: [Africa]: "Eiland, Amboina". Range (in code): **ZA Tra Tva Spb Lj Mdk Lpo Kru Pma Mpu Brb ZW BW NA TZ Tnga Usa Ani GH Ate** Bionomy: Larva on Annonaceae (Hexalobus monopetalus, Uvaria caffra, U. kirkii, U. schweinfurthii, U. welwitehii, Artabotrys monteiroae, A. brachypetalus, Cleistochlamys kirkii, Annona senegalensis, A. reticulata, Monodora junodii, Monanthotaxis caffra), Apocynaceae (Landolphia) (Van Son,1949; Monfort,1987; Pringle & Henning,1994; Henning et al.,1997; Kroon,1999; Smith & Vane-Wright,2001).
- 17961. Graphium (Arisbe (antheus-gr.)) colonna (Ward,1873)** (Papilionidae) Synonym(s): *colonna* Ward,1873; *tragicus* Butler,1876; *loncona* Suffert,1904. Original Reference: Papilio colonna Ward,1873, Entomologist's mon. Mag. 10: 151. Lectotype: [Kenya]: "East Africa, Ribé", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): **TZ Tnga Usa Ani Pb Ulg Sje MZ KE SO ZA Kzu Nta Spb Lpo Tva ET MW Mje** Bionomy: Larva on Annonaceae (Artabotrys monteiroae, Uvaria caffra, U. kirkii, Annona monteiroae) (Migdoll,1988; Pringle & Henning,1994; Ackery, et al.,1995, Larsen,1996).
- 17962. Graphium (Arisbe (antheus-gr.)) colonna colonna (Ward,1873)** (Papilionidae) Synonym(s): *colonna* Ward,1873; *tragicus* Butler,1876; *loncona* Suffert,1904. Original Reference: Papilio colonna Ward,1873, Entomologist's mon. Mag. 10: 151. Lectotype: [Kenya]: "East Africa, Ribé", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): **TZ Tnga Usa Ani Pb Ulg Sje MZ KE SO ZA Kzu Nta Spb Lpo Tva ET MW Mje** Bionomy: Larva on Annonaceae (Artabotrys monteiroae, Uvaria caffra, U. kirkii, Annona monteiroae) (Migdoll,1988; Pringle & Henning,1994; Ackery, et al.,1995, Larsen,1996).
- 17963. Graphium (Arisbe (antheus-gr.)) evombar (Boisduval,1836)** (Papilionidae) Synonym(s): *evombar* Boisduval,1836 Original Reference: Papilio evombar Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 254, nr. 78. Lectotype ♂: "Madagascar", designated by Paulian & Viette,1968 (BMNH). Range (in code): **MG** Bionomy: Larva presumably on Annonaceae (Smith & Vane-Wright,2001).
- 17964. Graphium (Arisbe (antheus-gr.)) evombar evombar (Boisduval,1836)** (Papilionidae) Synonym(s): *evombar* Boisduval,1836 Original Reference: Papilio evombar Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 254, nr. 78. Lectotype ♂: "Madagascar", designated by Paulian & Viette,1968 (BMNH). Range (in code): **MG** Bionomy: Larva presumably on Annonaceae (Smith & Vane-Wright,2001).

- 17965. Graphium (Arisbe (antheus-gr.)) evombar viossati Collins,1997** (Papilionidae)
Synonym(s): *viossati Collins,1997* Original Reference: *Graphium evombar* ssp. *viossati* Collins,1997, [in] d'Abrera, Butterflies Afrotropical Region: 56-57, fig. Holotype ♂: Comoro Islands: "Foret de Moya, S.E.Anjouan, 900m, Feb. 1991" (ABRI). Range (in code): Comoro
- 17966. Graphium (Arisbe (antheus-gr.)) gudenusi (Rebel,1911)** (Papilionidae)
Synonym(s): *gudenusi Rebel,1911; babaulti Le Cerf,[1832]*. Original Reference: *Papilio gudenusi* Rebel,1911, Annln. naturh. Mus. Wien 24: 409, pl.13 figs.1,2. Lectotype ♂: [Zaire]: Urwalde am Nordwestufer des Tanganika-Sees", designated by Smith & Vane-Wright,2001 (NHMW). Range (in code): ZR TZ CF UG RW BI
- 17967. Graphium (Arisbe (antheus-gr.)) gudenusi gudenusi (Rebel,1911)** (Papilionidae)
Synonym(s): *gudenusi Rebel,1911; babaulti Le Cerf,[1832]*. Original Reference: *Papilio gudenusi* Rebel,1911, Annln. naturh. Mus. Wien 24: 409, pl.13 figs.1,2. Lectotype ♂: [Zaire]: Urwalde am Nordwestufer des Tanganika-Sees", designated by Smith & Vane-Wright,2001 (NHMW). Range (in code): ZR TZ CF UG RW BI
- 17968. Graphium (Arisbe (antheus-gr.)) illyris (Hewitson,1873)** (Papilionidae)
Synonym(s): *illyris Hewitson,1873*. Original Reference: *Papilio illyris* Hewitson,1873, Entomologist's mon. Mag. 9: 232. Lectotype ♂: Ghana: "Gold Coast", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): CF ZR TZ GO GH Ate LR CM
- 17969. Graphium (Arisbe (antheus-gr.)) illyris flavisparsus (Fruhstorfer,1903)** (Papilionidae) Synonym(s): *flavisparsus Fruhstorfer,1903* Original Reference: *Papilio illyris* ssp. *flavisparsus* Fruhstorfer,1903, Stettin ent. Ztg. 64: 359. Type ♂: [Equatorial Guinea]. [Bioko]: "Fernando Po".
- 17970. Graphium (Arisbe (antheus-gr.)) illyris girardeaui Guilbot & Plantrou,1978** (Papilionidae) Synonym(s): *girardeaui Guilbot & Plantrou,1978* Original Reference: *Papilio illyris* ssp. *girardeaui* Guilbot & Plantrou,1978, Bull. Soc. ent. Fr. 83: 70. Holotype ♂: Central African Republic: Bangui. Range (in code): CF CM
- 17971. Graphium (Arisbe (antheus-gr.)) illyris hamatus (Joicey & Talbot,1918)** (Papilionidae) Synonym(s): *hamatus Joicey & Talbot,1918* Original Reference: *Papilio illyris* ssp. *hamatus* Joicey & Talbot,1918, Proc. zool. Soc. Lond. 1917: 271. Holotype ♂: Tanzania: "German East Africa" (BMNH). Range (in code): TZ
- 17972. Graphium (Arisbe (antheus-gr.)) illyris illyris (Hewitson,1873)** (Papilionidae)
Synonym(s): *illyris Hewitson,1873*. Original Reference: *Papilio illyris* Hewitson,1873, Entomologist's mon. Mag. 9: 232. Lectotype ♂: Ghana: "Gold Coast", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): ZR TZ GO GH Ate LR CM
- 17973. Graphium (Arisbe (antheus-gr.)) junodi (Trimen,1893)** (Papilionidae)
Synonym(s): *junodi Trimen,1893* Original Reference: *Papilio junodi* Trimen,1893, Trans. ent. Soc. London 1893: 138. Lectotype ♀: Mozambique: Mprakwen, Delagoa Bay, designated by Le Cerf,1924 (BMNH). Range (in code): MZ ZW
- 17974. Graphium (Arisbe (antheus-gr.)) junodi junodi (Trimen,1893)** (Papilionidae)
Synonym(s): *junodi Trimen,1893* Original Reference: *Papilio junodi* Trimen,1893, Trans. ent. Soc. London 1893: 138. Lectotype ♀: Mozambique: Mprakwen, Delagoa Bay, designated by Le Cerf,1924 (BMNH). Range (in code): MZ ZW
- 17975. Graphium (Arisbe (antheus-gr.)) kirbyi (Hewitson,1872)** (Papilionidae)
Synonym(s): *kirbyi Hewitson,1872; ottonis Aurivillius,1899*. Original Reference: *Papilio kirbyi* Hewitson,1872, Entomologist's mon. Mag. 9: 146-147. Lectotype ♂: [Nigeria]: "Lagos", designated by Smith & Vane-Wright,2001 (BMNH) [patria falsa!]. Range (in code): TZ Tnga Usa Ani Uzu Ngu Sje KE Bionomy: Larva Annonaceae (*Annona*, *Uvaria*) (Ackery et al.,1995).
- 17976. Graphium (Arisbe (antheus-gr.)) kirbyi kirbyi (Hewitson,1872)** (Papilionidae)
Synonym(s): *kirbyi Hewitson,1872; ottonis Aurivillius,1899*. Original Reference: *Papilio kirbyi* Hewitson,1872, Entomologist's mon. Mag. 9: 146-147. Lectotype ♂: [Nigeria]: "Lagos", designated by Smith & Vane-Wright,2001 (BMNH) [patria falsa!]. Range (in code): TZ Tnga Usa Ani Uzu Ngu Sje KE Bionomy: Larva Annonaceae (*Annona*, *Uvaria*) (Ackery et al.,1995).
- 17977. Graphium (Arisbe (antheus-gr.)) polistratus (Grose-Smith,1889)** (Papilionidae)
Synonym(s): *polistratus Grose-Smith,1889; sisenna Mabilie,1890; richelmanni Weymer,1892*. Original Reference: *Papilio polistratus* Grose-Smith,1889, Ann. Mag. nat. Hist. (6) 3: 121. Type ♀: [Kenya]: "in the neighbourhood of Mombasa". (BMNH). Range (in code): SO KE MZ MW TZ Tnga

- Usa Ani CF ZA Nta Kzu** Bionomy: Larva apparently on Annonaceae (Annona, Uvaria) (Kielland,1990).
- 17978. Graphium (Arisbe (antheus-gr.)) polistratus polistratus (Grose-Smith,1889)** (Papilionidae) Synonym(s): *polistratus* Grose-Smith,1889; *sisenna* Mabille,1890; *richelmanni* Weymer,1892. Original Reference: Papilio polistratus Grose-Smith,1889, Ann. Mag. nat. Hist. (6) 3: 121. Type ♀: [Kenya]: "in the neighbourhood of Mombasa". (BMNH). Range (in code): **SO KE MZ MW TZ Tnga Usa Ani CF ZA Nta Kzu** Bionomy: Larva apparently on Annonaceae (Annona, Uvaria) (Kielland,1990).
- 17979. Graphium (Arisbe (philonoe-gr.)) philonoe (Ward,1873)** (Papilionidae) Synonym(s): *philonoe* Ward,1873; *#dulcinea* Stoneham,1931; *#philinoe* Kielland,1990 Original Reference: Papilio philonoe Ward,1873, Entomologist's mon. Mag. 10: 152. Syntypes: [Kenya]: "East Africa, Ribé". Range (in code): **SD SD45 ET UG KE TZ Tnga Usa Ani Ulg Sje Uzu Ron MZ MW**
- 17980. Graphium (Arisbe (philonoe-gr.)) philonoe philonoe (Ward,1873)** (Papilionidae) Synonym(s): *philonoe* Ward,1873; *#dulcinea* Stoneham,1931; *#philinoe* Kielland,1990 Original Reference: Papilio philonoe Ward,1873, Entomologist's mon. Mag. 10: 152. Syntypes: [Kenya]: "East Africa, Ribé". Range (in code): **KE TZ Tnga Usa Ani Ulg Sje Uzu Ron MZ MW**
- 17981. Graphium (Arisbe (philonoe-gr.)) philonoe whalleyi (Talbot,1929)** (Papilionidae) Synonym(s): *whalleyi* Talbot,1929 Range (in code): **SD SD45 UG ET**
- 17982. Graphium (Arisbe (policenes-gr.)) biokoensis Gauthier,1984** (Papilionidae) Synonym(s): *#intermedia* Birket-Smith,1960; *biokoensis* Gauthier,1984. Original Reference: Graphium policenes ssp. biokoensis Gauthier,1984, Ent. Z., Frankf.a.M. 94: 31, fig.5. Holotype ♂: Equatorial Guinea: Insel Bioko leg. J.G.Canu (coll. Gauthier). Range (in code): **GO Bio NG CM GA ZR CG**
- 17983. Graphium (Arisbe (policenes-gr.)) biokoensis biokoensis Gauthier,1984** (Papilionidae) Synonym(s): *#intermedia* Birket-Smith,1960; *biokoensis* Gauthier,1984. Original Reference: Graphium policenes ssp. biokoensis Gauthier,1984, Ent. Z., Frankf.a.M. 94: 31, fig.5. Holotype ♂: Equatorial Guinea: Insel Bioko leg. J.G.Canu (coll. Gauthier). Range (in code): **GO Bio NG CM GA ZR CG**
- 17984. Graphium (Arisbe (policenes-gr.)) liponesco (Suffert,1904)** (Papilionidae) Synonym(s): *liponesco* Suffert,1904; *boolae* Strand,1909. Original Reference: Papilio policenes ssp. liponesco Suffert,1904, 107. Lectotype ♂: Togo: "Hinterland von Togo", designated by Le Cerf,1924 (BMNH). Range (in code): **GN SL CI GH Ate TG**
- 17985. Graphium (Arisbe (policenes-gr.)) liponesco liponesco (Suffert,1904)** (Papilionidae) Synonym(s): *liponesco* Suffert,1904; *boolae* Strand,1909. Original Reference: Papilio policenes ssp. liponesco Suffert,1904, 107. Lectotype ♂: Togo: "Hinterland von Togo", designated by Le Cerf,1924 (BMNH). Range (in code): **GN SL CI GH Ate TG**
- 17986. Graphium (Arisbe (policenes-gr.)) policenes (Cramer,[1775])** (Papilionidae) Synonym(s): *policenes* Cramer,[1775]; *pompilius* Herbst,1788; *agapenor* Fabricius,1793; *scipio* Palisot de Beauvoir,[1805]; *polixenus* Godart,[1819]; *sudanicus* Schultz,1916; *laurentia* Le Cerf,1924; *#guineensis* Dufrane,1946; *#coussementi* Berger,1960. Original Reference: Papilio policenes Cramer,[1775], Utitl. Kap. 1: 61, pl.37 figs. A,B. Syntypes: [Africa]: "Surinamen". Range (in code): **ML SL TG BN CM LR CI GH Ate CF NG GA ZR AO ZA Nta Kzu WCa GN ZR GO SD UG KE TZ Tnga Usa Ani ZW MW ZM MZ** Bionomy: Larva on Annonaceae (Uvaria caffra, U.chamae, U.pulchra, Artabotrys monteiroae, A.brachypetala, A.chrysophylla, Polyalthia suaveolens), Apocynaceae (Landolphia buchanani, L.ugandensis) (Haig,1936; van Son,1949; Villiers,1957; Owen & Owen,1972; Fontaine,1985; Pringle & Henning,1994; Larsen,1996; Smith & Vane-Wright,2001).
- 17987. Graphium (Arisbe (policenes-gr.)) policenes policenes (Cramer,[1775])** (Papilionidae) Synonym(s): *policenes* Cramer,[1775]; *pompilius* Herbst,1788; *agapenor* Fabricius,1793; *scipio* Palisot de Beauvoir,[1805]; *polixenus* Godart,[1819]; *sudanicus* Schultz,1916; *laurentia* Le Cerf,1924; *#guineensis* Dufrane,1946; *#coussementi* Berger,1960. Original Reference: Papilio policenes Cramer,[1775], Utitl. Kap. 1: 61, pl.37 figs. A,B. Syntypes: [Africa]: "Surinamen". Range (in code): **ML SL TG BN CM LR CI GH Ate CF NG GA ZR AO ZA Nta Kzu WCa GN ZR GO SD UG KE TZ Tnga Usa Ani ZW MW ZM MZ** Bionomy: Larva on Annonaceae (Uvaria caffra, U.chamae, U.pulchra, Artabotrys monteiroae, A.brachypetala, A.chrysophylla, Polyalthia suaveolens), Apocynaceae (Landolphia buchanani, L.ugandensis) (Haig,1936; van Son,1949; Villiers,1957; Owen & Owen,1972; Fontaine,1985; Pringle & Henning,1994; Larsen,1996; Smith & Vane-Wright,2001).
- 17988. Graphium (Arisbe (policenes-gr.)) policenes telloi Hecq,1999** (Papilionidae) Synonym(s): *telloi* Hecq,1999 Original Reference: Graphium policenes ssp. telloi Hecq,1999,

- Lambilliona 99: 517-518, figs.3-4. Holotype ♂: Central African Republic: Région du Nord, P.N., Brendja 12.xii.1998 leg. J.Tello (MRAC). Range (in code): CF
- 17989. Graphium (Arisbe (policenes-gr.)) policenoides (Holland,1892)** (Papilionidae)
Synonym(s): *policenoides* Holland,1892
- 17990. Graphium (Arisbe (policenes-gr.)) policenoides policenoides (Holland,1892)** (Papilionidae) Synonym(s): *policenoides* Holland,1892
- 17991. Graphium (Arisbe (policenes-gr.)) porthaon (Hewitson,1865)** (Papilionidae)
Synonym(s): *porthaon* Hewitson,1865; #*adjectus* Thureau,1903; *vernayi* Van Son,1936. Original Reference: Papilio porthaon Hewitson,1865, Exot. Butts. 3: Papilio pl.7 figs. 21,22. Lectotype ♂: [Mozambique]: "Zambesi", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): TZ BW ZA Tva Nta Kzu Tug Lpo Spb Mdk Kru Pma Mpu Brb NA MZ ZW MW Zom ZM ZR KE
- 17992. Graphium (Arisbe (policenes-gr.)) porthaon mackiei Collins & T.Larsen,1991** (Papilionidae) Synonym(s): *mackiei* Collins & T.Larsen,1991. Original Reference: Graphium porthaon ssp. mackiei Collins & Larsen,1991, [in] Larsen, Butterflies of Kenya: 119, 438, pl.4 fig.27i. Holotype ♂: Kenya: "Meru Forest" (NMN). Range (in code): KE
- 17993. Graphium (Arisbe (policenes-gr.)) porthaon porthaon (Hewitson,1865)** (Papilionidae) Synonym(s): *porthaon* Hewitson,1865; #*adjectus* Thureau,1903; *vernayi* Van Son,1936. Original Reference: Papilio porthaon Hewitson,1865, Exot. Butts. 3: Papilio pl.7 figs. 21,22. Lectotype ♂: [Mozambique]: "Zambesi", designated by Smith & Vane-Wright,2001 (BMNH). Range (in code): TZ BW ZA Tva Nta Kzu Tug Lpo Spb Mdk Kru Pma Mpu Brb NA MZ ZW MW Zom ZM ZR KE
- 17994. Graphium (Arisbe (policenes-gr.)) porthaon tanganyikae Kielland,1978** (Papilionidae) Synonym(s): *tanganyikae* Kielland,1978 Original Reference: Graphium porthaon ssp. tanganyikae Kielland,1978, Tijdschr. Ent. 121: 161, pl.6 figs.21-24. Holotype ♂: Tanzania: Kigoma, Kasoge, 12.x.1969 (leg. J.Kielland) (BMNH). Range (in code): TZ
- 17995. Graphium (Arisbe (s.str.)) cyrnus (Boisduval,1836)** (Papilionidae) Synonym(s): *cyrnus* Boisduval,1836 Original Reference: Papilio cyrnus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 239, nr.63. Type(s): Madagascar. Range (in code): MG
- 17996. Graphium (Arisbe (s.str.)) cyrnus cyrnus (Boisduval,1836)** (Papilionidae) Synonym(s): *cyrnus* Boisduval,1836 Original Reference: Papilio cyrnus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 239, nr.63. Type(s): Madagascar. Range (in code): MG
- 17997. Graphium (Arisbe (s.str.)) leonidas (Fabricius,1793)** (Papilionidae) Synonym(s): *similis* Cramer,1775 nec Linn.,1758; *leonidas* Fabricius,1793; *brasidas* R.Felder & C.Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905. Original Reference: Papilio leonidas Fabricius,1793, Syst. Ent. 3 (1): 35. Type(s): "Africa" (official name number: 2007, Opinion 823, ICZN, 1967). Range (in code): SN GA ML GN SL LR CI BF GH Ate TG BN NG CM TD GO CF GA ZR CG RW BI AO SD ET UG KE TZ Tnga Usa Ani Zz Pb MW Zom ZM ZW MZ NA BW SZ ZA Nta Tva Lpo Spb Lj Slp Kru Pma Suw Mpu Brb Wri Bionomy: Larva on Monanthotaxis caffra, Friesodielsia obovata (Annonaceae) (Pringle & Henning,1994).
- 17998. Graphium (Arisbe (s.str.)) leonidas leonidas (Fabricius,1793)** (Papilionidae) Synonym(s): *similis* Cramer,1775 nec Linn.,1758; *leonidas* Fabricius,1793; *brasidas* R.Felder & C.Felder,1864; *interniplaga* Aurivillius,1899; *onidale* Suffert,1904; *umanus* Rothschild & Jordan,1905. Original Reference: Papilio leonidas Fabricius,1793, Syst. Ent. 3 (1): 35. Type(s): "Africa" (official name number: 2007, Opinion 823, ICZN, 1967). Range (in code): SN GA ML GN SL LR CI BF GH Ate TG BN NG CM TD GO CF GA ZR CG RW BI AO SD ET UG KE Tnga Usa Ani TZ MW Zom ZM ZW MZ NA BW SZ ZA Nta Tva Lpo Kru Pma Spb Lj Slp Suw Mpu Brb Wri ST Bionomy: Larva on Monanthotaxis caffra, Friesodielsia obovata (Annonaceae) (Pringle & Henning,1994).
- 17999. Graphium (Arisbe (s.str.)) leonidas pelopidas Oberthür,1879** (Papilionidae) Synonym(s): *pelopidas* Oberthür,1879; *zanzibaricus* Kielland,1990. Original Reference: Papilio leonidas var.?pelopidas Oberthür,1879, Etüd. Ent. 4: 55. Type ♂: [Tanzania]: "Tchouaka (Zanguebar)" (BMNH). Range (in code): TZ Zz Pb
- 18000. Graphium (Arisbe (s.str.)) leonidas santamarthae (Joicey & Talbot,1927)** (Papilionidae) Synonym(s): *santamarthae* Joicey & Talbot,1927. Original Reference: Papilio leonidas ssp. santa-marthae Joicey & Talbot,1927, Ency. Ent. 2: 12. Type ♂: "St. Principe" (BMNH). Range (in code): ST
- 18001. Graphium (Arisbe (s.str.)) leonidas thomasius (Le Cerf,1924)** (Papilionidae) Synonym(s): *thomasius* Le Cerf,1924 Original Reference: Papilio leonidas ssp. thomasius Le

- Cerf, 1924, Bull. Mus. nat. Hist. Nat. Paris 30: 137. Type ♀: "San Thome" (MNHNP). Range (in code): ST
- 18002. Graphium (Arisbe (s.str.)) levassori (Oberthür, 1890)** (Papilionidae) Synonym(s): *levassori* Oberthür, 1890. Range (in code): KM
- 18003. Graphium (Arisbe (s.str.)) levassori levassori (Oberthür, 1890)** (Papilionidae) Synonym(s): *levassori* Oberthür, 1890. Range (in code): KM
- 18004. Graphium (Arisbe (tynderaeus-gr.)) latreillianus (Godart, [1819])** (Papilionidae) Synonym(s): *latreillianus* Godart, [1819]. Range (in code): SL CI GH Ate LR GA ZR CM UG NG AO
- 18005. Graphium (Arisbe (tynderaeus-gr.)) latreillianus latreillianus (Godart, [1819])** (Papilionidae) Synonym(s): *latreillianus* Godart, [1819]. Range (in code): SL CI LR GH Ate
- 18006. Graphium (Arisbe (tynderaeus-gr.)) latreillianus theorini (Aurivillius, 1881)** (Papilionidae) Synonym(s): *theorini* Aurivillius, 1881; *potamonianus* Ehrmann, 1909; *aurivillianus*. Range (in code): GA ZR CM UG NG AO
- 18007. Graphium (Arisbe (tynderaeus-gr.)) tynderaeus (Fabricius, 1793)** (Papilionidae) Synonym(s): *tynderaeus* Fabricius, 1793; *nausinous* Godart, [1819]; *ochrea* Caponnier, 1889. Range (in code): SL GH Ate CM ZR Itu Shb TZ Kgo
- 18008. Graphium (Arisbe (tynderaeus-gr.)) tynderaeus tynderaeus (Fabricius, 1793)** (Papilionidae) Synonym(s): *tynderaeus* Fabricius, 1793; *nausinous* Godart, [1819]; *ochrea* Caponnier, 1889. Range (in code): SL CM GH Ate ZR Itu Shb TZ Kgo
- 18009. Graphium (Pathysa (Paranticopsis)) akikoe Morita & Shinkai, 1996** (Papilionidae) Synonym(s): *phidias* Oberthür, 1896 *nec* Linn., 1758 *non* Cr., 1779; *akikoe* Morita & Shinkai, 1996; *muhabbet Koçak*, 2007. Original Reference: Graphium phidias ssp. akikoe Morita & Shinkai, 1996, Futao 10: 10. Holotype: Laos. Range (in code): VN Ann Ton Lci LA L37 L38
- 18010. Graphium (Pathysa (Paranticopsis)) akikoe akikoe Morita & Shinkai, 1996** (Papilionidae) Synonym(s): *phidias* Oberthür, 1896 *nec* Linn., 1758 *non* Cr., 1779; *akikoe* Morita & Shinkai, 1996; *muhabbet Koçak*, 2007. Original Reference: Graphium phidias ssp. akikoe Morita & Shinkai, 1996, Futao 10: 10. Holotype ♂: Laos: Lac Sao, 700m. Range (in code): VN Ann Ton Lci LA L37 L38
- 18011. Graphium (Pathysa (Paranticopsis)) delesserti (Guérin-Ménéville, 1839)** (Papilionidae) Synonym(s): *delesserti* Guérin-Ménéville, 1839; *laodocus* De Haan, 1840; *dehaani* Wallace, 1865 *nec* Felder, 1864; *catoris* Grose-Smith, 1892. Original Reference: Papilio delesserti Guérin-Ménéville, 1839, Revue Zool. 1839: 233. Type(s): Penang. Range (in code): PH Pal MY ID Sum Ja Bgk Nia Bor Nat TH Sat Yal Tng Nst Chw Sgk Hya Tnc
- 18012. Graphium (Pathysa (Paranticopsis)) delesserti delesserti (Guérin-Ménéville, 1839)** (Papilionidae) Synonym(s): *delesserti* Guérin-Ménéville, 1839; *laodocus* De Haan, 1840; *dehaani* Wallace, 1865 *nec* Felder, 1864; *catoris* Grose-Smith, 1892. Original Reference: Papilio delesserti Guérin-Ménéville, 1839, Revue Zool. 1839: 233. Type(s): Penang. Range (in code): MY ID Sum Ja Bor Nat TH Sat Yal Tng Nst Chw Sgk Hya Tnc
- 18013. Graphium (Pathysa (Paranticopsis)) delesserti hyalinus Fruhstorfer, 1901** (Papilionidae) Synonym(s): *hyalinus* Fruhstorfer, 1901. Range (in code): ID Nia
- 18014. Graphium (Pathysa (Paranticopsis)) delesserti palawanus (Staudinger, 1889)** (Papilionidae) Synonym(s): *palawanus* Staudinger, 1889. Original Reference: Papilio laodocus var. palawanus Staudinger, 1889, Dt. ent. Z., Iris 2: 6. Syntypes ♂♂: [Philippinen]: Palawan. Range (in code): PH Pal
- 18015. Graphium (Pathysa (Paranticopsis)) delesserti sacerdotalis Fruhstorfer, 1909** (Papilionidae) Synonym(s): *sacerdotalis* Fruhstorfer, 1909. Range (in code): ID Sum
- 18016. Graphium (Pathysa (Paranticopsis)) delesserti verbigenus (Fruhstorfer, 1911)** (Papilionidae) Synonym(s): *verbigenus* Fruhstorfer, 1911. Original Reference: Papilio delesserti ssp. verbigenus Fruhstorfer, 1911, Ent. Rdsch. 28 (23): 178. Syntypes: Banguay. Range (in code): ID Bgk
- 18017. Graphium (Pathysa (Paranticopsis)) deucalion (Boisduval, 1836)** (Papilionidae) Synonym(s): *deucalion* Boisduval, 1836. Original Reference: Papilio deucalion Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 375, nr. 221. Type(s): Celebes. Range (in code): ID Bia Clb Hm
- 18018. Graphium (Pathysa (Paranticopsis)) deucalion deucalion (Boisduval, 1836)** (Papilionidae) Synonym(s): *deucalion* Boisduval, 1836. Original Reference: Papilio deucalion Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 375, nr. 221. Type(s): Celebes. Range (in code): ID Clb

- 18019. Graphium (Pathysa (Paranticopsis)) deucalion felixi (Joicey & Noakes,1915)** (Papilionidae) Synonym(s): *felixi Joicey & Noakes,1915* _ Range (in code): ID Bia
- 18020. Graphium (Pathysa (Paranticopsis)) deucalion leucadion (Staudinger,1884)** (Papilionidae) Synonym(s): *leucadion Staudinger,1884* _ Range (in code): ID Hm
- 18021. Graphium (Pathysa (Paranticopsis)) ebertorum Koçak,1983** (Papilionidae) Synonym(s): *ebertorum Koçak,1983* _ Original Reference: Graphium ebertorum Koçak,1983, Priamus 2 (4): 165 (nomen novum pro Papilio megaera Staudinger,1888 nec Papilio megera Linnaeus,1767). Range (in code): PH Bal Pal
- 18022. Graphium (Pathysa (Paranticopsis)) ebertorum ebertorum Koçak,1983** (Papilionidae) Synonym(s): *ebertorum Koçak,1983* _ Original Reference: Graphium ebertorum Koçak,1983, Priamus 2 (4): 165 (nomen novum pro Papilio megaera Staudinger,1888 nec Papilio megera Linnaeus,1767). Range (in code): PH Bal Pal
- 18023. Graphium (Pathysa (Paranticopsis)) encelades (Boisduval,1836)** (Papilionidae) Synonym(s): *encelades Boisduval,1836* _ Original Reference: Papilio encelades Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 376, nr.222. Type(s): Celebes.
- 18024. Graphium (Pathysa (Paranticopsis)) encelades encelades (Boisduval,1836)** (Papilionidae) Synonym(s): *encelades Boisduval,1836* _ Original Reference: Papilio encelades Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 376, nr.222. Type(s): Celebes.
- 18025. Graphium (Pathysa (Paranticopsis)) idaeoides (Hewitson,1855)** (Papilionidae) Synonym(s): *idaeoides Hewitson,1855* _ Original Reference: Papilio idaeoides Hewitson,1855, Ill. exot. Butts. 1: pl.1 fig.2. Type(s): Philippine Islands. Range (in code): PH Ley Luz Mno Mno Sam
- 18026. Graphium (Pathysa (Paranticopsis)) idaeoides idaeoides (Hewitson,1855)** (Papilionidae) Synonym(s): *idaeoides Hewitson,1855* _ Original Reference: Papilio idaeoides Hewitson,1855, Ill. exot. Butts. 1: pl.1 fig.2. Type(s): Philippine Islands. Range (in code): PH Ley Luz Mno Mno Sam
- 18027. Graphium (Pathysa (Paranticopsis)) macareus (Godart,[1819])** (Papilionidae) Synonym(s): *macareus Godart,[1819]* _ Original Reference: Papilio macareus Godart,[1819], Ency. méth. 9 (1): 76, nr.144. Type(s): [Indonesia]: Java. Range (in code): ID Sum Ja Bli MM Tns MY Prk Sh IN SI Pal PH TH Chy Pht Phi CMa CDo Cbi Nna Cbu Nrt Cph Tng Rng Yal Nst Ths Sya CN Hn
- 18028. Graphium (Pathysa (Paranticopsis)) macareus albinovanus (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *albinovanus Fruhstorfer,1908* _ Original Reference: Papilio macareus ssp. albinovanus Fruhstorfer,1908, Int. ent. Z. 2: 238. Type: [Indonesia]: Bali. Range (in code): ID Bli
- 18029. Graphium (Pathysa (Paranticopsis)) macareus burmensis Moonen,1984** (Papilionidae) Synonym(s): *gyndes Jordan,1909 nec Fruhst.,1907; burmensis Moonen,1984* _ Original Reference: Graphium macareus ssp. burmensis Moonen,1984, Papilio int. 1 (3): 47. Range (in code): MM TH Chy Pht Phi CMa Nst CDo
- 18030. Graphium (Pathysa (Paranticopsis)) macareus indicus (Rothschild,1895)** (Papilionidae) Synonym(s): *indicus Rothschild,1895; polynice De Nicéville,1897.* _ Original Reference: Papilio macareus ssp. indicus Rothschild,1895, Novit. zool. 2: 457. Syntypes: [India]: Sikkim (11♂), Khasia Hills (8♂ 1♀), [Myanmar]: Shan States (2♂), Tenasserim, [Malaysia]: Malacca ? Range (in code): MM Tns MY Sh IN SI
- 18031. Graphium (Pathysa (Paranticopsis)) macareus indochinensis (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *indochinensis Fruhstorfer,1901* _ Range (in code): TH Cbi Nna Cbu Nrt
- 18032. Graphium (Pathysa (Paranticopsis)) macareus lioneli (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *lioneli Fruhstorfer,1902* _ Original Reference: Papilio macareus ssp. lioneli Fruhstorfer,1902, Societ. Ent. 16: 73. Type(s): Assam. Range (in code): IN Ass
- 18033. Graphium (Pathysa (Paranticopsis)) macareus macareus (Godart,[1819])** (Papilionidae) Synonym(s): *macareus Godart,[1819]* _ Original Reference: Papilio macareus Godart,[1819], Ency. méth. 9 (1): 76, nr.144. Type(s): Java.
- 18034. Graphium (Pathysa (Paranticopsis)) macareus macaristus (Grose-Smith,1887)** (Papilionidae) Synonym(s): *macaristus Grose-Smith,1887; borneensis Staudinger,1889.* _ Original Reference: Papiliop macaristus Grose-Smith,1887, Ann. Mag. nat. Hist. (5) 20: 434. Syntypes: Borneo.
- 18035. Graphium (Pathysa (Paranticopsis)) macareus mitis (Jordan,1909)** (Papilionidae) Synonym(s): *mitis Jordan,1909* _ Original Reference: Papilio macareus ssp. mitis

- Jordan, 1909, [in] Seitz, A., Gross-Schmett. Erde 9: 104. Type: [China]: Hainan. Range (in code): CN Hn
- 18036. Graphium (Pathysa (Paranticopsis)) macareus palawanicola Koçak, 1980** (Papilionidae) Synonym(s): *palawanicola* Koçak, 1980 Range (in code): Pal PH
- 18037. Graphium (Pathysa (Paranticopsis)) macareus perakensis (Fruhstorfer, 1899)** (Papilionidae) Synonym(s): *perakensis* Fruhstorfer, 1899 Range (in code): MY Prk TH Cph Tng Rng Yal Nst Ths Sya
- 18038. Graphium (Pathysa (Paranticopsis)) macareus xanthosoma (Staudinger, 1889)** (Papilionidae) Synonym(s): *xanthosoma* Staudinger, 1889 Original Reference: Papilio macareus var. xanthosoma Staudinger, 1889, Dt. ent. Z., Iris 2: 7. Syntypes: [Indonesia]: Sumatra. Range (in code): ID Sum
- 18039. Graphium (Pathysa (Paranticopsis)) megarus (Westwood, 1841)** (Papilionidae) Synonym(s): *megarus* Westwood, 1841 Original Reference: Papilio megarus Westwood, 1841, Arcana ent. (2): 98. Type: India: Assam. Range (in code): SI IN Ass MM ID Bgu Bor P-T Ja Sum VN Ton Ann MY TH Chy Pht Tng Cbi Sgk Hya Tnc Nst Chw Srt CN Hn
- 18040. Graphium (Pathysa (Paranticopsis)) megarus fleximacula (Rothschild, 1895)** (Papilionidae) Synonym(s): *fleximacula* Rothschild, 1895 Original Reference: Papilio megarus ssp. fleximacula Rothschild, 1895, Novit. zool. 2: 460-461. Syntypes 1♂ 1♀: Banguay Isl. (in coll. Staudinger). Range (in code): ID Bgu
- 18041. Graphium (Pathysa (Paranticopsis)) megarus marthae (Toxopeus, 1938)** (Papilionidae) Synonym(s): *marthae* Toxopeus, 1938 Original Reference: Papilio megarus ssp. marthae Toxopeus, 1938, Ent. Meded. Ned. Ind. 4: 17, fig. Type: [Indonesia]: Java. Range (in code): ID Ja
- 18042. Graphium (Pathysa (Paranticopsis)) megarus megapenthes (Fruhstorfer, 1902)** (Papilionidae) Synonym(s): *similis* Lathy, 1899 (praeocc.); *megapenthes* Fruhstorfer, 1902; *martinus* Fruhstorfer, 1902. Original Reference: Papilio megarus ssp. megapenthes Fruhstorfer, 1902, Dt. ent. Z., Iris 12: 162. Syntypes: [Vietnam]: Tonkin: Than-Moi; Süd-Annam: Xom-Gom. Range (in code): ID Sum VN Ton Ann MY TH Chy Pht Tng Cbi Sgk Hya Tnc Nst Chw Srt
- 18043. Graphium (Pathysa (Paranticopsis)) megarus megarus (Westwood, 1841)** (Papilionidae) Synonym(s): *megarus* Westwood, 1841 Original Reference: Papilio megarus Westwood, 1841, Arcana ent. (2): 98. Range (in code): IN Ass
- 18044. Graphium (Pathysa (Paranticopsis)) megarus sagittiger (Fruhstorfer, 1901)** (Papilionidae) Synonym(s): *sagittiger* Fruhstorfer, 1901 Original Reference: Papilio megarus ssp. sagittiger Fruhstorfer, 1901, Societ. Ent. (14): Syntypes: North Borneo. Range (in code): Bor MY
- 18045. Graphium (Pathysa (Paranticopsis)) megarus tiomanensis Eliot, 1978** (Papilionidae) Synonym(s): *tiomanensis* Eliot, 1978 Range (in code): P-T ID
- 18046. Graphium (Pathysa (Paranticopsis)) megarus tistaensis O. Bang-Haas, 1937** (Papilionidae) Synonym(s): *tistaensis* O. Bang-Haas, 1937 Range (in code): IN SI
- 18047. Graphium (Pathysa (Paranticopsis)) ramaceus (Westwood, 1872)** (Papilionidae) Synonym(s): *ramaceus* Westwood, 1872 Original Reference: Papilio ramaceus Westwood, 1872, Trans. ent. Soc. London 1872: 95, pl. 5 fig. 3. Syntypes: Borneo. Range (in code): MY TH Nst Yal ID Sum Bor
- 18048. Graphium (Pathysa (Paranticopsis)) ramaceus interjectus Honrath, 1912** (Papilionidae) Synonym(s): *interjectus* Honrath, 1912
- 18049. Graphium (Pathysa (Paranticopsis)) ramaceus pendleburyi (Corbet, 1941)** (Papilionidae) Synonym(s): *leucothoe* Westwood, [1844] (praeocc.); *dealbata* Pendlebury, 1939 (praeocc.); *pendleburyi* Corbet, 1941 Range (in code): MY TH Nst Yal
- 18050. Graphium (Pathysa (Paranticopsis)) ramaceus ramaceus (Westwood, 1872)** (Papilionidae) Synonym(s): *ramaceus* Westwood, 1872 Original Reference: Papilio ramaceus Westwood, 1872, Trans. ent. Soc. London 1872: 95, pl. 5 fig. 3. Syntypes: Borneo. Range (in code): MY Bor
- 18051. Graphium (Pathysa (Paranticopsis)) stratocles C. Felder & R. Felder, 1861** (Papilionidae) Synonym(s): *stratocles* C. Felder & R. Felder, 1861; *magicus* Staudinger, 1889. Original Reference: Papilio stratocles C. Felder & R. Felder, 1861, Wien. ent. Monatschr. 5: 298. Syntypes: [Philippines]: "Mindanao". Range (in code): PH Boh Din Ley Mno Pao Sam Luz Mar Cal Mno Pal
- 18052. Graphium (Pathysa (Paranticopsis)) stratocles senectus Tsukada & Nishiyama, 1980** (Papilionidae) Synonym(s): *senectus* Tsukada & Nishiyama, 1980 Range (in code): PH Luz Mar

- 18053. Graphium (Pathysa (Paranticopsis)) stratocles stratocles C.Felder & R.Felder,1861** (Papilionidae) Synonym(s): *stratocles C.Felder & R.Felder,1861; magicus Staudinger,1889.* Original Reference: Papilio stratocles C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 298. Syntypes: [Philippines]: "Mindanao". Range (in code): **PH Cal Mno Pal**
- 18054. Graphium (Pathysa (Paranticopsis)) stratocles stratonices Jordan,1909** (Papilionidae) Synonym(s): *stratonices Jordan,1909* - Range (in code): **PH Boh Din Ley Mno Pao Sam**
- 18055. Graphium (Pathysa (Paranticopsis)) thule (Wallace,1865)** (Papilionidae) Synonym(s): *thule Wallace,1865; princeps Weymer,1902.* Original Reference: Papilio thule Wallace,1865, Trans. linn. Soc. London 25: 63.
- 18056. Graphium (Pathysa (Paranticopsis)) thule thule (Wallace,1865)** (Papilionidae) Synonym(s): *thule Wallace,1865; princeps Weymer,1902.* Original Reference: Papilio thule Wallace,1865, Trans. linn. Soc. London 25: 63.
- 18057. Graphium (Pathysa (Paranticopsis)) xenocles Doubleday,1842** (Papilionidae) Synonym(s): *xenocles Doubleday,1842* - Range (in code): **TH Rng Chy Cbi Nna CMa CDo Knc Nrt MM IN Ass SI CN Hn VN Ton Tda**
- 18058. Graphium (Pathysa (Paranticopsis)) xenocles kephisos (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *kephisos Fruhstorfer,1902* - Range (in code): **TH Chy Cbi Nna CMa CDo Knc Nrt**
- 18059. Graphium (Pathysa (Paranticopsis)) xenocles lindos (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *lindos Fruhstorfer,1901* - Range (in code): **TH Rng**
- 18060. Graphium (Pathysa (Paranticopsis)) xenocles xenocles Doubleday,1842** (Papilionidae) Synonym(s): *xenocles Doubleday,1842*
- 18061. Graphium (Pathysa (Paranticopsis)) xenocles xenocides Fruhstorfer,1902** (Papilionidae) Synonym(s): *xenocides Fruhstorfer,1902*
- 18062. Graphium (Pathysa (s.str.)) agetes (Westwood,1843)** (Papilionidae) Synonym(s): *agetes Westwood,1843* Original Reference: Papilio agetes Westwood,1843, Arcana ent. 2 (14): 23, pl.55, figs.1,2. Range (in code): **CN Hn IN MM TH Rng Cbi Nna CMa CDo Nst Lsa Chw MY Bor Sum ID**
- 18063. Graphium (Pathysa (s.str.)) agetes agetes (Westwood,1843)** (Papilionidae) Synonym(s): *agetes Westwood,1843* Original Reference: Papilio agetes Westwood,1843, Arcana ent. 2 (14): 23, pl.55, figs.1,2. Range (in code): **IN MM TH Cbi Nna CMa CDo**
- 18064. Graphium (Pathysa (s.str.)) agetes insularis (Staudinger,[1895])** (Papilionidae) Synonym(s): *insularis Staudinger,[1895]* Original Reference: Papilio agetes var. insularis Staudinger,[1895], Dt. ent. Z., Iris 7: 349-350. Syntypes: [Indonesia]: Sumatra; Borneo: Kina Balu. Range (in code): **Bor Sum ID MY**
- 18065. Graphium (Pathysa (s.str.)) agetes iponus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *iponus Fruhstorfer,1902* - Range (in code): **TH Rng Nst Lsa Chw MM MY**
- 18066. Graphium (Pathysa (s.str.)) agetes kinabaluensis Fruhstorfer,1902** (Papilionidae) Synonym(s): *kinabaluensis Fruhstorfer,1902* - Range (in code): **MY Bor**
- 18067. Graphium (Pathysa (s.str.)) androcles (Boisduval,1836)** (Papilionidae) Synonym(s): *androcles Boisduval,1836* Original Reference: Papilio androcles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 249, nr. 73. Type(s): Celebes. Range (in code): **ID Clb Sla Mgl**
- 18068. Graphium (Pathysa (s.str.)) androcles androcles (Boisduval,1836)** (Papilionidae) Synonym(s): *androcles Boisduval,1836* Original Reference: Papilio androcles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 249, nr. 73. Type(s): Celebes. Range (in code): **ID Clb**
- 18069. Graphium (Pathysa (s.str.)) androcles cleomenes (Fruhstorfer,1911)** (Papilionidae) Synonym(s): *cleomenes Fruhstorfer,1911* Original Reference: Papilio androcles ssp. cleomenes Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: Sula Mangoli. Range (in code): **ID Sla Mgl**
- 18070. Graphium (Pathysa (s.str.)) antiphates (Cramer,[1775])** (Papilionidae) Synonym(s): *antiphates Cramer,[1775]* Original Reference: Papilio antiphates Cramer,[1775], Utitl. Kapellen 1: pl.72 A,B. Type(s): India. Range (in code): **ID Ja Bli P-T IN Ass Slo LK MY Ann CN Hn MM SI TH CMa CDo Cuo Cu10 Cmz Czo3 Bnk Nna Rng Yal Sgk Hya Tnc Tng Nst**

- 18071. Graphium (Pathysa (s.str.)) antiphates alcibiades (Fabricius,1787)** (Papilionidae)
Synonym(s): *alcibiades* Fabricius,1787 Original Reference: Papilio alcibiades Fabricius,1787,
Mant. Ins. 2: 8. Type: [Indonesia]: Java. Range (in code): **ID Ja**
- 18072. Graphium (Pathysa (s.str.)) antiphates antiphates (Cramer,[1775])**
(Papilionidae) Synonym(s): *antiphates* Cramer,[1775] Original Reference: Papilio antiphates
Cramer,[1775], Uitl. Kapellen 1: pl.72 A,B. Type(s): India. Range (in code): **IN**
- 18073. Graphium (Pathysa (s.str.)) antiphates antiphonus Fruhstorfer,1902**
(Papilionidae) Synonym(s): *antiphonus* Fruhstorfer,1902
- 18074. Graphium (Pathysa (s.str.)) antiphates balius (Jordan,1909)** (Papilionidae)
Synonym(s): *balius* Jordan,1909 Range (in code): **ID Bli**
- 18075. Graphium (Pathysa (s.str.)) antiphates ceylonicus (Eimer,1889)** (Papilionidae)
Synonym(s): *ceylonicus* Eimer,1889; *antiphanes* Fruhstorfer,1903. Original Reference: Papilio
antiphates ceylonicus Eimer,1889, Artbild. Schmett.: 149. Syntypes: Ceylon. Range (in code): **LK
IN Ass Slo**
- 18076. Graphium (Pathysa (s.str.)) antiphates itamputi (Butler,1885)** (Papilionidae)
Synonym(s): *itamputi* Butler,1885 Range (in code): **TH Rng Yal Tng Nst Sgk Hya Tnc**
- 18077. Graphium (Pathysa (s.str.)) antiphates kalaoensis (Rothschild,1896)**
(Papilionidae) Synonym(s): *kalaoensis* Rothschild,1896
- 18078. Graphium (Pathysa (s.str.)) antiphates naira (Moore,1903)** (Papilionidae)
Synonym(s): *naira* Moore,1903 Original Reference: Pathysa naira Moore,1903, Lepid. ind. 6: 22,
pl.475 figs.1,1a. Syntypes: South India. Range (in code): **IN**
- 18079. Graphium (Pathysa (s.str.)) antiphates pompilius (Fabricius,1787)** (Papilionidae)
Synonym(s): *pompilius* Fabricius,1787; *nebulosus* Butler,1881; *continentalis* Eimer,1889. Original
Reference: Papilio pompilius Fabricius,1787, Mant. Ins. 2: 8. Type(s): India. Range (in code):
Ann CN Hn MM SI TH CMa CDo Cuo Cu10 Cnz Czo3 Bnk Nna
- 18080. Graphium (Pathysa (s.str.)) antiphates pulauensis Eliot,1983** (Papilionidae)
Synonym(s): *insularis* Eliot,1978 (*praeocc.*); *pulauensis* Eliot,1983 Range (in code): **P-T ID**
- 18081. Graphium (Pathysa (s.str.)) aristeus (Cramer,[1782])** (Papilionidae) Synonym(s):
aristeus Cramer,[1782]; *timocrates* C.Felder & R.Felder,[1865]. Original Reference: Papilio aristeus
Cramer,[1782], Uitl. Kapellen 4: 60, t.318 figs.E,F. Syntypes: Amboina. Range (in code): **MM TH
MY SG Sum Bor Tns Tim Wt IN Ass SI NP ID Btj Hm Crm Amb AU QAU PG Wg Aru Nlr NBr PH Ala
Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom
Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw
Tic Cbi Nrt Yal Sgk Hya Tnc Cbu Pht CMA Cuo Cu10**
- 18082. Graphium (Pathysa (s.str.)) aristeus anticrates (Doubleday,1846)** (Papilionidae)
Synonym(s): *anticrates* Doubleday,1846 Original Reference: Papilio anticrates Doubleday,1846,
Ann. Mag. nat. Hist. 18: 371. Type(s): Sylhet. Range (in code): **IN Ass SI NP**
- 18083. Graphium (Pathysa (s.str.)) aristeus aristeus (Cramer,[1782])** (Papilionidae)
Synonym(s): *aristeus* Cramer,[1782]; *timocrates* Felder & Felder,[1865]. Original Reference: Papilio
aristeus Cramer,[1782], Uitl. Kapellen 4: 60, t.318 figs.E,F. Syntypes: Amboina. Range (in code):
ID Btj Hm Crm Amb
- 18084. Graphium (Pathysa (s.str.)) aristeus hermocrates (C.Felder & R.Felder,[1865])**
(Papilionidae) Synonym(s): *hermocrates* Felder,1864; *hermocrates* C.Felder & R.Felder,[1865]; *aristeoides*
Eimer,1889; *nigricans* Eimer,1889 (p.168); *nigricans* Eimer,1889 (p.175). Original Reference: Papilio
hermocrates C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara 1: 57, nr.44 pl.12 fig.e.
Type(s): Philippines: Luzon. Range (in code): **MM TH CMA Cbi Nrt Yal Cbu Pht MY SG Sum Bor Tns
Tim Wt PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din
Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq
Sis Stu Tab Taw Tic Sgk Hya Tnc Cuo Cu10**
- 18085. Graphium (Pathysa (s.str.)) aristeus parmatatus (Gray,[1853])** (Papilionidae)
Synonym(s): *parmatatus* Gray,[1853]; *pherecrates* Felder & Felder,[1865]; *guineensis* Grose-Smith,1894.
Original Reference: Papilio parmatatus Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.141 pl.3
fig.2. Type(s): Australia. Range (in code): **AU QAU PG Wg Aru ID**
- 18086. Graphium (Pathysa (s.str.)) aristeus paron (Godman & Salvin,1879)**
(Papilionidae) Synonym(s): *paron* Godman & Salvin,1879. Original Reference: Papilio paron
Godman & Salvin,1879, Proc. zool. Soc. London 1879: 654. Syntypes: New Ireland. Range (in
code): **PG Nlr NBr**
- 18087. Graphium (Pathysa (s.str.)) decolor (Staudinger,1888)** (Papilionidae) Synonym(s):
decolor Staudinger,1888; *palawanicus* Eimer,1889 *nec* Staudinger,1888. Original Reference: Papilio

- antiphates var. decolor Staudinger, 1888, Dt. ent. Z., Iris 1: 279. Syntypes: ♂♀: Philippinen: Palawan. Range (in code): **Bal Cal Mdo Pal Sib Stu Taw PH Boh Ley Luz Mar Mas Neg Pan Sam Tic Din Mno**
- 18088. Graphium (Pathysa (s.str.)) decolor cesaella Kemal & Koçak, 2005** (Papilionidae)
Synonym(s): *atratus* Rothschild, 1895 nec Esp., 1793; *cesaella* Kemal & Koçak, 2005 Range (in code): **PH Mdo**
- 18089. Graphium (Pathysa (s.str.)) decolor decolor (Staudinger, 1888)** (Papilionidae)
Synonym(s): *decolor* Staudinger, 1888; *palawanicus* Eimer, 1889 nec Staudinger, 1888. Original Reference: Papilio antiphates var. decolor Staudinger, 1888, Dt. ent. Z., Iris 1: 279. Syntypes: ♂♀: Philippinen: Palawan. Range (in code): **Bal Cal Pal Stu Taw PH**
- 18090. Graphium (Pathysa (s.str.)) decolor neozebraica Page, 1987** (Papilionidae)
Synonym(s): *neozebraica* Page, 1987 Original Reference: Graphium decolor ssp. neozebraica Page, 1987, Papilio Int 4 (1/2): 238-239, figs. 26-30. Holotype ♀: Philippines: N. Luzon (BMNH). Range (in code): **PH Boh Ley Luz Mar Mas Neg Pan Sam Tic**
- 18091. Graphium (Pathysa (s.str.)) decolor sibuyana Page, 1987** (Papilionidae)
Synonym(s): *sibuyana* Page, 1987 Original Reference: Graphium decolor ssp. sibuyana Page, 1987, Papilio Int 4 (1/2): 239-240, figs. 34-37. Holotype ♂: Philippines: Romblon: Sibuyan Mt. (coll. Treadaway). Range (in code): **PH Sib**
- 18092. Graphium (Pathysa (s.str.)) decolor tigris (Semper, 1893)** (Papilionidae)
Synonym(s): *tigris* Semper, 1893 Original Reference: Papilio antiphates form. B. tigris Semper, 1893, Philipp. Tagfalt.: 284, t. 48, fig. Syntypes: S.E. Mindanao. Range (in code): **PH Din Mno**
- 18093. Graphium (Pathysa (s.str.)) dorcus (De Haan, 1840)** (Papilionidae) Synonym(s): *dorcus* De Haan, 1840 Original Reference: Papilio dorcus De Haan, 1840, Verh. Nat. Ges. Ned. overz. bez., Zool. 1840: 35, pl. 7 fig. 4. Range (in code): **ID Clb**
- 18094. Graphium (Pathysa (s.str.)) dorcus dorcus (De Haan, 1840)** (Papilionidae)
Synonym(s): *dorcus* De Haan, 1840 Original Reference: Papilio dorcus De Haan, 1840, Verh. Nat. Ges. Ned. overz. bez., Zool. 1840: 35, pl. 7 fig. 4. Range (in code): **ID Clb**
- 18095. Graphium (Pathysa (s.str.)) dorcus ventus Tsukada & Nishiyama, 1980** (Papilionidae) Synonym(s): *ventus* Tsukada & Nishiyama, 1980 Range (in code): **ID**
- 18096. Graphium (Pathysa (s.str.)) epaminondas (Oberthür, 1879)** (Papilionidae)
Synonym(s): *epaminondas* Oberthür, 1879 Range (in code): **IN Adm**
- 18097. Graphium (Pathysa (s.str.)) epaminondas epaminondas (Oberthür, 1879)** (Papilionidae) Synonym(s): *epaminondas* Oberthür, 1879 Range (in code): **IN Adm**
- 18098. Graphium (Pathysa (s.str.)) euphrates (C.Felder & R.Felder, 1862)** (Papilionidae)
Synonym(s): *euphrates* C.Felder & R.Felder, 1862 Original Reference: Papilio euphrates C.Felder & R.Felder, 1862, Wien. ent. Monatschr. 6: 283. Range (in code): **ID Hm Ley Luz Mar Mdo Mno Sam Cal Dum Pal Boh Ceb Cuy PH**
- 18099. Graphium (Pathysa (s.str.)) euphrates boholensis Page, 1987** (Papilionidae)
Synonym(s): *boholensis* Page, 1987 Original Reference: Graphium euphrates ssp. boholensis Page, 1987, Papilio Int 4 (1/2): 234, figs. 14, 15. Holotype ♂: Philippines: Bilar, Bohol. Range (in code): **Boh PH**
- 18100. Graphium (Pathysa (s.str.)) euphrates buhisanus Page, 1987** (Papilionidae)
Synonym(s): *buhisanus* Page, 1987 Original Reference: Graphium euphrates ssp. buhisanus Page, 1987, Papilio Int 4 (1/2): 233-234, figs. 10, 11, 13, 17. Holotype ♂: Philippines: Cebu: Busihan (coll. Treadaway). Range (in code): **Ceb PH**
- 18101. Graphium (Pathysa (s.str.)) euphrates cuyoensis Medicielo & Hanafusa, 1994** (Papilionidae) Synonym(s): *cuyoensis* Medicielo & Hanafusa, 1994 Range (in code): **PH Cuy**
- 18102. Graphium (Pathysa (s.str.)) euphrates domaranus Fruhstorfer, 1903** (Papilionidae) Synonym(s): *domaranus* Fruhstorfer, 1903 Range (in code): **PH Cal Dum Pal**
- 18103. Graphium (Pathysa (s.str.)) euphrates euphrates (C.Felder & R.Felder, 1862)** (Papilionidae) Synonym(s): *euphrates* C.Felder & R.Felder, 1862 Original Reference: Papilio euphrates Felder, 1862, Wien. ent. Monatschr. 6: 283. Range (in code): **PH Ley Luz Mar Mdo Mno Sam**
- 18104. Graphium (Pathysa (s.str.)) euphrates ornatus (Rothschild, 1895)** (Papilionidae)
Synonym(s): *ornatus* Rothschild, 1895 Original Reference: Papilio ornatus Rothschild, 1895, Novit. zool. 2: 414-415. Syntypes 8♂: [Indonesia]: Halmahera. Range (in code): **ID Hm**

- 18105. Graphium (Pathysa (s.str.)) euphratoides Eimer,1889** (Papilionidae) Synonym(s): *euphratoides Eimer,1889* _Range (in code): **PH Mno**
- 18106. Graphium (Pathysa (s.str.)) euphratoides euphratoides Eimer,1889** (Papilionidae) Synonym(s): *euphratoides Eimer,1889* _Range (in code): **PH Mno**
- 18107. Graphium (Pathysa (s.str.)) nomius (Esper,1798)** (Papilionidae) Synonym(s): *nomius Esper,1798* _Range (in code): **IN NP Ctw Ctw1 Ctw2 Ctw4 Ctw5 SI MM LK TH CMa CDo Srt Nst Loe Knc Nna Phi Pht Rat VN Ton CN Hn**
- 18108. Graphium (Pathysa (s.str.)) nomius nomius (Esper,1798)** (Papilionidae) Synonym(s): *nomius Esper,1798* _Range (in code): **IN LK NP Ctw Ctw1 Ctw2 Ctw4 Ctw5**
- 18109. Graphium (Pathysa (s.str.)) nomius swinhoei (Moore,1878)** (Papilionidae) Synonym(s): *swinhoei Moore,1878* _Range (in code): **IN TH CMa CDo Srt Nst Loe Knc Nna Phi Pht Rat**
- 18110. Graphium (Pathysa (s.str.)) rhesus (Boisduval,1836)** (Papilionidae) Synonym(s): *rhesus Boisduval,1836* _Range (in code): **ID Tuk Clb Sla**
- 18111. Graphium (Pathysa (s.str.)) rhesus parvimacula (Joicey & Talbot,1922)** (Papilionidae) Synonym(s): *parvimacula Joicey & Talbot,1922* _Range (in code): **ID Sla**
- 18112. Graphium (Pathysa (s.str.)) rhesus raphia (Jordan,1909)** (Papilionidae) Synonym(s): *raphia Jordan,1909* _Range (in code): **ID Tuk**
- 18113. Graphium (Pathysa (s.str.)) rhesus rhesulus Fruhstorfer,1902** (Papilionidae) Synonym(s): *rhesulus Fruhstorfer,1902* _Range (in code): **ID Clb**
- 18114. Graphium (Pathysa (s.str.)) rhesus rhesus (Boisduval,1836)** (Papilionidae) Synonym(s): *rhesus Boisduval,1836* _Range (in code): **ID Clb**
- 18115. Graphium (Pathysa (s.str.)) stratiotes Grose-Smith,1887** (Papilionidae) Synonym(s): *stratiotes Grose-Smith,1887* _Range (in code): **MY Bor Sbh KBa**
- 18116. Graphium (Pathysa (s.str.)) stratiotes stratiotes Grose-Smith,1887** (Papilionidae) Synonym(s): *stratiotes Grose-Smith,1887* _Range (in code): **MY Bor Sbh KBa**
- 18117. Graphium (Pathysa (s.str.)) swinhoei (Moore,1878)** (Papilionidae) Synonym(s): *swinhoei Moore,1878; hainana Chou & Gu,1994* _Original Reference: *Papilio swinhoei Moore,1878, Proc. zool. Soc. London 1878: 697. Syntypes: China: Hainan.* _Range (in code): **CN Hn**
- 18118. Graphium (Pathysa (s.str.)) swinhoei swinhoei (Moore,1878)** (Papilionidae) Synonym(s): *swinhoei Moore,1878; hainana Chou & Gu,1994* _Original Reference: *Papilio swinhoei Moore,1878, Proc. zool. Soc. London 1878: 697. Syntypes: China: Hainan.* _Range (in code): **CN Hn**
- 18119. Graphium (Pazala (s.str.)) alebion (Gray,[1853])** (Papilionidae) Synonym(s): *alebion Gray,[1853]; mariesi Butler,1881* _Original Reference: *Papilio alebion Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.15, pl.13 fig.6. Syntypes: North China.* _Range (in code): **CN T-T Sz Hpe LA VN**
- 18120. Graphium (Pazala (s.str.)) alebion alebion (Gray,[1853])** (Papilionidae) Synonym(s): *alebion Gray,[1853]; mariesi Butler,1881* _Original Reference: *Papilio alebion Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 30, nr.15, pl.13 fig.6. Syntypes: North China.* _Range (in code): **CN**
- 18121. Graphium (Pazala (s.str.)) alebion timur (Ney,1911)** (Papilionidae) Synonym(s): *timur Ney,1911; #timor Draeseke,1923.* _Original Reference: *Papilio tamerlanus timur Ney,1911, Ent. Z., Stuttgart 24: 252. Syntypes: China: Szetschuan: Tatsienlu.* _Range (in code): **CN T-T Sz Hpe VN LA**
- 18122. Graphium (Pazala (s.str.)) eurous (Leech,1893)** (Papilionidae) Synonym(s): *eurous Leech,1893* _Original Reference: *Papilio eurous Leech,1893, Butts. China, Japan and Korea: 521, t.32, fig.3. Syntypes: Central China: Chang Yang.* _Range (in code): **CN TW Ch Hp IN Kma NP Kdu Lal BT Ass TH CMa Int Doi Nan Dpk LA L42 VN Ann**
- 18123. Graphium (Pazala (s.str.)) eurous asakurae (Matsumura,1907)** (Papilionidae) Synonym(s): *asakurae Matsumura,1907; formosanus Oberthür,1908 nec Rotsch.,1896; koxinga Wileman,1909 nec Fruhst.,1908* _Original Reference: *Papilio asakurae Matsumura,1907, Trans. Sapporo Nat. Hist. Soc. 1907: 67, 75, t.1 fig.4.* _Range (in code): **TW**
- 18124. Graphium (Pazala (s.str.)) eurous caschmirensis (Rothschild,1895)** (Papilionidae) Synonym(s): *caschmirensis Rothschild,1895; #cashmirensis Moore,1903.* _Original Reference: *Papilio glycerion ssp. caschmirensis Rothschild,1895, Novit. zool. 2: 407-408. Syntypes 7♂: Cashmere and North-West India.* _Range (in code): **Ch Hp IN Kma**

- 18125. Graphium (Pazala (s.str.)) eurous eurous (Leech,1893)** (Papilionidae)
Synonym(s): *eurous* Leech,1893 Original Reference: Papilio eurous Leech,1893, Butts. China, Japan and Korea: 521, t.32, fig.3. Syntypes: Central China: Chang Yang. Range (in code): **CN**
- 18126. Graphium (Pazala (s.str.)) eurous inthanon (Katayama,1986)** (Papilionidae)
Synonym(s): *inthanon* Katayama,1986 Original Reference: Pazala eurous ssp. inthanon Katayama,1986, Gekkan Mushi 184: 4-6, pl.2. figs.1,2. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (Coll.Katayama). Range (in code): **TH CMa Int Doi Nan Dpk LA L42 VN Ann**
- 18127. Graphium (Pazala (s.str.)) eurous sikkimica (Heron,1899)** (Papilionidae)
Synonym(s): *sikkimica* Heron,1899 Range (in code): **NP Kdu Lal IN SI BT Ass**
- 18128. Graphium (Pazala (s.str.)) incertus (O.Bang-Haas,1927)** (Papilionidae)
Synonym(s): *incertus* O.Bang-Haas,1927 Original Reference: Cosmodesmus tamerlanus ssp. incertus O.Bang-Haas,1927, Horae Macrolepidopt. 1: 1, t.5 f.3. Syntypes: China mer. occ.: Szetschuan, Tatsienlu, Tsekou, Siaolu. Range (in code): **CN Sz T-T**
- 18129. Graphium (Pazala (s.str.)) incertus incertus (O.Bang-Haas,1927)** (Papilionidae)
Synonym(s): *incertus* O.Bang-Haas,1927 Original Reference: Cosmodesmus tamerlanus ssp. incertus O.Bang-Haas,1927, Horae Macrolepidopt. 1: 1, t.5 f.3. Syntypes: China mer. occ.: Szetschuan, Tatsienlu, Tsekou, Siaolu. Range (in code): **CN Sz T-T**
- 18130. Graphium (Pazala (s.str.)) mandarinus (Oberthür,1879)** (Papilionidae)
Synonym(s): *mandarinus* Oberthür,1879 Original Reference: Papilio glycerion var. mandarinus Oberthür,1879, Etüd. Ent. 4: 115, n.165. Syntypes: China: Moupin, Kuy Tseu. Range (in code): **CN NP IN SI TH Nan**
- 18131. Graphium (Pazala (s.str.)) mandarinus kimurai Murayama,1982** (Papilionidae)
Synonym(s): *kimurai* Murayama,1982 Range (in code): **LA TH Nan**
- 18132. Graphium (Pazala (s.str.)) mandarinus mandarinus (Oberthür,1879)** (Papilionidae)
Synonym(s): *mandarinus* Oberthür,1879 Original Reference: Papilio glycerion var. mandarinus Oberthür,1879, Etüd. Ent. 4: 115, n.165. Syntypes: China: Moupin, Kuy Tseu. Range (in code): **CN**
- 18133. Graphium (Pazala (s.str.)) mullah (Alpheraky,1897)** (Papilionidae)
Synonym(s): *mullah* Alpheraky,1897; *timur* Ney,1911 Range (in code): **CN Sz TW VN LA**
- 18134. Graphium (Pazala (s.str.)) mullah chungianus (Murayama,1961)** (Papilionidae)
Synonym(s): *chungianus* Murayama,1961; *tayal* Shirozu,1961 Range (in code): **TW**
- 18135. Graphium (Pazala (s.str.)) mullah kooichii (Murayama,1996)** (Papilionidae)
Synonym(s): *kooichii* Murayama,1996 Range (in code): **VN LA**
- 18136. Graphium (Pazala (s.str.)) mullah mullah (Alpheraky,1897)** (Papilionidae)
Synonym(s): *mullah* Alpheraky,1897; *timur* Ney,1911 Range (in code): **CN Sz**
- 18137. Graphium (Pazala (s.str.)) paphus (De Nicéville,1886)** (Papilionidae)
Synonym(s): *glycerion* Gray,1831 nec Borkh.,1788; *paphus* De Nicéville,1886 Original Reference: Papilio paphus De Nicéville,1886, J. Asiat. Soc. Bengal 55: 254, pl.11 fig.6. Syntypes: Sikkim. Range (in code): **SI NP Kdu Lal IN Ch MM CN TH CMa Int**
- 18138. Graphium (Pazala (s.str.)) paphus paphus (De Nicéville,1886)** (Papilionidae)
Synonym(s): *glycerion* Gray,1831 nec Borkh.,1788; *paphus* De Nicéville,1886 Original Reference: Papilio paphus De Nicéville,1886, J. Asiat. Soc. Bengal 55: 254, pl.11 fig.6. Syntypes: Sikkim. Range (in code): **Ch IN NP Kdu Lal MM CN TH CMa Int**
- 18139. Graphium (Pazala (s.str.)) tamerlanus (Oberthür,1876)** (Papilionidae)
Synonym(s): *tamerlanus* Oberthür,1876 Original Reference: Papilio tamerlanus Oberthür,1876, Etüd. Ent. 2: 13, pl.2 fig.1. Type(s): China: Moupin. Range (in code): **CN Yu Sz T-T**
- 18140. Graphium (Pazala (s.str.)) tamerlanus taliensis (O.Bang-Haas,1927)** (Papilionidae)
Synonym(s): *taliensis* O.Bang-Haas,1927 Original Reference: Cosmodesmus tamerlanus ssp. taliensis O.Bang-Haas,1927, Horae Macrolepidopt. 1: 2, t.5 f.4. Type ♂: China mer. occ.: Jünnan, Tali. Range (in code): **CN Yu**
- 18141. Graphium (Pazala (s.str.)) tamerlanus tamerlanus (Oberthür,1876)** (Papilionidae)
Synonym(s): *tamerlanus* Oberthür,1876 Original Reference: Papilio tamerlanus Oberthür,1876, Etüd. Ent. 2: 13, pl.2 fig.1. Type(s): China: Moupin. Range (in code): **CN Yu**
- 18142. Graphium (s.str. (Eurypyleana)) arycles (Boisduval,1836)** (Papilionidae)
Synonym(s): *arycles* Boisduval,1836; *rama* C.Felder,1860. Original Reference: Papilio arycles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 231, nr.51. Type(s): Java or Sumatra. Range (in code): **KH Pal PH TH Rng Yal Sat Nst LA L10 L31 L34 TH Cbi Nna Kao Cbu Nrt Ubo VN**

- 18143. Graphium (s.str. (Eurypyleana)) arycles arycleoides (Fruhstorfer,[1902])** (Papilionidae) Synonym(s): *sphinx* Fruhstorfer,1899 nec Fabr.,1775; *arycleoides* Fruhstorfer,[1902]; masal Koçak & Kemal,2000. Range (in code): KH LA L10 L31 L34 TH Cbi Nna Kao Cbu Nrt Ubo VN
- 18144. Graphium (s.str. (Eurypyleana)) arycles arycles (Boisduval,1836)** (Papilionidae) Synonym(s): *arycles* Boisduval,1836; *rama* C.Felder,1860. Original Reference: Papilio arycles Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 231, nr.51. Type(s): Java or Sumatra. Range (in code): TH Rng Yal Sat Nst
- 18145. Graphium (s.str. (Eurypyleana)) arycles perinthus Fruhstorfer,1915** (Papilionidae) Synonym(s): *perinthus* Fruhstorfer,1915. Range (in code): Pal PH
- 18146. Graphium (s.str. (Eurypyleana)) bathycles (Zincken,1831)** (Papilionidae) Synonym(s): *bathycles* Zincken,1831. Range (in code): NP MM VN KH LA ID CN Hn PH Pal TH Rng Yal Tng Nst Sya Ths MY
- 18147. Graphium (s.str. (Eurypyleana)) bathycles bathycles (Zincken,1831)** (Papilionidae) Synonym(s): *bathycles* Zincken,1831
- 18148. Graphium (s.str. (Eurypyleana)) bathycles bathycloides Honrath,1884** (Papilionidae) Synonym(s): *bathycloides* Honrath,1884; *manlius* Fruhstorfer,1908 nec Fabricius,1798. Range (in code): PH Pal TH Rng Yal Tng Nst Sya Ths
- 18149. Graphium (s.str. (Eurypyleana)) bathycles tereus (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *tereus* Fruhstorfer,1908. Original Reference: Papilio bathycles ssp. tereus Fruhstorfer,1908, Ent. Z., Stuttgart 22: 222. Syntypes 9♂: [China]: Hainan (coll. Fruhstorfer). Range (in code): CN Hn
- 18150. Graphium (s.str. (Eurypyleana)) chironides (Honrath,1884)** (Papilionidae) Synonym(s): *chiron* Wallace,1865 nec Rott.,1775; *chironides* Honrath,1884; *chironicum* Eliot,1982. Original Reference: Papilio chiron var. chironides Honrath,1884, Berl. ent. Z. 28: 397, pl.10 fig. 4. Syntypes: Sikkim. Range (in code): NP Kdu Lal MM VN KH LA MY TH Cbi Knc CMa Cuo Cuo2 CDo Pht
- 18151. Graphium (s.str. (Eurypyleana)) chironides chironides (Honrath,1884)** (Papilionidae) Synonym(s): *chiron* Wallace,1865 nec Rott.,1775; *chironides* Honrath,1884; *chironicum* Eliot,1982. Original Reference: Papilio chiron var. chironides Honrath,1884, Berl. ent. Z. 28: 397, pl.10 fig. 4. Syntypes: Sikkim. Range (in code): NP Kdu Lal MM VN KH LA MY TH Cbi Knc CMa Cuo Cuo2 CDo Pht
- 18152. Graphium (s.str. (Eurypyleana)) chironides malayanum Eliot,1982** (Papilionidae) Synonym(s): *malayanum* Eliot,1982. Range (in code): MY
- 18153. Graphium (s.str. (Eurypyleana)) doson (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *doson* C.Felder & R.Felder,1864. Original Reference: Papilio doson C.Felder & R.Felder,1864, Verh. zool.- bot. Ges. 14: 305. Range (in code): TW CN ID IN NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 JP LK MM MY PH TH CMa Cmz Cuo Cuo2 Cuo5 Cuo7 Cuo10 Nna Knc Loe Sbu Bnk Rng Tng Yal VN Kyu Ann Hn Kma Mus Sbw Bal Sga Stu Taw Cal Pal Boh Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sam Sia Sib Siq Tab Tic Bat Nia CDo CD2 Nst Nrt Kao Ton Tda Mlb Baw Bionomy: Larva on Michelia alba [white chempaka] (Magnoliaceae), Melodorum fruticosum [lamduan], Artabotrys siamensis [karawek], Desmos dumosus [tin tang], D.chinensis [sai yut] (Annonaceae) (Lewvanich,2001).
- 18154. Graphium (s.str. (Eurypyleana)) doson actor (Fruhstorfer,1907)** (Papilionidae) Synonym(s): *axion* C.Felder & R.Felder,1864 nec Boisd.,1832; *actor* Fruhstorfer,1907. Original Reference: Papilio doson ssp. actor Fruhstorfer,1907, Ent. Z., Stuttgart 21: 209. Range (in code): Ann CN Hn IN Kma NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 MM Mus TH Nna Knc Nrt Kao CMa Cmz Cuo Cuo2 Cuo5 Cuo7 Cuo10 CDo CD2 Loe Sbu Bnk VN Ton Tda Bionomy: Larva on Michelia alba [white chempaka] (Magnoliaceae), Melodorum fruticosum [lamduan], Artabotrys siamensis [karawek], Desmos dumosus [tin tang], D.chinensis [sai yut] (Annonaceae) (Lewvanich,2001).
- 18155. Graphium (s.str. (Eurypyleana)) doson aykut Koçak & Kemal,2000** (Papilionidae) Synonym(s): *mikado* Leech,1887 nec micado Pagenst.,1875; *aykut* Koçak & Kemal,2000. Original Reference: Graphium doson ssp. aykut Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro Papilio mikado Leech,1887 nec Papilio machaon var. micado Pagenstecher,1875). Range (in code): JP Kyu
- 18156. Graphium (s.str. (Eurypyleana)) doson cleius (Fruhstorfer,1907)** (Papilionidae) Synonym(s): *cleius* Fruhstorfer,1907. Original Reference: Papilio doson ssp. cleius Fruhstorfer,1907, Ent. Z., Frankf. a. M. 21: 209. Type: India: Malabar, Karwar. Range (in code): IN Mlb

- 18157. Graphium (s.str. (Eurypyleana)) doson doson (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *doson C.Felder & R.Felder,1864* Original Reference: Papilio doson C.Felder & R.Felder,1864, Verh. zool.- bot. Ges. 14: 305. Range (in code): **LK**
- 18158. Graphium (s.str. (Eurypyleana)) doson eurypylides (Staudinger,1895)** (Papilionidae) Synonym(s): *eurypylides Staudinger,1895* Original Reference: Papilio jason var. eurypylides Staudinger,1895, Dt. ent. Z., Iris 7: 350. Syntypes: [Indonesia]: Sambawa. Range (in code): **ID Sbw**
- 18159. Graphium (s.str. (Eurypyleana)) doson evemonides (Honrath,1884)** (Papilionidae) Synonym(s): *evemonides Honrath,1884* Range (in code): **PH Bal Sga Stu Taw MY TH Rng Tng Yal Nst**
- 18160. Graphium (s.str. (Eurypyleana)) doson gyndes Fruhstorfer,1907** (Papilionidae) Synonym(s): *gyndes Fruhstorfer,1907* Range (in code): **PH Cal Pal**
- 18161. Graphium (s.str. (Eurypyleana)) doson kajanga (Corbet,1937)** (Papilionidae) Synonym(s): *kajanga Corbet,1937* Range (in code): **MY**
- 18162. Graphium (s.str. (Eurypyleana)) doson nauta Tsukada & Nishiyama,1980** (Papilionidae) Synonym(s): *nauta Tsukada & Nishiyama,1980* Range (in code): **PH Boh Ceb Din Hom Ley Luz Mar Mas Mdo Mno Neg Pan Pao Sam Sia Sib Siq Tab Tic**
- 18163. Graphium (s.str. (Eurypyleana)) doson postianus Fruhstorfer,1908** (Papilionidae) Synonym(s): *postianus Fruhstorfer,1908* Range (in code): **PH Bat TW**
- 18164. Graphium (s.str. (Eurypyleana)) doson rubroplaga (Rothschild,1895)** (Papilionidae) Synonym(s): *telephus Weymer,1885 nec Feld.,1865; rubroplaga Rothschild,1895*. Original Reference: Papilio eurypylus ssp. rubroplaga Rothschild,1895, Novit. zool. 2: 504 (nomen novum pro telephus Weymer,1885 nec Felder,1865). Syntypes 4♂: [Indonesia]: Nias Isl. Range (in code): **ID Nia**
- 18165. Graphium (s.str. (Eurypyleana)) doson sankapaur (Fruhstorfer,1904)** (Papilionidae) Synonym(s): *sankapaur Fruhstorfer,1904* Range (in code): **ID Baw**
- 18166. Graphium (s.str. (Eurypyleana)) eurypylus (Linnaeus,1758)** (Papilionidae) Synonym(s): *eurypylus Linnaeus,1758*. Original Reference: Papilio eurypylus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464, nr. 37. Type: "Indiis"(err.) Moluccas. (Mus. Lud. Ulr.). Range (in code): **MY ID Sgh Ja Sum Bor Bal Pal PH Alo Sla IN MM TH CN Hn KH LA Ben Mpr Tns Nia Bgk Btg AU QAU NSw ID Amb Crm Bru Btj Hm Trn PG Nlr NBr Wg Aru Ij Eca Sbw Wt Tan Kla Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam Cml CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Vu Rng Tng Chy Nrt Cbu CMA Dst Qs Nst Ths Adm**
- 18167. Graphium (s.str. (Eurypyleana)) eurypylus acheron (Moore,1885)** (Papilionidae) Synonym(s): *acheron Moore,1885; #cheronus Fruhstorfer,1903* Original Reference: Papilio acheron Moore,1885, Ann. Mag. Nat. Hist. (5) 16: 120. Syntypes: India: N.E.Bengal. Range (in code): **IN MM TH CN Hn KH LA Ben Mpr Tns**
- 18168. Graphium (s.str. (Eurypyleana)) eurypylus aloricus (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *aloricus Fruhstorfer,1909* Original Reference: Papilio eurypylus ssp. aloricus Fruhstorfer,1909, Ent. Z., Stuttgart 22: 170. Syntypes: [Indonesia]: Alor Isl. Range (in code): **Alo ID**
- 18169. Graphium (s.str. (Eurypyleana)) eurypylus arctofasciatus (Lathy,1899)** (Papilionidae) Synonym(s): *arctofasciatus Lathy,1899; sultanus Fruhstorfer,1901*. Original Reference: Papilio eurypylus arctofasciatus Lathy,1899, Entomologist 1899: 148. Range (in code): **ID Sla Mge**
- 18170. Graphium (s.str. (Eurypyleana)) eurypylus cheronus (Fruhstorfer,1903)** (Papilionidae) Synonym(s): *cheronus Fruhstorfer,1903* Range (in code): **TH Chy Nrt Cbu**
- 18171. Graphium (s.str. (Eurypyleana)) eurypylus eurypylus (Linnaeus,1758)** (Papilionidae) Synonym(s): *eurypylus Linnaeus,1758* Original Reference: Papilio eurypylus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464, nr. 37. Type: "Indiis"(err.) Moluccas. (Mus. Lud. Ulr.). Range (in code): **ID Amb Crm Bru Btj Hm Trn**
- 18172. Graphium (s.str. (Eurypyleana)) eurypylus extensus (Rothschild,1895)** (Papilionidae) Synonym(s): *extensus Rothschild,1895* Original Reference: Papilio eurypylus ssp. extensus Rothschild,1895, Novit. zool. 2: 430. Type ♂: [Papua New Guinea]: New Ireland Island; New Britain (in coll. Grose-Smith). Range (in code): **PG Nlr NBr**
- 18173. Graphium (s.str. (Eurypyleana)) eurypylus gordion (C.Felder & R.Felder,[1865])** (Papilionidae) Synonym(s): *#gordion C.Felder,1864; gordion C.Felder & R.Felder,[1865]*. Original Reference: Papilio gordion C.Felder & R.Felder,[1865], Reise österr.

- Fregatte Novara 1: 66, nr.50. Syntypes: Philippines: Luzon. Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 18174. Graphium (s.str. (Eurypyleana)) eurypylus insularius (Rothschild,1896)**
(Papilionidae) Synonym(s): *insularius* Rothschild,1896; *lucius* Fruhstorfer,1903; *#insularis* D'Abrera,1982. Original Reference: Papilio eurypylus ssp. insularius Rothschild,1896, Novit. zool. 3: 92. Syntypes: Kalao Djampea. Range (in code): ID Tan Kla
- 18175. Graphium (s.str. (Eurypyleana)) eurypylus juba (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *juba* Fruhstorfer,1908 Original Reference: Papilio eurypylus ssp. juba Fruhstorfer,1908, Ent. Z., Stuttgart 22: 222. Syntypes 9♂: [China]: Hainan (coll. Fruhstorfer). Range (in code): Hn CN
- 18176. Graphium (s.str. (Eurypyleana)) eurypylus kaicola Koçak,1983** (Papilionidae)
Synonym(s): *melampus* Rothschild,1896 nec Fuessl.,1775; *kaicola* Koçak,1983. Original Reference: Graphium eurypylus kaicola Koçak,1983, Priamus 2 (4): 164 (nomen novum pro Papilio melampus Rothschild,1896 nec Papilio melampus Fuessly,1775). Range (in code): ID Kai
- 18177. Graphium (s.str. (Eurypyleana)) eurypylus lepidus Fruhstorfer,1904**
(Papilionidae) Synonym(s): *lepidus* Fruhstorfer,1904
- 18178. Graphium (s.str. (Eurypyleana)) eurypylus lycaonides (Rothschild,1895)**
(Papilionidae) Synonym(s): *lycaonides* Rothschild,1895 Original Reference: Papilio eurypylus ssp. lycaonides Rothschild,1895, Novit. zool. 2: 430-431. Syntypes ♂♂: [Papua New Guinea & Indonesia]: Dutch New Guinea, Humboldt Bay; Ati-Ati-Onin; coast near Arfak; Waigeu; Aru; Ferguson Isl., d'Entrecasteaux Isl. Range (in code): PG Vu ID Wg Aru Ij Eca
- 18179. Graphium (s.str. (Eurypyleana)) eurypylus macronius (Jordan,1909)**
(Papilionidae) Synonym(s): *macronius* Jordan,1909 Range (in code): IN Adm
- 18180. Graphium (s.str. (Eurypyleana)) eurypylus mecisteus Distant,1885**
(Papilionidae) Synonym(s): *mecisteus* Distant,1885; *daton* Fruhstorfer,1908 Original Reference: Papilio mecisteus Distant,1885, Rhopalocera Malayana: 361, nr. 24 fig.108. Range (in code): MY ID Ja Sum Bor Bal Pal PH Nia Bgk Btg TH Rng Tng Nst Ths
- 18181. Graphium (s.str. (Eurypyleana)) eurypylus nyctimus Waterhouse & Lyell,1914**
(Papilionidae) Synonym(s): *nyctimus* Waterhouse & Lyell,1914 Range (in code): AU
- 18182. Graphium (s.str. (Eurypyleana)) eurypylus sallastinus (Fruhstorfer,1903)**
(Papilionidae) Synonym(s): *sallastinus* Fruhstorfer,1903 Original Reference: Papilio eurypylus ssp. sallastinus Fruhstorfer,1903, Berl. ent. Z. 47 (1902): 208. Syntypes 4♂ 1♀: Sumba.
- 18183. Graphium (s.str. (Eurypyleana)) eurypylus sallastius (Staudinger,1895)**
(Papilionidae) Synonym(s): *sallastius* Staudinger,1895. Original Reference: Papilio eurypylus var. sallastius Staudinger,1895, Dt. ent. Z., Iris 7: 351. Syntypes: [Indonesia]: Wetter, Sambawa. Range (in code): ID Sbw Wt
- 18184. Graphium (s.str. (Eurypyleana)) eurypylus sangirus (Oberthür,1879)**
(Papilionidae) Synonym(s): *sangirus* Oberthür,1879 Original Reference: Papilio sangira Oberthür,1879, Trans. ent. Soc. Lond. 1879: 229, t.8 fig.1 Type8s): [Indonesia]: North of Celebes, Sangir Island. Range (in code): ID Sgh
- 18185. Graphium (s.str. (Eurypyleana)) eurypylus subhi Koçak & Kemal,2000**
(Papilionidae) Synonym(s): *lycaon* C.Felder & R.Felder,[1865] nec Kuhn,1774; *subhi* Koçak & Kemal,2000 Original Reference: Graphium (s.str.) eurypylus subhi Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro lycaon Felder & Felder,[1865] nec Kuhn,1774). Range (in code): AU QAU NSW
- 18186. Graphium (s.str. (Eurypyleana)) eurypylus telephus (Wallace,1865)**
(Papilionidae) Synonym(s): *pamphylus* Felder & Felder,[1865] nec *pamphilus* Linnaeus,1758; *telephus* Wallace,1865 nec Felder & Felder,[1865]. Original Reference: Papilio telephus Wallace,1865, Trans. linn. Soc. Lond. 25: 67, nr.116 t.7 fig.4. Syntypes: [Indonesia]: Celebes. Range (in code): Clb ID
- 18187. Graphium (s.str. (Eurypyleana)) evemon (Boisduval,1836)** (Papilionidae)
Synonym(s): *evemon* Boisduval,1836 Original Reference: Papilio evemon Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 234, nr.55. Type(s): India. Range (in code): IN Ass CN MM Shn TH Rng MY ID Sum Ja Nia VN Ton
- 18188. Graphium (s.str. (Eurypyleana)) evemon albociliatis (Fruhstorfer,1901)**
(Papilionidae) Synonym(s): *albociliatis* Fruhstorfer,1901 Range (in code): IN Ass MM Shn VN Ton
- 18189. Graphium (s.str. (Eurypyleana)) evemon evemon (Boisduval,1836)**
(Papilionidae) Synonym(s): *evemon* Boisduval,1836 Original Reference: Papilio evemon

Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 234, nr.55. Type(s): India.

- 18190. Graphium (s.str. (Eurypyleana)) evemon eventus (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *eventus Fruhstorfer,1908* Original Reference: Papilio evemon ssp. eventus Fruhstorfer,1908, Ent. Z., Stuttgart 22: 222. Syntypes: Borneo (13♂), Natuna (3♂), Sumatra (5♂), Malay Halbinsel (2♂♂) (coll. Fruhstorfer). Range (in code): TH Rng
- 18191. Graphium (s.str. (Eurypyleana)) evemon igneolus Fruhstorfer,1901** (Papilionidae) Synonym(s): *igneolus Fruhstorfer,1901*
- 18192. Graphium (s.str. (Eurypyleana)) meyeri (Hopffer,1874)** (Papilionidae) Synonym(s): *meyeri Hopffer,1874* Original Reference: Papilio meyeri Hopffer,1874, Stettin ent. Ztg. 35: 19, nr.8. Syntypes: [Indonesia]: Celebes. Range (in code): ID Clb
- 18193. Graphium (s.str. (Eurypyleana)) meyeri extremum Tsukada & Nishiyama,1980** (Papilionidae) Synonym(s): *extremum Tsukada & Nishiyama,1980* Range (in code): ID Clb
- 18194. Graphium (s.str. (Eurypyleana)) meyeri meyeri (Hopffer,1874)** (Papilionidae) Synonym(s): *meyeri Hopffer,1874* Original Reference: Papilio meyeri Hopffer,1874, Stettin ent. Ztg. 35: 19, nr.8. Syntypes: [Indonesia]: Celebes. Range (in code): ID Clb
- 18195. Graphium (s.str. (Eurypyleana)) procles Grose-Smith,1887** (Papilionidae) Synonym(s): *procles Grose-Smith,1887*
- 18196. Graphium (s.str. (Eurypyleana)) procles procles Grose-Smith,1887** (Papilionidae) Synonym(s): *procles Grose-Smith,1887*
- 18197. Graphium (s.str. (Eurypyleana)) stresemanni Rothschild,1916** (Papilionidae) Synonym(s): *stresemanni Rothschild,1916*
- 18198. Graphium (s.str. (Eurypyleana)) stresemanni stresemanni Rothschild,1916** (Papilionidae) Synonym(s): *stresemanni Rothschild,1916*
- 18199. Graphium (s.str. (Macfarlaneana)) agamemnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *agamemnon Linnaeus,1758; aegisthus Linnaeus,1763; dorylas Sulzer,1776 nec [Denis & Schiffermüller],1775*. Original Reference: Papilio agamemnon Linnaeus,1758, Syst. Nat. (Edn.10) 1: 462. Type(s): Asia. Range (in code): IN Kma TH VN KH CN MM MY SG NP PH TW LK ID Baw AU PG Adl SB Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Adm Egg Clb Bli Sla Sgr Hm Nk Aru Mi Slw Wg Ij QAU Eca NBr Manu CMA Cu0 Cu01 Cu05 Cu07 Cu10 Cu12 Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Chw Nst Sgk Hya Tnc Ctw Ctw1 Ctw2 Ctw3 Ctw5 Ctw6 Kdu Lal Bhp Ton Tda Ugi Rs Tnm Wt Flo Sba Sbw Hp Mh Meg Ben Mys Bionomy: Larva on Michelia alba [white chempaka], M.champaca [orange chempaka] (Magnoliaceae), Citrus maxima [pomelo] (Rutaceae), Artabotrys hexapetalus [kradang nga chin] (Annonaceae), Passiflora foetida [ka thok rok] (Passifloraceae), Dipterocarpus alatus [yang na] (Dipterocarpaceae) (Lewvanich,2001).
- 18200. Graphium (s.str. (Macfarlaneana)) agamemnon admiralis (Rothschild,1915)** (Papilionidae) Synonym(s): *admiralis Rothschild,1915* Original Reference: Papilio agamemnon ssp. admiralis Rothschild,1915, Novit. zool. 22: 195. Syntypes 3♂ 5♀: Manus, Admiralty Isl. Range (in code): PG Manu Adl
- 18201. Graphium (s.str. (Macfarlaneana)) agamemnon agamemnon (Linnaeus,1758)** (Papilionidae) Synonym(s): *agamemnon Linnaeus,1758; aegisthus Linnaeus,1763; dorylas Sulzer,1776 nec [Denis & Schiffermüller],1775*. Original Reference: Papilio agamemnon Linnaeus,1758, Syst. Nat. (Edn.10) 1: 462. Type(s): Asia. Range (in code): IN Kma TH VN KH CN MM MY SG NP PH TW LK AU Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic CMA Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Chw Nst Sgk Hya Tnc Ctw Ctw1 Ctw2 Ctw3 Ctw5 Ctw6 Kdu Lal Bhp Cuo Cu01 Cu07 Cu05 Cu10 Cu12 Ton Tda Apr Meg Bionomy: Larva on Michelia alba [white chempaka], M.champaca [orange chempaka] (Magnoliaceae), Citrus maxima [pomelo] (Rutaceae), Artabotrys hexapetalus [kradang nga chin] (Annonaceae), Passiflora foetida [ka thok rok] (Passifloraceae), Dipterocarpus alatus [yang na] (Dipterocarpaceae) (Lewvanich,2001).
- 18202. Graphium (s.str. (Macfarlaneana)) agamemnon amannisa Koçak & Kemal,2000** (Papilionidae) Synonym(s): *baweana Hagen,1896 nec Hag.,1896; aelius Fruhstorfer,1903 nec aelia Hoffmanns.,1804; amannisa Koçak & Kemal,2000*. Original Reference: Graphium (s.str.) agamemnon amannisa Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro baweana Hagen,1896 nec Hagen,1896; aelius Fruhstorfer,1903 nec aelia Hoffmannsegg,1804). Range (in code): ID Baw

- 18203. Graphium (s.str. (Macfarlaneana)) agamemnon andamanica Lathy,1899**
(Papilionidae) Synonym(s): *andamanica* Lathy,1899 Range (in code): IN Adm
- 18204. Graphium (s.str. (Macfarlaneana)) agamemnon argynnus (Druce,1888)**
(Papilionidae) Synonym(s): *argynnus* Druce,1888 Original Reference: Papilio argynnus Druce,1888, Ann. Mag. nat. Hist. (6) 2: 235. Syntypes: Key Is. Range (in code): ID Kai
- 18205. Graphium (s.str. (Macfarlaneana)) agamemnon atropictus Fruhstorfer,1904**
(Papilionidae) Synonym(s): *atropictus* Fruhstorfer,1904 Original Reference: Papilio agamemnon ssp. atropictus Fruhstorfer,1904, Berl. ent. Z. 49: 195. Syntypes: [Indonesia]: Engano. Range (in code): ID Egg
- 18206. Graphium (s.str. (Macfarlaneana)) agamemnon comodus (Fruhstorfer,1903)**
(Papilionidae) Synonym(s): *celebensis* Fickert,1889 *nec* Wallace,1865; *comodus* Fruhstorfer,1903. Original Reference: Papilio agamemnon ssp. comodus Fruhstorfer,1903, Berl. ent. Z. 47 (1902): 218 (nomen novum for celebensis Fickert,1889 *nec* Wallace,1865). Syntypes 4♂ 3♀: Nord u. S. Celebes, Sula, Sanghir. Range (in code): ID Clb Sla Sgr
- 18207. Graphium (s.str. (Macfarlaneana)) agamemnon decoratus (Rothschild,1895)**
(Papilionidae) Synonym(s): *decoratus* Rothschild,1895 Original Reference: Papilio agamemnon ssp. decoratus Rothschild,1895, Novit. zool. 2: 452. Syntypes 2♀: Nicobar Islands (Kamorta), Andaman Islands (?). Range (in code): IN Nk
- 18208. Graphium (s.str. (Macfarlaneana)) agamemnon exilis (Rothschild,1895)**
(Papilionidae) Synonym(s): *exilis* Rothschild,1895 Original Reference: Papilio agamemnon ssp. exilis Rothschild,1895, Novit. zool. 2: 451-452. Type 1♀: "Tenimber Islands"; Dammer, Timor, Wetter, Flores, Sumba, Sambawa. Range (in code): ID Tnm Wt Flo Sba Sbw
- 18209. Graphium (s.str. (Macfarlaneana)) agamemnon guttatus (Rothschild,1895)**
(Papilionidae) Synonym(s): *guttatus* Rothschild,1895 Original Reference: Papilio agamemnon ssp. guttatus Rothschild,1895, Novit. zool. 2: 453. Type 1♂: "Halmahera"; Ternate. Range (in code): ID Hm
- 18210. Graphium (s.str. (Macfarlaneana)) agamemnon ligatus (Rothschild,1895)**
(Papilionidae) Synonym(s): *ligatus* Rothschild,1895; *atreus* Fruhstorfer,1903 Original Reference: Papilio agamemnon ssp. ligatus Rothschild,1895, Novit. zool. 2: 451. Syntypes: "New Guinea, Waigeu Island, Aru Islands, Queensland, Woodlark Island (?)". Range (in code): ID PG Aru Mi Slw Wg Ij AU QAU Eca
- 18211. Graphium (s.str. (Macfarlaneana)) agamemnon menides (Fruhstorfer,1904)**
(Papilionidae) Synonym(s): *menides* Fruhstorfer,1904 Range (in code): IN Mh Mys LK
- 18212. Graphium (s.str. (Macfarlaneana)) agamemnon meton Fruhstorfer,1904**
(Papilionidae) Synonym(s): *meton* Fruhstorfer,1904
- 18213. Graphium (s.str. (Macfarlaneana)) agamemnon neopommeranius (Honrath,1887)**
(Papilionidae) Synonym(s): *neopommeranius* Honrath,1887 Original Reference: Papilio agamemnon var. neopommeranius Honrath,1887, Berl. ent. Z. 31: 350, t.6 fig.4. Syntypes: Neue Pommern (=New Britain). Range (in code): NBr PG
- 18214. Graphium (s.str. (Macfarlaneana)) agamemnon obliteratus Lathy,1899**
(Papilionidae) Synonym(s): *obliteratus* Lathy,1899 Range (in code): SB Rs
- 18215. Graphium (s.str. (Macfarlaneana)) agamemnon plisthenes (C.Felder & R.Felder,[1865])**
(Papilionidae) Synonym(s): *plisthenes* C.Felder & R.Felder,[1865]
- 18216. Graphium (s.str. (Macfarlaneana)) agamemnon pulo (Evans,1932)**
(Papilionidae) Synonym(s): *pulo* Evans,1932 Original Reference: Zetides agamemnon pulo Evans,1932, Identification Indian Butterflies (edn.2): 56. Type(s): South Nicobars. Range (in code): IN Nk
- 18217. Graphium (s.str. (Macfarlaneana)) agamemnon rufoplenus (Fruhstorfer,[1898])**
(Papilionidae) Synonym(s): *rufoplenus* Fruhstorfer,[1898] Original Reference: Papilio agamemnon ssp. rufoplenus Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 310. Syntypes: [Indonesia]: Nias. Range (in code): ID Nia
- 18218. Graphium (s.str. (Macfarlaneana)) agamemnon salomonis (Rothschild,1895)**
(Papilionidae) Synonym(s): *salomonis* Rothschild,1895 Original Reference: Papilio agamemnon ssp. salomonis Rothschild,1895, Novit. zool. 2: 453-454. Type 1♂: "Salomon Islands: Guadalcanal Island"; New Georgia, Alu. Range (in code): SB
- 18219. Graphium (s.str. (Macfarlaneana)) agamemnon ugiensis (Jordan,1909)**
(Papilionidae) Synonym(s): *ugiensis* Jordan,1909 Range (in code): SB Ugi

- 18220. Graphium (s.str. (Macfarlaneana)) macfarlanei (Butler,1877)** (Papilionidae)
Synonym(s): *macfarlanei* Butler,1877 Original Reference: Papilio macfarlanei Butler,1877, Proc. zool. Soc. London 1877: 471, nr.30. Syntypes: New Guinea. Range (in code): **PG Manu Adl**
- 18221. Graphium (s.str. (Macfarlaneana)) macfarlanei admiralia (Rothschild,1915)** (Papilionidae) Synonym(s): *admiralia* Rothschild,1915 Original Reference: Papilio macfarlanei ssp. admiralia Rothschild,1915, Novit. zool. 22: 195. Syntypes 7♂: Manus, Admiralty Islands. Range (in code): **PG Manu Adl**
- 18222. Graphium (s.str. (Macfarlaneana)) macfarlanei cestius Fruhstorfer,1903** (Papilionidae) Synonym(s): *cestius* Fruhstorfer,1903
- 18223. Graphium (s.str. (Macfarlaneana)) macfarlanei macfarlanei (Butler,1877)** (Papilionidae) Synonym(s): *macfarlanei* Butler,1877 Original Reference: Papilio macfarlanei Butler,1877, Proc. zool. Soc. London 1877: 471, nr.30. Syntypes: New Guinea.
- 18224. Graphium (s.str. (Macfarlaneana)) macfarlanei seminigra (Butler,1882)** (Papilionidae) Synonym(s): *seminigra* Butler,1882; *aegistiades* Honrath,1888; *seminiger* Rothschild,1895. Original Reference: Zetides seminigra Butler,1882, Ann. Mag. nat. Hist. (5) 10: 153, nr.30. Syntypes: New Britain.
- 18225. Graphium (s.str. (Macfarlaneana)) meeki Rothschild,1901** (Papilionidae) Synonym(s): *meeki* Rothschild,1901
- 18226. Graphium (s.str. (Macfarlaneana)) meeki meeki Rothschild,1901** (Papilionidae) Synonym(s): *meeki* Rothschild,1901
- 18227. Graphium (s.str. (Wallaceana)) browni (Godman & Salvin,1879)** (Papilionidae) Synonym(s): *browni* Godman & Salvin,1879 Original Reference: Papilio browni Godman & Salvin,1879, Proc. zool. Soc. London 1879: 655. Syntypes: New Ireland.
- 18228. Graphium (s.str. (Wallaceana)) browni browni (Godman & Salvin,1879)** (Papilionidae) Synonym(s): *browni* Godman & Salvin,1879 Original Reference: Papilio browni Godman & Salvin,1879, Proc. zool. Soc. London 1879: 655. Syntypes: New Ireland.
- 18229. Graphium (s.str. (Wallaceana)) hicetaon (Mathew,1886)** (Papilionidae) Synonym(s): *hicetaon* Mathew,1886 Original Reference: Papilio hicetaon Mathew,1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 18230. Graphium (s.str. (Wallaceana)) hicetaon hicetaon (Mathew,1886)** (Papilionidae) Synonym(s): *hicetaon* Mathew,1886 Original Reference: Papilio hicetaon Mathew,1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 18231. Graphium (s.str. (Wallaceana)) wallacei (Hewitson,1859)** (Papilionidae) Synonym(s): *wallacei* Hewitson,1859 Original Reference: Papilio wallacei Hewitson,1859, Ill. exot. Butts. 2: pl.3 fig.7. Type(s): New Guinea.
- 18232. Graphium (s.str. (Wallaceana)) wallacei rubrosignatus (Rothschild,1895)** (Papilionidae) Synonym(s): *rubrosignatus* Rothschild,1895
- 18233. Graphium (s.str. (Wallaceana)) wallacei wallacei (Hewitson,1859)** (Papilionidae) Synonym(s): *wallacei* Hewitson,1859 Original Reference: Papilio hicetaon Mathew,1886, Proc. zool. Soc. London 1886: 350. Syntypes: Ugi Is.
- 18234. Graphium (s.str. (Zetides)) cloanthus (Westwood,1841)** (Papilionidae) Synonym(s): *cloanthus* Westwood,1841 Original Reference: Papilio cloanthus Westwood,1841, Arc. Ent. 1: 42, Pl.11 fig.2. Range (in code): **TW CN IN Ass Mus Ch SI PK Haz Mre NP Kdu Lal Bhp MM Kma Kul Djl Shn TH CMa CDo ID Sum**
- 18235. Graphium (s.str. (Zetides)) cloanthus cloanthus (Westwood,1841)** (Papilionidae) Synonym(s): *cloanthus* Westwood,1841 Original Reference: Papilio cloanthus Westwood,1841, Arc. Ent. 1: 42, Pl.11 fig.2. Range (in code): **IN Ass Mus Ch SI NP Kdu Lal Bhp MM Kma Kul Djl Shn TH CMa CDo**
- 18236. Graphium (s.str. (Zetides)) cloanthus kuge (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *kuge* Fruhstorfer,1908 Original Reference: Papilio cloanthus ssp. kuge Fruhstorfer,1908, Ent. Z., Stuttgart 22: 119. Syntypes: [Taiwan]: Chip-Chip (Juni). Range (in code): **TW**
- 18237. Graphium (s.str. (Zetides)) cloanthus nyghmat Koçak & Kemal,2000** (Papilionidae) Synonym(s): *clymenus* Leech,1893 nec Stoll,[1782]; *nyghmat* Koçak & Kemal,2000. Original Reference: Graphium cloanthus ssp. nyghmat Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 65/66: 11 (nomen novum pro Papilio cloanthus var. clymenus Leech,1893 nec Papilio clymenus Stoll,[1782]). Range (in code): **CN IN**

- 18238. Graphium (s.str. (Zetides)) codrus (Cramer,[1776])** (Papilionidae) Synonym(s): *codrus Cramer,[1776]* _ Range (in code): **Adl PG Vu Dmp Manu ID Tal Sla Mge Clb PH Boh Ley Luz Mar Mas Mdo Mno Neg Pan Sam Sib Sga Stu Taw**
- 18239. Graphium (s.str. (Zetides)) codrus auratus (Rothschild,1898)** (Papilionidae) Synonym(s): *auratus Rothschild,1898* _ Original Reference: *Papilio codrus ssp. auratus Rothschild,1898, Novit. zool. 5: 218. Syntypes: St. Gabriel.* _ Range (in code): **Adl Manu PG**
- 18240. Graphium (s.str. (Zetides)) codrus celebensis (Wallace,1865)** (Papilionidae) Synonym(s): *celebensis Wallace,1865* _ Original Reference: *Papilio codrus ssp. celebensis Wallace,1865, Trans. linn. Soc. Lond. 25: 64. Syntypes: Celebes: Sulla Is.* _ Range (in code): **ID Clb**
- 18241. Graphium (s.str. (Zetides)) codrus codrus (Cramer,[1776])** (Papilionidae) Synonym(s): *codrus Cramer,[1776]*
- 18242. Graphium (s.str. (Zetides)) codrus gilolensis (Wallace,1865)** (Papilionidae) Synonym(s): *gilolensis Wallace,1865* _ Original Reference: *Papilio codrus gilolensis Wallace,1865, Trans. linn. Soc. Lond. 25: 64. Syntypes: Batjan, Gilolo.*
- 18243. Graphium (s.str. (Zetides)) codrus medon (Felder,1864)** (Papilionidae) Synonym(s): *codrus De Haan,1840 nec Cramer,[1776]; medon C.Felder & R.Felder,1864.* _ Range (in code): **PG Vu Dmp**
- 18244. Graphium (s.str. (Zetides)) codrus melanthus (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *melanthus C.Felder & R.Felder,1862* _ Original Reference: *Papilio melanthus Felder & Felder, 1862, Wien. ent. Monatschr. 6: 283.* _ Range (in code): **PH Boh Ley Luz Mar Mas Mdo Mno Neg Pan Sam Sib**
- 18245. Graphium (s.str. (Zetides)) codrus pisidice (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *pisidice Godman & Salvin,1888* _ Original Reference: *Papilio pisidice Godman & Salvin,1888, Ann. Mag. nat. Hist. (6) 1: 100. Syntypes: Maleita.*
- 18246. Graphium (s.str. (Zetides)) codrus segonax (Godman & Salvin,1878)** (Papilionidae) Synonym(s): *segonax Godman & Salvin,1878* _ Original Reference: *Papilio segonax Godman & Salvin,1878, Proc. zool. Soc. London 1878: 734. Syntypes: North Ireland.*
- 18247. Graphium (s.str. (Zetides)) codrus stiris (Jordan,1909)** (Papilionidae) Synonym(s): *stiris Jordan,1909* _ Range (in code): **ID Sla Mge**
- 18248. Graphium (s.str. (Zetides)) codrus taloramus (Jordan,1909)** (Papilionidae) Synonym(s): *taloramus Jordan,1909* _ Range (in code): **ID Tal**
- 18249. Graphium (s.str. (Zetides)) codrus tenebrionis (Rothschild,1895)** (Papilionidae) Synonym(s): *tenebrionis Rothschild,1895*
- 18250. Graphium (s.str. (Zetides)) codrus toealensis (Rothschild,1896)** (Papilionidae) Synonym(s): *toealensis Rothschild,1896*
- 18251. Graphium (s.str. (Zetides)) codrus yayoeae Nihira & Kawamura,1986** (Papilionidae) Synonym(s): *yayoeae Nihira & Kawamura,1986* _ Range (in code): **PH Sga Stu Taw**
- 18252. Graphium (s.str. (Zetides)) empedovana Corbet,1941** (Papilionidae) Synonym(s): *empedovana Corbet,1941* _ Range (in code): **PH Cal Pal**
- 18253. Graphium (s.str. (Zetides)) empedovana empedovana Corbet,1941** (Papilionidae) Synonym(s): *empedovana Corbet,1941* _ Range (in code): **PH Cal Pal**
- 18254. Graphium (s.str. (Zetides)) macleyanum (Leach,1814)** (Papilionidae) Synonym(s): *macleyanum Leach,1814* _ Range (in code): **AU QAU TA NF**
- 18255. Graphium (s.str. (Zetides)) macleyanum insulanum Waterhouse,1920** (Papilionidae) Synonym(s): *insulanum Waterhouse,1920* _ Range (in code): **NF**
- 18256. Graphium (s.str. (Zetides)) macleyanum macleyanum (Leach,1814)** (Papilionidae) Synonym(s): *macleyanum Leach,1814* _ Range (in code): **AU QAU TA**
- 18257. Graphium (s.str. (Zetides)) macleyanum moggana Couchman,1965** (Papilionidae) Synonym(s): *moggana Couchman,1965* _ Range (in code): **TA**
- 18258. Graphium (s.str. (Zetides)) megasthenes (Mathew,1889)** (Papilionidae) Synonym(s): *gelon Boisduval,1859 nec Stoll,[1787]; megasthenes Mathew,1889.* _ Original Reference: *Papilio megasthenes Mathew,1889, Trans. ent. Soc. London 1889: 314. Syntypes: New Caledonia: Noumea.* _ Range (in code): **NC**
- 18259. Graphium (s.str. (Zetides)) megasthenes megasthenes (Mathew,1889)** (Papilionidae) Synonym(s): *gelon Boisduval,1859 nec Stoll,[1787]; megasthenes Mathew,1889.* _ Original Reference: *Papilio megasthenes Mathew,1889, Trans. ent. Soc. London 1889: 314. Syntypes: New Caledonia: Noumea.* _ Range (in code): **NC**

- 18260. Graphium (s.str. (Zetides)) monticolus Fruhstorfer,1897** (Papilionidae)
Synonym(s): *monticolus Fruhstorfer,1897*
- 18261. Graphium (s.str. (Zetides)) monticolus monticolus Fruhstorfer,1897** (Papilionidae) Synonym(s): *monticolus Fruhstorfer,1897*
- 18262. Graphium (s.str. (Zetides)) saltanat Koçak & Kemal,2000** (Papilionidae)
Synonym(s): *sumatranus Hagen,[1894] nec sumatranus Hag.,[1894] (p.20,21); saltanat Koçak & Kemal,2000*
Original Reference: Graphium (s.str.) cloanthus saltanat Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro sumatranus Hagen,[1894] nec sumatranus Hagen,[1894] (p.20,21)). Range (in code): ID Sum
- 18263. Graphium (s.str. (Zetides)) saltanat saltanat Koçak & Kemal,2000** (Papilionidae)
Synonym(s): *sumatranus Hagen,[1894] nec sumatranus Hag.,[1894] (p.20,21); saltanat Koçak & Kemal,2000*
Original Reference: Graphium (s.str.) cloanthus saltanat Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro sumatranus Hagen,[1894] nec sumatranus Hagen,[1894] (p.20,21)). Range (in code): ID Sum
- 18264. Graphium (s.str. (Zetides)) sandawanum Yamamoto,1977** (Papilionidae)
Synonym(s): *sandawanum Yamamoto,1977* Range (in code): Mno PH
- 18265. Graphium (s.str. (Zetides)) sandawanum joreli Nuyda,1994** (Papilionidae)
Synonym(s): *joreli Nuyda,1994* Range (in code): Mno PH
- 18266. Graphium (s.str. (Zetides)) sandawanum sandawanum Yamamoto,1977** (Papilionidae) Synonym(s): *sandawanum Yamamoto,1977* Range (in code): Mno PH
- 18267. Graphium (s.str. (Zetides)) sarpedon (Linnaeus,1758)** (Papilionidae) Synonym(s): *sarpedon Linnaeus,1758; #helena Swainson,1851; parsedon Westwood,1872.* Original Reference: Papilio sarpedon Linnaeus,1758, Syst. Nat. (Edn.10) 1: 461. Type(s): Asia. Range (in code): IN Ass SI NP LK Ch CN Sz TW JP ID KH Kma Lb MM Mus MY SG PH SI VN AU PG NBr NHa Nlr SB NGe Sum Nia Ja Bor Wd Wg QAU NSw ID Aru Clb Sla Tal Amb Bru Crm Hm Tim Ob Sba Sbw Kai Hn Lb Tns Ann Ton Thr Ado Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo TH CMA Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Dst Qs Ctw Ctw1 Kdu Lal Bhp Cuo2 Dsk Hpt Sgk Hya Tnc Ton Tda Nia
- 18268. Graphium (s.str. (Zetides)) sarpedon adonarensis (Rothschild,1896)** (Papilionidae) Synonym(s): *adonarensis Rothschild,1896* Range (in code): Sbw ID Thr Ado
- 18269. Graphium (s.str. (Zetides)) sarpedon anthedon (Felder,1864)** (Papilionidae)
Synonym(s): *anthedon Felder,1864; moluccensis Wallace,1865.* Original Reference: Papilio anthedon Felder,1864, Verh. zool.- bot. Ges. Wien 14: 305, 350; nr. 217, 124. Syntypes: Amboina. Range (in code): ID Amb Bru Crm Hm
- 18270. Graphium (s.str. (Zetides)) sarpedon cesa Koçak & Kemal,2000** (Papilionidae)
Synonym(s): *timorensis Rothschild,1896 nec Feld.,1864; cesa Koçak & Kemal,2000* Original Reference: Graphium (s.str.) sarpedon cesa Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 5 (nomen novum pro timorensis Rothschild,1896 nec Felder,1864). Range (in code): ID Tim
- 18271. Graphium (s.str. (Zetides)) sarpedon choredon (Felder,1864)** (Papilionidae)
Synonym(s): *choredon Felder,1864; messogis Fruhstorfer,1907.* Original Reference: Papilio choredon Felder,1864, Verh. zool.- bot. Ges. Wien 14: 305,350; nr. 218,123. Syntypes: Australia, New Guinea, Waigeu, Woodlark. Range (in code): AU PG Wd Wg QAU NSw ID Aru Kai
- 18272. Graphium (s.str. (Zetides)) sarpedon coelius (Fruhstorfer,1898)** (Papilionidae)
Synonym(s): *coelius Fruhstorfer,1898; sulaensis Lathy,1899.* Original Reference: Papilio sarpedon ssp. coelius Fruhstorfer,1898, Berl. ent. Z. 42: 224. Syntypes: Sula, Mangoli. Range (in code): Sla ID
- 18273. Graphium (s.str. (Zetides)) sarpedon connectens (Fruhstorfer,1908)** (Papilionidae) Synonym(s): *connectens Fruhstorfer,1908; surusumi Matsumura,1910; latifascia Kato,1926*
Original Reference: Papilio sarpedon ssp. connectens Fruhstorfer,1908, Ent. Z., Stuttgart 22: 46. Syntypes: Formosa. Range (in code): TW
- 18274. Graphium (s.str. (Zetides)) sarpedon crudus (Rothschild,1898)** (Papilionidae)
Synonym(s): *crudus Rothschild,1898* Original Reference: Papilio sarpedon ssp. crudus Rothschild,1898, Novit. zool. 5: Range (in code): ID Ob
- 18275. Graphium (s.str. (Zetides)) sarpedon dodingensis (Rothschild,1896)** (Papilionidae) Synonym(s): *dodingensis Rothschild,1896* Range (in code): Hm Bru ID
- 18276. Graphium (s.str. (Zetides)) sarpedon impar Rothschild,1895** (Papilionidae)
Synonym(s): *impar Rothschild,1895* Original Reference: Papilio sarpedon ssp. impar

- Rothschild, 1895, Novit. zool. 2: 443-444. Syntypes: Solomon Islands: New Georgia. Range (in code): SB NGe
- 18277. Graphium (s.str. (Zetides)) sarpedon imparilis Rothschild, 1895** (Papilionidae)
Synonym(s): *imparilis* Rothschild, 1895; *#unparilis* D'Abrera, 1971. Original Reference: Papilio sarpedon ssp. imparilis Rothschild, 1895, Novit. zool. 2: 443. Syntypes 7♂: New Britain, New Ireland, Duke of York. Range (in code): PG NBr NHa Nlr
- 18278. Graphium (s.str. (Zetides)) sarpedon isander (Godman & Salvin, 1888)** (Papilionidae)
Synonym(s): *isander* Godman & Salvin, 1888 Original Reference: Papilio isander Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 211. Syntypes: Guadalcanar Is.: Aola.
- 18279. Graphium (s.str. (Zetides)) sarpedon jugans (Rothschild, 1896)** (Papilionidae)
Synonym(s): *jugans* Rothschild, 1896 Range (in code): ID Sba
- 18280. Graphium (s.str. (Zetides)) sarpedon luctatus (Fruhstorfer, 1907)** (Papilionidae)
Synonym(s): *luctatus* Fruhstorfer, 1907 Range (in code): TH CMa Cuo Cuo2 Dst Qs Dsk Hpt Phr TAr Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Sgk Hya Tnc NP Ctw Ctw1 Kdu Lal Bhp
- 18281. Graphium (s.str. (Zetides)) sarpedon milon (C.Felder & R.Felder, [1865])** (Papilionidae)
Synonym(s): *#milon* C.Felder & R.Felder, 1864; *milon* C.Felder & R.Felder, [1865]; *miletus* Wallace, 1865; *milonides* Honrath, 1884; *citricinctus* Fruhstorfer, 1898. Original Reference: Papilio milon C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (1): 62, nr.48. Syntypes: Celebes. Range (in code): ID Clb Sla Tal
- 18282. Graphium (s.str. (Zetides)) sarpedon nipponus (Fruhstorfer, 1903)** (Papilionidae)
Synonym(s): *nipponus* Fruhstorfer, 1903 Original Reference: Papilio sarpedon ssp. nipponus Fruhstorfer, 1903, Berl. ent. Z. 47 (1902): 215. Syntypes: Japan: Liu-Kiu, Okinawa, Nagasaki. Range (in code): KR JP Oki
- 18283. Graphium (s.str. (Zetides)) sarpedon rufocellularis Fruhstorfer, 1905** (Papilionidae)
Synonym(s): *rufocellularis* Fruhstorfer, 1905
- 18284. Graphium (s.str. (Zetides)) sarpedon rufofervidus (Fruhstorfer, [1898])** (Papilionidae)
Synonym(s): *rufofervidus* Fruhstorfer, [1898] Original Reference: Papilio sarpedon ssp. rufofervidus Fruhstorfer, [1898], Berl. ent. Z. 42: 305. Syntypes: [Indonesia]: Nias Island. Range (in code): Nia ID
- 18285. Graphium (s.str. (Zetides)) sarpedon sarpedon (Linnaeus, 1758)** (Papilionidae)
Synonym(s): *sarpedon* Linnaeus, 1758; *#helena* Swainson, 1851; *parsedon* Westwood, 1872. Original Reference: Papilio sarpedon Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 461. Type(s): Asia. Range (in code): Ass IN NP Ch CN ID KH Kma Lb MM SG Mus MY PH SI VN Sum Ja Bor Hn Lb Tns Ann Ton Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic Slo Ton Tda
- 18286. Graphium (s.str. (Zetides)) sarpedon semifasciatus (Honrath, 1888)** (Papilionidae)
Synonym(s): *semifasciatus* Honrath, 1888 Original Reference: Papilio sarpedon var. semifasciatus Honrath, 1888, Ent. Nachr.: 161. Type(s): China: Szechuan. Range (in code): CN Sz
- 18287. Graphium (s.str. (Zetides)) sarpedon teredon (C.Felder & R.Felder, [1865])** (Papilionidae)
Synonym(s): *teredon* C.Felder & R.Felder, [1865]; *thermodusa* Swinhoe, 1885. Original Reference: Papilio teredon C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (1): 61-62. Syntypes: [Sri Lanka]: Ceylon. Range (in code): IN LK
- 18288. Graphium (s.str. (Zetides)) weiskei Ribbe, 1900** (Papilionidae)
Synonym(s): *weiskei* Ribbe, 1900
- 18289. Graphium (s.str. (Zetides)) weiskei weiskei Ribbe, 1900** (Papilionidae)
Synonym(s): *weiskei* Ribbe, 1900
- 18290. Graphium (s.str. (mendana-gr)) mendana (Godman & Salvin, 1888)** (Papilionidae)
Synonym(s): *mendana* Godman & Salvin, 1888 Original Reference: Papilio mendana Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 212. Syntypes: Guadalcanar Is. Range (in code): PG Bgv SB Hon
- 18291. Graphium (s.str. (mendana-gr)) mendana acous (Ribbe, 1898)** (Papilionidae)
Synonym(s): *acous* Ribbe, 1898 Range (in code): PG Bgv
- 18292. Graphium (s.str. (mendana-gr)) mendana mendana (Godman & Salvin, 1888)** (Papilionidae)
Synonym(s): *mendana* Godman & Salvin, 1888 Original Reference: Papilio mendana Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 212. Syntypes: Guadalcanar Is. Range (in code): SB Hon

- 18293. *Graphium* (s.str. (mendana-gr)) mendana neyra (Rothschild,1895)** (Papilionidae) Synonym(s): *neyra* Rothschild,1895 _ Range (in code): PG
- 18294. *Heracles* andraemon (Hübner,[1823])** (Papilionidae) Synonym(s): *andraemon* Hübner,[1823]. _ Range (in code): US FI
- 18295. *Heracles* andraemon andraemon (Hübner,[1823])** (Papilionidae) Synonym(s): *andraemon* Hübner,[1823].
- 18296. *Heracles* andraemon bonhotei (Sharpe,1900)** (Papilionidae) Synonym(s): *bonhotei* Sharpe,1900.
- 18297. *Heracles* androgeus (Cramer,[1775])** (Papilionidae) Synonym(s): *androgeus* Cramer,[1775] _ Range (in code): CO c26 c22 c19 c27 c31 US MX FI VE Zul Agu Tac Blr Bna Tjl Moa Mra
- 18298. *Heracles* androgeus androgeus (Cramer,[1775])** (Papilionidae) Synonym(s): *androgeus* Cramer,[1775] _ Range (in code): CO c26
- 18299. *Heracles* androgeus epidaureus (Godman & Salvin,1890)** (Papilionidae) Synonym(s): *epidaureus* Godman & Salvin,1890 _ Range (in code): VE Zul Agu CO c22 c19 c27 c31
- 18300. *Heracles* aristodemus (Esper,1794)** (Papilionidae) Synonym(s): *aristodemus* Esper,1794; *chresphontinus* Martyn,1797; *daphnis* Gray,1852 nec [Denis & Schiff.],1775. _ Range (in code): US FI CU
- 18301. *Heracles* aristodemus aristodemus (Esper,1794)** (Papilionidae) Synonym(s): *aristodemus* Esper,1794; *chresphontinus* Martyn,1797; *daphnis* Gray,1852 nec [Denis & Schiff.],1775.
- 18302. *Heracles* aristodemus ponceanus (Schaus,1911)** (Papilionidae) Synonym(s): *ponceanus* Schaus,1911
- 18303. *Heracles* astyalus (Godart,[1819])** (Papilionidae) Synonym(s): *astyalus* Godart,[1819]; *lycophron* Hübner,[1823]; *mentor* Dalman,1823; *pirithous* Boisduval,1836 nec Linnaeus,1767; *oebalus* Boisduval,1836. _ Range (in code): US MX Arz Tx VE Yy Agu Tac Blr Amz CO c30 c31
- 18304. *Heracles* astyalus anchicayaensis Cosntantino, Lecrom & Salazar,2002** (Papilionidae) Synonym(s): *anchicayaensis* Cosntantino, Lecrom & Salazar,2002 _ Range (in code): CO c30 c31
- 18305. *Heracles* astyalus astyalus (Godart,[1819])** (Papilionidae) Synonym(s): *astyalus* Godart,[1819]; *lycophron* Hübner,[1823]; *mentor* Dalman,1823; *pirithous* Boisduval,1836 nec Linnaeus,1767; *oebalus* Boisduval,1836.
- 18306. *Heracles* astyalus hippomedon (C.Felder & R.Felder,1859)** (Papilionidae) Synonym(s): *hippomedon* C.Felder & R.Felder,1859 _ Range (in code): VE Yy Agu Tac
- 18307. *Heracles* astyalus pallas (Gray,1852)** (Papilionidae) Synonym(s): *pallas* Gray,1852 _ Range (in code): MX
- 18308. *Heracles* astyalus phanias (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *phanias* Rothschild & Jordan,1906 _ Range (in code): VE Amz Blr CO
- 18309. *Heracles* chiansiades (Westwood,1872)** (Papilionidae) Synonym(s): *chiansiades* Westwood,1872 _ Range (in code): CO c27 c04
- 18310. *Heracles* cresphontes (Cramer,[1777])** (Papilionidae) Synonym(s): *cresphontes* Cramer,[1777]; *oxilus* Hübner,[1819]; *pennsylvanicus* Chermock,1945. _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Fl Ge Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Pns RDl SCa Sdk Tnn Tx Vi WVi Wc Wy VE Agu
- 18311. *Heracles* cresphontes cresphontes (Cramer,[1777])** (Papilionidae) Synonym(s): *cresphontes* Cramer,[1777]; *oxilus* Hübner,[1819]; *pennsylvanicus* Chermock,1945.
- 18312. *Heracles* garleppi (Staudinger,1892)** (Papilionidae) Synonym(s): *garleppi* Staudinger,1892 _ Range (in code): CO c05
- 18313. *Heracles* garleppi interruptus (Staudinger,1892)** (Papilionidae) Synonym(s): *interruptus* Staudinger,1892 _ Range (in code): CO c05
- 18314. *Heracles* homothoas (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *homothoas* Rothschild & Jordan,1906 _ Range (in code): CO c27 VE Agu
- 18315. *Heracles* isidorus (Doubleday,1846)** (Papilionidae) Synonym(s): *isidorus* Doubleday,1846 _ Range (in code): CO c07 c22 c30 c19
- 18316. *Heracles* isidorus flavescens (Oberthür,1879)** (Papilionidae) Synonym(s): *flavescens* Oberthür,1879; *leucostictus* Honrath,1885 _ Range (in code): CO c07
- 18317. *Heracles* isidorus nymphias (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *nymphias* Rothschild & Jordan,1906 _ Range (in code): CO c22
- 18318. *Heracles* isidorus pacificus (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *pacificus* Rothschild & Jordan,1906 _ Range (in code): CO c30 c19

- 18319. Heraclides ornythion (Boisduval,1836)** (Papilionidae) Synonym(s): *ornythion* Boisduval,1836. Range (in code): US MX Arz Kan NMx Tx
- 18320. Heraclides ornythion ornythion (Boisduval,1836)** (Papilionidae) Synonym(s): *ornythion* Boisduval,1836. Range (in code): US MX Arz Kan NMx Tx
- 18321. Heraclides paeon (Boisduval,1836)** (Papilionidae) Synonym(s): *paeon* Boisduval,1836 Range (in code): CO c22 c23 VE Tac
- 18322. Heraclides paeon paeon (Boisduval,1836)** (Papilionidae) Synonym(s): *paeon* Boisduval,1836
- 18323. Heraclides paeon thrason (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *thrason* C.Felder & R.Felder,1865 Range (in code): CO c22 c23 VE Tac
- 18324. Heraclides thoas (Linnaeus,1771)** (Papilionidae) Synonym(s): *thoas* Linnaeus,1771. Original Reference: Papilio thoas Linnaeus,1771, Mantissa Plant. 2: 536 Type(s): "Surinam". Range (in code): US CU MX Col Kan Ok Tx VE Blr Agu Tac Zul Amz CO c23 c26 co7 co8 co4 co6
- 18325. Heraclides thoas autocles (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *autocles* Rothschild & Jordan,1906; *nealces* Rothschild & Jordan,1906. Range (in code): MX
- 18326. Heraclides thoas cyniras (Ménétriés,1857)** (Papilionidae) Synonym(s): *cyniras* Ménétriés,1857 Range (in code): CO co7 co8 co4 co6 VE Amz
- 18327. Heraclides thoas nealces (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *nealces* Rothschild & Jordan,1906 Range (in code): CO c23 c26 VE Agu Tac Zul
- 18328. Heraclides thoas oviedo (Gundlach,1866)** (Papilionidae) Synonym(s): *oviedo* Gundlach,1866; *epithoas* Oberthür,1897 Range (in code): CU
- 18329. Heraclides thoas thoas (Linnaeus,1771)** (Papilionidae) Synonym(s): *thoas* Linnaeus,1771 Original Reference: Papilio thoas Linnaeus,1771, Mantissa Plant. 2: 536 Type(s): "Surinam". Range (in code): VE Blr
- 18330. Heraclides torquatus (Cramer,1777)** (Papilionidae) Synonym(s): *torquatus* Cramer,1777 Range (in code): PE CO c30 c22
- 18331. Heraclides torquatus jeani Brown & Lamas,1994** (Papilionidae) Synonym(s): *jeani* Brown & Lamas,1994 Range (in code): CO c30 c22
- 18332. Hypermnestra helios (Nickerl,1846)** (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956. Original Reference: Ismene helios Nickerl,1846, Stettin ent. Ztg. 7: 208, Pl.[3], figs.A-D. Syntypes: "deserto Kirgisorum occidentali". Range (in code): T-S Al Aa AF Kab Bl Db IR Bu Se Kh Bm Kbb KG Kp Ky PK Syr TJ Tm TM UZ CN Ui Bionomy: Zygophyllum oxianum and Z. fabago (Lukhtanov & Lukhtanov,1994).
- 18333. Hypermnestra helios ariana Wyatt,1961** (Papilionidae) Synonym(s): *ariana* Wyatt,1961 Original Reference: Hypermnestra helios ssp. ariana Wyatt,1961, J. Lepidopterist's Soc. 15(1): 2-3, figs. Holotype ♂: Afghanistan: Bamian, N. of Koh-i-Baba Mts., 8300ft. Range (in code): AF Bm Kbb
- 18334. Hypermnestra helios balucha (Moore,1906)** (Papilionidae) Synonym(s): *balucha* Moore,1906 Original Reference: Parnassius balucha Moore,1906, Ann. Mag. nat. Hist. (7) 18: 47. Type ♂: [Pakistan]: Baluchistan. Range (in code): Bl PK
- 18335. Hypermnestra helios bushirica O.Bang-Haas,1938** (Papilionidae) Synonym(s): *bushirica* O.Bang-Haas,1938 Range (in code): IR Bu
- 18336. Hypermnestra helios helios (Nickerl,1846)** (Papilionidae) Synonym(s): *helios* Nickerl,1846; *maxima* Lang,1884; *persica* Neuburger,1900; *hyrcana* Sheljuzhko,1956. Original Reference: Ismene helios Nickerl,1846, Stettin ent. Ztg. 7: 208, Pl.[3], figs.A-D. Range (in code): T-S Al Aa Db IR Se Kh KG Kp Ky Syr TJ Tm TM UZ CN Ui
- 18337. Iphiclides podalirinus (Oberthür,1890)** (Papilionidae) Synonym(s): *podalirinus* Oberthür,1890 Original Reference: Papilio podalirius var. podalirinus Oberthür,1890, Etüd. Ent. 13: 37, Pl.9 fig.99. Range (in code): CN Ti
- 18338. Iphiclides podalirinus podalirinus (Oberthür,1890)** (Papilionidae) Synonym(s): *podalirinus* Oberthür,1890 Original Reference: Papilio podalirius var. podalirinus Oberthür,1890, Etüd. Ent. 13: 37, Pl.9 fig.99. Range (in code): CN Ti
- 18339. Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaides* Verity,1911; *pseudopersica* Rocci,1926. Original Reference: Papilio podalirius Linnaeus,1758, Syst. Nat. (Ed.10) 1: 463, nota. Syntypes: Europae austr. & Africae. Lectotype: Italy, Tuscany (ICZN,Op.263). Range (in code): AL Ao At AT Ba BE BG B-H BY CH CN Co Cr CZ DE Dj DK DsA EE ES Mu FI FR GR HU HV Ii IR IT Kb Ket KG Kp Kr Kt Ku Kun LT LU LV MK

Mrk NL PL PT Pw Rd RO RU Sa Sau Sem Si SK Sm So Sp Sr Srm SS SW Tar Teb Ti Tk Tlk TM TR TrA T-S UA Ui Uk Vt YU Rtc Vrn Sjn Trb IL AM AZ GG LB Beq Bei SY He Mst Sof Rg Skp Bgz Slv Ppp Mt Ko Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Ple Lug Rio Seg Sma Sor Svl San Ter Tol Trg Val Vel Zg Zm Agi Abe Lbs Saia Blid Btina Ktr Cst Phv Sbd Orn Dzc Ahr Hmk Hrh Dzc Dja Clo Bionomy: Larva on Prunus spinosa, P. amygdalus, P. avium, P. domestica, P. persica, P. armeniaca, P. mahaleb, P. padus, Pyrus communis, P. amygdaliformis, P. longipes, Malus domestica, Crataegus monogyna C. oxyantha, Sorbus acuparia (Rosaceae) (Tolman,1997).

18340. Iphiclides podalirius centralasiae (Rosen,1929) (Papilionidae) Synonym(s): *centralasiae* Rosen,1929 nec Chr.,1887. Original Reference: Papilio (Cosmodesmus) podalirius ssp. centralasiae Rosen,1929 [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 14. Syntypes: Tian-Schan; [Kazakhstan]: Ili-Gebiet: nördl. Dscharkent. Range (in code): **KG CN Ui Ju T-S DsA TrA Ku Ket Ii Tk**

18341. Iphiclides podalirius feisthamelii (Duponchel,1832) (Papilionidae) Synonym(s): *feisthamelii* Duponchel,1832; *miegii* Thierry-Mieg,1889. Original Reference: Papilio feisthamelii Duponchel,1832, [in] Godart, Hist. nat. Lépid. Fr., Suppl. 1 (diurnes): 7, pl.1 fig.1. Range (in code): **DZ Agi Abe Lbs Saia Blid Btina Ktr Cst Phv Sbd Orn ES FR MA PT Py TN Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Ple Lug Rio Seg Sma Sor San Svl Ter Tol Trg Val Vel Zg Zm Hrh Hmk Dzc Clo Dja** Bionomy: Larva on Prunus spinosa, P. amygdalus, P. avium, P. domestica, P. persica, P. armeniaca, P. mahaleb, P. padus, Pyrus communis, P. amygdaliformis, P. longipes, Malus domestica, Crataegus monogyna C. oxyantha, Sorbus acuparia (Rosaceae) (Tolman,1997).

18342. Iphiclides podalirius lotteri (Oberthür,1879) (Papilionidae) Synonym(s): *#latteri* Austaut,1879; *lotteri* Oberthür,1879; *latteri* Baker,1886. Original Reference: Papilio podalirius var. lotteri Oberthür,1879, Etüd. d'Ent. 4: 64. Type(s): Algerie: Sidi-bel-Abbes [without description but indication to Austaut's name as "lotteri"). Range (in code): **MA**

18343. Iphiclides podalirius persica (Verity,[1911]) (Papilionidae) Synonym(s): *persica* Verity,[1911] Original Reference: Papilio podalirius form persica Verity,[1911], Rhopalocera Palaearct.: 291, Tab. 60 fig.5. Type(s): [Iran]: "Gulhak en Perse". Taxonomical status needs investigation. Range (in code): **IQ IR**

18344. Iphiclides podalirius podalirius (Linnaeus,1758) (Papilionidae) Synonym(s): *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *brassicae* Fabricius,1807; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zancleides* Verity,1911; *pseudopersica* Rocci,1926. Original Reference: Papilio podalirius Linnaeus,1758, Syst. Nat. (Ed.10) 1: 463, nota. Syntypes: Europae austr. & Africae. Lectotype ♂: Italy, Tuscany (ICZN, Op. 263). Range (in code): **AL At AT BE BG B-H Bw BY CH CN Co Cr CZ DE DK EE ES FI FR GR HU HV IT Kr Kt Kun LT LU LV MK Mrk NL PL PT Pw RO Rp RU Sa Sau Si SK Sp Srm SS SW Tar Ti Tlk TR UA YU Mst Sof Rg Skp Bgz Slv Ppp Rtc Vrn Sjn Trb Mt Ko**

18345. Iphiclides podalirius smyrnensis (Eimer,1889) (Papilionidae) Synonym(s): *smyrnensis* Eimer,1889 Original Reference: Papilio podalirius var. smyrnensis Eimer,1889, Die Artbildung und Verwandtschaft bei den Schmetterlingen...1: 94, fig.M. Type(s): [Türkei]: Smyrna [Izmir]. Taxonomical status needs investigation. Range (in code): **TR Rd**

18346. Iphiclides podalirius virgatus (Butler,1865) (Papilionidae) Synonym(s): *virgatus* Butler,1865 Original Reference: Papilio virgatus Butler,1865, Proc. zool. Soc. Lond. 35: 430-431, pl.25 f.1. Type(s): Syria: Damascus (in BMNH). Taxonomical status needs investigation. Range (in code): **IL He AM AZ Cc GG LB Beq Bei SY TR**

18347. Lamproptera curius (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823]. Original Reference: Papilio curius Fabricius,1787, Mant. Ins. 2: 9, nr.71. Range (in code): **Ja Sum ID Nia PH Pal TH CMA Cuo Cuo1 Pap Mro Cbi Nna Knc Rng Yal Pht Rat Nst Ths CN Hn Kwt Yu Sz VN Ton Tda IN Ass Meg MY Prk Cmh MM**

18348. Lamproptera curius curius (Fabricius,1787) (Papilionidae) Synonym(s): *curius* Fabricius,1787; *erycina* Godart,[1823]. Original Reference: Papilio curius Fabricius,1787, Mant. Ins. 2: 9, nr.71. Range (in code): **PH Pal TH CMA Cuo Cuo1 Pap Mro Cbi Nna Knc Rng Yal Pht Rat Nst Ths MY Prk Cmh MM CN Yu IN Meg ID Sum**

18349. Lamproptera curius libelluloides (Fruhstorfer,1898) (Papilionidae) Synonym(s): *libelluloides* Fruhstorfer,1898 Original Reference: Leptocircus curius ssp. libelluloides Fruhstorfer,1898, Berl. ent. Z. 43: 179-180. Type: [Indonesia]: Nias. Range (in code): **ID Nia**

18350. Lamproptera curius walkeri (Moore,1902) (Papilionidae) Synonym(s): *walkeri* Moore,1902 Original Reference: Leptocircus curius ssp. walkeri Moore,1902, Lepid. Ind. 5: 37. Syntypes: Hongkong, Tonkin, Hainan. Range (in code): **CN Hn Kwt VN Ton Tda Hn**

- 18351. *Lamproptera meges* (Zincken,1831)** (Papilionidae) Synonym(s): *meges* Zincken,1831
Original Reference: Papilio meges Zincken,1831, Nova Acta Acad. Nat. Cur. 15: 161, t.15 fig.8.
Range (in code): **ID Nia Clb VN Ton Tda PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic Bal Dum Pal Taw TH Cbi Cbu Phi Yal CMA Cuo Cuo1 CDo Knc TAK CN Yu Hn Kwt MM Mm MY Prk Cmh**
- 18352. *Lamproptera meges decius* C.Felder & R.Felder,1862** (Papilionidae) Synonym(s): *decius* C.Felder & R.Felder,1862
Original Reference: Lamproptera decius C.Felder & R.Felder, 1862, Wien. ent. Monatschr. 6: 284. Type: Philippines. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic**
- 18353. *Lamproptera meges ennius* C.Felder & R.Felder,[1865]** (Papilionidae) Synonym(s): *ennius* C.Felder & R.Felder,[1865]; *akirai* Tsukada & Nishiyama,1980
Original Reference: Lamproptera ennius C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara 1:2, t.21b. Syntypes: Celebes. Range (in code): **ID**
- 18354. *Lamproptera meges meges* (Zincken,1831)** (Papilionidae) Synonym(s): *meges* Zincken,1831
Original Reference: Papilio meges Zincken,1831, Nova Acta Acad. Nat. Cur. 15: 161, t.15 fig.8.
- 18355. *Lamproptera meges niasicus* (Jordan,1909)** (Papilionidae) Synonym(s): *niasicus* Jordan,1909
Original Reference: Leptocircus meges ssp. niasicus Jordan,1909, [in] Seitz,A., Gross-Schmett. Erde: 108. Type: Nias. Range (in code): **ID Nia**
- 18356. *Lamproptera meges pallidus* (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *pallidus* Fruhstorfer,1909
Original Reference: Leptocircus meges ssp. pallidus Fruhstorfer,1909, Societ. ent. 24: 76. Syntypes: Tonkin. Range (in code): **VN Ton Tda**
- 18357. *Lamproptera meges pessimus* Fruhstorfer,1909** (Papilionidae) Synonym(s): *pessimus* Fruhstorfer,1909
Range (in code): **PH Bal Dum Pal Taw**
- 18358. *Lamproptera meges virescens* Butler,1870** (Papilionidae) Synonym(s): *virescens* Butler,1870
Original Reference: Lamproptera virescens Butler,1870, Catalogue Fabr.: 259. Range (in code): **TH Cbi Cbu Phi Yal CMA Cuo Cuo1 CDo Knc TAK CN Yu Hn Kwt MM Mm MY Prk Cmh**
- 18359. *Lamproptera paracurius* Hu, Zhang & Cotton,2014** (Papilionidae) Synonym(s): *paracurius* Hu, Zhang & Cotton,2014
Range (in code): **CN Yu**
- 18360. *Luehdorfia japonica* Leech,1889** (Papilionidae) Synonym(s): *japonica* Leech,1889
Original Reference: Luehdorfia japonica Leech,1889, Entomologist 22: 25, pl.1 fig.1. Range (in code): **JP TW CN Hpe Ahw Kig Kgs**
- 18361. *Luehdorfia japonica chinensis* Leech,1889** (Papilionidae) Synonym(s): *chinensis* Leech,1889
Range (in code): **CN Hpe Ahw Kig Kgs**
- 18362. *Luehdorfia japonica formosana* Rothschild,1918** (Papilionidae) Synonym(s): *formosana* Rothschild,1918; *formosana* Matsumura,1929
Range (in code): **TW**
- 18363. *Luehdorfia japonica japonica* Leech,1889** (Papilionidae) Synonym(s): *japonica* Leech,1889
Original Reference: Luehdorfia japonica Leech,1889, Entomologist 22: 25, pl.1 fig.1. Range (in code): **JP**
- 18364. *Luehdorfia puziloi* (Erschoff,1872)** (Papilionidae) Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
Original Reference: Thais puziloi Erschoff,1872, Horae Soc. ent. ross. 8: 315. Syntypes 6♂♂: Russia: "environs du fleuve Oussouri". Range (in code): **RU Am Vv CN KP JP Hkk**
- 18365. *Luehdorfia puziloi coreana* Matsumura,1927** (Papilionidae) Synonym(s): *coreana* Matsumura,1927
Original Reference: Luehdorfia puziloi ssp. coreana Matsumura,1927, Insecta Matsumurana 1: 163. Syntypes 2♀: Korea: Kaishu, Heizan. Range (in code): **KP**
- 18366. *Luehdorfia puziloi puziloi* (Erschoff,1872)** (Papilionidae) Synonym(s): *puziloi* Erschoff,1872; *eximia* Crüger,1878.
Original Reference: Thais puziloi Erschoff,1872, Horae Soc. ent. ross. 8: 315. Syntypes 6♂♂: Russia: "environs du fleuve Oussouri". Range (in code): **RU Am Vv CN JP Hkk**
- 18367. *Meandrusa lachinus* (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *gyas* Westwood,1841 nec Cr.,[1775]; *lachinus* Fruhstorfer,1901.
Original Reference: Papilio gyas ssp. lachinus Fruhstorfer,1901, Dt. ent. Z., Iris 11: 292-293. Syntypes: Sikkim. Range (in code): **SI MM IN Ass TH Nan LA**
- 18368. *Meandrusa lachinus lachinus* (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *gyas* Westwood,1841 nec Cr.,[1775]; *lachinus* Fruhstorfer,1901
Original Reference: Papilio gyas ssp. lachinus Fruhstorfer,1901, Dt. ent. Z., Iris 11: 292-293. Syntypes: Sikkim. Range (in code): **SI MM IN Ass**

- 18369. Meandrusa lachinus sukkiti Nakano,1995** (Papilionidae) Synonym(s): *sukkiti Nakano,1995* _ Range (in code): TH Nan LA
- 18370. Meandrusa payeni (Boisduval,[1836])** (Papilionidae) Synonym(s): *payeni Boisduval,[1836]* _ Original Reference: Papilio payeni Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 235. Range (in code): TH Rng Chy CMa LA CN Hn ID MY Bor Sum SI IN Ass MM VN Ton Tda
- 18371. Meandrusa payeni brunei (Fruhstorfer,1893)** (Papilionidae) Synonym(s): *brunei Fruhstorfer,1893* _ Range (in code): ID MY Bor Sum
- 18372. Meandrusa payeni ciminius (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *ciminius Fruhstorfer,1909* _ Range (in code): TH Rng
- 18373. Meandrusa payeni evan (Doubleday,1845)** (Papilionidae) Synonym(s): *evan Doubleday,1845.* _ Original Reference: Papilio evan Doubleday,1845, Ann. Mag. nat. Hist. 16: 235.
- 18374. Meandrusa payeni hegylus (Jordan,1909)** (Papilionidae) Synonym(s): *hegylus Jordan,1909* _ Range (in code): CN Hn
- 18375. Meandrusa payeni langsonensis (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *langsonensis Fruhstorfer,1901* _ Range (in code): TH Chy CMa LA
- 18376. Meandrusa payeni payeni (Boisduval,[1836])** (Papilionidae) Synonym(s): *payeni Boisduval,[1836]* _ Original Reference: Papilio payeni Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 235.
- 18377. Meandrusa sciron (Leech,1890)** (Papilionidae) Synonym(s): *hercules Blanchard,1871 nec Dalm.,1823; sciron Leech,1890.* _ Original Reference: Papilio sciron Leech,1890, Entomologist 23: 192. Syntypes: W. China. Range (in code): MM CN TH CMa Rng LA VN Ton Tda Ldo IN SI
- 18378. Meandrusa sciron abaensis Sugiyama,1994** (Papilionidae) Synonym(s): *abaensis Sugiyama,1994* _ Range (in code): CN Sz
- 18379. Meandrusa sciron aribbas (Fruhstorfer,1909)** (Papilionidae) Synonym(s): *aribbas Fruhstorfer,1909* _ Range (in code): MM TH CMa LA VN
- 18380. Meandrusa sciron dalata Monastyrskii & Devyatkin,2003** (Papilionidae) Synonym(s): *dalata Monastyrskii & Devyatkin,2003* _ Range (in code): VN Ldo
- 18381. Meandrusa sciron lachinus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *lachinus Fruhstorfer,1902* _ Range (in code): IN SI
- 18382. Meandrusa sciron nagamasai Okano,1986** (Papilionidae) Synonym(s): *nagamasai Okano,1986* _ Original Reference: Meandrusa gyas ssp. nagamasai Okano,1986, Tokurana 11 (2): 2. Range (in code): TH Rng
- 18383. Meandrusa sciron sciron (Leech,1890)** (Papilionidae) Synonym(s): *hercules Blanchard,1871 nec Dalm.,1823; sciron Leech,1890.* _ Original Reference: Papilio sciron Leech,1890, Entomologist 23: 192. Syntypes: W. China. Range (in code): CN VN Ton Tda
- 18384. Meandrusa sciron sukkiti Nakano,1995** (Papilionidae) Synonym(s): *sukkiti Nakano,1995* _ Range (in code): TH
- 18385. Mimoides ariarathes (Esper,1788)** (Papilionidae) Synonym(s): *ariarathes Esper,1788* _ Range (in code): CO c07 c26 c09
- 18386. Mimoides ariarathes gayi (Lucas,1852)** (Papilionidae) Synonym(s): *gayi Lucas,1852* _ Range (in code): CO c07 c26 c09
- 18387. Mimoides ariarathes illuminatus (Niepelt,1928)** (Papilionidae) Synonym(s): *illuminatus Niepelt,1928; #albicans Talbot,1928* _ Range (in code): CO c26 c09
- 18388. Mimoides euryleon (Hewitson,1855)** (Papilionidae) Synonym(s): *euryleon Hewitson,1855* _ Range (in code): CO c31 c27 c23 c22
- 18389. Mimoides euryleon euryleon (Hewitson,1855)** (Papilionidae) Synonym(s): *euryleon Hewitson,1855* _ Range (in code): CO c27 c23 c22
- 18390. Mimoides euryleon pithonius (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *pithonius Rothschild & Jordan,1906* _ Range (in code): CO c31
- 18391. Mimoides ilus (Fabricius,1793)** (Papilionidae) Synonym(s): *ilus Fabricius,1793* _ Range (in code): CO c27 c26 c21
- 18392. Mimoides ilus ilus (Fabricius,1793)** (Papilionidae) Synonym(s): *ilus Fabricius,1793* _ Range (in code): CO c27 c26 c21
- 18393. Mimoides pausanias (Hewitson,1852)** (Papilionidae) Synonym(s): *pausanias Hewitson,1852* _ Range (in code): CO c05 c26 c04 c30 c31

- 18394. *Mimoides pausanias cleombrotas* (Strecker,1885)** (Papilionidae) Synonym(s): *cleombrotas* Strecker,1885. Range (in code): **CO c30 c31**
- 18395. *Mimoides pausanias hermolaus* (Guenée,1872)** (Papilionidae) Synonym(s): *hermolaus* Guenée,1872. Range (in code): **CO c21**
- 18396. *Mimoides pausanias pausanias* (Hewitson,1852)** (Papilionidae) Synonym(s): *pausanias* Hewitson,1852. Range (in code): **CO c05 c26 c04**
- 18397. *Mimoides phaon* (Boisduval,1836)** (Papilionidae) Synonym(s): *phaon* Boisduval,1836. Range (in code): **CO c26 c27**
- 18398. *Mimoides phaon therodamas* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *therodamas* C.Felder & R.Felder,1865. Range (in code): **CO c26 c27**
- 18399. *Mimoides xeniades* (Hewitson,1867)** (Papilionidae) Synonym(s): *xeniades* Hewitson,1867. Range (in code): **CO c07 c27**
- 18400. *Mimoides xeniades halex* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *halex* Rothschild & Jordan,1906. Range (in code): **CO c07**
- 18401. *Mimoides xeniades isus* (Oberthür,1880)** (Papilionidae) Synonym(s): *isus* Oberthür,1880. Range (in code): **CO c27**
- 18402. *Papilio* (s.str. (Alexanoria)) *alexanor* Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. Original Reference: *Papilio alexanor* Esper,[1800], Die Schmett., Suppl. I,1: 89, Taf.110 fig.1 (nom. nov. pro *Papilio polydamas* De Prunner,1798) Type(s): "Nice en Provence" (ex De Prunner,1798: 69). Range (in code): **AF Kbb Ng AL B-H FR GR HV IL IQ AZ Nv Ord Cc Arr IR Ab Ak Zj Fa Elb Th IT JO KG KK LB Ftr Aiz MK Si TJ TM TR UZ SS B-H HV Syr Tm PK Bl T-S** Bionomy: Larva on *Opopanax chironium*, *O. hispidus*, *Seseli montanum*, *Trinia glauca*, *Pimpinella saxifraga*, *Scaligeria cretic*, *Ferula communis*, *Pastinaca sativa* (Tolman,1997).
- 18403. *Papilio* (s.str. (Alexanoria)) *alexanor alexanor* Esper,[1800]** (Papilionidae) Synonym(s): *polidamas* De Prunner,1787 nec Linn.,1758; *alexanor* Esper,[1800]; *polychaon* Loche,1801; *destelensis* Nel & Chauliac,1983. Original Reference: *Papilio alexanor* Esper,[1800], Die Schmett., Suppl. I,1: 89, Taf.110 fig.1 (nom. nov. pro *Papilio polydamas* De Prunner,1798) Type(s): "Nice en Provence" (ex De Prunner,1798: 69). Range (in code): **FR IT Si**
- 18404. *Papilio* (s.str. (Alexanoria)) *alexanor atticus* Verity,[1911]** (Papilionidae) Synonym(s): *atticus* Verity,[1911] Original Reference: *Papilio alexanor* race *attica* Verity,[1911], *Rhopalocera Palaearctica*: 294, Pl. LII fig.1. Syntypes 2♂: Greece: Attica (in ZMSF). Range (in code): **AL Att B-H GR HV MK Mt**
- 18405. *Papilio* (s.str. (Alexanoria)) *alexanor eitschbergeri* Bollino & Sala,1992** (Papilionidae) Synonym(s): *eitschbergeri* Bollino & Sala,1992. Original Reference: *Papilio alexanor* ssp. *eitschbergeri* Bollino & Sala,1992, *Atalanta* 23(1/2): 127-131, Abb. Holotype ♂: Griechenland: Insel Samos Manolates, 700m. (in coll. Bollino). Range (in code): **Ae GR Le Sms TR**
- 18406. *Papilio* (s.str. (Alexanoria)) *alexanor hazarajatica* Wyatt,1961** (Papilionidae) Synonym(s): *hazarajatica* Wyatt,1961. Original Reference: *Papilio alexanor* ssp. *hazarajatica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 2, figs. Holotype ♂: Afghanistan: S. of Band-i-Amir, W. of Koh-i-Baba Mts., Joshanak valley, 9500ft. Range (in code): **AF Kbb**
- 18407. *Papilio* (s.str. (Alexanoria)) *alexanor judaeus* Staudinger,[1894]** (Papilionidae) Synonym(s): *maccabaeus* Staudinger,[1892]; *judaus* Staudinger,1894. Original Reference: *Papilio alexanor* var. *judaus* Staudinger,[1894], Dt. ent. Z., Iris 6: 369 (nomen novum pro *Papilio alexanor* var. *maccabaeus* Staudinger,[1892] nec *Papilio macareus* var. *maccabaeus* Staudinger,1888 aus Palawan). Syntypes: Palqestina. Range (in code): **He IL JO LB Ftr Aiz SY**
- 18408. *Papilio* (s.str. (Alexanoria)) *alexanor orientalis* Romanoff,1884** (Papilionidae) Synonym(s): *orientalis* Romanoff,1884. Original Reference: *Papilio alexanor* var. *orientalis* Romanoff,1884, [in] Romanoff, Mém. Lépid.1: 41-43, pl.5 f.1. Type ♀: [Aserbaidjan]: Transcaucasie: Ordoubad. Range (in code): **Cc Arr AZ Nv Ord IQ IR Ab Ak Zj Th Fa TJ TM TR**
- 18409. *Papilio* (s.str. (Alexanoria)) *alexanor voldemar* Kreuzberg,1989** (Papilionidae) Synonym(s): *voldemar* Kreuzberg,1989. Original Reference: *Papilio alexanor* ssp. *voldemar* Kreuzberg,1989, Vestn. Zool. 1989: 39, fig.8. Holotype ♂: [Usbekistan]: UsbekSSR: Karzantau mountain range, Aktash valley, 1200m. Range (in code): **KG T-S Kst Ug UZ Tm Syr**
- 18410. *Papilio* (s.str.) *hippocrates* C.Felder & R.Felder,1864** (Papilionidae) Synonym(s): *hippocrates* C.Felder & R.Felder,1864; *micado* Pagenstecher,1875; *orientalis* Neuburger,1903 nec Roman.,1884;

- Original Reference: *Papilio hippocrates* C.Felder & R.Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 314, nr. 356. Range (in code): **KP JP CN**
- 18411. *Papilio* (s.str.) *hippocrates* C.Felder & R.Felder, 1864** (Papilionidae) Synonym(s): *hippocrates* C.Felder & R.Felder, 1864; *micado* Pagenstecher, 1875; *orientalis* Neuburger, 1903 nec Roman., 1884; Original Reference: *Papilio hippocrates* C.Felder & R.Felder, 1864, Verh. zool.-bot. Ges. Wien 14: 314, nr. 356. Range (in code): **KP JP CN**
- 18412. *Papilio* (s.str.) *hospiton* Génè, 1839** (Papilionidae) Synonym(s): *hospiton* Génè, 1839 Original Reference: *Papilio hospiton* Génè, 1839, Mem. Accad. Torin. 1839: 43, tab.2 figs.20,21. Syntypes: [Italia]: Sardinia: Tortoli. Range (in code): **Co F2o FR IT Sa**
- 18413. *Papilio* (s.str.) *hospiton hospiton* Génè, 1839** (Papilionidae) Synonym(s): *hospiton* Génè, 1839 Original Reference: *Papilio hospiton* Génè, 1839, Mem. Accad. Torin. 1839: 43, tab.2 figs.20,21. Syntypes: [Italia]: Sardinia: Tortoli. Range (in code): **Co F2o FR IT Sa**
- 18414. *Papilio* (s.str.) *machaon* Linnaeus, 1758** (Papilionidae) Synonym(s): *machaon* Linnaeus, 1758; *reginae* Retzius, 1783; *umbellatarum* Fabricius, 1807; *aurantiaca* Speyer, 1858. Original Reference: *Papilio machaon* Linnaeus, 1758, Syst. Nat. (Ed 10)1: 462. Type(s): Europe. Range (in code): **AF AL AM Ao At AT BE BH B-H BY Ch CH CN Co Cr CY CZ DE DK DZ EE ES Mu FI FR GB GG GR HV Ii IN IQ IR Ir IT KG Kmt Kp Kr Krl Ku KW LB LT LU LV MA MD MK MN MT NL NO OM PK PL PT QA Rd RU Sa SA SE Sh Si SK Sm So Sr SS SY TM TN TR UA Ui Uk US UZ VI Ya Ass BG BT Chb Hkk JP Kis Kr Mc MM NP Pja Shn SI Teb Ti Vv Yu Sjn Trb Mst Slv Rg Rtc Mt Ko JO Kts Tm KK KP KR Um Bn Cho Ax Dj DsA Ii Ket KuA Sau Sem Tar TeA Tk TrA T-S Ab Ak Elb Th Ss Ke Fa Ba Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs CA Cd Agi Ng Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Lug Mdr Mlg Mu18 Nrr Ore Pv Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Bei Bmm YU RO HU AZ TJ Zj Als Yuk BCo Abt Ssk Mnt On Qb Qg US MX Arz Cf Col Id Kan Mch Mon NDk NMx Ne Neb Org Sdk Ut Ws Wy TW Hr Gn IL Pa Hf Shn Yu VN Ton Ass Cc Cp Haz Mre Ci Bt Skd Kh Khh Saia Ges Gf Abe Hrh Sfr Hmk BIM** Bionomy: Larva on *Foeniculum vulgare*, *Peucedanum palustre*, *P.cervaria*, *P.oreoselinum*, *P.officinale*, *Trinia glauca*, *Laserpitium halleri*, *L.latifolium*, *Angelica sylvestris*, *A.archangelica*, *Aegopodium podagraria*, *Anethum graveolens*, *Pimpinella saxifraga*, *Carum carvi*, *Ammi*, *Ridolfia*, *Ruta*, *Silaum silaus*, *Daucus carota*, *Seseli varium*, *S. libanotis*, *Bupleurum frutescens*, *B. falcatum*, *Petroselinum crispum*, *Crithmum maritimum*, *Ferula*, *Falcaria*, *Meum*, *Selinum*, *Levisticum*, *Heracleum*, *Haplophyllum* (Tolman, 1997).
- 18415. *Papilio* (s.str.) *machaon aliaska* Scudder, 1869** (Papilionidae) Synonym(s): *aliaska* Scudder, 1869; *joannisi* Verity, 1907; *petersii* Clark, 1932. Range (in code): **US Als**
- 18416. *Papilio* (s.str.) *machaon alpherakyi* O.Bang-Haas, 1933** (Papilionidae) Synonym(s): *alpherakyi* O.Bang-Haas, 1933 Original Reference: *Papilio machaon* ssp. *alpherakyi* O.Bang-Haas, 1933, Ent. Z., Frankf. a. M. 47: 90. Type(s): China: Kansu. Range (in code): **CN Gn**
- 18417. *Papilio* (s.str.) *machaon alpicae* Seyer, 1974** (Papilionidae) Synonym(s): *alpicae* Seyer, 1974 Original Reference: *Papilio machaon machaon alpicae* Verity, [1911], *Rhopalocera Palaearct.*: 295 Syntypes 1♂ 1♀: Italia: Piemonte (infrasubsp. name); *Papilio machaon* ssp. *alpicae* Seyer, 1974, Mitt. ent. Ges. Basel 24: 88. Range (in code): **AT CH FR IT**
- 18418. *Papilio* (s.str.) *machaon asiaticus* Ménétériés, 1855** (Papilionidae) Synonym(s): *asiaticus* Ménétériés, 1855; *annae* Gistel, 1857; *penjabensis* Eimer, 1895; *#emihippocrates* Verity, [1911]; *emihippocrates* Talbot, 1939; *asiaticae* Seyer, 1976 Original Reference: *Papilio machaon* var. *asiatica* Ménétériés, 1855, Enum. Corp. Anim. Mus. Petersb. 1: 70. Range (in code): **Ch CN Ii Ku Ld PK Cp Haz Mre Ci Bt Skd SI Ti Ui Hp IN Kma Pj NP Kda**
- 18419. *Papilio* (s.str.) *machaon baijangensis* Huang & Murayama, 1992** (Papilionidae) Synonym(s): *baijangensis* Huang & Murayama, 1992 Range (in code): **CN Ui**
- 18420. *Papilio* (s.str.) *machaon britannicus* Seitz, 1906** (Papilionidae) Synonym(s): *britannicus* Seitz, 1906 Original Reference: *Papilio machaon britannicus* Seitz, 1906, [in] Seitz, A., Die Gross-Schmett. Erde 1: 12. Syntypes: England: "Sumpfdistrikte von Norfolk und Cambridgeshire". Range (in code): **GB**
- 18421. *Papilio* (s.str.) *machaon centralis* Staudinger, 1886** (Papilionidae) Synonym(s): *centralis* Staudinger, 1886 Original Reference: *Papilio machaon* var. *centralis* Staudinger, 1886, Stettin ent. Ztg. 47: 193-194. Syntypes ♂♀: [Usbekistan]: Margelan, Samarkand. Range (in code): **Bl KK PK UZ TJ Pm Al KG T-S Syr**
- 18422. *Papilio* (s.str.) *machaon chishimana* Matsumura, 1928** (Papilionidae) Synonym(s): *septrionalis* Verity, [1911] nec Roth., 1895; *chishimana* Matsumura, 1928. Range (in code): **RU Krl**
- 18423. *Papilio* (s.str.) *machaon emisphyrus* Verity, 1919** (Papilionidae) Synonym(s): *emisphyrus* Verity, 1919 Original Reference: *Papilio machaon* race *emisphyrus* Verity, 1919,

- Entomologist's Rec. J. Var. 31: 88. Syntypes 1♂ 1♀: [Italy]: Firenze. Range (in code): **AL Co FR GR HV IT MK PT**
- 18424. *Papilio (s.str.) machaon giganteus* Eller,1936** (Papilionidae) Synonym(s): *#gigantea* Verity,[1911]; *giganteus* Eller,1936; *ruettimanni* Seyer,1977. Original Reference: *Papilio machaon giganteus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36. Range (in code): **AL BG B-H GR Rd HV MK Sjr Trb Mst Slv Rg Rtc Mt Ko Cr YU**
- 18425. *Papilio (s.str.) machaon gorganus* Fruhstorfer,1922** (Papilionidae) Synonym(s): *gorganus* Fruhstorfer,1922 Original Reference: *Papilio machaon gorganus* Fruhstorfer,1922, Ent. Rdsch. 39: 13. Range (in code): **Aq BE Bw BY CZ DE DK FR KG LU MD NL PL Rp RU SK UA Uk Ur Tm**
- 18426. *Papilio (s.str.) machaon hispanicus* Eller,1936** (Papilionidae) Synonym(s): *hispanicus* Eller,1936. Original Reference: *Papilio machaon* ssp. *hispanicus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. ?? Range (in code): **ES Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Lug Mdr Mlg Mu Mu18 Nrr Ore Pv Ple Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm** Bionomy: *Foeniculum vulgare*, *Peucedanum palustre*, *P. cervaria*, *P. oreoselinum*, *P. officinale*, *Trinia glauca*, *Laserpitium halleri*, *L. latifolium*, *Angelica sylvestris*, *A. archangelica*, *Carum carvi*, *Aegopodium podagraria*, *Anethum graveolens*, *Pimpinella saxifraga*, *Ammi*, *Ridolfia*, *Ruta*, *Silaum silaus*, *Daucus carota*, *Seseli varium*, *S. libanotis*, *Bupleurum frutescens*, *B. falcatum*, *Petroselinum crispum*, *Crithmum maritimum*, *Ferula*, *Falcaria*, *Meum*, *Selinum*, *Levisticum*, *Heracleum*, *Haplophyllum* etc. (Tolman,1997).
- 18427. *Papilio (s.str.) machaon hudsonianus* Clark,1932** (Papilionidae) Synonym(s): *hudsonianus* Clark,1932
- 18428. *Papilio (s.str.) machaon kamtschadalus* Alpheraky,1897** (Papilionidae) Synonym(s): *kamtschadalus* Alpheraky,1897 Original Reference: *Papilio machaon* var. *kamtschadalus* Alpheraky,1897, [in] Romanoff, Mém. lépid. 9: 301, Pl.4 fig.1. Type(s): Russia: Kamtschatka. Range (in code): **Kmt RU**
- 18429. *Papilio (s.str.) machaon kaolimachaon* Bryk,1946** (Papilionidae) Synonym(s): *kaolimachaon* Bryk,1946 Original Reference: *Papilio machaon* ssp. *kaolimachaon* Bryk,1946, Arkiv. Zool. 38A (3): 9-10. Holotype ♂: Korea. Range (in code): **KP KR**
- 18430. *Papilio (s.str.) machaon ladakensis* Moore,1886** (Papilionidae) Synonym(s): *ladakensis* Moore,1886; *chitralensis* O.Bang-Haas,1934 Original Reference: *Papilio ladakensis* Moore,1886, J. Asiat. Soc. Beng. 53 2 (1): 46. Type: Ladak. Range (in code): **Ch Dra IN Ld PK Ci**
- 18431. *Papilio (s.str.) machaon machaon* Linnaeus,1758** (Papilionidae) Synonym(s): *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. Original Reference: *Papilio machaon* Linnaeus,1758, Syst. Nat. (Ed 10)1: 462. Type(s): Europe. Range (in code): **BY EE FI LT LV NO RU SE**
- 18432. *Papilio (s.str.) machaon mauretanicus* Eller,1936** (Papilionidae) Synonym(s): *mauretanicus* Eller,1936 Original Reference: *Papilio machaon machaon mauretanica* Verity,[1908], *Rhopalocera Palaeart.*: 12. Syntypes 3♂: [Algeria]: Alger.; *Papilio machaon* ssp. *mauretanicus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36. Range (in code): **DZ Hrh Sfr Agi Khh Saia Ges Gf Abe MA TN**
- 18433. *Papilio (s.str.) machaon maximus* Eller,1936** (Papilionidae) Synonym(s): *maximus* Eller,1936. Original Reference: *Papilio machaon machaon maxima* Verity,[1911], *Rhopalocera Palaeart.*: 296. Syntypes: [Marocco]: Tanger (infrasubsp. name). *Papilio machaon* ssp. *maximus* Eller,1936, Abh. bayer. Akad. Wiss. N.F. 36 (available). Range (in code): **DZ MA TN**
- 18434. *Papilio (s.str.) machaon melitensis* Eller,1936** (Papilionidae) Synonym(s): *melitensis* Eller,1936 Range (in code): **MT**
- 18435. *Papilio (s.str.) machaon muetingi* Seyer,1976** (Papilionidae) Synonym(s): *muetingi* Seyer,1976 Original Reference: *Papilio machaon* ssp. *muetingi* Seyer,1976, Mitt. ent. Ges. Basel 26: 74. Holotype ♂: Iran: "Elburs-Gebirge, Sporthotel Dizin 2000m". Range (in code): **IR OM**
- 18436. *Papilio (s.str.) machaon oreinus* Sheljuzhko,1919** (Papilionidae) Synonym(s): *oreinus* Sheljuzhko,1919 Original Reference: *Papilio machaon* var. *oreinus* Sheljuzhko,1919, Neue Beitr. Syst. Insekten. 1: 124. Range (in code): **AF Ax CN Dj DsA Ii Ket KG KK Ku KuA Sau Sem Tar TeA Tk TrA T-S Ui Cho Tls**
- 18437. *Papilio (s.str.) machaon orientis* Verity,[1911]** (Papilionidae) Synonym(s): *orientis* Verity,[1911] Original Reference: *Papilio machaon orientis* Verity,[1911], *Rhopalocera Palaeart.*: 321. Syntypes: [Russia]: Sajjan Mt. Tounkoun. Range (in code): **Am At MN RU Sj Ya Kts Kuz**

- 18438. Papilio (s.str.) machaon rinpoche Wyatt,1959** (Papilionidae) Synonym(s): *#sikkimensides Verity,1911; rinpoche Wyatt,1959* Original Reference: *Papilio machaon* ssp. *rinpoche* Wyatt,1959, Z. Wien. ent. Ges. 44: 98, Taf.4. Holotype ♂: Nepal: Kloster Thyangboché, Solu Khumbu, etwa 15km südl. vom Mt. Everest, 3850m. Range (in code): NP Eve
- 18439. Papilio (s.str.) machaon rizvangul Koçak & Kemal,2000** (Papilionidae) Synonym(s): *#chinensis Verity,1907; chinensis Eller,1936 nec Roths.,1895; rizvangul Koçak & Kemal,2000* Original Reference: *Papilio (s.str.) machaon* ssp. *rizvangul* Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 2 (nomen novum pro *chinensis* Eller,1936 nec Rothschild,1895). Syntypes: China: Szechuan, Traku, Venchuah. Range (in code): CN Sz
- 18440. Papilio (s.str.) machaon sculda Peschke,1934** (Papilionidae) Synonym(s): *sculda Peschke,1934* Original Reference: *Papilio machaon* ssp. *sculda* Peschke,1934, Int. ent. Z. 28 (34): 430-431. Syntypes 12♂ 8♀: [Pakistan]: "Provinz Gilgit, Baltistan, Berg Karga, 9000 Fuß" Range (in code): PK Gg Bt
- 18441. Papilio (s.str.) machaon sikkimensis Moore,1884** (Papilionidae) Synonym(s): *sikkimensis Moore,1884; montanus Alpheraky,1897 nec Wood-Mason,1882; everesti N.D.Riley,1927; hieromax Hemming,1934.* Range (in code): BT SI IN CN Ti Ts
- 18442. Papilio (s.str.) machaon sphyrus Hübner,[1823]** (Papilionidae) Synonym(s): *sphyrus Hübner,[1823]* Original Reference: *Papilio sphyrus* Hübner,[1823], Samml. eur. Schmett. I: Abb. 775-776. Type(s): Europe. Range (in code): Cr GR IT MT Rd Sa Si
- 18443. Papilio (s.str.) machaon sylvina Hemming,1933** (Papilionidae) Synonym(s): *sylvina Esaki & Kano,1930 (praeocc.); sylvina Hemming,1933* Range (in code): TW
- 18444. Papilio (s.str.) machaon syriacus Pfeiffer,1931** (Papilionidae) Synonym(s): *#syriacus Verity,1905; #cypriae Verity,1905; syriacus Pfeiffer,1931; syriacus Eller,1936; rustaveli Didmanidze & Nekrutenko,1966.* Original Reference: *Papilio machaon* ssp. *syriacus* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 81. Syntypes: [Türkei]: türkisch Nordsyrien: Aksu Ebene, Durnaly. Range (in code): He AM BG Cc GG JO KW LB Bei Bmm QA Rd RO SA BH SY TR IL Pa Hf Cr IR Zj IQ Qg CY
- 18445. Papilio (s.str.) machaon vargaianus Seyer,1974** (Papilionidae) Synonym(s): *vargaianus Seyer,1974* Original Reference: *Papilio machaon* ssp. *vargaianus* Seyer,1974, Mitt. ent. Ges. Basel 24: 80-82, Abb. Holotypus ♂: Ungarn: Halap, 15km ostwärts Debrecen, 120m. Range (in code): BG HU HV RO SS YU
- 18446. Papilio (s.str.) machaon verityi Fruhstorfer,1907** (Papilionidae) Synonym(s): *verityi Fruhstorfer,1907; birmanicus Rothschild,1908* Original Reference: *Papilio machaon verityi* Fruhstorfer,1907, Ent. Z., Stuttgart 22 (18): 301. Syntypes: China: Yunnan. Range (in code): IN Ass CN MM Shn Ti Yu VN Ton
- 18447. Papilio (s.str.) machaon weidenhofferi Seyer,1976** (Papilionidae) Synonym(s): *weidenhofferi Seyer,1976* Range (in code): Kp TM
- 18448. Papilio (s.str.) polyxenes Fabricius,1775** (Papilionidae) Synonym(s): *polyxenes Fabricius,1775* Original Reference: *Papilio polyxenes* Fabricius,1775, Syst. Ent.: 444. Type(s): "America". "Type may be lost" (Miller & Brown,1981). Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Meh Mis Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nje Ny Oh Ok Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Wy VE Tac Crc Mir Yy CO c22 c27 c23 c30
- 18449. Papilio (s.str.) polyxenes americanus Kollar,[1849]** (Papilionidae) Synonym(s): *americanus Kollar,[1849]* Range (in code): CO c22 c27 c23 c30 VE Tac Crc Mir Yy
- 18450. Papilio (s.str.) polyxenes asterius Stoll,[1782]** (Papilionidae) Synonym(s): *asterius Stoll,[1782]; ampliata Ménétériés,1857; asterioides Reakirt,[1866]; curvifascia Skinner,1902.* Original Reference: *Papilio asterius* Stoll,[1782], [in] Cramer, Uitl. Kapellen 4: 194. Syntypes: New York, Carolina, Virginia. Range (in code): US MX
- 18451. Papilio (s.str.) polyxenes coloro Wright,1906** (Papilionidae) Synonym(s): *coloro Wright,1906* Range (in code): US
- 18452. Papilio (s.str.) polyxenes polyxenes Fabricius,1775** (Papilionidae) Synonym(s): *polyxenes Fabricius,1775.* Original Reference: *Papilio polyxenes* Fabricius,1775, Syst. Ent.: 444. Type(s): "America". "Type may be lost" (Miller & Brown,1981).
- 18453. Papilio (s.str.) saharae Oberthür,1879** (Papilionidae) Synonym(s): *saharae Oberthür,1879* Original Reference: *Papilio machaon* var. *saharae* Oberthür,1879, Etud. Ent. 4: 68. Type ♂: Laghouat. Range (in code): DZ Tmn Ktr Onç Gha Bsk Omy Hdd Ah Ajj EG JO LY Cy MA OM SA TN Gf YE

- 18454. *Papilio (s.str.) saharae rathjensi* Warnecke,1932** (Papilionidae) Synonym(s): *rathjensi* Warnecke,1932 Original Reference: *Papilio machaon* ssp. *rathjensi* Warnecke,1932, Int. ent. Z. 25: 473. Syntypes: Yemen: San'a. Range (in code): **As SA YE**
- 18455. *Papilio (s.str.) saharae saharae* Oberthür,1879** (Papilionidae) Synonym(s): *saharae* Oberthür,1879 Original Reference: *Papilio machaon* var. *saharae* Oberthür,1879, Etud. Ent. 4: 68. Type ♂: Laghouat. Range (in code): **DZ Tmn Ktr Onç Gha Bsk Omy Hdd Ah Ajj EG Hj JO LY Cy MA Nf Nj SA Sn TN Gf**
- 18456. *Papilio bairdii* Edwards,1869** (Papilionidae) Synonym(s): *bairdii* Edwards,1869 Range (in code): **US**
- 18457. *Papilio bairdii bairdii* Edwards,1869** (Papilionidae) Synonym(s): *bairdii* Edwards,1869 Range (in code): **US**
- 18458. *Papilio brevicauda* Saunders,1869** (Papilionidae) Synonym(s): *brevicauda* Saunders,1869; *anticostiensis* Strecker,1873. Original Reference: *Papilio brevicuda* Saunders,1869, [in] Packard, Guide Ins.: 278 (nota). Holotype ♂: Newfoundland (CNC). Range (in code): **US CA**
- 18459. *Papilio brevicauda bretonensis* McDunnough,1939** (Papilionidae) Synonym(s): *bretonensis* McDunnough,1939 Range (in code): **CA**
- 18460. *Papilio brevicauda brevicuda* Saunders,1869** (Papilionidae) Synonym(s): *brevicauda* Saunders,1869; *anticostiensis* Strecker,1873. Original Reference: *Papilio brevicuda* Saunders,1869, [in] Packard, Guide Ins.: 278 (nota). Holotype ♂: Newfoundland (CNC).
- 18461. *Papilio brevicauda gaspeensis* McDunnough,1934** (Papilionidae) Synonym(s): *gaspeensis* McDunnough,1934 Range (in code): **CA US**
- 18462. *Papilio garamas* (Hübner,1834)** (Papilionidae) Synonym(s): *garamas* Hübner,1834 Range (in code): **US MX Tx**
- 18463. *Papilio indra* Reakirt,1866** (Papilionidae) Synonym(s): *indra* Reakirt,1866 Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Neb Org SDk Ut Ws Wy**
- 18464. *Papilio indra fordi* Comstock,1955** (Papilionidae) Synonym(s): *fordi* Comstock,1955
- 18465. *Papilio indra indra* Reakirt,1866** (Papilionidae) Synonym(s): *indra* Reakirt,1866
- 18466. *Papilio indra kaibabensis* Bauer,1955** (Papilionidae) Synonym(s): *kaibabensis* Bauer,1955
- 18467. *Papilio indra martini* Emmel & Emmel,1966** (Papilionidae) Synonym(s): *martini* Emmel & Emmel,1966
- 18468. *Papilio indra minori* Cross,1937** (Papilionidae) Synonym(s): *minori* Cross,1937
- 18469. *Papilio indra nevadensis* Emmel & Emmel,1971** (Papilionidae) Synonym(s): *nevadensis* Emmel & Emmel,1971
- 18470. *Papilio indra pergamus* Edwards,1875** (Papilionidae) Synonym(s): *pergamus* Edwards,1875
- 18471. *Papilio joanae* Heitzman,[1973]** (Papilionidae) Synonym(s): *joanae* Heitzman,[1973] Original Reference: *Papilio joanae* Heitzman,[1973], J. Res. Lepid. 12: 3-7. Holotype ♂: Missouri: Warsaw, Benton Co. (AMNH). Range (in code): **US Aks Knt Mis**
- 18472. *Papilio joanae joanae* Heitzman,[1973]** (Papilionidae) Synonym(s): *joanae* Heitzman,[1973] Original Reference: *Papilio joanae* Heitzman,[1973], J. Res. Lepid. 12: 3-7. Holotype ♂: Missouri: Warsaw, Benton Co. (AMNH). Range (in code): **US Aks Knt Mis**
- 18473. *Papilio oregonius* Edwards,1876** (Papilionidae) Synonym(s): *oregonius* Edwards,1876 Range (in code): **US**
- 18474. *Papilio oregonius dodi* McDunnough,1939** (Papilionidae) Synonym(s): *dodi* McDunnough,1939
- 18475. *Papilio oregonius oregonius* Edwards,1876** (Papilionidae) Synonym(s): *oregonius* Edwards,1876
- 18476. *Papilio pharnaces* Doubleday,1846** (Papilionidae) Synonym(s): *pharnaces* Doubleday,1846 Range (in code): **US MX Tx**
- 18477. *Papilio zelicaon* Lucas,1852** (Papilionidae) Synonym(s): *zelicaon* Lucas,1852; *californica* Ménétriés,1852; *doliceon* Behr,1866 nec Cr.,1775; *chloro* Wright,1905. Range (in code): **US MX Arz Cf Col Id Mon NDk NMx Ne Neb Org SDk Ut Ws Wy** Bionomy: Larva on *Anethum graveolens*, *Angelica ampla*, *A. arguta*, *A. hendersonii*, *A. kingii*, *A. lineariloba*, *A. tomentosa*, *A. lucida*, *Apium graveolens*, *Cicuta maculata*, *Conioselinum scopulorum*, *Daucus carota*, *D. pusillus*, *Conium maculatum*, *Carum carvi*, *Foeniculum vulgare*, *Harbouria trachyleura*, *Heracleum lanatum*, *H. sphondylium*, *Ligusticum porteri*, *L. grayi*, *Lomatium nuttallii*, *L. californicum*, *L. dasycarpum*, *L. utricularium*, *L. parryi*, *L. grayi*, *L. triternum*, *L. marginatum*, *Oenanthe sarmentosa*, *Zizia*

aptera, *Pseudocymopterus montanus*, *Pimpinella*, *Petroselinum crispum*, *Pteryxia hendersoni*, *P. petraea*, *P. terebinthina*, *Pastinaca sativa*, *Perideridia bolanderi*, *P. gairdneri*, *P. kelloggii*, *Sphenosciadium capitellatum*, *Tauschia arguta*, *T. parishii*, *Citrus sinensis*, *C. limon*, *Ruta graveolens* (Scott, 1986).

- 18478. *Papilio zelicaon nitra* Edwards, 1883** (Papilionidae) Synonym(s): *nitra* Edwards, 1883
Bionomy: Larva on *Anethum graveolens*, *Angelica*, *Harbouria trachypleura*, *Heracleum lanatum*, *Lomatium nuttallii*, *Zizia aptera* (Scott, 1986).
- 18479. *Papilio zelicaon zelicaon* Lucas, 1852** (Papilionidae) Synonym(s): *zelicaon* Lucas, 1852; *californica* Ménétriés, 1852; *doliceon* Behr, 1866 nec Cr., 1775; *chloro* Wright, 1905.
- 18480. *Parides aeneas* (Linnaeus, 1758)** (Papilionidae) Synonym(s): *aeneas* Linnaeus, 1758
Range (in code): **EC VE Amz CO c16 co4**
- 18481. *Parides aeneas bolivar* (Hewitson, 1850)** (Papilionidae) Synonym(s): *bolivar* Hewitson, 1850
Range (in code): **EC VE Amz CO c16 co4**
- 18482. *Parides alopis* (Godman & Salvin, 1890)** (Papilionidae) Synonym(s): *alopis* Godman & Salvin, 1890
Range (in code): **US Arz MX**
- 18483. *Parides anchises* (Linnaeus, 1758)** (Papilionidae) Synonym(s): *anchises* Linnaeus, 1758
Range (in code): **EC VE Tac Yy Agu Bna Grc Coj CO c23 c26 c16 c23 c14**
- 18484. *Parides anchises alyattes* (C. Felder & R. Felder, 1861)** (Papilionidae) Synonym(s): *alyattes* C. Felder & R. Felder, 1861
Range (in code): **CO c23**
- 18485. *Parides anchises cymochles* (Doubleday, 1844)** (Papilionidae) Synonym(s): *cymochles* Doubleday, 1844
Range (in code): **VE Moa**
- 18486. *Parides anchises drucei* (Butler, 1874)** (Papilionidae) Synonym(s): *drucei* Butler, 1874; *nucalensis* Rousseau-Decelle, 1943
Range (in code): **EC**
- 18487. *Parides anchises koenigi* T. Racheli, 1989** (Papilionidae) Synonym(s): *koenigi* T. Racheli, 1989
Original Reference: *Parides anchises* ssp. *koenigi* T. Racheli, 1989, *Fragm. ent.*, Roma 21 (2): 140-143, figs. Holotype ♂: Peru: Huanuco, Rio Huallaga, Tingo Maria, 6000m, leg. Serrano. Range (in code): **PE**
- 18488. *Parides anchises nielsenii* (Bollino & Salazar, 2001)** (Papilionidae) Synonym(s): *nielsenii* Bollino & Salazar, 2001
Range (in code): **CO c26**
- 18489. *Parides anchises orinocensis* (Rousseau-Decelle, 1960)** (Papilionidae) Synonym(s): *orinocensis* Rousseau-Decelle, 1960
Range (in code): **VE Dlt**
- 18490. *Parides anchises osyris* (C. Felder & R. Felder, 1861)** (Papilionidae) Synonym(s): *osyris* C. Felder & R. Felder, 1861
Range (in code): **VE Tac Yy Agu Bna Grc Coj Moa Dlt**
- 18491. *Parides anchises serapis* (Boisduval, 1836)** (Papilionidae) Synonym(s): *serapis* Boisduval, 1836
Range (in code): **VE Tac CO c16 c23 c14 c26**
- 18492. *Parides chabrias* (Hewitson, 1852)** (Papilionidae) Synonym(s): *chabrias* Hewitson, 1852; *nymphas* Grose-Smith, 1902
Range (in code): **EC VE Blr Amz**
- 18493. *Parides chabrias chabrias* (Hewitson, 1852)** (Papilionidae) Synonym(s): *chabrias* Hewitson, 1852; *nymphas* Grose-Smith, 1902
Range (in code): **EC VE Amz**
- 18494. *Parides chabrias mithras* (Grose-Smith, 1907)** (Papilionidae) Synonym(s): *mithras* Grose-Smith, 1907
Range (in code): **VE Blr**
- 18495. *Parides childrenae* (Gray, 1832)** (Papilionidae) Synonym(s): *childrenae* Gray, 1832
Range (in code): **BR CO co5 co1 c31 c30 co4 EC**
- 18496. *Parides childrenae latifasciata* E. Krüger, 1925** (Papilionidae) Synonym(s): *oedippus* Lucas, [1859] nec Fabr., 1787; *latifasciata* E. Krüger, 1925
Range (in code): **BR CO co5 co1 c31 c30 EC**
- 18497. *Parides childrenae unimacula* (Joicey & Talbot, 1922)** (Papilionidae) Synonym(s): *unimacula* Joicey & Talbot, 1922; *espinayi* Le Cerf, 1923
Range (in code): **EC CO co4 co5**
- 18498. *Parides cutorina* (Staudinger, 1898)** (Papilionidae) Synonym(s): *cutorina* Staudinger, 1898; *dilutus* Joicey & Talbot, 1922
Range (in code): **EC**
- 18499. *Parides erithalion* (Boisduval, 1836)** (Papilionidae) Synonym(s): *erithalion* Boisduval, 1836
Range (in code): **EC VE Tac Zul Yy Mir Agu Crc CO c19 c16 c27 c23 c31 co1 c30 c26 c22**
- 18500. *Parides erithalion cauca* (Oberthür, 1880)** (Papilionidae) Synonym(s): *cauca* Oberthür, 1880
Range (in code): **CO c30 co1 c27**
- 18501. *Parides erithalion erithalion* (Boisduval, 1836)** (Papilionidae) Synonym(s): *erithalion* Boisduval, 1836
Range (in code): **CO c19 c16 c27 c23 c31**
- 18502. *Parides erithalion guillerminae* Pisedda & Racheli, 1986** (Papilionidae) Synonym(s): *guillerminae* Pisedda & Racheli, 1986
Range (in code): **EC**

- 18503. *Parides erithalion keithi* Racheli, 1991** (Papilionidae) Synonym(s): *keithi* Racheli, 1991
Range (in code): **VE Tac Zul**
- 18504. *Parides erithalion kruegeri* (Niepelt, 1927)** (Papilionidae) Synonym(s): *kruegeri* Niepelt, 1927 _ Range (in code): **EC CO**
- 18505. *Parides erithalion lacydes* (Hewitson, 1861)** (Papilionidae) Synonym(s): *lacydes* Hewitson, 1861; *equestris* Oberthür, 1879; *parvifascia* Joicey & Talbot, 1924 _ Range (in code): **EC**
- 18506. *Parides erithalion lacydes* (Hewitson, 1869)** (Papilionidae) Synonym(s): *lacydes* Hewitson, 1869 _ Range (in code): **CO**
- 18507. *Parides erithalion metae* Lecrom, Costantino & Salazar, 2002** (Papilionidae) Synonym(s): *metae* Lecrom, Costantino & Salazar, 2002 _ Range (in code): **CO c26 c22**
- 18508. *Parides erithalion palmasensis* Brown, 1994** (Papilionidae) Synonym(s): *palmasensis* Brown, 1994 _ Range (in code): **EC**
- 18509. *Parides erithalion zeuxis* (Lucas, 1852)** (Papilionidae) Synonym(s): *zeuxis* Lucas, 1852
Range (in code): **VE Yy Mir Agu Tac Crc CO co1**
- 18510. *Parides erlaces* (Gray, [1853])** (Papilionidae) Synonym(s): *erlaces* Gray, [1853] _ Range (in code): **VE Mra Tac CO**
- 18511. *Parides erlaces keithi* T. Racheli, 1991** (Papilionidae) Synonym(s): *keithi* T. Racheli, 1991
Original Reference: *Parides erlaces* ssp. *keithi* T. Racheli, 1991, *Fragm. Ent.* 23 (1): 46-47, figs. Holotype ♂: Venezuela: Tachira, Palmira, La Flautera, 1200m 14.viii.1982, Borges leg. (coll. Racheli). Range (in code): **VE Mra Tac CO**
- 18512. *Parides eurimedes timias* (Gray, [1853])** (Papilionidae) Synonym(s): *timias* Gray, [1853]; *potone* Rothschild & Jordan, 1906 _ Range (in code): **EC**
- 18513. *Parides eurymedes* (Stoll, [1782])** (Papilionidae) Synonym(s): *arcas* Cramer, 1781 *nec* Dru., 1773; *eurymedes* Stoll, [1782] _ Range (in code): **EC VE Tac Crc Bna PtU Zul Agu Cbb CO co5 c19 c13 c22 co1 c27 c23 c31 c28 c30 c24**
- 18514. *Parides eurymedes arrhipus* (Boisduval, 1836)** (Papilionidae) Synonym(s): *arrhipus* Boisduval, 1836 _ Range (in code): **CO c22 co1 c27 c23 c31 c28 c30 c24**
- 18515. *Parides eurymedes eurymedes* (Cramer, 1782)** (Papilionidae) Synonym(s): *eurymedes* Cramer, 1782 _ Range (in code): **CO co5**
- 18516. *Parides eurymedes mycale* (Godman & Salvin, 1890)** (Papilionidae) Synonym(s): *mycale* Godman & Salvin, 1890 _ Range (in code): **CO c13 c19**
- 18517. *Parides iphidamas* (Fabricius, 1793)** (Papilionidae) Synonym(s): *iphidamas* Fabricius, 1793 _ Range (in code): **PE CO c19 c23 c13 c30 co1 EC**
- 18518. *Parides iphidamas ayabacensis* (Joicey & Talbot, 1916)** (Papilionidae) Synonym(s): *ayabacensis* Joicey & Talbot, 1916 _ Range (in code): **PE EC**
- 18519. *Parides iphidamas calogyna* (Rothschild & Jordan, 1906)** (Papilionidae) Synonym(s): *calogyna* Rothschild & Jordan, 1906 _ Range (in code): **EC CO**
- 18520. *Parides iphidamas elatos* (Rothschild & Jordan, 1906)** (Papilionidae) Synonym(s): *elatos* Rothschild & Jordan, 1906 _ Range (in code): **CO co1 c19 c23 c13 c30 EC**
- 18521. *Parides iphidamas gorgonae* (Velez & Salazar, 2001)** (Papilionidae) Synonym(s): *gorgonae* Velez & Salazar, 2001 _ Range (in code): **CO co1**
- 18522. *Parides iphidamas phalias* (Rothschild & Jordan, 1906)** (Papilionidae) Synonym(s): *phalias* Rothschild & Jordan, 1906 _ Range (in code): **CO c30**
- 18523. *Parides klagesi* (Ehrmann, 1904)** (Papilionidae) Synonym(s): *klagesi* Ehrmann, 1904
Range (in code): **VE Blr**
- 18524. *Parides lysander* (Cramer, 1775)** (Papilionidae) Synonym(s): *lysander* Cramer, 1775
Range (in code): **SR EC VE Dlt Blr CO c26**
- 18525. *Parides lysander brissonius* (Hübner, [1819])** (Papilionidae) Synonym(s): *brissonius* Hübner, [1819] _ Range (in code): **EC CO c26**
- 18526. *Parides neophilus* (Geyer, [1837])** (Papilionidae) Synonym(s): *neophilus* Geyer, [1837]
Range (in code): **SR CO c26 c23 EC SR VE Blr Amz**
- 18527. *Parides neophilus olivencius* (Bates, 1861)** (Papilionidae) Synonym(s): *olivencius* Bates, 1861; *napoensis* Vares de Luque, 1975 _ Range (in code): **SR CO c26 c23 EC**
- 18528. *Parides neophilus parianus* (Rothschild & Jordan, 1906)** (Papilionidae) Synonym(s): *parianus* Rothschild & Jordan, 1906 _ Range (in code): **VE Blr Amz**
- 18529. *Parides orellana* (Hewitson, 1852)** (Papilionidae) Synonym(s): *orellana* Hewitson, 1852
Range (in code): **EC BR PE CO VE Amz**

- 18530. *Parides panares* (Gray,[1853])** (Papilionidae) Synonym(s): *panares* Gray,[1853]; *lycimenes* Boisduval,1870 _ Range (in code): **MX EC VE Tac Ptu Mra Zul Bna CO c21 c22**
- 18531. *Parides panares erythrus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *erythrus* Rothschild & Jordan,1906 _ Range (in code): **CO c21 c22**
- 18532. *Parides panares paralius* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *paralius* Rothschild & Jordan,1906; *euryptolemus* Ehrmann,1919 _ Range (in code): **EC**
- 18533. *Parides panares tachira* T.Racheli,1991** (Papilionidae) Synonym(s): *tachira* T.Racheli,1991 _ Original Reference: *Parides panares* ssp. *tachira* T.Racheli,1991, *Fragm. Ent.* 23 (1): 47-51, figs. Holotype ♂: Venezuela: Tachira, San Cristobal, Chorro del Indio, 1150m 28.iv.1982, Baiocchi leg. (coll. Racheli). Range (in code): **VE Tac Ptu Mra Zul Bna**
- 18534. *Parides phosphorus* (Bates,1861)** (Papilionidae) Synonym(s): *phosphorus* Bates,1861 _ Range (in code): **VE Blr Dlt BR Para BO PE**
- 18535. *Parides phosphorus gratianus* (Hewitson,1861)** (Papilionidae) Synonym(s): *gratianus* Hewitson,1861 _ Range (in code): **BR**
- 18536. *Parides phosphorus phosphorus* (Bates,1861)** (Papilionidae) Synonym(s): *phosphorus* Bates,1861 _ Range (in code): **VE Dlt**
- 18537. *Parides phosphorus* ssp.** (Papilionidae) Synonym(s): _ Range (in code): **VE Blr**
- 18538. *Parides phosphorus vavi* T.Racheli,1992** (Papilionidae) Synonym(s): *vavi* T.Racheli,1992 _ Original Reference: *Parides phosphorus* ssp. *vavi* T.Racheli,1992, *Fragm. ent.*, Roma 23 (2): 294-296, figs. Holotype ♂: Peru: San Martin, Tarapoto (MHN, Peru). Range (in code): **PE**
- 18539. *Parides pizzaro* (Staudinger,1884)** (Papilionidae) Synonym(s): *pizzaro* Staudinger,1884 _ Range (in code): **EC**
- 18540. *Parides quadratus* (Staudinger,1890)** (Papilionidae) Synonym(s): *quadratus* Staudinger,1890 _ Range (in code): **EC**
- 18541. *Parides quadratus spoliatus* (Staudinger,1898)** (Papilionidae) Synonym(s): *spoliatus* Staudinger,1898 _ Range (in code): **EC**
- 18542. *Parides sesostris* (Cramer,1779)** (Papilionidae) Synonym(s): *sesostris* Cramer,1779 _ Range (in code): **CO co6 co1 c19 c31 co4 EC VE Tac Agu Cbb Blr**
- 18543. *Parides sesostris sesostris* (Cramer,1779)** (Papilionidae) Synonym(s): *sesostris* Cramer,1779 _ Range (in code): **EC VE Blr CO co6 co1**
- 18544. *Parides sesostris tarquinius* (Boisduval,1836)** (Papilionidae) Synonym(s): *tarquinius* Boisduval,1836 _ Range (in code): **CO c19 c31 co4 EC VE Tac Agu Cbb**
- 18545. *Parides vertumnus* (Cramer,[1782])** (Papilionidae) Synonym(s): *vertumnus* Cramer,[1782] _ Range (in code): **CO EC VE Blr Amz**
- 18546. *Parides vertumnus bogotanus* (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *bogotanus* C.Felder & R.Felder,1864 _ Range (in code): **CO EC**
- 18547. *Parides vertumnus pyrophanus* (Zikan,1937)** (Papilionidae) Synonym(s): *pyrophanus* Zikan,1937 _ Range (in code): **VE Amz Blr**
- 18548. *Parides vertumnus vertumnus* (Cramer,[1782])** (Papilionidae) Synonym(s): *vertumnus* Cramer,[1782] _ Range (in code): **VE Blr**
- 18549. *Parnassius (Driopa) ariadne* Lederer,1853** (Papilionidae) Synonym(s): *ariadne* Lederer,1853; *clarius* Eversmann,1843 nec Hübner,[1806] _ Original Reference: *Parnassius ariadne* Lederer,1853, *Verh. zool.- bot Ver. Wien* 3: 354. Syntypes: [Kazachstan]: Südwestl. Altai [Buchtarma river]. Range (in code): **Bn At Kts Trt Aty CN KG Ktm Kts Mkk Mn Nym RU Sau Sp Ui Tar Buc** _ Bionomy: *Corydalis nobilis* (Gorbunov & Korshunov, 1995).
- 18550. *Parnassius (Driopa) ariadne ariadne* Lederer,1853** (Papilionidae) Synonym(s): *ariadne* Lederer,1853; *clarius* Eversmann,1843 nec Hübner,[1806] _ Original Reference: *Parnassius ariadne* Lederer,1853, *Verh. zool.- bot Ver. Wien* 3: 354. Syntypes: [Kazachstan]: Südwestl. Altai [Buchtarma river]. Range (in code): **Bn KG At Trt Kts Aty CN Ktm Kts Mkk Mn Nym RU Ui**
- 18551. *Parnassius (Driopa) ariadne clarus* Bryk & Eisner,1932** (Papilionidae) Synonym(s): *clarus* Bryk & Eisner,1932 _ Original Reference: *Parnassius clarus* ssp. *clarus* Bryk & Eisner,1932, *Parnassiana* 2: 91-92. Holotype ♂: Russland: [Kazachstan]: Saur Gebirge, Tarbagatai. Range (in code): **KG Sau Sp**
- 18552. *Parnassius (Driopa) eversmanni* [Ménétriés],1850** (Papilionidae) Synonym(s): *eversmanni* [Ménétriés],1850 _ Original Reference: *Parnassius eversmanni* [Ménétriés],1850 [in] Siemaschko, *Russkaya fauna*, fasc.17, *Lep. Tab.* 4, fig.5. Type(s): Russia: [Siberia]: Kansk.

- Range (in code): **Yuk BCo Als At Kts Trt Ltv Tj CAAt SAAt Aty CA CN Hkk JP Ju KG Mn MN RU Sb Sj T-S Ui US Dw Ya** Bionomy: Larva on *Corydalis pauciflora* (Lukhtanov & Lukhtanov,1994).
- 18553. Parnassius (Driopa) eversmanni eversmanni [Ménétriés],1850** (Papilionidae)
Synonym(s): *eversmanni* [Ménétriés],1850 Original Reference: *Parnassius eversmanni* [Ménétriés],1850 [in] Siemaschko, Russkaya fauna, fasc.17, Lep. Tab. 4, fig.5. Type(s): Russia: [S.Siberia]: Kansk. Range (in code): **RU Sb**
- 18554. Parnassius (Driopa) eversmanni felderi Bremer,1861** (Papilionidae) Synonym(s): *felderi* Bremer,1861 Original Reference: *Parnassius felderi* Bremer,1861, Bull. Acad. imp. Sci. St. Petersb. 3: 464. Syntypes: Russia: Amur Region: "Raddeevka". Range (in code): **RU Am**
- 18555. Parnassius (Driopa) eversmanni lacinia Hemming,1934** (Papilionidae)
Synonym(s): *lacinia* Hemming,1934 Original Reference: *Parnassius eversmanni lacinia* Hemming,1934, Stylops 3: 198 (nomen novum pro *Parnassius eversmanni altaicus* Verity,1911 *Rhopalocera Palaeartct.*: 319 nec *Parnassius phoebus* var.*intermedius* f.*altaicus* Ménétriés,1859). Syntypes: [Russia]: SE.Altai:Tchuja Mts. Range (in code): **At CAAt SAAt Kts Trt Tj Ltv Aty CN KG Mn MN RU Sj Ui T-S Ju** Bionomy: Larva on *Corydalis pauciflora* (Lukhtanov & Lukhtanov,1994).
- 18556. Parnassius (Driopa) eversmanni litoreus Stichel,1907** (Papilionidae) Synonym(s): *litoreus* Stichel,1907 Range (in code): **RU Am**
- 18557. Parnassius (Driopa) eversmanni meridionalis Eisner,1978** (Papilionidae)
Synonym(s): *meridionalis* Eisner,1978 Original Reference: *Parnassius eversmanni* ssp. *meridionalis* Eisner,1978, Zool. Meded. 53 (11): 109, Taf.2 figs.9,10. Holotype ♂: Canada: British Columbia. Range (in code): **CA Yuk BCo US Als**
- 18558. Parnassius (Driopa) hoenei (Schweitzer,1912)** (Papilionidae) Synonym(s): *hoenei* Schweitzer,1912 Original Reference: *Parnassius stubbendorffii* var. *hoenei* Schweitzer,1912, Ent. Z., Stuttgart 25: 249-250. Range (in code): **RU Sh**
- 18559. Parnassius (Driopa) hoenei hoenei (Schweitzer,1912)** (Papilionidae) Synonym(s): *hoenei* Schweitzer,1912 Original Reference: *Parnassius stubbendorffii* var. *hoenei* Schweitzer,1912, Ent. Z., Stuttgart 25: 249-250. Range (in code): **RU Sh**
- 18560. Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) Synonym(s): *mnemosyne* Linnaeus,1758 Original Reference: *Papilio mnemosyne* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 465. Type(s): Finlandia. Range (in code): **AF AL Cc AM AT Ba BG B-H BY CH CZ DE DK EE ES FI FR GG GR HU HV IR IQ IL IT KG KK Kr LB LT LV MK NO PL RO RU SE Si SK Sm So Sr SS TJ TM TR UA Uk UZ VI YU Mt Ko Mkl Trb Dur Sof Rg Rtc Slv Zag Skp Beo SY Aa Ax Dj DsA Ik Ike Ket T-S KuA Sem T-A Tk Tu TrA Tl CN Ui Brk Fa Ab Ak Gh Gor Ara Lo Elb Mz Eri Alg AZ Nv Dz Teb Kc Ist Kh** Bionomy: Larva on *Corydalis ledebouriana* (Lukhtanov & Lukhtanov,1994).
- 18561. Parnassius (Driopa) mnemosyne adolphi Bryk,1911** (Papilionidae) Synonym(s): *adolphi* Bryk,1911 Original Reference: *Parnassius mnemosyne* var. *adolphi* Bryk,1911, Societas ent. 26: 60. Holotype ♂: [Iran]: Luristan: Sultanabad (in coll. RNHL). Range (in code): **IR Ara Lo**
- 18562. Parnassius (Driopa) mnemosyne ariovistus Fruhstorfer,1911** (Papilionidae)
Synonym(s): *ariovistus* Fruhstorfer,1911. Original Reference: *Parnassius mnemosyne* ssp. *ariovistus* Fruhstorfer,1911, Societas ent. 25: 96. Syntypes: Süddeutschland: Urach, Lautertal bei Ulm, Neu-Ulm. Range (in code): **Bw SwA**
- 18563. Parnassius (Driopa) mnemosyne athene Stichel,1906** (Papilionidae) Synonym(s): *athene* Stichel,1906; #*flavoocellata* Bryk & Eisner,1939. Original Reference: *Parnassius mnemosyne* ssp. *athene* Stichel,1906, Berl. ent. Z. 51 (1): 88-89. Type ♂: Griechenland: Chelmos. Range (in code): **Att Chl GR**
- 18564. Parnassius (Driopa) mnemosyne bucharanus Bryk,1912** (Papilionidae)
Synonym(s): *bucharanus* Bryk,1912 Original Reference: *Parnassius mnemosyne* var. *bucharanus* Bryk,1912, Societas ent. 27: 101. Holotype ♂: [Usbekistan]: Buchara, Hissar-Gebirge (in coll. RNHL). Range (in code): **Br His UZ**
- 18565. Parnassius (Driopa) mnemosyne bulgarica Eisner,1936** (Papilionidae)
Synonym(s): *bulgarica* Eisner,1936 Original Reference: *Parnassius mnemosyne* ssp. *bulgarica* Eisner,1936, Parnassiana 4: 9. Holotype ♂: Bulgaria: Nordost-Bulgarien: Pisanec am Lom (in coll. RNHL). Range (in code): **BG**
- 18566. Parnassius (Driopa) mnemosyne bureschi Bryk,1921** (Papilionidae) Synonym(s): *bureschi* Bryk,1921 Original Reference: *Parnassius mnemosyne bureschi* Bryk,1921, Ent. Tidskr. 42: 114. Holotype ♂: [Macedonia]: Hudowa (in coll. RNHL). Range (in code): **MK**

- 18567. Parnassius (Driopa) mnemosyne cassiensis (Siépi,1909)** (Papilionidae)
Synonym(s): *cassiensis* Siépi,1909 Range (in code): **FR**
- 18568. Parnassius (Driopa) mnemosyne caucasia Verity,[1911]** (Papilionidae)
Synonym(s): *caucasia* Verity,[1911]; *angorae* Bryk & Eisner,1931; *schweigeri* Eisner,1966; *kocaki* Eisner,1978; *bithyniae* Betti,1989. Original Reference: Parnassius mnemosyne race caucasia Verity,[1911], Rhopalocera Palaearct.: 320, Tab.lxxii fig. 33. Syntypes: Caucase, Kouban. Lectotype ♂: [Georgia]: Kouban (designated by Nekrutenko,1990) (in MZSF). Range (in code): **BG Cc GG IR Kc MK RU Teb TR**
- 18569. Parnassius (Driopa) mnemosyne craspedontis Fruhstorfer,1909** (Papilionidae)
Synonym(s): *craspedontis* Fruhstorfer,1909; *ucrainica* Bryk,1932 Original Reference: Parnassius mnemosyne var. craspedontis Fruhstorfer,1909, Ent. Z., Stutt. 22: 192. Syntypes: Südrussland: Saratow. Range (in code): **Ao Aq KG RU Sr Uk VI UA**
- 18570. Parnassius (Driopa) mnemosyne cupido Bryk & Eisner,1934** (Papilionidae)
Synonym(s): *cupido* Bryk & Eisner,1934 Original Reference: Parnassius mnemosyne cupido Bryk & Eisner,1934, Parnassiana 3:3: 8. Holotype ♂: Yugoslavia: Belastica-Planina (in coll. RNHL). Range (in code): **YU**
- 18571. Parnassius (Driopa) mnemosyne daghestanus Bryk & Eisner,1934** (Papilionidae)
Synonym(s): *daghestanus* Bryk & Eisner,1934 Original Reference: Parnassius mnemosyne daghestanus Bryk & Eisner,1934, Parnassiana 3: 39. Holotype ♀: Russia: Daghestan Bogos-Kette, Tindi (in coll. RNHL). Range (in code): **Cc Bgo Da RU**
- 18572. Parnassius (Driopa) mnemosyne danilovi Bryk & Eisner,1934** (Papilionidae)
Synonym(s): *danilovi* Bryk & Eisner,1934 Original Reference: Parnassius mnemosyne danilovi Bryk & Eisner,1934, Parnassiana 3: 12. Holotype ♂: [Usbekistan]: Fergana: Andijan (in coll. RNHL). Range (in code): **Fe UZ**
- 18573. Parnassius (Driopa) mnemosyne delgrandprincipe Bryk,1912** (Papilionidae)
Synonym(s): *delgrandprincipe* Bryk,1912 Original Reference: Parnassius mnemosyne var. delgrandprincipe Bryk,1912, Societas ent. 27(20): 88, figs. 15-17. Syntypes: [Georgia]: Ardshara: Borzhomi. Range (in code): **Cc Bjo GG**
- 18574. Parnassius (Driopa) mnemosyne dinianus (Fruhstorfer,1908)** (Papilionidae)
Synonym(s): *dinianus* Fruhstorfer,1908; *parmenides* Fruhstorfer,1908; *parvimacula* Rothschild,1909; *helvetica* Verity,1911; *excelsa* Verity,1911; *mixtus* Fruhstorfer,1922; *matuta* Bryk,1922; *cayollensis* Dujardin,1967; *hunti* Dujardin,1968. Original Reference: Parnassius mnemosyne ssp. dinianus Fruhstorfer,1908, Int. ent. Z. 2: 17. Syntypes: Südfrankreich: Digne. Range (in code): **Fo4 FR**
- 18575. Parnassius (Driopa) mnemosyne drenowskyi Bryk & Eisner,1934** (Papilionidae)
Synonym(s): *drenowskyi* Bryk & Eisner,1934 Original Reference: Parnassius mnemosyne drenowskyi Bryk & Eisner,1934, Parnassiana 3: 9. Holotype ♂: Bulgaria: Varna, Klein-Galata (in coll. RNHL). Range (in code): **BG**
- 18576. Parnassius (Driopa) mnemosyne elbursia Eisner,1937** (Papilionidae) Synonym(s): *elbursia* Eisner,1937 Original Reference: Parnassius mnemosyne ssp. elbursia Eisner,1937, Parn. 5: 16. Holotype ♂: Iran: Tacht-i- Soleiman. Range (in code): **IR Elb Mz**
- 18577. Parnassius (Driopa) mnemosyne falsus Bryk,1912** (Papilionidae) Synonym(s): *falsus* Bryk,1912 Original Reference: Parnassius mnemosyne falsus Bryk,1912, Societas ent. 27: 53. Holotype ♂: [Usbekistan]: Fergana; [Kazachstan]: [Dshambul] "Aulie-Ata" (in coll. RNHL). Range (in code): **Db Fe KG T-S Tls UZ**
- 18578. Parnassius (Driopa) mnemosyne farsica O.Bang-Haas,1938** (Papilionidae)
Synonym(s): *farsica* O.Bang-Haas,1938 Range (in code): **IR Fa**
- 18579. Parnassius (Driopa) mnemosyne gallicus Bryk & Eisner,1930** (Papilionidae)
Synonym(s): *gallicus* Bryk & Eisner,1930; *ceuzensis* Eisner,1957; *rencurelensis* Vergely & Willien,1972. Original Reference: Parnassius mnemosyne ssp. gallicus Bryk & Eisner,1930, Societas Ent. 45: 4. Holotype ♂: Frankreich: Savoie: Bonnéval-sur-Arc. Range (in code): **FR Sav**
- 18580. Parnassius (Driopa) mnemosyne gigantea Staudinger,1886** (Papilionidae)
Synonym(s): *gigantea* Staudinger,1886 Original Reference: Parnassius mnemosyne var. gigantea Staudinger,1886, Stettin ent. Ztg. 47: 197-198. Syntypes: [Usbekistan]: Margelan, Usgent, Namangan, Samarkand; [Kirgizistan]: Osch. Range (in code): **Fe KK Osh Sam UZ**
- 18581. Parnassius (Driopa) mnemosyne kromeri Schröder,1975** (Papilionidae)
Synonym(s): *kromeri* Schröder,1975 Original Reference: Parnassius mnemosyne ssp. kromeri

- Schröder, 1975, Ent. Z., Frankf. a. M. 85: 53-56, Abb. Holotype ♂: Afghanistan: Ost-Andarab, Parandev-Paß, südöstl. Banu, 3700m. Range (in code): **Adr AF**
- 18582. Parnassius (Driopa) mnemosyne leonhardiana Fruhstorfer, 1917** (Papilionidae)
Synonym(s): *leonhardiana Fruhstorfer, 1917* Original Reference: Parnassius mnemosyne leonhardiana Fruhstorfer, 1917, Arch. Naturgesch. 82(2): 25. Holotype ♂: [Bosnia-Herzegowina]: Maklen-Pass (in coll. RNHL). Range (in code): **B-H**
- 18583. Parnassius (Driopa) mnemosyne libanoticus Bryk, 1914** (Papilionidae)
Synonym(s): *#syra Verity, 1911; libanoticus Bryk, 1914; syra Larsen, 1974.* Original Reference: Parnassius mnemosyne ssp. libanoticus Bryk, 1914, Societas ent. 29: 68. Holotype ♂: Libanon (in coll. RNHL). Range (in code): **IL ALb LB**
- 18584. Parnassius (Driopa) mnemosyne mneme Bryk & Eisner, 1932** (Papilionidae)
Synonym(s): *mneme Bryk & Eisner, 1932* Original Reference: Parnassius mnemosyne mneme Bryk & Eisner, 1932, Parnassiana 2: 76. Holotype ♂: Turkestan: Karagaitau-Narynsk (in coll. RNHL). Range (in code): **Au? CN? KG KK Tk Ui?**
- 18585. Parnassius (Driopa) mnemosyne mnemosyne (Linnaeus, 1758)** (Papilionidae)
Synonym(s): *mnemosyne Linnaeus, 1758; karjala Bryk, 1911; ugrjumovi Bryk, 1914; estonicus Bryk, 1932; weidingeri Bryk & Eisner, 1932* Original Reference: Papilio mnemosyne Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 465. Type(s): Finlandia. Range (in code): **FI EE RU Tt**
- 18586. Parnassius (Driopa) mnemosyne montdorensis (Kolar, 1943)** (Papilionidae)
Synonym(s): *montdorensis Kolar, 1943; vivaricus Bernardi & Viette, 1961.* Range (in code): **FR**
- 18587. Parnassius (Driopa) mnemosyne nubilosus Christoph, 1873** (Papilionidae)
Synonym(s): *nubilosus Christoph, 1873; subnubilosus Bryk, 1914; strix Bryk, 1914; pseudonubilosus Bryk, 1932; elisabethae Bryk & Eisner, 1934; noacki Eisner, 1968; urartu Betti, 1989; relictelam Betti, 1989; gavaruki Betti, 1989.* Original Reference: Parnassius mnemosyne var. nubilosus Christoph, 1873, Horae Soc. ent. ross. 10: 19. Syntypes: [Iran]: Nord-Persien: Hadschyabad, Tasch. Range (in code): **Cc AM AZ Gor IQ IR Ab Ak Mz Elb TR**
- 18588. Parnassius (Driopa) mnemosyne orientalis Rothschild, 1918** (Papilionidae)
Synonym(s): *#orientalis Verity, [1911]; orientalis Rothschild, 1918* Original Reference: Parnassius mnemosyne ssp. orientalis Rothschild, 1918, Novit. zool. 25: 224. Syntypes: [Kirgizistan]: Alexander Mts. [Kirgisski Chrebet]. Range (in code): **T-S Aa Ax Dj DsA Ik Ikc Ket KG KK KuA Sem T-A Tk Tu TrA** Bionomy: Corydalis ledebouriana (Lukhtanov & Lukhtanov, 1994).
- 18589. Parnassius (Driopa) mnemosyne problematicus Bryk, 1912** (Papilionidae)
Synonym(s): *problematicus Bryk, 1912* Original Reference: Parnassius mnemosyne problematicus Bryk, 1912, Societas ent. 27: 89. Holotype ♂: Kuldschur. Range (in code): **TM**
- 18590. Parnassius (Driopa) mnemosyne pytanina Bryk, 1923** (Papilionidae) Synonym(s): *pytanina Bryk, 1923* Original Reference: Parnassius mnemosyne pytanina Bryk, 1923, Lepid. Cat. 24(27): 188. Holotype ♀: Alai (in coll. RNHL). Range (in code): **TJ**
- 18591. Parnassius (Driopa) mnemosyne rjabovi Sheljuzhko, 1935** (Papilionidae)
Synonym(s): *rjabovi Sheljuzhko, 1935* Original Reference: Parnassius mnemosyne rjabovi Sheljuzhko, 1935, Z. öst EntVer. 20: 22. Holotype ♂: Armenia: Eriwan: Daratshitshag. Range (in code): **Cc AM Eri Alg AZ Ist Nv Dz**
- 18592. Parnassius (Driopa) mnemosyne sarafschanus Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *sarafschanus Bryk & Eisner, 1932* Original Reference: Parnassius mnemosyne sarafschanus Bryk & Eisner, 1932, Parnassiana 2: 2: 74. Holotype ♂: [Tadjikistan]: Sarafschan, Dukdan (in coll. RNHL). Range (in code): **AF CN Dkd Ga TJ Ui**
- 18593. Parnassius (Driopa) mnemosyne sheljuzhkoii Bryk, 1914** (Papilionidae)
Synonym(s): *sheljuzhkoii Bryk, 1914* Original Reference: Parnassius mnemosyne ssp. sheljuzhkoii Bryk, 1912, Societas ent. 27: 64-66, fig. Syntypes 1♂ 1♀: [Türkei]: Kilikischer Taurus (in ZMKU). Range (in code): **He IL LB TR SY**
- 18594. Parnassius (Driopa) mnemosyne tadschikistanus Bryk, 1932** (Papilionidae)
Synonym(s): *tadschikistanus Bryk, 1932* Original Reference: Parnassius mnemosyne ssp. tadschikistanus Bryk, 1932, Parnassiana 2: 46, 74, 75. Range (in code): **TJ**
- 18595. Parnassius (Driopa) mnemosyne taleschensis Ebert, 1975** (Papilionidae)
Synonym(s): *taleschensis Ebert, 1975* Original Reference: Parnassius mnemosyne ssp. taleschensis Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 6-7, 2 figs. Holotype ♂: Iran: NW-Iran, Talesch-Wald (Talysch), Staatsforst von Asalem bei Haschtpar ca. 30km westl. der Küste, ca. 1400m. Range (in code): **Gh IR**

- 18596. Parnassius (Driopa) mnemosyne teberdaensis Eisner, 1954** (Papilionidae)
Synonym(s): *teberdaensis* Eisner, 1954 Original Reference: Parnassius mnemosyne ssp. teberdaensis Eisner, 1954, Zool. Meded. 33: 46. Holotype ♂: Russia: Teberda. Range (in code): **Kb RU**
- 18597. Parnassius (Driopa) mnemosyne tjumensis Kreuzberg, 1989** (Papilionidae)
Synonym(s): *tjumensis* Kreuzberg, 1989 Original Reference: Parnassius mnemosyne ssp. tjumensis Kreuzberg, 1989, Vestn. zool. 1989 (6): 36, fig. 5. Holotype ♂: Russia: West Sibirien: Tjumen Gebiet, Ingair station, 50 km NE von Tobolsk. Range (in code): **RU Sb**
- 18598. Parnassius (Driopa) mnemosyne tzvetajevi Eisner, 1974** (Papilionidae)
Synonym(s): *tzvetajevi* Eisner, 1974 Range (in code): **TJ**
- 18599. Parnassius (Driopa) mnemosyne uralka Bryk, 1921** (Papilionidae) Synonym(s): *uralka* Bryk, 1921 Original Reference: Parnassius mnemosyne var. uralka Bryk, 1921, Ent. Tidskr. 42: 115. Holotype ♂: Russia: Ural, Uralka (in coll. RNHL). Range (in code): **Ba RU**
- 18600. Parnassius (Driopa) mnemosyne valentinae Sheljuzhko, 1943** (Papilionidae)
Synonym(s): *valentinae* Sheljuzhko, 1943 Original Reference: Parnassius mnemosyne valentinae Sheljuzhko, 1943, Z. Wien. ent. Ges. 28: 81. Syntypes: [Uzbekistan]: Karzhantau-Gebirge. Range (in code): **T-S Brk KG KK Kst Ta Tls Ug UZ Syr Tm**
- 18601. Parnassius (Driopa) mnemosyne vernetanus (Fruhstorfer, 1908)** (Papilionidae)
Synonym(s): *pyrenaica* Verity, 1907 nec Harcourt Bath, 1896; *vernetanus* Fruhstorfer, 1908; *pyrenaica* Turati, 1908; *turatii* Fruhstorfer, 1908; *pyrenaiana* Bryk, 1912; *republicanus* Bryk & Peebles, 1931; *ozalensis* Gomez-Bustillo et al., 1977. Original Reference: Parnassius mnemosyne vernetanus Fruhstorfer, 1908, Int. ent. Z. 2: 17 (nomen novum pro *pyrenaica* Turati, 1907 nec Harcourt, 1896). Range (in code): **ES FR Py**
- 18602. Parnassius (Driopa) mnemosyne viidaleppi Kesküla & Luig, 1997** (Papilionidae)
Synonym(s): *viidaleppi* Kesküla & Luig, 1997 Original Reference: Parnassius mnemosyne ssp. viidaleppi Kesküla & Luig, 1997, Atalanta 28(1/2): 18-20, Pl. Holotype ♂: Estonia: Pölvamaa, Suur-Taevaskoda (in Museum of Zoology, Tartu University). Range (in code): **EE**
- 18603. Parnassius (Driopa) nordmanni [Ménétries], [1850]** (Papilionidae) Synonym(s): *clarius* Eversmann, 1845 nec Evers., 1843; *nordmanni* [Ménétries], [1850]; *patareaus* Westwood, 1852; *minima* Honrath, 1885; *christophi* Bryk & Eisner, 1932; *bogosi* O. Bang-Haas, 1934; *#fasciata* Sheljuzhko, 1935; *#cohaerens* Sheljuzhko, 1935; *#flavomaculata* Sheljuzhko, 1935 Original Reference: Parnassius nordmanni [Ménétries], [1850], [in] Siemaschko, J., Russkaja Fauna..., Insekten (6) 17: Taf. 4 fig. 4. Lectotype ♂: Georgia: Adshara Mts. (now Mescheti Mts.), designated by Nekrutenko, [in] Nekrutenko & Kerzhner, 1986: 776-777 (ZIP). Range (in code): **AZ Da Bgo Mkp Kus Cc GG RU TR**
- 18604. Parnassius (Driopa) nordmanni nordmanni [Ménétries], [1850]** (Papilionidae)
Synonym(s): *clarius* Eversmann, 1845 nec Evers., 1843; *nordmanni* [Ménétries], [1850]; *patareaus* Westwood, 1852; *minima* Honrath, 1885; *christophi* Bryk & Eisner, 1932; *bogosi* O. Bang-Haas, 1934; *#fasciata* Sheljuzhko, 1935; *#cohaerens* Sheljuzhko, 1935; *#flavomaculata* Sheljuzhko, 1935 Original Reference: Parnassius nordmanni [Ménétries], [1850], [in] Siemaschko, J., Russkaja Fauna..., Insekten (6) 17: Taf. 4 fig. 4. Lectotype ♂: Georgia: Adshara Mts. (now Mescheti Mts.), designated by Nekrutenko, [in] Nekrutenko & Kerzhner, 1986: 776-777 (ZIP). Range (in code): **AZ Da Bgo Mkp Kus Cc GG RU TR**
- 18605. Parnassius (Driopa) nordmanni thomai De Freina, 1980** (Papilionidae)
Synonym(s): *thomai* De Freina, 1980 Original Reference: Parnassius nordmanni ssp. thomai De Freina, 1980, NachrBl. bayer. Ent. 29 (3): 50-62, Abb. 1-3. Holotype ♂: Türkei: Rize Provinz: Kaçkar Massiv, 3100-3300 m (in coll. De Freina). Range (in code): **Cc TR**
- 18606. Parnassius (Driopa) orleans Oberthür, 1891** (Papilionidae) Synonym(s): *orleans* Oberthür, 1891 Original Reference: Parnassius orleans Oberthür, 1891, Etüd. Ent. 14: 8-9, pl. 1 fig. 2. Type ♀: Chiné: Litang, Ta-Tsien-Lou. Range (in code): **Btn CN Ui Gn She Sz TT Yu**
- 18607. Parnassius (Driopa) orleans augur Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *augur* Bryk & Eisner, 1932 Original Reference: Parnassius orleans ssp. augur Bryk & Eisner, 1932, Parnassiana 2: 34, Holotype ♂: China: Kansu: südl. Lanchowfu, Khodung-po. Range (in code): **CN Gn**
- 18608. Parnassius (Driopa) orleans ephebus Bryk, 1938** (Papilionidae) Synonym(s): *ephebus* Bryk, 1938 Original Reference: Parnassius orleans ssp. ephebus Bryk, 1938, Parnassiana 6: 5. Holotype ♂: China: Yunnan: A-tun-tse. Range (in code): **CN Yu**

- 18609. Parnassius (Driopa) orleans harusphex Bryk,1943** (Papilionidae) Synonym(s): *harusphex* Bryk,1943 Original Reference: Parnassius orleans ssp. harusphex Bryk,1943, Mitt. münch. ent. Ges. 33: 28. Holotype ♂: China: Batang: Alpine Zone. Range (in code): Btn CN Sz
- 18610. Parnassius (Driopa) orleans janseni O.Bang-Haas,1938** (Papilionidae) Synonym(s): *janseni* O.Bang-Haas,1938 Original Reference: Parnassius orleans ssp. janseni O.Bang-Haas,1938, Parnassiana 5: 57. Syntypes ♂♀: China: Min-shan, Pullow Mts. Range (in code): CN Gn
- 18611. Parnassius (Driopa) orleans johanna Bryk,1932** (Papilionidae) Synonym(s): *johanna* Bryk,1932 Original Reference: Parnassius orleans ssp. johanna Bryk,1932, Parnassiana 2: 67, Holotype ♂: China: Schensi: Taipa-shan. Range (in code): CN She
- 18612. Parnassius (Driopa) orleans lictor Bryk & Eisner,1937** (Papilionidae) Synonym(s): *lictor* Bryk & Eisner,1937 Original Reference: Parnassius orleans ssp. lictor Bryk & Eisner,1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burkhan-Buddha Kette, Nomohun Pass. Range (in code): B-B CN Ts
- 18613. Parnassius (Driopa) orleans nike Bryk & Eisner,1932** (Papilionidae) Synonym(s): *nike* Bryk & Eisner,1932 Original Reference: Parnassius orleans ssp. nike Bryk & Eisner,1932, Parnassiana 2: 100 Holotype ♂: China: Süd-Ost Szechwan: Omisien. Range (in code): CN Sz
- 18614. Parnassius (Driopa) orleans orleans Oberthür,1891** (Papilionidae) Synonym(s): *orleans* Oberthür,1891; *#inpicta* Bryk & Eisner,1932; *#semidecora* Bryk,1923; *#walteri* Bryk,1914; *#ampliusocellata* Bryk & Eisner,1932; *#quincunx* Eisner,1957. Original Reference: Parnassius orleans Oberthür,1891, Etüd. Ent. 14: 8-9, pl.1 fig.2. Type ♀: Chiné: Litang, Ta-Tsien-Lou. Range (in code): CN Sz TT
- 18615. Parnassius (Driopa) orleans parthenos Bryk,1932** (Papilionidae) Synonym(s): *parthenos* Bryk,1932; *#clericalis* Bryk,1923; *#binocularis* Bryk,1923; *#graphica* Bryk,1923; *#usurpator* Bryk,1923; *#meyeri* Bryk,1923; *#communista* Bryk,1923; *#distinguenda* Bryk,1923. Range (in code): CN Sz
- 18616. Parnassius (Driopa) stubbendorffii Ménétériés,1849** (Papilionidae) Synonym(s): *stubbendorffii* Ménétériés,1849 Original Reference: Parnassius stubbendorffii Ménétériés,1849, Mem. Acad. Imp. Sci. St.-Petersbourg, ser.6, sci. nat., 6 (4): 273, pl. 6 fig.2. Lectotype: Russia: [S.Siberia]: "Kansk" (designated by Nekrutenko & Kerzhner,1986, Ent. Obozr. 1986 (4): 775). Range (in code): Am At CN JP KP KR Mgd MN RU Sb Gn Ui Prj Us
- 18617. Parnassius (Driopa) stubbendorffii baeckeri Kotzsch,1929** (Papilionidae) Synonym(s): *baeckeri* Kotzsch,1929 Original Reference: Parnassius (Driopa) stubbendorffii ssp. baeckeri Kotzsch,1929, Ent. Z., Frankf. a. M. 43 (12): 205, fig.1. Syntypes ♂♀: [China]: Kansu [Qinghai]: Lassa, 45km nordwestlich Sining und Nyamen, July 2700m. Range (in code): CN Ts
- 18618. Parnassius (Driopa) stubbendorffii kaoligena Bryk,1946** (Papilionidae) Synonym(s): *kaoligena* Bryk,1946 Original Reference: Parnassius stubbendorffii ssp. kaoligena Bryk,1946, Ark. Zool. 38A (3): 12-13, taf.II figs. 5,6. Holotype ♂: Korea. Range (in code): KR
- 18619. Parnassius (Driopa) stubbendorffii kjoensoengensis Bryk,1932** (Papilionidae) Synonym(s): *kjoensoengensis* Bryk,1932 Original Reference: Parnassius stubbendorffii ssp. kjoensoengensis Bryk,1932, Parnassiana 2: 47. Holotype ♂: Korea: Umgebung Sei-Shin, Kjöngsöng. Range (in code): KP
- 18620. Parnassius (Driopa) stubbendorffii kosterini Kreuzberg & Pljustsh,1992** (Papilionidae) Synonym(s): *kosterini* Kreuzberg & Pljustsh,1992 Original Reference: Parnassius stubbendorffii ssp. kosterini Kreuzberg & Pljustsh,1992, Vestn. Zool. 199: 79-80, figs. Holotype ♂: Russia: Madagan distr. Range (in code): Mgd RU
- 18621. Parnassius (Driopa) stubbendorffii Ménétériés,1849** (Papilionidae) Synonym(s): *stubbendorffii* Ménétériés,1849 Original Reference: Parnassius stubbendorffii Ménétériés,1849, Mem. Acad. Imp. Sci. St.-Petersbourg, ser.6, sci. nat., 6 (4): 273, pl. 6 fig.2. Lectotype: Russia: [S.Siberia]: "Kansk" (designated by Nekrutenko & Kerzhner,1986, Ent. Obozr. 1986 (4): 775). Range (in code): RU Sb
- 18622. Parnassius (Driopa) stubbendorffii typicus Bryk,1914** (Papilionidae) Synonym(s): *typicus* Bryk,1914 Original Reference: Parnassius stubbendorffii ssp. typica Bryk,1914, Int. ent. Z. 8: 12. Holotype ♀: Russia: Altai: Ongodai. Range (in code): At Bn KG Mkk Mn MN RU Sj To
- 18623. Parnassius (Kailasius) autocrator Avinoff,1913** (Papilionidae) Synonym(s): *autocrator* Avinoff,1913 Original Reference: Parnassius charltonius ssp. autocrator Avinoff,1913, Horae Soc. ent. ross. 40 (5): 16-17, Pl.ii fig.5. Type ♀: [Tadjikistan]: Darwas, Gushnon Pass. Range (in code): AF Anj Bd Bqu Pm TJ Wk Mgb Bionomy: Larva on Corydalis fimbrillifera, C. onobrychis (Fumariaceae) (Kreuzberg,1984; Ottmüller,2006).

- 18624. Parnassius (Kailasius) autocrator autocrator Avinoff,1913** (Papilionidae)
Synonym(s): *autocrator* Avinoff,1913 Original Reference: Parnassius charltonius ssp. autocrator Avinoff,1913, Horae Soc. ent. ross. 40 (5): 16-17, Pl.ii fig.5. Type ♀: [Tadjikistan]: Darwas, Gushnon Pass. Range (in code): **AF Anj Bd Bqu Pm TJ Wk Mgb** Bionomy: Larva on Corydalis fimbrillifera, C. onobrychis (Fumariaceae) (Kreuzberg,1984; Ottmüller,2006).
- 18625. Parnassius (Kailasius) charltonius Gray,[1853]** (Papilionidae) Synonym(s): *charltonius* Gray,[1853]; *#mendica* Bryk,1912. Original Reference: Parnassius charltonius Gray,[1853], Cat. Lepid. Ins. Br. Mus.: 77, pl.12 fig.7. Syntypes: [India]: Kumaon (after Riley). Range (in code): **PK Bg AF Bd Bt Ch Ci CN Ui Hp IN KK Kk Nu Pm T-A Ti TJ** Bionomy: Corydalis stricta, C. gortschakovi (Kreuzberg, 1984).
- 18626. Parnassius (Kailasius) charltonius aenigma Dubatolov & Milka,2003** (Papilionidae) Synonym(s): *aenigma* Dubatolov & Milka,2003 Range (in code): **KK**
- 18627. Parnassius (Kailasius) charltonius amabilis Bryk & Eisner,1932** (Papilionidae) Synonym(s): *amabilis* Bryk & Eisner,1932 Original Reference: Parnassius charltonius ssp. amabilis Bryk & Eisner,1932, Parnassiana 2: 8. Holotype ♀: India: Kangra: Rohtang Pass. Range (in code): **IN Kgr**
- 18628. Parnassius (Kailasius) charltonius bryki Haude,1912** (Papilionidae) Synonym(s): *bryki* Haude,1912; *#atroguttata* Bryk,1912. Original Reference: Parnassius charltonius var. bryki Haude,1912, Societas Ent. 27: 78, fig. Syntypes: [India]: Nilang Pass, 16000ft. Range (in code): **IN Spi TuT**
- 18629. Parnassius (Kailasius) charltonius charltonius Gray,[1853]** (Papilionidae) Synonym(s): *charltonius* Gray,[1853]; *#mendica* Bryk,1912. Original Reference: Parnassius charltonius Gray,[1853], Cat. Lepid. Ins. Br. Mus.: 77, pl.12 fig.7. Syntypes: [India]: Kumaon (after Riley). Range (in code): **Ch Hp IN Kma**
- 18630. Parnassius (Kailasius) charltonius corporaali Bryk,1935** (Papilionidae) Synonym(s): *corporaali* Bryk,1935 Original Reference: Parnassius charltonius ssp. corporaali Bryk,1935, Wis. Erg. Nidel. Exped. Karakorum 1: 338. Holotype ♀: Ladak: Karakorum, Saser Pass. Range (in code): **Kk Ld Ssr IN**
- 18631. Parnassius (Kailasius) charltonius deckerti Verity,[1907]** (Papilionidae) Synonym(s): *deckerti* Verity,[1907]; *#haudei* Bryk,1912; *#flavomaculata* Bryk,1912; *#nigrofascidecorata* Peschke,1938. Original Reference: Parnassius charltonius forme deckerti Verity,[1907], Rhpalocera Palaearctica: 19, fig.14. Kashmir, 4200-4800m., Lamayurru, westl. Leh. Range (in code): **Kdg Ld Leh IN**
- 18632. Parnassius (Kailasius) charltonius ducalis Boulet & Le Cerf,1912** (Papilionidae) Synonym(s): *ducalis* Boulet & Le Cerf,1912; *occidentalis* Bryk,1912. Original Reference: Parnassius charltonius ducalis Boulet & Le Cerf,1912, Bull. Soc. ent. Fr. 1912: 143. Syntypes: [Pakistan]: Chitral. Range (in code): **Ci PK**
- 18633. Parnassius (Kailasius) charltonius eisnerianus Bryk,1931** (Papilionidae) Synonym(s): *eisnerianus* Bryk,1931 Original Reference: Parnassius charltonius ssp. eisnerianus Bryk,1931, Parnassiana 1 (5): 1. Holotype ♂: Ladak: Rupshu. Range (in code): **Ld Rup IN**
- 18634. Parnassius (Kailasius) charltonius ella Bryk,1932** (Papilionidae) Synonym(s): *ella* Bryk,1932 Original Reference: Parnassius charltonius ssp. ella Bryk,1932, Parnassiana 2: 49. Holotype ♂: Baltistan: Bura- Deosai. Range (in code): **Bt Ch Deo**
- 18635. Parnassius (Kailasius) charltonius flaugeri Eisner,1978** (Papilionidae) Synonym(s): *flaugeri* Eisner,1978 Original Reference: Parnassius charltonius ssp. flaugeri Eisner,1978, Zool. Meded. 53 (11): 107-108, Taf.1 figs.1,2. Holotype ♂: [Pakistan]: Kohistan: Babusar Pass, 4000m. Range (in code): **Bbu Ch PK**
- 18636. Parnassius (Kailasius) charltonius kabiri Eisner & Naumann,1980** (Papilionidae) Synonym(s): *kabiri* Eisner & Naumann,1980 Original Reference: Parnassius charltonius ssp. kabiri Eisner & Naumann,1980, Zool. Verh. 178: 26-27, Taf.8, Abb. 23. Holotype ♂: Afghanistan: Badakhshan, 5km N. Kol-e-Shewa, Darrah-e-Merim-bisti, 3500m. Range (in code): **AF Bd**
- 18637. Parnassius (Kailasius) charltonius ljudmillae Lesin & Kaabak,1991** (Papilionidae) Synonym(s): *ljudmillae* Lesin & Kaabak,1991 Range (in code): **UZ**
- 18638. Parnassius (Kailasius) charltonius mistericus Kaabak, Sotshivko & Titov,1996** (Papilionidae) Synonym(s): *mistericus* Kaabak, Sotshivko & Titov,1996 Original Reference: Parnassius charltonius ssp. mistericus Kaabak, Sotshivko & Titov,1996, Atalanta 27 (1/2): 195-

- 197, figs. Holotype ♂: Tadjikistan: South-East Pamir, Western spurs of Sarykolsky Mts. Dunkeldyk lake 4300m. (in coll. Sotshivko). Range (in code): TJ Pm
- 18639. Parnassius (Kailasius) charltonius naimus Eisner & Naumann, 1980** (Papilionidae) Synonym(s): *naimus* Eisner & Naumann, 1980 Original Reference: Parnassius charltonius ssp. naimus Eisner & Naumann, 1980, Zool. Verh. 178: 26, Taf. 8, Abb. 24. Holotype ♂: Afghanistan: Badakhshan, vic. Jurm. Range (in code): AF Bd
- 18640. Parnassius (Kailasius) charltonius nuristanus Eisner & Naumann, 1980** (Papilionidae) Synonym(s): *nuristanus* Eisner & Naumann, 1980 Original Reference: Parnassius charltonius ssp. nuristanus Eisner & Naumann, 1980, Zool. Verh. 178: 24-25, Taf. 8, Abb. 21; Taf. 9 Abb. 22. Holotype ♂: Afghanistan: Nuristan: Kunar: ob. Lindai-Sin-Tal, vic. Barg-e-Matal, 4000m. Range (in code): AF Nu
- 18641. Parnassius (Kailasius) charltonius otto Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *otto* Bryk & Eisner, 1932 Original Reference: Parnassius charltonius ssp. otto Bryk & Eisner, 1932, Parnassiana 2: 66. Holotype ♂: Gya-Ladak: Tagalang Pass. Range (in code): Ld Tgl
- 18642. Parnassius (Kailasius) charltonius robertjan (Eisner, 1959)** (Papilionidae) Synonym(s): *robertjan* Eisner, 1959 Original Reference: Kailasius charltonius ssp. robertjan Eisner, 1959, Zool. Meded. 36: 256. Holotype ♂: [Pakistan]: Chitral, Baroghil Pass. Range (in code): Bg Ci PK
- 18643. Parnassius (Kailasius) charltonius romanovi Groum-Grshimailo, 1888** (Papilionidae) Synonym(s): *romanovi* Groum-Grshimailo, 1888 Original Reference: Parnassius romanovi Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 303. Syntypes ♂♀: Transalai. Range (in code): Ch KK T-A TJ
- 18644. Parnassius (Kailasius) charltonius sakai Eisner, 1978** (Papilionidae) Synonym(s): *sakai* Eisner, 1978 Original Reference: Parnassius charltonius ssp. sakai Eisner, 1978, Zool. Meded. 53 (11): 108, Taf. 1 figs. 3, 4. Holotype ♂: Kasmir: Kolahoi Mt., 3800m. Range (in code): Ch Ld IN
- 18645. Parnassius (Kailasius) charltonius serenissimus Bryk, 1932** (Papilionidae) Synonym(s): *serenissimus* Bryk, 1932 Original Reference: Parnassius charltonius ssp. serenissimus Bryk, 1932, Parnassiana 2: 49. Holotype ♂: India: Cashmir: Pir Panjal. Range (in code): Ch P-P
- 18646. Parnassius (Kailasius) charltonius vaporosus Avinoff, 1913** (Papilionidae) Synonym(s): *vaporosus* Avinoff, 1913 Original Reference: Parnassius charltonius ssp. vaporosus Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 15-16, Pl. ii fig. 4. Type ♀: [Tadjikistan]: "montibus Darvazi orientalis". Range (in code): Drw TJ
- 18647. Parnassius (Kailasius) charltonius voighti O. Bang-Haas, 1927** (Papilionidae) Synonym(s): *voighti* O. Bang-Haas, 1927 Original Reference: Parnassius charltonius ssp. voighti O. Bang-Haas, 1927, Horae Macrolepid. 1: 38, Pl. 3 fig. 13. Syntypes 7♀: Afghanistan: Paghman Mt. 30km N. Kabul, am an Suchas Pass, 3500m Range (in code): AF Kab Pag
- 18648. Parnassius (Kailasius) charltonius wernickei Kotzsch, 1936** (Papilionidae) Synonym(s): *wernickei* Kotzsch, 1936 Original Reference: Parnassius charltonius ssp. wernickei Kotzsch, 1936, Parnassiana 4: 6. Holotype ♂: Afghanistan: Ost-Hindukusch, Nuksan Pass, 3500-4000m. Range (in code): AF Hk Nks
- 18649. Parnassius (Kailasius) davydovi Churkin, 2006** (Papilionidae) Synonym(s): *davydovi* Churkin, 2006 Range (in code): KK
- 18650. Parnassius (Kailasius) imperator Oberthür, 1883** (Papilionidae) Synonym(s): *imperator* Oberthür, 1883 Original Reference: Parnassius imperator Oberthür, 1883, Bull. Soc. ent. Fr. 1883: 77. Type(s): China. Range (in code): Amd CN Gn Hbl KhD Lc Mnn Nsh SI Sz Tat Ti Ts T-T Yt
- 18651. Parnassius (Kailasius) imperator aino Bryk, 1932** (Papilionidae) Synonym(s): *aino* Bryk, 1932 Original Reference: Parnassius imperator ssp. aino Bryk, 1932, Parnassiana 2: 5. Holotype ♂: China: [Yunnan]: Mekong valley, Kagurpu. Range (in code): CN Mek Yu
- 18652. Parnassius (Kailasius) imperator augustus Fruhstorfer, 1903** (Papilionidae) Synonym(s): *augustus* Fruhstorfer, 1903 Original Reference: Parnassius imperator ssp. augustus Fruhstorfer, 1903, Societas Ent. 18: 113, 124-125. Syntypes: Tibet: Khambajong, 40 miles north of Sikkim border, 15000ft. Range (in code): BT CN KhD Ph Ti Yt
- 18653. Parnassius (Kailasius) imperator cedermarki Bryk, 1943** (Papilionidae) Synonym(s): *cedermarki* Bryk, 1943 Original Reference: Parnassius imperator ssp. cedermarki

- Bryk, 1943, Mitt. münch. ent. Ges. 33: 32. Holotype ♂: China: Szechuan: Batang, Alpine Zone. Range (in code): Btn CN Sz
- 18654. Parnassius (Kailasius) imperator evansi Bryk, 1932** (Papilionidae) Synonym(s): *evansi* Bryk, 1932 Original Reference: Parnassius imperator ssp. evansi Bryk, 1932, Parnassiana 2: 5. Holotype ♀: [China]: Tibet mer. or.: Tsona. Range (in code): CN Ti
- 18655. Parnassius (Kailasius) imperator gigas Kotzsch, 1932** (Papilionidae) Synonym(s): *gigas* Kotzsch, 1932 Original Reference: Parnassius imperator ssp. gigas Kotzsch, 1932, Ent. Z., Frankf. a. M. 45: 267. Holotype ♂: China: Sikingshan: Sincheng. Range (in code): CN Sz
- 18656. Parnassius (Kailasius) imperator imperator Oberthür, 1883** (Papilionidae) Synonym(s): *imperator* Oberthür, 1883 Original Reference: Parnassius imperator Oberthür, 1883, Bull. Soc. ent. Fr. 1883: 77. Type(s): China. Range (in code): CN Sz T-T
- 18657. Parnassius (Kailasius) imperator imperatrix Alpheraky, 1897** (Papilionidae) Synonym(s): *imperatrix* Alpheraky, 1897 Original Reference: Parnassius imperator var. imperatrix Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 230. Holotype ♂: China: Humboldt Kette, Oulan-Bulak. Range (in code): CN Hbl Ts
- 18658. Parnassius (Kailasius) imperator imposantus Schulte, 1991** (Papilionidae) Synonym(s): *imposantus* Schulte, 1991 Original Reference: Parnassius imperator ssp. imposantus Schulte, 1991, Nachr. ent. Ver. Apollo (N.F.) 12(3): 183, Abb. Holotype ♂: China: Gansu: nordwestl. Qilian-Shan (Richthofen-Geb.) 50km südwestl. Jiayuguan, Zoulang Nanshan, 3700m. leg. Helia (in coll. Schulte). Range (in code): CN Gn Nsh
- 18659. Parnassius (Kailasius) imperator irmae Bryk, 1932** (Papilionidae) Synonym(s): *irmae* Bryk, 1932; *milarepa* Hamada, 2003 Range (in code): CN Ti
- 18660. Parnassius (Kailasius) imperator jiyetiani Pierrat, 1990** (Papilionidae) Synonym(s): *jiyetiani* Pierrat, 1990 Original Reference: Parnassius imperator ssp. jiyetiani Pierrat, 1990, Bull. Soc. Sci. Nat., Venette 67: 5-6. Range (in code): CN Gn Nsh
- 18661. Parnassius (Kailasius) imperator musageta Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *musageta* Groum-Grshimailo, 1890 Original Reference: Parnassius imperator var. musageta Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 446-447. Type(s): [China: Qinghai]: Amdo: Chuan-che. Range (in code): Amd CN Ts
- 18662. Parnassius (Kailasius) imperator musetta Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *musetta* Bryk & Eisner, 1932 Original Reference: Parnassius imperator ssp. musetta Bryk & Eisner, 1932, Parnassiana 2: 7. Holotype ♀: China: Kansu: Lanchowfu. Range (in code): CN Gn Lc
- 18663. Parnassius (Kailasius) imperator regina Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *regina* Bryk & Eisner, 1932 Original Reference: Parnassius imperator ssp. regina Bryk & Eisner, 1932, Parnassiana 2: 7. Holotype ♂: China: Kansu: Minshan, Tauho. Range (in code): CN Gn Mnn
- 18664. Parnassius (Kailasius) imperator regulus Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *regulus* Bryk & Eisner, 1932 Original Reference: Parnassius imperator ssp. regulus Bryk & Eisner, 1932, Parnassiana 2: 6. Holotype ♂: China: Kansu: west. v. Liangtschou, Shekou. Range (in code): CN Gn? Ts?
- 18665. Parnassius (Kailasius) imperator rex O.Bang-Haas, 1928** (Papilionidae) Synonym(s): *rex* O.Bang-Haas, 1928 Original Reference: Parnassius imperator ssp. rex O.Bang-Haas, 1928, Ent. Z., Frankf. a. M. 42: 60. Holotype ♂: China: Qinghai: Tatungsche Berge. Range (in code): CN Nsh Tat Ts
- 18666. Parnassius (Kailasius) imperator sultan Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *sultan* Bryk & Eisner, 1932 Original Reference: Parnassius imperator ssp. sultan Bryk & Eisner, 1932, Parnassiana 2: 34. Holotype ♂: China: Kansu: Khodung-po. Range (in code): CN Gn
- 18667. Parnassius (Kailasius) imperator uxorius (Eisner, 1966)** (Papilionidae) Synonym(s): *tyrannus* Bang-Haas, 1935 *praeocc.*; *uxorius* Eisner, 1966 Original Reference: Tadumia (Eukoramus) imperator ssp. uxoria Eisner, 1966, Zool. Verh. 81: 57 (nomen novum pro Parnassius imperator tyrannus Bang_Haas, 1935). Syntypes: China: Kansu: Lussa (Lassar?) 50k km S. von Sining. Range (in code): CN Gn
- 18668. Parnassius (Kailasius) imperator venustus Stichel, 1906** (Papilionidae) Synonym(s): *venustus* Stichel, 1906 Original Reference: Parnassius imperator ssp. venustus

- Stichel, 1906, Berl. ent. Z. 51 (1): 91. Type ♂: Turkestan: Samarkand (patria?). Range (in code): Smk UZ
- 18669. Parnassius (Kailasius) inopinatus (Kotzsch, 1940)** (Papilionidae) Synonym(s): *inopinatus Kotzsch, 1940* Original Reference: Kailasius inopinatus Kotzsch, 1940, Ent. Z., Frankf. a. M. 54: 17. Holotype ♂: Northwest Afghanistan: Firuskuhi Kette. Range (in code): AF Bm Hk Ng
- 18670. Parnassius (Kailasius) inopinatus inopinatus (Kotzsch, 1940)** (Papilionidae) Synonym(s): *inopinatus Kotzsch, 1940* Original Reference: Kailasius inopinatus Kotzsch, 1940, Ent. Z., Frankf. a. M. 54: 17. Holotype ♂: Northwest Afghanistan: Firuskuhi Kette. Range (in code): AF Hk
- 18671. Parnassius (Kailasius) inopinatus muetingi Wyatt, 1975** (Papilionidae) Synonym(s): *muetingi Wyatt, 1975* Original Reference: Parnassius inopinatus ssp. muetingi Wyatt, 1975, Entomops 36: 105-107, figs. Holotype ♂: Afghanistan: Paktia: Surkhei Pass, 3200m. Range (in code): AF Bm
- 18672. Parnassius (Kailasius) loxias Püngeler, 1901** (Papilionidae) Synonym(s): *loxias Püngeler, 1901* Original Reference: Parnassius loxias Püngeler, 1901, Dt. ent. Z., Iris 14: 178, Pl. 1 figs. 5, 6. Syntypes: [China: Uighur A.R.]: Gebirge nördl. Aksu. Range (in code): Au Cht CN KK Krk T-S Ui Sdh Bionomy: Corydalis krasnovi (Kreuzberg, 1984).
- 18673. Parnassius (Kailasius) loxias loxias Püngeler, 1901** (Papilionidae) Synonym(s): *loxias Püngeler, 1901* Original Reference: Parnassius loxias Püngeler, 1901, Dt. ent. Z., Iris 14: 178, Pl. 1 figs. 5, 6. Syntypes: [China: Uighur A.R.]: Gebirge nördl. Aksu. Range (in code): Au CN KK Krk T-S Ui
- 18674. Parnassius (Kailasius) loxias raskemensis Avinoff, 1916** (Papilionidae) Synonym(s): *raskemensis Avinoff, 1916* Original Reference: Parnassius loxias ssp. raskemensis Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 359-360, Pl. lii, fig. 10. Type ♀: [China: Uighur A.R.]: "Kiliang Pass", [5040m, north. Schahidulla, westl. Raskem Mountains]. Range (in code): CN Sdh Ui
- 18675. Parnassius (Kailasius) loxias tashkorensis Kreuzberg, 1983** (Papilionidae) Synonym(s): *tashkorensis Kreuzberg, 1983* Original Reference: Parnassius (s.lat.) loxias tashkorensis Kreuzberg, 1983, Acta Mus. reg. Sci. Nat. 18: 159-160, figs. Holotype ♂: [Kirgizistan]: Zentrales Tian-Shan [Tengri Tagh], Kaindy-Katta, Massiv Utsh-Tshat. Range (in code): KK Cht Knd T-S
- 18676. Parnassius (Koramius) acdestis ? liudongi Huang, 1999** (Papilionidae) Synonym(s): *liudongi Huang, 1999* Original Reference: Parnassius liudongi Huang, 1999, Lambillionea 99: 335-337. Type: Xinjiang Prov.: Tianshan (?) (cf. Rose, 2005, Neue ent. Ver. Apollo 26 (1/2): 40). Range (in code): CN Ti? Ui?
- 18677. Parnassius (Koramius) acdestis Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *acdestis Groum-Grshimailo, 1890* Original Reference: Parnassius delphius var. acdestis Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge. Range (in code): CN Amd Sng Ts Ui MdL TaL Ti KrL Tgs Lha Y-Y ShL Ld Gy Sag Bt Gn Mnn Rup Kls Rut SuL
- 18678. Parnassius (Koramius) acdestis acdestis Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *acdestis Groum-Grshimailo, 1890* Original Reference: Parnassius delphius var. acdestis Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge. Range (in code): Amd CN Sng Ts
- 18679. Parnassius (Koramius) acdestis carolinae Kawasaki & Helia, 1996** (Papilionidae) Synonym(s): *carolinae Kawasaki & Helia, 1996* Range (in code): CN MdL TaL Ti
- 18680. Parnassius (Koramius) acdestis cerevisiae Weiss & Michel, 1989** (Papilionidae) Synonym(s): *cerevisiae Weiss & Michel, 1989* Range (in code): CN Ti
- 18681. Parnassius (Koramius) acdestis charon Kocman, 2004** (Papilionidae) Synonym(s): *charon Kocman, 2004* Range (in code): CN Ti
- 18682. Parnassius (Koramius) acdestis christianae Rose, 1997** (Papilionidae) Synonym(s): *christianae Rose, 1997* Original Reference: Parnassius acdestis ssp. christianae Rose, 1997, Nachr. ent. Ver. Apollo (N.F.) 17(4): 402-403, figs. Holotype ♂: China: Osttibet: Lacki-La, 4800m, nordöstl. Qamdo und südwestl. Jomda (=Gyamda) leg. Westphal (in coll. Rose). Range (in code): CN Ti
- 18683. Parnassius (Koramius) acdestis cinerosus Stichel, 1907** (Papilionidae) Synonym(s): *cinerosus Stichel, 1907* Original Reference: Parnassius acdestis cinerosus Stichel, 1907, [in] Seitz,

- Die Gross-Schmett. Erde 1: 33-34. Syntypes: China: Amdo (Sining), Tongho. Range (in code): CN Ti Ts Amd Sng
- 18684. Parnassius (Koramius) acdestis felix (Eisner,1958)** (Papilionidae) Synonym(s): felix Eisner,1958 Original Reference: Koramius acdestis ssp. felix Eisner,1958, Zool. Meded. 36: 110. Holotype ♂: China: Tibet. Range (in code): CN KrL Ti
- 18685. Parnassius (Koramius) acdestis fujitai Koiwaya,1993** (Papilionidae) Synonym(s): fujitai Koiwaya,1993 Range (in code): CN Tgs Ti
- 18686. Parnassius (Koramius) acdestis hades Bryk,1932** (Papilionidae) Synonym(s): hades Bryk,1932 Original Reference: Parnassius acdestis ssp. hades Bryk,1932, Parnassiana 2: 5,6. Range (in code): CN Ti
- 18687. Parnassius (Koramius) acdestis imperatoides Weiss & Michel,1989** (Papilionidae) Synonym(s): imperatoides Weiss & Michel,1989 Range (in code): CN Lha Ti Y-Y
- 18688. Parnassius (Koramius) acdestis irenaephilus Bryk,1943** (Papilionidae) Synonym(s): irenaephilus Bryk,1943 Original Reference: Parnassius acdestis ssp. irenaephilus Bryk,1943, Mitt. münch. ent. Ges. 33: Range (in code): CN Ti
- 18689. Parnassius (Koramius) acdestis ivetae Rose & Bieber,2005** (Papilionidae) Synonym(s): ivetae Rose & Bieber,2005 Original Reference: Parnassius acdestis ssp. ivetae Rose & Bieber,2005, Atalanta 36 (1/2): 123-126, figs. Holotype ♂: China: Tibet, 60km S. of Saga, 5000-5300m, 7-8 vi 2004, leg. Bieber (NHNMP). Range (in code): CN Ti Sag
- 18690. Parnassius (Koramius) acdestis kuhkai Kawasaki,1996** (Papilionidae) Synonym(s): kuhkai Kawasaki,1996 Range (in code): CN ShL Ti
- 18691. Parnassius (Koramius) acdestis ladakensis Avinoff,1916** (Papilionidae) Synonym(s): ladakensis Avinoff,1916 Original Reference: Parnassius acdestis ssp. ladakensis Avinoff,1916, Trans. ent. Soc. Lond. 1915: 354-355, Pl.iii fig.7. Type ♀: "Shera-la (East Ladak)". Range (in code): IN Ld
- 18692. Parnassius (Koramius) acdestis lampidius Fruhstorfer,1903** (Papilionidae) Synonym(s): lampidius Fruhstorfer,1903 Range (in code): CN Ti
- 18693. Parnassius (Koramius) acdestis lathonius Bryk,1913** (Papilionidae) Synonym(s): lathonius Bryk,1913; #excelsior Eisner,1958; cerberus Kocman,1996. Original Reference: Parnassius acdestis ssp. lathonius Bryk,1913, Arch. Naturg. 79(6): 123. Syntypes: Tibet: Gyantse. Range (in code): CN Gy Ti
- 18694. Parnassius (Koramius) acdestis limitis Weiss & Michel,1989** (Papilionidae) Synonym(s): limitis Weiss & Michel,1989 Range (in code): CN Ti
- 18695. Parnassius (Koramius) acdestis lux Eisner,1969** (Papilionidae) Synonym(s): lux Eisner,1969 Range (in code): CN Ti
- 18696. Parnassius (Koramius) acdestis macdonaldi Rothschild,1918** (Papilionidae) Synonym(s): macdonaldi Rothschild,1918; #excelsior Eisner,1958. Range (in code): CN Ti Yt
- 18697. Parnassius (Koramius) acdestis martae Kawasaki & Helia,1996** (Papilionidae) Synonym(s): martae Kawasaki & Helia,1996 Range (in code): CN Sag Ti
- 18698. Parnassius (Koramius) acdestis midas Kocman,2003** (Papilionidae) Synonym(s): midas Kocman,2003 Range (in code): CN Ts
- 18699. Parnassius (Koramius) acdestis peeblesi Bryk,1932** (Papilionidae) Synonym(s): peeblesi Bryk,1932 Original Reference: Parnassius acdestis ssp. peeblesi Bryk,1932, Parnassiana 2: 19. Range (in code): CN Ti
- 18700. Parnassius (Koramius) acdestis peschkei Eisner,1933** (Papilionidae) Synonym(s): peschkei Eisner,1933 Original Reference: Parnassius acdestis ssp. peschkei Eisner,1933, Entomologist 66: 169. Holotype ♂: India: Baltistan, La Songa. Range (in code): Bt
- 18701. Parnassius (Koramius) acdestis rupshuana Avinoff,1916** (Papilionidae) Synonym(s): rupshuana Avinoff,1916 Original Reference: Parnassius acdestis ssp. rupshuana Avinoff,1916, Trans. ent. Soc. Lond. 1915: 354, Pl.iii figs.5,6. Syntypes ♂♀: "Rhupshu, Tagalang-la, 17,000-18,000 feet,vii". Range (in code): Ch Ld Rup
- 18702. Parnassius (Koramius) acdestis sugelicus Sorimachi & Morita,1993** (Papilionidae) Synonym(s): sugelicus Sorimachi & Morita,1993 Range (in code): CN SuL Ti
- 18703. Parnassius (Koramius) acdestis vogti (O.Bang-Haas,1938)** (Papilionidae) Synonym(s): vogti O.Bang-Haas,1938 Original Reference: Koramius acdestis ssp. vogti O.Bang-Haas,1938, Parnassiana 5: 58. Holotype: China: Minshan, Pullow montes. Range (in code): CN Gn Mnn

- 18704. Parnassius (Koramius) acdestis wako Kawasaki,1996** (Papilionidae) Synonym(s): *wako* Kawasaki,1996; *ekaii* Kawasaki,1996; *yanae* Huang,1998 Range (in code): **CN Kls Rut Ti**
- 18705. Parnassius (Koramius) delphius (Eversmann,1843)** (Papilionidae) Synonym(s): *delphius* Eversmann,1843 Original Reference: Doritis delphius Eversmann,1843, Bull. Soc. Nat. Moscou 16: 541, t.7, figs.1a,b. Type(s): Altai [patria falsa]; [Kazakhstan]: Dschungarischer Alatau. Range (in code): **Aa AF Ax Bc Bd Anj Bqu Bg Bik Blt Bt Ch Ci CN Dj Drw Fe Ga Gg Hk Hp Hu IN Ju Kbb KG KK Kml Ku KuA Ld Msg Na Nks Nmg NrK PK Pm Prg Sdh Sem Shg Slt Spi Sry TeA TJ Tk Tkl Tls TrA T-S Ui UZ Ys Ik DsA Sus** Bionomy: Cysticorydalis fedtschenkoana (Kreuzberg,1984); Corydalis gortschakovii (Anziferov,1986).
- 18706. Parnassius (Koramius) delphius abramovi O.Bang-Haas,1915** (Papilionidae) Synonym(s): *abramovi* O.Bang-Haas,1915; *sobolewski* Avinov,1916. Original Reference: Parnassius delphius var. abramovi O.Bang-Haas,1915, Dt. ent. Z., Iris 29: 97, 164, Taf.5 fig.18. Syntypes: [China: Uighur A.R.]: Kwen Lun mont. bei Schahidulla, südwestl. Chotan. Range (in code): **CN Sdh Ui Cho**
- 18707. Parnassius (Koramius) delphius affinis Peschke & Eisner,1934** (Papilionidae) Synonym(s): *affinis* Peschke & Eisner,1934 Original Reference: Parnassius delphius ssp. affinis Peschke & Eisner,1934, Parnassiana 3: 40. Holotype ♂: [Pakistan]: Gilgit: Doubounni-montes. Range (in code): **Ch Gg PK**
- 18708. Parnassius (Koramius) delphius albulus Honrath,1889** (Papilionidae) Synonym(s): *albulus* Honr.,1889; *delphinus* Gr-Gr.,1890; *tancrei* Aust.,1910; *barteli* Aust.,1911; *aurelia* Aust.,1912; *juldussica*, *candidatus*, *constans*, *karaschahrica* B.-H.,1915; *sobolevskyi* Av.,1916; *hamiensis* B.-H.,1927; *mephisto* Her.,1931; *menander* Hemm.,1934; *#olgae* Krbg.,1987. Original Reference: Parnassius delphius var. albulus Honrath,1889, Berl. ent. Z. 33: 161. Syntypes: "Alai, östl. Osch" [patria falsa]; [Uighur A.R.: Tengri Tagh]. Range (in code): **Aa Bc CN Dj Ju KG KK Kml Ku Na Sem Tk T-S Ui Sdh KuA TrA Ik TeA Ket** Bionomy: Cysticorydalis fedtschenkoana, Corydalis gortschakovii (Lukhtanov & Lukhtanov,1994).
- 18709. Parnassius (Koramius) delphius cardinalina Avinoff,1916** (Papilionidae) Synonym(s): *#cardinalina* Avinoff,1916 Original Reference: Parnassius delphius ab. cardinalina Avinoff,1916, Trans. ent. Soc. Lond. 1915: 356, Pl.iii fig.3 [infrasubspecific name!]. Range (in code): **Ch**
- 18710. Parnassius (Koramius) delphius cardinalis Groum-Grshimailo,1887** (Papilionidae) Synonym(s): *cardinalis* Groum-Grshimailo,1887 Range (in code): **UZ**
- 18711. Parnassius (Koramius) delphius chitralica Avinoff,1912** (Papilionidae) Synonym(s): *#chitralica* Verity,[1911]; *chitralica* Avinoff,1912; *chitralensis* Avinoff,1916 *nec* Moore,1902; *chitralica* Bollow,1922. Original Reference: Parnassius delphius ssp. chitralica Avinoff,1912 [nec Verity,[1911], Horae Soc. ent. ross. 40 (5): 17. Type(s): [Pakistan]: "Chandur" [Shandur Pass]. Range (in code): **Bg Ci Gg Hu Msg Ys**
- 18712. Parnassius (Koramius) delphius cretatus Sheljuzhko,1914** (Papilionidae) Synonym(s): *cretatus* Sheljuzhko,1914 Original Reference: Parnassius delphius ssp. cretatus Sheljuzhko,1914, Dt. ent. Z., Iris 26: 18-19, fig.1. Type ♀: [Tadjikistan]: Pamir centr. Range (in code): **TJ Pm**
- 18713. Parnassius (Koramius) delphius darvasicus Avinoff,1916** (Papilionidae) Synonym(s): *darvasicus* Avinoff,1916 Original Reference: Parnassius delphius ssp. darvasica Avinoff,1916, Trans. ent. Soc. Lond. 1915: 358, Pl.liv, fig.3. Type ♀: [Uzbekistan]: "Darvas (Buchar)". Range (in code): **Drw TJ UZ**
- 18714. Parnassius (Koramius) delphius delphius (Eversmann,1843)** (Papilionidae) Synonym(s): *delphius* Eversmann,1843 Original Reference: Doritis delphius Eversmann,1843, Bull. Soc. Nat. Moscou 16: 541, t.7, figs.1a,b. Type(s): Altai [patria falsa]; [Kazakhstan]: Dschungarischer Alatau. Range (in code): **KG Tk T-S DsA**
- 18715. Parnassius (Koramius) delphius djamila (Eisner & Naumann,1980)** (Papilionidae) Synonym(s): *djamila* Eisner & Naumann,1980 Original Reference: Koramius delphius ssp. djamila Eisner & Naumann,1980, Zool. Verh. 178: 22, Taf.8 Abb.18. Holotype ♂: Afghanistan: Prov. Badakhshan 15km NE Baharak, Kotal-e-Zardeu, Darr-e-Hazar-Tshashma, 3100m. Range (in code): **AF Bd**
- 18716. Parnassius (Koramius) delphius dolabella Fruhstorfer,1904** (Papilionidae) Synonym(s): *dolabella* Fruhstorfer,1904 Original Reference: Parnassius delphius ssp. dolabella

- Fruhstorfer, 1904, Ent. Z., Stuttgart 18 (8): 29-30. Syntypes 3♂: [China: Uighur A.R.]: "Kaschgar". Range (in code): **CN Ui Ga**
- 18717. Parnassius (Koramius) delphius imitator Bryk & Eisner, 1932** (Papilionidae)
Synonym(s): *imitator* Bryk & Eisner, 1932 Original Reference: Parnassius delphius ssp. imitator Bryk & Eisner, 1932, Parnassiana 2: 105. Holotype ♀: [Tadjikistan]: Pamir: Beik Pass. Range (in code): **Bik CN Pm Sry TJ Ui**
- 18718. Parnassius (Koramius) delphius kafir Avinoff, 1916** (Papilionidae) Synonym(s): *kafir* Avinoff, 1916 Original Reference: Parnassius delphius ssp. kafir Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 357, Pl.iii figs. 8,9. Syntypes ♂♀: [Pakistan]: Chitral: "in the mountains between Kila- Drosh and Kafiristan". Range (in code): **Ci PK Nwf**
- 18719. Parnassius (Koramius) delphius kasachstanus O.Bang-Haas, 1933** (Papilionidae)
Synonym(s): *kasachstanus* O.Bang-Haas, 1933 Original Reference: Parnassius delphius ssp. kasachstanus O.Bang-Haas, 1933, Ent. Z., Frankf. a. M. 46(24): 262. Syntypes: [Kasachstan]: Talas Gebirge Range (in code): **T-S Db Fe KG Tls UZ**
- 18720. Parnassius (Koramius) delphius kohibaba Clench & Shoumatoff, 1956** (Papilionidae) Synonym(s): *kohibaba* Clench & Shoumatoff, 1956 Original Reference: Parnassius delphius ssp. kohibaba Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 179. Holotype ♂: Afghanistan: Hindukush: Koh-i-Baba Range. Range (in code): **AF Hk Kbb**
- 18721. Parnassius (Koramius) delphius mamaievi Avinoff, 1916** (Papilionidae)
Synonym(s): *#mamaievi* O.Bang-Haas, 1915 [quadriminomial!]; *mamaievi* Avinoff, 1916. Original Reference: Parnassius delphius var. mamaievi Avinoff, 1916, Trans. ent. Soc. London 1915: 357, pl.53 figs.5,6. Syntypes: [Ladak]: "Südseite des Karakorum Passes" (O.Bang-Haas, 1915: 98). Range (in code): **Ch IN Ld**
- 18722. Parnassius (Koramius) delphius namanganus Staudinger, 1886** (Papilionidae)
Synonym(s): *namanganus* Staudinger, 1886; *namanganus* Elwes, 1886. Original Reference: Parnassius delphius var. namanganus Staudinger, 1886, Stettin ent. Ztg. 47: 195. Syntypes: [Usbekistan]: Namangan. Range (in code): **T-S Ax Fe KK Nmg Tkl Tls UZ Sus** Bionomy: Cysticorydalis fedtschenkoana, Corydalis gortschakovii (Lukhtanov & Lukhtanov, 1994).
- 18723. Parnassius (Koramius) delphius noxinferus (Eisner & Naumann, 1980)** (Papilionidae) Synonym(s): *noxinferus* Eisner & Naumann, 1980 Original Reference: Koramius delphius ssp. noxinferus Eisner & Naumann, 1980, Zool. Verh. 178: 23, Taf.8 Abb.19. Holotype ♂: Afghanistan: Prov. Badakhshan: Khwahan (Darwaz), Kotal-e-Kamkhas, 3000-3500m. Range (in code): **AF Bd Drw**
- 18724. Parnassius (Koramius) delphius parangensis Eisner, 1939** (Papilionidae)
Synonym(s): *parangensis* Eisner, 1939 Range (in code): **IN Prg Spi**
- 18725. Parnassius (Koramius) delphius pontifex (Bryk & Eisner, 1932)** (Papilionidae)
Synonym(s): *pontifex* Bryk & Eisner, 1932 Original Reference: Koramius delphius ssp. pontifex Bryk & Eisner, 1932, Parnassiana 2: 42. Holotype ♀: Dschebogly-Gebirge: Kaindy-Pass. Range (in code): **KK TJ**
- 18726. Parnassius (Koramius) delphius shigarensis O.Bang-Haas, 1935** (Papilionidae)
Synonym(s): *shigarensis* O.Bang-Haas, 1935 Original Reference: Parnassius delphius ssp. shigarensis O.Bang-Haas, 1935, Ent. Z., Frankf. a. M. 49: 111. Holotype ♂: [Pakistan]: Baltistan: n.ö. von Shigar, Baltoro-montes. Range (in code): **Blt Bt Shg**
- 18727. Parnassius (Koramius) delphius workmani Avinoff, 1916** (Papilionidae)
Synonym(s): *workmani* Avinoff, 1916 Original Reference: Parnassius delphius ssp. workmani Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 357. Holotype ♀: [Pakistan]: "Near the Saltoro Glacier in Baltistan". Range (in code): **Bt SlT PK**
- 18728. Parnassius (Koramius) jacobsoni Avinoff, 1913** (Papilionidae) Synonym(s): *jacobsoni* Avinoff, 1913 Original Reference: Parnassius delphius ssp. jacobsoni Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 20, Pl.ii figs. 8,9. Syntypes ♂♀: [Tadjikistan]: "Pamiro centrali" Zentral Pamir: Pshart Pass, Kisil-jar, Pamirski Post. Range (in code): **Pm TJ AF Bd Hk Slg Nks**
- 18729. Parnassius (Koramius) jacobsoni jacobsoni Avinoff, 1913** (Papilionidae)
Synonym(s): *jacobsoni* Avinoff, 1913 Original Reference: Parnassius delphius ssp. jacobsoni Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 20, Pl.ii figs. 8,9. Syntypes ♂♀: [Tadjikistan]: "Pamiro centrali" Zentral Pamir: Pshart Pass, Kisil-jar, Pamirski Post. Range (in code): **Pm TJ**

- 18730. Parnassius (Koramius) jacobsoni micha (Eisner,1975)** (Papilionidae) Synonym(s): *micha* Eisner,1975 Original Reference: Koramius delphius ssp. micha Eisner,1975, Zool. Meded. 49(8): 82-83, fig. Holotype ♂: [Afghanistan]: Salang-Pass. Range (in code): **AF Hk Slg**
- 18731. Parnassius (Koramius) jacobsoni ruth Kotzsch,1936** (Papilionidae) Synonym(s): *ruth* Kotzsch,1936; *mogul* Wyatt,1975. Original Reference: Parnassius delphius ssp. ruth Kotzsch,1936, Parnassiana 4: 5. Holotype ♂: Afghanistan: Hindukusch or., Nuksan Pass. Range (in code): **AF Hk Nks Bd Bqu**
- 18732. Parnassius (Koramius) maximinus Staudinger,1891** (Papilionidae) Synonym(s): *maximinus* Staudinger,1891 Original Reference: Parnassius delphius var. maximinus Staudinger,1891, Dt. ent. Z., Iris 4: 158. Syntypes: Gebirge südlich Taschkent. Range (in code): **KG KK Kst Kur T-S Tas Tls Ug UZ** Bionomy: *Corydalis ledebouriana*, *C. darwasica* (Lukhtanov & Lukhtanov,1994).
- 18733. Parnassius (Koramius) maximinus legezina Bergmann,1995** (Papilionidae) Synonym(s): *legezina* Bergmann,1995 Original Reference: Parnassius maximinus ssp. legezina Bergmann,1995, Atalanta 26 (1/2): 140-141, Abb.1,2,4. Holotype ♂: Usbekistan: westl. Tian-Shan [Tengri Tagh], Kuraminski-Kette, Kamtschik-Pass, 1600-2000m (in coll. A.Bergmann). Range (in code): **UZ T-S Kur**
- 18734. Parnassius (Koramius) maximinus maximinus Staudinger,1891** (Papilionidae) Synonym(s): *maximinus* Staudinger,1891 Original Reference: Parnassius delphius var. maximinus Staudinger,1891, Dt. ent. Z., Iris 4: 158. Syntypes: Gebirge südlich Taschkent. Range (in code): **T-S KG KK Kst Tas Tls Ug UZ**
- 18735. Parnassius (Koramius) patricius Niepelt,1911** (Papilionidae) Synonym(s): *patricius* Niepelt,1911 Original Reference: Parnassius patricius Niepelt,1911, Int. ent. Z. 5 (38): 274. Syntypes 2♀: [Kirgizistan]: "Thian-schan Gebirge [Tengri Tagh], Turkestan". Range (in code): **KK Tkl T-S Na Aa KG KuA TrA Ax Au CN Sda Ui Knd Chy Iny Brk** Bionomy: *Cysticorydalis fedtschenkoana* (Kreuzberg,1984).
- 18736. Parnassius (Koramius) patricius exclamationis Avinoff,1921** (Papilionidae) Synonym(s): *exclamationis* Avinoff,1921 Original Reference: Parnassius accestis ssp. ab. exclamationis Avinoff,1921, [in] Oberthür, Etüd. lepid. comp. 19(2): 56,58,68,196, Pl.548, figs.4633-4634. Type ♂: [China: Uighur A.R.]: Musart Pass. Range (in code): **T-S CN Muz Ui**
- 18737. Parnassius (Koramius) patricius kardakovi Bryk & Eisner,1930** (Papilionidae) Synonym(s): *kardakovi* Bryk & Eisner,1930 Original Reference: Parnassius patricius ssp. kardakovi Bryk & Eisner,1930, Mitt. dt. ent. Ges. 1: 8, figs.1,2. Syntypes ♂♀: [Kirgizistan]: Kungei-Ala-Tau, 3200-3700m. Range (in code): **T-S Aa KG KK KuA TrA** Bionomy: *Cysticorydalis fedtschenkoana* (Lukhtanov & Lukhtanov,1994).
- 18738. Parnassius (Koramius) patricius luedwigi Kreuzberg,1989** (Papilionidae) Synonym(s): *luedwigi* Kreuzberg,1989 Original Reference: Parnassius patricius ssp. luedwigi Kreuzberg,1989, Vestn. zool. 1989 (6): 37, fig.6. Holotype ♂: [Kirgizistan]: KirghizSSR: Chatkal mountain range, Mamek Pass, 3600m. Range (in code): **KK Tls Tkl T-S** Bionomy: *Cysticorydalis fedtschenkoana* (Lukhtanov & Lukhtanov,1994).
- 18739. Parnassius (Koramius) patricius lukhtanovi Rose,1992** (Papilionidae) Synonym(s): *lukhtanovi* Rose,1992 Original Reference: Parnassius patricius ssp. lukhtanovi Rose,1992, Atalanta 23 (1/2): 120, Taf.5 figs.1-4. Holotype ♂: kasachstan: Narynkol Gebiet, Kokpak, 3600-4000m. Range (in code): **T-S KG NrK Tk**
- 18740. Parnassius (Koramius) patricius patricius Niepelt,1913** (Papilionidae) Synonym(s): *patricius* Niepelt,1911 Original Reference: Parnassius patricius Niepelt,1911, Int. ent. Z. 5 (38): 274. Syntypes 2♀: [Kirgizistan]: "Thian-schan Gebirge [Tengri Tagh], Turkestan". Range (in code): **KK Na T-S**
- 18741. Parnassius (Koramius) patricius priamus Bryk,1914** (Papilionidae) Synonym(s): *priamus* Bryk,1914 Original Reference: Parnassius patricius priamus Bryk,1914, Societas Ent. 29: 18. Syntypes ♂♀: [China: Uighur A.R.]: Aksu-Tal, Chantengri. Range (in code): **Au CN KK Sda Ui T-S Knd Chy Iny Brk**
- 18742. Parnassius (Koramius) patricius uzyngyrus Weiss,1979** (Papilionidae) Synonym(s): *uzyngyrus* Weiss,1979; *haugumensis* Eisner,1979. Original Reference: Parnassius patricius ssp. uzyngyrus Weiss,1979, Atalanta 10(1): 77-80. Holotype ♂: Kirgizistan: Uzungyr Mts. Range (in code): **T-S Ax KK** Bionomy: *Cysticorydalis fedtschenkoana* (Lukhtanov & Lukhtanov,1994).

- 18743. *Parnassius (Koramius) staudingeri* A.Bang-Haas, 1882** (Papilionidae) Synonym(s): *staudingeri* A.Bang-Haas, 1882 Original Reference: *Parnassius staudingeri* A.Bang-Haas, 1882, Berl. ent. Z. 26(1): 163-164, pl.2 figs.7,8. Syntypes: [Usbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand. Range (in code): **T-S CN H-S M-A Pm TJ Ui UZ Z-G AF Bd** Bionomy: *Cysticorydalis fedtschenkoana*, *Corydalis onobrychis* (Kreuzberg, 1987).
- 18744. *Parnassius (Koramius) staudingeri difficilis* Murzin, 1989** (Papilionidae) Synonym(s): *difficilis* Murzin, 1989 Range (in code): **UZ**
- 18745. *Parnassius (Koramius) staudingeri dunkeldykus* Sotshivko & Kaabak, 1996** (Papilionidae) Synonym(s): *dunkeldykus* Sotshivko & Kaabak, 1996 Original Reference: *Parnassius staudingeri* ssp. *dunkeldykus* Sotshivko & Kaabak, 1996, Atalanta 27 (1/2): 199-201, figs. Holotype ♂: Tadjikistan: South-East Pamir, Western spurs of Sarykolsky Mts. Dunkeldyk lake 4300m. (in coll. Sotshivko). Range (in code): **TJ Pm**
- 18746. *Parnassius (Koramius) staudingeri hissaricus* (Eisner, 1968)** (Papilionidae) Synonym(s): *hissaricus* Eisner, 1968; *tzvetaevi* Stshetkin, 1977. Original Reference: *Koramius staudingeri* ssp. *hissaricus* Eisner, 1968, Zool. Meded. 43(2): 13, figs. Range (in code): **UZ Z-G TJ**
- 18747. *Parnassius (Koramius) staudingeri hodja* O.Bang-Haas, 1915** (Papilionidae) Synonym(s): *#hodja* Avinov, 1913; *hodja* O.Bang-Haas, 1915 Original Reference: *Parnassius delphius* var. *hodja* O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 164. Syntypes: Buchara: Hodja-Barku, südl. Liangar-Mourda-Passes; Tuptschek Moräne [*hodja* was proposed by Avinov, 1913 as quadrinomial name; therefore unavailable!]. Range (in code): **AF TJ**
- 18748. *Parnassius (Koramius) staudingeri inaccessibilis* Stshetkin, 1979** (Papilionidae) Synonym(s): *valentinae* Stshetkin, 1977 nec Shelj., 1943; *inaccessibilis* Stshetkin, 1979. Range (in code): **Pm TJ**
- 18749. *Parnassius (Koramius) staudingeri maximiliani* Heinkele, 2000** (Papilionidae) Synonym(s): *maximiliani* Heinkele, 2000 Original Reference: *Parnassius staudingeri* ssp. *maximiliani* Heinkele, 2000, Galathea 16 (2): 64-68, Abb. Holotype ♂: Afghanistan: Mt Yamak, Anjuman Pass, 3500-4000m (ZSM). Range (in code): **AF Bd**
- 18750. *Parnassius (Koramius) staudingeri mustagata* Rose, 1990** (Papilionidae) Synonym(s): *mustagata* Rose, 1990 Original Reference: *Parnassius staudingeri* ssp. *mustagata* Rose, 1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 152, Abb. Holotype ♂: China: Xinjiang [Uighur A.R.]: Pamir/Karakul, 4000-4500m. (in coll. Rose). Range (in code): **T-S CN M-A Ui**
- 18751. *Parnassius (Koramius) staudingeri staudingeri* A.Bang-Haas, 1882** (Papilionidae) Synonym(s): *staudingeri* A.Bang-Haas, 1882 Original Reference: *Parnassius staudingeri* A.Bang-Haas, 1882, Berl. ent. Z. 26(1): 163-164, pl.2 figs.7,8. Syntypes: [Usbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand. Range (in code): **H-S UZ TJ**
- 18752. *Parnassius (Koramius) stenosemus* Honrath, 1890** (Papilionidae) Synonym(s): *stenosemus* Honrath, 1890 Original Reference: *Parnassius delphius* var. *stenosemus* Honrath, 1890, Ent. Nachr. 16: 127. Syntypes: [India]: N.W. Himalaya: Kuti Paß, ? Dalhousie, 5100m. Range (in code): **Hp Ld**
- 18753. *Parnassius (Koramius) stenosemus stenosemus* Honrath, 1890** (Papilionidae) Synonym(s): *stenosemus* Honrath, 1890 Original Reference: *Parnassius delphius* var. *stenosemus* Honrath, 1890, Ent. Nachr. 16: 127. Syntypes: [India]: N.W. Himalaya: Kuti Paß, ? Dalhousie, 5100m. Range (in code): **Hp Ld**
- 18754. *Parnassius (Koramius) stoliczkanus* C.Felder & R.Felder, [1865]** (Papilionidae) Synonym(s): *stoliczkanus* C.Felder & R.Felder, [1865]; *zanskarica* O.Bang-Haas, 1934. Original Reference: *Parnassius stoliczkanus* C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 138; (3): Taf.69, figs. 2,3 [1867]. Syntypes: Ladak, Prov. Rupshu pr. Narka (leg. Dr. Stoliczka). Range (in code): **TuT Spi Cls Asr Gg Ys Bzl AF Ch Hp IN Ld PK Zo P-P Gg Nu Bd Anj**
- 18755. *Parnassius (Koramius) stoliczkanus atkinsoni* (Moore, 1902)** (Papilionidae) Synonym(s): *atkinsoni* Moore, 1902 Original Reference: *Koramius atkinsoni* Moore, 1902, Lepid. Ind.: 121, pl.412 fig.2. Syntypes: Kashmir: Pir Panjal. Range (in code): **P-P Ch Hp IN**
- 18756. *Parnassius (Koramius) stoliczkanus beate* Eisner, 1939** (Papilionidae) Synonym(s): *beate* Eisner, 1939 Original Reference: *Parnassius delphius* ssp. *beate* Eisner, 1939, Parnassiana 6: 42. Holotype ♂: Cashmir: Chalsi, Tachmachig Pass. Range (in code): **PK Gg AF Nu Bd Anj Ch IN Ld**
- 18757. *Parnassius (Koramius) stoliczkanus florenciae* Tytler, 1926** (Papilionidae) Synonym(s): *florenciae* Tytler, 1926; *kumaonensis* Riley, 1926; *#florenciae* O.Bang-Haas, 1927. Original

- Reference: *Parnassius stoliczkanus* ssp. *florenciae* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl.4 fig.9. Type ♂: [India]: Hundes (north of Tehri Garhwal). Range (in code): IN Teh
- 18758. *Parnassius (Koramius) stoliczkanus gracilis* Bryk & Eisner, 1932** (Papilionidae)
Synonym(s): *gracilis* Bryk & Eisner, 1932 Original Reference: *Parnassius stoliczkanus* ssp. *gracilis* Bryk & Eisner, 1932, Parnassiana 2: 23. Holotype ♀: India: Kangra, Rohtang Pass. Range (in code): Hp IN
- 18759. *Parnassius (Koramius) stoliczkanus nicevillei* Avinoff, 1916** (Papilionidae)
Synonym(s): *nicevillei* Avinoff, 1916 Original Reference: *Parnassius delphius* ssp. *nicevillei* Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 355-356, Pl.iii figs.1,2. Syntypes ♂♀: [Pakistan]: "Burzil Pass, Kashmir". Range (in code): Ch Bzl PK
- 18760. *Parnassius (Koramius) stoliczkanus rileyi* Tytler, 1926** (Papilionidae) Synonym(s): *rileyi* Tytler, 1926; *tytlerianus* Eisner & Bryk, 1934. Original Reference: *Parnassius* (s.str.) *delphius* ssp. *rileyi* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl.4 figs.6,7. Syntypes: [Pakistan]: Rupal valley, Astor, Farsat Pass (leading into Chilas). Range (in code): Ch PK Cls Asr Gg Ys
- 18761. *Parnassius (Koramius) stoliczkanus spitiensis* O.Bang-Haas, 1927** (Papilionidae)
Synonym(s): *spitiensis* O.Bang-Haas, 1927 Original Reference: *Parnassius stoliczkanus* ssp. *spitiensis* O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 33, pl.4 figs.17, 18. Syntypes ♂♀: [India]: Spiti: Tum Tum Thang Mont., nordwestl. von Pu (=Poo), nördl. des Sutley Flusses, Juli 5000m. Range (in code): IN Spi TuT
- 18762. *Parnassius (Koramius) stoliczkanus stoliczkanus* C.Felder & R.Felder, [1865]** (Papilionidae) Synonym(s): *stoliczkanus* C.Felder & R.Felder, [1865]; *zanskarica* O.Bang-Haas, 1934. Original Reference: *Parnassius stoliczkanus* C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 138; (3): Taf.69, figs. 2,3 [1867]. Syntypes: Ladak, Prov. Rupshu pr. Narka (leg. Dr. Stoliczka). Range (in code): AF Ch Ld IN PK
- 18763. *Parnassius (Koramius) stoliczkanus tenuis* Bryk & Eisner, 1932** (Papilionidae)
Synonym(s): *tenuis* Bryk & Eisner, 1932 Range (in code): Ld
- 18764. *Parnassius (Koramius) stoliczkanus thomas* Eisner, 1939** (Papilionidae)
Synonym(s): *thomas* Eisner, 1939 Original Reference: *Parnassius stoliczkanus* ssp. *thomas* Eisner, 1939, Parnassiana 6: 43. Holotype ♂: Cashmir: Karakorum, Sasser Pass. Range (in code): Ch IN Ld
- 18765. *Parnassius (Koramius) stoliczkanus zogilaica* Tytler, 1926** (Papilionidae)
Synonym(s): *zogilaica* Tytler, 1926 Original Reference: *Parnassius delphius* ssp. *zogilaica* Tytler, 1926, J. Bomb. nat. Hist. Soc. 31: 251, pl.4 fig.5. Syntypes: Kashmir: Zogila Pass. Range (in code): Ch Zo Ld
- 18766. *Parnassius (Sachaia) arcticus* (Eisner, 1968)** (Papilionidae) Synonym(s): *arctica* Eisner, 1968; ? *amosovi* Korshunov, 1988 Original Reference: *Tadumia arctica* Eisner, 1968, Zool. Meded. 43: 15, Taf.1 Abb. 7,8. Holotype ♂: Russia: [Yakutia: Verkhoyansky Mts.]: "in den Bergen östl. v. Werchnosensk". Range (in code): RU Ya
- 18767. *Parnassius (Sachaia) arcticus arcticus* (Eisner, 1968)** (Papilionidae) Synonym(s): *arctica* Eisner, 1968; ? *amosovi* Korshunov, 1988 Original Reference: *Tadumia arctica* Eisner, 1968, Zool. Meded. 43: 15, Taf.1 Abb. 7,8. Holotype ♂: Russia: [Yakutia: Verkhoyansky Mts.]: "in den Bergen östl. v. Werchnosensk". Range (in code): RU Ya
- 18768. *Parnassius (Sachaia) boedromius* Püngeler, 1901** (Papilionidae) Synonym(s): *boedromius* Püngeler, 1901; *pygmaeus* A.Bang-Haas, 1910; *candida* Avinov, 1913; *#fermata* Bryk & Eisner, 1930; *#medioflavapupillata* Eisner, 1959; *#flavapupillata* Eisner, 1959. Original Reference: *Parnassius boedromius* Püngeler, 1901, Dt. ent. Z., Iris 14: 177, Pl.1 figs.3,4. Type(s): [China: Uighur A.R.]: Tian Shan [Tengri Tagh], nördl. Aksu. Range (in code): Aa Au CN Ju KG KK Sda T-S Ui Bionomy: Larva on *Lagotis integrifolia* (Kreuzberg, 1987).
- 18769. *Parnassius (Sachaia) boedromius boedromius* Püngeler, 1901** (Papilionidae)
Synonym(s): *boedromius* Püngeler, 1901; *pygmaeus* A.Bang-Haas, 1910; *candida* Avinov, 1913; *#fermata* Bryk & Eisner, 1930; *#medioflavapupillata* Eisner, 1959; *#flavapupillata* Eisner, 1959. Original Reference: *Parnassius boedromius* Püngeler, 1901, Dt. ent. Z., Iris 14: 177, Pl.1 figs.3,4. Type(s): China: Uighur A.R., Tian Shan, nördl. Aksu. Range (in code): Aa Au CN Ju KG KK Kkt Sda TeA T-S Ui Bionomy: Larva on *Lagotis integrifolia* (Lukhtanov & Lukhtanov, 1994).
- 18770. *Parnassius (Sachaia) boedromius hohlbecki* Avinoff, 1913** (Papilionidae)
Synonym(s): *hohlbecki* Avinov, 1913 Original Reference: *Parnassius boedromius* ssp. *hohlbecki*

- Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 13, Pl.ii figs.2,3. Syntypes: [Kirgizistan]: Schamschi river, Dshau-Bassar. Range (in code): **KK T-S**
- 18771. Parnassius (Sachaia) boedromius martiniheringi Bryk & Eisner, 1930** (Papilionidae) Synonym(s): *martiniheringi* Bryk & Eisner, 1930 Original Reference: Parnassius simo ssp. martiniheringi Bryk & Eisner, 1930, Parnassiana 1: 1-2. Holotype ♂: [Kirgizistan]: Kungei-Ala-Tau. Range (in code): **T-S Aa KG KK KuA TrA** Bionomy: Larva on Lagotis integrifolia (Lukhtanov & Lukhtanov, 1994).
- 18772. Parnassius (Sachaia) boedromius prasolovi Kreuzberg, 1986** (Papilionidae) Synonym(s): *prasolovi* Kreuzberg, 1986 Original Reference: Parnassius boedromius ssp. prasolovi Kreuzberg, 1986, Vestn. Zool. 1986: 86-87, fig.3. Holotype ♂: Kirgisistan: Terskei-Ala-Tau, 3200m. Range (in code): **KK TeA T-S**
- 18773. Parnassius (Sachaia) boedromius sokolovi Kreuzberg, 1989** (Papilionidae) Synonym(s): *sokolovi* Kreuzberg, 1989 Original Reference: Parnassius boedromius ssp. sokolovi Kreuzberg, 1989, Vestn. Zool. 1989 (6): 37-39, fig.7. Holotype ♂: [Kirgizistan]: Kirghiz SSR: Susamyr mountain range [östl. Talas mts.], Alabel Pass 3600m. Range (in code): **KK Tls T-S** Bionomy: Larva on Lagotis integrifolia (Lukhtanov & Lukhtanov, 1994).
- 18774. Parnassius (Sachaia) simo Gray, [1853]** (Papilionidae) Synonym(s): *simo* Gray, [1853]; *peteri* O.Bang-Haas, 1927 Original Reference: Parnassius simo Gray, [1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl.12 figs. 3,4. Syntypes: "Nepal, Tibet". According to Riley (1927) "Kumaon, sept. Chaldou" [India]. Range (in code): **Au B-B Bt Ch CN Gn Hp IN Ju KK Kma Ld Ln PK Gg Pm SI T-A Ti TJ Ts T-S Ui Cho Sdh M-A Yu Btn Sz Alt Kn** Bionomy: Larva on Lagotis globosa, L. decumbens ? (Kreuzberg, 1984).
- 18775. Parnassius (Sachaia) simo acconus Fruhstorfer, 1903** (Papilionidae) Synonym(s): *acconus* Fruhstorfer, 1903; *moelleri* Bingham, 1907; *prominentus* Kawasaki & Helia, 1996; *maedai* Sorimachi, 1997 Original Reference: Parnassius acconus Fruhstorfer, 1903, Insektenbörs. 20 (18): 148. Syntypes: Sikkim: Kambajong. Range (in code): **SI CN Ti**
- 18776. Parnassius (Sachaia) simo andreji Eisner, 1930** (Papilionidae) Synonym(s): *andreji* Eisner, 1930; *#centripuncta* Eisner, 1930; *eos* Bryk & Eisner, 1934; *albifer* Eisner, 1938; *dirschi* O.Bang-Haas, 1938; *#rhomboides* Eisner, 1959; *norikoe* Ohya, 1988; *verhulsti* Kocman, 1995; *kongfuzii* Kocman, 1996; *yayoiiae* Shinkai, 1997 Original Reference: Parnassius simo ssp. andreji Eisner, 1930, Parnassiana 1 (3): 5. Holotype ♂: China: Kansu: Süd-Tatungsche Berge. Range (in code): **CN Gn Ts Shd Nsh**
- 18777. Parnassius (Sachaia) simo avinoffi Avinoff, 1913** (Papilionidae) Synonym(s): *#avinoffi* Verity, 1911; *avinoffi* Avinoff, 1913; *tsuchiyaorm* Morita, 1997. Original Reference: Parnassius simo ssp. avinoffi Avinoff, 1913, Horae Soc. ent. ross. 40 (5): 3 (avinoffi Verity, 1911 treated here as subsp.; therefore available). Syntypes: [Tadjikistan: Pamir]: Hindukush, Beik, 5000m. Range (in code): **Bik CN Pm Sry TJ Ui M-A**
- 18778. Parnassius (Sachaia) simo bieberi Rose & Kawasaki, 1997** (Papilionidae) Synonym(s): *bieberi* Rose & Kawasaki, 1997; *bainqenerdini* Huang, 1998 Range (in code): **CN Ti**
- 18779. Parnassius (Sachaia) simo buddenbrocki O.Bang-Haas, 1938** (Papilionidae) Synonym(s): *buddenbrocki* O.Bang-Haas, 1938; *ogawai* Ohya, 1987; *teiae* Shinkai, 1996 Original Reference: Parnassius simo ssp. buddenbrocki O.Bang-Haas, 1938, Parnassiana 5: 59. Holotype ♂: China: Kansu: Minshan, Pulow montes. Range (in code): **CN Gn Mnn Sz**
- 18780. Parnassius (Sachaia) simo callianthe Sorimachi, 1991** (Papilionidae) Synonym(s): *callianthe* Sorimachi, 1991 Range (in code): **CN Ts**
- 18781. Parnassius (Sachaia) simo colosseus O.Bang-Haas, 1935** (Papilionidae) Synonym(s): *colosseus* O.Bang-Haas, 1935 Original Reference: Parnassius simo ssp. colosseus O.Bang-Haas, 1935, Ent. Z., Frankf. a. M. 49: 112. Holotype ♂: Ladak: Saltoro Mts. Range (in code): **Ld Slt IN**
- 18782. Parnassius (Sachaia) simo confusus O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *confusus* O.Bang-Haas, 1927; *#ocelloconjuncta* Bryk & Eisner, 1932. Original Reference: Parnassius simo ssp. confusus O.Bang-Haas, 1927, Horae Macrolepid. 1: 27, t.5 figs.6,7. Syntypes: ♂♀: [China: Uighur A.R.]: Karakorum sept., Schahidulla, südl. Chotan. Range (in code): **CN Sdh Ui Cho**
- 18783. Parnassius (Sachaia) simo demtchokensis Eisner, 1938** (Papilionidae) Synonym(s): *demtchokensis* Eisner, 1938 Original Reference: Parnassius simo ssp. demtchokensis Eisner, 1938, Parnassiana 5: 29. Holotype ♂: [China]: Tibet: Demtschok. Range (in code): **CN Dmk Ti**

- 18784. *Parnassius (Sachaia) simo dirschi* O.Bang-Haas,1938** (Papilionidae) Synonym(s): *dirschi* O.Bang-Haas,1938 Original Reference: *Parnassius simo* ssp. *dirschi* O.Bang-Haas,1938, *Parnassiana* 6: 21. Holotype ♂: [China]: Richthofen Gebirge. Range (in code): **CN Rth Ts**
- 18785. *Parnassius (Sachaia) simo fickleri* Geith,1996** (Papilionidae) Synonym(s): *fickleri* Geith,1996; *chikae* Mikami,1997; *tarasovi* Sorimachi,1997; *demolensis* Kawasaki,1998; *khamensis* Kocman,1999 Range (in code): **CN Ts Ti**
- 18786. *Parnassius (Sachaia) simo ganymedes* Bryk & Eisner,1932** (Papilionidae) Synonym(s): *ganymedes* Bryk & Eisner,1932; *#appendiciocellata* Peschke,1938. Original Reference: *Parnassius simo* ssp. *ganymedes* Bryk & Eisner,1932, *Parnassiana* 2: 8. Holotype ♂: Baltistan: Bura-Deosai. Range (in code): **IN Bt Deo Kbu Ld**
- 18787. *Parnassius (Sachaia) simo gylippos* Fruhstorfer,1903** (Papilionidae) Synonym(s): *gylippos* Fruhstorfer,1903 Original Reference: *Parnassius gylippos* Fruhstorfer,1903, Dt. ent. Z., Iris 16: 45. aus den Bergen nördl. Aksu, nahe dem Musart Pass (Avinoff,1913, Horae Soc. ent. ross. 40: 44). Range (in code): **T-S Au CN Muz Ui**
- 18788. *Parnassius (Sachaia) simo hilariae* Kreuzberg,1986** (Papilionidae) Synonym(s): *hilariae* Kreuzberg,1986 Original Reference: *Parnassius simo* ssp. *hilariae* Kreuzberg,1986, Vestn. Zool. 1986: 85, fig.1. Holotype ♂: Tadjikistan. Range (in code): **TJ**
- 18789. *Parnassius (Sachaia) simo hingstoni* (Bryk,1932)** (Papilionidae) Synonym(s): *hingstoni* Bryk,1932; *shishapangmanus* Kawasaki,1998 Range (in code): **CN Ti**
- 18790. *Parnassius (Sachaia) simo koslovi* Avinoff,1913** (Papilionidae) Synonym(s): *#koslovi* Verity,1911; *koslovi* Avinoff,1913; *lise* Eisner,1959; *kazuei* Sorimachi,1991; *kunlunensis* Weiss,1991; *qinghaiensis* Sorimachi & Morita,1994; *wenquanensis* Sorimachi & Morita,1994 Original Reference: *Parnassius simo* ssp. *koslovi* Avinoff,1913, Horae Soc. ent. ross. 40 (5): 2 (*kozlovi* Verity,1911 treated here as subsp.; therefore availably). Syntypes: China: Amdo. Range (in code): **Amd CN Ts Ti Ui Kn**
- 18791. *Parnassius (Sachaia) simo lanaki* Bryk & Eisner,1932** (Papilionidae) Synonym(s): *lanaki* Bryk & Eisner,1932 Original Reference: *Parnassius simo* ssp. *lanaki* Bryk & Eisner,1932, *Parnassiana* 2: 25. Holotype ♂: [China]: Tibet: Lanak-La, 5400m. Range (in code): **CN Lnk Ti**
- 18792. *Parnassius (Sachaia) simo lenzi* (Bryk,1943)** (Papilionidae) Synonym(s): *lenzi* Bryk,1943; *kangtinsis* Sorimachi,1991 Range (in code): **CN Yu Btn Sz**
- 18793. *Parnassius (Sachaia) simo lorimeri* Tytler,1926** (Papilionidae) Synonym(s): *lorimeri* Tytler,1926 Original Reference: *Parnassius simo* ssp. *lorimeri* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 252, Pl.4 fig.10. Syntypes: 1♂ 1♀: [Pakistan]: Gilgit, Kine Chish Pass, südwest. Gilgit, 14000ft. Range (in code): **Ch Gg PK**
- 18794. *Parnassius (Sachaia) simo miroku* Inaoka & Shinkai,1994** (Papilionidae) Synonym(s): *miroku* Inaoka & Shinkai,1994; *yoshikoe* Morita,1997; *chitulaensis* Kocman,1997; *drigungtilensis* Kocman,1999 Range (in code): **CN Ti**
- 18795. *Parnassius (Sachaia) simo nigrificatus* Kreuzberg,1986** (Papilionidae) Synonym(s): *nigrificatus* Kreuzberg,1986 Original Reference: *Parnassius simo* ssp. *nigrificatus* Kreuzberg,1986, Vestn. Zool. 1986: 86, fig.2. Holotype ♂: Tadjikistan: ... Range (in code): **TJ**
- 18796. *Parnassius (Sachaia) simo qilianshanicus* Schulte,1992** (Papilionidae) Synonym(s): *qilianshanicus* Schulte,1992; *shinkawai* Koiwaya,1995 Original Reference: *Parnassius simo* ssp. *qilianshanicus* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167-169, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Tulai-Nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. Helia (in coll. Schulte). Range (in code): **CN Gn Rth**
- 18797. *Parnassius (Sachaia) simo reinigi* Bryk,1932** (Papilionidae) Synonym(s): *reinigi* Bryk,1932
- 18798. *Parnassius (Sachaia) simo saserensis* O.Bang-Haas,1937** (Papilionidae) Synonym(s): *saserensis* O.Bang-Haas,1937 Original Reference: *Parnassius simo* ssp. *saserensis* O.Bang-Haas,1937, Ent. Z., Frankf. a. M. 51(32): 302. Syntypes 2♂: Kashmir sept., Karakorum mont., Saser Pass, 5000m. Range (in code): **Ld Ssr IN**
- 18799. *Parnassius (Sachaia) simo simillimus* Bryk & Eisner,1937** (Papilionidae) Synonym(s): *simillimus* Bryk & Eisner,1937 Original Reference: *Parnassius simo* ssp. *simillimus* Bryk & Eisner,1937, *Parnassiana* 4: 58. Holotype ♂: [China: Qinghai]: Burchan-Buddha Kette: Nomohun Pass. Range (in code): **B-B CN Ts**
- 18800. *Parnassius (Sachaia) simo simo* Gray,[1853]** (Papilionidae) Synonym(s): *simo* Gray,[1853]; *peteri* O.Bang-Haas,1927 Original Reference: *Parnassius simo* Gray,[1853], Cat. lepid.

- Ins. Br. Mus. 1: 76, Pl.12 figs. 3,4. Syntypes: "Nepal, Tibet". According to Riley (1927) "Kumaon, sept. Chaldou" [India]. Range (in code): Ch Hp IN Kma Ld Ti Cmt CN J-J
- 18801. Parnassius (Sachaia) simo simonides Austaut,1912** (Papilionidae) Synonym(s): *simonides Austaut,1912* Original Reference: Parnassius simonides Austaut,1912, Int. ent. Z. 5: 360, fig.4. Syntypes ♂♀: Ladak. Range (in code): Ld
- 18802. Parnassius (Sachaia) simo simplicatus Stichel,1907** (Papilionidae) Synonym(s): *simplicatus Stichel,1907* Original Reference: Parnassius simo var. simplicatus Stichel,1907, Genera Insectorum 58: 43. Syntypes ♂♀: [China: Uighur A.R.]: Altyn Dag, südl. Lob Noor. Range (in code): Alt CN SuD Ui
- 18803. Parnassius (Sachaia) simo tawuensis Kocman,2003** (Papilionidae) Synonym(s): *tawuensis Kocman,2003* Range (in code): CN Ts
- 18804. Parnassius (Sachaia) simo yunnanensis Kawasaki,1998** (Papilionidae) Synonym(s): *yunnanensis Kawasaki,1998; wardi Mikami,1998* Range (in code): CN Yu
- 18805. Parnassius (Sachaia) simo zarraensis O.Bang-Haas,1934** (Papilionidae) Synonym(s): *zarraensis O.Bang-Haas,1934* Original Reference: Parnassius simo ssp. zarraensis O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 152. Syntypes ♂♀: Ladak: Tagalang-La, Zarra, 5000m. Range (in code): Ch Ld Tgl Zar
- 18806. Parnassius (Sachaia) simonius Staudinger,1889** (Papilionidae) Synonym(s): *simonius Staudinger,1889* Original Reference: Parnassius simo var. simonius Staudinger,1889, Stettin ent. Ztg. 50: 16-18. Syntypes: [Kirgizistan]: Pamir Gebiet (Oder Transalai?). Range (in code): T-S Au CN Fe KK Ln Pm T-A Ui UZ Bionomy: Veronica luetkeana, Lagotis decumbens ? (Kaabak et al., 1997).
- 18807. Parnassius (Sachaia) simonius grayi Avinoff,1916** (Papilionidae) Synonym(s): *grayi Avinoff,1916* Original Reference: Parnassius simo ssp. grayi Avinoff,1916, Trans. ent. Soc. Lond. 1915: 358-359, pl.liv fig.6. Syntypes 2♂: "north-western slopes of the Alai Mountains near Jengisbai". Range (in code): KK Al T-S
- 18808. Parnassius (Sachaia) simonius shuvalorum Kreuzberg & Pljustsh,1992** (Papilionidae) Synonym(s): *shuvalorum Kreuzberg & Pljustsh,1992* Original Reference: Parnassius simonius ssp. shuvalorum Kreuzberg & Pljustsh,1992, Vestn. Zool. 199: 79, figs. Holotype ♂: Kirgizistan: Alai Mountains, 3900m. Range (in code): Al KK T-S
- 18809. Parnassius (Sachaia) simonius simonius Staudinger,1889** (Papilionidae) Synonym(s): *simonius Staudinger,1889* Original Reference: Parnassius simo var. simonius Staudinger,1889, Stettin ent. Ztg. 50: 16-18. Syntypes: [Kirgizistan]: Pamir Gebiet (Oder Transalai?). Range (in code): KK Pm T-S T-A
- 18810. Parnassius (Sachaia) simonius simulator Staudinger,1889** (Papilionidae) Synonym(s): *simulator Staudinger,1889; #subdiaphana Verity,1907; #nigroinspersa Verity,1907.* Original Reference: Parnassius simo var. simulator Staudinger,1889, Stettin ent. Ztg. 50: 18-19. Syntypes 6♂ 2♀: [Kirgizistan]: In einem Gebirge südlich von Issyk-Kul. Range (in code): Au CN Ik KK Kyz Ln Pm TJ Ui T-S
- 18811. Parnassius (Sachaia) simonius taldicus Gundorov,1991** (Papilionidae) Synonym(s): *taldicus Gundorov,1991* Range (in code): KK T-S
- 18812. Parnassius (Sachaia) tenedius Eversmann,1851** (Papilionidae) Synonym(s): *tenedius Eversmann,1851* Original Reference: Parnassius tenedius Eversmann,1851, Bull. Soc. Nat. Moscou 24 (1): 621. Type(s): Russia: "Irkoutzk". Range (in code): Am At Cn CN Ui IMn Ir MN RU Sb Sj Ts Ya Bionomy: Corydalis sibirica, C. capnoides (Gorbunov & Korshunov, 1995).
- 18813. Parnassius (Sachaia) tenedius sceptica Bryk & Eisner,1932** (Papilionidae) Synonym(s): *sceptica Bryk & Eisner,1932* Original Reference: Parnassius tenedius ssp. sceptica Bryk & Eisner,1932, Parnassiana 2: 22. Holotype ♀: Russia: Siberia: Witim. Range (in code): RU Sb
- 18814. Parnassius (Sachaia) tenedius tenedius Eversmann,1851** (Papilionidae) Synonym(s): *tenedius Eversmann,1851* Original Reference: Parnassius tenedius Eversmann,1851, Bull. Soc. Nat. Moscou 24 (1): 621. Type(s): Russia: "Irkoutzk". Range (in code): Am At RU Sj
- 18815. Parnassius (Sachaia) tenedius vulcanus Bryk & Eisner,1932** (Papilionidae) Synonym(s): *vulcanus Bryk & Eisner,1932* Original Reference: Parnassius tenedius ssp. vulcanus Bryk & Eisner,1932, Parnassiana 2: 22. Holotype ♀: Russland: Altai. Range (in code): At KG Mn RU

- 18816. *Parnassius (Tadumia) acco* Gray,[1853]** (Papilionidae) Synonym(s): *acco* Gray,[1853]
Original Reference: *Parnassius acco* Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl.12 figs. 5,6.
Range (in code): **B-B Ch CN Ui Krm IN Kma Ld Ltg NP RaL SI Ti Ts Spi TuT Nsh Gn**
- 18817. *Parnassius (Tadumia) acco acco* Gray,[1853]** (Papilionidae) Synonym(s): *acco* Gray,[1853]; *transhimalayensis* Eisner,1938; *gyanglaputsai* Huang,1998
Original Reference: *Parnassius acco* Gray,[1853], Cat. lepid. Ins. Br. Mus. 1: 76, Pl.12 figs. 5,6. Syntypes: Between Nepal and Tibet.
Range (in code): **Ch IN Kma Ld NP SI**
- 18818. *Parnassius (Tadumia) acco baileyi* South,1913** (Papilionidae) Synonym(s): *baileyi* South,1913
Original Reference: *Parnassius acco baileyi* South,1913, J. Bombay nat. Hist. Soc. 22: 362. Syntypes: Tibet mer. or.: Rama-La, 15000ft., Litang 13800ft.
Range (in code): **CN Ltg RaL Ti**
- 18819. *Parnassius (Tadumia) acco baltorana* O.Bang-Haas,1937** (Papilionidae) Synonym(s): *baltorana* O.Bang-Haas,1937
Original Reference: *Parnassius acco* ssp. *baltorana* O.Bang-Haas,1937, Ent. Z., Frankf. a. M. 51(32): 302. Type ♂: Baltistan: Baltoro Mts., Shigar.
Range (in code): **Blt Bt Shg PK**
- 18820. *Parnassius (Tadumia) acco chumurtiensis* O.Bang-Haas,1928** (Papilionidae) Synonym(s): *chumurtiensis* O.Bang-Haas,1928; *#excelsior* Eisner,1959.
Original Reference: *Parnassius acco* ssp. *chumurtiensis* O.Bang-Haas,1928, Ent. Z., Frankf. a. M. 42: 50. Holotype ♂: [China]: Tibet: Chumurti, Shilang Pass, 4800m.
Range (in code): **Brl Cmt CN IN Spi Ti**
- 18821. *Parnassius (Tadumia) acco gemmifer* Fruhstorfer,1904** (Papilionidae) Synonym(s): *gemmifer* Fruhstorfer,1904
Original Reference: *Parnassius acco* var. *gemmifer* Fruhstorfer,1904, Societas Ent. 19: 25. Type ♀: [China]: Tibet mer., Mt. Everest: Kamba-Dzong.
Range (in code): **CN KhD Ti**
- 18822. *Parnassius (Tadumia) acco hampsoni* Avinoff,1916** (Papilionidae) Synonym(s): *hampsoni* Avinoff,1916
Original Reference: *Parnassius acco* ssp. *hampsoni* Avinoff,1916, Trans. ent. Soc. Lond. 1915: 352-354, Pl.lii fig.4. Type ♂: [China: Uighur A.R.]: "Kara-Korum".
Range (in code): **Ch IN Kk Ld Ssr CN Ui Krm**
- 18823. *Parnassius (Tadumia) acco hoareauae* Hanus & Manon,2003** (Papilionidae) Synonym(s): *hoareauae* Hanus & Manon,2003
Range (in code): **CN Gn**
- 18824. *Parnassius (Tadumia) acco humboldti* Pierrat & Porion,1988** (Papilionidae) Synonym(s): *humboldti* Pierrat & Porion,1988
Original Reference: *Parnassius przewalskii* ssp. *humboldti* Pierrat & Porion,1988, Bull. Soc. Sci. Nat., Venette 59: 1-2. Holotype: [China]: Humboldt Mts.
Range (in code): **CN Nsh**
- 18825. *Parnassius (Tadumia) acco mirabilis* O.Bang-Haas,1927** (Papilionidae) Synonym(s): *mirabilis* O.Bang-Haas,1927
Original Reference: *Parnassius acco* ssp. *mirabilis* O.Bang-Haas,1927, Horae Macrolepid. 1: 24, t.4 fig.6. Type ♀: [China]: Thibet centr.: Gyantse.
Range (in code): **CN DoL Gy Ti**
- 18826. *Parnassius (Tadumia) acco przewalskii* Alpheraky,1887** (Papilionidae) Synonym(s): *przewalskii* Alpheraky,1887; *makicoae* Morita,1997
Original Reference: *Parnassius przewalskii* Alpheraky,1887, [in] Mém. Lépid. 3: 403. Syntypes: China: Amdo m. oc.
Range (in code): **B-B CN Ts Ui**
- 18827. *Parnassius (Tadumia) acco punctata* Tytler,1926** (Papilionidae) Synonym(s): *punctata* Tytler,1926
Original Reference: *Parnassius acco* ssp. *punctata* Tytler,1926, J. Bombay nat. Hist. Soc. 31: pl.5 fig.3. Type: [Ladak: eastw. Leh, Marsimik Pass, 5000m, July].
Range (in code): **Ld MaL**
- 18828. *Parnassius (Tadumia) acco pundjabensis* O.Bang-Haas,1927** (Papilionidae) Synonym(s): *pundjabensis* O.Bang-Haas,1927
Original Reference: *Parnassius acco* ssp. *pundjabensis* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 23, t.4 figs.3,4. Syntypes: [India]: Spiti or.: Tum Tum Thang mont, nördl. des Sutlej Flusses, nordw. vom Orte Pu (=Poo), 5000m.
Range (in code): **IN Spi TuT**
- 18829. *Parnassius (Tadumia) acco rosei* Schulte,1992** (Papilionidae) Synonym(s): *rosei* Schulte,1992
Original Reference: *Parnassius przewalskii* ssp. *rosei* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca.25km nördl. Caka, 4600-4800m. leg. Paulus (in coll. Schulte).
Range (in code): **CN Nsh Ts**
- 18830. *Parnassius (Tadumia) acco rothschildianus* Bryk,1931** (Papilionidae) Synonym(s): *rothschildianus* Bryk,1931
Original Reference: *Parnassius rothschildianus* Bryk,1931, Parnassiana 1 (6): 4.
Range (in code): **CN ? Ts**

- 18831. Parnassius (Tadumia) acco tagalangi O.Bang-Haas,1927** (Papilionidae)
Synonym(s): *tagalangi* O.Bang-Haas,1927 Original Reference: *Parnassius acco* ssp. *tagalangi* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 23, t.4 figs. 1,2. Syntypes ♂♀: Ladak mer.: Tagalang Pass (auch Taglang oder auch Taga-lung-la), südl. des Ortes Gya, 5000m. Range (in code): **Ld Tgl**
- 18832. Parnassius (Tadumia) acco tulaishani Schulte,1992** (Papilionidae) Synonym(s): *tulaishani* Schulte,1992 Original Reference: *Parnassius przewalskii* ssp. *tulaishani* Schulte,1992, Nachr. ent. Ver., Apollo (N.F.) 13 (2a) 166, figs. Holotype ♂: China: Gansu: NW-Qilian-Shan, Tulai-nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. helia (in coll. Schulte). Range (in code): **CN Gn Nsh**
- 18833. Parnassius (Tadumia) acco yvonne (Eisner,1959)** (Papilionidae) Synonym(s): *yvonne* Eisner,1959; *aristocratus* Kocman,1999 Original Reference: *Tadumia przewalskii* ssp. *yvonne* Eisner,1959, Zool. Meded. 36: 174. Holotype ♂: Tibet sept. or.: Wildyak Zone. Range (in code): **CN Ts**
- 18834. Parnassius (Tadumia) cephalus Groum-Grshimailo,1890** (Papilionidae) Synonym(s): *cephalus* Groum-Grshimailo,1890; *#nigricans-grundi* Eisner,1958; *#quadripicta* Bryk & Eisner,1934; *#quinquepicta* Bryk & Eisner,1934; *#nigroocellata* Bryk & Eisner,1934; *#quincunx* Eisner,1958; *#ernestinae* Eisner,1958. Original Reference: *Parnassius cephalus* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 446. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge. Range (in code): **Amd CN Tat Sng Tl Sz Ts Gn Mnn KqL LaL MyL LgL Lha SuL T-T B-B Yg KrL Y-Y Rth**
- 18835. Parnassius (Tadumia) cephalus ares Bryk & Eisner,1934** (Papilionidae) Synonym(s): *ares* Bryk & Eism.,1934; *#aperta* Bryk & Eism.,1932; *#fermata* Bryk & Eism.,1932; *#semicaeca* Bryk & Eism.,1932; *#ampliusocellata* Bryk & Eism.,1932; *#nigrociliata* Bryk & Eism.,1932; *#ocelloconjuncta* Bryk & Eism.,1932; *#tripicta* Bryk & Eism.,1932; *#cellopura* Eism.,1966 Original Reference: *Parnassius cephalus* ssp. *ares* Bryk & Eisner,1934, Parnassiana 3: 25. Holotype ♂: China: [Qinghai]: Süd-Tatungtsche Berge. Range (in code): **CN Tat Ts**
- 18836. Parnassius (Tadumia) cephalus capitalis Bryk & Eisner,1935** (Papilionidae) Synonym(s): *capitalis* Bryk & Eisner,1935 Original Reference: *Parnassius cephalus* ssp. *capitalis* Bryk & Eisner,1935, Parnassiana 3: 63. Holotype ♂: China: Szetchwan: Sunpanting. Range (in code): **CN Sz**
- 18837. Parnassius (Tadumia) cephalus cephalus Groum-Grshimailo,1890** (Papilionidae) Synonym(s): *cephalus* Groum-Grshimailo,1890; *#nigricans-grundi* Eisner,1958; *#quadripicta* Bryk & Eisner,1934; *#quinquepicta* Bryk & Eisner,1934; *#nigroocellata* Bryk & Eisner,1934; *#quincunx* Eisner,1958; *#ernestinae* Eisner,1958. Original Reference: *Parnassius cephalus* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 446. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge. Range (in code): **Amd CN Sng Ts**
- 18838. Parnassius (Tadumia) cephalus danielae Rose,1997** (Papilionidae) Synonym(s): *danielae* Rose,1997 Original Reference: *Parnassius cephalus* ssp. *danielae* Rose,1997, Nachr. ent. Ver. Apollo (N.F.) 17(4): 395, figs. Holotype ♂: China: Osttibet: Qamdo Prov., Lacki-La, 4600-4800m, nordöstl. Qamdo und südwestl. Jomda (=Gyamda) leg. Westphal (in coll. Rose). Range (in code): **CN KqL LaL MyL Ti**
- 18839. Parnassius (Tadumia) cephalus dengxiaoping Weiss & Michel,1989** (Papilionidae) Synonym(s): *dengxiaoping* Weiss & Michel,1989; *tibetana* Sorimachi & Morita,1994 *nec* Rühl,1892; *pegasos* Sorimachi,1997 Original Reference: *Parnassius cephalus* ssp. *dengxiaoping* Weiss & Michel,1989, Bull. Soc. Sci. Nat. 61: 5. Holotype ♂: Tibet: Montagnes au nord de Lhasa, 5200-5700m. Range (in code): **CN LgL Lha SuL Ti**
- 18840. Parnassius (Tadumia) cephalus dominantus Kocman,1999** (Papilionidae) Synonym(s): *dominantus* Kocman,1999 Range (in code): **CN Ts**
- 18841. Parnassius (Tadumia) cephalus eierhoffi O.Bang-Haas,1938** (Papilionidae) Synonym(s): *eierhoffi* O.Bang-Haas,1938 Original Reference: *Parnassius cephalus* ssp. *eierhoffi* O.Bang-Haas,1938, Parnassiana 6: 21. Holotyp: China: Gansu: 50km SW. von Liangtschou. Range (in code): **CN Gn**
- 18842. Parnassius (Tadumia) cephalus elwesi Leech,1893** (Papilionidae) Synonym(s): *elwesi* Leech,1893; *gehleni* Eisner,1932; *dalailama* Bryk,1934 Original Reference: *Parnassius cephalus* *elwesi* Leech,1893, Entomologist 26 (suppl.): 104. Range (in code): **CN Sz Ti T-T**
- 18843. Parnassius (Tadumia) cephalus irene Bryk & Eisner,1937** (Papilionidae) Synonym(s): *irene* Bryk & Eisner,1937 Original Reference: *Parnassius cephalus* ssp. *irene* Bryk &

- Eisner, 1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burchan-Buddha Kette, Nomohun Pass. Range (in code): B-B CN Ts
- 18844. Parnassius (Tadumia) cephalus micheli Weiss, 1992** (Papilionidae) Synonym(s): *micheli* Weiss, 1992 Range (in code): CN ShS Tgs Ti
- 18845. Parnassius (Tadumia) cephalus rileyanus Bryk, 1932** (Papilionidae) Synonym(s): *rileyanus* Bryk, 1932 Range (in code): CN ShL Ti
- 18846. Parnassius (Tadumia) cephalus ryoukoae Kawasaki, 1995** (Papilionidae) Synonym(s): *ryoukoae* Kawasaki, 1995; *yasuyukii* Inaoka, 1995; *panchenlama* Koeman, 1995 Range (in code): CN Ti Yg KrL Y-Y
- 18847. Parnassius (Tadumia) cephalus sengei O. Bang-Haas, 1938** (Papilionidae) Synonym(s): *sengei* O. Bang-Haas, 1938 Original Reference: Parnassius cephalus ssp. *sengei* O. Bang-Haas, 1938, Parnassiana 5: 58. Holotype ♂: China: Kansu: Minshan, Pulow-montes. Range (in code): CN Gn Mnn
- 18848. Parnassius (Tadumia) cephalus ssp.n.** (Papilionidae) Synonym(s): Range (in code): BdL CN MdL TaL Ti
- 18849. Parnassius (Tadumia) cephalus weissi Schulte, 1992** (Papilionidae) Synonym(s): *weissi* Schulte, 1992 Original Reference: Parnassius cephalus ssp. *weissi* Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 167, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Tulai-Nanshan, 100km südl. Jiayuguan, 3500-4300m. leg. Helia (in coll. Schulte). Range (in code): CN Gn Rth
- 18850. Parnassius (Tadumia) cephalus yamantaka Shinkai & Morita, 1995** (Papilionidae) Synonym(s): *yamantaka* Shinkai & Morita, 1995 Range (in code): CN MiL Ti
- 18851. Parnassius (Tadumia) hanningtoni Avinoff, 1916** (Papilionidae) Synonym(s): *hanningtoni* Avinoff, 1916; *liliput* Bryk Original Reference: Parnassius hanningtoni Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 351-352, Pl. lii figs. 1-3. Syntypes ♂♀: [Bhutan occ.]: "near the Chumbi valley, South Tibet". Range (in code): BT CN Ph Ti
- 18852. Parnassius (Tadumia) hanningtoni hanningtoni Avinoff, 1916** (Papilionidae) Synonym(s): *hanningtoni* Avinoff, 1916; *liliput* Bryk Original Reference: Parnassius hanningtoni Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 351, Pl. 52 figs. 1-3. Type(s): Bhutan occ.: Chumbi valley. Range (in code): BT CN Ph Ti
- 18853. Parnassius (Tadumia) hardwickei Gray, 1831** (Papilionidae) Synonym(s): *hardwickei* Gray, 1831; *pundjabensis* O. Bang-Haas, 1934 nec O. Bang-Haas, 1927. Original Reference: Parnassius hardwickei Gray, 1831, Zool. Misc. 1831: 32. Range (in code): Bt BT Ch Ci CN IN Jm Jum KhD Kma Ld NP PK SI Sml Ti Tib Zo
- 18854. Parnassius (Tadumia) hardwickei albicans Fruhstorfer, 1898** (Papilionidae) Synonym(s): *albicans* Fruhstorfer, 1898; *viridicans* Fruhstorfer, 1909. Original Reference: Parnassius hardwickei albicans Fruhstorfer, 1898, Dt. ent. Z., Iris 11: 147. Sikkim: Lochung valley, Donika Pass. Range (in code): BT CN KhD Ph SI Ti
- 18855. Parnassius (Tadumia) hardwickei baltistani O. Bang-Haas, 1934** (Papilionidae) Synonym(s): *baltistani* O. Bang-Haas, 1934 Original Reference: Parnassius hardwickei ssp. *baltistani* O. Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 8. Holotype: [Pakistan]: Baltistan: Kapalu. Range (in code): Bt Ch Ci Kpl PK
- 18856. Parnassius (Tadumia) hardwickei doubounniensis (Eisner, 1958)** (Papilionidae) Synonym(s): *doubounniensis* Eisner, 1958 Original Reference: Lingamius hardwickei ssp. *doubounniensis* Eisner, 1958, Zool. Meded. 36: 88. Holotype ♀: [Pakistan: Gilgit] Dardistan, Doubounni-montes. Range (in code): Gg
- 18857. Parnassius (Tadumia) hardwickei hardwickei Gray, 1831** (Papilionidae) Synonym(s): *hardwickei* Gray, 1831; *pundjabensis* O. Bang-Haas, 1934 nec O. Bang-Haas, 1927. Original Reference: Parnassius hardwickei Gray, 1831, Zool. Misc. 1831: 32. Range (in code): BT Ch CN IN Jm Jm Jum KhD Kma NP PK SI Sml Ti Tib Zo
- 18858. Parnassius (Tadumia) maharaja Avinoff, 1916** (Papilionidae) Synonym(s): *maharaja* Avinoff, 1916 Original Reference: Parnassius maharaja Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 353, Pl. 52 figs. 1, 2. Syntypes ♂♀: "Tagalang-la (Rupshu), 18,000ft.; vicinity of Sugetdavan (Chinese Turkestan); Dipsang plateau, 17,000 feet, in the Karakoram region". Range (in code): CN Kmr Ld Rup SuD Tgl Ui
- 18859. Parnassius (Tadumia) maharaja erici Hanus, Hanus & Manon, 1988** (Papilionidae) Synonym(s): *erici* Hanus, Hanus & Manon, 1988 Original Reference: Parnassius

- maharaja ssp. erici Hanus, Hanus & Manon, 1988, Alexanor 15(4): 209. Holotype ♂: Ladakh: Komaru-La, 5300m (in coll. Hanus). Range (in code): Kmr Ld
- 18860. Parnassius (Tadumia) maharaja maharaja Avinoff, 1916** (Papilionidae)
Synonym(s): *maharaja Avinoff, 1916* Original Reference: Parnassius maharaja Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 353, Pl. 52 figs. 1, 2. Syntypes ♂♀: "Tagalang-la (Rupshu), 18,000ft.; vicinity of Sugetdavan (Chinese Turkestan); Depsang plateau, 17,000 feet, in the Karakoram region". Range (in code): CN Ld Rup SuD Tgl Ui
- 18861. Parnassius (Tadumia) szechenyi Frivaldsky, 1886** (Papilionidae) Synonym(s): *szechenyi Frivaldsky, 1886* Original Reference: Parnassius szechenyi Frivaldsky, 1886, Termesz. Füzetek 10: 39. Type(s): China: Amdo. Range (in code): Amd CN Gn Ts
- 18862. Parnassius (Tadumia) szechenyi arnoldiana O. Bang-Haas, 1938** (Papilionidae)
Synonym(s): *arnoldiana O. Bang-Haas, 1938* Original Reference: Parnassius szechenyi ssp. arnoldiana O. Bang-Haas, 1938, Parnassiana 5: 57. Holotype: China: Kansu: Minshan, Pulow Mts. Range (in code): CN Gn Mnn
- 18863. Parnassius (Tadumia) szechenyi elvi Bryk, 1938** (Papilionidae) Synonym(s): *elvi Bryk, 1938* Original Reference: Parnassius szechenyi ssp. elvi Bryk, 1938, Parnassiana 6: 3. Holotype ♂: China: Yunnan sept.: A-tun-tse. Range (in code): Ats CN Yu
- 18864. Parnassius (Tadumia) szechenyi eros Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *eros Bryk & Eisner, 1934* Original Reference: Parnassius szechenyi ssp. eros Bryk & Eisner, 1934, Parnassiana 3: 26. Holotype ♂: China: Kansu: Weynänpu. Range (in code): CN Gn
- 18865. Parnassius (Tadumia) szechenyi evacaki Schulte, 1992** (Papilionidae) Synonym(s): *evacaki Schulte, 1992* Original Reference: Parnassius szechenyi ssp. evacaki Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 172, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca. 25km nördl. Caka, 3500-4500m, leg. Paulus (in coll. Schulte). Range (in code): CN Ts
- 18866. Parnassius (Tadumia) szechenyi fenzeli Bryk, 1938** (Papilionidae) Synonym(s): *fenzeli Bryk, 1938* Original Reference: Parnassius szechenyi ssp. fenzeli Bryk, 1938, Parnassiana 6: 4. Holotype ♂: China: Qinghai: Rini-Keka Pass. Range (in code): CN Ts
- 18867. Parnassius (Tadumia) szechenyi frivaldskyi O. Bang-Haas, 1928** (Papilionidae)
Synonym(s): *frivaldskyi O. Bang-Haas, 1928* Original Reference: Parnassius szechenyi ssp. frivaldskyi O. Bang-Haas, 1928 Range (in code): CN Rth
- 18868. Parnassius (Tadumia) szechenyi germanae Austaut, 1907** (Papilionidae)
Synonym(s): *germanae Austaut, 1907* Original Reference: Parnassius szechenyi germanae Austaut, 1907, Ent. Z., Guben 20: 66. Range (in code): CN Hc Sz Ts T-T
- 18869. Parnassius (Tadumia) szechenyi kansuensis Bryk & Eisner, 1931** (Papilionidae)
Synonym(s): *kansuensis Bryk & Eisner, 1931; #tripicta Bryk & Eisner, 1931; #verorubrosmarginata Eisner, 1958; #biexcelsior Eisner, 1958* Original Reference: Parnassius szechenyi ssp. kansuensis Bryk & Eisner, 1931, Parnassiana 1 (7/8): 7. Holotype ♂: China: [Qinshai]: Tatung-montes. Range (in code): CN Tat Ts
- 18870. Parnassius (Tadumia) szechenyi katares Bryk, 1943** (Papilionidae) Synonym(s): *katares Bryk, 1943* Original Reference: Parnassius szechenyi ssp. katares Bryk, 1943, Mitt. münch. ent. Ges. 33: 31. Holotype ♂: China: Szechuan: Batang, Alpine zone. Range (in code): Btn CN Sz
- 18871. Parnassius (Tadumia) szechenyi lethe Bryk & Eisner, 1931** (Papilionidae)
Synonym(s): *lethe Bryk & Eisner, 1931* Original Reference: Parnassius szechenyi ssp. lethe Bryk & Eisner, 1931, Parnassiana 1 (7/8): 8. Holotype ♂: China: [Qinghai]: Burchan-Buddha Kette. Range (in code): B-B CN Ts
- 18872. Parnassius (Tadumia) szechenyi luminosa O. Bang-Haas, 1938** (Papilionidae)
Synonym(s): *luminosa O. Bang-Haas, 1938* Original Reference: Parnassius szechenyi ssp. luminosa O. Bang-Haas, 1938, Parnassiana 6: 21. Holotype: China: Kansu: 50km SW. Liangtschou. Range (in code): CN Gn
- 18873. Parnassius (Tadumia) szechenyi szechenyi Frivaldsky, 1886** (Papilionidae)
Synonym(s): *szechenyi Frivaldsky, 1886* Original Reference: Parnassius szechenyi Frivaldsky, 1886, Termesz. Füzetek 10: 39. Type(s): China: Amdo. Range (in code): Amd CN Ts
- 18874. Parnassius (s.str.) actius (Eversmann, 1843)** (Papilionidae) Synonym(s): *actius Eversmann, 1843; urumtschiensis Verity, [1906]; jacovlevi Korb, 1998.* Original Reference: Doritis actius Eversmann, 1843, Bull. Soc. Nat. Moscou 16: 540, Tb. 9 figs. 2a, b. Type(s): "Altai [sic]" Dshungarischer Alatau (Lukhtanov & Lukhtanov, 1994: 42). Range (in code): Ch CN KG KK PK Ui

- Cho Bc DsA Um Au Ju Pm TJ T-S Na Gg PK T-A Ax Ta Tls UZ Al AF Bd Dj Ii Aa Ket Ku KuA Sem TeA Tk TrA M-A Anj Bqu Hk Kl** **Bionomy:** Rhodiola, Sedum (Lukhtanov & Lukhtanov,1994).
- 18875. Parnassius (s.str.) actius actinobolus Staudinger,1897** (Papilionidae) **Synonym(s):** *actinobolus Staudinger,1897* **Original Reference:** *Parnassius actius* var. *actinobolus* Staudinger,1897, Dt. ent. Z., Iris 10: 347. Syntypes: [China: Uighur A.R.]: Korla. **Range (in code):** **T-S CN Ui Kl**
- 18876. Parnassius (s.str.) actius actius (Eversmann,1843)** (Papilionidae) **Synonym(s):** *actius Eversmann,1843*; *urumtschiensis Verity,[1906]*; *jacovlevi Korb,1998*. **Original Reference:** *Doritis actius* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 540, Tb.9 figs.2a,b. Type(s): "Altai [sic]" Dshungarischer Alatau (Lukhtanov & Lukhtanov,1994:42). **Range (in code):** **T-S Bc CN DsA KG Tk Ui Um**
- 18877. Parnassius (s.str.) actius ambrosius Stichel,1892** (Papilionidae) **Synonym(s):** *ambrosius Stichel,1892*; *superbus Rühl*; *#fermata Bryk & Eisner,1935*. **Range (in code):** **Au CN Ju KK Ui T-S**
- 18878. Parnassius (s.str.) actius brutus Bryk,1914** (Papilionidae) **Synonym(s):** *brutus Bryk,1914*; *brutus O.Bang-Haas,1915*. **Original Reference:** *Parnassius actius* ssp. *brutus* Bryk,1914, Int. ent. Z. 8: 40. Holotype ♂: [Tadjikistan]: Pamir: Pamirski-Post. **Range (in code):** **T-S Pm M-A CN Ui TJ**
- 18879. Parnassius (s.str.) actius caesar Groum-Grshimailo,1885** (Papilionidae) **Synonym(s):** *caesar Groum-Grshimailo,1885*; *muzaffir Elwes,1886*. **Original Reference:** *Parnassius actius* var. *caesar* Groum-Grshimailo,1885, [in] Romanoff, Mém. lépid. 2: 247. Syntypes: [Tadjikistan]: Kysyl-Art-Pass, Transalai. **Range (in code):** **KK Pm TJ T-S Kyz**
- 18880. Parnassius (s.str.) actius cassius Bryk & Eisner,1935** (Papilionidae) **Synonym(s):** *cassius Bryk & Eisner,1935* **Original Reference:** *Parnassius actius* ssp. *cassius* Bryk & Eisner,1935, *Parnassiana* 3: 74. Holotype ♂: [Kirgizistan]: Naryn. **Range (in code):** **KK Na T-S**
- 18881. Parnassius (s.str.) actius catalina Eisner & Peschke,1934** (Papilionidae) **Synonym(s):** *catalina Eisner & Peschke,1934* **Original Reference:** *Parnassius actius* ssp. *catalina* Eisner & Peschke,1934, *Parnassiana* 3(3): 41. Type: [Pakistan]: Gilgit. **Range (in code):** **Ch Gg PK**
- 18882. Parnassius (s.str.) actius cleopatra Bryk & Eisner,1935** (Papilionidae) **Synonym(s):** *cleopatra Bryk & Eisner,1935* **Original Reference:** *Parnassius actius* ssp. *cleopatra* Bryk & Eisner,1935, *Parnassiana* 3: 73. Holotype ♂: [Tadjikistan]: Trans-Alai: Kaindy Pass. **Range (in code):** **T-A TJ**
- 18883. Parnassius (s.str.) actius dubitabilis Rothschild,1918** (Papilionidae) **Synonym(s):** *#dubitabilis Verity,1911*; *dubitabilis Rothschild,1918*. **Original Reference:** *Parnassius actius dubitabilis* Rothschild,1918, Novit. zool. 25: 250 Type(s): [Kirghizistan]: Karagai-Tau (= f.dubitabilis Verity,1911 [infrasubspecific name!]). **Range (in code):** **T-S Ax KK Na Ta Tls UZ KG**
- 18884. Parnassius (s.str.) actius flora O.Bang-Haas,1915** (Papilionidae) **Synonym(s):** *flora O.Bang-Haas,1915* **Original Reference:** *Parnassius actius* var. *flora* O.Bang-Haas,1915, Dt. ent. Z., Iris 29: 94. Syntypes: [Tadjikistan]: Nord-Alai (Ispajran, 3400m). **Range (in code):** **Al KK TJ**
- 18885. Parnassius (s.str.) actius hussi Eisner & Naumann,1980** (Papilionidae) **Synonym(s):** *hussi Eisner & Naumann,1980* **Original Reference:** *Parnassius actius* ssp. *hussi* Eisner & Naumann,1980, Zool. Verh. 178: 17, Taf.8, Abb. 15. Holotype ♂: Afghanistan: Badakhshan, Großer Pamir, Issik-Tal, 4500m. **Range (in code):** **AF Bd**
- 18886. Parnassius (s.str.) actius marius Bryk & Eisner,1935** (Papilionidae) **Synonym(s):** *marius Bryk & Eisner,1935* **Original Reference:** *Parnassius actius* ssp. *marius* Bryk & Eisner,1935, *Parnassiana* 3: 73. Holotype ♂: [Kasachstan]: Dscharkent. **Range (in code):** **T-S Dj Ii KG Tk Ui Um?**
- 18887. Parnassius (s.str.) actius minutus Verity,[1911]** (Papilionidae) **Synonym(s):** *minutus Verity,[1911]*. **Original Reference:** *Parnassius actius* race *minuta* Verity,1911, Rhop. palaeart.: 313, Pl.53 f.5,6 Pl.58 f.12,13. Syntypes: [Kirghizistan]: Issyk Koul; [China: Uighur A.R.]: Juldus. **Range (in code):** **T-S Aa CN Dj Ik Ju Ket KG KK Ku KuA Sem TeA Tk TrA Ui** **Bionomy:** Rhodiola, Sedum (Lukhtanov & Lukhtanov,1994).
- 18888. Parnassius (s.str.) actius ornatus O.Bang-Haas,1915** (Papilionidae) **Synonym(s):** *ornatus O.Bang-Haas,1915*; *#tripicta O.Bang-Haas,1915*. **Original Reference:** *Parnassius actius* var. *ornatus* O.Bang-Haas,1915, Dt. ent. Z., Iris 29: 93. Syntypes ♂♀: [China: Uighur A.R.]: Chotan. **Range (in code):** **CN Ui Cho**
- 18889. Parnassius (s.str.) actius pseudobrutus Bryk & Eisner,1931** (Papilionidae) **Synonym(s):** *pseudobrutus Bryk & Eisner,1931* **Original Reference:** *Parnassius actius* ssp.

- pseudobrutus Bryk & Eisner, 1931, Parnassiana 1(6): 2. Holotype ♀: [China Uighur A.R.]: Muztagh Ata. Range (in code): T-S CN M-A Ui
- 18890. Parnassius (s.str.) actius pseudocaesar Eisner & Sheljuzhko, 1965** (Papilionidae) Synonym(s): *caesar* Staudinger, 1897 nec Groum-Grshimailo, 1885; *pseudocaesar* Eisner & Sheljuzhko, 1965 Range (in code): T-S Au CN Kl Krk Ui
- 18891. Parnassius (s.str.) actius sulla Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *sulla* Bryk & Eisner, 1935 Original Reference: Parnassius actius ssp. *sulla* Bryk & Eisner, 1935, Parnassiana 3(3): 42. Syntypes ♂♀: [Pakistan]: Chitral, Baroghil Pass. Range (in code): AF Anj Bqu Ch Hk PK
- 18892. Parnassius (s.str.) actius yelyangi O. Bang-Haas, 1934** (Papilionidae) Synonym(s): *yelyangi* Bang-Haas, 1934 Original Reference: Parnassius actius ssp. *yelyangi* O. Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 135. Syntypes: Kashmir: Zanskar, Yelyang Pass. Range (in code): Bt Ch Skd
- 18893. Parnassius (s.str.) apollo (Linnaeus, 1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus, 1758 Original Reference: Papilio apollo Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 465, nr.41. Type 1♀: Svecia (cf. Verity, 1913: 176). Range (in code): AL AT Ba Bc BG B-H BY CH CN CZ DE Dj DK ES FI FR GR HU HV IT KG MK NO PL RO RU SE At Kts Sem Si SK Sm So Sr SS Tk TR Bn Ui YU Mt Ko Tar Sau Tt Kg Pp Pw Kw Kts Um Ku T-S Cc GG Aj Aba Bku Alv Kis Bjo AM Eri IR Ab Qo Kg Pp Pw Kw Ax Bc Bkr Dj DsA Ket Kml KuA Mn MN Sem TeA Tk Tls TrA Mu Um Adu At Kuz Sli NAt Sj Om To Sb Ir Irk Teb Kc Alg Dar Arr Bionomy: Larva on Sedum ewersii, S. hybridum, S. album (Lukhtanov & Lukhtanov, 1994; Koçak,).
- 18894. Parnassius (s.str.) apollo adzharensis Sheljuzhko, 1924** (Papilionidae) Synonym(s): *adzharensis* Sheljuzhko, 1924 Original Reference: Parnassius apollo ssp. *adzharensis* Sheljuzhko, 1924, Mitt. münch. ent. Ges. 14: 49, 53. Syntypes: [Georgia]: Adzhara-Gebirge: Berge Sapilet, Arzhinet, Sesvintria. Range (in code): Cc Aj GG
- 18895. Parnassius (s.str.) apollo aizpuruae Gomez-Bustillo & Fernandez-Rubio, 1971** (Papilionidae) Synonym(s): *aizpuruae* Gomez-Bustillo & Fernandez-Rubio, 1971 Range (in code): Alv ES
- 18896. Parnassius (s.str.) apollo albanicus Bryk & Eisner, 1939** (Papilionidae) Synonym(s): *albanicus* Bryk & Eisner, 1939 Original Reference: Parnassius apollo ssp. *albanicus* Bryk & Eisner, 1939, Parnassiana 6: 34. Holotype ♂: Albanien: Tirana. Range (in code): AL
- 18897. Parnassius (s.str.) apollo alemanicus Fruhstorfer, 1922** (Papilionidae) Synonym(s): *alemanicus* Fruhstorfer, 1922 Original Reference: Parnassius apollo ssp. *alemanicus* Fruhstorfer, 1922, Ent. Anz. 2: 2. Syntypes: Deutschland: Falkenstein. Range (in code): All DE
- 18898. Parnassius (s.str.) apollo alpherakyi Krulikowsky, 1906** (Papilionidae) Synonym(s): *alpherakyi* Krulikowsky, 1906 Original Reference: Parnassius apollo var. *alpherakyi* Krulikowsky, 1906, Societas ent. 21: 49. Lectotype ♀: Russia: North Altai (cf. Lukhtanov, 1997, Atalanta 28 (1/2): 13-14, Farbtaf. I Abb.1, ex Austaut, 1889, Taf. 6 Abb. f). Range (in code): RU At Kts
- 18899. Parnassius (s.str.) apollo amphytion Fruhstorfer, 1921** (Papilionidae) Synonym(s): *amphytion* Fruhstorfer, 1921 Original Reference: Parnassius apollo ssp. *amphytion* Fruhstorfer, 1921, Ent. Anz. 1: 88. Syntypes: Bulgarien: Pirin Mts. Range (in code): BG Pi
- 18900. Parnassius (s.str.) apollo antijesuita Bryk, 1912** (Papilionidae) Synonym(s): *antijesuita* Bryk, 1912 Range (in code): FR
- 18901. Parnassius (s.str.) apollo apollo (Linnaeus, 1758)** (Papilionidae) Synonym(s): *apollo* Linnaeus, 1758 Original Reference: Papilio apollo Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 465, nr.41. Type 1♀: Svecia (cf. Verity, 1913: 176). Range (in code): SE
- 18902. Parnassius (s.str.) apollo aragonicus Bryk, 1914** (Papilionidae) Synonym(s): *aragonicus* Bryk, 1914 Original Reference: Parnassius apollo ssp. *aragonicus* Bryk, 1914, Societas Ent. 29: 28. Holotype ♂: Spanien: Alta Aragonia: Pena de Urueal. Range (in code): ES Hue
- 18903. Parnassius (s.str.) apollo ardanazi Fernandez, 1926** (Papilionidae) Synonym(s): *ardanazi* Fernandez, 1926 Range (in code): Leo ES
- 18904. Parnassius (s.str.) apollo asturiensis Pagenstecher, 1909** (Papilionidae) Synonym(s): *asturiensis* Pagenstecher, 1909 Original Reference: Parnassius apollo *asturiensis* Pagenstecher, 1909, Jb. Nassau. Ver. Naturk. 62: 207. Range (in code): Leo ES
- 18905. Parnassius (s.str.) apollo bartholomaeus Stichel, 1899** (Papilionidae) Synonym(s): *bartholomaeus* Stichel, 1899 Range (in code): Bv DE

- 18906. *Parnassius (s.str.) apollo bellinianus* Bryk,1935** (Papilionidae) Synonym(s): *bellinianus* Bryk,1935 Original Reference: *Parnassius apollo* ssp. *bellinianus* Bryk,1935, Tierreich 65: 463. Range (in code): **IT Taa**
- 18907. *Parnassius (s.str.) apollo bosniensis* Stichel,1899** (Papilionidae) Synonym(s): *bosniensis* Stichel,1899 Range (in code): **B-H**
- 18908. *Parnassius (s.str.) apollo brittingeri* Rebel & Rogenhofer,1892** (Papilionidae) Synonym(s): *brittingeri* Rebel & Rogenhofer,1892 Original Reference: *Parnassius apollo* var. *brittingeri* Rebel & Rogenhofer,1892, Jb. wien. ent. Ver. 3: 59. Range (in code): **DE**
- 18909. *Parnassius (s.str.) apollo carelius* Bryk,1911** (Papilionidae) Synonym(s): *carelius* Bryk,1911 Original Reference: *Parnassius apollo* ssp. *carelius* Bryk,1911, Berl. ent. Z. 55 (1910): 256-257, fig. Syntypes: Finnland: Karelien. Range (in code): **FI**
- 18910. *Parnassius (s.str.) apollo carpathicus* Rebel & Rogenhofer,1892** (Papilionidae) Synonym(s): *carpathicus* Rebel & Rogenhofer,1892 Original Reference: *Parnassius apollo* var. *carpathicus* Rebel & Rogenhofer,1892, Jb. wien. ent. Ver. 3: 61. Range (in code): **RO**
- 18911. *Parnassius (s.str.) apollo caucasicus* Pagenstecher,1912** (Papilionidae) Synonym(s): *caucasicus* Pagenstecher,1912; *transcaucasicus* Bryk,1914 Original Reference: *Parnassius apollo* ssp. *caucasicus* Pagenstecher,1912, Mitt. münch. ent. Ges. 2: 21. Range (in code): **Cc GG Bjo Aba Bku TR**
- 18912. *Parnassius (s.str.) apollo ciscaucasicus* Sheljuzhko,1924** (Papilionidae) Synonym(s): *ciscaucasicus* Sheljuzhko,1924 Original Reference: *Parnassius apollo* ssp. *ciscaucasicus* Sheljuzhko,1924, Mitt. münch. ent. Ges. 14: 47, 53. Syntypes: [Russia]: nördl. Vorberge der Kaukasus-Hauptkette: am Berge am Bermamyt bei Kislovodsk. Range (in code): **Teb Kis RU**
- 18913. *Parnassius (s.str.) apollo dardanus* Rebel,1913** (Papilionidae) Synonym(s): *dardanus* Rebel,1913 Original Reference: *Parnassius apollo* var. *dardanus* Rebel,1913, Annln. naturh. Wien 27: 290. Syntypes: Nord-Albanien: Zileb, Vunsaj. Range (in code): **AL MK Mt YU**
- 18914. *Parnassius (s.str.) apollo democratus* Krulikowsky,1906** (Papilionidae) Synonym(s): *democratus* Krulikowsky,1906; *moscovitus* Bryk & Eisner,1938 Original Reference: *Parnassius apollo* var. *democratus* Krulikowsky,1906, Societas Ent. 21: 49. Syntypes: Russia: Umg. Kasan. Range (in code): **RU Tt Mo**
- 18915. *Parnassius (s.str.) apollo escalarae* Rothschild,1909** (Papilionidae) Synonym(s): *escalarae* Rothschild,1909 Original Reference: *Parnassius apollo* ssp. *escalarae* Rothschild,1909, Novit. zool. 16: 9. Range (in code): **Mdr ES**
- 18916. *Parnassius (s.str.) apollo fennoscandicus* Bryk,1911** (Papilionidae) Synonym(s): *fennoscandicus* Bryk,1911 Original Reference: *Parnassius apollo* ssp. *fennoscandicus* Bryk,1911, Int. ent. Z. 5: 156. Holotype ♂: Finnland: Aland, Föglö. Range (in code): **FE**
- 18917. *Parnassius (s.str.) apollo filabricus* De Sagarra,1933** (Papilionidae) Synonym(s): *filabricus* Sagarra,1933 Range (in code): **Alm Grn ES**
- 18918. *Parnassius (s.str.) apollo finmarchicus* Rothschild,1909** (Papilionidae) Synonym(s): *finmarchicus* Rothschild,1909; *fennicus* Bryk,1911. Original Reference: *Parnassius apollo* ssp. *finmarchicus* Rothschild,1909, Novit. zool. 15 (1908): 390. Syntypes: Finland: Helsingfors. Range (in code): **FI RU**
- 18919. *Parnassius (s.str.) apollo francisci* Le Cerf,1939** (Papilionidae) Synonym(s): *francisci* Le Cerf,1939 Range (in code): **FR**
- 18920. *Parnassius (s.str.) apollo gadorensis* Rougeot & Capdeville,1969** (Papilionidae) Synonym(s): *gadorensis* Rougeot & Capdeville,1969 Range (in code): **Alm ES**
- 18921. *Parnassius (s.str.) apollo geminus* Schawerda,[1907]** (Papilionidae) Synonym(s): *geminus* Schawerda,[1907] Range (in code): **CH**
- 18922. *Parnassius (s.str.) apollo germainae* Rougeot & Capdeville,1972** (Papilionidae) Synonym(s): *germainae* Rougeot & Capdeville,1972 Range (in code): **Ter ES**
- 18923. *Parnassius (s.str.) apollo graecus* Ziegler,1901** (Papilionidae) Synonym(s): *graecus* Ziegler,1901 Original Reference: *Parnassius apollo* var. *graecus* Ziegler,1901, Berl. ent. Z. 46: (11). Syntypes: Veluchi, Pindus, Parnass, Peloponnes. Range (in code): **GR**
- 18924. *Parnassius (s.str.) apollo graslini* Oberthür,1891** (Papilionidae) Synonym(s): *graslini* Oberthür,1891; *kashtshenkoi* Sheljuzhko,1908; *levantinus* Rothschild,1909; *auerspergi* Rebel,1911; *dubius* Bryk,1912; *araraticus* Pagenstecher,1912; *anatolicus* Pagenstecher,1912; *armenicus* Pagenstecher,1912; *peroneurus* Bryk,1914; *zarathustrae* Bryk,1914; *tauricus* Bryk & Eisner,1930; *tkatshukovi* Sheljuzhko,1935; *paphlagonicus* Bryk & Eisner,1937; *kosswigi* De Lattin,1941 Original Reference: *Parnassius apollo* f. *graslini*

- Oberthür, 1891, Etüd. Ent. 14: 4, 6. Pl. III, fig. 23. Type ♀: "Becker de Turquie" [Amasya, Tokat mont.] (MHNP). Range (in code): TR Cc AM Eri Alg Dar Arr
- 18925. *Parnassius (s.str.) apollo hercegovinensis* Schawerda, 1912** (Papilionidae) Synonym(s): *hercegovinensis* Schawerda, 1912 Original Reference: *Parnassius apollo* var. *hercegovinensis* Schawerda, 1912, Verh. zool.- bot. Ges. Wien 62: (116). Syntypes: Herzegovina. Range (in code): B-H Trb Sjn
- 18926. *Parnassius (s.str.) apollo hermiston* Fruhstorfer, 1921** (Papilionidae) Synonym(s): *hermiston* Fruhstorfer, 1921 Original Reference: *Parnassius apollo* ss. *hermiston* Fruhstorfer, 1921, Ent. Anz. 1: 89. Syntypes: Balkan: [Bulgaria]: Schipka Paß. Range (in code): BG Skp
- 18927. *Parnassius (s.str.) apollo hesebolus* Nordmann, 1851** (Papilionidae) Synonym(s): *hesebolus* Nordmann, 1851 Original Reference: *Doritis apollo* var. *hesebolus* Nordmann, 1851, Bull. Soc. Moscou 24: 425. Syntypes: Mongolei. Range (in code): Ir MN RU Sb Bn
- 18928. *Parnassius (s.str.) apollo hispanicus* Oberthür, 1909** (Papilionidae) Synonym(s): *hispanicus* Oberthür, 1909 Range (in code): Gu Ter ES
- 18929. *Parnassius (s.str.) apollo laufferi* Bryk, 1923** (Papilionidae) Synonym(s): *laufferi* Bryk, 1923 Range (in code): Sor
- 18930. *Parnassius (s.str.) apollo lessei* Rougeot & Capdeville, 1968** (Papilionidae) Synonym(s): *lessei* Rougeot & Capdeville, 1968 Range (in code): Nrr ES
- 18931. *Parnassius (s.str.) apollo liburnicus* Rebel & Rogenhofer, 1892** (Papilionidae) Synonym(s): *liburnicus* Rebel & Rogenhofer, 1892 Original Reference: *Parnassius apollo* var. *liburnicus* Rebel & Rogenhofer, 1892, Jb. wien. ent. Ver. 3: 61.
- 18932. *Parnassius (s.str.) apollo limicola* Stichel, 1906** (Papilionidae) Synonym(s): *limicola* Stichel, 1906 Original Reference: *Parnassius apollo limicola* Stichel, 1906, [in] Seitz, A., Die Gross-Schmett. Erde 1: 25, Tab. 12b. Syntypes: [Russia]: Ural. Range (in code): RU Ur Ba
- 18933. *Parnassius (s.str.) apollo lioranus* Fruhstorfer, 1921** (Papilionidae) Synonym(s): *lioranus* Fruhstorfer, 1921; *arvernensis* Eisner, 1957. Original Reference: *Parnassius apollo* ssp. *lioranus* Fruhstorfer, 1921, Ent. Anz. 1: 114. Type(s): France: Cantal, Lioran. Range (in code): MCE FR
- 18934. *Parnassius (s.str.) apollo lozeræ* Pagenstecher, 1909** (Papilionidae) Synonym(s): *lozeræ* Pagenstecher, 1909; *cebennica* Le Cerf, 1913; *aqualensis* Acheray, 1937. Range (in code): FR
- 18935. *Parnassius (s.str.) apollo macedonicus* Bollow, 1931** (Papilionidae) Synonym(s): *macedonicus* Bollow, 1931 Original Reference: *Parnassius apollo macedonicus* Bollow, 1931, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 330. Syntypes: [Macedonia]: Rilski-Monastir. Range (in code): MK
- 18936. *Parnassius (s.str.) apollo manleyi* Wyatt, 1964** (Papilionidae) Synonym(s): *manleyi* Wyatt, 1964 Range (in code): Bgs Sor ES
- 18937. *Parnassius (s.str.) apollo marcianus* Pagenstecher, 1909** (Papilionidae) Synonym(s): *marcianus* Pagenstecher, 1909; *phonolithi* Bryk, 1915 Original Reference: *Parnassius apollo marcianus* Pagenstecher, 1909, Ent. Z., Stuttgart 22: 186. Syntypes: Deutschland: Baden-Württemberg: Schwarzwald. Range (in code): Bw DE
- 18938. *Parnassius (s.str.) apollo mariae* Capdeville & Rougeot, 1969** (Papilionidae) Synonym(s): *mariae* Capdeville & Rougeot, 1969 Range (in code): Alm ES
- 18939. *Parnassius (s.str.) apollo marmorarius* Belling, 1930** (Papilionidae) Synonym(s): *marmorarius* Belling, 1930 Original Reference: *Parnassius apollo marmorarius* Belling, 1930, Int. ent. Z. 24: 341. Range (in code): IT Taa
- 18940. *Parnassius (s.str.) apollo marteni* Eisner, 1956** (Papilionidae) Synonym(s): *marteni* Eisner, 1956 Original Reference: *Parnassius apollo* ssp. *marteni* Eisner, 1956, Zool. Meded. 34: 166. Holotype ♂: Spanien: Berge zwischen Burgos und Miranda. Range (in code): ES Bgs
- 18941. *Parnassius (s.str.) apollo maurilianus* Fernandez, 1926** (Papilionidae) Synonym(s): *maurilianus* Fernandez, 1926 Range (in code): Leo ES
- 18942. *Parnassius (s.str.) apollo meinhardi* Sheljuzhko, 1924** (Papilionidae) Synonym(s): *meinhardi* Sheljuzhko, 1924 Original Reference: *Parnassius apollo meinhardi* Sheljuzhko, 1924, Z. öster. Ent. Ver. 9: 57. Syntypes: Südwestsibirien. Range (in code): Sb RU KG Kg Om To Pp Pw Kw
- 18943. *Parnassius (s.str.) apollo melliculus* Stichel, 1906** (Papilionidae) Synonym(s): *melliculus* Stichel, 1906 Original Reference: *Parnassius apollo* ssp. *melliculus* Stichel, 1906, Berl. ent. Z. 51 (1): 87-88. Syntypes 2♂ 2♀: [Deutschland]: "Schwaben, Nieder-Bayern (Donauwörth,

- Regensburg), vermutlich in Schwarzwald, Franken, Ober-Pfalz, einschl. Fichtelgebirge". Range (in code): DE Bw Bv
- 18944. *Parnassius (s.str.) apollo mendolensis* Dannehl,1925** (Papilionidae) Synonym(s): *mendolensis* Dannehl,1925 Original Reference: *Parnassius apollo mendolensis* Dannehl,1925, Ent. Z., Stuttgart 39: 6. Range (in code): IT Taa
- 18945. *Parnassius (s.str.) apollo meridionalis* Pagenstecher,1909** (Papilionidae) Synonym(s): *meridionalis* Pagenstecher,1909; *sevensis* Kesenheimer,1920 Original Reference: *Parnassius apollo* var. *meridionalis* Pagenstecher,1909, Ent. Z., Stuttgart 22: 186. Syntypes: Sundgau von Maasmünster. Range (in code): F88 FR
- 18946. *Parnassius (s.str.) apollo mongolicus* Staudinger,1900** (Papilionidae) Synonym(s): *mongolicus* Staudinger,1900; *merzbacheri* Fruhstorfer,1906; *minerva* A.Bang-Haas,1910; *transiliensis* Eisner,1966. Original Reference: *Parnassius apollo* var. *mongolicus* Staudinger,1900, Dt. ent. Z., Iris 12: 332. Syntypes 11♂ 8♀: Ost Tian-Shan: [Tengri Tagh], Barkul. Range (in code): T-S Ax Bc Bkr CN Dj DsA Ket KG KK Kml KuA MN Sem TeA Tk Tls TrA Ui Um Adu Ku Bionomy: *Sedum ewersii*, S. hybridum (Lukhtanov & Lukhtanov,1994).
- 18947. *Parnassius (s.str.) apollo montanus* Stichel,1907** (Papilionidae) Synonym(s): *montanus* Stichel,1907 Original Reference: *Parnassius apollo montana* Stichel,1907, [in] Seitz, Die Gross-Schmett. Erde 1: 24. 13a. Syntypes: Süd-Tirol: Stilfserjoch-Strasse, 1860m. Range (in code): IT Taa
- 18948. *Parnassius (s.str.) apollo montebaldensis* Fruhstorfer,1923** (Papilionidae) Synonym(s): *montebaldensis* Fruhstorfer,1923 Original Reference: *Parnassius apollo* ssp. *montebaldensis* Fruhstorfer,1923, Ent. Anz. 3: 41. Syntypes: Norditalien: Monte Baldo. Range (in code): IT Taa
- 18949. *Parnassius (s.str.) apollo nevadensis* Oberthür,1891** (Papilionidae) Synonym(s): *nevadensis* Oberthür,1891 Range (in code): Grn ES
- 18950. *Parnassius (s.str.) apollo nichollae* Rougeot & Capdeville,1972** (Papilionidae) Synonym(s): *nichollae* Rougeot & Capdeville,1972 Range (in code): Ter ES
- 18951. *Parnassius (s.str.) apollo nivatus* Fruhstorfer,1906** (Papilionidae) Synonym(s): *nivatus* Fruhstorfer,1906; *salevianus* Bryk,1914; *wiskotti* Fruhstorfer,1921; *saboianus* Fruhstorfer,1923; *subvianus* Fruhstorfer,1923; *sequanus* Rüttimeyer,1943; *vercorcius* Testout,1943. Original Reference: *Parnassius apollo* ssp. *nivatus* Fruhstorfer,1906, Societas ent. 21: 138. Type(s): Schweiz: Jura: Chassertal. Range (in code): Jr CH
- 18952. *Parnassius (s.str.) apollo norvegicus* Menthe,1912** (Papilionidae) Synonym(s): *norvegicus* Menthe,1912 Range (in code): NO
- 18953. *Parnassius (s.str.) apollo odrizolae* Gomez-Bustillo & Fernandez-Rubio,1971** (Papilionidae) Synonym(s): *odrizolae* Gomez-Bustillo & Fernandez-Rubio,1971 Range (in code): Gp ES
- 18954. *Parnassius (s.str.) apollo olympiacus* Kolar & Rebel,1934** (Papilionidae) Synonym(s): *olympiacus* Kolar & Rebel,1934 Original Reference: *Parnassius apollo olympiacus* Kolar & Rebel,1934, Int. ent. Z. 28: 368. Holotype ♂: Griechenland: Olymp: Kalyvia Vrissula. Range (in code): GR
- 18955. *Parnassius (s.str.) apollo omotimoius* Fruhstorfer,1921** (Papilionidae) Synonym(s): *omotimoius* Fruhstorfer,1921 Original Reference: *Parnassius apollo* ssp. *omotimoius* Fruhstorfer,1921, Ent. Anz. 1: 87. Syntypes: Bulgaria: Sofia: Vitosch. Range (in code): BG Sof Slv
- 18956. *Parnassius (s.str.) apollo peyerimhoffi* Viette,1961** (Papilionidae) Synonym(s): *peyerimhoffi* Viette,1961 Original Reference: *Parnassius apollo* ssp. *peyerimhoffi* Viette,1961, Bull. Soc. ent. Fr. 66: 113-121. Range (in code): A-L Vs FR
- 18957. *Parnassius (s.str.) apollo pozazalensis* Gomez-Bustillo & Fernandez-Rubio,1971** (Papilionidae) Synonym(s): *pozazalensis* Gomez-Bustillo & Fernandez-Rubio,1971 Range (in code): San ES
- 18958. *Parnassius (s.str.) apollo provincialis* Kheil,1905** (Papilionidae) Synonym(s): *provincialis* Kheil,1905; *leovigildus* Fruhstorfer,1909; *australis* Testout,1943. Range (in code): Mrt Pro
- 18959. *Parnassius (s.str.) apollo pseudosibiricus* Bryk & Eisner,1938** (Papilionidae) Synonym(s): *pseudosibiricus* Bryk & Eisner,1938 Original Reference: *Parnassius apollo* ssp. *pseudosibiricus* Bryk & Eisner,1938, Parnassiana 5: 60. Holotype ♂: Russland: Sibirien: Irkutsk. Range (in code): RU Sb Irk
- 18960. *Parnassius (s.str.) apollo pyrenaicus* Harcourt Bath,1896** (Papilionidae) Synonym(s): *pyrenaicus* Harcourt Bath,1896; *chrysophorus* Fruhstorfer,1921; *portensis* Rüttimeyer,1942;

- ossalensis* Marquant, 1959 Original Reference: *Parnassius apollo pyrenaicus* Harcourt Bath, 1896, *Entomologist* 29: 331. Syntypes: France: Pyrénées centrales: Barxages, Hxas. Range (in code): **ES FR Hue Lda Py**
- 18961. *Parnassius (s.str.) apollo regius* Lukhtanov, 1997** (Papilionidae) Synonym(s): *regius* Lukhtanov, 1997 Original Reference: *Parnassius apollo* ssp. *regius* Lukhtanov, 1997, *Atalanta* 28 (1/2): 14-16, Abb.2-4. Holotype ♀: Kasachstan: Altai, Ust-Kamenogorsk-Gebiet, Syrjanovsk 450m (in Zoological Inst., St. Petersburg). Range (in code): **Mn KG**
- 18962. *Parnassius (s.str.) apollo rhodopensis* Markovic, 1910** (Papilionidae) Synonym(s): *rhodopensis* Markovic, 1910 Range (in code): **Rh BG**
- 18963. *Parnassius (s.str.) apollo rivalis* Belling, 1930** (Papilionidae) Synonym(s): *rivalis* Belling, 1930 Original Reference: *Parnassius apollo rivalis* Belling, 1930, *Int. ent. Z.* 24 (16): 191. Range (in code): **IT Taa**
- 18964. *Parnassius (s.str.) apollo rubidus* Fruhstorfer, 1906** (Papilionidae) Synonym(s): *rubidus* Fruhstorfer, 1906 Original Reference: *Parnassius apollo* ssp. *rubidus* Fruhstorfer, 1906, *Societas ent.* 21: 137. Syntypes: Südtirol: Eisacktal. Range (in code): **IT Taa**
- 18965. *Parnassius (s.str.) apollo sajoticus* Bryk, 1912** (Papilionidae) Synonym(s): *sajoticus* Bryk, 1912 Original Reference: *Parnassius apollo* ssp. *sajoticus* Bryk, 1912, *Societas Ent.* 27: 11. Holotype ♂: Russland: Sajan-Gebirge: Arasungol. Range (in code): **RU Sj**
- 18966. *Parnassius (s.str.) apollo sibiricus* (Nordmann, 1851)** (Papilionidae) Synonym(s): *sibiricus* Nordmann, 1851 Original Reference: *Doritis apollo* var. *sibirica* Nordmann, 1851, *Bull. Soc. Nat. Moscou* 24 (2): 423, Tab.11 fig.1. Syntypes: Russia: Irkutsk. Range (in code): **At Kuz Sli NAt Sj Om RU To Sb Ir Irk**
- 18967. *Parnassius (s.str.) apollo siciliae* Oberthür, 1891** (Papilionidae) Synonym(s): *siciliae* Oberthür, 1891 Range (in code): **Si IT**
- 18968. *Parnassius (s.str.) apollo suaneticus* Pachenstecher, 1910** (Papilionidae) Synonym(s): *suaneticus* Pachenstecher, 1910 Original Reference: *Parnassius apollo suaneticus* Pachenstecher, 1910, *Ent. Z., Stuttgart* 23: 159. Range (in code): **Cc GG Sva**
- 18969. *Parnassius (s.str.) apollo suevicus* Pagenstecher, 1909** (Papilionidae) Synonym(s): *suevicus* Pagenstecher, 1909; *thiemo* Fruhstorfer, 1909; *hahnei* Bryk, 1939 Original Reference: *Parnassius apollo suevicus* Pagenstecher, 1909, *Ent. Z., Stuttgart* 22: 186. Syntypes: Deutschland: Baden-Württemberg: Schwabisch. Alb. Range (in code): **Bw SwA DE**
- 18970. *Parnassius (s.str.) apollo tarbagataicus* Verity, 1911** (Papilionidae) Synonym(s): *tarbagataica* Verity, 1911 Original Reference: *Parnassius apollo* race *tarbagataica* Verity, 1911, *Rhop. palaearct.*: 307, Tab.54 fig.6. Syntypes: [Kazachstan]: "Saour, Tarbagatai or." Range (in code): **KG Mn Tar Sau**
- 18971. *Parnassius (s.str.) apollo tirabzonus* Sheljuzhko, 1924** (Papilionidae) Synonym(s): *tirabzonus* Sheljuzhko, 1924 Original Reference: *Parnassius apollo* ssp. *tirabzonus* Sheljuzhko, 1924, *Z. österr. EntVer.* 9 (8): 67-69. Syntypes 2♂ 3♀: [Turkey: Rize Prov.]: "Funduklü, Ziller-Kaja, Tshamluk" (ZMKU) (Tshikolovets, 1993: 53). Range (in code): **Cc TR**
- 18972. *Parnassius (s.str.) apollo tridentina* Dannehl, 1925** (Papilionidae) Synonym(s): *tridentina* Dannehl, 1925 Original Reference: *Parnassius apollo tridentina* Dannehl, 1925, *Ent. Z., Stuttgart* 39: 6. Range (in code): **IT Taa**
- 18973. *Parnassius (s.str.) apollo turkirakirani* Betti, 1989** (Papilionidae) Synonym(s): *turkirakirani* Betti, 1989 Original Reference: *Parnassius apollo* ssp. *turkirakirani* Betti, 1989, *Linneana Belg.* 12 (2): 69-71, figs. Holotype ♂: Hakkari Prov. Sat Dağları, 2400m (coll. Betti). Range (in code): **TR IR Ab**
- 18974. *Parnassius (s.str.) apollo valesiacus* Fruhstorfer, 1906** (Papilionidae) Synonym(s): *valesiacus* Fruhstorfer, 1906; *piedemontanus* Fruhstorfer, 1909; *substitulus* Rothschild, 1909; *valdiensis* Verity, 1911; *debilis* Fruhstorfer, 1924; *anneiensis* Testout, 1947; *buehleri* Eisner, 1956; *testoutensis* Eisner, 1957. Original Reference: *Parnassius apollo* ssp. *valesiacus* Fruhstorfer, 1906, *Societas ent.* 21: 139. Range (in code): **Aos Pmt Sav Va IT**
- 18975. *Parnassius (s.str.) apollo venaissimus* Fruhstorfer, 1921** (Papilionidae) Synonym(s): *venaissimus* Fruhstorfer, 1921; *fabrei* Rougeot, 1990 Original Reference: *Parnassius apollo* ssp. *venaissimus* Fruhstorfer, 1921, *Ent. Anz.* 1: 114. Type(s): S. Frankreich: Mt. Ventoux. Range (in code): **Dau FR**
- 18976. *Parnassius (s.str.) apollo victorialis* Fruhstorfer, 1921** (Papilionidae) Synonym(s): *victorialis* Fruhstorfer, 1921 Original Reference: *Parnassius apollo* ssp. *victorialis* Fruhstorfer, 1921, *Ent. Anz.* 1: 29; Südtirol: Trient. Range (in code): **IT Taa**

- 18977. *Parnassius (s.str.) apollo wyatti* Rougeot & Capdeville, 1968** (Papilionidae)
Synonym(s): *wyatti* Rougeot & Capdeville, 1968 Range (in code): Av
- 18978. *Parnassius (s.str.) apollonius* (Eversmann, 1847)** (Papilionidae) Synonym(s):
apollonius Eversmann, 1847 Original Reference: Doritis *apollonius* Eversmann, 1847, Bull. Soc.
Nat. Moscou 20(3): 71, Pl. 3, fig. 1, 2. Syntypes: [Kazakhstan]: Dshungarischer Alatau. Range (in
code): CN KG Ku Mn T-S Ui Kt Kw KK Al TJ Ax Ket KuA TrA Bog Dj Ii Tk Kpt Aa Ktm Ku Mn Nym Sau
Tar DsA H-S UZ Z-G Bionomy: *Pseudosedum longidentatum*, *P. lievenii* (Lukhtanov &
Lukhtanov, 1994).
- 18979. *Parnassius (s.str.) apollonius alaicus* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *alaicus* Bryk & Eisner, 1934 Original Reference: *Parnassius apollonius* ssp. *alaicus*
Bryk & Eisner, 1934, Parnassiana 3: 21. Holotype ♂: [Tadjikistan]: Alai. Range (in code): AI KK TJ
- 18980. *Parnassius (s.str.) apollonius alicae* Kreuzberg, 1989** (Papilionidae) Synonym(s):
alicae Kreuzberg, 1989 Original Reference: *Parnassius apollonius* ssp. *alicae* Kreuzberg, 1989,
Vestn. zool. 1989 (6): 34, fig. 3. Holotype ♂: Kazakhstan: Turgai Plateau, Ischim River, line of
Kustanai and Kokchetav regions. Range (in code): KG Kt Kw
- 18981. *Parnassius (s.str.) apollonius alpinus* Staudinger, 1887** (Papilionidae) Synonym(s):
alpinus Staudinger, 1887; *aulieataensis* Bryk & Eisner, 1934. Original Reference: *Parnassius apollonius*
var. *alpinus* Staudinger, 1887, Stettin ent. Ztg. 48: 49. Syntypes: [Kirgizistan]: Alexander Mts.
[Kirgisski Chrebet]. Range (in code): T-S Ax Ket KG KK KuA TrA Db UZ Bionomy: *Pseudosedum*
longidentatum (Lukhtanov & Lukhtanov, 1994).
- 18982. *Parnassius (s.str.) apollonius aphrodite* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *aphrodite* Bryk & Eisner, 1934 Original Reference: *Parnassius apollonius* ssp.
aphrodite Bryk & Eisner, 1934, Parnassiana 3: 19. Holotype ♀: [Kazakhstan]: Dsarkent
[Dsharkent]. Range (in code): T-S Bog Dj Ii KG Tk Kpt Aa Bionomy: *Pseudosedum*
longidentatum, *P. lievenii* (Lukhtanov & Lukhtanov, 1994).
- 18983. *Parnassius (s.str.) apollonius apollonius* (Eversmann, 1847)** (Papilionidae)
Synonym(s): *apollonius* Eversmann, 1847 Original Reference: Doritis *apollonius* Eversmann, 1847,
Bull. Soc. Nat. Moscou 20(3): 71, Pl. 3, fig. 1, 2. Syntypes: [Kazakhstan]: Dshungarischer Alatau.
Range (in code): T-S CN DsA KG Ktm Ku Mn Nym Sau Tar Bionomy: *Pseudosedum* sp.
(Lukhtanov & Lukhtanov, 1994).
- 18984. *Parnassius (s.str.) apollonius daubi* Fruhstorfer, 1903** (Papilionidae) Synonym(s):
daubi Fruhstorfer, 1903; *#ocelloconjuncta* Bryk & Eisner, 1934. Original Reference: *Parnassius*
apollonius daubi Fruhstorfer, 1903, Societas ent. 18: 49. Range (in code): H-S UZ Z-G
- 18985. *Parnassius (s.str.) apollonius dux* Staudinger, 1901** (Papilionidae) Synonym(s): *dux*
Staudinger, 1901 Original Reference: *Parnassius apollonius* var.? *dux* Staudinger, 1901, Cat. lepid.
palaearkt. Faunengeb. 3(1): 5, nr. 13c. (nomen novum pro princeps Gr.-Grsh., 1888 nec
Honrath, 1887) Syntypes: [Uzbekistan]: Buchara m.or. (Karategin s.or.). Range (in code): UZ TJ
- 18986. *Parnassius (s.str.) apollonius glaucopis* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *glaucopis* Bryk & Eisner, 1934 Original Reference: *Parnassius (s.str.) apollonius*
glaucopis Bryk & Eisner, 1934, Parnassiana 3: 19. Syntypes: [Kazakhstan]: Belomurun, Karatau
[Syrdajinischer Karatau]. Range (in code): KG Syr Tm Ky T-S Bionomy: *Pseudosedum*
karatavicum, *P. lievenii* (Lukhtanov & Lukhtanov, 1994).
- 18987. *Parnassius (s.str.) apollonius gloriosus* Fruhstorfer, 1903** (Papilionidae)
Synonym(s): *gloriosus* Fruhstorfer, 1903 Original Reference: *Parnassius (s.str.) apollonius*
gloriosus Fruhstorfer, 1903, Dt. ent. Z., Iris 16: 309. Range (in code): KK UZ
- 18988. *Parnassius (s.str.) apollonius horaki* Kreuzberg, 1989** (Papilionidae) Synonym(s):
horaki Kreuzberg, 1989 Original Reference: *Parnassius apollonius* ssp. *horaki* Kreuzberg, 1989,
Vestn. zool. 1989 (6): 34, fig. 4. Holotype ♂: Uzbekistan: UzbekSSR: Zeravshan mountain range,
Aman-Kutan valley, 1500m. Range (in code): UZ
- 18989. *Parnassius (s.str.) apollonius kuldschaensis* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *kuldschaensis* Bryk & Eisner, 1934 Original Reference: *Parnassius apollonius* ssp.
kuldschaensis Bryk & Eisner, 1934, Parnassiana 3: 19. Holotype ♂: [China: Uighur A.R.]: Tian-
Shan [Tengri Tagh]: Kuldscha. Range (in code): T-S CN Ku Ui
- 18990. *Parnassius (s.str.) apollonius narynus* Fruhstorfer, 1908** (Papilionidae)
Synonym(s): *narynus* Fruhstorfer, 1908; *#nigroanalis* Bryk & Eisner, 1934. Original Reference:
Parnassius apollonius ssp. *narynus* Fruhstorfer, 1908, Ent. Z. (Stuttgart) 22: 51. Type ♂:
[Kirgizistan]: Kara-gaitau: Narynj, Narynsk. Range (in code): KK Na T-S

- 18991. *Parnassius (s.str.) apollonius poseidon* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *poseidon* Bryk & Eisner, 1934 Original Reference: *Parnassius apollonius* ssp. *poseidon* Bryk & Eisner, 1934, *Parnassiana* 3: 20. Holotype ♀: [Uzbekistan]: Taschkent. Range (in code): T-S KG Kst Tas Ug UZ
- 18992. *Parnassius (s.str.) apollonius pseudoalpinus* Bryk & Eisner, 1934** (Papilionidae)
Synonym(s): *pseudoalpinus* Bryk & Eisner, 1934 Original Reference: *Parnassius apollonius* ssp. *pseudoalpinus* Bryk & Eisner, 1934, *Parnassiana* 3: 21. Holotype ♂: [Tadjikistan]: Transalai. Range (in code): TJ T-A T-S
- 18993. *Parnassius (s.str.) bremeri* Bremer, 1864** (Papilionidae) Synonym(s): *bremeri* Bremer, 1864 Original Reference: *Parnassius bremeri* Bremer, 1864, *Mém. Acad. St. Petersburg* 7, 8: 6 Pl.1 fig.3. Type(s): Russia: Amurland. Range (in code): Am CN Ui Ir KP KR Mc Pkn RU Prj Us Vv Bionomy: *Sedum aizoon*, *S. ussuriensis*, *S. ishida* (Graeser, 1888; Kurentzov, 1970); *Orostachys malacophylla* (Dantchenko & Nikolaevsky, in litt.).
- 18994. *Parnassius (s.str.) bremeri bremeri* Bremer, 1864** (Papilionidae) Synonym(s): *bremeri* Bremer, 1864 Original Reference: *Parnassius bremeri* Bremer, 1864, *Mém. Acad. St. Petersburg* 7, 8: 6 Pl.1 fig.3. Type(s): Russia: Amurland. Range (in code): Am RU Vv
- 18995. *Parnassius (s.str.) bremeri conjuncta* Staudinger, 1901** (Papilionidae) Synonym(s): *conjuncta* Staudinger, 1901; *moltrechti* Bryk, 1914 Original Reference: *Parnassius bremeri* var. *conjuncta* Staudinger, 1901, *Cat. lepid. palaearkt. Faunengeb.* 3(1): 5, nr.19b. Syntypes ♂♀: Russia: Ussuri (Sutschan). Range (in code): RU Prj Us
- 18996. *Parnassius (s.str.) bremeri graeseri* Honrath, 1885** (Papilionidae) Synonym(s): *graeseri* Honrath, 1885 Original Reference: *Parnassius bremeri graeseri* Honrath, 1885, *Berl. ent. Z.* 29: 272, Pl.8 figs.1a-c. Syntypes: Russia: Transbaikalia or., Pokrowska. Range (in code): Ir RU
- 18997. *Parnassius (s.str.) bremeri hakutozanus* Matsumura, 1927** (Papilionidae)
Synonym(s): *hakutozana* Matsumura, 1927 Original Reference: *Parnassius bremeri* ssp. *hakutozana* Matsumura, 1927, *Insecta Matsumurana* 1: 163, Pl.v fig.4,5. Syntypes 2♂ 2♀: Corea: "at the peak of Mt. Hakuto". Range (in code): KP
- 18998. *Parnassius (s.str.) bremeri jaetensis* O.Bang-Haas, 1927** (Papilionidae)
Synonym(s): *jaetensis* O.Bang-Haas, 1927 Original Reference: *Parnassius bremeri* ssp. *jaetensis* O.Bang-Haas, 1927, *Horae Macrolepid.* 1: 9, t.1 fig.6. Syntypes: [Russia]: Transbaikalia mer. Südbhang des Jablonoji (=Apfel) Gebirges., östl. Kjachta. Range (in code): Ir RU
- 18999. *Parnassius (s.str.) bremeri mandarinus* Bryk, 1913** (Papilionidae) Synonym(s): *mandarinus* Bryk, 1913 Original Reference: *Parnassius mandarinus* Bryk, 1913, *Ent. Mitt.* 3: 82. Type(s): China sept. or.: Prov. Tschili, Hoang-yongshan mt., Pekin occ. Range (in code): CN Pkn
- 19000. *Parnassius (s.str.) bremeri orotschonica* O.Bang-Haas, 1927** (Papilionidae)
Synonym(s): *orotschonica* O.Bang-Haas, 1927 Original Reference: *Parnassius bremeri* ssp. *orotschonica* O.Bang-Haas, 1927, *Horae Macrolepid.* 1: 10, t.1 figs.7-8. Syntypes: Sichotin Alin mont., Ternei und Tjutiho. Range (in code): RU
- 19001. *Parnassius (s.str.) bremeri solonensis* O.Bang-Haas, 1927** (Papilionidae)
Synonym(s): *solonensis* O.Bang-Haas, 1927 Original Reference: *Parnassius bremeri* ssp. *solonensis* O.Bang-Haas, 1927, *Horae Macrolepid.* 1: 11, t.1 fig.11-13. Syntypes: [China]: Mandschuria sept., prov. Holungkiang, Buchala, Chingan mont. sept., 1100m. Range (in code): CN Mc
- 19002. *Parnassius (s.str.) dongalaicus* Tytler, 1926** (Papilionidae) Synonym(s): *dongalaicus* Tytler, 1926
- 19003. *Parnassius (s.str.) dongalaicus dongalaicus* Tytler, 1926** (Papilionidae)
Synonym(s): *dongalaicus* Tytler, 1926
- 19004. *Parnassius (s.str.) epaphus* Oberthür, 1879** (Papilionidae) Synonym(s): *epaphus* Oberthür, 1879; *altynensis* Stichel, 1907. Original Reference: *Parnassius epaphus* Oberthür, 1879, *Etüd. Ent.* 4: 23 (nomen novum pro *jaquemontii* Gray, *Cat. Lepid. Br. Mus.*: pl.xii, figs.1,2). Type ♀: China: [Uighur A.R.]: "Tartarie chinoise". Range (in code): AF Alt Amd B-B Ch Cmt CN Grt Haz Hk IN Ld Nsh PK Ci Rup Sz Tat Ti Tib Ts Ui Kma Cho Au Sdh
- 19005. *Parnassius (s.str.) epaphus abruptus* O.Bang-Haas, 1927** (Papilionidae)
Synonym(s): *abruptus* O.Bang-Haas, 1927 Original Reference: *Parnassius epaphus* ssp. *abruptus* O.Bang-Haas, 1927, *Horae Macrolepidopt.* 1: 103. Type: China: Kansu: 45km nordöstl. der Stadt Hsining (Sining), 2500m. Range (in code): CN Tat Ts

- 19006. *Parnassius (s.str.) epaphus beicki* Bryk & Eisner, 1936** (Papilionidae) Synonym(s): *beicki* Bryk & Eisner, 1936 Original Reference: *Parnassius epaphus* ssp. *beicki* Bryk & Eisner, 1936, *Parnassiana* 4: 10. Holotype ♂: China: Süd-Tatungsche Berge. Range (in code): **CN Tat Ts**
- 19007. *Parnassius (s.str.) epaphus beresowskyi* Staudinger, 1901** (Papilionidae) Synonym(s): *beresowskyi* Staudinger, 1901 Original Reference: *Parnassius epaphus* var. *beresowskyi* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 6, nr.23b. Syntypes: China m.oc.: Amdo m. Range (in code): **Amd CN Ts**
- 19008. *Parnassius (s.str.) epaphus boschmai* Eisner, 1964** (Papilionidae) Synonym(s): *boschmai* Eisner, 1964 Original Reference: *Parnassius epaphus* ssp. *boschmai* Eisner, 1964, Zool. Meded. 39: 186. Holotype ♂: Nepal: Khumbu. Range (in code): **NP**
- 19009. *Parnassius (s.str.) epaphus cachemiriensis* Oberthür, 1891** (Papilionidae) Synonym(s): *cachemiriensis* Oberthür, 1891; #*nuda* Peschke, 1938. Range (in code): **IN Ft Kdg Ld Leh**
- 19010. *Parnassius (s.str.) epaphus epaphactius* O.Bang-Haas, 1915** (Papilionidae) Synonym(s): *epaphactius* O.Bang-Haas, 1915 Original Reference: *Parnassius epaphus* var.? *epaphactius* O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 95. Type: [China: Uighur A.R.]: Chotan. Range (in code): **CN Ui Cho**
- 19011. *Parnassius (s.str.) epaphus epaphus* Oberthür, 1879** (Papilionidae) Synonym(s): *epaphus* Oberthür, 1879; *altynensis* Stichel, 1907 Original Reference: *Parnassius epaphus* Oberthür, 1879, Etüd. Ent. 4: 23 (nomen novum pro *jacquemontii* Gray, Cat. Lepid. Br. Mus.: pl.xii, figs.1,2). Type ♀: China: [Uighur A.R.]: "Tartarie chinoise". Range (in code): **Alt CN Ui**
- 19012. *Parnassius (s.str.) epaphus epichorius* Bryk, 1943** (Papilionidae) Synonym(s): *epichorius* Bryk, 1943 Original Reference: *Parnassius epaphus* ssp. *epichorius* Bryk, 1943, Mitt. münch. ent. Ges. 33: 27. Holotype ♂: China: Batang, Alpine Zone. Range (in code): **Btn CN Sz**
- 19013. *Parnassius (s.str.) epaphus eutsaidamensis* Eisner, 1955** (Papilionidae) Synonym(s): *eutsaidamensis* Eisner, 1955 Range (in code): **CN Kno Ts**
- 19014. *Parnassius (s.str.) epaphus everesti* Riley, 1923** (Papilionidae) Synonym(s): *everesti* Riley, 1923 Original Reference: *Parnassius epaphus* ssp. *everesti* Riley, 1923, Trans. ent. Soc. London 1923: 463, pl.xxxvi figs.7,8. Syntypes ♂♀: "at camp N.N.W. of Mt. Everest on moraine shelf above Rongbuk Glacier" (BMNH). Range (in code): **CN Ti**
- 19015. *Parnassius (s.str.) epaphus gautama* Bryk & Eisner, 1937** (Papilionidae) Synonym(s): *gautama* Bryk & Eisner, 1937 Original Reference: *Parnassius epaphus* ssp. *gautama* Bryk & Eisner, 1937, *Parnassiana* 4: 47. Holotype ♂: China: Burchan-Buddha Kette, Nomohun Pass. Range (in code): **B-B CN Ts**
- 19016. *Parnassius (s.str.) epaphus gyaella* Eisner, 1932** (Papilionidae) Synonym(s): *gyaella* Eisner, 1932; *gyaella* Bryk & Eisner, 1937 Original Reference: *Parnassius epaphus* ssp. *gyaella* Eisner, 1932, *Parnassiana* 2: 68. Holotype ♂: Gya-Ladak: Taglang Pass. Range (in code): **Ld Tgl**
- 19017. *Parnassius (s.str.) epaphus hasegawai* Sugisawa, 1991** (Papilionidae) Synonym(s): *hasegawai* Sugisawa, 1991 Range (in code): **CN Ts**
- 19018. *Parnassius (s.str.) epaphus hazaraensis* Bryk & Eisner, 1937** (Papilionidae) Synonym(s): *hazaraensis* Bryk & Eisner, 1937 Original Reference: *Parnassius epaphus* ssp. *hazaraensis* Bryk & Eisner, 1937, *Parnassiana* 4: 62. Holotype ♂: [Pakistan]: Khagan: Hazara. Range (in code): **Haz PK**
- 19019. *Parnassius (s.str.) epaphus heliae* Schulte, 1991** (Papilionidae) Synonym(s): *heliae* Schulte, 1991 Original Reference: *Parnassius epaphus* ssp. *heliae* Schulte, 1991, Nachr. ent. Ver. Apollo (N.F.) 12(3): 182, Abb. Holotype ♂: China: Gansu: nordwestl. Qilian-Shan (Richthofen-Geb.) 50km südwestl. Jiayuguan, Zoulang Nanshan, 3700-3850m. leg. Helia (in coll. Schulte). Range (in code): **CN Gn Nsh**
- 19020. *Parnassius (s.str.) epaphus himalayanus* Riley, 1923** (Papilionidae) Synonym(s): *himalayanus* Riley, 1923 Original Reference: *Parnassius epaphus* ssp. *himalayanus* Riley, 1923, Trans. ent. Soc. London 1923: 463-464, pl.xxxvi fig.6. Syntypes ♂♀: "2 miles E. of Mt. Everest, Chog La between Kharta valley and Karna valley, Bongshar valley (BMNH). Range (in code): **CN Ti**
- 19021. *Parnassius (s.str.) epaphus hinducucicus* O.Bang-Haas, 1934** (Papilionidae) Synonym(s): *hinducucicus* O.Bang-Haas, 1934 Original Reference: *Parnassius epaphus* ssp. *hinducucicus* O.Bang-Haas, 1934, Ent. Z., Frankf. a. M. 48: 7. Holotype ♂: Afghanistan: Hindukusch: Karambar Pass. Range (in code): **AF Hk**

- 19022. *Parnassius (s.str.) epaphus hoeniana* Eisner, 1955** (Papilionidae) Synonym(s): *hoeniana* Eisner, 1955 Original Reference: *Parnassius epaphus* ssp. *hoeniana* Eisner, 1955, Zool. Meded. 33: 193. Holotype ♂: [China]: Tibet: südlichste Steppe Range (in code): **CN Jng Sz**
- 19023. *Parnassius (s.str.) epaphus huwei* Fruhstorfer, 1903** (Papilionidae) Synonym(s): *huwei* Fruhstorfer, 1903 Original Reference: *Parnassius epaphus* ssp. *huwei* Fruhstorfer, 1903, Stettin ent. Ztg. 64: 360. Type(s): [China: Uighur A.R.]: Aksu, Kia Fluß. Range (in code): **Au CN Ui**
- 19024. *Parnassius (s.str.) epaphus koiwayai* Ohya & Inomata, 1988** (Papilionidae) Synonym(s): *koiwayai* Ohya & Inomata, 1988 Range (in code): **CN Nsh Ts**
- 19025. *Parnassius (s.str.) epaphus kotzschii* Bryk & Eisner, 1936** (Papilionidae) Synonym(s): *kotzschii* Bryk & Eisner, 1936 Original Reference: *Parnassius epaphus* ssp. *kotzschii* Bryk & Eisner, 1936, Parnassiana 4: 11. Holotype ♂: China: Kansu: Khodunpo. Range (in code): **CN Gn**
- 19026. *Parnassius (s.str.) epaphus nanchanicus* Austaut, 1889** (Papilionidae) Synonym(s): *nanchanicus* Austaut, 1889; *#nigricans* Bryk & Eisner, 1936. Original Reference: *Parnassius epaphus nanchanicus* Austaut, 1889, Naturaliste 1889: 285. Range (in code): **B-B CN Nsh Ts**
- 19027. *Parnassius (s.str.) epaphus nirius* Moore, 1902** (Papilionidae) Synonym(s): *nirius* Moore, 1902; *#exoculata* O.Bang-Haas, 1937. Original Reference: *Parnassius nirius* Moore, 1902, Lepid. India: 108, pl. 407 figs. 1, 1a. Type ♀: Ladak. Range (in code): **Ld Kma Bt Bzl Shg Skd SkL PK Ci**
- 19028. *Parnassius (s.str.) epaphus nomionides* Schulte, 1992** (Papilionidae) Synonym(s): *nomionides* Schulte, 1992 Original Reference: *Parnassius epaphus* ssp. *nomionides* Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 173, 176, figs. Holotype ♂: China: Qinghai, Qinghai-Nanshan, ca. 28km nördl. Caka, 4200-4800m. leg. Paulus (in coll. Schulte). Range (in code): **CN Nsh Ts**
- 19029. *Parnassius (s.str.) epaphus nomius* Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *nomius* Groum-Grshimailo, 1890 Original Reference: *Parnassius nomion* var. *nomius* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 441. Syntypes: [China]: "regione Amdo: Kuku-Noor". Range (in code): **CN Ts Kno Amd**
- 19030. *Parnassius (s.str.) epaphus phariensis* Avinoff, 1916** (Papilionidae) Synonym(s): *phariensis* Avinoff, 1916 Original Reference: *Parnassius epaphus* ssp. *phariensis* Avinoff, 1916, Trans. ent. Soc. Lond. 1915: 360, pl. liv figs. 8, 9. Syntypes ♂♀: [China]: "Phari-Zong in Southern Tibet". Range (in code): **BT CN Lha Ph Ti Yt**
- 19031. *Parnassius (s.str.) epaphus pictor* Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *pictor* Bryk & Eisner, 1932 Original Reference: *Parnassius epaphus* ssp. *pictor* Bryk & Eisner, 1932, Parnassiana 2: 104. Holotype ♂: China Szetschwan: Kunkala-schan. Range (in code): **CN Sz Ti**
- 19032. *Parnassius (s.str.) epaphus puella* Bryk, 1934** (Papilionidae) Synonym(s): *puella* Bryk, 1934 Original Reference: *Parnassius epaphus* ssp. *puella* Bryk, 1934, Parnassiana 3: 28. Range (in code): **Ch IN**
- 19033. *Parnassius (s.str.) epaphus puer* Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *puer* Bryk & Eisner, 1932 Original Reference: *Parnassius epaphus* ssp. *puer* Bryk & Eisner, 1932, Parnassiana 2: 24. Holotype ♂: India: Kangra: Rohtang Pass. Range (in code): **IN Kgr**
- 19034. *Parnassius (s.str.) epaphus rafael* Bryk, 1938** (Papilionidae) Synonym(s): *rafael* Bryk, 1938 Original Reference: *Parnassius epaphus* ssp. *rafael* Bryk, 1938, Parnassiana 6: 4. Holotype ♂: China: Yunnan: A-Tun-tse. Range (in code): **Ats CN Yu**
- 19035. *Parnassius (s.str.) epaphus rene* Eisner, 1959** (Papilionidae) Synonym(s): *rene* Eisner, 1959 Original Reference: *Parnassius epaphus* ssp. *rene* Eisner, 1959, Zool. Meded. 36: 162. Holotype ♀: India: N.O. Kashmir, Ludarwas Ganj. Range (in code): **Ch**
- 19036. *Parnassius (s.str.) epaphus sculptor* Bryk & Eisner, 1939** (Papilionidae) Synonym(s): *sculptor* Bryk & Eisner, 1939 Original Reference: *Parnassius epaphus* ssp. *sculptor* Bryk & Eisner, 1939, Parnassiana 6: 48. Holotype ♂: Indien: Karakorum, Macheribroum. Range (in code): **Kk Ld**
- 19037. *Parnassius (s.str.) epaphus shantana* O.Bang-Haas, 1938** (Papilionidae) Synonym(s): *shantana* O.Bang-Haas, 1938 Original Reference: *Parnassius epaphus* ssp. *shantana* O.Bang-Haas, 1938, Parnassiana 6: 24. Holotype ♂: China: Richthofen Gebirge, Shantan. Range (in code): **CN Rth Ts**

- 19038. *Parnassius (s.str.) epaphus shilangensis* Bryk & Eisner, 1936** (Papilionidae)
Synonym(s): *shilangensis* Bryk & Eisner, 1936 Original Reference: *Parnassius epaphus* ssp. *shilangensis* Bryk & Eisner, 1936, *Parnassiana* 4: 14. Holotype ♂: China: Tibet: Chumurti, Shilang, Shiring Pass. Range (in code): **Cmt CN Grt Ld Rup Ti Tib**
- 19039. *Parnassius (s.str.) epaphus subtilis* O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *subtilis* O.Bang-Haas, 1927 Original Reference: *Parnassius epaphus* ssp. *subtilis* O.Bang-Haas, 1927, *Horae Macrolepid.* 1: 21, t.3 fig.6. Syntypes: [China: Uighur A.R.]: Nordabhang des Karakorum, Chinesische Tatarei, Schahidulah, 4500m. Range (in code): **CN Sdh Ui**
- 19040. *Parnassius (s.str.) epaphus tsaidamensis* Austaut, 1898** (Papilionidae) Synonym(s): *tsaidamensis* Austaut, 1898 Original Reference: *Parnassius epaphus tsaidamensis* Austaut, 1898, *Naturaliste* 1898: 106. Range (in code): **CN Hbl Ts**
- 19041. *Parnassius (s.str.) hillensis* O.Bang-Haas, 1915** (Papilionidae) Synonym(s): *hillensis* O.Bang-Haas, 1915; *bashahrecus* O.Bang-Haas, 1915. Original Reference: *Parnassius epaphus* ssp. *hillensis* O.Bang-Haas, 1915, *Dt. ent. Z., Iris* 29: 175. Syntypes: India: Bashahr: Spiti. Range (in code): **Brl Ch IN Kma Prg Spi T-T**
- 19042. *Parnassius (s.str.) hillensis hillensis* O.Bang-Haas, 1915** (Papilionidae) Synonym(s): *hillensis* O.Bang-Haas, 1915; *bashahrecus* O.Bang-Haas, 1915. Original Reference: *Parnassius epaphus* ssp. *hillensis* O.Bang-Haas, 1915, *Dt. ent. Z., Iris* 29: 175. Syntypes: India: Bashahr: Spiti. Range (in code): **Brl Ch IN Kma Prg Spi T-T**
- 19043. *Parnassius (s.str.) honrathi* Staudinger, 1882** (Papilionidae) Synonym(s): *honrathi* Staudinger, 1882 Original Reference: *Parnassius honrathi* Staudinger, 1882, *Berl. ent. Z.* 26 (1): 161, Taf.1 figs.4,5,5a. Syntypes 20♂ 5♀: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand, 2000-2500m. Range (in code): **AF Hk H-S Kbb Pm TJ UZ Z-G**
- 19044. *Parnassius (s.str.) honrathi afghanistanus* Eisner, 1940** (Papilionidae) Synonym(s): *afghanistanus* Eisner, 1940 Original Reference: *Parnassius honrathi* ssp. *afghanistanus* Eisner, 1940, *Temminckia* 5: 264-265. Holotype ♂: North-West Afghanistan: Firuz-Kuh Kette. 2800-3000m. Range (in code): **AF Hk Kbb**
- 19045. *Parnassius (s.str.) honrathi alburnus* Stichel, 1907** (Papilionidae) Synonym(s): *alburnus* Stichel, 1907 Original Reference: *Parnassius davidis* ssp. *alburnus* Stichel, 1907, *Ent. Z., Stuttgart* 21: 132. Range (in code): **AF Pm TJ**
- 19046. *Parnassius (s.str.) honrathi ernesti* Bryk, 1932** (Papilionidae) Synonym(s): *ernesti* Bryk, 1932 Range (in code): **Pm TJ**
- 19047. *Parnassius (s.str.) honrathi honrathi* Staudinger, 1882** (Papilionidae) Synonym(s): *honrathi* Staudinger, 1882 Original Reference: *Parnassius honrathi* Staudinger, 1882, *Berl. ent. Z.* 26 (1): 161, Taf.1 figs.4,5,5a. Syntypes 20♂ 5♀: [Uzbekistan]: Hazret-Sultan Gebirge, südlich von Samarkand, 2000-2500m. Range (in code): **H-S UZ Z-G**
- 19048. *Parnassius (s.str.) honrathi kondarensis* Stshetkin & Stshetkin, 1988** (Papilionidae) Synonym(s): *kondarensis* Stshetkin & Stshetkin, 1988 Original Reference: *Parnassius honrathi kondarensis* Stshetkin & Stshetkin, 1988, *Ent. Obozr.* 1988 (1): 160-161, 2 figs. Holotype ♂: Tadjikistan: southern slope of Hissar Mts., Kondar 2100m. Range (in code): **UZ**
- 19049. *Parnassius (s.str.) honrathi pseudoalburnus* Kotzsch, 1936** (Papilionidae) Synonym(s): *pseudoalburnus* Kotzsch, 1936 Original Reference: *Parnassius honrathi* ssp. *pseudoalburnus* Kotzsch, 1936, *Parnassiana* 4: 4. Holotype ♂: Afghanistan: Hindukusch. Range (in code): **AF Hk Pm**
- 19050. *Parnassius (s.str.) honrathi tusovi* Stshetkin & Stshetkin, 1989** (Papilionidae) Synonym(s): *tusovi* Stshetkin & Stshetkin, 1989 Range (in code): **UZ**
- 19051. *Parnassius (s.str.) illustris* Groum-Grshimailo, 1888** (Papilionidae) Synonym(s): *illustris* Groum-Grshimailo, 1888 Original Reference: *Parnassius delphius* var. *illustris* Groum-Grshimailo, 1888, *Horae Soc. ent. ross.* 22: 304. Type(s): [Tadjikistan]: Transalai. Range (in code): **KK T-S T-A TJ**
- 19052. *Parnassius (s.str.) illustris illustris* Groum-Grshimailo, 1888** (Papilionidae) Synonym(s): *illustris* Groum-Grshimailo, 1888 Original Reference: *Parnassius delphius* var. *illustris* Groum-Grshimailo, 1888, *Horae Soc. ent. ross.* 22: 304. Type(s): [Tadjikistan]: Transalai. Range (in code): **KK T-S T-A TJ**
- 19053. *Parnassius (s.str.) illustris kiritshenkoi* Avinoff, 1910** (Papilionidae) Synonym(s): *kiritshenkoi* Avinoff, 1910

- 19054. *Parnassius (s.str.) infernalis* Staudinger, 1886** (Papilionidae) Synonym(s): *infernalis* Staudinger, 1886; *#pseudopatricius* Kreuzberg, 1997 Original Reference: *Parnassius delphius* var. *infernalis* Staudinger, 1886, Stettin ent. Ztg. 47: 195. Syntypes: [Kirgizistan]: Osch. Range (in code): **AF Ch Hu KK Osh T-S PK Pm TJ**
- 19055. *Parnassius (s.str.) infernalis hoareui* Hanus, 1996** (Papilionidae) Synonym(s): *hoareui* Hanus, 1996 Original Reference: *Parnassius infernalis* ssp. *hoareui* Hanus, 1996, Atalanta 27 (1/2): 206-207, Abb. Holotype ♂: Kirghizia, Transalai range, Ters agar Pass, 3500m (in coll. Hanus). Range (in code): **KK T-A T-S**
- 19056. *Parnassius (s.str.) infernalis hunza* Groum-Grshimailo, 1888** (Papilionidae) Synonym(s): *hunza* Groum-Grshimailo, 1888; *#shaitan* Kreuzberg, 1997 Original Reference: *Parnassius stoliczkanus* var. *hunza* Groum-Grshimailo, 1888, Horae Soc. ent. ross. 22: 303. Syntypes ♂♀: [Pakistan]: Hindukush orient. [Hunza]. Range (in code): **AF Ch Hu PK Pm TJ**
- 19057. *Parnassius (s.str.) infernalis infernalis* Staudinger, 1886** (Papilionidae) Synonym(s): *infernalis* Staudinger, 1886; *#pseudopatricius* Kreuzberg, 1997 Original Reference: *Parnassius delphius* var. *infernalis* Staudinger, 1886, Stettin ent. Ztg. 47: 195. Syntypes: [Kirgizistan]: Osch. Range (in code): **KK Osh TJ T-S**
- 19058. *Parnassius (s.str.) jacquemontii* Boisduval, 1836** (Papilionidae) Synonym(s): *jacquemontii* Boisduval, 1836 Original Reference: *Parnassius jacquemonti* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 400. Type ♂: Kashmir. Range (in code): **AF Bd Al Ch Ci CN Ui Fe Hp H-S Hu IN PK Pm Sha Sz T-A Ti TJ Ts UZ Al KK T-S Osh** Bionomy: *Rhodiola* spp. (Kreuzberg, 1984).
- 19059. *Parnassius (s.str.) jacquemontii actinoboloides* O.Bang-Haas, 1938** (Papilionidae) Synonym(s): *actinoboloides* O.Bang-Haas, 1938
- 19060. *Parnassius (s.str.) jacquemontii buddha* Bryk & Eisner, 1937** (Papilionidae) Synonym(s): *buddha* Bryk & Eisner, 1937 Original Reference: *Parnassius jacquemontii* ssp. *buddha* Bryk & Eisner, 1937, Parnassiana 4: 58. Holotype ♂: China: Qinghai: Burchan-Buddha Gebirge, Nomohun Pass. Range (in code): **B-B Cn Ts**
- 19061. *Parnassius (s.str.) jacquemontii chitralensis* Moore, 1902** (Papilionidae) Synonym(s): *chitralensis* Moore, 1902 Original Reference: *Parnassius chitralensis* Moore, 1902, Lepid. ind. 5: 197, Pl. 406, fig. 2, 2a. Type: [Pakistan]: Chitral mer., Shiski Kuh, Jhela Drosh. Range (in code): **Ci PK**
- 19062. *Parnassius (s.str.) jacquemontii frischi* O.Bang-Haas, 1938** (Papilionidae) Synonym(s): *frischi* O.Bang-Haas, 1938 Range (in code): **CN Gn**
- 19063. *Parnassius (s.str.) jacquemontii hermes* Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *hermes* Bryk & Eisner, 1935 Original Reference: *Parnassius jacquemontii* ssp. *hermes* Bryk & Eisner, 1935, Parnassiana 3: 94. Holotype ♂: China: Szetschuan: Sunpanting. Range (in code): **CN Spt Sz**
- 19064. *Parnassius (s.str.) jacquemontii hunzaicus* Tytler, 1926** (Papilionidae) Synonym(s): *hunzaicus* Tytler, 1926 Original Reference: *Parnassius jacquemonti* *hunzaica* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 250, Pl. 4 fig. 2. Type(s): [Pakistan]: Hunza, Misgar. Range (in code): **Ch Hu**
- 19065. *Parnassius (s.str.) jacquemontii jacquemontii* Boisduval, 1836** (Papilionidae) Synonym(s): *jacquemontii* Boisduval, 1836; *rhodius* Honrath, 1882; *himalayensis* Elwes, 1886; *impunctata* Austaut, 1899; *#impunctata* Stichel, 1909; *#archonis* Bryk, 1911; *gartokensis* Bryk & Eisner, 1935 Original Reference: *Parnassius jacquemonti* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 400. Type ♂: Kashmir. Range (in code): **Brl Ch CN Grt IN Ti**
- 19066. *Parnassius (s.str.) jacquemontii kangraensis* Bryk & Eisner, 1932** (Papilionidae) Synonym(s): *kangraensis* Bryk & Eisner, 1932 Range (in code): **Hp IN Kgr**
- 19067. *Parnassius (s.str.) jacquemontii kohibabaensis* Eisner & Sakai, 1975** (Papilionidae) Synonym(s): *kohibabaensis* Eisner & Sakai, 1975 Original Reference: *Parnassius jacquemonti* ssp. *kohibabaensis* Eisner & Sakai, 1975, Zool. Meded. 49: 85-86, fig. Holotype ♂: Afghanistan: Mt. Shah Fuladi, Wardak, 4000-4500m. Range (in code): **AF Kbb**
- 19068. *Parnassius (s.str.) jacquemontii linneae* Bryk, 1943** (Papilionidae) Synonym(s): *linneae* Bryk, 1943 Original Reference: *Parnassius jacquemonti* ssp. *linneae* Bryk, 1943, Mitt. münch. ent. Ges. 33: 26. Holotype ♂: China: Szetschuan: Batang, Alpine Zone. Range (in code): **Btn CN Sz**
- 19069. *Parnassius (s.str.) jacquemontii mercurius* Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *mercurius* Groum-Grshimailo, 1890 Original Reference: *Parnassius*

- mercurius Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Qinghai]: Amdo, Sining-Gebirge. Range (in code): Amd CN Kno Sng Spt Sz Ts
- 19070. Parnassius (s.str.) jacquemontii mohammad Eisner & Naumann, 1980** (Papilionidae) Synonym(s): *mohammad Eisner & Naumann, 1980* Original Reference: Parnassius jacquemontii ssp. mohammad Eisner & Naumann, 1980, Zool. Verh. 178: 19-20, Taf. 8, Abb. 17. Holotype ♂: Afghanistan: [Badakhshan], Prov. Takhar, Dar.-e-Warsadj, Kadj-Dar.-e-Warsadj. Range (in code): AF Bd
- 19071. Parnassius (s.str.) jacquemontii nuksanica Kotzsch, 1936** (Papilionidae) Synonym(s): *nuksanica Kotzsch, 1936* Original Reference: Parnassius jacquemontii ssp. nuksanica Kotzsch, 1936, Parnassiana 4: 5. Holotype ♂: Afghanistan: Hindukusch, Nuksan Pass. Range (in code): AF Bqu Hk Nks
- 19072. Parnassius (s.str.) jacquemontii pamira O. Bang-Haas, 1927** (Papilionidae) Synonym(s): *pamira O. Bang-Haas, 1927* Original Reference: Parnassius jacquemontii ssp. pamira O. Bang-Haas, 1927, Horae Macrolepid. 1: 19. Syntypes: [Tadjikistan]: Hindukusch or., Beik, Ljangan Flusse Range (in code): AF Bd Bik Chr PK Pm TJ Vn Wk
- 19073. Parnassius (s.str.) jacquemontii paulusi Schulte, 1992** (Papilionidae) Synonym(s): *paulusi Schulte, 1992* Original Reference: Parnassius jacquemontii ssp. paulusi Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2a): 171-172, figs. Holotype ♂: China: qinghai, Qinghai-Nanshan, ca. 25 km nördl. Caka, 3500-4500 m. leg. Paulus (in coll. Schulte). Range (in code): CN Nsh Ts
- 19074. Parnassius (s.str.) jacquemontii peter Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *peter Bryk & Eisner, 1935* Original Reference: Parnassius jacquemontii ssp. peter Bryk & Eisner, 1935, Parnassiana 3: 87. Holotype ♂: [Tadjikistan]: Pamir: Peter de Grosse, Karategin. Range (in code): H-S Pm TJ UZ
- 19075. Parnassius (s.str.) jacquemontii rubicundus Stichel, 1906** (Papilionidae) Synonym(s): *rubicundus Stichel, 1906* Original Reference: Parnassius jacquemontii ssp. rubicundus Stichel, 1906, Berl. ent. Z. 51 (1): 89-90. Syntypes: Pamir, Fergana. Range (in code): Fe Kyz Pm T-A TC TJ UZ
- 19076. Parnassius (s.str.) jacquemontii shandura Tytler, 1926** (Papilionidae) Synonym(s): *shandura Tytler, 1926* Original Reference: Parnassius jacquemontii ssp. shandura Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 250, Pl. 4 figs. 3, 4. Syntypes: [Pakistan]: Chitral, Shandur Pass. Range (in code): Ci Low PK Sha
- 19077. Parnassius (s.str.) jacquemontii sikingshani Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *sikingshani Bryk & Eisner, 1935* Original Reference: Parnassius jacquemontii ssp. sikingshani Bryk & Eisner, 1935, Parnassiana 3: 94. Holotype ♂: China: Sincheng, Ost-Sikingshan. Range (in code): CN Sz
- 19078. Parnassius (s.str.) jacquemontii tatsienluica Verity, 1906** (Papilionidae) Synonym(s): *tatsienluica Verity, 1906* Original Reference: Parnassius jacquemontii ssp. tatsienluica Verity, 1906, Rhopalocera Palaearctica: 63. Syntypes 6♂ 1♀: [China]: [Szechwan]: Ta-Tsien-Lou. Range (in code): CN Sz T-T
- 19079. Parnassius (s.str.) jacquemontii tatungi Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *tatungi Bryk & Eisner, 1935* Original Reference: Parnassius jacquemontii ssp. tatungi Bryk & Eisner, 1935, Parnassiana 3: 94. Holotype ♂: China: Süd-Tatungsche Berge. Range (in code): CN Tat Ts
- 19080. Parnassius (s.str.) jacquemontii tibetanulus Bryk & Eisner, 1931** (Papilionidae) Synonym(s): *tibetanulus Bryk & Eisner, 1931* Original Reference: Parnassius jacquemontii ssp. tibetanulus Bryk & Eisner, 1931, Parnassiana 1(7/8): 9. Holotype ♂: China: Szetschuan: Omisien. Range (in code): CN Sz
- 19081. Parnassius (s.str.) jacquemontii tibetanus Rühl, 1892** (Papilionidae) Synonym(s): *tibetanus Rühl, 1892* Original Reference: Parnassius tibetanus Rühl, 1892, Die palaarkt. Grossschmett. 1: 99. Type(s): Tibet: Ta-tsien-lo. Range (in code): CN Sz T-T
- 19082. Parnassius (s.str.) jacquemontii variabilis Stichel, 1906** (Papilionidae) Synonym(s): *variabilis Stichel, 1906* Original Reference: Parnassius jacquemontii ssp. variabilis Stichel, 1906, Berl. ent. Z. 51 (1): 90. Syntypes 2♂: [Kirgizistan]: Ost-Fergana: Alpen von Osch. Range (in code): Al KK T-S Osh
- 19083. Parnassius (s.str.) nomion Fischer de Waldheim, 1823** (Papilionidae) Synonym(s): *nomion Fischer de Waldheim, 1823* Original Reference: Parnassius (s.str.) nomion Fischer de

- Waldheim, 1823, Ent. imp. Russ. 2: 242, Pl. 6 figs. 3, 4. Range (in code): **Am At Kts CN Ui Ir KP MN RU Sj Ts US Bn** Bionomy: Sedum, Orostachys (Graeser, 1888; Gorbunov & Korshunov, 1995).
- 19084. Parnassius (s.str.) nomion americanus O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *americanus* O.Bang-Haas, 1927 Original Reference: Parnassius nomion ssp. *americanus* O.Bang-Haas, 1927, Horae Macrolepid. 1: 17 (nomen novum pro Parnassius nomion minor Oberthur. Range (in code): **US**
- 19085. Parnassius (s.str.) nomion anna Bryk, 1914** (Papilionidae) Synonym(s): *anna* Bryk, 1914 Original Reference: Parnassius nomion anna Bryk, 1914, Mitt. münch. ent. Ges. 5: 33. Holotype ♂: Mongolei: Inn-shan. Range (in code): **MN**
- 19086. Parnassius (s.str.) nomion aurora Bang-Haas, 1937** (Papilionidae) Synonym(s): *aurora* Bang-Haas, 1937 Range (in code): **Am RU Sj**
- 19087. Parnassius (s.str.) nomion chosensis Matsumura, 1927** (Papilionidae) Synonym(s): *chosensis* Matsumura, 1927 Original Reference: Parnassius nomion ssp. *chosensis* Matsumura, 1927, Insecta Matsumurana 1: 162, Pl. v fig. 1. Syntypes 3♂ 2♀: Corea: Mt. Hakuto. Range (in code): **KP**
- 19088. Parnassius (s.str.) nomion davidis Oberthür, 1879** (Papilionidae) Synonym(s): *davidis* Oberthür, 1879; *davidi* Bryk, 1914; *anna* Bryk, 1914. Original Reference: Parnassius davidis Oberthür, 1879, Etüd. Ent. 4: 23, 108, Pl. 2 fig. 2. Type ♀: Nord de la Chine. Range (in code): **CN Pkn**
- 19089. Parnassius (s.str.) nomion dis Bryk & Eisner, 1937** (Papilionidae) Synonym(s): *dis* Bryk & Eisner, 1937 Original Reference: Parnassius nomion ssp. *dis* Bryk & Eisner, 1937, Parnassiana 5: 10. Holotype ♀: Russia: Irkutsk. Range (in code): **Ir MN RU**
- 19090. Parnassius (s.str.) nomion korshunovi Kreuzberg & Pljustsh, 1992** (Papilionidae) Synonym(s): *korshunovi* Kreuzberg & Pljustsh, 1992 Original Reference: Parnassius nomion ssp. *korshunovi* Kreuzberg & Pljustsh, 1992, Vestn. Zool. 199: 78-79, figs. Holotype ♂: Russia: Altai: Sayan, Krasnoyarsk. Range (in code): **Bn At Kts Kj RU**
- 19091. Parnassius (s.str.) nomion mandschuriae Oberthür, 1891** (Papilionidae) Synonym(s): *mandschuriae* Oberthür, 1891 Original Reference: Parnassius nomion *mandschuriae* Oberthür, 1891, Etüd. Ent. 14: 2, 16, 19, Pl. 2 fig. 10. Syntypes: Chine: Mandchourie. Range (in code): **CN Mc**
- 19092. Parnassius (s.str.) nomion nominulus Staudinger, [1895]** (Papilionidae) Synonym(s): *nominulus* Staudinger, [1895] Original Reference: Parnassius nomion var. *nominulus* Staudinger, [1895], Dt. ent. Z., Iris 7: 241. Syntypes: [Russia]: Ost-Sajan-Gebiet (südwestlich von Irkutsk, an der Grenze der chinesischen Mongolei gelegen). Range (in code): **MN RU Sj**
- 19093. Parnassius (s.str.) nomion nomion Fischer de Waldheim, 1823** (Papilionidae) Synonym(s): *nomion* Fischer de Waldheim, 1823 Original Reference: Parnassius (s.str.) nomion Fischer de Waldheim, 1823, Ent. imp. Russ. 2: 242, Pl. 6 figs. 3, 4. Range (in code): **At Ir RU**
- 19094. Parnassius (s.str.) nomion nomius Groum-Grshimailo, 1890** (Papilionidae) Synonym(s): *nomius* Groum-Grshimailo, 1890 Original Reference: Parnassius nomion var. *nomius* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 445. Syntypes: [China: Tibet]: Amdo; Kuku-Noor, Mt. Dshachar. Range (in code): **Amd CN Je Kno Ts**
- 19095. Parnassius (s.str.) nomion oberthuerianus Bryk, 1914** (Papilionidae) Synonym(s): *oberthuerianus* Bryk, 1914 Original Reference: Parnassius nomion var. *oberthuerianus* Bryk, 1914, Int. ent. Z. 8: 40. Syntypes: China: Gebirge westl. pekin, Hoang-yong-shan, 2500m. Range (in code): **CN Pkn**
- 19096. Parnassius (s.str.) nomion richthofeni O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *richthofeni* O.Bang-Haas, 1927 Original Reference: Parnassius nomion ssp. *richthofeni* O.Bang-Haas, 1927, Horae Macrolepid. 1: 16, t. 2 figs. 7, 8. Syntypes: China: Kansu sept.: Südlich der Stadt Liang-tschan, Richthofen mont., 2500m. Range (in code): **CN Gn Rth**
- 19097. Parnassius (s.str.) nomion sinensis O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *sinensis* O.Bang-Haas, 1927 Original Reference: Parnassius nomion ssp. *sinensis* O.Bang-Haas, 1927, Horae Macrolepid. 1: 16, t. 2 figs. 5, 6. Syntypes: China: Kansu: Nordwestl. der Stadt Hsining (=Sining) tsingschilin, östl. Ausläufer des Nanshan mont., 2500m. Range (in code): **CN Gn**
- 19098. Parnassius (s.str.) nomion theagenes O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *theagenes* O.Bang-Haas, 1927 Original Reference: Parnassius nomion ssp. *theagenes*

- O.Bang-Haas,1927, Horae Macrolepid. 1: 16, t.2 figs.3,6. Syntypes: China: Kansu or.: Gebirge in der Umgebung der Stadt Lantschou (=Lanchowfu). Range (in code): CN Gn Lc
- 19099. Parnassius (s.str.) nomion titan Fruhstorfer,1903** (Papilionidae) Synonym(s): *titan Fruhstorfer,1903* Original Reference: Parnassius nomion ssp. titan Fruhstorfer,1903, Dt. ent. Z., Iris 16: 308. Syntypes: [Russia]: Ussuri meridionalis. Range (in code): RU Prj Us
- 19100. Parnassius (s.str.) nomion transbaicalensis Verity,[1911]** (Papilionidae) Synonym(s): *transbaicalensis Verity,[1911]* Range (in code): RU
- 19101. Parnassius (s.str.) nomion tschiliensis O.Bang-Haas,1927** (Papilionidae) Synonym(s): *tschiliensis O.Bang-Haas,1927* Original Reference: Parnassius nomion ssp. tschiliensis O.Bang-Haas,1927, Horae Macrolepid. 1: 15, t.2 figs.1,2. Syntypes: [China]: Prov. Tschili (Tschiföng = Chifengshien), Lin si hien, Ostseite des Chingan mont. Range (in code): CN
- 19102. Parnassius (s.str.) phoebus (Fabricius,1793)** (Papilionidae) Synonym(s): *phoebus Fabricius,1793; altaicus Ménétériés,1859; #alpestris Verity,[1911]*. Original Reference: Papilio phoebus Fabricius,1793, Ent. Syst. 3(1): 181. Neotypes ♂♀ [sic!]: Altai, Onogdai, Kurai-Pass (designated by Bryk,1935: 219) (ZMB). Range (in code): At Kts AT BY CH DE FR Ir IT KG Mn MN RU Sb Sj Ur US Als Kod CA Yuk Tar Sau CN Ui US Cf Col Id Mon Ndk NMx Ne Neb Org SDk Ut Ws Wy
- 19103. Parnassius (s.str.) phoebus amalthea Bryk & Eisner,1935** (Papilionidae) Synonym(s): *amalthea Bryk & Eisner,1935* Original Reference: Parnassius phoebus ssp. amalthea Bryk & Eisner,1935, Parnassiana 3: 49. Holotype ♂: Russia: Mondy Gv. Irkutsk; 1966, Zool. Verh. 81: Pl.21 f.6, Pl.22 f.1. Range (in code): Ir RU Sj
- 19104. Parnassius (s.str.) phoebus apricatus Stichel,1906** (Papilionidae) Synonym(s): *apricatus Stichel,1906* Original Reference: Parnassius phoebus ssp. apricatus Stichel,1906, Berl. ent. Z. 51 (1): 87, Taf.ii figs.13a,b. Syntypes 1♂ 1♀: Nord-Amerika: südlich von Alaska, Insel Kadiak. Range (in code): US Als Kod
- 19105. Parnassius (s.str.) phoebus behri Edwards,1870** (Papilionidae) Synonym(s): *behri Edwards,1870* Range (in code): US Cf
- 19106. Parnassius (s.str.) phoebus fortuna O.Bang-Haas,1935** (Papilionidae) Synonym(s): *fortuna O.Bang-Haas,1935* Range (in code): RU Sb Sj
- 19107. Parnassius (s.str.) phoebus gazeli Praviel,1906** (Papilionidae) Synonym(s): *gazeli Praviel,1906* Range (in code): Mrt
- 19108. Parnassius (s.str.) phoebus intermedius [Ménétériés],1850** (Papilionidae) Synonym(s): *intermedius [Ménétériés],1850* Original Reference: Parnassius phoebus var. intermedius [Ménétériés],1850 [in] Siemaschko, Russkaya fauna, fasc.17, Lep. Tab. 4, fig.1. Lectotype ♀: Russia: Kamchatka (designated by Nekrutenko & Kerzhner,1986, Ent. Obozr. 1986 (4): 774). Range (in code): At Kmt RU
- 19109. Parnassius (s.str.) phoebus phoebus (Fabricius,1793)** (Papilionidae) Synonym(s): *phoebus Fabricius,1793; altaicus Ménétériés,1859; #alpestris Verity,[1911]*. Original Reference: Papilio phoebus Fabricius,1793, Ent. Syst. 3(1): 181. Neotypes ♂♀ [sic!]: Altai, Onogdai, Kurai-Pass (designated by Bryk,1935: 219) (ZMB). Range (in code): At Kts MN RU Sb
- 19110. Parnassius (s.str.) phoebus sauricus Lukhtanov,1999** (Papilionidae) Synonym(s): *sauricus Lukhtanov,1999* Original Reference: Parnassius phoebus ssp. sauricus Lukhtanov,1999, Atalanta 30 (1/4): 136-137. Holotype ♀: Kasachstan: Ust-Kamenogorsk Gebiet, Saur Gebirge, Kysylkiya, 2900m. (in EMEM). Range (in code): KG Mn Sau Tar Sp
- 19111. Parnassius (s.str.) phoebus uralensis Kirby,1871** (Papilionidae) Synonym(s): *#uralensis Ménétériés,1859; uralensis Kirby,1871*. Original Reference: Parnassius phoebus var. intermedius f. uralensis Ménétériés,1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2(1):13. Type(s): Nordural [infrasubspecific!]; Parnassius intermedius var. uralensis Kirby,1871, Syn. Cat. diurn. Lepid.: 512. "Ural". Range (in code): RU Ur
- 19112. Parnassius (s.str.) phoebus zamolodtschikovi Belik,1996** (Papilionidae) Synonym(s): *zamolodtschikovi Belik,1996* Original Reference: Parnassius phoebus ssp. zamolodtschikovi Belik,1996, Atalanta 27 (1/2): 189-192, figs. Holotype ♂: Russia: northwestern part of Eastern Siberia: Putorana plateau, E. of Lama lake, 800m. (in coll. Zamolodchikow). Range (in code): RU Sb
- 19113. Parnassius (s.str.) rueckbeili Deckert,1909** (Papilionidae) Synonym(s): *rueckbeili Deckert,1909* Original Reference: Parnassius delius rückbeili Deckert,1909, Bull. Soc. ent. Fr. 1909: 108. Syntypes: [China: Uighur A.R.]: Barkul mts., Chaunje. Range (in code): CN Kml Ui

- 19114. *Parnassius (s.str.) rueckbeili rueckbeili* Deckert, 1909** (Papilionidae) Synonym(s): *rueckbeili* Deckert, 1909 Original Reference: *Parnassius delius ruckbeili* Deckert, 1909, Bull. Soc. ent. Fr. 1909: 108. Syntypes: [China: Uighur A.R.]: Barkul mts., Chaunje. Range (in code): **CN Kml Ui**
- 19115. *Parnassius (s.str.) sacerdos* Stichel, 1906** (Papilionidae) Synonym(s): *delius* Esper, 1804 *nec* Drury, 1782; *sacerdos* Stichel, 1906; *cervinicolus* Fruhstorfer, 1907; *serenus* Fruhstorfer, 1921; *eisneri* Bryk, 1929; *paradisiacus* Turati, 1932; *palamedes* Hemming, 1934; *savoieensis* Eisner, 1957 Original Reference: *Parnassius phoebus sacerdos* Stichel, 1906, Berl. ent. Z. 51 (1): 86-87 (nomen novum pro *delius* Esper). Syntypes: Schweiz, Tirol. Range (in code): **All Eng Et Mrt Sav Stm**
- 19116. *Parnassius (s.str.) sacerdos sacerdos* Stichel, 1906** (Papilionidae) Synonym(s): *delius* Esper, 1804 *nec* Drury, 1782; *sacerdos* Stichel, 1906; *cervinicolus* Fruhstorfer, 1907; *serenus* Fruhstorfer, 1921; *eisneri* Bryk, 1929; *paradisiacus* Turati, 1932; *palamedes* Hemming, 1934; *savoieensis* Eisner, 1957 Original Reference: *Parnassius phoebus sacerdos* Stichel, 1906, Berl. ent. Z. 51 (1): 86-87 (nomen novum pro *delius* Esper). Syntypes: Schweiz, Tirol. Range (in code): **All Eng Et Mrt Sav Stm**
- 19117. *Parnassius (s.str.) tianschanicus* Oberthür, 1879** (Papilionidae) Synonym(s): *tianschanicus* Oberthür, 1879; *discobolus* Staudinger, 1881; *discobolus* Alpheraky, 1881. Original Reference: *Parnassius corybas* var. *tianschanica* Oberthür, 1879, Etüd. ent. 4: 108. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Foret de Kouldja; Thianschan [Tengri Tagh] (montagnes célestes de la Chine). Range (in code): **Aa AF Al Alt Au Ax Bg Ch Bg Ys Sha Ci CN Fe Gg Hk Ket KG Db KK Dln KuA Mn Na NrK PK Pm Ta T-A TeA TJ Chr Kud Rsh TrA Ui Um UZ Smk Tas T-S Alt Ku Ju Bc Adu Um Kyz M-A DsA Tar Tk Knd Cht Kl** Bionomy: *Rosularia alpestris*, *Pseudosedum longidentatum*, *Clementsia semenovii*, *Rhodiola heterodonta* (Kreuzberg, 1984).
- 19118. *Parnassius (s.str.) tianschanicus alexander* Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *alexander* Bryk & Eisner, 1935 Original Reference: *Parnassius tianschanicus* ssp. *alexander* Bryk & Eisner, 1935, *Parnassiana* 3: 81. Holotype ♀: [Kirgizistan]: Alexander Mts. [Kirgisski Chrebet] (in coll. RNHL). Range (in code): **KG Db T-S Ax KK Tas UZ**
- 19119. *Parnassius (s.str.) tianschanicus almaataensis* Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *almaataensis* Bryk & Eisner, 1935 Original Reference: *Parnassius tianschanicus* ssp. *almaataensis* Bryk & Eisner, 1935, *Parnassiana* 3: 3: 81. Holotype ♂: [Kasachstan]: Alma-Ata (in coll. RNHL). Range (in code): **T-S Aa KG KK Mn**
- 19120. *Parnassius (s.str.) tianschanicus astrictio* Ohya, 1987** (Papilionidae) Synonym(s): *astrictio* Ohya, 1987; *kaindyensis* Kreuzberg, 1989 Range (in code): **KK Cht T-S Knd**
- 19121. *Parnassius (s.str.) tianschanicus baroghila* Tytler, 1926** (Papilionidae) Synonym(s): *baroghila* Tytler, 1926 Original Reference: *Parnassius discobolus* ssp. *baroghila* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 250, Pl.4 fig.1. Type(s): [Pakistan]: Gilgit, Baroghil Pass. Range (in code): **AF Bg Ci Gg PK**
- 19122. *Parnassius (s.str.) tianschanicus chimganus* Kreuzberg, 1989** (Papilionidae) Synonym(s): *chimganus* Kreuzberg, 1989 Original Reference: *Parnassius tianschanicus* ssp. *chimganus* Kreuzberg, 1989, Vestn. zool. 1989 (6): 33, fig.2. Holotype ♂: Uzbekistan: Tchatkal-Gebirge, Tschimgan, 2300m. Range (in code): **T-S KG Kst Ta Tls Ug UZ**
- 19123. *Parnassius (s.str.) tianschanicus erebus* Verity, 1911** (Papilionidae) Synonym(s): *erebus* Verity, 1911 Original Reference: *Parnassius tianschanicus erebus* Verity, 1911, *Rhopalocera palaeart.* 312, pl.12 figs.2,3, pl.53, fig.2. Range (in code): **CN Ui Um Adu Bc Ln Alt**
- 19124. *Parnassius (s.str.) tianschanicus gilgitensis* O.Bang-Haas, 1932** (Papilionidae) Synonym(s): *gilgitensis* O.Bang-Haas, 1932; *binghami* Bryk, 1934; *chitralensis* O.Bang-Haas Original Reference: *Parnassius tianschanicus* ssp. *gilgitensis* O.Bang-Haas, 1932, Ent. Z., Frankf. a. M. 46: 200. Type: [Pakistan]: Gilgit. Range (in code): **PK Ch Nwf Ci Gg Bg Ys Sha Hk**
- 19125. *Parnassius (s.str.) tianschanicus griseldis* Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *griseldis* Bryk & Eisner, 1935 Range (in code): **TJ Pm**
- 19126. *Parnassius (s.str.) tianschanicus grumgrshimailoi* O.Bang-Haas, 1927** (Papilionidae) Synonym(s): *grumgrshimailoi* O.Bang-Haas, 1927 Original Reference: *Parnassius tianschanicus* ssp. *grumgrshimailoi* O.Bang-Haas, 1927, *Horae Macrolepid.* 1: 18. Type(s): [Tadjikistan]: Pamirs, Kizil-Art. Range (in code): **KK Pm T-A TJ UZ Kyz M-A**
- 19127. *Parnassius (s.str.) tianschanicus haberhaueri* Bryk & Eisner, 1935** (Papilionidae) Synonym(s): *haberhaueri* Bryk & Eisner, 1935 Original Reference: *Parnassius tianschanicus* ssp. *haberhaueri* Bryk & Eisner, 1935, *Parnassiana* 3: 82. Holotype ♂: [Uzbekistan]: Buchara: Dombaratschi. Range (in code): **Br UZ**

- 19128. *Parnassius (s.str.) tianschanicus insignis* Staudinger, 1886** (Papilionidae)
Synonym(s): *insignis* Staudinger, 1886 Original Reference: *Parnassius discobolus* var. (ab.)
insignis Staudinger, 1886, Stettin ent. Ztg. 47: 194. Syntypes: [Tadjikistan]: Südlichen Alai.
Range (in code): T-S Al Fe KK UZ
- 19129. *Parnassius (s.str.) tianschanicus maureri* Bryk & Eisner, 1935** (Papilionidae)
Synonym(s): *maureri* Bryk & Eisner, 1935 Original Reference: *Parnassius tianschanicus maureri*
Bryk & Eisner, 1935, Parnassiana 3: 82. Holotype ♂: [Tadjikistan]: Safarschan, Hissar-Gebirge (in
coll. RNHL). Range (in code): His Smk TJ UZ
- 19130. *Parnassius (s.str.) tianschanicus melaneus* Weiss, 1980** (Papilionidae)
Synonym(s): *melaneus* Weiss, 1980 Original Reference: *Parnassius tianschanicus* ssp. *melaneus*
Weiss, 1980, Atalanta 11 (1): 18-20, Abb. Holotype ♂: Kirgisia: Kirgisischer Ala-Tau, Uzyn-Gyr,
2800-3000m (ein kleiner Gebirgsort, zw. den Flüssen Alaarcha u. Alamedin, südl. Frunze)
(NMP). Range (in code): KK Ax T-S
- 19131. *Parnassius (s.str.) tianschanicus minor* Staudinger, 1881** (Papilionidae)
Synonym(s): *minor* Staudinger, 1881 Original Reference: *Parnassius discobolus* var. *minor*
Staudinger, 1881, Stettin ent. Ztg. 42: 277. Syntypes ♂♀: [Kasachstan: Taldy-Kurgan]:
Dshungarischer Ala Tau. Range (in code): T-S DsA KG Tar Tk
- 19132. *Parnassius (s.str.) tianschanicus olympius* Staudinger, 1898** (Papilionidae)
Synonym(s): *olympius* Staudinger, 1898 Original Reference: *Parnassius olympius*
Staudinger, 1898, Dt. ent. Z., Iris 10: 344. Syntypes: [Uighur Ili]: Thian. c. m. [Tengri Tagh]
(Korla alp.) Range (in code): Au CN KK Kl Krk Ku T-S Ui
- 19133. *Parnassius (s.str.) tianschanicus shiva* Wyatt, 1961** (Papilionidae) Synonym(s): *shiva*
Wyatt, 1961 Original Reference: *Parnassius tianschanicus* ssp. *shiva* Wyatt, 1961, J.
Lepidopterist's Soc. 15(1): 4, figs. Holotype ♂: Afghanistan: N. Badakhshan, Shiva Mts., Kars
Pass, 11000ft. Range (in code): AF Bd Shv
- 19134. *Parnassius (s.str.) tianschanicus superba* Groum-Grshimailo, 1890**
(Papilionidae) Synonym(s): *superba* Groum-Grshimailo, 1890 Original Reference: *Parnassius*
tianschanicus superba Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 180. Type(s):
[Afghanistan]: Koudara. Range (in code): AF Hk TJ Pm Chr Kud Rsh
- 19135. *Parnassius (s.str.) tianschanicus thiseus* Ehrmann** (Papilionidae) Synonym(s):
thiseus Ehrmann Range (in code): KK Dln Na T-S
- 19136. *Parnassius (s.str.) tianschanicus tianschanicus* Oberthür, 1879** (Papilionidae)
Synonym(s): *tianschanicus* Oberthür, 1879; *discobolus* Staudinger, 1881; *discobolus* Alpheraky, 1881.
Original Reference: *Parnassius corybas* var. *tianschanica* Oberthür, 1879, Etüd. ent. 4: 108.
Syntypes 1♂ 1♀: [China: Uighur A.R.]: Foret de Kouldja; Thianschan [Tengri Tagh] (montagnes
célestes de la Chine). Range (in code): CN Ju Ket KG Ku NrK Tk T-S Ui Alt Um
- 19137. *Parnassius (s.str.) tianschanicus warsadjicus* Eisner & Naumann, 1980**
(Papilionidae) Synonym(s): *warsadjicus* Eisner & Naumann, 1980 Original Reference: *Parnassius*
tianschanicus ssp. *warsadjicus* Eisner & Naumann, 1980, Zool. Verh. 178: 17-18, Taf. 8, Abb. 16.
Holotype ♂: Afghanistan: [Badakhshan], Prov. Takhar, Darrah-e-Warsadj, Kadj-Darrah-e-
Warsadj. Range (in code): AF Bd
- 19138. *Parnassius clodius* Ménétriés, 1855** (Papilionidae) Synonym(s): *clodius* Ménétriés, 1855
Range (in code): US Cf Col Id Mon Org Ut Ws Wy
- 19139. *Parnassius hide* Koiwaya, 1987** (Papilionidae) Synonym(s): *hide* Koiwaya, 1987 Range
(in code): CN Ti Ts
- 19140. *Parnassius hide* Koiwaya, 1987** (Papilionidae) Synonym(s): *hide* Koiwaya, 1987
Range (in code): CN
- 19141. *Parnassius hide* petriki Kocman, 2003** (Papilionidae) Synonym(s): *petriki* Kocman, 2003
Range (in code): CN Ts
- 19142. *Parnassius hide* shiguti Kawasaki, 2004** (Papilionidae) Synonym(s): *shiguti*
Kawasaki, 2004 Range (in code): CN Ti
- 19143. *Parnassius labeyriei* Weiss & Michel, 1989** (Papilionidae) Synonym(s): *labeyriei* Weiss
& Michel, 1989 Range (in code): CN Ts
- 19144. *Parnassius labeyriei giacomazzoi* Weiss, 1991** (Papilionidae) Synonym(s): *giacomazzoi*
Weiss, 1991
- 19145. *Parnassius labeyriei holoydai* Kocman, 2003** (Papilionidae) Synonym(s): *holoydai*
Kocman, 2003 Range (in code): CN Ts

- 19146. *Parnassius labeyriei kiyotakai* Sugiyama,1992** (Papilionidae) Synonym(s): *kiyotakai* Sugiyama,1992 _ Range (in code): **CN Ts**
- 19147. *Parnassius labeyriei labeyriei* Weiss & Michel,1989** (Papilionidae) Synonym(s): *labeyriei* Weiss & Michel,1989 _ Range (in code): **CN**
- 19148. *Parnassius smintheus Doubleday*,[1847]** (Papilionidae) Synonym(s): *smintheus* Doubleday,[1847] _ Range (in code): **US Cf Arz Col Id Mon NDk NMx Ne Neb Org SDk Ut Ws Wy CA Yuk**
- 19149. *Priamides anchisiades* (Esper,1788)** (Papilionidae) Synonym(s): *anchisiades* Esper,1788; *hippona* Hübner,[1819]; *archelaus* Godart,[1819]; *theramenes* C.Felder & R.Felder,1861. _ Range (in code): **US MX Arz Kan Tx VE Tac Blr Agu Anz CO c27 c22 c31 c21 c26**
- 19150. *Priamides anchisiades anchisiades* (Esper,1788)** (Papilionidae) Synonym(s): *anchisiades* Esper,1788; *hippona* Hübner,[1819]; *archelaus* Godart,[1819]; *theramenes* C.Felder & R.Felder,1861. Range (in code): **VE**
- 19151. *Priamides anchisiades idaeus* (Fabricius,1793)** (Papilionidae) Synonym(s): *idaeus* Fabricius,1793; *pandion* C.Felder & R.Felder,[1865].
- 19152. *Princeps (Druryia (Iterus)) zalmoxis* (Hewitson,1864)** (Papilionidae) Synonym(s): *zalmoxis* Hewitson,1864; *#sufferti* Röber,1898; *#ripponi* Röber,1898; *#cinereus* Schultze,1913. Original Reference: *Papilio zalmoxis* Hewitson,1864, Ill. new species exot. butts. 3: [2], pl.[1], fig.18. Type: [Nigeria]: "Calabar". Range (in code): **NG CM ZR CF GA CI LR GH**
- 19153. *Princeps (Druryia (Iterus)) zalmoxis zalmoxis* (Hewitson,1864)** (Papilionidae) Synonym(s): *zalmoxis* Hewitson,1864; *#sufferti* Röber,1898; *#ripponi* Röber,1898; *#cinereus* Schultze,1913. Original Reference: *Papilio zalmoxis* Hewitson,1864, Ill. new species exot. butts. 3: [2], pl.[1], fig.18. Type: [Nigeria]: "Calabar". Range (in code): **NG CM ZR CF GA CI LR GH**
- 19154. *Princeps (Druryia (Melindopsis)) rex* (Oberthür,1886)** (Papilionidae) Synonym(s): *rex* Oberthür,1886; *arnoldi* Richelman,1909 Original Reference: *Papilio rex* Oberthür,1886, Annls Soc. ent. Fr. (6) 6: Bull. cxiv. Range (in code): **TZ Old Ngn Mru Kmj Lgi Mbu Kwh Ulu Ngur ET KE Kky Nya Elg Nai Kit ZR Kvu UG RW BI TZ SD SD19 NG CM** Bionomy: Larva on Calodendrum, Citrus, Clusena, Fagara, Teclea, Toddalia (Rutaceae) (Ackery et al.,1995).
- 19155. *Princeps (Druryia (Melindopsis)) rex abyssinica* (Vane-Wright,1995)** (Papilionidae) Synonym(s): *abyssinicus* Poulton,1926 nec Cannav.,1900; *abyssinica* Vane-Wright,1995 Original Reference: *Papilio (Princeps) rex abyssinica* Vane-Wright,1995, Carcasson's African Butts.: 156 (nomen novum pro *abyssinicus* Poulton,1926 nec Cannaviello,1900). Type: Ethiopia: "S.W.Abyssinia: Nado's Prov.: Ganji River". Range (in code): **ET**
- 19156. *Princeps (Druryia (Melindopsis)) rex commixtus* (Aurivillius,1908)** (Papilionidae) Synonym(s): *commixtus* Aurivillius,1908; *#alinderi* Bryk,1928; *#lindblomi* Bryk,1928; *#intermediata* Bryk,1930; *#holmi* Bryk,1953. _ Range (in code): **KE Nya Elg**
- 19157. *Princeps (Druryia (Melindopsis)) rex franciscæ* (Carpenter,1928)** (Papilionidae) Synonym(s): *franciscæ* Carpenter,1928. _ Range (in code): **SD SD19 ET**
- 19158. *Princeps (Druryia (Melindopsis)) rex mimeticus* (Rothschild,1897)** (Papilionidae) Synonym(s): *mimeticus* Rothschild,1897; *barnsi* Le Cerf,1924. _ Range (in code): **ZR Kvu UG RW BI TZ**
- 19159. *Princeps (Druryia (Melindopsis)) rex regulana* (Vane-Wright,1995)** (Papilionidae) Synonym(s): *regulus* Le Cerf,1919 nec Stoll,[1790]; *#eisneri* Bryk,1928; *#endymion* Stoneham,1951; *regulana* Vane-Wright,1995. Original Reference: *Papilio (Princeps) rex regulana* Vane-Wright,1995, Carcasson's African Butts.: 156 (nomen novum pro *regulus* Le Cerf,1919 nec Stoll,[1790]). Type: Kenya: "Kijabé" (Kikuyu Escarpment). Range (in code): **KE Kky Nai Kit**
- 19160. *Princeps (Druryia (Melindopsis)) rex rex* (Oberthür,1886)** (Papilionidae) Synonym(s): *rex* Oberthür,1886; *arnoldi* Richelman,1909 Original Reference: *Papilio rex* Oberthür,1886, Annls Soc. ent. Fr. (6) 6: Bull. cxiv. Range (in code): **TZ Old Ngn Mru Kmj Lgi Mbu Kwh Ulu Ngur**
- 19161. *Princeps (Druryia (Melindopsis)) rex schultzei* (Aurivillius,1904)** (Papilionidae) Synonym(s): *schultzei* Aurivillius,1904 _ Range (in code): **NG CM**
- 19162. *Princeps (Druryia (cynorta-gr)) arnoldiana* (Vane-Wright,1995)** (Papilionidae) Synonym(s): *arnoldi* Poulton,1926 nec Richelmann,1909; *arnoldiana* Vane-Wright,1995. Original Reference: *Papilio (Princeps) arnoldiana* Vane-Wright,1995, Carcasson's African Butts.: 139 (nomen novum pro *arnoldi* Poulton,1926 nec Richelmann,1909). Type: Ethiopia: "S.W.Abyssinia: Grine". Range (in code): **ET**

- 19163. Princeps (Druryia (cynorta-gr)) arnoldiana arnoldiana (Vane-Wright,1995)** (Papilionidae) Synonym(s): *arnoldi* Poulton,1926 *nec* Richelmann,1909; *arnoldiana* Vane-Wright,1995. Original Reference: Papilio (Princeps) arnoldiana Vane-Wright,1995, Carcasson's African Butts.: 139 (nomen novum pro *arnoldi* Poulton,1926 *nec* Richelmann,1909). Type: Ethiopia: "S.W.Abyssinia: Grine". Range (in code): **ET**
- 19164. Princeps (Druryia (cynorta-gr)) cynorta (Fabricius,1793)** (Papilionidae) Synonym(s): *cynorta* Fabricius,1793; *zerynthius* Boisduval,1836; *boisduvallianus* Westwood,[1842]; *noreyta* Suffert,1904; *peculiaris* Neave,1904; *triptolemus* Ehrmann,1918. Original Reference: Papilio cynorta Fabricius,1793, Ent. Syst. 3 (1): 37. Range (in code): **ZR UG SL CM KE TZ Kgo Mpa GH Ate** Bionomy: Larva on Vepris, Clausena (Rutaceae) (Kielland,1990).
- 19165. Princeps (Druryia (cynorta-gr)) cynorta cynorta (Fabricius,1793)** (Papilionidae) Synonym(s): *cynorta* Fabricius,1793; *zerynthius* Boisduval,1836; *boisduvallianus* Westwood,[1842]; *noreyta* Suffert,1904; *peculiaris* Neave,1904; *triptolemus* Ehrmann,1918. Original Reference: Papilio cynorta Fabricius,1793, Ent. Syst. 3 (1): 37. Range (in code): **ZR UG SL CM KE TZ Kgo Mpa GH Ate** Bionomy: Larva on Vepris, Clausena (Rutaceae) (Kielland,1990).
- 19166. Princeps (Druryia (cynorta-gr)) echerioides (Trimen,1868)** (Papilionidae) Synonym(s): *echerioides* Trimen,1868 Original Reference: Papilio echerioides Trimen,1868, Trans. ent. Soc. London 1868: 72, pl.6 figs.1,2. Syntypes: [South Africa]: Kaffraria: Perie Bush, Sogana, Boolo forests; Natal: Tunjumbili, Tugela frontier. Range (in code): **MW Zom ET SD UG KE RW ZR AO TZ Old Ngn Mru Kmj Kwh Lgi Meto Lsg Lol Pare Usa Tnga Ani Ulg Ngur Ngu Mwh GO ZW MZ ZA Nta Tva Kzu Ptb Lpo Spb Ent Ly Suw Mpu Brb Mll** Bionomy: Larva on Clausena anisata, Vepris lanceolata, Zanthoxylum capense, Citrus, Calodendrum, Fagara, Teclea, Toddalia (Rutaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 19167. Princeps (Druryia (cynorta-gr)) echerioides chirindanus (Van Son,1956)** (Papilionidae) Synonym(s): *chirindanus* Van Son,1956. Original Reference: Papilio echerioides ssp. chirindanus Van Son,1956, Ann. Transv. Mus. 22: 504, pl.28,29 figs.3,4. Type: [Zimbabwe]: "S.Rhodesia, Mount Selinda". Range (in code): **ZW MZ** Bionomy: Larva on Clausena anisata, Vepris lanceolata, Zanthoxylum capense, Citrus, Calodendrum, Fagara, Teclea, Toddalia (Rutaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 19168. Princeps (Druryia (cynorta-gr)) echerioides echerioides (Trimen,1868)** (Papilionidae) Synonym(s): *echerioides* Trimen,1868 Original Reference: Papilio echerioides Trimen,1868, Trans. ent. Soc. London 1868: 72, pl.6 figs.1,2. Syntypes: [South Africa]: Kaffraria: Perie Bush, Sogana, Boolo forests; Natal: Tunjumbili, Tugela frontier. Range (in code): **ZA Nta Tva Kzu Ptb Lpo Spb Ent Ly Suw Mpu Brb Mll**
- 19169. Princeps (Druryia (cynorta-gr)) echerioides gabrieli (Gauthier,1984)** (Papilionidae) Synonym(s): *barnsi* Gabriel,1945 *nec* Le Cerf,1924; *gabrieli* Gauthier,1984. Range (in code): **GO**
- 19170. Princeps (Druryia (cynorta-gr)) echerioides homeyeri (Plötz,1880)** (Papilionidae) Synonym(s): *homeyeri* Plötz,1880; *neumanni* Karsch,1895; *tanganikae* Oberthür,1897; *#subtanganikae* Strand,1916; *#zoroastrides* Strand,1916. Range (in code): **ZR AO TZ**
- 19171. Princeps (Druryia (cynorta-gr)) echerioides joiceyi (Gabriel,1945)** (Papilionidae) Synonym(s): *joiceyi* Gabriel,1945; *#pallidochrea* Steneham,1944. Range (in code): **SD UG KE Tnga Usa Ani TZ RW ZR**
- 19172. Princeps (Druryia (cynorta-gr)) echerioides leucospilus (Rothschild,1902)** (Papilionidae) Synonym(s): *leucospilus* Rothschild,1902. Range (in code): **ET**
- 19173. Princeps (Druryia (cynorta-gr)) echerioides nioka Hancock,1989** (Papilionidae) Synonym(s): *#nioka* Berger,1974; *nioka* Hancock,1989. Range (in code): **ZR**
- 19174. Princeps (Druryia (cynorta-gr)) echerioides nyiro (Carcasson,1962)** (Papilionidae) Synonym(s): *nyiro* Carcasson,1962. Range (in code): **KE**
- 19175. Princeps (Druryia (cynorta-gr)) echerioides oscari (Rothschild,1902)** (Papilionidae) Synonym(s): *oscari* Rothschild,1902. Range (in code): **ET**
- 19176. Princeps (Druryia (cynorta-gr)) echerioides pseudowertheri Kielland,1990** (Papilionidae) Synonym(s): *pseudowertheri* Kielland,1990 Range (in code): **TZ Ulg Ngur Ngu Mwh**
- 19177. Princeps (Druryia (cynorta-gr)) echerioides shirensis Hancock,1987** (Papilionidae) Synonym(s): *shirensis* Hancock,1987. Range (in code): **MW**
- 19178. Princeps (Druryia (cynorta-gr)) echerioides wertheri (Karsch,1898)** (Papilionidae) Synonym(s): *wertheri* Karsch,1898; *rideschi* Suffert,1904; *rectofasciata* Kielland,1990. Original Reference: Papilio echerioides var. wertheri Karsch,1898, [in] Werther,C.W., Die

- mittleren Hochländer des nordlichen Deutsch-Ost-Afrika: 315. Type: [Tanzania]: Mangati.
Range (in code): TZ Old Ngn Mru Kmj Kwh Lgi Meto Lsg Lol Pare Usa Tnga KE
- 19179. *Princeps (Druryia (cynorta-gr)) fuelleborni (Karsch,1900)*** (Papilionidae)
Synonym(s): *fuelleborni* Karsch,1900 Range (in code): MW TZ Lvt Uzu Rub Uka Ngur Ngu Usa Tnga Pare Bionomy: Larva on Clausena (Rutaceae) (Kielland,1990).
- 19180. *Princeps (Druryia (cynorta-gr)) fuelleborni fuelleborni (Karsch,1900)*** (Papilionidae) Synonym(s): *fuelleborni* Karsch,1900 Range (in code): MW TZ Lvt Uzu Rub Uka Ngur Ngu
- 19181. *Princeps (Druryia (cynorta-gr)) fuelleborni rydoni*** Kielland,1987 (Papilionidae)
Synonym(s): *rydoni* Kielland,1987 Range (in code): TZ Ulg Usa Tnga Pare
- 19182. *Princeps (Druryia (cynorta-gr)) jacksoni (Sharpe,1891)*** (Papilionidae)
Synonym(s): *jacksoni* Sharpe,1891 Original Reference: Papilio *jacksoni* Sharpe,1891, Proc. zool. Soc. London 1891: 188, pl.17 figs.1,2. Type: Kenya: "Kikuyu". Range (in code): ZM MW Nyi KE Kky RW ZR UG TZ Kgo Mpa Ufi Bionomy: Larva on Calodendrum, Citrus, Clausena, Fagara, Teclea, Toddalia (Rutaceae) (Ackery et al.,1995).
- 19183. *Princeps (Druryia (cynorta-gr)) jacksoni hecqui (Berger,1954)*** (Papilionidae)
Synonym(s): *hecqui* Berger,1954 Range (in code): ZR
- 19184. *Princeps (Druryia (cynorta-gr)) jacksoni jacksoni (Sharpe,1891)*** (Papilionidae)
Synonym(s): *jacksoni* Sharpe,1891 Original Reference: Papilio *jacksoni* Sharpe,1891, Proc. zool. Soc. London 1891: 188, pl.17 figs.1,2. Type: Kenya: "Kikuyu". Range (in code): KE Kky UG
- 19185. *Princeps (Druryia (cynorta-gr)) jacksoni kungwe (Cottrell,1963)*** (Papilionidae)
Synonym(s): *kungwe* Cottrell,1963 Range (in code): TZ Kgo Mpa Ufi
- 19186. *Princeps (Druryia (cynorta-gr)) jacksoni nyika (Cottrell,1963)*** (Papilionidae)
Synonym(s): *nyika* Cottrell,1963 Range (in code): ZM MW Nyi
- 19187. *Princeps (Druryia (cynorta-gr)) jacksoni ruandana (le Cerf,1924)*** (Papilionidae)
Synonym(s): *ruandana* le Cerf,1924 Range (in code): RW ZR UG
- 19188. *Princeps (Druryia (cynorta-gr)) plagiatus (Aurivillius,1898)*** (Papilionidae)
Synonym(s): *plagiatus* Aurivillius,1898 Original Reference: Papilio *plagiatus* Aurivillius,1898, Ent. Tidskr. 18: 183. Syntypes: [Zaire]: "Congogebiet, Sassa am oberen Ubangi". Range (in code): CM ZR SD CF
- 19189. *Princeps (Druryia (cynorta-gr)) plagiatus plagiatus (Aurivillius,1898)*** (Papilionidae) Synonym(s): *plagiatus* Aurivillius,1898 Original Reference: Papilio *plagiatus* Aurivillius,1898, Ent. Tidskr. 18: 183. Syntypes: [Zaire]: "Congogebiet, Sassa am oberen Ubangi". Range (in code): CM ZR SD CF
- 19190. *Princeps (Druryia (cynorta-gr)) sjoestedti (Aurivillius,1908)*** (Papilionidae)
Synonym(s): *sjoestedti* Aurivillius,1908 Range (in code): TZ Mru Old Ngn Mbu Kwh Kmj
- 19191. *Princeps (Druryia (cynorta-gr)) sjoestedti atavus (Le Cerf,1912)*** (Papilionidae)
Synonym(s): *atavus* Le Cerf,1912; *neocesa* Kemal & Koçak,2005 Range (in code): TZ Kmj
- 19192. *Princeps (Druryia (cynorta-gr)) zoroastres (Druce,1878)*** (Papilionidae)
Synonym(s): *zoroastres* Druce,1878; *preussius* Karsch,1893; *#sapponis* Strand,1914. Original Reference: Papilio *zoroastres* Druce,1878, Entomologist's mon. Mag. 14: 226. Syntypes: [Cameroon]: "Fernando Po". Range (in code): GO Bio CM
- 19193. *Princeps (Druryia (cynorta-gr)) zoroastres zoroastres (Druce,1878)*** (Papilionidae) Synonym(s): *zoroastres* Druce,1878; *preussius* Karsch,1893; *#sapponis* Strand,1914. Original Reference: Papilio *zoroastres* Druce,1878, Entomologist's mon. Mag. 14: 226. Syntypes: [Cameroon]: "Fernando Po". Range (in code): GO Bio CM
- 19194. *Princeps (Druryia (nireus-gr)) charopus (Westwood,[1843])*** (Papilionidae)
Synonym(s): *charopus* Westwood,[1843] Range (in code): RW BI ZR UG CM GO Bio
- 19195. *Princeps (Druryia (nireus-gr)) charopus charopus (Westwood,[1843])*** (Papilionidae) Synonym(s): *charopus* Westwood,[1843] Range (in code): CM GO Bio
- 19196. *Princeps (Druryia (nireus-gr)) charopus montuosus (Joicey & Talbot,1927)*** (Papilionidae) Synonym(s): *juventus* Le Cerf,1924 nec Cr.,1777; *montuosus* Joicey & Talbot,1927 Range (in code): UG ZR RW BI
- 19197. *Princeps (Druryia (nireus-gr)) chitondensis Bivar de Sousa & Fernandes,1966*** (Papilionidae) Synonym(s): *chitondensis* Bivar de Sousa & Fernandes,1966 Range (in code): AO
- 19198. *Princeps (Druryia (nireus-gr)) chitondensis chitondensis Bivar de Sousa & Fernandes,1966*** (Papilionidae) Synonym(s): *chitondensis* Bivar de Sousa & Fernandes,1966 Range (in code): AO

- 19199. Princeps (Druryia (nireus-gr)) chrapkowskii (Suffert,1904)** (Papilionidae)
Synonym(s): *chrapkowskii* Suffert,1904; *brontia* Strand,1911; *#obliterata* Dufrane,1946; *#addenda* Storace,1951.
Original Reference: Papilio *chrapkowskii* Suffert,1904, Dt. ent. Z., Iris 17: 98, pl.2 fig.2.
Syntypes: [Kenya]: "British Ost-Africa, Nairobi". Range (in code): **UG KE TZ Old Ngn Mbu Kwh**
Bionomy: Larva on Colodendrum, Citrus, Clausena, Fagara, Teclea, Toddalia (Rutaceae) (Kielland,1990; Ackery, et al.,1995).
- 19200. Princeps (Druryia (nireus-gr)) chrapkowskii chrapkowskii (Suffert,1904)** (Papilionidae)
Synonym(s): *chrapkowskii* Suffert,1904; *brontia* Strand,1911; *#obliterata* Dufrane,1946; *#addenda* Storace,1951. Original Reference: Papilio *chrapkowskii* Suffert,1904, Dt. ent. Z., Iris 17: 98, pl.2 fig.2. Syntypes: [Kenya]: "British Ost-Africa, Nairobi". Range (in code): **UG KE TZ Old Ngn Mbu Kwh** Bionomy: Larva on Colodendrum, Citrus, Clausena, Fagara, Teclea, Toddalia (Rutaceae) (Kielland,1990; Ackery, et al.,1995).
- 19201. Princeps (Druryia (nireus-gr)) chrapkowskoides (Storace,1952)** (Papilionidae)
Synonym(s): *chrapkowskoides* Storace,1952; *#opposita* Storace,1952; *interjanas* Storace,1961. Original Reference: Papilio *bromius* *chrapkowskoides* Storace,1952, Lambillionea 52: 9. Syntypes: Uganda: Kalinzu forest, Entebbe, etc. Range (in code): **ZR CI AO CM NG UG CG CF RW BI SL TZ Buk Kgo Mpa GH Ate** Bionomy: Larva on Citrus, Vepris; Teclea (Rutaceae) (Kielland,1990; Ackery, et al.,1995).
- 19202. Princeps (Druryia (nireus-gr)) chrapkowskoides chrapkowskoides (Storace,1952)** (Papilionidae)
Synonym(s): *chrapkowskoides* Storace,1952; *#opposita* Storace,1952; *interjanas* Storace,1961. Original Reference: Papilio *bromius* *chrapkowskoides* Storace,1952, Lambillionea 52: 9. Syntypes: Uganda: Kalinzu forest, Entebbe, etc. Range (in code): **UG RW BI ZR TZ Buk Kgo Mpa**
- 19203. Princeps (Druryia (nireus-gr)) chrapkowskoides nurettini (Koçak,1983)** (Papilionidae)
Synonym(s): *bromius* Doubleday,1845 nec St.,[1787]; *#septentrioncola* Storace,1951; *nurettini* Koçak,1983. Original Reference: Papilio *chrapkowskii* ssp. *nurettini* Koçak,1983, Priamus 2 (4): 165 (nomen novum pro Papilio *bromius* Doubleday,1845 nec Papilio *bromius* Stoll,[1787]). Range (in code): **ZR CI AO CM NG UG CG CF SL GH Ate**
- 19204. Princeps (Druryia (nireus-gr)) desmondi (Van Someren,1939)** (Papilionidae)
Synonym(s): *desmondi* Van Someren,1939. Range (in code): **TZ Kmj Pare Mru Tky Ulg Tnga Usa Ani MW Zom ZM KE Tet** Bionomy: Larva on Psoralea (Fabaceae); Aegle, Citrus, Clausena, Glycosmis, Microcitrus, Murraya, Zanthoxylum, Zizyphus, Teclea, Toddalia (Rutaceae) (Kielland,1990; Ackery et al.,1995).
- 19205. Princeps (Druryia (nireus-gr)) desmondi desmondi (Van Someren,1939)** (Papilionidae)
Synonym(s): *desmondi* Van Someren,1939. Range (in code): **KE**
- 19206. Princeps (Druryia (nireus-gr)) desmondi magdae (Gifford,1961)** (Papilionidae)
Synonym(s): *brontes* Godman,1885 nec [Denis & Schiff.],1775; *magdae* Gifford,1961 Range (in code): **MW Zom TZ Kmj Pare Mru**
- 19207. Princeps (Druryia (nireus-gr)) desmondi teita (Van Someren,1960)** (Papilionidae)
Synonym(s): *teita* Van Someren,1960. Range (in code): **KE Tet**
- 19208. Princeps (Druryia (nireus-gr)) desmondi usambaraensis (Koçak,1980)** (Papilionidae)
Synonym(s): *australis* Van Someren,1960 nec Esp.,[1781] non Maynard,1891; *usambaraensis* Koçak,1980. Original Reference: Papilio *brontes* ssp. *usambaraensis* Koçak,1980, Nota lepid. 2: 139 (nomen novum pro *australis* Van Someren,1960 nec Esper,[1781] non Maynard,1891). Range (in code): **TZ Tnga Usa Ani Tky Ulg MW ZM**
- 19209. Princeps (Druryia (nireus-gr)) epiphorbas (Boisduval,1833)** (Papilionidae)
Synonym(s): *epiphorbas* Boisduval,1833; *#hova* Le Cerf,1924; *#oriphorbas* Le Cerf,1924. Range (in code): **MG KM**
- 19210. Princeps (Druryia (nireus-gr)) epiphorbas epiphorbas (Boisduval,1833)** (Papilionidae)
Synonym(s): *epiphorbas* Boisduval,1833; *#hova* Le Cerf,1924; *#oriphorbas* Le Cerf,1924. Range (in code): **MG**
- 19211. Princeps (Druryia (nireus-gr)) epiphorbas guyonaudi (Turlin & Guilbot,1990)** (Papilionidae)
Synonym(s): *guyonaudi* Turlin & Guilbot,1990 Range (in code): **KM**
- 19212. Princeps (Druryia (nireus-gr)) epiphorbas praedicta (Turlin & Guilbot,1990)** (Papilionidae)
Synonym(s): *praedicta* Turlin & Guilbot,1990 Range (in code): **KM**
- 19213. Princeps (Druryia (nireus-gr)) hornimani (Distant,1879)** (Papilionidae)
Synonym(s): *hornimani* Distant,1879 Original Reference: Papilio *hornimani* Distant,1879, Proc.

- zool. Soc. London 1879: 647-649, pl.47 figs.1-3. Syntypes: [Tanzania]: "Magila, East Africa". Range (in code): TZ Tnga Pare Usa Ani Mwh Old Ngn Mbu Kwh KE
- 19214. Princeps (Druryia (nireus-gr)) hornimani hornimani (Distant,1879)** (Papilionidae) Synonym(s): *hornimani Distant,1879* Original Reference: Papilio hornimani Distant,1879, Proc. zool. Soc. London 1879: 647-649, pl.47 figs.1-3. Syntypes: [Tanzania]: "Magila, East Africa". Range (in code): TZ Pare Tnga Usa Ani KE
- 19215. Princeps (Druryia (nireus-gr)) hornimani mbulu (Kielland,1990)** (Papilionidae) Synonym(s): *mbulu Kielland,1990* Original Reference: Papilio hornimani ssp. mbulu Kielland,1990, Butterflies of Tanzania: 40, pl.3. Holotype ♂: Tanzania: "Mbulu, Mamahisara, Hasama Forest 2000m". Range (in code): TZ Old Ngn Mbu Kwh
- 19216. Princeps (Druryia (nireus-gr)) hornimani mwanihanae Kielland,1987** (Papilionidae) Synonym(s): *mwanihanae Kielland,1987*. Original Reference: Papilio hornimani ssp. mwanihanae Kielland,1987, Lambillionea 87: 122, figs.7,8. Holotype ♂: Tanzania: Kilombero Sanje, 300m. Range (in code): TZ Mwh
- 19217. Princeps (Druryia (nireus-gr)) interjectana (Vane-Wright,1995)** (Papilionidae) Synonym(s): *interjecta Van Someren,1960 nec Honrath,1892; interjectana Vane-Wright,1995* Original Reference: Papilio (Princeps) interjectana Vane-Wright,1995, Carcasson's African Butts.: 150 (nomen novum pro interjecta Van Someren,1960 nec Honrath,1892). Type: Kenya: "Kaimosi Forest". Range (in code): KE UG
- 19218. Princeps (Druryia (nireus-gr)) interjectana interjectana (Vane-Wright,1995)** (Papilionidae) Synonym(s): *interjecta Van Someren,1960 nec Honrath,1892; interjectana Vane-Wright,1995* Original Reference: Papilio (Princeps) interjectana Vane-Wright,1995, Carcasson's African Butts.: 150 (nomen novum pro interjecta Van Someren,1960 nec Honrath,1892). Type: Kenya: "Kaimosi Forest". Range (in code): KE UG
- 19219. Princeps (Druryia (nireus-gr)) mackinnoni (Sharpe,1891)** (Papilionidae) Synonym(s): *mackinnoni Sharpe,1891; immaculatus Suffert,1904; bimaculatus Suffert,1904; #unimaculatus Le Cerf,1924; elgonia Bryk,1926; #ampliusmaculata Krüger,1928; #addenda Dufrane,1953*. Original Reference: Papilio mackinnoni Sharpe,1891, Proc. zool. Soc. London 1891: 187, pl.16 fig.1. Syntypes: Kenya: "between Sotik and Kavirondo, Kikuyu". Range (in code): UG KE Elg RW TZ Mpa Mbe Lol Buk Aus Lgi Meto Rub ZR SD BI AO ZM MW Nyi
- 19220. Princeps (Druryia (nireus-gr)) mackinnoni benguellae (Jordan,1908)** (Papilionidae) Synonym(s): *benguellae Jordan,1908* Original Reference: Papilio mackinnoni ssp. benguellae Jordan,1908, Novit. Zool. 15: 253. Type: Angola: "Cuval River, Benguella". Range (in code): AO
- 19221. Princeps (Druryia (nireus-gr)) mackinnoni isokae Hancock,1984** (Papilionidae) Synonym(s): *isokae Hancock,1984* Original Reference: Princeps (Druryia) mackinnoni ssp. isokae Hancock,1984, Arnoldia, Zimbabwe 9: 187, figs. 3a-d. Holotype: Zambia: "Chowo Forest, Nyika Plateau,2300m". Range (in code): ZM TZ Mpa Mbe MW Nyi
- 19222. Princeps (Druryia (nireus-gr)) mackinnoni mackinnoni (Sharpe,1891)** (Papilionidae) Synonym(s): *mackinnoni Sharpe,1891; immaculatus Suffert,1904; bimaculatus Suffert,1904; #unimaculatus Le Cerf,1924; elgonia Bryk,1926; #ampliusmaculata Krüger,1928; #addenda Dufrane,1953*. Original Reference: Papilio mackinnoni Sharpe,1891, Proc. zool. Soc. London 1891: 187, pl.16 fig.1. Syntypes: Kenya: "between Sotik and Kavirondo, Kikuyu". Range (in code): UG KE Elg RW TZ Lol Buk ZR SD BI
- 19223. Princeps (Druryia (nireus-gr)) mackinnoni mpwapwana (Kielland,1990)** (Papilionidae) Synonym(s): *mpwapwana Kielland,1990* Original Reference: Papilio mackinnoni ssp. mpwapwana Kielland,1990, Butterflies of Tanzania: 42, pls.5,6. Holotype: Tanzania: "Mpwapwa Rubeho Mts.". Range (in code): TZ Rub
- 19224. Princeps (Druryia (nireus-gr)) mackinnoni reductofascia (Kielland,1990)** (Papilionidae) Synonym(s): *reductofascia Kielland,1990* Original Reference: Papilio mackinnoni ssp. reductofascia Kielland,1990, Butterflies of Tanzania: 41, pls.5,6. Holotype: Tanzania: "Arusha, Longido, 2600m". Range (in code): TZ Aus Lgi Meto
- 19225. Princeps (Druryia (nireus-gr)) mackinnoni theodori (Riley,1921)** (Papilionidae) Synonym(s): *theodori Riley,1921* Original Reference: Papilio mackinnoni ssp. theodori Riley,1921, Trans. ent. Soc. London 1921: 234, pl.4 figs.1,2. Type: Zambia: "N. W. Rhodesia: Solwezi". Range (in code): ZR ZM

- 19226. Princeps (Druryia (nireus-gr)) manlius (Fabricius,1798)** (Papilionidae)
Synonym(s): *manlius Fabricius,1798; grachus Fabricius,1798; philemon Fabricius,1798* - Range (in code):
MU
- 19227. Princeps (Druryia (nireus-gr)) manlius manlius (Fabricius,1798)** (Papilionidae)
Synonym(s): *manlius Fabricius,1798; grachus Fabricius,1798; philemon Fabricius,1798* - Range (in code):
MU
- 19228. Princeps (Druryia (nireus-gr)) microps (Storace,1952)** (Papilionidae) Synonym(s):
aethiops Rothschild & Jordan,1905 nec Esp.,1777; microps Storace,1952; yildizae Koçak,1983; aethiopsis Hancock,1983 - Range (in code): **SO ET**
- 19229. Princeps (Druryia (nireus-gr)) microps microps (Storace,1952)** (Papilionidae)
Synonym(s): *aethiops Rothschild & Jordan,1905 nec Esp.,1777; microps Storace,1952; yildizae Koçak,1983; aethiopsis Hancock,1983* - Range (in code): **SO ET**
- 19230. Princeps (Druryia (nireus-gr)) nerminae (Koçak,1983)** (Papilionidae) Synonym(s):
furvus Joicey & Talbot,1926 nec Gz.,1779; nerminae Koçak,1983 - Range (in code): **ST**
- 19231. Princeps (Druryia (nireus-gr)) nireus (Linnaeus,1758)** (Papilionidae) Synonym(s):
nireus Linnaeus,1758; erinus Gray,[1853]; nireoides Braun,1932; micronireus Storace,1952. Original Reference: *Papilio nireus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type: [West Africa]: "Indiis".* Range (in code): **CM ZR CI SN GN SL LR GH Ate UG AO TZ Tnga Usa Ani ZM MW Zom MZ ZW BW ZA Cap Nta Kzu Ptb Tva Lpo Spb Kru Pma Pf K12 Lj Mdk Sch Hgl Ent Slp Gau Rtb Wv Mpu Brb Nel Wri Jh Ec Wca ET ER SO SD KE** Bionomy: Larva on Clausena anisata, Calodendrum capense, Toddalia asiatica, Vepris lanceolata, Teclea natalensis, Citrus, Oricia swynnwrtonii, Zanthoxylum capense (Rutaceae) (Pringle & Henning,1994).
- 19232. Princeps (Druryia (nireus-gr)) nireus aristophontes (Oberthür,1897)** (Papilionidae) Synonym(s): *aristophontes Oberthür,1897* - Range (in code): **KM**
- 19233. Princeps (Druryia (nireus-gr)) nireus lyaeus (Doubleday,1845)** (Papilionidae)
Synonym(s): *lyaeus Doubleday,1845; aelyus Suffert,1904; mantitheus Ehrmann,1920; #callistria Le Cerf,1927.* Original Reference: *Papilio lyaeus Doubleday,1845, Ann. Mag. nat. Hist. (1) 16: 178. Type: [South Africa]: "Africa australiori".* Range (in code): **TZ Tnga Usa Ani UG KE ZM MW Zom MZ ZW BW ZA Cap Nta Kzu Ptb Tva Lpo Kru Pma Pf K12 Spb Lj Mdk Sch Hgl Slp Ent Gau Rtb Wv Mpu Brb Nel Wri Jh Wca Ec** Bionomy: Larva on Clausena anisata, Calodendrum capense, Toddalia asiatica, Vepris lanceolata, Teclea natalensis, Citrus, Oricia swynnwrtonii, Zanthoxylum capense (Rutaceae) (Pringle & Henning,1994).
- 19234. Princeps (Druryia (nireus-gr)) nireus nireus (Linnaeus,1758)** (Papilionidae)
Synonym(s): *nireus Linnaeus,1758; erinus Gray,[1853]; nireoides Braun,1932; xerophila Storace,1952; micronireus Storace,1952* Original Reference: *Papilio nireus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type: [West Africa]: "Indiis".* Range (in code): **CM ZR CI SN GN SL LR UG TZ AO GH Ate**
- 19235. Princeps (Druryia (nireus-gr)) nireus pseudonireus (C.Felder & R.Felder,[1865])** (Papilionidae) Synonym(s): *pseudonireus C.Felder & R.Felder,[1865]* - Range (in code): **ET ER SO SD KE UG**
- 19236. Princeps (Druryia (nireus-gr)) oribazus (Boisduval,1836)** (Papilionidae)
Synonym(s): *oribazus Boisduval,[1836]* Original Reference: *Papilio oribazus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 223, nr. 41. Type(s): Madagascar.* Range (in code): **MG**
- 19237. Princeps (Druryia (nireus-gr)) oribazus oribazus (Boisduval,1836)** (Papilionidae) Synonym(s): *oribazus Boisduval,[1836]* Original Reference: *Papilio oribazus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 223, nr. 41. Type(s): Madagascar.* Range (in code): **MG**
- 19238. Princeps (Druryia (nireus-gr)) phorbanta (Linnaeus,1771)** (Papilionidae)
Synonym(s): *phorbanta Linnaeus,1771; disparilis Boisduval,1833.* Original Reference: *Papilio phorbanta Linnaeus,1771, Mant. Plant.: 535. Type: [Reunion]: "Cayenna".* Range (in code): **SC RE**
- 19239. Princeps (Druryia (nireus-gr)) phorbanta nana (Oberthür,1879)** (Papilionidae)
Synonym(s): *nana Oberthür,1879 nec Herbs.,1804.* Original Reference: *Papilio disparilis var. nana Oberthür,1879, Etüd. Ent. 4: 54. Syntypes: "Iles Seychelles".* Range (in code): **SC**
- 19240. Princeps (Druryia (nireus-gr)) phorbanta phorbanta (Linnaeus,1771)** (Papilionidae) Synonym(s): *phorbanta Linnaeus,1771; disparilis Boisduval,1833.* Original Reference: *Papilio phorbanta Linnaeus,1771, Mant. Plant.: 535. Type: [Reunion]: "Cayenna".* Range (in code): **RE**

- 19241. *Princeps (Druryia (nireus-gr)) sosia* (Rothschild & Jordan,1903) (Papilionidae)**
Synonym(s): *sosia* Rothschild & Jordan,1903 _ Range (in code): SL ZR CF UG TZ Ntk GH Ate CG CM AO GA CF
- 19242. *Princeps (Druryia (nireus-gr)) sosia debilis* (Storace,1951) (Papilionidae)**
Synonym(s): *debilis* Storace,1951 _ Range (in code): TZ Ntk
- 19243. *Princeps (Druryia (nireus-gr)) sosia pulchra* (Berger,1950) (Papilionidae)**
Synonym(s): *pulchra* Berger,1950 _ Range (in code): ZR CG CM AO GA CF
- 19244. *Princeps (Druryia (nireus-gr)) sosia sosia* (Rothschild & Jordan,1903) (Papilionidae)**
Synonym(s): *sosia* Rothschild & Jordan,1903 _ Range (in code): GH Ate
- 19245. *Princeps (Druryia (nireus-gr)) thurau* (Karsch,1900) (Papilionidae)**
Synonym(s): *thurau* Karsch,1900 _ Range (in code): TZ Ngn Uzu Muf Lvt Tky MW Nyi Mje ZR ZM
- 19246. *Princeps (Druryia (nireus-gr)) thurau cyclopis* (Rothschild & Jordan,1903) (Papilionidae)**
Synonym(s): *cyclopis* Rothschild & Jordan,1903 _ Range (in code): MW Nyi ZM
- 19247. *Princeps (Druryia (nireus-gr)) thurau ngorongoro* Hancock,1984 (Papilionidae)**
Synonym(s): *ngorongoro* Hancock,1984 _ Range (in code): TZ Ngn
- 19248. *Princeps (Druryia (nireus-gr)) thurau occidua* (Storace,1951) (Papilionidae)**
Synonym(s): *occidua* Storace,1951; *occidentale* Van Someren,1960 _ Range (in code): ZR MW Mje ZM
- 19249. *Princeps (Druryia (nireus-gr)) thurau thurau* (Karsch,1900) (Papilionidae)**
Synonym(s): *thurau* Karsch,1900 _ Range (in code): TZ MW
- 19250. *Princeps (Druryia (nireus-gr)) ufipa* (Carcasson,1961) (Papilionidae)**
Synonym(s): *ufipa* Carcasson,1961 _ Range (in code): TZ Ufi
- 19251. *Princeps (Druryia (nireus-gr)) ufipa ufipa* (Carcasson,1961) (Papilionidae)**
Synonym(s): *ufipa* Carcasson,1961 _ Range (in code): TZ Ufi
- 19252. *Princeps (Druryia (s.str.)) antimachus* (Drury,[1782]) (Papilionidae)**
Synonym(s): *antimachus* Drury,[1782]; *gigantea* Watkins,1899; *congolani* Dufrane,1929; *coffea* Talbot,1936; *parva* Jackson,1956 _ Original Reference: Papilio antimachus Drury,[1782], Ill. nat. Hist. 3: index et 1 pl.1. Range (in code): CM SL TG GH Ate GA ZR CG CI UG CF AO NG LR
- 19253. *Princeps (Druryia (s.str.)) antimachus antimachus* (Drury,[1782]) (Papilionidae)**
Synonym(s): *antimachus* Drury,[1782]; *gigantea* Watkins,1899; *congolani* Dufrane,1929; *coffea* Talbot,1936; *parva* Jackson,1956 _ Original Reference: Papilio antimachus Drury,[1782], Ill. nat. Hist. 3: index et 1 pl.1. Range (in code): CM SL TG GH Ate GA ZR CG CI UG CF AO NG LR
- 19254. *Princeps (Druryia (zenobia-gr)) andronicus* (Ward,1871) (Papilionidae)**
Synonym(s): *andronicus* Ward,1871; *chionicus* Karsch,1893. _ Original Reference: Papilio andronicus Ward,1871, Entomologist's mon. Mag. 8: 121. Syntypes: [Cameroon]: "Camaroons". Range (in code): CM
- 19255. *Princeps (Druryia (zenobia-gr)) andronicus andronicus* (Ward,1871) (Papilionidae)**
Synonym(s): *andronicus* Ward,1871; *chionicus* Karsch,1893. _ Original Reference: Papilio andronicus Ward,1871, Entomologist's mon. Mag. 8: 121. Syntypes: [Cameroon]: "Camaroons". Range (in code): CM
- 19256. *Princeps (Druryia (zenobia-gr)) cyproeofila* (Butler,1868) (Papilionidae)**
Synonym(s): *cyproeofila* Butler,1868 _ Range (in code): GH Ate SL NG
- 19257. *Princeps (Druryia (zenobia-gr)) cyproeofila cyproeofila* (Butler,1868) (Papilionidae)**
Synonym(s): *cyproeofila* Butler,1868 _ Range (in code): GH Ate SL NG
- 19258. *Princeps (Druryia (zenobia-gr)) fernandus* (Fruhstorfer,1903) (Papilionidae)**
Synonym(s): *fernandus* Fruhstorfer,1903 _ Range (in code): GO Bio CM NG CF
- 19259. *Princeps (Druryia (zenobia-gr)) fernandus fernandus* (Fruhstorfer,1903) (Papilionidae)**
Synonym(s): *fernandus* Fruhstorfer,1903 _ Range (in code): GO Bio
- 19260. *Princeps (Druryia (zenobia-gr)) fernandus praecyola* (Suffert,1904) (Papilionidae)**
Synonym(s): *praecyola* Suffert,1904 _ Range (in code): CM NG CF
- 19261. *Princeps (Druryia (zenobia-gr)) filaprae* (Suffert,1904) (Papilionidae)**
Synonym(s): *filaprae* Suffert,1904; *#lactifascia* Le Cerf,1924. _ Original Reference: Papilio cypraeafila filaprae Suffert,1904, Dt. ent. Z., Iris 17: 94. Type(s): Cameroon: "Camerun, Barombi Station". Range (in code): GO Bio AO ZR CM
- 19262. *Princeps (Druryia (zenobia-gr)) filaprae filaprae* (Suffert,1904) (Papilionidae)**
Synonym(s): *filaprae* Suffert,1904; *#lactifascia* Le Cerf,1924. _ Original Reference: Papilio cypraeafila filaprae Suffert,1904, Dt. ent. Z., Iris 17: 94. Type(s): Cameroon: "Camerun, Barombi Station". Range (in code): AO ZR CM

- 19263. Princeps (Druryia (zenobia-gr)) filaprae musolanus (Hancock,1988)** (Papilionidae) Synonym(s): *insularis* Schultze,1913 nec Staudinger,1895; *musolanus* Hancock,1988. Original Reference: *Papilio cypraeafla* ssp. *musolanus* Hancock,1988, *Papilio* Int. 5: 302 (nomen novum pro *insularis* Schultze,1913 nec Staudinger,1895). Range (in code): **GO Bio**
- 19264. Princeps (Druryia (zenobia-gr)) gallienus (Distant,1879)** (Papilionidae) Synonym(s): *gallienus* Distant,1879 Range (in code): **ZR NG Caa**
- 19265. Princeps (Druryia (zenobia-gr)) gallienus gallienus (Distant,1879)** (Papilionidae) Synonym(s): *gallienus* Distant,1879 Range (in code): **ZR NG Caa**
- 19266. Princeps (Druryia (zenobia-gr)) maesseni (Berger,1974)** (Papilionidae) Synonym(s): *maesseni* Berger,1974 Original Reference: *Papilio maesseni* Berger,1974, *Lambillionea* 73/74: 71, figs.2,3. Holotype ♂: Ghana: "Likpe". Range (in code): **GH TG**
- 19267. Princeps (Druryia (zenobia-gr)) maesseni maesseni (Berger,1974)** (Papilionidae) Synonym(s): *maesseni* Berger,1974 Original Reference: *Papilio maesseni* Berger,1974, *Lambillionea* 73/74: 71, figs.2,3. Holotype ♂: Ghana: "Likpe". Range (in code): **GH TG**
- 19268. Princeps (Druryia (zenobia-gr)) mechow (Dewitz,1881)** (Papilionidae) Synonym(s): *mechow* Dewitz,1881 Range (in code): **CG UG ZR AO SD CM CF UG Eth** Bionomy: Larva on Piper (Piperaceae) (Ackery et al.,1995).
- 19269. Princeps (Druryia (zenobia-gr)) mechow mechow (Dewitz,1881)** (Papilionidae) Synonym(s): *mechow* Dewitz,1881 Range (in code): **CG UG ZR AO SD CM CF**
- 19270. Princeps (Druryia (zenobia-gr)) mechow whitnalli (Neave,1904)** (Papilionidae) Synonym(s): *whitnalli* Neave,1904 Range (in code): **UG Eth**
- 19271. Princeps (Druryia (zenobia-gr)) mechowianus (Dewitz,1885)** (Papilionidae) Synonym(s): *mechowianus* Dewitz,1885 Range (in code): **SD ZR AO CF** Bionomy: Larva on Piper (Piperaceae) (Ackery et al.,1995).
- 19272. Princeps (Druryia (zenobia-gr)) mechowianus mechowianus (Dewitz,1885)** (Papilionidae) Synonym(s): *mechowianus* Dewitz,1885 Range (in code): **SD ZR AO CF**
- 19273. Princeps (Druryia (zenobia-gr)) zenobia (Fabricius,1775)** (Papilionidae) Synonym(s): *zenobia* Fabricius,1775; *messalina* Stoll,[1790]; *odenatus* Westwood,1872; *nobicea* Suffert,1904. Range (in code): **SL GO ZR TG NG UG GH Ate**
- 19274. Princeps (Druryia (zenobia-gr)) zenobia zenobia (Fabricius,1775)** (Papilionidae) Synonym(s): *zenobia* Fabricius,1775; *messalina* Stoll,[1790]; *odenatus* Westwood,1872; *nobicea* Suffert,1904. Range (in code): **SL GO ZR TG NG UG GH Ate**
- 19275. Princeps (Eleppone) anactus (MacLeay,1827)** (Papilionidae) Synonym(s): *anactus* Macleay,1827 Original Reference: *Papilio anactus* Macleay,1827, [in] *King's Surv. Austr.* 2: 458. Type(s): Australia occ.
- 19276. Princeps (Eleppone) anactus anactus (MacLeay,1827)** (Papilionidae) Synonym(s): *anactus* MacLeay,1827 Original Reference: *Papilio anactus* Macleay,1827, [in] *King's Surv. Austr.* 2: 458. Type(s): Australia occ.
- 19277. Princeps (Menelaides (Charus)) antonio (Hewitson,1875)** (Papilionidae) Synonym(s): *antonio* Hewitson,1875 Original Reference: *Papilio antonio* Hewitson,1875, Ex. Butts. 5: Pl.14 fig.46. Range (in code): **Ley Mno Neg PH**
- 19278. Princeps (Menelaides (Charus)) antonio antonio (Hewitson,1875)** (Papilionidae) Synonym(s): *antonio* Hewitson,1875 Original Reference: *Papilio antonio* Hewitson,1875, Ex. Butts. 5: Pl.14 fig.46. Range (in code): **Ley Mno PH**
- 19279. Princeps (Menelaides (Charus)) antonio negrosiana Schröder & Treadaway,1991** (Papilionidae) Synonym(s): *negrosiana* Schröder & Treadaway,1991 Original Reference: *Papilio antonio negrosiana* Schröder & Treadaway,1991, *Ent. Z., Frankf. a. M.* 101: 71, Abb.3,4. Holotypus ♂: Philippinen: Negros or.: Ayungon, 800m. Range (in code): **Neg PH**
- 19280. Princeps (Menelaides (Charus)) biseriatus (Rothschild,1895)** (Papilionidae) Synonym(s): *biseriatus* Rothschild,1895
- 19281. Princeps (Menelaides (Charus)) biseriatus biseriatus (Rothschild,1895)** (Papilionidae) Synonym(s): *biseriatus* Rothschild,1895
- 19282. Princeps (Menelaides (Charus)) helenus (Linnaeus,1758)** (Papilionidae) Synonym(s): *helenus* Linnaeus,1758 Original Reference: *Papilio helenus* Linnaeus,1758, *Syst. Nat. (Ed.10)* 1: 459. Type(s): Asia. Range (in code): **IN Ass Slo MM Mus MY TH Chy CMa Cuo Cuo2 Dst Qs CDo CD2 Pap Mro Knc Rat Cbi Cbu Nna Rng Nst Ths Sgk Hya Tnc VN KH Pno LA CN Hn Ann Ton Tda SG PH Bon Sga Stu Taw Bal Pal ID Nia Egg Sum Ja Lb Bor Tim TW JP**

- 19283. *Priniceps (Menelaides (Charus)) helenus ashaverus (Staudinger)*** (Papilionidae)
Synonym(s): *ashaverus Staudinger*
- 19284. *Priniceps (Menelaides (Charus)) helenus boloboca (Page & Treadaway,1995)*** (Papilionidae) Synonym(s): *boloboca Page & Treadaway,1995* _ Range (in code): **Bon Sga Stu Taw PH**
- 19285. *Priniceps (Menelaides (Charus)) helenus daksha (Hampson,1889)*** (Papilionidae)
Synonym(s): *daksha Hampson,1889* _ Original Reference: Charus daksha Hampson,1889, J. asiat. Soc. Beng. 57 (2) 4: 363. Range (in code): **IN**
- 19286. *Priniceps (Menelaides (Charus)) helenus enganius (Doherty,1891)*** (Papilionidae)
Synonym(s): *enganius Doherty,1891; neohelenus Fruhstorfer,1904* _ Original Reference: Papilio helenus var. enganius Doherty,1891, J. Asiat. Soc. Bengal 2: 31. Syntypes: [Indonesia]: Engano. Range (in code): **ID Nia Egg Sum Ja Lb Bor**
- 19287. *Priniceps (Menelaides (Charus)) helenus fortunius (Fruhstorfer,1908)*** (Papilionidae) Synonym(s): *fortunius Fruhstorfer,1908* _ Range (in code): **TW**
- 19288. *Priniceps (Menelaides (Charus)) helenus helenus (Linnaeus,1758)*** (Papilionidae)
Synonym(s): *helenus Linnaeus,1758* _ Original Reference: Papilio helenus Linnaeus,1758, Syst. Nat. (Ed.10) 1: 459. Type(s): Asia. Range (in code): **IN Ass Slo MM Mus MY TH Chy CMa Cuo Cuo2 CDo CD2 Dst Qs Pap Mro Knc Rat Cbi Cbu Nna Rng Nst Ths Sgk Hya Tnc VN KH Pno LA CN Hn Ann Ton Tda SG**
- 19289. *Priniceps (Menelaides (Charus)) helenus jindanus (Rothschild,1908)*** (Papilionidae) Synonym(s): *jindanus Rothschild,1908*
- 19290. *Priniceps (Menelaides (Charus)) helenus mangarinus (Rothschild,1908)*** (Papilionidae) Synonym(s): *mangarinus Rothschild,1908*
- 19291. *Priniceps (Menelaides (Charus)) helenus mooreanus (Rothschild,1895)*** (Papilionidae) Synonym(s): *mooreanus Rothschild,1895*
- 19292. *Priniceps (Menelaides (Charus)) helenus palawanicus (Staudinger,1888)*** (Papilionidae) Synonym(s): *palawanicus Staudinger,1888* _ Original Reference: Papilio helenus var. palawanicus Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: [Philippinen]: Palawan. Range (in code): **Bal Pal PH**
- 19293. *Priniceps (Menelaides (Charus)) helenus tamboro (Rothschild,1908)*** (Papilionidae) Synonym(s): *tamboro Rothschild,1908*
- 19294. *Priniceps (Menelaides (Charus)) hytaspes (C.Felder & R.Felder,1862)*** (Papilionidae) Synonym(s): *hytaspes C.Felder & R.Felder,1862* _ Original Reference: Papilio hytaspes Felder & Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Philippines. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic**
- 19295. *Priniceps (Menelaides (Charus)) hytaspes hytaspes (C.Felder & R.Felder,1862)*** (Papilionidae) Synonym(s): *hytaspes C.Felder & R.Felder,1862* _ Original Reference: Papilio hytaspes C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 283. Type: Philippines. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Tic**
- 19296. *Priniceps (Menelaides (Charus)) iswara (White,1842)*** (Papilionidae) Synonym(s): *iswara White,1842* _ Original Reference: Papilio iswara White,1842, Entomologist 1: 280. Type(s): Penang. Range (in code): **MY Lkw ID Bor Sum Clb Bgk Btg Nat TH Rng Tng Sgk Hya Tnc MM SG**
- 19297. *Priniceps (Menelaides (Charus)) iswara araspes (C.Felder & R.Felder,1865)*** (Papilionidae) Synonym(s): *araspes C.Felder & R.Felder,1865* _ Original Reference: Papilio araspes C.Felder & R.Felder,1865, Reise österr. Fregatte Novara 1: 108, nr. 83, Pl.15 fig.a. Type(s): Philippines [patria falsa?].
- 19298. *Priniceps (Menelaides (Charus)) iswara iswara (White,1842)*** (Papilionidae)
Synonym(s): *iswara White,1842* _ Original Reference: Papilio iswara White,1842, Entomologist 1: 280. Type(s): Penang. Range (in code): **MY Lkw ID Bor Sum Clb Bgk Btg Nat TH Rng Tng Sgk Hya Tnc MM SG**
- 19299. *Priniceps (Menelaides (Charus)) iswaroides (Fruhstorfer,[1898])*** (Papilionidae)
Synonym(s): *iswaroides Fruhstorfer,[1898]* _ Original Reference: Papilio helenus ssp. iswaroides Fruhstorfer,[1898], Berl. ent. Z. 42 (1897): 304-305. Syntypes 10♂♀: [Indonesia]: Sumatra: Battakbergen. Range (in code): **Sum ID MY**
- 19300. *Priniceps (Menelaides (Charus)) iswaroides curtisi (Jordan,1909)*** (Papilionidae)
Synonym(s): *curtisi Jordan,1909* _ Range (in code): **MY**

- 19301. *Priniceps (Menelaides (Charus)) iswaroides iswaroides (Fruhstorfer,[1898])***
(Papilionidae) Synonym(s): *iswaroides Fruhstorfer,[1898]* Original Reference: *Papilio helenus* ssp. *iswaroides* Fruhstorfer,[1898], Berl. ent. Z. 42 (1897): 304-305. Syntypes 10♂♂: [Indonesia]: Sumatra: Battakbergen. Range (in code): **Sum ID MY**
- 19302. *Priniceps (Menelaides (Charus)) noblei (De Nicéville,1888)*** (Papilionidae)
Synonym(s): *noblei De Nicéville,1888; henricus Oberthür,1893; haynei Tytler,1926; hoa Gabriel,1945* Original Reference: *Papilio noblei* De Nicéville,1888, J. Asiat. Soc. Beng. 1888: 287, nr.19, Pl.13 fig.2. Syntypes: Burma: Karen Hills. Range (in code): **MM Krh TH Nan Phr VN Ton LA L10 L03 L34 L38**
- 19303. *Priniceps (Menelaides (Charus)) noblei noblei (De Nicéville,1888)*** (Papilionidae)
Synonym(s): *noblei De Nicéville,1888; henricus Oberthür,1893; haynei Tytler,1926; hoa Gabriel,1945* Original Reference: *Papilio noblei* De Nicéville,1888, J. Asiat. Soc. Beng. 1888: 287, nr.19, Pl.13 fig.2. Syntypes: Burma: Karen Hills. Range (in code): **MM Krh TH Nan Phr VN Ton LA L10 L03 L34 L38**
- 19304. *Priniceps (Menelaides (Charus)) sataspes (C.Felder & R.Felder,1865)***
(Papilionidae) Synonym(s): *sataspes C.Felder & R.Felder,1865; hecuba Wallace,1865.* Original Reference: *Papilio sataspes* C.Felder & R.Felder,1865, Reise österr. Fregatte Novara 1: 106, nr. 81, Pl.15 fig.e. Type(s): Celebes. Range (in code): **ID Clb**
- 19305. *Priniceps (Menelaides (Charus)) sataspes sataspes (C.Felder & R.Felder,1865)***
(Papilionidae) Synonym(s): *sataspes C.Felder & R.Felder,1865; hecuba Wallace,1865.* Original Reference: *Papilio sataspes* C.Felder & R.Felder,1865, Reise österr. Fregatte Novara 1: 106, nr. 81, Pl.15 fig.e. Type(s): Celebes. Range (in code): **ID Clb**
- 19306. *Priniceps (Menelaides (Iliades)) alcmenor (C.Felder & R.Felder,[1865])***
(Papilionidae) Synonym(s): *rhetenor Westwood,1841 nec Cr.,1775; icarius Westwood,1848 nec Esp.,1793; alcmenor C.Felder & R.Felder,[1865]; #alcmenor Pinratana & Eliot,1992* Original Reference: *Papilio alcmenor* C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara, Rhopal.: 129, pl.20 fig.D. Type(s): "India septentrionalis". Range (in code): **Ti Hn TW IN Kma SI MM TH CMa CRa CDo Dst Int Lmp Nan BT Ass Shn Mrg CN LA L10 L38 VN**
- 19307. *Priniceps (Menelaides (Iliades)) alcmenor alcmenor (C.Felder & R.Felder,[1865])*** (Papilionidae) Synonym(s): *rhetenor Westwood,1841 nec Cr.,1775; icarius Westwood,1848 nec Esp.,1793; alcmenor C.Felder & R.Felder,1864* Original Reference: *Papilio alcmenor* C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara, Rhopal.: 129, pl.20 fig.D. Type(s): "India septentrionalis". Range (in code): **IN Kma MM LA L10 L38 VN TH CMa CRa CDo Dst Int Lmp Nan**
- 19308. *Priniceps (Menelaides (Iliades)) alcmenor cesa Kemal & Koçak,2005***
(Papilionidae) Synonym(s): *irene Joicey & Talbot,1921 nec Dru.,[1782] non Hbn.,[1805]; cesa Kemal & Koçak,2005* Range (in code): **Hn CN**
- 19309. *Priniceps (Menelaides (Iliades)) alcmenor nautes (Oberthür,1918)*** (Papilionidae)
Synonym(s): *nautes Oberthür,1918* Range (in code): **TW**
- 19310. *Priniceps (Menelaides (Iliades)) alcmenor publilius (Fruhstorfer,1909)***
(Papilionidae) Synonym(s): *publilius Fruhstorfer,1909* Original Reference: *Papilio rhetenor* ssp. *publilius* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes: Lower Burma (in coll. Fruhstorfer). Range (in code): **MM**
- 19311. *Priniceps (Menelaides (Iliades)) alcmenor sadirpalvan (Koçak & Kemal,2000)***
(Papilionidae) Synonym(s): *matsumurae Wileman,1909 nec Fruhst.,1908; sadirpalvan Koçak & Kemal,2000.* Original Reference: *Papilio alcmenor* ssp. *sadirpalvan* Koçak & Kemal,2000, Cent. ent. Stud., Misc. Pap. 71: 3 (nomen novum pro *Papilio rhetenor* var. *matsumurae* Wileman,1909 nec Fruhst.,1908). Range (in code): **IN CN**
- 19312. *Priniceps (Menelaides (Iliades)) alcmenor seyitnochi (Koçak & Kemal,2000)***
(Papilionidae) Synonym(s): *nausithous Oberthür,1918 nec Bergstr.,1779; seyitnochi Koçak & Kemal,2000.* Original Reference: *Papilio alcmenor seyitnochi* Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. 71: 3 (nomen novum pro *nausithous* Oberthür,1918 nec Bergsträsser,1779). Range (in code): **CN Ti**
- 19313. *Priniceps (Menelaides (Iliades)) alcmenor turificator (Fruhstorfer,1909)***
(Papilionidae) Synonym(s): *turificator Fruhstorfer,1909; #alboluta Fruhstorfer,1909* Original Reference: *Papilio rhetenor* ssp. *turificator* Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes: Sikkim. Lower Burma (in coll. Fruhstorfer). Range (in code): **SI**

- 19314. Princeps (Menelaides (Iliades)) ascalaphus (Boisduval,1836)** (Papilionidae)
Synonym(s): *ascalaphus Boisduval,[1836]* Original Reference: Papilio ascalaphus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 200, nr. 12. Type(s): Celebes.
- 19315. Princeps (Menelaides (Iliades)) ascalaphus ascalaphus (Boisduval,1836)** (Papilionidae) Synonym(s): *ascalaphus Boisduval,[1836]* Original Reference: Papilio ascalaphus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 200, nr. 12. Type(s): Celebes.
- 19316. Princeps (Menelaides (Iliades)) ascalaphus ascalon (Staudinger,[1895])** (Papilionidae) Synonym(s): *ascalon Staudinger,[1895]* Original Reference: Papilio ascalaphus var. ascalon Staudinger,[1895], Dt. ent. Z., Iris 7: 348-349. Syntypes 100♂: "Sula Insel Mangioli." Range (in code): **Kai Amb Bru Crm ID**
- 19317. Princeps (Menelaides (Iliades)) deiphobus (Linnaeus,1758)** (Papilionidae) Synonym(s): *deiphobus Linnaeus,1758; alcandor Cramer,1776; #hypoxanthus Röber,1891.* Original Reference: Papilio deiphobus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.6. Type(s): Asia. Range (in code): **Kai Amb Bru Crm ID**
- 19318. Princeps (Menelaides (Iliades)) deiphobus deiphobus (Linnaeus,1758)** (Papilionidae) Synonym(s): *deiphobus Linnaeus,1758; alcandor Cramer,1776; #hypoxanthus Röber,1891.* Original Reference: Papilio deiphobus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459, nr.6. Type(s): Asia. Range (in code): **Kai Amb Bru Crm ID**
- 19319. Princeps (Menelaides (Iliades)) deiphontes C.Felder & R.Felder,[1865]** (Papilionidae) Synonym(s): *#deiphontes C.Felder & R.Felder,1864; deiphontes C.Felder & R.Felder,[1865]; #flavus Oberthür,1879.* Original Reference: Papilio deiphontes C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara 1: 126, nr.94 Syntypes: [Indonesia]: Ternate. Range (in code): **ID Trn Btj Bru Hm Mti**
- 19320. Princeps (Menelaides (Iliades)) deiphontes deiphontes C.Felder & R.Felder,[1865]** (Papilionidae) Synonym(s): *#deiphontes C.Felder & R.Felder,1864; deiphontes C.Felder & R.Felder,[1865]; #flavus Oberthür,1879.* Original Reference: Papilio deiphontes C.Felder & R.Felder,[1865], Reise österr. Fregatte Novara 1: 126, nr.94 Syntypes: [Indonesia]: Ternate. Range (in code): **ID Trn Btj Bru Hm Mti**
- 19321. Princeps (Menelaides (Iliades)) deipylus Felder,1864** (Papilionidae) Synonym(s): *deipylus Felder,1864* Original Reference: Papilio deipylus Felder,1864, Verh. zool.- bot. Ges. Wien 14: 323, nr. 455. Syntypes 3♂♀: Nova Guinea [Waigeu]. Range (in code): **Wg ID**
- 19322. Princeps (Menelaides (Iliades)) deipylus deipylus Felder,1864** (Papilionidae) Synonym(s): *deipylus Felder,1864* Original Reference: Papilio deipylus Felder,1864, Verh. zool.- bot. Ges. Wien 14: 323, nr. 455. Syntypes 3♂♀: Nova Guinea [Waigeu]. Range (in code): **Wg ID**
- 19323. Princeps (Menelaides (Iliades)) forbesi (Grose-Smith,1883)** (Papilionidae) Synonym(s): *forbesi Grose-Smith,1883* Original Reference: Papilio forbesi Grose-Smith,1883, Ann. Mag. nat. Hist. (5) 11: 234. Type ♂: [Indonesia]: Sumatra. Range (in code): **ID Sum**
- 19324. Princeps (Menelaides (Iliades)) forbesi forbesi (Grose-Smith,1883)** (Papilionidae) Synonym(s): *forbesi Grose-Smith,1883* Original Reference: Papilio forbesi Grose-Smith,1883, Ann. Mag. nat. Hist. (5) 11: 234. Type ♂: [Indonesia]: Sumatra. Range (in code): **ID Sum**
- 19325. Princeps (Menelaides (Iliades)) goetheanus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *acheron Grose-Smith,1887 nec Moore,1885; goetheanus Fruhstorfer,1902.* Original Reference: Papilio forbesi ssp. goetheanus Fruhstorfer,1902, Dt. ent. Z., Iris 15: 306. Range (in code): **MY Bor Sbh Swk**
- 19326. Princeps (Menelaides (Iliades)) goetheanus goetheanus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *acheron Grose-Smith,1887 nec Moore,1885; goetheanus Fruhstorfer,1902.* Original Reference: Papilio forbesi ssp. goetheanus Fruhstorfer,1902, Dt. ent. Z., Iris 15: 306. Range (in code): **MY Bor Sbh Swk**
- 19327. Princeps (Menelaides (Iliades)) lampsacus (Boisduval,1836)** (Papilionidae) Synonym(s): *lampsacus Boisduval,[1836]* Original Reference: Papilio lampsacus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.4.
- 19328. Princeps (Menelaides (Iliades)) lampsacus lampsacus (Boisduval,1836)** (Papilionidae) Synonym(s): *lampsacus Boisduval,[1836]* Original Reference: Papilio lampsacus Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 190, nr.4.

- 19329. *Princeps (Menelaides (Iliades)) lowi (Druce,1873)*** (Papilionidae) Synonym(s): *lowi Druce,1873* Original Reference: *Papilio lowi* Druce,1873, Proc. zool. Soc. Lond. 1873: 358, nr.28, pl.33 fig.6. Syntypes: "Borneo" [loc. err.] Palawan (Rothschild,1895: 321). Range (in code): **Bal Pal PH**
- 19330. *Princeps (Menelaides (Iliades)) lowi lowi (Druce,1873)*** (Papilionidae) Synonym(s): *lowi Druce,1873* Original Reference: *Papilio lowi* Druce,1873, Proc. zool. Soc. Lond. 1873: 358, nr.28, pl.33 fig.6. Syntypes: "Borneo" [loc. err.] Palawan (Rothschild,1895: 321). Range (in code): **Bal Pal PH**
- 19331. *Princeps (Menelaides (Iliades)) luzviae Schröder & Treadaway,1991*** (Papilionidae) Synonym(s): *luzviae Schröder & Treadaway,1991* Range (in code): **PH Mar**
- 19332. *Princeps (Menelaides (Iliades)) luzviae luzviae Schröder & Treadaway,1991*** (Papilionidae) Synonym(s): *luzviae Schröder & Treadaway,1991* Range (in code): **PH Mar**
- 19333. *Princeps (Menelaides (Iliades)) mayo (Atkinson,1873)*** (Papilionidae) Synonym(s): *mayo Atkinson,1873* Original Reference: *Papilio mayo* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 736, pl.63 fig.1. Syntypes ♂♀: [India]: Andaman Isl. Range (in code): **IN Adm**
- 19334. *Princeps (Menelaides (Iliades)) mayo mayo (Atkinson,1873)*** (Papilionidae) Synonym(s): *mayo Atkinson,1873* Original Reference: *Papilio mayo* Atkinson,1873, Proc. zool. Soc. Lond. 1873: 736, pl.63 fig.1. Syntypes ♂♀: [India]: Andaman Isl. Range (in code): **IN Adm**
- 19335. *Princeps (Menelaides (Iliades)) memnon (Linnaeus,1758)*** (Papilionidae) Synonym(s): *memnon* Linnaeus,1758; *achates* Sulzer,1776; *atrovenatus* Goeze,1779; *laomedon* Cramer,1776; *achatiades* Esper,1786; *javanus* Haase,1893; *erebinus* Haase,1893; *aphrodite* Röber,1927 *nec Fabr.,1787*. Original Reference: *Papilio memnon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.12 Type(s): Asia. Range (in code): **ID Sum Nia Btu Sba Sbw Flo Ado Egg Lb IN Ass SI Nag MM TH CMA Dst Qs Cm1 Cu0 Cu09 Cu10 Cu12 CDo CD2 CRa Bnk Nna Tng Rng Cbi Knc Rat Yal Dst Nst Ths Sgk Hya Tnc PSu MY SG TW CN Hn JP Bon Sga PH LA VN Ton Tda P-T Lkw NP Ctw Ctw2 Ctw3 Ctw4 Ctw5** Bionomy: Larva on *Citrus maxima* [pomelo] (Rutaceae) (Lewvanich,2001).
- 19336. *Princeps (Menelaides (Iliades)) memnon agenor (Linnaeus,1758)*** (Papilionidae) Synonym(s): *agenor* Linnaeus,1758; *androgeos* Cramer,1776; *alcanor* Cramer,1779; *mestor* Hübner,1819; *thunbergi* Siebold,1824; *phoenix* Distant,1885; *cilix* Distant,1885 *nec* Godman & Salvin,1877; *esper* Butler,[1879]; *androgeus* De Nicéville,1881; *phoenix* Distant,1885; *cilix* Distant,1885; *depelchini* Robbe,1892; *polymnestoroides* Moore,1902; *vinus* Fruhstorfer,1909; *aurantiaca* Rousseau-Decelle,1933 (homonym). Original Reference: *Papilio agenor* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.13. Type(s): Asia. Range (in code): **SI IN Nag MM TH CMA Cm1 Dst Qs Cu0 Cu09 Cu10 Cu12 CDo CD2 CRa Bnk Nna Tng Rng Cbi Knc Rat Yal Dst Nst Ths Sgk Hya Tnc PSu LA VN Ton Tda P-T Lkw MY SG TW CN Hn JP NP Ctw Ctw2 Ctw3 Ctw4 Ctw5** Bionomy: Larva on *Citrus maxima* [pomelo] (Rutaceae) (Lewvanich,2001).
- 19337. *Princeps (Menelaides (Iliades)) memnon anceus (Cramer,[1782])*** (Papilionidae) Synonym(s): *anceus* Cramer,1782 Original Reference: *Papilio anceus* Cramer,[1782], Utitl. Kapellen 3: 44, pl.222 fig.A,B. Syntypes: W.Sumatra. Range (in code): **ID Sum Nia Btu**
- 19338. *Princeps (Menelaides (Iliades)) memnon caeruleus (Van Eecke,1914)*** (Papilionidae) Synonym(s): *caeruleus* Van Eecke,1914 Original Reference: *Papilio memnon* var. *caeruleus* Van Eecke,1914, Not. Mus. Leiden 36: 202, pl.4 fig.4.
- 19339. *Princeps (Menelaides (Iliades)) memnon clathratus (Rothschild,1896)*** (Papilionidae) Synonym(s): *clathratus* Rothschild,1896 Original Reference: *Papilio memnon* ssp. *clathratus* Rothschild,1896, Novit. Zool. 3: 322. Type: Sumbawa. Range (in code): **ID Sbw**
- 19340. *Princeps (Menelaides (Iliades)) memnon heronus (Fruhstorfer,1929)*** (Papilionidae) Synonym(s): *heronus* Fruhstorfer,1929; *taihokuana* Matsumura,1929; *#pseudolampsacus* Murayama & Shimonoya,1968 Range (in code): **TW**
- 19341. *Princeps (Menelaides (Iliades)) memnon memnon (Linnaeus,1758)*** (Papilionidae) Synonym(s): *memnon* Linnaeus,1758; *achates* Sulzer,1776; *atrovenatus* Goeze,1779; *laomedon* Cramer,1776; *achatiades* Esper,1786; *javanus* Haase,1893; *erebinus* Haase,1893; *aphrodite* Röber,1927 *nec Fabr.,1787*. Original Reference: *Papilio memnon* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 460, nr.12 Type(s): Asia. Range (in code): **Bon Sga PH**
- 19342. *Princeps (Menelaides (Iliades)) memnon merapu (Doherty,1891)*** (Papilionidae) Synonym(s): *merapu* Doherty,1891 Original Reference: *Papilio (Iliades) merapu* Doherty,1891, J. Asiat. Soc. Bengal 2: 191. Syntypes: [Indonesia]: Sumba Is. Range (in code): **ID Sba Sbw Flo Ado**
- 19343. *Princeps (Menelaides (Iliades)) memnon oceani (Doherty,1891)*** (Papilionidae) Synonym(s): *oceani* Doherty,1891 Original Reference: *Papilio (Iliades) oceani* Doherty,1891, J. Asiat. Soc. Bengal 2: 31. Syntypes 1♂ 1♀: [Indonesia]: Engano. Range (in code): **ID Egg**

- 19344. Princeps (Menelaides (Iliades)) memnon perlucidus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *perlucidus Fruhstorfer,1902* - Range (in code): ID Lb
- 19345. Princeps (Menelaides (Iliades)) memnon pryeri (Rothschild,1895)** (Papilionidae) Synonym(s): *pryeri Rothschild,1895* - Original Reference: Papilio memnon ssp. pryeri Rothschild,1895, Novit. zool. 2: 321. Syntypes 15♂ 6♀: Loo Choo Islands.
- 19346. Princeps (Menelaides (Iliades)) memnon subclathratus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *subclathratus Fruhstorfer,1902* - Range (in code): ID Flo
- 19347. Princeps (Menelaides (Iliades)) oenomaus (Godart,[1819])** (Papilionidae) Synonym(s): *oenomaus Godart,[1819]* - Original Reference: Papilio oenomaus Godart,[1819], Ency. Méth. 9: 72, nr.133. Type(s): Timor. Range (in code): ID Tim Lt Moa Kss Rm Wt
- 19348. Princeps (Menelaides (Iliades)) oenomaus oenomaus (Godart,[1819])** (Papilionidae) Synonym(s): *oenomaus Godart,[1819]* - Original Reference: Papilio oenomaus Godart,[1819], Ency. Méth. 9: 72, nr.133. Type(s): Timor. Range (in code): ID Tim Lt Moa Kss Rm
- 19349. Princeps (Menelaides (Iliades)) oenomaus subfasciatus (Rothschild,1895)** (Papilionidae) Synonym(s): *subfasciatus Rothschild,1895* - Original Reference: Papilio oenomaus ssp. subfasciatus Rothschild,1895, Novit. zool. 2: 329. Syntypes 6♂ 2♀: [Indonesia]: Wetter. Range (in code): Wt ID
- 19350. Princeps (Menelaides (Iliades)) polymnestor (Cramer,1775)** (Papilionidae) Synonym(s): *polymnestor Cramer,1775* - Range (in code): LK IN Ass Clc Mh Ben Mys Ker Goa SI
- 19351. Princeps (Menelaides (Iliades)) polymnestor parinda (Moore,1881)** (Papilionidae) Synonym(s): *parinda Moore,1881* - Range (in code): LK
- 19352. Princeps (Menelaides (Iliades)) polymnestor polymnestor (Cramer,1775)** (Papilionidae) Synonym(s): *polymnestor Cramer,1775* - Range (in code): IN Ass Clc Mh Ben Mys Ker Goa SI
- 19353. Princeps (Menelaides (Iliades)) rumanzovia (Eschscholz,1821)** (Papilionidae) Synonym(s): *rumanzovia Eschscholz,1821; deiphontes Semper,1892 nec Feld.,1864; teikichianus Matsumura,1931.* - Original Reference: Papilio rumanzovia Eschscholtz,1821, Kotzeb. Reise 3: 204, Tab.2 figs.4a,b. Range (in code): ID Sgr TW PH Bon Sga Stu Taw Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic
- 19354. Princeps (Menelaides (Iliades)) rumanzovia honorius (Fruhstorfer,1911) homonim** (Papilionidae) Synonym(s): *#eubalia Jordan,1908; honorius Fruhstorfer,1911 nec Fabricius,1793; #paya Fruhstorfer,1911; #risena Fruhstorfer,1911; #carnia Fruhstorfer,1911; sekizkiz Koçak & Kemal,2000.* - Original Reference: Papilio rumanzovia ssp. honorius Fruhstorfer,1911, Ent. Rdsch. 28 (23): 178. Syntypes: [Indonesien]: Sangir Isl. Range (in code): ID Sgr
- 19355. Princeps (Menelaides (Iliades)) rumanzovia rumanzovia (Eschscholz,1821)** (Papilionidae) Synonym(s): *rumanzovia Eschscholz,1821; teikichianus Matsumura,1931* - Original Reference: Papilio rumanzovia Eschscholtz,1821, Kotzeb. Reise 3: 204, Tab.2 figs.4a,b. Range (in code): TW PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic
- 19356. Princeps (Menelaides (Iliades)) rumanzovia tarawakana (Page & Treadaway,1995)** (Papilionidae) Synonym(s): *tarawakana Page & Treadaway,1995* - Range (in code): Bon Sga Stu Taw PH
- 19357. Princeps (Menelaides (Iliades)) thaiwanus (Rothschild,1898)** (Papilionidae) Synonym(s): *thaiwanus Rothschild,1898; annaeus Fruhstorfer,1908; matsumurae Wileman,1909 nec Fruhst.,1908; nautes Oberthür,1918; watanabei Matsumura,1927* - Range (in code): TW
- 19358. Princeps (Menelaides (Iliades)) thaiwanus thaiwanus (Rothschild,1898)** (Papilionidae) Synonym(s): *thaiwanus Rothschild,1898; annaeus Fruhstorfer,1908; matsumurae Wileman,1909 nec Fruhst.,1908; nautes Oberthür,1918; watanabei Matsumura,1927* - Range (in code): TW
- 19359. Princeps (Menelaides (Nestorides)) bridgei (Mathew,1886)** (Papilionidae) Synonym(s): *bridgei Mathew,1886* - Original Reference: Papilio bridgei Mathew,1886, Proc. zool. Soc. London 1886: 309, pl.34 fig.2. Type: [Papua New Guinea]: Treasury Is. Range (in code): SB Ugi Hon NGe PG Bgv4
- 19360. Princeps (Menelaides (Nestorides)) bridgei bridgei (Mathew,1886)** (Papilionidae) Synonym(s): *bridgei Mathew,1886* - Original Reference: Papilio bridgei Mathew,1886, Proc. zool. Soc. London 1886: 309, pl.34 fig.2. Type: [Papua New Guinea]: Treasury Is. Range (in code): PG Bgv4

- 19361. *Princeps (Menelaides (Nestorides)) bridgei hecataeus (Godman & Salvin,1888)*** (Papilionidae) Synonym(s): *hecataeus Godman & Salvin,1888* Original Reference: *Papilio hecataeus Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 213.* Syntypes: Guadalcanar Is. Range (in code): **SB Hon**
- 19362. *Princeps (Menelaides (Nestorides)) bridgei ortegae (Rothschild,1904)*** (Papilionidae) Synonym(s): *ortegae Rothschild,1904*
- 19363. *Princeps (Menelaides (Nestorides)) bridgei prospero (Grose-Smith,1889)*** (Papilionidae) Synonym(s): *prospero Grose-Smith,1889* Original Reference: *Papilio prospero Grose-Smith,1889, Entomologist's mon. Mag. 25: 302.* Syntypes: Solomon Isl.: New Georgia: Rubiana Lagoon. Range (in code): **SB NGe**
- 19364. *Princeps (Menelaides (Nestorides)) bridgei tryoni (Mathew,1889)*** (Papilionidae) Synonym(s): *tryoni Mathew,1889* Original Reference: *Papilio tryoni Mathew,1889, Trans. ent. Soc. London 1889: 315.* Type ♂: Solomon Isl.: Ugi Is. Range (in code): **SB Ugi**
- 19365. *Princeps (Menelaides (Nestorides)) erechtheus (Donovan,1805)*** (Papilionidae) Synonym(s): *aegeus Donovan,1805 nec egea Fabricius,1775; erechtheus Donovan,1805.* Range (in code): **ID Ban Kai PG Dmp Vu Nlr NBr**
- 19366. *Princeps (Menelaides (Nestorides)) erechtheus aegatinus (Rothschild,1908)*** (Papilionidae) Synonym(s): *aegatinus Rothschild,1908*
- 19367. *Princeps (Menelaides (Nestorides)) erechtheus bandaicola (Koçak,1983)*** (Papilionidae) Synonym(s): *adrastus Felder,1865 nec Stoll,1780; bandaicola Koçak,1983.* Original Reference: *Papilio erechtheus bandaicola Koçak,1983, Priamus 3 (1): 38 (nomen novum pro Papilio adrastus Felder,1864 nec Papilio adrastus Stoll,1780).* Range (in code): **ID Ban**
- 19368. *Princeps (Menelaides (Nestorides)) erechtheus erechtheus (Donovan,1805)*** (Papilionidae) Synonym(s): *aegeus Donovan,1805 nec egea Fabricius,1775; erechtheus Donovan,1805.*
- 19369. *Princeps (Menelaides (Nestorides)) erechtheus goramensis (Rothschild,1908)*** (Papilionidae) Synonym(s): *goramensis Rothschild,1908*
- 19370. *Princeps (Menelaides (Nestorides)) erechtheus keianus (Rothschild,1898)*** (Papilionidae) Synonym(s): *keianus Rothschild,1898* Range (in code): **ID Kai**
- 19371. *Princeps (Menelaides (Nestorides)) erechtheus kissuanus (Rothschild,1908)*** (Papilionidae) Synonym(s): *kissuanus Rothschild,1908*
- 19372. *Princeps (Menelaides (Nestorides)) erechtheus oritas (Godman & Salvin,1879)*** (Papilionidae) Synonym(s): *oritas Godman & Salvin,1879* Original Reference: *Papilio oritas Godman & Salvin,1879, Proc. zool. Soc. London 1879: 654.* Syntypes: New Ireland. Range (in code): **PG Nlr**
- 19373. *Princeps (Menelaides (Nestorides)) erechtheus ormenus (Guérin-Méneville,1829)*** (Papilionidae) Synonym(s): *ormenus Guérin-Méneville,1829* Original Reference: *Papilio ormenus Guérin-Méneville,1829, Voy. Coquille: Tab. 14 fig.3.* Type: New Guinea. Range (in code): **PG Dmp Vu**
- 19374. *Princeps (Menelaides (Nestorides)) erechtheus othello Grose-Smith,1894*** (Papilionidae) Synonym(s): *othello Grose-Smith,1894*
- 19375. *Princeps (Menelaides (Nestorides)) erechtheus websteri Grose-Smith,1894*** (Papilionidae) Synonym(s): *websteri Grose-Smith,1894* Original Reference: *Papilio websteri Grose-Smith,1894, Ann Mag. nat. Hist. (6) 13: 496.* Syntypes: [Papua New Guinea]: New Britain. Range (in code): **PG NBr**
- 19376. *Princeps (Menelaides (Nestorides)) gambrisius (Cramer,[1777])*** (Papilionidae) Synonym(s): *gambrisius Cramer,[1777]* Original Reference: *Papilio gambrisius Cramer,[1777], Uitl. Kapellen 2 (14): 95, pl.157, figs. A.B.*
- 19377. *Princeps (Menelaides (Nestorides)) gambrisius buruanus (Rothschild,1897)*** (Papilionidae) Synonym(s): *buruanus Rothschild,1897*
- 19378. *Princeps (Menelaides (Nestorides)) gambrisius gambrisius (Cramer,[1777])*** (Papilionidae) Synonym(s): *gambrisius Cramer,[1777]* Original Reference: *Papilio gambrisius Cramer,[1777], Uitl. Kapellen 2 (14): 95, pl.157, figs. A.B.*
- 19379. *Princeps (Menelaides (Nestorides)) inopinatus (Butler,1883)*** (Papilionidae) Synonym(s): *inopinatus Butler,1883; kosmos Fruhstorfer; inauris Fruhstorfer,1904.*
- 19380. *Princeps (Menelaides (Nestorides)) inopinatus inopinatus (Butler,1883)*** (Papilionidae) Synonym(s): *inopinatus Butler,1883; kosmos Fruhstorfer; inauris Fruhstorfer,1904.*

- 19381. Princeps (Menelaides (Nestorides)) tydeus (C.Felder & R.Felder,1860)**
(Papilionidae) Synonym(s): *tydeus* C.Felder & R.Felder,1860
- 19382. Princeps (Menelaides (Nestorides)) tydeus obiensis (Rothschild,1898)**
(Papilionidae) Synonym(s): *obiensis* Rothschild,1898
- 19383. Princeps (Menelaides (Nestorides)) tydeus tydeus (C.Felder & R.Felder,1860)**
(Papilionidae) Synonym(s): *tydeus* C.Felder & R.Felder,1860
- 19384. Princeps (Menelaides (Nestorides)) weymeri (Niepelt,1914)** (Papilionidae)
Synonym(s): *weymeri* Niepelt,1914 Original Reference: Papilio weymeri Niepelt,1914, Lepidopt. Niepelt. (1): 53. Syntypes: Admiralty Islands. Range (in code): **PG Manu Adl**
- 19385. Princeps (Menelaides (Nestorides)) weymeri weymeri (Niepelt,1914)**
(Papilionidae) Synonym(s): *weymeri* Niepelt,1914 Original Reference: Papilio weymeri Niepelt,1914, Lepidopt. Niepelt. (1): 53. Syntypes: Admiralty Islands. Range (in code): **PG Manu Adl**
- 19386. Princeps (Menelaides (Sainia)) bootes (Westwood,1842)** (Papilionidae)
Synonym(s): *bootes* Westwood,1842. Original Reference: Papilio bootes Westwood,1842, Ann. Mag. nat. Hist. 9: 36. Type: "Sylhet in the East Indies". Range (in code): **IN Ass CN LA VN Ton MM SI Syl** Bionomy: Larva on Glycosmis pentaphylla (Rutaceae) (Tateishi,2001).
- 19387. Princeps (Menelaides (Sainia)) bootes bootes (Westwood,1842)** (Papilionidae)
Synonym(s): *bootes* Westwood,1842. Original Reference: Papilio bootes Westwood,1842, Ann. Mag. nat. Hist. 9: 36. Type: "Sylhet in the East Indies". Range (in code): **IN Ass CN MM SI Syl**
- 19388. Princeps (Menelaides (Sainia)) bootes echo (Ehrmann,1909)** (Papilionidae)
Synonym(s): *nigricans* Rothschild,1895 nec Eimer,1889 (p.168) non Eimer,1889 (p.175); *echo* Ehrmann,1909; *rubicundus* Fruhstorfer,1909; *mixta* Tytler,1915 Original Reference: Papilio echo Ehrmann,1909, Can. ent. 41 (3): 85. Type: [Myanmar]. Range (in code): **MM CN VN Ton**
- 19389. Princeps (Menelaides (Sainia)) bootes parcesquamata (Rosen,1929)**
(Papilionidae) Synonym(s): *parcesquamata* Rosen,1929 Original Reference: Papilio bootes sso. parcesquamata Rosen,1929, [in] Seitz, Gross-Schmett. Erde 1 (suppl.): 12. Syntypes 2♂: [China]: Yunnan: Luksekiang, Rohand. Range (in code): **CN Yu**
- 19390. Princeps (Menelaides (Sainia)) bootes xamnuensis Tateishi,2001** (Papilionidae)
Synonym(s): *xamnuensis* Tateishi,2001 Range (in code): **LA** Bionomy: Larva on Glycosmis pentaphylla (Rutaceae) (Tateishi,2001).
- 19391. Princeps (Menelaides (Sainia)) demetrius (Cramer,[1782])** (Papilionidae)
Synonym(s): *demetrius* Cramer,[1782]; *carpenteri* Butler,1882; #*nymphis* Fruhstorfer,1909. Original Reference: Papilio demetrius Cramer,[1782], Uitl. Kapellen 4: 196, t.385 fig.E,F. Syntypes: Japan. Range (in code): **JP CN TW Hdo Kyu**
- 19392. Princeps (Menelaides (Sainia)) demetrius demetrius (Cramer,[1782])**
(Papilionidae) Synonym(s): *demetrius* Cramer,[1782]; *carpenteri* Butler,1882; #*nymphis* Fruhstorfer,1909. Original Reference: Papilio demetrius Cramer,[1782], Uitl. Kapellen 4: 196, t.385 fig.E,F. Syntypes: Japan. Range (in code): **JP CN TW Hdo**
- 19393. Princeps (Menelaides (Sainia)) demetrius lenocinius (Fruhstorfer,1909)**
(Papilionidae) Synonym(s): *lenocinius* Fruhstorfer,1909 Original Reference: Papilio demetrius ssp. lenocinius Fruhstorfer,1909, Ent. Z., Stuttgart 22: 175. Syntypes 4♂ 5♀: Japan: Kiushiu: Nagasaki. Range (in code): **Kyu JP**
- 19394. Princeps (Menelaides (Sainia)) demetrius liukuensis (Fruhstorfer,1898)**
(Papilionidae) Synonym(s): *liukuensis* Fruhstorfer,1898 Range (in code): **JP Isg**
- 19395. Princeps (Menelaides (Sainia)) demetrius sitalkes (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *sitalkes* Fruhstorfer,1908 Range (in code): **JP Oki**
- 19396. Princeps (Menelaides (Sainia)) demolion (Cramer,[1775])** (Papilionidae)
Synonym(s): *demolion* Cramer,[1775]. Original Reference: Papilio demolion Cramer,[1775], Uitl. Kapellen 1: 140, pl.89, figs.A,B. Type(s): Java. Range (in code): **ID Nia Bor Sum Ja MY MM Tns TH Chy CMa Dst Qs Rng Yal Cbi Cbu Tng Nst Chw IN PH Pal LA L10 VN**
- 19397. Princeps (Menelaides (Sainia)) demolion delostenus (Rothschild,1908)**
(Papilionidae) Synonym(s): *delostenus* Rothschild,1908 Range (in code): **PH Pal**
- 19398. Princeps (Menelaides (Sainia)) demolion demolion (Cramer,[1775])**
(Papilionidae) Synonym(s): *demolion* Cramer,[1775]. Original Reference: Papilio demolion Cramer,[1775], Uitl. Kapellen 1: 140, pl.89, figs.A,B. Type(s): Java. Range (in code): **ID Bor Sum Ja MY MM Tns TH Chy CMa Dst Qs Rng Yal Cbi Cbu Tng Nst Chw IN LA L10 VN**

- 19399. Princeps (Menelaides (Sainia)) demolion energetes (Fruhstorfer,1908)**
(Papilionidae) Synonym(s): *energetes Fruhstorfer,1908* _ Range (in code): ID Nia
- 19400. Princeps (Menelaides (Sainia)) euchenor (Guérin-Ménéville,1829)**
(Papilionidae) Synonym(s): *euchenor Guérin-Ménéville,1829; axion Boisduval,1832.* Original Reference: Papilio euchenor Guérin-Ménéville,1829, Voy. Coquille: Pl.13 fig.3. Type: New Guinea. Range (in code): ID Aru Jo Bia Mi Kai PG NHa Ls Wd Eca Dmp Vu SB Rs
- 19401. Princeps (Menelaides (Sainia)) euchenor depilis (Rothschild,1895)**
(Papilionidae) Synonym(s): *depilis Rothschild,1895*
- 19402. Princeps (Menelaides (Sainia)) euchenor euchenor (Guérin-Ménéville,1829)**
(Papilionidae) Synonym(s): *euchenor Guérin-Ménéville,1829; axion Boisduval,1832.* Original Reference: Papilio euchenor Guérin-Ménéville,1829, Voy. Coquille: Pl.13 fig.3. Type: New Guinea. Range (in code): PG Vu
- 19403. Princeps (Menelaides (Sainia)) euchenor eutropius (Janson,1886)** (Papilionidae)
Synonym(s): *eutropius Janson,1886* _ Range (in code): ID Jo
- 19404. Princeps (Menelaides (Sainia)) euchenor godarti (Montrouzier,1856)**
(Papilionidae) Synonym(s): *godarti Montrouzier,1856* _ Range (in code): PG Wd Eca
- 19405. Princeps (Menelaides (Sainia)) euchenor inciae (Koçak,1983)** (Papilionidae)
Synonym(s): *comma Joicey & Noakes,1915 nec Linn.,1758; inciae Koçak,1983.* Original Reference: Papilio euchenor inciae Koçak,1983, Priamus 2 (4): 165 (nomen novum pro Papilio euchenor comma Joicey & Noakes,1915 nec Papilio comma Linn.,1758). Range (in code): ID Bia
- 19406. Princeps (Menelaides (Sainia)) euchenor misimanus (Rothschild,1898)**
(Papilionidae) Synonym(s): *misimanus Rothschild,1898* _ Range (in code): PG Ls
- 19407. Princeps (Menelaides (Sainia)) euchenor misolensis (Rothschild,1908)**
(Papilionidae) Synonym(s): *misolensis Rothschild,1908* _ Range (in code): ID Mi
- 19408. Princeps (Menelaides (Sainia)) euchenor naucles (Rothschild,1908)**
(Papilionidae) Synonym(s): *naucles Rothschild,1908* _ Range (in code): ID Kai
- 19409. Princeps (Menelaides (Sainia)) euchenor neohannoveranus (Rothschild,1898)**
(Papilionidae) Synonym(s): *neohannoveranus Rothschild,1898* _ Range (in code): PG NHa
- 19410. Princeps (Menelaides (Sainia)) euchenor novohibernicus (Rothschild,1896)**
(Papilionidae) Synonym(s): *novohibernicus Rothschild,1896* _ Range (in code): PG
- 19411. Princeps (Menelaides (Sainia)) euchenor obsolescens (Rothschild,1895)**
(Papilionidae) Synonym(s): *obsolescens Rothschild,1895* _ Range (in code): ID Aru
- 19412. Princeps (Menelaides (Sainia)) euchenor rosselanus (Rothschild,1908)**
(Papilionidae) Synonym(s): *rosselanus Rothschild,1908* _ Range (in code): SB Rs
- 19413. Princeps (Menelaides (Sainia)) euchenor subcoerulea (Rothschild,1915)**
(Papilionidae) Synonym(s): *subcoerulea Rothschild,1915* Original Reference: Papilio euchenor ssp. subcoerulea Rothschild,1915, Novit. zool. 22: 193. Syntypes 7♂ 4♀: Dampier Island. Range (in code): PG Dmp
- 19414. Princeps (Menelaides (Sainia)) euchenor sudestensis (Rothschild,1908)**
(Papilionidae) Synonym(s): *sudestensis Rothschild,1908* _ Range (in code): PG Ls
- 19415. Princeps (Menelaides (Sainia)) gigon (Felder,1864)** (Papilionidae) Synonym(s): *gigon Felder,1864* Original Reference: Papilio gigon Felder,1864, Verh. zool.- bot. Ges. Wien 14: 318, nr.391. Syntypes: Celebes. Range (in code): ID Clb Sgr Tal
- 19416. Princeps (Menelaides (Sainia)) gigon gigon (Felder,1864)** (Papilionidae)
Synonym(s): *gigon Felder,1864* Original Reference: Papilio gigon Felder,1864, Verh. zool.- bot. Ges. Wien 14: 318, nr.391. Syntypes: Celebes. Range (in code): ID Clb Sgr Tal
- 19417. Princeps (Menelaides (Sainia)) gigon mangolinus (Fruhstorfer)** (Papilionidae)
Synonym(s): *mangolinus Fruhstorfer*
- 19418. Princeps (Menelaides (Sainia)) gigon neriotus (Rothschild,1908)** (Papilionidae)
Synonym(s): *neriotus Rothschild,1908*
- 19419. Princeps (Menelaides (Sainia)) janaka (Moore,1857)** (Papilionidae) Synonym(s): *janaka Moore,1857; sikkimensis Wood-Mason,1882; kala Tytler,1915.* Original Reference: Papilio janaka Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 97. Range (in code): IN SI NP
- 19420. Princeps (Menelaides (Sainia)) janaka janaka (Moore,1857)** (Papilionidae)
Synonym(s): *janaka Moore,1857; sikkimensis Wood-Mason,1882; kala Tytler,1915.* Original Reference:

- Papilio janaka* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 97.
Range (in code): **IN SI NP**
- 19421. Princeps (Menelaides (Sainia)) liomedon (Moore, 1874)** (Papilionidae)
Synonym(s): *liomedon* Moore, 1874 Original Reference: *Papilio liomedon* Moore, 1874, Proc. zool. Soc. London 1874: 575. Syntypes: Calicut, Malabar Coast. Range (in code): **IN LK**
- 19422. Princeps (Menelaides (Sainia)) liomedon liomedon (Moore, 1874)** (Papilionidae)
Synonym(s): *liomedon* Moore, 1874 Original Reference: *Papilio liomedon* Moore, 1874, Proc. zool. Soc. London 1874: 575. Syntypes: Calicut, Malabar Coast. Range (in code): **IN LK**
- 19423. Princeps (Menelaides (Sainia)) macilentus (Janson, 1877)** (Papilionidae)
Synonym(s): *macilentus* Janson, 1877; *scaevola* Oberthür, 1879; *tractipennis* Butler, 1881; *minima* Sheljuzhko, 1913 nec Fuessl., 1775. Original Reference: *Papilio macilentus* Janson, 1877, Cistula Ent. 2: 158, pl. 5 fig. 1. Type(s): Japan: Oyama. Range (in code): **JP CN**
- 19424. Princeps (Menelaides (Sainia)) macilentus macilentus (Janson, 1877)** (Papilionidae)
Synonym(s): *macilentus* Janson, 1877; *scaevola* Oberthür, 1879; *tractipennis* Butler, 1881; *minima* Sheljuzhko, 1913 nec Fuessl., 1775. Original Reference: *Papilio macilentus* Janson, 1877, Cistula Ent. 2: 158, pl. 5 fig. 1. Type(s): Japan: Oyama. Range (in code): **JP CN**
- 19425. Princeps (Menelaides (Sainia)) protenor (Cramer, [1782])** (Papilionidae)
Synonym(s): *protenor* Cramer, [1782] Original Reference: *Papilio protenor* Cramer, [1782], Uitl. Kapellen 3 (21): 89, pl. 246 fig. B. Range (in code): **Ch Kma IN Hp Ass Slo TW TH Cma Knc Uth Pht Cbi Mae LA L10 L13 L32 VN Ton Tda MM CN Hn**
- 19426. Princeps (Menelaides (Sainia)) protenor amauro (Jordan, 1909)** (Papilionidae)
Synonym(s): *amauro* Jordan, 1909 Range (in code): **TW**
- 19427. Princeps (Menelaides (Sainia)) protenor euprotenor (Fruhstorfer, 1908)** (Papilionidae)
Synonym(s): *euprotenor* Fruhstorfer, 1908; *euanthes* Fruhstorfer, 1908; *#sulpitius* Jordan, 1909 Range (in code): **TH Cma Knc Uth Pht Cbi Mae LA L10 L13 L32 VN Ton Tda**
- 19428. Princeps (Menelaides (Sainia)) protenor protenor (Cramer, [1782])** (Papilionidae)
Synonym(s): *protenor* Cramer, [1782] Original Reference: *Papilio protenor* Cramer, [1782], Uitl. Kapellen 3 (21): 89, pl. 246 fig. B. Range (in code): **Ch Kma IN Hp Ass Slo**
- 19429. Princeps (Menelaides (Tamera)) chaon (Westwood, 1845)** (Papilionidae)
Synonym(s): *chaon* Westwood, 1845; *dispensator* Fruhstorfer, 1908; *duketius* Fruhstorfer, 1908 Original Reference: *Papilio chaon* Westwood, 1845, Arcana Ent. 2: 97, pl. 72 fig. 1. Type ♂: India: Assam. Range (in code): **IN Ass Slo TH Cbi Phi Nna Cma Knc Rng MM LA VN CN KH Pno**
- 19430. Princeps (Menelaides (Tamera)) diophantus (Grose-Smith, 1883)** (Papilionidae)
Synonym(s): *diophantus* Grose-Smith, 1883 Original Reference: *Papilio diophantus* Grose-Smith, 1883, Entomologist's mon. Mag. 19: 234. Type ♀: Sumatra. Range (in code): **ID Sum**
- 19431. Princeps (Menelaides (Tamera)) diophantus diophantus (Grose-Smith, 1883)** (Papilionidae)
Synonym(s): *diophantus* Grose-Smith, 1883 Original Reference: *Papilio diophantus* Grose-Smith, 1883, Entomologist's mon. Mag. 19: 234. Type ♀: Sumatra. Range (in code): **ID Sum**
- 19432. Princeps (Menelaides (Tamera)) dravidarum (Wood-Mason, 1880)** (Papilionidae)
Synonym(s): *dravidarum* Wood-Mason, 1880 Range (in code): **IN Milb**
- 19433. Princeps (Menelaides (Tamera)) dravidarum dravidarum (Wood-Mason, 1880)** (Papilionidae)
Synonym(s): *dravidarum* Wood-Mason, 1880 Range (in code): **IN Milb**
- 19434. Princeps (Menelaides (Tamera)) mahadeva (Moore, [1879])** (Papilionidae)
Synonym(s): *mahadeva* Moore, [1879] Range (in code): **MY Lkw MM Shn Tns VN Ton Hgi TH Chy Knc Nna Rng Cbi Nrt Rat Yal Nst Rph Pht Phr Sgk Hya Tnc LA L10 L28**
- 19435. Princeps (Menelaides (Tamera)) mahadeva mahadeva (Moore, [1879])** (Papilionidae)
Synonym(s): *mahadeva* Moore, [1879] Original Reference: *Papilio mahadeva* Moore, [1879], Proc. zool. Soc. London 1878 (4): 840. Type ♂: [Myanmar]: Upper Tenasserim (BMNH). Range (in code): **MY Lkw MM Tns LA VN TH Chy Knc Nna Rng Cbi Nrt Rat Yal Nst Rph Pht Sgk Hya Tnc LA L10 L28**
- 19436. Princeps (Menelaides (Tamera)) mahadeva mehala (Grose-Smith, 1886)** (Papilionidae)
Synonym(s): *mehala* Grose-Smith, 1886; *#dioscus* Jordan, 1909; *dioscurus* Jordan, 1909 Original Reference: *Papilio mehala* Grose-Smith, 1886, Ann. Mag. nat. Hist. (5) 18: 150. Syntypes ♂♂: [Myanmar]: Burma: Toungou (BMNH). Range (in code): **MM Shn TH Phr VN Ton Hgi LA**
- 19437. Princeps (Menelaides (Tamera)) mahadeva selangoranus (Fruhstorfer, 1901)** (Papilionidae)
Synonym(s): *selangoranus* Fruhstorfer, 1901 Range (in code): **MY**

- 19438. Princeps (Menelaides (Tamera)) nephelus (Boisduval,1836)** (Papilionidae)
Synonym(s): *nephelus Boisduval,1836* Original Reference: *Papilio nephelus Boisduval,[1836]*, [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 210. Type(s): Celebes. Range (in code): **IN NP MM Tns ID Nia Btu Sum Sip Ja TW TH Tng Ntt Yal Nst Ths Chw Cbi Rng Phu Sgk Hya Tnc MY Bor Lkw CN VN Ton Ann Tda LA**
- 19439. Princeps (Menelaides (Tamera)) nephelus albolineatus (Forbes,1885)** (Papilionidae) Synonym(s): *albolineatus Forbes,1885* Range (in code): **MY Bor ID Sum**
- 19440. Princeps (Menelaides (Tamera)) nephelus chaon (Westwood,1845)** (Papilionidae) Synonym(s): *chaon Westwood,1845; dispensator Fruhstorfer,1908; duketius Fruhstorfer,1908; ducenarius Fruhstorfer,1908; annulus Pendlebury,1936; raya Corbet,1937* Range (in code): **MM Tns VN Ton LA TH Tng Yal Nst Ths Chw Cbi Rng Phu Sgk Hya Tnc MY Lkw**
- 19441. Princeps (Menelaides (Tamera)) nephelus chaonulus (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *chaonulus Fruhstorfer,1902* Range (in code): **TW**
- 19442. Princeps (Menelaides (Tamera)) nephelus nephelus (Boisduval,1836)** (Papilionidae) Synonym(s): *nephelus Boisduval,1836* Original Reference: *Papilio nephelus Boisduval,[1836]*, [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 210. Type(s): Celebes. Range (in code): **ID Ja**
- 19443. Princeps (Menelaides (Tamera)) nephelus siporanus (Hagen,1898)** (Papilionidae) Synonym(s): *siporanus Hagen,1898* Range (in code): **ID Sip**
- 19444. Princeps (Menelaides (Tamera)) nephelus sunatus (Corbet,1940)** (Papilionidae) Synonym(s): *saturnus Guérin-Ménéville,1840 (praeocc.); sunatus Corbet,1940* Range (in code): **MY TH Ntt Yal**
- 19445. Princeps (Menelaides (Tamera)) nephelus tellonus (Fruhstofer,1906)** (Papilionidae) Synonym(s): *tellonus Fruhstofer,1906* Range (in code): **ID Btu**
- 19446. Princeps (Menelaides (Tamera)) nephelus uranus (Weymer,1885)** (Papilionidae) Synonym(s): *uranus Weymer,1885* Range (in code): **ID Nia**
- 19447. Princeps (Menelaides (Tamera)) pollux (Westwood,1842)** (Papilionidae) Synonym(s): *castor Westwood,1842 nec Esp.,1781 non Cram.,1775; pollux Westwood,1842* Original Reference: *Papilio pollux Westwood,1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet. Range (in code):* **Syl IN TW VN Ann Ton Hgi LA KH Pno**
- 19448. Princeps (Menelaides (Tamera)) pollux formosanus Rothschild,1896** (Papilionidae) Synonym(s): *formosanus Rothschild,1896; gotonis Matsumura,1908; #apicalis Esaki,1930; #oiwakeana Hirayama,1939; #pauli Nakahara,1941* Range (in code): **TW**
- 19449. Princeps (Menelaides (Tamera)) pollux khmer (Boullet & Le Cerf,1912)** (Papilionidae) Synonym(s): *khmer Boullet & Le Cerf,1912* Original Reference: *Papilio castor khmer Boullet & Le Cerf,1912, Bull. Soc. ent. Fr. 1912 (11): 246. Type(s): Cambodia: Pnom-Penh. Range (in code):* **KH Pno**
- 19450. Princeps (Menelaides (Tamera)) pollux phanrangensis (Fruhstorfer,1901)** (Papilionidae) Synonym(s): *phanrangensis Fruhstorfer,1901* Range (in code): **VN Ann**
- 19451. Princeps (Menelaides (Tamera)) pollux pollux (Westwood,1842)** (Papilionidae) Synonym(s): *castor Westwood,1842 nec Esp.,1781 non Cram.,1775; pollux Westwood,1842* Original Reference: *Papilio pollux Westwood,1842, Ann. Mag. nat. Hist. 9: 37. Type(s): Sylhet. Range (in code):* **Syl IN**
- 19452. Princeps (Menelaides (amynthor-gr)) amynthor (Boisduval,1859)** (Papilionidae) Synonym(s): *amynthor Boisduval,1859 nec Herbst,1804.* Original Reference: *Papilio amynthor Boisduval,1859, Annls Soc. ent. Fr. (3) 7: Bull.: 155. Type(s): Nouvelle Calédonie. Range (in code):* **LO NC NF**
- 19453. Princeps (Menelaides (amynthor-gr)) amynthor amphiaraus (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *amphiaraus C.Felder & R.Felder,1864*
- 19454. Princeps (Menelaides (amynthor-gr)) amynthor amynthor (Boisduval,1859)** (Papilionidae) Synonym(s): *amynthor Boisduval,1859 nec Herbst,1804.* Original Reference: *Papilio amynthor Boisduval,1859, Annls Soc. ent. Fr. (3) 7: Bull.: 155. Type(s): Nouvelle Calédonie. Range (in code):* **NC LO**
- 19455. Princeps (Menelaides (amynthor-gr)) amynthor cesa Koçak & Kemal,2007** (Papilionidae) Synonym(s): *ilioneus Donovan,1805 nec J.E.Smith,1797; cesa Koçak & Kemal,2007* Range (in code): **NF**
- 19456. Princeps (Menelaides (amynthor-gr)) schmeltzi (Herrich-Schäffer,1869)** (Papilionidae) Synonym(s): *schmeltzi Herrich-Schäffer,1869* Original Reference: *Papilio schmeltzi*

- Herrich-Schäffer, 1869, Stettin ent. Ztg. 1869: 78, nr. 57 Taf. 1 fig. 1. Type: Fiji Isl: Ovalau. Range (in code): FJ
- 19457. Princeps (Menelaides (amynthor-gr)) schmelzi schmelzi (Herrich-Schäffer, 1869)** (Papilionidae) Synonym(s): *schmelzi* Herrich-Schäffer, 1869 Original Reference: Papilio schmelzi Herrich-Schäffer, 1869, Stettin ent. Ztg. 1869: 78, nr. 57 Taf. 1 fig. 1. Type: Fiji Isl: Ovalau. Range (in code): FJ
- 19458. Princeps (Menelaides (fuscus-gr)) albinus (Wallace, 1865)** (Papilionidae) Synonym(s): *albinus* Wallace, 1865 Original Reference: Papilio albinus Wallace, 1865, Trans. linn. Soc. Lond. 25: 49, nr. 54 t. 5 fig. 5. Type(s): Papua. Range (in code): ID Ij PG
- 19459. Princeps (Menelaides (fuscus-gr)) albinus albinus (Wallace, 1865)** (Papilionidae) Synonym(s): *albinus* Wallace, 1865 Original Reference: Papilio albinus Wallace, 1865, Trans. linn. Soc. Lond. 25: 49, nr. 54 t. 5 fig. 5. Type(s): Papua. Range (in code): ID Ij
- 19460. Princeps (Menelaides (fuscus-gr)) albinus lesches (Godman & Salvin, 1880)** (Papilionidae) Synonym(s): *lesches* Godman & Salvin, 1880 Range (in code): PG
- 19461. Princeps (Menelaides (fuscus-gr)) canopus (Westwood, 1842)** (Papilionidae) Synonym(s): *canopus* Westwood, 1842 Original Reference: Papilio canopus Westwood, 1842, Ann. Mag. nat. Hist. 9: 38. Syntypes: Melville Island (Mus. Hope). Range (in code): ID Tim Wt Lt Dm Tnm Bbr AU Mlv
- 19462. Princeps (Menelaides (fuscus-gr)) canopus babberensis (Fruhstorfer, 1902)** (Papilionidae) Synonym(s): *tenimberensis* Rothschild, 1896 *nec* Roth., 1895; *babberensis* Fruhstorfer, 1902. Original Reference: Papilio canopus ssp. babberensis Fruhstorfer, 1902, Dt. ent. Z., Iris 15: 311 Syntypes: Babber Isl. Range (in code): ID Tnm Bbr
- 19463. Princeps (Menelaides (fuscus-gr)) canopus canopinus (Rothschild, 1895)** (Papilionidae) Synonym(s): *canopinus* Rothschild, 1895 Range (in code): ID Lt
- 19464. Princeps (Menelaides (fuscus-gr)) canopus canopus (Westwood, 1842)** (Papilionidae) Synonym(s): *canopus* Westwood, 1842 Original Reference: Papilio canopus Westwood, 1842, Ann. Mag. nat. Hist. 9: 38. Syntypes: Melville Island (Mus. Hope). Range (in code): AU Mlv
- 19465. Princeps (Menelaides (fuscus-gr)) canopus croton (Fruhstorfer, 1904)** (Papilionidae) Synonym(s): *croton* Fruhstorfer, 1904 Range (in code): ID Dm
- 19466. Princeps (Menelaides (fuscus-gr)) canopus hypsicles (Rothschild, 1894)** (Papilionidae) Synonym(s): *hypsicles* Rothschild, 1894 Range (in code): ID Wt
- 19467. Princeps (Menelaides (fuscus-gr)) canopus vollenhovii (C. Felder & R. Felder, 1864)** (Papilionidae) Synonym(s): *vollenhovii* C. Felder & R. Felder, 1864 Range (in code): ID Tim
- 19468. Princeps (Menelaides (fuscus-gr)) erskinei (Mathew, 1886)** (Papilionidae) Synonym(s): *erskinei* Mathew, 1886 Original Reference: Papilio erskinei Mathew, 1886, Proc. zool. Soc. London 1886: 348, pl. 34 fig. 1. Type ♂: Solomon Isl.: Ugi Is. (coll. Godman & Salvin). Range (in code): SB Ugi
- 19469. Princeps (Menelaides (fuscus-gr)) erskinei erskinei (Mathew, 1886)** (Papilionidae) Synonym(s): *erskinei* Mathew, 1886 Original Reference: Papilio erskinei Mathew, 1886, Proc. zool. Soc. London 1886: 348, pl. 34 fig. 1. Type ♂: Solomon Isl.: Ugi Is. (coll. Godman & Salvin). Range (in code): SB Ugi
- 19470. Princeps (Menelaides (fuscus-gr)) fuscus (Goeze, 1779)** (Papilionidae) Synonym(s): *fuscus* Goeze, 1779; *cinereomaculatus* Goeze, 1779; *severus* Cramer, [1782]. Original Reference: Papilio fuscus Goeze, 1779, Ent. Beytr. 3(1): 87, nr. 71. Syntypes: [Indonesia: Moluccas] (cf. Rothschild, 1895: 293). Range (in code): AU NSW QAU KY PG NBr Wd Tan Eca Ls Bgv Nlr ID Aru Ob Hm Bch Trn Mti Ij Amb Adm Kai Wg Clb SB Ugi Hon Hon7 NGe
- 19471. Princeps (Menelaides (fuscus-gr)) fuscus beccarii (Oberthür, 1879)** (Papilionidae) Synonym(s): *beccarii* Oberthür, 1879 Range (in code): PG ID Ij
- 19472. Princeps (Menelaides (fuscus-gr)) fuscus capaneus (Westwood, 1843)** (Papilionidae) Synonym(s): *capaneus* Westwood, 1843 Range (in code): AU NSW QAU KY
- 19473. Princeps (Menelaides (fuscus-gr)) fuscus cilix (Godman & Salvin, 1879)** (Papilionidae) Synonym(s): *cilix* Godman & Salvin, 1879 Original Reference: Papilio cilix Godman & Salvin, 1879, Proc. zool. Soc. Lond. 1879: 653. Syntypes: [Papua New Guinea]: New Ireland. Range (in code): PG Nlr
- 19474. Princeps (Menelaides (fuscus-gr)) fuscus fuscus (Goeze, 1779)** (Papilionidae) Synonym(s): *fuscus* Goeze, 1779; *cinereomaculatus* Goeze, 1779; *severus* Cramer, [1782]. Original

- Reference: *Papilio fuscus* Goeze, 1779, Ent. Beytr. 3(1): 87, nr. 71. Syntypes: [Indonesia: Moluccas] (cf. Rothschild, 1895: 293). Range (in code): ID Amb
- 19475. *Priniceps (Menelaides (fuscus-gr)) fuscus gyrei* (Tennent, 1999)** (Papilionidae)
Synonym(s): *gyrei* Tennent, 1999 Original Reference: *Papilio fuscus* ssp. *gyrei* Tennent, 1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 214-215, figs. 2a, b. Holotype ♂: Solomon Islands: Malaita, north-east of Auki, 200m. (BMNH). Range (in code): SB Hon7
- 19476. *Priniceps (Menelaides (fuscus-gr)) fuscus hasterti* (Ribbe, 1907)** (Papilionidae)
Synonym(s): *hasterti* Ribbe, 1907 Range (in code): PG Bgv
- 19477. *Priniceps (Menelaides (fuscus-gr)) fuscus indicatus* (Butler, 1876)** (Papilionidae)
Synonym(s): *indicatus* Butler, 1876 Range (in code): PG Wd Eca Ls
- 19478. *Priniceps (Menelaides (fuscus-gr)) fuscus lamponius* (Fruhstorfer, 1904)** (Papilionidae)
Synonym(s): *lamponius* Fruhstorfer, 1904 Range (in code): PG NBr
- 19479. *Priniceps (Menelaides (fuscus-gr)) fuscus lapathus* (Fruhstorfer, 1904)** (Papilionidae)
Synonym(s): *lapathus* Fruhstorfer, 1904 Range (in code): ID Hm Bch Trn Mti
- 19480. *Priniceps (Menelaides (fuscus-gr)) fuscus offakus* (Fruhstorfer, 1904)** (Papilionidae)
Synonym(s): *offakus* Fruhstorfer, 1904 Original Reference: *Papilio fuscus* ssp. *offakus* Fruhstorfer, 1904, Ent. Z., Stuttgart 22 (12): 45-46. Syntypes 2♀: [Indonesia]: Waigiu. Range (in code): ID Wg
- 19481. *Priniceps (Menelaides (fuscus-gr)) fuscus ombiranus* (Rothschild, 1898)** (Papilionidae)
Synonym(s): *ombiranus* Rothschild, 1898 Range (in code): ID Ob
- 19482. *Priniceps (Menelaides (fuscus-gr)) fuscus pertinax* (Wallace, 1865)** (Papilionidae)
Synonym(s): *pertinax* Wallace, 1865 Original Reference: *Papilio pertinax* Wallace, 1865, Trans. linn. Soc. Lond. 25: 49, nr. 53 t. 5 fig. 4. Type(s): Celebes. Range (in code): ID Clb
- 19483. *Priniceps (Menelaides (fuscus-gr)) fuscus porrothenus* (Jordan, 1909)** (Papilionidae)
Synonym(s): *porrothenus* Jordan, 1909 Range (in code): ID Tan
- 19484. *Priniceps (Menelaides (fuscus-gr)) fuscus relmae* (Tennent, 1999)** (Papilionidae)
Synonym(s): *relmae* Tennent, 1999 Original Reference: *Papilio fuscus* ssp. *relmae* Tennent, 1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 210-214, figs. 1a, b. Holotype ♂: Solomon Islands: New Georgia Group, New Georgia, west, road from Noro to Munda 20-140m. (BMNH). Range (in code): SB NGe
- 19485. *Priniceps (Menelaides (fuscus-gr)) fuscus rotalita* (Swinhoe, 1893)** (Papilionidae)
Synonym(s): *rotalita* Swinhoe, 1893 Range (in code): ID Aru
- 19486. *Priniceps (Menelaides (fuscus-gr)) fuscus thomsoni* (Butler, 1884)** (Papilionidae)
Synonym(s): *thomsoni* Butler, 1884 Original Reference: *Papilio thomsoni* Butler, 1884, Ann. Mag. nat. Hist. (5) 13: 197, nr. 46. Type(s): [Indonesia]: Key Dulan. Range (in code): ID Kai
- 19487. *Priniceps (Menelaides (fuscus-gr)) fuscus xenophilus* (Mathew, 1886)** (Papilionidae)
Synonym(s): *xenophilus* Mathew, 1886 Original Reference: *Papilio xenophilus* Mathew, 1886, Proc. zool. Soc. London 1886: 348. Syntypes: Solomon Isl: Ugi Is. Range (in code): SB Ugi Hon NGe
- 19488. *Priniceps (Menelaides (fuscus-gr)) hipponous* (C. Felder & R. Felder, 1862)** (Papilionidae)
Synonym(s): *hipponous* C. Felder & R. Felder, 1862 Original Reference: *Papilio hipponous* C. Felder & R. Felder, 1862, Wien. ent. Monatschr. 6: 283. Type: Luzon. Range (in code): IN Ass PH Bal Bas Boh Cal Ceb Luz Mar Mno Neg Pal Pan Stu Taw ID Sgr Tal
- 19489. *Priniceps (Menelaides (fuscus-gr)) hipponous bazilanus* (Fruhstorfer, 1898)** (Papilionidae)
Synonym(s): *bazilanus* Fruhstorfer, 1898 Range (in code): PH Bal Bas Boh Cal Ceb Mno Neg Pal Pan Stu Taw
- 19490. *Priniceps (Menelaides (fuscus-gr)) hipponous hipponous* (C. Felder & R. Felder, 1862)** (Papilionidae)
Synonym(s): *hipponous* C. Felder & R. Felder, 1862 Original Reference: *Papilio hipponous* C. Felder & R. Felder, 1862, Wien. ent. Monatschr. 6: 283. Type: Luzon. Range (in code): PH Luz Mar
- 19491. *Priniceps (Menelaides (fuscus-gr)) hipponous leptopsephus* (Fruhstorfer, 1909)** (Papilionidae)
Synonym(s): *leptopsephus* Fruhstorfer, 1909 Range (in code): IN Ass
- 19492. *Priniceps (Menelaides (fuscus-gr)) hipponous lunifer* (Rothschild, 1895)** (Papilionidae)
Synonym(s): *lunifer* Rothschild, 1895 Range (in code): ID Sgr Tal
- 19493. *Priniceps (Menelaides (fuscus-gr)) hypsicles* (Hewitson, 1868)** (Papilionidae)
Synonym(s): *hypsicles* Hewitson, 1868 Original Reference: *Papilio hypsicles* Hewitson, 1868, Exot. Butterfl. 4 (67): pl. 9 fig. 29. Type(s): New Hebrides. Range (in code): NH

- 19494. *Princeps (Menelaides (fuscus-gr)) hypsicles hypsicles* (Hewitson,1868)** (Papilionidae) Synonym(s): *hypsicles* Hewitson,1868 Original Reference: Papilio hypsicles Hewitson,1868, Exot. Butterfl. 4 (67): pl.9 fig.29. Type(s): New Hebrides. Range (in code): **NH**
- 19495. *Princeps (Menelaides (fuscus-gr)) nubilus (Staudinger,[1895])*** (Papilionidae) Synonym(s): *nubilus* Staudinger,[1895] Original Reference: Papilio nubilus Staudinger,[1895], Dt. ent. Z., Iris 7: 344-345. Syntypes: Sultanat Brunei, N. Borneo. Range (in code): **MY Bor**
- 19496. *Princeps (Menelaides (fuscus-gr)) nubilus musianus* (Rothschild,1899)** (Papilionidae) Synonym(s): *musianus* Rothschild,1899
- 19497. *Princeps (Menelaides (fuscus-gr)) nubilus nubilus* (Staudinger,[1895])** (Papilionidae) Synonym(s): *nubilus* Staudinger,[1895] Original Reference: Papilio nubilus Staudinger,[1895], Dt. ent. Z., Iris 7: 344-345. Syntypes: Sultanat Brunei, N. Borneo. Range (in code): **MY Bor**
- 19498. *Princeps (Menelaides (fuscus-gr)) pitmani* (Elwes & De Nicéville,1886)** (Papilionidae) Synonym(s): *pitmani* Elwes & De Nicéville,1886; *siamensis* Godfrey,1916 Original Reference: Papilio (Laertias) pitmani Elwes & De Nicéville,1886, J. Asiat. Soc. Beng. 1886: 434, nr.129 pl.20 fig.1. Type: [Myanmar]: Tenasserim: Tavoy. Range (in code): **MM Tns TH Cbi Nna Knc Nrt CMa CDo LA**
- 19499. *Princeps (Menelaides (fuscus-gr)) pitmani pitmani* (Elwes & De Nicéville,1886)** (Papilionidae) Synonym(s): *pitmani* Elwes & De Nicéville,1886; *siamensis* Godfrey,1916 Original Reference: Papilio (Laertias) pitmani Elwes & De Nicéville,1886, J. Asiat. Soc. Beng. 1886: 434, nr.129 pl.20 fig.1. Type: [Myanmar]: Tenasserim: Tavoy. Range (in code): **MM Tns TH Cbi Nna Knc Nrt CMa CDo LA**
- 19500. *Princeps (Menelaides (fuscus-gr)) prexaspes* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *prexaspes* C.Felder & R.Felder,1865 Range (in code): **TH Rng Yal Srt VN Ann IN Adm**
- 19501. *Princeps (Menelaides (fuscus-gr)) prexaspes andamanicus* (Rothschild,1908)** (Papilionidae) Synonym(s): *andamanicus* Rothschild,1908; *#andermanicus* Pinratana & Eliot,1992 Range (in code): **IN Adm TH Rng Srt**
- 19502. *Princeps (Menelaides (fuscus-gr)) prexaspes duboisi* (Salvaza,1919)** (Papilionidae) Synonym(s): *duboisi* Salvaza,1919; *intricatus* Monastyrskii & Devyatkin,2003 Range (in code): **VN Ann**
- 19503. *Princeps (Menelaides (fuscus-gr)) prexaspes prexaspes* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *prexaspes* C.Felder & R.Felder,1865 Range (in code): **TH Yal**
- 19504. *Princeps (Menelaides (fuscus-gr)) ptolychus* (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *ptolychus* Godman & Salvin,1888 Original Reference: Papilio ptolychus Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 77. Syntypes: Solomon Isl.: Guadalcanar. Range (in code): **SB Hon**
- 19505. *Princeps (Menelaides (fuscus-gr)) ptolychus ptolychus* (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *ptolychus* Godman & Salvin,1888 Original Reference: Papilio ptolychus Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 77. Syntypes: Solomon Isl.: Guadalcanar. Range (in code): **SB Hon**
- 19506. *Princeps (Menelaides (fuscus-gr)) woodfordi* (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *woodfordi* Godman & Salvin,1888 Original Reference: Papilio woodfordi Godman & Salvin,1888, Ann. Mag. nat. Hist. 6 (1): 100. Syntypes: [Papua New Guinea]: Shortland Isl.: Alu, Fauro. Range (in code): **SB Cri Chs Isa Hon7 NGe PG Bgv2**
- 19507. *Princeps (Menelaides (fuscus-gr)) woodfordi ariel* (Grose-Smith,1889)** (Papilionidae) Synonym(s): *ariel* Grose-Smith,1889 Original Reference: Papilio ariel Grose-Smith,1889, Entomologist's mon. Mag. 25: 303. Type ♂: Solomon Isl.: Isabel Is. Range (in code): **SB Isa**
- 19508. *Princeps (Menelaides (fuscus-gr)) woodfordi choiseuli* (Rothschild,1908)** (Papilionidae) Synonym(s): *choiseuli* Rothschild,1908 Range (in code): **SB Chs**
- 19509. *Princeps (Menelaides (fuscus-gr)) woodfordi giblei* (Tennent,1999)** (Papilionidae) Synonym(s): *giblei* Tennent,1999 Original Reference: Papilio woodfordi ssp. giblei Tennent,1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 218, fig. 3. Holotype ♂: Solomon Islands: San Cristobal, Hauta 4-500m. (BMNH). Range (in code): **SB Cri**
- 19510. *Princeps (Menelaides (fuscus-gr)) woodfordi laarchus* (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *laarchus* Godman & Salvin,1888 Original Reference:

- Papilio laarchus Godman & Salvin, 1888, Ann. Mag. nat. Hist. (6) 1: 214. Type ♀: Solomon Isl.: New Georgia: Rubiana Is. Range (in code): SB NGe
- 19511. Princeps (Menelaides (fuscus-gr)) woodfordi mome (Tennent, 1999)** (Papilionidae) Synonym(s): *mome* Tennent, 1999 Original Reference: Papilio woodfordi ssp. mome Tennent, 1999, Nachr. ent. Ver. Apollo (N.F.) 20 (2): 215-216, figs. 4a,b. Holotype ♂: Solomon Islands: south Malaita (BMNH). Range (in code): SB Hon7
- 19512. Princeps (Menelaides (fuscus-gr)) woodfordi woodfordi (Godman & Salvin, 1888)** (Papilionidae) Synonym(s): *woodfordi* Godman & Salvin, 1888 Original Reference: Papilio woodfordi Godman & Salvin, 1888, Ann. Mag. nat. Hist. 6 (1): 100. Syntypes: [Papua New Guinea]: Shortland Isl.: Alu, Fauro. Range (in code): PG Bgv2
- 19513. Princeps (Menelaides (s.str.)) alphenor (Cramer, 1775)** (Papilionidae) Synonym(s): *alphenor* Cramer, 1775. Range (in code): PH Ala Bab Bal Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 19514. Princeps (Menelaides (s.str.)) alphenor alphenor (Cramer, 1775)** (Papilionidae) Synonym(s): *alphenor* Cramer, 1775
- 19515. Princeps (Menelaides (s.str.)) alphenor ledebouria (Eschscholtz, 1821)** (Papilionidae) Synonym(s): *ledebouria* Eschscholtz, 1821; *#elyros* Gray, 1856; *horsfieldii* Reakirt, 1864. Original Reference: Papilio ledebouria Eschscholtz, 1821, Kotzeb. Reise 3: 206, Tab.3 fig.7. Syntypes: Philippines. Range (in code): PH Ala Bab Bal Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 19516. Princeps (Menelaides (s.str.)) ambrax (Boisduval, 1832)** (Papilionidae) Synonym(s): *ambrax* Boisduval, 1832; *orophanes* Boisduval, 1836; *ambracia* Wallace, 1865. Original Reference: Papilio ambrax Boisduval, 1832, Voy. Astrolabe Ent. 1832: 40, nr.5 Type(s): New Guinea. Range (in code): AU PG Wd Eca Mi Wg ID Aru
- 19517. Princeps (Menelaides (s.str.)) ambrax ambrax (Boisduval, 1832)** (Papilionidae) Synonym(s): *ambrax* Boisduval, 1832; *orophanes* Boisduval, 1836; *ambracia* Wallace, 1865. Original Reference: Papilio ambrax Boisduval, 1832, Voy. Astrolabe Ent. 1832: 40, nr.5 Type(s): New Guinea. Range (in code): PG Eca Mi Wg ID
- 19518. Princeps (Menelaides (s.str.)) ambrax artanus (Rothschild, 1908)** (Papilionidae) Synonym(s): *artanus* Rothschild, 1908
- 19519. Princeps (Menelaides (s.str.)) ambrax dunali (Montrouzier, 1856)** (Papilionidae) Synonym(s): *dunali* Montrouzier, 1856 Original Reference: Papilio dunali Montrouzier, 1856, Ann. Soc. Ph. Nat. Lyon 1856: 396. Type(s): [Papua New Guinea]: Woodlark Is. Range (in code): PG Wd
- 19520. Princeps (Menelaides (s.str.)) ambrax egipius (Miskin, 1876)** (Papilionidae) Synonym(s): *egipius* Miskin, 1876 Original Reference: Papilio egipius Miskin, 1876, Trans. ent. Soc. London 1876: 451. Type(s): Rockingham Bay. Range (in code): AU
- 19521. Princeps (Menelaides (s.str.)) ambrax epirus (Wallace, 1865)** (Papilionidae) Synonym(s): *epirus* Wallace, 1865 Original Reference: Papilio epirus Wallace, 1865, Trans. linn. Soc. Lond. 25: 54, nr. 69. Type(s): Aru. Range (in code): ID Aru
- 19522. Princeps (Menelaides (s.str.)) jordani (Fruhstorfer, 1902)** (Papilionidae) Synonym(s):
- 19523. Princeps (Menelaides (s.str.)) jordani jordani (Fruhstorfer, 1902)** (Papilionidae) Synonym(s):
- 19524. Princeps (Menelaides (s.str.)) phestus (Guérin-Méneville, 1829)** (Papilionidae) Synonym(s): *phestus* Guérin-Méneville, 1829; *nusaliki* Ribbe, 1898 Original Reference: Papilio phestus Guérin-Méneville, 1829, Voy. Coquille Atlas Ins.: Pl.14 figs. 2A,B. Range (in code): SB PG Manu Adl NBr
- 19525. Princeps (Menelaides (s.str.)) phestus minusculus (Bryk, 1930)** (Papilionidae) Synonym(s): *#minusculus* Ribbe, 1898; *minusculus* Bryk, 1930. Original Reference: Papilio phestus var. nusaliki f. minusculus Ribbe, 1898, Societ. ent. 12: 161 [infrasubsp.!]; Papilio phestus var. minusculus Bryk, 1930, Lepid. Cat. 37: 186. Range (in code): PG NBr SB
- 19526. Princeps (Menelaides (s.str.)) phestus parkinsoni (Honrath, 1886)** (Papilionidae) Synonym(s): *parkinsoni* Honrath, 1886; *minor* Honrath, 1886 nec Esp., 1777. Original Reference: Papilio parkinsoni Honrath, 1886, Berl. ent. Z. 30 (1): 129-130, Taf.5 fig.1. Syntypes 3♂: New Britain. Range (in code): PG NBr

- 19527. Princeps (Menelaides (s.str.)) phestus phestus (Guérin-Méneville,1829)** (Papilionidae) Synonym(s): *phestus* Guérin-Méneville,1829; *nusaliki* Ribbe,1898 Original Reference: Papilio phestus Guérin-Méneville,1829, Voy. Coquille Atlas Ins.: Pl.14 figs. 2A,B.
- 19528. Princeps (Menelaides (s.str.)) phestus reductus (Rothschild,1915)** (Papilionidae) Synonym(s): *reductus* Rothschild,1915 Original Reference: Papilio phestus ssp. reductus Rothschild,1915, Novit. zool. 22: 193-194. Type ♀: Manus, Admiralty Islands. Range (in code): **PG Adl Manu**
- 19529. Princeps (Menelaides (s.str.)) polytes (Linnaeus,1758)** (Papilionidae) Synonym(s): *polytes* Linnaeus,1758; *pammon* Linnaeus,1758; *gronovii* Scopoli,1772; *astyanax* Fabricius,1793 (*homonym*); *stichius* Hübner,1806; *hector* De Haan,1840 (*homonym*); *borealis* C.Felder & R.Felder,1861; *horsfieldii* Reakirt,[1865]; *walkeri* Janson,1879; *thibetanus* Oberthür,1886; *depicta* Fruhstorfer,1908; *ocha* Fruhstorfer,1908; *#chrysos* Boulet & Le Cerf,1912; *chalcas* [Fabricius],1938 (*homonym*); *abdulasizia* Tung,1982; *flavolineatus* Chou, Yuan & Wang,2000; *obscuras* Chou, Yuan & Wang,2000 Original Reference: Papilio polytes Linnaeus,1758, Syst. Nat. (Ed.10) 1: 460. Type(s): Asia. Range (in code): **TW CN Ti Yu Ndd Naq Sz Kgs ID Ja IN Nk MM TH Cma Cm1 Cu0 Cu01 Cu09 Cu10 Cu12 Phr Tak Non Chy Nrt Knc Bnk Rat Cbu Chi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Nst Ntt SPa Ths Sgk Hya Tnc PSu VN Ass Slo LK Mus Nag SI Syl PH Bat Ton Tda KH Pno MY Prk SG LA** Bionomy: Larva on Citrus madurensis [calamodin], C.aurantifolia [common lime], C.hystrix [leech lime], C. reticulata [tangerine], C. maxima [pomelo] (Rutaceae) (Lewvanich,2001).
- 19530. Princeps (Menelaides (s.str.)) polytes alcindor (Oberthür)** (Papilionidae) Synonym(s):
- 19531. Princeps (Menelaides (s.str.)) polytes javanus (Felder)** (Papilionidae) Synonym(s): Range (in code): **ID Ja**
- 19532. Princeps (Menelaides (s.str.)) polytes liujidongi Huang,2003** (Papilionidae) Synonym(s): *liujidongi* Huang,2003 Range (in code): **CN Yu Ndd Naq**
- 19533. Princeps (Menelaides (s.str.)) polytes messius (Fruhstorfer)** (Papilionidae) Synonym(s):
- 19534. Princeps (Menelaides (s.str.)) polytes nicanor (Felder)** (Papilionidae) Synonym(s):
- 19535. Princeps (Menelaides (s.str.)) polytes nikobarus (Felder)** (Papilionidae) Synonym(s): Range (in code): **IN Nk**
- 19536. Princeps (Menelaides (s.str.)) polytes pasikrates (Fruhstorfer,1898)** (Papilionidae) Synonym(s): *pasikrates* Fruhstorfer,1898 Range (in code): **PH Bat TW**
- 19537. Princeps (Menelaides (s.str.)) polytes perversus (Rothschild,1909)** (Papilionidae) Synonym(s): *perversus* Rothschild,1909
- 19538. Princeps (Menelaides (s.str.)) polytes polycritos (Fruhstorfer)** (Papilionidae) Synonym(s):
- 19539. Princeps (Menelaides (s.str.)) polytes polytes (Linnaeus,1758)** (Papilionidae) Synonym(s): *polytes* Linnaeus,1758; *pammon* Linnaeus,1758; *gronovii* Scopoli,1772; *astyanax* Fabricius,1793 (*homonym*); *stichius* Hübner,1806; *hector* De Haan,1840 (*homonym*); *borealis* C.Felder & R.Felder,1861; *horsfieldii* Reakirt,[1865]; *walkeri* Janson,1879; *thibetanus* Oberthür,1886; *depicta* Fruhstorfer,1908; *ocha* Fruhstorfer,1908; *#chrysos* Boulet & Le Cerf,1912; *chalcas* [Fabricius],1938 (*homonym*); *abdulasizia* Tung,1982; *flavolineatus* Chou, Yuan & Wang,2000; *obscuras* Chou, Yuan & Wang,2000 Original Reference: Papilio polytes Linnaeus,1758, Syst. Nat. (Ed.10) 1: 460. Type(s): Asia. Range (in code): **VN Ton Tda CN Ti Sz Kgs IN TW KH Pno JP?**
- 19540. Princeps (Menelaides (s.str.)) polytes romulus (Cramer,[1775])** (Papilionidae) Synonym(s): *romulus* Cramer,1775; *cyrus* Fabricius,1793; *stichius* Hübner,1819; *sakontala* Hewitson,1852; *ceylanicus* C.Felder & R.Felder,1864; *neomelanides* Fruhstorfer,1909 Original Reference: Papilio romulus Cramer,[1775], Utitl. Kapellen 1: 67, pl.43A. Type(s): India. Range (in code): **Ass Slo IN LK Mus Nag SI Syl TH Cma Cm1 Cu0 Cu01 Cu09 Cu10 Cu12 Phr Tak Non Chy Nrt Knc Bnk Rat Cbu Chi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Nst Ntt SPa Ths Sgk Hya Tnc PSu MY Prk SG LA** Bionomy: Larva on Citrus madurensis [calamodin], C.aurantifolia [common lime], C.hystrix [leech lime], C. reticulata [tangerine], C. maxima [pomelo] (Rutaceae) (Lewvanich,2001).
- 19541. Princeps (Menelaides (s.str.)) polytes sotira (Jordan)** (Papilionidae) Synonym(s):
- 19542. Princeps (Menelaides (s.str.)) polytes stichioides (Evans)** (Papilionidae) Synonym(s):
- 19543. Princeps (Menelaides (s.str.)) polytes theseus (Cramer)** (Papilionidae) Synonym(s):
- 19544. Princeps (Menelaides (s.str.)) polytes timorensis (Felder)** (Papilionidae) Synonym(s):

- 19545. Princeps (Menelaides (s.str.)) polytes tucanus (Jordan) (Papilionidae)**
Synonym(s):
- 19546. Princeps (Menelaides (s.str.)) polytes vigellius (Fruhstorfer) (Papilionidae)**
Synonym(s):
- 19547. Princeps (Menelaides (s.str.)) sakontala (Hewitson,1852) (Papilionidae)**
Synonym(s): *sakontala* Hewitson,1852 Original Reference: Papilio sakontala Hewitson,1852, Trans. ent. Soc. London (2) 2: 24, pl.5 fig.1. Type: India: Sylhet. Range (in code): **IN Syl SI**
- 19548. Princeps (Menelaides (s.str.)) sakontala sakontala (Hewitson,1852) (Papilionidae)** Synonym(s): *sakontala* Hewitson,1852 Original Reference: Papilio sakontala Hewitson,1852, Trans. ent. Soc. London (2) 2: 24, pl.5 fig.1. Type: India: Sylhet. Range (in code): **IN Syl SI**
- 19549. Princeps (Sinoprinceps) benguetanus (Joicey & Talbot,1923) (Papilionidae)**
Synonym(s): *benguetanus* Joicey & Talbot,1923 Range (in code): **Luz PH**
- 19550. Princeps (Sinoprinceps) benguetanus benguetanus (Joicey & Talbot,1923) (Papilionidae)** Synonym(s): Range (in code): **Luz PH**
- 19551. Princeps (Sinoprinceps) xuthus (Linnaeus,1767) (Papilionidae)** Synonym(s): *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861 Original Reference: Papilio xuthus Linnaeus,1767, Syst. Nat. (Edn.12) 1: 751, nr.34. Type (s): China: Kanton. Range (in code): **CN KP RU JP TW Hw US Am Vv Mc MM PH Luz TW VN Hgi**
- 19552. Princeps (Sinoprinceps) xuthus hondoensis (Fruhstorfer,1908) (Papilionidae)**
Synonym(s): *hondoensis* Fruhstorfer,1908 Original Reference: Papilio xuthus ssp. hondoensis Fruhstorfer,1908, Ent. Z., Stuttgart 22: 47. Range (in code): **KP JP**
- 19553. Princeps (Sinoprinceps) xuthus xuthus (Linnaeus,1767) (Papilionidae)**
Synonym(s): *xuthus* Linnaeus,1767; *xuthulus* Bremer,1861 Original Reference: Papilio xuthus Linnaeus,1767, Syst. Nat. (Edn.12) 1: 751, nr.34. Type (s): China: Kanton. Range (in code): **CN KP RU JP TW Hw US Am Vv Mc VN Hgi**
- 19554. Princeps (s.str. (Achillides)) arcturus (Westwood,1842) (Papilionidae)**
Synonym(s): *arcturus* Westwood,1842 Original Reference: Papilio arcturus Westwood,1842, Ann. Mag. nat. Hist. 9: 37-38. Type(s): "Himalayan Mountains" (Mus. Parry,&c.) Range (in code): **Ch CN PK Haz Mre IN SI MM NP TH Cma CDo LA**
- 19555. Princeps (s.str. (Achillides)) arcturus arcturus (Westwood,1842) (Papilionidae)**
Synonym(s): *arcturus* Westwood,1842 Original Reference: Papilio arcturus Westwood,1842, Ann. Mag. nat. Hist. 9: 37-38. Type(s): "Himalayan Mountains" (Mus. Parry,&c.) Range (in code): **Ch CN PK Haz Mre IN MM NP TH Cma CDo LA**
- 19556. Princeps (s.str. (Achillides)) arcturus arius (Rothschild,1908) (Papilionidae)**
Synonym(s): *arius* Rothschild,1908 Original Reference: Papilio arcturus ssp. arius Rothschild,1908, Novit. zool. 15: 174. Type: Kashmir. Range (in code): **Ch Kma**
- 19557. Princeps (s.str. (Achillides)) bianor (Cramer,[1777]) (Papilionidae)** Synonym(s): *bianor* Cramer,[1777]; *connectens* Mell,1938 nec Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002 Original Reference: Papilio bianor Cramer,[1777], Utitl. Kapellen 2: 10, tab.103 fig.C. Type(s): China. Range (in code): **AF Ng Ci PK Haz Mre Abb K-P Thu SI IN Ass Slo Kma Meg NP BT MM Tns Shn VN Ton LA CN T-T Ti JP RU Sh Krl KP TH Cma CDo CRa Nan Cbi TAK TW**
- 19558. Princeps (s.str. (Achillides)) bianor bianor (Cramer,[1777]) (Papilionidae)**
Synonym(s): *bianor* Cramer,[1777]; *connectens* Mell,1938 nec Fruhst.,1906; *elegans* Chou et al.,2000; *pulcher* Chou et al.,2000; *longimacula* Wang & Niu,2002 Original Reference: Papilio bianor Cramer,[1777], Utitl. Kapellen 2: 10, tab.103 fig.C. Type(s): China. Range (in code): **CN RU Sh**
- 19559. Princeps (s.str. (Achillides)) bianor dehaani (Felder,1864) (Papilionidae)**
Synonym(s): *dehaani* Felder,1864; *japonica* Butler,1866; *alliacmon* Orza,1869. Original Reference: Papilio dehaani Felder,1864, Verh. zool.- bot. Ges. Wien 14: 323, 371. Range (in code): **JP**
- 19560. Princeps (s.str. (Achillides)) bianor ganesa (Doubleday,1842) (Papilionidae)**
Synonym(s): *ganesa* Doubleday,1842 Range (in code): **IN Ass NP BT**
- 19561. Princeps (s.str. (Achillides)) bianor gladiator (Fruhstorfer,1901) (Papilionidae)**
Synonym(s): *gladiator* Fruhstorfer,1901; *triumphator* Fruhstorfer,1902; *titus* Fruhstorfer,1909; *kingtungensis* Liu,1962; *xiei* Chou,1994 Original Reference: Papilio bianor ssp. gladiator Fruhstorfer,1901, Dt. ent. Z., Iris 11: 370-371. Syntypes: [Vietnam]: Chiem-Hoa, Mittel Tonkin. Range (in code): **IN Ass Meg MM CN Yu VN Ton LA TH Nan Cma CDo CRa**
- 19562. Princeps (s.str. (Achillides)) bianor hachijonis Matsumura (Papilionidae)**
Synonym(s): *hachijonis* Matsumura Range (in code): **JP**

- 19563. Princeps (s.str. (Achillides)) bianor koraiveris (Bryk,1946)** (Papilionidae)
Synonym(s): *koraiveris* Bryk,1946 Original Reference: *Papilio bianor* ssp. *koraiveris* Bryk,1946, Ark. Zool. 38 A (3): 7, Taf. i fig. B2. Holotype ♂: Korea: Myokosan. Range (in code): **KP**
- 19564. Princeps (s.str. (Achillides)) bianor kotoensis Sonan,1927** (Papilionidae)
Synonym(s): *kotoensis* Sonan,1927 Range (in code): **TW**
- 19565. Princeps (s.str. (Achillides)) bianor mandshurica Matsumura** (Papilionidae)
Synonym(s): *mandshurica* Matsumura Range (in code): **CN Mc**
- 19566. Princeps (s.str. (Achillides)) bianor nakaharae (Matsumura,1929)** (Papilionidae)
Synonym(s): *paradoxa* Nakahara,1924 nec Zinck.,1831; *sachalinensis* Matsumura,1925 nec Matsumura,1911; *nakaharae* Matsumura,1929. Range (in code): **RU Sh Krl**
- 19567. Princeps (s.str. (Achillides)) bianor pinratanai (Racheli & Cotton,1983)** (Papilionidae)
Synonym(s): *pinratanai* Racheli & Cotton,1983 Range (in code): **TH Cbi**
- 19568. Princeps (s.str. (Achillides)) bianor polycctor (Boisduval,[1836])** (Papilionidae)
Synonym(s): *polycctor* Boisduval,[1836] Original Reference: *Papilio polycctor* Boisduval,[1836], [in] Roret's & Buffon, Hist. nat. Ins., Spec. gén. Lépid. 1: 205. Range (in code): **AF Ng Ci IN Kma MM PK Haz Mre Abb K-P Thu SI Ass Slo**
- 19569. Princeps (s.str. (Achillides)) bianor significans (Fruhstorfer,1902)** (Papilionidae)
Synonym(s): *significans* Fruhstorfer,1902 Range (in code): **MM Shn Tns**
- 19570. Princeps (s.str. (Achillides)) bianor stockleyi (Gabriel,1945)** (Papilionidae)
Synonym(s): *stockleyi* Gabriel,1945 Range (in code): **MM Krh TH TAK**
- 19571. Princeps (s.str. (Achillides)) bianor superans (Draeseke,1923)** (Papilionidae)
Synonym(s): *superans* Draeseke,1923 Original Reference: *Papilio bianor superans* Draeseke,1923, Dt. ent. Z., Iris 37: 58. Range (in code): **CN T-T**
- 19572. Princeps (s.str. (Achillides)) bianor takasago Nakahara & Esaki** (Papilionidae)
Synonym(s): *takasago* Nakahara & Esaki
- 19573. Princeps (s.str. (Achillides)) chikae (Igarashi,1965)** (Papilionidae)
Synonym(s): *chikae* Igarashi,1965 Range (in code): **PH Luz**
- 19574. Princeps (s.str. (Achillides)) chikae chikae (Igarashi,1965)** (Papilionidae)
Synonym(s): *chikae* Igarashi,1965 Range (in code): **PH Luz**
- 19575. Princeps (s.str. (Achillides)) dialis (Leech,1893)** (Papilionidae)
Synonym(s): *dialis* Leech,1893 Range (in code): **MM Shn LA CN Hn TW TH CMA? Dst?**
- 19576. Princeps (s.str. (Achillides)) dialis cateleucas Rothschild** (Papilionidae)
Synonym(s): *cateleucas* Rothschild Range (in code): **CN Hn**
- 19577. Princeps (s.str. (Achillides)) dialis dialis (Leech,1893)** (Papilionidae)
Synonym(s): *dialis* Leech,1893 Range (in code): **CN**
- 19578. Princeps (s.str. (Achillides)) dialis doddsi (Janet,1896)** (Papilionidae)
Synonym(s): *doddsi* Janet,1896; *schanus* Jordan,1909 Original Reference: *Papilio doddsi* Janet,1896, Bull. Soc. ent. Fr. 1896: 186, 215. Syntypes: [Vietnam]: Tonkin. Range (in code): **MM Shn TH CMA? Dst? LA**
- 19579. Princeps (s.str. (Achillides)) dialis tatsuta Murayama,1970** (Papilionidae)
Synonym(s): *andronicus* Fruhstorfer,1909 nec Wrđ.,1871; *#tatsuta* Nakahara,1941; *#neotatsuta* Murayama & Shimonoya,1963; *tatsuta* Murayama,1970; *taiwanicus* Moonen,1989; *kara Koçak & Kemal,2000* Range (in code): **TW**
- 19580. Princeps (s.str. (Achillides)) elephenor (Doubleday,1845)** (Papilionidae)
Synonym(s): *elephenor* Doubleday,1845 Original Reference: *Papilio elephenor* Doubleday,1845, Ann. Mag. nat. Hist. 16: 305. Range (in code): **IN Ass MM Shn LA?**
- 19581. Princeps (s.str. (Achillides)) elephenor elephenor (Doubleday,1845)** (Papilionidae)
Synonym(s): *elephenor* Doubleday,1845 Original Reference: *Papilio elephenor* Doubleday,1845, Ann. Mag. nat. Hist. 16: 305. Range (in code): **IN Ass MM Shn LA?**
- 19582. Princeps (s.str. (Achillides)) hermeli (Nuyda,1992)** (Papilionidae)
Synonym(s): *hermeli* Nuyda,1992 Range (in code): **PH Mdo**
- 19583. Princeps (s.str. (Achillides)) hermeli hermeli (Nuyda,1992)** (Papilionidae)
Synonym(s): *hermeli* Nuyda,1992 Range (in code): **PH Mdo**
- 19584. Princeps (s.str. (Achillides)) hermosanus (Rebel,1906)** (Papilionidae)
Synonym(s): *hermosanus* Rebel,1906; *neoparis* Fruhstorfer,1908 Original Reference: *Papilio polycctor* var. *hermosanus* Rebel,1906, Verh. zool. -bot. Ges. Wien 56: 223. Syntypes: Formosa. Range (in code): **TW**

- 19585. Princeps (s.str. (Achillides)) hoppo (Matsumura,1908)** (Papilionidae) Synonym(s): *#hopponis Matsumura,1907; hoppo Matsumura,1908* Range (in code): TW
- 19586. Princeps (s.str. (Achillides)) hoppo hoppo (Matsumura,1908)** (Papilionidae) Synonym(s): *#hopponis Matsumura,1907; hoppo Matsumura,1908* Range (in code): TW
- 19587. Princeps (s.str. (Achillides)) karna (Felder,1864)** (Papilionidae) Synonym(s): *karna Felder,1864* Range (in code): PH Pal
- 19588. Princeps (s.str. (Achillides)) karna carnatus (Rothschild,1895)** (Papilionidae) Synonym(s): *carnatus Rothschild,1895*
- 19589. Princeps (s.str. (Achillides)) karna discordia De Nicéville** (Papilionidae) Synonym(s): *discordia De Nicéville*
- 19590. Princeps (s.str. (Achillides)) karna irauana (Jumalon,1975)** (Papilionidae) Synonym(s): *irauana Jumalon,1975* Range (in code): PH Pal
- 19591. Princeps (s.str. (Achillides)) karna karna (Felder,1864)** (Papilionidae) Synonym(s): *karna Felder,1864*
- 19592. Princeps (s.str. (Achillides)) krishna (Moore,1857)** (Papilionidae) Synonym(s): *krishna Moore,1857* Range (in code): CN Sz Yu VN Ton
- 19593. Princeps (s.str. (Achillides)) krishna charlesi (Fruhstorfer,1902)** (Papilionidae) Synonym(s): *charlesi Fruhstorfer,1902* Range (in code): CN Sz
- 19594. Princeps (s.str. (Achillides)) krishna krishna (Moore,1857)** (Papilionidae) Synonym(s): *krishna Moore,1857*
- 19595. Princeps (s.str. (Achillides)) krishna mayumiae** (Papilionidae) Synonym(s): Range (in code): VN Ton
- 19596. Princeps (s.str. (Achillides)) krishna thawgawa** (Papilionidae) Synonym(s): Range (in code): CN Yu
- 19597. Princeps (s.str. (Achillides)) maacki (Ménétriés,1858)** (Papilionidae) Synonym(s): *maacki Ménétriés,1858; raddei Bremer,1864* Original Reference: Papilio maacki Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 212. Type(s): Russia: Amur. Range (in code): RU Am Vv Krl Sh
- 19598. Princeps (s.str. (Achillides)) maacki maacki (Ménétriés,1858)** (Papilionidae) Synonym(s): *maacki Ménétriés,1858; raddei Bremer,1864* Original Reference: Papilio maacki Ménétriés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 212. Type(s): Russia: Amur. Range (in code): RU Am Vv
- 19599. Princeps (s.str. (Achillides)) maacki tutanus (Fenton,1881)** (Papilionidae) Synonym(s): *tutanus Fenton,1881; kurilensis Matsumura,1928.* Range (in code): RU Krl Sh
- 19600. Princeps (s.str. (Achillides)) paris (Linnaeus,1758)** (Papilionidae) Synonym(s): *paris Linnaeus,1758* Original Reference: Papilio paris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459. Type(s): Asia. Range (in code): CN HK VN Ton Tda TW IN Kma MM SI LA TH Cbi Knc CMa Cuo Cu10 CDo Pkk MY ID Sum Ja
- 19601. Princeps (s.str. (Achillides)) paris arjuna (Horsfield,1828)** (Papilionidae) Synonym(s): *arjuna Horsfield,1828* Range (in code): ID Ja
- 19602. Princeps (s.str. (Achillides)) paris battacorum (Rothschild,1908)** (Papilionidae) Synonym(s): *battacorum Rothschild,1908*
- 19603. Princeps (s.str. (Achillides)) paris chinensis (Rothschild,1895)** (Papilionidae) Synonym(s): *chinensis Rothschild,1895* Original Reference: Papilio paris ssp. chinensis Rothschild,1895, Novit. zool. 2: 385. Syntypes 22♂ 2♀: Western China, probably Tibet. Range (in code): CN Ti?
- 19604. Princeps (s.str. (Achillides)) paris gedeensis (Fruhstorfer,1893)** (Papilionidae) Synonym(s): *gedeensis Fruhstorfer,1893* Range (in code): ID Ja
- 19605. Princeps (s.str. (Achillides)) paris nakaharai Shirozu,1960** (Papilionidae) Synonym(s): *nakaharai Shirozu,1960* Range (in code): TW
- 19606. Princeps (s.str. (Achillides)) paris paris (Linnaeus,1758)** (Papilionidae) Synonym(s): *paris Linnaeus,1758* Original Reference: Papilio paris Linnaeus,1758, Syst. Nat. (Edn.10) 1: 459. Type(s): Asia. Range (in code): IN Kma MM SI TH Cbi Knc CMa Cuo Cu10 CDo Pkk LA
- 19607. Princeps (s.str. (Achillides)) paris tamilana (Moore,1881)** (Papilionidae) Synonym(s): *tamilana Moore,1881* Original Reference: Papilio tamilana Moore,1881, Trans. ent. Soc. Lond. 1881: 313. Syntypes: India: Malabar. Range (in code): IN

- 19608. Princeps (s.str. (Achillides)) paris tenggerensis (Fruhstorfer,1893)** (Papilionidae) Synonym(s): *tenggerensis Fruhstorfer,1893*
- 19609. Princeps (s.str. (Achillides)) syfanius (Oberthür,1886)** (Papilionidae) Synonym(s): *syfanius Oberthür,1886*. Original Reference: Papilio syfanius Oberthür,1886, Etüd. d'Ent. 11: 13 pl.1 fig.3. Range (in code): **CN Ti Sz Yu**
- 19610. Princeps (s.str. (Achillides)) syfanius syfanius (Oberthür,1886)** (Papilionidae) Synonym(s): *syfanius Oberthür,1886*. Original Reference: Papilio syfanius Oberthür,1886, Etüd. d'Ent. 11: 13 pl.1 fig.3. Range (in code): **CN Ti Sz Yu**
- 19611. Princeps (s.str. (hesperus-gr)) euphranor (Trimen,1868)** (Papilionidae) Synonym(s): *euphranor Trimen,1868; moratus Le Cerf,1924*. Original Reference: Papilio euphranor Trimen,1868, Trans. ent. Soc. London 1868: 70, pl.5 figs.1,2. Syntypes: [south Africa]: "Kaffraria Proper, Boolo Forest near Tsomo, a tributary of the Kei". Range (in code): **ZA Wlk Lpo Tva Spb Nta Kzu Ptb Cap Tra Mll Ly Wca Ec** Bionomy: Larva on Cryptocarya woodii (Lauraceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 19612. Princeps (s.str. (hesperus-gr)) euphranor euphranor (Trimen,1868)** (Papilionidae) Synonym(s): *euphranor Trimen,1868; moratus Le Cerf,1924*. Original Reference: Papilio euphranor Trimen,1868, Trans. ent. Soc. London 1868: 70, pl.5 figs.1,2. Syntypes: [south Africa]: "Kaffraria Proper, Boolo Forest near Tsomo, a tributary of the Kei". Range (in code): **ZA Wlk Lpo Tva Spb Nta Kzu Ptb Cap Tra Mll Ly Wca Ec** Bionomy: Larva on Cryptocarya woodii (Lauraceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 19613. Princeps (s.str. (hesperus-gr)) hesperus (Westwood,[1843])** (Papilionidae) Synonym(s): *hesperus Westwood,[1843] nec Fabr.,1793; calabaricus Distant,1879; maculatissimus Suffert,1904; #additionis Strand,1913; kassaiensis Moreau,1917; embodinus Ehrmann,1921* Range (in code): **SL CI CF ZR Kvu CG CM NG Caa GO Bio UG SD AO ZM TZ Mpa Kgo Buk** Bionomy: Larva on Beilschmiedia, Tylostemon ugandensis (Lauraceae) (Kielland,1990; Thiry & Vingelhoedt,1991).
- 19614. Princeps (s.str. (hesperus-gr)) hesperus feae Storace,1963** (Papilionidae) Synonym(s): *feae Storace,1963* Range (in code): **GO Bio**
- 19615. Princeps (s.str. (hesperus-gr)) hesperus hesperus (Westwood,[1843])** (Papilionidae) Synonym(s): *hesperus Westwood,[1843] nec Fabr.,1793; calabaricus Distant,1879; maculatissimus Suffert,1904; #additionis Strand,1913; kassaiensis Moreau,1917; embodinus Ehrmann,1921* Range (in code): **SL CI CF ZR Kvu CG CM NG Caa UG AO ZM TZ Mpa Kgo Buk**
- 19616. Princeps (s.str. (hesperus-gr)) hesperus sudana (Gabriel,1945)** (Papilionidae) Synonym(s): *sudana Gabriel,1945* Range (in code): **SD**
- 19617. Princeps (s.str. (hesperus-gr)) horribilis (Butler,1874)** (Papilionidae) Synonym(s): *horribilis Butler,1874; hermes Boulet & Le Cerf,1912; pallax Boulet & Le Cerf,1912* Range (in code): **GH Ate LR SL CI**
- 19618. Princeps (s.str. (hesperus-gr)) horribilis horribilis (Butler,1874)** (Papilionidae) Synonym(s): *horribilis Butler,1874; hermes Boulet & Le Cerf,1912; pallax Boulet & Le Cerf,1912* Range (in code): **GH Ate LR SL CI**
- 19619. Princeps (s.str. (hesperus-gr)) nobilis (Rogenhofer,1891)** (Papilionidae) Synonym(s): *nobilis Rogenhofer,1891 nec Cr.,1777; pringlei Sharpe,1894; #mariobonaparte Bryk,1929; #nobilissima Bryk,1929; pallidus Stoneham,1931 nec Roth.,1895; #josetta Smart,1976*. Range (in code): **ZR Kvu Rz UG TZ Mpa Buk KE Kky UG SD SD19**
- 19620. Princeps (s.str. (hesperus-gr)) nobilis cripsianus (Steneham,1936)** (Papilionidae) Synonym(s): *cripsianus Steneham,1936; leroyi Berger,1950* Range (in code): **ZR Kvu Rz UG TZ**
- 19621. Princeps (s.str. (hesperus-gr)) nobilis didingensis (Carpenter,1928)** (Papilionidae) Synonym(s): *didingensis Carpenter,1928* Range (in code): **SD SD19**
- 19622. Princeps (s.str. (hesperus-gr)) nobilis mpanda Kielland,1990** (Papilionidae) Synonym(s): *mpanda Kielland,1990* Range (in code): **TZ Mpa**
- 19623. Princeps (s.str. (hesperus-gr)) nobilis nobilis (Rogenhofer,1891)** (Papilionidae) Synonym(s): *nobilis Rogenhofer,1891 nec Cr.,1777; pringlei Sharpe,1894; #mariobonaparte Bryk,1929; #nobilissima Bryk,1929; pallidus Stoneham,1931 nec Roth.,1895; #josetta Smart,1976*. Range (in code): **TZ Buk KE Kky UG**
- 19624. Princeps (s.str. (hesperus-gr)) pelodurus (Butler,1896)** (Papilionidae) Synonym(s): *pelodurus Butler,1896* Range (in code): **ZM MZ MW Zom Mje TZ Tnga Usa Ani Ulu Uzu Mwh** Bionomy: Larva on Cryptocarya liebertiana (Lauraceae) (Kielland,1990).

- 19625. *Princeps* (s.str. (*hesperus*-gr)) *pelodurus pelodurus* (Butler,1896) (Papilionidae)**
Synonym(s): *pelodurus* Butler,1896 _ Range (in code): TZ Tnga Usa Ani MW
- 19626. *Princeps* (s.str. (*hesperus*-gr)) *pelodurus vesper* (Le Cerf,1924) (Papilionidae)**
Synonym(s): *vesper* Le Cerf,1924 _ Range (in code): TZ Usa Tnga Ulu Uzu Mwh MW ZM
- 19627. *Princeps* (s.str. (*leucotaenia*-gr)) *leucotaenia* (Rothschild,1908) (Papilionidae)**
Synonym(s): *leucotaenia* Rothschild,1908 _ Original Reference: Papilio leucotaenia Rothschild,1908, Entomologist's mon. Mag. 44: 249. Type: [Rwanda]: "German East Africa, Rugose Forest, east of the south end of Lake Kivu, 2100-2300m". Range (in code): RW ZR Kvu BI UG
- 19628. *Princeps* (s.str. (*leucotaenia*-gr)) *leucotaenia leucotaenia* (Rothschild,1908) (Papilionidae)**
Synonym(s): *leucotaenia* Rothschild,1908 _ Original Reference: Papilio leucotaenia Rothschild,1908, Entomologist's mon. Mag. 44: 249. Type: [Rwanda]: "German East Africa, Rugose Forest, east of the south end of Lake Kivu, 2100-2300m". Range (in code): RW ZR Kvu BI UG
- 19629. *Princeps* (s.str. (*menestheus*-gr)) *lormieri* (Distant,1874) (Papilionidae)**
Synonym(s): *lormieri* Distant,1874; #*bassana* Strand,1913; *aureus* Moreau,1917 nec Boull. & Cerf,1912; *cuvelieri* Dufrane,1946. _ Original Reference: Papilio lormieri Distant,1874, Entomologist's mon. Mag. 11: 129. Type(s): Madagascar. Range (in code): MG ZR Kvu SD AO NG CM TZ UG Eth KE Kkm TZ Kgo Bionomy: Larva on Fagara macrophylla (Rutaceae) (Kielland,1990).
- 19630. *Princeps* (s.str. (*menestheus*-gr)) *lormieri lormieri* (Distant,1874) (Papilionidae)**
Synonym(s): *lormieri* Distant,1874; #*bassana* Strand,1913; *aureus* Moreau,1917; *cuvelieri* Dufrane,1946. _ Original Reference: Papilio lormieri Distant,1874, Entomologist's mon. Mag. 11: 129. Type(s): Madagascar. Range (in code): MG ZR SD AO NG CM
- 19631. *Princeps* (s.str. (*menestheus*-gr)) *lormieri neocrocea* (Koçak,1983) (Papilionidae)**
Synonym(s): #*ophidicephaloides* Stoneham,1951; #*rufopunctata* Stoneham,1951; *crocea* Storace,1955 nec *crocea* Fourcr.,1785; *neocrocea* Koçak,1983 _ Original Reference: Papilio lormieri ssp. neocrocea Koçak,1983, Priamus 2 (4): 165 (nomen novum pro Papilio lormieri crocea Storace,1955 nec Papilio crocea Fourcr.,1785). Range (in code): UG Eth KE Kkm
- 19632. *Princeps* (s.str. (*menestheus*-gr)) *lormieri semlikana* (Le Cerf,1924) (Papilionidae)**
Synonym(s): *semlikana* Le Cerf,1924. _ Original Reference: Papilio menestheus-lormieri ssp. semlikana Le Cerf,1924, Bull. Hill Museum 1: 388, pl.4 fig.33. Syntypes: [Zaire]: "Semliki River". Range (in code): UG TZ Kgo ZR Kvu
- 19633. *Princeps* (s.str. (*menestheus*-gr)) *menestheus* (Drury,[1773]) (Papilionidae)**
Synonym(s): *menestheus* Drury,[1773]; *pygmaeus* Aurivillius,1898 nec Fabr.,1775; #*unimaculatus* Strand,1914; #*latefasciatus* Schultze,1917 _ Range (in code): GO Bio CM SL SN GH Ate Bionomy: Larva on Citrus, Fagara (Rutaceae) (Ackery et al.,1995).
- 19634. *Princeps* (s.str. (*menestheus*-gr)) *menestheus canui* (Gauthier,1984) (Papilionidae)**
Synonym(s): *canui* Gauthier,1984 _ Range (in code): GO Bio
- 19635. *Princeps* (s.str. (*menestheus*-gr)) *menestheus menestheus* (Drury,[1773]) (Papilionidae)**
Synonym(s): *menestheus* Drury,[1773]; *pygmaeus* Aurivillius,1898 nec Fabr.,1775; #*unimaculatus* Strand,1914; #*latefasciatus* Schultze,1917 _ Range (in code): CM SL SN GH Ate Bionomy: Larva on Citrus, Fagara (Rutaceae) (Ackery et al.,1995).
- 19636. *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus* (Oberthür,1878) (Papilionidae)**
Synonym(s): *ophidicephalus* Oberthür,1878; #*ophidocephalus* le Roux,2003. _ Original Reference: Papilio ophidicephalus Oberthür,1878, Etüd. Ent. 3: 13. Type: [Tanzania]: "aux montagnes de Schimba, sur la Cote en face de l'île Zanzibar"; [South Africa]: "Bashee River Kaffraria". Range (in code): KE TZ Tnga Usa Ani ZA Ec Tva Lpo Spb Ent Lj Mdk Sch Hgl Kru Pma K12 Nta Kzu Esw Pth Mpu Brb Mll Ly Pie Wo Kwi Elo Tra Stj Tug Kkf ZM ZR ZW MZ MW Zom Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19637. *Princeps* (s.str. (*menestheus*-gr)) *ophidicephalus ayresi* (Van Son,1939) (Papilionidae)**
Synonym(s): *ayresi* Van Son,1939 _ Original Reference: Papilio ophidicephalus ayresi Van Son,1939, Ann. Transvaal Mus. 20: 62, pl.4 figs.1-3. Type: South Africa: "North-east Transvaal, Marieps Mountain, boundary of Lydenburg and Pietersburg Districts". Range (in code): ZA Nta Tva Ly Mpu ZA13 Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).

- 19638. Princeps (s.str. (menestheus-gr)) ophidicephalus chirinda (Van Son,1939)** (Papilionidae) Synonym(s): *chirinda* Van Son,1939; *#barnesi* Van Son,1939. Original Reference: Papilio ophidicephalus chirinda Van Son,1939, Ann. Transvaal Mus. 20: 59, pl.2 fig.6, pl.3 figs.1,2. Type: [Zimbabwe]: "South-eastern Rhodesia, Chirinda Forest". Range (in code): **ZW MZ** Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19639. Princeps (s.str. (menestheus-gr)) ophidicephalus cottrelli (Van Son,1966)** (Papilionidae) Synonym(s): *cottrelli* Van Son,1966. Original Reference: Papilio ophidicephalus ssp. cottrelli Van Son,1966, Ann. Transv. Mus. 25 (4): 81-82, pl.7 figs.1,2. Holotype ♂: N. Rhodesia: Kamaila Forest Reserve, Chisamba, 5.ii.1955 (TMP). Range (in code): **ZM ZW**
- 19640. Princeps (s.str. (menestheus-gr)) ophidicephalus entabeni (Van Son,1939)** (Papilionidae) Synonym(s): *entabeni* Van Son,1939. Original Reference: Papilio ophidicephalus entabeni Van Son,1939, Ann. Transvaal Mus. 20: 60, pl.3 figs.3,4. Type: South Africa: "Northern Transvaal, Entabeni, Zoutpansberg range". Range (in code): **ZA Tva Lpo Spb Kru Pma K12 Ent Lj Mdk Sch Hgl** Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19641. Princeps (s.str. (menestheus-gr)) ophidicephalus mkuwadzi (Gifford,1961)** (Papilionidae) Synonym(s): *mkuwadzi* Gifford,1961. Range (in code): **MW TZ ZM**
- 19642. Princeps (s.str. (menestheus-gr)) ophidicephalus niassicola (Storace,1955)** (Papilionidae) Synonym(s): *niassicola* Storace,1955. Range (in code): **MW**
- 19643. Princeps (s.str. (menestheus-gr)) ophidicephalus ophidicephalus (Oberthür,1878)** (Papilionidae) Synonym(s): *ophidicephalus* Oberthür,1878; *#ophidocephalus le Roux*,2003. Original Reference: Papilio ophidicephalus Oberthür,1878, Etüd. Ent. 3: 13. Type: [Tanzania]: "aux montagnes de Schimba, sur la Cote en face de l'île Zanzibar"; [South Africa]: "Bashee River Kaffraria". Range (in code): **KE TZ Tnga Usa Ani ZR ZM**
- 19644. Princeps (s.str. (menestheus-gr)) ophidicephalus phalusco (Suffert,1904)** (Papilionidae) Synonym(s): *phalusco* Suffert,1904. Original Reference: Papilio ophidicephalus phalusco Suffert,1904, Dt. ent. Z., Iris 17: 103. Type: [South Africa]: "Natal". Range (in code): **ZA Ec Kwi Elo Tra Stj Nta Kzu Ptb Kkf Tug** Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19645. Princeps (s.str. (menestheus-gr)) ophidicephalus transvaalensis (Van Son,1939)** (Papilionidae) Synonym(s): *transvaalensis* Van Son,1939. Original Reference: Papilio ophidicephalus transvaalensis Van Son,1939, Ann. Transvaal Mus. 20: 61, pl.3 figs.5,6. Type: South Africa: Northern Transvaal, Pietersburg distr.: Woodbush. Range (in code): **ZA Lpo Tva Pie Wo** Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19646. Princeps (s.str. (menestheus-gr)) ophidicephalus zuluensis (Van Son,1939)** (Papilionidae) Synonym(s): *zuluensis* Van Son,1939. Original Reference: Papilio ophidicephalus zuluensis Van Son,1939, Ann. Transvaal Mus. 20: 63, pl.4 fig.4. Type: South Africa: "Zululand: Eshowe". Range (in code): **ZA Kzu Nta Esw** Bionomy: Larva on Calodendrum, Citrus, Clausena anisata, Zanthoxylum capense, Calodendrum capense, Citrus, Fagara, Teclea, Toddalia (Pringle & Henning,1994; Ackery et al.,1995).
- 19647. Princeps (s.str. (palinurus-gr)) angustatus (Staudinger,1888)** (Papilionidae) Synonym(s): *angustatus* Staudinger,1888 Original Reference: Papilio daedalus var.angustatus Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: ♂♀: [Philippinen]: Palawan. Range (in code): **PH Bal Cal Pal Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 19648. Princeps (s.str. (palinurus-gr)) angustatus angustatus (Staudinger,1888)** (Papilionidae) Synonym(s): *angustatus* Staudinger,1888 Original Reference: Papilio daedalus var.angustatus Staudinger,1888, Dt. ent. Z., Iris 1: 278. Syntypes: ♂♀: [Philippinen]: Palawan. Range (in code): **PH Bal Cal Pal**
- 19649. Princeps (s.str. (palinurus-gr)) angustatus selma (Koçak,1996)** (Papilionidae) Synonym(s): *daedalus* C.Felder & R.Felder,1861 nec Fabr.,1775; *selma* Koçak,1996 Original Reference: Papilio angustatus ssp. selma Koçak,1996, Misc. Pap. 27/28: 8 (nomen novum pro Papilio

daedalus Felder, 1861 nec Papilio daedalus Fabricius, 1775 [Hamanumida daedalus in Africa]].
Range (in code): **PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam Cml CmM Cat Ceb Cts Cuy
 Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq
 Sis Stu Tab Taw Tic**

- 19650. Princeps (s.str. (palinurus-gr)) blumei (Boisduval, 1836)** (Papilionidae)
 Synonym(s): *blumei Boisduval, [1836]* Original Reference: Papilio blumei Boisduval, [1836], [in]
 Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 206, nr.19. Type(s): Celebes. Range (in
 code): **ID Clb**
- 19651. Princeps (s.str. (palinurus-gr)) blumei blumei (Boisduval, 1836)** (Papilionidae)
 Synonym(s): *blumei Boisduval, [1836]* Original Reference: Papilio blumei Boisduval, [1836], [in]
 Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 206, nr.19. Type(s): Celebes.
- 19652. Princeps (s.str. (palinurus-gr)) blumei fruhstorferi (Röber, 1897)** (Papilionidae)
 Synonym(s): *fruhstorferi Röber, 1897* Original Reference: Papilio blumei fruhstorferi Röber, 1897,
 Ent. Nachr. 1897: 223. Celebes. Range (in code): **ID Clb**
- 19653. Princeps (s.str. (palinurus-gr)) buddha (Westwood, 1872)** (Papilionidae)
 Synonym(s): *buddha Westwood, 1872* Original Reference: Papilio buddha Westwood, 1872, Trans.
 ent. Soc. London 1872: 86, t.3 fig.1. Type(s): [India]: Nilgiri Hills (cf. Rothschild, 1895, Novit.
 zool. 2: 389). Range (in code): **IN**
- 19654. Princeps (s.str. (palinurus-gr)) buddha buddha (Westwood, 1872)** (Papilionidae)
 Synonym(s): *buddha Westwood, 1872* Original Reference: Papilio buddha Westwood, 1872, Trans.
 ent. Soc. London 1872: 86, t.3 fig.1. Type(s): [India]: Nilgiri Hills (cf. Rothschild, 1895, Novit.
 zool. 2: 389). Range (in code): **IN**
- 19655. Princeps (s.str. (palinurus-gr)) crino (Fabricius, 1793)** (Papilionidae) Synonym(s):
crino Fabricius, 1793 Range (in code): **LK**
- 19656. Princeps (s.str. (palinurus-gr)) crino crino (Fabricius, 1793)** (Papilionidae)
 Synonym(s): *crino Fabricius, 1793* Range (in code): **LK**
- 19657. Princeps (s.str. (palinurus-gr)) palinurus (Fabricius, 1787)** (Papilionidae)
 Synonym(s): *palinurus Fabricius, 1787* Range (in code): **MM MY Bor ID Sme Sum Nia TH Knc Sat
 Yal Ptt Tng Nst Ths**
- 19658. Princeps (s.str. (palinurus-gr)) palinurus adventus (Fruhstorfer, 1902)**
 (Papilionidae) Synonym(s): *adventus Fruhstorfer, 1902*
- 19659. Princeps (s.str. (palinurus-gr)) palinurus auffenbergi (Späth, 1992)**
 (Papilionidae) Synonym(s): *auffenbergi Späth, 1992* Original Reference: Papilio palinurus ssp.
 auffenbergi Späth, 1992, Ent. Z., Frankf. a. M. 102 (16): 290-291, Abb.1. Holotype ♂: Indonesien:
 Simeulue Isl. (coll. K. Auffenberg). Range (in code): **ID Sme**
- 19660. Princeps (s.str. (palinurus-gr)) palinurus nymphodorus (Fruhstorfer, 1909)**
 (Papilionidae) Synonym(s): *nymphodorus Fruhstorfer, 1909*
- 19661. Princeps (s.str. (palinurus-gr)) palinurus palinurus (Fabricius, 1787)**
 (Papilionidae) Synonym(s): *palinurus Fabricius, 1787* Range (in code): **TH Knc Sat Yal Ptt Tng Nst
 Ths**
- 19662. Princeps (s.str. (peranthus-gr)) lorquinianus Felder** (Papilionidae) Synonym(s):
lorquinianus Felder
- 19663. Princeps (s.str. (peranthus-gr)) lorquinianus albertisi Oberthür** (Papilionidae)
 Synonym(s): *albertisi Oberthür*
- 19664. Princeps (s.str. (peranthus-gr)) lorquinianus gelia Jordan** (Papilionidae)
 Synonym(s): *gelia Jordan*
- 19665. Princeps (s.str. (peranthus-gr)) lorquinianus lorquinianus Felder** (Papilionidae)
 Synonym(s): *lorquinianus Felder*
- 19666. Princeps (s.str. (peranthus-gr)) lorquinianus philippus (Wallace, 1865)**
 (Papilionidae) Synonym(s): *philippus Wallace, 1865; #phillipus D'Abrera, 1971.* Original Reference:
 Papilio philippus Wallace, 1865, Trans. linn. Soc. Lond. 25: 45, nr. 37 t.6 fig.3.
- 19667. Princeps (s.str. (peranthus-gr)) neumoeeni (Honrath, 1890)** (Papilionidae)
 Synonym(s): *neumoeeni Honrath, 1890; maremba Doherty, 1891.* Original Reference: Papilio
 neumoeeni Honrath, 1890, Ent. Nachr. 1890: 187. Syntypes: [Indonesia]: Sambawa. Range (in
 code): **ID Sba Shw**
- 19668. Princeps (s.str. (peranthus-gr)) neumoeeni neumoeeni (Honrath, 1890)**
 (Papilionidae) Synonym(s): *neumoeeni Honrath, 1890; maremba Doherty, 1891.* Original Reference:

- Papilio neumoegei* Honrath, 1890, Ent. Nachr. 1890: 187. Syntypes: [Indonesia]: Sambawa. Range (in code): ID Sba Sbw
- 19669. Princeps (s.str. (peranthus-gr)) peranthus (Fabricius, 1787) (Papilionidae)**
Synonym(s): *peranthus* (Fabricius, 1787) Range (in code): ID Ja Sly Clb Baw Tan Bli Alo
- 19670. Princeps (s.str. (peranthus-gr)) peranthus adamantius (C. Felder, 1864) (Papilionidae)**
Synonym(s): *adamantius* C. Felder, 1864 Range (in code): ID Clb
- 19671. Princeps (s.str. (peranthus-gr)) peranthus baweana (Hagen, [1894]) (Papilionidae)**
Synonym(s): *baweana* Hagen, [1894] Range (in code): ID Baw
- 19672. Princeps (s.str. (peranthus-gr)) peranthus insulicola (Rothschild, 1896) (Papilionidae)**
Synonym(s): *insulicola* Rothschild, 1896 Range (in code): ID Sly
- 19673. Princeps (s.str. (peranthus-gr)) peranthus intermedius (Snellen, 1890) (Papilionidae)**
Synonym(s): *intermedius* Snellen, 1890 Range (in code): ID Tan
- 19674. Princeps (s.str. (peranthus-gr)) peranthus peranthus (Fabricius, 1787) (Papilionidae)**
Synonym(s): *peranthus* Fabricius, 1787 Range (in code): ID Ja
- 19675. Princeps (s.str. (peranthus-gr)) peranthus transiens (Fruhstorfer, [1898]) (Papilionidae)**
Synonym(s): *transiens* Fruhstorfer, [1898] Original Reference: *Papilio peranthus* ssp. *transiens* Fruhstorfer, [1898], Berl. ent. Z. 42: 307-309. Syntypes: [Indonesia]: Bali, Alor. Range (in code): ID Flo Bli Alo
- 19676. Princeps (s.str. (peranthus-gr)) pericles (Wallace, 1865) (Papilionidae)**
Synonym(s): *pericles* Wallace, 1865 Original Reference: *Papilio pericles* Wallace, 1865, Trans. linn. Soc. Lond. 25: 45, nr. 36 t. 6 fig. 1. Type(s): Timor. Range (in code): ID Tim Wt Lt Bbr Tnm Slr
- 19677. Princeps (s.str. (peranthus-gr)) pericles pericles (Wallace, 1865) (Papilionidae)**
Synonym(s): *pericles* Wallace, 1865 Original Reference: *Papilio pericles* Wallace, 1865, Trans. linn. Soc. Lond. 25: 45, nr. 36 t. 6 fig. 1. Type(s): Timor. Range (in code): ID Tim Wt Lt Bbr Tnm Slr
- 19678. Princeps (s.str. (phorcas-gr)) constantinus (Ward, 1871) (Papilionidae)**
Synonym(s): *constantinus* Ward, 1871; *#chrysothemis* Stoneham, 1931. Original Reference: *Papilio constantinus* Ward, 1871, Entomologist's mon. Mag. 8: 34. Syntypes: [Kenya]: "East Africa: Ribé". Range (in code): ZR ZM ZA Nta Kzu Ptb Tva Lpo Kru Pma Spb Lj Mdk Ly Mpu Brb Nel ZW MW TZ Kgo Mpa Tnga Rnd Lin Rub Ulg Ngur Muf Mdb KE SO ET Bionomy: Larva on *Vepris lanceolata*, *V. reflexa*, *Clausena anisata*, *Teclea nobilis* (Rutaceae) (Pringle & Henning, 1994).
- 19679. Princeps (s.str. (phorcas-gr)) constantinus constantinus (Ward, 1871) (Papilionidae)**
Synonym(s): *constantinus* Ward, 1871; *#chrysothemis* Stoneham, 1931. Original Reference: *Papilio constantinus* Ward, 1871, Entomologist's mon. Mag. 8: 34. Syntypes: [Kenya]: "East Africa: Ribé". Range (in code): ZA Nta Kzu Ptb Tva Lpo Kru Pma Spb Lj Mdk Ly Mpu Brb Nel ZW MW TZ Tnga Rnd Lin Rub Ulg Ngur Muf Mdb KE SO ET Bionomy: Larva on *Vepris lanceolata*, *V. reflexa*, *Clausena anisata*, *Teclea nobilis* (Rutaceae) (Pringle & Henning, 1994).
- 19680. Princeps (s.str. (phorcas-gr)) constantinus lecerfi (Koçak, 1996) (Papilionidae)**
Synonym(s): *alticola* Le Cerf, 1924 nec Boulet & Le Cerf, 1912; *monticolus* Le Cerf, 1924 nec Fruhst., 1896; *lecerfi* Koçak, 1996 Range (in code): KE
- 19681. Princeps (s.str. (phorcas-gr)) constantinus mweruanus (Joicey & Talbot, 1927) (Papilionidae)**
Synonym(s): *mweruanus* Joicey & Talbot, 1927 Range (in code): ZR TZ Kgo Mpa ZM
- 19682. Princeps (s.str. (phorcas-gr)) dardanus (Brown, 1776) (Papilionidae)**
Synonym(s): *dardanus* Brown, 1776; *merope* Cramer, [1777] nec Fabr., 1775; *brutus* Fabricius, 1781 nec Cramer, 1779; *hippocoon* Fabricius, 1793; *westermannii* Boisduval, 1836; *trophonius* Westwood, 1842; *dionysos* Doubleday, 1846; *heimsi* Suffert, 1904; *benio* Suffert, 1904. Original Reference: *Papilio dardanus* Brown, 1776, Illustr. Zool. 1776: 51, pl. 22. Type: [West Africa] (This name placed on Official List of Specific Names in Zoology, Opinion 620, 1962). Range (in code): KM NG CM ZR GO UG CI SL SN AO ZM ET ER SO GO ST Bio MG KE Nai Mb TZ Rub Dss Tnga Usa Ani Zz Pb Kgo Buk Mpa Mwn MW ZW MZ Del ZA Nta Tva Spb Lj Hgl Ent Cap Ec Lpo Kru Pma Ko8 Mll NWe Mpu Fs Nca Wca Kzu Dbn Ptb Pie Tra Kkf Mpu Suw Brb Stj Kny Kwi Mal Wo SZ Zom GH Ate Bionomy: Larva on *Xymalos monospora* (Trimeniaceae), *Oricia swynnertonii*, *Vepris lanceolata*, *Toddalia asiatica*, *Teclea natalensis* T. *nobilis*, *Clausena anisata*, *Citrus*, *Calodendrum*, *Fagara* (Rutaceae) (Pringle & Henning, 1994; Ackery et al., 1995).
- 19683. Princeps (s.str. (phorcas-gr)) dardanus antinorii (Oberthür, 1883) (Papilionidae)**
Synonym(s): *antinorii* Oberthür, 1883 Range (in code): ET
- 19684. Princeps (s.str. (phorcas-gr)) dardanus byatti (Poulton, 1926) (Papilionidae)**
Synonym(s): *byatti* Poulton, 1926 Range (in code): SO
- 19685. Princeps (s.str. (phorcas-gr)) dardanus cenea (Stoll, [1790]) (Papilionidae)**
Synonym(s): *cenea* Stoll, [1790]; *rechila* Godart, [1819]; *#hippocoonies* Haase, 1891; *acene* Suffert, 1904; *#leighi*

- Poulton,1912; #radiata Reuss,1921; #hypolimnides Le Cerf,1924; #extensiflava Le Cerf,1924; #sylvicola Van Son,1949; neocenea Stoneham,1951; #nigricans Storace,1955; #transiens Storace,1955; #aikenii Van Son,1956; #infusca Van Son,1956.* Original Reference: *Papilio cenea* Stoll,[1790], Uitl. Kap. Suppl.: 134, pl.29 figs.1A. Type: [South Africa]: "Pais des Caffres". Range (in code): **MZ Del ZA Nta Tva Spb Cap Ec Lpo Kru Pma Ko8 Mll NWe Mpu Fs Nca Wca Kzu Dbn Ptb Pie Tra Kkf Mpu Stj Kny Kwi Mal Suw Mpu Brb Wo SZ MW Zom** Bionomy: Larva on *Xymalos monospora* (Trimeniaceae), *Oricia swynnertonii*, *Vepris lanceolata*, *Toddalia asiatica*, *Teclea natalensis* T.nobilis, *Clausena anisata*, *Citrus*, *Calodendrum*, *Fagara* (Rutaceae) (Pringle & Henning,1994; Ackery et al.,1995).
- 19686. Princeps (s.str. (phorcas-gr)) dardanus dardanus (Brown,1776)** (Papilionidae)
Synonym(s): *dardanus* Brown,1776; *merope* Cramer,[1777] nec *Fabr.*,1775; *brutus* Fabricius,1781 nec *Cramer*,1779; *hippocoon* Fabricius,1793; *westermanni* Boisduval,1836; *trophonius* Westwood,1842; *dionysos* Doubleday,1846; *heimsi* Suffert,1904; *benio* Suffert,1904. Original Reference: *Papilio dardanus* Brown,1776, Illustr. Zool. 1776: 51, pl.22. Type: [West Africa] (This name placed on Official List of Specific Names in Zoology, Opinion 620,1962). Range (in code): **NG CM ZR GO GH Ate UG CI KE TZ Kgo Buk Mpa SL SN AO ZM**
- 19687. Princeps (s.str. (phorcas-gr)) dardanus figinii (Storace,1962)** (Papilionidae)
Synonym(s): *figinii* Storace,1962 Range (in code): **ER ET**
- 19688. Princeps (s.str. (phorcas-gr)) dardanus flavicornis (Carpenter,1947)** (Papilionidae)
Synonym(s): *flavicornis* Carpenter,1947 Range (in code): **KE**
- 19689. Princeps (s.str. (phorcas-gr)) dardanus humbloti (Oberthür,1888)** (Papilionidae)
Synonym(s): *humbloti* Oberthür,1888 Range (in code): **KM**
- 19690. Princeps (s.str. (phorcas-gr)) dardanus meriones (C.Felder & R.Felder,[1865])** (Papilionidae)
Synonym(s): *meriones* C.Felder & R.Felder,[1865] Range (in code): **MG**
- 19691. Princeps (s.str. (phorcas-gr)) dardanus meseres (Carpenter,1948)** (Papilionidae)
Synonym(s): *meseres* Carpenter,1948 Range (in code): **KE TZ Tnga Usa Ani Mwn Buk**
- 19692. Princeps (s.str. (phorcas-gr)) dardanus ochraceana (Vane-Wright,1995)** (Papilionidae)
Synonym(s): *ochracea* Carpenter,1948 nec *Ribbe*,1897; *atavica* Storace,1955; *ochraceana* Vane-Wright,1995 Original Reference: *Papilio* (Princeps) *dardanus ochraceana* Vane-Wright,1995, Carcasson's African Butts.: 144 (nomen novum pro *ochracea* Carpenter,1948 nec *Ribbe*,1897). Type: Kenya: "Marsabit". Range (in code): **KE**
- 19693. Princeps (s.str. (phorcas-gr)) dardanus polytrophus (Rothschild & Jordan,1903)** (Papilionidae)
Synonym(s): *polytrophus* Rothschild & Jordan,1903 Range (in code): **KE**
- 19694. Princeps (s.str. (phorcas-gr)) dardanus sulfurea (Palisot de Beauvois,[1806])** (Papilionidae)
Synonym(s): *sulfurea* Palisot de Beauvois,[1806] Range (in code): **GO Bio ST**
- 19695. Princeps (s.str. (phorcas-gr)) dardanus tibullus (Kirby,1880)** (Papilionidae)
Synonym(s): *tibullus* Kirby,1880; *maculatus* Suffert,1904; *discopunctatus* Suffert,1904; *salaami* Suffert,1904; *boosi* Suffert,1904; *#trimeni* Poulton,1906; *#gomia* Strand,1911; *#lamborni* Poulton,1918; *natalica* Le Cerf,1924; *mombasicus* Stoneham,1951; *#melanoleuca* Stoneham,1951. Range (in code): **KE Nai Mb TZ Dss Zz Pb Rub MW MZ ZW ZA Tva Lpo Spb Lj Hgl Ent**
- 19696. Princeps (s.str. (phorcas-gr)) delalandei (Godart,[1824])** (Papilionidae)
Synonym(s): *delalandei* Godart,[1824] Range (in code): **MG**
- 19697. Princeps (s.str. (phorcas-gr)) delalandei delalandei (Godart,[1824])** (Papilionidae)
Synonym(s): *delalandei* Godart,[1824] Range (in code): **MG**
- 19698. Princeps (s.str. (phorcas-gr)) mangoura (Hewitson,1875)** (Papilionidae)
Synonym(s): *mangoura* Hewitson,1875 Range (in code): **MG**
- 19699. Princeps (s.str. (phorcas-gr)) mangoura mangoura (Hewitson,1875)** (Papilionidae)
Synonym(s): *mangoura* Hewitson,1875 Range (in code): **MG**
- 19700. Princeps (s.str. (phorcas-gr)) phorcas (Cramer,[1775])** (Papilionidae)
Synonym(s): *phorcas* Cramer,[1775] nec *Fabr.*,1775; *doreus* Fabricius,1775; *thersander* Fabricius,1793 Range (in code): **SL NG SD SD19 TZ Kgo Tnga Usa Ani Ulu Ngn Mpa Uzu Ngur Rub Old Mbu Kwh Mru Pare Lol Meto Lsg Kmj MW Zom Mje Nyi ZR Kvu CF UG Elg KE Nai ZM CG GA CM AO GH Ate** Bionomy: Larva on *Calodendrum*, *Citrus*, *Clausena*, *fagara*, *Teclea simplicifolia*, *T.nobilis*, *T.villosa*, *Toddalia* (Rutaceae) (Kielland,1990; et seq.).
- 19701. Princeps (s.str. (phorcas-gr)) phorcas ansorgei (Rothschild,1896)** (Papilionidae)
Synonym(s): *ansorgei* Rothschild,1896; *nandina* Rothschild & Jordan,1901; *tippelskirschi* Suffert,1904 Range (in code): **KE Nai**
- 19702. Princeps (s.str. (phorcas-gr)) phorcas congoanus (Rothschild,1896)** (Papilionidae)
Synonym(s): *congoanus* Rothschild,1896; *caspor* Suffert,1904; *#kassaiensis* Strand,1916;

- #bergeri Storace,1955; #xera Storace,1955; viridisima Basquin & Turlin,1986 _ Range (in code): TZ Kgo Mpa ZR CF UG ZM CG GA CM AO
- 19703. Princeps (s.str. (phorcas-gr)) phorcas nyikanus (Rothschild & Jordan,1903)** (Papilionidae) Synonym(s): nyikanus Rothschild & Jordan,1903; leopoldi Suffert,1904; #phorcadias Strand,1911 _ Range (in code): TZ Uzu Ngur Rub Ulu Tnga Usa Ani MW Zom Mje Nyi
- 19704. Princeps (s.str. (phorcas-gr)) phorcas phorcas (Cramer,[1775])** (Papilionidae) Synonym(s): phorcas Cramer,[1775] nec Fabr.,1775; doreus Fabricius,1775; thersander Fabricius,1793 Range (in code): SL NG GH Ate
- 19705. Princeps (s.str. (phorcas-gr)) phorcas ruscoei (Krüger,1928)** (Papilionidae) Synonym(s): ruscoei Krüger,1928; pseudothersander Krüger,1937; nilotica Storace,1961 _ Range (in code): KE Elg UG ZR Kvu
- 19706. Princeps (s.str. (phorcas-gr)) phorcas sudanicola (Storace,1965)** (Papilionidae) Synonym(s): sudanicola Storace,1965 _ Range (in code): SD SD19
- 19707. Princeps (s.str. (phorcas-gr)) phorcas tenuifasciatus Kielland,1990** (Papilionidae) Synonym(s): tenuifasciatus Kielland,1990 _ Range (in code): TZ Ngn Old Mbu Kwh Mru Pare Lol Meto Lsg Kmj KE
- 19708. Princeps (s.str. (s.str.)) demodocus (Esper,[1798])** (Papilionidae) Synonym(s): demodocus Esper,[1798]; nubila Capronnier,1881; decusdemo Suffert,1904; albicans Suffert,1904 Original Reference: Papilio demodocus Esper,[1798], Ausländ. Schmett.: 205. Syntypes: [Africa]: "China, Bengalen". Range (in code): MW Zom GA BJ CM MU ML BF ZR MZ GH Ate MG ET ER SO ZA Nta Tva Gau Pre Spb Lj Mdk Ent Slp Sch Hgl Lpo Kru Pma Pf NWe Mpu Fs Nca Wca Ec Kzu Ptb MZ ZW TZ Tnga Usa Ani Ufi YE Sk Bionomy: Larva on Citrus, Clausena anisata, Calodendrum capense, Toddalia asiatica, Vepris lanceolata, Teclea natalensis, Oricia swynnertonii, Zanthoxylum capense, Ptaeroxylon obliquum, Foeniculum vulgare, Peucedanum galbanum, P.gummiferum, Deverra burchellii, Hippobromus pauciflorus (Sapindaceae) (Pringle & Henning,1994).
- 19709. Princeps (s.str. (s.str.)) demodocus bennetti (Dixey,1898)** (Papilionidae) Synonym(s): bennetti Dixey,1898 _ Range (in code): YE Sk
- 19710. Princeps (s.str. (s.str.)) demodocus demodocus (Esper,[1798])** (Papilionidae) Synonym(s): demodocus Esper,[1798]; nubila Capronnier,1881; decusdemo Suffert,1904; albicans Suffert,1904 Original Reference: Papilio demodocus Esper,[1798], Ausländ. Schmett.: 205. Syntypes: [Africa]: "China, Bengalen". Range (in code): MW Zom GA BJ CM MU ML BF ZR MZ GH Ate MG ET ER SO ZA Nta Tva Gau Pre Spb Lj Mdk Ent Slp Sch Hgl Lpo Kru Pma Pf NWe Mpu Fs Nca Wca Ec Kzu Ptb MZ ZW TZ Tnga Usa Ani Ufi Bionomy: Larva on Citrus, Clausena anisata, Calodendrum capense, Toddalia asiatica, Vepris lanceolata, Teclea natalensis, Oricia swynnertonii, Zanthoxylum capense, Ptaeroxylon obliquum, Foeniculum vulgare, Peucedanum galbanum, P.gummiferum, Deverra burchellii, Hippobromus pauciflorus (Sapindaceae) (Pringle & Henning,1994).
- 19711. Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): demoleus Linnaeus,1758; erithonius Cramer,[1782]; epus Fabricius,1793; sthenelus Macleay,1826; demoleinus Oberthür,1879; pictus Fruhstorfer,1898; #chryseis Boulet & Le Cerf,1912; flavosignatus Heydemann,1954 Original Reference: Papilio demoleus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type(s): Asia. Range (in code): SY TR AF AU BH Ch CN ID IN IQ IR Th KW LK MM MY TW PH Nf Nj OM PG PK QA SA TH CMa AE VN YE Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tau Tic Alo Sbw Grm Sba Ass Slo Cm1 Phr Tak Non Chy Nrt Knc Bnk Rat Chu Chi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Dst Qs Cu0 Cu05 Cu07 Cu10 Cu12 Phi Pno Ton Ann KH LA NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7 Fa Kz Es Hz Ke Ss Yz Bu By Hil Sum Ja Bor Hn Flo Alo Bli CDo CD2 Tnc Hya Sgk Tda Pmy Bgd Cp Koh Msr Pes Nwf Bnu Bhb SO YE47 Ng Jla Bionomy: Larva on Citrus reticulata [tangerine], C. maxima [pomelo], C.madurensis [calamodin], C.aurantifolia [common lime], C.hystrix [leech lime], Limonia acidissima [wood apple], Aegle marmelos [Bengal quince], Murraya siamensis [Andaman satinwood] (Rutaceae), Manilkara hexandra [milky tree] (Sapotaceae) (Lewvanich,2001).
- 19712. Princeps (s.str. (s.str.)) demoleus demoleus (Linnaeus,1758)** (Papilionidae) Synonym(s): demoleus Linnaeus,1758; erithonius Cramer,[1782]; epus Fabricius,1793; sthenelus Macleay,1826; demoleinus Oberthür,1879; pictus Fruhstorfer,1898; #chryseis Boulet & Le Cerf,1912; flavosignatus Heydemann,1954 Original Reference: Papilio demoleus Linnaeus,1758, Syst. Nat. (Edn.10) 1: 464. Type(s): Asia. Range (in code): SY Pmy TR AF Ng Dja Bnu Nwf Pes PK BH Ch IN Ass Slo IQ Bgd Hil IR Th Fa Kz Es Hz Ke Ss Yz Bu By KW LK MM Nf Nj OM PK Cp QA SA AE KH Pno VN Ton Tda NP Ctw Ctw1 Ctw2 Ctw3 Ctw4 Ctw5 Ctw6 Ctw7
- 19713. Princeps (s.str. (s.str.)) demoleus libanius (Fruhstorfer,1908)** (Papilionidae) Synonym(s): libanius Fruhstorfer,1908 Original Reference: Papilio demoleus ssp. libanius

Fruhstorfer, 1908, Ent. Z., Stuttgart 22: 141. Syntypes: Formosa (Takau). Range (in code): TW PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic

- 19714. *Princeps (s.str. (s.str.)) demoleus malayanus (Wallace, 1865)*** (Papilionidae)
Synonym(s): *malayanus* Wallace, 1865 Original Reference: *Papilio erithonius malayanus* Wallace, 1865, Trans. linn. Soc. Lond. 25: 59. Type(s): Manila. Range (in code): ID Sum Ja Bli MY Bor TH CMa Dst Qs Cm1 Cu05 Cu07 Cu10 Cu12 CDo CD2 Phr TAK Non Chy Nrt Knc Bnk Rat Cbu Cbi Ray Rng Srt Tng Phu Sat Ptt Yal Nna Phi Tnc Hya Sgk LA VN Ann Bionomy: Larva on *Citrus reticulata* [tangerine], *C. maxima* [pomelo], *C. madurensis* [calamodin], *C. aurantifolia* [common lime], *C. hystrix* [leech lime], *Limonia acidissima* [wood apple], *Aegle marmelos* [Bengal quince], *Murraya siamensis* [Andaman satinwood] (Rutaceae), *Manilkara hexandra* [milky tree] (Sapotaceae) (Lewvanich, 2001).
- 19715. *Princeps (s.str. (s.str.)) demoleus novoguineensis (Rothschild, 1908)*** (Papilionidae)
Synonym(s): *novoguineensis* Rothschild, 1908 Range (in code): PG
- 19716. *Princeps (s.str. (s.str.)) demoleus sthenelius (Rothschild, 1895)*** (Papilionidae)
Synonym(s): *sthenelius* Rothschild, 1895. Original Reference: *Papilio demoleus* ssp. *sthenelius* Rothschild, 1895, Novit. Zool. 2: 281-282. Holotype ♂: [Indonesia]: Alor; paratypes: Larentuka, Adonara, Sambawa, Sumba, Goram. Range (in code): ID Flo Alo Sbw Grm Sba
- 19717. *Princeps (s.str. (s.str.)) demoleus sthenelus (MacLeay, 1827)*** (Papilionidae)
Synonym(s): *sthenelus* MacLeay, 1827 Original Reference: *Papilio sthenelus* MacLeay, 1827, [in] King's Surv. Austr. 2: 457. Type(s): Australia. Range (in code): AU PG ID Sba
- 19718. *Princeps (s.str. (s.str.)) erithonioides (Grose-Smith, 1891)*** (Papilionidae)
Synonym(s): *erithonioides* Grose-Smith, 1891 Original Reference: *Papilio erithonioides* Grose-Smith, 1891, Ann. Mag. nat. Hist. (6) 7: 122. Type(s): North-west coast of Madagascar. Range (in code): MG
- 19719. *Princeps (s.str. (s.str.)) erithonioides erithonioides (Grose-Smith, 1891)*** (Papilionidae)
Synonym(s): *erithonioides* Grose-Smith, 1891 Original Reference: *Papilio erithonioides* Grose-Smith, 1891, Ann. Mag. nat. Hist. (6) 7: 122. Type(s): North-west coast of Madagascar. Range (in code): MG
- 19720. *Princeps (s.str. (s.str.)) grosesmithi (Rothschild, 1926)*** (Papilionidae)
Synonym(s): *grosesmithi* Rothschild, 1926; *?praeses* Le Cerf, 1924. Original Reference: *Papilio grosesmithi* Rothschild, 1926, Ann. Mag. nat. Hist. (9) 17: 113. Type: [Malagasy Rep.]: "N.W. Madagascar". Range (in code): MG
- 19721. *Princeps (s.str. (s.str.)) grosesmithi grosesmithi (Rothschild, 1926)*** (Papilionidae)
Synonym(s): *grosesmithi* Rothschild, 1926; *?praeses* Le Cerf, 1924. Original Reference: *Papilio grosesmithi* Rothschild, 1926, Ann. Mag. nat. Hist. (9) 17: 113. Type: [Malagasy Rep.]: "N.W. Madagascar". Range (in code): MG
- 19722. *Princeps (s.str. (s.str.)) morondanava (Grose-Smith, 1891)*** (Papilionidae)
Synonym(s): *morondanava* Grose-Smith, 1891 Original Reference: *Papilio morondanava* Grose-Smith, 1891, Ann. Mag. nat. Hist. (6) 8: 78. Type(s): W. Madagascar: Mahobo. Range (in code): MG
- 19723. *Princeps (s.str. (s.str.)) morondanava morondanava (Grose-Smith, 1891)*** (Papilionidae)
Synonym(s): *morondanava* Grose-Smith, 1891 Original Reference: *Papilio morondanava* Grose-Smith, 1891, Ann. Mag. nat. Hist. (6) 8: 78. Type(s): W. Madagascar: Mahobo. Range (in code): MG
- 19724. *Princeps (s.str. (ulysses-gr)) montrouzieri (Boisduval, 1859)*** (Papilionidae)
Synonym(s): *montrouzieri* Boisduval, 1859 Original Reference: *Papilio montrouzieri* Boisduval, 1859, Annls Soc. ent. Fr. (3) 7: Bull.: 158. Type(s): Nouvelle Caledonie.
- 19725. *Princeps (s.str. (ulysses-gr)) montrouzieri montrouzieri (Boisduval, 1859)*** (Papilionidae)
Synonym(s): *montrouzieri* Boisduval, 1859 Original Reference: *Papilio montrouzieri* Boisduval, 1859, Annls Soc. ent. Fr. (3) 7: Bull.: 158. Type(s): Nouvelle Caledonie.
- 19726. *Princeps (s.str. (ulysses-gr)) ulysses (Linnaeus, 1758)*** (Papilionidae)
Synonym(s): *ulysses* Linnaeus, 1758; *dionedes* Linnaeus, 1764. Original Reference: *Papilio ulysses* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 462. Range (in code): AU QAU SB Chs Hon Isa NGE PG Manu Vu Bgv Adl Ij Bsm Tro ID Aru Mti Ob Bru Hm Trn Btj Crm Amb Dmp Mni
- 19727. *Princeps (s.str. (ulysses-gr)) ulysses ambiguus (Rothschild, 1895)*** (Papilionidae)
Synonym(s): *ambiguus* Rothschild, 1895; *marius* Fruhstorfer, 1903; *kallinikos* Fruhstorfer, 1903. Original

- Reference: *Papilio ulysses* ssp. *ambiguus* Rothschild, 1895, Novit. zool. 2: 397-398. Type: New Britain; New Ireland, Duke of York Isl. Range (in code): PG Bsm NBr Nlr
- 19728. Princeps (s.str. (ulysses-gr)) ulysses ampelius (Rothschild, 1908)** (Papilionidae)
Synonym(s): *ampelius* Rothschild, 1908 Original Reference: Papilio ulysses ssp. ampelius Rothschild, 1908, Novit. zool. 15: 174. Range (in code): ID Bru
- 19729. Princeps (s.str. (ulysses-gr)) ulysses autolycus (C.Felder & R.Felder, [1865])** (Papilionidae)
Synonym(s): *autolycus* C.Felder & R.Felder, [1865]; *penelope* Wallace, 1865; *#melanotica* Hagen, 1897. Original Reference: Papilio autolycus C.Felder & R.Felder, [1865], Reise österr. Fregatte Novara 1: 114, nr.86. Range (in code): Jj PG Vu
- 19730. Princeps (s.str. (ulysses-gr)) ulysses bepe (Koçak & Kemal, 2000)** (Papilionidae)
Synonym(s): *telegonus* C.Felder, 1860 nec Esp., 1779; *bepe* Koçak & Kemal, 2000. Original Reference: Papilio ulysses bepe Koçak & Kemal, 2000, Centr. ent. Stud., Misc. Pap. 71: 4 (nomen novum pro telegonus Felder, 1860 nec Esper, 1779). Range (in code): ID Hm Trn Btj
- 19731. Princeps (s.str. (ulysses-gr)) ulysses dohertius (Rothschild, 1898)** (Papilionidae)
Synonym(s): *dohertius* Rothschild, 1898 Original Reference: Papilio ulysses ssp. dohertius Rothschild, 1898, Novit. zool. 5: 417. Range (in code): ID Ob
- 19732. Princeps (s.str. (ulysses-gr)) ulysses gabrielis (Rothschild, 1898)** (Papilionidae)
Synonym(s): *gabrielis* Rothschild, 1898 Original Reference: Papilio ulysses ssp. gabrielis Rothschild, 1898, Novit. zool. 5: 317. Syntypes: St. Gabriel. Range (in code): PG Manu Adl
- 19733. Princeps (s.str. (ulysses-gr)) ulysses georgius (Rothschild, 1908)** (Papilionidae)
Synonym(s): *georgius* Rothschild, 1908; *rothschildianus* Fruhstorfer, 1909. Original Reference: Papilio ulysses ssp. georgius Rothschild, 1908, Novit. zool. 15: 174. Range (in code): SB NGe
- 19734. Princeps (s.str. (ulysses-gr)) ulysses irisae (Späth, 1992)** (Papilionidae)
Synonym(s): *irisae* Späth, 1992 Original Reference: Papilio ulysses ssp. irisae Späth, 1992, Ent. Z., Frankf. a. M. 102 (16): 291-293, Abb.2. Holotype ♂: Indonesien: Manipa Is. (Molukken) (coll. M.Späth). Range (in code): ID Mni
- 19735. Princeps (s.str. (ulysses-gr)) ulysses joesa (Butler, 1869)** (Papilionidae)
Synonym(s): *joesa* Butler, 1869 Original Reference: Papilio joesa Butler, 1869, Entomologist 4: 348. Range (in code): AU QAU
- 19736. Princeps (s.str. (ulysses-gr)) ulysses melanotica Rothschild, 1915** (Papilionidae)
Synonym(s): *#melanotica* Hagen, 1897; *melanotica* Rothschild, 1915 Original Reference: Papilio ulysses melanotica Rothschild, 1915, Novit. zool. 22: 194. Syntypes 7♂ 5♀: Dampier Isl. [melanotica Hagen, 1897 is quadrinomial, unavailable name]. Range (in code): PG Dmp
- 19737. Princeps (s.str. (ulysses-gr)) ulysses morotaicus (Rothschild, 1908)** (Papilionidae)
Synonym(s): *morotaicus* Rothschild, 1908 Original Reference: Papilio ulysses ssp. morotaicus Rothschild, 1908, Novit. zool. 15: 174. Syntypes: Morty. Range (in code): ID Mti
- 19738. Princeps (s.str. (ulysses-gr)) ulysses nigerrimus (Ribbe, 1898)** (Papilionidae)
Synonym(s): *nigerrimus* Ribbe, 1898 Original Reference: Papilio ulysses var. nigerrimus Ribbe, 1898, Societ. ent. 12: 161. Range (in code): PG Bgv
- 19739. Princeps (s.str. (ulysses-gr)) ulysses orsippus (Godman & Salvin, 1888)** (Papilionidae)
Synonym(s): *orsippus* Godman & Salvin, 1888 Original Reference: Papilio orsippus Godman & Salvin, 1888, Ann. Mag. nat. Hist. 6 (1): 101. Range (in code): SB Chs Hon Isa
- 19740. Princeps (s.str. (ulysses-gr)) ulysses oxyartes (Fruhstorfer, 1909)** (Papilionidae)
Synonym(s): *oxyartes* Fruhstorfer, 1909 Original Reference: Papilio ulysses ssp. oxyartes Fruhstorfer, 1909, Ent. Z., Stuttgart 22: 177. Range (in code): Aru ID
- 19741. Princeps (s.str. (ulysses-gr)) ulysses telephanes (Fruhstorfer, 1902)** (Papilionidae)
Synonym(s): *telemachus* Montrouzier, 1856 nec Linnaeus, non Cramer, 1782; *telephanes* Fruhstorfer, 1902; *agasophus* Fruhstorfer, 1903. Original Reference: Papilio ulysses telephanes Fruhstorfer, 1902, Dt. ent. Z., Iris 15: 165. Range (in code): PG Tro
- 19742. Princeps (s.str. (ulysses-gr)) ulysses ulysses (Linnaeus, 1758)** (Papilionidae)
Synonym(s): *ulysses* Linnaeus, 1758; *dionedes* Linnaeus, 1764. Original Reference: Papilio ulysses Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 462. Range (in code): Crm Amb ID
- 19743. Protesilaus glaucolaus** (Papilionidae) Synonym(s): Range (in code): CO c11
- 19744. Protesilaus glaucolaus leucas (Rothschild & Jordan, 1906)** (Papilionidae)
Synonym(s): *leucas* Rothschild & Jordan, 1906 Range (in code): CO c11
- 19745. Protesilaus molops (Rothschild & Jordan, 1906)** (Papilionidae) Synonym(s): *molops* Rothschild & Jordan, 1906 Range (in code): CO c30

- 19746. *Protesilaus protesilaus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *protesilaus* Linnaeus,1758 _ Range (in code): **CO c05 c22 c27 c21**
- 19747. *Protesilaus telesilaus* (C.Felder & R.Felder,1864)** (Papilionidae) Synonym(s): *telesilaus* C.Felder & R.Felder,1864 _ Range (in code): **CO c05 c22 c08 c23 c26 c24**
- 19748. *Protographium agesilaus* (Guérin & Perch,1835)** (Papilionidae) Synonym(s): *agesilaus* Guérin & Perch,1835 _ Range (in code): **CO c03 c22 c26 c27**
- 19749. *Protographium agesilaus agesilaus* (Guérin & Perch,1835)** (Papilionidae) Synonym(s): *agesilaus* Guérin & Perch,1835 _ Range (in code): **CO c22 c27**
- 19750. *Protographium agesilaus autosilaus* (Bates,1861)** (Papilionidae) Synonym(s): *autosilaus* Bates,1861 _ Range (in code): **CO c26**
- 19751. *Protographium agesilaus eimeri* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *eimeri* Rothschild & Jordan,1906 _ Range (in code): **CO c03**
- 19752. *Protographium anaxilaus* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *anaxilaus* C.Felder & R.Felder,1865 _ Range (in code): **CO c27**
- 19753. *Protographium dioxippus* (Hewitson,1855)** (Papilionidae) Synonym(s): *dioxippus* Hewitson,1855 _ Range (in code): **CO c22**
- 19754. *Protographium dioxippus dioxippus* (Hewitson,1855)** (Papilionidae) Synonym(s): *dioxippus* Hewitson,1855 _ Range (in code): **CO c22**
- 19755. *Protographium leosthenes* (Doubleday,1846)** (Papilionidae) Synonym(s): *leosthenes* Doubleday,1846 _ Original Reference: *Papilio leosthenes* Doubleday,1846, Ann. Nat. Hist. 18: 372. Range (in code): **AU NSw**
- 19756. *Protographium leosthenes geimbia* Tindale** (Papilionidae) Synonym(s):
- 19757. *Protographium leosthenes leosthenes* (Doubleday,1846)** (Papilionidae) Synonym(s): *leosthenes* Doubleday,1846 _ Original Reference: *Papilio leosthenes* Doubleday,1846, Ann. Nat. Hist. 18: 372. Range (in code): **AU**
- 19758. *Protographium leucaspis* (Godart,1819)** (Papilionidae) Synonym(s): *leucaspis* Godart,1819 _ Range (in code): **CO c22 c26**
- 19759. *Protographium leucaspis lamidis* Brown & Lamas,1994** (Papilionidae) Synonym(s): *lamidis* Brown & Lamas,1994 _ Range (in code): **CO c22**
- 19760. *Protographium leucaspis leucaspis* (Godart,1819)** (Papilionidae) Synonym(s): *leucaspis* Godart,1819 _ Range (in code): **CO c22 c26**
- 19761. *Protographium thyastes* (Drury,1782)** (Papilionidae) Synonym(s): *thyastes* Drury,1782; *diaphorus* Hübner,[1821] _ Range (in code): **CO c19 c30 c22 PA BR MX**
- 19762. *Protographium thyastes panamensis* (Oberthür,1880)** (Papilionidae) Synonym(s): *panamensis* Oberthür,1880 _ Range (in code): **CO c19 c30 c22 PA**
- 19763. *Pterourus (Pyrrhosticta) bachus* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *bachus* C.Felder & R.Felder,1865 _ Range (in code): **CO c26 EC**
- 19764. *Pterourus (Pyrrhosticta) bachus bachus* (C.Felder & R.Felder,1865) *Pterourus (Pyrrhosticta)*** (Papilionidae) Synonym(s): *bachus* C.Felder & R.Felder,1865 _ Range (in code): **CO c26 EC**
- 19765. *Pterourus (Pyrrhosticta) bachus belsazar* (Niepelt,1908)** (Papilionidae) Synonym(s): *belsazar* Niepelt,1908 _ Range (in code): **EC**
- 19766. *Pterourus (Pyrrhosticta) birchalli* (Hewitson,1863)** (Papilionidae) Synonym(s): *birchalli* Hewitson,1863 _ Range (in code): **CO c31 c22**
- 19767. *Pterourus (Pyrrhosticta) cacticus* (Lucas,1852)** (Papilionidae) Synonym(s): *cacticus* Lucas,1852 _ Range (in code): **EC CO c22 c20 c30**
- 19768. *Pterourus (Pyrrhosticta) cacticus cacticus* (Lucas,1852)** (Papilionidae) Synonym(s): *cacticus* Lucas,1852 _ Range (in code): **CO c22 c20**
- 19769. *Pterourus (Pyrrhosticta) cacticus nesrinae* (Koçak,1983)** (Papilionidae) Synonym(s): *orientalis* Fassl,1912 nec Rom.,1884; *nesrinae* Koçak,1983 _ Range (in code): **CO c30**
- 19770. *Pterourus (Pyrrhosticta) cacticus upanensis* (Talbot,1929)** (Papilionidae) Synonym(s): *upanensis* Talbot,1929; *ramona* Le Cerf & Biedermann,1933 _ Range (in code): **EC**
- 19771. *Pterourus (Pyrrhosticta) euterpinus* (Salvin & Godman,1868)** (Papilionidae) Synonym(s): *euterpinus* Salvin & Godman,1868 _ Range (in code): **EC CO c26**
- 19772. *Pterourus (Pyrrhosticta) euterpinus euterpinus* (Salvin & Godman,1868)** (Papilionidae) Synonym(s): *euterpinus* Salvin & Godman,1868 _ Range (in code): **EC CO c26**

- 19773. *Pterourus (Pyrrhosticta) menatius* (Hübner,[1819])** (Papilionidae) Synonym(s): *menatius* Hübner,[1819] _ Range (in code): **BO CO c26 c21 c27 c22 c23 c30 SR EC PE**
- 19774. *Pterourus (Pyrrhosticta) menatius coelebs* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *coelebs* Rothschild & Jordan,1906 _ Range (in code): **PE**
- 19775. *Pterourus (Pyrrhosticta) menatius coroebus* (C.Felder & R.Felder,1861)** (Papilionidae) Synonym(s): *coroebus* C.Felder & R.Felder,1861 _ Range (in code): **CO c23 c26 c21**
- 19776. *Pterourus (Pyrrhosticta) menatius ctesiades* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *ctesiades* Rothschild & Jordan,1906; *therapes* Rothschild & Jordan,1906 _ Range (in code): **EC**
- 19777. *Pterourus (Pyrrhosticta) menatius eurotas* (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *eurotas* C.Felder & R.Felder,1862 _ Range (in code): **PE**
- 19778. *Pterourus (Pyrrhosticta) menatius menatius* (Hübner,[1819])** (Papilionidae) Synonym(s): *menatius* Hübner,[1819] _ Range (in code): **SR**
- 19779. *Pterourus (Pyrrhosticta) menatius syndemis* (Jordan,1907)** (Papilionidae) Synonym(s): *syndemis* Jordan,1907 _ Range (in code): **CO c27 c22 c23 c30**
- 19780. *Pterourus (Pyrrhosticta) neyi* (Niepelt,1909)** (Papilionidae) Synonym(s): *neyi* Niepelt,1909 _ Range (in code): **EC**
- 19781. *Pterourus (Pyrrhosticta) neyi neyi* (Niepelt,1909)** (Papilionidae) Synonym(s): *neyi* Niepelt,1909 _ Range (in code): **EC**
- 19782. *Pterourus (Pyrrhosticta) warscewiczii* (Hopffer,1865)** (Papilionidae) Synonym(s): *warscewiczii* Hopffer,1865 _ Range (in code): **BO PE EC**
- 19783. *Pterourus (Pyrrhosticta) warscewiczii jelskii* (Oberthür,1881)** (Papilionidae) Synonym(s): *jelskii* Oberthür,1881 _ Range (in code): **PE EC**
- 19784. *Pterourus (Pyrrhosticta) warscewiczii warscewiczii* (Hopffer,1865)** (Papilionidae) Synonym(s): *warscewiczii* Hopffer,1865 _ Range (in code): **BO**
- 19785. *Pterourus (Pyrrhosticta) zagreus* (Doubleday,1847)** (Papilionidae) Synonym(s): *zagreus* Doubleday,1847 _ Range (in code): **EC PE VE CO c28 c30**
- 19786. *Pterourus (Pyrrhosticta) zagreus chrysoxanthus* (Fruhstorfer,1915)** (Papilionidae) Synonym(s): *chrysoxanthus* Fruhstorfer,1915 _ Range (in code): **EC PE**
- 19787. *Pterourus (Pyrrhosticta) zagreus daguanus* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *daguanus* Rothschild & Jordan,1906 _ Range (in code): **CO c30 c28**
- 19788. *Pterourus (Pyrrhosticta) zagreus motilones* (Racheli & Pisch.,1987)** (Papilionidae) Synonym(s): *motilones* Racheli & Pisch.,1987 _ Range (in code): **CO c26**
- 19789. *Pterourus (Pyrrhosticta) zagreus rosenbergi* (Druce,1903)** (Papilionidae) Synonym(s): *rosenbergi* Druce,1903 _ Range (in code): **EC**
- 19790. *Pterourus (Pyrrhosticta) zagreus zagreus* (Doubleday,1847)** (Papilionidae) Synonym(s): *zagreus* Doubleday,1847 _ Range (in code): **VE**
- 19791. *Pterourus canadensis* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *canadensis* Rothschild & Jordan,1906 _ Range (in code): **CA US Cnt Id Mai Mch Mon Msc NDk Neb Nh Ny Pns RDk SDk Vr WVi Ws Wy Als Yuk BCo Abt Ssk Mnt On Qb Nfl**
- 19792. *Pterourus canadensis arcticus* (Skinner,1906)** (Papilionidae) Synonym(s): *arcticus* Skinner,1906.
- 19793. *Pterourus canadensis canadensis* (Rothschild & Jordan,1906)** (Papilionidae) Synonym(s): *canadensis* Rothschild & Jordan,1906 _ Range (in code): **CA US Cnt Id Mai Mch Mon Msc NDk Neb Nh Ny Pns RDk SDk Vr WVi Ws Wy Als Yuk BCo Abt Ssk Mnt On Qb Nfl**
- 19794. *Pterourus eurymedon* (Lucas,1852)** (Papilionidae) Synonym(s): *eurymedon* Lucas,1852 _ Range (in code): **US MX Cf Col Id Mon NDk NMx Ne Neb Org SDk Ut Ws Wy**
- 19795. *Pterourus eurymedon eurymedon* (Lucas,1852)** (Papilionidae) Synonym(s): *eurymedon* Lucas,1852
- 19796. *Pterourus glaucus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *glaucus* Linnaeus,1758 _ Range (in code): **US MX Aks Alb Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDk SCa SDk Tnn Tx Vi Vr WVi Wc Ws**
- 19797. *Pterourus glaucus glaucus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *glaucus* Linnaeus,1758
- 19798. *Pterourus glaucus maynardi* (Gauthier,1984)** (Papilionidae) Synonym(s): *maynardi* Gauthier,1984
- 19799. *Pterourus multicaudatus* (Kirby,1884)** (Papilionidae) Synonym(s): *daunus* Boisduval,1836 nec Cr.,[1777]; *multicaudatus* Kirby,1884. _ Range (in code): **US MX Arz Cf Col Id Kan Mon NDk NMx Ne Neb Ok Org SDk Tx Ut Ws Wy**

- 19800. *Pterourus multicaudatus grandiosus* (Austin & Emmel,1998)** (Papilionidae)
Synonym(s): *grandiosus* Austin & Emmel,1998
- 19801. *Pterourus multicaudatus multicaudatus* (Kirby,1884)** (Papilionidae) Synonym(s):
daunus Boisduval,1836 nec Cr.,[1777]; *multicaudatus* Kirby,1884.
- 19802. *Pterourus multicaudatus pusillus* (Austin & Emmel,1998)** (Papilionidae)
Synonym(s): *pusillus* Austin & Emmel,1998
- 19803. *Pterourus palamedes* (Drury,[1773])** (Papilionidae) Synonym(s): *palamedes*
Drury,[1773]; *chalcas* Fabricius,1775; *flavomaculatus* Goeze,1779. Range (in code): **US MX Aks Alb Dw Fl**
Ge Knt Lou Mis Mrl Mss NCa NMx Neb Nje Ny Ok Pns SCa Tnn Tx Vi
- 19804. *Pterourus palamedes leontis* (Rothschild & Jordan,1906)** (Papilionidae)
Synonym(s): *leontis* Rothschild & Jordan,1906
- 19805. *Pterourus palamedes palamedes* (Drury,[1773])** (Papilionidae) Synonym(s):
palamedes Drury,[1773]; *chalcas* Fabricius,1775; *flavomaculatus* Goeze,1779.
- 19806. *Pterourus pilumnus* (Boisduval,1836)** (Papilionidae) Synonym(s): *pilumnus*
Boisduval,1836 Range (in code): **US MX Arz Tx**
- 19807. *Pterourus pilumnus pilumnus* (Boisduval,1836)** (Papilionidae) Synonym(s):
pilumnus Boisduval,1836
- 19808. *Pterourus rutulus* (Lucas,1852)** (Papilionidae) Synonym(s): *rutulus* Lucas,1852
Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Neb Org Sdk Tx Ut Ws Wy**
- 19809. *Pterourus rutulus ammoni* (Behrens,1887)** (Papilionidae) Synonym(s): *ammoni*
Behrens,1887
- 19810. *Pterourus rutulus arizonensis* (Edwards,1883)** (Papilionidae) Synonym(s):
arizonensis Edwards,1883 Range (in code): **US Arz**
- 19811. *Pterourus rutulus rutulus* (Lucas,1852)** (Papilionidae) Synonym(s): *rutulus* Lucas,1852
- 19812. *Pterourus troilus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *troilus* Linnaeus,1758;
ilioneus Smith,1797; *texanus* Ehrmann,1900; *radiatus* Strecker,1900; *anethi* Fabricius,1938. Range (in
code): **US Aks Alb Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDK**
Neb Nh Nje Ny Oh Ok Pns RDi SCa Sdk Tnn Tx Vi Vr WVi Wc
- 19813. *Pterourus troilus fakahatcheneensis* Gatrell,2000** (Papilionidae) Synonym(s):
fakahatcheneensis Gatrell,2000
- 19814. *Pterourus troilus troilus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *troilus*
Linnaeus,1758; *ilioneus* Smith,1797; *texanus* Ehrmann,1900; *radiatus* Strecker,1900; *anethi* Fabricius,1938.
- 19815. *Pterourus victorinus* (Doubleday,1844)** (Papilionidae) Synonym(s): *victorinus*
Doubleday,1844 Range (in code): **US MX Tx**
- 19816. *Pterourus victorinus victorinus* (Doubleday,1844)** (Papilionidae) Synonym(s):
victorinus (Doubleday,1844)
- 19817. *Sericinus montela* Gray,[1853]** (Papilionidae) Synonym(s): *telamon* Donovan,1798 nec
Linnaeus,1758; *montela* Gray,[1853]; *fortunei* Gray,1852; *telmona* Gray,1852. Original Reference:
Sericinus montela Gray,[1853], Cat. lep. Ins. Br. Mus. 1: 78, pl.13 figs.1,2. Range (in code): **RU Prj**
Us Am Vv KP KR CN Mc Lng Jn Stg Kig Gn Hpe Ahw Hun
- 19818. *Sericinus montela amurensis* Staudinger,1892** (Papilionidae) Synonym(s): *amurensis*
Staudinger,1892 Original Reference: *Sericinus telamon* v. *amurensis* Staudinger,1892, [in]
Romanoff, Mém. lépid. 6: 130. Range (in code): **RU Prj Us Am**
- 19819. *Sericinus montela koreanus* Fixsen,1887** (Papilionidae) Synonym(s): *koreanus*
Fixsen,1887; *greyi* Fixsen,1887; *eisneri* Bryk,1932. Original Reference: *Sericinus telamon* var.
koreanus Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 257, nr.5. Syntypes: Korea: Pung-Joan.
Range (in code): **KP**
- 19820. *Sericinus montela melanogramma* Bryk,1946** (Papilionidae) Synonym(s):
melanogramma Bryk,1946 Original Reference: *Sericinus telamon* ssp. *melanogramma* Bryk,1946,
Ark. Zool. 38 A (3): 12, Taf.ii fig.3. Holotype ♂: [Südkorea]: Korea. Range (in code): **KR**
- 19821. *Sericinus montela montela* Gray,[1853]** (Papilionidae) Synonym(s): *telamon*
Donovan,1798 nec Linnaeus,1758; *montela* Gray,[1853]; *fortunei* Gray,1852; *telmona* Gray,1852. Original
Reference: *Sericinus montela* Gray,[1853], Cat. lep. Ins. Br. Mus. 1: 78, pl.13 figs.1,2. Range (in
code): **CN Mc Lng Jn Stg Kig Gn Hpe Ahw Hun**
- 19822. *Teinopalpus aureus* Mell,1923** (Papilionidae) Synonym(s): *aureus* Mell,1923 Range
(in code): **LA VN CN**
- 19823. *Teinopalpus aureus aureus* Mell,1923** (Papilionidae) Synonym(s): *aureus* Mell,1923
Range (in code): **CN**

- 19824. *Teinopalpus aureus shinkaii* Morita,1998** (Papilionidae) Synonym(s): *shinkaii* Morita,1998 Range (in code): VN Ton LA
- 19825. *Teinopalpus imperialis* Hope,1843** (Papilionidae) Synonym(s): *imperialis* Hope,1843 Original Reference: *Teinopalpus imperialis* Hope,1843, Trans. linn. Soc. Lond. 19 (2): 131, pl.2 figs. 1,2. Range (in code): TH CMa Nan NP Kdu Lal Bhp MM VN LA CN Sz Kwa
- 19826. *Teinopalpus imperialis imperatrix* De Nicéville,1899** (Papilionidae) Synonym(s): *imperatrix* De Nicéville,1899; *behludinii* Pen,1937; *gillesi* Turlin,1991; *bhumipoli* Nakano & Sukkit,1995; *gerritesi* Nakano,1995; *hakkaorum* Schäffler,2004 Range (in code): MM TH CMa Nan VN LA CN Sz Kwa
- 19827. *Teinopalpus imperialis imperialis* Hope,1843** (Papilionidae) Synonym(s): *imperialis* Hope,1843 Original Reference: *Teinopalpus imperialis* Hope,1843, Trans. linn. Soc. Lond. 19 (2): 131, pl.2 figs. 1,2.
- 19828. *Trogonoptera brookiana* (Wallace,1855)** (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abrera, Doggett & Parker,1976 Original Reference: *Ornithoptera brookiana* Wallace,1855, Proc. ent. Soc. (ser.ii) 3: 104. Type(s): Borneo. Range (in code): PH Bal MY Joh Prk TH Yal MM ID Sum Nat Bor Tgk Sbt
- 19829. *Trogonoptera brookiana albescens* (Rothschild,1895)** (Papilionidae) Synonym(s): *albescens* Rothschild,1895 Original Reference: *Troides brookiana* ssp. *albescens* Rothschild,1895, Novit. zool. 2: 199. Syntypes 14♂ 3♀: Malay Peninsula: Perak (BMNH). Range (in code): MM TH Yal MY Prk
- 19830. *Trogonoptera brookiana apolloniae* Neukirschen,1992** (Papilionidae) Synonym(s): *apolloniae* Neukirschen,1992 Original Reference: *Trogonoptera brookiana* ssp. *apolloniae* Neukirschen,1992, Ent. Z., Frankf. a. M. 102: 259-261, Abb.1. Holotype ♂: Indonesien: Mentawai-Gruppe, Siberut Is. (coll.S. & W.Zöller). Range (in code): ID Sbt
- 19831. *Trogonoptera brookiana brookiana* (Wallace,1855)** (Papilionidae) Synonym(s): *brookiana* Wallace,1855; *mollumar* D'Abrera, Doggett & Parker,1976 Original Reference: *Ornithoptera brookiana* Wallace,1855, Proc. ent. Soc. (ser.ii) 3: 104. Type(s): Borneo. Range (in code): MY Joh Bor PH Bal
- 19832. *Trogonoptera brookiana jikoi* Kobayashi,1986** (Papilionidae) Synonym(s): *jikoi* Kobayashi,1986 Original Reference: *Trogonoptera brookiana* ssp. *jikoi* Kobayashi,1986, Trans. Himeji NAT. Hist. Ass. (Himeji), Add. 12: 1-12. Holotype: Indonesia: N.W.Sumatra: Banyak Isl.: Tuangku Is. Range (in code): ID Tgk
- 19833. *Trogonoptera brookiana natunensis* Rothschild,1908** (Papilionidae) Synonym(s): *natunensis* Rothschild,1908 Range (in code): ID Nat
- 19834. *Trogonoptera brookiana trogon* (Vollenhoven,1860)** (Papilionidae) Synonym(s): *trogon* Vollenhoven,1860 Original Reference: *Papilio trogon* Vollenhoven,1860, Tijdschr. Ent. 3: 69, pl.6. Syntypes: Sumatra. Range (in code): ID Sum
- 19835. *Trogonoptera trojana* (Honrath,1886)** (Papilionidae) Synonym(s): *trojana* Honrath,1886 Range (in code): PH Pal
- 19836. *Trogonoptera trojana trojana* (Honrath,1886)** (Papilionidae) Synonym(s): *trojana* Honrath,1886 Range (in code): PH Pal
- 19837. *Troides* (Ornithoptera (Schoenbergia)) *chimaera* Rothschild,1904** (Papilionidae) Synonym(s): *chimaera* Rothschild,1904 Original Reference: *Troides chimaera* Rothschild,1904, Novit. zool. 11: 311, pl.13 fig.25. Range (in code): PG
- 19838. *Troides* (Ornithoptera (Schoenbergia)) *chimaera chimaera* Rothschild,1904** (Papilionidae) Synonym(s): *chimaera* Rothschild,1904 Original Reference: *Troides chimaera* Rothschild,1904, Novit. zool. 11: 311, pl.13 fig.25. Range (in code): PG
- 19839. *Troides* (Ornithoptera (Schoenbergia)) *goliath* Oberthür,1894** (Papilionidae) Synonym(s): *#goliath* Oberthür,1888; *goliath* Oberthür,1894. Original Reference: *Ornithoptera goliath* Oberthür,1894, Etüd. Ent. 19: 1, Pl.4 fig.19. Syntypes: ? Waigeu, ? Dorey. Range (in code): ID Wg PG
- 19840. *Troides* (Ornithoptera (Schoenbergia)) *goliath procus* Rothschild,1914** (Papilionidae) Synonym(s): *procus* Rothschild,1914 Range (in code): ID Crm
- 19841. *Troides* (Ornithoptera (Schoenbergia)) *meridionalis* (Rothschild,1897)** (Papilionidae) Synonym(s): *meridionalis* Rothschild,1897 Range (in code): PG Ij ID
- 19842. *Troides* (Ornithoptera (Schoenbergia)) *meridionalis tarunggarensis* Joicey & Talbot,1927** (Papilionidae) Synonym(s): *tarunggarensis* Joicey & Talbot,1927 Range (in code): Ij ID

- 19843. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea* (Staudinger,1893)** (Papilionidae) Synonym(s): *paradisea* Staudinger,1893; *schoenbergi* Pagenstecher,1893 [Original Reference](#): *Ornithoptera paradisea* Staudinger,1893, Ent. Nachr. 193: 178. [Range \(in code\)](#): **PG**
- 19844. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea arfakensis* Joicey & Noakes,1915** (Papilionidae) Synonym(s): *arfakensis* Joicey & Noakes,1915 [Range \(in code\)](#): **Ij ID**
- 19845. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea chrysanthemum* Kobayashi & Koiwaya,1986** (Papilionidae) Synonym(s): *chrysanthemum* Kobayashi & Koiwaya,1986 [Range \(in code\)](#): **Ij ID**
- 19846. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea demeter* So & Sato,1998** (Papilionidae) Synonym(s): *demeter* So & Sato,1998 [Range \(in code\)](#): **PG**
- 19847. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea flavescens* Rothschild,1897** (Papilionidae) Synonym(s): *flavescens* Rothschild,1897 [Range \(in code\)](#): **Ij ID**
- 19848. *Troides* (*Ornithoptera* (*Schoenbergia*)) *paradisea paradisea* (Staudinger,1893)** (Papilionidae) Synonym(s): *paradisea* Staudinger,1893; *schoenbergi* Pagenstecher,1893 [Original Reference](#): *Ornithoptera paradisea* Staudinger,1893, Ent. Nachr. 193: 178. [Range \(in code\)](#): **PG**
- 19849. *Troides* (*Ornithoptera* (*Schoenbergia*)) *rothschildi* (Kenrick,1911)** (Papilionidae) Synonym(s): *rothschildi* Kenrick,1911 [Range \(in code\)](#): **Ij ID**
- 19850. *Troides* (*Ornithoptera* (*Schoenbergia*)) *tithonus* (De Haan,1840)** (Papilionidae) Synonym(s): *tithonus* De Haan,1840 [Original Reference](#): *Ornithoptera tithonus* De Haan,1840, Verh. Nat. Gesch. Ned. overz. bez.: 18, t.1 fig.1. Type(s): "New Guinea" (in err.) [Range \(in code\)](#): **Ij ID Wg PG**
- 19851. *Troides* (*Ornithoptera* (*Schoenbergia*)) *tithonus cytherea* Kobayashi et al.,1986** (Papilionidae) Synonym(s): *cytherea* Kobayashi et al.,1986 [Range \(in code\)](#): **PG**
- 19852. *Troides* (*Ornithoptera* (*Schoenbergia*)) *tithonus dominici* Schöffler,1999** (Papilionidae) Synonym(s): *dominici* Schöffler,1999 [Range \(in code\)](#): **PG**
- 19853. *Troides* (*Ornithoptera* (*Schoenbergia*)) *tithonus tithonus* (De Haan,1840)** (Papilionidae) Synonym(s): *tithonus* De Haan,1840 [Original Reference](#): *Ornithoptera tithonus* De Haan,1840, Verh. Nat. Gesch. Ned. overz. bez.: 18, t.1 fig.1. Type(s): "New Guinea" (in err.) [Range \(in code\)](#): **Ij ID**
- 19854. *Troides* (*Ornithoptera* (*Schoenbergia*)) *tithonus waigeuensis* Rothschild,1897** (Papilionidae) Synonym(s): *waigeuensis* Rothschild,1897 [Range \(in code\)](#): **Wg ID**
- 19855. *Troides* (*Ornithoptera* (s.str.)) *aesacus* Ney,1903** (Papilionidae) Synonym(s): *aesacus* Ney,1903 [Range \(in code\)](#): **ID Ob**
- 19856. *Troides* (*Ornithoptera* (s.str.)) *alexandrae* Rothschild,1907** (Papilionidae) Synonym(s): *alexandrae* Rothschild,1907 [Range \(in code\)](#): **PG**
- 19857. *Troides* (*Ornithoptera* (s.str.)) *allotei* Rothschild,1914** (Papilionidae) Synonym(s): *allotei* Rothschild,1914 [Range \(in code\)](#): **PG Bgv**
- 19858. *Troides* (*Ornithoptera* (s.str.)) *caelestis* Rothschild,1898** (Papilionidae) Synonym(s): *caelestis* Rothschild,1898 [Range \(in code\)](#): **PG Ls1 Ls2 Ls3**
- 19859. *Troides* (*Ornithoptera* (s.str.)) *croesus* (Wallace,1859)** (Papilionidae) Synonym(s): *croesus* Wallace,1859 [Original Reference](#): *Ornithoptera croesus* Wallace,1859, Proc. ent. Soc. London (2) 5: 70. Type(s): [Indonesia]: Batjan. [Range \(in code\)](#): **ID Hm Mti Snn Bch Trn Tdo**
- 19860. *Troides* (*Ornithoptera* (s.str.)) *croesus lydius* (C.Felder & R.Felder,1865)** (Papilionidae) Synonym(s): *lydius* C.Felder & R.Felder,1865. [Original Reference](#): *Papilio lydius* C.Felder & R.Felder,1865, Reise österr. Fregatte Novara 1: 9, nr.5 Tab.3 figs.a,b. Syntypes: [Indonesia]: Halmahera. [Range \(in code\)](#): **ID Hm Trn Tdo**
- 19861. *Troides* (*Ornithoptera* (s.str.)) *croesus sananensis* Tsukada & Nishiyama** (Papilionidae) Synonym(s): [Range \(in code\)](#): **Snn**
- 19862. *Troides* (*Ornithoptera* (s.str.)) *croesus toeantei* Parrott & Schmid** (Papilionidae) Synonym(s): [Range \(in code\)](#): **ID Mti**
- 19863. *Troides* (*Ornithoptera* (s.str.)) *priamus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *priamus* Linnaeus,1758 [Original Reference](#): *Papilio priamus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 458. Type(s): [Indonesia]: Amboina. [Range \(in code\)](#): **AU QAU PG Vu Dmp Wit NBr Manu Adl ID Crm Amb Aru Kai D-Y1 Ij Wg Slw Mi Eca Tro Bia**
- 19864. *Troides* (*Ornithoptera* (s.str.)) *priamus admiralitatis* (Rothschild,1915)** (Papilionidae) Synonym(s): *admiralitatis* Rothschild,1915 [Original Reference](#): *Papilio priamus* ssp. *admiralitatis* Rothschild,1915, Novit. zool. 22: 192-193. Syntypes 1♂ 8♀: Manus, Admiralty Islands. [Range \(in code\)](#): **PG Manu Adl**

- 19865. *Troides* (Ornithoptera (s.str.)) *priamus arruana* C.Felder & R.Felder,1864** (Papilionidae) Synonym(s): *arruana* C.Felder & R.Felder,1864 Range (in code): **ID Aru**
- 19866. *Troides* (Ornithoptera (s.str.)) *priamus aureus* Parrot,1988** (Papilionidae) Synonym(s): *aureus* Parrot,1988 Range (in code): **PG**
- 19867. *Troides* (Ornithoptera (s.str.)) *priamus bornemanni* Pagenstecher** (Papilionidae) Synonym(s): Range (in code): **PG Wit NBr**
- 19868. *Troides* (Ornithoptera (s.str.)) *priamus euphorion* (Gray,[1853])** (Papilionidae) Synonym(s): *euphorion* Gray,[1853]; *cassandra* Scott,1866; *pronomus* Semper,1878. Original Reference: *Papilio euphorion* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 4, Pl.2 fig.3. Type: North Australia. Range (in code): **AU QAU**
- 19869. *Troides* (Ornithoptera (s.str.)) *priamus hecuba* (Röber,1891)** (Papilionidae) Synonym(s): *hecuba* Röber,1891 Original Reference: *Ornithoptera priamus* var. *hecuba* Röber,1891, Tijdschr. Ent. 34: 263. Type: [Indonesia]: Kei Is. Range (in code): **ID Kai**
- 19870. *Troides* (Ornithoptera (s.str.)) *priamus miokensis* Ribbe** (Papilionidae) Synonym(s): Range (in code): **PG D-Y1**
- 19871. *Troides* (Ornithoptera (s.str.)) *priamus poseidon* (Doubleday,1847)** (Papilionidae) Synonym(s): *poseidon* Doubleday,1847; *pronomus* Gray,1852; *triton* C.Felder & R.Felder,1864; *cronius* C.Felder & R.Felder,1864; *pegasus* C.Felder & R.Felder,1864; *valentina* Vuillot,1892; *eumaeus* Rippon,1892. Original Reference: *Ornithoptera poseidon* Doubleday,1847, Ann. Mag. nat. Hist. 19: 173. Type(s): Darnley Island. Range (in code): **ID PG Ij Wg Slw Mi Eca Tro Bia Vu Dmp**
- 19872. *Troides* (Ornithoptera (s.str.)) *priamus priamus* (Linnaeus,1758)** (Papilionidae) Synonym(s): *priamus* Linnaeus,1758 Original Reference: *Papilio priamus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 458. Type(s): [Indonesia]: Amboina. Range (in code): **ID Crm Amb**
- 19873. *Troides* (Ornithoptera (s.str.)) *priamus sterrensis* Parrot,1990** (Papilionidae) Synonym(s): *sterrensis* Parrot,1990 Range (in code): **PG**
- 19874. *Troides* (Ornithoptera (s.str.)) *priamus teucus* Joicey & Talbot,1916** (Papilionidae) Synonym(s): *teucus* Joicey & Talbot,1916 Range (in code): **PG**
- 19875. *Troides* (Ornithoptera (s.str.)) *richmondia* (Gray,[1853])** (Papilionidae) Synonym(s): *richmondia* Gray,[1853] Original Reference: *Papilio richmondia* Gray,[1853], Cat. Lepid. Ins. Br. Mus. 1: 2, Pl.2 fig.1. Type: Australia: N.S.Wales. Range (in code): **AU NSW**
- 19876. *Troides* (Ornithoptera (s.str.)) *urvillianus* (Guérin-Ménéville,1829)** (Papilionidae) Synonym(s): *urvilliana* Guérin-Ménéville,1829; *bornemanni* Pagenstecher,1894. Original Reference: *Papilio urvilliana* Guérin-Ménéville,1829, Voy. Coquille 1829: Tab. 13 figs.1,2. & text 3: 273. Type: New Ireland. Range (in code): **PG NIr NHa SB Nbr**
- 19877. *Troides* (Ornithoptera (s.str.)) *victoriae* (Gray,1856)** (Papilionidae) Synonym(s): *victoriae* Gray,1856 Original Reference: *Ornithoptera victoriae* Gray,1856, Proc. zool. Soc. London 156: 7, Pl.39. Patria? Range (in code): **PG SB Bgv Isa Chs Cri Hon Hon4 Hon7 NGe6 NGe5 NGe4**
- 19878. *Troides* (Ornithoptera (s.str.)) *victoriae archeri* Parrott** (Papilionidae) Synonym(s): Range (in code): **SB Chs**
- 19879. *Troides* (Ornithoptera (s.str.)) *victoriae epiphanae* Schmid,1970** (Papilionidae) Synonym(s): Range (in code): **SB Cri**
- 19880. *Troides* (Ornithoptera (s.str.)) *victoriae isabellae* Rothschild,1901** (Papilionidae) Synonym(s): *isabellae* Rothschild,1901 Range (in code): **SB Chs Isa**
- 19881. *Troides* (Ornithoptera (s.str.)) *victoriae reginae* (Godman & Salvin,1888)** (Papilionidae) Synonym(s): *reginae* Godman & Salvin,1888 Original Reference: *Ornithoptera reginae* Godman & Salvin,1888, Proc. zool. Soc. London 1888: 117, nr.1. Syntypes ♂♀: Maleita. Range (in code): **Sb Hon7**
- 19882. *Troides* (Ornithoptera (s.str.)) *victoriae regis* (Rothschild,1895)** (Papilionidae) Synonym(s): *regis* Rothschild,1895. Original Reference: *Troides victoriae regis* Rothschild,1895, Entomologist 28: 78. Syntypes ♂♀: Bougainville, Alu. Range (in code): **PG Bgv**
- 19883. *Troides* (Ornithoptera (s.str.)) *victoriae rubianus* Rothschild,1904** (Papilionidae) Synonym(s): *rubianus* Rothschild,1904 Range (in code): **SB NGe6 NGe5 NGe4**
- 19884. *Troides* (Ripponia) *hypolitus* (Cramer,[1775])** (Papilionidae) Synonym(s): *hypolitus* Cramer,[1775]; *antiopa* Rothschild,1908 nec Linn.,1758 Range (in code): **ID Mti Mlc Clb**
- 19885. *Troides* (Ripponia) *hypolitus cellularis* Rothschild,1895** (Papilionidae) Synonym(s): *celebensis* Staudinger,[1895] nec Wall.,1865; *cellularis* Rothschild,1895. Original Reference: *Troides hypolitus* ssp. *cellularis* Rothschild,1895, Novit. zool. 2: 202-203 (nomen novum pro

- celebensis Staudinger,[1895] nec Wallace,1865). Syntypes: Celebes; Talaut. Range (in code): ID Clb
- 19886. *Troides (Ripponia) hypolitus hypolitus* (Cramer,[1775])** (Papilionidae)
Synonym(s): *hypolitus* Cramer,[1775]; *antiopa* Rothschild,1908 nec Linn.,1758 - Range (in code): ID Mti Mlc Clb
- 19887. *Troides (Ripponia) hypolitus sulaensis* (Staudinger,[1895])** (Papilionidae)
Synonym(s): *sulaensis* Staudinger,[1895] Original Reference: Ornithoptera hippolytus var. *sulaensis* Staudinger,[1895], Dt. ent. Z., Iris 7: 343. Syntypes: Sula Insel Mangioli. Range (in code): ID
- 19888. *Troides (s.str. (amphrysus-gr)) amphrysus* (Cramer,[1782])** (Papilionidae)
Synonym(s): *amphrysus* Cramer,[1782]. Original Reference: Papilio amphrysus Cramer,[1782], Utitl. Kapellen 3: 43, t.219 fig.A. Syntypes: Java. Range (in code): MY Bor ID Ja Nia TH Rng Sat Yal Tng Ntt SPa Nst Kna
- 19889. *Troides (s.str. (amphrysus-gr)) amphrysus amphrysus* (Cramer,[1782])** (Papilionidae) Synonym(s): *amphrysus* Cramer,[1782]. Original Reference: Papilio amphrysus Cramer,[1782], Utitl. Kapellen 3: 43, t.219 fig.A. Syntypes: Java. Range (in code): ID Ja
- 19890. *Troides (s.str. (amphrysus-gr)) amphrysus flavicollis* (Druce,1873)** (Papilionidae) Synonym(s): *flavicollis* Druce,1873 Original Reference: Ornithoptera flavicollis Druce,1873, Proc. zool. Soc. Lond. 356, nr.3. Syntypes: Borneo. Range (in code): MY Bor
- 19891. *Troides (s.str. (amphrysus-gr)) amphrysus niasicus* (Fruhstorfer,[1898])** (Papilionidae) Synonym(s): *niasicus* Fruhstorfer,[1898] Original Reference: Ornithoptera amphrysus ssp. *niasicus* Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 306. Syntypes 1♂ 3♀: [Indonesia]: Insel Nias. Range (in code): ID Nia
- 19892. *Troides (s.str. (amphrysus-gr)) amphrysus ruficollis* (Butler,1879)** (Papilionidae) Synonym(s): *ruficollis* Butler,1879 - Range (in code): TH Rng Sat Yal Tng Ntt SPa Nst Kna
- 19893. *Troides (s.str. (amphrysus-gr)) amphrysus vistara* Fruhstorfer,1906** (Papilionidae) Synonym(s): *vistara* Fruhstorfer,1906
- 19894. *Troides (s.str. (amphrysus-gr)) andromache* (Staudinger,1892)** (Papilionidae)
Synonym(s): *andromache* Staudinger,1892 Original Reference: Ornithoptera andromache Staudinger,1892, Dt. ent. Z., Iris 5: 393; ibid. 7: Taf.iii figs.1,2. Syntypes: North Borneo. Range (in code): MY Bor
- 19895. *Troides (s.str. (amphrysus-gr)) andromache andromache* Staudinger,1892** (Papilionidae) Synonym(s): *andromache* Staudinger,1892 Original Reference: Ornithoptera andromache Staudinger,1892, Dt. ent. Z., Iris 5: 393; ibid. 7: Taf.iii figs.1,2. Syntypes: North Borneo. Range (in code): MY Bor
- 19896. *Troides (s.str. (amphrysus-gr)) andromache marapokensis* Fruhstorfer,1898** (Papilionidae) Synonym(s): *marapokensis* Fruhstorfer,1898
- 19897. *Troides (s.str. (amphrysus-gr)) cuneifera* (Oberthür,1879)** (Papilionidae)
Synonym(s): *cuneifera* Oberthür,1879; *cuneatus* Rippon,1902 - Range (in code): ID Ja MY Sgo
- 19898. *Troides (s.str. (amphrysus-gr)) cuneifera cuneifera* (Oberthür,1879)** (Papilionidae) Synonym(s): *cuneifera* Oberthür,1879; *cuneatus* Rippon,1902 - Range (in code): ID Ja
- 19899. *Troides (s.str. (amphrysus-gr)) cuneifera paeninsulae* (Pendlebury,1936)** (Papilionidae) Synonym(s): *paeninsulae* Pendlebury,1936 - Range (in code): MY Sgo
- 19900. *Troides (s.str. (amphrysus-gr)) miranda* (Butler,1869)** (Papilionidae) Synonym(s): *miranda* Butler,1869 Original Reference: Papilio miranda Butler,1869, Lepid. exot. 1: pl.1. Type: Sarawak. Range (in code): Bor
- 19901. *Troides (s.str. (amphrysus-gr)) miranda miranda* (Butler,1869)** (Papilionidae)
Synonym(s): *miranda* Butler,1869 Original Reference: Papilio miranda Butler,1869, Lepid. exot. 1: pl.1. Type: Sarawak. Range (in code): Bor
- 19902. *Troides (s.str. (amphrysus-gr)) miranda neomiranda* Fruhstorfer,1903** (Papilionidae) Synonym(s): *neomiranda* Fruhstorfer,1903
- 19903. *Troides (s.str. (amphrysus-gr)) ritsemae* (Snellen,1889)** (Papilionidae)
Synonym(s): *#cuneifera* Oberthür,1879; *ritsemae* Snellen,1889; *cuneifer* Rothschild,1895. Original Reference: Papilio (Ornithoptera) ritsemae Snellen,1889, Notes Leyd. Mus. 1889: 153. Syntypes: Java: Preanger, Ardjoena 1500-1800m. Range (in code): ID Ja Sum
- 19904. *Troides (s.str. (amphrysus-gr)) ritsemae ritsemae* (Snellen,1889)** (Papilionidae)
Synonym(s): *#cuneifera* Oberthür,1879; *ritsemae* Snellen,1889; *cuneifer* Rothschild,1895. Original

- Reference: *Papilio* (Ornithoptera) *ritsemae* Snellen, 1889, Notes Leyd. Mus. 1889: 153. Syntypes: Java: Preanger, Ardjoena 1500-1800m. Range (in code): **ID Ja**
- 19905. *Troides* (s.str. (amphrysus-gr)) *ritsemae sumatranus* (Hagen, 1894)** (Papilionidae) Synonym(s): *sumatranus* Hagen, 1894 Original Reference: Ornithoptera *ritsemae* var. *sumatranus* Hagen, 1894, Dt. ent. Z., Iris 7: 19, nr.5. Syntypes ♂: [Indonesia]: Sumatra. Range (in code): **ID Sum**
- 19906. *Troides* (s.str. (s.str.)) *aeacus* (C.Felder & R.Felder, 1860)** (Papilionidae) Synonym(s): *aeacus* C.Felder & R.Felder, 1860 Original Reference: Ornithoptera *aeacus* C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr. 71. Type(s): Patria? Range (in code): **MY SG TW ID Sum IN NP Ti CN MM TH Bnk CMA Dst Cuo Cuo1 Cuo5 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Qs Knc Khn Rat Cbi Ptt Sat Tng Nna Kao Nan Lop Cbu Cph VN Ton Tda LA** Bionomy: Larva on *Aristolochia tagala* [krachao phi mot], *A.pothieri* [krachao sida] (Aristolochiaceae) (Lewvanich, 2001 et seq.).
- 19907. *Troides* (s.str. (s.str.)) *aeacus aeacus* (C.Felder & R.Felder, 1860)** (Papilionidae) Synonym(s): *aeacus* C.Felder & R.Felder, 1860 Original Reference: Ornithoptera *aeacus* C.Felder & R.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr. 71. Type(s): Patria? Range (in code): **IN NP Ti CN MM TH Bnk CMA Dst Cuo Cuo1 Cuo5 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Qs Knc Khn Rat Cbi Ptt Sat Tng Nan Lop Cbu Cph VN Ton Tda LA** Bionomy: Larva on *Aristolochia tagala* [krachao phi mot], *A.pothieri* [krachao sida] (Aristolochiaceae) (Lewvanich, 2001 et seq.).
- 19908. *Troides* (s.str. (s.str.)) *aeacus insularis* (Ney, 1905)** (Papilionidae) Synonym(s): *insularis* Ney, 1905 nec Stgr., [1895] Original Reference: *Papilio aeacus insularis* Ney, 1905, Insekt. Börs. 1905: 188. Type(s): Sumatra. Range (in code): **ID Sum**
- 19909. *Troides* (s.str. (s.str.)) *aeacus kaguya* (Nakahara & Esaki, 1930)** (Papilionidae) Synonym(s): *formosana* Rothschild, 1899 (*praeocc.*); *kaguya* Nakahara & Esaki, 1930. Range (in code): **TW**
- 19910. *Troides* (s.str. (s.str.)) *aeacus thomsoni* (Bates, 1875)** (Papilionidae) Synonym(s): *thomsoni* Bates, 1875 Original Reference: Ornithoptera *rhodamanthus* var. *thomsoni* Bates, 1875, [in] Thomson's Straits of Malacca: 546. Type(s): [Thailand]: Siam. Range (in code): **TH Nna Kao Nst Chw MY SG** Bionomy: Larva on *Aristolochia tagala* (Aristolochiaceae).
- 19911. *Troides* (s.str. (s.str.)) *astenuous* (Fabricius, 1775)** (Papilionidae) Synonym(s): *helenae* Linnaeus, 1758 nec *helenus* Linn., 1758; *astenuous* Fabricius, 1775; *pompeus* Cramer, [1775]. Original Reference: *Papilio astenuous* Fabricius, 1775, Syst. Ent.: 448, nr. 270. Range (in code): **Egg Bli ID IN Ass Slo SI MM TH CMA Dst Qs Nna Kao Rng TAK Cbi Ptt Sat Tng Mae Phr Nst Ths MY Sbw Sum Nia Bor Adm Clb Sly LA L10 L32 L13 VN Ton Tda** Bionomy: Larva on *Aristolochia tagala* (Aristolochiaceae).
- 19912. *Troides* (s.str. (s.str.)) *astenuous antileuca* Rothschild, 1908** (Papilionidae) Synonym(s): *antileuca* Rothschild, 1908
- 19913. *Troides* (s.str. (s.str.)) *astenuous astenuous* (Fabricius, 1775)** (Papilionidae) Synonym(s): *helenae* Linnaeus, 1758 nec *helenus* Linn., 1758; *astenuous* Fabricius, 1775; *pompeus* Cramer, 1775. Original Reference: *Papilio astenuous* Fabricius, 1775, Syst. Ent.: 448, nr. 270.
- 19914. *Troides* (s.str. (s.str.)) *astenuous cerberus* (C.Felder & R.Felder, [1865])** (Papilionidae) Synonym(s): *#cerberus* C.Felder, 1864; *cerberus* C.Felder & R.Felder, [1865]. Original Reference: *Papilio cerberus* C.Felder & R.Felder, [1865], Reise österr. Fregatte Novara, Lepid. 1: 19, nr.10. Syntypes. India sept. Range (in code): **IN Ass Slo SI MM MY TH CMA Dst Qs Nna Kao Rng TAK Cbi Ptt Sat Tng Mae Phr Nst Ths ID Sum Nia Bor Adm LA L10 L32 L13 VN Ton Tda** Bionomy: Larva on *Aristolochia tagala* (Aristolochiaceae).
- 19915. *Troides* (s.str. (s.str.)) *astenuous ferrari* Tytler** (Papilionidae) Synonym(s):
- 19916. *Troides* (s.str. (s.str.)) *astenuous heliconoides* (Moore, 1877)** (Papilionidae) Synonym(s): *heliconoides* Moore, 1877 Original Reference: Ornithoptera *heliconoides* Moore, 1877, Proc. zool. Soc. Lond. 1877: 592. Syntypes: Andaman Isl. Range (in code): **IN Adm**
- 19917. *Troides* (s.str. (s.str.)) *astenuous hephaestus* (C.Felder & R.Felder, [1865])** (Papilionidae) Synonym(s): *#hephaestus* Felder, 1864; *hephaestus* C.Felder & R.Felder, [1865]; *leda* Wallace, 1865. Original Reference: *Papilio hephaestus* C.Felder & R.Felder, [1865], Reise österr. Fregatte Novara, Lepid. 1: 16, nr.8. Syntypes. [Indonesia]: Celebes. Range (in code): **ID Clb Sly**
- 19918. *Troides* (s.str. (s.str.)) *astenuous inopa* Rothschild** (Papilionidae) Synonym(s):
- 19919. *Troides* (s.str. (s.str.)) *astenuous isara* Rothschild, 1908** (Papilionidae) Synonym(s): *isara* Rothschild, 1908
- 19920. *Troides* (s.str. (s.str.)) *astenuous mannus* Fruhstorfer, 1908** (Papilionidae) Synonym(s): *mannus* Fruhstorfer, 1908; *#maurus* D'Abrera, 1982 Original Reference: *Troides helenae*

- ssp. *mannus* Fruhstorfer, 1908, Int. ent. Z. 2: 238. Syntypes 6♂ 2♀: [Indonesia]: Bali. Range (in code): Bli ID
- 19921. *Troides* (s.str. (s.str.)) *astenous moschylus* Fruhstorfer** (Papilionidae)
Synonym(s):
- 19922. *Troides* (s.str. (s.str.)) *astenous nereides* Fruhstorfer, 1906** (Papilionidae)
Synonym(s): *nereides* Fruhstorfer, 1906
- 19923. *Troides* (s.str. (s.str.)) *astenous nereis* (Doherty, 1891)** (Papilionidae) Synonym(s): *nereis* Doherty, 1891 Original Reference: Ornithoptera *nereis* Doherty, 1891, J. Asiat. Soc. Bengal 2: 30. Syntypes: [Indonesia]: Engano. Range (in code): ID Egg
- 19924. *Troides* (s.str. (s.str.)) *astenous noeoris* Rothschild, 1908** (Papilionidae)
Synonym(s): *noeoris* Rothschild, 1908
- 19925. *Troides* (s.str. (s.str.)) *astenous propinquus* Rothschild, 1895** (Papilionidae)
Synonym(s): *propinquus* Rothschild, 1895 Original Reference: *Troides helena* ssp. *propinquus* Rothschild, 1895, Novit. zool. 2: 218-219. Syntypes 1♂ 1♀: Sambawa (in coll. Stgr.). Range (in code): ID Sbw
- 19926. *Troides* (s.str. (s.str.)) *astenous sagittatus* Fruhstorfer, 1896** (Papilionidae)
Synonym(s): *sagittatus* Fruhstorfer, 1896
- 19927. *Troides* (s.str. (s.str.)) *astenous spilotia* Rothschild, 1908** (Papilionidae)
Synonym(s): *spilotia* Rothschild, 1908
- 19928. *Troides* (s.str. (s.str.)) *astenous typhaon* Rothschild, 1908** (Papilionidae)
Synonym(s): *typhaon* Rothschild, 1908
- 19929. *Troides* (s.str. (s.str.)) *criton* (C.Felder, 1860)** (Papilionidae) Synonym(s): *criton* C.Felder, 1860; *#oberthüri* Rothschild, 1895; *#felderi* Rothschild, 1895. Original Reference: Ornithoptera *criton* C.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr.72. Type(s): [Indonesia]: Batjan. Range (in code): Bch Trn Hm Mti Ob ID
- 19930. *Troides* (s.str. (s.str.)) *criton criton* (C.Felder, 1860)** (Papilionidae) Synonym(s): *criton* C.Felder, 1860; *#oberthüri* Rothschild, 1895; *#felderi* Rothschild, 1895. Original Reference: Ornithoptera *criton* C.Felder, 1860, Wien. ent. Monatschr. 4: 225, nr.72. Type(s): [Indonesia]: Batjan. Range (in code): Bch Trn Hm Mti Ob ID
- 19931. *Troides* (s.str. (s.str.)) *darsius* (Gray, [1853])** (Papilionidae) Synonym(s): *darsius* Gray, [1853] Range (in code): LK
- 19932. *Troides* (s.str. (s.str.)) *darsius darsius* (Gray, [1853])** (Papilionidae) Synonym(s): *darsius* Gray, [1853] Range (in code): LK
- 19933. *Troides* (s.str. (s.str.)) *dohertyi* (Rippon, 1893)** (Papilionidae) Synonym(s): *dohertyi* Rippon, 1893; *vordermani* Snellen, 1895. Original Reference: Ornithoptera (Pompeoptera) *dohertyi* Rippon, 1893, Ann. Mag. nat. Hist. (7) 2: 295. Type(s): [Indonesia]: Talaut Isl. Range (in code): ID Tal
- 19934. *Troides* (s.str. (s.str.)) *dohertyi dohertyi* (Rippon, 1893)** (Papilionidae)
Synonym(s): *dohertyi* Rippon, 1893; *vordermani* Snellen, 1895. Original Reference: Ornithoptera (Pompeoptera) *dohertyi* Rippon, 1893, Ann. Mag. nat. Hist. (7) 2: 295. Type(s): [Indonesia]: Talaut Isl. Range (in code): ID Tal
- 19935. *Troides* (s.str. (s.str.)) *haliphron* (Boisduval, 1836)** (Papilionidae) Synonym(s): *haliphron* Boisduval, [1836]; *bauermanni* Röber, 1895. Original Reference: Ornithoptera *haliphron* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 181, nr.9. Type(s): Celebes. Range (in code): ID Clb Tnm Lt Dm Alo Wt Sba Sbw Bbr
- 19936. *Troides* (s.str. (s.str.)) *haliphron ariadne* Rothschild, 1908** (Papilionidae)
Synonym(s): *ariadne* Rothschild, 1908 Range (in code): ID Dm
- 19937. *Troides* (s.str. (s.str.)) *haliphron haliphron* (Boisduval, 1836)** (Papilionidae)
Synonym(s): *haliphron* Boisduval, [1836]; *bauermanni* Röber, 1895. Original Reference: Ornithoptera *haliphron* Boisduval, [1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 181, nr.9. Type(s): Celebes. Range (in code): ID Clb
- 19938. *Troides* (s.str. (s.str.)) *haliphron ikarus* Fruhstorfer, 1904** (Papilionidae)
Synonym(s): *ikarus* Fruhstorfer, 1904 Range (in code): ID Tnm
- 19939. *Troides* (s.str. (s.str.)) *haliphron iris* (Röber, 1888)** (Papilionidae) Synonym(s): *iris* Röber, 1888 Original Reference: Ornithoptera *iris* Röber, 1888, Ent. Nachr. 1888: 369. Type(s): [Indonesia]: Letti. Range (in code): ID Lt

- 19940. *Troides* (s.str. (s.str.)) *haliphron naias* (Doherty,1891)** (Papilionidae) Synonym(s): *naias* Doherty,1891 Original Reference: Ornithoptera naias Doherty,1891, J. Asiat. Soc. Beng. 1891: 193, nr.116. Syntypes: [Indonesia]: Sumba Is. Range (in code): **ID Alo Wt Sba Sbw**
- 19941. *Troides* (s.str. (s.str.)) *haliphron pallens* (Oberthür,1879)** (Papilionidae) Synonym(s): *pallens* Oberthür,1879 Original Reference: Ornithoptera haliphron var.? pallens Oberthür,1879, Etüd. Ent. 4: 110. Syntypes: [Indonesia]: Celebes. Range (in code): **ID Clb**
- 19942. *Troides* (s.str. (s.str.)) *haliphron pistor* Rothschild,1896** (Papilionidae) Synonym(s): *pistor* Rothschild,1896
- 19943. *Troides* (s.str. (s.str.)) *haliphron sokrates* (Staudinger,1891)** (Papilionidae) Synonym(s): *sokrates* Staudinger,1891 Original Reference: Ornithoptera sokrates Staudinger,1891, Dt. ent. Z., Iris 4: 71. Syntypes: [Indonesia]: Wetter, Sambawa. Range (in code): **ID Wt**
- 19944. *Troides* (s.str. (s.str.)) *haliphron staudingeri* (Röber,1888)** (Papilionidae) Synonym(s): *staudingeri* Röber,1888. Original Reference: Ornithoptera staudingeri Röber,1888, Ent. Nachr. 1888: 369. Syntypes: [Indonesia]: Loeang Is. Range (in code): **ID Bbr**
- 19945. *Troides* (s.str. (s.str.)) *magellanus* (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978. Original Reference: Ornithoptera magellanus C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 282, nr.31. Syntypes ♂♀: Philippines: Luzon, Babuyanes. Range (in code): **TW PH Apo Boh Bus Ceb Cuy Hom Ley Luz Mar Mas Mdo Mno Sam**
- 19946. *Troides* (s.str. (s.str.)) *magellanus magellanus* (C.Felder & R.Felder,1862)** (Papilionidae) Synonym(s): *magellanus* C.Felder & R.Felder,1862; *apoensis* Okano & Ohkura,1978. Original Reference: Ornithoptera magellanus C.Felder & R.Felder,1862, Wien. ent. Monatschr. 6: 282, nr.31. Syntypes ♂♀: Philippines: Luzon, Babuyanes. Range (in code): **PH Apo Boh Bus Ceb Cuy Hom Ley Luz Mar Mas Mdo Mno Sam**
- 19947. *Troides* (s.str. (s.str.)) *minos* (Cramer,[1779])** (Papilionidae) Synonym(s): *minos* Cramer,[1779] Range (in code): **ID**
- 19948. *Troides* (s.str. (s.str.)) *minos minos* (Cramer,[1779])** (Papilionidae) Synonym(s): *minos* Cramer,[1779] Range (in code): **ID**
- 19949. *Troides* (s.str. (s.str.)) *oblongomaculatus* (Goeze,1779)** (Papilionidae) Synonym(s): *oblongomaculatus* Goeze,1779; *amphimedon* Cramer,1779; *hellen* Godart,[1819]. Original Reference: Papilio oblongomaculatus Goeze,1779, Ent. Beytr. 3 (1): 44. Range (in code): **PG Dmp Vu Grm Wtu Crm Amb Bru Clb ID**
- 19950. *Troides* (s.str. (s.str.)) *oblongomaculatus bouruensis* (Wallace,1865)** (Papilionidae) Synonym(s): *bouruensis* Wallace,1865 Original Reference: Ornithoptera helena bouruensis Wallace,1865, Trans. linn. Soc. Lond. 25: 38. Syntypes: Buru. Range (in code): **ID Bru**
- 19951. *Troides* (s.str. (s.str.)) *oblongomaculatus celebensis* (Wallace,1865)** (Papilionidae) Synonym(s): *celebensis* Wallace,1865 Original Reference: Ornithoptera helena celebensis Wallace,1865, Trans. linn. Soc. Lond. 25: 39. Syntypes: Macassar. Range (in code): **ID Clb**
- 19952. *Troides* (s.str. (s.str.)) *oblongomaculatus hanno* Fruhstorfer,1904** (Papilionidae) Synonym(s): *hanno* Fruhstorfer,1904 Original Reference: Troides oblongomaculatus ssp. hanno Fruhstorfer,1904, Ent. Z., Stuttgart 18: 27. Syntypes 12♂: [Indonesia]: Insel Goram. Range (in code): **ID Grm Wtu**
- 19953. *Troides* (s.str. (s.str.)) *oblongomaculatus oblongomaculatus* (Goeze,1779)** (Papilionidae) Synonym(s): *oblongomaculatus* Goeze,1779; *amphimedon* Cramer,1779; *hellen* Godart,[1819]. Original Reference: Papilio oblongomaculatus Goeze,1779, Ent. Beytr. 3 (1): 44.
- 19954. *Troides* (s.str. (s.str.)) *oblongomaculatus ohzui* Kobayashi & Koiwaya** (Papilionidae) Synonym(s): Range (in code): **ID Bru**
- 19955. *Troides* (s.str. (s.str.)) *oblongomaculatus papuensis* (Wallace,1865)** (Papilionidae) Synonym(s): *papuensis* Wallace,1865 Original Reference: Ornithoptera helena papuensis Wallace,1865, Trans. linn. Soc. Lond. 25: 38. Syntypes: New Guinea. Salwatty. Range (in code): **PG Dmp Vu**
- 19956. *Troides* (s.str. (s.str.)) *oblongomaculatus thestius* Staudinger,1896** (Papilionidae) Synonym(s): *thestius* Staudinger,1896
- 19957. *Troides* (s.str. (s.str.)) *platani* (Staudinger,1888)** (Papilionidae) Synonym(s): *platani* Staudinger,1888 Original Reference: Ornithoptera platani Staudinger,1888, Dt. ent. Z., Iris 1: 274-275. Syntypes: 1♂ 3♀: [Philippinen]: Palawan. Range (in code): **TW PH Bal Cal Pal**

- 19958. *Troides* (s.str. (s.str.)) *plateni plateni* (Staudinger,1888)** (Papilionidae) Synonym(s): *plateni* Staudinger,1888 Original Reference: Ornithoptera *plateni* Staudinger,1888, Dt. ent. Z., Iris 1: 274-275. Syntypes: 1♂ 3♀: [Philippinen]: Palawan. Range (in code): **TW PH Bal Cal Pal**
- 19959. *Troides* (s.str. (s.str.)) *plato* (Wallace,1865)** (Papilionidae) Synonym(s): *plato* Wallace,1865 Original Reference: Ornithoptera *plato* Wallace,1865, Trans. linn. Soc. Lond. 25: 40, nr. 13. Type(s): Timor. Range (in code): **ID Tim**
- 19960. *Troides* (s.str. (s.str.)) *plato plato* (Wallace,1865)** (Papilionidae) Synonym(s): *plato* Wallace,1865 Original Reference: Ornithoptera *plato* Wallace,1865, Trans. linn. Soc. Lond. 25: 40, nr. 13. Type(s): Timor.
- 19961. *Troides* (s.str. (s.str.)) *prattorum Joicey & Talbot,1922*** (Papilionidae) Synonym(s): *prattorum Joicey & Talbot,1922* Range (in code): **ID Bru**
- 19962. *Troides* (s.str. (s.str.)) *prattorum prattorum Joicey & Talbot,1922*** (Papilionidae) Synonym(s): *prattorum Joicey & Talbot,1922* Range (in code): **ID Bru**
- 19963. *Troides* (s.str. (s.str.)) *rhodamanthus* (Boisduval,1836)** (Papilionidae) Synonym(s): *astenus* Eschscholtz,1821 nec Fabr.,1775; *rhodamantus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911. Original Reference: Ornithoptera *rhodamanthus* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 180. Type(s): Philippines. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 19964. *Troides* (s.str. (s.str.)) *rhodamanthus rhodamanthus* (Boisduval,1836)** (Papilionidae) Synonym(s): *astenus* Eschscholtz,1821 nec Fabr.,1775; *rhodamantus* Lucas,1835 nec Fabr.,1793; *amphrisius* Lucas,1835 nec Fabr.,1787; *rhodamanthus* Boisduval,1836; *nephereus* Gray,1856; *bazilanicus* Fruhstorfer,1908; *hesiodus* Fruhstorfer,1911; *belzanor* Fruhstorfer,1911. Original Reference: Ornithoptera *rhodamanthus* Boisduval,[1836], [in] Roret's Suite a Buffon, Hist. nat. Ins. Spec. gén. Lépid. 1: 180. Type(s): Philippines. Range (in code): **PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 19965. *Troides* (s.str. (s.str.)) *riedeli* (Kirsch,1885)** (Papilionidae) Synonym(s): *riedeli* Kirsch,1885 Original Reference: Ornithoptera *riedeli* Kirsch,1885, Proc. zool. Soc. London 1885: 275, Pl. 19 fig.1,2. Syntypes: [Indonesia]: Timor Laut. Range (in code): **ID Tnm**
- 19966. *Troides* (s.str. (s.str.)) *vandepolli* (Snellen,1890)** (Papilionidae) Synonym(s): *vandepolli* Snellen,1890 Original Reference: Papilio *vandepolli* Snellen,1890, Tijdschr. Ent. 33: 22. Syntypes: [Indonesia]: Java: Preanger Mt., 5000-5500ft. Range (in code): **ID Sum Ja**
- 19967. *Troides* (s.str. (s.str.)) *vandepolli honrathianus* (Martin,1892)** (Papilionidae) Synonym(s): *honrathianus* Martin,1892 Original Reference: Ornithoptera *honrathiana* Martin,1892, Berl. ent. Z. 37: 492. Type: [Indonesia]: Sumatra. Range (in code): **ID Sum**
- 19968. *Troides* (s.str. (s.str.)) *vandepolli vandepolli* (Snellen,1890)** (Papilionidae) Synonym(s): *vandepolli* Snellen,1890 Original Reference: Papilio *vandepolli* Snellen,1890, Tijdschr. Ent. 33: 22. Syntypes: [Indonesia]: Java: Preanger Mt., 5000-5500ft. Range (in code): **ID Ja**
- 19969. *Zerynthia* (Allancastris) *caucasica* (Lederer,1864)** (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970. Original Reference: Thais *cerisyi* var. *caucasica* Lederer,1864, Wien. ent. Monatschr. 8: 165-166. Syntypes 10♂ 2♀: [Georgien]: Kutais. Range (in code): **Cc AM Eri GG Btm Kta Bjo Lag TR RU Kr Soc** Bionomy: Larva on *Aristolochia pontica*, *A. pallida* (Koçak, in litt.; Hensle,1993).
- 19970. *Zerynthia* (Allancastris) *caucasica abanti* Koçak,1975** (Papilionidae) Synonym(s): *abanti* Koçak,1975 Original Reference: *Zerynthia cerisyi* ssp. *abanti* Koçak,1975, Atalanta 6 (1): 24, figs. 1-4. Holotype ♂: Turkey: Bolu Prov., Abant Gölü 1400m (in coll CESA). Range (in code): **TR** Bionomy: Larva on *Aristolochia pallida* (Aristolochiaceae) (Hensle,1993).
- 19971. *Zerynthia* (Allancastris) *caucasica caucasica* (Lederer,1864)** (Papilionidae) Synonym(s): *caucasica* Lederer,1864; *tkatshukovi* Sheljuzhko,1927; *cachetica* Sheljuzhko,1927; *#caucasica* Bernardi,1970. Original Reference: Thais *cerisyi* var. *caucasica* Lederer,1864, Wien. ent. Monatschr. 8: 165-166. Syntypes 10♂ 2♀: [Georgien]: Kutais. Range (in code): **Cc AM Eri GG Btm Kta Bjo Lag TR RU Kr Soc**
- 19972. *Zerynthia* (Allancastris) *cerisyi* (Godart,1822)** (Papilionidae) Synonym(s): *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908;

- #*caeca* Shelj.,1927; *mysiniensis* Eism. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt.& Kouts.,1978; *sami* Schmidt,1989 **Original Reference:** *Thais cerisyi* Godart,1822, Mem. Soc. linn. Paris 2: 234, pl.20,figs.3,4. Syntypes: [Turkey]: Ourlac [=Urla (|zmir)]. **Range (in code): BG B-H CY GR IL Pa Hf JO LB Bei MK Rd SY TR YU Slv Skp Trv Rtc Ppp Bgz Ko** **Bionomy:** Larva on *Aristolochia bodamae*, *A.rotunda*, *A.pistolochia* (Koçak, in litt.; Hensle,1993).
- 19973. *Zerynthia (Allancastris) cerisyi cerisyi* (Godart,1822)** (Papilionidae) **Synonym(s):** *cerisyi* Godart,1822; *cerisy* Godart,[1824]; *martini* Fruhst.,1906; *speciosa*, *cypria* Stichel,1907; *#destrigata* Schultz,1908; *#caeca* Shelj.,1927; *mysiniensis* Eism. & Wag.,1974; *kocaki*, *goeksui* Kuhna,1977; *koroneii* Katt.& Kouts.,1978; *sami* Schmidt,1989. **Original Reference:** *Thais cerisyi* Godart,1822, Mem. Soc. linn. Paris 2: 234, pl.20,figs.3,4. Syntypes: [Turkey]: Ourlac [=Urla (|zmir)]. **Range (in code): CY GR IL Pa Hf JO LB Bei Rd SY TR** **Bionomy:** Larva on *Aristolochia bodamae*, *A.rotunda*, *A.pistolochia* (Koçak, in litt.; Hensle,1993).
- 19974. *Zerynthia (Allancastris) cerisyi ferdinandi* (Stichel,1907)** (Papilionidae) **Synonym(s):** *ferdinandi* Stichel,1907 **Original Reference:** *Zerynthia cerisyi* ssp.*ferdinandi* Stichel,1907, Ent. Z., Franf.a.M. 21: 177-178, figs.2,3. Syntypes: Bulgarien: Lowetsch. **Range (in code): BG B-H TR Slv Skp Trv Rtc Ppp Bgz Ko**
- 19975. *Zerynthia (Allancastris) cretica* (Rebel,1904)** (Papilionidae) **Synonym(s):** *cretica* Rebel,1904 **Original Reference:** *Thais cerisyi* var. *cretica* Rebel,1904, Verh. zool.- bot. Ges. Wien 54: 2. Syntypes: Kreta: im zentralen Teile der Insel bei Asitaes" (NHMW). **Range (in code): Cr**
- 19976. *Zerynthia (Allancastris) cretica cretica* (Rebel,1904)** (Papilionidae) **Synonym(s):** *cretica* Rebel,1904 **Original Reference:** *Thais cerisyi* var. *cretica* Rebel,1904, Verh. zool.- bot. Ges. Wien 54: 2. Syntypes: Kreta: im zentralen Teile der Insel bei Asitaes" (NHMW). **Range (in code): Cr**
- 19977. *Zerynthia (Allancastris) deyrollei* (Oberthür,1869)** (Papilionidae) **Synonym(s):** *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. **Original Reference:** *Thais deyrollei* Oberthür,1869, Pet. Nouv. Ent. (2):7. Syntypes: [Turquie]: Alpes-Pontiques [Gümüşhane]. **Range (in code): He IL Js Pa IQ Mos Bgd Slh Tkr IR Ab Oru Jal Kd Km JO LB Bsa Baa Aiz Zah Bmd SY Dms TR** **Bionomy:** Larva on *Aristolochia bodamae*, *A. maurorum* (Koçak, in litt.).
- 19978. *Zerynthia (Allancastris) deyrollei deyrollei* (Oberthür,1869)** (Papilionidae) **Synonym(s):** *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. **Original Reference:** *Thais deyrollei* Oberthür,1869, Pet. Nouv. Ent. (2):7. Syntypes: [Turquie]: Alpes-Pontiques [Gümüşhane]. **Range (in code): He IL Js Pa IQ Mos Bgd Slh Tkr IR Ab Oru Jal Kd Km JO LB Bsa Baa Aiz Zah Bmd SY Dms TR**
- 19979. *Zerynthia (Allancastris) louristana* (Le Cerf,1908)** (Papilionidae) **Synonym(s):** *louristana* Le Cerf,1908; *hermanni* Stichel,1910. **Original Reference:** *Thais cerisyi* *louristana* Le Cerf,1908, Bull. Soc. ent. Fr. 1908: 21. Type ♂: [Iran]: Louristan persan Tchahar-Dooul a Kirmanchah 900-1470m leg. J. de Morgan (MNHN). **Range (in code): IR Lo Km By Kz Yas** **Bionomy:** Larva on *Aristolochia hyrcana* (Aristolochiaceae) (Carbonell,2013).
- 19980. *Zerynthia (Allancastris) louristana boyrahmadiensis* Blom & Eisner,1979** (Papilionidae) **Synonym(s):** *boyrahmadiensis* Blom & Eisner,1979 **Original Reference:** *Allancastris* *louristana* ssp. *boyrahmadiensis* Blom & Eisner,1979, Zool. Meded. 54(18): 277-278, figs. Holotype ♂: Iran: Boyr Ahmadi: Yasuj Abshar **Range (in code): IR By Kz Yas**
- 19981. *Zerynthia (Allancastris) louristana louristana* (Le Cerf,1908)** (Papilionidae) **Synonym(s):** *louristana* Le Cerf,1908; *hermanni* Stichel,1910. **Original Reference:** *Thais cerisyi* *louristana* Le Cerf,1908, Bull. Soc. ent. Fr. 1908: 21. Type ♂: [Iran]: Louristan persan Tchahar-Dooul a Kirmanchah 900-1470m leg. J. de Morgan (MNHN). **Range (in code): IR Lo Km**
- 19982. *Zerynthia (s.str.) polyxena* ([Denis & Schiffermüller],1775)** (Papilionidae) **Synonym(s):** *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabricius,1775. **Original Reference:** *Papilio polyxena* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 162. Type(s): [Austria]: Vienna district. **Range (in code): AT BG B-H BY Cr CZ FR GR HU HV IT KG Kr MK RO RU Si SK Sm So Sr SS TR UA Uk VI YU Mkl Wn Slv Sof Ser Mt Beo Ko LAT Wn** **Bionomy:** Larva on *Aristolochia clematitis*, *A. rotunda*, *A. pallida*, *A. pistolochia* (Tolman,1997).
- 19983. *Zerynthia (s.str.) polyxena creusa* (Meigen,1829)** (Papilionidae) **Synonym(s):** *creusa* Meigen,1829; *meta* Meigen,1829; *cassandra* Geyer,[1830]; *demnosia* Freyer,1831; *reverdini* Fruhstorfer,1908;

- deminuta* Verity,1947; *microcreusa* Verity,1947. Original Reference: *Thais creusa* Meigen,1829, Syst. Besch. eur. Schmett. 1(4): 161, pl.42 fig.1. Type(s): Italia. Range (in code): **FR IT**
- 19984. Zerynthia (s.str.) polyxena gracilis Schultz,1908** (Papilionidae) Synonym(s): *gracilis* Schultz,1908; *tristis* De Lattin,1950; *macedonica* Eisner,1974. Original Reference: *Zerynthia polyxena* var. *gracilis* Schultz,1908, Ent. Z., Frankf. a. M. 21 (46): 267. Syntypes: Türkei: Bithynien. Range (in code): **BG GR MK RO TI TR YU Ko Mt**
- 19985. Zerynthia (s.str.) polyxena idaensis Eisner,1974** (Papilionidae) Synonym(s): *idaensis* Eisner,1974 Original Reference: *Zerynthia hypermnestra* ssp. *idaensis* Eisner,1974, Zool. Verh. 135: 19. Holotype ♂: [Griechenland]: Kreta: Idagebirge (patria falsa?). Range (in code): **Cr**
- 19986. Zerynthia (s.str.) polyxena polyxena ([Denis & Schiffermüller],1775)** (Papilionidae) Synonym(s): *hypermnestra* Scopoli,1763 nec Linn.,1763; *polyxena* [Denis & Schiffermüller],1775; *hypsipyle* Fabricius,1777; *aristolochiae* Schneider,1787 nec Fabr.,1775. Original Reference: *Papilio polyxena* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 162. Type(s): [Austria]: Vienna district. Range (in code): **AT UA LAT Wn**
- 19987. Zerynthia (s.str.) polyxena thesto Fruhstorfer,1908** (Papilionidae) Synonym(s): *thesto* Fruhstorfer,1908 Original Reference: *Zerynthia polyxena* ssp. *thesto* Fruhstorfer,1908, Ent. Z., Stuttgart 22: 16. Syntypes: Russia: Südrussland: Saratow. Range (in code): **KG RU Sm So Sr Uk VI**
- 19988. Zerynthia (s.str.) rumina (Linnaeus,1758)** (Papilionidae) Synonym(s): *rumina* Linnaeus,1758 Original Reference: *Papilio rumina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa australis. Range (in code): **DZ Clo Agi DhM Azr Ess Orn Blid Tlm Sbd Tgr ES Py FR Fo4 MA PT TN Act Alc Alv Alm Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm** Bionomy: Larva in Africa on *Aristolochia longa*, *A.paucinervis*, *A.fontanesi*, *A.rotunda*, *A.pallida* (?); in Europe: *A.pistolochia*, *A.rotunda*, *A.longa*, *A.baetica* (Tolman,1997).
- 19989. Zerynthia (s.str.) rumina africana (Stichel,1907)** (Papilionidae) Synonym(s): *africana* Stichel,1907; *ornatior* Blachier,1908; *#ornatissima* Blachier,1908; *mauretanica* Schulze,1908; *mackeri* Holl,1910; *nebulosa* Holl,1913; *distorta* Rothschild,1918 Range (in code): **DZ Clo Hrh Agi DhM Ess Orn Blid Tlm Sbd Tgr MA Azr TN**
- 19990. Zerynthia (s.str.) rumina australis (Esper,[1782])** (Papilionidae) Synonym(s): *australis* Esper,[1782]; *medesicaste* Illiger,1803 nec Hoffmegg.,1804 Range (in code): **FR Fo4**
- 19991. Zerynthia (s.str.) rumina cantabricae Gomez-Bustillo,1971** (Papilionidae) Synonym(s): *cantabricae* Gomez-Bustillo,1971 Range (in code): **ES Ct**
- 19992. Zerynthia (s.str.) rumina rumina (Linnaeus,1758)** (Papilionidae) Synonym(s): *rumina* Linnaeus,1758 Original Reference: *Papilio rumina* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa australis. Range (in code): **FR PT ES Py Act Alc Alv Alm Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cue Cz Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ple Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm**
- 19993. Zerynthia (s.str.) rumina tarrieri Binagot & Lartigue,1998** (Papilionidae) Synonym(s): *tarrieri* Binagot & Lartigue,1998 Original Reference: *Zerynthia rumina* ssp. *tarrieri* Binagot & Lartigue,1998, Linneana Belg. 16 (8): 323-324, figs. Holotype ♂: Maroc: Anti-Atlas occ., Vallée des Amelns, 1300m (in coll. D.Lartigue). Range (in code): **MA**
- 19994. Abaeis nicippe (Cramer,1779)** (Pieridae) Synonym(s): *nicippe* Cramer,1779; *#pallens* Whittaker & Stallings,1944 Range (in code): **US Tx Cf**
- 19995. Abaeis nicippiformis (Munroe,1947)** (Pieridae) Synonym(s): *nicippiformis* Munroe,1947 Range (in code): **HT**
- 19996. Anteos clorinde (Godart,[1824])** (Pieridae) Synonym(s): *clorinde* Godart,[1824]; *swainsonia* Swainson,1831; *godarti* Perty,1833; *nivifera* Fruhstorfer,1907 Range (in code): **BR HN**
- 19997. Anteos clorinde (Godart,[1824])** (Pieridae) Synonym(s): *clorinde* Godart,[1824] Range (in code): **US MX Arz Col Kan NMx Ne Ok Tx Ut**
- 19998. Anteos maerula (Fabricius,1775)** (Pieridae) Synonym(s): *maerula* Fabricius,1775 Range (in code): **US MX Arz Fl Mss NMx Neb Tx**
- 19999. Anteos maerula (Fabricius,1775)** (Pieridae) Synonym(s): *maerula* Fabricius,1775; *lacordairei* Boisduval,1836; *gueneana* Boisduval,1836; *#flava* Röber,1909 Range (in code): **US MX CU**
- 20000. Anteos menippe (Hübner,[1818])** (Pieridae) Synonym(s): *menippe* Hübner,[1818]; *leachiana* Godart,1819; *metioche* Fruhstorfer,1907; *#calypso* Röber,1909; *#thetis* Röber,1909 Range (in code): **BR CO**

- 20001. Anthocharis belia (Linnaeus,1767)** (Pieridae) Synonym(s): *belia* Linnaeus,1767; *eupheno* Linnaeus,1767; *douei* Pierret,1835. Original Reference: Papilio belia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 761, nr.84. Type(s): Africa bor. [Algeria]. Range (in code): **MA Rbt Azr DZ Dzc Hmk Hrh Cst Agi TN Tlm Saia Orn Blid Barr Ges Dje Ktr Khk Lbs Btina Cst Dhm Tun Clo Phv Tgr CH ES Mu FR IT PT Py Cz An Gi** Bionomy: Larva feeds on seeds of following plants: Biscutella lyrata, B. didyma, B. raphanifolia, B. laevigata, B. auriculata, B. ambigua, Sisymbrium (Tolman,1997; Calle et al.,2000).
- 20002. Anthocharis belia androgyne Leech,1886** (Pieridae) Synonym(s): *androgyne* Leech,1886 Range (in code): **MA DZ**
- 20003. Anthocharis belia belia (Linnaeus,1767)** (Pieridae) Synonym(s): *belia* Linnaeus,1767; *eupheno* Linnaeus,1767; *douei* Pierret,1835. Original Reference: Papilio belia Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 761, nr.84. Type(s): Africa bor. Range (in code): **DZ Dzc Hmk Hrh Cst Agi MA TN Tlm Saia Orn Blid Barr Ges Dje Ktr Khk Lbs Btina Cst Dhm Tun Phv Tgr** Bionomy: Larva on Biscutella lyrata, B. didyma, B. raphanifolia (Tolman,1997).
- 20004. Anthocharis belia euphenoides Staudinger,1869** (Pieridae) Synonym(s): *euphenoides* Staudinger,1869; *calleuphenia* Butler,1869; *andalusica* Ribbe,1910; *alpium* Verity,1926. Original Reference: Anthocharis euphenoides Staudinger,1869, Stettin ent. Ztg. 30: 92. Syntypes: [Spain]: Gibraltar. Range (in code): **CH ES Mu FR IT PT Py Cz An Gi** Bionomy: Larva feeds on seeds of following plants: Biscutella laevigata, B. auriculata, B. ambigua, Sisymbrium (Tolman,1997; Calle et al.,2000).
- 20005. Anthocharis bieti (Oberthür,1884)** (Pieridae) Synonym(s): *bieti* Oberthür,1884 Range (in code): **CN Gn Ti Ui**
- 20006. Anthocharis bieti bieti (Oberthür,1884)** (Pieridae) Synonym(s): *bieti* Oberthür,1884 Range (in code): **CN Gn Ui**
- 20007. Anthocharis bieti tsangpoana (Riley,1928)** (Pieridae) Synonym(s): *tsangpoana* Riley,1928 Original Reference: Euchloe bieti tsangpoana Riley,1928, Entomologist 61: 137. Type: China: Tibet. Range (in code): **CN Ti**
- 20008. Anthocharis cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 Original Reference: Papilio cardamines Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Type(s):[Europe]. Range (in code): **Aa AL AM At AT Ba BE BG B-H Bs BY CH CN Co CY CZ DE Dj DK EE ES FI FR GB GR HU HV IE IL IQ IR IT Kb KG KK Kr Ku LB Le LT LU LV MK Mn NL NO Or PL PT Pw RO RU Sa SE Sem Si Sj SK Sm Sms So Sp Sr SS SY Teb Tk TM To TR TrA T-S Tt Ty UA Ui Uk VI YU Cw Dv Smt Mu Sr VI H-W Sur Ssx Ken Mt Ko Sof Ril Rg Rtc Mkl Trb Ti Kts Bn Ax DsA His Al Gh Pa Hf Gh Kas Shq Rwz Cc CY Ab** Bionomy: Larva on Cardamines pratensis, Alliaria petiolata, Arabis turrata, Lunaria annua, Biscutella mollis, Hesperis lacinata (Tolman, 1997).
- 20009. Anthocharis cardamines alexandra (Hemming,1933)** (Pieridae) Synonym(s): *orientalis* Röber,1907 (*hom.*); *alexandra* Hemming,1933. Original Reference: Euchloe cardamines alexandra Hemming,1933, Entomologist 66: 278 (nomen novum pro orientalis Röber,1907 *nec* Bremer,1864). Range (in code): **Ax KK T-S His Al KG Aa TrA Ku CN Ui**
- 20010. Anthocharis cardamines cardamines (Linnaeus,1758)** (Pieridae) Synonym(s): *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 Original Reference: Papilio cardamines Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Type(s):[Europe]. Range (in code): **AL AT Ba BE BG B-H Bs Bw BY CH Co CZ DE Dj DK EE ES Mu FI FR GB GR HU HV IE IT Kb KG Le LT LU LV MK Mn NL NO Or PL PT Pw RO Rp RU Sa SE Sem Si SK Sm Sms So Sp Sr SS Teb Tk TM To TR Tt Ty UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Ril Rg Rtc Mkl Trb**
- 20011. Anthocharis cardamines phoenissa Kalchberg,1895** (Pieridae) Synonym(s): *#turrilis* Ochsenheimer,1816; *phoenissa* Kalchberg,1895; *#umbrosa* Culot,1905; *ondrii* Kattulas & Koutsaftikis,1978. Original Reference: Anthocharis cardamines var. phoenissa Kalchberg,1895, Jb. Wien. ent. Ver. 5 (1894): 27-28. Syntypes: [Israel]: Haifa (in coll. NHMW). Range (in code): **He Cc AM Chi CY GR IL Pa Hf IQ Shq Rwz IR LB SY TR**
- 20012. Anthocharis cardamines progressa (Sovinsky,1905)** (Pieridae) Synonym(s): *progressa* Sovinsky,1905; *sajana* Röber,1907; *sibirica* Haanus,1920. Range (in code): **RU Sj Bn At**
- 20013. Anthocharis cardamines septentrionalis Wnukowsky,1927** (Pieridae) Synonym(s): *septentrionalis* Wnukowsky,1929 Original Reference: Anthocharis cardamines ssp. septentrionalis Wnukowsky,1927, Mitt. münch. ent. Ges. 17: 69. Syntypes ♂♂: [Russia]: Siberia septentrionalis-orientalis (Jakutsk). Range (in code): **RU**

- 20014. Anthocharis cardamines sheldoni (Hemming,1934)** (Pieridae) Synonym(s): *volgensis* Sheldon,1914 nec Krulikowsky,1901; *sheldoni* Hemming,1934. Original Reference: *Euchloe cardamines* var. *sheldoni* Hemming,1934, *Stylops* 3 (5): 98, nomen novum pro *Euchloe cardamine* var. *volgensis* Sheldon,1914 nec *Euchloe ausonia volgensis* Krulikowsky,1897. Range (in code): **RU UA Sr VI**
- 20015. Anthocharis cardamines thibetana Oberthür,1886** (Pieridae) Synonym(s): *thibetana* Oberthür,1886 Original Reference: *Anthocharis cardamines* var. *thibetana* Oberthür,1886, *Etüd. Ent.* 11: 16. Syntypes: Thibet: Ta-Tsien-Lou. Range (in code): **Ti CN**
- 20016. Anthocharis carolinae Back,[2006]** (Pieridae) Synonym(s): *carolinae* Back,[2006] Original Reference: *Anthocharis cardamines* ssp. *carolinae* Back,[2006], *Atalanta* 36 (3/4): 475-480, figs. Holotype ♂: North Iran: Mazandaran: Env. Dasht NP, 700m. Range (in code): **IR Elb Mz**
- 20017. Anthocharis cethura C.Felder & R.Felder,[1865]** (Pieridae) Synonym(s): *cethura* C.Felder & R.Felder,[1865] Range (in code): **US MX Arz Cf NMx Ne Tx Ut**
- 20018. Anthocharis cethura pima Edwards,1888** (Pieridae) Synonym(s): *pima* Edwards,1888 Range (in code): **US**
- 20019. Anthocharis damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836 Original Reference: *Anthocharis damone* Boisduval,1836, *Hist. nat. Ins. Sp. Gén. Lép.* 1: 564. Type(s): [Italia]: Sicile. Range (in code): **AL GR IT MK Si He GR IQ Ama Cc AM IR Ab Elb Th Es MK TR LB SY IL Pa Hf** Bionomy: Larva on *Isatis tinctoria* (Back, 1984,1985; Tolman,1997).
- 20020. Anthocharis damone damone Boisduval,1836** (Pieridae) Synonym(s): *damone* Boisduval,1836 Original Reference: *Anthocharis damone* Boisduval,1836, *Hist. nat. Ins. Sp. Gén. Lép.* 1: 564. Type(s): [Italia]: Sicile. Range (in code): **IT Si** Bionomy: Larva on *Isatis tinctoria* (Back, 1984,1985; Tolman,1997).
- 20021. Anthocharis damone eunomia (Freyer,[1851])** (Pieridae) Synonym(s): *eunomia* Freyer,[1851]; *pallida* Röber,[1907]; *syra* Verity,1911; *#flavoapicata* Sheljuzhko,1925; *hollaenderi* Seyer,1980; *steinelti* Seyer,1984; *fickleri* Seyer,1985; *karbalayei* Hofmann et al,2003. Original Reference: *Pontia eunomia* Freyer,[1851], *Neuere Beitr. Schmett.* 6: 149, Taf. 574 fig.3. Type(s): unknown perhaps Ergane/Maden. Range (in code): **AL He GR IQ Ama Cc AM IR Ab Elb Th Es MK TR LB SY IL Pa Hf**
- 20022. Anthocharis grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 Original Reference: *Anthocharis grüneri* Herrich-Schäffer,[1851], *Syst. Bearb. Schmett. Eur.* 6: 20; *ibid.* 1: pl.115, figs. 551-554 [uninominal]. Syntypes: ? Creta [Kleinasien]. Range (in code): **AM BG GR IL Js Pa IQ IR Ak Msw By Elb Th Lo LB MK SY TR Cc GG Bjo AZ Nv Ord** Bionomy: Larva on *Sisymbrium bilobum*, *Microthlaspi umbellatum*; *Aethionema saxatile*, *A. orbiculatum* (Effendi, 1984; Back, 1984,1985; Tolman,1997).
- 20023. Anthocharis grueneri armeniaca Christoph,1893** (Pieridae) Synonym(s): *armeniaca* Christoph,1893 Original Reference: *Anthocharis grueneri* var. *armeniaca* Christoph,1893, *Dt. ent. Z., Iris* 6: 86. Syntypes: Armeniae rossicae [Ajerbaidjan]: Ordubad. Range (in code): **Cc AM GG Bjo AZ Nv Ord IQ IR Ak Msw By Elb Th Lo TR** Bionomy: Larva on *Sisymbrium bilobum*, *Microthlaspi umbellatum* (Effendi, 1984; Back, 1984,1985).
- 20024. Anthocharis grueneri grueneri Herrich-Schäffer,[1851]** (Pieridae) Synonym(s): *grueneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 Original Reference: *Anthocharis grüneri* Herrich-Schäffer,[1851], *Syst. Bearb. Schmett. Eur.* 6: 20; *ibid.* 1: pl.115, figs. 551-554 [uninominal]. Syntypes: ? Creta [Kleinasien]. Range (in code): **He IL Js Pa LB SY TR**
- 20025. Anthocharis grueneri homogena Heyne,1895** (Pieridae) Synonym(s): *homogena* Heyne,1895 Range (in code): **TR**
- 20026. Anthocharis grueneri macedonica (Buresch,1921)** (Pieridae) Synonym(s): *macedonica* Buresch,1921 Original Reference: *Euchloe grueneri macedonica* Buresch,1921, *Z. bulg. Akad.* 1921: 162. Syntypes: Bulgaria: Chuma village, Negortzi. Range (in code): **BG MK GR** Bionomy: Larva on *Aethionema saxatile*, *A. orbiculatum* (Tolman,1997).
- 20027. Anthocharis grueneri parnassia Bernardi,1970** (Pieridae) Synonym(s): *parnassia* Bernardi,1970 Original Reference: *Anthocharis grüneri* ssp. *parnassia* Bernardi,1970, *Lambillionea* 70: 2-4, f.1. Holotype ♂: Greece: Parnass. Range (in code): **GR TR** Bionomy: Larva on *Aethionema saxatile*, *A. orbiculatum* (Tolman,1997).
- 20028. Anthocharis lanceolata Lucas,1852** (Pieridae) Synonym(s): *lanceolata* Lucas,1852 Range (in code): **US MX Cf Ne Org**

- 20029. Anthocharis midea (Hübner,[1809])** (Pieridae) **Synonym(s):** *midea* Hübner,[1809]
Range (in code): [US Aks Alb Cnt Dw Fl Ge Idp Iln Kan Knt Lou Mis Mrl Msc Mss NCa Neb Nje Ny Oh Ok Pns Sca Tnn Tx Vi WVi Wc](#)
- 20030. Anthocharis sara Lucas,1852** (Pieridae) **Synonym(s):** *sara* Lucas,1852 **Range (in code):** [US MX Arz Cf Col Id Mon NMx Ne Org SDk Tx Ut Ws Wy Als CA Yuk](#)
- 20031. Anthocharis sara sara Lucas,1852** (Pieridae) **Synonym(s):** *sara* Lucas,1852 **Range (in code):** [US](#)
- 20032. Anthocharis sara stella Edwards,1879** (Pieridae) **Synonym(s):** *stella* Edwards,1879
Range (in code): [CA Als Yuk US Cf Id Mon Ne Org SDk Ut Ws Wy](#)
- 20033. Anthocharis sara thoosa (Scudder,1878)** (Pieridae) **Synonym(s):** *thoosa* Scudder,1878
Range (in code): [US MX Arz Cf Col NMx Ne Tx Ut Wy](#)
- 20034. Aprissa boisduvalii (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *boisduvalii* C.Felder & R.Felder,1861; *butleri* Scudder,1875 **Range (in code):** [CO MX](#)
- 20035. Aprissa fluminensis (D'Almeida,1921)** (Pieridae) **Synonym(s):** *fluminensis* D'Almeida,1921; *etiolata* W.T.M.Forbes,1927; *palleola* J.Zikan,1940; *#discoflava* Bryk,1953 **Range (in code):** [MX BR PE](#)
- 20036. Aprissa godartiana (Swainson,1821)** (Pieridae) **Synonym(s):** *godartiana* Swainson,1821
Range (in code): [JM](#)
- 20037. Aprissa godartiana godartiana (Swainson,1821)** (Pieridae) **Synonym(s):** *godartiana* Swainson,1821
- 20038. Aprissa godartiana hartonia (Butler,1870)** (Pieridae) **Synonym(s):** *hartonia* Butler,1870 **Range (in code):** [JM](#)
- 20039. Aprissa neleis (Boisduval,1836)** (Pieridae) **Synonym(s):** *neleis* Boisduval,1836; *#poeyae* F.M.Brown,1931 **Range (in code):** [CU](#)
- 20040. Aprissa orbis (Poey,1832)** (Pieridae) **Synonym(s):** *orbis* Poey,1832 **Range (in code):** [CU HT](#)
- 20041. Aprissa orbis browni (Munroe,1947)** (Pieridae) **Synonym(s):** *browni* Munroe,1947
Range (in code): [HT](#)
- 20042. Aprissa orbis orbis (Poey,1832)** (Pieridae) **Synonym(s):** *orbis* Poey,1832 **Range (in code):** [CU](#)
- 20043. Aprissa schausi (Avinoff,1926)** (Pieridae) **Synonym(s):** *schausi* Avinoff,1926 **Range (in code):** [GT MX](#)
- 20044. Aprissa statira (Cramer,1777)** (Pieridae) **Synonym(s):** *statira* Cramer,1777; *alceone* Cramer,1777; *evadne* Godart,1819; *jada* Butler,1870; *inesa* Anken & Silva,1996 **Range (in code):** [BR HN AR GT SR CU US FI DO](#)
- 20045. Aprissa statira cubana D'Almeida,1939** (Pieridae) **Synonym(s):** *cubana* D'Almeida,1939
Range (in code): [CU](#)
- 20046. Aprissa statira floridensis (Neumoegen,1891)** (Pieridae) **Synonym(s):** *floridensis* Neumoegen,1891 **Range (in code):** [US FI](#)
- 20047. Aprissa statira hispaniolae (Munroe,1947)** (Pieridae) **Synonym(s):** *hispaniolae* Munroe,1947 **Range (in code):** [DO](#)
- 20048. Aprissa statira statira (Cramer,1777)** (Pieridae) **Synonym(s):** *statira* Cramer,1777; *alceone* Cramer,1777; *evadne* Godart,1819; *jada* Butler,1870; *inesa* Anken & Silva,1996 **Range (in code):** [BR HN AR GT SR](#)
- 20049. Aprissa wallacei (C.Felder & R.Felder,1862)** (Pieridae) **Synonym(s):** *wallacei* C.Felder & R.Felder,1862; *jaresia* Butler,1871; *isanthe* J.Zikan,1940 **Range (in code):** [PE BR](#)
- 20050. Aprissa wallacei ssp.n.** (Pieridae) **Synonym(s):** **Range (in code):** [PE](#)
- 20051. Aprissa wallacei wallacei (C.Felder & R.Felder,1862)** (Pieridae) **Synonym(s):** *wallacei* C.Felder & R.Felder,1862; *jaresia* Butler,1871; *isanthe* J.Zikan,1940 **Range (in code):** [BR](#)
- 20052. Aporia (Metaporia (Turanoporia)) leucodice (Eversmann,1843)** (Pieridae) **Synonym(s):** *leucodice* Eversmann,1843; *altensis* Heyne,1895; *morosevitshae* Sheljuzhko,1907. **Original Reference:** Pontia leucodice Eversmann,1843, Bull. Soc. Nat. Moscou 3: 541, pl.7 figs.2a,b. Syntypes: [Kasachstan]: Noor-Saisan, Tarbagatai. **Range (in code):** [AF Ax Bl Bog CN Dj DsA Fe Hk Hr IR Mz Go Elb Kh KG KK Ktm KuA Mn PK Ci Zi Sau Sem Sp Tar TeA Tk TrA T-S Ui Ku Tu Um Adu Z-G](#) **Bionomy:** Berberis sp. (Tusov, 1997).
- 20053. Aporia (Metaporia (Turanoporia)) leucodice aryana (Wyatt & Omoto,1966)** (Pieridae) **Synonym(s):** *aryana* Wyatt & Omoto,1966 **Original Reference:** Metaporia leucodice ssp.

- aryana Wyatt & Omoto, 1966, Entomops 5: 149-150, figs. Holotype ♂: Afghanistan: Hindu Kush, Parian, Panjshir valley, 2500. Range (in code): **AF Bm Hk Kbb**
- 20054. Aporia (Metaporia (Turanoporia)) leucodice balucha Marschall, 1882** (Pieridae) Synonym(s): *balucha* Marschall, 1882 Original Reference: Aporia balucha Marschall, 1882, Proc. zool. Soc. Lond. 1882: 760-761. Syntypes: [Pakistan]: Baluchistan: Ziarut Pass. Range (in code): **Bl PK Zi Ci**
- 20055. Aporia (Metaporia (Turanoporia)) leucodice illumina (Groum-Grshimailo, 1890)** (Pieridae) Synonym(s): *illumina* Groum-Grshimailo, 1890 Original Reference: Pieris leucodice var. illumina Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 227-228. Syntypes: [Tadjikistan]: Alai Mt. Balakty. Range (in code): **IR Mz Go Elb Kh KK TeA T-S TJ Al**
- 20056. Aporia (Metaporia (Turanoporia)) leucodice leucodice (Eversmann, 1843)** (Pieridae) Synonym(s): *leucodice* Eversmann, 1843; *altensis* Heyne, 1895; *morosevitshae* Sheljuzhko, 1907. Original Reference: Pontia leucodice Eversmann, 1843, Bull. Soc. Nat. Moscou 3: 541, pl. 7 figs. 2a, b. Syntypes: [Kasachstan]: Noor-Saisan, Tarbagatai. Range (in code): **Aa AF Ax Bog CN Dj DsA Fe Hr KG KK Ktm Ku KuA Mn Sau Sem Sp Tar Tk TrA T-S Tu Ui Adu Um Z-G**
- 20057. Aporia (Metaporia (Turanoporia)) leucodice sara Evans, 1932** (Pieridae) Synonym(s): *sara* Evans, 1932 Original Reference: Aporia leucodice sara Evans, 1932, Identification of Indian Butterflies (2): 68. Type: [India]: Kumaon. Range (in code): **IN Kma**
- 20058. Aporia (Metaporia (s.str.)) agathon (Gray, 1831)** (Pieridae) Synonym(s): *agathon* Gray, 1831 Original Reference: Papilio agathon Gray, 1831, Zool. Misc. 1831: 33. Type(s): Nepal. Range (in code): **Ch IN Ass Slo NP MM TH Ubo**
- 20059. Aporia (Metaporia (s.str.)) agathon agathon (Gray, 1831)** (Pieridae) Synonym(s): *agathon* Gray, 1831 Original Reference: Papilio agathon Gray, 1831, Zool. Misc. 1831: 33. Type(s): Nepal. Range (in code): **Ch IN Ass Slo NP MM TH Ubo**
- 20060. Aporia (Metaporia (s.str.)) agathon phryxe (Boisduval, 1836)** (Pieridae) Synonym(s): *phryxe* Boisduval, 1836 Original Reference: Pieris phryxe Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 446, nr. 12. Lectotype ♀: "Cachemire", designated by Talbot, 1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH). Range (in code): **Ch**
- 20061. Aporia (Metaporia (s.str.)) nabellica (Boisduval, 1836)** (Pieridae) Synonym(s): *nabellica* Boisduval, 1836 Original Reference: Pieris nabellica Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 509, nr. 104. Type(s): Himalaya. Lectotype ♂: "Jacquemont, Cachemyre", designated by Talbot, 1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH). Range (in code): **Ld PK Nwf Ci Kma IN Ch**
- 20062. Aporia (Metaporia (s.str.)) nabellica hesba Evans, 1912** (Pieridae) Synonym(s): *hesba* Evans, 1912 Original Reference: Aporia nabellica hesba Evans, 1912, J. Bombay nat. Hist. Soc. 21: 559 [nomen nudum]; 976. Type: [Pakistan]: Chitral. Range (in code): **PK Nwf Ci**
- 20063. Aporia (Metaporia (s.str.)) nabellica nabellica (Boisduval, 1836)** (Pieridae) Synonym(s): *nabellica* Boisduval, 1836 Original Reference: Pieris nabellica Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Léop. 1: 509, nr. 104. Type(s): Himalaya. Lectotype ♂: "Jacquemont, Cachemyre", designated by Talbot, 1943, Ann. Mag. nat. Hist. (11) 10: 137 (BMNH). Range (in code): **Ld Ch IN Kma**
- 20064. Aporia (Metaporia (s.str.)) procris Leech, 1890** (Pieridae) Synonym(s): *procris* Leech, 1890; *halisca* Oberthür, 1891. Original Reference: Aporia procris Leech, 1890, Entomologist 23: 191. Syntypes: China: Tatsienlou. Range (in code): **CN Sz Ui**
- 20065. Aporia (Metaporia (s.str.)) procris procris Leech, 1890** (Pieridae) Synonym(s): *procris* Leech, 1890; *halisca* Oberthür, 1891. Original Reference: Aporia procris Leech, 1890, Entomologist 23: 191. Syntypes: China: Tatsienlou. Range (in code): **CN Sz Ui**
- 20066. Aporia (Metaporia (s.str.)) procris sinensis (O. Bang-Haas, 1927)** (Pieridae) Synonym(s): *sinensis* O. Bang-Haas, 1927 Original Reference: Metaporia procris ssp. sinensis O. Bang-Haas, 1927, Horae Macrolepidopt. 1: 108. Syntypes 3♂: [China]: Kansu, Hsining, Nanschan mont., Tatung, Nadelholzzone. Range (in code): **CN Gn Nsh**
- 20067. Aporia (Metaporia) soracta Moore, 1857** (Pieridae) Synonym(s): *soracta* Moore, 1857; *denigrata* Fruhstorfer, 1910. Original Reference: Aporia soracta Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 83. Type(s): N.W. India. Range (in code): **Ch IN Mus Pj Up**
- 20068. Aporia (Metaporia) soracta soracta Moore, 1857** (Pieridae) Synonym(s): *soracta* Moore, 1857; *denigrata* Fruhstorfer, 1910. Original Reference: Aporia soracta Moore, 1857, [in]

- Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 83. Type(s): N.W. India. Range (in code): Ch IN Mus Pj Up
- 20069. *Aporia* (s.str.) *crataegi* (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. Original Reference: Papilio *crataegi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe]. Range (in code): Ae AF AL AM Ao At AT AZ Ba BE BG B-H Bs BY Cb CH CN CY CZ DE DK DZ EE ES FI FR GG Gn GR HU HV IL IQ IR IT JP Kg KG KK KP Kr Krl LB LT LU LV MA MK MN NL No NO Om Or PL Pm PT Rd RO RU Sb SE Si Sj SK Sm So Sr SS SY Sz Ti TJ TM To TR Ts Tt UA Ui Uk VI Tm T-S Aq Ax Bog Dg DsA DsA Ka Kt Ktm KuA Kw Mn Pp Pw Rk Sp Syr Tar TeA Tk TrA Ze Mt Ko Sjn Sof Ril Slv Rtc Rg Vrn Beo JO Ktn Bn Kp Kh Ab Ak Kz Fa Ke Lo Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Cc Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio Seg San Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Yz TN Kml Bc Mz Kh Blid Btina Tni Tis Sbd Orn Azr Hr BLM Bionomy: Larva on Prunus spinosa, P. domestica, P. avium, P. persica, P. armeniaca, P. amygdalus, P. mahaleb, P. padus, Crataegus monogyna, C. pycnoloba, C. laciniata, C. sanguinea, Pyrus communis, Malus domestica, Sorbus aucuparia (Anikin,1993; Tolman,1997).
- 20070. *Aporia* (s.str.) *crataegi adherbal* Fruhstorfer,1910** (Pieridae) Synonym(s): *adherbal* Fruhstorfer,1910 Original Reference: *Aporia crataegi* ssp. *adherbal* Fruhstorfer,1910, Societ. Ent. 25: 50. Syntypes: Nord-Japan: Yesso, Sapporo. Range (in code): JP
- 20071. *Aporia* (s.str.) *crataegi atomosa* (Verity,1907)** (Pieridae) Synonym(s): *atomosa* Verity,1907 Original Reference: *Pieris crataegi* race *atomosa* Verity,1907, Rhopalocera Palaearctica: 120. Syntypes: [China: Szechuan]: Ta-Tsien-Lou. Range (in code): CN Sz T-T
- 20072. *Aporia* (s.str.) *crataegi augusta* Turati,1905** (Pieridae) Synonym(s): *augusta* Turati,1905 Range (in code): Si
- 20073. *Aporia* (s.str.) *crataegi augustior* Graves,1925** (Pieridae) Synonym(s): *meridionalis* Verity,1911 nec Heyne,1895; *augustior* Graves,1925. Original Reference: *Aporia crataegi* ssp. *augustior* Graves,1925, Trans. ent. Soc. Lond. 1925: 74, pl.5 fig.10. Syntypes 14♂: Transjordan: Es Salt and vicinity of Amman (on the Bir Ayub Road and in the Jubaiha region) (BMNH). Range (in code): CY He IL JO LB SY
- 20074. *Aporia* (s.str.) *crataegi bazania* Fruhstorfer,1910** (Pieridae) Synonym(s): *bazania* Fruhstorfer,1910 Range (in code): FR
- 20075. *Aporia* (s.str.) *crataegi colona* Krulikowsky,1909** (Pieridae) Synonym(s): *colona* Krulikowsky,1909 Original Reference: *Aporia crataegi colona* Krulikowsky,1909, Revue russk. Ent. 9: 293. Range (in code): RU Sr Ur Vj
- 20076. *Aporia* (s.str.) *crataegi crataegi* (Linnaeus,1758)** (Pieridae) Synonym(s): *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. Original Reference: Papilio *crataegi* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 467. Type(s): [Europe]. Range (in code): SE FI NO DK
- 20077. *Aporia* (s.str.) *crataegi diluta* (Verity,[1911])** (Pieridae) Synonym(s): *diluta* Verity,[1911] Range (in code): CN
- 20078. *Aporia* (s.str.) *crataegi fert* Turati & Fiori,1930** (Pieridae) Synonym(s): *fert* Turati & Fiori,1930 Range (in code): Rd GR
- 20079. *Aporia* (s.str.) *crataegi hyalina* Röber,1907** (Pieridae) Synonym(s): *hyalina* Röber,1907 Range (in code): Cc TR GR MK
- 20080. *Aporia* (s.str.) *crataegi iranica* Forster,1939** (Pieridae) Synonym(s): *iranica* Forster,1939 Original Reference: *Aporia crataegi* ssp. *iranica* Forster,1939, Lepidopteren aus Iran: 1-2. Holotype ♂: Iran: Elburs, Abbasabad (ZMUK). Range (in code): IR Elb Mz Kp TM Kh Ab Ak TR
- 20081. *Aporia* (s.str.) *crataegi karavaievi* Krulikowsky,1926** (Pieridae) Synonym(s): *karavaievi* Krulikowsky,1926 Range (in code): Cc AM GG AZ
- 20082. *Aporia* (s.str.) *crataegi mauretanica* (Oberthür,1909)** (Pieridae) Synonym(s): *mauretanica* Oberthür,1909 Range (in code): DZ Blid Btina Tni Tis Orn Sbd MA Azr TN
- 20083. *Aporia* (s.str.) *crataegi pazukii* Gross & Ebert,1975** (Pieridae) Synonym(s): *pazukii* Gross & Ebert,1975 Original Reference: *Aporia crataegi* ssp. *pazukii* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 8-9, fig. 3. Holotype ♂: Iran: Khusestan: Sisakht, 2250m (LNK). Range (in code): IR Kz Fa Ke Lo Ab Bionomy: Larva on Prunus, Amygdalus (Wiltshire,1943).
- 20084. *Aporia* (s.str.) *crataegi pellucida* Röber,[1907]** (Pieridae) Synonym(s): *pellucida* Röber,[1907] Original Reference: *Aporia crataegi pellucida* Röber,[1907], [in] Seitz, Die Gross-Schmett. Erde 1: 40. Type: [Turkmenistan]: [Kopet Dagh]: "Aidere" (Nekrutenko, in litt., Hesselbarth, et al.,1995: 381). Range (in code): Kp TM IR Kh

- 20085. *Aporia* (s.str.) *crataegi pseudohippia* (Verity,[1911])** (Pieridae) Synonym(s): *pseudohippia* Verity,[1911] Original Reference: *Pieris crataegi* race *pseudohippia* Verity,[1911], *Rhopalocera Palaeartica*: 325. Syntypes: [China]: Tibet. Range (in code): **CN Ti**
- 20086. *Aporia* (s.str.) *crataegi rhodinea* Hofmann & Eckweiler,2001** (Pieridae) Synonym(s): *rhodinea* Hofmann & Eckweiler,2001 Original Reference: *Aporia crataegi* ssp. *rhodinea* Hofmann & Eckweiler,2001, *Nachr. ent. Ver. Apollo* (N.F.) 22 (3): 137-140, Abb.1-4. Holotype ♂: Iran: Yazd: Shir Kuh, Deh Bala 2200-2500m 10.v.2001 (leg. Eckweiler) (SMF). Range (in code): **IR Yz**
- 20087. *Aporia* (s.str.) *crataegi rotunda* Eitschberger,1971** (Pieridae) Synonym(s): *rotunda* Eitschberger,1971 Range (in code): **IT**
- 20088. *Aporia* (s.str.) *crataegi rutae* Bryk,1940** (Pieridae) Synonym(s): *minor* Verity,1908; *rutae* Bryk,1940 Range (in code): **ES Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm**
- 20089. *Aporia* (s.str.) *crataegi sajana* (Verity,1911)** (Pieridae) Synonym(s): *sajana* Verity,1911 Original Reference: *Pieris crataegi sajana* Verity,[1911], *Rhopalocera Palaeartica*: 324, Pl.72 figs.18,19. Syntypes 2♂ 2♀: [Russia]: Sajan: Tonkoun. Range (in code): **CN Gn MN RU Sj Ts**
- 20090. *Aporia* (s.str.) *crataegi sheljuzhko* Bryk,1912** (Pieridae) Synonym(s): *sheljuzhko* Bryk,1912 Range (in code): **TM**
- 20091. *Aporia* (s.str.) *crataegi shungana* Sheljuzhko,1925** (Pieridae) Synonym(s): *shungana* Sheljuzhko,1925 Original Reference: *Aporia crataegi* ssp. *shungana* Sheljuzhko,1925, *Mitt. münch. ent. Ges.* 15: 96-97. Syntypes 13♂ 2♀: [Tadjikistan]: Prov. Shugnan: Chorog. Range (in code): **Pm TJ**
- 20092. *Aporia* (s.str.) *crataegi takamukana* Matsumura,1929** (Pieridae) Synonym(s): *takamukana* Matsumura,1929 Original Reference: *Aporia crataegi takamukana* Matsumura,1929, *Insecta Matsumurana* 3: 152. Type ♂: Korea: Motojondo. Range (in code): **KP**
- 20093. *Aporia* (s.str.) *crataegi tianschanica* [Rühl,1893]** (Pieridae) Synonym(s): *tianschanica* [Rühl,1893]; *naryna* Sheljuzhko,1910; *centralasiae* Verity,[1911]. Original Reference: *Aporia hippia* var. *tianschanica* "Grum." [Rühl,1893], *Palaearkt. Grossschmett. Naturg.* I: 117-118. Syntypes: "Tianschan". Neotype ♀: Kazakhstan: Alexander Mts. Merke 15km S., 1100m. 17 07 1999 M.Kemal & A.Koçak leg. (in coll. Cesa). Range (in code): **T-S Aa Ax Bog CN Db DsA KG KK Ktm Ku Kml KuA Na Syr TeA Tk TrA Ui UZ Tm Bc**
- 20094. *Aporia* (s.str.) *crataegi transitoria* Lempke,1974** (Pieridae) Synonym(s): *transiens* Lempke,1953 nec Alpheraky; *transitoria* Lempke,1974 Range (in code): **Bw DE NL Rp**
- 20095. *Aporia* (s.str.) *crataegi ussurica* Kardakoff,1928** (Pieridae) Synonym(s): *ussurica* Kardakoff,1928 Range (in code): **RU Vv**
- 20096. *Aporia* (s.str.) *crataegi zabulensis* De Freina,1974** (Pieridae) Synonym(s): *zabulensis* De Freina,1974 Original Reference: *Aporia crataegi* ssp. *zabulensis* De Freina,1974, *Ent. Z., Frankf. a. M.* 84 (24): 266-268, Abb.1. Holotypus ♂: Afghanistan: Prov. Zabul, Jaldak (=Jaldok), 1200m. (in coll. de Freina). Range (in code): **AF**
- 20097. *Aporia* (s.str.) *hippia* Bremer,1861** (Pieridae) Synonym(s): *hippia* Bremer,1861; *crataegioides* Lucas,1865. Original Reference: *Aporia hippia* Bremer,1861, *Bull. Acad. Imp. Sci. St.-Petersb.* 3: 464. Syntypes: Russia: [Between Zeya River abd the Bureinsky Mts., Amur Region]: "von der Dzeja bis zum Bureja-Gebirge". Range (in code): **Amd CN Gn Nsh RU Sb Ts Ui Ln MN KP JP Am Prj Us Vv Bry Ask**
- 20098. *Aporia* (s.str.) *hippia hippia* Bremer,1861** (Pieridae) Synonym(s): *hippia* Bremer,1861; *crataegioides* Lucas,1865. Original Reference: *Aporia hippia* Bremer,1861, *Bull. Acad. Imp. Sci. St.-Petersb.* 3: 464. Syntypes: Russia: [Between Zeya River abd the Bureinsky Mts., Amur Region]: "von der Dzeja bis zum Bureja-Gebirge". Range (in code): **RU Sb Am Prj Us Vv Ask**
- 20099. *Aporia* (s.str.) *hippia kreitneri* Frivaldsky,1886** (Pieridae) Synonym(s): *kreitneri* Frivaldsky,1886 Range (in code): **Amd CN Ts Ui Ln**
- 20100. *Aporia* (s.str.) *hippia occidentalis* O.Bang-Haas,1927** (Pieridae) Synonym(s): *occidentalis* O.Bang-Haas,1927 Original Reference: *Aporia hippia* ssp. *occidentalis* O.Bang-Haas,1927, *Horae Macrolepid.* 1: 107. Syntypes 3♂: [Russia]: Transbaical mer.occ.: Borochojewa, Malchan mont., 800m. Range (in code): **RU Bry**
- 20101. *Aporia* (s.str.) *hippia thibetana* Groum-Grshimailo,1893** (Pieridae) Synonym(s): *thibetana* Groum-Grshimailo,1893. Original Reference: *Aporia hippia* var. *thibetana* Groum-

- Grshimailo, 1893, Horae Soc. ent. ross. 27: 127. Syntypes: [China]: Amdo. Range (in code): Amd CN Gn Nsh Ts
- 20102. Aporia (s.str.) intercostata O.Bang-Haas, 1927** (Pieridae) Synonym(s): *intercostata* O.Bang-Haas, 1927 Original Reference: Aporia intercostata O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 39, t.5 figs. 19, 20. Syntypes 4♂ 3♀: China sept.: Kansu, Lan-tschou. Range (in code): CN Gn Lc
- 20103. Aporia (s.str.) intercostata infernalis O.Bang-Haas, 1927** (Pieridae) Synonym(s): *infernalis* O.Bang-Haas, 1927 Original Reference: Aporia potanini ssp. infernalis O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 107. Syntypes 6♂: [China]: Kansu or., Tsin-ling schan mont., Hweisi. Range (in code): CN Gn
- 20104. Aporia (s.str.) intercostata intercostata O.Bang-Haas, 1927** (Pieridae) Synonym(s): *intercostata* O.Bang-Haas, 1927 Original Reference: Aporia intercostata O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 39, t.5 figs. 19, 20. Syntypes 4♂ 3♀: China sept.: Kansu, Lan-tschou. Range (in code): CN Gn Lc
- 20105. Aporia (s.str.) potanini (Alpheraky, 1892)** (Pieridae) Synonym(s): *potanini* Alpheraky, 1892; *alpherakyi* Verity, 1907. Original Reference: Aporia potanini Alpheraky, 1892, [in] Romanoff, Mém. lepid. 6: 1. Range (in code): CN Gn Sz
- 20106. Aporia (s.str.) potanini potanini (Alpheraky, 1889)** (Pieridae) Synonym(s): *potanini* Alpheraky, 1892; *alpherakyi* Verity, 1907. Original Reference: Aporia potanini Alpheraky, 1892, [in] Romanoff, Mém. lepid. 6: 1. Range (in code): CN Sz
- 20107. Appias (Catophaga) albina (Boisduval, 1836)** (Pieridae) Synonym(s): *albina* Boisduval, 1836 Original Reference: Pieris albina Boisduval, 1836, Spec. Gen. 1: 480. Type(s): Amboina. Range (in code): NC NH NP IN PG Wau PH Bal Bon Pal Sga Stu Taw Mno Pal Bab Boh Ceb Dum Gui Luz Mar Mdo Neg ID Amb Tim Mlc Bia Bru Aru Kai AU QAU PG Dwn TH Cbi Chy Cbu Khn Nan Nna Nrt Nst Ths Nth Pkk Sat Yal CMA Dst Qs Cuo Cuo7 Knc Loe Nth Pht Sbu Tng Sgk Hya Tnc VN Ton Tda CN Hn LK SI Ass MM VN Ton Ann Nk Adm
- 20108. Appias (Catophaga) albina albina (Boisduval, 1836)** (Pieridae) Synonym(s): *albina* Boisduval, 1836 Original Reference: Pieris albina Boisduval, 1836, Spec. Gen. 1: 480. Type(s): Amboina. Range (in code): PH Bal Bon Pal Sga Stu Taw ID Amb Tim Mlc Bru Aru Kai AU QAU PG Dwn
- 20109. Appias (Catophaga) albina darada (C.Felder & R.Felder, 1865)** (Pieridae) Synonym(s): *darada* C.Felder & R.Felder, 1865 Range (in code): TH Cbi Chy Cbu Khn Nan Nna Nrt Nst Ths Nth Pkk Sat Yal CMA Dst Qs Cuo Cuo7 Knc Loe Nth Pht Sbu Tng Sgk Hya Tnc CN Hn IN SI Ass MM VN Ton Ann Nk Adm
- 20110. Appias (Catophaga) albina pancheia Fruhstorfer, 1910** (Pieridae) Synonym(s): *pancheia* Fruhstorfer, 1910 Range (in code): PH Mno Pal
- 20111. Appias (Catophaga) albina psyche (C.Felder & R.Felder, 1862)** (Pieridae) Synonym(s): *psyche* C.Felder & R.Felder, 1862; *caledonica* C.Felder & R.Felder, 1865 Range (in code): NC
- 20112. Appias (Catophaga) albina pulverobasalis (Joicey & Noakes, 1916)** (Pieridae) Synonym(s): *pulverobasalis* Joicey & Noakes, 1916 Range (in code): ID Bia
- 20113. Appias (Catophaga) albina semperi Moore, 1905** (Pieridae) Synonym(s): *semperi* Moore, 1905 Range (in code): PH Bab Boh Ceb Dum Gui Luz Mar Mdo Neg
- 20114. Appias (Catophaga) albina wallacei Butler, 1898** (Pieridae) Synonym(s): *wallacei* Butler, 1898 Range (in code): NH
- 20115. Appias (Catophaga) celestina (Boisduval, 1832)** (Pieridae) Synonym(s): *celestina* Boisduval, 1832 Range (in code): AU PG Wau
- 20116. Appias (Catophaga) lyncida (Cramer, 1777)** (Pieridae) Synonym(s): *lyncida* Cramer, 1777 Range (in code): NP IN Ass Slo LK PH Sga Taw Gui Neg Pan Rom Sib Cuy Dum Luz Mar Mdo Mno Bal Cal Pal TH Cbi Cbu Cph CMA Dst Qs CDo CD2 Cuo Cuo6 Cu12 Knc Nna Nth Chy Nan Loe Nrt Uth Nst Ths Bnk Srt Sat Ntt Rng Sgk Tng VN Ton Tda
- 20117. Appias (Catophaga) lyncida andrea Eschscholtz, 1821** (Pieridae) Synonym(s): *andrea* Eschscholtz, 1821 Range (in code): PH Luz Mar Mdo Mno
- 20118. Appias (Catophaga) lyncida eleonora (Boisduval, 1836)** (Pieridae) Synonym(s): *eleonora* Boisduval, 1836 Range (in code): TH Cbi Cbu Cph CMA Dst Qs CDo CD2 Cuo Cuo6 Cu12 Knc Nna Nth Chy Nan Loe Nrt Uth
- 20119. Appias (Catophaga) lyncida enaretina Fruhstorfer, 1900** (Pieridae) Synonym(s): *enaretina* Fruhstorfer, 1900 Range (in code): PH Bal Cal Pal
- 20120. Appias (Catophaga) lyncida lepidana Fruhstorfer, 1910** (Pieridae) Synonym(s): *lepidana* Fruhstorfer, 1910 Range (in code): PH Gui Neg Pan Rom Sib

- 20121. Appias (Catophaga) lyncida maccina Fruhstorfer,1911** (Pieridae) Synonym(s): *maccina Fruhstorfer,1911* _ Range (in code): PH Cuy Dum
- 20122. Appias (Catophaga) lyncida subenarete Schröder & Treadaway,1989** (Pieridae) Synonym(s): *subenarete Schröder & Treadaway,1989* _ Range (in code): PH Sga Taw
- 20123. Appias (Catophaga) lyncida vasava Fruhstorfer,1910** (Pieridae) Synonym(s): *vasava Fruhstorfer,1910* _ Range (in code): TH Bnk Nst Ths Srt Sat Ntt Rng Sgk Tng
- 20124. Appias (Catophaga) paulina (Cramer,[1777])** (Pieridae) Synonym(s): *paulina Cramer,[1777]; ega Boisduval,1836; #capparidis Swainson,1851* _ Range (in code): AU NAu KY PG Wau PH Mdo Cal Pal Din Hom Ley Luz Mar Mno Neg Pao Sam Bal Bas Bon Sga Stu Taw ID Wt Tim Mic Bia Ij Bru Bch Ob TH Bnk Nst Ths
- 20125. Appias (Catophaga) paulina adamsoni Moore,1906** (Pieridae) Synonym(s): *adamsoni Moore,1906* _ Range (in code): TH Bnk
- 20126. Appias (Catophaga) paulina agave (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *agave C.Felder & R.Felder,1862* _ Original Reference: Pieris agave Felder & Felder, 1862, Wien. ent. Monatschr. 6: 286. Range (in code): PH Din Hom Ley Luz Mar Mno Neg Pao Sam
- 20127. Appias (Catophaga) paulina athena Fruhstorfer,1902** (Pieridae) Synonym(s): *athena Fruhstorfer,1902* _ Range (in code): PH Bon Sga Stu Taw
- 20128. Appias (Catophaga) paulina cynisca Wallace,1867** (Pieridae) Synonym(s): *cynisca Wallace,1867; antomae Fruhstorfer* _ Range (in code): ID Bru
- 20129. Appias (Catophaga) paulina distanti Moore,1905** (Pieridae) Synonym(s): *distanti Moore,1905* _ Range (in code): TH Nst Ths
- 20130. Appias (Catophaga) paulina eurosundana Grose-Smith,1895** (Pieridae) Synonym(s): *eurosundana Grose-Smith,1895* _ Range (in code): ID Tim
- 20131. Appias (Catophaga) paulina falcidia Joicey & Noakes,1916** (Pieridae) Synonym(s): *falcidia Joicey & Noakes,1916* _ Range (in code): ID Bia
- 20132. Appias (Catophaga) paulina nikomedeia Fruhstorfer,1910** (Pieridae) Synonym(s): *nikomedeia Fruhstorfer,1910* _ Range (in code): PH Bas
- 20133. Appias (Catophaga) paulina paula Röber,1892** (Pieridae) Synonym(s): *paula Röber,1892* _ Range (in code): ID Wt
- 20134. Appias (Catophaga) paulina plaethoria Fruhstorfer,1910** (Pieridae) Synonym(s): *plaethoria Fruhstorfer,1910* _ Range (in code): PH Bal
- 20135. Appias (Catophaga) paulina saina Grose-Smith,1894** (Pieridae) Synonym(s): *saina Grose-Smith,1894* _ Range (in code): ID Ij PG
- 20136. Appias (Catophaga) paulina sithonia Fruhstorfer,1911** (Pieridae) Synonym(s): *sithonia Fruhstorfer,1911* _ Range (in code): PH Mdo
- 20137. Appias (Catophaga) paulina terentilia Fruhstorfer,1910** (Pieridae) Synonym(s): *terentilia Fruhstorfer,1910* _ Range (in code): PH Cal Pal
- 20138. Appias (Catophaga) paulina zoe (Vollenhoven,1865)** (Pieridae) Synonym(s): *zoe Vollenhoven,1865* _ Range (in code): ID Mlc Ob Bch
- 20139. Appias (Glutophrissa) drusilla (Cramer,[1777])** (Pieridae) Synonym(s): *drusilla Cramer,[1777]* _ Range (in code): US MX Aks Arz Col Fl Kan NMx Neb Ny Ok Tx
- 20140. Appias (Glutophrissa) epaphia (Cramer,[1779])** (Pieridae) Synonym(s): *epaphia Cramer,[1779]; saba Fabricius,1781; hypatia Drury,1782; higinia Godart,1819; matuta Doubleday,1847; limbophora Strand,1913; epaphiopsis Gaede,1916* _ Range (in code): MG SL GO Bio CM ZR SN UG KE ET KM ZA Tra Spb Mdk Nta Kzu Dbn Umk Gau Pre Eur MW Zom
- 20141. Appias (Glutophrissa) epaphia contracta (Butler,1888)** (Pieridae) Synonym(s): *contracta Butler,1888; mahoboides Holland,1896; eurynome Stoneham,1957* _ Range (in code): KE UG KM ZA Tra Spb Mdk Nta Kzu Dbn Umk Gau Pre Tva Eur
- 20142. Appias (Glutophrissa) epaphia epaphia (Cramer,[1779])** (Pieridae) Synonym(s): *epaphia Cramer,[1779]; saba Fabricius,1781; hypatia Drury,1782; higinia Godart,1819; matuta Doubleday,1847; limbophora Strand,1913; epaphiopsis Gaede,1916* _ Range (in code): SL GO Bio CM ZR SN UG
- 20143. Appias (Glutophrissa) epaphia orbona (Boisduval,1833)** (Pieridae) Synonym(s): *orbona Boisduval,1833; malatha Boisduval,1833; albida Mabille,[1887]; flava Mabille,[1887]* _ Range (in code): MG
- 20144. Appias (Glutophrissa) lasti (Grose-Smith,1889)** (Pieridae) Synonym(s): *lasti Grose-Smith,1889* _ Range (in code): ZA Nta Kzu KE Mb TZ Tnga Usa Ani MZ
- 20145. Appias (Glutophrissa) lasti lasti (Grose-Smith,1889)** (Pieridae) Synonym(s): *lasti Grose-Smith,1889* _ Range (in code): KE Mb TZ Tnga Usa Ani MZ

- 20146. Appias (Glutophrissa) lasti natalensis Neustetter,1927** (Pieridae) **Synonym(s):** *natalensis* Neustetter,1927 **Range (in code):** **ZA Nta Kzu**
- 20147. Appias (Glutophrissa) perlucens (Butler,1898)** (Pieridae) **Synonym(s):** *perlucens* Butler,1898 **Range (in code):** **GN AO ZR SN**
- 20148. Appias (Glutophrissa) perlucens perlucens (Butler,1898)** (Pieridae) **Synonym(s):** *perlucens* Butler,1898 **Range (in code):** **GN AO ZR SN**
- 20149. Appias (Glutophrissa) phaola (Doubleday,1847)** (Pieridae) **Synonym(s):** *phaola* Doubleday,1847; *rhodanus* Ward,1871 **Range (in code):** **ZR KE Mb TZ GO Bio CM TG LR**
- 20150. Appias (Glutophrissa) phaola intermedia (Dufrane,1948)** (Pieridae) **Synonym(s):** *intermedia* Dufrane,1948 **Range (in code):** **ZR TZ**
- 20151. Appias (Glutophrissa) phaola isokani (Grose-Smith,1889)** (Pieridae) **Synonym(s):** *isokani* Grose-Smith,1889 **Range (in code):** **KE Mb TZ**
- 20152. Appias (Glutophrissa) phaola phaola (Doubleday,1847)** (Pieridae) **Synonym(s):** *phaola* Doubleday,1847; *rhodanus* Ward,1871 **Range (in code):** **GO Bio CM TG LR**
- 20153. Appias (Glutophrissa) sabina (C.Felder & R.Felder,[1865])** (Pieridae) **Synonym(s):** *sabina* C.Felder & R.Felder,[1865]; *latimarginata* Gaede,1916; *defecta* Gaede,1916 **Range (in code):** **MG KM KE Nai Mb TZ Dss Tnga Usa Ani MW ZW ZA Tva Lpo Mal Wo MZ GN CM AO SL NG SD ET UG GO Bio ZR**
- 20154. Appias (Glutophrissa) sabina comorensis Talbot,1943** (Pieridae) **Synonym(s):** *comorensis* Talbot,1943 **Range (in code):** **KM**
- 20155. Appias (Glutophrissa) sabina confusa (Butler,1872)** (Pieridae) **Synonym(s):** *confusa* Butler,1872; *coniata* Butler,1879; *hecyras* Mabille,1880; *majungana* Grose-Smith,1891 **Range (in code):** **MG**
- 20156. Appias (Glutophrissa) sabina dubia Aurivillius,1899** (Pieridae) **Synonym(s):** *dubia* Aurivillius,1899; *phoebe* Butler,1901 *nec* Feld. & Feld.,1861; *weberi* Suffert,1904; *udei* Suffert,1904; *haendeli* Suffert,1904. **Original Reference:** Appias isokani var. dubia Aurivillius,1899, K. svensk. Vetensk. Handl. 31 (5): 399. Syntypes: Kenya: Mombasa. **Range (in code):** **KE Nai Mb TZ Dss Tnga Usa Ani MW ZW ZA Tva Lpo Mal Wo MZ**
- 20157. Appias (Glutophrissa) sabina sabina (C.Felder & R.Felder,[1865])** (Pieridae) **Synonym(s):** *sabina* C.Felder & R.Felder,[1865]; *latimarginata* Gaede,1916; *defecta* Gaede,1916 **Range (in code):** **GN CM AO SL NG SD ET UG GO Bio ZR**
- 20158. Appias (Glutophrissa) sylvia (Fabricius,1775)** (Pieridae) **Synonym(s):** *sylvia* Fabricius,1775; *rhodanus* Ward,1871; *#bachis* Suffert,1904; *tenuifascia* Neustetter,1926 **Range (in code):** **ET SD SL CM NG GO Bio MW ZR KE ZR NA ZM TZ UG KE**
- 20159. Appias (Glutophrissa) sylvia abyssinica Talbot,1932** (Pieridae) **Synonym(s):** *abyssinica* Talbot,1932 **Range (in code):** **ET**
- 20160. Appias (Glutophrissa) sylvia nyasana (Butler,1897)** (Pieridae) **Synonym(s):** *nyasana* Butler,1897 **Range (in code):** **MW ZR KE ZR NA ZM TZ UG KE**
- 20161. Appias (Glutophrissa) sylvia sudanensis Talbot,1932** (Pieridae) **Synonym(s):** *sudanensis* Talbot,1932 **Range (in code):** **SD**
- 20162. Appias (Glutophrissa) sylvia sylvia (Fabricius,[1775])** (Pieridae) **Synonym(s):** *sylvia* Fabricius,1775; *rhodanus* Ward,1871; *#bachis* Suffert,1904; *tenuifascia* Neustetter,1926 **Range (in code):** **SL CM NG GO Bio**
- 20163. Appias (Glutophrissa) sylvia zaieriensis Berger,1981** (Pieridae) **Synonym(s):** *zaieriensis* Berger,1981 **Range (in code):** **ZR**
- 20164. Appias (Lade) indra (Moore,1857)** (Pieridae) **Synonym(s):** *indra* Moore,1857 **Range (in code):** **NP IN LK TH CMa CDo TW PH Mno Pal**
- 20165. Appias (Lade) indra indra (Moore,1857)** (Pieridae) **Synonym(s):** *indra* Moore,1857 **Range (in code):** **NP IN LK TW**
- 20166. Appias (Lade) indra massilia Fruhstorfer,1910** (Pieridae) **Synonym(s):** *massilia* Fruhstorfer,1910 **Range (in code):** **PH Pal**
- 20167. Appias (Lade) indra plana Butler,1879** (Pieridae) **Synonym(s):** *plana* Butler,1879 **Range (in code):** **TH**
- 20168. Appias (Lade) indra thronion Fruhstorfer,1910** (Pieridae) **Synonym(s):** *thronion* Fruhstorfer,1910 **Range (in code):** **TH CMa CDo**
- 20169. Appias (Lade) indra treadawayi Schröder,1975** (Pieridae) **Synonym(s):** *treadawayi* Schröder,1975 **Range (in code):** **PH Mno**

- 20170. Appias (Lade) lalage (Doubleday,1842)** (Pieridae) **Synonym(s):** *lalage Doubleday,1842*
Original Reference: *Pieris lalage Doubleday,1842*, [in] *Gray's Zool. Misc.*: 76. **Type** ♀: N.India.
Range (in code): **CN Hn IN MM MY PK SI TH Loc CMa Int Nst Chw VN Ton Tda NP Ass**
- 20171. Appias (Lade) lalage lalage (Doubleday,1842)** (Pieridae) **Synonym(s):** *lalage Doubleday,1842*
Original Reference: *Pieris lalage Doubleday,1842*, [in] *Gray's Zool. Misc.*: 76.
Type ♀: N.India. **Range (in code):** **CN Hn IN MM MY PK SI TH Loc CMa Int Nst Chw VN Ton Tda NP Ass**
- 20172. Appias (Lade) pandione Geyer,1832** (Pieridae) **Synonym(s):** *pandione Geyer,1832*
Range (in code): **TH Cbi**
- 20173. Appias (Lade) pandione lagela Moore,1879** (Pieridae) **Synonym(s):** *lagela Moore,1879*
Range (in code): **TH Cbi**
- 20174. Appias (Lade) pandione pandione Geyer,1832** (Pieridae) **Synonym(s):** *pandione Geyer,1832*
- 20175. Appias (Phrissura) aegis C.Felder & R.Felder,1861** (Pieridae) **Synonym(s):** *aegis C.Felder & R.Felder,1861* **Range (in code):** **ID Clb PH Bab Ceb Luz Mar Mdo Stu Ley Mno Sam Pal**
- 20176. Appias (Phrissura) aegis aegina Fruhstorfer,1899** (Pieridae) **Synonym(s):** *aegina Fruhstorfer,1899* **Range (in code):** **ID Clb**
- 20177. Appias (Phrissura) aegis aegis C.Felder & R.Felder,1861** (Pieridae) **Synonym(s):** *aegis Felder & Felder,1861* **Range (in code):** **PH Ley Mno Sam**
- 20178. Appias (Phrissura) aegis caepia Fruhstorfer,1910** (Pieridae) **Synonym(s):** *caepia Fruhstorfer,1910* **Range (in code):** **PH Pal**
- 20179. Appias (Phrissura) aegis illana C.Felder & R.Felder,1862** (Pieridae) **Synonym(s):** *illana C.Felder & R.Felder,1862* **Range (in code):** **PH Bab Ceb Luz Mar Mdo**
- 20180. Appias (Phrissura) aegis sibtana Schröder & Treadaway,1989** (Pieridae) **Synonym(s):** *sibtana Schröder & Treadaway,1989* **Range (in code):** **PH Stu**
- 20181. Appias (Phrissura) cynis (Hewitson,1866)** (Pieridae) **Synonym(s):** *cynis Hewitson,1866*
Range (in code): **TH Ntt MY ID Sum PH Bon Sga Taw**
- 20182. Appias (Phrissura) cynis suluensis Schröder & Treadaway,1989** (Pieridae) **Synonym(s):** *suluensis Schröder & Treadaway,1989* **Range (in code):** **PH Bon Sga Taw**
- 20183. Appias (Tachyris) nero (Fabricius,1793)** (Pieridae) **Synonym(s):** *nero Fabricius,1793*
Range (in code): **SI IN MM SG MY PH Boh Din Ley Mno Pao Sam Bas Ceb Neg Pan Sib Bon Sga Stu Luz Mar Mas Mdo Bal Pal TH Pgg Nst Ths Rng Tng Yal Sgk Hya Tnc Phu Chy Cbi CMa CDo Phr VN Ton Tda ID Ja Sum Bor Nia Clb**
- 20184. Appias (Tachyris) nero corazonae Schröder & Treadaway,1989** (Pieridae) **Synonym(s):** *corazonae Schröder & Treadaway,1989* **Range (in code):** **PH Bon Sga Stu**
- 20185. Appias (Tachyris) nero domitia C.Felder & R.Felder,1862** (Pieridae) **Synonym(s):** *domitia C.Felder & R.Felder,1862* **Range (in code):** **PH Luz Mar Mas**
- 20186. Appias (Tachyris) nero figulina Butler,1867** (Pieridae) **Synonym(s):** *figulina Butler,1867*
Range (in code): **SG MY TH Pgg Nst Ths Rng Tng Yal Phu Sgk Hya Tnc**
- 20187. Appias (Tachyris) nero fleminius Fruhstorfer,1911** (Pieridae) **Synonym(s):** *fleminius Fruhstorfer,1911* **Range (in code):** **PH Mdo**
- 20188. Appias (Tachyris) nero galba Wallace,1867** (Pieridae) **Synonym(s):** *galba Wallace,1867*
Range (in code): **SI IN MM TH Chy Cbi CMa CDo Phr**
- 20189. Appias (Tachyris) nero palawanica (Staudinger,1889)** (Pieridae) **Synonym(s):** *palawanica Staudinger,1889*
Original Reference: *Tachyris nero* var. *palawanica* Staudinger,1889, *Dt. ent. Z., Iris* 2: 22. **Syntypes** ♂♂: [Philippinen]: Palawan. **Range (in code):** **PH Bal Pal**
- 20190. Appias (Tachyris) nero ramosa (Fruhstorfer,[1898])** (Pieridae) **Synonym(s):** *ramosa Fruhstorfer,[1898]*
Original Reference: *Catophaga nero* ssp. *ramosa* Fruhstorfer,[1898], *Berl. ent. Z.* 42 (3/4): 328-329. **Syntypes:** [Indonesia]: Nias. **Range (in code):** **ID Nia**
- 20191. Appias (Tachyris) nero soranus Fruhstorfer,1910** (Pieridae) **Synonym(s):** *soranus Fruhstorfer,1910* **Range (in code):** **PH Ceb Neg Pan Sib**
- 20192. Appias (Tachyris) nero tibericus Fruhstorfer,1910** (Pieridae) **Synonym(s):** *tibericus Fruhstorfer,1910* **Range (in code):** **PH Bas**
- 20193. Appias (Tachyris) nero zamboanga C.Felder & R.Felder,1862** (Pieridae) **Synonym(s):** *zamboanga C.Felder & R.Felder,1862* **Range (in code):** **PH Boh Din Ley Mno Pao Sam**
- 20194. Appias (s.str.) cardena Hewitson,1861** (Pieridae) **Synonym(s):** *cardena Hewitson,1861*
Range (in code): **TH**

- 20195. Appias (s.str.) cardena cardena Hewitson,1861** (Pieridae) **Synonym(s):** *cardena Hewitson,1861*
- 20196. Appias (s.str.) cardena perakana Fruhstorfer,1902** (Pieridae) **Synonym(s):** *perakana Fruhstorfer,1902* _ Range (in code): TH
- 20197. Appias (s.str.) lalassis Grose-Smith,1887** (Pieridae) **Synonym(s):** *lalassis Grose-Smith,1887* _ Range (in code): TH CMa CDo
- 20198. Appias (s.str.) lalassis indroides Honrath,1889** (Pieridae) **Synonym(s):** *indroides Honrath,1889* _ Range (in code): TH
- 20199. Appias (s.str.) lalassis lalassis Grose-Smith,1887** (Pieridae) **Synonym(s):** *lalassis Grose-Smith,1887* _ Range (in code): TH CMa CDo
- 20200. Appias (s.str.) libythea (Fabricius,1775)** (Pieridae) **Synonym(s):** *libythea Fabricius,1775; zelmira Stoll,[1780]* Original Reference: *Papilio libythea Fabricius,1775, Syst. Ent.: 471* **Type(s):** India orientali, [Sri Lanka]: Ceylon. Range (in code): CN Hn IN LK MM MY PH Pj PK TH CMa Cuo Cuo1 Cuo2 Cuo3 Cuo5 Cuo7 Cuo9 Cui10 Cui12 VN NP
- 20201. Appias (s.str.) libythea libythea (Fabricius,1775)** (Pieridae) **Synonym(s):** *libythea Fabricius,1775; zelmira Stoll,[1780]* Original Reference: *Papilio libythea Fabricius,1775, Syst. Ent.: 471* **Type(s):** India orientali, [Sri Lanka]: Ceylon. Range (in code): CN Hn IN LK MM MY PH Pj PK TH CMa Cuo Cuo1 Cuo2 Cuo3 Cuo5 Cuo7 Cuo9 Cui10 Cui12 VN NP
- 20202. Appias (s.str.) olferna (Swinhoe,1890)** (Pieridae) **Synonym(s):** *olferna Swinhoe,1890* Range (in code): NP TH Bnk CMa Cph Loe Nkh Nrt Nth Cbu Knc Nna Pht Rat Ntt SPa Nst Ths Sbu Tng Phr Sgk Hya PSu Uth PH Boh Ceb Jol Luz Mar Mdo Mno Neg Pal
- 20203. Appias (s.str.) olferna peducaea Fruhstorfer,1910** (Pieridae) **Synonym(s):** *peducaea Fruhstorfer,1910* _ Range (in code): PH Boh Ceb Jol Luz Mar Mdo Mno Neg Pal
- 20204. Appias ada (Stoll,[1781])** (Pieridae) **Synonym(s):** *ada Stoll,[1781]; caria Waterhouse & Lyell,1914* _ Range (in code): AU PG Wau
- 20205. Appias maria Semper,1875** (Pieridae) **Synonym(s):** *maria Semper,1875* _ Range (in code): PH Boh Pan Luz Mar Ley Mno Neg Sam
- 20206. Appias maria adorabilis Fruhstorfer,1910** (Pieridae) **Synonym(s):** *adorabilis Fruhstorfer,1910* _ Range (in code): PH Ley Mno Neg Sam
- 20207. Appias maria dolorosa Fruhstorfer,1910** (Pieridae) **Synonym(s):** *dolorosa Fruhstorfer,1910* _ Range (in code): PH Boh
- 20208. Appias maria kobayashii Nuyda & Kawamura,1989** (Pieridae) **Synonym(s):** *kobayashii Nuyda & Kawamura,1989* _ Range (in code): PH Pan
- 20209. Appias maria maria Semper,1875** (Pieridae) **Synonym(s):** *maria Semper,1875* _ Range (in code): PH Luz Mar
- 20210. Appias melania (Fabricius,1775)** (Pieridae) **Synonym(s):** *melania Fabricius,1775; asteria Miskin,1889; cerussa Fruhstorfer,1904* _ Range (in code): AU
- 20211. Appias nephele Hewitson,1861** (Pieridae) **Synonym(s):** *nephele Hewitson,1861* _ Range (in code): PH Luz Bas Cal Pal Ley Sam Mno Mdo Jol Taw
- 20212. Appias nephele aufidia Fruhstorfer,1910** (Pieridae) **Synonym(s):** *aufidia Fruhstorfer,1910* _ Range (in code): PH Bas
- 20213. Appias nephele dilutior (Staudinger,1889)** (Pieridae) **Synonym(s):** *dilutior Staudinger,1889* Original Reference: *Tachyris nephele var. dilutior Staudinger,1889, Dt. ent. Z., Iris 2: 21. Syntypes ♂♀: [Philippinen]: Palawan.* Range (in code): PH Cal Pal
- 20214. Appias nephele elis Fruhstorfer,1910** (Pieridae) **Synonym(s):** *elis Fruhstorfer,1910* Range (in code): PH Mno
- 20215. Appias nephele hostilia Fruhstorfer,1910** (Pieridae) **Synonym(s):** *hostilia Fruhstorfer,1910* _ Range (in code): PH Jol
- 20216. Appias nephele invitabilis Fruhstorfer,1910** (Pieridae) **Synonym(s):** *invitabilis Fruhstorfer,1910* _ Range (in code): PH Mdo
- 20217. Appias nephele leytensis Fruhstorfer,1911** (Pieridae) **Synonym(s):** *leytensis Fruhstorfer,1911* _ Range (in code): PH Ley Sam
- 20218. Appias nephele nephele Hewitson,1861** (Pieridae) **Synonym(s):** *nephele Hewitson,1861* Range (in code): PH Luz
- 20219. Appias nephele tawitawiana Schröder & Treadaway,1993** (Pieridae) **Synonym(s):** *tawitawiana Schröder & Treadaway,1993* _ Range (in code): PH Taw
- 20220. Appias phoebe (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *phoebe C.Felder & R.Felder,1861* _ Range (in code): PH Mdo Mno Pal Luz Neg

- 20221. Appias phoebe mindana Yamamoto & Takei,1980** (Pieridae) **Synonym(s):** *mindana Yamamoto & Takei,1980* Range (in code): **PH Mno**
- 20222. Appias phoebe montana Rothschild,1896** (Pieridae) **Synonym(s):** *montana Rothschild,1896* Range (in code): **PH Neg**
- 20223. Appias phoebe phoebe (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *phoebe C.Felder & R.Felder,1861* Original Reference: *Pieris phoebe* C.Felder & R.Felder, 1861, Wien. ent. Monatschr. 5: 299. Type: Luzon. Range (in code): **PH Luz**
- 20224. Appias phoebe rowelli Schröder & Treadaway,1982** (Pieridae) **Synonym(s):** *rowelli Schröder & Treadaway,1982* Range (in code): **PH Pal**
- 20225. Appias phoebe zamorra C.Felder & R.Felder,1862** (Pieridae) **Synonym(s):** *zamorra C.Felder & R.Felder,1862* Range (in code): **PH Mdo**
- 20226. Appias remedios Schröder & Treadaway,1980** (Pieridae) **Synonym(s):** *remedios Schröder & Treadaway,1980* Range (in code): **PH Pan**
- 20227. Appias waltraudae Schröder,1977** (Pieridae) **Synonym(s):** *waltraudae Schröder,1977* Range (in code): **PH Pal**
- 20228. Ascia monuste (Linnaeus,1764)** (Pieridae) **Synonym(s):** *monuste Linnaeus,1764* Original Reference: *Papilio monuste* Linnaeus,1764, Mus. Lud. Ulr.: 237 Range (in code): **US MX Aks Alb Arz Col Fl Ge Kan Lou Mis Mrl Mss NCa NMx SCa SDk Tx Vi**
- 20229. Baltia butleri (Moore,1882)** (Pieridae) **Synonym(s):** *butleri Moore,1882* Original Reference: *Synchloe butleri* Moore,1882, Proc. zool. Soc. Lond. 1882: 256 Pl.2 fig. 6, 6a. Type ♂: Lahoul. Range (in code): **Amd Ch CN Gn Hp IN KK Ld Nsh SI Ti Ts Ui Cho Cht T-S NP** Bionomy: -.
- 20230. Baltia butleri butleri (Moore,1882)** (Pieridae) **Synonym(s):** *butleri Moore,1882* Original Reference: *Synchloe butleri* Moore,1882, Proc. zool. Soc. Lond. 1882: 256 Pl.2 fig. 6, 6a. Type ♂: Lahoul. Range (in code): **Ch CN Hp IN Ld SI Ti Ui Cho**
- 20231. Baltia butleri nekrutenkoi Kreuzberg,1989** (Pieridae) **Synonym(s):** *nekrutenkoi Kreuzberg,1989; #nekrutenkoi Kreuzberg,1989* Original Reference: *Baltia butleri* ssp. *nekrutenkoi* Kreuzberg,1989, Vestn. Zool. 1989: 39-41, figs.9,10. Holotype ♀: [Kirgizistan]: Central Tian-Shan [Tengri Tagh], Korum-kechu. Range (in code): **KK Cht T-S**
- 20232. Baltia butleri potanini (Alpheraky,1888)** (Pieridae) **Synonym(s):** *potanini Alpheraky,1888* Original Reference: *Pieris potanini* Alpheraky,1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: ? mongolischen Berge. Range (in code): **Amd CN Gn Nsh Ts**
- 20233. Baltia butleri sikkima Fruhstorfer,1910** (Pieridae) **Synonym(s):** *sikkima Fruhstorfer,1910* Original Reference: *Baltia sikkima* Fruhstorfer,1910, [in] Seitz, Die Gross-Schmett. Erde 9: 138. Range (in code): **SI CN Ti NP**
- 20234. Baltia shawii (Bates,1870)** (Pieridae) **Synonym(s):** *shawii Bates,1870; #melanotica O.Bang-Haas,1937.* Original Reference: *Mesapia shawii* Bates,1870, [in] Henderson & Hume, Lahore to Yarkand: 305-306. Type(s): Chang Lang Pass, 18000ft (5400m). Range (in code): **Ld Ssr Kkl Pm TJ PK Ci AF Anj Bd Bqu Hk**
- 20235. Baltia shawii baitalensis Moore,1904** (Pieridae) **Synonym(s):** *baitalensis Moore,1904* Range (in code): **Pm TJ**
- 20236. Baltia shawii karakuli O.Bang-Haas,1937** (Pieridae) **Synonym(s):** *karakuli O.Bang-Haas,1937* Original Reference: *Baltia shawii* ssp. *karakuli* O.Bang-Haas,1937, Ent. Z., Frankf. a. M. 51(32): 302-303. Syntypes: [Tadjikistan]: Pamir: Südabhänge des Transalai Gebirges, Karakul See, Flüsse Ak-Baital und Beik, Kunjut Berge, 4000-4500m. Range (in code): **Kkl Pm TJ**
- 20237. Baltia shawii shawii (Bates,1870)** (Pieridae) **Synonym(s):** *shawii Bates,1870; #melanotica O.Bang-Haas,1937.* Original Reference: *Mesapia shawii* Bates,1870, [in] Henderson & Hume, Lahore to Yarkand: 305-306. Type(s): Chang Lang Pass, 18000ft (5400m). Range (in code): **Ld Ssr**
- 20238. Baltia shawii wyatti Schulte,1989** (Pieridae) **Synonym(s):** *wyatti Schulte,1989* Original Reference: *Baltia shawii* ssp. *wyatti* Schulte,1989, Nachr. ent. Ver. Apollo (N.F.) 10(4): 296, Taf.1 Abb.11. Holotype ♂: Afghanistan: Anjuman-Tal, 2800-4250m leg. Müting (in coll. Schulte). Range (in code): **PK Ci AF Anj Bd Bqu Hk**
- 20239. Belenois albomaculatus (Goeze,[1779])** (Pieridae) **Synonym(s):** *albomaculatus Goeze,[1779]*
- 20240. Belenois albomaculatus albomaculatus (Goeze,[1779])** (Pieridae) **Synonym(s):** *albomaculatus Goeze,[1779]*
- 20241. Belenois aldabrensis (Holland,1896)** (Pieridae) **Synonym(s):** *aldabrensis Holland,1896* Range (in code): **SC Ald Asv Asu**

- 20242. *Belenois aldaensis aldaensis* (Holland,1896)** (Pieridae) Synonym(s): *aldaensis* Holland,1896. Range (in code): SC Ald Asv Asu
- 20243. *Belenois anomala* (Butler,1881)** (Pieridae) Synonym(s): *anomala* Butler,1881. Range (in code): Sk
- 20244. *Belenois anomala anomala* (Butler,1881)** (Pieridae) Synonym(s): *anomala* Butler,1881. Range (in code): Sk
- 20245. *Belenois antsianaka* (Ward,1870)** (Pieridae) Synonym(s): *antsianaka* Ward,1870; *affinis* Mabile,1879; *ramona* Grose-Smith,1891; *drurii* Grose-Smith & Kirby,1892; *persimilis* Grose-Smith & Kirby,1892; *#aurantia* Le Cerf,1928. Range (in code): MG
- 20246. *Belenois antsianaka antsianaka* (Ward,1870)** (Pieridae) Synonym(s): *antsianaka* Ward,1870; *affinis* Mabile,1879; *ramona* Grose-Smith,1891; *drurii* Grose-Smith & Kirby,1892; *persimilis* Grose-Smith & Kirby,1892; *#aurantia* Le Cerf,1928. Range (in code): MG
- 20247. *Belenois aurota* (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924. Original Reference: Papilio aurota Fabricius,1793, Ent. Syst. 3(1): 197. Type(s): Coromandel. Range (in code): AF Ng Hr Prw DJ DZ EG ER ET IL Js Pa Hf IN IQ Qg IR Kz Fa Ke Ss JO KE LB Bei LK MG NA OM PK Ci Cp C-P Koh SA Bhh SD SO Zai SY TR TD Tbt TZ UG YE ZA Tva Lpo Kru Pf Spb Ent Lj Mdk Jh Pre Gau Nta Kzu Ptb Est Tug Wnn Mpu ZR MW Zom TM TJ NP Bionomy: Larva on Capparis spp.
- 20248. *Belenois aurota aurota* (Fabricius,1793)** (Pieridae) Synonym(s): *mesentina* Cramer,[1780] *nec* Cr.,[1777]; *aurota* Fabricius,1793; *augusta* Olivier,1804; *syrinx* Wallengren,1860; *lordaca* Walker,1870; *auriginea* Butler,1886; *turanica* Sheljuzko,1908; *#iris* Gauckler,1912; *#sulphurea* Gauckler,1912; *#pusillima* Strand,1915; *#punctifera* Hulstaert,1924. Original Reference: Papilio aurota Fabricius,1793, Ent. Syst. 3(1): 197. Type(s): Coromandel. Range (in code): He AF Ng Hr Prw DZ DJ EG ER ET IL Js Pa Hf IN IQ Qg IR Kz Fa Ke Ss JO KE LB Bei LK MG NA OM PK Ci Cp C-P Koh SA Bhh SD SO Zai SY TR TD Tbt TZ UG YE ZA Tva Lpo Spb Lj Mdk Kru Pf Ent Jh Pre Gau Nta Kzu Ptb Est Tug Wnn Mpu ZR TM TJ NP
- 20249. *Belenois calypso* (Drury,[1773])** (Pieridae) Synonym(s): *calypso* Drury,[1773]; *fulvoacuminatus* Goeze,1779; *nigronotatus* Goeze,1779; *nigropictus* Goeze,1779; *#lypsoca* Berger,1939; *#cretacea* Talbot,1943. Original Reference: Papilio calypso Drury,[1773], Illustr. Nat. Hist. 2 (index), 32. Type: "Sierra Leon". Range (in code): AO TZ ZM ZR MW UG KE CF CM NG GH CL LR SN GM CI BJ Bionomy: Larva on Capparis, Maerua, Ritchiea (Capparaceae); Semirestis paniculata (Celastraceae) (Larsen,1991; et seq.).
- 20250. *Belenois calypso calypso* (Drury,[1773])** (Pieridae) Synonym(s): *calypso* Drury,[1773]; *fulvoacuminatus* Goeze,1779; *nigronotatus* Goeze,1779; *nigropictus* Goeze,1779; *#lypsoca* Berger,1939; *#cretacea* Talbot,1943. Original Reference: Papilio calypso Drury,[1773], Illustr. Nat. Hist. 2 (index), 32. Type: "Sierra Leon". Range (in code): NG GH CL LR SN GM CI BJ
- 20251. *Belenois calypso dentigera* Butler,1888** (Pieridae) Synonym(s): *dentigera* Butler,1888; *schweinfurthi* Schultze,1914; *costimacula* Gaede,1916; *#flavida* Hulstaert,1924; *#pulchricolor* Hulstaert,1924; *tshangerensis* Dufrane,1948; *#aurea* Berger,1981. Range (in code): ZR CF CM AO
- 20252. *Belenois calypso marlieri* Berger,1981** (Pieridae) Synonym(s): *marlieri* Berger,1981. Range (in code): ZR
- 20253. *Belenois calypso minor* Talbot,1943** (Pieridae) Synonym(s): *minor* Talbot,1943. Range (in code): UG KE
- 20254. *Belenois calypso shaba* Berger,1981** (Pieridae) Synonym(s): *shaba* Berger,1981. Range (in code): ZR
- 20255. *Belenois calypso welwitschii* Rogenhofer,1890** (Pieridae) Synonym(s): *welwitschii* Rogenhofer,1890; *hospitis* Weymer,1903; *ratidengi* Suffert,1904. Range (in code): AO TZ ZM ZR MW
- 20256. *Belenois crawshayi* Butler,1894** (Pieridae) Synonym(s): *crawshayi* Butler,1894; *continentalis* Heyn,1904. Range (in code): ZR TZ AO ZM MW RW BI
- 20257. *Belenois crawshayi crawshayi* Butler,1894** (Pieridae) Synonym(s): *crawshayi* Butler,1894; *continentalis* Heyn,1904. Range (in code): ZR TZ AO ZM MW RW BI
- 20258. *Belenois creona* (Cramer,[1776])** (Pieridae) Synonym(s): *creona* Cramer,[1776]; *ernestius* Laporte,1831. Original Reference: Papilio creona Cramer,[1776], Uitl. Kapellen 1: pl. 95 C-F. Type(s): Africa. Range (in code): MW Zom ER ET KE KM MG NG SA SD SN SO TZ UG YE ZA Tva Lpo Spb Lj Mdk Kru Pf Pma Nta Kzu Ptb Tug Dbn Wnn Mpu Brb Pre Jh Gau ZR
- 20259. *Belenois creona benadirensis* (Storace,1948)** (Pieridae) Synonym(s): *benadirensis* Storace,1948. Range (in code): SO

- 20260. *Belenois creona boguensis* (C.Felder & R.Felder,[1865])** (Pieridae) Synonym(s): *boguensis* C.Felder & R.Felder,[1865] _ Range (in code): **ET ER**
- 20261. *Belenois creona creona* (Cramer,[1776])** (Pieridae) Synonym(s): *creona* Cramer,[1776]; *ernestius* Laporte,1831. _ Original Reference: *Papilio creona* Cramer,[1776], Uitl. Kapellen 1: pl. 95 C-F. Type(s): Africa. _ Range (in code): **ER ET NG SD SN**
- 20262. *Belenois creona elisa* (van Vollenhoven,1869)** (Pieridae) Synonym(s): *elisa* Vollenhoven,1869; *johannae* Butler,1879. _ Range (in code): **KM**
- 20263. *Belenois creona leucogyne* (Butler,1885)** (Pieridae) Synonym(s): *leucogyne* Butler,1885 _ Original Reference: *Belenois leucogyne* Butler,1885, Proc. zool. Soc. Lond. 55: 492. _ Range (in code): **SA YE**
- 20264. *Belenois creona prorsus* (Talbot,1943)** (Pieridae) Synonym(s): *prorsus* Talbot,1943 _ Range (in code): **MG**
- 20265. *Belenois creona severina* (Stoll,[1781])** (Pieridae) Synonym(s): *severina* Stoll,[1781]; *agrippina* Felder & Felder,[1865]; *infida* Butler,1888; *guarani* Köhler,1923. _ Range (in code): **MW Zom ZA Tva Lpo Spb Mdk Lj Kru Pf Pma Nta Kzu Ptb Tug Dbn Wnn Mpu Brb Pre Jh Gau UG TZ ZR KE**
- 20266. *Belenois diminuta* Butler,1894** (Pieridae) Synonym(s): *diminuta* Butler,1894; *tanganjikae* Lanz,1896; *#flavilla* Talbot,1943. _ Range (in code): **ZR TZ ZM**
- 20267. *Belenois diminuta diminuta* Butler,1894** (Pieridae) Synonym(s): *diminuta* Butler,1894; *tanganjikae* Lanz,1896; *#flavilla* Talbot,1943. _ Range (in code): **ZR TZ ZM**
- 20268. *Belenois gidica* (Godart,[1819])** (Pieridae) Synonym(s): *gidica* Godart,[1819]; *occidentis* Butler,1898; *sulphurea* Gaede,1916. _ Range (in code): **ZR CM BF ET ZR RW SO UG KE ZA Nta Kzu Tva Lpo Spb Kru Pf Pma Mdk Lj Wnn Dbn Tug Est Wv Kom Gau Jh Nel Eur Mpu Brb Ly**
- 20269. *Belenois gidica abyssinica* (Lucas,1852)** (Pieridae) Synonym(s): *abyssinica* Lucas,1852; *doubledayi* Wallengren,1857; *westwoodi* Wallengren,1857; *allica* Oberthür,1878; *pallida* Gaede,1916; *centralis* Stoneham,1957. _ Range (in code): **ET ZR RW SO UG KE ZA Nta Kzu Tva Lpo Spb Kru Pf Pma Mdk Lj Wnn Dbn Tug Est Wv Kom Gau Jh Nel Eur Mpu Brb Ly**
- 20270. *Belenois gidica gidica* (Godart,[1819])** (Pieridae) Synonym(s): *gidica* Godart,[1819]; *occidentis* Butler,1898; *sulphurea* Gaede,1916. _ Range (in code): **ZR CM BF**
- 20271. *Belenois gidica hypoxantha* (Ungemach,1932)** (Pieridae) Synonym(s): *hypoxantha* Ungemach,1932 _ Range (in code): **ET**
- 20272. *Belenois grandidieri* (Mabille,1878)** (Pieridae) Synonym(s): *grandidieri* Mabille,1878; *voeltzkowi* Karsch,1900. _ Range (in code): **MG**
- 20273. *Belenois grandidieri grandidieri* (Mabille,1878)** (Pieridae) Synonym(s): *grandidieri* Mabille,1878; *voeltzkowi* Karsch,1900. _ Range (in code): **MG**
- 20274. *Belenois hedyle* (Cramer,[1777])** (Pieridae) Synonym(s): *hedyle* Cramer,[1777]; *sordidflavicans* Goeze,1779. _ Range (in code): **GH NG SL LR CI TG BJ**
- 20275. *Belenois hedyle hedyle* (Cramer,[1777])** (Pieridae) Synonym(s): *hedyle* Cramer,[1777]; *sordidflavicans* Goeze,1779. _ Range (in code): **GH NG SL LR CI TG BJ**
- 20276. *Belenois hedyle rhena* (Doubleday,1846)** (Pieridae) Synonym(s): *rhena* Doubleday,1846; *#fumosa* Talbot,1943. _ Range (in code): **GH NG**
- 20277. *Belenois helcida* (Boisduval,1833)** (Pieridae) Synonym(s): *helcida* Boisduval,1833; *albipennis* Butler,1879 _ Range (in code): **MG**
- 20278. *Belenois helcida helcida* (Boisduval,1833)** (Pieridae) Synonym(s): *helcida* Boisduval,1833; *albipennis* Butler,1879 _ Range (in code): **MG**
- 20279. *Belenois ianthe* (Doubleday,1842)** (Pieridae) Synonym(s): *ianthe* Doubleday,1842 _ Range (in code): **SL TG GN GW**
- 20280. *Belenois ianthe ianthe* (Doubleday,1842)** (Pieridae) Synonym(s): *ianthe* Doubleday,1842 _ Range (in code): **SL TG GN GW**
- 20281. *Belenois java* (Linnaeus,1768)** (Pieridae) Synonym(s): *java* Linnaeus,1768; *teutonia* Fabricius,1775; *clytie* Donovan,1805; *deiopia* Donovan,1805; *niseia* Macleay,1826; *nigrita* Joicey & Talbot,1928 _ Original Reference: *Papilio java* Linnaeus,1768, Amoen. Acad. 7: 504. _ Range (in code): **AU TA ID Ja Bli Lb Flo Amb Clb Wt Lt Tim Bbr NC PG NBr Nlr LO NF D-Y NH FJ Rot**
- 20282. *Belenois java anita* Fruhstorfer,1903** (Pieridae) Synonym(s): *anita* Fruhstorfer,1903 _ Original Reference: *Belenois java* ssp. *anita* Fruhstorfer,1903, Berl. ent. Z. 48: 107. Syntypes: [Indonesia]: Wetter, Letti, Timor. _ Range (in code): **ID Wt Lt Tim**
- 20283. *Belenois java ina* Fruhstorfer,1910** (Pieridae) Synonym(s): *ina* Fruhstorfer,1910 _ Range (in code): **ID Bbr**
- 20284. *Belenois java java* (Linnaeus,1768)** (Pieridae) Synonym(s): *java* Linnaeus,1768; *teutonia* Fabricius,1775; *clytie* Donovan,1805; *deiopia* Donovan,1805; *niseia* Macleay,1826; *nigrita* Joicey & Talbot,1928

- Original Reference: *Papilio java* Linnaeus, 1768, *Amoen. Acad.* 7: 504. Range (in code): **AU TA ID Ja Bli Lb Flo Amb Clb**
- 20285. *Belenois java micronesia* Fruhstorfer, 1902** (Pieridae) Synonym(s): *micronesia Fruhstorfer, 1902; ?vitiensis Fruhstorfer, 1902* Range (in code): **FJ Rot**
- 20286. *Belenois java peristhene* (Boisduval, 1859)** (Pieridae) Synonym(s): *peristhene Boisduval, 1859* Range (in code): **NC LO NF NH PG**
- 20287. *Belenois java picata* Butler, 1882** (Pieridae) Synonym(s): *picata Butler, 1882* Range (in code): **PG NBr Nlr D-Y**
- 20288. *Belenois larima* (Boisduval, 1836)** (Pieridae) Synonym(s): *larima Boisduval, 1836* Range (in code): **SN**
- 20289. *Belenois larima larima* (Boisduval, 1836)** (Pieridae) Synonym(s): *larima Boisduval, 1836* Range (in code): **SN**
- 20290. *Belenois mabella* Grose-Smith, 1891** (Pieridae) Synonym(s):
- 20291. *Belenois mabella mabella* Grose-Smith, 1891** (Pieridae) Synonym(s):
- 20292. *Belenois margaritacea* Sharpe, 1891** (Pieridae) Synonym(s):
- 20293. *Belenois margaritacea intermedia* Kielland, 1982** (Pieridae) Synonym(s): *intermedia Kielland, 1982*
- 20294. *Belenois margaritacea kenyensis* (Joicey & Talbot, 1926)** (Pieridae) Synonym(s):
- 20295. *Belenois margaritacea margaritacea* Sharpe, 1891** (Pieridae) Synonym(s):
- 20296. *Belenois margaritacea plutonica* (Joicey & Talbot, 1926)** (Pieridae) Synonym(s): *plutonica Joicey & Talbot, 1926*
- 20297. *Belenois ogygia* (Trimen, 1883)** (Pieridae) Synonym(s): *ogygia Trimen, 1883*
- 20298. *Belenois ogygia bongeya* Berger, 1981** (Pieridae) Synonym(s): *bongeya Berger, 1981*
- 20299. *Belenois ogygia ogygia* (Trimen, 1883)** (Pieridae) Synonym(s): *ogygia Trimen, 1883*
- 20300. *Belenois raffrayi* (Oberthür, 1878)** (Pieridae) Synonym(s): *raffrayi Oberthür, 1878* Range (in code): **KE UG RW BI ZR TZ ET SD**
- 20301. *Belenois raffrayi extendens* (Joicey & Talbot, 1926)** (Pieridae) Synonym(s): *extendens Joicey & Talbot, 1926* Range (in code): **KE UG RW BI ZR TZ**
- 20302. *Belenois raffrayi raffrayi* (Oberthür, 1878)** (Pieridae) Synonym(s): *raffrayi Oberthür, 1878* Range (in code): **ET SD**
- 20303. *Belenois raffrayi similis* Kielland, 1978** (Pieridae) Synonym(s): *similis Kielland, 1978* Range (in code): **TZ**
- 20304. *Belenois rubrosignata* (Weymer, 1901)** (Pieridae) Synonym(s): *rubrosignata Weymer, 1901* Range (in code): **CM SD UG KE TZ AO ZR ZM MW TZ SO**
- 20305. *Belenois rubrosignata kongwana* Talbot, 1943** (Pieridae) Synonym(s): *kongwana Talbot, 1943* Range (in code): **MW TZ UG**
- 20306. *Belenois rubrosignata peeli* Dixey, 1900** (Pieridae) Synonym(s): *peeli Dixey, 1900* Range (in code): **KE SO**
- 20307. *Belenois rubrosignata rubrosignata* (Weymer, 1901)** (Pieridae) Synonym(s): *rubrosignata Weymer, 1901* Range (in code): **AO ZR ZM**
- 20308. *Belenois solilucis* Butler, 1874** (Pieridae) Synonym(s): *solilucis Butler, 1874; narcissus Butler, 1888; glucki Suffert, 1904; #sabulosa Joicey & Talbot, 1921* Range (in code): **ET SD UG TZ KE CM AO ZR**
- 20309. *Belenois solilucis loveni* (Aurivillius, 1922)** (Pieridae) Synonym(s): *loveni Aurivillius, 1922* Range (in code): **UG ZR SD ET**
- 20310. *Belenois solilucis solilucis* Butler, 1874** (Pieridae) Synonym(s): *solilucis Butler, 1874* Range (in code): **AO ZR TZ CM**
- 20311. *Belenois subeida* (C.Felder & R.Felder, [1865])** (Pieridae) Synonym(s): *subeida C.Felder & R.Felder, 1865; instabilis Butler, 1888; #demarginata Talbot, 1943* Range (in code): **BF GN CM SD ET ZR CF KE UG TZ** Bionomy: Larva on Capparis, Maerua, Ritchiea (Capparidaceae) (Ackery et al., 1995).
- 20312. *Belenois subeida frobeniusi* (Strand, 1909)** (Pieridae) Synonym(s): *frobeniusi Strand, 1909; zoraida Gaede, 1915; voltaensis Talbot, 1943* Range (in code): **BF GN CM**
- 20313. *Belenois subeida hailo* (Ungemach, 1932)** (Pieridae) Synonym(s): *hailo Ungemach, 1932; #ochracea Ungemach, 1932; #hiemalis Ungemach, 1932; hiemalis Talbot, 1943; #auristriga Talbot, 1943* Range (in code): **ET**

- 20314. *Belenois subeida subeida* (C.Felder & R.Felder,1865)]** (Pieridae) **Synonym(s):** *subeida* C.Felder & R.Felder,1865]; *instabilis* Butler,1888; *#demarginata* Talbot,1943 _ **Range (in code):** **SD ZR CF**
- 20315. *Belenois subeida sylvander* Grose-Smith,1890** (Pieridae) **Synonym(s):** *sylvander* Grose-Smith,1890 _ **Range (in code):** **KE UG TZ**
- 20316. *Belenois sudanensis* Talbot,1929** (Pieridae) **Synonym(s):** *sudanensis* Talbot,1929 **Range (in code):** **ZR UG CM CF CG TZ**
- 20317. *Belenois sudanensis katalensis* Berger,1981** (Pieridae) **Synonym(s):** *katalensis* Berger,1981 _ **Range (in code):** **ZR UG**
- 20318. *Belenois sudanensis mayumbana* Berger,1981** (Pieridae) **Synonym(s):** *mayumbana* Berger,1981 _ **Range (in code):** **ZR**
- 20319. *Belenois sudanensis pseudodentigera* Berger,1981** (Pieridae) **Synonym(s):** *pseudodentigera* Berger,1981 _ **Range (in code):** **ZR CM CF CG TZ**
- 20320. *Belenois sudanensis sudanensis* Talbot,1929** (Pieridae) **Synonym(s):** *sudanensis* Talbot,1929 _ **Range (in code):** **SD KE**
- 20321. *Belenois theora* (Doubleday,1846)** (Pieridae) **Synonym(s):** *theora* Doubleday,1846; *paroreia* Hewitson,1869; *sylvarum* Mabille,1890; *#brevimacula* Talbot,1943 _ **Range (in code):** **GH CM CF ZR GN NG TZ UG SD**
- 20322. *Belenois theora laeta* (Weymer,1903)** (Pieridae) **Synonym(s):** *laeta* Weymer,1903; *lortzingi* Suffert,1904; *parvimacula* Talbot,1943; *#lacteola* Talbot,1943 _ **Range (in code):** **TZ UG SD ZR**
- 20323. *Belenois theora ratheo* (Suffert,1904)** (Pieridae) **Synonym(s):** *ratheo* Suffert,1904; *maculata* Aurivillius,1898; *weidholzi* Rebel,1930; *#sulfurata* Talbot,1943 _ **Range (in code):** **CM ZR CF**
- 20324. *Belenois theora theora* (Doubleday,1846)** (Pieridae) **Synonym(s):** *theora* Doubleday,1846; *paroreia* Hewitson,1869; *sylvarum* Mabille,1890; *#brevimacula* Talbot,1943 _ **Range (in code):** **GH ZR GN NG**
- 20325. *Belenois theuszi* (Dewitz,1889)** (Pieridae) **Synonym(s):** *theuszi* Dewitz,1889; *semialba* Aurivillius,1895; *hypermaculata* Strand,1913; *#reducta* Birket-Smith,1960 _ **Range (in code):** **AO ZM ZR GA CM NG GH GO** **Bionomy:** Larva on *Ritchiea* (Capparidaceae) (Ackery et al.,1995).
- 20326. *Belenois theuszi theuszi* (Dewitz,1889)** (Pieridae) **Synonym(s):** *theuszi* Dewitz,1889; *semialba* Aurivillius,1895; *hypermaculata* Strand,1913; *#reducta* Birket-Smith,1960 _ **Range (in code):** **AO ZM ZR GA CM NG GH GO** **Bionomy:** Larva on *Ritchiea* (Capparidaceae) (Ackery et al.,1995).
- 20327. *Belenois thysa* (Hopffer,1855)** (Pieridae) **Synonym(s):** *thysa* Hopffer,1855; *balangensis* Rebel & Rogenhofer,1894; *obumbrata* Weymer,1903; *alarmi* Suffert,1904 _ **Range (in code):** **AO UG ZR KE TZ Tnga Usa Ani SD ET TZ ZR KE ZA Nta Kzu Dbn Ec Tra Mpu Brb MZ ZW ZM**
- 20328. *Belenois thysa meldolae* Butler,1872** (Pieridae) **Synonym(s):** *meldolae* Butler,1872; *rimala* Suffert,1904; *malaria* Suffert,1904 _ **Range (in code):** **AO UG ZR KE TZ SD**
- 20329. *Belenois thysa thysa* (Hopffer,1855)** (Pieridae) **Synonym(s):** *thysa* Hopffer,1855; *balangensis* Rebel & Rogenhofer,1894; *obumbrata* Weymer,1903; *alarmi* Suffert,1904 _ **Range (in code):** **TZ Tnga Usa Ani ZR KE ZA Nta Kzu Dbn Ec Tra Mpu Brb MZ ZW ZM**
- 20330. *Belenois thysa tricolor* Talbot,1943** (Pieridae) **Synonym(s):** *tricolor* Talbot,1943 **Range (in code):** **ET**
- 20331. *Belenois victoria* Dixey,1915** (Pieridae) **Synonym(s):**
- 20332. *Belenois victoria hecqui* Berger,1953** (Pieridae) **Synonym(s):**
- 20333. *Belenois victoria schoutedeni* Berger,1953** (Pieridae) **Synonym(s):**
- 20334. *Belenois victoria victoria* Dixey,1915** (Pieridae) **Synonym(s):**
- 20335. *Belenois zochalia* (Boisduval,1836)** (Pieridae) **Synonym(s):** *zochalia* Boisduval,1836; *hyoma* Boisduval,1836; *immaculata* Wichgraf,1913; *pondoana* Neustetter,1916. _ **Range (in code):** **KE GN CM ZA Tva Lpo Gau Jh Pre Spb Hgl Nta Kzu MZ ZW ET**
- 20336. *Belenois zochalia agrippinides* (Holland,1896)** (Pieridae) **Synonym(s):** *agrippinides* Holland,1896 _ **Range (in code):** **KE**
- 20337. *Belenois zochalia connexiva* (Joicey & Talbot,1927)** (Pieridae) **Synonym(s):** *connexiva* Joicey & Talbot,1927 _ **Range (in code):** **CM**
- 20338. *Belenois zochalia galla* (Ungemach,1932)** (Pieridae) **Synonym(s):** *galla* Ungemach,1932 **Range (in code):** **ET**
- 20339. *Belenois zochalia zochalia* (Boisduval,1836)** (Pieridae) **Synonym(s):** *zochalia* Boisduval,1836; *hyoma* Boisduval,1836; *immaculata* Wichgraf,1913; *pondoana* Neustetter,1916. _ **Range (in code):** **GN CM ZA Tva Lpo Gau Jh Pre Spb Hgl Nta Kzu MZ ZW**

- 20340. Calopieris eulimene (Klug,1829)** (Pieridae) Synonym(s): *eulimene* Klug,1829 Original Reference: Pontia eulimene Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 7,8. Type(s): [Sudan]: Ambukohl. Range (in code): **As DJ ER ET Hj SA SD TD YE EG**
- 20341. Calopieris eulimene eulimene (Klug,1829)** (Pieridae) Synonym(s): *eulimene* Klug,1829 Original Reference: Pontia eulimene Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 7,8. Type(s): [Sudan]: Ambukohl. Range (in code): **As DJ ER ET Hj SA SD TD YE EG**
- 20342. Catasticta affinis Röber,1909** (Pieridae) Synonym(s): *affinis* Röber,1909; *talboti* Joicey & Rosenberg,1915 Range (in code): **CO**
- 20343. Catasticta affinis affinis Röber,1909** (Pieridae) Synonym(s): *affinis* Röber,1909; *talboti* Joicey & Rosenberg,1915 Range (in code): **CO**
- 20344. Catasticta affinis giga F.M.Brown & Gabriel,1939** (Pieridae) Synonym(s): *giga* F.M.Brown & Gabriel,1939 Range (in code): **CO**
- 20345. Catasticta albofasciata Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *albofasciata* Lathy & Rosenberg,1912; *lubentina* Fassl,1915 Range (in code): **CO**
- 20346. Catasticta albofasciata albofasciata Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *albofasciata* Lathy & Rosenberg,1912; *lubentina* Fassl,1915 Range (in code): **CO**
- 20347. Catasticta albofasciata rubroreducta Reissinger,1972** (Pieridae) Synonym(s): *rubroreducta* Reissinger,1972 Range (in code): **EC**
- 20348. Catasticta amastris (Hewitson,1874)** (Pieridae) Synonym(s): *amastris* Hewitson,1874; *niobe* Röber,1908 Range (in code): **PE EC**
- 20349. Catasticta amastris amastris (Hewitson,1874)** (Pieridae) Synonym(s): *amastris* Hewitson,1874; *niobe* Röber,1908 Range (in code): **BO**
- 20350. Catasticta amastris batesi Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *batesi* Eitschberger & T.Racheli,1998 Range (in code): **PE**
- 20351. Catasticta amastris dentata Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *dentata* Lathy & Rosenberg,1912 Range (in code): **PE**
- 20352. Catasticta amastris striata Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *striata* Eitschberger & T.Racheli,1998 Range (in code): **PE**
- 20353. Catasticta anaitis (Hewitson,1869)** (Pieridae) Synonym(s): *anaitis* Hewitson,1869 Range (in code): **EC PE BO**
- 20354. Catasticta anaitis anaitis (Hewitson,1869)** (Pieridae) Synonym(s): *anaitis* Hewitson,1869 Range (in code): **EC**
- 20355. Catasticta anaitis felicitas Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *felicitas* Eitschberger & T.Racheli,1998 Range (in code): **PE**
- 20356. Catasticta anaitis sordida Butler,1897** (Pieridae) Synonym(s): *sordida* Butler,1897; *tanoia* F.M.Brown,1939 Range (in code): **BO**
- 20357. Catasticta anaitis suasella Röber,1908** (Pieridae) Synonym(s): *suasella* Röber,1908 Range (in code): **PE**
- 20358. Catasticta apaturina Butler,1901** (Pieridae) Synonym(s): *apaturina* Butler,1901 Range (in code): **EC PE CO**
- 20359. Catasticta apaturina apaturina Butler,1901** (Pieridae) Synonym(s): *apaturina* Butler,1901 Range (in code): **EC**
- 20360. Catasticta apaturina citra F.M.Brown,1939** (Pieridae) Synonym(s): *citra* F.M.Brown,1939 Range (in code): **PE**
- 20361. Catasticta apaturina subturina Reissinger,1972** (Pieridae) Synonym(s): *subturina* Reissinger,1972 Range (in code): **CO**
- 20362. Catasticta apaturina supraturlina Reissinger,1972** (Pieridae) Synonym(s): *supraturlina* Reissinger,1972 Range (in code): **PE**
- 20363. Catasticta arborardens Reissinger,1972** (Pieridae) Synonym(s): *arborardens* Reissinger,1972 Range (in code): **PE**
- 20364. Catasticta arborardens arborardens Reissinger,1972** (Pieridae) Synonym(s): *arborardens* Reissinger,1972 Range (in code): **PE**
- 20365. Catasticta aureomaculata Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *aureomaculata* Lathy & Rosenberg,1912 Range (in code): **PE**
- 20366. Catasticta aureomaculata aureomaculata Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *aureomaculata* Lathy & Rosenberg,1912 Range (in code): **PE**

- 20367. *Catasticta aureomaculata gabrieli* Reissinger, 1972** (Pieridae) Synonym(s): *gabrieli* Reissinger, 1972 _ Range (in code): PE
- 20368. *Catasticta bithys* (Hübner, [1825])** (Pieridae) Synonym(s): *bithys* Hübner, [1825]; *rosenbergi* Reissinger, 1972 _ Range (in code): BR
- 20369. *Catasticta cerberus* Godman & Salvin, 1889** (Pieridae) Synonym(s): *cerberus* Godman & Salvin, 1889 _ Range (in code): CR
- 20370. *Catasticta cerberus cerberus* Godman & Salvin, 1889** (Pieridae) Synonym(s): *cerberus* Godman & Salvin, 1889 _ Range (in code): CR
- 20371. *Catasticta chelidonis* (Hopffer, 1874)** (Pieridae) Synonym(s): *chelidonis* Hopffer, 1874 _ Range (in code): BO PE
- 20372. *Catasticta chelidonis chelidonis* (Hopffer, 1874)** (Pieridae) Synonym(s): *chelidonis* Hopffer, 1874 _ Range (in code): BO
- 20373. *Catasticta chelidonis contrasta* Reissinger, 1972** (Pieridae) Synonym(s): *contrasta* Reissinger, 1972 _ Range (in code): PE
- 20374. *Catasticta chelidonis jacinta* Butler, 1901** (Pieridae) Synonym(s): *jacinta* Butler, 1901; *chelalba* F.M.Brown, 1939; *#germainia* F.M.Brown, 1939; *#teara* F.M.Brown, 1939 _ Range (in code): BO
- 20375. *Catasticta chelidonis taminoides* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *taminoides* Eitschberger & T.Racheli, 1998 _ Range (in code): BO
- 20376. *Catasticta chrysolopha* (Kollar, 1850)** (Pieridae) Synonym(s): *chrysolopha* Kollar, 1850; *spectrum* Reissinger, 1972 _ Range (in code): VE Mra CO PE
- 20377. *Catasticta chrysolopha adamsi* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *adamsi* Eitschberger & T.Racheli, 1998 _ Range (in code): CO
- 20378. *Catasticta chrysolopha chrysolopha* (Kollar, 1850)** (Pieridae) Synonym(s): *chrysolopha* Kollar, 1850; *spectrum* Reissinger, 1972 _ Range (in code): VE Mra
- 20379. *Catasticta chrysolopha quiroza* F.M.Brown, 1939** (Pieridae) Synonym(s): *quiroza* F.M.Brown, 1939; *meleander* Reissinger, 1972 _ Range (in code): PE
- 20380. *Catasticta chrysolopha superba* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *superba* Lathy & Rosenberg, 1912; *similis* Lathy & Rosenberg, 1912 _ Range (in code): PE
- 20381. *Catasticta chrysolopha xequé* (Mengel, 1899)** (Pieridae) Synonym(s): *xeque* Mengel, 1899 _ Range (in code): CO
- 20382. *Catasticta cinerea* Butler, 1897** (Pieridae) Synonym(s): *cinerea* Butler, 1897; *toppini* Sharpe, 1915; *dusca* F.M.Brown, 1939 _ Range (in code): BO PE CO EC
- 20383. *Catasticta cinerea ariadne* Reissinger, 1972** (Pieridae) Synonym(s): *ariadne* Reissinger, 1972; *#maxima* Reissinger, 1972; *#pasiphae* Reissinger, 1972 _ Range (in code): PE
- 20384. *Catasticta cinerea cinerea* Butler, 1897** (Pieridae) Synonym(s): *cinerea* Butler, 1897; *toppini* Sharpe, 1915; *dusca* F.M.Brown, 1939 _ Range (in code): BO PE
- 20385. *Catasticta cinerea coerulescens* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *coerulescens* Eitschberger & T.Racheli, 1998 _ Range (in code): PE
- 20386. *Catasticta cinerea hollandi* Avinoff, 1926** (Pieridae) Synonym(s): *hollandi* Avinoff, 1926 _ Range (in code): CO
- 20387. *Catasticta cinerea laurentina* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *laurentina* Eitschberger & T.Racheli, 1998 _ Range (in code): CO
- 20388. *Catasticta cinerea rochereaui* Le Cerf, 1924** (Pieridae) Synonym(s): *rochereaui* Le Cerf, 1924 _ Range (in code): CO
- 20389. *Catasticta cinerea subsituta* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *subsituta* Eitschberger & T.Racheli, 1998 _ Range (in code): EC
- 20390. *Catasticta cinerea suprema* Fassl, 1915** (Pieridae) Synonym(s): *suprema* Fassl, 1915 _ Range (in code): CO
- 20391. *Catasticta colla* (Doubleday, 1847)** (Pieridae) Synonym(s): *colla* Doubleday, 1847; *#naranja* F.M.Brown & Gabriel, 1939 _ Range (in code): PE BO
- 20392. *Catasticta colla colla* (Doubleday, 1847)** (Pieridae) Synonym(s): *colla* Doubleday, 1847; *#naranja* F.M.Brown & Gabriel, 1939 _ Range (in code): BO
- 20393. *Catasticta colla obsoleta* Reissinger, 1972** (Pieridae) Synonym(s): *#obsoleta* F.M.Brown & Goodson, 1940; *obsoleta* Reissinger, 1972 _ Range (in code): PE
- 20394. *Catasticta colla philomene* Röber, 1908** (Pieridae) Synonym(s): *philomene* Röber, 1908 _ Range (in code): BO

- 20395. *Catasticta colla punctata* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *punctata* Lathy & Rosenberg, 1912; *#hypoleuca* F.M.Brown, 1939 - Range (in code): PE
- 20396. *Catasticta collina* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *#collina* Röber, 1924; *#calanga* Röber, 1924; *collina* F.M.Brown, 1939; *#chelaura* F.M.Brown, 1939 - Range (in code): BO PE
- 20397. *Catasticta collina carpis* Reissinger, 1972** (Pieridae) **Synonym(s):** *carpis* Reissinger, 1972 - Range (in code): PE
- 20398. *Catasticta collina collina* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *#collina* Röber, 1924; *#calanga* Röber, 1924; *collina* F.M.Brown, 1939; *#chelaura* F.M.Brown, 1939 - Range (in code): BO PE
- 20399. *Catasticta cora* (Lucas, 1852)** (Pieridae) **Synonym(s):** *cora* Lucas, 1852; *paradoxa* Röber, 1909 - Range (in code): PE
- 20400. *Catasticta cora atahualpa* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *atahualpa* Eitschberger & T.Racheli, 1998 - Range (in code): PE
- 20401. *Catasticta cora cora* (Lucas, 1852)** (Pieridae) **Synonym(s):** *cora* Lucas, 1852; *paradoxa* Röber, 1909 - Range (in code): PE
- 20402. *Catasticta corcyra* (C.Felder & R.Felder, 1859)** (Pieridae) **Synonym(s):** *corcyra* C.Felder & R.Felder, 1859; *#linea* F.M.Brown, 1939 - Range (in code): BO PE
- 20403. *Catasticta corcyra corcyra* (C.Felder & R.Felder, 1859)** (Pieridae) **Synonym(s):** *corcyra* C.Felder & R.Felder, 1859; *#linea* F.M.Brown, 1939 - Range (in code): BO PE
- 20404. *Catasticta corcyra staudingeri* Butler, 1897** (Pieridae) **Synonym(s):** *staudingeri* Butler, 1897 - Range (in code): PE
- 20405. *Catasticta ctemene* (Hewitson, 1869)** (Pieridae) **Synonym(s):** *ctemene* Hewitson, 1869 - Range (in code): EC CR BO PE CO
- 20406. *Catasticta ctemene actinotis* Butler, 1872** (Pieridae) **Synonym(s):** *actinotis* Butler, 1872 - Range (in code): CR
- 20407. *Catasticta ctemene alma* Hopffer, 1874** (Pieridae) **Synonym(s):** *alma* Hopffer, 1874; *albina* Lathy & Rosenberg, 1912; *zebra* Fruhstorfer, 1912 - Range (in code): BO
- 20408. *Catasticta ctemene ctemene* (Hewitson, 1869)** (Pieridae) **Synonym(s):** *ctemene* Hewitson, 1869 - Range (in code): EC
- 20409. *Catasticta ctemene grisella* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *grisella* Eitschberger & T.Racheli, 1998 - Range (in code): PE
- 20410. *Catasticta ctemene rubricata* Weymer, 1907** (Pieridae) **Synonym(s):** *rubricata* Weymer, 1907 - Range (in code): CO
- 20411. *Catasticta ctemene strigosa* Butler, 1896** (Pieridae) **Synonym(s):** *strigosa* Butler, 1896 - Range (in code): PE
- 20412. *Catasticta ctemene zebrella* Fruhstorfer, 1912** (Pieridae) **Synonym(s):** *zebrella* Fruhstorfer, 1912; *fuliginosa* Reissinger, 1972 - Range (in code): PE
- 20413. *Catasticta discalba* F.M.Brown & Gabriel, 1939** (Pieridae) **Synonym(s):** *discalba* F.M.Brown & Gabriel, 1939 - Range (in code): EC
- 20414. *Catasticta discalba discalba* F.M.Brown & Gabriel, 1939** (Pieridae) **Synonym(s):** *discalba* F.M.Brown & Gabriel, 1939 - Range (in code): EC
- 20415. *Catasticta distincta* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *distincta* Lathy & Rosenberg, 1912 - Range (in code): PE
- 20416. *Catasticta distincta distincta* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *distincta* Lathy & Rosenberg, 1912 - Range (in code): PE
- 20417. *Catasticta duida* F.M.Brown, 1932** (Pieridae) **Synonym(s):** *duida* F.M.Brown, 1932 - Range (in code): VE
- 20418. *Catasticta duida duida* F.M.Brown, 1932** (Pieridae) **Synonym(s):** *duida* F.M.Brown, 1932 - Range (in code): VE
- 20419. *Catasticta eurigania* (Hewitson, 1870)** (Pieridae) **Synonym(s):** *eurigania* Hewitson, 1870 - Range (in code): EC PE
- 20420. *Catasticta eurigania eurigania* (Hewitson, 1870)** (Pieridae) **Synonym(s):** *eurigania* Hewitson, 1870 - Range (in code): EC
- 20421. *Catasticta eurigania straminea* Butler, 1896** (Pieridae) **Synonym(s):** *straminea* Butler, 1896; *forbesia* F.M.Brown, 1933 - Range (in code): PE
- 20422. *Catasticta ferra* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *ferra* F.M.Brown, 1939; *#pastaza* F.M.Brown, 1939 - Range (in code): EC CO

- 20423. *Catasticta ferra ferra* F.M.Brown,1939** (Pieridae) **Synonym(s):** *ferra* F.M.Brown,1939; *#pastaza* F.M.Brown,1939 _ Range (in code): EC
- 20424. *Catasticta ferra ferruginosa* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *ferruginosa* Eitschberger & T.Racheli,1998 _ Range (in code): EC
- 20425. *Catasticta ferra orcus* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *orcus* Eitschberger & T.Racheli,1998 _ Range (in code): CO
- 20426. *Catasticta ferra putumayo* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *putumayo* Eitschberger & T.Racheli,1998 _ Range (in code): CO
- 20427. *Catasticta flisa* (Herrich-Schäffer,1854)** (Pieridae) **Synonym(s):** *flisa* Herrich-Schäffer,1854; *oaxaca* Beutespacher,1984 _ Range (in code): MX VE Agu Mra GT CR PA CO EC
- 20428. *Catasticta flisa archoflisa* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *archoflisa* Eitschberger & T.Racheli,1998 _ Range (in code): PA
- 20429. *Catasticta flisa arechiza* (Reakirt,1866)** (Pieridae) **Synonym(s):** *arechiza* Reakirt,1866; *avinoffi* Reissinger,1972 _ Range (in code): MX
- 20430. *Catasticta flisa briseis* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *briseis* Eitschberger & T.Racheli,1998 _ Range (in code): VE Agu
- 20431. *Catasticta flisa dilutior* Avinoff,1926** (Pieridae) **Synonym(s):** *dilutior* Avinoff,1926; *alcyone* Reissinger,1972; *hermione* Reissinger,1972 _ Range (in code): CO EC VE Mra
- 20432. *Catasticta flisa duna* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *duna* Eitschberger & T.Racheli,1998 _ Range (in code): EC
- 20433. *Catasticta flisa flisa* (Herrich-Schäffer,1854)** (Pieridae) **Synonym(s):** *flisa* Herrich-Schäffer,1854; *oaxaca* Beutespacher,1984 _ Range (in code): MX
- 20434. *Catasticta flisa flisandra* Reissinger,1972** (Pieridae) **Synonym(s):** *flisandra* Reissinger,1972 _ Range (in code): GT
- 20435. *Catasticta flisa flisella* Reissinger,1972** (Pieridae) **Synonym(s):** *flisella* Reissinger,1972 _ Range (in code): GT
- 20436. *Catasticta flisa flisoides* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *flisoides* Eitschberger & T.Racheli,1998 _ Range (in code): CO
- 20437. *Catasticta flisa melanisa* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *melanisa* Eitschberger & T.Racheli,1998 _ Range (in code): CR
- 20438. *Catasticta flisa noakesi* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *noakesi* Joicey & Rosenberg,1915 _ Range (in code): CO
- 20439. *Catasticta flisa postaurea* F.M.Brown,1933** (Pieridae) **Synonym(s):** *postaurea* F.M.Brown,1933 _ Range (in code): CO
- 20440. *Catasticta frontina* F.M.Brown & Gabriel,1939** (Pieridae) **Synonym(s):** *frontina* F.M.Brown & Gabriel,1939; *joiceyi* Reissinger,1972 _ Range (in code): CO EC
- 20441. *Catasticta frontina frontina* F.M.Brown & Gabriel,1939** (Pieridae) **Synonym(s):** *frontina* F.M.Brown & Gabriel,1939; *joiceyi* Reissinger,1972 _ Range (in code): CO
- 20442. *Catasticta frontina muehlei* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *muehlei* Eitschberger & T.Racheli,1998 _ Range (in code): EC
- 20443. *Catasticta frontina zamorana* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *zamorana* Eitschberger & T.Racheli,1998 _ Range (in code): EC
- 20444. *Catasticta fulva* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *fulva* Joicey & Rosenberg,1915; *ganymedes* Tessman,1928 _ Range (in code): PE
- 20445. *Catasticta fulva fulva* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *fulva* Joicey & Rosenberg,1915; *ganymedes* Tessman,1928 _ Range (in code): PE
- 20446. *Catasticta fulva kentae* F.M.Brown & Goodson,1940** (Pieridae) **Synonym(s):** *kentae* F.M.Brown & Goodson,1940 _ Range (in code): PE
- 20447. *Catasticta grisea* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *grisea* Joicey & Rosenberg,1915 _ Range (in code): PE
- 20448. *Catasticta grisea grisea* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *grisea* Joicey & Rosenberg,1915 _ Range (in code): PE
- 20449. *Catasticta hebra* (Lucas,1852)** (Pieridae) **Synonym(s):** *hebra* Lucas,1852 _ Range (in code): CO VE Mra
- 20450. *Catasticta hebra apollinari* Fassl,1915** (Pieridae) **Synonym(s):** *apollinari* Fassl,1915 _ Range (in code): CO

- 20451. *Catasticta hebra crowleyi* Butler,1901** (Pieridae) **Synonym(s):** *crowleyi* Butler,1901
Range (in code): **VE** **Mra**
- 20452. *Catasticta hebra hebra* (Lucas,1852)** (Pieridae) **Synonym(s):** *hebra* Lucas,1852
Range (in code): **CO**
- 20453. *Catasticta hebra mariae* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *mariae* Eitschberger & T.Racheli,1998
Range (in code): **CO**
- 20454. *Catasticta hebra potamea* (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *potamea* C.Felder & R.Felder,1861; *angulifera* Avinoff,1926
Range (in code): **VE**
- 20455. *Catasticta hegemon* Godman & Salvin,1889** (Pieridae) **Synonym(s):** *hegemon* Godman & Salvin,1889
Range (in code): **CR PA CO EC**
- 20456. *Catasticta hegemon albescens* Röber,1924** (Pieridae) **Synonym(s):** *albescens* Röber,1924
Range (in code): **CO**
- 20457. *Catasticta hegemon hegemon* Godman & Salvin,1889** (Pieridae) **Synonym(s):** *hegemon* Godman & Salvin,1889; *chiricana* Röber,1924; *tincta* F.M.Brown,1939
Range (in code): **CR PA**
- 20458. *Catasticta hegemon helle* Röber,1924** (Pieridae) **Synonym(s):** *helle* Röber,1924
Range (in code): **CO**
- 20459. *Catasticta hegemon tatae* F.M.Brown,1939** (Pieridae) **Synonym(s):** *tatae* F.M.Brown,1939
Range (in code): **EC**
- 20460. *Catasticta huancabambensis* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *huancabambensis* Joicey & Rosenberg,1915; *phile* Röber,1924
Range (in code): **PE**
- 20461. *Catasticta huancabambensis bamba* Reissinger,1972** (Pieridae) **Synonym(s):** *bamba* Reissinger,1972
Range (in code): **PE**
- 20462. *Catasticta huancabambensis huancabambensis* Joicey & Rosenberg,1915** (Pieridae) **Synonym(s):** *huancabambensis* Joicey & Rosenberg,1915; *phile* Röber,1924
Range (in code): **PE**
- 20463. *Catasticta huebneri* Lathy & Rosenberg,1912** (Pieridae) **Synonym(s):** *huebneri* Lathy & Rosenberg,1912
Range (in code): **BR**
- 20464. *Catasticta incerta* (Dognin,1888)** (Pieridae) **Synonym(s):** *incerta* Dognin,1888; *vapina* Butler,1897
Range (in code): **EC**
- 20465. *Catasticta incerta concerta* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *concerta* Eitschberger & T.Racheli,1998
Range (in code): **EC**
- 20466. *Catasticta incerta incerta* (Dognin,1888)** (Pieridae) **Synonym(s):** *incerta* Dognin,1888; *vapina* Butler,1897
Range (in code): **EC**
- 20467. *Catasticta leucophaea* Lathy & Rosenberg,1912** (Pieridae) **Synonym(s):** *leucophaea* Lathy & Rosenberg,1912
Range (in code): **PE EC**
- 20468. *Catasticta leucophaea lathyi* Joicey & Talbot,1918** (Pieridae) **Synonym(s):** *lathyi* Joicey & Talbot,1918
Range (in code): **EC**
- 20469. *Catasticta leucophaea leucophaea* Lathy & Rosenberg,1912** (Pieridae) **Synonym(s):** *leucophaea* Lathy & Rosenberg,1912
Range (in code): **PE**
- 20470. *Catasticta ludovici* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *ludovici* Eitschberger & T.Racheli,1998
Range (in code): **EC**
- 20471. *Catasticta ludovici ludovici* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *ludovici* Eitschberger & T.Racheli,1998
Range (in code): **EC**
- 20472. *Catasticta lycurgus* (Godman & Salvin,1880)** (Pieridae) **Synonym(s):** *lycurgus* Godman & Salvin,1880
Range (in code): **CO**
- 20473. *Catasticta lycurgus lanceolata* Lathy & Rosenberg,1912** (Pieridae) **Synonym(s):** *lanceolata* Lathy & Rosenberg,1912
Range (in code): **CO**
- 20474. *Catasticta lycurgus lycurgus* (Godman & Salvin,1880)** (Pieridae) **Synonym(s):** *lycurgus* Godman & Salvin,1880
Range (in code): **CO**
- 20475. *Catasticta lycurgus tolima* Fassl,1915** (Pieridae) **Synonym(s):** *tolima* Fassl,1915
Range (in code): **CO**
- 20476. *Catasticta manco* (Doubleday,1848)** (Pieridae) **Synonym(s):** *manco* Doubleday,1848
Range (in code): **BO PE**
- 20477. *Catasticta manco capac* Eitschberger & T.Racheli,1998** (Pieridae) **Synonym(s):** *capac* Eitschberger & T.Racheli,1998
Range (in code): **PE**
- 20478. *Catasticta manco manco* (Doubleday,1848)** (Pieridae) **Synonym(s):** *manco* Doubleday,1848
Range (in code): **BO**

- 20479. *Catasticta manco reissingeri* Eitschberger & T.Racheli,1998** (Pieridae)
Synonym(s): *reissingeri* Eitschberger & T.Racheli,1998 _ Range (in code): PE
- 20480. *Catasticta marcapita* Röber,1909** (Pieridae) Synonym(s): *marcapita* Röber,1909
Range (in code): BO PE
- 20481. *Catasticta marcapita marcapita* Röber,1909** (Pieridae) Synonym(s): *marcapita* Röber,1909 _ Range (in code): BO
- 20482. *Catasticta marcapita paucartambo* Eitschberger & T.Racheli,1998** (Pieridae)
Synonym(s): *paucartambo* Eitschberger & T.Racheli,1998 _ Range (in code): PE
- 20483. *Catasticta marcapita roberti* Reissinger,1972** (Pieridae) Synonym(s): *roberti* Reissinger,1972 _ Range (in code): PE
- 20484. *Catasticta modesta* (Lucas,1852)** (Pieridae) Synonym(s): *modesta* Lucas,1852 _ Range (in code): PE
- 20485. *Catasticta modesta goodsoni* Reissinger,1972** (Pieridae) Synonym(s): *goodsoni* Reissinger,1972; *macropinava* Reissinger,1972 _ Range (in code): PE
- 20486. *Catasticta modesta modesta* (Lucas,1852)** (Pieridae) Synonym(s): *modesta* Lucas,1852
Range (in code): PE
- 20487. *Catasticta nimbata* Joicey & Talbot,1918** (Pieridae) Synonym(s): *nimbata* Joicey & Talbot,1918; *feldera* F.M.Brown,1939 _ Range (in code): PE BO
- 20488. *Catasticta nimbata nimbata* Joicey & Talbot,1918** (Pieridae) Synonym(s): *nimbata* Joicey & Talbot,1918; *feldera* F.M.Brown,1939 _ Range (in code): PE BO
- 20489. *Catasticta nimbata philobata* Eitschberger & T.Racheli,1998** (Pieridae)
Synonym(s): *philobata* Eitschberger & T.Racheli,1998 _ Range (in code): PE
- 20490. *Catasticta nimbata pleione* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *pleione* Eitschberger & T.Racheli,1998 _ Range (in code): PE
- 20491. *Catasticta nimbece* (Boisduval,1836)** (Pieridae) Synonym(s): *nimbece* Boisduval,1836
Range (in code): US Tx MX GT PA CR
- 20492. *Catasticta nimbece bryson* Godman & Salvin,1889** (Pieridae) Synonym(s): *bryson* Godman & Salvin,1889 _ Range (in code): CR PA
- 20493. *Catasticta nimbece ligata* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *ligata* Eitschberger & T.Racheli,1998 _ Range (in code): PA
- 20494. *Catasticta nimbece nimbece* (Boisduval,1836)** (Pieridae) Synonym(s): *nimbece* Boisduval,1836 _ Range (in code): MX US Tx
- 20495. *Catasticta nimbece ochracea* (Bates,1864)** (Pieridae) Synonym(s): *ochracea* Bates,1864; *bryson* Röber,1908 *nec* Godm. & Salv.,1889 _ Range (in code): GT
- 20496. *Catasticta notha* (Lucas,1852)** (Pieridae) Synonym(s): *notha* Lucas,1852; *nivalis* Avinoff,1926; *pieridoides* C.Felder & R.Felder,1865 _ Range (in code): VE CO
- 20497. *Catasticta notha caucana* Röber,1908** (Pieridae) Synonym(s): *caucana* Röber,1908
Range (in code): CO
- 20498. *Catasticta notha notha* (Lucas,1852)** (Pieridae) Synonym(s): *notha* Lucas,1852; *nivalis* Avinoff,1926; *pieridoides* C.Felder & R.Felder,1865 _ Range (in code): VE CO
- 20499. *Catasticta pharnakia* (Fruhstorfer,1907)** (Pieridae) Synonym(s): *pharnakia* Fruhstorfer,1907; *#archoniaoides* Röber,1908 _ Range (in code): PE EC
- 20500. *Catasticta pharnakia pharnakia* (Fruhstorfer,1907)** (Pieridae) Synonym(s): *pharnakia* Fruhstorfer,1907; *#archoniaoides* Röber,1908 _ Range (in code): PE
- 20501. *Catasticta pharnakia styx* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *styx* Eitschberger & T.Racheli,1998 _ Range (in code): EC
- 20502. *Catasticta philais* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *philais* C.Felder & R.Felder,1865; *philonarche* C.Felder & R.Felder,1865; *philothina* Röber,1924; *variabilis* Röber,1924 _ Range (in code): VE Tac CO Bgt EC
- 20503. *Catasticta philais borgesii* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *borgesii* Eitschberger & T.Racheli,1998 _ Range (in code): VE Tac
- 20504. *Catasticta philais philais* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *philais* C.Felder & R.Felder,1865; *philonarche* C.Felder & R.Felder,1865; *philothina* Röber,1924; *variabilis* Röber,1924
Range (in code): CO Bgt EC
- 20505. *Catasticta philodora* F.M.Brown,1939** (Pieridae) Synonym(s): *philodora* F.M.Brown,1939
Range (in code): EC

- 20506. *Catasticta philodora maja* Reissinger, 1972** (Pieridae) **Synonym(s):** *maja* Reissinger, 1972
Range (in code): EC
- 20507. *Catasticta philodora philodora* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *philodora* F.M.Brown, 1939
Range (in code): EC
- 20508. *Catasticta philodora zamora* Reissinger, 1972** (Pieridae) **Synonym(s):** *zamora* Reissinger, 1972
Range (in code): EC
- 20509. *Catasticta philone* (C.Felder & R.Felder, 1856)** (Pieridae) **Synonym(s):** *philone* C.Felder & R.Felder, 1856
Range (in code): CO PE EC
- 20510. *Catasticta philone ecuadora* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *ecuadora* F.M.Brown, 1939
Range (in code): EC
- 20511. *Catasticta philone grossana* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *grossana* F.M.Brown, 1939
Range (in code): CO
- 20512. *Catasticta philone patinoi* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *patinoi* Eitschberger & T.Racheli, 1998
Range (in code): CO
- 20513. *Catasticta philone philone* (C.Felder & R.Felder, 1856)** (Pieridae) **Synonym(s):** *philone* C.Felder & R.Felder, 1856
Range (in code): CO
- 20514. *Catasticta philone stabilis* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *stabilis* Eitschberger & T.Racheli, 1998
Range (in code): PE
- 20515. *Catasticta philone variabilis* Röber, 1924** (Pieridae) **Synonym(s):** *variabilis* Röber, 1924
Range (in code): CO
- 20516. *Catasticta philoscia* (C.Felder & R.Felder, 1861)** (Pieridae) **Synonym(s):** *philoscia* C.Felder & R.Felder, 1861; *subtoca* Röber, 1924
Range (in code): CO VE Agu Mra
- 20517. *Catasticta philoscia incertina* Röber, 1924** (Pieridae) **Synonym(s):** *incertina* Röber, 1924
Range (in code): CO
- 20518. *Catasticta philoscia philoscia* (C.Felder & R.Felder, 1861)** (Pieridae) **Synonym(s):** *philoscia* C.Felder & R.Felder, 1861; *subtoca* Röber, 1924
Range (in code): VE Agu Mra
- 20519. *Catasticta philothea* (C.Felder & R.Felder, 1865)** (Pieridae) **Synonym(s):** *philothea* C.Felder & R.Felder, 1865
Range (in code): CO Bgt
- 20520. *Catasticta philothea philothea* (C.Felder & R.Felder, 1865)** (Pieridae) **Synonym(s):** *philothea* C.Felder & R.Felder, 1865
Range (in code): CO Bgt
- 20521. *Catasticta pieris* (Hopffer, 1874)** (Pieridae) **Synonym(s):** *pieris* Hopffer, 1874
(in code): PE BO
- 20522. *Catasticta pieris innuba* Röber, 1908** (Pieridae) **Synonym(s):** *innuba* Röber, 1908
Range (in code): BO
- 20523. *Catasticta pieris intermedia* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *intermedia* Lathy & Rosenberg, 1912
Range (in code): PE
- 20524. *Catasticta pieris pieris* (Hopffer, 1874)** (Pieridae) **Synonym(s):** *pieris* Hopffer, 1874
Range (in code): PE
- 20525. *Catasticta pinava* (Doubleday, 1847)** (Pieridae) **Synonym(s):** *pinava* Doubleday, 1847; *hopfferi* Röber, 1908; *obscurior* Röber, 1908
Range (in code): BO PE
- 20526. *Catasticta pinava lucida* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *lucida* Eitschberger & T.Racheli, 1998
Range (in code): PE
- 20527. *Catasticta pinava pinava* (Doubleday, 1847)** (Pieridae) **Synonym(s):** *pinava* Doubleday, 1847; *hopfferi* Röber, 1908; *obscurior* Röber, 1908
Range (in code): BO
- 20528. *Catasticta pluvius* Tessman, 1928** (Pieridae) **Synonym(s):** *pluvius* Tessman, 1928
Range (in code): PE
- 20529. *Catasticta pluvius pluvius* Tessman, 1928** (Pieridae) **Synonym(s):** *pluvius* Tessman, 1928
Range (in code): PE
- 20530. *Catasticta pluvius potameoides* Reissinger, 1972** (Pieridae) **Synonym(s):** *potameoides* Reissinger, 1972
Range (in code): PE
- 20531. *Catasticta poujadei* (Dognin, 1888)** (Pieridae) **Synonym(s):** *poujadei* Dognin, 1888
Range (in code): EC BO PE
- 20532. *Catasticta poujadei clara* Röber, 1909** (Pieridae) **Synonym(s):** *clara* Röber, 1909
Range (in code): EC
- 20533. *Catasticta poujadei eximia* Röber, 1909** (Pieridae) **Synonym(s):** *eximia* Röber, 1909
Range (in code): BO

- 20534. *Catasticta poujadei lamasi* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *lamasi* Eitschberger & T.Racheli,1998 _ Range (in code): **PE**
- 20535. *Catasticta poujadei poujadei* (Dognin,1888)** (Pieridae) Synonym(s): *poujadei* Dognin,1888 _ Range (in code): **EC**
- 20536. *Catasticta prioneris* (Hopffer,1874)** (Pieridae) Synonym(s): *prioneris* Hopffer,1874 _ Range (in code): **PE EC VE Agu**
- 20537. *Catasticta prioneris araguana* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *araguana* Eitschberger & T.Racheli,1998 _ Range (in code): **VE Agu**
- 20538. *Catasticta prioneris estancia* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *estancia* Eitschberger & T.Racheli,1998 _ Range (in code): **EC**
- 20539. *Catasticta prioneris peruviana* Joicey & Talbot,1918** (Pieridae) Synonym(s): *peruviana* Joicey & Talbot,1918 _ Range (in code): **PE**
- 20540. *Catasticta prioneris prioneris* (Hopffer,1874)** (Pieridae) Synonym(s): *prioneris* Hopffer,1874 _ Range (in code): **PE**
- 20541. *Catasticta radiata* (Kollar,1850)** (Pieridae) Synonym(s): *radiata* Kollar,1850; *hanna* Reissinger,1970 _ Range (in code): **VE CO EC**
- 20542. *Catasticta radiata julita* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *julita* Eitschberger & T.Racheli,1998 _ Range (in code): **EC**
- 20543. *Catasticta radiata radiata* (Kollar,1850)** (Pieridae) Synonym(s): *radiata* Kollar,1850; *hanna* Reissinger,1970 _ Range (in code): **VE CO**
- 20544. *Catasticta reducta* Butler,1896** (Pieridae) Synonym(s): *reducta* Butler,1896; *aequatorialis* Röber,1909 _ Range (in code): **EC BO PE**
- 20545. *Catasticta reducta boliviana* Butler,1896** (Pieridae) Synonym(s): *boliviana* Butler,1896; *chelidonides* Röber,1924; *microperuviana* Reissinger,1972 _ Range (in code): **BO PE**
- 20546. *Catasticta reducta butleri* F.M.Brown & Gabriel,1939** (Pieridae) Synonym(s): *butleri* F.M.Brown & Gabriel,1939; *#butleria* F.M.Brown,1939 _ Range (in code): **PE**
- 20547. *Catasticta reducta reducta* Butler,1896** (Pieridae) Synonym(s): *reducta* Butler,1896; *aequatorialis* Röber,1909 _ Range (in code): **EC**
- 20548. *Catasticta revancha* Rey & Pyrcz,1996** (Pieridae) Synonym(s): *revancha* Rey & Pyrcz,1996 _ Range (in code): **VE Tac** _ o
- 20549. *Catasticta revancha revancha* Rey & Pyrcz,1996** (Pieridae) Synonym(s): *revancha* Rey & Pyrcz,1996 _ Range (in code): **VE Tac** _ o
- 20550. *Catasticta rileyi* F.M.Brown,1939** (Pieridae) Synonym(s): *rileyi* F.M.Brown,1939; *#rileya* F.M.Brown,1939 _ Range (in code): **PE EC** _ o
- 20551. *Catasticta rileyi rileyi* F.M.Brown,1939** (Pieridae) Synonym(s): *rileyi* F.M.Brown,1939; *#rileya* F.M.Brown,1939 _ Range (in code): **PE**
- 20552. *Catasticta rileyi tamsa* Riley,1939** (Pieridae) Synonym(s): *tamsa* Riley,1939; *tamsa* Reissinger,1969 _ Range (in code): **PE**
- 20553. *Catasticta rileyi yanganza* Eitschberger & T.Racheli,1998** (Pieridae) Synonym(s): *yanganza* Eitschberger & T.Racheli,1998 _ Range (in code): **EC**
- 20554. *Catasticta rosea* Joicey & Rosenberg,1915** (Pieridae) Synonym(s): *rosea* Joicey & Rosenberg,1915 _ Range (in code): **CO**
- 20555. *Catasticta rosea rosea* Joicey & Rosenberg,1915** (Pieridae) Synonym(s): *rosea* Joicey & Rosenberg,1915 _ Range (in code): **CO**
- 20556. *Catasticta scaeva* Röber,1909** (Pieridae) Synonym(s): *scaeva* Röber,1909; *pallens* Röber,1924 _ Range (in code): **PE**
- 20557. *Catasticta scaeva restricta* F.M.Brown & Goodson,1940** (Pieridae) Synonym(s): *restricta* F.M.Brown & Goodson,1940 _ Range (in code): **BO**
- 20558. *Catasticta scaeva scaeva* Röber,1909** (Pieridae) Synonym(s): *scaeva* Röber,1909; *pallens* Röber,1924 _ Range (in code): **PE**
- 20559. *Catasticta scurra* Röber,1924** (Pieridae) Synonym(s): *scurra* Röber,1924; *browni* Reissinger,1972; *confusa* Reissinger,1972 _ Range (in code): **PE**
- 20560. *Catasticta scurra scurra* Röber,1924** (Pieridae) Synonym(s): *scurra* Röber,1924; *browni* Reissinger,1972; *confusa* Reissinger,1972 _ Range (in code): **PE**
- 20561. *Catasticta seitzi* Lathy & Rosenberg,1912** (Pieridae) Synonym(s): *seitzi* Lathy & Rosenberg,1912 _ Range (in code): **CO EC**

- 20562. *Catasticta seitzi blanca* Reissinger, 1972** (Pieridae) **Synonym(s):** *blanca* Reissinger, 1972
Range (in code): **EC**
- 20563. *Catasticta seitzi seitzi* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *seitzi* Lathy & Rosenberg, 1912
Range (in code): **CO**
- 20564. *Catasticta seitzi zana* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *zana* F.M.Brown, 1939
Range (in code): **CO**
- 20565. *Catasticta sella* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *sella* Eitschberger & T.Racheli, 1998
Range (in code): **PE EC**
- 20566. *Catasticta sella dognini* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *dognini* Eitschberger & T.Racheli, 1998
Range (in code): **EC**
- 20567. *Catasticta sella sella* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *sella* Eitschberger & T.Racheli, 1998
Range (in code): **PE**
- 20568. *Catasticta semiramis* (Lucas, 1852)** (Pieridae) **Synonym(s):** *semiramis* Lucas, 1852
Range (in code): **EC CO**
- 20569. *Catasticta semiramis palla* F.M.Brown, 1939** (Pieridae) **Synonym(s):** *palla* F.M.Brown, 1939; *hammurabi* Reissinger, 1972
Range (in code): **EC CO**
- 20570. *Catasticta semiramis salomon* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *salomon* Eitschberger & T.Racheli, 1998
Range (in code): **EC**
- 20571. *Catasticta semiramis semiramis* (Lucas, 1852)** (Pieridae) **Synonym(s):** *semiramis* Lucas, 1852
Range (in code): **CO**
- 20572. *Catasticta sinapina* Butler, 1896** (Pieridae) **Synonym(s):** *sinapina* Butler, 1896
Range (in code): **PE**
- 20573. *Catasticta sinapina sinapina* Butler, 1896** (Pieridae) **Synonym(s):** *sinapina* Butler, 1896
Range (in code): **PE**
- 20574. *Catasticta sinapina subflava* Lathy & Rosenberg, 1912** (Pieridae) **Synonym(s):** *subflava* Lathy & Rosenberg, 1912; *roeberi* Reissinger, 1972
Range (in code): **PE**
- 20575. *Catasticta sisamnus* (Fabricius, 1793)** (Pieridae) **Synonym(s):** *sisamnus* Fabricius, 1793; *pitana* C.Felder & R.Felder, 1865; *flava* Röber, 1908; *flora* Apolinar-Maria, 1926
Range (in code): **VE Bra PA CO BO PE**
- 20576. *Catasticta sisamnus bithyna* Röber, 1924** (Pieridae) **Synonym(s):** *bithyna* Röber, 1924
Range (in code): **CO**
- 20577. *Catasticta sisamnus lisa* Reissinger, 1969** (Pieridae) **Synonym(s):** *lisa* Reissinger, 1969
Range (in code): **PE**
- 20578. *Catasticta sisamnus merida* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *merida* Eitschberger & T.Racheli, 1998
Range (in code): **VE Bra**
- 20579. *Catasticta sisamnus sisamnus* (Fabricius, 1793)** (Pieridae) **Synonym(s):** *sisamnus* Fabricius, 1793; *pitana* C.Felder & R.Felder, 1865; *flava* Röber, 1908; *flora* Apolinar-Maria, 1926
Range (in code): **PA CO**
- 20580. *Catasticta sisamnus smalli* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *smalli* Eitschberger & T.Racheli, 1998
Range (in code): **PA**
- 20581. *Catasticta sisamnus telasco* (Lucas, 1852)** (Pieridae) **Synonym(s):** *telasco* Lucas, 1852; *argolis* Röber, 1924
Range (in code): **PE**
- 20582. *Catasticta sisamnus yungaica* Forster, 1955** (Pieridae) **Synonym(s):** *yungaica* Forster, 1955
Range (in code): **BO**
- 20583. *Catasticta smithi* F.M.Brown & Gabriel, 1939** (Pieridae) **Synonym(s):** *smithi* F.M.Brown & Gabriel, 1939
Range (in code): **PE**
- 20584. *Catasticta smithi smithi* F.M.Brown & Gabriel, 1939** (Pieridae) **Synonym(s):** *smithi* F.M.Brown & Gabriel, 1939
Range (in code): **PE**
- 20585. *Catasticta soccorensis* Fassl, 1915** (Pieridae) **Synonym(s):** *soccorensis* Fassl, 1915
Range (in code): **CO EC**
- 20586. *Catasticta soccorensis cotopaxiensis* Eitschberger & T.Racheli, 1998** (Pieridae) **Synonym(s):** *cotopaxiensis* Eitschberger & T.Racheli, 1998
Range (in code): **EC**
- 20587. *Catasticta soccorensis soccorensis* Fassl, 1915** (Pieridae) **Synonym(s):** *soccorensis* Fassl, 1915
Range (in code): **CO**
- 20588. *Catasticta suadela* (Hoppfer, 1874)** (Pieridae) **Synonym(s):** *suadela* Hoppfer, 1874
Range (in code): **PE**

- 20589. *Catasticta suadela suadela* (Hoppfer,1874) (Pieridae) Synonym(s):** *suadela Hoppfer,1874* _ Range (in code): PE
- 20590. *Catasticta suasa Röber,1908* (Pieridae) Synonym(s):** *suasa Röber,1908* _ Range (in code): BO
- 20591. *Catasticta suasa pacis Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *pacis Eitschberger & T.Racheli,1998* _ Range (in code): BO
- 20592. *Catasticta suasa suasa Röber,1908* (Pieridae) Synonym(s):** *suasa Röber,1908* _ Range (in code): BO
- 20593. *Catasticta susiana (Hoppfer,1874)* (Pieridae) Synonym(s):** *susiana Hoppfer,1874; plesseni Röber,1908* _ Range (in code): EC PE
- 20594. *Catasticta susiana acomayo Reissinger,1972* (Pieridae) Synonym(s):** *acomayo Reissinger,1972* _ Range (in code): PE
- 20595. *Catasticta susiana amba F.M.Brown, Gabriel & Goodson,1940* (Pieridae) Synonym(s):** *amba F.M.Brown, Gabriel & Goodson,1940* _ Range (in code): EC
- 20596. *Catasticta susiana galbinea Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *galbinea Eitschberger & T.Racheli,1998* _ Range (in code): PE
- 20597. *Catasticta susiana igneata Reissinger,1972* (Pieridae) Synonym(s):** *igneata Reissinger,1972* _ Range (in code): PE
- 20598. *Catasticta susiana sebundoia Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *sebundoia Eitschberger & T.Racheli,1998* _ Range (in code): EC
- 20599. *Catasticta susiana susiana (Hoppfer,1874)* (Pieridae) Synonym(s):** *susiana Hoppfer,1874; plesseni Röber,1908* _ Range (in code): EC
- 20600. *Catasticta susiana tamboensis Joicey & Talbot,1918* (Pieridae) Synonym(s):** *tamboensis Joicey & Talbot,1918* _ Range (in code): PE
- 20601. *Catasticta teutamis (Hewitson,1860)* (Pieridae) Synonym(s):** *teutamis Hewitson,1860* _ Range (in code): PE EC
- 20602. *Catasticta teutamis epimene (Hewitson,1870)* (Pieridae) Synonym(s):** *epimene Hewitson,1870* _ Range (in code): EC
- 20603. *Catasticta teutamis moyobamba Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *moyobamba Eitschberger & T.Racheli,1998* _ Range (in code): PE
- 20604. *Catasticta teutamis teutamis (Hewitson,1860)* (Pieridae) Synonym(s):** *teutamis Hewitson,1860* _ Range (in code): PE
- 20605. *Catasticta teutila (Doubleday,1847)* (Pieridae) Synonym(s):** *teutila Doubleday,1847; sebennica Lucas,1852* _ Range (in code): MX HN CR
- 20606. *Catasticta teutila eudoica (Reakirt,1863)* (Pieridae) Synonym(s):** *eudoica Reakirt,1863; #flavifaciata De La Maza,1977; flavifaciata Beutelspacher,1986* _ Range (in code): MX HN
- 20607. *Catasticta teutila flavomaculata Lathy & Rosenberg,1912* (Pieridae) Synonym(s):** *flavomaculata Lathy & Rosenberg,1912; reneda Fruhstorfer,1915* _ Range (in code): CR
- 20608. *Catasticta teutila teutila (Doubleday,1847)* (Pieridae) Synonym(s):** *teutila Doubleday,1847; sebennica Lucas,1852* _ Range (in code): MX
- 20609. *Catasticta theresa Butler & Druce,1874* (Pieridae) Synonym(s):** *theresa Butler & Druce,1874* _ Range (in code): CR
- 20610. *Catasticta toca (Doubleday,1847)* (Pieridae) Synonym(s):** *toca Doubleday,1847* _ Range (in code): BO PE
- 20611. *Catasticta toca detrita Röber,1909* (Pieridae) Synonym(s):** *detrita Röber,1909; tocata Reissinger,1972* _ Range (in code): PE
- 20612. *Catasticta toca toca (Doubleday,1847)* (Pieridae) Synonym(s):** *toca Doubleday,1847* _ Range (in code): BO
- 20613. *Catasticta tomyris (C.Felder & R.Felder,1865)* (Pieridae) Synonym(s):** *tomyris C.Felder & R.Felder,1865* _ Range (in code): CO Bgt VE Mra PE BO EC
- 20614. *Catasticta tomyris barbara Reissinger,1969* (Pieridae) Synonym(s):** *barbara Reissinger,1969* _ Range (in code): PE
- 20615. *Catasticta tomyris myris Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *myris Eitschberger & T.Racheli,1998* _ Range (in code): EC
- 20616. *Catasticta tomyris subtamina Eitschberger & T.Racheli,1998* (Pieridae) Synonym(s):** *subtamina Eitschberger & T.Racheli,1998* _ Range (in code): VE Mra

- 20617. *Catasticta tomyris subtomiris* Reissinger, 1972** (Pieridae) Synonym(s): *subtomiris* Reissinger, 1972 _ Range (in code): PE
- 20618. *Catasticta tomyris tamina* Röber, 1909** (Pieridae) Synonym(s): *tamina* Röber, 1909 _ Range (in code): BO
- 20619. *Catasticta tomyris tomyris* (C.Felder & R.Felder, 1865)** (Pieridae) Synonym(s): *tomyris* C.Felder & R.Felder, 1865 _ Range (in code): CO Bgt
- 20620. *Catasticta tricolor* Butler, 1897** (Pieridae) Synonym(s): *tricolor* Butler, 1897 _ Range (in code): EC VE Tac
- 20621. *Catasticta tricolor tomasi* Wojtusiak & Rey, 1999** (Pieridae) Synonym(s): *tomasi* Wojtusiak & Rey, 1999 _ Range (in code): VE Tac
- 20622. *Catasticta troezene* (C.Felder & R.Felder, 1865)** (Pieridae) Synonym(s): *troezene* C.Felder & R.Felder, 1865; *zancle troezene* C.Felder & R.Felder, 1865; *latiplaga* Röber, 1924; *lactaea* Avinoff, 1926 _ Range (in code): Co Bgt VE Mra
- 20623. *Catasticta troezene gelba* F.M.Brown & Gabriel, 1939** (Pieridae) Synonym(s): *gelba* F.M.Brown & Gabriel, 1939 _ Range (in code): VE Mra
- 20624. *Catasticta troezene troezene* (C.Felder & R.Felder, 1865)** (Pieridae) Synonym(s): *troezene* C.Felder & R.Felder, 1865; *zancle troezene* C.Felder & R.Felder, 1865; *latiplaga* Röber, 1924; *lactaea* Avinoff, 1926 _ Range (in code): CO Bgt
- 20625. *Catasticta troezene troezenides* Röber, 1908** (Pieridae) Synonym(s): *troezenides* Röber, 1908 _ Range (in code): CO
- 20626. *Catasticta truncata* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *truncata* Lathy & Rosenberg, 1912 _ Range (in code): VE Mra EC
- 20627. *Catasticta truncata truncata* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *truncata* Lathy & Rosenberg, 1912 _ Range (in code): VE Mra
- 20628. *Catasticta truncata xanthotaenia* Röber, 1924** (Pieridae) Synonym(s): *xanthotaenia* Röber, 1924 _ Range (in code): EC
- 20629. *Catasticta uricoecheae* (C.Felder & R.Felder, 1861)** (Pieridae) Synonym(s): *uricoecheae* C.Felder & R.Felder, 1861; *#flava* Krüger, 1925 _ Range (in code): CO PE EC VE Tac
- 20630. *Catasticta uricoecheae bouvieri* Apollinar-Maria, 1926** (Pieridae) Synonym(s): *bouvieri* Apollinar-Maria, 1926 _ Range (in code): CO
- 20631. *Catasticta uricoecheae inopa* Wojtusiak & Rey, 1999** (Pieridae) Synonym(s): *inopa* Wojtusiak & Rey, 1999 _ Range (in code): VE Tac
- 20632. *Catasticta uricoecheae koenigi* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *koenigi* Eitschberger & T.Racheli, 1998 _ Range (in code): PE
- 20633. *Catasticta uricoecheae rodriguezi* Eitschberger & T.Racheli, 1998** (Pieridae) Synonym(s): *rodriguezi* Eitschberger & T.Racheli, 1998 _ Range (in code): CO
- 20634. *Catasticta uricoecheae uricoecheae* (C.Felder & R.Felder, 1861)** (Pieridae) Synonym(s): *uricoecheae* C.Felder & R.Felder, 1861; *#flava* Krüger, 1925 _ Range (in code): CO
- 20635. *Catasticta uricoecheae vulnerata* Butler, 1897** (Pieridae) Synonym(s): *vulnerata* Butler, 1897 _ Range (in code): EC
- 20636. *Catasticta watkinsi* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *watkinsi* Lathy & Rosenberg, 1912; *zanclicoides* Röber, 1924 _ Range (in code): PE
- 20637. *Catasticta watkinsi huanco* Reissinger, 1972** (Pieridae) Synonym(s): *huanco* Reissinger, 1972 _ Range (in code): PE
- 20638. *Catasticta watkinsi suffusa* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *suffusa* Lathy & Rosenberg, 1912 _ Range (in code): PE
- 20639. *Catasticta watkinsi watkinsi* Lathy & Rosenberg, 1912** (Pieridae) Synonym(s): *watkinsi* Lathy & Rosenberg, 1912; *zanclicoides* Röber, 1924 _ Range (in code): PE
- 20640. *Catopsilia florella* (Fabricius, 1775)** (Pieridae) Synonym(s): *florella* Fabricius, 1775; *pyrene* Swainson, 1821; *hyblaea* & *rhadia* Boisduval, 1836; *marchellina* Bertolini, 1850; *aleurona* Butler, 1876; *rufosparsa* Butler, 1880; *swainsoni* Westwood, 1881. _ Original Reference: Papilio florella Fabricius, 1775, Syst. Ent.: 479, nr.159. Syntypes: "Sierra Leon Africae" (BMNH, ZMC). Range (in code): AO BF BH BI BJ BW CF CG CI CM Cn DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IN IQ Jd Fat IR B-A Fa Hz KE LB IL LK LR LS LY MA ML MR MW Zom MZ NA NE NG OM PK RW SA SL SN SO ST SZ TD TG TN TR TZ UG YE ZA Tva Spb Lj Lpo Mdk Kru Pma Ent Nta Kzu Ptb ZM ZR ZW SD Ad Zai YE47 YE60 SD91 SD119 Bhb Tnga Usa Ani Ate JO CY Tmn Ah _ Bionomy: Larva on Senna didymobotrya, S.odorata, S.occidentalis, S.petersiana, S.corymbosa, S.aschrek, S.italica arachoides, S.septemtrionalis,

- S.abbreviata, S. mimosoides, S. singueana (Fabaceae) [Genus name Senna or Cassia] (Trimen & Bowker,1889, et seq.); Gossypium (Malvaceae), Sesbania (Fabaceae) (Kielland,1990).
- 20641. Catopsilia florella florella (Fabricius,1775)** (Pieridae) *Synonym(s):* *florella* Fabricius,1775; *pyrene* Swainson,1821; *hyblaea* & *rhadia* Boisduval,1836; *marchellina* Bertolini,1850; *aleurona* Butler,1876; *rufosparsa* Butler,1880; *swainsoni* Westwood,1881. *Original Reference:* *Papilio florella* Fabricius,1775, Syst. Ent.: 479, nr.159. Syntypes: "Sierra Leon Africae" (BMNH, ZMC). *Range (in code):* AO BF BH BI BJ BW CF CG CI CM Cn DJ DZ EG EH ER ET GA GH GM GN GO Bio GW IN IQ Jd Fat IR B-A Fa Hz KE LB IL LK LR LS LY MA ML MR MW Zom MZ NA NE NG OM PK RW SA SL SN SO ST SZ TD TG TN TR TZ UG YE ZA Tva Spb Lj Lpo Mdk Kru Pma Ent Nta Kzu Ptb ZM ZR ZW SD SD91 SD119 Tnga Usa Ani Ate JO CY Tmn Ah *Bionomy:* Larva on Senna didymobotrya, S.odorata, S.occidentalis, S.petersiana, S.corymbosa, S.aschrek, S.italica arachoides, S.septemtrionalis, S.abbreviata, S. mimosoides, S. singueana (Fabaceae) [Genus name Senna or Cassia] (Trimen & Bowker,1889, et seq.); Gossypium (Malvaceae), Sesbania (Fabaceae) (Kielland,1990).
- 20642. Catopsilia gorgophone (Boisduval,1836)** (Pieridae) *Synonym(s):* *gorgophone* Boisduval,1836; *hinda* Butler,1870 *Original Reference:* *Papilio crocale* Cramer,[1775], Utitl. Kapellen 1: pl.55 figs. C,D. *Range (in code):* AU QAU Cai NSw Syd
- 20643. Catopsilia mabillei Neustetter,1929** (Pieridae) *Synonym(s):* *mabillei* Neustetter,1929
- 20644. Catopsilia mabillei mabillei Neustetter,1929** (Pieridae) *Synonym(s):* *mabillei* Neustetter,1929
- 20645. Catopsilia pomona (Fabricius,1775)** (Pieridae) *Synonym(s):* *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lalage* Herbst,1792; *alcmeone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930 *Original Reference:* *Papilio pomona* Fabricius,1775, Syst. Ent.: 479. Type(s): Nova Hollandia. *Range (in code):* PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic LK IN Ass Slo MM Adm Nk AF PK Ci Pes Nwf TH CMA Dst Qs Lmp Tht Cm1 Cuo Cuo1 Cuo2 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Nst Lsa Ths Knc Sbu Bnk Nrt Pbu Rat Sgk Hya Tnc VN Ton Tda Koh Ng Nu *Bionomy:* Larva on Senna siamea [cassod tree], S. alata [ringworm bush], Cassia fistula [golden shower], C.bakeriana [pink shower] (Fabaceae), Crinum asiaticum [cape lily] (Amaryllidaceae), Thevetia peruviana [trumpet flower] (Apocynaceae) (Lewvanich,2001).
- 20646. Catopsilia pomona pomona (Fabricius,1775)** (Pieridae) *Synonym(s):* *pomona* Fabricius,1775; *crocale* Cramer,[1775]; *jugurtha* Cramer,[1777]; *catilla* Cramer,1779; *hilaria* Stoll,1781; *lalage* Herbst,1792; *alcmeone* Fabricius,1793; *titania* Fabricius,1798; *jugurthina* Godart,1819; *endeer* Boisduval,1832; *phlegus* Wallace,1867; *flava* Butler,1869; *heera* Swinhoe,1885; *flavescens* Fruhstorfer,1910; *latilimbata* Fruhstorfer,1910; *celebica* Fruhstorfer,1910; *ostentata* Fruhstorfer,1910; *micromalayana* Fruhstorfer,1910; *rivalis* Fruhstorfer,1910; *crocalina* Fruhstorfer,1910; *citronella* Fruhstorfer,1910; *nivescens* Fruhstorfer,1910; *perspicua* Fruhstorfer,1910; *serrata* Fruhstorfer,1910; *bidotata* Fruhstorfer,1910; *siscia* Fruhstorfer,1910; *dionysiades* Fruhstorfer,1910; *pura* Lindner,1924; *formosana* Sonan,1930 *Original Reference:* *Papilio pomona* Fabricius,1775, Syst. Ent.: 479. Type(s): nova Hollandia. *Range (in code):* PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic LK IN Ass Slo MM Adm Nk AF PK Ci Pes Nwf TH CMA Dst Qs Lmp Tht Cm1 Cuo Cuo1 Cuo2 Cuo8 Cuo9 Cuo10 CDo CD2 Dsk Hpt Nst Lsa Ths Knc Sbu Bnk Nrt Pbu Rat Sgk Hya Tnc VN Ton Tda Koh Ng Nu *Bionomy:* Larva on Senna siamea [cassod tree], S. alata [ringworm bush], Cassia fistula [golden shower], C.bakeriana [pink shower] (Fabaceae), Crinum asiaticum [cape lily] (Amaryllidaceae), Thevetia peruviana [trumpet flower] (Apocynaceae) (Lewvanich,2001).
- 20647. Catopsilia pyranthe (Linnaeus,1758)** (Pieridae) *Synonym(s):* *pyranthe* Linnaeus,1758 *Original Reference:* *Papilio pyranthe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): Asia. *Range (in code):* PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK IN Ass Slo NP SI MM TH Nst Chw CMA CDo MY LK VN ID Cnz Cz11 Cuo Cu12
- 20648. Catopsilia pyranthe pyranthe (Linnaeus,1758)** (Pieridae) *Synonym(s):* *pyranthe* Linnaeus,1758 *Original Reference:* *Papilio pyranthe* Linnaeus,1758, Syst. Nat. (Edn.10)1: 469. Type(s): Asia. *Range (in code):* PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom

Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AF PK IN Ass Slo NP SI MM TH Nst Chw CMA CDo MY LK
VN ID Cnz Cz11 Cuo Cu12

- 20649. *Catopsilia scylla* (Linnaeus,1763)** (Pieridae) Synonym(s): *scylla* Linnaeus,1763; *etesia* Hewitson,1867 Original Reference: Papilio crocale Cramer,[1775], Utitl. Kapellen 1: pl.55 figs. C,D. Range (in code): AU NAu KY Tw PH Boh Ceb Din Gui Ley Mas Mno Neg Pan Pao Sam Bal Bon Luz Mar Mdo Pal Sga Stu Taw TH CMA Cuo Cuo1 Cuo3 Cuo5 Cu11 Cu12 CDo CD2 Nst Ths
- 20650. *Catopsilia scylla asema* Staudinger,1885** (Pieridae) Synonym(s): *asema* Staudinger,1885 Range (in code): PH Boh Ceb Din Gui Ley Mas Mno Neg Pan Pao Sam
- 20651. *Catopsilia scylla cornelia* (Fabricius,1787)** (Pieridae) Synonym(s): *cornelia* Fabricius,1787; *chengkong* Chen,1974 Range (in code): TW PH Bal Bon Luz Mar Mdo Pal Sga Stu Taw TH CMA Cuo Cuo1 Cuo3 Cuo5 Cu11 Cu12 CDo CD2 Nst Ths
- 20652. *Catopsilia thauruma* (Reakirt,1866)** (Pieridae) Synonym(s): *thauruma* Reakirt,1866
- 20653. *Catopsilia thauruma thauruma* (Reakirt,1866)** (Pieridae) Synonym(s): *thauruma* Reakirt,1866
- 20654. *Cepora abnormis* (Wallace,1867)** (Pieridae) Synonym(s): *abnormis* Wallace,1867 Range (in code): ID Ij PG Wau
- 20655. *Cepora abnormis abnormis* (Wallace,1867)** (Pieridae) Synonym(s): *abnormis* Wallace,1867 Range (in code): ID Ij PG Wau
- 20656. *Cepora abnormis euryxantha* Honrath,1891** (Pieridae) Synonym(s): *euryxantha* Honrath,1891 Range (in code): PG Wau
- 20657. *Cepora aspasia* (Stoll,1782)** (Pieridae) Synonym(s): *aspasia* Stoll,1782; *jael* Wallace,1867 Range (in code): ID Wg Trn Mti Ob Amb Bru PH Ceb Cts Bas Mas Mdo Neg Pan Sib Bal CmM Luz Pol Bon Jol Sga Sis Taw Boh Ley Mno Cal Pal
- 20658. *Cepora aspasia anaitis* Fruhstorfer,1910** (Pieridae) Synonym(s): *anaitis* Fruhstorfer,1910 Range (in code): PH Luz
- 20659. *Cepora aspasia aspasia* (Stoll,1782)** (Pieridae) Synonym(s): *aspasia* Stoll,1782 Range (in code): ID Amb Bru
- 20660. *Cepora aspasia aspasia* Fruhstorfer,1904** (Pieridae) Synonym(s): *aspasina* Fruhstorfer,1904 Range (in code): ID Ob
- 20661. *Cepora aspasia emma* Vollenhoven,1865** (Pieridae) Synonym(s): *emma* Vollenhoven,1865; *thais* Röber,1927 Range (in code): ID Trn Mti
- 20662. *Cepora aspasia fulcinea* Fruhstorfer,1911** (Pieridae) Synonym(s): *fulcinea* Fruhstorfer,1911 Range (in code): PH Pol
- 20663. *Cepora aspasia hester* Vollenhoven,1865** (Pieridae) Synonym(s): *hester* Vollenhoven,1865 Range (in code): ID Wg
- 20664. *Cepora aspasia irma* Fruhstorfer,1910** (Pieridae) Synonym(s): *irma* Fruhstorfer,1910 Range (in code): PH Bon Jol Sga Sis Taw
- 20665. *Cepora aspasia olga* Eschscholtz,1821** (Pieridae) Synonym(s): *olga* Eschscholtz,1821 Range (in code): PH Luz
- 20666. *Cepora aspasia olgina* (Staudinger,1889)** (Pieridae) Synonym(s): *olgina* Staudinger,1889 Original Reference: Pieris aspasia var. olgina Staudinger,1889, Dt. ent. Z., Iris 2: 19. Syntypes ♂♀: [Philippinen]: Palawan. Range (in code): PH Cal Pal
- 20667. *Cepora aspasia orantia* Fruhstorfer,1910** (Pieridae) Synonym(s): *orantia* Fruhstorfer,1910 Range (in code): PH Boh Ley Mno
- 20668. *Cepora aspasia phokaia* Fruhstorfer,1910** (Pieridae) Synonym(s): *phokaia* Fruhstorfer,1910 Range (in code): PH Bal
- 20669. *Cepora aspasia poetelia* Fruhstorfer,1910** (Pieridae) Synonym(s): *poetelia* Fruhstorfer,1910 Range (in code): PH CmM
- 20670. *Cepora aspasia rhemia* Fruhstorfer,1910** (Pieridae) Synonym(s): *rhemia* Fruhstorfer,1910 Range (in code): PH Mas Mdo Neg Pan Sib
- 20671. *Cepora aspasia tolmidia* Fruhstorfer,1911** (Pieridae) Synonym(s): *tolmidia* Fruhstorfer,1911 Range (in code): PH Ceb Cts
- 20672. *Cepora aspasia zisca* Fruhstorfer,1899** (Pieridae) Synonym(s): *zisca* Fruhstorfer,1899 Range (in code): PH Bas
- 20673. *Cepora boisduvaliana* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *boisduvaliana* C.Felder & R.Felder,1862 Range (in code): PH Luz Mar Mas CmM Ceb Boh Ley Neg Bas Mno Sam Tic Sib
- 20674. *Cepora boisduvaliana balbagona* Semper,1890** (Pieridae) Synonym(s): *balbagona* Semper,1890 Range (in code): PH CmM

- 20675. *Cepora boisduvaliana boisduvaliana* (C.Felder & R.Felder,1862) (Pieridae)**
Synonym(s): *boisduvaliana* C.Felder & R.Felder,1862 Original Reference: *Pieris boisduvaliana* Felder & Felder,1862, Wien. ent. Monatschr. 6: 287. Type: Luzon. Range (in code): **PH Luz Mar Mas**
- 20676. *Cepora boisduvaliana cebuensis* Schröder,1977 (Pieridae)** Synonym(s): *cebuensis* Schröder,1977 Range (in code): **PH Ceb**
- 20677. *Cepora boisduvaliana cirta* Fruhstorfer,1910 (Pieridae)** Synonym(s): *cirta* Fruhstorfer,1910 Range (in code): **PH Boh**
- 20678. *Cepora boisduvaliana leytensis* M.Okano & T.Okano,1991 (Pieridae)** Synonym(s): *leytensis* M.Okano & T.Okano,1991 Range (in code): **PH Ley**
- 20679. *Cepora boisduvaliana negrosensis* M.Okano & T.Okano,1991 (Pieridae)**
Synonym(s): *negrosensis* M.Okano & T.Okano,1991 Range (in code): **PH Neg**
- 20680. *Cepora boisduvaliana semperi* Staudinger,1890 (Pieridae)** Synonym(s): *semperi* Staudinger,1890 Range (in code): **PH Bas Mno Sam Tic**
- 20681. *Cepora boisduvaliana sibuyanensis* Schröder,1977 (Pieridae)** Synonym(s): *sibuyanensis* Schröder,1977 Range (in code): **PH Sib**
- 20682. *Cepora iudith* (Fabricius,1787) (Pieridae)** Synonym(s): *iudith* Fabricius,1787; *aspasia* Stoll,[1790] *nec Fabr.*,1787 Original Reference: *Papilio iudith* Fabricius,1787, Mant. Ins. 2: 22, nr.230. Range (in code): **TH Cbi Chy Nna Nrt Pht Chu Uth Pkk Sbu Nst Phu Yal Ptt Rng Sgk Hya Tnc MM Mm ID Sum Bgk Nia P-T Ja Flo Alo Nat Egg Lb Sbw Sba MY Bor Swk Lkw SG PH Luz Mno Boh Neg Pal Bas Bal Jol Ceb**
- 20683. *Cepora iudith aga* Fruhstorfer,1902 (Pieridae)** Synonym(s): *aga* Fruhstorfer,1902 Range (in code): **ID Sbw**
- 20684. *Cepora iudith amalia* Vollenhoven,1865 (Pieridae)** Synonym(s): *amalia* Vollenhoven,1865 Range (in code): **ID Sum Bgk**
- 20685. *Cepora iudith eirene* Doherty,1891 (Pieridae)** Synonym(s): *eirene* Doherty,1891 Range (in code): **ID Sba**
- 20686. *Cepora iudith ethel* Doherty,1891 (Pieridae)** Synonym(s): *ethel* Doherty,1891 Range (in code): **ID Egg**
- 20687. *Cepora iudith hespera* Butler,1899 (Pieridae)** Synonym(s): *hespera* Butler,1899 Range (in code): **MY Bor Swk**
- 20688. *Cepora iudith iudith* (Fabricius,1787) (Pieridae)** Synonym(s): *iudith* Fabricius,1787; *aspasia* Stoll,[1790] *nec Fabr.*,1787 Original Reference: *Papilio iudith* Fabricius,1787, Mant. Ins. 2: 22, nr.230. Range (in code): **ID Ja**
- 20689. *Cepora iudith lea* (Doubleday,1846) (Pieridae)** Synonym(s): *lea* Doubleday,1846; *continentalis* Röber,1927 Original Reference: *Pieris lea* Doubleday,1846, Ann. Mag. nat. Hist. (1) 17: 23. Type: [Myanmar]: Burma, Moulmein. Range (in code): **MM Mm TH Cbi Chy Nna Nrt Pht Chu Uth Pkk Sbu Sgk Hya Tnc**
- 20690. *Cepora iudith malaya* Fruhstorfer,1899 (Pieridae)** Synonym(s): *malaya* Fruhstorfer,1899 Range (in code): **TH Nst Phu Yal Ptt Rng MY Lkw SG**
- 20691. *Cepora iudith meridionalis* (Fruhstorfer,1899) (Pieridae)** Synonym(s): *meridionalis* Fruhstorfer,1899 Range (in code): **ID Bor**
- 20692. *Cepora iudith montana* (Fruhstorfer,1899) (Pieridae)** Synonym(s): *montana* Fruhstorfer,1899 Range (in code): **MY Bor**
- 20693. *Cepora iudith naomi* Wallace,1867 (Pieridae)** Synonym(s): *naomi* Wallace,1867 Range (in code): **ID Lb**
- 20694. *Cepora iudith natuna* Fruhstorfer,1899 (Pieridae)** Synonym(s): *natuna* Fruhstorfer,1899 Original Reference: *Cepora lea* ssp.natuna Fruhstorfer,1899, Berl. ent. Z. 44: 101. Range (in code): **ID Nat**
- 20695. *Cepora iudith oberthueri* Röber,1892 (Pieridae)** Synonym(s): *oberthueri* Röber,1892 Range (in code): **ID Alo Flo**
- 20696. *Cepora iudith selma* (Weymer,1885) (Pieridae)** Synonym(s): *selma* Weymer,1885 Original Reference: *Pieris selma* Weymer,1885, Stettin ent. Ztg. 46: 269, pl.2 fig.5. Range (in code): **ID Nia**
- 20697. *Cepora iudith siamensis* (Butler,1899) (Pieridae)** Synonym(s): *siamensis* Butler,1899; *aora* Pendlebury,1933 Original Reference: *Huphina siamensis* Butler,1899, Ann. Mag. nat. Hist. (7) 3: 208. Range (in code): **TH**

- 20698. *Cepora iudith talboti* Corbet,1937** (Pieridae) Synonym(s): *talboti* Corbet,1937 _ Range (in code): ID P-T
- 20699. *Cepora laeta* Hewitson,1860** (Pieridae) Synonym(s): *laeta* Hewitson,1860 _ Range (in code): ID Tim
- 20700. *Cepora nadina* Lucas,1852** (Pieridae) Synonym(s): *nadina* Lucas,1852 _ Range (in code): TH Cbi Chy CMa CDo Knc Nrt Sbu Nna Loe Srt Nst Uth Sgk Hya Tnc SI IN Meg Ass Apr Tn Mh Mys Ben Ker LK MM VN Ton Tda
- 20701. *Cepora nadina andamana* Swinhoe,1889** (Pieridae) Synonym(s): *andamana* Swinhoe,1889 _ Range (in code): IN Adm
- 20702. *Cepora nadina nadina* Lucas,1852** (Pieridae) Synonym(s): *nadina* Lucas,1852 _ Range (in code): TH Cbi Chy CMa CDo Knc Nrt Sbu Nna Loe Srt Nst Uth Sgk Hya Tnc SI IN Meg Ass MM VN Ton Tda
- 20703. *Cepora nadina remba* Moore,1857** (Pieridae) Synonym(s): *remba* Moore,1857 _ Range (in code): IN Tn Mh Mys Ker
- 20704. *Cepora nerissa* (Fabricius,1775)** (Pieridae) Synonym(s): *nerissa* Fabricius,1775 _ Range (in code): LK IN Ass MM MY TH Chy CMa Cnz Czo5 Cuo Cuo5 Cuo7 Cu12 CDo Bnk Knc Nrt Pht Pkk TAK Cbi Cbu Loe Nth Phe Sbu Tng Uth VN Ton Tda
- 20705. *Cepora nerissa dapha* Moore,1879** (Pieridae) Synonym(s): *dapha* Moore,1879 _ Range (in code): IN Ass MM MY TH Chy CMa Cnz Czo5 Cuo Cuo5 Cuo7 Cu12 CDo Bnk Knc Nrt Pht Pkk TAK Cbi Cbu Loe Nth Phe Sbu Tng Uth
- 20706. *Cepora nerissa nerissa* (Fabricius,1775)** (Pieridae) Synonym(s): *nerissa* Fabricius,1775 _ Range (in code): TH
- 20707. *Cepora perimale* (Donovan,1805)** (Pieridae) Synonym(s): *perimale* Donovan,1805; *lanassa* Boisduval,1836; *nabis* Lucas,1852; *periclea* Felder & Felder,1865; *narses* Wallace,1867; *hartei* Ribbe,1901 _ Range (in code): PG Wau Tro Fg Bgv NBr Be SB Hon Hon8 NC LO ID Ij Wg Aru Kai Tnm Tim Wt Dm Lt Bbr AU NSw Syd
- 20708. *Cepora perimale acrisa* (Boisduval,1859)** (Pieridae) Synonym(s): *acrisa* Boisduval,1859 _ Range (in code): NC LO
- 20709. *Cepora perimale agnata* Grose-Smith,1889** (Pieridae) Synonym(s): *agnata* Grose-Smith,1889 _ Range (in code): SB Hon
- 20710. *Cepora perimale babberica* Fruhstorfer,1903** (Pieridae) Synonym(s): *babberica* Fruhstorfer,1903 _ Range (in code): ID Bbr
- 20711. *Cepora perimale bolana* Fruhstorfer,1903** (Pieridae) Synonym(s): *bolana* Fruhstorfer,1903 _ Range (in code): ID Kai
- 20712. *Cepora perimale chrysopis* Fruhstorfer,1910** (Pieridae) Synonym(s): *chrysopis* Fruhstorfer,1910 _ Range (in code): PG
- 20713. *Cepora perimale consanguis* Butler,1883** (Pieridae) Synonym(s): *consanguis* Butler,1883 _ Range (in code): ID Tnm
- 20714. *Cepora perimale discolor* Mathew,1887** (Pieridae) Synonym(s): *discolor* Mathew,1887 _ Range (in code): SB Hon8 Ugi
- 20715. *Cepora perimale dohertyana* Grose-Smith,1894** (Pieridae) Synonym(s): *dohertyana* Grose-Smith,1894 _ Range (in code): ID Ij PG
- 20716. *Cepora perimale latilimbata* Butler,1876** (Pieridae) Synonym(s): *latilimbata* Butler,1876 _ Range (in code): AU PG
- 20717. *Cepora perimale leucophorus* Grose-Smith,1897** (Pieridae) Synonym(s): *leucophorus* Grose-Smith,1897 _ Range (in code): PG Tro
- 20718. *Cepora perimale macdonaldi* (Ribbe,1899)** (Pieridae) Synonym(s): *macdonaldi* Ribbe,1899 _ Range (in code): PG Bgv
- 20719. *Cepora perimale maculata* Grose-Smith,1896** (Pieridae) Synonym(s): *maculata* Grose-Smith,1896 _ Range (in code): PG NBr
- 20720. *Cepora perimale mithra* Fruhstorfer,1903** (Pieridae) Synonym(s): *mithra* Fruhstorfer,1903 _ Range (in code): PG Fg
- 20721. *Cepora perimale perictione* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *perictione* C.Felder & R.Felder,1865 _ Range (in code): ID Aru
- 20722. *Cepora perimale perimale* (Donovan,1805)** (Pieridae) Synonym(s): *perimale* Donovan,1805; *lanassa* Boisduval,1836; *nabis* Lucas,1852; *periclea* C.Felder & R.Felder,1865; *narses* Wallace,1867; *hartei* Ribbe,1901 _ Range (in code): NF
- 20723. *Cepora perimale pityna* Fruhstorfer,1903** (Pieridae) Synonym(s): *pityna* Fruhstorfer,1903 _ Range (in code): ID Dm

- 20724. *Cepora perimale pitys* (Godart,1819)** (Pieridae) Synonym(s): *pitys* Godart,1819
Range (in code): ID Tim
- 20725. *Cepora perimale pygmaea* Röber,1891** (Pieridae) Synonym(s): *pygmaea* Röber,1891
Range (in code): ID Lt
- 20726. *Cepora perimale radiata* Howarth** (Pieridae) Synonym(s): *radiata* Howarth - Range (in code): SB Be
- 20727. *Cepora perimale scyllara* (Macleay,1826)** (Pieridae) Synonym(s): *scyllara* Macleay,1826
Range (in code): AU NSW Syd
- 20728. *Cepora perimale wallaceana* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *wallaceana* C.Felder & R.Felder,1865 - Range (in code): ID Wg
- 20729. *Cepora perimale wetteri* Grose-Smith,1898** (Pieridae) Synonym(s): *wetteri* Grose-Smith,1898 - Range (in code): ID Wt
- 20730. *Colias* (*Eriocolias*) *adelaidae* Verhulst,1991** (Pieridae) Synonym(s): *adelaidae* Verhulst,1991 - Range (in code): CN Gn Ti
- 20731. *Colias* (*Eriocolias*) *adelaidae adelaidae* Verhulst,1991** (Pieridae) Synonym(s): *adelaidae* Verhulst,1991 - Range (in code): CN Gn
- 20732. *Colias* (*Eriocolias*) *adelaidae karmalana* Grieshuber,1999** (Pieridae) Synonym(s): *karmalana* Grieshuber,1999 - Range (in code): CN Ti
- 20733. *Colias* (*Eriocolias*) *aegidii* Verhulst,1990** (Pieridae) Synonym(s): *aegidii* Verhulst,1990
Range (in code): CN Gn
- 20734. *Colias* (*Eriocolias*) *alpherakii* Staudinger,1882** (Pieridae) Synonym(s): *alpherakii* Staudinger,1882; *#leucophryna* Groum-Grshimailo,1893. Original Reference: *Colias alpherakii* Staudinger,1882, Berl. ent. Z. 26(1): 164-166. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Prov. Samarkand: Hazret-Sultan-Gebirge. Range (in code): AF Prw Pjr Al Ci H-S Kbb PK Pm Pnj Sha TJ UZ CN Ui
- 20735. *Colias* (*Eriocolias*) *alpherakii aljinshana* Huang & Muruyama,1992** (Pieridae) Synonym(s): *aljinshana* Huang & Muruyama,1992 Original Reference: *Colias grumi* ssp. *aljinshana* Huang & Muruyama,1992, Tyo To Ga 43 (1): 5, pl.2 fig.ii
- 20736. *Colias* (*Eriocolias*) *alpherakii alpherakii* Staudinger,1882** (Pieridae) Synonym(s): *alpherakii* Staudinger,1882; *#leucophryna* Groum-Grshimailo,1893. Original Reference: *Colias alpherakii* Staudinger,1882, Berl. ent. Z. 26(1): 164-166. Syntypes: [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Prov. Samarkand: Hazret-Sultan-Gebirge. Range (in code): Al Pm KK
- 20737. *Colias* (*Eriocolias*) *alpherakii kohibaba* Wyatt & Omoto,1966** (Pieridae) Synonym(s): *kohibaba* Wyatt & Omoto,1966 Original Reference: *Colias alpherakii* ssp. *kohibaba* Wyatt & Omoto,1966, Entomops 5: 146-147, figs. Holotype ♂: Afghanistan: S.W. Koh-i-Baba Mts., N. of Panjao, 2900m. Range (in code): AF Kbb Pnj
- 20738. *Colias* (*Eriocolias*) *alpherakii pakistana* Koçak,1990** (Pieridae) Synonym(s): *chitralensis* Verity,1911 nec Mre,1905; *pakistana* Koçak,1990 Original Reference: *Colias alpherakii* *pakistana* Koçak,1990, Cent. ent. Stud., Misc. Pap. 7: 8 (nomen novum pro *chitralensis* Verity,1911, Rhopal. Palaearct.: 349, pl.69 figs.31,32 nec Moore,1905, Lepid. Ind. 7: 27. Syntypes: Pakistan: Chitral. Range (in code): PK Ci
- 20739. *Colias* (*Eriocolias*) *alpherakii roschana* Groum-Grshimailo,1893** (Pieridae) Synonym(s): *roschana* Groum-Grshimailo,1893; *versa* Verity,1911. Original Reference: *Colias alpherakii* var. *roschana* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 381. Syntypes: [Tadjikistan]: Pamir occ.: Roschan, ad fluvium Kudara. Range (in code): AF Prw Pjr Pm TJ Sha
- 20740. *Colias* (*Eriocolias*) *alpherakii tashkurgonica* Kesküla,1997** (Pieridae) Synonym(s): *tashkurgonica* Kesküla,1997 Original Reference: *Colias alpherakii* ssp. *tashkurgonica* Kesküla,1997, Atalanta 28 (1/2): 33-34, pl.iib. figs.1,2. Holotype ♂: Uzbekistan: Kashkadarya Prov.: Chakchar Range, Taschkurgon pass, 2900-3150m. (in coll. Kesküla). Range (in code): UZ
- 20741. *Colias* (*Eriocolias*) *alpherakii usmatica* Stshetkin,1990** (Pieridae) Synonym(s): *usmatica* Stshetkin,1990 Original Reference: *Colias alpherakii* ssp. *usmatica* Stshetkin,1990, Bull. Soc. ent. Moscou 95: 58-60. Holotype ♂: Tchoukmartaou a cote du village Ousmat, 2750-2800m (MGOU). Range (in code): TJ UZ KK
- 20742. *Colias* (*Eriocolias*) *arida* Alpheraky,1889** (Pieridae) Synonym(s): *arida* Alpheraky,1889; *cana* Groum-Grshimailo,1890; *auritheme* Groum-Grshimailo,1890; *#eogenei* Verity,[1909]; *viridis* Verity. Original Reference: *Colias arida* Alpheraky,1889, [in] Romanoff, Mém. Lepid. 5: 76. Syntypes ♂♂: Tibet: Pays aride situé entre le Lob-Noor et L'Ak-sou (2500-3000ft). Lectotype ♂: Kunlun-

- Gebirges: ? Minfeng, designated by Rose & Schulte, 1992, Neue ent. Nachr., Apollo 13(2):94. Range (in code): **Alt Au CN Gn Nsh Rth Ts Ui**
- 20743. *Colias (Eriocolias) arida adelaidae* Verhulst, 1991** (Pieridae) Synonym(s): *adelaidae* Verhulst, 1991 Original Reference: *Colias adelaidae* Verhulst, 1991, Lambillionea 91(2): 113-126. Holotype ♂: China: Gansu: Xiahe, 3300m. Range (in code): **CN Gn**
- 20744. *Colias (Eriocolias) arida arida* Alpheraky, 1889** (Pieridae) Synonym(s): *arida* Alpheraky, 1889; *cana* Groum-Grshimailo, 1890; *auritheme* Groum-Grshimailo, 1890; *#eogenei* Verity, [1909]; *viridis* Verity. Original Reference: *Colias arida* Alpheraky, 1889, [in] Romanoff, Mém. Lepid. 5: 76. Syntypes ♂♂: Tibet: Pays aride situé entre le Lob-Noor et L'Ak-sou (2500-3000ft). Lectotype ♂: Kunlun-Gebirges: ? Minfeng, designated by Rose & Schulte, 1992, Neue ent. Nachr., Apollo 13(2):94. Range (in code): **Au CN Ui**
- 20745. *Colias (Eriocolias) arida baeckeri* Kotzsch, 1929** (Pieridae) Synonym(s): *baeckeri* Kotzsch, 1929 Original Reference: *Colias baeckeri* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (19): 236-237. Syntypes ♂♂♀♀: [China]: Kansu: Richthofen-Gebirge [Qilian-Shan-mai]: Dingsiangmiao Pass, 2800m (Steyler Mission Museum). Range (in code): **CN Rth Gn**
- 20746. *Colias (Eriocolias) arida cakana* Rose & Schulte, 1992** (Pieridae) Synonym(s): *cakana* Rose & Schulte, 1992 Original Reference: *Colias arida* ssp. *cakana* Rose & Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2): 102-103, figs. Holotype ♂: China: Qinghai-Nanshan, Gebirgskette nördlich von Caka, 3500-4000m. leg. Paulus (in coll. Schulte). Range (in code): **Alt CN Gn Nsh Ts**
- 20747. *Colias (Eriocolias) arida muetingi* Rose & Schulte, 1992** (Pieridae) Synonym(s): *muetingi* Rose & Schulte, 1992 Original Reference: *Colias arida* ssp. *muetingi* Rose & Schulte, 1992, Nachr. ent. Ver., Apollo (N.F.) 13(2): 98-102, figs. Holotype ♂: China: Gansu, NW-Qilian-Shan, Zoulang-Nanshan, 50km südwestlich Jiayuguan 3700-3850m. leg. Helia (in coll. Schulte). Range (in code): **CN Gn**
- 20748. *Colias (Eriocolias) berylla* Fawcett, 1904** (Pieridae) Synonym(s): *berylla* Fawcett, 1904. Original Reference: *Colias berylla* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 139-140, pl. ix fig. 8. Type ♀: Tibet: Khamba Jong, 15000ft. Range (in code): **CN Lha SI Ti Ui**
- 20749. *Colias (Eriocolias) berylla berylla* Fawcett, 1904** (Pieridae) Synonym(s): *berylla* Fawcett, 1904. Original Reference: *Colias berylla* Fawcett, 1904, Proc. zool. Soc. Lond. 1904: 139-140, pl. ix fig. 8. Type ♀: Tibet: Khamba Jong, 15000ft. Range (in code): **CN SI Ti**
- 20750. *Colias (Eriocolias) berylla pulchra* Verity, [1911]** (Pieridae) Synonym(s): *pulchra* Verity, [1911] Original Reference: *Colias berylla* race *pulchra* Verity, [1911], Rhopalocera Palaearctica: 351. Syntypes: [China]: Tibet: Lhasa: Khambajong, Gyantsee, 3900m. Range (in code): **CN Gy Lha Ti**
- 20751. *Colias (Eriocolias) christophi* Groum-Grshimailo, 1885** (Pieridae) Synonym(s): *christophi* Groum-Grshimailo, 1885; *helialaica* Schulte, 1988. Original Reference: *Colias christophi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. lépid. 2: 220. Syntypes: [Kirghizia]: Alaisky Mts., Kara-Kasyk Pass, Archa-Bashi. Range (in code): **AF Bd KK TJ T-S UZ** Bionomy: *Astragalus* spp. (Tusov, 1997).
- 20752. *Colias (Eriocolias) christophi christophi* Groum-Grshimailo, 1885** (Pieridae) Synonym(s): *christophi* Groum-Grshimailo, 1885; *helialaica* Schulte, 1988. Original Reference: *Colias christophi* Groum-Grshimailo, 1885, [in] Romanoff, Mém. lépid. 2: 220. Syntypes: [Kirghizia]: Alaisky Mts., Kara-Kasyk Pass, Archa-Bashi. Range (in code): **KK TJ T-S**
- 20753. *Colias (Eriocolias) christophi heidei* Kotzsch, 1929** (Pieridae) Synonym(s): *heidei* Kotzsch, 1929 Original Reference: *Colias christophi* ssp. *heidei* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (12): 205. Type 1♀: [Uzbekistan]: Turkestan (Margelan) (Steyler Missionsmuseum). Range (in code): **UZ**
- 20754. *Colias (Eriocolias) christophi kali* Korb, 1999** (Pieridae) Synonym(s): *kali* Korb, 1999 Original Reference: *Colias christophi* ssp. *kali* Korb, 1999, Alexanor 20 (8): 452-453, fig. 5. Holotype ♀: Tadjikistan: Massif du Turkestan, col de Chakhristan (İahristan), 2900m. (MNHNP). Range (in code): **TJ**
- 20755. *Colias (Eriocolias) chrysotheme* (Esper, [1781])** (Pieridae) Synonym(s): *chrysotheme* Esper, [1781] Original Reference: *Papilio chrysotheme* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 89, Tab. 65, figs. 3, 4. Syntypes: Ungarn. Range (in code): **AT Ba BG BY CZ HU NL RO RU SK Sm So Sr UA VI Or Tt Cb Kt Rk Ty Kw Om Pw Ka Sp Mn No IR Gh At Kts CN Ui** Bionomy: Larva on *Vicia hirsuta*, *Astragalus austriacus* (Tolman, 1997).

- 20756. *Colias (Eriocolias) chrysotheme audre Hemming, 1933*** (Pieridae) Synonym(s): *sibirica* Groum-Grshimailo, 1893; *#standfussi* Groum-Grshimailo, 1893; *audre* Hemming, 1933. Original Reference: *Colias chrysotheme* ssp. *audre* Hemming, 1933, Entomologist 66: 278 (nomen novum pro *sibirica* Groum-Grshimailo, 1893 nec *sibirica* Lederer, 1852). Range (in code): **Kts At KG RU Sb Cb Kt Rk Ty Kw Om Pw Ka Sp Mn No**
- 20757. *Colias (Eriocolias) chrysotheme caspius Stichel, 1911*** (Pieridae) Synonym(s): *caspius* Stichel, 1911 Original Reference: *Colias chrysotheme* ssp. *caspius* Stichel, 1911, Z. Wiss. InsektenBiol. 6: 73. Syntypes ♂♀: [Iran]: Persien: Rescht (Nordküste). Range (in code): **IR Gh**
- 20758. *Colias (Eriocolias) chrysotheme chrysotheme (Esper, [1781])*** (Pieridae) Synonym(s): *chrysotheme* Esper, [1781] Original Reference: *Papilio chrysotheme* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 89, Tab. 65, figs. 3, 4. Syntypes: Ungarn. Range (in code): **AT Ba BG BY CZ HU NL RO RU SK Sm So Sr UA VI Or Tt**
- 20759. *Colias (Eriocolias) chrysotheme schugorowi Krulikowsky, 1906*** (Pieridae) Synonym(s): *#schugorowi* Krulikowsky, 1906; *schugurowi* Verity, [1911]. Original Reference: *Colias chrysotheme* ab. *schugorowi* Krulikowsky, 1906, Societas ent. 21: 75. Type(s): Südrussland. Range (in code): **RU**
- 20760. *Colias (Eriocolias) cocandica Erschoff, 1874*** (Pieridae) Synonym(s): *cocandica* Erschoff, 1874; *#hybrida* Groum-Grshimailo, 1893; *#galba* Groum-Grshimailo, 1893. Original Reference: *Colias nastes* var. *cocandica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 6, pl.1, fig.3. Syntypes: Schurowski-Gletscher. Range (in code): **AF Hk Kbb Bc Bqu Bd Wk PK Gg Hu CN Gn Ti Ui Kl Kml Cho Rth T-S KK Ld Ln Sda UZ KG TeA KuA TrA Ax Al T-A** Bionomy: -.
- 20761. *Colias (Eriocolias) cocandica cocandica Erschoff, 1874*** (Pieridae) Synonym(s): *cocandica* Erschoff, 1874; *#hybrida* Groum-Grshimailo, 1893; *#galba* Groum-Grshimailo, 1893. Original Reference: *Colias nastes* var. *cocandica* Erschoff, 1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 6, pl.1, fig.3. Syntypes: Schurowski-Gletscher. Range (in code): **T-S Aa Gg Hu KG KK PK Sda Tk UZ KG TeA KuA TrA Ax Al**
- 20762. *Colias (Eriocolias) cocandica hinducucica Verity, [1911]*** (Pieridae) Synonym(s): *hinducucica* Verity, [1911] Original Reference: *Colias cocandica hinducucica* Verity, [1911], Rhopalocera Palaearctica: 326. Type(s): [Afghanistan]: Hindukush. Range (in code): **AF Bqu Hk Kbb Bd Wk**
- 20763. *Colias (Eriocolias) cocandica maja Groum-Grshimailo, 1890*** (Pieridae) Synonym(s): *maja* Groum-Grshimailo, 1897 Original Reference: *Colias cocandica* var. *maja* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Uighur A.R.]: Boro-Choro. Range (in code): **Bc CN Kl T-S Ui**
- 20764. *Colias (Eriocolias) cocandica nastoides Verity, [1911]*** (Pieridae) Synonym(s): *nastoides* Verity, [1911] Original Reference: *Colias cocandica cocandica nastoides* Verity, [1911], Rhopalocera Palaearctica: 354. Type(s): Transalai: Aram Kounyai (infrasubsp. name!). Range (in code): **KK T-S T-A**
- 20765. *Colias (Eriocolias) cocandica richthofeni O.Bang-Haas, 1927*** (Pieridae) Synonym(s): *richthofeni* O.Bang-Haas, 1927 Original Reference: *Colias richthofeni* O.Bang-Haas, 1927, Horae Macrolepidopt. 1: 42, 110; t.6 figs. 1, 2. Syntypes: 3♂ 3♀: China sept. occ.: Kansu sept., Richthofen mont, westl. Liang-tschou, 2500m. Range (in code): **CN Gn Rth**
- 20766. *Colias (Eriocolias) cocandica tamerlana Staudinger, [1897]*** (Pieridae) Synonym(s): *tamerlana* Staudinger, [1897] Original Reference: *Colias tamerlana* Staudinger, [1897], Dt. ent. Z., Iris 10: 152-153, Taf.v, figs. 1-3. Syntypes: [China: Uighur A.R.]: im östlichsten Tian-Schan [Tengri Tagh] Gebirge, nördlich von Chamyl, etwa 2000m. Range (in code): **CN Kml T-S Ui**
- 20767. *Colias (Eriocolias) cocandica tatarica O.Bang-Haas, 1915*** (Pieridae) Synonym(s): *tatarica* O.Bang-Haas, 1915 Original Reference: *Colias cocandica* var. *tatarica* O.Bang-Haas, 1915, Dt. ent. Z., Iris 29: 98-99. Syntypes: ♂♀: [China: Uighur A.R.]: Chotan. Range (in code): **CN Ui Cho**
- 20768. *Colias (Eriocolias) cocandica tibetana Riley, 1923*** (Pieridae) Synonym(s): *tibetana* Riley, 1923 Original Reference: *Colias cocandica* ssp. *tibetana* Riley, 1923, Trans. ent. Soc. London 1923: 465, pl.xxxvi fig.9. Type ♂: "Nyenyam, 13,000ft" (BMNH). Range (in code): **CN Ti**
- 20769. *Colias (Eriocolias) crocea (Fourcroy, 1785)*** (Pieridae) Synonym(s): *crocea* Fourcroy, 1785; *pyrenaica* Groum-Grshimailo, 1893. Original Reference: *Papilio croceus* Fourcroy, 1785, Entomologia Parisiensis: 250. Type(s): [France]: Paris. Range (in code): **AL AM Ao AT AZ Ba BE BG B-H BY CH Co Cr CY CZ DE DK DZ EG ES FI FR GG GR HG HV IQ IR IT Kb Kr**

LB LT LU LY LV MA MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY Teb TR TN UA VI YU
KG Aq Or Uk VI Bs Cb Kt Rk Cw Dv Smt H-W Sur Ssx Ken Mt Sof Ril Syr Cy Rg Rtc Bgz Vrn Slv Sju Trb
Mkl Mst Ko JO He IL Ab Ak Fa Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz
Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl
Ter Tol Trg Val Vel Zg Zm Pa Hf SA TD SD Agh Cc Arr Ab Khy Oru Jal Ak Shf Msw Qba Sro Mz Dju Tth
Ess Tlm Saia Orn Agi Blid Ges Dje BSa Ogl Omy Tou Bsk Ktr Khh Btma Tun DhM Tgr Phv Ceg Cn Azr
Bionomy: Larva on Medicago sativa, M. lupulina, M. polymorpha, M. lappaea, M. hispida, M.
sulcata, Trifolium pratense, Onobrychis viciifolia, Lotus, Coronilla, Melilotus, Hippocrepis,
Astragalus, Astracanthus, Vicia, Colutea, Anthyllis, Erophaca, Acanthyllis, Chamaecytisus
(Tolman,1997).

- 20770. Colias (Eriocolias) crocea deserticola Verity,1909** (Pieridae) Synonym(s): *deserticola* Verity,1909 Original Reference: Colias croceus race deserticola Verity,1909, Rhopalocera Palaeart.: 268. Syntypes: Algeria: Deserts. Range (in code): **DZ MA TN LY EG TD**
- 20771. Colias (Eriocolias) diva Groum-Grshimailo,1890** (Pieridae) Synonym(s): *diva* Groum-Grshimailo,1890 Original Reference: Colias diva Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 449. Type(s): China: Amdo. Range (in code): **Amd CN Ts**
- 20772. Colias (Eriocolias) diva diva Groum-Grshimailo,1890** (Pieridae) Synonym(s): *diva* Groum-Grshimailo,1890 Original Reference: Colias diva Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 449. Type(s): China: Amdo. Range (in code): **Amd CN Ti**
- 20773. Colias (Eriocolias) draconis Groum-Grshimailo,1890** (Pieridae) Synonym(s): *draconis* Groum-Grshimailo,1890 Original Reference: Colias wiskotti var. draconis Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 465. Syntypes: Kirghizistan: Pamir, Lacum Draconis (Kara Kul Kirghisorum). Range (in code): **T-S Ax KK Kkl Pm TJ Tls** Bionomy: -.
- 20774. Colias (Eriocolias) draconis draconis Groum-Grshimailo,1890** (Pieridae) Synonym(s): *draconis* Groum-Grshimailo,1890 Original Reference: Colias wiskotti var. draconis Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 465. Syntypes: Kirghizistan: Pamir, Lacum Draconis (Kara Kul Kirghisorum). Range (in code): **KG T-S Ax KK Ik A-D Kkl Pm TJ Tls**
- 20775. Colias (Eriocolias) dubia Elwes,1906** (Pieridae) Synonym(s): *dubia* Elwes,1906 Original Reference: Colias dubia Elwes,1906, Proc. zool. Soc. Lond. 1906: 481-482, Pl.36 figs.8,9. Syntypes: China: Tibet: Khamba Jong. Range (in code): **CN SI Ti**
- 20776. Colias (Eriocolias) dubia dubia Elwes,1906** (Pieridae) Synonym(s): *dubia* Elwes,1906 Original Reference: Colias dubia Elwes,1906, Proc. zool. Soc. Lond. 1906: 481-482, Pl.36 figs.8,9. Syntypes: China: Tibet: Khamba Jong. Range (in code): **CN SI Ti**
- 20777. Colias (Eriocolias) electo (Linnaeus,1763)** (Pieridae) Synonym(s): *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,[1781] *nec* Linnaeus,1761; *aurivillius* Keferstein,1883. Original Reference: Papilio electo Linnaeus,1763, Amoenitates Academicae seu dissertationes physicae... 6: 405. Type(s): [South Africa]: Cap.B.spei. Range (in code): **AO NG CM ET ER KE MW Zom MZ NA RW BI SA SD SO TZ UG YE ZA Tva Spb Lj Mdk Hgl Nta Kzu Ptb Lpo Fs Ec Wca NWe Mpu Brb Nca Kzu Gau Pre LS SZ ZR ZW** Bionomy: Larva on Vicia, Indigofera, Trifolium burchellianum, T. africanum, Medicago, Robinia, Cytisus, Cassia [Senna], Sesbania, Phaseolus (Fabaceae) (Trimen & Bowker,1889 et seq).
- 20778. Colias (Eriocolias) electo electo (Linnaeus,1763)** (Pieridae) Synonym(s): *electo* Linnaeus,1763; *electra* Linnaeus,1767; *palaeno* Stoll,[1781] *nec* Linnaeus,1761; *aurivillius* Keferstein,1883. Original Reference: Papilio electo Linnaeus,1763, Amoenitates Academicae seu dissertationes physicae... 6: 405. Type(s): [South Africa]: Cap.B.spei. Range (in code): **MZ NA ZA Tva Spb Lj Mdk Hgl Nta Kzu Ptb Lpo Fs Ec Wca NWe Mpu Nca Kzu Gau Brb Pre LS SZ ZW** Bionomy: Larva on Vicia, Indigofera, Trifolium burchellianum, T. africanum, Medicago, Robinia, Cytisus, Cassia [Senna], Sesbania, Phaseolus (Fabaceae) (Trimen & Bowker,1889 et seq).
- 20779. Colias (Eriocolias) electo hecate Strecker,1900** (Pieridae) Synonym(s): *hecate* Strecker,1900; *#katangae* Berger,1940; *#bunda* Berger,1940; *#elisabethae* Berger,1940. Original Reference: Colias hecate Strecker,1900 [in] Weeks,1900. Proc. New England Zool. Club 2: 7. Type(s): [Zaire]: "Congo, West Africa". Range (in code): **ZR AO MW ZM**
- 20780. Colias (Eriocolias) electo manengoubensis Darge,1968** (Pieridae) Synonym(s): *manengoubensis* Darge,1968 Original Reference: Colias electo manengoubensis Darge,1968, Bull. Soc. ent. Mulhouse 1968: 15. Range (in code): **NG CM**
- 20781. Colias (Eriocolias) electo meneliki Berger,1940** (Pieridae) Synonym(s): *meneliki* Berger,1940; *#bafanae* Berger,1940; *#pauper* Berger,1953; *philbyi* Berger,1953. Original Reference: Colias electo ssp. meneliki Berger,1940, Explor. Parc Nat. Albert. Nission G.F. de Witte (1933-1935) 30: 44, pl. figs.11,12. Holotype: Ethiopia: Gondar. Range (in code): **ET ER SA YE**

- 20782. *Colias (Eriocolias) electo mukana* Berger,1981** (Pieridae) Synonym(s): *mukana* Berger,1981 Original Reference: *Colias electo* ssp. *mukana* Berger,1981, Les Papillons du Zaïre: 81. Holotype: "Shaba, Parc national de l'Upemba: Mukana, 1810 m". Range (in code): **ZR**
- 20783. *Colias (Eriocolias) electo pseudohecate* Berger,1940** (Pieridae) Synonym(s): *pseudohecate* Berger,1940 Original Reference: *Colias electo* ssp. *pseudohecate* Berger,1940, Explor. Parc Nat. Albert. Nission G.F. de Witte (1933-1935) 30: 40. Holotype: Kenya. Range (in code): **ET KE ZR SD SO UG RW BI TZ MW**
- 20784. *Colias (Eriocolias) elena* Gorbunov,1995** (Pieridae) Synonym(s): *elena* Gorbunov,1995 Original Reference: *Colias chrysotheme* ssp. *elena* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 67. Holotype: Russia: South-East Altay: Aktash. Range (in code): **At RU**
- 20785. *Colias (Eriocolias) elena elena* Gorbunov,1995** (Pieridae) Synonym(s): *elena* Gorbunov,1995 Original Reference: *Colias chrysotheme* ssp. *elena* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 67. Holotype: Russia: South-East Altay: Aktash. Range (in code): **At RU**
- 20786. *Colias (Eriocolias) eogene* C.Felder & R.Felder,[1865]** (Pieridae) Synonym(s): *eogene* C.Felder & R.Felder,[1865] Original Reference: *Colias eogene* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 196-197, Taf.27 fig.7. Syntypes ♂: Himalaya. Range (in code): **T-S Al Au CN Fe IN KK Ld M-A Pm Rpu Spi TJ Ui UZ Yk PK Bt Ci Hu Gg Nwf Sha** Bionomy: *Astragalus* spp. (Tusov, 1997).
- 20787. *Colias (Eriocolias) eogene aphrodite* Verity,[1909]** (Pieridae) Synonym(s): *aphrodite* Verity,[1909]. Original Reference: *Colias eogene* ssp. *aphrodite* Verity,[1909], Rhopalocera Palaearctica: 248. Syntypes: [China: Uighur A.R.]: East Turkestan: Aksu. Range (in code): **T-S Au CN Ui**
- 20788. *Colias (Eriocolias) eogene elissa* Groum-Grshimailo,1890** (Pieridae) Synonym(s): *elissa* Groum-Grshimailo,1890; *#brunneoviridis* Verity,[1909]. Original Reference: *Colias eogene* var. *elissa* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 332. Type(s): Pamir sept. [Usbekistan]: Fergana, Namangan. Range (in code): **Al Fe KK Pm TJ UZ**
- 20789. *Colias (Eriocolias) eogene eogene* C.Felder & R.Felder,[1865]** (Pieridae) Synonym(s): *eogene* Felder & Felder,[1865] Original Reference: *Colias eogene* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 196-197, Taf.27 fig.7. Syntypes ♂: Himalaya. Range (in code): **Ld Rpu Spi**
- 20790. *Colias (Eriocolias) eogene ericae* Peschke,1934** (Pieridae) Synonym(s): *ericae* Peschke,1934 Original Reference: *Colias eogene* ssp. *ericae* Peschke,1934, Int. ent. Z. 28 (34): 431. Syntypes 6♂1♀: [Pakistan]: "Dardistan: Dubunni-Berge, 12000 Fuß" Range (in code): **PK Bt**
- 20791. *Colias (Eriocolias) eogene erythas* Groum-Grshimailo,1890** (Pieridae) Synonym(s): *erythas* Groum-Grshimailo,1890 Original Reference: *Colias eogene* var. *erythas* Groum-Grshimailo,1890, [in] Romanoff, Mém. Lépid. 4: 332, Pl.5 fig. a-c. Type(s): Hindukusch; [China: Uighur A.R.]: Mustag Ata, Yarkend. Range (in code): **T-S CN M-A Ui Yk**
- 20792. *Colias (Eriocolias) eogene francesca* Watkins,1927** (Pieridae) Synonym(s): *francesca* Watkins,1927 Original Reference: *Colias eogene* ssp. *francesca* Watkins,1927, Ann. Mag. nat. Hist. 9(20): 99. Syntypes ♂♀: Baltistan: Skoro-La, 4500m. Range (in code): **Ld SkL Ssr**
- 20793. *Colias (Eriocolias) eogene shandura* Evans,1926** (Pieridae) Synonym(s): *shandura* Evans,1926 Original Reference: *Colias eogene* ssp. *shandura* Evans,1926, J. Bombay nat. Hist. Soc. 31: 713. Type: [Pakistan]: Chitral, Shandur Pass. Range (in code): **Ci Hu PK Sha**
- 20794. *Colias (Eriocolias) erschoffii* Alpheraky,1881** (Pieridae) Synonym(s): *erschoffii* Alpheraky,1881; *tancrei* Austaut,1890; *aurantiaca* Verity,1909; *aurantiacoflava* Verity,1909. Original Reference: *Colias erschoffii* Alpheraky,1881, Horae Soc. ent. ross. 16: 362-265, Pl.14 figs. 1,2. Syntypes ♂♀: [China]: Tian-Chian [Tengri Tagh], 4500-7000ft. Range (in code): **CN Ii Ju KG KK Ku Sda Tk T-S Ui DsA Ket KuA TrA Tyk** Bionomy: *Astragalus* sp. (Tusov, 1997).
- 20795. *Colias (Eriocolias) erschoffii erschoffii* Alpheraky,1881** (Pieridae) Synonym(s): *erschoffii* Alpheraky,1881; *tancrei* Austaut,1890; *aurantiaca* Verity,1909; *aurantiacoflava* Verity,1909. Original Reference: *Colias erschoffii* Alpheraky,1881, Horae Soc. ent. ross. 16: 362-265, Pl.14 figs. 1,2. Syntypes ♂♀: [China]: Tian-Chian [Tengri Tagh], 4500-7000ft. Range (in code): **CN Ii Ju KG KK Ku Sda Tk T-S Ui DsA Ket KuA TrA Tyk**

- 20796. *Colias (Eriocolias) felderi* Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *felderi Groum-Grshimailo, 1890* Original Reference: *Colias felderi* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 448. Syntypes: [China]: Amdo, Sining-Gebirge. Range (in code): **Amd CN Sng Ts**
- 20797. *Colias (Eriocolias) felderi felderi* Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *felderi Groum-Grshimailo, 1890* Original Reference: *Colias felderi* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 448. Syntypes: [China]: Amdo, Sining-Gebirge. Range (in code): **Amd CN Sng Ts**
- 20798. *Colias (Eriocolias) fieldii Ménéttriés, 1855*** (Pieridae) Synonym(s): *fieldii Ménéttriés, 1855* Original Reference: *Colias fieldii* Ménéttriés, 1855, Cat. Mus. Petrop., Lepid. 1: 79, pl.i fig.5. Range (in code): **IR Ss AF Dja Lgh Ng Cp Haz Mre Ci CN Gg Gn Hk Ld Nu PK Pj Msr SI Ti BI IN Ass Slo**
- 20799. *Colias (Eriocolias) fieldii edusina* Felder, 1860** (Pieridae) Synonym(s): *edusina Felder, 1860* Original Reference: *Colias edusina* Felder, 1860, Wien. ent. Monatschr. 4: 100, nr.55.. Range (in code): **IR Ss AF Dja Lgh Ng Ci Gg Hk Nu PK Haz Mre Cp Msr BI**
- 20800. *Colias (Eriocolias) fieldii fieldii Ménéttriés, 1855*** (Pieridae) Synonym(s): *fieldii Ménéttriés, 1855* Original Reference: *Colias fieldii* Ménéttriés, 1855, Cat. Mus. Petrop., Lepid. 1: 79, pl.i fig.5. Range (in code): **CN Gn SI Ti IN Ass Slo**
- 20801. *Colias (Eriocolias) grumi* Alpheraky, 1897** (Pieridae) Synonym(s): *grumi Alpheraky, 1897; #evanescens Verity, [1909]*. Original Reference: *Colias cocandica* var. *grumi* Alpheraky, 1897, [in] Romanoff, Mém. Lepid. 9: 233. Syntypes: China: Nan Shan (Humboldt Gebirge). Range (in code): **CN Gn Ln Ui**
- 20802. *Colias (Eriocolias) grumi burchana* Mracek & Schulte, 1991** (Pieridae) Synonym(s): *burchana Mracek & Schulte, 1991* Original Reference: *Colias grumi* ssp. *burchana* Mracek & Schulte, 1991, Nachr. ent. Ver. Apollo (N.F.) 12(3): 164, 165, Abb. 1,2. Holotype ♂: China: Qinghai: Kunlun-Shan, Burchan-Buddha, West Big Desert, 4700m. (Umg. Kunlun Pass (4837m)), leg. R.beran (in coll. Schulte). Range (in code): **CN Ts**
- 20803. *Colias (Eriocolias) grumi grumi* Alpheraky, 1897** (Pieridae) Synonym(s): *grumi Alpheraky, 1897; #evanescens Verity, [1909]*. Original Reference: *Colias cocandica* var. *grumi* Alpheraky, 1897, [in] Romanoff, Mém. Lepid. 9: 233. Syntypes: China: Nan Shan (Humboldt Gebirge). Range (in code): **CN Gn Ln Ui**
- 20804. *Colias (Eriocolias) heos* (Herbst, 1792)** (Pieridae) Synonym(s): *aurora Esper, 1784 nec Cr., 1780; heos Herbst, 1792; chloe Eversmann, 1847; sibirica Lederer, 1852; semenovi Stander, 1960*. Original Reference: *Papilio heos* Herbst, 1792, [in] Jablonsky, Natursyst. Ins. (Schmett.) 5: 213, pl.114 figs.5,6 (nomen novum pro *aurora* Esper, 1784 nec Cramer, 1780) Type(s): Russia: Sibirien. Range (in code): **Bn At CN Ui Gn Ir MN RU Sb Prj Us Am Mc To No**
- 20805. *Colias (Eriocolias) heos alpina* Verity, [1911]** (Pieridae) Synonym(s): *alpina Verity, [1911]* Original Reference: *Colias aurora* race *alpina* Verity, [1911], Rhopalocera palaeart.: 357. Syntypes: Mongolia: Changai, Kentei. Range (in code): **MN RU At Bn**
- 20806. *Colias (Eriocolias) heos decolorata* Staudinger, 1897** (Pieridae) Synonym(s): *decolorata Staudinger, 1897* Range (in code): **Ir RU**
- 20807. *Colias (Eriocolias) heos heos* (Herbst, 1792)** (Pieridae) Synonym(s): *aurora Esper, 1784 nec Cr., 1780; heos Herbst, 1792; chloe Eversmann, 1847; sibirica Lederer, 1852*. Original Reference: *Papilio heos* Herbst, 1792, [in] Jablonsky, Natursyst. Ins. (Schmett.) 5: 213, pl.114 figs.5,6 (nomen novum pro *aurora* Esper, 1784 nec Cramer, 1780) Type(s): Russia: Sibirien. Range (in code): **Ir RU Sb Prj Us MN Am Mc CN To No**
- 20808. *Colias (Eriocolias) heos vespera* O.Bang-Haas, 1927** (Pieridae) Synonym(s): *vespera Bang-Haas, 1927* Original Reference: *Colias heos* ssp. *vespera* O.Bang-Haas, 1927, Horae Macrolepid. 1: 44 Pl.6 figs. 14,15. Syntypes 2♂ 1♀: [China]: Kansu, Lantschou. Range (in code): **CN Gn MN**
- 20809. *Colias (Eriocolias) lada* Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *lada Groum-Grshimailo, 1891* Original Reference: *Colias lada* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 447. Syntypes: [China]: Amdo. Range (in code): **Amd CN Ts**
- 20810. *Colias (Eriocolias) lada lada* Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *lada Groum-Grshimailo, 1890* Original Reference: *Colias lada* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 447. Syntypes: [China]: Amdo. Range (in code): **Amd CN Ts**
- 20811. *Colias (Eriocolias) ladakensis* C.Felder & R.Felder, [1865]** (Pieridae) Synonym(s): *ladakensis C.Felder & R.Felder, [1865]* Original Reference: *Colias ladakensis* C.Felder & R.Felder, [1865], Reise Fregatte "Novara", Lep. Rhop. (2): 197, Taf.27 fig.8,9. Syntypes ♂♀: Himalaya: Ladak, Spiti. Range (in code): **Ch Ld**

- 20812. *Colias (Eriocolias) ladakensis ladakensis* C.Felder & R.Felder,[1865]** (Pieridae)
Synonym(s): *ladakensis* C.Felder & R.Felder,[1865] Original Reference: *Colias ladakensis* C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 197, Taf.27 fig.8,9. Syntypes ♂♀:
Himalaya: Ladak, Spiti. Range (in code): **Ch Ld**
- 20813. *Colias (Eriocolias) leechi* Groum-Grshimailo,1893** (Pieridae) Synonym(s): *leechi*
Groum-Grshimailo,1893 Original Reference: *Colias eogene* var. *leechi* Groum-Grshimailo,1893,
Horae Soc. ent. ross. 27: 382. Syntypes: Himalaya Mt. occ.: [Kashmir sept.]: in valle Chonging,
17000ft. Range (in code): **PK IN Ch Ld Ssr**
- 20814. *Colias (Eriocolias) leechi leechi* Groum-Grshimailo,1893** (Pieridae) Synonym(s):
leechi *Groum-Grshimailo,1893* Original Reference: *Colias eogene* var. *leechi* Groum-
Grshimailo,1893, Horae Soc. ent. ross. 27: 382. Syntypes: Himalaya Mt. occ.: [Kashmir sept.]: in
valle Chonging, 17000ft. Range (in code): **PK IN Ch Ld Ssr**
- 20815. *Colias (Eriocolias) marcopolo* Groum-Grshimailo,1888** (Pieridae) Synonym(s):
marcopolo *Groum-Grshimailo,1888*; *#diana* Schulte,1989. Original Reference: *Colias* Marco-Polo
Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304-305. Syntypes ♂♀: [Pakistan]:
Hindukusch orient. [Hunza] Range (in code): **AF Bd Bik Ch Gg Hk Hu Kbb PK Pm TJ Wk**
Bionomy: *Astragalus* spp. (Tusov, 1997).
- 20816. *Colias (Eriocolias) marcopolo afghanipolo* Schulte,1977** (Pieridae) Synonym(s):
afghanipolo Schulte,1977 Original Reference: *Colias marcopolo afghanipolo* Schulte,1977,
Entomops 42: 35-36. Holotype ♂: Afghanistan: Koh-i-Baba Mts. Range (in code): **AF Kbb**
- 20817. *Colias (Eriocolias) marcopolo kushana* Wyatt & Omoto,1966** (Pieridae)
Synonym(s): *kushana* Wyatt & Omoto,1966 Original Reference: *Colias marcopolo* ssp. *kushana*
Wyatt & Omoto,1966, Entomops 5: 143-144, figs. Holotype ♂: Afghanistan: Badachshan, Bala
Quran, Anjuman valley, 4000-4200m. Range (in code): **AF Anj Bd Bqu Hk**
- 20818. *Colias (Eriocolias) marcopolo marcopolo* Groum-Grshimailo,1888** (Pieridae)
Synonym(s): *marcopolo* *Groum-Grshimailo,1888*; *#diana* Schulte,1989. Original Reference: *Colias*
Marco-Polo Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304-305. Syntypes ♂♀:
[Pakistan]: Hindukusch orient. [Hunza] Range (in code): **Ch Gg Hk Hu PK**
- 20819. *Colias (Eriocolias) montium* Oberthür,1886** (Pieridae) Synonym(s): *montium*
Oberthür,1886 Original Reference: *Colias montium* Oberthür,1886, Etüd. Ent. 11: 16-17, pl.vi
fig.1. Syntypes: Thibet: Ta-Tsien-Lou. Range (in code): **CN Gn**
- 20820. *Colias (Eriocolias) montium montium* Oberthür,1886** (Pieridae) Synonym(s):
montium *Oberthür,1886* Original Reference: *Colias montium* Oberthür,1886, Etüd. Ent. 11: 16-17,
pl.vi fig.1. Syntypes: Thibet: Ta-Tsien-Lou. Range (in code): **CN Gn**
- 20821. *Colias (Eriocolias) nina* Fawcett,1904** (Pieridae) Synonym(s): *nina* *Fawcett,1904*
Original Reference: *Colias nina* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 140, pl.9 fig.9. Types:
Tibet: Khamba Jong, 15000ft (4500-4800m). Range (in code): **CN Ti**
- 20822. *Colias (Eriocolias) nina hingstoni* Riley,1927** (Pieridae) Synonym(s): *hingstoni*
Riley,1927 Original Reference: *Colias nina* ssp. *hingstoni* Riley,1927, Trans. ent. Soc. Lond.
1927: 123. Holotype ♂: Tibet: Kyishong 14500ft. Range (in code): **CN Ti**
- 20823. *Colias (Eriocolias) nina nina* Fawcett,1904** (Pieridae) Synonym(s): *nina* *Fawcett,1904*
Original Reference: *Colias nina* Fawcett,1904, Proc. zool. Soc. Lond. 1904: 140, pl.9 fig.9. Types:
Tibet: Khamba Jong, 15000ft (4500-4800m). Range (in code): **CN Ti**
- 20824. *Colias (Eriocolias) nina tsurpuana* Grieshuber,1996** (Pieridae) Synonym(s):
tsurpuana *Grieshuber,1996* Original Reference: *Colias nina* ssp. *tsurpuana* Grieshuber,1996,
Lambillionea 46 (3): 552-560, figs. Holotype ♂: China: Tibet. Range (in code): **CN Ti**
- 20825. *Colias (Eriocolias) regia* Groum-Grshimailo,1887** (Pieridae) Synonym(s): *regia*
Groum-Grshimailo,1887 Original Reference: *Colias regia* Groum-Grshimailo,1887, [in] Romanoff,
Mém. lépid. 3: 398. Syntypes: [Kirghizia: Zaalaisky Mts.]: Aram-Kungei. Range (in code): **KK TrA T-S Sda**
- 20826. *Colias (Eriocolias) regia regia* Groum-Grshimailo,1887** (Pieridae) Synonym(s):
regia *Groum-Grshimailo,1887* Original Reference: *Colias regia* Groum-Grshimailo,1887, [in]
Romanoff, Mém. lépid. 3: 398. Syntypes: [Kirghizia: Zaalaisky Mts.]: Aram-Kungei. Range (in
code): **KK TrA T-S Sda**
- 20827. *Colias (Eriocolias) romanovi* Groum-Grshimailo,1885** (Pieridae) Synonym(s):
romanovi *Groum-Grshimailo,1885* Original Reference: *Colias romanovi* Groum-Grshimailo,1885,

- [in] Romanoff, Mém. Lépid. 2: 229. Syntypes: [Kirgizistan]: Alai. Range (in code): **KG KK AI T-S T-A Tkl Tls Ax TJ Z-G TrA**
- 20828. Colias (Eriocolias) romanovi romanovi Groum-Grshimailo,1885** (Pieridae)
Synonym(s): *romanovi Groum-Grshimailo,1885* Original Reference: *Colias romanovi Groum-Grshimailo,1885*, [in] Romanoff, Mém. Lépid. 2: 229. Syntypes: [Kirgizistan]: Alai. Range (in code): **T-S KG KK AI T-A Tkl Tls Ax TrA**
- 20829. Colias (Eriocolias) romanovi seravschana Lukhtanov,1999** (Pieridae) Synonym(s): *seravschana Lukhtanov,1999* Original Reference: *Colias romanovi ssp. seravschana Lukhtanov,1999*, Atalanta 30 (1/4): 138-139. Holotype ♂: Tadschikistan: Seravschanski-Gebirge, Dascht, 3200-3500m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): **TJ Z-G**
- 20830. Colias (Eriocolias) shahfuladi Clench & Shoumatoff,1956** (Pieridae) Synonym(s): *shahfuladi Clench & Shoumatoff,1956*; *#christinae Schulte,1989*. Original Reference: *Colias shahfuladi Clench & Shoumatoff,1956*, Vidensk. Medd. fra Dansk naturh. For. 118: 173-175. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, Takatu, 4500m. Range (in code): **AF Kbb Bd Bqu**
- 20831. Colias (Eriocolias) shahfuladi shahfuladi Clench & Shoumatoff,1956** (Pieridae) Synonym(s): *shahfuladi Clench & Shoumatoff,1956*; *#christinae Schulte,1989*. Original Reference: *Colias shahfuladi Clench & Shoumatoff,1956*, Vidensk. Medd. fra Dansk naturh. For. 118: 173-175. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, Takatu, 4500m. Range (in code): **AF Kbb Bd Bqu**
- 20832. Colias (Eriocolias) sieversi Groum-Grshimailo,1887** (Pieridae) Synonym(s): *sieversi Groum-Grshimailo,1887* Original Reference: *Colias sieversi Groum-Grshimailo,1887*, [in] Romanoff, Mém. lépid. 3: 397. Syntypes: [Tajikistan: Kara-Shura valley near Pass Gardani-Kaftar, Tuptchek plateau]. Flecken Tuptschek und an den Fuss der Kara-Shar. Range (in code): **TJ CN Ui**
- 20833. Colias (Eriocolias) sieversi sieversi Groum-Grshimailo,1887** (Pieridae) Synonym(s): *sieversi Groum-Grshimailo,1887* Original Reference: *Colias sieversi Groum-Grshimailo,1887*, [in] Romanoff, Mém. lépid. 3: 397. Syntypes: [Tajikistan: Kara-Shura valley near Pass Gardani-Kaftar, Tuptchek plateau]. Flecken Tuptschek und an den Fuss der Kara-Shar. Range (in code): **TJ CN Ui**
- 20834. Colias (Eriocolias) sifanica Groum-Grshimailo,1890** (Pieridae) Synonym(s): *sifanica Groum-Grshimailo,1890* Original Reference: *Colias sifanica Groum-Grshimailo,1890*, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Qinghai]: Amdo, Kuku-Noor. Range (in code): **Amd CN Kno Ts**
- 20835. Colias (Eriocolias) sifanica herculeana Bollow,1930** (Pieridae) Synonym(s): *herculeana Bollow,1930* Original Reference: *Colias sifanica herculeana Bollow,1930*, [in] Seitz, A., Gross-Schmett. Erde 1 (suppl.): 109-110 (7f). Syntypes: [China: Qinghai]: Richthofen-Gebirge, 2500m (in coll. O.Bang-Haas). Range (in code): **CN Ts Rth**
- 20836. Colias (Eriocolias) sifanica nebulosa Oberthür,1894** (Pieridae) Synonym(s): *nebulosa Oberthür,1894* Range (in code): **CN**
- 20837. Colias (Eriocolias) sifanica sifanica Groum-Grshimailo,1890** (Pieridae) Synonym(s): *sifanica Groum-Grshimailo,1890* Original Reference: *Colias sifanica Groum-Grshimailo,1890*, Horae Soc. ent. ross. 25: 447. Syntypes: [China: Qinghai]: Amdo, Kuku-Noor. Range (in code): **Amd CN Kno Ts**
- 20838. Colias (Eriocolias) staudingeri Alpheraky,1881** (Pieridae) Synonym(s): *staudingeri Alpheraky,1881*; *alexandrina Verity,1909*. Original Reference: *Colias staudingeri Alpheraky,1881*, Horae Soc. ent. ross. 16: 368-373, Taf. 14, figs. 3,4. Syntypes ♂♀: [China]: Kouldja. Range (in code): **T-A Aa Au Ax CN Ju KG KK Kl Ku Pm Sda TJ Tk T-S Ui NrK TeA KuA TrA**
- 20839. Colias (Eriocolias) staudingeri emivittata Verity,[1909]** (Pieridae) Synonym(s): *emivittata Verity,[1909]*; *flavolimbata Verity,[1909]*. Original Reference: *Colias staudingeri emivittata Verity,[1909]*, Rhopalocera Palaearctica: 241. Type(s): [China: Uigur A.R.]: Aksu. Range (in code): **T-S Au CN KK Ui**
- 20840. Colias (Eriocolias) staudingeri maureri Staudinger,1901** (Pieridae) Synonym(s): *maureri Staudinger,1901* Original Reference: *Colias staudingeri var. maureri Staudinger,1901*, Cat. lepid. palaarkt. Faunengeb. 3(1): 18, nr.102b. Syntypes: [Kirgizistan]: Ferg. m. (Transalai). Range (in code): **KK T-A T-S**
- 20841. Colias (Eriocolias) staudingeri pamira Groum-Grshimailo,1890** (Pieridae) Synonym(s): *pamira Groum-Grshimailo,1890* Original Reference: *Colias staudingeri var. pamira*

- Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 246. Type(s): Pamir. Range (in code): **KK Pm TJ**
- 20842. Colias (Eriocolias) staudingeri staudingeri Alpheraky, 1881** (Pieridae)
Synonym(s): *staudingeri* Alpheraky, 1881; *alexandrina* Verity, 1909. Original Reference: *Colias staudingeri* Alpheraky, 1881, Horae Soc. ent. ross. 16: 368-373, Taf. 14, figs. 3, 4. Syntypes ♂♀: [China]: Kouldja. Range (in code): **T-S Aa Ax CN Ju KG KK Ku Tk Ui Nrk TeA KuA TrA**
- 20843. Colias (Eriocolias) stoliczkana Moore, 1878** (Pieridae) Synonym(s): *stoliczkana* Moore, 1878 Original Reference: *Colias stoliczkana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 229. Type ♂: Ladak, 17000ft. Range (in code): **IN Ld**
- 20844. Colias (Eriocolias) stoliczkana stoliczkana Moore, 1878** (Pieridae) Synonym(s): *stoliczkana* Moore, 1878 Original Reference: *Colias stoliczkana* Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 229. Type ♂: Ladak, 17000ft. Range (in code): **IN Ld**
- 20845. Colias (Eriocolias) stoliczkana wanda Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *wanda* Groum-Grshimailo, 1890 Range (in code): **CN K-N**
- 20846. Colias (Eriocolias) thisoa Ménéttriés, 1832** (Pieridae) Synonym(s): *thisoa* Ménéttriés, 1832; *helena* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1989. Original Reference: *Colias thisoa* Ménéttriés, 1832, Cat. Raisson. Zool. Cauc.: 244. Type(s): [Russia]: Kaukasus Dagestan: Schach Dag. Range (in code): **Cc Arr AM At AZ CN Da GG IR Mz Elb Ab Ak Shh Kb KG KK Kl Kzb Pm RU Sda Shh Teb TJ Tk TR T-S Ui Um Kml Al T-A Irt KuA TeA TrA DsA Tar Sau Ktm Klb** Bionomy: Larva on *Astragalus* sp. (Nekrutenko, 1990).
- 20847. Colias (Eriocolias) thisoa aeolides Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *aeolides* Groum-Grshimailo, 1890; *urumtsiensis* Verity, [1909]; *#denticulata* Verity, [1909]. Original Reference: *Colias thisoa* var. *aeolides* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 346. Syntypes: [Tadjikistan]: Alai. Range (in code): **CN KG KK Kl Sda TJ Tk T-S Al T-A Irt KuA TeA TrA DsA**
- 20848. Colias (Eriocolias) thisoa irtyschensis Lukhtanov, 1999** (Pieridae) Synonym(s): *irtyschensis* Lukhtanov, 1999 Original Reference: *Colias thisoa* ssp. *irtyschensis* Lukhtanov, 1999, Atalanta 30 (1/4): 137-138. Holotype ♂: Kasachstan: Ust-Kamenogorsk Gebiet, Altai, Kalba Gebirge, Tainty. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): **Tar Sau Ktm Klb Mn KG At**
- 20849. Colias (Eriocolias) thisoa nikolaevi Korshunov, 1998** (Pieridae) Synonym(s): *nikolaevi* Korshunov, 1998 Range (in code): **RU At**
- 20850. Colias (Eriocolias) thisoa shakuhensis Sheljuzhko, 1935** (Pieridae) Synonym(s): *shakuhensis* Sheljuzhko, 1935 Original Reference: *Colias thisoa* ssp. *shakuhensis* Sheljuzhko, 1935, Folia zool. Hydrobiol. 8: 139. Syntypes 7♂ 4♀: [Iran]: Hyrcania: Shakuh. Range (in code): **IR Mz Elb Ab Ak Shh TR**
- 20851. Colias (Eriocolias) thisoa strandiana Sheljuzhko, 1935** (Pieridae) Synonym(s): *strandiana* Sheljuzhko, 1935; *vera* Kotzsch, 1935; *#viridis* Kotzsch, 1935; *#nigra* Kotzsch, 1935. Original Reference: *Colias thisoa* ssp. *strandiana* Sheljuzhko, 1935, Folia zool. Hydrobiol. 8: 138. Syntypes: [Armenien]: Nordarmenien: Alagez Berge; [Türkei]: Sarykamysch [Sarıkamış]. Range (in code): **Cc Arr AM TR**
- 20852. Colias (Eriocolias) thisoa thisoa Ménéttriés, 1832** (Pieridae) Synonym(s): *thisoa* Ménéttriés, 1832; *helena* Herrich-Schäffer, [1844]; *eos* Herrich-Schäffer, [1848]; *#ludmilla* Schulte, 1989. Original Reference: *Colias thisoa* Ménéttriés, 1832, Cat. Raisson. Zool. Cauc.: 244. Type(s): [Russia]: Kaukasus Dagestan: Schach Dag. Range (in code): **At Cc AZ CN Da GG Kb KG KK Kzb Pm RU Teb TJ T-S Ui**
- 20853. Colias (Eriocolias) thisoa urumtsiensis Verity, 1909** (Pieridae) Synonym(s): *urumtsiensis* Verity, 1909 Range (in code): **KK CN Ui T-S Um Kml**
- 20854. Colias (Eriocolias) thrasibulus Fruhstorfer, 1910** (Pieridae) Synonym(s): *elwesi* Röber, 1907 (nec); *thrasibulus* Fruhstorfer, 1910 Original Reference: *Colias thrasibulus* Fruhstorfer, 1910, [in] Seitz, A., Gross-Schmett. 9: 165, Taf. 72c; nomen novum pro *elwesi* Röber, 1907. Syntypes: Ladak. Range (in code): **IN Ld**
- 20855. Colias (Eriocolias) thrasibulus thrasibulus Fruhstorfer, 1910** (Pieridae) Synonym(s): *elwesi* Röber, 1907 (nec); *thrasibulus* Fruhstorfer, 1910 Original Reference: *Colias thrasibulus* Fruhstorfer, 1910, [in] Seitz, A., Gross-Schmett. 9: 165, Taf. 72c; nomen novum pro *elwesi* Röber, 1907. Syntypes: Ladak. Range (in code): **IN Ld**

- 20856. *Colias (Eriocolias) viluensis Ménéttriés, 1858*** (Pieridae) **Synonym(s):** *viluensis Ménéttriés, 1858* **Original Reference:** *Colias viluensis Ménéttriés, 1858*, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. **Type(s):** Russia: Amoorland **Range (in code):** **RU Sb**
- 20857. *Colias (Eriocolias) viluensis heliophora Churkin & Grieshuber, 2001*** (Pieridae) **Synonym(s):**
- 20858. *Colias (Eriocolias) viluensis viluensis Ménéttriés, 1858*** (Pieridae) **Synonym(s):** *viluensis Ménéttriés, 1858* **Original Reference:** *Colias viluensis Ménéttriés, 1858*, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. **Type(s):** Russia: Amoorland **Range (in code):** **RU Sb**
- 20859. *Colias (Eriocolias) wiskotti Staudinger, 1882*** (Pieridae) **Synonym(s):** *wiskotti Staudinger, 1882* **Original Reference:** *Colias wiskotti Staudinger, 1882*, Berl. ent. Z. 26(1): 166-168, Taf.2 figs.9,10. **Syntypes:** [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Hazret-Sultan-Gebirge. **Range (in code):** **PK Nwf Ci Sha AF Kbb Prw Pjr Nks Hsr Pnj Al T-S Hk H-S TJ UZ Smk Pm KK Ik Ax KG Tls IR Kh** **Bionomy:** Larva on Acantholimon (Plumbaginaceae), Oxytropis, Onobrychis echidna (Tusov, 1997).
- 20860. *Colias (Eriocolias) wiskotti aurea Kotzsch, 1936*** (Pieridae) **Synonym(s):** *aurea Kotzsch, 1936* **Range (in code):** **AF Hk PK Ci**
- 20861. *Colias (Eriocolias) wiskotti chrysoptera Groum-Grshimailo, 1888*** (Pieridae) **Synonym(s):** *chrysoptera Groum-Grshimailo, 1888* **Original Reference:** *Colias wiskotti var. chrysoptera Groum-Grshimailo, 1888*, Horae Soc. ent. ross. 22: 305. **Syntypes:** Afghanistan: Roschan; [Tadjikistan]: Transalai, Sarykol. **Lectotype** ♂: "Kudara" (BMNH) designated by Rose, 2001, Neue ent. Ver. Apollo, N.F. 22 (1): 9. **Range (in code):** **Pm TJ**
- 20862. *Colias (Eriocolias) wiskotti hofmannorum Eckweiler, 2000*** (Pieridae) **Synonym(s):** *hofmannorum Eckweiler, 2000* **Original Reference:** *Colias hofmannorum Eckweiler, 2000*, Nachr. ent. Ver. Apollo, N.F. 21 (1): 45-48, figs. **Holotype** ♂: Iran: Khorasan, Birjand 20km N Sar Bisheh 2200-2500m (SMNK). **Range (in code):** **IR Kh**
- 20863. *Colias (Eriocolias) wiskotti rueckbeili O.Bang-Haas, 1927*** (Pieridae) **Synonym(s):** *alexandra Röber, 1907 nec Edwards, 1863; #rückbeili O.Bang-Haas, 1927* **Original Reference:** *Colias wiskotti draconis ab. rückbeili O.Bang-Haas, 1927*, Horae Macrolepid. 1: 113 (nom. nov. pro *alexandra Röber, 1907 nec Edwards, 1863*). **Syntypes:** [Kirgizistan]: Kirgisches Geb. Thianchan [Tengri Tagh]: Alexander mont. (?), östl. von Taschkent. **Range (in code):** **T-S KK Ax**
- 20864. *Colias (Eriocolias) wiskotti separata Groum-Grshimailo, 1888*** (Pieridae) **Synonym(s):** *separata Groum-Grshimailo, 1888* **Original Reference:** *Colias wiskotti var. separata Groum-Grshimailo, 1888*, Horae Soc. ent. ross. 22: 305. **Type(s):** [Tadjikistan]: Montes Alaienses. **Range (in code):** **Pm TJ**
- 20865. *Colias (Eriocolias) wiskotti seres Groum-Grshimailo, 1890*** (Pieridae) **Synonym(s):** *seres Groum-Grshimailo, 1890* **Original Reference:** *Colias wiskotti var. seres Groum-Grshimailo, 1890*, [in] Romanoff, Mém. lepid. 4: 352-353. **Lectotype** ♂: "Sarykol" (BMNH) designated by Rose, 2001, Neue ent. Ver. Apollo, N.F. 22 (1): 10. **Range (in code):** **TJ**
- 20866. *Colias (Eriocolias) wiskotti sweadneri Clench & Shoumatoff, 1956*** (Pieridae) **Synonym(s):** *sweadneri Clench & Shoumatoff, 1956* **Original Reference:** *Colias wiskotti ssp. sweadneri Clench & Shoumatoff, 1956*, Vidensk. Medd. fra Dansk naturh. For. 118: 175-177. **Holotype** ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. **Range (in code):** **AF Kbb**
- 20867. *Colias (Eriocolias) wiskotti tirichmirensis Rose, 2001*** (Pieridae) **Synonym(s):** *tirichmirensis Rose, 2001* **Original Reference:** *Colias wiskotti ssp. tirichmirensis Rose, 2001*, Neue ent. Ver. Apollo, N.F. 22 (1): 7-9, figs. 1-6, 13. **Holotype** ♂: Nordpakistan: Chitral, Hindukusch, Tirch Mir Atak, 3200-3500m leg. J.C.Weiss (MAKB). **Range (in code):** **PK Ci Nwf Sha**
- 20868. *Colias (Eriocolias) wiskotti wiskotti Staudinger, 1882*** (Pieridae) **Synonym(s):** *wiskotti Staudinger, 1882* **Original Reference:** *Colias wiskotti Staudinger, 1882*, Berl. ent. Z. 26(1): 166-168, Taf.2 figs.9,10. **Syntypes:** [Tadjikistan]: Alai-Gebirge; [Uzbekistan]: Hazret-Sultan-Gebirge. **Range (in code):** **Al H-S TJ UZ**
- 20869. *Colias (Eucolias) alexandra W.H.Edwards, 1863*** (Pieridae) **Synonym(s):** *alexandra W.H.Edwards, 1863* **Range (in code):** **CA BCo US MX Arz Cf Col Id Mon NDk NMx Ne Neb Org SDK Ut Ws Wy**
- 20870. *Colias (Eucolias) alexandra alexandra W.H.Edwards, 1863*** (Pieridae) **Synonym(s):** *alexandra W.H.Edwards, 1863* **Range (in code):** **US Col**

- 20871. Colias (Eucolias) alexandra apache Ferris,1988** (Pieridae) Synonym(s): *apache Ferris,1988* Range (in code): **US**
- 20872. Colias (Eucolias) alexandra astraea W.H.Edwards,1872** (Pieridae) Synonym(s): *astraea W.H.Edwards,1872* Range (in code): **US Wy**
- 20873. Colias (Eucolias) alexandra christina W.H.Edwards,1863** (Pieridae) Synonym(s): *christina W.H.Edwards,1863* Range (in code): **US**
- 20874. Colias (Eucolias) alexandra columbiensis Ferris,1973** (Pieridae) Synonym(s): *columbiensis Ferris,1973* Range (in code): **CA BCo**
- 20875. Colias (Eucolias) alexandra harfordii Hy.Edwards,1877** (Pieridae) Synonym(s): *harfordii Hy.Edwards,1877; barbara Hy.Edwards,1877* Range (in code): **US MX Cf**
- 20876. Colias (Eucolias) alexandra krauthii Klots,1935** (Pieridae) Synonym(s): *krauthii Klots,1935* Range (in code): **US SDk**
- 20877. Colias (Eucolias) behrii Edwards,1866** (Pieridae) Synonym(s): *behrii Edwards,1866* Range (in code): **US Cf**
- 20878. Colias (Eucolias) boothi Curtis,1835** (Pieridae) Synonym(s): *boothi Curtis,1835* Range (in code): **US**
- 20879. Colias (Eucolias) canadensis Ferris,1982** (Pieridae) Synonym(s): *canadensis Ferris,1982* Range (in code): **US Als CA Yuk BCo Abt**
- 20880. Colias (Eucolias) christina Edwards,1863** (Pieridae) Synonym(s): *christina Edwards,1863* Range (in code): **US Id Mon Neb SDk Wy Als Yuk DMk BCo CA**
- 20881. Colias (Eucolias) eurytheme Boisduval,1852** (Pieridae) Synonym(s): *eurytheme Boisduval,1852; ariadne Edwards,1870; californiana Menetries,1855; keewaydin Edwards,1869; hybrida Strecker,1878; typica Cockerell,1888; alberta Bowman,1942* Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 20882. Colias (Eucolias) gigantea Strecker,1900** (Pieridae) Synonym(s): *gigantea Strecker,1900* Range (in code): **US Id Mns Mon Wy Als CA Yuk On Org**
- 20883. Colias (Eucolias) gigantea gigantea Strecker,1900** (Pieridae) Synonym(s): *gigantea Strecker,1900*
- 20884. Colias (Eucolias) gigantea harroweri Klots,1940** (Pieridae) Synonym(s): *harroweri Klots,1940*
- 20885. Colias (Eucolias) gigantea mayi Chermock & Chermock,1940** (Pieridae) Synonym(s): *mayi Chermock & Chermock,1940*
- 20886. Colias (Eucolias) hecla Lefèbvre,1836** (Pieridae) Synonym(s): *hecla Lefèbvre,1836; groenlandica Heyne,1893* Original Reference: *Colias hecla Lefèbvre, 1836, Annls Soc. ent. Fr. 1836: 383, pl.9b, figs. 3-6. Type(s): [Greenland]: Island.* Range (in code): **US Als Grl Mnt BCo Yuk DMk CA BY FI NO RU SE UA Tai** Bionomy: Larva on *Astragalus alpinus* (Tolman,1997).
- 20887. Colias (Eucolias) hecla glacialis MacLachan,1878** (Pieridae) Synonym(s): *glacialis MacLachan,1878* Range (in code): **US Als CA Yuk Grl**
- 20888. Colias (Eucolias) hecla hecla Lefèbvre,1836** (Pieridae) Synonym(s): *hecla Lefèbvre,1836* Original Reference: *Colias hecla Lefèbvre, 1836, Annls Soc. ent. Fr. 1836: 383, pl.9b, figs. 3-6. Type(s): [Greenland]: Island.* Range (in code): **BY FI NO RU SE UA** Bionomy: Larva on *Astragalus alpinus* (Tolman,1997).
- 20889. Colias (Eucolias) hecla hela Strecker,1880** (Pieridae) Synonym(s): *hela Strecker,1880* Range (in code): **CA Mnt**
- 20890. Colias (Eucolias) hecla sulitelma Aurivillius,1890** (Pieridae) Synonym(s): *sulitelma Aurivillius,1890* Range (in code): **RU Tai**
- 20891. Colias (Eucolias) hecla zamolodschikovi Churkin & Grieshuber,2001** (Pieridae) Synonym(s): *zamolodschikovi Churkin & Grieshuber,2001*
- 20892. Colias (Eucolias) hyperborea Groum-Grshimailo,1899** (Pieridae) Synonym(s): *hyperborea Groum-Grshimailo,1899* Original Reference: *Colias hyperborea Groum-Grshimailo,1899, Ann. Mus. Zool. St. Petersburg 4: Range (in code):* **RU Sb**
- 20893. Colias (Eucolias) hyperborea hyperborea Groum-Grshimailo,1899** (Pieridae) Synonym(s): *hyperborea Groum-Grshimailo,1899* Original Reference: *Colias hyperborea Groum-Grshimailo,1899, Ann. Mus. Zool. St. Petersburg 4: Range (in code):* **RU Sb**
- 20894. Colias (Eucolias) hyperborea paradoxa Churkin & Grieshuber,2001** (Pieridae) Synonym(s): *paradoxa Churkin & Grieshuber,2001*

- 20895. Colias (Eucolias) hyperborea puella Churkin & Grieshuber, 2001** (Pieridae)
Synonym(s): *puella* Churkin & Grieshuber, 2001
- 20896. Colias (Eucolias) interior Scudder, 1862** (Pieridae) Synonym(s): *interior* Scudder, 1862
Range (in code): **US Id Io Mai Mch Mns Mon Mrl Msc Nh Ny Oh Org Pns Vi Vr WVi Wc Ws Wy**
- 20897. Colias (Eucolias) interior laurentina Scudder, 1876** (Pieridae) Synonym(s):
laurentina Scudder, 1876
- 20898. Colias (Eucolias) interior vividior Berger, 1945** (Pieridae) Synonym(s): *vividior*
Berger, 1945
- 20899. Colias (Eucolias) johanseni** (Pieridae) Synonym(s): *Range (in code): US*
- 20900. Colias (Eucolias) meadii W.H. Edwards, 1871** (Pieridae) Synonym(s): *meadii*
W.H. Edwards, 1871 *Range (in code): CA BCo US Col Id Mon NMx Ut Wy*
- 20901. Colias (Eucolias) meadii elis Strecker, 1885** (Pieridae) Synonym(s): *elis* Strecker, 1885
Range (in code): **CA BCo**
- 20902. Colias (Eucolias) nastes Boisduval, 1832** (Pieridae) Synonym(s): *nastes* Boisduval, 1832
Original Reference: *Colias nastes* Boisduval, 1832, *Icones hist. Lépid.* 1: 245, pl. 8 figs. 4-5.
Syntypes: [Canada]: Labrador. Range (in code): **US Col Mon Ws Als CA Grl Lbr BY FI Kmt NO RU SE Tch UA Ya Tai Ns** *Bionomy:* Larva on *Vaccinium*, *Astragalus alpinus* (Tolman, 1997).
- 20903. Colias (Eucolias) nastes aliaska O. Bang-Haas, 1927** (Pieridae) Synonym(s): *aliaska*
O. Bang-Haas, 1927 *Range (in code): US Als CA Yuk*
- 20904. Colias (Eucolias) nastes cocandicides Verity, 1911** (Pieridae) Synonym(s):
cocandicides Verity, 1911
- 20905. Colias (Eucolias) nastes dezhnevi Korshunov, 1995** (Pieridae) Synonym(s): *sibirica*
Korshunov, 1970 nec Lederer, 1852; *dezhnevi* Korshunov, 1995 *Original Reference:* *Colias nastes* ssp.
dezhnevi Korshunov, 1995, [in] Korshunov & Gorbunov, *The Butterflies of the Asian Parts of*
Russia: 67 (nomen novum pro *sibirica* Kurensov, 1970 nec Lederer, 1852). Holotype ♂: Russia:
Siberia. Range (in code): **RU Sb**
- 20906. Colias (Eucolias) nastes flinti Churkin, Grieshuber et al., 2001** (Pieridae)
Synonym(s): *flinti* Churkin, Grieshuber et al., 2001 *Range (in code): RU*
- 20907. Colias (Eucolias) nastes jacutica Kurentsov, 1970** (Pieridae) Synonym(s): *jacutica*
Kurentsov, 1970; *jacuttica* Ferris, 1985; *jacuticola* Weiss & Mracek, 1989. *Range (in code): RU Ya*
- 20908. Colias (Eucolias) nastes magadanica Churkin, Grieshuber et al., 2001** (Pieridae)
Synonym(s): *magadanica* Churkin, Grieshuber et al., 2001 *Range (in code): RU*
- 20909. Colias (Eucolias) nastes moina Strecker, 1880** (Pieridae) Synonym(s): *moina*
Strecker, 1880
- 20910. Colias (Eucolias) nastes nastes Boisduval, 1832** (Pieridae) Synonym(s): *nastes*
Boisduval, 1832 *Original Reference:* *Colias nastes* Boisduval, 1832, *Icones hist. Lépid.* 1: 245, pl. 8
figs. 4-5. Syntypes: [Canada]: Labrador. Range (in code): **BY FI NO RU SE CA Grl Lbr**
- 20911. Colias (Eucolias) nastes rossii Guenée, 1864** (Pieridae) Synonym(s): *rossii* Guenée, 1864
- 20912. Colias (Eucolias) nastes streckeri Groum-Grshimailo, 1895** (Pieridae) Synonym(s):
streckeri Groum-Grshimailo, 1895 *Original Reference:* *Colias nastes* var. *streckeri* Groum-
Grshimailo, 1895, *Horae Soc. ent. ross.* 29: 290-291. Syntypes: Provincia Alberta ad Laggan.
- 20913. Colias (Eucolias) nastes werdandi Zetterstedt, 1840** (Pieridae) Synonym(s):
werdandi Zetterstedt, 1840 *Original Reference:* *Colias nastes werdandi* Zetterstedt, 1840, *Insecta*
Laponica descripta: 908. Type(s): Tornea, Lappland. Range (in code): **FI RU Tai Ns**
- 20914. Colias (Eucolias) occidentalis Scudder, 1862** (Pieridae) Synonym(s): *occidentalis*
Scudder, 1862 *Range (in code): US Cf Id Mon Org Ut Ws*
- 20915. Colias (Eucolias) occidentalis chrysomelas Hy. Edwards, 1877** (Pieridae)
Synonym(s): *chrysomelas* Hy. Edwards, 1877 *Range (in code): US Cf*
- 20916. Colias (Eucolias) occidentalis pseudochristina** (Pieridae) Synonym(s): *Range*
(in code): **US**
- 20917. Colias (Eucolias) palaeno (Linnaeus, 1761)** (Pieridae) Synonym(s): *palaeno*
Linnaeus, 1761 *Original Reference:* *Papilio palaeno* Linnaeus, 1761, *Fauna Suecica* 2: 272,
nr. 1041. Type(s): Suecia. Range (in code): **Am At Kts AT Ba BE BY CH CZ DE DK EE FI FR HU IT JP**
LT LV Mgd NL NO PL Py RO RU Sb SE SK Sm So Sr UA YU Or Bs Tt Kg Sb Om Ty Kn Mn To KG US Als
Yuk Abt BCo Ssk Mnt On Lbr Nfl CA *Bionomy:* Larva on *Vaccinium uliginosum*, *V. myrtillus*
(Tolman, 1997).
- 20918. Colias (Eucolias) palaeno chippewa Edwards, 1870** (Pieridae) Synonym(s): *chippewa*
Edwards, 1870 *Range (in code): US Als Yuk Abt BCo Ssk Mnt On Lbr Nfl CA*

- 20919. Colias (Eucolias) palaeno europome (Esper,[1779])** (Pieridae) Synonym(s): *europome* Esper,[1779] _ Range (in code): AT BE Bw CH CZ DE FR HU IT NL PL Py RO SK YU
- 20920. Colias (Eucolias) palaeno gomojunovae Korshunov,1996** (Pieridae) Synonym(s): *gomojunovae* Korshunov,1996 Original Reference: Colias palaeno ssp. gomojunovae Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 18. Holotype: Russia: Magadan: Bilibino distr. Range (in code): Mgd RU
- 20921. Colias (Eucolias) palaeno orientalis Staudinger,1892** (Pieridae) Synonym(s): *orientalis* Staudinger,1892; *#arctica* Verity,1908; *sachalinensis* Matsumura,1925 Original Reference: Colias palaeno var. orientalis Staudinger,1892, Dt. ent. Z., Iris 5: 311. Syntypes: Russia: Kentei, Amur Gebiet. Range (in code): Am Ir KP RU Sb Prj Us Ya Jk
- 20922. Colias (Eucolias) palaeno palaeno (Linnaeus,1761)** (Pieridae) Synonym(s): *palaeno* Linnaeus,1761 Original Reference: Papilio palaeno Linnaeus,1761, Fauna Suecica 2: 272, nr.1041. Type(s): Suecia. Range (in code): Am At Kts Ba BY DK EE LT LV RU Sb Sm So Sr UA Or Bs Tt Kg Sb Om Ty Kn Mn To KG
- 20923. Colias (Eucolias) pelidne Boisduval & Leconte,1829** (Pieridae) Synonym(s): *pelidne* Boisduval & Leconte,1829 _ Range (in code): US Id Mon Org Wy Als Yuk Abt BCo Ssk Mnt On Lbr Nfl CA
- 20924. Colias (Eucolias) pelidne minisini Bean,1895** (Pieridae) Synonym(s):
- 20925. Colias (Eucolias) pelidne pelidne Boisduval & Leconte,1829** (Pieridae) Synonym(s):
- 20926. Colias (Eucolias) pelidne skinneri Barnes,1897** (Pieridae) Synonym(s):
- 20927. Colias (Eucolias) phicomone (Esper,[1780])** (Pieridae) Synonym(s): *phicomone* Esper,[1780] Original Reference: Papilio phicomone Esper,[1780], Die Schmett. 1(2): Forts. Tagschmett.: Taf.56, figs.1,2. Syntypes: Styria. Range (in code): AT CH DE ES Atu Ct FR IT Bionomy: Larva on Hippocrepis comosa, Tifolium repens, Lotus corniculatus (Tolman,1997).
- 20928. Colias (Eucolias) phicomone juliana Hospital,1948** (Pieridae) Synonym(s): *juliana* Hospital,1948
- 20929. Colias (Eucolias) phicomone phicomone (Esper,[1780])** (Pieridae) Synonym(s): *phicomone* Esper,[1780] Original Reference: Papilio phicomone Esper,[1780], Die Schmett. 1(2): Forts. Tagschmett.: Taf.56, figs.1,2. Syntypes: Styria. Range (in code): AT CH DE ES Atu Ct FR IT Bionomy: Larva on Hippocrepis comosa, Tifolium repens, Lotus corniculatus (Tolman,1997).
- 20930. Colias (Eucolias) philodice Godart,[1819]** (Pieridae) Synonym(s): *philodice* Godart,[1819]; *dorippe* Godart,[1819]; *maria* Edwards,1884; *notatus* A.Clark & L.Clark,1941 _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy Als Yuk Abt BCo Ssk Mnt On Lbr Nfl CA
- 20931. Colias (Eucolias) scudderi Reakirt,1865** (Pieridae) Synonym(s): *scudderi* Reakirt,1865 Range (in code): US Col NMx Ut Wy
- 20932. Colias (Eucolias) scudderi ruckesi Klots,1937** (Pieridae) Synonym(s):
- 20933. Colias (Eucolias) tyche (Boeber,1812)** (Pieridae) Synonym(s): *tyche* Boeber,1812; *melinos* Eversmann,1847; *chloe* Eversmann,1847 Original Reference: Papilio tyche Boeber,1812, Mém. Soc. nat. Moscou 3: 21, Pl. 1 figs. 3,4. Type(s): Russia: "Sibérie" [Baikal]. Range (in code): At Kts Aty CN Ir KG MN RU Sb Ui US Als Yuk DMk Abt BCo CA
- 20934. Colias (Eucolias) tyche herzi Staudinger,1901** (Pieridae) Synonym(s): *herzi* Staudinger,1901 Original Reference: Colias melinos var. herzi Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 16, nr.90a. (nomen novum pro melinos Herz nec Eversmann,1847). Type(s): [Russia]: Siberia s.or. (Vilui). Range (in code): RU Sb
- 20935. Colias (Eucolias) tyche kolosovae Churkin et al.,2001** (Pieridae) Synonym(s): *olga* Churkin et al.,2001 nec Rom.,1882; *kolosovae* Churkin et al.,2001 Original Reference: Colias tyche ssp. kolosovae Churkin et al.,2001, Atalanta 32 (1/2): 262 (nomen novum pro Colias tyche olga Churkin et al.,2001 nec Romanoff,1882). Holotype ♂: Russia: North Russia: Ost-Chukotka. Range (in code): RU
- 20936. Colias (Eucolias) tyche tyche (Boeber,1812)** (Pieridae) Synonym(s): *tyche* Boeber,1812; *melinos* Eversmann,1847; *chloe* Eversmann,1847 Original Reference: Papilio tyche Boeber,1812, Mém. Soc. nat. Moscou 3: 21, Pl. 1 figs. 3,4. Type(s): Russia: "Sibérie" [Baikal]. Range (in code): At Kts Aty CN Ir KG MN RU Ui
- 20937. Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer,[1850]; *#alba* Rühl,[1893]; *#aurantiaca* Rühl,[1893]; *deserticola* Verity,[1909]; *#cleopatra* Kemal,2015 Original Reference: Colias aurorina Herrich-Schäffer,[1850], Syst. Bearb.

- Schmett. Eur. 1: f.453-456; ibid.6:22. Syntypes: [Türkei]: Kleinasien [?Amasia]. Range (in code): **Cc Arr AM AZ GG Smt Akh Tbl IR Ab Ak Kh Th Ke Kp TM TR RU Da Ahy** Bionomy: Larva on Astracantha [Astragalus] caucasica, A. denudata, A. rumelica, A. parnassi cyllenus (Nekrutenko, 1990; Tolman, 1997).
- 20938. Colias (Neocolias) aurorina anna Gerhard, 1882** (Pieridae) Synonym(s): *anna* Gerhard, 1882; *daghestanica* Verhulst, 1994 Range (in code): **Cc RU Ahy Da**
- 20939. Colias (Neocolias) aurorina aurorina Herrich-Schäffer, [1850]** (Pieridae) Synonym(s): *aurorina* Herrich-Schäffer, [1850]; *#alba* Rühl, [1893]; *#aurantiaca* Rühl, [1893]; *deserticola* Verity, [1909]; *#cleopatra* Kemal, 2015 Original Reference: Colias aurorina Herrich-Schäffer, [1850], Syst. Bearb. Schmett. Eur. 1: f.453-456; ibid.6:22. Syntypes: [Türkei]: Kleinasien [?Amasia]. Range (in code): **Cc Arr AM AZ GG Smt Akh Tbl TR IR Ab Ak**
- 20940. Colias (Neocolias) aurorina kermana Eckweiler, 1979** (Pieridae) Synonym(s): *kermana* Eckweiler, 1979 Original Reference: Colias aurorina ssp. kermana Eckweiler, 1979, Ent. Z., Frankf. a. M. 89(3): 29-32, 2 Abb. Holotype ♂: Süd-Iran: Kerman: Strasse Jiroft-Rayen, 2800-3000m (in coll. Eckweiler). Range (in code): **IR Ke**
- 20941. Colias (Neocolias) aurorina rosei Gross & Ebert, 1975** (Pieridae) Synonym(s): *rosei* Gross & Ebert, 1975 Original Reference: Colias aurorina ssp. rosei Gross & Ebert, 1975, J. ent. Soc. Iran, Suppl. 1: 11-13, figs. 6, 7. Holotype ♂: Iran: Elburs S-Seite: Demavand, N.v. Polur, 2500m. Range (in code): **IR Elb Th**
- 20942. Colias (Neocolias) aurorina transcaspica Christoph, 1887** (Pieridae) Synonym(s): *transcaspica* Christoph, 1887 Original Reference: Colias aurorina var. transcaspica Christoph, 1887, Stettin ent. Ztg. 48: 162. Syntypes ♂♀: [Turkmenistan]: Nuchur. Range (in code): **IR Kh Kp TM**
- 20943. Colias (Neocolias) caucasica Staudinger, 1871** (Pieridae) Synonym(s): *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882. Original Reference: Colias myrmidone var. caucasica Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 6. Type(s): Armenia. Range (in code): **BG B-H Cc GG TR Arr MK YU Mt Ko Ril Dur** Bionomy: Larva on Cytisus (Nekrutenko, 1990).
- 20944. Colias (Neocolias) caucasica balcanica Rebel, 1901** (Pieridae) Synonym(s): *balcanica* Rebel, 1901 Original Reference: Colias myrmidone var. balcanica Rebel, 1901, [in] Staudinger & Rebel, Cat. Lep. Palaearkt. Faunengeb. 3(2): 250. Syntypes: Bosnia et Hercegowina mont. Range (in code): **BG B-H MK YU Mt Ko Ril Dur**
- 20945. Colias (Neocolias) caucasica caucasica Staudinger, 1871** (Pieridae) Synonym(s): *caucasica* Staudinger, 1871; *olga* Romanoff, 1882; *anna* Gerhard, 1882. Original Reference: Colias myrmidone var. caucasica Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 6. Type(s): Armenia. Range (in code): **Cc GG TR Arr**
- 20946. Colias (Neocolias) chlorocoma Christoph, 1888** (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888 Original Reference: Colias chlorocoma Christoph, 1888, Horae Soc. ent. ross. 22: 308. Syntypes: [Türkei]: Kasikoparan. Range (in code): **Cc Arr AM Arn AZ Alg GG IR Ab Aha Ak TR** Bionomy: Larva on Onobrychis cornuta (Nekrutenko, 1990).
- 20947. Colias (Neocolias) chlorocoma aladagensis Verhulst, 1993** (Pieridae) Synonym(s): *aladagensis* Verhulst, 1993 Range (in code): **TR**
- 20948. Colias (Neocolias) chlorocoma chlorocoma Christoph, 1888** (Pieridae) Synonym(s): *chlorocoma* Christoph, 1888 Original Reference: Colias chlorocoma Christoph, 1888, Horae Soc. ent. ross. 22: 308. Syntypes: [Türkei]: Kasikoparan. Range (in code): **TR Arr Cc GG AM IR Ab**
- 20949. Colias (Neocolias) chlorocoma taleshensis Eckweiler, 2003** (Pieridae) Synonym(s): *taleshensis* Eckweiler, 2003 Range (in code): **IR Ar**
- 20950. Colias (Neocolias) chlorocoma tkatschukovi O.Bang-Haas, 1936** (Pieridae) Synonym(s): *tkatschukovi* O.Bang-Haas, 1936 Range (in code): **Cc AM Arn Alg AZ**
- 20951. Colias (Neocolias) chlorocoma wyatti Häuser & Schurian, 1978** (Pieridae) Synonym(s): *wyatti* Häuser & Schurian, 1978 Range (in code): **IR Ak Aha**
- 20952. Colias (Neocolias) erate (Esper, [1805])** (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O.Bang-Haas, 1927 Original Reference: Papilio erate Esper, [1805], Die Schmett. (Suppl.) 1(2): 13, pl.119, fig.3. Type(s): Russia: Sarepta. Range (in code): **AF Anj Ao AT At Att Aty Au Ba Bd BG Bqu BY Ci Cp Mre CN CZ Dj Ga GR Hk HU IR LB Kab Kbb KG KK Ku Ld Nu Pag PK PL Pnj RO RU Sem SK Sm So Sr TJ TM TR UA Ui Uk UZ VI YE YU Ser Gj Or Aq Mg Ky Rk Kt Ka Sp Tk Aa Db Tm TrA KuA TeA Ax Na Nym Ktm MK MD CY Syr TW DsA T-S Fa Ab Ak Shf ET SA As SD Haz Mre Dew Cp Mz**

- Gls Kh Msr Nra Ng Jla Hr BLM Prw Pjr Kab Lgh** Bionomy: Larva on Medicago sativa, Trifolium, Obobrychis, Melilotus (Bartel, 1914).
- 20953. Colias (Neocolias) erate edusoides Krulikovsky, 1903** (Pieridae) Synonym(s): *edusoides* Krulikovsky, 1903
- 20954. Colias (Neocolias) erate erate (Esper, [1805])** (Pieridae) Synonym(s): *erate* Esper, [1805]; *afghana* O. Bang-Haas, 1927 Original Reference: Papilio erate Esper, [1805], Die Schmett. (Suppl.) 1(2): 13, pl. 119, fig. 3. Type(s): Russia: Sarepta. Range (in code): **AF Anj Ao AT At Att Aty Au Ba Bd BG Bqu BY Ci Mre Cp CN CZ Dj Ga GR Hk HU IR Kab Kbb KG KK Ku LB Ld Nu Pag PK PL Pnj RO RU Sem SK Sm So Sr TJ TM TR T-S UA Ui Uk UZ VI YE YU Ser MK Gj Or Aq Mg Ky Rk Kt Ka Sp Tk Aa Db Tm TrA KuA TeA Ax Na Nym Ktm MD CY Syr DsA T-S Fa Ab Ak Shf Cp Dew Mre Haz**
- 20955. Colias (Neocolias) erate formosana Shirozu, 1955** (Pieridae) Synonym(s): *formosana* Shirozu, 1955 Range (in code): **TW**
- 20956. Colias (Neocolias) erate gigantea Verity, [1911]** (Pieridae) Synonym(s): *gigantea* Verity, [1911]; *#kachgarica* Verity, [1911]; *kachgarica* Bollow, 1930 Original Reference: Colias erate race gigantea Verity, [1911], Rhopalocera Palaearctica: 347. Syntypes: [China: Uighur A.R.]: Aksu. Range (in code): **T-S Au CN Ga Ui**
- 20957. Colias (Neocolias) erate lativitta Moore, 1882** (Pieridae) Synonym(s): *lativitta* Moore, 1882 Original Reference: Colias lativitta Moore, 1882, Proc. zool. Soc. Lond. 1882: 255. Type ♂: Nepal. Range (in code): **Ch IN Kgr Knw NP**
- 20958. Colias (Neocolias) erate marnoana Rogenhofer, 1884** (Pieridae) Synonym(s): *marnoana* Rogenhofer, 1884; *#kostlani* Strand, 1911; *#solilucis* Berger, 1953; *#androides* Storace, 1956. Original Reference: Colias marnoana Rogenhofer, 1884, Verh. zool.-bot. Ges. Wien 1884: 33: 22. Type(s): Sudan. Range (in code): **YE ET SD SO EG SA As**
- 20959. Colias (Neocolias) libanotica Lederer, 1858** (Pieridae) Synonym(s): *libanotica* Lederer, 1858 Original Reference: Colias libanotica Lederer, 1858, Wien. ent. Monatschr. 2: 140-141, pl. 2 figs. 1, 2. Syntypes 2♂ 3♀: Libanon: "Am Gipfel des Libanon". Range (in code): **He ALb LB GR IQ Ama IR Mz Gor**
- 20960. Colias (Neocolias) libanotica heldreichi Staudinger, 1862** (Pieridae) Synonym(s): *heldreichi* Staudinger, 1862 Original Reference: Colias heldreichi Staudinger, 1862, Stettin ent. Ztg. 23(4/6): 257-264. Syntypes: 13♂ 7♀: Griechenland: Veluchi Gebirge, 8000ft. Range (in code): **GR**
- 20961. Colias (Neocolias) libanotica libanotica Lederer, 1858** (Pieridae) Synonym(s): *libanotica* Lederer, 1858 Original Reference: Colias libanotica Lederer, 1858, Wien. ent. Monatschr. 2: 140-141, pl. 2 figs. 1, 2. Syntypes 2♂ 3♀: Libanon: "Am Gipfel des Libanon". Range (in code): **He ALb LB IQ Ama**
- 20962. Colias (Neocolias) libanotica sovarensis Blom, 1979** (Pieridae) Synonym(s): *sovarensis* Blom, 1979 Original Reference: Colias aurorina ssp. sovarensis Blom, 1979, Ent. Ber., Amst. 39: 10, figs. 1, 2. Holotype ♂: Iran: Mazandaran: Khosh Yeilaq, 2000-2500m. Range (in code): **IR Elb Gor Mz**
- 20963. Colias (Neocolias) myrmidone (Esper, [1781])** (Pieridae) Synonym(s): *myrmidone* Esper, [1781] Original Reference: Papilio myrmidone Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 88, Tab. 65, figs. 1, 2. Type ♂: Ungarn: Gegend von Tyrnau (MWNS?). Range (in code): **AT Ba BY CZ DE HU LT LV PL RO RU SK Sm So Sr Ur Uk Or Bs Cb Tt VI UA VI YU KG SS HV** Bionomy: Larva on Cytisus ratisbonensis, C. capitatus (Tolman, 1997).
- 20964. Colias (Neocolias) myrmidone ermak Groum-Grshimailo, 1890** (Pieridae) Synonym(s): *ermak* Groum-Grshimailo, 1890 Original Reference: Colias myrmidone var. ermak Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 301. Syntypes: Südural. Range (in code): **RU KG Ur Uk Or Sm Sr Bs Cb Tt So VI**
- 20965. Colias (Neocolias) myrmidone myrmidone (Esper, [1781])** (Pieridae) Synonym(s): *myrmidone* Esper, [1781] Original Reference: Papilio myrmidone Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: 88, Tab. 65, figs. 1, 2. Type ♂: Ungarn: Gegend von Tyrnau (MWNS?). Range (in code): **AT Ba BY CZ DE HU LT LV PL RO RU SK So UA YU SS HV**
- 20966. Colias (Neocolias) sagartia Lederer, 1869** (Pieridae) Synonym(s): *sagartia* Lederer, 1869 Original Reference: Colias sagartia Lederer, 1869, Horae Soc. ent. ross. 6: 75-76, Taf. iv figs. 1, 2. Syntypes 2♂ 3♀: [Iran]: Persien: Astrabad. Range (in code): **IR Mz Th Elb**
- 20967. Colias (Neocolias) sagartia sagartia Lederer, 1869** (Pieridae) Synonym(s): *sagartia* Lederer, 1869 Original Reference: Colias sagartia Lederer, 1869, Horae Soc. ent. ross. 6: 75-76, Taf. iv figs. 1, 2. Syntypes 2♂ 3♀: [Iran]: Persien: Astrabad. Range (in code): **IR Mz Th Elb**

- 20968. *Colias (Scalidoneura) euxanthe* C.Felder & R.Felder, 1865** (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865; *hermina* Butler, 1871 Range (in code): **PE Lma**
- 20969. *Colias (Scalidoneura) euxanthe euxanthe* C.Felder & R.Felder, 1865** (Pieridae) Synonym(s): *euxanthe* C.Felder & R.Felder, 1865; *hermina* Butler, 1871 Range (in code): **PE Lma**
- 20970. *Colias (Scalidoneura) euxanthe stuebeli* Reissinger, 1972** (Pieridae) Synonym(s): *stuebeli* Reissinger, 1972 Original Reference: *Colias euxanthe* ssp. *stuebeli* Reissinger, 1972, *Atalanta* 4(1) (B): 60-62, figs. Holotype ♂: Peru: Cutervo, 2700m 2.x.1970 (coll. Reissinger). Range (in code): **PE**
- 20971. *Colias (Scalidoneura) flaveola alticola* Godman & Salvin, 1891** (Pieridae) Synonym(s): *dinora* Röber, 1909 nec Kirby, 1881; *alticola* Godman & Salvin, 1891 Range (in code): **EC**
- 20972. *Colias (Similicolas) lesbia* (Fabricius, 1775)** (Pieridae) Synonym(s): *lesbia* Fabricius, 1775; *dinora* Kirby, 1881 Range (in code): **EC**
- 20973. *Colias (s.str.) alfajariensis* Ribbe, 1905** (Pieridae) Synonym(s): *alfajariensis* Ribbe, 1905 Original Reference: *Colias hyale* ab. *alfajariensis* Ribbe, 1905, *Soc. ent.* 20 (18): 137. Lectotype ♂: Spain: Sierra de Alfajar, northern Granada (designated by Reissinger, 1971: 156-157) (ZMHB). Range (in code): **AL AM AT AZ BE BG B-H BY CH Co CZ DE DK ES FR GB GG GR HU HV IR IT KG KK LT LU MK NL PL RO RU SK SS TM TR UA YU Cw Dv Smt H-W Sur Ssx Ken CN Ui Um MN Ab Ak Gh Th Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Aha Gls** Bionomy: Larva on *Hippocrepis comosa*, *Coronilla varia* (Tolman, 1997).
- 20974. *Colias (s.str.) alfajariensis alfajariensis* Ribbe, 1905** (Pieridae) Synonym(s): *alfajariensis* Ribbe, 1905 Original Reference: *Colias hyale* ab. *alfajariensis* Ribbe, 1905, *Soc. ent.* 20 (18): 137. Lectotype ♂: Spain: Sierra de Alfajar, northern Granada (designated by Reissinger, 1971: 156-157) (ZMHB). Range (in code): **ES Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm**
- 20975. *Colias (s.str.) alfajariensis bergeri* Reissinger, 1989** (Pieridae) Synonym(s): *bergeri* Reissinger, 1989 Original Reference: *Colias alfajariensis* ssp. *bergeri* Reissinger, 1989, *Neue ent. Nachr.* 26: 125 et seq., figs. Holotype ♂: [Türkei]: Asia minor, Ankara: Bağlum 1200m. Range (in code): **Cc TR**
- 20976. *Colias (s.str.) alfajariensis fontainei* Reissinger, 1989** (Pieridae) Synonym(s): *fontainei* Reissinger, 1989 Original Reference: *Colias alfajariensis fontainei* Reissinger, 1989, *Neue ent. Nachr.* 26: 141 et seq., figs. Holotype ♂: [Georgien]: Borshom. Range (in code): **AM Cc AZ GG IR Nv TR Ab Ak Gh**
- 20977. *Colias (s.str.) alfajariensis hyrcanica* Reissinger, 1989** (Pieridae) Synonym(s): *hyrcanica* Reissinger, 1989 Original Reference: *Colias alfajariensis hyrcanica* Reissinger, 1989, *Neue ent. Nachr.* 26: 131 et seq., figs. Holotype ♂: Nord-Iran, Schahkuh, Westabhang, Geröllzone, 1800-2000m. Range (in code): **AF Cc AZ IR Kh Mz**
- 20978. *Colias (s.str.) alfajariensis magyarica* Reissinger, 1989** (Pieridae) Synonym(s): *magyarica* Reissinger, 1989 Original Reference: *Colias alfajariensis magyarica* Reissinger, 1989, *Neue ent. Nachr.* 26: 159 et seq., figs. Holotype ♂: Romania: Bihar Comitatus, Csehtelek. Range (in code): **HU RO**
- 20979. *Colias (s.str.) alfajariensis metacalida* Reissinger, 1989** (Pieridae) Synonym(s): *metacalida* Reissinger, 1989 Original Reference: *Colias alfajariensis metacalida* Reissinger, 1989, *Neue ent. Nachr.* 26: 170 et seq., figs. Holotype ♂: Slowenien: Karst, Julische Alpen. Range (in code): **HV SS**
- 20980. *Colias (s.str.) alfajariensis paracalida* Reissinger, 1972** (Pieridae) Synonym(s): *paracalida* Reissinger, 1972 Original Reference: *Colias alfajariensis paracalida* Reissinger, 1972, *Atalanta* 3(6): 366-369. Holotype ♂: Österreich: Oberösterreich, Wels. Range (in code): **AT BE Bw DE DK NL PL GB Cw Dv Smt H-W Sur Ssx Ken**
- 20981. *Colias (s.str.) alfajariensis rumilica* Reissinger, 1989** (Pieridae) Synonym(s): *rumilica* Reissinger, 1989 Original Reference: *Colias alfajariensis rumilica* Reissinger, 1989, *Neue ent. Nachr.* 26: 129 et seq., figs. Holotype ♂: Bulgarien c.: Stanimaka. Range (in code): **AL BG GR MK YU Mt Ko Sof Rg Rtc Slv**
- 20982. *Colias (s.str.) alfajariensis saissanica* Reissinger, 1989** (Pieridae) Synonym(s): *saissanica* Reissinger, 1989 Original Reference: *Colias alfajariensis* ssp. *saissanica* Reissinger, 1989, *Neue ent. Nachr.* 26: 138 et seq., figs. Holotype ♂: [Kazachstan]: Saisan. Range (in code): **CN KG Mn Ui Um MN**

- 20983. *Colias (s.str.) alfacariensis sareptensis* Staudinger,1881** (Pieridae) Synonym(s): *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881; *remota* Reissinger,1989. Original Reference: *Colias hyale* var. *sareptensis* Staudinger,1881, Stettin ent. Ztg. 42: 260. Syntypes: Süd-Russland. Range (in code): **Cc Ce Da Kc Kr RU Sm So Sr UA VI**
- 20984. *Colias (s.str.) alfacariensis slavonica* Reissinger,1989** (Pieridae) Synonym(s): *slavonica* Reissinger,1989 Original Reference: *Colias alfacariensis slavonica* Reissinger,1989, Neue ent. Nachr. 26: 153 et seq., figs. Holotype ♂: Serbia or., Mirovo prope Boljevac. Range (in code): **B-H HU RO YU SS HV Sjn Mk**
- 20985. *Colias (s.str.) alfacariensis vihoriatensis* Reissinger,1989** (Pieridae) Synonym(s): *vihoriatensis* Reissinger,1989 Original Reference: *Colias alfacariensis vihoriatensis* Reissinger,1989, Neue ent. Nachr. 26: 165 et seq., figs. Holotype ♂: Slovakia or., Remetské Hamre, Vihorlat, R.Hamry. Range (in code): **HU SL**
- 20986. *Colias (s.str.) hyale (Linnaeus,1758)*** (Pieridae) Synonym(s): *hyale* Linnaeus,1758; *#amdensis* Verity,[1911]. Original Reference: *Papilio hyale* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Syntypes: Europa, Africa. Range (in code): **AL At AT BE BG B-H BY CH CN CZ DE Dj DK ES EE FI FR GB GG HU HV IT Kb KG KK Kno Kr Ku LT LU LV MK NL PL RO RU SE Sem SK Sm So Sr SS Teb TR Ts T-S UA Ui VI YU Tt Bs Cb Or Uk Aq Kg Sb Ty Ku Pp Ka Ze Sp Mn Tk Aa No To Om Tar Sau DsA Ket TeA KuA TrA Cw Dv Cc Smt H-W Sur Ssx Ken Mt Ko Irk Kts Bn Amd Grn Ple Nrr Hue** Bionomy: Larva on *Medicago sativa*, *M. lupulina*, *Lotus corniculatus*, *Trifolium pratense*, *Hippocrepis comosa*, *Securigera varia*, *Vicia cracca*, *Cytisus*, *Coronilla* (Eckstein, 1913; Tolman, 1997).
- 20987. *Colias (s.str.) hyale altaica* Verity,[1911]** (Pieridae) Synonym(s): *altaica* Verity,[1911] Original Reference: *Colias hyale hyale altaica* Verity,[1911], *Rhopalocera Palaearctica*: 348. Syntypes: [Russia]: Altai Mts.,Tchuja, Biga valleys (infrasubsp. name!). Range (in code): **Bn Sj At RU**
- 20988. *Colias (s.str.) hyale hyale (Linnaeus,1758)*** (Pieridae) Synonym(s): *hyale* Linnaeus,1758 Original Reference: *Papilio hyale* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Syntypes: Europa, Africa. Range (in code): **AL At AT BE BG B-H Bw BY CH CZ DE DK ES EE FI FR GB GG HU HV IT KK Kr LT LU LV MK NL PL RO RU SE SK Sm So Sr SS TR UA VI YU Tt Bs Cb Or Uk Aq Kg Sb Ty Ku Pp Ka Ze Sp Mn Tk Aa No To Om Tar Sau DsA Ket TeA KuA TrA Cw Dv Smt H-W Sur Ssx Ken Mt Ko Kts Grn Cc Ple Nrr Hue** Bionomy: Larva on *Medicago sativa*, *M. lupulina*, *Lotus corniculatus*, *Trifolium pratense*, *Hippocrepis comosa*, *Securigera varia*, *Vicia cracca*, *Cytisus*, *Coronilla* (Eckstein, 1913; Tolman, 1997).
- 20989. *Colias (s.str.) hyale irkutskana* Stauder,1924** (Pieridae) Synonym(s): *irkutskana* Stauder,1924 Original Reference: *Colias hyale* ssp. *irkutskana* Stauder,1924, Mitt. münch. ent. Ges. 14: 62-63. Syntypes 2♂: [Russia]: Ojek (ad Irkutsk). Range (in code): **RU Irk**
- 20990. *Colias alta* Staudinger,1886** (Pieridae) Synonym(s): *alta* Staudinger,1886 Original Reference: *Colias alta* Staudinger,1886, Stettin ent. Ztg. 47: 200-201. Syntypes: Ala¹-Gebirge, Kara Kasuk Pass, 10000ft. Range (in code): **KK TJ Al T-S Drw His Pm**
- 20991. *Colias alta alta* Staudinger,1886** (Pieridae) Synonym(s): *alta* Staudinger,1886 Range (in code): **KK TJ Al T-S Drw His Pm**
- 20992. *Colias alta grieshuberi* Korb,2004** (Pieridae) Synonym(s): *grieshuberi* Korb,2004 Range (in code): **T-S KK KuA**
- 20993. *Colias aquilonaris* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo,1899 Original Reference: *Colias aquilonaris* Groum-Grshimailo,1899, Ann. Mus. Zool. St. Petersburg 4: 457. Russia: Siberia: Olenek / Jana. Range (in code): **RU Sb**
- 20994. *Colias aquilonaris aquilonaris* Groum-Grshimailo,1899** (Pieridae) Synonym(s): *aquilonaris* Groum-Grshimailo,1899 Original Reference: *Colias aquilonaris* Groum-Grshimailo,1899, Ann. Mus. Zool. St. Petersburg 4: 457. Russia: Siberia: Olenek / Jana. Range (in code): **RU Sb**
- 20995. *Colias cesonia* (Stoll,[1790])** (Pieridae) Synonym(s): *cesonia* Stoll,[1790] Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mns Mrl Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Pns SCa SDk Tnn Tx Ut Vi Wc Wy**
- 20996. *Colias dimera* Doubleday,1847** (Pieridae) Synonym(s): *dimera* Doubleday,1847; *erythrogrammus* Kollar,1850; *mariae* Apolinar,1914; *fassli* Apolinar,1914; *tolima* Fassl,1915 Range (in code): **CO VE PE**
- 20997. *Colias eurydice* Boisduval,1855** (Pieridae) Synonym(s): *eurydice* Boisduval,1855 Range (in code): **US MX Arz Cf**

- 20998. *Colias eurytheme* Boisduval, 1852** (Pieridae) **Synonym(s):** *eurytheme* Boisduval, 1852; *amphidusa* Boisduval, 1852; *californiana* Ménétriés, 1855; *keewaydin* W.H. Edwards, 1869; *ariadne* W.H. Edwards, 1870; *alberta* Bowman, 1942. **Range (in code):** **US MX Cf Tx Col CA**
- 20999. *Colias euxanthe* C.Felder & R.Felder, 1865** (Pieridae) **Synonym(s):** *euxanthe* C.Felder & R.Felder, 1865. **Range (in code):** **PE EC BO**
- 21000. *Colias euxanthe alticola* Godman & Salvin, 1891** (Pieridae) **Synonym(s):** *alticola* Godman & Salvin, 1891. **Range (in code):** **EC**
- 21001. *Colias euxanthe euxanthe* C.Felder & R.Felder, 1865** (Pieridae) **Synonym(s):** *euxanthe* C.Felder & R.Felder, 1865. **Range (in code):** **PE**
- 21002. *Colias euxanthe hermina* (Butler, 1871)** (Pieridae) **Synonym(s):** *hermina* Butler, 1871. **Range (in code):** **PE BO**
- 21003. *Colias euxanthe stuebeli* Reissinger, 1972** (Pieridae) **Synonym(s):** *stuebeli* Reissinger, 1972; *coeneni* Berger, 1983. **Range (in code):** **PE**
- 21004. *Colias flaveola* Blanchard, 1852** (Pieridae) **Synonym(s):** *flaveola* Blanchard, 1852. **Range (in code):** **CL AR PE BO**
- 21005. *Colias flaveola blameyi* Jörgensen, 1916** (Pieridae) **Synonym(s):** *blameyi* Jörgensen, 1916. **Range (in code):** **AR**
- 21006. *Colias flaveola erika* Lamas, 1981** (Pieridae) **Synonym(s):** *erika* Lamas, 1981. **Range (in code):** **PE**
- 21007. *Colias flaveola flaveola* Blanchard, 1852** (Pieridae) **Synonym(s):** *flaveola* Blanchard, 1852. **Range (in code):** **CL**
- 21008. *Colias flaveola mendozina* Breyer, 1939** (Pieridae) **Synonym(s):** *mendozina* Breyer, 1939. **Range (in code):** **AR**
- 21009. *Colias flaveola mossi* Rothschild, 1913** (Pieridae) **Synonym(s):** *mossi* Rothschild, 1913. **Range (in code):** **PE**
- 21010. *Colias flaveola weberbaueri* Strand, 1912** (Pieridae) **Synonym(s):** *weberbaueri* Strand, 1912; *nigerrima* Fassl, 1915. **Range (in code):** **PE BO**
- 21011. *Colias harfordii* H. Edwards, 1877** (Pieridae) **Synonym(s):** *harfordii* H. Edwards, 1877; *barbara* H. Edwards, 1877. **Range (in code):** **US Cf**
- 21012. *Colias lesbia* (Fabricius, 1775)** (Pieridae) **Synonym(s):** *lesbia* Fabricius, 1775; *pyrrhothea* Hübner, 1823; *heliceoides* Capronnier, 1874; *aquilo* Austaut, 1912. **Range (in code):** **EC CO PE BO BR UY CL AR**
- 21013. *Colias lesbia andina* Staudinger, 1894** (Pieridae) **Synonym(s):** *andina* Staudinger, 1894. **Range (in code):** **BO**
- 21014. *Colias lesbia dinora* W.F. Kirby, 1881** (Pieridae) **Synonym(s):** *dinora* W.F. Kirby, 1881; *meieri* Berger, 1983; *roberti* Salazar, 2002. **Range (in code):** **EC CO**
- 21015. *Colias lesbia lesbia* (Fabricius, 1775)** (Pieridae) **Synonym(s):** *lesbia* Fabricius, 1775; *pyrrhothea* Hübner, 1823; *heliceoides* Capronnier, 1874; *aquilo* Austaut, 1912. **Range (in code):** **AR BR**
- 21016. *Colias lesbia mineira* J. Zikan, 1940** (Pieridae) **Synonym(s):** *mineira* J. Zikan, 1940. **Range (in code):** **BR**
- 21017. *Colias lesbia vauthierii* Guérin-Méneville, [1830]** (Pieridae) **Synonym(s):** *vauthierii* Guérin-Méneville, [1830]; *rutilans* Boisduval, 1836; *cunninghami* Butler, 1881; *minuscule* Butler, 1881; *antarctica* Staudinger, 1899; *arena* Staudinger, 1899; *#m, cans* Breyer, 1939; *ljungneri* Bryk, 1944. **Range (in code):** **CL AR**
- 21018. *Colias lesbia verhulsti* Berger, 1983** (Pieridae) **Synonym(s):** *verhulsti* Berger, 1983; *#aurantiaca* Berger, 1983. **Range (in code):** **PE**
- 21019. *Colias mongola* Alpheraky, 1897** (Pieridae) **Synonym(s):** *mongola* Alpheraky, 1897; *sidonia* Weiss, 1968. **Original Reference:** *Colias nastes* var. *mongola* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 188. Syntypes: Mongolia: Urga [Ulan-Bator]. **Range (in code):** **At Kts Aty CN MN RU Ui Tv U-B**
- 21020. *Colias mongola mongola* Alpheraky, 1897** (Pieridae) **Synonym(s):** *mongola* Alpheraky, 1897; *sidonia* Weiss, 1968. **Original Reference:** *Colias nastes* var. *mongola* Alpheraky, 1897, [in] Romanoff, Mém. Lépid. 9: 188. Syntypes: Mongolia: Urga [Ulan-Bator]. **Range (in code):** **At Kts Aty CN MN RU Ui Tv U-B**
- 21021. *Colias mongola ukokana* Korb & Yakovlev, 2000** (Pieridae) **Synonym(s):** *ukokana* Korb & Yakovlev, 2000. **Original Reference:** *Colias mongola* ssp. *ukokana* Korb & Yakovlev, 2000, Alexanor 21: 3-4. Holotype ♂: Russia: Altai meridional, Oukok, riv. Ak-Alakha 2500m. (IZSP). **Range (in code):** **RU At**

- 21022. *Colias philodice* Godart,1819** (Pieridae) **Synonym(s):** *palaeno* Cramer,1775 *nec* Linn.,1761; *?notatus* Megerle,1803; *philodice* Godart,1819; *dorippe* Godart,1819; *anthyale* Hübner,1823; *#alba* Strecker,1878; *maria* W.H.Edwards,1885; *suffusa* Cockerell,1889; *nigridice* Scudder,1889; *miscidice* Scudder,1889; *pallidice* Scudder,1889; *luteitincta* Wolcott,1893; *albinic* Skinner,1898; *melanic* Skinner,1898; *nigrina* Strecker,1900; *#alba* Röber,1909; *#nigrofasciata* Reiff,1917 *nec* Gr.-Grsh.,1884; etc. Range (in code): **US CA GT**
- 21023. *Colias philodice guatemalena* Röber,1909** (Pieridae) **Synonym(s):** *guatemalena* Röber,1909 Range (in code): **GT**
- 21024. *Colias philodice philodice* Godart,1819** (Pieridae) **Synonym(s):** *palaeno* Cramer,1775 *nec* Linn.,1761; *?notatus* Megerle,1803; *philodice* Godart,1819; *dorippe* Godart,1819; *anthyale* Hübner,1823; *#alba* Strecker,1878; *maria* W.H.Edwards,1885; *suffusa* Cockerell,1889; *nigridice* Scudder,1889; *miscidice* Scudder,1889; *pallidice* Scudder,1889; *luteitincta* Wolcott,1893; *albinic* Skinner,1898; *melanic* Skinner,1898; *nigrina* Strecker,1900; *#alba* Röber,1909; *#nigrofasciata* Reiff,1917 *nec* Gr.-Grsh.,1884; etc. Range (in code): **US CA**
- 21025. *Colias poliographus* Motschulsky,1860** (Pieridae) **Synonym(s):** *poliographus* Motschulsky,1860 Original Reference: *Colias poliographus* Motschulsky,1860, Etüd. Ent. 9: 29. Range (in code): **AF Ci PK CN MN KP Am RU Prj Us JP ?KG ?Aa** Bionomy: *Frifolium*, *Vicia*, *Glycine max* (sometimes pest) (Kurentzov, 1970; Fukuda et al., 1982).
- 21026. *Colias poliographus inversa* Alpheraky,1881** (Pieridae) **Synonym(s):** *#inversa* Alpheraky,1881 Original Reference: *Colias hyale* ab. *inversa* Alpheraky,1881, Horae Soc. ent. ross. 16: 434. Taganrog. Range (in code): **T-S RU**
- 21027. *Colias poliographus poliographus* Motschulsky,1860** (Pieridae) **Synonym(s):** *poliographus* Motschulsky,1860 Original Reference: *Colias poliographus* Motschulsky,1860, Etüd. Ent. 9: 29. Range (in code): **JP Am RU Prj Us JP**
- 21028. *Colias ponteni* Wallengren,1860** (Pieridae) **Synonym(s):** *ponteni* Wallengren,1860; *imperialis* Butler,1871 Range (in code): **CL**
- 21029. *Colotis (Cuneacolotis) agoye* (Wallengren,1857)** (Pieridae) **Synonym(s):** *agoye* Wallengren,1857; *eosphorus* Trimen,1863 Range (in code): **ZW BW NA ZA Tva Lpo Spb Slp Mdk Kru Pf Pma Ly Wb Pin Kom Gau Jh Ptc ET SO**
- 21030. *Colotis (Cuneacolotis) agoye agoye* (Wallengren,1857)** (Pieridae) **Synonym(s):** *agoye* Wallengren,1857; *eosphorus* Trimen,1863 Range (in code): **ZW BW NA ZA Tva Lpo Spb Slp Mdk Kru Pf Pma Ly Wb Pin Kom Gau Jh Ptc**
- 21031. *Colotis (Cuneacolotis) agoye bowkeri* (Trimen,1883)** (Pieridae) **Synonym(s):** *bowkeri* Trimen,1883 Range (in code): **ZA Ec Fs Gau Jh Ptc BW NA**
- 21032. *Colotis (Cuneacolotis) agoye zephyrus* (Marschall,1897)** (Pieridae) **Synonym(s):** *zephyrus* Marschall,1897 Range (in code): **ET SO**
- 21033. *Colotis (Teracolus) eris* (Klug,1829)** (Pieridae) **Synonym(s):** *eris* Klug,1829; *fatma* Felder & Felder,[1865]; *abyssinicus* Butler,1876; *maimouna* Kirby,1880; *opalescens* Butler,1886; *johnstoni* Butler,1886; *punctigera* Lanz,1896; *teitensis* Sharpe,1898; *erioides* Strand,1912; *#chlorinos* Talbot,1939; *damara* Talbot,1939; *#continua* Storace,1948. Original Reference: *Pontia eris* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 15, 16. Type(s): [Sudan]: Ambukohl. Range (in code): **MW Zom Ad AO Dh ER ET KE MZ OM SD TZ YE ZA Tva Lpo Kru Pf Pma Spb Mdk Ec Grh**
- 21034. *Colotis (Teracolus) eris contractus* Gabriel,1954** (Pieridae) **Synonym(s):** *contractus* Gabriel,1954 Original Reference: *Colotis eris* ssp. *contractus* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 370. Holotype ♂: [Yemen]: Western Aden Protectorate: As Sauda (BMNH). Range (in code): **Ad Dh OM YE**
- 21035. *Colotis (Teracolus) eris eris* (Klug,1829)** (Pieridae) **Synonym(s):** *eris* Klug,1829; *fatma* Felder & Felder,[1865]; *abyssinicus* Butler,1876; *maimouna* Kirby,1880; *opalescens* Butler,1886; *johnstoni* Butler,1886; *punctigera* Lanz,1896; *teitensis* Sharpe,1898; *erioides* Strand,1912; *#chlorinos* Talbot,1939; *damara* Talbot,1939; *#continua* Storace,1948. Original Reference: *Pontia eris* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 15, 16. Type(s): [Sudan]: Ambukohl. Range (in code): **AO ER ET KE MZ SD TZ ZA Ec Grh Tva Lpo Kru Pf Pma Spb Mdk**
- 21036. *Colotis (Teracolus) subfasciatus* (Swainson,1833)** (Pieridae) **Synonym(s):** *subfasciatus* Swainson,1833; *bohemani* Wallengren,1857; *ganymedes* Trautman,1927. Range (in code): **ZA BW Nta Fs Tva Spb Kru Pf Pma Lj ZW NA MZ TZ ZR MW ZM**
- 21037. *Colotis (Teracolus) subfasciatus ducissa* (Dognin,1819)** (Pieridae) **Synonym(s):** *ducissa* Dognin,1819; *sulfuratus* Karsch,1898; *vreuricki* Dufrane,1947. Range (in code): **TZ ZR MW ZM**
- 21038. *Colotis (Teracolus) subfasciatus subfasciatus* (Swainson,1833)** (Pieridae) **Synonym(s):** *subfasciatus* Swainson,1833; *bohemani* Wallengren,1857; *ganymedes* Trautman,1927. Range (in code): **ZA BW Nta Fs Tva Spb Kru Pf Pma Lj ZW NA MZ**

- 21039. Colotis (s.str.) amatus (Fabricius,1775)** (Pieridae) Synonym(s): *amatus Fabricius,1775*
Original Reference: *Papilio amata Fabricius,1775, Syst. Ent.: 476. Type (s): India orientali. Range (in code): Ad As Dh ET Hd IN IR Fa Hz KE OM PK SA Bhh SD SL YE ZA Tva Lpo Spb Kru Pf Bl Sd Pj Kom ZM TZ NA BW ZW MZ SZ MG LK* Bionomy: Larva on *Salvadora persica* (Salvadoraceae) (Butler,1896); ? *Capparis* (Capparaceae) (Kielland,1990).
- 21040. Colotis (s.str.) amatus amatus (Fabricius,1775)** (Pieridae) Synonym(s): *amatus Fabricius,1775* Original Reference: *Papilio amata Fabricius,1775, Syst. Ent.: 476. Type (s): India orientali. Range (in code): Ad As Dh Hd IN LK IR Fa Hz OM PK SA SL YE Bl Sd Pj*
- 21041. Colotis (s.str.) amatus calais (Cramer,[1775])** (Pieridae) Synonym(s): *calais Cramer,[1775]; dynamede Klug,1829; #pallida Stoneham,1939.* Original Reference: *Papilio calais Cramer,[1775], Uitl. Kapellen 1: 84, pl. 53, figs. C, D. Type(s): [South Africa]: Kaap de goede Hoop. Range (in code): ET KE SA SD ZA Tva Lpo Spb Kru Pf Kom ZM TZ BW ZW MZ SZ* Bionomy: Larva on *Salvadora persica* (Salvadoraceae) (Butler,1896); ? *Capparis* (Capparaceae) (Kielland,1990).
- 21042. Colotis (s.str.) amatus crowleyi (Sharpe,1898)** (Pieridae) Synonym(s): *crowleyi Sharpe,1898* Range (in code): **MG**
- 21043. Colotis (s.str.) amatus williami Henning & Henning,1994** (Pieridae) Synonym(s): *williami Henning & Henning,1994* Range (in code): **NA**
- 21044. Colotis (s.str.) antevippe (Boisduval,1836)** (Pieridae) Synonym(s): *antevippe Boisduval,1836; carteri Butler,1882.* Original Reference: *Anthocharis antevippe Boisduval,1836, Hist. nat. Ins., Sp. Gén. Lép. 1: 572, Pl.2,C, fig.3. Type(s): Senegal. Range (in code): As BF BW Dh ER ET GH KE Mb MR MW Zom NA NG OM SA Bhh SD SN TZ TZ UG YE ZA Nta Kzu Dbn Ptb Tva Lpo Spb Kru Pma Mpu Gau Ec Mal Ly Mll Brb Wri Pin Suw Wm ZR ZW SZ Wca AO MW ZM MZ BW*
- 21045. Colotis (s.str.) antevippe antevippe (Boisduval,1836)** (Pieridae) Synonym(s): *antevippe Boisduval,1836; carteri Butler,1882.* Original Reference: *Anthocharis antevippe Boisduval,1836, Hist. nat. Ins., Sp. Gén. Lép. 1: 572, Pl.2,C, fig.3. Type(s): Senegal. Range (in code): BF GH MR NG SN*
- 21046. Colotis (s.str.) antevippe gavis (Wallengren,1857)** (Pieridae) Synonym(s): *achine Stoll,1781 nec Scop.,1763; gavis Wallengren,1857; harmonides Butler,1876; ithonus Butler,1876; hippocrene Butler,1876; ignifer Butler,1876; simplex Butler,1876; hyperides Butler,1876; hero Butler,1876; trimeni Butler,1876; damarensis Aurivillius, 1879; fumidus Swinhoe,1884; haevernicki Staudinger,1885; luederitzi Suffert,1904; subgavis Dufrane,1947.* Range (in code): **ZA Nta Kzu Dbn Ptb Tva Lpo Spb Kru Pma Mpu Gau Ec Mal Ly Mll Brb Wri Pin Suw Wm SZ NA TZ Wca AO ZR MW ZM MZ ZW BW**
- 21047. Colotis (s.str.) antevippe zera (Lucas,1852)** (Pieridae) Synonym(s): *zera Lucas,1852; helle Butler,1876; subvenosus Butler,1883; laura Sharpe,1890; #sulphurea Rebel,1914, etc.* Original Reference: *Anthocharis zera Lucas,1852, Revue Mag., Zool. 4 (ser.2): 423. Type(s): [Ethiopie]: Abyssinie. Range (in code): As Dh ER ET KE Mb OM SA Bhh SD TZ UG YE ZR ZW*
- 21048. Colotis (s.str.) aurigineus (Butler,1883)** (Pieridae) Synonym(s): *aurigineus Butler,1883; venustus Butler,1888; ansorgei Marshall,1897; #aurora Stoneham,1957 nec Cr.,[1780]; #tithonus Stoneham,1957.* Range (in code): **ZR SD UG KE TZ ZM MW**
- 21049. Colotis (s.str.) aurigineus aurigineus (Butler,1883)** (Pieridae) Synonym(s): *aurigineus Butler,1883; venustus Butler,1888; ansorgei Marshall,1897; #aurora Stoneham,1957 nec Cr.,[1780]; #tithonus Stoneham,1957.* Range (in code): **ZR SD UG KE TZ ZM MW**
- 21050. Colotis (s.str.) aurora (Cramer,[1780])** (Pieridae) Synonym(s): *eucharis Fabricius,1775; nec Dru.,[1773]; aurora Cramer,[1780].* Original Reference: *Papilio aurora Cramer,[1780], Uitl. Kapellen 1: 18, pl.299, figs.A,B. Syntypes: India: Cote de Coromandel. Range (in code): As BF ET IN Lk IR Ss KE KE MR NG SA Bhh SD SO TD UG YE*
- 21051. Colotis (s.str.) aurora aurora (Cramer,[1780])** (Pieridae) Synonym(s): *eucharis Fabricius,1775 nec Dru.,[1773]; aurora Cramer,[1780].* Original Reference: *Papilio aurora Cramer,[1780], Uitl. Kapellen 1: 18, pl.299, figs.A,B. Syntypes: India: Cote de Coromandel. Range (in code): LK IN IR Ss*
- 21052. Colotis (s.str.) aurora evarne (Klug,1829)** (Pieridae) Synonym(s): *evarne Klug,1829; citreus Butler,1876; xanthevarne Butler,1876; philippii Butler,1886; #sharpei Aurivillius,1910; #extrema Niepelt,1937; #butleri Stoneham,1939; #mambrui Stoneham,1939; #xanthecolus Stoneham,1939; #albescens Stoneham,1939; harrarensis Dufrane,1947; #maureli Dufrane,1947.* Original Reference: *Pontia evarne Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.6 figs. 1-4. Type(s): [Sudan]: Ambukohl. Range (in code): As BF ET KE KE MR NG SA SD SO TD UG YE*
- 21053. Colotis (s.str.) auxo (Lucas,1852)** (Pieridae) Synonym(s): *auxo Lucas,1852; topha Wallengren,1860; keiskamma Trimen,1862; syrtnus Butler,1876; vulnerata Staudinger,1885; #intensa*

- Stoneham,1939; #reducta Stoneham,1939. Range (in code): **ZA Nta Kzu Ptb Tug Wnn Lpo Tva Spb Mdk Kru Pf Mal Mpu Suw Ly Brb Pin SZ Ec Grh BW MZ ZW TZ KE UG RW BI ZR**
- 21054. Colotis (s.str.) auxo auxo (Lucas,1852)** (Pieridae) Synonym(s): *auxo* Lucas,1852; *topha* Wallengren,1860; *keiskamma* Trimen,1862; *syrtinus* Butler,1876; *vulnerata* Staudinger,1885; #*intensa* Stoneham,1939; #*reducta* Stoneham,1939. Range (in code): **ZA Nta Kzu Ptb Tug Wnn Lpo Tva Spb Mdk Kru Pf Mal Mpu Suw Ly Brb Pin SZ Ec Grh BW MZ ZW TZ KE UG RW BI ZR**
- 21055. Colotis (s.str.) celimene (Lucas,1852)** (Pieridae) Synonym(s): *celimene* Lucas,1852 Range (in code): **SN BF NG SD ET SO UG KE TZ MW ZM ZW BW NA AO SZ ZA Tva Lpo Spb Kru Pf K12 Mdk Mpu Gau Pre Kzu Nta Tug Ly**
- 21056. Colotis (s.str.) celimene amina (Hewitson,1866)** (Pieridae) Synonym(s): *amina* Hewitson,1866 Range (in code): **ZA ZW MZ BW SZ ZA Tva Lpo Kru Pf K12 Spb Mdk Mpu Gau Pre Kzu Nta Tug Ly**
- 21057. Colotis (s.str.) celimene angusi Rothschild,1921** (Pieridae) Synonym(s): *angusi* Rothschild,1921 Range (in code): **SD**
- 21058. Colotis (s.str.) celimene celimene (Lucas,1852)** (Pieridae) Synonym(s): *celimene* Lucas,1852 Range (in code): **ET UG KE TZ MW**
- 21059. Colotis (s.str.) celimene pholoe (Wallengren,1860)** (Pieridae) Synonym(s): *pholoe* Wallengren,1860; *phaenon* Trimen,1863 Range (in code): **AO BW NA**
- 21060. Colotis (s.str.) celimene praeclarus (Butler,1886)** (Pieridae) Synonym(s): *praeclarus* Butler,1886 Range (in code): **ET SO**
- 21061. Colotis (s.str.) celimene sudanicus (Aurivillius,1905)** (Pieridae) Synonym(s): *sudanicus* Aurivillius,1905 Range (in code): **SN BF NG SD**
- 21062. Colotis (s.str.) chrysonome (Klug,1829)** (Pieridae) Synonym(s): *chrysonome* Klug,1829; *gaudens* Butler,1876; *arenicolens* Butler,1884; *helvolus* Butler,1888; *cosmas* Hulstaert,1924; *meinhertzhageni* Riley,1934; *soenensis* Kruger,1939; *patrizii* Storace,1949. Original Reference: Pontia chrysonome Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 9, 11. Type(s): [Sudan]: Ambukohl. Range (in code): **Dh DZ Idl Tmn Ah Ajj NE Air TD Tbt TN ET IL JO KE LY MR OM SA SD SDo7 SO Zai TZ YE** Bionomy: Larva on Maerua crassifolia (Capparidaceae) (Bernardi,1962)
- 21063. Colotis (s.str.) chrysonome chrysonome (Klug,1829)** (Pieridae) Synonym(s): *chrysonome* Klug,1829; *gaudens* Butler,1876; *arenicolens* Butler,1884; *helvolus* Butler,1888; *cosmas* Hulstaert,1924; *meinhertzhageni* Riley,1934; *soenensis* Kruger,1939; *patrizii* Storace,1949. Original Reference: Pontia chrysonome Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 9, 11. Type(s): [Sudan]: Ambukohl. Range (in code): **Dh DZ Idl Tmn Ah Ajj NE Air TD Tbt TN ET IL JO KE LY MR OM SA SD SDo7 SO Zai TZ YE** Bionomy: Larva on Maerua crassifolia (Capparidaceae) (Bernardi,1962)
- 21064. Colotis (s.str.) दौरा (Klug,1829)** (Pieridae) Synonym(s): *daira* Klug,1829; *yerburi* Swinhoe,1884; *swinhoei* Butler,1885. Original Reference: Pontia दौरा Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 1, 4. Type(s): Arabia: ex Arabie felici. Range (in code): **Ad As Dh ET KE NG OM SA Bhh SD SO Zai TZ YE**
- 21065. Colotis (s.str.) दौरा दौरा (Klug,1829)** (Pieridae) Synonym(s): *daira* Klug,1829; *yerburi* Swinhoe,1884; *swinhoei* Butler,1885. Original Reference: Pontia दौरा Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 1, 4. Type(s): Arabia: ex Arabie felici. Range (in code): **Ad As Dh OM SA Bhh YE**
- 21066. Colotis (s.str.) दौरा jacksoni (Sharpe,1890)** (Pieridae) Synonym(s): *jacksoni* Sharpe,1890. Range (in code): **KE TZ**
- 21067. Colotis (s.str.) दौरा stygius (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *stygius* C.Felder & R.Felder,1865; *dalila* C.Felder & R.Felder,1865; *odysseus* Swinhoe,1884; *thruppi* Butler,1886. Range (in code): **ET SO SD KE NG**
- 21068. Colotis (s.str.) danae (Fabricius,1775)** (Pieridae) Synonym(s): *danae* Fabricius,1775; *eborea* Stoll,[1781]; *sanguinalis* Butler,1876; *taplini* Swinhoe,1884 Original Reference: Papilio danae Fabricius,1775, Syst. Ent.: 476 [validated by the ICZN; Opinion: 2279]. Range (in code): **IR JO IN LK PK Bl Krc Sd EG ER OM SA Bhh Sn SO Zai YE KE ZA Nta Ec Kzu Tug Wnn Ly Ptb Tva Spb Kru Pf Lj Mdk Mpu Brb Gau Jh Suw Wri Kom BW MZ NA ZW ZM MW TZ SD UG ET AO**
- 21069. Colotis (s.str.) danae annae (Wallengren,1857)** (Pieridae) Synonym(s): *annae* Wallengren,1857; *cinerascens* Butler,1873; *wallengreni* Butler,1876; *confusa* Westwood,1889. Range (in code): **ZA Nta Ec Kzu Ptb Tug Wnn Ly Tva Spb Lj Mdk Kru Pf Mpu Brb Gau Jh Suw Wri Kom BW MZ NA ZW ZM MW**
- 21070. Colotis (s.str.) danae danae (Fabricius,1775)** (Pieridae) Synonym(s): *danae* Fabricius,1775; *eborea* Stoll,[1781]; *sanguinalis* Butler,1876; *taplini* Swinhoe,1884 Original Reference:

- Papilio danae* Fabricius, 1775, Syst. Ent.: 476 [validated by the ICZN; Opinion: 2279]. Range (in code): MZ NA ZA BW MW ZW
- 21071. Colotis (s.str.) danae dulcis (Butler, 1876)** (Pieridae) Synonym(s): *dulcis* Butler, 1876; *dirus* Butler, 1876; *eboreides* Butler, 1876; *subroseus* Swinhoe, 1884; *immaculatus* Swinhoe, 1884; *alberta* Swinhoe, 1890. Original Reference: *Teracolus dulcis* Butler, 1876, Proc. zool. Soc. Lond. 1876: 157, pl. vii fig. 13. Syntypes: W. India: Kattywur. Range (in code): IR IN PK BI Krc Sd
- 21072. Colotis (s.str.) danae eupompe (Klug, 1829)** (Pieridae) Synonym(s): *eupompe* Klug, 1829; *theopompe* Felder & Felder, [1865]; *anteupompe* Felder & Felder, [1865]; *dedecora* Felder & Felder, [1865]; *#pulchra* Ungemach, 1932; *#depurpurata* Ungemach, 1932; *#pallidus* Ungemach, 1932; *#benadirensis* Storace, 1949. Original Reference: *Pontia eupompe* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl. 6 figs. 11-14. Syntypes: [Egypt]: Sinai monte; Dongala; [Ethiopia]: Habessinia; Arabia deserta. Range (in code): EG ER ET JO OM SA SD Sn SO Zai YE KE
- 21073. Colotis (s.str.) danae pseudacaste (Butler, 1876)** (Pieridae) Synonym(s): *pseudacaste* Butler, 1876; *phoenius* Butler, 1876; *miles* Butler, 1883. Range (in code): TZ SD KE UG ET
- 21074. Colotis (s.str.) danae walkeri (Butler, 1884)** (Pieridae) Synonym(s): *walkeri* Butler, 1884 Range (in code): AO
- 21075. Colotis (s.str.) dissociatus (Butler, 1897)** (Pieridae) Synonym(s): *dissociatus* Butler, 1897. Range (in code): MW ZM ZW BW MZ TZ
- 21076. Colotis (s.str.) dissociatus dissociatus (Butler, 1897)** (Pieridae) Synonym(s): *dissociatus* Butler, 1897. Range (in code): MW ZM ZW BW MZ TZ
- 21077. Colotis (s.str.) doubledayi (Hopffer, 1862)** (Pieridae) Synonym(s): *doubledayi* Hopffer, 1862; *hewitsoni* Kirby, 1871; *angolanus* Talbot, 1929. Range (in code): SL ST ZR ZO NA ZA Nca
- 21078. Colotis (s.str.) doubledayi doubledayi (Hopffer, 1862)** (Pieridae) Synonym(s): *doubledayi* Hopffer, 1862; *hewitsoni* Kirby, 1871; *angolanus* Talbot, 1929. Range (in code): SL ST ZR ZO NA ZA Nca
- 21079. Colotis (s.str.) elgonensis (Sharpe, 1891)** (Pieridae) Synonym(s): *elgonensis* Sharpe, 1891; *helena* Grose-Smith, 1898; *#masabae* Stoneham, 1957. Range (in code): RW ZR UG CM KE Elg TZ
- 21080. Colotis (s.str.) elgonensis basilewskyi Berger, 1956** (Pieridae) Synonym(s): *basilewskyi* Berger, 1956 Range (in code): RW ZR UG
- 21081. Colotis (s.str.) elgonensis elgonensis (Sharpe, 1891)** (Pieridae) Synonym(s): *elgonensis* Sharpe, 1891; *helena* Grose-Smith, 1898; *#masabae* Stoneham, 1957. Range (in code): KE Elg UG
- 21082. Colotis (s.str.) elgonensis glauningi (Schultze, 1909)** (Pieridae) Synonym(s): *glauningi* Schultze, 1909 Range (in code): CM
- 21083. Colotis (s.str.) elgonensis kenia Talbot, 1939** (Pieridae) Synonym(s): *kenia* Talbot, 1939 Range (in code): KE
- 21084. Colotis (s.str.) elgonensis nobilis Carcasson, 1961** (Pieridae) Synonym(s): *nobilis* Carcasson, 1961 Range (in code): TZ
- 21085. Colotis (s.str.) ephyia (Klug, 1829)** (Pieridae) Synonym(s): *ephyia* Klug, 1829 Original Reference: *Pontia ephyia* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl. 6 figs. 9, 10. Type(s): [Sudan]: Ambukohl. Range (in code): As Bhh SA SD TD YE
- 21086. Colotis (s.str.) ephyia ephyia (Klug, 1829)** (Pieridae) Synonym(s): *ephyia* Klug, 1829 Original Reference: *Pontia ephyia* Klug, 1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl. 6 figs. 9, 10. Type(s): [Sudan]: Ambukohl. Range (in code): As Bhh SA SD TD YE
- 21087. Colotis (s.str.) erone (Angas, 1849)** (Pieridae) Synonym(s): *erone* Angas, 1849; *speciosa* Wallengren, 1857; *jobina* Butler, 1869; *#albidus* Aurivillius, 1910; *#millari* Van Son, 1949. Range (in code): ZA Nta Kzu Dbn Ec
- 21088. Colotis (s.str.) erone erone (Angas, 1849)** (Pieridae) Synonym(s): *erone* Angas, 1849; *speciosa* Wallengren, 1857; *jobina* Butler, 1869; *#albidus* Aurivillius, 1910; *#millari* Van Son, 1949. Range (in code): ZA Nta Kzu Dbn Ec
- 21089. Colotis (s.str.) etrida (Boisduval, 1836)** (Pieridae) Synonym(s): *etrida* Boisduval, 1836; *bimbura* Butler, 1876; *casimirus* Butler, 1876; *farrinus* Butler, 1876; *pernotatus* Butler; *purus* Butler, 1876. Original Reference: *Anthocharis etrida* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 576, nr. 24. Type(s): India. Range (in code): LK IN IR Ss BI PK Lh Ch Pj C-P Kba Haz Mre Rw Ato Cp Koh AF Ca
- 21090. Colotis (s.str.) etrida etrida (Boisduval, 1836)** (Pieridae) Synonym(s): *etrida* Boisduval, 1836; *bimbura* Butler, 1876; *casimirus* Butler, 1876; *farrinus* Butler, 1876; *pernotatus* Butler; *purus* Butler, 1876. Original Reference: *Anthocharis etrida* Boisduval, 1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 576, nr. 24. Type(s): India. Range (in code): IN IR Ss BI PK Lh Ch Pj C-P Kba Haz Mre Rw Ato Cp Koh AF Ca

- 21091. Colotis (s.str.) euippe (Linnaeus,1758)** (Pieridae) **Synonym(s):** *euippe* Linnaeus,1758; *arithusa* Drury,[1773]; *rhexia* Fabricius,1775; *hanna* Herbst,1792; *amytis* Godart,1819; *cebrene* Boisduval,1836; *ocale* Boisduval,1836; *eurygone* Lucas,1852; *loandicus* Butler,1872; *suffusus* Butler,1876; *angolensis* Butler,1876. **Original Reference:** Papilio euippe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): "Asia"; Lectotype designated by Honey & Scoble,2001. **Range (in code):** AO As CF CM ER ET GM GN KE Mb KM MW MZ NA NG SA SL SN SO TD TZ UG YE ZA Tva Lpo Spb Kru Pma Lj Mdk Nta Tug Wnn Gau Pre Jh Mpu Brb Mll Wm Mgl Wri Ptc Ly Suw ZR TZ KE BW ZW SO **Bionomy:** Larva on Capparis sepia, Boscia oleoides, Cadaba aphylla, Maerua cafra, M. variifolia, M. rosmarinoides (Capparacee); Cleome (Cleomaceae) (van Son,1949; et seq.).
- 21092. Colotis (s.str.) euippe complexivus (Butler,1886)** (Pieridae) **Synonym(s):** *complexivus* Butler,1886; *pyrrhopterus* Butler,1894. **Range (in code):** SO KE Mb UG TZ
- 21093. Colotis (s.str.) euippe euippe (Linnaeus,1758)** (Pieridae) **Synonym(s):** *euippe* Linnaeus,1758; *arithusa* Drury,[1773]; *rhexia* Fabricius,1775; *hanna* Herbst,1792; *amytis* Godart,1819; *cebrene* Boisduval,1836; *ocale* Boisduval,1836; *eurygone* Lucas,1852; *loandicus* Butler,1872; *suffusus* Butler,1876; *angolensis* Butler,1876. **Original Reference:** Papilio euippe Linnaeus,1758, Syst. Nat. (Edn.10) 1: 469. Type(s): "Asia"; Lectotype designated by Honey & Scoble,2001. **Range (in code):** AO CF CM GM GN NG SL ZR
- 21094. Colotis (s.str.) euippe exole (Reiche,[1850])** (Pieridae) **Synonym(s):** *exole* Reiche,[1850]; *epigone* Felder & Felder,[1865]; *microcale* Butler,1876. **Original Reference:** Anthocharis exole Reiche,[1850], Entomologie, [in] Ferrets & Galinier, Voyage en Abyssinie dans les provinces Tigre, du Samen et de l'Ahamarra: 460. Type(s): [Ethiopia]: Abyssinie. **Range (in code):** As ER ET SA SD SO YE
- 21095. Colotis (s.str.) euippe mediatu Talbot,1939** (Pieridae) **Synonym(s):** *mediatus* Talbot,1939; *paradoxa* Dufrane,1947. **Range (in code):** ZR ZM ZW
- 21096. Colotis (s.str.) euippe mirei Bernardi,1960** (Pieridae) **Synonym(s):** *mirei* Bernardi,1960 **Range (in code):** TD
- 21097. Colotis (s.str.) euippe omphale (Godart,[1819])** (Pieridae) **Synonym(s):** *omphale* Godart,[1819]; *theogone* Boisduval,1836; *procne* Wallengren,1857; *acte* Felder & Felder,1865; *omphaloides* Butler,1876; *hybridus* Butler,1876; *pseudocale* Butler,1876. **Range (in code):** ZA Nta Tva Lpo Spb Lj Kru Pma Mdk Tug Wnn Gau Pre Jh Mpu Brb Mll Wm Mgl Wri Ptc Ly Suw ZR TZ KE MW MZ BW ZW NA
- 21098. Colotis (s.str.) eunomus (Hopffer,1855)** (Pieridae) **Synonym(s):** *eunomus* Hopffer,1855; *chromiferus* Rothschild,1894. **Range (in code):** MZ TZ
- 21099. Colotis (s.str.) eunomus eunomus (Hopffer,1855)** (Pieridae) **Synonym(s):** *eunomus* Hopffer,1855; *chromiferus* Rothschild,1894. **Range (in code):** MZ
- 21100. Colotis (s.str.) eunomus flotowi (Suffert,1904)** (Pieridae) **Synonym(s):** *flotowi* Suffert,1904 **Range (in code):** TZ
- 21101. Colotis (s.str.) evagore (Klug,1829)** (Pieridae) **Synonym(s):** *evagore* Klug,1829; *saxeus* Swinhoe,1884 **Original Reference:** Pontia evagore Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 5-6. Type(s): ex Arabia deserta. **Range (in code):** IR Ss Ad As Dh ES Cz Mlg Grn Alm Mu Hd Hj SA Bhh Sk YE YE47 MA Azr DZ Gha Btina Sbd Orn Bsk Ktr Hes TN LY ET SO Zai SN SD BW KE TZ MZ ZR UG GH AO ZA Tva Lpo Spb Kru Pma Ly Mdk Nta Kzu Tug Wnn Ly Kom Wb Pin Wm Gau Pre MW Zom **Bionomy:** Larva on Capparis spinosa, C. droserifolia (Rothschild,1913).
- 21102. Colotis (s.str.) evagore antigone (Boisduval,1836)** (Pieridae) **Synonym(s):** *antigone* Boisduval,1836; *phlegetonia* Boisduval,1836; *delphine* Boisduval,1836; *eione* Boisduval,1836; *isaura* Lucas,1852; *heuglini* Felder & Felder,1859; *demagore* C.Felder & R.Felder,1865; *interruptus* Butler,1872; *flaminia* Butler,1876; *lycoris* Butler,1876; *lyaeus* Butler,1876; *friga* Butler,1876; *galathinus* Butler,1876; *gelasinus* Butler,1876; *pseudetrida* Westwood,1881; *ramaquabana* Westwood,1881; *coniger* Butler,1882; *minans* Butler,1882; *xanthus* Swinhoe,1884; *jamesi* Butler,1886; *comptus* Butler,1888; *bifasciatus* Sharpe,1890; *emini* Butler,1891; *metagone* Holland,1896; *#contrast* Talbot,1939; *#decolor* Talbot,1939; *#lucua* Talbot,1939; *#bianca* Talbot,1939; *#wa* Talbot,1939; *#xanthodes* Talbot,1939; *#nuba* Talbot,1942; *muansa* Talbot,1942; *mashona* Talbot,1942. **Range (in code):** MW Zom ET SO Zai SN SD BW KE TZ MZ ZR UG GH AO ZA Tva Lpo Spb Kru Pma Ly Mdk Nta Kzu Tug Wnn Ly Kom Wb Pin Wm Gau Pre
- 21103. Colotis (s.str.) evagore evagore (Klug,1829)** (Pieridae) **Synonym(s):** *evagore* Klug,1829; *saxeus* Swinhoe,1884 **Original Reference:** Pontia evagore Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 5-6. Type(s): ex Arabia deserta. **Range (in code):** IR Ss Ad As Dh Hd Hj SA Bhh Sk YE SO ET KE
- 21104. Colotis (s.str.) evagore niveus (Butler,1881)** (Pieridae) **Synonym(s):** *niveus* Butler,1881; *candidus* Butler,1881. **Range (in code):** Sk
- 21105. Colotis (s.str.) evagore nouna (H.Lucas,1849)** (Pieridae) **Synonym(s):** *nouna* H.Lucas,1849; *biskrensis* Blachier,1908; *#aestivalis* Oberthür,1911; *#auresiaca* Stauder,1913; *lefevrei* Oberthür,1922 **Original Reference:** Anthocharis nouna H.Lucas,1849, Expl. Alg. Zool. 3: 350 pl.1 fig.2. Type(s):

- Algerie: Oran. Range (in code): **MA Azr DZ Gha Btna Sbd Orn Bsk Ktr Hes ES Cz Mlg Grn Alm Mu LY TN** Bionomy: Larva on Capparis spinosa, C. droserifolia (Tolman,1997).
- 21106. Colotis (s.str.) evanthe (Boisduval,1836)** (Pieridae) Synonym(s): *evanthe* Boisduval,1836; *ena* Mabille,1879; *lecithosoides* Oberthür,1920; *#joannisi* Dufrane,1947; *#drueti* Dufrane,1947. Range (in code): **KM MG**
- 21107. Colotis (s.str.) evanthe evanthe (Boisduval,1836)** (Pieridae) Synonym(s): *evanthe* Boisduval,1836; *ena* Mabille,1879; *lecithosoides* Oberthür,1920; *#joannisi* Dufrane,1947; *#drueti* Dufrane,1947. Range (in code): **KM MG**
- 21108. Colotis (s.str.) evanthides (Holland,1896)** (Pieridae) Synonym(s): *evanthides* Holland,1896 Range (in code): **Ald SC Csm Asu Asv**
- 21109. Colotis (s.str.) evanthides evanthides (Holland,1896)** (Pieridae) Synonym(s): *evanthides* Holland,1896 Range (in code): **Ald SC Csm Asu Asv**
- 21110. Colotis (s.str.) eveninus (Wallengren,1857)** (Pieridae) Synonym(s): *eveninus* Wallengren,1857; *deidamia* Wallengren,1857; *deidamioides* Aurivillius,1879; *inornata* Westwood,1881; *corda* Möschler,1884; *#lerichei* Van Son,1959. Range (in code): **ZA Ec Gau Pre Jh Kom Wb Ptc Ly Tva Spb Lj Mdk NA Nta Wca BW TZ Zz ET ER ZR ZW ZM MZ MW KE SO UG**
- 21111. Colotis (s.str.) eveninus casta (Gerstaeker,1871)** (Pieridae) Synonym(s): *casta* Gerstaeker,1871; *sipylus* Swinhoe,1884. Range (in code): **TZ Zz ET ER ZR ZW ZM MZ MW KE SO**
- 21112. Colotis (s.str.) eveninus eveninus (Wallengren,1857)** (Pieridae) Synonym(s): *eveninus* Wallengren,1857; *deidamia* Wallengren,1857; *deidamioides* Aurivillius,1879; *inornata* Westwood,1881; *corda* Möschler,1884; *#lerichei* Van Son,1959. Range (in code): **ZA Ec Tva Spb Lj Mdk Gau Pre Jh Kom Wb Ptc Ly NA Nta Wca BW**
- 21113. Colotis (s.str.) eveninus xantholeucus (Sharpe,1904)** (Pieridae) Synonym(s): *xantholeucus* Sharpe,1904; *confusus* Le Doux,1929; *#ledouxi* Talbot,1939. Range (in code): **KE UG TZ**
- 21114. Colotis (s.str.) fausta (Olivier,[1804])** (Pieridae) Synonym(s): *fausta* Olivier,[1804] Original Reference: Papilio fausta Olivier,[1804], Voyage dans l'empire Ottoman, l'Egypte et la Perse 4: pl. 33, figs. 4a, b. Type(s): La Cote de Syrie. [Lebanon: Beirut]. Range (in code): **LB Bei Ad AF Ng As BH Dh Hd Hj IL Pa Hf IN LK IQ IR Hz Ke Ss Fa JO KW Nf Nj OM PK QA SA SO SY TD TR YE Bl EG SA Bhh Krc Nwf Ca Pj Cp C-P TM** Bionomy: Larva on Capparis spinosa, C. herbacea (Capparaceae) (Larsen,1974; Tusov,1997; Kemal et al.,2010).
- 21115. Colotis (s.str.) fausta fausta (Olivier,[1804])** (Pieridae) Synonym(s): *fausta* Olivier,[1804] Original Reference: Papilio fausta Olivier,[1804], Voyage dans l'empire Ottoman, l'Egypte et la Perse 4: pl. 33, figs. 4a, b. Type(s): La Cote de Syrie. [Lebanon: Beirut]. Range (in code): **LB Bei He AF Ng IL Pa Hf IN IQ IR Hz Ke Ss Fa JO PK SY TD TR Bl EG SA Bhh Krc Nwf Ca TM** Bionomy: Larva on Capparis (Capparaceae) (Larsen,1974).
- 21116. Colotis (s.str.) fausta faustina (C.Felder & R.Felder,[1865])** (Pieridae) Synonym(s): *faustina* C.Felder & R.Felder,1865 Original Reference: Idmais faustina C.Felder & R.Felder,[1865], Reise Fregatte "Novara", Lep. Rhop. (2): 190. Type(s): Patria incognita. Range (in code): **IN Pj Cp PK C-P**
- 21117. Colotis (s.str.) fausta mijurteina Carpenter,1951** (Pieridae) Synonym(s): *somalica* Carpenter & Jackson,1950 nec Stor.,1948; *mijurteina* Carpenter,1951 Original Reference: Colotis fausta ssp. mijurteina Carpenter,1951, Proc. R. ent. Soc. Lond. B (20): 106 (nomen novum pro somalica Carpenter & Jackson,1950 nec Storace,1948). Holotype: Somalia: "Italian Somaliland, Mudugh Prov., Mustahil, 1500ft". Range (in code): **SO**
- 21118. Colotis (s.str.) fausta vi (Swinhoe,1884)** (Pieridae) Synonym(s): *#immaculata* Röber,1907; *vi* Swinhoe,1884 Original Reference: Teracolus vi Swinhoe,1884, Proc. zool. Soc. Lond. 1884: 437 pl.39 figs. 6, 7. Type: [Yemen]: Aden. Range (in code): **Ad As BH Dh Hd Hj KW Nf Nj OM QA SA YE**
- 21119. Colotis (s.str.) guenei (Mabille,1877)** (Pieridae) Synonym(s): *guenei* Mabille,1877; *sig* Mabille,1882. Range (in code): **MG**
- 21120. Colotis (s.str.) guenei guenei (Mabille,1877)** (Pieridae) Synonym(s): *guenei* Mabille,1877; *sig* Mabille,1882. Range (in code): **MG**
- 21121. Colotis (s.str.) halimede (Klug,1829)** (Pieridae) Synonym(s): *halimede* Klug,1829; *coelestis* Swinhoe,1884; *#swinhoei* Rothschild,1921 Original Reference: Pontia halimede Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 12-15. Syntypes: ex Arabia deserta; [Sudan]: Ambukohl. Range (in code): **Ad Dh ET KE LY SD NE NG OM SA Bhh SN SO Zai TZ YE YE47**
- 21122. Colotis (s.str.) halimede acaste (Klug,1829)** (Pieridae) Synonym(s): *acaste* Klug,1829; *polycaste* Boisduval,1836; *leo* Butler,1865. Range (in code): **SD NE NG ET SN SO Zai**

- 21123. Colotis (s.str.) halimede australis Talbot,1939** (Pieridae) Synonym(s): *australis* Talbot,1939. Range (in code): TZ
- 21124. Colotis (s.str.) halimede halimede (Klug,1829)** (Pieridae) Synonym(s): *halimede* Klug,1829; *coelestis* Swinhoe,1884; *#swinhoei* Rothschild,1921 Original Reference: Pontia halimede Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 12-15. Syntypes: ex Arabia deserta; [Sudan]: Ambukohl. Range (in code): Ad Dh LY OM SA Bhh SD YE ET
- 21125. Colotis (s.str.) halimede restrictus Talbot,1939** (Pieridae) Synonym(s): *restrictus* Talbot,1939; *aurivillii* Rothschild,1921 nec Suff.,1904; *maxima* Talbot,1939. Range (in code): ET SO KE
- 21126. Colotis (s.str.) hetaera (Gerstaecker,1871)** (Pieridae) Synonym(s): *hetaera* Gerstaecker,1871; *puniceus* Butler,1888; *foliaceus* Butler,1894. Range (in code): UG TZ ZR SO ET KE SD
- 21127. Colotis (s.str.) hetaera ankolensis Stoneham,1940** (Pieridae) Synonym(s): *ankolensis* Stoneham,1940 Range (in code): KE UG TZ ZR
- 21128. Colotis (s.str.) hetaera aspasius (Ungemach,1932)** (Pieridae) Synonym(s): *aspasius* Ungemach,1932 Range (in code): ET SD UG
- 21129. Colotis (s.str.) hetaera hetaera (Gerstaecker,1871)** (Pieridae) Synonym(s): *hetaera* Gerstaecker,1871; *puniceus* Butler,1888; *foliaceus* Butler,1894. Range (in code): TZ KE
- 21130. Colotis (s.str.) hetaera lorti (Sharpe,1896)** (Pieridae) Synonym(s): *lorti* Sharpe,1896; *ludoviciae* Butler,1897. Range (in code): SO ET KE
- 21131. Colotis (s.str.) hildebrandti (Staudinger,1885)** (Pieridae) Synonym(s): *hildebrandti* Staudinger,1885; *callidia* Grose-Smith,1886; *clara* Suffert,1904; *blanca* Suffert,1904; *lanzi* Bartel,1905. Range (in code): TZ ZM MW KE
- 21132. Colotis (s.str.) hildebrandti hildebrandti (Staudinger,1885)** (Pieridae) Synonym(s): *hildebrandti* Staudinger,1885; *callidia* Grose-Smith,1886; *clara* Suffert,1904; *blanca* Suffert,1904; *lanzi* Bartel,1905. Range (in code): TZ ZM MW KE
- 21133. Colotis (s.str.) ione (Godart,[1819])** (Pieridae) Synonym(s): *ione* Godart,[1819]; *phlegyas* Butler,1865; *coliagenes* Butler,1867; *jalone* Butler,1869; *buxtoni* Butler,1876; *imperator* Butler,1876; *natalensis* Staudinger,1885; *bacchus* Butler,1888; *mrogoroana* Vuillot,1891; *bettoni* Butler,1898; *difficilis* Sharpe,1900; *schuberti* Suffert,1904; *hydrophobus* Suffert,1904; *aurivillii* Suffert,1904. Range (in code): SD ET MZ KE TZ NG GH ZM ZA Nta Kzu Ptb Tug Wnn Tva Lpo Spb Lj Ly Mdk Kru Pma Pf Suw Kom Mpu Brb Wb
- 21134. Colotis (s.str.) ione ione (Godart,[1819])** (Pieridae) Synonym(s): *ione* Godart,[1819]; *phlegyas* Butler,1865; *coliagenes* Butler,1867; *jalone* Butler,1869; *buxtoni* Butler,1876; *imperator* Butler,1876; *natalensis* Staudinger,1885; *bacchus* Butler,1888; *mrogoroana* Vuillot,1891; *bettoni* Butler,1898; *difficilis* Sharpe,1900; *schuberti* Suffert,1904; *hydrophobus* Suffert,1904; *aurivillii* Suffert,1904. Range (in code): SD ET MZ KE TZ NG GH ZM ZA Nta Kzu Ptb Tug Wnn Tva Lpo Spb Lj Ly Mdk Kru Pma Pf Suw Kom Mpu Brb Wb
- 21135. Colotis (s.str.) lais (Butler,1876)** (Pieridae) Synonym(s): *lais* Butler,1876; *#felthami* Van Son,1949. Range (in code): BW NA ZA Tva Lpo ZA17 Nca Gau MZ
- 21136. Colotis (s.str.) lais lais (Butler,1876)** (Pieridae) Synonym(s): *lais* Butler,1876; *#felthami* Van Son,1949. Range (in code): BW NA ZA Tva Lpo ZA17 Nca Gau MZ
- 21137. Colotis (s.str.) liagore (Klug,1829)** (Pieridae) Synonym(s): *liagore* Klug,1829; *#liagoroides* Rothschild,1921; *#desertorum* Talbot,1939. Original Reference: Pontia liagore Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 5-8. Type(s): [Sudan]: Ambukohl. Range (in code): IR BI ET MR OM PK SA Bhh SD SO DZ TD YE EG SD SD07
- 21138. Colotis (s.str.) liagore liagore (Klug,1829)** (Pieridae) Synonym(s): *liagore* Klug,1829; *#liagoroides* Rothschild,1921; *#desertorum* Talbot,1939. Original Reference: Pontia liagore Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.6 figs. 5-8. Type(s): [Sudan]: Ambukohl. Range (in code): IR BI ET MR OM PK SA Bhh SD SO DZ TD YE EG SD SD07
- 21139. Colotis (s.str.) mananhari (Ward,1870)** (Pieridae) Synonym(s): *mananhari* Ward,1870; *flavida* Mabille,1877; *nothus* Mabille,[1885]. Range (in code): MG
- 21140. Colotis (s.str.) mananhari mananhari (Ward,1870)** (Pieridae) Synonym(s): *mananhari* Ward,1870; *flavida* Mabille,1877; *nothus* Mabille,[1885]. Range (in code): MG
- 21141. Colotis (s.str.) pallene (Hopffer,1855)** (Pieridae) Synonym(s): *pallene* Hopffer,1855; *halyattes* Butler,1876; *cinctus* Butler,1883; *infumatus* Butler,1896; *wissmanni* Suffert,1904; *seineri* Strand,1909; *#achinoides* Le Doux,1929; *#meinickei* Le Doux,1929; *#pallida* Le Doux,1929; *#simplicoides* Le Doux,1929; *#absurda* Van Son,1949. Range (in code): ZA Tva Lpo Spb Mdk Nta Kzu NA MZ SZ ZW BW MW UG ZR TZ ZM
- 21142. Colotis (s.str.) pallene pallene (Hopffer,1855)** (Pieridae) Synonym(s): *pallene* Hopffer,1855; *halyattes* Butler,1876; *cinctus* Butler,1883; *infumatus* Butler,1896; *wissmanni* Suffert,1904; *seineri* Strand,1909; *#achinoides* Le Doux,1929; *#meinickei* Le Doux,1929; *#pallida* Le Doux,1929; *#simplicoides* Le

- Doux,1929; #absurda Van Son,1949.* _ Range (in code): **ZA Tva Lpo Spb Mdk Nta Kzu NA MZ SZ ZW BW MW UG ZR TZ ZM**
- 21143. Colotis (s.str.) phisadia (Godart,[1819])** (Pieridae) *Synonym(s): phisadia Godart,[1819]; arne Klug,1829; philumene Mabille,1880.* Original Reference: *Pieris phisadia Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 132. Type(s): Patria incognita.* Range (in code): **ER ET IL Pa JO KE MG MR DZ Ah Ajj NG NE Air TD Tbt ML SA SD SN SO TD UG YE IR**
- 21144. Colotis (s.str.) phisadia phisadia (Godart,[1819])** (Pieridae) *Synonym(s): phisadia Godart,[1819]; arne Klug,1829; philumene Mabille,1880.* Original Reference: *Pieris phisadia Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 132. Type(s): Patria incognita.* Range (in code): **ML NG NE Air DZ Ah Ajj TD Tbt MG SA SD YE IR**
- 21145. Colotis (s.str.) phisadia rothschildi (Sharpe,1898)** (Pieridae) *Synonym(s): rothschildi Sharpe,1898; #albus Aurivillius,1910; #ochraceus Aurivillius,1910.* _ Range (in code): **KE**
- 21146. Colotis (s.str.) phisadia somalica Storace,1948** (Pieridae) *Synonym(s): somalica Storace,1948; #punctata Storace,1948; #pallida Storace,1948 nec Le Doux,1929.* Original Reference: *Colotis phisadia race somalica Storace,1948, Annali Mus. civ. Stor. nat. Giacomo Doria 63: 264. Type(s): Somalia: Dolo, Lugh Ferrandi.* Range (in code): **SO**
- 21147. Colotis (s.str.) phisadia vagus D'Abrera,1980** (Pieridae) *Synonym(s): #vagus Riley,1920; vagus D'Abrera,1980* _ Range (in code): **UG KE**
- 21148. Colotis (s.str.) phisadius ocellatus (Butler,1886)** (Pieridae) *Synonym(s): ocellatus Butler,1886* Original Reference: *Teracolus ocellatus Butler,1886, Proc. zool. Soc. Lond. 1885: 767. Syntypes: [Ethiopia]: "Somaliland".* Range (in code): **ER ET**
- 21149. Colotis (s.str.) phisadius palaestinensis (Staudinger,[1898])** (Pieridae) *Synonym(s): palaestinensis Staudinger,[1898]* Original Reference: *Idmais phisadia var. palaestinensis Staudinger,[1898], Dt. ent. Z., Iris 10: 271-272. Syntypes: [Israel]: Westküste des Todten Meeres, Ain-Dschiddi (Eugeddi).* Range (in code): **IL Pa JO**
- 21150. Colotis (s.str.) pleione (Klug,1829)** (Pieridae) *Synonym(s): pleione Klug,1829; miriam Felder & Felder,1865; chrysomelis Butler,1874; eucheria Mabille,1880; #tethys Röber,[1907].* Original Reference: *Pontia pleione Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 7-8. Type(s): ex Arabia felici.* Range (in code): **Ad As ER ET Hd Hj KE SA SD SO Zai TD YE**
- 21151. Colotis (s.str.) pleione heliocaustus (Butler,1885)** (Pieridae) *Synonym(s): heliocaustus Butler,1885; eos Le Cerf,1924; antinorii Storace,1956.* Original Reference: *Teracolus heliocaustus Butler,1885, Proc. zool. Soc. Lond. 55: 768, pl.47 figs.8,9.* Range (in code): **YE SA Hj Ad SO Zai**
- 21152. Colotis (s.str.) pleione nilus Talbot,1942** (Pieridae) *Synonym(s): nilus Talbot,1942* Range (in code): **SD TD**
- 21153. Colotis (s.str.) pleione pleione (Klug,1829)** (Pieridae) *Synonym(s): pleione Klug,1829; miriam Felder & Felder,1865; chrysomelis Butler,1874; eucheria Mabille,1880; #tethys Röber,[1907].* Original Reference: *Pontia pleione Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 7-8. Type(s): ex Arabia felici.* Range (in code): **Ad As Hd Hj SA YE**
- 21154. Colotis (s.str.) protomedius (Klug,1829)** (Pieridae) *Synonym(s): protomedia Klug,1829; #microps Storace,1956.* Original Reference: *Pontia protomedia Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 13-16. Syntypes: ex Arabia felici; [Sudan]: Ambukohl.* Range (in code): **Ad As ET KE NG SA Bhh SD SO TZ UG YE ZR Hj SA34**
- 21155. Colotis (s.str.) protomedius protomedius (Klug,1829)** (Pieridae) *Synonym(s): protomedia Klug,1829; #microps Storace,1956.* Original Reference: *Pontia protomedia Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.8 figs. 13-16. Syntypes: ex Arabia felici; [Sudan]: Ambukohl.* Range (in code): **Ad As ET KE NG SA SD SO TZ UG YE ZR Hj SA34**
- 21156. Colotis (s.str.) protractus (Butler,1876)** (Pieridae) *Synonym(s): protractus Butler,1876; semiramis Groum-Grshimailo,1902* Original Reference: *Teracolus protractus Butler,1876, Proc. zool. Soc. London 46: 137, nr.37.* Range (in code): **AF Ng PK Pj Cp Koh C-P BI IR Ss**
- 21157. Colotis (s.str.) protractus protractus (Butler,1876)** (Pieridae) *Synonym(s): protractus Butler,1876; semiramis Groum-Grshimailo,1902* Original Reference: *Teracolus protractus Butler,1876, Proc. zool. Soc. London 46: 137, nr.37.* Range (in code): **AF Ng PK Pj Cp Koh C-P BI IR Ss**
- 21158. Colotis (s.str.) reginus (Trimen,1863)** (Pieridae) *Synonym(s): reginus Trimen,1863; anax Grose-Smith,1889; eliza Sharpe,1890; louisa Suffert,1904; #flavimacula Aurivillius,1910.* _ Range (in code): **ZA Tva Lpo Spb Mdk Ly Kru Pma Pf Ly Gau Rtb Wri Wm Kom NA KE Mb TZ BW ZW ZM AO ZR MZ MW Zom UG SO**

- 21159. Colotis (s.str.) rogersi (Dixey,1915)** (Pieridae) Synonym(s): *rogersi* Dixey,1915 _ Range (in code): KE ET SD
- 21160. Colotis (s.str.) rogersi rogersi (Dixey,1915)** (Pieridae) Synonym(s): *rogersi* Dixey,1915 _ Range (in code): KE ET SD
- 21161. Colotis (s.str.) ungemachi (Le Cerf,1922)** (Pieridae) Synonym(s): *ungemachi* Le Cerf,1922 _ Original Reference: Teracolus ungemachi Le Cerf,1922, Bull. Mus. nat. Hist. Nat., Paris 28: 228-229. Syntypes: Erythrée: Mersa fatma et Cabuia. Range (in code): As ER SA YE
- 21162. Colotis (s.str.) ungemachi ungemachi (Le Cerf,1922)** (Pieridae) Synonym(s): *ungemachi* Le Cerf,1922 _ Original Reference: Teracolus ungemachi Le Cerf,1922, Bull. Mus. nat. Hist. Nat., Paris 28: 228-229. Syntypes: Erythrée: Mersa fatma et Cabuia. Range (in code): As ER SA YE
- 21163. Colotis (s.str.) venosus (Staudinger,1885)** (Pieridae) Synonym(s): *venosus* Staudinger,1885; #lactea Talbot,1939. _ Range (in code): KE SO TZ ET
- 21164. Colotis (s.str.) venosus venosus (Staudinger,1885)** (Pieridae) Synonym(s): *venosus* Staudinger,1885; #lactea Talbot,1939. _ Range (in code): KE SO TZ ET
- 21165. Colotis (s.str.) vesta (Reiche,[1850])** (Pieridae) Synonym(s): *vesta* Reiche,[1850]; #ops Talbot,1942. _ Range (in code): UG KE Mb TZ GH SN CI NG MR BF ET SO ZA Tva Lpo Spb Lj Kru Pma Pf Mdk Nta Kzu Ly Suw Pot Nel Brb Mpu MZ ZM BW ZW NA MW Zom
- 21166. Colotis (s.str.) vesta amelius (Lucas,1852)** (Pieridae) Synonym(s): *amelius* Lucas,1852; *armitagei* Dudgeon,1916; #insignis Rothschild,1921. _ Range (in code): GH SN CI NG MR BF
- 21167. Colotis (s.str.) vesta argillaceus (Butler,1877)** (Pieridae) Synonym(s): *argillaceus* Butler,1877; #pluvius Talbot,1939. _ Range (in code): ZA Tva Lpo Spb Lj Kru Pma Pf Mdk Nta Kzu Ly Suw Pot Nel Brb Mpu MZ SZ
- 21168. Colotis (s.str.) vesta catachrysops (Butler,1878)** (Pieridae) Synonym(s): *catachrysops* Butler,1878 _ Range (in code): KE TZ
- 21169. Colotis (s.str.) vesta hanningtoni (Butler,1883)** (Pieridae) Synonym(s): *hanningtoni* Butler,1883; *bipartitus* Rothschild,1894; #nigrescens Le Doux,1929; #kitgi Stoneham,1939; #ilia Stoneham,1957. Range (in code): KE Mb UG
- 21170. Colotis (s.str.) vesta mutans (Butler,1877)** (Pieridae) Synonym(s): *mutans* Butler,1877; #arida Talbot,1939. _ Range (in code): MW Zom ZM BW ZA Tva Lpo NA
- 21171. Colotis (s.str.) vesta princeps Talbot,1939** (Pieridae) Synonym(s): *princeps* Talbot,1939 _ Range (in code): UG SD ZR
- 21172. Colotis (s.str.) vesta rhodesinus (Butler,1894)** (Pieridae) Synonym(s): *rhodesinus* Butler,1894 _ Range (in code): TZ ZM NA
- 21173. Colotis (s.str.) vesta valledus (Lucas,1852)** (Pieridae) Synonym(s): *valledus* Lucas,1852 _ Range (in code): SD
- 21174. Colotis (s.str.) vesta vesta (Reiche,[1850])** (Pieridae) Synonym(s): *vesta* Reiche,[1850]; #ops Talbot,1942. _ Range (in code): ET SO
- 21175. Colotis (s.str.) vestalis (Butler,1876)** (Pieridae) Synonym(s): *vestalis* Butler,1876; *puellaris* Butler,1876; *ochreipennis* Butler,1876; *intermissus* Butler,1883; *rosus* Swinhoe,1884; *peelus* Swinhoe,1884; *dubius* Swinhoe,1884. _ Original Reference: Teracolus vestalis Butler,1876, Proc. zool. Soc. Lond. 1876: 135, pl.vii fig.10. Syntypes: Scind. Range (in code): AF Ca PK Krc Sd Bl IR Bu Hz Ss SO ET KE TZ
- 21176. Colotis (s.str.) vestalis castalis (Staudinger,1885)** (Pieridae) Synonym(s): *castalis* Staudinger,1885; #nigricans Aurivillius,1910; #pallida Niepelt,1937 *nec* Le Doux,1929; #diminuta Talbot,1939; #sabulosa Talbot,1939. _ Range (in code): TZ KE SO ET
- 21177. Colotis (s.str.) vestalis nadir Gross & Ebert,1975** (Pieridae) Synonym(s): *nadir* Gross & Ebert,1975 _ Original Reference: Colotis vestalis ssp. nadir Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 11, fig.5. Holotype ♂: Iran: Balutschistan: Strasse Tschahbahar-Iranschar, Takhte Malek, 750m (LNK). Range (in code): IR Bu Hz Ss
- 21178. Colotis (s.str.) vestalis vestalis (Butler,1876)** (Pieridae) Synonym(s): *vestalis* Butler,1876; *puellaris* Butler,1876; *ochreipennis* Butler,1876; *intermissus* Butler,1883; *rosus* Swinhoe,1884; *peelus* Swinhoe,1884; *dubius* Swinhoe,1884. _ Original Reference: Teracolus vestalis Butler,1876, Proc. zool. Soc. Lond. 1876: 135, pl.vii fig.10. Syntypes: Scind. Range (in code): AF Ca PK Krc Sd Bl
- 21179. Colotis (s.str.) zoe (Grandidier,1867)** (Pieridae) Synonym(s): *zoe* Grandidier,1867 _ Range (in code): MG
- 21180. Colotis (s.str.) zoe zoe (Grandidier,1867)** (Pieridae) Synonym(s): *zoe* Grandidier,1867 _ Range (in code): MG
- 21181. Delias (albertisi-gr.) albertisi Oberthür,1880** (Pieridae) Synonym(s): *albertisi* Oberthür,1880 _ Range (in code): ID Ij Afk

- 21182. Delias (albertisi-gr.) albertisi albertisi Oberthür,1880** (Pieridae) **Synonym(s):** *albertisi Oberthür,1880* _ Range (in code): ID Ij Afk
- 21183. Delias (albertisi-gr.) albertisi albiplaga Joicey & Talbot,1922** (Pieridae) **Synonym(s):** *albiplaga Joicey & Talbot,1922* _ Range (in code): ID Ij
- 21184. Delias (albertisi-gr.) albertisi discoides Talbot,1937** (Pieridae) **Synonym(s):** *discoides Talbot,1937* _ Range (in code): ID Ij
- 21185. Delias (albertisi-gr.) albertisi putih Mastrigt,1995** (Pieridae) **Synonym(s):** *putih Mastrigt,1995* _ Range (in code): ID Ij
- 21186. Delias (albertisi-gr.) albertisi tamamistsui Morita,1996** (Pieridae) **Synonym(s):** *tamamistsui Morita,1996* _ Range (in code): ID Ij
- 21187. Delias (albertisi-gr.) discus Honrath,1886** (Pieridae) **Synonym(s):** *discus Honrath,1886* _ Range (in code): ID Ij PG Snw Wey
- 21188. Delias (albertisi-gr.) discus apodiscus Roepke,1955** (Pieridae) **Synonym(s):** *apodiscus Roepke,1955* _ Range (in code): ID Ij
- 21189. Delias (albertisi-gr.) discus discus Honrath,1886** (Pieridae) **Synonym(s):** *discus Honrath,1886* _ Range (in code): ID Ij Wey
- 21190. Delias (albertisi-gr.) discus larseni Luck & Gehlen,1911** (Pieridae) **Synonym(s):** *larseni Luck & Gehlen,1911* _ Range (in code): ID Ij Snw
- 21191. Delias (albertisi-gr.) discus neyi Ribbe,1901** (Pieridae) **Synonym(s):** *neyi Ribbe,1901* _ Range (in code): PG
- 21192. Delias (belisama-gr.) aganippe (Donovan,1805)** (Pieridae) **Synonym(s):** *aganippe Donovan,1805* _ Range (in code): AU
- 21193. Delias (belisama-gr.) aganippe aganippe (Donovan,1805)** (Pieridae) **Synonym(s):** *aganippe Donovan,1805* _ Range (in code): AU
- 21194. Delias (belisama-gr.) apoensis Talbot,1928** (Pieridae) **Synonym(s):** *apoensis Talbot,1928* _ Range (in code): PH Mno Apo
- 21195. Delias (belisama-gr.) apoensis apoensis Talbot,1928** (Pieridae) **Synonym(s):** *apoensis Talbot,1928* _ Range (in code): PH Mno Apo
- 21196. Delias (belisama-gr.) apoensis maizurui Yagashita & Nakano,1993** (Pieridae) **Synonym(s):** *maizurui Yagashita & Nakano,1993* _ Range (in code): PH Mno
- 21197. Delias (belisama-gr.) aruna (Boisduval,1832)** (Pieridae) **Synonym(s):** *aruna Boisduval,1832; bajura Boisduval,1832* _ Range (in code): AU QAU KY Mnw Jp PG SB ID Ob Bch Hm Fg Ij Amb Rs
- 21198. Delias (belisama-gr.) aruna arovana Fruhstorfer,1913** (Pieridae) **Synonym(s):** *aravana Fruhstorfer,1913* _ Range (in code): SB Rs
- 21199. Delias (belisama-gr.) aruna aruna (Boisduval,1832)** (Pieridae) **Synonym(s):** *aruna Boisduval,1832; bajura Boisduval,1832* _ Range (in code): PG
- 21200. Delias (belisama-gr.) aruna inferna Butler,1913** (Pieridae) **Synonym(s):** *inferna Butler,1913* _ Range (in code): AU QAU KY
- 21201. Delias (belisama-gr.) aruna irma Fruhstorfer,1907** (Pieridae) **Synonym(s):** *irma Fruhstorfer,1907; madala Fruhstorfer,1907* _ Range (in code): PG Fg ID Ij
- 21202. Delias (belisama-gr.) aruna rana Swinhoe,1916** (Pieridae) **Synonym(s):** *rana Swinhoe,1916* _ Range (in code): ID Amb
- 21203. Delias (belisama-gr.) aruna rona Rothschild,1898** (Pieridae) **Synonym(s):** *rona Rothschild,1898* _ Range (in code): PG
- 21204. Delias (belisama-gr.) aruna sarera Yagishita,1994** (Pieridae) **Synonym(s):** *sarera Yagishita,1994* _ Range (in code): ID Jp Mnw
- 21205. Delias (belisama-gr.) aruna seriata Fruhstorfer,1907** (Pieridae) **Synonym(s):** *seriata Fruhstorfer,1907* _ Range (in code): ID Ob Bch Hm
- 21206. Delias (belisama-gr.) aurantiaca Doherty,1891** (Pieridae) **Synonym(s):** *aurantiaca Doherty,1891* _ Range (in code): ID Ja
- 21207. Delias (belisama-gr.) aurantiaca aurantiaca Doherty,1891** (Pieridae) **Synonym(s):** *aurantiaca Doherty,1891* _ Range (in code): ID Ja
- 21208. Delias (belisama-gr.) belisama (Cramer,[1779])** (Pieridae) **Synonym(s):** *belisama Cramer,[1779]; sthenobaea Boisduval,1836; erubescens Staudinger,1891; angaja Fruhstorfer,1910; atisha Fruhstorfer,1910.* _ Range (in code): ID Ja Sum Bli
- 21209. Delias (belisama-gr.) belisama balina Fruhstorfer,1908** (Pieridae) **Synonym(s):** *balina Fruhstorfer,1908* _ Range (in code): ID Bli

- 21210. Delias (belisama-gr.) belisama belisama (Cramer,[1779])** (Pieridae) Synonym(s): *belisama* Cramer,[1779]; *sthenobaea* Boisduval,1836; *erubescens* Staudinger,1891; *angaja* Fruhstorfer,1910; *atisha* Fruhstorfer,1910. _ Range (in code): ID Ja
- 21211. Delias (belisama-gr.) belisama glauce Butler,1865** (Pieridae) Synonym(s): *glauce* Butler,1865 _ Range (in code): ID Sum
- 21212. Delias (belisama-gr.) belisama nakula Grose-Smith & Kirby,1888** (Pieridae) Synonym(s): *nakula* Grose-Smith & Kirby,1888; *vestalina* Staudinger,1891; *auratilis* Fruhstorfer,1910. _ Range (in code): ID Ja
- 21213. Delias (belisama-gr.) descombesi (Boisduval,1836)** (Pieridae) Synonym(s): *descombesi* Boisduval,1836 _ Range (in code): IN Ass Slo SI NP VN TH Tng Bnk Mae Nna Phe Ray Chy CMa Dst Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo7 Cu12 Qs Qso8 CDo CD2 Pap Mro Cbi Nth Nrt Pkk Sbu Uth Nst Ths LA MM CN Yu MY _ Bionomy: Larva on *Eugenia* [rose apple] (Myrtaceae), *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich,2001).
- 21214. Delias (belisama-gr.) descombesi descombesi (Boisduval,1836)** (Pieridae) Synonym(s): *descombesi* Boisduval,1836 _ Range (in code): IN Ass Slo VN LA MM CN Yu TH Bnk Mae Nna Phe Ray Chy CMa Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo7 Cu12 Dst Qs Qso8 CDo CD2 Pap Mro Cbi Nth Nrt Pkk Sbu Uth _ Bionomy: Larva on *Eugenia* [rose apple] (Myrtaceae), *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich,2001).
- 21215. Delias (belisama-gr.) descombesi eranthos Fruhstorfer,1905** (Pieridae) Synonym(s): *eranthos* Fruhstorfer,1905 _ Range (in code): MY TH Tng Nst Ths
- 21216. Delias (belisama-gr.) descombesi leucacantha Fruhstorfer,1910** (Pieridae) Synonym(s): *leucacantha* Fruhstorfer,1910; *semialba* Parsons,1948 _ Range (in code): IN Ass SI NP
- 21217. Delias (belisama-gr.) diaphana Semper,1878** (Pieridae) Synonym(s): *diaphana* Semper,1878 _ Range (in code): PH Mno Apo
- 21218. Delias (belisama-gr.) diaphana basilisae Schröder & Treadaway,1983** (Pieridae) Synonym(s): _ Range (in code): PH Mno
- 21219. Delias (belisama-gr.) diaphana diaphana Semper,1878** (Pieridae) Synonym(s): *diaphana* Semper,1878 _ Range (in code): PH Mno Apo
- 21220. Delias (belisama-gr.) diaphana morishitai Nakano,1993** (Pieridae) Synonym(s): *morishitai* Nakano,1993 _ Range (in code): PH Mno
- 21221. Delias (belisama-gr.) diaphana sakagutii Tsukada & Nishiyama,1980** (Pieridae) Synonym(s): *sakagutii* Tsukada & Nishiyama,1980 _ Range (in code): PH Mno
- 21222. Delias (belisama-gr.) diaphana yatai Nakano,1993** (Pieridae) Synonym(s): *yatai* Nakano,1993 _ Range (in code): PH Mno
- 21223. Delias (belisama-gr.) ellipsis Joannis,1901** (Pieridae) Synonym(s): *ellipsis* Joannis,1901 _ Range (in code): NC
- 21224. Delias (belisama-gr.) ellipsis ellipsis Joannis,1901** (Pieridae) Synonym(s): *ellipsis* Joannis,1901 _ Range (in code): NC
- 21225. Delias (belisama-gr.) eumolpe Grose-Smith,1889** (Pieridae) Synonym(s): *eumolpe* Grose-Smith,1889; *philomela* Röber,1919 _ Range (in code): MY Bor Klt
- 21226. Delias (belisama-gr.) eumolpe eumolpe Grose-Smith,1889** (Pieridae) Synonym(s): *eumolpe* Grose-Smith,1889; *philomela* Röber,1919 _ Range (in code): MY Bor
- 21227. Delias (belisama-gr.) eumolpe masaeae Yagishita,1993** (Pieridae) Synonym(s): *masaeae* Yagishita,1993 _ Range (in code): MY Bor Klt
- 21228. Delias (belisama-gr.) harpalyce (Donovan,1805)** (Pieridae) Synonym(s): *harpalyce* Donovan,1805; *lewini* Thon,1828; *#adina* Couchman,1954 _ Range (in code): AU NSw TA
- 21229. Delias (belisama-gr.) harpalyce harpalyce (Donovan,1805)** (Pieridae) Synonym(s): *harpalyce* Donovan,1805; *lewini* Thon,1828; *#adina* Couchman,1954 _ Range (in code): AU NSw TA
- 21230. Delias (belisama-gr.) levicki Rothschild,1927** (Pieridae) Synonym(s): *levicki* Rothschild,1927 _ Range (in code): PH Mno Apo
- 21231. Delias (belisama-gr.) levicki borromeoi Schröder & Treadaway,1984** (Pieridae) Synonym(s): *borromeoi* Schröder & Treadaway,1984 _ Range (in code): PH Mno
- 21232. Delias (belisama-gr.) levicki hokamae Nakano,1995** (Pieridae) Synonym(s): *hokamae* Nakano,1995 _ Range (in code): PH Mno
- 21233. Delias (belisama-gr.) levicki justini Samusawa & Kawamura,1988** (Pieridae) Synonym(s): *justini* Samusawa & Kawamura,1988 _ Range (in code): PH Mno

- 21234. Delias (belisama-gr.) levicki levicki Rothschild,1927** (Pieridae) Synonym(s): *levicki Rothschild,1927* _ Range (in code): PH Mno Apo
- 21235. Delias (belisama-gr.) levicki mandaya Yamamoto & Takei,1982** (Pieridae) Synonym(s): *mandaya Yamamoto & Takei,1982* _ Range (in code): PH Mno
- 21236. Delias (belisama-gr.) madetes Godman & Salvin,1878** (Pieridae) Synonym(s): *madetes Godman & Salvin,1878* _ Range (in code): PG NHa NBr Nlr
- 21237. Delias (belisama-gr.) madetes honrathi Mitis,1893** (Pieridae) Synonym(s): *honrathi Mitis,1893* _ Range (in code): PG NBr
- 21238. Delias (belisama-gr.) madetes madetes Godman & Salvin,1878** (Pieridae) Synonym(s): *madetes Godman & Salvin,1878* _ Range (in code): PG Nlr
- 21239. Delias (belisama-gr.) madetes neohannoverana Rothschild,1915** (Pieridae) Synonym(s): *neohannoverana Rothschild,1915* _ Range (in code): PG NHa
- 21240. Delias (belisama-gr.) oraia Doherty,1891** (Pieridae) Synonym(s): *oraia Doherty,1891; vasumitra Fruhstorfer,1910* _ Range (in code): ID Sba Lb Flo Alo
- 21241. Delias (belisama-gr.) oraia adonarensis Rothschild,1925** (Pieridae) Synonym(s): *adonarensis Rothschild,1925* _ Range (in code): ID Alo
- 21242. Delias (belisama-gr.) oraia bratana Kalis,1941** (Pieridae) Synonym(s): *bratana Kalis,1941; trig D'Abrera,1982* _ Range (in code): ID Bli
- 21243. Delias (belisama-gr.) oraia lydia Fruhstorfer,1907** (Pieridae) Synonym(s): *lydia Fruhstorfer,1907* _ Range (in code): ID Flo
- 21244. Delias (belisama-gr.) oraia oraia Doherty,1891** (Pieridae) Synonym(s): *oraia Doherty,1891; vasumitra Fruhstorfer,1910* _ Range (in code): ID Sba Lb
- 21245. Delias (belisama-gr.) oraia solorensis Yagishita & Nakano,1993** (Pieridae) Synonym(s): *solorensis Yagishita & Nakano,1993* _ Range (in code): ID
- 21246. Delias (belisama-gr.) splendida Rothschild,1894** (Pieridae) Synonym(s): *splendida Rothschild,1894* _ Range (in code): ID Tim
- 21247. Delias (belisama-gr.) splendida splendida Rothschild,1894** (Pieridae) Synonym(s): *splendida Rothschild,1894* _ Range (in code): ID Tim
- 21248. Delias (belisama-gr.) zebuda Hewitson,1862** (Pieridae) Synonym(s): *zebuda Hewitson,1862* _ Range (in code): ID Clb
- 21249. Delias (belisama-gr.) zebuda zebuda Hewitson,1862** (Pieridae) Synonym(s): *zebuda Hewitson,1862* _ Range (in code): ID Clb
- 21250. Delias (belladonna-gr.) belladonna (Fabricius,1793)** (Pieridae) Synonym(s): *belladonna Fabricius,1793* _ Original Reference: Papilio belladonna Fabricius,1793, Ent. Syst. 3(1): 180. Type: [Tong-King]. Range (in code): AF Ch CN Hun Fkn Kig Sz Yu VN Ton Ann Meg Ass IN Slo Nag BT Khs Shn MM Tns NP SI LA Kma Kul Hp Sml TH CMa Dst Dso9 MY ID Clb Sum Dp
- 21251. Delias (belladonna-gr.) belladonna belladonna (Fabricius,1793)** (Pieridae) Synonym(s): *belladonna Fabricius,1793* _ Original Reference: Papilio belladonna Fabricius,1793, Ent. Syst. 3(1): 180. Type: [Tong-King]. Range (in code): MM Yu CN VN Ton
- 21252. Delias (belladonna-gr.) belladonna burmana Evans,1926** (Pieridae) Synonym(s): *burmana Evans,1926* _ Range (in code): NP Ch
- 21253. Delias (belladonna-gr.) belladonna chrysorrhoea Snellen,1865** (Pieridae) Synonym(s): *chrysorrhoea Snellen,1865* _ Range (in code): ID Sum
- 21254. Delias (belladonna-gr.) belladonna dempoensis Yagishita,1993** (Pieridae) Synonym(s): *dempoensis Yagishita,1993* _ Range (in code): ID Sum Dp
- 21255. Delias (belladonna-gr.) belladonna endoi Yagishita,1993** (Pieridae) Synonym(s): *endoi Yagishita,1993* _ Range (in code): VN Ann
- 21256. Delias (belladonna-gr.) belladonna hedybia Jordan,1925** (Pieridae) Synonym(s): *hedybia Jordan,1925* _ Original Reference: Delias belladonna ssp. hedybia Jordan,1925, Novit. zool. 32: 286. Syntypes: [Myanmar]: "Tenasserim". Range (in code): MM Tns TH CMa Dst Dso9 IN Ass Slo
- 21257. Delias (belladonna-gr.) belladonna horsfieldii (Gray,1831)** (Pieridae) Synonym(s): *horsfieldii Gray,1831; hearseyi Butler,1885; surya Mitis,1893* _ Original Reference: Pieris horsfieldii Gray,1831, Zool. Misc. 1831: 32. Type(s): Nepal. Range (in code): NP IN SI Kma Kul Hp Sml AF
- 21258. Delias (belladonna-gr.) belladonna ithiela (Butler,1869)** (Pieridae) Synonym(s): *ithiela Butler,1869* _ Original Reference: Thyca ithiela Butler,1869, Ann. Mag. nat. Hist. (4) 4: 242. Syntypes: "Penang" (patria falsa!). Range (in code): IN SI Ass

- 21259. Delias (belladonna-gr.) belladonna kwangtungensis Talbot,1928** (Pieridae)
Synonym(s): *kwangtungensis* Talbot,1928; *pekiangensis* Mell,1943 _ Range (in code): **CN Hun Fkn Kig**
- 21260. Delias (belladonna-gr.) belladonna lugens Jordan,1925** (Pieridae) Synonym(s):
lugens Jordan,1925 _ Original Reference: *Delias belladonna* ssp. *lugens* Jordan,1925, Novit. zool.
32: 286. Syntypes: India: Assam; North-West Burma. Range (in code): **Ass Meg IN Nag BT Khs Shn MM**
- 21261. Delias (belladonna-gr.) belladonna malayana Pendlebury,1933** (Pieridae)
Synonym(s): *malayana* Pendlebury,1933 _ Range (in code): **MY**
- 21262. Delias (belladonna-gr.) belladonna yukaee Nakano,1993** (Pieridae) Synonym(s):
yukaee Nakano,1993 _ Range (in code): **TH LA**
- 21263. Delias (belladonna-gr.) belladonna zelima Mitis,1893** (Pieridae) Synonym(s):
zelima Mitis,1893 _ Range (in code): **CN Sz**
- 21264. Delias (belladonna-gr.) berinda Moore,1872** (Pieridae) Synonym(s): *berinda*
Moore,1872 _ Range (in code): **IN Ass NP CN Yu TH CMa MM**
- 21265. Delias (belladonna-gr.) berinda adelma Mitis,1893** (Pieridae) Synonym(s): *adelma*
Mitis,1893 _ Range (in code): **CN**
- 21266. Delias (belladonna-gr.) berinda berinda Moore,1872** (Pieridae) Synonym(s):
berinda Moore,1872 _ Range (in code): **IN Ass**
- 21267. Delias (belladonna-gr.) berinda boylaea Butler,1885** (Pieridae) Synonym(s):
boylaea Butler,1885; *amarantha* Mitis,1893 _ Range (in code): **NP TH CMa**
- 21268. Delias (belladonna-gr.) berinda cooperi Tytler,1939** (Pieridae) Synonym(s): *cooperi*
Tytler,1939 _ Range (in code): **IN**
- 21269. Delias (belladonna-gr.) berinda yedanula Fruhstorfer,1910** (Pieridae)
Synonym(s): *yedanula* Fruhstorfer,1910 _ Range (in code): **CN Yu TH MM**
- 21270. Delias (belladonna-gr.) blanca C.Felder & R.Felder,1862** (Pieridae) Synonym(s):
blanca C.Felder & R.Felder,1862 _ Range (in code): **MY Bor PH Mno Boh Luz Neg**
- 21271. Delias (belladonna-gr.) blanca apameica Fruhstorfer,1910** (Pieridae) Synonym(s):
apameica Fruhstorfer,1910 _ Range (in code): **PH Mno**
- 21272. Delias (belladonna-gr.) blanca blanca C.Felder & R.Felder,1862** (Pieridae)
Synonym(s): *blanca* C.Felder & R.Felder,1862 _ Range (in code): **PH Luz**
- 21273. Delias (belladonna-gr.) blanca capcoi Jumalon,1975** (Pieridae) Synonym(s): *capcoi*
Jumalon,1975 _ Range (in code): **PH Neg**
- 21274. Delias (belladonna-gr.) blanca nausicaa Fruhstorfer,1899** (Pieridae) Synonym(s):
nausicaa Fruhstorfer,1899 _ Range (in code): **MY Bor**
- 21275. Delias (belladonna-gr.) blanca uichancoi Jumalon,1975** (Pieridae) Synonym(s):
uichancoi Jumalon,1975 _ Range (in code): **PH Boh**
- 21276. Delias (belladonna-gr.) lativitta Leech,1893** (Pieridae) Synonym(s): *lativitta*
Leech,1893; *shaanxiensis* Chou,2001 _ Range (in code): **MM TH CMa CN Kwa Fkn CMa Yu TW BT Ass Nag IN**
- 21277. Delias (belladonna-gr.) lativitta formosana Matsumura,1909** (Pieridae)
Synonym(s): *formosana* Matsumura,1909 _ Range (in code): **TW**
- 21278. Delias (belladonna-gr.) lativitta lativitta Leech,1893** (Pieridae) Synonym(s): *lativitta*
Leech,1893; *shaanxiensis* Chou,2001 _ Range (in code): **CN**
- 21279. Delias (belladonna-gr.) lativitta naga Tytler,1939** (Pieridae) Synonym(s): *naga*
Tytler,1939 _ Range (in code): **IN Ass Nag**
- 21280. Delias (belladonna-gr.) lativitta parva Talbot,1937** (Pieridae) Synonym(s): *parva*
Talbot,1937 _ Range (in code): **BT TH CMa**
- 21281. Delias (belladonna-gr.) lativitta tai Toshino,1999** (Pieridae) Synonym(s): *tai*
Toshino,1999 _ Range (in code): **CN Yu**
- 21282. Delias (belladonna-gr.) lativitta tongi Mell,1939** (Pieridae) Synonym(s): *tongi*
Mell,1939 _ Range (in code): **CN Fkn Kwa**
- 21283. Delias (belladonna-gr.) lativitta yunnana Talbot,1937** (Pieridae) Synonym(s):
yunnana Talbot,1937 _ Range (in code): **MM TH CN CMa**
- 21284. Delias (belladonna-gr.) patrua Leech,1890** (Pieridae) Synonym(s): *patrua* Leech,1890
Range (in code): **MM Shn TH CMa CN Yu**
- 21285. Delias (belladonna-gr.) patrua patrua Leech,1890** (Pieridae) Synonym(s): *patrua*
Leech,1890 _ Range (in code): **CN**

- 21286. Delias (belladonna-gr.) patrua shan Talbot,1937** (Pieridae) Synonym(s): *shan Talbot,1937* _ Range (in code): MM Shn TH CMa CN Yu
- 21287. Delias (belladonna-gr.) sanaca Moore,1857** (Pieridae) Synonym(s): *sanaca Moore,1857; flavalba Marshall,1882; confusa Talbot,1928* _ Range (in code): IN NP MM TH CMa CN Yu SI BT
- 21288. Delias (belladonna-gr.) sanaca atsukoae Nakano,1993** (Pieridae) Synonym(s): *atsukoae Nakano,1993* _ Range (in code): TH
- 21289. Delias (belladonna-gr.) sanaca bhutya Talbot,1937** (Pieridae) Synonym(s): *bhutya Talbot,1937* _ Range (in code): BT
- 21290. Delias (belladonna-gr.) sanaca oreas Talbot,1928** (Pieridae) Synonym(s): *oreas Talbot,1928* _ Range (in code): SI
- 21291. Delias (belladonna-gr.) sanaca perspicua Fruhstorfer,1911** (Pieridae) Synonym(s): *perspicua Fruhstorfer,1911* _ Range (in code): MM TH CMa CN Yu
- 21292. Delias (belladonna-gr.) sanaca sanaca Moore,1857** (Pieridae) Synonym(s): *sanaca Moore,1857; flavalba Marshall,1882; confusa Talbot,1928* _ Range (in code): NP IN
- 21293. Delias (belladonna-gr.) subnubila Leech,1893** (Pieridae) Synonym(s): *subnubila Leech,1893* _ Range (in code): CN Sz Yu Fkn Hun Kwa Kig
- 21294. Delias (belladonna-gr.) subnubila conspicua Mell,1943** (Pieridae) Synonym(s): *conspicua Mell,1943* _ Range (in code): CN Fkn Hun Kwa Kig
- 21295. Delias (belladonna-gr.) subnubila subnubila Leech,1893** (Pieridae) Synonym(s): *subnubila Leech,1893* _ Range (in code): CN Sz Yu
- 21296. Delias (belladonna-gr.) surprisa Martin,1913** (Pieridae) Synonym(s): *surprisa Martin,1913* _ Range (in code): ID Clb
- 21297. Delias (belladonna-gr.) surprisa surprisa Martin,1913** (Pieridae) Synonym(s): *surprisa Martin,1913* _ Range (in code): ID Clb
- 21298. Delias (belladonna-gr.) wilemani Jordan,1925** (Pieridae) Synonym(s): *wilemani Jordan,1925* _ Range (in code): TW
- 21299. Delias (belladonna-gr.) wilemani wilemani Jordan,1925** (Pieridae) Synonym(s): *wilemani Jordan,1925* _ Range (in code): TW
- 21300. Delias (bornemanni-gr.) bornemanni Ribbe,1900** (Pieridae) Synonym(s): *bornemanni Ribbe,1900* _ Range (in code): PG
- 21301. Delias (bornemanni-gr.) bornemanni bornemanni Ribbe,1900** (Pieridae) Synonym(s): *bornemanni Ribbe,1900* _ Range (in code): PG
- 21302. Delias (bornemanni-gr.) caroli Kenrick,1909** (Pieridae) Synonym(s): *caroli Kenrick,1909; #flava Joicey & Noakes,1915* _ Range (in code): ID Ij Afk Wey
- 21303. Delias (bornemanni-gr.) caroli caroli Kenrick,1909** (Pieridae) Synonym(s): *caroli Kenrick,1909; #flava Joicey & Noakes,1915* _ Range (in code): ID Ij Afk
- 21304. Delias (bornemanni-gr.) caroli wandammenensae Sharp,1918** (Pieridae) Synonym(s): *wandammenensae Sharp,1918* _ Range (in code): ID Ij Wey
- 21305. Delias (bornemanni-gr.) castaneus Kenrick,1909** (Pieridae) Synonym(s): *castaneus Kenrick,1909* _ Range (in code): ID Ij Afk
- 21306. Delias (bornemanni-gr.) castaneus castaneus Kenrick,1909** (Pieridae) Synonym(s): *castaneus Kenrick,1909* _ Range (in code): ID Ij Afk
- 21307. Delias (bornemanni-gr.) nais Jordan,1911** (Pieridae) Synonym(s): *nais Jordan,1911* _ Range (in code): ID Ij Gth Wey PG
- 21308. Delias (bornemanni-gr.) nais aegle Joicey & Talbot,1922** (Pieridae) Synonym(s): *aegle Joicey & Talbot,1922* _ Range (in code): PG
- 21309. Delias (bornemanni-gr.) nais denigrata Joicey & Talbot,1927** (Pieridae) Synonym(s): *denigrata Joicey & Talbot,1927* _ Range (in code): ID Ij Wey
- 21310. Delias (bornemanni-gr.) nais entima Jordan,1930** (Pieridae) Synonym(s): *entima Jordan,1930* _ Range (in code): PG
- 21311. Delias (bornemanni-gr.) nais holophaea Roepke,1955** (Pieridae) Synonym(s): *holophaea Roepke,1955* _ Range (in code): ID Ij
- 21312. Delias (bornemanni-gr.) nais keysseri Rothschild,1925** (Pieridae) Synonym(s): *keysseri Rothschild,1925* _ Range (in code): PG
- 21313. Delias (bornemanni-gr.) nais maprikensis Yagishita,1993** (Pieridae) Synonym(s): *maprikensis Yagishita,1993* _ Range (in code): PG

- 21314. Delias (bornemanni-gr.) nais murayamai Yagishita,1993** (Pieridae) **Synonym(s):** *murayamai Yagishita,1993* _ Range (in code): ID Ij
- 21315. Delias (bornemanni-gr.) nais nais Jordan,1911** (Pieridae) **Synonym(s):** *nais Jordan,1911* _ Range (in code): ID Ij Gth
- 21316. Delias (bornemanni-gr.) nais rubrina Van Eecke,1915** (Pieridae) **Synonym(s):** *rubrina Van Eecke,1915* _ Range (in code): ID Ij Wey
- 21317. Delias (bornemanni-gr.) pratti Kenrick,1909** (Pieridae) **Synonym(s):** *pratti Kenrick,1909* _ Range (in code): ID Ij Afk
- 21318. Delias (bornemanni-gr.) pratti pratti Kenrick,1909** (Pieridae) **Synonym(s):** *pratti Kenrick,1909* _ Range (in code): ID Ij Afk
- 21319. Delias (bornemanni-gr.) zebra Roepke,1955** (Pieridae) **Synonym(s):** *zebra Roepke,1955; #reducta Roepke,1955 nec Rothschild,1915.* _ Range (in code): ID Ij
- 21320. Delias (bornemanni-gr.) zebra takanamii Yagishita,1993** (Pieridae) **Synonym(s):** *takanamii Yagishita,1993* _ Range (in code): ID Ij
- 21321. Delias (bornemanni-gr.) zebra zebra Roepke,1955** (Pieridae) **Synonym(s):** *zebra Roepke,1955; #reducta Roepke,1955 nec Rothschild,1915.* _ Range (in code): ID Ij
- 21322. Delias (brandti-gr.) brandti C.Müller,2001** (Pieridae) **Synonym(s):** *brandti C.Müller,2001* _ Original Reference: Delias brandti C.Müller,2001, Austral. Ent. 28 (1): 17-22.
Holotype ♂: Papua New Guinea: South Central New Ireland: Schleinitz Mts., 1800m. Range (in code): PG Nlr
- 21323. Delias (brandti-gr.) brandti brandti C.Müller,2001** (Pieridae) **Synonym(s):** *brandti C.Müller,2001* _ Original Reference: Delias brandti C.Müller,2001, Austral. Ent. 28 (1): 17-22.
Holotype ♂: Papua New Guinea: South Central New Ireland: Schleinitz Mts., 1800m. Range (in code): PG Nlr
- 21324. Delias (chrysomelaena-gr.) caliban Grose-Smith,1897** (Pieridae) **Synonym(s):** *caliban Grose-Smith,1897* _ Range (in code): PG Fg Goo
- 21325. Delias (chrysomelaena-gr.) caliban caliban Grose-Smith,1897** (Pieridae) **Synonym(s):** *caliban Grose-Smith,1897* _ Range (in code): PG Fg
- 21326. Delias (chrysomelaena-gr.) caliban satibona Rothschild,1915** (Pieridae) **Synonym(s):** *satibona Rothschild,1915* _ Range (in code): PG Goo
- 21327. Delias (chrysomelaena-gr.) chrysomelaena Snellen,1866** (Pieridae) **Synonym(s):** *chrysomelaena Snellen,1866* _ Range (in code): ID Bch Hm
- 21328. Delias (chrysomelaena-gr.) chrysomelaena chrysomelaena Snellen,1866** (Pieridae) **Synonym(s):** *chrysomelaena Snellen,1866* _ Range (in code): ID Bch
- 21329. Delias (chrysomelaena-gr.) chrysomelaena prodigialis Fruhstorfer,1911** (Pieridae) **Synonym(s):** *prodigialis Fruhstorfer,1911* _ Range (in code): ID Hm
- 21330. Delias (chrysomelaena-gr.) ladas Grose-Smith,1894** (Pieridae) **Synonym(s):** *ladas Grose-Smith,1894* _ Range (in code): PG ID Ij Fak Jp Wg Afk Wey
- 21331. Delias (chrysomelaena-gr.) ladas fakfakensis Yagishita,2003** (Pieridae) **Synonym(s):** *fakfakensis Yagishita,2003* _ Range (in code): ID Ij Fak
- 21332. Delias (chrysomelaena-gr.) ladas ladas Grose-Smith,1894** (Pieridae) **Synonym(s):** *ladas Grose-Smith,1894* _ Range (in code): PG
- 21333. Delias (chrysomelaena-gr.) ladas levis Joicey & Talbot,1922** (Pieridae) **Synonym(s):** *levis Joicey & Talbot,1922* _ Range (in code): ID Ij Afk Wey
- 21334. Delias (chrysomelaena-gr.) ladas waigeuensis Joicey & Talbot,1917** (Pieridae) **Synonym(s):** *waigeuensis Joicey & Talbot,1917* _ Range (in code): ID Wg
- 21335. Delias (chrysomelaena-gr.) ladas wamenaensis Morita,1991** (Pieridae) **Synonym(s):** *wamenaensis Morita,1991* _ Range (in code): ID Ij
- 21336. Delias (chrysomelaena-gr.) ladas yapenensis Yagishita,1998** (Pieridae) **Synonym(s):** *yapenensis Yagishita,1998* _ Range (in code): ID Jp
- 21337. Delias (chrysomelaena-gr.) talboti Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *talboti Joicey & Noakes,1915* _ Range (in code): ID Bia
- 21338. Delias (chrysomelaena-gr.) talboti talboti Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *talboti Joicey & Noakes,1915* _ Range (in code): ID Bia
- 21339. Delias (chrysomelaena-gr.) totila Heller,1896** (Pieridae) **Synonym(s):** *totila Heller,1896* _ Range (in code): PG NBr Nlr

- 21340. Delias (chrysomelaena-gr.) totila totila Heller,1896** (Pieridae) **Synonym(s):** *totila Heller,1896* _ Range (in code): PG NBr Nir
- 21341. Delias (clathrata-gr.) autumnalis Roepke,1955** (Pieridae) **Synonym(s):** *autumnalis Roepke,1955* _ Range (in code): ID Ij
- 21342. Delias (clathrata-gr.) autumnalis autumnalis Roepke,1955** (Pieridae) **Synonym(s):** *autumnalis Roepke,1955* _ Range (in code): ID Ij
- 21343. Delias (clathrata-gr.) autumnalis hiberna Mastrigt,2000** (Pieridae) **Synonym(s):** *hiberna Mastrigt,2000* _ Range (in code): ID Ij
- 21344. Delias (clathrata-gr.) autumnalis michiae Nakano,1994** (Pieridae) **Synonym(s):** *michiae Nakano,1994; reissingeri Mastrigt,1996* _ Range (in code): ID Ij
- 21345. Delias (clathrata-gr.) bobaga Mastrigt,1990** (Pieridae) **Synonym(s):** *bobaga Mastrigt,1990* _ Range (in code): ID Ij
- 21346. Delias (clathrata-gr.) bobaga bobaga Mastrigt,1990** (Pieridae) **Synonym(s):** *bobaga Mastrigt,1990* _ Range (in code): ID Ij
- 21347. Delias (clathrata-gr.) bobaga homeyo Mastrigt,1996** (Pieridae) **Synonym(s):** *homeyo Mastrigt,1996* _ Range (in code): ID Ij
- 21348. Delias (clathrata-gr.) catocausta Jordan,1911** (Pieridae) **Synonym(s):** *catocausta Jordan,1911* _ Range (in code): ID Ij Gth Snw
- 21349. Delias (clathrata-gr.) catocausta catocausta Jordan,1911** (Pieridae) **Synonym(s):** *catocausta Jordan,1911; nigerrima Roepke,1955* _ Range (in code): ID Ij Gth
- 21350. Delias (clathrata-gr.) catocausta eefi Mastrigt,1990** (Pieridae) **Synonym(s):** *eefi Mastrigt,1990* _ Range (in code): ID Ij Snw
- 21351. Delias (clathrata-gr.) clathrata Rothschild,1904** (Pieridae) **Synonym(s):** *clathrata Rothschild,1904* _ Range (in code): PG
- 21352. Delias (clathrata-gr.) clathrata clathrata Rothschild,1904** (Pieridae) **Synonym(s):** *clathrata Rothschild,1904* _ Range (in code): PG
- 21353. Delias (clathrata-gr.) clathrata limata Jordan,1930** (Pieridae) **Synonym(s):** *limata Jordan,1930* _ Range (in code): PG
- 21354. Delias (clathrata-gr.) elongatus Kenrick,1911** (Pieridae) **Synonym(s):** *elongatus Kenrick,1911* _ Range (in code): ID Ij Afk
- 21355. Delias (clathrata-gr.) elongatus elongatus Kenrick,1911** (Pieridae) **Synonym(s):** *elongatus Kenrick,1911* _ Range (in code): ID Ij Afk
- 21356. Delias (clathrata-gr.) felis Lachlan,2000** (Pieridae) **Synonym(s):** *felis Lachlan,2000* _ Range (in code): PG
- 21357. Delias (clathrata-gr.) felis felis Lachlan,2000** (Pieridae) **Synonym(s):** *felis Lachlan,2000* _ Range (in code): PG
- 21358. Delias (clathrata-gr.) fioretti Mastrigt,1996** (Pieridae) **Synonym(s):** *fioretti Mastrigt,1996* _ Range (in code): ID Ij
- 21359. Delias (clathrata-gr.) fioretti fioretti Mastrigt,1996** (Pieridae) **Synonym(s):** *fioretti Mastrigt,1996* _ Range (in code): ID Ij
- 21360. Delias (clathrata-gr.) hemianops Gerrits & Mastrigt,1993** (Pieridae) **Synonym(s):** *hemianops Gerrits & Mastrigt,1993* _ Range (in code): ID Ij
- 21361. Delias (clathrata-gr.) hemianops hemianops Gerrits & Mastrigt,1993** (Pieridae) **Synonym(s):** *hemianops Gerrits & Mastrigt,1993* _ Range (in code): ID Ij
- 21362. Delias (clathrata-gr.) hiemalis Roepke,1955** (Pieridae) **Synonym(s):** *hiemalis Roepke,1955* _ Range (in code): ID Ij
- 21363. Delias (clathrata-gr.) hiemalis flabella Mastrigt,1996** (Pieridae) **Synonym(s):** *flabella Mastrigt,1996* _ Range (in code): ID Ij
- 21364. Delias (clathrata-gr.) hiemalis hiemalis Roepke,1955** (Pieridae) **Synonym(s):** *hiemalis Roepke,1955* _ Range (in code): ID Ij
- 21365. Delias (clathrata-gr.) hiemalis labbei Mastrigt,2000** (Pieridae) **Synonym(s):** *labbei Mastrigt,2000* _ Range (in code): ID Ij
- 21366. Delias (clathrata-gr.) hiemalis nemangkawi Mastrigt,2000** (Pieridae) **Synonym(s):** *nemangkawi Mastrigt,2000* _ Range (in code): ID Ij
- 21367. Delias (clathrata-gr.) inexpectata Rothschild,1915** (Pieridae) **Synonym(s):** *inexpectata Rothschild,1915* _ Range (in code): ID Ij Snw

- 21368. Delias (clathrata-gr.) inexpectata inexpectata Rothschild,1915** (Pieridae)
Synonym(s): *inexpectata Rothschild,1915* _Range (in code): **ID Ij Snw**
- 21369. Delias (clathrata-gr.) klossi Rothschild,1915** (Pieridae) Synonym(s): *klossi Rothschild,1915* _Range (in code): **ID Ij Snw**
- 21370. Delias (clathrata-gr.) klossi chrysanthemum Roepke,1955** (Pieridae) Synonym(s): *chrysanthemum Roepke,1955* _Range (in code): **ID Ij**
- 21371. Delias (clathrata-gr.) klossi gome Mastrigt,2000** (Pieridae) Synonym(s): *gome Mastrigt,2000* _Range (in code): **ID Ij**
- 21372. Delias (clathrata-gr.) klossi klossi Rothschild,1915** (Pieridae) Synonym(s): *klossi Rothschild,1915* _Range (in code): **ID Ij Snw**
- 21373. Delias (clathrata-gr.) klossi okse Mastrigt,2000** (Pieridae) Synonym(s): *okse Mastrigt,2000* _Range (in code): **ID Ij**
- 21374. Delias (clathrata-gr.) mariae Joicey & Talbot,1916** (Pieridae) Synonym(s): *mariae Joicey & Talbot,1916* _Range (in code): **ID Ij Wey**
- 21375. Delias (clathrata-gr.) mariae boschmai Roepke,1955** (Pieridae) Synonym(s): *boschmai Roepke,1955* _Range (in code): **ID Ij**
- 21376. Delias (clathrata-gr.) mariae mariae Joicey & Talbot,1916** (Pieridae) Synonym(s): *mariae Joicey & Talbot,1916* _Range (in code): **ID Ij**
- 21377. Delias (clathrata-gr.) mariae menooensis Joicey & Talbot,1922** (Pieridae) Synonym(s): *menooensis Joicey & Talbot,1922* _Range (in code): **ID Ij Wey**
- 21378. Delias (clathrata-gr.) mira Rothschild & Jordan,1904** (Pieridae) Synonym(s): *mira Rothschild & Jordan,1904* _Range (in code): **PG Ow ID Ij**
- 21379. Delias (clathrata-gr.) mira excelsa Jordan,1930** (Pieridae) Synonym(s): *excelsa Jordan,1930* _Range (in code): **PG**
- 21380. Delias (clathrata-gr.) mira mavrodii Tusov & Churkin,1998** (Pieridae) Synonym(s): *mavrodii Tusov & Churkin,1998* _Range (in code): **ID Ij**
- 21381. Delias (clathrata-gr.) mira mira Rothschild & Jordan,1904** (Pieridae) Synonym(s): *mira Rothschild & Jordan,1904* _Range (in code): **PG Ow**
- 21382. Delias (clathrata-gr.) mira reversa Rothschild,1925** (Pieridae) Synonym(s): *reversa Rothschild,1925* _Range (in code): **PG**
- 21383. Delias (clathrata-gr.) nakanokeikoe Yagishita,1993** (Pieridae) Synonym(s): *nakanokeikoe Yagishita,1993* _Range (in code): **ID Ij**
- 21384. Delias (clathrata-gr.) nakanokeikoe jali Mastrigt,1995** (Pieridae) Synonym(s): *jali Mastrigt,1995* _Range (in code): **ID Ij**
- 21385. Delias (clathrata-gr.) nakanokeikoe nakanokeikoe Yagishita,1993** (Pieridae) Synonym(s): *nakanokeikoe Yagishita,1993* _Range (in code): **ID Ij**
- 21386. Delias (clathrata-gr.) neeltje Gerrits & Mastrigt,1993** (Pieridae) Synonym(s): *neeltje Gerrits & Mastrigt,1993; sakumai Yagishita,1993* _Range (in code): **ID Ij**
- 21387. Delias (clathrata-gr.) neeltje neeltje Gerrits & Mastrigt,1993** (Pieridae) Synonym(s): *neeltje Gerrits & Mastrigt,1993; sakumai Yagishita,1993* _Range (in code): **ID Ij**
- 21388. Delias (clathrata-gr.) pellos Lachlan,2000** (Pieridae) Synonym(s): *pellos Lachlan,2000* _Range (in code): **PG**
- 21389. Delias (clathrata-gr.) pellos pellos Lachlan,2000** (Pieridae) Synonym(s): *pellos Lachlan,2000* _Range (in code): **PG**
- 21390. Delias (clathrata-gr.) roepkei Sanford & Bennett,1955** (Pieridae) Synonym(s): *roepkei Sanford & Bennett,1955* _Range (in code): **PG ID Ij**
- 21391. Delias (clathrata-gr.) roepkei cieko Arima,1996** (Pieridae) Synonym(s): *cieko Arima,1996* _Range (in code): **ID Ij**
- 21392. Delias (clathrata-gr.) roepkei roepkei Sanford & Bennett,1955** (Pieridae) Synonym(s): *roepkei Sanford & Bennett,1955* _Range (in code): **PG**
- 21393. Delias (clathrata-gr.) sawyeri Mastrigt,2000** (Pieridae) Synonym(s): *sawyeri Mastrigt,2000* _Range (in code): **PG**
- 21394. Delias (clathrata-gr.) sawyeri sawyeri Mastrigt,2000** (Pieridae) Synonym(s): *sawyeri Mastrigt,2000* _Range (in code): **PG**
- 21395. Delias (clathrata-gr.) sigit Mastrigt,1990** (Pieridae) Synonym(s): *sigit Mastrigt,1990* _Range (in code): **ID Ij**

- 21396. Delias (clathrata-gr.) sigit sigit Mastrigt,1990** (Pieridae) Synonym(s): *sigit Mastrigt,1990* _ Range (in code): ID Ij
- 21397. Delias (clathrata-gr.) walshae Roepke,1955** (Pieridae) Synonym(s): *walshae Roepke,1955* _ Range (in code): ID Ij
- 21398. Delias (clathrata-gr.) walshae ilu Mastrigt,2000** (Pieridae) Synonym(s): *ilu Mastrigt,2000* _ Range (in code): ID Ij
- 21399. Delias (clathrata-gr.) walshae sanaeae Sakuma,1999** (Pieridae) Synonym(s): *sanaeae Sakuma,1999* _ Range (in code): ID Ij
- 21400. Delias (clathrata-gr.) walshae walshae Roepke,1955** (Pieridae) Synonym(s): *walshae Roepke,1955* _ Range (in code): ID Ij
- 21401. Delias (cuningputi-gr.) angabungana Talbot,1928** (Pieridae) Synonym(s): *angabungana Talbot,1928* _ Range (in code): PG
- 21402. Delias (cuningputi-gr.) angabungana angabungana Talbot,1928** (Pieridae) Synonym(s): *angabungana Talbot,1928* _ Range (in code): PG
- 21403. Delias (cuningputi-gr.) angiensis Talbot,1928** (Pieridae) Synonym(s): *angiensis Talbot,1928* _ Range (in code): ID Ij
- 21404. Delias (cuningputi-gr.) angiensis angiensis Talbot,1928** (Pieridae) Synonym(s): *angiensis Talbot,1928* _ Range (in code): ID Ij
- 21405. Delias (cuningputi-gr.) approximata Joicey & Talbot,1922** (Pieridae) Synonym(s): *approximata Joicey & Talbot,1922; #rectimargo Joicey & Talbot,1922* _ Range (in code): ID Ij
- 21406. Delias (cuningputi-gr.) approximata approximata Joicey & Talbot,1922** (Pieridae) Synonym(s): *approximata Joicey & Talbot,1922; #rectimargo Joicey & Talbot,1922* _ Range (in code): ID Ij
- 21407. Delias (cuningputi-gr.) aroae Ribbe,1900** (Pieridae) Synonym(s): *aroae Ribbe,1900* _ Range (in code): PG
- 21408. Delias (cuningputi-gr.) aroae aroae Ribbe,1900** (Pieridae) Synonym(s): *aroae Ribbe,1900* _ Range (in code): PG
- 21409. Delias (cuningputi-gr.) balimensis Roepke,1955** (Pieridae) Synonym(s): *balimensis Roepke,1955* _ Range (in code): ID Ij
- 21410. Delias (cuningputi-gr.) balimensis balimensis Roepke,1955** (Pieridae) Synonym(s): *balimensis Roepke,1955* _ Range (in code): ID Ij
- 21411. Delias (cuningputi-gr.) binniensis** (Pieridae) Synonym(s):
- 21412. Delias (cuningputi-gr.) binniensis binniensis** (Pieridae) Synonym(s):
- 21413. Delias (cuningputi-gr.) chimbu Orr & Sibatani,1987** (Pieridae) Synonym(s): *chimbu Orr & Sibatani,1987* _ Range (in code): PG Wau Kwg
- 21414. Delias (cuningputi-gr.) chimbu chimbu Orr & Sibatani,1987** (Pieridae) Synonym(s): *chimbu Orr & Sibatani,1987* _ Range (in code): PG Wau Kwg
- 21415. Delias (cuningputi-gr.) citrona Joicey & Talbot,1922** (Pieridae) Synonym(s): *citrona Joicey & Talbot,1922* _ Range (in code): ID Ij Wey
- 21416. Delias (cuningputi-gr.) citrona citrona Joicey & Talbot,1922** (Pieridae) Synonym(s): *citrona Joicey & Talbot,1922* _ Range (in code): ID Ij Wey
- 21417. Delias (cuningputi-gr.) cuningputi Ribbe,1901** (Pieridae) Synonym(s): *cuningputi Ribbe,1901; aemula Jordan,1930; festone Schmitt,1992* _ Range (in code): PG
- 21418. Delias (cuningputi-gr.) cuningputi cuningputi Ribbe,1901** (Pieridae) Synonym(s): *cuningputi Ribbe,1901; aemula Jordan,1930; festone Schmitt,1992* _ Range (in code): PG
- 21419. Delias (cuningputi-gr.) daniensis Mastrigt,2003** (Pieridae) Synonym(s): *daniensis Mastrigt,2003* _ Original Reference: Delias daniensis Mastrigt,2003, Atalanta 34 (1/2): 60-61, figs. Holotype ♂: Irian Jaya: Ilu, 3.iii.1998 (MZB). Range (in code): ID Ij
- 21420. Delias (cuningputi-gr.) daniensis daniensis Mastrigt,2003** (Pieridae) Synonym(s): *daniensis Mastrigt,2003* _ Original Reference: Delias daniensis Mastrigt,2003, Atalanta 34 (1/2): 60-61, figs. Holotype ♂: Irian Jaya: Ilu, 3.iii.1998 (MZB). Range (in code): ID Ij
- 21421. Delias (cuningputi-gr.) dortheyi Mastrigt,2002** (Pieridae) Synonym(s): *dortheyi Mastrigt,2002* _ Range (in code): ID Ij
- 21422. Delias (cuningputi-gr.) dortheyi dortheyi Mastrigt,2002** (Pieridae) Synonym(s): *dortheyi Mastrigt,2002* _ Range (in code): ID Ij
- 21423. Delias (cuningputi-gr.) endela Jordan,1930** (Pieridae) Synonym(s): *endela Jordan,1930* _ Range (in code): PG Kwg

- 21424. Delias (cuningputi-gr.) endela endela Jordan,1930** (Pieridae) Synonym(s): *endela Jordan,1930* _Range (in code): **PG Kwg**
- 21425. Delias (cuningputi-gr.) fascelis Jordan,1911** (Pieridae) Synonym(s): *fascelis Jordan,1911; sagawaorum Morita,1996* _Range (in code): **ID Ij Gth PG**
- 21426. Delias (cuningputi-gr.) fascelis amungme Mastrigt,1996** (Pieridae) Synonym(s): *roepkei Schmitt,1992 nec Sanford & Bennett,1955; amungme Mastrigt,1996* _Range (in code): **ID Ij**
- 21427. Delias (cuningputi-gr.) fascelis cartieri Lachlan,2000** (Pieridae) Synonym(s): *cartieri Lachlan,2000* _Range (in code): **PG**
- 21428. Delias (cuningputi-gr.) fascelis fascelis Jordan,1911** (Pieridae) Synonym(s): *fascelis Jordan,1911; sagawaorum Morita,1996* _Range (in code): **ID Ij Gth**
- 21429. Delias (cuningputi-gr.) fascelis ibelana Roepke,1955** (Pieridae) Synonym(s): *ibelana Roepke,1955* _Range (in code): **DI Ij**
- 21430. Delias (cuningputi-gr.) fascelis korupun Mastrigt,1996** (Pieridae) Synonym(s): *korupun Mastrigt,1996* _Range (in code): **ID Ij**
- 21431. Delias (cuningputi-gr.) fascelis paniaia Schmitt,1992** (Pieridae) Synonym(s): *paniaia Schmitt,1992* _Range (in code): **ID Ij**
- 21432. Delias (cuningputi-gr.) flavissima Orr & Sibatani,1985** (Pieridae) Synonym(s): *flavissima Orr & Sibatani,1985* _Range (in code): **PG Kwg**
- 21433. Delias (cuningputi-gr.) flavissima flavissima Orr & Sibatani,1985** (Pieridae) Synonym(s): *flavissima Orr & Sibatani,1985* _Range (in code): **PG**
- 21434. Delias (cuningputi-gr.) flavissima giselae Schmitt,1992** (Pieridae) Synonym(s): *giselae Schmitt,1992* _Range (in code): **PG Kwg**
- 21435. Delias (cuningputi-gr.) hyperapproximata Rothschild,1925** (Pieridae) Synonym(s): *hyperapproximata Rothschild,1925* _Range (in code): **PG**
- 21436. Delias (cuningputi-gr.) hyperapproximata hyperapproximata Rothschild,1925** (Pieridae) Synonym(s): *hyperapproximata Rothschild,1925* _Range (in code): **PG**
- 21437. Delias (cuningputi-gr.) imitator Kenrick,1911** (Pieridae) Synonym(s): *imitator Kenrick,1911* _Range (in code): **ID Ij Afk**
- 21438. Delias (cuningputi-gr.) imitator imitator Kenrick,1911** (Pieridae) Synonym(s): *imitator Kenrick,1911* _Range (in code): **ID Ij Afk**
- 21439. Delias (cuningputi-gr.) inopinata Lachlan,2000** (Pieridae) Synonym(s): *inopinata Lachlan,2000* _Range (in code): **PG ID Ij**
- 21440. Delias (cuningputi-gr.) inopinata inopinata Lachlan,2000** (Pieridae) Synonym(s): *inopinata Lachlan,2000* _Range (in code): **PG**
- 21441. Delias (cuningputi-gr.) inopinata orri Mastrigt,2003** (Pieridae) Synonym(s): *orri Mastrigt,2003* _Range (in code): **ID Ij**
- 21442. Delias (cuningputi-gr.) jordani Kenrick,1909** (Pieridae) Synonym(s): *jordani Kenrick,1909* _Range (in code): **ID Ij Afk**
- 21443. Delias (cuningputi-gr.) jordani jordani Kenrick,1909** (Pieridae) Synonym(s): *jordani Kenrick,1909* _Range (in code): **ID Ij Afk**
- 21444. Delias (cuningputi-gr.) kenricki Talbot,1937** (Pieridae) Synonym(s): *kenricki Talbot,1937* _Range (in code): **ID Ij Afk**
- 21445. Delias (cuningputi-gr.) kenricki kenricki Talbot,1937** (Pieridae) Synonym(s): *kenricki Talbot,1937* _Range (in code): **ID Ij Afk**
- 21446. Delias (cuningputi-gr.) konokono Orr & Sibatani,1987** (Pieridae) Synonym(s): *konokono Orr & Sibatani,1987* _Range (in code): **PG**
- 21447. Delias (cuningputi-gr.) konokono konokono Orr & Sibatani,1987** (Pieridae) Synonym(s): *konokono Orr & Sibatani,1987* _Range (in code): **PG**
- 21448. Delias (cuningputi-gr.) oktanglap Mastrigt,1990** (Pieridae) Synonym(s): *oktanglap Mastrigt,1990* _Range (in code): **ID Ij**
- 21449. Delias (cuningputi-gr.) oktanglap oktanglap Mastrigt,1990** (Pieridae) Synonym(s): *oktanglap Mastrigt,1990* _Range (in code): **ID Ij**
- 21450. Delias (cuningputi-gr.) pheres Jordan,1911** (Pieridae) Synonym(s): *pheres Jordan,1911; rectimargo Joicey & Talbot,1922* _Range (in code): **ID Ij Snw**
- 21451. Delias (cuningputi-gr.) pheres pheres Jordan,1911** (Pieridae) Synonym(s): *pheres Jordan,1911; rectimargo Joicey & Talbot,1922* _Range (in code): **ID Ij Snw**

- 21452. *Delias (cuningputi-gr.) subapicalis* Orr & Sibatani,1985** (Pieridae) **Synonym(s):** *subapicalis* Orr & Sibatani,1985 _ Range (in code): ID Ij PG
- 21453. *Delias (cuningputi-gr.) subapicalis sibatani* Mastrigt,2003** (Pieridae) **Synonym(s):** *sibatani* Mastrigt,2003 _ Range (in code): ID Ij
- 21454. *Delias (cuningputi-gr.) subapicalis subapicalis* Orr & Sibatani,1985** (Pieridae) **Synonym(s):** *subapicalis* Orr & Sibatani,1985 _ Range (in code): PG
- 21455. *Delias (cuningputi-gr.) yabensis* Joicey & Talbot,1922** (Pieridae) **Synonym(s):** *yabensis* Joicey & Talbot,1922; *brevifascia* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21456. *Delias (cuningputi-gr.) yabensis yabensis* Joicey & Talbot,1922** (Pieridae) **Synonym(s):** *yabensis* Joicey & Talbot,1922; *brevifascia* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21457. *Delias (dorimene-gr.) agostina* (Hewitson,1852)** (Pieridae) **Synonym(s):** *agostina* Hewitson,1852 _ Range (in code): IN SI Ass MM TH CMa Phr CN Yu Sz MY VN Ann Ton Tda
- 21458. *Delias (dorimene-gr.) agostina agostina* (Hewitson,1852)** (Pieridae) **Synonym(s):** *agostina* Hewitson,1852 _ Range (in code): IN SI Ass MM TH CMa Phr CN Yu Sz
- 21459. *Delias (dorimene-gr.) agostina annamitica* Fruhstorfer,1901** (Pieridae) **Synonym(s):** *annamitica* Fruhstorfer,1901 _ Range (in code): VN Ann
- 21460. *Delias (dorimene-gr.) agostina johnsoni* Corbet,1933** (Pieridae) **Synonym(s):** *johnsoni* Corbet,1933 _ Range (in code): MY
- 21461. *Delias (dorimene-gr.) agostina orita* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *orita* Fruhstorfer,1910 _ Range (in code): VN Ton
- 21462. *Delias (dorimene-gr.) apatela* Joicey & Talbot,1923** (Pieridae) **Synonym(s):** *apatela* Joicey & Talbot,1923 _ Range (in code): ID Bru
- 21463. *Delias (dorimene-gr.) apatela apatela* Joicey & Talbot,1923** (Pieridae) **Synonym(s):** *apatela* Joicey & Talbot,1923 _ Range (in code): ID Bru
- 21464. *Delias (dorimene-gr.) baracasa* Semper,1890** (Pieridae) **Synonym(s):** *baracasa* Semper,1890 _ Range (in code): PH Luz Mno MY Bor ID Sum Klt
- 21465. *Delias (dorimene-gr.) baracasa baracasa* Semper,1890** (Pieridae) **Synonym(s):** *baracasa* Semper,1890 _ Range (in code): PH Mno
- 21466. *Delias (dorimene-gr.) baracasa benguetana* Inomata,1979** (Pieridae) **Synonym(s):** *benguetana* Inomata,1979 _ Range (in code): PH Luz
- 21467. *Delias (dorimene-gr.) baracasa cathara* Grose-Smith,1893** (Pieridae) **Synonym(s):** *cathara* Grose-Smith,1893 _ Range (in code): MY Bor
- 21468. *Delias (dorimene-gr.) baracasa danala* De Nicéville,1893** (Pieridae) **Synonym(s):** *danala* De Nicéville,1893; *karo* Hagen,1894 _ Range (in code): ID Sum
- 21469. *Delias (dorimene-gr.) baracasa dives* De Nicéville,1897** (Pieridae) **Synonym(s):** *dives* De Nicéville,1897 _ Range (in code): MY
- 21470. *Delias (dorimene-gr.) baracasa kalimantana* Yagishita,1993** (Pieridae) **Synonym(s):** *kalimantana* Yagishita,1993 _ Range (in code): ID Klt Bor
- 21471. *Delias (dorimene-gr.) biaka* Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *biaka* Joicey & Noakes,1915 _ Range (in code): ID Bia
- 21472. *Delias (dorimene-gr.) biaka biaka* Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *biaka* Joicey & Noakes,1915 _ Range (in code): ID Bia
- 21473. *Delias (dorimene-gr.) dorimene* (Cramer,[1782])** (Pieridae) **Synonym(s):** *dorimene* Cramer,[1782] _ Range (in code): ID Amb Crm
- 21474. *Delias (dorimene-gr.) dorimene avenda* Fruhstorfer,1912** (Pieridae) **Synonym(s):** *avenda* Fruhstorfer,1912 _ Range (in code): ID Crm
- 21475. *Delias (dorimene-gr.) dorimene dorimene* (Cramer,[1782])** (Pieridae) **Synonym(s):** *dorimene* Cramer,[1782] _ Range (in code): ID Amb
- 21476. *Delias (dorimene-gr.) dorylaea* Felder,1865** (Pieridae) **Synonym(s):** *dorylaea* Felder,1865 _ Range (in code): ID Ja
- 21477. *Delias (dorimene-gr.) dorylaea dorylaea* Felder,1865** (Pieridae) **Synonym(s):** *dorylaea* Felder,1865 _ Range (in code): ID Ja
- 21478. *Delias (dorimene-gr.) dumasi* Rothschild,1925** (Pieridae) **Synonym(s):** *dumasi* Rothschild,1925 _ Range (in code): ID Bru
- 21479. *Delias (dorimene-gr.) dumasi dumasi* Rothschild,1925** (Pieridae) **Synonym(s):** *dumasi* Rothschild,1925 _ Range (in code): ID Bru

- 21480. Delias (dorimene-gr.) echidna Hewitson,1861** (Pieridae) Synonym(s): *echidna Hewitson,1861* _ Range (in code): ID Amb Crm
- 21481. Delias (dorimene-gr.) echidna ambonensis Talbot,1928** (Pieridae) Synonym(s): *ambonensis Talbot,1928* _ Range (in code): ID Amb
- 21482. Delias (dorimene-gr.) echidna echidna Hewitson,1861** (Pieridae) Synonym(s): *echidna Hewitson,1861* _ Range (in code): ID Crm
- 21483. Delias (dorimene-gr.) gabia (Boisduval,1832)** (Pieridae) Synonym(s): *gabia Boisduval,1832* _ Range (in code): PG Fg Goo ID Wg Ij Wey Jp Afk Tro
- 21484. Delias (dorimene-gr.) gabia aurantimacula Joicey & Talbot,1922** (Pieridae) Synonym(s): *aurantimacula Joicey & Talbot,1922* _ Range (in code): ID Ij Wey
- 21485. Delias (dorimene-gr.) gabia bantina Fruhstorfer,1910** (Pieridae) Synonym(s): *bantina Fruhstorfer,1910* _ Range (in code): PG Tro
- 21486. Delias (dorimene-gr.) gabia callistrate Grose-Smith,1897** (Pieridae) Synonym(s): *callistrate Grose-Smith,1897* _ Range (in code): PG Fg Goo
- 21487. Delias (dorimene-gr.) gabia felsina Fruhstorfer,1910** (Pieridae) Synonym(s): *felsina Fruhstorfer,1910* _ Range (in code): ID Ij Afk
- 21488. Delias (dorimene-gr.) gabia gabia (Boisduval,1832)** (Pieridae) Synonym(s): *gabia Boisduval,1832* _ Range (in code): ID Wg Ij
- 21489. Delias (dorimene-gr.) gabia marinda Hulst,1924** (Pieridae) Synonym(s): *marinda Hulst,1924* _ Range (in code): ID Ij
- 21490. Delias (dorimene-gr.) gabia masinessa Fruhstorfer,1913** (Pieridae) Synonym(s): *masinessa Fruhstorfer,1913* _ Range (in code): ID
- 21491. Delias (dorimene-gr.) gabia naokoae Nakano,1995** (Pieridae) Synonym(s): *naokoae Nakano,1995* _ Range (in code): ID Jp
- 21492. Delias (dorimene-gr.) gabia zarate Grose-Smith,1900** (Pieridae) Synonym(s): *zarate Grose-Smith,1900* _ Range (in code): PG
- 21493. Delias (dorimene-gr.) hippodamia Wallace,1867** (Pieridae) Synonym(s): *hippodamia Wallace,1867* _ Range (in code): ID Aru
- 21494. Delias (dorimene-gr.) hippodamia hippodamia Wallace,1867** (Pieridae) Synonym(s): *hippodamia Wallace,1867* _ Range (in code): ID Aru
- 21495. Delias (dorimene-gr.) kazueae Kitahara,1986** (Pieridae) Synonym(s): *kazueae Kitahara,1986* _ Range (in code): ID Sla
- 21496. Delias (dorimene-gr.) kazueae kazueae Kitahara,1986** (Pieridae) Synonym(s): *kazueae Kitahara,1986* _ Range (in code): ID Sla
- 21497. Delias (dorimene-gr.) mavroneria Fruhstofer,1914** (Pieridae) Synonym(s): *mavroneria Fruhstofer,1914; omissa Rothschild,1915* _ Range (in code): ID Ij Snw PG
- 21498. Delias (dorimene-gr.) mavroneria flavidior Rothschild,1916** (Pieridae) Synonym(s): *flavidior Rothschild,1916* _ Range (in code): ID Ij Snw
- 21499. Delias (dorimene-gr.) mavroneria mavroneria Fruhstofer,1914** (Pieridae) Synonym(s): *mavroneria Fruhstofer,1914; omissa Rothschild,1915* _ Range (in code): PG
- 21500. Delias (dorimene-gr.) melusina Staudinger,1891** (Pieridae) Synonym(s): *melusina Staudinger,1891* _ Range (in code): ID Clb
- 21501. Delias (dorimene-gr.) melusina melusina Staudinger,1891** (Pieridae) Synonym(s): *melusina Staudinger,1891* _ Range (in code): ID Clb
- 21502. Delias (dorimene-gr.) narses Heller,1896** (Pieridae) Synonym(s): *narses Heller,1896* _ Range (in code): PG NBr Nlr
- 21503. Delias (dorimene-gr.) narses narses Heller,1896** (Pieridae) Synonym(s): *narses Heller,1896* _ Range (in code): PG NBr Nlr
- 21504. Delias (dorimene-gr.) rothschildi Holland,1900** (Pieridae) Synonym(s): *rothschildi Holland,1900* _ Range (in code): ID Bru Tim
- 21505. Delias (dorimene-gr.) rothschildi ariela Niepelt,1921** (Pieridae) Synonym(s): *ariela Niepelt,1921* _ Range (in code): ID Tim
- 21506. Delias (dorimene-gr.) rothschildi rothschildi Holland,1900** (Pieridae) Synonym(s): *rothschildi Holland,1900* _ Range (in code): ID Bru
- 21507. Delias (dorimene-gr.) schuppi Talbot,1928** (Pieridae) Synonym(s): *schuppi Talbot,1928* _ Range (in code): ID Crm

- 21508. Delias (dorimene-gr.) schuppi schuppi Talbot,1928** (Pieridae) Synonym(s): schuppi Talbot,1928 Range (in code): ID Crm
- 21509. Delias (dorimene-gr.) subviridis Joicey & Talbot,1922** (Pieridae) Synonym(s): subviridis Joicey & Talbot,1922 Range (in code): ID Crm
- 21510. Delias (dorimene-gr.) subviridis subviridis Joicey & Talbot,1922** (Pieridae) Synonym(s): subviridis Joicey & Talbot,1922 Range (in code): ID Crm
- 21511. Delias (eichhorni-gr.) antara Roepke,1955** (Pieridae) Synonym(s): antara Roepke,1955 Range (in code): ID Ij
- 21512. Delias (eichhorni-gr.) antara antara Roepke,1955** (Pieridae) Synonym(s): antara Roepke,1955 Range (in code): ID Ij
- 21513. Delias (eichhorni-gr.) antara solana Morinaka & Nakazawa,1997** (Pieridae) Synonym(s): solana Morinaka & Nakazawa,1997 Range (in code): ID Ij
- 21514. Delias (eichhorni-gr.) carstensziana Rothschild,1916** (Pieridae) Synonym(s): carstensziana Rothschild,1916 Range (in code): ID Ij Snw Hag Sep PG
- 21515. Delias (eichhorni-gr.) carstensziana alcicornis Roepke,1955** (Pieridae) Synonym(s): alcicornis Roepke,1955 Range (in code): PG Hag
- 21516. Delias (eichhorni-gr.) carstensziana carstensziana Rothschild,1916** (Pieridae) Synonym(s): carstensziana Rothschild,1916 Range (in code): ID Ij Snw
- 21517. Delias (eichhorni-gr.) carstensziana inexpecta Morinaka & Nakazawa,1999** (Pieridae) Synonym(s): inexpecta Morinaka & Nakazawa,1999; starensis Lachlan,2000 Range (in code): PG Sep
- 21518. Delias (eichhorni-gr.) catisa Jordan,1912** (Pieridae) Synonym(s): catisa Jordan,1912 Range (in code): ID Ij Wey PG Gth
- 21519. Delias (eichhorni-gr.) catisa aurostriga Roepke,1955** (Pieridae) Synonym(s): aurostriga Roepke,1955 Range (in code): ID Ij
- 21520. Delias (eichhorni-gr.) catisa catisa Jordan,1912** (Pieridae) Synonym(s): catisa Jordan,1912 Range (in code): PG Gth
- 21521. Delias (eichhorni-gr.) catisa morinakai Yagishita,1993** (Pieridae) Synonym(s): morinakai Yagishita,1993 Range (in code): ID Ij
- 21522. Delias (eichhorni-gr.) catisa sumbole Mastrigt,2001** (Pieridae) Synonym(s): sumbole Mastrigt,2001 Range (in code): ID Ij
- 21523. Delias (eichhorni-gr.) catisa wisseliana Roepke,1955** (Pieridae) Synonym(s): wisseliana Roepke,1955 Range (in code): ID Ij Wey
- 21524. Delias (eichhorni-gr.) eichhorni Rothschild & Jordan,1904** (Pieridae) Synonym(s): eichhorni Rothschild & Jordan,1904 Range (in code): PG Hag Ow Kwg
- 21525. Delias (eichhorni-gr.) eichhorni eichhorni Rothschild & Jordan,1904** (Pieridae) Synonym(s): eichhorni Rothschild & Jordan,1904 Range (in code): PG Ow
- 21526. Delias (eichhorni-gr.) eichhorni hagenensis Morinaka, Mastrigt & Sibatani,1993** (Pieridae) Synonym(s): hagenensis Morinaka, Mastrigt & Sibatani,1993 Range (in code): PG Hag
- 21527. Delias (eichhorni-gr.) eichhorni kerowagi Morinaka, Mastrigt & Sibatani,1993** (Pieridae) Synonym(s): kerowagi Morinaka, Mastrigt & Sibatani,1993 Range (in code): PG Kwg
- 21528. Delias (eichhorni-gr.) frater Jordan,1911** (Pieridae) Synonym(s): frater Jordan,1911 Range (in code): ID Ij Gth
- 21529. Delias (eichhorni-gr.) frater far Schröder & Treadaway,1982** (Pieridae) Synonym(s): far Schröder & Treadaway,1982 Range (in code): ID Ij
- 21530. Delias (eichhorni-gr.) frater frater Jordan,1911** (Pieridae) Synonym(s): frater Jordan,1911 Range (in code): ID Ij Gth
- 21531. Delias (eichhorni-gr.) frater soror Toxopeus,1944** (Pieridae) Synonym(s): soror Toxopeus,1944 Range (in code): ID Ij
- 21532. Delias (eichhorni-gr.) germana Roepke,1955** (Pieridae) Synonym(s): germana Roepke,1955 Range (in code): ID Ij
- 21533. Delias (eichhorni-gr.) germana germana Roepke,1955** (Pieridae) Synonym(s): germana Roepke,1955 Range (in code): ID Ij
- 21534. Delias (eichhorni-gr.) germana heliophora Roepke,1955** (Pieridae) Synonym(s): heliophora Roepke,1955 Range (in code): ID Ij

- 21535. *Delias (eichhorni-gr.) gilliardi* Sanford & Bennett,1955** (Pieridae) **Synonym(s):** *gilliardi* Sanford & Bennett,1955 **Range (in code): PG Kwg**
- 21536. *Delias (eichhorni-gr.) gilliardi gilliardi* Sanford & Bennett,1955** (Pieridae) **Synonym(s):** *gilliardi* Sanford & Bennett,1955 **Range (in code): PG Kwg**
- 21537. *Delias (eichhorni-gr.) hallstromi* Sanford & Bennett,1955** (Pieridae) **Synonym(s):** *hallstromi* Sanford & Bennett,1955 **Range (in code): PG**
- 21538. *Delias (eichhorni-gr.) hallstromi hallstromi* Sanford & Bennett,1955** (Pieridae) **Synonym(s):** *hallstromi* Sanford & Bennett,1955 **Range (in code): PG**
- 21539. *Delias (eichhorni-gr.) leucobalia* Jordan,1911** (Pieridae) **Synonym(s):** *leucobalia* Jordan,1911 **Range (in code): ID Ij Snw PG**
- 21540. *Delias (eichhorni-gr.) leucobalia distincta* Rothschild,1915** (Pieridae) **Synonym(s):** *distincta* Rothschild,1915 **Range (in code): ID Ij Snw**
- 21541. *Delias (eichhorni-gr.) leucobalia ericetorum* Roepke,1955** (Pieridae) **Synonym(s):** *ericetorum* Roepke,1955 **Range (in code): ID Ij**
- 21542. *Delias (eichhorni-gr.) leucobalia leucobalia* Jordan,1911** (Pieridae) **Synonym(s):** *leucobalia* Jordan,1911 **Range (in code): PG**
- 21543. *Delias (eichhorni-gr.) muellerensis* Morinaka & Nakazawa,1999** (Pieridae) **Synonym(s):** *muellerensis* Morinaka & Nakazawa,1999 **Range (in code): PG**
- 21544. *Delias (eichhorni-gr.) muellerensis muellerensis* Morinaka & Nakazawa,1999** (Pieridae) **Synonym(s):** *muellerensis* Morinaka & Nakazawa,1999 **Range (in code): PG**
- 21545. *Delias (eichhorni-gr.) muliensis* Morinaka, Mastrigt & Sibatani,1991** (Pieridae) **Synonym(s):** *muliensis* Morinaka, Mastrigt & Sibatani,1991 **Range (in code): ID Ij**
- 21546. *Delias (eichhorni-gr.) muliensis muliensis* Morinaka, Mastrigt & Sibatani,1991** (Pieridae) **Synonym(s):** *muliensis* Morinaka, Mastrigt & Sibatani,1991 **Range (in code): ID Ij**
- 21547. *Delias (eichhorni-gr.) toxopei* Roepke,1955** (Pieridae) **Synonym(s):** *toxopei* Roepke,1955 **Range (in code): ID Ij Wey**
- 21548. *Delias (eichhorni-gr.) toxopei morosa* Roepke,1955** (Pieridae) **Synonym(s):** *morosa* Roepke,1955 **Range (in code): ID Ij Wey**
- 21549. *Delias (eichhorni-gr.) toxopei nipsan* Mastrigt,1995** (Pieridae) **Synonym(s):** *nipsan* Mastrigt,1995 **Range (in code): ID Ij**
- 21550. *Delias (eichhorni-gr.) toxopei toxopei* Roepke,1955** (Pieridae) **Synonym(s):** *toxopei* Roepke,1955 **Range (in code): ID Ij**
- 21551. *Delias (eichhorni-gr.) toxopei uranoi* Yagishita,1993** (Pieridae) **Synonym(s):** *uranoi* Yagishita,1993 **Range (in code): ID Ij**
- 21552. *Delias (georgina-gr.) battana* Fruhstorfer,1896** (Pieridae) **Synonym(s):** *battana* Fruhstorfer,1896; *auricoma* Fruhstorfer,1911; *#defasciata* Niepelt,1920 **Range (in code): ID Clb**
- 21553. *Delias (georgina-gr.) battana ariae* Nakano,1993** (Pieridae) **Synonym(s):** *ariae* Nakano,1993 **Range (in code): ID Clb**
- 21554. *Delias (georgina-gr.) battana battana* Fruhstorfer,1896** (Pieridae) **Synonym(s):** *battana* Fruhstorfer,1896; *auricoma* Fruhstorfer,1911; *#defasciata* Niepelt,1920 **Range (in code): ID Clb**
- 21555. *Delias (georgina-gr.) cinerascens* Mitis,1893** (Pieridae) **Synonym(s):** *cinerascens* Mitis,1893 **Range (in code): MY Bor KBa**
- 21556. *Delias (georgina-gr.) cinerascens cinerascens* Mitis,1893** (Pieridae) **Synonym(s):** *cinerascens* Mitis,1893 **Range (in code): MY Bor KBa**
- 21557. *Delias (georgina-gr.) cinerascens naomii* Yagishita,1997** (Pieridae) **Synonym(s):** *naomii* Yagishita,1997 **Range (in code): MY Bor Swk**
- 21558. *Delias (georgina-gr.) cinerascens nishikawai* Yagishita,1993** (Pieridae) **Synonym(s):** *nishikawai* Yagishita,1993 **Range (in code): MY Bor**
- 21559. *Delias (georgina-gr.) cinerascens uedai* Nakano,1993** (Pieridae) **Synonym(s):** *uedai* Nakano,1993 **Range (in code): MY Bor**
- 21560. *Delias (georgina-gr.) ganymedes* Okumoto,1981** (Pieridae) **Synonym(s):** *ganymedes* Okumoto,1981 **Range (in code): PH Pan Neg Mdo Hlc**
- 21561. *Delias (georgina-gr.) ganymedes filarorum* Nihira & Kawamura,1987** (Pieridae) **Synonym(s):** *filarorum* Nihira & Kawamura,1987 **Range (in code): PH Pan**
- 21562. *Delias (georgina-gr.) ganymedes ganymedes* Okumoto,1981** (Pieridae) **Synonym(s):** *ganymedes* Okumoto,1981 **Range (in code): PH Neg**

- 21563. Delias (georgina-gr.) ganymedes halconensis Nakano & Yagashita,1993** (Pieridae) Synonym(s): *halconensis Nakano & Yagashita,1993* _ Range (in code): PH Mdo Hlc
- 21564. Delias (georgina-gr.) georgina C.Felder & R.Felder,1861** (Pieridae) Synonym(s): *georgina C.Felder & R.Felder,1861* _ Range (in code): PH Luz
- 21565. Delias (georgina-gr.) georgina georgina C.Felder & R.Felder,1861** (Pieridae) Synonym(s): *georgina C.Felder & R.Felder,1861* _ Range (in code): PH Luz
- 21566. Delias (georgina-gr.) magsadana** (Pieridae) Synonym(s):
- 21567. Delias (georgina-gr.) magsadana magsadana** (Pieridae) Synonym(s):
- 21568. Delias (georgina-gr.) nuydaorum Schröder,1975** (Pieridae) Synonym(s): *nuydaorum Schröder,1975* _ Range (in code): PH Mno Mno1 Mno2 Mno3
- 21569. Delias (georgina-gr.) nuydaorum almae Schröder & Treadaway,2005** (Pieridae) Synonym(s): *almae Schröder & Treadaway,2005* _ Range (in code): PH Mno Mno3
- 21570. Delias (georgina-gr.) nuydaorum nuydaorum Schröder,1975** (Pieridae) Synonym(s): *nuydaorum Schröder,1975* _ Range (in code): PH Mno Mno1
- 21571. Delias (georgina-gr.) nuydaorum tagai Yagishita & Morita,1996** (Pieridae) Synonym(s): *tagai Yagishita & Morita,1996* _ Range (in code): PH Mno Mno2
- 21572. Delias (georgina-gr.) orphne Wallace,1867** (Pieridae) Synonym(s): *orphne Wallace,1867* _ Range (in code): MY
- 21573. Delias (georgina-gr.) orphne keda Talbot,1937** (Pieridae) Synonym(s): *keda Talbot,1937* _ Range (in code): MY
- 21574. Delias (georgina-gr.) orphne orphne Wallace,1867** (Pieridae) Synonym(s): *orphne Wallace,1867* _ Range (in code): MY
- 21575. Delias (georgina-gr.) orphne tahanica Rothschild,1925** (Pieridae) Synonym(s): *tahanica Rothschild,1925* _ Range (in code): MY
- 21576. Delias (georgina-gr.) orphne zenobia Pendlebury,1937** (Pieridae) Synonym(s): *zenobia Pendlebury,1937* _ Range (in code): MY
- 21577. Delias (georgina-gr.) paoaiensis Nihira & Kawamura,1987** (Pieridae) Synonym(s): *paoaiensis Nihira & Kawamura,1987* _ Range (in code): PH Luz
- 21578. Delias (georgina-gr.) paoaiensis paoaiensis Nihira & Kawamura,1987** (Pieridae) Synonym(s): *paoaiensis Nihira & Kawamura,1987* _ Range (in code): PH Luz
- 21579. Delias (georgina-gr.) schoenigi Schröder,1977** (Pieridae) Synonym(s): *schoenigi Schröder,1977* _ Range (in code): PH Mno Apo
- 21580. Delias (georgina-gr.) schoenigi hermeli Samusawa & Kawamura,1988** (Pieridae) Synonym(s): *hermeli Samusawa & Kawamura,1988* _ Range (in code): PH Mno
- 21581. Delias (georgina-gr.) schoenigi malindangeana Nakano & Yagashita,1993** (Pieridae) Synonym(s): *malindangeana Nakano & Yagashita,1993* _ Range (in code): PH Mno
- 21582. Delias (georgina-gr.) schoenigi pasiana Yagashita,1993** (Pieridae) Synonym(s): *pasiana Yagashita,1993* _ Range (in code): PH Mno
- 21583. Delias (georgina-gr.) schoenigi samusawai Yagishita & Morita,1996** (Pieridae) Synonym(s): *samusawai Yagishita & Morita,1996* _ Range (in code): PH Mno
- 21584. Delias (georgina-gr.) schoenigi schoenigi Schröder,1977** (Pieridae) Synonym(s): *schoenigi Schröder,1977* _ Range (in code): PH Mno Apo
- 21585. Delias (georgina-gr.) shirozui Yata,1981** (Pieridae) Synonym(s): *shirozui Yata,1981* _ Range (in code): ID Clb
- 21586. Delias (georgina-gr.) shirozui shirozui Yata,1981** (Pieridae) Synonym(s): *shirozui Yata,1981* _ Range (in code): ID Clb
- 21587. Delias (georgina-gr.) simanabum Hagen,1894** (Pieridae) Synonym(s): *simanabum Hagen,1894* _ Range (in code): ID Sum
- 21588. Delias (georgina-gr.) simanabum simanabum Hagen,1894** (Pieridae) Synonym(s): *simanabum Hagen,1894* _ Range (in code): ID Sum
- 21589. Delias (georgina-gr.) vietnamensis Monastyrskii & Devyatkin,2000** (Pieridae) Synonym(s): *vietnamensis Monastyrskii & Devyatkin,2000* _ Range (in code): VN Ldo
- 21590. Delias (georgina-gr.) vietnamensis vietnamensis Monastyrskii & Devyatkin,2000** (Pieridae) Synonym(s): *vietnamensis Monastyrskii & Devyatkin,2000* _ Range (in code): VN Ldo
- 21591. Delias (geraldina-gr.) abrophora Roepke,1955** (Pieridae) Synonym(s): *abrophora Roepke,1955* _ Range (in code): ID Ij

- 21592. Delias (geraldina-gr.) abrophora abrophora Roepke,1955** (Pieridae) Synonym(s): *abrophora Roepke,1955* _ Range (in code): ID Ij
- 21593. Delias (geraldina-gr.) abrophora bugebu Mastrigt,1995** (Pieridae) Synonym(s): *bugebu Mastrigt,1995* _ Range (in code): ID Ij
- 21594. Delias (geraldina-gr.) abrophora okbibab Mastrigt,1995** (Pieridae) Synonym(s): *okbibab Mastrigt,1995* _ Range (in code): ID Ij
- 21595. Delias (geraldina-gr.) anjae Schröder,1977** (Pieridae) Synonym(s): *anjae Schröder,1977* _ Range (in code): ID Ij
- 21596. Delias (geraldina-gr.) anjae anjae Schröder,1977** (Pieridae) Synonym(s): *anjae Schröder,1977* _ Range (in code): ID Ij
- 21597. Delias (geraldina-gr.) argentata Roepke,1955** (Pieridae) Synonym(s): *argentata Roepke,1955; #sanguinea Roepke,1955; #destrigata Mastrigt,1995* _ Range (in code): ID Ij
- 21598. Delias (geraldina-gr.) argentata argentata Roepke,1955** (Pieridae) Synonym(s): *argentata Roepke,1955; #sanguinea Roepke,1955; #destrigata Mastrigt,1995* _ Range (in code): ID Ij
- 21599. Delias (geraldina-gr.) argentata clutus Yagishita,1993** (Pieridae) Synonym(s): *clutus Yagishita,1993* _ Range (in code): ID Ij
- 21600. Delias (geraldina-gr.) cyclosticha Roepke,1955** (Pieridae) Synonym(s): *cyclosticha Roepke,1955* _ Range (in code): ID Ij PG
- 21601. Delias (geraldina-gr.) cyclosticha cyclosticha Roepke,1955** (Pieridae) Synonym(s): *cyclosticha Roepke,1955* _ Range (in code): ID Ij PG
- 21602. Delias (geraldina-gr.) eudiabolus Rothschild,1915** (Pieridae) Synonym(s): *eudiabolus Rothschild,1915* _ Range (in code): PG
- 21603. Delias (geraldina-gr.) eudiabolus eudiabolus Rothschild,1915** (Pieridae) Synonym(s): *eudiabolus Rothschild,1915* _ Range (in code): PG
- 21604. Delias (geraldina-gr.) geraldina Grose-Smith,1894** (Pieridae) Synonym(s): *geraldina Grose-Smith,1894; weiskei Ribbe,1900 (homonym).* _ Range (in code): ID Ij Wey Fak Afk PG Ow
- 21605. Delias (geraldina-gr.) geraldina emilia Rothschild & Jordan,1904** (Pieridae) Synonym(s): *emilia Rothschild & Jordan,1904* _ Range (in code): ID Ij
- 21606. Delias (geraldina-gr.) geraldina geraldina Grose-Smith,1894** (Pieridae) Synonym(s): *geraldina Grose-Smith,1894; weiskei Ribbe,1900 (homonym).* _ Range (in code): PG Ow
- 21607. Delias (geraldina-gr.) geraldina masakoe Nakano,1998** (Pieridae) Synonym(s): *masakoe Nakano,1998* _ Range (in code): ID Ij
- 21608. Delias (geraldina-gr.) geraldina onin Yagishita,1993** (Pieridae) Synonym(s): *onin Yagishita,1993* _ Range (in code): ID Ij Fak
- 21609. Delias (geraldina-gr.) geraldina sidera Roepke,1955** (Pieridae) Synonym(s): *sidera Roepke,1955; #flavescens Roepke,1955* _ Range (in code): ID Ij
- 21610. Delias (geraldina-gr.) geraldina vaneechoudi Roepke,1955** (Pieridae) Synonym(s): *vaneechoudi Roepke,1955* _ Range (in code): ID Ij Wey
- 21611. Delias (geraldina-gr.) geraldina vogelcopensis Yagishita,1990** (Pieridae) Synonym(s): *vogelcopensis Yagishita,1990* _ Range (in code): ID Ij Afk
- 21612. Delias (geraldina-gr.) heroni Kenrick,1909** (Pieridae) Synonym(s): *heroni Kenrick,1909; #albooculatus Joicey & Noakes,1915* _ Range (in code): ID Ij Afk
- 21613. Delias (geraldina-gr.) heroni heroni Kenrick,1909** (Pieridae) Synonym(s): *heroni Kenrick,1909; #albooculatus Joicey & Noakes,1915* _ Range (in code): ID Ij Afk
- 21614. Delias (geraldina-gr.) hikarui Yagishita,1993** (Pieridae) Synonym(s): *hikarui Yagishita,1993* _ Range (in code): ID Ij
- 21615. Delias (geraldina-gr.) hikarui hikarui Yagishita,1993** (Pieridae) Synonym(s): *hikarui Yagishita,1993* _ Range (in code): ID Ij
- 21616. Delias (geraldina-gr.) hypomelas Rothschild & Jordan,1907** (Pieridae) Synonym(s): *hypomelas Rothschild & Jordan,1907* _ Range (in code): PG Kwg ID Ij Gth Wey
- 21617. Delias (geraldina-gr.) hypomelas conversa Jordan,1911** (Pieridae) Synonym(s): *conversa Jordan,1911* _ Range (in code): ID Ij Gth
- 21618. Delias (geraldina-gr.) hypomelas hypomelas Rothschild & Jordan,1907** (Pieridae) Synonym(s): *hypomelas Rothschild & Jordan,1907* _ Range (in code): PG Kwg
- 21619. Delias (geraldina-gr.) hypomelas lieftincki Roepke,1955** (Pieridae) Synonym(s): *lieftincki Roepke,1955* _ Range (in code): ID Ij

- 21620. Delias (geraldina-gr.) hypomelas rawlinsoni Talbot,1928** (Pieridae) Synonym(s): *rawlinsoni* Talbot,1928 _ Range (in code): PG
- 21621. Delias (geraldina-gr.) hypomelas rubrostriata Joicey & Talbot,1922** (Pieridae) Synonym(s): *rubrostriata* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21622. Delias (geraldina-gr.) itamputi Ribbe,1900** (Pieridae) Synonym(s): *itamputi* Ribbe,1900 _ Range (in code): PG
- 21623. Delias (geraldina-gr.) itamputi itamputi Ribbe,1900** (Pieridae) Synonym(s): *itamputi* Ribbe,1900 _ Range (in code): PG
- 21624. Delias (geraldina-gr.) langda Mastrigt,1992** (Pieridae) Synonym(s): *langda* Mastrigt,1992 _ Range (in code): ID Ij
- 21625. Delias (geraldina-gr.) langda langda Mastrigt,1992** (Pieridae) Synonym(s): *langda* Mastrigt,1992 _ Range (in code): ID Ij
- 21626. Delias (geraldina-gr.) lecerfi Joicey & Talbot,1922** (Pieridae) Synonym(s): *lecerfi* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21627. Delias (geraldina-gr.) lecerfi lecerfi Joicey & Talbot,1922** (Pieridae) Synonym(s): *lecerfi* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21628. Delias (geraldina-gr.) microsticha microsticha Rothschild & Jordan,1904** (Pieridae) Synonym(s): *microsticha* Rothschild & Jordan,1904; *albifascia* Talbot,1928 _ Range (in code): PG
- 21629. Delias (geraldina-gr.) microsticha Rothschild & Jordan,1904** (Pieridae) Synonym(s): *microsticha* Rothschild & Jordan,1904; *albifascia* Talbot,1928 _ Range (in code): PG ID Ij Wey Snw Afk
- 21630. Delias (geraldina-gr.) microsticha flavopicta Jordan,1911** (Pieridae) Synonym(s): *flavopicta* Jordan,1911 _ Range (in code): ID Ij Afk
- 21631. Delias (geraldina-gr.) microsticha serratula Toxopeus,1955** (Pieridae) Synonym(s): *serratula* Toxopeus,1955 _ Range (in code): ID Ij Wey Snw
- 21632. Delias (geraldina-gr.) nigropunctata Joicey & Noakes,1915** (Pieridae) Synonym(s): *nigropunctata* Joicey & Noakes,1915 _ Range (in code): ID Ij Afk
- 21633. Delias (geraldina-gr.) nigropunctata nigropunctata Joicey & Noakes,1915** (Pieridae) Synonym(s): *nigropunctata* Joicey & Noakes,1915 _ Range (in code): ID Ij Afk
- 21634. Delias (geraldina-gr.) rileyi Joicey & Talbot,1922** (Pieridae) Synonym(s): *rileyi* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21635. Delias (geraldina-gr.) rileyi extremus Tusov & Churkin,1998** (Pieridae) Synonym(s): *extremus* Tusov & Churkin,1998 _ Range (in code): ID Ij
- 21636. Delias (geraldina-gr.) rileyi nishizawai Mastrigt & Sibatani,1991** (Pieridae) Synonym(s): *nishizawai* Mastrigt & Sibatani,1991 _ Range (in code): ID Ij
- 21637. Delias (geraldina-gr.) rileyi rileyi Joicey & Talbot,1922** (Pieridae) Synonym(s): *rileyi* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21638. Delias (geraldina-gr.) rileyi yofona Schröder & Treadaway,1982** (Pieridae) Synonym(s): *yofona* Schröder & Treadaway,1982 _ Range (in code): ID Ij
- 21639. Delias (geraldina-gr.) sagessa Fruhstorfer,1910** (Pieridae) Synonym(s): *sagessa* Fruhstorfer,1910; *dives* Rothschild,1914 nec De Nicéville,1897. _ Range (in code): PG
- 21640. Delias (geraldina-gr.) sagessa sagessa Fruhstorfer,1910** (Pieridae) Synonym(s): *sagessa* Fruhstorfer,1910; *dives* Rothschild,1914 nec De Nicéville,1897. _ Range (in code): PG
- 21641. Delias (geraldina-gr.) sagessa straatmani Schröder,1977** (Pieridae) Synonym(s): *straatmani* Schröder,1977 _ Range (in code): PG
- 21642. Delias (geraldina-gr.) sinak Mastrigt,1990** (Pieridae) Synonym(s): *sinak* Mastrigt,1990 _ Range (in code): ID Ij
- 21643. Delias (geraldina-gr.) sinak sinak Mastrigt,1990** (Pieridae) Synonym(s): *sinak* Mastrigt,1990 _ Range (in code): ID Ij
- 21644. Delias (geraldina-gr.) sphenodiscus Roepke,1955** (Pieridae) Synonym(s): *sphenodiscus* Roepke,1955 _ Range (in code): ID Ij
- 21645. Delias (geraldina-gr.) sphenodiscus sphenodiscus Roepke,1955** (Pieridae) Synonym(s): *sphenodiscus* Roepke,1955 _ Range (in code): ID Ij
- 21646. Delias (geraldina-gr.) takashi** (Pieridae) Synonym(s):
- 21647. Delias (geraldina-gr.) takashi takashi** (Pieridae) Synonym(s):

- 21648. Delias (geraldina-gr.) thompsoni Joicey & Talbot, 1916** (Pieridae) **Synonym(s):** *thompsoni Joicey & Talbot, 1916* - Range (in code): ID Ij
- 21649. Delias (geraldina-gr.) thompsoni thompsoni Joicey & Talbot, 1916** (Pieridae) **Synonym(s):** *thompsoni Joicey & Talbot, 1916* - Range (in code): ID Ij
- 21650. Delias (hyparete-gr.) hyparete (Linnaeus, 1758)** (Pieridae) **Synonym(s):** *hyparete Linnaeus, 1758* - Range (in code): MY Bor Adm IN Ass Slo NP MM TH Cph Phu Nst Sgk Hya PSu Tng CMa Cuo Cuo1 Cuo7 Pap Mro Nth Non Nrt Nan Pht Pkk TAK Mhs Sbu Cbi Bnk LA VN CN Hn Yu ID Sum Btu Btg Nia Bgk Ja Bli Sip Sme Lb Kgn Baw PH Bal Dum Cal Pal Cag Sul Jol Boh Ceb Ley Luz Mar Mdo Neg Pan Pao Pol Sam Sib Din Mno Cu12 CDo CD2 Ths Ton Tda Bionomy: Larva on *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 21651. Delias (hyparete-gr.) hyparete aurago Snellen, 1890** (Pieridae) **Synonym(s):** *aurago Snellen, 1890* - Range (in code): ID Btg
- 21652. Delias (hyparete-gr.) hyparete despoliata Fruhstorfer, 1910** (Pieridae) **Synonym(s):** *despoliata Fruhstorfer, 1910* - Range (in code): ID Sum
- 21653. Delias (hyparete-gr.) hyparete diva Fruhstorfer, 1899** (Pieridae) **Synonym(s):** *diva Fruhstorfer, 1899* - Range (in code): MY Bor
- 21654. Delias (hyparete-gr.) hyparete domorana Fruhstorfer, 1911** (Pieridae) **Synonym(s):** *domorana Fruhstorfer, 1911* - Range (in code): PH Dum
- 21655. Delias (hyparete-gr.) hyparete ethire Doherty, 1886** (Pieridae) **Synonym(s):** *ethire Doherty, 1886* - Range (in code): IN
- 21656. Delias (hyparete-gr.) hyparete haemorrhea Snellen, 1865** (Pieridae) **Synonym(s):** *haemorrhea Snellen, 1865* - Range (in code): ID Bgk
- 21657. Delias (hyparete-gr.) hyparete hierta (Hübner, 1818)** (Pieridae) **Synonym(s):** *hierta Hübner, 1818* - Range (in code): CN
- 21658. Delias (hyparete-gr.) hyparete hyparete (Linnaeus, 1758)** (Pieridae) **Synonym(s):** *hyparete Linnaeus, 1758* - Range (in code): ID Ja Bli Lb Kgn Baw
- 21659. Delias (hyparete-gr.) hyparete hypopelia Hagen, 1898** (Pieridae) **Synonym(s):** *hypopelia Hagen, 1898* - Range (in code): ID Sip
- 21660. Delias (hyparete-gr.) hyparete indica Wallace, 1867** (Pieridae) **Synonym(s):** *indica Wallace, 1867* - Range (in code): IN Ass Slo NP MM TH CMa Cuo Cuo1 Cuo7 Cu12 CDo CD2 Pap Mro Nth Non Nrt Nan Pht Pkk TAK Mhs Sbu Cbi Bnk LA VN CN Hn Yu Bionomy: Larva on *Dendrophthoe pentandra* [ka fak ma muang], *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 21661. Delias (hyparete-gr.) hyparete isawae Nakano, 1987** (Pieridae) **Synonym(s):** *isawae Nakano, 1987* - Range (in code): ID
- 21662. Delias (hyparete-gr.) hyparete itohi Nakano, 1993** (Pieridae) **Synonym(s):** *itohi Nakano, 1993* - Range (in code): ID Sme
- 21663. Delias (hyparete-gr.) hyparete jakata Fruhstorfer, 1906** (Pieridae) **Synonym(s):** *jakata Fruhstorfer, 1906* - Range (in code): ID Btu
- 21664. Delias (hyparete-gr.) hyparete lucina Distant & Pryer, 1887** (Pieridae) **Synonym(s):** *lucina Distant & Pryer, 1887* - Range (in code): PH Cag Sul Jol
- 21665. Delias (hyparete-gr.) hyparete luzonensis C.Felder & R.Felder, 1862** (Pieridae) **Synonym(s):** *luzonensis C.Felder & R.Felder, 1862* - Range (in code): PH Boh Ceb Ley Luz Mar Mdo Neg Pan Pao Pol Sam Sib
- 21666. Delias (hyparete-gr.) hyparete melville Yagashita, 1993** (Pieridae) **Synonym(s):** *melville Yagashita, 1993* - Range (in code): PH Bal
- 21667. Delias (hyparete-gr.) hyparete metarete Butler, 1879** (Pieridae) **Synonym(s):** *metarete Butler, 1879* - Range (in code): TH Cph Phu Nst Ths Tng Sgk Hya PSu MY IN Adm
- 21668. Delias (hyparete-gr.) hyparete mindanaensis Mitis, 1893** (Pieridae) **Synonym(s):** *mindanaensis Mitis, 1893* - Range (in code): PH Din Mno
- 21669. Delias (hyparete-gr.) hyparete niasana Kheil, 1884** (Pieridae) **Synonym(s):** *niasana Kheil, 1884* - Range (in code): ID Nia
- 21670. Delias (hyparete-gr.) hyparete palawanica Staudinger, 1889** (Pieridae) **Synonym(s):** *palawanica Staudinger, 1889* Original Reference: *Delias hyparete* var. *palawanica* Staudinger, 1889, Dt. ent. Z., Iris 2: 24-25. Syntypes: [Philippinen]: Palawan. Range (in code): PH Cal Pal

- 21671. *Delias* (hyparete-gr.) timorensis (Boisduval,1836)** (Pieridae) Synonym(s): *timorensis* Boisduval,1836 _ Range (in code): ID Tim Wt Tnm Dm Bbr
- 21672. *Delias* (hyparete-gr.) timorensis ardesiaca Rothschild,1915** (Pieridae) Synonym(s): *ardesiaca* Rothschild,1915 _ Range (in code): ID Dm
- 21673. *Delias* (hyparete-gr.) timorensis babberica Talbot,1939** (Pieridae) Synonym(s): *babberica* Talbot,1939 _ Range (in code): ID Bbr
- 21674. *Delias* (hyparete-gr.) timorensis gardineri Fruhstorfer,1904** (Pieridae) Synonym(s): *gardineri* Fruhstorfer,1904 _ Range (in code): ID Tnm
- 21675. *Delias* (hyparete-gr.) timorensis moaensis Rothschild,1915** (Pieridae) Synonym(s): *moaensis* Rothschild,1915; *lettinensis* Röber,1927 _ Range (in code): ID
- 21676. *Delias* (hyparete-gr.) timorensis romaensis Rothschild,1915** (Pieridae) Synonym(s): *romaensis* Rothschild,1915 _ Range (in code): ID
- 21677. *Delias* (hyparete-gr.) timorensis timorensis (Boisduval,1836)** (Pieridae) Synonym(s): *timorensis* Boisduval,1836 _ Range (in code): ID Tim
- 21678. *Delias* (hyparete-gr.) timorensis vishnu Moore,1858** (Pieridae) Synonym(s): *vishnu* Moore,1858 _ Range (in code): ID Wt
- 21679. *Delias* (iltis-gr.) arabuana Roepke,1955** (Pieridae) Synonym(s): *arabuana* Roepke,1955; *asawaorum* Morita,1996 _ Range (in code): ID Ij
- 21680. *Delias* (iltis-gr.) arabuana arabuana Roepke,1955** (Pieridae) Synonym(s): *arabuana* Roepke,1955; *asawaorum* Morita,1996 _ Range (in code): ID Ij
- 21681. *Delias* (iltis-gr.) arabuana modioensis Mastrigt,1989** (Pieridae) Synonym(s): *modioensis* Mastrigt,1989 _ Range (in code): ID Ij
- 21682. *Delias* (iltis-gr.) awongkor Mastrigt,1989** (Pieridae) Synonym(s): *awongkor* Mastrigt,1989 _ Range (in code): ID Ij PG
- 21683. *Delias* (iltis-gr.) awongkor awongkor Mastrigt,1989** (Pieridae) Synonym(s): *awongkor* Mastrigt,1989 _ Range (in code): ID Ij
- 21684. *Delias* (iltis-gr.) awongkor hindenburgensis Lachlan,2000** (Pieridae) Synonym(s): *hindenburgensis* Lachlan,2000 _ Range (in code): PG
- 21685. *Delias* (iltis-gr.) bakeri Kenrick,1909** (Pieridae) Synonym(s): *bakeri* Kenrick,1909 _ Range (in code): ID Ij Afk
- 21686. *Delias* (iltis-gr.) bakeri bakeri Kenrick,1909** (Pieridae) Synonym(s): *bakeri* Kenrick,1909 _ Range (in code): ID Ij Afk
- 21687. *Delias* (iltis-gr.) callista Jordan,1911** (Pieridae) Synonym(s): *callista* Jordan,1911 _ Range (in code): ID Ij PG Gth
- 21688. *Delias* (iltis-gr.) callista callipareia Roepke,1955** (Pieridae) Synonym(s): *callipareia* Roepke,1955 _ Range (in code): ID Ij
- 21689. *Delias* (iltis-gr.) callista callipulchra Gerrits & Mastrigt,1992** (Pieridae) Synonym(s): *callipulchra* Gerrits & Mastrigt,1992 _ Range (in code): ID Ij
- 21690. *Delias* (iltis-gr.) callista callista Jordan,1911** (Pieridae) Synonym(s): *callista* Jordan,1911 _ Range (in code): PG Gth
- 21691. *Delias* (iltis-gr.) callista miyashitai Yagishita,1993** (Pieridae) Synonym(s): *miyashitai* Yagishita,1993 _ Range (in code): ID Ij
- 21692. *Delias* (iltis-gr.) callista porquiaensis Yagishita,1993** (Pieridae) Synonym(s): *porquiaensis* Yagishita,1993 _ Range (in code): PG
- 21693. *Delias* (iltis-gr.) flavistriga Roepke,1955** (Pieridae) Synonym(s): *flavistriga* Roepke,1955 _ Range (in code): ID Ij
- 21694. *Delias* (iltis-gr.) flavistriga flavistriga Roepke,1955** (Pieridae) Synonym(s): *flavistriga* Roepke,1955 _ Range (in code): ID Ij
- 21695. *Delias* (iltis-gr.) flavistriga ilagaensis Mastrigt,1989** (Pieridae) Synonym(s): *ilagaensis* Mastrigt,1989 _ Range (in code): ID Ij
- 21696. *Delias* (iltis-gr.) flavistriga shounan Yagishita,1993** (Pieridae) Synonym(s): *shounan* Yagishita,1993 _ Range (in code): ID Ij
- 21697. *Delias* (iltis-gr.) iltis Ribbe,1900** (Pieridae) Synonym(s): *iltis* Ribbe,1900 _ Range (in code): PG Ow ID Ij
- 21698. *Delias* (iltis-gr.) iltis iltis Ribbe,1900** (Pieridae) Synonym(s): *iltis* Ribbe,1900 _ Range (in code): PG Ow

- 21699. Delias (iltis-gr.) iltis leucotera Talbot,1937** (Pieridae) **Synonym(s):** *leucotera Talbot,1937; pseudoiltis Okano,1989* Range (in code): PG
- 21700. Delias (iltis-gr.) iltis sibil Mastrigt,1995** (Pieridae) **Synonym(s):** *sibil Mastrigt,1995; bullemensis Lachlan,2000* Range (in code): ID Ij PG
- 21701. Delias (iltis-gr.) luctuosa Jordan,1911** (Pieridae) **Synonym(s):** *luctuosa Jordan,1911* Range (in code): PG Sep ID Ij Wey Snw
- 21702. Delias (iltis-gr.) luctuosa archboldi Roepke,1955** (Pieridae) **Synonym(s):** *archboldi Roepke,1955; butyracea Roepke,1955* Range (in code): ID Ij
- 21703. Delias (iltis-gr.) luctuosa gottsi Gerrits & Mastrigt,1992** (Pieridae) **Synonym(s):** *gottsi Gerrits & Mastrigt,1992* Range (in code): ID Ij Snw
- 21704. Delias (iltis-gr.) luctuosa kuning Mastrigt,1990** (Pieridae) **Synonym(s):** *kuning Mastrigt,1990* Range (in code): ID Ij
- 21705. Delias (iltis-gr.) luctuosa luctuosa Jordan,1911** (Pieridae) **Synonym(s):** *luctuosa Jordan,1911* Range (in code): PG
- 21706. Delias (iltis-gr.) luctuosa magoda Gerrits & Yagishita,2000** (Pieridae) **Synonym(s):** *magoda Gerrits & Yagishita,2000* Range (in code): ID Ij Wey
- 21707. Delias (iltis-gr.) luctuosa mizukamii Okano,1989** (Pieridae) **Synonym(s):** *mizukamii Okano,1989* Range (in code): PG
- 21708. Delias (iltis-gr.) luctuosa versicolor Lachlan,2000** (Pieridae) **Synonym(s):** *versicolor Lachlan,2000* Range (in code): PG Sep
- 21709. Delias (iltis-gr.) luteola Roepke,1955** (Pieridae) **Synonym(s):** *luteola Roepke,1955* Range (in code): ID Ij
- 21710. Delias (iltis-gr.) luteola luteola Roepke,1955** (Pieridae) **Synonym(s):** *luteola Roepke,1955* Range (in code): ID Ij
- 21711. Delias (iltis-gr.) mesoblema Jordan,1912** (Pieridae) **Synonym(s):** *mesoblema Jordan,1912* Range (in code): ID Ij Gth
- 21712. Delias (iltis-gr.) mesoblema mesoblema Jordan,1912** (Pieridae) **Synonym(s):** *mesoblema Jordan,1912* Range (in code): ID Ij Gth
- 21713. Delias (iltis-gr.) raymondi Schröder & Treadaway,1982** (Pieridae) **Synonym(s):** *raymondi Schröder & Treadaway,1982* Range (in code): ID Ij Wey
- 21714. Delias (iltis-gr.) raymondi ogawai Morita,1996** (Pieridae) **Synonym(s):** *ogawai Morita,1996* Range (in code): ID Ij
- 21715. Delias (iltis-gr.) raymondi raymondi Schröder & Treadaway,1982** (Pieridae) **Synonym(s):** *raymondi Schröder & Treadaway,1982* Range (in code): ID Ij Wey
- 21716. Delias (iltis-gr.) raymondi shirahatai Morita,1996** (Pieridae) **Synonym(s):** *shirahatai Morita,1996* Range (in code): ID Ij Wey
- 21717. Delias (isse-gr.) alberti Rothschild,1904** (Pieridae) **Synonym(s):** *alberti Rothschild,1904* Range (in code): SB Chs Bgv Isa PG
- 21718. Delias (isse-gr.) alberti alberti Rothschild,1904** (Pieridae) **Synonym(s):** *alberti Rothschild,1904* Range (in code): SB Chs
- 21719. Delias (isse-gr.) alberti guava Arora,1983** (Pieridae) **Synonym(s):** *guava Arora,1983* Range (in code): PG Bgv
- 21720. Delias (isse-gr.) alberti tetamba Arora,1983** (Pieridae) **Synonym(s):** *tetamba Arora,1983* Range (in code): SB Isa
- 21721. Delias (isse-gr.) bosnikiana Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *bosnikiana Joicey & Noakes,1915* Range (in code): ID Bia
- 21722. Delias (isse-gr.) bosnikiana bosnikiana Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *bosnikiana Joicey & Noakes,1915* Range (in code): ID Bia
- 21723. Delias (isse-gr.) candida Vollenhoven,1865** (Pieridae) **Synonym(s):** *candida Vollenhoven,1865; teuthrania Fruhstorfer,1913* Range (in code): ID Bch Ob Hm Mti
- 21724. Delias (isse-gr.) candida candida Vollenhoven,1865** (Pieridae) **Synonym(s):** *candida Vollenhoven,1865; teuthrania Fruhstorfer,1913* Range (in code): ID Bch Ob
- 21725. Delias (isse-gr.) candida herodias Vollenhoven,1865** (Pieridae) **Synonym(s):** *herodias Vollenhoven,1865* Range (in code): ID Hm
- 21726. Delias (isse-gr.) candida morotaiensis Morita,1993** (Pieridae) **Synonym(s):** *morotaiensis Morita,1993* Range (in code): ID Mti

- 21727. Delias (isse-gr.) ennia Wallace,1867** (Pieridae) **Synonym(s):** *ennia* Wallace,1867; *#angustana* Strand,1914. Range (in code): PG Goo Jp AU QAU KY ID Mi Bia Wg Ij Afk Snw
- 21728. Delias (isse-gr.) ennia ennia Wallace,1867** (Pieridae) **Synonym(s):** *ennia* Wallace,1867; *#angustana* Strand,1914. Range (in code): ID Wg Ij Afk
- 21729. Delias (isse-gr.) ennia iere Grose-Smith,1900** (Pieridae) **Synonym(s):** *iere* Grose-Smith,1900 Range (in code): ID Ij
- 21730. Delias (isse-gr.) ennia jobiana Oberthür,1884** (Pieridae) **Synonym(s):** *jobiana* Oberthür,1884 Range (in code): ID Jp
- 21731. Delias (isse-gr.) ennia limbata Rothschild,1915** (Pieridae) **Synonym(s):** *limbata* Rothschild,1915
- 21732. Delias (isse-gr.) ennia multicolor Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *multicolor* Joicey & Noakes,1915 Range (in code): ID Bia
- 21733. Delias (isse-gr.) ennia mysolensis Rothschild,1915** (Pieridae) **Synonym(s):** *mysolensis* Rothschild,1915 Range (in code): ID Mi
- 21734. Delias (isse-gr.) ennia nigidius Miskin,1884** (Pieridae) **Synonym(s):** *nigidius* Miskin,1884 Range (in code): AU QAU
- 21735. Delias (isse-gr.) ennia oetakwensis Rothschild,1915** (Pieridae) **Synonym(s):** *oetakwensis* Rothschild,1915 Range (in code): ID Ij Snw
- 21736. Delias (isse-gr.) ennia saturata Rothschild,1915** (Pieridae) **Synonym(s):** *saturata* Rothschild,1915 Range (in code): PG Goo
- 21737. Delias (isse-gr.) ennia tindalii Joicey & Talbot,1927** (Pieridae) **Synonym(s):** *dorothea* Tindale,1923 (homonym); *tindalii* Joicey & Talbot,1927 Range (in code): AU QAU KY
- 21738. Delias (isse-gr.) ennia xelianthe Grose-Smith,1900** (Pieridae) **Synonym(s):** *xelianthe* Grose-Smith,1900 Range (in code): PG
- 21739. Delias (isse-gr.) isse (Cramer,1775)** (Pieridae) **Synonym(s):** *isse* Cramer,1775; *bicolor* Gmelin,1790 Range (in code): ID Bru Amb Crm
- 21740. Delias (isse-gr.) isse echo Wallace,1867** (Pieridae) **Synonym(s):** *echo* Wallace,1867 Range (in code): ID Bru
- 21741. Delias (isse-gr.) isse isse (Cramer,1775)** (Pieridae) **Synonym(s):** *isse* Cramer,1775; *bicolor* Gmelin,1790 Range (in code): ID Amb Crm
- 21742. Delias (isse-gr.) lytaea Godman & Salvin,1878** (Pieridae) **Synonym(s):** *lytaea* Godman & Salvin,1878 Range (in code): PG NBr Nlr Bsm SB NGe
- 21743. Delias (isse-gr.) lytaea lytaea Godman & Salvin,1878** (Pieridae) **Synonym(s):** *lytaea* Godman & Salvin,1878 Range (in code): PG NBr Nlr Bsm
- 21744. Delias (isse-gr.) lytaea smithi Talbot,1928** (Pieridae) **Synonym(s):** *georgiana* Grose-Smith,1895 (homonym); *smithi* Talbot,1928. Range (in code): SB NGe
- 21745. Delias (isse-gr.) parennia Roepke,1955** (Pieridae) **Synonym(s):** *parennia* Roepke,1955 Range (in code): ID Ij Snw
- 21746. Delias (isse-gr.) parennia parennia Roepke,1955** (Pieridae) **Synonym(s):** *parennia* Roepke,1955 Range (in code): ID Ij Snw
- 21747. Delias (isse-gr.) sacha Grose-Smith,1895** (Pieridae) **Synonym(s):** *sacha* Grose-Smith,1895 Range (in code): ID Hm Ob
- 21748. Delias (isse-gr.) sacha gilolensis Rothschild,1925** (Pieridae) **Synonym(s):** *gilolensis* Rothschild,1925 Range (in code): ID Hm
- 21749. Delias (isse-gr.) sacha sacha Grose-Smith,1895** (Pieridae) **Synonym(s):** *sacha* Grose-Smith,1895 Range (in code): ID Ob
- 21750. Delias (kummeri-gr.) akrikensis** (Pieridae) **Synonym(s):**
- 21751. Delias (kummeri-gr.) akrikensis akrikensis** (Pieridae) **Synonym(s):**
- 21752. Delias (kummeri-gr.) alepa Jordan,1911** (Pieridae) **Synonym(s):** *alepa* Jordan,1911 Range (in code): ID Ij
- 21753. Delias (kummeri-gr.) alepa alepa Jordan,1911** (Pieridae) **Synonym(s):** *alepa* Jordan,1911 Range (in code): ID Ij
- 21754. Delias (kummeri-gr.) alepa kunupiensis Joicey & Talbot,1922** (Pieridae) **Synonym(s):** *kunupiensis* Joicey & Talbot,1922 Range (in code): ID Ij
- 21755. Delias (kummeri-gr.) alepa orthobasis Roepke,1955** (Pieridae) **Synonym(s):** *orthobasis* Roepke,1955 Range (in code): ID Ij

- 21756. Delias (kummeri-gr.) bothwelli Kenrick,1909** (Pieridae) Synonym(s): *bothwelli Kenrick,1909* _ Range (in code): ID Ij Afk
- 21757. Delias (kummeri-gr.) bothwelli bothwelli Kenrick,1909** (Pieridae) Synonym(s): *bothwelli Kenrick,1909* _ Range (in code): ID Ij Afk
- 21758. Delias (kummeri-gr.) dixeyi Kenrick,1909** (Pieridae) Synonym(s): *dixeyi Kenrick,1909* _ Range (in code): ID Ij Afk
- 21759. Delias (kummeri-gr.) dixeyi dixeyi Kenrick,1909** (Pieridae) Synonym(s): *dixeyi Kenrick,1909* _ Range (in code): ID Ij Afk
- 21760. Delias (kummeri-gr.) isocharis Rothschild & Jordan,1907** (Pieridae) Synonym(s): *isocharis Rothschild & Jordan,1907* _ Range (in code): PG ID Ij Wey
- 21761. Delias (kummeri-gr.) isocharis isocharis Rothschild & Jordan,1907** (Pieridae) Synonym(s): *isocharis Rothschild & Jordan,1907* _ Range (in code): PG
- 21762. Delias (kummeri-gr.) isocharis latipicalis Joicey & Talbot,1922** (Pieridae) Synonym(s): *latipicalis Joicey & Talbot,1922* _ Range (in code): ID Ij Wey
- 21763. Delias (kummeri-gr.) kummeri Ribbe,1900** (Pieridae) Synonym(s): *kummeri Ribbe,1900* _ Range (in code): PG ID Ij Afk Wey Fak
- 21764. Delias (kummeri-gr.) kummeri athena Yagishita,2003** (Pieridae) Synonym(s): *athena Yagishita,2003* _ Range (in code): ID Ij Fak
- 21765. Delias (kummeri-gr.) kummeri chiekoae Nakano,1995** (Pieridae) Synonym(s): *chiekoae Nakano,1995* _ Range (in code): ID Ij Wey
- 21766. Delias (kummeri-gr.) kummeri fumosa Roepke,1955** (Pieridae) Synonym(s): *fumosa Roepke,1955* _ Range (in code): ID Ij
- 21767. Delias (kummeri-gr.) kummeri highlandensis Yagishita,1993** (Pieridae) Synonym(s): *highlandensis Yagishita,1993* _ Range (in code): PG
- 21768. Delias (kummeri-gr.) kummeri kummeri Ribbe,1900** (Pieridae) Synonym(s): *kummeri Ribbe,1900* _ Range (in code): PG
- 21769. Delias (kummeri-gr.) kummeri rouffaer Yagishita,1993** (Pieridae) Synonym(s): *rouffaer Yagishita,1993* _ Range (in code): ID Ij
- 21770. Delias (kummeri-gr.) kummeri similis Talbot,1928** (Pieridae) Synonym(s): *similis Talbot,1928* _ Range (in code): ID Ij Afk
- 21771. Delias (kummeri-gr.) ligata Jordan,1904** (Pieridae) Synonym(s): *ligata Jordan,1904* _ Range (in code): PG ID Ij Wey Afk
- 21772. Delias (kummeri-gr.) ligata dealbata Talbot,1928** (Pieridae) Synonym(s): *dealbata Talbot,1928* _ Range (in code): ID Ij Afk
- 21773. Delias (kummeri-gr.) ligata interpolata Roepke,1955** (Pieridae) Synonym(s): *interpolata Roepke,1955* _ Range (in code): ID Ij
- 21774. Delias (kummeri-gr.) ligata ligata Jordan,1904** (Pieridae) Synonym(s): *ligata Jordan,1904* _ Range (in code): PG
- 21775. Delias (kummeri-gr.) ligata weylansensis Joicey & Talbot,1922** (Pieridae) Synonym(s): *weylansensis Joicey & Talbot,1922* _ Range (in code): ID Ij Wey
- 21776. Delias (kummeri-gr.) strix Yagishita,1993** (Pieridae) Synonym(s): *strix Yagishita,1993* _ Range (in code): ID Ij Wey
- 21777. Delias (kummeri-gr.) strix enarotali** (Pieridae) Synonym(s): *enarotali ; paniaia Roepke,1955* _ Range (in code): ID Ij
- 21778. Delias (kummeri-gr.) strix strix Yagishita,1993** (Pieridae) Synonym(s): *strix Yagishita,1993* _ Range (in code): ID Ij Wey
- 21779. Delias (niepelti-gr.) anamesa Bennett,1956** (Pieridae) Synonym(s): *anamesa Bennett,1956* _ Range (in code): PG
- 21780. Delias (niepelti-gr.) anamesa anamesa Bennett,1956** (Pieridae) Synonym(s): *anamesa Bennett,1956* _ Range (in code): PG
- 21781. Delias (niepelti-gr.) meeki Rothschild & Jordan,1904** (Pieridae) Synonym(s): *meeki Rothschild & Jordan,1904* _ Range (in code): PG Ow ID Ij Gth Afk Wey
- 21782. Delias (niepelti-gr.) meeki albimarginata Talbot,1929** (Pieridae) Synonym(s): *albimarginata Talbot,1929* _ Range (in code): ID Ij Wey
- 21783. Delias (niepelti-gr.) meeki arfakensis Joicey & Talbot,1922** (Pieridae) Synonym(s): *arfakensis Joicey & Talbot,1922* _ Range (in code): ID Ij Afk

- 21784. Delias (niepelti-gr.) meeki hypochrysis Roepke,1955** (Pieridae) Synonym(s): *hypochrysis Roepke,1955* _ [Range \(in code\): ID Ij](#)
- 21785. Delias (niepelti-gr.) meeki hypoxantha Roepke,1955** (Pieridae) Synonym(s): *hypoxantha Roepke,1955* _ [Range \(in code\): ID Ij](#)
- 21786. Delias (niepelti-gr.) meeki meeki Rothschild & Jordan,1904** (Pieridae) Synonym(s): *meeki Rothschild & Jordan,1904* _ [Range \(in code\): PG Ow](#)
- 21787. Delias (niepelti-gr.) meeki neagra Jordan,1911** (Pieridae) Synonym(s): *neagra Jordan,1911* _ [Range \(in code\): ID Ij Gth](#)
- 21788. Delias (niepelti-gr.) meeki septentrionalis Rothschild,1924** (Pieridae) Synonym(s): *septentrionalis Rothschild,1924* _ [Range \(in code\): PG](#)
- 21789. Delias (niepelti-gr.) niepelti Ribbe,1900** (Pieridae) Synonym(s): *niepelti Ribbe,1900* _ [Range \(in code\): PG ID Ij](#)
- 21790. Delias (niepelti-gr.) niepelti henki Yagishita,1997** (Pieridae) Synonym(s): *henki Yagishita,1997* _ [Range \(in code\): ID Ij](#)
- 21791. Delias (niepelti-gr.) niepelti niepelti Ribbe,1900** (Pieridae) Synonym(s): *niepelti Ribbe,1900* _ [Range \(in code\): PG](#)
- 21792. Delias (nigrina-gr.) buruana Rothschild,1899** (Pieridae) Synonym(s): *buruana Rothschild,1899* _ [Range \(in code\): ID Bru](#)
- 21793. Delias (nigrina-gr.) buruana buruana Rothschild,1899** (Pieridae) Synonym(s): *buruana Rothschild,1899* _ [Range \(in code\): ID Bru](#)
- 21794. Delias (nigrina-gr.) dohertyi Oberthür,1894** (Pieridae) Synonym(s): *dohertyi Oberthür,1894* _ [Range \(in code\): ID Jp Bia](#)
- 21795. Delias (nigrina-gr.) dohertyi dohertyi Oberthür,1894** (Pieridae) Synonym(s): *dohertyi Oberthür,1894* _ [Range \(in code\): ID Jp](#)
- 21796. Delias (nigrina-gr.) dohertyi knowlei Joicey & Noakes,1915** (Pieridae) Synonym(s): *knowlei Joicey & Noakes,1915* _ [Range \(in code\): ID Bia](#)
- 21797. Delias (nigrina-gr.) duris Hewitson,1861** (Pieridae) Synonym(s): *duris Hewitson,1861* _ [Range \(in code\): ID Crm](#)
- 21798. Delias (nigrina-gr.) duris duris Hewitson,1861** (Pieridae) Synonym(s): *duris Hewitson,1861* _ [Range \(in code\): ID Crm](#)
- 21799. Delias (nigrina-gr.) eximia Rothschild,1925** (Pieridae) Synonym(s): *eximia Rothschild,1925* _ [Range \(in code\): PG Nlr](#)
- 21800. Delias (nigrina-gr.) eximia eximia Rothschild,1925** (Pieridae) Synonym(s): *eximia Rothschild,1925* _ [Range \(in code\): PG Nlr](#)
- 21801. Delias (nigrina-gr.) funerea Rothschild,1894** (Pieridae) Synonym(s): *funerea Rothschild,1894* _ [Range \(in code\): ID Hm Bch](#)
- 21802. Delias (nigrina-gr.) funerea funerea Rothschild,1894** (Pieridae) Synonym(s): *funerea Rothschild,1894* _ [Range \(in code\): ID Hm](#)
- 21803. Delias (nigrina-gr.) funerea okko Nakano,1986** (Pieridae) Synonym(s): *okko Nakano,1986* _ [Range \(in code\): ID Bch](#)
- 21804. Delias (nigrina-gr.) joiceyi Talbot,1920** (Pieridae) Synonym(s): *joyceyi Talbot,1920* _ [Range \(in code\): ID Bru Brm Amb](#)
- 21805. Delias (nigrina-gr.) joiceyi joiceyi Talbot,1920** (Pieridae) Synonym(s): *joyceyi Talbot,1920* _ [Range \(in code\): ID Bru Brm Amb](#)
- 21806. Delias (nigrina-gr.) messalina Arora,1983** (Pieridae) Synonym(s): *messalina Arora,1983* _ [Range \(in code\): PG Bgv SB Isa NBr Nlr](#)
- 21807. Delias (nigrina-gr.) messalina lizae C.Müller,1999** (Pieridae) Synonym(s): *lizae C.Müller,1999* _ [Range \(in code\): PG Nlr](#)
- 21808. Delias (nigrina-gr.) messalina messalina Arora,1983** (Pieridae) Synonym(s): *messalina Arora,1983* _ [Range \(in code\): PG Bgv](#)
- 21809. Delias (nigrina-gr.) messalina orientalis Arora,1983** (Pieridae) Synonym(s): *orientalis Arora,1983* _ [Range \(in code\): SB Isa](#)
- 21810. Delias (nigrina-gr.) messalina vigasa Parsons,1989** (Pieridae) Synonym(s): *vigasa Parsons,1989; naokomoritae Morita,1995* _ [Range \(in code\): PG NBr](#)
- 21811. Delias (nigrina-gr.) nigrina (Fabricius,1775)** (Pieridae) Synonym(s): *nigrina Fabricius,1775* _ [Range \(in code\): AU NSw QAU KY](#)

- 21812. *Delias (nigrina-gr.) nigrina nigrina* (Fabricius,1775) (Pieridae) Synonym(s):** *nigrina Fabricius,1775* _ Range (in code): AU NSW QAU KY
- 21813. *Delias (nigrina-gr.) ornytion Godman & Salvin,1881* (Pieridae) Synonym(s):** *ornytion Godman & Salvin,1881; katharina Ribbe,1900* _ Range (in code): ID Ij Wg Mi Wey PG SB Rs
- 21814. *Delias (nigrina-gr.) ornytion ornytion Godman & Salvin,1881* (Pieridae) Synonym(s):** *ornytion Godman & Salvin,1881; katharina Ribbe,1900* _ Range (in code): PG
- 21815. *Delias (nigrina-gr.) ornytion persephone Staudinger,1894* (Pieridae) Synonym(s):** *persephone Staudinger,1894* _ Range (in code): ID Ij Wg Mi Wey
- 21816. *Delias (nigrina-gr.) ornytion rosselana Joicey & Talbot,1916* (Pieridae) Synonym(s):** *rosselana Joicey & Talbot,1916* _ Range (in code): SB Rs
- 21817. *Delias (nigrina-gr.) prouti Joicey & Talbot,1923* (Pieridae) Synonym(s):** *prouti Joicey & Talbot,1923* _ Range (in code): ID Bru
- 21818. *Delias (nigrina-gr.) prouti prouti Joicey & Talbot,1923* (Pieridae) Synonym(s):** *prouti Joicey & Talbot,1923* _ Range (in code): ID Bru
- 21819. *Delias (nigrina-gr.) shunichii Morita,1996* (Pieridae) Synonym(s):** *shunichii Morita,1996* _ Range (in code): PG NBr
- 21820. *Delias (nigrina-gr.) shunichii shunichii Morita,1996* (Pieridae) Synonym(s):** *shunichii Morita,1996* _ Range (in code): PG NBr
- 21821. *Delias (nigrina-gr.) wollastoni Rothschild,1916* (Pieridae) Synonym(s):** *wollastoni Rothschild,1916* _ Range (in code): ID Ij Snw
- 21822. *Delias (nigrina-gr.) wollastoni abmisibilensis Mastrigt,1990* (Pieridae) Synonym(s):** *abmisibilensis Mastrigt,1990* _ Range (in code): ID Ij
- 21823. *Delias (nigrina-gr.) wollastoni bryophila Roepke,1955* (Pieridae) Synonym(s):** *bryophila Roepke,1955* _ Range (in code): ID Ij
- 21824. *Delias (nigrina-gr.) wollastoni wollastoni Rothschild,1916* (Pieridae) Synonym(s):** *wollastoni Rothschild,1916* _ Range (in code): ID Ij Snw
- 21825. *Delias (nysa-gr.) akikoe Morita,2001* (Pieridae) Synonym(s):** *akikoe Morita,2001* _ Range (in code): ID Aru
- 21826. *Delias (nysa-gr.) akikoe akikoe Morita,2001* (Pieridae) Synonym(s):** *akikoe Morita,2001* _ Range (in code): ID Aru
- 21827. *Delias (nysa-gr.) dice Snellen,1863* (Pieridae) Synonym(s):** *dice Snellen,1863* _ Range (in code): ID Ij Snw Wg PG SB Rs
- 21828. *Delias (nysa-gr.) dice dice Snellen,1863* (Pieridae) Synonym(s):** *dice Snellen,1863* _ Range (in code): ID Ij
- 21829. *Delias (nysa-gr.) dice fulvoflava Rothschild,1915* (Pieridae) Synonym(s):** *fulvoflava Rothschild,1915* _ Range (in code): ID Ij Snw
- 21830. *Delias (nysa-gr.) dice latimarginata Joicey & Talbot,1925* (Pieridae) Synonym(s):** *latimarginata Joicey & Talbot,1925* _ Range (in code): ID Ij Wey
- 21831. *Delias (nysa-gr.) dice mitisana Strand,1916* (Pieridae) Synonym(s):** *dorothea Mitis,1893 (homonym); mitisana Strand,1916; #leucana Strand,1916; #pictula Strand,1916; latoclavata Van Eecke,1924.* _ Range (in code): ID Ij Wg
- 21832. *Delias (nysa-gr.) dice rectifascia Talbot,1928* (Pieridae) Synonym(s):** *rectifascia Talbot,1928* _ Range (in code): SB Rs
- 21833. *Delias (nysa-gr.) dice samarai Joicey & Talbot,1925* (Pieridae) Synonym(s):** *samarai Joicey & Talbot,1925* _ Range (in code): PG
- 21834. *Delias (nysa-gr.) enniana Oberthür,1880* (Pieridae) Synonym(s):** *enniana Oberthür,1880; kapaura Joicey & Talbot,1916.* _ Range (in code): ID Ij Mi Num Slw Wg PG
- 21835. *Delias (nysa-gr.) enniana contracta Talbot,1929* (Pieridae) Synonym(s):** *contracta Talbot,1929* _ Range (in code): ID Wg
- 21836. *Delias (nysa-gr.) enniana eceicei Joicey & Talbot,1916* (Pieridae) Synonym(s):** *eceicei Joicey & Talbot,1916* _ Range (in code): PG
- 21837. *Delias (nysa-gr.) enniana enniana Oberthür,1880* (Pieridae) Synonym(s):** *enniana Oberthür,1880; kapaura Joicey & Talbot,1916.* _ Range (in code): ID Ij
- 21838. *Delias (nysa-gr.) enniana hidehitoi* (Pieridae) Synonym(s):** *hidehitoi* _ Range (in code): ID Slw
- 21839. *Delias (nysa-gr.) enniana majoripucta Joicey & Talbot,1922* (Pieridae) Synonym(s):** *majoripucta Joicey & Talbot,1922* _ Range (in code): ID Num

- 21840. *Delias* (nysa-gr.) *enniana obsoleta* Rothschild,1915** (Pieridae) Synonym(s): *obsoleta* Rothschild,1915 _ [Range \(in code\): ID Mi](#)
- 21841. *Delias* (nysa-gr.) *enniana reducta* Rothschild,1915** (Pieridae) Synonym(s): *reducta* Rothschild,1915 _ [Range \(in code\): PG ID Ij](#)
- 21842. *Delias* (nysa-gr.) *eschatia* Joicey & Talbot,1923** (Pieridae) Synonym(s): *eschatia* Joicey & Talbot,1923 _ [Range \(in code\): ID Bru](#)
- 21843. *Delias* (nysa-gr.) *eschatia eschatia* Joicey & Talbot,1923** (Pieridae) Synonym(s): *eschatia* Joicey & Talbot,1923 _ [Range \(in code\): ID Bru](#)
- 21844. *Delias* (nysa-gr.) *fruhstorferi* Honrath,1891** (Pieridae) Synonym(s): *fruhstorferi* Honrath,1891 _ [Range \(in code\): ID Ja](#)
- 21845. *Delias* (nysa-gr.) *fruhstorferi fruhstorferi* Honrath,1891** (Pieridae) Synonym(s): *fruhstorferi* Honrath,1891 _ [Range \(in code\): ID Ja](#)
- 21846. *Delias* (nysa-gr.) *fruhstorferi takakoae* Sakuma & Morita,1995** (Pieridae) Synonym(s): *takakoae* Sakuma & Morita,1995 _ [Range \(in code\): ID Ja](#)
- 21847. *Delias* (nysa-gr.) *hempeli* Dannatt,1904** (Pieridae) Synonym(s): *hempeli* Dannatt,1904 _ [Range \(in code\): ID Hm Bch](#)
- 21848. *Delias* (nysa-gr.) *hempeli hempeli* Dannatt,1904** (Pieridae) Synonym(s): *hempeli* Dannatt,1904 _ [Range \(in code\): ID Hm](#)
- 21849. *Delias* (nysa-gr.) *hempeli miekoae* Morita,1995** (Pieridae) Synonym(s): *miekoae* Morita,1995 _ [Range \(in code\): ID Bch](#)
- 21850. *Delias* (nysa-gr.) *lemoulti* Talbot,1931** (Pieridae) Synonym(s): *lemoulti* Talbot,1931 _ [Range \(in code\): ID Tim](#)
- 21851. *Delias* (nysa-gr.) *lemoulti lemoulti* Talbot,1931** (Pieridae) Synonym(s): *lemoulti* Talbot,1931 _ [Range \(in code\): ID Tim](#)
- 21852. *Delias* (nysa-gr.) *manuselensis* Talbot,1920** (Pieridae) Synonym(s): *manuselensis* Talbot,1920 _ [Range \(in code\): ID Crm Amb](#)
- 21853. *Delias* (nysa-gr.) *manuselensis brooksi* Joicey & Talbot,1925** (Pieridae) Synonym(s): *brooksi* Joicey & Talbot,1925 _ [Range \(in code\): ID Amb](#)
- 21854. *Delias* (nysa-gr.) *manuselensis manuselensis* Talbot,1920** (Pieridae) Synonym(s): *manuselensis* Talbot,1920 _ [Range \(in code\): ID Crm](#)
- 21855. *Delias* (nysa-gr.) *maudei* Joicey & Talbot,1915** (Pieridae) Synonym(s): *maudei* Joicey & Talbot,1915 _ [Range \(in code\): ID Bia](#)
- 21856. *Delias* (nysa-gr.) *maudei maudei* Joicey & Talbot,1915** (Pieridae) Synonym(s): *maudei* Joicey & Talbot,1915 _ [Range \(in code\): ID Bia](#)
- 21857. *Delias* (nysa-gr.) *momea* (Boisduval,1836)** (Pieridae) Synonym(s): *momea* Boisduval,1836 _ [Range \(in code\): ID Ja Sum](#)
- 21858. *Delias* (nysa-gr.) *momea hageni* Rogenhofer,1892** (Pieridae) Synonym(s): *hageni* Rogenhofer,1892 _ [Range \(in code\): ID Sum](#)
- 21859. *Delias* (nysa-gr.) *momea huphinoides* Joicey & Talbot,1936** (Pieridae) Synonym(s): *huphinoides* Joicey & Talbot,1936; *datames* De Nicéville,1893 _ [Range \(in code\): ID Sum](#)
- 21860. *Delias* (nysa-gr.) *momea ikuyoae* Nakano,1993** (Pieridae) Synonym(s): *ikuyoae* Nakano,1993 _ [Range \(in code\): ID Ja](#)
- 21861. *Delias* (nysa-gr.) *momea momea* (Boisduval,1836)** (Pieridae) Synonym(s): *momea* Boisduval,1836 _ [Range \(in code\): ID Ja](#)
- 21862. *Delias* (nysa-gr.) *momea sumiae* Nakano,1993** (Pieridae) Synonym(s): *sumiae* Nakano,1993 _ [Range \(in code\): ID Ja](#)
- 21863. *Delias* (nysa-gr.) *nysa* (Fabricius,1775)** (Pieridae) Synonym(s): *nysa* Fabricius,1775; *endora* Donovan,1805
- 21864. *Delias* (nysa-gr.) *nysa caledonica* Nieuwenhuis & Howarth,1969** (Pieridae) Synonym(s): *caledonica* Nieuwenhuis & Howarth,1969 _ [Range \(in code\): NC](#)
- 21865. *Delias* (nysa-gr.) *nysa nivira* Waterhouse & Lyell,1914** (Pieridae) Synonym(s): *nivira* Waterhouse & Lyell,1914 _ [Range \(in code\): AU QAU](#)
- 21866. *Delias* (nysa-gr.) *nysa nysa* (Fabricius,1775)** (Pieridae) Synonym(s): *nysa* Fabricius,1775; *endora* Donovan,1805 _ [Range \(in code\): AU QAU NC NH](#)
- 21867. *Delias* (nysa-gr.) *nysa santo* Talbot,1937** (Pieridae) Synonym(s): *santo* Talbot,1937 _ [Range \(in code\): NH](#)

- 21868. Delias (nysa-gr.) pulla Talbot,1937** (Pieridae) Synonym(s): *pulla Talbot,1937* _ Range (in code): ID Ij Cyc
- 21869. Delias (nysa-gr.) pulla nimivinye Mastrigt,2001** (Pieridae) Synonym(s): *nimivinye Mastrigt,2001* _ Range (in code): ID Ij
- 21870. Delias (nysa-gr.) pulla pulla Talbot,1937** (Pieridae) Synonym(s): *pulla Talbot,1937* _ Range (in code): ID Ij Cyc
- 21871. Delias (nysa-gr.) ribbei Röber,1886** (Pieridae) Synonym(s): *ribbei Röber,1886* _ Range (in code): ID Aru Mi Ob
- 21872. Delias (nysa-gr.) ribbei connectens Talbot,1929** (Pieridae) Synonym(s): *connectens Talbot,1929* _ Range (in code): ID Mi
- 21873. Delias (nysa-gr.) ribbei ribbei Röber,1886** (Pieridae) Synonym(s): *ribbei Röber,1886* _ Range (in code): ID Aru
- 21874. Delias (nysa-gr.) ribbei taekoe Nakano & Kawai,1997** (Pieridae) Synonym(s): *taekoe Nakano & Kawai,1997* _ Range (in code): ID Ob
- 21875. Delias (nysa-gr.) vidua Joicey & Talbot,1922** (Pieridae) Synonym(s): *vidua Joicey & Talbot,1922* _ Range (in code): ID Bru
- 21876. Delias (nysa-gr.) vidua vidua Joicey & Talbot,1922** (Pieridae) Synonym(s): *vidua Joicey & Talbot,1922* _ Range (in code): ID Bru
- 21877. Delias (pasithoe-gr.) acalis (Godart,[1819])** (Pieridae) Synonym(s): *thysbe Cramer,[1779] (homonym); acalis Godart,[1819]; flavivestis Choe et al.,2001.* _ Range (in code): TH CMa Dst CDo LA IN Ass Slo NP CN MY Prk VN Ton Tda
- 21878. Delias (pasithoe-gr.) acalis acalis (Godart,[1819])** (Pieridae) Synonym(s): *thysbe Cramer,[1779] (homonym); acalis Godart,[1819]; flavivestis Choe et al.,2001.* _ Range (in code): TH LA
- 21879. Delias (pasithoe-gr.) acalis inomatai Nakano,1993** (Pieridae) Synonym(s): *inomatai Nakano,1993* _ Range (in code): CN
- 21880. Delias (pasithoe-gr.) acalis kandha Doherty,1886** (Pieridae) Synonym(s): *kandha Doherty,1886* _ Range (in code): IN Ass Slo
- 21881. Delias (pasithoe-gr.) acalis perakana Talbot,1928** (Pieridae) Synonym(s): *perakana Talbot,1928* _ Range (in code): MY Prk TH Rng
- 21882. Delias (pasithoe-gr.) acalis pyramus Wallace,1867** (Pieridae) Synonym(s): *pyramus Wallace,1867* _ Range (in code): IN NP TH CMa Dst CDo
- 21883. Delias (pasithoe-gr.) acalis shinkaii Morita,1998** (Pieridae) Synonym(s): *shinkaii Morita,1998* _ Range (in code): VN Ton
- 21884. Delias (pasithoe-gr.) benasu Martin,1912** (Pieridae) Synonym(s): *benasu Martin,1912* _ Range (in code): ID Clb
- 21885. Delias (pasithoe-gr.) benasu benasu Martin,1912** (Pieridae) Synonym(s): *benasu Martin,1912* _ Range (in code): ID Clb
- 21886. Delias (pasithoe-gr.) crithoe (Boisduval,1836)** (Pieridae) Synonym(s): *crithoe Boisduval,1836; fastona Fruhstorfer,1910; funesta Fruhstorfer,1910.* _ Range (in code): ID Ja Bgk Sum Dp Sba Sbw
- 21887. Delias (pasithoe-gr.) crithoe bromo Fruhstorfer,1893** (Pieridae) Synonym(s): *bromo Fruhstorfer,1893* _ Range (in code): ID Ja
- 21888. Delias (pasithoe-gr.) crithoe centralis Toxopeus,1949** (Pieridae) Synonym(s): *centralis Toxopeus,1949* _ Range (in code): ID Ja
- 21889. Delias (pasithoe-gr.) crithoe cherima Toxopeus,1949** (Pieridae) Synonym(s): *cherima Toxopeus,1949* _ Range (in code): ID Ja
- 21890. Delias (pasithoe-gr.) crithoe chrysendeta Fruhstorfer,1910** (Pieridae) Synonym(s): *chrysendeta Fruhstorfer,1910* _ Range (in code): ID Sba Sbw
- 21891. Delias (pasithoe-gr.) crithoe crithoe (Boisduval,1836)** (Pieridae) Synonym(s): *crithoe Boisduval,1836; fastona Fruhstorfer,1910; funesta Fruhstorfer,1910.* _ Range (in code): ID Ja Bgk
- 21892. Delias (pasithoe-gr.) crithoe dymas De Nicéville,1894** (Pieridae) Synonym(s): *dymas De Nicéville,1894* _ Range (in code): ID Ja
- 21893. Delias (pasithoe-gr.) crithoe perextensa Toxopeus,1950** (Pieridae) Synonym(s): *perextensa Toxopeus,1950* _ Range (in code): ID Ja
- 21894. Delias (pasithoe-gr.) crithoe radiata Toxopeus,1949** (Pieridae) Synonym(s): *radiata Toxopeus,1949* _ Range (in code): ID Ja
- 21895. Delias (pasithoe-gr.) crithoe tobohana Rogenhofer,1893** (Pieridae) Synonym(s): *tobohana Rogenhofer,1893; decerto De Nicéville,1893.* _ Range (in code): ID Sum

- 21896. Delias (pasithoe-gr.) crithoe villia Fruhstorfer,1910** (Pieridae) Synonym(s): *villia Fruhstorfer,1910* _ Range (in code): ID Sum Dp
- 21897. Delias (pasithoe-gr.) henningia (Eschscholtz,1821)** (Pieridae) Synonym(s): *henningia Eschscholtz,1821; lucerna Butler,1869; hemera Fruhstorfer,1910* _ Range (in code): Rom Sib Pal PH Ceb Ley Luz Mar Mas Mdo Neg Pan Sam Mno Pao Cts Boh
- 21898. Delias (pasithoe-gr.) henningia camotana Fruhstorfer,1910** (Pieridae) Synonym(s): *camotana Fruhstorfer,1910* _ Range (in code): PH Cts
- 21899. Delias (pasithoe-gr.) henningia henningia (Eschscholtz,1821)** (Pieridae) Synonym(s): *henningia Eschscholtz,1821; lucerna Butler,1869; hemera Fruhstorfer,1910* Original Reference: Pontia henningia Eschscholtz,1821, Kotzeb. Reise 3: 214, Tab. 9 figs.20a,b. Typs(s): [Philippines]: Manilla. Range (in code): PH Ceb Ley Luz Mar Mas Mdo Neg Pan Sam
- 21900. Delias (pasithoe-gr.) henningia ochreopicta Butler,1869** (Pieridae) Synonym(s): *ochreopicta Butler,1869* _ Range (in code): PH Mno Pao
- 21901. Delias (pasithoe-gr.) henningia palawana Tagishita,1993** (Pieridae) Synonym(s): *palawana Tagishita,1993* _ Range (in code): PH Pal
- 21902. Delias (pasithoe-gr.) henningia pandemia Wallace,1867** (Pieridae) Synonym(s): *pandemia Wallace,1867* _ Range (in code): PH Cal
- 21903. Delias (pasithoe-gr.) henningia romblonensis Nakano & Yagashita,1993** (Pieridae) Synonym(s): *romblonensis Nakano & Yagashita,1993* _ Range (in code): PH Rom Sib
- 21904. Delias (pasithoe-gr.) henningia voconia Fruhstorfer,1910** (Pieridae) Synonym(s): *voconia Fruhstorfer,1910* _ Range (in code): PH Boh
- 21905. Delias (pasithoe-gr.) hidecoae Nakano,1993** (Pieridae) Synonym(s): *hidecoae Nakano,1993* _ Range (in code): PH Mdo Hlc
- 21906. Delias (pasithoe-gr.) hidecoae hidecoae Nakano,1993** (Pieridae) Synonym(s): *hidecoae Nakano,1993* _ Range (in code): PH Mdo Hlc
- 21907. Delias (pasithoe-gr.) ninus (Wallace,1867)** (Pieridae) Synonym(s): *ninus Wallace,1867* Range (in code): MY Klt ID Nia Sum Bor MM Tns TH Nst
- 21908. Delias (pasithoe-gr.) ninus alluviorum Fruhstorfer,1905** (Pieridae) Synonym(s): *alluviorum Fruhstorfer,1905* _ Range (in code): ID Sum
- 21909. Delias (pasithoe-gr.) ninus babai Yagishita,1997** (Pieridae) Synonym(s): *babai Yagishita,1997* _ Range (in code): MM Tns
- 21910. Delias (pasithoe-gr.) ninus grisea Fruhstorfer,[1898]** (Pieridae) Synonym(s): *grisea Fruhstorfer,[1898]* Original Reference: Delias ninus ssp. grisea Fruhstorfer,[1898], Berl. ent. Z. 42 (3/4): 334-335. Syntypes ♂♂: [Indonesia]: Nias. Range (in code): ID Nia
- 21911. Delias (pasithoe-gr.) ninus ninus (Wallace,1867)** (Pieridae) Synonym(s): *ninus Wallace,1867* _ Range (in code): MY TH Nst
- 21912. Delias (pasithoe-gr.) ninus parthenia Staudinger,1892** (Pieridae) Synonym(s): *parthenia Staudinger,1892* _ Range (in code): Bor MY
- 21913. Delias (pasithoe-gr.) ninus saranensis Yagishita,1993** (Pieridae) Synonym(s): *saranensis Yagishita,1993* _ Range (in code): Klt ID Bor
- 21914. Delias (pasithoe-gr.) ninus shoujii Yagishita,1993** (Pieridae) Synonym(s): *shoujii Yagishita,1993* _ Range (in code): Klt ID Bor
- 21915. Delias (pasithoe-gr.) ottonia Semper,1890** (Pieridae) Synonym(s): *ottonia Semper,1890* Range (in code): PH Mno
- 21916. Delias (pasithoe-gr.) ottonia ottonia Semper,1890** (Pieridae) Synonym(s): *ottonia Semper,1890* _ Range (in code): PH Mno
- 21917. Delias (pasithoe-gr.) ottonia surigaoensis Yagishita & Morita,1996** (Pieridae) Synonym(s): *surigaoensis Yagishita & Morita,1996* _ Range (in code): PH Mno
- 21918. Delias (pasithoe-gr.) pasithoe (Linnaeus,1758)** (Pieridae) Synonym(s): *pasithoe Linnaeus,1758; aglaia Linnaeus,1758 nec Linn.,1758; lucina Butler,1869; basialba Chou,2001.* _ Range (in code): TW TH CMA Cu0 Cu01 Cu07 Cu12 Dst Qs CDo CD2 Pap Mro Knc Phe Loe Rat Tng Yal Nst VN Ton Tda Ann PH Luz Mno Pal Bal MY Bor MM CN Yu Kwt IN Ass Slo NP CN Hn ID Ja Nia Baw Sum Sip Sme Btg Bgk Bionomy: Larva on Helixanthera cylindrica [ka fak] (Loranthaceae) (Lewvanich,2001).
- 21919. Delias (pasithoe-gr.) pasithoe angustifascia Rothschild,1915** (Pieridae) Synonym(s): *angustifascia Rothschild,1915* _ Range (in code): Bor MY
- 21920. Delias (pasithoe-gr.) pasithoe balabaca Fruhstorfer,1911** (Pieridae) Synonym(s): *balabaca Fruhstorfer,1911* _ Range (in code): PH Bal

- 21921. Delias (pasithoe-gr.) pasithoe beata** Fruhstorfer, 1905 (Pieridae) Synonym(s): *beata* Fruhstorfer, 1905 _ Range (in code): TH Rat MM
- 21922. Delias (pasithoe-gr.) pasithoe curasena** Fruhstorfer, 1908 (Pieridae) Synonym(s): *curasena* Fruhstorfer, 1908 _ Range (in code): TW
- 21923. Delias (pasithoe-gr.) pasithoe cyrania** Fruhstorfer, 1913 (Pieridae) Synonym(s): *cyrania* Fruhstorfer, 1913 _ Range (in code): CN Hn
- 21924. Delias (pasithoe-gr.) pasithoe dione** (Drury, [1773]) (Pieridae) Synonym(s): *dione* Drury, [1773] _ Range (in code): IN Ass Slo NP
- 21925. Delias (pasithoe-gr.) pasithoe egialea** (Cramer, [1777]) (Pieridae) Synonym(s): *egialea* Cramer, [1777]; *fusconiger* Goeze, 1779; *albipictus* Goerze, 1779; *apriate* Hübner, [1819]; *tyche* Hübner, [1819]. _ Range (in code): ID Ja
- 21926. Delias (pasithoe-gr.) pasithoe goda** Fruhstorfer, 1905 (Pieridae) Synonym(s): *goda* Fruhstorfer, 1905; *elisa* Röber, 1919; *flavifascia* Joicey & Talbot, 1924. _ Range (in code): ID Sum
- 21927. Delias (pasithoe-gr.) pasithoe grisea** Fruhstorfer, 1897 (Pieridae) Synonym(s): *grisea* Fruhstorfer, 1897 _ Range (in code): ID Nia
- 21928. Delias (pasithoe-gr.) pasithoe hitomaroi** Nakano, 1993 (Pieridae) Synonym(s): *hitomaroi* Nakano, 1993 _ Range (in code): Klt Bor
- 21929. Delias (pasithoe-gr.) pasithoe horracki** Joicey & Talbot, 1916 (Pieridae) Synonym(s): *horracki* Joicey & Talbot, 1916 _ Range (in code): ID Baw
- 21930. Delias (pasithoe-gr.) pasithoe mera** Talbot, 1928 (Pieridae) Synonym(s): *mera* Talbot, 1928 _ Range (in code): PH Luz Mno
- 21931. Delias (pasithoe-gr.) pasithoe nigrescens** Talbot, 1928 (Pieridae) Synonym(s): *nigrescens* Talbot, 1928 _ Range (in code): VN Ann
- 21932. Delias (pasithoe-gr.) pasithoe pandecta** Staudinger, 1889 (Pieridae) Synonym(s): *pandecta* Staudinger, 1889 _ Original Reference: Delias pandecta Staudinger, 1889, Dt. ent. Z., Iris 2: 23-24. Syntypes ♂♀: [Philippinen]: Palawan. Range (in code): PH Pal
- 21933. Delias (pasithoe-gr.) pasithoe parthenope** Wallace, 1867 (Pieridae) Synonym(s): *parthenope* Wallace, 1867; *distanti* Staudinger, 1869 _ Range (in code): MY TH Tng Yal Nst
- 21934. Delias (pasithoe-gr.) pasithoe pasithoe** (Linnaeus, 1758) (Pieridae) Synonym(s): *pasithoe* Linnaeus, 1758; *aglaia* Linnaeus, 1758 *nec* Linnaeus, 1758; *lucina* Butler, 1869; *basialba* Chou, 2001. _ Range (in code): MM CN Yu TH CMa Cu0 Cu01 Cu07 Cu12 Qs Dst CDo CD2 Pap Mro Phe Bionomy: Larva on Helixanthera cylindrica [ka fak] (Loranthaceae) (Lewvanich, 2001).
- 21935. Delias (pasithoe-gr.) pasithoe porsenna** (Cramer, 1775) (Pieridae) Synonym(s): *porsenna* Cramer, 1775 _ Range (in code): CN
- 21936. Delias (pasithoe-gr.) pasithoe premo** Tsukada, 1987 (Pieridae) Synonym(s): *premo* Tsukada, 1987 _ Range (in code): ID Sme
- 21937. Delias (pasithoe-gr.) pasithoe siamensis** Talbot, 1928 (Pieridae) Synonym(s): *siamensis* Talbot, 1928 _ Original Reference: Delias aglaia ssp. siamensis Talbot, 1928, Bull. Hill Mus. 2: 225. Syntypes ♂♀: [Thailand]: Siam. Range (in code): TH
- 21938. Delias (pasithoe-gr.) pasithoe silviae** Jakusch, 2003 (Pieridae) Synonym(s): *silviae* Jakusch, 2003 _ Range (in code): CN Kwt
- 21939. Delias (pasithoe-gr.) pasithoe tabitoi** Nakano, 1993 (Pieridae) Synonym(s): *tabitoi* Nakano, 1993 _ Range (in code): ID Btg
- 21940. Delias (pasithoe-gr.) pasithoe takasugii** Nakano, 1993 (Pieridae) Synonym(s): *takasugii* Nakano, 1993 _ Range (in code): ID Bgk
- 21941. Delias (pasithoe-gr.) pasithoe thyra** Fruhstorfer, 1895 (Pieridae) Synonym(s): *thyra* Fruhstorfer, 1895; *tonkiniana* Fruhstorfer, 1905; *#addenda* Dufrane, 1947; *#fasciata* Dufrane, 1947 *nec* Rothschild, 1894. _ Range (in code): VN Ton TH CMa Dst Qs CDo CD2 Knc Loe
- 21942. Delias (pasithoe-gr.) pasithoe triglites** Talbot, 1928 (Pieridae) Synonym(s): *triglites* Talbot, 1928 _ Range (in code): ID Sum
- 21943. Delias (pasithoe-gr.) pasithoe yakamochii** Nakano, 1993 (Pieridae) Synonym(s): *yakamochii* Nakano, 1993 _ Range (in code): ID Sip
- 21944. Delias (pasithoe-gr.) pasithoe yoshidai** Nakano & Morita, 1993 (Pieridae) Synonym(s): *yoshidai* Nakano & Morita, 1993 _ Range (in code): ID
- 21945. Delias (pasithoe-gr.) woodi** Talbot, 1928 (Pieridae) Synonym(s): *woodi* Talbot, 1928 _ Range (in code): PH Mno Apo
- 21946. Delias (pasithoe-gr.) woodi colini** Schröder, 1977 (Pieridae) Synonym(s): *colini* Schröder, 1977 _ Range (in code): PH Mno

- 21947. *Delias* (pasithoe-gr.) *woodi* *tboli* Schröder & Treadaway, 1984** (Pieridae)
Synonym(s): *tboli* Schröder & Treadaway, 1984 _ Range (in code): **PH Mno**
- 21948. *Delias* (pasithoe-gr.) *woodi* *woodi* Talbot, 1928** (Pieridae) Synonym(s): *woodi* Talbot, 1928 _ Range (in code): **PH Mno Apo**
- 21949. *Delias* (singhapura-gr.) *agoranis* Grose-Smith, 1887** (Pieridae) Synonym(s): *agoranis* Grose-Smith, 1887 _ Range (in code): **TH Uth CMa MM Tns LA VN**
- 21950. *Delias* (singhapura-gr.) *agoranis* *agoranis* Grose-Smith, 1887** (Pieridae)
Synonym(s): *agoranis* Grose-Smith, 1887 _ Range (in code): **TH Uth CMa MM Tns LA VN**
- 21951. *Delias* (singhapura-gr.) *kuehni* Honrath, 1886** (Pieridae) Synonym(s): *kuehni* Honrath, 1886 _ Range (in code): **ID Bru Bng Sla Clb**
- 21952. *Delias* (singhapura-gr.) *kuehni* *kuehni* Honrath, 1886** (Pieridae) Synonym(s): *kuehni* Honrath, 1886 _ Range (in code): **ID Bng**
- 21953. *Delias* (singhapura-gr.) *kuehni* *prinsi* Martin, 1912** (Pieridae) Synonym(s): *prinsi* Martin, 1912 _ Range (in code): **ID Clb**
- 21954. *Delias* (singhapura-gr.) *kuehni* *sulana* Staudinger, 1894** (Pieridae) Synonym(s): *sulana* Staudinger, 1894 _ Range (in code): **ID Sla**
- 21955. *Delias* (singhapura-gr.) *kuehni* *yoshimiae* Yagishita, 1989** (Pieridae) Synonym(s): *yoshimiae* Yagishita, 1989 _ Range (in code): **ID Bru**
- 21956. *Delias* (singhapura-gr.) *singhapura* Wallace, 1867** (Pieridae) Synonym(s): *singhapura* Wallace, 1867 _ Range (in code): **SG MY PH Pal ID Sum Bor Sme TH Rng**
- 21957. *Delias* (singhapura-gr.) *singhapura* *acuta* Rothschild, 1915** (Pieridae) Synonym(s): *acuta* Rothschild, 1915 _ Range (in code): **ID Sum**
- 21958. *Delias* (singhapura-gr.) *singhapura* *indistincta* Fruhstorfer, [1898]** (Pieridae)
Synonym(s): *indistincta* Fruhstorfer, [1898] _ Original Reference: *Delias* *singhapura* ssp. *indistincta* Fruhstorfer, [1898], Berl. ent. Z. 42 (3/4): 335. Syntypes 5♂: [Malaysia]: S. Borneo. _ Range (in code): **MY Bor**
- 21959. *Delias* (singhapura-gr.) *singhapura* *simeuluensis* Kotaki, 1992** (Pieridae)
Synonym(s): *simeuluensis* Kotaki, 1992 _ Range (in code): **ID Sme**
- 21960. *Delias* (singhapura-gr.) *singhapura* *singhapura* Wallace, 1867** (Pieridae)
Synonym(s): *singhapura* Wallace, 1867 _ Range (in code): **SG MY TH Rng**
- 21961. *Delias* (singhapura-gr.) *singhapura* *tsukadai* Nakano, 1993** (Pieridae) Synonym(s): *tsukadai* Nakano, 1993 _ Range (in code): **ID**
- 21962. *Delias* (singhapura-gr.) *singhapura* *yusukei* Nakano, 1988** (Pieridae) Synonym(s): *yusukei* Nakano, 1988 _ Range (in code): **PH Pal**
- 21963. *Delias* (singhapura-gr.) *themis* (Hewitson, 1861)** (Pieridae) Synonym(s): *themis* Hewitson, 1861 _ Range (in code): **PH Mas Pan Boh Ceb Mno Sam Luz Mar Pol Mdo Neg**
- 21964. *Delias* (singhapura-gr.) *themis* *kawamurai* Nakano, 1993** (Pieridae) Synonym(s): *kawamurai* Nakano, 1993 _ Range (in code): **PH Mdo**
- 21965. *Delias* (singhapura-gr.) *themis* *mihoae* Nakano, 1993** (Pieridae) Synonym(s): *mihoae* Nakano, 1993 _ Range (in code): **PH Neg**
- 21966. *Delias* (singhapura-gr.) *themis* *soteira* Fruhstorfer, 1910** (Pieridae) Synonym(s): *soteira* Fruhstorfer, 1910 _ Range (in code): **PH Luz Mar Pol**
- 21967. *Delias* (singhapura-gr.) *themis* *themis* (Hewitson, 1861)** (Pieridae) Synonym(s): *themis* Hewitson, 1861 _ Original Reference: *Pieris* *themis* Hewitson, 1861, Ex. Butts. 2: Pl. 5 figs. 31, 32. _ Range (in code): **PH Boh Ceb Mno Sam**
- 21968. *Delias* (singhapura-gr.) *themis* *yuii* Nakano, 1993** (Pieridae) Synonym(s): *yuii* Nakano, 1993 _ Range (in code): **PH Mas Pan**
- 21969. *Delias* (stresemanni-gr.) *schmassmanni* Joicey & Talbot, 1923** (Pieridae)
Synonym(s): *schmassmanni* Joicey & Talbot, 1923 _ Range (in code): **ID Bru**
- 21970. *Delias* (stresemanni-gr.) *schmassmanni* *schmassmanni* Joicey & Talbot, 1923** (Pieridae) Synonym(s): *schmassmanni* Joicey & Talbot, 1923 _ Range (in code): **ID Bru**
- 21971. *Delias* (stresemanni-gr.) *stresemanni* Rothschild, 1915** (Pieridae) Synonym(s): *stresemanni* Rothschild, 1915 _ Range (in code): **ID Crm**
- 21972. *Delias* (stresemanni-gr.) *stresemanni* *stresemanni* Rothschild, 1915** (Pieridae)
Synonym(s): *stresemanni* Rothschild, 1915 _ Range (in code): **ID Crm**
- 21973. *Delias* (stresemanni-gr.) *waterstradti* Rothschild, 1915** (Pieridae) Synonym(s): *waterstradti* Rothschild, 1915 _ Range (in code): **ID Hm Bch Mti**

- 21974. Delias (stresemanni-gr.) waterstradti cameriae Morita,1989** (Pieridae)
Synonym(s): *cameriae* Morita,1989 _ Range (in code): ID Bch
- 21975. Delias (stresemanni-gr.) waterstradti jini Nakano,1995** (Pieridae) Synonym(s): *jini* Nakano,1995 _ Range (in code): ID Mti
- 21976. Delias (stresemanni-gr.) waterstradti waterstradti Rothschild,1915** (Pieridae)
Synonym(s): *waterstradti* Rothschild,1915 _ Range (in code): ID Hm
- 21977. Delias (weiskei-gr.) callima Rothschild & Jordan,1905** (Pieridae) Synonym(s): *callima* Rothschild & Jordan,1905 _ Range (in code): ID Ij PG
- 21978. Delias (weiskei-gr.) callima ayamiae Sakuma,1996** (Pieridae) Synonym(s): *ayamiae* Sakuma,1996 _ Range (in code): ID Ij
- 21979. Delias (weiskei-gr.) callima callima Rothschild & Jordan,1905** (Pieridae)
Synonym(s): *callima* Rothschild & Jordan,1905 _ Range (in code): PG
- 21980. Delias (weiskei-gr.) callima satura Jordan,1930** (Pieridae) Synonym(s): *satura* Jordan,1930 _ Range (in code): PG
- 21981. Delias (weiskei-gr.) campbelli Joicey & Talbot,1922** (Pieridae) Synonym(s): *campbelli* Joicey & Talbot,1922 _ Range (in code): ID Ij PG Weg Kwg Cyc
- 21982. Delias (weiskei-gr.) campbelli campbelli Joicey & Talbot,1922** (Pieridae)
Synonym(s): *campbelli* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21983. Delias (weiskei-gr.) campbelli cyclops Mastrigt,1995** (Pieridae) Synonym(s): *cyclops* Mastrigt,1995 _ Range (in code): ID Ij Cyc
- 21984. Delias (weiskei-gr.) campbelli dentatus Yagishita,1993** (Pieridae) Synonym(s): *dentatus* Yagishita,1993 _ Range (in code): PG Kwg
- 21985. Delias (weiskei-gr.) campbelli microlueca Roepke,1955** (Pieridae) Synonym(s): *microlueca* Roepke,1955 _ Range (in code): ID Ij
- 21986. Delias (weiskei-gr.) hapalina Jordan,1911** (Pieridae) Synonym(s): *hapalina* Jordan,1911
Range (in code): PG Ow Kwg Wey ID Ij Gth
- 21987. Delias (weiskei-gr.) hapalina adnexa Roepke,1955** (Pieridae) Synonym(s): *adnexa* Roepke,1955 _ Range (in code): ID Ij Wey
- 21988. Delias (weiskei-gr.) hapalina amoena Roepke,1955** (Pieridae) Synonym(s): *amoena* Roepke,1955; #*adjuncta* Roepke,1955 _ Range (in code): ID Ij
- 21989. Delias (weiskei-gr.) hapalina hapalina Jordan,1911** (Pieridae) Synonym(s): *hapalina* Jordan,1911 _ Range (in code): ID Ij Gth
- 21990. Delias (weiskei-gr.) hapalina kerowagiensis Yagishita,1993** (Pieridae)
Synonym(s): *kerowagiensis* Yagishita,1993 _ Range (in code): PG Kwg
- 21991. Delias (weiskei-gr.) hapalina owenstanleyi Schröder & Treadaway,1994** (Pieridae) Synonym(s): *owenstanleyi* Schröder & Treadaway,1994 _ Range (in code): PG Ow
- 21992. Delias (weiskei-gr.) leucias Jordan,1911** (Pieridae) Synonym(s): *leucias* Jordan,1911; *lutescens* Roepke,1955; #*rubropulvata* Mastrigt,2003 _ Range (in code): PG ID Ij Snw
- 21993. Delias (weiskei-gr.) leucias huonensis Talbot,1928** (Pieridae) Synonym(s): *huonensis* Talbot,1928 _ Range (in code): PG
- 21994. Delias (weiskei-gr.) leucias leucias Jordan,1911** (Pieridae) Synonym(s): *leucias* Jordan,1911; *lutescens* Roepke,1955; #*rubropulvata* Mastrigt,2003 _ Range (in code): ID Ij Snw
- 21995. Delias (weiskei-gr.) marguerita Joicey & Talbot,1922** (Pieridae) Synonym(s): *marguerita* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21996. Delias (weiskei-gr.) marguerita marguerita Joicey & Talbot,1922** (Pieridae)
Synonym(s): *marguerita* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 21997. Delias (weiskei-gr.) nieuwenhuisi Mastrigt,1990** (Pieridae) Synonym(s): *nieuwenhuisi* Mastrigt,1990 _ Range (in code): PG ID Ij
- 21998. Delias (weiskei-gr.) nieuwenhuisi nieuwenhuisi Mastrigt,1990** (Pieridae)
Synonym(s): *nieuwenhuisi* Mastrigt,1990 _ Range (in code): PG
- 21999. Delias (weiskei-gr.) nieuwenhuisi poponga Mastrigt,1990** (Pieridae) Synonym(s): *poponga* Mastrigt,1990 _ Range (in code): ID Ij
- 22000. Delias (weiskei-gr.) phippii Joicey & Talbot,1922** (Pieridae) Synonym(s): *phippii* Joicey & Talbot,1922 _ Range (in code): ID Ij Wey
- 22001. Delias (weiskei-gr.) phippii mulia Gerrits & Mastrigt,1993** (Pieridae) Synonym(s): *mulia* Gerrits & Mastrigt,1993 _ Range (in code): ID Ij

- 22002. Delias (weiskei-gr.) phippii phippii Joicey & Talbot, 1922** (Pieridae) **Synonym(s):** *phippii Joicey & Talbot, 1922* - Range (in code): ID Ij Wey
- 22003. Delias (weiskei-gr.) phippii wisseli Roepke, 1955** (Pieridae) **Synonym(s):** *wisseli Roepke, 1955* - Range (in code): ID Ij
- 22004. Delias (weiskei-gr.) pseudomarguerita Gerrits & Mastrigt, 1992** (Pieridae) **Synonym(s):** *pseudomarguerita Gerrits & Mastrigt, 1992* - Range (in code): ID Ij
- 22005. Delias (weiskei-gr.) pseudomarguerita pseudomarguerita Gerrits & Mastrigt, 1992** (Pieridae) **Synonym(s):** *pseudomarguerita Gerrits & Mastrigt, 1992* - Range (in code): ID Ij
- 22006. Delias (weiskei-gr.) rosamontana Roepke, 1955** (Pieridae) **Synonym(s):** *rosamontana Roepke, 1955* - Range (in code): ID Ij Snw wey
- 22007. Delias (weiskei-gr.) rosamontana osadai Yagishita, 1993** (Pieridae) **Synonym(s):** *osadai Yagishita, 1993* - Range (in code): ID Ij
- 22008. Delias (weiskei-gr.) rosamontana rosamontana Roepke, 1955** (Pieridae) **Synonym(s):** *rosamontana Roepke, 1955* - Range (in code): ID Ij Snw
- 22009. Delias (weiskei-gr.) rosamontana tanakaorum Morita, 1996** (Pieridae) **Synonym(s):** *tanakaorum Morita, 1996* - Range (in code): ID Ij Wey
- 22010. Delias (weiskei-gr.) telefominensis Yagishita, 1993** (Pieridae) **Synonym(s):** *telefominensis Yagishita, 1993* - Range (in code): PG ID Ij
- 22011. Delias (weiskei-gr.) telefominensis telefominensis Yagishita, 1993** (Pieridae) **Synonym(s):** *telefominensis Yagishita, 1993* - Range (in code): PG ID Ij
- 22012. Delias (weiskei-gr.) tessei Joicey & Talbot, 1916** (Pieridae) **Synonym(s):** *tessei Joicey & Talbot, 1916* - Range (in code): ID Ij Wey
- 22013. Delias (weiskei-gr.) tessei conspectirubra Joicey & Talbot, 1922** (Pieridae) **Synonym(s):** *conspectirubra Joicey & Talbot, 1922* - Range (in code): ID Ij Wey
- 22014. Delias (weiskei-gr.) tessei tessei Joicey & Talbot, 1916** (Pieridae) **Synonym(s):** *tessei Joicey & Talbot, 1916* - Range (in code): ID Ij
- 22015. Delias (weiskei-gr.) virgo Gerrits & Mastrigt, 1993** (Pieridae) **Synonym(s):** *virgo Gerrits & Mastrigt, 1993; mastrigti Yagishita, 1993* - Range (in code): ID Ij
- 22016. Delias (weiskei-gr.) virgo virgo Gerrits & Mastrigt, 1993** (Pieridae) **Synonym(s):** *virgo Gerrits & Mastrigt, 1993; mastrigti Yagishita, 1993* - Range (in code): ID Ij
- 22017. Delias (weiskei-gr.) weiskei Ribbe, 1900** (Pieridae) **Synonym(s):** *weiskei Ribbe, 1900* - Range (in code): PG Kwg
- 22018. Delias (weiskei-gr.) weiskei sayuriae Okano, 1989** (Pieridae) **Synonym(s):** *sayuriae Okano, 1989* - Range (in code): PG Kwg
- 22019. Delias (weiskei-gr.) weiskei weiskei Ribbe, 1900** (Pieridae) **Synonym(s):** *weiskei Ribbe, 1900* - Range (in code): PG
- 22020. Delias argenthona (Fabricius, 1793)** (Pieridae) **Synonym(s):** *argenthona Fabricius, 1793; protocharis Boisduval, 1836; fragalactea Butler, 1896; seminigra Fruhstorfer, 1910.* - Range (in code): ID Ij PG AU QAU
- 22021. Delias argenthona argenthona (Fabricius, 1793)** (Pieridae) **Synonym(s):** *argenthona Fabricius, 1793; protocharis Boisduval, 1836; fragalactea Butler, 1896; seminigra Fruhstorfer, 1910.* - Range (in code): AU QAU
- 22022. Delias argenthona insularis Rothschild, 1925** (Pieridae) **Synonym(s):** *insularis Rothschild, 1925* - Range (in code): ID Ij PG
- 22023. Delias bagoe (Boisduval, 1832)** (Pieridae) **Synonym(s):** *bagoe Boisduval, 1832; eurygania Godman & Salvin, 1878; nausana Fruhstorfer, 1905* - Range (in code): NHa Nlr PG
- 22024. Delias bagoe bagoe (Boisduval, 1832)** (Pieridae) **Synonym(s):** *bagoe Boisduval, 1832; eurygania Godman & Salvin, 1878; nausana Fruhstorfer, 1905* - Range (in code): Nlr PG
- 22025. Delias bagoe restricta Rothschild, 1925** (Pieridae) **Synonym(s):** *restricta Rothschild, 1925* - Range (in code): NHa PG
- 22026. Delias caeneus (Linnaeus, 1758)** (Pieridae) **Synonym(s):** *caeneus Linnaeus, 1758; discors Gmelin, 1790; antonoe Herbst, 1792 (homonym); plexaris Donovan, 1805; anthyparete Hübner, [1819]; philyra Godart, [1819].* - Range (in code): ID Amb Crm Bru
- 22027. Delias caeneus caeneus (Linnaeus, 1758)** (Pieridae) **Synonym(s):** *caeneus Linnaeus, 1758; discors Gmelin, 1790; antonoe Herbst, 1792 (homonym); plexaris Donovan, 1805; anthyparete Hübner, [1819]; philyra Godart, [1819].* - Range (in code): ID Amb Crm

- 22028. *Delias caeneus philotis* Wallace, 1867** (Pieridae) **Synonym(s):** *philotis* Wallace, 1867
Range (in code): [ID Bru](#)
- 22029. *Delias doylei* Sanford & Bennett, 1955** (Pieridae) **Synonym(s):** *doylei* Sanford & Bennett, 1955
Range (in code): [PG](#)
- 22030. *Delias doylei doylei* Sanford & Bennett, 1955** (Pieridae) **Synonym(s):** *doylei* Sanford & Bennett, 1955
Range (in code): [PG](#)
- 22031. *Delias edela* Fruhstorfer, 1910** (Pieridae) **Synonym(s):** *edela* Fruhstorfer, 1910
Range (in code): [ID Ob](#)
- 22032. *Delias edela edela* Fruhstorfer, 1910** (Pieridae) **Synonym(s):** *edela* Fruhstorfer, 1910
Range (in code): [ID Ob](#)
- 22033. *Delias eileenae* Joicey & Talbot, 1926** (Pieridae) **Synonym(s):** *dohertyi* Rothschild, 1894 nec Oberthür, 1894; *eileenae* Joicey & Talbot, 1926
Range (in code): [ID Tim](#)
- 22034. *Delias eileenae eileenae* Joicey & Talbot, 1926** (Pieridae) **Synonym(s):** *dohertyi* Rothschild, 1894 nec Oberthür, 1894; *eileenae* Joicey & Talbot, 1926
Range (in code): [ID Tim](#)
- 22035. *Delias eucharis* (Drury, [1773])** (Pieridae) **Synonym(s):** *eucharis* Drury, [1773]; *hyparete* Fabricius, 1775 nec Linnaeus, 1758; *epicharis* Godart, [1819]; *septentrionalis* Röber, 1938 nec Rothschild, 1924.
Range (in code): [LK IN NP MM](#)
- 22036. *Delias eucharis eucharis* (Drury, [1773])** (Pieridae) **Synonym(s):** *eucharis* Drury, [1773]; *hyparete* Fabricius, 1775 nec Linnaeus, 1758; *epicharis* Godart, [1819]; *septentrionalis* Röber, 1938 nec Rothschild, 1924.
Range (in code): [LK IN NP MM](#)
- 22037. *Delias euphemia* Grose-Smith, 1894** (Pieridae) **Synonym(s):** *euphemia* Grose-Smith, 1894
Range (in code): [ID Bia](#)
- 22038. *Delias euphemia euphemia* Grose-Smith, 1894** (Pieridae) **Synonym(s):** *euphemia* Grose-Smith, 1894
Range (in code): [ID Bia](#)
- 22039. *Delias fasciata* Rothschild, 1894** (Pieridae) **Synonym(s):** *fasciata* Rothschild, 1894
Range (in code): [ID Sba](#)
- 22040. *Delias fasciata fasciata* Rothschild, 1894** (Pieridae) **Synonym(s):** *fasciata* Rothschild, 1894
Range (in code): [ID Sba](#)
- 22041. *Delias mitisi* Staudinger, 1894** (Pieridae) **Synonym(s):** *mitisi* Staudinger, 1894
Range (in code): [ID Sla Bng](#)
- 22042. *Delias mitisi banggaiensis* Talbot, 1928** (Pieridae) **Synonym(s):** *banggaiensis* Talbot, 1928
Range (in code): [ID Bng](#)
- 22043. *Delias mitisi mitisi* Staudinger, 1894** (Pieridae) **Synonym(s):** *mitisi* Staudinger, 1894
Range (in code): [ID Sla](#)
- 22044. *Delias mysis* (Fabricius, 1775)** (Pieridae) **Synonym(s):** *mysis* Fabricius, 1775
Range (in code): [AU QAU KY PG ID Aru Mef Wg SB Rs Goo Mi Jp](#)
- 22045. *Delias mysis adelphoe* Talbot, 1939** (Pieridae) **Synonym(s):** *adelphoe* Talbot, 1939
Range (in code): [ID](#)
- 22046. *Delias mysis aestiva* Butler, 1897** (Pieridae) **Synonym(s):** *aestiva* Butler, 1897
Range (in code): [AU QAU](#)
- 22047. *Delias mysis aruensis* Mitis, 1893** (Pieridae) **Synonym(s):** *aruensis* Mitis, 1893
Range (in code): [ID Aru](#)
- 22048. *Delias mysis cruentata* Butler, 1865** (Pieridae) **Synonym(s):** *cruentata* Butler, 1865
Range (in code): [ID Mi](#)
- 22049. *Delias mysis goodenovii* Rothschild, 1915** (Pieridae) **Synonym(s):** *goodenovii* Rothschild, 1915
Range (in code): [PG Goo](#)
- 22050. *Delias mysis hideyoae* Nakado, 1995** (Pieridae) **Synonym(s):** *hideyoae* Nakado, 1995
Range (in code): [ID Jp](#)
- 22051. *Delias mysis lara* (Boisduval, 1836)** (Pieridae) **Synonym(s):** *lara* Boisduval, 1836
Range (in code): [ID Wg](#)
- 22052. *Delias mysis maforensis* Rothschild, 1915** (Pieridae) **Synonym(s):** *maforensis* Rothschild, 1915
Range (in code): [Mef](#)
- 22053. *Delias mysis maga* Grose-Smith, 1897** (Pieridae) **Synonym(s):** *maga* Grose-Smith, 1897
Range (in code): [SB](#)
- 22054. *Delias mysis mysis* (Fabricius, 1775)** (Pieridae) **Synonym(s):** *mysis* Fabricius, 1775
Range (in code): [AU](#)
- 22055. *Delias mysis nemea* Fruhstorfer, 1910** (Pieridae) **Synonym(s):** *nemea* Fruhstorfer, 1910
Range (in code): [PG](#)

- 22056. *Delias mysis onca* Fruhstorfer, 1910** (Pieridae) Synonym(s): *onca* Fruhstorfer, 1910
Range (in code): PG
- 22057. *Delias mysis rosselliana* Rothschild, 1915** (Pieridae) Synonym(s): *rosselliana* Rothschild, 1915
Range (in code): SB Rs
- 22058. *Delias mysis waterhousei* Talbot, 1937** (Pieridae) Synonym(s): *waterhousei* Talbot, 1937
Range (in code): AU KY
- 22059. *Delias periboea* (Godart, 1819)** (Pieridae) Synonym(s): *periboea* Godart, 1819
Range (in code): ID Ja Bli Lb Sbw Alo Flo Kgn
- 22060. *Delias periboea alorensis* Fruhstorfer, 1896** (Pieridae) Synonym(s): *alorensis* Fruhstorfer, 1896
Range (in code): ID Alo
- 22061. *Delias periboea atakei* Nakano, 1993** (Pieridae) Synonym(s): *atakei* Nakano, 1993
Range (in code): ID Kgn
- 22062. *Delias periboea floresiana* Roepke, 1955** (Pieridae) Synonym(s): *floresiana* Roepke, 1955
Range (in code): ID Flo
- 22063. *Delias periboea livia* Fruhstorfer, 1896** (Pieridae) Synonym(s): *livia* Fruhstorfer, 1896
Range (in code): ID Lb
- 22064. *Delias periboea pagenstecheri* Fruhstorfer, 1896** (Pieridae) Synonym(s): *pagenstecheri* Fruhstorfer, 1896
Range (in code): ID Sbw
- 22065. *Delias periboea periboea* (Godart, 1819)** (Pieridae) Synonym(s): *periboea* Godart, 1819
Range (in code): ID Ja
- 22066. *Delias periboea wallacei* Rothschild, 1892** (Pieridae) Synonym(s): *wallacei* Rothschild, 1892
Range (in code): ID Bli
- 22067. *Delias poecila* Snellen, 1865** (Pieridae) Synonym(s): *poecila* Snellen, 1865
Range (in code): ID Mti Hm Bch
- 22068. *Delias poecila makikoe* Yagishita, 1993** (Pieridae) Synonym(s): *makikoe* Yagishita, 1993
Range (in code): ID Mti
- 22069. *Delias poecila poecila* Snellen, 1865** (Pieridae) Synonym(s): *poecila* Snellen, 1865
Range (in code): ID Hm Bch
- 22070. *Delias rosenbergi* Snellen, 1865** (Pieridae) Synonym(s): *rosenbergi* Snellen, 1865; *lorquini* Felder & Felder, 1865
Range (in code): ID Clb Sly But
- 22071. *Delias rosenbergi chrysoleuca* Mitis, 1893** (Pieridae) Synonym(s): *chrysoleuca* Mitis, 1893; *catamelas* Staudinger, 1891
Range (in code): ID Clb
- 22072. *Delias rosenbergi munaensis* Nakano, 1988** (Pieridae) Synonym(s): *munaensis* Nakano, 1988
Range (in code): ID But
- 22073. *Delias rosenbergi rosenbergi* Snellen, 1865** (Pieridae) Synonym(s): *rosenbergi* Snellen, 1865; *lorquini* Felder & Felder, 1865
Range (in code): ID Clb
- 22074. *Delias rosenbergi saleyerana* Rothschild, 1915** (Pieridae) Synonym(s): *saleyerana* Rothschild, 1915
Range (in code): ID Sly
- 22075. *Delias salvini* Butler, 1882** (Pieridae) Synonym(s): *salvini* Butler, 1882
Range (in code): PG NBr
- 22076. *Delias salvini salvini* Butler, 1882** (Pieridae) Synonym(s): *salvini* Butler, 1882
Range (in code): PG NBr
- 22077. *Delias sambawana* Rothschild, 1894** (Pieridae) Synonym(s): *sambawana* Rothschild, 1894
Range (in code): ID Sbw Lb Flo Bli Alo
- 22078. *Delias sambawana boejanana* Kalis, 1941** (Pieridae) Synonym(s): *boejanana* Kalis, 1941
Range (in code): ID Bli
- 22079. *Delias sambawana everetti* Rothschild, 1925** (Pieridae) Synonym(s): *everetti* Rothschild, 1925
Range (in code): ID Flo
- 22080. *Delias sambawana kenta* Nakano, 1991** (Pieridae) Synonym(s): *kenta* Nakano, 1991
Range (in code): ID Alo
- 22081. *Delias sambawana minerva* Fruhstorfer, 1896** (Pieridae) Synonym(s): *minerva* Fruhstorfer, 1896
Range (in code): ID Lb
- 22082. *Delias sambawana sambawana* Rothschild, 1894** (Pieridae) Synonym(s): *sambawana* Rothschild, 1894
Range (in code): ID Sbw
- 22083. *Delias sanaca* (Moore, 1857)** (Pieridae) Synonym(s): *sanaca* Moore, 1857
Original Reference: Pieris sanaca Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 79. Type(s): West Himalaya. Range (in code): IN Kma Knw Kul Mus Up NP

- 22084. *Delias sanaca sanaca* (Moore,1857)** (Pieridae) Synonym(s): *sanaca* Moore,1857
Original Reference: Pieris sanaca Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 79. Type(s): West Himalaya. Range (in code): IN Kma Knw Kul Mus Up NP
- 22085. *Delias schoenbergi Rothschild,1895*** (Pieridae) Synonym(s): *schoenbergi* Rothschild,1895
Range (in code): PG Bgv SB Isa Chs
- 22086. *Delias schoenbergi choiseuli Rothschild,1904*** (Pieridae) Synonym(s): *choiseuli* Rothschild,1904
Range (in code): SB Chs
- 22087. *Delias schoenbergi isabellae Rothschild,1901*** (Pieridae) Synonym(s): *isabellae* Rothschild,1901
Range (in code): SB Isa
- 22088. *Delias schoenbergi schoenbergi Rothschild,1895*** (Pieridae) Synonym(s): *schoenbergi* Rothschild,1895
Range (in code): PG Bgv
- 22089. *Dercas verhuelli* (Hoeven,1839)** (Pieridae) Synonym(s): *verhuelli* Hoeven,1839
Range (in code): IN Ass Nag SI BT CN Hn VN Ton Tda MM Shn Tns TH CMA CDo Loe
- 22090. *Dercas verhuelli doubledayi* Moore,1905** (Pieridae) Synonym(s): *doubledayi* Moore,1905; *menandrus* Fruhstorfer,1910
Range (in code): IN SI BT TH CMA CDo Loe
- 22091. *Dercas verhuelli naganum* Tytler,1939** (Pieridae) Synonym(s): *naganum* Tytler,1939
Range (in code): IN Nag Ass
- 22092. *Dercas verhuelli pallidus* Fruhstorfer,1910** (Pieridae) Synonym(s): *pallidus* Fruhstorfer,1910; *parva* Evans,1924
Range (in code): MM Tns Mpr IN Ass
- 22093. *Dercas verhuelli shania* Tytler,1939** (Pieridae) Synonym(s): *shania* Tytler,1939
Range (in code): MM Shn
- 22094. *Dismorphia altis* Fassl,1910** (Pieridae) Synonym(s): *altis* Fassl,1910
Range (in code): CO
- 22095. *Dismorphia altis altis* Fassl,1910** (Pieridae) Synonym(s): *altis* Fassl,1910
Range (in code): CO
- 22096. *Dismorphia altis ssp.n.*** (Pieridae) Synonym(s):
Range (in code): CO
- 22097. *Dismorphia amphione* (Cramer,[1779])** (Pieridae) Synonym(s): *amphione* Cramer,[1779]; *#amphiona* Cramer,[1780]
Range (in code): SR BR AR VE CO EC MX Nay Ox TT BO PA PE
- 22098. *Dismorphia amphione amphione* (Cramer,[1779])** (Pieridae) Synonym(s): *amphione* Cramer,[1779]; *#amphiona* Cramer,[1780]
Range (in code): SR
- 22099. *Dismorphia amphione astynome* (Dalman,1823)** (Pieridae) Synonym(s): *astynome* Dalman,1823; *polymela* Geyer,1832; *paulistana* Fruhstorfer,1912; *#donia* Fruhstorfer,1912; *#cellularis* L.Martin,[1923]; *chloronome* Avinoff,1926; *#hatwardii* Breyer,1939
Range (in code): BR AR
- 22100. *Dismorphia amphione beroe* (Lucas,1852)** (Pieridae) Synonym(s): *beroe* Lucas,1852; *arsinoe* C.Felder & R.Felder,1865
Range (in code): CO
- 22101. *Dismorphia amphione broomeae* Butler,1899** (Pieridae) Synonym(s): *broomeae* Butler,1899; *astynomides* Röber,1909; *robinsoni* Schaus,1927
Range (in code): TT VE
- 22102. *Dismorphia amphione daguana* Bargmann,1929** (Pieridae) Synonym(s): *daguana* Bargmann,1929
Range (in code): CO
- 22103. *Dismorphia amphione discrepans* Butler,1896** (Pieridae) Synonym(s): *discrepans* Butler,1896; *#amphionides* L.Martin,[1923]
Range (in code): CO EC
- 22104. *Dismorphia amphione egaena* (H.W.Bates,1861)** (Pieridae) Synonym(s): *egaena* H.W.Bates,1861
Range (in code): BR
- 22105. *Dismorphia amphione isolda* Llorente,1984** (Pieridae) Synonym(s): *isolda* Llorente,1984
Range (in code): MX Ox
- 22106. *Dismorphia amphione lupita* Lamas,1979** (Pieridae) Synonym(s): *lupita* Lamas,1979
Range (in code): MX Nay
- 22107. *Dismorphia amphione meridionalis* Röber,1909** (Pieridae) Synonym(s): *meridionalis* Röber,1909
Range (in code): BO
- 22108. *Dismorphia amphione praxinoe* (Doubleday,1844)** (Pieridae) Synonym(s): *praxinoe* Doubleday,1844; *amphithea* C.Felder & R.Felder,1865; *arsinoides* Staudinger,1884
Range (in code): MX PA
- 22109. *Dismorphia amphione rhomboidea* Butler,1896** (Pieridae) Synonym(s): *rhomboidea* Butler,1896
Range (in code): PE
- 22110. *Dismorphia amphione ssp.n.*** (Pieridae) Synonym(s):
Range (in code): PE
- 22111. *Dismorphia amphione ssp.n.*** (Pieridae) Synonym(s):
Range (in code): PE

- 22112. *Dismorphia arcadia* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *arcadia* C.Felder & R.Felder,1862; *idonia* Hewitson,1869; *#melanoptera* Apolinar,1926 _ Range (in code): **CO EC BO PE**
- 22113. *Dismorphia arcadia arcadia* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *arcadia* C.Felder & R.Felder,1862; *idonia* Hewitson,1869; *#melanoptera* Apolinar,1926 _ Range (in code): **CO EC**
- 22114. *Dismorphia arcadia hippotas* (Hewitson,1875)** (Pieridae) Synonym(s): *hippotas* Hewitson,1875 _ Range (in code): **EC**
- 22115. *Dismorphia arcadia lucilla* Butler,1899** (Pieridae) Synonym(s): *lucilla* Butler,1899 _ Range (in code): **EC**
- 22116. *Dismorphia arcadia medorina* (Hewitson,1875)** (Pieridae) Synonym(s): *medorina* Hewitson,1875 _ Range (in code): **BO**
- 22117. *Dismorphia arcadia ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **CO**
- 22118. *Dismorphia arcadia ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22119. *Dismorphia astyocha* Hübner,[1831]** (Pieridae) Synonym(s): *astyocha* Hübner,[1831]; *perrensi* Gosse,1880 _ Range (in code): **BR Rja AR**
- 22120. *Dismorphia boliviana* Forster,1955** (Pieridae) Synonym(s): *boliviana* Forster,1955 _ Range (in code): **BO**
- 22121. *Dismorphia crisia* (Drury,[1782])** (Pieridae) Synonym(s): *crisia* Drury,[1782]; *critomedia* Geyer,1832; *rotruda* Zikan,1940; *flavella* Zikan,1940; *interrupta* Zikan,1940 nec Talb.,1932 _ Range (in code): **SV MX BR Rja VE CO PE CR GY BO AR GT CU**
- 22122. *Dismorphia crisia alvarezi* J.Maza & R.G.Maza,1984** (Pieridae) Synonym(s): *alvarezi* J.Maza & R.G.Maza,1984 _ Range (in code): **MX**
- 22123. *Dismorphia crisia crisia* (Drury,[1782])** (Pieridae) Synonym(s): *crisia* Drury,[1782]; *critomedia* Geyer,1832; *rotruda* Zikan,1940; *flavella* Zikan,1940; *interrupta* Zikan,1940 nec Talb.,1932 _ Range (in code): **BR Rja**
- 22124. *Dismorphia crisia foedora* (Lucas,1852)** (Pieridae) Synonym(s): *foedora* Lucas,1852 _ Range (in code): **VE CO**
- 22125. *Dismorphia crisia interrupta* Talbot,1932** (Pieridae) Synonym(s): *#interrupta* R.Krüger,1929; *interrupta* Talbot,1932 _ Range (in code): **PE CO**
- 22126. *Dismorphia crisia lubina* Butler,1872** (Pieridae) Synonym(s): *lubina* Butler,1872; *lunina* Butler & Druce,1872 _ Range (in code): **CR**
- 22127. *Dismorphia crisia neblina* Reissinger,1970** (Pieridae) Synonym(s): *neblina* Reissinger,1970 _ Range (in code): **VE**
- 22128. *Dismorphia crisia roraimae* A.Hall,1939** (Pieridae) Synonym(s): *roraimae* A.Hall,1939 _ Range (in code): **GY**
- 22129. *Dismorphia crisia saltensis* Breyer,1939** (Pieridae) Synonym(s): *saltensis* Breyer,1939; *interrupta* Zischka,1951 nec Talb.,1932 _ Range (in code): **AR BO**
- 22130. *Dismorphia crisia ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22131. *Dismorphia crisia ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **CU**
- 22132. *Dismorphia crisia steinhauseri* J.Maza & R.G.Maza,1984** (Pieridae) Synonym(s): *steinhauseri* J.Maza & R.G.Maza,1984 _ Range (in code): **SV**
- 22133. *Dismorphia crisia tolimensis* Fassl,1915** (Pieridae) Synonym(s): *tolimensis* Fassl,1915 _ Range (in code): **CO**
- 22134. *Dismorphia crisia virgo* (H.W.Bates,1864)** (Pieridae) Synonym(s): *virgo* H.W.Bates,1864; *#candida* Vazquez,1949 _ Range (in code): **GT MX**
- 22135. *Dismorphia cubana* (Herrich-Schäffer,1862)** (Pieridae) Synonym(s): *cubana* Herrich-Schäffer,1862 _ Range (in code): **CU**
- 22136. *Dismorphia eunoe* (Doubleday,1844)** (Pieridae) Synonym(s): *eunoe* Doubleday,1844; *euryope* Lucas,1852 _ Range (in code): **MX Ox NI CR PA PE**
- 22137. *Dismorphia eunoe chamula* Llorente & Luis,1988** (Pieridae) Synonym(s): *chamula* Llorente & Luis,1988 _ Range (in code): **MX**
- 22138. *Dismorphia eunoe desine* (Hewitson,1869)** (Pieridae) Synonym(s): *desine* Hewitson,1869; *deione* Hewitson,[1870]; *hagaresa* Butler,1872 _ Range (in code): **NI CR**
- 22139. *Dismorphia eunoe eunoe* (Doubleday,1844)** (Pieridae) Synonym(s): *eunoe* Doubleday,1844; *euryope* Lucas,1852 _ Range (in code): **MX Ox**
- 22140. *Dismorphia eunoe popoluca* Llorente & Luis,1988** (Pieridae) Synonym(s): *popoluca* Llorente & Luis,1988 _ Range (in code): **MX**

- 22141. *Dismorphia eunoe* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22142. *Dismorphia eunoe* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22143. *Dismorphia hyposticta* (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *hyposticta* C.Felder & R.Felder,1861 Range (in code): VE CO PE
- 22144. *Dismorphia hyposticta hyposticta* (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *hyposticta* C.Felder & R.Felder,1861 Range (in code): VE
- 22145. *Dismorphia hyposticta manuelita* Fassl,1910** (Pieridae) Synonym(s): *manuelita* Fassl,1910 Range (in code): CO
- 22146. *Dismorphia hyposticta* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22147. *Dismorphia hyposticta* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22148. *Dismorphia laja* (Cramer,[1779])** (Pieridae) Synonym(s): *laja* Cramer,[1779] Range (in code): SR GY BR PE BO CO
- 22149. *Dismorphia laja carthesis* (Hewitson,1869)** (Pieridae) Synonym(s): *carthesis* Hewitson,1869 Range (in code): GY
- 22150. *Dismorphia laja jurua* Röber,1924** (Pieridae) Synonym(s): *jurua* Röber,1924 Range (in code): BR
- 22151. *Dismorphia laja koenigi* Baumann & Reissinger,1969** (Pieridae) Synonym(s): *koenigi* Baumann & Reissinger,1969 Range (in code): PE
- 22152. *Dismorphia laja laja* (Cramer,[1779])** (Pieridae) Synonym(s): *laja* Cramer,[1779] Range (in code): SR
- 22153. *Dismorphia laja lysianax* (Hewitson,[1860])** (Pieridae) Synonym(s): *lysianax* Hewitson,[1860] Range (in code): PE
- 22154. *Dismorphia laja spectabilis* Avinoff,1926** (Pieridae) Synonym(s): *spectabilis* Avinoff,1926 Range (in code): BO
- 22155. *Dismorphia laja* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22156. *Dismorphia laja tapajona* (H.W.Bates,1861)** (Pieridae) Synonym(s): *tapajona* H.W.Bates,1861; *mechanitina* Röber,1924 Range (in code): BR
- 22157. *Dismorphia laja tricolor* Grose-Smith & W.F.Kirby,1897** (Pieridae) Synonym(s): *tricolor* Grose-Smith & W.F.Kirby,1897 Range (in code): CO
- 22158. *Dismorphia lelex* (Hewitson,1869)** (Pieridae) Synonym(s): *lelex* Hewitson,1869; *weneri* M.Hering,1926 Range (in code): EC CO
- 22159. *Dismorphia lelex lelex* (Hewitson,1869)** (Pieridae) Synonym(s): *lelex* Hewitson,1869; *weneri* M.Hering,1926 Range (in code): CO EC
- 22160. *Dismorphia lelex* ssp.n.** (Pieridae) Synonym(s): Range (in code): CO
- 22161. *Dismorphia lewyi* (Lucas,1852)** (Pieridae) Synonym(s): *lewyi* Lucas,1852 Range (in code): CO BO EC VE PE
- 22162. *Dismorphia lewyi boliviensis* Röber,1909** (Pieridae) Synonym(s): *boliviensis* Röber,1909 Range (in code): BO
- 22163. *Dismorphia lewyi dolorita* Fassl,1910** (Pieridae) Synonym(s): *dolorita* Fassl,1910 Range (in code): CO
- 22164. *Dismorphia lewyi leonora* (Hewitson,1869)** (Pieridae) Synonym(s): *leonora* Hewitson,1869; *macasana* Strand,1912 Range (in code): EC
- 22165. *Dismorphia lewyi lewyi* (Lucas,1852)** (Pieridae) Synonym(s): *lewyi* Lucas,1852 Range (in code): CO
- 22166. *Dismorphia lewyi nasua* (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *nasua* C.Felder & R.Felder,1861; *kadenii* C.Felder & R.Felder,1861 Range (in code): VE
- 22167. *Dismorphia lewyi* ssp.n.** (Pieridae) Synonym(s): Range (in code): PE
- 22168. *Dismorphia lua* (Hewitson,1869)** (Pieridae) Synonym(s): *lua* Hewitson,1869 Range (in code): EC CR BO CO PE
- 22169. *Dismorphia lua costaricensis* (Schaus,1913)** (Pieridae) Synonym(s): *costaricensis* Schaus,1913 Range (in code): CR
- 22170. *Dismorphia lua garleppi* Staudinger,1894** (Pieridae) Synonym(s): *garleppi* Staudinger,1894 Range (in code): BO
- 22171. *Dismorphia lua idae* Fassl,1910** (Pieridae) Synonym(s): *idae* Fassl,1910 Range (in code): CO
- 22172. *Dismorphia lua lua* (Hewitson,1869)** (Pieridae) Synonym(s): *lua* Hewitson,1869 Range (in code): EC

- 22173. *Dismorphia lua* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22174. *Dismorphia lycosura* (Hewitson,[1860]) (Pieridae) Synonym(s):** *lycosura* Hewitson,[1860]; *schausii* Dognin,1891; *ecuadorensis* Niepelt,[1914] Range (in code): PE EC
- 22175. *Dismorphia lycosura lycosura* (Hewitson,[1860]) (Pieridae) Synonym(s):** *lycosura* Hewitson,[1860]; *schausii* Dognin,1891; *ecuadorensis* Niepelt,[1914] Range (in code): PE EC
- 22176. *Dismorphia lycosura* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22177. *Dismorphia lygdamis* (Hewitson,1869) (Pieridae) Synonym(s):** *lygdamis* Hewitson,1869 Range (in code): EC PE
- 22178. *Dismorphia lygdamis doris* Baumann & Reissinger,1969 (Pieridae) Synonym(s):** *doris* Baumann & Reissinger,1969 Range (in code): PE
- 22179. *Dismorphia lygdamis lygdamis* (Hewitson,1869) (Pieridae) Synonym(s):** *lygdamis* Hewitson,1869 Range (in code): EC
- 22180. *Dismorphia lygdamis* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22181. *Dismorphia lysis* (Hewitson,1869) (Pieridae) Synonym(s):** *lysis* Hewitson,1869 Range (in code): EC PE
- 22182. *Dismorphia lysis lysis* (Hewitson,1869) (Pieridae) Synonym(s):** *lysis* Hewitson,1869 Range (in code): EC
- 22183. *Dismorphia lysis peruana* Röber,1909 (Pieridae) Synonym(s):** *peruana* Röber,1909 Range (in code): PE
- 22184. *Dismorphia lysis* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22185. *Dismorphia medora* (Doubleday,1844) (Pieridae) Synonym(s):** *medora* Doubleday,1844; *casta* Kollar,1850 Range (in code): CO EC PE
- 22186. *Dismorphia medora medora* (Doubleday,1844) (Pieridae) Synonym(s):** *medora* Doubleday,1844; *casta* Kollar,1850 Range (in code): CO
- 22187. *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):** Range (in code): EC
- 22188. *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22189. *Dismorphia medora* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22190. *Dismorphia medorilla* (Hewitson,1877) (Pieridae) Synonym(s):** *medorilla* Hewitson,1877 Range (in code): EC BO PE
- 22191. *Dismorphia medorilla buchtieni* Fassl,1915 (Pieridae) Synonym(s):** *buchtieni* Fassl,1915 Range (in code): BO
- 22192. *Dismorphia medorilla medorilla* (Hewitson,1877) (Pieridae) Synonym(s):** *medorilla* Hewitson,1877 Range (in code): EC
- 22193. *Dismorphia medorilla* ssp.n. (Pieridae) Synonym(s):** Range (in code): PE
- 22194. *Dismorphia melia* (Godart,[1824]) (Pieridae) Synonym(s):** *melia* Godart,[1824]; *eumara* Doubleday,1848; *acraeoides* Hewitson,1851; *thalia* F.Müller,1876; *mimetica* Staudinger,1884 Range (in code): BR
- 22195. *Dismorphia melia melia* (Godart,[1824]) (Pieridae) Synonym(s):** *melia* Godart,[1824]; *eumara* Doubleday,1848; *acraeoides* Hewitson,1851; *thalia* F.Müller,1876; *mimetica* Staudinger,1884 Range (in code): BR
- 22196. *Dismorphia mirandola* (Hewitson,1878) (Pieridae) Synonym(s):** *mirandola* Hewitson,1878 Range (in code): EC CO
- 22197. *Dismorphia mirandola discoloria* Weymer,1891 (Pieridae) Synonym(s):** *discoloria* Weymer,1891; *#cauca* Röber,1909; *#negrita* Fassl,1910
- 22198. *Dismorphia mirandola mirandola* (Hewitson,1878) (Pieridae) Synonym(s):** *mirandola* Hewitson,1878 Range (in code): EC
- 22199. *Dismorphia mirandola* ssp.n. (Pieridae) Synonym(s):** Range (in code): CO
- 22200. *Dismorphia n.sp. Lamas* (Pieridae) Synonym(s):** Range (in code): PE
- 22201. *Dismorphia niepelti* Weymer,1909 (Pieridae) Synonym(s):** *niepelti* Weymer,1909; *stammi* Baumann & Reissinger,1969 Range (in code): EC PE
- 22202. *Dismorphia niepelti niepelti* Weymer,1909 (Pieridae) Synonym(s):** *niepelti* Weymer,1909; *stammi* Baumann & Reissinger,1969 Range (in code): EC PE
- 22203. *Dismorphia pseudolewyi* Forster,1955 (Pieridae) Synonym(s):** *pseudolewyi* Forster,1955 Range (in code): BO
- 22204. *Dismorphia pseudolewyi pseudolewyi* Forster,1955 (Pieridae) Synonym(s):** *pseudolewyi* Forster,1955 Range (in code): BO

- 22205. *Dismorphia spio* (Godart,[1819])** (Pieridae) Synonym(s): *spio* Godart,[1819]; *#virago* Avinoff,1926 _ Range (in code): PR
- 22206. *Dismorphia spio spio* (Godart,[1819])** (Pieridae) Synonym(s): *spio* Godart,[1819]; *#virago* Avinoff,1926 _ Range (in code): PR
- 22207. *Dismorphia teresa* (Hewitson,1869)** (Pieridae) Synonym(s): *teresa* Hewitson,1869; *praxidice* Hewitson,1870 _ Range (in code): EC
- 22208. *Dismorphia teresa teresa* (Hewitson,1869)** (Pieridae) Synonym(s): *teresa* Hewitson,1869; *praxidice* Hewitson,1870 _ Range (in code): EC
- 22209. *Dismorphia thermesia* (Godart,[1819])** (Pieridae) Synonym(s): *thermesia* Godart,[1819]; *margaritacea* L.Martin,[1923] _ Range (in code): BR GY PE
- 22210. *Dismorphia thermesia* ssp.n.** (Pieridae) Synonym(s): _ Range (in code): PE
- 22211. *Dismorphia thermesia* ssp.n.** (Pieridae) Synonym(s): _ Range (in code): GY
- 22212. *Dismorphia thermesia thermesia* (Godart,[1819])** (Pieridae) Synonym(s): *thermesia* Godart,[1819]; *margaritacea* L.Martin,[1923] _ Range (in code): BR
- 22213. *Dismorphia thermesina* (Hopffer,1874)** (Pieridae) Synonym(s): *thermesina* Hopffer,1874 _ Range (in code): PE BO
- 22214. *Dismorphia thermesina pimpla* (Hopffer,1874)** (Pieridae) Synonym(s): *pimpla* Hopffer,1874 _ Range (in code): BO
- 22215. *Dismorphia thermesina thermesina* (Hopffer,1874)** (Pieridae) Synonym(s): *thermesina* Hopffer,1874 _ Range (in code): PE
- 22216. *Dismorphia theucharila* (Doubleday,1848)** (Pieridae) Synonym(s): *theucharila* Doubleday,1848 _ Range (in code): VE BR BO EC CO MX PA SR GF
- 22217. *Dismorphia theucharila argochloe* (H.W.Bates,1861)** (Pieridae) Synonym(s): *argochloe* H.W.Bates,1861; *staudingeri* Forster,1955
- 22218. *Dismorphia theucharila avonia* (Hewitson,1867)** (Pieridae) Synonym(s): *avonia* Hewitson,1867; *leuconia* Butler,1899; *limonea* Butler,1899; *pallida* Röber,1909; *ithomiella* Röber,1909; *columbiana* M.Hering,1925 _ Range (in code): EC CO
- 22219. *Dismorphia theucharila fortunata* (Lucas,1854)** (Pieridae) Synonym(s): *fortunata* Lucas,1854; *antherize* Hewitson,[1858]; *ribbei* Godman & Salvin,1878; *alterata* Butler,1899 _ Range (in code): MX PA CO
- 22220. *Dismorphia theucharila leuconoe* (H.W.Bates,1861)** (Pieridae) Synonym(s): *leuconoe* H.W.Bates,1861; *erythro* H.W.Bates,1861; *melanoe* H.W.Bates,1861; *melanoides* Röber,1909; *pellucida* Röber,1924 _ Range (in code): EC BR
- 22221. *Dismorphia theucharila lysinoe* (Hewitson,[1853])** (Pieridae) Synonym(s): *lysinoe* Hewitson,[1853]; *flammula* Butler,1899; *fervida* Butler,1899; *batesi* Röber,1909; *lysandra* Avinoff,1926; *yurupari* J.Zikan,1940; *yuruti* J.Zikan,1940; *massai* J.Zikan,1941; *godoleva* J.Zikan,1941; *#oodoleva* J.Zikan,1941 _ Range (in code): BR
- 22222. *Dismorphia theucharila lysinoides* Staudinger,1884** (Pieridae) Synonym(s): *lysinoides* Staudinger,1884 _ Range (in code): CO
- 22223. *Dismorphia theucharila siloe* (Hewitson,[1858])** (Pieridae) Synonym(s): *siloe* Hewitson,[1858]; *nella* Butler,1896 _ Range (in code): CO
- 22224. *Dismorphia theucharila theonoe* (Hewitson,[1853])** (Pieridae) Synonym(s): *theonoe* Hewitson,[1853] _ Range (in code): BR
- 22225. *Dismorphia theucharila theucharila* (Doubleday,1848)** (Pieridae) Synonym(s): *theucharila* Doubleday,1848
- 22226. *Dismorphia theucharila vitrea* E.Krüger,1925** (Pieridae) Synonym(s): *clio* Cramer,1779 *nec* Linn.,1758; *vitrea* E.Krüger,1925; *melanina* Avinoff,1926 _ Range (in code): BR SR
- 22227. *Dismorphia theucharila xanthone* Röber,1924** (Pieridae) Synonym(s): *xanthone* Röber,1924 _ Range (in code): CO
- 22228. *Dismorphia zaela* (Hewitson,[1858])** (Pieridae) Synonym(s): *zaela* Hewitson,[1858] _ Range (in code): EC PA CO
- 22229. *Dismorphia zaela abilene* (Hewitson,[1872])** (Pieridae) Synonym(s): *abilene* Hewitson,[1872]; *ines* Röber,1909 _ Range (in code): EC
- 22230. *Dismorphia zaela oreas* (Salvin,1871)** (Pieridae) Synonym(s): *oreas* Salvin,1871 _ Range (in code): PA
- 22231. *Dismorphia zaela* ssp.n.** (Pieridae) Synonym(s): _ Range (in code): CO
- 22232. *Dismorphia zaela zaela* (Hewitson,[1858])** (Pieridae) Synonym(s): *zaela* Hewitson,[1858] _ Range (in code): EC

- 22233. Dismorphia zathoe (Hewitson,[1858])** (Pieridae) Synonym(s): *zathoe* Hewitson,[1858]; *albimacula* Röber,1924 _ Range (in code): **VE CO CR GY**
- 22234. Dismorphia zathoe core (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *core* C.Felder & R.Felder,1861 _ Range (in code): **VE**
- 22235. Dismorphia zathoe demeter Röber,1909** (Pieridae) Synonym(s): *demeter* Röber,1909 _ Range (in code): **CO**
- 22236. Dismorphia zathoe othoe (Hewitson,1867)** (Pieridae) Synonym(s): *othoe* Hewitson,1867 _ Range (in code): **CO**
- 22237. Dismorphia zathoe pallidula Butler & Druce,1874** (Pieridae) Synonym(s): *pallidula* Butler & Druce,1874 _ Range (in code): **CR**
- 22238. Dismorphia zathoe proserpina Grose-Smith & W.F.Kirby,1897** (Pieridae) Synonym(s): *proserpina* Grose-Smith & W.F.Kirby,1897 _ Range (in code): **GY**
- 22239. Dismorphia zathoe zathoe (Hewitson,[1858])** (Pieridae) Synonym(s): *zathoe* Hewitson,[1858]; *albimacula* Röber,1924 _ Range (in code): **CO**
- 22240. Dixeia capricornus (Ward,1871)** (Pieridae) Synonym(s): *capricornus* Ward,1871; *adultera* Plötz,1880; *nusprica* Suffert,1904. _ Ward,1871, Entomologist's mon. Mag. 8: Range (in code): **AO GA CM GH CI**
- 22241. Dixeia capricornus capricornus (Ward,1871)** (Pieridae) Synonym(s): *capricornus* Ward,1871; *adultera* Plötz,1880; *nusprica* Suffert,1904. _ Ward,1871, Entomologist's mon. Mag. 8: Range (in code): **CM GH CI**
- 22242. Dixeia capricornus falkensteinii (Dewitz,1879)** (Pieridae) Synonym(s): *falkensteinii* Dewitz,1879; *lindnerii* Dewitz,1879. _ Range (in code): **GA AO**
- 22243. Dixeia cebron (Ward,1871)** (Pieridae) Synonym(s): *cebron* Ward,1871. _ Ward,1871, Entomologist's mon. Mag. 8: Range (in code): **CM GH ZR CI**
- 22244. Dixeia cebron cebron (Ward,1871)** (Pieridae) Synonym(s): *cebron* Ward,1871. _ Range (in code): **CM GH ZR CI**
- 22245. Dixeia charina (Boisduval,1836)** (Pieridae) Synonym(s): *charina* Boisduval,1836; *anactorie* Doubleday,1842. _ Range (in code): **MG ZA Ec Nta Kzu Tva Lpo Mpu Brb MZ TZ Zz KE Mb ET**
- 22246. Dixeia charina charina (Boisduval,1836)** (Pieridae) Synonym(s): *charina* Boisduval,1836; *anactorie* Doubleday,1842. _ Range (in code): **ZA Ec Nta Kzu**
- 22247. Dixeia charina dagera (Suffert,1904)** (Pieridae) Synonym(s): *dagera* Suffert,1904; *anali* Suffert,1904 _ Range (in code): **TZ Zz**
- 22248. Dixeia charina liliana (Grose-Smith,1889)** (Pieridae) Synonym(s): *liliana* Grose-Smith,1889; *nigropunctata* Sharpe,1890; *gerda* Grose-Smith & Kirby,1893. _ Range (in code): **KE Mb**
- 22249. Dixeia charina narena (Grose-Smith,1898)** (Pieridae) Synonym(s): *narena* Grose-Smith,1898; *lambertoni* Le Cerf,1921 _ Range (in code): **MG**
- 22250. Dixeia charina pulverulenta (Dixey,1929)** (Pieridae) Synonym(s): *pulverulenta* Dixey,1929 _ Range (in code): **KE**
- 22251. Dixeia charina septentrionalis Bernardi,1958** (Pieridae) Synonym(s): *septentrionalis* Bernardi,1958 _ Range (in code): **ET**
- 22252. Dixeia charina simana (Hopffer,1855)** (Pieridae) Synonym(s): *simana* Hopffer,1855 _ Range (in code): **ZA Tva Mpu Brb MZ**
- 22253. Dixeia dixeyi (Neave,1904)** (Pieridae) Synonym(s): *dixeyi* Neave,1904; *yambo* Ungemach,1932; *minuta* Ungemach,1932. _ Range (in code): **TZ UG ET ZR SD**
- 22254. Dixeia dixeyi dixeyi (Neave,1904)** (Pieridae) Synonym(s): *dixeyi* Neave,1904; *yambo* Ungemach,1932; *minuta* Ungemach,1932. _ Range (in code): **TZ UG ET ZR SD**
- 22255. Dixeia doxo (Godart,[1819])** (Pieridae) Synonym(s): *doxo* Godart,[1819]; *voltaensis* Talbot,1929. _ Range (in code): **KE UG ZR TZ BF SD ET GH SN ZW ZA Tva Lpo Spb Mdk Kru Pma Pf Nta Kzu MZ ZM MW**
- 22256. Dixeia doxo alberta Grünberg,1911** (Pieridae) Synonym(s): *alberta* Grünberg,1911 _ Range (in code): **UG ZR TZ**
- 22257. Dixeia doxo costata Talbot,1943** (Pieridae) Synonym(s): *costata* Talbot,1943 _ Range (in code): **UG KE TZ**
- 22258. Dixeia doxo doxo (Godart,[1819])** (Pieridae) Synonym(s): *doxo* Godart,[1819]; *voltaensis* Talbot,1929. _ Range (in code): **BF SD GH SN**
- 22259. Dixeia doxo parva Talbot,1943** (Pieridae) Synonym(s): *parva* Talbot,1943 _ Range (in code): **ZW ZA Tva Lpo Spb Mdk Nta Kzu Kru Pma Pf MZ ZM MW**

- 22260. *Dixeia doxo venatus* (Butler,1871)** (Pieridae) **Synonym(s):** *venatus* Butler,1871 _ Range (in code): SD ET
- 22261. *Dixeia leucophanes Vari,1976*** (Pieridae) **Synonym(s):** *leucophanes* Vari,1976 _ Range (in code): ZW MZ
- 22262. *Dixeia leucophanes leucophanes Vari,1976*** (Pieridae) **Synonym(s):** *leucophanes* Vari,1976 _ Range (in code): ZW MZ
- 22263. *Dixeia orbona* (Geyer,[1837])** (Pieridae) **Synonym(s):** *orbona* Geyer,[1837] _ Range (in code): SN CM ZR KE ET UG RW SD
- 22264. *Dixeia orbona orbona* (Geyer,[1837])** (Pieridae) **Synonym(s):** *orbona* Geyer,[1837] _ Range (in code): SN CM
- 22265. *Dixeia orbona vidua* (Butler,1900)** (Pieridae) **Synonym(s):** *vidua* Butler,1900; *abyssinbia* Strand,1911; *griseovenata* Neustetter,1927. _ Range (in code): ZR KE ET UG RW SD
- 22266. *Dixeia pigea* (Boisduval,1836)** (Pieridae) **Synonym(s):** *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924. _ Range (in code): ZA Ec Tva Lpo Spb Mdk Lj Kru K12 Pf Mpu Noo Brb Suw Ptc TZ Tnga Usa Ani CM KE ZR ET UG AO CM MW Zom
- 22267. *Dixeia pigea pigea* (Boisduval,1836)** (Pieridae) **Synonym(s):** *pigea* Boisduval,1836; *alba* Wallengren,1857; *inana* Butler,1870; *rubrobasalis* Lanz,1896; *caffraria* Lanz,1896; *nitida* Aurivillius,1898; *saalmülleri* Aurivillius,1898; *astarte* Butler,1900; *kueckeni* Suffert,1904; *wagneri* Suffert,1904; *elia* Strand,1912; *leplaei* Hulstaert,1924. _ Range (in code): ZA Ec Tva Lpo Spb Lj Mdk Kru K12 Pf Mpu Noo Brb Suw TZ Tnga Usa Ani CM KE ZR ET UG AO CM MW Zom
- 22268. *Dixeia piscicollis* Pinhey,1972** (Pieridae) **Synonym(s):** *piscicollis* Pinhey,1972 _ Range (in code): ST
- 22269. *Dixeia piscicollis piscicollis* Pinhey,1972** (Pieridae) **Synonym(s):** *piscicollis* Pinhey,1972 _ Range (in code): ST
- 22270. *Dixeia spilleri* (Spiller,1884)** (Pieridae) **Synonym(s):** *spilleri* Spiller,1884; *gallenga* Grose-Smith,1887 _ Range (in code): ZA Nta Kzu Lpo Spb Kru Pma Pf TZ MZ ZW KE
- 22271. *Dixeia spilleri spilleri* (Spiller,1884)** (Pieridae) **Synonym(s):** *spilleri* Spiller,1884; *gallenga* Grose-Smith,1887 _ Range (in code): ZA Nta Kzu Tva Lpo Spb Kru Pma Pf TZ MZ ZW KE
- 22272. *Elodina andropis* Butler,1876** (Pieridae) **Synonym(s):** *andropis* Butler,1876 _ Range (in code): ID Ij PG
- 22273. *Elodina angulipennis* (Lucas,1852)** (Pieridae) **Synonym(s):** *angulipennis* Lucas,1852; *pallene* Hewitson,1853; *#nivea* Felder,1862 _ Range (in code): AU KY VAu
- 22274. *Elodina anticyra* Fruhstorfer,[1910]** (Pieridae) **Synonym(s):** *anticyra* Fruhstorfer,[1910]
- 22275. *Elodina argypheus* Grose-Smith,1890** (Pieridae) **Synonym(s):** *argypheus* Grose-Smith,1890 _ Range (in code): SB Hon
- 22276. *Elodina biaka* Joicey & Noakes,1915** (Pieridae) **Synonym(s):** *biaka* Joicey & Noakes,1915 _ Range (in code): ID Bia
- 22277. *Elodina claudia* De Baar & Hancock,1993** (Pieridae) **Synonym(s):** *claudia* De Baar & Hancock,1993 _ Range (in code): AU
- 22278. *Elodina effeminata* Fruhstorfer,[1910]** (Pieridae) **Synonym(s):** *effeminata* Fruhstorfer,[1910] _ Range (in code): PG
- 22279. *Elodina egnatia* (Godart,1819)** (Pieridae) **Synonym(s):** *egnatia* Godart,1819 _ Range (in code): ID Amb Bru
- 22280. *Elodina egnatia bouruensis* Wallace,1865** (Pieridae) **Synonym(s):** *bouruensis* Wallace,1865 _ Range (in code): ID Bru
- 22281. *Elodina egnatia egnatia* (Godart,1819)** (Pieridae) **Synonym(s):** *egnatia* Godart,1819 _ Range (in code): ID Amb
- 22282. *Elodina hypatia* Felder,1865** (Pieridae) **Synonym(s):** *hypatia* Felder,1865 _ Range (in code): ID Ij Wg PG
- 22283. *Elodina hypatia hypatia* Felder,1865** (Pieridae) **Synonym(s):** *hypatia* Felder,1865 _ Range (in code): ID Ij
- 22284. *Elodina hypatia mullericula* Fruhstorfer** (Pieridae) **Synonym(s):** *mullericula* Fruhstorfer _ Range (in code): PG
- 22285. *Elodina hypatia passarga* Fruhstorfer** (Pieridae) **Synonym(s):** *passarga* Fruhstorfer _ Range (in code): PG

- 22286. *Elodina hypatia* sada Fruhstorfer, 1910** (Pieridae) Synonym(s): *sada* Fruhstorfer, 1910
Range (in code): **ID Wg**
- 22287. *Elodina invisibilis* Fruhstorfer, 1910** (Pieridae) Synonym(s): *invisibilis* Fruhstorfer, 1910
Range (in code): **ID Wt**
- 22288. *Elodina namatia* Fruhstorfer, [1910]** (Pieridae) Synonym(s): *namatia* Fruhstorfer, [1910]
Range (in code): **ID Wg**
- 22289. *Elodina padusa* (Hewitson, 1853)** (Pieridae) Synonym(s): *#nivea* Swinson, 1851; *padusa* Hewitson, 1853; *quadrata* Butler, 1873 _ Range (in code): **AU**
- 22290. *Elodina parthia* (Hewitson, 1853)** (Pieridae) Synonym(s): *parthia* Hewitson, 1853
Range (in code): **AU KY NSw Syd**
- 22291. *Elodina perdita* Miskin, 1889** (Pieridae) Synonym(s): *perdita* Miskin, 1889 _ Range (in code): **AU QAU Ck Mck NAU Dwn**
- 22292. *Elodina perdita perdita* Miskin, 1889** (Pieridae) Synonym(s): *perdita* Miskin, 1889
Range (in code): **AU QAU Ck Mck**
- 22293. *Elodina primularis* Butler, 1882** (Pieridae) Synonym(s): *primularis* Butler, 1882; *incisa* Fruhstorfer, 1910 _ Range (in code): **NIr PG NBr**
- 22294. *Elodina primularis citrinalis* Grose-Smith** (Pieridae) Synonym(s): *citrinalis* Grose-Smith _ Range (in code): **PG NBr**
- 22295. *Elodina primularis primularis* Butler, 1882** (Pieridae) Synonym(s): *PG NIr*
Original Reference: *primularis* Butler, 1882; *incisa* Fruhstorfer
- 22296. *Elodina pseudanops* Butler, 1882** (Pieridae) Synonym(s): *pseudanops* Butler, 1882
Range (in code): **NC**
- 22297. *Elodina queenslandica* De Baar & Hancock, 1993** (Pieridae) Synonym(s): *queenslandica* De Baar & Hancock, 1993; *kuranda* De Baar & Hancock, 1993 _ Range (in code): **AU**
- 22298. *Elodina signata* Wallace, 1865** (Pieridae) Synonym(s): *signata* Wallace, 1865 _ Range (in code): **NC**
- 22299. *Elodina tongura* Tindale, 1923** (Pieridae) Synonym(s): *tongura* Tindale, 1923 _ Range (in code): **AU**
- 22300. *Elodina umbratica* Grose-Smith, 1889** (Pieridae) Synonym(s): *umbratica* Grose-Smith, 1889 _ Range (in code): **SB Hon8**
- 22301. *Elodina walkeri* Butler, 1898** (Pieridae) Synonym(s): *walkeri* Butler, 1898; *baudiniana* Butler, 1898 _ Range (in code): **AU NAU Dwn**
- 22302. *Enantia albania* (H.W.Bates, 1864)** (Pieridae) Synonym(s): *albania* H.W.Bates, 1864; *mita* Reakirt, [1867]; *#immaculata* C.C.Hofmann, 1940 _ Range (in code): **EC PA MX US Tx GT**
- 22303. *Enantia albania albania* (H.W.Bates, 1864)** (Pieridae) Synonym(s): *albania* H.W.Bates, 1864; *mita* Reakirt, [1867]; *#immaculata* C.C.Hofmann, 1940 _ Range (in code): **MX GT**
- 22304. *Enantia albania amalia* (Staudinger, 1884)** (Pieridae) Synonym(s): *amalia* Staudinger, 1884 _ Range (in code): **PA**
- 22305. *Enantia albania ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **EC**
- 22306. *Enantia aloikea* Brévignon, 1993** (Pieridae) Synonym(s): *aloikea* Brévignon, 1993
Range (in code): **GF**
- 22307. *Enantia citrinella* (C.Felder & R.Felder, 1861)** (Pieridae) Synonym(s): *citrinella* C.Felder & R.Felder, 1861; *flavia* C.Felder & R.Felder, 1861 _ Range (in code): **VE CO PE**
- 22308. *Enantia citrinella citrinella* (C.Felder & R.Felder, 1861)** (Pieridae) Synonym(s): *citrinella* C.Felder & R.Felder, 1861; *flavia* C.Felder & R.Felder, 1861 _ Range (in code): **VE**
- 22309. *Enantia citrinella ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **CO**
- 22310. *Enantia citrinella ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22311. *Enantia citrinella ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22312. *Enantia clarissa* (Weymer, 1895)** (Pieridae) Synonym(s): *clarissa* Weymer, 1895; *#albida* Röber, 1909; *johnstonei* Romieux, 1927; *liberata* d'Almeida, 1934; *#simulatrix* d'Almeida, 1934; *#variabilis* d'Almeida, 1934 _ Range (in code): **BR Rja**
- 22313. *Enantia clarissa clarissa* (Weymer, 1895)** (Pieridae) Synonym(s): *clarissa* Weymer, 1895; *#albida* Röber, 1909; *johnstonei* Romieux, 1927; *liberata* d'Almeida, 1934; *#simulatrix* d'Almeida, 1934; *#variabilis* d'Almeida, 1934 _ Range (in code): **BR Rja**
- 22314. *Enantia jethys* (Boisduval, 1836)** (Pieridae) Synonym(s): *jethys* Boisduval, 1836; *cornelia* C.Felder & R.Felder, 1865 _ Range (in code): **MX**
- 22315. *Enantia jethys jethys* (Boisduval, 1836)** (Pieridae) Synonym(s): *jethys* Boisduval, 1836; *cornelia* C.Felder & R.Felder, 1865 _ Range (in code): **MX**

- 22316. *Enantia limnorina* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *limnorina* C.Felder & R.Felder,1865; *dissimulata* d'Almeida,1931; *aenigma* d'Almeida,1931; *hoffmanni* d'Almeida,1934
Range (in code): BR
- 22317. *Enantia limnorina limnorina* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *limnorina* C.Felder & R.Felder,1865; *dissimulata* d'Almeida,1931; *aenigma* d'Almeida,1931; *hoffmanni* d'Almeida,1934
Range (in code): BR
- 22318. *Enantia lina* (Herbst,1792)** (Pieridae) Synonym(s): *lina* Herbst,1792
Range (in code): EC CO MX BR UY VE NI PE BO TT
- 22319. *Enantia lina acutipennis* Butler,1896** (Pieridae) Synonym(s): *acutipennis* Butler,1896
Range (in code): TT
- 22320. *Enantia lina aphrodite* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *aphrodite* C.Felder & R.Felder,1865; *cretacea* Grose-Smith & W.F.Kirby,1897
Range (in code): BR
- 22321. *Enantia lina galanthis* (H.W.Bates,1861)** (Pieridae) Synonym(s): *galanthis* H.W.Bates,1861; *#carnosa* Baumann & Reissinger,1969; *eva* Reissinger,1970; *elongata* Reissinger,1970
Range (in code): BR PE BO
- 22322. *Enantia lina lina* (Herbst,1792)** (Pieridae) Synonym(s): *lina* Herbst,1792
- 22323. *Enantia lina marion* Godman & Salvin,1889** (Pieridae) Synonym(s): *marion* Godman & Salvin,1889
Range (in code): NI
- 22324. *Enantia lina mercenaria* (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *mercenaria* C.Felder & R.Felder,1861; *ilerasi* Apolinar,1926
Range (in code): VE CO
- 22325. *Enantia lina psamathe* (Fabricius,1793)** (Pieridae) Synonym(s): *psamathe* Fabricius,1793; *isodrita* Boisduval,1836; *dilis* Boisduval,1836; *#kollari* Doubleday,1847; *kollari* Lucas,1852; *kollari* Reakirt,1865; *#disjuncta* Röber,1909; *delia* Schweizer & Kay,1941; *#joannisi* Dufrane,1947
Range (in code): BR UY
- 22326. *Enantia lina ssp.n.*** (Pieridae) Synonym(s):
Range (in code): CO
- 22327. *Enantia lina ssp.n.*** (Pieridae) Synonym(s):
Range (in code): EC
- 22328. *Enantia lina versicolora* (Fruhstorfer,1912)** (Pieridae) Synonym(s): *versicolora* Fruhstorfer,1912; *#carnosa* Fruhstorfer,1912
Range (in code): BR
- 22329. *Enantia lina virna* Lamas,2003** (Pieridae) Synonym(s): *hoffmanni* Llorente,1984 *nec* d'Alm.,1934; *virna* Lamas,2003
Range (in code): MX
- 22330. *Enantia mazai* Llorente,1984** (Pieridae) Synonym(s): *mazai* Llorente,1984
Range (in code): MX
- 22331. *Enantia mazai diazi* Llorente,1984** (Pieridae) Synonym(s): *diazi* Llorente,1984
Range (in code): MX
- 22332. *Enantia mazai mazai* Llorente,1984** (Pieridae) Synonym(s): *mazai* Llorente,1984
Range (in code): MX
- 22333. *Enantia melite* (Linnaeus,1763)** (Pieridae) Synonym(s): *melite* Linnaeus,1763; *?heteroclita* Linnaeus,1763; *licinia* Cramer,1777; *phronima* Fabricius,1793
Range (in code): SR PE BO
- 22334. *Enantia melite linealis* (Prüffer,1922)** (Pieridae) Synonym(s): *linealis* Prüffer,1922; *#juncta* Dufrane,1947; *zischkai* Baumann & Reissinger,1969
Range (in code): PE
- 22335. *Enantia melite melite* (Linnaeus,1763)** (Pieridae) Synonym(s): *melite* Linnaeus,1763; *?heteroclita* Linnaeus,1763; *licinia* Cramer,1777; *phronima* Fabricius,1793
Range (in code): SR
- 22336. *Enantia melite ssp.n.*** (Pieridae) Synonym(s):
Range (in code): PE
- 22337. *Enantia melite theugensis* (Doubleday,1848)** (Pieridae) Synonym(s): *theugensis* Doubleday,1848; *#immaculata* Zischka,1951; *#flavimaculata* Zischka,1951; *continuescens* Zischka,1951
Range (in code): BO
- 22338. *Eronia cleodora* Hübner,[1823]** (Pieridae) Synonym(s): *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
Range (in code): ZA Ec Wca Nta Kzu Tva Lpo Spb Kru Pma Hgl Lj Nta Kzu Dbn Tug Wnn Mpu Brb Mll ET SD ZR KE TZ ZM ZW AO MZ
- 22339. *Eronia cleodora cleodora* Hübner,[1823]** (Pieridae) Synonym(s): *cleodora* Hübner,[1823]; *erxia* Hewitson,1867
Range (in code): ZA Ec Wca Nta Kzu Tva Lpo Spb Kru Pma Hgl Lj Nta Kzu Dbn Tug Wnn Mpu Brb Mll ET SD ZR KE TZ ZM ZW AO MZ
- 22340. *Eronia cleodora dilatata* Butler,1888** (Pieridae) Synonym(s): *dilatata* Butler,1888; *latimarginata* Weymer,1892
Range (in code): KE TZ
- 22341. *Eronia leda* (Boisduval,1847)** (Pieridae) Synonym(s): *leda* Boisduval,1847; *tekoukoule* Guérin-Méneville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916
Range (in code): ZA Ec Tva Lpo Spb Lj Kru Pma Mdk Nta Kzu Dbn Tug Wnn Ly Suw Mpu Brb ET ZR TZ Dss KE SD ZM ZW BW AO MZ

- 22342. *Eronia leda leda* (Boisduval,1847)** (Pieridae) Synonym(s): *leda* Boisduval,1847; *tekoukoule* Guérin-Ménéville,1849; *wahlbergi* Wallengren,1857; *trimeni* Oberthür,1878; *cygnophila* Suffert,1904; *inargyrata* Gaede,1916 Range (in code): **ZA Ec Tva Lpo Spb Lj Kru Pma Mdk Nta Kzu Dbn Tug Wnn Ly Suw Mpu Brb ET ZR TZ Dss KE SD ZM ZW BW AO MZ**
- 22343. *Euchloe (Elphinstonia) bazae* Fabiano,1993** (Pieridae) Synonym(s): *bazae* Fabiano,1993 Original Reference: *Euchloe charlonia* ssp. *bazae* Fabiano,1993, Linneana Belg. 14 (4): 207-212, figs. Holotype ♂: Spain: Granada, Baza. Range (in code): **ES Ag An Grn**
- 22344. *Euchloe (Elphinstonia) bazae bazae* Fabiano,1993** (Pieridae) Synonym(s): *bazae* Fabiano,1993 Original Reference: *Euchloe charlonia* ssp. *bazae* Fabiano,1993, Linneana Belg. 14 (4): 207-212, figs. Holotype ♂: Spain: Granada, Baza. Range (in code): **ES An Grn**
- 22345. *Euchloe (Elphinstonia) bazae iberae* Back, Olivares, Leestmans,2005** (Pieridae) Synonym(s): *iberae* Back, Olivares, Leestmans,2005 Range (in code): **ES Ag**
- 22346. *Euchloe (Elphinstonia) charlonia* (Donzel,1842)** (Pieridae) Synonym(s): *charlonia* Donzel,1842; *levaillantii* H.Lucas,1847; *elizabethae* Hemming,1932. Original Reference: *Anthocaris charlonia* Donzel,1842, Annls Soc. ent. Fr. 11 (2): 197-198, pl.8 fig.1. Syntypes: Algerié: Emsilah, en Barbarié. Range (in code): **SD TD Tbt Cn ES Grn Hue DZ Amu Ess Berr Ges Dje Gha BSa Bsk Ktr Khh Btna Orn Tun Ceg Nbr Agi TN LY MA Agd EG Sn JO SY SA** Bionomy: Larva on *Reseda lancelotae*, *R. villosa*, *Succowia balearica*, *Moricandia arvensis*, *Eryngium tenue*, *Eruca vesicaria*, *Diploaxis pendula*, *D. acris*, *Cleome arabica*, *Lonchophora capiomontana* (Tolman,1997).
- 22347. *Euchloe (Elphinstonia) charlonia charlonia* (Donzel,1842)** (Pieridae) Synonym(s): *charlonia* Donzel,1842; *levaillantii* H.Lucas,1847; *elizabethae* Hemming,1932. Original Reference: *Anthocaris charlonia* Donzel,1842, Annls Soc. ent. Fr. 11 (2): 197-198, pl.8 fig.1. Syntypes: Algerié: Emsilah, en Barbarié. Range (in code): **SD TD Tbt Cn ES Grn Hue DZ Amu Ess Berr Ges Dje Gha BSa Bsk Ktr Khh Btna Orn Tun Ceg Nbr Agi TN LY MA Agd EG Sn JO SY SA** Bionomy: Larva on *Reseda lancelotae*, *R. villosa*, *Succowia balearica*, *Moricandia arvensis*, *Eryngium tenue*, *Eruca vesicaria*, *Diploaxis pendula*, *D. acris*, *Cleome arabica*, *Lonchophora capiomontana* (Tolman,1997).
- 22348. *Euchloe (Elphinstonia) lessei* Bernardi,1957** (Pieridae) Synonym(s): *lessei* Bernardi,1957 Original Reference: *Euchloe lessei* Bernardi,1957, Bull. Soc. ent. Fr. 62: 38-41. Holotype ♂: N. Iran: above Ask, south Demavend Mt., 2000-3000m (MNHNP). Range (in code): **IR Qz Kz Yas Es Fa Yz Lo Elb Th Mz**
- 22349. *Euchloe (Elphinstonia) lessei lessei* Bernardi,1957** (Pieridae) Synonym(s): *lessei* Bernardi,1957 Original Reference: *Euchloe lessei* Bernardi,1957, Bull. Soc. ent. Fr. 62: 38-41. Holotype ♂: N. Iran: above Ask, south Demavend Mt., 2000-3000m (MNHNP). Range (in code): **IR Qz Elb Th Mz**
- 22350. *Euchloe (Elphinstonia) lessei qohrudicus* Back & Leestmans,2001** (Pieridae) Synonym(s): *qohrudicus* Back & Leestmans,2001 Original Reference: *Euchloe lessei* ssp. *qohrudicus* Back & Leestmans,2001, Linneana Belg. 18 (4): 189-190, figs. Holotype ♂: Iran: Zefre, Mt. Qohrud, 2700m 20.v.2001 W.Back leg. (ZSMS). Range (in code): **IR Es Yz**
- 22351. *Euchloe (Elphinstonia) lessei zagrosicus* Leestmans & Back,1992** (Pieridae) Synonym(s): *zagrosicus* Leestmans & Back,1992 Original Reference: *Euchloe lessei* ssp. *zagrosicus* Leestmans & Back,1992, Linneana Belg. 13 (8): 448-449, 452-455, figs. Holotype ♂: Iran: N.W. Shiraz, Zagros range, 3100m., leg. E.P.Wiltshire (BMNH). Range (in code): **IR Fa Kz Yas Lo**
- 22352. *Euchloe (Elphinstonia) lucilla* Butler,1886** (Pieridae) Synonym(s): *lucilla* Butler,1886; *#lucillides* Verity,[1911]. Original Reference: *Euchloe lucilla* Butler,1886, Proc. zool. Soc. Lond. 1886: 376, Pl.35 fig.4. Syntypes: [Pakistan]: Campbellpore (on *Stachys parviflora*, J.W.Yerbury leg.). Range (in code): **AF Ng Jla Lgh Pj PK Cp Bl Nwf Zh**
- 22353. *Euchloe (Elphinstonia) lucilla doveri* Evans,1932** (Pieridae) Synonym(s): *doveri* Evans,1932 Original Reference: *Euchloe charlonia doveri* Evans,1932, Ident. Indian Butts. (2.edn.): 65. Syntypes ♂♀: [Pakistan]: Baluchistan. Range (in code): **PK Bl**
- 22354. *Euchloe (Elphinstonia) lucilla lucilla* Butler,1886** (Pieridae) Synonym(s): *lucilla* Butler,1886; *#lucillides* Verity,[1911]. Original Reference: *Euchloe lucilla* Butler,1886, Proc. zool. Soc. Lond. 1886: 376, Pl.35 fig.4. Syntypes: [Pakistan]: Campbellpore. Range (in code): **Ng Jla Lgh Pj Nwf PK Cp**
- 22355. *Euchloe (Elphinstonia) lucilla pila* Evans,1932** (Pieridae) Synonym(s): *pila* Evans,1932 Original Reference: *Euchloe charlonia pila* Evans,1932, Ident. Indian Butts. (2.edn.): 65. Syntypes ♂♀: [Pakistan]: Baluchistan. Range (in code): **PK Bl Zh**

- 22356. Euchloe (Elphinstonia) penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia Freyer,[1852]; mesopotamica Baker,1889.* Original Reference: Pontia penia Freyer,[1852], Neuere Beitr. Schmett. 6: 149-150, pl. 574, fig.4. Range (in code): **IL Pa He BG GR MK TR SY LB IQ Kbl Ukh IR Zj** Bionomy: Larva on Matthiola tessela at Treska (Macedonia), Hesperis laciniata (Greece) (Pinker,1957; Back & Eitschberger,1976; Leestmans & Back,1992; Tolman,1997).
- 22357. Euchloe (Elphinstonia) penia penia (Freyer,[1852])** (Pieridae) Synonym(s): *penia Freyer,[1852]; mesopotamica Baker,1889.* Original Reference: Pontia penia Freyer,[1852], Neuere Beitr. Schmett. 6: 149-150, pl. 574, fig. 4. Range (in code): **IL Pa He TR SY LB IQ Kbl Ukh** Bionomy: Larva on Matthiola tessela at Treska (Macedonia), Hesperis laciniata (Greece) (Pinker,1957; Back & Eitschberger,1976; Leestmans & Back,1992; Tolman,1997).
- 22358. Euchloe (Elphinstonia) penia taleschicus Back & Leestmans,2001** (Pieridae) Synonym(s): *taleschicus Back & Leestmans,2001; #talescgicus Back & Leestmans,2001.* Original Reference: Euchloe penia ssp. taleschicus Back & Leestmans,2001, Linneana Belg. 18 (4): 193-194, figs. Holotype ♂: Iran: Zanzan: Mt. Tales, 1300m, 19.iv.2001, leg. M.Ziayan (ZSMS). Range (in code): **IR Zj**
- 22359. Euchloe (Elphinstonia) penia thessalica Mezger,1936** (Pieridae) Synonym(s): *thessalica Mezger,1936* Original Reference: Euchloe penia var. thessalica Mezger,1936, Lambillionea 36 (2): 35. Range (in code): **BG GR MK**
- 22360. Euchloe (Elphinstonia) tomyris Christoph,1884** (Pieridae) Synonym(s): *tomyris Christoph,1884* Range (in code): **Kp TM UZ Fe IR Kh**
- 22361. Euchloe (Elphinstonia) tomyris tomyris Christoph,1884** (Pieridae) Synonym(s): *tomyris Christoph,1884* Range (in code): **Kp TM UZ Fe IR Kh**
- 22362. Euchloe (Elphinstonia) transcaspica (Staudinger,[1892])** (Pieridae) Synonym(s): *transcaspica Staudinger,[1892]* Original Reference: Anthocharis charlonia var. transcaspica Staudinger,[1892], Dt. ent. Z., Iris 4: 229. Syntypes: [Turkmenistan]: Krasnowodsk, Achal-Tekke; [Iran]: Nord-Persien: Schahrud. Range (in code): **IQ Dy Qg Jd IR OM Fa Bu Hz Elb Kp TM**
- 22363. Euchloe (Elphinstonia) transcaspica amseli Gross & Ebert,1975** (Pieridae) Synonym(s): *amseli Gross & Ebert,1975* Original Reference: Euchloe charlonia ssp. amseli Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 10, fig.4. Holotype ♂: Iran: Fars: Dalaki, 130m (LNK) Range (in code): **IQ Dy Qg Jd IR Fa Bu Hz OM**
- 22364. Euchloe (Elphinstonia) transcaspica transcaspica (Staudinger,[1892])** (Pieridae) Synonym(s): *transcaspica Staudinger,[1892]* Original Reference: Anthocharis charlonia var. transcaspica Staudinger,[1892], Dt. ent. Z., Iris 4: 229. Syntypes: [Turkmenistan]: Krasnowodsk, Achal-Tekke; [Iran]: Nord-Persien: Schahrud. Range (in code): **IR Elb Kp TM**
- 22365. Euchloe (Elphinstonia) ziayani Leestmans & Back,2001** (Pieridae) Synonym(s): *ziayani Leestmans & Back,2001* Original Reference: Euchloe ziayani Leestmans & Back,2001, Linneana Belg. 18 (3): 140-143, figs. Holotype ♂: Iran: NW. Iran: Zanzan Prov., Mt. Tales E., 1300m, 24 v 2000 leg. M.Ziayan (ZSMS). Range (in code): **IR Zj**
- 22366. Euchloe (Elphinstonia) ziayani ziayani Leestmans & Back,2001** (Pieridae) Synonym(s): *ziayani Leestmans & Back,2001* Original Reference: Euchloe ziayani Leestmans & Back,2001, Linneana Belg. 18 (3): 140-143, figs. Holotype ♂: Iran: NW. Iran: Zanzan Prov., Mt. Tales E., 1300m, 24 v 2000 leg. M.Ziayan (ZSMS). Range (in code): **IR Zj**
- 22367. Euchloe (s.str.) aegyptiaca Verity,[1911]** (Pieridae) Synonym(s): *aegyptiaca Verity,[1911]* Original Reference: Euchloe belia race aegyptiaca Verity, [1911], Rhopalocera Palaearctica: 337, pl.67, figs. 28,29. Syntypes: Egypt: Wadi Hof at Heluan. Range (in code): **EG JO LY SA**
- 22368. Euchloe (s.str.) aegyptiaca aegyptiaca Verity,[1911]** (Pieridae) Synonym(s): *aegyptiaca Verity,[1911]* Original Reference: Euchloe belia race aegyptiaca Verity, [1911], Rhopalocera Palaearctica: 337, pl.67, figs. 28,29. Syntypes: Egypt: Wadi Hof at Heluan. Range (in code): **EG JO LY SA**
- 22369. Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia Hübner,[1804]; marchandae Geyer,[1832].* Original Reference: Papilio ausonia Hübner,[1804], Samml. eur. Schmett. 1: pl.113, figs.582-583; 64-65. Syntypes:Italien. Range (in code): **Aa AF AL Cc AM Ao At AZ Ba BE BG B-H Bs BY CH Cm CN Co Cr FR GG GR HV IL IQ IT JO KG Kp Ku Ky LB LY MK Mn Or Rd RO RU Si Sm Sp Sr SS SY Tk Syr Tm TM TR T-S UA Ui Uk YU Mt Ko Slv Skp Vrn Rg Rtc TrA Aa Sau Tar DsA Mrk Nym Ktm CY IR Ak Msw Fa Lo Elb Th Zj MA DZ Bttna Orn Agi Dja Ah Eba Ktr TN Rbt Tlm Blid Cst Tun Ess Tth Saia Berr BSa Bsk Khk Lbs Hrh Hmk Ndr Ahr Ges Kab Ng Jla** Bionomy: Larva on Sinapis arvensis, Isatis tinctoria, I. glauca, Aethionema saxatile, Iberis sempervirens, Biscutella mollis, B. laevigata, Bunias erucago, Alyssum saxatile, Descurainia

- sophioides, *Sisymbrium altissimum*, *Capsella bursa-pastoris* (Brassicaceae) (Lorkovic,1965; Back,1979; Tolman,1997; Koçak, in litt.; Kemal et al,2009)
- 22370. *Euchloe* (s.str.) *ausonia ausonia* (Hübner,[1804])** (Pieridae) Synonym(s): *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. Original Reference: *Papilio ausonia* Hübner,[1804], Samml. eur. Schmett. 1: pl.113, figs.582-583; 64-65. Syntypes:Italien. Range (in code): **BE CH Co FR IT Si**
- 22371. *Euchloe* (s.str.) *ausonia dubatolovi* Korshunov,1995** (Pieridae) Synonym(s): *dubatolovi* Korshunov,1995 Original Reference: *Euchloe ausonia* ssp. *dubatolovi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 62. Holotype: Russia: Altay: Katuna Mountain Range, 15km SW Katanda, Kouragane-Koutcherla 2300m. Range (in code): **At RU Kts**
- 22372. *Euchloe* (s.str.) *ausonia kruegeri* Turati,1905** (Pieridae) Synonym(s): *kruegeri* Turati,1905; *trinacriae* Turati,1905. Range (in code): **Si IT**
- 22373. *Euchloe* (s.str.) *ausonia melanochloros* Röber,1907** (Pieridae) Synonym(s): *melanochloros* Röber,1907; *mauretanica* Röber,1907; *algorica* Oberthür,1909; *paravicinii* Stauder,1915; *#butleri* Rothschild,1917; *#pseudonymus* Rothschild,1917 Original Reference: *Euchloe belia melanochloros* Röber,1907, [in] Seitz, Gross-Schmett. Erde 1: 52. Type: Algeria, Batna. Range (in code): **MA DZ Bttna Orn Agi Dja Ah Eba Ktr TN Rbt Tlm Blid Cst Tun Ess Tth Saia Berr BSa Bsk Khk Lbs Ges**
- 22374. *Euchloe* (s.str.) *ausonia pulverata* (Christoph,1884)** (Pieridae) Synonym(s): *pulverata* Christoph,1884 Original Reference: *Anthocharis belia* var. *pulverata* Christoph,1884, [in] Romanoff, Mém. Lépid. 1: 99. Syntypes: [Turkmenistan]: Askhabad, Kysyl-Arvat [Kopet Dag]. Range (in code): **T-S Aa AF Kab Ng Jla IR KG Kp Elb Th Ky Mn Sp Tk Syr Tm TM TrA Aa Sau Tar DsA Mrk Nym Ktm**
- 22375. *Euchloe* (s.str.) *ausonia taurica* Röber,[1907]** (Pieridae) Synonym(s): *belia* Cramer,[1782] *nec* Linn.,1767; *simponia* Freyer,1829 *nec* Boisd.,1828; *#philippsi* Rudolph,1906; *#taurica* Röber,[1907]; *melisande* Fruhstorfer,1908; *#graeca* Verity,[1909]; *#persica* Verity,[1909]; *#originalis* Rothschild,1917; *verityi* Riley,1921; *kastellorisi* Katt. & Koutsaftikis,1978 Original Reference: *Euchloe belia* f. *taurica* Röber,[1907], [in] Seitz,A., Die Gross-Schmett. Erde 1: 52, Taf.22c. Type(s): [Türkei]: "cilicischen Taurus (südliches Klein-Asien) (Typenmaterial verschollen). Range (in code): **He IL Ae AL AM AZ BG B-H CY Cr Cc GG GR HV IQ IR Fa Lo Zj JO MK Rd SS TR YU Mt Ko Slv Skp Vrn Rg Rtc SY** Bionomy: Larva on *Descurainia*, *Sisymbrium altissimum*, *Capsella bursa-pastoris* (Brassicaceae) (Koçak, in litt.; Kemal et al,2009)
- 22376. *Euchloe* (s.str.) *ausonia volgensis* Krulikowsky,1897** (Pieridae) Synonym(s): *volgensis* Krulikowsky,1897; *uralensis* Bartel,1902; *pfaffi* Trautman,1927. Original Reference: *Euchloe belia* var. *volgensis* Krulikowsky,1897, Trudy Saratov. obshchestva estestvoipyatatelei i lyubitelei pridrody 1: 36. Type(s): Russia: Volga, Saratow. Range (in code): **Ao Ba Bs Cm KG Or RU Sm Sr UA Uk**
- 22377. *Euchloe* (s.str.) *belemia* (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glaucæ* Hübner,[1804]; *desertorum* Turati,1905; *distincta* Röber,1907; *evanescens* Röber,1907; *marmorata* Chnéour,1934 Original Reference: *Papilio belemia* Esper,[1800], Die Schmett. (Suppl.) 1(1): 92, pl.110, fig. 2. Range (in code): **Bl Cn Cy DZ Bsk Ktr Agi Ah Ski Eba Dju EG ES IL Pa Hf IQ IR Bu Kz JO KW LB LY MA MT PK PT SA Bhh SY TN TR YE Cz Mlg Hv Svl Cd Grn Jae Alm Mu Mu18 Alc Cue Ter Mdr Val Gu Bgs Tgr Ess Rbt Saia Orn Blid Berr Ges BSa Khk Lbs Bttna DhM Tun Phv Mzg Hrh Dzc Ahr Out Ceg Hmk Nbr Bea Clo Rbt** Bionomy: Larva on *Diplotaxis siifolia*, *D. tennuisiliqua*, *Biscutella laevigata*, *B. didyma*, *Sisymbrium* (Tolman,1997).
- 22378. *Euchloe* (s.str.) *belemia abyssinica* Riley,1928** (Pieridae) Synonym(s): *abyssinica* Riley,1928 Original Reference: *Euchloe belemia* ssp. *abyssinica* Riley,1928, Entomologist 61: 136. Holotype ♂: [Ethiopia]: Abyssinia: Mt. Chillalo, 8000ft. (BMNH). Range (in code): **ET SA SO**
- 22379. *Euchloe* (s.str.) *belemia belemia* (Esper,[1800])** (Pieridae) Synonym(s): *belemia* Esper,[1800]; *glaucæ* Hübner,[1804]; *desertorum* Turati,1905; *distincta* Röber,1907; *evanescens* Röber,1907; *marmorata* Chnéour,1934 Original Reference: *Papilio belemia* Esper,[1800], Die Schmett. (Suppl.) 1(1): 92, pl.110, fig. 2. Range (in code): **DZ Clo Bsk Ktr Agi Ah Ski Eba Dju ES MT PT Cz Mlg Hv Svl Cd Grn Jae Alm Mu Mu18 Alc Cue Ter Mdr Val Gu Bgs Tgr Ess Rbt Saia Orn Blid Berr Ges BSa Khk Lbs Bttna DhM Tun Phv Mzg Hrh Dzc Ahr Out Ceg Hmk Nbr Bea**
- 22380. *Euchloe* (s.str.) *belemia eversi* Stamm,1963** (Pieridae) Synonym(s): *eversi* Stamm,1963 Range (in code): **ES Cn**
- 22381. *Euchloe* (s.str.) *belemia hesperidum* Rothschild,1913** (Pieridae) Synonym(s): *hesperidum* Rothschild,1913 Range (in code): **ES Cn**
- 22382. *Euchloe* (s.str.) *belemia palaestinensis* Röber,[1907]** (Pieridae) Synonym(s): *#palaestinensis* Röber,[1907]; *moslemi* Seyer,1988. Original Reference: *Euchloe belemia* f.

- palaestinensis Röber, [1907], [in] Seitz, A., Gross-Schmett. Erde. 1: 51. Type(s): Palästina. Range (in code): EG KW SA YE LB TR He IL Pa Hf JO IR Kz Bu BI IQ PK
- 22383. Euchloe (s.str.) crameri Butler, 1869** (Pieridae) Synonym(s): *crameri* Butler, 1869
Original Reference: *Euchloe crameri* Butler, 1869, Entomologist's mon. Mag. 5: 271, nr.2. Type(s): South Europe [S.Spain] (obtained from J.J.Becker) (BMNH). Range (in code): MA Azr ES FR IT PT MA DZ TN LY SY Cy EG JO Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Bionomy: Larva on *Sinapis arvensis*, *Biscutella laevigata*, *Raphanus raphanistrum*, *Moricandia arvensis*, *Iberis sempervirens*, *I. pinnata*, *Isatis tinctoria* (Tolman, 1997).
- 22384. Euchloe (s.str.) crameri crameri Butler, 1869** (Pieridae) Synonym(s): *crameri* Butler, 1869
Original Reference: *Euchloe crameri* Butler, 1869, Entomologist's mon. Mag. 5: 271, nr.2. Type(s): South Europe [S.Spain] (obtained from J.J.Becker) (BMNH). Range (in code): ES FR IT PT Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRE Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vel Zg Zm Bionomy: Larva on *Sinapis arvensis*, *Biscutella laevigata*, *Raphanus raphanistrum*, *Moricandia arvensis*, *Iberis sempervirens*, *I. pinnata*, *Isatis tinctoria* (Tolman, 1997).
- 22385. Euchloe (s.str.) crameri esperi Kirby, 1871** (Pieridae) Synonym(s): *esperi* Kirby, 1871; *matutia* Turati, 1905. Original Reference: *Euchloe ausonia* var. *esperi* Kirby, 1871, Synonymic Catalogue of Diurnal Lepidoptera: 506 (nomen novum pro *Papilio belia* Esper nec Linnaeus). Syntypes: "Europa mer. occ., Africa bor.". Range (in code): IT FR
- 22386. Euchloe (s.str.) crameri lybica Turati, 1917** (Pieridae) Synonym(s): *lybica* Turati, 1917; *syrtica* Turati, 1924. Original Reference: *Euchloe ausonia lybica* Turati, 1917, Bull. Soc. ent. Fr. 1917: 161. Syntypes: Libya: Benghazi. Range (in code): LY Cy EG JO SY
- 22387. Euchloe (s.str.) crameri mauretanica Röber, [1907]** (Pieridae) Synonym(s): *#mauretanica* Röber, [1907] Original Reference: *Euchloe tagis* f. *mauretanica* Röber, [1907], [in] Seitz, A., Die Gross-Schmett. Erde. 1: 53, 22d. Type(s): Algier. Range (in code): MA DZ TN LY
- 22388. Euchloe (s.str.) creusa (Doubleday & Hewitson, 1847)** (Pieridae) Synonym(s): *creusa* Doubleday & Hewitson, 1847
Original Reference: *Anthocharis creusa* Doubleday & Hewitson, 1847, Gen. diurn. Lepid. 1: pl.7, fig.1. Type(s): [Canada]: Rocky Mountains, vic. Banff, Alberta (BMNH?). Range (in code): CA BCo Abt Als Am At Kts Jk KG Ktm Mgd Mn Mrk Nym RU Prj Sau Sb Sj Sp Tai Tch Tv Us US Mon Wy Als CA Yuk DMk
- 22389. Euchloe (s.str.) creusa creusa (Doubleday & Hewitson, 1847)** (Pieridae) Synonym(s): *creusa* Doubleday & Hewitson, 1847
Original Reference: *Anthocharis creusa* Doubleday & Hewitson, 1847, Gen. diurn. Lepid. 1: pl.7, fig.1. Type(s): [Canada]: Rocky Mountains, vic. Banff, Alberta (BMNH?). Range (in code): Als US Mon Wy Als CA Yuk DMk Abt CA BCo
- 22390. Euchloe (s.str.) creusa kurentzovi Beljaev, 1986** (Pieridae) Synonym(s): *kurentzovi* Beljaev, 1986
Original Reference: *Euchloe creusa* ssp. *kurentzovi* Beljaev, 1986, Sistematika i ekologiya cheshuekrylykh Dalnego VostokaSSSR: 117. Range (in code): Mgd RU Tch
- 22391. Euchloe (s.str.) creusa nemoralis Beljaev, 1986** (Pieridae) Synonym(s): *nemoralis* Beljaev, 1986
Original Reference: *Euchloe creusa* ssp. *nemoralis* Beljaev, 1986, Sistematika i ekologiya cheshuekrylykh Dalnego VostokaSSSR: 117. Range (in code): RU Prj Us
- 22392. Euchloe (s.str.) creusa orientalis (Bremer, 1864)** (Pieridae) Synonym(s): *orientalis* Bremer, 1864; *emiorientalis* Verity, 1911. Original Reference: *Anthocharis belemida* var. *orientalis* Bremer, 1864, Mém. Acad. imp. Sci. St. Petersburg. 8: 8. Type(s): Amur. Range (in code): Am At Kts Jk KG Ktm Mn Mrk Nym RU Sau Sj Sp Tai Tv
- 22393. Euchloe (s.str.) daphalis (Moore, 1865)** (Pieridae) Synonym(s): *daphalis* Moore, 1865
Original Reference: *Anthocharis daphalis* Moore, 1865, Proc. zool. Soc. London 35: 491, pl.31 fig.14. Type: [India]: Middle Kunawur. Range (in code): IN Knw PK Ci Kma Bl Zh Haz Nar
- 22394. Euchloe (s.str.) daphalis daphalis (Moore, 1865)** (Pieridae) Synonym(s): *daphalis* Moore, 1865
Original Reference: *Anthocharis daphalis* Moore, 1865, Proc. zool. Soc. London 35: 491, pl.31 fig.14. Type: [India]: Middle Kunawur. Range (in code): IN Knw PK Ci Kma Bl Zh Haz Nar
- 22395. Euchloe (s.str.) falloui (Allard, 1867)** (Pieridae) Synonym(s): *falloui* Allard, 1867; *seitzii* Röber, 1907; *obsolescens* Rothschild, 1913; *lucida* Sheljuzhko, 1914; *choumovitschi* Schneur, 1935. Original Reference: *Anthocharis falloui* Allard, 1867, Annls Soc. ent. Fr. 1867: 312, 318, pl.6 fig.1. Type(s): Algerié, Biskra. Range (in code): IL MA SA SO DZ Bsk Ktr Gha Gtt Omy Idl Ah TN Dje Omy Gf Khk

- Dhm Ges Hes BSa LY EG JO SA34 SA50 Hj** Bionomy: Larva on *Moricandia arvensis*, *M. sinaica*, *Diplotaxis acris*, *Schouwia thebaica*, *Zilla spinosa*, *Reseda muricata* (Tolman,1997).
- 22396. Euchloe (s.str.) falloui fairuzae Tarrier,1996** (Pieridae) Synonym(s): *fairuzae Tarrier,1996* Original Reference: *Euchloe falloui* ssp. *fairuzae* Tarrier,1996, *Alexanor* 19(4): 195-198, figs. Holotype ♂: Maroc: Tiz-n-Tiniffit, djebel Sarrho, 1600m (ISR) Range (in code): **MA**
- 22397. Euchloe (s.str.) falloui falloui (Allard,1867)** (Pieridae) Synonym(s): *falloui Allard,1867*; *seitzi Röber,1907*; *obsolescens Rothschild,1913*; *lucida Sheljuzhko,1914*; *choumovitschi Schneeur,1935*. Original Reference: *Anthocharis falloui* Allard, 1867, *Annls Soc. ent. Fr.* 1867: 312, 318, pl.6 fig.1. Type(s): Algerié, Biskra. Range (in code): **MA DZ Bsk Ktr Gha Gtt Omy Idl Ah TN Gf LY**
- 22398. Euchloe (s.str.) falloui saudi T.Larsen,1983** (Pieridae) Synonym(s): *saudi T.Larsen,1983* Original Reference: *Euchloe falloui* ssp. *saudi* Larsen,1983, *Fauna Saudi Arabia* 5: 353, pl.1 figs.1-3. Holotype ♂: Saudi Arabia: Riyadh Area. Range (in code): **SA SA34 SA50 Hj**
- 22399. Euchloe (s.str.) insularis (Staudinger,1861)** (Pieridae) Synonym(s): *insularis Staudinger,1861* Original Reference: *Antocharis tagis* var. *insularis* Staudinger,1861, *Cat. lepid. Eur.* 1: 2 (nomen novum pro *tagis* Rambur nec Hbn.). Syntypes: Sardinia, Corsica. Range (in code): **Co Sa** Bionomy: Larva on *Iberis pennata*, *Sinapis*, *Hirschfeldia incana* (Tolman,1997).
- 22400. Euchloe (s.str.) insularis insularis (Staudinger,1861)** (Pieridae) Synonym(s): *insularis Staudinger,1861* Original Reference: *Antocharis tagis* var. *insularis* Staudinger,1861, *Cat. lepid. Eur.* 1: 2 (nomen novum pro *tagis* Rambur nec Hbn.). Syntypes: Sardinia, Corsica. Range (in code): **Co Sa**
- 22401. Euchloe (s.str.) naina Kozhantshikov,1923** (Pieridae) Synonym(s): *naina Kozhantshikov,1923* Original Reference: *Euchloe belia* ssp. *naina* Kozhantshikov,1923, *Jb. Staatsmus. Minussinsk* 1: 3. Type(s): Russia: Sajjan Gebirge bei Minussinsk. Range (in code): **Am At KG Kmt Mn RU Sb Sj Tch Ya DsA US Als CA Yuk**
- 22402. Euchloe (s.str.) naina irina Dubatolov & Kosterin,1994** (Pieridae) Synonym(s): *irina Dubatolov & Kosterin,1994* Original Reference: *Euchloe naina* ssp. *irina* Dubatolov & Kosterin,1994, *Atalanta* 25(3/4): 514-519, figs. Holotype ♂: S.E. Kazakhstan: Dzhungarian Alatau, 40-50km E.NE. of the city Tekeli, 2100-3100m., upper part of the Karai valley. Range (in code): **KG Tk DsA**
- 22403. Euchloe (s.str.) naina kusnezovi Korshunov,1995** (Pieridae) Synonym(s): *kusnezovi Korshunov,1995* Original Reference: *Euchloe naina* ssp. *kusnezovi* Korshunov,1995, [in] Korshunov & Gorbunov, *The Butterflies of the Asian Parts of Russia*: 63. Holotype: Russia: Yenissei river, Irbo-Keta. Range (in code): **RU**
- 22404. Euchloe (s.str.) naina naina Kozhantshikov,1923** (Pieridae) Synonym(s): *naina Kozhantshikov,1923* Original Reference: *Euchloe belia* ssp. *naina* Kozhantshikov,1923, *Jb. Staatsmus. Minussinsk* 1: 3. Type(s): Russia: Sajjan Gebirge bei Minussinsk. Range (in code): **KG Mn RU Sj**
- 22405. Euchloe (s.str.) simplonia (Freyer,1829)** (Pieridae) Synonym(s): *belia Stoll,1782 nec Linnaeus,1767*; *simplonia Freyer,1829*; *crameri Butler,1869*; *esperii Kirby,1871*; *flavidior Butler,1903*; *oberthueri Verity,1908*; *occidentalis Verity,1908*. Original Reference: *Pontia simplonia* Freyer,1829, *Beitr. Schmett.* 2: taf.73 fig.2. Type(s): ? Croatia. Range (in code): **CH FR IT ES Py Ple Leo Bgs Ct Hue Lda Gna** Bionomy: Larva on *Biscutella laevigata*, *Iberis spathulata*, *I. pinnata*, *Erucastrum nasturtiifolium* (Tolman,1997).
- 22406. Euchloe (s.str.) simplonia oberthueri Manley & Allcard,1970** (Pieridae) Synonym(s): *#oberthueri Verity,[1908]*; *oberthueri Manley & Allcard,1970*. Range (in code): **FR**
- 22407. Euchloe (s.str.) simplonia simplonia (Freyer,1829)** (Pieridae) Synonym(s): *belia Stoll,1782 nec Linnaeus,1767*; *simplonia Freyer,1829*; *crameri Butler,1869*; *esperii Kirby,1871*; *flavidior Butler,1903*; *oberthueri Verity,1908*; *occidentalis Verity,1908*. Original Reference: *Pontia simplonia* Freyer,1829, *Beitr. Schmett.* 2: taf.73 fig.2. Type(s): ? Croatia. Range (in code): **CH FR IT**
- 22408. Euchloe (s.str.) tagis (Hübner,[1804])** (Pieridae) Synonym(s): *tagis Hübner,[1804]* Original Reference: *Papilio tagis* Hübner,[1804], *Samml. eur. Schmett.* 1: pl.110 figs. 565, 566. Syntypes(s): Europa. Range (in code): **DZ Lbs Ktr Dja Berr Ges ES FR IT Pmt Rf MA PT Act Alc Alv Alm Av Bad Bar Bgs C-L C-M CRe Cas Cd Cue Cz Ct Gp Grn Gu Hv Jae Lda Mdr Mlg Mu Ore Ple Rio Seg Sor Svl Ter Tol Trg Zg** Bionomy: Larva on *Iberis grosmiqueli*, *I. linifolia*, *I. odorata*, *I. ? ciliata*, *I. taurica*, *I. pinnata*, *I. saxatilis*, *I. sempervirens*, *I. amara*, *I. umbellata*, *Biscutella laevigata* (Tolman,1997).
- 22409. Euchloe (s.str.) tagis atlasica (Rungs,1950)** (Pieridae) Synonym(s): *atlasica Rungs,1950* Range (in code): **MA**

- 22410. *Euchloe (s.str.) tagis bellezina* (Boisduval,1829)** (Pieridae) Synonym(s): *bellezina* Boisduval,1829 Original Reference: *Pieris bellezina* Boisduval,1829, Ind. Meth.: 9. Type(s): Gallia mer. Range (in code): **FR IT**
- 22411. *Euchloe (s.str.) tagis calvensis* Casini,1993** (Pieridae) Synonym(s): *calvensis* Casini,1993 Original Reference: *Euchloe tagis* ssp. *calvensis* Casini,1993, Linneana Belg. 14 (1): 3-14. Range (in code): **IT**
- 22412. *Euchloe (s.str.) tagis davidi* Torrez Mendez & Verdugo Paez,1985** (Pieridae) Synonym(s): *davidi* Torrez Mendez & Verdugo Paez,1985 Range (in code): **ES**
- 22413. *Euchloe (s.str.) tagis granadensis* (Ribbe,1910)** (Pieridae) Synonym(s): *granadensis* Ribbe,1910 Range (in code): **ES Grn**
- 22414. *Euchloe (s.str.) tagis pechi* (Staudinger,1885)** (Pieridae) Synonym(s): *pechi* Staudinger,1885; *pechi* Baker,1885 Original Reference: *Anthocharis pechi* Staudinger,1885, Ent. Nachr. 11: 10. Type: Algeria, Lambessa. Range (in code): **DZ Lbs Ktr Dja Berr Ges MA**
- 22415. *Euchloe (s.str.) tagis piemonti* Back,2001** (Pieridae) Synonym(s): *piemonti* Back,2001 Original Reference: *Euchloe tagis* ssp. *piemonti* Back,2001, Atalanta 32 (1/2): 100, pl.3-4. Holotype ♂: Italia: Piemonte: Andonno: Valdieri, 800m. (EMEM). Range (in code): **IT Pmt**
- 22416. *Euchloe (s.str.) tagis reisseri* (Back & Reissinger,1989)** (Pieridae) Synonym(s): *reisseri* Back & Reissinger,1989 Original Reference: *Euchloe tagis* ssp. *reisseri* Back & Reissinger,1989, Nota lepid. 12: 86-102. Holotype ♂: Morocco: Rif Gebirge. Range (in code): **MA Rf**
- 22417. *Euchloe (s.str.) tagis tagis* (Hübner,[1804])** (Pieridae) Synonym(s): *tagis* Hübner,[1804] Original Reference: *Papilio tagis* Hübner,[1804], Samml. eur. Schmett. 1: pl.110 figs. 565, 566. Syntypes(s): Europa. Range (in code): **ES FR IT MA PT Act Alc Alv Alm Av Bad Bar Bgs C-L C-M CRe Cas Cd Cue Cz Ct Gp Gu Hv Jae Lda Mdr Mlg Mu Ore Ple Rio Seg Sor Svl Ter Tol Trg Zg**
- 22418. *Euchloe ausonides* (Lucas,1852)** (Pieridae) Synonym(s): *ausonides* Lucas,1852; *ogilvia* Back,1990 Range (in code): **US Cf Col Id Mch Mns Mon NDk NMx Ne Neb Ok Org SDk Ut Ws Wy CA Als In Yuk Abt Ssk Mnt**
- 22419. *Euchloe guaymasensis*** (Pieridae) Synonym(s): Range (in code): **US MX Arz**
- 22420. *Euchloe hyantis* (Edwards,1871)** (Pieridae) Synonym(s): *hyantis* Edwards,1871 Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Org Tx Ut Ws Wy**
- 22421. *Euchloe hyantis hyantis* (Edwards,1871)** (Pieridae) Synonym(s): *hyantis* Edwards,1871 Range (in code): **US**
- 22422. *Euchloe hyantis lotta* Beutenmüller,1898** (Pieridae) Synonym(s): *lotta* Beutenmüller,1898 Range (in code): **US MX Arz Col Id Mon NMx Ne Org Tx Ut Ws Wy**
- 22423. *Euchloe olympia* (Edwards,1871)** (Pieridae) Synonym(s): *olympia* Edwards,1871 Range (in code): **US Aks Col Idp Ilm Io Kan Knt Mch Mis Mns Mon Mrl NDk NMx Neb Ny Oh Ok Pns SDk Tnn Tx Vi WVi We Wy**
- 22424. *Eurema (Terias) alitha* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *alitha* C.Felder & R.Felder,1862; *invida* Butler,1883 Range (in code): **PH Mno Bat Bas Bon Jol Sga Stu Taw Bal Boh Cal Ceb Dum Luz Mar Mdo Pal Cts Ley Sam ID Sum Ja Bor TW PG Clb Sul Bng Sly Tan Sgh**
- 22425. *Eurema (Terias) alitha alitha* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *alitha* C.Felder & R.Felder,1862; *invida* Butler,1883 Range (in code): **PH Mno**
- 22426. *Eurema (Terias) alitha bazilana* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *bazilana* Fruhstorfer,1910 Range (in code): **PH Bas**
- 22427. *Eurema (Terias) alitha djampeana* (Fruhstorfer,1908)** (Pieridae) Synonym(s): *djampeana* Fruhstorfer,1908 Range (in code): **ID Tan**
- 22428. *Eurema (Terias) alitha esakii* Shirozu,1953** (Pieridae) Synonym(s): *esakii* Shirozu,1953 Range (in code): **PH Bat**
- 22429. *Eurema (Terias) alitha garama* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *garama* Fruhstorfer,1910 Range (in code): **PH Bon Jol Sga Stu Taw**
- 22430. *Eurema (Terias) alitha jalendra* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *jalendra* Fruhstorfer,1910 Range (in code): **PH Bal Boh Cal Ceb Dum Luz Mar Mdo Pal**
- 22431. *Eurema (Terias) alitha leytensis* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *leytensis* Fruhstorfer,1910 Range (in code): **PH Cts Ley**
- 22432. *Eurema (Terias) alitha lorquini* (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *lorquini* C.Felder & R.Felder,1865 Range (in code): **ID Clb**

- 22433. Eurema (Terias) alitha samarana (Fruhstorfer,1910)** (Pieridae) Synonym(s): *samarana* Fruhstorfer,1910 _ Range (in code): PH Sam
- 22434. Eurema (Terias) alitha sangira (Fruhstorfer,1910)** (Pieridae) Synonym(s): *sangira* Fruhstorfer,1910 _ Range (in code): ID Sgh
- 22435. Eurema (Terias) alitha ssp.** (Pieridae) Synonym(s): _ Range (in code): ID Sly
- 22436. Eurema (Terias) alitha zita (C.Felder & R.Felder,1865)** (Pieridae) Synonym(s): *zita* C.Felder & R.Felder,1865 _ Range (in code): ID Clb Sul Bng
- 22437. Eurema (Terias) blanda (Boisduval,1836)** (Pieridae) Synonym(s): *blanda* Boisduval,1836 _ Range (in code): LK IN Ass Slo BD Syl SI BT MM TH CMA Cuo Cuo1 Cuo7 Cuo9 Cuo10 Cuo12 CDo Nrt Pkk Sgk Hya Tnc MY Lkw ID Sum Ja Bli Egg Btg Bor Mlc Ij Tim Amb PG Clb Sgh Bng Sul Tal PH Boh Ceb Ley Neg Pao Sam Bas Bon Cal Din Mno Pal Stu Taw Luz Mdo Boh Ceb Ley Neg Pao Sam Nk Adm Meg Khs NI Djl Nat Hm Amb Ob Lb Sbw Flo Alo Sba Wt Tim CN Fkn Hn TW VN Ton PG Bsm Adl SB Ij Wg Bionomy: Larva on *Pithecellobium dulce* [Manila tamarind], *Cassia fistula* [golden shower] (Fabaceae) (Lewvanich,2001).
- 22438. Eurema (Terias) blanda anios (Fruhstorfer,1910)** (Pieridae) Synonym(s): *anios* Fruhstorfer,1910 _ Range (in code): ID Ob
- 22439. Eurema (Terias) blanda arsakia (Fruhstorfer,1910)** (Pieridae) Synonym(s): *arsakia* Fruhstorfer,1910; *aphaia* Fruhstorfer,1910 _ Range (in code): TW
- 22440. Eurema (Terias) blanda biformis (Butler,1884)** (Pieridae) Synonym(s): *biformis* Butler,1884; *cungata* Fruhstorfer,1910; *depicta* Fruhstorfer,1910 _ Range (in code): ID Amb Crm
- 22441. Eurema (Terias) blanda blanda (Boisduval,1836)** (Pieridae) Synonym(s): *blanda* Boisduval,1836 _ Range (in code): ID Ja Bli Egg Btg
- 22442. Eurema (Terias) blanda cantideva (Fruhstorfer,1910)** (Pieridae) Synonym(s): *cantideva* Fruhstorfer,1910 _ Range (in code): ID Wt
- 22443. Eurema (Terias) blanda cungata (Fruhstorfer,1910)** (Pieridae) Synonym(s): *cungata* Fruhstorfer,1910 _ Range (in code): ID Amb
- 22444. Eurema (Terias) blanda davidsoni (Moore,1906)** (Pieridae) Synonym(s): *davidsoni* Moore,1906 _ Range (in code): IN NI
- 22445. Eurema (Terias) blanda grisea (Evans,1932)** (Pieridae) Synonym(s): *grisea* Evans,1932 Range (in code): IN Nk
- 22446. Eurema (Terias) blanda hylama Corbet & Pendlebury,1932** (Pieridae) Synonym(s): *hylama* Corbet & Pendlebury,1932 _ Range (in code): CN Hn
- 22447. Eurema (Terias) blanda indecisa (Butler,1898)** (Pieridae) Synonym(s): *indecisa* Butler,1898; *salegos* Fruhstorfer,1910 _ Range (in code): PG ID Mlc Hm
- 22448. Eurema (Terias) blanda laratensis (Butler,1883)** (Pieridae) Synonym(s): *laratensis* Butler,1883; *dosithaea* Hulstaert,1923 _ Range (in code): ID Tim
- 22449. Eurema (Terias) blanda mensia (Fruhstorfer,1910)** (Pieridae) Synonym(s): *mensia* Fruhstorfer,1910 _ Range (in code): PH Boh Ceb Ley Neg Pao Sam
- 22450. Eurema (Terias) blanda moorei (Butler,1886)** (Pieridae) Synonym(s): *moorei* Butler,1886 _ Range (in code): IN Nk
- 22451. Eurema (Terias) blanda natuna (Fruhstorfer,1910)** (Pieridae) Synonym(s): *natuna* Fruhstorfer,1910 _ Range (in code): ID Nat
- 22452. Eurema (Terias) blanda norbana (Fruhstorfer,1910)** (Pieridae) Synonym(s): *norbana* Fruhstorfer,1910 _ Range (in code): ID Clb Sgh Bng Sul Tal
- 22453. Eurema (Terias) blanda odinia (Fruhstorfer,1910)** (Pieridae) Synonym(s): *odinia* Fruhstorfer,1910 _ Range (in code): ID Clb
- 22454. Eurema (Terias) blanda rileyi Corbet & Pendlebury,1932** (Pieridae) Synonym(s): *rileyi* Corbet & Pendlebury,1932 _ Range (in code): CN Fkn
- 22455. Eurema (Terias) blanda roepstorffi (Moore,1906)** (Pieridae) Synonym(s): *roepstorffi* Moore,1906 _ Range (in code): IN Adm
- 22456. Eurema (Terias) blanda rotundalis (Moore,1881)** (Pieridae) Synonym(s): *citrina* Moore nec Poey,1851; *rotundalis* Moore,1881; *uniformis* Moore,1881; *templetoni* Butler,1886; *#citrinaria* Fruhstorfer,1910 _ Range (in code): LK
- 22457. Eurema (Terias) blanda sanapati (Fruhstorfer,1910)** (Pieridae) Synonym(s): *sanapati* Fruhstorfer,1910 _ Range (in code): ID Lb Sbw Flo Alo Sba
- 22458. Eurema (Terias) blanda saraha (Fruhstorfer,1912)** (Pieridae) Synonym(s): *saraha* Fruhstorfer,1912 _ Range (in code): ID Ij Wg

- 22459. *Eurema (Terias) blanda silhetana* (Wallace,1867)** (Pieridae) **Synonym(s):** *silhetana* Wallace,1867; *heliophila* Butler,1883; *grandis* Moore,1906 _ **Range (in code):** **IN Djl SI Ass Meg Khs Slo BT BD Syl MM TH CMa Cu0 Cu01 Cu07 Cu09 Cu10 Cu12 CDo Nrt Pkk Sgk Hya Tnc** **Bionomy:** Larva on *Pithecellobium dulce* [Manila tamarind], *Cassia fistula* [golden shower] (Fabaceae) (Lewvanich,2001).
- 22460. *Eurema (Terias) blanda snelleni* (Moore,1906)** (Pieridae) **Synonym(s):** *snelleni* Moore,1906 _ **Range (in code):** **ID Sum MY Lkw Bor**
- 22461. *Eurema (Terias) blanda vallivolans* (Butler,1883)** (Pieridae) **Synonym(s):** *vallivolans* Butler,1883 _ **Range (in code):** **PH Bas Bon Cal Din Mno Pal Stu Taw**
- 22462. *Eurema (Terias) blanda visellia* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *visellia* Fruhstorfer,1910 _ **Range (in code):** **PH Luz Mdo**
- 22463. *Eurema (Terias) blanda wuwulana* (Fruhstorfer,1912)** (Pieridae) **Synonym(s):** *wuwulana* Fruhstorfer,1912 _ **Range (in code):** **PG Bsm Adl SB**
- 22464. *Eurema (Terias) celebensis* (Wallace,1867)** (Pieridae) **Synonym(s):** *celebensis* Wallace,1867; *toalarum* Fruhstorfer,1910 _ **Range (in code):** **ID Clb Sgh Bng Sul**
- 22465. *Eurema (Terias) celebensis celebensis* (Wallace,1867)** (Pieridae) **Synonym(s):** *celebensis* Wallace,1867; *toalarum* Fruhstorfer,1910 _ **Range (in code):** **ID Clb Sgh**
- 22466. *Eurema (Terias) celebensis exophthalma* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *exophthalma* Fruhstorfer,1910; *poetelia* Fruhstorfer,1910 _ **Range (in code):** **ID Bng Sul**
- 22467. *Eurema (Terias) floricola* (Boisduval,1833)** (Pieridae) **Synonym(s):** *floricola* Boisduval,1833; *smilacina* C.Felder & R.Felder,1865; *boisduvaliana* Mabil,1885; *arisba* Mabil,1887] **Range (in code):** **GH Ate TZ Tnga Usa Ani ZR MG KM MU BI RE SC**
- 22468. *Eurema (Terias) floricola aldabrensis* (Bernardi,1968)** (Pieridae) **Synonym(s):** *aldabrensis* Bernardi,1968 _ **Range (in code):** **SC**
- 22469. *Eurema (Terias) floricola anjuana* (Butler,1879)** (Pieridae) **Synonym(s):** *anjuana* Butler,1879; *decipiens* Butler,1879 _ **Range (in code):** **KM**
- 22470. *Eurema (Terias) floricola ceres* (Butler,1886)** (Pieridae) **Synonym(s):** *ceres* Butler,1886 _ **Range (in code):** **RE MU**
- 22471. *Eurema (Terias) floricola floricola* (Boisduval,1833)** (Pieridae) **Synonym(s):** *floricola* Boisduval,1833; *smilacina* C.Felder & R.Felder,1865; *boisduvaliana* Mabil,1885; *arisba* Mabil,1887] **Range (in code):** **MG RE**
- 22472. *Eurema (Terias) floricola leonis* Butler,1886** (Pieridae) **Synonym(s):** *leonis* Butler,1886 **Range (in code):** **SL GH Ate**
- 22473. *Eurema (Terias) floricola nivea* (Berger,1981)** (Pieridae) **Synonym(s):** *nivea* Berger,1981 _ **Range (in code):** **ZR BI TZ Tnga Usa Ani**
- 22474. *Eurema (Terias) hapale* (Mabil,1882)** (Pieridae) **Synonym(s):** *hapale* Mabil,1882 **Range (in code):** **MW Zom TZ Tnga Usa Ani**
- 22475. *Eurema (Terias) hapale hapale* (Mabil,1882)** (Pieridae) **Synonym(s):** *hapale* Mabil,1882 _ **Range (in code):** **MW Zom TZ Tnga Usa Ani**
- 22476. *Eurema (Terias) hecabe* (Linnaeus,1758)** (Pieridae) **Synonym(s):** *hecabe* Linnaeus,1758; *luzonensis* Linnaeus,1764 **Original Reference:** *Papilio hecabe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 470. Type(s): Asia. **Range (in code):** **AF AO BF BI BJ BW CF CG CI CM CN DJ EH ER ET GA GH GM GN GO Bio GW ID IN Ass Slo JP KE KH LR LS LY MA MG ML MM MR MW MY MZ NA NE NG PK Ci Kma RW SD SL SN SO ST SZ TD TG TH TN TW TZ UG VN ZA ZM ZR ZW LK Krc Cp Bba SI SG PH SB AU PG Tim Kai Amb Bru Crm NAu NSw QAU Luz Bal Cal Pal Mdo Ala Bab Bat Bas Bil Boh Bon Bur CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Mar Mas Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Sul Tab Taw Tic Adm Nk Bsm Tva Spb Lj Nta Kzu Pth Clb Sul Ij Mdk Ent Kru Pma Pf Tuk Sly Bng Tan Suw Mpu Brb Buf CMa Dst Qs Cu0 Cu01 Cu07 Cu09 Cu10 CDo Cmz Cz11 Dsk Hpt Bnk Sgk Hya Tnc PSu Nsa Nst Ths Sya Loe Pbu Ntt SPa NBr Nlr Mrg Sum Nia Egg Baw Ja Alo Sba Flo Nat Ob Crm Mlc Ban Bor Sbh KBa CX Hn Mhw Kgr Hp Wt Tim Bbr Dm Kai Aru SB TO FJ NH NC AU NSw Ton Tda Tnga Usa Ani Ate Ato Kba H-A K-P Bhh Ng Jla NH FJ** **Bionomy:** Larva on *Pithecellobium dulce* [Manila tamarind], *Cassia fistula* [golden shower], *Sesbania grandiflora* [agasta], *S.javanica* [sa no] (Fabaceae), *Phyllanthus acidus* [star gooseberry] (Euphorbiaceae), *Crateva adansonii*[kum bok] (Capparaceae)(Lewvanich,2001).
- 22477. *Eurema (Terias) hecabe amplexa* (Butler,1887)** (Pieridae) **Synonym(s):** *amplexa* Butler,1887 _ **Range (in code):** **ID Ja CX**
- 22478. *Eurema (Terias) hecabe anemone* (C.Felder,1862)** (Pieridae) **Synonym(s):** *anemone* C.Felder,1862 _ **Range (in code):** **CN Yu KP KR**

- 22479. *Eurema (Terias) hecabe asanga* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *asanga* Fruhstorfer,1910 _ Range (in code): **ID Mlc**
- 22480. *Eurema (Terias) hecabe bandana* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *bandana* Fruhstorfer,1910 _ Range (in code): **ID Ban**
- 22481. *Eurema (Terias) hecabe blairiana* (Moore,1906) (Pieridae) Synonym(s):** *blairiana* Moore,1906; *andamana* Moore,1906 _ Original Reference: *Terias blairiana* Moore,1906, Lepid. Ind.: 75, pl. 575 figs.1,1a. Syntypes: Andamans. Range (in code): **IN Adm**
- 22482. *Eurema (Terias) hecabe borneensis* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *borneensis* Fruhstorfer,1910 _ Range (in code): **MY Bor Sbh KBa**
- 22483. *Eurema (Terias) hecabe brevicostalis* Butler,1898 (Pieridae) Synonym(s):** *brevicostalis* Butler,1898; *photophila* Butler,1884 _ Range (in code): **ID Tim Kai**
- 22484. *Eurema (Terias) hecabe chemys* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *chemys* Fruhstorfer,1910 _ Range (in code): **ID Alo Sba Flo**
- 22485. *Eurema (Terias) hecabe contubernalis* (Moore,1886) (Pieridae) Synonym(s):** *contubernalis* Moore,1886; *patruelis* Moore,1886; *fraterna* Moore,1886; *merguiana* Moore,1886; *kana* Moore,1886; *lacteola* Distant,1886; *#sarinoidea* Fruhstorfer,1910. _ Original Reference: *Terias contubernalis* Moore,1886, 46. Syntypes: Mergui. Range (in code): **IN SI MM Mrg MY SG TH CMa Dst Qs Cuo1 Cuo7 Cuo9 Cu10 CDo CD2 Cmz Cz11 Dsk Hpt Bnk Nsa Nst Ths Sya Loe Pbu Ntt SPa Sgk Hya Tnc PSu**
- 22486. *Eurema (Terias) hecabe dentyris* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *dentyris* Fruhstorfer,1910 _ Range (in code): **ID Tan Sly**
- 22487. *Eurema (Terias) hecabe diversa* (Wallace,1867) (Pieridae) Synonym(s):** *diversa* Wallace,1867 _ Range (in code): **ID Ob Crm Bru**
- 22488. *Eurema (Terias) hecabe enganica* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *enganica* Fruhstorfer,1910 _ Range (in code): **ID Egg**
- 22489. *Eurema (Terias) hecabe fimbriata* (Wallace,1867) (Pieridae) Synonym(s):** *fimbriata* Wallace,1867; *irregularis* Moore,1882; *excavata* Moore,1882; *purreea* Moore,1882; *apicalis* Moore,1882. _ Original Reference: *Terias fimbriata* Wallace,1867, Trans. ent. Soc. London (3) 4: 323, nr.16. Syntypes: India bor. Range (in code): **PK Ci Ato Kba IN Kma Cp Kgr Hp H-A**
- 22490. *Eurema (Terias) hecabe hecabe* (Linnaeus,1758) (Pieridae) Synonym(s):** *hecabe* Linnaeus,1758; *luzonensis* Linnaeus,1764 _ Original Reference: *Papilio hecabe* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 470. Type(s): Asia. Range (in code): **PH Luz Bal Cal Pal**
- 22491. *Eurema (Terias) hecabe hobsoni* (Butler,1880) (Pieridae) Synonym(s):** *hobsoni* Butler,1880; *unduligera* Butler,1880; *paroena* Strand,1922 _ Range (in code): **TW**
- 22492. *Eurema (Terias) hecabe jalendra* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *jalendra* Fruhstorfer,1910 _ Range (in code): **PH Pal Bal**
- 22493. *Eurema (Terias) hecabe kalidupa* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *kalidupa* Fruhstorfer,1910 _ Range (in code): **ID Tuk**
- 22494. *Eurema (Terias) hecabe kerawara* Ribbe,1898 (Pieridae) Synonym(s):** *kerawara* Ribbe,1898; *magna* Ribbe,1898 _ Range (in code): **PG Bsm NBr Nlr**
- 22495. *Eurema (Terias) hecabe latilimbata* (Butler,1886) (Pieridae) Synonym(s):** *latilimbata* Butler,1886; *bidens* Butler,1886; *semifusca* Butler,1886 _ Range (in code): **ID Sum**
- 22496. *Eurema (Terias) hecabe latimargo* Hopffer,1874 (Pieridae) Synonym(s):** *latimargo* Hopffer,1874; *anguligera* Butler,1886; *accentifera* Martin,1920 _ Range (in code): **ID Clb**
- 22497. *Eurema (Terias) hecabe locana* (Fruhstorfer,1910) (Pieridae) Synonym(s):** *locana* Fruhstorfer,1910; *yaksha* Fruhstorfer,1910 _ Range (in code): **ID Nat**
- 22498. *Eurema (Terias) hecabe magna* (Ribbe,1898) (Pieridae) Synonym(s):** *magna* Ribbe,1898 _ Range (in code): **PG Bsm**
- 22499. *Eurema (Terias) hecabe mandarina* (L'Orza,1869) (Pieridae) Synonym(s):** *mandarina* L'Orza,1869; *mariesi* Butler,1880; *connexiva* Butler,1880; *hybrida* Butler,1880 _ Original Reference: *Terias mandarina* L'Orza,1869, Lépid. Japon.: 18. Syntypes: Japonia. Range (in code): **JP KP KR**
- 22500. *Eurema (Terias) hecabe maroensis* (Butler,1883) (Pieridae) Synonym(s):** *maroensis* Butler,1883; *brevicostalis* Butler,1898; *dendera* Fruhstorfer,1910 _ Range (in code): **ID Tim Wt Bbr Dm**
- 22501. *Eurema (Terias) hecabe nicobariensis* (C.Felder,1862) (Pieridae) Synonym(s):** *nicobariensis* C.Felder,1862 _ Original Reference: *Terias nicobariensis* C.Felder,1862, Verh. zool.-bot. Ges. Wien 12: 480. Syntypes: Nicobar Is. Range (in code): **IN Nk**

- 22502. *Eurema (Terias) hecabe nivaria* (Fruhstorfer,1910) (Pieridae) Synonym(s): *nivaria* Fruhstorfer,1910 _ Range (in code): SB**
- 22503. *Eurema (Terias) hecabe novacaledoniae* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *novacaledoniae* Corbet & Pendlebury,1932 _ Range (in code): NC**
- 22504. *Eurema (Terias) hecabe octa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *octa* Fruhstorfer,1910 _ Range (in code): PG**
- 22505. *Eurema (Terias) hecabe phoebus* (Butler,1886) (Pieridae) Synonym(s): *phoebus* Butler,1886 _ Range (in code): AU NAu QAU NSW**
- 22506. *Eurema (Terias) hecabe photophila* (Butler,1884) (Pieridae) Synonym(s): *photophila* Butler,1884 _ Range (in code): ID Kai Aru**
- 22507. *Eurema (Terias) hecabe pylos* (Fruhstorfer,1910) (Pieridae) Synonym(s): *pylos* Fruhstorfer,1910; *sulaensis* Joicey & Talbot,1922 _ Range (in code): ID Sul Bng**
- 22508. *Eurema (Terias) hecabe sankapura* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sankapura* Fruhstorfer,1910 _ Range (in code): ID Baw**
- 22509. *Eurema (Terias) hecabe satelitica* (Fruhstorfer,1910) (Pieridae) Synonym(s): *satelitica* Fruhstorfer,1910 _ Range (in code): ID Nia**
- 22510. *Eurema (Terias) hecabe simulata* (Moore,1881) (Pieridae) Synonym(s): *simulata* Moore,1881; *asphodelus* Butler,1883; *aesiope* Butler,1883 *nec Ménétr.*; *narcissus* Butler,1883; *curiosa* Swinhoe,1884; *swinhoei* Butler,1888. Original Reference: *Terias simulata* Moore,1881, *Lepid. Ceylon* 1: 119, pl.xlv figs. 2,2a-b. Syntypes: [Sri Lanka]: Ceylon. Range (in code): LK PK Krc Cp IN Bba Mhw**
- 22511. *Eurema (Terias) hecabe sinda* (Fruhstorfer,1910) (Pieridae) Synonym(s): *sinda* Fruhstorfer,1910; *nesos* Fruhstorfer,1910; *sophrone* Fruhstorfer,1910 _ Range (in code): ID Clb**
- 22512. *Eurema (Terias) hecabe sintica* Fruhstorfer,1910 (Pieridae) Synonym(s): *sintica* Fruhstorfer,1910 _ Range (in code): PH Mdo**
- 22513. *Eurema (Terias) hecabe solifera* (Butler,1875) (Pieridae) Synonym(s): *solifera* Butler,1875; *bisnuata* Butler,1876; *chalconiaeta* Butler,1879; *dentilimbata* Butler,1879; *bewsheri* Butler,1879; *leonis* Butler,1886; *orientis* Butler,1888; *aethiopica* Trimen,1889; *butleri* Trimen,1889. Original Reference: *Terias solifera* Butler,1875, *Ann. Mag. nat. Hist.* 15(4): 396. Syntypes: Angola: Ambriz; Nigeria: Old Calabar. Range (in code): Ad AO As BF BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH Ate GM GN GO Bio GW Hd KE KM LR LS LY MA MG ML MR MW MZ NA NE NG OM RW SA SD SL SN SO ST SZ TD TG TN TZ Tnga Usa Ani UG YE ZA Tva Spb Mdk Ent Lj Kru Pma Pf Nta Kzu Ptb Suw Mpu Brb Buf ZM ZR ZW**
- 22514. *Eurema (Terias) hecabe subdecorata* (Moore,1878) (Pieridae) Synonym(s): *subdecorata* Moore,1878; *arcuata* Moore,1878; *attenuata* Moore,1878 _ Range (in code): CN Hn**
- 22515. *Eurema (Terias) hecabe sulphurata* (Butler,1875) (Pieridae) Synonym(s): *sulphurata* Butler,1875; *hebridina* Butler,1875; *pumiliaris* Butler,1875; *varieta* Butler,1875; *sinapina* Butler,1877; *lifuana* Butler,1877; *inanata* Butler,1877; *aprica* Butler,1883 _ Range (in code): LO NH FJ TO**
- 22516. *Eurema (Terias) hecabe tamiathis* Fruhstorfer,1910 (Pieridae) Synonym(s): *tamiathis* Fruhstorfer,1910 _ Range (in code): PH Ala Bab Bat Bas Bil Boh Bon Bur CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Mar Mas Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Sul Tab Taw Tic**
- 22517. *Eurema (Terias) irena* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *irena* Corbet & Pendlebury,1932 _ Range (in code): ID Clb**
- 22518. *Eurema (Terias) irena irena* Corbet & Pendlebury,1932 (Pieridae) Synonym(s): *irena* Corbet & Pendlebury,1932 _ Range (in code): ID Clb**
- 22519. *Eurema (Terias) senegalensis* (Boisduval,1836) (Pieridae) Synonym(s): *senegalensis* Boisduval,1836 _ Range (in code): SN TZ Tnga Usa Ani GH Ate MW Zom**
- 22520. *Eurema (Terias) senegalensis senegalensis* (Boisduval,1836) (Pieridae) Synonym(s): *senegalensis* Boisduval,1836 _ Range (in code): SN TZ Tnga Usa Ani GH Ate MW Zom**
- 22521. *Eurema (Terias) tominia* (Vollenhoven,1865) (Pieridae) Synonym(s): *tominia* Vollenhoven,1865; *tondana* C.Felder & R.Felder,1865; *zamida* Fruhstorfer,1908; *battana* Fruhstorfer,1910; *toradja* Fruhstorfer,1910 _ Range (in code): ID Clb Sgh Sly Tan Tuk Bng Sul Kla**
- 22522. *Eurema (Terias) tominia arsia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *arsia* Fruhstorfer,1910 _ Range (in code): ID Tan Kla**
- 22523. *Eurema (Terias) tominia faunia* (Fruhstorfer,1910) (Pieridae) Synonym(s): *faunia* Fruhstorfer,1910 _ Range (in code): ID Tuk**
- 22524. *Eurema (Terias) tominia halesa* (Fruhstorfer,1910) (Pieridae) Synonym(s): *halesa* Fruhstorfer,1910 _ Range (in code): ID Sly**

- 22525. *Eurema (Terias) tominia mangolina* (Fruhstorfer,1910) (Pieridae) Synonym(s):**
mangolina Fruhstorfer,1910 - Range (in code): ID Bng Sul
- 22526. *Eurema (Terias) tominia talissa* (Westwood,1888) (Pieridae) Synonym(s):** *talissa* Westwood,1888 - Range (in code): ID Sgh
- 22527. *Eurema (Terias) tominia theristra* (Fruhstorfer,1911) (Pieridae) Synonym(s):**
theristra Fruhstorfer,1911 - Range (in code): ID Sgh
- 22528. *Eurema (Terias) tominia tominia* (Vollenhoven,1865) (Pieridae) Synonym(s):**
tominia Vollenhoven,1865; *tondana* C.Felder & R.Felder,1865; *zamida* Fruhstorfer,1908; *battana* Fruhstorfer,1910; *toradja* Fruhstorfer,1910 - Range (in code): ID Clb
- 22529. *Eurema (Terias) upembana* (Berger,1981) (Pieridae) Synonym(s):** *upembana* Berger,1981
- 22530. *Eurema (s.str.) brigitta* (Stoll,[1780]) (Pieridae) Synonym(s):** *brigitta* Stoll,[1780]; *libythea* Fabricius,1798 - Original Reference: Papilio brigitta Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. B-C. Range (in code): AU AO BF BI BJ BW CF CG CI CM DJ EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MU MW MZ NA NE NG RW SA SD SL SN SO SC ST SZ TD TG TN TZ UG YE ZA Tva Spb Lj Mdk Ent Kru Pma Pf Nta Kzu Ptb ZM ZR ZW LK CN IN MM TH MY PH ID Clb Sum Ja Bor Zom Pen Bli Lb Syd NSw NAu QAu Ck Clc Ass Slo Nk Hn PW PG Ij Mlc FJ Luz Siq Mno Mdo CMA Cuo Cu01 Cu12 Dst Dso9 Qs Int Ray
- 22531. *Eurema (s.str.) brigitta baguioensis* Schröder,Treadaway & Nuyda,1990 (Pieridae) Synonym(s):** *baguioensis* Schröder,Treadaway & Nuyda,1990 - Range (in code): PH Luz
- 22532. *Eurema (s.str.) brigitta brigitta* (Stoll,[1780]) (Pieridae) Synonym(s):** *brigitta* Stoll,[1780]; *libythea* Fabricius,1798 - Original Reference: Papilio brigitta Stoll,[1780], [in] Cramer, Utitl. Kapellen 4: pl.331, figs. B-C. Range (in code): AO BF BI BJ BW CF CG CI CM DJ DZ EG EH ER ET GA GH GM GN GO Bio GW KE KM LR LS LY MA MG ML MR MU MW MZ NA NE NG RW SA SD SL SN SO ST SZ TD TG TN TZ UG YE SC ZA Tva Spb Mdk Ent Lj Kru Pma Pf Nta Kzu Ptb ZM ZR ZW
- 22533. *Eurema (s.str.) brigitta dionysia* (Hulstaert,1923) (Pieridae) Synonym(s):** *dionysia* Hulstaert,1923 - Range (in code): ID Tim
- 22534. *Eurema (s.str.) brigitta drona* (Horsfield,1829) (Pieridae) Synonym(s):** *drona* Horsfield,1829; *herlina* Fruhstorfer,1910 - Range (in code): ID Ja Sum Bli Lb
- 22535. *Eurema (s.str.) brigitta fruhstorferi* (Moore,1906) (Pieridae) Synonym(s):**
fruhstorferi Moore,1906 - Range (in code): MY TH Ray CMA Dst Dso9 Cuo Cu01 Cu12 Qs Int VN Ton Ann
- 22536. *Eurema (s.str.) brigitta hainana* (Moore,1906) (Pieridae) Synonym(s):** *hainana* Moore,1906 - Range (in code): CN Hn
- 22537. *Eurema (s.str.) brigitta ina* Eliot,1956 (Pieridae) Synonym(s):** *ina* Eliot,1956 - Range (in code): ID Clb
- 22538. *Eurema (s.str.) brigitta lerna* (C.Felder,1860) (Pieridae) Synonym(s):** *lerna* C.Felder,1860 - Range (in code): ID Amb
- 22539. *Eurema (s.str.) brigitta pulchella* (Boisduval,1833) (Pieridae) Synonym(s):** *pulchella* Boisduval,1833
- 22540. *Eurema (s.str.) brigitta punctatissima* (Matsumura,1909) (Pieridae) Synonym(s):**
punctatissima Matsumura,1909; *dorothea* Nakahara,1922 - Range (in code): TW
- 22541. *Eurema (s.str.) brigitta roberto* Schröder, Treadaway & Nuyda,1990 (Pieridae) Synonym(s):** *roberto* Schröder, Treadaway & Nuyda,1990 - Range (in code): PH Mno
- 22542. *Eurema (s.str.) brigitta rubella* (Wallace,1867) (Pieridae) Synonym(s):** *rubella* Wallace,1867 - Original Reference: Terias rubella Wallace,1867, Trans. ent. Soc. London (3) 4: 323, nr.15. Syntypes: India, China. Range (in code): CN IN Clc Ass Slo Nk LK MM
- 22543. *Eurema (s.str.) brigitta sachikoi* Treadaway & Nuyda,1990 (Pieridae) Synonym(s):**
sachikoi Treadaway & Nuyda,1990 - Range (in code): PH Mdo
- 22544. *Eurema (s.str.) brigitta senna* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s):**
senna C.Felder & R.Felder,1865 - Range (in code): MY Pen
- 22545. *Eurema (s.str.) brigitta siquijorana* Schröder,Treadaway & Nuyda,1990 (Pieridae) Synonym(s):** *siquijorana* Schröder,Treadaway & Nuyda,1990 - Range (in code): PH Siq
- 22546. *Eurema (s.str.) brigitta zoraide* (C.Felder & R.Felder,1865) (Pieridae) Synonym(s):**
zoraide C.Felder & R.Felder,1865; *australis* Wallace,1867 - Range (in code): AU Syd NSw NAu QAu Ck PG
- 22547. *Eurema (s.str.) candida* (Cramer,[1780]) (Pieridae) Synonym(s):** *candida* Cramer,[1780]; *exalbescens* Jurriaanse,1926 - Range (in code): PG PMo NBr Nlr D-Y Aru AU KY QAu SB Hon4 Hon Hon7 ID Crm Bru Amb Ob Bch Hm Mti Trn Kai Tim Flo PG Wau

- 22548. *Eurema (s.str.) candida candida* (Cramer,[1780])** (Pieridae) Synonym(s): *candida* Cramer,[1780]; *exalbescens* Jurriaanse,1926 _ Range (in code): ID Bru Amb Crm
- 22549. *Eurema (s.str.) candida dindymene* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *dindymene* Fruhstorfer,1910 _ Range (in code): ID Ob
- 22550. *Eurema (s.str.) candida goramensis* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *goramensis* Fruhstorfer,1910 _ Range (in code): ID Crm
- 22551. *Eurema (s.str.) candida libera* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *libera* Fruhstorfer,1910 _ Range (in code): ID Bch Hm Mti Trn
- 22552. *Eurema (s.str.) candida micromalayana* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *micromalayana* Fruhstorfer,1910 _ Range (in code): ID Tim Flo
- 22553. *Eurema (s.str.) candida octogesa* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *octogesa* Fruhstorfer,1910; *biakensis* Joicey & Talbot,1917 _ Range (in code): ID Wg Ij
- 22554. *Eurema (s.str.) candida papuana* (Butler,1898)** (Pieridae) Synonym(s): *papuana* Butler,1898 _ Range (in code): ID Mi PG PMo
- 22555. *Eurema (s.str.) candida puella* (Boisduval,1832)** (Pieridae) Synonym(s): *puella* Boisduval,1832 _ Range (in code): PG Ij ID
- 22556. *Eurema (s.str.) candida talboti* (Hulstaert,1923)** (Pieridae) Synonym(s): *talboti* Hulstaert,1923 _ Range (in code): ID Kai
- 22557. *Eurema (s.str.) candida virgo* (Wallace,1867)** (Pieridae) Synonym(s): *virgo* Wallace,1867 _ Range (in code): ID Aru AU KY QAU
- 22558. *Eurema (s.str.) candida woodfordi* (Butler,1898)** (Pieridae) Synonym(s): *woodfordi* Butler,1898; *salamonis* Butler,1898 _ Range (in code): SB Hon4 Hon Hon7
- 22559. *Eurema (s.str.) candida xanthomelaena* (Godman & Salvin,1879)** (Pieridae) Synonym(s): *xanthomelaena* Godman & Salvin,1879 _ Range (in code): PG NBr Nlr D-Y
- 22560. *Eurema (s.str.) desjardinsii* (Boisduval,1833)** (Pieridae) Synonym(s): *desjardinsii* Boisduval,1833 _ Range (in code): MG KM KE BI ZA Tva Lpo Mpu Brb Spb Suw Kru Sbe Wv Ly MW Zom
- 22561. *Eurema (s.str.) desjardinsii desjardinsii* (Boisduval,1833)** (Pieridae) Synonym(s): *desjardinsii* Boisduval,1833 _ Range (in code): MG KM
- 22562. *Eurema (s.str.) desjardinsii marshalli* (Butler,1898)** (Pieridae) Synonym(s): *marshalli* Butler,1898 _ Range (in code): ZA Tva Lpo Mpu Brb Spb Suw Kru Sbe Wv Ly KE BI
- 22563. *Eurema (s.str.) laeta* (Boisduval,1836)** (Pieridae) Synonym(s): *laeta* Boisduval,1836; *sana* Butler,1877; *lineata* Miskin,1889 _ Original Reference: Terias laeta Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 674, nr.36. Type(s): India borealis. Lectotype ♂: "Laeta B. sp. Bengalia", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 139 (BMNH). Range (in code): AU QAU SI BT LK IN Ass Slo PH Luz TH Pbu CMA CDo ID Tim Kai
- 22564. *Eurema (s.str.) laeta apatosa* (Hulstaert,1923)** (Pieridae) Synonym(s): *apatosa* Hulstaert,1923 _ Range (in code): ID Tim
- 22565. *Eurema (s.str.) laeta herla* (McLeay,1826)** (Pieridae) Synonym(s): *herla* McLeay,1826; *sana* Butler,1877; *lineata* Miskin,1889; _ Range (in code): AU QAU
- 22566. *Eurema (s.str.) laeta josepha* (Hulstaert,1924)** (Pieridae) Synonym(s): *josepha* Hulstaert,1924 _ Range (in code): ID Kai
- 22567. *Eurema (s.str.) laeta laeta* (Boisduval,1836)** (Pieridae) Synonym(s): *laeta* Boisduval,1836; *sana* Butler,1877; *lineata* Miskin,1889 _ Original Reference: Terias laeta Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 674, nr.36. Type(s): India borealis. Lectotype ♂: "Laeta B. sp. Bengalia", designated by Talbot,1943, Ann. Mag. nat. Hist. (11) 10: 139 (BMNH). Range (in code): AU LK IN Ass Slo
- 22568. *Eurema (s.str.) laeta semperi* (Moore,1906)** (Pieridae) Synonym(s): *semperi* Moore,1906 _ Range (in code): PH Luz
- 22569. *Eurema (s.str.) laeta sikkima* Corbet & Pendlebury,1932** (Pieridae) Synonym(s): *sikkima* Corbet & Pendlebury,1932 _ Range (in code): IN BT SI TH Pbu CMA CDo
- 22570. *Eurema (s.str.) mandarinula* (Holland,1892)** (Pieridae) Synonym(s): *mandarinula* Holland,1892
- 22571. *Eurema (s.str.) mandarinula mandarinula* (Holland,1892)** (Pieridae) Synonym(s): *mandarinula* Holland,1892
- 22572. *Eurema (s.str.) regularis* (Butler,1876)** (Pieridae) Synonym(s): *regularis* Butler,1876 _ Range (in code): TZ Tnga Usa Ani

- 22573. *Eurema (s.str.) regularis regularis* (Butler,1876)** (Pieridae) **Synonym(s):** *regularis* Butler,1876 _ Range (in code): TZ Tnga Usa Ani
- 22574. *Eurema ada* (Distant & Pryer,1887)** (Pieridae) **Synonym(s):** *ada* Distant & Pryer,1887
Range (in code): ID Sum Ja TH Nst MY Bor Sbh KBa Lkw MM VN Ton
- 22575. *Eurema ada ada* (Distant & Pryer,1887)** (Pieridae) **Synonym(s):** *ada* Distant & Pryer,1887
Range (in code): MY Bor Sbh KBa Lkw MM VN Ton
- 22576. *Eurema ada iona* Talbot,1939** (Pieridae) **Synonym(s):** *iona* Talbot,1939 _ Range (in code): TH Nst MY
- 22577. *Eurema ada toba* (De Nicéville,1895)** (Pieridae) **Synonym(s):** *toba* De Nicéville,1895
Range (in code): ID Sum
- 22578. *Eurema ada varga* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *varga* Fruhstorfer,1910
Range (in code): ID Ja
- 22579. *Eurema adamsi* (Lathy,1898)** (Pieridae) **Synonym(s):** *adamsi* Lathy,1898 _ Range (in code): JM
- 22580. *Eurema agave* (Cramer,1775)** (Pieridae) **Synonym(s):** *agave* Cramer,1775; *jodutta* Hübner,[1819]; *mana* Boisduval,1836 _ Range (in code): MX BR SR
- 22581. *Eurema agave agave* (Cramer,1775)** (Pieridae) **Synonym(s):** *agave* Cramer,1775; *jodutta* Hübner,[1819]; *mana* Boisduval,1836 _ Range (in code): SR
- 22582. *Eurema agave millerorum* Llorente & Luis,1987** (Pieridae) **Synonym(s):** *millerorum* Llorente & Luis,1987 _ Range (in code): MX
- 22583. *Eurema agave pallida* (Chavannes,1850)** (Pieridae) **Synonym(s):** *pallida* Chavannes,1850; *sinoides* Boisduval,1874 _ Range (in code): BR
- 22584. *Eurema albula* (Cramer,1775)** (Pieridae) **Synonym(s):** *albula* Cramer,1775; *cassiae* Sepp,[1844] *nec* Linn.,1758; *clara* H.W.Bates,1861; *tapeina* H.W.Bates,1861; *melacheila* Möschler,1877 _ Range (in code): US Tx MX SR BR VE PE
- 22585. *Eurema albula albula* (Cramer,1775)** (Pieridae) **Synonym(s):** *albula* Cramer,1775; *cassiae* Sepp,[1844] *nec* Linn.,1758; *clara* H.W.Bates,1861; *tapeina* H.W.Bates,1861; *melacheila* Möschler,1877 _ Range (in code): SR BR
- 22586. *Eurema albula celata* (R.Felder,1869)** (Pieridae) **Synonym(s):** *celata* R.Felder,1869; *leucilla* R.Felder,1869 _ Range (in code): MX
- 22587. *Eurema albula espinosae* (Fernandez,1928)** (Pieridae) **Synonym(s):** *espinosae* Fernandez,1928; *espinosai* Lamas,1999
- 22588. *Eurema albula marginella* (C.Felder & R.Felder,1867)** (Pieridae) **Synonym(s):** *marginella* C.Felder & R.Felder,1867 _ Range (in code): VE
- 22589. *Eurema albula sinoe* (Godart,1819)** (Pieridae) **Synonym(s):** *sinoe* Godart,1819 _ Range (in code): BR
- 22590. *Eurema albula totora* Lamas,1981** (Pieridae) **Synonym(s):** *totora* Lamas,1981 _ Range (in code): PE
- 22591. *Eurema amelia* (Poey,[1852])** (Pieridae) **Synonym(s):** *amelia* Poey,[1852] _ Range (in code): CU
- 22592. *Eurema andersoni* (Moore,1886)** (Pieridae) **Synonym(s):** *andersoni* Moore,1886
Range (in code): LK BT SI IN Adm PH Pal MM Mrg MY Lkw TH CMa Cuo Cuo5 Cu12 CDo CD2 Cmz Cz11 Dst Dso9 Pap Mro Nst Ths Nrt Kao Ntt SPa ID Sum Bor TW
- 22593. *Eurema andersoni anamba* Corbet & Pendlebury,1932** (Pieridae) **Synonym(s):** *anamba* Corbet & Pendlebury,1932 _ Range (in code): MY
- 22594. *Eurema andersoni andersoni* (Moore,1886)** (Pieridae) **Synonym(s):** *andersoni* Moore,1886 _ Range (in code): MM Mrg MY Lkw TH CMa Cuo Cuo5 Cu12 CDo CD2 Cmz Cz11 Dst Dso9 Pap Mro Nst Ths Nrt Kao Ntt SPa ID Sum Bor
- 22595. *Eurema andersoni evansi* Corbet & Pendlebury,1932** (Pieridae) **Synonym(s):** *evansi* Corbet & Pendlebury,1932 _ Range (in code): IN Adm
- 22596. *Eurema andersoni godana* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *godana* Fruhstorfer,1910 _ Range (in code): TW
- 22597. *Eurema andersoni jordani* Corbet & Pendlebury,1932** (Pieridae) **Synonym(s):** *jordani* Corbet & Pendlebury,1932 _ Range (in code): BT SI
- 22598. *Eurema andersoni ormistoni* (Watkins,1925)** (Pieridae) **Synonym(s):** *ormistoni* Watkins,1925 _ Range (in code): LK
- 22599. *Eurema andersoni prabha* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *prabha* Fruhstorfer,1910 _ Range (in code): PH Pal

- 22600. *Eurema andersoni udana* (Fruhstorfer,1910)** (Pieridae) **Synonym(s):** *udana* Fruhstorfer,1910 - Range (in code): **ID Ja**
- 22601. *Eurema boisduvaliana* (C.Felder & R.Felder,1865)** (Pieridae) **Synonym(s):** *boisduvaliana* C.Felder & R.Felder,1865; *ingrata* R.Felder,1869 - Range (in code): **US MX Arz Cf Fl NMx Ne Tx**
- 22602. *Eurema दौरा* (Godart,1819)** (Pieridae) **Synonym(s):** *delia* Cramer,1780 *nec* [Denis & Schiff.],1775; *daira* Godart,1819; *demoditis* Hübner,[1819]; *jucunda* Boisduval & Le Conte,[1830]; *lemnia* C.Felder & R.Felder,1865 - Range (in code): **US MX Aks Alb Arz Fl Ge Lou Mss NCa NMx Neb Ok Sca SDk Tnn Tx Vi**
- 22603. *Eurema dina*** (Pieridae) **Synonym(s):** - Range (in code): **US MX Arz Fl Tx**
- 22604. *Eurema herla* (Macleay,1926)** (Pieridae) **Synonym(s):** *herla* Macleay,1926; *sinta* Wallace,1867; *hespera* Butler,1886; *immaculata* Miskin,1889 - Range (in code): **AU KY Syd NSw QAU NAU**
- 22605. *Eurema hiurai* Shirozu & Yata,1977** (Pieridae) **Synonym(s):** *hiurai* Shirozu & Yata,1977 Range (in code): **PH Mno Luz**
- 22606. *Eurema hiurai admiranda* Morishita,1981** (Pieridae) **Synonym(s):** *admiranda* Morishita,1981 - Range (in code): **PH Luz**
- 22607. *Eurema lacteola* Distant,1886** (Pieridae) **Synonym(s):** *lacteola* Distant,1886 - Range (in code): **PH Stu**
- 22608. *Eurema lisa* (Boisduval & Le Conte,[1830])** (Pieridae) **Synonym(s):** *lisa* Boisduval & Le Conte,[1830]; *clappii* Maynard,1891 - Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk NMx Neb Nh Nje Ny Oh Ok Pns RDi Sca SDk Tnn Tx Vi Vr WVi Wc Wy**
- 22609. *Eurema lombokiana* (Fruhstorfer,1897)** (Pieridae) **Synonym(s):** *lombokiana* Fruhstorfer,1897 - Range (in code): **ID Lb Sba Flo**
- 22610. *Eurema lombokiana lombokiana* (Fruhstorfer,1897)** (Pieridae) **Synonym(s):** *lombokiana* Fruhstorfer,1897 - Range (in code): **ID Lb Sba Flo**
- 22611. *Eurema messalina* (Fabricius,1787)** (Pieridae) **Synonym(s):** *messalina* Fabricius,1787; *bulaea* Boisduval,1836; *gnathene* Boisduval,1836; *iradia* Poey,[1852]; *blakei* Maynard,1891 - Range (in code): **US Fl MX**
- 22612. *Eurema mexicana* (Boisduval,1836)** (Pieridae) **Synonym(s):** *mexicana* Boisduval,1836; *damaris* C.Felder & R.Felder,1865; *depuiseti* Boisduval,1870; *biedermanni* Ehrmann,1925 - Range (in code): **US MX Aks Arz Cf Col Iln Io Kan Lou Mch Mis Mns Mss NDk NMx Ne Neb Oh Ok SDk Tnn Tx Ut Wc Wy**
- 22613. *Eurema nicippe* (Cramer,[1779])** (Pieridae) **Synonym(s):** *nicippe* Cramer,[1779]; *flava* Strecker,1878; *dammersi* Gunder,1930; *callae* Field,1936 - Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mch Mis Mon Mrl Msc Mss NCa NMx Ne Neb Nje Ny Oh Ok Pns RDi Sca SDk Tnn Tx Ut Vi WVi Wc Wy**
- 22614. *Eurema nise* (Cramer,1775)** (Pieridae) **Synonym(s):** *nise* Cramer,1775; *neda* Godart,1819 Range (in code): **JM BO AR PE CU EC PY BR US MX Arz Cf Col Fl Kan NDk NMx Ne Neb Tx Ut**
- 22615. *Eurema novapallida* Yata,1992** (Pieridae) **Synonym(s):** *pallida* Shirozu & Yata,1982 *nec* Chavann.,1850; *novapallida* Yata,1992 Original Reference: *Eurema novapallida* Yata,1992, Bull. Kitakyushu Mus. nat. Hist. 11: 62, pl.26 figs.5-8, pl.27 figs.1-2. Type: S. Vietnam: Bobla. Range (in code): **MM TH CMa Int Dst Mae Cbi Nrt Nan Dpk LA VN Ann**
- 22616. *Eurema novapallida novapallida* Yata,1992** (Pieridae) **Synonym(s):** *pallida* Shirozu & Yata,1982 *nec* Chavann.,1850; *novapallida* Yata,1992 Original Reference: *Eurema novapallida* Yata,1992, Bull. Kitakyushu Mus. nat. Hist. 11: 62, pl.26 figs.5-8, pl.27 figs.1-2. Type: S. Vietnam: Bobla. Range (in code): **MM TH CMa Int Dst Mae Cbi Nrt Nan Dpk LA VN Ann**
- 22617. *Eurema proterpia* (Fabricius,1775)** (Pieridae) **Synonym(s):** *proterpia* Fabricius,1775; *gundlachia* Poey,[1853]; *longicauda* H.W.Bates,1864; *watsonia* Klots,1923; *morleyi* Coxey,1932 - Range (in code): **JM CU GT EC CO US MX Arz Kan NMx Neb Org Tx**
- 22618. *Eurema puella* (Boisduval,1832)** (Pieridae) **Synonym(s):** *puella* Boisduval,1832; *virgo* Wallace,1867
- 22619. *Eurema salome* (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *salome* C.Felder & R.Felder,1861; *saba* Bryk,1953 - Range (in code): **US MX Tx EC CO PE**
- 22620. *Eurema sari* (Horsfield,1829)** (Pieridae) **Synonym(s):** *sari* Horsfield,1829 - Range (in code): **IN MM Mrg ID Ja Egg PH Bal Pal MY Bor TH CMa Cuo Cui2 CDo CD2 Sgk Hya PSu Nst Chw VN Ton**

- 22621. *Eurema sari obucula* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *obucula* Fruhstorfer,1910 _ Range (in code): PH Bal Pal MY Bor
- 22622. *Eurema sari sari* (Horsfield,1829)** (Pieridae) Synonym(s): *sari* Horsfield,1829 _ Range (in code): ID Ja
- 22623. *Eurema sari sodalis* Moore,1886** (Pieridae) Synonym(s): *sodalis* Moore,1886 Original Reference: *Eurema sari* ssp. *sodalis* Moore,1886, J. linn. Soc. (Zool.) 21: 45. Syntypes ♂♀. Range (in code): IN MM Mrg TH Nst Chw VN Ton MY Bor ID Sum
- 22624. *Eurema sari thyreus* (Fruhstorfer,1910)** (Pieridae) Synonym(s): *thyreus* Fruhstorfer,1910 _ Range (in code): ID Egg
- 22625. *Eurema sarilata* (Semper,1891)** (Pieridae) Synonym(s): *sarilata* Semper,1891; *crinatha* Fruhstorfer,1910 _ Range (in code): PH Boh Ceb Luz Mar Bon Sga Stu Taw Bas Mdo Mas Neg Pan Hom Sib Din Ley Mno Pao Sam
- 22626. *Eurema sarilata aquila* Shirozou & Yata,1982** (Pieridae) Synonym(s): *aquila* Shirozou & Yata,1982 _ Range (in code): PH Ceb Luz Mar
- 22627. *Eurema sarilata boholensis* M.Okano & T.Okano,1990** (Pieridae) Synonym(s): *boholensis* M.Okano & T.Okano,1990 _ Range (in code): PH Boh
- 22628. *Eurema sarilata dayani* Schröder, Treadaway & Nuyda,1990** (Pieridae) Synonym(s): *dayani* Schröder, Treadaway & Nuyda,1990 _ Range (in code): PH Bon Sga Stu Taw
- 22629. *Eurema sarilata mindorana* (Butler,1898)** (Pieridae) Synonym(s): *mindorana* Butler,1898 _ Range (in code): PH Mdo
- 22630. *Eurema sarilata perplexa* Shirozou & Yata,1982** (Pieridae) Synonym(s): *perplexa* Shirozou & Yata,1982 _ Range (in code): PH Bas
- 22631. *Eurema sarilata risa* Morishita,1981** (Pieridae) Synonym(s): *risa* Morishita,1981 Range (in code): PH Mas Neg Pan
- 22632. *Eurema sarilata rosario* Schröder, Treadaway & Nuyda,1990** (Pieridae) Synonym(s): *rosario* Schröder, Treadaway & Nuyda,1990 _ Range (in code): PH Hom
- 22633. *Eurema sarilata sarilata* (Semper,1891)** (Pieridae) Synonym(s): *sarilata* Semper,1891; *crinatha* Fruhstorfer,1910 _ Range (in code): PH Din Ley Mno Pao Sam
- 22634. *Eurema sarilata sibuyanensis* Yata & Treadaway,1982** (Pieridae) Synonym(s): *sibuyanensis* Yata & Treadaway,1982 _ Range (in code): PH Sib
- 22635. *Eurema simulatrix* Staudinger,1891** (Pieridae) Synonym(s): *simulatrix* Staudinger,1891 Range (in code): PH Boh Ley Mno Pal TH Ntt SPa Nst Nna CMa Cuo Cu12 Qs Qs03 Int MY Pen Lkw Bor Sbh KBa ID Sum Ja Clb MM Tns
- 22636. *Eurema simulatrix inouei* Shirozu & Yata,1982** (Pieridae) Synonym(s): *inouei* Shirozu & Yata,1982 _ Range (in code): TH Nna
- 22637. *Eurema simulatrix kollerii* Corbet & Pendlebury,1932** (Pieridae) Synonym(s): *kollerii* Corbet & Pendlebury,1932; *#javanica* Corbet & Pendlebury,1932 _ Range (in code): ID Ja
- 22638. *Eurema simulatrix princesae* Morishita,1973** (Pieridae) Synonym(s): *princesae* Morishita,1973 _ Range (in code): PH Pal
- 22639. *Eurema simulatrix simulatrix* Staudinger,1891** (Pieridae) Synonym(s): *simulatrix* Staudinger,1891 _ Range (in code): PH Boh Ley Mno
- 22640. *Eurema simulatrix tecmessa* (De Nicéville,1894)** (Pieridae) Synonym(s): *tecmessa* De Nicéville,1894; *#stockleyi* Corbet & Pendlebury,1932 _ Range (in code): MM Tns TH Ntt SPa CMa Cuo Cu12 Qs Qs03 Int Nst Nna MY Pen Lkw Bor Sbh KBa ID Sum
- 22641. *Eurema smilax* (Donovan,1805)** (Pieridae) Synonym(s): *smilax* Donovan,1805; *ingana* Wallace,1867; *parvula* Herrich-Schäffer,1869; *varius* Miskin,1889; *casta* Lucas,1892 _ Range (in code): AU NSw Syd QAU Bri TS
- 22642. *Eurema smilax smilax* (Donovan,1805)** (Pieridae) Synonym(s): *smilax* Donovan,1805; *ingana* Wallace,1867; *parvula* Herrich-Schäffer,1869; *varius* Miskin,1889; *casta* Lucas,1892 _ Range (in code): AU NSw Syd QAU Bri TS
- 22643. *Eurema tilaha* (Horsfield,1829)** (Pieridae) Synonym(s): *tilaha* Horsfield,1829 _ Range (in code): MM ID Sum Btu Ja Bli Clb MY Lkw Bor TH Nst Ths
- 22644. *Eurema tilaha gradiens* (Butler,1886)** (Pieridae) Synonym(s): *gradiens* Butler,1886 Range (in code): MY Bor
- 22645. *Eurema tilaha lamperti* (Fruhstorfer,1912)** (Pieridae) Synonym(s): *lamperti* Fruhstorfer,1912 _ Range (in code): ID Btu
- 22646. *Eurema tilaha myria* (Fruhstorfer,1913)** (Pieridae) Synonym(s): *myria* Fruhstorfer,1913 Range (in code): ID Bli

- 22647. *Eurema tilaha nicevillei* (Butler,1898)** (Pieridae) **Synonym(s):** *nicevillei* Butler,1898
Range (in code): **MM MY Lkw TH Nst Ths ID Sum**
- 22648. *Eurema tilaha tilaha* (Horsfield,1829)** (Pieridae) **Synonym(s):** *tilaha* Horsfield,1829;
eumide C.Felder & R.Felder,1865 **Range (in code):** **ID Ja Clb**
- 22649. *Gandaca butyrosa* (Butler,1875)** (Pieridae) **Synonym(s):** *butyrosa* Butler,1875 **Range (in code):** **PH Mno ID Clb Aru Wg PG Ij**
- 22650. *Gandaca butyrosa butyrosa* (Butler,1875)** (Pieridae) **Synonym(s):** *butyrosa* Butler,1875
Range (in code): **ID Aru**
- 22651. *Gandaca butyrosa samanga* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *samanga* Fruhstorfer,1910 **Range (in code):** **ID Clb**
- 22652. *Gandaca harina* (Horsfield,1829)** (Pieridae) **Synonym(s):** *harina* Horsfield,1829
Range (in code): **IN MM Ass CN Adm TH CMa PH Bas Sga Taw Ala Bab Bal Bat Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Tic Cal Pal Clb Sul ID Sum Ja Bor MY Dst Qs Nst Sgk Hya Tnc ID Ob Bru Wg Ij Clb Sul Bng PG Adm Ben SI**
- 22653. *Gandaca harina aiguna* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *aiguna* Fruhstorfer,1910 **Range (in code):** **ID Ob Bru Wg Ij PG**
- 22654. *Gandaca harina aora* Moulton,1923** (Pieridae) **Synonym(s):** *aora* Moulton,1923
Range (in code): **MY**
- 22655. *Gandaca harina assamica* Moore,[1906]** (Pieridae) **Synonym(s):** *assamica* Moore,[1906]
Range (in code): **IN Ass SI Ben**
- 22656. *Gandaca harina auriflua* Fruhstorfer,1898** (Pieridae) **Synonym(s):** *auriflua* Fruhstorfer,1898 **Range (in code):** **ID Clb Sul Bng**
- 22657. *Gandaca harina burmana* Moore,[1906]** (Pieridae) **Synonym(s):** *burmana* Moore,[1906]
Original Reference: *Gandaca harina burmana* Moore,[1906], Lepid. Ind. 7: 34, figs. Type: Burma. **Range (in code):** **MM TH CMa Dst Qs**
- 22658. *Gandaca harina distanti* Moore,[1906]** (Pieridae) **Synonym(s):** *distanti* Moore,[1906]
Range (in code): **MY TH Nst Sgk Hya Tnc**
- 22659. *Gandaca harina elis* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *elis* Fruhstorfer,1910
Range (in code): **PH Stu**
- 22660. *Gandaca harina formosana* (Moore,1877)** (Pieridae) **Synonym(s):** *formosana* Moore,1877; *andamana* Moore,[1906] **Range (in code):** **ID Adm**
- 22661. *Gandaca harina gardineri* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *gardineri* Fruhstorfer,1910 **Range (in code):** **PH Bas Bon Jol Sga Taw**
- 22662. *Gandaca harina harina* (Horsfield,1829)** (Pieridae) **Synonym(s):** *harina* Horsfield,1829
Range (in code): **ID Ja**
- 22663. *Gandaca harina mindanaensis* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *mindanaensis* Fruhstorfer,1910 **Range (in code):** **PH Ala Bab Bal Bat Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic**
- 22664. *Gandaca harina palawanica* Fruhstorfer,1910** (Pieridae) **Synonym(s):** *palawanica* Fruhstorfer,1910 **Range (in code):** **PH Cal Pal**
- 22665. *Ganyra howarthii*** (Pieridae) **Synonym(s):** **Range (in code):** **US MX Arz**
- 22666. *Ganyra josephina* (Godart,[1819])** (Pieridae) **Synonym(s):** *josephina* Godart,[1819]
Range (in code): **US MX Kan NMx Tx**
- 22667. *Gideona lucasi* (Grandidier,1867)** (Pieridae) **Synonym(s):** *lucasi* Grandidier,1867
- 22668. *Gideona lucasi lucasi* (Grandidier,1867)** (Pieridae) **Synonym(s):** *lucasi* Grandidier,1867
- 22669. *Gonepteryx (Isogonepteryx) cleobule* (Hübner,[1825])** (Pieridae) **Synonym(s):** *cleobule* Hübner,[1825] **Original Reference:** *Anteos cleobule* Hübner,[1825], Zutr. Samml. exot. Schmett.: 17-18. Syntypes: Canary Isl. **Range (in code):** **Cn Gmr**
- 22670. *Gonepteryx (Isogonepteryx) cleobule cleobule* (Hübner,[1825])** (Pieridae) **Synonym(s):** *cleobule* Hübner,[1825] **Original Reference:** *Anteos cleobule* Hübner,[1825], Zutr. Samml. exot. Schmett.: 17-18. Syntypes: Canary Isl. **Range (in code):** **Cn**
- 22671. *Gonepteryx (Isogonepteryx) cleobule eversi* Rehnelt,1974** (Pieridae) **Synonym(s):** *eversi* Rehnelt,1974 **Original Reference:** *Gonepteryx eversi* Rehnelt,1974, Ent. Z., Frankf. a. M. 84: 51-52. Holotype ♂: Gomera. **Range (in code):** **Cn Gmr**
- 22672. *Gonepteryx (Isogonepteryx) cleopatra* (Linnaeus,1767)** (Pieridae) **Synonym(s):** *cleopatra* Linnaeus,1767; *balearica* Bubacek,1920. **Original Reference:** *Papilio cleopatra*

Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 765. Type(s): Algeria. Range (in code): **He AL BG B-I Cn Co Cr Cy DZ ES FR GR IL IT LB JO LY MA MT PT Rd Sa Si TN TR SS HV YU Mt SY Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Pa Hf Tol Trg Val Vcl Zg Zm Mu18 Sms CY Ktr Ndr Abe Orn Agi Blid Ges BSa Khh Lbs Btina DhM Tun Ess Tgr Hrh Dzc Hmk Azr** Bionomy: Larva on *Rhamnus catharticus*, *R. alaternus*, *R. myrtifolia*, *R. oleoides*, *R. alpinus*, *R. sibthorpius*, *R. ? persicifolius* (Tolman, 1997).

22673. Gonepteryx (Isogonepteryx) cleopatra citrina Sheljuzhko, 1925 (Pieridae)

Synonym(s): *citrina* Sheljuzhko, 1925 Range (in code): **GR Sms**

22674. Gonepteryx (Isogonepteryx) cleopatra cleopatra (Linnaeus, 1767) (Pieridae)

Synonym(s): *cleopatra* Linnaeus, 1767; *#mauretanica* Röber, [1907]; *balearica* Bubacek, 1920. Original

Reference: *Papilio cleopatra* Linnaeus, 1767, Syst. Nat. (Edn.12) 1(2): 765. Type(s): Algeria.

Range (in code): **DZ ES FR MA PT TN SS HV YU Mt Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Ktr Ndr Abe Orn Agi Blid Ges He AL BG B-I Cn Co Cr Cy BSa Khh Lbs Btina DhM Tun Ess Tgr Hrh Dzc Hmk**

22675. Gonepteryx (Isogonepteryx) cleopatra dalmatica Verity, 1908 (Pieridae)

Synonym(s): *dalmatica* Verity, 1908 Range (in code): **HV BG GR TR**

22676. Gonepteryx (Isogonepteryx) cleopatra fiorii Turati & Fiori, 1930 (Pieridae)

Synonym(s): *fiorii* Turati & Fiori, 1930 Original Reference: *Gonepteryx cleopatra fiorii* Turati &

Fiori, 1930, Mem. Soc. ent. ital. 9: 199. Syntypes: Rhodos. Range (in code): **GR Rd**

22677. Gonepteryx (Isogonepteryx) cleopatra insularis Verity, 1909 (Pieridae)

Synonym(s): *insularis* Verity, 1909 Range (in code): **Cr GR**

22678. Gonepteryx (Isogonepteryx) cleopatra italica (Gerhard, 1882) (Pieridae)

Synonym(s): *italica* Gerhardt, 1882; *massiliensis* Foulquier, 1899; *dalmatica* Verity, 1911; *insularis* Verity, 1911; *europaeus* Verity, 1913. Original Reference: *Rhodocera cleopatra italica* Gerhard, 1882, Berl. ent.

Z. 26: 25. Syntypes: Italia, Dalmatia. Range (in code): **Al Co Cr FR IT MT Sa Si**

22679. Gonepteryx (Isogonepteryx) cleopatra petronella De Freina, 1977 (Pieridae)

Synonym(s): *petronella* De Freina, 1977 Original Reference: *Gonepteryx cleopatra* ssp. *petronella* De Freina, 1977, Atalanta 8(4): 273-276, figs. Holotype ♂: Spain: Balear Isl.: Ibiza Island (Pityusen). Range (in code): **B-I**

22680. Gonepteryx (Isogonepteryx) cleopatra rosei Gross, 1973 (Pieridae) Synonym(s):

rosei Gross, 1973 Original Reference: *Gonepteryx cleopatra* ssp. *rosei* Gross, 1973, Ent. Z., Frankf. a. M. 83: 261-262. Holotype ♂: Kanarische Inseln: Teneriffe. Range (in code): **Cn**

22681. Gonepteryx (Isogonepteryx) cleopatra taurica (Staudinger, 1881) (Pieridae)

Synonym(s): *taurica* Staudinger, 1881; *palmata* Turati, 1921. Original Reference: *Rhodocera*

cleopatra var. *taurica* Staudinger, 1881, Horae Soc. ent. ross. 16: 65. Type(s): [Türkei]: Taurus. Range (in code): **Cy CY IL Pa He Hf LY TR SY JO**

22682. Gonepteryx (Isogonepteryx) maderensis Felder, 1862 (Pieridae) Synonym(s):

maderensis Felder, 1862 Original Reference: *Gonepteryx cleopatra* var. *maderensis* Felder, 1862, Verh. zool.- bot. Ges. Wien 12: 473. Syntypes: Madeira. Range (in code): **Md**

22683. Gonepteryx (Isogonepteryx) maderensis maderensis Felder, 1862 (Pieridae)

Synonym(s): *maderensis* Felder, 1862 Original Reference: *Gonepteryx cleopatra* var. *maderensis* Felder, 1862, Verh. zool.- bot. Ges. Wien 12: 473. Syntypes: Madeira. Range (in code): **Md**

22684. Gonepteryx (Isogonepteryx) palmae Stamm, 1963 (Pieridae) Synonym(s): *palmae*

Stamm, 1963 Original Reference: *Gonepteryx cleopatra* ssp. *palmae* Stamm, 1963, Ent. Z., Frankf. a. M. 73: 49. Holotype ♂: la Palma. Range (in code): **Cn**

22685. Gonepteryx (Isogonepteryx) palmae palmae Stamm, 1963 (Pieridae) Synonym(s):

palmae Stamm, 1963 Original Reference: *Gonepteryx cleopatra* ssp. *palmae* Stamm, 1963, Ent. Z., Frankf. a. M. 73: 49. Holotype ♂: la Palma. Range (in code): **Cn**

22686. Gonepteryx (s.str.) amintha (Blanchard, 1871) (Pieridae) Synonym(s): *amintha*

Blanchard, 1871 Range (in code): **TW CN**

22687. Gonepteryx (s.str.) amintha formosana (Fruhstorfer, 1908) (Pieridae)

Synonym(s): *formosana* Fruhstorfer, 1908; *meiyuanus* Murayama & Shimonoya, 1963 Range (in code): **TW**

22688. Gonepteryx (s.str.) aspasia (Ménétriés, 1859) (Pieridae) Synonym(s): *aspasia*

Ménétriés, 1859; *acuminata* Matsumura, 1929. Original Reference: *Rhodocera aspasia*

- Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 17, Taf.1 fig.8. Syntypes ♂♀:
Russia: Amur, Oussuri. Range (in code): **Am CN Gn JP KP Nsh RU Prj Us**
- 22689. Gonepteryx (s.str.) aspasia aspasia (Ménétriés, 1859)** (Pieridae) Synonym(s):
aspasia Ménétriés, 1859; *acuminata* Matsumura, 1929. Original Reference: *Rhodocera aspasia*
Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 17, Taf.1 fig.8. Syntypes ♂♀:
Russia: Amur, Oussuri. Range (in code): **Am CN JP KP RU Prj Us**
- 22690. Gonepteryx (s.str.) aspasia kansuensis (Murayama, 1965)** (Pieridae) Synonym(s):
kansuensis Murayama, 1965 Original Reference: *Gonepteryx mahaguru* ssp. *kansuensis*
Murayama, 1965, New Entomologist 14: 60-62. Holotype: China: Kuenlung mts.: Nanschan:
Hsio. Range (in code): **CN Gn Nsh**
- 22691. Gonepteryx (s.str.) chitralensis (Moore, 1905)** (Pieridae) Synonym(s): *chitralensis*
Moore, 1905 Original Reference: *Colias chitralensis* Moore, 1905, Lepid. Indica 7: 27. Type(s):
[Pakistan]: Chitral. Range (in code): **TJ Al Ci Hk Hp IN PK Sml**
- 22692. Gonepteryx (s.str.) chitralensis chitralensis (Moore, 1905)** (Pieridae) Synonym(s):
chitralensis Moore, 1905 Original Reference: *Colias chitralensis* Moore, 1905, Lepid. Indica 7: 27.
Type(s): [Pakistan]: Chitral. Range (in code): **TJ Al Ci Hk Hp IN PK Sml**
- 22693. Gonepteryx (s.str.) farinosa (Zeller, 1847)** (Pieridae) Synonym(s): *farinosa* Zeller, 1847
Original Reference: *Rhodocera farinosa* Zeller, 1847, Isis 1847 (1): 5. Type ♂: [Türkei]: Makri
[=Fethiye]. Range (in code): **Ae AL Cc AM AZ BG GG GR IQ IR Ab Ak Qba Elb Es Th Fa Ke LB MK Rd**
TJ TM Kp TR YU Mt Bionomy: Larva on *Rhamnus alpinus fallax*, *R. sibthorpius*, *R. lycioides*
graecus, *Paliurus spina-christi*, *Zizyphus* (Nekrutenko, 1990; Tolman, 1997).
- 22694. Gonepteryx (s.str.) farinosa farinosa (Zeller, 1847)** (Pieridae) Synonym(s): *farinosa*
Zeller, 1847 Original Reference: *Rhodocera farinosa* Zeller, 1847, Isis 1847 (1): 5. Type ♂:
[Türkei]: Makri [=Fethiye]. Range (in code): **He Ae AL BG GR MK Rd TR YU Mt LB**
- 22695. Gonepteryx (s.str.) farinosa meridiorana De Freina, 1983** (Pieridae) Synonym(s):
meridiorana De Freina, 1983 Original Reference: *Gonepteryx farinosa* ssp. *meridiorana* de
Freina, 1983, Mitt. münch. ent. Ges. 72: 33-34, figs. Holotype ♂: [Iran]: 10km nordw. Ardekan,
2500m. Range (in code): **IR Es Fa Ke TM Kp**
- 22696. Gonepteryx (s.str.) farinosa turcirana De Freina, 1983** (Pieridae) Synonym(s):
turcirana De Freina, 1983 Original Reference: *Gonepteryx farinosa* ssp. *turcirana* de Freina, 1983,
Mitt. münch. ent. Ges. 72: 32-33, figs. Holotype ♂: [Türkei]: Kleinasien: Amasya, 400-1100m.
Range (in code): **Cc AM AZ GG IQ IR Elb Th TJ TM TR**
- 22697. Gonepteryx (s.str.) mahaguru (Gistel, 1857)** (Pieridae) Synonym(s): *mahaguru*
Gistel, 1857; *zaneka* Moore, 1865. Original Reference: *Rhodovera* [sic] *mahaguru* Gistel, 1857,
Vacuna 2: 605. Type(s): Himalaya. Range (in code): **Ch IN Kma Haz Mre Pj PK**
- 22698. Gonepteryx (s.str.) mahaguru mahaguru (Gistel, 1857)** (Pieridae) Synonym(s):
mahaguru Gistel, 1857; *zaneka* Moore, 1865. Original Reference: *Rhodovera* [sic] *mahaguru*
Gistel, 1857, Vacuna 2: 605. Type(s): Himalaya. Range (in code): **Ch IN Kma Haz Mre Pj PK**
- 22699. Gonepteryx (s.str.) maxima (Butler, 1885)** (Pieridae) Synonym(s): *maxima* Butler, 1885
Original Reference: *Rhodocera maxima* Butler, 1885, Ann. Mag. nat. Hist. (5) 15: 407. Syntypes:
Japan. Range (in code): **Am CN Gn JP KP RU Sz Prj Us Vv**
- 22700. Gonepteryx (s.str.) maxima amurensis (Graeser, 1888)** (Pieridae) Synonym(s):
amurensis Graeser, 1888 Original Reference: *Rhodocera rhamni amurensis* Graeser, 1888, Berl.
ent. Z. 32: 69-70. Syntypes: Russia: Amurland, Ussuri. Range (in code): **RU Prj Us Am Vv**
- 22701. Gonepteryx (s.str.) maxima major Kudrna, 1975** (Pieridae) Synonym(s): *#major*
Verity, 1909; *major* Kudrna, 1975. Original Reference: *Gonepteryx maxima* ssp. *major* Kudrna, 1975,
Entomologist's Gaz. 26: 18-19. Syntypes: China: Szechwan (BMNH). Range (in code): **CN Sz**
- 22702. Gonepteryx (s.str.) maxima maxima (Butler, 1885)** (Pieridae) Synonym(s): *maxima*
Butler, 1885 Original Reference: *Rhodocera maxima* Butler, 1885, Ann. Mag. nat. Hist. (5) 15:
407. Syntypes: Japan. Range (in code): **JP KP**
- 22703. Gonepteryx (s.str.) maxima ssp.n. (Pieridae) Synonym(s):** *ssp.n. sensu Kudrna, 1975: 19.*
Range (in code): **CN Gn**
- 22704. Gonepteryx (s.str.) rhamni (Linnaeus, 1758)** (Pieridae) Synonym(s): *rhamni*
Linnaeus, 1758; *gravesi* Huggins, 1956. Original Reference: *Papilio rhamni* Linnaeus, 1758, Syst. Nat.
(Edn.10) 1: 470. Syntypes: Europe, Africa. Range (in code): **AF AL Cc AM Asr AT At AZ Ba BE BG B-**
H BI BY CH Cls CN Ui Co CZ DE DK DZ ES FI FR GB Gg GG GR HU HV IE IN IQ IR IT Kb KG KK Kp Kr
Ku LB Ld LT LU LV MA MK NL NO NP Nwf PK Ci PL PT RO RU Rw Sa SE Si SK Sm So Sr SS SY Sz Teb

TJ TM TN TR UA Uk UZ VI Zi Gj Aq YU Ng Jla Lgh T-S Mu Bn Tk Aa Sp Mn At No To Om Ty Kg Cb Kw Pw Ka Sb Tt So Sau Tar DsA TrA Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Rtc Slv Bgz Sjb Trb LB Kts MM Ab Ak Msw Gh Mz Elb Th Arr Kh Gls Koh Swa Sgl Dju Rf Agi Blid Btina Tun DhM Tgr Hrh
Bionomy: Larva on *Frangula alnus*, *Rhamnus catharticus*, *R. alaternus*, *R. alpinus* (?) *alpinus*, *R. a. fallax*, *R. myrtifolia*, *R. oleoides* (Linnaeus, 1758; Tolman, 1997).

22705. *Gonepteryx* (s.str.) *rhamni kurdistan* De Freina, 1990 (Pieridae) Synonym(s): *kurdistan* De Freina, 1990 Original Reference: *Gonepteryx rhamni* ssp. *kurdistan* De Freina, 1990, Mitt. münch. ent. Ges. 79 (1989): 113, figs. Holotype ♂: Turkey: Hakkari Pr., Hakkari 2200m (in coll. de Freina). Range (in code): **IQ IR Ab Gh Mz Elb Th TR**

22706. *Gonepteryx* (s.str.) *rhamni meridionalis* Röber, 1907 (Pieridae) Synonym(s): *meridionalis* Röber, 1907 Original Reference: *Gonepteryx rhamni* f. *meridionalis* Röber, 1907, [in] Seitz, A., Die Gross-Schmett. Erde 1: 60-61. Syntypes: [Algeria & Türkei]: "südlichen Teile des Gebiets (Algier und südliches Klein-Asien)". Range (in code): **DZ Dju MA Rf TN Agi Blid Btina Tun DhM Tgr**

22707. *Gonepteryx* (s.str.) *rhamni miljanowskii* Nekrutenko, 1966 (Pieridae) Synonym(s): *miljanowskii* Nekrutenko, 1966 Original Reference: *Gonepteryx rhamni* ssp. *miljanowskii* Nekrutenko, 1966, Z. Wien. ent. Ges. 51: 44-47, figs. Holotype ♂: [Georgia]: Suchumi (Abchasia). Range (in code): **Cc GG TR**

22708. *Gonepteryx* (s.str.) *rhamni nana* Wnukowsky, 1935 (Pieridae) Synonym(s): *nana* Wnukowsky, 1935 Range (in code): **RU At Bn**

22709. *Gonepteryx* (s.str.) *rhamni nepalensis* Doubleday, 1847 (Pieridae) Synonym(s): *nepalensis* Doubleday, 1847; *gilgitica* Tytler, 1926; *#sulphurea* Peschke, 1934. Original Reference: *Gonepteryx nepalensis* Doubleday, 1847, Genera of Diurnal Lepidoptera 1: 71. Type: India. Range (in code): **AF Ng Jla Lgh Asr Bl Cls Gg IN Ld NP MM Nwf PK Ci Rw Swa Sgl Zi Bt Koh**

22710. *Gonepteryx* (s.str.) *rhamni rhamni* (Linnaeus, 1758) (Pieridae) Synonym(s): *rhamni* Linnaeus, 1758; *gravesi* Huggins, 1956. Original Reference: *Papilio rhamni* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 470. Syntypes: Europe, Africa. Range (in code): **AT Ba BE BG Bw BY CH CZ DE DK FI GB HU IE KG Kr LT LU LV NL NO PL RO RU SE SK Sm So Sr TR UA Uk VI YU Gj Aq Sp Mn At Kts No To Om Ty Kg Cb Kw Pw Ka Sb Tt So Sau Tar Cw Dv Smt H-W Sur Ssx Ken**

22711. *Gonepteryx* (s.str.) *rhamni tianshanica* Nekrutenko, 1970 (Pieridae) Synonym(s): *tianshanica* Nekrutenko, 1970 Original Reference: *Gonepteryx rhamni* ssp. *tianshanica* Nekrutenko, 1970, J. lepid. Soc. 24: 218-220. Holotype ♂: [Kazakhstan]: Pravy Talgar in Tian-Shan [Tengri Tagh]. Range (in code): **KK T-S KG TrA DsA Tk Aa CN Ui**

22712. *Gonepteryx* (s.str.) *rhamni transiens* Verity, 1913 (Pieridae) Synonym(s): *transiens* Verity, 1913 Original Reference: *Gonepteryx rhamni transiens* Verity, 1913, J. linn. Soc., Zool. 32: 180. Syntypes: Italia: Toscana. Range (in code): **He IL AL B-H Co ES Mu FR Cc GG GR HV IT LB MK Sa Si SS TR YU Mt Ko Sof Rtc Slv Bgz Sjb Trb SY**

22713. *Gonepteryx* (s.str.) *taiwana* Paravicini, 1913 (Pieridae) Synonym(s): *taiwana* Paravicini, 1913 Range (in code): **TW**

22714. *Hebomoia glaucippe* (Linnaeus, 1758) (Pieridae) Synonym(s): *glaucippe* Linnaeus, 1758 Range (in code): **PH Boh Mas Neg Pan Ceb Cuy Dum Bab Bat Luz Mdo Bon Din Jol Ley Mno Pao Sam Sga Stu Taw Bal Cal Pal Mar Pol ID Mti Hm Beh Ob Tim TH CMa Dst Cuo Cuo1 Cu10 Qs Cnz Cz03 Dsk Hpt IN MM MY SG CN Hn LK Adm Nk Nia Sum Bor Ja Bli Kgn Lb Clb Sla Sba Kla Alo Flo TW Nrt Sbu Bnk Cbi Tng Yal Nst Ths Sya Cu12 CDo CD2 Pap Mro Sgk Hya Tnc VN Ton Tda** Bionomy: Larva on leaf of *Crateva adansonii* [kum bok] (Capparaceae) (Lewvanich, 2001).

22715. *Hebomoia glaucippe anaxandra* Fruhstorfer, 1910 (Pieridae) Synonym(s): *anaxandra* Fruhstorfer, 1910 Range (in code): **ID Kla**

22716. *Hebomoia glaucippe anomala* Pendlebury, 1939 (Pieridae) Synonym(s): *anomala* Pendlebury, 1939 Range (in code): **MY**

22717. *Hebomoia glaucippe aturia* Fruhstorfer, 1910 (Pieridae) Synonym(s): *aturia* Fruhstorfer, 1910 Range (in code): **MY TH Nst Ths Sya Sgk Hya Tnc MM SG**

22718. *Hebomoia glaucippe aurantiaca* Fruhstorfer, 1903 (Pieridae) Synonym(s): *aurantiaca* Fruhstorfer, 1903 Range (in code): **ID Ob**

22719. *Hebomoia glaucippe australis* Butler, 1898 (Pieridae) Synonym(s): *australis* Butler, 1898 Range (in code): **IN**

22720. *Hebomoia glaucippe boholensis* Fruhstorfer, 1911 (Pieridae) Synonym(s): *boholensis* Fruhstorfer, 1911 Original Reference: *Hebomoia glaucippe* ssp. *boholensis* Fruhstorfer, 1911, Ent. Rdsch. 28(24): 188. Syntypes ♀♀: [Philippinen]: Bohol. Range (in code): **PH Boh Mas Neg Pan**

- 22721. *Hebomoia glaucippe borneensis* Wallace, 1863** (Pieridae) Synonym(s): *borneensis* Wallace, 1863 _ Range (in code): MY ID Bor
- 22722. *Hebomoia glaucippe cebuensis* M.Okano & T.Okano, 1994** (Pieridae) Synonym(s): *cebuensis* M.Okano & T.Okano, 1994 _ Range (in code): PH Ceb
- 22723. *Hebomoia glaucippe celebensis* Wallace, 1863** (Pieridae) Synonym(s): *celebensis* Wallace, 1863 _ Range (in code): ID Clb
- 22724. *Hebomoia glaucippe ceylonica* Fruhstorfer, 1907** (Pieridae) Synonym(s): *ceylonica* Fruhstorfer, 1907 _ Range (in code): LK
- 22725. *Hebomoia glaucippe cuyoncola* Fruhstorfer, 1907** (Pieridae) Synonym(s): *cuyoncola* Fruhstorfer, 1907 _ Range (in code): PH Cuy
- 22726. *Hebomoia glaucippe domoranensis* Fruhstorfer, 1911** (Pieridae) Synonym(s): *domoranensis* Fruhstorfer, 1911 _ Range (in code): PH Dum
- 22727. *Hebomoia glaucippe erinna* Fruhstorfer, 1910** (Pieridae) Synonym(s): *erinna* Fruhstorfer, 1910 _ Range (in code): PH Bab Bat Luz
- 22728. *Hebomoia glaucippe felderi* Vollenhoven** (Pieridae) Synonym(s): _ Range (in code): ID Mti Hm
- 22729. *Hebomoia glaucippe flavomarginata* Pagenstecher** (Pieridae) Synonym(s): _ Range (in code): ID Sba
- 22730. *Hebomoia glaucippe formosana* Fruhstorfer, 1908** (Pieridae) Synonym(s): *formosana* Fruhstorfer, 1908 _ Range (in code): TW
- 22731. *Hebomoia glaucippe glaucippe* (Linnaeus, 1758)** (Pieridae) Synonym(s): *glaucippe* Linnaeus, 1758 _ Range (in code): CN MM TH CMa Dst Cuo Cu01 Cu10 Cu12 Qs Cmz Cz03 CDo CD2
Pap Mro Dsk Hpt Nrt Sbu Bnk Cbi Tng Yal CN Hn Bionomy: Larva on leaf of *Crateva adansonii* [kum bok] (Capparaceae) (Lewvanich, 2001).
- 22732. *Hebomoia glaucippe iliaca* Fruhstorfer, 1911** (Pieridae) Synonym(s): *iliaca* Fruhstorfer, 1911 _ Range (in code): PH Bon Din Jol Ley Mno Pao Sam Sga Stu Taw
- 22733. *Hebomoia glaucippe javanensis* Wallace, 1863** (Pieridae) Synonym(s): *javanensis* Wallace, 1863 _ Range (in code): ID Ja Bli Kgn
- 22734. *Hebomoia glaucippe lombokiana* Butler, 1898** (Pieridae) Synonym(s): *lombokiana* Butler, 1898 _ Range (in code): ID Lb
- 22735. *Hebomoia glaucippe mindorensis* Fruhstorfer, 1911** (Pieridae) Synonym(s): *mindorensis* Fruhstorfer, 1911 _ Range (in code): PH Mdo
- 22736. *Hebomoia glaucippe palawensis* Fruhstorfer, 1907** (Pieridae) Synonym(s): *palawensis* Fruhstorfer, 1907 _ Range (in code): PH Bal Cal Pal
- 22737. *Hebomoia glaucippe philippensis* Wallace, 1863** (Pieridae) Synonym(s): *philippensis* Wallace, 1863 _ Range (in code): PH Luz Mar
- 22738. *Hebomoia glaucippe reducta* Fruhstorfer, 1907** (Pieridae) Synonym(s): *reducta* Fruhstorfer, 1907 _ Range (in code): PH Pol
- 22739. *Hebomoia glaucippe roepstorffii* Wood-Mason** (Pieridae) Synonym(s): _ Range (in code): IN Adm Nk
- 22740. *Hebomoia glaucippe sulaensis* Fruhstorfer, 1907** (Pieridae) Synonym(s): *sulaensis* Fruhstorfer, 1907 _ Range (in code): ID Sla
- 22741. *Hebomoia glaucippe sulphurea* Wallace, 1863** (Pieridae) Synonym(s): *sulphurea* Wallace, 1863 _ Range (in code): ID Bch
- 22742. *Hebomoia glaucippe sumatrana* Hagen** (Pieridae) Synonym(s): _ Range (in code): ID Sum
- 22743. *Hebomoia glaucippe theia* Nishimura, 1987** (Pieridae) Synonym(s): *theia* Nishimura, 1987 _ Range (in code): MY
- 22744. *Hebomoia glaucippe timorensis* Wallace, 1863** (Pieridae) Synonym(s): *timorensis* Wallace, 1863 _ Range (in code): ID Tim Alo Flo
- 22745. *Hebomoia glaucippe vossi* Maitland** (Pieridae) Synonym(s): _ Range (in code): ID Nia
- 22746. *Hebomoia leucippe* (Cramer)** (Pieridae) Synonym(s): _ Range (in code): ID Amb Bru
- 22747. *Hebomoia leucippe daemonis* Fruhstorfer, 1907** (Pieridae) Synonym(s): *daemonis* Fruhstorfer, 1907 _ Range (in code): ID
- 22748. *Hebomoia leucippe leucippe* (Cramer)** (Pieridae) Synonym(s): _ Range (in code): ID Amb

- 22749. *Hebomoia leucippe leucogynia* Wallace, 1863** (Pieridae) Synonym(s): *leucogynia* Wallace, 1863 Range (in code): **ID Bru**
- 22750. *Ixias clarki* Avinoff, 1925** (Pieridae) Synonym(s): *clarki* Avinoff, 1925 Range (in code): **PH Luz Mno**
- 22751. *Ixias kuehni* Röber, 1892** (Pieridae) Synonym(s): *kuehni* Röber, 1892 Original Reference: *Ixias kühni* Röber, 1892, Tijdschr. Ent. 34: 287; *ibid.* 35: pl.4 figs.3,4. Type: [Indonesia]: Wetter (BMNH). Range (in code): **ID Wt**
- 22752. *Ixias marianne* (Cramer, [1779])** (Pieridae) Synonym(s): *marianne* Cramer, [1779]; *bebryce* Hübnér, [1819]; *agniverna* Moore, 1877; *depalpura* Butler, 1883; *meridionalis* Swinhoe, 1885; *cumballa* Swinhoe, 1885 Original Reference: *Papilio marianne* Cramer, [1779], Uitl. Kapellen 3: 41, pl.217 figs.C,D,E. Range (in code): **IN LK** Bionomy: Larva on *Capparis aphylla*, *C. divaricata*, *C. grandis*, *C. sepiaria* (Capparaceae) (Robinson et al., 2005).
- 22753. *Ixias pyrene* (Linnaeus, 1764)** (Pieridae) Synonym(s): *pyrene* Linnaeus, 1764; *aenippe* Cramer, [1779] Original Reference: *Papilio pyrene* Linnaeus, 1764, Museum Ludovicae Ulricae: 241. Type(s): China. Range (in code): **AF Ng Jla CN HK LK IN Ass Slo Adm PK Cp Ci Bl Pj Kma Bl Sd Koh C-P Drm TH CMa Cu0 Cu01 Cu10 Cu11 Cu12 CDo Bnk Nst Ths Cbi Nkh MY Prk MM Mrg TW VN Ton Tda Ann** Bionomy: Larva on *Capparis sola*, *C. cantoniensis*, *C. sepiaria*, *C. zeylanica* (Capparaceae) (Robinson et al., 2005).
- 22754. *Ixias pyrene alticola* Pendlebury, 1933** (Pieridae) Synonym(s): *alticola* Pendlebury, 1933 Range (in code): **MY**
- 22755. *Ixias pyrene annamitica* Fruhstorfer, 1910** (Pieridae) Synonym(s): *annamitica* Fruhstorfer, 1910 Range (in code): **TH Nkh VN Ann**
- 22756. *Ixias pyrene birdi* Distant, 1883** (Pieridae) Synonym(s): *birdi* Distant, 1883 Original Reference: *Ixias birdi* Distant, 1883, Ann. Mag. nat. Hist. (5) 12: 351. Type ♂: Malaysia: Perak. Range (in code): **MY Prk**
- 22757. *Ixias pyrene insignis* Butler, 1879** (Pieridae) Synonym(s): *insignis* Butler, 1879; *reducta* Paravicini, 1913; *intermedia* Paravicini, 1913 Original Reference: *Ixias insignis* Butler, 1879, Cist. Ent. 2: 431, pl.viii fig.1. Type ♂: [Taiwan]: Formosa (BMNH). Range (in code): **TW**
- 22758. *Ixias pyrene pyrene* (Linnaeus, 1764)** (Pieridae) Synonym(s): *pyrene* Linnaeus, 1764; *aenippe* Cramer, [1779] Original Reference: *Papilio pyrene* Linnaeus, 1764, Museum Ludovicae Ulricae: 241. Type(s): China. Range (in code): **CN IN**
- 22759. *Ixias pyrene satadra* Moore, 1877** (Pieridae) Synonym(s): *satadra* Moore, 1877; *kausala* Moore, 1877; *pygmaea* Moore, 1882; *dharmasala* Butler, *watti* Butler, 1880. Original Reference: *Ixias satadra* Moore, 1877, Ann. Mag. nat. Hist. 20: 50. Range (in code): **AF Ng Jla IN Ass Slo Drm Pj Cp Kma Ci PK Bl Sd C-P**
- 22760. *Ixias pyrene verna* Druce, 1874** (Pieridae) Synonym(s): *verna* Druce, 1874 Original Reference: *Ixias verna* Druce, 1874, Proc. zool. Soc. London 1874: 108, pl.xvi figs.5,6. Type: [Myanmar]: Burma, High Island, Mergui (BMNH). Range (in code): **MM Mrg MY TH CMa Cu0 Cu01 Cu10 Cu11 Cu12 CDo Bnk Nst Ths Cbi**
- 22761. *Ixias reinwardtii* (Vollenhoven, 1860)** (Pieridae) Synonym(s): *reinwardtii* Vollenhoven, 1860 Original Reference: *Thestias reinwardtii* Vollenhoven, 1860, Tijdschr. Ent. 3: 125. Range (in code): **ID Tim Lb Flo**
- 22762. *Ixias vollenhovii* (Wallace, 1867)** (Pieridae) Synonym(s): *vollenhovii* Wallace, 1867; *venatrix* Wallace, 1867 Original Reference: *Thestias vollenhovii* Wallace, 1867, Trans. ent. Soc. London (3) 4: 393. Range (in code): **ID Tim Ja**
- 22763. *Kricogonia lyside*** (Pieridae) Synonym(s): Range (in code): **US MX Arz Cf Col Fl Kan Knt Mis NMx Neb Ok Tx**
- 22764. *Leptidea amurensis* (Ménétriés, 1858)** (Pieridae) Synonym(s): *amurensis* Ménétriés, 1858 Original Reference: *Leucophasia amurensis* Ménétriés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. Type(s): Russia: Amoorland. Range (in code): **Am JP KP MN RU Ya Vv Us Prj Sh CN At Sj Ir Irk CN Ui**
- 22765. *Leptidea amurensis amurensis* (Ménétriés, 1858)** (Pieridae) Synonym(s): *amurensis* Ménétriés, 1858 Original Reference: *Leucophasia amurensis* Ménétriés, 1858, Bull. phys. math. Acad. imp. Sci. St. Pétersburg (ser.2) 17: 213. Type(s): Russia: Amoorland. Range (in code): **Am KP MN RU Vv Prj Us Sh CN**
- 22766. *Leptidea amurensis emisinapis* Verity, 1911** (Pieridae) Synonym(s): *emisinapis* Verity, 1911 Original Reference: *Leptidea amurensis* race *emisinapis* Verity, 1911, Rhopal. palaeart.: 345. Syntypes 1♂ 1♀: [Russia]: Irkutsk. Range (in code): **RU At Sj Ir Irk**

- 22767. *Leptidea amurensis jacutia* Gorbunov & Korshunov, 1995** (Pieridae) **Synonym(s):** *jacutia* Gorbunov & Korshunov, 1995 **Original Reference:** *Leptidea amurensis* ssp. *jacutia* Gorbunov & Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 40. Holotype: Russia: Yakutia: Yakutsk: Botanical Garden. **Range (in code):** **RU Ya**
- 22768. *Leptidea duponcheli* (Staudinger, 1871)** (Pieridae) **Synonym(s):** *duponcheli* Staudinger, 1871; *#dupncheli* Nazari, 2003 **Original Reference:** *Leucophasia duponcheli* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 5. Syntypes: [France]: Gallia mer., Pedemont; [Turkey]: Bithynia, Pontus. **Range (in code):** **AL BG B-H ES FR GR MK TR Cc LB YU Mt Ko Slv IQ IR Ab Ak Elb Th Fa** **Bionomy:** Larva on Lathyrus aphaca, L. pratense, Lotus uliginosus (Tolman, 1997).
- 22769. *Leptidea duponcheli aestiva* (Staudinger, 1878)** (Pieridae) **Synonym(s):** *aestiva* Staudinger, 1878; *lorkovici* Pfeiffer, 1932; *fragilis* Verity, 1937; *marmorae* Graves, 1938; *#secunda* Graves, 1938; *vartiani* Gross & Ebert, 1975; *escalerae* Gross & Ebert, 1975 **Original Reference:** *Leptidia* [sic!] *duponcheli* ssp. *lorkovici* Pfeiffer, 1932, Mitt. münch. ent. Ges. 22: 20, Taf. 2 figs. 13-18. Type ♂: [Turkey]: türkisch Nordsyrien: Marasch, 1200m. **Range (in code):** **TR Cc IQ IR Ab Ak Fa Elb Th**
- 22770. *Leptidea duponcheli duponcheli* (Staudinger, 1871)** (Pieridae) **Synonym(s):** *duponcheli* Staudinger, 1871; *#dupncheli* Nazari, 2003 **Original Reference:** *Leucophasia doponcheli* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 5. Syntypes: [France]: Gallia mer., Pedemont; [Turkey]: Bithynia, Pontus. **Range (in code):** **AL BG B-H ES FR GR MK YU Mt Ko Slv**
- 22771. *Leptidea duponcheli xanthochroa* Verity, 1911** (Pieridae) **Synonym(s):** *xanthochroa* Verity, 1911 **Original Reference:** *Leptidea duponcheli* race *xanthochroa* Verity, 1911, Rhopal. palaearc.: 343. Syntypes: [Liban]: Syria: Cedres du Liban. **Range (in code):** **LB**
- 22772. *Leptidea morsei* (Fenton, 1881)** (Pieridae) **Synonym(s):** *morsei* Fenton, 1882 **Original Reference:** *Leptosia morsei* Fenton, 1881, Proc. zool. Soc. Lond. 1881: 855. Type: Japan. **Range (in code):** **Bn At Kts AT Ba BG B-H Bs BY CN Ui Ats CZ GR HU HV JP KG KP Kw MK Mkk Mn MN Om Or Pw RO RU Sb SK So Sp Sr SS TR Tt UA YU** **Bionomy:** Larva on Lathyrus verna, L. niger (Tolman, 1997).
- 22773. *Leptidea morsei major* Lorkovic, 1927** (Pieridae) **Synonym(s):** *#major* Grund, 1905; *#morseides* Verity, [1911]; *major* Lorkovic, 1927 **Original Reference:** *Leptidea sinapis* ab. *major* Grund, 1905, Int. ent. Z. 19(26): 145-148. Type: [Croatia]: Agrams (=Zagreb) (infrasubsp. name!); *Leptidea major* Lorkovic, 1927, Acta ent. jugosl. 2(1): 11-16. **Range (in code):** **Sj Bn At Kts AT Ba BG B-H Bs CZ GR HU HV KG Kw MK Mkk Mn MN Om Or Pw RO RU Sb SK So Sp Sr SS TR Tt YU**
- 22774. *Leptidea morsei morsei* Fenton, 1881** (Pieridae) **Synonym(s):** *morsei* Fenton, 1881 **Original Reference:** *Leptosia morsei* Fenton, 1881, Proc. zool. Soc. Lond. 1881: 855. Type: Japan. **Range (in code):** **JP MN**
- 22775. *Leptidea reali* Reissinger, 1989** (Pieridae) **Synonym(s):** *lorkovicii* Reissinger, 1988 *nec* Pfeiffer, 1932; *reali* Reissinger, 1989. **Original Reference:** *Leptidea sinapis* ssp. *reali* Reissinger, 1989, Atalanta 20 (1/4): 173 (nomen novum pro *lorkovicii* Reissinger, 1988 *nec* *lorkovici* Pfeiffer, 1932). Holotype : N. Spanien: Pyrénées or., Noh×des, La Montilla. **Range (in code):** **AD AT BG BE BY CH Co CZ DE ES Cue Ter Alv Gna Lda FR GR IT PL RU SK UA HV**
- 22776. *Leptidea reali reali* Reissinger, 1989** (Pieridae) **Synonym(s):** *lorkovicii* Reissinger, 1988 *nec* Pfeiffer, 1932; *reali* Reissinger, 1989. **Original Reference:** *Leptidea sinapis* ssp. *reali* Reissinger, 1989, Atalanta 20 (1/4): 173 (nomen novum pro *lorkovicii* Reissinger, 1988 *nec* *lorkovici* Pfeiffer, 1932). Holotype : N. Spanien: Pyrénées or., Noh×des, La Montilla. **Range (in code):** **AD AT BG BE BY CH Co CZ DE ES Cue Ter Alv Gna Lda FR GR IT PL RU SK UA HV**
- 22777. *Leptidea sinapis* (Linnaeus, 1758)** (Pieridae) **Synonym(s):** *sinapis* Linnaeus, 1758; *candidus* Retzius, 1783; *erysimi* Borkhausen, 1788; *lathyri* Hübner, [1819]; *loti* Rennie, 1832; *umbratica* Trimoulet, 1858; *sartha* Rühl, 1893; *stabiatarum* Stauder, 1914; *nigrescens* Verity, 1919; *patunae* Stauder, 1922; *lathyrica* Verity, 1952. **Original Reference:** *Papilio sinapis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): [Europe]. **Range (in code):** **Aa AL At AT Aty Ba BE BG B-H Bs BY Cb CH CN Co Cr CZ DE Dj DK EE ES FI FR GB GR HU HV IE IT Kb Kg KG Kr Ku Kw LT LU LV MK Mn NL No NO Om Or PL Pp PT Pw RO RU Sa Sb SE Sem Si SK Sm So Sp Sr SS Teb Tk To TR T-S Tt Ty UA Ui Uk VI YU Cw Dv Smt H-W Sur Ssx SY Mt Ko Vrn Bgz Slv Sjv Trb Mst LB Kts DsA TrA Ket Sau Tar Bn Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm MA Rif Cz Ab** **Bionomy:** Larva on Lathyrus pratensis, L. grandiflorus, L. tuberosus, L. montanus, L. linifolius, L. vernus, L. niger, L. aphaca, Lotus uliginosus, L. corniculatus (Tolman, 1997).
- 22778. *Leptidea sinapis colladoi* Rubio, 1969** (Pieridae) **Synonym(s):** *colladoi* Rubio, 1969 **Range (in code):** **ES An Cz**

- 22779. *Leptidea sinapis corsica* Verity,1911** (Pieridae) Synonym(s): *corsica* Verity,1911
Original Reference: *Leptidea duponcheli* race *corsica* Verity,1911, Rhopal. palaearc.: 343.
Syntypes: [France]: Corsica. Range (in code): Co F20 FR
- 22780. *Leptidea sinapis diniensis* (Boisduval,1840)** (Pieridae) Synonym(s): *diniensis* Boisduval,1839. Original Reference: *Leucophasia sinapis* var. *diniensis* Boisduval,1840, genera Index Meth.: 6. Type(s): France: "Dinia" [Digne]. Range (in code): FR
- 22781. *Leptidea sinapis koraicola* Bryk,1946** (Pieridae) Synonym(s): *koraicola* Bryk,1946
Original Reference: *Leptidea sinapis* ssp. *koraicola* Bryk,1946, Ark. Zool. 38A: 20-21, Taf.1 fig.B2. Holotype ♂: South Korea: Myokosan. Range (in code): KR
- 22782. *Leptidea sinapis melanoinspersa* Verity,[1911]** (Pieridae) Synonym(s): *melanoinspersa* Verity,[1911] Original Reference: *Leptidea sinapis sinapis melanoinspersa* Verity,[1911], Rhopalocera Palaeartica: 344. Type(s): Turkestan. (Nomenclaturally unavailable name and the taxonomical status needs investigation). Range (in code): T-S KK KG Aa DsA TrA Ket
- 22783. *Leptidea sinapis sinapis* (Linnaeus,1758)** (Pieridae) Synonym(s): *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarum* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. Original Reference: *Papilio sinapis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe]. Range (in code): AL At AT Aty BE BG B-H Bs Bw BY Cb CH CN Cr CZ DE Dj DK EE ES FI FR GB GR HU HV IE IT Kg KG Ku Kw LT LU LV MK Mn NL No NO Om Or PL Pp PT Pw RO Rp RU Sa Sb SE Sem Si SK Sm Sp SS Tk To TR Tt Ty UA Ui Uk YU Cw Dv Smt H-W Sur Ssx Mt Ko Vrn Bgz Slv SY Sjn Trb Mst LB Kts Bn Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm
- 22784. *Leptosia alcesta* (Stoll,[1781])** (Pieridae) Synonym(s): *alcesta* Stoll,[1781]; *narica* Fabricius,1793; *cepheus* Ehrmann,1894. Range (in code): MW Zom GN LR SN GA ET SD TZ Tnga Usa Ani UG ZR KE ZA Nta Tva Lpo Spb Lj Kru Pma Pf Ly Suw MG
- 22785. *Leptosia alcesta alcesta* (Stoll,[1781])** (Pieridae) Synonym(s): *alcesta* Stoll,[1781]; *narica* Fabricius,1793; *cepheus* Ehrmann,1894. Range (in code): GN LR SN GA
- 22786. *Leptosia alcesta inalcesta* Bernardi,1959** (Pieridae) Synonym(s): *inalcesta* Bernardi,1959
Range (in code): ET SD TZ Tnga Usa Ani UG ZR KE ZA Nta Tva Lpo Spb Lj Kru Pma Pf Ly Suw
- 22787. *Leptosia alcesta pseudonupta* Bernardi,1959** (Pieridae) Synonym(s): *pseudonupta* Bernardi,1959 Range (in code): ZR
- 22788. *Leptosia alcesta pseudonuptilla* Bernardi,1959** (Pieridae) Synonym(s): *pseudonuptilla* Bernardi,1959 Range (in code): ET ZR
- 22789. *Leptosia alcesta sylvicola* (Boisduval,1833)** (Pieridae) Synonym(s): *sylvicola* Boisduval,1833 Range (in code): MG
- 22790. *Leptosia empeda* (Godart,[1819])** (Pieridae) Synonym(s): *medusa* Cramer,[1777] nec [Den. & Schiff.],1775; *dorothea* Fabricius,1793 nec Cr.,[1779]; *empeda* Godart,[1819]. Range (in code): SL LR CI GH
- 22791. *Leptosia empeda empeda* (Godart,[1819])** (Pieridae) Synonym(s): *medusa* Cramer,[1777] nec [Den. & Schiff.],1775; *dorothea* Fabricius,1793 nec Cr.,[1779]; *empeda* Godart,[1819]. Range (in code): SL LR CI GH
- 22792. *Leptosia hybrida* Bernardi,1952** (Pieridae) Synonym(s): *hybrida* Bernardi,1952 Range (in code): GN CI ZR UG KE TZ
- 22793. *Leptosia hybrida hybrida* Bernardi,1952** (Pieridae) Synonym(s): *hybrida* Bernardi,1952
Range (in code): GN CI ZR
- 22794. *Leptosia hybrida somereni* Bernardi,1959** (Pieridae) Synonym(s): *somereni* Bernardi,1959 Range (in code): UG ZR KE TZ
- 22795. *Leptosia marginea* (Mabille,1890)** (Pieridae) Synonym(s): *marginea* Mabille,1890
Range (in code): CI CM LR CM CG ZR UG TZ
- 22796. *Leptosia marginea marginea* (Mabille,1890)** (Pieridae) Synonym(s): *marginea* Mabille,1890 Range (in code): CI CM LR CM CG ZR UG TZ
- 22797. *Leptosia nina* (Fabricius,1793)** (Pieridae) Synonym(s): *nina* Fabricius,1793; *comma* Fruhstorfer,1902 Range (in code): IN MM LK Adm SG MY Lkw AU PH Sga Stu Taw Luz Jol Bas Cal Ceb Cuy Mdo Mno Pal Pan ID Sum Bgk Flo Lb TH CMa Cm1 Dst Cuo Cuo1 Cuo2 Cuo10 Cuo7 Dsk Hpt Qs CDo CD2 Cbi Knc Nna Chy Lop Nrt Nth Pht Sbu Pgg Nst Sgk Hya Yal TW Nk Ja Bli Lb Sbw Flo Kla Tan Clb Sol PSu Tnc Cu12
- 22798. *Leptosia nina aebutia* Fruhstorfer,1910** (Pieridae) Synonym(s): *aebutia* Fruhstorfer,1910
Range (in code): ID Tan Kla

- 22799. *Leptosia nina asukae* Nihira & Kawamura, 1986** (Pieridae) Synonym(s): *asukae* Nihira & Kawamura, 1986 _ Range (in code): PH Jol
- 22800. *Leptosia nina chlorographa* Hübner** (Pieridae) Synonym(s): _ Range (in code): ID Ja Bli
- 22801. *Leptosia nina dione* Wallace, 1867** (Pieridae) Synonym(s): *dione* Wallace, 1867 _ Range (in code): ID Clb
- 22802. *Leptosia nina fumigata* Fruhstorfer, 1902** (Pieridae) Synonym(s): *fumigata* Fruhstorfer, 1902 _ Range (in code): ID Lb Sbw Flo Sol
- 22803. *Leptosia nina georgi* Fruhstorfer, 1910** (Pieridae) Synonym(s): *georgi* Fruhstorfer, 1910 _ Range (in code): PH Luz
- 22804. *Leptosia nina lignea* Vollenhoven** (Pieridae) Synonym(s): *lignea* Vollenhoven _ Range (in code): ID Clb
- 22805. *Leptosia nina malayana* Fruhstorfer, 1910** (Pieridae) Synonym(s): *malayana* Fruhstorfer, 1910 _ Range (in code): PH Sga Stu Taw TH Yal Sgk Hya Tnc SG ID Sum Bor Bgk
- 22806. *Leptosia nina nicobarica* Doherty** (Pieridae) Synonym(s): *nicobarica* Doherty _ Range (in code): IN Nk
- 22807. *Leptosia nina nina* (Fabricius, 1793)** (Pieridae) Synonym(s): *nina* Fabricius, 1793; *comma* Fruhstorfer, 1902 _ Range (in code): IN MM LK Adm MY Lkw TH Cbi Knc Nna Chy Lop Nrt Nth Pht Sbu Pgg Nst Sgk Hya PSu CMA Dst Qs Cm1 Cu0 Cu01 Cu02 Cu10 Cu12 CDo CD2 Dsk Hpt
- 22808. *Leptosia nina niobe* (Wallace, 1866)** (Pieridae) Synonym(s): *niobe* Wallace, 1866 _ Range (in code): TW
- 22809. *Leptosia nina terentia* Fruhstorfer, 1910** (Pieridae) Synonym(s): *terentia* Fruhstorfer, 1910 _ Range (in code): PH Bas Cal Ceb Cuy Mdo Mno Pal Pan
- 22810. *Leptosia nupta* (Butler, 1873)** (Pieridae) Synonym(s): *nupta* Butler, 1873 _ Range (in code): MG AO CM GH ZR RW UG TZ ZW
- 22811. *Leptosia nupta nupta* (Butler, 1873)** (Pieridae) Synonym(s): *nupta* Butler, 1873 _ Range (in code): AO CM GH ZR RW UG TZ ZW
- 22812. *Leptosia nupta viettei* Bernardi, 1959** (Pieridae) Synonym(s): *viettei* Bernardi, 1959 _ Range (in code): MG
- 22813. *Leptosia wigginsii* (Dixey, 1915)** (Pieridae) Synonym(s): *wigginsii* Dixey, 1915; *uganda* Neustetter, 1927. _ Range (in code): KE UG SN GH
- 22814. *Leptosia wigginsii pseudalcesta* Bernardi, 1964** (Pieridae) Synonym(s): *pseudalcesta* Bernardi, 1964 _ Range (in code): SN GH
- 22815. *Leptosia wigginsii wigginsii* (Dixey, 1915)** (Pieridae) Synonym(s): *wigginsii* Dixey, 1915; *uganda* Neustetter, 1927. _ Range (in code): KE UG
- 22816. *Leuciactria acuta* Rothschild & Jordan, 1905** (Pieridae) Synonym(s): *acuta* Rothschild & Jordan, 1905 _ Range (in code): ID Ij Afk PG Wau
- 22817. *Lieinix christa* (Reissinger, 1970)** (Pieridae) Synonym(s): *christa* Reissinger, 1970 _ Range (in code): BR
- 22818. *Lieinix christa christa* (Reissinger, 1970)** (Pieridae) Synonym(s): *christa* Reissinger, 1970 _ Range (in code): BR
- 22819. *Lieinix cinerascens* (Salvin, 1871)** (Pieridae) Synonym(s): *cinerascens* Salvin, 1871; *poasina* Schaus, 1913 _ Range (in code): CR PA
- 22820. *Lieinix cinerascens cinerascens* (Salvin, 1871)** (Pieridae) Synonym(s): *cinerascens* Salvin, 1871; *poasina* Schaus, 1913 _ Range (in code): CR PA
- 22821. *Lieinix lala* (Godman & Salvin, 1889)** (Pieridae) Synonym(s): *lala* Godman & Salvin, 1889 _ Range (in code): GT MX
- 22822. *Lieinix lala lala* (Godman & Salvin, 1889)** (Pieridae) Synonym(s): *lala* Godman & Salvin, 1889 _ Range (in code): GT
- 22823. *Lieinix lala turrenti* J.Maza & R.G.Maza, 1984** (Pieridae) Synonym(s): *turrenti* J.Maza & R.G.Maza, 1984 _ Range (in code): MX
- 22824. *Lieinix neblina* J.Maza & R.G.Maza, 1984** (Pieridae) Synonym(s): *neblina* J.Maza & R.G.Maza, 1984 _ Range (in code): MX
- 22825. *Lieinix neblina neblina* J.Maza & R.G.Maza, 1984** (Pieridae) Synonym(s): *neblina* J.Maza & R.G.Maza, 1984 _ Range (in code): MX
- 22826. *Lieinix nemesis* (Latreille, [1813])** (Pieridae) Synonym(s): *nemesis* Latreille, [1813] _ Range (in code): EC MX SV

- 22827. *Lieinix nemesis atthis* (Doubleday,1842)** (Pieridae) Synonym(s): *atthis* Doubleday,1842; *megaera* Lamas,1979 _ Range (in code): **MX SV**
- 22828. *Lieinix nemesis nayaritensis* Llorente,1984** (Pieridae) Synonym(s): *nayaritensis* Llorente,1984 _ Range (in code): **MX**
- 22829. *Lieinix nemesis nemesis* (Latreille,[1813])** (Pieridae) Synonym(s): *nemesis* Latreille,[1813] _ Range (in code): **EC**
- 22830. *Lieinix viridifascia* (Butler,1872)** (Pieridae) Synonym(s): *viridifascia* Butler,1872 _ Range (in code): **CR**
- 22831. *Lieinix viridifascia viridifascia* (Butler,1872)** (Pieridae) Synonym(s): *viridifascia* Butler,1872 _ Range (in code): **CR**
- 22832. *Mesapia peloria* (Hewitson,[1853])** (Pieridae) Synonym(s): *peloria* Hewitson,[1853]; *leechi* O.Bang-Haas,1934; *tibetensis* d'Abrera,1991 _ Original Reference: *Pieris peloria* Hewitson,[1853], Ill. exot. Butts. 1: [8], pl. [4], figs. 15,16. Range (in code): **CN Ti Ts Kno Gn Sz NP**
- 22833. *Mesapia peloria lama* (Alpheraky,1887)** (Pieridae) Synonym(s): *lama* Alpheraky,1887; *grayi* O.Bang-Haas,1934 _ Range (in code): **CN Gn Ts**
- 22834. *Mesapia peloria minima* Huang,1998** (Pieridae) Synonym(s): *minima* Huang,1998 _ Range (in code): **CN**
- 22835. *Mesapia peloria peloria* (Hewitson,[1853])** (Pieridae) Synonym(s): *peloria* Hewitson,[1853]; *leechi* O.Bang-Haas,1934; *tibetensis* d'Abrera,1991 _ Original Reference: *Pieris peloria* Hewitson,[1853], Ill. exot. Butts. 1: [8], pl. [4], figs. 15,16. Range (in code): **CN Ti Ts Kno Gn Sz**
- 22836. *Mesapia peloria wymanni* Ziegler,2007** (Pieridae) Synonym(s): *wymanni* Ziegler,2007 _ Range (in code): **CN Gn**
- 22837. *Microzegrus pyrothoe* (Eversmann,1832)** (Pieridae) Synonym(s): *pyrothoe* Eversmann,1832 _ Original Reference: *Pontia pyrothoe* Eversmann,1832, Mém. Soc. nat. Mosc. 8 (Nouv.Mém. 2): 352, pl.20, figs.3,4. Syntypes: [N. W. Kazakhstan]: Indersk. Range (in code): **Aa** At CN KG Krn Ktm Ku Rpt RU Sau Sr TM T-S Ui Uk UZ Fe Ii Mg Syr _ Bionomy: -.
- 22838. *Microzegrus pyrothoe pyrothoe* (Eversmann,1832)** (Pieridae) Synonym(s): *pyrothoe* Eversmann,1832 _ Original Reference: *Pontia pyrothoe* Eversmann,1832, Mém. Soc. nat. Mosc. 8 (Nouv.Mém. 2): 352, pl.20, figs.3,4. Syntypes: [N. W. Kazakhstan]: Indersk. Range (in code): **Aa** At CN KG Krn Ktm Ku Rpt RU Sau Sr TM T-S Ui Uk UZ Fe Ii Mg Syr
- 22839. *Moschoneura pinthous* (Linnaeus,1758)** (Pieridae) Synonym(s): *pinthous* Linnaeus,1758; *eumelia* Cramer,1780; *vocula* Stoll,1781; *#vocula* Stoll,1782; *enodia* Godart,1819 _ Range (in code): **SR PE EC BR**
- 22840. *Moschoneura pinthous amelina* (Hopffer,1874)** (Pieridae) Synonym(s): *amelina* Hopffer,1874 _ Range (in code): **PE**
- 22841. *Moschoneura pinthous cyra* (Doubleday,1844)** (Pieridae) Synonym(s): *cyra* Doubleday,1844 _ Range (in code): **BR**
- 22842. *Moschoneura pinthous ela* (Hewitson,1877)** (Pieridae) Synonym(s): *ela* Hewitson,1877 _ Range (in code): **EC**
- 22843. *Moschoneura pinthous ithomia* (Hewitson,1867)** (Pieridae) Synonym(s): *ithomia* Hewitson,1867; *theaphina* Butler,1899; *douglasina* Bryk,1953 _ Range (in code): **EC PE**
- 22844. *Moschoneura pinthous methymna* (Godart,1819)** (Pieridae) Synonym(s): *methymna* Godart,1819 _ Range (in code): **BR**
- 22845. *Moschoneura pinthous pinthous* (Linnaeus,1758)** (Pieridae) Synonym(s): *pinthous* Linnaeus,1758; *eumelia* Cramer,1780; *vocula* Stoll,1781; *#vocula* Stoll,1782; *enodia* Godart,1819 _ Range (in code): **SR**
- 22846. *Moschoneura pinthous proxima* (Röber,1924)** (Pieridae) Synonym(s): *proxima* Röber,1924; *gracilis* Avinoff,1926; *#obscura* Meier-Ramel,1928 _ Range (in code): **BR**
- 22847. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **CO**
- 22848. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **VE**
- 22849. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **BR**
- 22850. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22851. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **BR**
- 22852. *Moschoneura pinthous ssp.n.*** (Pieridae) Synonym(s): _ Range (in code): **PE**
- 22853. *Mylothris agathina* (Cramer,[1779])** (Pieridae) Synonym(s): *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819] _ Range (in code): **AO ZR ET SO KE TZ ZM MW Zom MZ ZW CF CM UG ZR ZA Tva Ljo Spb Kru Pma K12 Lj Mdk Nta Kzu Ptb Gau Pre**

- 22854. *Mylothris agathina agathina* (Cramer,[1779])** (Pieridae) Synonym(s): *agathina* Cramer,[1779]; *xantholeuca* Hübner,[1819] _ Range (in code): **AO ZR ET SO KE TZ ZM MW Zom MZ ZW ZA Tva Ljo Spb Lj Kru Pma K12 Mdk Nta Kzu Ptb Gau Pre**
- 22855. *Mylothris agathina richlora* Suffert,1904** (Pieridae) Synonym(s): *richlora* Suffert,1904; *intermedia* Aurivillius,1910 _ Range (in code): **CF CM UG ZR**
- 22856. *Mylothris alberici Dufrane,1940*** (Pieridae) Synonym(s): *alberici* Dufrane,1940; *marginata* Jackson,1956 _ Range (in code): **UG RW ZR**
- 22857. *Mylothris alberici alberici* Dufrane,1940** (Pieridae) Synonym(s): *alberici* Dufrane,1940; *marginata* Jackson,1956 _ Range (in code): **UG RW ZR**
- 22858. *Mylothris alcuana* Grünberg,1910** (Pieridae) Synonym(s): *alcuana* Grünberg,1910 _ Range (in code): **ZR**
- 22859. *Mylothris alcuana alcuana* Grünberg,1910** (Pieridae) Synonym(s): *alcuana* Grünberg,1910
- 22860. *Mylothris alcuana binza* Berger,1981** (Pieridae) Synonym(s): *binza* Berger,1981 _ Range (in code): **ZR**
- 22861. *Mylothris alcuana shaba* Berger,1981** (Pieridae) Synonym(s): *shaba* Berger,1981 _ Range (in code): **ZR**
- 22862. *Mylothris arabicus* Gabriel,1954** (Pieridae) Synonym(s): *arabicus* Gabriel,1954
Original Reference: *Mylothris arabicus* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 364, pl.xviii figs.11,12. Holotype ♂: Yemen: Wadi Dhahr, 7900ft. (BMHN). Range (in code): **YE**
- 22863. *Mylothris arabicus arabicus* Gabriel,1954** (Pieridae) Synonym(s): *arabicus* Gabriel,1954
Original Reference: *Mylothris arabicus* Gabriel,1954, Br. Mus. Nat. Hist. exped. South-West Arabia 1 (25): 364, pl.xviii figs.11,12. Holotype ♂: Yemen: Wadi Dhahr, 7900ft. (BMHN). Range (in code): **YE**
- 22864. *Mylothris asphodelus* Butler,1888** (Pieridae) Synonym(s): *asphodelus* Butler,1888 _ Range (in code): **CM ZR UG TZ AO**
- 22865. *Mylothris asphodelus asphodelus* Butler,1888** (Pieridae) Synonym(s): *asphodelus* Butler,1888 _ Range (in code): **CM ZR UG TZ AO**
- 22866. *Mylothris atewa* Berger,1980** (Pieridae) Synonym(s): *atewa* Berger,1980 _ Range (in code): **GH**
- 22867. *Mylothris atewa atewa* Berger,1980** (Pieridae) Synonym(s): *atewa* Berger,1980 _ Range (in code): **GH**
- 22868. *Mylothris basalis* Aurivillius,1907** (Pieridae) Synonym(s): *basalis* Aurivillius,1907 _ Range (in code): **ZR CM GA TZ**
- 22869. *Mylothris basalis basalis* Aurivillius,1907** (Pieridae) Synonym(s): *basalis* Aurivillius,1907 _ Range (in code): **ZR CM GA TZ**
- 22870. *Mylothris bernice* (Hewitson,1866)** (Pieridae) Synonym(s): *bernice* Hewitson,1866; *#pallens* Gaede,1916 _ Range (in code): **GA CM ZR Shb RW BI UG**
- 22871. *Mylothris bernice albescens* Berger,1981** (Pieridae) Synonym(s): *albescens* Berger,1981 _ Range (in code): **ZR**
- 22872. *Mylothris bernice berenicides* Holland,1896** (Pieridae) Synonym(s): *berenicides* Holland,1896 _ Range (in code): **ZR RW BI UG**
- 22873. *Mylothris bernice bernice* (Hewitson,1866)** (Pieridae) Synonym(s): *bernice* Hewitson,1866; *#pallens* Gaede,1916 _ Range (in code): **GA CM**
- 22874. *Mylothris bernice nigrovenosa* Berger,1981** (Pieridae) Synonym(s): *nigrovenosa* Berger,1981 _ Range (in code): **ZR**
- 22875. *Mylothris bernice overlaeti* Berger,1981** (Pieridae) Synonym(s): *overlaeti* Berger,1981 _ Range (in code): **ZR Shb**
- 22876. *Mylothris carcassoni* Van Son,1948** (Pieridae) Synonym(s): *carcassoni* Van Son,1948 _ Range (in code): **ZW Uma**
- 22877. *Mylothris carcassoni carcassoni* Van Son,1948** (Pieridae) Synonym(s): *carcassoni* Van Son,1948 _ Range (in code): **ZW Uma**
- 22878. *Mylothris celisi* (Berger,1981)** (Pieridae) Synonym(s): *celisi* Berger,1981 _ Range (in code): **ZR**
- 22879. *Mylothris celisi celisi* (Berger,1981)** (Pieridae) Synonym(s): *celisi* Berger,1981 _ Range (in code): **ZR**

- 22880. *Mylothris chloris* (Fabricius,1775)** (Pieridae) Synonym(s): *chloris* Fabricius,1775; *thermophyle* Cramer,[1779]; *analis* Aurivillius,1907; *#nox* Talbot,1944; *#wansonii* Dufrane,1947 _ Range (in code): SL CG ZR CM GO Bio CF SD UG KE
- 22881. *Mylothris chloris chloris* (Fabricius,1775)** (Pieridae) Synonym(s): *chloris* Fabricius,1775; *thermophyle* Cramer,[1779]; *analis* Aurivillius,1907; *#nox* Talbot,1944; *#wansonii* Dufrane,1947 _ Range (in code): SL CG ZR CM GO Bio CF SD
- 22882. *Mylothris chloris clarissa* Butler,1888** (Pieridae) Synonym(s): *clarissa* Butler,1888; *wintoniana* Sharpe,1891; *afraorientalis* Stoneham,1937 _ Range (in code): UG KE
- 22883. *Mylothris citrina* Aurivillius,1898** (Pieridae) Synonym(s): *citrina* Aurivillius,1898
Range (in code): TZ Dss ZR KE
- 22884. *Mylothris citrina citrina* Aurivillius,1898** (Pieridae) Synonym(s): *citrina* Aurivillius,1898
Range (in code): TZ Dss
- 22885. *Mylothris citrina holochroma* Talbot,1944** (Pieridae) Synonym(s): *holochroma* Talbot,1944 _ Range (in code): ZR
- 22886. *Mylothris citrina orientalis* Talbot,1946** (Pieridae) Synonym(s): *orientalis* Talbot,1946
Range (in code): KE
- 22887. *Mylothris continua* Talbot,1944** (Pieridae) Synonym(s): *continua* Talbot,1944 _ Range (in code): UG Rz ZR RW CM CG
- 22888. *Mylothris continua continua* Talbot,1944** (Pieridae) Synonym(s): *continua* Talbot,1944
Range (in code): UG Rz ZR RW
- 22889. *Mylothris continua maxima* Berger,1981** (Pieridae) Synonym(s): *maxima* Berger,1981
Range (in code): ZR CM CG
- 22890. *Mylothris crawshayi* Butler,1896** (Pieridae) Synonym(s): *crawshayi* Butler,1896
Range (in code): MW ZM TZ
- 22891. *Mylothris crawshayi bunduki* Berger,1980** (Pieridae) Synonym(s): *bunduki* Berger,1980
Range (in code): TZ
- 22892. *Mylothris crawshayi crawshayi* Butler,1896** (Pieridae) Synonym(s): *crawshayi* Butler,1896 _ Range (in code): ZM MW
- 22893. *Mylothris croceus* Butler,1896** (Pieridae) Synonym(s): *croceus* Butler,1896 _ Range (in code): UG Rz RW ZR
- 22894. *Mylothris croceus croceus* Butler,1896** (Pieridae) Synonym(s): *croceus* Butler,1896
Range (in code): UG Rz RW ZR
- 22895. *Mylothris croceus ituriensis* Berger,1981** (Pieridae) Synonym(s): *ituriensis* Berger,1981
Range (in code): ZR
- 22896. *Mylothris elodina* Talbot,1944** (Pieridae) Synonym(s): *elodina* Talbot,1944 _ Range (in code): AO GA CM ZR Shb
- 22897. *Mylothris elodina diva* Berger,1954** (Pieridae) Synonym(s): *diva* Berger,1954 _ Range (in code): AO ZR
- 22898. *Mylothris elodina elodina* Talbot,1944** (Pieridae) Synonym(s): *elodina* Talbot,1944
Range (in code): GA CM
- 22899. *Mylothris elodina pelenge* Berger,1981** (Pieridae) Synonym(s): *pelenge* Berger,1981
Range (in code): ZR Shb
- 22900. *Mylothris erlangeri* Pagenstecher,1902** (Pieridae) Synonym(s): *erlangeri* Pagenstecher,1902 _ Range (in code): ET
- 22901. *Mylothris erlangeri erlangeri* Pagenstecher,1902** (Pieridae) Synonym(s): *erlangeri* Pagenstecher,1902 _ Range (in code): ET
- 22902. *Mylothris ertli* Suffert,1904** (Pieridae) Synonym(s): *ertli* Suffert,1904 _ Range (in code): TZ
- 22903. *Mylothris ertli ertli* Suffert,1904** (Pieridae) Synonym(s): *ertli* Suffert,1904 _ Range (in code): TZ
- 22904. *Mylothris flaviana* Grose-Smith,1898** (Pieridae) Synonym(s): *flaviana* Grose-Smith,1898
Range (in code): CM TZ ZR
- 22905. *Mylothris flaviana flaviana* Grose-Smith,1898** (Pieridae) Synonym(s): *flaviana* Grose-Smith,1898 _ Range (in code): CM
- 22906. *Mylothris flaviana interposita* Joicey & Talbot,1921** (Pieridae) Synonym(s): *interposita* Joicey & Talbot,1921 _ Range (in code): ZR TZ

- 22907. *Mylothris hilara* (Karsch,1892)** (Pieridae) Synonym(s): *hilara* Karsch,1892 _ Range (in code): NG CM CG KE GO Bio ZR
- 22908. *Mylothris hilara furvus* Bernardi,1953** (Pieridae) Synonym(s): *furvus* Bernardi,1953 Range (in code): GO Bio
- 22909. *Mylothris hilara goma* Berger,1981** (Pieridae) Synonym(s): *goma* Berger,1981 _ Range (in code): ZR
- 22910. *Mylothris hilara hilara* (Karsch,1892)** (Pieridae) Synonym(s): *hilara* Karsch,1892 Range (in code): NG CM CG KE
- 22911. *Mylothris humbloti* (Oberthür,1888)** (Pieridae) Synonym(s): *humbloti* Oberthür,1888 Range (in code): KM
- 22912. *Mylothris humbloti humbloti* (Oberthür,1888)** (Pieridae) Synonym(s): *humbloti* Oberthür,1888 _ Range (in code): KM
- 22913. *Mylothris jacksoni* Sharpe,1891** (Pieridae) Synonym(s): *jacksoni* Sharpe,1891; *neumanni* Sharpe,1896; *striata* Aurivillius,1910; *#insignis* Talbot,1944; *#hyacinth* Stoneham,1957 _ Range (in code): CM KE UG RW BI ZR
- 22914. *Mylothris jacksoni jacksoni* Sharpe,1891** (Pieridae) Synonym(s): *jacksoni* Sharpe,1891; *neumanni* Sharpe,1896; *striata* Aurivillius,1910; *#insignis* Talbot,1944; *#hyacinth* Stoneham,1957 _ Range (in code): KE UG RW BI ZR
- 22915. *Mylothris jacksoni knutsoni* Aurivillius,1891** (Pieridae) Synonym(s): *knutsoni* Aurivillius,1891 _ Range (in code): CM
- 22916. *Mylothris kiellandi* Berger,1985** (Pieridae) Synonym(s): *kiellandi* Berger,1985 _ Range (in code): TZ Tnga Usa
- 22917. *Mylothris kiellandi kiellandi* Berger,1985** (Pieridae) Synonym(s): *kiellandi* Berger,1985 Range (in code): TZ Tnga Usa
- 22918. *Mylothris kilimensis* Kielland 1990** (Pieridae) Synonym(s): *kilimensis* Kielland 1990 Range (in code): KE TZ Tnga Usa
- 22919. *Mylothris kilimensis kilimensis* Kielland 1990** (Pieridae) Synonym(s): *kilimensis* Kielland 1990 _ Range (in code): KE TZ Tnga Usa
- 22920. *Mylothris kilimensis rondonis* Kielland,1990** (Pieridae) Synonym(s): *rondonis* Kielland,1990 _ Range (in code): TZ
- 22921. *Mylothris kiwuensis* Grünberg,1910** (Pieridae) Synonym(s): *kiwuensis* Grünberg,1910; *flavicosta* Rebel,1914; *muanensis* Dufrane,1948 _ Range (in code): ZR Rz RW UG
- 22922. *Mylothris kiwuensis katera* Berger,1979** (Pieridae) Synonym(s): *katera* Berger,1979 Range (in code): UG
- 22923. *Mylothris kiwuensis kiwuensis* Grünberg,1910** (Pieridae) Synonym(s): *kiwuensis* Grünberg,1910; *flavicosta* Rebel,1914; *muanensis* Dufrane,1948 _ Range (in code): ZR RW
- 22924. *Mylothris kiwuensis marielouisae* Berger,1979** (Pieridae) Synonym(s): *marielouisae* Berger,1979 _ Range (in code): ZR Rz
- 22925. *Mylothris leonora* Krüger,1928** (Pieridae) Synonym(s): *leonora* Krüger,1928; *#bondwa* Berger,1985 _ Range (in code): TZ Ulg
- 22926. *Mylothris leonora leonora* Krüger,1928** (Pieridae) Synonym(s): *leonora* Krüger,1928; *#bondwa* Berger,1985 _ Range (in code): TZ
- 22927. *Mylothris mafuga* Berger,1981** (Pieridae) Synonym(s): *mafuga* Berger,1981 _ Range (in code): ZR UG
- 22928. *Mylothris mafuga mafuga* Berger,1981** (Pieridae) Synonym(s): *mafuga* Berger,1981 Range (in code): ZR UG
- 22929. *Mylothris mavunda* Hancock & A.Heath,1985** (Pieridae) Synonym(s): *mavunda* Hancock & A.Heath,1985 _ Range (in code): AO ZM
- 22930. *Mylothris mavunda mavunda* Hancock & A.Heath,1985** (Pieridae) Synonym(s): *mavunda* Hancock & A.Heath,1985 _ Range (in code): AO ZM
- 22931. *Mylothris mortoni* Blachier,1912** (Pieridae) Synonym(s): *mortoni* Blachier,1912 Range (in code): ET
- 22932. *Mylothris mortoni balkis* Ungemach,1932** (Pieridae) Synonym(s): *balkis* Ungemach,1932 _ Range (in code): ET
- 22933. *Mylothris mortoni mortoni* Blachier,1912** (Pieridae) Synonym(s): *mortoni* Blachier,1912 Range (in code): ET

- 22934. Mylothris ngaziya (Oberthür,1888)** (Pieridae) Synonym(s): *ngaziya Oberthür,1888*; *#albunea Talbot,1944* _ Range (in code): **KM**
- 22935. Mylothris ngaziya ngaziya (Oberthür,1888)** (Pieridae) Synonym(s): *ngaziya Oberthür,1888*; *#albunea Talbot,1944* _ Range (in code): **KM**
- 22936. Mylothris nubila (Möschler,1884)** (Pieridae) Synonym(s): *nubila Möschler,1884* _ Range (in code): **ZR UG CM GA ST**
- 22937. Mylothris nubila canescens Joicey & Talbot,1922** (Pieridae) Synonym(s): *canescens Joicey & Talbot,1922*; *pernaria Hulstaert,1924*; *#nivescens Berger,1954* _ Range (in code): **ZR UG**
- 22938. Mylothris nubila fontainei Berger,1952** (Pieridae) Synonym(s): *fontainei Berger,1952* _ Range (in code): **ZR**
- 22939. Mylothris nubila nubila (Möschler,1884)** (Pieridae) Synonym(s): *nubila Möschler,1884* _ Range (in code): **CM GA ST**
- 22940. Mylothris nubila somereni Talbot,1946** (Pieridae) Synonym(s): *somereni Talbot,1946* _ Range (in code): **UG**
- 22941. Mylothris ochracea Aurivillius,1895** (Pieridae) Synonym(s): *ochracea Aurivillius,1895* _ Range (in code): **CM ZR UG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 22942. Mylothris ochracea ochracea Aurivillius,1895** (Pieridae) Synonym(s): *ochracea Aurivillius,1895* _ Range (in code): **CM ZR UG** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 22943. Mylothris ochrea Berger,1981** (Pieridae) Synonym(s): *ochrea Berger,1981* _ Range (in code): **ZR**
- 22944. Mylothris ochrea ochrea Berger,1981** (Pieridae) Synonym(s): *ochrea Berger,1981* _ Range (in code): **ZR**
- 22945. Mylothris phileris (Boisduval,1833)** (Pieridae) Synonym(s): *phileris Boisduval,1833*; *thinaga Suffert,1904*; *#aurata Oberthür,1923*; *#flavescens Oberthür,1923* _ Range (in code): **MG**
- 22946. Mylothris phileris phileris (Boisduval,1833)** (Pieridae) Synonym(s): *phileris Boisduval,1833*; *thinaga Suffert,1904*; *#aurata Oberthür,1923*; *#flavescens Oberthür,1923* _ Range (in code): **MG**
- 22947. Mylothris pluviata Berger,1980** (Pieridae) Synonym(s): *#pluviata Talbot,1944*; *pluviata Berger,1980* _ Range (in code): **TZ**
- 22948. Mylothris pluviata pluviata Berger,1980** (Pieridae) Synonym(s): *#pluviata Talbot,1944*; *pluviata Berger,1980* _ Range (in code): **TZ**
- 22949. Mylothris polychroma Berger,1981** (Pieridae) Synonym(s): *polychroma Berger,1981* _ Range (in code): **ZR RW BI**
- 22950. Mylothris polychroma polychroma Berger,1981** (Pieridae) Synonym(s): *polychroma Berger,1981* _ Range (in code): **ZR RW BI**
- 22951. Mylothris poppea (Cramer,[1777])** (Pieridae) Synonym(s): *poppea Cramer,[1777]*; *dubia Aurivillius,1907* _ Range (in code): **SL CG CM GO KE GN** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 22952. Mylothris poppea poppea (Cramer,[1777])** (Pieridae) Synonym(s): *poppea Cramer,[1777]*; *dubia Aurivillius,1907* _ Range (in code): **SL CG CM GO KE GN** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 22953. Mylothris rembina (Plötz,1880)** (Pieridae) Synonym(s): *rembina Plötz,1880*; *subfusa Crowley,1890*; *camerunica Aurivillius,1891*; *#infusca Bartel,1905*; *#fusca Bartel,1905*; *aneria Hulstaert,1924*; *#arctata Talbot,1944*; *#semifusca Talbot,1944* _ Original Reference: *Pieris rembina Plötz,1880*, Stettin ent. Ztg. 41: 205. Type: Cameroon: Rembo-Fluss bei Mungo. Range (in code): **GM CM GA ZR AO**
- 22954. Mylothris rembina rembina (Plötz,1880)** (Pieridae) Synonym(s): *rembina Plötz,1880*; *subfusa Crowley,1890*; *camerunica Aurivillius,1891*; *#infusca Bartel,1905*; *#fusca Bartel,1905*; *aneria Hulstaert,1924*; *#arctata Talbot,1944*; *#semifusca Talbot,1944* _ Original Reference: *Pieris rembina Plötz,1880*, Stettin ent. Ztg. 41: 205. Type: Cameroon: Rembo-Fluss bei Mungo. Range (in code): **GM CM GA ZR AO**
- 22955. Mylothris rhodope (Fabricius,1775)** (Pieridae) Synonym(s): *rhodope Fabricius,1775*; *eudoxia Boisduval,1836*; *jaopura Karsch,1893*; *beethoveni Suffert,1904*; *caspi Suffert,1904*; *fernandina Schultze,1914*; *semiflava Schultze,1914*; *semiflava Schultze,1914* _ Original Reference: *Papilio rhodope Fabricius,1775*, Syst. Ent.: 473. Type8s): Sierra Leone. Range (in code): **GM ZR BI RW UG TZ AO ZM CM TG GN SL GO** Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 22956. Mylothris rhodope rhodope (Fabricius,1775)** (Pieridae) Synonym(s): *rhodope Fabricius,1775*; *eudoxia Boisduval,1836*; *jaopura Karsch,1893*; *beethoveni Suffert,1904*; *caspi Suffert,1904*;

- fernandina* Schultze,1914; *semiflava* Schultze,1914; *semiflava* Schultze,1914 Original Reference: *Papilio rhodope* Fabricius,1775, Syst. Ent.: 473. Type(s): Sierra Leone. Range (in code): **GM ZR BI RW UG TZ AO ZM CM TG GN SL GO** Bionomy: Larva on *Loranthus* (Loranthaceae) (Ackery et al.,1995).
- 22957. *Mylothris ruandana* Strand,1909** (Pieridae) Synonym(s): *ruandana* Strand,1909
Original Reference: *Mylothris ruandana* Strand,1909, Societas Ent. 24: 42. Type: Rwanda: "Bergurwald". Range (in code): **RW BI ZR UG** Bionomy: Larva on *Loranthus* (Loranthaceae) (Ackery et al.,1995).
- 22958. *Mylothris ruandana ruandana* Strand,1909** (Pieridae) Synonym(s): *ruandana* Strand,1909 Original Reference: *Mylothris ruandana* Strand,1909, Societas Ent. 24: 42. Type: Rwanda: "Bergurwald". Range (in code): **RW BI ZR UG** Bionomy: Larva on *Loranthus* (Loranthaceae) (Ackery et al.,1995).
- 22959. *Mylothris rubricosta* (Mabille,1890)** (Pieridae) Synonym(s): *rubricosta* Mabille,1890; *mackenziana* Sharpe,1891; *berenicides* Holland,1896; *sulphureotincta* Strand,1909; *attenuata* Talbot,1944; *#fuscescens* Talbot,1944; *#aethra* Stoneham,1957 Original Reference: *Pieris rubricosta* Mabille,1890, Annls Soc. ent. Fr. (6) 10: 28. Type(s): Mozambique. Range (in code): **UG BI ET SD RW TZ Tnga Usa Ani ZR Shb Kvu ZM BW MW Zom MZ KE** Bionomy: Larva on *Polygonum barbatum*, *P. pulchrum* (Polygonaceae) (Kielland,1990; et seq.).
- 22960. *Mylothris rubricosta pulchra* Berger,1981** (Pieridae) Synonym(s): *pulchra* Berger,1981
Original Reference: *Mylothris rubricosta pulchra* Berger,1981, Les Papillons u Zaire: 73. Type: aire: Kivu-Sud, Nyamununye. Range (in code): **ZR Kvu TZ**
- 22961. *Mylothris rubricosta rubricosta* (Mabille,1890)** (Pieridae) Synonym(s): *rubricosta* Mabille,1890; *mackenziana* Sharpe,1891; *berenicides* Holland,1896; *sulphureotincta* Strand,1909; *attenuata* Talbot,1944; *#fuscescens* Talbot,1944; *#aethra* Stoneham,1957 Original Reference: *Pieris rubricosta* Mabille,1890, Annls Soc. ent. Fr. (6) 10: 28. Type(s): Mozambique. Range (in code): **UG BI ET SD RW TZ Tnga Usa Ani ZR Shb ZM BW MW Zom MZ KE**
- 22962. *Mylothris rueppellii* (Koch,1865)** (Pieridae) Synonym(s): *rueppellii* Koch,1865; *#kaffana* Riley,1921 Original Reference: *Pieris rueppellii* Koch,1865, Die Indo-Australische Lepidopteren Fauna...: 88. Type(s): [Ethiopia]: "Abessynica". Range (in code): **ZR ZW MZ MW Zom TZ Tnga Usa Ani ZM AO NG ET SD KE UG TZ ZA Tva Spb Lj Suw Lpo Mdk Kru K12 Mpu Brb Ec Kwi Tra** Bionomy: Larva on *Loranthus* (Loranthaceae) (Ackery et al.,1995).
- 22963. *Mylothris rueppellii haemus* (Trimen,1879)** (Pieridae) Synonym(s): *haemus* Trimen,1879 Original Reference: *Pieris haemus* Trimen,1879, Trans. ent. Soc. London 1879 (4): 342-344. Syntypes: South Africa: Cape Town: King William's Town, Natal: Durban, Kei R., Trans-Kei; Bashee R., Zambesi. Range (in code): **ZA Tva Spb Lj Mdk Lpo Suw Kru K12 Mpu Brb Ec Kwi Tra ZW MZ**
- 22964. *Mylothris rueppellii josi* T.Larsen,1986** (Pieridae) Synonym(s): *josi* T.Larsen,1986
Range (in code): **NG**
- 22965. *Mylothris rueppellii rhodesiana* Riley,1921** (Pieridae) Synonym(s): *rhodesiana* Riley,1921; *#pallidior* Hulstaert,1924 Range (in code): **ZR MZ MW TZ Tnga Usa Ani ZM AO**
- 22966. *Mylothris rueppellii rueppellii* (Koch,1865)** (Pieridae) Synonym(s): *rueppellii* Koch,1865; *#kaffana* Riley,1921 Original Reference: *Pieris rueppellii* Koch,1865, Die Indo-Australische Lepidopteren Fauna...: 88. Type(s): [Ethiopia]: "Abessynica". Range (in code): **ET**
- 22967. *Mylothris rueppellii septentrionalis* Carpenter,1928** (Pieridae) Synonym(s): *septentrionalis* Carpenter,1928 Range (in code): **SD**
- 22968. *Mylothris rueppellii tirikensis* Neave,1904** (Pieridae) Synonym(s): *tirikensis* Neave,1904; *#kikuyuensis* Bartel,1905; *#kenia* Riley,1921; *#aspilota* Hulstaert,1924 Range (in code): **KE Kky UG TZ**
- 22969. *Mylothris sagala* Grose-Smith,1886** (Pieridae) Synonym(s): *sagala* Grose-Smith,1886; *narcissus* Butler,1888; *cephisus* Talbot,1946 Range (in code): **RW MW ZM ZR Shb ET SD KE TZ Ulg Zz ZW Uma Vum**
- 22970. *Mylothris sagala albissima* Talbot,1944** (Pieridae) Synonym(s): *albissima* Talbot,1944
Range (in code): **ZM ZR Shb**
- 22971. *Mylothris sagala dentatus* Butler,1896** (Pieridae) Synonym(s): *dentatus* Butler,1896; *dulcis* Thurau,1903; *aequimargo* Thurau,1903 Range (in code): **MW TZ**
- 22972. *Mylothris sagala mahale* Kielland,1990** (Pieridae) Synonym(s): *mahale* Kielland,1990
Range (in code): **TZ**
- 22973. *Mylothris sagala mayenceae* Berger,1987** (Pieridae) Synonym(s): *mayenceae* Berger,1987 Range (in code): **RW**

- 22974. *Mylothris sagala nagichota* Talbot,1944** (Pieridae) Synonym(s): *nagichota* Talbot,1944
Range (in code): **SD**
- 22975. *Mylothris sagala oldeanensis* Kielland,1990** (Pieridae) Synonym(s): *oldeanensis* Kielland,1990 _ Range (in code): **TZ**
- 22976. *Mylothris sagala sagala* Grose-Smith,1886** (Pieridae) Synonym(s): *sagala* Grose-Smith,1886; *narcissus* Butler,1888; *cephesus* Talbot,1946 _ Range (in code): **KE TZ**
- 22977. *Mylothris sagala sagitta* Clifton,1980** (Pieridae) Synonym(s): *sagitta* Clifton,1980
Range (in code): **KE**
- 22978. *Mylothris sagala seminigra* D'Abrera,1980** (Pieridae) Synonym(s): *#seminigra* Talbot,1944; *seminigra* D'Abrera,1980; *seminigra* Berger,1980 _ Range (in code): **TZ Ulg**
- 22979. *Mylothris sagala swaynei* Butler,1899** (Pieridae) Synonym(s): *swaynei* Butler,1899
Range (in code): **ET**
- 22980. *Mylothris sagala umtaliana* D'Abrera,1980** (Pieridae) Synonym(s): *#umtaliana* Van Son,1949; *umtaliana* D'Abrera,1980 _ Range (in code): **ZW Uma Vum**
- 22981. *Mylothris schoutedeni* Berger,1952** (Pieridae) Synonym(s): *schoutedeni* Berger,1952
Range (in code): **ZR**
- 22982. *Mylothris schoutedeni schoutedeni* Berger,1952** (Pieridae) Synonym(s): *schoutedeni* Berger,1952 _ Range (in code): **ZR**
- 22983. *Mylothris schumanni* Suffert,1904** (Pieridae) Synonym(s): *schumanni* Suffert,1904
Range (in code): **UG KE BI ZR TZ CG GN**
- 22984. *Mylothris schumanni schumanni* Suffert,1904** (Pieridae) Synonym(s): *schumanni* Suffert,1904 _ Range (in code): **CG GN**
- 22985. *Mylothris schumanni uniformis* Talbot,1944** (Pieridae) Synonym(s): *uniformis* Talbot,1944 _ Range (in code): **UG KE BI ZR TZ**
- 22986. *Mylothris schumanni zairensis* Berger,1981** (Pieridae) Synonym(s): *zairensis* Berger,1981; *#immaculata* Berger,1981 _ Range (in code): **ZR**
- 22987. *Mylothris similis* Lathy,1906** (Pieridae) Synonym(s): *similis* Lathy,1906 _ Range (in code): **UG ZR ZM MW TZ** Bionomy: Larva on *Loranthus* (Loranthaceae) (Ackery et al.,1995).
- 22988. *Mylothris similis dollmani* Riley,1921** (Pieridae) Synonym(s): *dollmani* Riley,1921; *#flavida* Riley,1921 _ Range (in code): **ZM**
- 22989. *Mylothris similis noel* Talbot,1944** (Pieridae) Synonym(s): *noel* Talbot,1944 _ Range (in code): **UG ZR**
- 22990. *Mylothris similis similis* Lathy,1906** (Pieridae) Synonym(s): *similis* Lathy,1906
Range (in code): **MW TZ**
- 22991. *Mylothris sjoestedti* Aurivillius,1895** (Pieridae) Synonym(s): *sjoestedti* Aurivillius,1895
Range (in code): **CM ZR BI UG**
- 22992. *Mylothris sjoestedti hecqi* Berger,1952** (Pieridae) Synonym(s): *hecqi* Berger,1952
Range (in code): **ZR UG**
- 22993. *Mylothris sjoestedti sjoestedti* Aurivillius,1895** (Pieridae) Synonym(s): *sjoestedti* Aurivillius,1895 _ Range (in code): **CM ZR**
- 22994. *Mylothris smithii* (Mabille,1879)** (Pieridae) Synonym(s): *smithii* Mabille,1879 _ Range (in code): **MG**
- 22995. *Mylothris smithii smithii* (Mabille,1879)** (Pieridae) Synonym(s): *smithii* Mabille,1879
Range (in code): **MG**
- 22996. *Mylothris spica* (Möschler,1884)** (Pieridae) Synonym(s): *spica* Möschler,1884 _ Range (in code): **AO GH CM GO Bio BF**
- 22997. *Mylothris spica gabela* Berger,1979** (Pieridae) Synonym(s): *gabela* Berger,1979
Range (in code): **AO**
- 22998. *Mylothris spica spica* (Möschler,1884)** (Pieridae) Synonym(s): *spica* Möschler,1884
Range (in code): **GH CM GO Bio BF**
- 22999. *Mylothris splendens* Le Cerf,1927** (Pieridae) Synonym(s): *splendens* Le Cerf,1927; *audeoudi* Riley,1930 _ Range (in code): **MG**
- 23000. *Mylothris splendens splendens* Le Cerf,1927** (Pieridae) Synonym(s): *splendens* Le Cerf,1927; *audeoudi* Riley,1930 _ Range (in code): **MG**
- 23001. *Mylothris sulphurea* Aurivillius,1895** (Pieridae) Synonym(s): *sulphurea* Aurivillius,1895; *primulina* Butler,1897; *dimidiata* Aurivillius,1898; *solilucis* Schultze,1914; *aurantiaca* Rebel,1914 _ Range (in code): **SL CM NG ZR CI**

- 23002. Mylothris sulphurea sulphurea Aurivillius,1895** (Pieridae) Synonym(s): *sulphurea* Aurivillius,1895; *primulina* Butler,1897; *dimidiata* Aurivillius,1898; *solilucis* Schultze,1914; *aurantiaca* Rebel,1914
Range (in code): SL CM NG ZR CI
- 23003. Mylothris superbus Kielland,1985** (Pieridae) Synonym(s): *superbus* Kielland,1985
Range (in code): TZ
- 23004. Mylothris superbus superbus Kielland,1985** (Pieridae) Synonym(s): *superbus* Kielland,1985 - Range (in code): TZ
- 23005. Mylothris talboti Berger,1980** (Pieridae) Synonym(s): *talboti* Berger,1980 - Range (in code): TZ Dss
- 23006. Mylothris talboti talboti Berger,1980** (Pieridae) Synonym(s): *talboti* Berger,1980
Range (in code): TZ Dss
- 23007. Mylothris trimenia (Butler,1869)** (Pieridae) Synonym(s): *trimenia* Butler,1869 - Range (in code): ZA Ec Nta Kzu Dbn Tva Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 23008. Mylothris trimenia trimenia (Butler,1869)** (Pieridae) Synonym(s): *trimenia* Butler,1869
Range (in code): ZA Ec Nta Kzu Dbn Tva Bionomy: Larva on Loranthus (Loranthaceae) (Ackery et al.,1995).
- 23009. Mylothris yulei Butler,1897** (Pieridae) Synonym(s): *yulei* Butler,1897; *sulphurascens* Berger,1954 - Range (in code): CM ET UG KE TZ ZR Shb MW MZ ZW
- 23010. Mylothris yulei amhara Ungemach,1932** (Pieridae) Synonym(s): *amhara* Ungemach,1932 - Range (in code): ET
- 23011. Mylothris yulei bansoana Talbot,1944** (Pieridae) Synonym(s): *bansoana* Talbot,1944
Range (in code): CM
- 23012. Mylothris yulei latimargo Joicey & Talbot,1921** (Pieridae) Synonym(s): *latimargo* Joicey & Talbot,1921 - Range (in code): UG KE
- 23013. Mylothris yulei yulei Butler,1897** (Pieridae) Synonym(s): *yulei* Butler,1897; *sulphurascens* Berger,1954 - Range (in code): TZ ZR Shb KE MW MZ ZW
- 23014. Nathalis iole** (Pieridae) Synonym(s): - Range (in code): US MX Aks Arz Cf Col Fl Ge Id Idp Iln Io Kan Knt Lou Mch Mis Mns Mon Mss NCa NDk NMx Ne Neb Oh Ok Pns SCa Sdk Tnn Tx Ut Vi WVi Wc Ws Wy
- 23015. Neophasia menapia (C.Felder & R.Felder,1859)** (Pieridae) Synonym(s): *menapia* C.Felder & R.Felder,1859 - Range (in code): US Arz Cf Col Id Mns Mon NMx Ne Neb Org Sdk Ut Ws Wy
- 23016. Neophasia terlootii Behr,1869** (Pieridae) Synonym(s): *terlootii* Behr,1869 - Range (in code): US MX Arz NMx
- 23017. Nepheronia argia (Fabricius,1775)** (Pieridae) Synonym(s): *argia* Fabricius,1775; *cassiopea* Cramer,[1779]; *idotea* Boisduval,1836; *virescens* Suffert,1904; *castelaini* Schouteden,1912; *hollandi* Fox,1963.
Range (in code): SL GN CM TG GO ZR SN CF SD UG TZ Tnga Usa Ani KE MW Zom ZW MZ ZM ZA Tva Nta Cap Bionomy: Larva on Capparidaceae (Ritchiea), Celastraceae (Hippocratea, Salacia), Rhizophoraceae (Casipourea) (Ackery et al.,1995).
- 23018. Nepheronia argia argia (Fabricius,1775)** (Pieridae) Synonym(s): *argia* Fabricius,1775; *cassiopea* Cramer,[1779]; *idotea* Boisduval,1836; *virescens* Suffert,1904; *castelaini* Schouteden,1912; *hollandi* Fox,1963. - Range (in code): SL GN CM TG GO ZR SN CF SD UG TZ KE MW Zom ZW MZ ZM ZA Tva Nta Cap
- 23019. Nepheronia argia argolisia (Stoneham,1957)** (Pieridae) Synonym(s): *argolisia* Stoneham,1957 - Range (in code): UG TZ KE
- 23020. Nepheronia argia mhondana (Suffert,1904)** (Pieridae) Synonym(s): *mhondana* Suffert,1904; *giara* Suffert,1904; *usambara* Aurivillius,1907. - Range (in code): KE TZ Tnga Usa Ani MW ZW MZ ZM
- 23021. Nepheronia argia varia (Trimen,1864)** (Pieridae) Synonym(s): *varia* Trimen,1864; *aurora* Suffert,1904; *#oraria* Van Son,1949; *#hemicrocea* Van Son,1949. - Range (in code): ZA Tva Nta MZ Cap
- 23022. Nepheronia buquetii (Boisduval,1836)** (Pieridae) Synonym(s): *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904. Original Reference: Callidryas buquetii Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 607, nr.1. Type(s): Africa. Range (in code): As ET KE MZ NE SA Bhh SD SN SO TZ YE ZA Wca Kny Nta Kzu Tva Lpo Spb Kru Pma Pf Mpu Brb ZR ZW MG Bionomy: Larva on Capparidaceae (Ritchiea), Salvadoraceae (Azima, Salvadora) (Ackery et al.,1995).

- 23023. *Nepheronia buquetii buchanani* (Rothschild,1921)** (Pieridae) Synonym(s): *buchanani* Rothschild,1921 Original Reference: *Eronia buquetii* ssp. *buchanani* Rothschild,1921, Novit. zool. 28: 151. Type: Niger: Timia. Range (in code): **As NE SA Bhh YE**
- 23024. *Nepheronia buquetii buquetii* (Boisduval,1836)** (Pieridae) Synonym(s): *buquetii* Boisduval,1836; *mossambicensis* Hopffer,1862; *arabica* Hopffer,1862; *capensis* Hopffer,1862; *zelinda* Ward,1873; *adam* Suffert,1904. Original Reference: *Callidryas buquetii* Boisduval,1836, Hist. Nat. Ins., Sp. Gén. Lép. 1: 607, nr.1. Type(s): Africa. Range (in code): **ET KE MZ SD SN SO TZ ZA Nta Kzu Tva Lpo Spb Kru Pma Pf Mpu Brb Wca Kny ZR ZW**
- 23025. *Nepheronia buquetii pauliana* Bernardi,1958** (Pieridae) Synonym(s): *pauliana* Bernardi,1958 Range (in code): **MG**
- 23026. *Nepheronia pharis* (Boisduval,1836)** (Pieridae) Synonym(s): *pharis* Boisduval,1836; *chione* Doubleday,1844 Range (in code): **SL KE UG CM GO CF ZR AO**
- 23027. *Nepheronia pharis pharis* (Boisduval,1836)** (Pieridae) Synonym(s): *pharis* Boisduval,1836; *chione* Doubleday,1844 Range (in code): **SL KE CM GO CF ZR AO**
- 23028. *Nepheronia pharis silvanus* (Stoneham,1957)** (Pieridae) Synonym(s): *silvanus* Stoneham,1957 Range (in code): **UG KE**
- 23029. *Nepheronia thalassina* (Boisduval,1836)** (Pieridae) Synonym(s): *thalassina* Boisduval,1836 Range (in code): **SN NG TZ Dss UG KE ET SD MW Zom ZM ZW Vf NA SZ ZA Tva Nta Kzu Lpo Spb Kru Pma Pf Lj Mdk Ly Mal CM CF ZR UG AO** Bionomy: Larva on Celastraceae (Hippocratea) (Ackery et al.,1995).
- 23030. *Nepheronia thalassina sinalata* (Suffert,1904)** (Pieridae) Synonym(s): *sinalata* Suffert,1904 Range (in code): **TZ Dss UG KE ET SD MW ZM ZW NA SZ ZA Tva Lpo Spb Nta Kzu Lj Kru Pma Pf Mdk Ly Mal Vf**
- 23031. *Nepheronia thalassina thalassina* (Boisduval,1836)** (Pieridae) Synonym(s): *thalassina* Boisduval,1836 Range (in code): **SN NG**
- 23032. *Nepheronia thalassina verulanus* (Ward,1871)** (Pieridae) Synonym(s): *verulanus* Ward,1871; *#uniformata* Dufrane,1945. Original Reference: *Eronia verulanus* Ward,1871, Entomologist's mon. Mag. 8: 59. Type: "Camaroons". Range (in code): **CM CF ZR UG AO**
- 23033. *Paramidea scolymus* (Butler,[1866])** (Pieridae) Synonym(s): *scolymus* Butler,[1866]; *#discalis* Bryk,1946. Original Reference: *Anthocharis scolymus* Butler,[1866]; J. linn. Soc. Lond., Zool. 9: 52. Syntypes: Japan: Hakodadi [Hakodate, Hokkaido]. Range (in code): **RU JP CN KP Prj Us Vv Hkk**
- 23034. *Paramidea scolymus mandschurica* (Bollow,1930)** (Pieridae) Synonym(s): *mandschurica* Bollow,1930 Original Reference: *Midea scolymus* ssp. *mandschurica* Bollow,1930, [in] Seitz, Die Gross-Schmett. Erde 1 (suppl.): 105. Syntypes ♂♀: [China]: "Mandschurei: Charbin". Range (in code): **RU Vv Prj Us Mc CN**
- 23035. *Paramidea scolymus scolymus* (Butler,[1866])** (Pieridae) Synonym(s): *scolymus* Butler,[1866]; *#discalis* Bryk,1946. Original Reference: *Anthocharis scolymus* Butler,[1866]; J. linn. Soc. Lond., Zool. 9: 52. Syntypes: Japan: Hakodadi [Hakodate, Hokkaido]. Range (in code): **JP KP Hkk**
- 23036. *Pareronia anais* (Lesson,1837)** (Pieridae) Synonym(s): *anais* Lesson,1837; *#lutea* Eliot,1978 Range (in code): **MM TH CMa Cu0 Cu01 Cu11 Cu12 Dst Qs CDo CD2 MY**
- 23037. *Pareronia anais anais* (Lesson,1837)** (Pieridae) Synonym(s): *anais* Lesson,1837; *#lutea* Eliot,1978 Range (in code): **MM TH CMa Cu0 Cu01 Cu11 Cu12 Dst Qs CDo CD2 MY**
- 23038. *Pareronia argolis* (Felder,1860)** (Pieridae) Synonym(s): *argolis* Felder,1860 Range (in code): **ID Bru Bch Hm Mti Trn**
- 23039. *Pareronia argolis argolina* Fruhstorfer,1910** (Pieridae) Synonym(s): *argolina* Fruhstorfer,1910 Range (in code): **ID Bru**
- 23040. *Pareronia argolis argolis* (Felder,1860)** (Pieridae) Synonym(s): *argolis* Felder,1860 Range (in code): **ID Bru Bch Hm Mti Trn**
- 23041. *Pareronia avatar* Moore,1857** (Pieridae) Synonym(s): *avatar* Moore,1857 Range (in code): **NP SI IN Ass**
- 23042. *Pareronia boebera* Eschscholtz,1821** (Pieridae) Synonym(s): *boebera* Eschscholtz,1821 Range (in code): **PH Ley Mno Sam Pao Jol Bon Sga Stu Taw Bas Boh Ceb Mas Neg Pan Sib Luz Mar Mdo Pol**
- 23043. *Pareronia boebera arsamota* Fruhstorfer,1910** (Pieridae) Synonym(s): *arsamota* Fruhstorfer,1910 Range (in code): **PH Boh Ceb Mas Neg Pan Sib**

- 23044. Pareronia boebera bazilana** Fruhstorfer, 1900 (Pieridae) Synonym(s): *bazilana*
Fruhstorfer, 1900 _ Range (in code): PH Bas
- 23045. Pareronia boebera boebera** Eschscholtz, 1821 (Pieridae) Synonym(s): *boebera*
Eschscholtz, 1821 _ Range (in code): PH Luz Mar Mdo Pol
- 23046. Pareronia boebera elaitia** Fruhstorfer, 1910 (Pieridae) Synonym(s): *elaitia*
Fruhstorfer, 1910 _ Range (in code): PH Pao
- 23047. Pareronia boebera joloana** Fruhstorfer, 1911 (Pieridae) Synonym(s): *joloana*
Fruhstorfer, 1911 _ Range (in code): PH Jol
- 23048. Pareronia boebera mutya** Treadaway & Nuyda, 1994 (Pieridae) Synonym(s): *mutya*
Treadaway & Nuyda, 1994 _ Range (in code): PH Bon Sga Stu Taw
- 23049. Pareronia boebera trinobantes** Fruhstorfer, 1911 (Pieridae) Synonym(s): *trinobantes*
Fruhstorfer, 1911 _ Range (in code): PH Ley Mno Sam
- 23050. Pareronia ceylanica C.Felder & R.Felder, 1865** (Pieridae) Synonym(s): *ceylanica*
C.Felder & R.Felder, 1865 _ Range (in code): LK IN Adm Nk
- 23051. Pareronia ceylanica ceylanica** C.Felder & R.Felder, 1865 (Pieridae) Synonym(s): *ceylanica*
C.Felder & R.Felder, 1865 _ Range (in code): LK
- 23052. Pareronia ceylanica naraka** Moore, 1877 (Pieridae) Synonym(s): *naraka* Moore, 1877
_ Range (in code): IN Adm Nk
- 23053. Pareronia ceylanica pingasa** Moore, 1872 (Pieridae) Synonym(s): *pingasa* Moore, 1872
_ Range (in code): IN
- 23054. Pareronia chinki (Joicey & Noakes, 1915)** (Pieridae) Synonym(s): *chinki* Joicey &
Noakes, 1915 _ Range (in code): ID Bia
- 23055. Pareronia chinki chinki (Joicey & Noakes, 1915)** (Pieridae) Synonym(s): *chinki* Joicey
& Noakes, 1915 _ Range (in code): ID Bia
- 23056. Pareronia jobaea (Boisduval, 1832)** (Pieridae) Synonym(s): *jobaea* Boisduval, 1832
_ Range (in code): ID Ob Ij PG Amb Bru Wg
- 23057. Pareronia jobaea aeboja** Fruhstorfer, 1910 (Pieridae) Synonym(s): *aeboja*
Fruhstorfer, 1910 _ Range (in code): ID Bru
- 23058. Pareronia jobaea elsa** Fruhstorfer, 1910 (Pieridae) Synonym(s): *elsa* Fruhstorfer, 1910
_ Range (in code): ID Amb
- 23059. Pareronia jobaea jobaea (Boisduval, 1832)** (Pieridae) Synonym(s): *jobaea*
Boisduval, 1832 _ Range (in code): ID Ij
- 23060. Pareronia jobaea luceria** Fruhstorfer, 1910 (Pieridae) Synonym(s): *luceria*
Fruhstorfer, 1910 _ Range (in code): ID Wg
- 23061. Pareronia jobaea obiana** Fruhstorfer, 1910 (Pieridae) Synonym(s): *obiana*
Fruhstorfer, 1910 _ Range (in code): ID Ob
- 23062. Pareronia nishiyamai** Yata, 1981 (Pieridae) Synonym(s): *nishiyamai* Yata, 1981 _ Range
(in code): PH Cal Cuy Pal
- 23063. Pareronia paravatar** Bingham, 1907 (Pieridae) Synonym(s): *paravatar* Bingham, 1907
_ Range (in code): MM Tns
- 23064. Pareronia phocaea C.Felder & R.Felder, 1861** (Pieridae) Synonym(s): *phocaea* C.Felder
& R.Felder, 1861 _ Range (in code): PH Bas Mno
- 23065. Pareronia phocaea ariamena** Fruhstorfer, 1910 (Pieridae) Synonym(s): *ariamena*
Fruhstorfer, 1910 _ Range (in code): PH Bas
- 23066. Pareronia phocaea phocaea** C.Felder & R.Felder, 1861 (Pieridae) Synonym(s): *phocaea*
C.Felder & R.Felder, 1861 _ Range (in code): PH Mno
- 23067. Pareronia tritaea C.Felder, 1859** (Pieridae) Synonym(s): *tritaea* C.Felder, 1859 _ Range
(in code): ID Clb Bng Sly Kla Tan
- 23068. Pareronia tritaea bargylia** Fruhstorfer, 1910 (Pieridae) Synonym(s): *bargylia*
Fruhstorfer, 1910 _ Range (in code): ID Clb
- 23069. Pareronia tritaea bilinearis** Fruhstorfer, 1910 (Pieridae) Synonym(s): *bilinearis*
Fruhstorfer, 1910 _ Range (in code): ID Sly
- 23070. Pareronia tritaea hermocinia** Fruhstorfer, 1910 (Pieridae) Synonym(s): *hermocinia*
Fruhstorfer, 1910 _ Range (in code): ID Bng
- 23071. Pareronia tritaea octaviae** Snellen (Pieridae) Synonym(s): *octaviae* Snellen _ Range
(in code): ID Kla Tan

- 23072. *Pareronia tritaea tritaea* C.Felder,1859** (Pieridae) Synonym(s): *tritaea* C.Felder,1859
Range (in code): **ID Clb**
- 23073. *Pareronia valeria valeria* (Cramer,[1776])** (Pieridae) Synonym(s): *valeria* Cramer,[1776]
Range (in code): **MM TH Chw Nst Ths MY SG ID Sum Bor PH Dum Cuy Bal Cal Pal Taw Ja Ass VN Nia Baw Kgn Lb Sbw Sba Flo**
- 23074. *Pareronia valeria baweanica* Fruhstorfer,1910** (Pieridae) Synonym(s): *baweanica* Fruhstorfer,1910
Range (in code): **ID Baw**
- 23075. *Pareronia valeria calliparga* Fruhstorfer,1910** (Pieridae) Synonym(s): *calliparga* Fruhstorfer,1910
Range (in code): **PH Dum**
- 23076. *Pareronia valeria gulussa* Fruhstorfer,1910** (Pieridae) Synonym(s): *gulussa* Fruhstorfer,1910
Range (in code): **PH Cuy**
- 23077. *Pareronia valeria hippia* (Fabricius)** (Pieridae) Synonym(s): *hippia* Fabricius
Range (in code): **IN Ass MM TH**
- 23078. *Pareronia valeria kangeana* Fruhstorfer,1903** (Pieridae) Synonym(s): *kangeana* Fruhstorfer,1903
Range (in code): **Kgn ID**
- 23079. *Pareronia valeria lutescens* (Butler,1879)** (Pieridae) Synonym(s): *lutescens* Butler,1879
Range (in code): **MM TH Chw Nst Ths MY SG ID Sum Bor**
- 23080. *Pareronia valeria niasica* Fruhstorfer,1900** (Pieridae) Synonym(s): *niasica* Fruhstorfer,1900
Range (in code): **ID Nia**
- 23081. *Pareronia valeria palawana* Fruhstorfer,1900** (Pieridae) Synonym(s): *palawana* Fruhstorfer,1900
Range (in code): **PH Bal Cal Pal**
- 23082. *Pareronia valeria persides* Fruhstorfer,1910** (Pieridae) Synonym(s): *persides* Fruhstorfer,1910
Range (in code): **CN VN**
- 23083. *Pareronia valeria sumbawana* Fruhstorfer,1900** (Pieridae) Synonym(s): *sumbawana* Fruhstorfer,1900
Range (in code): **Sbw ID**
- 23084. *Pareronia valeria sundana* Fruhstorfer,1897** (Pieridae) Synonym(s): *sundana* Fruhstorfer,1897
Range (in code): **ID Lb**
- 23085. *Pareronia valeria tryphena* Fruhstorfer,1900** (Pieridae) Synonym(s): *tryphena* Fruhstorfer,1900
Range (in code): **ID Sba Flo**
- 23086. *Pareronia valeria valeria* (Cramer,[1776])** (Pieridae) Synonym(s): *valeria* Cramer,[1776]
Range (in code): **ID Ja**
- 23087. *Pareronia valeria valeriana* Schröder & Treadaway,1991** (Pieridae) Synonym(s): *valeriana* Schröder & Treadaway,1991
Range (in code): **PH Taw**
- 23088. *Patia cordillera cordillera* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *cordillera* C.Felder & R.Felder,1862
Range (in code): **CO EC CR PA**
- 23089. *Patia cordillera cordillera* (C.Felder & R.Felder,1862)** (Pieridae) Synonym(s): *cordillera* C.Felder & R.Felder,1862
Range (in code): **CO**
- 23090. *Patia cordillera larunda* (Hewitson,1869)** (Pieridae) Synonym(s): *larunda* Hewitson,1869
Range (in code): **EC**
- 23091. *Patia cordillera soroma* (Butler,1872)** (Pieridae) Synonym(s): *soroma* Butler,1872; *myris* Godman & Salvin,1889
Range (in code): **CR PA**
- 23092. *Patia cordillera thecla* (Bargmann,1929)** (Pieridae) Synonym(s): *#erica* Bargmann,1929; *thecla* Bargmann,1929
Range (in code): **CO**
- 23093. *Patia orise orise* (Boisduval,1836)** (Pieridae) Synonym(s): *orise* Boisduval,1836
Range (in code): **GF PE CO**
- 23094. *Patia orise denigrata* (Rosenberg & Talbot,1914)** (Pieridae) Synonym(s): *denigrata* Rosenberg & Talbot,1914; *interposita* Talbot,1929
Range (in code): **PE CO**
- 23095. *Patia orise orise* (Boisduval,1836)** (Pieridae) Synonym(s): *orise* Boisduval,1836
Range (in code): **GF**
- 23096. *Patia rhetes rhetes* (Hewitson,[1857])** (Pieridae) Synonym(s): *rhetes* Hewitson,[1857]; *hewitsonii* W.F.Kirby,1881
Range (in code): **CO EC**
- 23097. *Patia rhetes rhetes* (Hewitson,[1857])** (Pieridae) Synonym(s): *rhetes* Hewitson,[1857]; *hewitsonii* W.F.Kirby,1881
Range (in code): **EC**
- 23098. *Phoebis agarithe agarithe* (Boisduval,1836)** (Pieridae) Synonym(s): *agarithe* Boisduval,1836; *#albarithe* F.M.Brown,1929
Range (in code): **US Fl MX HT PE DM Aks Arz Cf Col Fl Io Kan Knt Lou Mai Mis Mrl NMx Ne Neb Nje Ny Ok SDk Tx Wc**
- 23099. *Phoebis agarithe agarithe* (Boisduval,1836)** (Pieridae) Synonym(s): *agarithe* Boisduval,1836; *#albarithe* F.M.Brown,1929
Range (in code): **MX**

- 23100. Phoebis agarithe antillia F.M.Brown,1929** (Pieridae) Synonym(s): *antillia* F.M.Brown,1929 _ Range (in code): HT
- 23101. Phoebis agarithe fischeri (H.Edwards,1883** (Pieridae) Synonym(s): *fischeri* H.Edwards,1883 _ Range (in code): MX
- 23102. Phoebis agarithe maxima (Neumoegen,1891)** (Pieridae) Synonym(s): *maxima* Neumoegen,1891; *floridensis* Röber,1909 nec Neum.,1891 _ Range (in code): US FI
- 23103. Phoebis agarithe pupillata Dillon,1947** (Pieridae) Synonym(s): *pupillata* Dillon,1947 _ Range (in code): DM
- 23104. Phoebis agarithe tumbesiana Lamas,1981** (Pieridae) Synonym(s): *tumbesiana* Lamas,1981 _ Range (in code): PE
- 23105. Phoebis argante (Fabricius,1775)** (Pieridae) Synonym(s): *argante* Fabricius,1775; *cipris* Cramer,1777; *volcanica* Perry,1811; *cypris* Hübner,[1819]; *cnidia* Godart,1819; *aurantia* Larranaga,1923 _ Range (in code): MX PE BR SR UY CU DO JM
- 23106. Phoebis argante argante (Fabricius,1775)** (Pieridae) Synonym(s): *argante* Fabricius,1775; *cipris* Cramer,1777; *volcanica* Perry,1811; *cypris* Hübner,[1819]; *cnidia* Godart,1819; *aurantia* Larranaga,1923 _ Range (in code): BR SR UY
- 23107. Phoebis argante chinch Lamas,1976** (Pieridae) Synonym(s): *chinch* Lamas,1976 _ Range (in code): PE
- 23108. Phoebis argante comstocki Avinoff,1944** (Pieridae) Synonym(s): *comstocki* Avinoff,1944 _ Range (in code): JM
- 23109. Phoebis argante larra (Fabricius,1798)** (Pieridae) Synonym(s): *hersilia* Cramer,1777 nec Fabr.,1777; *larra* Fabricius,1798; *xanthe* Sepp,[1847] nec [Denis & Schiff.],1775 _ Range (in code): SR
- 23110. Phoebis argante martini W.P.Comstock,1944** (Pieridae) Synonym(s): *martini* W.P.Comstock,1944 _ Range (in code): PR
- 23111. Phoebis argante minuscula (Butler,1869)** (Pieridae) Synonym(s): *minuscula* Butler,1869; *fornax* Butler,1871 _ Range (in code): CU
- 23112. Phoebis argante rorata (Butler,1869)** (Pieridae) Synonym(s): *rorata* Butler,1869; *#adela* F.M.Brown,1929 _ Range (in code): DO
- 23113. Phoebis argante ssp.n.** (Pieridae) Synonym(s): _ Range (in code): MX
- 23114. Phoebis avellaneda (Herrich-Schäffer,1865)** (Pieridae) Synonym(s): *avellaneda* Herrich-Schäffer,1865; *solstitia* Butler,1869; *salvatori* Calzadilla,1973 _ Range (in code): CU CL
- 23115. Phoebis bourkei (Dixey,1933)** (Pieridae) Synonym(s): *bourkei* Dixey,1933; *tatei* F.M.Brown,1933 _ Range (in code): EC
- 23116. Phoebis neocryptis (Hübner,[1823])** (Pieridae) Synonym(s): *cipris* Fabricius,1793 nec Cr.,1777; *neocryptis* Hübner,[1823]; *bracteolata* Butler,1865; *irrigata* Butler,1870 _ Range (in code): MX GT CR VE CO EC PE BR
- 23117. Phoebis neocryptis neocryptis (Hübner,[1823])** (Pieridae) Synonym(s): *cipris* Fabricius,1793 nec Cr.,1777; *neocryptis* Hübner,[1823]; *bracteolata* Butler,1865; *irrigata* Butler,1870 _ Range (in code): BR
- 23118. Phoebis neocryptis rurina (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *rurina* C.Felder & R.Felder,1861 _ Range (in code): VE CO EC PE
- 23119. Phoebis neocryptis virgo (Butler,1870)** (Pieridae) Synonym(s): *virgo* Butler,1870 _ Range (in code): MX GT CR
- 23120. Phoebis neocypris** (Pieridae) Synonym(s): _ Range (in code): US MX Arz Tx
- 23121. Phoebis orbis** (Pieridae) Synonym(s): _ Range (in code): US
- 23122. Phoebis philea (Linnaeus,1763)** (Pieridae) Synonym(s): *philea* Linnaeus,1763 _ Range (in code): DO CU US MX Aks Arz Cf Cnt Col Fl Ge Idp Iln Kan Lou Mch Mis Mns NMx Ne Neb Nje Ny Oh Ok Pns RDi Tx Vi Wc
- 23123. Phoebis philea huebneri Fruhstorfer,1907** (Pieridae) Synonym(s): *thalestris* Hübner,[1823] nec Ill.,1801; *huebneri* Fruhstorfer,1907 _ Range (in code): CU
- 23124. Phoebis philea philea (Linnaeus,1763)** (Pieridae) Synonym(s): *philea* Linnaeus,1763
- 23125. Phoebis philea thalestris (Illiger,1801)** (Pieridae) Synonym(s): *thalestris* Illiger,1801 _ Range (in code): DO
- 23126. Phoebis sennae (Linnaeus,1758)** (Pieridae) Synonym(s): *sennae* Linnaeus,1758; *ebulae* Linnaeus,1767; *drya* Fabricius,1775; *pallida* Cockerell,1889 _ Range (in code): US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nje Ny Oh Ok Org Pns RDi SCa Sdk Tnn Tx Ut Vi WVi Wc Wy CU JM CL HN SR BR AR BO PE

- 23127. *Phoebis sennae amphitrite* (Feisthamel,1839)** (Pieridae) Synonym(s): *amphitrite* Feisthamel,1839 Range (in code): CL
- 23128. *Phoebis sennae marcellina* (Cramer,1777)** (Pieridae) Synonym(s): *marcellina* Cramer,1777; *hyperici* Sepp,[1832]; *rhadia* Boisduval,1836; *yamana* Reakirt,1863; *schausi* Oberthür,1912 Range (in code): HN SR BR AR BO PE
- 23129. *Phoebis sennae sennae* (Linnaeus,1758)** (Pieridae) Synonym(s): *sennae* Linnaeus,1758; *ebulae* Linnaeus,1767; *drya* Fabricius,1775; *pallida* Cockerell,1889 Range (in code): US CU JM
- 23130. *Phoebis statira*** (Pieridae) Synonym(s): Range (in code): US MX Fl Ge Kan NMx Tx
- 23131. *Pieris (Artogeia) ajaka* Moore,1865** (Pieridae) Synonym(s): *ajaka* Moore,1865 Original Reference: *Pieris ajaka* Moore,1865, Proc. zool. Soc. Lond. 1865: 490, Pl.31 fig.16. Syntypes: Kunawur. Range (in code): CN SI Ti Haz PK Mre
- 23132. *Pieris (Artogeia) ajaka ajaka* Moore,1865** (Pieridae) Synonym(s): *ajaka* Moore,1865 Original Reference: *Pieris ajaka* Moore,1865, Proc. zool. Soc. Lond. 1865: 490, Pl.31 fig.16. Syntypes: Kunawur. Range (in code): CN SI Ti Haz PK Mre
- 23133. *Pieris (Artogeia) angelika* Eitschberger,1981** (Pieridae) Synonym(s): *angelika* Eitschberger,1981 Range (in code): CA Yuk DMk BCo US Als
- 23134. *Pieris (Artogeia) banghaasi* Sheljuzhko,1910** (Pieridae) Synonym(s): *#narina* Verity,1908 [infrasubspecific name]; *banghaasi* Sheljuzhko,1910. Original Reference: *Pieris napi* var. *banghaasi* Sheljuzhko,1910, Revue russk. Ent. 9: 385. Syntypes: [Kazachstan]: Tianschan [Tengri Tagh], Naryn. Range (in code): T-S KG Nrk DsA KK TeA Ax
- 23135. *Pieris (Artogeia) banghaasi banghaasi* Sheljuzhko,1910** (Pieridae) Synonym(s): *#narina* Verity,1908 [infrasubspecific name]; *banghaasi* Sheljuzhko,1910. Original Reference: *Pieris napi* var. *banghaasi* Sheljuzhko,1910, Revue russk. Ent. 9: 385. Syntypes: [Kazachstan]: Tianschan [Tengri Tagh], Naryn. Range (in code): T-S KG Nrk DsA KK TeA
- 23136. *Pieris (Artogeia) banghaasi kirgizskana* (Korb,2001)** (Pieridae) Synonym(s): *kirgizskana* Korb,2001 Original Reference: *Artogeia banghaasi* ssp. *kirgizskana* Korb,2001, Alexanor 21 (3): 151-152, fig. Holotype ♂: Kirghizie: chane Kirghize [Alexander Mts.]: vallee du Tchou-Kouourtchak, 2500m, leg. S.Korb (IZSP). Range (in code): KK Ax
- 23137. *Pieris (Artogeia) bowdeni* Eitschberger,[1984]** (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984] Original Reference: *Pieris bowdeni* Eitschberger,[1984], Herbiopoliana 1: 218-220, Taf. 325, 441, figs. 31-36; Taf. 443, figs.1-36; Taf.445 figs.1-8. Holotype ♂: Türkiye: Iğdır: Aşağıkent 2000-2400m (in coll. Eitschberger Museum). Range (in code): TR Cc AM IR TM Kp
- 23138. *Pieris (Artogeia) bowdeni bowdeni* Eitschberger,1984** (Pieridae) Synonym(s): *bowdeni* Eitschberger,[1984] Original Reference: *Pieris bowdeni* Eitschberger,[1984], Herbiopoliana 1: 218-220, Taf. 325, 441, figs. 31-36; Taf. 443, figs.1-36; Taf.445 figs.1-8. Holotype ♂: Türkiye: Iğdır: Aşağıkent 2000-2400m (in coll. Eitschberger Museum). Range (in code): TR Cc AM IR TM Kp
- 23139. *Pieris (Artogeia) bryoniae* (Hübner,[1804])** (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997). Original Reference: *Papilio bryoniae* Hübner,[1804], Samml. eur. Schmett. 1: 62, pl.81, fig.407. Range (in code): Cc AM At AT BG BY CH CZ DE DsA FR HU HV IT Kb KG PL RO RU Sau SK SS Tar Teb TR IR Zj UA T-S Ab Bionomy: Larva on Cardamine bellidifolia alpina, C. resedifolia, Biscutella laevigata, Thlaspi alpinum, T. montanum (Tolman, 1997).
- 23140. *Pieris (Artogeia) bryoniae bryoniae* (Hübner,[1804])** (Pieridae) Synonym(s): *bryoniae* Hübner,[1804]; *neobryoniae* Miller,1933; *wolfsbergeri* Eitschberger,[1984]; *debrosi* Eitschberger,[1984] (cf. Leraut,1997). Original Reference: *Papilio bryoniae* Hübner,[1804], Samml. eur. Schmett. 1: 62, pl.81, fig.407. Range (in code): AT BG BY CH CZ DE FR HU IT PL RO RU SK SS HV UA
- 23141. *Pieris (Artogeia) bryoniae debrosi* Eitschberger,1986** (Pieridae) Synonym(s): *debrosi* Eitschberger,1986 Original Reference: *Pieris bryoniae* ssp. *debrosi* Eitschberger,1986, Atalanta 16: 262-263, pl.2 figs.1-9. Holotype ♂: Foret de la Frasse, Jura F., Lajoux, 1350m (in coll. Eitschberger). Range (in code): FR CH
- 23142. *Pieris (Artogeia) bryoniae goergneri* Eitschberger,1986** (Pieridae) Synonym(s): *goergneri* Eitschberger,1986 Original Reference: *Pieris bryoniae* ssp. *goergneri* Eitschberger,1986, Atalanta 16: 256-261, pl.1 figs.1-7. Holotype ♂: Türkiye: Hakkari: Karadagh, 2900-3100m (in coll. Eitschberger). Range (in code): TR IR Ab Zj
- 23143. *Pieris (Artogeia) bryoniae heptapotamica* Krulikowsky,1904** (Pieridae) Synonym(s): *heptapotamica* Krulikowsky,1904; *bryonides* Sheljuzhko,1910 Original Reference: *Pieris*

- napi heptapotamica Krulikowsky,1904, Revue russk. Ent. 4: 90. Syntypes: [Kazachstan]: Semiretshje. Range (in code): At DsA KG RU Sau Tar T-S
- 23144. Pieris (Artogeia) bryoniae lappona Rangnow,1935** (Pieridae) Synonym(s): *lappona Rangnow,1935*; *bicolorata Petersen,1947*. Original Reference: *Pieris napi* ssp. *lappona Rangnow,1935*, Ent. Rdsch. 52: 175-176. Lectotype ♂: Lappmark, Lufea. Range (in code): SE FI
- 23145. Pieris (Artogeia) bryoniae sheljuzhko Eitschberger,1984** (Pieridae) Synonym(s): *sheljuzhko Eitschberger,1984* Range (in code): RU Tch
- 23146. Pieris (Artogeia) bryoniae turcica Eitschberger & Hesselbarth,1977** (Pieridae) Synonym(s): *turcica Eitschberger & Hesselbarth,1977* Original Reference: *Pieris bryoniae* ssp.*turcica* Eitschberger & Hesselbarth,1977, Atalanta 8(2): 148-150, figs. 1-6. Holotype ♂: Türkiye: Aankiri: Ilgaz Pass, 1800m. Range (in code): TR Cc AM
- 23147. Pieris (Artogeia) canidia (Sparrman,1768)** (Pieridae) Synonym(s): *canidia Sparrman,1768* Original Reference: *Papilio canidia* Sparrman,1768, Amoen. Acad. 7: 504, note m. Type(s): Regio Indica. Range (in code): AF Ahw CN Feg Fkn Gg Gn Haz HK Hk Hn Hnn Hpe Hph Hun IMn IN Ass Slo Jn Kab KG Kgs Kig KK KP Kst Kwa Kwt KwT Ld Lng Mc NHu Nu Pag Phn PK Ci Kab Mre Pm SG She Shs SI Stg Sz Ti Tkg Ton TW Ui VN Yu RU Vv Kst SI Ug T-S NP TH CMA Cm1 Cu0 Cu07 CDo Int Qs Dso8 Dst Phr Loe Tda PH Luz Swa Mdy Haz Klm Nar Nwf Pes Sgl Yek Ng Jla Kab
- 23148. Pieris (Artogeia) canidia canidia (Sparrman,1768)** (Pieridae) Synonym(s): *canidia Sparrman,1768* Original Reference: *Papilio canidia* Sparrman,1768, Amoen. Acad. 7: 504, note m. Type(s): Regio Indica. Range (in code): IN PH Luz
- 23149. Pieris (Artogeia) canidia indica Evans,1926** (Pieridae) Synonym(s): *indica Evans,1926* Original Reference: *Pieris canidia* ssp. *indica* Evans,1926, J. Bombay nat. Hist. Soc. 31: 712 (nomen novum pro *canidia* Evans nec Sparrman). Range (in code): AF Ci Haz Hk IN Ass Slo Kab Ld NP Nu Pag PK Mre Swa Mdy Haz Klm Nar Nwf Pes Sgl Yek TH CMA Cm1 Cu0 Cu07 Dst Dso8 CDo Int Qs Phr Loe
- 23150. Pieris (Artogeia) canidia kaolicola Bryk,1946** (Pieridae) Synonym(s): *kaolicola Bryk,1946* Original Reference: *Pieris canidia* ssp. *kaolicola* Bryk,1946, Ark. Zool. 38 A (3): 14, Taf.4 fig.B2. Holotype ♂: Korea: Shuotsu. Range (in code): KP
- 23151. Pieris (Artogeia) canidia palaeartica Staudinger,1886** (Pieridae) Synonym(s): *palaeartica Staudinger,1886* Original Reference: *Pieris canidia* var.*palaeartica* Staudinger,1886, Stettin ent. Ztg. 47: 198-199. Syntypes: [Usbekistan]: Margelan, Namangan. Range (in code): Feg KG KK Kst SI Ti Ug T-S
- 23152. Pieris (Artogeia) dubernardi Oberthür,1884** (Pieridae) Synonym(s): *dubernardi Oberthür,1884* Original Reference: *Pieris dubernardi* Oberthür,1884, Etüd d'Ent. 9: 13-14, pl.1 fig.6. Type: [China]: Tibet: "Tsékou". Range (in code): CN Ti Ui SI Yu
- 23153. Pieris (Artogeia) dubernardi chumbiensis (De Nicéville,1897)** (Pieridae) Synonym(s): *chumbiensis De Nicéville,1897* Original Reference: *Parapieris chumbiensis* De Nicéville,1897, J. asiat. Soc. Beng. 66 (2): 563, pl.1 fig.6. Type(s): Sikkim: Chumbi valley. Range (in code): SI Ti
- 23154. Pieris (Artogeia) dubernardi dubernardi Oberthür,1884** (Pieridae) Synonym(s): *dubernardi Oberthür,1884* Original Reference: *Pieris dubernardi* Oberthür,1884, Etüd d'Ent. 9: 13-14, pl.1 fig.6. Type: [China]: Tibet: "Tsékou". Range (in code): CN Ti
- 23155. Pieris (Artogeia) dubernardi koslovi (Alpheraky,1897)** (Pieridae) Synonym(s): *koslovi Alpheraky,1897* Original Reference: *Pieris koslovi* Alpheraky,1897, [in] Romanoff, Mém. lépid. 9: 232. Type(s): [China: Uighur A.R.]: "Nan-Shan". Range (in code): CN Ui Nsh
- 23156. Pieris (Artogeia) dulcinea Butler,1882** (Pieridae) Synonym(s): *dulcinea Butler,1882*; *sichotensis Kurentzov,1941*; *sulphurea Sheljuzhko,1961*. Original Reference: *Pieris dulcinea* Butler,1882, Ann. Mag. nat. Hist. (5) 9: 18. Type(s): Russia: [Ussuri Region]: "Posiette Bay". Range (in code): JP Hkk RU Sh Am Prj Us Vv Ask Ya CN Mc
- 23157. Pieris (Artogeia) dulcinea dulcinea Butler,1882** (Pieridae) Synonym(s): *dulcinea Butler,1882*; *sichotensis Kurentzov,1941*; *sulphurea Sheljuzhko,1961*. Original Reference: *Pieris dulcinea* Butler,1882, Ann. Mag. nat. Hist. (5) 9: 18. Type(s): Russia: [Ussuri Region]: "Posiette Bay". Range (in code): RU Am Prj Us Vv Ask Ya CN Mc
- 23158. Pieris (Artogeia) dulcinea pseudonapi Verity,1911** (Pieridae) Synonym(s): *pseudonapi Verity,1911* Range (in code): JP Hkk
- 23159. Pieris (Artogeia) dulcinea saghalensis Nakahara,1926** (Pieridae) Synonym(s): *saghalensis Nakahara,1926* Original Reference: *Pieris napi* ssp. *saghalensis* Nakahara,1926,

- Inscitiae Menstruus 14: 47. Holotype ♂: Noda, Saghalien, July 31 1922, leg. T. Esaki. Range (in code): Sh RU
- 23160. *Pieris (Artogeia) ergane* (Geyer, [1828])** (Pieridae) Synonym(s): *ergane* Geyer, [1828]; *narcaea* Freyer, [1828]. Original Reference: Papilio *ergane* Geyer, [1828], [in] Hübner, Samml. eur. Schmett. 1: Taf. 184 figs. 904-907. Syntypes: [Croatia]: Ragusa (Dubrovnik) (cf. Hemming, 1937, I:220). Range (in code): AL Cc Arr AM AT AZ BG B-H Cr ES FR GG GR HU HV IQ Hjo IR Ab Sro Msw Ak Elb Th Kdj IT LB MK RO SS TR YU Mt Ko Mst Trb Ple Cue Hue Lda Gna Bionomy: Larva on *Aethionema saxatile*, *A. orbiculatum*, *Isatis tinctoria* (Tolman, 1997).
- 23161. *Pieris (Artogeia) ergane detersa* Verity, [1908]** (Pieridae) Synonym(s): *detersa* Verity, [1908]; *elbursina* Bytinski-Salz & Brandt, 1937. Original Reference: *Pieris ergane* form *detersa* Verity, [1908], *Rhopalocera Palaearct.*: 153, Taf. xxxiii, figs. 24, 26. Type ♂: [Turkey]: Taurus, [Kahramanmaraş]: Berud Dag. Range (in code): Cc Arr AM AZ BG GG HV IQ Hjo LB MK Nv TR YU Mt Ko Mst Trb IR Ab Ak Sro Msw Elb Th Kdj
- 23162. *Pieris (Artogeia) ergane ergane* (Geyer, [1828])** (Pieridae) Synonym(s): *ergane* Geyer, [1828]; *narcaea* Freyer, [1828]. Original Reference: Papilio *ergane* Geyer, [1828], [in] Hübner, Samml. eur. Schmett. 1: Taf. 184 figs. 904-907. Syntypes: [Croatia]: Ragusa (Dubrovnik) (cf. Hemming, 1937, I:220). Range (in code): AL AT BG B-H ES Ple Cue Hue Lda Gna FR GR HU IT RO SS Bionomy: Larva on *Aethionema saxatile*, *A. orbiculatum*, *Isatis tinctoria* (Tolman, 1997).
- 23163. *Pieris (Artogeia) ergane gallia* Mezger, 1932** (Pieridae) Synonym(s): *gallia* Mezger, 1932. Range (in code): FR
- 23164. *Pieris (Artogeia) ergane lucieni* Dujardin, 1951** (Pieridae) Synonym(s): *lucieni* Dujardin, 1951; *carmelae* Domenech & Torres, 1979. Range (in code): FR
- 23165. *Pieris (Artogeia) euorientis* Verity, [1908]** (Pieridae) Synonym(s): *euorientis* Verity, [1908]. Original Reference: *Pieris napi* ssp. *euorientis* Verity, [1908], *Rhopalocera Palaearctica*: 147, Pl. 32 fig. 44, Pl. 49 fig. 12. Syntypes 3♂: [Russia]: Sajan: Muorku. Range (in code): DsA KG MN RU Sj
- 23166. *Pieris (Artogeia) eurorientis eurorientis* Verity, [1908]** (Pieridae) Synonym(s): *eurorientis* Verity, [1908]. Original Reference: *Pieris napi* ssp. *eurorientis* Verity, [1908], *Rhopalocera Palaearctica*: 147, Pl. 32 fig. 44, Pl. 49 fig. 12. Syntypes 3♂: [Russia]: Sajan: Muorku. Range (in code): DsA KG MN RU Sj
- 23167. *Pieris (Artogeia) krueperi* Staudinger, 1860** (Pieridae) Synonym(s): *krueperi* Staudinger, 1860. Original Reference: *Pieris krueperi* Staudinger, 1860, Wien. ent. Monatschr. 4: 19-20. Syntypes ♂♀: "Graecia": Arkanania. Range (in code): AF AL BG Chi GR IQ IR Elb Th Fa Ke Ss Kos Ld MK OM SA Bhh PK SY Syr TeA TR Cc Slv Tm Ikc KK KG T-S IN CN Ui Ga UZ Smk Bionomy: Larva on *Alyssum saxatile*, *A. montanum* (Brassicaceae) (Tolman, 1997).
- 23168. *Pieris (Artogeia) krueperi devta* (De Nicéville, 1884)** (Pieridae) Synonym(s): *devta* De Nicéville, 1884. Range (in code): Ld IN CN Ui Ga UZ Smk
- 23169. *Pieris (Artogeia) krueperi krueperi* Staudinger, 1860** (Pieridae) Synonym(s): *krueperi* Staudinger, 1860. Original Reference: *Pieris krueperi* Staudinger, 1860, Wien. ent. Monatschr. 4: 19-20. Syntypes: Greece: Arcana. Range (in code): AL Chi MK BG GR Bionomy: Larva on *Alyssum saxatile*, *A. montanum* (Brassicaceae) (Tolman, 1997).
- 23170. *Pieris (Artogeia) krueperi prisca* Staudinger, 1886** (Pieridae) Synonym(s): *prisca* Staudinger, 1886. Original Reference: *Pieris (Artogeia) krueperi* var. *prisca* Staudinger, 1886, Stettin ent. Ztg. 47: 198. Syntypes: Central-Asien. Range (in code): Ikc KG KK Syr TeA UZ T-S
- 23171. *Pieris (Artogeia) krueperi syra* Verity, [1911]** (Pieridae) Synonym(s): *syra* Verity, [1911]. Range (in code): Cc TR SY IQ IR Fa Elb Th Fa Ke Ss Kos OM AF PK SY
- 23172. *Pieris (Artogeia) mahometana* Groum-Grshimailo, 1888** (Pieridae) Synonym(s): *mahometana* Groum-Grshimailo, 1888. Original Reference: *Pieris krueperi* var. *mahometana* Groum-Grshimailo, 1888, Horae Soc. ent. ross 22: 304. Type(s): Darwaz. Range (in code): TJ Bionomy: -.
- 23173. *Pieris (Artogeia) mahometana mahometana* Groum-Grshimailo, 1888** (Pieridae) Synonym(s): *mahometana* Groum-Grshimailo, 1888. Original Reference: *Pieris krueperi* var. *mahometana* Groum-Grshimailo, 1888, Horae Soc. ent. ross 22: 304. Type(s): Darwaz. Range (in code): TJ
- 23174. *Pieris (Artogeia) mannii* (Mayer, 1851)** (Pieridae) Synonym(s): *mannii* Mayer, 1851; *manni* Verity, 1908; *alpigena* Verity, 1911; *roberti* Eitschberger & Steiniger, 1973. Original Reference: *Pon[tia] mannii* Mayer, 1851, Stettin ent. Ztg. 12: 151. Type: [Croatia]: Spaloto. Range (in code): AL AT BG

B-H CH CZ ES Mlg Grn Alm Mu Mdr Hue Gna Bar Ter FR GR HU HV IT Kr MA Tgz MK RU Co Sa Si SK SS TR Cc UA YU Mt Ko Sjn Mst IR Ak Shf Mz Gls Bionomy: Larva on *Iberis sempervirens*, *I. saxatilis* (Tolman,1997).

- 23175. *Pieris (Artogeia) mannii alpigena* Verity,1911** (Pieridae) Synonym(s): *alpigena* Verity,1911 Original Reference: *Pieris mannii alpigena* Verity,1911, Rhop. palaearct.: 336. Syntypes: Italy: Aosta. Range (in code): IT FR CH ES AOs
- 23176. *Pieris (Artogeia) mannii andegava* Delahaye,1910** (Pieridae) Synonym(s): *andegava* Delahaye,1910 Original Reference: *Pieris manni andegava* Delahaye,1910, La "Pieris Manni" en Maine-et-Loire: 3-15. Neotype ♂: Frankreich: Charente, Moutiers-sur-Boeme, designated by Ziegler,1999, Neue ent. Nachr. 45: 153, Abb.29. Range (in code): FR
- 23177. *Pieris (Artogeia) mannii haroldi* Wyatt,1952** (Pieridae) Synonym(s): *haroldi* Wyatt,1952 Original Reference: *Pieris manni ssp. haroldi* Wyatt,1952, Z. Wien. ent. Ges. 37: 173. Holotype ♂: Mittlerer Atlas: Taghzeft Pass, südseite, 1900m. (in coll. Wyatt). Range (in code): MA Tgz
- 23178. *Pieris (Artogeia) mannii hethaea* Pfeiffer,1931** (Pieridae) Synonym(s): *hethaea* Pfeiffer,1931 Original Reference: *Pieris manni ssp. hethaea* Pfeiffer,1931, Mitt. münch. ent. Ges. 21: 84-85, pl.2 f.1-6. Syntypes: [Turkey]: türkisch Nordsyrien: Marasch, 1200m; Lectotype ♂, designated by Ziegler,1999, Neue ent. Nachr. 45: 88 (ZSM). Range (in code): GR Sms TR Cc IR
- 23179. *Pieris (Artogeia) mannii mannii* (Mayer,1851)** (Pieridae) Synonym(s): *mannii* Mayer,1851; *manni* Verity,1908; *alpigena* Verity,1911; *roberti* Eitschberger & Steiniger,1973. Original Reference: Pon[tia] *mannii* Mayer,1851, Stettin ent. Ztg. 12: 151. Type: [Croatia]: Spaloto. Range (in code): AL AT BG B-H CH CZ ES FR GR HU HV IT Kr MA MK RU Sa Si SK SS TR UA YU Mt Ko Sjn Mst
- 23180. *Pieris (Artogeia) mannii reskovitsi* Gozmany,1968** (Pieridae) Synonym(s): *reskovitsi* Gozmany,1968 Original Reference: *Pieris manni ssp. reskovitsi* Gozmany,1968, Fauna Hungarica, lepid., diurna: 41-42. Lectotype ♂ (designated by Ziegler,1999, Neue ent. Nachr. 45: 81): Ungarn: Bükk- Gebirge (NHMB). Range (in code): HU
- 23181. *Pieris (Artogeia) mannii roberti* Eitschberger & Steiniger,1973** (Pieridae) Synonym(s): *roberti* Eitschberger & Steiniger,1973 Original Reference: *Pieris manni ssp. roberti* Eitschberger & Steiniger,1973, Ent. Z., Frankf. a. M. 83 (6): 65-72, figs. Holotype ♂: Espana: Granada, 8km westlich Lapeza, Barranco de los Reventones, 1300-1400m. (in coll. Eitschberger). Range (in code): ES Grn
- 23182. *Pieris (Artogeia) mannii rossii* Stefanelli,1900** (Pieridae) Synonym(s): *rossii* Stefanelli,1900 Original Reference: *Pieris mannii* var. *rossii* Stefanelli,1900, Bull. ent. ital. 32: 178-179. Lectotype ♂: Italia: Toscana, Fiesole, pr. Florenz. Range (in code): IT
- 23183. *Pieris (Artogeia) mannii todaroana* Pincitore-Marott,1879** (Pieridae) Synonym(s): *todaroana* Pincitore-Marott,1879 Original Reference: *Pieris rapae* ab. *todaroana* Pincitore-Marott,1879, Lepidotteri nuovi e rari di Sicilia: fig.viii. Type ♀: Sicilia. Range (in code): Si IT
- 23184. *Pieris (Artogeia) marginalis* Scudder,1861** (Pieridae) Synonym(s): *marginalis* Scudder,1861; *pallida* Scudder,1861 Original Reference: *Pieris marginalis* Scudder,1861, Proc. Boston Soc. nat. Hist. 8: 183. Lectotype ♂: U.S.A. California: Crescent City, designated by Eitschberger,[1984]: 294 (MCZ). Range (in code): CA Yuk Abt BCo US NMx Arz Ne Wy Id Mon Col Cf Ws Org Ut Ne Kod Als
- 23185. *Pieris (Artogeia) marginalis browni* Eitschberger,[1984]** (Pieridae) Synonym(s): *browni* Eitschberger,[1984] Original Reference: *Pieris marginalis* ssp. *browni* Eitschberger,[1984], Herbiopoliana 1: 330-331, figs. Holotype ♂: U.S.A.: Alaska, Yukon Delta (EMEM). Range (in code): US Als
- 23186. *Pieris (Artogeia) marginalis guppyi* Eitschberger,[1984]** (Pieridae) Synonym(s): *guppyi* Eitschberger,[1984] Original Reference: *Pieris marginalis* ssp. *guppyi* Eitschberger,[1984], Herbiopoliana 1: 324-325, figs. Holotype ♂: U.S.A.: Alaska, Skagway (CMNH). Range (in code): US Als
- 23187. *Pieris (Artogeia) marginalis hulda* Edwards,1869** (Pieridae) Synonym(s): *hulda* Edwards,1869 Original Reference: *Pieris hulda* Edwards,1869, Trans. amer. Ent. Soc. 2: 370. Neotype ♂: [U.S.A.]: Kodiak Island (CMNH). Range (in code): US Kod Als
- 23188. *Pieris (Artogeia) marginalis macdunnoughi* Remington,1954** (Pieridae) Synonym(s): *pseudonapi* Barnes & McDunnough,1916 nec Vrty.,1911; *macdunnoughi* Remington,1954 Range (in code): US Col Wy Mon Id

- 23189. *Pieris (Artogeia) marginalis marginalis* Scudder, 1861** (Pieridae) Synonym(s): *marginalis* Scudder, 1861; *pallida* Scudder, 1861 Original Reference: *Pieris marginalis* Scudder, 1861, Proc. Boston Soc. nat. Hist. 8: 183. Lectotype ♂: U.S.A. California: Crescent City, designated by Eitschberger, [1984]: 294 (MCZ). Range (in code): **US Cf Ws Org CA BCo**
- 23190. *Pieris (Artogeia) marginalis meckya* Eitschberger, [1984]** (Pieridae) Synonym(s): *meckya* Eitschberger, [1984] Original Reference: *Pieris marginalis* ssp. *meckya* Eitschberger, [1984], Herbipoliana 1: 322-323, figs. Holotype ♂: U.S.A.: Alaska, Talkeetna Mts. (EMEM). Range (in code): **US Als**
- 23191. *Pieris (Artogeia) marginalis mogollon* Burdick, 1942** (Pieridae) Synonym(s): *mogollon* Burdick, 1942 Original Reference: *Pieris napi* race *mogollon* Burdick, 1942, Canad. Ent. 74: 154-155. Holotype ♂: U.S.A.: New Mexico, Catron Co., Mogollon Range (CNCO). Range (in code): **US NMx Arz Ne**
- 23192. *Pieris (Artogeia) marginalis pallidissima* Barnes & McDunnough, 1916** (Pieridae) Synonym(s): *pallidissima* Barnes & McDunnough, 1916 Original Reference: *Pieris napi* *pallidissima* Barnes & McDunnough, 1916, Contr. Nat. Hist. lepid. N. Amer. 3: 59. Syntypes ♂♀: U.S.A.: Utah. Range (in code): **US Ut Ne**
- 23193. *Pieris (Artogeia) marginalis reicheli* Eitschberger, [1984]** (Pieridae) Synonym(s): *reicheli* Eitschberger, [1984] Original Reference: *Pieris (Artogeia) marginalis* ssp. *reicheli* Eitschberger, [1984], Herbipoliana 1: 301-303, figs. Holotype ♂: Canada: British Columbia: Revelstoke, 3.v.1980, leg. D.Threatful (EMEM). Range (in code): **CA BCo US Wy Id Mon Abt**
- 23194. *Pieris (Artogeia) marginalis shapiro* Eitschberger, [1984]** (Pieridae) Synonym(s): *shapiro* Eitschberger, [1984] Original Reference: *Pieris marginalis* ssp. *shapiro* Eitschberger, [1984], Herbipoliana 1: 330-331, figs. Holotype ♂: U.S.A.: Alaska, Yukon Delta (EMEM). Range (in code): **US Als Yuk CA**
- 23195. *Pieris (Artogeia) marginalis tremblayi* Eitschberger, [1984]** (Pieridae) Synonym(s): *tremblayi* Eitschberger, [1984] Original Reference: *Pieris marginalis* ssp. *tremblayi* Eitschberger, [1984], Herbipoliana 1: 327-328, figs. Holotype ♂: Canada: British Columbia, Pink Mountain (EMEM). Range (in code): **CA BCo**
- 23196. *Pieris (Artogeia) melaina* Röber, 1907** (Pieridae) Synonym(s): *melaina* Röber, 1907; *montanus* Verity, 1908 Original Reference: *Pieris melaina* Röber, 1907, [in] Seitz, A., Die Gross Schmett. Erde 1: 48, Pl.20g. Lectotype ♂: [China]: Tibet, designated by Eitschberger ([1984]: 406). Range (in code): **NP IN SI Hp TH CMa Cuo Int Dst Doi LA L13 L31 L38 L41**
- 23197. *Pieris (Artogeia) melaina melaina* Röber, 1907** (Pieridae) Synonym(s): *melaina* Röber, 1907; *montanus* Verity, 1908 Original Reference: *Pieris melaina* Röber, 1907, [in] Seitz, A., Die Gross Schmett. Erde 1: 48, Pl.20g. Lectotype ♂: [China]: Tibet, designated by Eitschberger ([1984]: 406). Range (in code): **NP IN SI Hp TH CMa Cuo Int Dst Doi LA L13 L31 L38 L41**
- 23198. *Pieris (Artogeia) melete* Ménéttriés, 1857** (Pieridae) Synonym(s): *melete* Ménéttriés, 1857 Original Reference: *Pieris melete* Ménéttriés, 1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 113, tab.10 figs.1,2. Syntypes: "Japon; Amour". Range (in code): **RU Am Ask Prj Us Vv CN KP JP Krl VN? Ton? Tda?** Bionomy: *Arabis sagittata*, *A. glauca*, *Cardamine leucanthe*, *Sisymbrium officinale* (Kurentzov, 1970).
- 23199. *Pieris (Artogeia) melete chaohsienica* Bryk, 1946** (Pieridae) Synonym(s): *chaohsienica* Bryk, 1946 Original Reference: *Pieris melete* ssp. *chaohsienica* Bryk, 1946, Ark. Zool. 38 A (3): 15-16. Holotype ♂: Korea: Shuotsu. Range (in code): **KP KR**
- 23200. *Pieris (Artogeia) melete melete* Ménéttriés, 1857** (Pieridae) Synonym(s): *melete* Ménéttriés, 1857 Original Reference: *Pieris melete* Ménéttriés, 1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 113, tab.10 figs.1,2. Syntypes: "Japon; Amour". Range (in code): **JP CN**
- 23201. *Pieris (Artogeia) melete orientis* Oberthür, 1880** (Pieridae) Synonym(s): *orientis* Oberthür, 1880; *erutae* Poujade, 1880; *transiens* Verity, 1908; *amuri* Sheljuzhko, 1960. Original Reference: *Pieris napi* var. *orientis* Oberthür, 1880, Etüd d'Ent. 5: 13. Syntypes 4♂ 2♀: [Russia]: Askold. Range (in code): **RU Am Ask Prj Us Vv VN? Ton? Tda?**
- 23202. *Pieris (Artogeia) napi* (Linnaeus, 1758)** (Pieridae) Synonym(s): *napi* Linn., 1758; *napaeae* Esper, [1804]; *dubiosa* Röber, 1907; *napoleon* Eitschb., 1990 Original Reference: *Papilio napi* Linnaeus, 1758, Syst. Nat. (Edn. 10)1: 468. Type(s): Schweden (Verity, 1913, 1947). Range (in code): **AL Am Bn At Kts AT Ax Ba BE BG BY CH CN Co CZ DE Dj DK DZ EE ES FI FR GB GR HU IE IS IT TJ KG KK Kr KuA LT LU LV MA MN NL NO PL PT RO RU SE Sem Si Sj SK Sm So Sr Tk TN TrA Ts UA Uk VI YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Rtc Slv Sju Trb Mkl T-S Sju Act Alc Alv Alm Atu**

Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm US Arz Cf Col Id Idp Mai Mch Mns Mon Msc NDk NMx Ne Neb Nh Nje Ny Oh Org RDi SDk Ut Vr Wc Ws Wy Blid Cré Tun
Bionomy: Cardamine pratensis, C. amara, C. palustris, Nasturtium officinale, Lepidium heterophyllum, Lunaria rediviva, Hesperia matronalis, Arabis turrita, A. glabra, A. hirsuta, Sisymbrium officinale, Alliaria petiolata, Sinapis arvensis, Alyssum spinosum, A. saxatile, Cheiranthus cheiri (Tolman, 1997).

23203. Pieris (Artogeia) napi atlantica Rothschild, 1917 (Pieridae) Synonym(s): #maura Verity, 1911; #blidana Holl, 1914; atlantica Rothschild, 1917; #mauretaniae Rothschild, 1925 Original Reference: Pieris napi ssp. atlantica Rothschild, 1917, Novit. zool. 24: 75. Syntypes 17♂♀: [Algeria]: Blida, Chrea; Morocco: Tamarouth; Tunisia: Tunis (Tring Mus.). Range (in code): DZ Blid TN Cré Tun

23204. Pieris (Artogeia) napi atlantis Oberthür, 1925 (Pieridae) Synonym(s): atlantis Oberthür, 1925 Range (in code): MA

23205. Pieris (Artogeia) napi meridionalis Heyne, [1895] (Pieridae) Synonym(s): meridionalis Heyne, [1895] Original Reference: Pieris napi var. meridionalis Heyne, [1895], [in] Rühl, F., Die palaearkt. Grossschmett. 1: 714. Type(s): Mittleres Italien. Neotype ♂: Umg. Follonica in der Toscana (designated by Eitschberger, 1990: 228, Taf. 2, Abb. 9-11; in coll. Eitschberger Museum). Range (in code): B-H GR HV IT MK SS YU Mt Ko Sof Rte Slv Sju Trb Mkl

23206. Pieris (Artogeia) napi muchei Eitschberger, [1984] (Pieridae) Synonym(s): muchei Eitschberger, [1984] Original Reference: Pieris napi ssp. muchei Eitschberger, [1984], Herbiopoliana 1: 135, Taf. 411, Abb. 19, 20. Holotype: Kazakhstan: Almaty Obl., Trans-Ili Alatau, Almaarasan. Range (in code): T-S Sju Ax KG KK KuA Tra TJ

23207. Pieris (Artogeia) napi napi (Linnaeus, 1758) (Pieridae) Synonym(s): napi Linn., 1758; napaeae Esper, [1804]; dubiosa Röber, 1907; napoleon Eitschb., 1990 Original Reference: Papilio napi Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 468. Type(s): Schweden (Verity, 1913, 1947). Range (in code): AL AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR HU IE IS IT KG Kr LT LU LV MA NL NO PL PT RO RU SE Si SK Sm So Sr TN TR UA Uk Vi Cw Dv Smt H-W Sur Ssx Ken Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm

23208. Pieris (Artogeia) napi napoleon Eitschberger, 1989 (Pieridae) Synonym(s): napoleon Eitschberger, 1989 Original Reference: Pieris napi ssp. napoleon Eitschberger, 1989, Atalanta 20: 221-224, Taf. Holotype ♂: Insel Korsika, ca. 8 km E. Ghisoni, 450 m (EMEM). Range (in code): Co FR

23209. Pieris (Artogeia) napi oleracea Harris, 1929 (Pieridae) Synonym(s): oleracea Harris, 1929 Range (in code): US Cnt Idp Mai Mch Mns Msc NDk Nh Nje Ny Oh RDi SDk Vr Wc

23210. Pieris (Artogeia) napi orientis Oberthür, 1880 (Pieridae) Synonym(s): orientis Oberthür, 1880 Original Reference: Pieris napi var. orientis Oberthür, 1880, Etüd. d'Ent. 5: 13. Syntypes 4♂ 2♀: "d'Askold, Mou-Pin (par M. l'abbé Armand David)" Range (in code): Am CN RU

23211. Pieris (Artogeia) napi septentrionalis Verity, 1916 (Pieridae) Synonym(s): septentrionalis Verity, 1916. Original Reference: Pieris napi race septentrionalis Verity, 1916, Entomologist's Rec. J. Var. 28: 79. Syntypes: 8♂ 2♀: S. England: Westcliff-on-sea. Range (in code): Bw DE GB Rp

23212. Pieris (Artogeia) napi sifanica Groum-Grshimailo, 1895 (Pieridae) Synonym(s): sifanica Groum-Grshimailo, 1895 Original Reference: Pieris napi var. sifanica Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 290. Syntypes: [China]: Amdo: Sining-Gebirge. Range (in code): Amd CN Sng Ts

23213. Pieris (Artogeia) nesis Fruhstorfer, 1909 (Pieridae) Synonym(s): nesis Fruhstorfer, 1909 Original Reference: Pieris nesis Fruhstorfer, 1909, Int. ent. Z. 3 (16): 88. Syntypes: "Nord Japan, Sapporo". Range (in code): RU Sh JP

23214. Pieris (Artogeia) nesis nesis Fruhstorfer, 1909 (Pieridae) Synonym(s): nesis Fruhstorfer, 1909 Original Reference: Pieris nesis Fruhstorfer, 1909, Int. ent. Z. 3 (16): 88. Syntypes: "Nord Japan, Sapporo". Range (in code): RU Sh JP

23215. Pieris (Artogeia) ochsenheimeri Staudinger, 1886 (Pieridae) Synonym(s): ochsenheimeri Staudinger, 1886 Original Reference: Pieris ochsenheimeri Staudinger, 1886, Stettin ent. Ztg. 47: 199-200. Syntypes: [Usbekistan]: Margelan, Namangan, Alai-Gebirge. Range (in code): T-S Al Feg KK Nmg UZ

- 23216. *Pieris (Artogeia) ochsenheimeri ochsenheimeri* Staudinger, 1886** (Pieridae)
Synonym(s): *ochsenheimeri* Staudinger, 1886 Original Reference: *Pieris ochsenheimeri* Staudinger, 1886, Stettin ent. Ztg. 47: 199-200. Syntypes: [Usbekistan]: Margelan, Namangan, Alai-Gebirge. Range (in code): **T-S Al Feg KK Nmg UZ**
- 23217. *Pieris (Artogeia) persis* Verity, 1922** (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961. Original Reference: *Pieris napi* ssp. *persis* Verity, 1922, Entomologist's Rec. J. Var. 34: 140. Lectotype ♀: [Iran]: Persia, Husseinabad, J. de Morgan leg. (MNHNP). Range (in code): **IR Kd TM Kp TR IQ Hjo Ry**
- 23218. *Pieris (Artogeia) persis persis* Verity, 1922** (Pieridae) Synonym(s): *persis* Verity, 1922; *higginsii* Bowden, 1961. Original Reference: *Pieris napi* ssp. *persis* Verity, 1922, Entomologist's Rec. J. Var. 34: 140. Lectotype ♀: [Iran]: Persia, Husseinabad, J. de Morgan leg. (MNHNP). Range (in code): **IR Kd TM Kp TR IQ Hjo Ry**
- 23219. *Pieris (Artogeia) pseudorapae* Verity, 1908** (Pieridae) Synonym(s): *pseudorapae* Verity, 1908 Original Reference: *Pieris napi* var. *pseudorapae* Verity, [1908], Rhopalocera palaeartica: 144, pl. 32, 33, figs. Lectotype: [Lebanon]: Beyrouth (Bowden & Riley, 1967). Range (in code): **Cc Arr AM AZ BG B-H Da GG GR HV IQ IR Elb Mz Th JO LB Le MD MK RO RU SY TR UA YU**
- 23220. *Pieris (Artogeia) pseudorapae balcana* Lorkovic, 1968** (Pieridae) Synonym(s): *#canidiaformis* Drenowsky, 1910; *balcana* Lorkovic, 1968; *canidiaformis* Higgins & Riley, 1973 (cf. Kudrna, 1977: 63-64). Original Reference: *Pieris balcana* Lorkovic, 1968, Biol. Glasn. 21: 114. Syntypes ♂♀: Bosnia, Macedonia (in coll. Lorkovic). Range (in code): **BG B-H GR HV MD MK RO TR UA YU Mt Ko**
- 23221. *Pieris (Artogeia) pseudorapae mazandarana* Eitschberger, 1986** (Pieridae)
Synonym(s): *mazandarana* Eitschberger, 1986 Original Reference: *Pieris pseudorapae* ssp. *mazandarana* Eitschberger, 1986, Atalanta 17: 160-166. Holotype ♂: Iran: Mazandaran: 30km S. Chalus, Marzanabad, 650m. Range (in code): **IR Elb Mz Th TR**
- 23222. *Pieris (Artogeia) pseudorapae pseudorapae* Verity, 1908** (Pieridae) Synonym(s): *pseudorapae* Verity, 1908 Original Reference: *Pieris napi* var. *pseudorapae* Verity, [1908], Rhopalocera palaeartica: 144, pl. 32, 33, figs. Lectotype: [Lebanon]: Beyrouth (Bowden & Riley, 1967). Range (in code): **He IL Pa LB SY JO**
- 23223. *Pieris (Artogeia) pseudorapae suffusa* Sheljuzhko, 1931** (Pieridae) Synonym(s): *suffusa* Sheljuzhko, 1931 Original Reference: *Pieris napi* ssp. *suffusa* Sheljuzhko, 1931, Int. ent. Z. 25: 73. Lectotype ♂: [Azerbaijan]: Jelisavetopol (MZSF). Range (in code): **Cc Arr AM AZ Da GG GR IQ Kb Le RU Teb TR**
- 23224. *Pieris (Artogeia) rapae* (Linnaeus, 1758)** (Pieridae) Synonym(s): *rapae* Linnaeus, 1758; *nelo* Bergsträßer, 1780; *metra* Stephens, 1827; *alpica* Rossi, 1929. Original Reference: *Papilio rapae* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 468. Lectotype ♂: [Sweden (Verity, 1947)] (LSL). Range (in code): **Ae AF AL AT Az BE BG BH B-H BY Ch CH Ci CN Cn Co Cr CY CZ DE DK DZ EE ES FI FR GB Gg GR Hk HU HV IE IN IQ IR IS IT JO JP KG KK Kp KW Ld LT LU LV MA Mc Md MK MN MT Nf Nj NL NO OM PK PL PT QA Rd RO SA Sa SE Si SK SS SY TJ TM TN TR UA UZ YU Aa Am Ao At Aty Ax Ba Bs Cb Ikc Ir Ka Kg KP Kr KuA Kw Ky Mn No Om Pe Pr Pt Pw RU Sb Sj Sm So Sp Sr St TeA Tk Tm TrA Tt Us VI Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sjn Mst Mkl T-S Um Bl Ci Bn DsA Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCa SDk Tnn Tx Ut Vi Vr WVi Wc Ws Wy AU Hw NGA Pd Hf TW Kml JP RU Am Us Sh TW VN D-I Ldo GG AZ Kir AM Cc Arr Ab Jal Mz Gls Kh Koh Nra Bhh Rbt Tbl Sok Ess Tlm Saia Orn Agi Blid Ges Ogl Btina Cst Tun Tgr Tou Bea Gle Azr Ng Hr BLM Kab AU QAU NSw Syd SAU Cai Bionomy:** Larva on leaf of Rapa (Brassicaceae), Capparis spinosa (Capparaceae), Atriplex (Chenopodiaceae) (Tolman, 1997); Cleome ruditosperma (Capparaceae) (Kemal, 2006).
- 23225. *Pieris (Artogeia) rapae crucivora* Boisduval, 1836** (Pieridae) Synonym(s): *crucivora* Boisduval, 1836 Range (in code): **JP RU Am Us Sh TW VN D-I Ldo**
- 23226. *Pieris (Artogeia) rapae debilis* Alpheraky, 1889** (Pieridae) Synonym(s): *debilis* Alpheraky, 1889; *similis* Krulikowsky, 1890 Range (in code): **KK**
- 23227. *Pieris (Artogeia) rapae leucosoma* Schawerda, 1905** (Pieridae) Synonym(s): *leucosoma* Schawerda, 1905; *#vaga* Schawerda, 1905; *iranica* Le Cerf, 1913 *nec* Bien., 1870; *meleager* Hemming, 1934 Original Reference: *Pieris manni leucosoma* Schawerda, 1905, Verh. zool.- bot. Ges. Wien 55: 516. Syntypes: Lebanon: Beirut (NHMW). Range (in code): **TR Arr AF IQ Agh IR Ab Jal Ak Ahw Ar Ara B-A Bk Brz Bu By DzF Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj PK Nwf Bl**

- 23228. *Pieris (Artogeia) rapae mauritanica* Verity,1908** (Pieridae) Synonym(s): *mauritanica* Verity,1908 Original Reference: *Pieris rapae mauritanica* Verity,1908, Rhop. palaeart.: 155. Syntypes: Algeria; Morocco: Tangier. Range (in code): **DZ MA Rbt TN Ess Tlm Saia Orn Agi Blid Ges Ogl Bttna Cst Tun Tgr**
- 23229. *Pieris (Artogeia) rapae orientalis* Oberthür,1880** (Pieridae) Synonym(s): *orientalis* Oberthür,1880; *mandschurica* Speyer,1882 Original Reference: *Pieris parae* var. *orientalis* Oberthür,1880, Etüd. d'Ent. 5: 13. Syntypes ♂♀: "d'Askold, Japon," nord de la Chine (par M.l'abbé Armand David)." Range (in code): **T-S Am CN Dj Ir KG Mc RU Sem Tk Um Kml Aa TrA Ket Sju DsA Aem**
- 23230. *Pieris (Artogeia) rapae rapae* (Linnaeus,1758)** (Pieridae) Synonym(s): *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929; *pulverea* Verity,[1911]. Original Reference: *Papilio rapae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 468. Lectotype ♂: [Sweden (Verity,1947)] (LSL). Range (in code): **Ae AF AL AT Aty AU Az BE BG BH B-H Bw BY Ch CH CN Cn Co Cr CY CZ DE DK EE EG ES FI FR GB GR HU HV Hw IE IL IS IT JO JP KG KK KW LB LT LU LV Md MK MN MT MX Nf Nj NL NO OM PK PL PT QA Rd RO Rp RU SA Sa SE Si SK SS SY TJ TM TR UA Ui US UZ Yh Yk YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Ril Sju Mst Mkl He Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San**
- 23231. *Pieris (Artogeia) rapae ssp.*** (Pieridae) Synonym(s): Range (in code): **TH CMa Cu07 Phy Nuc** Bionomy: Larva on leaf of *Cleome ruditosperma* (Capparaceae) (Kemal, Leksawasdi & Koçak,2007).
- 23232. *Pieris (Artogeia) rapae transcaucasica* Stauder,1925** (Pieridae) Synonym(s): *transcaucasica* Stauder,1925 Original Reference: *Pieris rapae* f. *transcaucasica* Stauder,1925, Ent. Anz. (1): 4. Syntypes: [Azerbaijan]: Terter bei Jelisavetpol (BMNH). Range (in code): **TR AZ Kir Cc GG Tbl Abk Sok AM**
- 23233. *Pieris (Artogeia) segonzaci* Le Cerf,1923** (Pieridae) Synonym(s): *segonzaci* Le Cerf,1923; *#deflava* Le Cerf,1923 Original Reference: *Pieris napi* ssp. *segonzaci* Le Cerf,1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes 4♂ 2♀: [Marocco]: Toubkal-Massiv: Ourika, vi.1922 leg. Ungemach. Range (in code): **MA Ouk** Bionomy: Larva on *Ptilotrichum spinosum* (Brassicaceae) (Tennent,1996)
- 23234. *Pieris (Artogeia) segonzaci jadidi* Tarrier,2009** (Pieridae) Synonym(s): *jadidi* Tarrier,2009 Range (in code): **MA**
- 23235. *Pieris (Artogeia) segonzaci segonzaci* Le Cerf,1923** (Pieridae) Synonym(s): *segonzaci* Le Cerf,1923; *#deflava* Le Cerf,1923 Original Reference: *Pieris napi* ssp. *segonzaci* Le Cerf,1923, Bull. Soc. ent. Fr. 1923: 197. Syntypes 4♂ 2♀: [Marocco]: Toubkal-Massiv: Ourika, vi.1922 leg. Ungemach. Range (in code): **MA Ouk**
- 23236. *Pieris (Artogeia) tadjika* Groum-Grshimailo,1888** (Pieridae) Synonym(s): *tadjika* Groum-Grshimailo,1888 Original Reference: *Pieris tadjika* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304. Syntypes ♂♀: [Tadjikistan]: Darwaz, Karategin. Range (in code): **TJ**
- 23237. *Pieris (Artogeia) tadjika tadjika* Groum-Grshimailo,1888** (Pieridae) Synonym(s): *tadjika* Groum-Grshimailo,1888 Original Reference: *Pieris tadjika* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 304. Syntypes ♂♀: [Tadjikistan]: Darwaz, Karategin. Range (in code): **TJ**
- 23238. *Pieris (Artogeia) tomariana* Matsumura,1928** (Pieridae) Synonym(s): *tomariana* Matsumura,1928; *kurilica* Bryk,1942. Original Reference: *Pieris melete* ssp. *tomariana* Matsumura,1928, Insecta Matsumurana 2: 197. Type ♀: Kuriles. Range (in code): **RU Krl**
- 23239. *Pieris (Artogeia) virginienensis* Edwards,1870** (Pieridae) Synonym(s): *virginienensis* Edwards,1870 Range (in code): **US Alb Cnt Ge Idp Knt Mch Mrl Msc NCa Nje Ny Oh Pns SCa Tnn Vi Vr WVi Wc**
- 23240. *Pieris (s.str.) brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. Original Reference: *Papilio brassicae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe]. Range (in code): **Adr AF AL At AT Az Bd BE BG B-H Bs BY Cb CH CN Co Cr CY CZ DE DK EE ER ES FI FR GB GR Hk HU HV IE Ii IL IQ IR IS IT JO Ka Kab Kbb Kg KG KK Kp Kr Kw Ky LB LT LU LV MK MT NL No NO NP Om Pag PK Ci PL PT Pw Rd RO RU Sa Sb SE Si SK So SS Tm TM TR Tt UA Ui UZ Aa Ax Ike KuA Mn Sp Tk TrA Cw Dv Smt H-W Sur Ssx Ken Ko MA DZ TN Sju Trb Sof Rg Rtc Slv Mt LY Cy SY Kts T-S Um Bn DsA Elb Th Sju Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Mu18 IN Ass Slo Dk TH Pa Hf Ab Ak Shf Mz Gl Kh Koh Swa Gg Bt Nwf Pes Mdy Rbt Azr Ess Orn Agi Blid Bsk Ktr Tlm Cst Bttna Tun Tgr Mzg Hrh Ng Hr Prw** Bionomy: Larva on *Brassica*, *Capparis spinosa*, *Tropaeolum majus* (Tolman,1997).

- 23241. *Pieris (s.str.) brassicae brassicae* (Linnaeus,1758)** (Pieridae) Synonym(s): *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. Original Reference: *Papilio brassicae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe]. *Papilio brassicae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): [Europe]. Range (in code): **He Ae AF AL AT BE BG B-H Bw BY CH Co Cr CY CZ DE DK EE ER ES FI FR GB GR HU HV IE IL IR IS IT JO KG Kr LB LT LU LV MK MT NL NO NP PK PL PT Rd RO Rp RU Sa SE Si SK SS TM Kp TR UA UZ YU Cw Dv Smt H-W Sur Ssx Ken Ko Sjn Trb Sof Rg Rtc Slv Mt MA DZ TN LY Cy Pa Hf SY CN Ui Um Ci Bn At Elb Th Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Rio Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm Lug Ple San Ab Ak Shf Rbt Ess Orn Agi Blid Bsk Ktr Tlm Cst Bttna Tun Tgr Mzg Hrh Azr**
- 23242. *Pieris (s.str.) brassicae nepalensis* Doubleday,1846** (Pieridae) Synonym(s): *nepalensis* Doubleday,1846; *nepalense* Moore,1882. Original Reference: *Pieris brassicae* var. *nepalensis* Doubleday,1846, [in] Doubleday, Westwood & Hewitson, Genera of Diurnal Lepidoptera I: 9, Pl.6 figs.3. Syntypes: Nepal. Range (in code): **PK Ld NP IN Ass Slo TH**
- 23243. *Pieris (s.str.) brassicae ottonis* Röber,1907** (Pieridae) Synonym(s): *brassicoides* Staudinger,1901 nec Guér.-Méneville,1849; *ottonis* Röber,1907; *scientalis* Koçak,1998 Original Reference: *Pieris brassicae ottonis* Röber,1907, [in] Seitz, Die Gross-Schmett. Erde 1: 45 (nom. nov. pro *Pieris brassicae* var. *brassicoides* Stgr.,1901). Range (in code): **Dj KG KK Sem Tk UZ Aa Ax Ikc KuA DsA Sju Mn Sp Tk TrA T-S Um IQ Dk Ng Hr Prw**
- 23244. *Pieris (s.str.) brassicoides* Guérin-Méneville,1849** (Pieridae) Synonym(s): *brassicoides* Guérin-Méneville,1849; *#hodsoni* Carpenter,1935; *#ragazzii* Storace,1956; *bogalei* Rougeot,1980 Range (in code): **ET TZ** Bionomy: Larva on Brassica (Brassicaceae), Tropaeolum (Tropaeolaceae) (Ackery et al.,1995).
- 23245. *Pieris (s.str.) brassicoides brassicoides* Guérin-Méneville,1849** (Pieridae) Synonym(s): *brassicoides* Guérin-Méneville,1849; *#hodsoni* Carpenter,1935; *#ragazzii* Storace,1956; *bogalei* Rougeot,1980 Range (in code): **ET** Bionomy: Larva on Brassica (Brassicaceae), Tropaeolum (Tropaeolaceae) (Ackery et al.,1995).
- 23246. *Pieris (s.str.) brassicoides marghanita* Hemming,1941** (Pieridae) Synonym(s): *meridionalis* Joicey & Talbot,1922 nec Heyn.,[1895]; *marghanita* Hemming,1941 Range (in code): **TZ**
- 23247. *Pieris (s.str.) cheiranthi* (Hübner,[1808])** (Pieridae) Synonym(s): *cheiranthi* Hübner,[1808] Original Reference: *Papilio cheiranthi* Hübner,[1808], Samml. eur. Schmett. 1: pl.127, figs. 647, 648. Syntype(s): Kanarische Inseln. Range (in code): **Cn Md**
- 23248. *Pieris (s.str.) cheiranthi azorensis* Rebel,1917** (Pieridae) Synonym(s): *azorensis* Rebel,1917 Original Reference: *Pieris brassicae* var. *azorensis* Rebel,1917, Annln naturh. Mus. Wien 31: 16. Syntypes: Azoren. Range (in code): **Az**
- 23249. *Pieris (s.str.) cheiranthi cheiranthi* (Hübner,[1808])** (Pieridae) Synonym(s): *cheiranthi* Hübner,[1808] Original Reference: *Papilio cheiranthi* Hübner,[1808], Samml. eur. Schmett. 1: pl.127, figs. 647, 648. Syntype(s): Kanarische Inseln. Range (in code): **Cn**
- 23250. *Pieris (s.str.) cheiranthi wollastoni* Butler,1886** (Pieridae) Synonym(s): *wollastoni* Butler,1886 Original Reference: *Pieris brassicae wollastoni* Butler,1886, Ann. Mag. nat. Hist. (5) 17: 430. Type: Madeira. Range (in code): **Md**
- 23251. *Pieris (s.str.) deota* (De Nicéville,1884)** (Pieridae) Synonym(s): *deota* De Nicéville,1884; *roborowskii* Alpheraky,1887 Original Reference: *Mancipium deota* De Nicéville,1884, J. asiat. Soc. Beng. 52,2: 82, Pl.9 fig.10. Type ♂: Ladak (in Asiatic Society or Indian Museum, Calcutta (Lukhtanov,1996)). Range (in code): **Ch CN Kk Ld PK Pm TJ Ui Cho**
- 23252. *Pieris (s.str.) deota deota* (De Nicéville,1884)** (Pieridae) Synonym(s): *deota* De Nicéville,1884; *roborowskii* Alpheraky,1887 Original Reference: *Mancipium deota* De Nicéville,1884, J. asiat. Soc. Beng. 52,2: 82, Pl.9 fig.10. Type ♂: Ladak (in Asiatic Society or Indian Museum, Calcutta (Lukhtanov,1996)). Range (in code): **Ch CN Kk Ld PK Pm TJ Ui Cho**
- 23253. *Pieris (s.str.) eitschbergeri* Lukhtanov,1996** (Pieridae) Synonym(s): *eitschbergeri* Lukhtanov,1996 Original Reference: *Pieris eitschbergeri* Lukhtanov,1996, Atalanta 27(1/2): 213-219, figs. Holotype ♂: Kirgisien: Inner- Tienschan, Dshetim Gebirge, 70km E. Naryn, 2900-3400m (in coll. St. Petersburg Univ.). Range (in code): **KK Na T-S**
- 23254. *Pieris (s.str.) eitschbergeri eitschbergeri* Lukhtanov,1996** (Pieridae) Synonym(s): *eitschbergeri* Lukhtanov,1996 Original Reference: *Pieris eitschbergeri* Lukhtanov,1996, Atalanta 27(1/2): 213-219, figs. Holotype ♂: Kirgisien: Inner- Tienschan, Dshetim Gebirge, 70km E. Naryn, 2900-3400m (in coll. St. Petersburg Univ.). Range (in code): **KK Na T-S**

- 23255. *Pinacopteryx eriphia* (Godart,[1819])** (Pieridae) Synonym(s): *eriphia* Godart,[1819]; *nyassae* Lang,1896 Original Reference: *Pieris eriphia* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 157. Type(s): Patria incognita. Range (in code): **AO As BF BW ER GH MR MW Zom NE NG SA Bhh SD SN TD TZ YE ZA Tva Spb Mdk Lj Kru Pma Nta Kzu Ptb Ly ZW ET SO KE UG ZR MG**
- 23256. *Pinacopteryx eriphia eriphia* (Godart,[1819])** (Pieridae) Synonym(s): *eriphia* Godart,[1819]; *nyassae* Lang,1896 Original Reference: *Pieris eriphia* Godart,[1819], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 157. Type(s): Patria incognita. Range (in code): **AO BW MW Zom TZ ZA Tva Spb Mdk Lj Kru Pma Nta Kzu Ptb Ly ZW**
- 23257. *Pinacopteryx eriphia mabiliei* (Aurivillius,[1898])** (Pieridae) Synonym(s): *mabiliei* Aurivillius,[1898] Range (in code): **MG**
- 23258. *Pinacopteryx eriphia melanarge* (Butler,1886)** (Pieridae) Synonym(s): *melanarge* Butler,1886; *iterata* Butler,1888 Range (in code): **TZ SD ET SO KE UG**
- 23259. *Pinacopteryx eriphia tritogenia* (Klug,1829)** (Pieridae) Synonym(s): *tritogenia* Klug,1829; *lacteipennis* Butler,1876; *straminea* Aurivillius,1904 Original Reference: *Pontia tritogenia* Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: Pl.8 figs. 17,18. Type(s): [Sudan]: Ambukohl. Range (in code): **As BF ER GH MR NE NG SA SD SN TD YE**
- 23260. *Pinacopteryx eriphia wittei* Berger,1940** (Pieridae) Synonym(s): *wittei* Berger,1940 Range (in code): **UG ZR**
- 23261. *Pontia beckerii* (Edwards,1871)** (Pieridae) Synonym(s): *beckerii* Edwards,1871 Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Ok Org Ut Ws Wy**
- 23262. *Pontia callidice* (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803]. Original Reference: *Papilio callidice* Hübner,[1800], Samml. eur. Schmett. 1:63,pl.81, figs. 408,409. Syntypes: Schweizergebirge. Range (in code): **Aa AF At Kts AT Ax Bv Py Fo6 F65 BY Ch CH CN DE DsA ES FR Hu IQ IR Ab Ak Bk Elb Th IT KG KK KuA Ld Mn PK Ci Pm RU Sau Sp SS Tar TeA TJ Tk TR Arr Ce TrA UA Ui Ku Um T-S** Bionomy: Larva on *Erysimum helveticum*, *Reseda glauca*, *Cardamine bellidifolia*, *Hutchinsia alpina* (Tolman, 1997).
- 23263. *Pontia callidice amaryllis* Hemming,1933** (Pieridae) Synonym(s): *orientalis* Alpheraky,1881 nec Obth.,1880; *amaryllis* Hemming,1933. Original Reference: *Pontia callidice amaryllis* Hemming,1933, Entomologist 66: 278 (nom. nov. pro *Pieris callidice* var. *orientalis* Alpheraky,1881 nec Oberthür,1880). Syntypes: [China]: Tian-Chian [Tengri Tagh]. Range (in code): **Aa At Ax CN Dj DsA KG KK Ku KuA Mn Sau Sem Sp Tar TeA Tk Tk TrA T-S Ui Kts Um**
- 23264. *Pontia callidice amdensis* (Verity,[1911])** (Pieridae) Synonym(s): *amdensis* Verity,[1911] Original Reference: *Pieris callidice* race *amdensis* Verity,[1911], *Rhopalocera Palaearctica*: 327. Syntypes: [China]: Amdo. Range (in code): **Amd CN Ts**
- 23265. *Pontia callidice callidice* (Hübner,[1800])** (Pieridae) Synonym(s): *callidice* Hübner,[1800]; *callidice* Esper,[1803]. Original Reference: *Papilio callidice* Hübner,[1800], Samml. eur. Schmett. 1:63,pl.81, figs. 408,409. Syntypes: Schweizergebirge. Range (in code): **CH IT FR DE Bv AT Py Fo6 F65**
- 23266. *Pontia callidice chrysidice* (Herrich-Schäffer,[1844])** (Pieridae) Synonym(s): *chrysidice* Herrich-Schäffer,[1844] Original Reference: *Anthocharis callidice chrysidice* Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: 97, figs.200-203. Syntypes: [Russia]: Südrussland. Range (in code): **AM Cc Arr AZ GG IQ IR Ab Ak Bk Elb Th RU TR**
- 23267. *Pontia callidice duplati* Bernardi,1965** (Pieridae) Synonym(s): *duplati* Bernardi,1965 Original Reference: *Pontia callidice* ssp. *duplati* Bernardi,1965, Bull. Soc. ent. Fr. 70: 230-231. Holotype ♀: "Gharwal, rive gauche petit glacier affluent du glacier de la Nanda Devi, 4700m. (MNHP). Range (in code): **Ch**
- 23268. *Pontia callidice hazara* (Wyatt,1961)** (Pieridae) Synonym(s): *hazara* Wyatt,1961 Original Reference: *Synchlœ callidice* ssp. *hazara* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 6. Holotype ♂: Afghanistan: Band-i-Amir, Hazarajat, N. of Koh-i-Baba Mts., 11400ft. Range (in code): **AF**
- 23269. *Pontia callidice kalora* (Moore,1865)** (Pieridae) Synonym(s): *kalora* Moore,1865 Original Reference: *Pieris kalora* Moore,1865, Proc. zool. Soc. Lond. 1865: 489, Pl.31 fig.15. Range (in code): **Ld Ci PK**
- 23270. *Pontia callidice libanotica* Bernardi,1965** (Pieridae) Synonym(s): *libanotica* Bernardi,1965 Original Reference: *Pontia callidice* ssp. *libanotica* Bernardi,1965, Bull. Soc. ent. Fr. 70: 231-232. Holotype ♂: Libanon: Cedar Mt. (BMNH). Range (in code): **LB ALb**

- 23271. Pontia chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür,1881*. Original Reference: Papilio chloridice Hübner,[1813], Samml. eur. Schmett. 1: pl. 141, figs. 712-715. Syntype(s): [Europe]. Range (in code): **AF Ng Jla Bl Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ab Ak Elb Th Kh Lo Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk VI Slv Rg T-S CN Ui Adu Um** Bionomy: Larva on Cymatocarpus popovi, Sisymbrium polymorphum, S. junceum, Descurainia sophia (Brassicaceae) (Bartel, 1914; Korshunov, 1981; Tolman, 1997); Cleome ornithopodioides (Capparaceae) (Kemal, in litt.).
- 23272. Pontia chloridice chloridice (Hübner,[1813])** (Pieridae) Synonym(s): *russiae* Esper,[1784] *nec russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 *nec Oberthür,1881*. Original Reference: Papilio chloridice Hübner,[1813], Samml. eur. Schmett. 1: pl. 141, figs. 712-715. Syntype(s): [Europe]. Range (in code): **AF Ao Aq Bn At Ba BG BY Cb Ci CY Dj DsA FI Gg GR IQ Kq IR Ka Kbb KG KK Kw Ld LT LV MK Mn MN Mrk Om Or PK Pnj Pw Rk RU Sau Sb Sem Sm So Sp Sr Tar TeA Tk TR Cc Tt UA Uk VI Slv Rg T-S Ab Ak Elb Th Kh Lo CN Ui Adu Um** Bionomy: Larva on Cymatocarpus popovi, Sisymbrium polymorphum, S. junceum, Descurainia sophia (Brassicaceae) (Bartel, 1914; Korshunov, 1981; Tolman, 1997); Cleome ornithopodioides (Capparaceae) (Kemal, in litt.).
- 23273. Pontia daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. Original Reference: Papilio daplidice Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): Europe australis & Africa. Range (in code): **Adr AF AL Ao AT Ba BE BG B-H Bw BY CH Cr CZ DE DK ES FI FR GB GR Hk HU HV IE IR IT Kab Kb Kbb Kr LT LU LV MK MT NL Nu Pag PK Ci Cp PL Pnj PT RO RU SA Sa SE Si SK Sm So Sr SS Teb TR UA Uk VI YE YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko Sof Slv Vrn Rtc ET NP JO Sjn He IL Hf Pa SO Ad Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm TH CMA CDo Chh MA DZ Orn Ktr Bsk Dju TN Tth Ess Saia Agi Gha Ela Khh Cst Dje Tun Dhm Lbs Hrh Sfr Hdd Ear Bea Gle Omy Gtt Bsk Clo Ah Ges Ng Hr BLM Prw Kab** Bionomy: Larva on Reseda luteola, R. alba, R. lutea, Sisymbrium, Erysimum, Ptilotrichum, Arabis, Moricandia, Alyssum, Sinapis, Iberis, Diplotaxis, Descurainia, Lepidium, Raphanus, Thlaspi, Fibigia (Tolman,1997).
- 23274. Pontia daplidice aethiops (Joannis & Verity,1912)** (Pieridae) Synonym(s): *aethiops* Joannis & Verity,1912 Original Reference: Synchloe daplidice aethiops Joannis & Verity,1912, Bull. Soc. ent. ital. 44: 120. Syntypes: Abyssinie. Range (in code): **ET SO YE Ad**
- 23275. Pontia daplidice daplidice (Linnaeus,1758)** (Pieridae) Synonym(s): *daplidice* Linnaeus,1758; *belemida* Geyer,[1832]; *albidice* Oberthür,1881; *iberidice* Bryk,1940. Original Reference: Papilio daplidice Linnaeus,1758, Syst. Nat. (Edn.10) 1: 468. Type(s): Europe australis & Africa. Range (in code): **AL Ao AT Ba BE BG B-H Bw BY CH Cr CZ DE DK ES FI FR GB GR HU HV IE IT Kr LT LU LV MK MT NL PL PT RO Rp RU SA Sa SE Si SK Sm So Sr SS TR UA Uk VI YE YU Cw Dv Smt H-W Sur Ssx Ken Mt Ko MA DZ Orn Ktr Bsk Dju TN Sof Slv Vrn Rtc Sjn JO He IL Hf Pa**
- 23276. Pontia daplidice iberidice Bryk,1940** (Pieridae) Synonym(s): *iberidice* Bryk,1940 Range (in code): **ES Act Alc Alv Alm Atu Av Bad Bar Bgs C-L C-M CRe Cas Ccs Cd Cor Cue Cz Ct Gna Gp Grn Gu Hue Hv Jae Lda Leo Mdr Mlg Mu Mu18 Nrr Ore Pv Lug Ple Rio San Seg Sma Sor Svl Ter Tol Trg Val Vcl Zg Zm**
- 23277. Pontia daplidice moorei (Röber,1907)** (Pieridae) Synonym(s): *moorei* Röber,1907 Original Reference: Leucochloe daplidice moorei Röber,1907, [in] Seitz,A., Gross-Schmett. Erde 1: 49. Syntypes: Tibet, Kaschmir, Baluchistan. Range (in code): **Adr AF Hk Kab Kbb Ld Nu Pag PK Cp Ci Pnj Bl Ti Ch NP TH CMA CDo**
- 23278. Pontia distorta (Butler,1886)** (Pieridae) Synonym(s): *distorta* Butler,1886 Range (in code): **ET SO KE TZ**
- 23279. Pontia distorta distorta (Butler,1886)** (Pieridae) Synonym(s): *distorta* Butler,1886 Range (in code): **ET SO KE TZ**
- 23280. Pontia edusa (Fabricius,1777)** (Pieridae) Synonym(s): *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. Original Reference: Papilio edusa Fabricius,1777, Genera Insectorum: 255. Type(s): [Deutschland]: Chilonii. Range (in code): **Aa Ae Aq Bn At Kts Aty Ax BG Bs Cb CN CY DE Dg Dj GG Gj GR IQ IR IT Kg KG KK Kp Kt KuA Ky Mg MK Mn No NrK Om Or Pp Rd Rk RU Sb Sem Sm Sp SS TeA TJ Tk Syr Tm TM TR TrA Ty Ui Uk UZ YU Ze SY Um Ku DsA T-S Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Adu Sju Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Ab Jal Sro Msw Ak Agh Cc** Bionomy: Larva on Reseda alba, R. lutea, R. luteola, Descurainia sophia, Diplotaxis, Thlaspi, Teesdalia nudicaulis, Turritis, Lepidium sp., Isatis tinctoria (Lavroff, 1927; Falkovitsh, 1969; Tolman, 1997).

- 23281. *Pontia edusa edusa* (Fabricius,1777) (Pieridae)** *Synonym(s): edusa Fabricius,1777; bellidice Ochsenheimer,1808; persica Bienert,1870; #nitida Verity,[1908].* Original Reference: *Papilio edusa Fabricius,1777, Genera Insectorum: 255. Type(s): [Deutschland]: Chilonii. Range (in code):* **Aa Ae Aq Bn At Kts Ax BG Bs Cb CY DE Dg GG Gj GR IQ IR IT Kg KG T-S KK Kt KuA Ky Mg MK Mn No NrK Om Or Pp Rd Rk Sb Sm Sp S-RU SS TeA TJ Tk Syr Tm TM TR DsA TrA Ty Uk UZ YU Ze SY Um Ku Ab Ak Ahw Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Adu Sju Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj Agh Cc**
- 23282. *Pontia glauconome* Klug,1829 (Pieridae)** *Synonym(s): glauconome Klug,1829* Original Reference: *Pontia glauconome Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 18,19. Type(s): In Arabia deserta; [Egypt]: in monte Sinai. Range (in code):* **CV MR MA DZ Tmn Ah Ajj Gha Cst Omy Dje Gtt TN IQ IR Th Kz Fa Ke Ss SA Bhh YE SY JO PK Pj Bi Ci Nwf KE TD Tbt SO SD Sk IQ AF Ng Jla UZ TM** Bionomy: Larva on *Zilla spinosa*, *Schouwia purpurea*, *Moricandia arvensis*, *Morettia*, *Diploxis harra* (Brassicaceae); *Cleome paradoxa* (Capparidaceae); *Erigeron denticulatus* (Asteraceae) (Wiltshire,1948; Bernardi,1962; Speidel & Hassler,1990)
- 23283. *Pontia glauconome glauconome* Klug,1829 (Pieridae)** *Synonym(s): glauconome Klug,1829* Original Reference: *Pontia glauconome Klug,1829, [in] Ehrenberg, Symb. Phys. Ins. 1: signature G, Pl.7 figs. 18,19. Type(s): In Arabia deserta; [Egypt]: in monte Sinai. Range (in code):* **MA TN DZ Tmn Ah Ajj Gha Cst Omy Dje Gtt TD Tbt SO SD Sk KE JO SA YE Sk** Bionomy: Larva on *Zilla spinosa*, *Schouwia purpurea*, *Moricandia arvensis*, *Morettia*, *Diploxis harra* (Brassicaceae); *Cleome paradoxa* (Capparidaceae); *Erigeron denticulatus* (Asteraceae) (Wiltshire,1948; Bernardi,1962; Speidel & Hassler,1990)
- 23284. *Pontia glauconome iranica* (Bienert,1870) (Pieridae)** *Synonym(s): iranica Bienert,1870; vipasa Moore,1872* Original Reference: *Pieris iranica Bienert,1870, Lepid. Ergebn. Reise in Persien: 27. Type(s): [Iran]: Persia. Range (in code):* **IQ TJ IR Th Kz Fa Ke Ss SY PK Pj Bi Ci Nwf AF Ng Jla**
- 23285. *Pontia helice* (Linnaeus,1764) (Pieridae)** *Synonym(s): helice Linnaeus,1764; hellice Linnaeus,1767; raphani Esper,[1783]* Range (in code): **ZA Nta Kzu Ptb Tva Lpo Spb Hgl ZW UG TZ KE RW BI ZR Kvu**
- 23286. *Pontia helice helice* (Linnaeus,1764) (Pieridae)** *Synonym(s): helice Linnaeus,1764; hellice Linnaeus,1767; raphani Esper,[1783]* Range (in code): **ZA Nta Kzu Ptb Tva Lpo Spb Hgl ZW**
- 23287. *Pontia helice johnstonii* (Crowley,1887) (Pieridae)** *Synonym(s): johnstonii Crowley,1887* Range (in code): **UG TZ KE RW BI ZR Kvu**
- 23288. *Pontia occidentalis* (Reakirt,1866) (Pieridae)** *Synonym(s): occidentalis Reakirt,1866* Range (in code): **US Arz Cf Col Id Kan Mch Mon NDk NMx Ne Neb Org SDk Ut Ws Wy**
- 23289. *Pontia protodice* (Boisduval & Leconte,1829) (Pieridae)** *Synonym(s): protodice Boisduval & Leconte,1829* Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa NDk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi SCA SDk Tnn Tx Ut Vi WVi We Ws Wy**
- 23290. *Pontia sherpae* Epstein,1979 (Pieridae)** *Synonym(s): sherpae Epstein,1979* Range (in code): **NP**
- 23291. *Pontia sherpae sherpae* Epstein,1979 (Pieridae)** *Synonym(s): sherpae Epstein,1979* Range (in code): **NP**
- 23292. *Pontia sisymbrii* (Boisduval,1852) (Pieridae)** *Synonym(s): sisymbrii Boisduval,1852* Range (in code): **US MX Arz Cf Col Id Mon NDk NMx Ne Neb Ok Org SDk Tx Ut Ws Wy**
- 23293. *Prestonia clarki* Schaus,1920 (Pieridae)** *Synonym(s): clarki Schaus,1920; #semimaculata Maza,1975* Range (in code): **MX**
- 23294. *Prioneris philonome* (Boisduval,1836) (Pieridae)** *Synonym(s): philonome Boisduval,1836* Range (in code): **SI IN MM CN TH Cbi Cph Pht Rat CMa CDo Pgg Phu VN Ton Tda**
- 23295. *Prioneris philonome clemathe* (Doubleday,1846) (Pieridae)** *Synonym(s): clemathe Doubleday,1846* Range (in code): **TH Cbi Cph Pht Rat CMa CDo Pgg Phu**
- 23296. *Prioneris philonome philonome* (Boisduval,1836) (Pieridae)** *Synonym(s): philonome Boisduval,1836* Range (in code): **TH**
- 23297. *Prioneris sita* (C.Felder,1865) (Pieridae)** *Synonym(s): sita C.Felder,1865* Range (in code): **LK**
- 23298. *Prioneris thestylis* (Doubleday,1842) (Pieridae)** *Synonym(s): thestylis Doubleday,1842; seta Moore,1857; watsoni Hewitson,1868; jugurtha Fruhstorfer,1910.* Original Reference: *Pieris thestylis Doubleday,1842, [in] Gray, Zool. Misc.: 76. Type(s): North India. Range (in code):* **IN Ass Slo TH Cbi CMa Cuo Cu10 CDo Chy MM Hnn CN Mus NP TW VN Ton Tda**

- 23299. Prioneris thestylis thestylis (Doubleday,1842)** (Pieridae) Synonym(s): *thestylis* Doubleday,1842; *seta* Moore,1857; *watsoni* Hewitson,1868; *jugurtha* Fruhstorfer,1910. Original Reference: *Pieris thestylis* Doubleday,1842, [in] Gray, Zool. Misc.: 76. Type(s): North India. Range (in code): **IN Ass Slo TH Cbi Cma Cuo Cuio CDo Chy MM Hnn CN Mus NP TW VN Ton Tda**
- 23300. Pseudopieris nehemia (Boisduval,1836)** (Pieridae) Synonym(s): *nehemia* Boisduval,1836; *cydno* Doubleday,1842 Range (in code): **BR MX EC PE HN GT PA AR**
- 23301. Pseudopieris nehemia aequatorialis (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *aequatorialis* C.Felder & R.Felder,1861; *penia* Hoppfer,1874 Range (in code): **EC PE**
- 23302. Pseudopieris nehemia francisca Lamas,1979** (Pieridae) Synonym(s): *francisca* Lamas,1979 Range (in code): **HN**
- 23303. Pseudopieris nehemia irma Lamas,1979** (Pieridae) Synonym(s): *irma* Lamas,1979 Range (in code): **GT**
- 23304. Pseudopieris nehemia limbalis Röber,1924** (Pieridae) Synonym(s): *limbalis* Röber,1924 Range (in code): **BR**
- 23305. Pseudopieris nehemia luisa Lamas,1979** (Pieridae) Synonym(s): *luisa* Lamas,1979 Range (in code): **GT**
- 23306. Pseudopieris nehemia melania Lamas,1985** (Pieridae) Synonym(s): *melania* Lamas,1985 Range (in code): **PE**
- 23307. Pseudopieris nehemia nehemia (Boisduval,1836)** (Pieridae) Synonym(s): *nehemia* Boisduval,1836; *cydno* Doubleday,1842 Range (in code): **BR MX**
- 23308. Pseudopieris nehemia prasina Hayward,1949** (Pieridae) Synonym(s): *prasina* Hayward,1949 Range (in code): **AR**
- 23309. Pseudopieris nehemia ssp.n.** (Pieridae) Synonym(s): Range (in code): **PE**
- 23310. Pseudopieris nehemia ssp.n.** (Pieridae) Synonym(s): Range (in code): **PE**
- 23311. Pseudopieris nehemia ssp.n.** (Pieridae) Synonym(s): Range (in code): **PE**
- 23312. Pseudopieris viridula (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *viridula* C.Felder & R.Felder,1861 Range (in code): **CO VE PE**
- 23313. Pseudopieris viridula mimaripa De Marmels, Clavijo & Chacin,2003** (Pieridae) Synonym(s): *mimaripa* De Marmels, Clavijo & Chacin,2003 Range (in code): **VE**
- 23314. Pseudopieris viridula ssp.n.** (Pieridae) Synonym(s): Range (in code): **PE**
- 23315. Pseudopieris viridula ssp.n.** (Pieridae) Synonym(s): Range (in code): **CO**
- 23316. Pseudopieris viridula viridula (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *viridula* C.Felder & R.Felder,1861 Range (in code): **CO**
- 23317. Pseudopontia paradoxa (C.Felder & R.Felder,1869)** (Pieridae) Synonym(s): *paradoxa* C.Felder & R.Felder,1869; *calabarica* Plötz,1870. Original Reference: *Globiceps paradoxa* C.Felder & R.Felder,1869, Petites Nouvelles ent. 1 (8): [31]. Range (in code): **SL CM GH NG EO CG CF ZR UG ZM AO** Bionomy: Larva on *Pseuderanthemum tunicatum* (Acanthaceae), *Pentarhopalopilia marquesii* (Opiliaceae), *Rhopalopilia pallens* (Opiliaceae) (Owen,1971; Heath,1977; Lees,1989)
- 23318. Pseudopontia paradoxa australis Dixey,1923** (Pieridae) Synonym(s): *australis* Dixey,1923; *#siccana* Pinhey,1962. Original Reference: *Pseudopontia paradoxa australis* Dixey,1923, Trans. ent. Soc. London 1922: 64. Range (in code): **ZR ZM AO**
- 23319. Pseudopontia paradoxa paradoxa (C.Felder & R.Felder,1869)** (Pieridae) Synonym(s): *paradoxa* C.Felder & R.Felder,1869; *calabarica* Plötz,1870. Original Reference: *Globiceps paradoxa* Felder & Felder,1869, Petites Nouvelles ent. 1 (8): [31]. Range (in code): **SL NG GH CM EO CG CF UG**
- 23320. Pyrisitia chamberlaini (Butler,1898)** (Pieridae) Synonym(s): *chamberlaini* Butler,1898; *banksi* Clench,1942 Range (in code): **BS**
- 23321. Pyrisitia chamberlaini chamberlaini (Butler,1898)** (Pieridae) Synonym(s): *chamberlaini* Butler,1898; *banksi* Clench,1942 Range (in code): **BS**
- 23322. Pyrisitia chamberlaini clenchi (L.D.Miller & Simon & Harvey,1992)** (Pieridae) Synonym(s): *clenchi* L.D.Miller & Simon & Harvey,1992 Range (in code): **BS**
- 23323. Pyrisitia chamberlaini inaguae (Munroe,1950)** (Pieridae) Synonym(s): *inaguae* Munroe,1950 Range (in code): **BS**
- 23324. Pyrisitia chamberlaini mariguanæ (M.Bates,1934)** (Pieridae) Synonym(s): *mariguanæ* M.Bates,1934 Range (in code): **BS**

- 23325. *Pyrisitia dina* (Poey,1832)** (Pieridae) Synonym(s): *dina* Poey,1832; *citrina* Poey,[1852]
Range (in code): **BS CU HT JM MX CR HN**
- 23326. *Pyrisitia dina dina* (Poey,1832)** (Pieridae) Synonym(s): *dina* Poey,1832; *citrina* Poey,[1852]
Range (in code): **CU**
- 23327. *Pyrisitia dina helios* (M.Bates,1934)** (Pieridae) Synonym(s): *helios* M.Bates,1934
Range (in code): **BS**
- 23328. *Pyrisitia dina mayobanex* (M.Bates,1939)** (Pieridae) Synonym(s): *mayobanex* M.Bates,1939
Range (in code): **HT**
- 23329. *Pyrisitia dina parvumbra* (Kaye,1925)** (Pieridae) Synonym(s): *parvumbra* Kaye,1925
Range (in code): **JM**
- 23330. *Pyrisitia dina westwoodi* (Boisduval,1836)** (Pieridae) Synonym(s): *westwoodi* Boisduval,1836; *calceolaria* Butler & Druce,1872
Range (in code): **MX CR HN**
- 23331. *Pyrisitia euterpiformis* (Munroe,1947)** (Pieridae) Synonym(s): *euterpiformis* Munroe,1947
Range (in code): **HT**
- 23332. *Pyrisitia leuce* (Boisduval,1836)** (Pieridae) Synonym(s): *leuce* Boisduval,1836; *sanguinea* Laranaga,1923; *riograndensis* D'Almeida,1934
Range (in code): **BR UY DM PR CO VE TT PE HT**
- 23333. *Pyrisitia leuce antillarum* (A.Hall,1936)** (Pieridae) Synonym(s): *antillarum* A.Hall,1936; *sanjuanensis* F.E.Watson,1938
Range (in code): **DM PR**
- 23334. *Pyrisitia leuce athalia* C.Felder & R.Felder,1865** (Pieridae) Synonym(s): *athalia* C.Felder & R.Felder,1865; *diodina* Butler,1865; *pseudoleuce* D'Almeida,1934
Range (in code): **CO VE TT**
- 23335. *Pyrisitia leuce circumcincta* (H.W.Bates,1861)** (Pieridae) Synonym(s): *circumcincta* H.W.Bates,1861
Range (in code): **BR**
- 23336. *Pyrisitia leuce flavilla* (H.W.Bates,1861)** (Pieridae) Synonym(s): *flavilla* H.W.Bates,1861; *hahneli* Staudinger,1884
Range (in code): **BR PE**
- 23337. *Pyrisitia leuce leuce* (Boisduval,1836)** (Pieridae) Synonym(s): *leuce* Boisduval,1836; *sanguinea* Laranaga,1923; *riograndensis* D'Almeida,1934
Range (in code): **BR UY**
- 23338. *Pyrisitia leuce memulus* (Butler,1871)** (Pieridae) Synonym(s): *memulus* Butler,1871
Range (in code): **HT**
- 23339. *Pyrisitia lisa* (Boisduval & Le Conte,[1830])** (Pieridae) Synonym(s): *lisa* Boisduval & Le Conte,[1830]; *#alba* Strecker,1878; *clappi* Maynard,1891; *#immaculata* Whittaker & Stallings,1944
Range (in code): **US GT HT CU**
- 23340. *Pyrisitia lisa centralis* (Herrich-Schäffer,1865)** (Pieridae) Synonym(s): *centralis* Herrich-Schäffer,1865
Range (in code): **GT**
- 23341. *Pyrisitia lisa euterpe* (Ménétriés,1832)** (Pieridae) Synonym(s): *euterpe* Ménétriés,1832; *stygmula* Boisduval,1836; *sulphurina* Poey,[1852]; *pauperata* D'Almeida,1934
Range (in code): **HT CU**
- 23342. *Pyrisitia lisa lisa* (Boisduval & Le Conte,[1830])** (Pieridae) Synonym(s): *lisa* Boisduval & Le Conte,[1830]; *#alba* Strecker,1878; *clappi* Maynard,1891; *#immaculata* Whittaker & Stallings,1944
Range (in code): **US**
- 23343. *Pyrisitia messalina* (Fabricius,1787)** (Pieridae) Synonym(s): *messalina* Fabricius,1787; *bulaea* Boisduval,1836; *gnathene* Boisduval,1836; *iradia* Poey,[1852]; *blakei* Maynard,1891
Range (in code): **BS US FI CU MX**
- 23344. *Pyrisitia nise* (Cramer,1775)** (Pieridae) Synonym(s): *nise* Cramer,1775; *neda* Godart,1819
Range (in code): **JM AR BR BO PE EC MX PA CU**
- 23345. *Pyrisitia nise floscula* (A.G.Weeks,1901)** (Pieridae) Synonym(s): *floscula* A.G.Weeks,1901; *frieda* Baumann & Reissinger,1969
Range (in code): **AR BO PE**
- 23346. *Pyrisitia nise laeae* (Herrich-Schäffer,1862)** (Pieridae) Synonym(s): *laeae* Herrich-Schäffer,1862; *#ricardi* Torre & Alayo,1953
Range (in code): **CU**
- 23347. *Pyrisitia nise nelphe* (R.Felder,1869)** (Pieridae) Synonym(s): *nelphe* R.Felder,1869; *venustula* Staudinger,1876; *linda* W.H.Edwards,1884
Range (in code): **MX PA**
- 23348. *Pyrisitia nise nise* (Cramer,1775)** (Pieridae) Synonym(s): *nise* Cramer,1775; *neda* Godart,1819
Range (in code): **JM**
- 23349. *Pyrisitia nise ssp.n.*** (Pieridae) Synonym(s):
Range (in code): **PE**
- 23350. *Pyrisitia nise stygma* (Boisduval,1836)** (Pieridae) Synonym(s): *stygma* Boisduval,1836; *sulla* Weymer,1890; *porteri* D'Almeida,1930; *joannisi* Dufrane,1947
Range (in code): **EC PE**
- 23351. *Pyrisitia nise tenella* (Boisduval,1836)** (Pieridae) Synonym(s): *tenella* Boisduval,1836; *nisella* C.Felder,1862; *perimede* Prittwitz,1865; *lepidula* D'Almeida,1921
Range (in code): **AR BR**

- 23352. *Pyrisitia portoricensis* (Dewitz,1877)** (Pieridae) Synonym(s): *portoricensis* Dewitz,1877; *tenera* Avinoff,1926 - Range (in code): PR
- 23353. *Pyrisitia proterpia* (Fabricius,1775)** (Pieridae) Synonym(s): *proterpia* Fabricius,1775; *gundlachia* Poey,[1853]; *longicauda* H.W.Bates,1864; *watsonia* Klots,1923; *morleyi* Coxey,1932 - Range (in code): JM CU EC CO MX
- 23354. *Pyrisitia pyro* (Godart,1819)** (Pieridae) Synonym(s): *pyro* Godart,1819; *hyona* Ménétriés,1832 - Range (in code): HT
- 23355. *Pyrisitia venusta* (Boisduval,1836)** (Pieridae) Synonym(s): *venusta* Boisduval,1836; *limbia* C.Felder & R.Felder,1861; *diosa* Möschler,1883 - Range (in code): DO EC JM CO VE
- 23356. *Pyrisitia venusta aequatorialis* (C.Felder & R.Felder,1861)** (Pieridae) Synonym(s): *aequatorialis* C.Felder & R.Felder,1861 - Range (in code): EC
- 23357. *Pyrisitia venusta emanona* (Dillon,1947)** (Pieridae) Synonym(s): *emanona* Dillon,1947 - Range (in code): DO
- 23358. *Pyrisitia venusta venusta* (Boisduval,1836)** (Pieridae) Synonym(s): *venusta* Boisduval,1836; *limbia* C.Felder & R.Felder,1861; *diosa* Möschler,1883 - Range (in code): JM CO VE
- 23359. *Rhabdodryas trite* (Linnaeus,1758)** (Pieridae) Synonym(s): *trite* Linnaeus,1758; *#tralba* F.M.Brown,1929 - Range (in code): PE BR DO MX
- 23360. *Rhabdodryas trite banksi* (Breyer,1939)** (Pieridae) Synonym(s): *banksi* Breyer,1939; *chryseida* J.Zikan,1940; *#ismene* J.Zikan,1940 - Range (in code): BR
- 23361. *Rhabdodryas trite ssp.n.*** (Pieridae) Synonym(s): - Range (in code): MX
- 23362. *Rhabdodryas trite trite* (Linnaeus,1758)** (Pieridae) Synonym(s): *trite* Linnaeus,1758; *#tralba* F.M.Brown,1929 - Range (in code): PE
- 23363. *Rhabdodryas trite watsoni* (F.M.Brown,1929)** (Pieridae) Synonym(s): *watsoni* F.M.Brown,1929 - Range (in code): DO
- 23364. *Saletara cyclinna* (Hewitson,1868)** (Pieridae) Synonym(s): *cyclinna* Hewitson,1868 - Range (in code): PG Wau ID Aru
- 23365. *Saletara cyclinna chryselectra* Fruhstorfer,1910** (Pieridae) Synonym(s): *chryselectra* Fruhstorfer,1910 - Range (in code): ID Aru
- 23366. *Saletara cyclinna cyclinna* (Hewitson,1868)** (Pieridae) Synonym(s): *cyclinna* Hewitson,1868 - Range (in code): PG Wau
- 23367. *Saletara giscon* Grose-Smith,1895** (Pieridae) Synonym(s): *giscon* Grose-Smith,1895 - Range (in code): SB
- 23368. *Saletara liberia* (Cramer,1779)** (Pieridae) Synonym(s): *liberia* Cramer,1779 - Range (in code): TH Pgg Sgk Hya Tnc MY Bor ID Sum Amb Bru Ob
- 23369. *Saletara liberia chrysoberylla* Fruhstorfer,1910** (Pieridae) Synonym(s): *chrysoberylla* Fruhstorfer,1910 - Range (in code): ID Bru
- 23370. *Saletara liberia distanti* Butler,1898** (Pieridae) Synonym(s): *distanti* Butler,1898 - Range (in code): MY Bor ID Sum TH Pgg Sgk Hya Tnc
- 23371. *Saletara liberia liberia* (Cramer,1779)** (Pieridae) Synonym(s): *liberia* Cramer,1779 - Range (in code): ID Amb
- 23372. *Saletara liberia obina* Fruhstorfer,1904** (Pieridae) Synonym(s): *obina* Fruhstorfer,1904 - Range (in code): ID Ob
- 23373. *Saletara panda* (Godart,[1819])** (Pieridae) Synonym(s): *panda* Godart,[1819] - Range (in code): TH PH Din Hom Ley Mno Pao Sam Bas Bal Pal Sga Taw PH Luz Mar Mas Neg Pan Pol
- 23374. *Saletara panda distanti* Butler,1898** (Pieridae) Synonym(s): *distanti* Butler,1898 - Range (in code): TH PH Sga Taw
- 23375. *Saletara panda erebina* Fruhstorfer,1900** (Pieridae) Synonym(s): *erebina* Fruhstorfer,1900 - Range (in code): PH Pal
- 23376. *Saletara panda hostilia* Fruhstorfer,1910** (Pieridae) Synonym(s): *hostilia* Fruhstorfer,1910 - Range (in code): PH Bal
- 23377. *Saletara panda martia* Fruhstorfer,1910** (Pieridae) Synonym(s): *martia* Fruhstorfer,1910 - Range (in code): PH Bas
- 23378. *Saletara panda nargosa* Fruhstorfer,1913** (Pieridae) Synonym(s): *nargosa* Fruhstorfer,1913 - Range (in code): PH Din Hom Ley Mno Pao Sam
- 23379. *Saletara panda nathalia* C.Felder & R.Felder,1862** (Pieridae) Synonym(s): *nathalia* C.Felder & R.Felder,1862 - Range (in code): PH Luz Mar Mas Neg Pan Pol

- 23380. Zegrus eupheme (Esper,[1804])** (Pieridae) *Synonym(s): eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851].* Original Reference: Papilio eupheme Esper,[1804], Die Schmett.(Suppl.) 1(1):105, pl.113, figs.2,3. Syntypes: [Ukraine]: "Gegend Sewastopol in Taurien". Range (in code): **MA Azr Ifr Cc AM At AZ CN DsA ES Mu Mu18 GG IQ Fat Qg Jd IR Ar Ab Khy Ak Zj Kz Fa Ha JO KG Ku MA Mn Nym Rk RU SA Sm Sp Sr TR Arr TrA DsA Ui Uk VI T-S SY Mu Lda Hue Mlg Sma Snv Sor Vcl Zg Bgs Bar Alc Act Abr Mdr Cue Ter Cas Gu Seg Tol CRe Jae Grn Alm Av Trg** Bionomy: Larva on Biscutella, Sinapis, Raphanus, Sisymbrium polymorphum, Camelina laxa, Hirschfeldia incana, Isatis tinctoria (Nekrutenko, 1990; Tolman, 1997; Calle et al.,2000).
- 23381. Zegrus eupheme dyala Peile,1921** (Pieridae) *Synonym(s): dyala Peile,1921* Original Reference: Zegrus eupheme ssp. dyala Peile,1921, Entomologist 54: 151. Holotype ♂: Iraq: Kizil Robat, left bank of River Dyala (BMNH). Range (in code): **IQ Qg Jd IR Kz Fa**
- 23382. Zegrus eupheme eupheme (Esper,[1804])** (Pieridae) *Synonym(s): eupheme Esper,[1804]; erothoe Eversmann,1832; tschudica Herrich-Schäffer,[1851].* Original Reference: Papilio eupheme Esper,[1804], Die Schmett.(Suppl.) 1(1):105, pl.113, figs.2,3. Syntypes: [Ukraine]: "Gegend Sewastopol in Taurien". Range (in code): **At KG Nym Rk RU Sm Sp Sr Sr Uk VI UA Cm**
- 23383. Zegrus eupheme larseni Pittaway,1985** (Pieridae) *Synonym(s): larseni Pittaway,1985* Original Reference: Zegrus eupheme ssp. larseni Pittaway,1985, Fauna Saudi Arabia 7: 10. Holotype ♂: Saudi Arabia: 25km SE Haql. Range (in code): **SA**
- 23384. Zegrus eupheme maroccana Bernardi,1950** (Pieridae) *Synonym(s): maroccana Bernardi,1950* Range (in code): **MA Azr Ifr**
- 23385. Zegrus eupheme menestho (Ménétriés,1832)** (Pieridae) *Synonym(s): menestho Ménétriés,1832; harandi Back, Karbalaye, Leestmans, Hofmann,2005* Original Reference: Pieris menestho Ménétriés,1832, Catalogue raisonné des objectes de Zoologie recueillis.: 245. Syntypes: [Aserbaidjan]: Talyche: Zouvant. Lectotype ♂, designated by Nekrutenko (1990: 75, Taf.xxvii figs.) (ZIMP). Range (in code): **Cc AM AZ GG TR Arr IR Ar Ab Khy Ak Zj Ha**
- 23386. Zegrus eupheme meridionalis (Lederer,1852)** (Pieridae) *Synonym(s): meridionalis Lederer,1852* Original Reference: Anthocharis eupheme var. meridionalis Lederer,1852, Verh. zool.-bot. Ver. Wien 2: 30. Syntypes: [Spain]: Andalusien; [Türkei]: Kleinasien. Range (in code): **ES Mu Mu18 Lda Hue Mlg Sma Snv Sor Vcl Zg Bgs Bar Alc Act Abr Mdr Cue Ter Cas Gu Seg Tol CRe Jae Grn Alm Av Trg** Bionomy: Larva on Hirschfeldia incana, Isatis tinctoria, Biscutella, Sisymbrium, Sinapis (Tolman, 1997; Calle et al.,2000).
- 23387. Zegrus eupheme sulphurea O.Bang-Haas,1927** (Pieridae) *Synonym(s): sulphurea O.Bang-Haas,1927* Original Reference: Zegrus eupheme ssp. sulphurea O.Bang-Haas,1927, Horae Macrolepid. 1: 40, Pl.6 fig.7. Syntypes: [China: Uighur A.R.]: Kuldscha, Ili Gebiet. Range (in code): **T-S TrA DsA CN KG Ku Mn Ui**
- 23388. Zegrus eupheme tigris Riley,1921** (Pieridae) *Synonym(s): tigris Riley,1921* Original Reference: Zegrus eupheme ssp. tigris Riley,1921, Ann. Mag. nat. Hist. (9) 8: 591. Holotype: Iraq: Mesopotamia: Fathah, R. bank River Tigris. Range (in code): **IQ Fat JO SY**
- 23389. Zegrus eupheme uarda Hemming,1929** (Pieridae) *Synonym(s): uarda Hemming,1929* Original Reference: Zegrus eupheme ssp. uarda Hemming,1929, Proc. ent. Soc. Lond. 4: 26, fig.2. Holotype ♂: Transjordan: Shunit Nimrin, 400ft. Range (in code): **JO**
- 23390. Zegrus fausti Christoph,1877** (Pieridae) *Synonym(s): fausti Christoph,1877; #decolorata Verity,1908.* Original Reference: Zegrus fausti Christoph,1877, Horae Soc. ent. ross. 12: 231-232, Taf.v figs.1,2. Syntypes: [Turkmenistan]: Krasnowodsk. Range (in code): **T-S Kpt Aa AF Ii KG Krn TJ TM TrA UZ IR Kh** Bionomy: Crambe kotschyana, Sisymbrium (Tusov, 1997).
- 23391. Zegrus fausti fausti Christoph,1877** (Pieridae) *Synonym(s): fausti Christoph,1877; #decolorata Verity,1908.* Original Reference: Zegrus fausti Christoph,1877, Horae Soc. ent. ross. 12: 231-232, Taf.v figs.1,2. Syntypes: [Turkmenistan]: Krasnowodsk. Range (in code): **T-S Kpt Aa Ii KG Krn TJ TM TrA UZ IR Kh**
- 23392. Zegrus fausti lucullus Wyatt,1961** (Pieridae) *Synonym(s): lucullus Wyatt,1961* Original Reference: Zegrus fausti ssp. lucullus Wyatt,1961, J. Lepidopterist's Soc. 15(1): 6. Holotype ♂: Afghanistan: Band-i-Amir, Hazarajat, N. of Koh-i-Baba Mts., 9500-10500ft. Range (in code): **AF**
- 23393. Zerene cesonia (Stoll,1790)** (Pieridae) *Synonym(s): cesonia Stoll,1790; philippa Fabricius,1793; rosa M'Neill,1899; rosea Röber,1909; centralamericana Röber,1909; deserticola Salazar,2002* Range (in code): **US Col Arz Tx HN MX CO BO AR PE VE HT**

- 23394. *Zerene cesonia cesonia* (Stoll,1790)** (Pieridae) **Synonym(s):** *cesonia* Stoll,1790; *philippa* Fabricius,1793; *rosa* M'Neill,1899; *rosea* Röber,1909; *centralamericana* Röber,1909; *deserticola* Salazar,2002
Range (in code): **US Col MX HN**
- 23395. *Zerene cesonia cynops* (Butler,1873)** (Pieridae) **Synonym(s):** *cynops* Butler,1873
Range (in code): **HT**
- 23396. *Zerene cesonia inca* (Tessmann,1928)** (Pieridae) **Synonym(s):** *inca* Tessmann,1928
Range (in code): **PE**
- 23397. *Zerene cesonia limonella* Lamas,1981** (Pieridae) **Synonym(s):** *limonella* Lamas,1981
Range (in code): **PE**
- 23398. *Zerene cesonia therapis* (C.Felder & R.Felder,1861)** (Pieridae) **Synonym(s):** *therapis* C.Felder & R.Felder,1861; *cerbera* C.Felder & R.Felder,1861
Range (in code): **VE**
- 23399. *Zerene eurydice* (Boisduval,1855)** (Pieridae) **Synonym(s):** *eurydice* Boisduval,1855; *lorquini* Boisduval,1855; *wosnesenskii* Ménétriés,1855; *helena* Reakirt,1863; *amorphae* H.Edwards,[1877]; *bernardino* W.H.Edwards,1887
Range (in code): **US Cf MX**
- 23400. *Abisara abnormis* Moore,1883** (Riodinidae) **Synonym(s):** *abnormis* Moore,1883
Range (in code): **TH Nrt Pht Nst Ths Sya CMa CDo**
- 23401. *Abisara bifasciata* Moore,1877** (Riodinidae) **Synonym(s):** *bifasciata* Moore,1877; *jhana* Fruhstorfer,1914
Original Reference: *Abisara bifasciata* Moore,1877, Proc. zool. Soc. Lond. 47: 587.
Range (in code): **AF Ng Nu BT SI MM Tns IN NP Nk Adm CN Yu TH CMa Loe Nrt**
- 23402. *Abisara bifasciata angulata* Moore,1879** (Riodinidae) **Synonym(s):** *angulata* Moore,1879
Range (in code): **SI MM Tns TH CMa Loe Nrt**
- 23403. *Abisara bifasciata bifasciata* Moore,1877** (Riodinidae) **Synonym(s):** *bifasciata* Moore,1877
Original Reference: *Abisara bifasciata* Moore,1877, Proc. zool. Soc. Lond. 47: 587.
Range (in code): **BT SI MM Tns IN Adm Nk**
- 23404. *Abisara bifasciata lusi* Lee,1962** (Riodinidae) **Synonym(s):** *lusi* Lee,1962
Range (in code): **CN Yu**
- 23405. *Abisara bifasciata suffusa* Moore,1882** (Riodinidae) **Synonym(s):** *suffusa* Moore,1882
Original Reference: *Abisara suffusa* Moore,1882, Proc. zool. Soc. Lond. 1882: 244. Syntypes: Chumba, 10000ft.
Range (in code): **AF Ng Nu IN NP SI**
- 23406. *Abisara burnii* De Nicéville,1895** (Riodinidae) **Synonym(s):** *burnii* De Nicéville,1895
Range (in code): **TH Loe MM CN Kwa TW VN Ton**
- 23407. *Abisara burnii assus* Fruhstorfer,1914** (Riodinidae) **Synonym(s):** *assus* Fruhstorfer,1914
Range (in code): **CN Kwa**
- 23408. *Abisara burnii burnii* De Nicéville,1895** (Riodinidae) **Synonym(s):** *burnii* De Nicéville,1895
Range (in code): **TH Loe MM CN**
- 23409. *Abisara burnii etymander* Fruhstorfer,1908** (Riodinidae) **Synonym(s):** *etymander* Fruhstorfer,1908; *formosana* Stichel,1914
Range (in code): **TW**
- 23410. *Abisara burnii timaeus* Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *timaeus* Fruhstorfer,1904
Range (in code): **VN Ton**
- 23411. *Abisara caerulea* Carpenter & Jackson,1950** (Riodinidae) **Synonym(s):** *#caerulea* Riley,1932; *caerulea* Carpenter & Jackson,1950
Range (in code): **LR CI GH ZR CM NG**
- 23412. *Abisara caerulea caerulea* Carpenter & Jackson,1950** (Riodinidae) **Synonym(s):** *#caerulea* Riley,1932; *caerulea* Carpenter & Jackson,1950
Range (in code): **ZR CM NG**
- 23413. *Abisara caerulea liberiana* Clench,1965** (Riodinidae) **Synonym(s):** *liberiana* Clench,1965
Range (in code): **LR CI GH**
- 23414. *Abisara celebica* Röber,1886** (Riodinidae) **Synonym(s):** *celebica* Röber,1886
Range (in code): **ID Clb Sly**
- 23415. *Abisara celebica bugiana* Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *bugiana* Fruhstorfer,1904
Range (in code): **ID Clb**
- 23416. *Abisara celebica celebica* Röber,1886** (Riodinidae) **Synonym(s):** *celebica* Röber,1886
Range (in code): **ID Clb**
- 23417. *Abisara celebica porphyritica* Fruhstorfer,1914** (Riodinidae) **Synonym(s):** *porphyritica* Fruhstorfer,1914
Range (in code): **ID Clb**
- 23418. *Abisara celebica saleyra* Fruhstorfer,1912** (Riodinidae) **Synonym(s):** *saleyra* Fruhstorfer,1912
Range (in code): **ID Sly**
- 23419. *Abisara celebica satellitica* Nieuwenhuis,1946** (Riodinidae) **Synonym(s):** *satellitica* Nieuwenhuis,1946
Range (in code): **ID Clb**

- 23420. *Abisara delicata* Lathy, 1901** (Riodinidae) Synonym(s): *delicata* Lathy, 1901 Original Reference: *Abisara delicata* Lathy, 1901, Trans. ent. Soc. London 1901 (1): 28, pl.iii fig.4. Syntypes ♂♂: [Malawi]: Zomba. Range (in code): **TZ Tnga Usa MW Zom**
- 23421. *Abisara delicata delicata* Lathy, 1901** (Riodinidae) Synonym(s): *delicata* Lathy, 1901 Range (in code): **MW Zom**
- 23422. *Abisara delicata tanzania* Kielland, 1986** (Riodinidae) Synonym(s): *tanzania* Kielland, 1986 Range (in code): **TZ Tnga Usa**
- 23423. *Abisara dewitzi* Aurivillius, 1898** (Riodinidae) Synonym(s): *dewitzi* Aurivillius, 1898 Range (in code): **ZR MW**
- 23424. *Abisara dewitzi dewitzi* Aurivillius, 1898** (Riodinidae) Synonym(s): *dewitzi* Aurivillius, 1898 Range (in code): **ZR MW**
- 23425. *Abisara echerius* (Stoll, [1790])** (Riodinidae) Synonym(s): *echerius* Stoll, [1790] Range (in code): **CN MM Krh TH CMa Cuo Cuo9 Cbi Nrt VN Ann Ton PH Bon Sga Taw Bas Stu Luz Mdo Pal Bon Sga Taw Pan**
- 23426. *Abisara echerius annamitica* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *annamitica* Fruhstorfer, 1904 Range (in code): **VN Ann**
- 23427. *Abisara echerius bazilensis* Fruhstorfer, 1900** (Riodinidae) Synonym(s): *bazilensis* Fruhstorfer, 1900 Range (in code): **PH Bas**
- 23428. *Abisara echerius cavana* Schröder & Treadaway, 1995** (Riodinidae) Synonym(s): *cavana* Schröder & Treadaway, 1995 Range (in code): **PH Stu**
- 23429. *Abisara echerius echerius* (Stoll, [1790])** (Riodinidae) Synonym(s): *echerius* Stoll, [1790] Range (in code): **CN MM**
- 23430. *Abisara echerius laura* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *laura* Fruhstorfer, 1904 Range (in code): **PH Luz Mdo**
- 23431. *Abisara echerius paionea* Fruhstorfer, 1914** (Riodinidae) Synonym(s): *paionea* Fruhstorfer, 1914 Original Reference: *Abisara paionea* Fruhstorfer, 1914, [in] Seitz, Gorss-Schmett. Erde 9: 782. Type: [Myanmar]: Burma, Karen Hills. Range (in code): **MM Krh TH CMa Cuo Cuo9 Cbi Nrt**
- 23432. *Abisara echerius palawana* Staudinger, 1889** (Riodinidae) Synonym(s): *palawana* Staudinger, 1889 Range (in code): **PH Pal**
- 23433. *Abisara echerius panayensis* Medicielo & Hanafusa, 1994** (Riodinidae) Synonym(s): *panayensis* Medicielo & Hanafusa, 1994 Range (in code): **PH Pan**
- 23434. *Abisara echerius simillima* Schröder & Treadaway, 1995** (Riodinidae) Synonym(s): *simillima* Schröder & Treadaway, 1995 Range (in code): **PH Bon Sga Taw**
- 23435. *Abisara echerius tonkiniana* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *tonkiniana* Fruhstorfer, 1904 Range (in code): **VN Ton**
- 23436. *Abisara freda* Bennett, 1957** (Riodinidae) Synonym(s): *freda* Bennett, 1957 Original Reference: *Abisara freda* Bennett, 1957, Entomologist 90: 27, fig. Type: [Myanmar]: Burma. Range (in code): **MM TH CMa**
- 23437. *Abisara fylla* Doubleday & Hewitson, 1851** (Riodinidae) Synonym(s): *fylla* Doubleday & Hewitson, 1851; *fyllaria* Fruhstorfer, 1914 Range (in code): **CN Kwa VN Ton MM TH CMa Dst**
- 23438. *Abisara fylla magdala* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *magdala* Fruhstorfer, 1904 Range (in code): **CN Kwa VN Ton**
- 23439. *Abisara gerontes* (Fabricius, 1781)** (Riodinidae) Synonym(s): *gerontes* Fabricius, 1781; *baucis* Drury, 1782 Range (in code): **SL NG GA CM ZR**
- 23440. *Abisara gerontes gabunica* Riley, 1932** (Riodinidae) Synonym(s): *gabunica* Riley, 1932 Range (in code): **GA CM ZR**
- 23441. *Abisara gerontes gerontes* (Fabricius, 1781)** (Riodinidae) Synonym(s): *gerontes* Fabricius, 1781; *baucis* Drury, 1782 Range (in code): **SL NG**
- 23442. *Abisara geza* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *geza* Fruhstorfer, 1904 Range (in code): **PH Pal ID Ja**
- 23443. *Abisara geza geza* Fruhstorfer, 1904** (Riodinidae) Synonym(s): *geza* Fruhstorfer, 1904 Range (in code): **ID Ja**
- 23444. *Abisara geza litavicus* Fruhstorfer, 1912** (Riodinidae) Synonym(s): *litavicus* Fruhstorfer, 1912 Range (in code): **PH Pal**
- 23445. *Abisara intermedia* Aurivillius, 1895** (Riodinidae) Synonym(s): *intermedia* Aurivillius, 1895 Range (in code): **CM**

- 23446. Abisara kausambi C.Felder & R.Felder,1860** (Riodinidae) **Synonym(s):** *kausambi C.Felder & R.Felder,1860* _ Range (in code): MM Tns MY Bor TH Kbi Tng Nst PH Bal Cal Pal
- 23447. Abisara kausambi aja Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *aja Fruhstorfer,1904* _ Range (in code): PH Bal Cal Pal
- 23448. Abisara kausambi kausambi C.Felder & R.Felder,1860** (Riodinidae) **Synonym(s):** *kausambi C.Felder & R.Felder,1860* _ Range (in code): MM Tns MY Bor TH Kbi Tng Nst
- 23449. Abisara mindanaensis Semper,1892** (Riodinidae) **Synonym(s):** *mindanaensis Semper,1892* _ Range (in code): PH Boh Ley Mdo Mno Luz Neg
- 23450. Abisara mindanaensis bohollensis M.Okano & T.Okano,1993** (Riodinidae) **Synonym(s):** *bohollensis M.Okano & T.Okano,1993* _ Range (in code): PH Boh Ley
- 23451. Abisara mindanaensis canlaonensis Medicielo & Hanafusa,1994** (Riodinidae) **Synonym(s):** *canlaonensis Medicielo & Hanafusa,1994* _ Range (in code): PH Neg
- 23452. Abisara mindanaensis cudaca Fruhstorfer,1914** (Riodinidae) **Synonym(s):** *cudaca Fruhstorfer,1914* _ Range (in code): PH Luz
- 23453. Abisara mindanaensis mindanaensis Semper,1892** (Riodinidae) **Synonym(s):** *mindanaensis Semper,1892* _ Range (in code): PH Mno
- 23454. Abisara mindanaensis mudita Fruhstorfer,1914** (Riodinidae) **Synonym(s):** *mudita Fruhstorfer,1914* _ Range (in code): PH Mdo
- 23455. Abisara neavei Riley,1932** (Riodinidae) **Synonym(s):** *neavei Riley,1932* _ Range (in code): CM ZR Kvu UG KE TZ
- 23456. Abisara neavei congdoni Kielland,1985** (Riodinidae) **Synonym(s):** *congdoni Kielland,1985* _ Range (in code): TZ
- 23457. Abisara neavei kivuensis Riley,1932** (Riodinidae) **Synonym(s):** *kivuensis Riley,1932* _ Range (in code): ZR Kvu
- 23458. Abisara neavei latifasciata Riley,1932** (Riodinidae) **Synonym(s):** *latifasciata Riley,1932* _ Range (in code): CM TZ
- 23459. Abisara neavei mahale Kielland,1978** (Riodinidae) **Synonym(s):** *mahale Kielland,1978* _ Range (in code): TZ
- 23460. Abisara neavei neavei Riley,1932** (Riodinidae) **Synonym(s):** *neavei Riley,1932* _ Range (in code): UG KE ZR
- 23461. Abisara neophron Hewitson,1861** (Riodinidae) **Synonym(s):** *neophron Hewitson,1861* _ Range (in code): IN MM ID Ja MY VN Ton TH CMa CDo Pbu Cbi Nna Rng
- 23462. Abisara neophron chelina Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *chelina Fruhstorfer,1904* _ Range (in code): MM MY CN TH CMa CDo Pbu Cbi Nna Rng VN Ton
- 23463. Abisara neophron neophron Hewitson,1861** (Riodinidae) **Synonym(s):** *neophron Hewitson,1861* _ Range (in code): CN MM ID Ja
- 23464. Abisara rogersi Druce,1878** (Riodinidae) **Synonym(s):** *rogersi Druce,1878; geryon Staudinger,1888* _ Range (in code): AO ZR Shb ZM
- 23465. Abisara rogersi dollmani Riley,1932** (Riodinidae) **Synonym(s):** *dollmani Riley,1932* _ Range (in code): ZR Shb ZM
- 23466. Abisara rogersi rogersi Druce,1878** (Riodinidae) **Synonym(s):** *rogersi Druce,1878; geryon Staudinger,1888* _ Range (in code): AO
- 23467. Abisara rutherfordii Hewitson,1874** (Riodinidae) **Synonym(s):** *rutherfordii Hewitson,1874* _ Original Reference: Abisara rutherfordii Hewitson,1874, Entomologist's mon. Mag. 11: 56. Type ♂: "West Africa (Cross River, Rutherford). Range (in code): NG CM GA ZR
- 23468. Abisara rutherfordii cyclops Riley,1932** (Riodinidae) **Synonym(s):** *cyclops Riley,1932; #caecata Riley,1932; #lunula Dufrane,1945* _ Range (in code): ZR
- 23469. Abisara rutherfordii herwigii Dewitz,1887** (Riodinidae) **Synonym(s):** *herwigii Dewitz,1887* _ Range (in code): ZR CM GA
- 23470. Abisara rutherfordii rutherfordii Hewitson,1874** (Riodinidae) **Synonym(s):** *rutherfordii Hewitson,1874* _ Range (in code): NG CM
- 23471. Abisara saturata Moore,1878** (Riodinidae) **Synonym(s):** *saturata Moore,1878* _ Range (in code): CN Hn MM TH Rng Tng Yal Pbu MY ID Sum Bor
- 23472. Abisara saturata corbeti Bennett,1950** (Riodinidae) **Synonym(s):** *corbeti Bennett,1950* _ Range (in code): PH Mno
- 23473. Abisara saturata kausambioides De Nicéville,1896** (Riodinidae) **Synonym(s):** *kausambioides De Nicéville,1896* _ Range (in code): TH MY ID Sum Bor

- 23474. *Abisara saturata maya* Bennett,1950** (Riodinidae) **Synonym(s):** *maya* Bennett,1950
Original Reference: *Abisara saturata* ssp. *maya* Bennett,1950, Entomologist 83: 39, fig. Type: [Myanmar]: South Burma. **Range (in code):** **MM TH Rng Tng Yal**
- 23475. *Abisara saturata meta* Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *meta* Fruhstorfer,1904; *siamensis* Fruhstorfer,1904 **Range (in code):** **TH Pbu**
- 23476. *Abisara saturata saturata* Moore,1878** (Riodinidae) **Synonym(s):** *saturata* Moore,1878
Range (in code): **CN Hn**
- 23477. *Abisara savitri* C.Felder & R.Felder,1860** (Riodinidae) **Synonym(s):** *savitri* C.Felder & R.Felder,1860 **Range (in code):** **TH Rng Tng Nst IN ID Sda**
- 23478. *Abisara savitri savitri* C.Felder & R.Felder,1860** (Riodinidae) **Synonym(s):** *savitri* C.Felder & R.Felder,1860 **Range (in code):** **TH Rng Tng Nst IN ID Sda**
- 23479. *Abisara simulacris* Riley,1932** (Riodinidae) **Synonym(s):** *simulacris* Riley,1932 **Range (in code):** **UG ZR**
- 23480. *Abisara talantus Aurivillius,1891*** (Riodinidae) **Synonym(s):** *talantus* Aurivillius,1891; *#muanensis* Dufrane,1953 **Range (in code):** **CM NG**
- 23481. *Abisara talantus caeca* Rebel,1914** (Riodinidae) **Synonym(s):** *caeca* Rebel,1914; *barnsi* Joicey & Talbot,1921 **Range (in code):** **ZR Kvu UG**
- 23482. *Abisara talantus semicaeca* Riley,1932** (Riodinidae) **Synonym(s):** *semicaeca* Riley,1932
Range (in code): **ZR GA CG**
- 23483. *Abisara talantus talantus* Aurivillius,1891** (Riodinidae) **Synonym(s):** *talantus* Aurivillius,1891; *#muanensis* Dufrane,1953 **Range (in code):** **CM NG**
- 23484. *Abisara tantalus* (Hewitson,[1860])** (Riodinidae) **Synonym(s):** *tantalus* Hewitson,[1860]; *#uniformis* Riley,1932; *#metallicus* Berger,1981 **Range (in code):** **GH ZR NG AO**
- 23485. *Abisara zanzibarica* Collins,1990** (Riodinidae) **Synonym(s):** *zanzibarica* Collins,1990
Range (in code): **TZ Zz**
- 23486. *Ancyluris inca* (Saunders,1850)** (Riodinidae) **Synonym(s):** *inca* Saunders,1850 **Range (in code):** **MX PA**
- 23487. *Apodemia hepburni*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Tx**
- 23488. *Apodemia mormo*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Cf Col Id Mon Ndk NMx Ne Org SDK Tx Ut Ws Wy**
- 23489. *Apodemia mormo duryi*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX NMx Tx**
- 23490. *Apodemia mormo mejicanus*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Cf**
- 23491. *Apodemia mormo virgulti*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Cf**
- 23492. *Apodemia multiplaga*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Tx**
- 23493. *Apodemia nais*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Col NMx Tx**
- 23494. *Apodemia nais chisosensis*** (Riodinidae) **Synonym(s):** **Range (in code):** **US Tx**
- 23495. *Apodemia nais nais*** (Riodinidae) **Synonym(s):** **Range (in code):** **US**
- 23496. *Apodemia palmeri*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Cf NMx Ne Tx Ut**
- 23497. *Apodemia phyciodoides*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Arz Tx**
- 23498. *Apodemia walkeri*** (Riodinidae) **Synonym(s):** **Range (in code):** **US MX Tx**
- 23499. *Calephelis arizonensis* McAlpine,1971** (Riodinidae) **Synonym(s):** *arizonensis* McAlpine,1971 **Range (in code):** **US Arz**
- 23500. *Calephelis azteca* McAlpine,1971** (Riodinidae) **Synonym(s):** *azteca* McAlpine,1971
Range (in code): **MX**
- 23501. *Calephelis freemani* McAlpine,1971** (Riodinidae) **Synonym(s):** *freemani* McAlpine,1971
Range (in code): **US**
- 23502. *Calephelis inca* McAlpine,1971** (Riodinidae) **Synonym(s):** *inca* McAlpine,1971 **Range (in code):** **CR BR TT**
- 23503. *Calephelis maya* McAlpine,1971** (Riodinidae) **Synonym(s):** *maya* McAlpine,1971
Range (in code): **MX Yc**
- 23504. *Calephelis muticum* McAlpine,1937** (Riodinidae) **Synonym(s):** *muticum* McAlpine,1937
Range (in code): **US Aks Idp Knt Mch Oh Wc**
- 23505. *Calephelis nemesis* (W.H.Edwards,1877)** (Riodinidae) **Synonym(s):** *nemesis* W.H.Edwards,1877 **Range (in code):** **US MX Arz Cf NMx Ne Tx Ut**
- 23506. *Calephelis perditalis* W.Barnes & McDunnough,1918** (Riodinidae) **Synonym(s):** *perditalis* W.Barnes & McDunnough,1918 **Range (in code):** **US**

- 23507. *Calephelis rawsoni* McAlpine, 1939** (Riodinidae) **Synonym(s):** *rawsoni* McAlpine, 1939
Range (in code): **US MX Arz NMx Tx**
- 23508. *Caria ino* Godman & Salvin, 1886** (Riodinidae) **Synonym(s):** *ino* Godman & Salvin, 1886
Range (in code): **US MX Tx**
- 23509. *Dodona adonira* Hewitson, 1866** (Riodinidae) **Synonym(s):** *adonira* Hewitson, 1866
Range (in code): **TH CMa**
- 23510. *Dodona adonira adonira* Hewitson, 1866** (Riodinidae) **Synonym(s):** *adonira* Hewitson, 1866
Range (in code): **TH CMa**
- 23511. *Dodona deodata* Hewitson, 1876** (Riodinidae) **Synonym(s):** *deodata* Hewitson, 1876
Range (in code): **PH Luz Mno Apo Neg Pal TH CMa CDo Chy**
- 23512. *Dodona deodata aponata* Semper, 1889** (Riodinidae) **Synonym(s):** *aponata* Semper, 1889
Range (in code): **PH Mno Apo**
- 23513. *Dodona deodata deodata* Hewitson, 1876** (Riodinidae) **Synonym(s):** *deodata* Hewitson, 1876
Range (in code): **TH CMa CDo Chy**
- 23514. *Dodona deodata malindangensis* Schröder & Treadaway, 1988** (Riodinidae)
Synonym(s): *malindangensis* Schröder & Treadaway, 1988
Range (in code): **PH Mno**
- 23515. *Dodona deodata ohtsukai* Hayashi, 1984** (Riodinidae) **Synonym(s):** *ohtsukai* Hayashi, 1984
Range (in code): **PH Neg**
- 23516. *Dodona deodata sakaii* Hayashi, 1976** (Riodinidae) **Synonym(s):** *sakaii* Hayashi, 1976
Range (in code): **PH Pal**
- 23517. *Dodona deodata treadawayi* Hanafusa, 1989** (Riodinidae) **Synonym(s):** *treadawayi* Hanafusa, 1989
Range (in code): **PH Luz**
- 23518. *Dodona dipoea* Hewitson, 1866** (Riodinidae) **Synonym(s):** *dipoea* Hewitson, 1866
Original Reference: *Dodona dipoea* Hewitson, 1866, Exot. Butts. 3: Pl.1 figs.1,2. Syntypes: Sikkim. Range (in code): **CN Ti SI Kma IN PK Haz Mre TH CMa**
- 23519. *Dodona dipoea dipoea* Hewitson, 1866** (Riodinidae) **Synonym(s):** *dipoea* Hewitson, 1866
Original Reference: *Dodona dipoea* Hewitson, 1866, Exot. Butts. 3: Pl.1 figs.1,2. Syntypes: Sikkim. Range (in code): **CN Ti SI**
- 23520. *Dodona dipoea dracon* De Nicéville, 1897** (Riodinidae) **Synonym(s):** *dracon* De Nicéville, 1897
Range (in code): **TH CMa**
- 23521. *Dodona dipoea nostia* Fruhstorfer, 1912** (Riodinidae) **Synonym(s):** *nostia* Fruhstorfer, 1912
Range (in code): **Kma IN PK Haz Mre**
- 23522. *Dodona durga* (Kollar, [1844])** (Riodinidae) **Synonym(s):** *durga* Kollar, [1844] Original Reference: *Melitaea durga* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 441, Taf.13, figs.3,4. Type(s): Simla. Range (in code): **Ch CN IN Sml Ti Up PK Haz Ci Mre Dew Abb NP**
- 23523. *Dodona durga durga* (Kollar, [1844])** (Riodinidae) **Synonym(s):** *durga* Kollar, [1844] Original Reference: *Melitaea durga* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 441, Taf.13, figs.3,4. Type(s): Simla. Range (in code): **Ch CN IN Sml Ti Up PK Haz Mre Ci Dew Abb NP**
- 23524. *Dodona egeon* (Westwood, [1851])** (Riodinidae) **Synonym(s):** *egeon* Westwood, [1851] Original Reference: *Taxila egeon* Westwood, [1851], [in] Doubleday, Genera diurn. lepid. (2): 422, pl.69, fig.2. Type(s): Nepaul. Range (in code): **NP TH Loe**
- 23525. *Dodona egeon egeon* (Westwood, [1851])** (Riodinidae) **Synonym(s):** *egeon* Westwood, [1851] Original Reference: *Taxila egeon* Westwood, [1851], [in] Doubleday, Genera diurn. lepid. (2): 422, pl.69, fig.2. Type(s): Nepaul. Range (in code): **NP TH Loe**
- 23526. *Dodona eugenis* Bates, 1867** (Riodinidae) **Synonym(s):** *eugenis* Bates, 1867 Original Reference: *Dodona eugenis* Bates, 1867, J. linn. Soc. Zool. 9: 371. Type(s): India boralis. Range (in code): **?Ui CN Ti PK Haz Mre Abb K-P Thu IN Kma TH CMa**
- 23527. *Dodona eugenis eugenis* Bates, 1867** (Riodinidae) **Synonym(s):** *eugenis* Bates, 1867 Original Reference: *Dodona eugenis* Bates, 1867, J. linn. Soc. Zool. 9: 371. Type(s): India boralis. Range (in code): **?Ui CN Ti PK Mre Haz Abb K-P Thu IN Kma**
- 23528. *Dodona eugenis venox* Fruhstorfer, 1908** (Riodinidae) **Synonym(s):** *venox* Fruhstorfer, 1908
Range (in code): **TH CMa**
- 23529. *Dodona ouida* Moore, 1866** (Riodinidae) **Synonym(s):** *ouida* Moore, 1866
Range (in code): **TH CMa Srt**
- 23530. *Dodona ouida ouida* Moore, 1866** (Riodinidae) **Synonym(s):** *ouida* Moore, 1866
Range (in code): **TH CMa Srt**

- 23531. *Emesis ares* (Riodinidae) Synonym(s):** Range (in code): US MX Arz Cf NMx
- 23532. *Emesis emesia* (Riodinidae) Synonym(s):** Range (in code): US MX Tx
- 23533. *Emesis tenedia* (Riodinidae) Synonym(s):** Range (in code): US MX Tx
- 23534. *Emesis zela* (Riodinidae) Synonym(s):** Range (in code): US MX Arz NMx Tx
- 23535. *Hamearis lucina* (Linnaeus,1758) (Riodinidae) Synonym(s):** *lucina* Linnaeus,1758
Original Reference: Papilio lucina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa.
Range (in code): AL AT BE BG BY CH CZ DE DK EE ES FR GB GR HU IT LT LU LV NL PL PT RO RU SE Si SK Sr TR UA YU Sur Ssx Ken Bionomy: Larva on Primula vulgaris, P. auriculata.
- 23536. *Hamearis lucina lucina* (Linnaeus,1758) (Riodinidae) Synonym(s):** *lucina* Linnaeus,1758
Original Reference: Papilio lucina Linnaeus,1758, Syst. Nat. (Edn.10) 1: 480. Type(s): Europa.
Range (in code): AL AT BE BG Bw BY CH CZ DE DK EE ES FR GB GR HU IT LT LU LV NL PL PT RO Rp RU SE Si SK Sr TR UA YU Sur Ssx Ken
- 23537. *Lasaia maria* (Riodinidae) Synonym(s):** Range (in code): US MX Arz
- 23538. *Lasaia sula* (Riodinidae) Synonym(s):** Range (in code): US MX Tx
- 23539. *Laxita thuisto* (Hewitson,1861) (Riodinidae) Synonym(s):** *thuisto* Hewitson,1861
Range (in code): TH Nrt Cbi Phu Rng Tng Nst Ths Sgk Hya Tnc
- 23540. *Laxita thuisto sawaja* Fruhstorfer,1904 (Riodinidae) Synonym(s):** *sawaja* Fruhstorfer,1904 Range (in code): TH Nrt Cbi
- 23541. *Laxita thuisto thuisto* (Hewitson,1861) (Riodinidae) Synonym(s):** *thuisto* Hewitson,1861
Range (in code): TH Phu Rng Tng Nst Ths Sgk Hya Tnc
- 23542. *Melanis pixe* (Riodinidae) Synonym(s):** Range (in code): US MX Tx
- 23543. *Paralaxita damajanti* (C.Felder & R.Felder,1860) (Riodinidae) Synonym(s):** *damajanti* C.Felder & R.Felder,1860 Range (in code): TH Yal
- 23544. *Paralaxita damajanti damajanti* (C.Felder & R.Felder,1860) (Riodinidae) Synonym(s):** *damajanti* C.Felder & R.Felder,1860 Range (in code): TH Yal
- 23545. *Paralaxita orphna* (Boisduval,1836) (Riodinidae) Synonym(s):** *orphna* Boisduval,1836
Range (in code): TH Rng Tng Yal Nst Ths Sya Sgk Hya Tnc
- 23546. *Paralaxita orphna laocoon* (De Nicéville,1894) (Riodinidae) Synonym(s):** *laocoon* De Nicéville,1894 Range (in code): TH Rng Tng Yal Nst Ths Sya Sgk Hya Tnc
- 23547. *Paralaxita orphna orphna* (Boisduval,1836) (Riodinidae) Synonym(s):** *orphna* Boisduval,1836
- 23548. *Paralaxita telesia* (Hewitson,1861) (Riodinidae) Synonym(s):** *telesia* Hewitson,1861
Range (in code): TH Rng Yal Nst Ths Sya Tng Sgk Hya Tnc
- 23549. *Paralaxita telesia bouletti* (Fruhstorfer,1914) (Riodinidae) Synonym(s):** *bouletti* Fruhstorfer,1914 Range (in code): TH Rng Yal Nst Tng Ths Sya Sgk Hya Tnc
- 23550. *Paralaxita telesia lyclene* (De Nicéville,1894) (Riodinidae) Synonym(s):** *lyclene* De Nicéville,1894 Range (in code): TH
- 23551. *Paralaxita telesia telesia* (Hewitson,1861) (Riodinidae) Synonym(s):** *telesia* Hewitson,1861
- 23552. *Polycena carmelita* Oberthür,1909 (Riodinidae) Synonym(s):** *carmelita* Oberthür,1909
Range (in code): ?Ti CN
- 23553. *Polycena carmelita carmelita* Oberthür,1909 (Riodinidae) Synonym(s):** *carmelita* Oberthür,1909 Range (in code): ?Ti CN
- 23554. *Polycena lama* Leech,1893 (Riodinidae) Synonym(s):** *lama* Leech,1893 Range (in code): CN Ti
- 23555. *Polycena lama lama* Leech,1893 (Riodinidae) Synonym(s):** *lama* Leech,1893 Range (in code): CN Ti
- 23556. *Polycena lua* Groum-Grshimailo,1890 (Riodinidae) Synonym(s):** *lua* Groum-Grshimailo,1891
Original Reference: Polycena lua Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 454. Syntypes ♂♀. [China: Qinghai]: Sinin-Schan. Range (in code): Amd CN Sng Ts
- 23557. *Polycena lua lua* Groum-Grshimailo,1890 (Riodinidae) Synonym(s):** *lua* Groum-Grshimailo,1890
Original Reference: Polycena lua Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 454. Syntypes ♂♀. [China: Qinghai]: Sinin-Schan. Range (in code): Amd CN Sng Ts
- 23558. *Polycena matuta* Leech,1893 (Riodinidae) Synonym(s):** *matuta* Leech,1893 Range (in code): CN Ti
- 23559. *Polycena matuta matuta* Leech,1893 (Riodinidae) Synonym(s):** *matuta* Leech,1893
Range (in code): CN Ti

- 23560. *Polycaena princeps* (Oberthür,1887)** (Riodinidae) **Synonym(s):** *princeps* Oberthür,1887
Original Reference: *Emesis princeps* Oberthür,1887, *Etud. Ent.* 11: 22, pl.7 fig.57. **Type(s):** Chine: Envoye de Chapa. **Range (in code):** **Amd CN Ts**
- 23561. *Polycaena princeps princeps* (Oberthür,1887)** (Riodinidae) **Synonym(s):** *princeps* Oberthür,1887
Original Reference: *Emesis princeps* Oberthür,1887, *Etud. Ent.* 11: 22, pl.7 fig.57. **Type(s):** Chine: Envoye de Chapa. **Range (in code):** **Amd CN Ts**
- 23562. *Polycaena tamerlana* Staudinger,1886** (Riodinidae) **Synonym(s):** *tamerlana* Staudinger,1886
Original Reference: *Polycaena tamerlana* Staudinger,1886, *Stettin ent. Ztg.* 47: 227. **Syntypes:** [Kirgizistan]: Osch; [Usbekistan]: Alai, Namangan. **Range (in code):** **AF Ng Nu CN KG KK Ku PK TJ Tk T-S Ui UZ Tyk TeA TrA KuA Ax** **Bionomy:** Larva on *Androsace lehmanniana* (Primulaceae) (Tusov & Churkin,2000).
- 23563. *Polycaena tamerlana attila* Gaede,1930** (Riodinidae) **Synonym(s):** *attila* Gaede,1930
Original Reference: *Polycaena tamerlana attila* Gaede,1930, [in] Seitz,A., Gross-Schmett. *Erde* 1 (suppl.): 237. **Syntypes:** [China: Uighur A.R.]: Chan-tengri. **Range (in code):** **T-S CN Ui**
- 23564. *Polycaena tamerlana helcha* Gaede,1930** (Riodinidae) **Synonym(s):** *helcha* Gaede,1930
Original Reference: *Polycaena tamerlana helcha* Gaede,1930, [in] Seitz,A., Gross-Schmett. *Erde* 1 (suppl.): 237 (16a). **Syntypes:** [Uighur İli]: Chan-tengri [Khan Tengri]. **Range (in code):** **T-S CN Ui**
- 23565. *Polycaena tamerlana tamerlana* Staudinger,1886** (Riodinidae) **Synonym(s):** *tamerlana* Staudinger,1886
Original Reference: *Polycaena tamerlana* Staudinger,1886, *Stettin ent. Ztg.* 47: 227. **Syntypes:** [Kirgizistan]: Osch; [Usbekistan]: Alai, Namangan. **Range (in code):** **AF Ng Nu KK UZ TJ**
- 23566. *Polycaena tamerlana timur* Staudinger,1886** (Riodinidae) **Synonym(s):** *timur* Staudinger,1886
Original Reference: *Polycaena tamerlana* var. *timur* Staudinger,1886, *Stettin ent. Ztg.* 47: 230. **Syntypes:** [China: Uighur A.R.]: Kuldja-Distrikt. **Range (in code):** **CN KG KK Ku Tk T-S Ui Tyk TeA TrA KuA Ax**
- 23567. *Saribia decaryi* (Le Cerf,1922)** (Riodinidae) **Synonym(s):** *decaryi* Le Cerf,1922 - **Range (in code):** **MG**
- 23568. *Saribia perroti* Riley,1932** (Riodinidae) **Synonym(s):** *perroti* Riley,1932 - **Range (in code):** **MG**
- 23569. *Saribia perroti fiana* Riley,1932** (Riodinidae) **Synonym(s):** *fiana* Riley,1932 - **Range (in code):** **MG**
- 23570. *Saribia perroti ochracea* Riley,1932** (Riodinidae) **Synonym(s):** *ochracea* Riley,1932
Range (in code): **MG**
- 23571. *Saribia perroti perroti* Riley,1932** (Riodinidae) **Synonym(s):** *perroti* Riley,1932
Range (in code): **MG**
- 23572. *Saribia tepahi* (Boisduval,[1833])** (Riodinidae) **Synonym(s):** *tepahi* Boisduval,[1833]
Range (in code): **MG**
- 23573. *Stiboges nymphidia* Butler,1876** (Riodinidae) **Synonym(s):** *nymphidia* Butler,1876
Range (in code): **TH CMa Nna Nst Ths Sya Yal Rng Sgk Hya Tnc**
- 23574. *Stiboges nymphidia nymphidia* Butler,1876** (Riodinidae) **Synonym(s):** *nymphidia* Butler,1876 - **Range (in code):** **TH Nst Ths Sya Yal Rng Sgk Hya Tnc**
- 23575. *Stiboges nymphidia* ssp.** (Riodinidae) **Synonym(s):** - **Range (in code):** **TH CMa Nna**
- 23576. *Taxila haquinus* (Fabricius,1793)** (Riodinidae) **Synonym(s):** *haquinus* Fabricius,1793
Range (in code): **TH Rng Yal Nst Ths Sya Tng Sgk Hya PSu PH Bal Pal**
- 23577. *Taxila haquinus berthae* Fruhstorfer,1904** (Riodinidae) **Synonym(s):** *berthae* Fruhstorfer,1904 - **Range (in code):** **TH Nna Cbi Cbu Ray Nst Ths Sya**
- 23578. *Taxila haquinus fasciata* Moore,1878** (Riodinidae) **Synonym(s):** *fasciata* Moore,1878
Range (in code): **TH**
- 23579. *Taxila haquinus haquinus* (Fabricius,1793)** (Riodinidae) **Synonym(s):** *haquinus* Fabricius,1793 - **Range (in code):** **TH Rng Yal Nst Tng Ths Sya**
- 23580. *Taxila haquinus palawanicus* Staudinger,1889** (Riodinidae) **Synonym(s):** *palawanicus* Staudinger,1889 - **Range (in code):** **PH Bal Pal TH Nna Cbi Cbu Nrt Ray**
- 23581. *Zemerus emesoides* C.Felder & R.Felder,1860** (Riodinidae) **Synonym(s):** *emesoides* C.Felder & R.Felder,1860 - **Range (in code):** **TH**
- 23582. *Zemerus phlegyas* (Cramer,[1780])** (Riodinidae) **Synonym(s):** *phlegyas* Cramer,[1780]
Original Reference: *Papilio phlegyas* Cramer,[1780], *Uitl. Kapellen* 3:, pl.288 figs. E,F. **Syntypes:** Regio Indica. **Range (in code):** **CN Hn Ti IN SI Ass Slo Meg Ben Apr NP TH CMa Cuo Cuo5 CDo Dsk Hpt Cbi Chy Nna Rng Tng Nst Ths Sya Sgk Hya PSu Yal Ntt SPa ID Ja Lb Sbw Sba Sum Clb**

- 23583. *Zemerus phlegyas albipunctatus* Butler, 1874** (Riodinidae) **Synonym(s):** *albipunctatus* Butler, 1874 **_ Range (in code):** **TH Yal Sgk Hya PSu Ntt SPa MY Bor ID Sum**
- 23584. *Zemerus phlegyas allica* (Fabricius, 1787)** (Riodinidae) **Synonym(s):** *allica* Fabricius, 1787 **_ Range (in code):** **TH CMa Cuo Cuo5 CDo Dsk Hpt Cbi Chy Nna Rng Tng Nst Ths Sya**
- 23585. *Zemerus phlegyas confucius* Moore** (Riodinidae) **Synonym(s):** **_ Range (in code):** **CN Hn**
- 23586. *Zemerus phlegyas hondai* Hayashi, 1976** (Riodinidae) **Synonym(s):** *hondai* Hayashi, 1976 **_ Range (in code):** **PH Pal**
- 23587. *Zemerus phlegyas indicus* Fruhstorfer, [1898]** (Riodinidae) **Synonym(s):** *indicus* Fruhstorfer, [1898] **_ Original Reference:** *Zemerus phlegyas* ssp. *indicus* Fruhstorfer, [1898], Berl. ent. Z. 42 (3/4): 333. Syntypes: Nord-Indien. **_ Range (in code):** **NP IN Ass Slo SI**
- 23588. *Zemerus phlegyas phlegyas* (Cramer, [1780])** (Riodinidae) **Synonym(s):** *phlegyas* Cramer, [1780] **_ Original Reference:** *Papilio phlegyas* Cramer, [1780], Uitl. Kapellen 3:, pl. 288 figs. E, F. Syntypes: Regio Indica. **_ Range (in code):** **IN SI Ass Slo Meg Ben Apr CN Ti**
- 23589. *Zemerus phlegyas retarius* Grose-Smith** (Riodinidae) **Synonym(s):** **_ Range (in code):** **ID Lb Sbw**
- 23590. *Zemerus phlegyas sparsus* Fruhstorfer, [1898]** (Riodinidae) **Synonym(s):** *sparsus* Fruhstorfer, [1898] **_ Original Reference:** *Zemerus phlegyas* ssp. *sparsus* Fruhstorfer, [1898], Berl. ent. Z. 42 (3/4): 332-333. Syntypes: [Indonesia]: Nias. **_ Range (in code):** **ID Nia**
- 23591. "Pararge" *thibetanus* Oberthür, 1876** (Satyridae) **Synonym(s):** *thibetanus* Oberthür, 1876 **_ Range (in code):** **CN Gn Ti**
- 23592. "Pararge" *thibetanus evrardi* O. Bang-Haas, 1933** (Satyridae) **Synonym(s):** *evrardi* O. Bang-Haas, 1933 **_ Range (in code):** **CN Gn**
- 23593. "Pararge" *thibetanus thibetanus* Oberthür, 1876** (Satyridae) **Synonym(s):** *thibetanus* Oberthür, 1876 **_ Range (in code):** **CN Ti**
- 23594. *Acrophtalmia albofasciata* Uémura & Yamaguchi, 1982** (Satyridae) **Synonym(s):** *albofasciata* Uémura & Yamaguchi, 1982 **_ Range (in code):** **PH Mno**
- 23595. *Acrophtalmia artemis* C. Felder & R. Felder, 1861** (Satyridae) **Synonym(s):** *artemis* C. Felder & R. Felder, 1861 **_ Range (in code):** **PH Bab Cat Luz Mar Mas Mdo**
- 23596. *Acrophtalmia artemis artemis* C. Felder & R. Felder, 1861** (Satyridae) **Synonym(s):** *artemis* C. Felder & R. Felder, 1861 **_ Range (in code):** **PH Bab Cat Luz Mar Mas**
- 23597. *Acrophtalmia artemis misarte* Semper, 1892** (Satyridae) **Synonym(s):** *misarte* Semper, 1892 **_ Range (in code):** **PH Mdo**
- 23598. *Acrophtalmia leto* Semper, 1887** (Satyridae) **Synonym(s):** *leto* Semper, 1887 **_ Range (in code):** **PH Bas Din Ley Mno Pao Sam Sia Boh**
- 23599. *Acrophtalmia leto leto* Semper, 1887** (Satyridae) **Synonym(s):** *leto* Semper, 1887 **_ Range (in code):** **PH Boh**
- 23600. *Acrophtalmia leto leytenis* Uémura & Yamaguchi, 1982** (Satyridae) **Synonym(s):** *leytenis* Uémura & Yamaguchi, 1982 **_ Range (in code):** **PH Ley**
- 23601. *Acrophtalmia leto ochine* Semper, 1887** (Satyridae) **Synonym(s):** *ochine* Semper, 1887 **_ Range (in code):** **PH Bas Din Ley Mno Pao Sam Sia**
- 23602. *Acrophtalmia luzonica* Uémura, 1992** (Satyridae) **Synonym(s):** *luzonica* Uémura, 1992 **_ Range (in code):** **PH Luz**
- 23603. *Acrophtalmia yamashitai* Uémura & Yamaguchi, 1982** (Satyridae) **Synonym(s):** *yamashitai* Uémura & Yamaguchi, 1982 **_ Original Reference:** *Acrophtalmia yamashitai* Uémura & Yamaguchi, 1982, Memoirs of the Tsukada Collection 4: 30, textfig. 5, Pl. 5, 6 figs. 16, 17. Holotype ♂: [Philippines]: Negros: Mt. Canlaon. **_ Range (in code):** **PH Neg Pan**
- 23604. *Admiratio paradoxa* (Mabille, [1880])** (Satyridae) **Synonym(s):** *paradoxa* Mabille, [1880] **_ Range (in code):** **MG**
- 23605. *Admiratio paradoxa paradoxa* (Mabille, [1880])** (Satyridae) **Synonym(s):** *paradoxa* Mabille, [1880] **_ Range (in code):** **MG**
- 23606. *Aeropetes tulbaghia* (Linnaeus, 1764)** (Satyridae) **Synonym(s):** *tulbaghia* Linnaeus, 1764. **_ Original Reference:** *Papilio tulbaghia* Linnaeus, 1764, Mus. Lud. Ulr.: 284. Type(s): [South Africa]: "Tulbagh". **_ Range (in code):** **ZA Wca Nta Kzu Blw Tva Lpo Gau Jh Mpu Brb Elf ZW Vum**
- 23607. *Aeropetes tulbaghia tulbaghia* (Linnaeus, 1764)** (Satyridae) **Synonym(s):** *tulbaghia* Linnaeus, 1764. **_ Original Reference:** *Papilio tulbaghia* Linnaeus, 1764, Mus. Lud. Ulr.: 284. Type(s): [South Africa]: "Tulbagh". **_ Range (in code):** **ZA Wca Nta Kzu Blw Tva Lpo Gau Jh Mpu Brb Elf ZW Vum**

- 23608. *Aphantopus hyperantus* (Linnaeus,1758)** (Satyridae) **Synonym(s):** *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906. **Original Reference:** *Papilio hyperantus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. **Type(s):** *Europae sylvis*. **Range (in code):** AL At Kts Bn AT Ba BE BG BY CH CZ DE DK EE ES FI FR GB GR TR HU IE IT LT LU LV MN NL NO PL RO RU SE SK Sm So Sr UA YU Cw Dv Smt H-W Sur Ssx Ken Sb Am KP CN Mc **Bionomy:** Larva on *Brachypodium sylvaticum*, *B. pinnatum* *Phleum pratense*, *Dactylis glomerata*, *Festuca rubra*, *Bromus erectus*, *B. hordaceus*, *Cynosurus cristatus*, *Poa pratensis*, *P. nemoralis*, *Carex hirta*, *C. strigosa*, *C. ? sylvatica*, *C. brizoides*, *C. panicea*, *Agrostis capillaris*, *Milium effusum*, *Elymus repens*, *Holcus mollis*, *H. lanatus*, *Deschampsia cespitosa*, *Molinia caerulea*, *Arrhenatherum elatius*, *Calamagrostis epigejos* (Tolman,1997).
- 23609. *Aphantopus hyperantus hyperantus* (Linnaeus,1758)** (Satyridae) **Synonym(s):** *hyperantus* Linnaeus,1758; *arete* Müller,1764; *vidua* Müller,1764; *tristan* Retzius,1783; *sajanus* O.Bang-Haas,1906. **Original Reference:** *Papilio hyperantus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 471. **Type(s):** *Europae sylvis*. **Range (in code):** AL At Kts Bn AT Ba BE BG Bw BY CH CZ DE DK EE ES FI FR GB GR TR HU IE IT LT LU LV MN NL NO PL RO Rp RU SE SK Sm So Sr UA YU Cw Dv Smt H-W Sur Ssx Ken Sb Am KP CN Mc
- 23610. *Aphysoneura pigmentaria* Karsch,1894** (Satyridae) **Synonym(s):** *pigmentaria* Karsch,1894 **Range (in code):** ZW ZM MW TZ KE UG ZR **Bionomy:** Larva on *Arundinaria* (Poaceae) (Ackery et al.,1995).
- 23611. *Aphysoneura pigmentaria kanga* Kielland,1989** (Satyridae) **Synonym(s):** *kanga* Kielland,1989 **Range (in code):** TZ
- 23612. *Aphysoneura pigmentaria latilimba* Le Cerf,1919** (Satyridae) **Synonym(s):** *latilimba* Le Cerf,1919 **Range (in code):** MW
- 23613. *Aphysoneura pigmentaria mbulu* Kielland,1989** (Satyridae) **Synonym(s):** *mbulu* Kielland,1989 **Range (in code):** TZ
- 23614. *Aphysoneura pigmentaria obnubila* Riley,1923** (Satyridae) **Synonym(s):** *obnubila* Riley,1923 **Range (in code):** MW TZ
- 23615. *Aphysoneura pigmentaria pigmentaria* Karsch,1894** (Satyridae) **Synonym(s):** *pigmentaria* Karsch,1894 **Range (in code):** TZ
- 23616. *Aphysoneura pigmentaria pringlei* (Sharpe,1894)** (Satyridae) **Synonym(s):** *pringlei* Sharpe,1894; *kenyae* Le Cerf,1919 **Range (in code):** KE UG
- 23617. *Aphysoneura pigmentaria semilatilimba* Kielland,1989** (Satyridae) **Synonym(s):** *semilatilimba* Kielland,1989 **Range (in code):** ZR TZ
- 23618. *Aphysoneura pigmentaria seminigra* Kielland,1985** (Satyridae) **Synonym(s):** *seminigra* Kielland,1985 **Range (in code):** TZ
- 23619. *Aphysoneura pigmentaria songeana* Kielland,1989** (Satyridae) **Synonym(s):** *songeana* Kielland,1989 **Range (in code):** TZ
- 23620. *Aphysoneura pigmentaria uzungwa* Kielland,1989** (Satyridae) **Synonym(s):** *uzungwa* Kielland,1989 **Range (in code):** TZ
- 23621. *Aphysoneura pigmentaria vumba* Kielland,1989** (Satyridae) **Synonym(s):** *vumba* Kielland,1989 **Range (in code):** ZW
- 23622. *Aphysoneura scapulifascia* Joicey & Talbot,1922** (Satyridae) **Synonym(s):** *scapulifascia* Joicey & Talbot,1922 **Range (in code):** KE UG RW BI TZ ZR CM
- 23623. *Aphysoneura scapulifascia collinsi* Kielland,1989** (Satyridae) **Synonym(s):** *collinsi* Kielland,1989 **Range (in code):** KE
- 23624. *Aphysoneura scapulifascia kigeziae* Kielland,1989** (Satyridae) **Synonym(s):** *kigeziae* Kielland,1989 **Range (in code):** UG
- 23625. *Aphysoneura scapulifascia occidentalis* Joicey & Talbot,1924** (Satyridae) **Synonym(s):** *occidentalis* Joicey & Talbot,1924 **Range (in code):** CM
- 23626. *Aphysoneura scapulifascia scapulifascia* Joicey & Talbot,1922** (Satyridae) **Synonym(s):** *scapulifascia* Joicey & Talbot,1922 **Range (in code):** ZR BI RW
- 23627. *Aphysoneura scapulifascia zairensis* Kielland,1989** (Satyridae) **Synonym(s):** *zairensis* Kielland,1989 **Range (in code):** ZR
- 23628. *Arethusa arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) **Synonym(s):** *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 **Original Reference:** *Papilio arethusa* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 169. **Type(s):** [Austria]: Vienna district. **Range (in code):** Aa AL At Bn AT Aty Ao Ba Bs BE BG Bs BY Cb CH CN CZ Db DE ES Mu FR GR HU IT Ka KG KK Kw Mn NL Or PT Pw Rk RO RU SK Sm So Sp Sr Tk Syr Tm TR Cc GG Smt Akh T-S UA Ui Uk VI YU

- Wn Gj Kts Nym Sau Tar DsA KuA TrA TeA Ket Tls T-S IR Ab Ak Khy Qo** Bionomy: Larva on Festuca, Bromus erectus, Dactylis, Poa (Eckstein, 1913).
- 23629. *Arethusana arethusa arethusa* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 Original Reference: Papilio arethusa [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district. Range (in code): **Aa AL AT Aty Ao Ba Bs BE BG Bs BY Cb CH CN CZ Db DE ES FR GR TR HU IT Ka KG KK Kw Mn NL Or PT Pw Rk RO RU RU SK Sm So Sp Sr Tk Syr Tm UA Ui Uk VI YU Wn Gj Kts Nym Cc GG Smt Akh TR IR Ab Ak**
- 23630. *Arethusana arethusa ganda* (Fruhstorfer,1909)** (Satyridae) Synonym(s): *ganda* Fruhstorfer,1909; *variegata* Verity,1911; *pulchravariegata* Verity,1929; *claramaritima* Verity,1929; *albinotherellensis* Varin,1938; *allobrogicus* Varin,1953; *calciphila* Varin,1953; *cerdanica* Varin,1953; *victoris* Gomez-Bust.,1971; *albovenata* Agenjo,1973. Original Reference: Eumenis arethusa ssp. ganda Fruhstorfer,1909, Ent. Z., Stuttgart 22: 210. Syntypes: Frankreich: Auzay, Vendee. Range (in code): **FR**
- 23631. *Arethusana arethusa heptapotamica* (Stauder,1924)** (Satyridae) Synonym(s): *heptapotamica* Stauder,1924 Original Reference: Satyrus arethusa ssp. heptapotamica Stauder,1924, Mitt. münch. ent. Ges. 14: 65-66. Syntypes 8♂: [Kazakhstan: Taldi Kurgan]: Semiretschensk Prov., Tyshkan, Dzsharkentsky Ujezd (Rückbeil leg.). Range (in code): **RU At Bn KG Tk T-S DsA KuA TrA Ket Tls KK TeA**
- 23632. *Arethusana arethusa strumata* (Buresch,1918)** (Satyridae) Synonym(s): *strumata* Buresch,1918 Original Reference: Satyrus arethusa ssp. strumata Buresch,1918, Z. wiss. InsektBiol. 14: 228-229, Taf.iii figs.1-4. Syntypes ♂♀: Bulgarien: Piringebirges: Strumafluss; Kressnaschlucht: Scheitan-Dere. Range (in code): **TR BG MK**
- 23633. *Arethusana boabdil* (Rambur,[1839])** (Satyridae) Synonym(s): *boabdil* Rambur,[1839] Original Reference: Satyrus boabdil Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12; (5): 315 [1840]. Syntypes: Andalusie, Sierra Nevada. Range (in code): **DZ ES An Grn FR MA F33 F40 F66 Fo6 ES PT An Snv**
- 23634. *Arethusana boabdil aksouali* (Wyatt,1952)** (Satyridae) Synonym(s): *aksouali* Wyatt,1952 Original Reference: Satyrus arethusa ssp. aksouali Wyatt,1952, Z. Wien. ent. Ges. 37: 175. Holotype ♂: Marokko: Tachdirt, Hoher Atlas 2500m. Range (in code): **MA**
- 23635. *Arethusana boabdil boabdil* (Rambur,[1839])** (Satyridae) Synonym(s): *boabdil* Rambur,[1839] Original Reference: Satyrus boabdil Rambur,[1839], Faune ent. Andalousie 2 (4): pl.12; (5): 315 [1840]. Syntypes: Andalusie, Sierra Nevada. Range (in code): **ES An Grn**
- 23636. *Arethusana boabdil dentata* (Staudinger,1871)** (Satyridae) Synonym(s): *dentata* Staudinger,1871 Original Reference: Satyrus arethusa var. dentata Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 29 (nomen novum pro erythia Stgr. nec Hb.). Syntypes: Gal. m. oc. Range (in code): **FR MA F33 F40 F66 Fo6 ES PT An Snv**
- 23637. *Argestina inconstans* South,1913** (Satyridae) Synonym(s): *inconstans* South,1913 Range (in code): **CN Ti**
- 23638. *Argestina inconstans inconstans* South,1913** (Satyridae) Synonym(s): *inconstans* South,1913 Range (in code): **CN Ti**
- 23639. *Argestina irma* Evans,1923** (Satyridae) Synonym(s): *irma* Evans,1923 Range (in code): **CN Ti**
- 23640. *Argestina irma irma* Evans,1923** (Satyridae) Synonym(s): *irma* Evans,1923 Range (in code): **CN Ti**
- 23641. *Argestina karta* Riley,1923** (Satyridae) Synonym(s): *karta* Riley,1923 Original Reference: Argestina karta Riley,1923, Trans. ent. Soc. London 1923: 470, pl.xxxvi figs. 11,12. Syntypes 2♂ 2♀: "Kharta 12,000ft." Range (in code): **CN Ti**
- 23642. *Argestina karta karta* Riley,1923** (Satyridae) Synonym(s): *karta* Riley,1923 Original Reference: Argestina karta Riley,1923, Trans. ent. Soc. London 1923: 470, pl.xxxvi figs. 11,12. Syntypes 2♂ 2♀: "Kharta 12,000ft." Range (in code): **CN Ti**
- 23643. *Argestina nitida* Riley,1923** (Satyridae) Synonym(s): *nitida* Riley,1923 Original Reference: Argestina nitida Riley,1923, Trans. ent. Soc. London 1923: 481-482, pl.xxxvii figs. 6,8. Syntypes ♂♀: "between Phari and Gyangtse 12,000-15,000ft." (BMNH). Range (in code): **CN Ti**
- 23644. *Argestina nitida nitida* Riley,1923** (Satyridae) Synonym(s): *nitida* Riley,1923 Original Reference: Argestina nitida Riley,1923, Trans. ent. Soc. London 1923: 481-482, pl.xxxvii figs. 6,8. Syntypes ♂♀: "between Phari and Gyangtse 12,000-15,000ft." (BMNH). Range (in code): **CN Ti**

- 23645. *Argestina phantasta* Goltz,1938** (Satyridae) Synonym(s): *phantasta* Goltz,1938
Original Reference: *Argestina phantasta* Goltz,1938, Ent. Rdsch. 55: 538-540, Abb. Syntypes 7♂
1♀: China: Yunnan:A-Tun-Tse, 3000-4500m. Range (in code): **Ats CN Yu**
- 23646. *Argestina phantasta phantasta* Goltz,1938** (Satyridae) Synonym(s): *phantasta* Goltz,1938
Original Reference: *Argestina phantasta* Goltz,1938, Ent. Rdsch. 55: 538-540, Abb. Syntypes 7♂
1♀: China: Yunnan:A-Tun-Tse, 3000-4500m. Range (in code): **Ats CN Yu**
- 23647. *Argestina pomena* (Evans,1915)** (Satyridae) Synonym(s): *pomena* Evans,1915 Range (in code): **CN Ti**
- 23648. *Argestina pomena pomena* (Evans,1915)** (Satyridae) Synonym(s): *pomena* Evans,1915
Range (in code): **CN Ti**
- 23649. *Argestina waltoni* (Elwes,1906)** (Satyridae) Synonym(s): *waltoni* Elwes,1906 Original Reference: *Callerebia waltoni* Elwes,1906, Proc. zool. Soc. Lond. 1906: 482, Pl.36 figs. 14, 15. Syntypes ♂♀: China: Tibet. Range (in code): **CN Ti**
- 23650. *Argestina waltoni waltoni* (Elwes,1906)** (Satyridae) Synonym(s): *waltoni* Elwes,1906
Original Reference: *Callerebia waltoni* Elwes,1906, Proc. zool. Soc. Lond. 1906: 482, Pl.36 figs. 14, 15. Syntypes ♂♀: China: Tibet. Range (in code): **CN Ti**
- 23651. *Aulocera brahminus* (Blanchard,[1844])** (Satyridae) Synonym(s): *brahminus* Blanchard,[1844]
Original Reference: *Satyrus brahminus* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 22, pl.2, fig.4. Range (in code): **Ch Kma Kul Ld Mus SI Syl Up**
- 23652. *Aulocera brahminus brahminoides* Moore,1892** (Satyridae) Synonym(s): *brahminoides* Moore,1892
Original Reference: *Aulocera brahminoides* Moore,1892, Lepid. India: 29, pl. xcix, figs. 2,2a. Type ♀: Sikkim: Chumbi valley. Range (in code): **SI**
- 23653. *Aulocera brahminus brahminus* (Blanchard,[1844])** (Satyridae) Synonym(s): *brahminus* Blanchard,[1844]
Original Reference: *Satyrus brahminus* Blanchard,[1844], [in] Jacquemont, Voy. dans l'Inde, iv, Ins.: 22, pl.2, fig.4. Range (in code): **Ch Kul Ld Mus Syl Up**
- 23654. *Aulocera brahminus dokwana* Evans,1923** (Satyridae) Synonym(s): *dokwana* Evans,1923
Original Reference: *Aulocera brahminus dokwana* Evans,1923, J. Bombay nat. Hist. Soc. 29: 782. Syntypes: [India]: W. Garhwal, Kumaon. Range (in code): **IN Kma NP Up**
- 23655. *Aulocera brahminus tsukadai* Sakai,1978** (Satyridae) Synonym(s): *tsukadai* Sakai,1978
Original Reference: *Aulocera brahminus* ssp. *tsukadai* Sakai,1978, Atalanta 9(1): 109. Holotype ♂: India: Zaskar Mts., Sani 3600-3800m. Range (in code): **Ch**
- 23656. *Aulocera padma* (Kollar,[1844])** (Satyridae) Synonym(s): *padma* Kollar,[1844]
Original Reference: *Satyrus padma* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 1,2. Syntypes: Kashmir. Range (in code): **AF Ass Bl Ch CN Gg IN Kgr Kma MM Mpr Msm Mus Nag PK SI Ti Up Ys Zh Sfk**
- 23657. *Aulocera padma burnettii* Evans,1932** (Satyridae) Synonym(s): *burnettii* Evans,1932
Original Reference: *Aulocera padma burnettii* Evans,1932, Identification Indian Butterflies (2): 116. Syntypes: [Pakistan]: Baluchistan: Shingarh, Zhob. Range (in code): **Bl PK Zh Sfk AF**
- 23658. *Aulocera padma chumbica* Moore,1892** (Satyridae) Synonym(s): *chumbica* Moore,1892
Original Reference: *Aulocera chumbica* Moore,1892, Lepid. India: 30, pl.xcix figs. 3,3a. Syntypes ♂♀: Sikkim: Chumbi valley. Range (in code): **BT SI**
- 23659. *Aulocera padma fulva* Evans,1923** (Satyridae) Synonym(s): *fulva* Evans,1923 Original Reference: *Aulocera padma fulva* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783. Type: South-east Tibet: Abor valley, 9000ft. Range (in code): **CN Ti**
- 23660. *Aulocera padma grandis* Tytler,1926** (Satyridae) Synonym(s): *grandis* Tytler,1926
Original Reference: *Aulocera padma* ssp. *grandis* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 253. Syntypes: [Pakistan]: Gilgit: Yasin. Range (in code): **Gg Ys PK**
- 23661. *Aulocera padma japroa* Tytler,1939** (Satyridae) Synonym(s): *japroa* Tytler,1939
Original Reference: *Aulocera padma* ssp. *japroa* Tytler,1939, J. Bombay nat. Hist. Soc. 41: 247. Syntypes: India: Assam: Naga Hills, Japro. Range (in code): **Ass Mpr Nag IN**
- 23662. *Aulocera padma loha* Doherty,1886** (Satyridae) Synonym(s): *loha* Doherty,1886
Original Reference: *Aulocera loha* Doherty,1886, J. asiat. Soc. Beng. 55(2): 118. Syntypes ♂♀: India: N.W. Kumaon, 9000-12000ft. Range (in code): **Ass IN Kma Nag NP SI Up**
- 23663. *Aulocera padma padma* (Kollar,[1844])** (Satyridae) Synonym(s): *padma* Kollar,[1844]
Original Reference: *Satyrus padma* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl.xv figs. 1,2. Syntypes: Kashmir. Range (in code): **Ch IN Kgr Kma MM Msm Mus SI Up**

- 23664. *Aulocera padma thawgawa* Tytler, 1939** (Satyridae) Synonym(s): *thawgawa* Tytler, 1939
Original Reference: *Aulocera padma* ssp. *thawgawa* Tytler, 1939, J. Bombay nat. Hist. Soc. 41: 247. Syntypes: [Myanmar]: North-eastern Burma: Htawgaw. Range (in code): **MM**
- 23665. *Aulocera saraswati* (Kollar, [1844])** (Satyridae) Synonym(s): *saraswati* Kollar, [1844]; *dehradunensis* Strand, 1918
Original Reference: *Satyrus saraswati* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl. xv figs. 3, 4. Syntypes: India: Massuri. Range (in code): **Ch Ci Ddu IN Kgr Kma Mus Nwf PK SI Up Haz Mre Abb Thu Dew**
- 23666. *Aulocera saraswati saraswati* (Kollar, [1844])** (Satyridae) Synonym(s): *saraswati* Kollar, [1844]
Original Reference: *Satyrus saraswati* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 445, pl. xv figs. 3, 4. Syntypes: India: Massuri. Range (in code): **Ch Ci Ddu IN Kgr Kma Mus Nwf PK SI Up Haz Mre Abb Thu Dew**
- 23667. *Aulocera swaha* (Kollar, [1844])** (Satyridae) Synonym(s): *swaha* Kollar, [1844]
Original Reference: *Satyrus swaha* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 444, Taf. 14, figs. 1, 2. Type(s): Kaschmir. Range (in code): **AF Kab Pag Gg Ch Kul Ci IN Kgr Ld Mus Nwf PK SI Mre Haz Abb Asr Bt Chl Gg Gs Thu**
- 23668. *Aulocera swaha garuna* Fruhstorfer, 1911** (Satyridae) Synonym(s): *garuna* Fruhstorfer, 1911
Original Reference: *Aulocera swaha garuna* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 309, Taf. 94c. Type ♂: India: Kulu. Range (in code): **Ch Kul**
- 23669. *Aulocera swaha gilgitica* Tytler, 1926** (Satyridae) Synonym(s): *gilgitica* Tytler, 1926
Original Reference: *Aulocera swaha* ssp. *gilgitica* Tytler, 1926, J. Bombay nat. Hist. Soc. 29: 253. Syntypes ♂♀: [Pakistan]: Gilgit, Astor, Chilas. Range (in code): **Asr Bt Chl Gg Gs PK**
- 23670. *Aulocera swaha parthicola* Clench & Shoumatoff, 1956** (Satyridae) Synonym(s): *parthicola* Clench & Shoumatoff, 1956
Original Reference: *Aulocera swaha* ssp. *parthicola* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 144-146. Holotype ♂: Afghanistan: [Kabul]: Paghman 2000m. Range (in code): **AF Kab Pag**
- 23671. *Aulocera swaha swaha* (Kollar, [1844])** (Satyridae) Synonym(s): *swaha* Kollar, [1844]
Original Reference: *Satyrus swaha* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 444, Taf. 14, figs. 1, 2. Type(s): Kaschmir. Range (in code): **Ch Ci IN Kgr Mus Nwf PK SI Haz Mre Abb Thu**
- 23672. *Aulocera swaha tellula* (Fruhstorfer, 1911)** (Satyridae) Synonym(s): *tellula* Fruhstorfer, 1911; *kurrama* Evans, 1923
Original Reference: *Satyrus swaha tellula* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 309. Syntypes ♂♀: [Pakistan]: North West Province: Mardan. Range (in code): **Mrn Nwf PK Sfk AF**
- 23673. *Aulocera sybillina* (Oberthür, 1890)** (Satyridae) Synonym(s): *sybillina* Oberthür, 1890
Original Reference: *Satyrus sybillina* Oberthür, 1890, Etud. Ent. 13: 40, pl. x fig. 106. Syntypes 2♂: Chine: Yunnan, Ta-Tsien-Lou. Range (in code): **Amd CN Sng Sz Ts T-T Yu**
- 23674. *Aulocera sybillina bianor* (Groum-Grshimailo, 1890)** (Satyridae) Synonym(s): *bianor* Groum-Grshimailo, 1890
Original Reference: *Satyrus sybillina* var. *bianor* Groum-Grshimailo, 1890, Horae Soc. ent. ross. 25: 458-459. Syntypes: [China: Qinghai]: in montibus Sinin-Schan et Dshachar. Range (in code): **Amd CN Sng Ts**
- 23675. *Aulocera sybillina sybillina* (Oberthür, 1890)** (Satyridae) Synonym(s): *sybillina* Oberthür, 1890
Original Reference: *Satyrus sybillina* Oberthür, 1890, Etud. Ent. 13: 40, pl. x fig. 106. Syntypes 2♂: Chine: Yunnan, Ta-Tsien-Lou. Range (in code): **CN Sz T-T Yu**
- 23676. *Berberia abdelkader* (Pierret, 1837)** (Satyridae) Synonym(s): *abdelkader* Pierret, 1837; *#serrata* Heyne, 1895; *alfae* Slaby, 1981; *saharae* Slaby, 1981; *arvorum* Slaby, 1981
Original Reference: *Satyrus abd-el-kader* Pierret, 1837, Annls Soc. ent. Fr. 1837: 19, pl. 1 figs. 5, 6. Syntypes: [Algérie], Oran. Range (in code): **DZ Dja Eba Sbd Orn Ktr Bttna MA Tgz TN LY Ges Abe** Bionomy: Larva on *Stipa parviflora*, *S. tenacissima* (Poaceae) (Tennent, 1995).
- 23677. *Berberia abdelkader abdelkader* (Pierret, 1837)** (Satyridae) Synonym(s): *abdelkader* Pierret, 1837
Original Reference: *Satyrus abd-el-kader* Pierret, 1837, Annls Soc. ent. Fr. 1837: 19, pl. 1 figs. 5, 6. Syntypes: [Algérie], Oran. Range (in code): **DZ Eba Sbd Orn Bttna MA Ges Abe**
- 23678. *Berberia abdelkader nelvai* (Seitz, 1911)** (Satyridae) Synonym(s): *nelvai* Seitz, 1911; *marteni* Chneour, 1935
Range (in code): **DZ Dja Ktr TN**
- 23679. *Berberia abdelkader taghzefti* (Wyatt, 1952)** (Satyridae) Synonym(s): *taghzefti* Wyatt, 1952
Original Reference: *Satyrus abdelkader* ssp. *taghzefti* Wyatt, 1952, Z. Wien. ent. Ges. 37: 174. Holotype ♂: Marokko: Südseite Mittlerer Atlas: Taghzeft Pass, 1900-2100m. Range (in code): **MA Tgz**

- 23680. *Berberia lambessanus* (Staudinger,1901)** (Satyridae) Synonym(s): *lambessanus* Staudinger,1901; *romeii* Rothschild,1933; *alexander* Chnéour,1937 Original Reference: *Satyrus abdelkader* var. *lambessanus* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 58, nr.377a. Syntypes: Maur. or. (Lambessa). Range (in code): **DZ Dja Btma Lbs MA Ouk Rf TN LY** Bionomy: Larva on *Ampelodesmos tenax*, *Stipa parviflora* (Poaceae) (Tennent,1995).
- 23681. *Berberia lambessanus lambessanus* (Staudinger,1901)** (Satyridae) Synonym(s): *lambessanus* Staudinger,1901; *romeii* Rothschild,1933; *alexander* Chnéour,1937 Original Reference: *Satyrus abdelkader* var. *lambessanus* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 58, nr.377a. Syntypes: Maur. or. (Lambessa). Range (in code): **DZ Dja Btma Lbs MA Ouk Rf TN LY**
- 23682. *Bicyclus abnormis* (Dudgeon,1909)** (Satyridae) Synonym(s): *abnormis* Dudgeon,1909 Range (in code): **GH GN**
- 23683. *Bicyclus abnormis abnormis* (Dudgeon,1909)** (Satyridae) Synonym(s): *abnormis* Dudgeon,1909 Range (in code): **GH GN**
- 23684. *Bicyclus albocincta* (Rebel,1914)** (Satyridae) Synonym(s): *albocincta* Rebel,1914 Range (in code): **ZR**
- 23685. *Bicyclus albocincta albocincta* (Rebel,1914)** (Satyridae) Synonym(s): *albocincta* Rebel,1914 Range (in code): **ZR**
- 23686. *Bicyclus alboplaga* (Rebel,1914)** (Satyridae) Synonym(s): *alboplaga* Rebel,1914 Range (in code): **UG ZR CG CF**
- 23687. *Bicyclus alboplaga alboplaga* (Rebel,1914)** (Satyridae) Synonym(s): *alboplaga* Rebel,1914 Range (in code): **UG ZR CG CF**
- 23688. *Bicyclus analis* (Aurivillius,1895)** (Satyridae) Synonym(s): *analis* Aurivillius,1895 Range (in code): **UG CM ZR**
- 23689. *Bicyclus analis analis* (Aurivillius,1895)** (Satyridae) Synonym(s): *analis* Aurivillius,1895 Range (in code): **UG CM ZR**
- 23690. *Bicyclus angulosa* (Butler,1868)** (Satyridae) Synonym(s): *angulosa* Butler,1868; *houyi* Gaede,1915; *langi* Holland,1920; *chapini* Holland,1920; *orientis* Ungemach,1932 Range (in code): **SL CM ET SN CF SD UG ZW ZR AO TZ ZM MW Zom MZ**
- 23691. *Bicyclus angulosa angulosa* (Butler,1868)** (Satyridae) Synonym(s): *angulosa* Butler,1868; *houyi* Gaede,1915; *langi* Holland,1920; *chapini* Holland,1920; *orientis* Ungemach,1932 Range (in code): **SL CM ZR ET SN CF SD UG**
- 23692. *Bicyclus angulosa selousi* (Trimen,1895)** (Satyridae) Synonym(s): *selousi* Trimen,1895; *#barnsi* Van Son,1955; *#simulans* Overlaet,1955 Range (in code): **ZW ZR AO TZ ZM MW Zom MZ**
- 23693. *Bicyclus anisops* (Karsch,1892)** (Satyridae) Synonym(s): *anisops* Karsch,1892; *#albopupillata* Strand,1913 Range (in code): **CM**
- 23694. *Bicyclus anisops anisops* (Karsch,1892)** (Satyridae) Synonym(s): *anisops* Karsch,1892; *#albopupillata* Strand,1913 Range (in code): **CM**
- 23695. *Bicyclus anynana* (Butler,1879)** (Satyridae) Synonym(s): *anynana* Butler,1879; *vicaria* Thureau,1903; *neglecta* Thureau,1903 Range (in code): **YE Sk ZA Spb Tva Lpo Kru Pf Pma TZ ZM MW MZ ZW BW KM SZ UG ZR AO**
- 23696. *Bicyclus anynana centralis* Condamin,1968** (Satyridae) Synonym(s): *centralis* Condamin,1968 Range (in code): **UG ZR AO**
- 23697. *Bicyclus anynana socotrana* (Butler,1881)** (Satyridae) Synonym(s): *socotrana* Butler,1881 Range (in code): **YE Sk**
- 23698. *Bicyclus auricruda* (Butler,1868)** (Satyridae) Synonym(s): *auricruda* Butler,1868 Range (in code): **GH NG LR ZR TZ UG BI CM CF**
- 23699. *Bicyclus auricruda auricruda* (Butler,1868)** (Satyridae) Synonym(s): *auricruda* Butler,1868 Range (in code): **GH NG LR**
- 23700. *Bicyclus auricruda fulgida* Fox,1963** (Satyridae) Synonym(s): *#parvoocellata* Grünberg,1911; *fulgida* Fox,1963 Range (in code): **ZR TZ UG BI CM CF**
- 23701. *Bicyclus aurivillii* (Butler,1896)** (Satyridae) Synonym(s): *aurivillii* Butler,1896 Range (in code): **RW BI ZR UG Rz**
- 23702. *Bicyclus aurivillii aurivillii* (Butler,1896)** (Satyridae) Synonym(s): *aurivillii* Butler,1896 Range (in code): **ZR UG Rz**
- 23703. *Bicyclus aurivillii kivuensis* (Joicey & Talbot,1924)** (Satyridae) Synonym(s): *kivuensis* Joicey & Talbot,1924; *birungae* Aurivillius,1925 Range (in code): **RW BI UG ZR**
- 23704. *Bicyclus buea* (Strand,1912)** (Satyridae) Synonym(s): *buea* Strand,1912; *benitonis* Strand,1913; *mildbraedi* Gaede,1915 Range (in code): **CM GO KE UG ZR AO**

- 23705. *Bicyclus buea buea* (Strand,1912)** (Satyridae) Synonym(s): *buea* Strand,1912; *benitonis* Strand,1913; *mildbraedi* Gaede,1915 _ Range (in code): **CM GO KE UG ZR AO**
- 23706. *Bicyclus campinus* (Aurivillius,1901)** (Satyridae) Synonym(s): *campina* Aurivillius,1901; *goetzi* Thurau,1903; *fuelleborni* Bartel,1905 _ Range (in code): **KE Tet ZW MZ TZ Ulg Usa Tnga Ani MW ZM ZR**
- 23707. *Bicyclus campinus campinus* (Aurivillius,1901)** (Satyridae) Synonym(s): *campina* Aurivillius,1901; *goetzi* Thurau,1903; *fuelleborni* Bartel,1905 _ Range (in code): **ZW MZ TZ MW ZM ZR**
- 23708. *Bicyclus campinus carcassoni* Condamin,1963** (Satyridae) Synonym(s): *carcassoni* Condamin,1963 _ Range (in code): **KE Tet**
- 23709. *Bicyclus campinus ocelligerus* (Strand,1910)** (Satyridae) Synonym(s): *ocelligera* Strand,1910; *subapicalis* Aurivillius,1910 _ Range (in code): **TZ Ulg Tnga Usa Ani KE**
- 23710. *Bicyclus campus* (Karsch,1893)** (Satyridae) Synonym(s): *campus* Karsch,1893; *baumanni* Karsch,1894; *olivia* Grünberg,1911 _ Range (in code): **TG ZR GN BJ CM AO UG KE TZ**
- 23711. *Bicyclus campus campus* (Karsch,1893)** (Satyridae) Synonym(s): *campus* Karsch,1893; *baumanni* Karsch,1894; *olivia* Grünberg,1911 _ Range (in code): **TG ZR GN BJ CM AO UG KE TZ**
- 23712. *Bicyclus condamini* Van Son,1963** (Satyridae) Synonym(s): *condamini* Van Son,1963 _ Range (in code): **ZW Crd**
- 23713. *Bicyclus condamini condamini* Van Son,1963** (Satyridae) Synonym(s): *condamini* Van Son,1963 _ Range (in code): **ZW Crd**
- 23714. *Bicyclus cooksoni* (Druce,1905)** (Satyridae) Synonym(s): *cooksoni* Druce,1905; *#laticornis* Riley,1921 _ Range (in code): **ZM ZR Shb TZ ZW**
- 23715. *Bicyclus cooksoni cooksoni* (Druce,1905)** (Satyridae) Synonym(s): *cooksoni* Druce,1905; *#laticornis* Riley,1921 _ Range (in code): **ZM ZR Shb TZ ZW**
- 23716. *Bicyclus cottrelli* (Van Son,1952)** (Satyridae) Synonym(s): *cottrelli* Van Son,1952; *harti* Van Son,1952; *#pluvia* Van Son,1962 _ Range (in code): **ZW ZM ZR Shb AO TZ MW**
- 23717. *Bicyclus cottrelli cottrelli* (Van Son,1952)** (Satyridae) Synonym(s): *cottrelli* Van Son,1952; *harti* Van Son,1952; *#pluvia* Van Son,1962 _ Range (in code): **ZW ZM ZR Shb AO TZ MW**
- 23718. *Bicyclus danckelmani* (Rogenhofer,1891)** (Satyridae) Synonym(s): *danckelmani* Rogenhofer,1891; *#daresia* Strand,1910; *#deannulata* Strand,1910 _ Range (in code): **TZ Tnga Usa Ani**
- 23719. *Bicyclus danckelmani danckelmani* (Rogenhofer,1891)** (Satyridae) Synonym(s): *danckelmani* Rogenhofer,1891; *#daresia* Strand,1910; *#deannulata* Strand,1910 _ Range (in code): **TZ Tnga Usa Ani**
- 23720. *Bicyclus dekeyseri* (Condamin,1958)** (Satyridae) Synonym(s): *dekeyseri* Condamin,1958 _ Range (in code): **LR GH GN**
- 23721. *Bicyclus dekeyseri dekeyseri* (Condamin,1958)** (Satyridae) Synonym(s): *dekeyseri* Condamin,1958 _ Range (in code): **LR GH GN**
- 23722. *Bicyclus dentata* (Sharpe,1898)** (Satyridae) Synonym(s): *dentata* Sharpe,1898; *fluviatilis* Grose-Smith,1898 _ Range (in code): **UG KE Lbw Elg Mba TZ RW BI ZR**
- 23723. *Bicyclus dentata dentata* (Sharpe,1898)** (Satyridae) Synonym(s): *dentata* Sharpe,1898; *fluviatilis* Grose-Smith,1898 _ Range (in code): **UG KE Lbw Elg Mba TZ RW BI ZR**
- 23724. *Bicyclus dorothea* (Cramer,[1779])** (Satyridae) Synonym(s): *dorothea* Cramer,[1779]; *melusina* Fabricius,1787; *miriam* Fabricius,1793; *raesaces* Hewitson,1866 _ Range (in code): **ST GO Bio SL NG Caa CM AO ZR GW UG**
- 23725. *Bicyclus dorothea concolor* Condamin & Fox,1964** (Satyridae) Synonym(s): *concolor* Condamin & Fox,1964 _ Range (in code): **ST GO Bio**
- 23726. *Bicyclus dorothea dorothea* (Cramer,[1779])** (Satyridae) Synonym(s): *dorothea* Cramer,[1779]; *melusina* Fabricius,1787; *miriam* Fabricius,1793; *raesaces* Hewitson,1866 _ Range (in code): **SL NG Caa CM AO ZR GW**
- 23727. *Bicyclus dubia* (Aurivillius,1893)** (Satyridae) Synonym(s): *dubia* Aurivillius,1893 _ Range (in code): **GH CM CF ZR Shb LR UG**
- 23728. *Bicyclus dubia dubia* (Aurivillius,1893)** (Satyridae) Synonym(s): *dubia* Aurivillius,1893 _ Range (in code): **GH CM CF ZR Shb LR UG**
- 23729. *Bicyclus ena* (Hewitson,1877)** (Satyridae) Synonym(s): *ena* Hewitson,1877; *#kigonserae* Aurivillius,1911 _ Original Reference: *Mycalesis ena* Hewitson,1877, Entomologist's mon. Mag. 14: 107. Range (in code): **ZA Spb Tva Lpo Kru K12 Pma Suw Nta Kzu SZ ZW MZ MW Zom ZM TZ UG KE ZR Shb**
- 23730. *Bicyclus ena ena* (Hewitson,1877)** (Satyridae) Synonym(s): *ena* Hewitson,1877; *#kigonserae* Aurivillius,1911 _ Original Reference: *Mycalesis ena* Hewitson,1877, Entomologist's

- mon. Mag, 14: 107. Range (in code): **ZA Spb Tva Lpo Kru K12 Pma Suw Nta Kzu SZ ZW MZ MW Zom ZM TZ UG KE ZR Shb**
- 23731. *Bicyclus ephorus* Weymer,1892** (Satyridae) Synonym(s): *ephorus* Weymer,1892
Range (in code): **GH CI LR CM ZR**
- 23732. *Bicyclus ephorus bergeri* Condamin,1965** (Satyridae) Synonym(s): *bergeri* Condamin,1965
Range (in code): **CM ZR**
- 23733. *Bicyclus ephorus ephorus* Weymer,1892** (Satyridae) Synonym(s): *ephorus* Weymer,1892
Range (in code): **GH CI LR**
- 23734. *Bicyclus evadne* (Cramer,[1779])** (Satyridae) Synonym(s): *evadne* Cramer,[1779]; *servatius* Godart,[1824]
Range (in code): **SL NG Caa CM ZR LR CI CG GO CM**
- 23735. *Bicyclus evadne elionias* (Hewitson,1866)** (Satyridae) Synonym(s): *elionias* Hewitson,1866; *noblemairei* Janet,1894; *subignobilis* Strand,1913; *alberici* Dufrane,1945
Range (in code): **NG Caa CG GO ZR CM**
- 23736. *Bicyclus evadne evadne* (Cramer,[1779])** (Satyridae) Synonym(s): *evadne* Cramer,[1779]; *servatius* Godart,[1824]
Range (in code): **SL NG CR LI**
- 23737. *Bicyclus feae* (Aurivillius,1910)** (Satyridae) Synonym(s): *feae* Aurivillius,1910
Range (in code): **GO Bio**
- 23738. *Bicyclus feae feae* (Aurivillius,1910)** (Satyridae) Synonym(s): *feae* Aurivillius,1910
Range (in code): **GO Bio**
- 23739. *Bicyclus funebris* (Guérin-Méneville,1844)** (Satyridae) Synonym(s): *funebris* Guérin-Méneville,1844; *nebulosa* C.Felder & R.Felder,1867; *saga* Butler,1868; *agraphis* Karsch,1893; *rhanidostroma* Karsch,1893; *#agraphides* Strand,1912
Range (in code): **SN GN TG CM TZ ZR AO CF GM MW Zom**
- 23740. *Bicyclus funebris funebris* (Guérin-Méneville,1844)** (Satyridae) Synonym(s): *funebris* Guérin-Méneville,1844; *nebulosa* C.Felder & R.Felder,1867; *saga* Butler,1868; *agraphis* Karsch,1893; *rhanidostroma* Karsch,1893; *#agraphides* Strand,1912
Range (in code): **SN GN TG CM TZ ZR AO CF GM MW Zom**
- 23741. *Bicyclus golo* (Aurivillius,1893)** (Satyridae) Synonym(s): *golo* Aurivillius,1893; *violascens* Aurivillius,1898; *obliterata* Grünberg,1911; *goloides* Strand,1913
Range (in code): **CM CF ZR UG Rz TZ NG KE**
- 23742. *Bicyclus golo golo* (Aurivillius,1893)** (Satyridae) Synonym(s): *golo* Aurivillius,1893; *violascens* Aurivillius,1898; *obliterata* Grünberg,1911; *goloides* Strand,1913
Range (in code): **CM CF ZR UG Rz TZ NG KE**
- 23743. *Bicyclus graueri* (Rebel,1914)** (Satyridae) Synonym(s): *graueri* Rebel,1914
Range (in code): **ZR UG TZ**
- 23744. *Bicyclus graueri graueri* (Rebel,1914)** (Satyridae) Synonym(s): *graueri* Rebel,1914
Range (in code): **ZR UG TZ**
- 23745. *Bicyclus hewitsoni* (Doumet,1861)** (Satyridae) Synonym(s): *hewitsoni* Doumet,1861; *nanodes* Grose-Smith,1890; *bicolor* Bartel,1905; *subocellatus* Bartel,1905; *owassae* Schultze,1914; *nyongensis* Birket-Smith,1960
Range (in code): **CM ZR GO Bio NG GA CG**
- 23746. *Bicyclus hewitsoni hewitsoni* (Doumet,1861)** (Satyridae) Synonym(s): *hewitsoni* Doumet,1861; *nanodes* Grose-Smith,1890; *bicolor* Bartel,1905; *subocellatus* Bartel,1905; *owassae* Schultze,1914; *nyongensis* Birket-Smith,1960
Range (in code): **CM ZR GO Bio NG GA CG**
- 23747. *Bicyclus howarthi* Condamin,1963** (Satyridae) Synonym(s): *howarthi* Condamin,1963
Range (in code): **CM Bit GO GA**
- 23748. *Bicyclus howarthi howarthi* Condamin,1963** (Satyridae) Synonym(s): *howarthi* Condamin,1963
Range (in code): **CM Bit GO GA**
- 23749. *Bicyclus hyperanthus* (Bethune-Baker,1908)** (Satyridae) Synonym(s): *hyperanthus* Bethune-Baker,1908
Range (in code): **CI ZR UG CM**
- 23750. *Bicyclus hyperanthus hyperanthus* (Bethune-Baker,1908)** (Satyridae) Synonym(s): *hyperanthus* Bethune-Baker,1908
Range (in code): **CI ZR UG CM**
- 23751. *Bicyclus iccius* (Hewitson,1865)** (Satyridae) Synonym(s): *iccius* Hewitson,1865; *#transiens* Bartel,1905
Range (in code): **NG Caa CM ZR AO UG**
- 23752. *Bicyclus iccius iccius* (Hewitson,1865)** (Satyridae) Synonym(s): *iccius* Hewitson,1865; *#transiens* Bartel,1905
Range (in code): **NG Caa CM ZR AO UG**
- 23753. *Bicyclus ignobilis* (Butler,1870)** (Satyridae) Synonym(s): *ignobilis* Butler,1870
Range (in code): **BJ CI LR GN GH UG ZR NG CM GA CF**
- 23754. *Bicyclus ignobilis acutus* Condamin,1965** (Satyridae) Synonym(s): *acutus* Condamin,1965
Range (in code): **UG ZR**

- 23755. *Bicyclus ignobilis eurini* Condamin & Fox,1963** (Satyridae) Synonym(s): *eurini* Condamin & Fox,1963 _ Range (in code): NG CM GA CF ZR
- 23756. *Bicyclus ignobilis ignobilis* (Butler,1870)** (Satyridae) Synonym(s): *ignobilis* Butler,1870 _ Range (in code): BJ CI LR GN GH
- 23757. *Bicyclus istaris* (Plötz,1880)** (Satyridae) Synonym(s): *istaris* Plötz,1880; *rhanidostroma* Karsch,1893; *brunnea* Jackson,1951 _ Range (in code): GH TG UG GN CM ZR AO KE
- 23758. *Bicyclus istaris istaris* (Plötz,1880)** (Satyridae) Synonym(s): *istaris* Plötz,1880; *rhanidostroma* Karsch,1893; *brunnea* Jackson,1951 _ Range (in code): GH TG UG GN CM ZR AO KE
- 23759. *Bicyclus italus* (Hewitson,1865)** (Satyridae) Synonym(s): *italus* Hewitson,1865; *massalia* Plötz,1880 _ Range (in code): NG Caa CM GH CF ZR GA GO Bio
- 23760. *Bicyclus italus italus* (Hewitson,1865)** (Satyridae) Synonym(s): *italus* Hewitson,1865; *massalia* Plötz,1880 _ Range (in code): NG Caa CM GH CF ZR GA GO Bio
- 23761. *Bicyclus jefferyi* Fox,1963** (Satyridae) Synonym(s): *#punctifera* Strand,1909; *#addenda* Dufrane,1945; *jefferyi* Fox,1963 _ Range (in code): KE RW ZR TZ UG BI
- 23762. *Bicyclus jefferyi jefferyi* Fox,1963** (Satyridae) Synonym(s): *#punctifera* Strand,1909; *#addenda* Dufrane,1945; *jefferyi* Fox,1963 _ Range (in code): KE RW ZR TZ UG BI
- 23763. *Bicyclus kenia* (Rogenhofer,1891)** (Satyridae) Synonym(s): *kenia* Rogenhofer,1891; *inocellata* Gaede,1915 _ Range (in code): KE
- 23764. *Bicyclus kenia kenia* (Rogenhofer,1891)** (Satyridae) Synonym(s): *kenia* Rogenhofer,1891; *inocellata* Gaede,1915 _ Range (in code): KE
- 23765. *Bicyclus kiellandi* Condamin,1986** (Satyridae) Synonym(s): *kiellandi* Condamin,1986 _ Range (in code): TZ
- 23766. *Bicyclus kiellandi kiellandi* Condamin,1986** (Satyridae) Synonym(s): *kiellandi* Condamin,1986 _ Range (in code): TZ
- 23767. *Bicyclus lamani* (Aurivillius,1900)** (Satyridae) Synonym(s): *lamani* Aurivillius,1900 _ Range (in code): ZR GA AO
- 23768. *Bicyclus lamani lamani* (Aurivillius,1900)** (Satyridae) Synonym(s): *lamani* Aurivillius,1900 _ Range (in code): ZR GA AO
- 23769. *Bicyclus madetes* (Hewitson,1874)** (Satyridae) Synonym(s): *madetes* Hewitson,1874; *nuwa* Plötz,1880; *erysichton* Ehrmann,1894 _ Range (in code): CM GH GA CI LR GN ZR
- 23770. *Bicyclus madetes carola* D'Abrera,1980** (Satyridae) Synonym(s): *carola* D'Abrera,1980 _ Range (in code): CM
- 23771. *Bicyclus madetes madetes* (Hewitson,1874)** (Satyridae) Synonym(s): *madetes* Hewitson,1874; *nuwa* Plötz,1880; *erysichton* Ehrmann,1894 _ Range (in code): GH GA CI LR GN ZR
- 23772. *Bicyclus maesseni* Condamin,1970** (Satyridae) Synonym(s): *maesseni* Condamin,1970 _ Range (in code): GH CI
- 23773. *Bicyclus maesseni maesseni* Condamin,1970** (Satyridae) Synonym(s): *maesseni* Condamin,1970 _ Range (in code): GH CI
- 23774. *Bicyclus mandanes* Hewitson,1873** (Satyridae) Synonym(s): *mandanes* Hewitson,1873; *graphidhabra* Karsch,1893 _ Range (in code): GA TG SL GN SL KE Mba Kms TZ UG ZR CF AO
- 23775. *Bicyclus mandanes mandanes* Hewitson,1873** (Satyridae) Synonym(s): *mandanes* Hewitson,1873; *graphidhabra* Karsch,1893 _ Range (in code): GA TG SL GN SL KE Mba Kms TZ UG ZR CF AO
- 23776. *Bicyclus matuta* (Karsch,1894)** (Satyridae) Synonym(s): *matuta* Karsch,1894; *eleutheria* Rebel,1911 _ Range (in code): ZR RW BI UG
- 23777. *Bicyclus matuta idjwiensis* Condamin,1965** (Satyridae) Synonym(s): *idjwiensis* Condamin,1965 _ Range (in code): ZR
- 23778. *Bicyclus matuta matuta* (Karsch,1894)** (Satyridae) Synonym(s): *matuta* Karsch,1894; *eleutheria* Rebel,1911 _ Range (in code): ZR RW BI UG
- 23779. *Bicyclus medontias* (Hewitson,1873)** (Satyridae) Synonym(s): *medontias* Hewitson,1873; *vala* Plötz,1880; *#microphthalma* Rebel,1914; *obsoletus* Holland,1920 _ Range (in code): ZR NG CM CF Bionomy: Larva on Amomum (Zingiberaceae) (Ackery et al.,1995).
- 23780. *Bicyclus medontias medontias* (Hewitson,1873)** (Satyridae) Synonym(s): *medontias* Hewitson,1873; *vala* Plötz,1880; *#microphthalma* Rebel,1914; *obsoletus* Holland,1920 _ Range (in code): ZR NG CM CF Bionomy: Larva on Amomum (Zingiberaceae) (Ackery et al.,1995).
- 23781. *Bicyclus mesogena* (Karsch,1894)** (Satyridae) Synonym(s): *mesogena* Karsch,1894; *mesogenina* Grünberg,1911; *mohangensis* Dufrane,1945 _ Range (in code): ZR Rz UG GH TG KE TZ

- 23782. *Bicyclus mesogena mesogena* (Karsch,1894)** (Satyridae) Synonym(s): *mesogena* Karsch,1894; *mesogenina* Grünberg,1911; *mohangensis* Dufrane,1945 _ Range (in code): **ZR Rz UG GH TG KE**
- 23783. *Bicyclus mesogena ugandae* (Riley,1926)** (Satyridae) Synonym(s): *ugandae* Riley,1926 Range (in code): **UG TZ**
- 23784. *Bicyclus milyas* (Hewitson,1864)** (Satyridae) Synonym(s): *milyas* Hewitson,1864; *desolata* Butler,1876; *leptoglana* Karsch,1893 _ Range (in code): **SD ET TG SN GA UG**
- 23785. *Bicyclus milyas milyas* (Hewitson,1864)** (Satyridae) Synonym(s): *milyas* Hewitson,1864; *desolata* Butler,1876; *leptoglana* Karsch,1893 _ Range (in code): **SD ET TG SN GA UG**
- 23786. *Bicyclus mollitia* (Karsch,1895)** (Satyridae) Synonym(s): *mollitia* Karsch,1895; *ansorgei* Sharpe,1896 _ Range (in code): **KE UG ZR NG**
- 23787. *Bicyclus mollitia mollitia* (Karsch,1895)** (Satyridae) Synonym(s): *mollitia* Karsch,1895; *ansorgei* Sharpe,1896 _ Range (in code): **KE UG ZR NG**
- 23788. *Bicyclus moyses* Condamin & Fox,1964** (Satyridae) Synonym(s): *moyses* Condamin & Fox,1964 _ Range (in code): **CM NG AO ZR**
- 23789. *Bicyclus moyses moyses* Condamin & Fox,1964** (Satyridae) Synonym(s): *moyses* Condamin & Fox,1964 _ Range (in code): **CM NG AO ZR**
- 23790. *Bicyclus nactetis* Condamin & Fox,1965** (Satyridae) Synonym(s): *nactetis* Condamin & Fox,1965 _ Range (in code): **ZR**
- 23791. *Bicyclus nactetis nactetis* Condamin & Fox,1965** (Satyridae) Synonym(s): *nactetis* Condamin & Fox,1965 _ Range (in code): **ZR**
- 23792. *Bicyclus neustetteri* (Rebel,1914)** (Satyridae) Synonym(s): *neustetteri* Rebel,1914 Range (in code): **ZR UG**
- 23793. *Bicyclus neustetteri neustetteri* (Rebel,1914)** (Satyridae) Synonym(s): *neustetteri* Rebel,1914 _ Range (in code): **ZR UG**
- 23794. *Bicyclus nobilis* (Aurivillius,1893)** (Satyridae) Synonym(s): *nobilis* Aurivillius,1893 Range (in code): **NG CM GA CG**
- 23795. *Bicyclus nobilis nobilis* (Aurivillius,1893)** (Satyridae) Synonym(s): *nobilis* Aurivillius,1893 _ Range (in code): **NG CM GA CG**
- 23796. *Bicyclus pavonis* (Butler,1876)** (Satyridae) Synonym(s): *pavonis* Butler,1876 _ Range (in code): **ET SD KE UG NG SN**
- 23797. *Bicyclus pavonis pavonis* (Butler,1876)** (Satyridae) Synonym(s): *pavonis* Butler,1876 Range (in code): **ET SD KE UG NG SN**
- 23798. *Bicyclus persimilis* (Joicey & Talbot,1921)** (Satyridae) Synonym(s): *persimilis* Joicey & Talbot,1921 _ Range (in code): **ZR UG Rz BI RW**
- 23799. *Bicyclus persimilis persimilis* (Joicey & Talbot,1921)** (Satyridae) Synonym(s): *persimilis* Joicey & Talbot,1921 _ Range (in code): **ZR UG Rz BI RW**
- 23800. *Bicyclus procora* (Karsch,1893)** (Satyridae) Synonym(s): *procora* Karsch,1893; *benina* Grünberg,1911; *makomensis* Strand,1913 _ Range (in code): **TG ZR UG Rz GO NG GN**
- 23801. *Bicyclus procora procora* (Karsch,1893)** (Satyridae) Synonym(s): *procora* Karsch,1893; *benina* Grünberg,1911; *makomensis* Strand,1913 _ Range (in code): **TG ZR UG Rz GO NG GN**
- 23802. *Bicyclus rhacotis* (Hewitson,1866)** (Satyridae) Synonym(s): *rhacotis* Hewitson,1866 Range (in code): **NG Caa ZR UG MW Zom**
- 23803. *Bicyclus rhacotis rhacotis* (Hewitson,1866)** (Satyridae) Synonym(s): *rhacotis* Hewitson,1866 _ Range (in code): **NG Caa ZR UG MW Zom**
- 23804. *Bicyclus rileyi* Condamin,1961** (Satyridae) Synonym(s): *rileyi* Condamin,1961 _ Range (in code): **CM Bit**
- 23805. *Bicyclus rileyi rileyi* Condamin,1961** (Satyridae) Synonym(s): *rileyi* Condamin,1961 Range (in code): **CM Bit**
- 23806. *Bicyclus safitza* (Westwood,[1850])** (Satyridae) Synonym(s): *delila* Fabricius,1793 nec Fabr.,1775; *safitza* Westwood,[1850]; *eusirus* Hopffer,1855; *evenus* Hopffer,1855; *injusta* Wallengren,1857; *caffra* Wallengren,1857; *#semicoeca* Strand,1910 _ Range (in code): **MW Zom GN MZ KE Nai UG TZ Tnga Usa Ani Pb BW ET ZA Kzu Nta Ptb Spb Lpo Tva Mdk Ent Hgl Kru K12 Pf Suw Jh Wri Brb Mpu Gau Bkh**
- 23807. *Bicyclus safitza aethiops* (Rothschild & Jordan,1905)** (Satyridae) Synonym(s): *aethiops* Rothschild & Jordan,1905; *#velutina* Ungemach,1932 _ Range (in code): **ET**
- 23808. *Bicyclus safitza safitza* (Westwood,[1850])** (Satyridae) Synonym(s): *delila* Fabricius,1793 nec Fabr.,1775; *safitza* Westwood,[1850]; *eusirus* Hopffer,1855; *evenus* Hopffer,1855; *injusta* Wallengren,1857; *caffra* Wallengren,1857; *#semicoeca* Strand,1910 _ Range (in code): **MW Zom GN MZ**

KE Nai UG TZ Tnga Usa Ani Pb BW ZA Kzu Nta Ptb Spb Lpo Tva Mdk Ent Hgl Kru K12 Pf Suw Jh Wri
Brb Mpu Gau

- 23809. *Bicyclus sambulos* (Hewitson,1877)** (Satyridae) Synonym(s): *sambulos* Hewitson,1877
Range (in code): CI GH NG CM GA CF TZ ZR UG
- 23810. *Bicyclus sambulos cyaneus* Condamin,1961** (Satyridae) Synonym(s): *cyaneus* Condamin,1961
Range (in code): UG TZ ZR
- 23811. *Bicyclus sambulos sambulos* (Hewitson,1877)** (Satyridae) Synonym(s): *sambulos* Hewitson,1877
Range (in code): NG CM GA CF TZ ZR
- 23812. *Bicyclus sambulos unicolor* Condamin,1970** (Satyridae) Synonym(s): *unicolor* Condamin,1970
Range (in code): CI GH
- 23813. *Bicyclus sanaos* (Hewitson,1866)** (Satyridae) Synonym(s): *sanaos* Hewitson,1866; *hintzi* Strand,1912; *bibundensis* Strand,1913; *completa* Gaede,1915
Range (in code): CI NG Caa CM UG SD GN
- 23814. *Bicyclus sanaos melas* Condamin,1965** (Satyridae) Synonym(s): *#viettei* Condamin,1961; *melas* Condamin,1965
Range (in code): CI NG GN
- 23815. *Bicyclus sanaos sanaos* (Hewitson,1866)** (Satyridae) Synonym(s): *sanaos* Hewitson,1866; *hintzi* Strand,1912; *bibundensis* Strand,1913; *completa* Gaede,1915
Range (in code): NG Caa CM UG SD
- 23816. *Bicyclus sandace* (Hewitson,1877)** (Satyridae) Synonym(s): *sandace* Hewitson,1877
Range (in code): UG TZ ZR CF CM GO Bio LR SN AO ET
- 23817. *Bicyclus sandace sandace* (Hewitson,1877)** (Satyridae) Synonym(s): *sandace* Hewitson,1877
Range (in code): UG TZ ZR CF CM GO Bio LR SN AO ET
- 23818. *Bicyclus sangmelinae* Condamin,1963** (Satyridae) Synonym(s): *sangmelinae* Condamin,1963
Range (in code): GN CM SL
- 23819. *Bicyclus sangmelinae sangmelinae* Condamin,1963** (Satyridae) Synonym(s): *sangmelinae* Condamin,1963
Range (in code): GN CM SL
- 23820. *Bicyclus saussurei* (Dewitz,1879)** (Satyridae) Synonym(s): *saussurei* Dewitz,1879
Range (in code): CM AO ZR RW BI UG TZ ZM KE
- 23821. *Bicyclus saussurei angustus* Condamin,1970** (Satyridae) Synonym(s): *angustus* Condamin,1970
Range (in code): ZR RW BI UG TZ ZM KE
- 23822. *Bicyclus saussurei camerunia* (Strand,1914)** (Satyridae) Synonym(s): *camerunia* Strand,1914
Range (in code): CM
- 23823. *Bicyclus saussurei saussurei* (Dewitz,1879)** (Satyridae) Synonym(s): *saussurei* Dewitz,1879
Range (in code): AO ZR
- 23824. *Bicyclus sciathis* (Hewitson,1866)** (Satyridae) Synonym(s): *sciathis* Hewitson,1866
Range (in code): NG Caa CM GA CG ZR
- 23825. *Bicyclus sciathis sciathis* (Hewitson,1866)** (Satyridae) Synonym(s): *sciathis* Hewitson,1866
Range (in code): NG Caa CM GA CG ZR
- 23826. *Bicyclus sebetus* (Hewitson,1877)** (Satyridae) Synonym(s): *sebetus* Hewitson,1877; *una* Plötz,1880; *kochi* Grünberg,1910
Range (in code): GA CM UG CF ZR AO BI TZ
- 23827. *Bicyclus sebetus sebetus* (Hewitson,1877)** (Satyridae) Synonym(s): *sebetus* Hewitson,1877; *una* Plötz,1880; *kochi* Grünberg,1910
Range (in code): GA CM UG CF ZR AO BI TZ
- 23828. *Bicyclus similis* Condamin,1963** (Satyridae) Synonym(s): *similis* Condamin,1963
Range (in code): TZ
- 23829. *Bicyclus similis similis* Condamin,1963** (Satyridae) Synonym(s): *similis* Condamin,1963
Range (in code): TZ
- 23830. *Bicyclus simulacris* Kielland,1990** (Satyridae) Synonym(s): *simulacris* Kielland,1990
Range (in code): TZ Tnga Usa
- 23831. *Bicyclus simulacris septentrionalis* Kielland,1990** (Satyridae) Synonym(s): *septentrionalis* Kielland,1990
Range (in code): TZ Tnga Usa
- 23832. *Bicyclus simulacris simulacris* Kielland,1990** (Satyridae) Synonym(s): *simulacris* Kielland,1990
Range (in code): TZ
- 23833. *Bicyclus smithi* (Aurivillius,1898)** (Satyridae) Synonym(s): *smithi* Aurivillius,1898; *ansorgei* Aurivillius,1898 nec Shrp.,1896; *nandina* Anson,1899; *obscura* Aurivillius,1901; *campides* Strand,1912
Range (in code): GO Bio KE ZR CM UG TZ NG AO
- 23834. *Bicyclus smithi eurypterus* Condamin,1965** (Satyridae) Synonym(s): *eurypterus* Condamin,1965
Range (in code): ZR
- 23835. *Bicyclus smithi fernandina* (Schultze,1914)** (Satyridae) Synonym(s): *fernandina* Schultze,1914; *poensis* Condamin,1963
Range (in code): GO Bio

- 23836. *Bicyclus smithi smithi* (Aurivillius,1898)** (Satyridae) Synonym(s): *smithi* Aurivillius,1898; *ansorgei* Aurivillius,1898 *nec* Shrp.,1896; *nandina* Ansorge,1899; *obscura* Aurivillius,1901; *campides* Strand,1912 _ Range (in code): KE ZR CM UG TZ NG AO
- 23837. *Bicyclus sophrosyne* (Plötz,1880)** (Satyridae) Synonym(s): *sophrosyne* Plötz,1880; *ploetzi* Bartel,1905; *#decemoculi* Birket-Smith,1960 _ Range (in code): NG ZR UG KE CM
- 23838. *Bicyclus sophrosyne overlaeti* Condamin,1965** (Satyridae) Synonym(s): *overlaeti* Condamin,1965 _ Range (in code): ZR
- 23839. *Bicyclus sophrosyne sophrosyne* (Plötz,1880)** (Satyridae) Synonym(s): *sophrosyne* Plötz,1880; *ploetzi* Bartel,1905; *#decemoculi* Birket-Smith,1960 _ Range (in code): NG ZR UG KE CM
- 23840. *Bicyclus suffusa* (Riley,1921)** (Satyridae) Synonym(s): *suffusa* Riley,1921 _ Range (in code): ZM ZR AO
- 23841. *Bicyclus suffusa ituriensis* Condamin,1970** (Satyridae) Synonym(s): *ituriensis* Condamin,1970 _ Range (in code): ZR
- 23842. *Bicyclus suffusa suffusa* (Riley,1921)** (Satyridae) Synonym(s): *suffusa* Riley,1921 _ Range (in code): ZM ZR AO
- 23843. *Bicyclus sweadneri* Fox,1963** (Satyridae) Synonym(s): *sweadneri* Fox,1963 _ Range (in code): CM CF ZR CI
- 23844. *Bicyclus sweadneri sweadneri* Fox,1963** (Satyridae) Synonym(s): *sweadneri* Fox,1963 _ Range (in code): CM CF ZR CI
- 23845. *Bicyclus sylvicolus* Condamin,1965** (Satyridae) Synonym(s): *#sylvicolus* Condamin,1961; *sylvicolus* Condamin,1965 _ Range (in code): GH CM
- 23846. *Bicyclus sylvicolus sylvicolus* Condamin,1965** (Satyridae) Synonym(s): *#sylvicolus* Condamin,1961; *sylvicolus* Condamin,1965 _ Range (in code): GH CM
- 23847. *Bicyclus taenias* (Hewitson,1877)** (Satyridae) Synonym(s): *taenias* Hewitson,1877; *gerda* Plötz,1880; *#pujoli* Condamin,1961 _ Range (in code): GA GN SN SL CF ZR
- 23848. *Bicyclus taenias taenias* (Hewitson,1877)** (Satyridae) Synonym(s): *taenias* Hewitson,1877; *gerda* Plötz,1880; *#pujoli* Condamin,1961 _ Range (in code): GA GN SN SL CF ZR
- 23849. *Bicyclus tanzanicus* Condamin,1986** (Satyridae) Synonym(s): *tanzanicus* Condamin,1986 _ Range (in code): TZ
- 23850. *Bicyclus tanzanicus tanzanicus* Condamin,1986** (Satyridae) Synonym(s): *tanzanicus* Condamin,1986 _ Range (in code): TZ
- 23851. *Bicyclus technatis* (Hewitson,1877)** (Satyridae) Synonym(s): *technatis* Hewitson,1877 _ Range (in code): GA NG AO
- 23852. *Bicyclus technatis technatis* (Hewitson,1877)** (Satyridae) Synonym(s): *technatis* Hewitson,1877 _ Range (in code): GA NG AO
- 23853. *Bicyclus trilophus* (Rebel,1914)** (Satyridae) Synonym(s): *trilophus* Rebel,1914; *schoetedeni* Overlaet,1954 _ Range (in code): CM CI GN ZR Shb GA
- 23854. *Bicyclus trilophus jacksoni* Condamin,1961** (Satyridae) Synonym(s): *jacksoni* Condamin,1961 _ Range (in code): CM CI GN
- 23855. *Bicyclus trilophus trilophus* (Rebel,1914)** (Satyridae) Synonym(s): *trilophus* Rebel,1914; *schoetedeni* Overlaet,1954 _ Range (in code): ZR Shb GA
- 23856. *Bicyclus uniformis* (Bethune-Baker,1908)** (Satyridae) Synonym(s): *uniformis* Bethune-Baker,1908; *ribbei* Neustetter,1916 _ Range (in code): ZR CM CI UG
- 23857. *Bicyclus uniformis uniformis* (Bethune-Baker,1908)** (Satyridae) Synonym(s): *uniformis* Bethune-Baker,1908; *ribbei* Neustetter,1916 _ Range (in code): ZR CM CI UG
- 23858. *Bicyclus uzungwensis* Kielland,1990** (Satyridae) Synonym(s): *uzungwensis* Kielland,1990 _ Range (in code): TZ
- 23859. *Bicyclus uzungwensis granti* Kielland,1990** (Satyridae) Synonym(s): *granti* Kielland,1990 _ Range (in code): TZ
- 23860. *Bicyclus uzungwensis uzungwensis* Kielland,1990** (Satyridae) Synonym(s): *uzungwensis* Kielland,1990 _ Range (in code): TZ
- 23861. *Bicyclus vansoni* Condamin,1965** (Satyridae) Synonym(s): *vansoni* Condamin,1965 _ Range (in code): TZ ZR Shb BI MW AO
- 23862. *Bicyclus vansoni vansoni* Condamin,1965** (Satyridae) Synonym(s): *vansoni* Condamin,1965 _ Range (in code): TZ ZR Shb BI MW AO
- 23863. *Bicyclus vulgaris* (Butler,1868)** (Satyridae) Synonym(s): *vulgaris* Butler,1868; *tolosa* Plötz,1880 _ Range (in code): GA SN AO UG KE TZ

- 23864. *Bicyclus vulgaris vulgaris* (Butler,1868)** (Satyridae) Synonym(s): *vulgaris* Butler,1868; *tolosa* Plötz,1880 _ Range (in code): GA SN AO UG KE TZ
- 23865. *Bicyclus xeneas* (Hewitson,1866)** (Satyridae) Synonym(s): *xeneas* Hewitson,1866; *phalanthus* Staudinger,1887; *phalanthoides* Strand,1913 _ Range (in code): CI GN NG Caa GA GO Bio ZR
- 23866. *Bicyclus xeneas occidentalis* Condamin,1965** (Satyridae) Synonym(s): *occidentalis* Condamin,1965 _ Range (in code): CI GN
- 23867. *Bicyclus xeneas xeneas* (Hewitson,1866)** (Satyridae) Synonym(s): *xeneas* Hewitson,1866; *phalanthus* Staudinger,1887; *phalanthoides* Strand,1913 _ Range (in code): NG Caa GA GO Bio ZR
- 23868. *Bicyclus xeneoides* Condamin,1961** (Satyridae) Synonym(s): *xeneoides* Condamin,1961 _ Range (in code): ZR NG GA GO Bio UG
- 23869. *Bicyclus xeneoides xeneoides* Condamin,1961** (Satyridae) Synonym(s): *xeneoides* Condamin,1961 _ Range (in code): ZR NG GA GO Bio UG
- 23870. *Bicyclus zinebi* (Butler,1869)** (Satyridae) Synonym(s): *zinebi* Butler,1869 _ Range (in code): GH TG SL SN
- 23871. *Bicyclus zinebi zinebi* (Butler,1869)** (Satyridae) Synonym(s): *zinebi* Butler,1869 _ Range (in code): GH TG SL SN
- 23872. *Boeberia parmenio* (Boeber,1809)** (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899. Original Reference: Papilio parmenio Boeber,1809, Mém. Soc. Nat. Moscou 2: 306, Taf.19. Syntypes: Russia: Lake Baikal. Range (in code): At MN RU Ya Sb Kts CN Ui
- 23873. *Boeberia parmenio parmenio* (Boeber,1809)** (Satyridae) Synonym(s): *parmenio* Boeber,1809; *alpina* Elwes,1899. Original Reference: Papilio parmenio Boeber,1809, Mém. Soc. Nat. Moscou 2: 306, Taf.19. Syntypes: Russia: Lake Baikal. Range (in code): At MN RU Ya Sb Kts CN Ui
- 23874. *Brintesia circe* (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962. Original Reference: Papilio circe Fabricius,1775, Sys. Ent.: 495, nr.116. Syntypes: Europa. Range (in code): AL AT BE BG BY CH CZ DE ES Mu FR GR HU IT Kr LU PL PT RO RU Sa Si SK Sr TR Cc AZ Len UA YU IR Ha Ab Oru Qba Ak IQ S-T Bionomy: Larva on Festuca ovina, Bromus erectus, Anthoxanthum odoratum (Koçak, ; Tolman,1997).
- 23875. *Brintesia circe circe* (Fabricius,1775)** (Satyridae) Synonym(s): *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladettæ* Varin,1962. Original Reference: Papilio circe Fabricius,1775, Sys. Ent.: 495, nr.116. Syntypes: Europa. Range (in code): AL AT BE BG Bw BY CH CZ DE ES Mu FR GR HU IT Kr LU PL PT RO RU Sa Si SK Sr TR Cc AZ Len UA YU IR Ha Ab Oru Qba Ak IQ S-T
- 23876. *Brintesia circe hispanica* (Spuler,1908)** (Satyridae) Synonym(s): *hispanica* Spuler,1908 _ Range (in code): ES Mu
- 23877. *Brintesia circe teleuda* (Fruhstorfer,1917)** (Satyridae) Synonym(s): *teleuda* Fruhstorfer,1917 _ Original Reference: Satyrus circe ssp. teleuda Fruhstorfer,1917, Ent. Z., Stuttgart 30: 99. Syntypes: Sardinien, Korsika. Range (in code): Co F2o Sa
- 23878. *Calinaga buddha* Moore,1857** (Satyridae) Synonym(s): *buddha* Moore,1857 _ Original Reference: Calinaga buddha Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 163, pl.3a, fig.5.
- 23879. *Calinaga buddha buddha* Moore,1857** (Satyridae) Synonym(s): *buddha* Moore,1857 _ Original Reference: Calinaga buddha Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 163, pl.3a, fig.5.
- 23880. *Calinaga lhatso* Oberthür,1893** (Satyridae) Synonym(s): *lhatso* Oberthür,1893 _ Original Reference: Calinaga lhatso Oberthür,1893, Etüd. Ent. 18: 13. Range (in code): ?KP CN Ti
- 23881. *Calinaga lhatso lhatso* Oberthür,1893** (Satyridae) Synonym(s): *lhatso* Oberthür,1893 _ Original Reference: Calinaga lhatso Oberthür,1893, Etüd. Ent. 18: 13. Range (in code): ?KP CN Ti
- 23882. *Callerebia annada* (Moore,1857)** (Satyridae) Synonym(s): *annada* Moore,1857 _ Original Reference: Erebia annada Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 226. Type(s): Bhutan. Range (in code): BT NP MM Ass TH
- 23883. *Callerebia annada annada* (Moore,1857)** (Satyridae) Synonym(s): *annada* Moore,1857 _ Original Reference: Erebia annada Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 226. Type(s): Bhutan. Range (in code): BT NP MM Ass
- 23884. *Callerebia annada orixa* Moore,1872** (Satyridae) Synonym(s): *orixa* Moore,1872 _ Range (in code): TH

- 23885. Callerebia baileyi South,1913** (Satyridae) Synonym(s): *baileyi* South,1913 _ Range (in code): CN Ti
- 23886. Callerebia baileyi baileyi South,1913** (Satyridae) Synonym(s): *baileyi* South,1913 Range (in code): CN Ti
- 23887. Callerebia caeca Watkins,1925** (Satyridae) Synonym(s): *caeca* Watkins,1925 _ Range (in code): Abb PK Ch
- 23888. Callerebia caeca caeca Watkins,1925** (Satyridae) Synonym(s): *caeca* Watkins,1925 Range (in code): Abb PK Ch
- 23889. Callerebia daksha Moore,1874** (Satyridae) Synonym(s): *daksha* Moore,1874 Original Reference: Callerebia daksha Moore,1874, Proc. zool. Soc. Lond. 1874: 266, pl.xliii fig.1. Syntypes: ♂♂: Cashmere: Goolmurg. Range (in code): Ch GI
- 23890. Callerebia daksha daksha Moore,1874** (Satyridae) Synonym(s): *daksha* Moore,1874 Original Reference: Callerebia daksha Moore,1874, Proc. zool. Soc. Lond. 1874: 266, pl.xliii fig.1. Syntypes: ♂♂: Cashmere: Goolmurg. Range (in code): Ch GI
- 23891. Callerebia narasingha (Moore,[1858])** (Satyridae) Synonym(s): *narasingha* Moore,[1858] Original Reference: Ypthima narasingha Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236. Range (in code): TH CMa CN MM SI Ti
- 23892. Callerebia narasingha dohertyi (Evans,1923)** (Satyridae) Synonym(s): *dohertyi* Evans,1923 _ Range (in code): TH CMa
- 23893. Callerebia narasingha narasingha (Moore,[1858])** (Satyridae) Synonym(s): *narasingha* Moore,[1858] Original Reference: Ypthima narasingha Moore,[1858], [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
- 23894. Callerebia nirmala (Moore,1865)** (Satyridae) Synonym(s): *nirmala* Moore,1865 Original Reference: Erebia nirmala Moore,1865, Proc. zool. Soc. Lond. 56: 501. Type ♂: [India]: North West Himalayas. Range (in code): Ci Drm Hp IN Kgr Kma Knw Mre Mus Nwf Pj PK Up
- 23895. Callerebia nirmala kala (Evans,1923)** (Satyridae) Synonym(s): *kala* Evans,1923 Original Reference: Erebia nirmala ssp. kala Evans,1923, J. Bombay nat. Hist. Soc. 29: 784. Type: [Pakistan]: Murree. Range (in code): Mre Haz PK
- 23896. Callerebia nirmala materta Fruhstorfer,1916** (Satyridae) Synonym(s): *materta* Fruhstorfer,1916; *reducta* Evans,1923. Original Reference: Callerebia nirmala ssp. materta Fruhstorfer,1916, Ent. Rdsch. 33: 25. Syntypes: [Pakistan]: Chitral, 6000ft. Range (in code): Ci Nwf PK
- 23897. Callerebia nirmala nirmala (Moore,1865)** (Satyridae) Synonym(s): *nirmala* Moore,1865 Original Reference: Erebia nirmala Moore,1865, Proc. zool. Soc. Lond. 56: 501. Type ♂: [India]: North West Himalayas. Range (in code): Drm Hp IN Kgr Kma Mus Pj Up
- 23898. Callerebia nirmala scandina Fruhstorfer,1916** (Satyridae) Synonym(s): *scandina* Fruhstorfer,1916 Original Reference: Callerebia nirmala ssp. scandina Fruhstorfer,1916, Ent. Rdsch. 33: 24. Syntypes: India: Bashahr. Range (in code): IN Knw
- 23899. Callerebia polyphemus Oberthür,1877** (Satyridae) Synonym(s): *polyphemus* Oberthür,1877 _ Range (in code): CN Ti
- 23900. Callerebia polyphemus polyphemus Oberthür,1877** (Satyridae) Synonym(s): *polyphemus* Oberthür,1877 _ Range (in code): CN Ti
- 23901. Callerebia scanda (Kollar,[1844])** (Satyridae) Synonym(s): *scanda* Kollar,[1844] Original Reference: Erebia scanda Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 452, Taf.17, figs.3,4. Type(s): Kaschmir. Range (in code): Ch
- 23902. Callerebia scanda scanda (Kollar,[1844])** (Satyridae) Synonym(s): *scanda* Kollar,[1844] Original Reference: Erebia scanda Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 452, Taf.17, figs.3,4. Type(s): Kaschmir. Range (in code): Ch
- 23903. Callerebia tsirava Evans,1915** (Satyridae) Synonym(s): *tsirava* Evans,1915 _ Range (in code): CN Ti
- 23904. Callerebia tsirava tsirava Evans,1915** (Satyridae) Synonym(s): *tsirava* Evans,1915 Range (in code): CN Ti
- 23905. Cassionympha cassius (Godart,[1824])** (Satyridae) Synonym(s): *cassius* Godart,[1824]; *hyperbioides* Wallengren,1857 _ Range (in code): ZA Tva Lpo Spb Lj Ent Ly Suw Mpu Brb Kzu Nta Ptb Ec Bionomy: Larva on Juncus (Juncaceae); Afrachneria, Pentaschistis (Poaceae) (Ackery et al.,1995).

- 23906. *Cassionympha cassius cassius* (Godart,[1824])** (Satyridae) Synonym(s): *cassius* Godart,[1824]; *hyperbioides* Wallengren,1857. Range (in code): **ZA Tva Lpo Spb Lj Ent Ly Suw Mpu Brb Kzu Nta Ptb Ec** Bionomy: Larva on *Juncus* (Juncaceae); *Afrachneria*, *Pentaschistis* (Poaceae) (Ackery et al.,1995).
- 23907. *Cercyonis meadii*** (Satyridae) Synonym(s): Range (in code): **US MX Arz Cf Col Mon Ndk NMx Neb Sdk Tx Ut Wy**
- 23908. *Cercyonis oetus*** (Satyridae) Synonym(s): Range (in code): **US Arz Cf Col Id Mon Ndk NMx Ne Neb Org Sdk Ut Ws Wy**
- 23909. *Cercyonis pegala*** (Satyridae) Synonym(s): Range (in code): **US MX Aks Alb Arz Cf Cnt Col Dw Fl Ge Id Idp Ilm Io Kan Knt Lou Mai Mch Mis Mns Mon Mrl Msc Mss NCa Ndk NMx Ne Neb Nh Nje Ny Oh Ok Org Pns RDi Sdk Tnn Tx Ut Vi Vr WVi Wc Ws Wy**
- 23910. *Cercyonis sthenele*** (Satyridae) Synonym(s): Range (in code): **US MX Arz Cf Col Id Mon NMx Ne Org Ut Ws Wy**
- 23911. *Chazara (Neochazara) anthe* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. Original Reference: Papilio *anthe* Hoffmannsegg, 1804, Mag. f. Insektenk. 5: 182. Syntypes: [Russia]: Südrussland. Range (in code): **Cc AM Ao Aq At AZ Ba Cm GG Gj IQ IR Ab Qba Ak Zj Elb Th Fa Ss JO KG LB Mg Mn RU Sm So Sp Sr TR Arr UA Uk VI Ktm Nym SY IL Pa Hf**
- 23912. *Chazara (Neochazara) anthe anthe* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. Original Reference: Papilio *anthe* Hoffmannsegg,1804, Mag. f. Insektenk. 5:182. Syntypes: [Russia]: Südrussland. Range (in code): **Ao Aq Ba Cm Gj KG Mg RU Sm So Sr UA Uk VI**
- 23913. *Chazara (Neochazara) anthe hanifa* (Boisduval,1848)** (Satyridae) Synonym(s): *hanifa* Boisduval,1848; *hanifa* Herrich-Schäffer,1850; *transiens* Zerny,1932. Original Reference: Satyrus *hanifa* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase. Range (in code): **He IL Pa Hf JO IQ IR Ab Ak Zj Elb Th LB TR Cc Arr AZ SY**
- 23914. *Chazara (Neochazara) anthe pseudoenervata* Lukhtanov,1999** (Satyridae) Synonym(s): *pseudoenervata* Lukhtanov,1999 Original Reference: *Chazara persephone* ssp. *pseudoenervata* Lukhtanov,1999, Atalanta 30 (1/4): 142-143. Holotype ♂: Kasachstan: Ust-Kamenogorsk Gebiet, Süd Altai, Kurtschum-Gegend, Burabai, 600m. (in EMEM). Range (in code): **KG Mn Ktm Nym**
- 23915. *Chazara (Neochazara) anthe pseudohanifa* (Gross & Ebert,1975)** (Satyridae) Synonym(s): *pseudohanifa* Gross & Ebert,1975 Original Reference: Satyrus (*Chazara*) *persephone* ssp. *pseudohanifa* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 23-24, fig.24. Holotype ♂: Iran: Fars: 100km S. Abadeh, N. Didegan 2000m (Ebert leg., LNK). Range (in code): **IR Fa**
- 23916. *Chazara (Neochazara) enervata* (Staudinger,1881)** (Satyridae) Synonym(s): *enervata* Staudinger,1881; *analoga* Alpheraky,1881; *ochracea* Heyne,[1894]. Original Reference: Satyrus *anthe* var. *enervata* Staudinger,1881, Stettin ent. Ztg. 42: 271. Syntypes: [Kasachstan]: Saisan. Lectotype ♂: Saisan, designated by Lukhtanov,1994, Herbiopoliana 3: 157 (in ZMHUB). Range (in code): **Aa AF Kab Hr BLM Bl Ci CN Db IR Kh KG KK Ku Ky Omi PK Sp TJ Tk Syr Tm TM Ui UZ Nym Sau Tar DsA Ssn TrA KuA Ax Ket Sju Bog Kpt T-S**
- 23917. *Chazara (Neochazara) enervata enervata* (Staudinger,1881)** (Satyridae) Synonym(s): *enervata* Staudinger,1881; *analoga* Alpheraky,1881; *ochracea* Heyne,[1894]. Original Reference: Satyrus *anthe* var. *enervata* Staudinger,1881, Stettin ent. Ztg. 42: 271. Syntypes: [Kasachstan]: Saisan. Lectotype ♂: Saisan, designated by Lukhtanov,1994, Herbiopoliana 3: 157 (in ZMHUB). Range (in code): **Aa AF Kab Hr BLM Bl Ci CN Db IR Kh KG KK Ku Ky Omi PK Sp TJ Tk Syr Tm TM Ui UZ Nym Sau Tar T-S DsA Ssn TrA KuA Ax Ket Sju Bog Kpt T-S**
- 23918. *Chazara (Neochazara) heydenreichi* (Lederer,1853)** (Satyridae) Synonym(s): *heydenreichi* Lederer,1853; *karasagina* Holik,1949. Original Reference: Satyrus *heydenreichi* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 359. Syntypes: [Kazachstan]: in den Vorbergen des Altai, zw. Ustkamenogorsk und Ustbuchraminsk am Irtisch. Range (in code): **Bg KG KK PK Rk RU Ci Sha SkL Sp Tk CN Ui Um Kml Nym Sau Tar Ket Ax TrA KuA DsA Tls AF Hk T-S**
- 23919. *Chazara (Neochazara) heydenreichi hegesander* (Fruhstorfer,1907)** (Satyridae) Synonym(s): *hegesander* Fruhstorfer,1907
- 23920. *Chazara (Neochazara) heydenreichi heydenreichi* (Lederer,1853)** (Satyridae) Synonym(s): *heydenreichi* Lederer,1853; *karasagina* Holik,1949. Original Reference: Satyrus *heydenreichi* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 359. Syntypes: [Kazachstan]: in den Vorbergen des Altai, zw. Ustkamenogorsk und Ustbuchraminsk am Irtisch. Range (in code): **Bg KG KK Rk Sp Tk CN Ui Um Nym Sau Tar Ket Ax TrA KuA DsA Tls SkL T-S**

- 23921. Chazara (Neochazara) heydenreichi kullmanni (Wyatt & Omoto,1966)** (Satyridae) Synonym(s): *kullmanni* Wyatt & Omoto,1966 Original Reference: Satyrus (Chazara) heydenreichi ssp. kullmanni Wyatt & Omoto,1966, Entomops 5: 156-157, figs. Holotype ♂: Afghanistan: Hindu Kush, Parian, Panjshir valley, 2700m. Range (in code): **AF Hk**
- 23922. Chazara (Neochazara) heydenreichi shandura (Marschall,1882)** (Satyridae) Synonym(s): *shandura* Marschall,1882 Original Reference: Hipparchia shandura Marschall,1882, J. asiat. Soc. Beng. 51 (2): 38, pl.iv fig.3. Syntypes: [Pakistan]: Shandur Pass. Range (in code): **Bg Ci CN KK Kl PK Sha SkL Ui Kml**
- 23923. Chazara (Neochazara) priouri (Pierret,1837)** (Satyridae) Synonym(s): *priouri* Pierret,1837 Original Reference: Satyrus priouri Pierret,1837, Annls Soc. ent. Fr. 6: 304, pl.12 fig.6. Type(s): [Algérie]: Barbarie. Range (in code): **DZ Béj Sbd Afl Abe Orn Sfr ES Mu MA Ter TN Ges Dje Tlm** Bionomy: Larva on Lygeum spartum, Festuca ovina, Poa annua (Tolman,1997).
- 23924. Chazara (Neochazara) priouri iberica (Oberthür,1907)** (Satyridae) Synonym(s): *iberica* Oberthür,1907 Range (in code): **ES Mu**
- 23925. Chazara (Neochazara) priouri kebira (Wyatt,1952)** (Satyridae) Synonym(s): *kebira* Wyatt,1952 Original Reference: Satyrus priouri ssp. kebira Wyatt,1952, Z. Wien. ent. Ges. 37: 174. Holotype ♂: Marokko: Südseite Mittlerer Atlas: Taghzeft Pass, 2200m. Range (in code): **MA**
- 23926. Chazara (Neochazara) priouri priouri (Pierret,1837)** (Satyridae) Synonym(s): *priouri* Pierret,1837 Original Reference: Satyrus priouri Pierret,1837, Annls Soc. ent. Fr. 6: 304, pl.12 fig.6. Type(s): [Algérie]: Barbarie. Range (in code): **DZ Béj Sbd Afl Abe Orn TN Ges Dje Tlm**
- 23927. Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846] Original Reference: Satyrus bischoffii Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.276-279. Syntypes: [Türkei]: Südseite d. Ararat (M. Wagner). Range (in code): **IR Ab Ak Msw Cc TR Arr**
- 23928. Chazara (s.str.) bischoffi bischoffi (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *bischoffi* Herrich-Schäffer,[1846] Original Reference: Satyrus bischoffii Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.276-279. Syntypes: [Türkei]: Südseite d. Ararat (M. Wagner). Range (in code): **IR Ab Ak Msw Cc TR Arr**
- 23929. Chazara (s.str.) briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. Original Reference: Papilio briseis Linnaeus,1764, Museum Ludovicae Ulricae: 276. Type(s): Germania. Range (in code): **AF AL AM Ao At Bn Kts AT Aty AZ Ba BE BG B-H BY CH CN CY CZ DE DZ ES FR GG GR HU HV IQ IR IT Ju KG KK LU MA MK MN PL RO RU SE Si SK Sm So Sr SS TJ TM TN TR T-S UA Ui Uk UZ VI YU Tm Vi Ao Sr Uk Aq Or Sm Tt Cb Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Mu Trt Kts Ur Aa Ku Sem Tk Ui TeA KuA DsA Bc Ab Sro Qba Msw Ak Kd Mz Elb Kp Sju Cc Bc BtNa Hr** Bionomy: Larva on Sesleria, Festuca, Stipa, Poa (Eckstein, 1913); Bromus erectus, Festuca ovina (Tolman, 1997).
- 23930. Chazara (s.str.) briseis briseis (Linnaeus,1764)** (Satyridae) Synonym(s): *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. Original Reference: Papilio briseis Linnaeus,1764, Museum Ludovicae Ulricae: 276. Type(s): Germania. Range (in code): **Bw DE FR**
- 23931. Chazara (s.str.) briseis fergana (Staudinger,1886)** (Satyridae) Synonym(s): *fergana* Staudinger,1886; *turanica* Staudinger,[1894]. Original Reference: Satyrus briseis var. fergana Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Usbekistan]: Fergana: Margelan (proposed by Hanus et al.,1997, as a subspecies of Chazara maracandica Stgr.). Range (in code): **T-S KK UZ KG Tm Syr**
- 23932. Chazara (s.str.) briseis hyrcana (Staudinger,1886)** (Satyridae) Synonym(s): *hyrcana* Staudinger,1886 Original Reference: Satyrus briseis var. hyrcana Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Iran]: Nordpersien; [Turkmenistan]: Achal Tekke-Gebiet. Range (in code): **IR Mz Elb Kp TM**
- 23933. Chazara (s.str.) briseis ianthe (Pallas,1771)** (Satyridae) Synonym(s): *ianthe* Pallas,1771; *meridionalis* sensu auct. nec Stgr.,1886. Original Reference: Papilio ianthe Pallas,1771, Reise durch versch. Prov. russ. Reiches 1: 469, nr.58. Range (in code): **RU KG VI Ao Sr Uk Aq Or Sm Tt Cb Kt Kw Ty Om Pw Ka Rk Tar Sau Ssn Mn Buc At Bn Trt Kts CN Ui MN Ur**
- 23934. Chazara (s.str.) briseis larnacana (Oberthür,1909)** (Satyridae) Synonym(s): *larnacana* Oberthür,1909. Original Reference: Satyrus briseis ssp. larnacana Oberthür,1909, Etüd. lépid. comp. 3: 263-265, fig.689. Type: Cyprus: Larnaca. Range (in code): **CY**
- 23935. Chazara (s.str.) briseis lyrnessus (Fruhstorfer,1808)** (Satyridae) Synonym(s): *lyrnessus* Fruhstorfer,1808; *suusamyra* Korb,2005 Range (in code): **RU Sb Om KK**

- 23936. Chazara (s.str.) briseis major (Oberthür,1876)** (Satyridae) Synonym(s): *major* Oberthür,1876 Original Reference: *Satyrus briseis* var. *major* Oberthür,1876, Etüdes d'Ent. 1: 27. Type ♀: Algeria: Boghari (Raffray leg.). Range (in code): **DZ Bt na**
- 23937. Chazara (s.str.) briseis maracandica (Staudinger,1886)** (Satyridae) Synonym(s): *maracandica* Staudinger,1886 Original Reference: *Satyrus briseis* var. *maracandica* Staudinger,1886, Stettin ent. Ztg. 47: 243. Syntypes: [Usbekistan]: Samarkand (proposed by Hanus et al.,1997, as distinct species). Range (in code): **KK UZ**
- 23938. Chazara (s.str.) briseis martinae Leraut,1990** (Satyridae) Synonym(s): *martinae* Leraut,1990 Range (in code): **FR**
- 23939. Chazara (s.str.) briseis pirata (Esper,[1789])** (Satyridae) Synonym(s): *pirata* Esper,[1789]; *meridionalis* Staudinger,1886; *magna* Staudinger,[1894]; *#uniocellata* Strand,1909; *armena* Jachontov,1912; *fergana sensu* Hofmann,1898; *latiusalba* Verity,1937; *hyperleuca* Verity,1937; *falkneri* Gross & Ebert,1975. Original Reference: *Papilio pirata* Esper,[1789], Die Schmetterlinge in Abbildungen nach der Natur...,Suppl. 1(1): 39, Taf.100, fig.3. Syntypes: Nîmes, Languedoc. (ex coll. Gerning, in Museum Wiesbaden ? (cf. Hesselbarth,et al.,1995:922). Range (in code): **ES Mu FR IT HV B-H YU MK GR Cc AM AZ GG IQ IR Ab Ak Kd RU TR**
- 23940. Chazara (s.str.) briseis pyrenaeorum (Verity,1927)** (Satyridae) Synonym(s): *pyrenaeorum* Verity,1927; *peimica* Varin,1958. Original Reference: *Hipparchia briseis pyrenaeorum* Verity,1927, Bull. Soc. ent. Fr. 64: 175. Syntypes 2♂: [France]: Pyrenees orientales: Ambollos. Range (in code): **FR Py**
- 23941. Chazara (s.str.) briseis zhdanko Koçak & Kemal,2000** (Satyridae) Synonym(s): *magna sensu auct. nec* Stgr.,[1894]; *fergana sensu* Wagner,1913 *nec* Stgr.,1886; *zhdanko* Koçak & Kemal,2000 Original Reference: Chazara (s.str.) *briseis* ssp. *zhdanko* Koçak & Kemal,2000, Centr. ent. Stud., Misc. Pap. xx: ... Holotype ♂: Kirgizistan: Issyk Kul E.: Przewalsk, Terskei-Alatau, Kyzyl-Suu 1850m, 12.8.1999, leg. M.Kemal & A.Koçak (in coll. Cesa). Range (in code): **Aa CN KG Ku Sem Tk Ui KK TeA KuA DsA Bc Sju T-S**
- 23942. Chazara (s.str.) eginia (Staudinger,[1892])** (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986. Original Reference: *Satyrus bischoffii* var. *eginus* Staudinger,[1892], Dt. ent. Z., Iris 4: 237. Syntypes 6♂ 2♀: [Türkei]: Egin [=Kemaliye]. Range (in code): **TR IR Es**
- 23943. Chazara (s.str.) eginia eginia (Staudinger,[1892])** (Satyridae) Synonym(s): *egina* Staudinger,[1892]; *aisha* Rose,1986. Original Reference: *Satyrus bischoffii* var. *eginus* Staudinger,[1892], Dt. ent. Z., Iris 4: 237. Syntypes 6♂ 2♀: [Türkei]: Egin [=Kemaliye]. Range (in code): **TR**
- 23944. Chazara (s.str.) eginia mortezai Carbonell & Leestmans,2000** (Satyridae) Synonym(s): *mortezai* Carbonell & Leestmans,2000 Original Reference: Chazara *egina* ssp. *mortezai* Carbonell & Leestmans,2000, Linneana Belg. 17 (6): 251-254, figs. Holotype ♂: Iran: Prov. d'Esfahan, region d'Esfahan, 2000m. (MNHNP). Range (in code): **IR Es**
- 23945. Chazara (s.str.) kaufmanni (Erschoff,1874)** (Satyridae) Synonym(s): *kaufmanni* Erschoff,1874 Original Reference: *Satyrus kaufmanni* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 19, taf.1 fig.14. Syntypes: [Usbekistan]: Samarkand. Range (in code): **T-S Aa Ax CN KG KK Ky Omi Sp Ui Kml UZ Syr Tm Sju Tar Kp TM IR Kh**
- 23946. Chazara (s.str.) kaufmanni kaufmanni (Erschoff,1874)** (Satyridae) Synonym(s): *kaufmanni* Erschoff,1874 Original Reference: *Satyrus kaufmanni* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 19, taf.1 fig.14. Syntypes: [Usbekistan]: Samarkand. Range (in code): **UZ**
- 23947. Chazara (s.str.) kaufmanni obscurior (Staudinger,1887)** (Satyridae) Synonym(s): *obscurior* Staudinger,1887 Original Reference: *Satyrus sieversi* var. *obscurior* Staudinger,1887, Stettin ent. Ztg. 48: 57-58. Syntypes 2♂ 8♀: [Kirgizistan]: Alexandergebirge [Kirghisisches Gebirge]. Range (in code): **T-S Aa Ax CN KG KK Ky Omi Sp Ui Kml Syr Tm Sju Tar**
- 23948. Chazara (s.str.) rangontavica Shchetkin,1981** (Satyridae) Synonym(s): *rangontavica* Shchetkin,1981 Original Reference: Chazara *rangontavica* Shchetkin,1981, Zool. Zh. 60 (12): 1889, fig.b. Holotype ♂: Tadjikistan: Tabakchi and Rangontau Mts. Range (in code): **TJ**
- 23949. Chazara (s.str.) rangontavica rangontavica Shchetkin,1981** (Satyridae) Synonym(s): *rangontavica* Shchetkin,1981 Original Reference: Chazara *rangontavica* Shchetkin,1981, Zool. Zh. 60 (12): 1889, fig.b. Holotype ♂: Tadjikistan: Tabakchi and Rangontau Mts. Range (in code): **TJ**

- 23950. Chazara (s.str.) sartha (Staudinger,1886)** (Satyridae) Synonym(s): *sartha Staudinger,1886* Original Reference: *Satyrus sieversi* var. *sartha* Staudinger,1886, Stettin ent. Ztg. 47: 244. Type ♂: [Uzbekistan]: Dorf Jordan, südlich von Margelan. Range (in code): **T-S Fe TM UZ KK Ik TeA KuA**
- 23951. Chazara (s.str.) sartha eitschbergeri Lukhtanov,1999** (Satyridae) Synonym(s): *eitschbergeri Lukhtanov,1999* Original Reference: *Chazara eitschbergeri* Lukhtanov,1999, Atalanta 30 (1/4): 120-122, Taf.viii, Abb.1-4. Holotype ♂: Kirgisien: Issyk Kul ebiet: Terskey Alattoo Kette, Kadzhi Sai, 1620m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): **T-S KK Ik TeA KuA**
- 23952. Chazara (s.str.) sartha gultschensis (Groum-Grshimailo,1888)** (Satyridae) Synonym(s): *gultschensis Groum-Grshimailo,1888* Original Reference: *Satyrus staudingeri* var. *gultschensis* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Kirgizistan]: Gultscha (Montes Alaienses). Range (in code): **T-S Gul KK**
- 23953. Chazara (s.str.) sartha sartha (Staudinger,1886)** (Satyridae) Synonym(s): *sartha Staudinger,1886* Original Reference: *Satyrus sieversi* var. *sartha* Staudinger,1886, Stettin ent. Ztg. 47: 244. Type ♂: [Uzbekistan]: Dorf Jordan, südlich von Margelan. Range (in code): **Fe TM UZ**
- 23954. Chazara (s.str.) sieversi (Christoph,1885)** (Satyridae) Synonym(s): *sieversi Christoph,1885* Original Reference: *Satyrus sieversi* Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 167-169, Pl.xv figs.1a,b. Syntypes 7♂: [Turkmenistan]: Askhabad. Range (in code): **Kp TM IR Kh**
- 23955. Chazara (s.str.) staudingeri (A.Bang-Haas,1882)** (Satyridae) Synonym(s): *staudingeri A.Bang-Haas,1882* Original Reference: *Satyrus staudingeri* A.Bang-Haas,1882, Berl. ent. Z. 26(1): 172-174. Syntypes: [Uzbekistan]: Prov. Samarkand: Penjikend. Range (in code): **Al Pm Smk TJ UZ**
- 23956. Chazara (s.str.) staudingeri staudingeri (A.Bang-Haas,1882)** (Satyridae) Synonym(s): *staudingeri A.Bang-Haas,1882* Original Reference: *Satyrus staudingeri* A.Bang-Haas,1882, Berl. ent. Z. 26(1): 172-174. Syntypes: [Uzbekistan]: Prov. Samarkand: Penjikend. Range (in code): **Smk UZ**
- 23957. Chazara (s.str.) staudingeri tadjika (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *tadjika Groum-Grshimailo,1890* Range (in code): **TJ**
- 23958. Chonala episcopalis (Oberthür,1885)** (Satyridae) Synonym(s): *episcopalis Oberthür,1885* Range (in code): **CN T-T Sz**
- 23959. Chonala irene Bozano & Bruna,2006** (Satyridae) Synonym(s): *irene Bozano & Bruna,2006* Range (in code): **CN Sz**
- 23960. Chonala laurae Bozano,1999** (Satyridae) Synonym(s): *laurae Bozano,1999* Range (in code): **CN She**
- 23961. Chonala masoni (Elwes,1882)** (Satyridae) Synonym(s): *masoni Elwes,1882* Range (in code): **BT SI IN CN Ti**
- 23962. Chonala miyatai (Koiwaya,1996)** (Satyridae) Synonym(s): *miyatai Koiwaya,1996* Range (in code): **CN Sz**
- 23963. Chonala praeusta (Leech,1890)** (Satyridae) Synonym(s): *praeusta Leech,1890* Range (in code): **CN Yu Sz MM**
- 23964. Chonala praeusta burmana (Tytler,1939)** (Satyridae) Synonym(s): *burmana Tytler,1939* Range (in code): **MM CN Yu**
- 23965. Chonala yunnana Li,1994** (Satyridae) Synonym(s): *yunnana Li,1994* Range (in code): **CN Yu**
- 23966. Coelites epiminthia Westwood,1851** (Satyridae) Synonym(s): *epiminthia Westwood,1851* Range (in code): **TH Ptt Phu Yal Sgk Hya Tnc**
- 23967. Coelites epiminthia epiminthia Westwood,1851** (Satyridae) Synonym(s): *epiminthia Westwood,1851* Range (in code): **TH Ptt Phu Yal Sgk Hya Tnc**
- 23968. Coelites euptychioides C.Felder & R.Felder,[1867]** (Satyridae) Synonym(s): *euptychioides C.Felder & R.Felder,[1867]* Range (in code): **TH Yal**
- 23969. Coelites euptychioides euptychioides C.Felder & R.Felder,[1867]** (Satyridae) Synonym(s): *euptychioides C.Felder & R.Felder,[1867]*
- 23970. Coelites euptychioides humilis Butler,1867** (Satyridae) Synonym(s): *humilis Butler,1867* Range (in code): **TH Yal**

- 23971. *Coelites nothis* Westwood,1850** (Satyridae) **Synonym(s):** *nothis* Westwood,1850
Range (in code): **TH Nna Cbi CMa**
- 23972. *Coelites nothis nothis* Westwood,1850** (Satyridae) **Synonym(s):** *nothis* Westwood,1850
Range (in code): **TH Nna Cbi CMa**
- 23973. *Coenonympha (Lyela) amirica* Wyatt,1961** (Satyridae) **Synonym(s):** *amirica* Wyatt,1961
Original Reference: *Lyela amirica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Koh-i-Baba Mts.], Band-i-Amir, Hazarajat, 9500-11000ft. **Range (in code):** **AF Kbb**
- 23974. *Coenonympha (Lyela) amirica amirica* Wyatt,1961** (Satyridae) **Synonym(s):** *amirica* Wyatt,1961
Original Reference: *Lyela amirica* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Koh-i-Baba Mts.], Band-i-Amir, Hazarajat, 9500-11000ft. **Range (in code):** **AF Kbb**
- 23975. *Coenonympha (Lyela) myops* (Staudinger,1881)** (Satyridae) **Synonym(s):** *myops* Staudinger,1881
Original Reference: *Erebia myops* Staudinger,1881, Stettin ent. Ztg. 42: 296-297. Syntypes 3♂: [Kasachstan]: [Dschungarischer] Ala Tau. **Range (in code):** **AF Kab Bl Gw IR Kh KG Koj Mac Mg PK Qu Sp Tk TM Urk UZ Zh T-S Kpt Tar DsA Bkb CN Ui**
- 23976. *Coenonympha (Lyela) myops babatagi* (Tchikolovetz,[1998])** (Satyridae) **Synonym(s):** *babatagi* Tchikolovetz,[1998]
Original Reference: *Lyela myops* ssp. *babatagi* Tchikolovetz,[1998], J. Ukr. ent. Soc. 3 (3/4) (1997): 3-4, figs. **Range (in code):** **UZ**
- 23977. *Coenonympha (Lyela) myops macmahoni* Swinhoe,1908** (Satyridae) **Synonym(s):** *macmahoni* Swinhoe,1908
Original Reference: *Lyela macmahoni* Swinhoe,1908, Ann. Mag. nat. Hist. (8) 1: 60. Syntypes ♂♀: [Pakistan]: Baluchistan: Quetta. **Range (in code):** **AF Kab Bl Gw Koj Mac PK Qu Urk Zh**
- 23978. *Coenonympha (Lyela) myops mangystavica* Lukhtanov,1994** (Satyridae) **Synonym(s):** *mangystavica* Lukhtanov,1994
Original Reference: *Lyela myops* ssp. *mangystavica* Lukhtanov,1994, Herbiopoliana 3: 118. Holotype ♂: Kasachstan: Mangyschlak-Halbinsel: Mangystau-Gebirge, Sharmysch (25km E. Schetpe), 300m. **Range (in code):** **KG Mg**
- 23979. *Coenonympha (Lyela) myops myops* (Staudinger,1881)** (Satyridae) **Synonym(s):** *myops* Staudinger,1881
Original Reference: *Erebia myops* Staudinger,1881, Stettin ent. Ztg. 42: 296-297. Syntypes 3♂: Ala-Tau. **Range (in code):** **T-S KG Kpt Tar DsA Bkb Tk Aa**
- 23980. *Coenonympha (Lyela) myops plyushtchi* Tchikolovetz** (Satyridae) **Synonym(s):** *plyushtchi* Tchikolovetz
- 23981. *Coenonympha (Lyela) myops tekkensis* (Staudinger,1886)** (Satyridae) **Synonym(s):** *tekkensis* Staudinger,1886
Original Reference: *Erebia myops* var. *tekkensis* Staudinger,1886, Stettin ent. Ztg. 47: 241. Syntypes 2♀: [Turkmenistan]: Achal-Tekke Gebiet, bei Kisil Arvat. **Range (in code):** **Kp TM IR Kh**
- 23982. *Coenonympha (dorus) austauti* Oberthür,1881** (Satyridae) **Synonym(s):** *austauti* Oberthür,1881
Original Reference: *Coenonympha doros* var. *austauti* Oberthür,1881, Etüd. Ent. 6: 59. Syntypes: Algerié: Nemours (Austaut leg.). **Range (in code):** **MA DZ Ght Ndr**
- 23983. *Coenonympha (dorus) austauti austauti* Oberthür,1881** (Satyridae) **Synonym(s):** *austauti* Oberthür,1881
Original Reference: *Coenonympha doros* var. *austauti* Oberthür,1881, Etüd. Ent. 6: 59. Syntypes: Algerié: Nemours (Austaut leg.). **Range (in code):** **MA DZ Ght Ndr**
- 23984. *Coenonympha (dorus) doros* (Esper,[1782])** (Satyridae) **Synonym(s):** *doros* Esper,[1782]; *lizetta* Stoll,1784; *hanibal* Herbst,1796; *dorion* Hübner,[1800]; *macroptalma* Verity,1953.
Original Reference: *Papilio doros* Esper,[1782], Die Schmett. 1(2): Forts. Tagschmett.: Taf.78, fig.1. Syntypes: Frankreich, Toulouse. **Range (in code):** **ES Mu Mu18 FR IT PT Gc Leo Mho Ct Mrc Abz F48 F66 F12** **Bionomy:** Larva on *Agrostis canina*, *A. alba*, *Festuca ovina* (Tolman,1997).
- 23985. *Coenonympha (dorus) doros aquilonia* Higgins,1969** (Satyridae) **Synonym(s):** *aquilonia* Higgins,1969
Original Reference: *Coenonympha doros* ssp. *aquilonia* Higgins,1969, Entomologist 102: 60. Holotype ♂: Italy: central Abruzzi, Ojkajmeden [Oukaimeden], 9000ft (BMNH). **Range (in code):** **IT Mrc Abz**
- 23986. *Coenonympha (dorus) doros bieli* Staudinger,1901** (Satyridae) **Synonym(s):** *bieli* Staudinger,1901
Original Reference: *Coenonympha doros* var. *bieli* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 65, nr.436a. Syntypes: [Spain]: Lusit. s. **Range (in code):** **ES PT Gc Leo Mho**
- 23987. *Coenonympha (dorus) doros cantabrica* Agenjo,1953** (Satyridae) **Synonym(s):** *cantabrica* Agenjo,1953
Range (in code): **Ct ES**
- 23988. *Coenonympha (dorus) doros doros* (Esper,[1782])** (Satyridae) **Synonym(s):** *doros* Esper,[1782]; *lizetta* Stoll,1784; *hanibal* Herbst,1796; *dorion* Hübner,[1800]; *macroptalma* Verity,1953.

- Original Reference: *Papilio dorus* Esper,[1782], Die Schmett. 1(2): Forts. Tagschmett.: Taf.78, fig.1. Syntypes: Frankreich, Toulouse. Range (in code): ES FR IT PT
- 23989. Coenonympha (dorus) dorus marteni Taymans,1994** (Satyridae) Synonym(s): marteni Taymans,1994
- 23990. Coenonympha (dorus) dorus mathewi Tutt,1904** (Satyridae) Synonym(s): mathewi Tutt,1904 Original Reference: *Coenonympha mathewi* Tutt,1904, Entomologist's Rec. J. Var. 16: 308-309. Syntypes: France. Range (in code): FR F48
- 23991. Coenonympha (dorus) dorus microphtalma Oberthür,1910** (Satyridae) Synonym(s): microphtalma Oberthür,1910 Range (in code): FR
- 23992. Coenonympha (dorus) dorus purpurinata Gomez-Bustillo,1973** (Satyridae) Synonym(s): purpurinata Gomez-Bustillo,1973 Original Reference: *Coenonympha dorus* ssp. *purpurinata* Gomez-Bustillo,1973, Shilap Revta lepid. 1: 32. Holotype ♂: Spain: Madrid: Loeches, 700m. Range (in code): ES Mu Mu18
- 23993. Coenonympha (dorus) fettigii Oberthür,1874** (Satyridae) Synonym(s): fettigii Oberthür,1874 Original Reference: *Coenonympha fettigii* Oberthür,1874, Pet. Nouv. Ent. 1: 412. Type: Algérie, Oran [Telaghre]. Range (in code): DZ Tue Orn Tlm Sbd Blid Agi Cré MA Rf Azr TN
- 23994. Coenonympha (dorus) fettigii fettigii Oberthür,1874** (Satyridae) Synonym(s): fettigii Oberthür,1874 Original Reference: *Coenonympha fettigii* Oberthür,1874, Pet. Nouv. Ent. 1: 412. Type: Algérie, Oran [Telaghre]. Range (in code): DZ Tue Tlm Orn Sbd Blid Cré
- 23995. Coenonympha (dorus) fettigii holli Oberthür,1910** (Satyridae) Synonym(s): holli Oberthür,1910; nicholasi Rothschild,1925 Original Reference: *Coenonympha fettigii holli* Oberthür,1910, Etud. Lépid. comp. 4: 42, pl.48 figs. 396, 397. Type: Algérie, Blida-les-Glacières. Range (in code): DZ Cré Blid TN
- 23996. Coenonympha (dorus) fettigii inframaculata Oberthür,1922** (Satyridae) Synonym(s): inframaculata Oberthür,1922 Range (in code): MA Azr Rf
- 23997. Coenonympha (gardetta) darwiniana Staudinger,1871** (Satyridae) Synonym(s): darwiniana Staudinger,1871; macromma Turati & Verity,1911; maesta Verity,1927; philedarwiniana Verity,1927; pseudodarwiniana Verity,1927; cephalidarwiniana Verity,1927. Original Reference: *Coenonympha arcania* var. *darwiniana* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 32 (nomen novum pro *arcanus* var. H.-S.). Syntypes: Alp. Helv. m. Ped. Gal. (et ? Germ. m.). Range (in code): CH FR IT Va
- 23998. Coenonympha (gardetta) darwiniana darwiniana Staudinger,1871** (Satyridae) Synonym(s): darwiniana Staudinger,1871; macromma Turati & Verity,1911; maesta Verity,1927; philedarwiniana Verity,1927; pseudodarwiniana Verity,1927; cephalidarwiniana Verity,1927. Original Reference: *Coenonympha arcania* var. *darwiniana* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 32 (nomen novum pro *arcanus* var. H.-S.). Syntypes: Alp. Helv. m. Ped. Gal. (et ? Germ. m.). Range (in code): CH FR IT Va
- 23999. Coenonympha (gardetta) gardetta (De Prunner,1798)** (Satyridae) Synonym(s): gardetta De Prunner,1798 Original Reference: *Papilio gardetta* De Prunner,1798, Lepidoptera Pedemontana: 74. Type ♂: [Italy]: "Thale von Varaita". Range (in code): AT CH DE FR IT YU
- 24000. Coenonympha (gardetta) gardetta gardetta (De Prunner,1798)** (Satyridae) Synonym(s): gardetta De Prunner,1798 Original Reference: *Papilio gardetta* De Prunner,1798, Lepidoptera Pedemontana: 74. Type ♂: [Italy]: "Thale von Varaita". Range (in code): AT CH DE FR IT YU
- 24001. Coenonympha (gardetta) gardetta lecerfi Oberthür,1949** (Satyridae) Synonym(s): lecerfi Oberthür,1949 Range (in code): FR
- 24002. Coenonympha (gardetta) gardetta macrophthalmica Galvagni,1906** (Satyridae) Synonym(s): macrophthalmica Galvagni,1906 Range (in code): AT
- 24003. Coenonympha (gardetta) orientalis Rebel,1910** (Satyridae) Synonym(s): orientalis Rebel,1910; skypetarum Rebel & Zerny,1931; katarae Coutsis,1972 Range (in code): B-H YU AL GR
- 24004. Coenonympha (s.str.) amaryllis (Stoll,[1782])** (Satyridae) Synonym(s): amaryllis Stoll,[1782]; xinjiangensis Chou & Huang Original Reference: *Papilio amaryllis* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.391, figs. A,B. Range (in code): At Kts Ba Bry CN Ui MN RU Ts Or Om KG Kt Uk Ka Pw Mn Sp Tk Mrk Sau Ze Tar
- 24005. Coenonympha (s.str.) amaryllis accrescens Staudinger,1901** (Satyridae) Synonym(s): accrescens Staudinger,1901 Original Reference: *Coenonympha amaryllis* var. *accrescens* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 66, nr.441d. Syntypes: China s., Corea. Range (in code): CN KP

- 24006. Coenonympha (s.str.) amaryllis amaryllis (Stoll,[1782])** (Satyridae) **Synonym(s):** *amaryllis* Stoll,[1782]; *xinjiangensis* Chou & Huang **Original Reference:** *Papilio amaryllis* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.391, figs. A,B. **Range (in code):** **At Kts Ba CN Ui MN RU Ts Or Om KG Kt Uk Ka Pw Mn Sp Tk Mrk Sau Ze Tar**
- 24007. Coenonympha (s.str.) amaryllis borisovi Korshunov & Ivonine,1996** (Satyridae) **Synonym(s):** *borisovi* Korshunov & Ivonine,1996 **Original Reference:** *Coenonympha amaryllis* ssp. *borisovi* Korshunov & Ivonine,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 31. Holotype: Russia: Baikal, Listvianka. **Range (in code):** **Bry RU**
- 24008. Coenonympha (s.str.) arcania (Linnaeus,1761)** (Satyridae) **Synonym(s):** *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. **Original Reference:** *Papilio arcania* Linnaeus,1761, Fauna Suecica (2): 273-274. Syntypes: Sweden. **Range (in code):** **Co F2o Sa El Si Cr AL AT Ba BE BG BY CH CZ DE DK EE ES FR GR HU IT Kr LT LU LV NL NO PL PT RO RU SE SK Sm So Sr TR Cc UA VI YU Bs Or Tt Cb** **Bionomy:** Larva on *Poa pratensis*, *Melica ciliata*, *Holcus lanatus* (Tolman,1997).
- 24009. Coenonympha (s.str.) arcania arcania (Linnaeus,1761)** (Satyridae) **Synonym(s):** *arcania* Linnaeus,1761; *amyntas* Poda,1761; *cephalus* Fourcroy,1785; *naidion* Borkhausen,1788; *huebneri* Oberthür,1910; *saleviana* Fruhstorfer,1910; *trumpans* Fruhstorfer,1910; *caucasica* Jachontov,1914; *fulvosatura* Verity,1935. **Original Reference:** *Papilio arcania* Linnaeus,1761, Fauna Suecica (2): 273-274. Syntypes: Sweden. **Range (in code):** **Co F2o Sa El Si Cr AL AT Ba BE BG Bw BY CH CZ DE DK EE FR GR HU IT Kr LT LU LV NL NO PL RO Rp RU SE SK Sm So Sr TR Cc UA VI YU Bs Or Tt Cb**
- 24010. Coenonympha (s.str.) arcania balestrei Fruhstorfer,1910** (Satyridae) **Synonym(s):** *balestrei* Fruhstorfer,1910 **Original Reference:** *Coenonympha arcania* ssp. *balestrei* Fruhstorfer,1910, Ent. Z., Stuttgart 24: 3. Syntypes: Frankreich: Seealpen. **Range (in code):** **Fo6 FR**
- 24011. Coenonympha (s.str.) arcania clorinda De Sagarra,1924** (Satyridae) **Synonym(s):** *clorinda* De Sagarra,1924 **Original Reference:** *Coenonympha arcania* rassa *clorinda* De Sagarra,1924, Butll.Inst. catal. Hist. nat. 16: 199. Type: Spain: Albarracin: Orihuelo del Tremedal, Querci leg. (MCNB). **Range (in code):** **ES**
- 24012. Coenonympha (s.str.) arcanioides (Pierret,1837)** (Satyridae) **Synonym(s):** *arcanioides* Pierret,1837; *marginalis* Butler,1868; *major* Seitz,1908; *#holli* Oberthür,1910; *#biocellata* Oberthür,1910; etc. **Original Reference:** *Satyrus arcanioides* Pierret,1837, Annls Soc. ent. Fr. 6: 306-307, pl.12 fig.5. Type: [Algérie], Oran, dans la Barbarie. **Range (in code):** **ES MA DZ Clo Orn Anna Dju Blid BSa DhM Cst Hrh TN**
- 24013. Coenonympha (s.str.) arcanioides arcanioides (Pierret,1837)** (Satyridae) **Synonym(s):** *arcanioides* Pierret,1837; *marginalis* Butler,1868; *major* Seitz,1908; *#holli* Oberthür,1910; *#biocellata* Oberthür,1910; etc. **Original Reference:** *Satyrus arcanioides* Pierret,1837, Annls Soc. ent. Fr. 6: 306-307, pl.12 fig.5. Type: [Algérie], Oran, dans la Barbarie. **Range (in code):** **ES MA DZ Clo Orn Anna Dju Blid BSa DhM Cst Hrh TN**
- 24014. Coenonympha (s.str.) corinna (Hübner,[1804])** (Satyridae) **Synonym(s):** *corinna* Hübner,[1804]; *norax* Bonelli,1826. **Original Reference:** *Papilio corinna* Hübner,[1804], Samml. eur. Schmett. 1: pl.105, figs. 536-537. Syntypes: Europa. **Range (in code):** **Co Sa**
- 24015. Coenonympha (s.str.) corinna corinna (Hübner,[1804])** (Satyridae) **Synonym(s):** *corinna* Hübner,[1804]; *norax* Bonelli,1826. **Original Reference:** *Papilio corinna* Hübner,[1804], Samml. eur. Schmett. 1: pl.105, figs. 536-537. Syntypes: Europa. **Range (in code):** **Co Sa**
- 24016. Coenonympha (s.str.) elbana Staudinger,1901** (Satyridae) **Synonym(s):** *elbana* Staudinger,1901 **Original Reference:** *Coenonympha corinna* var. *elbana* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 66, nr.437a. Syntypes: [Italien]: Elba. **Range (in code):** **El IT**
- 24017. Coenonympha (s.str.) elbana elbana Staudinger,1901** (Satyridae) **Synonym(s):** *elbana* Staudinger,1901 **Original Reference:** *Coenonympha corinna* var. *elbana* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 66, nr.437a. Syntypes: [Italien]: Elba. **Range (in code):** **El IT**
- 24018. Coenonympha (s.str.) glycerion (Borkhausen,1788)** (Satyridae) **Synonym(s):** *iphis* [Denis & Schiffermüller],1775 nec *Dru.*,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. **Original Reference:** *Papilio glycerion* Borkhausen,1788, Naturg. eur. Schmett. 1: 90-91. Type(s): Süddeutschland. **Range (in code):** **AT Kts Aty Ba BE BG BY CH CN CZ DE EE ES FI FR GR HU IT LT LV MN PL RO RU SK Sm So Sr TR Cc UA Vi YU Uk Or Bs Cb Kg Om At Bn Kw Pp KG Kb KG Mn No Sau Tar Sp Nym Bkb Cm IR Ab Qo** **Bionomy:** Larva on *Brachypodium sylvaticum*, *Cynosurus cristatus*, *Briza media*, *Melica ciliata*, *Bromus erectus*, *B. hordeaceus* (Tolman,1997).

- 24019. Coenonympha (s.str.) glycerion alta Sheljuzhko,1937** (Satyridae) **Synonym(s):** *alta Sheljuzhko,1937* **Original Reference:** *Coenonympha glycerion* ssp. *alta* Sheljuzhko,1937, Festschr. Embrik Strand 2: 352-353. Syntypes 2♂: [Russia]: Chatipara, 2400-2800m. **Range (in code):** **Cc Kb RU**
- 24020. Coenonympha (s.str.) glycerion glycerion (Borkhausen,1788)** (Satyridae) **Synonym(s):** *iphis* [Denis & Schiffermüller],1775 nec Dru.,1773; *amyntas auctorum*; *glycerion* Borkhausen,1788; *hero* Fabricius,1793 nec Linnaeus,1761; *manto* Schrank,1801; *mandane* Kirby,1862; *tiphonides* Staudinger,1901. **Original Reference:** *Papilio glycerion* Borkhausen,1788, Naturg. eur. Schmett. 1: 90-91. Type(s): Süddeutschland. **Range (in code):** **AT Ba BE BG Bw BY CH CZ DE EE ES FI FR GR HU IT LT LV PL RO RU SK Sm So Sr TR Cc UA VI YU Uk Or Bs Cb Kg Om Kw Pp KG Sp Nym Bkb IR Ab Qo**
- 24021. Coenonympha (s.str.) glycerion iphicles Staudinger,1892** (Satyridae) **Synonym(s):** *iphicles* Staudinger,1892; *heroides* Christoph,1893 **Original Reference:** *Coenonympha iphis* var. *iphicles* Staudinger,1892, Dt. ent. Z., Iris 5: 338. Syntypes: Kentei- Gebirge. **Range (in code):** **At Bn Kts Aty CN Ir MN RU Sb Sj Ui KG Mn No**
- 24022. Coenonympha (s.str.) glycerion iphina Staudinger,1892** (Satyridae) **Synonym(s):** *iphina* Staudinger,1892 **Original Reference:** *Coenonympha iphis* var. *iphina* Staudinger,1892, Dt. ent. Z., Iris 5: 339. Syntypes: [Kasachstan]: Tarbagatai. **Range (in code):** **KG Sp Tar Sau**
- 24023. Coenonympha (s.str.) glycerion korshunovi Nekrutenko,1978** (Satyridae) **Synonym(s):** *korshunovi* Nekrutenko,1978 **Original Reference:** *Coenonympha glycerion* ssp. *korshunovi* Nekrutenko,1978, Dokl. AN USSR, Ser.B, 1978 (7): 646. Holotype ♂: [Ukraine]: Crimea. **Range (in code):** **UA Cm**
- 24024. Coenonympha (s.str.) glycerion pseudoamyntas De Sagarra,1931** (Satyridae) **Synonym(s):** *pseudoamyntas* Sagarra,1931 **Range (in code):** **FR**
- 24025. Coenonympha (s.str.) haydenii (Edwards,1872)** (Satyridae) **Synonym(s):** *haydenii* Edwards,1872 **Range (in code):** **US Id Mon Wy**
- 24026. Coenonympha (s.str.) hero (Linnaeus,1761)** (Satyridae) **Synonym(s):** *hero* Linnaeus,1761; *sabaeus* Fabricius,1775. **Original Reference:** *Papilio hero* Linnaeus,1761, Fauna Suecica: 274. Type(s): Südschweden. **Range (in code):** **Am Bn At Kts AT Ba BE BY CH CZ DE DK EE FI FR Ir KP KR LT LU LV MN NL NO PL RU Sb SE SK So Sr UA Prj Us Bs Cb Or Tt Kg KG Sp Mn Om No Klb Tv** **Bionomy:** Larva on *Leymus arenarius*, *Hordeum marinum*, *Hordelymus europaeus* (Tolman,1997).
- 24027. Coenonympha (s.str.) hero coreana Matsumura,1929** (Satyridae) **Synonym(s):** *coreana* Matsumura,1929; *#catenata* Bryk,1946 **Original Reference:** *Coenonympha hero* *coreana* Matsumura,1929, Insecta Matsumurana 3: 159, 160, 164. Holotype ♂: Corea. **Range (in code):** **KP KR**
- 24028. Coenonympha (s.str.) hero hero (Linnaeus,1761)** (Satyridae) **Synonym(s):** *hero* Linnaeus,1761; *sabaeus* Fabricius,1775. **Original Reference:** *Papilio hero* Linnaeus,1761, Fauna Suecica: 274. Type(s): Südschweden. **Range (in code):** **AT Ba BE Bw BY CH CZ DE DK EE FI FR LT LU LV NL NO PL RU SE SK So Sr UA Bs Cb Or Tt Kg**
- 24029. Coenonympha (s.str.) hero perseis Lederer,1853** (Satyridae) **Synonym(s):** *perseis* Lederer,1853; *sibirica* Fuchs,1899. **Original Reference:** *Coenonympha hero* var. *perseis* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 360. Syntypes: in den Vorbergen des Altai (zwischen Ust Kamenogorsk u. Ustbuchtarminsk am Irtysh). **Range (in code):** **Am Bn At Kts Ir KP MN RU Sb Prj Us KG Sp Mn Om No Klb Tv**
- 24030. Coenonympha (s.str.) iphioides Staudinger,1870** (Satyridae) **Synonym(s):** *iphioides* Staudinger,1870 **Original Reference:** *Coenonympha iphis* var. *iphioides* Staudinger,1870, Berl. ent. Z. 14: 101-102. Syntypes: Spain: Alt-Castilien. **Range (in code):** **ES**
- 24031. Coenonympha (s.str.) iphioides iphioides Staudinger,1870** (Satyridae) **Synonym(s):** *iphioides* Staudinger,1870 **Original Reference:** *Coenonympha iphis* var. *iphioides* Staudinger,1870, Berl. ent. Z. 14: 101-102. Syntypes: Spain: Alt-Castilien. **Range (in code):** **ES**
- 24032. Coenonympha (s.str.) iphioides pearsoni Romei,1927** (Satyridae) **Synonym(s):** *pearsoni* Romei,1927 **Original Reference:** *Coenonympha iphioides* ssp. *pearsoni* Romei,1927, Entomologist's Rec. J. Var. 39: 137. Syntypes: Spain: Aragon: Sierra Alta (Teruel); Castile: Orihuela del Tremedal. **Range (in code):** **ES**
- 24033. Coenonympha (s.str.) iphioides trevincae Wyatt,1952** (Satyridae) **Synonym(s):** *trevincae* Wyatt,1952 **Original Reference:** *Coenonympha leander* ssp. *trevincae* Wyatt,1952, Z. Wien. ent. Ges. 37: 207, Taf.26 figs. B4-6. Holotype ♂: Nordwestspanien: Prov. Orense: Pena Travinca, 1560m. (LNK). **Range (in code):** **ES Ore**

- 24034. *Coenonympha* (s.str.) *leander* (Fabricius,1787)** (Satyridae) Synonym(s): *#leander Esper,[1784]; leander Fabricius,1787* Original Reference: Papilio leander Fabricius,1787, Mant. Ins. 2: 33, nr.350. Type(s): Europa australiori. Range (in code): **AL Ba BG GR RO RU Sr TR Cc VI YU Bs Or Uk IR Ab Elb Th Ak Sah Gh TM Kp** Bionomy: Larva on Brachypodium sylvaticum, Festuca ovina (Tolman,1997).
- 24035. *Coenonympha* (s.str.) *leander dierli* Koçak,1977** (Satyridae) Synonym(s): *dierli Koçak,1977* Original Reference: Coenonympha leander ssp. dierli Koçak,1977, Atalanta 8(2): 131-133, figs.38-41. Holotype ♂: Turkey: Niğde Pr.: Demirkazik, 1900-2500m. Range (in code): **TR**
- 24036. *Coenonympha* (s.str.) *leander iranica* Schwingenschuss,1939** (Satyridae) Synonym(s): *iranica Schwingenschuss,1939* Original Reference: Coenonympha leander ssp. iranica Schwingenschuss,1939, Ent. Z., Frankf. a. M. 53: 62. Syntypes: Iran: Am Kendevan 2600-3000m, Demavend 3200m. Range (in code): **IR Elb Th**
- 24037. *Coenonympha* (s.str.) *leander leander* (Fabricius,1787)** (Satyridae) Synonym(s): *#leander Esper,[1784]; leander Fabricius,1787* Original Reference: Papilio leander Fabricius,1787, Mant. Ins. 2: 33, nr.350. Type(s): Europa australiori. Range (in code): **AL Ba BG RO RU Sr TR Cc VI YU Bs Or Uk**
- 24038. *Coenonympha* (s.str.) *leander transcaspica* Gross & Ebert,1975** (Satyridae) Synonym(s): *transcaspica Gross & Ebert,1975* Original Reference: Coenonympha leander ssp. transcaspica Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 27, figs. 30,31. Holotype ♂: [Turkmenistan]: Achabad (ZFMK). Range (in code): **Kp TM**
- 24039. *Coenonympha* (s.str.) *leander wagneri* Gross & Ebert,1975** (Satyridae) Synonym(s): *wagneri Gross & Ebert,1975* Original Reference: Coenonympha leander ssp. wagneri Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 26-27, figs. 28,29. Holotype ♂: Iran: Ost Azerbaijan / Ghilan: Pass der Strasse Firuz Abad / Hashtpar, 2300m (in coll. Wagener). Range (in code): **IR Gh**
- 24040. *Coenonympha* (s.str.) *mahometana* Alpheraky,1881** (Satyridae) Synonym(s): *mahometana Alpheraky,1881; ?decolorata Wagner,1913.* Original Reference: Coenonympha iphis var. mahometana Alpheraky,1881, Horae Soc. ent. ross. 16: 428-429. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse [Künes], 4000-7000ft. Range (in code): **Aa CN KG KK Ku Tk T-S Ui Tyk DsA TeA Tu KuA TrA**
- 24041. *Coenonympha* (s.str.) *mahometana acelae* Hanus,1996** (Satyridae) Synonym(s): *acelae Hanus,1996* Original Reference: Coenonympha mahometana ssp. acelae Hanus,1996, Atalanta 27 (1/2): 208, Abb. Holotype ♂: Kirghizia, Dolon Pass, 2800m (in coll. Hanus). Range (in code): **KK**
- 24042. *Coenonympha* (s.str.) *mahometana mahometana* Alpheraky,1881** (Satyridae) Synonym(s): *mahometana Alpheraky,1881; ?decolorata Wagner,1913.* Original Reference: Coenonympha iphis var. mahometana Alpheraky,1881, Horae Soc. ent. ross. 16: 428-429. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse [Künes], 4000-7000ft. Range (in code): **Aa CN KG Ku Tk T-S Ui Tyk DsA TeA Tu KuA TrA**
- 24043. *Coenonympha* (s.str.) *mangeri* O.Bang-Haas,1927** (Satyridae) Synonym(s): *mangeri O.Bang-Haas,1927* Original Reference: Coenonympha mangeri O.Bang-Haas,1927, Horae Macrolepid. 1: 50, t.7 figs. 21,22. Syntypes 5♂ 2♀: Afghanistan: Pagmann mt. Range (in code): **AF Kab Kbb Pag Prw Pnj Bm**
- 24044. *Coenonympha* (s.str.) *mangeri mangeri* O.Bang-Haas,1927** (Satyridae) Synonym(s): *mangeri O.Bang-Haas,1927* Original Reference: Coenonympha mangeri O.Bang-Haas,1927, Horae Macrolepid. 1: 50, t.7 figs. 21,22. Syntypes 5♂ 2♀: Afghanistan: Pagmann mt. Range (in code): **AF Kab Kbb Pag Prw Pnj Bm**
- 24045. *Coenonympha* (s.str.) *mongolica* Alpheraky,1881** (Satyridae) Synonym(s): *mongolica Alpheraky,1881* Original Reference: Coenonympha mongolica Alpheraky,1881, Horae Soc. ent. ross. 16: 426-428, Taf.15 fig. 26. Syntypes ♂♀: [China: Uighur A.R.]: Kouldja. Range (in code): **T-S CN KG Ku Tk Ui Trd IiD DsA**
- 24046. *Coenonympha* (s.str.) *mongolica mongolica* Alpheraky,1881** (Satyridae) Synonym(s): *mongolica Alpheraky,1881* Original Reference: Coenonympha mongolica Alpheraky,1881, Horae Soc. ent. ross. 16: 426-428, Taf.15 fig. 26. Syntypes ♂♀: [China: Uighur A.R.]: Kouldja. Range (in code): **T-S CN KG Ku Tk Ui Trd IiD DsA**
- 24047. *Coenonympha* (s.str.) *nolcken* Erschoff,1874** (Satyridae) Synonym(s): *nolcken Erschoff,1874* Original Reference: Coenonympha nolcken Erschoff,1874, [in] Fedtschenko,

- Reise in Turkestan 2(5) 3: 23, Taf.2 fig.17. Syntypes: Russisch-Turkestan: Berge Naubid, 4500-8000ft. Range (in code): T-S KG Fe KK UZ Ax Tls Kst
- 24048. *Coenonympha (s.str.) nolckeni nolckeni Erschoff, 1874*** (Satyridae) Synonym(s): *nolckeni Erschoff, 1874* Original Reference: *Coenonympha nolckeni Erschoff, 1874*, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 23, Taf.2 fig.17. Syntypes: Russisch-Turkestan: Berge Naubid, 4500-8000ft. Range (in code): T-S KG Fe KK UZ Ax Tls Kst
- 24049. *Coenonympha (s.str.) oedippus (Fabricius, 1787)*** (Satyridae) Synonym(s): *oedippus Fabricius, 1787; oedippe Borkhausen, 1789; burdigalensis Pionneau, 1937; herbuloti Varin, 1952; sebrica Varin, 1952; aquitanica Varin, 1952; rhodanica Varin, 1964; senonica Varin, 1966.* Original Reference: *Papilio oedippus Fabricius, 1787*, Mant. Ins. 2: 31. Type(s): Russia australiori. Range (in code): Am AT Ba BG BY CH DE FR HU IT JP KP KR MN PL RU Sb SS UA MN Sb Or Bs Tt Cb Ty Om At Bn No KG Mn Sp Pp
- 24050. *Coenonympha (s.str.) oedippus amurensis Heyne, [1894]*** (Satyridae) Synonym(s): *amurensis Heyne, [1894]* Original Reference: *Coenonympha oedippus var. amurensis Heyne, [1894]*, [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 607. Type(s): [Russia]: Amurgebiet. Range (in code): Am RU
- 24051. *Coenonympha (s.str.) oedippus annulifer Butler, 1877*** (Satyridae) Synonym(s): *annulifer Butler, 1877; amurensis Heyne, [1894]; miris Heyne, [1894]*. Original Reference: *Coenonympha annulifer Butler, 1877*, Ann. Mag. nat. Hist. (4) 19: 91. Type(s): Japan. Range (in code): Am JP KP RU
- 24052. *Coenonympha (s.str.) oedippus hungarica Rebel, 1900*** (Satyridae) Synonym(s): *hungarica Rebel, 1900* Range (in code): HU
- 24053. *Coenonympha (s.str.) oedippus magna Heyne, [1894]*** (Satyridae) Synonym(s): *magna Heyne, [1894]* Original Reference: *Coenonympha oedippus var. magna Heyne, [1894]*, [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 608. Type(s): Mongolei. Range (in code): MN
- 24054. *Coenonympha (s.str.) oedippus oedippus (Fabricius, 1787)*** (Satyridae) Synonym(s): *oedippus Fabricius, 1787; oedippe Borkhausen, 1789; burdigalensis Pionneau, 1937; herbuloti Varin, 1952; sebrica Varin, 1952; aquitanica Varin, 1952; rhodanica Varin, 1964; senonica Varin, 1966.* Original Reference: *Papilio oedippus Fabricius, 1787*, Mant. Ins. 2: 31. Type(s): Russia australiori. Range (in code): AT Ba BG BY CH DE FR HU IT PL RU SS UA MN Sb Or Bs Tt Cb Ty Om At Bn No KG Mn Sp Pp
- 24055. *Coenonympha (s.str.) oedippus steni Bryk, 1946*** (Satyridae) Synonym(s): *steni Bryk, 1946* Original Reference: *Coenonympha oedippus ssp. steni Bryk, 1946*, Ark. Zool. 38A: 23. Holotype ♂: Korea: Motojondo. Range (in code): KP
- 24056. *Coenonympha (s.str.) pamphilus (Linnaeus, 1758)*** (Satyridae) Synonym(s): *pamphilus Linnaeus, 1758; menalcas Poda, 1761; nephele Hufnagel, 1766; marginata Heyne, 1894; orantia Fruhstorfer, 1908; scota Verity, 1911; infrarasa Verity, 1926; juldusica Verity, 1926; asiaemontium Verity, 1926; euxina Verity, 1926; posteuxina Verity, 1926; londonii Verity, 1926; neolyllus De Lattin, 1950* Original Reference: *Papilio pamphilus Linnaeus, 1758*, Syst. Nat. (Edn.10) 1: 472. Type(s): Suecia. Range (in code): Aa AL AM Ao Aq AT Aty AZ Ba BE BG B-H Bs BY Cb CH CN Co CZ Db DE Dg DK EE ES Fe FI FR Ga GB GG GR HU HV IQ IR IT Ju KG Kg KK Kr Ku Kw Ky LB LT LU LV MK Mn NL NO Or PL Pp Psa Pt Pw Rk RO RU Sa SE Si SK Sm So Sp Sr SS Tk Tm TR T-S Tt UA Ui UK UZ VI YU Mu MA DZ IE MA MT Om TN Ty DsA Tar Sau Tar TrA Mrk Cw Dv Smt H-W Sur Ssx Ken At Bn SY Elb Kp Ab Oru Sro Ak Ha GlS Kh Cc Ouk Rf Lkr Azr Ifr Dju Tth Rbt Tlm Orn Berr Ges Dje BSa Khh BtNa Lbs Cst DhM Dzc Hrh Ght Bionomy: Larva on Festuca ovina, F. rubra, Poa annua, Anthoxanthum odoratum, Cynosurus cristatus, Dactylis glomerata, Nardus stricta (Tolman, 1997).
- 24057. *Coenonympha (s.str.) pamphilus ferghana Stauder, 1924*** (Satyridae) Synonym(s): *ferghana Stauder, 1924* Range (in code): Fe UZ
- 24058. *Coenonympha (s.str.) pamphilus lyllus (Esper, [1805])*** (Satyridae) Synonym(s): *lyllus Esper, [1805]*. Original Reference: *Papilio lyllus Esper, [1805]*, Die Schmett. Suppl.2: 23, Taf.122 fig.1. Type(s): Portugal. Range (in code): DZ Ght Dju Tth Rbt Tlm Orn Berr Ges Dje BSa Khh BtNa Lbs Cst DhM Dzc Hrh ES Mu FR IT MA Ouk Rf Lkr Azr Ifr PT TN
- 24059. *Coenonympha (s.str.) pamphilus pamphilus (Linnaeus, 1758)*** (Satyridae) Synonym(s): *pamphilus Linnaeus, 1758; menalcas Poda, 1761; nephele Hufnagel, 1766; marginata Heyne, 1894; orantia Fruhstorfer, 1908; scota Verity, 1911; infrarasa Verity, 1926; juldusica Verity, 1926; asiaemontium Verity, 1926; euxina Verity, 1926; posteuxina Verity, 1926; londonii Verity, 1926; neolyllus De Lattin, 1950* Original Reference: *Papilio pamphilus Linnaeus, 1758*, Syst. Nat. (Edn.10) 1: 472. Type(s): Suecia. Range (in code): Aa AL AM Ao Aq AT Aty AZ Ba BE BG B-H Bs BY Cb CH CN Co CZ Db DE Dg DK EE ES Fe FI FR Ga GB GG GR HU HV IQ IR IT Ju KG Kg KK Kr Ku Kw Ky LB LT LU LV MK Mn NL NO Or

- PL Pp Psa PT Pw Rk RO RU Sa SE Si SK Sm So Sp Sr SS Tk Tm TM TR T-S Tt UA Ui Uk UZ VI YU IE MT
Om Ty DsA Tar Sau Tar TrA Mrk Cw Dv Smt H-W Sur Ssx Ken At Bn SY Elb Kp Ab Ak Ha Cc
- 24060. Coenonympha (s.str.) rhodopensis Elwes,1900** (Satyridae) Synonym(s): *rhodopensis* Elwes,1900 Range (in code): **AL BG B-H GR HV IT MK RO YU**
- 24061. Coenonympha (s.str.) rhodopensis rhodopensis Elwes,1900** (Satyridae) Synonym(s): *rhodopensis* Elwes,1900 Range (in code): **AL BG B-H GR HV IT MK RO YU**
- 24062. Coenonympha (s.str.) saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849]; *iphias* Eversmann,1851. Original Reference: *Satyrus saadi* Kollar,[1849], Denkschr. Akad. Wiss. Wien 1850: 11. Type(s): [Iran]: Farsistan, Schiraz (NHMW). Range (in code): **Cc AM IR Ab Ak Msw Zj Fa Elb Th Ha TR Arr IQ**
- 24063. Coenonympha (s.str.) saadi iphias (Eversmann,1851)** (Satyridae) Synonym(s): *iphias* Eversmann,1851; *mesopotamica* Staudinger,[1894] Original Reference: *Hipparchia iphias* Eversmann,1851, Bull. Soc. nat. Moscou 24 (2): 618. Lectotype ♀: "l'Arménie russe" designated by Nekrutenko,1990: 134 (ZIMP). Range (in code): **TR Arr Cc AM IR Ab Ak Msw Zj IQ**
- 24064. Coenonympha (s.str.) saadi saadi (Kollar,[1849])** (Satyridae) Synonym(s): *saadi* Kollar,[1849] Original Reference: *Satyrus saadi* Kollar,[1849], Denkschr. Akad. Wiss. Wien 1850: 11. Type(s): [Iran: Fars]: Schiraz (NHMW). Range (in code): **IR Fa Elb Th**
- 24065. Coenonympha (s.str.) semenovi Alpheraky,1887** (Satyridae) Synonym(s): *semenovi* Alpheraky,1887; *obscura* Alpheraky,1897 nec Rhl.,1895 Range (in code): **CN Ui Ts**
- 24066. Coenonympha (s.str.) sinica Alpheraky,1888** (Satyridae) Synonym(s): *sinica* Alpheraky,1888; *tydeus* Leech,1891 Original Reference: *Coenonympha sinica* Alpheraky,1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: Steppengebiet am Fluß der Nian-Chian-Kette; Stadt Djin-ta-sy (leg. Potanin). Range (in code): **CN Ti**
- 24067. Coenonympha (s.str.) sinica sinica Alpheraky,1888** (Satyridae) Synonym(s): *sinica* Alpheraky,1888; *tydeus* Leech,1891 Original Reference: *Coenonympha sinica* Alpheraky,1888, Stettin ent. Ztg. 49: 66. Syntypes ♂♀: [China]: Steppengebiet am Fluß der Nian-Chian-Kette; Stadt Djin-ta-sy (leg. Potanin). Range (in code): **CN Ti**
- 24068. Coenonympha (s.str.) sunbecca (Eversmann,1843)** (Satyridae) Synonym(s): *sunbecca* Eversmann,1843 Original Reference: *Hipparchia sunbecca* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 538, t.7 figs.4a,b. Syntypes: [Kasachstan: Dschungarischer Alatau] "Noor-Saisan (patria err.) (Lukhtanov,1994, Herbipoliana 3: 83). Range (in code): **Ax Bc CN Fe KG KK Mn T-S T-S Ui UZ Tk DsA Ket TrA Tu KuA TeA Na T-A Tls Al**
- 24069. Coenonympha (s.str.) sunbecca alexandra Heyne,[1894]** (Satyridae) Synonym(s): *alexandra* Heyne,[1894] Original Reference: *Coenonympha sunbecca* var. *alexandra* Heyne,[1894], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:624. Type(s): Tura. Range (in code): **T-S Ax Db KG KK Ky T-A Tls Al**
- 24070. Coenonympha (s.str.) sunbecca sunbecca (Eversmann,1843)** (Satyridae) Synonym(s): *sunbecca* Eversmann,1843 Original Reference: *Hipparchia sunbecca* Eversmann,1843, Bull. Soc. Nat. Moscou 16: 538, t.7 figs.4a,b. Syntypes: [Kasachstan: Dschungarischer Alatau] "Noor-Saisan (patria err.) (Lukhtanov,1994, Herbipoliana 3: 83). Range (in code): **Bc CN Fe KG KK Mn T-S Ui UZ Tk DsA Ket TrA Tu KuA TeA Na**
- 24071. Coenonympha (s.str.) symphita Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 Original Reference: *Coenonympha symphita* Lederer,1870, Annls Soc. ent. Belg. 13: 27, 44. Syntypes ♂♂: [Georgien]: Achalziche. Range (in code): **BG Cc GG Smt Akh TR**
- 24072. Coenonympha (s.str.) symphita symphita Lederer,1870** (Satyridae) Synonym(s): *symphita* Lederer,1870; *karsiana* Sheljuzhko,1919 Original Reference: *Coenonympha symphita* Lederer,1870, Annls Soc. ent. Belg. 13: 27, 44. Syntypes ♂♂: [Georgien]: Achalziche. Range (in code): **Cc GG Smt Akh TR**
- 24073. Coenonympha (s.str.) symphita tiphonides Staudinger,1901** (Satyridae) Synonym(s): *tiphonides* Staudinger,1901 Original Reference: *Coenonympha symphita* var. *tiphonides* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3 (1): 66, nr.442a. Syntypes: Bulgaria: Rhilo Dag; ? Armenia (pro parte). Range (in code): **BG**
- 24074. Coenonympha (s.str.) thyrsis (Freyer,[1845])** (Satyridae) Synonym(s): *thyrsis* Freyer,[1845] Original Reference: *Hipparchia thyrsis* Freyer,[1845], Neuere Beitr. Schmett. 5 (80): 157, Tab. 475 fig.1. Syntypes: "Insel Creta". Range (in code): **Cr**

- 24075. Coenonympha (s.str.) thyrasis thyrasis (Freyer,[1845])** (Satyridae) **Synonym(s):** *thyrasis Freyer,[1845]* **Original Reference:** *Hipparchia thyrasis* Freyer,[1845], *Neuere Beitr. Schmett.* 5 (80): 157, Tab. 475 fig.1. **Syntypes:** "Insel Creta". **Range (in code):** **Cr**
- 24076. Coenonympha (s.str.) tullia (Müller,1764)** (Satyridae) **Synonym(s):** *tullia Müller,1764; isis Thunberg & Becklin,1791.* **Original Reference:** *Papilio tullia* Müller,1764, *Fauna insectorum Fridrichsdalina*: 36. **Type(s):** [Dänemark]: Fridrichsdal [Seeland]. **Range (in code):** **AT At Bn Kts BE BY CH CZ DE DK See EE FI FR GB HU IE IT KK LT LV NL NO PL RO RU Kb SE SK UA YU B-H Cb Bs Sb Ur Ty Om No To Fe KK UZ At KG Mn RU Tk Sb Sj Sp Sau Tar Tkl Tls Kur Ax Ug Dj Sem Tk Tyk DsA KuA TrA Ket KG CN Ui Ga T-S Psk Sus US MX Arz Cf Cnt Col Id Mai Mch Mns Mon Msc NDk NMx Ne Nh Nje Ny Org Pns RDi SDk Ut Vr Wc Ws Wy** **Bionomy:** *Rhynchospora alba*, *Eriophorum vaginatum*, *E. angustifolia*, *Carex rostrata* (Tolman, 1997).
- 24077. Coenonympha (s.str.) tullia ampelos (Edwards,1871)** (Satyridae) **Synonym(s):** *ampelos Edwards,1871* **Range (in code):** **US**
- 24078. Coenonympha (s.str.) tullia bosniae Davenport,1941** (Satyridae) **Synonym(s):** *bosniae Davenport,1941* **Original Reference:** *Coenonympha tullia* ssp. *bosniae* Davenport,1941 **Range (in code):** **B-H**
- 24079. Coenonympha (s.str.) tullia caeca Staudinger,1886** (Satyridae) **Synonym(s):** *caeca Staudinger,1886* **Original Reference:** *Coenonympha caeca* Staudinger,1886, *Stettin ent. Ztg.* 47: 251-252. **Syntypes:** [Uzbekistan]: Gebirge bei Namangan (Tschatkal-Gebirge). **Range (in code):** **T-S Fe KK UZ Tkl Sus Tls Kur Ug Psk DsA KuA TrA Ket KG**
- 24080. Coenonympha (s.str.) tullia californica Westwood,1851** (Satyridae) **Synonym(s):** *californica Westwood,1851* **Range (in code):** **US Cf**
- 24081. Coenonympha (s.str.) tullia chatiparae Sheljuzhko,1937** (Satyridae) **Synonym(s):** *chatiparae Sheljuzhko,1937* **Original Reference:** *Coenonympha tullia* ssp. *chatiparae* Sheljuzhko,1937, *Festschr. Embrik Strand 2*: 353-354. **Syntypes** 51♂ 42♀: [Russia]: Chatipara, 2400-2800m. **Range (in code):** **Kb RU**
- 24082. Coenonympha (s.str.) tullia davus (Fabricius,1777)** (Satyridae) **Synonym(s):** *davus Fabricius,1777; philoxenus Esper,1782; rothliebi Staudinger,1861 nec Herrich-Schäffer,1851.* **Original Reference:** *Papilio davus* Fabricius,1777, *Genera Insectorum*: 259. **Type(s):** [Deutschland]: Hamburgi, Kilonii. **Range (in code):** **DE FR**
- 24083. Coenonympha (s.str.) tullia demophile (Freyer,[1844])** (Satyridae) **Synonym(s):** *demophile Freyer,[1844]* **Original Reference:** *Hipparchia demophile* Freyer,[1844], *Neuere Beitr. Schmett.* 5 (74): 97-98, Tab. 439 figs.3,4. **Syntypes:** "Lappland". **Range (in code):** **FI NO**
- 24084. Coenonympha (s.str.) tullia fermana Fruhstorfer,1908** (Satyridae) **Synonym(s):** *fermana Fruhstorfer,1908* **Original Reference:** *Coenonympha tiphon fermana* Fruhstorfer,1908, *Int. ent. Z.* 2: 10. **Syntypes:** [China: Uighur A.R.]: Kaschgar. **Range (in code):** **CN Ui Ga**
- 24085. Coenonympha (s.str.) tullia fridolini Kuznetsov,1941** (Satyridae) **Synonym(s):** *fridolini Kuznetsov,1941; minimus Sedych,1977.* **Original Reference:** *Coenonympha tullia* f. *fridolini* Kuznesov [in] Davenport,1941, *Bull. Mus. comp. Zool. Harv. Coll.* 87: 256. **Holotype:** Russia: Ganju river, Pae-ör Range, Polar Ural. **Range (in code):** **RU Ur**
- 24086. Coenonympha (s.str.) tullia heptopotamica Sheljuzhko,1929** (Satyridae) **Synonym(s):** *subcaeca sensu Wagner,1913; eupompus Stauder,1924; heptopotamica Sheljuzhko,1929.* **Original Reference:** *Coenonympha caeca* ssp. *heptopotamica* Sheljuzhko,1929, *Mitt. münch. ent. Ges.* 19: 352-354. **Syntypes** 8♂: [Kasachstan]: Prov. Semiretshje: Dzsharkent: Tyshkan. **Range (in code):** **Dj KG Sem Tk Tyk**
- 24087. Coenonympha (s.str.) tullia inornata Edwards,1861** (Satyridae) **Synonym(s):** *inornata Edwards,1861* **Range (in code):** **US**
- 24088. Coenonympha (s.str.) tullia italica Verity,1915** (Satyridae) **Synonym(s):** *italica Verity,1915* **Original Reference:** *Coenonympha tiphon* ssp. *italica* Verity,1915, *Boll. Soc. ent. ita.* 45 (1913): 22. **Syntypes** ♂♂: Italia centrale: Piceno: Mt. Sibillini, 1700m. **Range (in code):** **IT**
- 24089. Coenonympha (s.str.) tullia nipisiquit McDunnough,1939** (Satyridae) **Synonym(s):** *nipisiquit McDunnough,1939* **Range (in code):** **US**
- 24090. Coenonympha (s.str.) tullia occupata Rebel,1903** (Satyridae) **Synonym(s):** *occupata Rebel,1903* **Original Reference:** *Coenonympha tullia* var. *occupata* Rebel,1903, *Annln naturh. Mus. Wien.* 18: 182. **Syntypes:** Bulgarien: Rilo Gebirge. **Range (in code):** **B-H BG Ril Pi Mt**
- 24091. Coenonympha (s.str.) tullia ochracea Edwards,1861** (Satyridae) **Synonym(s):** *ochracea Edwards,1861* **Range (in code):** **US**

- 24092. Coenonympha (s.str.) tullia rothliebii Herrich-Schäffer, 1851** (Satyridae)
Synonym(s): *rothliebii* Herrich-Schäffer, 1851
- 24093. Coenonympha (s.str.) tullia scotica Staudinger, 1901** (Satyridae) Synonym(s):
scotica Staudinger, 1901 Original Reference: *Coenonympha tiphon* var. *scotica* Staudinger, 1901,
Cat. lepid. palaearkt. Faunengeb. 3(1): 66, nr.443b. Syntypes: [England]: Scotia. Range (in code):
GB
- 24094. Coenonympha (s.str.) tullia subcaeca Heyne, [1895]** (Satyridae) Synonym(s):
subcaeca Heyne, [1895]; *elwesi* Davenport, 1941 Original Reference: *Coenonympha caeca* var.
subcaeca Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 827. Type(s):
[Russia]: Südliches Sibirien. Range (in code): **At Bn Kts KG Mn RU Tk Sb Sj Sp Sau Tar**
- 24095. Coenonympha (s.str.) tullia tiphon (Rottemburg, 1775)** (Satyridae) Synonym(s):
tiphon Rottemburg, 1775 Original Reference: *Papilio tiphon* Rottemburg, 1775, Naturforscher 6:
15-16. Type(s): Germany: Halle. Range (in code): **Bw DE Rp Rr RU Cb Bs Sb Ur Ty Om No To**
- 24096. Coenonympha (s.str.) tullia tshonkurtshakus Korb, 1999** (Satyridae) Synonym(s):
tshonkurtshakus Korb, 1999 Original Reference: *Coenonympha tullia* ssp. *tshonkurtshakus*
Korb, 1999, Alexanor 20 (7/8) (1998): 387-389, figs. Holotype ♂: Kirghizistan: monts Alexandre,
vallée du Tchon-Kourtchak, 3500-3700m (IZSP). Range (in code): **T-S KK Ax**
- 24097. Coenonympha (s.str.) tullia tullia (Müller, 1764)** (Satyridae) Synonym(s): *tullia*
Müller, 1764; *isis* Thunberg & Becklin, 1791. Original Reference: *Papilio tullia* Müller, 1764, Fauna
insectorum Fridrichsdalina: 36. Type(s): [Dänemark]: Fridrichsdal [Seeland]. Range (in code):
FR DE DK See
- 24098. Coenonympha (s.str.) tullia viluensis Ménétriés, 1859** (Satyridae) Synonym(s):
viluensis Ménétriés, 1859; *griseus* Christoph, 1893. Original Reference: *Coenonympha davus* var.
viluensis Ménétriés, 1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 44. Type(s):
Russia: Amurland. Range (in code): **RU Sb**
- 24099. Coenonympha (s.str.) vaucheri Blachier, 1905** (Satyridae) Synonym(s): *vaucheri*
Blachier, 1905 Original Reference: *Coenonympha vaucheri* Blachier, 1905, Bull. Soc. ent. Fr.
1905: 213. Type: Morocco: High Atlas Mts. Range (in code): **MA Ouk Tgz Rf Lkr**
- 24100. Coenonympha (s.str.) vaucheri annoceuri Wyatt, 1952** (Satyridae) Synonym(s):
annoceuri Wyatt, 1952 Original Reference: *Coenonympha vaucheri* ssp. *annoceuri* Wyatt, 1952, Z.
Wien. ent. Ges. 37: 175. Holotype ♂: Marokko: Mittlerer Atlas: Annoceur, 1600m. Range (in
code): **MA Tgz**
- 24101. Coenonympha (s.str.) vaucheri beraberensis Lay & Rose, 1979** (Satyridae)
Synonym(s): *beraberensis* Lay & Rose, 1979 Original Reference: *Coenonympha vaucheri* ssp.
beraberensis Lay & Rose, 1979, Ent. Z., Frankf. a. M. 89 (12): 143-144, figs. Holotype ♂: Marokko:
Höher Atlas, nördl. Boumalne, 2800m (in coll. Lay). Range (in code): **MA**
- 24102. Coenonympha (s.str.) vaucheri rifensis Weiss, 1979** (Satyridae) Synonym(s): *rifensis*
Weiss, 1978 Original Reference: *Coenonympha vaucheri* ssp. *rifensis* Weiss, 1979, Entomops 48:
271, fig.1. Holotype: Morocco, Lakraa Mt. Range (in code): **MA Lkr Rf**
- 24103. Coenonympha (s.str.) vaucheri vaucheri Blachier, 1905** (Satyridae) Synonym(s):
vaucheri Blachier, 1905 Original Reference: *Coenonympha vaucheri* Blachier, 1905, Bull. Soc. ent.
Fr. 1905: 213. Type: Morocco: High Atlas Mts. Range (in code): **MA Ouk**
- 24104. Coenya aurantiaca Riley, 1938** (Satyridae) Synonym(s): *aurantiaca* Aurivillius, 1911;
aurantiaca Riley, 1938 Range (in code): **ZA Ec Nta Kzu**
- 24105. Coenya aurantiaca aurantiaca Riley, 1938** (Satyridae) Synonym(s): *aurantiaca*
Aurivillius, 1911; *aurantiaca* Riley, 1938 Range (in code): **ZA Ec Nta Kzu**
- 24106. Coenya hebe (Trimen, 1862)** (Satyridae) Synonym(s): *hebe* Trimen, 1862 Range (in
code): **ZA Nta Kzu Tva Wri MZ**
- 24107. Coenya hebe hebe (Trimen, 1862)** (Satyridae) Synonym(s): *hebe* Trimen, 1862 Range
(in code): **ZA Nta Kzu Tva Wri MZ**
- 24108. Coenya rufiplaga Trimen, 1906** (Satyridae) Synonym(s): *rufiplaga* Trimen, 1906
Range (in code): **ZA Tva Lpo Bsp Wb Chp**
- 24109. Coenya rufiplaga rufiplaga Trimen, 1906** (Satyridae) Synonym(s): *rufiplaga*
Trimen, 1906 Range (in code): **ZA Tva Lpo Bsp Wb Chp**
- 24110. Coenyropsis bera (Hewitson, 1877)** (Satyridae) Synonym(s): *bera* Hewitson, 1877
Range (in code): **TZ MW ZW** Bionomy: Larva on Poaceae (Ackery et al., 1995).

- 24111. Coenyropsis bera bera (Hewitson,1877)** (Satyridae) Synonym(s): *bera* Hewitson,1877
Range (in code): **TZ MW ZW**
- 24112. Coenyropsis carcassoni Kielland,1976** (Satyridae) Synonym(s): *carcassoni* Kielland,1976
Range (in code): **KE TZ**
- 24113. Coenyropsis carcassoni carcassoni Kielland,1976** (Satyridae) Synonym(s): *carcassoni* Kielland,1976
Range (in code): **KE TZ**
- 24114. Coenyropsis natalii (Boisduval,1847)** (Satyridae) Synonym(s): *natalii* Boisduval,1847;
schultzei Grünberg,1910
Range (in code): **ZA Mpu Pin Nta Kzu Tva Lpo Spb Kru Pf Pma Ly K12 BW ZW NA**
- 24115. Coenyropsis natalii natalii (Boisduval,1847)** (Satyridae) Synonym(s): *natalii* Boisduval,1847; *schultzei* Grünberg,1910
Range (in code): **ZA Mpu Pin Nta Kzu Tva Lpo BW ZW NA**
- 24116. Coenyropsis natalii poetulodes Vari,1971** (Satyridae) Synonym(s): *poetulodes* Vari,1971
Range (in code): **ZA Tva Lpo Spb Chp Kru Pf Pma Ly K12**
- 24117. Crebeta deidamia (Eversmann,1851)** (Satyridae) Synonym(s): *deidamia* Eversmann,1851
Original Reference: Hipparchia (Pararga) *deidamia* Eversmann,1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617. Syntypes: Russia: "le gouvernement d'Irkoutzk de la Sibérie orientale".
Range (in code): **Am At Kts CN Ir JP KP MN RU Ui Ur Prj Us KG Mn Bs Om Sb**
- 24118. Crebeta deidamia deidamia (Eversmann,1851)** (Satyridae) Synonym(s): *deidamia* Eversmann,1851.
Original Reference: Hipparchia (Pararga) *deidamia* Eversmann,1851, Bull. Soc. imp. Nat. Moscou 24 (2): 617. Syntypes: Russia: "le gouvernement d'Irkoutzk de la Sibérie orientale".
Range (in code): **Am At Kts CN Ir KP MN RU Ui Ur Prj Us KG Mn Bs Om Sb**
- 24119. Crebeta deidamia erebina Butler,1883** (Satyridae) Synonym(s): *erebia* Butler,1883
Range (in code): **KP**
- 24120. Crebeta deidamia interrupta (Fruhstorfer,1909)** (Satyridae) Synonym(s): *interrupta* Fruhstorfer,1909
Original Reference: Pararge *deidamia* ssp. *interrupta* Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes Japan: Umgebung von Nikko.
Range (in code): **JP**
- 24121. Crebeta deidamia okumi (Fruhstorfer,1908)** (Satyridae) Synonym(s): *okumi* Fruhstorfer,1908
Range (in code): **KP**
- 24122. Crebeta deidamia thyria (Fruhstorfer,1909)** (Satyridae) Synonym(s): *thyria* Fruhstorfer,1909
Original Reference: Pararge *deidamia* ssp. *thyria* Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: China: "Central-China und Tsintau".
Range (in code): **CN**
- 24123. Cylopsis pertepida** (Satyridae) Synonym(s): Range (in code): **US MX Arz Col NMx Ne Ok Tx Ut**
- 24124. Cylopsis pyracmon** (Satyridae) Synonym(s): Range (in code): **US MX Arz NMx Ut**
- 24125. Cylopsis pyracmon henshawi** (Satyridae) Synonym(s): Range (in code): **US**
- 24126. Cylopsis pyracmon pyracmon** (Satyridae) Synonym(s): Range (in code): **US**
- 24127. Dallacha hyagriva (Moore,1857)** (Satyridae) Synonym(s): *hyagriva* Moore,1857
Original Reference: Ypthima *hyagriva* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
Range (in code): **Ch Hp IN SI**
- 24128. Dallacha hyagriva hyagriva Moore,1857** (Satyridae) Synonym(s): *hyagriva* Moore,1857
Original Reference: Ypthima *hyagriva* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236.
Range (in code): **Ch Hp IN SI**
- 24129. Dingana alaedeus Henning & Henning,1984** (Satyridae) Synonym(s): *alaedeus* Henning & Henning,1984
Range (in code): **ZA Tva Lpo Wkk**
- 24130. Dingana alaedeus alaedeus Henning & Henning,1984** (Satyridae) Synonym(s): *alaedeus* Henning & Henning,1984
Range (in code): **ZA Tva Lpo Wkk**
- 24131. Dingana bowkeri (Trimen,1870)** (Satyridae) Synonym(s): *bowkeri* Trimen,1870
Range (in code): **ZA Wca Nta KZu Kkf Fs Tva Lpo Ly LS**
- 24132. Dingana bowkeri bella Van Son,1955** (Satyridae) Synonym(s): *bella* Van Son,1955
Range (in code): **ZA Wca**
- 24133. Dingana bowkeri bowkeri (Trimen,1870)** (Satyridae) Synonym(s): *ZA Nta KZu Kkf Fs Tva Lpo LS*
Range (in code): **ZA**
- 24134. Dingana bowkeri clarki Van Son,1955** (Satyridae) Synonym(s): *clarki* Van Son,1955
Range (in code): **ZA Wca**
- 24135. Dingana dingana (Trimen,1873)** (Satyridae) Synonym(s): *dingana* Trimen,1873
Range (in code): **ZA Mpu Brb Tva Lpo Ly ZA14 Spb Pie Wlk Nta Kzu SZ**
- 24136. Dingana dingana clara (Van Son,1940)** (Satyridae) Synonym(s): *clara* Van Son,1940
Range (in code): **ZA Tva Lpo Pie Wlk Ly**

- 24137. *Dingana dingana dingana* (Trimen,1873)** (Satyridae) Synonym(s): *dingana* Trimen,1873
Range (in code): **ZA Nta Kzu Tva ZA14 SZ**
- 24138. *Dira clytus* (Linnaeus,1764)** (Satyridae) Synonym(s): *clytus* Linnaeus,1764; *tisiphone* Rottemburg,1775. _ Range (in code): **ZA Ec Wca** Bionomy: Larva on Ehrharta, Panicum, Stipa, Stenoaphrum (Poaceae) (Ackery et al.,1995).
- 24139. *Dira clytus clytus* (Linnaeus,1764)** (Satyridae) Synonym(s): *clytus* Linnaeus,1764; *tisiphone* Rottemburg,1775. _ Range (in code): **ZA Wca**
- 24140. *Dira clytus eurina* Quickelberge,1978** (Satyridae) Synonym(s): *eurina* Quickelberge,1978
Range (in code): **ZA Ec**
- 24141. *Dira jansei* (Swiestra,1909)** (Satyridae) Synonym(s): *jansei* Swiestra,1909 _ Range (in code): **ZA Tva Lpo Pie Pot Chp Wb** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 24142. *Dira jansei jansei* (Swiestra,1909)** (Satyridae) Synonym(s): *jansei* Swiestra,1909
Range (in code): **ZA Tva Lpo Pie Pot Chp**
- 24143. *Dira oxylus* (Trimen,1881)** (Satyridae) Synonym(s): *oxylus* Trimen,1881 _ Range (in code): **ZA Nta Kzu Ptw Ec Qt** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 24144. *Dira oxylus oxylus* (Trimen,1881)** (Satyridae) Synonym(s): *oxylus* Trimen,1881
Range (in code): **ZA Nta Kzu Ptw Ec Qt**
- 24145. *Dira swanepoeli* (Van Son,1939)** (Satyridae) Synonym(s): *swanepoeli* Van Son,1939
Original Reference: *Leptoneura swanepoeli* Van Son,1939, Ann. Transv. Mus. 20: 47-51, pl.1. Holotype ♂: [South Africa]: [Limpopo Prov.]: Mountain Inn, near Louis Trichardt, Zoutpansberg district, Northern Transvaal, 8 March 1939, Swanopoel leg. (TMP). Range (in code): **ZA Bbg Tva Lpo Spb Lj Mdk Inn Hgl** Bionomy: Larva on Ehrharta, Eragrostis (Poaceae) (Ackery et al.,1995).
- 24146. *Dira swanepoeli isolata* Van Son,1955** (Satyridae) Synonym(s): *isolata* Van Son,1955
Range (in code): **ZA Bbg Tva Lpo Spb**
- 24147. *Dira swanepoeli swanepoeli* (Van Son,1939)** (Satyridae) Synonym(s): *swanepoeli* Van Son,1939
Original Reference: *Leptoneura swanepoeli* Van Son,1939, Ann. Transv. Mus. 20: 47-51, pl.1. Holotype ♂: [South Africa]: [Limpopo Prov.]: Mountain Inn, near Louis Trichardt, Zoutpansberg district, Northern Transvaal, 8 March 1939, Swanopoel leg. (TMP). Range (in code): **ZA Tva Lpo Spb Hgl Lj Mdk Inn**
- 24148. *Elymnias bammakoo* (Westwood,[1851])** (Satyridae) Synonym(s): *phegea* Fabricius,1793 nec Bkh.,1788; *bammakoo* Westwood,[1851]; *intermedia* Aurivillius,1898; *#angustata* Bartel,1905; *hybrida* Niepelt,1915; *lise* Hemming,1960 _ Range (in code): **UG ZR AO SL CM SN GH**
- 24149. *Elymnias bammakoo bammakoo* (Westwood,[1851])** (Satyridae) Synonym(s): *phegea* Fabricius,1793 nec Bkh.,1788; *bammakoo* Westwood,[1851]; *intermedia* Aurivillius,1898; *#angustata* Bartel,1905; *hybrida* Niepelt,1915; *lise* Hemming,1960 _ Range (in code): **AO SL CM SN GH**
- 24150. *Elymnias bammakoo rattrayi* Sharpe,1902** (Satyridae) Synonym(s): *rattrayi* Sharpe,1902; *ugandae* Grünberg,1908 _ Range (in code): **UG ZR**
- 24151. *Elymnias beza* Hewitson,1877** (Satyridae) Synonym(s): *beza* Hewitson,1877 _ Range (in code): **PH Ley Mno Sam**
- 24152. *Elymnias beza beza* Hewitson,1877** (Satyridae) Synonym(s): *beza* Hewitson,1877
Range (in code): **PH Mno**
- 24153. *Elymnias beza samarana* Schröder & Treadaway,1980** (Satyridae) Synonym(s): *samarana* Schröder & Treadaway,1980 _ Range (in code): **PH Ley Sam**
- 24154. *Elymnias casiphone* Geyer,[1837]** (Satyridae) Synonym(s): *casiphone* Geyer,[1837]
Range (in code): **MM TH Tng Nst MY Lkw ID Ja Bli Lb VN**
- 24155. *Elymnias casiphone alumna* Fruhstorfer,1907** (Satyridae) Synonym(s): *alumna* Fruhstorfer,1907 _ Range (in code): **ID Ja**
- 24156. *Elymnias casiphone casiphone* Geyer,[1837]** (Satyridae) Synonym(s): *casiphone* Geyer,[1837] _ Range (in code): **ID Ja**
- 24157. *Elymnias casiphone djilantik* Martin** (Satyridae) Synonym(s): *djilantik* Martin
Range (in code): **ID Bli**
- 24158. *Elymnias casiphone praetextata* Fruhstorfer,1896** (Satyridae) Synonym(s): *praetextata* Fruhstorfer,1896 _ Range (in code): **ID Lb**
- 24159. *Elymnias casiphone saueri* Distant,1882** (Satyridae) Synonym(s): *saueri* Distant,1882
Range (in code): **MM TH Tng Nst MY Lkw**
- 24160. *Elymnias casiphonides* Semper,1892** (Satyridae) Synonym(s): *casiphonides* Semper,1892
Range (in code): **PH Mno Sam**

- 24161. *Elymnias casiphonides casiphonides* Semper, 1892** (Satyridae) **Synonym(s):** *casiphonides* Semper, 1892 **Range (in code): PH Mno**
- 24162. *Elymnias casiphonides sanrafaela* Schröder & Treadaway, 1980** (Satyridae) **Synonym(s):** *sanrafaela* Schröder & Treadaway, 1980 **Range (in code): PH Sam**
- 24163. *Elymnias congruens congruens* Semper, 1887** (Satyridae) **Synonym(s):** *congruens* Semper, 1887 **Range (in code): PH Sga Taw Bas Boh Luz Mar Mdo Mno Bil Cts Ley Pao Sam**
- 24164. *Elymnias congruens congruens* Semper, 1887** (Satyridae) **Synonym(s):** *congruens* Semper, 1887 **Range (in code): PH Bil Cts Ley Pao Sam**
- 24165. *Elymnias congruens endida* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *endida* Fruhstorfer, 1911 **Range (in code): PH Boh**
- 24166. *Elymnias congruens jekei* Schröder & Treadaway, 1989** (Satyridae) **Synonym(s):** *jekei* Schröder & Treadaway, 1989 **Range (in code): PH Luz**
- 24167. *Elymnias congruens phaios* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *phaios* Fruhstorfer, 1907 **Range (in code): PH Mno**
- 24168. *Elymnias congruens photinus* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *photinus* Fruhstorfer, 1907 **Range (in code): PH Mno**
- 24169. *Elymnias congruens rafaella* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *rafaella* Fruhstorfer, 1907 **Range (in code): PH Bas**
- 24170. *Elymnias congruens salipi* Schröder & Treadaway, 1989** (Satyridae) **Synonym(s):** *salipi* Schröder & Treadaway, 1989 **Range (in code): PH Sga Taw**
- 24171. *Elymnias congruens subcongruens* Semper, 1892** (Satyridae) **Synonym(s):** *subcongruens* Semper, 1892 **Range (in code): PH Luz Mar Mdo**
- 24172. *Elymnias dara* Distant & Pryer, 1887** (Satyridae) **Synonym(s):** *dara* Distant & Pryer, 1887 **Range (in code): PH Bal Dum Pal TH Chy Knc Nst**
- 24173. *Elymnias dara albofasciata* Staudinger, 1889** (Satyridae) **Synonym(s):** *albofasciata* Staudinger, 1889 **Range (in code): PH Bal Dum Pal**
- 24174. *Elymnias dara daedalio* De Nicéville, 1890** (Satyridae) **Synonym(s):** *daedalio* De Nicéville, 1890 **Range (in code): TH Chy Knc Nst**
- 24175. *Elymnias dara* Distant & Pryer, 1887** (Satyridae) **Synonym(s):** *dara* Distant & Pryer, 1887
- 24176. *Elymnias esaca* (Westwood, [1851])** (Satyridae) **Synonym(s):** *esaca* Westwood, [1851]; *godferyi* Distant, 1883; *esacoides* Nicéville, [1893] **Range (in code): MY PH Bab Luz Mar Mdo Neg Pan Ley Mno Sam ID Ja Bor Sum Nia MM TH Rng Srt**
- 24177. *Elymnias esaca andersonii* Moore, 1886** (Satyridae) **Synonym(s):** *andersonii* Moore, 1886; *oberthueri* Fruhstorfer, 1902 **Range (in code): MM TH Rng Srt**
- 24178. *Elymnias esaca borneensis* Wallace, 1869** (Satyridae) **Synonym(s):** *borneensis* Wallace, 1869 **Range (in code): MY Bor**
- 24179. *Elymnias esaca egialina* (C.Felder & R.Felder, 1863)** (Satyridae) **Synonym(s):** *egialina* C.Felder & R.Felder, 1863 **Original Reference:** *Melanitis egialina* C.Felder & R.Felder, 1863, *Wien. ent. Monatschr.* 7(4): 121-122. Syntypes ♂♀: Luzon. **Range (in code): PH Bab Luz Mar Mdo Neg Pan**
- 24180. *Elymnias esaca esaca* (Westwood, [1851])** (Satyridae) **Synonym(s):** *esaca* Westwood, [1851]; *godferyi* Distant, 1883; *esacoides* Nicéville, [1893] **Range (in code): MY**
- 24181. *Elymnias esaca georgi* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *georgi* Fruhstorfer, 1907 **Range (in code): PH Ley Mno Sam**
- 24182. *Elymnias esaca leontina* Fruhstorfer, 1899** (Satyridae) **Synonym(s):** *leontina* Fruhstorfer, 1899 **Range (in code): ID Nia**
- 24183. *Elymnias esaca maheswara* Fruhstorfer** (Satyridae) **Synonym(s):** *maheswara* Fruhstorfer **Range (in code): ID Ja**
- 24184. *Elymnias esaca pseudodelias* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *pseudodelias* Fruhstorfer, 1907 **Range (in code): ID Sum**
- 24185. *Elymnias esaca taeniola* Fruhstorfer, 1907** (Satyridae) **Synonym(s):** *taeniola* Fruhstorfer, 1907 **Range (in code): ID Bor**
- 24186. *Elymnias harterti* Honrath, 1889** (Satyridae) **Synonym(s):** *harterti* Honrath, 1889 **Range (in code): MY**
- 24187. *Elymnias harterti harterti* Honrath, 1889** (Satyridae) **Synonym(s):** *harterti* Honrath, 1889 **Range (in code): MY**

- 24188. Elymnias hewitsoni Wallace, 1869** (Satyridae) Synonym(s): *hewitsoni* Wallace, 1869
Range (in code): **ID Clb Sly**
- 24189. Elymnias hewitsoni hewitsoni Wallace, 1869** (Satyridae) Synonym(s): *hewitsoni* Wallace, 1869 - Range (in code): **ID Clb**
- 24190. Elymnias hewitsoni meliophila Fruhstorfer, 1899** (Satyridae) Synonym(s): *meliophila* Fruhstorfer, 1899 - Range (in code): **ID Sly**
- 24191. Elymnias hypermnestra (Linnaeus, 1763)** (Satyridae) Synonym(s): *hypermnestra* Linnaeus, 1763
Original Reference: Papilio hypermnestra Linnaeus, 1763, Amoen. acad. 6: 40.
Range (in code): **IN LK Ass Slo NP MM TH CMa Cm1 Dsk Hpt Dst Qs Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 CDo CD2 Nrt Chy Bnk Lmp Tht Sgk Hya Tnc PSu Nst Chw Ths Pbu Ntt SPa MY Lkw VN Ton Tda**
Bionomy: Larva on Areca catechu [betelnut palm], Caryota gigus [giant mountain fishtail palm] (Palmae) (Lewvanich, 2001).
- 24192. Elymnias hypermnestra agina Fruhstorfer, [1902]** (Satyridae) Synonym(s): *agina* Fruhstorfer, [1902]; *beatrice* Fruhstorfer, [1902]; *ornamenta* Fruhstorfer, 1907 - Range (in code): **MY TH**
- 24193. Elymnias hypermnestra discrepans Distant, 1882** (Satyridae) Synonym(s): *discrepans* Distant, 1882 - Range (in code): **MY TH Nrt Chy Pbu Ntt SPa Nst Ths**
- 24194. Elymnias hypermnestra hypermnestra (Linnaeus, 1763)** (Satyridae) Synonym(s): *hypermnestra* Linnaeus, 1763
Original Reference: Papilio hypermnestra Linnaeus, 1763, Amoen. acad. 6: 40.
- 24195. Elymnias hypermnestra meridionalis Fruhstorfer, 1902** (Satyridae) Synonym(s): *meridionalis* Fruhstorfer, 1902; *violetta* Fruhstorfer, 1902 - Range (in code): **TH CMa Cm1 Cuo Cuo1 Cuo2 Cuo3 Cuo4 Cuo5 Cuo6 Cuo7 Cuo9 Cuo10 Dsk Hpt Dst Qs CDo CD2 Lmp Tht Chy Bnk**
Bionomy: Larva on Areca catechu [betelnut palm], Caryota gigus [giant mountain fishtail palm] (Palmae) (Lewvanich, 2001).
- 24196. Elymnias hypermnestra nimota Corbet, 1937** (Satyridae) Synonym(s): *nimota* Corbet, 1937 - Range (in code): **MY**
- 24197. Elymnias hypermnestra robinsona Monastyrskii & Devyatkin, 2003** (Satyridae) Synonym(s): *robinsona* Monastyrskii & Devyatkin, 2003 - Range (in code): **VN**
- 24198. Elymnias hypermnestra tinctoria Moore, [1879]** (Satyridae) Synonym(s): *tinctoria* Moore, [1879]; *epixantha* Fruhstorfer, 1907 - Range (in code): **MY Lkw TH Sgk Hya Tnc PSu Nst Chw**
- 24199. Elymnias hypermnestra tonkiniana Fruhstorfer, 1902** (Satyridae) Synonym(s): *tonkiniana* Fruhstorfer, 1902 - Range (in code): **VN Ton**
- 24200. Elymnias hypermnestra undularis (Drury, [1773])** (Satyridae) Synonym(s): *undularis* Drury, [1773]; *protogenia* Cramer, 1777; *jynx* Hübner, 1818 - Range (in code): **NP**
- 24201. Elymnias kanekoi Tsukada & Nishiyama, 1980** (Satyridae) Synonym(s): *kanekoi* Tsukada & Nishiyama, 1980 - Range (in code): **PH Neg**
- 24202. Elymnias kochi Semper, 1887** (Satyridae) Synonym(s): *kochi* Semper, 1887 - Range (in code): **PH Luz**
- 24203. Elymnias kuenstleri Honrath, [1885]** (Satyridae) Synonym(s): *kuenstleri* Honrath, [1885]
Range (in code): **MY**
- 24204. Elymnias kuenstleri kuenstleri Honrath, [1885]** (Satyridae) Synonym(s): *kuenstleri* Honrath, [1885] - Range (in code): **MY**
- 24205. Elymnias luteofasciata Okubo, 1980** (Satyridae) Synonym(s): *luteofasciata* Okubo, 1980
Range (in code): **PH Mno**
- 24206. Elymnias malelas (Hewitson, 1863)** (Satyridae) Synonym(s): *malelas* Hewitson, 1863
Range (in code): **NP IN Hp Kma SI MM MY TH CMa Cuo Cuo2 Cuo7 CDo CD2 Cbi Nna Nrt Loe VN**
- 24207. Elymnias malelas ivena Fruhstorfer, 1911** (Satyridae) Synonym(s): *ivena* Fruhstorfer, 1911 - Range (in code): **TH CMa Cuo Cuo2 Cuo7 CDo CD2 Cbi Nna Nrt Loe VN**
- 24208. Elymnias malelas malelas (Hewitson, 1863)** (Satyridae) Synonym(s): *malelas* Hewitson, 1863
- 24209. Elymnias melias C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *melias* C.Felder & R.Felder, 1863 - Range (in code): **PH Bur Luz Pol**
- 24210. Elymnias melias malis Semper, 1887** (Satyridae) Synonym(s): *malis* Semper, 1887
Range (in code): **PH Luz**
- 24211. Elymnias melias melias C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *melias* C.Felder & R.Felder, 1863 - Range (in code): **PH Bur Luz Pol**
- 24212. Elymnias nesaea (Linnaeus, 1764)** (Satyridae) Synonym(s): *nesaea* Linnaeus, 1764
Range (in code): **PH Bon Sga Stu Taw MY TH Bnk CMa CDo Phu Ntt SPa Chw Nst Ths Sgk Hya Tnc**

- 24213. Elymnias nesaea apelles Fruhstorfer,1902** (Satyridae) Synonym(s): *apelles Fruhstorfer,1902* - Range (in code): TH Bnk
- 24214. Elymnias nesaea lioneli Fruhstorfer,1907** (Satyridae) Synonym(s): *lioneli Fruhstorfer,1907* - Range (in code): MY TH Phu Sgk Hya Tnc Ntt SPa Chw Nst Ths
- 24215. Elymnias nesaea nesaea (Linnaeus,1764)** (Satyridae) Synonym(s): *nesaea Linnaeus,1764*
- 24216. Elymnias nesaea tawicola Schröder & Treadaway,1989** (Satyridae) Synonym(s): *tawicola Schröder & Treadaway,1989* - Range (in code): PH Bon Sga Stu Taw
- 24217. Elymnias nesaea timandra Wallace,1869** (Satyridae) Synonym(s): *timandra Wallace,1869* - Range (in code): TH CMa CDo
- 24218. Elymnias obnubila Marschall & De Nicéville,1890** (Satyridae) Synonym(s): *obnubila Marschall & De Nicéville,1890* - Range (in code): TH Rng Phu Nst
- 24219. Elymnias obnubila obnubila Marschall & De Nicéville,1890** (Satyridae) Synonym(s): *obnubila Marschall & De Nicéville,1890* - Range (in code): TH Rng Phu Nst
- 24220. Elymnias panthera (Fabricius,1787)** (Satyridae) Synonym(s): *panthera Fabricius,1787; lutescens Butler,1867* - Range (in code): MY PH CagSul TH Nst Ths Yal
- 24221. Elymnias panthera panthera (Fabricius,1787)** (Satyridae) Synonym(s): *panthera Fabricius,1787; lutescens Butler,1867* - Range (in code): MY TH Nst Ths Yal
- 24222. Elymnias panthera suluana Fruhstorfer,1899** (Satyridae) Synonym(s): *suluana Fruhstorfer,1899* - Range (in code): PH CagSul
- 24223. Elymnias panthera tiomanica Eliot,1978** (Satyridae) Synonym(s): *tiomanica Eliot,1978* - Range (in code): MY
- 24224. Elymnias parce Staudinger,1889** (Satyridae) Synonym(s): *parce Staudinger,1889* - Range (in code): PH Bal Cal Dum Mdo Pal
- 24225. Elymnias patna Westwood,1851** (Satyridae) Synonym(s): *patna Westwood,1851* - Range (in code): TH Rng Cbi CMa CDo
- 24226. Elymnias patna patna Westwood,1851** (Satyridae) Synonym(s): *patna Westwood,1851*
- 24227. Elymnias patna patnoides Moore,1893** (Satyridae) Synonym(s): *patnoides Moore,1893* - Range (in code): TH Cbi CMa CDo
- 24228. Elymnias patna stictica Fruhstorfer,1901** (Satyridae) Synonym(s): *stictica Fruhstorfer,1901* - Range (in code): TH Rng
- 24229. Elymnias penanga Westwood,1851** (Satyridae) Synonym(s): *penanga Westwood,1851* - Range (in code): TH Nna Rng Phu Tng Nst Yal
- 24230. Elymnias penanga chelensis De Nicéville,1890** (Satyridae) Synonym(s): *chelensis De Nicéville,1890* - Range (in code): TH Nna
- 24231. Elymnias penanga penanga Westwood,1851** (Satyridae) Synonym(s): *penanga Westwood,1851* - Range (in code): TH Rng Phu Tng Yal Nst
- 24232. Elymnias sansoni Jumalon,1975** (Satyridae) Synonym(s): *sansoni Jumalon,1975* - Range (in code): PH Ceb Neg Pan
- 24233. Elymnias vasudeva (Moore,1857)** (Satyridae) Synonym(s): *vasudeva Moore,1857* - Range (in code): IN SI Ass MM Tns TH CMa CDo Nna MY NP
- 24234. Elymnias vasudeva burmensis Moore,1893** (Satyridae) Synonym(s): *burmensis Moore,1893* - Range (in code): MM TH CMa CDo Nna
- 24235. Elymnias vasudeva vasudeva (Moore,1857)** (Satyridae) Synonym(s): *vasudeva Moore,1857*
- 24236. Enodia anthedon** (Satyridae) Synonym(s): - Range (in code): US Aks Alb Cnt Ge Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa NDk Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi We
- 24237. Enodia creola** (Satyridae) Synonym(s): - Range (in code): US Aks Alb Ge Idp Iln Kan Knt Lou Mis Mss NCa Ok Tnn Tx Vi
- 24238. Enodia portlandia** (Satyridae) Synonym(s): - Range (in code): US Aks Alb Fl Ge Knt Lou Mis Mss NCa Ok Tnn Tx Vi
- 24239. Erebia aethiopella (Hoffmannsegg,1806)** (Satyridae) Synonym(s): *aethiopella Hoffmannsegg,1806; gorgophone Bellier,1863; mediterranea B.C.S.Warren,1933; cottiensis Dujardin,1945.* Original Reference: Papilio aethiopellus Hoffmannsegg,1806, Illiger's Mag. Insektenk. 5: 180. Type(s): Italia; Piedmont. Range (in code): FR IT Pmt
- 24240. Erebia aethiopella aethiopella (Hoffmannsegg,1806)** (Satyridae) Synonym(s): *aethiopella Hoffmannsegg,1806; gorgophone Bellier,1863; mediterranea B.C.S.Warren,1933; cottiensis Dujardin,1945.* Original Reference: Papilio aethiopellus Hoffmannsegg,1806, Illiger's Mag. Insektenk. 5: 180. Range (in code): FR IT Pmt

- 24241. *Erebia aethiops* (Esper,[1777])** (Satyridae) **Synonym(s):** *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. **Original Reference:** Papilio *aethiops* Esper,[1777], Die Schmett.1(5): pl.25, fig.30.; [1779], ibidem 1(9): 312. **Range (in code):** At Kts Bn Ur AT Ba BE BG BY CH CZ DE FR GB Cc GG AZ AM GR HU IT Kr LT LU LV NL PL RO RU SK Sm So Sr TR UA YU KG Sp Mn CN Ui **Bionomy:** Larva on *Molinia caerulea*, *Sesleria caerulea*, *Carex sempervirens*, *Bromus erectus*, *Brachypodium pinnatum*, *Calamagrostis epigejos*, *Dactylis glomerata*, *Festuca ovina*, *Luzula nivea*, *Poa trivialis*, *Anthoxanthum odoratum*, *Briza media* (Tolman,1997).
- 24242. *Erebia aethiops aethiops* (Esper,[1777])** (Satyridae) **Synonym(s):** *aethiops* Esper,[1777]; *ligea* Poda,1761 nec Linnaeus,1758; *medea* Denis & Schiff.,1775; *blandina* Fabricius,1787; *media* Hübner,1799; *caledonia* Verity,1911; *altivaga* Fruhstorfer,1917; *sapaudia* Fruhstorfer,1917; *peneplana* Berger,1936. **Original Reference:** Papilio *aethiops* Esper,[1777], Die Schmett.1(5): pl.25, fig.30.; [1779], ibidem 1(9): 312. **Range (in code):** At Kts AT Ba BE BG Bw BY CH CZ DE FR GB GR HU IT Kr LT LU LV NL PL RO Rp RU SK Sm So Sr TR Cc UA YU KG Sp Mn CN Ui
- 24243. *Erebia aethiops melusina* Herrich-Schäffer,[1847]** (Satyridae) **Synonym(s):** *melusina* Herrich-Schäffer,[1847] **Original Reference:** *Erebia melusina* Herrich-Schäffer,[1847], Syst. Bearb. Schmett. Eur. 6: 10; ibid.1: Taf.77 figs.373-374. **Type(s):** Kaukasus. **Range (in code):** AZ AM GG Cc RU TR
- 24244. *Erebia aethiops uralensis* Goltz,1930** (Satyridae) **Synonym(s):** *uralensis* Goltz,1930 **Range (in code):** RU Ur At Bn
- 24245. *Erebia ajanensis Ménéttriés,1857*** (Satyridae) **Synonym(s):** *ajanensis* Ménéttriés,1857. **Original Reference:** *Erebia ligea ajanensis* Ménéttriés,1857, Enum. anim. Mus. imp. Petropol. 2: 104. **Type(s):** Russia: Siberia: Ajan. **Range (in code):** RU Prj Us Vv CN Mc KP
- 24246. *Erebia ajanensis ajanensis* Ménéttriés,1857** (Satyridae) **Synonym(s):** *ajanensis* Ménéttriés,1857. **Original Reference:** *Erebia ligea ajanensis* Ménéttriés,1857, Enum. anim. Mus. imp. Petropol. 2: 104. **Lectotype** ♂: [Russia]: Kabarovskii Krai, Ayan: "Ajan", designated by Dubatolov,1997 (ZIN). **Range (in code):** RU Prj Us
- 24247. *Erebia ajanensis arsenjevi* Kurentsov,1950** (Satyridae) **Synonym(s):** *arsenjevi* Kurentsov,1950 **Original Reference:** *Erebia ajanensis arsenjevi* Kurentsov,1950, Ent. Obozr. 31 (1/2): 243-244. **Syntypes:** [Russia]: "1st. Kolumbe, Sikhote-Alinskii" [Primorskii Krai, Krasnoarmeiskii raion]. **Lectotype** ♂, designated by Dubatolov, et al., 1998, Trans. lepid. Soc. Japan 49(3). **Range (in code):** RU Vv Mc CN KP
- 24248. *Erebia ajanensis kosterini* Gorbunov, Korshunov & Dubatolov,1995** (Satyridae) **Synonym(s):** *kosterini* Gorbunov, Korshunov & Dubatolov,1995 **Original Reference:** *Erebia kosterini* Gorbunov, Korshunov & Dubatolov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 123. **Holotype** ♂: Russia: Magadan Province: Koni Peninsula, Khidzha River (SZMN). **Range (in code):** RU Mgd
- 24249. *Erebia alberganus* (De Prunner,1798)** (Satyridae) **Synonym(s):** *alberganus* De Prunner,1798; *themistocles* Locke,1801 nec Fabricius,1793; *ceto* Hübner,[1804]; *frenus* Fruhstorfer,1911. **Original Reference:** Papilio *alberganus* De Prunner,1798, Lepidoptera Pedemontana: 71. **Type(s):** [Italy]: Piedmont. **Range (in code):** AT BG CH Dol ES Fo6 F73 FR IT Öt Pmt Trl Va
- 24250. *Erebia alberganus alberganus* (De Prunner,1798)** (Satyridae) **Synonym(s):** *alberganus* De Prunner,1798; *themistocles* Locke,1801 nec Fabricius,1793; *ceto* Hübner,[1804]; *frenus* Fruhstorfer,1911. **Original Reference:** Papilio *alberganus* De Prunner,1798, Lepidoptera Pedemontana: 71. **Type(s):** [Italy]: Piedmont. **Range (in code):** AT CH Dol ES Fo6 F73 FR IT Öt Pmt Trl Va
- 24251. *Erebia alberganus phorcys* (Freyer,1836)** (Satyridae) **Synonym(s):** *phorcys* Freyer,1836; *ceto* Geyer,[1837] nec Hübner. **Original Reference:** *Hipparchia phorcys* Freyer,1836, Neuere Beitr. Schmett. 3: 4, pl. 193, fig.2. **Syntypes:** "europäischen Türkei". **Range (in code):** BG
- 24252. *Erebia alcmena Groum-Grshimailo,1890*** (Satyridae) **Synonym(s):** *alcmena* Groum-Grshimailo,1890; *#alcmena* O.Bang-Haas,1933 **Original Reference:** *Erebia alcmena* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 457. **Syntypes:** [China: Qinghai]: Amdo, in montibus Dshachar. **Range (in code):** CN Ts Amd Gn Rth
- 24253. *Erebia alcmena alcmena* Groum-Grshimailo,1890** (Satyridae) **Synonym(s):** *alcmena* Groum-Grshimailo,1890; *#alcmena* O.Bang-Haas,1933 **Original Reference:** *Erebia alcmena* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 457. **Syntypes:** [China: Qinghai]: Amdo, in montibus Dshachar. **Range (in code):** CN Ts Amd

- 24254. *Erebia alcmena minschani* O.Bang-Haas,1933** (Satyridae) Synonym(s): *minschani* O.Bang-Haas,1933. Range (in code): CN Gn
- 24255. *Erebia alcmena veldmani* Kotzsch,1929** (Satyridae) Synonym(s): *veldmani* Kotzsch,1929. Range (in code): CN Gn Rth
- 24256. *Erebia anyuica* Kurenzov,1966** (Satyridae) Synonym(s): *anyuica* Kurenzov,1966. Range (in code): RU
- 24257. *Erebia anyuica anyuica* Kurenzov,1966** (Satyridae) Synonym(s): *anyuica* Kurenzov,1966. Range (in code): RU
- 24258. *Erebia arvernensis* Oberthür,1908** (Satyridae) Synonym(s): *arvernensis* Oberthür,1908. Original Reference: *Erebia tyndarus* var. *arvernensis* Oberthür,1908, Bull. Soc. ent. Fr. 1908: 267. Syntypes: Auvergne Mts. Range (in code): FR IT
- 24259. *Erebia arvernensis aquitania* Fruhstorfer,1909** (Satyridae) Synonym(s): *#tusca* Verity,1913; *aquitania* Fruhstorfer,1909; *maritima* Testout,1946. Original Reference: *Erebia tyndarus* ssp. *aquitania* Fruhstorfer,1909, Societas ent. 24: 125. Syntypes: Frankreich: Alpes-Maritimes: col di Tenda (Warren (1959) considered as distinct species). Range (in code): Fo6 FR IT
- 24260. *Erebia arvernensis arvernensis* Oberthür,1908** (Satyridae) Synonym(s): *arvernensis* Oberthür,1908. Original Reference: *Erebia tyndarus* var. *arvernensis* Oberthür,1908, Bull. Soc. ent. Fr. 1908: 267. Syntypes: Auvergne Mts. Range (in code): FR
- 24261. *Erebia arvernensis carmenta* Fruhstorfer,1909** (Satyridae) Synonym(s): *carmenta* Fruhstorfer,1909; *pseudomurina* De Lesse,1957; *pseudocarmenta* De Lesse,1957; Original Reference: *Erebia tyndarus* ssp. *carmenta* Fruhstorfer,1909, Societas ent. 24: 125. Syntypes: Italia: Aostatal: Courmayeur; Schweiz: Tessin: Fusio. Range (in code): Aos CH FR IT Tsn
- 24262. *Erebia arvernensis murina* B.C.S.Warren,1936** (Satyridae) Synonym(s): *#murina* Reverdin,1909; *murina* B.C.S.Warren,1936. Original Reference: *Erebia arvernensis* ssp. *murina* B.C.S.Warren,1936, Monogr. *Erebia*: 295, pls. Range (in code): FR IT
- 24263. *Erebia brimo* (Boeber,1809)** (Satyridae) Synonym(s): *maurisius sensu* Lukhtanov & Lukhtanov,1994 nec Esper,[1803]; *brimo* Boeber,1809. Original Reference: *Papilio brimo* Boeber,1809, Mém. Soc. imp. Nat. Moscou 2: 308. Syntypes: Russia: "environs du lac Baikal". Range (in code): At Aty CN KG Mn MN RU Sb Sj Ui Tar Sau Cln Kts Nym Ktm Tj NAT Cat
- 24264. *Erebia brimo brimo* (Boeber,1809)** (Satyridae) Synonym(s): *maurisius sensu* Lukhtanov & Lukhtanov,1994 nec Esper,[1803]; *brimo* Boeber,1809. Original Reference: *Papilio brimo* Boeber,1809, Mém. Soc. imp. Nat. Moscou 2: 308. Syntypes: Russia: "environs du lac Baikal". Range (in code): RU
- 24265. *Erebia brimo elwesi* Staudinger,1901** (Satyridae) Synonym(s): *elwesi* Staudinger,1901. Original Reference: *Erebia haberhaueri* var? *elwesi* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 44, nr.272a. Syntypes: [Russia]: Alt. or; Saján. Range (in code): At RU Sj KG Mn MN CN Ui Cln Kts Nym Ktm Tj NAT Cat
- 24266. *Erebia calcaria* Lorkovic,1949** (Satyridae) Synonym(s): *calcaria* Lorkovic,1949. Range (in code): IT YU
- 24267. *Erebia calcaria calcaria* Lorkovic,1949** (Satyridae) Synonym(s): *calcaria* Lorkovic,1949. Range (in code): IT YU
- 24268. *Erebia callias* Edwards,1871** (Satyridae) Synonym(s): *callias* Edwards,1871. Original Reference: *Erebia callias* Edwards,1871, Trans. am. Ent. Soc. 3: 274. Type(s): United States: "Colorado". Range (in code): KG Tar Sau CN Ui At RU Sb Mn Mkk Cln Ltv Trt MN Kts Sj US Col Mon Ut Wy
- 24269. *Erebia callias altajana* Staudinger,1901** (Satyridae) Synonym(s): *altajana* Staudinger,1901. Original Reference: *Erebia tyndarus* var. *altajana* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 50, nr.320e. Syntypes: [Russia]: Altai, Saján, Sib. or; Arm. etc. Range (in code): At RU KG Mn Mkk Cln Ltv Trt MN Kts Sj
- 24270. *Erebia callias callias* Edwards,1871** (Satyridae) Synonym(s): *callias* Edwards,1871. Original Reference: *Erebia callias* Edwards,1871, Trans. am. Ent. Soc. 3: 274. Type(s): United States: "Colorado". Range (in code): US Col Mon Ut Wy
- 24271. *Erebia callias sibirica* Staudinger,1881** (Satyridae) Synonym(s): *sibirica* Staudinger,1881. Original Reference: *Erebia tyndarus* var. *sibirica* Staudinger,1881, Stettin ent. Ztg. 42: 270. Syntypes ♂♀: [Kazakhstan]: Tarbagatai. Range (in code): KG Tar Sau CN Ui
- 24272. *Erebia cassioides* (Reiner & Hochenwarth,1792)** (Satyridae) Synonym(s): *cassioides* Reiner & Hochenwarth,1792; *cleo* Hübner,1799; *neleus* Freyer,1833; *#galvagnii* Hellweger,1914. Original Reference: *Papilio cassioides* Reiner & Hochenwarth,1792, Bot. Reise Oberkärnt. Alpen. 1: 262,

- pl.6 fig.1. Syntypes: Oesterreich: Heiligen Blut. Range (in code): AL AT BG CH ES FR GR IT RO YU
Bionomy: Larva on Festuca ovina (Tolman,1997).
- 24273. *Erebia cassioides buronica* Hospital,1948** (Satyridae) Synonym(s): *buronica* Hospital,1948
- 24274. *Erebia cassioides cassioides* (Reiner & Hochenwarth,1792)** (Satyridae) Synonym(s): *cassioides* Reiner & Hochenwarth,1792; *cleo* Hübner,1799; *neleus* Freyer,1833; *#galvagnii* Hellweger,1914. Original Reference: Papilio cassioides Reiner & Hochenwarth,1792, Bot. Reise Oberkärnt. Alpen. 1: 262, pl.6 fig.1. Syntypes: Oesterreich: Heiligen Blut. Range (in code): AL AT BG CH ES FR GR IT RO YU
- 24275. *Erebia cassioides kinoshitai* Beschkov,1996** (Satyridae) Synonym(s): *kinoshitai* Beschkov,1996 Original Reference: *Erebia cassioides* ssp. *kinoshitai* Beschkov,1996, Phegea 24(3): 110-123, figs. Holotype ♂: Bulgaria: Central StaraPlanina Mt. under Ravnetz Top. 1920m. (NNHMS). Range (in code): BG Stp
- 24276. *Erebia christi* Rätzer,1890** (Satyridae) Synonym(s): *christi* Rätzer,1890 Original Reference: *Erebia christi* Rätzer,1890, Mitt. schweiz. ent. Ges. 8: 220. Syntypes: Schweiz: Laquinthal, Simplon. Range (in code): CH IT
- 24277. *Erebia christi christi* Rätzer,1890** (Satyridae) Synonym(s): *christi* Rätzer,1890 Original Reference: *Erebia christi* Rätzer,1890, Mitt. schweiz. ent. Ges. 8: 220. Syntypes: Schweiz: Laquinthal, Simplon. Range (in code): CH IT
- 24278. *Erebia claudina* (Borkhausen,1788)** (Satyridae) Synonym(s): *claudina* Borkhausen,1788 Original Reference: Papilio claudina Borkhausen,1788, Naturg. eur. Schmett. 1: 204, nr.161. Type(s): Österreich. Range (in code): AT
- 24279. *Erebia claudina claudina* (Borkhausen,1788)** (Satyridae) Synonym(s): *claudina* Borkhausen,1788 Original Reference: Papilio claudina Borkhausen,1788, Naturg. eur. Schmett. 1: 204, nr.161. Type(s): Österreich. Range (in code): AT
- 24280. *Erebia cyclopius* (Eversmann,1844)** (Satyridae) Synonym(s): *cyclopius* Eversmann,1844 Original Reference: Hipparchia cyclopius Eversmann,1844, Bull. Soc. imp. Nat. Moscou 17: 590. Syntypes: [Russia: Irkutsk Region]: provincia Irkuzkiensi. Range (in code): At Bn Ba Ir KP CN Ui Mc MN RU Ur Sb To Kts KG Cln Nym Ktm Mn
- 24281. *Erebia cyclopius cyclopius* (Eversmann,1844)** (Satyridae) Synonym(s): *cyclopius* Eversmann,1844 Original Reference: Hipparchia cyclopius Eversmann,1844, Bull. Soc. imp. Nat. Moscou 17: 590. Syntypes: [Russia: Irkutsk Region]: provincia Irkuzkiensi. Range (in code): At Bn Ba Ir KP CN Ui Mc MN RU Ur Sb To Kts KG Cln Nym Ktm Mn
- 24282. *Erebia dabanensis* Erschoff,1871** (Satyridae) Synonym(s): *dabanensis* Erschoff,1871; *tundra* Staudinger,1887. Original Reference: *Erebia dabanensis* Erschoff,1871, Horae Soc. ent. ross. 8: 315. Syntypes: Russia: [Südsibirien]: "Chamar-Daban". Range (in code): US Tai Am Kmt Mgd RU Tch Ur Ya Sb CN Ui
- 24283. *Erebia dabanensis dabanensis* Erschoff,1871** (Satyridae) Synonym(s): *dabanensis* Erschoff,1871; *tundra* Staudinger,1887. Original Reference: *Erebia dabanensis* Erschoff,1871, Horae Soc. ent. ross. 8: 315. Syntypes: Russia: [Südsibirien]: "Chamar-Daban". Range (in code): Tai Am Kmt Mgd RU Tch Ya Sb
- 24284. *Erebia dabanensis olshvangi* Gorbunov,1995** (Satyridae) Synonym(s): *olshvangi* Gorbunov,1995 Original Reference: *Erebia dabanensis* ssp. *olshvangi* Gorbunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 129. Holotype: Russia: Ural Polar, Krasnyi Kamen. Range (in code): RU Ur
- 24285. *Erebia disa* (Thunberg,1791)** (Satyridae) Synonym(s): *disa* Thunberg,1791 Original Reference: Papilio disa Thunberg,1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): Lapponia [Lapland]. Range (in code): US FI NO RU SE Ya Mgd Sb
- 24286. *Erebia disa disa* (Thunberg,1791)** (Satyridae) Synonym(s): *disa* Thunberg,1791 Original Reference: Papilio disa Thunberg,1791, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): Lapponia [Lapland]. Range (in code): FI NO RU SE Ya Mgd Sb
- 24287. *Erebia discoidalis* (Kirby,1837)** (Satyridae) Synonym(s): *discoidalis* Kirby,1837 Original Reference: *Erebia discoidalis* Kirby,1837, [in] Richardson, Fauna boreal. Am. 4: 298, pl.3 figs.2,3. Type(s): [Canada: Hudson Bay, Manitoba]: Cumberland House. Range (in code): US Mch Mns Mon Ndk Wc RU CA US Als Sb Ya Am Sj
- 24288. *Erebia discoidalis lena* Christoph,1889** (Satyridae) Synonym(s): *lena* Christoph,1889 Original Reference: *Erebia discoidalis* var. *lena* Christoph,1889, Horae Soc. ent. ross. 23: 299. [Russia]: "Mittleres Lena-Gebiet". Range (in code): RU Mgd Ya Sj

- 24289. *Erebia edda Ménéttriés,1851*** (Satyridae) Synonym(s): *edda Ménéttriés,1851* Original Reference: *Erebia edda Ménéttriés,1851*, [in] Middendorf, Reise N. et O.Sibirien 2(1): 58, Taf.3 Abb.11. Type(s): [Russia: Udscoe, Khabarovsk Region]: Udskoj Ostrog. Range (in code): **At RU Sb Ur Sj Tv MN Am Ya Mgd KP CN Ui**
- 24290. *Erebia edda edda Ménéttriés,1851*** (Satyridae) Synonym(s): *edda Ménéttriés,1851* Original Reference: *Erebia edda Ménéttriés,1851*, [in] Middendorf, Reise N. et O.Sibirien 2(1): 58, Taf.3 Abb.11. Type(s): [Russia: Udscoe, Khabarovsk Region]: Udskoj Ostrog. Range (in code): **At RU Sb Ur Sj Tv MN Am Ya Mgd KP CN Ui**
- 24291. *Erebia embla (Thunberg,1791)*** (Satyridae) Synonym(s): *embla Thunberg,1791* Original Reference: *Papilio embla Thunberg,1791*, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): [Sweden]: Västerbotten. Range (in code): **EE FI LV MN NO RU SE Sj Ur Sb Jk Ya Kmt Sh At KP** Bionomy: Larva on ? Carex, ? Deschampsia (Tolman,1997).
- 24292. *Erebia embla dissimulata B.C.S.Warren,1931*** (Satyridae) Synonym(s): *dissimulata B.C.S.Warren,1931* Original Reference: *Erebia embla ssp. dissimulata B.C.S.Warren,1931*, Entomologist's Rec. J. Var. 43: 169. Holotype: Russia: Sajan. Range (in code): **MN RU Sj**
- 24293. *Erebia embla embla (Thunberg,1791)*** (Satyridae) Synonym(s): *embla Thunberg,1791* Original Reference: *Papilio embla Thunberg,1791*, Diss. ent. sist. Ins. Svec. 2: 38. Type(s): [Sweden]: Västerbotten. Range (in code): **EE FI LV NO RU SE Ur Sb**
- 24294. *Erebia embla succulenta Alpheraky,1897*** (Satyridae) Synonym(s): *succulenta Alpheraky,1897* Original Reference: *Erebia embla var. succulenta Alpheraky,1897*, [im] Romanoff, Mém. lépid. 9: 325. [Russia]: Kamtschatka. Range (in code): **RU MN Sb Jk Ya Kmt Sh At KP**
- 24295. *Erebia epiphron (Knoch,1783)*** (Satyridae) Synonym(s): *epiphron Knoch,1783; egea Borkhausen,1788 nec Fabricius,1775; ianthe Hübner,[1800] nec Pallas,1771.* Original Reference: *Papilio epiphron Knoch,1783*, Beitr. Insecten-Geschichte 3: 131, Tab.6 fig.7. Type(s): [Germany]: Leipzig bei Schwickert. Range (in code): **AL AT BG CH CZ DE ES FR GB GR IT PL RO SK YU**
- 24296. *Erebia epiphron aetheria (Esper,[1805])*** (Satyridae) Synonym(s): *aetheria Esper,[1805]* Original Reference: *Papilio aetheria Esper,[1805]*, Die Schmett. 1(2): Forts. Tagschmett.: Taf.122, fig.4. Syntypes: [? Oesterreich].
- 24297. *Erebia epiphron cebennica Leraut,1980*** (Satyridae) Synonym(s): *cebennica De Lesse,1947; cebennica Leraut,1980.* Range (in code): **FR**
- 24298. *Erebia epiphron epiphron (Knoch,1783)*** (Satyridae) Synonym(s): *epiphron Knoch,1783; egea Borkhausen,1788 nec Fabricius,1775; ianthe Hübner,[1800] nec Pallas,1771.* Original Reference: *Papilio epiphron Knoch,1783*, Beitr. Insecten-Geschichte 3: 131, Tab.6 fig.7. Type(s): [Germany]: Leipzig bei Schwickert. Range (in code): **AL AT BG CH CZ DE ES FR GB GR IT PL RO SK YU**
- 24299. *Erebia epiphron fauveau De Lesse,1947*** (Satyridae) Synonym(s): *fauveau De Lesse,1947* Range (in code): **ES FR AD Py**
- 24300. *Erebia epiphron mackeri Fuchs,1914*** (Satyridae) Synonym(s): *mackeri Fuchs,1914* Original Reference: *Erebia epiphron var. mackeri Fuchs,1914*, Int. ent. Z. 8: 82. Syntypes: Frankreich: "von Hochfeld an bis zum Grossen Belchen". Range (in code): **FR**
- 24301. *Erebia epiphron mixta De Lesse,1951*** (Satyridae) Synonym(s): *mixta De Lesse,1951; fauveau Higgins & Riley,1970.* Range (in code): **FR**
- 24302. *Erebia epiphron mnemon (Haworth,1812)*** (Satyridae) Synonym(s): *mnemon Haworth,1812* Original Reference: *Papilio mnemon Haworth,1812*, Trans. ent. Soc. London 1: 332. Type(s): "Scotia". Range (in code): **GB Sc**
- 24303. *Erebia epiphron pyrenaica Herrich-Schäffer,1851*** (Satyridae) Synonym(s): *pyrenaica Herrich-Schäffer,1851* Original Reference: *Erebia cassiope var. pyrenaica Herrich-Schäffer,1851*, Syst. Bearb. Schmett. Eur. 1: pl.111, figs.535-536; ibid. 6: 11. Syntypes: Spain: "aus Vignemal in Spanien". Range (in code): **FR ES Py**
- 24304. *Erebia epiphron valdeonica Hospital,1948*** (Satyridae) Synonym(s): *valdeonica Hospital,1948*
- 24305. *Erebia epipsodea*** (Satyridae) Synonym(s): Range (in code): **US Col Id Mon NMx Org Ut Ws Wy**
- 24306. *Erebia epistygne (Hübner,[1824])*** (Satyridae) Synonym(s): *epistygne Hübner,[1824]* Original Reference: *Papilio epistygne Hübner,[1824]*, Samml. eur. Schmett. 1: pl.173, figs. 855-858. Syntypes: Europa. Range (in code): **ES Mu FR**

- 24307. *Erebia epistygne epistygne* (Hübner,[1824])** (Satyridae) Synonym(s): *epistygne* Hübner,[1824] Original Reference: Papilio epistygne Hübner,[1824], Samml. eur. Schmett. 1: pl.173, figs. 855-858. Syntypes: Europa. Range (in code): **ES FR**
- 24308. *Erebia epistygne viriathus* Sheldon,1913** (Satyridae) Synonym(s): *virithus* Sheldon,1913 Original Reference: *Erebia epistygne viriathus* Sheldon,1913, Entomologist 46: 331, pl.12 fig.6,7. Syntypes: Spain: Albarracin, Lodilla. Range (in code): **ES Ter Mu**
- 24309. *Erebia erinna* Staudinger,1894** (Satyridae) Synonym(s): *erinna* Staudinger,1894 Range (in code): **RU Sj**
- 24310. *Erebia erinna erinna* Staudinger,1894** (Satyridae) Synonym(s): *erinna* Staudinger,1894 Range (in code): **RU Sj**
- 24311. *Erebia eriphyle* (Freyer,1836)** (Satyridae) Synonym(s): *eriphyle* Freyer,1836; *intermedia* Frey,1886; *#reducta* Vorbrodt,1911; *#nigra* Goltz,1930. Original Reference: *Hipparchia eriphyle* Freyer,1836, Neuere Beitr. Schmett. 2: 150, pl.187 fig.3,4. Syntypes: Schweiz: "Berner Hochgebirge". Range (in code): **AT CH DE FR IT**
- 24312. *Erebia eriphyle eriphyle* (Freyer,1836)** (Satyridae) Synonym(s): *eriphyle* Freyer,1836; *intermedia* Frey,1886; *#reducta* Vorbrodt,1911; *#nigra* Goltz,1930. Original Reference: *Hipparchia eriphyle* Freyer,1836, Neuere Beitr. Schmett. 2: 150, pl.187 fig.3,4. Syntypes: Schweiz: "Berner Hochgebirge". Range (in code): **CH DE FR IT**
- 24313. *Erebia eriphyle tristis* Herrich-Schäffer,[1848]** (Satyridae) Synonym(s): *tristis* Herrich-Schäffer,[1848]; *moerens* Westwood,1851. Original Reference: *Erebia tristis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 6: 11, pl.80, figs. 387-390. Range (in code): **AT**
- 24314. *Erebia euryale* (Esper,[1805])** (Satyridae) Synonym(s): *euryale* Esper,[1805]; *philomela* sensu Hübner,[1805]; *adyte* Hübner,1822, *isarica* Heyne,[1895]; *tramelana* Reverdin,1918. Original Reference: Papilio euryale Esper,[1805], Die Schmett., Suppl. 2: Tab.118, figs. 2,3. Syntypes: [Poland]: Riesengebirge. Range (in code): **B-H AL At AT Ba BG BY CH CZ DE ES FI FR GR IT PL RO RU SK Ur Sm Sr Knn UA YU MK Mt CN Ui**
- 24315. *Erebia euryale arctica* Poppius,1906** (Satyridae) Synonym(s): *arctica* Poppius,1906; *boreomontanum* Sedykh,1977. Original Reference: *Erebia euryale* var. *arctica* Poppius,1906, Acta Soc. Fauna Flora fenn. 28 (3): 5. Syntypes: Bugrantiza, Kanin Peninsula. Range (in code): **RU Knn**
- 24316. *Erebia euryale euryale* (Esper,[1805])** (Satyridae) Synonym(s): *euryale* Esper,[1805]; *philomela* sensu Hübner,[1805]; *adyte* Hübner,1822, *isarica* Heyne,[1895]; *tramelana* Reverdin,1918. Original Reference: Papilio euryale Esper,[1805], Die Schmett., Suppl. 2: Tab.118, figs. 2,3. Syntypes: [Poland]: Riesengebirge. Range (in code): **AL At AT Ba BG BY CH CZ DE ES FR GR IT PL RO RU SK Sm Sr UA YU**
- 24317. *Erebia euryale euryaloides* Tengström,1869** (Satyridae) Synonym(s): *euryaloides* Tengström,1869; *uralensis* Goltz,1930. Original Reference: *Erebia ligea* var. *euryaloides* Tengström,1869, Not. Sällsk. Fauna Flora fenn. 10: 295. Syntypes: Finnland. Range (in code): **RU Or Bs Fi**
- 24318. *Erebia euryale flaveoides* Korshunov & Tatarinov,1996** (Satyridae) Synonym(s): *flaveoides* Korshunov & Tatarinov,1996 Original Reference: *Erebia euryale* ssp. *flaveoides* Korshunov & Tatarinov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 33. Holotype: Russia: Ural: Malyi-Patok. Range (in code): **RU Ur**
- 24319. *Erebia euryale iremelica* Korshunov,1995** (Satyridae) Synonym(s): *iremelica* Korshunov,1995 Original Reference: *Erebia euryale* ssp. *iremelica* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 123 (nomen novum pro *uralensis* Goltz,1930 nec Tengström,1869). Range (in code): **RU Ur**
- 24320. *Erebia euryale ocellaris* Staudinger,1871** (Satyridae) Synonym(s): *#ocellaris* Staudinger,1861; *ocellaris* Staudinger,1871 Original Reference: *Erebia euryale* var. *ocellaris* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 26. Syntypes: Styr. et Car. alp. Sib. or. (v.). Range (in code): **AT**
- 24321. *Erebia euryale phoreta* Fruhstorfer,1918** (Satyridae) Synonym(s): *phoreta* Fruhstorfer,1918; *antevortes* Verity,1927; *pyrenaeicola* Goltz,1930. Original Reference: *Erebia philomela* ssp. *phoreta* Fruhstorfer,1918, Societas ent. 33: 42. Syntypes: Auvergne: Monts Dore. Range (in code): **FR**
- 24322. *Erebia euryale syrmia* Fruhstorfer,1909** (Satyridae) Synonym(s): *syrmia* Fruhstorfer,1909 Original Reference: *Erebia adyte* *syrmia* Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: [Bosnien-Herzegowina]: Bosnien, Trebevic. Range (in code): **B-H YU AL MK Mt**

- 24323. *Erebia fasciata* Butler, 1868** (Satyridae) **Synonym(s):** *fasciata* Butler, 1868 **Original Reference:** *Erebia fasciata* Butler, 1868, Catal. diurn. lepid. Satyridae Br. Mus.: 92, pl.2 fig.8. **Syntypes:** [Canada: Victoria Islands]: Arctic America. **Range (in code):** **US RU Am Sb Ya Tai CA Tch**
- 24324. *Erebia fasciata fasciata* Butler, 1868** (Satyridae) **Synonym(s):** *fasciata* Butler, 1868 **Original Reference:** *Erebia fasciata* Butler, 1868, Catal. diurn. lepid. Satyridae Br. Mus.: 92, pl.2 fig.8. **Syntypes:** [Canada: Victoria Islands]: Arctic America. **Range (in code):** **RU CA**
- 24325. *Erebia fasciata semo* Groum-Grshimailo, 1899** (Satyridae) **Synonym(s):** *semo* Groum-Grshimailo, 1899 **Original Reference:** *Erebia fasciata* var. *semo* Groum-Grshimailo, 1899, Ann. Mus. zool. St. Petersb. 4: 460. **Syntypes:** Russia: [arktisches Sibirien, zw. Taimyr und dem Fluß Lena]: "Olenek et Chatanga". **Range (in code):** **RU Am Sb Ya Tai Tch**
- 24326. *Erebia flavofasciata* Heyne, [1895]** (Satyridae) **Synonym(s):** *flavofasciata* Heyne, [1895] **Original Reference:** *Erebia flavofasciata* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 805-806. **Syntypes:** Tessin, Wallis. **Range (in code):** **AT CH IT**
- 24327. *Erebia flavofasciata flavofasciata* Heyne, [1895]** (Satyridae) **Synonym(s):** *flavofasciata* Heyne, [1895] **Original Reference:** *Erebia flavofasciata* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 805-806. **Syntypes:** Tessin, Wallis. **Range (in code):** **AT CH IT**
- 24328. *Erebia fletcheri* Elwes, 1899** (Satyridae) **Synonym(s):** *fletcheri* Elwes, 1899 **Original Reference:** *Erebia fletcheri* Elwes, 1899, Trans. ent. Soc. London 1899: 347, pl.12 fig.4. **Syntypes:** Russia: Altai, [Kuraisky Mts.]: between the Kurai and Bashkaus. **Range (in code):** **At Ir Mgd RU Sj Ya**
- 24329. *Erebia fletcheri chorymensis* Korshunov, 1995** (Satyridae) **Synonym(s):** *chorymensis* Korshunov, 1995 **Original Reference:** *Erebia fletcheri chorymensis* Korshunov, 1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 132. **Holotype:** Russia: Altai: Kouznetski Ala-Tau, Mt. Borbovaya. **Range (in code):** **At RU**
- 24330. *Erebia fletcheri fletcheri* Elwes, 1899** (Satyridae) **Synonym(s):** *fletcheri* Elwes, 1899 **Original Reference:** *Erebia fletcheri* Elwes, 1899, Trans. ent. Soc. London 1899: 347, pl.12 fig.4. **Syntypes:** Russia: Altai, [Kuraisky Mts.]: between the Kurai and Bashkaus. **Range (in code):** **At RU**
- 24331. *Erebia gorge* (Hübner, [1804])** (Satyridae) **Synonym(s):** *gorge* Hübner, [1804]; *gorgone* Herrich-Schäffer, 1846 nec Boisduval, 1833 **Original Reference:** *Papilio gorge* Hübner, [1804], Samml. eur. Schmett. 1: pl.99, figs. 502-505. **Syntypes:** Europa. **Range (in code):** **AL AT BG CH DE ES FR IT PL RO SK Mt MK YU** **Bionomy:** Larva on *Poa minor*, *P. alpina*, *Sesleria varia*, *Festuca alpina* (Tolman, 1997).
- 24332. *Erebia gorge albanica* Rebel, 1917** (Satyridae) **Synonym(s):** *albanica* Rebel, 1917 **Original Reference:** *Erebia gorge* ssp. *albanica* Rebel, 1917, Jb. Naturw. Orientver. 21: 20. **Syntypes:** Albanien: Gropa Strelit. **Range (in code):** **AL Mt YU MK**
- 24333. *Erebia gorge erynis* (Esper, [1805])** (Satyridae) **Synonym(s):** *erynis* Esper, [1805] **Original Reference:** *Papilio erynis* Esper, [1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf.121, fig.3. **Syntypes:** Chamonix, Haute-Savoie. **Range (in code):** **FR**
- 24334. *Erebia gorge gigantea* Oberthür, 1884** (Satyridae) **Synonym(s):** *gigantea* Oberthür, 1884 **Original Reference:** *Erebia gorge gigantea* Oberthür, 1884, Etüd. d'Ent. 8: 24, pl.1 fig.7. **Syntypes:** Spain: Cantabrian Mts. **Range (in code):** **ES Ct**
- 24335. *Erebia gorge gorge* (Hübner, [1804])** (Satyridae) **Synonym(s):** *gorge* Hübner, [1804]; *gorgone* Herrich-Schäffer, 1846 nec Boisduval, 1833 **Original Reference:** *Papilio gorge* Hübner, [1804], Samml. eur. Schmett. 1: pl.99, figs. 502-505. **Syntypes:** Europa. **Range (in code):** **AL AT BG CH DE ES FR IT PL RO SK YU**
- 24336. *Erebia gorge hercegovinensis* Rebel, 1904** (Satyridae) **Synonym(s):** *hercegovinensis* Rebel, 1904 **Original Reference:** *Erebia gorge* var. *hercegovinensis* Rebel, 1904, Annln naturh. Mus. Wien. 19: 166-167. **Syntypes:** Herzegowina: Prenj, Lopoglav, Cetinje, Cvrstnica, Maglic, Volujak, Vlasulja. **Range (in code):** **YU Mt B-H BG Pi**
- 24337. *Erebia gorge pirinica* Buresch, 1918** (Satyridae) **Synonym(s):** *pirinica* Buresch, 1918 **Original Reference:** *Erebia gorge* ssp. *pirinica* Buresch, 1918, Z. wiss. InsektBiol. 14: 224-226, figs.8-10. **Syntypes:** Bulgaria: Piringebirge, El-Tepe, 2200-2600m. **Range (in code):** **BG Pi**
- 24338. *Erebia gorge ramondi* Rondou, 1902** (Satyridae) **Synonym(s):** *ramondi* Rondou, 1902 **Range (in code):** **FR**

- 24339. *Erebia gorge triopes* Speyer, 1865** (Satyridae) Synonym(s): *triopes* Speyer, 1865
Original Reference: *Erebia gorge* var.? *triopes* Speyer, 1865, Stettin ent. Ztg. 26: 248. Syntypes: Bernina Alps. Range (in code): **CH**
- 24340. *Erebia gorgone* Boisduval, 1833** (Satyridae) Synonym(s): *gorgone* Boisduval, 1833
Original Reference: *Erebia gorgone* Boisduval, 1833, Icones hist. Lépid. Eur.: 150, pl. 29 figs. 5-8. Syntypes: "Pyrénées". Range (in code): **ES FR Py**
- 24341. *Erebia gorgone gorgone* Boisduval, 1833** (Satyridae) Synonym(s): *gorgone* Boisduval, 1833
Original Reference: *Erebia gorgone* Boisduval, 1833, Icones hist. Lépid. Eur.: 150, pl. 29 figs. 5-8. Syntypes: "Pyrénées". Range (in code): **ES FR Py**
- 24342. *Erebia graucasica* Jachontov, 1909** (Satyridae) Synonym(s): *graucasica* Jachontov, 1909; *caucasica* Korshunov, Antonova & Kotshetova, 1984. Original Reference: *Erebia tyndarus* var. *graucasica* Jachontov, 1909, Russk. ent. Obozr. 8(1908): 288-289. Syntypes: [Russia]: Caucasus: Kasbek. Range (in code): **IR Ak Sah Sbl RU TR Cc GG**
- 24343. *Erebia graucasica graucasica* Jachontov, 1909** (Satyridae) Synonym(s): *graucasica* Jachontov, 1909; *caucasica* Korshunov, Antonova & Kotshetova, 1984. Original Reference: *Erebia tyndarus* var. *graucasica* Jachontov, 1909, Russk. ent. Obozr. 8(1908): 288-289. Syntypes: [Russia]: Caucasus: Kasbek. Range (in code): **RU**
- 24344. *Erebia graucasica savalanica* De Lesse, 1956** (Satyridae) Synonym(s): *savalanica* De Lesse, 1956 Range (in code): **IR Ak Sah Sbl**
- 24345. *Erebia graucasica transcaucasica* B.C.S. Warren, 1950** (Satyridae) Synonym(s): *transcaucasica* B.C.S. Warren, 1950 Original Reference: *Erebia cassioides* ssp. *transcaucasica* B.C.S. Warren, 1950, Entomologist 83: 229. Holotype ♂: [Georgia]: Borshom, Tzchra-Tzkaro (BMNH). Range (in code): **Cc GG TR**
- 24346. *Erebia haberhaueri* Staudinger, 1881** (Satyridae) Synonym(s): *haberhaueri* Staudinger, 1881 Original Reference: *Erebia pawlowskyi* var. *haberhaueri* Staudinger, 1881, Stettin ent. Ztg. 42: 267. Syntypes: Tarbagatai, 6000-8000ft. Range (in code): **KG Mn Tar Sau**
- 24347. *Erebia haberhaueri haberhaueri* Staudinger, 1881** (Satyridae) Synonym(s): *haberhaueri* Staudinger, 1881 Original Reference: *Erebia pawlowskyi* var. *haberhaueri* Staudinger, 1881, Stettin ent. Ztg. 42: 267. Syntypes: Tarbagatai, 6000-8000ft. Range (in code): **KG Mn Tar Sau**
- 24348. *Erebia hewitsonii* Lederer, 1864** (Satyridae) Synonym(s): *hewitsonii* Lederer, 1864
Original Reference: *Erebia hewitsonii* Lederer, 1864, Wien. ent. Monatschr. 8: 167, pl. 3, figs. 6, 7. Syntypes: [Georgien]: Abastuman. Range (in code): **Cc GG Aba Smt Akh TR**
- 24349. *Erebia hewitsonii hewitsonii* Lederer, 1864** (Satyridae) Synonym(s): *hewitsonii* Lederer, 1864
Original Reference: *Erebia hewitsonii* Lederer, 1864, Wien. ent. Monatschr. 8: 167, pl. 3, figs. 6, 7. Syntypes: [Georgien]: Abastuman. Range (in code): **Cc GG Aba Smt Akh TR**
- 24350. *Erebia hispania* Butler, 1868** (Satyridae) Synonym(s): *hispania* Butler, 1868 Original Reference: *Erebia hispania* Butler, 1868, Cat. Satyridae Br. Mus.: 86, nr. 22, Pl. 2 fig. 7. Syntypes: Spain [Sierra Nevada]. Range (in code): **An ES FR Snv** Bionomy: Larva on *Festuca ovina* (Tolman, 1997).
- 24351. *Erebia hispania hispania* Butler, 1868** (Satyridae) Synonym(s): *hispania* Butler, 1868
Original Reference: *Erebia hispania* Butler, 1868, Cat. Satyridae Br. Mus.: 86, nr. 22, Pl. 2 fig. 7. Syntypes: Spain [Sierra Nevada]. Range (in code): **An ES FR Snv**
- 24352. *Erebia hispania rondoui* Oberthür, 1908** (Satyridae) Synonym(s): *rondoui* Oberthür, 1908
Range (in code): **FR**
- 24353. *Erebia iranica* Groum-Grshimailo, 1895** (Satyridae) Synonym(s): *iranica* Groum-Grshimailo, 1895
Original Reference: *Erebia tyndarus* var. *iranica* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend). Range (in code): **IR Elb TR Arr Cc RU Kc Teb GG Kzb**
- 24354. *Erebia iranica dromulus* Staudinger, 1901** (Satyridae) Synonym(s): *dromulus* Staudinger, 1901
Original Reference: *Erebia tyndarus* var. *dromulus* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 50, nr. 320d. Lectotype ♂: [Türkei]: Arm.m. (Ararat); Pont. or. (Nekrutenko, 1990). Range (in code): **TR Arr Cc GG Kzb**
- 24355. *Erebia iranica iranica* Groum-Grshimailo, 1895** (Satyridae) Synonym(s): *iranica* Groum-Grshimailo, 1895
Original Reference: *Erebia tyndarus* var. *iranica* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs (Demavend). Range (in code): **IR Elb**

- 24356. *Erebia iranica sheljuzhkoi* B.C.S.Warren,1935** (Satyridae) Synonym(s): *sheljuzhkoi* B.C.S.Warren,1935 Original Reference: *Erebia callias* ssp. *sheljuzhkoi* B.C.S.Warren,1935, Entomologist's Rec. J. Var. 47: 4. Syntypes: Mt. Chatipara, 2400-2800m. (in coll. Warren). Range (in code): **RU Kc Teb Cc**
- 24357. *Erebia jennisseiensis* Trybom,1877** (Satyridae) Synonym(s): *jennisseiensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* B.C.S.Warren,1931. Original Reference: *Erebia ligea jennisseiensis* Trybom,1877, K. Vetensk. Akad. Forhandl. Stockholm 1877 (6): 46. Type(s): Russia: Jenissej. Range (in code): **RU Sb Tv MN To No Sp Mn KG At Kts Cln Nym Ktm Vtm Trt Tyl Tel Jns Ltv**
- 24358. *Erebia jennisseiensis jennisseiensis* Trybom,1877** (Satyridae) Synonym(s): *jennisseiensis* Trybom,1877; *velox* Herz,1898; *minima* Goltz,1930; *fasciola* B.C.S.Warren,1931. Original Reference: *Erebia ligea jennisseiensis* Trybom,1877, K. Vetensk. Akad. Forhandl. Stockholm 1877 (6): 46. Type(s): Russia: Jenissej. Range (in code): **RU Sb Tv MN To No Sp Mn KG At Kts Cln Nym Ktm Vtm Trt Tyl Tel Jns Ltv**
- 24359. *Erebia kalmuka* Alpheraky,1881** (Satyridae) Synonym(s): *kalmuka* Alpheraky,1881 Original Reference: *Erebia kalmuka* Alpheraky,1881, Horae Soc. ent. ross. 16: 414-416, Taf. 15, figs. 18, 19. Syntypes ♂♀: [China: Uighur A.R.]: "Jouldousse" [Tengri Tagh]. Range (in code): **CN Ju KK Na T-S Ui KG Tk NrK TeA**
- 24360. *Erebia kalmuka kalmuka* Alpheraky,1881** (Satyridae) Synonym(s): *kalmuka* Alpheraky,1881 Original Reference: *Erebia kalmuka* Alpheraky,1881, Horae Soc. ent. ross. 16: 414-416, Taf. 15, figs. 18, 19. Syntypes ♂♀: [China: Uighur A.R.]: "Jouldousse" [Tengri Tagh]. Range (in code): **CN Ju KK Na T-S Ui KG Tk NrK TeA**
- 24361. *Erebia kefersteinii* (Eversmann,1851)** (Satyridae) Synonym(s): *kefersteinii* Eversmann,1851 Original Reference: *Hipparchia* (*Erebia*) *kefersteinii* Eversmann,1851, Bull. Soc. nat. Moscou 24 (1): 610. Syntypes: Russia: Sibérie orientale. Range (in code): **At RU Sb KG Mn Cln MN Kts Trt**
- 24362. *Erebia kefersteinii kefersteinii* (Eversmann,1851)** (Satyridae) Synonym(s): *kefersteinii* Eversmann,1851 Original Reference: *Hipparchia* (*Erebia*) *kefersteinii* Eversmann,1851, Bull. Soc. nat. Moscou 24 (1): 610. Syntypes: Russia: Sibérie orientale. Range (in code): **At RU Sb MN Kts**
- 24363. *Erebia kefersteinii kholsunica* Lukhtanov,1990** (Satyridae) Synonym(s): *kholsunica* Lukhtanov,1990 Original Reference: *Erebia kefersteinii* ssp. *kholsunica* Lukhtanov,1990, Vestn. Zool. 1990: 14-15, figs.2,3. Holotype ♂: Kasachstan: Altai: Kholsun mountain range ca. Zyryanovsk, 2000m. Range (in code): **KG Mn Cln**
- 24364. *Erebia kindermanni* Staudinger,1881** (Satyridae) Synonym(s): *kindermanni* Staudinger,1881 Original Reference: *Erebia kindermanni* Staudinger,1881, Stettin ent. Ztg. 42: 269. Syntypes ♂♀: Altai. Lectotype ♂: Altai: Ubinsky Mts., designated by Lukhtanov, 1990, Vestn. Zool. 1990: 16 (ZMHUB). Range (in code): **At RU Nym Mn Mkk Ktm KG Sb MN Ltv Kts Cln CN Ui**
- 24365. *Erebia kindermanni kindermanni* Staudinger,1881** (Satyridae) Synonym(s): *kindermanni* Staudinger,1881 Original Reference: *Erebia kindermanni* Staudinger,1881, Stettin ent. Ztg. 42: 269. Syntypes ♂♀: Altai. Lectotype ♂: Altai: Ubinsky Mts., designated by Lukhtanov, 1990, Vestn. Zool. 1990: 16 (ZMHUB). Range (in code): **At RU Sb MN Ltv Kts Cln**
- 24366. *Erebia kindermanni sarytavica* Lukhtanov,1990** (Satyridae) Synonym(s): *sarytavica* Lukhtanov,1990 Original Reference: *Erebia kindermanni* ssp. *sarytavica* Lukhtanov,1990, Vestn. Zool. 1990: 15-16, figs. Holotype ♂: Kasachstan: S.Altai: Kurtshumsky mountain range: Sarytau 2300m. Range (in code): **KG Nym Mn Mkk Ktm**
- 24367. *Erebia kozhantshikovi*** (Satyridae) Synonym(s): Range (in code): **US**
- 24368. *Erebia lefebvrei* (Boisduval,1828)** (Satyridae) Synonym(s): *lefebvrei* Boisduval,1828 Original Reference: *Satyrus lefebvrei* Boisduval,1828, Eur. lepid. ind. meth. 1: 23. Type(s): "Pyren[ées]". Range (in code): **ES FR Py**
- 24369. *Erebia lefebvrei astur* Oberthür,1884** (Satyridae) Synonym(s): *astur* Oberthür,1884; *intermedia* Oberthür,1884. Range (in code): **ES**
- 24370. *Erebia lefebvrei lefebvrei* (Boisduval,1828)** (Satyridae) Synonym(s): *lefebvrei* Boisduval,1828 Original Reference: *Satyrus lefebvrei* Boisduval,1828, Eur. lepid. ind. meth. 1: 23. Type(s): "Pyren[ées]". Range (in code): **ES FR Py**
- 24371. *Erebia lefebvrei pyrenaea* Oberthür,1884** (Satyridae) Synonym(s): *pyrenaea* Oberthür,1884; *myrialda* Fruhstorfer,1918. Original Reference: *Erebia melas pyrenaea* Oberthür,1884, Etüd. Ent. 8: 20. Syntypes: "Canigou". Range (in code): **ES FR Py**

- 24372. *Erebia ligea* (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 nec Poda,1761; *permagna* Fruhstorfer,1909; *carthusianorum* Fruhstorfer,1909. Original Reference: *Papilio ligea* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Europae sylvis. Range (in code): **AL At Kts AT BE BG BY CH CZ DE DK EE FI FR GR HU IT LT LV NL NO PL RO RU SE SK Sr TR UA YU RU Or Sm Bs Cb Tt So Sb Ty Om To No Pr KG Sp Mn MN Sj Bry Tv Ya Mgd JP CN Ui** Bionomy: Larva on *Carex sylvatica*, *C. strigosa* (Tolman,1997).
- 24373. *Erebia ligea carthusianorum* Fruhstorfer,1917** (Satyridae) Synonym(s): *carthusianorum* Fruhstorfer,1917. Original Reference: *Erebia ligea* ssp. *carthusianorum* Fruhstorfer,1917, Societas ent. 24: 125. Syntypes: Schweiz: Tessin: Fusio, Grande Chartreuse. Range (in code): **Bw CH DE Tsn**
- 24374. *Erebia ligea dovrensis* Strand,1902** (Satyridae) Synonym(s): *dovrensis* Strand,1902 Original Reference: *Erebia ligea* var. *dovrensis* Strand,1902, Nyt. Mag. Naturv. 40: 160. Syntypes: Dovrefjerd. Range (in code): **NO SE FI**
- 24375. *Erebia ligea eumonia* Ménétériés,1858** (Satyridae) Synonym(s): *eumonia* Ménétériés,1858; *takanonis* Doi,1919; *koreana* Matsumura,1928; *#hakutozana* Matsumura,1928; *kamtschadalis* Goltz,1932. Original Reference: *Erebia eumonia* Ménétériés,1858, Bull. phys. math. Acad. Sci., St. Petersburg. 17: 216. Lectotype ♂: [Russia]: Khabarovskii Krai Prov., Sovetskaya Gavan]: "Bai Hadschi", designated by Dubatolov, et al., 1998, Trans. lepid. Soc. Japan 49(3). Range (in code): **RU At Kts Am KP Mgd MN Sj Bry Tv Ya JP**
- 24376. *Erebia ligea herculeana* B.C.S.Warren,1931** (Satyridae) Synonym(s): *herculeana* B.C.S.Warren,1931 Original Reference: *Erebia ligea herculeana* B.C.S.Warren,1931, Entomologist's Rec. J. Var. 43: 49. Syntypes: Herkulesfürdő. Range (in code): **GR BG YU AL MK Mt B-H**
- 24377. *Erebia ligea kamensis* Krulikowsky,1909** (Satyridae) Synonym(s): *kamensis* Krulikowsky,1909 Original Reference: *Erebia ligea kamensis* Krulikowsky,1909, Revue russk. Ent. 9: 299. Syntypes: Russia: in provinciis Rossiae orientalis Kasan, Viatka, Perm. Range (in code): **RU Or Sm Bs Cb Tt So Sb Ty Om To No Pr**
- 24378. *Erebia ligea ligea* (Linnaeus,1758)** (Satyridae) Synonym(s): *ligea* Linnaeus,1758; *alexis* Retzius,1783 nec Poda,1761; *permagna* Fruhstorfer,1909. Original Reference: *Papilio ligea* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Europae sylvis. Sweden (Verity,1953). Range (in code): **AT Ba BE BY CZ DK EE FR HU IT LT LV NL PL RO RU SK Sr UA**
- 24379. *Erebia ligea takanonis* Matsumura,1909** (Satyridae) Synonym(s): *takanonis* Matsumura,1909 Original Reference: *Erebia ligea* var. *takanonis* Matsumura,1909, Ent. Z., Stuttgart 23 (19: 91-92. Syntypes 3♂♂: Japan: Honshu (Yatsugatake, 7000 Fuss), leg. T.Takano. Range (in code): **JP**
- 24380. *Erebia mackinleyensis* Gunder,1932** (Satyridae) Synonym(s): *mackinleyensis* Gunder,1932 Range (in code): **RU**
- 24381. *Erebia mackinleyensis mackinleyensis* Gunder,1932** (Satyridae) Synonym(s): *mackinleyensis* Gunder,1932
- 24382. *Erebia mackinleyensis ola* Korshunov,1995** (Satyridae) Synonym(s): *ola* Korshunov,1995 Original Reference: *Erebia mackinleyensis* ssp. *ola* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 127. Holotype: Russia: Far East: Magadan: Mt. Noukh, Ola. Range (in code): **Mgd RU**
- 24383. *Erebia magdalena* Strecker,1880** (Satyridae) Synonym(s): *magdalena* Strecker,1880 Original Reference: *Erebia magdalena* Strecker,1880, Bull. Brooklyn Ent. Soc. 3 (5): 25. Syntypes: near Georgetown, Colorado (FMNH). Range (in code): **US Col Mon NMx Ut Wy CA Abt**
- 24384. *Erebia magdalena hilchie* Koçak & Kemal,2007** (Satyridae) Synonym(s): *saxicola* Hilchie,1990 nec Obth.,1876; *hilchie* Koçak & Kemal,2007 Original Reference: *Erebia magdalena* ssp. *hilchie* Koçak & Kemal,2007, Cent. ent. Stud., isc. Pap. 137: 1 (nomen novum pro *saxicola* Hilchie,1990 nec Oberthür,1876). Range (in code): **CA Abt**
- 24385. *Erebia magdalena magdalena* Strecker,1880** (Satyridae) Synonym(s): *magdalena* Strecker,1880 Original Reference: *Erebia magdalena* Strecker,1880, Bull. Brooklyn Ent. Soc. 3 (5): 25. Syntypes: near Georgetown, Colorado (FMNH). Range (in code): **US Col Mon NMx Ut Wy**
- 24386. *Erebia mancinus* (Doubleday,[1849])** (Satyridae) Synonym(s): *mancinus* Doubleday,[1849] Range (in code): **US Mns**
- 24387. *Erebia manto* ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller],1775; *erina* Fabricius,1787; *pyrrha* sensu Fabricius,1787, *atratus* Esper,1793; *maccabaeus* Herbst,1796. Original Reference: *Papilio manto* [Denis & Schiffermüller],1775, Ankündigung syst.

- Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district. Range (in code): **AT BY CH DE ES FR IT PL RO RU SK UA YU LAT Wn B-H**
- 24388. *Erebia manto constans* Eiffinger, 1908** (Satyridae) Synonym(s): *constans* Eiffinger, 1908; *gavarniensis* B.C.S. Warren, 1913; *gnathene* Fruhstorfer, 1920. Original Reference: *Erebia manto* f. *constans* Eiffinger, 1908, [in] Seitz, Die Gross-Schmett. Erde 1: 99, pl. 36 figs. 96-97. Syntypes: "Pyräneen". Range (in code): **FR Py**
- 24389. *Erebia manto manto* ([Denis & Schiffermüller], 1775)** (Satyridae) Synonym(s): *manto* [Denis & Schiffermüller], 1775; *erina* Fabricius, 1787; *pyrrha sensu* Fabricius, 1787, *atratus* Esper, 1793; *maccabaeus* Herbst, 1796. Original Reference: *Papilio manto* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district. Range (in code): **AT BY CH DE ES IT PL RO RU SK UA YU LAT Wn**
- 24390. *Erebia manto mantoides* (Esper, 1805)** (Satyridae) Synonym(s): *mantoides* Esper, 1805; *bubastis* Meisner, 1818. Original Reference: *Papilio mantoides* Esper, 1805, Die Schmett. Fortsetz. (I-IV) 2: 15, pl. 119, fig. 6. Type(s): "Alpen in Bünden". Range (in code): **FR**
- 24391. *Erebia manto osmanica* Schawerda, 1909** (Satyridae) Synonym(s): *osmanica* Schawerda, 1909 Original Reference: *Erebia manto osmanica* Schawerda, 1909, Jb. wien. ent. Ver. 19: 94. Syntypes: [Bosnia-Herzegovina]: Trebevic. Range (in code): **B-H**
- 24392. *Erebia manto pyrrhula* Frey, 1880** (Satyridae) Synonym(s): *pyrrhula* Frey, 1880 Range (in code): **FR**
- 24393. *Erebia manto trajanus* Hormuzaki, 1895** (Satyridae) Synonym(s): *trajanus* Hormuzaki, 1895
- 24394. *Erebia manto vogesiaca* Christ, 1882** (Satyridae) Synonym(s): *vogesiaca* Christ, 1882 Range (in code): **FR**
- 24395. *Erebia medusa* ([Denis & Schiffermüller], 1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller], 1775 Original Reference: *Papilio medusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 167. Type(s): [Austria]: Vienna district. Range (in code): **AL AT Ba BE BG BY CH CZ DE EE FR GR HU IT LU MN NL PL RO RU Sb SK Sm So Sr TR Cc Arr UA YU LAT Wn** Bionomy: Larva on *Festuca ovina*, *F. rubra*, *Bromus erectus*, *Milium effusum* (Tolman, 1997).
- 24396. *Erebia medusa brigobanna* Fruhstorfer, 1917** (Satyridae) Synonym(s): *brigobanna* Fruhstorfer, 1917; *charila* Fruhstorfer, 1917. Original Reference: *Erebia medusa* ssp. *brigobanna* Fruhstorfer, 1917, Dt. ent. Z., Iris 31: 45. Syntypes: Deutschland: Ulm, Wiesbaden, München, Koblenz, Kassel, Lothringen. Range (in code): **Bv Bw DE Fo8 F88 FR Vs**
- 24397. *Erebia medusa chatiparae* Sheljuzhko, 1937** (Satyridae) Synonym(s): *chatiparae* Sheljuzhko, 1937 Original Reference: *Erebia medusa* ssp. *chatiparae* Sheljuzhko, 1937, Festschr. Embrik Strand 2: 326-327. Syntypes 6♂ 1♀: [Russia]: Chatipara-Berg, 2300-2600m. Range (in code): **Kb RU**
- 24398. *Erebia medusa euphrasia* Fruhstorfer, 1917** (Satyridae) Synonym(s): *euphrasia* Fruhstorfer, 1917 Original Reference: *Erebia medusa* ssp. *euphrasia* Fruhstorfer, 1917, Dt. ent. Z., Iris 31: 44. Syntypes: Bulgarien: Rila, Rhodope Mts.; Istrien: Mt. Maggiore; [Georgien]: Kaukasus: Borjom. Range (in code): **TR Arr BG Cc GG HV Is Rh Ril**
- 24399. *Erebia medusa hippomedusa* (Ochsenheimer, 1820)** (Satyridae) Synonym(s): *hippomedusa* Ochsenheimer, 1820 Range (in code): **FR**
- 24400. *Erebia medusa hyperappennina* Turati, 1919** (Satyridae) Synonym(s): *hyperappennina* Turati, 1919 Range (in code): **FR**
- 24401. *Erebia medusa medusa* ([Denis & Schiffermüller], 1775)** (Satyridae) Synonym(s): *medusa* [Denis & Schiffermüller], 1775 Original Reference: *Papilio medusa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 167. Type(s): [Austria]: Vienna district. Range (in code): **AL AT Ba BE BG BY CH CZ DE EE GR HU IT LU NL PL RO RU SK Sm So Sr TR UA YU LAT Wn**
- 24402. *Erebia medusa transiens* Heyne, [1895]** (Satyridae) Synonym(s): *transiens* Heyne, [1895] Original Reference: *Erebia medusa* var. *transiens* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. Naturg. 1: 810. Type(s): [Russia]: Ostsibirien. Range (in code): **MN RU Sb**
- 24403. *Erebia melampus* (Fuessly, 1775)** (Satyridae) Synonym(s): *melampus* Fuessly, 1775 Original Reference: *Papilio melampus* Fuessly, 1775, Verzeichniss der ihm bekannten Schweizerischen Insekten: 31, fig. 6. Type(s): Schweiz. Range (in code): **AT CH DE FR IT**
- 24404. *Erebia melampus melampus* (Fuessly, 1775)** (Satyridae) Synonym(s): *melampus* Fuessly, 1775 Original Reference: *Papilio melampus* Fuessly, 1775, Verzeichniss der ihm

- bekannten Schweizerischen Insekten: 31, fig.6. Type(s): Schweiz. Range (in code): **AT CH DE FR IT**
- 24405. *Erebia melancholica* Herrich-Schäffer,[1846]** (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937. Original Reference: *Erebia melancholica* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur.1: 163,pl.58, figs.276-279. Syntypes 80 ex: [Türkei]: Ararat [=Ağrıdağı] (Moritz Wagner). Range (in code): **TR Arr Cc GG AM**
- 24406. *Erebia melancholica melancholica* Herrich-Schäffer,[1846]** (Satyridae) Synonym(s): *melancholica* Herrich-Schäffer,[1846]; *promethea* Tschetverikov,1937. Original Reference: *Erebia melancholica* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur.1: 163,pl.58, figs.276-279. Syntypes 80 ex: [Türkei]: Ararat [=Ağrıdağı] (Moritz Wagner). Range (in code): **TR Arr Cc GG AM**
- 24407. *Erebia melanops* Christoph,1889** (Satyridae) Synonym(s): *melanops* Christoph,1889; *alexandra sensu* Wagner,1913. Original Reference: *Erebia melanops* Christoph,1889, Horae Soc. ent. ross. 23: 299. Syntypes: "Samarkand" (err.); [Tengri Tagh]. Range (in code): **T-S KG KK Sem Ket Nrk Tk TeA TrA**
- 24408. *Erebia melanops melanops* Christoph,1889** (Satyridae) Synonym(s): *melanops* Christoph,1889; *alexandra sensu* Wagner,1913. Original Reference: *Erebia melanops* Christoph,1889, Horae Soc. ent. ross. 23: 299. Syntypes: "Samarkand" (err.); [Tengri Tagh]. Range (in code): **KG KK T-S Sem Ket Nrk Tk TeA TrA**
- 24409. *Erebia melas* (Herbst,1796)** (Satyridae) Synonym(s): *melas* Herbst,1796 Original Reference: *Papilio melas* Herbst,1796, [in] Jablonsky, Natursyst. Ins. (Schmett.) 8: Pl.210 figs.4-7. Syntypes: Roumania: Banat, Perzenieska. Range (in code): **AL BG GR RO YU**
- 24410. *Erebia melas leonhardi* Fruhstorfer,1918** (Satyridae) Synonym(s): *leonhardi* Fruhstorfer,1918 Original Reference: *Erebia melas leonhardi* Fruhstorfer,1918, Arch. Naturgesch. (A) 82(7): 131. Syntypes: Croatia: Velebit, Ostaria. Range (in code): **HV Vel**
- 24411. *Erebia melas melas* (Herbst,1796)** (Satyridae) Synonym(s): *melas* Herbst,1796 Original Reference: *Papilio melas* Herbst,1796, [in] Jablonsky, Natursyst. Ins. (Schmett.) 8: Pl.210 figs.4-7. Syntypes: Roumania: Banat, Perzenieska. Range (in code): **AL BG GR RO YU**
- 24412. *Erebia meolans* (De Prunner,1798)** (Satyridae) Synonym(s): *meolans* De Prunner,1798; *cubei* Fruhstorfer,1909; *calaritas* Fruhstorfer,1917. Original Reference: *Papilio meolans* De Prunner,1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont. Range (in code): **AT Av Bar Bb Bgs CH DE ES FR Gna Gp IT Lda Leo Mdr Ov Rio Rio San Seg Sor Ter Vit** Bionomy: Larva on *Agrostis capillaris*, *Deschampsia flexuosa*, *Nardus stricta*, *Festuca ovina* (Tolman,1997).
- 24413. *Erebia meolans almada* Fruhstorfer,1918** (Satyridae) Synonym(s): *almada* Fruhstorfer,1918 Original Reference: *Erebia pyrene* ssp. *almada* Fruhstorfer,1918, Dt. ent. Z., Iris 31: 108. Syntypes: Asturien: Cantabrisches Gebirge: Puerto de Pajares. Range (in code): **Atu Ct ES**
- 24414. *Erebia meolans bejarensis* Chapman,1902** (Satyridae) Synonym(s): *bejarensis* Chapman,1902; *hispanica* Chapman,1903 nec Gumpfenberg,1888 non Heyne,[1895]; *penalarae* Chapman,1904; *algernon* Fruhstorfer,1918. Original Reference: *Erebia stygne* var. *bejarensis* Chapman,1902, Proc. ent. Soc. Lond. 1902: xxxvi. Syntypes. Spain: Bejar. Range (in code): **ES Gu**
- 24415. *Erebia meolans ejulvensis* Aistleitner,1983** (Satyridae) Synonym(s): *ejulvensis* Aistleitner,1983 Original Reference: *Erebia meolans* ssp. *ejulvensis* Aistleitner,1983, Nachr. ent. Ver. Apollo (N.F.) 4(1): 1-2, figs. Holotype ♂: Hispania: Prov. Teruel, Puerto Cuarto Pelado, 11km w. vic. Cantavieja, 1600m. (in coll. Aistleitner). Range (in code): **Ag ES Ter**
- 24416. *Erebia meolans gavarnica* Oberthür,1909** (Satyridae) Synonym(s): *gavarnica* Oberthür,1909; *ruehli* Fruhstorfer,1909; *zagazia* Fruhstorfer,1917. Original Reference: *Erebia stygne* var. *gavarnica* Oberthür,1909, Etüd. Lépid. comp. 3: 298, pl.25 figs.130,134. Syntypes: France: Gavarnie. Range (in code): **FR**
- 24417. *Erebia meolans meolans* (De Prunner,1798)** (Satyridae) Synonym(s): *meolans* De Prunner,1798; *cubei* Fruhstorfer,1909; *calaritas* Fruhstorfer,1917. Original Reference: *Papilio meolans* De Prunner,1798, Lepidoptera Pedemontana: 71. Type(s): [Italy]: Piedmont. Range (in code): **AT CH DE ES FR IT**
- 24418. *Erebia meolans posidonia* Fruhstorfer,1911** (Satyridae) Synonym(s): *posidonia* Fruhstorfer,1911 Original Reference: *Erebia stygne* ssp. *posidonia* Fruhstorfer,1911, Societas ent. 26: 24. Syntypes: Deutschland: Schwarzwald. Range (in code): **Bw**
- 24419. *Erebia meolans stygne* (Ochsenheimer,1807)** (Satyridae) Synonym(s): *aethiops* Herbst,1796 nec Esper,1777; *pyrene* Hübner,1800 nec Linnaeus,1764; *stygne* Ochsenheimer,1807; *praerutilia* Fruhstorfer,1909; *charea* Fruhstorfer,1911; *posidonia* Fruhstorfer,1911; *guttata* Goltz,1914; *altivolans* Verity,1935.

- Original Reference: Papilio stygne Ochsenheimer, 1807, Schmett. Eur. 1 (1): 276. Syntypes: "Tyroler und Schweizer Alpen". Range (in code): **DE All Bv CH Trl AT**
- 24420. *Erebia meolans tetrica* Verity, 1923** (Satyridae) Synonym(s): *tetrica* Verity, 1923
Original Reference: *Erebia pirene tetrica* Verity, 1923, Entomologist's Rec. J. Var. 35: 135.
Syntypes: Italy: Apennines, Northern Tuscany, Mt. Sibillini. Range (in code): **IT**
- 24421. *Erebia meolans valesiaca* Elwes, 1898** (Satyridae) Synonym(s): *valesiaca* Elwes, 1898
Original Reference: *Erebia stygne* var. *valesiaca* Elwes, 1898, Trans. ent. Soc. London 1898: 177, 192. Syntypes: Switzerland: Zermatt, Briçon, Lanslebourg. Range (in code): **CH Val**
- 24422. *Erebia meta* Staudinger, 1886** (Satyridae) Synonym(s): *meta* Staudinger, 1886; *gertha* Staudinger, 1886; *mopsos* Staudinger, 1886. Original Reference: *Erebia meta* Staudinger, 1886, Stettin ent. Ztg. 47: 237. Syntypes: [Kirghizistan]: [Osch] Alai-Gebirge. Range (in code): **T-S Nrk Ket TeA TrA KuA Osh Tls Tkl Al Ax KG KK Sem Tk UZ CN Ui**
- 24423. *Erebia meta alexandra* Staudinger, 1887** (Satyridae) Synonym(s): *alexandra* Staudinger, 1887 Original Reference: *Erebia mopsos* var. *alexandra* Staudinger, 1887, Stettin ent. Ztg. 48: 55. Syntypes: [Kirghizistan]: Alexandergebirge [Kirghisisches Gebirge]. Range (in code): **Ax KK KG T-S KuA TrA**
- 24424. *Erebia meta issyka* Staudinger, 1887** (Satyridae) Synonym(s): *issyka* Staudinger, 1887
Original Reference: *Erebia mopsos* var. *issyka* Staudinger, 1887, Stettin ent. Ztg. 48: 56-57. Syntypes 10♂ 2♀: [Kirghizistan]: Issyk-Kul Range (in code): **Ik KK KG T-S TrA Aa**
- 24425. *Erebia meta meta* Staudinger, 1886** (Satyridae) Synonym(s): *meta* Staudinger, 1886; *gertha* Staudinger, 1886; *mopsos* Staudinger, 1886. Original Reference: *Erebia meta* Staudinger, 1886, Stettin ent. Ztg. 47: 237. Syntypes: [Kirghizistan]: [Osch] Alai-Gebirge. Range (in code): **T-S Osh Tls Tkl Al KK UZ**
- 24426. *Erebia mnestra* (Hübner, [1804])** (Satyridae) Synonym(s): *Erebia mnestra* Hübner, [1804]
Original Reference: Papilio mnestra Hübner, [1804], Samml. eur. Schmett. 1: pl. 106, figs. 540-543. Syntypes: Europa. Range (in code): **AT CH FR IT**
- 24427. *Erebia mnestra mnestra* (Hübner, [1804])** (Satyridae) Synonym(s): *mnestra* Hübner, [1804] Original Reference: Papilio mnestra Hübner, [1804], Samml. eur. Schmett. 1: pl. 106, figs. 540-543. Syntypes: Europa. Range (in code): **AT CH FR IT**
- 24428. *Erebia montana* (De Prunner, 1798)** (Satyridae) Synonym(s): *montana* De Prunner, 1798; *homole* Fruhstorfer, 1918 Original Reference: Papilio montanus De Prunner, 1798, Lepidoptera Pedemontana: 71. Type ♀: [Italy]: Piedmont. Range (in code): **AT CH FR IT**
- 24429. *Erebia montana goante* (Esper, [1805])** (Satyridae) Synonym(s): *goante* Esper, [1805]
Original Reference: Papilio goante Esper, [1805], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 116, fig. 1. Range (in code): **AT CH Öt Trl**
- 24430. *Erebia montana montana* (De Prunner, 1798)** (Satyridae) Synonym(s): *montana* De Prunner, 1798; *homole* Fruhstorfer, 1918 Original Reference: Papilio montanus De Prunner, 1798, Lepidoptera Pedemontana: 71. Type ♀: [Italy]: Piedmont. Range (in code): **AT CH FR IT**
- 24431. *Erebia montana vandellii* Casini, 1995** (Satyridae) Synonym(s): *vandellii* Casini, 1995
Range (in code): **IT**
- 24432. *Erebia neoridas* (Boisduval, 1828)** (Satyridae) Synonym(s): *neoridas* Boisduval, 1828; *margarita* Oberthür, 1896; *nicochares* Fruhstorfer, 1920; *epineoridas* Turati, 1923; *lozerica* B.C.S. Warren, 1932; *pyrenaeensis* Stetter-Stättermayer, 1933; *ina* Ross & Arnscheid, 1977. Original Reference: Satyrus neoridas Boisduval, 1828, Eur. lepid. Index meth. 1: 23. Type(s): [France]: Alpes [Digne] (BMNH). Range (in code): **ES FR IT** Bionomy: Larva on Digitalia sanguinalis, Poa annua, P. pratense, Festuca ovina (Tolman, 1997).
- 24433. *Erebia neoridas neoridas* (Boisduval, 1828)** (Satyridae) Synonym(s): *neoridas* Boisduval, 1828; *margarita* Oberthür, 1896; *nicochares* Fruhstorfer, 1920; *epineoridas* Turati, 1923; *lozerica* B.C.S. Warren, 1932; *pyrenaeensis* Stetter-Stättermayer, 1933; *ina* Ross & Arnscheid, 1977. Original Reference: Satyrus neoridas Boisduval, 1828, Eur. lepid. Index meth. 1: 23. Type(s): [France]: Alpes [Digne] (BMNH). Range (in code): **ES FR IT**
- 24434. *Erebia neoridas sibyllina* Verity, 1915** (Satyridae) Synonym(s): *sibyllina* Verity, 1915
Original Reference: *Erebia neoridas sibyllina* Verity, 1915, Boll. Soc. ent. ital. 45 (1913): 236. Syntypes 30♂ 6♀: [Italy: Piceno]: Monti Sibillini: Bolognola, Piano Astore, 1100-1400m. Range (in code): **IT**
- 24435. *Erebia neoridas veldmani* Kotzsch, 1929** (Satyridae) Synonym(s): *veldmani* Kotzsch, 1929
Original Reference: *Erebia neoridas* ssp. *veldmani* Kotzsch, 1929, Ent. Z., Frankf. a. M. 43 (12):

- 206, figs. 8,9. Syntypes 2♂: [China]: Kansu [Qinghai]: Richthofen Gebirge, Süd-Datungsberge, Juli 3600m (Steyler Missionsmuseum). Range (in code): CN Ts
- 24436. *Erebia neriene* (Boeber,1809)** (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* B.C.S.Warren,1931. Original Reference: Papilio neriene Boeber,1809, Mém. Soc. Nat. Moscou 2: 307. Type(s): Russia: Baikal [Südsibirien]. Range (in code): Am At Kts MN RU Sb Prj Us Am Vv CN Ui
- 24437. *Erebia neriene neriene* (Boeber,1809)** (Satyridae) Synonym(s): *neriene* Boeber,1809; *sedakovii* Eversmann,1847; *sajanensis* B.C.S.Warren,1931. Original Reference: Papilio neriene Boeber,1809, Mém. Soc. Nat. Moscou 2: 307. Type(s): Russia: Baikal [Südsibirien]. Range (in code): Am At Kts MN RU Sb Prj Us Am Vv CN Ui
- 24438. *Erebia niponica* Janson,1877** (Satyridae) Synonym(s): *niponica* Janson,1877 Original Reference: *Erebia niponica* Janson,1877, Cistula ent. 2: 153. Type(s): Japonia. Range (in code): JP RU Sh Krl
- 24439. *Erebia niponica chosensis* Matsumura,1928** (Satyridae) Synonym(s): *chosensis* Matsumura,1928; *#hypertelica* Bryk,1946 Original Reference: *Erebia sedakowii* ssp. *chosensis* Matsumura,1928, Insecta Matsumura 2: 197. Syntypes 8♂: Korea: Sanchien, in Mt.Hakuto. Range (in code): RU Sh KP
- 24440. *Erebia niponica niponica* Janson,1877** (Satyridae) Synonym(s): *niponica* Janson,1877 Original Reference: *Erebia niponica* Janson,1877, Cistula ent. 2: 153. Type(s): Japonia. Range (in code): JP
- 24441. *Erebia nivalis* Lorkovic & De Lesse,1954** (Satyridae) Synonym(s): *nivalis* Lorkovic & De Lesse,1954 Original Reference: *Erebia (tyndarus) nivalis* Lorkovic & De Lesse,1954, Lambillionea 54: 66. Holotype ♂: Austria: Oberer Pasterzen (Grossglockner), Hofmanns Hütte (in coll.de Lesse). Range (in code): AT CH IT
- 24442. *Erebia nivalis nivalis* Lorkovic & De Lesse,1954** (Satyridae) Synonym(s): *nivalis* Lorkovic & De Lesse,1954 Original Reference: *Erebia (tyndarus) nivalis* Lorkovic & De Lesse,1954, Lambillionea 54: 66. Holotype ♂: Austria: Oberer Pasterzen (Grossglockner), Hofmanns Hütte (in coll.de Lesse). Range (in code): AT CH IT
- 24443. *Erebia occulta* Roos & Kimmich,1983** (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983 Range (in code): US Bry RU Ya
- 24444. *Erebia occulta occulta* Roos & Kimmich,1983** (Satyridae) Synonym(s): *occulta* Roos & Kimmich,1983; *phellea* Philip & Troubridge,1983 Range (in code): RU Ya
- 24445. *Erebia occulta sokhondinka* Dubatolov & Zintshenko,1995** (Satyridae) Synonym(s): *sokhondinka* Dubatolov & Zintshenko,1995 Original Reference: *Erebia occulta* ssp. *sokhondinka* Dubatolov & Zintshenko,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 128. Holotype: Russia: Tchita region, Boukoukoune. Range (in code): Bry RU
- 24446. *Erebia ocnus* (Eversmann,1843)** (Satyridae) Synonym(s): *ocnus* Eversmann,1843 Original Reference: *Hipparchia ocnus* Eversmann,1843, Bull. Soc. nat. Moscou 16: 538, pl.8 figs.5a,5b. Syntypes: Noor-Saisan (err.); [Kasachstan: Dschungarischer Alatau]. Range (in code): Tyk Na DsA KG KK Tk T-S CN Ui
- 24447. *Erebia ocnus ocnus* (Eversmann,1843)** (Satyridae) Synonym(s): *ocnus* Eversmann,1843 Original Reference: *Hipparchia ocnus* Eversmann,1843, Bull. Soc. nat. Moscou 16: 538, pl.8 figs.5a,5b. Syntypes: Noor-Saisan (err.); [Kasachstan: Dschungarischer Alatau]. Range (in code): Tyk Na DsA KG KK Tk T-S CN Ui
- 24448. *Erebia oeme* (Hübner,[1804])** (Satyridae) Synonym(s): *oeme* Hübner,[1804] Original Reference: Papilio oeme Hübner,[1804], Samml. eur. Schmett. 1: pl.104, figs. 530-533. Syntypes: Europa. Range (in code): AL AT BG CH DE ES FR GR IT YU Bionomy: Larva on Poa alpina, P. pratensis, P. nemoralis, Festuca rubra, Carex flacca, C. sempervirens, Briza media, Molinia caerulea (Tolman,1997).
- 24449. *Erebia oeme lugens* Staudinger,1901** (Satyridae) Synonym(s): *caecilia* Esper,1805 nec Hübner,1800; *lugens* Staudinger,1901 Original Reference: *Erebia oeme* ab. (var.) *lugens* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 45, nr.278a. Syntypes: Helv. (Gadmen). Range (in code): FR
- 24450. *Erebia oeme oeme* (Hübner,[1804])** (Satyridae) Synonym(s): *oeme* Hübner,[1804] Original Reference: Papilio oeme Hübner,[1804], Samml. eur. Schmett. 1: pl.104, figs. 530-533. Syntypes: Europa. Range (in code): AL AT BG Bv CH DE ES FR GR IT Py Trl YU

- 24451. *Erebia oeme pacula* Fruhstorfer, 1910** (Satyridae) Synonym(s): *pacula* Fruhstorfer, 1910; *tanita* Fruhstorfer, 1917; *lugina* Fruhstorfer, 1917; *nila* Fruhstorfer, 1917; *seliza* Fruhstorfer, 1917; *clisura* Fruhstorfer, 1917. Original Reference: *Erebia oeme* ssp. *pacula* Fruhstorfer, 1910, Int. ent. Z. 3: 211. Syntypes: Schweiz: Jura, Genf. Range (in code): **CH FR Jr**
- 24452. *Erebia oeme spodia* Staudinger, 1871** (Satyridae) Synonym(s): *spodia* Staudinger, 1871 Original Reference: *Erebia oeme* v. *spodia* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 24 (nomen. novum pro *psodea* Freyer, &c). Syntypes: Austr. et Styr. alp. et. mont. Range (in code): **AT HV Stm Vel BG**
- 24453. *Erebia orientalis* Elwes, 1900** (Satyridae) Synonym(s): *orientalis* Elwes, 1900 Original Reference: *Erebia epiphron* var. *orientalis* Elwes, 1900, Trans. ent. Soc. Lond. 1900: 199. Syntypes: Bulgaria: Rilo Dag. Range (in code): **BG Ri**
- 24454. *Erebia orientalis infernalis* Varga, 1972** (Satyridae) Synonym(s): *infernalis* Varga, 1972 Original Reference: *Erebia orientalis* ssp. *infernalis* Varga, 1972, Acta Univ. debrecen (ser.2) Biologica 9 (1971): 223-224. Holotype ♂: Bulgarien: Pirin-Gebirge: Vichren Spitze, 2300-2400m. Range (in code): **BG**
- 24455. *Erebia orientalis orientalis* Elwes, 1900** (Satyridae) Synonym(s): *orientalis* Elwes, 1900 Original Reference: *Erebia epiphron* var. *orientalis* Elwes, 1900, Trans. ent. Soc. Lond. 1900: 199. Syntypes: Bulgaria: Rilo Dag. Range (in code): **BG Ri**
- 24456. *Erebia ottomana* Herrich-Schäffer, [1847]** (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer, [1847] Original Reference: *Erebia dromus* v. *ottomana* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl.77, figs.376-379, 380; [1851], ibid. 6: 8. Syntypes: [Türkei]: Bursa. Range (in code): **AL BG B-H FR GR HV IT MK Mt TR YU**
- 24457. *Erebia ottomana balcanica* Rebel, 1903** (Satyridae) Synonym(s): *balcanica* Rebel, 1903; *tardenota* Praviel, 1941. Original Reference: *Erebia ottomana* var. *balcanica* Rebel, 1903, Annln naturh. Mus. Wien 18: 176. Syntypes: Bulgarien: Rila-Gebirge (cf. Varga, 1977). Range (in code): **AL BG B-H FR HV SB**
- 24458. *Erebia ottomana bulgarica* Drenovsky, 1930** (Satyridae) Synonym(s): *bulgarica* Drenovsky, 1930 Original Reference: *Erebia ottomana* f. *bulgarica* Drenovsky, 1930, Mitt. Bulg. ent. Ges. 5: 107-109. Syntypes: Bulgarien: Ali Botus Gebirge. Range (in code): **BG**
- 24459. *Erebia ottomana drenovskyi* Varga, 1977** (Satyridae) Synonym(s): *drenovskyi* Varga, 1977 Range (in code): **BG**
- 24460. *Erebia ottomana lorkoviciana* Varga, 1977** (Satyridae) Synonym(s): *lorkoviciana* Varga, 1977 Range (in code): **AL MK Mt YU**
- 24461. *Erebia ottomana macedonica* Buresch, 1918** (Satyridae) Synonym(s): *macedonica* Buresch, 1918 Original Reference: *Erebia tyndarus* ssp. *macedonica* Buresch, 1918, Z. wiss. Insektbiol. 14: 226-228, Taf.ii figs.10-13. Syntypes: Piringebirge: Damjanitza, Banderitza, Schodol, Kameniti-Dupki, 1600-2400m. Range (in code): **BG Pi**
- 24462. *Erebia ottomana ottomana* Herrich-Schäffer, [1847]** (Satyridae) Synonym(s): *ottomana* Herrich-Schäffer, [1847] Original Reference: *Erebia dromus* v. *ottomana* Herrich-Schäffer, [1847], Syst. Bearb. Schmett. Eur. 1: pl.77, figs.376-379, 380; [1851], ibid. 6: 8. Syntypes: [Türkei]: Bursa. Range (in code): **GR TR**
- 24463. *Erebia ottomana* ssp.** (Satyridae) Synonym(s): Range (in code): **TR**
- 24464. *Erebia ottomana tardenota* Praviel, 1941** (Satyridae) Synonym(s): *tardenota* Praviel, 1941 Range (in code): **FR**
- 24465. *Erebia palarica* Chapman, 1905** (Satyridae) Synonym(s): *palarica* Chapman, 1905 Original Reference: *Erebia palarica* Chapman, 1905, Trans. ent. Soc. London 1905: 9, pl.2 figs. 1-4. Syntypes: Espana: [Puerto de] Pajares. Range (in code): **ES**
- 24466. *Erebia palarica palarica* Chapman, 1905** (Satyridae) Synonym(s): *palarica* Chapman, 1905 Original Reference: *Erebia palarica* Chapman, 1905, Trans. ent. Soc. London 1905: 9, pl.2 figs. 1-4. Syntypes: Espana: [Puerto de] Pajares. Range (in code): **ES**
- 24467. *Erebia pandrose* (Borkhausen, 1788)** (Satyridae) Synonym(s): *castor* Esper, 1781 nec Cramer, 1775; *pandrose* Borkhausen, 1788; *zilia* Borkhausen, 1789; *baucis* Schrank, 1801; *hungarus* Latreille, 1803; *asiorientalis* Goltz, 1937. Original Reference: *Papilio pandrose* Borkhausen, 1788, Naturg. eur. Schmett. 1: 95. Type(s): [Austria]: Steyermark. Range (in code): **AL AT BG CH DE ES FI FR IT NO PL RO SE SK YU RU Sj Tv MN At Kts KG Mn Cln** Bionomy: Larva on Festuca, Poa, Sesleria (Tolman, 1997).
- 24468. *Erebia pandrose ambicolorata* Varga, 1972** (Satyridae) Synonym(s): *ambicolorata* Varga, 1972 Original Reference: *Erebia pandrose* ssp. *ambicolorata* Varga, 1972, Acta Univ.

- debrecen (ser.2) Biologica 9 (1971): 230-232, Abb.2. Holotype ♂: Bulgarien: Rila Gebirge, Malak Metschi Vrach 2300-2470m. Range (in code): BG
- 24469. *Erebia pandrose cibiniaca* B.C.S.Warren,1936** (Satyridae) Synonym(s): *#cibiniaca* Dannehl,1927; *cibiniaca* B.C.S.Warren,1936 Original Reference: *Erebia pandrose* ssp. *cibiniaca* B.C.S.Warren,1936, Monogr. *Erebia*: 384, pl. 102, figs. 1606, 1612. Syntypes: Rumania: Südkarpathen: Cibinsgebirge. Range (in code): RO
- 24470. *Erebia pandrose infraclara* Verity,1953** (Satyridae) Synonym(s): *infraclara* Verity,1953 Original Reference: *Erebia pandrose* race *infraclara* Verity,1953, Le farfalle diurne d'Italia: 132. Syntypes 12♂ 1♀: [North Italy: Alpi Carniche]: Sappada: Val Milbach, Passo Dicola, Passo Sesis, Passo Sierra, 1600-2000m. Range (in code): AL B-H MK Mt YU IT
- 24471. *Erebia pandrose lappona* (Thunberg & Becklin,1791)** (Satyridae) Synonym(s): *lappona* Thunberg & Becklin,1791 Range (in code): FI NO RU SE
- 24472. *Erebia pandrose marmolata* B.C.S.Warren,1936** (Satyridae) Synonym(s): *#marmolata* Dannehl,1927; *marmolata* B.C.S.Warren,1936. Original Reference: *Erebia pandrose* ssp. *marmolata* B.C.S.Warren,1936, Monogr. *Erebia*: 382-383. Syntypes: Dolomit Alpes: Pala Group, Lusia pass, Marmolata and Latemar near Moena.
- 24473. *Erebia pandrose pandrose* (Borkhausen,1788)** (Satyridae) Synonym(s): *castor* Esper,1781 nec Cramer,1775; *pandrose* Borkhausen,1788; *zilia* Borkhausen,1789; *baucis* Schrank,1801; *hungarus* Latreille,1803; *asiorientalis* Goltz,1937. Original Reference: *Papilio pandrose* Borkhausen,1788, Naturg. eur. Schmett. 1: 95. Type(s): [Austria]: Steyermark. Range (in code): AT CH IT RU Sj Tv MN At Kts KG Mn Cln
- 24474. *Erebia pandrose roberti* Peschke,1920** (Satyridae) Synonym(s): *roberti* Peschke,1920 Original Reference: *Erebia pandrose* var. *roberti* Peschke,1920, Int. ent. Z. 14: 118. Syntypes: Tatra: Lomitzer Spitze. Range (in code): Tatra
- 24475. *Erebia pandrose yernikensis* Korshunov,1995** (Satyridae) Synonym(s): *yernikensis* Korshunov,1995 Range (in code): RU
- 24476. *Erebia pawlowskyi Ménétériés,1858*** (Satyridae) Synonym(s): *pawlowskyi* Ménétériés,1858 Original Reference: *Erebia pawlowskyi* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 498. Syntypes: Russia: Jakutsk. Range (in code): RU Ja Am Sb Sj MN
- 24477. *Erebia pawlowskyi pawlowskyi* Ménétériés,1858** (Satyridae) Synonym(s): *pawlowskyi* Ménétériés,1858 Original Reference: *Erebia pawlowskyi* Ménétériés,1858, Bull. phys. math. Acad. Sci. St. Petersburg. 17: 498. Syntypes: Russia: Jakutsk. Range (in code): RU Ja Am Sb
- 24478. *Erebia pawlowskyi sajana* Staudinger,1894** (Satyridae) Synonym(s): *sajana* Staudinger,1894 Range (in code): RU Sj
- 24479. *Erebia pharte* (Hübner,[1804])** (Satyridae) Synonym(s): *pharte* Hübner,[1804]; *phartina* Staudinger,1894; *thynias* Fruhstorfer,1911; *pellene* Fruhstorfer,1917. Original Reference: *Papilio pharte* Hübner,[1804], Samml. eur. Schmett. 1: pl.97, figs. 491-494. Syntypes: Europa. Range (in code): AT CH DE FR IT PL SK
- 24480. *Erebia pharte eupompa* Fruhstorfer,1918** (Satyridae) Synonym(s): *eupompa* Fruhstorfer,1918 Original Reference: *Erebia pharte* ssp. *eupompa* Fruhstorfer,1918, Dt. ent. Z., Iris 31: 97. Syntypes: Deutschland: Oberbayern; Tegernsee, Schliersee. Range (in code): Bv DE
- 24481. *Erebia pharte pharte* (Hübner,[1804])** (Satyridae) Synonym(s): *pharte* Hübner,[1804]; *phartina* Staudinger,1894; *thynias* Fruhstorfer,1911; *pellene* Fruhstorfer,1917. Original Reference: *Papilio pharte* Hübner,[1804], Samml. eur. Schmett. 1: pl.97, figs. 491-494. Syntypes: Europa. Range (in code): AT CH DE FR IT PL SK
- 24482. *Erebia pluto* (De Prunner,1798)** (Satyridae) Synonym(s): *morio* Giorna,1791 nec Scop.,1763; *pluto* De Prunner,1798; *belzebub* Costa,1839; *duponcheli* Oberthür,1897. Original Reference: *Papilio pluto* De Prunner,1798, Lepidoptera Pedemontana: 20. Syntypes: [Italy]: Piedmont. Range (in code): All AT Bv CH DE Dol FR IT Öt Trl YU
- 24483. *Erebia pluto alecto* (Hübner,[1804])** (Satyridae) Synonym(s): *alecto* Hübner,[1804] Original Reference: *Papilio alecto* Hübner,[1804], Samml. eur. Schmett. 1: pl.101, figs. 515-516. Syntypes: Europa. Range (in code): All AT Bv CH DE Dol Öt Trl
- 24484. *Erebia pluto anteborus* Fruhstorfer,1918** (Satyridae) Synonym(s): *anteborus* Fruhstorfer,1918; *anthracites* ruhstorfer,1918. Original Reference: *Erebia alecto* ssp. *anteborus* Fruhstorfer,1918, Arch. Naturgesch. (A) 82(7): 151. Syntypes: Schweiz: Sustenpaß. Range (in code): CH FR

- 24485. *Erebia pluto nicholli* Oberthür, 1896** (Satyridae) **Synonym(s):** *nicholli* Oberthür, 1896
Original Reference: *Erebia melas nicholli* Oberthür, 1896, Entomologist's mon. Mag. 32: 3.
Syntypes: Italy: Brenta district. **Range (in code):** **IT**
- 24486. *Erebia pluto oreas* B.C.S. Warren, 1933** (Satyridae) **Synonym(s):** *glacialis* Esper, [1804] nec Moll, 1785; *oreas* B.C.S. Warren, 1933
Original Reference: *Erebia pluto oreas* B.C.S. Warren, 1933, Entomologist's Rec. J. Var. 45: 22 (nomen novum pro *Papilio glacialis* Esper, 1804 nec Moll, 1785). **Syntypes** (of *glacialis*): "Chamounix". **Range (in code):** **CH FR**
- 24487. *Erebia pluto pluto* (De Prunner, 1798)** (Satyridae) **Synonym(s):** *morio* Giorna, 1791 nec Scop., 1763; *pluto* De Prunner, 1798; *belzebub* Costa, 1839; *duponcheli* Oberthür, 1897. **Original Reference:** *Papilio pluto* De Prunner, 1798, Lepidoptera Pedemontana: 20. **Syntypes:** [Italy]: Piedmont. **Range (in code):** **All Bv Dol Öt Trl**
- 24488. *Erebia polaris* Staudinger, 1861** (Satyridae) **Synonym(s):** *polaris* Staudinger, 1861
Original Reference: *Erebia medusa* var. *polaris* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *embla* HS. 382-3). **Range (in code):** **FI NO RU SE Ur Ya Sb** **Bionomy:** Larva on *Festuca ovina* (Tolman, 1997).
- 24489. *Erebia polaris polaris* Staudinger, 1861** (Satyridae) **Synonym(s):** *polaris* Staudinger, 1861
Original Reference: *Erebia medusa* var. *polaris* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *embla* HS. 382-3). **Range (in code):** **FI NO RU SE Ya Sb**
- 24490. *Erebia polaris uralensis* Staudinger, 1861** (Satyridae) **Synonym(s):** *uralensis* Staudinger, 1861
Original Reference: *Erebia medusa* var. *uralensis* Staudinger, 1861, Cat. Lepid. Eur. 1: 10 (nomen novum pro *medusa* Ev.). **Range (in code):** **RU Ur**
- 24491. *Erebia progne* Groum-Grshimailo, 1890** (Satyridae) **Synonym(s):** *progne* Groum-Grshimailo, 1890; *samodurovi* Tschikolovez, 1992. **Original Reference:** *Erebia progne* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 454. **Syntypes:** [Kirghizia: Pass Kauk, Alasky Mts.]: "...col. Kaouk". **Range (in code):** **KK Al T-S**
- 24492. *Erebia progne progne* Groum-Grshimailo, 1890** (Satyridae) **Synonym(s):** *progne* Groum-Grshimailo, 1890; *samodurovi* Tschikolovez, 1992. **Original Reference:** *Erebia progne* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 454. **Syntypes:** [Kirghizia: Pass Kauk, Alasky Mts.]: "...col. Kaouk". **Range (in code):** **KK Al T-S**
- 24493. *Erebia pronoe* (Esper, [1780])** (Satyridae) **Synonym(s):** *arachne* [Denis & Schiffermüller], 1775 nec Cr., 1775; *pyrrha* [Denis & Schiffermüller], 1775 nec Linnaeus, 1758; *pronoe* Esper, [1780]; *psathura* Fruhstorfer, 1920. **Original Reference:** *Papilio pronoe* Esper, [1780], Die Schmett... 1(2): Forts. Tagschmett.: 23, Taf. 54 fig. 1. Type(s): "Steyermark". **Range (in code):** **AL AT BG BY CH DE ES FR IT PL RO RU SK UA YU Mt B-H Ril Rh Bv**
- 24494. *Erebia pronoe fruhstorferi* B.C.S. Warren, 1933** (Satyridae) **Synonym(s):** *fruhstorferi* B.C.S. Warren, 1933
Original Reference: *Erebia pronoe* ssp. *fruhstorferi* B.C.S. Warren, 1933, Entomologist's Rec. J. Var. 45: 41 (nomen novum pro *zyxuta* Fruhstorfer, 1920 nec *zyxuta* Fruhstorfer, 1918). **Syntypes:** Bulgaria: Rhodope, Rila Planina; Bosnien, Herzegowina, Montenegro". **Range (in code):** **YU BG Mt B-H Ril Rh**
- 24495. *Erebia pronoe gardeina* Schawerda, 1924** (Satyridae) **Synonym(s):** *gardeina* Schawerda, 1924
Original Reference: *Erebia pronoe* var. *gardeina* Schawerda, 1924, Mitt. münch. ent. Ges. 14: 84. **Syntypes:** Dolomit Alpen.
- 24496. *Erebia pronoe glottis* Fruhstorfer, 1920** (Satyridae) **Synonym(s):** *glottis* Fruhstorfer, 1920
Original Reference: *Erebia pronoe* ssp. *glottis* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 93. **Syntypes:** Frankreich: Pyrenee: Cautaret. **Range (in code):** **FR Py**
- 24497. *Erebia pronoe pronoe* (Esper, [1780])** (Satyridae) **Synonym(s):** *arachne* [Denis & Schiffermüller], 1775 nec Cr., 1775; *pyrrha* [Denis & Schiffermüller], 1775 nec Linnaeus, 1758; *pronoe* Esper, [1780]; *psathura* Fruhstorfer, 1920. **Original Reference:** *Papilio pronoe* Esper, [1780], Die Schmett... 1(2): Forts. Tagschmett.: 23, Taf. 54 fig. 1. Type(s): "Steyermark". **Range (in code):** **AL AT BG BY CH DE ES FR IT PL RO RU SK UA YU**
- 24498. *Erebia pronoe psathura* Fruhstorfer, 1920** (Satyridae) **Synonym(s):** *psathura* Fruhstorfer, 1920
Original Reference: *Erebia pronoe* ssp. *psathura* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 96. **Syntypes:** "Pizzo Leone". **Range (in code):** **CH**
- 24499. *Erebia pronoe tarcenta* Fruhstorfer, 1920** (Satyridae) **Synonym(s):** *tarcenta* Fruhstorfer, 1920; *altissima* Goltz, 1930. **Original Reference:** *Erebia pronoe* ssp. *tarcenta* Fruhstorfer, 1920, Arch. Naturgesch. (A) 84(7): 97. **Syntypes:** "Ampezzotal, Umgebung von Lana bei Meran". **Range (in code):** **AT CH**

- 24500. *Erebia pronoe varia* B.C.S.Warren,1932** (Satyridae) Synonym(s): *varia* B.C.S.Warren,1932 Original Reference: *Erebia pronoe varia* B.C.S.Warren,1932, Entomologist's Rec. J. Var. 44: 165. Syntypes: Germany: Bavaria: Krunn, on the south side of Isar Tal. Range (in code): **DE Bv**
- 24501. *Erebia pronoe vergy* (Ochsenheimer,1807)** (Satyridae) Synonym(s): *pitho* Hübner,1804 nec Linnaeus,1764; *persephone* Esper,1805 nec Fabricius,1793; *vergy* Ochsenheimer,1807. Original Reference: *Papilio vergy* Ochsenheimer,1807, Schmiett. Eur. 1(1): 292. Syntypes: Südl. Schweiz. Range (in code): **FR CH**
- 24502. *Erebia pronoe zulines* Fruhstorfer,1920** (Satyridae) Synonym(s): *zulines* Fruhstorfer,1920 Original Reference: *Erebia pronoe* ssp. *zulines* Fruhstorfer,1920, Arch. Naturgesch. (A) 84(7): 99. Syntypes: "Pontus, Brussa, Transkaukasien".
- 24503. *Erebia radians* Staudinger,1886** (Satyridae) Synonym(s): *radians* Staudinger,1886; *usgentensis* Staudinger,[1894]. Original Reference: *Erebia radians* Staudinger,1886, Stettin ent. Ztg. 47: 240-241. Syntypes: Usgent, Osch. Range (in code): **T-S Db Ax KK UZ Osh TrA Ket Al KG Tk Aa**
- 24504. *Erebia radians radians* Staudinger,1886** (Satyridae) Synonym(s): *radians* Staudinger,1886 Original Reference: *Erebia radians* Staudinger,1886, Stettin ent. Ztg. 47: 240-241. Syntypes: Usgent, Osch. Range (in code): **KK T-S TrA Ket Al KG Tk Aa**
- 24505. *Erebia radians sokolovi* Lukhtanov,1990** (Satyridae) Synonym(s): *sokolovi* Lukhtanov,1990 Original Reference: *Erebia radians* ssp. *sokolovi* Lukhtanov,1990, Vestn. Zool. 1990: 13-14, fig.1. Holotype ♂: Kasachstan: Dzhambul distr.: Kirghizsky mountain range, ca Merke, 3100m. Range (in code): **Db KG KK T-S Ax**
- 24506. *Erebia rhodopensis* Nicholl,1900** (Satyridae) Synonym(s): *rhodopensis* Nicholl,1900 Original Reference: *Erebia gorgone* var. *rhodopensis* Nicholl,1900, Entomologist's Rec. J. Var. 12 (3): 67. Syntypes 6♂: Bulgaria: Marica valley, Airandere, 6000ft. Range (in code): **BG Pi GR YU**
- 24507. *Erebia rhodopensis rhodopensis* Nicholl,1900** (Satyridae) Synonym(s): *rhodopensis* Nicholl,1900 Original Reference: *Erebia gorgone* var. *rhodopensis* Nicholl,1900, Entomologist's Rec. J. Var. 12 (3): 67. Syntypes 6♂: Bulgaria: Marica valley, Airandere, 6000ft. Range (in code): **BG Pi GR YU**
- 24508. *Erebia rondoui* Oberthür,1908** (Satyridae) Synonym(s): *rondoui* Oberthür,1908 Original Reference: *Erebia tyndarus* var. *rondoui* Oberthür,1908, Bull. Soc. ent. Fr. 1908: 268. Syntypes: France: Barxges, Cauterets, Gxdre. Range (in code): **FR**
- 24509. *Erebia rondoui goya* Fruhstorfer,1909** (Satyridae) Synonym(s): *goya* Fruhstorfer,1909 Original Reference: *Erebia tyndarus* ssp. *goya* Fruhstorfer,1909, Societas ent. 24: 124. Nomen novum pro *Erebia tyndarus pyrenaica* Heyne,[1895] nec *Erebia cassiope pyrenaica* Herrich-Schäffer,1851. Range (in code): **FR Py**
- 24510. *Erebia rondoui rondoui* Oberthür,1908** (Satyridae) Synonym(s): *rondoui* Oberthür,1908 Original Reference: *Erebia tyndarus* var. *rondoui* Oberthür,1908, Bull. Soc. ent. Fr. 1908: 268. Syntypes: France: Barxges, Cauterets, Gxdre. Range (in code): **FR**
- 24511. *Erebia rossii* (Curtis,1834)** (Satyridae) Synonym(s): *rossii* Curtis,1834 Original Reference: *Hipparchia rossii* Curtis,1834, [in] Ross, Narrative Second Voyage: 67, pl.A. Type(s): [Canada]: Boothia Peninsula, Northwest Territories. Range (in code): **RU At Mgd Kmt CA Tch Jns Tv MN Sj US Als KG Kts Nym Mn CN Ui**
- 24512. *Erebia rossii ero* Bremer,1861** (Satyridae) Synonym(s): *ero* Bremer,1861 Original Reference: *Erebia ero* Bremer,1861, Bull. Acad. Imp. Sci. St.-Petersb. (Ser.3) 3: 468. Syntypes: Russia: Südsibirien: "Apfelgebirge". Range (in code): **RU Sb Tv MN Sj KG Kts Nym Mn**
- 24513. *Erebia rossii rossii* (Curtis,1834)** (Satyridae) Synonym(s): *rossii* Curtis,1834 Original Reference: *Hipparchia rossii* Curtis,1834, [in] Ross, Narrative Second Voyage: 67, pl.A. Type(s): [Canada]: Boothia Peninsula, Northwest Territories. Range (in code): **RU Mgd Kmt CA Tch Jns US Als**
- 24514. *Erebia rossii subarctica* Korshunov,1996** (Satyridae) Synonym(s): *subarctica* Korshunov,1996 Original Reference: *Erebia rossii* ssp. *subarctica* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 33-34. Holotype: Russia: South of Peninsula Yamal. Rivers Tanlovaya and Chtchoutchya [Scucja]. Range (in code): **RU**
- 24515. *Erebia scipio* Boisduval,1832** (Satyridae) Synonym(s): *scipio* Boisduval,1832 Original Reference: *Erebia scipio* Boisduval,1832, Icon. hist. lépid. Eur. 1: 152, pl.30 figs.1-6. "Syntypes: France: "Basses Alpes". Range (in code): **FR IT**

- 24516. *Erebia scipio scipio* Boisduval,1832** (Satyridae) Synonym(s): *scipio* Boisduval,1832
Original Reference: *Erebia scipio* Boisduval,1832, Icon. hist. lépid. Eur. 1: 152, pl.30 figs.1-6.
"Syntypes: France: "Basses Alpes". Range (in code): **FR IT**
- 24517. *Erebia serotina* Descimon & De Lesse,1954** (Satyridae) Synonym(s): *serotina* Descimon & De Lesse,1954 (According to Leraut (1997), the rank of species is maintained provisionally for this probable hybrid, until its true status is established beyond doubt). Range (in code): **FR**
- 24518. *Erebia serotina serotina* Descimon & De Lesse,1954** (Satyridae) Synonym(s): *serotina* Descimon & De Lesse,1954 (According to Leraut (1997), the rank of species is maintained provisionally for this probable hybrid, until its true status is established beyond doubt). Range (in code): **FR**
- 24519. *Erebia sibo* Alpheraky,1881** (Satyridae) Synonym(s): *sibo* Alpheraky,1881; *mongolica* Erschoff,1888 Original Reference: *Erebia sibo* Alpheraky,1881, Horae Soc. ent. ross. 16: 416-417, Taf. 15, figs. 20, 21. Syntypes ♂♀: [China]: Tian- Chian [Tengri Tagh], 9000-11000 feet. Range (in code): **KG KuA TeA Ax NrK Tk Na CN KK Ku T-S Ui**
- 24520. *Erebia sibo sibo* Alpheraky,1881** (Satyridae) Synonym(s): *sibo* Alpheraky,1881; *mongolica* Erschoff,1888 Original Reference: *Erebia sibo* Alpheraky,1881, Horae Soc. ent. ross. 16: 416-417, Taf. 15, figs. 20, 21. Syntypes ♂♀: [China]: Tian- Chian [Tengri Tagh], 9000-11000 feet. Range (in code): **KG KuA TeA Ax NrK Tk Na CN KK Ku T-S Ui**
- 24521. *Erebia sthenno* Graslin,1850** (Satyridae) Synonym(s): *sthenno* Graslin,1850 Original Reference: *Erebia sthenno* Graslin,1850, Annls Soc. ent. Fr. (2) 8: 393, pl.10, figs. 1-3. Syntypes: France: Pyrenees: Bagnères de Bigorre. Range (in code): **ES FR Py**
- 24522. *Erebia sthenno sthenno* Graslin,1850** (Satyridae) Synonym(s): *sthenno* Graslin,1850 Original Reference: *Erebia sthenno* Graslin,1850, Annls Soc. ent. Fr. (2) 8: 393, pl.10, figs. 1-3. Syntypes: France: Pyrenees: Bagnères de Bigorre. Range (in code): **ES FR Py**
- 24523. *Erebia stirius* (Godart,[1824])** (Satyridae) Synonym(s): *stirius* Godart,[1824]; *nerine* Freyer,1831 Original Reference: *Satyrus stirius* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 530, nr.142. Type(s): Carinthia: Klagenfurt. Range (in code): **AT CH IT JI KwK SS**
- 24524. *Erebia stirius morula* Speyer,1865** (Satyridae) Synonym(s): *morula* Speyer,1865 Range (in code): **AT Dol**
- 24525. *Erebia stirius stirius* (Godart,[1824])** (Satyridae) Synonym(s): *stirius* Godart,[1824]; *nerine* Freyer,1831 Original Reference: *Satyrus stirius* Godart,[1824], [in] Latreille & Godart, Ency. Méth. [Zool.] 9: 530, nr.142. Type(s): Carinthia: Klagenfurt. Range (in code): **AT CH IT JI KwK SS**
- 24526. *Erebia stubbendorffii* Ménétériés,1846** (Satyridae) Synonym(s): *stubbendorffii* Ménétériés,1846; *connexa* B.C.S.Warren,1930. Original Reference: *Erebia stubbendorffii* Ménétériés,1846, Bull. phys. math. Acad. imp. Sci. St. Petersb. (ser.2) 5: 264. Lectotype ♀: Russia: Kansk in Südsibirien (designated by V. Lukhtanov,1994, Herbiopoliana 3: 110). Range (in code): **RU KG At Sb Sj Cln Ltv**
- 24527. *Erebia stubbendorffii stubbendorffii* Ménétériés,1846** (Satyridae) Synonym(s): *stubbendorffii* Ménétériés,1846; *connexa* B.C.S.Warren,1930. Original Reference: *Erebia stubbendorffii* Ménétériés,1846, Bull. phys. math. Acad. imp. Sci. St. Petersb. (ser.2) 5: 264. Lectotype ♀: Russia: Kansk in Südsibirien (designated by V. Lukhtanov,1994, Herbiopoliana 3: 110). Range (in code): **RU KG At Sb Sj Cln Ltv**
- 24528. *Erebia styx* (Freyer,1834)** (Satyridae) Synonym(s): *styx* Freyer,1834 Original Reference: *Hipparchia styx* Freyer,1834, Neuere Beitr. 2: Taf.121, fig.4. Range (in code): **AT CH FR IT YU**
- 24529. *Erebia styx styx* (Freyer,1834)** (Satyridae) Synonym(s): *styx* Freyer,1834 Original Reference: *Hipparchia styx* Freyer,1834, Neuere Beitr. 2: Taf.121, fig.4. Range (in code): **AT CH FR IT YU**
- 24530. *Erebia styx trentae* Lorkovic,1952** (Satyridae) Synonym(s): *trentae* Lorkovic,1952
- 24531. *Erebia styx triglites* Fruhstorfer,1918** (Satyridae) Synonym(s): *triglites* Fruhstorfer,1918 Original Reference: *Erebia neriene* ssp. *triglites* Fruhstorfer,1918, Arch. Naturgesch. (A) 82(7): 148. Syntypes: Monte Generoso.
- 24532. *Erebia sudetica* Staudinger,1861** (Satyridae) Synonym(s): *sudetica* Staudinger,1861 Original Reference: *Erebia melampus* var. *sudetica* Staudinger,1861, Cat. Lepid. Eur. 1: 10. Range (in code): **AT CH CZ FR PL RO**
- 24533. *Erebia sudetica belledonnae* Cupedo,1996** (Satyridae) Synonym(s): *belledonnae* Cupedo,1996 Range (in code): **F38 F73**

- 24534. *Erebia sudetica lioranus* B.C.S.Warren,1961** (Satyridae) Synonym(s): *#lioranus* De Lesse,1947; *lioranus* B.C.S.Warren,1961 Range (in code): **FR**
- 24535. *Erebia sudetica sudetica* Staudinger,1861** (Satyridae) Synonym(s): *sudetica* Staudinger,1861 Original Reference: *Erebia melampus* var. *sudetica* Staudinger,1861, Cat. Lepid. Eur. 1: 10. Range (in code): **AT CH CZ PL RO**
- 24536. *Erebia theano* (Tauscher,1806)** (Satyridae) Synonym(s): *theano* Tauscher,1806 Original Reference: *Papilio theano* Tauscher,1806, Mém. Soc. Nat. Moscou 1: 207. Syntypes: [Russia]: in montibus Altaicis Sibiriae [Altai]. Range (in code): **At Bn Sli Kuz Aty CN No RU To No Ui KG Sj Kts Ltv Cln Mn Nym Ktm Mkk US**
- 24537. *Erebia theano approximata* B.C.S.Warren,1936** (Satyridae) Synonym(s): *#approximata* B.C.S.Warren,1930; *approximata* B.C.S.Warren,1936. Original Reference: *Erebia theano approximata* B.C.S.Warren,1936, Monograph of the genus *Erebia*: 237. Type: [Russia]: Western Altai. Range (in code): **At RU To No**
- 24538. *Erebia theano shoria* Korshunov & Ivonin,1995** (Satyridae) Synonym(s): *shoria* Korshunov & Ivonin,1995 Original Reference: *Erebia theano* ssp. *shoria* Korshunov & Ivonin,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 130. Holotype: Russia: Tomsk: Touzouksou river. Range (in code): **RU To**
- 24539. *Erebia theano theano* (Tauscher,1806)** (Satyridae) Synonym(s): *theano* Tauscher,1806 Original Reference: *Papilio theano* Tauscher,1806, Mém. Soc. Nat. Moscou 1: 207. Syntypes: [Russia]: in montibus Altaicis Sibiriae [Altai]. Range (in code): **At Bn Aty CN No RU To Ui KG MN Sj Kts Ltv Cln Mn Nym Ktm Mkk Sli Kuz**
- 24540. *Erebia theano tshungunovi* Korshunov & Ivonin,1995** (Satyridae) Synonym(s): *tshungunovi* Korshunov & Ivonin,1995 Original Reference: *Erebia theano* ssp. *tshungunovi* Korshunov & Ivonin,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 130. Holotype: Russia: Novossibirsk: Kiternya. Range (in code): **No RU**
- 24541. *Erebia tianschanica Alpheraky*,[1894]** (Satyridae) Synonym(s): *tianschanica* Alpheraky,[1894] Original Reference: *Erebia sibo* var. *tianschanica* Alpheraky,[1894], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1: 501. Type(s): [Kazachstan: Dzhungarsky Alatau (Tyshkantau Mts.)]: [Tengri Tagh]. Range (in code): **KG Tk T-S Tyk Na DsA** Bionomy: -.
- 24542. *Erebia tianschanica tianschanica* Alpheraky,[1894]** (Satyridae) Synonym(s): *tianschanica* Alpheraky,[1894] Original Reference: *Erebia sibo* var. *tianschanica* Alpheraky,[1894], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1: 501. Type(s): [Kazachstan: Dzhungarsky Alatau (Tyshkantau Mts.)]: [Tengri Tagh]. Range (in code): **KG Tk T-S Tyk Na DsA**
- 24543. *Erebia triaria* (De Prunner,1798)** (Satyridae) Synonym(s): *triaria* De Prunner,1798; *bonellii* Hübner,[1826]; *venaissina* Fruhstorfer,1917. Original Reference: *Papilio triarius* De Prunner,1798, Lepidoptera Pedemontana: 70. Type ♂: [Italy]: Piedmont. Range (in code): **AT CH ES FR IT PT B-H YU Eng Va**
- 24544. *Erebia triaria eurykleia* Fruhstorfer,1910** (Satyridae) Synonym(s): *eurykleia* Fruhstorfer,1910 Original Reference: *Erebia evias eurykleia* Fruhstorfer,1910, Int. ent. Z. 3: 211. Syntypes: "Wallis, Umgebung von Martigny". Range (in code): **CH Va**
- 24545. *Erebia triaria evias* (Godart,1823)** (Satyridae) Synonym(s): *evias* Godart,1823; *pyrenaica* Oberthür,1909 nec Herrich-Schäffer,1851; *ottonis* Fruhstorfer,1909. Original Reference: *Satyrus evias* Godart,1823, Hist. nat. Lep. France Diurn. 2 (Tab. meth. Lep. France Diurn.): 22. Syntypes: France: Hautes Pyrénées. Range (in code): **FR**
- 24546. *Erebia triaria granjana* Oberthür,1909** (Satyridae) Synonym(s): *granjana* Oberthür,1909 Original Reference: *Erebia evias granjana* Oberthür,1909, Etüd. lépid. comp. 3: 308. Syntypes 5♂ 2♀: "Granja". Range (in code): **ES**
- 24547. *Erebia triaria letincia* Fruhstorfer,1910** (Satyridae) Synonym(s): *letincia* Fruhstorfer,1910 Original Reference: *Erebia evias letincia* Fruhstorfer,1910, Int. ent. Z. 3: 211. Syntypes: "Engadin". Range (in code): **CH Eng**
- 24548. *Erebia triaria rebeli* B.C.S.Warren,1932** (Satyridae) Synonym(s): *orientalis* Rebel,1914 nec Elwes,1900; *rebeli* B.C.S.Warren,1932. Original Reference: *Erebia evias rebeli* B.C.S.Warren,1932, Entomologist's Rec. J. Var. 44: 167. Syntypes 3♂ 1♀: [Bosnia-Herzegovina]: Rikavac, 1300m. Range (in code): **B-H**
- 24549. *Erebia triaria triaria* (De Prunner,1798)** (Satyridae) Synonym(s): *triaria* De Prunner,1798; *bonellii* Hübner,[1826]; *venaissina* Fruhstorfer,1917. Original Reference: *Papilio triarius* De Prunner,1798, Lepidoptera Pedemontana: 70. Type ♂: [Italy]: Piedmont. Range (in code): **AT CH ES FR IT PT YU**

- 24550. *Erebia triaria venaissima* Fruhstorfer, 1917** (Satyridae) Synonym(s): *venaissima Fruhstorfer, 1917* Original Reference: *Erebia evias venaissima* Fruhstorfer, 1917, Ent. Z., Stutt. 30: 100. Syntypes: France: Mont Ventoux. Range (in code): **FR**
- 24551. *Erebia turanica* Erschoff, 1877** (Satyridae) Synonym(s): *turanica* Erschoff, 1877 Original Reference: *Erebia turanica* Erschoff, 1877, Horae Soc. ent. ross. 12: 336. Syntypes: [Kasachstan]: Dschungarischer Alatau. Range (in code): **DsA Ax Aa Bc CN Fe KG KK Kl Ku Tk T-S Ui UZ TrA Ket KuA TrA Sus** Bionomy: -.
- 24552. *Erebia turanica grumi* Lukhtanov, 1994** (Satyridae) Synonym(s): *grumi* Lukhtanov, 1994; *tristis* Groum-Grshimailo, 1893 nec Herrich-Schäffer, 1848 non Bremer, 1861. Original Reference: *Erebia turanica* ssp. *grumi* Lukhtanov, 1994, Herbiopoliana 3: 104 (nomen novum pro *tristis* Groum-Grshimailo, 1893 nec Herrich-Schäffer, 1848). Syntypes: [China: Uighur A.R.]: Boro Choro Mts. Range (in code): **Fe UZ T-S Ax KK KG**
- 24553. *Erebia turanica jucunda* Püngeler, 1903** (Satyridae) Synonym(s): *jucunda* Püngeler, 1903 Original Reference: *Erebia turanica* var. *jucunda* Püngeler, 1903, Dt. ent. Z., Iris 16: 286, Taf. 15 fig. 1. Syntypes: [China: Uighur A.R.]: Saichin-Kette, nördl. v. Korla. Range (in code): **CN KG Kl T-S Tk Ui**
- 24554. *Erebia turanica laeta* Staudinger, 1881** (Satyridae) Synonym(s): *laeta* Staudinger, 1881 Original Reference: *Erebia turanica* var. *laeta* Staudinger, 1881, Stettin ent. Ztg. 42: 294-295. Syntypes: Tianschan [Tengri Tagh], [Kuldja-Gebiet]. Range (in code): **Aa Bc CN Ju KG KK Ku Tk T-S Ui TrA Ket KuA**
- 24555. *Erebia turanica susamyr* Lukhtanov, 1999** (Satyridae) Synonym(s): *susamyr* Lukhtanov, 1999 Original Reference: *Erebia turanica* ssp. *susamyr* Lukhtanov, 1999, Atalanta 30 (1/4): 139. Holotype ♂: Kirgisien: Suusamyr-Gebirge, Kysyloi Gegend, Kobyk 2100m (EMEM). Range (in code): **KK T-S Sus**
- 24556. *Erebia turanica turanica* Erschoff, 1877** (Satyridae) Synonym(s): *turanica* Erschoff, 1877 Original Reference: *Erebia turanica* Erschoff, 1877, Horae Soc. ent. ross. 12: 336. Syntypes: [Kasachstan]: Dschungarischer Alatau. Range (in code): **KG Tk T-S DsA**
- 24557. *Erebia tyndarus* (Esper, [1781])** (Satyridae) Synonym(s): *tyndarus* Esper, [1781] Original Reference: *Papilio tyndarus* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 67, fig. 1. Syntypes: Schweiz: Scheidegg. Range (in code): **AT CH DE IT**
- 24558. *Erebia tyndarus tyndarus* (Esper, [1781])** (Satyridae) Synonym(s): *tyndarus* Esper, [1781] Original Reference: *Papilio tyndarus* Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 67, fig. 1. Syntypes: Schweiz: Scheidegg. Range (in code): **AT CH DE IT**
- 24559. *Erebia vidleri*** (Satyridae) Synonym(s): Range (in code): **US Ws**
- 24560. *Erebia wanga* Bremer, 1864** (Satyridae) Synonym(s): *wanga* Bremer, 1864 Original Reference: *Erebia wanga* Bremer, 1864, Lepid. Ost. Sibir.: 20, nr. 82, pl. 2 fig. 1. Range (in code): **RU Vv**
- 24561. *Erebia wanga wanga* Bremer, 1864** (Satyridae) Synonym(s): *wanga* Bremer, 1864 Original Reference: *Erebia wanga* Bremer, 1864, Lepid. Ost. Sibir.: 20, nr. 82, pl. 2 fig. 1. Range (in code): **RU Vv**
- 24562. *Erebia zapateri* Oberthür, 1875** (Satyridae) Synonym(s): *zapateri* Oberthür, 1875 Original Reference: *Erebia zapateri* Oberthür, 1875, An. Soc. espan. Hist. nat. 4: 370, pl. 17, figs. 1, 2. Syntypes: Spain: "Noguera, dans le montaignes de la Sierra de Albarracin". Range (in code): **ES Abr**
- 24563. *Erebia zapateri zapateri* Oberthür, 1875** (Satyridae) Synonym(s): *zapateri* Oberthür, 1875 Original Reference: *Erebia zapateri* Oberthür, 1875, An. Soc. espan. Hist. nat. 4: 370, pl. 17, figs. 1, 2. Syntypes: Spain: "Noguera, dans le montaignes de la Sierra de Albarracin". Range (in code): **ES Abr**
- 24564. *Erites angularis* Moore, 1879** (Satyridae) Synonym(s): *angularis* Moore, 1879 Range (in code): **MM TH Knc Nst Rng Sgk Hya Tnc MY ID Sum**
- 24565. *Erites angularis angularis* Moore, 1879** (Satyridae) Synonym(s): *angularis* Moore, 1879 Range (in code): **MM TH Knc Nst Rng Sgk Hya Tnc MY**
- 24566. *Erites angularis sumatrana* Martin** (Satyridae) Synonym(s): *sumatrana* Martin Range (in code): **ID Sum**
- 24567. *Erites argentina* Butler, 1868** (Satyridae) Synonym(s): *argentina* Butler, 1868 Range (in code): **PH Bal Cal Pal Bor MY ID Sum Bor Ja TH Rng Nst**
- 24568. *Erites argentina argentina* Butler, 1868** (Satyridae) Synonym(s): *argentina* Butler, 1868 Range (in code): **Bor MY**

- 24569. *Erites argentina delia* Martin, 1909** (Satyridae) Synonym(s): *delia* Martin _ Range (in code): MY ID Sum TH Rng Nst
- 24570. *Erites argentina fruhstorferi* Martin** (Satyridae) Synonym(s): *fruhstorferi* Martin _ Range (in code): ID Ja
- 24571. *Erites argentina ines* Fruhstorfer, 1903** (Satyridae) Synonym(s): *ines* Fruhstorfer, 1903 _ Range (in code): MY Bor
- 24572. *Erites argentina ochreana* Staudinger, 1889** (Satyridae) Synonym(s): *ochreana* Staudinger, 1889 _ Range (in code): PH Bal Cal Pal
- 24573. *Erites elegans* Butler, 1868** (Satyridae) Synonym(s): *elegans* Butler, 1868 _ Range (in code): MY Bor Swk ID Sum
- 24574. *Erites elegans distincta* Martin** (Satyridae) Synonym(s): *distincta* Martin _ Range (in code): ID Sum MY
- 24575. *Erites falcipennis* Wood-Mason & Nicéville, 1886** (Satyridae) Synonym(s): *falcipennis* Wood-Mason & Nicéville, 1886 _ Range (in code): IN Mpr TH Phe Cbi
- 24576. *Erites falcipennis* ssp.n.** (Satyridae) Synonym(s): _ Range (in code): TH Cbi
- 24577. *Erites medura* Horsfield, 1829** (Satyridae) Synonym(s): *medura* Horsfield, 1829 _ Range (in code): ID Ja VN MM TH Phe Tak MY
- 24578. *Erites medura medura* Horsfield, 1829** (Satyridae) Synonym(s): *medura* Horsfield, 1829 _ Range (in code): ID Ja
- 24579. *Erites medura rotundata* De Nicéville, 1893** (Satyridae) Synonym(s): *rotundata* De Nicéville, 1893 _ Range (in code): MM TH Phe Tak VN
- 24580. *Erites medura russelli* Eliot** (Satyridae) Synonym(s): *russelli* Eliot _ Range (in code): MY
- 24581. *Esperarge (Marginarge) eversmanni* (Eversmann, 1847)** (Satyridae) Synonym(s): *eversmanni* Eversmann, 1847 _ Original Reference: Hipparchia eversmanni Eversmann, 1847, Bull. Soc. Nat. Moscou 20 (3): pl.2 figs.5,6. Syntypes: [? Kasachstan: Dschungarischer Alatau (cf. Lukhtakov & Lukhtanov, 1994, Herbipoliana 3: 75)]. Range (in code): TM Kp AF Nu Bd Shv Ch Ci Nwf PK CN Ju KG KK Sem Tk Ui DsA Ket TeA KuA TrA Tu Ax Syr Tm Sju T-S Ku Kun Kst Ta UZ TJ Pm
- 24582. *Esperarge (Marginarge) eversmanni cashmirensis* (Moore, 1874)** (Satyridae) Synonym(s): *cashmirensis* Moore, 1874 _ Original Reference: Pararge cashmirensis Moore, 1874, Proc. zool. Soc. Lond. 1874: 265, pl.xliii, fig.3. Range (in code): AF Nu Ch Ci Nwf PK TJ Pm
- 24583. *Esperarge (Marginarge) eversmanni evdokimovi* Korb, 2005** (Satyridae) Synonym(s): *evdokimovi* Korb, 2005 _ Range (in code): KG UZ Kst Ta
- 24584. *Esperarge (Marginarge) eversmanni eversmanni* (Eversmann, 1847)** (Satyridae) Synonym(s): *eversmanni* Eversmann, 1847 _ Original Reference: Hipparchia eversmanni Eversmann, 1847, Bull. Soc. Nat. Moscou 20(3): pl.2 figs.5,6. Syntypes: [? Kasachstan: Dschungarischer Alatau (cf. Lukhtakov & Lukhtanov, 1994, Herbipoliana 3: 75)]. Range (in code): CN Ju KG KK Sem Tk Ui DsA Ket TeA KuA TrA Tu Ax Syr Tm Sju T-S Ku Kun
- 24585. *Esperarge (Marginarge) eversmanni shiva* (Wyatt, 1961)** (Satyridae) Synonym(s): *shiva* Wyatt, 1961 _ Original Reference: Pararge eversmanni ssp. shiva Wyatt, 1961, J. Lepidopterist's Soc. 15(1): 9, figs. Holotype ♂: Afghanistan: [Badakhshan]: Shiva Mts., 9000ft. Range (in code): AF Bd Shv
- 24586. *Esperarge (Marginarge) eversmanni unicolor* (Groum-Grshimailo, 1893)** (Satyridae) Synonym(s): *unicolor* Groum-Grshimailo, 1893 _ Original Reference: Pararge eversmanni var. unicolor Groum-Grshimailo, 1893, Horae Soc. ent. ross. 27: 384. Syntypes: [Uzbekistan]: Bucharica or.: (Karategin, Baldshuan). Range (in code): KK UZ TM Kp
- 24587. *Esperarge (s.str.) clymene* (Fabricius, 1787)** (Satyridae) Synonym(s): *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819]. _ Original Reference: Papilio clymene Fabricius, 1787, Mant. Ins. 2: 44, nr.434. Type(s): Russiae australioris sylvaticis. Range (in code): AL Cc AZ BG Elb GG GR IQ IR Ab Qba Jal Ak Elb Th Fa Mz RO RU Sm Sr Th TR VI YU
- 24588. *Esperarge (s.str.) clymene clymene* (Fabricius, 1787)** (Satyridae) Synonym(s): *#climene* Esper, [1783]; *clymene* Fabricius, 1787; *boroeas* Latreille, 1803; *synclimene* Hübner, [1819]. _ Original Reference: Papilio clymene Fabricius, 1787, Mant. Ins. 2: 44, nr.434. Type(s): Russiae australioris sylvaticis. Range (in code): RU TR
- 24589. *Esperarge (s.str.) clymene lecerfi* (Koçak, 1980)** (Satyridae) Synonym(s): *alticola* Le Cerf, 1913 nec Vrty., 1911; *lecerfi* Koçak, 1980. _ Original Reference: Kirinia climene ssp. lecerfi

- Koçak,1981, Priamus 1 (1): 12, nomen novum pro alticola Le Cerf,1913 nec Verity,1911. Range (in code): IR Ab Ak Elb Th Fa IQ
- 24590. Esperarge (s.str.) clymene roxandra (Boisduval,1848)** (Satyridae) Synonym(s): *roxandra* Boisduval,1848; *roxandra* Herrich-Schäffer,[1850]; *caucasica* Nordmann,1851. Original Reference: *Satyrus roxandra* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: pied du Caucase. Range (in code): Cc AZ GG
- 24591. Esperarge (s.str.) clymene valentinae (Miller,1923)** (Satyridae) Synonym(s): *valentinae* Miller,1923; *tkatshukovi* Sheljuzhko,1925. Original Reference: *Pararge climene morpha valentinae* Miller,1923, Bull. Soc. ent. Moscou 2(2): 95. Lectotype ♂: [Turkey: Kars: Kağızman]: Umgebung Novaja Nikolajevka, Schlucht Mystaf (designated by Nekrutenko,1990:109) (ZMMU). Range (in code): IR Elb Mz Th TR Cc AZ Nv
- 24592. Ethope diademoides Moore,1879** (Satyridae) Synonym(s): *diademoides* Moore,1879 Range (in code): TH Knc Rng Tak MM MY VN
- 24593. Ethope diademoides diademoides Moore,1879** (Satyridae) Synonym(s): *diademoides* Moore,1879 Range (in code): MM TH Knc Tak
- 24594. Ethope diademoides hislopi Corbet,1948** (Satyridae) Synonym(s): *hislopi* Corbet,1948 Range (in code): MY TH Rng
- 24595. Ethope diademoides metayei Monastyrskii & Devyatkin,2003** (Satyridae) Synonym(s): *metayei* Monastyrskii & Devyatkin,2003 Range (in code): VN
- 24596. Ethope henrici Holland,1887** (Satyridae) Synonym(s): *henrici* Holland,1887 Range (in code): CN Hn
- 24597. Ethope himachala (Moore,1858)** (Satyridae) Synonym(s): *himachala* Moore,1858 Range (in code): IN Ass Slo MM TH CRa
- 24598. Ethope noirei (Janet,1896)** (Satyridae) Synonym(s): *noirei* Janet,1896 Range (in code): TH CMa CDo Chy Phi LA VN Ton Tda CN
- 24599. Eugrumia discalis (South,1913)** (Satyridae) Synonym(s): *discalis* South,1913 Range (in code): CN Ti
- 24600. Eugrumia herse (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *herse* Groum-Grshimailo,1890 Original Reference: *Erebia herse* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Amdo]: Sining-Gebirge. Range (in code): Amd CN MN? Sng Ts
- 24601. Eugrumia herse herse (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *herse* Groum-Grshimailo,1890 Original Reference: *Erebia herse* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 457. Syntypes: [China: Amdo]: Sining-Gebirge. Range (in code): Amd CN MN? Sng Ts
- 24602. Eugrumia koenigi (Goltz,1938)** (Satyridae) Synonym(s): *koenigi* Goltz,1938 Range (in code): CN Ti
- 24603. Gnophodes betsimena (Boisduval,1833)** (Satyridae) Synonym(s): *betsimena* Boisduval,1833 Range (in code): ZA Tva Eur MG MZ ZW MW Zom TZ Tnga Usa Ani KE Nai CM ET UG SD ZR AO
- 24604. Gnophodes betsimena betsimena (Boisduval,1833)** (Satyridae) Synonym(s): *betsimena* Boisduval,1833 Range (in code): MG
- 24605. Gnophodes betsimena diversa (Butler,1880)** (Satyridae) Synonym(s): *diversa* Butler,1880 Range (in code): ZA Tva Eur MZ ZW MW Zom TZ Tnga Usa Ani KE
- 24606. Gnophodes betsimena parmeno (Doubleday,[1849])** (Satyridae) Synonym(s): *parmeno* Doubleday,[1849]; *#dubiosa* Aurivillius,1911 Range (in code): CM TZ KE Nai ET UG SD ZR AO
- 24607. Gnophodes chelys (Fabricius,1793)** (Satyridae) Synonym(s): *chelys* Fabricius,1793; *pythia* Fabricius,1793; *morpena* Westwood,[1851]; *harpa* Karsch,1893; *#iris* Bartel,1905; *minchini* Heron,1909; *#magniplaga* Heron,1909; *elucidata* Grünberg,1910 Range (in code): KE Mba Kms TZ UG CF ZR CM LR SL Bionomy: Larva on *Setaria* (Poaceae) (Ackery et al.,1995).
- 24608. Gnophodes chelys chelys (Fabricius,1793)** (Satyridae) Synonym(s): *chelys* Fabricius,1793; *pythia* Fabricius,1793; *morpena* Westwood,[1851]; *harpa* Karsch,1893; *#iris* Bartel,1905; *minchini* Heron,1909; *#magniplaga* Heron,1909; *elucidata* Grünberg,1910 Range (in code): KE Mba Kms TZ UG CF ZR CM LR SL Bionomy: Larva on *Setaria* (Poaceae) (Ackery et al.,1995).
- 24609. Gnophodes grogani Sharpe,1901** (Satyridae) Synonym(s): *grogani* Sharpe,1901 Range (in code): UG ZR RW BI
- 24610. Gnophodes grogani grogani Sharpe,1901** (Satyridae) Synonym(s): *grogani* Sharpe,1901 Range (in code): UG ZR RW BI

- 24611. *Gyrocheilus patrobas* (Hewitson,1862)** (Satyridae) **Synonym(s):** *patrobas* Hewitson,1862
Range (in code): **US MX Arz NMx Tx**
- 24612. *Hallelesis asochis* (Hewitson,1866)** (Satyridae) **Synonym(s):** *asochis* Hewitson,1866
Range (in code): **CM ZR AO NG Caa**
- 24613. *Hallelesis asochis asochis* (Hewitson,1866)** (Satyridae) **Synonym(s):** *asochis* Hewitson,1866
Range (in code): **NG Caa**
- 24614. *Hallelesis asochis congoensis* (Joicey & Talbot,1921)** (Satyridae) **Synonym(s):** *#triocelligera* Strand,1914; *#kamitugensis* Dufrane,1945; *congoensis* Joicey & Talbot,1921
Range (in code): **CM ZR AO**
- 24615. *Hallelesis halyma* (Fabricius,1793)** (Satyridae) **Synonym(s):** *halyma* Fabricius,1793; *macrones* Hewitson,1873
Range (in code): **GH SL**
- 24616. *Henotesia aberrans* Paulian,1951** (Satyridae) **Synonym(s):** *aberrans* Paulian,1951
Range (in code): **MG**
- 24617. *Henotesia aberrans aberrans* Paulian,1951** (Satyridae) **Synonym(s):** *aberrans* Paulian,1951
Range (in code): **MG**
- 24618. *Henotesia anceps* (Oberthür,1916)** (Satyridae) **Synonym(s):** *anceps* Oberthür,1916
Range (in code): **MG**
- 24619. *Henotesia anceps anceps* (Oberthür,1916)** (Satyridae) **Synonym(s):** *anceps* Oberthür,1916
Range (in code): **MG**
- 24620. *Henotesia anganavo* (Ward,1871)** (Satyridae) **Synonym(s):** *anganavo* Ward,1871; *andravahana* Mabilille,1878; *wardii* Butler,1879; *difficilis* Mabilille,1880; *#marmorata* Aurivillius,1911; *macrophthalma* Oberthür,1916
Range (in code): **MG**
- 24621. *Henotesia anganavo anganavo* (Ward,1871)** (Satyridae) **Synonym(s):** *anganavo* Ward,1871; *andravahana* Mabilille,1878; *wardii* Butler,1879; *difficilis* Mabilille,1880; *#marmorata* Aurivillius,1911; *macrophthalma* Oberthür,1916
Range (in code): **MG**
- 24622. *Henotesia angulifascia* (Butler,1879)** (Satyridae) **Synonym(s):** *angulifascia* Butler,1879; *butleri* Mabilille,1880
Range (in code): **MG**
- 24623. *Henotesia angulifascia angulifascia* (Butler,1879)** (Satyridae) **Synonym(s):** *angulifascia* Butler,1879; *butleri* Mabilille,1880
Range (in code): **MG**
- 24624. *Henotesia ankaratra* (Ward,1870)** (Satyridae) **Synonym(s):** *ankaratra* Ward,1870; *sakalava* Saalmüller,1878; *loucoubensis* Saalmüller,1878
Range (in code): **MG**
- 24625. *Henotesia ankaratra ankaratra* (Ward,1870)** (Satyridae) **Synonym(s):** *ankaratra* Ward,1870; *sakalava* Saalmüller,1878; *loucoubensis* Saalmüller,1878
Range (in code): **MG**
- 24626. *Henotesia ankova* (Ward,1870)** (Satyridae) **Synonym(s):** *ankova* Ward,1870
Range (in code): **MG**
- 24627. *Henotesia ankova ankova* (Ward,1870)** (Satyridae) **Synonym(s):** *ankova* Ward,1870
Range (in code): **MG**
- 24628. *Henotesia ankovana* (Oberthür,1916)** (Satyridae) **Synonym(s):** *ankovana* Oberthür,1916
Range (in code): **MG**
- 24629. *Henotesia ankovana ankovana* (Oberthür,1916)** (Satyridae) **Synonym(s):** *ankovana* Oberthür,1916
Range (in code): **MG**
- 24630. *Henotesia antsianakana* (Oberthür,1916)** (Satyridae) **Synonym(s):** *antsianakana* Oberthür,1916
Range (in code): **MG**
- 24631. *Henotesia antsianakana antsianakana* (Oberthür,1916)** (Satyridae) **Synonym(s):** *antsianakana* Oberthür,1916
Range (in code): **MG**
- 24632. *Henotesia avelona* (Ward,1870)** (Satyridae) **Synonym(s):** *avelona* Ward,1870
Range (in code): **MG**
- 24633. *Henotesia avelona avelona* (Ward,1870)** (Satyridae) **Synonym(s):** *avelona* Ward,1870
Range (in code): **MG**
- 24634. *Henotesia benedicta* Paulian,1951** (Satyridae) **Synonym(s):** *benedicta* Paulian,1951
Range (in code): **MG**
- 24635. *Henotesia benedicta benedicta* Paulian,1951** (Satyridae) **Synonym(s):** *benedicta* Paulian,1951
Range (in code): **MG**
- 24636. *Henotesia bicristata* (Mabilille,1878)** (Satyridae) **Synonym(s):** *bicristata* Mabilille,1878
Range (in code): **MG**
- 24637. *Henotesia bicristata bicristata* (Mabilille,1878)** (Satyridae) **Synonym(s):** *bicristata* Mabilille,1878
Range (in code): **MG**

- 24638. *Henotesia borbonica* (Oberthür,1916)** (Satyridae) Synonym(s): *borbonica* Oberthür,1916
Range (in code): **RE**
- 24639. *Henotesia borbonica borbonica* (Oberthür,1916)** (Satyridae) Synonym(s): *borbonica* Oberthür,1916 _ Range (in code): **RE**
- 24640. *Henotesia centralis* Aurivillius,1903** (Satyridae) Synonym(s): *centralis* Aurivillius,1903; *haroldi* Druce,1905 _ Range (in code): **ZR Shb AO**
- 24641. *Henotesia centralis centralis* Aurivillius,1903** (Satyridae) Synonym(s): *centralis* Aurivillius,1903; *haroldi* Druce,1905 _ Range (in code): **ZR Shb AO**
- 24642. *Henotesia comorana* (Oberthür,1916)** (Satyridae) Synonym(s): *comorana* Oberthür,1916
Range (in code): **KM**
- 24643. *Henotesia comorana comorana* (Oberthür,1916)** (Satyridae) Synonym(s): *comorana* Oberthür,1916 _ Range (in code): **KM**
- 24644. *Henotesia comorensis* (Oberthür,1916)** (Satyridae) Synonym(s): *comorensis* Oberthür,1916 _ Range (in code): **KM**
- 24645. *Henotesia comorensis comorensis* (Oberthür,1916)** (Satyridae) Synonym(s): *comorensis* Oberthür,1916 _ Range (in code): **KM**
- 24646. *Henotesia cowani* (Butler,1880)** (Satyridae) Synonym(s): *cowani* Butler,1880 _ Range (in code): **MG**
- 24647. *Henotesia cowani cowani* (Butler,1880)** (Satyridae) Synonym(s): *cowani* Butler,1880
Range (in code): **MG**
- 24648. *Henotesia curvatula* (Oberthür,1916)** (Satyridae) Synonym(s): *curvatula* Oberthür,1916
Range (in code): **MG**
- 24649. *Henotesia curvatula curvatula* (Oberthür,1916)** (Satyridae) Synonym(s): *curvatula* Oberthür,1916 _ Range (in code): **MG**
- 24650. *Henotesia eliasis* (Hewitson,1866)** (Satyridae) Synonym(s): *eliasis* Hewitson,1866
Range (in code): **ZR AO**
- 24651. *Henotesia eliasis eliasis* (Hewitson,1866)** (Satyridae) Synonym(s): *eliasis* Hewitson,1866 _ Range (in code): **ZR AO**
- 24652. *Henotesia elisi* (Karsch,1893)** (Satyridae) Synonym(s): *elisi* Karsch,1893; *evanida* Thurau,1903 _ Range (in code): **TZ Ulg TG GN**
- 24653. *Henotesia elisi elisi* (Karsch,1893)** (Satyridae) Synonym(s): *elisi* Karsch,1893; *evanida* Thurau,1903 _ Range (in code): **TG GN**
- 24654. *Henotesia elisi uluguru* Kielland,1990** (Satyridae) Synonym(s): *uluguru* Kielland,1990
Range (in code): **TZ Ulg**
- 24655. *Henotesia erebina* (Oberthür,1916)** (Satyridae) Synonym(s): *erebina* Oberthür,1916
Range (in code): **MG**
- 24656. *Henotesia erebina erebina* (Oberthür,1916)** (Satyridae) Synonym(s): *erebina* Oberthür,1916 _ Range (in code): **MG**
- 24657. *Henotesia exocellata* (Mabille,1880)** (Satyridae) Synonym(s): *exocellata* Mabille,1880
Range (in code): **MG**
- 24658. *Henotesia exocellata exocellata* (Mabille,1880)** (Satyridae) Synonym(s): *exocellata* Mabille,1880 _ Range (in code): **MG**
- 24659. *Henotesia fuliginosa* (Mabille,1878)** (Satyridae) Synonym(s): *fuliginosa* Mabille,1878
Range (in code): **MG**
- 24660. *Henotesia fuliginosa fuliginosa* (Mabille,1878)** (Satyridae) Synonym(s): *fuliginosa* Mabille,1878 _ Range (in code): **MG**
- 24661. *Henotesia grandis* (Oberthür,1916)** (Satyridae) Synonym(s): *grandis* Oberthür,1916
Range (in code): **MG**
- 24662. *Henotesia grandis grandis* (Oberthür,1916)** (Satyridae) Synonym(s): *grandis* Oberthür,1916 _ Range (in code): **MG**
- 24663. *Henotesia houlbertiana* (Oberthür,1923)** (Satyridae) Synonym(s): *houlbertiana* Oberthür,1923 _ Range (in code): **MG**
- 24664. *Henotesia houlbertiana houlbertiana* (Oberthür,1923)** (Satyridae) Synonym(s): *houlbertiana* Oberthür,1923 _ Range (in code): **MG**
- 24665. *Henotesia iboina* (Ward,1870)** (Satyridae) Synonym(s): *iboina* Ward,1870; *fitensis* Oberthür,1916 _ Range (in code): **MG**

- 24666. *Henotesia iboina iboina* (Ward,1870)** (Satyridae) Synonym(s): *iboina* Ward,1870; *fitensis* Oberthür,1916 _ Range (in code): MG
- 24667. *Henotesia laeta* (Oberthür,1916)** (Satyridae) Synonym(s): *laeta* Oberthür,1916 _ Range (in code): MG
- 24668. *Henotesia laeta laeta* (Oberthür,1916)** (Satyridae) Synonym(s): *laeta* Oberthür,1916 _ Range (in code): MG
- 24669. *Henotesia laetifica* (Oberthür,1916)** (Satyridae) Synonym(s): *laetifica* Oberthür,1916 _ Range (in code): MG
- 24670. *Henotesia laetifica laetifica* (Oberthür,1916)** (Satyridae) Synonym(s): *laetifica* Oberthür,1916 _ Range (in code): MG
- 24671. *Henotesia maeva* (Mabille,1878)** (Satyridae) Synonym(s): *maeva* Mabille,1878 _ Range (in code): MG
- 24672. *Henotesia maeva maeva* (Mabille,1878)** (Satyridae) Synonym(s): *maeva* Mabille,1878 _ Range (in code): MG
- 24673. *Henotesia mayottensis* (Oberthür,1916)** (Satyridae) Synonym(s): *mayottensis* Oberthür,1916 _ Range (in code): KM
- 24674. *Henotesia mayottensis mayottensis* (Oberthür,1916)** (Satyridae) Synonym(s): *mayottensis* Oberthür,1916 _ Range (in code): KM
- 24675. *Henotesia menamena* (Mabille,1877)** (Satyridae) Synonym(s): *menamena* Mabille,1877 _ Range (in code): MG
- 24676. *Henotesia menamena menamena* (Mabille,1877)** (Satyridae) Synonym(s): *menamena* Mabille,1877 _ Range (in code): MG
- 24677. *Henotesia narcissus* (Fabricius,1798)** (Satyridae) Synonym(s): *narcissus* Fabricius,1798 _ Range (in code): MU RE MG KM
- 24678. *Henotesia narcissus fraterna* (Butler,1868)** (Satyridae) Synonym(s): *fraterna* Butler,1868; *evanescens* Saalmüller,1884 _ Range (in code): MG KM
- 24679. *Henotesia narcissus narcissus* (Fabricius,1798)** (Satyridae) Synonym(s): *narcissus* Fabricius,1798 _ Range (in code): MU RE
- 24680. *Henotesia obscura* Oberthür,1916** (Satyridae) Synonym(s): *obscura* Oberthür,1916 _ Range (in code): MG
- 24681. *Henotesia obscura obscura* Oberthür,1916** (Satyridae) Synonym(s): *obscura* Oberthür,1916 _ Range (in code): MG
- 24682. *Henotesia ochracea* Lathy,1906** (Satyridae) Synonym(s): *ochracea* Lathy,1906; *wellmanni* Weymer,1908; *#semiochracea* Talbot,1932 _ Range (in code): AO
- 24683. *Henotesia ochracea ochracea* Lathy,1906** (Satyridae) Synonym(s): *ochracea* Lathy,1906; *wellmanni* Weymer,1908; *#semiochracea* Talbot,1932 _ Range (in code): AO
- 24684. *Henotesia oxypteron* (Oberthür,1916)** (Satyridae) Synonym(s): *oxypteron* Oberthür,1916 _ Range (in code): MG
- 24685. *Henotesia oxypteron oxypteron* (Oberthür,1916)** (Satyridae) Synonym(s): *oxypteron* Oberthür,1916 _ Range (in code): MG
- 24686. *Henotesia pallida* (Oberthür,1916)** (Satyridae) Synonym(s): *pallida* Oberthür,1916 _ Range (in code): MG
- 24687. *Henotesia pallida pallida* (Oberthür,1916)** (Satyridae) Synonym(s): *pallida* Oberthür,1916 _ Range (in code): MG
- 24688. *Henotesia parva* (Butler,1879)** (Satyridae) Synonym(s): *parva* Butler,1879; *irrorata* Mabille,1880 _ Range (in code): MG
- 24689. *Henotesia parva parva* (Butler,1879)** (Satyridae) Synonym(s): *parva* Butler,1879; *irrorata* Mabille,1880 _ Range (in code): MG
- 24690. *Henotesia parvidens* (Mabille,1880)** (Satyridae) Synonym(s): *parvidens* Mabille,1880 _ Range (in code): MG
- 24691. *Henotesia parvidens parvidens* (Mabille,1880)** (Satyridae) Synonym(s): *parvidens* Mabille,1880 _ Range (in code): MG
- 24692. *Henotesia pauper* (Oberthür,1916)** (Satyridae) Synonym(s): *pauper* Oberthür,1916 _ Range (in code): MG
- 24693. *Henotesia pauper pauper* (Oberthür,1916)** (Satyridae) Synonym(s): *pauper* Oberthür,1916 _ Range (in code): MG

- 24694. *Henotesia peitho* (Plötz,1880)** (Satyridae) Synonym(s): *peitho* Plötz,1880; *decira* Plötz,1880; *nigrescens* Bethune-Baker,1908 Range (in code): **GH ZR GN CM CG GA UG KE**
- 24695. *Henotesia peitho peitho* (Plötz,1880)** (Satyridae) Synonym(s): *peitho* Plötz,1880; *decira* Plötz,1880; *nigrescens* Bethune-Baker,1908 Range (in code): **GH ZR GN CM CG GA UG KE**
- 24696. *Henotesia perspicua* (Trimen,1873)** (Satyridae) Synonym(s): *perspicua* Trimen,1873; *maevius* Staudinger,1887; *#submaevius* Strand,1910; *#amanica* Strand,1910 Range (in code): **ZA Kzu Nta Ptb Tva Lpo Spb Kru K12 Ent Mpu Brb Mdk TZ ZW MZ MW ZM ZR UG KE MW Zom** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 24697. *Henotesia perspicua perspicua* (Trimen,1873)** (Satyridae) Synonym(s): *perspicua* Trimen,1873; *maevius* Staudinger,1887; *#submaevius* Strand,1910; *#amanica* Strand,1910 Range (in code): **ZA Kzu Nta Ptb Tva Lpo Spb Kru K12 Ent Mpu Brb Mdk TZ ZW MZ MW ZM ZR UG KE MW Zom** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 24698. *Henotesia phaea* (Karsch,1894)** (Satyridae) Synonym(s): *phaea* Karsch,1894 Range (in code): **ZR Shb KE UG**
- 24699. *Henotesia phaea katangensis* Overlaet,1955** (Satyridae) Synonym(s): *katangensis* Overlaet,1955; *#albata* Overlaet,1955 Range (in code): **ZR Shb**
- 24700. *Henotesia phaea phaea* (Karsch,1894)** (Satyridae) Synonym(s): *phaea* Karsch,1894 Range (in code): **ZR KE UG**
- 24701. *Henotesia sabas* (Oberthür,1923)** (Satyridae) Synonym(s): *sabas* Oberthür,1923 Range (in code): **MG**
- 24702. *Henotesia sabas sabas* (Oberthür,1923)** (Satyridae) Synonym(s): *sabas* Oberthür,1923 Range (in code): **MG**
- 24703. *Henotesia simonsii* (Butler,1877)** (Satyridae) Synonym(s): *simonsii* Butler,1877; *birsha* Hewitson,1877; *victorina* Westwood,1881; *lacus thurau*,1903; *#subolivacea* Overlaet,1955 Original Reference: *Mycalesis simonsii* Butler,1877, Ann. Mag. nat. Hist. (4) 19: 458-459. Syntypes: "Lake Nyassa" (BMNH). Range (in code): **ZA Tva Gau Pre MW Zom ZW ZR Shb BW NA MZ ZM TZ**
- 24704. *Henotesia simonsii simonsii* (Butler,1877)** (Satyridae) Synonym(s): *simonsii* Butler,1877; *birsha* Hewitson,1877; *victorina* Westwood,1881; *lacus thurau*,1903; *#subolivacea* Overlaet,1955 Original Reference: *Mycalesis simonsii* Butler,1877, Ann. Mag. nat. Hist. (4) 19: 458-459. Syntypes: "Lake Nyassa" (BMNH). Range (in code): **ZA Tva Gau Pre MW Zom ZW ZR Shb BW NA MZ ZM TZ**
- 24705. *Henotesia strato* (Mabille,1878)** (Satyridae) Synonym(s): *strato* Mabille,1878 Range (in code): **MG**
- 24706. *Henotesia strato strato* (Mabille,1878)** (Satyridae) Synonym(s): *strato* Mabille,1878 Range (in code): **MG**
- 24707. *Henotesia strigula* (Mabille,1877)** (Satyridae) Synonym(s): *strigula* Mabille,1877 Range (in code): **MG**
- 24708. *Henotesia strigula strigula* (Mabille,1877)** (Satyridae) Synonym(s): *strigula* Mabille,1877 Range (in code): **MG**
- 24709. *Henotesia subsimilis* (Butler,1879)** (Satyridae) Synonym(s): *subsimilis* Butler,1879 Range (in code): **MG**
- 24710. *Henotesia subsimilis subsimilis* (Butler,1879)** (Satyridae) Synonym(s): *subsimilis* Butler,1879 Range (in code): **MG**
- 24711. *Henotesia teratia* (Karsch,1894)** (Satyridae) Synonym(s): *teratia* Karsch,1894 Range (in code): **ZR Shb KE UG TZ**
- 24712. *Henotesia teratia teratia* (Karsch,1894)** (Satyridae) Synonym(s): *teratia* Karsch,1894 Range (in code): **ZR Shb KE UG TZ**
- 24713. *Henotesia turbans* (Oberthür,1916)** (Satyridae) Synonym(s): *turbans* Oberthür,1916 Range (in code): **MG**
- 24714. *Henotesia turbans turbans* (Oberthür,1916)** (Satyridae) Synonym(s): *turbans* Oberthür,1916 Range (in code): **MG**
- 24715. *Henotesia turbata* (Butler,1880)** (Satyridae) Synonym(s): *turbata* Butler,1880; *ornata* Oberthür,1916 Range (in code): **MG**
- 24716. *Henotesia turbata turbata* (Butler,1880)** (Satyridae) Synonym(s): *turbata* Butler,1880; *ornata* Oberthür,1916 Range (in code): **MG**
- 24717. *Henotesia ubenica* Thurau,1903** (Satyridae) Synonym(s): *ubenica* Thurau,1903; *#unicinata* Thurau,1903 Range (in code): **TZ MW UG ZR RW BI**

- 24718. *Henotesia ubenica mahale* Kielland,1990** (Satyridae) Synonym(s): *mahale* Kielland,1990 _ Range (in code): TZ
- 24719. *Henotesia ubenica ubenica* Thurai,1903** (Satyridae) Synonym(s): *ubenica* Thurai,1903; *#unicinata* Thurai,1903 _ Range (in code): MW TZ
- 24720. *Henotesia ubenica ugandica* Kielland,1990** (Satyridae) Synonym(s): *ugandica* Kielland,1990 _ Range (in code): UG ZR RW BI TZ
- 24721. *Henotesia ubenica uzungwa* Kielland,1990** (Satyridae) Synonym(s): *uzungwa* Kielland,1990 _ Range (in code): TZ
- 24722. *Henotesia undulans* (Oberthür,1916)** (Satyridae) Synonym(s): *undulans* Oberthür,1916 _ Range (in code): MG
- 24723. *Henotesia undulans undulans* (Oberthür,1916)** (Satyridae) Synonym(s): *undulans* Oberthür,1916 _ Range (in code): MG
- 24724. *Henotesia undulata* (Oberthür,1916)** (Satyridae) Synonym(s): *undulata* Oberthür,1916 _ Range (in code): MG
- 24725. *Henotesia undulata undulata* (Oberthür,1916)** (Satyridae) Synonym(s): *undulata* Oberthür,1916 _ Range (in code): MG
- 24726. *Henotesia undulosa* Oberthür,1916** (Satyridae) Synonym(s): *undulosa* Oberthür,1916; *luctuosa* Oberthür,1916 _ Range (in code): MG
- 24727. *Henotesia undulosa undulosa* (Oberthür,1916)** (Satyridae) Synonym(s): *undulosa* Oberthür,1916; *luctuosa* Oberthür,1916 _ Range (in code): MG
- 24728. *Henotesia uniformis* (Oberthür,1916)** (Satyridae) Synonym(s): *uniformis* Oberthür,1916 _ Range (in code): MG
- 24729. *Henotesia uniformis uniformis* (Oberthür,1916)** (Satyridae) Synonym(s): *uniformis* Oberthür,1916 _ Range (in code): MG
- 24730. *Henotesia vola* (Ward,1870)** (Satyridae) Synonym(s): *vola* Ward,1870 _ Range (in code): MG
- 24731. *Henotesia vola vola* (Ward,1870)** (Satyridae) Synonym(s): *vola* Ward,1870 _ Range (in code): MG
- 24732. *Henotesia wardiana* (Oberthür,1916)** (Satyridae) Synonym(s): *wardiana* Oberthür,1916 _ Range (in code): MG
- 24733. *Henotesia wardiana wardiana* (Oberthür,1916)** (Satyridae) Synonym(s): *wardiana* Oberthür,1916 _ Range (in code): MG
- 24734. *Hermeuptychia hermes* (Fabricius,1775)** (Satyridae) Synonym(s): *hermes* Fabricius,1775; *canthe* Hübner,[1811] _ Range (in code): BR Rja US
- 24735. *Hermeuptychia sosybius* (Fabricius,1793)** (Satyridae) Synonym(s): *sosybius* Fabricius,1793 _ Range (in code): US MX Aks Alb Fl Ge Kan Knt Lou Mis Mrl Mss NCa Nje Oh Ok Pns Tnn Tx Vi WVi
- 24736. *Heteropsis antsianakana* Oberthür,1916** (Satyridae) Synonym(s): *antsianakana* Oberthür,1916 _ Range (in code): MG
- 24737. *Heteropsis antsianakana antsianakana* Oberthür,1916** (Satyridae) Synonym(s): *antsianakana* Oberthür,1916 _ Range (in code): MG
- 24738. *Heteropsis drepana* Westwood,[1850]** (Satyridae) Synonym(s): *drepana* Westwood,[1850] _ Range (in code): MG
- 24739. *Heteropsis drepana drepana* Westwood,[1850]** (Satyridae) Synonym(s): *drepana* Westwood,[1850] _ Range (in code): MG
- 24740. *Hipparchia (Euhipparchia) stulta* (Staudinger,1882)** (Satyridae) Synonym(s): *stulta* Staudinger,1882 _ Original Reference: Satyrus stulta Staudinger,1882, Berl. ent. Z. 26(1): 175-176. Syntypes: [Uzbekistan]: Samarkand. Range (in code): Smk UZ TM Kp
- 24741. *Hipparchia (Euhipparchia) stulta stulta* (Staudinger,1882)** (Satyridae) Synonym(s): *stulta* Staudinger,1882 _ Original Reference: Satyrus stulta Staudinger,1882, Berl. ent. Z. 26(1): 175-176. Syntypes: [Uzbekistan]: Samarkand. Range (in code): Smk UZ TM Kp
- 24742. *Hipparchia (Neohipparchia) fatua* (Freyer,1844)** (Satyridae) Synonym(s): *fatua* Freyer,1844; *sichaea* Lederer,1857; *insularis* Turati,1929; *elineata* Verity,1937; *infracastanea* Verity,1938; *kosswigi* De Lattin,1950. _ Original Reference: Papilio fatua Freyer,1844, Neuere Beitr. Schmett. 5:54. Lectotype ♂: [Türkei]: Kedos [Gediz] (Kudrna, 1977: 132). Range (in code): Ae AL BG Cc GG GR HV IL Pa Hf IQ IR Ab Mak Ak Elb Th Fa JO LB Rd SY TM TR
- 24743. *Hipparchia (Neohipparchia) fatua dagi* Korshunov & Krasilnikova,1990** (Satyridae) Synonym(s): *dagi* Korshunov & Krasilnikova,1990 _ Original Reference: Hipparchia dagi

- Korshunov & Krasilnikova, 1990, Redkije gel'minty klestshi i nasekomyje, Novosibirsk: 70-73, figs. 1-2. Range (in code): **TM**
- 24744. Hipparchia (Neohipparchia) fatua fatua (Freyer, 1844)** (Satyridae) Synonym(s): *fatua* Freyer, 1844; *sichaea* Lederer, 1857; *insularis* Turati, 1929; *elineata* Verity, 1937; *infracastanea* Verity, 1938; *kosswigi* De Lattin, 1950. Original Reference: *Papilio fatua* Freyer, 1844, Neuere Beitr. Schmett. 5:54. Lectotype ♂: [Türkei]: Kedos [Gediz] (Kudrna, 1977: 132). Range (in code): **He Ae AL BG Cc GG GR HV IL Pa Hf JO LB Rd SY TR**
- 24745. Hipparchia (Neohipparchia) fatua persiscana (Verity, 1937)** (Satyridae) Synonym(s): *persiscana* Verity, 1937; *klapperichi* Gross & Ebert, 1975. Original Reference: *Eumenis allionii persiscana* Verity, 1937, Entomologist's Rec. J. Var. 49: 100. Lectotype ♂: Iran: Elbursgeb.: Keredj, 1500m (Kudrna, 1977: 135). Range (in code): **IQ IR Ab Ak Elb Th Fa TR Cc AM**
- 24746. Hipparchia (Neohipparchia) fatua sichaea (Lederer, 1857)** (Satyridae) Synonym(s): *sichaea* Lederer, 1857 Original Reference: *Satyrus statilinus* var. *sichaea* Lederer, 1857, Wien. ent. Monatschr. 1(3): 91. Syntypes: [Lebanon]: Beirut. Range (in code): **TR SY LB Bei JO**
- 24747. Hipparchia (Neohipparchia) hansii (Austaut, 1879)** (Satyridae) Synonym(s): *hansii* Austaut, 1879; *montana* Austaut, 1905; *holli* Oberthür, 1909; *columbati* Oberthür, 1922; *belouini* Oberthür, 1922; *chpakowskyi* Chneour, 1942; *intermedia* Chnéour, 1963; *tlemceni* Slaby, 1977; *tansleyi* Tarrier, 1995; *edithae* Tarrier, 1996 Original Reference: *Satyrus hansii* Austaut, 1879, Naturaliste 1: 138. Lectotype ♂: [Algeria]: Bel Abbes, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 139 (BMNH). Range (in code): **DZ Sbd Orn Abe Tlm Blid MA Azr TN Sfx**
- 24748. Hipparchia (Neohipparchia) hansii hansii (Austaut, 1879)** (Satyridae) Synonym(s): *hansii* Austaut, 1879; *montana* Austaut, 1905; *holli* Oberthür, 1909; *columbati* Oberthür, 1922; *belouini* Oberthür, 1922; *chpakowskyi* Chneour, 1942; *intermedia* Chnéour, 1963; *tlemceni* Slaby, 1977; *tansleyi* Tarrier, 1995; *edithae* Tarrier, 1996 Original Reference: *Satyrus hansii* Austaut, 1879, Naturaliste 1: 138. Lectotype ♂: [Algeria]: Bel Abbes, designated by Kudrna, 1977, Revision of the genus *Hipparchia* Fabricius: 139 (BMNH). Range (in code): **DZ Sbd Orn Abe Tlm Blid MA Azr TN Sfx**
- 24749. Hipparchia (Neohipparchia) parisatis (Kollar, [1849])** (Satyridae) Synonym(s): *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000. Original Reference: *Satyrus parisatis* Kollar, [1849], Denkschr. Akad. wiss. Wien 1: 51. Lectotype ♂: [Iran]: Pers[ia]: Shiraz (Kudrna, 1977: 143). Range (in code): **AF Kab Nu Hr BLM Bd Shv Ng AM Cc IN IQ IR Ab Fa Ss Elb Th Kp AE OM TM TR Bl Ci Gg Hu Nwf PK Abb Thu Koh K-P CN Ui**
- 24750. Hipparchia (Neohipparchia) parisatis parisatis (Kollar, [1849])** (Satyridae) Synonym(s): *parisatis* Kollar, [1849]; *macrophthalmus* Eversmann, 1851; *malatinus* Heyne, 1894; *ismail* Gross & Ebert, 1975; *huochenensis* Huang & Zhou, 2000. Original Reference: *Satyrus parisatis* Kollar, [1849], Denkschr. Akad. wiss. Wien 1: 51. Lectotype ♂: [Iran]: Pers[ia]: Shiraz (Kudrna, 1977: 143). Range (in code): **AF Kab Nu Cc AM IN IQ IR Fa Ss Elb Th Kp OM AE TM TR CN Ui**
- 24751. Hipparchia (Neohipparchia) parisatis parsis (Le Cerf, 1913)** (Satyridae) Synonym(s): *parsis* Le Cerf, 1913 Original Reference: *Satyrus parisatis parsis* Le Cerf, 1913, Ann. Hist. nat. Paris, Ent. 2: 39, pl.ii fig.12. Type ♂: Nepal: Toba. Range (in code): **Ch IN Kgr Kma Mus Pj Sml Up NP**
- 24752. Hipparchia (Neohipparchia) parisatis shiva (Le Cerf, 1913)** (Satyridae) Synonym(s): *shiva* Le Cerf, 1913 Original Reference: *Satyrus parisatis shiva* Le Cerf, 1913, Ann. Hist. nat. Paris, Ent. 2: 39, pl.ii fig.11. Type ♂: India: Simla. Range (in code): **Bl Ci Gg Hu Nwf PK Abb Thu Koh K-P**
- 24753. Hipparchia (Neohipparchia) powelli (Oberthür, 1910)** (Satyridae) Synonym(s): *powelli* Oberthür, 1910 Range (in code): **DZ Amu Afl Eba Ges** Bionomy: Larva on *Lygeum spartum* (Poaceae) (Oberthür, 1915)
- 24754. Hipparchia (Neohipparchia) statilinus (Hufnagel, 1766)** (Satyridae) Synonym(s): *statilinus* Hufnagel, 1766; *fauna* Sulzer, 1776 nec Drury, 1773; *allionia* Fabricius, 1781; *actaea* sensu Villers, 1789; *arachne* Esper, 1789 nec Denis & Schiff., 1775; *allionii* Hübner, 1826, etc. Original Reference: *Papilio statilinus* Hufnagel, 1766, Berl. Mag. 2: 84. Type(s): [Germany]: Berlin. Range (in code): **AL AT BE BG B-H BY CH CZ DE ES Mu FR GR HU HV IT LT MK NL PL PT RO RU Si SK SS TR Cc Arr UA YU DZ Sbd Eba Afl Bta Dja Lbs Blid MA Ifr TN Brd** Bionomy: Larva on *Bromus erectus*, *B. sterilis*, *Bothriochola ischaemum*, *Stipa pennata*, *Lygaeum spartum* (Oberthür, 1915; Higgins & Riley, 1983; Tolman, 1997).
- 24755. Hipparchia (Neohipparchia) statilinus bierica Le Charles, 1953** (Satyridae) Synonym(s): *bierica* Le Charles, 1953 Range (in code): **FR F77**

- 24756. *Hipparchia* (*Neohipparchia*) *statilinus burgeffi* (Forster,1951) (Satyridae)**
Synonym(s): *burgeffi* Forster,1951 - Range (in code): MK
- 24757. *Hipparchia* (*Neohipparchia*) *statilinus martianii* (Herrich-Schäffer,[1844]) (Satyridae)** Synonym(s): *martianii* Herrich-Schäffer,[1844]; *fatuaefromis* Verity,1919. Original Reference: *Satyrus statilinus martianii* Herrich-Schäffer,[1844], Syst. Bearb. Schmett. Eur. 1: 77, Taf.42 fig.190,191. Type(s): [Turkey]: Constantinopel (Istanbul). Range (in code): TR
- 24758. *Hipparchia* (*Neohipparchia*) *statilinus minutula* (Verity,1938) (Satyridae)**
Synonym(s): *minutula* Verity,1938. Original Reference: *Eumenis statilinus minutula* Verity,1938, Entomologist's Rec. J. Var. 50: (13). Syntypes: [Turkey: Konya Prov.]: Akchehir. Range (in code): TR
- 24759. *Hipparchia* (*Neohipparchia*) *statilinus statilinus* (Hufnagel,1766) (Satyridae)**
Synonym(s): *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc. Original Reference: *Papilio statilinus* Hufnagel,1766, Berl.Mag. 2:84. Type(s): [Germany]: Berlin. Range (in code): AT BE B-H BY CH CZ DE ES Mu FR HU HV IT LT NL PL PT RU Si SK SS UA YU Brd
- 24760. *Hipparchia* (*Neohipparchia*) *statilinus sylvicola* (Austaut,1880) (Satyridae)**
Synonym(s): *sylvicola* Austaut,1880; *cinerea* Oberthür,1907; *holli* Oberthür,1909; *lambessanus* Oberthür,1915; *cordieri* Chnéour,1950; *rungsii* Varin,1952 Original Reference: *Satyrus sylvicola* Austaut,1880, Naturaliste 2: 84. Syntypes 1♂ 1♀: [Algerie]: Sebdu (BMNH). Range (in code): DZ Sbd Eba Afl Btna Dja Lbs Blid MA Ifr TN Brd
- 24761. *Hipparchia* (*Neohipparchia*) *statilinus vanicola* (De Lattin,1950) (Satyridae)**
Synonym(s): *vanicola* De Lattin,1950 - Range (in code): TR
- 24762. *Hipparchia* (*Parahipparchia*) *aristaeus* (Bonelli,1826) (Satyridae)** Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. Original Reference: *Papilio aristaeus* Bonelli,1826, Mem. Accad. Sci. Torino 30: 177-179, Taf. 2 fig.1. Type(s): Italia: Sardinia, Genargentu (praeocc. by *Papilio aristaeus* Cramer,[1780]). Range (in code): MA Azr TN DZ Btna Lbs Clo Blid Saia Ges Co Sa Si El F2o IT FR TR Cc Bionomy: Larva on *Lygeum spartum* (Tolman,1997).
- 24763. *Hipparchia* (*Parahipparchia*) *aristaeus algericus* (Oberthür,1876) (Satyridae)**
Synonym(s): *algericus* Oberthür,1876 Original Reference: *Satyrus semele* var. *algorica* Oberthür,1876, Etüd. ent. comp. 1: 27. Syntypes: Algerié: Daya, Lambeze, Callo. Range (in code): MA Azr TN DZ Btna Lbs Clo Blid Saia Ges Bionomy: Larva on *Lygeum spartum* (Tolman,1997).
- 24764. *Hipparchia* (*Parahipparchia*) *aristaeus aristaeus* (Bonelli,1826) (Satyridae)**
Synonym(s): *aristaeus* Bonelli,1826; *sardoa* Spuler,1908; *rautheri* Krause,1912; *ichnusa* Hemming,1931; *algorica* auct. Original Reference: *Papilio aristaeus* Bonelli,1826, Mem. Accad. Sci. Torino 30: 177-179, Taf. 2 fig.1. Type(s): Italia: Sardinia, Genargentu (praeocc. by *Papilio aristaeus* Cramer,[1780]). Range (in code): Co Sa Si El F2o IT FR
- 24765. *Hipparchia* (*Parahipparchia*) *aristaeus blachieri* Fruhstorfer,1908 (Satyridae)**
Synonym(s): *blachieri* Fruhstorfer,1908; *siciliana* Oberthür,1915. - Range (in code): Si
- 24766. *Hipparchia* (*Parahipparchia*) *aristaeus senthes* (Fruhstorfer,1908) (Satyridae)**
Synonym(s): *senthes* Fruhstorfer,1908 Original Reference: *Eumenis* (*Satyrus*) *semele* ssp. *senthes* Fruhstorfer,1908, Int. ent. Z. 2(2): 10. Lectotype ♂: Greece: Taygetos Mt. (designated by Kudrna,1977: 116) (in BMHN). Range (in code): Ae AL BG Cr GR MK Rd TR Cc
- 24767. *Hipparchia* (*Parahipparchia*) *azorina* (Strecker,1899) (Satyridae)** Synonym(s): *azorina* Strecker,1899 Original Reference: *Satyrus azorinus* Strecker,1899, Lepidoptera, Rhopalocera and Heterocera indigenous and exotic, Suppl. 2: 3. Type: Azores. Range (in code): Az
- 24768. *Hipparchia* (*Parahipparchia*) *azorina azorina* (Strecker,1899) (Satyridae)**
Synonym(s): *azorina* Strecker,1899 Original Reference: *Satyrus azorinus* Strecker,1899, Lepidoptera, Rhopalocera and Heterocera indigenous and exotic, Suppl. 2: 3. Type: Azores. Range (in code): Az
- 24769. *Hipparchia* (*Parahipparchia*) *azorina barbara* Sousa,1985 (Satyridae)**
Synonym(s): *barbara* Sousa,1985 Original Reference: *Hipparchia azorina* ssp. *barbara* Sousa,1985, Bol. Soc. Port. Ent. Suppl.1: 378-379, figs. Holotype: Azor Isl. Terceira. Range (in code): Az
- 24770. *Hipparchia* (*Parahipparchia*) *azorina jorgense* Oehmig,1983 (Satyridae)**
Synonym(s): *jorgense* Oehmig,1983 Original Reference: *Hipparchia azorina* ssp. *jorgense*

- Oehmig, 1983, J. Res. lepid. 20 (3): 143-146, pl.1 figs. Holotype: Azor Isl. Sao Jorge. Range (in code): Az
- 24771. Hipparchia (Parahipparchia) azorina ohshimai (Esaki, 1936)** (Satyridae) Synonym(s): *ohshimai Esaki, 1936* Original Reference: Oeneis ohshimai Esaki, 1936: 483-485. (cf. Oehmig, 1983). Range (in code): Az
- 24772. Hipparchia (Parahipparchia) christenseni Kudrna, 1977** (Satyridae) Synonym(s): *christenseni Kudrna, 1977* Original Reference: Hipparchia christenseni Kudrna, 1977, Revision of the genus Hipparchia Fabricius: 80-82, figs. Holotype ♂: Greece: Insel Karpathos, Lastros Geb. (NHMW). Range (in code): GR Kar
- 24773. Hipparchia (Parahipparchia) christenseni christenseni Kudrna, 1977** (Satyridae) Synonym(s): *christenseni Kudrna, 1977* Original Reference: Hipparchia christenseni Kudrna, 1977, Revision of the genus Hipparchia Fabricius: 80-82, figs. Holotype ♂: Greece: Insel Karpathos, Lastros Geb. (NHMW). Range (in code): GR Kar
- 24774. Hipparchia (Parahipparchia) cretica (Rebel, 1916)** (Satyridae) Synonym(s): *cretica Rebel, 1916* Original Reference: Satyrus semele var. cretica Rebel, 1916, Annln naturh. Mus. Wien 30: 106. Type ♂: Creta. Range (in code): Cr
- 24775. Hipparchia (Parahipparchia) cretica cretica (Rebel, 1916)** (Satyridae) Synonym(s): *cretica Rebel, 1916* Original Reference: Satyrus semele var. cretica Rebel, 1916, Annln naturh. Mus. Wien 30: 106. Type ♂: Creta. Range (in code): Cr
- 24776. Hipparchia (Parahipparchia) cypriensis (Holik, 1949)** (Satyridae) Synonym(s): *cypriensis Holik, 1949* Original Reference: Satyrus semele ssp. cypriensis Holik, 1949, Z. Wien ent. Ges. 34: 99. Syntypes 10♂ 3♀: Zypern. Range (in code): CY
- 24777. Hipparchia (Parahipparchia) cypriensis cypriensis (Holik, 1949)** (Satyridae) Synonym(s): *cypriensis Holik, 1949* Original Reference: Satyrus semele ssp. cypriensis Holik, 1949, Z. Wien ent. Ges. 34: 99. Syntypes 10♂ 3♀: Zypern. Range (in code): CY
- 24778. Hipparchia (Parahipparchia) leighebi (Kudrna, 1976)** (Satyridae) Synonym(s): *leighebi Kudrna, 1976* Original Reference: Hipparchia semele ssp. leighebi Kudrna, 1976, Atalanta 7: 168. Holotype ♂: Italy: Messina Prov.: Isola di Vulcano. Range (in code): IT Lpr
- 24779. Hipparchia (Parahipparchia) leighebi leighebi (Kudrna, 1976)** (Satyridae) Synonym(s): *leighebi Kudrna, 1976* Original Reference: Hipparchia semele ssp. leighebi Kudrna, 1976, Atalanta 7: 168. Holotype ♂: Italy: Messina Prov.: Isola di Vulcano. Range (in code): IT Lpr
- 24780. Hipparchia (Parahipparchia) maderensis (Baker, 1891)** (Satyridae) Synonym(s): *maderensis Baker, 1891* Original Reference: Satyrus semele var. maderensis Baker, 1891, Trans. ent. Soc. Lond. 1891: 202. Type: Madeira. Range (in code): Md Bionomy: Larva on Holcus, Agrostis (Tolman, 1997).
- 24781. Hipparchia (Parahipparchia) maderensis maderensis (Baker, 1891)** (Satyridae) Synonym(s): *maderensis Baker, 1891* Original Reference: Satyrus semele var. maderensis Baker, 1891, Trans. ent. Soc. Lond. 1891: 202. Type: Madeira. Range (in code): Md Bionomy: Larva on Holcus, Agrostis (Tolman, 1997).
- 24782. Hipparchia (Parahipparchia) mersina (Staudinger, 1871)** (Satyridae) Synonym(s): *mersina Staudinger, 1871; malickyi Kudrna, 1977.* Original Reference: Satyrus semele var. mersina Staudinger, 1871, Cat. Lepid. eur. Faunengeb. (2): 28. Lectotype ♂: Türkei: Smyrna [Izmir] (Kudrna, 1977: 88). Range (in code): GR Sms TR
- 24783. Hipparchia (Parahipparchia) mersina mersina (Staudinger, 1871)** (Satyridae) Synonym(s): *mersina Staudinger, 1871; malickyi Kudrna, 1977.* Original Reference: Satyrus semele var. mersina Staudinger, 1871, Cat. Lepid. eur. Faunengeb. (2): 28. Lectotype ♂: Türkei: Smyrna [Izmir] (Kudrna, 1977: 88). Range (in code): GR Sms TR
- 24784. Hipparchia (Parahipparchia) miguelensis (Le Cerf, 1935)** (Satyridae) Synonym(s): *miguelensis Le Cerf, 1935* Original Reference: Satyrus azorinus ssp. miguelensis Le Cerf, 1935, Bull. Soc. ent. Fr. 40: 206-209, Pl.v figs. 1-5. Syntypes: Azores. Range (in code): Az
- 24785. Hipparchia (Parahipparchia) miguelensis miguelensis (Le Cerf, 1935)** (Satyridae) Synonym(s): *miguelensis Le Cerf, 1935* Original Reference: Satyrus azorinus ssp. miguelensis Le Cerf, 1935, Bull. Soc. ent. Fr. 40: 206-209, Pl.v figs. 1-5. Syntypes: Azores. Range (in code): Az

- 24786. Hipparchia (Parahipparchia) neapolitana (Stauder,1921)** (Satyridae) Synonym(s): *neapolitana* Stauder,1921 Original Reference: *Satyrus semele* ssp. *neapolitana* Stauder,1921, Dt. ent. Z., Iris 35: 29. Range (in code): **IT**
- 24787. Hipparchia (Parahipparchia) neapolitana neapolitana (Stauder,1921)** (Satyridae) Synonym(s): *neapolitana* Stauder,1921 Original Reference: *Satyrus semele* ssp. *neapolitana* Stauder,1921, Dt. ent. Z., Iris 35: 29. Range (in code): **IT**
- 24788. Hipparchia (Parahipparchia) neomiris (Godart,1822)** (Satyridae) Synonym(s): *neomiris* Godart,1822; *marmorae* Hübner,[1826]; *jolaus* Bonelli,1826; *saengeri* Krause,1912; *bipicta* Verity,1916. Original Reference: *Satyre* [sic!] *neomiris* Godart,1822, Hist. nat. Lepid. Pap. Fr. 2: 88. Type(s): France: Corse (Corsica). Range (in code): **Co**
- 24789. Hipparchia (Parahipparchia) neomiris neomiris (Godart,1822)** (Satyridae) Synonym(s): *neomiris* Godart,1822; *marmorae* Hübner,[1826]; *jolaus* Bonelli,1826; *saengeri* Krause,1912; *bipicta* Verity,1916. Original Reference: *Satyre* [sic!] *neomiris* Godart,1822, Hist. nat. Lepid. Pap. Fr. 2: 88. Type(s): France: Corse (Corsica). Range (in code): **Co**
- 24790. Hipparchia (Parahipparchia) occidentalis Sousa,1982** (Satyridae) Synonym(s): *occidentalis* Sousa,1982 Original Reference: *Hipparchia azorina* ssp. *occidentalis* Sousa,1982, Bol. Soc. Port. Ent., Suppl.A: 208-209, figs. Holotype: Azor Isl.: Flores. Range (in code): **Az**
- 24791. Hipparchia (Parahipparchia) occidentalis minima Sousa,1985** (Satyridae) Synonym(s): *minima* Sousa,1985 Original Reference: *Hipparchia azorina* ssp. *minima* Sousa,1985, Bol. Soc. Port. Ent., Suppl.1: 379-380, figs. Holotype: Azor Isl.: Corvo. Range (in code): **Az**
- 24792. Hipparchia (Parahipparchia) occidentalis occidentalis Sousa,1982** (Satyridae) Synonym(s): *occidentalis* Sousa,1982 Original Reference: *Hipparchia azorina* ssp. *occidentalis* Sousa,1982, Bol. Soc. Port. Ent., Suppl.A: 208-209, figs. Holotype: Azor Isl.: Flores. Range (in code): **Az**
- 24793. Hipparchia (Parahipparchia) pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. Original Reference: *Satyrus semele* ssp. *pellucida* Stauder,1924, Mitt. münch. ent. Ges. 14(1/5): 64-65. Lectotype ♂: [Azerbaijan]: Terter [Mir-Baschir] (designated by Kudrna,1977: 92) (in BMHN). Range (in code): **AM AZ Cm Cc GG GR Ika IQ IR Ab Ak Le TR Arr UA**
- 24794. Hipparchia (Parahipparchia) pellucida pellucida (Stauder,1924)** (Satyridae) Synonym(s): *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. Original Reference: *Satyrus semele* ssp. *pellucida* Stauder,1924, Mitt. münch. ent. Ges. 14(1/5): 64-65. Lectotype ♂: [Azerbaijan]: Terter [Mir-Baschir] (designated by Kudrna,1977: 92) (in BMHN). Range (in code): **Cc AM AZ Cm CY GG GR Ika IQ IR Ab Ak Le TR Arr UA**
- 24795. Hipparchia (Parahipparchia) sbordonii Kudrna,1984** (Satyridae) Synonym(s): *sbordonii* Kudrna,1984
- 24796. Hipparchia (Parahipparchia) sbordonii sbordonii Kudrna,1984** (Satyridae) Synonym(s): *sbordonii* Kudrna,1984
- 24797. Hipparchia (Parahipparchia) semele (Linnaeus,1758)** (Satyridae) Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *scota* Verity,1911; *tristis* Wahlgren,1913; *angliae* Verity,1924; *anglorum* Verity,1924; *thyone* Thompson,1944; *clarensis* Lattin,1952, etc. Original Reference: *Papilio semele* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 474. Type(s): Sweden. Lectotype ♀: S. Sweden (LSL), designated by Kudrna,1977: 63). Range (in code): **AL AT BE BG B-H BY CH CZ DE DK EE ES Mu Etn FI FR GB HU HV IE IT Lpr LT LU LV NL NO PL PT RO RU SE Si SK SS UA YU Cw Dv Smt H-W Sur Ssx Ken** Bionomy: Larva on *Festuca ovina*, *Koeleria pyramidata*, *Agrostis curtisii*, *Phleum phleoides*, *Ammophila arenaria*, *Deschampsia cespitosa*, *Vulpia myuros*, *Aira praecox*, *Elymus repens*, *Bromus erectus*, *Briza media*, *Sesleria albicans*, *Lolium perenne* (Tolman,1997).
- 24798. Hipparchia (Parahipparchia) semele cadmus (Fruhstorfer,1908)** (Satyridae) Synonym(s): *cadmus* Fruhstorfer,1908; *teres* Fruhstorfer,1908; *subcinericea* Ribbe,1909; *blachieroides* Stauder,1921; *neapolitana* Stauder,1921; *polydorus* Stauder,1922; *apenninigena* Verity,1923; *paeninsulitaliae* Verity,1924; *martire* Sagarra,1930. Original Reference: *Eumenis semele* ssp. *cadmus* Fruhstorfer,1908, Int. ent. Z. : 9. Syntypes: Österreich: Südt.rol: Klausen; Schweiz: Simplon, Zermatt, Genf. Range (in code): **AT CH FR IT Trl Va**
- 24799. Hipparchia (Parahipparchia) semele semele (Linnaeus,1758)** (Satyridae) Synonym(s): *semele* Linnaeus,1758; *danae* Hufnagel,1766; *vulgaris* Zeller,1847; *anopenopterus* Lambrichs,1875; *diffusa* Butler,1880; *teres* Fruhst.,1908; *subcinericea* Ribbe,1909; *scota* Verity,1911; *tristis* Wahlgren,1913;

polydorus Stauder, 1922; angliæ Verity, 1924, etc.

Original Reference: *Papilio semele* Linnaeus, 1758,

Syst. Nat. (Edn. 10) 1: 474. Type(s): Sweden. Lectotype ♀: S. Sweden (LSL), designated by Kudrna, 1977: 63). Range (in code): **AL AT BE BG B-H Bw BY CH CZ DE DK EE ES Mu FI FR GB HU HV IE IT LT LU LV NL NO PL PT RO Rp RU SE SK SS UA YU Cw Dv Smt H-W Sur Ssx Ken**

24800. Hipparchia (Parahipparchia) semele subcinericea (Ribbe, 1910) (Satyridae)

Synonym(s): *subcinericea* Ribbe, 1910

Original Reference: *Satyrus semele* var. *subcinericea*

Ribbe, 1910, Dt. ent. Z., Iris 23: 159-160. Syntypes: Spanien: Alhambra, Granada. Range (in code): **ES Mu**

24801. Hipparchia (Parahipparchia) semele wilkinsoni Kudrna, 1977 (Satyridae)

Synonym(s): *wilkinsoni* Kudrna, 1977

Original Reference: *Hipparchia* (Parahipparchia) *semele*

ssp. *wilkinsoni* Kudrna, 1977, A Revision of the genus *Hipparchia* Fabricius: 66. Holotype ♂: Italia: Sicily, catania Mt. Etna 1650m. Range (in code): **Etn Si**

24802. Hipparchia (Parahipparchia) turcmenica (Heydemann, 1942) (Satyridae)

Synonym(s): *turcmenica* Heydemann, 1942

Original Reference: *Satyrus semele turcmenica*

Heydemann, 1942, Dt. ent. Z., Iris 55: 94. Type ♂: Turkmenistan: Aschabad. Range (in code): **IR Kp Kh TM**

24803. Hipparchia (Parahipparchia) turcmenica turcmenica (Heydemann, 1942)

(Satyridae) Synonym(s): *turcmenica* Heydemann, 1942

Original Reference: *Satyrus semele*

turcmenica Heydemann, 1942, Dt. ent. Z., Iris 55: 94. Type ♂: Turkmenistan: Aschabad. Range (in code): **IR Kp Kh TM**

24804. Hipparchia (Parahipparchia) volgensis (Mazochin-Porshnjakov, 1952)

(Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov, 1952

Original Reference: *Satyrus semele*

race *volgensis* Mazochin-Porshnjakov, 1952, Zool. Zh. 31(2): 288. Syntypes: [Russia]: Stalingrad. Lectotype ♂: Stalingrad [Wolgograd] (designated by Kudrna, 1977: 74) (in ZMMU). Range (in code): **AL Ao BG GR Ko MK RU Sm Sr TR VI YU**

24805. Hipparchia (Parahipparchia) volgensis delattini Kudrna, 1975 (Satyridae)

Synonym(s): *delattini* Kudrna, 1975; *muelleri* Kudrna, 1975.

Original Reference: *Hipparchia delattini*

Kudrna, 1975, Entomologist's Gaz. 26: 198-199, figs. 1, 2, 5. Holotype ♂: Yugoslavia: Kosovo, Grmija, 700m (in SMNK). Range (in code): **AL BG GR Ko MK TR YU**

24806. Hipparchia (Parahipparchia) volgensis volgensis (Mazochin-Porshnjakov, 1952)

(Satyridae) Synonym(s): *volgensis* Mazochin-Porshnjakov, 1952

Original

Reference: *Satyrus semele* race *volgensis* Mazochin-Porshnjakov, 1952, Zool. Zh. 31(2): 288. Syntypes: [Russia]: Stalingrad. Lectotype ♂: Stalingrad [Wolgograd] (designated by Kudrna, 1977: 74) (in ZMMU). Range (in code): **Ao RU Sm Sr VI**

24807. Hipparchia (Pseudotergumia) bacchus (Higgins, 1967) (Satyridae) Synonym(s):

bacchus Higgins, 1967

Original Reference: *Pseudotergumia wyssii* ssp. *bacchus* Higgins, 1967,

Entomologist 100: 171. Holotype ♂: Canary Islands: Hiero: Frontera, 300m. Range (in code): **Cn Hi**

24808. Hipparchia (Pseudotergumia) bacchus bacchus (Higgins, 1967) (Satyridae)

Synonym(s): *bacchus* Higgins, 1967

Original Reference: *Pseudotergumia wyssii* ssp. *bacchus*

Higgins, 1967, Entomologist 100: 171. Holotype ♂: Canary Islands: Hiero: Frontera, 300m. Range (in code): **Cn Hi**

24809. Hipparchia (Pseudotergumia) fidia (Linnaeus, 1767) (Satyridae) Synonym(s): *fidia*

Linnaeus, 1767; *albovenosa* Austaut, 1885; *paleia* Fruhstorfer, 1908; *velleia* Fruhstorfer, 1908; *minor* Oberthür, 1909; *hebitis* Rothschild, 1917; *intermedia* Rothschild, 1917; *minerva* Hemming, 1934; *kandarica* Varin, 1953; *benimquildi* Varin, 1953; *splendum* Varin, 1958; *balearica* Perceval, 1975; *arseniae* Gomez-Bustillo, 1977

Original

Reference: *Papilio fidia* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 770, nr. 138. Range (in code): **B-I**

DZ Afl Eba Sbd Clo ES Mu Mu18 FR IT MA PT TN Dhm Btina Cst Agi Orn Ges Dzc Bionomy: Larva on *Cynodon dactylon*, *Dactylus glomerata*, *Brachypodium*, *Poa annua*, *P. pratensis*, *Milium multiflorum*, *Oryzopsis* (Oberthür, 1915; et seq.).

24810. Hipparchia (Pseudotergumia) fidia fidia (Linnaeus, 1767) (Satyridae) Synonym(s):

fidia Linnaeus, 1767; *albovenosa* Austaut, 1885; *paleia* Fruhstorfer, 1908; *velleia* Fruhstorfer, 1908; *minor* Oberthür, 1909; *hebitis* Rothschild, 1917; *intermedia* Rothschild, 1917; *minerva* Hemming, 1934; *kandarica* Varin, 1953; *benimquildi* Varin, 1953; *splendum* Varin, 1958; *balearica* Perceval, 1975; *arseniae* Gomez-Bustillo, 1977

Original Reference: *Papilio fidia* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 770, nr. 138. Range (in code): **DZ Eba Afl Sbd Clo ES Mu Mu18 FR IT MA PT TN Dhm Btina Cst Agi Orn Ges Dzc**

- 24811. Hipparchia (Pseudotergumia) gomera (Higgins,1967)** (Satyridae) Synonym(s): *gomera Higgins,1967* Original Reference: *Pseudotergumia wyssii* ssp. *gomera* Higgins,1967, Entomologist 100: 170. Holotype ♂: Canary Islands: Gomera. Range (in code): **Cn Gmr**
- 24812. Hipparchia (Pseudotergumia) gomera gomera (Higgins,1967)** (Satyridae) Synonym(s): *gomera Higgins,1967* Original Reference: *Pseudotergumia wyssii* ssp. *gomera* Higgins,1967, Entomologist 100: 170. Holotype ♂: Canary Islands: Gomera. Range (in code): **Cn Gmr**
- 24813. Hipparchia (Pseudotergumia) pisidice (Klug,1832)** (Satyridae) Synonym(s): *pisidice Klug,1832* Original Reference: *Hipparchia pisidice* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins.3:pl.29,figs.9-10. Syntypes: [Egypt]:Sinai. Neotype: Israel: Wadi Shag. Range (in code): **TR EG Sn JO IL Pa Hf LB Bei SY**
- 24814. Hipparchia (Pseudotergumia) pisidice pisidice (Klug,1832)** (Satyridae) Synonym(s): *pisidice Klug,1832* Original Reference: *Hipparchia pisidice* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins.3:pl.29,figs.9-10. Syntypes: [Egypt]:Sinai. Neotype: Israel: Wadi Shag. Range (in code): **TR EG Sn JO IL Pa Hf LB Bei SY**
- 24815. Hipparchia (Pseudotergumia) tewfiki (Wiltshire,1949)** (Satyridae) Synonym(s): *tewfiki Wiltshire,1949* Original Reference: *Eumenis tewfiki* Wiltshire,1949, Bull. Soc. Fouad I Ent. 33: 353-355, figs.1-5. Holotype ♂: [Yemen]: Arif, Arabia (leg.Philby,1936) (BMNH). Range (in code): **Ad As SA YE**
- 24816. Hipparchia (Pseudotergumia) tewfiki tewfiki (Wiltshire,1949)** (Satyridae) Synonym(s): *tewfiki Wiltshire,1949* Original Reference: *Eumenis tewfiki* Wiltshire,1949, Bull. Soc. Fouad I Ent. 33: 353-355, figs.1-5. Holotype ♂: [Yemen]: Arif, Arabia (leg.Philby,1936) (BMNH). Range (in code): **Ad As SA YE**
- 24817. Hipparchia (Pseudotergumia) tilosi (Manil,1984)** (Satyridae) Synonym(s): *tilosi Manil,1984* Range (in code): **Plm**
- 24818. Hipparchia (Pseudotergumia) tilosi tilosi (Manil,1984)** (Satyridae) Synonym(s): *tilosi Manil,1984* Range (in code): **Plm**
- 24819. Hipparchia (Pseudotergumia) wyssii (Christ,1889)** (Satyridae) Synonym(s): *wyssii Christ,1889* Original Reference: *Satyrus fidia wyssii* Christ,1889, Mitt. schweiz. ent. Ges. 8: 98. Lectotype ♀: Canary Islands: Teneriffa, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 161 (NHMB). Range (in code): **Cn Tf**
- 24820. Hipparchia (Pseudotergumia) wyssii tamadabae (Owen & Smith,1992)** (Satyridae) Synonym(s): *tamadabae Owen & Smith,1992* Range (in code): **Cn**
- 24821. Hipparchia (Pseudotergumia) wyssii wyssii (Christ,1889)** (Satyridae) Synonym(s): *wyssii Christ,1889* Original Reference: *Satyrus fidia wyssii* Christ,1889, Mitt. schweiz. ent. Ges. 8: 98. Lectotype ♀: Canary Islands: Teneriffa, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 161 (NHMB). Range (in code): **Cn Tf**
- 24822. Hipparchia (s.str.) alcyone ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *alcyone [Denis & Schiffermüller],1775; jurtina Hufnagel,1766 nec Linnaeus,1758; hermione Linnaeus,1767 nec Linnaeus,1764; aelia Hoffmannsegg,1804; odilo Fruhstorfer,1908; sogdiana Fruhstorfer,1910; caeca Hannemann,1931, #faronica Varin,1963.* Original Reference: *Papilio alcyone* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district. Range (in code): **AT BY CH MA Azr Lkr Ifr Rf DE ES Mu FR HU IT LT LU LV NO PL PR RU Si SK So Sr UA LAT Wn** Bionomy: Larva on *Brachypodium sylvaticum*, *B. pinnatum*, *Festuca ovina* (Tolman,1997).
- 24823. Hipparchia (s.str.) alcyone alcyone ([Denis & Schiffermüller],1775)** (Satyridae) Synonym(s): *alcyone [Denis & Schiffermüller],1775; jurtina Hufnagel,1766 nec Linnaeus,1758; hermione Linnaeus,1767 nec Linnaeus,1764; aelia Hoffmannsegg,1804; odilo Fruhstorfer,1908; sogdiana Fruhstorfer,1910; caeca Hannemann,1931, #faronica Varin,1963.* Original Reference: *Papilio alcyone* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 169. Type(s): [Austria]: Vienna district. Range (in code): **AT BY CH CZ DE ES FR HU IT LT LU LV NO PL PR RU Si SK So Sr UA LAT Wn**
- 24824. Hipparchia (s.str.) alcyone caroli (Rothschild,1933)** (Satyridae) Synonym(s): *maroccana Oberthür,1920 nec Meade-Waldo,1906; caroli Rothschild,1933 [June]; natasha Hemming,1933 [December].* Original Reference: *Satyrus (Nytha) alcyone caroli* Rothschild,1933, Novit. zool. 38: 318 (nomen novum pro *maroccana* Obth.,1920 nec Meade-Waldo,1906). Lectotype ♂ (*maroccana*): Morocco: M.Atlas Mts., selected by Kudrna,1977: 33 (BMNH). Range (in code): **MA Rf Azr Lkr Ifr**

- 24825. *Hipparchia* (s.str.) *alcyone pyrenaica* (Oberthür,1894)** (Satyridae) Synonym(s): *pyrenaica* Oberthür,1894; *pyrenaica* Ribbe,1909. Range (in code): **FR Py**
- 24826. *Hipparchia* (s.str.) *alcyone vandalusica* (Oberthür,1894)** (Satyridae) Synonym(s): *vandalusica* Oberthür,1894; *#vernetensis* Oberthür,1894; *vipsania* Fruhstorfer,1908; *murciana* Ribbe,1909; *ibarrae* Agenjo,1961; *graellsii* Agenjo,1961; *ochrea* Agenjo,1961; *pardoi* Agenjo,1961. Range (in code): **ES Mu FR**
- 24827. *Hipparchia* (s.str.) *autonoe* (Esper,[1783])** (Satyridae) Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937. Original Reference: *Papilio autonoe* Esper,[1783], Die Schmett. 2: Pl.86. Type(s): [Russia]. Neotype ♂: Russia or.:Saratow: Sarepta (=Krasnoarmeysk) designated by Kudrna, 1977: 48. Range (in code): **Aa Am At Bn Kts Ba Bm Bs Cb CN Db Ka KG KK KP Kw MN Mn No Om Or Pw RU Sb Sm So Sp Sr Tk T-S Ui Uk Sau Tar DsA Ket TeA KuA TrA Ax Tu Ju Kml** Bionomy: Poa (Gorbunov & Korshunov, 1995).
- 24828. *Hipparchia* (s.str.) *autonoe autonoe* (Esper,[1783])** (Satyridae) Synonym(s): *autonoe* Esper,[1783]; *sibirica* Staudinger,1861; *extrema* Alpheraky,1889; *chinensis* Seok,1937. Original Reference: *Papilio autonoe* Esper,[1783], Die Schmett. 2: Pl.86. Type(s): [Russia]. Neotype ♂: Russia or.:Saratow: Sarepta (=Krasnoarmeysk) designated by Kudrna, 1977: 48. Range (in code): **Am At Bn Kts Ba Bm Bs Cb CN Db Ka KG KK KP Kw MN Mn No Om Or Pw RU Sb Sm So Sp Sr Uk Sau Tar**
- 24829. *Hipparchia* (s.str.) *autonoe celaeno* (Leech,1892)** (Satyridae) Synonym(s): *celaeno* Leech,1892 Original Reference: *Satyrus autonoe celaeno* Leech,1892, Butts. China Japan Korea 1: 69. Holotype ♂: [China]: Tibet: Hou-kow [=Hokou]. Range (in code): **CN Sz Ti**
- 24830. *Hipparchia* (s.str.) *autonoe maxima* (O.Bang-Haas,1933)** (Satyridae) Synonym(s): *maxima* O.Bang-Haas,1933; *manchurica* Minoura,1941. Original Reference: *Satyrus autonoe* ssp. *maxima* Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 98. Syntypes: [China]: Kansu mer.: Lihsien: Kialing River. Range (in code): **CN Gn Mc**
- 24831. *Hipparchia* (s.str.) *autonoe orchomenus* (Fruhstorfer,1911)** (Satyridae) Synonym(s): *orchomenus* Fruhstorfer,1911 Original Reference: *Eumenis autonoe* ssp. *orchomenus* Fruhstorfer,1911, Satyridae, [in] Seitz, Gross-Schmett. Erde 9: 308. Syntypes: Tienshan. Range (in code): **T-S KG Aa KK CN Ui Ju Kml DsA Ket TeA KuA TrA Ax Tu**
- 24832. *Hipparchia* (s.str.) *autonoe zezutonis* (Seok,1934)** (Satyridae) Synonym(s): *zezutonis* Seok,1934 Original Reference: *Satyrus autonoe zezutonis* Seok,1934, Bull. Kagoshima imp. Coll. Agric. For. 1: 710. Holotype ♂: Korea: Quelpart Is. [=Cheju-do]. Range (in code): **KR**
- 24833. *Hipparchia* (s.str.) *ellena* (Oberthür,1894)** (Satyridae) Synonym(s): *ellena* Oberthür,1894 Original Reference: *Satyrus alcyone* f. *ellena* Oberthür,1894, Etud. d'Ent. 19: 19, pl.7 fig.57. Lectotype ♂: Algérie: env. de Bone, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 36 (BMNH). Range (in code): **DZ BtNa Lbs Cré Dju Anna TN Blid DhM Agi** Bionomy: Larva on *Brachypodium ramosum* (Tolman,1997).
- 24834. *Hipparchia* (s.str.) *ellena ellena* (Oberthür,1894)** (Satyridae) Synonym(s): *ellena* Oberthür,1894 Original Reference: *Satyrus alcyone* f. *ellena* Oberthür,1894, Etud. d'Ent. 19: 19, pl.7 fig.57. Lectotype ♂: Algérie: env. de Bone, designated by Kudrna,1977, Revision of the genus *Hipparchia* Fabricius: 36 (BMNH). Range (in code): **DZ BtNa Lbs Cré Dju Anna TN Blid DhM Agi**
- 24835. *Hipparchia* (s.str.) *fagi* (Scopoli,1763)** (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orpnia* Fruhstorfer,1908; *sigurdrija* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963. Original Reference: *Papilio fagi* Scopoli,1763, Ent. Carn.: 152. Neotype ♂: Slovenia: Kravice (Kudrna,1977: 21). Range (in code): **AL Ao AT Ba BE BG B-H BY CH CZ DE ES FR GR HU HV IT Kr LU MK NL PL RO RU Si SK Sm So Sr SS UA VI YU TR** Bionomy: Larva on *Bromus erectus*, *Festuca rubra*, *Brachypodium pinnatum* (Tolman,1997).
- 24836. *Hipparchia* (s.str.) *fagi fagi* (Scopoli,1763)** (Satyridae) Synonym(s): *fagi* Scopoli,1763; *hermione* Linnaeus,1764; *silene* Fourcroy,1785; *orpnia* Fruhstorfer,1908; *sigurdrija* Fruhstorfer,1908; *aturia* Fruhstorfer,1910; *albifera* Fruhstorfer,1910; *alcyoniformis* Verity,1911; *sicula* Schwingenschuß,1942; *fuixiensis* Varin,1963. Original Reference: *Papilio fagi* Scopoli,1763, Ent. Carn.: 152. Neotype ♂: Slovenia: Kravice (Kudrna,1977: 21). Range (in code): **AL AT BE BG B-H Bw BY CH CZ DE ES FR GR HU HV IT Kr LU MK NL PL RO RU Si SK Sm So Sr SS UA VI YU TR**
- 24837. *Hipparchia* (s.str.) *fagi tetrica* (Fruhstorfer,1907)** (Satyridae) Synonym(s): *tetrica* Fruhstorfer,1907 Original Reference: *Satyrus hermione* ssp. *tetrica* Fruhstorfer,1907, Int. ent. Z. 1: 208. Syntypes: Russland: Saratow. Range (in code): **RU Sr**
- 24838. *Hipparchia* (s.str.) *genava* (Fruhstorfer,1908)** (Satyridae) Synonym(s): *genava* Fruhstorfer,1908; *vivilo* Fruhstorfer,1908; *latevittata* Verity,1911; *remota* Verity,1911; *elesyika* Varin,1958;

- sigurdrixa* sensu Varin, 1963 (cf. Leraut, 1990, Ent. gall. 2(1): 8-19). Original Reference: *Eumenis fagi* ssp. *genava* Fruhstorfer, 1908, Ent. Wbl. 25: 81. Syntypes: Wallis. Range (in code): **CH FR Va**
- 24839. Hipparchia (s.str.) genava genava (Fruhstorfer, 1908)** (Satyridae) Synonym(s): *genava* Fruhstorfer, 1908; *vivilo* Fruhstorfer, 1908; *latevittata* Verity, 1911; *remota* Verity, 1911; *elesyka* Varin, 1958; *sigurdrixa* sensu Varin, 1963 (cf. Leraut, 1990, Ent. gall. 2(1): 8-19). Original Reference: *Eumenis fagi* ssp. *genava* Fruhstorfer, 1908, Ent. Wbl. 25: 81. Syntypes: Wallis. Range (in code): **CH FR Va**
- 24840. Hipparchia (s.str.) syriaca (Staudinger, 1871)** (Satyridae) Synonym(s): *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959. Original Reference: *Satyrus hermione* var. *syriaca* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 27. Lectotype ♂: [Lebanon]: Beirut (Kudrna, 1977:40). Range (in code): **Ae AL BG B-H CY GR HV IQ IR Ab LB Bei MK Rd RO TR Cc YU SY**
- 24841. Hipparchia (s.str.) syriaca cypriaca (Staudinger, 1878)** (Satyridae) Synonym(s): *cypriaca* Staudinger, 1878 Original Reference: *Satyrus hermione* var. *cypriaca* Staudinger, 1878, Hoare Soc. ent. ross. 14: 274. Syntypes: Cypren. Range (in code): **CY**
- 24842. Hipparchia (s.str.) syriaca ghigii Turati, 1929** (Satyridae) Synonym(s): *ghigii* Turati, 1929 Original Reference: *Satyrus hermione* f. *ghigii* Turati, 1929, Arch. zool. ital. 13(1/2): 179. Syntypes: [Greece]: Rhodus, Pighes, Profeta Elia. Neotype ♂: Rhodos: Koumouli 350m (designated by Kudrna, 1977: 45). Range (in code): **Rd**
- 24843. Hipparchia (s.str.) syriaca syriaca (Staudinger, 1871)** (Satyridae) Synonym(s): *syriaca* Staudinger, 1871; *attikana* Fruhstorfer, 1907; *meschetica* Jachontov, 1915; *tokatensis* Gross, 1959. Original Reference: *Satyrus hermione* var. *syriaca* Staudinger, 1871, Cat. Lepid. Eur. Faunengeb. (2): 27. Lectotype ♂: [Lebanon]: Beirut (Kudrna, 1977:40). Range (in code): **Ae AL BG B-H GR HV IR Ab IQ LB Bei MK RO TR Cc YU SY**
- 24844. Houlbertia andrivola (Mabille, 1877)** (Satyridae) Synonym(s): *andrivola* Mabille, 1877 Range (in code): **MG**
- 24845. Houlbertia andrivola andrivola (Mabille, 1877)** (Satyridae) Synonym(s): *andrivola* Mabille, 1877 Range (in code): **MG**
- 24846. Houlbertia cingulina (Mabille, 1880)** (Satyridae) Synonym(s): *cingulina* Mabille, 1880 Range (in code): **MG**
- 24847. Houlbertia cingulina cingulina (Mabille, 1880)** (Satyridae) Synonym(s): *cingulina* Mabille, 1880 Range (in code): **MG**
- 24848. Houlbertia erebennis Oberthür, 1916** (Satyridae) Synonym(s): *erebennis* Oberthür, 1916 Range (in code): **MG**
- 24849. Houlbertia erebennis erebennis Oberthür, 1916** (Satyridae) Synonym(s): *erebennis* Oberthür, 1916 Range (in code): **MG**
- 24850. Houlbertia masikora (Mabille, 1877)** (Satyridae) Synonym(s): *masikora* Mabille, 1877 Range (in code): **MG**
- 24851. Houlbertia masikora masikora (Mabille, 1877)** (Satyridae) Synonym(s): *masikora* Mabille, 1877 Range (in code): **MG**
- 24852. Houlbertia narova (Mabille, 1877)** (Satyridae) Synonym(s): *narova* Mabille, 1877 Range (in code): **MG**
- 24853. Houlbertia narova narova (Mabille, 1877)** (Satyridae) Synonym(s): *narova* Mabille, 1877 Range (in code): **MG**
- 24854. Houlbertia passandava (Ward, 1871)** (Satyridae) Synonym(s): *passandava* Ward, 1871 Range (in code): **MG**
- 24855. Houlbertia passandava passandava (Ward, 1871)** (Satyridae) Synonym(s): *passandava* Ward, 1871 Range (in code): **MG**
- 24856. Houlbertia perdita (Butler, 1878)** (Satyridae) Synonym(s): *perdita* Butler, 1878 Range (in code): **MG**
- 24857. Houlbertia perdita perdita (Butler, 1878)** (Satyridae) Synonym(s): *perdita* Butler, 1878 Range (in code): **MG**
- 24858. Houlbertia wardii (Mabille, 1877)** (Satyridae) Synonym(s): *wardii* Mabille, 1877 Range (in code): **MG**
- 24859. Houlbertia wardii wardii (Mabille, 1877)** (Satyridae) Synonym(s): *wardii* Mabille, 1877 Range (in code): **MG**
- 24860. Hyponephele (s.str. (Caspinephele)) dysdora (Lederer, 1869)** (Satyridae) Synonym(s): *dysdora* Lederer, 1869; # *dystora* Eckweiler & Hofmann, 1980. Original Reference: *Epinephele dysdora* Lederer, 1869, Horae Soc. ent. ross. 6: 85-86. Syntypes 6♂♂: [Iran]: Persien:

- Astrabad. Lectotype ♂: "Hadschyabad" (designated by Lukhtanov,1994, Herbiopoliana 3: 127 (ZMHUB). Range (in code): TJ AF Hr CN IR Elb Th Kp Kh TM Ui Aa Db KG KK Ky Tk T-S Ax Syr Tm DsA Ket Bog Tu KuA TrA Sau Tar Sju T-I Pm UZ
- 24861. Hyponephele (s.str. (Caspinephele)) dysdora dysdora (Lederer,1869)** (Satyridae) Synonym(s): *dysdora Lederer,1869*; # *dystora Eckweiler & Hofmann,1980*. Original Reference: Epinephele dysdora Lederer,1869, Horae Soc. ent. ross. 6: 85-86. Syntypes 6♂♀: [Iran]: Persien: Astrabad. Lectotype ♂: "Hadschyabad" (designated by Lukhtanov,1994, Herbiopoliana 3: 127 (ZMHUB). Range (in code): IR Elb Th AF TM Kp
- 24862. Hyponephele (s.str. (Caspinephele)) dysdora dysdorina (Heyne,[1894])** (Satyridae) Synonym(s): *dysdorina Heyne,[1894]*; # *dysodorina Wagner,1913*. Original Reference: Epinephele dysdora var. dysdorina Heyne,[1894], [in] Rühl,F., Die palaearkt. Grossschmett. Naturg. 1: 589. Type(s): Tura. Neotype ♂: xxxx designated by Koçak & Kemal,2001, Priamus 10 (3/4): xxx (in coll.Cesa). Range (in code): AF Hr Aa Db KG KK Ky Tk T-S Ax Syr Tm DsA Ket Bog Tu KuA TrA Sau Tar Sju
- 24863. Hyponephele (s.str. (Caspinephele)) dysdora iparkhan Koçak & Kemal,2001** (Satyridae) Synonym(s): *dysdorina sensu Samodurov et al., 1996 nec Heyn,[1894]*; *iparkhan Koçak & Kemal,2001*. Original Reference: Hyponephele (s.str. (Caspinephele)) dysdora ssp. iparkhan Koçak & Kemal,2001, Priamus 10 (3/4): 129. Nomen novum pro dysdorina sensu Samodurov et al., 1996, Atalanta 27 (1/2): 228-234, figs. Holotype ♂: Peter-I. Gebk., Darai-Nasarak. Range (in code): TJ Pm TM UZ
- 24864. Hyponephele (s.str. (Caspinephele)) murzini Dubatolov,1989** (Satyridae) Synonym(s): *murzini Dubatolov,1989* Original Reference: Hyponephele murzini Dubatolov,1989, Proc. zool. Inst. USSR 200: 139, fig.7. Holotype ♂: Uzbekistan: Kuraminski-Gebirge: Kamtschik-Pass. Range (in code): UZ
- 24865. Hyponephele (s.str. (Caspinephele)) murzini murzini Dubatolov,1989** (Satyridae) Synonym(s): *murzini Dubatolov,1989* Original Reference: Hyponephele murzini Dubatolov,1989, Proc. zool. Inst. USSR 200: 139, fig.7. Holotype ♂: Uzbekistan: Kuraminski-Gebirge: Kamtschik-Pass. Range (in code): UZ
- 24866. Hyponephele (s.str. (Caspinephele)) prasolovi Lukhtanov,1990** (Satyridae) Synonym(s): *prasolovi Lukhtanov,1990* Original Reference: Hyponephele prasolovi Lukhtanov,1990, Vestn. zool. 1990 (6): 17-18, figs. Holotype ♂: Tadjikistan: Ghissar mountain range: Varzhob valley, Siama 2600m. Range (in code): His TJ
- 24867. Hyponephele (s.str. (Caspinephele)) prasolovi prasolovi Lukhtanov,1990** (Satyridae) Synonym(s): *prasolovi Lukhtanov,1990* Original Reference: Hyponephele prasolovi Lukhtanov,1990, Vestn. zool. 1990 (6): 17-18, figs. Holotype ♂: Tadjikistan: Ghissar mountain range: Varzhob valley, Siama 2600m. Range (in code): His TJ
- 24868. Hyponephele (s.str. (Caspinephele)) tristis (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *tristis Groum-Grshimailo,1893*; *leontyi Shchetkin,1979*. Original Reference: Epinephele dysdora var. tristis Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 128. Syntypes: Turkestan: montium Hissariensium (Iskander-kul, fluv. Jagnob, etc.). Range (in code): TJ UZ
- 24869. Hyponephele (s.str. (Caspinephele)) tristis tristis (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *tristis Groum-Grshimailo,1893*; *leontyi Shchetkin,1979*. Original Reference: Epinephele dysdora var. tristis Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 128. Syntypes: Turkestan: montium Hissariensium (Iskander-kul, fluv. Jagnob, etc.). Range (in code): TJ
- 24870. Hyponephele (s.str. (Caspinephele)) tristis tshikolovetsi Samodurov,1996** (Satyridae) Synonym(s): *tshikolovetsi Samodurov,1996* Original Reference: Hyponephele tristis ssp. tshikolovetsi Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 34-35, Abb., Holotype ♂: Usbekistan: Gissaro-Alaj, Turkestanski-Gebirgskette, Kischlak, Shum-Shum, 1600m. Range (in code): UZ
- 24871. Hyponephele (s.str. (Coenonephele)) coenonympha (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *coenonympha C.Felder & R.Felder,[1867]* Original Reference: Epinephele coenonympha C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 492, Tab.lxix figs.12,13. Syntypes ♂: Himalaya occidentalis: Ladak: Suroo. Range (in code): Bt Bzl Ch Gl P-P
- 24872. Hyponephele (s.str. (Coenonephele)) coenonympha coenonympha (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *coenonympha C.Felder & R.Felder,[1867]* Original Reference: Epinephele coenonympha C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep.

- Rhop. (3): 492, Tab.lxix figs.12,13. Syntypes ♂: Himalaya occidentalis: Ladak: Suroo. Range (in code): Bt Bzl Ch Gl P-P
- 24873. Hyponephele (s.str. (Ereminephele)) capella (Christoph,1877)** (Satyridae)
Synonym(s): *capella Christoph,1877* Original Reference: Epinephele capella Christoph,1877, Horae Soc. ent. ross. 12: 241-243, pl.5,6 figs. Syntypes: [Iran]: Nord Persien. Range (in code): IR Elb By Bk TM Kp UZ AF Kab Pag Kbb Pnj Bd Shv TJ Pm
- 24874. Hyponephele (s.str. (Ereminephele)) capella capella (Christoph,1877)** (Satyridae) Synonym(s): *capella Christoph,1877* Original Reference: Epinephele capella Christoph,1877, Horae Soc. ent. ross. 12: 241-243, pl.5,6 figs. Syntypes: [Iran]: Nord Persien. Range (in code): IR Elb TM Kp
- 24875. Hyponephele (s.str. (Ereminephele)) capella dena Skala,2003** (Satyridae)
Synonym(s): *dena Skala,2003* Original Reference: Hyponephele cadusia ssp. dena Skala,2003, Linneana Belg. 19 (1): 41-44, figs. Holotype ♂: Iran: Boyer Ahmad, Kuh-e-Dena 3700-4000m, 16-17.vii.2001, leg. Skala (ZSM). Range (in code): IR By Bk
- 24876. Hyponephele (s.str. (Ereminephele)) capella eitschbergeri Kesküla,1998** (Satyridae) Synonym(s): *eitschbergeri Kesküla,1998* Original Reference: Hyponephele capella ssp. eitschbergeri Kesküla,1998, Neue ent. Nachr. 41: 201-202, pl. figs.3-5. Holotype ♂: Uzbekistan: Kashkadarya Prov., Chakchar range, Tashkurgon Pass, 3100-3300m (in coll. Kesküla). Range (in code): UZ
- 24877. Hyponephele (s.str. (Ereminephele)) capella grossi Wyatt & Omoto,1966** (Satyridae) Synonym(s): *grossi Wyatt & Omoto,1966* Original Reference: Hyponephele capella ssp. grossi Wyatt & Omoto,1966, Entomops 5: 175, figs. Holotype ♂: Afghanistan: Kabul: Paghman Mts., Kotandar Pass, 3700-4000m. Range (in code): AF Kab Pag
- 24878. Hyponephele (s.str. (Ereminephele)) capella jezail Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *jezail Clench & Shoumatoff,1956* Original Reference: Hyponephele capella ssp. jezail Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 158. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m. Range (in code): AF Kbb Pnj
- 24879. Hyponephele (s.str. (Ereminephele)) capella shivacola Wyatt,1961** (Satyridae)
Synonym(s): *shivacola Wyatt,1961* Original Reference: Hyponephele shivacola Wyatt,1961, J. Lepidopterist's Soc. 15(1): 16, figs. Holotype ♂: Afghanistan: [Badakhshan]: Shiva Mts., 9000ft. Range (in code): TJ Pm AF Bd Shv
- 24880. Hyponephele (s.str. (Ereminephele)) fusca (Stshetkin,1960)** (Satyridae)
Synonym(s): *fusca Stshetkin,1960* Original Reference: Epinephele narica ssp. fusca Stshetkin, 1960, Trudy inst. zool. parazitol. Tadzhik SSR 19: 99. Holotype: S. Tadzhikistan: lower part of Vakhsh River, Mt. Buritau. Range (in code): TJ Bgr Bl Koj Mtz Mur TM Kp UZ IR AF
- 24881. Hyponephele (s.str. (Ereminephele)) fusca fusca (Stshetkin,1960)** (Satyridae)
Synonym(s): *fusca Stshetkin,1960* Original Reference: Epinephele narica ssp. fusca Stshetkin, 1960, Trudy inst. zool. parazitol. Tadzhik SSR 19: 99. Holotype: S. Tadzhikistan: lower part of Vakhsh River, Mt. Buritau. Range (in code): TJ Bgr Bl Koj Mtz Mur TM Kp UZ IR AF
- 24882. Hyponephele (s.str. (Ereminephele)) huebneri Koçak,1980** (Satyridae)
Synonym(s): *narica Hübner,[1813] nec Fabr.,1793; huebneri Koçak,1980* Original Reference: Hyponephele huebneri Koçak, 1980, Nota lepid. 2 (4): 140 (nomen novum pro Papilio narica Hübner,[1813] nec Fabricius,1793). Type(s): unknown, probably lower Wolga. Range (in code): AF CN Ui Bgr Bl KG Ao Sau Mn Tk KK Koj Mtz Mur PK RU Uk VI MN UZ IR PK IN RU DsA T-S At Ssn Ii Aa
- 24883. Hyponephele (s.str. (Ereminephele)) huebneri huebneri Koçak,1980** (Satyridae)
Synonym(s): *narica Hübner,[1813] nec Fabr.,1793; huebneri Koçak,1980* Original Reference: Hyponephele huebneri Koçak, 1980, Nota lepid. 2 (4): 140 (nomen novum pro Papilio narica Hübner,[1813] nec Fabricius,1793). Type(s): unknown, probably lower Wolga. Range (in code): KG Ao
- 24884. Hyponephele (s.str. (Ereminephele)) huebneri iliensis Lukhtanov,1999** (Satyridae) Synonym(s): *iliensis Lukhtanov,1999* Original Reference: Hyponephele huebneri ssp. iliensis Lukhtanov,1999, Atalanta 30 (1/4): 142-143. Holotype ♂: Südost-Kasachstan, Alma Ata Gebiet, Ili Tal, Taschkarasu, 500m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): T-S KG Ii Aa Tk Ssn Mn
- 24885. Hyponephele (s.str. (Ereminephele)) naricina (Staudinger,1870)** (Satyridae)
Synonym(s): *naricina Staudinger,1870* Original Reference: Epinephele naricina Staudinger,1870,

- Berl. ent. Z. 14: 100-101. Syntypes 3♂ 1♀: [Kasachstan]: Mangyschlak. Lectotype ♂: "Mangyschlak" (designated by Lukhtanov,1994, Herbipoliana 3: 126 (ZMHUB). Range (in code): Syr Tm KuA Sau Bkb Ktm Tar At Aa CN KG KK Ky Mg Sp Tk TM T-S Ui DsA IR Ab Ak Elb Fa Kp
- 24886. Hyponephele (s.str. (Ereminephele)) naricina naricina (Staudinger,1870)** (Satyridae) Synonym(s): *naricina Staudinger,1870* Original Reference: Epinephele naricina Staudinger,1870, Berl. ent. Z. 14: 100-101. Syntypes 3♂ 1♀: [Kasachstan]: Mangyschlak. Lectotype ♂: "Mangyschlak" (designated by Lukhtanov,1994, Herbipoliana 3: 126 (ZMHUB). Range (in code): Syr Tm KuA Sau Bkb Ktm Tar At Aa CN KG KK Ky Mg Sp Tk TM T-S Ui DsA IR Ab Ak Elb Fa Kp
- 24887. Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977** (Satyridae) Synonym(s): *naricoides Gross,1977* Original Reference: Hyponephele naricina ssp. naricoides Gross,1977, Atalanta 8 (2): 123-125. Holotype ♂: Türkei: Nordostanatolien: 10km westl. Erzincan, 1500m. (in coll. Eitschberger). Range (in code): TR Cc AM IR Yz Ab Khy Ak
- 24888. Hyponephele (s.str. (Ereminephele)) naricoides naricoides Gross,1977** (Satyridae) Synonym(s): *naricoides Gross,1977* Original Reference: Hyponephele naricina ssp. naricoides Gross,1977, Atalanta 8 (2): 123-125. Holotype ♂: Türkei: Nordostanatolien: 10km westl. Erzincan, 1500m. (in coll. Eitschberger). Range (in code): TR Cc AM IR Yz Ak Ab Khy
- 24889. Hyponephele (s.str. (Iranonephele)) amardaea (Lederer,1869)** (Satyridae) Synonym(s): *amardaea Lederer,1869* Original Reference: Epinephele amardaea Lederer,1869, Horae Soc. ent. ross. 6: 84, Taf.v figs.1,2. Syntypes: Hadschyabad. Lectotype ♂: [Iran]: "Hadschyabad" designated by Lukhtanov,1994, Herbipoliana 3: 129 (ZMHUB). Range (in code): AF IR TM Kp Elb
- 24890. Hyponephele (s.str. (Iranonephele)) amardaea amardaea (Lederer,1869)** (Satyridae) Synonym(s): *amardaea Lederer,1869* Original Reference: Epinephele amardaea Lederer,1869, Horae Soc. ent. ross. 6: 84, Taf.v figs.1,2. Syntypes: Hadschyabad. Lectotype ♂: [Iran]: "Hadschyabad" designated by Lukhtanov,1994, Herbipoliana 3: 129 (ZMHUB). Range (in code): IR TM Kp Elb
- 24891. Hyponephele (s.str. (Iranonephele)) fortambeka Samodurov,1996** (Satyridae) Synonym(s): *fortambeka Samodurov,1996* Original Reference: Hyponephele fortambeka Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 24-25, Abb., Holotype ♂: Tadschikistan: Zentral-Pamir, Fortambek Gletscher, 4000m (ZMUM). Range (in code): TJ
- 24892. Hyponephele (s.str. (Iranonephele)) fortambeka fortambeka Samodurov,1996** (Satyridae) Synonym(s): *fortambeka Samodurov,1996* Original Reference: Hyponephele fortambeka Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 24-25, Abb., Holotype ♂: Tadschikistan: Zentral-Pamir, Fortambek Gletscher, 4000m (ZMUM). Range (in code): TJ
- 24893. Hyponephele (s.str. (Iranonephele)) glasunovi (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *glasunovi Groum-Grshimailo,1893* Original Reference: Epinephele amardea var. glasunovi Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Gissar-Gebirge. Lectotype ♂: mont. Hissariensibus, Iskander-kul, designated by Lukhtanov,1994, Herbipoliana 3: 129 (in ZMHUB). Range (in code): T-S KG KK Ax Syr Tm Db Tls Ky Na Tkl Ik TJ AF Pm
- 24894. Hyponephele (s.str. (Iranonephele)) glasunovi glasunovi (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *glasunovi Groum-Grshimailo,1893* Original Reference: Epinephele amardea var. glasunovi Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Gissar-Gebirge. Lectotype ♂: mont. Hissariensibus, Iskander-kul, designated by Lukhtanov,1994, Herbipoliana 3: 129 (in ZMHUB). Range (in code): Ik TJ AF Pm
- 24895. Hyponephele (s.str. (Iranonephele)) glasunovi magna Samodurov,1996** (Satyridae) Synonym(s): *magna Samodurov,1996* Original Reference: Hyponephele glasunovi ssp. magna Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 35-40, Abb., Holotype ♂: Kasachstan: Dschambuler Gebiet, Karakystak-Flusses, 30km südl. Merke (ZISP). Range (in code): T-S KG KK Syr Ax Tm Db Tls Ky
- 24896. Hyponephele (s.str. (Iranonephele)) glasunovi namangana Lukhtanov,1996** (Satyridae) Synonym(s): *namangana Lukhtanov,1996* Original Reference: Hyponephele glasunovi ssp. namangana Lukhtanov,1996, Atalanta 27 (3/4): 588, Pl.ix figs. 12,13,17,18. Holotype ♂: Kirgisien, Tschatkal-Gebirge, Terek-Sai-Gegend, 1300-1700m. (in coll. Univ. St. Petersburg). Range (in code): KK Tkl

- 24897. Hyponephele (s.str. (Iranonephele)) glasunovi naryna Lukhtanov,1996** (Satyridae) Synonym(s): *naryna Lukhtanov,1996* Original Reference: Hyponephele glasunovi ssp. naryna Lukhtanov,1996, Atalanta 27 (3/4): 587, Pl.ix figs. 10,11,15,16. Holotype ♂: Kirgisien, Naryn-Gebiet, Innertienschan, Baibitschetoo-Gebirge, Aktal-Tschat, 1800m. Range (in code): T-S KK Na
- 24898. Hyponephele (s.str. (Iranonephele)) hilaris (Staudinger,1886)** (Satyridae) Synonym(s): *hilaris Staudinger,1886* Original Reference: Epinephele hilaris Staudinger,1886, Stettin ent. Ztg. 47: 249. Syntypes: [Usbekistan]: Usgent, Samarkand; [Kirgizistan]: Osch. Range (in code): AF Bd Shv Drk Gg PK Ci KG KK Osh Smk UZ T-G Wk Pm TJ Z-G Hk Tls T-S
- 24899. Hyponephele (s.str. (Iranonephele)) hilaris bori (Herz,1900)** (Satyridae) Synonym(s): *bori Herz,1900* Original Reference: Epinephele hilaris ssp. bori Herz,1900, Ann. Mus. zool. St.Petersb. 5: Range (in code): Pm TJ Z-G
- 24900. Hyponephele (s.str. (Iranonephele)) hilaris djalali Wyatt & Omoto,1966** (Satyridae) Synonym(s): *djalali Wyatt & Omoto,1966* Original Reference: Hyponephele hilaris ssp. djalali Wyatt & Omoto,1966, Entomops 5: 185-186, figs. Holotype ♂: Afghanistan: N.E.Badachshan: Shiva Mts., 2700m. Range (in code): AF Bd Shv
- 24901. Hyponephele (s.str. (Iranonephele)) hilaris hilaris (Staudinger,1886)** (Satyridae) Synonym(s): *hilaris Staudinger,1886* Original Reference: Epinephele hilaris Staudinger,1886, Stettin ent. Ztg. 47: 249. Syntypes: [Usbekistan]: Usgent, Samarkand; [Kirgizistan]: Osch. Range (in code): AF Drk Gg PK Ci KG KK Osh Wk Tls T-S KG
- 24902. Hyponephele (s.str. (Iranonephele)) hilaris pallida Samodurov,2000** (Satyridae) Synonym(s): *pallida Samodurov,2000* Original Reference: Hyponephele hilaris ssp. pallida Samodurov,2000, Atalanta 31 (1/2): 161-162, figs. Holotype ♂: Kirgizia: Inn. Tian-Shan, W. Kokshaal Mts., Kuldzha-Bashi r., 3200m. (ZMUM). Range (in code): KK T-S
- 24903. Hyponephele (s.str. (Iranonephele)) hilaris shahnawazi Wyatt & Omoto,1966** (Satyridae) Synonym(s): *shahnawazi Wyatt & Omoto,1966* Original Reference: Hyponephele hilaris ssp. shahnawazi Wyatt & Omoto,1966, Entomops 5: 184, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3100m. Range (in code): AF Hk
- 24904. Hyponephele (s.str. (Iranonephele)) hilaris tsvetajevi Samodurov,1996** (Satyridae) Synonym(s): *tsvetajevi Samodurov,1996* Original Reference: Hyponephele hilaris tsvetajevi Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 25-26, Abb., Holotype ♂: Usbekistan: Turkestanski-Gebirgskette, Woruch, Alamajdan. Range (in code): UZ T-G T-S
- 24905. Hyponephele (s.str. (Iranonephele)) kocaki Eckweiler,1978** (Satyridae) Synonym(s): *kocaki Eckweiler,1978* Original Reference: Hyponephele kocaki Eckweiler,1978, Atalanta 9 (4a): 375-378, figs.1-6,8. Holotype ♂: Türkei: Hakkari Pr.: Bercelem yaylası, 2500-2800m. (in coll. Eckweiler). Range (in code): TR IR Ab Sil
- 24906. Hyponephele (s.str. (Iranonephele)) kocaki kocaki Eckweiler,1978** (Satyridae) Synonym(s): *kocaki Eckweiler,1978* Original Reference: Hyponephele kocaki Eckweiler,1978, Atalanta 9 (4a): 375-378, figs.1-6,8. Holotype ♂: Türkei: Hakkari Pr.: Bercelem yaylası, 2500-2800m. (in coll. Eckweiler). Range (in code): TR IR Ab Sil
- 24907. Hyponephele (s.str. (Iranonephele)) kocaki melesina Weiss & Skala,2000** (Satyridae) Synonym(s): *melesina Weiss & Skala,2000* Original Reference: Hyponephele kocaki ssp. melesina Weiss & Skala,2000, Atalanta 31 (1/2): 129-133, figs. Holotype ♂: Turkey: Antalya, Bey Dağları 1700-2200m (NMP). Range (in code): TR
- 24908. Hyponephele (s.str. (Iranonephele)) naubidensis (Erschoff,1874)** (Satyridae) Synonym(s): *naubidensis Erschoff,1874* Original Reference: Epinephele amardaea var. naubidensis Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5): 21, Taf.5 fig.73. Syntypes: Turkestan: Berge Naubid. Range (in code): T-S KG KK Sem TJ Tk DsA CN Ui Bionomy: Festuca sulcata (Stshetkin, 1963).
- 24909. Hyponephele (s.str. (Iranonephele)) naubidensis decorata Sheljuzhko,1919** (Satyridae) Synonym(s): *decorata Sheljuzhko,1919*
- 24910. Hyponephele (s.str. (Iranonephele)) naubidensis naubidensis (Erschoff,1874)** (Satyridae) Synonym(s): *naubidensis Erschoff,1874* Original Reference: Epinephele amardaea var. naubidensis Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5): 21, Taf.5 fig.73. Syntypes: Turkestan: Berge Naubid. Range (in code): T-S KG KK Sem TJ Tk DsA CN Ui
- 24911. Hyponephele (s.str. (Iranonephele)) perplexa Wyatt & Omoto,1966** (Satyridae) Synonym(s): *perplexa Wyatt & Omoto,1966* Original Reference: Hyponephele amardaea ssp.

perplexa Wyatt & Omoto, 1966, Entomops 5: 182-183, figs. Holotype ♂: Afghanistan: Hinhu Kush: Bala Quran, Anjuman valley, 3300-3400m. Range (in code): T-S AF Kbb Anj Bd Bqu Hk KK T-A

24912. Hyponephele (s.str. (Iranonephele)) perplexa eisneri Sakai, 1978 (Satyridae) Synonym(s): *eisneri Sakai, 1978* Original Reference: Hyponephele amardaea ssp. eisneri Sakai, 1978, Atalanta 9(1): 110-111, figs. 19, 20. Holotype ♂: Afghanistan: Wardak: Unai Paß, 3300-3800m. Range (in code): AF Kbb

24913. Hyponephele (s.str. (Iranonephele)) perplexa perplexa Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *perplexa Wyatt & Omoto, 1966* Original Reference: Hyponephele amardaea ssp. perplexa Wyatt & Omoto, 1966, Entomops 5: 182-183, figs. Holotype ♂: Afghanistan: Hinhu Kush: Bala Quran, Anjuman valley, 3300-3400m. Range (in code): AF Anj Bd Bqu Hk

24914. Hyponephele (s.str. (Iranonephele)) perplexa transalaica Lukhtanov, 1996 (Satyridae) Synonym(s): *transalaica Lukhtanov, 1996* Original Reference: Hyponephele perplexa ssp. transalaica Lukhtanov, 1996, Atalanta 27(3/4): 586, Pl. ix figs. 9, 14. Holotype ♂: Kirgisien, Trans-Alai-Kette, Aram-Kungey, 3000-3200m. (in coll. Univ. St. Petersburg). Range (in code): KK T-S T-A

24915. Hyponephele (s.str. (Orientinephele)) carbonelli Lukhtanov, 1995 (Satyridae) Synonym(s): *carbonelli Lukhtanov, 1995* Original Reference: Hyponephele carbonelli Lukhtanov, 1995, Atalanta 26(1/2): 197-200, Farbtafel VIa. Holotype ♂: Pakistan: Baltistan, Tarishing, 2800-3400m. (MNHNP). Range (in code): PK Bt

24916. Hyponephele (s.str. (Orientinephele)) carbonelli carbonelli Lukhtanov, 1995 (Satyridae) Synonym(s): *carbonelli Lukhtanov, 1995* Original Reference: Hyponephele carbonelli Lukhtanov, 1995, Atalanta 26(1/2): 197-200, Farbtafel VIa. Holotype ♂: Pakistan: Baltistan, Tarishing, 2800-3400m. (MNHNP). Range (in code): PK Bt

24917. Hyponephele (s.str. (Orientinephele)) difficilis Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *difficilis Clench & Shoumatoff, 1956* Original Reference: Hyponephele difficilis Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 162-163. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, Tarapas, 3000m. Range (in code): AF Kbb

24918. Hyponephele (s.str. (Orientinephele)) difficilis difficilis Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *difficilis Clench & Shoumatoff, 1956* Original Reference: Hyponephele difficilis Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 162-163. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, Tarapas, 3000m. Range (in code): AF Kbb

24919. Hyponephele (s.str. (Orientinephele)) kashmirensis (Heyne, [1894]) (Satyridae) Synonym(s): *kashmirensis Heyne, [1894]* Original Reference: Epinephele kashmirensis Heyne, [1894], [in] Rühl, F., Die palaearkt. Grossschmett. Naturg. 1: 596. Syntypes: Kaschmir. Range (in code): Ch

24920. Hyponephele (s.str. (Orientinephele)) kashmirensis kashmirensis (Heyne, [1894]) (Satyridae) Synonym(s): *kashmirensis Heyne, [1894]* Original Reference: Epinephele kashmirensis Heyne, [1894], [in] Rühl, F., Die palaearkt. Grossschmett. Naturg. 1: 596. Syntypes: Kaschmir. Range (in code): Ch

24921. Hyponephele (s.str. (Orientinephele)) mussitans Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *mussitans Clench & Shoumatoff, 1956* Original Reference: Hyponephele pulchella ssp. mussitans Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 161-162. Holotype ♂: Afghanistan: Puistagoli, 3500m. Range (in code): AF Kbb Prw Pnj

24922. Hyponephele (s.str. (Orientinephele)) mussitans bala Wyatt & Omoto, 1966 (Satyridae) Synonym(s): *bala Wyatt & Omoto, 1966* Original Reference: Hyponephele mussitans ssp. bala Wyatt & Omoto, 1966, Entomops 5: 177-178, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 2900m. Range (in code): AF Anj Bd Bqu Hk

24923. Hyponephele (s.str. (Orientinephele)) mussitans mussitans Clench & Shoumatoff, 1956 (Satyridae) Synonym(s): *mussitans Clench & Shoumatoff, 1956* Original Reference: Hyponephele pulchella ssp. mussitans Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 161-162. Holotype ♂: Afghanistan: Puistagoli, 3500m. Range (in code): AF Kbb

- 24924. Hyponephele (s.str. (Orientinephele)) mussitans pseudomussitans Wyatt & Omoto,1966** (Satyridae) Synonym(s): *pseudomussitans* Wyatt & Omoto,1966 Original Reference: Hyponephele mussitans ssp. pseudomussitans Wyatt & Omoto,1966, Entomops 5: 178-179, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3100m. Range (in code): **AF Hk**
- 24925. Hyponephele (s.str. (Orientinephele)) pulchella (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *pulchella* C.Felder & R.Felder,[1867] Original Reference: Epinephele pulchella C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490-491, Tab.lxix fig. 16. Syntypes ♂♀: Himalaya occ.: Spiti: Losar, Dishungdeo, Kibber, Shalkar, Rupshu: Rumbog; Ladak, Karnag; Niri Sumdo; Padam:Ab Range (in code): **Ch Ci Dra Ld Lho PK**
- 24926. Hyponephele (s.str. (Orientinephele)) pulchella pulchella (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *pulchella* C.Felder & R.Felder,[1867] Original Reference: Epinephele pulchella C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490-491, Tab.lxix fig. 16. Syntypes ♂♀: Himalaya occ.: Spiti: Losar, Dishungdeo, Kibber, Shalkar, Rupshu: Rumbog; Ladak, Karnag; Niri Sumdo; Padam:Ab Range (in code): **Ch Ci Dra Ld Lho PK**
- 24927. Hyponephele (s.str. (Orientinephele)) pulchra (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *pulchra* C.Felder & R.Felder,[1867] Original Reference: Epinephele pulchra C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 491. Syntypes ♂: Himalaya occidentalis: Kunawer: Pangi, Bisahir: Chini. Range (in code): **Asr Bg Ci Gg Kma Knw Ld Nwf PK Pm P-P TJ**
- 24928. Hyponephele (s.str. (Orientinephele)) pulchra astorica (Tytler,1926)** (Satyridae) Synonym(s): *astorica* Tytler,1926 Original Reference: Maniola pulchra ssp. astorica Tytler,1926, J. Bombay nat. Hist. Soc. 31: 258, pl.iii fig.5. Syntypes ♂♀: Astor, 11000ft. Range (in code): **Asr Gg PK**
- 24929. Hyponephele (s.str. (Orientinephele)) pulchra baroghila (Tytler,1926)** (Satyridae) Synonym(s): *baroghila* Tytler,1926 Original Reference: Maniola pulchra ssp. baroghila Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257. Syntypes ♂♀: N.E. Chitral, Gilgit, above 9000ft. Range (in code): **Bg Ci Gg PK**
- 24930. Hyponephele (s.str. (Orientinephele)) pulchra neoza (Lang,1868)** (Satyridae) Synonym(s): *neoza* Lang,1868 Original Reference: Epinephele neoza Lang,1868, Entomologist's mon. Mag. 5: 35. Syntypes ♂♀: Kunawur, Cashmere. Range (in code): **Ch Knw P-P**
- 24931. Hyponephele (s.str. (Orientinephele)) pulchra pulchra (C.Felder & R.Felder,[1867])** (Satyridae) Synonym(s): *pulchra* C.Felder & R.Felder,[1867] Original Reference: Epinephele pulchra C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 491. Syntypes ♂: Himalaya occidentalis: Kunawer: Pangi, Bisahir: Chini. Range (in code): **IN Kma Lho Pm Spi**
- 24932. Hyponephele (s.str. (Orientinephele)) pulchra sylvia (Hemming,1933)** (Satyridae) Synonym(s): *chitralica* Tytler,1926 nec Evans,1923; *sylvia* Hemming,1933. Original Reference: Maniola pulchra ssp. sylvia Hemming,1933, Entomologist 66: 275 (nomen novum pro chitralica Tytler,1926 nec Evans,1923). Range (in code): **Ci Nwf PK Pm TJ**
- 24933. Hyponephele (s.str. (Tengrinephele)) cadusia (Lederer,1869)** (Satyridae) Synonym(s): *cadusia* Lederer,1869 Original Reference: Epinephele cadusia Lederer,1869, Horae Soc. ent. ross. 6: 84, Taf.iv figs. 10,11. Syntypes 2♂ 2♀: Iran: Hadschyabad, Schahkuh. Range (in code): **IR Lo Fa Ab Ak Bk Es Ha Ke Elb Kp Kh TM Kp TR**
- 24934. Hyponephele (s.str. (Tengrinephele)) cadusia brandti Gross & Ebert,1975** (Satyridae) Synonym(s): *brandti* Gross & Ebert,1975 Original Reference: Hyponephele cadusia ssp. brandti Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 24-25, fig.25. Holotype ♂: Iran: Fars: Strasse Chiraz- Kazerun, Fort Sine Sefid, 2200m (LNK). Range (in code): **Fa Lo Bk Es IR**
- 24935. Hyponephele (s.str. (Tengrinephele)) cadusia cadusia (Lederer,1869)** (Satyridae) Synonym(s): *cadusia* Lederer,1869 Original Reference: Epinephele cadusia Lederer,1869, Horae Soc. ent. ross. 6: 84, Taf.iv figs. 10,11. Syntypes 2♂ 2♀: Iran: Hadschyabad, Schahkuh. Range (in code): **IR Ab Ak Elb Kp TM**
- 24936. Hyponephele (s.str. (Tengrinephele)) cadusia mansura Skala,2003** (Satyridae) Synonym(s): *mansura* Skala,2003 Original Reference: Hyponephele cadusia ssp. mansura Skala,2003, Linneana Belg. 19 (1): 45-47, figs. Holotype ♂: Iran: Kerman: Kuh-e-Khabr, 3100m 5.vii.2001, leg.Skala (ZSM). Range (in code): **IR Ke**

- 24937. Hyponephele (s.str. (Tengrinephele)) cadusia nourii Skala,2003** (Satyridae)
Synonym(s): *nourii* Skala,2003 Original Reference: Hyponephele cadusia ssp. nourii Skala,2003, Linneana Belg. 19 (1): 48-49, figs. Holotype ♂: Iran: Hamadan, Kuh-e-Alvand, 2800-3000m, 5-6.viii.2001, leg. Skala (ZSM). Range (in code): **IR Ha**
- 24938. Hyponephele (s.str. (Tengrinephele)) cadusia tekkensis Eckweiler & Bozano,2011** (Satyridae) Synonym(s): *tekkensis* Eckweiler & Bozano,2011 Original Reference: Hyponephele cadusia ssp. tekkensis Eckweiler & Bozano,2011, Guide Butt. Pal. Reg. Satyrinae 4: 9. Holotype ♂: Iran, Khorasan, Kopet Dagh 15km Emam Qoli N Quchan 2100-2200m leg. Eckweiler (SMNK). Range (in code): **IR Kh TM Kp**
- 24939. Hyponephele (s.str. (Tengrinephele)) cadusia zerneca Skala,2003** (Satyridae) Synonym(s): *zerneca* Skala,2003 Original Reference: Hyponephele cadusia ssp. zerneca Skala,2003, Linneana Belg. 19 (1): 47-48, figs. Holotype ♂: Turkey: Van, Hoşap (Güzelsu), 2000m 27.vii.1999 leg. Skala (ZSM). Range (in code): **TR**
- 24940. Hyponephele (s.str. (Tengrinephele)) cadusina (Staudinger,1881)** (Satyridae) Synonym(s): *cadusina* Staudinger,1881 Original Reference: Epinephele cadusina Staudinger,1881, Stettin ent. Ztg. 42: 299. Syntypes 5♂ 3♀: Lepsa-Gebiet. Lectotype ♂: Kazakhstan: [Dschungar] Alatau (designated by Lukhtanov,1994, Herbipoliana 3: 122) (ZMHUB). Range (in code): **KG Lps DsA Tk At MN RU Sau Tar T-S Al TJ Drw His T-A CN Ui**
- 24941. Hyponephele (s.str. (Tengrinephele)) cadusina cadusina (Staudinger,1881)** (Satyridae) Synonym(s): *cadusina* Staudinger,1881 Original Reference: Epinephele cadusina Staudinger,1881, Stettin ent. Ztg. 42: 299. Syntypes 5♂ 3♀: Lepsa-Gebiet. Lectotype ♂: Kazakhstan: [Dschungar] Alatau (designated by Lukhtanov,1994, Herbipoliana 3: 122) (ZMHUB). Range (in code): **KG Nym Ktm Bkb Lps DsA Tk MN Sau Tar T-S Al TJ Drw His T-A CN Ui**
- 24942. Hyponephele (s.str. (Tengrinephele)) cadusina gurkanii Korshunov,1995** (Satyridae) Synonym(s): *gurkanii* Korshunov,1995 Original Reference: Hyponephele cadusina ssp. gurkanii Korshunov,1995, [in] Korshunov & Gorbunov, Dnewnye babotschki Asiatskoj tschasti Rossi. Holotype ♂: Russien: Zentral Altai: Steppenabhang nahe beim Zusammenfluss von Katun und Tschuja (ZMBISN). Range (in code): **RU At**
- 24943. Hyponephele (s.str. (Tengrinephele)) kirghisa (Alpheraky,1881)** (Satyridae) Synonym(s): *kirghisa* Alpheraky,1881; *chamyla* Staudinger,[1900]; *#chamila* Wagner,1913; *terskeana* Lukhtanov,1994. Original Reference: Epinephele kirghisa Alpheraky,1881, Horae Soc. ent. ross. 16: 423-424, Taf.15 fig. 24, 25. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **Ax MN TeA T-S CN KK KG Ik Ku Sem Kml Tk Ui TrA DsA Tyk Bog Sju KuA Tu Ket Tu Bc Um**
- 24944. Hyponephele (s.str. (Tengrinephele)) kirghisa kirghisa (Alpheraky,1881)** (Satyridae) Synonym(s): *kirghisa* Alpheraky,1881; *chamyla* Staudinger,[1900]; *#chamila* Wagner,1913; *terskeana* Lukhtanov,1994. Original Reference: Epinephele kirghisa Alpheraky,1881, Horae Soc. ent. ross. 16: 423-424, Taf.15 fig. 24, 25. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **T-S CN KG KK Ik Ku Sem Kml Tk Ui DsA Tyk Bog Sju KuA TrA TeA Ket Tu Bc Um**
- 24945. Hyponephele (s.str. (Tengrinephele)) kirghisa obscurata Samodurov,1996** (Satyridae) Synonym(s): *obscurata* Samodurov,1996 Original Reference: Hyponephele kirghisa ssp. obscurata Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 33-34, Abb., Holotype ♂: Kirgisien: 35km östl. Talas, Gegenden Ails Aral, 1950m. Range (in code): **T-S KK Ax**
- 24946. Hyponephele (s.str. (Tengrinephele)) laeta (Staudinger,1886)** (Satyridae) Synonym(s): *laeta* Staudinger,1886; *monotoma* Staudinger,1886. Original Reference: Epinephele cadusina var.laeta Staudinger,1886, Stettin ent. Ztg. 47: 250. Syntypes: [Kirgizistan]: Osch, Südl. Alai. Lectotype ♂: Osch, designated by Lukhtanov,1994, Herbipoliana 3: 122 (ZMHUB). Range (in code): **TJ UZ KK Osh Al T-A Feg T-S Ax**
- 24947. Hyponephele (s.str. (Tengrinephele)) laeta laeta (Staudinger,1886)** (Satyridae) Synonym(s): *laeta* Staudinger,1886; *monotoma* Staudinger,1886. Original Reference: Epinephele cadusina var.laeta Staudinger,1886, Stettin ent. Ztg. 47: 250. Syntypes: [Kirgizistan]: Osch, Südl. Alai. Lectotype ♂: Osch, designated by Lukhtanov,1994, Herbipoliana 3: 122 (ZMHUB). Range (in code): **KK Osh T-A Feg T-S Ax UZ**
- 24948. Hyponephele (s.str. (Tengrinephele)) laeta ochracea Samodurov,1996** (Satyridae) Synonym(s): *ochracea* Samodurov,1996 Original Reference: Hyponephele laeta ssp.

- ochracea Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Uzbekistan: Kuramisnkyi Ridge, Kamshik pass, 2500-2700m Range (in code): **KK TJ UZ T-S**
- 24949. Hyponephele (s.str. (Tengrinephele)) laeta turkestanana Samodurov,1996** (Satyridae) Synonym(s): *turkestanana Samodurov,1996* Original Reference: Hyponephele laeta ssp. turkestanana Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 32-33, Abb., Holotype ♂: Tadschikistan: Turkestanski-Gebirgskette, Kumbel Pass, 3000-3200m Range (in code): **TJ UZ**
- 24950. Hyponephele (s.str. (Tengrinephele)) pamira Lukhtanov,1990** (Satyridae) Synonym(s): *pamira Lukhtanov,1990* Original Reference: Hyponephele pamira Lukhtanov,1990, Vestn. zool. 1990 (6): 16-17, figs. Holotype ♂: Tadjikistan: West Pamir: Toghusbulak, 3800m. Range (in code): **Pm TJ Chr Mgb Sry Ish Vn ?AF**
- 24951. Hyponephele (s.str. (Tengrinephele)) pamira jakobsoni Lukhtanov,1990** (Satyridae) Synonym(s): *jakobsoni Lukhtanov,1990* Original Reference: Hyponephele pamira ssp. jakobsoni Lukhtanov,1990, Vestn. zool. 1990 (6): 17, figs. Holotype ♂: Tadjikistan: East Pamir: Murghab. Range (in code): **Pm TJ Mgb Sry**
- 24952. Hyponephele (s.str. (Tengrinephele)) pamira pamira Lukhtanov,1990** (Satyridae) Synonym(s): *pamira Lukhtanov,1990* Original Reference: Hyponephele pamira Lukhtanov,1990, Vestn. zool. 1990 (6): 16-17, figs. Holotype ♂: Tadjikistan: West Pamir: Toghusbulak, 3800m. Range (in code): **Pm TJ Chr Ish Vn ?AF**
- 24953. Hyponephele (s.str. (Tengrinephele)) pseudokirgisa Stshetkin,1984** (Satyridae) Synonym(s): *pseudokirgisa Stshetkin,1984* Original Reference: Hyponephele pseudokirgisa Stshetkin,1984, Zool. Zh. 63: 1581-1585. Holotype ♂: Uzbekistan: Westl. Serawschan Geb., Aman-Kutan (in coll. Stshetkin). Range (in code): **UZ TJ Pm Z-G**
- 24954. Hyponephele (s.str. (Tengrinephele)) pseudokirgisa pseudokirgisa Stshetkin,1984** (Satyridae) Synonym(s): *pseudokirgisa Stshetkin,1984* Original Reference: Hyponephele pseudokirgisa Stshetkin,1984, Zool. Zh. 63: 1581-1585. Holotype ♂: Uzbekistan: Westl. Serawschan Geb., Aman-Kutan (in coll. Stshetkin). Range (in code): **UZ TJ Pm Z-G**
- 24955. Hyponephele (s.str. (Tengrinephele)) sheljuzhkoi Samodurov & Tshikolovez,1996** (Satyridae) Synonym(s): *sheljuzhkoi Samodurov & Tshikolovez,1996* Original Reference: Hyponephele sheljuzhkoi Samodurov & Tshikolovez,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Kirgisien: Naryn. Range (in code): **KK Na T-S**
- 24956. Hyponephele (s.str. (Tengrinephele)) sheljuzhkoi sheljuzhkoi Samodurov & Tshikolovez,1996** (Satyridae) Synonym(s): *sheljuzhkoi Samodurov & Tshikolovez,1996* Original Reference: Hyponephele sheljuzhkoi Samodurov & Tshikolovez,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 29-31, Abb., Holotype ♂: Kirgisien: Naryn. Range (in code): **KK Na T-S**
- 24957. Hyponephele (s.str. (Turaninephele)) argyrostigma Tusov & Samodurov,1997** (Satyridae) Synonym(s): *argyrostigma Tusov & Samodurov,1997* Original Reference: Hyponephele argyrostigma Tusov & Samodurov,1997, Guide to the butterflies of Russia 1: 222, pl.58 fig.12; pl.79 fig.25. Holotype ♂: [Tadjikistan]: Darwasky Mts., 10km S. of Pass Khaburabod, 2200m. (in coll.Tusov). Range (in code): **TJ**
- 24958. Hyponephele (s.str. (Turaninephele)) argyrostigma argyrostigma Tusov & Samodurov,1997** (Satyridae) Synonym(s): *argyrostigma Tusov & Samodurov,1997* Original Reference: Hyponephele argyrostigma Tusov & Samodurov,1997, Guide to the butterflies of Russia 1: 222, pl.58 fig.12; pl.79 fig.25. Holotype ♂: [Tadjikistan]: Darwasky Mts., 10km S. of Pass Khaburabod, 2200m. (in coll.Tusov). Range (in code): **TJ**
- 24959. Hyponephele (s.str. (Turaninephele)) brevistigma (Moore,1892)** (Satyridae) Synonym(s): *brevistigma Moore,1892* Original Reference: Maniola brevistigma Moore,1892, Lepid. India: 47, pl.ciii, fig. 3. Syntypes ♂♀: Ladak: Dras, Kardong. Range (in code): **T-S IN Dra Kdg Ld Al KK AF TJ Pm**
- 24960. Hyponephele (s.str. (Turaninephele)) brevistigma alaina Lukhtanov,1996** (Satyridae) Synonym(s): *alaina Lukhtanov,1996* Original Reference: Hyponephele brevistigma ssp. alaina Lukhtanov,1996, Atalanta 27 (3/4): 584-585, Pl.ix figs.3,4,7,8. Holotype ♂: Kirgisien, Alai-Kette (südliche Hänge), Daraut-Kurgan, 2750m (in coll. Univ. St. Petersburg). Range (in code): **T-S KK Al**
- 24961. Hyponephele (s.str. (Turaninephele)) brevistigma brevistigma (Moore,1892)** (Satyridae) Synonym(s): *brevistigma Moore,1892* Original Reference: Maniola brevistigma Moore,1892, Lepid. India: 47, pl.ciii, fig. 3. Syntypes ♂♀: Ladak: Dras, Kardong. Range (in code): **Dra Kdg Ld IN**

- 24962. Hyponephele (s.str. (Turaninephele)) brevistigma evanescens Wyatt & Omoto,1966** (Satyridae) Synonym(s): *evanescens* Wyatt & Omoto,1966 Original Reference: Hyponephele davendra ssp. evanescens Wyatt & Omoto,1966, Entomops 5: 181, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 2900m. Range (in code): **AF Anj Bd Bqu Hk Pm TJ**
- 24963. Hyponephele (s.str. (Turaninephele)) chitralica (Evans,1923)** (Satyridae) Synonym(s): *chitralica* Evans,1923 Original Reference: Epinephele davendra chitralica Evans,1923, J. Bombay nat. Hist. Soc. 29: 781. Type ♂: [Pakistan]: Chitral, 5000-8000ft. Range (in code): **AF Kab Ci Hyb Nwf PK**
- 24964. Hyponephele (s.str. (Turaninephele)) chitralica omotoi Eckweiler & Bozano,2011** (Satyridae) Synonym(s): *omotoi* Eckweiler & Bozano,2011 Range (in code): **AF Kab**
- 24965. Hyponephele (s.str. (Turaninephele)) comara (Lederer,1871)** (Satyridae) Synonym(s): *comara* Lederer,1871 Original Reference: Epinephele comara Lederer,1871, Horae Soc. ent. ross. 8: 12, Taf.I figs. 9,10. Syntypes: [Iran]: Schahku. Range (in code): **IR Elb TM Kp**
- 24966. Hyponephele (s.str. (Turaninephele)) comara comara (Lederer,1871)** (Satyridae) Synonym(s): *comara* Lederer,1871 Original Reference: Epinephele comara Lederer,1871, Horae Soc. ent. ross. 8: 12, Taf.I figs. 9,10. Syntypes: [Iran]: Schahku. Range (in code): **IR Elb TM Kp**
- 24967. Hyponephele (s.str. (Turaninephele)) davendra (Moore,1865)** (Satyridae) Synonym(s): *davendra* Moore,1865; *roxane* Felder & Felder,1867. Original Reference: Epinephile [sic!] davendra Moore,1865, Proc. zool. Soc. Lond. 35: 502 pl.30 f.7. Syntypes: Tibet: Nari Khorsum; China: Gughe; [India]: Kunawur. Range (in code): **TM UZ TJ KK AF Anj Bd Bqu IN Kab Kma Spi Na Al T-S CN Ui PK Ci Nwf IR Ss**
- 24968. Hyponephele (s.str. (Turaninephele)) davendra davendra (Moore,1865)** (Satyridae) Synonym(s): *davendra* Moore,1865; *roxane* Felder & Felder,1867. Original Reference: Epinephile [sic!] davendra Moore,1865, Proc. zool. Soc. Lond. 35: 502 pl.30 f.7. Syntypes: Tibet: Nari Khorsum; China: Gughe; [India]: Kunawur. Range (in code): **AF IN Kab Kma Spi PK Ci Nwf**
- 24969. Hyponephele (s.str. (Turaninephele)) davendra fergana Lukhtanov,1996** (Satyridae) Synonym(s): *fergana* Lukhtanov,1996 Original Reference: Hyponephele davendra ssp. fergana Lukhtanov,1996, Atalanta 27 (3/4): 583-584, Pl.ix figs.2,6. Holotype ♂: Kirgisien, Susamamyrtau-Kette, Sarykamysch-gebirge, 20km WSW Tschaek, 1700m (in coll. Univ. St. Petersburg). Range (in code): **T-S KK Na Al**
- 24970. Hyponephele (s.str. (Turaninephele)) davendra seravschana Lukhtanov,1996** (Satyridae) Synonym(s): *seravschana* Lukhtanov,1996 Original Reference: Hyponephele davendra ssp. seravschana Lukhtanov,1996, Atalanta 27 (3/4): 582-583, Pl.ix figs.1,5. Holotype ♂: Tadschikistan, östlicher Teil des Seravschan Gebirges, 60km E Aini, Dascht 2100m (in coll. Univ. St. Petersburg). Range (in code): **TJ**
- 24971. Hyponephele (s.str. (Turaninephele)) davendra tadjika Eckweiler & Bozano,2011** (Satyridae) Synonym(s): *tadjika* Eckweiler & Bozano,2011 Range (in code): **TJ**
- 24972. Hyponephele (s.str. (Turaninephele)) davendra taftana Eckweiler & Bozano,2011** (Satyridae) Synonym(s): *taftana* Eckweiler & Bozano,2011 Original Reference: Hyponephele davendra ssp. taftana Eckweiler & Bozano,2011, Guide Butt. Pal. Reg. Satyrinae 4: 6: Holotype ♂: SO-Iran, Beludschistan, Kuh e Taftan Varadj 2200-2700m leg. Eckweiler (SMNK). Range (in code): **IR Ss**
- 24973. Hyponephele (s.str. (Turaninephele)) filistigma Pagès,2007** (Satyridae) Synonym(s): *filistigma* Pagès,2007 Original Reference: Hyponephele filistigma Pagès,2007, Nota lepid. 30 (2): 358, fig. Holotype ♂: Pakistan, Chitr 10km W. 3200m 26 vii 1996 leg. J.Pagès (MNHN Paris). Range (in code): **PK Ci Nwf Swa Klm**
- 24974. Hyponephele (s.str. (Turaninephele)) issykkuli Samodurov,1996** (Satyridae) Synonym(s): *issykkuli* Samodurov,1996 Original Reference: Hyponephele issykkuli Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 23-24, Abb., Holotype ♂: Kirgisien: Terskej-Alatau, südl. Ufer des Issykkul-Sees (ZMUM). Range (in code): **T-S Ik KK TeA**
- 24975. Hyponephele (s.str. (Turaninephele)) issykkuli issykkuli Samodurov,1996** (Satyridae) Synonym(s): *issykkuli* Samodurov,1996 Original Reference: Hyponephele issykkuli Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 23-24, Abb., Holotype ♂: Kirgisien: Terskej-Alatau, südl. Ufer des Issykkul-Sees (ZMUM). Range (in code): **T-S Ik KK TeA**

- 24976. Hyponephele (s.str. (Turaninephele)) korshunovi Lukhtanov,1995** (Satyridae)
Synonym(s): *korshunovi Lukhtanov,1995* Original Reference: Hyponephele korshunovi
Lukhtanov,1995, Atalanta 25 (3/4): 531-534, pl.xvii. Holotype ♂: Tadschikistan: Westtienschan,
Kuraminski-Gebirge, Altyn-Topkan Gegend, 1600m. (ZISP). Range (in code): TJ
- 24977. Hyponephele (s.str. (Turaninephele)) korshunovi korshunovi Lukhtanov,1995**
(Satyridae) Synonym(s): *korshunovi Lukhtanov,1995* Original Reference: Hyponephele
korshunovi Lukhtanov,1995, Atalanta 25 (3/4): 531-534, pl.xvii. Holotype ♂: Tadschikistan:
Westtienschan, Kuraminski-Gebirge, Altyn-Topkan Gegend, 1600m. (ZISP). Range (in code): TJ
- 24978. Hyponephele (s.str. (Turaninephele)) latistigma (Moore,1892)** (Satyridae)
Synonym(s): *latistigma Moore,1892; kondoi Howarth,1976* Original Reference: Maniola latistigma
Moore,1892, Lepid. India: 46, pl.ciii fig.2,2a. Type: [Pakistan]: Baluchistan. Range (in code): TM
UZ TJ AF Ng Kab Bm Ca IR Ss Fa Yz Ke Bl PK
- 24979. Hyponephele (s.str. (Turaninephele)) latistigma belladonna Eckweiler,2005**
(Satyridae) Synonym(s): *belladonna Eckweiler,2005* Range (in code): IR Yz
- 24980. Hyponephele (s.str. (Turaninephele)) latistigma caeca Eckweiler,2005**
(Satyridae) Synonym(s): *caeca Eckweiler,2005* Range (in code): IR Kh
- 24981. Hyponephele (s.str. (Turaninephele)) latistigma latistigma (Moore,1892)**
(Satyridae) Synonym(s): *latistigma Moore,1892; kondoi Howarth,1976* Range (in code): TM UZ TJ
AF Ng Kab Bm Ca IR Fa Bl Ss Ke PK
- 24982. Hyponephele (s.str. (Turaninephele)) shirazica Carbonell,1997** (Satyridae)
Synonym(s): *shirazica Carbonell,1997* Original Reference: Hyponephele shirazica
Carbonell,1997, Linneana belgica 16(3): 103-104, figs. Holotype ♂: Iran: Prov. Fars: Shiraz,
2550-2600m. (MNHNP). Range (in code): IR Fa Shr Es
- 24983. Hyponephele (s.str. (Turaninephele)) shirazica aaryana Carbonell & Naderi,2004** (Satyridae) Synonym(s): *aryana Carbonell & Naderi,2004* Range (in code): IR
- 24984. Hyponephele (s.str. (Turaninephele)) shirazica shirazica Carbonell,1997**
(Satyridae) Synonym(s): *shirazica Carbonell,1997* Original Reference: Hyponephele shirazica
Carbonell,1997, Linneana belgica 16 (3): 103-104, figs. Holotype ♂: Iran: Prov. Fars: Shiraz,
2550-2600m. (MNHNP). Range (in code): IR Fa Shr Es
- 24985. Hyponephele (s.str. (Turaninephele)) tenuistigma (Moore,1892)** (Satyridae)
Synonym(s): *tenuistigma Moore,1892* Original Reference: Maniola tenuistigma Moore,1892,
Lepid. India: 48, pl.ciii, fig. 4,4a. Syntypes ♂♀: [Pakistan]: Baluchistan: Khojak Pass. Range (in
code): Ci Nwf Bl Koj PK
- 24986. Hyponephele (s.str. (Turaninephele)) tenuistigma laspura (Evans,1932)**
(Satyridae) Synonym(s): *laspura Evans,1932* Original Reference: Maniola tenuistigma laspura
Evans,1932, Identification of Indian Butterflies (2): 112. Type: [Pakistan]: Chitral, above 9000ft.
Range (in code): Ci Nwf PK
- 24987. Hyponephele (s.str. (Turaninephele)) tenuistigma tenuistigma (Moore,1892)**
(Satyridae) Synonym(s): *tenuistigma Moore,1892* Original Reference: Maniola tenuistigma
Moore,1892, Lepid. India: 48, pl.ciii, fig. 4,4a. Syntypes ♂♀: [Pakistan]: Baluchistan: Khojak
Pass. Range (in code): Bl Koj PK
- 24988. Hyponephele (s.str. (Turaninephele)) urartua De Freina & Aussem,[1987]**
(Satyridae) Synonym(s): *urartua De Freina & Aussem,[1987]* Original Reference: Hyponephele
urartua De Freina & Aussem,[1987], Nota lepid. 9: 200, Abb. Holotype ♂: Türkei: [Şırnak]:
"Hakkari, Tanin Tanin Pass" 2000-2300m (in coll. Witt). Range (in code): TR
- 24989. Hyponephele (s.str. (Turaninephele)) urartua urartua De Freina & Aussem,[1987]** (Satyridae) Synonym(s): *urartua De Freina & Aussem,[1987]* Original Reference:
Hyponephele urartua De Freina & Aussem,[1987], Nota lepid. 9: 200, Abb. Holotype ♂: Türkei:
[Şırnak]: "Hakkari, Tanin Tanin Pass" 2000-2300m (in coll. Witt). Range (in code): TR
- 24990. Hyponephele (s.str. (Turaninephele)) wagneri (Herrich-Schäffer,[1846])**
(Satyridae) Synonym(s): *wagneri Herrich-Schäffer,[1846]; schmidt Bang-Haas,1927.* Original
Reference: Epinephele wagneri Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: Taf. 65,
figs.311-313; ibid. 6, Nachtrag zu Bd.1: 16, [1851]. Type(s): [Türkei]: Südseite d. Ararat (=Ağrı
Dağı) (M.Wagner). Range (in code): AF Hr Bl IQ IR Ab Zj Kdj Elb Ma Hz PK TR Arr
- 24991. Hyponephele (s.str. (Turaninephele)) wagneri mandane (Kollar,[1849])**
(Satyridae) Synonym(s): *mandane Kollar,[1849]* Original Reference: Satyrus mandane

- Kollar,[1849], Denkschr. Akad. Wiss. Wien 1: 52. Type(S): Iran: Südpersien: Fars. Range (in code): AF Hr Bl IR Fa Ma Hz PK
- 24992. Hyponephele (s.str. (Turaninephele)) wagneri wagneri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *wagneri Herrich-Schäffer,[1846]* Original Reference: Epinephele wagneri Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: Taf. 65, figs.311-313; ibid. 6, Nachtrag zu Bd.1: 16, [1851]. Type(s): [Türkei]: Südseite d. Ararat (=Ağrı Dağı) (M.Wagner). Range (in code): IQ IR Zj Kdj Elb TR Arr
- 24993. Hyponephele (s.str. (Turkestaninephele)) galtscha (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *galtscha Groum-Grshimailo,1893* Original Reference: Epinephele lycaon var. galtscha Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Turkestan: "septentrionali montium Hissariensium" (BMNH). Range (in code): TJ
- 24994. Hyponephele (s.str. (Turkestaninephele)) galtscha galtscha (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *galtscha Groum-Grshimailo,1893* Original Reference: Epinephele lycaon var. galtscha Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 129. Syntypes: Turkestan: "septentrionali montium Hissariensium". Range (in code): TJ
- 24995. Hyponephele (s.str. (Turkestaninephele)) germana (Staudinger,1887)** (Satyridae) Synonym(s): *germana Staudinger,1887* Original Reference: Epinephele haberhaueri var. germana Staudinger,1887, Stettin ent. Ztg. 48: 62-63. Syntypes: [Kirgizistan]: Alexandergebirge. Lectotype ♂: "Alex.Geb." (Alexander Gebirge) (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB). Range (in code): T-S Ax KK KG TrA Sju Bog Aa T-I
- 24996. Hyponephele (s.str. (Turkestaninephele)) germana germana (Staudinger,1887)** (Satyridae) Synonym(s): *germana Staudinger,1887* Original Reference: Epinephele haberhaueri var. germana Staudinger,1887, Stettin ent. Ztg. 48: 62-63. Syntypes: [Kirgizistan]: Alexandergebirge. Lectotype ♂: "Alex.Geb." (Alexander Gebirge) (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB). Range (in code): T-S Ax KK KG TrA Sju Bog Aa T-I
- 24997. Hyponephele (s.str. (Turkestaninephele)) haberhaueri (Staudinger,1886)** (Satyridae) Synonym(s): *haberhaueri Staudinger,1886* Original Reference: Epinephele haberhaueri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Usbekistan]: Samarkand; [Kirgizistan]: Alai, Osch. Lectotype ♂: Alai (designated by Lukhtanov,1994, Herbiopoliana 3: 124) (ZMHUB). Range (in code): AF Prw Bm Al KK Ax Osh T-S Syr Tm UZ Smk KG
- 24998. Hyponephele (s.str. (Turkestaninephele)) haberhaueri haberhaueri (Staudinger,1886)** (Satyridae) Synonym(s): *haberhaueri Staudinger,1886* Original Reference: Epinephele haberhaueri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Usbekistan]: Samarkand; [Kirgizistan]: Alai, Osch. Lectotype ♂: Alai (designated by Lukhtanov,1994, Herbiopoliana 3: 124) (ZMHUB). Range (in code): AF Prw Bm Al KK Ax Osh T-S Syr Tm UZ Smk KG
- 24999. Hyponephele (s.str. (Turkestaninephele)) haberhaueri ocellata Samodurov,1995** (Satyridae) Synonym(s): *ocellata Samodurov,1995* Original Reference: Hyponephele haberhaueri ssp. ocellata Samodurov,1995, Atalanta 26 (1/'): 168, Farbt. Holotype ♂: S.Kirgisien: nördliche Abhänge des äußersten östlichen Teil der Alaj-Gebirk., Oberlauf des Flusses Tar, Ail Kysyldshar, 2100m (ZMUM). Range (in code): T-S KK AI
- 25000. Hyponephele (s.str. (Turkestaninephele)) maureri (Staudinger,1886)** (Satyridae) Synonym(s): *maureri Staudinger,1886* Original Reference: Epinephele haberhaueri var. maureri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Kirgizistan]: Alai, und den Gebirgen bei Osch; [Uzbekistan]: Hazret-Sultan Gebirge], südlich von Samarkand. Range (in code): T-S TJ AI H-S KK Osh UZ
- 25001. Hyponephele (s.str. (Turkestaninephele)) maureri maureri (Staudinger,1886)** (Satyridae) Synonym(s): *maureri Staudinger,1886* Original Reference: Epinephele haberhaueri var. maureri Staudinger,1886, Stettin ent. Ztg. 47: 247-248. Syntypes: [Kirgizistan]: Alai, und den Gebirgen bei Osch; [Uzbekistan]: Hazret-Sultan Gebirge], südlich von Samarkand. Range (in code): T-S AI H-S KK Osh UZ
- 25002. Hyponephele (s.str. (Turkestaninephele)) maureri subnephele (Stshetkin,1963)** (Satyridae) Synonym(s): *subnephele Stshetkin,1963* Original Reference: Epinephele rueckbeili subnephele Stshetkin,1963, Trudy Inst. Zool. Parasit. Akad. Nauk Tadsch.SSR 24: 44. Holotype ♂: Südwest Tadjikistan: Chosratischoch-Geb., Berg Chodscha Mumin (in coll. Stshetkin). Range (in code): TJ UZ

- 25003. Hyponephele (s.str. (Turkestaninephele)) rubriceps (Herz,1900)** (Satyridae) Synonym(s): *rubriceps* Herz,1900; *toharica* Dubatolov & Sergeev,1991; *karakongrada* Dubatolov,1991. Original Reference: *Epinephele haberhaueri* ssp. *rubriceps* Herz,1900, Ann. Mus. zool. St.Petersb. 5: 446. Lectotype ♂: Uzbekistan: Samarkand, Urgut. Range (in code): Smk UZ Drw His TJ Stz TM
- 25004. Hyponephele (s.str. (Turkestaninephele)) rubriceps rubriceps (Herz,1900)** (Satyridae) Synonym(s): *rubriceps* Herz,1900; *toharica* Dubatolov & Sergeev,1991; *karakongrada* Dubatolov,1991. Original Reference: *Epinephele haberhaueri* ssp. *rubriceps* Herz,1900, Ann. Mus. zool. St.Petersb. 5: 446. Lectotype ♂: Uzbekistan: Samarkand, Urgut. Range (in code): Smk UZ Drw His TJ Stz TM
- 25005. Hyponephele (s.str. (Turkestaninephele)) rueckbeili (Staudinger,1887)** (Satyridae) Synonym(s): *rueckbeili* Staudinger,1887 Original Reference: *Epinephele rueckbeili* Staudinger,1887, Stettin ent. Ztg. 48: 63-64. Syntypes: [Kirgizistan]: Issyk-Kul. Lectotype ♂: "Issyk Kul 86 Rckbl" (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB). Range (in code): Ik KK KG Aa TrA T-S TeA Tk
- 25006. Hyponephele (s.str. (Turkestaninephele)) rueckbeili rueckbeili (Staudinger,1887)** (Satyridae) Synonym(s): *rueckbeili* Staudinger,1887 Original Reference: *Epinephele rueckbeili* Staudinger,1887, Stettin ent. Ztg. 48: 63-64. Syntypes: [Kirgizistan]: Issyk-Kul. Lectotype ♂: "Issyk Kul 86 Rckbl" (designated by Lukhtanov,1994, Herbiopoliana 3: 125 (ZMHUB). Range (in code): Ik KK KG Aa TrA T-S TeA Tk
- 25007. Hyponephele (s.str.) catamelas (Staudinger,1886)** (Satyridae) Synonym(s): *catamelas* Staudinger,1886 Original Reference: *Epinephele lycaon* var. *catamelas* Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Südöstl. Altai (Omifluß) (leg. Rückbeil). Range (in code): RU At Bn CN Ui Kml
- 25008. Hyponephele (s.str.) catamelas catamelas (Staudinger,1886)** (Satyridae) Synonym(s): *catamelas* Staudinger,1886 Original Reference: *Epinephele lycaon* var. *catamelas* Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Südöstl. Altai (Omifluß) (leg. Rückbeil). Range (in code): RU At Bn CN Ui Kml
- 25009. Hyponephele (s.str.) catamelas rufodiffusus Korb,2000** (Satyridae) Synonym(s): *rufodiffusus* Korb,2000 Original Reference: *Hyponephele catamelas* ssp. *rufodiffusus* Korb,2000, Alexanor 21 (1): 52, figs. 2,3. Holotype ♂: Monts Altai, Zmeinogorsk (IZSP). Range (in code): RU At
- 25010. Hyponephele (s.str.) dzhungarica Samodurov,1996** (Satyridae) Synonym(s): *dzhungarica* Samodurov,1996 Original Reference: *Hyponephele dzhungarica* Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: SO-Kasachstan: Taldy-Kurganer Gebiet, Dsungarski-Alatau, Kapal, 1300m (ZMUM). Range (in code): T-S KG Tk DsA Aem Ket
- 25011. Hyponephele (s.str.) dzhungarica dzhungarica Samodurov,1996** (Satyridae) Synonym(s): *dzhungarica* Samodurov,1996 Original Reference: *Hyponephele dzhungarica* Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: SO-Kasachstan: Taldy-Kurganer Gebiet, Dsungarski-Alatau, Kapal, 1300m (ZMUM). Range (in code): T-S KG Tk DsA Aem Ket
- 25012. Hyponephele (s.str.) hasantahsin Koçak & Kemal,2002** (Satyridae) Synonym(s): *hasantahsin Koçak & Kemal,2002* Original Reference: *Hyponephele* (s.str.) *hasantahsin Koçak & Kemal,2002*, Cent. ent. Stud. 80/81: 13. Holotype ♂: Turkey: Malatya Prov., Balaban geçidi 2000m, 9.7.2001, M.Kemal leg. (in coll. Cesa). Range (in code): TR
- 25013. Hyponephele (s.str.) hasantahsin hasantahsin Koçak & Kemal,2002** (Satyridae) Synonym(s): *hasantahsin Koçak & Kemal,2002* Original Reference: *Hyponephele* (s.str.) *hasantahsin Koçak & Kemal,2002*, Cent. ent. Stud. 80/81: 13. Holotype ♂: Turkey: Malatya Prov., Balaban geçidi 2000m, 9.7.2001, M.Kemal leg. (in coll. Cesa). Range (in code): TR
- 25014. Hyponephele (s.str.) interposita (Erschoff,1874)** (Satyridae) Synonym(s): *interposita* Erschoff,1874; *margelanica* Turati,1909 (cf. Samodurov et al.,1995, *Atalanta* 26 (1/2): 182). Original Reference: *Epinephele interposita* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 22, pl.2 fig.16. Syntypes: Turkestan. Range (in code): CN T-S Ui Tek IR AF Hr Kab TM Bl PK TJ UZ KG MN Nym Ktm Bkb Sau Tar Sp Sju DsA Tk IiD Syr Tm
- 25015. Hyponephele (s.str.) interposita depressa Korolew,1995** (Satyridae) Synonym(s): *depressa* Korolew,1995 Original Reference: *Hyponephele interposita* ssp. *depressa* Korolew,1995,

- Atalanta 26(1/2): 189-190, Farbtafel. Holotype ♂: SW.Tadjikistan: Tabaktschi-Geb.,Kalininabad (ZMUM) Range (in code): TJ UZ TM Kp IR? AF?
- 25016. Hyponephele (s.str.) interposita interposita (Erschoff,1874)** (Satyridae)
Synonym(s): *interposita* Erschoff,1874; *margelanica* Turati,1909 (cf. Samodurov et al.,1995, *Atalanta* 26 (1/2): 182). Original Reference: Epinephele *interposita* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2(5) 3: 22, pl.2 fig.16. Neotype ♀: Usbekistan, W. Serawschan, Bagrin, 1500m selected by Samodurov, et al. (1995: 184) (ZMUM). Range (in code): CN T-S Ui Tek IR AF Hr Kab TM Bl PK TJ UZ KG MN Nym Ktm Bkb Sau Tar Sp Sju DsA Tk IiD Syr Tm
- 25017. Hyponephele (s.str.) interposita mimonovi Samodurov,1995** (Satyridae)
Synonym(s): *mimonovi* Samodurov,1995 Original Reference: Hyponephele *interposita* ssp. *mimonovi* Samodurov,1995, *Atalanta* 26(1/2): 188-189, Farbtafel. Holotype ♂: N.Usbekistan: Karakalpakistan, Tachtakupyr-Gegend, Sarkul-See (coll.E.Mimonov). Range (in code): UZ KG
- 25018. Hyponephele (s.str.) jasavi Lukhtanov,1990** (Satyridae) Synonym(s): *jasavi* Lukhtanov,1990 Original Reference: Hyponephele *jasavi* Lukhtanov,1990, Vestn. zool. 1990 (6): 18-19, figs.5,6. Holotype ♂: Kasachstan: Chimkent: Syrdaryinsky Karatau, Kentau, Boyaldyr, 900m (nach dem Namen des Dichters und Predigers Achmed Jasawi (1105-1166) benannt) (ZIP). Range (in code): T-S KG Ky Syr Tm KK Tls
- 25019. Hyponephele (s.str.) jasavi jasavi Lukhtanov,1990** (Satyridae) Synonym(s): *jasavi* Lukhtanov,1990 Original Reference: Hyponephele *jasavi* Lukhtanov,1990, Vestn. zool. 1990 (6): 18-19, figs.5,6. Holotype ♂: Kasachstan: Chimkent: Syrdaryinsky Karatau, Kentau, Boyaldyr, 900m (nach dem Namen des Dichters und Predigers Achmed Jasawi (1105-1166) benannt) (ZIP). Range (in code): T-S KG Ky Syr Tm KK Tls
- 25020. Hyponephele (s.str.) lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836] Original Reference: Satyrus *lupinus* Costa,[1836], Fauna Regno di Napoli...:[69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano.. Range (in code): At Bn Ae AF AL AM Ao AZ Ba B-H Cr CY CZ DZ ES Mu FR GG GR HU Hr HV IL IQ IR IT JO KG KK LB MA MK MN PK PT Rd RU Si SK Sm Sr SS TJ TM TR UA UZ VI YU Uk Aq Ky Syr Tm Db Aa Tk Ka Kt Ty Pw Sp Mn Or Bs Sm Kg Sau Mrk Tar DsA IiD T-S SY Tls CN Ui Il Ku Sju Hr Ax Kh Kp Cc Ab Sro Qba Jal Lbs Sbd Abe Dje Ktr Khh Btina BLM Kab Bl Bnu
- 25021. Hyponephele (s.str.) lupina herata Howarth & Povolny,1976** (Satyridae)
Synonym(s): *herata* Howarth & Povolny,1976; *kopetdagica* Samodurov,2001. Original Reference: Hyponephele *lupina* ssp. *herata* Howarth & Povolny,1976, Cas. morav. Mus. Brne 61: 167-168. Holotype ♂: Afghanistan: Herat: Bala Murghab, 470m. Range (in code): AF BLM Hr TM IR Kh Kp
- 25022. Hyponephele (s.str.) lupina intermedia (Staudinger,1886)** (Satyridae)
Synonym(s): *intermedia* Staudinger,1886; *transcaucasica* Jachontov,1910; *centralis* Riley,1921; *captus* Riley,1921; *cypriaca* Riley,1921; *#lupinulus* Turati & Fiori,1930. Original Reference: Epinephele *lycaon* var. *intermedia* Staudinger,1886, Stettin ent. Ztg. 47 (4/6): 251. Lectotype ♂: [Türkei]: Amasia (Wagner,1995, Die Tagfalter der Türkei: 845) (ZMHB). Range (in code): SY Rd Koj Bgr Bl He Ae TR CY Cc GG AM AZ IR AF PK IQ IL JO LB
- 25023. Hyponephele (s.str.) lupina lupina (Costa,[1836])** (Satyridae) Synonym(s): *lupina* Costa,[1836] Original Reference: Satyrus *lupinus* Costa,[1836], Fauna Regno di Napoli...:[69], [311], pl.4 figs.3,4. Syntypes: Italia: Napoli: Otranto, Bosco di Guagnano.. Range (in code): AL Ao Ba B-H Cr CZ FR GR HU HV IT MK RU SK Sm Sr SS UA VI YU
- 25024. Hyponephele (s.str.) lupina mauretanica (Oberthür,1881)** (Satyridae)
Synonym(s): *mauretanica* Oberthür,1881; *magdalena* Hemming,1928 Original Reference: Satyrus *eudora* var. *mauretanica* Oberthür,1881, Etüd. d'Ent. 6: 58. Syntypes: ♂♀: Algérie: Lambéze, Sebdou. Range (in code): DZ Lbs Sbd Abe Dje Ktr Khh Btina ES Mu FR MA PT
- 25025. Hyponephele (s.str.) lupina rhamnusia (Freyer,[1845])** (Satyridae) Synonym(s): *rhamnusia* Freyer,[1845]; *analampira* Turati,1909 Original Reference: Hipparchia *rhamnusia* Freyer,[1845], Neuere Beitr. Schmett. 5 (77): 125-126, Tab. 457 figs. 2,3. Syntypes: [Italia]: "Sicilien". Range (in code): Si IT
- 25026. Hyponephele (s.str.) lupina turanica (Rühl,[1894])** (Satyridae) Synonym(s): *turanica* Rühl,[1894]; *margelanica* Turati,1909. Original Reference: Epinephele *lycaon* var. *turanica* Rühl,[1894] Palaearkt. Grossschmett. Naturg. 1: 598. Type: "Tura" (lost). Neotype ♂: Kazachstan: Almaty, Kaptschagai S., 2.7.1999,530m, M.Kemal leg., designated by Koçak & Kemal,2002, Misc. Pap. 80/81: 11. (in coll. Cesa). Range (in code): KG KK TJ UZ Syr Tm Db Tk Aa Man Smk Sau Mrk Tar Ax DsA IiD Tls MN TrA T-S CN Ui Ii Ku Sju

- 25027. Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; #*lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
Original Reference: Papilio lycaon Rottemburg,1775, Naturforscher 6: 17. Type(s): Deutschland: Brandenburg. Range (in code): **AL Ao AT Ba BG BY CH CN CZ DE EE ES Mu FI FR GR HU Ii IT IQ KG Ku LT LV PL PT RO RU Si SK Sm So Sr TR Cc UA Ui Uk VI YU SY At Bn Kts Kuz Sau Mrk Tar Ter KuA TrA DsA Ket Ax IL He LB T-S IR Ab Khy Ar Sbl** Bionomy: Larva on Festuca ovina, F. rubra, Bromus erectus, Stipa pennata (Tolman, 1997).
- 25028. Hyponephele (s.str.) lycaon alpherakyi (Sheljuzhko,1937)** (Satyridae) Synonym(s): *alpherakyi* Sheljuzhko,1937 Original Reference: Epinephele lycaon ssp. alpherakyi Sheljuzhko,1937, Festschr. Embrik Strand 2: 348-349. Syntypes 7♂ 2♀: [Russia]: Teberda, Dzegamat, Chatipara. Range (in code): **Kb RU**
- 25029. Hyponephele (s.str.) lycaon catalampra (Staudinger,[1896])** (Satyridae) Synonym(s): *catalampra* Staudinger,[1896] Original Reference: Epinephele lycaon var. catalampra Staudinger,[1896], Dt. ent. Z., Iris 8: 347. Lectotype ♂: Mongolei: Uliassutai (designated by Lukhtanov,1994, Herbipoliana 3: 119) (ZMHUB). Range (in code): **KG MN Sem Tk**
- 25030. Hyponephele (s.str.) lycaon collina (Röber,1897)** (Satyridae) Synonym(s): *collina* Röber,1897; *catictera* Turati,1909 ? Original Reference: Epinephele intermedia var. collina Röber,1897, Ent. Nachr. 23 (17/18): 267. Type(s): [Türkei]: Gülek. Range (in code): **IQ TR Cc**
- 25031. Hyponephele (s.str.) lycaon jakovlevi Korolev,2001** (Satyridae) Synonym(s): *jakovlevi* Korolev,2001 Original Reference: Hyponephele lycaon ssp. jakovlevi Korolev,2001, Atalanta 32 (1/2): 131-132, figs. Holotype ♂: Russia: Zentral Altai: [Kosch-Agatschski Rayon]: Fluß Karagem-Tal, 1300m (ZMUM). Range (in code): **RU At**
- 25032. Hyponephele (s.str.) lycaon kambyses Gross & Ebert,1975** (Satyridae) Synonym(s): *kambyses* Gross & Ebert,1975 Original Reference: Hyponephele lycaon ssp. kambyses Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 25, fig.26. Holotype ♂: Iran: Elburs S-Seite, 15km östl. Gatschisar 2600m. (LNK). Taxonomical status needs further research. Range (in code): **IR Th Elb**
- 25033. Hyponephele (s.str.) lycaon kangal Koçak & Kemal,2002** (Satyridae) Synonym(s): *kangal Koçak & Kemal,2002* Original Reference: Hyponephele (s.str.) lycaon ssp. kangal Koçak & Kemal,2002, Cent. ent. Stud. 80/81: 12. Holotype ♂: Turkey: Sivas Prov., Gürün, 1400m, 26.6.2001, A.Koçak & M.Kemal leg. (in coll. Cesa). Range (in code): **TR**
- 25034. Hyponephele (s.str.) lycaon libanotica (Staudinger,1901)** (Satyridae) Synonym(s): *libanotica* Staudinger,1901 Original Reference: Epinephele lycaon var. libanotica Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 63, nr.405g. Syntypes: Syr. (Libanon). Range (in code): **IL He LB**
- 25035. Hyponephele (s.str.) lycaon lycaon (Rottemburg,1775)** (Satyridae) Synonym(s): *lycaon* Rottemburg,1775; #*lycaon* Kuhn,1774; *eudora* Esper,1778; *janirula* Esper,1800; *rufomaculata* Korb,2005
Original Reference: Papilio lycaon Rottemburg,1775, Naturforscher 6: 17. Type(s): Deutschland: Brandenburg. Range (in code): **AT BG CH CZ DE HU KG UA At Bn Kts Ir RU Sb T-S Kuz Sau Mrk Tar Ter KuA TrA DsA Ket Ax KG Ur Sb**
- 25036. Hyponephele (s.str.) lycaon macrophthalma (Fruhstorfer,1909)** (Satyridae) Synonym(s): *macrophthalma* Fruhstorfer,1909 Original Reference: Epinephele lycaon ssp. macrophthalma Fruhstorfer,1909, Int. ent. Z. 3: 120. Type(s): Spanien: Castilien, Andalusien. Range (in code): **An ES Mu**
- 25037. Hyponephele (s.str.) lycaon nikokles (Fruhstorfer,1909)** (Satyridae) Synonym(s): *nikokles* Fruhstorfer,1909 Original Reference: Epinephele lycaon nikokles Fruhstorfer,1909, Int. ent. Z. 3: 120. Type ♂: Iselle, Südanhang des Simplon. Range (in code): **CH Va**
- 25038. Hyponephele (s.str.) lycaon pardoi Manley,1969** (Satyridae) Synonym(s): *pardoi* Manley,1969 Range (in code): **ES**
- 25039. Hyponephele (s.str.) lycaon salona (Fruhstorfer,1909)** (Satyridae) Synonym(s): *salona* Fruhstorfer,1909 Original Reference: Epinephele lycaon ssp. salona Fruhstorfer,1909, Int. ent. Z. 3: 120. Type ♂: [Bosnia-Herzegovina]: Bosnien, Prenj. Range (in code): **B-H MK**
- 25040. Hyponephele (s.str.) lycaonoides Weiss,1978** (Satyridae) Synonym(s): *lycaonoides* Weiss,1978; #*lycaonoides* Nazari,2003 Original Reference: Hyponephele lycaonoides Weiss,1978, Atalanta 9(3): 230-233, figs.1,2. Holotype ♂: Iran: Luristan: Marg-e-Malek 30km östl. Kuhrang 3200m. (in NPMP). Range (in code): **IR Ab Khy Th Diz Lo TR Cc AM Nv AZ**

- 25041. Hyponephele (s.str.) lycaonoides bugrai Koçak,1989** (Satyridae) Synonym(s): *bugrai Koçak,1989* Original Reference: Hyponephele lycaonoides ssp. bugrai Koçak,1989, Priamus 4(4): 143. Holotype ♂: Turkey: Bayburt: Maden (in coll. CESA). Range (in code): **TR**
- 25042. Hyponephele (s.str.) lycaonoides buraki Koçak,1989** (Satyridae) Synonym(s): *buraki Koçak,1989* Original Reference: Hyponephele lycaonoides ssp. buraki Koçak,1989, Priamus 4(4): 144. Holotype ♂: Turkey: Antalya: Ibradi (in coll. CESA). Range (in code): **TR**
- 25043. Hyponephele (s.str.) lycaonoides lycaonoides Weiss,1978** (Satyridae) Synonym(s): *lycaonoides Weiss,1978; #lycaonoides Nazari,2003* Original Reference: Hyponephele lycaonoides Weiss,1978, Atalanta 9(3): 230-233, figs.1,2. Holotype ♂: Iran: Luristan: Marg-e-Malek 30km östl. Kuhrang 3200m. (in NPMP). Range (in code): **IR Lo Ab Khy Th Diz**
- 25044. Hyponephele (s.str.) lycaonoides suati Koçak,1989** (Satyridae) Synonym(s): *suati Koçak,1989* Original Reference: Hyponephele lycaonoides ssp. suati Koçak,1989, Priamus 4(4): 143. Holotype ♂: Turkey: [Şirnak] Hakkari: Uludere, 1900-2100m. (in coll. CESA). Range (in code): **TR**
- 25045. Hyponephele (s.str.) maroccana (Blachier,1908)** (Satyridae) Synonym(s): *maroccana Blachier,1908* Original Reference: Epinephele lycaon var. maroccana Blachier,1908, Annls Soc. ent. Fr. 77: 216, pl.4 fig.5 Type: Morocco, Atlas Mts. Range (in code): **MA Tgz Rf Lkr**
- 25046. Hyponephele (s.str.) maroccana maroccana (Blachier,1908)** (Satyridae) Synonym(s): *maroccana Blachier,1908*. Original Reference: Epinephele lycaon var. maroccana Blachier,1908, Annls Soc. ent. Fr. 77: 216, pl.4 fig.5 Type: Morocco, Atlas Mts. Range (in code): **MA**
- 25047. Hyponephele (s.str.) maroccana nivellei (Oberthür,1920)** (Satyridae) Synonym(s): *nivellei Oberthür,1920* Range (in code): **MA Tgz Rf Lkr**
- 25048. Hyponephele (s.str.) pasimelas (Staudinger,1886)** (Satyridae) Synonym(s): *pasimelas Staudinger,1886; #parimelas Rühl,[1894]*. Original Reference: Epinephele lycaon var. pasimelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Amurgebiet: Raddefskaja. Range (in code): **Am RU CN Ui MN Prj Us Vv Bry**
- 25049. Hyponephele (s.str.) pasimelas monochromus Korb,2000** (Satyridae) Synonym(s): *monochromus Korb,2000* Original Reference: Hyponephele pasimelas ssp. monochromus Korb,2000, Alexanor 21 (1): 52, fig. 4. Holotype ♂: Russia: Region Usuri, Dalnegorsk (IZSP). Range (in code): **Prj Us Vv RU**
- 25050. Hyponephele (s.str.) pasimelas pasimelas (Staudinger,1886)** (Satyridae) Synonym(s): *pasimelas Staudinger,1886; #parimelas Rühl,[1894]*. Original Reference: Epinephele lycaon var. pasimelas Staudinger,1886, Stettin ent. Ztg. 47: 251. Syntypes: [Russia]: Amurgebiet: Raddefskaja. Range (in code): **Am RU CN Ui MN Bry**
- 25051. Hyponephele (s.str.) przhewalskyi Dubatolov, Sergeev & Zhdanko,1994** (Satyridae) Synonym(s): *przhewalskyi Dubatolov, Sergeev & Zhdanko,1994* Original Reference: Hyponephele przhewalskyi Dubatolov, Sergeev & Zhdanko,1994, Atalanta 25 (1/2): 171-176, figs. 1a-c, 2. Holotype ♂: Kyrgyzstan: Issyk Kul, Przhewalsk (BIN). Range (in code): **T-S KK KG Ik DsA TrA KuA Tk**
- 25052. Hyponephele (s.str.) przhewalskyi przhewalskyi Dubatolov, Sergeev & Zhdanko,1994** (Satyridae) Synonym(s): *przhewalskyi Dubatolov, Sergeev & Zhdanko,1994* Original Reference: Hyponephele przhewalskyi Dubatolov, Sergeev & Zhdanko,1994, Atalanta 25 (1/2): 171-176, figs. 1a-c, 2. Holotype ♂: Kyrgyzstan: Issyk Kul, Przhewalsk (BIN). Range (in code): **T-S KK KG Ik DsA TrA KuA Tk**
- 25053. Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000* Original Reference: Hyponephele lycaon ssp. zuvandica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: Aserbajdschan, Talysch: Zuvand, Gosmoljan, 1400m (ZMUM). Range (in code): **Cc AM AZ TR IR Ab**
- 25054. Hyponephele (s.str.) zuvandica zuvandica Samodurov & Koroljev,1996** (Satyridae) Synonym(s): *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000* Original Reference: Hyponephele lycaon ssp. zuvandica Samodurov,1996, Nachr. ent. Ver. Apollo N.F. 17(1): 26-28, Abb., Holotype ♂: Aserbajdschan, Talysch: Zuvand, Gosmoljan, 1400m (ZMUM). Range (in code): **Cc AM AZ TR IR Ab**

- 25055. *Hyponephele cheena* (Moore,1865)** (Satyridae) Synonym(s): *cheena* Moore,1865
Original Reference: *Epinephele cheena* Moore,1865, Proc. zool. Soc. Lond. 1865: 501-502, Pl.30 fig.6. Syntypes: India: Kunawur. Range (in code): **Ci Gg PK Ch Hp Bt IN Ld Nwf**
- 25056. *Hyponephele cheena baltistana* Eckweiler & Bozano,2011** (Satyridae) Synonym(s): *baltistana* Eckweiler & Bozano,2011 Range (in code): **PK Bt**
- 25057. *Hyponephele cheena cheena* (Moore,1865)** (Satyridae) Synonym(s): *cheena* Moore,1865
Original Reference: *Epinephele cheena* Moore,1865, Proc. zool. Soc. Lond. 1865: 501-502, Pl.30 fig.6. Syntypes: India: Kunawur. Range (in code): **Ch Hp IN Ld**
- 25058. *Hyponephele cheena iskander* (Hemming,1941)** (Satyridae) Synonym(s): *iskander* Hemming,1941
Original Reference: *Maniola cheena* ssp. *iskander* Hemming,1941, Proc. R. ent. Soc. Lond. (B) 10: 207 (nomen novum pro *chitralica* Tytler,1926 nec Evans) Range (in code): **Ci Gg PK**
- 25059. *Hyponephele cheena kashmirica* (Moore,1892)** (Satyridae) Synonym(s): *kashmirica* Moore,1892 Range (in code): **Ch Ld Ci Nwf PK**
- 25060. *Hyponephele kugitanghi* Dubatolov & Sergeev,** (Satyridae) Synonym(s): *kugitanghi* Dubatolov & Sergeev,
- 25061. *Hyponephele kugitanghi kugitanghi* Dubatolov & Sergeev,** (Satyridae) Synonym(s): *kugitanghi* Dubatolov & Sergeev,
- 25062. *Hyponephele sifanica* (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
Original Reference: *Epinephele sifanica* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 459. Syntypes: [China: Qinghai]: Amdo, Chuan-Che. Range (in code): **Amd CN Ts**
- 25063. *Hyponephele sifanica sifanica* (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *sifanica* Groum-Grshimailo,1890
Original Reference: *Epinephele sifanica* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 459. Syntypes: [China: Qinghai]: Amdo, Chuan-Che. Range (in code): **Amd CN Ts**
- 25064. *Hyponephele sussurans* Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *sussurans* Clench & Shoumatoff,1956
Original Reference: *Hyponephele sussurans* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 160-161. Holotype ♂: Afghanistan: Marak, 4500m. Range (in code): **AF Kbb**
- 25065. *Hyponephele sussurans clenchi* Wyatt & Omoto,1966** (Satyridae) Synonym(s): *sussurans clenchi* Wyatt & Omoto,1966
Original Reference: *Hyponephele sussurans* ssp. *clenchi* Wyatt & Omoto,1966, Entomops 5: 176, figs. Holotype ♂: Afghanistan: Hindu Kush, Kurpetau, Panjshir valley, 3100m. Range (in code): **AF Hk**
- 25066. *Hyponephele sussurans sussurans* Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *sussurans* Clench & Shoumatoff,1956
Original Reference: *Hyponephele sussurans* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 160-161. Holotype ♂: Afghanistan: Marak, 4500m. Range (in code): **AF Kbb**
- 25067. *Idata cecilia* (Vallantin,1894)** (Satyridae) Synonym(s): *ida* Esper,1784 nec Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
Original Reference: *Epinephele ida* var. *cecilia* Vallantin,1894, Naturaliste 16(2) 8(185): 260. Type: Morocco. Range (in code): **AL Co DZ Ktr Clo Ndr Agi BSa Ktr Ght Btnd Dhm Tun Tlm Rbt Gf ES Mu Mu18 FR GR IT MA PT Sa Si TN TR YU LY Cy**
Bionomy: Larva on *Brachypodium sylvaticum*, *Festuca ovina*, *Poa nemoralis*, *Dactylis glomerata*, *Agrostis capillaris* (Tolman,1997).
- 25068. *Idata cecilia cecilia* (Vallantin,1894)** (Satyridae) Synonym(s): *ida* Esper,1784 nec Cramer,1775; *cecilia* Vallantin,1894; *aphrodite* Hemming,1934.
Original Reference: *Epinephele ida* var. *cecilia* Vallantin,1894, Naturaliste 16(2) 8(185): 260. Type: Morocco. Range (in code): **AL DZ Ktr Clo Ndr Agi BSa Ktr Ght Btnd Dhm Tun Tlm Rbt FR GR IT MA PT Sa Si TN TR YU**
- 25069. *Idata cecilia cyrenaicae* (Rothschild,1922)** (Satyridae) Synonym(s): *cyrenaicae* Rothschild,1922
Original Reference: *Epinephele ida cyrenaicae* Rothschild,1922, Ann. Mag. nat. Hist. (9) 9: 668. Holotype: Libya: East Cyrenaica, Driana. Range (in code): **Cy LY**
- 25070. *Idata cecilia marcida* (Fruhstorfer,1909)** (Satyridae) Synonym(s): *marcida* Fruhstorfer,1909; *murciana* Ribbe,1910.
Original Reference: *Epinephele ida* ssp. *decolorata* Fruhstorfer,1909, Ent. Z., Frankf. a. M. 22: 211. Syntypes: Spain: Andalusien. Range (in code): **ES Mu Mu18**
- 25071. *Idata cecilia neapolitana* (Oberthür,1909)** (Satyridae) Synonym(s): *neapolitana* Oberthür,1909 Range (in code): **Co IT F2o FR**

- 25072. Kanetisa digna (Marschall,1882)** (Satyridae) Synonym(s): *digna* Marschall,1882
Original Reference: Hipparchia digna Marschall,1882, J. asiat. Soc. Beng. 51 (2): 67. Type ♀:
[Pakistan]: Shandur Plateau. Range (in code): **PK Sha Ci Gg Ch Nwf AF Kbb Prw Pnj Hk**
- 25073. Kanetisa digna digna (Marschall,1882)** (Satyridae) Synonym(s): *digna* Marschall,1882
Original Reference: Hipparchia digna Marschall,1882, J. asiat. Soc. Beng. 51(2): 67. Type ♀:
[Pakistan]: Shandur Plateau. Range (in code): **PK Sha Ci Gg Nwf**
- 25074. Kanetisa digna pallas (Evans,1923)** (Satyridae) Synonym(s): *pallas* Evans,1923
Original Reference: Karanasa digna pallas Evans,1923, J. Bombay nat. Hist. Soc. 29: 782.
Syntypes: [Pakistan]: Chitral, <9000ft. Range (in code): **Ci PK Nwf**
- 25075. Kanetisa digna perdigna Clench & Shoumatoff,1956** (Satyridae) Synonym(s):
perdigna Clench & Shoumatoff,1956 Original Reference: Kanetisa digna ssp. perdigna Clench &
Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 146-147. Holotype ♂: Afghanistan:
Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. Range (in code): **AF Kbb Pnj**
- 25076. Kanetisa digna zarathustra (Wyatt & Omoto,1966)** (Satyridae) Synonym(s):
zarathustra Wyatt & Omoto,1966 Original Reference: Satyrus (Kanetisa) digna ssp. zarathustra
Wyatt & Omoto,1966, Entomops 5: 154-155, figs. Holotype ♂: Afghanistan: Hindu Kush, Upper
Panjshir valley, 3500m. Range (in code): **AF Hk Prw Pnj**
- 25077. Kanetisa stheni (Groum-Grshimailo,1887)** (Satyridae) Synonym(s): *stheni* Groum-
Grshimailo,1887 Original Reference: Satyrus stheni Groum-Grshimailo,1887, [in] Romanoff,
Mém. lépid. 3: 401. Syntypes: [Tadjikistan]: [Karateginsky Mts.]: "Karategine.. Obi-Garm".
Range (in code): **TJ**
- 25078. Kanetisa stheni stheni (Groum-Grshimailo,1887)** (Satyridae) Synonym(s): *stheni*
Groum-Grshimailo,1887 Original Reference: Satyrus stheni Groum-Grshimailo,1887, [in]
Romanoff, Mém. lépid. 3: 401. Syntypes: [Tadjikistan]: [Karateginsky Mts.]: "Karategine.. Obi-
Garm". Range (in code): **TJ**
- 25079. Karanasa abramovi (Erschoff,1884)** (Satyridae) Synonym(s): *abramovi* Erschoff,1884
Original Reference: Satyrus abramovi Erschoff,1884, Horae Soc. ent. ross. 18: 245. Syntypes:
Kirghizistan: "Tschatyr-Kul". Range (in code): **T-A KI T-S Ax CN Ga KK Na Ui Aa KG TJ**
- 25080. Karanasa abramovi abramovi (Erschoff,1884)** (Satyridae) Synonym(s): *abramovi*
Erschoff,1884 Original Reference: Satyrus abramovi Erschoff,1884, Horae Soc. ent. ross. 18:
245. Syntypes: Kirghizistan: "Tschatyr-Kul". Range (in code): **T-S Ax CN Ga KK Ui KG**
- 25081. Karanasa abramovi korlana (Staudinger,1901)** (Satyridae) Synonym(s): *korlana*
Staudinger,1901 Original Reference: Satyrus abramovi var. korlana Staudinger,1901, Cat. lepid.
palaearkt. Faunengeb. 3(1): 56, nr.358a. Syntypes: [China: Uighur A.R.]: Tian c.m. [Tengri Tagh]
(Korla alp). Range (in code): **CN KI T-S Ui**
- 25082. Karanasa abramovi naryna Avinoff & Sweadner,1951** (Satyridae) Synonym(s):
naryna Avinoff & Sweadner,1951 Range (in code): **T-S KK Na**
- 25083. Karanasa abramovi regula (Staudinger,1887)** (Satyridae) Synonym(s): *regula*
Staudinger,1887 Original Reference: Satyrus regeli var. regulus Staudinger,1887, Stettin ent.
Ztg. 48: 59-61. Syntypes 14 ♂♀: [Tadjikistan]: Transalai. Range (in code): **KK T-A T-S TJ**
- 25084. Karanasa balti Tytler,1926** (Satyridae) Synonym(s): *leechi* Moore,1893 nec Groum-Grsh.; *balti*
Tytler,1926 Original Reference: Karanasa huebneri ssp. balti Tytler,1926, J. Bombay nat. Hist.
Soc. 31: 255. Syntypes ♂♀: Baltistan: Skoro La. Range (in code): **Bt SkL**
- 25085. Karanasa balti balti Tytler,1926** (Satyridae) Synonym(s): *leechi* Moore,1893 nec Groum-
Grsh.; *balti* Tytler,1926 Original Reference: Karanasa huebneri ssp. balti Tytler,1926, J. Bombay
nat. Hist. Soc. 31: 255. Syntypes ♂♀: Baltistan: Skoro La. Range (in code): **Bt SkL**
- 25086. Karanasa bolorica (Groum-Grshimailo,1888)** (Satyridae) Synonym(s): *bolorica*
Groum-Grshimailo,1888 Original Reference: Satyrus boloricus Groum-Grshimailo,1888, Horae
Soc. ent. ross. 22: 307. Syntypes ♂♀: [Pakistan: Gilgit]: Hindukusch orient. [Hunza]. Range (in
code): **Ci Nwf AF Prw Pnj Anj Bd Bqu Nks Gg Hk Hu Msg PK**
- 25087. Karanasa bolorica bolorica (Groum-Grshimailo,1888)** (Satyridae) Synonym(s):
bolorica Groum-Grshimailo,1888 Original Reference: Satyrus boloricus Groum-Grshimailo,1888,
Horae Soc. ent. ross. 22: 307. Syntypes ♂♀: [Pakistan: Gilgit]: Hindukusch orient. [Hunza].
Range (in code): **Gg Hu Msg PK**
- 25088. Karanasa bolorica chitralica Tytler,1926** (Satyridae) Synonym(s): *chitralica* Tytler,1926
Original Reference: Karanasa regeli ssp. chitralica Tytler,1926, J. Bombay nat. Hist. Soc. 31: 254.
Syntypes ♂♀: [Pakistan]: Chitral. Range (in code): **AF Bd Nks Ci Nwf PK**

- 25089. *Karanasa bolorica hodja* Avinoff & Sweadner, 1951** (Satyridae) Synonym(s): *hodja Avinoff & Sweadner, 1951* - Range (in code): AF Anj Bd Bqu Hk Prw Pnj
- 25090. *Karanasa bolorica mohsenii* Wyatt & Omoto, 1966** (Satyridae) Synonym(s): *mohsenii Wyatt & Omoto, 1966* - Original Reference: *Karanasa bolorica* ssp. *mohsenii* Wyatt & Omoto, 1966, Entomops 5: 172, figs. Holotype ♂: Afghanistan: Hindu Kush: Upper Panjshir valley, 3400m. Range (in code): AF Hk
- 25091. *Karanasa decolorata* (Staudinger, 1901)** (Satyridae) Synonym(s): *decolorata Staudinger, 1901* - Original Reference: *Satyrus huebneri* var. *decolorata* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 56, nr. 359b. Syntypes: [China: Uighur A.R.]: Tien-Shan or. (prope Chamyl); [Uzbekistan]: Bucharas s.or. (ab.). Range (in code): CN Kml T-S Ui
- 25092. *Karanasa decolorata decolorata* (Staudinger, 1901)** (Satyridae) Synonym(s): *decolorata Staudinger, 1901* - Original Reference: *Satyrus huebneri* var. *decolorata* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 56, nr. 359b. Syntypes: [China: Uighur A.R.]: Tien-Shan or. (prope Chamyl); [Uzbekistan]: Bucharas s.or. (ab.). Range (in code): CN Kml T-S Ui
- 25093. *Karanasa decolorata iscander* Avinoff & Sweadner, 1951** (Satyridae) Synonym(s): *iscander Avinoff & Sweadner, 1951* - Range (in code): TJ
- 25094. *Karanasa decolorata maidana* Avinoff & Sweadner, 1951** (Satyridae) Synonym(s): *maidana Avinoff & Sweadner, 1951*
- 25095. *Karanasa goergneri* Eckweiler, 1990** (Satyridae) Synonym(s): *goergneri Eckweiler, 1990* - Original Reference: *Karanasa goergneri* Eckweiler, 1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 144-148, Abb. Holotype ♂: China: Süd Gansu: Linxia/Xiahe, 2800-3150m leg. Görgner (in coll. Görgner). Range (in code): CN Gn
- 25096. *Karanasa goergneri goergneri* Eckweiler, 1990** (Satyridae) Synonym(s): *goergneri Eckweiler, 1990* - Original Reference: *Karanasa goergneri* Eckweiler, 1990, Nachr. ent. Ver. Apollo (N.F.) 11(3): 144-148, Abb. Holotype ♂: China: Süd Gansu: Linxia/Xiahe, 2800-3150m leg. Görgner (in coll. Görgner). Range (in code): CN Gn
- 25097. *Karanasa huebneri* (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *huebneri C.Felder & R.Felder, [1867]; cadesia Moore, 1874; leechi Moore, 1892; modesta Moore, 1892; pallida Tytler, 1926; balti Tytler, 1926; astorica Tytler, 1926*. - Original Reference: *Satyrus hübnéri* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494, Tab. lxxix figs. 8, 9. Syntypes ♂♀: Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo. Range (in code): Bzl Asr Gg Ch Ci Dro Ld Lho PK Sfk AF
- 25098. *Karanasa huebneri huebneri* (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *huebneri C.Felder & R.Felder, [1867]; cadesia Moore, 1874; leechi Moore, 1892; modesta Moore, 1892; pallida Tytler, 1926; balti Tytler, 1926; astorica Tytler, 1926*. - Original Reference: *Satyrus hübnéri* C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 494, Tab. lxxix figs. 8, 9. Syntypes ♂♀: Himalaya occidental.: Lahoul, Shigri, Spiti: Dishungdeo. Range (in code): Bzl Ch Ld Lho Asr PK Gg
- 25099. *Karanasa huebneri pupilata* Tytler, 1926** (Satyridae) Synonym(s): *pupilata Tytler, 1926* - Original Reference: *Karanasa pamirus* ssp. *pupilata* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 254. Syntypes ♂♀: [Pakistan]: Drosh, Chitral. Range (in code): Ci Dro PK
- 25100. *Karanasa huebneri safeda* Tytler, 1926** (Satyridae) Synonym(s): *safeda Tytler, 1926 (D'Abrera (1992: 222) treated this taxon as a distinct species)*. - Original Reference: *Karanasa pamirus* ssp. *safeda* Tytler, 1926, J. Bombay nat. Hist. Soc. 31: 254. Type ♂: Safed Koh, Kurram valley, 11500ft. Range (in code): Sfk PK AF
- 25101. *Karanasa incerta* Bogdanov, 1997** (Satyridae) Synonym(s): *incerta Bogdanov, 1997* - Original Reference: *Karanasa incerta* Bogdanov, 1997, [in] Tusov, V.K., Guide to the Butterflies of Russia 1: 249-250, pl. 72 figs. 7-9. Holotype ♂: [Tadjikistan]: Pamirs, Shugnansky Mts., Dzhilandy, 4000m. Range (in code): TJ Pm
- 25102. *Karanasa incerta incerta* Bogdanov, 1997** (Satyridae) Synonym(s): *incerta Bogdanov, 1997* - Original Reference: *Karanasa incerta* Bogdanov, 1997, [in] Tusov, V.K., Guide to the Butterflies of Russia 1: 249-250, pl. 72 figs. 7-9. Holotype ♂: [Tadjikistan]: Pamirs, Shugnansky Mts., Dzhilandy, 4000m. Range (in code): TJ Pm
- 25103. *Karanasa josephi* (Staudinger, 1882)** (Satyridae) Synonym(s): *josephi Staudinger, 1882* - Original Reference: *Satyrus josephi* Staudinger, 1882, Berl. ent. Z. 26(1): 174. Syntypes: [Tadjikistan]: Alai-Gebirge. Range (in code): T-S Al Db KG KK Osh Pm TJ Tls Drw His
- 25104. *Karanasa josephi angrena* Avinoff & Sweadner, 1951** (Satyridae) Synonym(s): *angrena Avinoff & Sweadner, 1951*

- 25105. *Karanasa josephi dissoluta* (Staudinger,1886)** (Satyridae) Synonym(s): *dissoluta* Staudinger,1886 Original Reference: *Satyrus huebneri* var. *dissoluta* Staudinger,1886, Stettin ent. Ztg. 47: 245-246. Syntypes: [Kirgizistan]: Usgent, Osch. Range (in code): **T-S KK Osh**
- 25106. *Karanasa josephi josephi* (Staudinger,1882)** (Satyridae) Synonym(s): *josephi* Staudinger,1882 Original Reference: *Satyrus josephi* Staudinger,1882, Berl. ent. Z. 26(1): 174. Syntypes: [Tadjikistan]: Alai-Gebirge. Range (in code): **T-S Al KK Pm TJ**
- 25107. *Karanasa josephi kasak* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *kasak* Avinoff & Sweadner,1951 Original Reference: *Karanasa kasak* Avinoff & Sweadner,1951, Ann. Carnegie Mus. 32: 78, pl.4 fig.9,10; pl.9 fig.38; pl.15. Holotype: [Kazachstan]: "Targaisk, Kandyktau, 1400m". Range (in code): **KG T-S TrA**
- 25108. *Karanasa josephi talastauana* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *talastauana* Bang-Haas,1927 Original Reference: *Satyrus huebneri* ssp. *talastauana* O.Bang-Haas,1927, Horae Macrolepid. 1: 49-50, t.7 fig.20. Syntypes: [Kasachstan]: Syr Darja, Talastau mont. südöstl. Aulie Ata. Range (in code): **Db KG T-S Tls A-D**
- 25109. *Karanasa kasakstana* (O.Bang-Haas,1936)** (Satyridae) Synonym(s): *kasakstana* O.Bang-Haas,1936 Original Reference: *Satyrus regeli kasakstana* O.Bang-Haas,1936, Ent. Z., Frankf. a. M. 50: 108. Syntypes: Kasakstan, Aulie Ata, Talas Alatau. Range (in code): **T-S Db KG KK Tls Ax**
- 25110. *Karanasa kasakstana kasakstana* (O.Bang-Haas,1936)** (Satyridae) Synonym(s): *kasakstana* O.Bang-Haas,1936 Original Reference: *Satyrus regeli kasakstana* O.Bang-Haas,1936, Ent. Z., Frankf. a. M. 50: 108. Syntypes: Kasakstan, Aulie Ata, Talas Alatau. Range (in code): **Db KG KK T-S Tls Ax**
- 25111. *Karanasa kotandari* Wyatt,1961** (Satyridae) Synonym(s): *kotandari* Wyatt,1961 Original Reference: *Karanasa pamira* ssp. *kotandari* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 10-11. Holotype ♂: Afghanistan: Kabul, Paghman Mts., Kotandar Pass, 11000-12500ft. Range (in code): **AF Kab Pag**
- 25112. *Karanasa kotandari kotandari* Wyatt,1961** (Satyridae) Synonym(s): *kotandari* Wyatt,1961 Original Reference: *Karanasa pamira* ssp. *kotandari* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 10-11. Holotype ♂: Afghanistan: Kabul, Paghman Mts., Kotandar Pass, 11000-12500ft. Range (in code): **AF Kab Pag**
- 25113. *Karanasa latefasciata* (Groum-Grshimailo,1902)** (Satyridae) Synonym(s): *latefasciata* Groum-Grshimailo,1902 Original Reference: *Satyrus regeli* var. *latefasciata* Groum-Grshimailo,1902, Ann. Mus. Zool. St. Petersburg 7: 193. Syntypes: [Kirgizistan]: "Tian-schan centrali [Tengri Tagh], Sarydshass". Range (in code): **KK Sda T-S CN Ui**
- 25114. *Karanasa latefasciata kirgizorum* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *kirgizorum* Avinoff & Sweadner,1951 Original Reference: *Karanasa kirgizorum* Avinoff & Sweadner,1951, Ann. Carnegie Mus. 32: 84, pl.4 fig.20; pl.9 fig.25; pl.14. Holotype: Kirghiz Mts. Range (in code): **T-S Ax KG**
- 25115. *Karanasa latefasciata latefasciata* (Groum-Grshimailo,1902)** (Satyridae) Synonym(s): *latefasciata* Groum-Grshimailo,1902 Original Reference: *Satyrus regeli* var. *latefasciata* Groum-Grshimailo,1902, Ann. Mus. Zool. St. Petersburg 7: 193. Syntypes: [Kirgizistan]: "Tian-schan centrali [Tengri Tagh], Sarydshass". Range (in code): **KK Sda T-S**
- 25116. *Karanasa latefasciata obscurior* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *obscurior* Avinoff & Sweadner,1951 Original Reference: *Karanasa obscurior* Avinoff & Sweadner,1951, Ann. Carnegie Mus. 32: 97, pl.5 fig.19; pl.10 figs.11,12. Holotype: Kirghizistan: East. Issyk-Kul Range (in code): **KK TeA**
- 25117. *Karanasa leechi* (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *leechi* Groum-Grshimailo,1890 Original Reference: *Satyrus leechi* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 473-475, pl.xv fig.3a-b. Syntypes ♂♀: "Kounjout". Range (in code): **KK TJ**
- 25118. *Karanasa leechi intermedia* (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *intermedia* Groum-Grshimailo,1890 Original Reference: *Satyrus intermedius* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 480-481, pl.xv fig.7. Syntypes ♂♀: "Ters-Agar".
- 25119. *Karanasa leechi leechi* (Groum-Grshimailo,1890)** (Satyridae) Synonym(s): *leechi* Groum-Grshimailo,1890 Original Reference: *Satyrus leechi* Groum-Grshimailo,1890, [in] Romanoff, Mém. lépid. 4: 473-475, pl.xv fig.3a-b. Syntypes ♂♀: "Kounjout". Range (in code): **TJ Pm**

- 25120. *Karanasa moorei* (Evans,1912)** (Satyridae) Synonym(s): *moorei* Evans,1912 Original Reference: *Satyrus* (*Karanasa*) *hübneri moorei* Evans,1912, J. Bombay nat. Hist. Soc. 21: 563. Syntypes: [Pakistan]: Chitral, Shandur Pass (nomen novum pro *leechi* Moore nec Groum-Grshimailo). Range (in code): **AF Hk Bm Prw Ci Gg Kbb PK Nwf Sha Ys**
- 25121. *Karanasa moorei gilgitica* Tytler,1926** (Satyridae) Synonym(s): *gilgitica* Tytler,1926 Original Reference: *Karanasa moorei* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 254. Syntypes ♂♀: [Pakistan]: Gilgit: Ghizar, Yasin. Range (in code): **Gg PK Ys**
- 25122. *Karanasa moorei haarlovi* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *haarlovi* Avinoff & Sweadner,1951 Original Reference: *Karanasa haarlovi* Avinoff & Sweadner,1951, Ann. Carneg. Mus. 32: 124, pl.12 figs. 4,10,11. Range (in code): **AF Kbb Prw Bm**
- 25123. *Karanasa moorei moorei* (Evans,1912)** (Satyridae) Synonym(s): *moorei* Evans,1912 Original Reference: *Satyrus* (*Karanasa*) *hübneri moorei* Evans,1912, J. Bombay nat. Hist. Soc. 21: 563. Syntypes: [Pakistan]: Chitral, Shandur Pass (nomen novum pro *leechi* Moore nec Groum-Grshimailo). Range (in code): **Ci PK Sha Nwf**
- 25124. *Karanasa pamira* (Staudinger,1887)** (Satyridae) Synonym(s): *pamira* Staudinger,1887 Original Reference: *Satyrus pamirus* Staudinger,1887, Stettin ent. Ztg. 48: 61-62. Syntypes: [Tadjikistan]: Trans-Alai. Range (in code): **AF Anj Bd Nks Bqu Hk Kbb Pm T-A TJ**
- 25125. *Karanasa pamira alpherakyi* Avinoff** (Satyridae) Synonym(s): *alpherakyi* Avinoff
- 25126. *Karanasa pamira haslundi* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *haslundi* Avinoff & Sweadner,1951 Original Reference: *Karanasa haslundi* Avinoff & Sweadner,1951, Ann. Carneg. Mus. 32: 122, pl.12 figs.2,3,5,6,12-14. Range (in code): **AF Kbb**
- 25127. *Karanasa pamira kafir* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *kafir* Avinoff & Sweadner,1951 Range (in code): **AF Bd Nks**
- 25128. *Karanasa pamira pamira* (Staudinger,1887)** (Satyridae) Synonym(s): *pamira* Staudinger,1887 Original Reference: *Satyrus pamirus* Staudinger,1887, Stettin ent. Ztg. 48: 61-62. Syntypes: [Tadjikistan]: Trans-Alai. Range (in code): **Pm T-A TJ**
- 25129. *Karanasa pamira titan* Wyatt & Omoto,1966** (Satyridae) Synonym(s): *titan* Wyatt & Omoto,1966 Original Reference: *Karanasa pamira* ssp. *titan* Wyatt & Omoto,1966, Entomops 5: 170-171, figs. Holotype ♂: Afghanistan: Hindu Kush, Kurpetau, Panjshir valley, 3300m. Range (in code): **AF Hk**
- 25130. *Karanasa pamira twomeyi* Wyatt,1961** (Satyridae) Synonym(s): *twomeyi* Wyatt,1961 Original Reference: *Karanasa pamira* ssp. *twomeyi* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 11-12, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 11000ft. Range (in code): **AF Anj Bd Bqu Hk**
- 25131. *Karanasa puengeleri* (O.Bang-Haas,1910)** (Satyridae) Synonym(s): *puengeleri* O.Bang-Haas,1910; *erschovi* Avinoff,1910. Original Reference: *Satyrus püngeleri* O.Bang-Haas,1910, Dt. ent. Z., Iris 23: 29-30, Taf.iii fig.2. Syntypes ♂♀: [China: Uighur A.R.]: Juldus-Gebiet. Range (in code): **T-S KK Na CN Ui Ju**
- 25132. *Karanasa puengeleri minutianus* (Fruhstorfer,1911)** (Satyridae) Synonym(s): *minutianus* Fruhstorfer,1911 Original Reference: *Satyrus puengeleri* var. *minutianus* Fruhstorfer,1911, [in] Seitz,A., Gross-Schmett. Erde 9: 308. Syntypes: [Kyrgyzstan]: Naryn. Range (in code): **T-S KK Na**
- 25133. *Karanasa puengeleri puengeleri* (O.Bang-Haas,1910)** (Satyridae) Synonym(s): *puengeleri* O.Bang-Haas,1910; *erschovi* Avinoff,1910. Original Reference: *Satyrus püngeleri* O.Bang-Haas,1910, Dt. ent. Z., Iris 23: 29-30, Taf.iii fig.2. Syntypes ♂♀: [China: Uighur A.R.]: Juldus-Gebiet. Range (in code): **T-S CN Ui Ju**
- 25134. *Karanasa regeli* (Alpheraky,1881)** (Satyridae) Synonym(s): *regeli* Alpheraky,1881 Original Reference: *Satyrus regeli* Alpheraky,1881, Horae Soc. ent. ross. 16: 419-421, Taf. 15 fig. 23. Syntypes ♂♀: "Jouldousse" [China; Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **Aa Bc CN Dj Ga Ju KG Ku Sem Tk T-S Ui TeA KuA TrA DsA**
- 25135. *Karanasa regeli regeli* (Alpheraky,1881)** (Satyridae) Synonym(s): *regeli* Alpheraky,1881 Original Reference: *Satyrus regeli* Alpheraky,1881, Horae Soc. ent. ross. 16: 419-421, Taf. 15 fig. 23. Syntypes ♂♀: "Jouldousse" [China; Uighur A.R.]: Tian-Chian [Tengri Tagh]. Range (in code): **Aa CN Ga Ju KG Ku T-S Ui TeA KuA TrA**
- 25136. *Karanasa regeli ruckbeili* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *ruckbeili* Avinoff & Sweadner,1951 Original Reference: *Karanasa ruckbeili* Avinoff & Sweadner,1951, Ann. Carneg. Mus. 32: 100, pl.5 f.5,23; pl.8 f.21,23; pl.11 f.20. Syntypes: [China:

- Uighur A.R.]: Boro Choro Mts.; [Kasachstan]: North of Djarkent. Range (in code): T-S Bc CN Dj KG Sem Tk Ui DsA
- 25137. *Karanasa regeli tancrei* (Groum-Grshimailo,1893)** (Satyridae) Synonym(s): *tancrei* Groum-Grshimailo,1893; *conradti* Alpheraky,1894. Original Reference: Satyrus tancrei Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 128. Syntypes: [Kirghizistan]: "in montibus Alexandri (Thjan-Schan occid.)". Range (in code): T-S Ax CN Ga KK Ui
- 25138. *Karanasa straminea Bogdanov,1997*** (Satyridae) Synonym(s): *straminea* Bogdanov,1997 Original Reference: *Karanasa straminea* Bogdanov, 1997, [in] Tusov,V.K., Guide to the Butterflies of Russia 1: 251, pl.72 figs.4-6. Holotype ♂: [Tadjikistan]: Pamirs, Vanchsky Mts., Gudzhovast River, 3500m. Range (in code): TJ Pm
- 25139. *Karanasa straminea straminea* Bogdanov,1997** (Satyridae) Synonym(s): *straminea* Bogdanov,1997 Original Reference: *Karanasa straminea* Bogdanov, 1997, [in] Tusov,V.K., Guide to the Butterflies of Russia 1: 251, pl.72 figs.4-6. Holotype ♂: [Tadjikistan]: Pamirs, Vanchsky Mts., Gudzhovast River, 3500m. Range (in code): TJ Pm
- 25140. *Karanasa voighti* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *voighti* O.Bang-Haas,1927 Original Reference: Satyrus huebneri ssp. voighti O.Bang-Haas,1927, Horae Macrolepid. 1: 50. Type ♀: Afghanistan: Pagmann mt. 3000m, westl. Kabul. Range (in code): AF Kab Pag
- 25141. *Karanasa voighti nigrocellata* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *nigrocellata* Avinoff & Sweadner,1951 Original Reference: *Karanasa nigrocellata* Avinoff & Sweadner,1951, Ann. Carneg. Mus. 32: 47, pl.12 figs. 1,8,9. Range (in code): AF Kbb
- 25142. *Karanasa voighti voighti* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *voighti* O.Bang-Haas,1927 Original Reference: Satyrus huebneri ssp. voighti O.Bang-Haas,1927, Horae Macrolepid. 1: 50. Type ♀: Afghanistan: Pagmann mt. 3000m, westl. Kabul. Range (in code): AF Kab Pag
- 25143. *Karanasa wilkinsi* (Erschoff,1884)** (Satyridae) Synonym(s): *wilkinsi* Erschoff,1884 Original Reference: Satyrus wilkinsi Erschoff,1884, Horae Soc. ent. ross 18: 244. Syntypes: [Kirgisien]: "Tschatir-Kul". Range (in code): T-S T-A Al Ga Ui CN Aa TrA KG KK KuA
- 25144. *Karanasa wilkinsi dublitzkyi* (Bang-Haas,1927)** (Satyridae) Synonym(s): *dublitzkyi* Bang-Haas,1927 Original Reference: Satyrus huebneri ssp. dublitzkyi Bang-Haas,1927, Horae Macrolepid. 1: 49, t.7 fig.13. Syntypes: [Kasachstan]: Berg Khoum Berg Bel 3000m, Alma Ata. Range (in code): T-S Aa KG TrA KuA
- 25145. *Karanasa wilkinsi durana* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *durana* Avinov & Sweadner,1951 Range (in code): KK
- 25146. *Karanasa wilkinsi robusta* Avinoff & Sweadner,1951** (Satyridae) Synonym(s): *robusta* Avinov & Sweadner,1951 Range (in code): KK
- 25147. *Karanasa wilkinsi wilkinsi* (Erschoff,1884)** (Satyridae) Synonym(s): *wilkinsi* Erschoff,1884 Original Reference: Satyrus wilkinsi Erschoff,1884, Horae Soc. ent. ross 18: 244. Syntypes: [Kirgisien]: "Tschatir-Kul". Range (in code): T-S T-A Al Ga Ui CN KK
- 25148. *Kirinia* (Melike) *roxelana* (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989 Original Reference: Papilio roxelana Cramer,[1777], Uitl. Kapellen 2:101, pl.161, figs. C-F. Syntypes: [Türkei]:Constantinopel [=Istanbul], Smyrna [=Izmir]. Range (in code): Ae AL BG Cc Cm CY GR Rd RO RU LB IQ IR Ab Lo TR UA YU SY
- 25149. *Kirinia* (Melike) *roxelana roxelana* (Cramer,[1777])** (Satyridae) Synonym(s): *roxelana* Cramer,[1777]; *#anatolica* Koçak,1989 Original Reference: Papilio roxelana Cramer,[1777], Uitl. Kapellen 2:101, pl.161, figs. C-F. Syntypes: [Türkei]:Constantinopel [=Istanbul], Smyrna [=Izmir]. Range (in code): Ae AL BG Cc Cm CY GR Rd RO RU LB IQ IR Ab Lo TR UA YU SY
- 25150. *Kirinia* (s.str.) *epaminondas* (Staudinger,1887)** (Satyridae) Synonym(s): *epaminondas* Staudinger,1887 Range (in code): RU Vv Am KP JP CN
- 25151. *Kirinia* (s.str.) *epaminondas epaminondas* (Staudinger,1887)** (Satyridae) Synonym(s): *epaminondas* Staudinger,1887 Range (in code): RU Vv Am KP JP CN
- 25152. *Kirinia* (s.str.) *epimenides* (Ménétriés,1859)** (Satyridae) Synonym(s): *epimenides* Ménétriés,1859 Original Reference: Lasiommata epimenides Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 39, nr.75, t.3 figs.8,9. Syntypes: Russia: Amurland. Range (in code): RU Vv KP CN
- 25153. *Kirinia* (s.str.) *epimenides epimenides* (Ménétriés,1859)** (Satyridae) Synonym(s): *epimenides* Ménétriés,1859 Original Reference: Lasiommata epimenides Ménétriés,1859, [in]

- Schrenck, Reisen Forsch. im Amur-Lande 2(1): 39, nr.75, t.3 figs.8,9. Syntypes: Russia: Amurland. Range (in code): **RU Vv KP CN**
- 25154. Lasiommata adrastoides (Bienert,1870)** (Satyridae) Synonym(s): *adrastoides Bienert,1870* Original Reference: Pararge adrastoides Bienert,1870, Lepid. Ergebn. Reise in Persien: 30. Type(s): [Iran]: Persia. Range (in code): **Cc AZ IR Elb Gls** Bionomy: Festuca (Nekrutenko, 1990).
- 25155. Lasiommata adrastoides adrastoides (Bienert,1870)** (Satyridae) Synonym(s): *adrastoides Bienert,1870* Original Reference: Pararge adrastoides Bienert,1870, Lepid. Ergebn. Reise in Persien: 30. Type(s): [Iran]: Persia. Range (in code): **Cc AZ IR Elb Gls**
- 25156. Lasiommata ananda Charmeux,2001** (Satyridae) Synonym(s): *ananda Charmeux,2001* Range (in code): **PK Nwf Ci**
- 25157. Lasiommata ananda ananda Charmeux,2001** (Satyridae) Synonym(s): *ananda Charmeux,2001* Range (in code): **PK Nwf Ci**
- 25158. Lasiommata felix (Warnecke,1929)** (Satyridae) Synonym(s): *felix Warnecke,1929* Original Reference: Pararge felix Warnecke,1929, Int. ent. Z. 22: 365. Syntypes: Yemen: Südwest Arabien. Sanaa. Range (in code): **Ad As SA Bhh YE**
- 25159. Lasiommata felix felix (Warnecke,1929)** (Satyridae) Synonym(s): *felix Warnecke,1929* Original Reference: Pararge felix Warnecke,1929, Int. ent. Z. 22: 365. Syntypes: Yemen: Südwest Arabien. Sanaa. Range (in code): **Ad As SA YE**
- 25160. Lasiommata hindukushica (Wyatt & Omoto,1966)** (Satyridae) Synonym(s): *hindukushica Wyatt & Omoto,1966* Original Reference: Pararge hindukushica Wyatt & Omoto,1966, Entomops 5: 173-174, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran, Anjuman valley, 3400-3500m. Range (in code): **AF Anj Bd Bqu Hk**
- 25161. Lasiommata hindukushica hindukushica (Wyatt & Omoto,1966)** (Satyridae) Synonym(s): *hindukushica Wyatt & Omoto,1966* Original Reference: Pararge hindukushica Wyatt & Omoto,1966, Entomops 5: 173-174, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran, Anjuman valley, 3400-3500m. Range (in code): **AF Anj Bd Bqu Hk**
- 25162. Lasiommata maderakal (Guérin-Ménéville,1849)** (Satyridae) Synonym(s): *maderakal Guérin-Ménéville,1849* Range (in code): **ET SO**
- 25163. Lasiommata maderakal maderakal (Guérin-Ménéville,1849)** (Satyridae) Synonym(s): *maderakal Guérin-Ménéville,1849* Range (in code): **ET SO**
- 25164. Lasiommata maera (Linnaeus,1758)** (Satyridae) Synonym(s): *maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.* Original Reference: Papilio maera Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Type(s): Suecia (vide Linnaeus,1746 Fauna Suecica (1): 238). Range (in code): **Ae AL Cc AM At Bn AT AZ Ba BE BG B-H Bs BY Cb CH Cr CY CZ DE DK EE ES Mu FI FR GG GR HU HV IL IT KG Kg Kr Kw LB LT LU LV MK Mn NL No NO Om Or PL Pp PT Rd RO RU SE Si SK Sm So Sp Sr SS Tk TR Tt Ty UA Uk VI YU At Sau Mrk Tar DsA Cb Kg Pp Kw Ty Pw SY Sb T-S Arr Pa Hf CN Ui Mu18 Cc Pja Kis Tbl Ab MA DZ Rf Lkr Dju** Bionomy: Larva on Festuca ovina, F. rubra, Holcus mollis, Luzula luzuloides, Agrostis capillaris, Hordeum murinum, Nardus stricta, Calamagrostis epigejos, C. arundinacea, C. varia, Glyceria fluitans, Deschampsia flexuosa (Tolman, 1997).
- 25165. Lasiommata maera abastumana (Sheljuzhko,1937)** (Satyridae) Synonym(s): *abastumana Sheljuzhko,1937; #armeniaca Sheljuzhko,1937; #karsiana Sheljuzhko,1937.* Original Reference: Pararge maera ssp. abastumana Sheljuzhko,1937, Festschr. Embrik Strand 2: 345. Lectotype ♂: [Georgia]: Abastumani (designated by Nekrutenko,1990: 114). Range (in code): **Cc GG TR**
- 25166. Lasiommata maera adrasta (Hübner,[1824])** (Satyridae) Synonym(s): *proserpina Cyrrilli,1787 nec Denis & Schiffermüller,1775; adrasta Hübner,[1824]; australis Zeller,1847; leucocinia Fruhstorfer,1908; herdonia Fruhstorfer,1909; nevadensis Oberthür,1909; vulgaris Verity,1913; macroleucocinia Verity,1935.* Original Reference: Papilio adrasta Hübner,[1824], Samml. eur. Schmett. 1: pl.169, figs. 836-839. Syntypes: Europa. Range (in code): **ES Mu Mu18 FR MA DZ Rf Lkr Dju**
- 25167. Lasiommata maera atabyris (Fruhstorfer,1909)** (Satyridae) Synonym(s): *atabyris Fruhstorfer,1909* Original Reference: Pararge maera atabyris Fruhstorfer,1909, Int. ent. Z. 3: 133. Type ♂: [Griechenland]: Rhodos: Atabrys Mt. Range (in code): **Rd**
- 25168. Lasiommata maera gracilis (Sheljuzhko,1937)** (Satyridae) Synonym(s): *gracilis Sheljuzhko,1937.* Original Reference: Pararge maera ssp. gracilis Sheljuzhko,1937, Festschr. Embrik Strand 2: 346. Syntypes ♂♀: [Georgien]: Gourv. Tiflis: Tzarskije Kolodtzy; Mtzchet; [Türkei]: Prov. Kars: Sarykamysch. Range (in code): **Cc GG Tbl TR**

- 25169. *Lasiommata maera jachontovi* (Sheljuzhko,1937)** (Satyridae) **Synonym(s):** *jachontovi* Sheljuzhko,1937; *#strandii* Sheljuzhko,1937. **Original Reference:** *Pararge maera* ssp. *jachontovi* Sheljuzhko,1937, Fetschr. Embrik Strand 2: 341-343. **Syntypes:** [Russia]: Zheleznovodsk, Pjatigorsk, Kislowodsk. **Range (in code):** **RU Cc Pja Kis**
- 25170. *Lasiommata maera maera* (Linnaeus,1758)** (Satyridae) **Synonym(s):** *maera* Linnaeus,1758; *pandion* Poda,1761; *hiera* Fab.,1777; *maja* Fuchs,1873; *monotonia* Schilde,1885; *crimea* Bang-Haas,1907; *atabryris* Fruhstorfer,1909. **Original Reference:** *Papilio maera* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. **Type(s):** Suecia (vide Linnaeus,1746 Fauna Suecica (1): 238). **Range (in code):** **Ae AL Cc AM At Bn AT AZ Ba BE BG B-H Bs Bw BY Ch CH Cr CZ DE DK EE ES FI FR GG GR HU HV IT KG Kg Kr Kw LT LU LV MK Mn NL No NO Om Or PL Pp PT Rd RO Rp RU SE Si SK Sm So Sp Sr SS Tk Tt Ty UA Uk VI YU At Sau Mrk T-S Tar DsA Cb Kg Pp Kw Ty Pw**
- 25171. *Lasiommata maera orientalis* (Heyne,[1894])** (Satyridae) **Synonym(s):** *orientalis* Heyne,[1894]. **Original Reference:** *Pararge maera* var. *orientalis* Heyne,[1894], [in] Rühl,F., Die Palaearkt. Grossschmett. Naturg. 1:577. **Type(s):** [Türkei]: Kleinasien. Taxonomical position needs further research. **Range (in code):** **He CY IL Pa Hf LB TR Cc SY**
- 25172. *Lasiommata maera pseudoadrasta* (Stauder)** (Satyridae) **Synonym(s):** *pseudoadrasta* Stauder. **Range (in code):** **MA**
- 25173. *Lasiommata maera silymbria* (Fruhstorfer,1909)** (Satyridae) **Synonym(s):** *silymbria* Fruhstorfer,1909. **Original Reference:** *Pararge maera silymbria* Fruhstorfer,1909, Int. ent. Z. 3: 134. **Syntypes** 8♂ 4♀: [Croatia]: Dalmatien: Spalato. **Range (in code):** **BG HV MK TR?**
- 25174. *Lasiommata maerula* C.Felder & R.Felder,[1867]** (Satyridae) **Synonym(s):** *maerula* C.Felder & R.Felder,[1867]; *laurion* De Nicéville,1895. **Original Reference:** *Lasiommata maerula* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496. **Syntypes** ♂: Himalaya occidentalis: Kunawer, Pangl. **Range (in code):** **Bl Ch Ci Dro Kma Ld Mus Nwf PK Sml Zi**
- 25175. *Lasiommata maerula maerula* C.Felder & R.Felder,[1867]** (Satyridae) **Synonym(s):** *maerula* C.Felder & R.Felder,[1867]; *laurion* De Nicéville,1895. **Original Reference:** *Lasiommata maerula* C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496. **Syntypes** ♂: Himalaya occidentalis: Kunawer, Pangl. **Range (in code):** **Ch Kma Ld Mus Sml**
- 25176. *Lasiommata maerula tarbena* (Talbot,1947)** (Satyridae) **Synonym(s):** *tarbena* Talbot,1947. **Original Reference:** *Pararge maerula* ssp. *tarbena* Talbot,1947, [in] Sewell, The Fauna of British India. Butterflies 2: 244-245. **Holotype** ♂: [Pakistan]: Chitral, Nallahs, 5000ft. **Range (in code):** **Bl Ci Dro Nwf PK Zi**
- 25177. *Lasiommata meadewaldoi* (Rothschild,1917)** (Satyridae) **Synonym(s):** *meadewaldoi* Rothschild,1917; *alluaudi* Oberthür,1922. **Original Reference:** *Pararge maera* ssp. *meade-waldoi* Rothschild,1917, Novit. zool. 24: 112. **Type** ♀: [Marocco]: "Tizi Gourza, 10000ft (July 1901)" (BMNH). **Range (in code):** **MA Ouk Rf**
- 25178. *Lasiommata meadewaldoi meadewaldoi* (Rothschild,1917)** (Satyridae) **Synonym(s):** *meadewaldoi* Rothschild,1917; *alluaudi* Oberthür,1922. **Original Reference:** *Pararge maera* ssp. *meade-waldoi* Rothschild,1917, Novit. zool. 24: 112. **Type** ♀: [Marocco]: "Tizi Gourza, 10000ft (July 1901)" (BMNH). **Range (in code):** **MA Ouk Rf**
- 25179. *Lasiommata megera* (Linnaeus,1767)** (Satyridae) **Synonym(s):** *megera* Linnaeus,1767; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923. **Original Reference:** *Papilio megera* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 771, nr.142. **Range (in code):** **Ae AL AT BE BG B-H BY Ch Co Cr CY CZ DE DK EE ES Mu Mu18 FI FR GB GR HU HV IE IL IQ Dy IR Ab Qba Jal Ak Msw IT Kp Kr LB LT LU LV MK MT NL NO PL PT Rd RO RU Sa SE Si SK Sm So Sr SS SY TM TR Cc JO UA VI YU Cw Dv Smt H-W Sur Ssx Ken DZ MA TN Ski Ktr Dja Mkn Masc Ndr Saia Orn Agi Blid Ges Dje Bsk Btna Lbs Khh Cst Ess Mzg Hrh Ahr Azr Rbt** **Bionomy:** Larva on *Dactylis glomerata*, *Agrostis tenuis*, *A. gigantea*, *A. capillaris*, *Deschampsia flexuosa*, *Holcus lanatus*, *Festuca ovina*, *Brachypodium sylvaticum*, *B. pinnatum* (Poaceae) (Manley & Alcard,1970; Tolman,1997).
- 25180. *Lasiommata megera megera* (Linnaeus,1767)** (Satyridae) **Synonym(s):** *megera* Linnaeus,1767; *depulverata* Fruhstorfer,1909; *caledonia* Verity,1911; *alticola* Verity,1911; *pseudoadrasta* Stauder,1922; *infrapallens* Verity,1922; *ocellator* Verity,1923; *pallidedepulverata* Verity,1923; *vividissima* Verity,1923. **Original Reference:** *Papilio megera* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 771, nr.142. **Range (in code):** **AT BE B-H Bw BY Ch Co CZ DE DK EE ES Mu Mu18 An FI FR GB HU HV IE IT LT LU LV MT NL NO PL PT Rp RU Sa SE Si SK SS UA YU Cw Dv Smt H-W Sur Ssx Ken DZ MA TN Ski Ktr Dja Mkn Masc Ndr Saia Orn Agi Blid Ges Dje Bsk Btna Lbs Khh Cst Ess Mzg Hrh Ahr**
- 25181. *Lasiommata megera transcaspica* (Staudinger,1901)** (Satyridae) **Synonym(s):** *megaerina* Herrich-Schäffer,[1851]; *transcaspica* Staudinger,1901; *emilyssa* Verity,1919; *iranica* Riley,1921;

- #transcaspia Seven,2006 Original Reference: Pararge megera var. transcaspica Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 60. Syntypes: [Iran]: Hyrcania "Schahkuh"; [Turkmenistan]: Tura "Achal Tekke". Range (in code): **He Ae BG CY GR JO IL IQ Dy IR Ab Kp LB MK Rd SY TM TR Cc**
- 25182. Lasiommata megera vividior (Verity,1953)** (Satyridae) Synonym(s): *vividior* Verity,1953 Original Reference: Pararge megera race vividior Verity,1953, Le farfalle diurne d'Italia 5: 30. Range (in code): **ES FR IT**
- 25183. Lasiommata menava Moore,1865** (Satyridae) Synonym(s): *menava* Moore,1865. Original Reference: Lasiommata menava Moore,1865, Proc. zool. Soc. Lond. 56: 499, Pl.30 fig.3. Syntypes: [India]: Kunawur, Pangl, Rarung (in BMHN). Range (in code): **T-S AF Kab Ng Bl Ch Ci Gg Hp IN IQ IR Ab Ak Elb Fa Ke Yz Knw Kp Ld PK TJ TM TR KK KG Ax Syr Tm**
- 25184. Lasiommata menava maeroides C.Felder & R.Felder,[1867]** (Satyridae) Synonym(s): *maeroides* C.Felder & R.Felder,[1867] Original Reference: Lasiommata maeroides C.Felder & R.Felder,[1867], Reise Fregatte "Novara", Lep. Rhop. (3): 496, Tab.lxix fig.1. Syntypes ♂♀: Ladak: Dras, Vallis Indi Occidental.: Chulichang. 12000ft. Range (in code): **Ld**
- 25185. Lasiommata menava menava Moore,1865** (Satyridae) Synonym(s): *menava* Moore,1865. Original Reference: Lasiommata menava Moore,1865, Proc. zool. Soc. Lond. 56: 499, Pl.30 fig.3. Syntypes: [India]: Kunawur, Pangl, Rarung (in BMHN). Range (in code): **T-S AF Kab Ng Bl Ch Ci Gg Hp IN IQ IR Knw Kp Yz Ld PK TJ TM TR KK KG Ax Syr Tm**
- 25186. Lasiommata menava nasshreddini (Christoph,1877)** (Satyridae) Synonym(s): *nasshreddini* Christoph,1877 Original Reference: Pararge nasshreddini Christoph,1877, Horae Soc. ent. ross. 12: 240-241, 202, P. 5 figs. 13,14. Syntypes 4♂ 2♀: [Iran]: Scharud (junior synonym of ssp.menava Moore,1865 (Romanoff,1884; Hesselbarth,1995). Range (in code): **IR Ab Ak Elb Fa Ke**
- 25187. Lasiommata paramegaera (Hübner,[1824])** (Satyridae) Synonym(s): *paramegaera* Hübner,[1824]; *tigeli* Bonelli,1826. Original Reference: Papilio paramegaera Hübner,[1824], Samml. eur. Schmett. 1: pl.170, figs. 842-844. Range (in code): **B-I Maj Co Sa**
- 25188. Lasiommata paramegaera paramegaera (Hübner,[1824])** (Satyridae) Synonym(s): *paramegaera* Hübner,[1824]; *tigeli* Bonelli,1826. Original Reference: Papilio paramegaera Hübner,[1824], Samml. eur. Schmett. 1: pl.170, figs. 842-844. Range (in code): **B-I Maj Co Sa**
- 25189. Lasiommata petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929. Original Reference: Papilio maera var. petropolitana Fabricius,1787, Mant. Ins. 2: 36. Type(s): [Russia]: Petrograd. Range (in code): **AL AT Ba BG BY CH CZ DE DK EE ES FI FR GR HU Ir IT LT LV NO PL RO RU SE SK TR UA YU Da Cc Sb Ya MN Am Ur At Bn Kts Nym Ktm Mkk Sau Tar Tt Bs Or Cb Kg Pw Om Sp Tk Mn No To** Bionomy: Larva on Calamagrostis epigejos, Festuca ovina, Poa, Dactylis glomerata (Eckstein, 1913; Tolman,1997).
- 25190. Lasiommata petropolitana petropolitana (Fabricius,1787)** (Satyridae) Synonym(s): *petropolitana* Fabricius,1787; *ominata* Krulikovsky,1903; *calidia* Fruhstorfer,1908; *parvalpestris* Verity,1929. Original Reference: Papilio maera var. petropolitana Fabricius,1787, Mant. Ins. 2: 36. Type(s): [Russia]: Petrograd. Range (in code): **AL AT Ba BG Bw BY CH CZ DE DK EE ES FI FR GR HU Ir IT LT LV NO PL RO RU SE SK TR UA YU Da Cc Sb Ya MN Am Ur At Bn Nym Ktm Mkk Sau Tar Tt Bs Or Cb Kg Pw Om Sp Tk Mn No To Kts**
- 25191. Lasiommata schakra (Kollar,[1844])** (Satyridae) Synonym(s): *schakra* Kollar,[1844] Original Reference: Satyrus schakra Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 446, Pl.15 figs. 3, 4. Type ♂: [India]: Simla. Range (in code): **Bl Ch Ci IN Kma Nwf PK Gg Sml Zh Zi Haz Mre Abb Thu K-P**
- 25192. Lasiommata schakra aiyuna (Talbot,1947)** (Satyridae) Synonym(s): *aiyuna* Talbot,1947 Original Reference: Pararge schakra aiyuna Talbot,1947, [in] Sewell, The Fauna of British India incl. Ceylon and Burma. Butterflies 2: 244. Holotype ♂: [Pakistan]: Chitral, Drosh 6000ft. Range (in code): **Bl Ci Dro Nwf PK Zi**
- 25193. Lasiommata schakra schakra (Kollar,[1844])** (Satyridae) Synonym(s): *schakra* Kollar,[1844] Original Reference: Satyrus schakra Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 446, Pl.15 figs. 3, 4. Type ♂: [India]: Simla. Range (in code): **Bl Ch IN Kma PK Gg Sml Zh Mre Haz Abb Thu K-P**
- 25194. Lasiommata zagrossica Lukhtanov & Dantchenko,2005** (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko,2005 Range (in code): **IR Bk**
- 25195. Lasiommata zagrossica zagrossica Lukhtanov & Dantchenko,2005** (Satyridae) Synonym(s): *zagrossica* Lukhtanov & Dantchenko,2005 Range (in code): **IR Bk**

- 25196. *Lethe baladeva* (Moore,1865)** (Satyridae) Synonym(s): *baladeva* Moore,1865 Original Reference: Zophoessa baladeva Moore,1865, Proc. zool. Soc. Lond. 1865: 769, pl.xli, fig.5. Type ♂: N.E. Bengal. Range (in code): **SI BT IN Ass Kma Up**
- 25197. *Lethe baladeva aisa* Fruhstorfer,1911** (Satyridae) Synonym(s): *aisa* Fruhstorfer,1911 Original Reference: *Lethe baladeva aisa* Fruhstorfer,1911, [in] Seitz, Die Gross-Schmett. Erde 9: 314. Type(s): Kumaon. Range (in code): **Kma Up IN**
- 25198. *Lethe baladeva baladeva* (Moore,1865)** (Satyridae) Synonym(s): *baladeva* Moore,1865 Original Reference: Zophoessa baladeva Moore,1865, Proc. zool. Soc. Lond. 1865: 769, pl.xli, fig.5. Type ♂: N.E. Bengal. Range (in code): **SI**
- 25199. *Lethe bhairava* Moore,1858** (Satyridae) Synonym(s): *bhairava* Moore,1858; *anysis* Hewitson,1862 Range (in code): **IN Ass SI BT TH CMa VN Ton Tda**
- 25200. *Lethe bhairava bhairava* Moore,1858** (Satyridae) Synonym(s): *bhairava* Moore,1858; *anysis* Hewitson,1862 Range (in code): **IN Ass SI BT TH CMa VN Ton Tda**
- 25201. *Lethe chandica* Moore,1858** (Satyridae) Synonym(s): *chandica* Moore,1858 Range (in code): **IN SI Djl MM TH Rng CMa CDo Cbi TAK PH Boh Ley Mno Mdo Cal Pal Sam Neg Jol Bur Luz Mar Pol**
- 25202. *Lethe chandica byzaccus* Fruhstorfer,1911** (Satyridae) Synonym(s): *byzaccus* Fruhstorfer,1911 Range (in code): **PH Boh Ley Mno Sam**
- 25203. *Lethe chandica canlaonensis* M.Okano & T.Okano,1991** (Satyridae) Synonym(s): *canlaonensis* M.Okano & T.Okano,1991 Range (in code): **PH Neg**
- 25204. *Lethe chandica chandica* Moore,1858** (Satyridae) Synonym(s): *chandica* Moore,1858 Range (in code): **IN SI Djl MM**
- 25205. *Lethe chandica flanana* Fruhstorfer,1911** (Satyridae) Synonym(s): *flanana* Fruhstorfer,1911 Range (in code): **TH CMa CDo Cbi TAK**
- 25206. *Lethe chandica jomaria* Fruhstorfer,1911** (Satyridae) Synonym(s): *jomaria* Fruhstorfer,1911 Range (in code): **PH Jol**
- 25207. *Lethe chandica namura* Fruhstorfer,1911** (Satyridae) Synonym(s): *namura* Fruhstorfer,1911 Range (in code): **TH Rng**
- 25208. *Lethe chandica negrito* C.Felder & R.Felder,1863** (Satyridae) Synonym(s): *negrito* C.Felder & R.Felder,1863 Range (in code): **PH Bur Luz Mar Pol**
- 25209. *Lethe chandica ratnabandi* Fruhstorfer,1911** (Satyridae) Synonym(s): *ratnabandi* Fruhstorfer,1911 Range (in code): **PH Cal Pal**
- 25210. *Lethe chandica sisapon* Fruhstorfer,1911** (Satyridae) Synonym(s): *sisapon* Fruhstorfer,1911 Range (in code): **PH Mdo**
- 25211. *Lethe confusa* Aurivillius,1898** (Satyridae) Synonym(s): *confusa* Aurivillius,1898; *gambara* Fruhstorfer,1911; *apara* Fruhstorfer,1911. Original Reference: *Lethe confusa* Aurivillius,1898, Ent. Tidskr. 18: 142. Range (in code): **Ass Slo Ben CN Hn ID IN Kgr Kma MM Haz Mre Msm Mus MY Nag Pj PK SI TH CMa Cuo Cuo9 CDo Dst Qs Pap Mro Lmp Tht Rng Chy Knc Ti Tns Up VN Ton Yu**
- 25212. *Lethe confusa apara* Fruhstorfer,1911** (Satyridae) Synonym(s): *apara* Fruhstorfer,1911 Range (in code): **MM Tns TH CMa Cuo Cuo9 CDo Lmp Tht Rng Chy Knc VN Ton**
- 25213. *Lethe confusa confusa* Aurivillius,1898** (Satyridae) Synonym(s): *confusa* Aurivillius,1898; *gambara* Fruhstorfer,1911; *apara* Fruhstorfer,1911. Original Reference: *Lethe confusa* Aurivillius,1898, Ent. Tidskr. 18: 142. Range (in code): **Ass Slo Ben CN Hn ID IN Kgr Kma MM Haz Mre Msm Mus MY Nag Pj PK SI TH CMa Dst Qs Pap Mro Ti Tns Up VN Yu**
- 25214. *Lethe diana* (Butler,1866)** (Satyridae) Synonym(s): *diana* Butler,1866 Original Reference: *Debis diana* Butler,1866, J. linn. Soc. Zool. 9: 55. Syntypes: Japonia. Range (in code): **RU Vv KP JP**
- 25215. *Lethe diana diana* (Butler,1866)** (Satyridae) Synonym(s): *diana* Butler,1866 Original Reference: *Debis diana* Butler,1866, J. linn. Soc. Zool. 9: 55. Syntypes: Japonia. Range (in code): **JP**
- 25216. *Lethe diana fixseni* Butler,1881** (Satyridae) Synonym(s): *fixseni* Butler,1881 Range (in code): **KP**
- 25217. *Lethe distans* Butler,1870** (Satyridae) Synonym(s): *distans* Butler,1870 Range (in code): **IN Ass BT SI MM TH CMa**
- 25218. *Lethe distans distans* Butler,1870** (Satyridae) Synonym(s): *distans* Butler,1870 Range (in code): **IN Ass BT SI MM TH CMa**
- 25219. *Lethe dora* Staudinger,1896** (Satyridae) Synonym(s): *dora* Staudinger,1896; *cerama* Shelford,1904 Range (in code): **MY Bor**

- 25220. *Lethe dora dora* Staudinger, 1896** (Satyridae) Synonym(s): *dora* Staudinger, 1896; *cerama* Shelford, 1904 _ Range (in code): **MY Bor**
- 25221. *Lethe drypetis* (Hewitson, 1863)** (Satyridae) Synonym(s): *drypetis* Hewitson, 1863
Range (in code): **LK**
- 25222. *Lethe drypetis drypetis* (Hewitson, 1863)** (Satyridae) Synonym(s): *drypetis* Hewitson, 1863 _ Range (in code): **LK**
- 25223. *Lethe dura* (Marshall, 1882)** (Satyridae) Synonym(s): *dura* Marshall, 1882; *libitina* Leech, 1891; *gammiei* Moore, 1892 _ Range (in code): **CN BT MM Krh Tns TH CMa VN**
- 25224. *Lethe dura dura* (Marshall, 1882)** (Satyridae) Synonym(s): *dura* Marshall, 1882; *libitina* Leech, 1891; *gammiei* Moore, 1892 _ Range (in code): **CN BT MM Krh Tns**
- 25225. *Lethe dura mansonii* Fruhstorfer, 1911** (Satyridae) Synonym(s): *mansonii* Fruhstorfer, 1911 _ Range (in code): **TH CMa VN**
- 25226. *Lethe europa* (Fabricius, 1775)** (Satyridae) Synonym(s): *europa* Fabricius, 1775; *ragalva* Fruhstorfer, 1911. Original Reference: *Papilio europa* Fabricius, 1775, Syst. Ent.: 500-501, nr. 247. Type(s): "America" [patria falsa], South India (Corbet, 1941, Proc. R. ent. Soc. Lond. (B) 10: 102). Range (in code): **CN Hn ID IN MM MY PH TW VN TH CMa Cuo Cuo9 CDo Knc Bnk Cbi Cbu Rat Nst Chw Sgk Hya Tnc**
- 25227. *Lethe europa acutefascia* Schröder & Treadaway, 1991** (Satyridae) Synonym(s): *acutefascia* Schröder & Treadaway, 1991 _ Range (in code): **PH Sga Stu**
- 25228. *Lethe europa alaca* Fruhstorfer, 1911** (Satyridae) Synonym(s): *alaca* Fruhstorfer, 1911
Range (in code): **PH Bal Cal Dum Pal**
- 25229. *Lethe europa cevanna* Fruhstorfer, 1911** (Satyridae) Synonym(s): *cevanna* Fruhstorfer, 1911 _ Range (in code): **PH Ala Bab Bat Bas Bil Boh Bon Bur Bus CagSul Cam CmL CmM Cat Ceb Cts Cuy Din Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sia Sib Siq Sis Tab Taw Tic**
- 25230. *Lethe europa europa* (Fabricius, 1775)** (Satyridae) Synonym(s): *europa* Fabricius, 1775; *ragalva* Fruhstorfer, 1911. Original Reference: *Papilio europa* Fabricius, 1775, Syst. Ent.: 500-501, nr. 247. Type(s): "America" [patria falsa], South India (Corbet, 1941, Proc. R. ent. Soc. Lond. (B) 10: 102). Range (in code): **IN**
- 25231. *Lethe europa malaya* Corbet, 1941** (Satyridae) Synonym(s): *malaya* Corbet, 1941
Original Reference: *Lethe europa* ssp. *malaya* Corbet, 1941, Entomologist 74: 133. Holotype: Malay Peninsula. Range (in code): **MY TH Nst Chw Sgk Hya Tnc**
- 25232. *Lethe europa niladana* Fruhstorfer, 1911** (Satyridae) Synonym(s): *niladana* Fruhstorfer, 1911
Original Reference: *Lethe europa niladana* Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 315. Syntypes: Burma, Kumaon. Range (in code): **IN Kma MM Mus Pj SI Up TH CMa Cuo Cuo9 CDo Knc Bnk Cbi Cbu Rat**
- 25233. *Lethe gemina* Leech, 1891** (Satyridae) Synonym(s): *gemina* Leech, 1891 _ Range (in code): **IN Nag TW VN Ton Tda CN Sz**
- 25234. *Lethe gemina chekiangensis* Mell, 1935** (Satyridae) Synonym(s): *chekiangensis* Mell, 1935
Range (in code): **CN**
- 25235. *Lethe gemina gafuri* Tytler, 1924** (Satyridae) Synonym(s): *gafuri* Tytler, 1924 _ Range (in code): **IN Nag**
- 25236. *Lethe gemina gemina* Leech, 1891** (Satyridae) Synonym(s): *gemina* Leech, 1891 _ Range (in code): **CN Sz**
- 25237. *Lethe gemina wilemani* Matsumura, 1909** (Satyridae) Synonym(s): *wilemani* Matsumura, 1909; *zaitha* Fruhstorfer, 1914 _ Range (in code): **TW**
- 25238. *Lethe goalpara* (Moore, 1865)** (Satyridae) Synonym(s): *goalpara* Moore, 1865
Original Reference: *Zophoessa goalpara* Moore, 1865, Proc. zool. Soc. Lond. 1865: 768. Syntypes ♂♀: N.E. Bengal. Range (in code): **Ben IN Kma Kul Sml**
- 25239. *Lethe goalpara gana* Talbot, 1947** (Satyridae) Synonym(s): *gana* Talbot, 1947
Original Reference: *Lethe goalpara* ssp. *gana* Talbot, 1947, [in] Sewell, The Fauna of British India, Butterflies 2: 186. Type: Sikkim: Karponang, 9000ft. Range (in code): **SI**
- 25240. *Lethe goalpara goalpara* (Moore, 1865)** (Satyridae) Synonym(s): *goalpara* Moore, 1865
Original Reference: *Zophoessa goalpara* Moore, 1865, Proc. zool. Soc. Lond. 1865: 768. Syntypes ♂♀: N.E. Bengal. Range (in code): **Ben IN Kma Kul Sml**
- 25241. *Lethe gulnihali* De Nicéville, 1887** (Satyridae) Synonym(s): *gulnihali* De Nicéville, 1887; *mandersi* Elwes, 1891; *issa* Fruhstorfer, 1911
Original Reference: *Lethe gulnihali* De Nicéville, 1887,

- Proc. zool. Soc. London 1887: 450, pl.39 fig.7. Syntypes: [India]: Assam. Range (in code): **BT IN Ass MM Tns Peg TH CMa Int**
- 25242. *Lethe gulnihali gulnihali* De Nicéville, 1887** (Satyridae) Synonym(s): *gulnihali* De Nicéville, 1887; *mandersi* Elwes, 1891; *issa* Fruhstorfer, 1911 Original Reference: *Lethe gulnihali* De Nicéville, 1887, Proc. zool. Soc. London 1887: 450, pl.39 fig.7. Syntypes: [India]: Assam. Range (in code): **BT IN Ass MM Tns**
- 25243. *Lethe gulnihali peguana* Moore, 1892** (Satyridae) Synonym(s): *peguana* Moore, 1892 Range (in code): **MM Peg TH CMa Int**
- 25244. *Lethe insana* (Kollar, [1844])** (Satyridae) Synonym(s): *insana* Kollar, [1844]; *hyrania* Kollar, [1844]. Original Reference: *Satyrus insana* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 448, pl.xvi, figs. 3,4. Type ♀: Kashmir. Range (in code): **Ass Ch IN Kgr Kma MM Mus SI Sml Up VN Ton Tda**
- 25245. *Lethe insana dinarbas* (Hewitson, 1863)** (Satyridae) Synonym(s): *dinarbas* Hewitson, 1863. Original Reference: *Debis dinarbas* Hewitson, 1863, Exot. Butts.: 77. Type ♂: Naga Hills. Range (in code): **Ass Kma MM Nag NP SI**
- 25246. *Lethe insana insana* (Kollar, [1844])** (Satyridae) Synonym(s): *insana* Kollar, [1844]; *hyrania* Kollar, [1844]. Original Reference: *Satyrus insana* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 448, pl.xvi, figs. 3,4. Type ♀: Kashmir. Range (in code): **Ch IN Kgr Mus Sml Up**
- 25247. *Lethe jalaaurida* (De Nicéville, 1880)** (Satyridae) Synonym(s): *jalaaurida* De Nicéville, 1880 Original Reference: *Zophoessa jalaaurida* De Nicéville, 1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Type ♂: Jalauri Pass. Range (in code): **BT IN Kma Kul Mus SI Sml Up**
- 25248. *Lethe jalaaurida elwesi* (Moore, 1892)** (Satyridae) Synonym(s): *elwesi* Moore, 1892 Original Reference: *Zophoessa elwesi* Moore, 1892, Lepid. Indica: 298, pl. xcii, fig.3. Type ♂: Sikkim. Range (in code): **BT SI**
- 25249. *Lethe jalaaurida jalaaurida* (De Nicéville, 1880)** (Satyridae) Synonym(s): *jalaaurida* De Nicéville, 1880 Original Reference: *Zophoessa jalaaurida* De Nicéville, 1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49(2): 245. Type ♂: Jalauri Pass. Range (in code): **IN Kma Kul Mus Sml Up**
- 25250. *Lethe kansa* (Moore, 1857)** (Satyridae) Synonym(s): *kansa* Moore, 1857 Range (in code): **SI IN Ass MM TH CMa Dst CDo Loe Chy VN Ton Tda**
- 25251. *Lethe kansa kansa* (Moore, 1857)** (Satyridae) Synonym(s): *kansa* Moore, 1857 Range (in code): **SI IN**
- 25252. *Lethe kansa vaga* Fruhstorfer, 1911** (Satyridae) Synonym(s): *vaga* Fruhstorfer, 1911 Range (in code): **MM TH CMa Dst CDo Loe Chy**
- 25253. *Lethe kansa zeugitana* Fruhstorfer, 1911** (Satyridae) Synonym(s): *zeugitana* Fruhstorfer, 1911 Range (in code): **IN Ass**
- 25254. *Lethe latiaris* (Hewitson, 1863)** (Satyridae) Synonym(s): *latiaris* Hewitson, 1863 Range (in code): **NP Kdu IN Ass MM Tns SI TH CMa**
- 25255. *Lethe latiaris hige* Fujioka, 1970** (Satyridae) Synonym(s): *hige* Fujioka, 1970 Range (in code): **NP Kdu**
- 25256. *Lethe latiaris latiaris* (Hewitson, 1863)** (Satyridae) Synonym(s): *latiaris* Hewitson, 1863 Range (in code): **IN Ass MM SI**
- 25257. *Lethe latiaris perimele* Fruhstorfer, 1911** (Satyridae) Synonym(s): *perimele* Fruhstorfer, 1911 Original Reference: *Lethe latiaris perimele* Fruhstorfer, 1911, [in] Seitz, Gross-Schmett. Erde 9: 323. Type: [Myanmar]: Burma: Tenasserim. Range (in code): **MM Tns TH CMa**
- 25258. *Lethe maackii* (Bremer, 1861)** (Satyridae) Synonym(s): *maackii* Bremer, 1861 Original Reference: *Lasiommata maackii* Bremer, 1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 468. Range (in code): **RU Am Vv KP JP CN**
- 25259. *Lethe maackii maackii* (Bremer, 1861)** (Satyridae) Synonym(s): *maackii* Bremer, 1861 Original Reference: *Lasiommata maackii* Bremer, 1861, Bull. Acad. imp. Sci. St. Petersburg. 3: 468. Range (in code): **RU Am Vv KP JP CN**
- 25260. *Lethe maitrya* De Nicéville, 1880** (Satyridae) Synonym(s): *maitrya* De Nicéville, 1880 Original Reference: *Lethe maitrya* De Nicéville, 1880, [in] Marshall & De Nicéville, J. asiat. Soc. Belg. 49 (2): 245. Syntypes: Narkunda, 8000ft. Range (in code): **BT CN IN Kma Kul MM SI Up Yu**
- 25261. *Lethe maitrya maitrya* De Nicéville, 1880** (Satyridae) Synonym(s): *maitrya* De Nicéville, 1880 Original Reference: *Lethe maitrya* De Nicéville, 1880, [in] Marshall & De

- Nicéville, J. asiat. Soc. Belg. 49 (2): 245. Syntypes: Narkunda, 8000ft. Range (in code): **BT IN Kma Kul SI Up**
- 25262. *Lethe maitrya thawgawa* Tytler, 1939** (Satyridae) Synonym(s): *thawgawa* Tytler, 1939
Original Reference: *Lethe maitrya* ssp. *thawgawa* Tytler, 1939, J. Bombay nat. Hist. Soc. 41: 245.
Type: [Myanmar]: Burma: Htawgaw. Range (in code): **MM Hta**
- 25263. *Lethe marginalis* (Motschulsky, 1860)** (Satyridae) Synonym(s): *marginalis* Motschulsky, 1860
Original Reference: *Satyrus marginalis* Motschulsky, 1860, Etüd. Ent. 9: 29.
Syntypes: Japonia. Range (in code): **RU Vv KP JP**
- 25264. *Lethe marginalis marginalis* (Motschulsky, 1860)** (Satyridae) Synonym(s): *marginalis* Motschulsky, 1860
Original Reference: *Satyrus marginalis* Motschulsky, 1860, Etüd. Ent. 9: 29. Syntypes: Japonia. Range (in code): **RU Vv KP JP**
- 25265. *Lethe mekara* (Moore, 1858)** (Satyridae) Synonym(s): *mekara* Moore, 1858; *zuchara* Fruhstorfer, 1911; *crijnana* Fruhstorfer, 1911; *debata* Fruhstorfer, 1911; *gopaka* Fruhstorfer, 1911; *sumati* Fruhstorfer, 1911; *vajra* Fruhstorfer, 1911; *manis* Corbet, 1942
Range (in code): **IN SI Djl MM VN Ton ID Clb Mw MY Prk Bor TH Cma Cuo Cuo7 CDo Cbi Cbu Knc Chy Rng Phu Nst VN Ton Tda**
- 25266. *Lethe mekara mekara* (Moore, 1858)** (Satyridae) Synonym(s): *mekara* Moore, 1858; *zuchara* Fruhstorfer, 1911; *crijnana* Fruhstorfer, 1911; *debata* Fruhstorfer, 1911; *gopaka* Fruhstorfer, 1911; *sumati* Fruhstorfer, 1911; *vajra* Fruhstorfer, 1911; *manis* Corbet, 1942
Range (in code): **IN SI Djl MM VN Ton ID Clb Mw MY Prk Bor TH Cma Cuo Cuo7 CDo Cbi Cbu Knc Chy Rng Phu Nst VN Ton Tda**
- 25267. *Lethe minerva* (Fabricius, 1775)** (Satyridae) Synonym(s): *minerva* Fabricius, 1775; *arcadia* Cramer, 1779; *caumas* Godart, 1823
Original Reference: *Papilio minerva* Fabricius, 1775, Syst. Ent.: 493. Range (in code): **MY ID Sum Ja Lb TH Cma Knc Nrt Phi Rng Pht Nst Chw MM**
- 25268. *Lethe minerva minerva* (Fabricius, 1775)** (Satyridae) Synonym(s): *minerva* Fabricius, 1775; *arcadia* Cramer, 1779; *caumas* Godart, 1823
Original Reference: *Papilio minerva* Fabricius, 1775, Syst. Ent.: 493. Range (in code): **MY ID Sum Ja Lb**
- 25269. *Lethe minerva tritogeneia* Fruhstorfer, 1911** (Satyridae) Synonym(s): *tritogeneia* Fruhstorfer, 1911
Range (in code): **TH Cma Knc Nrt Phi Rng Pht Nst Chw MM**
- 25270. *Lethe naga* Doherty, 1889** (Satyridae) Synonym(s): *naga* Doherty, 1889; *philemon* Fruhstorfer, 1911
Range (in code): **IN Nag MM Shn TH Chy VN Ton**
- 25271. *Lethe naga naga* Doherty, 1889** (Satyridae) Synonym(s): *naga* Doherty, 1889; *philemon* Fruhstorfer, 1911
Range (in code): **IN Nag MM Shn TH Chy VN Ton**
- 25272. *Lethe nicetas* (Hewitson, 1863)** (Satyridae) Synonym(s): *nicetas* Hewitson, 1863.
Original Reference: *Debis nicetas* Hewitson, 1863, Exot. Butts.: 78. Type(s): Bengal. Range (in code): **Ben IN Kgr Kma Kul MM Mpr SI**
- 25273. *Lethe nicetas nicetas* (Hewitson, 1863)** (Satyridae) Synonym(s): *nicetas* Hewitson, 1863.
Original Reference: *Debis nicetas* Hewitson, 1863, Exot. Butts.: 78. Type(s): Bengal. Range (in code): **Ben IN Kgr Kma Kul MM Mpr SI**
- 25274. *Lethe philesana* Monastyrskii & Devyatkin, 2000** (Satyridae) Synonym(s): *philesana* Monastyrskii & Devyatkin, 2000
Range (in code): **VN**
- 25275. *Lethe philesanoides* Monastyrskii & Devyatkin, 2003** (Satyridae) Synonym(s): *philesanoides* Monastyrskii & Devyatkin, 2003
Range (in code): **VN Ton**
- 25276. *Lethe pulaha* (Moore, 1857)** (Satyridae) Synonym(s): *pulaha* Moore, 1857; *#plagiata* Talbot, 1947.
Original Reference: *Lasiommata pulaha* Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 227. Range (in code): **Ass BT CN IN Kma Krh MM Mus MY NP Pj SI Sml TH TW Up VN**
- 25277. *Lethe pulaha pandyia* Talbot, 1947** (Satyridae) Synonym(s): *pandyia* Talbot, 1947
Original Reference: *Lethe pulaha* ssp. *pandyia* Talbot, 1947, [in] Sewell, The Fauna of British India. Butterflies 2: 233. Holotype ♂: India: Mussooree, 5500ft. Range (in code): **IN Kma Mus NP Pj Sml Up**
- 25278. *Lethe rohria* (Fabricius, 1787)** (Satyridae) Synonym(s): *rohria* Fabricius, 1787; *dyrta* Felder & Felder, 1867.
Original Reference: *Papilio rohria* Fabricius, 1787, Mant. Ins. 2: 45. Type(s): India. Range (in code): **CN Ch IN Kgr Kul MM Mus NP Pj PK SI Sml Up Haz Mre Abb Dew K-P TH Cma Int CDo Nrt Chy Cbu Yal**
- 25279. *Lethe rohria rohria* (Fabricius, 1787)** (Satyridae) Synonym(s): *rohria* Fabricius, 1787; *dyrta* Felder & Felder, 1867.
Original Reference: *Papilio rohria* Fabricius, 1787, Mant. Ins. 2: 45. Type(s): India. Range (in code): **CN Ch IN Kgr Kul MM Mus NP Pj PK SI Sml Up Haz Mre Abb Dew K-P TH Cma Int CDo Nrt Chy Cbu Yal**
- 25280. *Lethe samio* (Doubleday, [1849])** (Satyridae) Synonym(s): *samio* Doubleday, [1849]
Range (in code): **ID Ja**

- 25281. *Lethe siderae* Marshall, 1880** (Satyridae) Synonym(s): *siderae* Marshall, 1880 Original Reference: *Lethe siderae* Marshall, 1880, J. asiat. Soc. Bengal 1880: 246. Type(s): Sikkim, W.-China. Range (in code): **CN SI IN TH CMa**
- 25282. *Lethe siderae siderae* Marshall, 1880** (Satyridae) Synonym(s): *siderae* Marshall, 1880 Original Reference: *Lethe siderae* Marshall, 1880, J. asiat. Soc. Bengal 1880: 246. Type(s): Sikkim, W.-China. Range (in code): **CN SI IN TH CMa**
- 25283. *Lethe sidonis* (Hewitson, 1863)** (Satyridae) Synonym(s): *sidonis* Hewitson, 1863 Original Reference: *Debis sidonis* Hewitson, 1863, Exot. Butts.: 77. Type(s): Darjeeling. Range (in code): **AF BT CN Djl IN Kgr Kma Kul MM Mpr Mus Nag PK Shn SI Sml Ti**
- 25284. *Lethe sidonis sidonis* (Hewitson, 1863)** (Satyridae) Synonym(s): *sidonis* Hewitson, 1863 Original Reference: *Debis sidonis* Hewitson, 1863, Exot. Butts.: 77. Type(s): Darjeeling. Range (in code): **AF BT CN Djl IN Kgr Kma Kul MM Mpr Mus Nag PK Shn SI Sml Ti**
- 25285. *Lethe sinorix* (Hewitson, 1863)** (Satyridae) Synonym(s): *sinorix* Hewitson, 1863; *kuantungensis* Mell, 1923 Range (in code): **CN IN SI Ass BT MM TH CMa MY Pah VN Ton Tda**
- 25286. *Lethe sinorix lotaoshanensis* Tinkham, 1936** (Satyridae) Synonym(s): *lotaoshanensis* Tinkham, 1936 Range (in code): **CN**
- 25287. *Lethe sinorix obscura* Mell, 1942** (Satyridae) Synonym(s): *obscura* Mell, 1942 Range (in code): **CN**
- 25288. *Lethe sinorix sinorix* (Hewitson, 1863)** (Satyridae) Synonym(s): *sinorix* Hewitson, 1863 Range (in code): **IN SI Ass BT MM TH CMa VN Ton Tda**
- 25289. *Lethe sinorix vanda* Corbet, 1941** (Satyridae) Synonym(s): *vanda* Corbet, 1941 Range (in code): **MY Pah**
- 25290. *Lethe sura* (Doubleday & Hewitson, [1849])** (Satyridae) Synonym(s): *sura* Doubleday & Hewitson, [1849]; *moupinensis* Poujade, 1884 Range (in code): **CN BT IN SI MM TH CMa**
- 25291. *Lethe sura sura* (Doubleday & Hewitson, [1849])** (Satyridae) Synonym(s): *sura* Doubleday & Hewitson, [1849]; *moupinensis* Poujade, 1884 Range (in code): **CN BT IN SI MM TH CMa**
- 25292. *Lethe syrcis* (Hewitson, 1863)** (Satyridae) Synonym(s): *syrcis* Hewitson, 1863; *diunaga* Fruhstorfer, 1911; *confluens* Oberthür, 1913; *ochrescens* Mell, 1942; *sikiangensis* Mell, 1942 Range (in code): **CN Sz T-T VN Ton Tda**
- 25293. *Lethe syrcis syrcis* (Hewitson, 1863)** (Satyridae) Synonym(s): *syrcis* Hewitson, 1863; *diunaga* Fruhstorfer, 1911; *confluens* Oberthür, 1913; *ochrescens* Mell, 1942; *sikiangensis* Mell, 1942 Range (in code): **CN Sz T-T VN Ton Tda**
- 25294. *Lethe titania* Leech, 1891** (Satyridae) Synonym(s): *titania* Leech, 1891 Range (in code): **CN Sz**
- 25295. *Lethe verma* (Kollar, [1844])** (Satyridae) Synonym(s): *verma* Kollar, [1844]; *laticincta* Fruhstorfer, 1908; *cintamani* Fruhstorfer, 1909; *satarnus* Fruhstorfer, 1911; *sintica* Fruhstorfer, 1911 Original Reference: *Satyrus verma* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 447, pl. xvi figs. 1, 2. Type ♂: Simla. Range (in code): **Ass Slo Ch CN Hn IN SI Kma MM Shn Tns Mus MY Pah NP Shn SI Sml TH CMa Dst Qs CDo TW VN Ton Tda**
- 25296. *Lethe verma robinsoni* Pendlebury, 1933** (Satyridae) Synonym(s): *robinsoni* Pendlebury, 1933 Range (in code): **MY Pah**
- 25297. *Lethe verma stenopa* Fruhstorfer, 1908** (Satyridae) Synonym(s): *stenopa* Fruhstorfer, 1908 Original Reference: *Lethe verma* ssp. *stenopa* Fruhstorfer, 1908, Ent. Z., Stuttg. 22: 127. Range (in code): **TH CMa Dst CDo Qs MM Shn Tns VN Ton**
- 25298. *Lethe verma verma* (Kollar, [1844])** (Satyridae) Synonym(s): *verma* Kollar, [1844]; *laticincta* Fruhstorfer, 1908; *cintamani* Fruhstorfer, 1909; *satarnus* Fruhstorfer, 1911; *sintica* Fruhstorfer, 1911 Original Reference: *Satyrus verma* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 447, pl. xvi figs. 1, 2. Type ♂: Simla. Range (in code): **Ch IN Ass SI Kma Mus Sml Ass Slo MM CN Hn Sz TW**
- 25299. *Lethe vindhya* C. Felder & R. Felder, 1859** (Satyridae) Synonym(s): *vindhya* C. Felder & R. Felder, 1859 Range (in code): **IN SI BT Ass MM Tns TH CMa CDo Rng VN Ton Tda**
- 25300. *Lethe vindhya vindhya* C. Felder & R. Felder, 1859** (Satyridae) Synonym(s): *vindhya* C. Felder & R. Felder, 1859 Range (in code): **IN SI BT Ass MM Tns TH CMa CDo Rng VN Ton Tda**
- 25301. *Lethe violaceopicta* (Poujade, 1884)** (Satyridae) Synonym(s): *violaceopicta* Poujade, 1884; *calisto* Leech, 1891 Range (in code): **CN MM VN Ton Lei**
- 25302. *Lethe violaceopicta burmana* Tytler, 1939** (Satyridae) Synonym(s): *burmana* Tytler, 1939 Range (in code): **MM**

- 25303. *Lethe violaceopicta violaceopicta* (Poujade,1884)** (Satyridae) **Synonym(s):** *violaceopicta* Poujade,1884; *calisto* Leech,1891 **Range (in code):** **CN VN Ton Lci**
- 25304. *Lethe visrava* (Moore,1865)** (Satyridae) **Synonym(s):** *visrava* Moore,1865; *deliades* Hewitson,1872 **Range (in code):** **BT IN SI**
- 25305. *Lethe yama* (Moore,1857)** (Satyridae) **Synonym(s):** *yama* Moore,1857 **Original Reference:** *Zophoessa yama* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 221. Syntypes: Bhutan, N.India. **Range (in code):** **Ass Meg Slo BT Chn IN Khs Kma Kul MM Mus Nag NP SI**
- 25306. *Lethe yama buckleyi* Talbot,1947** (Satyridae) **Synonym(s):** *buckleyi* Talbot,1947 **Original Reference:** *Lethe yama* ssp. *buckleyi* Talbot,1947, [in] Sewell, The Fauna of British India. Butterflies 2: 239. Syntypes: India: Mussooree, 5500ft. **Range (in code):** **IN Kma Kul Mus NP**
- 25307. *Lethe yantra* Fruhstorfer,1914** (Satyridae) **Synonym(s):** *yantra* Fruhstorfer,1914 **Range (in code):** **CN Yu**
- 25308. *Lethe yantra yantra* Fruhstorfer,1914** (Satyridae) **Synonym(s):** *yantra* Fruhstorfer,1914 **Range (in code):** **CN Yu**
- 25309. *Lopinga achine* (Scopoli,1763)** (Satyridae) **Synonym(s):** *achine* Scopoli,1763; *deianira* Linnaeus,1764; *mendelensis* Lowe,1904. **Original Reference:** *Papilio achine* Scopoli,1763, Ent. carn.: 156. Type(s): Kärnten. **Range (in code):** **AT Ba BE BG BY CH CZ DE EE ES FI FR HU Ir IT LT LV NL PL RO RU SE SK Sm So Sr UA YU KG MN Or Sm Sr Bs Tt So Kg Ty Om No At Bn Kts Mn Sp Pw Sb** **Bionomy:** Larva on *Brachypodium sylvaticum*, *B. pinnatum*, *Carex*, *Lolium perenne*, *L. temulentum*, *Poa annua* (Blaschke,1914; Tolman,1997).
- 25310. *Lopinga achine achine* (Scopoli,1763)** (Satyridae) **Synonym(s):** *achine* Scopoli,1763; *deianira* Linnaeus,1764; *mendelensis* Lowe,1904. **Original Reference:** *Papilio achine* Scopoli,1763, Ent. carn.: 156. Type(s): Kärnten. **Range (in code):** **AT Ba BE BG Bw BY CH CZ DE EE FI FR HU Ir IT LT LV NL PL RO RU SE SK Sm So Sr UA YU KG MN Or Sm Sr Bs Tt So Kg Ty Om No At Bn Kts Mn Sp Pw Sb** **Bionomy:** Larva on *Brachypodium sylvaticum*, *B. pinnatum*, *Carex*, *Lolium perenne*, *L. temulentum*, *Poa annua* (Blaschke,1914; Tolman,1997).
- 25311. *Lopinga achine achinoides* Butler,1878** (Satyridae) **Synonym(s):** *achinoides* Butler,1878 **Range (in code):** **KP**
- 25312. *Lopinga achine murciegoi* Gomez Bustillo & Fernandez Rubio,1975** (Satyridae) **Synonym(s):** *murciegoi* Gomez Bustillo & Fernandez Rubio,1975 **Original Reference:** *Lopinga achine* ssp. *murciegoi* Gomez Bustillo & Fernandez Rubio,1975, Shilap Revta lepid. 2 (7): 268-269, fig. Holotype ♂: Spain: Vizcaya, faldas de la Pena de Orduna, 800m (coll. Murciego). **Range (in code):** **ES**
- 25313. *Lopinga achine saltator* (Fourcroy,1785)** (Satyridae) **Synonym(s):** *saltator* Fourcroy,1785; *mendolensis* Dannehl,1935; *latealba* Verity,1935. **Range (in code):** **FR**
- 25314. *Loxerebia innupta* South,1913** (Satyridae) **Synonym(s):** *innupta* South,1913 **Range (in code):** **CN Ti**
- 25315. *Loxerebia innupta innupta* South,1913** (Satyridae) **Synonym(s):** *innupta* South,1913 **Range (in code):** **CN Ti**
- 25316. *Loxerebia martyr* Watkins,1927** (Satyridae) **Synonym(s):** *martyr* Watkins,1927 **Range (in code):** **?Ti CN**
- 25317. *Loxerebia martyr martyr* Watkins,1927** (Satyridae) **Synonym(s):** *martyr* Watkins,1927 **Range (in code):** **?Ti CN**
- 25318. *Loxerebia megalops* (Alpheraky,1897)** (Satyridae) **Synonym(s):** *megalops* Alpheraky,1897 **Range (in code):** **CN Ti**
- 25319. *Loxerebia megalops megalops* (Alpheraky,1897)** (Satyridae) **Synonym(s):** *megalops* Alpheraky,1897 **Range (in code):** **CN Ti**
- 25320. *Loxerebia phyllis* (Leech,1891)** (Satyridae) **Synonym(s):** *phyllis* Leech,1891 **Range (in code):** **CN Ti**
- 25321. *Loxerebia phyllis phyllis* (Leech,1891)** (Satyridae) **Synonym(s):** *phyllis* Leech,1891 **Range (in code):** **CN Ti**
- 25322. *Loxerebia pratorum* (Oberthür,1886)** (Satyridae) **Synonym(s):** *pratorum* Oberthür,1886 **Original Reference:** *Callerebia pratorum* Oberthür,1886, Etüd. Ent. 11: 25, pl.iv fig. 26. Syntypes: Thibet: Ta-Tsien-Lou. **Range (in code):** **CN Ti**

- 25323. *Loxerebia pratorum pratorum* (Oberthür,1886)** (Satyridae) Synonym(s): *pratorum* Oberthür,1886 Original Reference: *Callerebia pratorum* Oberthür,1886, Etüd. Ent. 11: 25, pl.iv fig. 26. Syntypes: Thibet: Ta-Tsien-Lou. Range (in code): **CN Ti**
- 25324. *Loxerebia rurigena* (Leech,1890)** (Satyridae) Synonym(s): *rurigena* Leech,1890 Range (in code): **CN Ti**
- 25325. *Loxerebia rurigena rurigena* (Leech,1890)** (Satyridae) Synonym(s): *rurigena* Leech,1890 Range (in code): **CN Ti**
- 25326. *Loxerebia saxicola* (Oberthür,1876)** (Satyridae) Synonym(s): *saxicola* Oberthür,1876; *albipuncta* Leech Original Reference: *Erebia saxicola* Oberthür,1876, Etüd. Ent. 2: 32-33, pl.iv fig.1. Syntypes: Mongolie: Ourato. Range (in code): **Ch CN Pkn Sz Ld MN**
- 25327. *Loxerebia saxicola saxicola* (Oberthür,1876)** (Satyridae) Synonym(s): Original Reference: *Erebia saxicola* Oberthür,1876, Etüd. Ent. 2: 32-33, pl.iv fig.1. Syntypes: Mongolie: Ourato. Range (in code): **Ch CN Pkn Sz Ld MN**
- 25328. *Loxerebia sylvicola* (Oberthür,1877)** (Satyridae) Synonym(s): *sylvicola* Oberthür,1877 Range (in code): **?Ti CN**
- 25329. *Loxerebia sylvicola sylvicola* (Oberthür,1877)** (Satyridae) Synonym(s): *sylvicola* Oberthür,1877 Range (in code): **?Ti CN**
- 25330. *Mandarinia regalis* Leech,1892** (Satyridae) Synonym(s): *regalis* Leech,1892 Range (in code): **TH Phe CMa**
- 25331. *Mandarinia regalis baronesa* Fruhstorfer,1906** (Satyridae) Synonym(s): *baronesa* Fruhstorfer,1906 Range (in code): **TH Phe CMa**
- 25332. *Mandarinia regalis regalis* Leech,1892** (Satyridae) Synonym(s): *regalis* Leech,1892
- 25333. *Maniola (Telmessiola) cypricola* (Graves,1928)** (Satyridae) Synonym(s): *cypricola* Graves,1928 Original Reference: *Epinephele cypricola* Graves,1928, Entomologist 61: 5-7, Pl.1. Lectotype ♂: Cyprus: Limassol (designated by Olivier,1993) (in BMHN). Range (in code): **CY**
- 25334. *Maniola (Telmessiola) cypricola cypricola* (Graves,1928)** (Satyridae) Synonym(s): *cypricola* Graves,1928 Original Reference: *Epinephele cypricola* Graves,1928, Entomologist 61: 5-7, Pl.1. Lectotype ♂: Cyprus: Limassol (designated by Olivier,1993) (in BMHN). Range (in code): **CY**
- 25335. *Maniola (Telmessiola) halicarnassus* Thomson,1990** (Satyridae) Synonym(s): *halicarnassus* Thomson,1990 Original Reference: *Maniola halicarnassus* Thomson,1990, Phegea 18(4): 149-155, figs. Holotype ♂: Turkey: 3km westl. Bodrum (in ITZA). Range (in code): **GR TR**
- 25336. *Maniola (Telmessiola) halicarnassus halicarnassus* Thomson,1990** (Satyridae) Synonym(s): *halicarnassus* Thomson,1990 Original Reference: *Maniola halicarnassus* Thomson,1990, Phegea 18(4): 149-155, figs. Holotype ♂: Turkey: 3km westl. Bodrum (in ITZA). Range (in code): **GR TR**
- 25337. *Maniola (Telmessiola) nurag* (Ghiliani,1852)** (Satyridae) Synonym(s): *nurag* Ghiliani,1852 Original Reference: *Satyrus nurag* Ghiliani,1852, Mem. Acc. Tor. 1852: 211. Range (in code): **IT Sa**
- 25338. *Maniola (Telmessiola) nurag nurag* (Ghiliani,1852)** (Satyridae) Synonym(s): *nurag* Ghiliani,1852 Original Reference: *Satyrus nurag* Ghiliani,1852, Mem. Acc. Tor. 1852: 211. Range (in code): **IT Sa**
- 25339. *Maniola (Telmessiola) telmessia* (Zeller,1847)** (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallascens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasii* Kattulas & Koutsaftikis,1978. Original Reference: *Hipparchia telmessia* Zeller,1847, Isis 1847: 4. Syntypes 2♂ 4♀: [Türkei]: Makri [Fethiye]: [Greece]: Rhodus. Lectotype ♂: Marmaris (designated by Olivier,1993) (in BMHN). Range (in code): **Ae GR IL Pa Hf IQ IR Km Ab Lo JO LB Rd SY TR**
- 25340. *Maniola (Telmessiola) telmessia telmessia* (Zeller,1847)** (Satyridae) Synonym(s): *telmessia* Zeller,1847; *pallascens* Butler,1868; *kurdistan* Heyne,1894; *oreas* Le Cerf,1912; *maniolides* Le Cerf,1912; *ornata* Turati & Fiori,1930; *marenigrans* Verity,1938; *pelekasii* Kattulas & Koutsaftikis,1978. Original Reference: *Hipparchia telmessia* Zeller,1847, Isis 1847: 4. Syntypes 2♂ 4♀: [Türkei]: Makri [Fethiye]: [Greece]: Rhodus. Lectotype ♂: Marmaris (designated by Olivier,1993) (in BMHN). Range (in code): **He Ae GR IL Pa Hf IQ IR Ab Km Lo JO LB Rd SY TR**
- 25341. *Maniola (s.str.) chia* Thomson,1987** (Satyridae) Synonym(s): *chia* Thomson,1987 Original Reference: *Maniola chia* Thomson,1987, Phegea 15(1): 13-22, figs. Holotype ♂: Greece: Chios. Range (in code): **Chi GR**

- 25342. Maniola (s.str.) chia chia Thomson,1987** (Satyridae) Synonym(s): *chia Thomson,1987*
Original Reference: *Maniola chia Thomson,1987*, *Phegea* 15(1): 13-22, figs. Holotype ♂: Greece: Chios. Range (in code): **Chi GR**
- 25343. Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina Linnaeus,1758*; *janira Linnaeus,1758*; *lemur Schrank,1801*. Original Reference: *Papilio jurtina Linnaeus,1758*, *Syst. Nat.* (Edn.10) 1: 475. Syntypes: Europa, Africa; [Sweden (Verity,1953)]. Range (in code): **Ae AL AM Ao AT AZ Ba BE BG B-H Bw BY Cc CH Co Cr CZ DE DK EE ES FI FR GB GG GR HU HV IE IQ IR IT Kr LT LU LV MK MT NL NO PL PT RO RU Sa SE Si SK Sm So Sr SS TM TR UA VI YU Cw Dv Smt H-W Sur Ssx Ken PT Cn MA DZ TN ES MT F66 Sr Sm Or Bs Cb Tt So Ao KG Uk Mu Ab Ak Oru Msw Qba Gh Mz Elb Th Lo Kd Ha Gls Rbt Ndr Saia Agi Blid Ges Dje BSa Btina DhM Tun Cst Phv Lbs Hrh Hmk Sbd Tgr Azr AF Hr** Bionomy: Larva on *Poa pratensis*, *Lolium pratensis*, *Festuca rubra*, *F. arundinacea*, *Agrostis stolonifera*, *A. canina*, *Bromus erectus*, *Brachypodium pinnatum*, *Holcus lanatus*, *Avenula pubescens*, *Alopecurus pratensis* *Anthoxanthum odoratum* (Tolman,1997).
- 25344. Maniola (s.str.) jurtina cantabrica (Agenjo,1934)** (Satyridae) Synonym(s): *cantabrica Agenjo,1934* Original Reference: *Epinephele jurtina ssp. cantabrica Agenjo,1934*, *Eos* 9: 313-324, Lam. xviii figs.4,5. Holotype ♂: Spain: ambos de Camargo (Santander) (Mus. Madrid). Range (in code): **Ct ES**
- 25345. Maniola (s.str.) jurtina emihispulla (Verity,1919)** (Satyridae) Synonym(s): *emihispulla Verity,1919* Original Reference: *Epinephele jurtina race emihispulla Verity,1919*, *Entomologist's Rec. J. Var.* 31: 123-124. Syntypes 60♂ 26♀: Italy: Isola de Elba: Poggio, 400m. Range (in code): **FR IT EI**
- 25346. Maniola (s.str.) jurtina hispulla (Esper,[1805])** (Satyridae) Synonym(s): *hispulla Esper,1805*; *fortunata Alpheraky,1889* Original Reference: *Papilio hispulla Esper,[1805]*, *Die Schmett.* 1(2): Forts. Tagschmett.: Taf.119, fig.2. Range (in code): **FR PT Cn MA DZ Sbd Tgr Rbt Ndr Saia Agi Blid Ges Dje BSa Btina DhM Tun Cst Phv Lbs TN ES MT F66**
- 25347. Maniola (s.str.) jurtina jurtina (Linnaeus,1758)** (Satyridae) Synonym(s): *jurtina Linnaeus,1758*; *janira Linnaeus,1758*; *lemur Schrank,1801*. Original Reference: *Papilio jurtina Linnaeus,1758*, *Syst. Nat.* (Edn.10) 1: 475. Syntypes: Europa, Africa; [Sweden (Verity,1953)]. Range (in code): **Bw DE FI NO Rp SE RU Sr Sm Or Bs Cb Tt So Ao KG Uk**
- 25348. Maniola (s.str.) jurtina myrtilus (Fourcroy,1785)** (Satyridae) Synonym(s): *myrtilus Fourcroy,1785* Range (in code): **FR**
- 25349. Maniola (s.str.) jurtina occidentalis Pionneau,1924** (Satyridae) Synonym(s): *occidentalis Pionneau,1924* Range (in code): **FR**
- 25350. Maniola (s.str.) jurtina phormia (Fruhstorfer,1909)** (Satyridae) Synonym(s): *phormia Fruhstorfer,1909*; *persica Le Cerf,1912*; *ghilanica Le Cerf,1913*; *corfiothispulla Graves,1933*; *schweigeri Tauber,1970*; *strandiana Obraztsov,1936*; *iranica Thomson,1973*; *petrii Douma-Petridou, Koutsaftikis & Kokkinou,1986*; *#phorima Nazari,2003*. Original Reference: *Epinephele jurtina ssp. phormia Fruhstorfer,1909*, *Int. ent. Z.*, 3(21): 121. Syntypes: Südtirol: Meran, Lana. Range (in code): **Ae AL Cc AM AZ BG B-H GG GR HV IT MK SS TR YU IR Kd Ha Elb Th Ab Ak Gh Mz IQ AF Hr**
- 25351. Maniola (s.str.) jurtina splendida White,1872** (Satyridae) Synonym(s): *splendida White,1872*
- 25352. Maniola (s.str.) megala (Oberthür,1909)** (Satyridae) Synonym(s): *megala Oberthür,1909*; *maraschi Pfeiffer,1932*; *antalyana Tauber,1970*. Original Reference: *Epinephele janira megala Oberthür,1909*, *Etüd. lépid. comp.* 3: 387. Lectotype ♂: [Turquie]: [Hatay Pr.], Akbes (designated by Bernardi, 1966: 38). Range (in code): **GR Le TR**
- 25353. Maniola (s.str.) megala megala (Oberthür,1909)** (Satyridae) Synonym(s): *megala Oberthür,1909*; *maraschi Pfeiffer,1932*; *antalyana Tauber,1970*. Original Reference: *Epinephele janira megala Oberthür,1909*, *Etüd. lépid. comp.* 3: 387. Lectotype ♂: [Turquie]: [Hatay Pr.], Akbes (designated by Bernardi, 1966: 38). Range (in code): **GR Le TR**
- 25354. Mashuna mashuna (Trimen,1895)** (Satyridae) Synonym(s): *mashuna Trimen,1895* Range (in code): **ZW**
- 25355. Mashuna mashuna mashuna (Trimen,1895)** (Satyridae) Synonym(s): *mashuna Trimen,1895* Range (in code): **ZW**
- 25356. Mashuna upemba (Overlaet,1955)** (Satyridae) Synonym(s): *upemba Overlaet,1955* Range (in code): **AO ZR Shb TZ**
- 25357. Mashuna upemba upemba (Overlaet,1955)** (Satyridae) Synonym(s): *upemba Overlaet,1955* Range (in code): **AO ZR Shb TZ**
- 25358. Masoura alaokola (Oberthür,1916)** (Satyridae) Synonym(s): *alaokola Oberthür,1916* Range (in code): **MG**

- 25359. Masoura alaokola alaokola (Oberthür,1916)** (Satyridae) Synonym(s): *alaokola Oberthür,1916* - Range (in code): MG
- 25360. Masoura ankoma (Mabille,1878)** (Satyridae) Synonym(s): *ankoma Mabille,1878; mabiliei Butler,1879* - Range (in code): MG
- 25361. Masoura ankoma ankoma (Mabille,1878)** (Satyridae) Synonym(s): *ankoma Mabille,1878; mabiliei Butler,1879* - Range (in code): MG
- 25362. Masoura antahala (Ward,1872)** (Satyridae) Synonym(s): *antahala Ward,1872* - Range (in code): MG
- 25363. Masoura antahala antahala (Ward,1872)** (Satyridae) Synonym(s): *antahala Ward,1872* - Range (in code): MG
- 25364. Masoura benacus (Mabille,1884)** (Satyridae) Synonym(s): *benacus Mabille,1884* - Range (in code): MG
- 25365. Masoura benacus benacus (Mabille,1884)** (Satyridae) Synonym(s): *benacus Mabille,1884* - Range (in code): MG
- 25366. Masoura masoura (Hewitson,1875)** (Satyridae) Synonym(s): *masoura Hewitson,1875* - Range (in code): MG
- 25367. Masoura masoura masoura (Hewitson,1875)** (Satyridae) Synonym(s): *masoura Hewitson,1875* - Range (in code): MG
- 25368. Megisto cymela (Cramer,1777)** (Satyridae) Synonym(s): *eurytus Fabricius,1775 nec Linn.,1758; cymela Cramer,1777; #eurytis Fabricius,1793* - Range (in code): JM US Aks Alb Cnt Col Dw Fl Idp Iln Io Kan Knt Lou Mai Mch Mis Mns Mrl Msc Mss NCa Ndk Neb Nh Nje Ny Oh Ok Pns RDi SDk Tnn Tx Vi Vr WVi Wc Wy
- 25369. Megisto cymela viola (Maynard,1891)** (Satyridae) Synonym(s): *viola Maynard,1891* - Range (in code): US FI
- 25370. Megisto rubricata (Edwards,1871)** (Satyridae) Synonym(s): *rubricata Edwards,1871* - Range (in code): US MX Arz Kan NMx Ok Tx
- 25371. Megisto rubricata cheneyorum (Chermock,[1949])** (Satyridae) Synonym(s): *cheneyorum Chermock,[1949]* - Range (in code): US Arz
- 25372. Megisto rubricata rubricata (Edwards,1871)** (Satyridae) Synonym(s): *rubricata Edwards,1871* - Range (in code): US Tx
- 25373. Megisto rubricata smithorum (Wind,1946)** (Satyridae) Synonym(s): *smithorum Wind,1946* - Range (in code): US Tx
- 25374. Melampias huebneri Van Son,1955** (Satyridae) Synonym(s): *hyperbius Linnaeus,1764 nec Linn.,1763; huebneri Van Son,1955* - Range (in code): ZA Wca Bionomy: Larva on Avena, Ehrharta (Poaceae) (Ackery et al.,1995).
- 25375. Melampias huebneri huebneri Van Son,1955** (Satyridae) Synonym(s): *hyperbius Linnaeus,1764 nec Linn.,1763; huebneri Van Son,1955* - Range (in code): ZA Wca
- 25376. Melampias huebneri steniptera Vari,1971** (Satyridae) Synonym(s): *steniptera Vari,1971* - Range (in code): ZA Wca
- 25377. Melanargia (Parce) epimede Staudinger,1887** (Satyridae) Synonym(s): *epimede Ménétries,1859* Original Reference: Melanargia epimede Staudinger,1887, [in] Romanoff, Mém. Lépid. 3: 147, pl.16 fig.10. Syntypes: [Russia: Amur Region]: "Raddefka". Range (in code): RU Vv Am
- 25378. Melanargia (Parce) epimede epimede Staudinger,1887** (Satyridae) Synonym(s): *epimede Ménétries,1859* Original Reference: Melanargia epimede Staudinger,1887, [in] Romanoff, Mém. Lépid. 3: 147, pl.16 fig.10. Syntypes: [Russia: Amur Region]: "Raddefka". Range (in code): RU Vv Am
- 25379. Melanargia (Parce) halimede (Ménéttriés,1859)** (Satyridae) Synonym(s): *halimede Ménéttries,1859* Original Reference: Arge halimede Ménéttriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 37, nr.71 t.3 figs.6,7. Syntypes: Russia: Amurland. Range (in code): RU Vv Am CN Amd Ts KP
- 25380. Melanargia (Parce) halimede coreana Sheljuzhko,1929** (Satyridae) Synonym(s): *coreana Sheljuzhko,1929* Original Reference: Melanargia halimede coreana Sheljuzhko,1929, Ent. Anz. 1929: 49. Range (in code): KP
- 25381. Melanargia (Parce) halimede halimede (Ménéttriés,1859)** (Satyridae) Synonym(s): *halimede Ménéttries,1859* Original Reference: Arge halimede Ménéttriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 37, nr.71 t.3 figs.6,7. Syntypes: Russia: Amurland. Range (in code): RU Vv Am

- 25382. *Melanargia (Parce) halimede halimedina* Bryk,1946** (Satyridae) Synonym(s): *halimedina* Bryk,1946 Original Reference: *Melanargia halimede* ssp. *halimedina* Bryk,1946, Ark. Zool. 38 A (3): 27-28, Taf. v fig.4. Holotype ♂: Korea: Motojondo. Range (in code): **KP**
- 25383. *Melanargia (Parce) halimede koreargia* Bryk,1946** (Satyridae) Synonym(s): *koreargia* Bryk,1946 Original Reference: *Melanargia halimede* ssp. *koreargia* Bryk,1946, Ark. Zool. 38 A (3): 26-27, Taf. iv figs. 1,3. Holotype ♂: Korea: Chidisan. Range (in code): **KP**
- 25384. *Melanargia (Parce) parce* Staudinger,1882** (Satyridae) Synonym(s): *parce* Staudinger,1882; *fergana* Oberthür & Houlbert,1922. Original Reference: *Melanargia parce* Staudinger,1882, Berl. ent. Z. 26(1): 170-171. Syntypes: [Uzbekistan]: Samarkand (Urgut), Ferab, Hazret-Sultan Gebirge. Range (in code): **T-S KK UZ KuA TeA TrA Ax Syr Na Aa Db KG Tm** Bionomy: *Bromus oxyodon* (Stshetkin, 1963).
- 25385. *Melanargia (Parce) parce lucida* Staudinger,1886** (Satyridae) Synonym(s): *lucida* Staudinger,1886 Original Reference: *Melanargia parce* var. *lucida* Staudinger,1886, Stettin ent. Ztg. 47: 237. Syntypes: [Uzbekistan]: Samarkand, südl. Alai. Range (in code): **KK UZ AI**
- 25386. *Melanargia (Parce) parce parce* Staudinger,1882** (Satyridae) Synonym(s): *parce* Staudinger,1882; *fergana* Oberthür & Houlbert,1922. Original Reference: *Melanargia parce* Staudinger,1882, Berl. ent. Z. 26(1): 170-171. Syntypes: [Uzbekistan]: Samarkand (Urgut), Ferab, Hazret-Sultan Gebirge. Range (in code): **KK T-S KuA TeA TrA Ax Syr Na Aa Db KG Tm**
- 25387. *Melanargia (Parce) russiae* (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005 Original Reference: *Papilio arge russiae* Esper,[1784], Die Schmett. 1(2): 162, pl.84, figs.1,2. Syntypes: [Russia]: Russland. Range (in code): **Fo4 Fo6 F12 F33 F48 F66 FR PT Abz AL IT MK Si AL AM Ao At Aty AZ BG BY CN ES GG GR HU IR IT KG KK MK RU Sm So Sr TM TR T-S UA Ui Uk VI Kt Kw No Om Or Pw RU Sem Sp Tk Ty Ur VI Ze Kt Bs At Bn Tt Sr Cb Kg Kw Mn Aa Rk Sau Tar DsA TeA KuA TrA Ku Elb Mz T-S Kp Mu Gor Cc** Bionomy: Larva on *Stipa pennata*, *Aegilops geniculata*, *Brachypodium pinnatum*, *B. sylvaticum* (Tolman, 1997).
- 25388. *Melanargia (Parce) russiae campurrianae* Gomez-Bustillo,1973** (Satyridae) Synonym(s): *campurrianae* Gomez-Bustillo,1973 Range (in code): **ES**
- 25389. *Melanargia (Parce) russiae caucasica* (Nordmann,1851)** (Satyridae) Synonym(s): *caucasica* Nordmann,1851 Range (in code): **Cc GG AM AZ**
- 25390. *Melanargia (Parce) russiae cleanthe* (Boisduval,1833)** (Satyridae) Synonym(s): *cleanthe* Boisduval,1833; *catalonica* De Sagarra,1916; *aragonensis* De Sagarra,1924; *peninsulae* De Sagarra,1925; *caussica* Varin,1951; *pyrenaica* De Sagarra,1964; *castilianensis* Gomez-Bustillo,1973; *campurrianae* Gomez-Bustillo,1973. Original Reference: *Arge cleanthe* Boisduval,1833, Icones...: pl.26, figs.1-3. Type(s): France: Basses Alpes. Range (in code): **ES Fo4 Fo6 F12 F33 F48 F66 FR PT**
- 25391. *Melanargia (Parce) russiae eberti* Wagener,1975** (Satyridae) Synonym(s): *eberti* Wagener,1975 Original Reference: *Melanargia russiae* ssp. *eberti* Wagener,1975, J. ent. Soc. Iran, Suppl. 1: 50-51, figs. 1,2. Holotype ♂: N-Iran: Elburs-Mts., Masandaran, Polur, Damavand, 2500m (LNK). Range (in code): **Elb IR Mz Th**
- 25392. *Melanargia (Parce) russiae japygia* (Cyrillo,1787)** (Satyridae) Synonym(s): *japygia* Cyrillo,1787 Range (in code): **Abz AL IT MK Si**
- 25393. *Melanargia (Parce) russiae russiae* (Esper,[1784])** (Satyridae) Synonym(s): *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]; *varalauko* Korb,2005 Original Reference: *P[apilio] arge russiae* Esper,[1784], Die Schmett. 1(2): 162, pl.84, figs.1,2. Syntypes: [Russia]: Russland. Range (in code): **Cc AM Ao At Bn Aty AZ BY CN GG GR HU KG KK RU Sm So Sr TR T-S UA Ui Uk VI Kt Kw No Om Or Pw RU Sem Sp Tk Ty Ur VI Ze Kt Bs Tt Sr Cb Kg Kw Mn Aa Rk Sau Tar DsA TeA KuA TrA Ku**
- 25394. *Melanargia (Parce) russiae transcaspica* Staudinger,1901** (Satyridae) Synonym(s): *transcaspica* Staudinger,1901 Original Reference: *Melanargia japygia* var. *transcaspica* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 41, nr.249d. Syntypes: Tura, Hyrc. Range (in code): **TM Kp IR Gor**
- 25395. *Melanargia (Turcargia) grumi* Standfuss,1892** (Satyridae) Synonym(s): *grumi* Standfuss,1892 Original Reference: *Melanargia grumi* Standfuss,1892, [in] Romanoff, Mém. Lépid. 6: 661-664, pl.xv figs.2a-c. Syntypes: [Türkei]: Mardin (P.Sinten). Range (in code): **TR IR Il Kd Km Bkn Lo Drd Krr Mml Pld**
- 25396. *Melanargia (Turcargia) grumi grumi* Standfuss,1892** (Satyridae) Synonym(s): *grumi* Standfuss,1892 Original Reference: *Melanargia grumi* Standfuss,1892, [in] Romanoff,

- Mém. Lépid. 6: 661-664, pl.xv figs.2a-c. Syntypes: [Türkei]: Mardin (P.Sintenis). Range (in code): **TR IR Il Kd Km Bkn**
- 25397. *Melanargia (Turcargia) grumi lorestanensis* Carbonell & Naderi,2007** (Satyridae) Synonym(s): *lorestanensis* Carbonell & Naderi,2007 Original Reference: *Melanargia grumi* ssp. *lorestanensis* Carbonell & Naderi,2007, Bull. Soc. ent. Fr. 112 (4): 454, figs. Holotype ♂: Iran: Lorestan, ca. Mamulan 900-950m 15-16.v.2007 Carbonell leg. (MNHNP). Range (in code): **IR Lo Drd Krr Mml Pld**
- 25398. *Melanargia (Turcargia) hylata* (Ménétriés,1832)** (Satyridae) Synonym(s): *hylata* Ménétriés,1832 Original Reference: *Satyrus hylata* Ménétriés,1832, Catalogue raisonné des objectes de Zool. réunis Caucase....:251. Type(s): [Azerbaidjan]: Talyche: Khanat. Range (in code): **Cc AZ IR Ab Jal Ak Mrd Zj Elb Th Fa TR IQ** Bionomy: Larva on Agropyron (Nekrutenko, 1990).
- 25399. *Melanargia (Turcargia) hylata hylata* (Ménétriés,1832)** (Satyridae) Synonym(s): *hylata* Ménétriés,1832 Original Reference: *Satyrus hylata* Ménétriés,1832, Catalogue raisonné des objectes de Zool. réunis Caucase....:251. Type(s): [Azerbaidjan]: Talyche: Khanat. Range (in code): **Cc AZ IR Ab Jal Ak Mrd Zj Elb Th TR IQ**
- 25400. *Melanargia (Turcargia) hylata iranica* Seitz,1907** (Satyridae) Synonym(s): *iranica* Seitz,1907 Original Reference: *Melanargia hylata* f. *iranica* Seitz,1907, Die Gross-Schmett. Erde 1: 116, Taf.39b. Type(s): Iran: Schiras. Range (in code): **IR Fa**
- 25401. *Melanargia (Turcargia) larissa* (Geyer,[1828])** (Satyridae) Synonym(s): *larissa* Geyer,[1828]. Original Reference: *Papilio larissa* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: pl.182 figs.896-899. Syntypes: [Croatia: Istria, Cres (Cherso isl.)]. Range (in code): **AEu AL AM AZ BG B-H GG Cc Smt Akh Aba GR HV Lim MK Smo TR Arr YU IR** Bionomy: Larva on Poa sp. (Nekrutenko, 1990).
- 25402. *Melanargia (Turcargia) larissa astanda* (Boisduval,1848)** (Satyridae) Synonym(s): *astanda* Boisduval,1848; *astanda* Staudinger,1871; *hertina* Staudinger,1901. Original Reference: *Arge astanda* Boisduval,1848, Annls Soc. ent. Fr. (2) 6: xxix. Syntypes: [Azerbaidjan]: Helenendorf. Range (in code): **Cc AM AZ GG Smt Akh Aba TR Arr IR**
- 25403. *Melanargia (Turcargia) larissa herta* (Geyer,[1828])** (Satyridae) Synonym(s): *herta* Geyer,[1828] Range (in code): **HV**
- 25404. *Melanargia (Turcargia) larissa larissa* (Geyer,[1828])** (Satyridae) Synonym(s): *larissa* Geyer,[1828] Original Reference: *Papilio larissa* Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 1: pl.182 figs.896-899. Syntypes: [Istria, Cres (Cherso isl.)]. Range (in code): **AL BG B-H GR HV MK YU**
- 25405. *Melanargia (Turcargia) larissa lesbina* Wagener,1976** (Satyridae) Synonym(s): *lesbina* Wagener,1976 Original Reference: *Melanargia larissa* ssp. *lesbina* Wagener,1976, NachrBl. bayer. Ent. 25(3): 40-43. Holotype ♂: Greece: Lesbos Is. (in ZFMK). Range (in code): **AEu BG GR Lim Smo TR YU**
- 25406. *Melanargia (Turcargia) larissa massageta* Staudinger,1901** (Satyridae) Synonym(s): *massageta* Staudinger,1901; *#occaeata* Staudinger,1901. Original Reference: *Melanargia grumi* var. *massageta* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 42. Syntypes: Kurd. oc. (Malatia). Lectotype ♂: Türkiye: Malatya (designated by Wagener,1983) (in ZMHB). Range (in code): **TR**
- 25407. *Melanargia (Turcargia) larissa noacki* Wagener,1983** (Satyridae) Synonym(s): *noacki* Wagener,1983 Original Reference: *Melanargia larissa* ssp. *noacki* Wagener,1983, Atalanta 14(4): 286-297, pl.7,8. figs.1-8. Holotype ♂: Türkiye: Ankara. Range (in code): **Cc TR**
- 25408. *Melanargia (Turcargia) larissa taurica* Röber,1896** (Satyridae) Synonym(s): *taurica* Röber,1896; *#lactaea* F.Wagner,1929; *wagneri* Koçak,1977. Original Reference: *Melanargia astanda* var. *taurica* Röber,1896, Ent. Nachr. 22 (5): 83-84. Syntypes: [Türkei]: [Mersin]: Dorak, Gülek. Range (in code): **TR**
- 25409. *Melanargia (Turcargia) lucasi* (Rambur,1858)** (Satyridae) Synonym(s): *lucasi* Rambur,1858; *mauretanica* Oberthür,1876; *meadewaldoi* Rothschild,1917; *#lepigrei* Betz,1948 Original Reference: *Arge lucasi* Rambur,1858, Cat. lepid. Andalusie 1: 20, note. Type: Algérie, Bougie [Bejaia]. Range (in code): **DZ Lbs Béj Cst Taz MA Ifr TN Saia Agi Btina Khh Tth Tlm Sbd**
- 25410. *Melanargia (Turcargia) lucasi lucasi* (Rambur,1858)** (Satyridae) Synonym(s): *lucasi* Rambur,1858; *mauretanica* Oberthür,1876; *meadewaldoi* Rothschild,1917; *#lepigrei* Betz,1948 Original

- Reference: Arge lucasi Rambur, 1858, Cat. lepid. Andalusie 1: 20, note. Type: Algérie, Bougie [Bejaia]. Range (in code): DZ Lbs Béj Cst Taz Saia Agi Bttna Khkh Tth Tlm Sbd
- 25411. Melanargia (Turcargia) meda Groum-Grshimailo, 1895** (Satyridae) Synonym(s): *meda Groum-Grshimailo, 1895* Original Reference: Melanargia meda Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs. Range (in code): IR Elb Mz
- 25412. Melanargia (Turcargia) meda meda Groum-Grshimailo, 1895** (Satyridae) Synonym(s): *meda Groum-Grshimailo, 1895* Original Reference: Melanargia meda Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 291. Syntypes: [Iran]: Elburs. Range (in code): IR Elb Mz
- 25413. Melanargia (Turcargia) occitanica (Esper, [1789])** (Satyridae) Synonym(s): *occitanica Esper, 1789; psyche Hübner, 1793; syllius Herbst, 1796.* Original Reference: Papilio occitanica Esper, [1789], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 96, figs. 3, 4. Syntypes: Toulouse. Range (in code): Co DZ Ski Eba Sbd Dje ES Mu Mu18 FR IT MA Ifr PT Si Bionomy: Larva on Brachypodium pinnatum, Dactylis glomerata, Lygeum spartum (Tolman, 1997).
- 25414. Melanargia (Turcargia) occitanica occitanica (Esper, [1789])** (Satyridae) Synonym(s): *occitanica Esper, 1789; psyche Hübner, 1793; syllius Herbst, 1796.* Original Reference: Papilio occitanica Esper, [1789], Die Schmett. 1(2): Forts. Tagschmett.: Taf. 96, figs. 3, 4. Syntypes: Toulouse. Range (in code): Co ES Mu Mu18 FR IT PT
- 25415. Melanargia (Turcargia) occitanica pelagia Oberthür, 1911** (Satyridae) Synonym(s): *pelagia Oberthür, 1911; moghrebiana Varin, 1951; megalatlasica Tarrier, 1996* Original Reference: Melanargia syllius f. pelagia Oberthür, 1911, Etud. Lépid. comp. 5 (1): 188, pl. 60 fig. 547. Type: Algérie, Sebdou, Géryville [Skikda]. Range (in code): MA Ifr DZ Ski Eba Sbd Dje
- 25416. Melanargia (Turcargia) pherusa (Boisduval, 1833)** (Satyridae) Synonym(s): *pherusa Boisduval, 1833; plesaura Bellier, 1860.* Original Reference: Arge pherusa Boisduval, 1833, Icones...: pl. 26, figs. 4-6. Type(s): Sicilia. Range (in code): Si IT
- 25417. Melanargia (Turcargia) pherusa pherusa (Boisduval, 1833)** (Satyridae) Synonym(s): *pherusa Boisduval, 1833; plesaura Bellier, 1860.* Original Reference: Arge pherusa Boisduval, 1833, Icones...: pl. 26, figs. 4-6. Type(s): Sicilia. Range (in code): Si IT
- 25418. Melanargia (Turcargia) syriaca (Oberthür, 1894)** (Satyridae) Synonym(s): *syriaca Oberthür, 1894* Original Reference: Arge galathea var. syriaca Oberthür, 1894, Etüd. Ent. 19: 18-19, pl. 8 figs. 6, 8. Syntypes: [Turquie]: Akbes (in BMHN). Range (in code): TR IR Ab Kd
- 25419. Melanargia (Turcargia) syriaca karabagi Koçak, 1976** (Satyridae) Synonym(s): *karabagi Koçak, 1976* Original Reference: Melanargia larissa ssp. karabagi Koçak, 1976, Atalanta 7 (1): 40-41, figs. 1, 2. Holotype ♂: Turkey: Hakkari Prov.: Hakkari, 2000m (in coll. Cesa). Range (in code): TR IR Ab Kd
- 25420. Melanargia (Turcargia) syriaca kocaki Wagener, 1983** (Satyridae) Synonym(s): *kocaki Wagener, 1983* Original Reference: Melanargia syriaca ssp. kocaki Wagener, 1983, Atalanta 14(4): 257-263, pl. 3, 4 figs. 1-8. Holotype ♂: Türkiye: Bingöl Prov.: 10km E. Şeref, 1400m. Range (in code): TR
- 25421. Melanargia (Turcargia) syriaca syriaca (Oberthür, 1894)** (Satyridae) Synonym(s): *syriaca Oberthür, 1894* Original Reference: Arge galathea var. syriaca Oberthür, 1894, Etüd. Ent. 19: 18-19, pl. 8 figs. 6, 8. Syntypes: [Turquie]: Akbes. Range (in code): TR
- 25422. Melanargia (Turcargia) syriaca yucelaskin Kemal & Koçak, 2005** (Satyridae) Synonym(s): *karabagi sensu Hesselbarth et al. nec Koç., 1976; 1995; yucelaskin Kemal & Koçak, 2005* Original Reference: Melanargia (Turcargia) syriaca ssp. yucelaskin Kemal & Koçak, 2005, Cent. ent. Stud., Priamus 11 (3): 43. Holotype ♂: Turkey: Van Province, Gevaş, İnköy 1700m, 22 6 2005, M. Kemal leg. (Cesa). Range (in code): TR
- 25423. Melanargia (Turcargia) teneates (Ménétriés, 1832)** (Satyridae) Synonym(s): *teneates Ménétriés, 1832* Original Reference: Satyrus teneates Ménétriés, 1832, Catalogue raisonné des objectes de Zool. réunis Caucase...: 252. Type(s): [Aserbaïdjan]: Talyche: Zouvant. Range (in code): Cc AZ IR Gh
- 25424. Melanargia (Turcargia) teneates teneates (Ménétriés, 1832)** (Satyridae) Synonym(s): *teneates Ménétriés, 1832* Original Reference: Satyrus teneates Ménétriés, 1832, Catalogue raisonné des objectes de Zool. réunis Caucase...: 252. Type(s): [Aserbaïdjan]: Talyche: Zouvant. Range (in code): Cc AZ IR Gh
- 25425. Melanargia (Turcargia) titea (Klug, 1832)** (Satyridae) Synonym(s): *titea Klug, 1832* Original Reference: Hipparchia titea Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs.

- 15-18. Lectotype ♂: Lebanon: Beirut (designated by Wagener, 1983) (in ZMHB). Range (in code): IL Pa JO LB Bei SY TR
- 25426. *Melanargia (Turcargia) titea standfussi* Wagener, 1983** (Satyridae) Synonym(s): *standfussi* Wagener, 1983; *titania Standfuss, 1892 nec Calberla, 1891*. Original Reference: *Melanargia titea* ssp. *standfussi* Wagener, 1983, *Nota lepid.* 6(2/3): 185 (nomen. nov. pro *titania Standfuss, 1892 nec Calberla, 1891*). Lectotype ♂: [Gaziantep]: Aintab (designated by Wagener, 1983; cf. Hesselbath, 1995: 875). Range (in code): TR
- 25427. *Melanargia (Turcargia) titea titania Calberla, 1891*** (Satyridae) Synonym(s): *titania Calberla, 1891*; *palaestinensis Staudinger, 1901*. Original Reference: *Melanargia titea* v. *titania Calberla, 1891*, *Dt. ent. Z., Iris* 4: 41-42. Syntypes: [Syrien]: Hauran (SSO. Damaskus).. [Israel]: Jerusalem, Nazareth. Neotype ♂: Transjordan: Jerasch (designated by Wagener, 1983). Range (in code): He IL Pa Hf JO LB SY TR
- 25428. *Melanargia (Turcargia) titea titea* (Klug, 1832)** (Satyridae) Synonym(s): *titea Klug, 1832* Original Reference: *Hipparchia titea* Klug, 1832, [in] Ehrenberg, *Symb. Phys. Ins.* 3: pl. 29, figs. 15-18. Lectotype ♂: Lebanon: Beirut (designated by Wagener, 1983) (in ZMHB). Range (in code): IL He LB Bei
- 25429. *Melanargia (Turcargia) titea wiskotti Röber, 1896*** (Satyridae) Synonym(s): *wiskotti Röber, 1896* Original Reference: *Melanargia titea* var. *wiskotti* Röber, 1896, *Ent. Nachr.* 22(6): 83. Syntypes: [Türkei]: Dorak [=Durak]. Lectotype ♂: Mersin: Durak (designated by Wagener, 1983; cf. Hesselbath, 1995: 876). Range (in code): TR
- 25430. *Melanargia (s.str.) evartianae* Wagener, 1976** (Satyridae) Synonym(s): *evartianae* Wagener, 1976; *origo Higgins, 1977* Original Reference: *Melanargia evartianae* Wagener, 1976, *J. ent. Soc. Iran* 3 (1/2): 75-77, Abb. 1-3. Holotype ♂: N.-Iran: Elburz Mts., 50km östl. Minudasht, Gorgantal (in coll. Vartian). Range (in code): IR Mz Elb
- 25431. *Melanargia (s.str.) evartianae evartianae* Wagener, 1976** (Satyridae) Synonym(s): *evartianae* Wagener, 1976; *origo Higgins, 1977* Original Reference: *Melanargia evartianae* Wagener, 1976, *J. ent. Soc. Iran* 3 (1/2): 75-77, Abb. 1-3. Holotype ♂: N.-Iran: Elburz Mts., 50km östl. Minudasht, Gorgantal (in coll. Vartian). Range (in code): IR Mz Elb
- 25432. *Melanargia (s.str.) galathea* (Linnaeus, 1758)** (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948. Original Reference: *Papilio galathea* Linnaeus, 1758, *Syst. Nat.* (Edn. 10) 1: 474. Syntypes: Germania, Europa. Range (in code): AL Cc AM AT Ba BE BG B-H BY CH CZ DE DK EE ES FI FR GB GG GR HU HV IT IR Ak Kr LT LU LV MK NL PL RO RU SE Si SK Sm So Sr TR UA VI YU KG Uk Or Sur Ssx Ken Bionomy: Larva on *Brachypodium pinnatum*, *B. sylvaticum*, *Bromus erectus*, *Poa trivialis*, *Phleum pratense*, *Agrostis capillaris*, *Dactylis glomerata*, *Molinia caerulea*, *Avena pubescens*, *Festuca rubra* (Tolman, 1997).
- 25433. *Melanargia (s.str.) galathea fronteriza* Gomez-Bustillo, 1973** (Satyridae) Synonym(s): *fronteriza* Gomez-Bustillo, 1973 Original Reference: *Melanargia galathea* ssp. *fronteriza* Gomez-Bustillo, 1973, *Shilap Revta lepid.* 1: 100. Holotype ♂: Spain: Prov. Santander: Arroyo, 850m. (Mus. Madrid). Range (in code): ES
- 25434. *Melanargia (s.str.) galathea galathea* (Linnaeus, 1758)** (Satyridae) Synonym(s): *galathea* Linnaeus, 1758; *leucomelas* Esper, 1783; *leucomelanos* Fourcroy, 1785; *galene* Ochsenheimer, 1807; *bitorensis* Guillemot, 1858; *pygmaea* Fruhstorfer, 1916; *malmediensis* Derenne, 1926; *xanthonica* Varin, 1948. Original Reference: *Papilio galathea* Linnaeus, 1758, *Syst. Nat.* (Edn. 10) 1: 474. Syntypes: Germania, Europa. Range (in code): AL Cc AM AT Ba BE BG B-H Bw BY CH CZ DE DK EE ES FI FR GB GG GR HU HV IT Kr LT LU LV MK NL PL RO Rp RU SE Si SK Sm So Sr TR UA VI YU KG Uk Or Sur Ssx Ken
- 25435. *Melanargia (s.str.) galathea magdalenae* Reichl, 1975** (Satyridae) Synonym(s): *magdalenae* Reichl, 1975 Original Reference: *Melanargia galathea* ssp. *magdalenae* Reichl, 1975, *Z. ArbGem. öst. Ent.* 26 (2/4): 33-40, figs. Holotype: Italia: mittlere Valcellina: Barcis, 410-500m. Range (in code): IT
- 25436. *Melanargia (s.str.) galathea njurdzhan* Sheljuzhko, 1937** (Satyridae) Synonym(s): *njurdzhan* Sheljuzhko, 1937 Original Reference: *Melanargia galathea* ssp. *njurdzhan* Sheljuzhko, 1937, *Festschr. Embrik Strand* 2: 322-323. Syntypes 32♂ 13♀: [Russia]: Teberda, Dzegamat-Tal, Muchu-Flusse. Range (in code): RU Kb Cc
- 25437. *Melanargia (s.str.) galathea paludosa* Varin, 1949** (Satyridae) Synonym(s): *paludosa* Varin, 1949; *#macronereus* Verity, 1957. Range (in code): FR

- 25438. *Melanargia* (s.str.) *galathea procida* (Herbst,1783)** (Satyridae) Synonym(s): *procida* Herbst,1783; *liriope* Petagna,1787; *nereus* Fruhstorfer,1910; *doris* Fruhstorfer,1910; *akis* Fruhstorfer,1910; *pedemontii* Verity,1927; *florentina* Verity,1927; *sylvia* Rocci,1930; *nigrionereus* Verity,1935; *vocontia* Varin,1949. Original Reference: *Papilio procida* Herbst,1783, [in] Jablonsky, *Natursyst. Ins.* (Schmett.) 7: Pl.183 figs.5-6. Range (in code): **FR IT Pmt**
- 25439. *Melanargia* (s.str.) *galathea pyrenaica* Verity,1919** (Satyridae) Synonym(s): *pyrenaica* Verity,1919. Original Reference: *Melanargia galathea* race *pyrenaica* Verity,1919, *Entomologist's Rec. J. Var.* 31: 125. Syntypes: 9♂ 1♀: [France]: Hautes-Pyrenees: Gedre. Range (in code): **FR Py**
- 25440. *Melanargia* (s.str.) *galathea satnia* Fruhstorfer,1917** (Satyridae) Synonym(s): *satnia* Fruhstorfer,1917; *turcica* Boissduval,1840; *syntelia* Fruhstorfer,1917; *donsa* Fruhstorfer,1917. Original Reference: *Melanargia galathea* ssp. *satnia* Fruhstorfer,1917, *Arch. Naturgesch.* 82A (2): 20, Taf.1 figs.10,11. Syntypes: Bulgarien: Maglis, westl. Slivno (in BMHN). Range (in code): **AM BG B-H Cc GG GR HV MK TR YU IR Ak**
- 25441. *Melanargia* (s.str.) *galathea serena* Verity,1913** (Satyridae) Synonym(s): *serena* Verity,1913 Original Reference: *Melanargia galathea serena* Verity,1913, *Boll. Soc. ent. ital.* 44 (1912): 205. Syntypes 5♂ 3♀: England: Inghilterra, Abbots Ripton, Sussex: Abbot's Wood. Range (in code): **GB Ssx**
- 25442. *Melanargia* (s.str.) *galathea tramontina* Reichl,1975** (Satyridae) Synonym(s): *tramontina* Reichl,1975 Original Reference: *Melanargia galathea* ssp. *tramontina* Reichl,1975, *Z. ArbGem. öst. Ent.* 26 (2/4): 34-40. Holotype ♂: Italia: Val Chiarzo, südlich Tramonti di sotto, 400m. Range (in code): **IT**
- 25443. *Melanargia* (s.str.) *lachesis* (Hübner,1790)** (Satyridae) Synonym(s): *nemausiaca* Esper,1789 (*nomen oblitum*); *lachesis* Hübner,1790; *ruscionensis* Oberthür & Houlbert,1922. Original Reference: *Papilio lachesis* Hübner,1790, *Beitr. Schmett.* 2: 70, pl.3 figs. 1,2. Range (in code): **ES Mu FR PT**
- 25444. *Melanargia* (s.str.) *lachesis bustilloe* Gomez-Bustillo,1973** (Satyridae) Synonym(s): *bustilloe* Gomez-Bustillo,1973 Original Reference: *Melanargia lachesis* ssp. *bustilloe* Gomez-Bustillo,1973, *Shilap Revta lepid.* 1: 98-99. Holotype ♂: Spain: Prov. Santander: Puerto de Pozazal, 1000m (Mus. Madrid). Range (in code): **ES**
- 25445. *Melanargia* (s.str.) *lachesis canigulensis* (Berce,1867)** (Satyridae) Synonym(s): *canigulensis* Berce,1867 Range (in code): **FR**
- 25446. *Melanargia* (s.str.) *lachesis lachesis* (Hübner,1790)** (Satyridae) Synonym(s): *nemausiaca* Esper,1789 (*nomen oblitum*); *lachesis* Hübner,1790; *ruscionensis* Oberthür & Houlbert,1922. Original Reference: *Papilio lachesis* Hübner,1790, *Beitr. Schmett.* 2: 70, pl.3 figs. 1,2. Range (in code): **ES FR PT**
- 25447. *Melanargia* (s.str.) *sadjadii* Carbonell & Naderi,2006** (Satyridae) Synonym(s): *sadjadii* Carbonell & Naderi,2006 Range (in code): **IR Mz**
- 25448. *Melanargia* (s.str.) *sadjadii sadjadii* Carbonell & Naderi,2006** (Satyridae) Synonym(s): *sadjadii* Carbonell & Naderi,2006 Range (in code): **IR Mz**
- 25449. *Melanargia* *arge* (Sulzer,1776)** (Satyridae) Synonym(s): *arge* Sulzer,1776 Original Reference: *Papilio arge* Sulzer,1776, *Abgekürzte Geschichte der Insecten*: 144, Taf.16, figs.8,9. Type(s): [Italia]: Sicilia. Range (in code): **IT Si**
- 25450. *Melanargia* *arge arge* (Sulzer,1776)** (Satyridae) Synonym(s): *arge* Sulzer,1776 Original Reference: *Papilio arge* Sulzer,1776, *Abgekürzte Geschichte der Insecten*: 144, Taf.16, figs.8,9. Type(s): [Italia]: Sicilia. Range (in code): **IT Si**
- 25451. *Melanargia* *ines* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *thetis* Hübner,1796 *nec* Rott.,1775; *ines* Hoffmannsegg,1804; *hannibal* Stauder,1913; *fathme* Wagner,1913; *colossea* Rothschild,1917; *johandiezi* Oberthür,1922; *minima* Houlbert,1923; *arahoui* Tarrier,1996 Original Reference: *Papilio ines* Hoffmannsegg,1804, *Illiger's Mag. Insektenk.* 3: 205. Type: Spain. Range (in code): **ES An Mu PT MA Rbt DZ Tlm Bsk Cst Ktr TN LY Orn Berr Ges Dje Khh Btna Tun Tth Ess** Bionomy: Larva on *Brachypodium pinnatum* (Tolman,1997).
- 25452. *Melanargia* *ines henrike* Eitschberger,1971** (Satyridae) Synonym(s): *henrike* Eitschberger,1971 Original Reference: *Melanargia ines* ssp. *henrike* Eitschberger,1971, *Ent. Z., Frankf.a.M.* 81: 145-154. Range (in code): **ES An**
- 25453. *Melanargia* *ines ines* (Hoffmannsegg,1804)** (Satyridae) Synonym(s): *thetis* Hübner,1796 *nec* Rott.,1775; *ines* Hoffmannsegg,1804; *hannibal* Stauder,1913; *fathme* Wagner,1913; *colossea* Rothschild,1917; *johandiezi* Oberthür,1922; *minima* Houlbert,1923; *arahoui* Tarrier,1996 Original

- Reference: *Papilio ines* Hoffmannsegg, 1804, Illiger's Mag. Insektenk. 3: 205. Type: Spain. Range (in code): DZ Tlm Bsk Cst Ktr MA Rbt ES Mu PT Orn Berr Ges Dje Khh Btna Tun Tth Ess
- 25454. *Melanargia ines sublutescens* Turati, 1921** (Satyridae) Synonym(s): *sublutescens* Turati, 1921 Original Reference: Melanargia ines sublutescens Turati, 1921, Atti Soc. ital. Sci. Nat. 60: 217, fig. 4b. Range (in code): LY Cy
- 25455. *Melanitis ansorgei* Rothschild, 1904** (Satyridae) Synonym(s): *ansorgei* Rothschild, 1904 Range (in code): ZR CF UG
- 25456. *Melanitis ansorgei ansorgei* Rothschild, 1904** (Satyridae) Synonym(s): *ansorgei* Rothschild, 1904 Range (in code): ZR CF UG
- 25457. *Melanitis atrax* (C.Felder & R.Felder, 1863)** (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863 Original Reference: Cylo atrax C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123. Range (in code): PH Mas Neg Pan CmM Din Mno Mdo Jol Sga Stu Taw Boh Ceb Cts Ley Sam Ala Bab Bas Bur Luz Mar Pol Sib
- 25458. *Melanitis atrax atrax* (C.Felder & R.Felder, 1863)** (Satyridae) Synonym(s): *atrax* C.Felder & R.Felder, 1863 Original Reference: Cylo atrax C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123. Range (in code): PH Ala Bab Bur Luz Mar Pol Sib
- 25459. *Melanitis atrax basilana* Fruhstorfer, 1908** (Satyridae) Synonym(s): *basilana* Fruhstorfer, 1908 Range (in code): PH Bas
- 25460. *Melanitis atrax cajetana* Semper, 1886** (Satyridae) Synonym(s): *cajetana* Semper, 1886 Range (in code): PH Boh Ceb Cts Ley Sam
- 25461. *Melanitis atrax elya* Fruhstorfer, 1911** (Satyridae) Synonym(s): *elya* Fruhstorfer, 1911 Range (in code): PH Jol Sga Stu Taw
- 25462. *Melanitis atrax erichsonia* C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *erichsonia* C.Felder & R.Felder, 1863 Range (in code): PH Mdo
- 25463. *Melanitis atrax lucillus* Fruhstorfer, 1908** (Satyridae) Synonym(s): *lucillus* Fruhstorfer, 1908 Range (in code): PH CmM Din Mno
- 25464. *Melanitis atrax soloni* M.Okano & T.Okano, 1991** (Satyridae) Synonym(s): *soloni* M.Okano & T.Okano, 1991 Range (in code): PH Mas Neg Pan
- 25465. *Melanitis boisduvalia* (C.Felder & R.Felder, 1863)** (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863 Original Reference: Cylo boisduvalia C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123-124. Syntypes ♂♀: Mindoro. Range (in code): PH Bas Bal Pal Ala Bab Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 25466. *Melanitis boisduvalia boisduvalia* (C.Felder & R.Felder, 1863)** (Satyridae) Synonym(s): *boisduvalia* C.Felder & R.Felder, 1863 Original Reference: Cylo boisduvalia C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 123-124. Syntypes ♂♀: Mindoro. Range (in code): PH Ala Bab Bat Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 25467. *Melanitis boisduvalia palawanica* Fruhstorfer, 1908** (Satyridae) Synonym(s): *palawanica* Fruhstorfer, 1908 Range (in code): PH Bal Pal
- 25468. *Melanitis boisduvalia pompeja* Fruhstorfer, 1911** (Satyridae) Synonym(s): *pompeja* Fruhstorfer, 1911 Range (in code): PH Bas
- 25469. *Melanitis leda* (Linnaeus, 1758)** (Satyridae) Synonym(s): *leda* Linnaeus, 1758; *bankia* Fabricius, 1775; *barnardi* Lucas, 1892 Original Reference: Papilio leda Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 474. Type(s): [China]: Canton. Range (in code): BW ET KE KM MG MZ NA OM SA SC SO TZ UG YE ZA Lpo Tva Spb Mdk ZR ZW KP CN IN PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq KH KM MM MY CN ID Stu Tab Taw Tic Kzu Nta Ptb Wp Lj Gau Pre Kru Mll Fva Pma Pf Dbn Ly Mpu Brb AU TH CMa Cuo Cuo1 CDo CD2 Cbi Nna Srt Nrt Tng Nst Ths Sya Sgk Hya Tnc VN Ton Tda Tnga Usa Ani MW Zom Bionomy: Larva on Apluda, Bambusa, Brachiaria, Capillipedium, Coix, Digitaria, Elephantopus, Eleusine, Imperata, Microstegium, Miscanthus, Oryza, Panicum, Paspalum, Pennisetium, Poa, Saccharum, Setaria, Sorghum, Stenotaphrum, Thysanolaena, Zea (Poaceae, Cyperaceae) (Ackery et al., 1995).
- 25470. *Melanitis leda determinata* Butler, 1885** (Satyridae) Synonym(s): *determinata* Butler, 1885 Range (in code): KP
- 25471. *Melanitis leda helena* (Westwood, [1851])** (Satyridae) Synonym(s): *helena* Westwood, [1851]; *fulvescens* Guenée, 1863; *africana* Fruhstorfer, 1908; *#zitenides* Fruhstorfer, 1908; *#plagiata* Aurivillius, 1911 Original Reference: Cylo helena Westwood, [1851], [in] Doubleday & Westwood, Genera diurn. lepid.: 361. Type(s): Western tropical Africa. Range (in code): BW ET KE KM MG

- MZ NA OM SA SC SO TZ UG YE ZA Lpo Tva Spb Kru Pma Pf Kzu Nta Dbn Ptb Mdk Wp Lj Gau Pre Mll Fva Ly Mpu Brb ZR ZW**
- 25472. *Melanitis leda ismene* (Cramer,1775) (Satyridae) Synonym(s):** *ismene* Cramer,1775
Range (in code): KP
- 25473. *Melanitis leda leda* (Linnaeus,1758) (Satyridae) Synonym(s):** *leda* Linnaeus,1758; *bankia* Fabricius,1775; *barnardi* Lucas,1892 Original Reference: *Papilio leda* Linnaeus,1758, Syst. Nat. (Edn.10): 474-475. Type(s): Asia. Range (in code): **CN IN Ass Slo PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic AU TH CMA CuO CuO1 CuO7 CDo CD2 Cbi Nna Srt Nrt Tng Nst Ths Sya Sgk Hya Tnc**
- 25474. *Melanitis libya libya* Distant,1882 (Satyridae) Synonym(s):** *libya* Distant,1882; *nyassae* Van Son,1962 Range (in code): **TZ ZW MZ MW Zom ZM KE ZR Shb UG SD ET SN GA**
- 25475. *Melanitis libya libya* Distant,1882 (Satyridae) Synonym(s):** *libya* Distant,1882; *nyassae* Van Son,1962 Range (in code): **TZ ZW MZ MW Zom ZM KE ZR Shb UG SD ET SN GA**
- 25476. *Melanitis phedima* (Stoll,[1782]) (Satyridae) Synonym(s):** *phedima* Stoll,[1782] Original Reference: *Papilio phedima* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.292, fig. B. Range (in code): **IN LK Ass Slo MM MY CN TH CMA CuO CuO1 CuO7 CDo Lmp Tht Cbi Nna Ray Rng Tng Yal Ptt Nst Sgk Hya Tnc**
- 25477. *Melanitis phedima abdullae* Distant,1883 (Satyridae) Synonym(s):** *abdullae* Distant,1883 Range (in code): **TH Rng Tng Yal Ptt Nst Sgk Hya Tnc**
- 25478. *Melanitis phedima bela* (Moore,1857) (Satyridae) Synonym(s):** *bela* Moore,1857 Range (in code): **IN LK Ass Slo MM MY CN**
- 25479. *Melanitis phedima ganapati* Fruhstorfer,1908 (Satyridae) Synonym(s):** *ganapati* Fruhstorfer,1908 Range (in code): **TH CMA CuO CuO1 CuO7 CDo Lmp Tht Cbi Nna Ray**
- 25480. *Melanitis phedima phedima* (Stoll,[1782]) (Satyridae) Synonym(s):** *phedima* Stoll,[1782] Original Reference: *Papilio phedima* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: pl.292, fig. B.
- 25481. *Melanitis zitenius* (Herbst,1796) (Satyridae) Synonym(s):** *zitenius* Herbst,1796 Range (in code): **IN Ass Slo PH Pal TH CMA CuO CuO1 Rat Knc Cbi Srt Sgk Hya Tnc**
- 25482. *Melanitis zitenius auletes* Fruhstorfer,1908 (Satyridae) Synonym(s):** *auletes* Fruhstorfer,1908 Range (in code): **TH Srt Sgk Hya Tnc**
- 25483. *Melanitis zitenius xantophthalmus* Staudinger,1889 (Satyridae) Synonym(s):** *xantophthalmus* Staudinger,1889 Range (in code): **PH Pal**
- 25484. *Melanitis zitenius zitenius* (Herbst,1796) (Satyridae) Synonym(s):** *zitenius* Herbst,1796 Range (in code): **TH CMA CuO CuO1 Rat Knc Cbi**
- 25485. *Minois dryas* (Scopoli,1763) (Satyridae) Synonym(s):** *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988. Original Reference: *Papilio dryas* Scopoli,1763, Entomologia Carniolica: 153. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **AL At Bn Kts AT Aty Ba BG BY CH CN CZ DE ES FR GR HU IT IR Ak Kr LU PL RO RU Sb SK Sm So Sr TR Cc UA GG Bjo Lag Tbl Kir AM AZ Bak Da Hkd Kis Pja UA Ui Ju Gn Fkn Hun VI YU Ur Sau Tar DsA TrA Tt Or Uk Gj Kt Ch Kg Pp Ty Kw Pw Ka Om No Ao T-S Ku Krl KP KR Mc JP Ab**
- 25486. *Minois dryas bipunctatus* (Motschulsky,1860) (Satyridae) Synonym(s):** *bipunctatus* Motschulsky,1860 Range (in code): **KP Prj Us RU JP**
- 25487. *Minois dryas dryas* (Scopoli,1763) (Satyridae) Synonym(s):** *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988. Original Reference: *Papilio dryas* Scopoli,1763, Entomologia Carniolica: 153. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **AL At Kts AT Aty Ba BG BY CH CN CZ DE ES FR GR HU IT IR Ak Kr LU PL RO RU Sb SK Sm So Sr TR Cc UA GG Bjo Lag Tbl Kir AM AZ Bak Da Hkd Kis Pja VI YU Ur Sau Tar DsA TrA Tt Or Uk Gj Kt Ch Kg Pp Ty Kw Pw Ka Om No Ao Ab**
- 25488. *Minois dryas juldussicus* (Holik,1956) (Satyridae) Synonym(s):** *juldussicus* Holik,1956 Original Reference: *Satyrus dryas* ssp. *juldussicus* Holik,1956, Bonn. zool. Beitr. 7: 220, Taf.1 figs. 2,2a. Holotype ♂: [Uighur Ili]: Juldus-Tal (MAKB). Range (in code): **Ui Ju Ku T-S**
- 25489. *Minois dryas phaedra* (Linnaeus,1764) (Satyridae) Synonym(s):** *phaedra* Linnaeus,1764; *athene* Borkhausen,1788; *tassilo* Fruhstorfer,1908. Original Reference: *Papilio phaedra* Linnaeus,1764, Museum Ludovicae Ulrica: 280. Type(s): Germania. Range (in code): **Bw DE FR**
- 25490. *Minois dryas septentrionalis* (Wnukowsky,1929) (Satyridae) Synonym(s):** *septentrionalis* Wnukowsky,1929; *sibirica* Staudinger,1871 nec Stgr.,1861 Original Reference: *Satyrus dryas* var. *septentrionalis* Wnukowsky,1929, Zool. Anz. 83: 221 (nomen novum pro var. *sibirica*)

- Staudinger, 1871, [in] Staudinger & Wocke, Cat. Lepid. Eur. 2(1): 29; nec *S. autonoe* ssp. *sibirica* Staudinger, 1861, ibid. 1(1): 12. Range (in code): At Bn Ir RU
- 25491. *Minois paupera* (Alpheraky, 1888)** (Satyridae) Synonym(s): *paupera* Alpheraky, 1888
Original Reference: *Satyrus dryas* var. *paupera* Alpheraky, 1888, Stettin ent. Ztg. 49: 67. Type ♂: [China]: Fluß Honton (leg. Potanin). Range (in code): CN Gn MN Ti
- 25492. *Minois paupera astra* (Leech, 1892)** (Satyridae) Synonym(s): *astra* Leech, 1892; *thibetanus* Rühl, 1893
Original Reference: *Satyrus paupera astra* Leech, 1892, Trans. ent. Soc. London 70, Pl. 13 fig. 6. Syntypes: China. Range (in code): CN Ti
- 25493. *Minois paupera jekundana* Koçak, 1989** (Satyridae) Synonym(s): *montana* Holik, 1954 nec Aust., 1905; *jekundana* Koçak, 1989
Original Reference: *Minois paupera jekundana* Koçak, 1989, Priamus 4(4): 141 (nomen novum pro *Satyrus paupera* ssp. *montana* Holik, 1954 nec *Satyrus hansii montana* Austaut, 1905). Holotype ♂: China: Ost-Tibet: Jekundo (in AKMB). Range (in code): CN Ti
- 25494. *Minois paupera kansuana* Koçak, 1989** (Satyridae) Synonym(s): *variegata* Holik, 1949 nec Vrtý., 1911; *kansuana* Koçak, 1989.
Original Reference: *Minois paupera kansuana* Koçak, 1989, Priamus 4(4): 141 (nomen novum pro *Satyrus paupera* ssp. *variegata* Holik, 1949 nec *Satyrus arethusa variegata* Verity, 1911). Holotype ♂: China: Kansu: Lanchowfu. Range (in code): CN Gn
- 25495. *Minois paupera paupera* (Alpheraky, 1888)** (Satyridae) Synonym(s): *paupera* Alpheraky, 1888; *agda* Fruhstorfer, 1908
Original Reference: *Satyrus dryas* var. *paupera* Alpheraky, 1888, Stettin ent. Ztg. 49: 67. Type ♂: [China]: Fluß Honton (leg. Potanin). Range (in code): CN Gn MN Ti
- 25496. *Mycalesis adamsoni* Watson, 1897** (Satyridae) Synonym(s): *adamsoni* Watson, 1897
Range (in code): TH CMa
- 25497. *Mycalesis adamsoni adamsoni* Watson, 1897** (Satyridae) Synonym(s): *adamsoni* Watson, 1897
Range (in code): TH CMa
- 25498. *Mycalesis anapita* Moore, 1858** (Satyridae) Synonym(s): *anapita* Moore, 1858
Range (in code): TH Yal Sgk Hya Tnc
- 25499. *Mycalesis anapita anapita* Moore, 1858** (Satyridae) Synonym(s): *anapita* Moore, 1858
Range (in code): TH Yal Sgk Hya Tnc
- 25500. *Mycalesis anaxias* Hewitson, 1862** (Satyridae) Synonym(s): *anaxias* Hewitson, 1862
Range (in code): TH CMa Pap Mro Srt Cbi Chy Nna Knc
- 25501. *Mycalesis anaxias aemate* Fruhstorfer, 1911** (Satyridae) Synonym(s): *aemate* Fruhstorfer, 1911
Range (in code): TH CMa Pap Mro Srt Cbi Chy Nna Knc
- 25502. *Mycalesis anaxias anaxias* Hewitson, 1862** (Satyridae) Synonym(s): *anaxias* Hewitson, 1862
- 25503. *Mycalesis anaxioides* Marschall, 1883** (Satyridae) Synonym(s): *anaxioides* Marschall, 1883
Range (in code): TH Nna Cbi Rng Pbu
- 25504. *Mycalesis anaxioides anaxioides* Marschall, 1883** (Satyridae) Synonym(s): *anaxioides* Marschall, 1883
Range (in code): TH Nna Cbi Rng Pbu
- 25505. *Mycalesis annamitica* Fruhstorfer, 1906** (Satyridae) Synonym(s): *annamitica* Fruhstorfer, 1906
Range (in code): VN Ann TH CMa Int Pap Mro Chy Phe Knc
- 25506. *Mycalesis annamitica annamitica* Fruhstorfer, 1906** (Satyridae) Synonym(s): *annamitica* Fruhstorfer, 1906
Range (in code): VN Ann TH CMa Int Pap Mro Chy Phe Knc
- 25507. *Mycalesis aramis* Hewitson, 1866** (Satyridae) Synonym(s): *aramis* Hewitson, 1866
Range (in code): PH Luz
- 25508. *Mycalesis bisaya* C. Felder & R. Felder, 1863** (Satyridae) Synonym(s): *bisaya* C. Felder & R. Felder, 1863
Range (in code): PH Bab Bur Luz Ley Mdo
- 25509. *Mycalesis bisaya baboy* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *baboy* Aoki & Uémura, 1982
Range (in code): PH Ley
- 25510. *Mycalesis bisaya bisaya* C. Felder & R. Felder, 1863** (Satyridae) Synonym(s): *bisaya* C. Felder & R. Felder, 1863
Range (in code): PH Bab Bur Luz
- 25511. *Mycalesis bisaya samina* Fruhstorfer, 1908** (Satyridae) Synonym(s): *samina* Fruhstorfer, 1908
Range (in code): PH Mdo
- 25512. *Mycalesis deficiens* Fruhstorfer, 1911** (Satyridae) Synonym(s): *deficiens* Fruhstorfer, 1911
Range (in code): TH
- 25513. *Mycalesis distanti* Moore, 1892** (Satyridae) Synonym(s): *distanti* Moore, 1892
Range (in code): TH CMa CDo Chy Sgk Nna Rat Tng Hya Tnc

- 25514. *Mycalesis distanti distanti* Moore, 1892** (Satyridae) Synonym(s): *distanti* Moore, 1892
- 25515. *Mycalesis distanti mucianus* Fruhstorfer, 1908** (Satyridae) Synonym(s): *mucianus* Fruhstorfer, 1908 _ Range (in code): TH CMA CDo Chy Sgk Nna Rat Tng Hya Tnc
- 25516. *Mycalesis evansii* Tytler, 1914** (Satyridae) Synonym(s): *evansii* Tytler, 1914 _ Range (in code): MM IN Mpr
- 25517. *Mycalesis felderi* Butler, 1868** (Satyridae) Synonym(s): *felderi* Butler, 1868 _ Range (in code): PH Boh Jol Sga Taw Bas Ceb Din Ley Mno Sam Sia
- 25518. *Mycalesis felderi bilara* M.Okano & T.Okano, 1990** (Satyridae) Synonym(s): *bilara* M.Okano & T.Okano, 1990 _ Range (in code): PH Boh
- 25519. *Mycalesis felderi felderi* Butler, 1868** (Satyridae) Synonym(s): *felderi* Butler, 1868 _ Range (in code): PH Bas Ceb Din Ley Mno Sam Sia
- 25520. *Mycalesis felderi jolana* Fruhstorfer, 1911** (Satyridae) Synonym(s): *jolana* Fruhstorfer, 1911 _ Range (in code): PH Jol Sga Taw
- 25521. *Mycalesis francisca* (Stoll, [1780])** (Satyridae) Synonym(s): *francisca* Stoll, [1780] _ Original Reference: Papilio francisca Stoll, [1780], [in] Cramer, Uitl. Kapellen 4: pl.326, fig. E,F. Range (in code): Ann Ass IN Kma Kul MM Nag TH CMA Cu0 Cu01 Cu07 Cu09 Cu11 Cu12 CDo CD2 Int Lmp Tht Loe Phe Tak SI Tns Up VN JP
- 25522. *Mycalesis francisca francisca* (Stoll, [1780])** (Satyridae) Synonym(s): *francisca* Stoll, [1780] _ Original Reference: Papilio francisca Stoll, [1780], [in] Cramer, Uitl. Kapellen 4: pl.326, fig. E,F.
- 25523. *Mycalesis francisca sanatana* Moore, 1857** (Satyridae) Synonym(s): *sanatana* Moore, 1857 _ Original Reference: Mycalesis sanatana Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 231. Range (in code): Ann Ass IN Kma Kul MM Nag TH CMA Cu0 Cu01 Cu07 Cu09 Cu11 Cu12 CDo CD2 Int Lmp Tht Loe Phe Tak SI Tns Up VN
- 25524. *Mycalesis frederici* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *frederici* Aoki & Uémura, 1982 _ Range (in code): PH Boh CmM Ley Mno Sam Sia
- 25525. *Mycalesis fusca* C.Felder & R.Felder, 1860** (Satyridae) Synonym(s): *fusca* C.Felder & R.Felder, 1860 _ Range (in code): TH Rng Phu Nst Ths Sya Chw Kbi Sgk Hya Tnc
- 25526. *Mycalesis fusca fusca* C.Felder & R.Felder, 1860** (Satyridae) Synonym(s): *fusca* C.Felder & R.Felder, 1860 _ Range (in code): TH Rng Phu Nst Ths Sya Chw Kbi Sgk Hya Tnc
- 25527. *Mycalesis georgi* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *georgi* Aoki & Uémura, 1982 _ Original Reference: Mycalesis georgi Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 7, Pl.3,4 figs.5,6. Holotype ♂: [Philippines]: Luzon: Bicol National Park. Range (in code): PH Luz Mar Neg
- 25528. *Mycalesis georgi georgi* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *georgi* Aoki & Uémura, 1982 _ Original Reference: Mycalesis georgi Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 7, Pl.3,4 figs.5,6. Holotype ♂: [Philippines]: Luzon: Bicol National Park. Range (in code): PH Luz Mar Neg
- 25529. *Mycalesis georgi ilacano* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *ilacano* Aoki & Uémura, 1982 _ Range (in code): PH Luz
- 25530. *Mycalesis gotama* Moore, 1857** (Satyridae) Synonym(s): *gotama* Moore, 1857 _ Range (in code): IN Ass MM CN VN TW TH CMA Chy
- 25531. *Mycalesis gotama charaka* Moore, 1874** (Satyridae) Synonym(s): *charaka* Moore, 1874 _ Range (in code): TH CMA Chy
- 25532. *Mycalesis gotama nanda* Fruhstorfer, 1908** (Satyridae) Synonym(s): *nanda* Fruhstorfer, 1908 _ Range (in code): TW
- 25533. *Mycalesis gotama oculata* Moore, 1880** (Satyridae) Synonym(s): *oculata* Moore, 1880 _ Range (in code): IN Ass MM CN VN
- 25534. *Mycalesis horsfieldi* Moore, 1892** (Satyridae) Synonym(s): *horsfieldi* Moore, 1892 _ Range (in code): ID Ja Bli Sum Bor Egg Nia Sly Clb TW P-T MY Lkw TH VN PH Jol Pal
- 25535. *Mycalesis horsfieldi distanti* Moore, 1892** (Satyridae) Synonym(s): *distanti* Moore, 1892 _ Range (in code): MY
- 25536. *Mycalesis horsfieldi enganoensis* Fruhstorfer, 1908** (Satyridae) Synonym(s): *enganoensis* Fruhstorfer, 1908 _ Range (in code): ID Egg
- 25537. *Mycalesis horsfieldi hermana* Fruhstorfer, 1908** (Satyridae) Synonym(s): *hermana* Fruhstorfer, 1908 _ Range (in code): ID Sum Bor P-T MY
- 25538. *Mycalesis horsfieldi horsfieldi* Moore, 1892** (Satyridae) Synonym(s): *horsfieldi* Moore, 1892 _ Range (in code): ID Ja Bli

- 25539. Mycalesis horsfieldi leucinoe Fruhstorfer, 1908** (Satyridae) Synonym(s): *leucinoe Fruhstorfer, 1908* _ Range (in code): **PH Jol Pal**
- 25540. Mycalesis horsfieldi mucianus Fruhstorfer, 1908** (Satyridae) Synonym(s): *mucianus Fruhstorfer, 1908* _ Range (in code): **MY Lkw TH VN**
- 25541. Mycalesis horsfieldi niasana Fruhstorfer, 1908** (Satyridae) Synonym(s): *niasana Fruhstorfer, 1908* _ Range (in code): **ID Nia**
- 25542. Mycalesis horsfieldi panthaka Fruhstorfer, 1909** (Satyridae) Synonym(s): *panthaka Fruhstorfer, 1909* _ Range (in code): **TW**
- 25543. Mycalesis horsfieldi ptyleus Fruhstorfer, 1908** (Satyridae) Synonym(s): *ptyleus Fruhstorfer, 1908* _ Range (in code): **ID Sly**
- 25544. Mycalesis horsfieldi tessimus Fruhstorfer, 1908** (Satyridae) Synonym(s): *tessimus Fruhstorfer, 1908* _ Range (in code): **ID Clb**
- 25545. Mycalesis igoleta C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *igoleta C.Felder & R.Felder, 1863* _ Original Reference: Mycalesis igoleta C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 127. Type: Luzon. Range (in code): **PH Boh Gui Neg Pan Rom Mdo Ala Bab Ley Luz Mar Sam**
- 25546. Mycalesis igoleta igoleta C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *igoleta C.Felder & R.Felder, 1863* _ Original Reference: Mycalesis igoleta C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 127. Type: Luzon. Range (in code): **PH Ala Bab Ley Luz Mar Sam**
- 25547. Mycalesis igoleta mangyan Aoki & Uémura, 1982** (Satyridae) Synonym(s): *mangyan Aoki & Uémura, 1982* _ Range (in code): **PH Mdo**
- 25548. Mycalesis igoleta negrosensis Aoki & Uémura, 1982** (Satyridae) Synonym(s): *negrosensis Aoki & Uémura, 1982* _ Original Reference: Mycalesis igoleta ssp. negrosensis Aoki & Uémura, 1982, Memoirs of the Tsukada Collection 4: 10, Pl. 3,4 figs.15. Holotype ♂: [Philippines]: Negros: Mambucal. Range (in code): **PH Boh Gui Neg Pan Rom**
- 25549. Mycalesis intermedia Moore, 1892** (Satyridae) Synonym(s): *intermedia Moore, 1892* _ Original Reference: Mycalesis intermedia Moore, 1892, Lepid Ind. 1: 178. Range (in code): **MM TH CMa Cuo Cuo5 Dst Qs CDo Rat Chy Rng Tng Cbi Yal Sgk Hya Tnc Nst Chw Lsa MY Lkw VN**
- 25550. Mycalesis ita C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *ita C.Felder & R.Felder, 1863* _ Range (in code): **PH Gui Neg Pan Pal Mdo Boh Ley Sam Cml Ala Luz Mar Mno**
- 25551. Mycalesis ita imeldae Aoki & Uémura, 1982** (Satyridae) Synonym(s): *imeldae Aoki & Uémura, 1982* _ Range (in code): **PH Mno**
- 25552. Mycalesis ita ita C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *ita C.Felder & R.Felder, 1863* _ Range (in code): **PH Ala Luz Mar**
- 25553. Mycalesis ita jmeli Schröder, Treadaway & Nuyda, 1991** (Satyridae) Synonym(s): *jmeli Schröder, Treadaway & Nuyda, 1991* _ Range (in code): **PH Cml**
- 25554. Mycalesis ita maitim Aoki & Uémura, 1982** (Satyridae) Synonym(s): *maitim Aoki & Uémura, 1982* _ Range (in code): **PH Boh Ley Sam**
- 25555. Mycalesis ita palawensis Fruhstorfer, 1909** (Satyridae) Synonym(s): *palawensis Fruhstorfer, 1909* _ Range (in code): **PH Pal**
- 25556. Mycalesis ita sinonia Fruhstorfer, 1911** (Satyridae) Synonym(s): *sinonia Fruhstorfer, 1911* _ Range (in code): **PH Mdo**
- 25557. Mycalesis ita teatus Fruhstorfer, 1911 ?** (Satyridae) Synonym(s): *teatus Fruhstorfer, 1911* _ Range (in code): **PH Gui Neg Pan**
- 25558. Mycalesis janardana Moore, 1858** (Satyridae) Synonym(s): *janardana Moore, 1858* _ Range (in code): **TH Pgg Kbi Tng Yal Sgk Hya Tnc Ntt SPa Nst Chw PH Boh Ley Pao Bas Mno**
- 25559. Mycalesis janardana circella Fruhstorfer, 1911** (Satyridae) Synonym(s): *circella Fruhstorfer, 1911* _ Range (in code): **PH Boh Ley Pao**
- 25560. Mycalesis janardana janardana Moore, 1858** (Satyridae) Synonym(s): *janardana Moore, 1858*
- 25561. Mycalesis janardana micromede Fruhstorfer, 1900** (Satyridae) Synonym(s): *micromede Fruhstorfer, 1900* _ Range (in code): **PH Bas Mno**
- 25562. Mycalesis janardana sagittigera Fruhstorfer, 1908** (Satyridae) Synonym(s): *sagittigera Fruhstorfer, 1908* _ Range (in code): **TH Pgg Kbi Tng Yal Sgk Hya Tnc Ntt SPa Nst Chw**
- 25563. Mycalesis kashiwaii Aoki & Uémura, 1982** (Satyridae) Synonym(s): *kashiwaii Aoki & Uémura, 1982* _ Range (in code): **PH Luz Mar Mdo**
- 25564. Mycalesis kashiwaii kashiwaii Aoki & Uémura, 1982** (Satyridae) Synonym(s): *kashiwaii Aoki & Uémura, 1982* _ Range (in code): **PH Mdo**

- 25565. *Mycalesis kashiwaii* pula Aoki & Uémura, 1982** (Satyridae) **Synonym(s):** *pula* Aoki & Uémura, 1982 **Range (in code):** **PH Luz Mar**
- 25566. *Mycalesis kurosawai* Kashiwai, 1986** (Satyridae) **Synonym(s):** *kurosawai* Kashiwai, 1986 **Range (in code):** **PH Sib**
- 25567. *Mycalesis lepcha* (Moore, 1880)** (Satyridae) **Synonym(s):** *lepcha* Moore, 1880 **Original Reference:** Samanta *lepcha* Moore, 1880, Trans. ent. Soc. Lond. 1880 (4): 167. Type ♂: Nepal. **Range (in code):** **Ass IN Kma Krh Kul Mpr Mus NP Oi Phn Sml Tn Up TH CMa Loe**
- 25568. *Mycalesis lepcha kohimensis* Tytler, 1914** (Satyridae) **Synonym(s):** *kohimensis* Tytler, 1914 **Range (in code):** **TH CMa Loe**
- 25569. *Mycalesis lepcha lepcha* (Moore, 1880)** (Satyridae) **Synonym(s):** *lepcha* Moore, 1880 **Original Reference:** Samanta *lepcha* Moore, 1880, Trans. ent. Soc. Lond. 1880 (4): 167. Type ♂: Nepal. **Range (in code):** **IN Kma Kul Mus NP Sml Up**
- 25570. *Mycalesis maianaeas* Hewitson, 1964** (Satyridae) **Synonym(s):** *maianaeas* Hewitson, 1964 **Range (in code):** **TH**
- 25571. *Mycalesis maianaeas maianaeas* Hewitson, 1964** (Satyridae) **Synonym(s):** *maianaeas* Hewitson, 1964 **Range (in code):** **TH**
- 25572. *Mycalesis malsara* Moore, 1857** (Satyridae) **Synonym(s):** *malsara* Moore, 1857 **Range (in code):** **TH CMa CDo Tak Phe Knc IN MM**
- 25573. *Mycalesis malsara malsara* Moore, 1857** (Satyridae) **Synonym(s):** *malsara* Moore, 1857 **Range (in code):** **TH CMa CDo Tak Phe Knc IN MM**
- 25574. *Mycalesis manii* Doherty, 1886** (Satyridae) **Synonym(s):** *manii* Doherty, 1886 **Range (in code):** **Nk IN**
- 25575. *Mycalesis mineus* (Linnaeus, 1767)** (Satyridae) **Synonym(s):** *mineus* Linnaeus, 1767; *drusia* Cramer, 1775; *otrea* Stoll, 1780; *subfasciata* Moore, 1882; *carpenteri* Butler, 1886. **Original Reference:** Papilio *mineus* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 768. **Range (in code):** **Adm Ben Clc CN Drm IN Kgr Kma MM Mus Nag NP SI Tns Up PH Ala Boh Cts Cuy Gui Luz Mdo Neg Pal TH CMa Cuo Cuo1 Cuo7 CDo CD2 Cbu Cbi Knc Rat Nna Rng Sgk Hya Tnc Yal Tng Pbu Nst Ths Chw Srt**
- 25576. *Mycalesis mineus macromalayana* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *macromalayana* Fruhstorfer, 1911 **Range (in code):** **TH Rng Sgk Hya Tnc Nst Ths Chw Srt Yal Tng**
- 25577. *Mycalesis mineus mineus* (Linnaeus, 1767)** (Satyridae) **Synonym(s):** *mineus* Linnaeus, 1767; *drusia* Cramer, 1775; *otrea* Stoll, 1780; *subfasciata* Moore, 1882; *carpenteri* Butler, 1886. **Original Reference:** Papilio *mineus* Linnaeus, 1767, Syst. Nat. (Edn. 12) 1(2): 768. **Range (in code):** **Adm Ben Clc CN Drm IN Kgr Kma MM Mus Nag NP SI Tns Up TH CMa Cuo Cuo1 Cuo7 CDo CD2 Cbu Cbi Knc Rat Nna Pbu**
- 25578. *Mycalesis mineus philippina* Moore, 1892** (Satyridae) **Synonym(s):** *philippina* Moore, 1892 **Range (in code):** **PH Ala Boh Cts Cuy Gui Luz Mdo Neg Pal**
- 25579. *Mycalesis mnasicles* Hewitson, 1864** (Satyridae) **Synonym(s):** *mnasicles* Hewitson, 1864 **Range (in code):** **TH CMa Rng Tak Kbi Cbi Nst Yal**
- 25580. *Mycalesis mnasicles mnasicles* Hewitson, 1864** (Satyridae) **Synonym(s):** *mnasicles* Hewitson, 1864
- 25581. *Mycalesis mnasicles perna* Fruhstorfer, 1906** (Satyridae) **Synonym(s):** *perna* Fruhstorfer, 1906 **Range (in code):** **TH CMa Rng Tak Kbi Cbi Nst Yal**
- 25582. *Mycalesis nicotia* Westwood, [1850]** (Satyridae) **Synonym(s):** *nicotia* Westwood, [1850]; *#nicotica* Pinratana, 1988 **Original Reference:** *Mycalesis nicotia* Westwood, [1850], [in] Doubleday & Westwood, Gen. Diurn. Lepid. 2: pl. lxxvi, fig. 4 (1850); 394 (1851). **Range (in code):** **Ben IN Ass Meg Khs Kma Krh MM Mpr Mus Nag SI Tns Up TH CMa**
- 25583. *Mycalesis nicotia nicotia* Westwood, [1850]** (Satyridae) **Synonym(s):** *nicotia* Westwood, [1850]; *#nicotica* Pinratana, 1988 **Original Reference:** *Mycalesis nicotia* Westwood, [1850], [in] Doubleday & Westwood, Gen. Diurn. Lepid. 2: pl. lxxvi, fig. 4 (1850); 394 (1851). **Range (in code):** **Ben IN Ass Meg Khs Kma Krh MM Mpr Mus Nag SI Tns Up TH CMa**
- 25584. *Mycalesis oroatis* Hewitson, 1864** (Satyridae) **Synonym(s):** *oroatis* Hewitson, 1864 **Range (in code):** **TH Rng Yal Sgk Hya Tnc Tng Nst Knc**
- 25585. *Mycalesis oroatis oroatis* Hewitson, 1864** (Satyridae) **Synonym(s):** *oroatis* Hewitson, 1864
- 25586. *Mycalesis oroatis surkha* Marschall, 1882** (Satyridae) **Synonym(s):** *surkha* Marschall, 1882 **Range (in code):** **TH Knc**
- 25587. *Mycalesis oroatis ustulata* Distant, 1885** (Satyridae) **Synonym(s):** *ustulata* Distant, 1885 **Range (in code):** **TH Rng Yal Sgk Hya Tnc Tng Nst**

- 25588. Mycalesis orseis Hewitson,1864** (Satyridae) Synonym(s): *orseis* Hewitson,1864
Range (in code): **PH Bal Pal TH Rng Yal Tng Nst Ths Sya**
- 25589. Mycalesis orseis flavotincta Staudinger,1889** (Satyridae) Synonym(s): *flavotincta* Staudinger,1889 - Range (in code): **PH Bal Pal**
- 25590. Mycalesis orseis nautilus Butler,1867** (Satyridae) Synonym(s): *nautilus* Butler,1867
Range (in code): **TH Rng Yal Tng Nst Ths Sya**
- 25591. Mycalesis orseis orseis Hewitson,1864** (Satyridae) Synonym(s): *orseis* Hewitson,1864
- 25592. Mycalesis perseoides Moore,1892** (Satyridae) Synonym(s): *perseoides* Moore,1892
Range (in code): **TH CMa Cuo Cuo1 Pap Mro Cbi Knc Pht Sgk**
- 25593. Mycalesis perseoides perseoides Moore,1892** (Satyridae) Synonym(s): *perseoides* Moore,1892 - Range (in code): **TH CMa Cuo Cuo1 Pap Mro Cbi Knc Pht Sgk**
- 25594. Mycalesis perseus (Fabricius,1775)** (Satyridae) Synonym(s): *perseus* Fabricius,1775
Original Reference: Papilio perseus Fabricius,1775, Syst. Ent.: 488, nr.199. Type(s): Nova Hollandia. Range (in code): **PH Boh Ceb Ley Luz Mdo Mno Neg Pan Pal LK Ass MM Kgr Adm IN Kma Mus NP SI Tns Up TH CMa Dst Qs Rat Phe Cbu Cbi Yal Cph ID SG Sum Ja Sbw Clb CN TW**
- 25595. Mycalesis perseus acarya Fruhstorfer,1911** (Satyridae) Synonym(s): *acarya* Fruhstorfer,1911 - Range (in code): **PH Pal**
- 25596. Mycalesis perseus blasius (Fabricius,1798)** (Satyridae) Synonym(s): *blasius* Fabricius,1798; *lurida* Butler,1879. Original Reference: Papilio blasius Fabricius,1798, Ent. Syst., Suppl.: 426. Range (in code): **Adm IN Kgr Kma MM Mus TH CMa Rat Phe Cbu Cbi NP SI Tns Up**
- 25597. Mycalesis perseus caesonia Wallengren,1860** (Satyridae) Synonym(s): *caesonia* Wallengren,1860 - Range (in code): **PH Boh Ceb Ley Luz Mdo Mno Neg Pan**
- 25598. Mycalesis perseus cepheus Butler,1867** (Satyridae) Synonym(s): *cepheus* Butler,1867
Range (in code): **TH Yal Cph**
- 25599. Mycalesis perseus perseus (Fabricius,1775)** (Satyridae) Synonym(s): *perseus* Fabricius,1775 Original Reference: Papilio perseus Fabricius,1775, Syst. Ent.: 488, nr.199. Type(s): Nova Hollandia. Range (in code): **Ass MM Kgr Adm IN Kma Mus NP SI Tns Up TH CMa Dst Qs CN TW**
- 25600. Mycalesis radza Moore,1878** (Satyridae) Synonym(s): *radza* Moore,1878 - Range (in code): **Adm IN**
- 25601. Mycalesis rama Moore,1892** (Satyridae) Synonym(s): *rama* Moore,1892 Original Reference: *Mycalesis rama* Moore,1892, Lepid. Ind. 1: 196. Range (in code): **LK**
- 25602. Mycalesis sangaica Butler,1877** (Satyridae) Synonym(s): *sangaica* Butler,1877 - Range (in code): **TH Loc Knc Phe Cbu Cbi**
- 25603. Mycalesis sangaica sangaica Butler,1877** (Satyridae) Synonym(s): *sangaica* Butler,1877
- 25604. Mycalesis sangaica tunicula Fruhstorfer,1911** (Satyridae) Synonym(s): *tunicula* Fruhstorfer,1911 - Range (in code): **TH Loc Knc Phe Cbu Cbi**
- 25605. Mycalesis siamica Riley & Godfrey,1921** (Satyridae) Synonym(s): *siamica* Riley & Godfrey,1921 Original Reference: *Mycalesis siamica* Riley & Godfrey,1921, J. nat. Hist. Soc. Siam 4: 170. Range (in code): **TH**
- 25606. Mycalesis siamica siamica Riley & Godfrey,1921** (Satyridae) Synonym(s): *siamica* Riley & Godfrey,1921 Original Reference: *Mycalesis siamica* Riley & Godfrey,1921, J. nat. Hist. Soc. Siam 4: 170. Range (in code): **TH**
- 25607. Mycalesis suaveolens Wood-Mason & De Nicéville,1883** (Satyridae) Synonym(s): *suaveolens* Wood-Mason & De Nicéville,1883 - Range (in code): **TH CMa**
- 25608. Mycalesis suaveolens duguidi Tytler,1926** (Satyridae) Synonym(s): *duguidi* Tytler,1926
Range (in code): **TH CMa**
- 25609. Mycalesis suaveolens suaveolens Wood-Mason & De Nicéville,1883** (Satyridae) Synonym(s): *suaveolens* Wood-Mason & De Nicéville,1883
- 25610. Mycalesis tagala C.Felder & R.Felder,1863** (Satyridae) Synonym(s): *tagala* C.Felder & R.Felder,1863 Original Reference: *Mycalesis tagala* C.Felder & R.Felder,1863, Wien. ent. Monatschr. 7: 126. Type: Philippines. Range (in code): **PH Jol Mdo Gui Neg Pan Bal Pal Bas Mno Bur Luz Mar Boh Ley Pao Sam**
- 25611. Mycalesis tagala henrica Fruhstorfer,1911** (Satyridae) Synonym(s): *henrica* Fruhstorfer,1911 - Range (in code): **PH Jol**
- 25612. Mycalesis tagala mataurus Fruhstorfer,1911** (Satyridae) Synonym(s): *mataurus* Fruhstorfer,1911 - Range (in code): **PH Gui Neg Pan**

- 25613. *Mycalesis tagala mindorana* Fruhstorfer, 1900** (Satyridae) Synonym(s): *mindorana* Fruhstorfer, 1900 _ Range (in code): PH Mdo
- 25614. *Mycalesis tagala palawana* Fruhstorfer, 1908** (Satyridae) Synonym(s): *palawana* Fruhstorfer, 1908 _ Range (in code): PH Bal Pal
- 25615. *Mycalesis tagala semirasa* Fruhstorfer, 1908** (Satyridae) Synonym(s): *semirasa* Fruhstorfer, 1908 _ Range (in code): PH Bas Mno
- 25616. *Mycalesis tagala tagala* C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *tagala* C.Felder & R.Felder, 1863 _ Original Reference: Mycalesis tagala C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7: 126. Type: Philippines. Range (in code): PH Bur Luz Mar
- 25617. *Mycalesis tagala venostes* Fruhstorfer, 1911** (Satyridae) Synonym(s): *venostes* Fruhstorfer, 1911 _ Range (in code): PH Boh Ley Pao Sam
- 25618. *Mycalesis tamarau* Aoki & Uémura, 1982** (Satyridae) Synonym(s): *tamarau* Aoki & Uémura, 1982 _ Range (in code): PH Mdo
- 25619. *Mycalesis teatus* Fruhstorfer, 1911** (Satyridae) Synonym(s): *teatus* Fruhstorfer, 1911 _ Range (in code): PH Tab Rom Gui Mas Neg Pan
- 25620. *Mycalesis teatus ardens* Kashiwai, 1986** (Satyridae) Synonym(s): *ardens* Kashiwai, 1986 _ Range (in code): PH Tab
- 25621. *Mycalesis teatus rhomblonana* Kashiwai, 1986** (Satyridae) Synonym(s): *rhomblonana* Kashiwai, 1986 _ Range (in code): PH Rom
- 25622. *Mycalesis teatus teatus* Fruhstorfer, 1911** (Satyridae) Synonym(s): *teatus* Fruhstorfer, 1911 _ Range (in code): PH Gui Mas Neg Pan
- 25623. *Mycalesis thailandica* Aoki & Yamaguchi, 1983** (Satyridae) Synonym(s): *thailandica* Aoki & Yamaguchi, 1983 _ Original Reference: Mycalesis thailandica Aoki & Yamaguchi, 1983, Sci. Rep. Res. Inst. Evol. Biol. 2: 48. Range (in code): TH Knc
- 25624. *Mycalesis thailandica thailandica* Aoki & Yamaguchi, 1983** (Satyridae) Synonym(s): *thailandica* Aoki & Yamaguchi, 1983 _ Original Reference: Mycalesis thailandica Aoki & Yamaguchi, 1983, Sci. Rep. Res. Inst. Evol. Biol. 2: 48. Range (in code): TH Knc
- 25625. *Mycalesis treadawayi* Schröder, 1986** (Satyridae) Synonym(s): *treadawayi* Schröder, 1986 _ Range (in code): PH Mno
- 25626. *Mycalesis treadawayi cotabatana* Schröder & Treadaway, 1991** (Satyridae) Synonym(s): *cotabatana* Schröder & Treadaway, 1991 _ Range (in code): PH Mno
- 25627. *Mycalesis treadawayi malindangensis* Schröder & Treadaway, 1991** (Satyridae) Synonym(s): *malindangensis* Schröder & Treadaway, 1991 _ Range (in code): PH Mno
- 25628. *Mycalesis treadawayi treadawayi* Schröder, 1986** (Satyridae) Synonym(s): *treadawayi* Schröder, 1986 _ Range (in code): PH Mno
- 25629. *Mycalesis visala* Moore, 1857** (Satyridae) Synonym(s): *visala* Moore, 1857 _ Original Reference: Mycalesis visala Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 230. Type(s): India: Bengal. Range (in code): Adm Ass Ben Clc IN Kma LK MM Mus MY Nag Oi SI TH CMa TAc Nna Cbi Rng Yal Tng Up VN
- 25630. *Mycalesis visala phamis* Talbot & Corbet, 1939** (Satyridae) Synonym(s): *phamis* Talbot & Corbet, 1939 _ Range (in code): TH Rng Yal Tng
- 25631. *Mycalesis visala visala* Moore, 1857** (Satyridae) Synonym(s): *visala* Moore, 1857 _ Original Reference: Mycalesis visala Moore, 1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 230. Type(s): India: Bengal. Range (in code): Ass Ben Clc IN Kma MM Mus Nag SI Up TH CMa TAc Nna Cbi
- 25632. *Neita durbani* (Trimen, 1887)** (Satyridae) Synonym(s): *durbani* Trimen, 1887 _ Range (in code): ZA Nta Kzu Dbn Kwi Grh Ec _ Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al., 1995).
- 25633. *Neita durbani durbani* (Trimen, 1887)** (Satyridae) Synonym(s): *durbani* Trimen, 1887 _ Range (in code): ZA Nta Kzu Dbn Kwi Grh Ec
- 25634. *Neita extensa* (Butler, 1898)** (Satyridae) Synonym(s): *extensa* Butler, 1898; *major* Trimen, 1906 _ Range (in code): MW ZM ZA Mpu Nel Brb ZW Har Tva Lpo Pie _ Bionomy: Larva on Cynodon, Ehrharta (Poaceae) (Ackery et al., 1995).
- 25635. *Neita extensa extensa* (Butler, 1898)** (Satyridae) Synonym(s): *extensa* Butler, 1898; *major* Trimen, 1906 _ Range (in code): MW ZM ZA Mpu Nel Brb ZW Har Tva Lpo Pie
- 25636. *Neita lotenia* (Van Son, 1949)** (Satyridae) Synonym(s): *lotenia* Van Son, 1949 _ Range (in code): ZA Nta Kzu LS
- 25637. *Neita lotenia lotenia* (Van Son, 1949)** (Satyridae) Synonym(s): *lotenia* Van Son, 1949 _ Range (in code): ZA Nta Kzu LS

- 25638. Neita neita (Wallengren,1875)** (Satyridae) Synonym(s): *neita* Wallengren,1875 _ Range (in code): ZA Ec Nta Kzu Tva Lpo Ptc Mpu Brb Dof Bfk Wb
- 25639. Neita neita neita (Wallengren,1875)** (Satyridae) Synonym(s): *neita* Wallengren,1875
Range (in code): ZA Ec Nta Kzu Tva Lpo Ptc Mpu Brb Dof Bfk Wb
- 25640. Neita orbipalus Kielland,1990** (Satyridae) Synonym(s): *orbipalus* Kielland,1990 _ Range (in code): TZ KE
- 25641. Neita orbipalus congdoni Kielland,1990** (Satyridae) Synonym(s): *congdoni* Kielland,1990 _ Range (in code): TZ
- 25642. Neita orbipalus orbipalus Kielland,1990** (Satyridae) Synonym(s): *orbipalus* Kielland,1990 _ Range (in code): TZ
- 25643. Neita victoriae (Aurivillius,1898)** (Satyridae) Synonym(s): *victoriae* Aurivillius,1898
Range (in code): TZ KE MW
- 25644. Neita victoriae victoriae (Aurivillius,1898)** (Satyridae) Synonym(s): *victoriae* Aurivillius,1898 _ Range (in code): TZ KE MW
- 25645. Neocoenyra bioculata Carcasson,1964** (Satyridae) Synonym(s): *bioculata* Carcasson,1964
Range (in code): MW
- 25646. Neocoenyra bioculata bioculata Carcasson,1964** (Satyridae) Synonym(s): *bioculata* Carcasson,1964 _ Range (in code): MW
- 25647. Neocoenyra cooksoni Druce,1907** (Satyridae) Synonym(s): *cooksoni* Druce,1907
Range (in code): ZR AO ZM TZ
- 25648. Neocoenyra cooksoni cooksoni Druce,1907** (Satyridae) Synonym(s): *cooksoni* Druce,1907 _ Range (in code): ZR AO ZM TZ
- 25649. Neocoenyra duplex Butler,1886** (Satyridae) Synonym(s): *duplex* Butler,1886 _ Range (in code): SO ET KE UG
- 25650. Neocoenyra duplex duplex Butler,1886** (Satyridae) Synonym(s): *duplex* Butler,1886
Range (in code): SO ET KE UG
- 25651. Neocoenyra fuligo Kielland,1990** (Satyridae) Synonym(s): *fuligo* Kielland,1990
Range (in code): TZ
- 25652. Neocoenyra fuligo fuligo Kielland,1990** (Satyridae) Synonym(s): *fuligo* Kielland,1990
Range (in code): TZ
- 25653. Neocoenyra fulleborni Thurnau,1903** (Satyridae) Synonym(s): *fulleborni* Thurnau,1903
Range (in code): TZ
- 25654. Neocoenyra fulleborni fulleborni Thurnau,1903** (Satyridae) Synonym(s): *fulleborni* Thurnau,1903 _ Range (in code): TZ
- 25655. Neocoenyra gregorii Butler,1894** (Satyridae) Synonym(s): *gregorii* Butler,1894; *chanleri* Holland,1896 _ Range (in code): KE Elg SO UG TZ ZR MW Zom
- 25656. Neocoenyra gregorii gregorii Butler,1894** (Satyridae) Synonym(s): *gregorii* Butler,1894; *chanleri* Holland,1896 _ Range (in code): KE Elg SO UG TZ ZR MW Zom
- 25657. Neocoenyra heckmanni Thurnau,1903** (Satyridae) Synonym(s): *heckmanni* Thurnau,1903; *#wentzelae* Thurnau,1903; *mittoni* Pinhey,1956 _ Range (in code): TZ
- 25658. Neocoenyra heckmanni heckmanni Thurnau,1903** (Satyridae) Synonym(s): *heckmanni* Thurnau,1903; *#wentzelae* Thurnau,1903; *mittoni* Pinhey,1956 _ Range (in code): TZ
- 25659. Neocoenyra heckmanni kennethi Kielland,1990** (Satyridae) Synonym(s): *kennethi* Kielland,1990 _ Range (in code): TZ
- 25660. Neocoenyra heckmanni mangalisa Kielland,1990** (Satyridae) Synonym(s): *mangalisa* Kielland,1990 _ Range (in code): TZ
- 25661. Neocoenyra heckmanni mbinga Kielland,1990** (Satyridae) Synonym(s): *mbinga* Kielland,1990; *songeana* Kielland,1990 _ Range (in code): TZ
- 25662. Neocoenyra heckmanni uzungwae Kielland,1990** (Satyridae) Synonym(s): *uzungwae* Kielland,1990 _ Range (in code): TZ
- 25663. Neocoenyra jordani Rebel,1906** (Satyridae) Synonym(s): *jordani* Rebel,1906 _ Range (in code): TZ
- 25664. Neocoenyra jordani jordani Rebel,1906** (Satyridae) Synonym(s): *jordani* Rebel,1906
Range (in code): TZ
- 25665. Neocoenyra jordani septentrionalis Kielland,1990** (Satyridae) Synonym(s): *septentrionalis* Kielland,1990 _ Range (in code): TZ

- 25666. Neocoenyra kivuensis Seydel,1929** (Satyridae) Synonym(s): *kivuensis Seydel,1929*
Range (in code): **MW BI ZM ZR**
- 25667. Neocoenyra kivuensis kivuensis Seydel,1929** (Satyridae) Synonym(s): *kivuensis Seydel,1929* _ Range (in code): **MW BI ZM ZR**
- 25668. Neocoenyra masaica Carcasson,1958** (Satyridae) Synonym(s): *masaica Carcasson,1958*
Range (in code): **KE TZ**
- 25669. Neocoenyra masaica masaica Carcasson,1958** (Satyridae) Synonym(s): *masaica Carcasson,1958* _ Range (in code): **KE TZ**
- 25670. Neocoenyra parallelopupillata (Karsch,1897)** (Satyridae) Synonym(s): *parallelopupillata Karsch,1897* _ Range (in code): **TZ Tnga Usa**
- 25671. Neocoenyra parallelopupillata parallelopupillata (Karsch,1897)** (Satyridae) Synonym(s): *parallelopupillata Karsch,1897* _ Range (in code): **TZ Tnga Usa**
- 25672. Neocoenyra petersi Kielland,1990** (Satyridae) Synonym(s): *petersi Kielland,1990*
Range (in code): **TZ**
- 25673. Neocoenyra petersi petersi Kielland,1990** (Satyridae) Synonym(s): *petersi Kielland,1990* _ Range (in code): **TZ**
- 25674. Neocoenyra pinheyi Carcasson,1961** (Satyridae) Synonym(s): *pinheyi Carcasson,1961*
Range (in code): **TZ**
- 25675. Neocoenyra pinheyi pinheyi Carcasson,1961** (Satyridae) Synonym(s): *pinheyi Carcasson,1961* _ Range (in code): **TZ**
- 25676. Neocoenyra rufilineata Butler,1894** (Satyridae) Synonym(s): *rufilineata Butler,1894*
Range (in code): **SO**
- 25677. Neocoenyra rufilineata rufilineata Butler,1894** (Satyridae) Synonym(s): *rufilineata Butler,1894* _ Range (in code): **SO**
- 25678. Neocoenyra ypthimoides Butler,1894** (Satyridae) Synonym(s): *ypthimoides Butler,1894; #superfluae Strand,1911* _ Range (in code): **MW Zom TZ ZR ZM**
- 25679. Neocoenyra ypthimoides ypthimoides Butler,1894** (Satyridae) Synonym(s): *ypthimoides Butler,1894; #superfluae Strand,1911* _ Range (in code): **MW Zom TZ ZR ZM**
- 25680. Neominois ridingsii (Edwards,1865)** (Satyridae) Synonym(s): *ridingsii Edwards,1865*
Range (in code): **US Arz Cf Col Id Mon NDk NMx Ne Neb Ok Org SDk Ut Wy**
- 25681. Neonympha areolata (Smith,1797)** (Satyridae) Synonym(s): *phocion Fabricius,1793 nec Fabr.,1781; areolata Smith,1797* _ Range (in code): **US Aks Alb Fl Ge Lou Mss NCa Nje Ok Tx Vi**
- 25682. Neonympha mitchellii (French,1889)** (Satyridae) Synonym(s): *mitchellii French,1889*
Range (in code): **US Alb Mch Mrl NCa Nje Oh**
- 25683. Neope armandii (Oberthür,1876)** (Satyridae) Synonym(s): *armandii Oberthür,1876*
Range (in code): **CN TH CMa**
- 25684. Neope bhadra (Moore,1857)** (Satyridae) Synonym(s): *bhadra Moore,1857; khasiana Moore,1881; beata Talbot,1949* _ Range (in code): **SI IN Ass Meg Khs Nag MM Tns VN Ton**
- 25685. Neope goschkewitschii (Ménétriés,1857)** (Satyridae) Synonym(s): *goschkewitschii Ménétriés,1857; japonica Butler,1867; moorei Butler,1867.* Original Reference: *Lasiommata goschkewitschii Ménétriés,1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 121, tab.10 fig.4.* Range (in code): **RU JP**
- 25686. Neope goschkewitschii goschkewitschii (Ménétriés,1857)** (Satyridae) Synonym(s): *goschkewitschii Ménétriés,1857; japonica Butler,1867; moorei Butler,1867.* Original Reference: *Lasiommata goschkewitschii Ménétriés,1857, Enum. corp. anim. Mus. Acad. imp. Sci. St.-Petersb. 2: 121, tab.10 fig.4.* Range (in code): **RU JP**
- 25687. Neope muirheadi C.Felder & R.Felder,1862** (Satyridae) Synonym(s): *muirheadi C.Felder & R.Felder,1862* _ Range (in code): **TH CMa Dst Qs CDo CD2 Knc Chy Phe TW MM Shn Tns CN Hn**
- 25688. Neope muirheadi bhima Marschall,1880** (Satyridae) Synonym(s): *bhima Marschall,1880* _ Range (in code): **TH CMa Dst Qs CDo CD2 Knc Chy Phe MM Shn Tns**
- 25689. Neope muirheadi muirheadi C.Felder & R.Felder,1862** (Satyridae) Synonym(s): *muirheadi C.Felder & R.Felder,1862*
- 25690. Neope muirheadi nagasawae Matsumura** (Satyridae) Synonym(s): *nagasawae Matsumura* _ Range (in code): **TW**
- 25691. Neope nipponica Butler,1881** (Satyridae) Synonym(s): *nipponica Butler,1881* _ Range (in code): **JP RU**

- 25692. Neope niponica niponica Butler,1881** (Satyridae) Synonym(s): *niponica* Butler,1881
Range (in code): **JP RU**
- 25693. Neope pulaha Moore,1858** (Satyridae) Synonym(s): *pulaha* Moore,1858 _ Range (in code): **TH CMA CDo**
- 25694. Neope pulaha pulaha Moore,1858** (Satyridae) Synonym(s): *pulaha* Moore,1858
- 25695. Neope pulaha pulahoides Moore,1892** (Satyridae) Synonym(s): *pulahoides* Moore,1892
Range (in code): **TH CMA CDo**
- 25696. Neorina crishna Westwood,1851** (Satyridae) Synonym(s): *crishna* Westwood,1851
Range (in code): **TH Rng**
- 25697. Neorina crishna archaica Fruhstorfer,1911** (Satyridae) Synonym(s): *archaica* Fruhstorfer,1911 _ Range (in code): **TH Rng**
- 25698. Neorina crishna crishna Westwood,1851** (Satyridae) Synonym(s): *crishna* Westwood,1851
- 25699. Neorina hilda Westwood,1850** (Satyridae) Synonym(s): *hilda* Westwood,1850 _ Range (in code): **SI BT IN Ass MM TH**
- 25700. Neorina lowii (Doubleday,1849)** (Satyridae) Synonym(s): *lowii* Doubleday,1849
Range (in code): **TH Nst Kna Ths Sya Phu Yal Sgk Hya Tnc PH Bal Pal MY Bor ID Sum**
- 25701. Neorina lowii latipicta Fruhstorfer,1911** (Satyridae) Synonym(s): *latipicta* Fruhstorfer,1911 _ Range (in code): **ID Sum**
- 25702. Neorina lowii lowii (Doubleday,1849)** (Satyridae) Synonym(s): *lowii* Doubleday,1849
Range (in code): **MY Bor**
- 25703. Neorina lowii neophyta Fruhstorfer,1911** (Satyridae) Synonym(s): *neophyta* Fruhstorfer,1911 _ Range (in code): **MY TH Nst Kna Ths Sya Phu Yal Sgk Hya Tnc**
- 25704. Neorina lowii princesa Staudinger,1889** (Satyridae) Synonym(s): *princesa* Staudinger,1889 _ Range (in code): **PH Bal Pal**
- 25705. Neorina patria Leech,1891** (Satyridae) Synonym(s): *patria* Leech,1891 _ Range (in code): **IN Meg Ass Khs**
- 25706. Neorina patria westwoodi Moore,1892** (Satyridae) Synonym(s): *westwoodi* Moore,1892
Range (in code): **IN Meg Ass Khs**
- 25707. Ninguta schrenckii (Ménétriés,1859)** (Satyridae) Synonym(s): *schrenckii* Ménétriés,1859
Original Reference: Pronophila schrenckii Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 33, nr.65, t.3 fig.3 Type(s): Russia: Mont. Bureja. Range (in code): **RU Vv KP CN JP**
- 25708. Ninguta schrenckii damontas (Fruhstorfer,1909)** (Satyridae) Synonym(s): *damontas* Fruhstorfer,1909
Original Reference: Aranda (Pararge) schrenckii ssp. damontas Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: West China: Szechuan. Range (in code): **CN Sz**
- 25709. Ninguta schrenckii menalcas (Fruhstorfer,1909)** (Satyridae) Synonym(s): *menalcas* Fruhstorfer,1909
Original Reference: Aranda (Pararge) schrenckii ssp. menalcas Fruhstorfer,1909, Int. ent. Z. 3: 134. Syntypes: Nordjapan, Sapporo. Range (in code): **JP**
- 25710. Ninguta schrenckii schrenckii (Ménétriés,1859)** (Satyridae) Synonym(s): *schrenckii* Ménétriés,1859
Original Reference: Pronophila schrenckii Ménétriés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 33, nr.65, t.3 fig.3 Type(s): Russia: Mont. Bureja. Range (in code): **RU Vv KP**
- 25711. Nirvanopsis hypnus (Tsukada & Nishiyama,1979)** (Satyridae) Synonym(s): *hypnus* Tsukada & Nishiyama,1979 _ Range (in code): **ID Clb**
- 25712. Oeneis actaeoides Lukhtanov,1989** (Satyridae) Synonym(s): *actaeoides* Lukhtanov,1989
Range (in code): **RU**
- 25713. Oeneis actaeoides actaeoides Lukhtanov,1989** (Satyridae) Synonym(s): *actaeoides* Lukhtanov,1989 _ Range (in code): **RU**
- 25714. Oeneis aktashi Lukhtanov,1984** (Satyridae) Synonym(s): *aktashi* Lukhtanov,1984
Original Reference: Oeneis aktashi Lukhtanov,1984, Rev. ent. U.R.S.S. 53(4): 785. Holotype: Russia: Altai, Kurai-Gebirge, Aktasch. Range (in code): **At Kuz Kts KG RU Sj MN**
- 25715. Oeneis aktashi aktashi Lukhtanov,1984** (Satyridae) Synonym(s): *aktashi* Lukhtanov,1984
Original Reference: Oeneis aktashi Lukhtanov,1984, Rev. ent. U.R.S.S. 53(4): 785. Holotype: Russia: Altai, Kurai-Gebirge, Aktasch. Range (in code): **At Kts KG RU MN**
- 25716. Oeneis aktashi ona Korshunov,1996** (Satyridae) Synonym(s): *ona* Korshunov,1996
Original Reference: Oeneis aktashi ssp. ona Korshunov,1996, [in] Korshunov, Corrigenda and

- Addenda "The Butterflies of the Asian Parts of Russia": 38. Holotype: Russia: Sajon, Sailig-Khem-Taiga, Ona. Range (in code): RU Sj
- 25717. *Oeneis aktashi sarala* Korshunov, 1988** (Satyridae) Synonym(s): sarala Korshunov, 1988
Original Reference: *Oeneis sarala* Korshunov, 1988, *Taksonomiya zhivotnykh Sibiri*: 74 fig.7 (4,5), 8 (1). Holotype ♂: Russia: Kusnezki-Alatau, Fluss Sarala, Berg. Bobrovaja. Range (in code): Kuz RU
- 25718. *Oeneis alberta* Elwes, 1893** (Satyridae) Synonym(s): alberta Elwes, 1893 - Range (in code): US Arz Col Mon NDk NMx CA BCo Abt
- 25719. *Oeneis alpina*** (Satyridae) Synonym(s): - Range (in code): US
- 25720. *Oeneis ammon* Elwes, 1899** (Satyridae) Synonym(s): ammon Elwes, 1899 Original Reference: *Oeneis ammon* Elwes, 1899, *Trans. ent. Soc. London* 47 (3): 356, pl.14 figs.2,7. Syntypes: [Russia]: [Severo-Chuisky Mts.]: Altai [Kuch-Agatch] (cf. Tusov, 1997: 234). Range (in code): At MN RU Sj Tv Ur CN Ui
- 25721. *Oeneis ammon ammon* Elwes, 1899** (Satyridae) Synonym(s): ammon Elwes, 1899
Original Reference: *Oeneis ammon* Elwes, 1899, *Trans. ent. Soc. London* 47 (3): 356, pl.14 figs.2,7. Syntypes: [Russia]: [Severo-Chuisky Mts.]: Altai [Kuch-Agatch] (cf. Tusov, 1997: 234). Range (in code): At RU
- 25722. *Oeneis ammon arasaguna* Austaut, 1911** (Satyridae) Synonym(s): arasaguna Austaut, 1911
Range (in code): RU Sj
- 25723. *Oeneis ammon hangaica* Kurentsov, 1970** (Satyridae) Synonym(s): hangaica Kurentsov, 1970 - Range (in code): MN RU Tv CN Ui
- 25724. *Oeneis ammon tatarinovi* Korb, 1998** (Satyridae) Synonym(s): tatarinovi Korb, 1998
Original Reference: *Oeneis ammon* ssp. *tatarinovi* Korb, 1998, *Alexandria* 20(5): 308, figs. Holotype ♂: Russia: Polar Mts. Ourals. Range (in code): RU Ur
- 25725. *Oeneis ammosovi* Dubatolov & Korshunov, 1988** (Satyridae) Synonym(s): ammosovi Dubatolov & Korshunov, 1988 - Range (in code): RU
- 25726. *Oeneis ammosovi ammosovi* Dubatolov & Korshunov, 1988** (Satyridae) Synonym(s): ammosovi Dubatolov & Korshunov, 1988 - Range (in code): RU
- 25727. *Oeneis anna* Austaut, 1911** (Satyridae) Synonym(s): anna Austaut, 1911 Original Reference: *Oeneis nanna* var. *anna* Austaut, 1911, *Ent. Z., Stuttgart* 24: 243. Syntypes: Russia: Ost-Sajan: Arasagun-Gol. Range (in code): Ir RU
- 25728. *Oeneis anna anna* Austaut, 1911** (Satyridae) Synonym(s): anna Austaut, 1911 Original Reference: *Oeneis nanna* var. *anna* Austaut, 1911, *Ent. Z., Stuttgart* 24: 243. Syntypes: Russia: Ost-Sajan: Arasagun-Gol. Range (in code): Ir RU
- 25729. *Oeneis anna dzhulukuli* Korshunov, 1998** (Satyridae) Synonym(s): dzhulukuli Korshunov, 1998 - Range (in code): RU
- 25730. *Oeneis bore* (Schneider, 1792)** (Satyridae) Synonym(s): bore Schneider, 1792; bootes Boisduval, 1832 Original Reference: *Papilio bore* Schneider, 1892, *Neuestes Mag. f. Liebhaber Ent. (Stralsund)* 4: 415. Type(s): Lapland. Range (in code): FI NO RU Sb SE Tch CA Bionomy: Larva on *Festuca ovina* (Tolman, 1997).
- 25731. *Oeneis bore bore* (Schneider, 1792)** (Satyridae) Synonym(s): bore Schneider, 1792; bootes Boisduval, 1832 Original Reference: *Papilio bore* Schneider, 1892, *Neuestes Mag. f. Liebhaber Ent. (Stralsund)* 4: 415. Type(s): Lapland. Range (in code): FI NO RU Sb SE CA
- 25732. *Oeneis bore mackinliensis* dos Passos, 1949** (Satyridae) Synonym(s): mackinliensis dos Passos, 1949 - Range (in code): RU Tch
- 25733. *Oeneis brunhilda* A.Bang-Haas, 1912** (Satyridae) Synonym(s): brunhilda A.Bang-Haas, 1912 Original Reference: *Oeneis brunhilda* A.Bang-Haas, 1912, *Dt. ent. Z., Iris* 26: 105, Taf.6 Abb.1. Syntypes: [Russia]: [Erzin, S. Tuva]: "Sajan, Arzyn, Arasagun-gol" (cf. Tusov, 1997: 237). Range (in code): MN RU Tv Ya
- 25734. *Oeneis brunhilda brunhilda* Bang-Haas, 1912** (Satyridae) Synonym(s): brunhilda A.Bang-Haas, 1912 Original Reference: *Oeneis brunhilda* A.Bang-Haas, 1912, *Dt. ent. Z., Iris* 26: 105, Taf.6 Abb.1. Syntypes: [Russia]: [Erzin, S. Tuva]: "Sajan, Arzyn, Arasagun-gol" (cf. Tusov, 1997: 237). Range (in code): MN RU Tv Ya
- 25735. *Oeneis buddha* Groum-Grshimailo, 1890** (Satyridae) Synonym(s): buddha Groum-Grshimailo, 1890 Original Reference: *Oeneis buddha* Groum-Grshimailo, 1890, *Horae Soc. ent. ross.* 25: 458. Syntypes ♂♀: [China: Qinghai]: Sinin Shan. Range (in code): CN Sng Ts Gn Ti Grt IN Up

- 25736. *Oeneis buddha brahma* O.Bang-Haas,1933** (Satyridae) **Synonym(s):** *brahma* O.Bang-Haas,1933 **Original Reference:** *Oeneis buddha* ssp. *brahma* O.Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 98. Syntypes: [China]: Thibet occ., Tibu westl. Gartok, 3000m. **Range (in code):** **CN Ti Grt**
- 25737. *Oeneis buddha buddha* Groum-Grshimailo,1890** (Satyridae) **Synonym(s):** *buddha* Groum-Grshimailo,1890 **Original Reference:** *Oeneis buddha* Groum-Grshimailo,1890, Horae Soc. ent. ross. 25: 458. Syntypes ♂♀: [China: Qinghai]: Sinin Shan. **Range (in code):** **CN Sng Ts**
- 25738. *Oeneis buddha confucius* O.Bang-Haas,1933** (Satyridae) **Synonym(s):** *confucius* O.Bang-Haas,1933 **Original Reference:** *Oeneis buddha* ssp. *confucius* O.Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 98. Syntypes: [China]: Kansu mer. or., Minshan, 2000m. **Range (in code):** **CN Gn**
- 25739. *Oeneis buddha garhwalica* Tytler,1926** (Satyridae) **Synonym(s):** *garhwalica* Tytler,1926 **Original Reference:** *Oeneis garhwalica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 253, pl.iv fig. 4. Syntypes: India: Garhwal: Shiruans, 13500ft. **Range (in code):** **IN Up**
- 25740. *Oeneis chione* Austaut,1911** (Satyridae) **Synonym(s):** *chione* Austaut,1911 **Range (in code):** **RU**
- 25741. *Oeneis chione chione* Austaut,1911** (Satyridae) **Synonym(s):** *chione* Austaut,1911 **Range (in code):** **RU**
- 25742. *Oeneis chione tshukota* Korshunov,1998** (Satyridae) **Synonym(s):** *tshukota* Korshunov,1998 **Range (in code):** **RU**
- 25743. *Oeneis chryxus* (Doubleday & Hewitson,[1849])** (Satyridae) **Synonym(s):** *chryxus* Doubleday & Hewitson,[1849] **Range (in code):** **US Cf Col Id Mch Mon NMx Ne SDk Ut Wc Ws Wy**
- 25744. *Oeneis chryxus chryxus* (Doubleday & Hewitson,[1849])** (Satyridae) **Synonym(s):** *chryxus* Doubleday & Hewitson,[1849] **Range (in code):** **US**
- 25745. *Oeneis diluta* Lukhtanov,1994** (Satyridae) **Synonym(s):** *diluta* Lukhtanov,1994 **Original Reference:** *Oeneis diluta* Lukhtanov,1994, Herbiopoliana 3: 138-139, Taf. 25 fig.5. Holotype ♂: Russia: Südsibirien: Tuva, Ujukski-Gebirge, Susch, 850m. (ZMSP). **Range (in code):** **RU Tv**
- 25746. *Oeneis diluta diluta* Lukhtanov,1994** (Satyridae) **Synonym(s):** *diluta* Lukhtanov,1994 **Original Reference:** *Oeneis diluta* Lukhtanov,1994, Herbiopoliana 3: 138-139, Taf. 25 fig.5. Holotype ♂: Russia: Südsibirien: Tuva, Ujukski-Gebirge, Susch, 850m. (ZMSP). **Range (in code):** **RU Tv**
- 25747. *Oeneis elwesi* Staudinger,1901** (Satyridae) **Synonym(s):** *elwesi* Staudinger,1901 **Original Reference:** *Oeneis mulla* var.? *elwesi* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 52, nr. 331a, pro *mulla* Elwes,1899 nec Stgr.,1881. Type(s): Altai-Gebiet orientalis. **Range (in code):** **At RU Tv**
- 25748. *Oeneis elwesi elwesi* Staudinger,1901** (Satyridae) **Synonym(s):** *elwesi* Staudinger,1901 **Original Reference:** *Oeneis mulla* var.? *elwesi* Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 3(1): 52, nr. 331a, pro *mulla* Elwes,1899 nec Stgr.,1881. Type(s): Altai-Gebiet orientalis. **Range (in code):** **At RU**
- 25749. *Oeneis elwesi ulugchemi* Korshunov,1995** (Satyridae) **Synonym(s):** *ulugchemi* Korshunov,1995 **Original Reference:** *Oeneis elwesi* ssp. *ulugchemi* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 139. Holotype: Russia: Tuva: env. Kysyl, Mt. Ouloug-Khem. **Range (in code):** **RU Tv**
- 25750. *Oeneis fulla* (Eversmann,1851)** (Satyridae) **Synonym(s):** *fulla* Eversmann,1851 **Original Reference:** *Hipparchia* (Chinobas) *fulla* Eversmann,1851, Bull. Soc. nat. Moscou 24: 614. Syntypes: [Russia]: "environs du lac Baical". Lectotype: Kazakhstan: [Tarbagatai]: Noor-Saisan Gegend (Lukhtanov,1987). **Range (in code):** **KG Mn Ssn**
- 25751. *Oeneis fulla fulla* (Eversmann,1851)** (Satyridae) **Synonym(s):** *fulla* Eversmann,1851 **Original Reference:** *Hipparchia* (Chinobas) *fulla* Eversmann,1851, Bull. Soc. nat. Moscou 24: 614. Syntypes: [Russia]: "environs du lac Baical". Lectotype: Kazakhstan: [Tarbagatai]: Noor-Saisan Gegend (Lukhtanov,1987). **Range (in code):** **KG Mn Ssn**
- 25752. *Oeneis glacialis* (Moll,1783)** (Satyridae) **Synonym(s):** *glacialis* Moll,1783; *aello* Hübner,[1804]. **Range (in code):** **AT BG CH DE FR IT** **Bionomy:** Larva on *Festuca ovina* (Tolman,1997).
- 25753. *Oeneis glacialis glacialis* (Moll,1783)** (Satyridae) **Synonym(s):** *glacialis* Moll,1783; *aello* Hübner,[1804]. **Range (in code):** **AT BG CH DE FR IT**

- 25754. *Oeneis grandis* (Riley,1923)** (Satyridae) Synonym(s): *grandis* Riley,1923 Original Reference: *Paroeneis grandis* Riley,1923, Trans. ent. Soc. London 1923: 471, pl. xxxvi fig.10. Syntypes 2♂: "Kharta, W. of Mt. Everest, 12,000ft (BMNH). Range (in code): **CN Ti**
- 25755. *Oeneis grandis grandis* (Riley,1923)** (Satyridae) Synonym(s): *grandis* Riley,1923 Original Reference: *Paroeneis grandis* Riley,1923, Trans. ent. Soc. London 1923: 471, pl. xxxvi fig.10. Syntypes 2♂: "Kharta, W. of Mt. Everest, 12,000ft (BMNH). Range (in code): **CN Ti**
- 25756. *Oeneis hora* Groum-Grshimailo,1888** (Satyridae) Synonym(s): *hora* Groum-Grshimailo,1888; *elsa* Austaut,1895; *verdanda* Staudinger,1897; *vanda* Austaut,1900; *germana* Austaut,1908; *tristis* Bang-Haas,1909. Original Reference: *Oeneis hora* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Tadjikistan]: Transalai. Range (in code): **?RU AI At Bc CN KK Kl T-A Ti TJ T-S Ui Ax TrA KuA Ket KG**
- 25757. *Oeneis hora hora* Groum-Grshimailo,1888** (Satyridae) Synonym(s): *hora* Groum-Grshimailo,1888; *elsa* Austaut,1895; *verdanda* Staudinger,1897; *vanda* Austaut,1900; *germana* Austaut,1908; *tristis* Bang-Haas,1909. Original Reference: *Oeneis hora* Groum-Grshimailo,1888, Horae Soc. ent. ross. 22: 307. Type(s): [Tadjikistan]: Transalai. Range (in code): **?RU AI At Bc CN KK Kl T-A Ti TJ T-S Ui Ax TrA KuA Ket KG**
- 25758. *Oeneis ivallda* (Mead,1878)** (Satyridae) Synonym(s): *ivallda* Mead,1878 Range (in code): **US Cf**
- 25759. *Oeneis jakutski* Korshunov,1998** (Satyridae) Synonym(s): *jakutski* Korshunov,1998 Range (in code): **RU Ya**
- 25760. *Oeneis jakutski jakutski* Korshunov,1998** (Satyridae) Synonym(s): *jakutski* Korshunov,1998 Range (in code): **RU Ya**
- 25761. *Oeneis jutta* (Hübner,[1806])** (Satyridae) Synonym(s): *jutta* Hübner,[1806] Original Reference: *Papilio jutta* Hübner,[1806], Samml. eur. Schm. 1: pl.120, figs. 614-615. Syntypes: Europa. Range (in code): **Ba BY EE FI KP LT LV N-MN NO PL RU SE US Col Id Mai Mch Mns Mon Nh Ny Ut Vr We Wy**
- 25762. *Oeneis jutta akoene* Belik & Yakovlev,1998** (Satyridae) Synonym(s): *akoene* Belik & Yakovlev,1998 Original Reference: *Oeneis jutta* ssp. *akoene* Belik & Yakovlev,1998, Phegea 26(4): 131-139, figs. Holotype ♂: Russia: South-East Altai Mts., Ukok Plateau. Range (in code): **At RU**
- 25763. *Oeneis jutta jutta* (Hübner,[1806])** (Satyridae) Synonym(s): *jutta* Hübner,[1806] Original Reference: *Papilio jutta* Hübner,[1806], Samml. eur. Schm. 1: pl.120, figs. 614-615. Syntypes: Europa. Range (in code): **Ba BY EE FI KP LT LV MN NO PL RU SE**
- 25764. *Oeneis jutta lukhtanovi* Korshunov,2000** (Satyridae) Synonym(s): *lukhtanovi* Korshunov,2000 Range (in code): **RU**
- 25765. *Oeneis macounii* (Edwards,1885)** (Satyridae) Synonym(s): *macounii* Edwards,1885 Range (in code): **US Mch Mns**
- 25766. *Oeneis magna* Graeser,1888** (Satyridae) Synonym(s): *magna* Graeser,1888; *transbaicalica* Kurentsov,1970; *mongolica* Kurentsov,1970; *kurentsovi* Murayama,1973; *judini* Korshunov,1988 (cf. Tusov,1997: 239). Original Reference: *Oeneis magna* Graeser,1888, Berl. ent. Z. 32: 97. Syntypes: [Russia: Pokrovka, upper Amur river]: Pochrofka. Range (in code): **Am At Bry CN Ir Kmt Mc Mgd MN RU Tch Tv Vv Ya Kj Kts Trt NAt Cat Kuz**
- 25767. *Oeneis magna dubia* Elwes,1899** (Satyridae) Synonym(s): *dubia* Elwes,1899; *staudingeri* Austaut,1909. Original Reference: *Oeneis dubia* Elwes,1899, Trans. ent. Soc. Lond. 1899: 354, pl.13 fig.6 pl.14 fig.3. Syntypes: Altai, Ongodai. Range (in code): **At RU Kts Trt NAt Cat Kuz**
- 25768. *Oeneis magna kurentzovi* Murayama,1973** (Satyridae) Synonym(s): *kurentzovi* Murayama,1973 Original Reference: *Oeneis magna kurentzovi* Murayama,1973, Mushi 29: 21 (nom. nov. pro *Oeneis magna mongolica* Kurentsov,1970 nec *Chionobas mongolica* Oberthür,1876). Type: Mongolia: Khubsugul Aymak, Darkhat Basin, Lake Dod-Nur. Range (in code): **MN**
- 25769. *Oeneis magna magadanica* Kurentzov,1970** (Satyridae) Synonym(s): *magadanica* Kurentzov,1970 Original Reference: *Oeneis magna* ssp. *magadanica* Kurentzov,1970, Butts. Far East USSR: 72, fig.72 (1). Type(s): Russia: "Magadan Gebiet". Range (in code): **Mgd Kj RU Ya**
- 25770. *Oeneis magna magna* Graeser,1888** (Satyridae) Synonym(s): *magna* Graeser,1888; *transbaicalica* Kurentsov,1970; *mongolica* Kurentsov,1970; *kurentsovi* Murayama,1973; *judini* Korshunov,1988 (cf. Tusov,1997: 239). Original Reference: *Oeneis magna* Graeser,1888, Berl. ent. Z. 32: 97. Syntypes: [Russia: Pokrovka, upper Amur river]: Pochrofka. Range (in code): **Am At CN Ir Mc RU Ya**

- 25771. *Oeneis magna pupavkini* Korshunov,1995** (Satyridae) **Synonym(s):** *pupavkini* Korshunov,1995 **Original Reference:** *Oeneis magna* ssp. *pupavkini* Korshunov,1995, [in] Korshunov & Gorbunov, The Butterflies of the Asian Parts of Russia: 141. Holotype: Russia: Rybnaya, Poutorane. **Range (in code):** **RU**
- 25772. *Oeneis melissa* (Fabricius,1775)** (Satyridae) **Synonym(s):** *melissa* Fabricius,1775; *semidea* sensu auct. **Original Reference:** *Papilio melissa* Fabricius,1775, Syst. Ent.: 513. Type(s): America. **Range (in code):** **RU Tch Kmt Ur Ya US Col Mon NMx Nh Ut Ws Wy**
- 25773. *Oeneis melissa karae* Kuznesov,1925** (Satyridae) **Synonym(s):** *karae* Kuznesov,1925 **Original Reference:** *Oeneis semidea* f. *karae* Kuznesov,1925, Compt. Rend. Acad. Sc. URSS 1925: 121. Syntypes: Russia: Polarural, Kara-Fluß. **Range (in code):** **Tch Kmt RU Ur**
- 25774. *Oeneis melissa melissa* (Fabricius,1775)** (Satyridae) **Synonym(s):** *melissa* Fabricius,1775; *semidea* sensu auct. **Original Reference:** *Papilio melissa* Fabricius,1775, Syst. Ent.: 513. Type(s): America.
- 25775. *Oeneis melissa orientalis* Kurentsov,1970** (Satyridae) **Synonym(s):** *orientalis* Kurentsov,1970 **Range (in code):** **RU Ya**
- 25776. *Oeneis melissa tunga* Staudinger,[1895]** (Satyridae) **Synonym(s):** *tunga* Staudinger,[1895] **Original Reference:** *Oeneis tunga* Staudinger,[1895, Dt. ent. Z., Iris 7: 248, Taf.9 fig.1. Syntypes: Ost-Sajan. Lectotype in Berlin Zoological Museum. **Range (in code):** **At MN RU Sb Sj**
- 25777. *Oeneis mongolica* Oberthür,1879** (Satyridae) **Synonym(s):** *mongolica* Oberthür,1879 **Range (in code):** **MN KP RU Sb Am Prj Us Sj**
- 25778. *Oeneis mongolica mongolica* Oberthür,1879** (Satyridae) **Synonym(s):** *mongolica* Oberthür,1879 **Range (in code):** **MN RU Sb Am Prj Us Sj**
- 25779. *Oeneis mongolica walkyria* Fixsen,1887** (Satyridae) **Synonym(s):** *walkyria* Fixsen,1887; *#rasa* Bryk,1946; *walkyria* Bryk,1946. **Original Reference:** *Oeneis walkyria* Fixsen,1887, [in] Romanoff, Mém. lépid. 3: 310, nr.74, Pl. xiv, fig.4. Syntypes 5♂: Korea: Pung-Tung, 3000 ft. **Range (in code):** **KP**
- 25780. *Oeneis mulla* Staudinger,1881** (Satyridae) **Synonym(s):** *mulla* Staudinger,1881 **Original Reference:** *Oeneis mulla* Staudinger,1881, Stettin ent. Ztg. 42: 270-271. Syntypes 2♂ 7♀: Tarbagatai. **Range (in code):** **At CN KG Mn Omi RU Ui**
- 25781. *Oeneis mulla mulla* Staudinger,1881** (Satyridae) **Synonym(s):** *mulla* Staudinger,1881 **Original Reference:** *Oeneis mulla* Staudinger,1881, Stettin ent. Ztg. 42: 270-271. Syntypes 2♂ 7♀: Tarbagatai. **Range (in code):** **At CN KG Mn Omi RU Ui**
- 25782. *Oeneis nanna* (Ménétriés,1859)** (Satyridae) **Synonym(s):** *nanna* Ménétriés,1859; *hulda* Staudinger,1887. **Original Reference:** *Chionobas nanna* Ménétriés,1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2 (1): 38, Taf.3 fig.5. Syntypes: Russia: "Amour". **Range (in code):** **Am At Ir MN RU Sj CN Ui**
- 25783. *Oeneis nanna nanna* (Ménétriés,1859)** (Satyridae) **Synonym(s):** *nanna* Ménétriés,1859; *hulda* Staudinger,1887. **Original Reference:** *Chionobas nanna* Ménétriés,1859, [in] Schrenk, Reisen und Forschungen im Amur-Lande 2 (1): 38, Taf.3 fig.5. Syntypes: Russia: "Amour". **Range (in code):** **Am At Ir MN RU Sj CN Ui**
- 25784. *Oeneis nevadensis* (C.Felder & R.Felder,[1867])** (Satyridae) **Synonym(s):** *nevadensis* C.Felder & R.Felder,[1867] **Range (in code):** **US Cf Org Ws**
- 25785. *Oeneis norna* (Thunberg,1791)** (Satyridae) **Synonym(s):** *norna* Thunberg,1791; *dembowskyi* Sedykh,1974; *falkovitchi* Sedykh,1974; *kusnetzovi* Sedykh,1974; *koslowskyi* Sedykh,1974; *solopovi* Sedykh,1974. **Original Reference:** *Papilio norna* Thunberg,1791, Diss. Ent. sist. Ins. Svecica: 2: 36. Type(s): Lappland. **Range (in code):** **FI NO SE RU JP Yl Ur Sb At Kts Trt Sj Tv MN Nym Mn KG Ltv Tj Ktm CN Ui T-S** **Bionomy:** Larva on *Phleum pratense*, *Poa alpina*, *Carex* sp., *Nardus* sp. (Tolman, 1997).
- 25786. *Oeneis norna altaica* Elwes,1899** (Satyridae) **Synonym(s):** *altaica* Elwes,1899; *tundra* A.Bang-Haas,1912. **Original Reference:** *Oeneis norna* var. *altaica* Elwes,1899, Trans. ent. Soc. Lond. 1899: 353, pl.13 figs.2,5. Syntypes: Russia: Altai. **Range (in code):** **RU At Kts Trt Sj Tv MN Nym Mn KG Ltv Tj Ktm**
- 25787. *Oeneis norna norna* (Thunberg,1791)** (Satyridae) **Synonym(s):** *norna* Thunberg,1791; *dembowskyi* Sedykh,1974; *falkovitchi* Sedykh,1974; *kusnetzovi* Sedykh,1974; *koslowskyi* Sedykh,1974; *solopovi* Sedykh,1974. **Original Reference:** *Papilio norna* Thunberg,1791, Diss. Ent. sist. Ins. Svecica: 2: 36. Type(s): Lappland. **Range (in code):** **FI NO RU SE**
- 25788. *Oeneis norna verdanda* Staudinger,1901** (Satyridae) **Synonym(s):** *elsa* auct. nec Aust.,1895; *verdanda* Staudinger,1901 **Original Reference:** *Oeneis norna* var. *verdanda*

- Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3 (2): 251 (pro ?elsa Austaut, 1895, Naturaliste 1895: 85). Syntypes: [China: Uighur A.R.]: "Thian.or" [Tengri Tagh]. Range (in code): CN Ui T-S
- 25789. Oeneis oene (Boisduval, 1832)** (Satyridae) Synonym(s): *oene Boisduval, 1832* Original Reference: Chionobas oene Boisduval, 1832, Icones..pl.39 figs. 4-6. Range (in code): RU
- 25790. Oeneis oene oene (Boisduval, 1832)** (Satyridae) Synonym(s): *oene Boisduval, 1832* Original Reference: Chionobas oene Boisduval, 1832, Icones..pl.39 figs. 4-6. Range (in code): RU
- 25791. Oeneis palaearticus Staudinger, 1889** (Satyridae) Synonym(s): *palaearticus Staudinger, 1889; lama Alpheraky, 1889* Original Reference: Oeneis? (Satyrus?) palaearticus Staudinger, 1889, Stettin ent. Ztg. 50: 20. Syntypes 6♂ 4♀: [Kisgizistan]: Gebirge südl. vom Issyk-Kul (wohl sehr hoch). Range (in code): T-S CN Ik KK Ld Pm SI Ti TJ Ui Cho Ga Kno Ts
- 25792. Oeneis palaearticus palaearticus Staudinger, 1889** (Satyridae) Synonym(s): *palaearticus Staudinger, 1889; lama Alpheraky, 1889* Original Reference: Oeneis? (Satyrus?) palaearticus Staudinger, 1889, Stettin ent. Ztg. 50: 20. Syntypes 6♂ 4♀: [Kisgizistan]: Gebirge südl. vom Issyk-Kul (wohl sehr hoch). Range (in code): T-S CN Ik KK Ld Pm Ti TJ Ui Cho Ga Ts Kno
- 25793. Oeneis palaearticus sikkimensis Staudinger, 1889** (Satyridae) Synonym(s): *sikkimensis Staudinger, 1889* Original Reference: Oeneis palaearticus var. sikkimensis Staudinger, 1889, Stettin ent. Ztg. 51: 21. Type ♂: Sikkim. Range (in code): CN SI Ti
- 25794. Oeneis pansa Christoph, 1893** (Satyridae) Synonym(s): *pansa Christoph, 1893* Original Reference: Oeneis semidea var. pansa Christoph, 1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Sibir. or., Witim. Range (in code): Mgd RU Sb
- 25795. Oeneis pansa pansa Christoph, 1893** (Satyridae) Synonym(s): *pansa Christoph, 1893* Original Reference: Oeneis semidea var. pansa Christoph, 1893, Dt. ent. Z., Iris 6: 87. Type(s): [Russia]: Sibir. or., Witim. Range (in code): Mgd RU Sb
- 25796. Oeneis patrushevae Korshunov, 1985** (Satyridae) Synonym(s): *patrushevae Korshunov, 1985* Original Reference: Oeneis patrushevae Korshunov, 1985, Sistematika i biologiya chlenistonogich i gelmintov: 63. Holotype: Russia: Polarural, Krasnyj Kamen. Range (in code): RU Ur Yl
- 25797. Oeneis patrushevae patrushevae Korshunov, 1985** (Satyridae) Synonym(s): *patrushevae Korshunov, 1985* Original Reference: Oeneis patrushevae Korshunov, 1985, Sistematika i biologiya chlenistonogich i gelmintov: 63. Holotype: Russia: Polarural, Krasnyj Kamen. Range (in code): RU Ur Yl
- 25798. Oeneis polixenes (Fabricius, 1775)** (Satyridae) Synonym(s): *polixenes Fabricius, 1775* Original Reference: Papilio polixenes Fabricius, 1775, Syst. Ent.: 484. Type(s): America boreali. Range (in code): CA RU Tai US Col Mai Mon NMx Wy
- 25799. Oeneis polixenes antonovae Lukhtanov, 1989** (Satyridae) Synonym(s): *antonovae Lukhtanov, 1989* Original Reference: Oeneis polixenes ssp. antonovae Lukhtanov, 1989, Vestn. zool. 1989 (2): 36. Holotype ♂: Gydan Halbinsel, Gyda Fluß. Range (in code): RU Tai
- 25800. Oeneis polixenes paior Lukhtanov, 1989** (Satyridae) Synonym(s): *paior Lukhtanov, 1989* Original Reference: Oeneis polixenes ssp. paior Lukhtanov, 1989, Vestn. zool. 1989 (2): 28. Holotype: Russia: Polarural, Charuta-Schor Fluß. Range (in code): RU
- 25801. Oeneis polixenes polixenes (Fabricius, 1775)** (Satyridae) Synonym(s): *polixenes Fabricius, 1775* Original Reference: Papilio polixenes Fabricius, 1775, Syst. Ent.: 484. Type(s): America boreali. Range (in code): CA
- 25802. Oeneis pseudosculda Korshunov, 1977** (Satyridae) Synonym(s): *pseudosculda Korshunov, 1977* Range (in code): RU
- 25803. Oeneis pseudosculda pseudosculda Korshunov, 1977** (Satyridae) Synonym(s): *pseudosculda Korshunov, 1977* Range (in code): RU
- 25804. Oeneis pumilus (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *pumilus C.Felder & R.Felder, [1867]* Original Reference: Chionobas pumilus C.Felder & R.Felder, [1867], Reise Fregatte "Novara", Lep. Rhop. (3): 490, Tab.lxix figs.6,7. Syntypes ♂: Himalaya occidentalis: Ladak: Trantse, Sumdo, Lanak Pass, Pangchog. 15000ft. Range (in code): BT Ch CN Gya Gy Ld Nsh SI Ti Ts Ui T-S M-A
- 25805. Oeneis pumilus bicolor Fruhstorfer, 1911** (Satyridae) Synonym(s): *#bicolor Seitz, 1908; bicolor Fruhstorfer, 1911.* Original Reference: Oeneis pumilus bicolor Fruhstorfer, 1911, [in] Seitz, Die Gross-Schmett. Erde 9: 311. Sikkim: Chumbi valley. Range (in code): BT CN Gy SI Ti
- 25806. Oeneis pumilus divnogorski (O.Bang-Haas, 1927)** (Satyridae) Synonym(s): *divnogorski O.Bang-Haas, 1927* Original Reference: Satyrus pumilus ssp. divnogorski O.Bang-

- Haas, 1927, *Horae Macrolepid.* 1: 49, t.7 figs.16,17. Syntypes 25♂ 12♀: China: [Uighur A.R.]: Chinesisch Turkestan, Mustag Ata, südl. Kaschgar, westl. Jarkent. Range (in code): T-S CN M-A Ui
- 25807. *Oeneis pumilus nanchanicus* (Groum-Grshimailo, 1902)** (Satyridae) Synonym(s): *nanchanica* Groum-Grshimailo, 1902 Original Reference: *Satyrus pumilus* var. *nanchanica* Groum-Grshimailo, 1902, *Annu. Mus. Petersb.* 7: 2. Syntypes: China: [Qinghai]: Humboldt Kette, nordwestl. Nan-Schan Gebirges. Range (in code): CN Nsh Ts
- 25808. *Oeneis pumilus pumilus* (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *pumilus* C.Felder & R.Felder, [1867] Original Reference: *Chionobas pumilus* C.Felder & R.Felder, [1867], *Reise Fregatte "Novara"*, *Lep. Rhop.* (3): 490, Tab.lxix figs.6,7. Syntypes ♂: Himalaya occidentalis: Ladak: Trantse, Sumdo, Lanak Pass, Pangchog. 15000ft. Range (in code): Gya Ld
- 25809. *Oeneis rosovi*** (Satyridae) Synonym(s): Range (in code): US
- 25810. *Oeneis sapozhnikovi* Korshunov, 1982** (Satyridae) Synonym(s): *sapozhnikovi* Korshunov, 1982 Range (in code): RU
- 25811. *Oeneis sapozhnikovi sapozhnikovi* Korshunov, 1982** (Satyridae) Synonym(s): *sapozhnikovi* Korshunov, 1982 Range (in code): RU
- 25812. *Oeneis sculda* (Eversmann, 1851)** (Satyridae) Synonym(s): *sculda* Eversmann, 1851 Original Reference: *Hipparchia* (Chinobas) *sculda* Eversmann, 1851, *Bull. Soc. imp. Nat. Moscou* 24: 612. Syntypes: Russia: [Südsibirien]: "Kiachta". Range (in code): At Kts RU Am Ya Ir MN RU Sj Nym KG Mn Trt Tj CN Ui
- 25813. *Oeneis sculda sculda* (Eversmann, 1851)** (Satyridae) Synonym(s): *sculda* Eversmann, 1851 Original Reference: *Hipparchia* (Chinobas) *sculda* Eversmann, 1851, *Bull. Soc. imp. Nat. Moscou* 24: 612. Syntypes: Russia: [Südsibirien]: "Kiachta". Range (in code): At Kts RU Am Ya Ir MN RU Sj Nym KG Mn Trt Tj CN Ui
- 25814. *Oeneis sculda vadimi* Korshunov, 1995** (Satyridae) Synonym(s): *vadimi* Korshunov, 1995 Original Reference: *Oeneis sculda* ssp. *vadimi* Korshunov, 1995, [in] Korshunov & Gorbunov, *The Butterflies of the Asian Parts of Russia*: 138. Holotype: Russia: [Irkutsk]: Angara: Severobaikalsk. Range (in code): Ir RU
- 25815. *Oeneis simulans* Tusov, 1996** (Satyridae) Synonym(s): *simulans* Tusov, 1996 Original Reference: *Oeneis simulans* Tusov, 1996, *Actias* 2(1/2): 108. Holotype: Russia: Tchukotches Peninsula. Range (in code): RU Tch
- 25816. *Oeneis simulans simulans* Tusov, 1996** (Satyridae) Synonym(s): *simulans* Tusov, 1996 Original Reference: *Oeneis simulans* Tusov, 1996, *Actias* 2(1/2): 108. Holotype: Russia: Tchukotches Peninsula. Range (in code): RU Tch
- 25817. *Oeneis solanikovi* Kurentsov, 1970** (Satyridae) Synonym(s): *solanikovi* Kurentsov, 1970 Range (in code): MN
- 25818. *Oeneis solanikovi solanikovi* Kurentsov, 1970** (Satyridae) Synonym(s): *solanikovi* Kurentsov, 1970 Range (in code): MN
- 25819. *Oeneis tarpeia* (Pallas, 1771)** (Satyridae) Synonym(s): *tarpeia* Pallas, 1771; *celimene* Cramer, [1782]; *vacuna* Groum-Grshimailo, 1891. Original Reference: *Papilio tarpeia* Pallas, 1771, *Reise versch. Prov. Russ. Reichs* 1: 18. Type(s): Russia. Range (in code): KG At Bn Trt Kts Ba CN MN RU Bry Sm So Sr T-S Ui Or Uk Kt Kg Ty Kw Pw Om Mn Sp Sau Tar No Tk DsA
- 25820. *Oeneis tarpeia grossi* Eitschberger & Lukhtanov, 1994** (Satyridae) Synonym(s): *grossi* Eitschberger & Lukhtanov, 1994 Original Reference: *Oeneis tarpeia* ssp. *grossi* Eitschberger & Lukhtanov, 1994, *Atalanta* 25 (1/2): 164-165, Farbtafel Va/b Abb. 1-3. Holotype ♂: Russia: Südsibirien: Burarien, 20km NW Selenduma 600m (ZMSP). Range (in code): RU Bry
- 25821. *Oeneis tarpeia lederi* Alpheraky, 1897** (Satyridae) Synonym(s): *lederi* Alpheraky, 1897; *sapozhnikovi* Korshunov, 1982. Original Reference: *Satyrus tarpeia* var. *lederi* Alpheraky, 1897, [in] Romanoff, *Mém. lépid.* 9: 201. Lectotype ♂: [Mongolia]: "Urga", designated by Eitschberger & Lukhtanov, 1994, *Atalanta* 25 (1/2): 163 (ZMSP). Range (in code): MN
- 25822. *Oeneis tarpeia rozhdestvenskyi* Korb & Yakovlev, 1997** (Satyridae) Synonym(s): *rozhdestvenskyi* Korb & Yakovlev, 1997 Range (in code): RU At Bn
- 25823. *Oeneis tarpeia tarpeia* (Pallas, 1771)** (Satyridae) Synonym(s): *tarpeia* Pallas, 1771; *celimene* Cramer, [1782]; *vacuna* Groum-Grshimailo, 1891. Original Reference: *Papilio tarpeia* Pallas, 1771, *Reise versch. Prov. Russ. Reichs* 1: 18. Type(s): Russia. Range (in code): At Trt Kts Ba RU KG Ui CN Sm So Sr Or Uk Kt Kg Ty Kw Pw Om Mn Sp Sau Tar No Tk T-S DsA T-S

- 25824. *Oeneis tarpeia ukokana* Korb,1998** (Satyridae) Synonym(s): *ukokana* Korb,1998
Original Reference: *Oeneis tarpeia* ssp. *ukokana* Korb,1998, Alexanor 20 (3): 144-145, Abb. 1-3.
Holotype ♂: [Russia]: Südal tai: Ukok, Dschasator, 1700m. (ZISP). Range (in code): RU Sat Sat RU
- 25825. *Oeneis taygete* (Geyer,[1830])** (Satyridae) Synonym(s): *taygete* Geyer,[1830] Range (in code): US
- 25826. *Oeneis tschukotkensis* Kurentsov,1970** (Satyridae) Synonym(s): *tschukotkensis* Kurentsov,1970 Range (in code): RU Tch
- 25827. *Oeneis tschukotkensis tschukotkensis* Kurentsov,1970** (Satyridae) Synonym(s): *tschukotkensis* Kurentsov,1970 Range (in code): RU Tch
- 25828. *Oeneis uhleri* (Reakirt,1866)** (Satyridae) Synonym(s): *uhleri* Reakirt,1866 Range (in code): US Col Mns Mon Ndk NMx Neb SDk Ut Wy
- 25829. *Oeneis urda* (Eversmann,1847)** (Satyridae) Synonym(s): *urda* Eversmann,1847
Original Reference: *Hipparchia urda* Eversmann,1847, Bull. Soc. nat. Moscou 20 (3): 69, t.2 fig.1-4. Syntypes: Russia: "Dauria". Range (in code): CN Kj MN RU Sb Am Prj Us Vv KP Ya
- 25830. *Oeneis urda monteviri* Bryk,1946** (Satyridae) Synonym(s): *monteviri* Bryk,1946
Original Reference: *Oeneis urda* ssp. *monteviri* Bryk,1946, Ark. Zool. 38 A (3): 24-25, Taf. iv fig. A3. Type ♀: Korea: Shinten. Range (in code): KP
- 25831. *Oeneis urda trybomi* Bryk,1946** (Satyridae) Synonym(s): *trybomi* Bryk,1946; #*trybomi* Forster,1965. Original Reference: *Oeneis urda* ssp. *trybomi* Bryk,1946, Ark. Zool. 38 A (3): 25-26, Taf.iv fig.C3. Holotype ♂: [Russia]: Krasnojarsk. Range (in code): RU Kj
- 25832. *Oeneis urda tschiliensis* O.Bang-Haas,1933** (Satyridae) Synonym(s): *tschiliensis* O.Bang-Haas,1933 Range (in code): CN
- 25833. *Oeneis urda urda* (Eversmann,1847)** (Satyridae) Synonym(s): *urda* Eversmann,1847
Original Reference: *Hipparchia urda* Eversmann,1847, Bull. Soc. nat. Moscou 20 (3): 69, t.2 fig.1-4. Syntypes: Russia: "Dauria". Range (in code): Kj MN RU Sb Am Prj Us Vv Ya
- 25834. *Orinoma damaris* Gray,1846** (Satyridae) Synonym(s): *damaris* Gray,1846 Original Reference: *Orinoma damaris* Gray,1846, Descr. figs. lep. Ins. Nepal: 14, pl. 7 figs. 2,2a. Type(s): Nepal. Range (in code): Ben IN Ass MM Tns TH CMa Kgr Kma Krh Nag NP SI Tns Up
- 25835. *Orinoma damaris damaris* Gray,1846** (Satyridae) Synonym(s): *damaris* Gray,1846
Original Reference: *Orinoma damaris* Gray,1846, Descr. figs. lep. Ins. Nepal: 14, pl. 7 figs. 2,2a. Type(s): Nepal. Range (in code): Ben IN Ass TH CMa Kgr Kma Krh Nag NP SI Tns Up
- 25836. *Orinoma damaris harmostus* Fruhstorfer,1911** (Satyridae) Synonym(s): *harmostus* Fruhstorfer,1911 Range (in code): MM Tns
- 25837. *Orsotriaena medus* (Fabricius,1775)** (Satyridae) Synonym(s): *medus* Fabricius,1775
Range (in code): PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic IN LK ID Sum Ja Clb Sla IN MM TH CMa Dst Qs Cbi Nna Rat Knc Rng Yal Sgk Hya Tnc Pbu Nst Cuo7 CDo CD2
- 25838. *Orsotriaena medus cinerea* Butler,1867** (Satyridae) Synonym(s): *cinerea* Butler,1867
Range (in code): ID Sum Ja TH Yal Pbu Nst Sgk Hya Tnc
- 25839. *Orsotriaena medus jopas* Hewitson,1864** (Satyridae) Synonym(s): *jopas* Hewitson,1864
Range (in code): ID Clb
- 25840. *Orsotriaena medus mandata* Moore,1857** (Satyridae) Synonym(s): *mandata* Moore,1857
Range (in code): IN LK
- 25841. *Orsotriaena medus medus* (Fabricius,1775)** (Satyridae) Synonym(s): *medus* Fabricius,1775
Original Reference: *Papilio medus* Fabricius,1775, Syst. Ent.: 488. Type(s): Habitat in capite Bonae spei. Range (in code): IN MM TH CMa Dst Cuo Cuo7 Qs CDo CD2 Cbi Nna Rat Knc Rng PH Ala Bab Bal Bat Bas Bil Boh Bon Bur Bus CagSul Cal Cam CmL CmM Cat Ceb Cts Cuy Din Dum Gui Hom Jol Ley Lub Luz Mar Mas Mdo Mno Neg Pal Pan Pao Pol Rom Sam Sar Sga Sia Sib Siq Sis Stu Tab Taw Tic
- 25842. *Orsotriaena medus mendice* Fruhstorfer,1911** (Satyridae) Synonym(s): *mendice* Fruhstorfer,1911 Range (in code): ID Clb
- 25843. *Orsotriaena medus paupercula* Fruhstorfer,1908** (Satyridae) Synonym(s): *paupercula* Fruhstorfer,1908 Range (in code): ID Sla
- 25844. *Paralasa ? atramentaria* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *atramentaria* O.Bang-Haas,1927
Original Reference: *Erebia atramentaria* O.Bang-Haas,1927, Horae

- Macrolepidopt. 1: 113. Syntypes 3♂: [China]: Kansu sept. occ.: Hsining, Nanschan montes am Tatung Fluss. Range (in code): CN Gn Nsh
- 25845. *Paralasa ? atramentaria atramentaria* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *atramentaria* O.Bang-Haas,1927 Original Reference: *Erebia atramentaria* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 113. Syntypes 3♂: [China]: Kansu sept. occ.: Hsining, Nanschan montes am Tatung Fluss. Range (in code): CN Gn Nsh
- 25846. *Paralasa afghana* (Goltz,1937)** (Satyridae) Synonym(s): *afghana* Goltz,1937; *#afghama* Goltz,1937 Original Reference: *Erebia kalinda afghana* Goltz,1937, Ent. Rdsch. 54(29): 361, figs.2a,2b. Type ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). Range (in code): AF Hk Prw Pnj
- 25847. *Paralasa afghana afghana* (Goltz,1937)** (Satyridae) Synonym(s): *afghana* Goltz,1937; *#afghama* Goltz,1937 Original Reference: *Erebia kalinda afghana* Goltz,1937, Ent. Rdsch. 54(29): 361, figs.2a,2b. Type ♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). Range (in code): AF Hk
- 25848. *Paralasa afghana asura* Wyatt,1961** (Satyridae) Synonym(s): *asura* Wyatt,1961 Original Reference: *Paralasa asura* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 12-13, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 13000ft. Range (in code): AF Anj Bd Bqu Hk
- 25849. *Paralasa afghana panjshira* Wyatt & Omoto,1966** (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto,1966 Original Reference: *Paralasa asura* ssp. *panjshira* Wyatt & Omoto,1966, Entomops 5: 190-191, figs. Holotype ♂: Afghanistan: Hindu Kush: Kurpetau, Panjshir valley, 3300m. Range (in code): AF Hk Prw Pnj
- 25850. *Paralasa alajense* Korb,2004** (Satyridae) Synonym(s): *alajense* Korb,2004 Range (in code): KK AI
- 25851. *Paralasa ali Churkin & Tusov,1998*** (Satyridae) Synonym(s): *ali Churkin & Tusov,1998* Original Reference: *Paralasa ali Churkin & Tusov,1998*, Neue ent. Nachr. 41: 188-191, pl. fig.4. Holotype ♂: Tadjikistan: Alai, Kollektorsky Mts., Dugoba R., 2700m Range (in code): AI TJ
- 25852. *Paralasa ali ali Churkin & Tusov,1998*** (Satyridae) Synonym(s): *ali Churkin & Tusov,1998* Original Reference: *Paralasa ali Churkin & Tusov,1998*, Neue ent. Nachr. 41: 188-191, pl. fig.4. Holotype ♂: Tadjikistan: Alai, Kollektorsky Mts., Dugoba R., 2700m Range (in code): TJ AI
- 25853. *Paralasa bogutena* V.Lukhtanov & A.Lukhtanov,1994** (Satyridae) Synonym(s): *bogutena* V.Lukhtanov & A.Lukhtanov,1994 Original Reference: *Paralasa jordana* ssp. *bogutena* V.Lukhtanov & A.Lukhtanov,1994, Atalanta 25 (1/2): 167-169, Taf. Holotype ♂: Kazakhstan: Almaty Obl., Boguty-Gebirge, 1300m. Range (in code): Aa KG T-S Tk Bog TeA KK
- 25854. *Paralasa bogutena bogutena* V.Lukhtanov & A.Lukhtanov,1994** (Satyridae) Synonym(s): *bogutena* V.Lukhtanov & A.Lukhtanov,1994 Original Reference: *Paralasa jordana* ssp. *bogutena* V.Lukhtanov & A.Lukhtanov,1994, Atalanta 25 (1/2): 167-169, Taf. Holotype ♂: Kazakhstan: Almaty Obl., Boguty-Gebirge, 1300m. Range (in code): Aa KG T-S Tk Bog
- 25855. *Paralasa bogutena ekinchi* Korb,2008** (Satyridae) Synonym(s): *ekinchii* Korb,2008 Range (in code): TeA KK
- 25856. *Paralasa chitralica* (Evans,1923)** (Satyridae) Synonym(s): *chitralica* Evans,1923 Original Reference: *Erebia mani* ssp. *chitralica* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783. Type(s): [Pakistan]: Chitral, 13000ft. Range (in code): Ci Gg Nwf PK Ys TJ Pm Cls AF Anj Bd Bqu Hk
- 25857. *Paralasa chitralica chitralica* (Evans,1923)** (Satyridae) Synonym(s): *chitralica* Evans,1923 Original Reference: *Erebia mani chitralica* Evans,1923, J. Bombay nat. Hist. Soc. 29: 783. Type(s): [Pakistan]: Chitral. Range (in code): Ci Nwf PK Gg Cls
- 25858. *Paralasa chitralica manioides* Wyatt & Omoto,1966** (Satyridae) Synonym(s): *manioides* Wyatt & Omoto,1966 Original Reference: *Paralasa manioides* Wyatt & Omoto,1966, Entomops 5: 191-193, figs. Holotype ♂: Afghanistan: Hindu Kush: Bala Quran, Anjuman valley, 4100-4200m. Range (in code): AF Anj Bd Bqu Hk
- 25859. *Paralasa chitralica pamira* Shchetkin,1989** (Satyridae) Synonym(s): *pamira* Shchetkin,1989 Range (in code): TJ Pm
- 25860. *Paralasa danorum* Clench & Shoumatoff,1956** (Satyridae) Synonym(s): *danorum* Clench & Shoumatoff,1956 Original Reference: *Paralasa danorum* Clench & Shoumatoff,1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. Range (in code): AF Kbb

- 25861. *Paralasa danorum danorum* Clench & Shoumatoff, 1956** (Satyridae) Synonym(s): *danorum Clench & Shoumatoff, 1956* Original Reference: *Paralasa danorum* Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. Range (in code): **AF Kbb**
- 25862. *Paralasa discalis* Smith** (Satyridae) Synonym(s): Range (in code): **CN Ti**
- 25863. *Paralasa discalis discalis* Smith** (Satyridae) Synonym(s): Range (in code): **CN Ti**
- 25864. *Paralasa gohlshali* Charmeux & Desse, 2006** (Satyridae) Synonym(s): *gohlshali Charmeux & Desse, 2006* Range (in code): **PK**
- 25865. *Paralasa gohlshali gohlshali* Charmeux & Desse, 2006** (Satyridae) Synonym(s): *gohlshali Charmeux & Desse, 2006* Range (in code): **PK**
- 25866. *Paralasa hades* (Staudinger, 1882)** (Satyridae) Synonym(s): *hades Staudinger, 1882; hades Lang, 1884.* Original Reference: *Erebia hades* Staudinger, 1882, Berl. ent. Z. 26(1): 172. Syntypes: [Tadjikistan]: Alai-Gebirge; Lectotype ♂: "Margelan Hohn" (ZMHUB), designated by Tusov, 1998, Neue ent. Nachr. 41: 184. Range (in code): **T-S Al CN KK Pm TJ Ui UZ**
- 25867. *Paralasa hades hades* (Staudinger, 1882)** (Satyridae) Synonym(s): *hades Staudinger, 1882; hades Lang, 1884.* Original Reference: *Erebia hades* Staudinger, 1882, Berl. ent. Z. 26(1): 172. Syntypes: [Tadjikistan]: Alai-Gebirge; Lectotype ♂: "Margelan Hohn" (ZMHUB), designated by Tusov, 1998, Neue ent. Nachr. 41: 184. Range (in code): **T-S Al CN KK Pm TJ Ui UZ**
- 25868. *Paralasa hades maida* Churkin & Tusov, 1998** (Satyridae) Synonym(s): *maida Churkin & Tusov, 1998* Original Reference: *Paralasa hades* ssp. *maida* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 186-188, pl. fig.2. Holotype ♂: Tadjikistan: Turkestansky Mts., Kumbel Pass, 3100m. Range (in code): **TJ**
- 25869. *Paralasa hades yaktchashma* Churkin & Tusov, 1998** (Satyridae) Synonym(s): *yaktchashma Churkin & Tusov, 1998* Original Reference: *Paralasa hades* ssp. *yaktchashma* Churkin & Tusov, 1998, Neue ent. Nachr. 41: 188, pl. fig.3. Holotype ♂: Tadjikistan: Vanchsky Mts., Gushkhoun Gorge, 3600m Range (in code): **TJ Pm**
- 25870. *Paralasa horaki* Tusov, 1997** (Satyridae) Synonym(s): *horaki Tusov, 1997* Original Reference: *Paralasa horaki* Tusov, 1997, Guide to the Butterflies of Russia 1: 214, pl.53 figs.13,14. Holotype ♂: Kirghizia: Alaisky Mts., Jordan, 2500m. (SDM). Range (in code): **KK Al T-S**
- 25871. *Paralasa horaki horaki* Tusov, 1997** (Satyridae) Synonym(s): *horaki Tusov, 1997* Original Reference: *Paralasa horaki* Tusov, 1997, Guide to the Butterflies of Russia 1: 214, pl.53 figs.13,14. Holotype ♂: Kirghizia: Alaisky Mts., Jordan, 2500m. (SDM). Range (in code): **KK Al T-S**
- 25872. *Paralasa howarthi* Sakai, 1978** (Satyridae) Synonym(s): *howarthi Sakai, 1978* Original Reference: *Paralasa howarthi* Sakai, 1978, Atalanta 9(1): 114, figs. 43-46. Holotype ♀: Afghanistan: Paghman Mt. 3800m Range (in code): **AF Kab Pag**
- 25873. *Paralasa howarthi howarthi* Sakai, 1978** (Satyridae) Synonym(s): *howarthi Sakai, 1978* Original Reference: *Paralasa howarthi* Sakai, 1978, Atalanta 9(1): 114, figs. 43-46. Holotype ♀: Afghanistan: Paghman Mt. 3800m Range (in code): **AF Kab Pag**
- 25874. *Paralasa icelos* (Groum-Grshimailo, 1890)** (Satyridae) Synonym(s): *icelos Groum-Grshimailo, 1890* Original Reference: *Erebia mani icelos* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452, Pl.13 figs. 4b,c. Type(s): Liagar Mourda, 11000ft. Range (in code): **AF Bqu Hk TJ Z-G**
- 25875. *Paralasa icelos icelos* (Groum-Grshimailo, 1890)** (Satyridae) Synonym(s): *icelos Groum-Grshimailo, 1890* Original Reference: *Erebia mani icelos* Groum-Grshimailo, 1890, [in] Romanoff, Mém. Lépid. 4: 452, Pl.13 figs. 4b,c. Type(s): Liagar Mourda, 11000ft. Range (in code): **AF Bqu Hk TJ Z-G**
- 25876. *Paralasa ida* (Groum-Grshimailo, 1890)** (Satyridae) Synonym(s): *ida Groum-Grshimailo, 1890* Original Reference: *Erebia jordana ida* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 452. Syntypes: [Tadjikistan]: "Montagnes Khodja-Djailaou" [East of Kudara, N.E.Pamirs]. Range (in code): **TJ Pm**
- 25877. *Paralasa ida ida* (Groum-Grshimailo, 1890)** (Satyridae) Synonym(s): *ida Groum-Grshimailo, 1890* Original Reference: *Erebia jordana ida* Groum-Grshimailo, 1890, [in] Romanoff, Mém. lépid. 4: 452. Syntypes: [Tadjikistan]: "Montagnes Khodja-Djailaou" [East of Kudara, N.E.Pamirs]. Range (in code): **TJ Pm**
- 25878. *Paralasa ida ishkashima* Shchetkin & Shchetkin, 1991** (Satyridae) Synonym(s): *ishkashima Shchetkin & Shchetkin, 1991* Range (in code): **TJ Pm**

- 25879. *Paralasa ida majorida* Kesküla,1998** (Satyridae) Synonym(s): *majorida* Kesküla,1998
Original Reference: *Paralasa ida* ssp. *majorida* Kesküla,1998, Neue ent. Nachr. 41: 197-198, pl. figs.1,2. Holotype ♂: Tajikistan: W.Pamir, Vanch range, Gushkhon Pass, 4000-4250m (in coll.Kesküla). Range (in code): **Pm TJ**
- 25880. *Paralasa jordana* (Staudinger,1882)** (Satyridae) Synonym(s): *jordana* Staudinger,1882
Original Reference: *Erebia jordana* Staudinger,1882, Berl. ent. Z. 26(1): 171-172. Syntypes: [Tadjikistan]: Alai-Gebirge, Dorf Jordan; [Uzbekistan]: Hazret-Sultan-Gebirge. Range (in code): **Al CN H-S KK Kl Pm TJ T-S Ui UZ Tk His Z-G**
- 25881. *Paralasa jordana helios* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *helios* O.Bang-Haas,1927
Original Reference: *Erebia mani* ssp. *helios* O.Bang-Haas,1927, Horae Macrolepid. 1: 46, Pl.7 fig. 4. Syntypes: [China: Uighur A.R.]: Thianshan central mer. or. [Tengri Tagh]: Korla, Kuruktag, Gebirge nördl. von Aksu. Range (in code): **T-S Au CN KK Kl Krk Ui**
- 25882. *Paralasa jordana jordana* (Staudinger,1882)** (Satyridae) Synonym(s): *jordana* Staudinger,1882
Original Reference: *Erebia jordana* Staudinger,1882, Berl. ent. Z. 26(1): 171-172. Syntypes: [Tadjikistan]: Alai-Gebirge, Dorf Jordan; [Uzbekistan]: Hazret-Sultan-Gebirge. Range (in code): **Al H-S Pm TJ UZ**
- 25883. *Paralasa jordana roxane* (Groum-Grshimailo,1887)** (Satyridae) Synonym(s): *fasciata* Staudinger,1887 nec Butler,1868; *roxane* Groum-Grshimailo,1887
Range (in code): **T-S KK T-A TJ UZ Al**
- 25884. *Paralasa jordana seravschana* Lukhtanov,1999** (Satyridae) Synonym(s): *seravschana* Lukhtanov,1999
Original Reference: *Paralasa jordana* ssp. *seravschana* Lukhtanov,1999, Atalanta 30 (1/4): 141. Holotype ♂: Tadschikistan, Aini-Bezirk (60km E. Aini), Seravshan Gebirge, Dascht, 2100-2600m. (in EMEM). Range (in code): **TJ Z-G**
- 25885. *Paralasa jordana shachristana* (Shchetkin & Shchetkin,1991)** (Satyridae) Synonym(s): *shachristana* Shchetkin & Shchetkin,1991
Range (in code): **TJ His**
- 25886. *Paralasa jordana subocellata* (Staudinger,1901)** (Satyridae) Synonym(s): *subocellata* Staudinger,1901
Original Reference: *Erebia mani* var. *subocellata* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 49, nr.311c. Syntypes: [Kirgizistan]: Ferg.m. (?Transalai). Range (in code): **TJ Drw**
- 25887. *Paralasa jordana summa* (Avinoff,1910)** (Satyridae) Synonym(s): *summa* Avinoff,1910
Original Reference: *Erebia mani* ssp. *summa* Avinov,1910, Horae Soc. ent. ross. 39: 236, Pl.14 f.10 Type(s): [Usbekistan]: Namangan. Range (in code): **Fe UZ TJ Pm**
- 25888. *Paralasa kalinda* (Moore,[1865])** (Satyridae) Synonym(s): *kalinda* Moore,[1865]
Original Reference: *Erebia kalinda* Moore,[1865], Proc. zool. Soc. Lond. 1865: 501, Pl.30 fig.5. Syntypes: India: N.W. Himalayas; beow the Runang and Werang Passes. Range (in code): **Bbu Ch Gs Hp IN Kma Ld Sml Up**
- 25889. *Paralasa kalinda kalinda* (Moore,[1865])** (Satyridae) Synonym(s): *kalinda* Moore,[1865]
Original Reference: *Erebia kalinda* Moore,[1865], Proc. zool. Soc. Lond. 1865: 501, Pl.30 fig.5. Syntypes: India: N.W. Himalayas; beow the Runang and Werang Passes. Range (in code): **Ch Hp IN Kma Ld Sml Up**
- 25890. *Paralasa kalinda kamriana* Tytler,1926** (Satyridae) Synonym(s): *kamriana* Tytler,1926
Original Reference: *Erebia mani kamriana* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257, Pl.1 fig.12 Syntypes: [Pakistan]: Chilas, Kamri Pass, Gurais, Babusar Pass. Range (in code): **Bbu Ch Gs**
- 25891. *Paralasa kotzschae* (Goltz,1937)** (Satyridae) Synonym(s): *kotzschae* Goltz,1937; *schugnana* J.L.Shchetkin,1971.
Original Reference: *Erebia kotzschae* Goltz,1937, Ent. Rdsch. 54 (29): 363, Taf. 1a-d. Syntypes 3♂ 5♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). Range (in code): **AF TJ Pm**
- 25892. *Paralasa kotzschae kotzschae* (Goltz,1937)** (Satyridae) Synonym(s): *kotzschae* Goltz,1937; *schugnana* J.L.Shchetkin,1971.
Original Reference: *Erebia kotzschae* Goltz,1937, Ent. Rdsch. 54 (29): 363, Taf. 1a-d. Syntypes 3♂ 5♀: Afghanistan: Nordosthindukusch, Nuksan Pass, Nordseite, 3500-4000m (in coll. Goltz). Range (in code): **AF TJ Pm**
- 25893. *Paralasa kusnezovi* (Avinoff,1910)** (Satyridae) Synonym(s): *kusnezovi* Avinov,1910; *styx* O.Bang-Haas,1927.
Original Reference: *Erebia mani* var. *kusnezovi* Avinoff,1910, Horae Soc. ent. ross. 39: 249, Pl.14 f.11 Type(s): Fergana sept.: Padshiata, Metshetsaja. Range (in code): **T-S KK Tls UZ Tas Ik KuA TeA KG Db Tu Aa Bog**
- 25894. *Paralasa kusnezovi issykkuli* Lukhtanov,1999** (Satyridae) Synonym(s): *issykkuli* Lukhtanov,1999.
Original Reference: *Paralasa kusnezovi* ssp. *issykkuli* Lukhtanov,1999, Atalanta

- 30 (1/4): 140-141. Holotype ♂: Kirgisien: Issyk-Kul-Gebiet, Kungey Alatau, Turaigyr, 2250m. (in coll. Zoologisches Institut, St. Petersburg). Range (in code): T-S KK Ik KuA TeA KG Tu Tk
- 25895. *Paralasa kusnezovi kusnezovi* (Avinoff,1910)** (Satyridae) Synonym(s): *kusnezovi* Avinov,1910; *styx* O.Bang-Haas,1927. Original Reference: *Erebia mani* var. *kusnezovi* Avinoff,1910, Horae Soc. ent. ross. 39: 249, Pl.14 f.11 Type(s): Fergana sept.: Padshiata, Metshetsaja. Range (in code): T-S KK Tls UZ Tas
- 25896. *Paralasa kusnezovi talastauana* Lukhtanov,1999** (Satyridae) Synonym(s): *talastauana* Lukhtanov,1999 Original Reference: *Paralasa kusnezovi* ssp. *talastauana* Lukhtanov,1999, Atalanta 30 (1/4): 140. Holotype ♂: [Kazakhstan]: Gouv. Syr-Darya, Aulie-Ata, Alatau Mts. Occ. 2500m. Talasski Gebirge, südl. v. Dshambul (in Museum A.Koenig, Bonn). Range (in code): KG KK T-S Tls Db
- 25897. *Paralasa langara* (Shchetkin,1971)** (Satyridae) Synonym(s): *langara* Shchetkin,1971 Original Reference: *Erebia langara* J.L.Shchetkin,1971, Dokl. Akad. nauk. Tadjik SSR 14 (3): 78. Holotype ♂: [Tadjikistan]: W. Pamirs, Lyangar, Vanchsky Mts. Range (in code): TJ Pm
- 25898. *Paralasa langara langara* (Shchetkin,1971)** (Satyridae) Synonym(s): *langara* Shchetkin,1971 Original Reference: *Erebia langara* J.L.Shchetkin,1971, Dokl. Akad. nauk. Tadjik SSR 14 (3): 78. Holotype ♂: [Tadjikistan]: W. Pamirs, Lyangar, Vanchsky Mts. Range (in code): TJ Pm
- 25899. *Paralasa mani* (De Nicéville,1880)** (Satyridae) Synonym(s): *mani* De Nicéville,1880 Original Reference: *Erebia mani* De Nicéville,1880, J. Asiat. Soc. Bengal 49, 2: 247. Type(s): Kashmir, Leh, Talang Pass. Range (in code): Gg Hu IN Ld Leh PK Pm Sha Tgl TJ Ys Ci
- 25900. *Paralasa mani lorimeri* Tytler,1926** (Satyridae) Synonym(s): *lorimeri* Tytler,1926; *yasina* Tytler,1926. Original Reference: *Erebia mani lorimeri* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257, Pl.1 fig.19 Syntypes: [Pakistan]: Gilgit, Ghizer, Haitu Nallah. Range (in code): Gg Ys
- 25901. *Paralasa mani mani* (De Nicéville,1880)** (Satyridae) Synonym(s): *mani* De Nicéville,1880 Original Reference: *Erebia mani* De Nicéville,1880, J. Asiat. Soc. Bengal 49, 2: 247. Type(s): Kashmir, Leh, Talang Pass. Range (in code): Ch CN Hu Ld Leh PK Pm TJ
- 25902. *Paralasa mani shandura* (Tytler,1926)** (Satyridae) Synonym(s): *shandura* Tytler,1926 Original Reference: *Erebia mani* ssp. *shandura* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 257, Pl.1 fig.9 Type(s): [Pakistan]: Chitral, Shandur lake. Range (in code): Ci PK Sha
- 25903. *Paralasa maracandica* (Erschoff,1874)** (Satyridae) Synonym(s): *maracandica* Erschoff,1874 Original Reference: *Erebia maracandica* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 17, pl.1, fig.13. Syntypes: [Uzbekistan]: Samarkand, auf dem Berge Tschupanata, 2630ft. Range (in code): UZ Drw TJ
- 25904. *Paralasa maracandica maracandica* (Erschoff,1874)** (Satyridae) Synonym(s): *maracandica* Erschoff,1874 Original Reference: *Erebia maracandica* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 17, pl.1, fig.13. Syntypes: [Uzbekistan]: Samarkand, auf dem Berge Tschupanata, 2630ft. Range (in code): UZ Drw TJ
- 25905. *Paralasa nero* (Staudinger,[1895])** (Satyridae) Synonym(s): *nero* Staudinger,[1895] Original Reference: *Erebia nero* Staudinger,[1895], Dt. ent. Z., Iris 7: 247-248. Syntypes 2♂: [Tadjikistan]: Transalai oder Pamir; Lectotype ♂: "Transalai, Pamir" (ZMHUB), designated by Tusov,1998, Neue ent. Nachr. 41: 191. Range (in code): T-S Pm TJ T-A KK
- 25906. *Paralasa nero nero* (Staudinger,[1895])** (Satyridae) Synonym(s): *nero* Staudinger,[1895] Original Reference: *Erebia nero* Staudinger,[1895], Dt. ent. Z., Iris 7: 247-248. Syntypes 2♂: [Tadjikistan]: Transalai oder Pamir; Lectotype ♂: "Transalai, Pamir" (ZMHUB), designated by Tusov,1998, Neue ent. Nachr. 41: 191. Range (in code): T-S Pm TJ T-A KK
- 25907. *Paralasa pagmanni* (O.Bang-Haas,1927)** (Satyridae) Synonym(s): *pagmanni* O.Bang-Haas,1927 Original Reference: *Erebia kalinda* ssp. *pagmanni* O.Bang-Haas,1927, Horae Macrolepid. 1: 47. Syntypes 2♀: Afghanistan: Kabul, Pagman mont., 3000m. Range (in code): AF Kab Pag
- 25908. *Paralasa pagmanni mohabbati* Sakai,1978** (Satyridae) Synonym(s): *mohabbati* Sakai,1978 Original Reference: *Paralasa pagmanni* ssp. *mohabbati* Sakai,1978, Atalanta 9(1): 113, fig.42. Holotype ♂: Afghanistan: Northern slopes of Mt. Shahfuladi, 3800m Range (in code): AF Kbb
- 25909. *Paralasa pagmanni pagmanni* (Bang-Haas,1927)** (Satyridae) Synonym(s): *pagmanni* O.Bang-Haas,1927 Original Reference: *Erebia kalinda* *pagmanni* Bang-Haas,1927, Horae Macrolepid. 1: 47. Syntypes 2♀: Afghanistan: Kabul, Pagman mont., 3000m. Range (in code): AF

- 25910. *Paralasa semenovi* (Avinov,1910)** (Satyridae) Synonym(s): *semenovi* Avinov,1910
Original Reference: *Erebia semenovi* Avinov,1910, Horae Soc. ent. ross. 39: 249, Taf.14 figs.8,9.
Syntypes: [Kirghizia]: Archa-Bashi, M. of Pass Kara Kazyk, Alaisky Mts. Range (in code): **T-S AI KK**
- 25911. *Paralasa semenovi semenovi* (Avinov,1910)** (Satyridae) Synonym(s): *semenovi* Avinov,1910
Original Reference: *Erebia semenovi* Avinov,1910, Horae Soc. ent. ross. 39: 249, Taf.14 figs.8,9. Syntypes: [Kirghizia]: Archa-Bashi, M. of Pass Kara Kazyk, Alaisky Mts. Range (in code): **T-S AI KK**
- 25912. *Paralasa shakti* Wyatt,1961** (Satyridae) Synonym(s): *shakti* Wyatt,1961
Original Reference: *Paralasa shakti* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 13, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 14000ft. Range (in code): **AF Anj Bd Bqu Hk**
- 25913. *Paralasa shakti shakti* Wyatt,1961** (Satyridae) Synonym(s): *shakti* Wyatt,1961
Original Reference: *Paralasa shakti* Wyatt,1961, J. Lepidopterist's Soc. 15(1): 13, figs. Holotype ♂: Afghanistan: Hindu Kush, Bala Quran: Anjuman valley, 14000ft. Range (in code): **AF Anj Bd Bqu Hk**
- 25914. *Paralasa shallada* (Marschall & De Nicéville,1880)** (Satyridae) Synonym(s): *shallada* Marschall & De Nicéville,1880
Original Reference: *Erebia shallada* Marschall & De Nicéville,1880, J. asiat. Soc. Beng. 49(2): 247. Syntypes ♂♀: India: Kunawar. Range (in code): **Ch Ci IN Kgr Kma Knw Kul Nwf PK Sml Up**
- 25915. *Paralasa shallada shallada* (Marschall & De Nicéville,1880)** (Satyridae) Synonym(s): *shallada* Marschall & De Nicéville,1880
Original Reference: *Erebia shallada* Marschall & De Nicéville,1880, J. asiat. Soc. Beng. 49(2): 247. Syntypes ♂♀: India: Kunawar. Range (in code): **Ch IN Kgr Kma Knw Kul Sml Up**
- 25916. *Paralasa shallada tarbena* (Evans,1932)** (Satyridae) Synonym(s): *tarbena* Evans,1932
Original Reference: *Erebia shallada* ssp. *tarbena* Evans,1932, Identification Indian Butterflies (2): 117. Syntypes ♂♀: [Pakistan]: Chitral. Range (in code): **Ci Nwf PK**
- 25917. *Paraethe dendrophilus* (Trimen,1862)** (Satyridae) Synonym(s): *dendrophilus* Trimen,1862.
Original Reference: *Satyrus dendrophilus* Trimen,1862, Trans. ent. Soc. London 1862: 399. Type(s): South Africa: "Frankfort". Range (in code): **ZA Ec Grh SZ Kzu Nta Ptw Tva Lpo Ptb Mll Wo ZA14 Ngo Tra Stj Esw Dbn Ly Suw Spb**
- 25918. *Paraethe dendrophilus albina* Van Son,1955** (Satyridae) Synonym(s): *albina* Van Son,1955; *#alticola* Van Son,1955.
Original Reference: *Paraethe dendrophilus* ssp. *albina* Van Son,1955, Butts S. Africa 2: 54. Type: South Africa: "Pondoland: Port St. Johns". Range (in code): **ZA Nta Kzu Ptb Tra Ec Stj Esw Dbn**
- 25919. *Paraethe dendrophilus dendrophilus* (Trimen,1862)** (Satyridae) Synonym(s): *dendrophilus* Trimen,1862.
Original Reference: *Satyrus dendrophilus* Trimen,1862, Trans. ent. Soc. London 1862: 399. Type(s): South Africa: "Frankfort". Range (in code): **ZA Ec Grh**
- 25920. *Paraethe dendrophilus indosa* Trimen,1879** (Satyridae) Synonym(s): *indosa* Trimen,1879; *albomaculatus* Staudinger,1887.
Original Reference: *Debis indosa* Trimen,1879, Trans. ent. Soc. London 1879 (4): 324-326. Syntypes: South Africa: Natal: Tunjumbili, Pinetown, Illovo; Transvaal: Leydenburg. Range (in code): **ZA Nta Kzu Ptw Ngo Tva Lpo Ly Suw Spb**
- 25921. *Paraethe dendrophilus junodi* (Van Son,1935)** (Satyridae) Synonym(s): *junodi* Van Son,1935.
Original Reference: *Meneris dendrophilus* ssp. *junodi* Van Son,1935, Ann. Transv. Mus. 15: 485, fig.1. Type: South Africa: "Transvaal: Malelane". Range (in code): **ZA SZ Tva Lpo Mll Wo ZA14**
- 25922. *Paramacera allyni*** (Satyridae) Synonym(s): Range (in code): **US MX Arz**
- 25923. *Pararge aegeria* (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
Original Reference: *Papilio aegeria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Syntypes: Europa, Mauritania. Range (in code): **Ae AL AM AT AZ Ba BE BG BY Cc CH Co Cr CY CZ DE DK DZ EE ES Mu Mu18 FI FR GB GG GR HU IE IT LB LT LU LV MA MT NL NO PL PT RO RU Sa SE Si SK Sm Sr TN TR UA VI YU Sr Or Bs Tt Cw Dv Smt H-W Sur Ssx Ken SY IQ IR Ab Sbd Agi Tth Rbt Tlm Saia Orn Blid Ges Ktr Bsk Khb Btma Cst Phv** Bionomy: Larva on *Brachypodium sylvaticum*, *B. pinnatum*, *Holcus lanatus*, *Cynodon dactylon*, *Agrostis gigantea*, *Dactylis glomerata*, *Elymus repens* (Tolman,1997).
- 25924. *Pararge aegeria aegeria* (Linnaeus,1758)** (Satyridae) Synonym(s): *aegeria* Linnaeus,1758; *meone* Cramer,1782; *egeria* Ochsenheimer,1807; *sardoa* Verity,1908.
Original Reference: *Papilio aegeria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 473. Syntypes: Europa, Mauritania. Range

- (in code): **He Ae AL BG Co Cr CY DZ Sbd Agi Tth Rbt Tlm Saia Orn Blid Ges Ktr Bsk Khh Btma Cst Phv ES Mu Mu18 FR GR IL Pa IT LB MA MT PT Sa Si SY TN TR IQ**
- 25925. *Pararge aegeria italica* Verity,1916** (Satyridae) Synonym(s): *italica* Verity,1916
Original Reference: *Pararge aegeria* race *italica* Verity,1916, Entomologist's Rec. J. Var. 28: 167.
Syntypes 12 ♂ 4 ♀: [Italy]: Firenze. Range (in code): **FR IT**
- 25926. *Pararge aegeria tircis* (Godart,1821)** (Satyridae) Synonym(s): *tircis* Godart,1821; *egerides* Staudinger,1871; *camoena* Fruhstorfer,1908; *elegantia* Fruhstorfer,1909; *occidentalis* Lempke,1957. Original Reference: *Satyre tircis* Godart,1821, Hist. nat. lépid. Fr., Diurnes 1: 163-164 Taf.8a fig.1. Type: France: Paris. Range (in code): **IR Ab AM AT AZ BE Bw BY Cc CH CZ DE DK EE FI FR GB GG HU IE IT LT LU LV NL NO PL RO Rp RU SE SK TR UA YU Sr Or Bs Tt Cw Dv Smt H-W Sur Ssx Ken**
- 25927. *Pararge xiphia* (Fabricius,1775)** (Satyridae) Synonym(s): *xiphia* Fabricius,1775
Original Reference: *Papilio xiphia* Fabricius,1775, Syst. Ent.: 492, nr.215. Type(s): Madera. Range (in code): **Md**
- 25928. *Pararge xiphia xiphia* (Fabricius,1775)** (Satyridae) Synonym(s): *xiphia* Fabricius,1775
Original Reference: *Papilio xiphia* Fabricius,1775, Syst. Ent.: 492, nr.215. Type(s): Madera.
- 25929. *Pararge xiphioides* Staudinger,1871** (Satyridae) Synonym(s): *xiphioides* Staudinger,1871
Original Reference: *Pararge xiphia* var. *xiphioides* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 30. Type(s): Kanarische Inseln. Range (in code): **Cn**
- 25930. *Pararge xiphioides xiphioides* Staudinger,1871** (Satyridae) Synonym(s): *xiphioides* Staudinger,1871
Original Reference: *Pararge xiphia* var. *xiphioides* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (2): 30. Type(s): Kanarische Inseln. Range (in code): **Cn**
- 25931. *Penthema binghami* Wood-Mason,1881** (Satyridae) Synonym(s): *binghami* Wood-Mason,1881
Range (in code): **MM TH Chy Nkh Nrt Cbi Phi Rng**
- 25932. *Penthema binghami binghami* Wood-Mason,1881** (Satyridae) Synonym(s): *binghami* Wood-Mason,1881
- 25933. *Penthema binghami mimetica* Lathy,1900** (Satyridae) Synonym(s): *mimetica* Lathy,1900; *godfreyi* Riley,1921
Range (in code): **TH Chy Nkh Nrt Cbi Phi Rng**
- 25934. *Penthema darlisa* Moore,1879** (Satyridae) Synonym(s): *darlisa* Moore,1879
Range (in code): **IN Ass MM Tns TH CMa Cuo Cuo9 CDo Rng Tak Knc VN Ann**
- 25935. *Penthema darlisa annamitica* Fruhstorfer,1901** (Satyridae) Synonym(s): *annamitica* Fruhstorfer,1901
Range (in code): **VN Ann**
- 25936. *Penthema darlisa cooperi* Tytler,1940** (Satyridae) Synonym(s): *cooperi* Tytler,1940
Range (in code): **TH Rng**
- 25937. *Penthema darlisa darlisa* Moore,1879** (Satyridae) Synonym(s): *darlisa* Moore,1879
Range (in code): **IN Ass MM Tns**
- 25938. *Penthema darlisa melama* Riley & Godfrey,1921** (Satyridae) Synonym(s): *melama* Riley & Godfrey,1921
Range (in code): **TH CMa Cuo Cuo9 CDo Tak Knc**
- 25939. *Penthema formosanum* Rothschild,1898** (Satyridae) Synonym(s): *formosanum* Rothschild,1898
Range (in code): **TW**
- 25940. *Penthema lisarda* Doubleday,1845** (Satyridae) Synonym(s): *lisarda* Doubleday,1845
Range (in code): **IN Ass BT SI MM Chn VN Ton Tda CN Hn**
- 25941. *Physcaeneura jacksoni* Carcasson,1961** (Satyridae) Synonym(s): *jacksoni* Carcasson,1961
Range (in code): **TZ Tnga Usa**
- 25942. *Physcaeneura jacksoni jacksoni* Carcasson,1961** (Satyridae) Synonym(s): *jacksoni* Carcasson,1961
Range (in code): **TZ Tnga Usa**
- 25943. *Physcaeneura leda* (Gerstaecker,1871)** (Satyridae) Synonym(s): *leda* Gerstaecker,1871
Range (in code): **TZ Tnga Usa Ani Zz KE** Bionomy: Larva on Poaceae (Ackery et al.,1995).
- 25944. *Physcaeneura leda leda* (Gerstaecker,1871)** (Satyridae) Synonym(s): *leda* Gerstaecker,1871
Range (in code): **TZ Tnga Usa Ani Zz KE** Bionomy: Larva on Poaceae (Ackery et al.,1995).
- 25945. *Physcaeneura panda* (Boisduval,1847)** (Satyridae) Synonym(s): *panda* Boisduval,1847
Range (in code): **TZ MZ BW ZW ZA Tva Lpo Spb Kru Pma Gau Slpp Gau Dsp Ly Mpu Nel Kaa Pin Nta Kzu** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 25946. *Physcaeneura panda panda* (Boisduval,1847)** (Satyridae) Synonym(s): *panda* Boisduval,1847
Range (in code): **TZ MZ BW ZW ZA Tva Lpo Spb Kru Pma Gau Slpp Gau Dsp Ly Mpu Nel Kaa Pin Nta** Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).

- 25947. *Physcaeneura pione* Godman,1880** (Satyridae) Synonym(s): *pione* Godman,1880; *johnstoni* Butler,1894; *lucida* Butler,1897 _ Range (in code): **MW Zom ZM MZ ZW Vum TZ ZR** Bionomy: Larva on ?Kaempferia (Zingiberaceae) (Ackery et al.,1995).
- 25948. *Physcaeneura pione* Godman,1880** (Satyridae) Synonym(s): *pione* Godman,1880; *johnstoni* Butler,1894; *lucida* Butler,1897 _ Range (in code): **MW Zom ZM MZ ZW Vum TZ ZR** Bionomy: Larva on ?Kaempferia (Zingiberaceae) (Ackery et al.,1995).
- 25949. *Physcaeneura robertsi* Kielland,1990** (Satyridae) Synonym(s): *robertsi* Kielland,1990 Range (in code): **TZ**
- 25950. *Physcaeneura robertsi* Kielland,1990** (Satyridae) Synonym(s): *robertsi* Kielland,1990 _ Range (in code): **TZ**
- 25951. *Proterebia afra* (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787 Original Reference: Papilio afra Fabricius,1787, Mant. Ins. 2: 41, nr.413. Syntypes: [Russia]: Russiae australioris desertis. Range (in code): **Ba Cm GR HV IR Ab Oru KG Kr RU Sm So Sp Sr TM Kp Elb TR UA Uk VI T-S At Bn Nym Ktm Bkb Mrk Sau Tar DsA Ax Db Bog Tk Aa CN Ui Cc AZ** Bionomy: Larva on Festuca ovina (Poaceae) (Tolman,1997).
- 25952. *Proterebia afra* (Fabricius,1787)** (Satyridae) Synonym(s): *afra* Fabricius,1787 Original Reference: Papilio afra Fabricius,1787, Mant. Ins. 2: 41, nr.413. Syntypes: [Russia]: Russiae australioris desertis. Range (in code): **Ba KG Kr RU Sm So Sp Sr TR Cc Uk VI**
- 25953. *Proterebia afra bardines* (Fruhstorfer,1918)** (Satyridae) Synonym(s): *bardines* Fruhstorfer,1918 Original Reference: Erebia afer ssp. bardines Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 2♂: [Russia]: Altai. Range (in code): **RU At Bn Nym Ktm Bkb Mrk Sau Tar T-S DsA Ax Db Bog Tk Aa Tar KG Ik KK**
- 25954. *Proterebia afra dalmata* (Godart,[1824])** (Satyridae) Synonym(s): *dalmata* Godart,[1824] Original Reference: Satyrus dalmata Godart,[1824], [in] Latreille & Godart, Ency. Méth. 9(2): 530. Type ♀: [Croatia]: "au bord de la mer, dans les environs de Sebenico en Dalmatie (between Zadar and Sebenik). Range (in code): **HV**
- 25955. *Proterebia afra fidena* (Fruhstorfer,1918)** (Satyridae) Synonym(s): *fidena* Fruhstorfer,1918 Original Reference: Erebia afer ssp. fidena Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 2♂ 1♀: [Turkmenistan]: Transkaspian: Arwas. Range (in code): **TM**
- 25956. *Proterebia afra hyrcana* (Staudinger,1901)** (Satyridae) Synonym(s): *hyrcana* Staudinger,1901 Original Reference: Erebia afer var. hyrcana Staudinger,1901, [in] Staudinger & Rebel, Cat. lepid. palaearkt. Faunengeb. 3(1): 51. Syntypes: [Iran]: Hyrcania (in ZMHB). Range (in code): **IR Kp Elb TM**
- 25957. *Proterebia afra krymaea* (Sheljuzhko,1929)** (Satyridae) Synonym(s): *krymaea* Sheljuzhko,1929 Original Reference: Erebia afer ssp. krymaea Sheljuzhko,1929, Mitt. münch. ent. Ges. 19: 348, fig.2. Holotype ♂: [Ukraine]: Krym (Bergkette Jajla, near Jalta (in ZMKU). Range (in code): **Cm UA**
- 25958. *Proterebia afra pyramus* Louker & Dils,1987** (Satyridae) Synonym(s): *pyramus* Louker & Dils,1987 Original Reference: Proterebia afra ssp. pyramus Louker & Dils,1987, Phegea 15(3): 157-160, figs. Holotype ♂: Greece: Macedonia, Kozani (in ITZA). Range (in code): **GR**
- 25959. *Proterebia afra zyxuta* (Fruhstorfer,1918)** (Satyridae) Synonym(s): *zyxuta* Fruhstorfer,1918 Original Reference: Erebia afer ssp. zyxuta Fruhstorfer,1918, Ent. Z., Stuttgart 31 (21): 82. Syntypes 1♂ 2♀: [Azerbaijan]: "Kaukasus, Elisabethpol". Range (in code): **Cc AZ Kir**
- 25960. *Pseudochazara* (Achazara) *anthelea* (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. Original Reference: Papilio anthelea Hübner,[1824], Samml. eur. Schmett. 1: pl.174, figs.861-862. Syntypes: [Kleinasien] (Hesselbarth et al.,1995: 962). Range (in code): **Ae AL BG B-H Cr CY GR MK Rd TR Cc IR Kd Mz**
- 25961. *Pseudochazara* (Achazara) *anthelea acamanthis* (Rebel,1916)** (Satyridae) Synonym(s): *acamanthis* Rebel,1916 Original Reference: Satyrus anthelea ssp. acamanthis Rebel,1916, Jber. wien. ent. Ver. 26: 99-100. Syntypes ♂♀: Cyprus: Nicosia (MNH). Range (in code): **CY**
- 25962. *Pseudochazara* (Achazara) *anthelea amalthea* (Frivaldsky,1845)** (Satyridae) Synonym(s): *amalthea* Frivaldsky,1845; *#almathea* Tolman,1997 Original Reference: Hipparchia amalthea Frivaldsky,1845, Evk. Kiral Magy Term. tars. 1841/1845: 186, pl.3 figs.3,4. Syntypes: Crete. Range (in code): **BG B-H GR MK Cr**
- 25963. *Pseudochazara* (Achazara) *anthelea anthelea* (Hübner,[1824])** (Satyridae) Synonym(s): *anthelea* Hübner,[1824]; *atavirensis* Coutsis,1973. Original Reference: Papilio anthelea

- Hübner,[1824], Samml. eur. Schmett. 1: pl.174, figs.861-862. Syntypes: [Kleinasien] (Hesselbarth et al.,1995: 962). Range (in code): Ae GR Rd TR Cc
- 25964. Pseudochazara (Achazara) anthelea selcuki Van Oorschot et al.,1987** (Satyridae) Synonym(s): *selcuki Van Oorschot et al.,1987* Original Reference: Pseudochazara anthelea ssp. selcuki Van Oorschot, Brink,v.d. & v.Oorschot,1987, Ent. Ber., Amsterdam 47(6): 93. Holotype ♂: Turkey: Bitlis, Narlıdere 1000m (in coll ITZA). Range (in code): TR IR Kd Mz
- 25965. Pseudochazara (Achazara) kanishka Aussem,1980** (Satyridae) Synonym(s): *kanishka Aussem,1980* Original Reference: Pseudochazara kanishka Aussem, 1980, Nota lepid. 3 (1/2): 8, figs. Holotype ♂: Afghanistan: Samangan Prov., Tang-e-Tashqurghan, 500m. Range (in code): AF
- 25966. Pseudochazara (Achazara) kanishka kanishka Aussem,1980** (Satyridae) Synonym(s): *kanishka Aussem,1980* Original Reference: Pseudochazara kanishka Aussem, 1980, Nota lepid. 3 (1/2): 8, figs. Holotype ♂: Afghanistan: Samangan Prov., Tang-e-Tashqurghan, 500m. Range (in code): AF
- 25967. Pseudochazara (Achazara) telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa Geyer,[1827]* Original Reference: Eumenis telephassa Geyer,[1827], [in] Hübner, Samml. exot. Schmett. 2: Taf.[85] figs. 1-4. Type(s): unknown. Range (in code): AF Ng Jla Pag Kab Cc AZ Bl Gg Hyb Nwf IL Pa Hf IQ IR Ab Ak Shf Msw Ahz Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj JO LB PK SY TM TR
- 25968. Pseudochazara (Achazara) telephassa telephassa (Geyer,[1827])** (Satyridae) Synonym(s): *telephassa Geyer,[1827]* Original Reference: Eumenis telephassa Geyer,[1827], [in] Hübner, Samml. exot. Schmett. 2: Taf.[85] figs. 1-4. Type(s): unknown. Range (in code): He Cc AF Ng Jla Pag Kab AZ Bl Gg Hyb Nwf IL Pa Hf IQ IR Ab Ak Shf Msw Ahz Ar Ara B-A Bk Brz Bu By Dzf Es Fa Gh Gor Ha Hz Il Kaz Kd Kh Km Kz Lo Ma Mz Qz Se Ss Th Yz Zj JO LB PK SY TM TR
- 25969. Pseudochazara (s.str.) alpina (Staudinger,[1878])** (Satyridae) Synonym(s): *alpina Staudinger,[1878]* Original Reference: Satyrus pelopea var. alpina Staudinger,[1878], Horae Soc. ent. ross. 14: 281. Syntypes: [Russia: Daghestan]: Kurusch, 3000m. Range (in code): RU Da Cc AZ
- 25970. Pseudochazara (s.str.) alpina alpina (Staudinger,[1878])** (Satyridae) Synonym(s): *alpina Staudinger,[1878]* Original Reference: Satyrus pelopea var. alpina Staudinger,[1878], Horae Soc. ent. ross. 14: 281. Syntypes: [Russia: Daghestan]: Kurusch, 3000m. Range (in code): RU Da Cc AZ
- 25971. Pseudochazara (s.str.) annieae Pagès,2007** (Satyridae) Synonym(s): *annieae Pagès,2007* Original Reference: Pseudochazara annieae Pagès,2007, Nota lepid. 30 (2): 363-364, fig. Holotype ♂: Pakistan, Kalam 2100m 29 vi 2006, leg. J.Pagès (MNHN Paris). Range (in code): PK Swa Klm
- 25972. Pseudochazara (s.str.) atlantis (Austaut,1905)** (Satyridae) Synonym(s): *atlantis Austaut,1905; maroccana Meade-Waldo,1905; #atlantica Blachier,1908; #marucana Oberthür,1925; collini Wyatt,1952; benderi Weiss,1979* Original Reference: Satyrus atlantis Austaut,1905, Ent. Z. 19 (6): 29. Syntypes 1♂ 1♀: Morocco: l'Atlas de marocain. Range (in code): MA Rf Lkr
- 25973. Pseudochazara (s.str.) aurantiaca (Staudinger,1871)** (Satyridae) Synonym(s): *aurantiaca Staudinger,1871* Original Reference: Satyrus beroe var. aurantiaca Staudinger,1871, Cat. lepid. eur. Faunengeb. (2): 29. Syntypes: Armenia [Georgien]: [Abbastouman]; [Iran]: Hyrcania. Range (in code): IR Elb Arr TR Cc GG Aba
- 25974. Pseudochazara (s.str.) aurantiaca aurantiaca (Staudinger,1871)** (Satyridae) Synonym(s): *aurantiaca Staudinger,1871* Original Reference: Satyrus beroe var. aurantiaca Staudinger,1871, Cat. lepid. eur. Faunengeb. (2): 29. Syntypes: Armenia [Georgien]: [Abbastouman]; [Iran]: Hyrcania. Range (in code): IR Elb Arr TR Cc
- 25975. Pseudochazara (s.str.) baldiva (Moore,1865)** (Satyridae) Synonym(s): *baldiva Moore,1865* Original Reference: Lasiommata baldiva Moore,1865, Proc. zool. Soc. Lond. 1865: 499, pl.xxx fig.4. Range (in code): CN IN Knw Ti Up PK Bt Skd
- 25976. Pseudochazara (s.str.) baldiva baldiva (Moore,1865)** (Satyridae) Synonym(s): *baldiva Moore,1865* Original Reference: Lasiommata baldiva Moore,1865, Proc. zool. Soc. Lond. 1865: 499, pl.xxx fig.4. Range (in code): CN IN Knw Ti Up
- 25977. Pseudochazara (s.str.) baldiva baltistana (Holik,1949)** (Satyridae) Synonym(s): *baltistana Holik,1949* Original Reference: Satyrus mnischechii ssp. baltistana Holik,1949, Z. Wien. ent. Ges. 34: 104-105. Syntypes 20♂ 4♀: [Pakistan]: Baltistan: Skardo. Range (in code): PK Bt Skd
- 25978. Pseudochazara (s.str.) balucha (Evans,1932)** (Satyridae) Synonym(s): *balucha Evans,1932; pallida Evans,1932 nec Stgr.,1901.* Original Reference: Eumenis mnischechii ssp. balucha

- Evans,1932, Identification Indian Butterflies (2): 113. Syntypes: [Pakistan]: Baluchistan. Range (in code): **BI PK**
- 25979. Pseudochazara (s.str.) balucha balucha (Evans,1932)** (Satyridae) Synonym(s): *balucha* Evans,1932; *pallida* Evans,1932 nec Stgr.,1901. Original Reference: Eumenis mnischechii ssp. *balucha* Evans,1932, Identification Indian Butterflies (2): 113. Syntypes: [Pakistan]: Baluchistan. Range (in code): **BI PK**
- 25980. Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) Synonym(s): *beroe* Freyer,[1843] Original Reference: Hipparchia *beroe* Freyer,[1843], Neuere Beitr. Schmett. 5(70): 53, pl.415 figs.1,2. Syntypes: [Türkei: Uludağ]. Range (in code): **TR Arr Cc IR Ab Ak**
- 25981. Pseudochazara (s.str.) beroe altivolans Gross,1978** (Satyridae) Synonym(s): *altivolans* Gross,1978 Original Reference: Pseudochazara *beroe* ssp. *altivolans* Gross,1978, Atalanta 9 (1): 49-50, figs.5c-e. Holotype ♀: [Türkei]: [Kayseri]: Erciyas Dağı, 2000m. (in coll. Eitschberger). Range (in code): **TR**
- 25982. Pseudochazara (s.str.) beroe beroe (Freyer,[1843])** (Satyridae) Synonym(s): *beroe* Freyer,[1843] Original Reference: Hipparchia *beroe* Freyer,[1843], Neuere Beitr. Schmett. 5(70): 53, pl.415 figs.1,2. Syntypes: [Türkei: Uludağ]. Range (in code): **TR Arr Cc**
- 25983. Pseudochazara (s.str.) cingovskii (Gross,1973)** (Satyridae) Synonym(s): *cingovskii* Gross,1973 Original Reference: Satyrus (Pseudochazara) *sintensis* ssp. *cingovskii* Gross,1973, Ent. Z., Frankf. a. M. 83(18): 213-214, Abb.2. Holotype ♂: [Makedonia]: Umgebung Prilep. Range (in code): **MK**
- 25984. Pseudochazara (s.str.) cingovskii cingovskii (Gross,1973)** (Satyridae) Synonym(s): *cingovskii* Gross,1973 Original Reference: Satyrus (Pseudochazara) *sintensis* ssp. *cingovskii* Gross,1973, Ent. Z., Frankf. a. M. 83(18): 213-214, Abb.2. Holotype ♂: [Makedonia]: Umgebung Prilep. Range (in code): **MK**
- 25985. Pseudochazara (s.str.) daghestana (Holik,1955)** (Satyridae) Synonym(s): *daghestana* Holik,1955 Original Reference: Satyrus *geyeri* ssp. *daghestana* Holik,1955, Z. lepidopt. 3: 176, Taf.19 figs. 2,5,6. Holotype ♂: [Russia]: North Daghestan: Gunib. Range (in code): **Cc AZ Da IR Ak Sbl RU**
- 25986. Pseudochazara (s.str.) daghestana daghestana (Holik,1955)** (Satyridae) Synonym(s): *daghestana* Holik,1955 Original Reference: Satyrus *geyeri* ssp. *daghestana* Holik,1955, Z. lepidopt. 3: 176, Taf.19 figs. 2,5,6. Holotype ♂: [Russia]: North Daghestan: Gunib. Range (in code): **Cc Da RU**
- 25987. Pseudochazara (s.str.) daghestana savalanica (Gross & Ebert,1975)** (Satyridae) Synonym(s): *savalanica* Gross & Ebert,1975 Original Reference: Satyrus (Pseudochazara) *geyeri* ssp. *savalanicus* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 21-22, figs. 20,21. Holotype ♂: Iran: NW-Iran: Sabalan (LNK). Range (in code): **IR Ak Sbl**
- 25988. Pseudochazara (s.str.) daghestana zangezura Nekrutenko,1989** (Satyridae) Synonym(s): *zangezura* Nekrutenko,1989 Range (in code): **Cc AZ**
- 25989. Pseudochazara (s.str.) droshica (Tytler,1926)** (Satyridae) Synonym(s): *droshica* Tytler,1926 Original Reference: Eumenis *lehana* ssp. *droshica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: [Pakistan]: Drosh, Shandur Pass. Range (in code): **AF Bd Bt Dro Ci Gg KK Nwf PK Sha Shv**
- 25990. Pseudochazara (s.str.) droshica badachshana (Wyatt & Omoto,1966)** (Satyridae) Synonym(s): *badachshana* Wyatt & Omoto,1966 Original Reference: Satyrus (Pseudochazara) *turkestana* ssp. *badachshana* Wyatt & Omoto,1966, Entomops 5: 162-163, figs. Holotype ♂: Afghanistan: N. Badachshan: Shiva Mts., 1800-2800m. Range (in code): **AF Bd KK Shv**
- 25991. Pseudochazara (s.str.) droshica droshica (Tytler,1926)** (Satyridae) Synonym(s): *droshica* Tytler,1926 Original Reference: Eumenis *lehana* ssp. *droshica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: [Pakistan]: Drosh, Shandur Pass. Range (in code): **Bt Ci Dro Gg Nwf PK Sha**
- 25992. Pseudochazara (s.str.) euxina (Kusnetsov,1909)** (Satyridae) Synonym(s): *euxina* Kusnetsov,1909 Original Reference: Hipparchia *euxina* Kusnetsov, 1909, Annu. Mus. Acad. imp. Sci., St.-Petersb. 14: 141, tab.3 figs.1-6. Syntypes: [Ukraine: Crimea]: near Yalta, southern slopes of Ai-Petri. Range (in code): **Cm UA**
- 25993. Pseudochazara (s.str.) euxina euxina (Kusnetsov,1909)** (Satyridae) Synonym(s): *euxina* Kusnetsov,1909 Original Reference: Hipparchia *euxina* Kusnetsov, 1909, Annu. Mus.

- Acad. imp. Sci., St.-Petersb. 14: 141, tab.3 figs.1-6. Syntypes: [Ukraine: Crimea]: near Yalta, southern slopes of Ai-Petri. Range (in code): Cm UA
- 25994. Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 Original Reference: *Satyrus geyeri* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs. 301-302. Syntypes: [Türkei]: Südseite d. Ararat (M.Wagner). Range (in code): AL GR MK Cc TR Arr IR Ab Bionomy: Larva on *Festuca ovina* (Poaceae) (Tolman,1997).
- 25995. Pseudochazara (s.str.) geyeri geyeri (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 Original Reference: *Satyrus geyeri* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs. 301-302. Syntypes: [Türkei]: Südseite d. Ararat (M.Wagner). Range (in code): Cc TR Arr IR Ab
- 25996. Pseudochazara (s.str.) geyeri occidentalis (Rebel & Zerny,1931)** (Satyridae) Synonym(s): *occidentalis* Rebel & Zerny,1931 Original Reference: *Satyrus* (Hipparchia) *geyeri* ssp. *occidentalis* Rebel & Zerny,1931, Denkschr. Akad. Wiss. Wien 103:74, Taf. figs.5,6. Syntypes: Albanien: Galicica pl. 1600-1900m (in coll. NHMW). Range (in code): AL GR MK
- 25997. Pseudochazara (s.str.) graeca (Staudinger,1870)** (Satyridae) Synonym(s): *graeca* Staudinger,1870 Original Reference: *Satyrus mamurra* var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 70. Syntypes: Griechenland: [Mt. Parnassos, Mt. Chelmos]. Range (in code): GR
- 25998. Pseudochazara (s.str.) graeca apollo Gross,1978** (Satyridae) Synonym(s): *apollo* Gross,1978 Original Reference: *Pseudochazara graeca* ssp. *apollo* Gross,1978, Atalanta 9(1): 48, fig. 3c-d. Holotype ♂: [Griechenland]: Parnaß, 1800-2000m. Range (in code): GR
- 25999. Pseudochazara (s.str.) graeca graeca (Staudinger,1870)** (Satyridae) Synonym(s): *graeca* Staudinger,1870 Original Reference: *Satyrus mamurra* var. *graeca* Staudinger,1870, Horae Soc. ent. ross. 7: 70. Syntypes: Griechenland: [Mt. Parnassos, Mt. Chelmos]. Range (in code): GR
- 26000. Pseudochazara (s.str.) graeca pelops Gross,1978** (Satyridae) Synonym(s): *pelops* Gross,1978 Original Reference: *Pseudochazara graeca* ssp. *pelops* Gross,1978, Atalanta 9(1): 48, figs. 3g-j. Holotype ♂: [Griechenland]: Melanon, 1700-1900m. Range (in code): GR
- 26001. Pseudochazara (s.str.) graeca zagoriensis Aussem,1978** (Satyridae) Synonym(s): *zagoriensis* Aussem,1978 Original Reference: *Pseudochazara graeca* ssp. *zagoriensis* Aussem,1978, Ent. Z., Frankf. a. M. 88(3): 19-20, f. 5-8. Holotype ♂: Griechenland: Ioannina: Zagoria,1800m. Range (in code): GR
- 26002. Pseudochazara (s.str.) guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878] Original Reference: *Satyrus pelopea* var. *guriensis* Staudinger,[1878], Horae Soc. ent. ross. 14: 279-281. Syntypes: [Georgia]: Abastuman, Achalzich; [Armenia]: in der Nähe des Sees von Goektschai (Haberhauer leg.). Range (in code): Cc AM GG Aba Smt Akh RU Kb Kr Da TR
- 26003. Pseudochazara (s.str.) guriensis guriensis (Staudinger,[1878])** (Satyridae) Synonym(s): *guriensis* Staudinger,[1878] Original Reference: *Satyrus pelopea* var. *guriensis* Staudinger,[1878], Horae Soc. ent. ross. 14: 279-281. Syntypes: [Georgia]: Abastuman, Achalzich; [Armenia]: in der Nähe des Sees von Goektschai (Haberhauer leg.). Range (in code): Cc AM GG Aba Smt Akh RU Kb Kr Da TR
- 26004. Pseudochazara (s.str.) guriensis rjabovi (Sheljuzhko,1935)** (Satyridae) Synonym(s): *rjabovi* Sheljuzhko,1935 Original Reference: *Satyrus guriensis* ssp. *rjabovi* Sheljuzhko,1935, Folia zool. hydrobiol. 8: 299. Syntypes 9♂: Russia: Daghestan. Range (in code): Cc Da RU
- 26005. Pseudochazara (s.str.) guriensis tschetverikovi (Sheljuzhko,1935)** (Satyridae) Synonym(s): *tschetverikovi* Sheljuzhko,1935 Original Reference: *Satyrus guriensis* ssp. *tschetverikovi* Sheljuzhko,1935, Folia zool. hydrobiol. 8: 300. Syntypes 2♂ 3♀: [Georgia]: Teberda, Chatipara Berge, 1800-2400m. Range (in code): Kb RU
- 26006. Pseudochazara (s.str.) kopetdaghi Dubatolov,1989** (Satyridae) Synonym(s): *kopetdaghi* Dubatolov,1989 Original Reference: *Pseudochazara kopetdaghi* Dubatolov,1989, Proc. zool. Inst. USSR 200: 138-139, fig.2-6. Holotype ♂: Turkmenia: Kopet Dagh. Range (in code): Kp TM IR
- 26007. Pseudochazara (s.str.) lehana (Moore,1878)** (Satyridae) Synonym(s): *lehana* Moore,1878 Original Reference: *Hipparchia lehana* Moore,1878, Ann. Mag. nat. Hist. (5) 1: 227. Syntypes ♂♀: Ladak: Leh, Kharbu. Range (in code): Ld Leh Gg Sha Ci PK

- 26008. *Pseudochazara* (s.str.) *lehana gilgitica* (Tytler,1926)** (Satyridae) Synonym(s): *gilgitica* Tytler,1926 Original Reference: *Eumenis lehana* ssp. *gilgitica* Tytler,1926, J. Bombay nat. Hist. Soc. 31: 256. Syntypes: Gilgit, Shandur Pass. Range (in code): **Gg Sha Ci PK**
- 26009. *Pseudochazara* (s.str.) *lehana lehana* (Moore,1878)** (Satyridae) Synonym(s): *lehana* Moore,1878 Original Reference: *Hipparchia lehana* Moore,1878, Ann. Mag. nat. Hist. (5) 1: 227. Syntypes ♂♀: Ladak: Leh, Kharbu. Range (in code): **Ld Leh**
- 26010. *Pseudochazara* (s.str.) *lydia* (Staudinger,1878)** (Satyridae) Synonym(s): *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978. Original Reference: *Satyrus mamurra* var. *lydia* Staudinger,1878, Horae Soc. ent. ross. 14: 281-282. Syntypes: [Türkei]: Boz Dag. Lectotype ♂, designated by Wagener,1995, Die Tagfalter der Türkei: 946 (ZMHB). Range (in code): **TR**
- 26011. *Pseudochazara* (s.str.) *lydia aurora* Eckweiler & Rose,[1989]** (Satyridae) Synonym(s): *aurora* Eckweiler & Rose,[1989] Original Reference: *Pseudochazara lydia* ssp. *aurora* Eckweiler & Rose,[1989], Nachr. ent. Ver. Apollo N.F. 9(4): 213-223, Abb. Holotype ♂: Türkiye: Antalya Pr., Elmalı, Bey Dağları, 1400-1600m. Range (in code): **TR**
- 26012. *Pseudochazara* (s.str.) *lydia lydia* (Staudinger,1878)** (Satyridae) Synonym(s): *lydia* Staudinger,1878; *neglecta* Gross,1978; *bithyniae* Gross,1978. Original Reference: *Satyrus mamurra* var. *lydia* Staudinger,1878, Horae Soc. ent. ross. 14: 281-282. Syntypes: [Türkei]: Boz Dag. Lectotype ♂, designated by Wagener,1995, Die Tagfalter der Türkei: 946 (ZMHB). Range (in code): **TR**
- 26013. *Pseudochazara* (s.str.) *lydia nesrin* Koçak,1989** (Satyridae) Synonym(s): *nesrin* Koçak,1989 Original Reference: *Pseudochazara lydia* ssp. *nesrin* Koçak,1989, Priamus 5(1/2): 69-71. Holotype ♂: Turkey: Konya Pr. Asarderesi 2000m (in coll. CESA). Range (in code): **TR**
- 26014. *Pseudochazara* (s.str.) *lydia obscura* (Staudinger,1878)** (Satyridae) Synonym(s): *obscura* Staudinger,1878 Original Reference: *Satyrus mamurra* var. *obscura* Staudinger,1878, Horae Soc. ent. ross. 14: 282-283. Syntypes: [Türkei]: Taurus. Lectotype ♂ [Kilikischer Taurus, nördlich von Tarsus], designated by Wagener,1995, Die Tagfalter der Türkei: 946 (ZMHB). Range (in code): **TR**
- 26015. *Pseudochazara* (s.str.) *mamurra* (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenis* Staudinger,[1896] Original Reference: *Satyrus pelopea* var. *mamurra* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.314-315. Syntypes: [Türkei]: Ararat. Range (in code): **GR He IL LB TR Arr Cc RU Da SY IR Ab Ak Fa Ke Ss**
- 26016. *Pseudochazara* (s.str.) *mamurra amymone* Brown,1976** (Satyridae) Synonym(s): *amymone* Brown,1976 Original Reference: *Pseudochazara amymone* Brown,1976, Entomologist's Gaz. 27: 88-89, pl.6 figs.12,13. Holotype ♂: Greece: N.W.Greece: mountains just N. of Ioannina, Epiros (in coll. J.Brown). Range (in code): **GR**
- 26017. *Pseudochazara* (s.str.) *mamurra birgit* Gross,1978** (Satyridae) Synonym(s): *birgit* Gross,1978; *birgitae* Koçak,1978 Original Reference: *Pseudochazara mamurra* ssp. *birgit* Gross,1978, Atalanta 9(1): 54, figs.11c-f. Holotype ♂: [Türkei]: [Sivas: Gürün]; Ziyaret Paş. Range (in code): **TR**
- 26018. *Pseudochazara* (s.str.) *mamurra kermana* Eckweiler,2004** (Satyridae) Synonym(s): *kermana* Eckweiler,2004 Range (in code): **IR Ke**
- 26019. *Pseudochazara* (s.str.) *mamurra larseni* Koçak,1978** (Satyridae) Synonym(s): *larseni* Koçak,1978 Original Reference: *Pseudochazara mamurra* ssp. *larseni* Koçak,1978, Atalanta 9 (4a): 372-374, figs.1-4. Holotype ♂: Libanon: Antilibanon: Aarsal (LNK). Range (in code): **ALb He IL LB SY**
- 26020. *Pseudochazara* (s.str.) *mamurra mamurra* (Herrich-Schäffer,[1846])** (Satyridae) Synonym(s): *mamurra* Herrich-Schäffer,[1846]; *sintenis* Staudinger,[1896] Original Reference: *Satyrus pelopea* var. *mamurra* Herrich-Schäffer,[1846], Syst. Bearb. Schmett. Eur. 1: figs.314-315. Syntypes: [Türkei]: Ararat. Range (in code): **TR Arr Cc IR Ab Ak**
- 26021. *Pseudochazara* (s.str.) *mamurra nukatli* Bogdanov,2000** (Satyridae) Synonym(s): *nukatli* Bogdanov,2000 Original Reference: *Pseudochazara nukatli* Bogdanov,2000, Helios 1: 111. Holotype ♂: Russia: Daghestan Rep.: Verkhny Gunib, Nukatli' Mts., 2000m. Range (in code): **Cc RU Da**
- 26022. *Pseudochazara* (s.str.) *mamurra schahrudensis* (Staudinger,1881)** (Satyridae) Synonym(s): *schahrudensis* Staudinger,1881 Original Reference: *Satyrus pelopea* var.

schahrudensis Staudinger, 1881, Horae Soc. ent. ross. 16: 69. Syntypes: Schahrud. Lectotype ♂: [Iran]: Schahrud (designated by Nekrutenko, 1990) (in coll. ZMHB). Range (in code): **IQ IR Ab Elb Fa TR**

26023. Pseudochazara (s.str.) mamurra taftana Eckweiler, 2004 (Satyridae) Synonym(s): *taftana* Eckweiler, 2004 Range (in code): **IR Ss**

26024. Pseudochazara (s.str.) mercuria (Staudinger, 1887) (Satyridae) Synonym(s): *mercurius* Staudinger, 1887 Original Reference: *Satyrus mercurius* Staudinger, 1887, Stettin ent. Ztg. 48: 58. Syntypes 2♂: [Kirgizistan]: Alexandergebirge [Kirgisches Gebirge]. Range (in code): **Aa An Aq At Bn Aty Ax Ba CN ES Mu Gn Rth Grn Ka KG KK Kt Ku Kw MN Mn Om Or Pw RU Sem Sm Snv Sp Sr Ti Tk T-S Ui Kml Uk DsA KuA TrA Ket Sau Tar Tyk Tj** Bionomy: Larva on *Festuca ovina* (Poaceae) (Tolman, 1997).

26025. Pseudochazara (s.str.) mercuria aislada Eitschberger & Steiniger, 1973 (Satyridae) Synonym(s): *aislada* Eitschberger & Steiniger, 1973 Range (in code): **ES**

26026. Pseudochazara (s.str.) mercuria augustini Weiss, 1980 (Satyridae) Synonym(s): *augustini* Weiss, 1980 Original Reference: *Pseudochazara hippolyte* ssp. *augustini* Weiss, 1980, *Linneana belgica* 8(3): 99-101, figs. Holotype ♂: Espagne: Sierra de Gador (Süd de la Sierra Nevada a l'ouest d'Almería), 2000-2200m (in coll. Weiss). Range (in code): **An ES Grn**

26027. Pseudochazara (s.str.) mercuria doerriesi (O. Bang-Haas, 1933) (Satyridae) Synonym(s): *doerriesi* O. Bang-Haas, 1933 Range (in code): **RU**

26028. Pseudochazara (s.str.) mercuria esperi Koçak, 1981 (Satyridae) Synonym(s): *#agave* Esper, [1783] [nonbinominal]; *hippolyte* Esper, [1784] *nec hyppolite* Dru., 1782 [*Pseudacraea*]; *alcyone* Fabricius, 1787 *nec* Den. & Schiff., 1775; *agave* Borkhausen, 1788 *nec* Cr., 1775; *esper* Koçak, 1981. Original Reference: *Pseudochazara mercurius* ssp. *esper* Koçak, 1981, *Priamus* 1 (1): 11, nomen novum pro *hippolyte* Esper, [1784] *nec hyppolite* Drury, 1782 [*Pseudacraea*]. Syntypes: Russia: Südrussland. Range (in code): **Aq At Aty Ba CN Ka KG Kt Kw Mn Om Or Pw Rk RU Sm Sp Sr Ui Kml Uk Sau Tar Tj**

26029. Pseudochazara (s.str.) mercuria gigantea (O. Bang-Haas, 1933) (Satyridae) Synonym(s): *gigantea* O. Bang-Haas, 1933 Range (in code): **CN Gn**

26030. Pseudochazara (s.str.) mercuria mercuria (Staudinger, 1887) (Satyridae) Synonym(s): *mercurius* Staudinger, 1887 Original Reference: *Satyrus mercurius* Staudinger, 1887, Stettin ent. Ztg. 48: 58. Syntypes 2♂: [Kirgizistan]: Alexandergebirge [Kirgisches Gebirge]. Range (in code): **T-S Aa Ax KG KK Sem Tk DsA KuA TrA Ket Tyk**

26031. Pseudochazara (s.str.) mercuria pallida (Staudinger, 1901) (Satyridae) Synonym(s): *pallida* Staudinger, 1901 Original Reference: *Satyrus hippolyte* var. *pallida* Staudinger, 1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 55. Syntypes: [Russia]: Altai. or. alp.; And. Range (in code): **RU At Bn**

26032. Pseudochazara (s.str.) mercuria richthofeni (O. Bang-Haas, 1933) (Satyridae) Synonym(s): *richthofeni* O. Bang-Haas, 1933 Range (in code): **CN Gn Rth**

26033. Pseudochazara (s.str.) mercuria williamsi (Romei, 1927) (Satyridae) Synonym(s): *williamsi* Romei, 1927 Original Reference: *Hipparchia hippolyte* ssp. *williamsi* Romei, 1927, *Entomologist's Rec. J. Var.* 39: 138. Syntypes: Spain: Sierra Nevada: Puerto del Lobo, 5000ft. Range (in code): **ES An Mu Snv**

26034. Pseudochazara (s.str.) mniszechii (Herrich-Schäffer, [1851]) (Satyridae) Synonym(s): *mniszechii* Herrich-Schäffer, [1851] Original Reference: *Satyrus mniszechii* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 14; *ibid.* [1852], Papilionides, Taf. 120 figs. 577-579. Syntypes: [Türkei]: "Tokat in Kleinasien". Range (in code): **Cc GG Aba Smt Akh GR TR IR** Bionomy: Larva on *Festuca ovina* (Poaceae) (Tolman, 1997).

26035. Pseudochazara (s.str.) mniszechii eremicola Gross, 1978 (Satyridae) Synonym(s): *eremicola* Gross, 1978 Range (in code): **TR**

26036. Pseudochazara (s.str.) mniszechii kirgisa (Gerhard, 1882) (Satyridae) Synonym(s): *caucasica* Lederer, 1864 *nec* Nordm., 1851; *kirgisa* Gerhard, 1882. Original Reference: *Satyrus pelopea* var. *kirgisa* Gerhard, 1882, Berl. ent. Z. 26 (1): 127. Syntypes: Achty im Caucasus. Range (in code): **Cc GG Aba Smt Akh TR IR**

26037. Pseudochazara (s.str.) mniszechii mniszechii Herrich-Schäffer, [1851] (Satyridae) Synonym(s): *mniszechii* Herrich-Schäffer, [1851] Original Reference: *Satyrus mniszechii* Herrich-Schäffer, [1851], Syst. Bearb. Schmett. Eur. 6: 14; *ibid.* [1852], Papilionides, Taf. 120 figs. 577-579. Syntypes: [Türkei]: "Tokat in Kleinasien". Range (in code): **TR**

- 26038. Pseudochazara (s.str.) mnischechii tisiphone Brown, 1980** (Satyridae) Synonym(s): *tisiphone* Brown, 1980 Original Reference: Pseudochazara cingowskii ssp. tisiphone Brown, 1980, Entomologist's Rec. J. Var. 92(11/12): 280-281, figs. Holotype ♂: Greece: Mt. Smolikas, 1200m (in coll. Brown). Range (in code): GR TR Bionomy: Larva on Festuca ovina (Poaceae) (Tolman, 1997).
- 26039. Pseudochazara (s.str.) orestes De Prins & Poorten, 1981** (Satyridae) Synonym(s): *orestes* De Prins & Poorten, 1981 Range (in code): BG GR Bionomy: Larva on Agrostis stolonifera (Poaceae) (Tolman, 1997).
- 26040. Pseudochazara (s.str.) orestes orestes De Prins & Poorten, 1981** (Satyridae) Synonym(s): *orestes* De Prins & Poorten, 1981 Range (in code): BG GR Bionomy: Larva on Agrostis stolonifera (Poaceae) (Tolman, 1997).
- 26041. Pseudochazara (s.str.) pakistana Gross, 1978** (Satyridae) Synonym(s): *pakistana* Gross, 1978 Original Reference: Pseudochazara pakistana Gross, 1978, Atalanta 9(1): 63-64, figs. 23a-b. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2820m. Range (in code): BI PK Qu Zi
- 26042. Pseudochazara (s.str.) pakistana pakistana Gross, 1978** (Satyridae) Synonym(s): *pakistana* Gross, 1978 Original Reference: Pseudochazara pakistana Gross, 1978, Atalanta 9(1): 63-64, figs. 23a-b. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2820m. Range (in code): BI PK Qu Zi
- 26043. Pseudochazara (s.str.) panjshira (Wyatt & Omoto, 1966)** (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto, 1966 Original Reference: Satyrus (Pseudochazara) baldiva ssp. panjshira Wyatt & Omoto, 1966, Entomops 5: 160, figs. Holotype ♂: Afghanistan: [Hindu Kush], Dasht-i-Riwat, lower Panjshir valley, 2200m. Range (in code): AF Anj Bd Bqu Hk
- 26044. Pseudochazara (s.str.) panjshira atambergi (Wyatt & Omoto, 1966)** (Satyridae) Synonym(s): *atambergi* Wyatt & Omoto, 1966 Original Reference: Satyrus (Pseudochazara) baldiva ssp. atambergi Wyatt & Omoto, 1966, Entomops 5: 161, figs. Holotype ♂: Afghanistan: Badachshan: Bala Quran, Anjuman valley, 2900-3200m. Range (in code): AF Anj Bd Bqu Hk
- 26045. Pseudochazara (s.str.) panjshira badachshana Wyatt & Omoto, 1966** (Satyridae) Synonym(s): *badachshana* Wyatt & Omoto, 1966 Range (in code): AF Bd
- 26046. Pseudochazara (s.str.) panjshira panjshira (Wyatt & Omoto, 1966)** (Satyridae) Synonym(s): *panjshira* Wyatt & Omoto, 1966 Original Reference: Satyrus (Pseudochazara) baldiva ssp. panjshira Wyatt & Omoto, 1966, Entomops 5: 160, figs. Holotype ♂: Afghanistan: [Hindu Kush], Dasht-i-Riwat, lower Panjshir valley, 2200m. Range (in code): AF Hk
- 26047. Pseudochazara (s.str.) pelopea (Klug, 1832)** (Satyridae) Synonym(s): *pelopea* Klug, 1832 Original Reference: Hipparchia pelopea Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 5-8. Syntypes: "Monte Libano Syriae prope Arissam". Range (in code): IL Pa IQ TIH IR Ab Sro Ak Elb Th Ke Fa JO LB SY TM Kp Kh TR Cc
- 26048. Pseudochazara (s.str.) pelopea pelopea (Klug, 1832)** (Satyridae) Synonym(s): *pelopea* Klug, 1832 Original Reference: Hipparchia pelopea Klug, 1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl. 29, figs. 5-8. Type(s): [Lebanon]: Beirut. Range (in code): Pa He IL JO LB Bei SY
- 26049. Pseudochazara (s.str.) pelopea persica (Christoph, 1878)** (Satyridae) Synonym(s): *persica* Christoph, 1877; *persica* Staudinger, 1878 nec Chr., 1877; *kurdistanica* Staudinger, 1901 Original Reference: Satyrus pelopea var. persica Christoph, 1878, Horae Soc. ent. ross. 14: 279. Syntypes: [Iran]: Schahrud, Hadschyabad. Lectotype ♂: Schahrud. (designated by Nekrutenko, 1990) (in coll. ZMHB). Range (in code): IQ TIH IR Ab Ak Elb Th Ke Fa TR Cc
- 26050. Pseudochazara (s.str.) porphyritica Clench & Shoumatoff, 1956** (Satyridae) Synonym(s): *porphyritica* Clench & Shoumatoff, 1956 Original Reference: Pseudochazara porphyritica Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 150-151. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m. Range (in code): AF Kbb Pnj
- 26051. Pseudochazara (s.str.) porphyritica porphyritica Clench & Shoumatoff, 1956** (Satyridae) Synonym(s): *porphyritica* Clench & Shoumatoff, 1956 Original Reference: Pseudochazara porphyritica Clench & Shoumatoff, 1956, Vidensk. Medd. fra Dansk naturh. For. 118: 150-151. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Panjao, 2500m. Range (in code): AF Kbb Pnj
- 26052. Pseudochazara (s.str.) pseudobaldiva Gross, 1978** (Satyridae) Synonym(s): *pseudobaldiva* Gross, 1978 Original Reference: Pseudochazara pseudobaldiva Gross, 1978, Atalanta 9(1): 62, fig. 21a. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2500m. Range (in code): BI PK Zi
- 26053. Pseudochazara (s.str.) pseudobaldiva pseudobaldiva Gross, 1978** (Satyridae) Synonym(s): *pseudobaldiva* Gross, 1978 Original Reference: Pseudochazara pseudobaldiva

- Gross, 1978, *Atalanta* 9(1):62, fig. 21a. Holotype ♂: [Pakistan]: Quetta: Ziarat, 2500m. Range (in code): **BI PK ZI**
- 26054. *Pseudochazara* (s.str.) *sagina* (Staudinger, [1894])** (Satyridae) Synonym(s): *sagina* Staudinger, [1894] Original Reference: *Satyrus lehana* var. *sagina* Staudinger, [1894], [in] Rühl, Die palaearkt. Grossschmett. 1: 542. Type(s): Turkestan. Range (in code): **AF CN TJ UI Z-G**
- 26055. *Pseudochazara* (s.str.) *sagina sagina* (Staudinger, [1894])** (Satyridae) Synonym(s): *sagina* Staudinger, [1894] Original Reference: *Satyrus lehana* var. *sagina* Staudinger, [1894], [in] Rühl, Die palaearkt. Grossschmett. 1: 542. Type(s): Turkestan. Range (in code): **AF CN TJ UI Z-G**
- 26056. *Pseudochazara* (s.str.) *schakuhensis* (Staudinger, 1881)** (Satyridae) Synonym(s): *schakuhensis* Staudinger, 1881; *brandti* Holik, 1949. Original Reference: *Satyrus mamurra* var. *schakuhensis* Staudinger, 1881, *Horae Soc. ent. ross.* 16: 70. Syntypes 6♂ 3♀: Schahrud. (in coll. ZMHB). Range (in code): **IR Elb Se Ak Es TR**
- 26057. *Pseudochazara* (s.str.) *schakuhensis chansara* Skala, Schurian & Ten Hagen, 2001** (Satyridae) Synonym(s): *chansara* Skala, Schurian & Ten Hagen, 2001 Original Reference: *Pseudochazara schakuhensis* ssp. *chansara* Skala, Schurian & Ten Hagen, 2001, *Nachr. ent. Ver. Apollo* (N.F.) 22 (3): 141-144, figs. Holotype ♂: Iran: Esfahan: Damane-Khounsar Pass, 2500-2750m (leg. Ten Hagen) (SMF). Range (in code): **IR Es**
- 26058. *Pseudochazara* (s.str.) *schakuhensis schakuhensis* (Staudinger, 1881)** (Satyridae) Synonym(s): *schakuhensis* Staudinger, 1881 Original Reference: *Satyrus mamurra* var. *schakuhensis* Staudinger, 1881, *Horae Soc. ent. ross.* 16: 70. Syntypes 6♂ 3♀: Schahrud. (in coll. ZMHB). Range (in code): **IR Elb Se Ak TR**
- 26059. *Pseudochazara* (s.str.) *tekkensis* (Heyne, [1895])** (Satyridae) Synonym(s): *tekkensis* Heyne, [1895] Original Reference: *Satyrus pelopea* var. *tekkensis* Heyne, [1895], [in] Rühl, F., Die Palaearkt. Grossschmett. *Naturg.* 1: 819. Syntypes: [Turkmenistan]: Achal-Tekke. Range (in code): **IR Kp Kh TM**
- 26060. *Pseudochazara* (s.str.) *turkestana* (Groum-Grshimailo, 1893)** (Satyridae) Synonym(s): *turkestana* Groum-Grshimailo, 1893 Original Reference: *Satyrus lehana* var. *turkestana* Groum-Grshimailo, 1893, *Horae Soc. ent. ross.* 27: 384. Syntypes: [China: Uighur A.R.]: "in montibus Turkestan: Tian-shan orientali" [Tengri Tagh]. Range (in code): **CN KK T-S UI Ku Au Kml KG Al AF Anj Bd Bqu Kbb Hk Prw Pnj Pag Sp Ket KuA T-I TrA Ax Sju**
- 26061. *Pseudochazara* (s.str.) *turkestana dargaga* (Wyatt & Omoto, 1966)** (Satyridae) Synonym(s): *dargaga* Wyatt & Omoto, 1966 Original Reference: *Satyrus* (*Pseudochazara*) *watsoni* ssp. *dargaga* Wyatt & Omoto, 1966, *Entomops* 5: 165, figs. Holotype ♂: Afghanistan: [Hindu Kush], upper Panjshir valley, 3500m. Range (in code): **AF Hk Prw Pnj Pag**
- 26062. *Pseudochazara* (s.str.) *turkestana esquilina* (Fruhstorfer, 1911)** (Satyridae) Synonym(s): *esquilinus* Fruhstorfer, 1911 Original Reference: *Satyrus mnischechii esquilinus* Fruhstorfer, 1911, [in] Seitz, A., *Gross-Schmett. Erde* 9: 308. Syntypes: Alai. Range (in code): **T-S KK Al Ku Ui CN**
- 26063. *Pseudochazara* (s.str.) *turkestana tarbagata* (Staudinger, [1900])** (Satyridae) Synonym(s): *alpina* Staudinger, 1881 nec *Stgr.*, 1879; *tarbagata* Staudinger, [1900]; *tarbagata* Staudinger, 1901. Original Reference: *Satyrus baldiva* var. *tarbagata* Staudinger, [1900], *Dt. ent. Z., Iris* 12: 336. Syntypes: [China: Uighur A.R.]: Tien-Shan or. Chamyl [Kumul]; [Kazakhstan]: Tarbagatai. Range (in code): **CN KG Sp T-S UI Kml Tar Sau**
- 26064. *Pseudochazara* (s.str.) *turkestana turkestana* (Groum-Grshimailo, 1893)** (Satyridae) Synonym(s): *turkestana* Groum-Grshimailo, 1893 Original Reference: *Satyrus lehana* var. *turkestana* Groum-Grshimailo, 1893, *Horae Soc. ent. ross.* 27: 384. Syntypes: [China: Uighur A.R.]: "in montibus Turkestan: Tian-shan orientali" [Tengri Tagh]. Range (in code): **T-S CN UI Au Ket KuA T-I TrA Ax Sju KG**
- 26065. *Pseudochazara* (s.str.) *turkestana wakhilkhani* (Wyatt & Omoto, 1966)** (Satyridae) Synonym(s): *wakhilkhani* Wyatt & Omoto, 1966 Original Reference: *Satyrus* (*Pseudochazara*) *watsoni* ssp. *wakhilkhani* Wyatt & Omoto, 1966, *Entomops* 5: 164-165, figs. Holotype ♂: Afghanistan: [Badachshan], Bala Quran, Anjuman valley, 2900-3200m. Range (in code): **AF Anj Bd Bqu Hk**
- 26066. *Pseudochazara* (s.str.) *turkestana watsoni* Clench & Shoumatoff, 1956** (Satyridae) Synonym(s): *watsoni* Clench & Shoumatoff, 1956 Original Reference: *Pseudochazara mnischechii* ssp. *watsoni* Clench & Shoumatoff, 1956, *Vidensk. Medd. fra Dansk naturh. For.* 118:

- 152-154. Holotype ♂: Afghanistan: Eastern Koh-i-Baba Mts.: Kotal Pass, 3800m. Range (in code): AF Kbb
- 26067. Pseudochazara (s.str.) xerxes (Gross & Ebert,1975)** (Satyridae) Synonym(s): xerxes Gross & Ebert,1975 Original Reference: Satyrus (Pseudochazara) mnischechii ssp. xerxes Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 20, figs. 18,19. Holotype ♂: Iran: Elburs N-Seite, ca. 20km N. v. Kandevantunnel, 2900-3000m (in coll. Junge). Range (in code): IR Mz Elb
- 26068. Pseudochazara (s.str.) xerxes xerxes (Gross & Ebert,1975)** (Satyridae) Synonym(s): xerxes Gross & Ebert,1975 Original Reference: Satyrus (Pseudochazara) mnischechii ssp. xerxes Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 20, figs. 18,19. Holotype ♂: Iran: Elburs N-Seite, ca. 20km N. v. Kandevantunnel, 2900-3000m (in coll. Junge). Range (in code): IR Mz Elb
- 26069. Pseudonympha arnoldi Van Son,1941** (Satyridae) Synonym(s): arnoldi Van Son,1941 Range (in code): ZW
- 26070. Pseudonympha arnoldi arnoldi Van Son,1941** (Satyridae) Synonym(s): arnoldi Van Son,1941 Range (in code): ZW
- 26071. Pseudonympha camdeboo Dickson,1981** (Satyridae) Synonym(s): camdeboo Dickson,1981 Range (in code): ZA Ec
- 26072. Pseudonympha camdeboo camdeboo Dickson,1981** (Satyridae) Synonym(s): camdeboo Dickson,1981 Range (in code): ZA Ec
- 26073. Pseudonympha cyclops Van Son,1955** (Satyridae) Synonym(s): cyclops Van Son,1955 Range (in code): ZW MZ
- 26074. Pseudonympha cyclops cyclops Van Son,1955** (Satyridae) Synonym(s): cyclops Van Son,1955 Range (in code): ZW MZ
- 26075. Pseudonympha detecta Trimen,1914** (Satyridae) Synonym(s): detecta Trimen,1914 Range (in code): ZA Bionomy: Larva on Ficinia (Cyperaceae); Restio (Restionaceae) (Ackery et al.,1995).
- 26076. Pseudonympha detecta detecta Trimen,1914** (Satyridae) Synonym(s): detecta Trimen,1914 Range (in code): ZA
- 26077. Pseudonympha gaika Riley,1938** (Satyridae) Synonym(s): gaika Riley,1938 Range (in code): ZA Ec LS
- 26078. Pseudonympha gaika gaika Riley,1938** (Satyridae) Synonym(s): gaika Riley,1938 Range (in code): ZA Ec LS
- 26079. Pseudonympha hippia (Cramer,[1779])** (Satyridae) Synonym(s): hippia Cramer,[1779]; montana Burchell,1822 Range (in code): ZA Bionomy: Larva on Ehrharta (Poaceae); Restio, Thamnochortus (Restionaceae) (Ackery et al.,1995).
- 26080. Pseudonympha hippia hippia (Cramer,[1779])** (Satyridae) Synonym(s): hippia Cramer,[1779]; montana Burchell,1822 Range (in code): ZA
- 26081. Pseudonympha machacha Riley,1938** (Satyridae) Synonym(s): machacha Riley,1938 Range (in code): ZA Kzu Nta LS
- 26082. Pseudonympha machacha machacha Riley,1938** (Satyridae) Synonym(s): machacha Riley,1938 Range (in code): ZA Kzu Nta LS
- 26083. Pseudonympha magoides Van Son,1955** (Satyridae) Synonym(s): magoides Van Son,1955 Range (in code): ZA Tva Bionomy: Larva on Ehrharta (Poaceae) (Ackery et al.,1995).
- 26084. Pseudonympha magoides magoides Van Son,1955** (Satyridae) Synonym(s): magoides Van Son,1955 Range (in code): ZA Tva
- 26085. Pseudonympha magus (Fabricius,1793)** (Satyridae) Synonym(s): magus Fabricius,1793; sabacus Trimen,1866 Range (in code): ZA Mpu Brb Tva Lpo Spb Ly Bionomy: Larva on Ehrharta, Cynodon (Poaceae) (Ackery et al.,1995).
- 26086. Pseudonympha magus magus (Fabricius,1793)** (Satyridae) Synonym(s): magus Fabricius,1793; sabacus Trimen,1866 Range (in code): ZA Mpu Brb Tva Lpo Spb Ly
- 26087. Pseudonympha narycia Wallengren,1857** (Satyridae) Synonym(s): narycia Wallengren,1857 Range (in code): ZW ZA Gau Jh Wm Hei Pre Tva Chp Ly Lpo Wb Bfk Ptc Bok Mdd Nta Kzu Fs
- 26088. Pseudonympha narycia loxophthalma Vari,1971** (Satyridae) Synonym(s): loxophthalma Vari,1971 Range (in code): ZA Tva Chp ZW

- 26089. *Pseudonympha narycia narycia* Wallengren, 1857** (Satyridae) **Synonym(s):** *narycia* Wallengren, 1857 **Range (in code):** [ZA Gau Jh Wm Hei Pre Tva Ly Lpo Wb Bfk Ptc Bok Mdd Nta Kzu Fs](#)
- 26090. *Pseudonympha nieuwweldensis* Dickson, 1966** (Satyridae) **Synonym(s):** *nieuwweldensis* Dickson, 1966 **Range (in code):** [ZA](#)
- 26091. *Pseudonympha nieuwweldensis nieuwweldensis* Dickson, 1966** (Satyridae) **Synonym(s):** *nieuwweldensis* Dickson, 1966 **Range (in code):** [ZA](#)
- 26092. *Pseudonympha paludis* Swanepoel, 1953** (Satyridae) **Synonym(s):** *paludis* Swanepoel, 1953 **Range (in code):** [ZA Nta Kzu Fs LS](#)
- 26093. *Pseudonympha paludis paludis* Swanepoel, 1953** (Satyridae) **Synonym(s):** *paludis* Swanepoel, 1953 **Range (in code):** [ZA Nta Kzu Fs LS](#)
- 26094. *Pseudonympha paragaika* Vari, 1971** (Satyridae) **Synonym(s):** *paragaika* Vari, 1971 **Range (in code):** [ZA Fs](#)
- 26095. *Pseudonympha paragaika paragaika* Vari, 1971** (Satyridae) **Synonym(s):** *paragaika* Vari, 1971 **Range (in code):** [ZA Fs](#)
- 26096. *Pseudonympha penningtoni* Riley, 1938** (Satyridae) **Synonym(s):** *penningtoni* Riley, 1938 **Range (in code):** [ZA Nta Kzu LS](#)
- 26097. *Pseudonympha penningtoni penningtoni* Riley, 1938** (Satyridae) **Synonym(s):** *penningtoni* Riley, 1938 **Range (in code):** [ZA Nta Kzu LS](#)
- 26098. *Pseudonympha poetula* Trimen, 1891** (Satyridae) **Synonym(s):** *poetula* Trimen, 1891 **Original Reference:** *Pseudonympha poetula* Trimen, 1891, Trans. ent. Soc. London 1891 (1): 169-171. Syntypes 5♂ 1♀: South Africa: Natal: Drakensberg, Transvaal: Lydenberg district. **Range (in code):** [ZA Nta Kzu Tva Ly SZ](#)
- 26099. *Pseudonympha poetula poetula* Trimen, 1891** (Satyridae) **Synonym(s):** *poetula* Trimen, 1891 **Original Reference:** *Pseudonympha poetula* Trimen, 1891, Trans. ent. Soc. London 1891 (1): 169-171. Syntypes 5♂ 1♀: South Africa: Natal: Drakensberg, Transvaal: Lydenberg district. **Range (in code):** [ZA Nta Kzu Tva Ly SZ](#)
- 26100. *Pseudonympha southeyi* (Pennington, 1953)** (Satyridae) **Synonym(s):** *southeyi* Pennington, 1953 **Range (in code):** [ZA Ec](#)
- 26101. *Pseudonympha southeyi kamiesbergensis* Dickson, 1967** (Satyridae) **Synonym(s):** *kamiesbergensis* Dickson, 1967 **Range (in code):** [ZA Ec](#)
- 26102. *Pseudonympha southeyi southeyi* (Pennington, 1953)** (Satyridae) **Synonym(s):** *southeyi* Pennington, 1953 **Range (in code):** [ZA Ec](#)
- 26103. *Pseudonympha southeyi wykehami* Dickson, 1967** (Satyridae) **Synonym(s):** *wykehami* Dickson, 1967 **Range (in code):** [ZA Wca](#)
- 26104. *Pseudonympha swanepoeli* Van Son, 1955** (Satyridae) **Synonym(s):** *swanepoeli* Van Son, 1955 **Range (in code):** [ZA Tva Wo Pie](#)
- 26105. *Pseudonympha swanepoeli swanepoeli* Van Son, 1955** (Satyridae) **Synonym(s):** *swanepoeli* Van Son, 1955 **Range (in code):** [ZA Tva Wo Pie](#)
- 26106. *Pseudonympha trimenii* Butler, 1868** (Satyridae) **Synonym(s):** *trimenii* Butler, 1868 **Range (in code):** [ZA Wca Cto](#)
- 26107. *Pseudonympha trimenii namaquana* Van Son, 1966** (Satyridae) **Synonym(s):** *namaquana* Van Son, 1966 **Range (in code):** [ZA Wca](#)
- 26108. *Pseudonympha trimenii ruthae* Dickson, 1966** (Satyridae) **Synonym(s):** *ruthae* Dickson, 1966 **Range (in code):** [ZA Ec](#)
- 26109. *Pseudonympha trimenii trimenii* Butler, 1868** (Satyridae) **Synonym(s):** *trimenii* Butler, 1868 **Range (in code):** [ZA Cto](#)
- 26110. *Pseudonympha varii* Van Son, 1955** (Satyridae) **Synonym(s):** *varii* Van Son, 1955 **Range (in code):** [ZA Ec Nta Kzu](#)
- 26111. *Pseudonympha varii varii* Van Son, 1955** (Satyridae) **Synonym(s):** *varii* Van Son, 1955 **Range (in code):** [ZA Ec Nta Kzu](#)
- 26112. *Ptychandra leucogyne* C.Felder & R.Felder, [1867]** (Satyridae) **Synonym(s):** *leucogyne* C.Felder & R.Felder, [1867] **Original Reference:** *Ptychandra leucogyne* C.Felder & R.Felder, [1867], Reise österr. Fregatte Novara, Lep.- Rhop. (2): 498. **Range (in code):** [PH Ceb Cml Luz Neg Pan Sam](#)
- 26113. *Ptychandra lorquinii* C.Felder & R.Felder, 1861** (Satyridae) **Synonym(s):** *lorquinii* C.Felder & R.Felder, 1861 **Range (in code):** [PH Ley Sam Boh Cml Luz Mar Mdo Pol](#)

- 26114. *Ptychandra lorquinii bohollensis* M.Okano & T.Okano,1989** (Satyridae)
Synonym(s): *bohollensis* M.Okano & T.Okano,1989 Range (in code): PH Boh
- 26115. *Ptychandra lorquinii leytensis* Banks,Holloway & Barlow,1976** (Satyridae)
Synonym(s): *leytensis* Banks,Holloway & Barlow,1976 Range (in code): PH Ley Sam
- 26116. *Ptychandra lorquinii lorquinii* C.Felder & R.Felder,1861** (Satyridae) Synonym(s):
lorquinii C.Felder & R.Felder,1861 Range (in code): PH CmL Luz Mar Mdo Pol
- 26117. *Ptychandra lorquinii plateni* Semper,1892** (Satyridae) Synonym(s): *plateni*
Semper,1892 Range (in code): PH Mno
- 26118. *Ptychandra mindorana* Semper,1892** (Satyridae) Synonym(s): *mindorana* Semper,1892
Range (in code): PH Mar Mdo
- 26119. *Ptychandra negrosensis* Banks, Holloway & Barlow,1976** (Satyridae) Synonym(s):
negrosensis Banks, Holloway & Barlow,1976 Range (in code): PH Boh Mas Neg Pan
- 26120. *Ptychandra ohtanii* Hayashi,1978** (Satyridae) Synonym(s): *ohtanii* Hayashi,1978
Range (in code): PH Mno Apo Ley
- 26121. *Ptychandra ohtanii lizae* Hayashi,1984** (Satyridae) Synonym(s): *lizae* Hayashi,1984
Range (in code): PH Ley
- 26122. *Ptychandra ohtanii ohtanii* Hayashi,1978** (Satyridae) Synonym(s): *ohtanii* Hayashi,1978
Range (in code): PH Mno Apo
- 26123. *Ptychandra schadenbergi* Semper,1887** (Satyridae) Synonym(s): *schadenbergi*
Semper,1887 Range (in code): PH Mno
- 26124. *Pyronia bathseba* (Fabricius,1793)** (Satyridae) Synonym(s): *pasiphae* Esper,1781 nec
Cramer,1775; *bathseba* Fabricius,1793; *philippina* Austaut,1877; *tessalensis* Austaut,1880; *taurina* Oberthür,1915;
multiocellata Oberthür,1915; *pardilloi* Sagarra,1924 Original Reference: Papilio bathseba
Fabricius,1793, Ent. Syst. 3(1): 235. Type(s): Barbaria. Range (in code): DZ Saia Orn Dje Dju Abe
Mage Ght ES Mu FR MA Rf Rbt PT TN Bionomy: Larva on Brachypodium sylvaticum (Poaceae)
(Tolman,1997).
- 26125. *Pyronia bathseba amyclas* (Fruhstorfer,1910)** (Satyridae) Synonym(s): *amyclas*
Fruhstorfer,1910 Original Reference: Epinephele pasiphae ssp. amyclas Fruhstorfer,1910, Ent.
Z., Frankf. a. M. 23: 218. Syntypes: Spain: Andalusien. Range (in code): ES Mu An
- 26126. *Pyronia bathseba bathseba* (Fabricius,1793)** (Satyridae) Synonym(s): *pasiphae*
Esper,1781 nec Cramer,1775; *bathseba* Fabricius,1793; *philippina* Austaut,1877; *tessalensis* Austaut,1880; *taurina*
Oberthür,1915; *multiocellata* Oberthür,1915; *pardilloi* Sagarra,1924 Original Reference: Papilio bathseba
Fabricius,1793, Ent. Syst. 3(1): 235. Type(s): Barbaria. Range (in code): DZ Saia Orn Dje Dju Abe
Mage Ght MA Rf TN
- 26127. *Pyronia bathseba mihrimahe* Gomez-Bustillo,1973** (Satyridae) Synonym(s):
mihrimahe Gomez-Bustillo,1973 Original Reference: Pyronia bathseba ssp. mihrimahe Gomez-
Bustillo,1973, Shilap Revta lepid. 1: 10-11, fig.2. Holotype ♂: Spain: Santander: Puerto de Pozazal,
1000m (Mus Madrid) [Etym.: dedicated to Mihriman Sultan (Istanbul)]. Range (in code): ES
- 26128. *Pyronia janiroides* (Herrich-Schäffer,1851)** (Satyridae) Synonym(s): *janiroides*
Herrich-Schäffer,1851 Range (in code): DZ Clo Cré Blid Agi DhM Cst TN
- 26129. *Pyronia janiroides janiroides* (Herrich-Schäffer,1851)** (Satyridae) Synonym(s):
janiroides Herrich-Schäffer,1851 Range (in code): DZ Cré Blid Agi DhM Cst TN
- 26130. *Pyronia tithonus* (Linnaeus,1771)** (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon*
Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis*
Fourcroy,1785 nec Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moulton,1938;
armoricanus Moulton,1938 Original Reference: Papilio tithonus Linnaeus,1771, Mant. Plant.: 537.
Range (in code): AL BE BG Bw BY CH Co DE DK ES Mu FR GB GR HU IE IT LU NL PL PT RO RU Sa
TR UA YU Cw Dv Smt H-W Sur Ssx Ken MA Rf Bionomy: Larva on Phleum pratense, Poa annua,
P. nemoralis, *P. trivialis*, *P. pratensis*, *Elymus repens*, *Agrostis capillaris*, *A. canina*, *Festuca*
ovina, *F. rubra*, *F. pratensis*, *Lolium perenne*, *Dactylis glomerata*, *Milium effusum* (Poaceae)
(Tolman,1997).
- 26131. *Pyronia tithonus arroyensis* Gomez-Bustillo,1974** (Satyridae) Synonym(s):
arroyensis Gomez-Bustillo,1974 Original Reference: Pyronia tithonus ssp. arroyensis Gomez-
Bustillo,1974, Shilap Revta lepid. 2: 12. Holotype ♂: Spain: Prov. Santander: Arroyo (coll.Madrid
Mus.). Range (in code): ES
- 26132. *Pyronia tithonus cid* De Sagarra,1924** (Satyridae) Synonym(s): *cid* Sagarra,1924; ?
pyrenaicus Le Moulton,1938. Original Reference: Pyronia tithonus rassa cid De Sagarra,1924,

- Butll.Inst. catal. Hist. nat. 16: 198-199. Type: Spain: Albarracin: Arago, 1100m, Querci leg. (MCNB). Range (in code): FR Py ES
- 26133. *Pyronia tithonus decolorata* (Fruhstorfer,1909)** (Satyridae) Synonym(s): *tithonus decolorata* Fruhstorfer,1909 Original Reference: *Epinephele tithonus* ssp. *decolorata* Fruhstorfer,1909, Ent. Z., Frankf. a. M. 22: 211. Syntypes: Spain: Andalusien. Range (in code): ES An Mu
- 26134. *Pyronia tithonus distincta* Rothschild,1933** (Satyridae) Synonym(s): *distincta* Rothschild,1933 Original Reference: *Pyronia tithonus distincta* Rothschild,1933, Novit. zool. 38: 321. Type: Marocco, Ketama. Range (in code): MA Rf
- 26135. *Pyronia tithonus fulgens* Turati,1912** (Satyridae) Synonym(s): *fulgens* Turati,1912 Range (in code): Co
- 26136. *Pyronia tithonus paratransiens* Verity,1937** (Satyridae) Synonym(s): *paratransiens* Verity,1937; *alpinus* Le Moul,1938. Original Reference: *Pyronia tithonus* race *paratransiens* Verity,1937, Lambillionea 37: 225. Syntypes 3♂ 4♀: [France]: Marseille: Septemes, Nans. Range (in code): FR
- 26137. *Pyronia tithonus pardoi* Agenjo,1941** (Satyridae) Synonym(s): *pardoi* Agenjo,1941 Range (in code): ES
- 26138. *Pyronia tithonus tithonus* (Linnaeus,1771)** (Satyridae) Synonym(s): *tithonus* Linnaeus,1771; *tiphon* Kühn,1774; *pilosellae* Fabricius,1775; *herse* Denis & Schiffermüller,1775; *phaedra* Esper,1776; *amaryllis* Fourcroy,1785 nec Cramer,1782; *tithone* Hübner,1819; *britanniae* Verity,1914; *bajocassensis* Moul,1938; *armoricanus* Moul,1938 Original Reference: *Papilio tithonus* Linnaeus,1771, Mant. Plant.: 537. Range (in code): Bw DE Rp TR
- 26139. *Ragadia crisilda* Hewitson,1862** (Satyridae) Synonym(s): *crisilda* Hewitson,1862 Range (in code): IN Ass MM TH CMa Rng Chy Phe Sat Yal Sgk Hya Tnc VN MY CN Hn
- 26140. *Ragadia crisilda crisilda* Hewitson,1862** (Satyridae) Synonym(s): *crisilda* Hewitson,1862 Range (in code): IN Ass MM VN
- 26141. *Ragadia crisilda crisildina* Joicey** (Satyridae) Synonym(s): *crisildina* Joicey Range (in code): CN Hn
- 26142. *Ragadia crisilda critolaus* De Nicéville,1892** (Satyridae) Synonym(s): *critolaus* De Nicéville,1892 Range (in code): MM TH Tns CMa Rng Chy Phe Sat Yal Sgk Hya Tnc
- 26143. *Ragadia crisilda critolina* Evans** (Satyridae) Synonym(s): *critolina* Evans Range (in code): MY
- 26144. *Ragadia crisilda latifasciata* Leech** (Satyridae) Synonym(s): *latifasciata* Leech Range (in code): CN
- 26145. *Ragadia crohonica* Semper,1886** (Satyridae) Synonym(s): *crohonica* Semper,1886 Range (in code): PH Ley Pao Sam
- 26146. *Ragadia luzonia* C.Felder & R.Felder,1861** (Satyridae) Synonym(s): *luzonia* C.Felder & R.Felder,1861 Original Reference: *Ragadia luzonia* C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 305. Type: Luzon. Range (in code): PH Cat Pan Neg Mas Ala Luz Mar Pol Sib
- 26147. *Ragadia luzonia luteofasciata* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *luteofasciata* Yamaguchi & Aoki,1982 Range (in code): PH Sib
- 26148. *Ragadia luzonia luzonia* C.Felder & R.Felder,1861** (Satyridae) Synonym(s): *luzonia* C.Felder & R.Felder,1861 Original Reference: *Ragadia luzonia* C.Felder & R.Felder,1861, Wien. ent. Monatschr. 5: 305. Type: Luzon. Range (in code): PH Ala Luz Mar Pol
- 26149. *Ragadia luzonia masbatensis* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *masbatensis* Yamaguchi & Aoki,1982 Range (in code): PH Mas
- 26150. *Ragadia luzonia negrosensis* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *negrosensis* Yamaguchi & Aoki,1982 Range (in code): PH Neg
- 26151. *Ragadia luzonia obscura* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *obscura* Yamaguchi & Aoki,1982 Range (in code): PH Cat
- 26152. *Ragadia luzonia treadawayi* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *treadawayi* Yamaguchi & Aoki,1982 Range (in code): PH Pan
- 26153. *Ragadia maganda* Yamaguchi & Aoki,1982** (Satyridae) Synonym(s): *maganda* Yamaguchi & Aoki,1982 Range (in code): PH Pal
- 26154. *Ragadia makuta* Horsfield,1829** (Satyridae) Synonym(s): *makuta* Horsfield,1829; *crisia* Geyer,1832 Range (in code): ID Ja Sum TH Yal Ntt SPa Nst Ths Sya Sgk Hya Tnc
- 26155. *Ragadia makuta makuta* Horsfield,1829** (Satyridae) Synonym(s): *makuta* Horsfield,1829; *crisia* Geyer,1832 Range (in code): ID Ja

- 26156. Ragadia makuta minoa Fruhstorfer, 1911** (Satyridae) Synonym(s): *minoa Fruhstorfer, 1911* Range (in code): ID Sum
- 26157. Ragadia makuta siponta Fruhstorfer, 1911** (Satyridae) Synonym(s): *siponta Fruhstorfer, 1911* Range (in code): TH Yal Ntt SPa Nst Ths Sya Sgk Hya Tnc
- 26158. Ragadia melindena C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *melindena C.Felder & R.Felder, 1863* Range (in code): PH CmM Mno Sar Boh Ley Sam
- 26159. Ragadia melindena bohollensis M.Okano & T.Okano, 1990** (Satyridae) Synonym(s): *bohollensis M.Okano & T.Okano, 1990* Range (in code): PH Boh
- 26160. Ragadia melindena kakahuyan Yamaguchi & Aoki, 1982** (Satyridae) Synonym(s): *kakahuyan Yamaguchi & Aoki, 1982* Range (in code): PH Ley Sam
- 26161. Ragadia melindena melindena C.Felder & R.Felder, 1863** (Satyridae) Synonym(s): *melindena C.Felder & R.Felder, 1863* Range (in code): PH CmM Mno Sar
- 26162. Ragadia mindorana Semper, 1892** (Satyridae) Synonym(s): *mindorana Semper, 1892* Range (in code): PH Mdo
- 26163. Ragadia tsukadai Yamaguchi & Aoki, 1982** (Satyridae) Synonym(s): *tsukadai Yamaguchi & Aoki, 1982* Range (in code): PH Pal
- 26164. Rhaphicera moorei Butler, 1867** (Satyridae) Synonym(s): *moorei Butler, 1867* Original Reference: Rhaphicera moorei Butler, 1867, Ann. Mag. nat. Hist. (3) 19: 164, pl.iv fig.4. Range (in code): BT Djl IN Kgr Kma Kul Mus SI Sml Up
- 26165. Rhaphicera moorei moorei Butler, 1867** (Satyridae) Synonym(s): *moorei Butler, 1867* Original Reference: Rhaphicera moorei Butler, 1867, Ann. Mag. nat. Hist. (3) 19: 164, pl.iv fig.4. Range (in code): Djl IN Kgr Kma Kul Mus Sml Up
- 26166. Satyroides appalachia** (Satyridae) Synonym(s): Range (in code): US Alb Cnt Dw Fl Ge Idp Ilm Knt Mai Mch Mis Mns Mrl Msc Mss NCa Nh Nje Ny Oh Pns RDi Tnn Vi Vr WVi Wc
- 26167. Satyroides eurydice** (Satyridae) Synonym(s): Range (in code): US Cnt Col Dw Idp Ilm Io Mai Mch Mns Mon Msc NDk Neb Nh Nje Ny Oh Pns RDi SDk Vr Wc Wy
- 26168. Satyrus (Asatyrus (Asatyroides)) atlanteus (Verity, 1927)** (Satyridae) Synonym(s): *maroccana D.Lucas, 1920 nec Meade-Waldo, 1905; atlanteus Verity, 1927; meknesensis Strand, 1927; simillima Rothschild, 1931* Original Reference: Nytha actaea atlantea Verity, 1927, Bull. Soc. ent. Fr. 64: 174 (nomen novum pro maroccana Lucas, 1920 nec Meade-Waldo, 1905). Range (in code): MA Mkn Ouk Rf IL He LB
- 26169. Satyrus (Asatyrus (Asatyroides)) atlanteus atlanteus (Verity, 1927)** (Satyridae) Synonym(s): *maroccana D.Lucas, 1920 nec Meade-Waldo, 1905; atlanteus Verity, 1927; meknesensis Strand, 1927; simillima Rothschild, 1931* Original Reference: Nytha actaea atlantea Verity, 1927, Bull. Soc. ent. Fr. 64: 174 (nomen novum pro maroccana Lucas, 1920 nec Meade-Waldo, 1905). Range (in code): MA Mkn Ouk Rf
- 26170. Satyrus (Asatyrus (Asatyroides)) atlanteus makmal Higgins, 1965** (Satyridae) Synonym(s): *makmal Higgins, 1965* Original Reference: Satyrus actaea ssp. makmal Higgins, 1965, Entomologist 98: 11. Holotype ♂: Lebanon: Cedar mt., 6000ft. Range (in code): IL Pa He LB
- 26171. Satyrus (Asatyrus (Asatyroides)) effendi Nekrutenko, 1989** (Satyridae) Synonym(s): *effendi Nekrutenko, 1989* Original Reference: Satyrus effendi Nekrutenko, 1989, Vestn. Zool. (1989) (1): 14. Holotype ♂: Azerbaidjan: Pazmara, Zanghezursky Range, 3000m. Range (in code): Cc AZ
- 26172. Satyrus (Asatyrus (Asatyroides)) effendi effendi Nekrutenko, 1989** (Satyridae) Synonym(s): *effendi Nekrutenko, 1989* Original Reference: Satyrus effendi Nekrutenko, 1989, Vestn. Zool. (1989) (1): 14. Holotype ♂: Azerbaidjan: Pazmara, Zanghezursky Range, 3000m. Range (in code): Cc AZ
- 26173. Satyrus (Asatyrus (s.str.)) amasinus Staudinger, 1861** (Satyridae) Synonym(s): *bryce Herrich-Schäffer, [1852] nec Hübn., [1800]; amasinus Staudinger, 1861* Original Reference: Satyrus cordula var. amasina Staudinger, 1861, Cat. Lepid. Eur. 1: 13. Type(s): [Türkei]: Pontus [Amasia]. Range (in code): Cc GG TR IL He LB
- 26174. Satyrus (Asatyrus (s.str.)) amasinus amasinus Staudinger, 1861** (Satyridae) Synonym(s): *bryce Herrich-Schäffer, [1852] nec Hübn., [1800]; amasinus Staudinger, 1861* Original Reference: Satyrus cordula var. amasina Staudinger, 1861, Cat. Lepid. Eur. 1: 13. Type(s): [Türkei]: Pontus [Amasia]. Range (in code): Cc GG TR IL He LB
- 26175. Satyrus (Asatyrus (s.str.)) daubi Gross & Ebert, 1975** (Satyridae) Synonym(s): *daubi Gross & Ebert, 1975* Original Reference: Satyrus daubi Gross & Ebert, 1975, J. ent. Soc. Iran,

- Suppl. 1: 17-19, figs. 16,17. Holotype ♂: [Turkmenistan]: Achal-Tekke: Jablonowica. Range (in code): Kp TM IR Kh
- 26176. *Satyrus (Asatyrus (s.str.)) daubi daubi* Gross & Ebert,1975** (Satyridae)
Synonym(s): *daubi* Gross & Ebert,1975 Original Reference: *Satyrus daubi* Gross & Ebert,1975, J. ent. Soc. Iran, Suppl. 1: 17-19, figs. 16,17. Holotype ♂: [Turkmenistan]: Achal-Tekke: Jablonowica. Range (in code): Kp TM IR Kh
- 26177. *Satyrus (Asatyrus (s.str.)) ferulus (Fabricius,1793)*** (Satyridae) Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800]. Original Reference: *Papilio ferula* Fabricius,1793, Ent. Syst. 3(1): 225. Type(s): Italia. Range (in code): AL At AT Ba BG BY CH CN ES FR Gn GR IT KG MA MN RU Sm Sr TR Tv Ui T-S YU Am Kt Sau Tar DsA TrA Bog Sju T-I UA Bionomy: Larva on *Festuca ovina* (Poaceae) (Tolman, 1997).
- 26178. *Satyrus (Asatyrus (s.str.)) ferulus altaicus* Groum-Grshimailo,1893** (Satyridae)
Synonym(s): *altaicus* Groum-Grshimailo,1893 Original Reference: *Satyrus cordula* var. *altaica* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 384. Syntypes: [Russia]: Altai. Range (in code): T-S Aa Aq At KG Kw Pp Pw Rk RU Sb Sp Tk Kt Sau Tar DsA TrA Bog Sju T-I
- 26179. *Satyrus (Asatyrus (s.str.)) ferulus ferulus (Fabricius,1793)*** (Satyridae)
Synonym(s): *proserpina* Cyrillo,1787 nec Denis & Schiff.,1775; *cordula* Fabricius,1793; *ferula* Fabricius,1793; *cyrillus* Herbst,1796; *hyppolite* Herbst,1796 nec Dru.,1782; *orsiera* De Prunner,1798; *bryce* Hübner,[1800]. Original Reference: *Papilio ferula* Fabricius,1793, Ent. Syst. 3(1): 225. Type(s): Italia. Range (in code): AL AT Ba BG BY CH ES FR GR IT RU Sm Sr UA YU
- 26180. *Satyrus (Asatyrus (s.str.)) ferulus ganssuensis* Groum-Grshimailo,1893** (Satyridae) Synonym(s): *ganssuensis* Groum-Grshimailo,1893 Original Reference: *Satyrus cordula* var. *ganssuensis* Groum-Grshimailo,1893, Horae Soc. ent. ross. 27: 384. Syntypes: [China]: Amdo: Dshachar Mt. Range (in code): Amd CN Jc Ts
- 26181. *Satyrus (Asatyrus (s.str.)) ferulus hadjinus* Heyne,[1895]** (Satyridae) Synonym(s): *hadjina* Heyne,[1895] Original Reference: *Satyrus cordula* var. *hadjina* Heyne,[1895], Die palaearkt. Grossschmett. 1: 822. Syntypes: [Türkei]: Hadjin [=Saimbeyli]. Range (in code): TR
- 26182. *Satyrus (Asatyrus (s.str.)) ferulus liupiuschani* Bang-Haas,1933** (Satyridae)
Synonym(s): *liupiuschani* Bang-Haas,1933 Original Reference: *Satyrus ferula liupiuschani* Bang-Haas,1933, Ent. Z., Frankf. a. M. 47: 99. Syntypes: China: Kansu: Lantschou. Range (in code): CN Gn MN RU
- 26183. *Satyrus (Asatyrus (s.str.)) ferulus medvedevi* Korshunov,1996** (Satyridae)
Synonym(s): *medvedevi* Korshunov,1996 Original Reference: *Satyrus ferula* ssp. *medvedevi* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 37. Holotype: Russia: Tuva: Moren. Range (in code): RU Tv
- 26184. *Satyrus (Asatyrus (s.str.)) ferulus molykreius* Fruhstorfer,1909** (Satyridae)
Synonym(s): *molykreia* Fruhstorfer,1909 Original Reference: *Satyrus actaea* ssp. *molykreia* Fruhstorfer,1909, Int. ent. Z. 3: 89. Syntypes: Tianschan [Tengri Tagh]. Range (in code): CN Ui T-S
- 26185. *Satyrus (Asatyrus (s.str.)) ferulus rickmersi* Rosen,1921** (Satyridae) Synonym(s): *rickmersi* Rosen,1921 Original Reference: *Satyrus actaea* ssp. *rickmersi* Rosen,1921, Mitt. münch. ent. Ges. 11: 95. Syntypes 1♂ 2♀: [Tadjikistan]: Pamir: Schaklisu-Tal, 3000m. Range (in code): Pm TJ
- 26186. *Satyrus (Asatyrus (s.str.)) ferulus sergeevi* Dubatolov & Streltsov,1999** (Satyridae) Synonym(s): *sergeevi* Dubatolov & Streltsov,1999 Original Reference: *Satyrus ferula* ssp. *sergeevi* Dubatolov & Streltsov,1999, Atalanta 30 (1/4): 126-127, pl.ix.a. Holotype ♀: Russia: Amur Province, 17km SSW of Svobodnyi, Malaya Sazanka village. Range (in code): RU Am
- 26187. *Satyrus (Asatyrus (s.str.)) ferulus virbius* Herrich-Schäffer,1843** (Satyridae)
Synonym(s): *virbius* Herrich-Schäffer,1843 Original Reference: *Satyrus virbius* Herrich-Schäffer,1843, Syst. Bearb. Schmett. Eur. 1: 79, figs. 45-48. Syntypes: [Russia]: Südrussland. Range (in code): Ba KG Or RU Sm Sr Uk UA
- 26188. *Satyrus (Asatyrus (s.str.)) iranicus* Schwingenschuss,1939** (Satyridae)
Synonym(s): *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975. Original Reference: *Satyrus ferula* ssp. *iranica* Schwingenschuss,1939, Ent. Z., Frankf.a.M. 53: 13. Syntypes: Iran: Tarsee, Rehne, Demavend. Range (in code): IR Elb Th Ab Ak Sbl TR
- 26189. *Satyrus (Asatyrus (s.str.)) iranicus iranicus* Schwingenschuss,1939** (Satyridae)
Synonym(s): *iranicus* Schwingenschuss,1939; *kyros* Gross & Ebert,1975. Original Reference: *Satyrus*

- ferula ssp. iranica Schwingenschuss, 1939, Ent. Z., Frankf.a.M. 53: 13. Syntypes: Iran: Tarsee, Rehne, Demavend. Range (in code): IR Elb Th Ab Ak Abl TR
- 26190. Satyrus (Asatyrus (s.str.)) magnus (Evans, 1923)** (Satyridae) Synonym(s): *magna Evans, 1923* Original Reference: Karanasa actaea magna Evans, 1923, J. Bombay nat. Hist. Soc. 29: 783, pl.xiii figs.D9,2. Type ♂: [Pakistan]: Chitral, <9000ft. Range (in code): Ci PK Nwf
- 26191. Satyrus (Asatyrus (s.str.)) magnus magnus (Evans, 1923)** (Satyridae) Synonym(s): *magna Evans, 1923* Original Reference: Karanasa actaea magna Evans, 1923, J. Bombay nat. Hist. Soc. 29: 783, pl.xiii figs.D9,2. Type ♂: [Pakistan]: Chitral, <9000ft. Range (in code): Ci PK Nwf
- 26192. Satyrus (Asatyrus (s.str.)) nanus Staudinger, 1886** (Satyridae) Synonym(s): *nana Staudinger, 1886* Original Reference: Satyrus actaea var. nana Staudinger, 1886, Stettin ent. Ztg. 47: 147. Syntypes ♂♀: [Turkmenistan]: Achal-Tekke (Askhabad). Range (in code): Kp TM IR
- 26193. Satyrus (Asatyrus (s.str.)) nanus nanus Staudinger, 1886** (Satyridae) Synonym(s): *nana Staudinger, 1886* Original Reference: Satyrus actaea var. nana Staudinger, 1886, Stettin ent. Ztg. 47: 147. Syntypes ♂♀: [Turkmenistan]: Achal-Tekke (Askhabad). Range (in code): Kp TM IR
- 26194. Satyrus (Asatyrus (s.str.)) orphei Stshetkin, 1985** (Satyridae) Synonym(s): *orphei Stshetkin, 1985* Original Reference: Satyrus orphei Stshetkin, 1985, Ent. Obozr. (3): 584-587. Holotype ♂: Tadjikistan: Eastern part of Peter Ist range, Muk Winter Camp 2620m. Range (in code): Pm TJ
- 26195. Satyrus (Asatyrus (s.str.)) orphei orphei Stshetkin, 1985** (Satyridae) Synonym(s): *orphei Stshetkin, 1985* Original Reference: Satyrus orphei Stshetkin, 1985, Ent. Obozr. (3): 584-587. Holotype ♂: Tadjikistan: Eastern part of Peter Ist range, Muk Winter Camp 2620m. Range (in code): Pm TJ
- 26196. Satyrus (s.str.(s.str.)) actaeus (Esper, [1781])** (Satyridae) Synonym(s): *actaeus Esper, [1781]; gavinia Fruhstorfer, 1925; brigantii Hartig, 1936; engramelleae Varin, 1965* Original Reference: Papilio actaea Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.57, figs.1a-b. Syntypes: S. Frankreich. Range (in code): ES Mu FR IT PT RU TJ CN Gn Ti Amd
- 26197. Satyrus (s.str.(s.str.)) actaeus actaeus (Esper, [1781])** (Satyridae) Synonym(s): *actaeus Esper, [1781]; gavinia Fruhstorfer, 1925; brigantii Hartig, 1936; engramelleae Varin, 1965* Original Reference: Papilio actaea Esper, [1781], Die Schmett. 1(2): Forts. Tagschmett.: Taf.57, figs.1a-b. Syntypes: S. Frankreich. Range (in code): FR
- 26198. Satyrus (s.str.(s.str.)) actaeus aigoualensis Foulqueier, [1923]** (Satyridae) Synonym(s): *aigoualensis Foulqueier, [1923]; levezica Varin, 1965.* Range (in code): FR
- 26199. Satyrus (s.str.(s.str.)) actaeus bellorum (Verity, 1927)** (Satyridae) Synonym(s): *bellorum Verity, 1927* Original Reference: Nytha actaea bellorum Verity, 1927, Bull. Soc. ent. Fr. 64: 174. Syntypes 5♂: [Spain]: Nueva Castilla: Cuenca: Huelamo, 1200m. Range (in code): ES
- 26200. Satyrus (s.str.(s.str.)) actaeus bustilloi Agenjo, 1963** (Satyridae) Synonym(s): *bustilloi Agenjo, 1963* Range (in code): ES
- 26201. Satyrus (s.str.(s.str.)) actaeus espanoli Agenjo, 1963** (Satyridae) Synonym(s): *espanoli Agenjo, 1963* Range (in code): ES
- 26202. Satyrus (s.str.(s.str.)) actaeus ganssuensis (Groum-Grshimailo, 1893)** (Satyridae) Synonym(s): *ganssuensis Groum-Grshimailo, 1893* Range (in code): CN Amd
- 26203. Satyrus (s.str.(s.str.)) actaeus ibarrae Agenjo, 1963** (Satyridae) Synonym(s): *ibarrae Agenjo, 1963* Range (in code): ES
- 26204. Satyrus (s.str.(s.str.)) actaeus liupiuschani (O.Bang-Haas, 1933)** (Satyridae) Synonym(s): *liupiuschani O.Bang-Haas, 1933* Range (in code): CN Gn
- 26205. Satyrus (s.str.(s.str.)) actaeus nevadensis Ribbe, 1905** (Satyridae) Synonym(s): *nevadensis Ribbe, 1905* Range (in code): ES
- 26206. Satyrus (s.str.(s.str.)) actaeus novellasi Agenjo, 1963** (Satyridae) Synonym(s): *novellasi Agenjo, 1963* Range (in code): ES
- 26207. Satyrus (s.str.(s.str.)) actaeus podarce Ochsenheimer, 1807** (Satyridae) Synonym(s): *podarce Ochsenheimer, 1807* Range (in code): ES
- 26208. Satyrus (s.str.(s.str.)) actaeus podarcinus (Fruhstorfer, 1909)** (Satyridae) Synonym(s): *podarcina Fruhstorfer, 1909* Original Reference: Minois dryas ssp. podarcina Fruhstorfer, 1909, Int. ent. Z. 3: 88. Syntypes: Spanien: Andalusien: Sierra de Alfacar. Range (in code): An ES Mu
- 26209. Satyrus (s.str.(s.str.)) actaeus rileyi Agenjo, 1963** (Satyridae) Synonym(s): *rileyi Agenjo, 1963* Range (in code): ES

- 26210. *Satyrus (s.str.(s.str.)) astyages Skala,2003*** (Satyridae) Synonym(s): *astyages Skala,2003* Original Reference: *Satyrus astyages* Skala,2003, Linneana Belg. 19 (1): 35-38, figs. Holotype ♂: Iran: Boyer Ahmad: Kuh-e-Dena, 3800-4000m, 16-17.vii.2001, leg.Skala (ZSM). Range (in code): IR Es Lo By
- 26211. *Satyrus (s.str.(s.str.)) astyages astyages Skala,2003*** (Satyridae) Synonym(s): *astyages Skala,2003* Original Reference: *Satyrus astyages* Skala,2003, Linneana Belg. 19 (1): 35-38, figs. Holotype ♂: Iran: Boyer Ahmad: Kuh-e-Dena, 3800-4000m, 16-17.vii.2001, leg.Skala (ZSM). Range (in code): IR Es Lo By
- 26212. *Satyrus (s.str.(s.str.)) cordulinus Lang,1884*** (Satyridae) Synonym(s): *cordulina Lang,1884; cordulina Staudinger,1886* Original Reference: *Satyrus cordulina* Lang,1884, *Rhopalocera europa descripta delieata* 1: 325. Type(s): Samarkand. Range (in code): KK Smk UZ
- 26213. *Satyrus (s.str.(s.str.)) cordulinus alaicus Staudinger,1886*** (Satyridae) Synonym(s): *alaicus Staudinger,1886* Original Reference: *Satyrus actaea* var. *alaica* Staudinger,1886, *Stettin ent. Ztg.* 47: 247. Type ♂: [Tadjikistan]: südlichen Alai. Range (in code): AI
- 26214. *Satyrus (s.str.(s.str.)) cordulinus cordulinus Lang,1884*** (Satyridae) Synonym(s): *cordulina Lang,1884; cordulina Staudinger,1886* Original Reference: *Satyrus cordulina* Lang,1884, *Rhopalocera europa descripta delieata* 1: 325. Type(s): Samarkand. Range (in code): KK Smk UZ
- 26215. *Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]*** (Satyridae) Synonym(s): *favonius Staudinger,[1892]* Original Reference: *Satyrus favonius* Staudinger,[1892], *Dt. ent. Z., Iris* 4: 239, pl.3 fig.1. Syntypes: [Türkei]: Malatia, Hadjin [=Saimbeyli], Eibes [=Akbes]. Range (in code): IR Ab Khy TS Lo Kd Sqg Bne TR Cc IQ
- 26216. *Satyrus (s.str.(s.str.)) favonius blomi Oemig,1978*** (Satyridae) Synonym(s): *blomi Oemig,1978* Original Reference: *Satyrus favonius* ssp. *blomi* Oehmig,1978, *Ent. Z., Frankf. a. M.* 88(22): 251-253, fig.1. Holotype ♂: [Iran]: Ostan Kordestan: Saqqez-Baneh. Range (in code): IR Ab TS TR Lo Kd Sqg Bne IQ
- 26217. *Satyrus (s.str.(s.str.)) favonius favonius Staudinger,[1892]*** (Satyridae) Synonym(s): *favonius Staudinger,[1892]* Original Reference: *Satyrus favonius* Staudinger,[1892], *Dt. ent. Z., Iris* 4: 239, pl.3 fig.1. Syntypes: [Türkei]: Malatia, Hadjin [=Saimbeyli], Eibes [=Akbes]. Range (in code): TR Cc IR Ab Khy
- 26218. *Satyrus (s.str.(s.str.)) parthicus Lederer,1869*** (Satyridae) Synonym(s): *parthicus Lederer,1869; pimpla sensu Wiltshire,1957* Original Reference: *Satyrus bryce* var. *parthica* Lederer,1869, *Horae Soc. ent. ross.* 6: 83-84, Taf. iv figs. 12,13. Syntypes ♂♀: [Iran]: Persien: Astrabad. Range (in code): IR Elb Th Ab Ak TR Cc Arr IQ
- 26219. *Satyrus (s.str.(s.str.)) parthicus parthicus Lederer,1869*** (Satyridae) Synonym(s): *parthicus Lederer,1869; pimpla sensu Wiltshire,1957* Original Reference: *Satyrus bryce* var. *parthica* Lederer,1869, *Horae Soc. ent. ross.* 6: 83-84, Taf. iv figs. 12,13. Syntypes ♂♀: [Iran]: Persien: Astrabad. Range (in code): IR Elb Th Ab Ak TR Cc Arr IQ
- 26220. *Satyrus (s.str.(s.str.)) pimplus C.Felder & R.Felder,[1867]*** (Satyridae) Synonym(s): *pimpla C.Felder & R.Felder,[1867]* Original Reference: *Satyrus pimpla* C.Felder & R.Felder,[1867], *Reise Fregatte "Novara", Lep. Rhop.* (3): 494-495, Tab.lxix figs. 10,11. Syntypes ♀: Himalaya occidental.: Ladak: Chulichang. Range (in code): AF Kbb Bqu Bl Bt Ch Ci Nwf Gg Kab Ld PK Sha Bgr Bl Urk Zi TJ Pm
- 26221. *Satyrus (s.str.(s.str.)) pimplus pimplus C.Felder & R.Felder,[1867]*** (Satyridae) Synonym(s): *pimpla C.Felder & R.Felder,[1867]* Original Reference: *Satyrus pimpla* C.Felder & R.Felder,[1867], *Reise Fregatte "Novara", Lep. Rhop.* (3): 494-495, Tab.lxix figs. 10,11. Syntypes ♀: Himalaya occidental.: Ladak: Chulichang. Range (in code): AF Bt Ch Ci Gg Kab Ld PK Sha
- 26222. *Satyrus (s.str.(s.str.)) pimplus schachdara*** (Satyridae) Synonym(s): Range (in code): TJ Pm
- 26223. *Satyrus (s.str.(s.str.)) pimplus tajik Clench & Shoumatoff,1956*** (Satyridae) Synonym(s): *tajik Clench & Shoumatoff,1956* Original Reference: *Satyrus pimpla* ssp. *tajik* Clench & Shoumatoff,1956, *Vidensk. Medd. fra Dansk naturh. For.* 118: 152-154. Holotype ♂: Afghanistan: Koh-i-Baba Mts.: Mt. Shah Fuladi, between Surtu and top, 5000m. Range (in code): AF Kbb
- 26224. *Satyrus (s.str.(s.str.)) pimplus ziara (Talbot,1947)*** (Satyridae) Synonym(s): *ziara Talbot,1947* Original Reference: *Hipparchia actaea* ssp. *ziara* Talbot,1947, [in] Sewell, The

- Fauna of British India. Butterflies 2: 277-278. Syntypes ♂♂: [Pakistan]: Baluchistan: Old Urak, Ziarat, Kawas, Raigora. Range (in code): Bgr Bl PK Urk Zi AF Bqu
- 26225. *Sinonympha amoena* Lee, 1974** (Satyridae) Synonym(s): *amoena* Lee, 1974 Original Reference: *Sinonympha amoena* Lee, 1974, Acta ent. sin. 17(2): 198. Holotype ♂: China: Sichuan Prov.: Mt. Minshan. Range (in code): CN
- 26226. *Sinonympha amoena amoena* Lee, 1974** (Satyridae) Synonym(s): *amoena* Lee, 1974 Original Reference: *Sinonympha amoena* Lee, 1974, Acta ent. sin. 17(2): 198. Holotype ♂: China: Sichuan Prov.: Mt. Minshan. Range (in code): CN
- 26227. *Strabena affinis* Oberthür, 1916** (Satyridae) Synonym(s): *affinis* Oberthür, 1916 Range (in code): MG
- 26228. *Strabena affinis affinis* Oberthür, 1916** (Satyridae) Synonym(s): *affinis* Oberthür, 1916 Range (in code): MG
- 26229. *Strabena albivultuloides* Paulian, 1951** (Satyridae) Synonym(s): *albivultuloides* Paulian, 1951 Range (in code): MG
- 26230. *Strabena albivultuloides albivultuloides* Paulian, 1951** (Satyridae) Synonym(s): *albivultuloides* Paulian, 1951 Range (in code): MG
- 26231. *Strabena albivittula* (Mabille, 1880)** (Satyridae) Synonym(s): *albivittula* Mabille, 1880; *excellens* Butler, 1885 Range (in code): MG
- 26232. *Strabena albivittula albivittula* (Mabille, 1880)** (Satyridae) Synonym(s): *albivittula* Mabille, 1880; *excellens* Butler, 1885 Range (in code): MG
- 26233. *Strabena andilabe* Paulian 1951** (Satyridae) Synonym(s): *andilabe* Paulian 1951 Range (in code): MG
- 26234. *Strabena andilabe andilabe* Paulian 1951** (Satyridae) Synonym(s): *andilabe* Paulian 1951 Range (in code): MG
- 26235. *Strabena andriana* Mabille, [1885]** (Satyridae) Synonym(s): *andriana* Mabille, [1885] Range (in code): MG
- 26236. *Strabena andriana andriana* Mabille, [1885]** (Satyridae) Synonym(s): *andriana* Mabille, [1885] Range (in code): MG
- 26237. *Strabena argyrina* Mabille, 1878** (Satyridae) Synonym(s): *argyrina* Mabille, 1878 Range (in code): MG
- 26238. *Strabena argyrina argyrina* Mabille, 1878** (Satyridae) Synonym(s): *argyrina* Mabille, 1878 Range (in code): MG
- 26239. *Strabena aurivilliusi* D'Abrera, 1980** (Satyridae) Synonym(s): *mabillei* Aurivillius, 1980 nec Butl., 1879; *aurivilliusi* D'Abrera, 1980 Range (in code): MG
- 26240. *Strabena aurivilliusi aurivilliusi* D'Abrera, 1980** (Satyridae) Synonym(s): *mabillei* Aurivillius, 1980 nec Butl., 1879; *aurivilliusi* D'Abrera, 1980 Range (in code): MG
- 26241. *Strabena batesii* (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *batesii* C.Felder & R.Felder, [1867]; *#elwesi* Aurivillius, 1898; *nepos* Oberthür, 1916 Range (in code): MG
- 26242. *Strabena batesii batesii* (C.Felder & R.Felder, [1867])** (Satyridae) Synonym(s): *batesii* C.Felder & R.Felder, [1867]; *#elwesi* Aurivillius, 1898; *nepos* Oberthür, 1916 Range (in code): MG
- 26243. *Strabena cachani* Paulian, 1950** (Satyridae) Synonym(s): *cachani* Paulian, 1950 Range (in code): MG
- 26244. *Strabena cachani cachani* Paulian, 1950** (Satyridae) Synonym(s): *cachani* Paulian, 1950 Range (in code): MG
- 26245. *Strabena consobrina* Oberthür, 1916** (Satyridae) Synonym(s): *consobrina* Oberthür, 1916 Range (in code): MG
- 26246. *Strabena consobrina consobrina* Oberthür, 1916** (Satyridae) Synonym(s): *consobrina* Oberthür, 1916 Range (in code): MG
- 26247. *Strabena consors* Oberthür, 1916** (Satyridae) Synonym(s): *consors* Oberthür, 1916 Range (in code): MG
- 26248. *Strabena consors consors* Oberthür, 1916** (Satyridae) Synonym(s): *consors* Oberthür, 1916 Range (in code): MG
- 26249. *Strabena corynetes* Mabille, [1885]** (Satyridae) Synonym(s): *corynetes* Mabille, [1885]; *rectilineata* Oberthür, 1916 Range (in code): MG
- 26250. *Strabena corynetes corynetes* Mabille, [1885]** (Satyridae) Synonym(s): *corynetes* Mabille, [1885]; *rectilineata* Oberthür, 1916 Range (in code): MG

- 26251. *Strabena daphne* Viette,1971** (Satyridae) **Synonym(s):** *daphne* Viette,1971 _ Range (in code): **MG**
- 26252. *Strabena daphne daphne* Viette,1971** (Satyridae) **Synonym(s):** *daphne* Viette,1971 Range (in code): **MG**
- 26253. *Strabena dyscola* Mabille,1880** (Satyridae) **Synonym(s):** *dyscola* Mabille,1880 _ Range (in code): **MG**
- 26254. *Strabena dyscola dyscola* Mabille,1880** (Satyridae) **Synonym(s):** *dyscola* Mabille,1880 Range (in code): **MG**
- 26255. *Strabena eros* Viette,1971** (Satyridae) **Synonym(s):** *eros* Viette,1971 _ Range (in code): **MG**
- 26256. *Strabena eros eros* Viette,1971** (Satyridae) **Synonym(s):** *eros* Viette,1971 _ Range (in code): **MG**
- 26257. *Strabena frater* Oberthür,1916** (Satyridae) **Synonym(s):** *frater* Oberthür,1916 _ Range (in code): **MG**
- 26258. *Strabena frater frater* Oberthür,1916** (Satyridae) **Synonym(s):** *frater* Oberthür,1916 Range (in code): **MG**
- 26259. *Strabena germanus* Oberthür,1916** (Satyridae) **Synonym(s):** *germanus* Oberthür,1916 Range (in code): **MG**
- 26260. *Strabena germanus germanus* Oberthür,1916** (Satyridae) **Synonym(s):** *germanus* Oberthür,1916 _ Range (in code): **MG**
- 26261. *Strabena goudoti* (Mabille,[1885])** (Satyridae) **Synonym(s):** *goudoti* Mabille,[1885] Range (in code): **MG**
- 26262. *Strabena goudoti goudoti* (Mabille,[1885])** (Satyridae) **Synonym(s):** *goudoti* Mabille,[1885] _ Range (in code): **MG**
- 26263. *Strabena ibitina* (Ward,1873)** (Satyridae) **Synonym(s):** *ibitina* Ward,1873 _ Range (in code): **MG**
- 26264. *Strabena ibitina ibitina* (Ward,1873)** (Satyridae) **Synonym(s):** *ibitina* Ward,1873 Range (in code): **MG**
- 26265. *Strabena impar* Oberthür,1916** (Satyridae) **Synonym(s):** *impar* Oberthür,1916 _ Range (in code): **MG**
- 26266. *Strabena impar impar* Oberthür,1916** (Satyridae) **Synonym(s):** *impar* Oberthür,1916 Range (in code): **MG**
- 26267. *Strabena io* Paulian,1950** (Satyridae) **Synonym(s):** *io* Paulian,1950 _ Range (in code): **MG**
- 26268. *Strabena io io* Paulian,1950** (Satyridae) **Synonym(s):** *io* Paulian,1950 _ Range (in code): **MG**
- 26269. *Strabena isaolensis* Paulian,1951** (Satyridae) **Synonym(s):** *isaolensis* Paulian,1951 Range (in code): **MG**
- 26270. *Strabena isaolensis isaolensis* Paulian,1951** (Satyridae) **Synonym(s):** *isaolensis* Paulian,1951 _ Range (in code): **MG**
- 26271. *Strabena mandraka* Paulian,1951** (Satyridae) **Synonym(s):** *mandraka* Paulian,1951 Range (in code): **MG**
- 26272. *Strabena mandraka mandraka* Paulian,1951** (Satyridae) **Synonym(s):** *mandraka* Paulian,1951 _ Range (in code): **MG**
- 26273. *Strabena martini* Oberthür,1916** (Satyridae) **Synonym(s):** *martini* Oberthür,1916 Range (in code): **MG**
- 26274. *Strabena martini martini* Oberthür,1916** (Satyridae) **Synonym(s):** *martini* Oberthür,1916 Range (in code): **MG**
- 26275. *Strabena modesta* Oberthür,1916** (Satyridae) **Synonym(s):** *modesta* Oberthür,1916 Range (in code): **MG**
- 26276. *Strabena modesta modesta* Oberthür,1916** (Satyridae) **Synonym(s):** *modesta* Oberthür,1916 _ Range (in code): **MG**
- 26277. *Strabena modestissima* Oberthür,1916** (Satyridae) **Synonym(s):** *modestissima* Oberthür,1916 _ Range (in code): **MG**
- 26278. *Strabena modestissima modestissima* Oberthür,1916** (Satyridae) **Synonym(s):** *modestissima* Oberthür,1916 _ Range (in code): **MG**
- 26279. *Strabena mopsus* (Mabille,1878)** (Satyridae) **Synonym(s):** *mopsus* Mabille,1878 Range (in code): **MG**

- 26280. *Strabena mopsus mopsus* (Mabille,1878)** (Satyridae) **Synonym(s):** *mopsus Mabille,1878*
Range (in code): **MG**
- 26281. *Strabena niveata* (Butler,1879)** (Satyridae) **Synonym(s):** *niveata Butler,1879* _ **Range (in code):** **MG**
- 26282. *Strabena niveata niveata* (Butler,1879)** (Satyridae) **Synonym(s):** *niveata Butler,1879*
Range (in code): **MG**
- 26283. *Strabena parens* Oberthür,1916** (Satyridae) **Synonym(s):** *parens Oberthür,1916* _ **Range (in code):** **MG**
- 26284. *Strabena parens parens* Oberthür,1916** (Satyridae) **Synonym(s):** *parens Oberthür,1916*
Range (in code): **MG**
- 26285. *Strabena perrieri* Paulian,1951** (Satyridae) **Synonym(s):** *perrieri Paulian,1951* _ **Range (in code):** **MG**
- 26286. *Strabena perrieri perrieri* Paulian,1951** (Satyridae) **Synonym(s):** *perrieri Paulian,1951*
Range (in code): **MG**
- 26287. *Strabena perroti* Oberthür,1916** (Satyridae) **Synonym(s):** *perroti Oberthür,1916*
Range (in code): **MG**
- 26288. *Strabena perroti perroti* Oberthür,1916** (Satyridae) **Synonym(s):** *perroti Oberthür,1916*
Range (in code): **MG**
- 26289. *Strabena propinqua* Oberthür,1916** (Satyridae) **Synonym(s):** *propinqua Oberthür,1916*
Range (in code): **MG**
- 26290. *Strabena propinqua propinqua* Oberthür,1916** (Satyridae) **Synonym(s):** *propinqua Oberthür,1916* _ **Range (in code):** **MG**
- 26291. *Strabena rakoto* (Ward,1870)** (Satyridae) **Synonym(s):** *rakoto Ward,1870* _ **Range (in code):** **MG**
- 26292. *Strabena rakoto rakoto* (Ward,1870)** (Satyridae) **Synonym(s):** *rakoto Ward,1870*
Range (in code): **MG**
- 26293. *Strabena smithi* Mabille,1877** (Satyridae) **Synonym(s):** *smithi Mabille,1877; wardii Butler,1879* _ **Range (in code):** **MG**
- 26294. *Strabena smithi smithi* Mabille,1877** (Satyridae) **Synonym(s):** *smithi Mabille,1877; wardii Butler,1879* _ **Range (in code):** **MG**
- 26295. *Strabena soror* Oberthür,1916** (Satyridae) **Synonym(s):** *soror Oberthür,1916* _ **Range (in code):** **MG**
- 26296. *Strabena soror soror* Oberthür,1916** (Satyridae) **Synonym(s):** *soror Oberthür,1916*
Range (in code): **MG**
- 26297. *Strabena sufferti* (Aurivillius,1898)** (Satyridae) **Synonym(s):** *sufferti Aurivillius,1898*
Range (in code): **MG**
- 26298. *Strabena sufferti sufferti* (Aurivillius,1898)** (Satyridae) **Synonym(s):** *sufferti Aurivillius,1898* _ **Range (in code):** **MG**
- 26299. *Strabena tamatave* (Boisduval,1833)** (Satyridae) **Synonym(s):** *tamatave Boisduval,1833*
Range (in code): **MG**
- 26300. *Strabena tamatave tamatave* (Boisduval,1833)** (Satyridae) **Synonym(s):** *tamatave Boisduval,1833* _ **Range (in code):** **MG**
- 26301. *Strabena triophthalma* Mabille,[1885]** (Satyridae) **Synonym(s):** *triophthalma Mabille,[1885]* _ **Range (in code):** **MG**
- 26302. *Strabena triophthalma triophthalma* Mabille,[1885]** (Satyridae) **Synonym(s):** *triophthalma Mabille,[1885]* _ **Range (in code):** **MG**
- 26303. *Strabena tsaratananae* Paulian,1951** (Satyridae) **Synonym(s):** *tsaratananae Paulian,1951*
Range (in code): **MG**
- 26304. *Strabena tsaratananae tsaratananae* Paulian,1951** (Satyridae) **Synonym(s):** *tsaratananae Paulian,1951* _ **Range (in code):** **MG**
- 26305. *Strabena vicina* Oberthür,1916** (Satyridae) **Synonym(s):** *vicina Oberthür,1916* _ **Range (in code):** **MG**
- 26306. *Strabena vicina vicina* Oberthür,1916** (Satyridae) **Synonym(s):** *vicina Oberthür,1916*
Range (in code): **MG**
- 26307. *Strabena vinsoni* (Guenée,1865)** (Satyridae) **Synonym(s):** *vinsoni Guenée,1865* _ **Range (in code):** **MG**

- 26308. Strabena zanjuga Mabilie,[1885]** (Satyridae) **Synonym(s):** *zanjuga Mabilie,[1885]*
Range (in code): **MG**
- 26309. Strabena zanjuga zanjuga Mabilie,[1885]** (Satyridae) **Synonym(s):** *zanjuga Mabilie,[1885]* Range (in code): **MG**
- 26310. Stygionympha dicksoni (Riley,1938)** (Satyridae) **Synonym(s):** *dicksoni Riley,1938*
Range (in code): **ZA Wca Cto**
- 26311. Stygionympha dicksoni dicksoni (Riley,1938)** (Satyridae) **Synonym(s):** *dicksoni Riley,1938* Range (in code): **ZA Wca Cto**
- 26312. Stygionympha geraldii Pennington,1970** (Satyridae) **Synonym(s):** *geraldii Pennington,1970* Range (in code): **ZA Wca**
- 26313. Stygionympha geraldii geraldii Pennington,1970** (Satyridae) **Synonym(s):** *geraldii Pennington,1970* Range (in code): **ZA Wca**
- 26314. Stygionympha irrorata (Trimen,1873)** (Satyridae) **Synonym(s):** *irrorata Trimen,1873*
Range (in code): **NA ZA Wca Fs**
- 26315. Stygionympha irrorata irrorata (Trimen,1873)** (Satyridae) **Synonym(s):** *irrorata Trimen,1873* Range (in code): **NA ZA Wca Fs**
- 26316. Stygionympha robertsoni (Riley,1932)** (Satyridae) **Synonym(s):** *robertsoni Riley,1932*
Range (in code): **NA ZA Wca Fs**
- 26317. Stygionympha robertsoni robertsoni (Riley,1932)** (Satyridae) **Synonym(s):** *robertsoni Riley,1932* Range (in code): **NA ZA Wca Fs**
- 26318. Stygionympha scotina Quickelberge,1977** (Satyridae) **Synonym(s):** *scotina Quickelberge,1977* Range (in code): **ZA Fs Eca Nta Kzu**
- 26319. Stygionympha scotina scotina Quickelberge,1977** (Satyridae) **Synonym(s):** *scotina Quickelberge,1977* Range (in code): **ZA Fs Eca Nta Kzu**
- 26320. Stygionympha vansoni (Pennington,1953)** (Satyridae) **Synonym(s):** *vansoni Pennington,1953* Range (in code): **ZA Wca**
- 26321. Stygionympha vansoni vansoni (Pennington,1953)** (Satyridae) **Synonym(s):** *vansoni Pennington,1953* Range (in code): **ZA Wca**
- 26322. Stygionympha vigilans (Trimen,1887)** (Satyridae) **Synonym(s):** *vigilans Trimen,1887*
Range (in code): **ZA Wca Mui Cto Wr Ec Grh Kwi Est Nta Kzu Tva Lpo Spb Ptc Mpu Ly Gau Pre Jh Wv Suw Hei Bfk LS**
- 26323. Stygionympha vigilans vigilans (Trimen,1887)** (Satyridae) **Synonym(s):** *vigilans Trimen,1887* Range (in code): **ZA Wca Mui Cto Wr Ec Grh Kwi Est Nta Kzu Tva Lpo Spb Ptc Mpu Ly Gau Pre Jh Wv Suw Hei Bfk LS**
- 26324. Stygionympha wichgrafi Van Son,1955** (Satyridae) **Synonym(s):** *johannesburgensis Wichgraf,1911; wichgrafi Van Son,1955.* Range (in code): **ZW MZ LS ZA Ec Grh Tva Lpo Spb Inn Ltr Lj Gau Jh**
- 26325. Stygionympha wichgrafi lannini Van Son,1966** (Satyridae) **Synonym(s):** *lannini Van Son,1966* Range (in code): **ZW MZ**
- 26326. Stygionympha wichgrafi wichgrafi van Son,1955** (Satyridae) **Synonym(s):** *johannesburgensis Wichgraf,1911; wichgrafi Van Son,1955.* Range (in code): **ZA Gau Jh Ec Grh Nta Kzu Tva Lpo Spb Inn Ltr Lj LS**
- 26327. Tarsocera cassina (Butler,1868)** (Satyridae) **Synonym(s):** *cassina Butler,1868* Range (in code): **ZA Wca**
- 26328. Tarsocera cassina cassina (Butler,1868)** (Satyridae) **Synonym(s):** *cassina Butler,1868*
Range (in code): **ZA Wca**
- 26329. Tarsocera cassus (Linnaeus,1764)** (Satyridae) **Synonym(s):** *cassus Linnaeus,1764; #polyops Vari,1971; #signata Vari,1971* Range (in code): **ZA Wca**
- 26330. Tarsocera cassus cassus (Linnaeus,1764)** (Satyridae) **Synonym(s):** *cassus Linnaeus,1764; #polyops Vari,1971; #signata Vari,1971* Range (in code): **ZA Wca**
- 26331. Tarsocera cassus outenigua Vari,1971** (Satyridae) **Synonym(s):** *outenigua Vari,1971*
Range (in code): **ZA Wca**
- 26332. Tarsocera dicksoni (Van Son,1962)** (Satyridae) **Synonym(s):** *dicksoni Van Son,1962*
Range (in code): **ZA Wca**
- 26333. Tarsocera fulvina Vari,1971** (Satyridae) **Synonym(s):** *fulvina Vari,1971* Range (in code): **ZA Wca**
- 26334. Tarsocera fulvina fulvina Vari,1971** (Satyridae) **Synonym(s):** *fulvina Vari,1971* Range (in code): **ZA Wca**

- 26335. *Tarsocera imitator* Vari,1971** (Satyridae) Synonym(s): *imitator* Vari,1971 _ Range (in code): ZA Wca
- 26336. *Tarsocera imitator imitator* Vari,1971** (Satyridae) Synonym(s): *imitator* Vari,1971 Range (in code): ZA Wca
- 26337. *Tarsocera namaquensis* Vari,1971** (Satyridae) Synonym(s): *namaquensis* Vari,1971 Range (in code): ZA Wca
- 26338. *Tarsocera namaquensis namaquensis* Vari,1971** (Satyridae) Synonym(s): *namaquensis* Vari,1971 _ Range (in code): ZA Wca
- 26339. *Tarsocera southeyae* Dickson,1969** (Satyridae) Synonym(s): *southeyae* Dickson,1969 Range (in code): ZA Ec
- 26340. *Tarsocera southeyae southeyae* Dickson,1969** (Satyridae) Synonym(s): *southeyae* Dickson,1969 _ Range (in code): ZA Ec
- 26341. *Torynesis hawequas* Dickson,1973** (Satyridae) Synonym(s): *hawequas* Dickson,1973 Range (in code): ZA Wca
- 26342. *Torynesis hawequas hawequas* Dickson,1973** (Satyridae) Synonym(s): *hawequas* Dickson,1973 _ Range (in code): ZA Wca
- 26343. *Torynesis magna* (Van Son,1941)** (Satyridae) Synonym(s): *magna* Van Son,1941 Range (in code): ZA Wca
- 26344. *Torynesis magna magna* (van Son,1941)** (Satyridae) Synonym(s): *magna* Van Son,1941 Range (in code): ZA Wca
- 26345. *Torynesis mintha* (Geyer,[1837])** (Satyridae) Synonym(s): *mintha* Geyer,[1837] Range (in code): ZA Wca
- 26346. *Torynesis mintha mintha* (Geyer,[1837])** (Satyridae) Synonym(s): *mintha* Geyer,[1837] Range (in code): ZA Wca
- 26347. *Torynesis mintha piquetbergensis* Dickson,1967** (Satyridae) Synonym(s): *piquetbergensis* Dickson,1967 _ Range (in code): ZA Wca
- 26348. *Torynesis orangica* Vari,1971** (Satyridae) Synonym(s): *orangica* Vari,1971 _ Range (in code): ZA Fs
- 26349. *Torynesis orangica orangica* Vari,1971** (Satyridae) Synonym(s): *orangica* Vari,1971 Range (in code): ZA Fs
- 26350. *Torynesis pringlei* Dickson,1979** (Satyridae) Synonym(s): *pringlei* Dickson,1979 Range (in code): LS
- 26351. *Torynesis pringlei pringlei* Dickson,1979** (Satyridae) Synonym(s): *pringlei* Dickson,1979 Range (in code): LS
- 26352. *Triphysa dohrnii* Zeller,1850** (Satyridae) Synonym(s): *dohrnii* Zeller,1850 Original Reference: Triphysa (Phryne) dohrnii Zeller,1850, Stettin ent. Ztg. 11: 308. Syntypes: südlichen Russland [Südsibirien] (Lukhtanov & Lukhtanov,1994: 89) Range (in code): CN MN RU Sb Tv At Ya Mgd
- 26353. *Triphysa dohrnii dohrnii* Zeller,1850** (Satyridae) Synonym(s): *dohrnii* Zeller,1850 Original Reference: Triphysa (Phryne) dohrnii Zeller,1850, Stettin ent. Ztg. 11: 308. Syntypes: südlichen Russland [Südsibirien] (Lukhtanov & Lukhtanov,1994: 89) Range (in code): CN MN RU Sb Tv At
- 26354. *Triphysa dohrnii tscherskii* Groum-Grshimailo,1899** (Satyridae) Synonym(s): *tscherskii* Groum-Grshimailo,1899 Original Reference: Triphysa phryne var. *tscherskii* Groum-Grshimailo,1899, Ann. Mus. Zool. St. petersburg 4: 461. Syntypes: Russia: [Nordostsibirien]: Olenek, Tomba, Alakit, Werchojansk, Jakutsk. Range (in code): RU Sb Ya Mgd
- 26355. *Triphysa nervosa* Motschulsky,1866** (Satyridae) Synonym(s): *nervosa* Motschulsky,1866; *albovenosa* Erschoff,1885. Original Reference: Triphysa nervosa Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 189. Type(s): Russia: [Amur] (cf. Tusov,1997: 198). Range (in code): RU Ya Am
- 26356. *Triphysa nervosa nervosa* Motschulsky,1866** (Satyridae) Synonym(s): *nervosa* Motschulsky,1866; *albovenosa* Erschoff,1885. Original Reference: Triphysa nervosa Motschulsky,1866, Bull. Soc. imp. Nat. Moscou 39: 189. Type(s): Russia: [Amur] (cf. Tusov,1997: 198). Range (in code): RU Am
- 26357. *Triphysa nervosa sacha* Korshunov,1996** (Satyridae) Synonym(s): *sacha* Korshunov,1996 Original Reference: Triphysa albovenosa ssp. *sacha* Korshunov,1996, [in] Korshunov, Corrigenda and Addenda "The Butterflies of the Asian Parts of Russia": 30. Holotype: Russia: Iakutsk. Botanical Garden. Range (in code): RU Ya

- 26358. *Triphysa phryne* (Pallas,1771)** (Satyridae) **Synonym(s):** *phryne* Pallas,1771 **Original Reference:** *Papilio phryne* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 470. **Range (in code):** **Ao At Bn Ba CN Ir KG Kl RU Sm Sr TR Arr Cc T-S Ui Uk Vl Gj Aq Sp Bkb Ktm Sau Mrk Tar DsA TrA Aa Tk Mn**
- 26359. *Triphysa phryne phryne* (Pallas,1771)** (Satyridae) **Synonym(s):** *phryne* Pallas,1771 **Original Reference:** *Papilio phryne* Pallas,1771, Reise durch die verschiedenen Provinzen des russischen Reiches 1: 470. **Range (in code):** **Ao At Bn Ba Ir KG RU Sm Sr TR Arr Cc Uk Vl Gj Aq Sp Bkb Ktm Sau Mrk Tar DsA TrA Aa Tk Mn T-S**
- 26360. *Triphysa phryne striatula* Elwes,1899** (Satyridae) **Synonym(s):** *striatula* Elwes,1899 **Range (in code):** **CN Kl T-S Ui**
- 26361. *Ypthima affectata* Elwes & Edwards,1893** (Satyridae) **Synonym(s):** *affectata* Elwes & Edwards,1893 **Range (in code):** **IN Ass Mpr TH Phi Phe Cbi Nst**
- 26362. *Ypthima akbar* Talbot,1947** (Satyridae) **Synonym(s):** *akbar* Talbot,1947 **Range (in code):** **TH CMA Phe**
- 26363. *Ypthima albida* Butler,1888** (Satyridae) **Synonym(s):** *albida* Butler,1888; *argentata* Bartel,1905; #conradsi Strand,1909. **Range (in code):** **RW UG Etb TZ KE BI ZR SD CM NG**
- 26364. *Ypthima albida albida* Butler,1888** (Satyridae) **Synonym(s):** *albida* Butler,1888; *argentata* Bartel,1905; #conradsi Strand,1909. **Range (in code):** **RW UG Etb TZ KE BI ZR SD**
- 26365. *Ypthima albida occidentalis* Bartel,1905** (Satyridae) **Synonym(s):** *occidentalis* Bartel,1905 **Range (in code):** **CM NG**
- 26366. *Ypthima albida uniformis* Bartel,1905** (Satyridae) **Synonym(s):** *uniformis* Bartel,1905 **Range (in code):** **ZR**
- 26367. *Ypthima amphithea Ménétériés,1859*** (Satyridae) **Synonym(s):** *amphithea* Ménétériés,1859 **Original Reference:** *Ypthima amphithea* Ménétériés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 41, nr.80, t.3 fig.10. Syntypes: Russia: Amurland. **Range (in code):** **RU Vv Am KP JP CN**
- 26368. *Ypthima amphithea amphithea* Ménétériés,1859** (Satyridae) **Synonym(s):** *amphithea* Ménétériés,1859 **Original Reference:** *Ypthima amphithea* Ménétériés,1859, [in] Schrenck, Reisen Forsch. im Amur-Lande 2(1): 41, nr.80, t.3 fig.10. Syntypes: Russia: Amurland. **Range (in code):** **RU Vv Am KP JP CN**
- 26369. *Ypthima antennata* Van Son,1955** (Satyridae) **Synonym(s):** *antennata* Van Son,1955 **Range (in code):** **ZA Tva Lpo Mnk ZW BW MZ ZM UG SD NG**
- 26370. *Ypthima antennata antennata* Van Son,1955** (Satyridae) **Synonym(s):** *antennata* Van Son,1955 **Range (in code):** **ZA Tva Lpo Mnk ZW BW MZ ZM UG SD**
- 26371. *Ypthima antennata cornesi* Kielland,1982** (Satyridae) **Synonym(s):** *cornesi* Kielland,1982 **Range (in code):** **NG**
- 26372. *Ypthima argus* Butler,1866** (Satyridae) **Synonym(s):** *argus* Butler,1866 **Original Reference:** *Ypthima argus* Butler,1866, J. linn. Soc. Zool. 9: 56, nr.22. Type(s): Hakodadi. **Range (in code):** **RU Vv Am KP JP CN**
- 26373. *Ypthima argus argus* Butler,1866** (Satyridae) **Synonym(s):** *argus* Butler,1866 **Original Reference:** *Ypthima argus* Butler,1866, J. linn. Soc. Zool. 9: 56, nr.22. Type(s): Hakodadi. **Range (in code):** **JP CN**
- 26374. *Ypthima argus evanescens* (Butler,1881)** (Satyridae) **Synonym(s):** *evanescens* Butler,1881 **Range (in code):** **KP**
- 26375. *Ypthima argus hyampeia* Fruhstorfer,1911** (Satyridae) **Synonym(s):** *hyampeia* Fruhstorfer,1911 **Original Reference:** *Ypthima argus hyampeia* Fruhstorfer,1911, [in] Seitz, Die Gross-Schmett. Erde 9: 290, Taf.99c. Syntypes: [Russia]: Ussuri, ? Amur. **Range (in code):** **RU Prj Us Am KP KR**
- 26376. *Ypthima asterope* (Klug,1832)** (Satyridae) **Synonym(s):** *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978. **Original Reference:** *Hipparchia asterope* Klug,1832, [in] Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien. **Range (in code):** **Ad Ae AF Ng Jla As CY Dh EG GR Hd Hj IL Pa Hf IN Ass MM May Shn Mpr IQ IR JO KW LB OM PK Rd SA SY TR AE YE ZA Tva Lpo Spb Mpu Brb Wca Kru K12 Wv Kaa Ly Suw Wri Wb NA AO VN Ann TH** **Bionomy:** Larva on *Poa annua* in capture (Poaceae) (Hesselbarth,1983).
- 26377. *Ypthima asterope annamitica* Fruhstorfer,1911** (Satyridae) **Synonym(s):** *annamitica* Fruhstorfer,1911 **Range (in code):** **VN Ann**
- 26378. *Ypthima asterope asterope* (Klug,1832)** (Satyridae) **Synonym(s):** *asterope* Klug,1832; *marlenii* Kattulas & Koutsaftikis,1978. **Original Reference:** *Hipparchia asterope* Klug,1832, [in]

- Ehrenberg, Symb. Phys. Ins. 3: pl.29 figs.11-14. Syntypes: Syrien, Arabien. Range (in code): **He Ad Ae AF Ng Jla As CY Dh EG GR Hd Hj IL Pa Hf IN IQ IR JO KW LB OM PK Rd SA SY TR AE YE ZA Tva Lpo Spb Mpu Brb Kru K12 Wv Kaa Ly Suw Wri Wb** Bionomy: Larva on *Poa annua* in capture (Poaceae) (Hesselbarth,1983).
- 26379. Ypthima asterope burmana Evans,1923** (Satyridae) Synonym(s): *burmana* Evans,1923 Original Reference: Ypthima asterope burmana Evans,1923, J. Bombay nat. Hist. Soc. 29: 786. Range (in code): **MM May Shn TH IN Mpr**
- 26380. Ypthima asterope hereroica Van Son,1955** (Satyridae) Synonym(s): *#hereroica* Grünger,1910; *hereroica* Van Son,1955 Range (in code): **ZA Wca NA AO**
- 26381. Ypthima asterope mahratta Moore,1884** (Satyridae) Synonym(s): *mahratta* Moore,1884 Original Reference: Ypthima mahratta Moore,1884, J. asiat. Soc. Beng. 53(2) 1: 16. Syntypes ♂♀: India: Deccan. Range (in code): **IN Ass**
- 26382. Ypthima avanta Moore,1874** (Satyridae) Synonym(s): *avanta* Moore,1874; *ordinata* Butler,1880. Original Reference: Ypthima avanta Moore,1874, Proc. zool. Soc. Lond. 1874: 567-568. Type(s): Cashmere: Lower Bagh river-valley. Range (in code): **Ch SI IN Ben PK Haz Mre Abb K-P MM Tns CN**
- 26383. Ypthima avanta avanta Moore,1874** (Satyridae) Synonym(s): *avanta* Moore,1874; *ordinata* Butler,1880. Original Reference: Ypthima avanta Moore,1874, Proc. zool. Soc. Lond. 1874: 567-568. Type(s): Cashmere: Lower Bagh river-valley. Range (in code): **Ch SI IN Ben PK Mre Haz Abb K-P MM Tns CN**
- 26384. Ypthima baldus (Fabricius,1775)** (Satyridae) Synonym(s): *baldus* Fabricius,1775 Original Reference: Papilio baldus Fabricius,1775, Syst. Ent., App.: 829. Range (in code): **PH Bal Pal IN MM Tns TH CMA Cu0 Cu01 Cu05 Cu07 Cu09 Dst Qs CDo CD2 Pap Mro Cbi Rat Nna Pht Non Sgk Hya Tnc PSu Bnk Phb Nst Chw MY VN ID SG Lkw Ja Sum Clb Sly Bor Nat Baw TW**
- 26385. Ypthima baldus aretas Fruhstorfer,1911** (Satyridae) Synonym(s): *aretas* Fruhstorfer,1911 Range (in code): **ID Sly**
- 26386. Ypthima baldus baldus (Fabricius,1775)** (Satyridae) Synonym(s): *baldus* Fabricius,1775 Original Reference: Papilio baldus Fabricius,1775, Syst. Ent., App.: 829. Range (in code): **IN MM Tns TH CMA Cu0 Cu01 Cu05 Cu07 Cu09 Dst Qs CDo CD2 Pap Mro Cbi Rat Nna Pht Non Sgk Hya Tnc PSu Bnk Phb Nst Chw VN**
- 26387. Ypthima baldus moerus Fruhstorfer** (Satyridae) Synonym(s): *moerus* Fruhstorfer Range (in code): **ID Sum**
- 26388. Ypthima baldus newboldi Distant,1882** (Satyridae) Synonym(s): *newboldi* Distant,1882 Range (in code): **MY SG Lkw**
- 26389. Ypthima baldus nynias Fruhstorfer,1911** (Satyridae) Synonym(s): *nynias* Fruhstorfer,1911 Range (in code): **ID Clb**
- 26390. Ypthima baldus pasitelides Fruhstorfer,1911** (Satyridae) Synonym(s): *pasitelides* Fruhstorfer,1911 Range (in code): **ID Baw**
- 26391. Ypthima baldus selinuntius Fruhstorfer,1911** (Satyridae) Synonym(s): *selinuntius* Fruhstorfer,1911 Range (in code): **PH Bal Pal Bor Nat ID**
- 26392. Ypthima baldus zodina Fruhstorfer,1911** (Satyridae) Synonym(s): *zodina* Fruhstorfer,1911 Range (in code): **TW**
- 26393. Ypthima bolanica Marschall,1882** (Satyridae) Synonym(s): *bolanica* Marschall,1882 Original Reference: Ypthima bolanica Marschall,1882, Proc. zool. Soc. London 52: 759. Type: [Pakistan]: at Mach in the Bolan Pass. Range (in code): **BI Mac PK IR Ss Hz B-A Ch AF Ng Jla OM**
- 26394. Ypthima bolanica bolanica Marschall,1882** (Satyridae) Synonym(s): *bolanica* Marschall,1882 Original Reference: Ypthima bolanica Marschall,1882, Proc. zool. Soc. London 52: 759. Type: [Pakistan]: at Mach in the Bolan Pass. Range (in code): **BI Mac PK IR Ss Hz B-A AF Jla Ng Ch OM**
- 26395. Ypthima cantlei Norman,1958** (Satyridae) Synonym(s): *cantlei* Norman,1958 Range (in code): **IN Ass**
- 26396. Ypthima ceylonica Hewitson,1865** (Satyridae) Synonym(s): *ceylonica* Hewitson,1865 Original Reference: Ypthima ceylonica Hewitson,1865, Trans. ent. Soc. Lond. (3) 2: 288, nr. 19, tab. 18 figs.14,15. Syntypes: [Sri Lanka]: Ceylon. Range (in code): **IN LK Ch**
- 26397. Ypthima ceylonica ceylonica Hewitson,1865** (Satyridae) Synonym(s): *ceylonica* Hewitson,1865 Original Reference: Ypthima ceylonica Hewitson,1865, Trans. ent. Soc. Lond. (3) 2: 288, nr. 19, tab. 18 figs.14,15. Syntypes: [Sri Lanka]: Ceylon. Range (in code): **IN LK**

- 26398. *Ypthima ceylonica kasmira* Moore, 1884** (Satyridae) **Synonym(s):** *kasmira* Moore, 1884
Original Reference: *Ypthima kasmira* Moore, 1884, J. asiat. Soc. Beng. 53(2) 1: 17. Syntypes ♂♀:
Kashmir. Range (in code): **Ch IN**
- 26399. *Ypthima chenu* Guérin-Ménéville, 1843** (Satyridae) **Synonym(s):** *chenu* Guérin-Ménéville, 1843
Range (in code): **IN**
- 26400. *Ypthima condamini* Kielland, 1982** (Satyridae) **Synonym(s):** *condamini* Kielland, 1982
Range (in code): **NG SN BF GH NE TZ ZA ZW MW ZM ZR UG SD ET**
- 26401. *Ypthima condamini condamini* Kielland, 1982** (Satyridae) **Synonym(s):** *condamini* Kielland, 1982
Range (in code): **TZ ZA ZW MW ZM ZR UG SD ET**
- 26402. *Ypthima condamini nigeriae* Kielland, 1982** (Satyridae) **Synonym(s):** *nigeriae* Kielland, 1982
Range (in code): **NG SN BF GH NE**
- 26403. *Ypthima confusa* Shirozu & Shima, 1977** (Satyridae) **Synonym(s):** *confusa* Shirozu & Shima, 1977
Range (in code): **TH CMA Int**
- 26404. *Ypthima congoana* Overlaet, 1955** (Satyridae) **Synonym(s):** *congoana* Overlaet, 1955
Range (in code): **ZR AO ZM**
- 26405. *Ypthima congoana congoana* Overlaet, 1955** (Satyridae) **Synonym(s):** *congoana* Overlaet, 1955
Range (in code): **ZR AO ZM**
- 26406. *Ypthima conjuncta* Leech, 1891** (Satyridae) **Synonym(s):** *conjuncta* Leech, 1891
Range (in code): **CN TW**
- 26407. *Ypthima conjuncta formosana* Fruhstorfer, 1908** (Satyridae) **Synonym(s):** *formosana* Fruhstorfer, 1908
Range (in code): **TW**
- 26408. *Ypthima diplommata* Overlaet, 1954** (Satyridae) **Synonym(s):** *diplommata* Overlaet, 1954
Range (in code): **ZR ZM**
- 26409. *Ypthima diplommata diplommata* Overlaet, 1954** (Satyridae) **Synonym(s):** *diplommata* Overlaet, 1954
Range (in code): **ZR ZM**
- 26410. *Ypthima dohertyi* Moore, 1895** (Satyridae) **Synonym(s):** *dohertyi* Moore, 1895
Range (in code): **MM TH CMA**
- 26411. *Ypthima dohertyi dohertyi* Moore, 1895** (Satyridae) **Synonym(s):** *dohertyi* Moore, 1895
Range (in code): **MM TH CMA**
- 26412. *Ypthima doleta* Kirby, 1880** (Satyridae) **Synonym(s):** *doleta* Kirby, 1880
Range (in code): **SL CM SN GA AO ZR UG TZ**
- 26413. *Ypthima doleta doleta* Kirby, 1880** (Satyridae) **Synonym(s):** *doleta* Kirby, 1880
Range (in code): **SL CM SN GA AO ZR UG TZ**
- 26414. *Ypthima evansi* Eliot, 1967** (Satyridae) **Synonym(s):** *evansi* Eliot, 1967
Range (in code): **TH CMA**
- 26415. *Ypthima evansi evansi* Eliot, 1967** (Satyridae) **Synonym(s):** *evansi* Eliot, 1967
Range (in code): **TH CMA**
- 26416. *Ypthima fasciata* Hewitson, 1865** (Satyridae) **Synonym(s):** *fasciata* Hewitson, 1865
Range (in code): **CN TW ID MY Bor Nat Sum TH Rng Sat Yal**
- 26417. *Ypthima fasciata fasciata* Hewitson, 1865** (Satyridae) **Synonym(s):** *fasciata* Hewitson, 1865
Range (in code): **MY Bor ID Nat**
- 26418. *Ypthima fasciata kanonis* Matsumura** (Satyridae) **Synonym(s):** *kanonis* Matsumura
Range (in code): **TW**
- 26419. *Ypthima fasciata prenubila* Leech** (Satyridae) **Synonym(s):** *prenubila* Leech
Range (in code): **CN**
- 26420. *Ypthima fasciata torone* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *torone* Fruhstorfer, 1911
Range (in code): **MY ID Sum TH Rng Sat Yal**
- 26421. *Ypthima gavalisi* Martin, 1915** (Satyridae) **Synonym(s):** *gavalisi* Martin, 1915
Range (in code): **ID Clb**
- 26422. *Ypthima granulosa* Butler, 1883** (Satyridae) **Synonym(s):** *granulosa* Butler, 1883; *cataractae* Van Son, 1955
Range (in code): **ZA TZ Pb Dss ZW KE UG BW MZ MW**
- 26423. *Ypthima granulosa granulosa* Butler, 1883** (Satyridae) **Synonym(s):** *granulosa* Butler, 1883; *cataractae* Van Son, 1955
Range (in code): **ZA TZ Pb Dss ZW KE UG BW MZ MW**
- 26424. *Ypthima hanburyi* Holloway, 1984** (Satyridae) **Synonym(s):** *hanburyi* Holloway, 1984
Range (in code): **Swk Bor MY**
- 26425. *Ypthima hanningtoni* (Eliot, 1967)** (Satyridae) **Synonym(s):** *hanningtoni* Eliot, 1967
Range (in code): **NP IN Hp Kgr Mus**

- 26426. *Ypthima horsfieldi* Moore, 1884** (Satyridae) Synonym(s): *horsfieldi* Moore, 1884
Range (in code): ID Ja TH Rng Tng Yal Nst Sgk Hya Tnc
- 26427. *Ypthima huebneri* Kirby, 1871** (Satyridae) Synonym(s): *huebneri* Kirby, 1871 - Range (in code): IN MM TH CMA Cuo Cuo1 Dst Qs Int Pap Mro Rng Nrt Sat Cbi Yal Sgk Hya Tnc MY Lkw SG
- 26428. *Ypthima humei* Elwes & Edwards, 1893** (Satyridae) Synonym(s): *humei* Elwes & Edwards, 1893 - Range (in code): TH CMA Rng Tak Pht Knc
- 26429. *Ypthima iarba* Nicéville, 1895** (Satyridae) Synonym(s): *iarba* Nicéville, 1895 - Range (in code): MM MY ID Sum Ja
- 26430. *Ypthima iarba eupeithes* Fruhstorfer, 1911** (Satyridae) Synonym(s): *eupeithes* Fruhstorfer, 1911 - Range (in code): ID Ja
- 26431. *Ypthima iarba gaugamela* Fruhstorfer, 1911** (Satyridae) Synonym(s): *gaugamela* Fruhstorfer, 1911 - Range (in code): ID Ja
- 26432. *Ypthima iarba iarba* Nicéville, 1895** (Satyridae) Synonym(s): *iarba* Nicéville, 1895
Range (in code): MM MY ID Sum
- 26433. *Ypthima impura* Elwes & Edwards, 1893** (Satyridae) Synonym(s): *impura* Elwes & Edwards, 1893 - Range (in code): GA SN CI NG CM ZR AO ZW ZA Tva Lpo Spb Kru K12 ET
- 26434. *Ypthima impura impura* Elwes & Edwards, 1893** (Satyridae) Synonym(s): *impura* Elwes & Edwards, 1893 - Range (in code): GA SN CI NG CM ZR AO
- 26435. *Ypthima impura paupera* Ungemach, 1932** (Satyridae) Synonym(s): *paupera* Ungemach, 1932; *#hiemis* Ungemach, 1932; *#badhami* Van Son, 1955. - Range (in code): ZW ZA Tva Lpo Spb Kru K12 Nta Kzu ET
- 26436. *Ypthima indecora* Moore, 1882** (Satyridae) Synonym(s): *indecora* Moore, 1882 Original Reference: *Ypthima indecora* Moore, 1882, Proc. zool. Soc. Lond. 1882: 238, Pl.12, fig.7. Syntypes ♂♀: India: Kangra. Range (in code): Ch IN
- 26437. *Ypthima indecora indecora* Moore, 1882** (Satyridae) Synonym(s): *indecora* Moore, 1882
Original Reference: *Ypthima indecora* Moore, 1882, Proc. zool. Soc. Lond. 1882: 238, Pl.12, fig.7. Syntypes ♂♀: India: Kangra. Range (in code): Ch IN
- 26438. *Ypthima inica* Hewitson, 1864** (Satyridae) Synonym(s): *inica* Hewitson, 1864 - Range (in code): IN Ass
- 26439. *Ypthima jacksoni* Kielland, 1982** (Satyridae) Synonym(s): *jacksoni* Kielland, 1982
Range (in code): KE Mb Tet SO ET
- 26440. *Ypthima jacksoni jacksoni* Kielland, 1982** (Satyridae) Synonym(s): *jacksoni* Kielland, 1982 - Range (in code): KE Mb Tet SO ET
- 26441. *Ypthima kalelonda* Hewitson, 1888** (Satyridae) Synonym(s): *kalelonda* Hewitson, 1888
Range (in code): ID Clb
- 26442. *Ypthima lamto* Kielland, 1982** (Satyridae) Synonym(s): *lamto* Kielland, 1982 - Range (in code): CI
- 26443. *Ypthima lamto lamto* Kielland, 1982** (Satyridae) Synonym(s): *lamto* Kielland, 1982
Range (in code): CI
- 26444. *Ypthima lisandra* (Cramer, [1782])** (Satyridae) Synonym(s): *lisandra* Cramer, [1782]
Original Reference: *Papilio lisandra* Cramer, [1782], Uitl. Kapellen 4: tab. 293 figs. G, H. Range (in code): TH CMA Nrt Phe Chy
- 26445. *Ypthima lisandra bara* Evans, 1923** (Satyridae) Synonym(s): *bara* Evans, 1923 - Range (in code): TH CMA Nrt Phe Chy
- 26446. *Ypthima lisandra lisandra* (Cramer, [1782])** (Satyridae) Synonym(s): *lisandra* Cramer, [1782]
Original Reference: *Papilio lisandra* Cramer, [1782], Uitl. Kapellen 4: tab. 293 figs. G, H.
- 26447. *Ypthima loryma* Hewitson, 1865** (Satyridae) Synonym(s): *loryma* Hewitson, 1865
Range (in code): ID Clb
- 26448. *Ypthima methora* Hewitson, 1865** (Satyridae) Synonym(s): *methora* Hewitson, 1865
Range (in code): SI IN Ass
- 26449. *Ypthima multistriata* Butler, 1883** (Satyridae) Synonym(s): *multistriata* Butler, 1883
Range (in code): TW
- 26450. *Ypthima nareda* (Kollar, [1844])** (Satyridae) Synonym(s): *nareda* Kollar, [1844]
Original Reference: *Satyrus nareda* Kollar, [1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 451. Type(s): Kaschmir. Range (in code): Ch Ass Slo MM IN PK Mre Haz Dew

- 26451. *Ypthima nareda nareda* (Kollar,[1844])** (Satyridae) **Synonym(s):** *nareda* Kollar,[1844] **Original Reference:** *Satyrus nareda* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 451. **Type(s):** Kaschmir. **Range (in code):** **Ch Ass Slo MM IN PK Haz Mre Dew**
- 26452. *Ypthima nigricans* Snellen,1892** (Satyridae) **Synonym(s):** *nigricans* Snellen,1892 **Range (in code):** **ID Ja**
- 26453. *Ypthima nikaea* Moore,1874** (Satyridae) **Synonym(s):** *nikaea* Moore,1874 **Original Reference:** *Ypthima nikaea* Moore,1874, Proc. zool. Soc. Lond. 1874: 567. **Type(s):** N.W. Himalayas. **Range (in code):** **PK Mre Haz Abb IN NP**
- 26454. *Ypthima norma* Westwood,1851** (Satyridae) **Synonym(s):** *norma* Westwood,1851 **Range (in code):** **PH Luz MM TH Mae**
- 26455. *Ypthima norma aei* Shirozu & Shima,1977** (Satyridae) **Synonym(s):** *aei* Shirozu & Shima,1977 **Range (in code):** **PH Luz**
- 26456. *Ypthima norma burmana* Evans,1923** (Satyridae) **Synonym(s):** *burmana* Evans,1923 **Range (in code):** **MM TH Mae**
- 26457. *Ypthima norma norma* Westwood,1851** (Satyridae) **Synonym(s):** *norma* Westwood,1851
- 26458. *Ypthima pandocus* Moore,1858** (Satyridae) **Synonym(s):** *pandocus* Moore,1858 **Range (in code):** **TH Yal Knc**
- 26459. *Ypthima pandocus corticaria* Butler,1879** (Satyridae) **Synonym(s):** *corticaria* Butler,1879 **Range (in code):** **TH Yal Knc**
- 26460. *Ypthima pandocus pandocus* Moore,1858** (Satyridae) **Synonym(s):** *pandocus* Moore,1858
- 26461. *Ypthima parasakra* (Eliot,1987)** (Satyridae) **Synonym(s):** *parasakra* Eliot,1987 **Range (in code):** **BT NP**
- 26462. *Ypthima persimilis* Elwes & Edwards,1893** (Satyridae) **Synonym(s):** *persimilis* Elwes & Edwards,1893 **Range (in code):** **BT IN Ass Mpr**
- 26463. *Ypthima philomela* (Linnaeus,1763)** (Satyridae) **Synonym(s):** *philomela* Linnaeus,1763 **Range (in code):** **IN MM TH MY ID Sum Ja**
- 26464. *Ypthima praestans* Overlaet,1954** (Satyridae) **Synonym(s):** *praestans* Overlaet,1954 **Range (in code):** **ZR AO ZM**
- 26465. *Ypthima praestans praestans* Overlaet,1954** (Satyridae) **Synonym(s):** *praestans* Overlaet,1954 **Range (in code):** **ZR AO ZM**
- 26466. *Ypthima pulchra* Overlaet,1954** (Satyridae) **Synonym(s):** *pulchra* Overlaet,1954 **Range (in code):** **AO CF MG ZR**
- 26467. *Ypthima pulchra pulchra* Overlaet,1954** (Satyridae) **Synonym(s):** *pulchra* Overlaet,1954 **Range (in code):** **AO CF MG ZR**
- 26468. *Ypthima pupillaris* Butler,1888** (Satyridae) **Synonym(s):** *pupillaris* Butler,1888; *gazana* Van Son,1955 **Range (in code):** **ZW ZM TZ UG Etb ET ZR LR CM**
- 26469. *Ypthima pupillaris obscurata* Kielland,1982** (Satyridae) **Synonym(s):** *obscurata* Kielland,1982 **Range (in code):** **TZ ET ZR**
- 26470. *Ypthima pupillaris pupillaris* Butler,1888** (Satyridae) **Synonym(s):** *pupillaris* Butler,1888; *gazana* Van Son,1955 **Range (in code):** **ZW ZM TZ UG Etb ZR LR CM**
- 26471. *Ypthima recta* Overlaet,1955** (Satyridae) **Synonym(s):** *recta* Overlaet,1955 **Range (in code):** **ZR RW BI TZ UG KE**
- 26472. *Ypthima recta recta* Overlaet,1955** (Satyridae) **Synonym(s):** *recta* Overlaet,1955 **Range (in code):** **ZR RW BI TZ UG KE**
- 26473. *Ypthima rhodesiana* Carcasson,1961** (Satyridae) **Synonym(s):** *rhodesiana* Carcasson,1961 **Range (in code):** **ZW ZM TZ**
- 26474. *Ypthima rhodesiana rhodesiana* Carcasson,1961** (Satyridae) **Synonym(s):** *rhodesiana* Carcasson,1961 **Range (in code):** **ZW ZM TZ**
- 26475. *Ypthima sakra* Moore,1857** (Satyridae) **Synonym(s):** *sakra* Moore,1857 **Original Reference:** *Ypthima sakra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236. **Range (in code):** **PK Dew Mre Haz Thu NP IN Kma Hp Ass Slo CN Ti Sz SI BT TH**
- 26476. *Ypthima sakra austeni* Moore,1892** (Satyridae) **Synonym(s):** *austeni* Moore,1892 **Range (in code):** **TH**
- 26477. *Ypthima sakra sakra* Moore,1857** (Satyridae) **Synonym(s):** *sakra* Moore,1857 **Original Reference:** *Ypthima sakra* Moore,1857, [in] Horsfield & Moore, Cat. lep. Ins. Mus. East India Coy (1): 236. **Range (in code):** **PK Dew Mre Haz Thu NP IN Kma Hp Ass Slo CN Ti Sz SI BT**

- 26478. *Ypthima savara* Grose-Smith, 1886** (Satyridae) **Synonym(s):** *savara* Grose-Smith, 1886
Range (in code): **MM VN Ton TH CMa CDo Knc Phi Nrt Loe Tak Pbu Ntt SPa Sgk Hya Tnc**
- 26479. *Ypthima savara savara* Grose-Smith, 1886** (Satyridae) **Synonym(s):** *savara* Grose-Smith, 1886
Range (in code): **MM VN Ton TH CMa CDo Knc Phi Nrt Loe Tak**
- 26480. *Ypthima savara tonkiniana* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *tonkiniana* Fruhstorfer, 1911
Range (in code): **VN Ton TH Pbu Ntt SPa Sgk Hya Tnc**
- 26481. *Ypthima sempera* C.Felder & R.Felder, 1863** (Satyridae) **Synonym(s):** *sempera* C.Felder & R.Felder, 1863
Original Reference: *Ypthima sempera* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 125. Type ♀: Luzon.
Range (in code): **PH Ala Boh Cts Gui Ley Luz Mar Mas Mdo Neg Pan Pao Sam Bas CmM Mno Sar Jol Sga Stu Taw Bal Cal Cuy Pal**
- 26482. *Ypthima sempera aquillius* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *aquillius* Fruhstorfer, 1911
Range (in code): **PH Bal Cal Cuy Pal**
- 26483. *Ypthima sempera calanus* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *calanus* Fruhstorfer, 1911
Range (in code): **PH Jol Sga Stu Taw**
- 26484. *Ypthima sempera chaboras* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *chaboras* Fruhstorfer, 1911
Range (in code): **PH Bas CmM Mno Sar**
- 26485. *Ypthima sempera sempera* C.Felder & R.Felder, 1863** (Satyridae) **Synonym(s):** *sempera* C.Felder & R.Felder, 1863
Original Reference: *Ypthima sempera* C.Felder & R.Felder, 1863, Wien. ent. Monatschr. 7(4): 125. Type ♀: Luzon.
Range (in code): **PH Ala Boh Cts Gui Ley Luz Mar Mas Mdo Neg Pan Pao Sam**
- 26486. *Ypthima sensilis* Kashiwai, 1982** (Satyridae) **Synonym(s):** *sensilis* Kashiwai, 1982
Range (in code): **PH Mno**
- 26487. *Ypthima sensilis sensilis* Kashiwai, 1982** (Satyridae) **Synonym(s):** *sensilis* Kashiwai, 1982
Range (in code): **PH Mno**
- 26488. *Ypthima similis* Elwes & Edwards, 1893** (Satyridae) **Synonym(s):** *similis* Elwes & Edwards, 1893
Range (in code): **IN Ass Mpr MM TH CMa Cm1 Cuo Cuo1 Cuo7 Cuo9 Cuo10 Cuo12 CDo CD2 Pap Mro Dsk Hpt Phe Loe Pbu**
- 26489. *Ypthima simplicia* Butler, 1876** (Satyridae) **Synonym(s):** *simplicia* Butler, 1876
Range (in code): **ET SO KE TZ**
- 26490. *Ypthima simplicia simplicia* Butler, 1876** (Satyridae) **Synonym(s):** *simplicia* Butler, 1876
Range (in code): **ET SO KE TZ**
- 26491. *Ypthima singala* C.Felder, 1868** (Satyridae) **Synonym(s):** *singala* C.Felder, 1868
Range (in code): **LK IN**
- 26492. *Ypthima sobrina* Elwes & Edwards, 1893** (Satyridae) **Synonym(s):** *sobrina* Elwes & Edwards, 1893
Range (in code): **IN Ass TH Mae CMa Tak Phe**
- 26493. *Ypthima stelleri* (Eschscholtz, 1821)** (Satyridae) **Synonym(s):** *stelleri* Eschscholtz, 1821
Original Reference: *Hipparchia stelleri* Eschscholtz, 1821, Kotsubue Reise 3: 216, t.10 figs. 24a, b. Syntypes: Philippines: Manilla.
Range (in code): **PH Bas Boh Ceb Cts Ley Luz Mar Mdo Mno Neg Pan Pao Rom Sam Sia Bal Cal Pal**
- 26494. *Ypthima stelleri galeria* Fruhstorfer, 1911** (Satyridae) **Synonym(s):** *galeria* Fruhstorfer, 1911
Range (in code): **PH Bal Cal Pal**
- 26495. *Ypthima stelleri stelleri* (Eschscholtz, 1821)** (Satyridae) **Synonym(s):** *stelleri* Eschscholtz, 1821
Original Reference: *Hipparchia stelleri* Eschscholtz, 1821, Kotsubue Reise 3: 216, t.10 figs. 24a, b. Syntypes: Philippines: Manilla.
Range (in code): **PH Bas Boh Ceb Cts Ley Luz Mar Mdo Mno Neg Pan Pao Rom Sam Sia**
- 26496. *Ypthima striata* Hampson, 1888** (Satyridae) **Synonym(s):** *striata* Hampson, 1888
Range (in code): **IN**
- 26497. *Ypthima vuattauxi* Kielland, 1982** (Satyridae) **Synonym(s):** *vuattauxi* Kielland, 1982
Range (in code): **CI GH NG CM**
- 26498. *Ypthima vuattauxi vuattauxi* Kielland, 1982** (Satyridae) **Synonym(s):** *vuattauxi* Kielland, 1982
Range (in code): **CI GH NG CM**
- 26499. *Ypthima watsoni* Moore, 1893** (Satyridae) **Synonym(s):** *watsoni* Moore, 1893
Range (in code): **IN Ass MM Mpr TH CMa Yal Nst Ths**
- 26500. *Ypthima watsoni peninsulae* Aoki & Uémura, 1984** (Satyridae) **Synonym(s):** *peninsulae* Aoki & Uémura, 1984
Range (in code): **TH Yal Nst Ths**
- 26501. *Ypthima watsoni watsoni* Moore, 1893** (Satyridae) **Synonym(s):** *watsoni* Moore, 1893
Range (in code): **TH CMa**

- 26502. *Ypthima yatta* Kielland,1982** (Satyridae) Synonym(s): *yatta* Kielland,1982 _ Range (in code): ET KE
- 26503. *Ypthima yatta yatta* Kielland,1982** (Satyridae) Synonym(s): *yatta* Kielland,1982 Range (in code): ET KE
- 26504. *Ypthima ypthimoides* Moore,1881** (Satyridae) Synonym(s): *ypthimoides* Moore,1881 Range (in code): IN
- 26505. *Ypthima yunosukei* Aoki & Uémura,1984** (Satyridae) Synonym(s): *yunosukei* Aoki & Uémura,1984 _ Range (in code): TH Loe Sgk Hya Tnc
- 26506. *Ypthimomorpha itonia* (Hewitson,1865)** (Satyridae) Synonym(s): *itonia* Hewitson,1865; *hoehneli* Holland,1896; *quadriocellata* Strand,1909 _ Range (in code): SD TZ ZR CM ZA
- 26507. *Ypthimomorpha itonia itonia* (Hewitson,1865)** (Satyridae) Synonym(s): *itonia* Hewitson,1865; *hoehneli* Holland,1896; *quadriocellata* Strand,1909 _ Range (in code): SD TZ ZR CM ZA
- 26508. *Zethera hestioides* C.Felder & R.Felder,1861** (Satyridae) Synonym(s): *hestioides* C.Felder & R.Felder,1861 _ Range (in code): PH Mno
- 26509. *Zethera musa* C.Felder & R.Felder,1861** (Satyridae) Synonym(s): *musa* C.Felder & R.Felder,1861 _ Range (in code): PH Bas Mno
- 26510. *Zethera musides* Semper,1878** (Satyridae) Synonym(s): *musides* Semper,1878 _ Range (in code): PH Ceb Gui Mas Neg Pan Siq Tic
- 26511. *Zethera pimplea* Erichson,1834** (Satyridae) Synonym(s): *pimplea* Erichson,1834 Range (in code): PH Bab Bur Cat CmL Luz Mar Mdo Pol
- 26512. *Zethera thermaea* Hewitson,1877** (Satyridae) Synonym(s): *thermaea* Hewitson,1877 Range (in code): PH Boh Ley Pao Sam
- 26513. *Zophoessa callipteris* (Butler,1877)** (Satyridae) Synonym(s): *callipteris* Butler,1877 Range (in code): RU Sh Vv
- 26514. *Zophoessa callipteris callipteris* (Butler,1877)** (Satyridae) Synonym(s): *callipteris* Butler,1877 _ Range (in code): RU Sh Vv
- 26515. *Zophoessa dataensis* Semper,1887** (Satyridae) Synonym(s): *dataensis* Semper,1887 Range (in code): PH Luz Mdo
- 26516. *Zophoessa dataensis dataensis* Semper,1887** (Satyridae) Synonym(s): *dataensis* Semper,1887 _ Range (in code): PH Luz
- 26517. *Zophoessa dataensis nihirae* Treadaway & Nuyda,1993** (Satyridae) Synonym(s): *nihirae* Treadaway & Nuyda,1993 _ Range (in code): PH Mdo

Moths

- 26520. *Acanthopteroctetes aurulenta* D.R.Davis,1984** (Acanthopteroctetidae) Synonym(s): *aurulenta* D.R.Davis,1984 Range (in code): US
- 26521. *Acanthopteroctetes bimaculata* D.R.Davis,1969** (Acanthopteroctetidae) Synonym(s): *bimaculata* D.R.Davis,1969 Range (in code): US Cf Org
- 26522. *Acanthopteroctetes tripunctata* Braun,1921** (Acanthopteroctetidae) Synonym(s): *tripunctata* Braun,1921 _ Range (in code): US Mon
- 26523. *Acanthopteroctetes unifascia* D.R.Davis,1978** (Acanthopteroctetidae) Synonym(s): *unifascia* D.R.Davis,1978 _ Range (in code): US
- 26524. *Catapterix crimaeva Zagulyaev & Sinev,1988*** (Acanthopteroctetidae) Synonym(s): *crimaeva* Zagulyaev & Sinev,1988 Range (in code): UA Cm
- 26525. *Amydria apachella* Dietz,1905** (Acrolophidae) Synonym(s): *apachella* Dietz,1905 Range (in code): US Arz
- 26526. *Adela albicinctella* Mann,1852** (Adelidae) Synonym(s): *albicinctella* Mann,1852; *panicensis* Frey,1870 _ Range (in code): FR IT DE CH AT PL CZ SK RU MD UA BY Bionomy: Larva on *Salix* (Weber,1945).
- 26527. *Adela alurgis* Kozlov,2006** (Adelidae) Synonym(s): *alurgis* Kozlov,2006 _ Range (in code): SY
- 26528. *Adela antilyca* (Meyrick,1936)** (Adelidae) Synonym(s): *antilyca* Meyrick,1936 Original Reference: Nemotois *antilyca* Meyrick,1936, Exot. Microlepid. 5: 42. Syntypes 6♂ 2♀: Iraq: Diana, April-May, E.P.Wiltshire leg. Range (in code): IQ Dia

- 26529. Adela argyrospila Meyrick,1924** (Adelidae) Synonym(s): *argyrospila* Meyrick,1924
Range (in code): **IL Hf Pa**
- 26530. Adela associatella (Zeller,1839)** (Adelidae) Synonym(s): *associatella* Zeller,1839
Range (in code): **FR IT DE CH AT PL CZ SK RO YU AL BG RU MD UA BY KK Ik** Bionomy: Larva on *Abies alba* (Schütze,1931).
- 26531. Adela associatella tancrei Sauber,1899** (Adelidae) Synonym(s): *tancrei* Sauber,1899
Range (in code): **KK Ik**
- 26532. Adela auricella Ragonot,1874** (Adelidae) Synonym(s): *auricella* Ragonot,1874 _ Range (in code): **PT ES FR PL RU AT HU CZ SK IT YU GR TR**
- 26533. Adela australis (Heydenreich,1851)** (Adelidae) Synonym(s): *aldrovandella* Villers,1789; *australis* Heydenreich,1851; *australis* Herrich-Schäffer,1855 _ Range (in code): **ES FR Co Si IT CH YU AL BG TR**
- 26534. Adela chlorista (Meyrick,1912)** (Adelidae) Synonym(s): *chlorista* Meyrick,1912 _ Range (in code): **TR**
- 26535. Adela collicolella (Walsingham,1904)** (Adelidae) Synonym(s): *collicolella* Walsingham,1904 _ Range (in code): **ES**
- 26536. Adela croesella (Scopoli,1763)** (Adelidae) Synonym(s): *croesella* Scopoli,1763; *podaella* Linnaeus,1767; *sultzella* Linnaeus,1767; *malletella* Fourcroy,1785; *fasciata* Esper,1791; *sultzii* Haworth,1828; *sulzeriella* Zeller,1839; *laqueatella* Zeller,1850. _ Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 26537. Adela cuneella Walsingham,1891** (Adelidae) Synonym(s): *cuneella* Walsingham,1891
Range (in code): **ZA Nta Kzu Est**
- 26538. Adela cuprella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *cuprella* [Denis & Schiffermüller],1775; *cuprea* Haworth,1828; *aeneella* Zetterstedt,[1839]; *crintella* Zetterstedt,[1839]
Original Reference: *Tinea cuprella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmets. Wienergegend*: 320. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Salix* (Salicaceae) (Zeller,1853).
- 26539. Adela droseropa Meyrick,1921** (Adelidae) Synonym(s): *droseropa* Meyrick,1921 Range (in code): **ZA Wca Grg**
- 26540. Adela electella (Walker,[1863])** (Adelidae) Synonym(s): *electella* Walker,[1863]
Range (in code): **ZA Tva Lpo Hae**
- 26541. Adela glabrata (Meyrick,1922)** (Adelidae) Synonym(s): *glabrata* Meyrick,1922 Range (in code): **IL Hf Pa**
- 26542. Adela homalella (Staudinger,1859)** (Adelidae) Synonym(s): *homalella* Staudinger,1859
Range (in code): **ES** Bionomy: Larva on *Erysimum canescens* (ex Preissecker).
- 26543. Adela mazzolella (Hübner,[1801])** (Adelidae) Synonym(s): *aurella* [Denis & Schiffermüller],1775 nec Fabr.,1775; *mazzolella* Hübner,[1801]; *armeniella* Rebel,1902 _ Range (in code): **ES FR IT AT CZ SK HU RO GR TR Cc AM Eri**
- 26544. Adela mutabilella Küppers,1980** (Adelidae) Synonym(s): *mutabilella* Küppers,1980
Original Reference: *Adela mutabilella* Küppers,1980, *Untersuchungen zur Taxonomie und Phylogenie der Westpaläarktischen Adelinae*: 245, figs. Holotype ♂: [China: Uighur Ili]: "Turan" (Mus. Leiden). Range (in code): **CN Ui Ku RU Sb**
- 26545. Adela natalensis Stainton,1860** (Adelidae) Synonym(s): *natalensis* Stainton,1860; *albicornis* Walker,1863 _ Range (in code): **ZA Nta Kzu**
- 26546. Adela paludicolella (Zeller,1850)** (Adelidae) Synonym(s): *paludicolella* Zeller,1850
Range (in code): **FR Co Sa IT HU RO GR Cr CY** Bionomy: Larva on *Erica* (Ericaceae) (Zeller,1850).
- 26547. Adela pantherella (Guenée,1848)** (Adelidae) Synonym(s): *pantherella* Guenée,1848
Range (in code): **AET DZ Clo ES** Bionomy: Larva probably on *Cytisus spinosus* (Küppers,1980).
- 26548. Adela reaumurella (Linnaeus,1758)** (Adelidae) Synonym(s): *reaumurella* Linnaeus,1758; *viridella* Scopoli,1763; *sphingiella* Hübner,1793; *viridis* Haworth,1828; *#nigra* Zeller,1853; *speyeri* Zeller,1853; *vernella* Bruand,1859
Original Reference: *Phalaena reaumurella* Linnaeus,1758, *Syst Nat.* (Edn.10) 1: 540. Type(s): Europa. Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE LV LT RU MD UA BY** Bionomy: Larva on *Fagus*, *Quercus* (Fagaceae).
- 26549. Adela repetitella Mann,1861** (Adelidae) Synonym(s): *repetitella* Mann,1861 _ Range (in code): **TR** Bionomy: Larva probably on *Spartium* (Küppers,1980).

- 26550. Adela violella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *violella* [Denis & Schiffermüller],1775; *tombacinella* Stainton,1851 Original Reference: *Tinea violella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR Cc RU MD UA BY** Bionomy: Larva on Hypericum (Zeller,1853).
- 26551. Cauchas anatolica (Rebel,1902)** (Adelidae) Synonym(s): *anatolica* Rebel,1902 Original Reference: *Adela anatolica* Rebel,1902, Dt. ent. Z., Iris 15(1): 125, Taf.iv fig.13 [1903]. Type ♂: [Türkei]: [Konya Pr.]: "Ak Chehir" (leg. Korb, coll. Caradja). Range (in code): **GR TR**
- 26552. Cauchas breviantennella Nielsen & Johansson,1980** (Adelidae) Synonym(s): *breviantennella* Nielsen & Johansson,1980 Range (in code): **SE FI RU MD UA BY**
- 26553. Cauchas chrysopterella Küppers,1980** (Adelidae) Synonym(s): *chrysopterella* Küppers,1980 Range (in code): **DE AT** Bionomy: Larva on probably *Arabis hirsuta* (Küppers,1980).
- 26554. Cauchas fibulella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *fibulella* [Denis & Schiffermüller],1775; *pulchella* Eversmann,1844; *immaculata* Wocke,1877 Original Reference: *Tinea fibulella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Veronica chamaedrys*, *V. officinalis* (Schütze,1931).
- 26555. Cauchas florella (Staudinger,1871)** (Adelidae) Synonym(s): *florella* Staudinger,1871 Range (in code): **TR RU MD UA BY o**
- 26556. Cauchas leucocerella (Scopoli,1763)** (Adelidae) Synonym(s): *leucocerella* Scopoli,1763; *conformella* Zeller,1839; *bimaculella* Fischer v. Rösslerstamm,1840 Original Reference: *Phalaena leucocerella* Scopoli,1763, Entomologia Carniolica: 255. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **FR IT DE AT PL CZ SK HU RO YU AL BG GR TR LV RU MD UA BY**
- 26557. Cauchas rufifrontella (Treitschke,1833)** (Adelidae) Synonym(s): *rufifrontella* Treitschke,1833 Range (in code): **FR IT DE AT PL CZ SK HU RO YU AL GR TR DK RU MD UA BY** Bionomy: Larva on *Cardamine pratensis*, *Sisymbrium alliaria*, *Linaria* (Schütze,1931).
- 26558. Cauchas rufimitrella (Scopoli,1763)** (Adelidae) Synonym(s): *rufimitrella* Scopoli,1763; *purpuratella* Zeller,1850 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Cardamine pratensis*, *Alliaria petiolata* (Chapman,1891; Jacobs,1949).
- 26559. Cauchas terskella Kuprijanov,1994** (Adelidae) Synonym(s): *terskella* Kuprijanov,1994 Range (in code): **KG Tk TeA Nrk**
- 26560. Cauchas tridesma (Meyrick,1912)** (Adelidae) Synonym(s): *trifasciella* Staudinger,1879 (*praeocc.*); *tridesma* Meyrick,1912. Original Reference: *Adela tridesma* Meyrick,1912, Genera Ins. 133: 10. Type: Turkey: Amasia (BMNH). Range (in code): **TR RU Sr**
- 26561. Cauchas uhrikmeszarosiella (Szenz-Ivány,1945)** (Adelidae) Synonym(s): *uhrikmeszarosiella* Szenz-Ivány,1945 Range (in code): **HU**
- 26562. Ceromitia albosparsa Janse,1945** (Adelidae) Synonym(s): *albosparsa* Janse,1945 Range (in code): **ZA**
- 26563. Ceromitia alternipunctella (Walsingham,1881)** (Adelidae) Synonym(s): *alternipunctella* Walsingham,1881 Range (in code): **ZA**
- 26564. Ceromitia amphichroa Meyrick,1908** (Adelidae) Synonym(s): *amphichroa* Meyrick,1908 Range (in code): **ZA Gau Pre Tva Lpo Pot Buf Pie Spb Nel**
- 26565. Ceromitia arata Meyrick,1920** (Adelidae) Synonym(s): *arata* Meyrick,1920 Range (in code): **ZA Wca Pra**
- 26566. Ceromitia bipartita (Janse,1945)** (Adelidae) Synonym(s): *bipartita* Janse,1945 Range (in code): **ZA**
- 26567. Ceromitia bipectinifera Janse,1945** (Adelidae) Synonym(s): *bipectinifera* Janse,1945 Range (in code): **ZA**
- 26568. Ceromitia brevilobata (Janse,1945)** (Adelidae) Synonym(s): *brevilobata* Janse,1945 Range (in code): **ZA Nta Kzu Kkf Rie Ec Tva Lpo Nha**
- 26569. Ceromitia centrologa Meyrick,1937** (Adelidae) Synonym(s): *centrologa* Meyrick,1937 Range (in code): **ZA**
- 26570. Ceromitia cerochlora Meyrick,1921** (Adelidae) Synonym(s): *cerochlora* Meyrick,1921 Range (in code): **ZA Tva Lpo Hae**

- 26571. Ceromitia crinigerella (Zeller,1850)** (Adelidae) Synonym(s): *crinigerella* Zeller,1850
Range (in code): **ZA**
- 26572. Ceromitia decepta Janse,1945** (Adelidae) Synonym(s): *decepta* Janse,1945 _ Range (in code): **ZA Tva Lpo Spb Ltr**
- 26573. Ceromitia delta Janse,1945** (Adelidae) Synonym(s): *delta* Janse,1945 _ Range (in code): **ZA**
- 26574. Ceromitia descripta Meyrick,1924** (Adelidae) Synonym(s): *descripta* Meyrick,1924
Range (in code): **ZA Tva Gau Rtb**
- 26575. Ceromitia devia (Janse,1945)** (Adelidae) Synonym(s): *devia* Janse,1945 _ Range (in code): **ZA**
- 26576. Ceromitia dicksoni (Janse,1945)** (Adelidae) Synonym(s): *dicksoni* Janse,1945 _ Range (in code): **ZA**
- 26577. Ceromitia durbanica (Janse,1945)** (Adelidae) Synonym(s): *durbanica* Janse,1945
Range (in code): **ZA Nta Dbn**
- 26578. Ceromitia elongatella (Walsingham,1881)** (Adelidae) Synonym(s): *elongatella* Walsingham,1881; *somphodes* Meyrick,1912 _ Range (in code): **ZA**
- 26579. Ceromitia fuscipunctella (Janse,1945)** (Adelidae) Synonym(s): *fuscipunctella* Janse,1945
Range (in code): **ZA**
- 26580. Ceromitia geminata Meyrick,1914** (Adelidae) Synonym(s): *geminata* Meyrick,1914
Range (in code): **ZA**
- 26581. Ceromitia gigantea Janse,1945** (Adelidae) Synonym(s): *gigantea* Janse,1945 _ Range (in code): **ZA**
- 26582. Ceromitia graptosema Meyrick,1914** (Adelidae) Synonym(s): *graptosema* Meyrick,1914
Range (in code): **ZA Tva Gau Pre**
- 26583. Ceromitia grisata (Janse,1945)** (Adelidae) Synonym(s): *grisata* Janse,1945 _ Range (in code): **ZA**
- 26584. Ceromitia heteroloba (Janse,1945)** (Adelidae) Synonym(s): *heteroloba* Janse,1945
Range (in code): **ZA Tva Lpo Spb**
- 26585. Ceromitia holosticta Meyrick,1918** (Adelidae) Synonym(s): *holosticta* Meyrick,1918
Range (in code): **ZA Tva Gau Pre ZW Bul**
- 26586. Ceromitia impura (Janse,1945)** (Adelidae) Synonym(s): *impura* Janse,1945 _ Range (in code): **ZA**
- 26587. Ceromitia indigna (Meyrick,1912)** (Adelidae) Synonym(s): *indigna* Meyrick,1912
Range (in code): **ZA Tva Mpu Brb**
- 26588. Ceromitia intermedia (Janse,1945)** (Adelidae) Synonym(s): *intermedia* Janse,1945
Range (in code): **ZA**
- 26589. Ceromitia laureata Meyrick,1911** (Adelidae) Synonym(s): *laureata* Meyrick,1911
Range (in code): **ZA Tva Lpo Hae Wo Spb**
- 26590. Ceromitia libropis Meyrick,1908** (Adelidae) Synonym(s): *libropis* Meyrick,1908
Range (in code): **ZA Tva Gau Pre**
- 26591. Ceromitia melanodesma Meyrick,1914** (Adelidae) Synonym(s): *melanodesma* Meyrick,1914 _ Range (in code): **ZA**
- 26592. Ceromitia melanostrota Meyrick,1912** (Adelidae) Synonym(s): *melanostrota* Meyrick,1912 _ Range (in code): **ZA**
- 26593. Ceromitia mellicoma Meyrick,1912** (Adelidae) Synonym(s): *mellicoma* Meyrick,1912
Range (in code): **ZA Nta Kzu Nel Tva Lpo Spb Srn Tst Mdt**
- 26594. Ceromitia mioclina Meyrick,1921** (Adelidae) Synonym(s): *mioclina* Meyrick,1921
Range (in code): **ZA Tva Mdt**
- 26595. Ceromitia mitrata Meyrick,1917** (Adelidae) Synonym(s): *mitrata* Meyrick,1917 _ Range (in code): **ZA**
- 26596. Ceromitia monopectinifera Janse,1945** (Adelidae) Synonym(s): *monopectinifera* Janse,1945 _ Range (in code): **ZA**
- 26597. Ceromitia multipunctata Janse,1945** (Adelidae) Synonym(s): *multipunctata* Janse,1945
Range (in code): **ZA**
- 26598. Ceromitia nerina Meyrick,1912** (Adelidae) Synonym(s): *nerina* Meyrick,1912 _ Range (in code): **ZA Tva Mpu Brb Tst**

- 26599. Ceromitia ochrotricha Meyrick, 1912** (Adelidae) Synonym(s): *ochrotricha* Meyrick, 1912
Range (in code): **ZA Brb Mpu Tva Tst**
- 26600. Ceromitia palyntis Meyrick, 1908** (Adelidae) Synonym(s): *palyntis* Meyrick, 1908
Range (in code): **ZA Tva Gau Pre Buf Pin Wm Ly Mpu**
- 26601. Ceromitia phaeocoma Meyrick, 1912** (Adelidae) Synonym(s): *phaeocoma* Meyrick, 1912;
mesosema Meyrick, 1921 Range (in code): **ZA Mpu Brb Srn Tva Lpo Spb Wo**
- 26602. Ceromitia phaeocomoides Janse, 1945** (Adelidae) Synonym(s): *phaeocomoides* Janse, 1945
Range (in code): **ZA Tva Lpo Wo**
- 26603. Ceromitia phyrsuma Meyrick, 1911** (Adelidae) Synonym(s): *phyrsuma* Meyrick, 1911
Range (in code): **ZA Gau Pre Wo Tva Lpo Nta Kzu**
- 26604. Ceromitia pilularis Meyrick, 1921** (Adelidae) Synonym(s): *pilularis* Meyrick, 1921; *rixata*
Meyrick, 1924 Range (in code): **ZW Har**
- 26605. Ceromitia praetexta Meyrick, 1924** (Adelidae) Synonym(s): *praetexta* Meyrick, 1924
Range (in code): **ZA**
- 26606. Ceromitia punctulata Janse, 1945** (Adelidae) Synonym(s): *punctulata* Janse, 1945
Range (in code): **ZA Tva Lpo Spb Wp**
- 26607. Ceromitia resonans Meyrick, 1918** (Adelidae) Synonym(s): *resonans* Meyrick, 1918
Range (in code): **ZA Nta Kzu Esw**
- 26608. Ceromitia simpliciella (Janse, 1945)** (Adelidae) Synonym(s): *simpliciella* Janse, 1945
Range (in code): **ZA**
- 26609. Ceromitia spatulodes Meyrick, 1920** (Adelidae) Synonym(s): *spatulodes* Meyrick, 1920
Range (in code): **ZA Ou**
- 26610. Ceromitia spilodesma Meyrick, 1908** (Adelidae) Synonym(s): *spilodesma* Meyrick, 1908
Range (in code): **ZA Tva Gau Pre**
- 26611. Ceromitia sporaeca Meyrick, 1908** (Adelidae) Synonym(s): *sporaeca* Meyrick, 1908
Range (in code): **ZA Tva Lpo Pie**
- 26612. Ceromitia stathmodes Meyrick, 1908** (Adelidae) Synonym(s): *stathmodes* Meyrick, 1908
Range (in code): **ZA Tva Gau Pre Buf Nbs Wm Mpu**
- 26613. Ceromitia synchroma (Janse, 1945)** (Adelidae) Synonym(s): *synchroma* Janse, 1945
Range (in code): **ZA**
- 26614. Ceromitia synneura Meyrick, 1921** (Adelidae) Synonym(s): *synneura* Meyrick, 1921
Range (in code): **ZW ZA Mpu Tva Lpo Hfo Ltr Spb Tz Wp**
- 26615. Ceromitia systelitis Meyrick, 1921** (Adelidae) Synonym(s): *systelitis* Meyrick, 1921
Range (in code): **ZA Tva Lpo Spb Wp MZ Mag**
- 26616. Ceromitia transtrifera Meyrick, 1912** (Adelidae) Synonym(s): *transtrifera* Meyrick, 1912
Range (in code): **ZA Tva Lpo Nkw Umk Brb Mpu Tst**
- 26617. Ceromitia trigoniferella (Walsingham, 1881)** (Adelidae) Synonym(s): *trigoniferella*
Walsingham, 1881; ? *brevipalpa* Janse, 1942. Original Reference: *Nemophora trigoniferella*
Walsingham, 1881, Trans. ent. Soc. London 1881: 246, pl. 11 fig. 15. Range (in code): **ZA Nta Kzu**
Tva Lpo ZW KE
- 26618. Ceromitia trilobata (Janse, 1945)** (Adelidae) Synonym(s): *trilobata* Janse, 1945 Range
(in code): **ZA Tva Lpo Spb Ltr**
- 26619. Ceromitia turpisella (Walker, 1863)** (Adelidae) Synonym(s): *turpisella* Walker, 1863;
caffrariella Möschler, 1883; *turpis* Meyrick, 1912; *flavicomma* Meyrick, 1937. Original Reference: *Nemophora*
turpisella Walker, 1863, List Specimens lepid Insects Colln Br. Mus. 28: 497. Range (in code): **ZA**
Nta Kzu Ptb Kkf Tva Lpo ZW
- 26620. Ceromitia tyrochlora Meyrick, 1908** (Adelidae) Synonym(s): *tyrochlora* Meyrick, 1908;
benedicta Meyrick, 1918 Range (in code): **ZW ZA Tva Gau Pre Jh Swe Hfo Umv Nta Kzu**
- 26621. Ceromitia unguiphora (Janse, 1945)** (Adelidae) Synonym(s): *unguiphora* Janse, 1945
Range (in code): **ZA Tva Lpo Spb Tsh**
- 26622. Ceromitia vansoni Janse, 1945** (Adelidae) Synonym(s): *vansoni* Janse, 1945 Range (in
code): **ZA Tva Lpo Spb**
- 26623. Ceromitia wahlbergi Zeller, 1852** (Adelidae) Synonym(s): *wahlbergi* Zeller, 1852
Original Reference: *Ceromitia wahlbergi* Zeller, 1852, K. svenska Vetensk. Akad. Handl. 73: 92.
Range (in code): **ZA Nta Tva Lpo MZ ZW**
- 26624. Ceromitia xanthocoma Meyrick, 1917** (Adelidae) Synonym(s): *xanthocoma* Meyrick, 1917
Range (in code): **ZA**

- 26625. Nematopogon adansoniella (Villers,1789)** (Adelidae) Synonym(s): *adansoniella* Villers,1789; *panzerella* Fabricius,1794; *panzeri* Haworth,1828; *sabulosella* Walker,1863; *annulatella* Ragonot,1876; *pseudopilella* Peyerimhoff,1877. _ Range (in code): ES FR IT BE NL LU DE CH AT PL CZ SK RO YU AL TR DK SE EE LT RU MD UA BY
- 26626. Nematopogon magna (Zeller,1878)** (Adelidae) Synonym(s): *magna* Zeller,1878
Range (in code): IE GB DE CH AT CZ DK NO SE FI LV LT
- 26627. Nematopogon metaxella (Hübner,[1813])** (Adelidae) Synonym(s): *metaxella* Hübner,[1813] _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 26628. Nematopogon pilella ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *pilella* [Denis & Schiffermüller],1775; *pilea* Haworth,1828; *minutella* Snellen,1884; *submetallica* Caradja,1920; *flavicomella* Müller-Rutz,1927 _ Original Reference: Tinea pilella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district. Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 26629. Nematopogon prolai (Hartig,1941)** (Adelidae) Synonym(s): *prolai* Hartig,1941
Range (in code): IT
- 26630. Nematopogon robertella (Clerck,1759)** (Adelidae) Synonym(s): *#robertella* Clerck,1759; *pilulella* Hübner,[1813]. _ Range (in code): AET DZ Clo FR IT BE NL LU DE CH AT PL CZ SK HU YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 26631. Nematopogon schwarziella Zeller,1839** (Adelidae) Synonym(s): *schwarziellus* Zeller,1839; *carteri* Stainton,1854 _ Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Chu MD UA BY
- 26632. Nematopogon sericinellus Zeller,1847** (Adelidae) Synonym(s): *sericinellus* Zeller,1847
Range (in code): Si IT
- 26633. Nematopogon swammerdamella (Linnaeus,1758)** (Adelidae) Synonym(s): *swammerdamella* Linnaeus,1758; *reamurella* Peyerimhoff,1877. _ Original Reference: Phalaena swammerdamella Linnaeus,1758, Syst Nat. (Edn.10) 1: 540. Type(s): Europa. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Chu MD UA BY
- 26634. Nemophora albiciliellus (Staudinger,1859)** (Adelidae) Synonym(s): *albiciliellus* Staudinger,1859; *beryllopa* Meyrick,1935 _ Range (in code): ES
- 26635. Nemophora amatella (Staudinger,1892)** (Adelidae) Synonym(s): *amatella* Staudinger,1892; *amurensis* Alpheraky,1897; *kukunorensis* Sauber,1899; *badioumbrella* Sauber,1899; *coreana* Matsumura,1931; *#ogasawarai* Matsumura,1932 _ Range (in code): SE FI RU Am CN Ts Kno KP KR JP
- 26636. Nemophora askoldella (Millière,1879)** (Adelidae) Synonym(s): *askoldella* Millière,1879; *griseella* Walsingham,1880; *irroratella* Christoph,1882 _ Range (in code): RU Us Ask IN Pj TW
- 26637. Nemophora aurisparsella Walker,1863** (Adelidae) Synonym(s): *aurisparsella* Walker,1863 _ Original Reference: Nemophora aurisparsella Walker,1863, List Specimens lepid Insects Colln Br. Mus. 28: 506. Range (in code): TH MY SG ID Sum Bor Sbh BN Swk Klt
- 26638. Nemophora barbatella (Zeller,1847)** (Adelidae) Synonym(s): *barbatellus* Zeller,1847; *chalcocrysellus* Mann,1855; *constantinella* Baker,1888; *demaïsoni* Ragonot,1889; *#padrejusto* Agenjo,1965
Original Reference: Nemotois barbatellus Zeller,1847, Isis 1847 (1): 33-34. Syntypes 1♂ 1♀: "Rhodus". Range (in code): AET DZ Cst ES FR Co Sa Si IT YU AL BG GR Rd Cr TR
- 26639. Nemophora basella (Eversmann,1844)** (Adelidae) Synonym(s): *basella* Eversmann,1844; *basiradiella* Christoph,1888 _ Range (in code): SK RU Ur Am
- 26640. Nemophora belella (Walker,1863)** (Adelidae) Synonym(s): *belella* Walker,1863; *esmarkella* Wocke,1864; *hedemanni* Christoph,1888 _ Range (in code): NO SE FI LT RU MD UA BY
- 26641. Nemophora canalella (Eversmann,1844)** (Adelidae) Synonym(s): *canalella* Eversmann,1844 _ Range (in code): RU MD UA BY
- 26642. Nemophora chrysochraon (Razowski,1978)** (Adelidae) Synonym(s): *pfeifferella* Hübner,[1813] (fig.422) nec Hbn,[1813] (fig.398); *chrysochraon* Razowski,1978; *#chrysochranon* Razowski,1978; *huebneri* Koçak,1980. _ Original Reference: Adela chrysochraon Razowski,1978, Monog. Faun. Polsky 8: 85, figs. Range (in code): FR DE CH AT PL SK HU RO YU BG TR RU Bionomy: Larva on Scabiosa, Succisa (Dipsacaceae) (Razowski,1978).
- 26643. Nemophora congruella (Zeller,1839)** (Adelidae) Synonym(s): *congruella* Zeller,1839
Range (in code): FR IT BE DE CH AT PL CZ SK RO AL DK RU MD UA BY
- 26644. Nemophora cupriacella (Hübner,[1819])** (Adelidae) Synonym(s): *cupriacella* Hübner,[1819] _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK SE FI LV LT Cc GG LB

- 26645. *Nemophora decisella* Walker,1863** (Adelidae) Synonym(s): *decisella* Walker,1863
Original Reference: *Nemophora decisella* Walker,1863, List Specimens lepid Insects Colln Br. Mus. 28: 505. Type: Sumatra. Range (in code): TH MM MY Lkw ID Sum Ja BN Bor Klt
- 26646. *Nemophora degeerella* (Linnaeus,1758)** (Adelidae) Synonym(s): *degeerella* Linnaeus,1758; *debornella* Scopoli,1772; *striatella* Fabricius,1781; *phryganoides* Retzius,1783; *geerella* Hübner,1796; *degeerii* Haworth,1828
Original Reference: *Phalaena de geerella* Linnaeus,1758, Syst Nat. (Edn.10) 1: 540. Type(s): Sweden. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Anemone nemorosa*, *Alsine media*, *Rumex*, *Vaccinium neptillus* (Frey,1856; Hering,1935).
- 26647. *Nemophora dumerilella* (Duponchel,1839)** (Adelidae) Synonym(s): *basochesella* Hübner,[1824] (n.o.); *dumerilella* Duponchel,1839; *inauratella* Duponchel,1844; *#fervidellus* Zeller,1853; *#zelleriellus* Zeller,1853; *#dumeriliellus* Rebel,1901
Original Reference: *Adela dumerilella* Duponchel,1839, Hist. nat. Lépid. Pap. Fr. 11: 372-373, pl.300 fig.12. Type: France, Toulon. Range (in code): ES FR BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE EE RU
- 26648. *Nemophora eretna* Kemal & Koçak,2006** (Adelidae) Synonym(s): *eretna* Kemal & Koçak,2006
Original Reference: *Nemophora eretna* Kemal & Koçak,2006, Cent. ent. Stud., Misc. Pap. 100: 3. Holotype ♂, recte ♀: Turkey, Van Prov., Çatak, Amata valley 1550m 1 7 2006 M.Kemal leg. (Cesa). Range (in code): TR
- 26649. *Nemophora fasciella* (Fabricius,1775)** (Adelidae) Synonym(s): *fasciella* Fabricius,1775; *schiffermillerella* [Denis & Schiffermüller],1775; *fascia* Haworth,1828; *schiffermuellerella* Treitschke,1833; *annae* Zeller,1853; *purpureus* Stainton,1867
Original Reference: *Alucita fasciella* Fabricius,1775, Syst. Ent.: 670. Type(s): "Anglia". Range (in code): FR IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR EE RU MD UA BY IL Pa
- 26650. *Nemophora humilis* (Walsingham,1891)** (Adelidae) Synonym(s): *humilis* Walsingham,1891
Range (in code): ZA
- 26651. *Nemophora istriana* (Heydenreich,1851)** (Adelidae) Synonym(s): *istriana* Heydenreich,1851; *dalmatinellus* Zeller,1853; *beyruthella* Bruand,1858; *chlorista* Meyrick,1912
Range (in code): ES YU TR LB Bei
- 26652. *Nemophora latifasciella* (W.Warren,1888)** (Adelidae) Synonym(s): *latifasciella* W.Warren,1888
Original Reference: *Adela latifasciella* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 338. Type ♂: [Pakistan]: Thundiani, August 24 1886. Range (in code): PK Thu
- 26653. *Nemophora limenites* (Meyrick,1914)** (Adelidae) Synonym(s): *limenites* Meyrick,1914
Range (in code): TW
- 26654. *Nemophora maxinae* Kozlov & G.S.Robinson,1996** (Adelidae) Synonym(s): *maxinae* Kozlov & G.S.Robinson,1996
Range (in code): TH MY
- 26655. *Nemophora metallica* (Poda,1761)** (Adelidae) Synonym(s): *metallica* Poda,1761; *scabiosella* Scopoli,1763; *viridella* Hübner,1796; *aerosellus* Zeller,1850; *rebelellus* Turati,1924
Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Scabiosa* (Dipsacaceae) (Scopoli,1763).
- 26656. *Nemophora minimella* ([Denis & Schiffermüller],1775)** (Adelidae) Synonym(s): *minimella* [Denis & Schiffermüller],1775; *lenellus* Zeller,1853
Original Reference: *Tinea minimella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district. Range (in code): AET DZ Anna FR IT IE GB BE NL DE AT PL CZ SK YU AL BG GR DK NO SE LV LT RU MD UA BY
- 26657. *Nemophora mollella* (Hübner,[1813])** (Adelidae) Synonym(s): *mollella* Hübner,[1813]; *glabrata* Meyrick,1922
Range (in code): FR IT HU RO YU TR RU MD UA BY
- 26658. *Nemophora ochsenheimerella* (Hübner,[1813])** (Adelidae) Synonym(s): *ochsenheimerella* Hübner,[1813]; *chibiana* Matsumura,1931; *japanalpina* Yasuda,1957
Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU RO DK RU JP
- 26659. *Nemophora paradisea* (Butler,1881)** (Adelidae) Synonym(s): *paradeisea* Butler,1881
Range (in code): JP
- 26660. *Nemophora polychorda* (Meyrick,1914)** (Adelidae) Synonym(s): *polychorda* Meyrick,1914
Range (in code): TW
- 26661. *Nemophora prodigella* (Zeller,1853)** (Adelidae) Synonym(s): *prodigellus* Zeller,1853; *auricellus* Ragonot,1874; *splendidus* Staudinger,1880
Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL RU MD UA BY TR
- 26662. *Nemophora raddella* (Hübner,1793)** (Adelidae) Synonym(s): *raddella* Hübner,1793; *latreillella* Fabricius,1798; *raddaellus* Wocke,1871; *algeriensis* Walsingham,1907
Range (in code): AET DZ

- Clo Cst PT ES FR Si IT MT CH CZ SK HU RO YU AL BG GR TR RU MD UA BY** Bionomy: Larva on *Pyrethrum inodorum*, *Dipsacus* (Zeller,1853).
- 26663. *Nemophora violellus* (Herrich-Schäffer,1851)** (Adelidae) Synonym(s): *violella* Herrich-Schäffer,1851; *violaria* Razowski,1978 Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL BG RU MD UA BY**
- 26664. *Agape arctioides* (Butler,1887)** (Aganaidae) Synonym(s): *arctioides* Butler,1887; *innominata* Gaede,1914 Original Reference: *Spilobotys arctioides* Butler,1887, Ann. Mag. nat. Hist. (5) 20: 123. Type: Solomon Isl., Guadalcanar. Range (in code): **SB ID Crm TH**
- 26665. *Agape chloropyga* (Walker,1854)** (Aganaidae) Synonym(s): *chloropyga* Walker,1854; *analis* Walker,1856; *cyanopyga* R.Felder,1874; *snelleni* Gaede,1914 Range (in code): **AU PH Luz Mno CN Yu MY MM TH CMa Int Knc VN ID Bor Snd Mlc Aru Bor Flo Ja Sum Crm Clb PG NBr**
- 26666. *Agape leonina* Butler,1879** (Aganaidae) Synonym(s): *leonina* Butler,1879 Range (in code): **PG Nlr**
- 26667. *Agape lifuensis* Rothschild,1896** (Aganaidae) Synonym(s): *lifuensis* Rothschild,1896 Range (in code): **NC NH**
- 26668. *Agape lifuensis hebridesia* Holloway,1979** (Aganaidae) Synonym(s): *hebridesia* Holloway,1979 Range (in code): **NH**
- 26669. *Agape stapialis* Gaede,1914** (Aganaidae) Synonym(s): *stapialis* Gaede,1914; *novapommeranica* Strand,1917 Range (in code): **PG NBr Nlr**
- 26670. *Asota alienata* (Walker,1864)** (Aganaidae) Synonym(s): *alienata* Walker,1864 Range (in code): **NH NC**
- 26671. *Asota australis* (Boisduval,1832)** (Aganaidae) Synonym(s): *australis* Boisduval,1832; *aequalis* Walker,1864; *sinuosa* Rothschild,1897; *septentrionalis* Rothschild,1897; *lineata* Rothschild,1897; *assimilis* Rothschild,1897. Range (in code): **AU**
- 26672. *Asota borbonica* (Boisduval,1833)** (Aganaidae) Synonym(s): *borbonica* Boisduval,1833; *insularis* Boisduval,1833; *antica* Walker,1856; *stipata* Walker,1864 Range (in code): **MG Myt ZA**
- 26673. *Asota caledonica* Holloway,1979** (Aganaidae) Synonym(s): *caledonica* Holloway,1979 Range (in code): **NC**
- 26674. *Asota caricae* (Fabricius,1775)** (Aganaidae) Synonym(s): *caricae* Fabricius,1775; *alciphron* Cramer,1777; *euroa* Rothschild,1897; *#purimargo* Seitz,1914; *#alerphron* Huttacharn & Turtim,1995 Original Reference: *Noctua caricae* Fabricius,1775, Syst. Ent.: 596. Type(s): India orientalis, on *Ficus*. Range (in code): **LK Pdy Dck IN Mh Nsk TH CMa Cuo Cuo7 Cuo9 CDo Knc Nrt Kao Nst Chu Bnk Sbu Cna ID Bor NP MY CN TW JP AU** Bionomy: Larva on *Lansium domesticum* (Meliaceae), *Psidium guajava* (Myrtaceae), *Lycopersicon esculentum* [tomato] (Solanaceae), *Ficus racemosa*, *F.hispida*, *Broussonetia* (Moraceae), *Mesua* (Dipterocarpaceae), *Tectona* (Verbenaceae) (Holloway,1988; Kuroko, Lewvanich,1993; Lewvanich,2001).
- 26675. *Asota diana* (Butler,1887)** (Aganaidae) Synonym(s): *diana* Butler,1887 Range (in code): **SB**
- 26676. *Asota egens* (Walker,1854)** (Aganaidae) Synonym(s): *egens* Walker,1854; *nebulosa* Butler,1875; *confinens* Rothschild,1897 Range (in code): **IN Adm NP TH Knc CMa Dst MY Bor SG TW ID Bli Ja Sum Egg Nia Clb Tim Snd Wt JP CN TW PG PH Pal Mno**
- 26677. *Asota ficus* (Fabricius,1775)** (Aganaidae) Synonym(s): *ficus* Fabricius,1775 Original Reference: *Noctua ficus* Fabricius,1775, Syst. Ent.: 595. Type(s): India orientalis, on *Ficus racemosa*. Range (in code): **AF PK Cp LK Tcm Pdy IN Mh Nsk Bba Cle Djl SI Kma Pj BD MM NP TH CMa Dst Cuo Cuo4 Cmz Cz10 CDo Int TW LA VN Ton ID Sum CN Yu JP**
- 26678. *Asota heliconia* (Linnaeus,1758)** (Aganaidae) Synonym(s): *heliconia* Linnaeus,1758; *dama* Fabricius,1775; *monycha* Cramer,1779; *silvandra* Stoll,1782; *doryca* Boisduval,1832; *intacta* Walker,1854; *lanceolata* Walker,1856; *clavata* Butler,1875; *dicta* Butler,1875; *zebrina* Butler,1877; *venalba* Moore,1877; *leuconeura* Butler,1879; *perimele* Weymer,1885; *semifusca* Butler,1887; *nicobarica* Swinhoe,1892; *malisa* Swinhoe,1892; *ghara* Swinhoe,1892; *lara* Swinhoe,1893; *enganensis* Rothschild,1896; *naturansis* Rothschild,1896; *murina* Rothschild,1896; *timorana* Rothschild,1896; *kalaonica* Rothschild,1896; *riukiwana* Rothschild,1896; *philippina* Rothschild,1896; *sangirensis* Rothschild,1896; *bandana* Rothschild,1896; *kiriwinia* Rothschild,1896; *#extensa* Rothschild,1896; *#diluta* Rothschild,1896; *#brevipennis* Rothschild,1896; *#nervosa* Rothschild,1896; *extensa* Seitz,1914; *atrata* Jordan,1924 Range (in code): **MM Tns TH CMa Int Knc CN TW JP Ri ID Egg Tim PH AU PG Bor Sbh KBa Nia Snd Bli Aru Amb Crm Adm Bsm Nk Ja Clb** Bionomy: Larva on *Averrhoa* (Averrhoaceae) (Holloway,1988).
- 26679. *Asota iodamia* (Herrich-Schäffer,[1854])** (Aganaidae) Synonym(s): *iodamia* Herrich-Schäffer,[1854]; *sphaerifera* Butler,1875; *nesophora* Meyrick,1886 Range (in code): **AU**
- 26680. *Asota javana* (Cramer,1780)** (Aganaidae) Synonym(s): *javana* Cramer,1780; *flavipennis* Rothschild,1897 Range (in code): **TH Cbi Ntt Hba MY Bor ID Ja**

- 26681. Asota kageri Kobes,1988** (Aganaidae) Synonym(s): *kageri Kobes,1988* _ Range (in code): TH CMa ID Bor Sum
- 26682. Asota orbona (Vollenhoven,1863)** (Aganaidae) Synonym(s): *orbona Vollenhoven,1863; significans Walker,1864; ochrealis Swinhoe,1892; discoidalis Rothschild,1897; queenslandica Rothschild,1897; ocellata Rothschild,1897.* _ Range (in code): AU QAU
- 26683. Asota paphos (Fabricius,1787)** (Aganaidae) Synonym(s): *paphos Fabricius,1787* Original Reference: Noctua paphos Fabricius,1787, Mant. Ins 2: 137. Range (in code): TH CMa Cu01 CDo Dst Phy IN Ass Meg Khs ID Sum Mlc Ja CN MY Bor Sbh PH Neg Pal VN Ton Fan
- 26684. Asota plagiata (Walker,1854)** (Aganaidae) Synonym(s): *plagiata Walker,1854; discreta Walker,[1865]; henschkei Hulstaert,1924* _ Range (in code): AU QAU
- 26685. Asota plaginota (Butler,1875)** (Aganaidae) Synonym(s): *plaginota Butler,1875* _ Range (in code): MM Tns IN Hp Kul Ass Meg NP LK BT SI Djl Syl BD TH CMa Dst Int Nan Dpk MY SG Bor ID Aru Ij Wg Ja Clb Bli Sum CN Yu Hn PG NBr VN Ton PH Pal
- 26686. Asota plana (Walker,1854)** (Aganaidae) Synonym(s): *plana Walker,1854; complana Walker,1864* Original Reference: Hypsa plana Walker,1854, List Specimens lepid. Ins. Colln Br Mus 2: nr.8. Syntypes: Java, Ceylon, Sylhet. Range (in code): IN Mh Nsk Ass BD Syl BT SI Djl LK Pdy MM Tns TH Knc CMa Int Cmz Cz10 NP ID Bor Ja Bli Egg Clb Bru Nia Tim Alo Lb Sum Flo Wt Tnm Lt Sbw PG CN Yu Hn TW VN Ton LA PH Mno JP Ri Bionomy: Larva on Ficus (Moraceae) (Holloway,1988).
- 26687. Asota producta (Butler,1875)** (Aganaidae) Synonym(s): *producta Butler,1875; strigivenata Butler,1875; stigmatic Rothschild,1897; kuluensis Rothschild,1897* Original Reference: Hypsa producta Butler,1875, Trans. ent. Soc. Lond. 1875: 320. Range (in code): TH CMa Cu01 Fn Php Int VN NP IN LK Pdy CN Hn ID Bor Sum Ja Bli
- 26688. Asota speciosa (Drury,1773)** (Aganaidae) Synonym(s): *speciosa Drury,1773; aphidas Hopffer,1858; conspicua Swinhoe,1903* _ Range (in code): CM GA CG KE TG NG SL ZA Nta Kzu Tva
- 26689. Asota subsimilis (Walker,1864)** (Aganaidae) Synonym(s): *subsimilis Walker,1864* Range (in code): MM Tns KH CN TH Knc CMa Dst Int SG MY Prk ID PG
- 26690. Digama aganais (R.Felder,1874)** (Aganaidae) Synonym(s): *aganais R.Felder,1874* Range (in code): ZA Nta Kzu ZW TG
- 26691. Digama budonga Bethune-Baker,1913** (Aganaidae) Synonym(s): *budonga Bethune-Baker,1913* _ Range (in code): ZA CI
- 26692. Digama burmana Hampson,1892** (Aganaidae) Synonym(s): *burmana Hampson,1892* Range (in code): MM
- 26693. Digama fasciata Butler,1877** (Aganaidae) Synonym(s): *fasciata Butler,1877* _ Range (in code): IN LK
- 26694. Digama hearseyana Moore,[1860]** (Aganaidae) Synonym(s): *hearseyana Moore,[1860]; similis Moore,1878* _ Range (in code): IN Hp Sml LK PK Cp Kba
- 26695. Digama insulana R.Felder,1868** (Aganaidae) Synonym(s): *insulana R.Felder,1868* Range (in code): IN LK Cob VN
- 26696. Digama lithosioides Swinhoe,1907** (Aganaidae) Synonym(s): *lithosioides Swinhoe,1907* Range (in code): ZA TZ KE
- 26697. Digama marchali (Guérin-Méneville,1843)** (Aganaidae) Synonym(s): *marchali Guérin-Méneville,1843; nebulosa Walker,1864; figurata Moore,1878; intermedia Hampson,1891* _ Range (in code): IN Mh Nsk MM
- 26698. Digama marmorea Butler,1877** (Aganaidae) Synonym(s): *marmorea Butler,1877; piepersiana Snellen,1879* _ Range (in code): AU PG NH NC
- 26699. Digama marmorea clinchorum Holloway,1979** (Aganaidae) Synonym(s): *clinchorum Holloway,1979* _ Range (in code): NC
- 26700. Digama meridionalis Swinhoe,1907** (Aganaidae) Synonym(s): *meridionalis Swinhoe,1907* Range (in code): ZA Tva Gau Jh
- 26701. Digama nepheloptera Hampson,1910** (Aganaidae) Synonym(s): *nepheloptera Hampson,1910* _ Range (in code): ZA Tva Lpo Spb Mdk ZW BW
- 26702. Digama ostentata Distant,1899** (Aganaidae) Synonym(s): *ostentata Distant,1899* Range (in code): ZA Ec Tva Lpo
- 26703. Digama sagittata Gaede,1926** (Aganaidae) Synonym(s): *sagittata Gaede,1926* _ Range (in code): MG KM Myt
- 26704. Digama sagittata duberneti Viette,1970** (Aganaidae) Synonym(s): *duberneti Viette,1970* Range (in code): Myt

- 26705. *Digama sagittata sagittata* Gaede, 1926** (Aganaidae) Synonym(s): *sagittata* Gaede, 1926
Range (in code): **MG**
- 26706. *Digama sagittata toulgoeti* Viette, 1970** (Aganaidae) Synonym(s): *toulgoeti* Viette, 1970
Range (in code): **KM**
- 26707. *Digama spilleri* (Bethune-Baker, 1908)** (Aganaidae) Synonym(s): *spilleri* Bethune-Baker, 1908
Range (in code): **ZA**
- 26708. *Euplocia memblaria* (Cramer, [1780])** (Aganaidae) Synonym(s): *memblaria* Cramer, [1780]; *renifer* R. Felder & Rogenhofer, 1874; *moderata* Butler, 1875; *inconspicua* Butler, 1875; *radians* Snellen, 1879
Range (in code): **IN Adm MM TH Knc ID MY Bor Sum Clb Snd Ja Flo Nat PH**
- 26709. *Neochera dominia* (Cramer, [1780])** (Aganaidae) Synonym(s): *dominia* Cramer, [1780]; *echione* Fabricius, 1793; *eugenia* Cramer, 1782; *stibosthetia* Butler, 1875; *herpa* Snellen, 1879; *basilissa* Meyrick, 1886; *heliconides* Snellen, 1888; *butleri* Swinhoe, 1892; *zaria* Swinhoe, 1892; *affinis* Rothschild, 1896; *fumosa* Rothschild, 1896; *javana* Rothschild, 1896; *papuana* Rothschild, 1896; *proxima* Rothschild, 1896
Range (in code): **PH TH Rng CMa Cu0 Cu04 Cu07 Cu09 Cu12 Cmz Cz10 CDo KH MM CN TW IN ID Ja Sum Bor PG Clb Sbw Mlc Aru Bsm Alo Tim Bru Mi Wg Sgr AU PG**
- 26710. *Neochera inops* (Walker, 1854)** (Aganaidae) Synonym(s): *inops* Walker, 1854; *cinerascens* Moore, 1877; *tenuimargo* Rothschild, 1896
Range (in code): **MM TH CMa Cu0 Cu05 Phr Chy Lop Nna BD Syl IN Adm ID Nia Sum Bor Ja Flo Alo Tim CN Hn** Bionomy: Larva on weed (Lewvanich, 2001).
- 26711. *Neochera marmorea* (Walker, 1856)** (Aganaidae) Synonym(s): *marmorea* Walker, 1856; *bhawana* Moore, 1859
Range (in code): **MM Shn Tns TH Knc MY IN ID Sum Bor Snd**
- 26712. *Peridrome orbicularis* (Walker, 1854)** (Aganaidae) Synonym(s): *orbicularis* Walker, 1854; *subquadrata* Herrich-Schäffer, [1856]; *longipennis* Herrich-Schäffer, [1856] Original Reference: Hypsa *orbicularis* Walker, 1854, List Spec. lepid. Ins. Colln Br. Mus. 2: 445-446. Syntypes ♂♀: East Indies, North India, Sylhet. Range (in code): **BD Syl TH Knc Phr CMa Cmz Cz10 CRa MM IN Adm Ass SI ID Ja Sum Snd Bor Sbw Flo MY VN PH Pal CN**
- 26713. *Peridrome subfascia* Walker, 1854** (Aganaidae) Synonym(s): *subfascia* Walker, 1854; *#subfasciata* Moore, 1886
Range (in code): **MM Tns Mm TH CMa Cmz Cz10 Dst Tng MY IN ID PH TW**
- 26714. *Phaegorista agaristoides* Boisduval, 1836** (Aganaidae) Synonym(s): *agaristoides* Boisduval, 1836; *interrupta* Strand, 1909; *albomacula* Strand, 1909
Range (in code): **SN ZA**
- 26715. *Phaegorista bicurvata* Gaede, 1926** (Aganaidae) Synonym(s): *bicurvata* Gaede, 1926
Range (in code): **CM**
- 26716. *Phaegorista bisignibasis* L.B. Prout, 1918** (Aganaidae) Synonym(s): *bisignibasis* L.B. Prout, 1918 Original Reference: *Phaegorista bisignibasis* L.B. Prout, 1918, Ann. Mag. nat. Hist. (9) 2: 417. Type ♀: [Tanzania]: "Tanga, German East Africa" (coll. Joicey). Range (in code): **TZ**
- 26717. *Phaegorista enarges* Tams, 1930** (Aganaidae) Synonym(s): *enarges* Tams, 1930
Range (in code): **KE**
- 26718. *Phaegorista formosa* Butler, 1877** (Aganaidae) Synonym(s): *formosa* Butler, 1877
Range (in code): **TZ MW MZ**
- 26719. *Phaegorista leucomelas* (Herrich-Schäffer, 1855)** (Aganaidae) Synonym(s): *leucomelas* Herrich-Schäffer, 1855
Range (in code):
- 26720. *Phaegorista pallida* Druce, 1884** (Aganaidae) Synonym(s): *pallida* Druce, 1884 Original Reference: *Phaegorista pallida* Druce, 1884, Entomologist's mon. Mag. 20: 156. Type: "Ogawai, East Central Africa". Range (in code): **TZ?**
- 26721. *Phaegorista prouti* Joicey & Talbot, 1921** (Aganaidae) Synonym(s): *prouti* Joicey & Talbot, 1921
Range (in code): **ZR**
- 26722. *Phaegorista rubriventris* Aurivillius, 1925** (Aganaidae) Synonym(s): *rubriventris* Aurivillius, 1925
Range (in code): **CM**
- 26723. *Phaegorista similis* Walker, 1869** (Aganaidae) Synonym(s): *similis* Walker, 1869; *helcitoides* Dewitz, 1879
Range (in code): **ZR AO**
- 26724. *Phaegorista trialbata* L.B. Prout, 1918** (Aganaidae) Synonym(s): *trialbata* L.B. Prout, 1918 Original Reference: *Phaegorista trialbata* L.B. Prout, 1918, Ann. Mag. nat. Hist. (9) 2: 418. Type ♂: "Uganda" (E.S. Gledhill leg.) (coll. Joicey). Range (in code): **UG**
- 26725. *Phaegorista xanthosoma* Hampson, 1910** (Aganaidae) Synonym(s): *xanthosoma* Hampson, 1910; *#nyassae* Talbot, 1929
Range (in code): **ZA ZM ZW MW**
- 26726. *Soloe fumipennis* Hampson, 1910** (Aganaidae) Synonym(s): *fumipennis* Hampson, 1910
Range (in code): **ZA**

- 26727. *Soloe tripunctata* Druce, 1896** (Aganaidae) Synonym(s): *tripunctata* Druce, 1896 _ Range (in code): ZA
- 26728. *Sommeria culta* Hübner, [1831]** (Aganaidae) Synonym(s): *culta* Hübner, [1831]; *marmorata* Walker, 1865 _ Range (in code): ZA
- 26729. *Sommeria sinuosa* (Hampson, 1905)** (Aganaidae) Synonym(s): *sinuosa* Hampson, 1905 _ Range (in code): ZA Nta Kzu
- 26730. *Sommeria spilosoma* (R. Felder & Rogenhofer, 1874)** (Aganaidae) Synonym(s): *spilosoma* R. Felder & Rogenhofer, 1874 _ Range (in code): ZA Cap Ec Nta Kzu Tva Lpo
- 26731. *Sommeria spilosomoides* (Walker, 1865)** (Aganaidae) Synonym(s): *spilosomoides* Walker, 1865 _ Range (in code): ZA
- 26732. *Sommeria strabonis* (Hampson, 1910)** (Aganaidae) Synonym(s): *strabonis* Hampson, 1910 _ Range (in code): ZA Ec Tva Lpo
- 26733. *Agonoxena pyrogramma* Meyrick, 1924** (Agonoxenidae) Synonym(s): *pyrogramma* Meyrick, 1924 _ Range (in code): SB
- 26734. *Blastodacna atra* (Haworth, [1828])** (Agonoxenidae) Synonym(s): *atra* Haworth, [1828]; *putripennella* Zeller, 1839 _ Range (in code): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Malus (Rosaceae) (Miles, 1930).
- 26735. *Blastodacna georgella* Sinev, 1988** (Agonoxenidae) Synonym(s): *georgella* Sinev, 1988 _ Range (in code): Cc GG
- 26736. *Blastodacna hellerella* (Duponchel, 1838)** (Agonoxenidae) Synonym(s): *hellerella* Duponchel, 1838 _ Range (in code): ES FR Sa GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE RU MD UA BY Bionomy: Larva on Crataegus monogyna, C. laevigata, Prunus spinosa, P. domestica, Malus (Rosaceae) (Riedl, 1969).
- 26737. *Blastodacna libanotica* Diakonoff, 1939** (Agonoxenidae) Synonym(s): *libanotica* Diakonoff, 1939 Original Reference: *Blastodacna libanotica* Diakonoff, 1939, Tijdschr. Ent. 82: 78-80, figs. Holotype ♂: Syria, Lebanon: Aley, 600m, 15.ii.1933 (A.S. Talhouk leg.). Range (in code): LB Ale TR Bionomy: Larva on Pyrus (Rosaceae) (Talhouk, 1948).
- 26738. *Blastodacna vinolentella* (Herrich-Schäffer, [1854])** (Agonoxenidae) Synonym(s): *vinolentella* Herrich-Schäffer, [1854] _ Range (in code): FR NL DE PL CZ SK GR Bionomy: Larva on Malus, Crataegus monogyna (Riedl, 1969).
- 26739. *Chrysoclista abchasica* (Sinev, 1986)** (Agonoxenidae) Synonym(s): *abchasica* Sinev, 1986 _ Range (in code): Cc GG
- 26740. *Chrysoclista ankaraensis* Seven Çalışkan, 2014** (Agonoxenidae) Synonym(s): *ankaraensis* Seven Çalışkan, 2014 Original Reference: *Chrysoclista ankaraensis* Seven Çalışkan, 2014, J. Ent. Res. Soc. 16 (3): 68-69, figs. Holotype ♂: Turkey, Ankara Pr., Karagöl 1000m 14 7 2005 leg. Seven (ZMGU). TR
- 26741. *Chrysoclista lathamella* (T.B. Fletcher, 1936)** (Agonoxenidae) Synonym(s): *bimaculella* Haworth, 1828 nec Thunb., 1794; *lathamella* Fletcher, 1936; *razowskii* Riedl, 1965 _ Range (in code): FR GB BE AT CZ HU RO NL LU DE PL SK DK SE FI LV RU MD UA BY BG Bionomy: Larva on Salix alba, S. caprea, S. fragilis, S. cinerea (Salicaceae) (Koster & Sinev, 2003).
- 26742. *Chrysoclista linneella* (Linnaeus, 1761)** (Agonoxenidae) Synonym(s): *#linneella* Clerck, 1759; *linneella* Linnaeus, 1761; *schaefferella* Duponchel, 1828; *gemmatella* Costa, 1836; *obscuriilinneella* Bruand, 1859 _ Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU SS MD UA BY US Ny On CA Bionomy: Larva on Tilia cordata, T. europaea (Tiliaceae), Fagus (Fagaceae), Malus (Rosaceae) (Sørhagen, 1885; Riedl, 1969, et seq.).
- 26743. *Chrysoclista splendida* Karsholt, 1997** (Agonoxenidae) Synonym(s): *splendida* Karsholt, 1997 _ Range (in code): PT SE Bionomy: Larva on Salix alba, S. purpurea (Salicaceae) (Kasy, 1954).
- 26744. *Chrysoclista zagulyaevi* Sinev, 1979** (Agonoxenidae) Synonym(s): *zagulyaevi* Sinev, 1979 _ Range (in code): Cc GG
- 26745. *Dystebenna stephensi* (Stainton, 1849)** (Agonoxenidae) Synonym(s): *stephensi* Stainton, 1849; *tessellatella* Herrich-Schäffer, [1854]; *stephensiella* Doubleday, 1859 _ Range (in code): ES FR IT GB DE CH AT PL CZ SK HU RO YU MK AL GR DK SE UA Cm GG Cc Bionomy: Larva on Quercus, Castanea (Fagaceae) (Emmet & Johnson, 1979).
- 26746. *Haplochrois albanica* (Rebel & Zerny, [1932])** (Agonoxenidae) Synonym(s): *albanica* Rebel & Zerny, [1932] _ Range (in code): AT SK HU AL

- 26747. Haplochrois buvati (Baldizzone,1985)** (Agonoxenidae) Synonym(s): *buvati*
Baldizzone,1985 _ Range (in code): ES FR
- 26748. Haplochrois gelechiella (Rebel,1902)** (Agonoxenidae) Synonym(s): *gelechiella*
Rebel,1902 _ Range (in code): GR
- 26749. Haplochrois ochraceella (Rebel,1903)** (Agonoxenidae) Synonym(s): *ochraceella*
Rebel,1903 _ Range (in code): ES FR IT AT SK HU YU AL Bionomy: Larva on *Quercus pubescens* (Fagaceae) (*Parenti,2000*).
- 26750. Haplochrois sinevi (Baldizzone,1993)** (Agonoxenidae) Synonym(s): *sinevi*
Baldizzone,1993 _ Range (in code): IR
- 26751. Haplochrois theae (Kuznetsov,1916)** (Agonoxenidae) Synonym(s): *theae* *Kuznetsov,1916*
Range (in code): GG Cc TR CN Bionomy: Larva on *Thea sinensis*, *Camellia japonica* (Theaceae) (*Demodikov,1916*, et seq.).
- 26752. Heinemannia albidorsella (Staudinger,1877)** (Agonoxenidae) Synonym(s): *albidorsella* *Staudinger,1877*; *albidecorella* *Hartig,1951* _ Range (in code): FR Co Sa
- 26753. Heinemannia festivella ([Denis & Schiffermüller],1775)** (Agonoxenidae)
Synonym(s): *festivella* [*Denis & Schiffermüller*],1775; *kokujevi* *Krulikowsky,1903* Original Reference:
Tinea festivella [*Denis & Schiffermüller*],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:*
319. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si IT NL DE AT CZ SK HU RO YU
AL BG LB Bsa TR SE RU MD UA BY Bionomy: Larva on *Solidago virgaurea* (*Riedl,1969*).
- 26754. Heinemannia laspeyrella (Hübner,1796)** (Agonoxenidae) Synonym(s): *laspeyrella*
Hübner,1796 _ Range (in code): IT DE AT PL CZ SK HU RO YU AL BG TR NO SE FI EE LT RU Ur Sb
MD UA BY Bionomy: Larva on *Lathyrus pisiformis*, *orobus vernus*, *Trifolium* (Fabaceae) (*Sinev,1986*).
- 26755. Microcolona lychnacma (Meyrick,1927)** (Agonoxenidae) Synonym(s): *lychnacma*
Meyrick,1927 _ Range (in code): ZA
- 26756. Microcolona omphalias Meyrick,1913** (Agonoxenidae) Synonym(s): *omphalias*
Meyrick,1913 _ Range (in code): ZA
- 26757. Microcolona pantomima Meyrick,1917** (Agonoxenidae) Synonym(s): *pantomima*
Meyrick,1917 _ Range (in code): ZA
- 26758. Microcolona trichodora (Meyrick,1909)** (Agonoxenidae) Synonym(s): *trichodora*
Meyrick,1909 _ Range (in code): ZA
- 26759. Platybathra ganota Meyrick,1911** (Agonoxenidae) Synonym(s): *ganota* *Meyrick,1911*
Range (in code): ZA
- 26760. Platybathra hysterotha Meyrick,1918** (Agonoxenidae) Synonym(s): *hysterotha* *Meyrick,1918*
Range (in code): ZA Nta Kzu Umk
- 26761. Platybathra picropa Meyrick,1921** (Agonoxenidae) Synonym(s): *picropa* *Meyrick,1921*
Range (in code): ZA
- 26762. Spuleria flavicaput (Haworth,1828)** (Agonoxenidae) Synonym(s): *flavicaput*
Haworth,1828; *aurifrontella* *Geyer,[1832]*; *aurocapitella* *Bruand,[1851]*; *flavicapitella* *Doubleday,1859*
Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK SE RU MD UA BY
Bionomy: Larva on *Crataegus monogyna*, *C. oxyacantha* (Rosaceae) (*Riedl,1969*).
- 26763. Alucita acalyptra (Meyrick,1913)** (Alucitidae) Synonym(s): *acalyptra* *Meyrick,1913*
Range (in code): ZA Tva Mpu Brb
- 26764. Alucita acutata Scholz & Jäckh,1994** (Alucitidae) Synonym(s): *Scholz & Jäckh,1994*
Range (in code): Sa Si IT
- 26765. Alucita araxella Zagulyaev,2000** (Alucitidae) Synonym(s): *araxella* *Zagulyaev,2000*
Range (in code): AM Eri Cc
- 26766. Alucita bidentata Scholz & Jäckh,1994** (Alucitidae) Synonym(s): *bidentata* *Scholz & Jäckh,1994* _ Range (in code): ES FR Sa IT YU HV B-H MK GR
- 26767. Alucita brachyzona (Meyrick,1920)** (Alucitidae) Synonym(s): *brachyzona* *Meyrick,1920*
Range (in code): ZA Ec
- 26768. Alucita budashkini Zagulyaev,2000** (Alucitidae) Synonym(s): *budashkini* *Zagulyaev,2000*
Range (in code): UA Cm
- 26769. Alucita bulgaria Zagulyaev,2000** (Alucitidae) Synonym(s): *bulgaria* *Zagulyaev,2000*
Range (in code): BG
- 26770. Alucita cancellata (Meyrick,1908)** (Alucitidae) Synonym(s): *cancellata* *Meyrick,1908*
Original Reference: *Orneodes cancellata* *Meyrick,1908*, *Trans. ent. Soc. Lond.* 1907: 510.

- Lectotype ♂: "Alma Dag, Asia minor", designated by Whalley [in] Scholz & Jäckh (1994). Range (in code): FR IT RO YU TR RU MD UA BY SY Dms IL Js IR Kh Kd Bne Lo GlS Km MK B-H HV SS
- 26771. *Alucita capensis* R.Felder & Rogenhofer, 1875** (Alucitidae) Synonym(s): *capensis* R.Felder & Rogenhofer, 1875 Range (in code): ZA
- 26772. *Alucita certifica* (Meyrick, 1909)** (Alucitidae) Synonym(s): *certifica* Meyrick, 1909 Range (in code): ZA Tva Lpo Spb Wmb
- 26773. *Alucita cinnerethella* Amsel, 1935** (Alucitidae) Synonym(s): *cinnerethella* Amsel, 1935 Range (in code): TR CY IL Pa IR Fa Shr
- 26774. *Alucita compsoxantha* (Meyrick, 1924)** (Alucitidae) Synonym(s): *compsoxantha* Meyrick, 1924 Range (in code): ZA
- 26775. *Alucita crococyma* (Meyrick, 1937)** (Alucitidae) Synonym(s): *crococyma* Meyrick, 1937 Range (in code): ZA
- 26776. *Alucita cymatodactyla* Zeller, 1852** (Alucitidae) Synonym(s): *cymatodactyla* Zeller, 1852. Original Reference: *Alucita cymatodactyla* Zeller, 1852, Linn. Ent. 6: 413. Lectotype ♀: [Croatien]: Dalmat[ien] (Scholz & Jäckh, 1994: [14]). Range (in code): ES FR IT HU YU TR Cc IL Pa MK B-H HV SS LB IR Elb Th Mz By GlS
- 26777. *Alucita debilella* Scholz & Jäckh, 1994** (Alucitidae) Synonym(s): *debilella* Scholz & Jäckh, 1994 Range (in code): ES An Grn Mlg Alc Vcl Mu MA IR GlS Kh
- 26778. *Alucita desmodactyla* Zeller, 1847** (Alucitidae) Synonym(s): *desmodactyla* Zeller, 1847 Range (in code): AET DZ Anna TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR Cr TR RU MD UA BY IR Elb Mz Plr Dam Es Cc AM Eri Bionomy: Larva in flowers of *Stachys recta*, *S. alpina* (Lamiaceae) (Hofmann, 1898).
- 26779. *Alucita endophaea* Meyrick, 1930** (Alucitidae) Synonym(s): *endophaea* Meyrick, 1930 Range (in code): ZA
- 26780. *Alucita ferruginea* Walsingham, 1881** (Alucitidae) Synonym(s): *ferruginea* Walsingham, 1881 Range (in code): ZA
- 26781. *Alucita flaviserta* (Meyrick, 1921)** (Alucitidae) Synonym(s): *flaviserta* Meyrick, 1921 Range (in code): MZ Mag
- 26782. *Alucita grammodactyla* Zeller, 1841** (Alucitidae) Synonym(s): *grammodactyla* Zeller, 1841 Original Reference: *Alucita grammodactyla* Zeller, 1841, Isis 1841: 869, Tab.4 figs.39,40. Lectotype ♂: [Deutschland]: Frankfurt (Scholz & Jäckh, 1994: [28]). Range (in code): PT FR IT BE NL LU DE CH AT PL CZ SK HU RO HV MK BG GR DK SE EE TR LB IR Ar Ab Oru Bionomy: Larva on *Scabiosa columbaria*, *S. canescens* (Dipsacaceae) (Hofmann, 1898).
- 26783. *Alucita granata* (Meyrick, 1921)** (Alucitidae) Synonym(s): *granata* Meyrick, 1921 Range (in code): MZ Mag
- 26784. *Alucita habrophila* (Meyrick, 1920)** (Alucitidae) Synonym(s): *habrophila* Meyrick, 1920 Range (in code): ZA Nta Kzu Esw Ptw
- 26785. *Alucita hexadactyla* Linnaeus, 1758** (Alucitidae) Synonym(s): *hexadactyla* Linnaeus, 1758; *polydactyla* Hübner, [1813]; *poecilodactyla* Stephens, 1835; *#cartereaui* Jourdeuille, 1883 Original Reference: *Alucita hexadactyla* Linnaeus, 1758, Syst Nat. (Edn.10) 1: 542. Type(s): Europa. Range (in code): MA TN DhM PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR Cr TR DK NO SE FI LV LT RU Cc AZ KG Uk Bionomy: Larva on *Phlomis blossom* (Lamiaceae) (Staudinger, 1880).
- 26786. *Alucita homotrocha* (Meyrick, 1921)** (Alucitidae) Synonym(s): *homotrocha* Meyrick, 1921 Range (in code): ZW Swm
- 26787. *Alucita huebneri* Wallengren, 1859** (Alucitidae) Synonym(s): *huebneri* Wallengren, 1859 Original Reference: *Alucita huebneri* Wallengren, 1859, Svensk. Vet.-Akad. Handl. 3(2): 24. Type(s): [Mitteleuropa] (Scholz & Jäckh, 1994: [20]). Range (in code): ES FR Sa IT LU DE CH AT PL CZ SK HU RO YU TR GR RU MD UA IR Kdj Elb By Bionomy: Larva on *Centaurea jacea*, *Knautia arvensis* (Dipsacaceae) (Hofmann, 1889; Chrétien).
- 26788. *Alucita iberica* Scholz & Jäckh, 1994** (Alucitidae) Synonym(s): *iberica* Scholz & Jäckh, 1994 Range (in code): ES An Grn Si MA
- 26789. *Alucita iranensis* Scholz & Jäckh, 1994** (Alucitidae) Synonym(s): *iranensis* Scholz & Jäckh, 1994 Range (in code): IR Elb Th Kh Ke
- 26790. *Alucita ithycypha* (Meyrick, 1927)** (Alucitidae) Synonym(s): *ithycypha* Meyrick, 1927 Range (in code): ZA

- 26791. *Alucita japonica* (Matsumura,1931)** (Alucitidae) Synonym(s): *japonica* Matsumura,1931
Range (in code): **JP KR CN Pkn**
- 26792. *Alucita karadagica* Zagulyaev,2000** (Alucitidae) Synonym(s): *karadagica* Zagulyaev,2000
Range (in code): **UA Cm**
- 26793. *Alucita klimeschi* Scholz,1997** (Alucitidae) Synonym(s): *klimeschi* Scholz,1997 _ Range
(in code): **CY TR**
- 26794. *Alucita libraria* (Meyrick,1911)** (Alucitidae) Synonym(s): *libraria* Meyrick,1911 _ Range
(in code): **ZA Tva Gau Pre**
- 26795. *Alucita major* (Rebel,1905)** (Alucitidae) Synonym(s): *major* Rebel,1905 **Original**
Reference: Orneodes desmodactyla var. major Rebel,1905, Annln naturh. Mus. Wien 20: 210.
Lectotype ♀: "Ragusa", designated by Scholz & Jäckh (1994). Range (in code): **Sa Si IT RO HV BG**
GR Cr TR LB Bsa
- 26796. *Alucita ordubadi* Zagulyaev,2000** (Alucitidae) Synonym(s): *ordubadi* Zagulyaev,2000
Range (in code): **AZ Nv Ord Cc IR Mz Elb Km Ke**
- 26797. *Alucita palodactyla* Zeller,1847** (Alucitidae) Synonym(s): *palodactyla* Zeller,1847;
perittodactyla Staudinger,1859; *parthenodactyla* Chrétien,1915 **Original Reference:** *Alucita palodactyla*
Zeller,1847, Isis 1847: 908. Lectotype ♂: Sizilien: Syracus und Messina. Range (in code): **AET DZ**
Bsk Cst TN Tun PT ES FR Co Sa Si IT DE CH YU GR Cr TR RU MD UA BY IL Pa IR LB **Bionomy:**
Larva on Scabiosa urceolata (ruteifolia) (Dipsacaceae) (Staudinger,1859).
- 26798. *Alucita pectinata* Scholz & Jäckh,1994** (Alucitidae) Synonym(s): *pectinata* Scholz &
Jäckh,1994 _ Range (in code): **GR TN Gf LY Cy**
- 26799. *Alucita phanerarcha* (Meyrick,1924)** (Alucitidae) Synonym(s): *phanerarcha* Meyrick,1924
Range (in code): **ZA**
- 26800. *Alucita photaula* (Meyrick,1918)** (Alucitidae) Synonym(s): *photaula* Meyrick,1918
Range (in code): **ZA Tva Gau Pre Jh**
- 26801. *Alucita pliginskii* Zagulyaev,2000** (Alucitidae) Synonym(s): *pliginskii* Zagulyaev,2000
Range (in code): **UA Cm**
- 26802. *Alucita pseudohuebneri* Scholz,1997** (Alucitidae) Synonym(s): *pseudohuebneri*
Scholz,1997 _ Range (in code): **IR Elb Th Se TR**
- 26803. *Alucita spicifera* (Meyrick,1911)** (Alucitidae) Synonym(s): *spicifera* Meyrick,1911
Range (in code): **ZA Tva Gau Pre**
- 26804. *Alucita tesserata* (Meyrick,1918)** (Alucitidae) Synonym(s): *tesserata* Meyrick,1918
Range (in code): **ZA Tva Gau Pre**
- 26805. *Alucita tridentata* Scholz & Jäckh,1994** (Alucitidae) Synonym(s): *tridentata* Scholz &
Jäckh,1994 **Original Reference:** *Alucita tridentata* Scholz & Jäckh,1994, Alexanor 18(4): [24],
figs. Holotype ♂: Turcia: Asia minor: 50km östl. Istanbul 50m. Range (in code): **FR Co Sa Si IT GR**
TR
- 26806. *Alucita zonodactyla* Zeller,1847** (Alucitidae) Synonym(s): *zonodactyla* Zeller,1847
Original Reference: *Alucita zonodactyla* Zeller,1847, Isis 1847: 908. Type ♀: Sizilien: Syracus.
Range (in code): **ES FR Si IT CH HV MK GR Cr TR IL Pa Hf Js LB Bei SY Dms** **Bionomy:** Larva on
Stachys recta (Lamiaceae) (Chrétien).
- 26807. *Microschismus antennatus* T.B.Fletcher,1909** (Alucitidae) Synonym(s): *antennatus*
T.B.Fletcher,1909 _ Range (in code): **ZA**
- 26808. *Microschismus cato* Meyrick,1927** (Alucitidae) Synonym(s): *cato* Meyrick,1927
Range (in code): **ZA**
- 26809. *Microschismus columella* Meyrick,1927** (Alucitidae) Synonym(s): *columella*
Meyrick,1927 _ Range (in code): **ZA**
- 26810. *Microschismus ctenias* Meyrick,1911** (Alucitidae) Synonym(s): *fortis* Meyrick,1910 *nec*
Walsingh.,1881; *ctenias* Meyrick,1911. _ Range (in code): **ZA Nta Kzu Ec Tra Ngg**
- 26811. *Microschismus cymatias* Meyrick,1918** (Alucitidae) Synonym(s): *cymatias* Meyrick,1918
Range (in code): **ZA Tva Gau Pre**
- 26812. *Microschismus fortis* Walsingham,1881** (Alucitidae) Synonym(s): *fortis*
Walsingham,1881 _ Range (in code): **ZA Tva Gau Pre**
- 26813. *Microschismus premnias* Meyrick,1913** (Alucitidae) Synonym(s): *premnias* Meyrick,1913
Range (in code): **ZA Tva Mpu Tst Nta Kzu Pt看**
- 26814. *Microschismus sceletias* Meyrick,1911** (Alucitidae) Synonym(s): *sceletias* Meyrick,1911
Range (in code): **ZA Tva Wo**

- 26815. *Microschismus serricornis* Meyrick, 1914** (Alucitidae) Synonym(s): *serricornis* Meyrick, 1914 - Range (in code): ZA Tva Gau Pre
- 26816. *Pterotopteryx colchica* Zagulyaev, 1992** (Alucitidae) Synonym(s): *colchica* Zagulyaev, 1992 - Range (in code): GG Cc Btm Aj IR Mz Elb
- 26817. *Pterotopteryx dodecadactyla* (Hübner, 1813)** (Alucitidae) Synonym(s): *dodecadactyla* Hübner, 1813; *dorcadus* Hering, 1917 - Range (in code): FR Si IT LU DE CH AT PL CZ SK HU SL NO SE FI EE LV LT RU GG Cc GA Ogo Bionomy: Larva on Lonicera xylosteum, L. coerulea (Hofmann, 1898).
- 26818. *Pterotopteryx koreana* Byun, 2006** (Alucitidae) Synonym(s): *koreana* Byun, 2006 Range (in code): KR
- 26819. *Pterotopteryx nigrifasciata* Byun & Park, 2007** (Alucitidae) Synonym(s): *nigrifasciata* Byun & Park, 2007 - Range (in code): VN
- 26820. *Pterotopteryx spilodesma* (Meyrick, 1907)** (Alucitidae) Synonym(s): *spilodesma* Meyrick, 1907 - Range (in code): IN Ass KR
- 26821. *Pterotopteryx vietana* Byun & Park, 2007** (Alucitidae) Synonym(s): *vietana* Byun & Park, 2007 - Range (in code): VN
- 26822. *Anticla antica* Walker, 1855** (Apatelodidae) Synonym(s): *antica* Walker, 1855; *carya* Druce, 1887; *rutila* Druce, 1887; *amycla* Druce, 1890 - Range (in code): VE PA NI EC
- 26823. *Anticla flavaria* (Cramer, 1780)** (Apatelodidae) Synonym(s): *flavaria* Cramer, 1780; *flavifuscula* Hübner, [1819] - Range (in code): SR
- 26824. *Anticla limosa* (Schaus, 1892)** (Apatelodidae) Synonym(s): *limosa* Schaus, 1892 - Range (in code): BR Rja
- 26825. *Anticla ortygia* Druce, 1892** (Apatelodidae) Synonym(s): *ortygia* Druce, 1892; *ampeha* Druce, 1890 - Range (in code): PA EC
- 26826. *Anticla symphora* Schaus, 1929** (Apatelodidae) Synonym(s): *symphora* Schaus, 1929 Range (in code): BR Rja
- 26827. *Anticla tarasia* Schaus, 1929** (Apatelodidae) Synonym(s): *tarasia* Schaus, 1929 - Range (in code): BR Sct
- 26828. *Apatelodes adrastia* Druce, 1887** (Apatelodidae) Synonym(s): *adrastia* Druce, 1887; *diffidens* Edwards, 1887; *costaricensis* Draudt, 1929 - Range (in code): CR MX Vcr PA
- 26829. *Apatelodes albipunctata* Druce, 1897** (Apatelodidae) Synonym(s): *albipunctata* Druce, 1897 - Range (in code): MX Vcr
- 26830. *Apatelodes amaryllis* Dyar, 1907** (Apatelodidae) Synonym(s): *amaryllis* Dyar, 1907 Range (in code): MX
- 26831. *Apatelodes anna* (Schaus, 1905)** (Apatelodidae) Synonym(s): *anna* Schaus, 1905 Range (in code): GV
- 26832. *Apatelodes ardeola* Druce, 1887** (Apatelodidae) Synonym(s): *ardeola* Druce, 1887 Range (in code): PA BR CR
- 26833. *Apatelodes ardeola ardeola* Druce, 1887** (Apatelodidae) Synonym(s): *ardeola* Druce, 1887 - Range (in code): PA BR
- 26834. *Apatelodes ardeola mediana* (Schaus, 1900)** (Apatelodidae) Synonym(s): *mediana* Schaus, 1900 - Range (in code): BR
- 26835. *Apatelodes ardeola vitrea* Schaus, 1910** (Apatelodidae) Synonym(s): *vitrea* Schaus, 1910 Range (in code): CR
- 26836. *Apatelodes banepa* Druce, 1904** (Apatelodidae) Synonym(s): *banepa* Druce, 1904 Range (in code): PE
- 26837. *Apatelodes batima* Dyar, 1912** (Apatelodidae) Synonym(s): *batima* Dyar, 1912 - Range (in code): MX Grr
- 26838. *Apatelodes brueckneri* Draudt, 1929** (Apatelodidae) Synonym(s): *brueckneri* Draudt, 1929 Range (in code): GT
- 26839. *Apatelodes castanea* Jones, 1908** (Apatelodidae) Synonym(s): *castanea* Jones, 1908 Range (in code): BR
- 26840. *Apatelodes cerrita* Draudt, 1929** (Apatelodidae) Synonym(s): *cerrita* Draudt, 1929 Range (in code): BR MiG
- 26841. *Apatelodes cirna* Druce, 1893** (Apatelodidae) Synonym(s): *cirna* Druce, 1893 - Range (in code): EC

- 26842. *Apatelodes concerpta* Draudt,1929** (Apatelodidae) **Synonym(s):** *concerpta* Draudt,1929
Range (in code): **BR Sct MiG**
- 26843. *Apatelodes concerpta concerpta* Draudt,1929** (Apatelodidae) **Synonym(s):** *concerpta* Draudt,1929
Range (in code): **BR Sct**
- 26844. *Apatelodes concerpta fucosa* Draudt,1929** (Apatelodidae) **Synonym(s):** *fucosa* Draudt,1929
Range (in code): **BR MiG**
- 26845. *Apatelodes corema* Schaus,1896** (Apatelodidae) **Synonym(s):** *corema* Schaus,1896
Range (in code): **BR Spa**
- 26846. *Apatelodes damora* Schaus,1939** (Apatelodidae) **Synonym(s):** *damora* Schaus,1939
Range (in code): **CO**
- 26847. *Apatelodes datanoides* Draudt,1929** (Apatelodidae) **Synonym(s):** *datanoides* Draudt,1929
Range (in code): **MX**
- 26848. *Apatelodes diana* Dognin,1916** (Apatelodidae) **Synonym(s):** *diana* Dognin,1916
Range (in code): **CO**
- 26849. *Apatelodes dianita* Dognin,1920** (Apatelodidae) **Synonym(s):** *dianita* Dognin,1920
Range (in code): **BO**
- 26850. *Apatelodes doramia* Dyar,1912** (Apatelodidae) **Synonym(s):** *doramia* Dyar,1912
Range (in code): **MX**
- 26851. *Apatelodes ennomoides* (Walker,1865)** (Apatelodidae) **Synonym(s):** *ennomoides* Walker,1865
Range (in code): **BR**
- 26852. *Apatelodes erotina* Schaus,1939** (Apatelodidae) **Synonym(s):** *erotina* Schaus,1939
Range (in code): **CR**
- 26853. *Apatelodes erubescens* Draudt,1929** (Apatelodidae) **Synonym(s):** *erubescens* Draudt,1929; *telano* Schaus,1939
Range (in code): **BR MtG**
- 26854. *Apatelodes firmiana* (Stoll,1782)** (Apatelodidae) **Synonym(s):** *firmiana* Stoll,1782
Range (in code): **SR**
- 26855. *Apatelodes florisa* Schaus,1939** (Apatelodidae) **Synonym(s):** *florisa* Schaus,1939
Range (in code): **AR**
- 26856. *Apatelodes garleppi* Draudt,1929** (Apatelodidae) **Synonym(s):** *garleppi* Draudt,1929
Range (in code): **PE**
- 26857. *Apatelodes gaveta* (Dognin,1894)** (Apatelodidae) **Synonym(s):** *gaveta* Dognin,1894
Range (in code): **EC**
- 26858. *Apatelodes gladys* Dyar,1918** (Apatelodidae) **Synonym(s):** *gladys* Dyar,1918
Range (in code): **MX**
- 26859. *Apatelodes heptaloba* Druce,1887** (Apatelodidae) **Synonym(s):** *heptaloba* Druce,1887; *bunca* Dyar,1912
Range (in code): **GT MX**
- 26860. *Apatelodes hierax* Dognin,1924** (Apatelodidae) **Synonym(s):** *hierax* Dognin,1924
Range (in code): **BR Sct**
- 26861. *Apatelodes horina* Schaus,1920** (Apatelodidae) **Synonym(s):** *horina* Schaus,1920
Range (in code): **GT**
- 26862. *Apatelodes ilia* Dognin,1916** (Apatelodidae) **Synonym(s):** *ilia* Dognin,1916
Range (in code): **CO**
- 26863. *Apatelodes imparata* Dognin,1907** (Apatelodidae) **Synonym(s):** *imparata* Dognin,1907
Range (in code): **PY**
- 26864. *Apatelodes infesta* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *infesta* Dognin,1922
Range (in code): **CO**
- 26865. *Apatelodes inviolata* Dognin,1911** (Apatelodidae) **Synonym(s):** *inviolata* Dognin,1911
Range (in code): **CO**
- 26866. *Apatelodes jessica* Dyar,1926** (Apatelodidae) **Synonym(s):** *jessica* Dyar,1926
Range (in code): **MX Sin GT**
- 26867. *Apatelodes jessica floramia* Dyar,1926** (Apatelodidae) **Synonym(s):** *floramia* Dyar,1926
Range (in code): **GT**
- 26868. *Apatelodes jessica jessica* Dyar,1926** (Apatelodidae) **Synonym(s):** *jessica* Dyar,1926
Range (in code): **MX**
- 26869. *Apatelodes jessica maudamia* Dyar,1926** (Apatelodidae) **Synonym(s):** *maudamia* Dyar,1926
Range (in code): **MX Sin**

- 26870. *Apatelodes kotzschii* Draudt,1929** (Apatelodidae) Synonym(s): *kotzschii* Draudt,1929
Range (in code): **BR Sct**
- 26871. *Apatelodes lacetania* Druce,1898** (Apatelodidae) Synonym(s): *lacetania* Druce,1898;
hiantha Dyar,1912 _ Range (in code): **MX**
- 26872. *Apatelodes lapitha* Druce,1900** (Apatelodidae) Synonym(s): *lapitha* Druce,1900
Range (in code): **CO**
- 26873. *Apatelodes lepida* (Schaus,1905)** (Apatelodidae) Synonym(s): *lepida* Schaus,1905
Range (in code): **SR**
- 26874. *Apatelodes lescamia* Dyar,1912** (Apatelodidae) Synonym(s): *lescamia* Dyar,1912
Range (in code): **MX**
- 26875. *Apatelodes lilacina* Jones,1908** (Apatelodidae) Synonym(s): *lilacina* Jones,1908
Range (in code): **BR**
- 26876. *Apatelodes martia* (Stoll,1782)** (Apatelodidae) Synonym(s): *martia* Stoll,1782; *bombycina*
C.Felder,1874 _ Range (in code): **SR MX**
- 26877. *Apatelodes mehida* Druce,1904** (Apatelodidae) Synonym(s): *mehida* Druce,1904
Range (in code): **PE**
- 26878. *Apatelodes merlona* Schaus,1939** (Apatelodidae) Synonym(s): *merlona* Schaus,1939
Range (in code): **GT**
- 26879. *Apatelodes milma* Dyar,1912** (Apatelodidae) Synonym(s): *milma* Dyar,1912 _ Range (in
code): **MX Vcr**
- 26880. *Apatelodes moresca* Schaus,1900** (Apatelodidae) Synonym(s): *moresca* Schaus,1900
Range (in code): **PE**
- 26881. *Apatelodes narda* (Schaus,1900)** (Apatelodidae) Synonym(s): *narda* Schaus,1900
Range (in code): **BR**
- 26882. *Apatelodes olaus* Schaus,1924** (Apatelodidae) Synonym(s): *olaus* Schaus,1924 _ Range
(in code): **AR**
- 26883. *Apatelodes palma* Druce,1924** (Apatelodidae) Synonym(s): *palma* Druce,1924 _ Range
(in code): **CO**
- 26884. *Apatelodes pandara* Druce,1893** (Apatelodidae) Synonym(s): *pandara* Druce,1893
Range (in code): **EC PA BR**
- 26885. *Apatelodes pandara* Druce,1893** (Apatelodidae) Synonym(s): *pandara*
Druce,1893 _ Range (in code): **EC**
- 26886. *Apatelodes pandara romani* Bryk,1953** (Apatelodidae) Synonym(s): *romani* Bryk,1953
Range (in code): **PA BR**
- 26887. *Apatelodes pandarioides* Schaus,1905** (Apatelodidae) Synonym(s): *pandarioides*
Schaus,1905 _ Range (in code): **GF**
- 26888. *Apatelodes paraguayana* Schaus,1927** (Apatelodidae) Synonym(s): *paraguayana*
Schaus,1927 _ Range (in code): **PY**
- 26889. *Apatelodes paratima* Schaus,1910** (Apatelodidae) Synonym(s): *paratima* Schaus,1910
Range (in code): **CR**
- 26890. *Apatelodes parvula* Schaus,1894** (Apatelodidae) Synonym(s): *parvula* Schaus,1894
Range (in code): **BR**
- 26891. *Apatelodes paulista* Jones,1908** (Apatelodidae) Synonym(s): *paulista* Jones,1908
Range (in code): **BR Spa**
- 26892. *Apatelodes pertuisa* (Dognin,1916)** (Apatelodidae) Synonym(s): *pertuisa* Dognin,1916
Range (in code): **VE**
- 26893. *Apatelodes pervicax* (Dognin,1911)** (Apatelodidae) Synonym(s): *pervicax* Dognin,1911
Range (in code): **CO**
- 26894. *Apatelodes pithala* Dognin,1920** (Apatelodidae) Synonym(s): *pithala* Dognin,1920
Range (in code): **BO**
- 26895. *Apatelodes princeps* Dognin,1911** (Apatelodidae) Synonym(s): *princeps* Dognin,1911
Range (in code): **CO**
- 26896. *Apatelodes pudefacta* Dyar,1904** (Apatelodidae) Synonym(s): *pudefacta* Dyar,1904; *uvada*
Barnes,1904 _ Range (in code): **US Arz**
- 26897. *Apatelodes quadrata* Jones,1908** (Apatelodidae) Synonym(s): *quadrata* Jones,1908
Range (in code): **BR Spa**

- 26898. *Apatelodes sadisma* Dyar,1918** (Apatelodidae) Synonym(s): *sadisma* Dyar,1918
Range (in code): **MX Vcr**
- 26899. *Apatelodes satellitia* (Walker,1855)** (Apatelodidae) Synonym(s): *satellitita* Walker,1855
Range (in code): **BR Rja**
- 26900. *Apatelodes schreiteri* Schaus,1924** (Apatelodidae) Synonym(s): *schreiteri* Schaus,1924
Range (in code): **AR**
- 26901. *Apatelodes sericea* Schaus,1896** (Apatelodidae) Synonym(s): *sericea* Schaus,1896; *erecta* Dognin,1916
Range (in code): **BR Spa**
- 26902. *Apatelodes signata* Druce,1904** (Apatelodidae) Synonym(s): *signata* Druce,1904
Range (in code): **PE**
- 26903. *Apatelodes singularis* (Butler,1881)** (Apatelodidae) Synonym(s): *singularis* Butler,1881
Range (in code): **BR**
- 26904. *Apatelodes striata* Druce,1906** (Apatelodidae) Synonym(s): *striata* Druce,1906
Range (in code): **PE**
- 26905. *Apatelodes sublunata* Schaus,1920** (Apatelodidae) Synonym(s): *sublunata* Schaus,1920
Range (in code): **MX Sin**
- 26906. *Apatelodes taperinha* (Dognin,1922)** (Apatelodidae) Synonym(s): *taperinha* Dognin,1922
Range (in code): **BR**
- 26907. *Apatelodes thinaha* Draudt,1929** (Apatelodidae) Synonym(s): *thinaha* Draudt,1929
Range (in code): **BR MtG**
- 26908. *Apatelodes torrefacta* (J.E.Smith,1797)** (Apatelodidae) Synonym(s): *torrefacta* J.E.Smith,1797; *floridana* Edwards,1886
Range (in code): **US FI**
- 26909. *Apatelodes tropea* (Schaus,1896)** (Apatelodidae) Synonym(s): *tropea* Schaus,1896
Range (in code): **BR**
- 26910. *Apatelodes tuisa* (Schaus,1910)** (Apatelodidae) Synonym(s): *tuisa* Schaus,1910
Range (in code): **CR**
- 26911. *Apatelodes turrialba* Schaus,1910** (Apatelodidae) Synonym(s): *turrialba* Schaus,1910
Range (in code): **CR**
- 26912. *Apatelodes velutina* Schaus,1896** (Apatelodidae) Synonym(s): *velutina* Schaus,1896
Range (in code): **BR Spa**
- 26913. *Apatelodes verena* Druce,1897** (Apatelodidae) Synonym(s): *verena* Druce,1897
Range (in code): **MX Vcr**
- 26914. *Apatelodes vistana* Schaus,1939** (Apatelodidae) Synonym(s): *vistana* Schaus,1939
Range (in code): **CO**
- 26915. *Apatelodes xanthapex* Draudt,1929** (Apatelodidae) Synonym(s): *xanthapex* Draudt,1929
Range (in code): **BR MtG**
- 26916. *Apatelodes zikani* Draudt,1929** (Apatelodidae) Synonym(s): *zikani* Draudt,1929
Range (in code): **BR MtG**
- 26917. *Arotros striata* Schaus,1892** (Apatelodidae) Synonym(s): *striata* Schaus,1892
Range (in code): **BR Rja**
- 26918. *Carnotena xanthiata* Walker,1865** (Apatelodidae) Synonym(s): *perlineata* Walker,1862; *xanthiata* Walker,1865; *configurata* C.Felder,1874
Range (in code): **BR Azn**
- 26919. *Cheneya irrufata* (Dognin,1911)** (Apatelodidae) Synonym(s): *irrufata* Dognin,1911
Range (in code): **CO**
- 26920. *Cheneya morrissa* Schaus,1929** (Apatelodidae) Synonym(s): *morrissa* Schaus,1929
Range (in code): **GF**
- 26921. *Cheneya rovena* Schaus,1929** (Apatelodidae) Synonym(s): *rovena* Schaus,1929
Range (in code): **MX**
- 26922. *Colla aerilia* Schaus,1929** (Apatelodidae) Synonym(s): *aerilia* Schaus,1929
Range (in code): **BR Azn**
- 26923. *Colla aminula* (Druce,1890)** (Apatelodidae) Synonym(s): *aminula* Druce,1890
Range (in code): **BR**
- 26924. *Colla amoena* Dognin,1923** (Apatelodidae) Synonym(s): *amoena* Dognin,1923
Range (in code): **BR Azn**
- 26925. *Colla amoena amoena* Dognin,1923** (Apatelodidae) Synonym(s): *amoena* Dognin,1923
Range (in code): **BR Azn**

- 26926. Colla amoena antaziana Bryk,1953** (Apatelodidae) Synonym(s): *antaziana* Bryk,1953
Range (in code): **BR Azn**
- 26927. Colla coelestis Schaus,1910** (Apatelodidae) Synonym(s): *coelestis* Schaus,1910 _ Range (in code): CR BR Azn
- 26928. Colla coelestis autaziana Bryk,1953** (Apatelodidae) Synonym(s): *autaziana* Bryk,1953
Range (in code): **BR Azn**
- 26929. Colla coelestis coelestis Schaus,1910** (Apatelodidae) Synonym(s): *coelestis* Schaus,1910
Range (in code): **CR**
- 26930. Colla gaudialis Schaus,1905** (Apatelodidae) Synonym(s): *gaudialis* Schaus,1905 _ Range (in code): GF
- 26931. Colla glaucescens Walker,1865** (Apatelodidae) Synonym(s): *glaucescens* Walker,1865
Range (in code): **CO**
- 26932. Colla jehlii Schade,1939** (Apatelodidae) Synonym(s): *jehlii* Schade,1939 _ Range (in code): PY
- 26933. Colla klagesi (W.Warren,1901)** (Apatelodidae) Synonym(s): *klagesi* W.Warren,1901
Range (in code): **VE**
- 26934. Colla lilacina Dognin,1916** (Apatelodidae) Synonym(s): *lilacina* Dognin,1916 _ Range (in code): GF
- 26935. Colla margaritacea (Möschler,1872)** (Apatelodidae) Synonym(s): *margaritacea* Möschler,1872; *blandiatrix* C.Felder,1874; _ Range (in code): BR Azn SR
- 26936. Colla melini Bryk,1953** (Apatelodidae) Synonym(s): *melini* Bryk,1953 _ Range (in code): PE
- 26937. Colla micacea (Walker,1865)** (Apatelodidae) Synonym(s): *micacea* Walker,1865; *albescens* Schaus,1905 _ Range (in code): CO GF
- 26938. Colla netrix (Stoll,1780)** (Apatelodidae) Synonym(s): *netrix* Stoll,1780 _ Range (in code): SR
- 26939. Colla opalifera Dognin,1911** (Apatelodidae) Synonym(s): *opalifera* Dognin,1911; *manni* Schaus,1924 _ Range (in code): GF BO
- 26940. Colla rhodope (Drury,1782)** (Apatelodidae) Synonym(s): *rhodope* Drury,1782 _ Range (in code): BR Rja MX PY
- 26941. Colla rhodope rhodope (Drury,1782)** (Apatelodidae) Synonym(s): *rhodope* Drury,1782
Range (in code): **BR Rja**
- 26942. Colla rhodope transparens Bryk,1953** (Apatelodidae) Synonym(s): *transparens* Bryk,1953 _ Range (in code): MX PY
- 26943. Colla similis (C.Felder,1874)** (Apatelodidae) Synonym(s): *similis* C.Felder,1874 _ Range (in code): BR Azn
- 26944. Colla umbrata Schaus,1905** (Apatelodidae) Synonym(s): *umbrata* Schaus,1905 _ Range (in code): BR Azn
- 26945. Drepatelodes friburgensis (Schaus,1924)** (Apatelodidae) Synonym(s): *friburgensis* Schaus,1924 _ Range (in code): BR Rja
- 26946. Drepatelodes ostenta (Schaus,1905)** (Apatelodidae) Synonym(s): *ostenta* Schaus,1905
Range (in code): **GF**
- 26947. Drepatelodes quadrilineata (Schaus,1920)** (Apatelodidae) Synonym(s): *quadrilineata* Schaus,1920 _ Range (in code): BR Azn
- 26948. Drepatelodes tanais (Druce,1898)** (Apatelodidae) Synonym(s): *tanais* Druce,1898
Range (in code): **PA**
- 26949. Drepatelodes trilineata (Dognin,1912)** (Apatelodidae) Synonym(s): *trilineata* Dognin,1912 _ Range (in code): GF
- 26950. Drepatelodes umbrilinea (Schaus,1905)** (Apatelodidae) Synonym(s): *umbrilinea* Schaus,1905 _ Range (in code): GF
- 26951. Ephoria dora (Schaus,1896)** (Apatelodidae) Synonym(s): *dora* Schaus,1896 _ Range (in code): BR
- 26952. Ephoria eadgara (Schaus,1934)** (Apatelodidae) Synonym(s): *eadgara* Schaus,1934
Range (in code): **BR Rja**
- 26953. Ephoria ephora (Stoll,1781)** (Apatelodidae) Synonym(s): *ephora* Stoll,1781; *paradoxa* Herrich-Schäffer,1855; *uzita* Druce,1899 _ Range (in code): SR EC

- 26954. Euphoria hezia (Druce,1899)** (Apatelodidae) Synonym(s): *hezia* Druce,1899 _ Range (in code): PE
- 26955. Euphoria illauta (Draudt,1929)** (Apatelodidae) Synonym(s): *illauta* Draudt,1929 _ Range (in code): BR MtG
- 26956. Euphoria liliana (Schaus,1900)** (Apatelodidae) Synonym(s): *liliana* Schaus,1900 _ Range (in code): BR
- 26957. Euphoria lybia (Druce,1898)** (Apatelodidae) Synonym(s): *lybia* Druce,1898 _ Range (in code): PA GF CO
- 26958. Euphoria lybia hoppi (Draudt,1929)** (Apatelodidae) Synonym(s): *hoppi* Draudt,1929 _ Range (in code): CO
- 26959. Euphoria lybia lybia (Druce,1898)** (Apatelodidae) Synonym(s): *lybia* Druce,1898 _ Range (in code): PA
- 26960. Euphoria lybia nubilosa (Dognin,1924)** (Apatelodidae) Synonym(s): *nubilosa* Dognin,1924 _ Range (in code): GF
- 26961. Euphoria marginalis (Walker,1856)** (Apatelodidae) Synonym(s): *marginalis* Walker,1856; *lineosa* Walker,1856; *basifulva* Kaye,1901 _ Range (in code): TT BR
- 26962. Euphoria mendozata (Dognin,1923)** (Apatelodidae) Synonym(s): *mendozata* Dognin,1923 _ Range (in code): AR
- 26963. Euphoria thea (Schaus,1924)** (Apatelodidae) Synonym(s): *thea* Schaus,1924 _ Range (in code): AR
- 26964. Epia casnonia (Druce,1887)** (Apatelodidae) Synonym(s): *casnonia* Druce,1887 _ Range (in code): PA GT BR
- 26965. Epia casnonia casnonia (Druce,1887)** (Apatelodidae) Synonym(s): *casnonia* Druce,1887 _ Range (in code): PA
- 26966. Epia casnonia romaniepia Bryk,1953** (Apatelodidae) Synonym(s): *romaniepia* Bryk,1953 _ Range (in code): GT BR
- 26967. Epia domina (Cramer,1780)** (Apatelodidae) Synonym(s): *domina* Cramer,1780 _ Range (in code): SR
- 26968. Epia erdae Schaus,1929** (Apatelodidae) Synonym(s): *erdae* Schaus,1929 _ Range (in code): BR Azn
- 26969. Epia hiemalis (Butler,1878)** (Apatelodidae) Synonym(s): *hiemalis* Butler,1878 _ Range (in code): BR Azn
- 26970. Epia intricata (Druce,1904)** (Apatelodidae) Synonym(s): *intricata* Druce,1904 _ Range (in code): PE
- 26971. Epia lebethra (Druce,1890)** (Apatelodidae) Synonym(s): *lebethra* Druce,1890 _ Range (in code): EC
- 26972. Epia lunilinea Schaus,1920** (Apatelodidae) Synonym(s): *lunilinea* Schaus,1920 _ Range (in code): GY
- 26973. Epia madeira Schaus,1920** (Apatelodidae) Synonym(s): *madeira* Schaus,1920 _ Range (in code): BR Azn
- 26974. Epia muscosa (Butler,1878)** (Apatelodidae) Synonym(s): *muscosa* Butler,1878; *cuneifera* Butler,1878 _ Range (in code): BR Azn
- 26975. Epia parsenia Schaus,1934** (Apatelodidae) Synonym(s): *parsenia* Schaus,1934 _ Range (in code): PE
- 26976. Epia picta Schaus,1920** (Apatelodidae) Synonym(s): *picta* Schaus,1920 _ Range (in code): CO
- 26977. Epia vulnerata (C.Felder,1874)** (Apatelodidae) Synonym(s): *vulnerata* C.Felder,1874 _ Range (in code): BR Azn
- 26978. Falcatelodes anava (Druce,1890)** (Apatelodidae) Synonym(s): *anava* Druce,1890; *laffonti* Dognin,1897 _ Range (in code): EC
- 26979. Moeschleria hulstii Möschler,1890** (Apatelodidae) Synonym(s): *hulstii* Möschler,1890 _ Range (in code): PR
- 26980. Olceclostera amelda Dyar,1915** (Apatelodidae) Synonym(s): *amelda* Dyar,1915 _ Range (in code): MX
- 26981. Olceclostera amoria Druce,1890** (Apatelodidae) Synonym(s): *amoria* Druce,1890 _ Range (in code): EC

- 26982. *Olceclostera avangareza* Schaus,1910** (Apatelodidae) **Synonym(s):** *avangareza* Schaus,1910 **_ Range (in code):** **CR**
- 26983. *Olceclostera azteca* Schaus,1894** (Apatelodidae) **Synonym(s):** *azteca* Schaus,1894 **_ Range (in code):** **MX Vcr**
- 26984. *Olceclostera basifusca* Draudt,1929** (Apatelodidae) **Synonym(s):** *basifusca* Draudt,1929 **_ Range (in code):** **BR Rja**
- 26985. *Olceclostera bifenestrata* Schaus,1912** (Apatelodidae) **Synonym(s):** *bifenestrata* Schaus,1912 **_ Range (in code):** **CR**
- 26986. *Olceclostera bilinea* Schaus,1900** (Apatelodidae) **Synonym(s):** *bilinea* Schaus,1900 **_ Range (in code):** **VE**
- 26987. *Olceclostera brama* Schaus,1920** (Apatelodidae) **Synonym(s):** *brama* Schaus,1920 **_ Range (in code):** **CO**
- 26988. *Olceclostera castra* Jones,1908** (Apatelodidae) **Synonym(s):** *castra* Jones,1908 **_ Range (in code):** **BR**
- 26989. *Olceclostera castrona* Schaus,1894** (Apatelodidae) **Synonym(s):** *castrona* Schaus,1894 **_ Range (in code):** **BR**
- 26990. *Olceclostera cuyabata* Draudt,1929** (Apatelodidae) **Synonym(s):** *cuyabata* Draudt,1929 **_ Range (in code):** **BR MtG**
- 26991. *Olceclostera guanduna* Draudt,1929** (Apatelodidae) **Synonym(s):** *guanduna* Draudt,1929 **_ Range (in code):** **BR**
- 26992. *Olceclostera ibar* (Schaus,1910)** (Apatelodidae) **Synonym(s):** *ibar* Schaus,1910 **_ Range (in code):** **AR**
- 26993. *Olceclostera indentata* Schaus,1910** (Apatelodidae) **Synonym(s):** *indentata* Schaus,1910 **_ Range (in code):** **CR**
- 26994. *Olceclostera interniplaga* Draudt,1929** (Apatelodidae) **Synonym(s):** *interniplaga* Draudt,1929 **_ Range (in code):** **GF**
- 26995. *Olceclostera irrorata* Butler,1878** (Apatelodidae) **Synonym(s):** *irrorata* Butler,1878 **_ Range (in code):** **BR Azn**
- 26996. *Olceclostera magniplaga* Schaus,1910** (Apatelodidae) **Synonym(s):** *magniplaga* Schaus,1910 **_ Range (in code):** **CR**
- 26997. *Olceclostera maya* Schaus,1892** (Apatelodidae) **Synonym(s):** *maya* Schaus,1892 **_ Range (in code):** **MX Vcr**
- 26998. *Olceclostera microps* (Walker,1855)** (Apatelodidae) **Synonym(s):** *microps* Walker,1855 **_ Range (in code):** **BR**
- 26999. *Olceclostera mutusca* Schaus,1892** (Apatelodidae) **Synonym(s):** *mutusca* Schaus,1892 **_ Range (in code):** **BR Rja**
- 27000. *Olceclostera nigripuncta* Schaus,1910** (Apatelodidae) **Synonym(s):** *nigripuncta* Schaus,1910 **_ Range (in code):** **CR**
- 27001. *Olceclostera oriunda* Schaus,1905** (Apatelodidae) **Synonym(s):** *oriunda* Schaus,1905 **_ Range (in code):** **GF**
- 27002. *Olceclostera reperta* (Walker,1865)** (Apatelodidae) **Synonym(s):** *reperta* Walker,1865 **_ Range (in code):** **BR**
- 27003. *Olceclostera seraphica* (Dyar,1906)** (Apatelodidae) **Synonym(s):** *seraphica* Dyar,1906 **_ Range (in code):** **US Tx**
- 27004. *Olceclostera truncata* (Walker,1855)** (Apatelodidae) **Synonym(s):** *truncata* Walker,1855 **_ Range (in code):** **BR Rja**
- 27005. *Phiditia cuprea* (Kaye,1901)** (Apatelodidae) **Synonym(s):** *cuprea* Kaye,1901 **_ Range (in code):** **TT**
- 27006. *Phiditia diores* (Cramer,1775)** (Apatelodidae) **Synonym(s):** *diores* Cramer,1775 **_ Range (in code):** **SR**
- 27007. *Phiditia lucernaria* (Walker,1866)** (Apatelodidae) **Synonym(s):** *lucernaria* Walker,1866 **_ Range (in code):** **CO**
- 27008. *Phiditia maculosa* (Dognin,1916)** (Apatelodidae) **Synonym(s):** *maculosa* Dognin,1916 **_ Range (in code):** **GF**
- 27009. *Phiditia maculosissima* (Dognin,1916)** (Apatelodidae) **Synonym(s):** *maculosissima* Dognin,1916 **_ Range (in code):** **GF**

- 27010. *Phiditia minor* Schaus,1924** (Apatelodidae) Synonym(s): *minor* Schaus,1924 _ Range (in code): TT PY
- 27011. *Phiditia scriptigera* (Dognin,1916)** (Apatelodidae) Synonym(s): *scriptigera* Dognin,1916; *johanna* Schaus,1920 _ Range (in code): GF
- 27012. *Prothysana terminalis* Walker,1865** (Apatelodidae) Synonym(s): *terminalis* Walker,1865
Range (in code): BR Rja
- 27013. *Quentalia altura* (Schaus,1920)** (Apatelodidae) Synonym(s): *altura* Schaus,1920
Range (in code): GT
- 27014. *Quentalia amisena* (Druce,1890)** (Apatelodidae) Synonym(s): *amisena* Druce,1890
Range (in code): EC
- 27015. *Quentalia brunnea* (Dognin,1916)** (Apatelodidae) Synonym(s): *brunnea* Dognin,1916
Range (in code): PE
- 27016. *Quentalia callinicia* Schaus,1929** (Apatelodidae) Synonym(s): *callinicia* Schaus,1929
Range (in code): BR
- 27017. *Quentalia cameloï* Schaus,1939** (Apatelodidae) Synonym(s): *cameloï* Schaus,1939
Range (in code): MX
- 27018. *Quentalia caulea* Schaus,1929** (Apatelodidae) Synonym(s): *caulea* Schaus,1929 _ Range (in code): BR MtG
- 27019. *Quentalia chromana* Schaus,1929** (Apatelodidae) Synonym(s): *chromana* Schaus,1929
Range (in code): CR PA
- 27020. *Quentalia coarya* Schaus,1929** (Apatelodidae) Synonym(s): *coarya* Schaus,1929
Range (in code): BR Azn
- 27021. *Quentalia crenulosa* (Dyar,1918)** (Apatelodidae) Synonym(s): *crenulosa* Dyar,1918
Range (in code): MX
- 27022. *Quentalia demerida* (Schaus,1920)** (Apatelodidae) Synonym(s): *demerida* Schaus,1920
Range (in code): GT
- 27023. *Quentalia denticulata* (Schaus,1920)** (Apatelodidae) Synonym(s): *denticulata* Schaus,1920 _ Range (in code): CR
- 27024. *Quentalia dolorosa* (Jones,1908)** (Apatelodidae) Synonym(s): *dolorosa* Jones,1908
Range (in code): BR
- 27025. *Quentalia drepanoides* (Walker,1866)** (Apatelodidae) Synonym(s): *drepanoides* Walker,1866 _ Range (in code): CO
- 27026. *Quentalia ephonia* (Stoll,1791)** (Apatelodidae) Synonym(s): *epiphonia* Stoll,1791; *lividia* Druce,1887 _ Range (in code): SR PA BR Azn
- 27027. *Quentalia ephonia ephonia* (Stoll,1791)** (Apatelodidae) Synonym(s): *epiphonia* Stoll,1791; *lividia* Druce,1887 _ Range (in code): SR PA
- 27028. *Quentalia ephonia romani* Bryk,1953** (Apatelodidae) Synonym(s): *romani* Bryk,1953
Range (in code): BR Azn
- 27029. *Quentalia excisa* (Maassen,1890)** (Apatelodidae) Synonym(s): *excisa* Maassen,1890
Range (in code): EC
- 27030. *Quentalia felina* (Beutelspacher,1984)** (Apatelodidae) Synonym(s): *felina* Beutelspacher,1984 _ Range (in code): MX
- 27031. *Quentalia ficus* (Herrich-Schäffer,1856)** (Apatelodidae) Synonym(s): *ficus* Herrich-Schäffer,1856; *cachiana* Schaus,1912 _ Range (in code): CR
- 27032. *Quentalia granisca* (Schaus,1920)** (Apatelodidae) Synonym(s): *granisca* Schaus,1920
Range (in code): GT
- 27033. *Quentalia incurvata* (Dognin,1922)** (Apatelodidae) Synonym(s): *incurvata* Dognin,1922
Range (in code): PE
- 27034. *Quentalia intranea* (Dognin,1914)** (Apatelodidae) Synonym(s): *intranea* Dognin,1914
Range (in code): CO
- 27035. *Quentalia lapana* (Schaus,1920)** (Apatelodidae) Synonym(s): *lapana* Schaus,1920
Range (in code): MX Ver
- 27036. *Quentalia lapanensis* Schaus,1929** (Apatelodidae) Synonym(s): *lapanensis* Schaus,1929
Range (in code): CO BR
- 27037. *Quentalia lapanensis lapanensis* Schaus,1929** (Apatelodidae) Synonym(s): *lapanensis* Schaus,1929 _ Range (in code): CO

- 27038. *Quentalia lapanensis lapanula* Bryk,1953** (Apatelodidae) **Synonym(s):** *lapanula* Bryk,1953 - Range (in code): BR
- 27039. *Quentalia macerina* Schaus,1929** (Apatelodidae) **Synonym(s):** *macerina* Schaus,1929
Range (in code): BR
- 27040. *Quentalia maevia* (Druce,1898)** (Apatelodidae) **Synonym(s):** *maevia* Druce,1898; *umbrata* Schaus,1905; *subrufa* Schaus,1912 - Range (in code): PA BR Azn CR
- 27041. *Quentalia medinara* Schaus,1929** (Apatelodidae) **Synonym(s):** *medinara* Schaus,1929
Range (in code): CO
- 27042. *Quentalia melchthala* Schaus,1929** (Apatelodidae) **Synonym(s):** *melchthala* Schaus,1929
Range (in code): BO CO CR
- 27043. *Quentalia minasa* Schaus,1929** (Apatelodidae) **Synonym(s):** *minasa* Schaus,1929
Range (in code): BR MtG
- 27044. *Quentalia moratina* Schaus,1929** (Apatelodidae) **Synonym(s):** *moratina* Schaus,1929
Range (in code): CR GT PA
- 27045. *Quentalia napima* Schaus,1929** (Apatelodidae) **Synonym(s):** *napima* Schaus,1929
Range (in code): BR Sct
- 27046. *Quentalia numalia* Schaus,1929** (Apatelodidae) **Synonym(s):** *numalia* Schaus,1929
Range (in code): CR
- 27047. *Quentalia oaxacana* (Schaus,1900)** (Apatelodidae) **Synonym(s):** *oaxacana* Schaus,1900
Range (in code): MX
- 27048. *Quentalia ojeda* (Dognin,1889)** (Apatelodidae) **Synonym(s):** *ojeda* Dognin,1889
Range (in code): EC
- 27049. *Quentalia orizava* (Schaus,1900)** (Apatelodidae) **Synonym(s):** *orizava* Schaus,1900
Range (in code): MX Vcr
- 27050. *Quentalia pallida* (Maassen,1890)** (Apatelodidae) **Synonym(s):** *pallida* Maassen,1890
Range (in code): EC
- 27051. *Quentalia pamina* (Schaus,1900)** (Apatelodidae) **Synonym(s):** *pamina* Schaus,1900
Range (in code): BR
- 27052. *Quentalia paminella* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *paminella* Dognin,1922
Range (in code): PE
- 27053. *Quentalia paminella paminella* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *paminella* Dognin,1922 - Range (in code):
- 27054. *Quentalia paminella postarcuata* Bryk,1953** (Apatelodidae) **Synonym(s):** *postarcuata* Bryk,1953 - Range (in code): PE
- 27055. *Quentalia punctilinea* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *punctilinea* Dognin,1922 - Range (in code): BO
- 27056. *Quentalia purulhana* (Schaus,1920)** (Apatelodidae) **Synonym(s):** *purulhana* Schaus,1920
Range (in code): GT
- 27057. *Quentalia ragna* Schaus,1929** (Apatelodidae) **Synonym(s):** *ragna* Schaus,1929 - Range (in code): BR MtG
- 27058. *Quentalia roseilinea* (Schaus,1906)** (Apatelodidae) **Synonym(s):** *roseilinea* Schaus,1906; *secata* Dognin,1912 - Range (in code): BR Rja
- 27059. *Quentalia secatina* Schaus,1929** (Apatelodidae) **Synonym(s):** *secatina* Schaus,1929
Range (in code): PE
- 27060. *Quentalia sheila* Schaus,1929** (Apatelodidae) **Synonym(s):** *sheila* Schaus,1929 - Range (in code): VE
- 27061. *Quentalia subrubicunda* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *subrubicunda* Dognin,1922 - Range (in code): BR Spa
- 27062. *Quentalia subumbrata* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *subumbrata* Dognin,1922 - Range (in code): CO
- 27063. *Quentalia surynorta* (Schaus,1900)** (Apatelodidae) **Synonym(s):** *surynorta* Schaus,1900
Range (in code): MX BR
- 27064. *Quentalia tolima* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *tolima* Dognin,1922
Range (in code): CO
- 27065. *Quentalia tremulans* (Schaus,1920)** (Apatelodidae) **Synonym(s):** *tremulans* Schaus,1920
Range (in code): MX Vcr

- 27066. *Quentalia veca* (Druce,1887)** (Apatelodidae) **Synonym(s):** *veca* Druce,1887; *reissi* Maassen,1890; *chromana* Schaus,1929 **_ Range (in code):** **CO CR PA**
- 27067. *Quentalia viridans* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *viridans* Dognin,1922 **Range (in code):** **BO**
- 27068. *Quentalia vittata* (Walker,1855)** (Apatelodidae) **Synonym(s):** *vittata* Walker,1855 **Range (in code):** **BR**
- 27069. *Rolepa costrona* Schaus,1920** (Apatelodidae) **Synonym(s):** *costrona* Schaus,1920 **Range (in code):** **BR**
- 27070. *Rolepa delineata* Walker,1855** (Apatelodidae) **Synonym(s):** *delineata* Walker,1855; *flavolimbata* Herrich-Schäffer,[1856]; *saturnioides* Walker,1862 **_ Range (in code):** **BR Rja**
- 27071. *Rolepa demerara* Schaus,1927** (Apatelodidae) **Synonym(s):** *demerara* Schaus,1927 **Range (in code):** **GY**
- 27072. *Rolepa erica* Schaus,1927** (Apatelodidae) **Synonym(s):** *erica* Schaus,1927 **_ Range (in code):** **AR**
- 27073. *Rolepa fiachna* Schaus,1927** (Apatelodidae) **Synonym(s):** *fiachna* Schaus,1927 **_ Range (in code):** **BR Azn**
- 27074. *Rolepa innotabilis* (Walker,1865)** (Apatelodidae) **Synonym(s):** *innotabilis* Walker,1865 **Range (in code):** **VE**
- 27075. *Rolepa lojana* Dognin,1916** (Apatelodidae) **Synonym(s):** *lojana* Dognin,1916 **_ Range (in code):** **EC**
- 27076. *Rolepa marginepicta* Dognin,1914** (Apatelodidae) **Synonym(s):** *marginepicta* Dognin,1914 **Range (in code):** **GF**
- 27077. *Rolepa medina* (Dognin,1916)** (Apatelodidae) **Synonym(s):** *medina* Dognin,1916 **Range (in code):** **CO**
- 27078. *Rolepa nigrostriga* Schaus,1920** (Apatelodidae) **Synonym(s):** *nigrostriga* Schaus,1920; *lamothei* Beutelspacher,1984 **_ Range (in code):** **MX Sin**
- 27079. *Rolepa sicyata* (Dognin,1901)** (Apatelodidae) **Synonym(s):** *sicyata* Dognin,1901 **_ Range (in code):** **BR**
- 27080. *Rolepa unimoda* (Dognin,1923)** (Apatelodidae) **Synonym(s):** *unimoda* Dognin,1923 **Range (in code):** **BR**
- 27081. *Sorocaba carmelitaria* (Guenée,1857)** (Apatelodidae) **Synonym(s):** *carmelitaria* Guenée,1857; *anomala* Moore,1882 **_ Range (in code):** **BR Spa Rja**
- 27082. *Tamphana inferna* Dognin,1916** (Apatelodidae) **Synonym(s):** *inferna* Dognin,1916 **Range (in code):** **GF**
- 27083. *Tamphana lojanara* Schaus,1929** (Apatelodidae) **Synonym(s):** *lojanara* Schaus,1929 **Range (in code):** **EC**
- 27084. *Tamphana maoma* Schaus,1920** (Apatelodidae) **Synonym(s):** *maoma* Schaus,1920 **Range (in code):** **GF**
- 27085. *Tamphana marmorea* Schaus,1892** (Apatelodidae) **Synonym(s):** *marmorea* Schaus,1892 **Range (in code):** **BR Rja**
- 27086. *Tamphana orion* (Dognin,1916)** (Apatelodidae) **Synonym(s):** *orion* Dognin,1916 **Range (in code):** **GF**
- 27087. *Tamphana praecipua* Schaus,1905** (Apatelodidae) **Synonym(s):** *praecipua* Schaus,1905 **Range (in code):** **GF**
- 27088. *Tarchon felderi* Druce,1887** (Apatelodidae) **Synonym(s):** *felderi* Druce,1887 **_ Range (in code):** **PA**
- 27089. *Tarchon trilunula* (Herrich-Schäffer,[1856])** (Apatelodidae) **Synonym(s):** *trilunula* Herrich-Schäffer,[1856]; *saturata* Walker,1862 **_ Range (in code):** **BR Rja**
- 27090. *Tepilia biluna* Walker,1855** (Apatelodidae) **Synonym(s):** *biluna* Walker,1855; *confinis* Walker,1856; *orbiger* Herrich-Schäffer,[1856] **_ Range (in code):** **BR Rja**
- 27091. *Tepilia dodala* Schaus,1927** (Apatelodidae) **Synonym(s):** *dodala* Schaus,1927 **_ Range (in code):** **CO**
- 27092. *Tepilia fastidiosa* (Dognin,1901)** (Apatelodidae) **Synonym(s):** *fastidiosa* Dognin,1901; *joanna* Schaus,1906 **_ Range (in code):** **GF AR**
- 27093. *Thelosia camina* Schaus,1896** (Apatelodidae) **Synonym(s):** *camina* Schaus,1896 **Range (in code):** **BR**

- 27094. *Thelosia herta* Schaus,1939** (Apatelodidae) **Synonym(s):** *herta* Schaus,1939 - Range (in code): PY
- 27095. *Thelosia impedita* Dyar,1928** (Apatelodidae) **Synonym(s):** *impedita* Dyar,1928 - Range (in code): BR Azn
- 27096. *Thelosia jorgenseni* Schaus,1927** (Apatelodidae) **Synonym(s):** *jorgenseni* Schaus,1927 Range (in code): PY
- 27097. *Thelosia mayaca* Schaus,1939** (Apatelodidae) **Synonym(s):** *mayaca* Schaus,1939 Range (in code): PE
- 27098. *Thelosia meldola* Schaus,1900** (Apatelodidae) **Synonym(s):** *meldola* Schaus,1900 Range (in code): BR
- 27099. *Thelosia minois* (Schaus,1892)** (Apatelodidae) **Synonym(s):** *minois* Schaus,1892 Range (in code): BR Rja
- 27100. *Thelosia phalaena* Schaus,1896** (Apatelodidae) **Synonym(s):** *phalaena* Schaus,1896 Range (in code): BR Rja
- 27101. *Thelosia postflavida* Draudt,1929** (Apatelodidae) **Synonym(s):** *postflavida* Draudt,1929 Range (in code): BR MtG
- 27102. *Thelosia resputa* Draudt,1929** (Apatelodidae) **Synonym(s):** *resputa* Draudt,1929 Range (in code): BR
- 27103. *Thelosia truncata* (Schaus,1894)** (Apatelodidae) **Synonym(s):** *truncata* Schaus,1894 Range (in code): BR BO
- 27104. *Thelosia truncata rectilinea* (Dognin,1922)** (Apatelodidae) **Synonym(s):** *rectilinea* Dognin,1922 - Range (in code): BO
- 27105. *Thelosia truncata truncata* (Schaus,1894)** (Apatelodidae) **Synonym(s):** *truncata* Schaus,1894 - Range (in code): BR
- 27106. *Thelosia truvena* Schaus,1896** (Apatelodidae) **Synonym(s):** *truvena* Schaus,1896 Range (in code): BR Spa
- 27107. *Thyrioclostera trespuntada* (Dognin,1894)** (Apatelodidae) **Synonym(s):** *trespuntada* Dognin,1894 - Range (in code): EC
- 27108. *Zanola aegina* (Stoll,1782)** (Apatelodidae) **Synonym(s):** *aegina* Stoll,1782 - Range (in code): SR
- 27109. *Zanola elongata* Schaus,1910** (Apatelodidae) **Synonym(s):** *elongata* Schaus,1910 Range (in code): CR
- 27110. *Zanola fieldi* Schaus,1910** (Apatelodidae) **Synonym(s):** *fieldi* Schaus,1910 - Range (in code): CR
- 27111. *Zanola impedita* Dognin,1916** (Apatelodidae) **Synonym(s):** *impedita* Dognin,1916 Range (in code): CO
- 27112. *Zanola lychnica* Dognin,1920** (Apatelodidae) **Synonym(s):** *lychnica* Dognin,1920 Range (in code): PE
- 27113. *Zanola poecila* Draudt,1929** (Apatelodidae) **Synonym(s):** *poecila* Draudt,1929 - Range (in code): BR MtG
- 27114. *Zanola verago* (Cramer,1777)** (Apatelodidae) **Synonym(s):** *verago* Cramer,1777; *difficilis* Walker,1855; *vivax* Edwards,1884; *harpis* Druce,1887 - Range (in code): SR VE MX Vcr
- 27115. "*Aedoea*" *distigmata* (Turner,1940)** (Arctiidae) **Synonym(s):** *distigmata* Turner,1940 Range (in code): AU
- 27116. "Genus" *huizensis* (Fang,2000)** (Arctiidae) **Synonym(s):** *huizensis* Fang,2000 - Range (in code): CN Yu
- 27117. "Genus" *x-album* (Oberthür,1911)** (Arctiidae) **Synonym(s):** *x-album* Oberthür,1911 Range (in code): CN Sz Yu
- 27118. "Genus" *zhongtiao* (Fang & Cao,1984)** (Arctiidae) **Synonym(s):** *zhongtiao* Fang & Cao,1984 - Range (in code): CN Yu
- 27119. "Termessa" *amorpha* Turner,1940** (Arctiidae) **Synonym(s):** *amorpha* Turner,1940 Range (in code): AU
- 27120. "Trichosoma" *houlberti* Oberthür,1911** (Arctiidae) **Synonym(s):** *houlberti* Oberthür,1911 Range (in code): CN Sz
- 27121. *Acantharctia atriramosa* Hampson,1907** (Arctiidae) **Synonym(s):** *atriramosa* Hampson,1907 - Range (in code): UG KE ZM

- 27122. *Acantharctia aurivillii* Bartel,1903** (Arctiidae) Synonym(s): *aurivillii* Bartel,1903
Original Reference: *Acantharctia aurivillii* Bartel,1903, Dt. ent. Z., Iris 16: 194. Syntypes: "?"
Nyassa". Range (in code): UG MW TZ
- 27123. *Acantharctia bivittata* (Butler,1898)** (Arctiidae) Synonym(s): *bivittata* Butler,1898.
Range (in code): KE UG
- 27124. *Acantharctia flavicosta* (Hampson,1900)** (Arctiidae) Synonym(s): *flavicosta*
Hampson,1900 Range (in code): ZW UG MW ZA
- 27125. *Acantharctia lacteata* Rothschild,1933** (Arctiidae) Synonym(s): *lacteata* Rothschild,1933
Range (in code): CI MW SG MW
- 27126. *Acantharctia latifasciata* Hampson,1909** (Arctiidae) Synonym(s): *latifasciata*
Hampson,1909 Range (in code): ZA Tva Lpo
- 27127. *Acantharctia latifusca* (Hampson,1907)** (Arctiidae) Synonym(s): *latifusca*
Hampson,1907; #*aurantiaca* Rothschild,1935; *flavimarginata* Rothschild,1935; #*suffusa* Rothschild,1935; *tenebrosa*
Rothschild,1935. Range (in code): UG KE
- 27128. *Acantharctia metaleuca* Hampson,1901** (Arctiidae) Synonym(s): *metaleuca*
Hampson,1901 Range (in code): UG KE Nai SD
- 27129. *Acantharctia mundata* (Walker,[1865])** (Arctiidae) Synonym(s): *mundata* Walker,[1865]
Range (in code): SL CI NG
- 27130. *Acantharctia nigrivena* Rothschild,1935** (Arctiidae) Synonym(s): *nigrivena*
Rothschild,1935 Range (in code): KE ET TZ MW
- 27131. *Acantharctia nivea* Aurivillius,1900** (Arctiidae) Synonym(s): *nivea* Aurivillius,1900
Range (in code): ZR
- 27132. *Acantharctia tenuifasciata* Hampson,1910** (Arctiidae) Synonym(s): *tenuifasciata*
Hampson,1910 Range (in code): ZR KE MW TZ
- 27133. *Acantharctia vittata* Aurivillius,1900** (Arctiidae) Synonym(s): *vittata* Aurivillius,1900
Range (in code): ZA Nta Kzu Wnn
- 27134. *Acanthofrontia dicycla* Hampson,1918** (Arctiidae) Synonym(s): *dicycla* Hampson,1918
Range (in code): ZA
- 27135. *Acanthofrontia lithosiana* Hampson,1910** (Arctiidae) Synonym(s): *lithosiana*
Hampson,1910 Range (in code): ZA
- 27136. *Acerbia alpina* (Quensel,1802)** (Arctiidae) Synonym(s): *alpina* Quensel,1802; *thulea*
Dalman,1823; *sibirica* O.Bang-Haas,1927. Original Reference: *Bombyx alpina* Quensel,1802, [in]
Acerbi, Travels through Sweden, Finnland and Lapland to North Cape, 1798 & 1799 2: 253.
Range (in code): NO SE FI RU Ya MN CA Sb Sj Tv Bj At KG Mn Als US
- 27137. *Acerbia alpina alpina* (Quensel,1802)** (Arctiidae) Synonym(s): *alpina* Quensel,1802;
thulea Dalman,1823; *sibirica* O.Bang-Haas,1927. Original Reference: *Bombyx alpina* Quensel,1802,
[in] Acerbi, Travels through Sweden, Finnland and Lapland to North Cape, 1798 & 1799 2: 253.
Range (in code): NO SE FI RU
- 27138. *Acerbia alpina johanseni* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *johanseni*
O.Bang-Haas,1927 Range (in code): Als US CA
- 27139. *Acerbia alpina severa* Saldaitis & Ivinskis,2004** (Arctiidae) Synonym(s): *severa*
Saldaitis & Ivinskis,2004 Range (in code): RU Ya
- 27140. *Acerbia alpina sibirica* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *sibirica* O.Bang-
Haas,1927 Range (in code): RU Sb Sj Tv Bj At KG Mn
- 27141. *Acerbia kolpakofskii* (Alpheraky,1882)** (Arctiidae) Synonym(s): *kolpakofskii*
Alpheraky,1882 Range (in code): CN Ui Kun
- 27142. *Acerbia seitzi* (A.Bang-Haas,1910)** (Arctiidae) Synonym(s): *seitzi* A.Bang-Haas,1910;
strandii Niepelt,1911; *niepeltiana* Strand,1919; *khumbeli* O.Bang-Haas,1927. Range (in code): KG TrA Aa
KK KuA Fe UZ
- 27143. *Acerbia seitzi seitzi* (A.Bang-Haas,1910)** (Arctiidae) Synonym(s): *seitzi* A.Bang-
Haas,1910; *strandii* Niepelt,1911; *niepeltiana* Strand,1919; *khumbeli* O.Bang-Haas,1927. Range (in code):
KG TrA Aa KK KuA Fe UZ
- 27144. *Aedoea decreta* (Butler,1877)** (Arctiidae) Synonym(s): *decreta* Butler,1877; *monochroa*
Turner,1899 Range (in code): AU
- 27145. *Aemene altaica* (Lederer,1855)** (Arctiidae) Synonym(s): *altaica* Lederer,1855; *fasciata*
Butler,1877 Range (in code): JP RU At Us Sh Mc CN Ui KP KR
- 27146. *Aemene amnaea* Swinhoe,1894** (Arctiidae) Synonym(s): *amnaea* Swinhoe,1894 Range
(in code): IN Ass Khs

- 27147. Aemene clarimaculata Holloway,2001** (Arctiidae) Synonym(s): *clarimaculata* Holloway,2001 _ Range (in code): MY Bor Sbh
- 27148. Aemene maculifascia Moore,1878** (Arctiidae) Synonym(s): *maculifascia* Moore,1878 _ Range (in code): IN SI Djl
- 27149. Aemene marginipuncta (Talbot,1926)** (Arctiidae) Synonym(s): *marginipuncta* Talbot,1926 _ Range (in code): MY Bor Swk KBa
- 27150. Aemene mesozonata Hampson,1898** (Arctiidae) Synonym(s): *mesozonata* Hampson,1898 _ Range (in code): IN Ass Khs
- 27151. Aemene micromesozona Holloway,2001** (Arctiidae) Synonym(s): *micromesozona* Holloway,2001 _ Range (in code): MY Bor
- 27152. Aemene monastyrskii Dubatolov & Bucsek,2013** (Arctiidae) Synonym(s): *monastyrskii* Dubatolov & Bucsek,2013 _ Range (in code): VN
- 27153. Aemene pseudonigra Holloway,2001** (Arctiidae) Synonym(s): *pseudonigra* Holloway,2001 _ Range (in code): MY Bor Swk
- 27154. Aemene punctatissima Poujade,1886** (Arctiidae) Synonym(s): *punctatissima* Poujade,1886 _ Range (in code): CN Mou
- 27155. Aemene punctigera Leech,1899** (Arctiidae) Synonym(s): *punctigera* Leech,1899
Original Reference: Aemene punctigera Leech,1899, Trans. ent. Soc. London 1899: 188.
Syntypes: [China]: "Wa-shan, Pu-tsu-fong, Chia-ting-fu, Ichang". _ Range (in code): CN Sz Yu Kwa TW TH
- 27156. Aemene taeniata (Fixsen,1887)** (Arctiidae) Synonym(s): *taeniata* Fixsen,1887 _ Range (in code): RU Am Us KP KR
- 27157. Aemene taprobanis Walker,1854** (Arctiidae) Synonym(s): *taprobanis* Walker,1854; *cingalesa* Walker,1865; *grammophora* R.Felder,1874; *sinuata* Moore,1878 _ Original Reference: Aemene taprobanis Walker,1854, List spec. lepid. Ins. Colln Br. Mus. 2: 542. Syntypes: [Sri Lanka]: "Ceylon". _ Range (in code): IN SI Ass Mh Bba LK Pdy MY
- 27158. Aemilia ambigua (Strecker,1878)** (Arctiidae) Synonym(s): *ambigua* Strecker,1878; *bolteri* Edwards,1885; *syracosia* Druce,1889 _ Range (in code): MX
- 27159. Aemilia carmen Schaus,1920** (Arctiidae) Synonym(s): *carmen* Schaus,1920 _ Range (in code): MX GT
- 27160. Aethalida dora (Semper,1899)** (Arctiidae) Synonym(s): *dora* Semper,1899 _ Range (in code): PH Mno
- 27161. Aethalida whiteheadi (Rothschild,1910)** (Arctiidae) Synonym(s): *whiteheadi* Rothschild,1910 _ Original Reference: Pericallia whiteheadi Rothschild,1910, Novit. zool. 17: 170. Type: Philippines, Luzon. _ Range (in code): PH Luz Pal
- 27162. Afraloea bifurca (Walker,1855)** (Arctiidae) Synonym(s): *bifurca* Walker,1855; *radiosa* Druce,1898 _ Range (in code): SL GH NG UG
- 27163. Afrida coagulata Dyar,1914** (Arctiidae) Synonym(s): *coagulata* Dyar,1914 _ Range (in code): MX
- 27164. Afrida exegens Dyar,1922** (Arctiidae) Synonym(s): *exegens* Dyar,1922 _ Range (in code): MX
- 27165. Afrida melicerta (Druce,1885)** (Arctiidae) Synonym(s): *melicerta* Druce,1885 _ Range (in code): MX BR
- 27166. Afrida minuta (Druce,1885)** (Arctiidae) Synonym(s): *minuta* Druce,1885 _ Range (in code): MX CR
- 27167. Afrida pnixix Dyar,1913** (Arctiidae) Synonym(s): *pnixix* Dyar,1913 _ Range (in code): MX PA
- 27168. Afrida zoephila Dyar,1914** (Arctiidae) Synonym(s): *zoephila* Dyar,1914 _ Range (in code): MX CR
- 27169. Afrida zolda Dyar,1914** (Arctiidae) Synonym(s): *zolda* Dyar,1914 _ Range (in code): MX
- 27170. Afroarctia bergeri Toulgoet,1978** (Arctiidae) Synonym(s): *bergeri* Toulgoet,1978. _ Range (in code): ZR RW GA CM
- 27171. Afroarctia dargereri Toulgoet,1976** (Arctiidae) Synonym(s): *dargereri* Toulgoet,1976 _ Range (in code): CM
- 27172. Afroarctia histrionica Toulgoet,1978** (Arctiidae) Synonym(s): *histrionica* Toulgoet,1978 _ Range (in code): RW
- 27173. Afroarctia kenyana (Rothschild,1933)** (Arctiidae) Synonym(s): *kenyana* Rothschild,1933; *leopoldi* Debauche,1942. _ Range (in code): KE ZR CM UG RW

- 27174. Afroarctia mamfei Toulgoet,1978** (Arctiidae) Synonym(s): *mamfei* Toulgoet,1978
Range (in code): **CM**
- 27175. Afroarctia nebulosa Toulgoet,1980** (Arctiidae) Synonym(s): *nebulosa* Toulgoet,1980
Range (in code): **CM**
- 27176. Afroarctia sjostedti Aurivillius,1900** (Arctiidae) Synonym(s): *sjostedti* Aurivillius,1900
Range (in code): **CI NG CM**
- 27177. Afrojavanica kostlani (Gaede,1923)** (Arctiidae) Synonym(s): *kostlani* Gaede,1923
Range (in code): **ET Sw ETog**
- 27178. Afrojavanica melaena (Hampson,1901)** (Arctiidae) Synonym(s): *melaena* Hampson,1901;
georgina Kalis,1934 _ Range (in code): **ID Ja**
- 27179. Afrojavanica melaenoides (Rothschild,1935)** (Arctiidae) Synonym(s): *melaenoides*
Rothschild,1935 _ Range (in code): **ID Ja**
- 27180. Afromurzinia fletcheri (Kiriakoff,1958)** (Arctiidae) Synonym(s): *fletcheri* Kiriakoff,1958
Range (in code): **TZ UG ZR CM**
- 27181. Afromurzinia lutescens (Walker,1855)** (Arctiidae) Synonym(s): *lutescens* Walker,1855
Range (in code): **SL GH CM KE MW TZ ZA Nta Kzu Drb Tva MZ ZW ZM AO ZR**
- 27182. Afromurzinia lutescens lutescens (Walker,1855)** (Arctiidae) Synonym(s): *lutescens*
Walker,1855 _ Range (in code): **SL GH CM KE MW TZ**
- 27183. Afromurzinia lutescens screabilis (Wallengren,1875)** (Arctiidae) Synonym(s):
screabilis Wallengren,1875 _ Range (in code): **ZA Nta Kzu Drb**
- 27184. Afromurzinia sublutescens (Kiriakoff,1958)** (Arctiidae) Synonym(s): *sublutescens*
Kiriakoff,1958 _ Range (in code): **UG Rz**
- 27185. Afromurzinia sublutescens sublutescens (Kiriakoff,1958)** (Arctiidae) Synonym(s):
sublutescens Kiriakoff,1958 _ Range (in code): **UG Rz**
- 27186. Afrospilartia dissimilis (Distant,1897)** (Arctiidae) Synonym(s): *dissimilis* Distant,1897
Range (in code): **ZA Nta Kzu Gre Tva Gau Pre**
- 27187. Afrospilartia lucida (Druce,1898)** (Arctiidae) Synonym(s): *lucida* Druce,1898; *steudeli*
Bartel,1903 _ Range (in code): **KE RW UG TZ ZW ZA**
- 27188. Afrowatsonius burgeoni (Talbot,1928)** (Arctiidae) Synonym(s): *burgeoni* Talbot,1928
Range (in code): **ZR**
- 27189. Afrowatsonius fulvomarginalis (Wichgraf,1921)** (Arctiidae) Synonym(s):
fulvomarginalis Wichgraf,1921; *#fuscomarginalis* Gaede,1926. _ Range (in code): **SD**
- 27190. Afrowatsonius marginalis (Walker,1855)** (Arctiidae) Synonym(s): *marginalis*
Walker,1855 _ Range (in code): **SL GH NG GN CI**
- 27191. Afrowatsonius sudanicus (Rothschild,1933)** (Arctiidae) Synonym(s): *sudanicus*
Rothschild,1933 _ Range (in code): **SD**
- 27192. Agaltara nebulosa Toulgoet,1979** (Arctiidae) Synonym(s): *nebulosa* Toulgoet,1979
Original Reference: *Agaltara nebulosa* Toulgoet,1979, Bull. Soc. ent. Fr. 83: 223. Type: Rwanda,
Nyungwe Forest, Kitabi. Range (in code): **RW**
- 27193. Agape arctioides Butler,1887** (Arctiidae) Synonym(s): *arctioides* Butler,1887 _ Range
(in code): **SB**
- 27194. Agape chloropyga (Walker,1854)** (Arctiidae) Synonym(s): *chloropyga* Walker,1854
Range (in code): **MY Bor ID Sum Ja Bru Amb PG AU**
- 27195. Agape leonina Butler,1879** (Arctiidae) Synonym(s): *leonina* Butler,1879 _ Range (in
code): **PG Bsm Nlr**
- 27196. Agape lifuensis (Rothschild,1896)** (Arctiidae) Synonym(s): *lifuensis* Rothschild,1896
Range (in code): **NH LO NC**
- 27197. Agape lifuensis hebridesia Holloway,1979** (Arctiidae) Synonym(s): *hebridesia*
Holloway,1979 _ Range (in code): **NH**
- 27198. Agape stapialis Gaede,1914** (Arctiidae) Synonym(s): *stapialis* Gaede,1914 _ Range (in
code): **PG Bsm NBr Nlr**
- 27199. Agaraea longicornis Herrich-Schäffer,1855** (Arctiidae) Synonym(s): *longicornis*
Herrich-Schäffer,1855; *venosa* Walker,1856 _ Range (in code): **MX BR**
- 27200. Agaraea minuta Schaus,1892** (Arctiidae) Synonym(s): *minuta* Schaus,1892 _ Range (in
code): **MX BR**
- 27201. Agaraea santaria Schaus,1920** (Arctiidae) Synonym(s): *santaria* Schaus,1920 _ Range
(in code): **MX GT**

- 27202. *Agaraea schausi* Rothschild,1909** (Arctiidae) Synonym(s): *schausi* Rothschild,1909
Range (in code): **MX PA**
- 27203. *Agaraea semivitrea* Rothschild,1909** (Arctiidae) Synonym(s): *semivitrea* Rothschild,1909
Range (in code): **MX PA VE GF**
- 27204. *Agaraea sorex* (Druce,1902)** (Arctiidae) Synonym(s): *sorex* Druce,1902 _ Range (in code): **GF**
- 27205. *Aglaomorpha histrio* (Walker,1855)** (Arctiidae) Synonym(s): *histrio* Walker,1855
Range (in code): **TW JP KP KR CN Sz Yu Hpe Hun Kgs Kig Fkn Gn**
- 27206. *Aglaomorpha histrio coreana* (Matsumura,1927)** (Arctiidae) Synonym(s): *coreana* Matsumura,1927; *chosensis* Bryk,1949. _ Range (in code): **JP KP KR**
- 27207. *Aglaomorpha histrio formosana* Miyake,1907** (Arctiidae) Synonym(s): *formosana* Miyake,1907; *arisana* Matsumura,1911 _ Range (in code): **TW**
- 27208. *Aglaomorpha histrio histrio* (Walker,1855)** (Arctiidae) Synonym(s): *histrio* Walker,1855. _ Range (in code): **CN Sz Yu Hpe Hun Kgs Kig Fkn Gn**
- 27209. *Aglaomorpha plagiata* (Walker,1855)** (Arctiidae) Synonym(s): *plagiata* Walker,1855
Range (in code): **CN Yu IN Hp Ch BD NP MM VN**
- 27210. *Aglossosia flavimarginata* Hampson,1900** (Arctiidae) Synonym(s): *flavimarginata* Hampson,1900 _ Range (in code): **ZA Nta Kzu**
- 27211. *Agylla alboluteola* Rothschild,1912** (Arctiidae) Synonym(s): *alboluteola* Rothschild,1912
Original Reference: *Agylla alboluteola* Rothschild,1912, Novit. zool. 19: 226. Type: India: Assam.
Range (in code): **IN Ass TH**
- 27212. *Agylla bipars* (Moore,1878)** (Arctiidae) Synonym(s): *bipars* Moore,1878 Original Reference: *Vamuna bipars* Moore,1878, Proc. zool. Soc. London 1878: 10, pl.1 fig.11. Type: Sikkim. Range (in code): **IN SI TH**
- 27213. *Agylla nepalica* Daniel,1955** (Arctiidae) Synonym(s): *nepalica* Daniel,1955 _ Range (in code): **NP**
- 27214. *Agylla nigritia* Dognin,1911** (Arctiidae) Synonym(s): *nigritia* Dognin,1911 _ Range (in code): **CO**
- 27215. *Agylla thailandica* (Kishida,1998)** (Arctiidae) Synonym(s): *thailandica* Kishida,1998
Original Reference: *Churinga thailandica* Kishida,1998, Trans. lepid. Soc. Japan 49 (4): 243-244, figs. Holotype ♂: Thailand, Chiang Mai, iii-vi.1986 (native collector) (NSMT). Range (in code): **TH CMa**
- 27216. *Agylla yuennanica* Daniel,1953** (Arctiidae) Synonym(s): *yuennanica* Daniel,1953
Range (in code): **CN Yu**
- 27217. *Aloa albistriga* Walker,[1865]** (Arctiidae) Synonym(s): *albistriga* Walker,[1865] _ Range (in code): **IN**
- 27218. *Aloa cardinalis* (Butler,1875)** (Arctiidae) Synonym(s): *cardinalis* Butler,1875 Original Reference: *Areas cardinalis* Butler,1875, Cistula ent. 2: 22. Type: Philippines. Range (in code): **PH Luz Mar Pan Boh Ceb Sam Neg Mno Cts Jol ID Clb Tim Bli Tnm**
- 27219. *Aloa cardinalis celebensis* (Rothschild,1910)** (Arctiidae) Synonym(s): *celebensis* Rothschild,1910 _ Range (in code): **ID Clb**
- 27220. *Aloa cardinalis luteomarginata* (Rothschild,1910)** (Arctiidae) Synonym(s): *luteomarginata* Rothschild,1910 _ Range (in code): **ID**
- 27221. *Aloa cardinalis reducta* (Rothschild,1910)** (Arctiidae) Synonym(s): *reducta* Rothschild,1910 _ Range (in code): **ID**
- 27222. *Aloa costalis* Walker,[1865]** (Arctiidae) Synonym(s): *costalis* Walker,[1865]; *corsima* Swinhoe,1892; *#corsina* Rothschild,1910 _ Range (in code): **AU**
- 27223. *Aloa dulla* (Pagenstecher,1886)** (Arctiidae) Synonym(s): *dulla* Pagenstecher,1886; *borealis* Rothschild,1910; *orientalis* Rothschild,1914 _ Range (in code): **PG**
- 27224. *Aloa gangara* Swinhoe,1892** (Arctiidae) Synonym(s): *gangara* Swinhoe,1892; *#gangarides* Strand,1919
Original Reference: *Aloa gangara* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 171, pl.iv fig.2. Syntypes: Australia, New Holland, King George's Sound. Range (in code): **AU**
- 27225. *Aloa lactinea* (Cramer,[1777])** (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]; *sanguinolenta* Fabricius,1793; *marginata* Moore,1883 *nec* Don.,1805; *frederici* Kirby,1892; *negritus* Hampson,1894
Original Reference: *Phalaena lactinea* Cramer,[1777], Uitl. Kapellen 2: 58, 149, pl.133 fig.D. Type(s): [Indonesia]: Batavia [Jakarta]. Range (in code): **AF Nu PK Swa Alp Sgl ID Ja Lb Flo Alo**

- Sum VN Ann MM Krh TH CMa IN Mh Nsk Mys Ass Khs Clc Nl Klu SI LK Cob Tem Pdy NP PH Luz Mdo Mno TW JP Bionomy: Larva on *Tectona grandis* (Verbenaceae)
- 27226. *Aloa lactinea lactinea* (Cramer,[1777])** (Arctiidae) Synonym(s): *lactinea* Cramer,[1777]; *sanguinolenta* Fabricius,1793; *marginata* Moore,1883 *nec* Don.,1805; *frederici* Kirby,1892; *negritus* Hampson,1894 Original Reference: *Phalaena lactinea* Cramer,[1777], *Uitl. Kapellen* 2: 58, 149, pl.133 fig.D. Type(s): [Indonesia]: Batavia [Jakarta]. Range (in code): **AF Nu PK Swa Alp Sgl ID Ja Lb Flo Alo Sum VN Ann MM Krh TH CMa IN Mh Nsk Mys Ass Khs Clc Nl Klu SI LK Cob Tem Pdy PH Luz Mdo Mno TW JP**
- 27227. *Aloa moloneyi* (Druce,1887)** (Arctiidae) Synonym(s): *moloneyi* Druce,1887; *hampsoni* Rothschild,1910; *senegalensis* Rothshcild,1933. Original Reference: *Areas moloneyi* Druce,1887, *Proc. zool. Soc. London* 1887: 670. Type: Gambia. Range (in code): **GM NG SD GH SN**
- 27228. *Aloa negrita* (Hampson,1894)** (Arctiidae) Synonym(s): *negrita* Hampson,1894 Range (in code): **IN Ass Meg Khs**
- 27229. *Alpenus affiniola* (Strand,1919)** (Arctiidae) Synonym(s): *affinis* Rothschild,1910 *nec* Bartel,1903; *affiniola* Strand,1919; *homaema* Hampson,1920; *tristicta* Hampson,1920; *diffinis* Jordan,1933. Range (in code): **SN GH NG**
- 27230. *Alpenus auriculatus* A.Watson,1988** (Arctiidae) Synonym(s): *auriculatus* A.Watson,1988 Range (in code): **ZA**
- 27231. *Alpenus diversatus* (Hampson,1916)** (Arctiidae) Synonym(s): *diversatus* Hampson,1916 Range (in code): **SO**
- 27232. *Alpenus dollmani* (Hampson,1920)** (Arctiidae) Synonym(s): *dollmani* Hampson,1920 Range (in code): **ZM ZR**
- 27233. *Alpenus geminipuncta* (Hampson,1916)** (Arctiidae) Synonym(s): *geminipuncta* Hampson,1916 Range (in code): **ET**
- 27234. *Alpenus intactus* (Hampson,1916)** (Arctiidae) Synonym(s): *intactus* Hampson,1916 Range (in code): **NG**
- 27235. *Alpenus investigatorum* (Karsch,1898)** (Arctiidae) Synonym(s): *investigatorum* Karsch,1898; *cribraria* Bartel,1903; *mhondana* Bartel,1903; *nigropunctata* Bethune-Baker,1908; *#extrema* Dufrane,1953. Range (in code): **TZ ET SO KE UG SD MZ MW AO GH ZR ZA Tva ZW ZM**
- 27236. *Alpenus maculosus* (Stoll,[1781])** (Arctiidae) Synonym(s): *maculosus* Stoll,[1781]; *assimilis* Hübner,[1820]; *aequalis* Walker,1855; *indeterminata* Walker,1855; *macularia* Walker,[1865]; *eyralpenus* Plötz,1880. Range (in code): **SL ML SN GM GN LR CI GH TG NG CM GO AO CF ZA**
- 27237. *Alpenus microstictus* (Hampson,1920)** (Arctiidae) Synonym(s): *microstictus* Hampson,1920 Range (in code): **NG**
- 27238. *Alpenus nigropunctatus* (Bethune-Baker,1908)** (Arctiidae) Synonym(s): *nigropunctatus* Bethune-Baker,1908; *jacksoni* Rothschild,1910 *nec* *jacksoni* Rothschild,1901; *cincticorpus* Hampson,1920; *oligosticta* Hampson,1920; *antemediata* Rothschild,1933. Range (in code): **UG GH NG SD SO ET KE ZR RW ZW MW CF AO ZA**
- 27239. *Alpenus pardalina* (Rothschild,1910)** (Arctiidae) Synonym(s): *pardalina* Rothschild,1910 Range (in code): **TZ KE**
- 27240. *Alpenus schraderi* (Rothschild,1910)** (Arctiidae) Synonym(s): *schraderi* Rothschild,1910 Range (in code): **UG SD KE TZ ER**
- 27241. *Alpenus schraderi rattrayi* (Rothschild,1910)** (Arctiidae) Synonym(s): *rattrayi* Rothschild,1910 Range (in code): **UG SD KE TZ**
- 27242. *Alpenus schraderi schraderi* (Rothschild,1910)** (Arctiidae) Synonym(s): *schraderi* Rothschild,1910 Range (in code): **ER**
- 27243. *Alpenus thomasi* A.Watson,1988** (Arctiidae) Synonym(s): *thomasi* A.Watson,1988 Range (in code): **CM NG CF**
- 27244. *Alpenus whalleyi* A.Watson,1988** (Arctiidae) Synonym(s): *whalleyi* A.Watson,1988 Range (in code): **ZA**
- 27245. *Alpenus wichgrafi* A.Watson,1988** (Arctiidae) Synonym(s): *wichgrafi* A.Watson,1988 Range (in code): **SD**
- 27246. *Alphaea (Flavalphaea) impleta* (Walker,[1865])** (Arctiidae) Synonym(s): *impleta* Walker,[1865]; *abdominalis* Moore,1868 Range (in code): **CN Ti SI IN Ass NP**
- 27247. *Alphaea (Flavalphaea) khasiana* (Rothschild,1910)** (Arctiidae) Synonym(s): *khasiana* Rothschild,1910 Original Reference: *Diacrisia khasiana* Rothschild,1910, *Novit. zool.* 17 (2): 148-149. Syntypes ♂ 2♀: India, Assam, Khasia Hills. Range (in code): **IN Ass Meg Khs CN Yu**
- 27248. *Alphaea (Nayaca) Moore,1879*** (Arctiidae) Synonym(s): *Nayaca* Moore,1879 Range (in code):

- 27249. Alphaea (Nayaca) chiyo Dubatolov & Kishida,2005** (Arctiidae) Synonym(s): *chiyo Dubatolov & Kishida,2005* _ Range (in code): CN Yu
- 27250. Alphaea (Nayaca) florescens (Moore,1879)** (Arctiidae) Synonym(s): *florescens Moore,1879* _ Range (in code): SI IN Ass NP
- 27251. Alphaea (Nayaca) imbuta (Walker,1855)** (Arctiidae) Synonym(s): *imbuta Walker,1855; sikkimensis Rothschild,1910; normalis Rothschild,1914; femina Rothschild,1914* _ Original Reference: Arctia imbuta Walker,1855, List Spec. Lepid. Ins. Colln Br. Mus. 3: 614. Range (in code): CN Yu IN Hp Sml Ass Khs SI Dlh BT
- 27252. Alphaea (Nayaca) rothschildi Dubatolov & Kishida,2005** (Arctiidae) Synonym(s): *rothschildi Dubatolov & Kishida,2005* _ Range (in code): IN Ass SI
- 27253. Alphaea (Nayaca) turatii (Oberthür,1911)** (Arctiidae) Synonym(s): *turatii Oberthür,1911* _ Range (in code): CN Sz
- 27254. Alphaea (s.str.) anopunctata Oberthür,1911** (Arctiidae) Synonym(s): *anopunctata Oberthür,1911* _ Range (in code): CN Sz Yu
- 27255. Alphaea (s.str.) armini De Freina,1999** (Arctiidae) Synonym(s): *armini De Freina,1999* _ Original Reference: Alphaea armini De Freina,1999, Atalanta 30 (1/4): 183, figs. Holotype ♂: [Myanmar]: Nordburma: Taunggyi,1500m 24-28.vi.1994 leg. Hauenstein & Schintlmeister (MWM). Range (in code): MM
- 27256. Alphaea (s.str.) dellabrunai Saidaitis & Ivinskis,2008** (Arctiidae) Synonym(s): *dellabrunai Saidaitis & Ivinskis,2008* _ Range (in code): CN Yu
- 27257. Alphaea (s.str.) fulvohirta Walker,1855** (Arctiidae) Synonym(s): *fulvohirta Walker,1855* _ Range (in code): CN Sz Ti NP BT SI IN Ass
- 27258. Alphaea (s.str.) hongfena Fang,1983** (Arctiidae) Synonym(s): *hongfena Fang,1983* _ Original Reference: Alphaea hongfena Fang,1983, Acta ent. sinica 26 (2): 216,217, figs. Holotype ♂: China Yunnan, Lushui yaojiaping 2500m. Range (in code): CN Yu
- 27259. Alphaea melanostigma Erschoff,1872** (Arctiidae) Synonym(s): *melanostigma Erschoff,1872; karakorumica Daniel,1961* _ Original Reference: Spilosoma melanostigma Erschoff,1872, Horae Soc. ent. ross. 8 (4): 316. Range (in code): UZ KK Al TJ Pm Chr AF Nu PK IN Hp SI Ass CN Ts
- 27260. Amastus alba (Druce,1913)** (Arctiidae) Synonym(s): *alba Druce,1913* _ Range (in code): MX
- 27261. Amastus edaphus Dyar,1913** (Arctiidae) Synonym(s): *edaphus Dyar,1913* _ Range (in code): MX
- 27262. Amastus ochraceator (Walker,1864)** (Arctiidae) Synonym(s): *ochraceator Walker,1864* _ Range (in code): MX BO
- 27263. Amastus vitripennis (Hampson,1920)** (Arctiidae) Synonym(s): *vitripennis Hampson,1920; hyalina Druce,1889* _ Range (in code): MX
- 27264. Amaxia agaensis (Seitz,1921)** (Arctiidae) Synonym(s): *agaensis Seitz,1921* _ Range (in code): BR MX
- 27265. Amaxia apyga Hampson,1901** (Arctiidae) Synonym(s): *apyga Hampson,1901* _ Range (in code): MX CR BR
- 27266. Amaxia beata (Dognin,1909)** (Arctiidae) Synonym(s): *beata Dognin,1909* _ Range (in code): MX PE GY GF VE EC PE BO
- 27267. Amaxia bella (Schaus,1905)** (Arctiidae) Synonym(s): *bella Schaus,1905* _ Range (in code): GF GY PE
- 27268. Amaxia chaon (Druce,1883)** (Arctiidae) Synonym(s): *chaon Druce,1883* _ Range (in code): GF SR VE EC PE BO CR
- 27269. Amaxia consistens Schaus,1905** (Arctiidae) Synonym(s): *consistens Schaus,1905; #maroniensis Rothschild,1917* _ Range (in code): GF GY BR VE CO PE BO
- 27270. Amaxia duchatae Toulgoet,1987** (Arctiidae) Synonym(s): *duchatae Toulgoet,1987* _ Range (in code): GF BO
- 27271. Amaxia elongata Toulgoet,1987** (Arctiidae) Synonym(s): *elongata Toulgoet,1987* _ Range (in code): GF
- 27272. Amaxia erythrophleps Hampson,1901** (Arctiidae) Synonym(s): *erythrophleps Hampson,1901* _ Range (in code): GF GY BR BO
- 27273. Amaxia fallax Toulgoet,1998** (Arctiidae) Synonym(s): *fallax Toulgoet,1998* _ Range (in code): GF

- 27274. *Amaxia flavicollis* (Rothschild,1909)** (Arctiidae) Synonym(s): *flavicollis* Rothschild,1909
Range (in code): **GF VE EC BR**
- 27275. *Amaxia gnosis* (Schaus,1905)** (Arctiidae) Synonym(s): *gnosis* Schaus,1905 _ Range (in code): **GF GY BR**
- 27276. *Amaxia klagesi* (Rothschild,1909)** (Arctiidae) Synonym(s): *klagesi* Rothschild,1909
Range (in code): **GF SR GY VE**
- 27277. *Amaxia lepida* (Schaus,1912)** (Arctiidae) Synonym(s): *lepida* Schaus,1912 _ Range (in code): **GF VE BO CR GT MX**
- 27278. *Amaxia ornata* Toulgoet,1989** (Arctiidae) Synonym(s): *ornata* Toulgoet,1989 _ Range (in code): **GF**
- 27279. *Amaxia pandama* (Druce,1893)** (Arctiidae) Synonym(s): *pandama* Druce,1893 _ Range (in code): **GF EC PE BO CR**
- 27280. *Amaxia pardalis* Walker,1855** (Arctiidae) Synonym(s): *pardalis* Walker,1855 _ Range (in code): **MX BR GF**
- 27281. *Amaxia pseudamaxia* (Rothschild,1917)** (Arctiidae) Synonym(s): *pseudamaxia* Rothschild,1917 _ Range (in code): **GF**
- 27282. *Amaxia pseudodyuna* Rothschild,1922** (Arctiidae) Synonym(s): *pseudodyuna* Rothschild,1922 _ Range (in code): **GF VE BR**
- 27283. *Amaxia reticulata* (Rothschild,1909)** (Arctiidae) Synonym(s): *reticulata* Rothschild,1909
Range (in code): **GF**
- 27284. *Amaxia rubrosignata* (Rothschild,1917)** (Arctiidae) Synonym(s): *rubrosignata* Rothschild,1917 _ Range (in code): **GF**
- 27285. *Amaxia rufobasalis* (Rothschild,1909)** (Arctiidae) Synonym(s): *rufobasalis* Rothschild,1909 _ Range (in code): **GF**
- 27286. *Amaxia tenuestriata* Toulgoet,1994** (Arctiidae) Synonym(s): *tenuestriata* Toulgoet,1994
Range (in code): **GF VE**
- 27287. *Amaxia theon* Druce,1900** (Arctiidae) Synonym(s): *theon* Druce,1900 _ Range (in code): **MX VE CO GF EC PE BO**
- 27288. *Ameleta panochra* Turner,1940** (Arctiidae) Synonym(s): *panochra* Turner,1940
Range (in code): **AU**
- 27289. *Amerila accra* Strand,1919** (Arctiidae) Synonym(s): *accra* Strand,1919 _ Range (in code): **GH**
- 27290. *Amerila affinis* (Rothschild,1910)** (Arctiidae) Synonym(s): *affinis* Rothschild,1910; *pallens* Bethune-Baker,1925
Original Reference: *Rhodogastria affinis* Rothschild,1910, Novit. zool. 17: 184. Type ♂: "South Africa" (Tring Mus.). Range (in code): **ZA ZM ZR ET KE TZ MW ZW**
- 27291. *Amerila aldabrensis* (Fryer,1912)** (Arctiidae) Synonym(s): *aldabrensis* Fryer,1912
Range (in code): **SC**
- 27292. *Amerila androfusca* (Pinhey,1952)** (Arctiidae) Synonym(s): *androfusca* Pinhey,1952
Range (in code): **KE Nai TZ**
- 27293. *Amerila astreus* (Drury,1773)** (Arctiidae) Synonym(s): *astreus* Drury,1773; *melanthus* Cramer,1780 _ Range (in code): **IN Mh Nsk Bor CN ID Sum Ja PH Luz Mar Sam Ceb Boh Cmt Mno MY PG**
- 27294. *Amerila atrivena* (Hampson,1907)** (Arctiidae) Synonym(s): *atrivena* Hampson,1907
Range (in code): **UG CM CF ZR**
- 27295. *Amerila bauri* Möschler,1884** (Arctiidae) Synonym(s): *bauri* Möschler,1884 _ Range (in code): **ZA Lpo Tva Spb Lj Mdk Nta Kzu Dbn Grh Ptb MZ ZW**
- 27296. *Amerila bipartita* (Rothschild,1910)** (Arctiidae) Synonym(s): *bipartita* Rothschild,1910
Original Reference: *Rhodogastria bipartita* Rothschild,1910, Novit. zool. 17: 186. Type ♂: "Tauta (Taveta), East Africa" (Tring Mus.). Range (in code): **TZ ZA KE MZ MW ZW**
- 27297. *Amerila brunnea* (Hampson,1901)** (Arctiidae) Synonym(s): *brunnea* Hampson,1901; *subvitrea* Bartel,1903 _ Range (in code): **NG SL ZA LR CI GH TG CM GA ZR UG KE TZ AO MZ ZW**
- 27298. *Amerila brunnea bipartitoides* Häuser & Boppré,1997** (Arctiidae) Synonym(s): *bipartitoides* Häuser & Boppré,1997 _ Range (in code): **ZA ZW TZ KE**
- 27299. *Amerila bubo* (Walker,1855)** (Arctiidae) Synonym(s): *bubo* Walker,1855 _ Range (in code): **ZR UG MW ZW ZA RW ET KE Nai TZ AO ZM MW NA ZW**
- 27300. *Amerila castanea* (Hampson,1911)** (Arctiidae) Synonym(s): *castanea* Hampson,1911
Range (in code): **NG**

- 27301. *Amerila femina* (Berio,1935)** (Arctiidae) Synonym(s): *femina* Berio,1935 _ Range (in code): CM
- 27302. *Amerila fennia* (Druce,1887)** (Arctiidae) Synonym(s): *fennia* Druce,1887; *metasarca* Hampson,1911 _ Range (in code): GM CI GH NG CM ZR LR ZR UG
- 27303. *Amerila fuscivena* (Hampson,1916)** (Arctiidae) Synonym(s): *fuscivena* Hampson,1916 _ Range (in code): UG
- 27304. *Amerila howardi* (Pinhey,1955)** (Arctiidae) Synonym(s): *howardi* Pinhey,1955 _ Range (in code): TZ MW
- 27305. *Amerila kiellandi* Häuser & Boppré,1997** (Arctiidae) Synonym(s): *kiellandi* Häuser & Boppré,1997 _ Range (in code): TZ
- 27306. *Amerila leucoptera* (Hampson,1901)** (Arctiidae) Synonym(s): *leucoptera* Hampson,1901; *pannosa* Grünberg,1908; *sarconota* Hampson,1911 _ Range (in code): SL SN GH CI NG BJ CM ZR UG TZ ZM
- 27307. *Amerila lineolata* (Kiriakoff,1954)** (Arctiidae) Synonym(s): *lineolata* Kiriakoff,1954 _ Range (in code): ZR
- 27308. *Amerila lupia* (Druce,1887)** (Arctiidae) Synonym(s): *lupia* Druce,1887; *nivaria* Weymer,1892; *sanguinota* Strand,1911. _ Range (in code): MZ TZ ZM ZW ZA KE
- 27309. *Amerila luteibarba* (Hampson,1901)** (Arctiidae) Synonym(s): *luteibarba* Hampson,1901 _ Range (in code): NG SL CI GH LR BJ CM GA ZR RW UG TZ KE AO
- 27310. *Amerila madagascariensis* (Boisduval,1847)** (Arctiidae) Synonym(s): *madagascariensis* Boisduval,1847; *vitripennis* Blanchard,1849; *radama* Mabille,1879. _ Range (in code): MG
- 27311. *Amerila magnifica* (Rothschild,1910)** (Arctiidae) Synonym(s): *magnifica* Rothschild,1910
Original Reference: Rhodogastria magnifica Rothschild,1910, Novit. zool. 17: 183. Type ♂: "British East Africa" (Tring Mus.). Range (in code): KE MZ ZA
- 27312. *Amerila mulleri* Häuser & Boppré,1997** (Arctiidae) Synonym(s): *mulleri* Häuser & Boppré,1997 _ Range (in code): SZ ZW ZR KE
- 27313. *Amerila nigrivenosa* (Grünberg,1910)** (Arctiidae) Synonym(s): *nigrivenosa* Grünberg,1910 _ Range (in code): RW
- 27314. *Amerila nigroapicalis* (Aurivillius,1900)** (Arctiidae) Synonym(s): *nigroapicalis* Aurivillius,1900 _ Range (in code): NG CM ZR
- 27315. *Amerila niveivitre* (Bartel,1903)** (Arctiidae) Synonym(s): *niveivitre* Bartel,1903; *subleucoptera* Strand,1911. _ Range (in code): TZ CM CI BF GH TG BJ NG ZR UG ET KE AO
- 27316. *Amerila omissa* (Rothschild,1910)** (Arctiidae) Synonym(s): *omissa* Rothschild,1910
Original Reference: Rhodogastria omissa Rothschild,1910, Novit. zool. 17: 184. Range (in code): IN Ass TH
- 27317. *Amerila phaedra* (Weymer,1892)** (Arctiidae) Synonym(s): *phaedra* Weymer,1892; *subleucoptera* Strand,1911 _ Range (in code): KE TZ ZW MZ
- 27318. *Amerila puella* (Fabricius,1794)** (Arctiidae) Synonym(s): *puella* Fabricius,1794; *uniformis* Berio,1935 _ Range (in code): ST UG TZ MW Zom ZR NG CI SL
- 27319. *Amerila puella carneola* (Hampson,1916)** (Arctiidae) Synonym(s): *carneola* Hampson,1916; *nigricornis* Debauche,1938 _ Range (in code): UG TZ MW Zom ZR
- 27320. *Amerila puella invidua* (Bethune-Baker,1925)** (Arctiidae) Synonym(s): *invidua* Bethune-Baker,1925 _ Range (in code): SL
- 27321. *Amerila puella rothi* (Rothschild,1910)** (Arctiidae) Synonym(s): *rothi* Rothschild,1910 _ Range (in code): NG CI
- 27322. *Amerila roseibarba* (Druce,1901)** (Arctiidae) Synonym(s): *roseibarba* Druce,1901
Original Reference: Rhodogastria roseibarba Druce,1901, Ann. Mag. nat. Hist. (7) 7: 74. Type: Zula "Sooloo Islands". Range (in code): PH Sul
- 27323. *Amerila roseomarginata* (Rothschild,1910)** (Arctiidae) Synonym(s): *roseomarginata* Rothschild,1910 _ Range (in code): NG KE ER GH CI BJ GA ZR TZ
- 27324. *Amerila rufifemur* (Walker,1855)** (Arctiidae) Synonym(s): *rufifemur* Walker,1855 _ Range (in code): ZR AO
- 27325. *Amerila shimbaensis* Häuser & Boppré,1997** (Arctiidae) Synonym(s): *shimbaensis* Häuser & Boppré,1997 _ Range (in code): KE
- 27326. *Amerila thermochroa* (Hampson,1916)** (Arctiidae) Synonym(s): *thermochroa* Hampson,1916 _ Range (in code): KE TZ UG RW
- 27327. *Amerila vidua* (Cramer,[1780])** (Arctiidae) Synonym(s): *vidua* Cramer,[1780] _ Range (in code): LR GH CM ZR KE TZ MU

- 27328. *Amerila vidua mauritia* (Stoll,[1781])** (Arctiidae) Synonym(s): *mauritica* Stoll,[1781]
Range (in code): **MU**
- 27329. *Amerila vidua vidua* (Cramer,[1780])** (Arctiidae) Synonym(s): *vidua* Cramer,[1780]
Range (in code): **GH CI**
- 27330. *Amerila vitrea* (Plötz,1880)** (Arctiidae) Synonym(s): *vitrea* Plötz,1880 _ Range (in code): **SN GA LR BJ BF CM NG CI MG ZA ZR RW UG SD ET KE ZM MZ NA ZW ZA SA YE ER SZ**
- 27331. *Amerila vitrea saalmuelleri* (Rothschild,1911)** (Arctiidae) Synonym(s): *saalmuelleri* Rothschild,1911 _ Range (in code): **MG ZA**
- 27332. *Amerila vitrea vitrea* (Plötz,1880)** (Arctiidae) Synonym(s): *vitrea* Plötz,1880 _ Range (in code): **SN NG CI**
- 27333. *Ammalo bipunctata* (Walker,1855)** (Arctiidae) Synonym(s): *bipunctata* Walker,1855
Range (in code): **MX**
- 27334. *Ammalo helops* (Cramer,1775)** (Arctiidae) Synonym(s): *helops* Cramer,1775; *fervidus* Walker,1855; *megapyrrha* Walker,1865; *impunctus* Grote,1866 _ Range (in code): **MX**
- 27335. *Ammalo paranomon* Dyar,1902** (Arctiidae) Synonym(s): *paranomon* Dyar,1902
Range (in code): **MX**
- 27336. *Amphicallia bellatrix* (Dalman,1823)** (Arctiidae) Synonym(s): *bellatrix* Dalman,1823; *pardalina* Herrich-Schäffer,1854. _ Range (in code): **ZA Cto Cap Wca Tva Lpo Spb Lj Mpu Brb Nta Kzu MZ ZW ZM MW KE UG**
- 27337. *Amphicallia kostlani* Strand,1911** (Arctiidae) Synonym(s): *kostlani* Strand,1911 _ Range (in code): **ET**
- 27338. *Amphicallia pactolicus* (Butler,1888)** (Arctiidae) Synonym(s): *pactolicus* Butler,1888
Range (in code): **SD KE UG ZR CM NG**
- 27339. *Amphicallia pratti* (Kenrick,1914)** (Arctiidae) Synonym(s): *pratti* Kenrick,1914 _ Range (in code): **MG**
- 27340. *Amphicallia quagga* Strand,1909** (Arctiidae) Synonym(s): *quagga* Strand,1909 _ Range (in code): **TZ**
- 27341. *Amphicallia solai* Druce,1907** (Arctiidae) Synonym(s): *solai* Druce,1907; *piceosignata* Bartel,1903. _ Range (in code): **ET KE**
- 27342. *Amphicallia thelwalli* (Druce,1882)** (Arctiidae) Synonym(s): *thelwalli* Druce,1882; *incomparabilis* Mabille,1891. _ Range (in code): **MW Zom KE UG TZ**
- 27343. *Amphicallia thelwalli thelwalli* (Druce,1882)** (Arctiidae) Synonym(s): *thelwalli* Druce,1882; *incomparabilis* Mabille,1891. _ Range (in code): **MW Zom**
- 27344. *Amphicallia thelwalli tigris* (Butler,1882)** (Arctiidae) Synonym(s): *tigris* Butler,1882
Range (in code): **KE UG**
- 27345. *Amphicallia thelwalli zebra* (Rogenhofer,1894)** (Arctiidae) Synonym(s): *zebra* Rogenhofer,1894 _ Range (in code): **TZ**
- 27346. *Amsacta* (s.l.) *aureolimbata* Rothschild,1910** (Arctiidae) Synonym(s): *aureolimbata* Rothschild,1910 _ Range (in code): **AO ZR ZM**
- 27347. *Amsacta* (s.l.) *bicoloria* (Gaede,1916)** (Arctiidae) Synonym(s): *bicoloria* Gaede,1916
Range (in code): **CM NG GH**
- 27348. *Amsacta* (s.l.) *duberneti* (Toulgoet,1968)** (Arctiidae) Synonym(s): *duberneti* Toulgoet,1968 _ Range (in code): **MG**
- 27349. *Amsacta* (s.l.) *flavicostata* (Gaede,1916)** (Arctiidae) Synonym(s): *flavicostata* Gaede,1916
Range (in code): **CM TG**
- 27350. *Amsacta* (s.l.) *grammiphlebia* Hampson,1901** (Arctiidae) Synonym(s): *grammiphlebia* Hampson,1901 _ Range (in code): **ZW MW ZM**
- 27351. *Amsacta* (s.l.) *melanogastra* (Holland,1897)** (Arctiidae) Synonym(s): *melanogastra* Holland,1897; *occidentalis* Bartel,1903; *epicaste* Fawcett,1915. _ Range (in code): **ET SO KE NA ZA**
- 27352. *Amsacta* (s.l.) *nigrisignata* Gaede,1923** (Arctiidae) Synonym(s): *nigrisignata* Gaede,1923
Range (in code): **ET**
- 27353. *Amsacta* (s.l.) *nivea* Hampson,1916** (Arctiidae) Synonym(s): *nivea* Hampson,1916
Range (in code): **ZA Tva Lpo**
- 27354. *Amsacta* (s.l.) *paolii* Berio,1936** (Arctiidae) Synonym(s): *paolii* Berio,1936 _ Range (in code): **SO**
- 27355. *Amsacta fuscata* (Bartel,1903)** (Arctiidae) Synonym(s): *fuscata* Bartel,1903 _ Dt. ent. Z., Iris 16: Range (in code): **GH TG**

- 27356. Amsacta grammiphlebia Hampson,1901** (Arctiidae) Synonym(s): *grammiphlebia Hampson,1901* - Range (in code): ZA
- 27357. Amsacta latimarginalis Rothschild,1933** (Arctiidae) Synonym(s): *latimarginalis Rothschild,1933* - Range (in code): SD CF MW
- 27358. Amsacta latimarginalis elongata Rothschild,1933** (Arctiidae) Synonym(s): *elongata Rothschild,1933* - Range (in code): MW
- 27359. Amsacta latimarginalis latimarginalis Rothschild,1933** (Arctiidae) Synonym(s): *latimarginalis Rothschild,1933* - Range (in code): SD CF
- 27360. Amsactarctia pulchra (Rothschild,1933)** (Arctiidae) Synonym(s): *pulchra Rothschild,1933* - Range (in code): KE
- 27361. Amsactarctia radiosa (Pagenstecher,1903)** (Arctiidae) Synonym(s): *radiosa Pagenstecher,1903* - Original Reference: Amsacta radiosa Pagenstecher,1903, Jb. nassau Ver. Nat. 56: 13. Type ♀: N.E.Africa: Davassum. Range (in code):
- 27362. Amsactarctia venusta (Toulgoet,1980)** (Arctiidae) Synonym(s): *venusta Toulgoet,1980* - Range (in code): ET SO
- 27363. Amurrhyparia leopardinula (Strand,1919)** (Arctiidae) Synonym(s): *leopardina Ménétriés,1859 nec Kollar,[1844]; leopardinula Strand,1919; mandschurica O.Bang-Haas,1927; sinensis O.Bang-Haas,1936.* - Range (in code): RU Am Prj Us Sj CN Mc Shs Gn Ts Ti Sz Lng
- 27364. Amurrhyparia leopardinula leopardinula (Strand,1919)** (Arctiidae) Synonym(s): *leopardina Ménétriés,1859 nec Kollar,[1844]; leopardinula Strand,1919; mandschurica O.Bang-Haas,1927; sinensis O.Bang-Haas,1936.* - Range (in code): RU Am Prj Us Sj CN Mc Shs Gn Ts Ti Sz Lng
- 27365. Anaphosia astrigata Hampson,1910** (Arctiidae) Synonym(s): *astrigata Hampson,1910* - Range (in code): ZA
- 27366. Anaphosia aurantiaca Hampson,1909** (Arctiidae) Synonym(s): *aurantiaca Hampson,1909* - Range (in code): ZA
- 27367. Anaphosia cyanogramma Hampson,1903** (Arctiidae) Synonym(s): *cyanogramma Hampson,1903* - Range (in code): ZA
- 27368. Anaxita decorata Walker,1855** (Arctiidae) Synonym(s): *decorata Walker,1855; elegantissima Herrich-Schäffer,[1856]; calypso Boisduval,1870* - Range (in code): MX GT
- 27369. Anaxita drucei Rodriguez,1893** (Arctiidae) Synonym(s): *drucei Rodriguez,1893* - Range (in code): MX GT
- 27370. Anaxita tricoloripes Strand,1911** (Arctiidae) Synonym(s): *tricoloripes Strand,1911* - Range (in code): MX
- 27371. Andala guttata (Erschoff,1874)** (Arctiidae) Synonym(s): *guttata Erschoff,1874* - Range (in code): UZ TJ Pm AF PK
- 27372. Andala guttata guttata (Erschoff,1874)** (Arctiidae) Synonym(s): *guttata Erschoff,1874* - Range (in code): UZ TJ Pm AF PK
- 27373. Andala hunza (De Freina,1997)** (Arctiidae) Synonym(s): *hunza De Freina,1997* - Range (in code): PK Ch Gg Hu Gup
- 27374. Andala hunza hunza (De Freina,1997)** (Arctiidae) Synonym(s): *hunza De Freina,1997* - Range (in code): PK Ch Gg Hu Gup
- 27375. Andala semiramis (Staudinger,1892)** (Arctiidae) Synonym(s): *semiramis Staudinger,1892; brandti Daniel,1949* - Original Reference: Arctia (Spilarctia) semiramis Staudinger,1892, Dt. ent. Z., Iris 4: 161. Type ♂: [Türkei]: Kleinasien: [Erzincan]: Egin [=Kemaliye]. Range (in code): TR IR Lo Bk Ab Khy Oru Fa Sse Ke Ss Mz Th Qm Ak IQ PK
- 27376. Andala semiramis elbursi (Daniel,1937)** (Arctiidae) Synonym(s): *elbursi Daniel,1937; ninyas Wagner,1937* - Range (in code): IR Elb Mz Th Qm Ak
- 27377. Andala semiramis semiramis (Staudinger,1892)** (Arctiidae) Synonym(s): *semiramis Staudinger,1892* - Original Reference: Arctia (Spilarctia) semiramis Staudinger,1892, Dt. ent. Z., Iris 4: 161. Type ♂: [Türkei]: Kleinasien: [Erzincan]: Egin [=Kemaliye]. Range (in code): TR IR Lo Bk Ab Khy Oru Fa Ke Ss IQ
- 27378. Andala transversa (Moore,1879)** (Arctiidae) Synonym(s): *transversa Moore,1879; puella Staudinger,1887; vartianae Daniel,1965* - Range (in code): AF Nu Bsg Asm TJ Pm PK Nwf Bl
- 27379. Andala transversa transversa (Moore,1879)** (Arctiidae) Synonym(s): *transversa Moore,1879; puella Staudinger,1887; vartianae Daniel,1965* - Range (in code): AF Nu Bsg Asm TJ Pm PK Nwf Bl
- 27380. Andala unifascia Walker,1855** (Arctiidae) Synonym(s): *unifascia Walker,1855; varia Walker,[1865]* - Range (in code): IN Hp Sml Ch PK Haz Mre

- 27381. Andala wiltshirei (Toulgoet,1962)** (Arctiidae) Synonym(s): *wiltshirei* Toulgoet,1962
Original Reference: *Spilosoma wiltshirei* Toulgoet,1962, Bull. Soc. ent. Fr. 67: 129, figs. Type: Cashmir. Range (in code): **Ch**
- 27382. Andala wiltshirei wiltshirei (Toulgoet,1962)** (Arctiidae) Synonym(s): *wiltshirei* Toulgoet,1962
Original Reference: *Spilosoma wiltshirei* Toulgoet,1962, Bull. Soc. ent. Fr. 67: 129, figs. Type: Cashmir. Range (in code): **Ch**
- 27383. Anestia ombrophanes Meyrick,1886** (Arctiidae) Synonym(s): *ombrophanes* Meyrick,1886; *fuscogrisea* Rothschild,1913
Range (in code): **AU**
- 27384. Anestia semiochrea (Butler,1886)** (Arctiidae) Synonym(s): *semiochrea* Butler,1886; *inquinata* Lucas,1890
Range (in code): **AU**
- 27385. Apaidia mesogona (Godart,[1824])** (Arctiidae) Synonym(s): *mesogona* Godart,[1824]; *dentula* Lederer,1869
Range (in code): **MA Tgr ES FR Co Sa** Bionomy: Larva on *Phillyrea angustifolia* (Meyer,1919); *Quercus suber*, *Thymus*, *Buxus sempervirens*, *Lavandula* (Freina & Witt,1987).
- 27386. Apaidia rufeola (Rambur,1832)** (Arctiidae) Synonym(s): *rufeola* Rambur,1832; *vaulogeri* Legrand,1938; *barbarica* Legrand,1939
Original Reference: *Lithosia rufeola* Rambur,1832, Annls Soc. ent. Fr. 1: 271, pl.8 fig.12. Type: Corsica. Range (in code): **AET DZ Gue Agi TN ES Co Sa IT Si**
- 27387. Apantesis phalerata (Harris,1837)** (Arctiidae) Synonym(s): *phalerata* Harris,1837; *radians* Walker,1855; *decorata* Saunders,1863; *colorata* Walker,1864; *rhoda* Butler,1881; *ochreata* Butler,1881; *incompleta* Butler,1881
Range (in code): **MX CR**
- 27388. Apistosia judas Hübner,1818** (Arctiidae) Synonym(s): *judas* Hübner,1818
Range (in code): **MX GT HN NI PA**
- 27389. Arachnis apachea Clarke,1941** (Arctiidae) Synonym(s): *apachea* Clarke,1941
Range (in code): **US Arz**
- 27390. Arachnis aulaea Geyer,[1837]** (Arctiidae) Synonym(s): *aulaea* Geyer,[1837]; *incarnata* Walker,1855; *bituninosa* Seitz,1919; *tristis* Rothschild,1935
Range (in code): **MX HN GT**
- 27391. Arachnis dilecta (Boisduval,1870)** (Arctiidae) Synonym(s): *dilecta* Boisduval,1870; *sanguinea* Oberthür,1881
Range (in code): **MX GT HN**
- 27392. Arachnis martina Druce,1897** (Arctiidae) Synonym(s): *martina* Druce,1897
Range (in code): **MX**
- 27393. Arachnis mishma Druce,1897** (Arctiidae) Synonym(s): *mishma* Druce,1897
Range (in code): **MX**
- 27394. Arachnis picta Packard,1864** (Arctiidae) Synonym(s): *picta* Packard,1864; *perotensis* Schaus,1889
Range (in code): **MX**
- 27395. Arachnis zuni Neumoegen,1890** (Arctiidae) Synonym(s): *zuni* Neumoegen,1890
Range (in code): **MX**
- 27396. Arctia (Epicallia) angelica (Boisduval,1829)** (Arctiidae) Synonym(s): *angelica* Boisduval,1829; *arabum* Oberthür,1910
Original Reference: *Chelonia villica* var. *angelica* Boisduval,1829, Gen. Ind. Méth. Eur. Lépid.: 42. Type: Spain. Range (in code): **AET DZ Hrh Dze Blid ES**
- 27397. Arctia (Epicallia) confluens (Romanoff,1884)** (Arctiidae) Synonym(s): *confluens* Romanoff,1884.
Original Reference: *Arctia villica confluens* Romanoff,1884, [in] Romanoff, Mem. lepid. 1: 87-88, pl.4 fig.9. Lectotype ♂: "Lenkoran", designated by Dubatolov,1996, Ent. Obozr. 75 (2): 344 (ZIP). Range (in code): **AZ Kir Len Cc IR Elb Gor GlS Mz Gh Es Kh Kp**
- 27398. Arctia (Epicallia) konewkai (Freyer,1831)** (Arctiidae) Synonym(s): *konewkai* Freyer,1831; *sicula* Zeller,1847
Range (in code): **Si**
- 27399. Arctia (Epicallia) marchandi De Freina,1983** (Arctiidae) Synonym(s): *marchandi* De Freina,1983.
Original Reference: *Arctia villica* ssp. *marchandi* De Freina,1983, Mitt. münch. ent. Ges. 72: 112-114, fig. Holotype ♂: [Türkei]: Hakkari, Zab-Tal 20km östl. Hakkari 1300-1400m, leg. De Freina. Range (in code): **TR IR By Mz Th Elb Kdj Es Ab Oru Ak Ar Km Qz Zj**
- 27400. Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) Synonym(s): *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923.
Original Reference: *Phalaena villica* Linnaeus,1758, Syst. Nat. (Edn.10)1: 501. Syntypes: [Europa]. Range (in code): **PT FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR LV LT RU Kg Ur Cb Sb MD UA Cm BY Cc GG AZ Kir Len AM IR LB Bsa IL Pa KK** Bionomy: Larva on *Achillea* (Asteraceae), *Fragaria*, *Lamium*, *Stellaria* (Lamiaceae); *Urtica* (Urticaceae) (Meyer,1919).
- 27401. Arctia (Epicallia) villica armenogrusia de Freina,2011** (Arctiidae) Synonym(s): *armenogrusia* de Freina,2011
Original Reference: *Arctia villica* ssp. *armenogrusia* de

- Freina, 2011, Entomofauna 32: 102, figs. Holotype ♂: Kleinasien, Kars Prov., Kötek 1550m leg. de Freina (MWM). Range (in code): GG AM AZ Cc TR
- 27402. *Arctia (Epicallia) villica fulminans* Staudinger, 1871** (Arctiidae) Synonym(s): *fulminans* Staudinger, 1871; *syriaca* Oberthür, 1911 Original Reference: *Arctia villica* var. *fulminans* Staudinger, 1871, [in] Staudinger & Wocke, Cat. Lepid. eur. Faunengeb. (2): 57. Type (s): Syria. Range (in code): TR LB Bsa IL Pa
- 27403. *Arctia (Epicallia) villica tienshana* de Freina, 2011** (Arctiidae) Synonym(s): *tienshana* de Freina, 2011 Range (in code): KK
- 27404. *Arctia (Epicallia) villica transuralica* Dubatolov, 2007** (Arctiidae) Synonym(s): *transuralica* Dubatolov, 2007 Range (in code): RU Kg Ur Sb
- 27405. *Arctia (Epicallia) villica villica* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *villica* Linnaeus, 1758; *corsica* Oberthür, 1911; *niceensis* Oberthür, 1911; *britannica* Oberthür, 1911; *meridionalis* Heinrich, 1923. Original Reference: *Phalaena villica* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 501. Syntypes: [Europa]. Range (in code): IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR LV LT RU MD UA Cm BY Bionomy: Larva on Achillea, Fragaria, Lamium, Stellaria, Urtica (Meyer, 1919).
- 27406. *Arctia (Eucharia) festiva* (Hufnagel, 1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel, 1766; *hebe* Linnaeus, 1767; *interrogationis* Ménétriés, 1863; *sartha* Staudinger, 1886; *nivea* O. Bang-Haas, 1927; *ragusai* Stauder, 1928. Original Reference: *Phalaena festiva* Hufnagel, 1766, Berl. Mag. 3: 416. Type(s): Deutschland: Berlin. Range (in code): PT ES FR Si IT BE NL LU DE AT PL CZ SK HU RO YU AL BG GR Rd TR SY Ha LB IR Ak Shf Zj Tbz Ar Kd Snj Km Ha Ma Ke Kh Fa Hz LV LT MD UA BY KK Ax RU Tv MN CN Ui IMn Hph GG Tbl Bjo Kir Smt Akh AZ Bak Cc AM KG Ssn Tk Ii UZ Fe Man IQ Shq Bionomy: Larva on Achillea, Alyssum, Artemisia (Asteraceae); Chenopodium (Chenopodiaceae); Euphorbia cyparissias (Euphorbiaceae); Rubus chamaedorus (Rosaceae) (Meyer, 1919).
- 27407. *Arctia (Eucharia) festiva arafati* De Freina, 1997** (Arctiidae) Synonym(s): *arafati* De Freina, 1997 Range (in code): LB TR
- 27408. *Arctia (Eucharia) festiva collaris* (Groum-Grshimailo, 1899)** (Arctiidae) Synonym(s): *collaris* Groum-Grshimailo, 1899; *culoti* Oberthür, 1912. Range (in code): RU Tv MN CN
- 27409. *Arctia (Eucharia) festiva festiva* (Hufnagel, 1766)** (Arctiidae) Synonym(s): *festiva* Hufnagel, 1766; *hebe* Linnaeus, 1767; *interrogationis* Ménétriés, 1863; *sartha* Staudinger, 1886; *nivea* O. Bang-Haas, 1927; *ragusai* Stauder, 1928. Original Reference: *Phalaena festiva* Hufnagel, 1766, Berl. Mag. 3: 416. Type(s): Deutschland: Berlin. Range (in code): PT ES FR Si IT BE NL LU DE AT PL CZ SK HU RO YU AL BG GR Rd TR IR Kh Fa LV LT RU MD UA BY GG Smt Akh AZ Kir Cc AM KG Ssn UZ Fe Man IQ Shq Bionomy: Larva on Achillea, Alyssum, Artemisia (Asteraceae); Chenopodium (Chenopodiaceae); Euphorbia cyparissias (Euphorbiaceae); Rubus chamaedorus (Rosaceae) (Meyer, 1919).
- 27410. *Arctia (Eucharia) festiva hormozgana* Dubatolov, [2006]** (Arctiidae) Synonym(s): *hormozgana* Dubatolov, [2006] Range (in code): IR Hz
- 27411. *Arctia (Eucharia) festiva iliensis* Wagner, 1913** (Arctiidae) Synonym(s): *iliensis* Wagner, 1913 Range (in code): KG Tk Ii KK Ax UZ Fe
- 27412. *Arctia (Eucharia) festiva karabagha* Dubatolov, 2007** (Arctiidae) Synonym(s): *karabagha* Dubatolov, 2007 Range (in code): Cc AZ AM
- 27413. *Arctia (s.str.) caja* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *caja* Linnaeus, 1758; *erinacea* Retzius, 1783; *phantasma* Niepelt, 1905; *lusitanica* Spuler, 1906; *confluens* Rebel, 1910 nec Rom., 1884; *rebeli* Wnukowsky, 1929. Original Reference: *Phalaena caja* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 500-501. Syntypes: [Europa]. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT MD UA Cm BY GG Cc AZ Nv AM KG Ssn CN Ui Kml Hph Tek Kty KK TJ Pm Fe UZ AF PK Ch Snm IN Up Alh Khs IR Elb Mz Ar MN RU Sb Kmt Am Vv To Mgd Ya Sj Ir Irk Ur Kr KP KR JP Clu Hkk CA US Als Ut Jn Lng Bionomy: Larva on Digitalis (Plantaginaceae), Lactuca, Plantago, Sarothamnus scoparius (Meyer, 1919).
- 27414. *Arctia (s.str.) caja americana* Harris, 1841** (Arctiidae) Synonym(s): *americana* Harris, 1841 Range (in code): US
- 27415. *Arctia (s.str.) caja caja* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *caja* Linnaeus, 1758; *erinacea* Retzius, 1783; *phantasma* Niepelt, 1905; *lusitanica* Spuler, 1906; *confluens* Rebel, 1910 nec Rom., 1884; *rebeli* Wnukowsky, 1929. Original Reference: *Phalaena caja* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 500-501. Syntypes: [Europa]. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Sb CN Ui Kml

- 27416. *Arctia* (s.str.) *caja kamtschadalis* Draudt,1934** (Arctiidae) Synonym(s): *kamtschadalis* Draudt,1934 _ Range (in code): RU Kmt
- 27417. *Arctia* (s.str.) *caja martinhoneyi* Dubatolov & Gurko,[2006]** (Arctiidae) Synonym(s): *martinhoneyi* Dubatolov & Gurko,[2006] _ Original Reference: Arctia martinhoneyi Dubatolov & Gurko,[2006], Atalanta 36 (3/4): 539, pl.16 fig.4-7. Holotype ♂: Pakistan: Azad Jammu Kashmir, NW Junkar, 3000-3400m (SZM). Range (in code): PK Ch
- 27418. *Arctia* (s.str.) *caja mazandarana* Dubatolov & Zahiri,[2006]** (Arctiidae) Synonym(s): *mazandarana* Dubatolov & Zahiri,[2006] _ Range (in code): IR Elb Mz Clu
- 27419. *Arctia* (s.str.) *caja orientalis* Moore,1878** (Arctiidae) Synonym(s): *orientalis* Moore,1878 _ Original Reference: Arctia orientalis Moore,1878, Ann. Mag. nat. Hist. (5) 1: 230-231. Type: Cashmere: Sonamurg (Stoliczka). Range (in code): Ch Snm IN Khs Up Alh
- 27420. *Arctia* (s.str.) *caja ossetica* Dubatolov,1996** (Arctiidae) Synonym(s): *ossetica* Dubatolov,1996 _ Range (in code): RU Kr
- 27421. *Arctia* (s.str.) *caja pamiroalaica* Stshetkin,1982** (Arctiidae) Synonym(s): *pamiroalaica* Stshetkin,1982 _ Range (in code): AI Pm TJ KK
- 27422. *Arctia* (s.str.) *caja parva* Rothschild,1910** (Arctiidae) Synonym(s): *parva* Rothschild,1910 _ Range (in code): US
- 27423. *Arctia* (s.str.) *caja phaeosoma* (Butler,1877)** (Arctiidae) Synonym(s): *phaeosoma* Butler,1877; *auripennis* Butler,1881; *immaculata* Matsumura,1927 _ Range (in code): RU Am Vv CN Mc Jn Lng KP KR JP
- 27424. *Arctia* (s.str.) *caja sajana* O.Bang-Haas,1927** (Arctiidae) Synonym(s): *sajana* O.Bang-Haas,1927 _ Original Reference: Arctia caja ssp. *sajana* O.Bang-Haas,1927, Horae Macrolepid. 1: 72, Tab.2 fig.6. Type: [Russia]: Sajan Mont. "Tunkinsk Weißgebirge", südwestl. Irkutsk, Juli, 2000m. Range (in code): RU Sb Ir Irk Sj
- 27425. *Arctia* (s.str.) *caja ssp.*** (Arctiidae) Synonym(s): _ Range (in code): CN Ui Tek Kty
- 27426. *Arctia* (s.str.) *caja tschiliensis* Draudt,1931** (Arctiidae) Synonym(s): *tschiliensis* Draudt,1931 _ Range (in code): CN Hph
- 27427. *Arctia* (s.str.) *caja tshingana* Sheljuzhko,1935** (Arctiidae) Synonym(s): *tshingana* Sheljuzhko,1935 _ Range (in code): UZ KK KG Fe
- 27428. *Arctia* (s.str.) *caja utahensis* (Edwards,1887)** (Arctiidae) Synonym(s): *utahensis* Edwards,1887; *transmontana* Neumoegen & Dyar,1893 _ Range (in code): US Ut
- 27429. *Arctia* (s.str.) *caja waroi* Barnes & Benjamin,1927** (Arctiidae) Synonym(s): *waroi* Barnes & Benjamin,1927 _ Range (in code): US
- 27430. *Arctia* (s.str.) *caja wiskotti* Staudinger,1879** (Arctiidae) Synonym(s): *wiskotti* Staudinger,1879 _ Original Reference: Arctia caja var. *wiskotti* Staudinger,1879, Horae Soc. ent. ross. 14: 333-334. Syntypes: [Türkei]: Amasia (Jenikeui-Hochebene) [dedicated to Mr. Max Wiskott (Breslau)]. Range (in code): TR Cc GG AZ Nv IR Ar
- 27431. *Arctia* (s.str.) *flavia* (Fuessly,1779)** (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927 _ Original Reference: Phalaena flavia Fuessly,1779, Mag. f. Ent. 2: 70, Taf.I fig.11. Range (in code): FR IT CH AT BG TR GG Cc KG Ssn RU At Sb Ya Am Vv Or Ur MN U-B CN Ui _ Bionomy: Larva on Cotoneaster (Meyer,1919).
- 27432. *Arctia* (s.str.) *flavia flavia* (Fuessly,1779)** (Arctiidae) Synonym(s): *flavia* Fuessly,1779; *virgo* Hübner,[1804]; *campestris* Graeser,1892; *uralensis* Heyne,1899; *sibirica* Heyne,1899; *lederi* O.Bang-Haas,1927; *baicalensis* O.Bang-Haas,1927; *jeholensis* O.Bang-Haas,1927 _ Original Reference: Phalaena flavia Fuessly,1779, Mag. f. Ent. 2: 70, Taf.I fig.11. Range (in code): FR IT CH AT BG TR GG Cc KG Ssn RU At Sb Ya Am Vv Or Ur MN U-B CN Ui _ Bionomy: Larva on Cotoneaster (Meyer,1919).
- 27433. *Arctia* (s.str.) *intercalaris* (Eversmann,1843)** (Arctiidae) Synonym(s): *intercalaris* Eversmann,1843; *boettcheri* O.Bang-Haas,1927. _ Original Reference: Euprepia intercalaris Eversmann,1843, Bull. Soc. Imp. Nat. Moscou 16 (3): 544, Pl.10 figs. 1a,b. Range (in code): KG DsA KK UZ AI Pm TJ AF Kab Bd CN Ui Ju Ti PK Nwf Ci Gg IN Hp Kul Ch
- 27434. *Arctia* (s.str.) *intercalaris* ? *truncata* Kotzsch,1939** (Arctiidae) Synonym(s): *truncata* Kotzsch,1939 _ Range (in code): AF
- 27435. *Arctia* (s.str.) *intercalaris alpherakyi* Staudinger,1886** (Arctiidae) Synonym(s): *alpherakyi* Staudinger,1886; *badakhshana* Wiltshire,1961. _ Original Reference: Arctia intercalaris var. *alpherakyi* Staudinger,1886, Entomologist's mon. Mag. 22: 258. Range (in code): AI Pm TJ AF Kab Bd KK

- 27436. *Arctia* (s.str.) *intercalaris aurantiaca* Seitz,1910** (Arctiidae) Synonym(s): *aurantiaca* Seitz,1910 _ Range (in code): Ch
- 27437. *Arctia* (s.str.) *intercalaris cajula* Staudinger,1886** (Arctiidae) Synonym(s): *cajula* Staudinger,1886 _ Range (in code): Ch Ti CN
- 27438. *Arctia* (s.str.) *intercalaris elisabethana* Bender & Naumann,1980** (Arctiidae) Synonym(s): *elisabethana* Bender & Naumann,1980 _ Range (in code): AF
- 27439. *Arctia* (s.str.) *intercalaris intercalaris* (Eversmann,1843)** (Arctiidae) Synonym(s): *intercalaris* Eversmann,1843; *boettcheri* O.Bang-Haas,1927. _ Original Reference: Euprepia intercalaris Eversmann,1843, Bull. Soc. Imp. Nat. Moscou 16 (3): 544, Pl.10 figs. 1a,b. Range (in code): KG DsA KK UZ CN Ui Ju
- 27440. *Arctia* (s.str.) *intercalaris suddra* Moore,1879** (Arctiidae) Synonym(s): *suddra* Moore,1879 _ Range (in code): IN Hp Kul Ch
- 27441. *Arctia* (s.str.) *intercalaris thibetica* Felder,1874** (Arctiidae) Synonym(s): *thibetica* Felder,1874 _ Range (in code): CN Ti PK Nwf Ci
- 27442. *Arctia* (s.str.) *intercalaris triangulum* Peschke,1934** (Arctiidae) Synonym(s): *triangulum* Peschke,1934 _ Range (in code): PK Gg
- 27443. *Arctia* (s.str.) *ladakensis* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *ladakensis* O.Bang-Haas,1927 _ Original Reference: Oroncus ladakensis O.Bang-Haas,1927, Horae Macrolepid. 1: 116. Syntypes ♂♀: Ladak: Sham, Chalsi, 5000m, 18. Juli. Range (in code): IN Ld CN Ui Au
- 27444. *Arctia* (s.str.) *olschwangi* Dubatolov,1990** (Arctiidae) Synonym(s): *olschwangi* Dubatolov,1990 _ Range (in code): RU Ur YI
- 27445. *Arctia* (s.str.) *olschwangi olschwangi* Dubatolov,1990** (Arctiidae) Synonym(s): *olschwangi* Dubatolov,1990 _ Range (in code): RU Ur YI
- 27446. *Arctia* (s.str.) *rueckbeili* Püngeler,1901** (Arctiidae) Synonym(s): *rueckbeili* Püngeler,1901 _ Original Reference: Arctia rueckbeili Püngeler,1901, Dt. ent. Z., Iris 14: 190, Taf.3 fig.11. Range (in code): KK UZ TJ CN Ui Au
- 27447. *Arctia* (s.str.) *rueckbeili rueckbeili* Püngeler,1901** (Arctiidae) Synonym(s): *rueckbeili* Püngeler,1901 _ Original Reference: Arctia rueckbeili Püngeler,1901, Dt. ent. Z., Iris 14: 190, Taf.3 fig.11. Range (in code): KK UZ TJ CN Ui Au
- 27448. *Arctia* (s.str.) *weigerti* De Freina & Witt,1985** (Arctiidae) Synonym(s): *weigerti* De Freina & Witt,1985 _ Range (in code): PK Ch
- 27449. *Arctia* (s.str.) *weigerti weigerti* De Freina & Witt,1985** (Arctiidae) Synonym(s): *weigerti* De Freina & Witt,1985 _ Range (in code): PK Ch
- 27450. *Ardonea* *morio* Walker,1854** (Arctiidae) Synonym(s): *morio* Walker,1854; *coracina* Boisduval,1870 _ Range (in code): MX CO VE
- 27451. *Areas* (Melanareas) *imperialis* (Kollar,[1844])** (Arctiidae) Synonym(s): *imperialis* Kollar,[1844] _ Range (in code): CN Ti IN SI NP PK Swa Klm
- 27452. *Areas* (Melanareas) *imperialis imperialis* (Kollar,[1844])** (Arctiidae) Synonym(s): *imperialis* Kollar,[1844] _ Range (in code): CN Ti IN SI NP PK Swa Klm
- 27453. *Areas* (s.str.) *galactina* (Hoeven,1840)** (Arctiidae) Synonym(s): *galactina* Hoeven,1840 _ Range (in code): ID Sum Ja PH Luz Pal Mdo Pan Ley Neg VN BT IN Adm NP TH MY Bor Klt Ass Khs CN Sz Hun Yu Hph KwT Kwa SI BD BT Hp TW
- 27454. *Areas* (s.str.) *galactina formosana* Okano,1960** (Arctiidae) Synonym(s): *formosana* Okano,1960 _ Range (in code): TW
- 27455. *Areas* (s.str.) *galactina galactina* (Hoeven,1840)** (Arctiidae) Synonym(s): *galactina* Hoeven,1840; *orientalis* Walker,1855; *#khasiana* Rothschild,1914; *ochracea* Mell,1922 _ Range (in code): ID Ja VN BT SI BD BT IN Ass Khs Hp NP CN Sz Hun Yu Hph KwT Kwa
- 27456. *Areas* (s.str.) *galactina intermedia* Rothschild,1933** (Arctiidae) Synonym(s): *intermedia* Rothschild,1933 _ Range (in code): MY ID Bor Klt
- 27457. *Areas* (s.str.) *galactina latifascia* Rothschild,1933** (Arctiidae) Synonym(s): *latifascia* Rothschild,1933 _ Range (in code): IN Adm
- 27458. *Areas* (s.str.) *galactina owadai* Dubatolov, Haynes & Kishida,2009** (Arctiidae) Synonym(s): *owadai* Dubatolov, Haynes & Kishida,2009 _ Original Reference: Areas galactina ssp. owadai Dubatolov, Haynes & Kishida,2009, Tinea 20 (5): 327. Holotype: Philippines, Luzon, Sagada. Range (in code): PH Luz Pal Mdo Pan Ley Neg
- 27459. *Areas* (s.str.) *galactina trigonalis* (Vollenhoven,1863)** (Arctiidae) Synonym(s): *trigonalis* Vollenhoven,1863; *cana* Druce,1899 _ Range (in code): ID Sum

- 27460. *Areva trigemmis* (Hübner,[1827])** (Arctiidae) Synonym(s): *trigemmis* Hübner,[1827]; *ziza* Druce,1897 - Range (in code): **MX BR**
- 27461. *Argina amanda* (Boisduval,1847)** (Arctiidae) Synonym(s): *amanda* Boisduval,1847; *cingulifera* Walker,1854; *ocellina* Walker,1854; *albocincta* Rambur,[1866]; *serrata* Mabilille,1879. - Range (in code): **GN ZA MG ZR Nta Kzu**
- 27462. *Argina astrea* (Drury,[1773])** (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923; *#astraea* auct Original Reference: Phalaena *astrea* Drury,[1773], Illust. nat. Hist. exot. Insects 2: index, 11, pl.6 fig.3. Range (in code): **CN Yu Kwa Hn TW BD IR Hz IN Adm Nk LK Cob Kndy Tem NP MM PH Luz Pan Mdo Boh Neg Mno JP Ri TH Nrt Pkk Bnk Sbu Lop Chc PG ID AU PW GU MU GH MG SC Myt NC ZA KE OQ NC FJ** Bionomy: Larva on *Crotalaria juncea* [sann hemp], *Crotalaria albida* [hing hai] (Fabaceae), *Ipomoea batatas* [sweet potato] (Convolvulaceae) (Lewvanich,2001)
- 27463. *Argina astrea astrea* (Drury,[1773])** (Arctiidae) Synonym(s): *cribraria* Clerck,1764 nec Linn.,1758; *astrea* Drury,[1773]; *pylotis* Fabricius,1775; *dulcis* Walker,1854; *guttata* Rambur,1866; *notata* Butler,1877; *pylotes* Butler,1877; *multiguttatus* Swinhoe,1892; *#perforata* Seitz,1914; *#detersa* Hulstaert,1923; *#astraea* auct Original Reference: Phalaena *astrea* Drury,[1773], Illust. nat. Hist. exot. Insects 2: index, 11, pl.6 fig.3. Range (in code): **CN Yu Kwa Hn TW BD IR Hz IN Adm Nk LK Cob Kndy Tem NP MM PH Luz Pan Mdo Boh Neg Mno JP Ri TH Nrt Pkk Bnk Sbu Lop Chc PG ID AU PW GU MU OQ NC FJ** Bionomy: Larva on *Crotalaria juncea* [sann hemp], *Crotalaria albida* [hing hai] (Fabaceae), *Ipomoea batatas* [sweet potato] (Convolvulaceae) (Lewvanich,2001)
- 27464. *Argina astrea pardalina* Walker,1864** (Arctiidae) Synonym(s): *pardalina* Walker,1864 Range (in code): **GH MG SC NC ZA KE**
- 27465. *Argina leonina* (Walker,[1865])** (Arctiidae) Synonym(s): *leonina* Walker,[1865] Range (in code): **SL NG ZR UG MW ZA**
- 27466. *Argina pulchra* Swinhoe,1892** (Arctiidae) Synonym(s): *pulchra* Swinhoe,1892; *callargus* Reich,1932 Original Reference: *Argina pulchra* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 117, pl.iii fig.5. Type ♂: Philippines. Range (in code): **PH Luz Boh Pan**
- 27467. *Argina syringa* (Cramer,1775)** (Arctiidae) Synonym(s): *syringa* Cramer,1775; *crotalariae* Fabricius,1793 - Range (in code): **IN LK Kndy Nwp Cob AU**
- 27468. *Argylla argentifera* (Walker,1866)** (Arctiidae) Synonym(s): *argentifera* Walker,1866 Range (in code): **MX CR VE BR**
- 27469. *Argylla brailovsky* Beutelspacher,1981** (Arctiidae) Synonym(s): *brailovsky* Beutelspacher,1981 - Range (in code): **MX**
- 27470. *Argylla dyari* Beutelspacher,1984** (Arctiidae) Synonym(s): *dyari* Beutelspacher,1984 Range (in code): **MX**
- 27471. *Argylla idolon* Dyar,1912** (Arctiidae) Synonym(s): *idolon* Dyar,1912 - Range (in code): **MX**
- 27472. *Argylla marginata* (Druce,1885)** (Arctiidae) Synonym(s): *marginata* Druce,1885 Range (in code): **MX GT CR**
- 27473. *Argylla nivea* (Walker,1856)** (Arctiidae) Synonym(s): *nivea* Walker,1856; *monoleuca* Walker,1866; *argentea* R.Felder,1874; *virginea* Schaus,1894; *plateada* Dognin,1894; *floreilla* Dognin,1894 Range (in code): **MX EC BO**
- 27474. *Argylla nubens* (Schaus,1899)** (Arctiidae) Synonym(s): *nubens* Schaus,1899 - Range (in code): **MX**
- 27475. *Argylla perpensa* (Schaus,1894)** (Arctiidae) Synonym(s): *perpensa* Schaus,1894 Range (in code): **MX**
- 27476. *Argylla sericea* (Druce,1885)** (Arctiidae) Synonym(s): *sericea* Druce,1885; *galactina* Mass,1890; *limpida* Möschler,1890; *petrola* Schaus,1894 - Range (in code): **MX**
- 27477. *Argylla tolteca* (Schaus,1889)** (Arctiidae) Synonym(s): *tolteca* Schaus,1889 - Range (in code): **MX BR**
- 27478. *Argylla tumidicosta* Hampson,1900** (Arctiidae) Synonym(s): *tumidicosta* Hampson,1900; *laticilia* Druce,1885 - Range (in code): **MX GT**
- 27479. *Arrhythmica semifusca* Turner,1940** (Arctiidae) Synonym(s): *semifusca* Turner,1940 Range (in code): **AU**
- 27480. *Artimelia latreillei* (Godart,1823)** (Arctiidae) Synonym(s): *latreillei* Godart,1823 Range (in code): **PT ES**

- 27481. *Artimelia latreillei latreillei* (Godart,1823)** (Arctiidae) Synonym(s): *latreillei* Godart,1823 _ Range (in code): PT ES
- 27482. *Artimelia latreillei lusitanica* (Schawerda,1934)** (Arctiidae) Synonym(s): *lusitanica* Schawerda,1934 _ Range (in code): PT ES
- 27483. *Asiapistosis stigma* (Fang,2000)** (Arctiidae) Synonym(s): *stigma* Fang,2000 _ Range (in code): CN Sz Kwa
- 27484. *Asiapistosis subnigra* (Leech,1899)** (Arctiidae) Synonym(s): *subnigra* Leech,1899 _ Range (in code): CN Sz Fkn Hun Yu Kwa
- 27485. *Asparus bicolor* (Walker,1855)** (Arctiidae) Synonym(s): *bicolor* Walker,1855 _ Range (in code): ZA
- 27486. *Asura acteola* Swinhoe,1903** (Arctiidae) Synonym(s): *acteola* Swinhoe,1903 _ Range (in code): TH
- 27487. *Asura amabilis* Rothschild & Jordan,1901** (Arctiidae) Synonym(s): *amabilis* Rothschild & Jordan,1901 _ Range (in code): SB
- 27488. *Asura andamana* (Moore,1877)** (Arctiidae) Synonym(s): *andamana* Moore,1877 _ Range (in code): IN Adm
- 27489. *Asura arcuata* (Moore,1882)** (Arctiidae) Synonym(s): *arcuata* Moore,1882; *rosea* Hampson,1891; *formosicola* Strand,1917; *ochrostraminea* Strand,1917; *pseudaurora* Strand,1917 _ Range (in code): IN NI LK Pdy ID Ja TW JP
- 27490. *Asura arenaria* Rothschild,1913** (Arctiidae) Synonym(s): *arenaria* Rothschild,1913
Original Reference: *Asura arenaria* Rothschild,1913, Novit. zool. 20: 205. Type ♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek). Range (in code): PG
- 27491. *Asura atricraspeda* Hampson,1914** (Arctiidae) Synonym(s): *atricraspeda* Hampson,1914
Range (in code): CI
- 27492. *Asura aurora* (Hampson,1891)** (Arctiidae) Synonym(s): *aurora* Hampson,1891 _ Range (in code): IN NI
- 27493. *Asura basitessellata* Rothschild,1913** (Arctiidae) Synonym(s): *basitessellata* Rothschild,1913
Original Reference: *Asura basitessellata* Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♀: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek). Range (in code): PG
- 27494. *Asura bipars* (Walker,[1865])** (Arctiidae) Synonym(s): *bipars* Walker,[1865]; *habrotis* Meyrick,1886 _ Range (in code): AU
- 27495. *Asura bizonoides* (Walker,1862)** (Arctiidae) Synonym(s): *bizonoides* Walker,1862
Range (in code): MY Prk
- 27496. *Asura calamaria* (Moore,1888)** (Arctiidae) Synonym(s): *calamaria* Moore,1888
Original Reference: *Setina calamaria* Moore,1888, Proc. zool. Soc. London 1888: 392. Type: Burma. Range (in code): MM IN Ass Khs Meg
- 27497. *Asura calamaria mediopuncta* Rothschild,1913** (Arctiidae) Synonym(s): *mediopuncta* Rothschild,1913
Original Reference: *Asura calamaria* ssp. *mediopuncta* Rothschild,1913 Novit. zool. 20: 211. Syntypes: ♂♀: [India]: Assam, Khasia Hills. Range (in code): IN Ass Khs Meg
- 27498. *Asura camerunensis* Strand,1912** (Arctiidae) Synonym(s): *camerunensis* Strand,1912
Range (in code): CM
- 27499. *Asura catameces* Turner,1940** (Arctiidae) Synonym(s): *catameces* Turner,1940 _ Range (in code): AU
- 27500. *Asura cervicalis* Walker,1854** (Arctiidae) Synonym(s): *cervicalis* Walker,1854
Original Reference: *Asura cervicalis* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 484. Syntypes: Australia: Tasmania, New Holland. Range (in code): AU
- 27501. *Asura chrysomela* Hampson,1905** (Arctiidae) Synonym(s): *chrysomela* Hampson,1905
Original Reference: *Asura chrysomela* Hampson,1905, Ann. Mag. nat. Hist. (7) 15: 438. Type: Solomons. Range (in code): SB
- 27502. *Asura chrysomela reducta* Rothschild,1913** (Arctiidae) Synonym(s): *reducta* Rothschild,1913 _ Range (in code): SB
- 27503. *Asura citrinopuncta* Rothschild,1913** (Arctiidae) Synonym(s): *citrinopuncta* Rothschild,1913
Original Reference: *Asura citrinopuncta* Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♀: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek). Range (in code): PG

- 27504. Asura coccinocosma Turner,1940** (Arctiidae) Synonym(s): *coccinocosma* Turner,1940
Range (in code): AU
- 27505. Asura compsodes Turner,1940** (Arctiidae) Synonym(s): *compsodes* Turner,1940
Range (in code): AU
- 27506. Asura conferta (Walker,1854)** (Arctiidae) Synonym(s): *conferta* Walker,1854; *anila* Moore,1859; *signata* Walker,1864; *aegrota* Butler,1877; *limbata* Butler,1877; *ochracea* Butler,1877; *fusca* Hampson,1893
Range (in code): LK Pdy IN Bba Mh NI
- 27507. Asura creatina (Snellen,1879)** (Arctiidae) Synonym(s): *creatina* Snellen,1879; *javanica* van Eecke,1920
Range (in code): ID Clb Ja
- 27508. Asura crocopepla Turner,1940** (Arctiidae) Synonym(s): *crocopepla* Turner,1940
Range (in code): AU
- 27509. Asura crocoptera Turner,1940** (Arctiidae) Synonym(s): *crocoptera* Turner,1940
Range (in code): AU
- 27510. Asura euprepoides (Walker,1862)** (Arctiidae) Synonym(s): *euprepoides* Walker,1862; *interserta* Moore,1878
Original Reference: *Hypocrita euprepoides* Walker,1862, J. linn. Soc. Lond. 6: 102. Range (in code): IN SI Nag ID Sum MY Bor Swk Ja Sla Snk TH CMa CDo CD2
- 27511. Asura frigida (Walker,1854)** (Arctiidae) Synonym(s): *frigida* Walker,1854
Range (in code): IN TH
- 27512. Asura fruhstorferi (Aurivillius,1894)** (Arctiidae) Synonym(s): *fruhstorferi* Aurivillius,1894
Original Reference: *Lyclene fruhstorferi* Aurivillius,1894, Ent. Tidskr. 15: 172. Range (in code):
- 27513. Asura fulvia Hampson,1900** (Arctiidae) Synonym(s): *fulvia* Hampson,1900
Range (in code): ZA Nta Kzu Ver
- 27514. Asura griseotincta Rothschild,1913** (Arctiidae) Synonym(s): *griseotincta* Rothschild,1913
Original Reference: *Asura griseotincta* Rothschild,1913, Novit. zool. 20: 206. Type ♀: S.W.Borneo: Pontianak. Range (in code): ID Bor
- 27515. Asura hilaris (Walker,1854)** (Arctiidae) Synonym(s): *hilaris* Walker,1854
Range (in code): LK Dck ID Ja
- 27516. Asura hopkinsi Tams,1935** (Arctiidae) Synonym(s): *hopkinsi* Tams,1935
Range (in code): WS
- 27517. Asura ila (Moore,1859)** (Arctiidae) Synonym(s): *ila* Moore,1859; *unifascia* Rothschild,1913
Range (in code): IN Knr LK Pdy Kndy
- 27518. Asura infumata (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonym(s): *infumata* R.Felder & Rogenhofer,1874
Range (in code): IN Ass Khs Meg
- 27519. Asura infumata rufotincta Rothschild,1913** (Arctiidae) Synonym(s): *rufotincta* Rothschild,1913
Original Reference: *Asura infumata* ssp. *rufotincta* Rothschild,1913 Novit. zool. 20: 214. Syntypes: ♂♂: [India]: Assam, Khasia Hills. Range (in code): IN Ass Khs Meg
- 27520. Asura lacteoflava Rothschild,1913** (Arctiidae) Synonym(s): *lacteoflava* Rothschild,1913
Original Reference: *Asura lacteoflava* Rothschild,1913, Novit. zool. 20: 208. Syntypes ♂♂: N.W.India: Dalhousie. Range (in code): IN Hp Dlh Ass Khs Meg
- 27521. Asura lacteoflava aureata Rothschild,1913** (Arctiidae) Synonym(s): *aureata* Rothschild,1913
Original Reference: *Asura lacteoflava* ssp. *aureata* Rothschild,1913, Novit. zool. 20: 208. Type ♂: [India]: Assam, Khasia Hills. Range (in code): IN Ass Khs Meg
- 27522. Asura lacteoflava lacteoflava Rothschild,1913** (Arctiidae) Synonym(s): *lacteoflava* Rothschild,1913
Original Reference: *Asura lacteoflava* Rothschild,1913, Novit. zool. 20: 208. Syntypes ♂♂: N.W.India: Dalhousie. Range (in code): IN Dlh Hp
- 27523. Asura liparidia Rothschild,1913** (Arctiidae) Synonym(s): *liparidia* Rothschild,1913
Original Reference: *Asura liparidia* Rothschild,1913, Novit. zool. 20: 206. Syntypes ♂♂: [Papua New Guinea]: Kumusi River, NE British New Guinea (A.S.Meek). Range (in code): PG
- 27524. Asura luzonica Wileman & South,1919** (Arctiidae) Synonym(s): *luzonica* Wileman & South,1919
Original Reference: *Asura luzonica* Wileman & South,1919, Entomologist 52: 51. Syntypes 2♂♂: Philippines, Luzon, Benguet Prov., Palali. Range (in code): PH Luz
- 27525. Asura lydia (Donovan,1805)** (Arctiidae) Synonym(s): *lydia* Donovan,1805; *mediastina* Hübner,1827; *gaudens* Walker,1854; *pectinata* Wallengren,1860; *incompleta* Draudt,1914; *confluens* Draudt,1914
Range (in code): AU
- 27526. Asura metamelas (Hampson,1893)** (Arctiidae) Synonym(s): *metamelas* Hampson,1893; *postfusca* Draudt,1914
Range (in code): LK

- 27527. *Asura monospila* Turner, 1940** (Arctiidae) Synonym(s): *monospila* Turner, 1940 _ Range (in code): AU
- 27528. *Asura nubifascia* (Walker, 1864)** (Arctiidae) Synonym(s): *nubifascia* Walker, 1864; *punctifascia* Walker, 1869; *simplicifascia* Elwes, 1890 _ Range (in code): PK Haz Mre IN Hp Dlh CN Ti SI
- 27529. *Asura obliterans* Draudt, 1914** (Arctiidae) Synonym(s): *obliterans* Draudt, 1914 _ Range (in code): AU
- 27530. *Asura obsoleta* (Moore, 1878)** (Arctiidae) Synonym(s): *obsoleta* Moore, 1878; *assamica* Moore, 1878 _ Range (in code): SI IN Ass TH
- 27531. *Asura polyspila* Turner, 1940** (Arctiidae) Synonym(s): *polyspila* Turner, 1940 _ Range (in code): AU
- 27532. *Asura punctata* Rothschild, 1913** (Arctiidae) Synonym(s): *punctata* Rothschild, 1913
Original Reference: *Asura punctata* Rothschild, 1913, Novit. zool. 20: 207. Type ♂: [India]: Khasia Hills, Assam. Range (in code): IN Meg Ass Khs
- 27533. *Asura pyropa* Tams, 1935** (Arctiidae) Synonym(s): *pyropa* Tams, 1935 _ Range (in code): WS
- 27534. *Asura roseogrisea* Rothschild, 1913** (Arctiidae) Synonym(s): *roseogrisea* Rothschild, 1913
Original Reference: *Asura roseogrisea* Rothschild, 1913, Novit. zool. 20: 208. Syntypes ♂♀: [Myanmar]: Lower Burma. Range (in code): MM
- 27535. *Asura rubricosa* (Moore, 1878)** (Arctiidae) Synonym(s): *rubricosa* Moore, 1878; *ochracea* Hampson, 1891 _ Range (in code): Ch LK Nwp IN
- 27536. *Asura ruptifascia* (Hampson, 1893)** (Arctiidae) Synonym(s): *ruptifascia* Hampson, 1893
Range (in code): IN Clc LK Nwp
- 27537. *Asura russula* Kiriakoff, 1963** (Arctiidae) Synonym(s): *russula* Kiriakoff, 1963 _ Range (in code): ZR
- 27538. *Asura semifascia* (Walker, 1854)** (Arctiidae) Synonym(s): *semifascia* Walker, 1854; *obsolescens* Draudt, 1914 _ Range (in code): LK Pdy
- 27539. *Asura semivitreata* (Rothschild, 1913)** (Arctiidae) Synonym(s): *semivitreata* Rothschild, 1913
Range (in code): AU
- 27540. *Asura solita* (Walker, 1854)** (Arctiidae) Synonym(s): *solita* Walker, 1854; *punctilinea* Moore, 1878 _ Range (in code): LK Dck Pdy
- 27541. *Asura striata* Wileman, 1910** (Arctiidae) Synonym(s): *striata* Wileman, 1910 _ Range (in code): TW
- 27542. *Asura strigatula* Rothschild, 1913** (Arctiidae) Synonym(s): *strigatula* Rothschild, 1913
Original Reference: *Asura strigatula* Rothschild, 1913, Novit. zool. 20: 209. Type ♂: [India]: Assam, Khasia Hills. Range (in code): IN Meg Ass Khs
- 27543. *Asura thumataeformis* Strand, 1912** (Arctiidae) Synonym(s): *thumataeformis* Strand, 1912
Range (in code): ZA
- 27544. *Asura toxodes* Hampson, 1907** (Arctiidae) Synonym(s): *toxodes* Hampson, 1907 _ Range (in code): Adm
- 27545. *Asura tricolor* (Wileman, 1910)** (Arctiidae) Synonym(s): *tricolor* Wileman, 1910 _ Range (in code): TW
- 27546. *Asura undulosa* (Walker, 1854)** (Arctiidae) Synonym(s): *undulosa* Walker, 1854; *straminea* Walker, 1856; *decurrrens* Walker, 1864; *excurrrens* Walker, 1864; *kangrana* Strand, 1922 _ Range (in code): IN Hp Sml Kgr SI BT MM
- 27547. *Asura uniformella* Hampson, 1900** (Arctiidae) Synonym(s): *uniformella* Hampson, 1900
Range (in code): WS SB MY
- 27548. *Asura unipuncta* (Leech, 1890)** (Arctiidae) Synonym(s): *unipuncta* Leech, 1890 Original Reference: *Setina unipuncta* Leech, 1890, Entomologist 23: 82. Syntypes: China. Range (in code): CN Sz
- 27549. *Asura unipuncta szetschwanica* (Daniel, 1952)** (Arctiidae) Synonym(s): *szetschwanica* Daniel, 1952 _ Range (in code): CN Sz
- 27550. *Asura varians* (Hampson, 1893)** (Arctiidae) Synonym(s): *variens* Hampson, 1893
Range (in code): LK Nwp Mky Pdy
- 27551. *Asura vivida* (Walker, 1864)** (Arctiidae) Synonym(s): *vivida* Walker, 1864 _ Range (in code): ID Clb
- 27552. *Asura zebrina* (Hampson, 1914)** (Arctiidae) Synonym(s): *zebrina* Hampson, 1914
Range (in code): AU

- 27553. *Asuridia inouei* Wu & Fu, 2013** (Arctiidae) Synonym(s): *inouei* Wu & Fu, 2013 _ Range (in code): TW
- 27554. *Asuridia kishidai* Wu & Fu, 2013** (Arctiidae) Synonym(s): *kishidai* Wu & Fu, 2013 _ Range (in code): TW
- 27555. *Asuridia metaphae* Hampson, 1900** (Arctiidae) Synonym(s): *metaphae* Hampson, 1900 _ Original Reference: Asuridia metaphae Hampson, 1900, Cat. Lep. Phalaenae Br. Mus. 2: 413, pl. 29 fig. 20. Type: Sikkim Range (in code): IN SI TH
- 27556. *Asuridia rubripennis* Inoue, 1988** (Arctiidae) Synonym(s): *rubripennis* Inoue, 1988 _ Range (in code): TW
- 27557. *Atelophleps tridesma* Turner, 1940** (Arctiidae) Synonym(s): *tridesma* Turner, 1940 _ Range (in code): AU
- 27558. *Ateucheta zatesima* (Hampson, 1914)** (Arctiidae) Synonym(s): *zatesima* Hampson, 1914; *zetesima* Turner, 1915 _ Range (in code): AU
- 27559. *Atlantarctia dido* (Wagner, 1841)** (Arctiidae) Synonym(s): *dido* Wagner, 1841 _ Original Reference: Euprepia dido Wagner, 1841, Reiser Regent. Algier 3: 209, pl. 9. Type: Algeria. Range (in code): AET DZ DhM TN Tun
- 27560. *Atlantarctia dido dido* (Wagner, 1841)** (Arctiidae) Synonym(s): *dido* Wagner, 1841 _ Original Reference: Euprepia dido Wagner, 1841, Reiser Regent. Algier 3: 209, pl. 9. Type: Algeria. Range (in code): AET DZ DhM TN Tun
- 27561. *Atlantarctia oberthueri* (Oberthür, 1890)** (Arctiidae) Synonym(s): *oberthueri* Oberthür, 1890; else Nissen, 1917. _ Original Reference: Chelonia oberthueri Oberthür, 1890, Etud. Ent. 13: 27, pl. 7 figs. 47-48. Type: Lambèze. Range (in code): AET DZ TN Lbs Blid
- 27562. *Atlantarctia oberthueri oberthueri* (Oberthür, 1890)** (Arctiidae) Synonym(s): *oberthueri* Oberthür, 1890; else Nissen, 1917. _ Original Reference: Chelonia oberthueri Oberthür, 1890, Etud. Ent. 13: 27, pl. 7 figs. 47-48. Type: Lambèze. Range (in code): AET DZ TN Lbs Blid
- 27563. *Atlantarctia tigrina* (Villers, 1789)** (Arctiidae) Synonym(s): *fasciata* Esper, [1785] (*praeocc.*); *tigrina* Villers, 1789. _ Range (in code): PT ES Cs FR IT
- 27564. *Atlantarctia tigrina esperi* (Staudinger, 1870)** (Arctiidae) Synonym(s): *esperi* Staudinger, 1870; *bevani* Gomez-Bustillo & Viedma, 1977 _ Range (in code): ES Cs
- 27565. *Atlantarctia tigrina tigrina* (Villers, 1789)** (Arctiidae) Synonym(s): *fasciata* Esper, [1785] (*praeocc.*); *tigrina* Villers, 1789. _ Range (in code): PT FR IT
- 27566. *Atlantarctia ungemachi* (Le Cerf, 1924)** (Arctiidae) Synonym(s): *ungemachi* Le Cerf, 1924 _ Range (in code): MA Ifr
- 27567. *Atlantarctia ungemachi ungemachi* (Le Cerf, 1924)** (Arctiidae) Synonym(s): *ungemachi* Le Cerf, 1924 _ Range (in code): MA Ifr
- 27568. *Atolmis rubricollis* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *rubricollis* Linnaeus, 1758 _ Original Reference: Phalaena rubricollis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 511. Type(s): Europa. Range (in code): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Smt Bjo
- 27569. *Axiopoenia karelini* Ménétériés, 1863** (Arctiidae) Synonym(s): *karelini* Ménétériés, 1863; *transcaucasia* Sheljuzhko, 1926; *manissadjiani* O. Bang-Haas, 1927. _ Original Reference: Axiopoenia karelini Ménétériés, 1863, Cat. Lép. Petersburg 3: 160, pl. 17 fig. 5. Range (in code): Cc GG Btm Tbl Abk Sok TR AM Mig AZ Nv IQ Rwz Brs IR Bzg Ab Lo Km Kz Bk By Es Fa Shr
- 27570. *Axiopoenia karelini karelini* Ménétériés, 1863** (Arctiidae) Synonym(s): *karelini* Ménétériés, 1863; *transcaucasia* Sheljuzhko, 1926; *#transcaucasia* Sheljuzhko, 1926; *manissadjiani* O. Bang-Haas, 1927. _ Original Reference: Axiopoenia karelini Ménétériés, 1863, Cat. Lép. Petersburg 3: 160, pl. 17 fig. 5. Range (in code): Cc GG Btm Tbl Abk Sok TR AM Mig AZ Nv IQ Rwz Brs IR Bzg Ab Lo Km Kz Bk By Es Fa Shr
- 27571. *Axiopoenia maura* (Eichwald, 1830)** (Arctiidae) Synonym(s): *maura* Eichwald, 1830; *fluviatilis* Swinhoe, 1885. _ Original Reference: Bombyx maura Eichwald, 1830, Zoologia specialis 2: 196. Syntypes: [Turkmenistan]: Krasnowodsk. Range (in code): Cc AZ Nv Ord TM Kp Krn IR Th Qm Es GlS Se Kh Ke Ss Fa AF Ku Kab PK Bl Qu _ Bionomy: Larva on Centaurea; Artemisia (Asteraceae) (Romanoff, 1884; Christoph, 1885).
- 27572. *Axiopoenia maura maura* (Eichwald, 1830)** (Arctiidae) Synonym(s): *maura* Eichwald, 1830; *fluviatilis* Swinhoe, 1885. _ Original Reference: Bombyx maura Eichwald, 1830, Zoologia specialis 2: 196. Syntypes: [Turkmenistan]: Krasnowodsk. Range (in code): Cc AZ Nv Ord TM Kp Krn IR Th Qm Es GlS Se Kh Ke Ss Fa AF Kab Ku PK Bl Qu

- 27573. *Balbura dorsisigna* Walker, 1854** (Arctiidae) Synonym(s): *dorsisigna* Walker, 1854
Range (in code): **HN PA VE MX**
- 27574. *Balbura fasciata* Schaus, 1911** (Arctiidae) Synonym(s): *fasciata* Schaus, 1911 _ Range (in code): **MX CR**
- 27575. *Baroa oryza* Cerny, 2011** (Arctiidae) Synonym(s): *oryza* Cerny, 2011 _ Range (in code): **PH Mno**
- 27576. *Baroa peniculata* Cerny, 2011** (Arctiidae) Synonym(s): *peniculata* Cerny, 2011 _ Range (in code): **PH Luz**
- 27577. *Baroa punctibasalis* Wileman & West, 1928** (Arctiidae) Synonym(s): *punctibasalis* Wileman & West, 1928 _ Range (in code): **PH Luz Sam Pal**
- 27578. *Baroa punctivaga* (Walker, 1855)** (Arctiidae) Synonym(s): *punctivaga* Walker, 1855
Range (in code): **ID Ja**
- 27579. *Baroa siamica* Hampson, 1911** (Arctiidae) Synonym(s): *siamica* Hampson, 1911; *javanica* Kalis, 1934
Original Reference: *Baroa siamica* Hampson, 1911, Ann. Mag. nat. Hist. (8) 8: 411.
Type ♀: [Thailand]: Siam, Muok-Lek (Fruhstorfer). Range (in code): **TH ID Ja PH Luz Mno**
- 27580. *Baroa siamica maramaga* Cerny, 2011** (Arctiidae) Synonym(s): *maramaga* Cerny, 2011
Range (in code): **PH Mno**
- 27581. *Baroa vatata* Swinhoe, 1894** (Arctiidae) Synonym(s): *vatata* Swinhoe, 1894 _ Range (in code): **IN Ass Khs**
- 27582. *Barsine compar* (Fang, 1991)** (Arctiidae) Synonym(s): *compar* Fang, 1991 _ Range (in code): **CN Hun Sz Kwa**
- 27583. *Barsine conformis* (Fang, 1991)** (Arctiidae) Synonym(s): *conformis* Fang, 1991 _ Range (in code): **CN Kwa**
- 27584. *Barsine cuneonotata* (Walker, 1855)** (Arctiidae) Synonym(s): *cuneonotata* Walker, 1855
Original Reference: *Anmatho cuneonotata* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 759. Type: Ceylon. Range (in code): **TH CMa LK Nwp Pdy**
- 27585. *Barsine defecta* Walker, 1854** (Arctiidae) Synonym(s): *defecta* Walker, 1854
Original Reference: *Barsine defecta* Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 546. Type: Nepal. Range (in code): **NP TH CMa CDo**
- 27586. *Barsine dimidiata* (Fang, 1991)** (Arctiidae) Synonym(s): *dimidiata* Fang, 1991 _ Range (in code): **CN Kwa Hun**
- 27587. *Barsine eccentrica* (Meyrick, 1894)** (Arctiidae) Synonym(s): *eccentrica* Meyrick, 1894
Original Reference: *Miltochrista eccentrica* Meyrick, 1894, Trans. ent. Soc. London 1894: 3. Syntypes 2♂: [Myanmar]: Upper Burma: Koni. Range (in code): **IN Ass MM Kni TH CMa Pap Mro**
- 27588. *Barsine euprepioides* (Moore, 1862)** (Arctiidae) Synonym(s): *euprepioides* Moore, 1862
VN TH
- 27589. *Barsine gratiosa* Guérin-Ménéville, 1843** (Arctiidae) Synonym(s): *gratiosa* Guérin-Ménéville, 1843; *striata* Bremer & Grey, 1852; *mactans* Butler, 1877; *pulchra* Butler, 1877; *flammealis* Moore, 1878; *pretiosa* Moore, 1879; *obsoleta* Reich, 1937
Original Reference: *Euchelia gratiosa* Guérin-Ménéville, 1843, Deless. Souv. Inde 2: 90, pl. 26 fig. 1. Type: "le monts Neelgheries". Range (in code): **JP CN IN NI LK Pdy MM TH CMa CDo CD2**
- 27590. *Barsine longistriga* (Fang, 1991)** (Arctiidae) Synonym(s): *longistriga* Fang, 1991 _ Range (in code): **CN Hun Yu Kwa**
- 27591. *Barsine maculifasciata* (Hampson, 1894)** (Arctiidae) Synonym(s): *maculifasciata* Hampson, 1894
Original Reference: *Miltochrista maculifasciata* Hampson, 1894, [in] Blanford, W.T., The Fauna of British India, Moths 2: 110-111. Type ♀: [Myanmar]: Burma (BMNH). Range (in code): **MM TH CMa Qs Qs15**
- 27592. *Barsine roseororatus* (Butler, 1877)** (Arctiidae) Synonym(s): *roseororatus* Butler, 1877
MY ID
- 27593. *Barsine sauteri* (Strand, 1917)** (Arctiidae) Synonym(s): *sauteri* Strand, 1917; *orientalis* Daniel, 1954 _ Range (in code): **NP IN Ass CN Yu TH CMa Phe Nan Mae CRa Kao**
- 27594. *Barsine sauteri bigamica* Cerny, 2009** (Arctiidae) Synonym(s): *bigamica* Cerny, 2009
Range (in code): **TH CMa Phe Nan Mae CRa Kao**
- 27595. *Barsine scripta* Walker, 1854** (Arctiidae) Synonym(s): *scripta* Walker, 1854; *meander* Snellen, 1879 _ **ID**
- 27596. *Barsine senara* Moore, 1859** (Arctiidae) Synonym(s): *senara* Moore, 1859 _ **VN**
- 27597. *Barsine sinuata* (Fang, 1991)** (Arctiidae) Synonym(s): *sinuata* Fang, 1991 _ Range (in code): **CN Kwa**

- 27598. *Bertholdia albipuncta* Schaus,1896** (Arctiidae) Synonym(s): *albipuncta* Schaus,1896
Range (in code): **MX**
- 27599. *Bertholdia crocea* Schaus,1910** (Arctiidae) Synonym(s): *crocea* Schaus,1910 - Range (in code): **MX CR**
- 27600. *Bertholdia flavilucens* Schaus,1920** (Arctiidae) Synonym(s): *flavilucens* Schaus,1920
Range (in code): **MX GT**
- 27601. *Bertholdia myosticta* Hampson,1901** (Arctiidae) Synonym(s): *myosticta* Hampson,1901
Range (in code): **MX PE BR**
- 27602. *Bertholdia schausiana* Dyar,1898** (Arctiidae) Synonym(s): *schausiana* Dyar,1898
Range (in code): **MX CR**
- 27603. *Bertholdia specularis* (Herrich-Schäffer,[1853])** (Arctiidae) Synonym(s): *specularis* Herrich-Schäffer,[1853] - Range (in code): **CR EC CO MX**
- 27604. *Bertholdia trigona* (Grote,1879)** (Arctiidae) Synonym(s): *trigona* Grote,1879 - Range (in code): **MX**
- 27605. *Binna pencillata* Walker,[1865]** (Arctiidae) Synonym(s): *pencillata* Walker,[1865]
Range (in code): **SL GH**
- 27606. *Binna scita* (Walker,[1865])** (Arctiidae) Synonym(s): *scita* Walker,[1865] - Range (in code): **SL SN GH NG**
- 27607. *Biturix venosata* Walker,1864** (Arctiidae) Synonym(s): *venosata* Walker,1864 - Range (in code): **MX**
- 27608. *Boadicea flavimacula* Pinhey,1968** (Arctiidae) Synonym(s): *flavimacula* Pinhey,1968
Range (in code): **ZA**
- 27609. *Borearctia menetriesi* (Eversmann,1846)** (Arctiidae) Synonym(s): *menetriesi* Eversmann,1846 - Range (in code): **FI RU KG At Ya Sb Am Vv CN Mc**
- 27610. *Borearctia menetriesi menetriesi* (Eversmann,1846)** (Arctiidae) Synonym(s): *menetriesi* Eversmann,1846 - Range (in code): **FI RU KG At Ya Sb Am Vv CN Mc**
- 27611. *Calamidia hirta* (Walker,1854)** (Arctiidae) Synonym(s): *hirta* Walker,1854; *salpinctis* Meyrick,1886 - Range (in code): **AU**
- 27612. *Calidota clarcana* Dyar,1916** (Arctiidae) Synonym(s): *clarcana* Dyar,1916 - Range (in code): **MX**
- 27613. *Calidota divina* (Schaus,1889)** (Arctiidae) Synonym(s): *divina* Schaus,1889 - Range (in code): **MX**
- 27614. *Calidota guzmani* Beutelspacher,1981** (Arctiidae) Synonym(s): *guzmani* Beutelspacher,1981 - Range (in code): **MX**
- 27615. *Calidota lubeckei* Beutelspacher,1986** (Arctiidae) Synonym(s): *lubeckei* Beutelspacher,1986 - Range (in code): **MX**
- 27616. *Calidota obscurior* (Druce,1885)** (Arctiidae) Synonym(s): *obscurior* Druce,1885
Range (in code): **MX**
- 27617. *Calidota phryganoides* (Walker,1885)** (Arctiidae) Synonym(s): *phryganoides* Walker,1885 - Range (in code): **MX**
- 27618. *Callimorpha dominula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. Original Reference: *Phalaena dominula* Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa]. Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IQ IR Gh Mz Gl Ab Ak Cc AM GG Smt Bjo Lag AZ DK NO SE FI EE LV LT RU VI MD UA BY TM** Bionomy: Larva on *Cirsium*, *Cynoglossum* (Asteraceae); *Fraxinus* (Oleaceae); *Lamium* (Lamiaceae); *Myosotis* (Boraginaceae); *Rubus idaeus* (Rosaceae); *Populus tremula*, *Salix* (Salicaceae); *Lonicera* (Meyer,1919).
- 27619. *Callimorpha dominula bithynica* Staudinger,1871** (Arctiidae) Synonym(s): *bithynica* Staudinger,1871; *balcanica* Daniel,1952. Original Reference: *Callimorpha dominula* var. *bithynica* Staudinger,1871, Cat. Lepid. Eur. Faunengeb. (Edn.2): 56. Type(s): [Türkei]: Bithynien [Bursa]. Range (in code): **TR Cc MK**
- 27620. *Callimorpha dominula dominula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943. Original Reference: *Phalaena dominula* Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa]. Range (in code): **ES FR GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD Cm UA BY**

- 27621. *Callimorpha dominula italica* Standfuss, 1884** (Arctiidae) Synonym(s): *italica* Standfuss, 1884 Original Reference: *Callimorpha dominula* var. *italica* Standfuss, 1884, CorrBl. Ent. Ver., Iris 1: 26, Taf. 1 fig. 9. Type: Italia: Piemont. Range (in code): **IT**
- 27622. *Callimorpha dominula kurdistanica* Thomas, 1983** (Arctiidae) Synonym(s): *kurdistanica* Thomas, 1983 Original Reference: *Callimorpha dominula* ssp. *kurdistanica* Thomas, 1983, Ent. Z., Frankf. a. M. 93 (8): 107-110, Abb. 1-4. Holotype ♂: Türkei: Hakkari, vic. Üzümcü, 1200-1400m 7-11.vii.1979 leg. E. Görgner (SMF). Range (in code): **TR ?IQ**
- 27623. *Callimorpha dominula lusitanica* Staudinger, 1894** (Arctiidae) Synonym(s): *lusitanica* Staudinger, 1894 Original Reference: *Callimorpha dominula* var. *lusitanica* Staudinger, 1894, Dt. ent. Z., Iris 7: 256. Type(s): Portugal. Range (in code): **PT**
- 27624. *Callimorpha dominula persica* Le Cerf, 1913** (Arctiidae) Synonym(s): *persica* Le Cerf, 1913 Original Reference: *Callimorpha dominula* ssp. *persica* Le Cerf, 1913, Ann. Hist. nat. Paris Ent. 2: 82, Pl. 1 fig. 10. Type ♀: Iran: Serdob-e-bali. Range (in code): **IR**
- 27625. *Callimorpha dominula persona* (Hübner, 1790)** (Arctiidae) Synonym(s): *persona* Hübner, 1790; *donna* Esper, [1794]. Original Reference: *Phalaena persona* Hübner, 1790, Beitr. Eur. Schmett. 2(4): 97, Taf. 4 (V). Range (in code): **IT**
- 27626. *Callimorpha dominula philippsi* Bartel, 1906** (Arctiidae) Synonym(s): *philippsi* Bartel, 1906. Range (in code): **IR Gh Mz Gls Elb Cc AZ TM**
- 27627. *Callimorpha dominula pompalis* Nitschke, [1926]** (Arctiidae) Synonym(s): *pompalis* Nitschke, [1926]; *subalpina* Dannehl, 1928; *majellica* Dannehl, 1929. Original Reference: *Callimorpha dominula* ssp. *pompalis* Nitschke, [1926], Verh. zool.- bot. Ges. Wien 74/75: (65). Range (in code): **AT IT**
- 27628. *Callimorpha dominula postochrea* Stauder, 1925** (Arctiidae) Synonym(s): *postochrea* Stauder, 1925 Original Reference: *Callimorpha dominula* ssp. *postochrea* Stauder, 1925, Societas Ent. 40: 7. Type(s): Monte Faito. Range (in code): **IT**
- 27629. *Callimorpha dominula rossica* Kolenati, 1846** (Arctiidae) Synonym(s): *rossica* Kolenati, 1846; ? *lutea* Staudinger, 1861; *teberdina* Sheljuzhko, 1934; *swanetica* Reichl, 1935. Original Reference: *Callimorpha dominula* var. *rossica* Kolenati, 1846, Mel. Ent. 5: 95. Range (in code): **TR AM GG Cc IR Ab Ak**
- 27630. *Callindra arginalis* (Hampson, 1894)** (Arctiidae) Synonym(s): *arginalis* Hampson, 1894; *gigantea* Röber, 1925 Range (in code): **IN CN Yu KwT**
- 27631. *Calodesma maculifrons* (Walker, 1865)** (Arctiidae) Synonym(s): *maculifrons* Walker, 1865 Range (in code): **MX**
- 27632. *Calodesma melanchroia* (Boisduval, 1870)** (Arctiidae) Synonym(s): *melanchroia* Boisduval, 1870 Range (in code): **MX GT**
- 27633. *Calpenia (Sebastia) argus* (Walker, 1862)** (Arctiidae) Synonym(s): *argus* Walker, 1862; *elegans* Moore, 1866 Range (in code): **CN Yu IN BD**
- 27634. *Calpenia (s.str.) khasiana* Moore, 1878** (Arctiidae) Synonym(s): *khasiana* Moore, 1878 Range (in code): **IN Ass Meg Khs**
- 27635. *Calpenia (s.str.) saundersi* Moore, 1872** (Arctiidae) Synonym(s): *saundersi* Moore, 1872 Range (in code): **CN Yu IN**
- 27636. *Calpenia (s.str.) siniaevi* Witt & Speidel, 2006** (Arctiidae) Synonym(s): *siniaevi* Witt & Speidel, 2006 Range (in code): **CN Kig**
- 27637. *Calpenia (s.str.) takamukui* Matsumura, 1930** (Arctiidae) Synonym(s): *takamukui* Matsumura, 1930 Range (in code): **CN Fkn TW KwT**
- 27638. *Calpenia (s.str.) zerenaria* (Oberthür, 1886)** (Arctiidae) Synonym(s): *zerenaria* Oberthür, 1886 Range (in code): **CN Hpe Sz Yu She Gn Pkn Hph**
- 27639. *Canararctia rufescens* (Brullé, 1836)** (Arctiidae) Synonym(s): *rufescens* Brullé, 1836 Range (in code): **Cn**
- 27640. *Canararctia rufescens gomerensis* (Pinker & Bacallado, [1979])** (Arctiidae) Synonym(s): *gomerensis* Pinker & Bacallado, [1979] Range (in code): **Cn**
- 27641. *Canararctia rufescens rufescens* (Brullé, 1836)** (Arctiidae) Synonym(s): *rufescens* Brullé, 1836 Range (in code):
- 27642. *Capissa vagesa* (Moore, [1860])** (Arctiidae) Synonym(s): *vagesa* Moore, [1860]; *innotata* Butler, 1877; *auriflava* Moore, 1878; *flavens* Moore, 1878 Original Reference: *Lithosia vagesa* Moore, [1860], [in] Horsfield & Moore, Cat. lep. Ins. Mus. Nat. East India House 2: 304. Type: India: Darjeeling. Range (in code): **IN Djl SI Ass Ch PK Swa Alp NP MM**

- 27643. Carales astur (Cramer,1779)** (Arctiidae) Synonym(s): *astur* Cramer,1779; *albicans* Walker,1855; *pustulata* Packard,1869 _ Range (in code): MX
- 27644. Carathis byblis (Schaus,1892)** (Arctiidae) Synonym(s): *byblis* Schaus,1892 _ Range (in code): MX BR
- 27645. Carcinartia kivuensis Joicey & Talbot,1924** (Arctiidae) Synonym(s): *kivuensis* Joicey & Talbot,1924 _ Range (in code): ZR
- 27646. Carcinartia laeliodes Hampson,1916** (Arctiidae) Synonym(s): *laeliodes* Hampson,1916; *clarissima* Gaede,1926. _ Range (in code): KE RW ZR
- 27647. Carcinartia laeliodes fasciata Debauche,1942** (Arctiidae) Synonym(s): *fasciata* Debauche,1942 _ Range (in code): ZR
- 27648. Carcinartia laeliodes laeliodes Hampson,1916** (Arctiidae) Synonym(s): *laeliodes* Hampson,1916; *clarissima* Gaede,1926. _ Range (in code): KE RW
- 27649. Carcinartia metamelaena Hampson,1901** (Arctiidae) Synonym(s): *metamelaena* Hampson,1901 _ Range (in code): KE
- 27650. Carcinartia rougeoti Toulgoet,1977** (Arctiidae) Synonym(s): *rougeoti* Toulgoet,1977 _ Range (in code): ET
- 27651. Carcinartia rufa Joicey & Talbot,1921** (Arctiidae) Synonym(s): *rufa* Joicey & Talbot,1921; *xanthica* Joicey & Talbot,1924; *kivuensis* Debauche,1942. _ Range (in code): ZR UG
- 27652. Carcinopodia argentata (Distant,1897)** (Arctiidae) Synonym(s): *argentata* Distant,1897 _ Range (in code): ZA Tva Gau Pre
- 27653. Carcinopyga gurkoi Kautt & Saldaitis,1997** (Arctiidae) Synonym(s): *gurkoi* Kautt & Saldaitis,1997 _ Range (in code): TJ Pm AF
- 27654. Carcinopyga gurkoi gurkoi Kautt & Saldaitis,1997** (Arctiidae) Synonym(s): *gurkoi* Kautt & Saldaitis,1997 _ Range (in code): TJ Pm AF
- 27655. Carcinopyga lichenigera C.Felder & R.Felder,1874** (Arctiidae) Synonym(s): *lichenigera* C.Felder & R.Felder,1874 _ Range (in code): IN Ld Ch PK AF
- 27656. Carcinopyga lichenigera nuytenae De Freina,1982** (Arctiidae) Synonym(s): *nuytenae* De Freina,1982 _ Range (in code): PK Ch
- 27657. Carcinopyga lindti Cerny,1986** (Arctiidae) Synonym(s): *lindti* Cerny,1986 _ Original Reference: Carcinopyga lindti Cerny,1986, Neue ent. Nachr. 19 (1/2): 31. Range (in code): UZ T-S KK Ik KuA TeA TrA KG Aa DsA
- 27658. Carcinopyga lindti lindti Cerny,1986** (Arctiidae) Synonym(s): *lindti* Cerny,1986 _ Original Reference: Carcinopyga lindti Cerny,1986, Neue ent. Nachr. 19 (1/2): 31. Range (in code): UZ T-S KK Ik KuA TeA TrA KG Aa DsA
- 27659. Carcinopyga proserpina (Staudinger,1887)** (Arctiidae) Synonym(s): *proserpina* Staudinger,1887 _ Range (in code): TJ Pm UZ Smk AF Pag
- 27660. Carcinopyga proserpina proserpina (Staudinger,1887)** (Arctiidae) Synonym(s): *proserpina* Staudinger,1887 _ Range (in code): TJ Pm UZ Smk AF Pag
- 27661. Caripodia chrysargyria Hampson,1900** (Arctiidae) Synonym(s): *chrysargyria* Hampson,1900 _ Range (in code): ZA ZW Har TZ
- 27662. Caripodia consimilis Hampson,1918** (Arctiidae) Synonym(s): *consimilis* Hampson,1918 _ Range (in code): ZA
- 27663. Caryatis hersilia Druce,1887** (Arctiidae) Synonym(s): *hersilia* Druce,1887 _ Range (in code): CM NG ZA
- 27664. Caryatis phileta (Drury,[1782])** (Arctiidae) Synonym(s): *phileta* Drury,[1782] _ Range (in code): SL GH NG GA
- 27665. Caryatis stenoperas Hampson,1910** (Arctiidae) Synonym(s): *stenoperas* Hampson,1910 _ Range (in code): UG CG
- 27666. Caryatis syntomina Butler,1878** (Arctiidae) Synonym(s): *syntomina* Butler,1878 _ Range (in code): SL NG
- 27667. Castrica phalaenoides (Drury,1773)** (Arctiidae) Synonym(s): *phalaenoides* Drury,1773; *oweni* Schaus,1896 _ Range (in code): MX HN CR VE
- 27668. Castulo doubledayi Newman,1857** (Arctiidae) Synonym(s): *doubledayi* Newman,1857; *rubricosta* Walker,[1865]; *binotata* Walker,1869 _ Range (in code): AU
- 27669. Castulo plagiata Walker,1854** (Arctiidae) Synonym(s): *plagiata* Walker,1854; *struthias* Meyrick,1886 _ Range (in code): AU

- 27670. *Centrarctia mongolica* (Alpheraky,1888)** (Arctiidae) Synonym(s): *mongolica* Alpheraky,1888; *serarum* Groum-Grshimailo,1899; *serum* Groum-Grshimailo,1902. Range (in code): MN RU Tv CN
- 27671. *Centrarctia mongolica mongolica* (Alpheraky,1888)** (Arctiidae) Synonym(s): *mongolica* Alpheraky,1888; *serarum* Groum-Grshimailo,1899; *serum* Groum-Grshimailo,1902. Range (in code): MN RU Tv CN
- 27672. *Chamaita barbardi* (Lucas,1894)** (Arctiidae) Synonym(s): *barbardi* Lucas,1894 Range (in code): AU QAU
- 27673. *Chamaita celebensis* Roepke,1946** (Arctiidae) Synonym(s): *celebensis* Roepke,1946 Range (in code): ID Clb
- 27674. *Chamaita hirta* Wileman,1911** (Arctiidae) Synonym(s): *hirta* Wileman,1911 Range (in code): TW
- 27675. *Chamaita niveata* Rothschild,1913** (Arctiidae) Synonym(s): *niveata* Rothschild,1913 Range (in code): ID Ij Gth
- 27676. *Chamaita nubifera* Hampson,1918** (Arctiidae) Synonym(s): *nubifera* Hampson,1918 Range (in code): PH
- 27677. *Chamaita nympha* (Moore,1887)** (Arctiidae) Synonym(s): *nympha* Moore,1887 Range (in code): LK Pdy
- 27678. *Chelis caecilia* (Lederer,1853)** (Arctiidae) Synonym(s): *caecilia* Lederer,1853; *insularia* Kozhantschikov,1904. Range (in code): RU Kj Mnu KG At Bry MN
- 27679. *Chelis caecilia caecilia* (Lederer,1853)** (Arctiidae) Synonym(s): *caecilia* Lederer,1853; *insularia* Kozhantschikov,1904. Range (in code): RU Kj Mnu KG At Bry MN
- 27680. *Chelis dahurica* (Boisduval,1832)** (Arctiidae) Synonym(s): *dahurica* Boisduval,1832; *gruneri* Staudinger,1867; *sojota* Tschetverikov,1904. Range (in code): CN Ui RU At Tv Ur Sb Bn No Kg Om KG Sau Sj Us MN
- 27681. *Chelis dahurica dahurica* (Boisduval,1832)** (Arctiidae) Synonym(s): *dahurica* Boisduval,1832; *gruneri* Staudinger,1867; *sojota* Tschetverikov,1904. Range (in code): CN Ui RU At Tv Ur Sb Bn No Kg Om KG Sau Sj Us MN
- 27682. *Chelis ferghana* Dubatolov,1988** (Arctiidae) Synonym(s): *ferghana* Dubatolov,1988 Original Reference: Chelis ferghana Dubatolov,1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.1n,2e. Range (in code): UZ Fe KG Tls
- 27683. *Chelis ferghana ferghana* Dubatolov,1988** (Arctiidae) Synonym(s): *ferghana* Dubatolov,1988 Original Reference: Chelis ferghana Dubatolov,1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.1n,2e. Range (in code): UZ Fe KG Tls
- 27684. *Chelis maculosa* (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933. Original Reference: Bombyx maculosa Gerning,1780, Frankf. Beytr. wiss. Z.: 862. Type(s): Deutschland: Frankfurt a. Main. Range (in code): PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU MN TM Kp KG Uk UA Cm Sb CN Ui Bionomy: Larva on Galium aparine, G. verum (Rubiaceae) (Meyer,1919).
- 27685. *Chelis maculosa arragonensis* (Staudinger,1894)** (Arctiidae) Synonym(s): *arragonensis* Staudinger,1894; *centralhispanica* Daniel,1935. Original Reference: Arctia maculosa var. arragonensis Staudinger,1894, Dt. ent. Z., Iris 1894: 256. Syntypes: Spanien: Aragonien. Range (in code): ES
- 27686. *Chelis maculosa honesta* (Tauscher,1806)** (Arctiidae) Synonym(s): *honesta* Tauscher,1806; *mannerheimi* Duponchel,1836 Range (in code): UA Cm RU KG Sb CN Ui
- 27687. *Chelis maculosa maculosa* (Gerning,1780)** (Arctiidae) Synonym(s): *#maculosa* [Denis & Schiffermüller],1775; *maculosa* Gerning,1780; *monacensis* Osthelder,1933. Original Reference: Bombyx maculosa Gerning,1780, Frankf. Beytr. wiss. Z.: 862. Type(s): Deutschland: Frankfurt a. Main. Range (in code): DE CH AT PL CZ SK HU RO YU AL GR RU MN TM Kp KG Uk
- 27688. *Chelis maculosa slivnoensis* (Rebel,1903)** (Arctiidae) Synonym(s): *slivnoensis* Rebel,1903 Original Reference: Arctia maculosa var. slivnoensis Rebel,1903, Annln. naturh. Mus. Wien 18: 275. Type(s): Bulgarien: Sliven. Range (in code): BG TR
- 27689. *Chelis maculosa stertzi* (Schulz,1902)** (Arctiidae) Synonym(s): *stertzi* Schulz,1902; *latina* Turati,1909; *marsicana* Dannehl,1929; *boursini* Daniel,1935; *arlanzona* Agenjo,1937; *nordiberica* Agenjo,1937. Range (in code): PT ES FR IT
- 27690. *Chelis reticulata* (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887 Original Reference: Arctia maculosa var. reticulata Christoph,1887, Stettin ent. Ztg. 48: 163. Range (in code): TR Cc GG AZ Nv IR Th GlS Gor AM RU Da Kb Teb TM Kp LB IR

- 27691. *Chelis reticulata reticulata* (Christoph,1887)** (Arctiidae) Synonym(s): *reticulata* Christoph,1887 Original Reference: *Arctia maculosa* var. *reticulata* Christoph,1887, Stettin ent. Ztg. 48: 163. Range (in code): **TM Kp**
- 27692. *Chelis reticulata schwingenschussi* Daniel,1933** (Arctiidae) Synonym(s): *schwingenschussi* Daniel,1933 Range (in code): **LB**
- 27693. *Chelis reticulata sultana* Schwingenschuss,1938** (Arctiidae) Synonym(s): *sultana* Schwingenschuss,1938 Range (in code): **Cc TR**
- 27694. *Chelis reticulata transcaucasica* Dubatolov,1988** (Arctiidae) Synonym(s): *transcaucasica* Dubatolov,1988 Original Reference: *Chelis reticulata* ssp. *transcaucasica* Dubatolov,1988, Taksonomiya zhivotnykh Sibiri, Novosibirsk: 92, fig.2d. Range (in code): **?TR GG Cc AZ AM RU Da Kb Teb**
- 27695. *Chelis simplonica* (Boisduval,1840)** (Arctiidae) Synonym(s): *simplonica* Boisduval,1840; *simplonia* Freyer,1843. Range (in code): **FR IT CH**
- 27696. *Chelis simplonica simplonica* (Boisduval,1840)** (Arctiidae) Synonym(s): *simplonica* Boisduval,1840; *simplonia* Freyer,1843. Range (in code): **FR IT CH**
- 27697. *Chelis strigulosa* (Böttcher,1905)** (Arctiidae) Synonym(s): *strigulosa* Böttcher,1905; *thianshana* Dubatolov,1988 Range (in code): **KK Ax KG TrA DsA Tar CN Ui T-S**
- 27698. *Chelis strigulosa strigulosa* (Böttcher,1905)** (Arctiidae) Synonym(s): *strigulosa* Böttcher,1905; *thianshana* Dubatolov,1988 Range (in code): **KK Ax KG TrA DsA Tar CN Ui T-S**
- 27699. *Chetone angulosa* (Walker,1854)** (Arctiidae) Synonym(s): *angulosa* Walker,1854 Range (in code): **MX VE**
- 27700. *Chetone ithomia* Boisduval,1870** (Arctiidae) Synonym(s): *ithomia* Boisduval,1870 Range (in code): **MX HN NI PA**
- 27701. *Chionarctia nivea* (Ménétriés,1859)** (Arctiidae) Synonym(s): *nivea* Ménétriés,1859 Range (in code): **RU Am Prj Us Krl Sh CN Stg Fkn Hun Sz Hnn She Hpe KwT KP KR JP Hkk Kyu**
- 27702. *Chionarctia nivea nivea* (Ménétriés,1859)** (Arctiidae) Synonym(s): *nivea* Ménétriés,1859 Range (in code): **RU Am Prj Us Krl Sh CN Stg Fkn Hun Sz Hnn She Hpe KwT KP KR JP Hkk Kyu**
- 27703. *Chrysaeglia samoensis* Rebel,1915** (Arctiidae) Synonym(s): *samoensis* Rebel,1915 Range (in code): **WS**
- 27704. *Chrysallactis* sp.** (Arctiidae) Synonym(s): Range (in code): **AU**
- 27705. *Chrysomesia lophoptera* (Turner,1940)** (Arctiidae) Synonym(s): *lophoptera* Turner,1940 Range (in code): **AU**
- 27706. *Chrysorabdia bivitta* (Walker,1856)** (Arctiidae) Synonym(s): *bivitta* Walker,1856 Original Reference: *Lithosia bivitta* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1682. Range (in code): **IN TH CMa CDo**
- 27707. *Cisthene angelus* (Dyar,1907)** (Arctiidae) Synonym(s): *angelus* Dyar,1907 Range (in code): **MX**
- 27708. *Cisthene lincea* (Schaus,1921)** (Arctiidae) Synonym(s): *lincea* Schaus,1921 Range (in code): **MX GT**
- 27709. *Cisthene phaeocephus* (Hampson,1900)** (Arctiidae) Synonym(s): *phaeocephus* Hampson,1900 Range (in code): **MX**
- 27710. *Cisthene polyzona* Druce,1885** (Arctiidae) Synonym(s): *polyzona* Druce,1885 Range (in code): **MX BR DO**
- 27711. *Cisthene subrufa* (Barnes & McDunnough,1913)** (Arctiidae) Synonym(s): *subrufa* Barnes & McDunnough,1913 Range (in code): **MX**
- 27712. *Cisthene tenuifascia* Harvey,1875** (Arctiidae) Synonym(s): *tenuifascia* Harvey,1875; *schwarziorum* Dyar,1899; *interrupta* Draudt,1918 Range (in code): **MX**
- 27713. *Cisthene triplagiata* (Rothschild,1913)** (Arctiidae) Synonym(s): *triplagiata* Rothschild,1913 Range (in code): **MX**
- 27714. *Cladarctia quadriramosa* (Kollar,[1844])** (Arctiidae) Synonym(s): *quadriramosa* Kollar,[1844] Original Reference: *Euprepia quadriramosa* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 468. Range (in code): **PK Haz Cte Swa Sgl Klm Kkar Mdy IN Hp Kul Dlh Kgr Kma Alh Up Ch Gs NP CN Ti SI**
- 27715. *Clemensia albata* Packard,1864** (Arctiidae) Synonym(s): *albata* Packard,1864; *albida* Walker,1866; *cana* Walker,1866; *umbrata* Packard,1872; *irrorata* Edwards,1874; *patella* Druce,1885; *philodina* Druce,1885 Range (in code): **MX CR**
- 27716. *Clemensia alembis* Dyar,1910** (Arctiidae) Synonym(s): *alembis* Dyar,1910 Range (in code): **MX**

- 27717. Clemensia brunneomedia Schaus,1905** (Arctiidae) Synonym(s): *brunneomedia Schaus,1905* Range (in code): **MX CR**
- 27718. Clemensia cernitis (Druce,1897)** (Arctiidae) Synonym(s): *cernitis Druce,1897* Range (in code): **MX**
- 27719. Clemensia holocerna Dyar,1916** (Arctiidae) Synonym(s): *holocerna Dyar,1916* Range (in code): **MX**
- 27720. Clemensia leisova Dyar,1916** (Arctiidae) Synonym(s): *leisova Dyar,1916* Range (in code): **MX**
- 27721. Clemensia ophrydina (Druce,1885)** (Arctiidae) Synonym(s): *ophrydina Druce,1885; picosa Dognin,1898* Range (in code): **MX GT EC**
- 27722. Clemensia quinqueferana (Walker,1863)** (Arctiidae) Synonym(s): *quinqueferana Walker,1863* Range (in code): **MX**
- 27723. Composia fidelissima Herrich-Schäffer,1866** (Arctiidae) Synonym(s): *fidelissima Herrich-Schäffer,1866* Range (in code): **MX CU**
- 27724. Coscinia (Lerautia) bifasciata (Rambur,1832)** (Arctiidae) Synonym(s): *bifasciata Rambur,1832* Range (in code): **Co Sa**
- 27725. Coscinia (s.str.) cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria Linnaeus,1758; cribrum Linnaeus,1761; chrysocephala Hübner,[1804]; punctigera Freyer,1834; sibirica Staudinger,1892; bivittata South,1900; fumidaria O.Bang-Haas,1927; arenaria Lempke,1937; nikitini O.Bang-Haas,1938; pannonica Daniel,1955; benderi Marten,1957* Original Reference: *Phalaena cribraria Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa].* Range (in code): **AET DZ TN DhM MA Agi BSa PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA BY KG Ssn Sb Ya MN CN Ui At Mc CY**
- 27726. Coscinia (s.str.) cribraria cribraria (Linnaeus,1758)** (Arctiidae) Synonym(s): *cribraria Linnaeus,1758; cribrum Linnaeus,1761; chrysocephala Hübner,[1804]; punctigera Freyer,1834; sibirica Staudinger,1892; bivittata South,1900; fumidaria O.Bang-Haas,1927; arenaria Lempke,1937; nikitini O.Bang-Haas,1938; pannonica Daniel,1955;...* Original Reference: *Phalaena cribraria Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa].* Range (in code): **AET DZ TN DhM MA Agi BSa PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD Cm UA BY KG Ssn Sb Ya MN CN Ui At Mc CY**
- 27727. Coscinia (s.str.) libyssa (Püngeler,1907)** (Arctiidae) Synonym(s): *libyssa Püngeler,1907* Original Reference: *Euprepia libyssa Püngeler,1907, Societ. Ent. 22: 25. Type: Algeria, Magenta.* Range (in code): **AET Si DZ Mage Sbd Ges**
- 27728. Coscinia (s.str.) libyssa caligans Turati,1907** (Arctiidae) Synonym(s): *caligans Turati,1907* Range (in code): **Si**
- 27729. Coscinia (s.str.) libyssa libyssa (Püngeler,1907)** (Arctiidae) Synonym(s): *libyssa Püngeler,1907* Original Reference: *Euprepia libyssa Püngeler,1907, Societ. Ent. 22: 25. Type: Algeria, Magenta.* Range (in code): **AET DZ Mage Sbd Ges**
- 27730. Coscinia (s.str.) libyssa liouvillei Le Cerf,1928** (Arctiidae) Synonym(s): *liouvillei Le Cerf,1928* Range (in code):
- 27731. Coscinia (s.str.) mariarosae Expósito,1991** (Arctiidae) Synonym(s): *mariarosae Expósito,1991* Range (in code): **ES**
- 27732. Coscinia (s.str.) mariarosae mariarosae Expósito,1991** (Arctiidae) Synonym(s): *mariarosae Expósito,1991* Range (in code): **ES**
- 27733. Coscinia (s.str.) romeii (Sagarra,1924)** (Arctiidae) Synonym(s): *romeii Sagarra,1924* Range (in code): **ES**
- 27734. Coscinia (s.str.) romeii romeii (Sagarra,1924)** (Arctiidae) Synonym(s): *romeii Sagarra,1924* Range (in code): **ES**
- 27735. Crambidia cinnica Schaus,1924** (Arctiidae) Synonym(s): *cinnica Schaus,1924* Range (in code): **MX**
- 27736. Crambidia roberto Dyar,1907** (Arctiidae) Synonym(s): *roberto Dyar,1907* Range (in code): **MX**
- 27737. Cratoplastis diluta R.Felder & Rogenhofer,1874** (Arctiidae) Synonym(s): *diluta R.Felder & Rogenhofer,1874* Range (in code): **MX**
- 27738. Creataloum arabicum (Hampson,1896)** (Arctiidae) Synonym(s): *arabicum Hampson,1896; gracilis Staudinger,1899* Original Reference: *Spilosoma arabicum Hampson,1896, Proc. zool. soc. London 1896: 258, pl.x fig.25. Syntypes ♂♀: [Yemen]: "Aden (Yerbury)".* Range (in code): **IL Pa SA YE Ad IQ IR Ss Hz**

- 27739. Creataloum arabicum arabicum (Hampson,1896)** (Arctiidae) Synonym(s): *arabicum* Hampson,1896; *gracilis* Staudinger,1899 Original Reference: *Spilosoma arabicum* Hampson,1896, Proc. zool. soc. London 1896: 258, pl.x fig.25. Syntypes ♂♂: [Yemen]: "Aden (Yerbury)". Range (in code): YE Ad IL Pa SA IQ IR Ss Hz
- 27740. Creatonotos albidior Wiltshire,1986** (Arctiidae) Synonym(s): *albidior* Wiltshire,1986 Range (in code): SA
- 27741. Creatonotos albidior albidior Wiltshire,1986** (Arctiidae) Synonym(s): *albidior* Wiltshire,1986 Range (in code): SA
- 27742. Creatonotos brunnipennis Bartel,1903** (Arctiidae) Synonym(s): *brunnipennis* Bartel,1903 Original Reference: *Creatonotos brunnipennis* Bartel,1903, Dt. ent. Z., Iris 16: 195. Syntypes: [Tanzania]: "Udjidji". Range (in code): SL AO UG TZ
- 27743. Creatonotos flavidus Bartel,1903** (Arctiidae) Synonym(s): *flavidus* Bartel,1903 Original Reference: *Creatonotos flavidus* Bartel,1903, Dt. ent. Z., Iris 16: 196. Syntypes: [Namibia]. Range (in code): NA ZA AO
- 27744. Creatonotos gangis (Linnaeus,1763)** (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuatus* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919. Original Reference: *Phalaena gangis* Linnaeus,1763, Centuria insectorum rariorum: 27, nr.82. Type: [Indonesia]: Java. Range (in code): CN TW IN Mh Nsk NP PK LK Pdy Cob Nwe TH CMa Cuo Cuo7 MY MM SG ID Nia Ja Sum Bor Flo Clb Lb Sbw PH Mdo Luz Mno Pan AU QAU NAU Dwn Cai Mck Gtn WAU Tw
- 27745. Creatonotos gangis gangis (Linnaeus,1763)** (Arctiidae) Synonym(s): *gangis* Linnaeus,1763; *interrupta* Linnaeus,1767; *francisca* Fabricius,1787; *continuatus* Moore,1877; *#pallida* Rothschild,1914; *#nigrescens* Rothschild,1914; *#feminatus* Strand,1919. Original Reference: *Phalaena gangis* Linnaeus,1763, Centuria insectorum rariorum: 27, nr.82. Type: [Indonesia]: Java. Range (in code): CN TW IN Mh Nsk NP PK LK TH CMa Cuo Cuo7 MY MM SG ID Nia Ja Sum Bor Flo Clb Lb Sbw PH Mdo Luz Pan Mno AU QAU NAU Dwn Cai Mck Gtn WAU Tw
- 27746. Creatonotos kishidai Dubatolov & Holloway,2006** (Arctiidae) Synonym(s): *kishidai* Dubatolov & Holloway,2006 Range (in code): ID Clb
- 27747. Creatonotos leucanioides Holland,1893** (Arctiidae) Synonym(s): *leucanioides* Holland,1893; *defasciata* Strand,1919. Range (in code): SL GA NG CM
- 27748. Creatonotos leucanioides leucanioides Holland,1893** (Arctiidae) Synonym(s): *leucanioides* Holland,1893 Range (in code): SL GA NG CM
- 27749. Creatonotos marginalis (Walker,1855)** (Arctiidae) Synonym(s): *marginalis* Walker,1855; *ramivitta* Walker,1869. Range (in code): SL GH CI NG ZR SN
- 27750. Creatonotos marginalis confluens Rothschild,1933** (Arctiidae) Synonym(s): *confluens* Rothschild,1933 Range (in code): SN
- 27751. Creatonotos marginalis marginalis (Walker,1855)** (Arctiidae) Synonym(s): *marginalis* Walker,1855; *ramivitta* Walker,1869. Range (in code): SL GH CI NG ZR
- 27752. Creatonotos neurophaea Hampson,1911** (Arctiidae) Synonym(s): *neurophaea* Hampson,1911 Range (in code): GH CM AO ZR UG
- 27753. Creatonotos omanirana de Freina,2007** (Arctiidae) Synonym(s): *omanirana* de Freina,2007 Range (in code): OM IR Hz Ke Jrf Hz
- 27754. Creatonotos perineti Rothschild,1933** (Arctiidae) Synonym(s): *perineti* Rothschild,1933 Range (in code): MG
- 27755. Creatonotos punctivitta Walker,1855** (Arctiidae) Synonym(s): *punctivitta* Walker,1855; *nitivitta* Strand,1915. Range (in code): ZA Nta Kzu ZW MZ ZM MW AO TZ SD
- 27756. Creatonotos transiens (Walker,1855)** (Arctiidae) Synonym(s): *transiens* Walker,1855; *isabellina* Walker,1855; *ananthakrishanani* Kirti & Kaleka,1999 Original Reference: *Spilosoma transiens* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 675. Lectotype designated by Dubatolov & Holloway (2006): "North India, Almorah". Range (in code): AF Srb Bm PK Nwf Swa IN Mh Nsk Up Ass Klu Kma Clc Hp Djl SI Shn MM BT CN Sz Hn She Hun Fkn Kwa Yu Ti Ahw Kwt Kgs TH CMa Cuo Cuo1 Cuo7 Cmz Cz10 CDo CD2 Dst Dso9 Pap Mro Nrt Sbu Bnk ID KD SG TW Bor KBa MY Swk Ja Sum Nia Ann Ton VN Clb Lb Bli Sbt PH Pal JP Bionomy: Larva on Zea mays [corn], Axonopus compressus [carpet grass], Eragrostis capensis [ya kon hep] (Poaceae), Vigna unguiculata [cow pea] (Fabaceae), Cucurbita moschata [pumpkin] (Cucurbitaceae), Garcinia schomburgkiana (Guttiferae) [madan] (Lewvanich,2001).
- 27757. Creatonotos transiens albina (Daniel,1971)** (Arctiidae) Synonym(s): *albina* Daniel,1971 Range (in code): AF Bm Srb

- 27758. *Cretonotos transiens koni* Miyake, 1909** (Arctiidae) Synonym(s): *koni* Miyake, 1909
Range (in code): TW JP
- 27759. *Cretonotos transiens sundana* Nakamura, 1976** (Arctiidae) Synonym(s): *sundana* Nakamura, 1976
Range (in code): ID Ja Lb Bli Sbt
- 27760. *Cretonotos transiens transiens* (Walker, 1855)** (Arctiidae) Synonym(s): *transiens* Walker, 1855; *isabellina* Walker, 1855; *ananthakrishanani* Kirti & Kaleka, 1999
Original Reference: *Spilosoma transiens* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 3: 675. Lectotype designated by Dubatolov & Holloway (2006): "North India, Almorah".
Range (in code): PK Nwf IN Mh Nsk Ass Klu Kma Clc Hp Djl Up SI Shn MM BT CN Sz Hn TH CMa Cuo Cuo1 Cuo7 Cnz Cz10 CDo CD2 Dst Dso9 Pap Mro Nrt Sbu Bnk ID KD SG TW Bor KBa MY Swk Ja Sum Nia Ann Ton VN Clb Lb
Bionomy: Larva on Zea mays [corn], Axonopus compressus [carpet grass], Eragrostis capensis [ya kon hep] (Poaceae), Vigna unguiculata [cow pea] (Fabaceae), Cucurbita moschata [pumpkin] (Cucurbitaceae), Garcinia schomburgkiana (Guttiferae) [madan] (Lewvanich, 2001).
- 27761. *Cretonotos transiens vacillans* (Walker, 1855)** (Arctiidae) Synonym(s): *vacillans* Walker, 1855; *orientalis* Nakamura, 1976
Range (in code): CN Sz Hn She Hun Fkn Kwa Yu Ti Ahw Kwt Kgs VN MY ID Sum Bor TH
- 27762. *Cretonotos wilemani* Rothschild, 1933** (Arctiidae) Synonym(s): *wilemani* Rothschild, 1933; *philippinensis* Nakamura, 1976
Original Reference: *Cretonotus wilemani* Rothschild, 1933, Ann. Mag. nat. Hist. (10) 11: 183. Type: Philippines.
Range (in code): PH Neg Luz Mno Mar Pan Ceb Sam Ley Mdo
- 27763. *Ctenosia infusca* (Lower, 1902)** (Arctiidae) Synonym(s): *infusca* Lower, 1902
Range (in code): AU
- 27764. *Ctenosia psectriphora* (Distant, 1899)** (Arctiidae) Synonym(s): *psectriphora* Distant, 1899
Range (in code): ZA Tva Gau Pre
- 27765. *Curoba sangarida* (Stoll, [1782])** (Arctiidae) Synonym(s): *sangarida* Stoll, [1782]; *mopsa* Drury, 1782; *fasciata* Walker, [1865]
Range (in code): LK Cob Psw Pit IN
- 27766. *Cyana adita* (Moore, 1859)** (Arctiidae) Synonym(s): *adita* Moore, 1859
Range (in code): PK IN NP CN Hpe Kwa Fkn Sz Yu Ti TH VN
- 27767. *Cyana africana* (Holland, 1893)** (Arctiidae) Synonym(s): *africana* Holland, 1893
Range (in code): GA Ogo
- 27768. *Cyana amatura* (Walker, 1863)** (Arctiidae) Synonym(s): *amatura* Walker, 1863; *hova* Guenée, 1865
Range (in code): MG
- 27769. *Cyana arenbergeri* Karisch, 2003** (Arctiidae) Synonym(s): *arenbergeri* Karisch, 2003
Range (in code): TZ
- 27770. *Cyana asticta* (Hampson, 1909)** (Arctiidae) Synonym(s): *asticta* Hampson, 1909
Range (in code): AU
- 27771. *Cyana barisana* Roesler & Küppers, 1976** (Arctiidae) Synonym(s): *barisana* Roesler & Küppers, 1976
Range (in code): ID Sum
- 27772. *Cyana basisticta* (Hampson, 1914)** (Arctiidae) Synonym(s): *basisticta* Hampson, 1914; *addicta* A.E. Prout, 1919
Range (in code): SL GH
- 27773. *Cyana bebas* Roesler & Küppers, 1976** (Arctiidae) Synonym(s): *bebas* Roesler & Küppers, 1976
Range (in code): ID Nia
- 27774. *Cyana bigutta* Karisch, [2006]** (Arctiidae) Synonym(s): *bigutta* Karisch, [2006]
Range (in code): KE
- 27775. *Cyana capensis* (Hampson, 1903)** (Arctiidae) Synonym(s): *capensis* Hampson, 1903
Range (in code): ZA Ec
- 27776. *Cyana coccinea* (Moore, 1878)** (Arctiidae) Synonym(s): *coccinea* Moore, 1878
Original Reference: *Bizone coccinea* Moore, 1878, Proc. zool. Soc. London 1878: 28, pl.3 fig.14. Type: Sikkim.
Range (in code): IN SI TH CMa Cuo Cuo7 Lam Phe Sak
Bionomy: Larva on Dimocarpus longan [longan] (Sapindaceae), Citrus maxima [pomelo] (Rutaceae), Tectona grandis (Verbenaceae) (Lewvanich, 2001; et seq.).
- 27777. *Cyana delicata* (Walker, 1854)** (Arctiidae) Synonym(s): *delicata* Walker, 1854; *shakalesha* Roesler, 1990
Range (in code): AO ZR GH SL TG
- 27778. *Cyana distincta* (Rothschild, 1912)** (Arctiidae) Synonym(s): *distincta* Rothschild, 1912
Original Reference: *Chionaema distincta* Rothschild, 1912, Novit. zool. 19: 245. Type: Sikkim.
Range (in code): MM Peg SI IN TH CMa CDo CN Fkn Sz Yu Kwa VN
- 27779. *Cyana dudgeoni* Hampson, 1895** (Arctiidae) Synonym(s): *dudgeoni* Hampson, 1895
Range (in code): TH

- 27780. *Cyana ellipsis* Karisch & Dall'Asta, 2010** (Arctiidae) Synonym(s): *ellipsis* Karisch & Dall'Asta, 2010 _ Range (in code): ZR
- 27781. *Cyana farquharsoni* (Bethune-Baker, 1922)** (Arctiidae) Synonym(s): *farquharsoni* Bethune-Baker, 1922 _ Range (in code): NG
- 27782. *Cyana flammeostrigata* Karisch, 2003** (Arctiidae) Synonym(s): *flammeostrigata* Karisch, 2003 _ Range (in code): UG NG KE GO Bio CM
- 27783. *Cyana fulvia* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *fulvia* Linnaeus, 1758; *liboria* Stoll, 1782 _ Range (in code): SL
- 27784. *Cyana garuda* Roesler & Küppers, 1976** (Arctiidae) Synonym(s): *garuda* Roesler & Küppers, 1976 _ Range (in code): ID Sum
- 27785. *Cyana grandis* (Mabille, 1879)** (Arctiidae) Synonym(s): *grandis* Mabille, 1879 _ Range (in code): MG
- 27786. *Cyana hamata* (Walker, 1854)** (Arctiidae) Synonym(s): *hamata* Walker, 1854 _ Original Reference: Bizone hamata Walker, 1854, List Specimens lepid. Insects Colln Br. Mus. 2: 549. Range (in code): JP CN TH CMa Cuo Cmz Cz10 Qs15
- 27787. *Cyana hecqi* Karisch & Dall'Asta, 2010** (Arctiidae) Synonym(s): *hecqi* Karisch & Dall'Asta, 2010 _ Range (in code): ZR RW
- 27788. *Cyana heindrunae* (Hoppe, 2004)** (Arctiidae) Synonym(s): *heindrunae* Hoppe, 2004 _ Range (in code): GO Bio
- 27789. *Cyana inconclusa* (Walker, 1862)** (Arctiidae) Synonym(s): *inconclusa* Walker, 1862; *amelaena* Hampson, 1903; *rufistigma* Rothschild, 1912; *nexilis* Draudt, 1914; *rafflesiana* Roepke, 1946 _ Original Reference: Bizone inconclusa Walker, 1862, J. linn. Soc. (Zool.) 6: 120. Range (in code): MY Bor Swk BN Sbh KBa ID Sum TH PH Ley Luz Sib
- 27790. *Cyana indonesia* Roesler & Küppers, 1976** (Arctiidae) Synonym(s): *indonesia* Roesler & Küppers, 1976 _ Range (in code): ID Nia Sum
- 27791. *Cyana interrogationis* (Poujade, 1886)** (Arctiidae) Synonym(s): *interrogationis* Poujade, 1886 _ Original Reference: Bizone interrogationis Poujade, 1886, Bull. Soc. ent. Fr. (6) 6: cxxv. Type: [China: Szechuan]: "Moupin (Thibet)". Range (in code): CN Sz Hpe Hun Fkn Hn Kwa TH VN
- 27792. *Cyana klausruedigerbecki* Karisch, [2006]** (Arctiidae) Synonym(s): *klausruedigerbecki* Karisch, [2006] _ Range (in code): BF
- 27793. *Cyana klohsi* Karisch, 2003** (Arctiidae) Synonym(s): *klohsi* Karisch, 2003 _ Range (in code): ZR
- 27794. *Cyana loloana* (Strand, 1912)** (Arctiidae) Synonym(s): *loloana* Strand, 1912 _ Range (in code): CM
- 27795. *Cyana luchoana* Karisch, 2003** (Arctiidae) Synonym(s): *luchoana* Karisch, 2003 _ Range (in code): ZR
- 27796. *Cyana malayensis* (Hampson, 1914)** (Arctiidae) Synonym(s): *malayensis* Hampson, 1914 _ Range (in code): MY Bor PH Luz Neg Pal
- 27797. *Cyana malayensis malayensis* (Hampson, 1914)** (Arctiidae) Synonym(s): *malayensis* Hampson, 1914 _ Range (in code): MY Bor
- 27798. *Cyana malayensis palawanensis* (Kishida, 1991)** (Arctiidae) Synonym(s): *palawanensis* Kishida, 1991 _ Range (in code): PH Luz Neg Pal
- 27799. *Cyana margarethae* (Kiriakoff, 1958)** (Arctiidae) Synonym(s): *margarethae* Kiriakoff, 1958 _ Range (in code): UG KE
- 27800. *Cyana marshallii* Hampson, 1900** (Arctiidae) Synonym(s): *marshallii* Hampson, 1900 _ Range (in code): ZA Nta Kzu Est Mv
- 27801. *Cyana meyricki* (Rothschild, 1901)** (Arctiidae) Synonym(s): *meyricki* Rothschild, 1901; *meyricci* Hampson, 1914 _ Range (in code): AU
- 27802. *Cyana nemasisha* Roesler, 1990** (Arctiidae) Synonym(s): *nemasisha* Roesler, 1990 _ Range (in code): TZ KE MZ RW ZA UG ZM ZW
- 27803. *Cyana nyasica* (Hampson, 1918)** (Arctiidae) Synonym(s): *nyasica* Hampson, 1918 _ Range (in code): MW Mje
- 27804. *Cyana obscura* (Hampson, 1900)** (Arctiidae) Synonym(s): *obscura* Hampson, 1900; *phaeocyma* Meyrick, 1886 _ Range (in code): AU
- 27805. *Cyana pallidilinea* Karisch, 2003** (Arctiidae) Synonym(s): *pallidilinea* Karisch, 2003 _ Range (in code): ZR

- 27806. *Cyana paramargarethae* Karisch & Dall'Asta, 2010** (Arctiidae) **Synonym(s):** *paramargarethae* Karisch & Dall'Asta, 2010 **Range (in code):** **ZR RW**
- 27807. *Cyana peregrina* (Walker, 1854)** (Arctiidae) **Synonym(s):** *peregrina* Walker, 1854 **Range (in code):** **IN NI Tvc LK Pdy NI**
- 27808. *Cyana pretoriae* (Distant, 1897)** (Arctiidae) **Synonym(s):** *pretoriae* Distant, 1897 **Range (in code):** **ZA Tva Gau Pre Nta Kzu Est ZR LS KE MW MZ SO TZ ZM UG ZW**
- 27809. *Cyana pretoriae spectabilis* Karisch & Dall'Asta, 2010** (Arctiidae) **Synonym(s):** *spectabilis* Karisch & Dall'Asta, 2010 **Range (in code):**
- 27810. *Cyana pteroleuca* Roesler & Küppers, 1976** (Arctiidae) **Synonym(s):** *pteroleuca* Roesler & Küppers, 1976 **Range (in code):** **ID Sum**
- 27811. *Cyana puella* (Drury, 1773)** (Arctiidae) **Synonym(s):** *puella* Drury, 1773 **Range (in code):** **PK IN Hp NP Mh Bba NI LK MG ER KE**
- 27812. *Cyana puella postflavida* Rothschild, 1924** (Arctiidae) **Synonym(s):** *postflavida* Rothschild, 1924; *fugax* Berio, 1939 **Range (in code):** **KE ER**
- 27813. *Cyana quadrinotata* (Walker, 1869)** (Arctiidae) **Synonym(s):** *quadrinotata* Walker, 1869 **Range (in code):** **IN CN HK TH CMa CDo**
- 27814. *Cyana quentini* Karisch, 2003** (Arctiidae) **Synonym(s):** *quentini* Karisch, 2003 **Range (in code):** **ZR**
- 27815. *Cyana rejecta* (Walker, 1854)** (Arctiidae) **Synonym(s):** *rejecta* Walker, 1854; *bipunctigera* Wallengren, 1860 **Range (in code):** **ZA Nta Kzu Kkf SL TZ GM UG MW KE ET ZR**
- 27816. *Cyana rhodostriata* Hampson, 1914** (Arctiidae) **Synonym(s):** *rhodostriata* Hampson, 1914 **Range (in code):** **ZA Nta Kzu**
- 27817. *Cyana rubristriga* (Holland, 1893)** (Arctiidae) **Synonym(s):** *rubristriga* Holland, 1893 **Range (in code):** **GA Ogo CF ZR**
- 27818. *Cyana rubristriga katanga* Karisch & Dall'Asta, 2010** (Arctiidae) **Synonym(s):** *katanga* Karisch & Dall'Asta, 2010 **Range (in code):** **ZR**
- 27819. *Cyana rubritermina* (Bethune-Baker, 1911)** (Arctiidae) **Synonym(s):** *rubritermina* Bethune-Baker, 1911 **Range (in code):** **GH NG**
- 27820. *Cyana rubriterminalis* (Strand, 1912)** (Arctiidae) **Synonym(s):** *rubriterminalis* Strand, 1912 **Range (in code):** **CM**
- 27821. *Cyana rufeola* Karisch & Dall'Asta, 2010** (Arctiidae) **Synonym(s):** *rufeola* Karisch & Dall'Asta, 2010 **Range (in code):** **ZR CF CM**
- 27822. *Cyana rufifrons* (Rothschild, 1912)** (Arctiidae) **Synonym(s):** *rufifrons* Rothschild, 1912 **Range (in code):** **ST**
- 27823. *Cyana ruwenzoriana* Karisch, 2003** (Arctiidae) **Synonym(s):** *ruwenzoriana* Karisch, 2003 **Range (in code):** **UG Rz**
- 27824. *Cyana saalmuelleri* (Butler, 1882)** (Arctiidae) **Synonym(s):** *saalmuelleri* Butler, 1882 **Range (in code):** **MG**
- 27825. *Cyana saalmuelleri pauliani* (Toulgoet, 1954)** (Arctiidae) **Synonym(s):** *pauliani* Toulgoet, 1954; *suberythraea* Toulgoet, 1971 **Range (in code):** **MG**
- 27826. *Cyana signa* (Walker, 1854)** (Arctiidae) **Synonym(s):** *signa* Walker, 1854 **Range (in code):** **BD IN CN Fkn Yu Ti Kwa TH VN**
- 27827. *Cyana subornata* (Walker, 1854)** (Arctiidae) **Synonym(s):** *subornata* Walker, 1854; *linatula* Swinhoe, 1891 **Range (in code):** **IN Mh Bba LK Ram MY Bor**
- 27828. *Cyana togoana* (Strand, 1912)** (Arctiidae) **Synonym(s):** *togoana* Strand, 1912 **Range (in code):** **TG**
- 27829. *Cyana torrida* (Holland, 1893)** (Arctiidae) **Synonym(s):** *torrida* Holland, 1893 **Range (in code):** **GO**
- 27830. *Cyana trigutta* (Walker, 1854)** (Arctiidae) **Synonym(s):** *trigutta* Walker, 1854; *atrigutta* Walker, 1862 **Range (in code):** **SL CM NE**
- 27831. *Cyana tripuncta* (Tougoet, 1980)** (Arctiidae) **Synonym(s):** *tripuncta* Tougoet, 1980 **Range (in code):** **KM**
- 27832. *Cyana ueleana* Karisch, 2003** (Arctiidae) **Synonym(s):** *ueleana* Karisch, 2003 **Range (in code):** **ZR**
- 27833. *Cyana ugandana* (Strand, 1912)** (Arctiidae) **Synonym(s):** *ugandana* Strand, 1912 **Range (in code):** **KE ZR UG ET**

- 27834. *Cyana ugandana abyssinica* Karisch,2003** (Arctiidae) Synonym(s): *abyssinica* Karisch,2003 Range (in code): ET
- 27835. *Cyanarctia dama* (Druce,1894)** (Arctiidae) Synonym(s): *dama* Druce,1894 Range (in code): MX
- 27836. *Cybosia mesomella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *mesomella* Linnaeus,1758; *eborina* Denis & Schiffermüller,1775; *quatrilis* Fourcroy,1785; *eborea* Esper,1787; *lutarella* Haworth,1809; *eremella* Vorbrodt,1914; *mesomellula* Strand,1922; *albida* Catherine,1922; *obscura* Lempke,1961 Original Reference: *Phalaena mesomella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 535. Type(s): [Europa]. Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on algae, lichens, *Erica*, *Calluna vulgaris* (Ericaceae), *Salix caprea* (Salicaceae) (Waring & Townsend,2003).
- 27837. *Cyclosiella dulcicula* (Swinhoe,1890)** (Arctiidae) Synonym(s): *dulcicula* Swinhoe,1890 Range (in code): LK Dck
- 27838. *Cynia luctuosa* (Geyer,[1833])** (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schawerda,1910. Range (in code): IT CH AT CZ SK HU RO YU AL BG GR
- 27839. *Cynia luctuosa luctuosa* (Geyer,[1833])** (Arctiidae) Synonym(s): *luctuosa* Geyer,[1833]; *lugubris* Herrich-Schäffer,[1844]; *djamila* Schawerda,1910. Range (in code): IT CH AT CZ SK HU RO YU AL BG GR
- 27840. *Cynia sordida* (Hübner,[1803])** (Arctiidae) Synonym(s): *sordida* Hübner,[1803]; *carbonis* Freyer,1854. Range (in code): FR IT CH AT Bionomy: Larva on *Galeopsis*, *Leontodon taraxacum* (Meyer,1919).
- 27841. *Cynia sordida sordida* (Hübner,[1803])** (Arctiidae) Synonym(s): *sordida* Hübner,[1803]; *carbonis* Freyer,1854. Range (in code): FR IT CH AT Bionomy: Larva on *Galeopsis*, *Leontodon taraxacum* (Meyer,1919).
- 27842. *Cynia tenerosa* (Dyar,1913)** (Arctiidae) Synonym(s): *tenerosa* Dyar,1913 Range (in code): MX
- 27843. *Cymaroa grisea* (Thunberg,1784)** (Arctiidae) Synonym(s): *grisea* Thunberg,1784 Range (in code): ZA Wca
- 27844. *Cymaroa leptopepla* Hampson,1905** (Arctiidae) Synonym(s): *leptopepla* Hampson,1905 Range (in code): LS ZA Wca
- 27845. *Cymbalophora haroldi* Oberthür,1911** (Arctiidae) Synonym(s): *haroldi* Oberthür,1911 Original Reference: *Cymbalophora haroldi* Oberthür,1911, Etud. Lépid. comp. 5: 123. Type: Algeria, Aflou. Range (in code): AET MA DZ Afl Ges
- 27846. *Cymbalophora haroldi haroldi* Oberthür,1911** (Arctiidae) Synonym(s): *haroldi* Oberthür,1911 Original Reference: *Cymbalophora haroldi* Oberthür,1911, Etud. Lépid. comp. 5: 123. Type: Algeria, Aflou. Range (in code): AET MA DZ Afl Ges
- 27847. *Cymbalophora oertzeni* (Lederer,1855)** (Arctiidae) Synonym(s): *oertzeni* Lederer,1855 Original Reference: *Arctia oertzeni* Lederer,1855, Verh. zool- bot. Ges. Wien 5: 201, Taf.2 figs.8,9. Syntypes: [Lebanon]: Beirut. Range (in code): IL Pa Hf LB Bei TR IQ IR Fa
- 27848. *Cymbalophora oertzeni oertzeni* (Lederer,1855)** (Arctiidae) Synonym(s): *oertzeni* Lederer,1855 Original Reference: *Arctia oertzeni* Lederer,1855, Verh. zool- bot. Ges. Wien 5: 201, Taf.2 figs.8,9. Syntypes: [Lebanon]: Beirut. Range (in code): IL Pa Hf LB Bei TR IQ IR Fa
- 27849. *Cymbalophora powelli* Oberthür,1910** (Arctiidae) Synonym(s): *powelli* Oberthür,1910 Original Reference: *Cymbalophora powelli* Oberthür,1910, Bull. Soc. ent. Fr. 1910: 333. Type: Algérie, Géryville. Range (in code): AET MA DZ Eba Ges
- 27850. *Cymbalophora powelli powelli* Oberthür,1910** (Arctiidae) Synonym(s): *powelli* Oberthür,1910 Original Reference: *Cymbalophora powelli* Oberthür,1910, Bull. Soc. ent. Fr. 1910: 333. Type: Algérie, Géryville. Range (in code): AET MA DZ Eba
- 27851. *Cymbalophora pudica* (Esper,[1784])** (Arctiidae) Synonym(s): *pudica* Esper,[1784]; *tessellata* Villers,1789 nec Goeze,1781 Range (in code): AET TN Dhm MA Rbt DZ Agi Orn Ges Abe PT ES FR Co Sa Si IT MT CH? YU AL GR
- 27852. *Cymbalophora pudica pudica* (Esper,[1784])** (Arctiidae) Synonym(s): *pudica* Esper,[1784]; *tessellata* Villers,1789 nec Goeze,1781 Range (in code): AET TN Dhm MA Rbt DZ Agi Orn Ges Abe PT ES FR Co Sa Si IT MT CH? YU AL GR
- 27853. *Cymbalophora rivularis* (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929. Original Reference: *Chelonia rivularis* Ménétriés,1832,

- Catalogue raisonné des objets Zool. Caucase...: 263-264. Type(s): [Russia]: Alpes du Caucase. Range (in code): **IT MK AL BG GR TR GG AZ Hkd Cc IR Ab Ak Oru Tbz RU Da AM UA**
- 27854. Cymbalophora rivularis rivularis (Ménétriés,1832)** (Arctiidae) Synonym(s): *rivularis* Ménétriés,1832; *dannehli* Dannehl,1929. Original Reference: *Chelonia rivularis* Ménétriés,1832, Catalogue raisonné des objets Zool. Caucase...: 263-264. Type(s): [Russia]: Alpes du Caucase. Range (in code): **IT MK AL BG GR TR GG AZ Hkd Cc IR Ab Ak Oru Tbz RU Da AM UA**
- 27855. Cyptonychia flaviceps Druce,1899** (Arctiidae) Synonym(s): *flaviceps* Druce,1899 Range (in code): **MX**
- 27856. Damias catarrhoa (Meyrick,1886)** (Arctiidae) Synonym(s): *catarrhoa* Meyrick,1886 Range (in code): **AU**
- 27857. Damias elegans Boisduval,1832** (Arctiidae) Synonym(s): *elegans* Boisduval,1832; *albicollis* Pagenstecher,1886; *mendax* Rothschild & Jordan,1901 Range (in code): **AU**
- 27858. Damias leptosema (Turner,1940)** (Arctiidae) Synonym(s): *eptosema* Turner,1940 Range (in code): **AU**
- 27859. Damias pelochroa (Hampson,1914)** (Arctiidae) Synonym(s): *pelochroa* Hampson,1914 Range (in code): **AU**
- 27860. Damias procrena (Meyrick,1886)** (Arctiidae) Synonym(s): *procrena* Meyrick,1886 Range (in code): **AU**
- 27861. Damias scripta (Lower,1902)** (Arctiidae) Synonym(s): *scripta* Lower,1902 Range (in code): **AU**
- 27862. Damias sicciodes (Hampson,1914)** (Arctiidae) Synonym(s): *sicciodes* Hampson,1914 Range (in code): **AU**
- 27863. Danielithosia aureolata (Daniel,1954)** (Arctiidae) Synonym(s): *aureolata* Daniel,1954 Range (in code): **CN Fkn**
- 27864. Danielithosia consimilis Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *consimilis* Dubatolov, Kishida & Wang,2012 Range (in code): **CN Kwa**
- 27865. Danielithosia difficilis Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *difficilis* Dubatolov, Kishida & Wang,2012 Range (in code): **CN Kwa**
- 27866. Danielithosia fuscipennis Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *fuscipennis* Dubatolov, Kishida & Wang,2012 Range (in code): **CN Kwa**
- 27867. Danielithosia hoenei Dubatolov,2013** (Arctiidae) Synonym(s): *hoenei* Dubatolov,2013 Range (in code): **CN Fkn Hun VN TH Nkh KH**
- 27868. Danielithosia immaculata (Butler,1880)** (Arctiidae) Synonym(s): *immaculata* Butler,1880; *kobayashi* Inoue,1961 Range (in code): **JP Ri TW**
- 27869. Danielithosia limayca (Daniel,1954)** (Arctiidae) Synonym(s): *limayca* Daniel,1954 Range (in code): **CN Kwa**
- 27870. Danielithosia mesophila (Fang,2000)** (Arctiidae) Synonym(s): *mesophila* Fang,2000 Range (in code): **CN Sz**
- 27871. Danielithosia milina (Fang,1982)** (Arctiidae) Synonym(s): *milina* Fang,1982 Range (in code): **CN Ti**
- 27872. Danielithosia pallens (Inoue,1980)** (Arctiidae) Synonym(s): *pallens* Inoue,1980 Range (in code): **Ri**
- 27873. Danielithosia zolotuhini Dubatolov,2012** (Arctiidae) Synonym(s): *zolotuhini* Dubatolov,2012 Range (in code): **VN**
- 27874. Dasyarctia grisea Gaede,1923** (Arctiidae) Synonym(s): *grisea* Gaede,1923 Range (in code): **ZA**
- 27875. Detoulgoetia aspersa (Mabille,1878)** (Arctiidae) Synonym(s): *aspersa* Mabille,1878; *virginalis* Butler,1878 Range (in code): **MG**
- 27876. Detoulgoetia comorensis (Rothschild,1933)** (Arctiidae) Synonym(s): *comorensis* Rothschild,1933 Range (in code): **KM**
- 27877. Detoulgoetia pseudosparsata (Rothschild,1933)** (Arctiidae) Synonym(s): *pseudosparsata* Rothschild,1933 Range (in code): **KM**
- 27878. Diacrisia irene Butler,1881** (Arctiidae) Synonym(s): *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948. Range (in code): **RU Am**
- 27879. Diacrisia irene irene Butler,1881** (Arctiidae) Synonym(s): *irene* Butler,1881; *amuri* Staudinger,1892; *rishiriensis* Matsumura,1930; *rubrocentralis* Bryk,1948. Range (in code): **RU Am**

- 27880. *Diacrisia sannio* (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892. Original Reference: Phalaena sannio Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): Europa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA Cm BY Cc GG AZ RU At Sb Sj KK Ik CN Ui Ju MN KG KG Aa Ket Ssn T-S JP** Bionomy: Larva on *Leontodon taraxacum* (Asteraceae), *Plantago* (Meyer,1919).
- 27881. *Diacrisia sannio armeniaca* Dubatolov,2007** (Arctiidae) Synonym(s): *armeniaca* Dubatolov,2007 Range (in code): **Cc AM Dar**
- 27882. *Diacrisia sannio caucasica* Schaposchnikoff,1904** (Arctiidae) Synonym(s): *caucasica* Schaposchnikoff,1904; *caucasiana* Strand,1919. Original Reference: *Diacrisia sannio caucasica* Schaposchnikoff,1904, Ezhegod. Zool. Mus. Imp. Akad. Nauk 9: 253. Range (in code): **RU Cc AZ GG TR**
- 27883. *Diacrisia sannio mortua* (Staudinger,1887)** (Arctiidae) Synonym(s): *mortua* Staudinger,1887; *uniformis* A.Bang-Haas,1907; *syrdarja* Strand,1919. Original Reference: *Nemeophila russula* var. *mortua* Staudinger,1887, Stettin ent. Ztg. 48: 78. Range (in code): **RU At Sb Sj KK Ik CN Ui Ju MN KG Ssn Aa Ket T-S**
- 27884. *Diacrisia sannio sannio* (Linnaeus,1758)** (Arctiidae) Synonym(s): *sannio* Linnaeus,1758; *russula* Linnaeus,1758; *vulpinaria* Linnaeus,1758; *hesperidea* Fourcroy,1785; *pallida* Staudinger,1892. Original Reference: Phalaena sannio Linnaeus,1758, Syst. Nat. (Edn.10) 1: 506. Type(s): Europa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY**
- 27885. *Diaphora mendica* (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791] Original Reference: Phalaena mendica Linnaeus,1761, Fauna Suecica (2): 299, nr.1127. Type(s): Suecia. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Tbl Bjo Lag Kir AZ Da Der IR Gh SY JO LB Bsa DK NO SE FI EE LV LT RU MD UA BY**
- 27886. *Diaphora mendica mendica* (Linnaeus,1761)** (Arctiidae) Synonym(s): *#mendica* Clerck,1759; *mendica* Linnaeus,1761; *rustica* Hübner,[1791] Original Reference: Phalaena mendica Linnaeus,1761, Fauna Suecica (2): 299, nr.1127. Type(s): Suecia. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 27887. *Diaphora mendica syra* Daniel,1933** (Arctiidae) Synonym(s): *syra* Daniel,1933; *malatiana* Bytinski-Salz,1936. Original Reference: *Diaphora mendica* ssp. *syra* Daniel,1933, Dt. ent. Z., Iris 47: 102. Syntypes ♂♀: Libanon: Bscharre. Range (in code): **TR Cc GG Smt Tbl Bjo Lag Kir AZ Da Der IR SY JO LB Bsa**
- 27888. *Diarhabdosia minima* (Butler,1878)** (Arctiidae) Synonym(s): *minima* Butler,1878 Range (in code): **MX BR**
- 27889. *Diduga albicosta* Hampson,1893** (Arctiidae) Synonym(s): *albicosta* Hampson,1893 Range (in code): **LK Pdy**
- 27890. *Diduga flavicostata* (Snellen,1878)** (Arctiidae) Synonym(s): *flavicostata* Snellen,1878; *costata* Moore,[1887]; *fulvicosta* Hampson,1891. Range (in code): **LK Pdy Dck AU**
- 27891. *Didymonyx infumata* Hampson,1900** (Arctiidae) Synonym(s): *infumata* Hampson,1900 Range (in code): **ZA Ec Ans**
- 27892. *Dionychoscelis venata* Aurivillius,1922** (Arctiidae) Synonym(s): *venata* Aurivillius,1922; *lactea* Talbot,1929. Range (in code): **AO ZA**
- 27893. *Diota rostrata* (Wallengren,1860)** (Arctiidae) Synonym(s): *rostrata* Wallengren,1860 Range (in code): **ZA**
- 27894. *Disoidemata osmophora* Hampson,1900** (Arctiidae) Synonym(s): *osmophora* Hampson,1900 Range (in code): **MX**
- 27895. *Disparctia thomensis* (Joicey & Talbot,1926)** (Arctiidae) Synonym(s): *thomensis* Joicey & Talbot,1926 Range (in code): **ST**
- 27896. *Disparctia varicolor* Toulgoet,1978** (Arctiidae) Synonym(s): *varicolor* Toulgoet,1978 Range (in code): **RW UG**
- 27897. *Disparctia vittata* (Druce,1898)** (Arctiidae) Synonym(s): *vittata* Druce,1898 Original Reference: *Spilarctia vittata* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 211. Type ♂: "West Africa, Mongo-ma-Lobah (Mus.Druce)". Range (in code): **NG SL CM**
- 27898. *Divarctia diva* (Staudinger,1887)** (Arctiidae) Synonym(s): *diva* Staudinger,1887; *haberhaueri* Alpheraky,1888. Range (in code): **UZ Smk**
- 27899. *Divarctia diva diva* (Staudinger,1887)** (Arctiidae) Synonym(s): *diva* Staudinger,1887; *haberhaueri* Alpheraky,1888. Range (in code): **UZ Smk**

- 27900. *Dodia albertae* Dyar,1901** (Arctiidae) Synonym(s): *albertae* Dyar,1901; *atra* A.Bang-Haas,1912; *kozhanthikovi* Sheljuzhko,1918. _ Range (in code): RU
- 27901. *Dodia albertae albertae* Dyar,1901** (Arctiidae) Synonym(s): *albertae* Dyar,1901; *atra* A.Bang-Haas,1912; *kozhanthikovi* Sheljuzhko,1918. _ Range (in code): RU
- 27902. *Dodia albertae eudiopta* Tshistjakov,1988** (Arctiidae) Synonym(s): *eudiopta* Tshistjakov,1988 _ Range (in code): RU
- 27903. *Dodia kononenkoi* Tshistjakov & Lanfontaine,1984** (Arctiidae) Synonym(s): *kononenkoi* Tshistjakov & Lanfontaine,1984 _ Range (in code): RU
- 27904. *Dodia kononenkoi kononenkoi* Tshistjakov & Lanfontaine,1984** (Arctiidae) Synonym(s): *kononenkoi* Tshistjakov & Lanfontaine,1984 _ Range (in code): RU
- 27905. *Dodia kononenkoi sikhotensis* Tshistjakov,1988** (Arctiidae) Synonym(s): *sikhotensis* Tshistjakov,1988 _ Range (in code): RU
- 27906. *Dodia sazanovi* Dubatolov,1990** (Arctiidae) Synonym(s): *sazanovi* Dubatolov,1990 _ Range (in code): RU
- 27907. *Dodia sazanovi sazanovi* Dubatolov,1990** (Arctiidae) Synonym(s): *sazanovi* Dubatolov,1990 _ Range (in code): RU
- 27908. *Dodia transbaikalis* Tshistjakov,1988** (Arctiidae) Synonym(s): *transbaikalis* Tshistjakov,1988 _ Range (in code): RU Sb
- 27909. *Dodia transbaikalis transbaikalis* Tshistjakov,1988** (Arctiidae) Synonym(s): *transbaikalis* Tshistjakov,1988 _ Range (in code): RU
- 27910. *Dolgoma angulifera* (Felder,1868)** (Arctiidae) Synonym(s): *angulifera* Felder,1868 _ Range (in code): IN TH LK Pdy
- 27911. *Dolgoma cribrata* (Staudinger,1887)** (Arctiidae) Synonym(s): *cribrata* Staudinger,1887 _ Range (in code): RU
- 27912. *Dolgoma fukienica* (Daniel,1954)** (Arctiidae) Synonym(s): *fukienica* Daniel,1954 _ Range (in code): CN Fkn
- 27913. *Dolgoma klapperichi* (Daniel,1954)** (Arctiidae) Synonym(s): *klapperichi* Daniel,1954 _ Range (in code): CN
- 27914. *Dolgoma lucida* (Fang,2000)** (Arctiidae) Synonym(s): *lucida* Fang,2000 _ Range (in code): CN
- 27915. *Dolgoma oblitterans* (R.Felder,1868)** (Arctiidae) Synonym(s): *oblitterans* R.Felder,1868 _ Range (in code): IN CN Yu LK Dck Pdy
- 27916. *Dolgoma ovalis* (Fang,2000)** (Arctiidae) Synonym(s): *ovalis* Fang,2000 _ Range (in code): CN She
- 27917. *Dolgoma perdentata* (Druce,1899)** (Arctiidae) Synonym(s): *perdentata* Druce,1899 _ Range (in code): CN ID
- 27918. *Dolgoma recta* Cerny,2009** (Arctiidae) Synonym(s): *recta* Cerny,2009 _ Range (in code): TH
- 27919. *Dolgoma reticulata* Moore,1878** (Arctiidae) Synonym(s): *reticulata* Moore,1878 _ Range (in code): IN
- 27920. *Dolgoma xanthocraspis* (Hampson,1900)** (Arctiidae) Synonym(s): *xanthocraspis* Hampson,1900 _ Range (in code): IN CN
- 27921. *Doliche alexi* Cerny,1993** (Arctiidae) Synonym(s): *alexi* Cerny,1993 _ Range (in code): PH Luz Neg
- 27922. *Doliche andromeda* Cerny,1993** (Arctiidae) Synonym(s): *andromeda* Cerny,1993 _ Range (in code): PH Mno
- 27923. *Doliche aurifinis* Cerny,1993** (Arctiidae) Synonym(s): *aurifinis* Cerny,1993 _ Range (in code): PH Pal
- 27924. *Doliche cara* (Kishida,1991)** (Arctiidae) Synonym(s): *cara* Kishida,1991 _ Range (in code): MY Swk Bor ID Sum PH Pal Mar
- 27925. *Doliche carmina* Cerny,1993** (Arctiidae) Synonym(s): *carmina* Cerny,1993 _ Range (in code): MY Swk Bor ID Sum Ja PH Luz Mno Pan Sbu
- 27926. *Doliche costifimbria* (Walker,1862)** (Arctiidae) Synonym(s): *costifimbria* Walker,1862 _ Range (in code): PH Bal Luz Pal
- 27927. *Doliche crasizona* (Wileman & West,1928)** (Arctiidae) Synonym(s): *crasizona* Wileman & West,1928 _ Range (in code): PH Pal

- 27928. *Doliche euryxantha* (Hampson,1914)** (Arctiidae) **Synonym(s):** *euryxantha* Hampson,1914
Range (in code): **PH Bal Pal**
- 27929. *Doliche gabriellae* Cerny,1993** (Arctiidae) **Synonym(s):** *gabriellae* Cerny,1993 **Range**
(in code): **PH Luz Mno**
- 27930. *Doliche geminipuncta* Cerny,1993** (Arctiidae) **Synonym(s):** *geminipuncta* Cerny,1993
Range (in code): **PH Ley Mno Sam**
- 27931. *Doliche gonypetes* (Prout,1919)** (Arctiidae) **Synonym(s):** *gonypetes* Prout,1919 **Range**
(in code): **MY Bor ID Sum PH Pal Taw**
- 27932. *Doliche indonesia palawanica* Cerny,1993** (Arctiidae) **Synonym(s):** *palawanica* Cerny,1993 **Range (in code):** **PH Hom**
- 27933. *Doliche libulae* Cerny,1993** (Arctiidae) **Synonym(s):** *libulae* Cerny,1993 **Range (in code):** **PH Luz Neg Pan**
- 27934. *Doliche lunulata* (Semper,1899)** (Arctiidae) **Synonym(s):** *lunulata* Semper,1899
Range (in code): **PH Pal**
- 27935. *Doliche lutipes* (Hampson,1900)** (Arctiidae) **Synonym(s):** *lutipes* Hampson,1900
Range (in code): **PH Mno**
- 27936. *Doliche luzonica* (Wileman & South,1919)** (Arctiidae) **Synonym(s):** *luzonica* Wileman & South,1919 **Range (in code):** **PH Luz Mno**
- 27937. *Doliche owadai* (Kishida,1991)** (Arctiidae) **Synonym(s):** *owadai* Kishida,1991 **Range**
(in code): **PH Luz**
- 27938. *Doliche phycomata* (Wileman & West,1928)** (Arctiidae) **Synonym(s):** *phycomata* Wileman & West,1928 **Range (in code):** **PH Mdo**
- 27939. *Doliche pudens* (Walker,1862)** (Arctiidae) **Synonym(s):** *pudens* Walker,1862 **Range**
(in code): **PH Sib**
- 27940. *Doliche rosabra* (Wileman,1925)** (Arctiidae) **Synonym(s):** *rosabra* Wileman,1925
Range (in code): **PH Mno**
- 27941. *Doliche soror* Cerny,1993** (Arctiidae) **Synonym(s):** *soror* Cerny,1993 **Range (in code):**
PH Mno Ley
- 27942. *Doliche soror denigrata* Cerny,1993** (Arctiidae) **Synonym(s):** *denigrata* Cerny,1993
Range (in code): **PH Mno**
- 27943. *Doliche soror soror* Cerny,1993** (Arctiidae) **Synonym(s):** *soror* Cerny,1993 **Range (in code):** **PH Ley**
- 27944. *Doliche sublutipes* (Kishida,1991)** (Arctiidae) **Synonym(s):** *sublutipes* Kishida,1991
Range (in code): **PH Luz Mar**
- 27945. *Doliche tettigonioides* (Heylaerts,1892)** (Arctiidae) **Synonym(s):** *tettigonioides* Heylaerts,1892 **Range (in code):** **PH Luz**
- 27946. *Doliche treadawayi* Cerny,1993** (Arctiidae) **Synonym(s):** *treadawayi* Cerny,1993
Range (in code): **PH Ceb Mdo Neg Pan Sib**
- 27947. *Doliche v-nigrum* Cerny,1993** (Arctiidae) **Synonym(s):** *v-nigrum* Cerny,1993 **Range**
(in code): **PH Mno Sam**
- 27948. *Doliche v-nigrum v-nigrum* Cerny,1993** (Arctiidae) **Synonym(s):** *v-nigrum* Cerny,1993
Range (in code): **PH Mno**
- 27949. *Doliche v-nigrum visayana* Cerny,1993** (Arctiidae) **Synonym(s):** *visayana* Cerny,1993
Range (in code): **PH Mno Sam**
- 27950. *Doliche vespertata* Cerny,1993** (Arctiidae) **Synonym(s):** *vespertata* Cerny,1993 **Range**
(in code): **MY Bor ID Sum Ja Bli PH Pal Ley Mno**
- 27951. *Doliche vespertata decolorata* Cerny,1993** (Arctiidae) **Synonym(s):** *decolorata* Cerny,1993 **Range (in code):** **PH Ley Mno**
- 27952. *Doliche vespertata vespertata* Cerny,1993** (Arctiidae) **Synonym(s):** *vespertata* Cerny,1993 **Range (in code):** **MY Bor ID Sum Ja Bli PH Pal**
- 27953. *Dolichesia falsimonia* Schaus,1911** (Arctiidae) **Synonym(s):** *falsimonia* Schaus,1911
Range (in code): **MX CR**
- 27954. *Dysschema aorsa* (Boisduval,1870)** (Arctiidae) **Synonym(s):** *aorsa* Boisduval,1870;
lucretia Butler,1876; *umbra* Druce,1885; *recta* Hering,1925 **Range (in code):** **MX GT SV CO**
- 27955. *Dysschema bivittata* (Walker,1856)** (Arctiidae) **Synonym(s):** *bivittata* Walker,1856;
disjuncta Walker,1856 **Range (in code):** **MX VE**

- 27956. *Dysschema fenestrata* (Walker,1855)** (Arctiidae) Synonym(s): *fenestrata* Walker,1855
Range (in code): **MX GT HN**
- 27957. *Dysschema gaumeri* (Druce,1884)** (Arctiidae) Synonym(s): *gaumeri* Druce,1884
Range (in code): **MX**
- 27958. *Dysschema humeralis* (Walker,1854)** (Arctiidae) Synonym(s): *humeralis* Walker,1854
Range (in code): **MX**
- 27959. *Dysschema jansonis* Butler,1870** (Arctiidae) Synonym(s): *jansonis* Butler,1870 _ Range (in code): **MX NI**
- 27960. *Dysschema leucophaea* (Walker,1854)** (Arctiidae) Synonym(s): *leucophaea* Walker,1854; *rubrimargo* Boisduval,1870; *salvatoris* Boisduval,1870; *flora* Butler,1873 _ Range (in code): **MX GT HN**
- 27961. *Dysschema lycaste* (Kluger,1836)** (Arctiidae) Synonym(s): *lycaste* Kluger,1836; *iscariotes* Boisduval,1870; *tibesis* Druce,1884; *cydon* Druce,1894; *praetides* Druce,1894; *tibesina* Hering,1930 _ Range (in code): **MX GT HN CR**
- 27962. *Dysschema magdala* Boisduval,1870** (Arctiidae) Synonym(s): *magdala* Boisduval,1870
Range (in code): **MX GT**
- 27963. *Dysschema mariamne* (Geyer,[1838])** (Arctiidae) Synonym(s): *mariamne* Geyer,[1838]; *thetis* Kluger,1838; *fenestrata* Butler,1872 nec Wlk.,1855 _ Range (in code): **MX GT**
- 27964. *Dysschema montezuma* (Schaus,1892)** (Arctiidae) Synonym(s): *montezuma* Schaus,1892
Range (in code): **MX**
- 27965. *Dysschema zeladon* (Dyar,1913)** (Arctiidae) Synonym(s): *zeladon* Dyar,1913 _ Range (in code): **MX**
- 27966. *Ebertarctia afghanicola* (Ebert,1974)** (Arctiidae) Synonym(s): *afghanicola* Ebert,1974
Range (in code): **AF Slg**
- 27967. *Ebertarctia afghanicola afghanicola* (Ebert,1974)** (Arctiidae) Synonym(s): *afghanicola* Ebert,1974 _ Range (in code): **AF Slg**
- 27968. *Ebertarctia nordstroemi* (Brandt,1947)** (Arctiidae) Synonym(s): *nordstroemi* Brandt,1947 _ Range (in code): **IR Kh KuB**
- 27969. *Ebertarctia nordstroemi nordstroemi* (Brandt,1947)** (Arctiidae) Synonym(s): *nordstroemi* Brandt,1947 _ Range (in code): **IR Kh KuB**
- 27970. *Ebertarctia solitaria* (Ebert,1974)** (Arctiidae) Synonym(s): *solitaria* Ebert,1974 _ Range (in code): **AF**
- 27971. *Ebertarctia solitaria solitaria* (Ebert,1974)** (Arctiidae) Synonym(s): *solitaria* Ebert,1974
Range (in code): **AF**
- 27972. *Ectypia bivittata* Clemens,1861** (Arctiidae) Synonym(s): *bivittata* Clemens,1861; *nigroflava* Graef,1887 _ Range (in code): **MX**
- 27973. *Ectypia clio* (Packard,1864)** (Arctiidae) Synonym(s): *clio* Packard,1864; *thona* Strecker,1899
Range (in code): **MX**
- 27974. *Ectypia mexicana* (Dognin,1911)** (Arctiidae) Synonym(s): *mexicana* Dognin,1911
Range (in code): **MX**
- 27975. *Eilema (Collita) chinensis* (Daniel,1954)** (Arctiidae) Synonym(s): *chinensis* Daniel,1954
Range (in code): **CN**
- 27976. *Eilema (Collita) coreana* (Leech,1888)** (Arctiidae) Synonym(s): *coreana* Leech,1888
Range (in code): **KP KR**
- 27977. *Eilema (Collita) digna* Ignatyev & Witt,2007** (Arctiidae) Synonym(s): *digna* Ignatyev & Witt,2007 _ Range (in code): **RU**
- 27978. *Eilema (Collita) gina* Okano,[1955]** (Arctiidae) Synonym(s): *gina* Okano,[1955]
Range (in code): **JP**
- 27979. *Eilema (Collita) griseola* (Hübner,[1803])** (Arctiidae) Synonym(s): *griseola* Hübner,[1803]; *plumbeolata* Stephens,1829; *stramineola* Doubleday,1847. Original Reference: Bombyx griseola Hübner,[1803], Samml. eur. Schmett. 3: pl.23, fig.97. Type: Europa. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Bry Chu Cm Pt St Sr To Ty Tt No Mo Pe Am Sb Us Vv Sh MD UA Cm BY CN Mc KP KR JP Hkk Krl**
- 27980. *Eilema (Collita) okanoi* Inoue,1961** (Arctiidae) Synonym(s): *montana* Okano,1954 nec Aurivill.,1910; *okanoi* Inoue,1961 _ Range (in code): **JP Hkk Krl**
- 27981. *Eilema (Collita) vetusta* (Walker,1854)** (Arctiidae) Synonym(s): *vetusta* Walker,1854; *amurensis* Staudinger,1892 _ Range (in code): **RU Us Am KP KR CN JP**
- 27982. *Eilema (s.str.) caniolum* (Hübner,[1808])** (Arctiidae) Synonym(s): *caniola* Hübner,[1808] Original Reference: Bombyx caniola Hübner,[1808], Samml. eur. Schmett. 3:

- pl.51, fig.220. Type: Europa. Range (in code): AET DZ BSa Gue PT ES FR Co Sa Si IT MT IE GB BE DE CH AT SK HU RO YU AL BG GR Cr Rd TR RU MD UA BY
- 27983. *Eilema achrosis* Hampson,1918** (Arctiidae) Synonym(s): *achrosis* Hampson,1918
Range (in code): ZA
- 27984. *Eilema albicosta* (Rogenhofer,1894)** (Arctiidae) Synonym(s): *albicosta* Rogenhofer,1894
Range (in code): ES
- 27985. *Eilema amaura* Rothschild,1916** (Arctiidae) Synonym(s): *amaurus* Rothschild,1916
Range (in code): PG Adl
- 27986. *Eilema basinota* (Moore,[1866])** (Arctiidae) Synonym(s): *basinota* Moore,[1866]; *lurida* Butler,1889
Original Reference: *Lithosia basinota* Moore,[1866], Proc. zool. Soc. London 1865 (3): 798. Syntypes ♂♀: "Darjeeling" (coll.Atkinson) (BMNH). Range (in code): PK Mdy Swa IN Hp Drm Dlh Kgr SI Djl
- 27987. *Eilema bifasciata* Hampson,1900** (Arctiidae) Synonym(s): *bifasciata* Hampson,1900
Range (in code): ZA Ec Tva Gau Jh MZ Del
- 27988. *Eilema brunneotincta* Rothschild,1912** (Arctiidae) Synonym(s): *brunneotincta* Rothschild,1912
Range (in code): ZA
- 27989. *Eilema caffrana* Strand,1912** (Arctiidae) Synonym(s): *caffrana* Strand,1912
Range (in code): ZA
- 27990. *Eilema caledonica* Holloway,1979** (Arctiidae) Synonym(s): *caledonica* Holloway,1979
Range (in code): NC
- 27991. *Eilema catenata* (Mabille,1900)** (Arctiidae) Synonym(s): *catenata* Mabille,1900; *curvilinea* Aurivillius,1909
Range (in code): MG
- 27992. *Eilema comorensis* Toulgoet,1955** (Arctiidae) Synonym(s): *comorensis* Toulgoet,1955
Range (in code): KM Myt
- 27993. *Eilema creatoplaga* Hampson,1901** (Arctiidae) Synonym(s): *creatoplaga* Hampson,1901
Range (in code): ZA
- 27994. *Eilema cretacea* (Hampson,1911)** (Arctiidae) Synonym(s): *cretacea* Hampson,1911
Range (in code): IN SI
- 27995. *Eilema diliensis* Holloway,1979** (Arctiidae) Synonym(s): *diliensis* Holloway,1979
Range (in code): ID Tim Bli
- 27996. *Eilema discifera* Hampson,1900** (Arctiidae) Synonym(s): *discifera* Hampson,1900
Range (in code): ZA Nta Kzu Kkf
- 27997. *Eilema distigmata* Hampson,1901** (Arctiidae) Synonym(s): *distigmata* Hampson,1901
Range (in code): ZA
- 27998. *Eilema elegans restricta* Hampson,1910** (Arctiidae) Synonym(s): *restricta* Hampson,1910
Range (in code): ZA
- 27999. *Eilema fasciata* (Moore,1878)** (Arctiidae) Synonym(s): *fasciata* Moore,1878
Original Reference: *Capissa fasciata* Moore,1878, Proc. zool. Soc. London 1878: 20, pl.2 fig.4. Type: Ceylon. Range (in code): LK Pdy
- 28000. *Eilema flavibasis* Hampson,1900** (Arctiidae) Synonym(s): *flavibasis* Hampson,1900
Range (in code): ZA ZW Har ET
- 28001. *Eilema fumidiscum* (Hampson,1894)** (Arctiidae) Synonym(s): *fumidisca* Hampson,1894
Range (in code): SI IN MM Tns CN
- 28002. *Eilema fuscipes* (Hampson,1893)** (Arctiidae) Synonym(s): *fuscipes* Hampson,1893
Range (in code): LK Pdy
- 28003. *Eilema goniophora* Hampson,1900** (Arctiidae) Synonym(s): *goniophora* Hampson,1900
Range (in code): ZA Ec Tra
- 28004. *Eilema gracilipennis* (Wallengren,1860)** (Arctiidae) Synonym(s): *gracilipennis* Wallengren,1860; *planissima* Wallengren,1876
Range (in code): ZA Tva Nta Kzu Est
- 28005. *Eilema griveaudi* Toulgoet,1959** (Arctiidae) Synonym(s): *griveaudi* Toulgoet,1959
Original Reference: *Eilema griveaudi* Toulgoet,1959, Le Naturaliste malgache 11: 112. Range (in code): MG
- 28006. *Eilema humbloti* Toulgoet,1956** (Arctiidae) Synonym(s): *humbloti* Toulgoet,1956
Original Reference: *Eilema humbloti* Toulgoet,1956, Ann. Mag. nat. Hist. 12: 340. Range (in code): Myt KM
- 28007. *Eilema interposita* (Rothschild,1914)** (Arctiidae) Synonym(s): *interposita* Rothschild,1914
Original Reference: *Ilema interposita* Rothschild,1914, Novit. zool. 21: 354. Syntypes: Algeria, Guelt-es-Stel. Range (in code): AET DZ Ges

- 28008. *Eilema interpositella* (Strand,1920)** (Arctiidae) Synonym(s): *interpositella* Strand,1920
Range (in code): **ES**
- 28009. *Eilema kingdoni* (Butler,1877)** (Arctiidae) Synonym(s): *kingdoni* Butler,1877 _ Range (in code): **Myt**
- 28010. *Eilema kingdoni comoreana* Toulgoet,1972** (Arctiidae) Synonym(s): *comoreana* Toulgoet,1972 _ Range (in code): **Myt**
- 28011. *Eilema leia* Hampson,1901** (Arctiidae) Synonym(s): *leia* Hampson,1901 _ Range (in code): **ZA**
- 28012. *Eilema mesosticta* (Hampson,1911)** (Arctiidae) Synonym(s): *mesosticta* Hampson,1911
Range (in code): **AET NG**
- 28013. *Eilema minutissima* Bethune-Baker,1911** (Arctiidae) Synonym(s): *minutissimum* Bethune-Baker,1911 _ Range (in code): **ZA**
- 28014. *Eilema monochroma* (Holland,1893)** (Arctiidae) Synonym(s): *monochroma* Holland,1893
Range (in code): **ZA Ec Ans SL**
- 28015. *Eilema nitens* (Walker,1856)** (Arctiidae) Synonym(s): *nitens* Walker,1856 _ Range (in code): **AU NC**
- 28016. *Eilema nitens minima* (Hampson,1903)** (Arctiidae) Synonym(s): *minima* Hampson,1903
Range (in code): **PG PMo NC**
- 28017. *Eilema oblonga* (Butler,1877)** (Arctiidae) Synonym(s): *oblonga* Butler,1877 _ Range (in code): **MY Bor**
- 28018. *Eilema phaeopera* Hampson,1900** (Arctiidae) Synonym(s): *phaeopera* Hampson,1900
Range (in code): **ZA Ec Ans**
- 28019. *Eilema plana* (Boisduval,1832)** (Arctiidae) Synonym(s): *planum* Boisduval,1832; *repleta* Lucas,1890; *xanthopleura* Turner,1899; *costistrigata* Bethune-Baker,1904. _ Range (in code): **AU**
- 28020. *Eilema predotae* (Schawerda,1927)** (Arctiidae) Synonym(s): *predotae* Schawerda,1927
Range (in code): **PT ES**
- 28021. *Eilema pseudoluteola* Strand,1922** (Arctiidae) Synonym(s): *pseudoluteolum* Strand,1922
Range (in code): **AU**
- 28022. *Eilema punctilineata* Hampson,1901** (Arctiidae) Synonym(s): *punctilineatum* Hampson,1901 _ Range (in code): **ZA**
- 28023. *Eilema pustulatum* Wallengren,1860** (Arctiidae) Synonym(s): *pustulatum* Wallengren,1860 _ Range (in code): **ZA**
- 28024. *Eilema sanguicosta* Hampson,1901** (Arctiidae) Synonym(s): *sanguicostum* Hampson,1901
Range (in code): **ZA**
- 28025. *Eilema sarceola* Hampson,1900** (Arctiidae) Synonym(s): *sarceola* Hampson,1900
Range (in code): **ZA Ec**
- 28026. *Eilema similipuncta* Hampson,1914** (Arctiidae) Synonym(s): *similipunctum* Hampson,1914
Range (in code): **ZA Lpo Tva Spb Mdk**
- 28027. *Eilema simulans* (Mabille,1878)** (Arctiidae) Synonym(s): *simulans* Mabille,1878
Range (in code): **ZA**
- 28028. *Eilema stictigrama* Hampson,1908** (Arctiidae) Synonym(s): *stictigrama* Hampson,1908 _ Range (in code): **Myt**
- 28029. *Eilema trispilota* Saalmüller,1880** (Arctiidae) Synonym(s): *trispilota* Saalmüller,1880
Range (in code): **MG Myt**
- 28030. *Eilema uniola* (Rambur,1866)** (Arctiidae) Synonym(s): *uniola* Rambur,1866 Original Reference: *Lithosia uniola* Rambur,1866, Cat. Syst. Lépid. And.: 209. Type: Spain, Andalusia.
Range (in code): **TN DhM PT ES An FR**
- 28031. *Eilema virgineola* Hampson,1900** (Arctiidae) Synonym(s): *virgineola* Hampson,1900
Range (in code): **ZA Wca Cto**
- 28032. *Elysius conspersus* Walker,1855** (Arctiidae) Synonym(s): *conspersus* Walker,1855
Range (in code): **MX**
- 28033. *Elysius discoplaga* Walker,1885** (Arctiidae) Synonym(s): *discoplaga* Walker,1885; *breviuscula* Walker,1865; *aperta* Edwards,1884 _ Range (in code): **MX**
- 28034. *Elysius proba* (Schaus,1892)** (Arctiidae) Synonym(s): *proba* Schaus,1892 _ Range (in code): **MX HN**
- 28035. *Elysius superba* (Druce,1884)** (Arctiidae) Synonym(s): *superba* Druce,1884 _ Range (in code): **MX**

- 28036. Elysius thraillkilli (Schaus,1892)** (Arctiidae) Synonym(s): *thraillkilli* Schaus,1892
Range (in code): **MX**
- 28037. Eospilarctia chuanxina (Fang,1982)** (Arctiidae) Synonym(s): *chuanxina* Fang,1982
Range (in code): **CN Sz**
- 28038. Eospilarctia fangchenglaiae Dubatolov, Kishida & Wang,2008** (Arctiidae)
Synonym(s): *fangchenglaiae* Dubatolov, Kishida & Wang,2008 - Range (in code): **VN CN Sz Yu Kwa Hun**
- 28039. Eospilarctia guangdonga Dubatolov, Kishida & Wang,2008** (Arctiidae)
Synonym(s): *guangdonga* Dubatolov, Kishida & Wang,2008 - Range (in code): **CN Kwa**
- 28040. Eospilarctia huangshanensis Fang,2000** (Arctiidae) Synonym(s): *huangshanensis* Fang,2000 - Range (in code): **CN**
- 28041. Eospilarctia klapperichi (Daniel,1943)** (Arctiidae) Synonym(s): *klapperichi* Daniel,1943
Range (in code): **CN**
- 28042. Eospilarctia lewisi (Butler,1885)** (Arctiidae) Synonym(s): *lewisi* Butler,1885; *formosana* Rothschild,1933; *chuanxina* Fang,1982 Original Reference: *Seirarctia lewisi* Butler,1885, *Cistula* Ent. 3: 115. Type: Japan. Range (in code): **JP CN TW**
- 28043. Eospilarctia lewisi lewisi (Butler,1885)** (Arctiidae) Synonym(s): *lewisi* Butler,1885; *formosana* Rothschild,1933; *chuanxina* Fang,1982 Original Reference: *Seirarctia lewisi* Butler,1885, *Cistula* Ent. 3: 115. Type: Japan. Range (in code): **JP CN TW**
- 28044. Eospilarctia maciai Saldaitis, Ivinskis, Witt & Pekarsky,2012** (Arctiidae)
Synonym(s): *maciai* Saldaitis, Ivinskis, Witt & Pekarsky,2012 - Range (in code): **CN Yu**
- 28045. Eospilarctia naumanni Saldaitis, Ivinskis, Witt & Pekarsky,2012** (Arctiidae)
Synonym(s): *naumanni* Saldaitis, Ivinskis, Witt & Pekarsky,2012 - Range (in code): **MM**
- 28046. Eospilarctia nehallenia (Oberthür,1911)** (Arctiidae) Synonym(s): *nehallenia* Oberthür,1911 - Range (in code): **CN Sz Yu TW**
- 28047. Eospilarctia neurographa (Hampson,1899)** (Arctiidae) Synonym(s): *neurographa* Hampson,1899 - Range (in code): **TW**
- 28048. Eospilarctia pauper (Oberthür,1911)** (Arctiidae) Synonym(s): *pauper* Oberthür,1911
Range (in code): **CN Sz Yu**
- 28049. Eospilarctia taliensis (Rothschild,1933)** (Arctiidae) Synonym(s): *taliensis* Rothschild,1933; *jordansi* Daniel,1943 - Range (in code): **CN Yu Sz**
- 28050. Eospilarctia yuennanica (Daniel,1943)** (Arctiidae) Synonym(s): *yuennanica* Daniel,1943
Range (in code): **CN Yu VN**
- 28051. Eospilarctia yuennanica fansipana Saldaitis, Ivinskis, Witt & Pekarsky,2012** (Arctiidae) Synonym(s): *fansipana* Saldaitis, Ivinskis, Witt & Pekarsky,2012 - Range (in code): **VN**
- 28052. Epatolmis caesarea (Goeze,1781)** (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865]. Original Reference: *Phalaena caesarea* Goeze,1781, Ent. Beytr. 3 (3): 63. Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo Smt Akh EE LV LT RU Sr Pt Sb Mnu Kj Ss Am MN MD UA BY CN Mc Kig Hun Sz Yu Hph Kgs Stg She Shs JP Kyu** Bionomy: Larva on Atriplex, Chenopodium, Cynoglossum, Euphorbia, Euphrasia, Galium, Hieracium, Myosotis, Plantago lanceolata, Rubus, Stellaria, Veronica (Meyer,1919; De Freina & Witt,1987).
- 28053. Epatolmis caesarea caesarea (Goeze,1781)** (Arctiidae) Synonym(s): *#luctifera* [Denis & Schiffermüller],1775; *caesarea* Goeze,1781; *japonica* Walker,[1865]. Original Reference: *Phalaena caesarea* Goeze,1781, Ent. Beytr. 3 (3): 63. Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Smt Akh Bjo EE LV LT RU Sr Pt Sb Mnu Kj Ss Am MN MD UA BY CN Mc Kig Hun Sz Yu Hph Kgs Stg She Shs JP Kyu** Bionomy: Larva on Atriplex, Chenopodium, Cynoglossum, Euphorbia, Euphrasia, Galium, Hieracium, Myosotis, Plantago lanceolata, Rubus, Stellaria, Veronica (Meyer,1919; De Freina & Witt,1987).
- 28054. Epeiromulona roseata Field,1952** (Arctiidae) Synonym(s): *roseata* Field,1952 - Range (in code): **MX HN CR**
- 28055. Epicrisias eschara Dyar,1912** (Arctiidae) Synonym(s): *eschara* Dyar,1912 - Range (in code): **MX**
- 28056. Epilacydes bayoni (Berio,1935)** (Arctiidae) Synonym(s): *bayoni* Berio,1935 - Range (in code): **UG**
- 28057. Epilacydes pseudoscita Dubatolov,2006** (Arctiidae) Synonym(s): *pseudoscita* Dubatolov,2006 - Range (in code): **CI**

- 28058. *Epilacydes simulans* Butler, 1875** (Arctiidae) Synonym(s): *simulans* Butler, 1875 _ Range (in code): ZA
- 28059. *Epilacydes unilinea* (Rothschild, 1910)** (Arctiidae) Synonym(s): *unilinea* Rothschild, 1910
Range (in code): SL SN GM NG NE
- 28060. *Epimolis creon* (Druce, 1897)** (Arctiidae) Synonym(s): *creon* Druce, 1897 _ Range (in code): MX
- 28061. *Epimolis zatrephica* Dyar, 1913** (Arctiidae) Synonym(s): *zatrephica* Dyar, 1913 _ Range (in code): MX
- 28062. *Epimydia dialampra* Staudinger, 1892** (Arctiidae) Synonym(s): *dialampra* Staudinger, 1892 _ Range (in code): RU At Kuz Sb Ya MN ?T-S
- 28063. *Epimydia dialampra dialampra* Staudinger, 1892** (Arctiidae) Synonym(s): *dialampra* Staudinger, 1892 _ Range (in code): RU At Kuz Sb Ya MN ?T-S
- 28064. *Estigmene acrea* (Drury, 1773)** (Arctiidae) Synonym(s): *acrea* Drury, 1773; *caprotina* Drury, 1773; *acria* Fabricius, 1793; *pseudoerminea* Harris, 1823; *californica* Packard, 1864; *mexicana* Walker, 1865; *packardii* Schaupp, 1882; *rickseckeri* Behr, 1893; *klagesii* Ehrmann, 1894; *arizonensis* Rothschild, 1910; *columbiana* Rothschild, 1910; *mombasana* Rothschild, 1910 _ Range (in code): CA US Arz Cf Ny Vi Mrl MX CO KE Mb
- 28065. *Estigmene atrifascia* (Hampson, 1907)** (Arctiidae) Synonym(s): *atrifascia* Hampson, 1907
Range (in code): KE
- 28066. *Estigmene flaviceps* Hampson, 1907** (Arctiidae) Synonym(s): *flaviceps* Hampson, 1907; *aureocosta* Bethune-Baker, 1911 _ Range (in code): SN SL GH
- 28067. *Estigmene griseata* Hampson, 1916** (Arctiidae) Synonym(s): *griseata* Hampson, 1916
Range (in code): SO
- 28068. *Estigmene internigralis* Hampson, 1905** (Arctiidae) Synonym(s): *internigralis* Hampson, 1905 _ Range (in code): ZA Cto Nta Kzu Fs Tva
- 28069. *Estigmene laglaizei* Rothschild, 1910** (Arctiidae) Synonym(s): *laglaizei* Rothschild, 1910
Range (in code): SN
- 28070. *Estigmene melanoxantha* Gaede, 1926** (Arctiidae) Synonym(s): *melanoxantha* Gaede, 1926
Range (in code): KE?
- 28071. *Estigmene multivittata* Rothschild, 1910** (Arctiidae) Synonym(s): *multivittata* Rothschild, 1910 _ Range (in code): ZA KE Nai
- 28072. *Estigmene neuriastis* Hampson, 1907** (Arctiidae) Synonym(s): *neuriastis* Hampson, 1907
Range (in code): AO ZM
- 28073. *Estigmene ochreolutescens* Kiriakoff, 1954** (Arctiidae) Synonym(s): *ansorgei* Rothschild, 1910 *nec* Roths., 1910; *ochreolutescens* Kiriakoff, 1954 _ Range (in code): UG ZM ZR
- 28074. *Estigmene ochreomarginata* Bethune-Baker, 1909** (Arctiidae) Synonym(s): *ochreomarginata* Bethune-Baker, 1909; *ansorgei* Rothschild, 1910 _ Range (in code): ZR UG TZ SL
- 28075. *Estigmene rothi* Rothschild, 1910** (Arctiidae) Synonym(s): *rothi* Rothschild, 1910
Range (in code): NG
- 28076. *Estigmene sabulosa* Romieux, 1943** (Arctiidae) Synonym(s): *sabulosa* Romieux, 1943
Range (in code): ZR ZM
- 28077. *Estigmene senegalensis* Rothschild, 1933** (Arctiidae) Synonym(s): *senegalensis* Rothschild, 1933 _ Range (in code): SN
- 28078. *Estigmene similis* Rothschild, 1910** (Arctiidae) Synonym(s): *similis* Rothschild, 1910
Range (in code): TZ
- 28079. *Estigmene tenuistrigata* Hampson, 1900** (Arctiidae) Synonym(s): *tenuistrigata* Hampson, 1900 _ Range (in code): KE Nai UG ZW ZA
- 28080. *Estigmene testaceoflava* Rothschild, 1933** (Arctiidae) Synonym(s): *testaceoflava* Rothschild, 1933 _ Range (in code): SN
- 28081. *Estigmene trivitta* (Walker, 1855)** (Arctiidae) Synonym(s): *trivitta* Walker, 1855 _ Range (in code): ZA Tva Gau Pre Nta Kzu MZ ZW ZM MW AO ZR TZ KE
- 28082. *Eucallimorpha albipuncta* (Wileman, 1910)** (Arctiidae) Synonym(s): *albipuncta* Wileman, 1910; *arizana* Matsumura, 1911 _ Range (in code): TW
- 28083. *Eucallimorpha eques* (Reich, 1932)** (Arctiidae) Synonym(s): *eques* Reich, 1932 _ Range (in code): IN SI
- 28084. *Eucallimorpha equitalis* (Kollar, [1844])** (Arctiidae) Synonym(s): *equitalis* Kollar, [1844]
Range (in code): IN Ch SI NP MM TH CMa CDo
- 28085. *Eucallimorpha equitalis equitalis* (Kollar, [1844])** (Arctiidae) Synonym(s): *equitalis* Kollar, [1844] _ Range (in code): IN Ch SI NP MM TH CMa CDo

- 28086. Eucallimorpha lenzeni (Daniel,1943)** (Arctiidae) Synonym(s): *lenzeni* Daniel,1943
Range (in code): **CN Yu**
- 28087. Eucallimorpha nehos (Leech,1899)** (Arctiidae) Synonym(s): *nehos* Leech,1899
Range (in code): **CN**
- 28088. Eucallimorpha nyctemerata (Moore,1879)** (Arctiidae) Synonym(s): *nyctemerata* Moore,1879
Range (in code): **CN Yu Sz BT**
- 28089. Eucallimorpha ochricolor (Alpheraky,1897)** (Arctiidae) Synonym(s): *ochricolor* Alpheraky,1897
Range (in code): **CN Sz Yu Hun**
- 28090. Eucallimorpha ochricolor ochricolor (Alpheraky,1897)** (Arctiidae) Synonym(s): *ochricolor* Alpheraky,1897
Range (in code): **CN Sz Yu Hun**
- 28091. Eucallimorpha principalis (Kollar,[1844])** (Arctiidae) Synonym(s): *principalis* Kollar,[1844]; *flavicolor* Moore,1879
Range (in code): **Ch Ld AF Nu Bd TJ Pm PK IN NP MM CN Sz Yu Ti Kig Kgs Hpe Hun Tkg**
- 28092. Eucallimorpha principalis fedtschenkoi (Groum-Grshimailo,1902)** (Arctiidae) Synonym(s): *fedtschenkoi* Groum-Grshimailo,1902
Range (in code): **TJ Pm**
- 28093. Eucallimorpha principalis ladakensis (Reich,1933)** (Arctiidae) Synonym(s): *ladakensis* Reich,1933
Range (in code): **Ld**
- 28094. Eucallimorpha principalis nuristanica (Kardakoff,1937)** (Arctiidae) Synonym(s): *nuristanica* Kardakoff,1937
Range (in code): **AF Nu Bd**
- 28095. Eucallimorpha principalis principalis (Kollar,[1844])** (Arctiidae) Synonym(s): *principalis* Kollar,[1844]; *flavicolor* Moore,1879
Range (in code): **Ch PK IN NP CN Sz Yu Ti**
- 28096. Eucallimorpha principalis regalis (Leech,1881)** (Arctiidae) Synonym(s): *regalis* Leech,1881
Range (in code): **CN Kig Kgs Hpe Hun Tkg**
- 28097. Eucallimorpha similis (Moore,1879)** (Arctiidae) Synonym(s): *similis* Moore,1879
Range (in code): **CN Yu Ti IN SI NP BT**
- 28098. Euchaetes albaticosta (Dyar,1912)** (Arctiidae) Synonym(s): *albaticosta* Dyar,1912
Range (in code): **MX**
- 28099. Euchaetes albicosta (Walker,1855)** (Arctiidae) Synonym(s): *albicosta* Walker,1855; *fumidus* Edwards,1884; *scapsiformis* Graef,1887
Range (in code): **MX**
- 28100. Euchaetes antica (Walker,1856)** (Arctiidae) Synonym(s): *antica* Walker,1856; *salatis* Boisduval,1870; *pollinia* Boisduval,1870; *zonalis* Grote,1882; *pollenia* Kirby,1892; *parazona* Dyar,1912; *sinaloensis* Dyar,1921
Range (in code): **MX**
- 28101. Euchaetes castalla Barnes & McDunnough,1910** (Arctiidae) Synonym(s): *castalla* Barnes & McDunnough,1910
Range (in code): **MX**
- 28102. Euchaetes cressida Dyar,1913** (Arctiidae) Synonym(s): *cressida* Dyar,1913; *helena* Cassino,1928
Range (in code): **MX**
- 28103. Euchaetes egle (Drury,[1773])** (Arctiidae) Synonym(s): *egle* Drury,[1773]
Range (in code): **US Ny**
- 28104. Euchaetes egle egle (Drury,[1773])** (Arctiidae) Synonym(s): *egle* Drury,[1773]
Range (in code): **US Ny**
- 28105. Euchaetes elegans Stretch,1873** (Arctiidae) Synonym(s): *elegans* Stretch,1873; *roseicapitis* Neumoegen & Dyar,1890
Range (in code): **MX GT**
- 28106. Euchaetes expressa (Edwards,1884)** (Arctiidae) Synonym(s): *expressa* Edwards,1884; *rhadia* Dyar,1913
Range (in code): **MX**
- 28107. Euchaetes mitis Schaus,1910** (Arctiidae) Synonym(s): *mitis* Schaus,1910; *epagoga* Dyar,1913; *jalapa* Strand,1919; *crassipyga* Strand,1921
Range (in code): **MX CR**
- 28108. Euchaetes pannycha (Dyar,1918)** (Arctiidae) Synonym(s): *pannycha* Dyar,1918
Range (in code): **MX**
- 28109. Euchaetes perlevis Grote,1882** (Arctiidae) Synonym(s): *perlevis* Grote,1882
Range (in code): **MX**
- 28110. Euchaetes promathides (Druce,1894)** (Arctiidae) Synonym(s): *promathides* Druce,1894
Range (in code): **MX**
- 28111. Euchaetes psara Dyar,1907** (Arctiidae) Synonym(s): *psara* Dyar,1907
Range (in code): **MX**
- 28112. Euchaetes zella (Dyar,1903)** (Arctiidae) Synonym(s): *zella* Dyar,1903
Range (in code): **MX**
- 28113. Eucraea arcuifera Felder,1874** (Arctiidae) Synonym(s): *arcuifera* Felder,1874
Range (in code): **ZA Nta Kzu**

- 28114. *Eucreagra arcuifera natalica* (Strand,1912)** (Arctiidae) Synonym(s): *natalica* Strand,1912 _ Range (in code): ZA Nta Kzu
- 28115. *Eudesmia abdulla* (Dyar,1922)** (Arctiidae) Synonym(s): *abdulla* Dyar,1922 _ Range (in code): MX
- 28116. *Eudesmia chorion* (Dyar,1917)** (Arctiidae) Synonym(s): *chorion* Dyar,1917 _ Range (in code): MX
- 28117. *Eudesmia cynara* (Druce,1894)** (Arctiidae) Synonym(s): *cynara* Druce,1894 _ Range (in code): MX
- 28118. *Eudesmia cynossema* (Druce,1894)** (Arctiidae) Synonym(s): *cynossema* Druce,1894 _ Range (in code): MX GT
- 28119. *Eudesmia cypris* (Druce,1894)** (Arctiidae) Synonym(s): *cypris* Druce,1894 _ Range (in code): MX GT
- 28120. *Eudesmia loccea* (Schaus,1921)** (Arctiidae) Synonym(s): *loccea* Schaus,1921 _ Range (in code): MX GT
- 28121. *Eudesmia menea* (Drury,1782)** (Arctiidae) Synonym(s): *menea* Drury,1782; *laetifera* Walker,1864; *latifasciatus* Butler,1875; *arctifascia* Butler,1877 _ Range (in code): MX CO BR
- 28122. *Eudesmia praxis* (Druce,1894)** (Arctiidae) Synonym(s): *praxis* Druce,1894 _ Range (in code): MX
- 28123. *Eudesmia prusias* (Druce,1894)** (Arctiidae) Synonym(s): *prusias* Druce,1894 _ Range (in code): MX
- 28124. *Eudesmia quadrifasciata* (Walker,1864)** (Arctiidae) Synonym(s): *quadrifasciata* Walker,1864 _ Range (in code): MX
- 28125. *Eudesmia tehuacana* (Dyar,1917)** (Arctiidae) Synonym(s): *tehuacana* Dyar,1917 _ Range (in code): MX
- 28126. *Eudiaphora turensis* (Erschoff,1874)** (Arctiidae) Synonym(s): *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966. _ Range (in code): IR Se Kh KuB TM Kp UZ Fe AF KG Ssn Tk Dj Ii CN Ui Ket TJ Pm AF Kbb Pnj Hr
- 28127. *Eudiaphora turensis kopetdaghica* Dubatolov,2004** (Arctiidae) Synonym(s): *kopetdaghica* Dubatolov,2004 _ Range (in code): IR Se Kh KuB TM Kp
- 28128. *Eudiaphora turensis turensis* (Erschoff,1874)** (Arctiidae) Synonym(s): *turensis* Erschoff,1874; *maracandica* Seitz,1910; *afghanistanensis* Daniel,1966. _ Range (in code): UZ Fe AF KG Ssn Tk Dj Ii CN Ui Ket TJ Pm AF Kbb Pnj Hr
- 28129. *Eugoa aequalis* Walker,[1858]** (Arctiidae) Synonym(s): *aequalis* Walker,[1858]; *imposita* Walker,1862 _ Range (in code): MY Bor ID Sum
- 28130. *Eugoa africana* Hampson,1900** (Arctiidae) Synonym(s): *africana* Hampson,1900 _ Range (in code): ZA
- 28131. *Eugoa aliquotpunctata* Bucsek,2008** (Arctiidae) Synonym(s): *aliquotpunctata* Bucsek,2008 _ Range (in code): MY Prk
- 28132. *Eugoa apexinigra* Bucsek,2008** (Arctiidae) Synonym(s): *apexinigra* Bucsek,2008 _ Range (in code): MY Pah TH
- 28133. *Eugoa apiensis* Holloway,2001** (Arctiidae) Synonym(s): *apiensis* Holloway,2001 _ Range (in code): MY Bor Pah
- 28134. *Eugoa basipuncta* (Hampson,1891)** (Arctiidae) Synonym(s): *basipuncta* Hampson,1891; ? *formosicola* Matsumura,1927 _ Original Reference: Padenia basipuncta Hampson,1891, Illustr. typical Specimens lepid. Heterocera Colln Br. Mus. 8: 49. Range (in code): MY Bor Sbh IN ID Ja TW? TH CMa CDo CD2 Pap Mro
- 28135. *Eugoa bidentata* Bucsek,2008** (Arctiidae) Synonym(s): *bidentata* Bucsek,2008 _ Range (in code): MY Prk KH
- 28136. *Eugoa bipuncta* (Heylaerts,1891)** (Arctiidae) Synonym(s): *bipuncta* Heylaerts,1891; ? *bipunctata* Seitz,1914; *heylaerti* Seitz,1914 _ Range (in code): MY Prk Pah KH ID Clb IN Ass Meg LK
- 28137. *Eugoa bipunctalis* Van Eecke,1926** (Arctiidae) Synonym(s): *bipunctalis* Van Eecke,1926 _ Range (in code): MY Prk Bor ID Sum Ja
- 28138. *Eugoa bipunctata* (Walker,1862)** (Arctiidae) Synonym(s): *bipunctata* Walker,1862; *trifasciata* Moore,1887 _ Range (in code): LK MY Bor Prk SG
- 28139. *Eugoa cesaneki* Bucsek,2008** (Arctiidae) Synonym(s): *cesaneki* Bucsek,2008 _ Range (in code): MY Pah TH
- 28140. *Eugoa crassa* (Walker,1862)** (Arctiidae) Synonym(s): *crassa* Walker,1862 _ Range (in code): MY Pah Prk Bor

- 28141. *Eugoa ellipsis* Bucsek,2008** (Arctiidae) Synonym(s): *ellipsis* Bucsek,2008 _ Range (in code): MY Prk
- 28142. *Eugoa gabriellae* Bucsek,2008** (Arctiidae) Synonym(s): *gabriellae* Bucsek,2008 _ Range (in code): KH TH MM VN
- 28143. *Eugoa gracilisa* Bucsek,2008** (Arctiidae) Synonym(s): *gracilisa* Bucsek,2008 _ Range (in code): MY Pah Prk
- 28144. *Eugoa grandipuncta* Bucsek,2008** (Arctiidae) Synonym(s): *grandipuncta* Bucsek,2008 _ Range (in code): MY Prk
- 28145. *Eugoa holocraspedon* Holloway,2001** (Arctiidae) Synonym(s): *holocraspedon* Holloway,2001 _ Range (in code): MY Bor Prk
- 28146. *Eugoa humerana* (Walker,1863)** (Arctiidae) Synonym(s): *humerana* Walker,1863 _ Range (in code): MY ID Ja Sum Bor
- 28147. *Eugoa inconspicua* (Walker,1863)** (Arctiidae) Synonym(s): *inconspicua* Walker,1863 _ Range (in code): MY Prk Bor TH
- 28148. *Eugoa indeclaratana* (Walker,1863)** (Arctiidae) Synonym(s): *indeclaratana* Walker,1863 _ Range (in code): MY Prk Pah Bor
- 28149. *Eugoa khmera* Bucsek,2008** (Arctiidae) Synonym(s): *khmera* Bucsek,2008 _ Range (in code): KH
- 28150. *Eugoa malayicola* Bucsek,2008** (Arctiidae) Synonym(s): *malayicola* Bucsek,2008 _ Range (in code): MY Sgo Prk TH
- 28151. *Eugoa mangle* Holloway,2001** (Arctiidae) Synonym(s): *mangle* Holloway,2001 _ Range (in code): MY Bor ID Sum KH TH
- 28152. *Eugoa muluana* Holloway,2001** (Arctiidae) Synonym(s): *muluana* Holloway,2001 _ Range (in code): MY Bor KH Pah TH
- 28153. *Eugoa obliquipuncta* Holloway,2001** (Arctiidae) Synonym(s): *obliquipuncta* Holloway,2001 _ Range (in code): MY Pah TH
- 28154. *Eugoa okalii* Bucsek,2008** (Arctiidae) Synonym(s): *okalii* Bucsek,2008 _ Range (in code): MY Prk
- 28155. *Eugoa palawanica* Bucsek,2008** (Arctiidae) Synonym(s): *palawanica* Bucsek,2008 _ Range (in code): PH Pal Mno
- 28156. *Eugoa parva* Bucsek,2008** (Arctiidae) Synonym(s): *parva* Bucsek,2008 _ Range (in code): MY Prk
- 28157. *Eugoa pectinocrassa* Holloway,2001** (Arctiidae) Synonym(s): *pectinocrassa* Holloway,2001 _ Range (in code): MY Pah Bor
- 28158. *Eugoa pulchra* Bucsek,2008** (Arctiidae) Synonym(s): *pulchra* Bucsek,2008 _ Range (in code): MY Prk
- 28159. *Eugoa similis* Rothschild,1913** (Arctiidae) Synonym(s): *similis* Rothschild,1913 _ Original Reference: *Eugoa similis* Rothschild,1913, Novit. zool. 20: 221. Type ♀: [Malaysia]: Perak. Range (in code): MY Prk
- 28160. *Eugoa simonae* Bucsek,2008** (Arctiidae) Synonym(s): *simonae* Bucsek,2008 _ Range (in code): KH TH NP IN
- 28161. *Eugoa submontana* Holloway,2001** (Arctiidae) Synonym(s): *submontana* Holloway,2001 _ Range (in code): MY Pah Bor
- 28162. *Eugoa tessellata* Holloway,2001** (Arctiidae) Synonym(s): *tessellata* Holloway,2001 _ Range (in code): MY Bor ID Sum KH TH
- 28163. *Eugoa tridens* Bucsek,2008** (Arctiidae) Synonym(s): *tridens* Bucsek,2008 _ Range (in code): MY Pah
- 28164. *Eugoa trifasciata* (Snellen,[1886])** (Arctiidae) Synonym(s): *trifasciata* Snellen,[1886] _ Range (in code): ID Sum Bor MY
- 28165. *Eugoa turbida* (Walker,1862)** (Arctiidae) Synonym(s): *turbida* Walker,1862 _ Range (in code): MY Prk Pah Bor
- 28166. *Eugoa unicolora* Bucsek,2008** (Arctiidae) Synonym(s): *unicolora* Bucsek,2008 _ Range (in code): MY Pah TH
- 28167. *Eugoa vagigutta* (Walker,1862)** (Arctiidae) Synonym(s): *vagigutta* Walker,1862 _ Range (in code): MY Bor Pah
- 28168. *Euleechia bieti* (Oberthür,1884)** (Arctiidae) Synonym(s): *bieti* Oberthür,1884 _ Range (in code): CN Sz She Hph Hpe Gn Tkq

- 28169. *Euleechia bieti bieti* (Oberthür,1884)** (Arctiidae) Synonym(s): *bieti* Oberthür,1884
Range (in code): **CN Sz She**
- 28170. *Euleechia bieti hoenei* (O.Bang-Haas,1932)** (Arctiidae) Synonym(s): *hoenei* O.Bang-Haas,1932
Range (in code): **CN Tkg**
- 28171. *Euleechia bieti minschani* (O.Bang-Haas,1932)** (Arctiidae) Synonym(s): *minschani* O.Bang-Haas,1932
Range (in code): **CN Gn Hph**
- 28172. *Euleechia bieti pratti* (Leech,1890)** (Arctiidae) Synonym(s): *pratti* Leech,1890
Range (in code): **CN Hpe**
- 28173. *Euleechia miranda* (Oberthür,1894)** (Arctiidae) Synonym(s): *miranda* Oberthür,1894
Range (in code): **CN Yu Ti**
- 28174. *Euleechia miranda dubernardi* (Oberthür,1912)** (Arctiidae) Synonym(s): *dubernardi* Oberthür,1912
Range (in code): **CN Yu**
- 28175. *Euleechia miranda lugens* (Oberthür,1912)** (Arctiidae) Synonym(s): *lugens* Oberthür,1912
Range (in code): **CN**
- 28176. *Euleechia miranda miranda* (Oberthür,1894)** (Arctiidae) Synonym(s): *miranda* Oberthür,1894
Range (in code): **CN Yu Ti**
- 28177. *Euleechia poultoni* (Oberthür,1913)** (Arctiidae) Synonym(s): *poultoni* Oberthür,1913
Range (in code): **CN Sz Yu Tkg Kig Hpe**
- 28178. *Euleechia poultoni poultoni* (Oberthür,1913)** (Arctiidae) Synonym(s): *poultoni* Oberthür,1913
Range (in code): **CN Sz Yu Tkg Kig Hpe**
- 28179. *Euplagia quadripunctaria* (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. Original Reference: *Phalaena quadripunctaria* Poda,1761, *Insecta Mus. Graecensis*: 89. Type(s): {Austria}: Graz. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LV LT RU Ur VI Pt MD UA BY SY LB Bsa IR Ak Gh Mz Ar GlS Se Kh Cc AM Dar AZ Adz Kir GG Bjo Lag Mng Tbl TM Kp** Bionomy: Larva on *Lamium album*, *Nepeta glechoma* (Lamiaceae), *Borago officinalis* (South,1907); *Epilobium*, *Fagus*, *Fraxinus*, *Plantago* (Plantaginaceae), *Quercus* (Fagaceae), *Ribes grossularia*, *Rubus* (Rosaceae), *Sarothamnus scoparius* (Meyer,1919).
- 28180. *Euplagia quadripunctaria fulgida* (Oberthür,1896)** (Arctiidae) Synonym(s): *fulgida* Oberthür,1896; *magna* Holtz,1897
Range (in code): **TR Cc AM Dar AZ Adz Kir GG Mng Tbl GR CY SY LB Bsa IR Ak Gh Mz Ar GlS Se Kh TM Kp**
- 28181. *Euplagia quadripunctaria quadripunctaria* (Poda,1761)** (Arctiidae) Synonym(s): *quadripunctaria* Poda,1761; *hera* Linnaeus,1767; *magna* Spuler,1910 *nec* Hol.,1897; *latefasciata* Bubacek,1915. Original Reference: *Phalaena quadripunctaria* Poda,1761, *Insecta Mus. Graecensis*: 89. Type(s): {Austria}: Graz. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LV LT RU Ur VI Pt MD UA BY**
- 28182. *Euplagia quadripunctaria rhodosensis* (Daniel,1953)** (Arctiidae) Synonym(s): *rhodosensis* Daniel,1953; *ingridae* Roesler,1969 Original Reference: *Callimorpha quadripunctaria* ssp. *rhodosensis* Daniel,1953, *Mitt. münch. ent. Ges.* 43: 253, Taf.vii fig.12 Holotype ♂: Rhodos, leg. Bender. Range (in code): **GR Rd TR**
- 28183. *Euplagia splendidior* (Tams,1922)** (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935. Original Reference: *Callimorpha quadripunctaria* ssp. *splendidior* Tams,1922, *Entomologist* 55: 196-197. Holotype ♂: Iran: N.W. Persia: Harir. Range (in code): **IR Ab Oru Kd Mrv Km Il By Es Lo Fa Shr Ma IQ TR Cc AM Ink AZ Nv**
- 28184. *Euplagia splendidior splendidior* (Tams,1922)** (Arctiidae) Synonym(s): *splendidior* Tams,1922; *tkatshukovi* Sheljuzhko,1935. Original Reference: *Callimorpha quadripunctaria* ssp. *splendidior* Tams,1922, *Entomologist* 55: 196-197. Holotype ♂: Iran: N.W. Persia: Harir. Range (in code): **IR Ab Oru Kd Mrv Km Il By Es Lo Fa Shr Ma IQ TR Cc AM Ink AZ Nv**
- 28185. *Euplocia memblaria* (Cramer,[1780])** (Arctiidae) Synonym(s): *memblaria* Cramer,[1780]
Range (in code): **TH**
- 28186. *Eupseudosoma aberrans* Schaus,1905** (Arctiidae) Synonym(s): *aberrans* Schaus,1905
Range (in code): **MX**
- 28187. *Eupseudosoma agramma* Hampson,1901** (Arctiidae) Synonym(s): *agramma* Hampson,1901
Range (in code): **MX BR**
- 28188. *Eupseudosoma involuta* (Sepp,[1855])** (Arctiidae) Synonym(s): *involuta* Sepp,[1855]; *nivea* Herrich-Schäffer,[1855]; *floridum* Grote,1882; *immaculata* Graef,1887
Range (in code): **MX**

- 28189. Eurosia annulata Hampson,1900** (Arctiidae) Synonym(s): *annulata* Hampson,1900
Range (in code): **IN Clc**
- 28190. Eurosia fuliginea Hampson,1903** (Arctiidae) Synonym(s): *fuliginea* Hampson,1903
Range (in code): **ZA**
- 28191. Eurosia grisea (Hampson,1893)** (Arctiidae) Synonym(s): *grisea* Hampson,1893
Range (in code): **LK Nwp**
- 28192. Eurosia lineata Hampson,1900** (Arctiidae) Synonym(s): *lineata* Hampson,1900
Range (in code): **ZA Ec Tra**
- 28193. Eurosia trimaculata (Hampson,1893)** (Arctiidae) Synonym(s): *trimaculata* Hampson,1893
Range (in code): **LK Nwp**
- 28194. Eurylomia cordula (Boisduval,1870)** (Arctiidae) Synonym(s): *cordula* Boisduval,1870;
curvinervis R.Felder & Rogenhofer,1874
Range (in code): **MX HN**
- 28195. Eurylomia ochreatea Druce,1885** (Arctiidae) Synonym(s): *ochreatea* Druce,1885
Range (in code): **MX HN**
- 28196. Euryptidia ira (Druce,1899)** (Arctiidae) Synonym(s): *ira* Druce,1899
Range (in code): **MX**
- 28197. Eutane terminalis Walker,1854** (Arctiidae) Synonym(s): *terminalis* Walker,1854; *maculata* Butler,1877; *gradata* Lucas,1890
Range (in code): **AU**
- 28198. Eutane trimochla Turner,1940** (Arctiidae) Synonym(s): *trimochla* Turner,1940
Range (in code): **AU**
- 28199. Euthyone fractivittarum (Dyar,1914)** (Arctiidae) Synonym(s): *fractivittarum* Dyar,1914
Range (in code): **MX**
- 28200. Euthyone grisescens (Schaus,1911)** (Arctiidae) Synonym(s): *grisescens* Schaus,1911
Range (in code): **MX CR**
- 28201. Euthyone simplex (Walker,1854)** (Arctiidae) Synonym(s): *simplex* Walker,1854; *alba* Druce,1885; *parvita* Schaus,1896
Range (in code): **MX BR**
- 28202. Euthyone theodula (Schaus,1924)** (Arctiidae) Synonym(s): *theodula* Schaus,1924
Range (in code): **MX GT**
- 28203. Evius hippia (Stoll,1790)** (Arctiidae) Synonym(s): *hippia* Stoll,1790; *albicollis* Walker,1865;
lamba Druce,1890; *prostota* Dognin,1908
Range (in code): **MX**
- 28204. Eyrалpenus (Pareyралpenus) quadrilunata (Hampson,1901)** (Arctiidae)
Synonym(s): *quadrilunata* Hampson,1901
Range (in code): **SL SN GH ZR**
- 28205. Eyrалpenus (s.str.) atricures (Hampson,1916)** (Arctiidae) Synonym(s): *atricures* Hampson,1916
Range (in code): **TZ**
- 28206. Eyrалpenus (s.str.) diplosticta (Hampson,1900)** (Arctiidae) Synonym(s): *diplosticta* Hampson,1900; *#diplosticha* Hampson,1901
Range (in code): **ZA Nta Kzu ZM MW MZ**
- 28207. Eyrалpenus (s.str.) inconspicua (Rothschild,1910)** (Arctiidae) Synonym(s): *inconspicua* Rothschild,1910
Range (in code): **TZ MW AO**
- 28208. Eyrалpenus (s.str.) meinhofi (Bartel,1903)** (Arctiidae) Synonym(s): *meinhofi* Bartel,1903
Original Reference: *Spilosoma meinhofi* Bartel,1903, Dt. ent. Z., Iris 16: 213.
Syntypes: [tanzaia]: "Zanzibar, Kiungani".
Range (in code): **ZA TZ ZM**
- 28209. Eyrалpenus (s.str.) melanocera (Hampson,1916)** (Arctiidae) Synonym(s): *melanocera* Hampson,1916
Range (in code): **MW**
- 28210. Eyrалpenus (s.str.) metaxantha (Hampson,1920)** (Arctiidae) Synonym(s): *metaxantha* Hampson,1920
Range (in code): **ZM AO ZR ZA Tva MZ ZW**
- 28211. Eyrалpenus (s.str.) postflavida (Rothschild,1933)** (Arctiidae) Synonym(s): *postflavida* Rothschild,1933
Range (in code): **ZR**
- 28212. Eyrалpenus (s.str.) scioana (Oberthür,1880)** (Arctiidae) Synonym(s): *scioana* Oberthür,1880; *abbotti* Holland,1892; *multipecta* Strand,1921
Range (in code): **ZA ET AO ZR**
- 28213. Eyrалpenus (s.str.) scioana intensa (Rothschild,1910)** (Arctiidae) Synonym(s): *intensa* Rothschild,1910
Range (in code): **AO**
- 28214. Eyrалpenus (s.str.) scioana paucipunctata (Kiriakoff,1963)** (Arctiidae)
Synonym(s): *paucipunctata* Kiriakoff,1963
Range (in code): **ZR**
- 28215. Eyrалpenus (s.str.) scioana scioana (Oberthür,1880)** (Arctiidae) Synonym(s): *scioana* Oberthür,1880; *abbotti* Holland,1892; *multipecta* Strand,1921
Range (in code): **ZA ET**
- 28216. Eyrалpenus (s.str.) sublutea (Bartel,1903)** (Arctiidae) Synonym(s): *sublutea* Bartel,1903
Range (in code): **ZA MZ ZW MW ZM TZ KE**

- 28217. Eyr Alpenus (s.str.) testacea (Walker,1855)** (Arctiidae) Synonym(s): *testacea* Walker,1855; *subflavescens* Walker,1865 _ Range (in code): ZA Kzu Nta Tva Mpu Brb Ec MW KE
- 28218. Eyr Alpenus (s.str.) trifasciata (Holland,1892)** (Arctiidae) Synonym(s): *trifasciata* Holland,1892 _ Range (in code): TZ
- 28219. Fabresema bicornuta Holloway,1979** (Arctiidae) Synonym(s): *bicornuta* Holloway,1979 Range (in code): NC
- 28220. Fabresema catherinae Holloway,1979** (Arctiidae) Synonym(s): *catherinae* Holloway,1979 Range (in code): NC
- 28221. Fabresema cheesmanae Holloway,1979** (Arctiidae) Synonym(s): *cheesmanae* Holloway,1979 _ Range (in code): NC
- 28222. Fabresema costiplaga Holloway,1979** (Arctiidae) Synonym(s): *costiplaga* Holloway,1979 Range (in code): NC
- 28223. Fabresema elisabethae Holloway,1979** (Arctiidae) Synonym(s): *elisabethae* Holloway,1979 _ Range (in code): NC
- 28224. Fabresema flavibasalis Holloway,1979** (Arctiidae) Synonym(s): *flavibasalis* Holloway,1979 _ Range (in code): NC
- 28225. Fabresema gerardi Holloway,1979** (Arctiidae) Synonym(s): *gerardi* Holloway,1979 Range (in code): NC
- 28226. Fabresema grisea Holloway,1979** (Arctiidae) Synonym(s): *grisea* Holloway,1979 Range (in code): NC
- 28227. Fabresema obliqua Holloway,1979** (Arctiidae) Synonym(s): *obliqua* Holloway,1979 Range (in code): NC
- 28228. Fabresema sarramea Holloway,1979** (Arctiidae) Synonym(s): *sarramea* Holloway,1979 Range (in code): NC
- 28229. Fabresema suffusa Holloway,1979** (Arctiidae) Synonym(s): *suffusa* Holloway,1979 Range (in code): NC
- 28230. Fabresema sylviae Holloway,1979** (Arctiidae) Synonym(s): *sylviae* Holloway,1979 Range (in code): NC
- 28231. Fabresema toma Holloway,1979** (Arctiidae) Synonym(s): *toma* Holloway,1979 _ Range (in code): NC
- 28232. Fabresema valeriae Holloway,1979** (Arctiidae) Synonym(s): *valeriae* Holloway,1979 Range (in code): NC
- 28233. Fodinoidea formosa Toulgoet,1984** (Arctiidae) Synonym(s): *formosa* Toulgoet,1984 Range (in code): MG
- 28234. Fodinoidea pluto Toulgoet,1961** (Arctiidae) Synonym(s): *pluto* Toulgoet,1961 _ Range (in code): MG
- 28235. Fodinoidea pluto celsicola Toulgoet,1961** (Arctiidae) Synonym(s): *celsicola* Toulgoet,1961 _ Range (in code): MG
- 28236. Fodinoidea pluto pluto Toulgoet,1961** (Arctiidae) Synonym(s): *pluto* Toulgoet,1961 Range (in code): MG
- 28237. Fodinoidea pulchra Toulgoet,1971** (Arctiidae) Synonym(s): *pulchra* Toulgoet,1971 Range (in code): MG
- 28238. Fodinoidea pupieri Toulgoet,1972** (Arctiidae) Synonym(s): *pupieri* Toulgoet,1972 Range (in code): KM
- 28239. Fodinoidea rectifascia Collenette,1930** (Arctiidae) Synonym(s): *rectifascia* Collenette,1930 _ Range (in code): MG
- 28240. Fodinoidea staudingeri Saalmüller,1884** (Arctiidae) Synonym(s): *staudingeri* Saalmüller,1884 _ Range (in code): MG
- 28241. Fodinoidea staudingeri laeta Toulgoet,1957** (Arctiidae) Synonym(s): *laeta* Toulgoet,1957 _ Range (in code): MG
- 28242. Fodinoidea staudingeri staudingeri Saalmüller,1884** (Arctiidae) Synonym(s): *staudingeri* Saalmüller,1884 _ Range (in code): MG
- 28243. Fodinoidea vectigera Mabille,1882** (Arctiidae) Synonym(s): *vectigera* Mabille,1882; *maculata* Butler,1885; *#sanguinea* Toulgoet,1954 _ Range (in code): MG
- 28244. Galtara aurivillii (Pagenstecher,1901)** (Arctiidae) Synonym(s): *fasciata* Aurivillius,1897 (homonym); *aurivillii* Pagenstecher,1901 _ Range (in code): KE RW MW CM

- 28245. *Galtara colletae* Toulgoet,1976** (Arctiidae) **Synonym(s):** *colletae* Toulgoet,1976 _ **Range**
(in code): **KM**
- 28246. *Galtara convergens* Toulgoet,1979** (Arctiidae) **Synonym(s):** *convergens* Toulgoet,1979
Range (in code): **RW**
- 28247. *Galtara doriae* (Oberthür,1879)** (Arctiidae) **Synonym(s):** *doriae* Oberthür,1879 _ **Range**
(in code): **ET TZ UG**
- 28248. *Galtara doriae doriae* (Oberthür,1879)** (Arctiidae) **Synonym(s):** *doriae* Oberthür,1879
Range (in code): **ZA ET TZ UG**
- 28249. *Galtara doriae megadoriae* Toulgoet,1977** (Arctiidae) **Synonym(s):** *megadoriae*
Toulgoet,1977 _ **Range** (in code): **ET**
- 28250. *Galtara elongata* (Swinhoe,1907)** (Arctiidae) **Synonym(s):** *elongata* Swinhoe,1907
Range (in code): **ET KE RW ZR**
- 28251. *Galtara extensa* (Butler,1880)** (Arctiidae) **Synonym(s):** *extensa* Butler,1880 _ **Range** (in
code): **MG**
- 28252. *Galtara laportei* Toulgoet,1979** (Arctiidae) **Synonym(s):** *laportei* Toulgoet,1979 _ **Range**
(in code): **RW**
- 28253. *Galtara nepheloptera* (Hampson,1910)** (Arctiidae) **Synonym(s):** *nepheloptera*
Hampson,1910 _ **Range** (in code): **ZA Lpo Tva Spb Mdk AO NA**
- 28254. *Galtara notabilis* Toulgoet,1980** (Arctiidae) **Synonym(s):** *notabilis* Toulgoet,1980
Range (in code): **ZR**
- 28255. *Galtara pulverata* (Hampson,1900)** (Arctiidae) **Synonym(s):** *pulverata* Hampson,1900
Range (in code): **ZA Kzu Nta Kkf**
- 28256. *Galtara purata* Walker,[1863]** (Arctiidae) **Synonym(s):** *purata* Walker,[1863]; *basifurca*
Walker,1865 _ **Range** (in code): **ZA**
- 28257. *Galtara reticulata* (Hampson,1909)** (Arctiidae) **Synonym(s):** *reticulata* Hampson,1909
Range (in code): **UG RW ZR**
- 28258. *Galtara somaliensis* (Hampson,1916)** (Arctiidae) **Synonym(s):** *somaliensis* Hampson,1916
Range (in code): **SO SA**
- 28259. *Galtara turlini* Toulgoet,1979** (Arctiidae) **Synonym(s):** *turlini* Toulgoet,1979 _ **Range** (in
code): **RW**
- 28260. *Gampola fasciata* Moore,1878** (Arctiidae) **Synonym(s):** *fasciata* Moore,1878 **Original**
Reference: *Gampola fasciata* Moore,1878, Proc. zool. Soc. London 1878: 27, pl.2 fig.18. Type:
Ceylon (BMNH). **Range** (in code): **LK Dck Nwp Uda Pdy**
- 28261. *Gardinia anopla* Hering,1925** (Arctiidae) **Synonym(s):** *anopla* Hering,1925 _ **Range** (in
code): **MX**
- 28262. *Gardinia magnifica* (Walker,1856)** (Arctiidae) **Synonym(s):** *magnifica* Walker,1856
Range (in code): **MX**
- 28263. *Garudinia acornuta* Holloway,1982** (Arctiidae) **Synonym(s):** *acornuta* Holloway,1982
Range (in code): **MY Bor ID Ja**
- 28264. *Garudinia bimaculata* Rothschild,1912** (Arctiidae) **Synonym(s):** *bimaculata*
Rothschild,1912 _ **Range** (in code): **TW Bor MY ID Clb**
- 28265. *Garudinia biplagiata* Hampson,1896** (Arctiidae) **Synonym(s):** *biplagiata* Hampson,1896
Range (in code): **BT**
- 28266. *Garudinia conjuncta* Kirti & Gill,2008** (Arctiidae) **Synonym(s):** *conjuncta* Kirti & Gill,2008
Range (in code): **IN**
- 28267. *Garudinia latana* (Walker,1863)** (Arctiidae) **Synonym(s):** *latana* Walker,1863 _ **Range**
(in code): **LK Pdy**
- 28268. *Garudinia macrolatana* Holloway,2001** (Arctiidae) **Synonym(s):** *macrolatana*
Holloway,2001 _ **Range** (in code): **BN Bor**
- 28269. *Garudinia pseudolatana* Holloway,2001** (Arctiidae) **Synonym(s):** *pseudolatana*
Holloway,2001 _ **Range** (in code): **MY Bor**
- 28270. *Garudinia pseudosimulana* Kirti & Gill,2008** (Arctiidae) **Synonym(s):** *pseudosimulana*
Kirti & Gill,2008 _ **Range** (in code): **IN**
- 28271. *Garudinia simulana* (Walker,1863)** (Arctiidae) **Synonym(s):** *simulana* Walker,1863
Range (in code): **MY Bor Swk**
- 28272. *Garudinia successana* (Walker,1866)** (Arctiidae) **Synonym(s):** *successana* Walker,1866
Range (in code): **ID Crm**

- 28273. *Garudinia trangulata* Holloway,2001** (Arctiidae) **Synonym(s):** *trangulata* Holloway,2001
Range (in code): MY Bor Swk
- 28274. *Garudinia truncata* Holloway,2001** (Arctiidae) **Synonym(s):** *truncata* Holloway,2001
Range (in code): MY Bor Swk
- 28275. *Ghoria nigripars* (Walker,1856)** (Arctiidae) **Synonym(s):** *nigripars* Walker,1856
Range (in code): IN CN Fkn Kwa
- 28276. *Glaucostola guttipalpis* (Walker,1856)** (Arctiidae) **Synonym(s):** *guttipalpis* Walker,1856;
romula Druce,1895 **Range (in code):** MX BR
- 28277. *Gnamptonychia flavicollis* (Druce,1885)** (Arctiidae) **Synonym(s):** *flavicollis* Druce,1885;
tiria Druce,1897 **Range (in code):** MX
- 28278. *Gnamptonychia orsola* Dyar,1910** (Arctiidae) **Synonym(s):** *orsola* Dyar,1910 **Range (in code):** MX
- 28279. *Gnophaela aequinoctialis* Walker,1854** (Arctiidae) **Synonym(s):** *aequinoctialis* Walker,1854 **Range (in code):** MX
- 28280. *Gnophaela discreta* Stretch,1878** (Arctiidae) **Synonym(s):** *discreta* Stretch,1878
Range (in code): MX
- 28281. *Gonerda aglaia* Kishida,1995** (Arctiidae) **Synonym(s):** *aglaia* Kishida,1995 **Range (in code):** NP
- 28282. *Gonerda aglaia aglaia* Kishida,1995** (Arctiidae) **Synonym(s):** *aglaia* Kishida,1995
Range (in code): NP
- 28283. *Gonerda bretaudeaui* Oberthür,1896** (Arctiidae) **Synonym(s):** *auxo* Kishida,1995; *thaleia* Kishida,1995; *kale* Kishida,1995 **Range (in code):** IN SI NP Ti
- 28284. *Gonerda gloria* De Freina,1999** (Arctiidae) **Synonym(s):** *gloria* De Freina,1999 **Range (in code):** CN Ti
- 28285. *Gonerda gloria gloria* De Freina,1999** (Arctiidae) **Synonym(s):** *gloria* De Freina,1999
Range (in code): CN Ti
- 28286. *Gonerda perornata* (Moore,1879)** (Arctiidae) **Synonym(s):** *perornata* Moore,1879
Original Reference: *Arctia perornata* Moore,1879, Proc. zool Soc Lond. 1879: 395, pl.32 fig.2.
Type: Kashmir. **Range (in code):** Ch IN PK
- 28287. *Gonerda perornata perornata* (Moore,1879)** (Arctiidae) **Synonym(s):** *perornata* Moore,1879
Original Reference: *Arctia perornata* Moore,1879, Proc. zool Soc Lond. 1879: 395, pl.32 fig.2. **Type:** Kashmir. **Range (in code):** Ch IN PK
- 28288. *Gonerda watsoni* Thomas,1987** (Arctiidae) **Synonym(s):** *watsoni* Thomas,1987 **Range (in code):** CN Yu
- 28289. *Goniosema anguliscrita* (Lucas,1890)** (Arctiidae) **Synonym(s):** *anguliscrita* Lucas,1890
Range (in code): AU
- 28290. *Goniosema euraphota* Turner,1940** (Arctiidae) **Synonym(s):** *euraphota* Turner,1940
Range (in code): AU
- 28291. *Gorgonidia buckleyi* (Druce,1883)** (Arctiidae) **Synonym(s):** *buckleyi* Druce,1883; *harterti* Rothschild,1910 **Range (in code):** EC MX
- 28292. *Grammia* (Holarctia) *turbans* (Christoph,1892)** (Arctiidae) **Synonym(s):** *turbans* Christoph,1892 **Range (in code):** RU Sj Am Ya MN US Als CA BCo Abt
- 28293. *Grammia* (Holarctia) *turbans turbans* (Christoph,1892)** (Arctiidae) **Synonym(s):** *turbans* Christoph,1892 **Range (in code):** RU Sj Am Ya MN US Als CA BCo Abt
- 28294. *Grammia* (s.str.) *philippiana* Ferguson,1985** (Arctiidae) **Synonym(s):** *philippiana* Ferguson,1985; *olga* Dubatolov,1990. **Range (in code):** RU US Als
- 28295. *Grammia* (s.str.) *philippiana philippiana* Ferguson,1985** (Arctiidae) **Synonym(s):** *philippiana* Ferguson,1985; *olga* Dubatolov,1990. **Range (in code):** RU US Als
- 28296. *Grammia* (s.str.) *quenseli* (Paykull,1793)** (Arctiidae) **Synonym(s):** *quenseli* Paykull,1793; *strigosa* Fabricius,1793; *falloui* Jourdeuil,1866; *gelida* Schöyen,1880; *norvegica* Strand,1919; *alpivolans* Warnecke,1949; *dolomitica* Loritz,1952. **Range (in code):** FR IT CH AT RO NO SE FI RU MD UA BY KG Tar Sp Sau **Bionomy:** Larva on Geum, Lathyrus pratensis (Meyer,1919).
- 28297. *Grammia* (s.str.) *quenseli liturata* (Ménétriés,1859)** (Arctiidae) **Synonym(s):** *liturata* Ménétriés,1859; *daisetsuzana* Matsumura,1927. **Range (in code):**
- 28298. *Grammia* (s.str.) *quenseli quenseli* (Paykull,1793)** (Arctiidae) **Synonym(s):** *quenseli* Paykull,1793; *strigosa* Fabricius,1793; *falloui* Jourdeuil,1866; *gelida* Schöyen,1880; *norvegica* Strand,1919; *alpivolans* Warnecke,1949; *dolomitica* Loritz,1952. **Range (in code):** FR IT CH AT RO NO SE FI RU MD UA BY KG Tar

- 28299. *Grammia* (s.str.) *quenseli saura* Dubatolov,2007** (Arctiidae) **Synonym(s):** *saura* Dubatolov,2007 - Range (in code): KG Sp Sau
- 28300. *Grammia arge* (Drury,1773)** (Arctiidae) **Synonym(s):** *arge* Drury,1773; *dione* Fabricius,1775; *incarnatorubra* Goeze,1781; *nervosa* Neumoegen & Dyar,1893; *strigosa* Stretch,1906 - Range (in code): MX
- 28301. *Grammia geneura* (Strecker,1880)** (Arctiidae) **Synonym(s):** *geneura* Strecker,1880 - Range (in code): MX
- 28302. *Grucia monacheicauda* Dyar,1916** (Arctiidae) **Synonym(s):** *monacheicauda* Dyar,1916 - Range (in code): MX
- 28303. *Gymnasura flavia* (Hampson,1900)** (Arctiidae) **Synonym(s):** *flavia* Hampson,1900; *homoea* Turner,1940 - Range (in code): AU
- 28304. *Gymnasura prionosticha* Turner,1940** (Arctiidae) **Synonym(s):** *prionosticha* Turner,1940 - Range (in code): AU
- 28305. *Gymnasura saginaea* (Turner,1899)** (Arctiidae) **Synonym(s):** *saginaea* Turner,1899; *limonis* Lucas,1900; *eldola* Swinhoe,1901. - Range (in code): AU
- 28306. *Haematomis mexicana* (Druce,1885)** (Arctiidae) **Synonym(s):** *mexicana* Druce,1885 - Range (in code): MX GT
- 28307. *Haematomis radians* Dyar,1907** (Arctiidae) **Synonym(s):** *radians* Dyar,1907 - Range (in code): MX
- 28308. *Haematomis uniformis* Schaus,1899** (Arctiidae) **Synonym(s):** *uniformis* Schaus,1899 - Range (in code): MX
- 28309. *Halone consolatrix* (Rosenstock,1885)** (Arctiidae) **Synonym(s):** *consolatrix* Rosenstock,1885; *hemichroa* Turner,1899 - Range (in code): AU
- 28310. *Halone coryphoea* Hampson,1914** (Arctiidae) **Synonym(s):** *coryphoea* Hampson,1914; *coryphaea* Turner,1915; *farinosa* Strand,1922 - Range (in code): AU
- 28311. *Halone ebaea* Hampson,1914** (Arctiidae) **Synonym(s):** *ebaea* Hampson,1914 - Range (in code): AU
- 28312. *Halone epiopsis* Turner,1940** (Arctiidae) **Synonym(s):** *epiopsis* Turner,1940 - Range (in code): AU
- 28313. *Halone interspersa* (Lucas,1890)** (Arctiidae) **Synonym(s):** *interspersa* Lucas,1890 - Range (in code): AU
- 28314. *Halone ophiodes* (Meyrick,1886)** (Arctiidae) **Synonym(s):** *ophiodes* Meyrick,1886 - Range (in code): AU
- 28315. *Halone prosenes* Turner,1940** (Arctiidae) **Synonym(s):** *prosenes* Turner,1940 - Range (in code): AU
- 28316. *Halone pteridaula* (Turner,1922)** (Arctiidae) **Synonym(s):** *pteridaula* Turner,1922 - Range (in code): AU
- 28317. *Halone sejuncta* (R.Felder & Rogenhofer,1875)** (Arctiidae) **Synonym(s):** *sejuncta* R.Felder & Rogenhofer,1875 - Range (in code): AU
- 28318. *Halone servilis* (Meyrick,1886)** (Arctiidae) **Synonym(s):** *servilis* Meyrick,1886 - Range (in code): AU
- 28319. *Halone sinuata* (Wallengren,1860)** (Arctiidae) **Synonym(s):** *sinuata* Wallengren,1860; *anartoides* Walker,1866 - Range (in code): AU
- 28320. *Halone sobria* Walker,1854** (Arctiidae) **Synonym(s):** *sobria* Walker,1854; *nephobola* Turner,1944 - Range (in code): AU
- 28321. *Halysidota atra* Druce,1884** (Arctiidae) **Synonym(s):** *atra* Druce,1884 - Range (in code): MX GT
- 28322. *Halysidota davisii* Edwards,1875** (Arctiidae) **Synonym(s):** *davisii* Edwards,1875 - Range (in code): MX
- 28323. *Halysidota donahuei* A.Watson,1940** (Arctiidae) **Synonym(s):** *donahuei* A.Watson,1940 - Range (in code): MX
- 28324. *Halysidota fuliginosa* Rothschild,1909** (Arctiidae) **Synonym(s):** *fuliginosa* Rothschild,1909; *carinator* Dyar,1912; *#meta* Strand,1919 - Range (in code): MX GT SV HN CR
- 28325. *Halysidota grandis* (Rothschild,1909)** (Arctiidae) **Synonym(s):** *grandis* Rothschild,1909 - Range (in code): MX CR PE
- 28326. *Halysidota instabilis* Dyar,1912** (Arctiidae) **Synonym(s):** *instabilis* Dyar,1912 - Range (in code): MX

- 28327. Halysidota interlineata Walker, 1855** (Arctiidae) Synonym(s): *interlineata* Walker, 1855; *jucunda* Herrich-Schäffer, [1855] - Range (in code): MX
- 28328. Halysidota masoni Schaus, 1895** (Arctiidae) Synonym(s): *masoni* Schaus, 1895 - Range (in code): MX
- 28329. Halysidota meridionalis Rothschild, 1909** (Arctiidae) Synonym(s): *meridionalis* Rothschild, 1909; *distincta* Rothschild, 1909 - Range (in code): MX
- 28330. Halysidota mexiconis Strand, 1919** (Arctiidae) Synonym(s): *mexiconis* Strand, 1919 - Range (in code): MX
- 28331. Halysidota schausi Rothschild, 1909** (Arctiidae) Synonym(s): *schausi* Rothschild, 1909 - Range (in code): MX
- 28332. Hectobrocha adoxa (Meyrick, 1886)** (Arctiidae) Synonym(s): *adoxo* Meyrick, 1886 - Range (in code): AU
- 28333. Hectobrocha multilinea Lucas, 1890** (Arctiidae) Synonym(s): *multilinea* Lucas, 1890 - Range (in code): AU
- 28334. Hectobrocha pentacyma Meyrick, 1886** (Arctiidae) Synonym(s): *pentacyma* Meyrick, 1886 - Range (in code): AU
- 28335. Hectobrocha subnigra Lucas, 1890** (Arctiidae) Synonym(s): *subnigra* Lucas, 1890 - Range (in code): AU
- 28336. Heliosia atriplaga Hampson, 1914** (Arctiidae) Synonym(s): *atriplaga* Hampson, 1914 - Range (in code): NC LO
- 28337. Heliosia charopa Turner, 1904** (Arctiidae) Synonym(s): *charopa* Turner, 1904 - Range (in code): AU
- 28338. Heliosia jucunda (Walker, 1854)** (Arctiidae) Synonym(s): *jucunda* Walker, 1854; *transitana* Walker, 1863 - Range (in code): AU
- 28339. Heliosia micra Hampson, 1903** (Arctiidae) Synonym(s): *micra* Hampson, 1903 - Range (in code): AU
- 28340. Heliosia perichares Turner, 1944** (Arctiidae) Synonym(s): *perichares* Turner, 1944 - Range (in code): AU
- 28341. Heliozona lianga (Semper, 1899)** (Arctiidae) Synonym(s): *lianga* Semper, 1899 - Range (in code): PH Luz Mnl Mno
- 28342. Hemihyalea cornea (Herrich-Schäffer, [1853])** (Arctiidae) Synonym(s): *cornea* Herrich-Schäffer, [1853] - Range (in code): MX VE
- 28343. Hemihyalea daraba (Druce, 1894)** (Arctiidae) Synonym(s): *daraba* Druce, 1894 - Range (in code): MX
- 28344. Hemihyalea euornithia Dyar, 1914** (Arctiidae) Synonym(s): *euornithia* Dyar, 1914 - Range (in code): MX
- 28345. Hemihyalea labecula (Grote, 1881)** (Arctiidae) Synonym(s): *labecula* Grote, 1881 - Range (in code): MX
- 28346. Hemihyalea ludwigi (Beutelspacher, 1984)** (Arctiidae) Synonym(s): *ludwigi* Beutelspacher, 1984 - Range (in code): MX
- 28347. Hemihyalea mansueta (Edwards, 1884)** (Arctiidae) Synonym(s): *mansueta* Edwards, 1884 - Range (in code): MX
- 28348. Hemihyalea nimbipicta Dyar, 1914** (Arctiidae) Synonym(s): *nimbipicta* Dyar, 1914 - Range (in code): MX
- 28349. Hemihyalea rhoda (Druce, 1894)** (Arctiidae) Synonym(s): *rhoda* Druce, 1894; *hidalgonis* Dyar, 1916 - Range (in code): MX
- 28350. Hemihyalea splendens Barnes & McDunnough, 1910** (Arctiidae) Synonym(s): *splendens* Barnes & McDunnough, 1910 - Range (in code): MX
- 28351. Hemihyalea testacea Rothschild, 1909** (Arctiidae) Synonym(s): *testacea* Rothschild, 1909 - Range (in code): MX
- 28352. Hemihyalea utica (Druce, 1897)** (Arctiidae) Synonym(s): *utica* Druce, 1897 - Range (in code): MX
- 28353. Hemonia micrommata (Turner, 1899)** (Arctiidae) Synonym(s): *micrommata* Turner, 1899 - Range (in code): AU
- 28354. Hemonia orbiferana (Walker, 1863)** (Arctiidae) Synonym(s): *orbiferana* Walker, 1863; *ciliata* Hampson, 1914 - Original Reference: Heminia [sic] orbiferana Walker, 1863, List Specimens lepid. Insects Colln Br. Mus. 28: 426. Range (in code): LK Nwp Pdy IN MM MY SG Bor Swk

- 28355. *Hemonia pallida* Hampson, 1914** (Arctiidae) **Synonym(s):** *pallida* Hampson, 1914; *peristerodes* Turner, 1940 **_ Range (in code): AU**
- 28356. *Hemonia rotundata* (Snellen, 1879)** (Arctiidae) **Synonym(s):** *rotundata* Snellen, 1879
Original Reference: Pitane rotundata Snellen, 1879, Tijdschr. Ent. 22: 90-91, pl. 6 figs. a-d.
Type(s): [Indonesia]: "Saleyer en Maros". **_ Range (in code): ID Ja Bli Clb PH MY Bor Swk TH Cma CDo CD2** **Bionomy:** Larva on Acacia mangium (Fabaceae) (Piepers & Snellen, 1904).
- 28357. *Hemonia simillima* Rothschild, 1913** (Arctiidae) **Synonym(s):** *simillima* Rothschild, 1913
_ Range (in code): AU
- 28358. *Hestiarcha pyrrhopa* Meyrick, 1886** (Arctiidae) **Synonym(s):** *pyrrhopa* Meyrick, 1886
_ Range (in code): AU
- 28359. *Hesychopa chionora* (Meyrick, 1886)** (Arctiidae) **Synonym(s):** *chionora* Meyrick, 1886
_ Range (in code): AU
- 28360. *Hesychopa molybdica* Turner, 1940** (Arctiidae) **Synonym(s):** *molybdica* Turner, 1940
_ Range (in code): AU
- 28361. *Heterallactis euchrysa* Meyrick, 1886** (Arctiidae) **Synonym(s):** *euchrysa* Meyrick, 1886
_ Range (in code): AU
- 28362. *Heterallactis microchrysa* Turner, 1940** (Arctiidae) **Synonym(s):** *microchrysa* Turner, 1940 **_ Range (in code): AU**
- 28363. *Heterallactis nipocephala* Turner, 1940** (Arctiidae) **Synonym(s):** *nipocephala* Turner, 1940 **_ Range (in code): AU**
- 28364. *Heterallactis phlogozona* (Turner, 1904)** (Arctiidae) **Synonym(s):** *phlogozona* Turner, 1904; *chrysauges* Turner, 1940 **_ Range (in code): AU**
- 28365. *Heterallactis stenochrysa* Turner, 1940** (Arctiidae) **Synonym(s):** *stenochrysa* Turner, 1940
_ Range (in code): AU
- 28366. *Heterallactis trigonochrysa* Turner, 1940** (Arctiidae) **Synonym(s):** *trigonochrysa* Turner, 1940 **_ Range (in code): AU**
- 28367. *Heterotropa fastosa* Turner, 1940** (Arctiidae) **Synonym(s):** *fastosa* Turner, 1940
_ Range (in code): AU
- 28368. *Hiera gyge* Druce, 1885** (Arctiidae) **Synonym(s):** *gyge* Druce, 1885 **_ Range (in code): MX PA**
- 28369. *Hobapromea cleta* (Turner, 1940)** (Arctiidae) **Synonym(s):** *cleta* Turner, 1940 **_ Range (in code): AU**
- 28370. *Holoarctia cervini* (Fallou, 1864)** (Arctiidae) **Synonym(s):** *cervini* Fallou, 1864; *hnatecki* Frey, 1872; *sordida* McDunnough, 1921; *scriniensis* Berthet, 1948; *teriolensis* Burmann, 1975 **_ Range (in code): FR IT CH AT** **Bionomy:** Larva on Androsace, Primula farinosa (Primulaceae), Saxifraga (Saxifragaceae), Silene (Caryophyllaceae) (Meyer, 1919).
- 28371. *Holoarctia cervini cervini* (Fallou, 1864)** (Arctiidae) **Synonym(s):** *cervini* Fallou, 1864; *hnatecki* Frey, 1872; *sordida* McDunnough, 1921; *scriniensis* Berthet, 1948; *teriolensis* Burmann, 1975 **_ Range (in code): FR IT CH AT**
- 28372. *Holoarctia marinae* Dubatolov, 1985** (Arctiidae) **Synonym(s):** *marinae* Dubatolov, 1985
_ Range (in code): RU At
- 28373. *Holoarctia marinae marinae* Dubatolov, 1985** (Arctiidae) **Synonym(s):** *marinae* Dubatolov, 1985 **_ Range (in code): RU At**
- 28374. *Holoarctia puengeleri* (O. Bang-Haas, 1927)** (Arctiidae) **Synonym(s):** *puengeleri* O. Bang-Haas, 1927 **_ Range (in code): SE MN RU Cb Ur At Sj Ya US Als**
- 28375. *Holoarctia puengeleri fridolini* (Torstenius, 1971)** (Arctiidae) **Synonym(s):** *fridolini* Torstenius, 1971 **_ Range (in code): SE RU**
- 28376. *Holoarctia puengeleri iremelica* Dubatolov, 2007** (Arctiidae) **Synonym(s):** *iremelica* Dubatolov, 2007 **_ Range (in code): RU Cb**
- 28377. *Holoarctia puengeleri perunovi* Dubatolov, 1990** (Arctiidae) **Synonym(s):** *perunovi* Dubatolov, 1990 **_ Range (in code): RU At MN**
- 28378. *Holoarctia puengeleri puengeleri* (O. Bang-Haas, 1927)** (Arctiidae) **Synonym(s):** *puengeleri* O. Bang-Haas, 1927 **_ Range (in code): RU Ur At Sj US Als**
- 28379. *Holoarctia puengeleri sibirica* Dubatolov, 2007** (Arctiidae) **Synonym(s):** *sibirica* Dubatolov, 2007 **_ Range (in code): RU Ya**
- 28380. *Holocraspedon nigropunctum* Hampson, 1893** (Arctiidae) **Synonym(s):** *nigropunctum* Hampson, 1893 **_ Range (in code): LK Nwp**

- 28381. *Holocraspedon parallelum* Semper,1899** (Arctiidae) Synonym(s): *parallelum* Semper,1899 _ Range (in code): PH Luz
- 28382. *Holomelina arbela* (Druce,1889)** (Arctiidae) Synonym(s): *arbela* Druce,1889 _ Range (in code): MX
- 28383. *Holomelina cetes* (Druce,1897)** (Arctiidae) Synonym(s): *cetes* Druce,1897 _ Range (in code): MX
- 28384. *Holomelina erythina* Beutelspacher,1991** (Arctiidae) Synonym(s): *erythina* Beutelspacher,1991 _ Range (in code): MX
- 28385. *Holomelina esula* (Druce,1889)** (Arctiidae) Synonym(s): *esula* Druce,1889 _ Range (in code): MX
- 28386. *Holomelina feronia* (Druce,1889)** (Arctiidae) Synonym(s): *feronia* Druce,1889 _ Range (in code): MX
- 28387. *Holomelina loti* Beutelspacher,1991** (Arctiidae) Synonym(s): *loti* Beutelspacher,1991 _ Range (in code): MX
- 28388. *Holomelina mirma* (Druce,1897)** (Arctiidae) Synonym(s): *mirma* Druce,1897 _ Range (in code): MX
- 28389. *Holomelina ostenta* (Edwards,1881)** (Arctiidae) Synonym(s): *ostenta* Edwards,1881; *calera* Barnes,1907 _ Range (in code): MX
- 28390. *Holomelina pamphylia* (Druce,1889)** (Arctiidae) Synonym(s): *pamphylia* Druce,1889 _ Range (in code): MX
- 28391. *Holomelina polyphron* (Druce,1894)** (Arctiidae) Synonym(s): *polyphron* Druce,1894; *consors* Hoffmann,1934 _ Range (in code): MX
- 28392. *Holomelina pomponia* (Druce,1889)** (Arctiidae) Synonym(s): *pomponia* Druce,1889 _ Range (in code): MX
- 28393. *Holomelina rubicundaria* (Hübner,[1831])** (Arctiidae) Synonym(s): *rubicundaria* Hübner,[1831]; *ferruginosa* Walker,1854; *brevicornis* Walker,1854; *quiharia* Grote,1863; *choriona* Reakirt,1864; *bimaculat* Saunders,1869; *belfragei* Stretch,1885; *marginata* Druce,1885; *diminutiva* Graef,1887; *rosa* French,1890 _ Range (in code): MX
- 28394. *Holomelina semirosea* (Druce,1889)** (Arctiidae) Synonym(s): *semirosea* Druce,1889 _ Range (in code): MX
- 28395. *Holomelina tenuicincta* Hampson,1901** (Arctiidae) Synonym(s): *tenuicincta* Hampson,1901 _ Range (in code): MX
- 28396. *Holomelina trigonifera* Schaus,1901** (Arctiidae) Synonym(s): *trigonifera* Schaus,1901 _ Range (in code): MX
- 28397. *Hylarctia tepica* Dyar,1914** (Arctiidae) Synonym(s): *tepica* Dyar,1914 _ Range (in code): MX
- 28398. *Hyalurga chthonophyle* (Druce,1885)** (Arctiidae) Synonym(s): *chthonophyle* Druce,1885 _ Range (in code): MX
- 28399. *Hyalurga fenestrata* (Walker,1855)** (Arctiidae) Synonym(s): *fenestrata* Walker,1855 _ Range (in code): MX BR
- 28400. *Hyalurga rica* (Hübner,[1813])** (Arctiidae) Synonym(s): *rica* Hübner,[1813] _ Range (in code): MX CU
- 28401. *Hyalurga sora* (Boisduval,1870)** (Arctiidae) Synonym(s): *sora* Boisduval,1870; *panamensis* Butler,1876; *soroides* Hering,1925 _ Range (in code): MX GT PA
- 28402. *Hypagoptera rufeola* Hampson,1900** (Arctiidae) Synonym(s): *rufeola* Hampson,1900 _ Range (in code): ZA Nta Kzu Est
- 28403. *Hyperborea czekanowskii* Groum-Grshimailo,[1900]** (Arctiidae) Synonym(s): *czekanowskii* Groum-Grshimailo,[1900] _ Range (in code): RU Kmt US Als
- 28404. *Hyperborea czekanowskii czekanowskii* Groum-Grshimailo,[1900]** (Arctiidae) Synonym(s): *czekanowskii* Groum-Grshimailo,[1900] _ Range (in code): RU Kmt US Als
- 28405. *Hypercompe albescens* (Hampson,1901)** (Arctiidae) Synonym(s): *albescens* Hampson,1901 _ Range (in code): MX GT
- 28406. *Hypercompe alpha* (Oberthür,1881)** (Arctiidae) Synonym(s): *alpha* Oberthür,1881; *#alphaeoides* Strand,1919 _ Range (in code): MX
- 28407. *Hypercompe amulaensis* (Druce,1889)** (Arctiidae) Synonym(s): *amulaensis* Druce,1889 _ Range (in code): MX
- 28408. *Hypercompe andromela* (Dyar,1909)** (Arctiidae) Synonym(s): *andromela* Dyar,1909 _ Range (in code): MX

- 28409. Hypercompe atra (Oberthür,1881)** (Arctiidae) **Synonym(s):** *atra* Oberthür,1881; *eminens* Edwards,1884 **Range (in code):** **MX**
- 28410. Hypercompe castronis (Strand,1919)** (Arctiidae) **Synonym(s):** *castronis* Strand,1919 **Range (in code):** **BR MX**
- 28411. Hypercompe caudata (Walker,1855)** (Arctiidae) **Synonym(s):** *caudata* Walker,1855; *abscondens* Oberthür,1881; *yukatanensis* Oberthür,1881; *mexicana* Oberthür,1881; *sennettii* Lintner,1884 **Range (in code):** **MX VE**
- 28412. Hypercompe confusa (Druce,1884)** (Arctiidae) **Synonym(s):** *confusa* Druce,1884 **Range (in code):** **MX GT**
- 28413. Hypercompe cotyora (Druce,1884)** (Arctiidae) **Synonym(s):** *cotyora* Druce,1884 **Range (in code):** **MX CR**
- 28414. Hypercompe decora (Walker,1855)** (Arctiidae) **Synonym(s):** *decora* Walker,1855; *haitensis* Oberthür,1881; *cyaneicornis* Grote,1867 **Range (in code):** **MX HT**
- 28415. Hypercompe deflorata (Fabricius,1775)** (Arctiidae) **Synonym(s):** *deflorata* Fabricius,1775 **Range (in code):** **MX**
- 28416. Hypercompe euripides (Dyar,1912)** (Arctiidae) **Synonym(s):** *euripides* Dyar,1912 **Range (in code):** **MX**
- 28417. Hypercompe extrema (Walker,1855)** (Arctiidae) **Synonym(s):** *extrema* Walker,1855; *chilensis* Oberthür,1881 **Range (in code):** **MX GT CR**
- 28418. Hypercompe leucartioides (Grote & Robinson,1867)** (Arctiidae) **Synonym(s):** *leucartioides* Grote & Robinson,1867; *trebula* Druce,1884; *tenella* Edwards,1884 **Range (in code):** **MX GT**
- 28419. Hypercompe muzina (Oberthür,1881)** (Arctiidae) **Synonym(s):** *muzina* Oberthür,1881; *albicollis* Oberthür,1881; *thiemei* Oberthür,1881; *depauperata* Oberthür,1881; *xanthonota* Oberthür,1881; *garzoni* Oberthür,1881 **Range (in code):** **MX VE**
- 28420. Hypercompe nemophyla (Herrich-Schäffer,1854)** (Arctiidae) **Synonym(s):** *nemophyla* Herrich-Schäffer,1854 **Range (in code):** **MX VE**
- 28421. Hypercompe suffusa (Schaus,1889)** (Arctiidae) **Synonym(s):** *suffusa* Schaus,1889 **Range (in code):** **MX**
- 28422. Hypercompe tenebra (Schaus,1894)** (Arctiidae) **Synonym(s):** *tenebra* Schaus,1894 **Range (in code):** **MX**
- 28423. Hypertaema sororita Schaus,1920** (Arctiidae) **Synonym(s):** *sororita* Schaus,1920 **Range (in code):** **MX GT**
- 28424. Hyphantria cunea (Drury,[1773])** (Arctiidae) **Synonym(s):** *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900 **Original Reference:** Phalaena cunea Drury,[1773], Illustr. nat. Hist. exot. Ins. 2: Idx. 1(1): 36, Pl.18 fig.4. Type(s): N.America. **Range (in code):** **MX US Ny Tx Io Fl Nh FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Gh DK EE LT RU MD UA BY CN Lng She Stg** **Bionomy:** Larva on Prunus, Malus, Pyrus (Rosaceae), Alnus (Betulaceae), Populus (Salicaceae).
- 28425. Hyphantria cunea cunea (Drury,[1773])** (Arctiidae) **Synonym(s):** *cunea* Drury,[1773]; *punctatissima* Smith,1797; *budea* Hübner,[1823]; *textor* Harris,1828; *mutans* Walker,1856; *collaris* Fitch,1857; *punctata* Fitch,1857; *pallida* Packard,1864; *candida* Walker,1865; *suffusa* Strecker,1900; *brunnea* Strecker,1900 **Original Reference:** Phalaena cunea Drury,[1773], Illustr. nat. Hist. exot. Ins. 2: Idx. 1(1): 36, Pl.18 fig.4. Type(s): N.America. **Range (in code):** **MX US Ny Tx Io Fl Nh FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Gh DK EE LT RU MD UA BY** **Bionomy:** Larva on Prunus, Malus, Pyrus (Rosaceae), Alnus (Betulaceae), Populus (Salicaceae).
- 28426. Hyphantria orizaba (Druce,1897)** (Arctiidae) **Synonym(s):** *orizaba* Druce,1897 **Range (in code):** **MX**
- 28427. Hyphantria panoezys (Dyar,1897)** (Arctiidae) **Synonym(s):** *panoezys* Dyar,1897 **Range (in code):** **MX**
- 28428. Hyphantria penthetria Dyar,1912** (Arctiidae) **Synonym(s):** *penthetria* Dyar,1912 **Range (in code):** **MX**
- 28429. Hyphoraia aulica (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *aulica* Linnaeus,1758; *pustulata* Müller,1764 **Original Reference:** Phalaena aulica Linnaeus,1758, Syst. Nat. (Edn.10)1: 505. Type(s): Europa. **Range (in code):** **FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR GG Tbl Cc DK SE FI EE LV LT RU MD UA BY Kis Sb Om No Mnu Kj Am Us MN CN Ui Mc Lng KP KR JP Hkk** **Bionomy:** Larva on Achillea, Alyssum montanum, Plantago, Vicia (Meyer,1919).
- 28430. Hyphoraia aulica aulica (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *aulica* Linnaeus,1758; *pustulata* Müller,1764 **Original Reference:** Phalaena aulica Linnaeus,1758, Syst. Nat. (Edn.10)1:

505. Type(s): Europa. Range (in code): **FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY Sb Om No Mnu Kj Am Us MN CN Ui Mc KP KR JP Hkk**
- 28431. Hyphoraia aulica testudinarioides (Sovinsky,1905)** (Arctiidae) Synonym(s): *testudinarioides Sovinsky,1905* Original Reference: *Arctia aulica* var. *testudinarioides* Sovinsky,1905, Russk. ent. Obozr. 5 (3/4): 109-110. Range (in code): **Cc GG Tbl TR RU Kis**
- 28432. Hyphoraia dejeani (Godart,1822)** (Arctiidae) Synonym(s): *dejeani Godart,1822* Range (in code): **PT ES**
- 28433. Hyphoraia dejeani dejeani (Godart,1822)** (Arctiidae) Synonym(s): *dejeani Godart,1822* Range (in code): **PT ES**
- 28434. Hyphoraia testudinaria (Fourcroy,1785)** (Arctiidae) Synonym(s): *testudinaria Fourcroy,1785; curialis Esper,1789; meridialpina Daniel,1939* - Range (in code): **ES FR Si IT CH AT** Bionomy: Larva on Rumex (Meyer,1919).
- 28435. Hyphoraia testudinaria testudinaria (Fourcroy,1785)** (Arctiidae) Synonym(s): *testudinaria Fourcroy,1785; curialis Esper,1789; meridialpina Daniel,1939* - Range (in code): **ES FR Si IT CH AT**
- 28436. Hypocrisias berthula Dyar,1912** (Arctiidae) Synonym(s): *berthula Dyar,1912* - Range (in code): **MX**
- 28437. Hypocrisias limosa Dyar,1912** (Arctiidae) Synonym(s): *limosa Dyar,1912* - Range (in code): **MX**
- 28438. Hypocrisias minima (Neumoegen,1883)** (Arctiidae) Synonym(s): *minima Neumoegen,1883; armillata Edwards,1884* - Range (in code): **MX**
- 28439. Hypocrita albimacula (Druce,1897)** (Arctiidae) Synonym(s): *albimacula Druce,1897* Range (in code): **MX**
- 28440. Hypocrita arcaeii (Druce,1884)** (Arctiidae) Synonym(s): *arcaeii Druce,1884* - Range (in code): **MX PA**
- 28441. Hypocrita celina (Boisduval,1870)** (Arctiidae) Synonym(s): *celina Boisduval,1870* Range (in code): **MX GT**
- 28442. Hypocrita drucei (Schaus,1910)** (Arctiidae) Synonym(s): *drucei Schaus,1910* - Range (in code): **MX CR**
- 28443. Hypocrita pylotes (Drury,[1773])** (Arctiidae) Synonym(s): *pylotes Drury,[1773]* Range (in code): **MX GT HN**
- 28444. Hyponerita tipolis (Druce,1896)** (Arctiidae) Synonym(s): *tipolis Druce,1896* - Range (in code): **MX CO**
- 28445. Hypoprepia muelleri Dyar,1907** (Arctiidae) Synonym(s): *muelleri Dyar,1907* - Range (in code): **MX**
- 28446. Idalus agricus Dyar,1910** (Arctiidae) Synonym(s): *agricus Dyar,1910* - Range (in code): **MX**
- 28447. Idalus crinis Druce,1884** (Arctiidae) Synonym(s): *crinis Druce,1884* - Range (in code): **MX**
- 28448. Idalus herois Schaus,1899** (Arctiidae) Synonym(s): *herois Schaus,1899* - Range (in code): **MX**
- 28449. Idalus lineolus Walker,1869** (Arctiidae) Synonym(s): *lineolus Walker,1869* - Range (in code): **MX CR CO**
- 28450. Idalus vitrea (Cramer,1780)** (Arctiidae) Synonym(s): *vitrea Cramer,1780; borealis Rothschild,1910* - Range (in code): **MX**
- 28451. Ilemodes astriga Hampson,1916** (Arctiidae) Synonym(s): *astriga Hampson,1916* Range (in code): **KE UG ZA Nta Kzu Ptb**
- 28452. Ilemodes heterogyna Hampson,1900** (Arctiidae) Synonym(s): *heterogyna Hampson,1900* Range (in code): **ZA Nta Elo UG MW KE ET**
- 28453. Ilemodes heterogyna astrigoides Rothschild,1933** (Arctiidae) Synonym(s): *astrigoides Rothschild,1933* - Range (in code): **ET KE**
- 28454. Ilemodes heterogyna heterogyna Hampson,1900** (Arctiidae) Synonym(s): *heterogyna Hampson,1900* - Range (in code): **ZA Nta Elo UG MW**
- 28455. Ilemodes isogyna Romieux,1935** (Arctiidae) Synonym(s): *isogyna Romieux,1935* Range (in code): **ZR TZ**
- 28456. Inopsis catoxantha R.Felder,1874** (Arctiidae) Synonym(s): *catoxantha R.Felder,1874; flavicollis Druce,1885; imitata Edwards,1887* - Range (in code): **MX**

- 28457. Inopsis modulata (Edwards,1884)** (Arctiidae) Synonym(s): *modulata* Edwards,1884; *scylla* Druce,1885 _ Range (in code): MX GT PA
- 28458. Ionhas ataracta Hampson,1894** (Arctiidae) Synonym(s): *ataracta* Hampson,1894
Range (in code): AU
- 28459. Ionhas thirkelli (Fraser,1961)** (Arctiidae) Synonym(s): *thirkelli* Fraser,1961 _ Range (in code): AU
- 28460. Ischnarctia brunnescens Bartel,1903** (Arctiidae) Synonym(s): *brunnescens* Bartel,1903
Range (in code): ZR TZ
- 28461. Ischnarctia cinerea (Pagenstecher,1903)** (Arctiidae) Synonym(s): *cinerea* Pagenstecher,1903 _ Range (in code): ET KE ZR TZ
- 28462. Ischnarctia oberthueri (Rothschild,1910)** (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910 _ Range (in code): AO
- 28463. Ischnocampa tristis (Schaus,1899)** (Arctiidae) Synonym(s): *tristis* Schaus,1899; *dolens* Druce,1894 _ Range (in code): MX CR
- 28464. Isostola superba Druce,1885** (Arctiidae) Synonym(s): *superba* Druce,1885 _ Range (in code): MX GT
- 28465. Josiomorpha penetrata (Walker,1865)** (Arctiidae) Synonym(s): *penetrata* Walker,1865; *longivitta* R.Felder & Rogenhofer,1874; *triangulifera* Hering,1925 _ Range (in code): MX GT PA
- 28466. Juxtartia multiguttata (Walker,1855)** (Arctiidae) Synonym(s): *multiguttata* Walker,1855; *pardalina* Walker,1864; *spilosomoides* Walker,1864; *major* Rothschild,1910; *assama* Rothschild,1910; *#multiguttata* Lewvanich,2001; *bispinuat* Kirti & Kaleka,2002; *monospinuat* Kaleka,2005; *multicornutiata* Kaleka,2005; *nirmalae* Kaleka,2005; *himachalensis* Kaleka,2005; *valvata* Kaleka,2005 _ Range (in code): PK IN Ass Meg Khs SI NP KH TH CMa Knc Bionomy: Larva on leaf of *Bauhinia acuminata* [kalong] (Fabaceae) (Lewvanich,2001).
- 28467. Karschiola holoclara (Karsch,1894)** (Arctiidae) Synonym(s): *holoclara* Karsch,1894
Range (in code): TZ MW ZA
- 28468. Katha brevipennis Moore,[1883]** (Arctiidae) Synonym(s): *brevipennis* Moore,[1883]
Range (in code): LK Hen Kotm Nwp
- 28469. Katha conformis (Walker,1854)** (Arctiidae) Synonym(s): *conformis* Walker,1854; *nigrifrons* Moore,1878; *chekiangica* Kishida,2011 _ Range (in code): IN TH CN Fkn Hun Sz Yu
- 28470. Katha depressa (Esper,[1787])** (Arctiidae) Synonym(s): *deplana* Esper,[1787] *nec* Linn.,1771; *depressa* Esper,[1787]; *helvola* Hübner,[1803]; *ochreola* Hübner,[1803]; *helvola* Ochsenheimer,1810. _ Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo IR Mz DK NO SE FI EE LV LT RU MD UA BY
- 28471. Katha intermixta (Walker,[1865])** (Arctiidae) Synonym(s): *intermixta* Walker,[1865]
Range (in code): LK Nwp
- 28472. Katha magnata (Matsumura,1927)** (Arctiidae) Synonym(s): *magnata* Matsumura,1927
Range (in code): TW CN Kwa
- 28473. Katha magnata nanlingica Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *nanlingica* Dubatolov, Kishida & Wang,2012 _ Range (in code): CN Kwa
- 28474. Katha nankunshanica Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *nankunshanica* Dubatolov, Kishida & Wang,2012 _ Range (in code): CN Kwa
- 28475. Katha punctifera Hampson,1893** (Arctiidae) Synonym(s): *punctifera* Hampson,1893
Range (in code): LK Nwp
- 28476. Katha rungsi (De Toulgoet,1960)** (Arctiidae) Synonym(s): *rungs* De Toulgoet,1960
Range (in code): AET DZ ES IT GR
- 28477. Kiriakoffalia costumacula (Joicey & Talbot,1924)** (Arctiidae) Synonym(s): *costumacula* Joicey & Talbot,1924 _ Range (in code): RW UG
- 28478. Kiriakoffalia guineae (Strand,1912)** (Arctiidae) Synonym(s): *guineae* Strand,1912
Range (in code): GO
- 28479. Kiriakoffalia lemairei (Toulgoet,1976)** (Arctiidae) Synonym(s): *lemairei* Toulgoet,1976
Range (in code): ZR GA CM
- 28480. Kiriakoffalia lemairei lemairei (Toulgoet,1976)** (Arctiidae) Synonym(s): *lemairei* Toulgoet,1976 _ Range (in code): CM
- 28481. Kiriakoffalia lemairei paleacea (Toulgoet,1978)** (Arctiidae) Synonym(s): *paleacea* Toulgoet,1978 _ Range (in code): ZR GA
- 28482. Kishidaria khasiana (Moore,1878)** (Arctiidae) Synonym(s): *khasiana* Moore,1878
Range (in code): IN Ass Khs VN CN Yu

- 28483. *Lacydes incurvata* Ebert,1973** (Arctiidae) Synonym(s): *incurvata* Ebert,1973 _ Range (in code): AF PK BI
- 28484. *Lacydes incurvata incurvata* Ebert,1973** (Arctiidae) Synonym(s): *incurvata* Ebert,1973 Range (in code): AF PK BI
- 28485. *Lacydes spectabilis* (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. Original Reference: Noctua spectabilis Tauscher,1806, Mém. Soc. nat. Univ. imp. Moscou 1: 212 fig. Type(s): Russia. Range (in code): RU KG Ssn Uk T-S Sb TM AF Bd CN Ui Kml MN IR Th Dam Elb Mz Gls Kp Kh Fa Sse Ak Mz Gls Ma Se IQ TR Cc AM KK Bionomy: Larva on Artemisia (Asteraceae) (Meyer,1919); Salvia (Lamiaceae) (Wiltshire,1940); Lamium (Lamiaceae) (Koçak, in litt.).
- 28486. *Lacydes spectabilis annelata* (Christoph,1887)** (Arctiidae) Synonym(s): *annelata* Christoph,1887; *kendevani* Schwingenschuss,1937. _ Range (in code): IR Elb Th Kh Fa Sse Ak Mz Gls Ma Se TM Kp KK AF Bd
- 28487. *Lacydes spectabilis sheljuzhkoii* Dubatolov,1996** (Arctiidae) Synonym(s): *sheljuzhkoii* Dubatolov,1996 _ Range (in code): Cc AM TR IQ
- 28488. *Lacydes spectabilis spectabilis* (Tauscher,1806)** (Arctiidae) Synonym(s): *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. Original Reference: Noctua spectabilis Tauscher,1806, Mém. Soc. nat. Univ. imp. Moscou 1: 212 fig. Type(s): Russia. Range (in code): IR Th Dam Elb Mz Gls RU KG Ssn Uk T-S UA Sb TM CN Ui Kml MN
- 28489. *Lambula errata* Van Eecke,1927** (Arctiidae) Synonym(s): *errata* Van Eecke,1927 Range (in code): ID Sum Bor MY
- 28490. *Lambula fuliginosa* (Walker,1862)** (Arctiidae) Synonym(s): *fuliginosa* Walker,1862 Range (in code): MY Bor Swk BN
- 28491. *Lambula pallida* Hampson,1900** (Arctiidae) Synonym(s): *pallida* Hampson,1900 Range (in code): MY Bor Swk TH
- 28492. *Lamprosiella eborella* (Boisduval,1847)** (Arctiidae) Synonym(s): *eborella* Boisduval,184; *pygmaea* Walker,1854 _ Range (in code): ZA Ec Ans
- 28493. *Lamprostola aglaope* (R.Felder & Rogenhofer,1875)** (Arctiidae) Synonym(s): *aglaope* R.Felder & Rogenhofer,1875; *hercyna* Druce,1885 _ Range (in code): MX BR
- 28494. *Lamprostola endochrysis* Dognin,1909** (Arctiidae) Synonym(s): *endochrysis* Dognin,1909 _ Range (in code): MX CO
- 28495. *Lamprostola molybdipera* Schaus,1899** (Arctiidae) Synonym(s): *molybdipera* Schaus,1899 _ Range (in code): MX
- 28496. *Lampruna rosea* Schaus,1894** (Arctiidae) Synonym(s): *rosea* Schaus,1894 _ Range (in code): MX
- 28497. *Lemyra alikangensis* (Strand,1915)** (Arctiidae) Synonym(s): *punctilinea* Wileman,1910 nec Mr.,1879; *alikangensis* Strand,1915; *punctilineola* Strand,1919 _ Range (in code): TW
- 28498. *Lemyra alleni* Thomas,1990** (Arctiidae) Synonym(s): *alleni* Thomas,1990 Original Reference: Lemyra alleni Thomas,1990, Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 36-37, figs. Holotype ♂: Thailand: Khao Yai Nat. Park 1200m, 7.ii. 1986, M.G.Allen leg. (BMNH). Range (in code): TH CMa Kao
- 28499. *Lemyra anormala* (Daniel,1943)** (Arctiidae) Synonym(s): *anormala* Daniel,1943 Range (in code): MM CN Hun Fkn Tkg Kgs Sz Yu
- 28500. *Lemyra anormala anormala* (Daniel,1943)** (Arctiidae) Synonym(s): *anormala* Daniel,1943 _ Range (in code): MM CN Sz Yu
- 28501. *Lemyra anormala danieli* Thomas,1990** (Arctiidae) Synonym(s): *danieli* Thomas,1990 Range (in code): CN Hun Fkn Tkg Kgs
- 28502. *Lemyra barliga* Thomas,1990** (Arctiidae) Synonym(s): *barliga* Thomas,1990 _ Range (in code): PH Luz
- 28503. *Lemyra bimaculata* (Moore,1879)** (Arctiidae) Synonym(s): *bimaculata* Moore,1879; *discalis* Moore,1879; *quadrimaculata* Moore,1888 _ Range (in code): IN Kgr Hp Djl NP
- 28504. *Lemyra biseriata* (Moore,1877)** (Arctiidae) Synonym(s): *biseriata* Moore,1877; *flavens* Moore,1879 _ Range (in code): IN Meg Ass Khs
- 28505. *Lemyra boghaica* (Tshistjakov & Kishida,1994)** (Arctiidae) Synonym(s): *boghaica* Tshistjakov & Kishida,1994 _ Range (in code):
- 28506. *Lemyra boghaica boghaica* (Tshistjakov & Kishida,1994)** (Arctiidae) Synonym(s): *boghaica* Tshistjakov & Kishida,1994 _ Range (in code):

- 28507. *Lemyra borneomontana* Holloway, 1988** (Arctiidae) **Synonym(s):** *borneomontana* Holloway, 1988 **_ Range (in code):** **Bor Swk MY**
- 28508. *Lemyra burmanica* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *burmanica* Rothschild, 1910 **_ Range (in code):** **MM**
- 28509. *Lemyra copiosa* Thomas, 1990** (Arctiidae) **Synonym(s):** *copiosa* Thomas, 1990 **_ Range (in code):** **ID Sum**
- 28510. *Lemyra costumacula* (Leech, 1899)** (Arctiidae) **Synonym(s):** *costumacula* Leech, 1899 **_ Range (in code):** **CN Sz**
- 28511. *Lemyra dejongi* Thomas, 1990** (Arctiidae) **Synonym(s):** *dejongi* Thomas, 1990 **_ Range (in code):** **ID Ja**
- 28512. *Lemyra diluta* Thomas, 1990** (Arctiidae) **Synonym(s):** *diluta* Thomas, 1990 **_ Range (in code):** **CN Fkn Sz VN**
- 28513. *Lemyra everetti* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *everetti* Rothschild, 1910 **_ Range (in code):** **ID Flo**
- 28514. *Lemyra excelsa* Thomas, 1990** (Arctiidae) **Synonym(s):** *excelsa* Thomas, 1990 **_ Range (in code):** **IN SI**
- 28515. *Lemyra eximia* (Swinhoe, 1891)** (Arctiidae) **Synonym(s):** *eximia* Swinhoe, 1891 **_ Range (in code):** **IN**
- 28516. *Lemyra extensa* Walker, 1856** (Arctiidae) **Synonym(s):** *extensa* Walker, 1856 **_ Range (in code):** **ID Clb**
- 28517. *Lemyra fallaciosa* (Matsumura, 1927)** (Arctiidae) **Synonym(s):** *fallaciosa* Matsumura, 1927; *usuguronis* Matsumura, 1931; *shironis* Matsumura, 1931 **_ Range (in code):** **TW**
- 28518. *Lemyra flammeola* (Moore, 1877)** (Arctiidae) **Synonym(s):** *flammeola* Moore, 1877 **_ Range (in code):** **CN Hun Tkg Yu Fkn Stg JP**
- 28519. *Lemyra flammeola flammeola* (Moore, 1877)** (Arctiidae) **Synonym(s):** *flammeola* Moore, 1877 **_ Range (in code):** **CN Tkg Yu Fkn Stg JP**
- 28520. *Lemyra flammeola hunana* (Daniel, 1943)** (Arctiidae) **Synonym(s):** *hunana* Daniel, 1943 **_ Range (in code):** **CN Hun**
- 28521. *Lemyra flavalis* (Moore, 1865)** (Arctiidae) **Synonym(s):** *flavalis* Moore, 1865; *lativitta* Moore, 1865; *rubitincta* Moore, 1865 **_ Range (in code):** **NP IN SI Djl BT MM CN**
- 28522. *Lemyra flaveola* (Leech, 1899)** (Arctiidae) **Synonym(s):** *flaveola* Leech, 1899 **_ Range (in code):** **CN**
- 28523. *Lemyra hanoica* (Daniel, 1953)** (Arctiidae) **Synonym(s):** *hanoica* Daniel, 1953 **_ Range (in code):** **VN Ton**
- 28524. *Lemyra heringi* (Daniel, 1943)** (Arctiidae) **Synonym(s):** *heringi* Daniel, 1943 **_ Range (in code):** **CN Yu**
- 28525. *Lemyra imparilis* (Butler, 1877)** (Arctiidae) **Synonym(s):** *imparilis* Butler, 1877; *jezoensis* Matsumura, 1927 **_ Range (in code):** **JP Hkk**
- 28526. *Lemyra imparilis* (Butler, 1877)** (Arctiidae) **Synonym(s):** *imparilis* Butler, 1877; *#simplicipennis* Strand, 1919; *jezoensis* Matsumura, 1927; *#simplicior* Matsumura, 1927 **_ Range (in code):** **JP Hkk**
- 28527. *Lemyra imparilis imparilis* (Butler, 1877)** (Arctiidae) **Synonym(s):** *imparilis* Butler, 1877; *#simplicipennis* Strand, 1919; *jezoensis* Matsumura, 1927; *#simplicior* Matsumura, 1927 **_ Range (in code):** **JP Hkk**
- 28528. *Lemyra inaequalis* (Butler, 1879)** (Arctiidae) **Synonym(s):** *inaequalis* Butler, 1879; *pseudolutea* Rothschild, 1910; *japonensis* Rothschild, 1914 **_ Range (in code):** **JP**
- 28529. *Lemyra inaequalis inaequalis* (Butler, 1879)** (Arctiidae) **Synonym(s):** *inaequalis* Butler, 1879; *pseudolutea* Rothschild, 1910; *japonensis* Rothschild, 1914 **_ Range (in code):** **JP**
- 28530. *Lemyra inaequalis sakaguchii* (Matsumura, 1930)** (Arctiidae) **Synonym(s):** *sakaguchii* Matsumura, 1930 **_ Range (in code):** **JP**
- 28531. *Lemyra infernalis* (Butler, 1877)** (Arctiidae) **Synonym(s):** *infernalis* Butler, 1877; *mollicula* Butler, 1877; *distincta* Reich, 1937 **_ Range (in code):** **JP CN Tkg**
- 28532. *Lemyra infernalis infernalis* (Butler, 1877)** (Arctiidae) **Synonym(s):** *infernalis* Butler, 1877; *mollicula* Butler, 1877; *distincta* Reich, 1937 **_ Range (in code):** **JP CN Tkg**
- 28533. *Lemyra jankowskii* (Oberthür, 1881)** (Arctiidae) **Synonym(s):** *jankowskii* Oberthür, 1881; *korearctica* Bryk, 1948 **_ Range (in code):** **RU Am Prj Us KP KR CN Mc She Shs Tkg Yu Sz Kgs Ti Stg Hph Lng**

- 28534. *Lemyra jankowskii jankowskii* (Oberthür,1881) (Arctiidae) Synonym(s):** *jankowskii* Oberthür,1881; *korearctia* Bryk,1948 _ Range (in code): **RU Am Prj Us KP KR CN Mc She Shs Sz Ti Yu Stg Hph Lng**
- 28535. *Lemyra jankowskii soror* (Leech,[1899]) (Arctiidae) Synonym(s):** *soror* Leech,[1899]; *vialis* Oberthür,1911 _ Range (in code): **CN She Shs Tkg Yu Sz Kgs**
- 28536. *Lemyra jeremyi* Thomas,1990 (Arctiidae) Synonym(s):** *jeremyi* Thomas,1990 _ Range (in code): **ID Clb**
- 28537. *Lemyra jiangxiensis* (Fang,1990) (Arctiidae) Synonym(s):** *jiangxiensis* Fang,1990 _ Range (in code): **CN Kig**
- 28538. *Lemyra kannegieteri* (Rothschild,1910) (Arctiidae) Synonym(s):** *kannegieteri* Rothschild,1910; *kannegieteri* Hampson,1920 _ Range (in code): **ID Nia**
- 28539. *Lemyra khasiana* Thomas,1990 (Arctiidae) Synonym(s):** *khasiana* Thomas,1990 _ Range (in code): **IN Meg Khs Ass**
- 28540. *Lemyra kobesi* Thomas,1990 (Arctiidae) Synonym(s):** *kobesi* Thomas,1990 _ Range (in code): **ID Sum**
- 28541. *Lemyra kodai* (Kaleka,2000) (Arctiidae) Synonym(s):** *kodai* Kaleka,2000 _ Range (in code): **IN Up**
- 28542. *Lemyra kuangtungensis* (Daniel,1955) (Arctiidae) Synonym(s):** *kuangtungensis* Daniel,1955 _ Range (in code): **CN Fkn**
- 28543. *Lemyra maculifascia* (Walker,1855) (Arctiidae) Synonym(s):** *maculifascia* Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *parvula* Hulstaert,1924; *malayensis* Hampson,1901 _ Original Reference: *Spilosoma maculifascia* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 676. Type: Java. Range (in code): **ID Ja Bli TH CMa Cuo Cuo4 PG AU PH Luz Mar Pan Sam Ley Mno Pal**
- 28544. *Lemyra melanochroa* (Hampson,1918) (Arctiidae) Synonym(s):** *melanochroa* Hampson,1918 _ Range (in code): **IN NI**
- 28545. *Lemyra melanosoma* (Hampson,1894) (Arctiidae) Synonym(s):** *melanosoma* Hampson,1894 _ Range (in code): **IN Kul Djl Khs Dlh Hp Ass Sml MM TH SI PK Nwf Haz Mre Abb CN**
- 28546. *Lemyra melli* (Daniel,1943) (Arctiidae) Synonym(s):** *melli* Daniel,1943 _ Range (in code): **MM CN She Yu Sz TH CMa**
- 28547. *Lemyra melli melli* (Daniel,1943) (Arctiidae) Synonym(s):** *melli* Daniel,1943 _ Range (in code): **MM CN Yu Sz**
- 28548. *Lemyra melli shensii* (Daniel,1943) (Arctiidae) Synonym(s):** *shensii* Daniel,1943 _ Range (in code): **CN She**
- 28549. *Lemyra moltrechti* (Miyake,1909) (Arctiidae) Synonym(s):** *moltrechti* Miyake,1909; *ukona* Matsumura,1930 _ Range (in code): **TW**
- 28550. *Lemyra multivittata* (Moore,1865) (Arctiidae) Synonym(s):** *multivittata* Moore,1865; *assama* Rothschild,1910 _ Range (in code): **PK Mre Haz IN Kma SI Ass Khs MM Djl**
- 28551. *Lemyra murzinorum* Dubatolov,2007 (Arctiidae) Synonym(s):** *murzinorum* Dubatolov,2007 _ Range (in code): **CN Sz**
- 28552. *Lemyra neglecta* (Rothschild,1910) (Arctiidae) Synonym(s):** *neglecta* Rothschild,1910; *#frontalis* Strand,1919 _ Range (in code): **IN SI Djl**
- 28553. *Lemyra neurica* (Hampson,1911) (Arctiidae) Synonym(s):** *neurica* Hampson,1911 _ Range (in code): **IN SI Djl BT**
- 28554. *Lemyra nigrescens* (Rothschild,1910) (Arctiidae) Synonym(s):** *nigrescens* Rothschild,1910 _ Range (in code): **IN Meg Khs Ass**
- 28555. *Lemyra nigricosta* Thomas,1990 (Arctiidae) Synonym(s):** *nigricosta* Thomas,1990 _ Range (in code): **TW**
- 28556. *Lemyra nigrifrons* (Walker,1865) (Arctiidae) Synonym(s):** *nigrifrons* Walker,1865 _ Range (in code): **IN SI Djl Ass MM TH**
- 28557. *Lemyra nocturna* Thomas,1990 (Arctiidae) Synonym(s):** *nocturna* Thomas,1990 _ Range (in code): **ID Sum**
- 28558. *Lemyra obliquivitta* (Moore,1879) (Arctiidae) Synonym(s):** *obliquivitta* Moore,1879; *jucunda* Butler,1881 _ Range (in code): **NP IN Djl SI Khs MM TH CN Yu Hun Tkg**
- 28559. *Lemyra phasma* (Leech,1899) (Arctiidae) Synonym(s):** *phasma* Leech,1899; *hoenei* Daniel,1943 _ Range (in code): **CN Sz Yu Ats**

- 28560. *Lemyra philippinica* Thomas,1990** (Arctiidae) Synonym(s): *philippinica* Thomas,1990
Range (in code): **PH Luz Pan Mno Ley Neg Ceb**
- 28561. *Lemyra pilosa* (Rothschild,1910)** (Arctiidae) Synonym(s): *pilosa* Rothschild,1910
Range (in code): **IN Meg Khs Ass**
- 28562. *Lemyra pilosoides* (Daniel,1943)** (Arctiidae) Synonym(s): *pilosoides* Daniel,1943
Range (in code): **CN Yu**
- 28563. *Lemyra praetexta* Cerny,2011** (Arctiidae) Synonym(s): *praetexta* Cerny,2011 _ Range (in code): **PH Pal**
- 28564. *Lemyra proteus* (De Joannis,1928)** (Arctiidae) Synonym(s): *proteus* De Joannis,1928
Range (in code): **VN Ton CN**
- 28565. *Lemyra pseudoflammeoidea* (Fang,1983)** (Arctiidae) Synonym(s): *pseudoflammeoidea* Fang,1983 _ Range (in code): **CN Kig**
- 28566. *Lemyra punctatostrigata* (Bethune-Baker,1904)** (Arctiidae) Synonym(s): *punctatostrigata* Bethune-Baker,1904; *avola* Bethune-Baker,1908; *ceramensis* Talbot,1929 _ Range (in code): **PG Crm ID**
- 28567. *Lemyra punctilinea* (Moore,1879)** (Arctiidae) Synonym(s): *punctilinea* Moore,1879; *unilinea* Rothschild,1910 _ Range (in code): **PK IN Ch Djl NP CN Yu She**
- 28568. *Lemyra quadrisaccus* (Holloway,1982)** (Arctiidae) Synonym(s): *quadrisaccus* Holloway,1982 _ Range (in code): **MY**
- 28569. *Lemyra rhodophila* (Walker,1864)** (Arctiidae) Synonym(s): *rhodophila* Walker,1864
Range (in code): **PK IN SI Djl MM TH CMa CDo**
- 28570. *Lemyra rhodophiloides* (Hampson,1909)** (Arctiidae) Synonym(s): *rhodophiloides* Hampson,1909 _ Range (in code): **TW**
- 28571. *Lemyra rubridorsa* (Moore,1865)** (Arctiidae) Synonym(s): *rubridorsa* Moore,1865; *dorsalis* Moore,1888 _ Range (in code): **PK Ch IN Kul Kgr Hp Kma SI Djl Ass**
- 28572. *Lemyra rubrocollaris* (Reich,1937)** (Arctiidae) Synonym(s): *rubrocollaris* Reich,1937
Range (in code): **CN**
- 28573. *Lemyra saccuens* (Kaleka,2000)** (Arctiidae) Synonym(s): *saccuens* Kaleka,2000
Range (in code): **IN Up**
- 28574. *Lemyra sikkimensis* (Moore,1879)** (Arctiidae) Synonym(s): *sikkimensis* Moore,1879
Range (in code): **IN Djl SI Ass Khs CN**
- 28575. *Lemyra sincera* Fang,1993** (Arctiidae) Synonym(s): *sincera* Fang,1993 _ Range (in code): **CN Yu**
- 28576. *Lemyra singularis* (Roepke,1940)** (Arctiidae) Synonym(s): *singularis* Roepke,1940; *javana* Roepke,1940 _ Range (in code): **ID Ja**
- 28577. *Lemyra sordidescens* (Hampson,1901)** (Arctiidae) Synonym(s): *sordida* Moore,1865 nec Hbn.,1827; *sordidescens* Hampson,1901 _ Range (in code): **IN Djl SI MM**
- 28578. *Lemyra spilosomata* (Walker,1864)** (Arctiidae) Synonym(s): *spilosomata* Walker,1864; *subjecta* Walker,1865; *albena* Rothschild,1910; *flavifrons* Rothschild,1910; *#mediosimplex* Strand,1919; *#angularis* Strand,1919 _ Range (in code): **PK Abb IN**
- 28579. *Lemyra stigmata* (Moore,1865)** (Arctiidae) Synonym(s): *stigmata* Moore,1865; *lacteata* Butler,1881; *aurantiacana* Strand,1919 _ Range (in code): **PK Haz Mre IN NP Hp Drm Up Ass BT MM TH CN Yu Sz Ti VN TW**
- 28580. *Lemyra subfascia* (Walker,1855)** (Arctiidae) Synonym(s): *subfascia* Walker,1855
Range (in code): **LK Pdy**
- 28581. *Lemyra toxopei* (Roepke,1948)** (Arctiidae) Synonym(s): *toxopei* Roepke,1948 _ Range (in code): **ID Clb**
- 28582. *Lemyra venosa* (Moore,1879)** (Arctiidae) Synonym(s): *venosa* Moore,1879; *pseudomaenas* Rothschild,1910 _ Range (in code): **IN Djl SI As Meg Khs**
- 28583. *Lemyra wernerthomasi* Inoue,1993** (Arctiidae) Synonym(s): *wernerthomasi* Inoue,1993
Range (in code): **TW**
- 28584. *Lemyra ypsilon* (Rothschild,1910)** (Arctiidae) Synonym(s): *ypsilon* Rothschild,1910; *furcatula* Van Eecke,1927 _ Range (in code): **ID Ja Sum Bor MY**
- 28585. *Lemyra zhangmuna* (Fang,1982)** (Arctiidae) Synonym(s): *zhangmuna* Fang,1982
Range (in code): **CN**
- 28586. *Lepidokirbya vittipes* (Walker,1855)** (Arctiidae) Synonym(s): *vittipes* Walker,1855
Range (in code): **MX CO**

- 28587. *Lepista pandula* (Boisduval,1847)** (Arctiidae) Synonym(s): *pandula* Boisduval,1847; *trimenii* R.Felder & Rogenhofer,1874; *limbata* Butler,1888 _ Range (in code): **ZA Ec Nta Kzu Kkf Mv MZ Del KE**
- 28588. *Lepista semiochracea* (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonym(s): *semiochracea* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA Nta Kzu Kkf Ec**
- 28589. *Lerina incarnata* Walker,1854** (Arctiidae) Synonym(s): *incarnata* Walker,1854; *robinsoni* Boisduval,1869 _ Range (in code): **MX**
- 28590. *Leucaloea eugraphica* (Walker,[1865])** (Arctiidae) Synonym(s): *eugraphica* Walker,[1865]; *undistriga* R.Felder & Rogenhofer,1874; *#engraphica* Rothschild,1910. _ Range (in code): **ZA Tra Ec Grh Nta Kzu Wnn Fs Tva** Bionomy: Larva on Acanthaceae (*Thunbergia alata*), Boraginaceae (*Heliotropium*), Caprifoliaceae (*Lonicera sempervirens*), Asteraceae (*Tagetes erecta*), Fabaceae (*Acacia mearnsii*) (Goodger & Watson,1995).
- 28591. *Leucanopsis cuneipuncta* (Rothschild,1909)** (Arctiidae) Synonym(s): *cuneipuncta* Rothschild,1909 _ Range (in code): **MX**
- 28592. *Leucanopsis lua* (Dyar,1910)** (Arctiidae) Synonym(s): *lua* Dyar,1910 _ Range (in code): **MX**
- 28593. *Leucanopsis lurida* (Edwards,1887)** (Arctiidae) Synonym(s): *lurida* Edwards,1887; *otto* Barnes & McDunnough,1901 _ Range (in code): **MX CO**
- 28594. *Leucanopsis nimbiscripta* (Dyar,1912)** (Arctiidae) Synonym(s): *nimbiscripta* Dyar,1912 Range (in code): **MX NI**
- 28595. *Leucanopsis perdentata* (Schaus,1901)** (Arctiidae) Synonym(s): *perdentata* Schaus,1901 Range (in code): **MX**
- 28596. *Leucanopsis pulverulenta* (Dognin,1923)** (Arctiidae) Synonym(s): *pulverulenta* Dognin,1923 _ Range (in code): **MX BR**
- 28597. *Leucanopsis rhomboidea* (Sepp,1848)** (Arctiidae) Synonym(s): *rhomboidea* Sepp,1848 Range (in code): **MX**
- 28598. *Leucanopsis vangetta* (Dyar,1910)** (Arctiidae) Synonym(s): *vangetta* Dyar,1910 Range (in code): **MX**
- 28599. *Leucanopsis velivolans* (Dyar,1920)** (Arctiidae) Synonym(s): *velivolans* Dyar,1920 Range (in code): **MX**
- 28600. *Leucanopsis zacualpana* (Schaus,1941)** (Arctiidae) Synonym(s): *zacualpana* Schaus,1941 Range (in code): **MX**
- 28601. *Lexis bipunctigera* (Wallengren,1860)** (Arctiidae) Synonym(s): *bipunctigera* Wallengren,1860; *quadrinotata* Walker,1864 _ Range (in code): **ZA Nta Kzu KE**
- 28602. *Licnoptera* sp.** (Arctiidae) Synonym(s): _ Range (in code): **AU**
- 28603. *Lithosartia goergneri* De Freina & Witt,1994** (Arctiidae) Synonym(s): *goergneri* De Freina & Witt,1994 _ Range (in code): **CN Gn**
- 28604. *Lithosartia goergneri goergneri* De Freina & Witt,1994** (Arctiidae) Synonym(s): *goergneri* De Freina & Witt,1994 _ Range (in code): **CN Gn**
- 28605. *Lithosartia hoenei* Daniel,1954** (Arctiidae) Synonym(s): *hoenei* Daniel,1954 _ Range (in code): **CN Yu**
- 28606. *Lithosartia hoenei hoenei* Daniel,1954** (Arctiidae) Synonym(s): *hoenei* Daniel,1954 Range (in code): **CN Yu**
- 28607. *Lithosartia kozlovi* Dubatolov,2002** (Arctiidae) Synonym(s): *kozlovi* Dubatolov,2002 Range (in code): **CN Sz**
- 28608. *Lithosartia kozlovi kozlovi* Dubatolov,2002** (Arctiidae) Synonym(s): *kozlovi* Dubatolov,2002 _ Range (in code): **CN Sz**
- 28609. *Lithosartia thomasi* De Freina,1994** (Arctiidae) Synonym(s): *thomasi* De Freina,1994 Range (in code): **NP**
- 28610. *Lithosartia thomasi thomasi* De Freina,1994** (Arctiidae) Synonym(s): *thomasi* De Freina,1994 _ Range (in code): **NP**
- 28611. *Lithosartia y-album* (Oberthür,1886)** (Arctiidae) Synonym(s): *y-album* Oberthür,1886; *lugubris* Oberthür,1886; *rubida* Leech,1899 _ Range (in code): **CN Sz**
- 28612. *Lithosartia y-album y-album* (Oberthür,1886)** (Arctiidae) Synonym(s): *y-album* Oberthür,1886; *lugubris* Oberthür,1886; *rubida* Leech,1899 _ Range (in code): **CN Sz**
- 28613. *Lithosia quadra* (Linnaeus,1758)** (Arctiidae) Synonym(s): *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877. Original Reference: *Phalaena quadra* Linnaeus,1758, Syst. Nat. (Edn.10)1: 511. Syntype(s): [Europa]. Range (in

- code): **PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG IR GlS Mz Kh** Bionomy: Larva on Lichens (*Parmelia furfuracea*, *P.saxatilis*); *Quercus* (*Fagaceae*) (Meyer,1919).
- 28614. Logunovium Dubatolov,2006** (Arctiidae) Synonym(s): *Logunovium Dubatolov,2006*
Range (in code):
- 28615. Logunovium nigricostum (Holland,1893)** (Arctiidae) Synonym(s): *nigricosta Holland,1893* Range (in code): **GA ZR NG GH GM SN**
- 28616. Logunovium scortillum (Wallengren,1875)** (Arctiidae) Synonym(s): *scortillum Wallengren,1875* Range (in code): **ZA Nta Kzu Wnn Tva AO MW ZR CM**
- 28617. Logunovium scortillum costalis (Kiriakoff,1954)** (Arctiidae) Synonym(s): *costalis Kiriakoff,1954* Range (in code): **ZR**
- 28618. Logunovium scortillum scortillum (Wallengren,1875)** (Arctiidae) Synonym(s): *scortillum Wallengren,1875* Range (in code): **ZA Nta Kzu Wnn Tva**
- 28619. Lophocampa affinis (Rothschild,1909)** (Arctiidae) Synonym(s): *affinis Rothschild,1909*
Range (in code): **MX PE**
- 28620. Lophocampa alsus (Cramer,1775)** (Arctiidae) Synonym(s): *alsus Cramer,1775; pectina Schaus,1896* Range (in code): **MX**
- 28621. Lophocampa alternata (Grote,1867)** (Arctiidae) Synonym(s): *alternata Grote,1867; albiguttata Boisduval,1870* Range (in code): **MX CU**
- 28622. Lophocampa annulosa (Walker,1855)** (Arctiidae) Synonym(s): *annulosa Walker,1855; niveigutta Walker,1856* Range (in code): **MX**
- 28623. Lophocampa caryae Harris,1841** (Arctiidae) Synonym(s): *caryae Harris,1841; annulifascia Walker,1855; porphyrea Herrich-Schäffer,[1855]; bicolor Walker,1855; pura Neumoegen,1882; propinqua Edwards,1884* Range (in code): **MX GT**
- 28624. Lophocampa catenulata (Hübner,[1827])** (Arctiidae) Synonym(s): *catenulata Hübner,[1827]* Range (in code): **MX CU AR BO**
- 28625. Lophocampa cibriani Beutelspacher,1986** (Arctiidae) Synonym(s): *cibriani Beutelspacher,1986* Range (in code): **MX**
- 28626. Lophocampa citrina (Sepp,1848)** (Arctiidae) Synonym(s): *citrina Sepp,1848* Range (in code): **MX**
- 28627. Lophocampa debilis (Schaus,1920)** (Arctiidae) Synonym(s): *debilis Schaus,1920*
Range (in code): **MX**
- 28628. Lophocampa donahuei Beutelspacher,1992** (Arctiidae) Synonym(s): *donahuei Beutelspacher,1992* Range (in code): **MX**
- 28629. Lophocampa labaca (Druce,1890)** (Arctiidae) Synonym(s): *labaca Druce,1890* Range (in code): **MX**
- 28630. Lophocampa margona (Schaus,1896)** (Arctiidae) Synonym(s): *margona Schaus,1896*
Range (in code): **MX**
- 28631. Lophocampa modesta (Kirby,1892)** (Arctiidae) Synonym(s): *modesta Kirby,1892; sobrina Möschler,1878* Range (in code): **MX BR**
- 28632. Lophocampa nimbifacta (Dyar,1912)** (Arctiidae) Synonym(s): *nimbifacta Dyar,1912*
Range (in code): **MX**
- 28633. Lophocampa roseata (Walker,1866)** (Arctiidae) Synonym(s): *roseata Walker,1866*
Range (in code): **CA MX**
- 28634. Lophocampa sobrina (Strech,1872)** (Arctiidae) Synonym(s): *sobrina Strech,1872*
Range (in code): **MX**
- 28635. Lyclene infumata (C.Felder,1874)** (Arctiidae) Synonym(s): *infumata C.Felder,1874; pallida Moore,1878; postica Moore,1878* Original Reference: *Setinochroa infumata C.Felder,1874, Reise Fregatte Novara 2 (2) (4): pl.106 fig.16. Type: Himalayas.* Range (in code): **IN Hp Drm PK Sgl Swa Mdy**
- 28636. Lyclene pyraula (Meyrick,1886)** (Arctiidae) Synonym(s): *pyraula Meyrick,1886*
Range (in code): **AU**
- 28637. Lyclene quadrilineata (Pagenstecher,1886)** (Arctiidae) Synonym(s): *quadrilineata Pagenstecher,1886; melitaula Meyrick,1886; simulans Butler,1886; basitessellata Rothschild,1913* Range (in code): **AU**
- 28638. Lyclene reticulata (Felder,1861)** (Arctiidae) Synonym(s): *reticulata Felder,1861; placens Walker,[1865]; cyclota Meyrick,1886; intrita Swinhoe,1892* Range (in code): **AU**

- 28639. *Lyclene serratilinea* (Turner,1940)** (Arctiidae) **Synonym(s):** *serratilinea* Turner,1940
Range (in code): **AU**
- 28640. *Lyclene structa* (Walker,1854)** (Arctiidae) **Synonym(s):** *structa* Walker,1854;
pyrrhopsamma Hampson,1903 **Range (in code):** **AU**
- 28641. *Lycomorphodes sordida* (Butler,1877)** (Arctiidae) **Synonym(s):** *sordida* Butler,1877;
coccinea Druce,1885 **Range (in code):** **MX CO**
- 28642. *Lysceia bigutta* Walker,1854** (Arctiidae) **Synonym(s):** *bigutta* Walker,1854 **Range (in code):** **ZA Nta Kzu Kkf Ec**
- 28643. *Macaduma albata* Hampson,1900** (Arctiidae) **Synonym(s):** *albata* Hampson,1900
Range (in code): **PG**
- 28644. *Macaduma aroa* Bethune-Baker,1906** (Arctiidae) **Synonym(s):** *aroa* Bethune-Baker,1906
Range (in code): **PG Aro**
- 28645. *Macaduma biangulata* Holloway,1979** (Arctiidae) **Synonym(s):** *biangulata* Holloway,1979
Range (in code): **NC**
- 28646. *Macaduma cristata* Holloway,1979** (Arctiidae) **Synonym(s):** *cristata* Holloway,1979
Range (in code): **NC**
- 28647. *Macaduma pallicosta* Rothschild,1912** (Arctiidae) **Synonym(s):** *pallicosta* Rothschild,1912;
nigricans Aurivillius,1920 **Range (in code):** **AU**
- 28648. *Macaduma samoensis* Tams,1935** (Arctiidae) **Synonym(s):** *samoensis* Tams,1935
Range (in code): **WS**
- 28649. *Macaduma strongyla* Turner,1922** (Arctiidae) **Synonym(s):** *strongyla* Turner,1922;
#kurandana Strand-1922 **Range (in code):** **AU**
- 28650. *Macaduma torticella* Walker,1866** (Arctiidae) **Synonym(s):** *torticella* Walker,1866
Original Reference: *Macaduma torticella* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1705. **Range (in code):**
- 28651. *Macaduma toxophora* (Turner,1899)** (Arctiidae) **Synonym(s):** *toxophora* Turner,1899;
picroptila Hampson,1914 **Range (in code):** **AU**
- 28652. *Macrobrochis borneensis* Roepke,1938** (Arctiidae) **Synonym(s):** *borneensis* Roepke,1938
Original Reference: *Macrobrochis borneensis* Roepke,1938, Ent. Z., Frankf. a. M. 52: 53. **Range (in code):** **MY Bor BN Swk ID Ja PH**
- 28653. *Macrobrochis gigas* (Walker,1854)** (Arctiidae) **Synonym(s):** *gigas* Walker,1854;
interstitialis Herrich-Schäffer,1855; *leucospilota* Moore,1878; *atrata* Butler,1881; *#metallica* Mell,1922
Original Reference: *Lithosia gigas* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 494. **Range (in code):** **IN SI Djl Ben CN TH CMa**
- 28654. *Macrobrochis infernalis* Roepke,1938** (Arctiidae) **Synonym(s):** *infernalis* Roepke,1938
Range (in code): **ID Clb**
- 28655. *Macrobrochis notabilis* Kishida,1992** (Arctiidae) **Synonym(s):** *#flavicincta* Hampson;
notabilis Kishida,1992 **Range (in code):** **TH**
- 28656. *Macrobrochis staudingeri* Alpheraky,1897** (Arctiidae) **Synonym(s):** *staudingeri* Alpheraky,1897 **Range (in code):**
- 28657. *Macrosia chalybeata* Hampson,1901** (Arctiidae) **Synonym(s):** *chalybeata* Hampson,1901
Range (in code): **ZA**
- 28658. *Macrosia fumeola* (Walker,1854)** (Arctiidae) **Synonym(s):** *fumeola* Walker,1854
Range (in code): **ZA Ec Wca Kny Ans**
- 28659. *Madagascartia cellularis* (Toulgoet,1954)** (Arctiidae) **Synonym(s):** *cellularis* Toulgoet,1954 **Range (in code):** **MG**
- 28660. *Madagascartia madagascariensis* (Butler,1882)** (Arctiidae) **Synonym(s):** *madagascariensis* Butler,1882 **Range (in code):** **MG**
- 28661. *Madagascartia madagascariensis madagascariensis* (Butler,1882)** (Arctiidae)
Synonym(s): *madagascariensis* Butler,1882 **Range (in code):** **MG**
- 28662. *Madagascartia sparsipuncta* (Hampson,1901)** (Arctiidae) **Synonym(s):** *sparsipuncta* Hampson,1901 **Range (in code):** **MG**
- 28663. *Mangina argus* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *argus* Kollar,[1844] **Range (in code):** **CN Yu Kwa Hun Kig Fkn Ti Hph Sz TW IN Mh Nsk Ass Ch NP BT MM LK Kndy Pdy TH CMa Dst Dso9 Qs Qso3 CDo CD2 CRa** **Bionomy:** Larva on *Crotalaria juncea* [sann hemp] (Fabaceae) (Lewvanich,2001).

- 28664. *Mannina hagnoleuca* Dyar,1916** (Arctiidae) **Synonym(s):** *hagnoleuca* Dyar,1916
Range (in code): **MX**
- 28665. *Manulea (Agenjoa) hunanica* (Daniel,1954)** (Arctiidae) **Synonym(s):** *hunanica* Daniel,1954
Range (in code): **CN Hun**
- 28666. *Manulea (Agenjoa) lurideola* ([Zincken],1817)** (Arctiidae) **Synonym(s):** *lurideolum* [Zincken],1817; *complanula* Boisduval,1834; *plumbeolana* Herrich-Schäffer,1852. **Original Reference:** *Lithosia lurideolum* [Zincken],1817, Allgem. Literaturzeitung (217): 68. **Range (in code):** **AET DZ Lbs PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 28667. *Manulea (Setema) atratula* (Eversmann,1847)** (Arctiidae) **Synonym(s):** *atratula* Eversmann,1847
Range (in code): **RU**
- 28668. *Manulea (Setema) cereola* (Hübner,[1803])** (Arctiidae) **Synonym(s):** *cereola* Hübner,[1803]
Range (in code): **RU Ur**
- 28669. *Manulea (Setema) debilis* (Staudinger,1887)** (Arctiidae) **Synonym(s):** *debilis* Staudinger,1887
Range (in code): **RU**
- 28670. *Manulea (Setema) hyalinofuscata* (Tshisjakov,1990)** (Arctiidae) **Synonym(s):** *hyalinofuscata* Tshisjakov,1990
Range (in code): **RU**
- 28671. *Manulea (Setema) nigrocollaris* (Tshisjakov,1990)** (Arctiidae) **Synonym(s):** *nigrocollaris* Tshisjakov,1990
Range (in code): **RU**
- 28672. *Manulea (Setema) vakulenkoi* (Tshisjakov,1990)** (Arctiidae) **Synonym(s):** *vakulenkoi* Tshisjakov,1990
Range (in code): **RU Sb**
- 28673. *Manulea (s.str.) affineola* (Bremer,1864)** (Arctiidae) **Synonym(s):** *affineola* Bremer,1864
Range (in code): **RU**
- 28674. *Manulea (s.str.) complana* (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *complana* Linnaeus,1758; *ochrocephala* Fourcroy,1785; *sericea* Gregson,1860; *molybdeola* Guenée,1861; *balcanica* Daniel,1939. **Original Reference:** *Phalaena complana* Linnaeus,1758, Syst. Nat. (Edn.10)1: 512. **Type(s):** [Europa]. **Range (in code):** **FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Smt Mng Dar AM Da Der KG Lps IR Gl**
- 28675. *Manulea (s.str.) costalis* (Zeller,1847)** (Arctiidae) **Synonym(s):** *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847
Original Reference: *Lithosia costalis* Zeller,1847, Isis 1847: 16. **Type ♀:** [Türkei]: Brussa [Bursa]. **Range (in code):** **MK AL BG GR Rd Cr TR Cc**
- 28676. *Manulea (s.str.) flavociliata* (Lederer,1853)** (Arctiidae) **Synonym(s):** *flavociliata* Lederer,1853
Range (in code): **RU Sb**
- 28677. *Manulea (s.str.) japonica* (Leech,[1889])** (Arctiidae) **Synonym(s):** *japonica* Leech,[1889]
Range (in code): **JP**
- 28678. *Manulea (s.str.) kansuensis* (M.Hering,1935)** (Arctiidae) **Synonym(s):** *kansuensis* M.Hering,1935
Range (in code): **RU Ir MN CN Gn**
- 28679. *Manulea (s.str.) lutarella* (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *lutarella* Linnaeus,1758; *luteola* [Denis & Schifferrmüller],1775; *alboflava* Retzius,1783; *flava* Fabricius,1798; *lutea* Fabricius,1798 *nec Fabr.*,1775
Original Reference: *Phalaena lutarella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 535. **Type(s):** Europa. **Range (in code):** **PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG Lps Cc GG Smt Mng Bjo Bku Da Kus**
- 28680. *Manulea (s.str.) marcida* (Mann,1859)** (Arctiidae) **Synonym(s):** *marcida* Mann,1859
MA TN ES Co IT Sa Si MT
- 28681. *Manulea (s.str.) minor* (Okano,1955)** (Arctiidae) **Synonym(s):** *minor* Okano,1955
Range (in code): **JP**
- 28682. *Manulea (s.str.) nankingica* (Daniel,1954)** (Arctiidae) **Synonym(s):** *nankingica* Daniel,1954
Range (in code): **CN**
- 28683. *Manulea (s.str.) omelkoi* Dubatolov & Zolotuhin,2011** (Arctiidae) **Synonym(s):** *omelkoi* Dubatolov & Zolotuhin,2011
Range (in code): **RU Us**
- 28684. *Manulea (s.str.) palliatella* (Scopoli,1763)** (Arctiidae) **Synonym(s):** *palliatella* Scopoli,1763; *unita* [Denis & Schifferrmüller],1775; *palleola* Hübner,[1808]; *gilveola* Ochsenheimer,1810; *vitellina* Treitschke,1834; *flaveola* Rambur,1866. **Original Reference:** *Phalaena palliatella* Scopoli,1763, Entomologia Carniolica: 248. **Type(s):** [Slovenien]: Carniolia [Krain]. **Range (in code):** **AET DZ Bsk ES FR Sa Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb IQ Brs Cc GG Bjo Smt Da Der LT RU MD UA BY KG Lps AF Nu**
- 28685. *Manulea (s.str.) palliatella hyrcana* Daniel,1939** (Arctiidae) **Synonym(s):** *hyrcana* Daniel,1939
Range (in code): **IR Elb IQ Brs**

- 28686. Manulea (s.str.) pseudocomplana (Daniel,1939)** (Arctiidae) Synonym(s): *pseudocomplana* Daniel,1939 Original Reference: *Lithosia pseudocomplana* Daniel,1939, Mitt. münch. ent. Ges. 29: 48-49, fig.3. Holotype ♂: [Türkei]: Anatolia c.: Ak-Chehir, Sultan Dag. Range (in code): **ES FR IT CH AT CZ SK HU YU BG GR TR Cc IR Kh**
- 28687. Manulea (s.str.) pseudofumidisca Dubatolov & Zolotuhin,2011** (Arctiidae) Synonym(s): *pseudofumidisca* Dubatolov & Zolotuhin,2011 Range (in code): **RU Us KP KR**
- 28688. Manulea (s.str.) pygmaeola (Doubleday,1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday,1847 Range (in code): **AET DZ TN Dh PT ES FR GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo DK SE FI EE LV LT RU MD UA Cm BY IR Mz Gls TM Kp**
- 28689. Manulea (s.str.) pygmaeola banghaasi (Seitz,1910)** (Arctiidae) Synonym(s): *banghaasi* Seitz,1910 Range (in code): **TR Cc GG Smt Bjo**
- 28690. Manulea (s.str.) pygmaeola pallifrons (Zeller,1847)** (Arctiidae) Synonym(s): *pallifrons* Zeller,1847; *sordidula* Rambur,1866 Range (in code): **AET DZ PT ES FR YU AL BG GR IL Pa Hf UA Cm Cc RU**
- 28691. Manulea (s.str.) pygmaeola pygmaeola (Zeller,1847)** (Arctiidae) Synonym(s): *pygmaeolum* Doubleday,1847 Range (in code): **GB**
- 28692. Manulea (s.str.) pygmaeola saerdabense (Daniel,1939)** (Arctiidae) Synonym(s): *saerdabense* Daniel,1939 Range (in code): **TM Kp IR Mz Gls TM Kp**
- 28693. Manulea (s.str.) ussurica (Daniel,1954)** (Arctiidae) Synonym(s): *ussurica* Daniel,1954 Range (in code): **RU Us**
- 28694. Manulea (s.str.) wiltshirei (Tams,1939)** (Arctiidae) Synonym(s): *wiltshirei* Tams,1939 Range (in code): **LB**
- 28695. Manulea dorsalis (Walker,1866)** (Arctiidae) Synonym(s): *dorsalis* Walker,1866; *harpophora* Meyrick,1886; *louiadalis* Rothschild,1912 Range (in code): **AU**
- 28696. Manulea replana (Lewin,1805)** (Arctiidae) Synonym(s): *replana* Lewin,1805; *dispar* Leach,1814 Range (in code): **AU**
- 28697. Maurica breveti (Oberthür,1882)** (Arctiidae) Synonym(s): *breveti* Oberthür,1882; *occidentalis* Rothschild,1910; *flava* Rothschild,1917; *nisseni* Lucas,1920; *emmanueli* Oberthür,1922; *meridionalis* Rungs,1942 Original Reference: *Trichosoma breveti* Oberthür,1882, Bull. Soc. ent. Fr. 1882: clxxiv. Type: Algérie, Tlemcen. Range (in code): **AET MA DZ Tlm BSa Bsk Ktr Afl Eba**
- 28698. Maurica breveti breveti (Oberthür,1882)** (Arctiidae) Synonym(s): *breveti* Oberthür,1882; *occidentalis* Rothschild,1910; *flava* Rothschild,1917; *nisseni* Lucas,1920; *emmanueli* Oberthür,1922; *meridionalis* Rungs,1942 Original Reference: *Trichosoma breveti* Oberthür,1882, Bull. Soc. ent. Fr. 1882: clxxiv. Type: Algérie, Tlemcen. Range (in code): **AET MA DZ Tlm BSa Bsk Ktr Afl**
- 28699. Maurica breveti powelli (Oberthür,1910)** (Arctiidae) Synonym(s): *powelli* Oberthür,1910 Original Reference: *Trichosoma powelli* Oberthür,1910, Bull. Soc. ent. Fr. 1910: 333. Type: Algérie, Géryville. Range (in code): **AET DZ Eba**
- 28700. Maurica joiceyi (Talbot,1928)** (Arctiidae) Synonym(s): *joiceyi* Talbot,1928 Original Reference: *Ocnogyna joiceyi* Talbot,1928, Bull. Hill Mus. 2: 32. Type: Morocco: Atlas Mts. Range (in code): **MA TN**
- 28701. Maurica joiceyi chneouri (Rungs,1951)** (Arctiidae) Synonym(s): *chneouri* Rungs,1951 Range (in code): **TN**
- 28702. Maurica joiceyi joiceyi (Talbot,1928)** (Arctiidae) Synonym(s): *joiceyi* Talbot,1928 Original Reference: *Ocnogyna joiceyi* Talbot,1928, Bull. Hill Mus. 2: 32. Type: Morocco: Atlas Mts. Range (in code): **MA**
- 28703. Maurica joiceyi monticola (Reisser,1934)** (Arctiidae) Synonym(s): *monticola* Reisser,1934 Original Reference: *Phragmatobia joiceyi* ssp. *monticola* Reisser,1934, Eos 9: 273. Type: Marokko, Rif, A'Faska. Range (in code): **MA**
- 28704. Melanaema venata Butler,1877** (Arctiidae) Synonym(s): *venata* Butler,1877 Original Reference: *Melanaema venata* Butler,1877, Ann. Mag. nat. Hist. (4) 20: 397. Range (in code): **RU Am Us Vv Sh Krl CN Mc KP KR JP Hkk**
- 28705. Melastrotia nigrisquamata (Swinhoe,1901)** (Arctiidae) Synonym(s): *nigrisquamata* Swinhoe,1901; *dona* Swinhoe,1905 Range (in code): **AU**
- 28706. Melese amastris (Druce,1884)** (Arctiidae) Synonym(s): *amastris* Druce,1884 Range (in code): **MX PE BR**
- 28707. Melese asana (Druce,1884)** (Arctiidae) Synonym(s): *asana* Druce,1884 Range (in code): **MX PA**
- 28708. Melese chiriquensis Schaus,1905** (Arctiidae) Synonym(s): *chiriquensis* Schaus,1905 Range (in code): **MX CR PA**

- 28709. Melese chozeba (Druce,1884)** (Arctiidae) Synonym(s): *chozeba* Druce,1884 - Range (in code): CR MX
- 28710. Melese incertus (Walker,1855)** (Arctiidae) Synonym(s): *incertus* Walker,1855; *blanda* Druce,1901; *flavipuncta* Rothschild,1909; *surdus* Rothschild,1909 - Range (in code): MX
- 28711. Melese laodamia (Druce,1884)** (Arctiidae) Synonym(s): *laodamia* Druce,1884; *cutheans* Druce,1896 - Range (in code): MX VE CO
- 28712. Melese russata (Edwards,1884)** (Arctiidae) Synonym(s): *russata* Edwards,1884 - Range (in code): MX CO EC
- 28713. Meneclia pallidula Grünberg,1910** (Arctiidae) Synonym(s): *pallidula* Grünberg,1910 - Range (in code): ZA
- 28714. Menegites nivea Kiriakoff,1954** (Arctiidae) Synonym(s): *nivea* Kiriakoff,1954 - Range (in code): ZR
- 28715. Metacrisiodes pua Dyar,1916** (Arctiidae) Synonym(s): *pua* Dyar,1916; *ochropasa* Dyar,1920 - Range (in code): MX
- 28716. Micralarctia australis A.Watson,1988** (Arctiidae) Synonym(s): *australis* A.Watson,1988 - Range (in code): NA
- 28717. Micralarctia punctulata (Wallengren,1860)** (Arctiidae) Synonym(s): *punctulata* Wallengren,1860 - Range (in code): ZA NA ZW BW KE MW AO MZ UG ZM ZR TZ SN GH NG CM ER
- 28718. Micralarctia punctulata auricincta (Butler,1897)** (Arctiidae) Synonym(s): *auricincta* Butler,1897; *nivaria* Bartel,1903; *nyassana* Bartel,1903; *ewadne* Fawcett,1915 - Range (in code): KE MW AO MZ UG ZM ZR TZ ZA
- 28719. Micralarctia punctulata euproctina (Aurivillius,1900)** (Arctiidae) Synonym(s): *euproctina* Aurivillius,1900 - Range (in code): SN GH NG CM
- 28720. Micralarctia punctulata punctulata (Wallengren,1860)** (Arctiidae) Synonym(s): *punctulata* Wallengren,1860 - Range (in code): ZA NA ZW BW
- 28721. Micralarctia punctulata pura (Butler,1878)** (Arctiidae) Synonym(s): *pura* Butler,1878; *schraderi* Rothschild,1910 - Range (in code): ER
- 28722. Micralarctia semipura (Bartel,1903)** (Arctiidae) Synonym(s): *semipura* Bartel,1903; *nigripunctata* Bartel,1903 - Dt. ent. Z., Iris 16: Range (in code): TZ
- 28723. Micralarctia toulgoeti A.Watson,1988** (Arctiidae) Synonym(s): *toulgoeti* A.Watson,1988 - Range (in code): SO
- 28724. Micraloa emittens (Walker,1855)** (Arctiidae) Synonym(s): *emittens* Walker,1855; *flora* Swinhoe,1885 - Range (in code): IN Bba LK Kndy Tem Cob
- 28725. Micraloa lineola (Fabricius,1793)** (Arctiidae) Synonym(s): *lineola* Fabricius,1793; *punctistriga* Walker,1855; *candidula* Walker,1855; *diminuta* Walker,1855; *strigata* Walker,1869; *rubricosta* Moore,1872; *insolata* Swinhoe,1889; *felderi* Rothschild,1910; *octomaculata* Rothschild,1933 - Range (in code): IN LK MM
- 28726. Micrarctia trigona (Leech,1899)** (Arctiidae) Synonym(s): *trigona* Leech,1899; *nigra* Leech,1899 - Range (in code): CN Sz
- 28727. Micrarctia trigona trigona (Leech,1899)** (Arctiidae) Synonym(s): *trigona* Leech,1899; *nigra* Leech,1899 - Range (in code): CN Sz
- 28728. Micrilema crawshayi Hampson,1903** (Arctiidae) Synonym(s): *crawshayi* Hampson,1903 - Range (in code): ZA
- 28729. Microlithosia nanlingica Dubatolov, Kishida & Wang,2012** (Arctiidae) Synonym(s): *nanlingica* Dubatolov, Kishida & Wang,2012 - Range (in code): CN Kwa
- 28730. Microlithosia shaowuica Daniel,1954** (Arctiidae) Synonym(s): *shaowuica* Daniel,1954 - Range (in code): CN
- 28731. Microlithosia umbripuncta (De Joannis,1928)** (Arctiidae) Synonym(s): *umbripuncta* De Joannis,1928 - Range (in code): VN TH
- 28732. Microstola ammoscia Lower,1920** (Arctiidae) Synonym(s): *amoscia* Lower,1920; *aedumena* Turner,1922 - Range (in code): AU
- 28733. Migoplastis alba (Moore,1877)** (Arctiidae) Synonym(s): *alba* Moore,1877 - Original Reference: Dondera alba Moore,1877, Ann. Mag. nat. Hist. (4) 20: 344. Type: Ceylon. Range (in code): LK Pdy
- 28734. Migoplastis correcta (Walker,[1865])** (Arctiidae) Synonym(s): *correcta* Walker,[1865]; *ceylonica* R.Felder,1868 - Range (in code): LK Dck Pdy Pdn

- 28735. *Miltochrista coccinea* Rothschild,1913** (Arctiidae) Synonym(s): *coccinea* Rothschild,1913
Original Reference: *Miltochrista coccinea* Rothschild,1913, Novit. zool. 20: 215. Type ♂: [India]: Assam, Khasia Hills. Range (in code): **IN Meg Ass Khs**
- 28736. *Miltochrista cornicornutata* Holloway,1982** (Arctiidae) Synonym(s): *cornicornutata* Holloway,1982
Original Reference: *Miltochrista cornicornutata* Holloway,1982, [in] Barlow, An introduction to the moths of S.E. Asia: 213. Holotype ♂: Malaysia: W. Pahang. Range (in code): **MY Pah TH**
- 28737. *Miltochrista erubescens* Rothschild,1936 (homonym!)** (Arctiidae) Synonym(s): *erubescens* Rothschild,1936 nec Butl.,1877
Original Reference: *Miltochrista erubescens* Rothschild,1936, Ann. Mag. nat. Hist. (10) 17: 490. Type: Assam. Range (in code): **IN Ass**
- 28738. *Miltochrista germana* Rothschild,1913** (Arctiidae) Synonym(s): *germana* Rothschild,1913
Original Reference: *Miltochrista germana* Rothschild,1913, Novit. zool. 20: 214. Type ♂: [India]: Assam, Khasia Hills. Range (in code): **IN Meg Ass Khs**
- 28739. *Miltochrista indica* (Moore,1879)** (Arctiidae) Synonym(s): *indica* Moore,1879
Original Reference: *Dysauxes indica* Moore,1879, Proc. zool. Soc. Lond. 1879: 390. Type: Bombay (Dr.Leith, coll.Moore). Range (in code): **IN Mh Bba**
- 28740. *Miltochrista inscripta* (Walker,1854)** (Arctiidae) Synonym(s): *inscripta* Walker,1854; *erubescens* Butler,1877
Original Reference: *Sesapa inscripta* Walker,1854, List Spec lepid. Ins. Colln Br. Mus. 2 : 547. Type: China: Shanghai. Range (in code): **CN Kgs**
- 28741. *Miltochrista irregularis* Rothschild,1913** (Arctiidae) Synonym(s): *irregularis* Rothschild,1913
Original Reference: *Miltochrista irregularis* Rothschild,1913, Novit. zool. 20: 215. Type ♀: [China]: Hainan, Youbai. Range (in code): **CN Hn**
- 28742. *Miltochrista miniata* (Forster,1771)** (Arctiidae) Synonym(s): *miniata* Forster,1771; *rosea* Fabricius,1775; *rubicunda* [Denis & Schiffermüller],1775; *minialis* Thunberg,1784; *rosacea* Fourcroy,1785; *roseana* Villers,1789; *rosea* Donovan,1793 nec Fabricius,1775; *destrigata* Dannehl,1928; *mosbacheri* Roesler,1967.
Original Reference: *Phalaena miniata* Forster,1771, Nova Species Insectorum: 75. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Carpinus betulus*, *Quercus*, *Parmelia* (liken) (Meyer,1919).
- 28743. *Miltochrista multifasciata* Hampson,1894** (Arctiidae) Synonym(s): *multifasciata* Hampson,1894
Range (in code): **MM Rgo**
- 28744. *Miltochrista obscura* Semper,1899** (Arctiidae) Synonym(s): *obscura* Semper,1899
Range (in code): **PH Mno**
- 28745. *Miltochrista orientalis* Daniel,1951** (Arctiidae) Synonym(s): *orientalis* Daniel,1951
Range (in code): **TH CMa CDo CN**
- 28746. *Miltochrista parameia* Rothschild,1913** (Arctiidae) Synonym(s): *parameia* Rothschild,1913
Original Reference: *Miltochrista parameia* Rothschild,1913, Novit. zool. 20: 214. Syntypes: ♂♀: [Vietnam]: Tonkin: Mauson Mountains, 2300m. Range (in code): **VN Ton**
- 28747. *Miltochrista radians* (Moore,1878)** (Arctiidae) Synonym(s): *radians* Moore,1878
Range (in code): **IN Clc Ass SI**
- 28748. *Miltochrista rivulosa* (Walker,1854)** (Arctiidae) Synonym(s): *rivulosa* Walker,1854
Range (in code): **ZA Nta Kzu**
- 28749. *Monstruncusarctia aurantiaca* (Holland,1893)** (Arctiidae) Synonym(s): *aurantiaca* Holland,1893
Range (in code): **GN CM**
- 28750. *Monstruncusarctia decemmaculata* (Rothschild,1916)** (Arctiidae) Synonym(s): *decemmaculata* Rothschild,1916
Range (in code): **ZR**
- 28751. *Murzinarctia murzini* Dubatolov,[2006]** (Arctiidae) Synonym(s): *murzini* Dubatolov,[2006]
Range (in code): **CN Yu**
- 28752. *Murzinoria gracilis* Dubatolov,2007** (Arctiidae) Synonym(s): *gracilis* Dubatolov,2007
Range (in code): **CN Gn**
- 28753. *Muscula brevifurca* (Wiltshire,1957)** (Arctiidae) Synonym(s): *brevifurca* Wiltshire,1957
Range (in code): **TR IQ Shq**
- 28754. *Muscula muscula* (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
Original Reference: *Lithosia muscula* Staudinger,1899, Dt. ent. Z., Iris 12: 156. Type(s): [Türkei]: Gjaur Dagħ [Amanos]. Range (in code): **TR GR Rd IQ Shq LB Bei CY SY IL Pa IR Mz**
- 28755. *Muscula muscula muscula* (Staudinger,1899)** (Arctiidae) Synonym(s): *muscula* Staudinger,1899
Original Reference: *Lithosia muscula* Staudinger,1899, Dt. ent. Z., Iris 12: 156. Type(s): [Türkei]: Gjaur Dagħ [Amanos]. Range (in code): **TR GR Rd IQ Shq LB Bei CY SY IL Pa IR Mz**

- 28756. *Nanna broetheri* Kühne, 2014** (Arctiidae) Synonym(s): *broetheri* Kühne, 2014 _ Range (in code): RW
- 28757. *Nanna ceratopygia* Birket-Smith, 1965** (Arctiidae) Synonym(s): *ceratopygia* Birket-Smith, 1965 _ Range (in code): CM Bit
- 28758. *Nanna collinsi* Kühne, 2007** (Arctiidae) Synonym(s): *collinsi* Kühne, 2007 _ Range (in code): ZR CM KE
- 28759. *Nanna colonoides* (Kiriakoff, 1963)** (Arctiidae) Synonym(s): *colonoides* Kiriakoff, 1963 _ Range (in code): CG AO UG ZR
- 28760. *Nanna diplistica* (Bethune-Baker, 1911)** (Arctiidae) Synonym(s): *diplistica* Bethune-Baker, 1911 _ Range (in code): MZ
- 28761. *Nanna distyi* Kühne, 2014** (Arctiidae) Synonym(s): *distyi* Kühne, 2014 _ Range (in code): CM
- 28762. *Nanna enignae* (Plötz, 1880)** (Arctiidae) Synonym(s): *enignae* Plötz, 1880; *montana* Birket-Smith, 1965 _ Range (in code): CM Bit KE RW ZR CG
- 28763. *Nanna enignae albifrons* Kühne, 2014** (Arctiidae) Synonym(s): *albifrons* Kühne, 2014 _ Range (in code): KE RW ZR
- 28764. *Nanna enignae enignae* (Plötz, 1880)** (Arctiidae) Synonym(s): *enignae* Plötz, 1880; *montana* Birket-Smith, 1965 _ Range (in code): CM Bit
- 28765. *Nanna enignae subflava* Kühne, 2014** (Arctiidae) Synonym(s): *subflava* Kühne, 2014 _ Range (in code): CG
- 28766. *Nanna falcata* Kühne, 2014** (Arctiidae) Synonym(s): *falcata* Kühne, 2014 _ Range (in code): RW
- 28767. *Nanna griseata* Kühne, 2007** (Arctiidae) Synonym(s): *griseata* Kühne, 2007 _ Range (in code): CI CM NG
- 28768. *Nanna griseoides* Kühne, 2014** (Arctiidae) Synonym(s): *griseoides* Kühne, 2014 _ Range (in code): CM
- 28769. *Nanna hoppei* Kühne, 2014** (Arctiidae) Synonym(s): *hoppei* Kühne, 2014 _ Range (in code): CG KE
- 28770. *Nanna kamerunica* Kühne, 2007** (Arctiidae) Synonym(s): *kamerunica* Kühne, 2007 _ Range (in code): CM
- 28771. *Nanna loloana* (Strand, 1912)** (Arctiidae) Synonym(s): *loloana* Strand, 1912 _ Range (in code): CM
- 28772. *Nanna luteolata* Kühne, 2014** (Arctiidae) Synonym(s): *luteolata* Kühne, 2014 _ Range (in code): NG GN
- 28773. *Nanna melanosticta* (Bethune-Baker, 1911)** (Arctiidae) Synonym(s): *melanosticta* Bethune-Baker, 1911 _ Range (in code): AO
- 28774. *Nanna naumanni* Kühne, 2005** (Arctiidae) Synonym(s): *naumanni* Kühne, 2005 _ Range (in code): KE
- 28775. *Nanna pia* (Strand, 1912)** (Arctiidae) Synonym(s): *pia* Strand, 1912; *magna* Birket-Smith, 1965 _ Range (in code): CM
- 28776. *Nanna tanzaniae* Kühne, 2014** (Arctiidae) Synonym(s): *tanzaniae* Kühne, 2014 _ Range (in code): TZ
- 28777. *Nannoarctia* (Pseudorajendra) *dentata* (Walker, 1855)** (Arctiidae) Synonym(s): *dentata* Walker, 1855; *khandalla* Moore, 1859 _ Range (in code): IN Mh Bba NI
- 28778. *Nannoarctia* (s.str.) *conjuncta* (Hampson, 1901)** (Arctiidae) Synonym(s): *conjuncta* Hampson, 1901 _ Range (in code): ID Lb
- 28779. *Nannoarctia* (s.str.) *integra* (Walker, 1855)** (Arctiidae) Synonym(s): *integra* Walker, 1855 _ Range (in code): PH Luz
- 28780. *Nannoarctia* (s.str.) *obliquifascia* (Hampson, 1894)** (Arctiidae) Synonym(s): *obliquifascia* Hampson, 1894 _ Range (in code): IN Hp Ass NP MM CN Yu Hn
- 28781. *Nannoarctia* (s.str.) *takanoi* (Sonan, 1934)** (Arctiidae) Synonym(s): *takanoi* Sonan, 1934 _ Range (in code): TW
- 28782. *Nannoarctia* (s.str.) *tripartita* (Walker, 1855)** (Arctiidae) Synonym(s): *tripartita* Walker, 1855 _ Range (in code): CN Hn IN Ass VN LA KH
- 28783. *Nannoarctia* (s.str.) *williamsi* (Rothschild, 1910)** (Arctiidae) Synonym(s): *williamsi* Rothschild, 1910 _ Range (in code): ID Ja Bli

- 28784. *Narosodes metatropa* Hampson, 1918** (Arctiidae) Synonym(s): *metatropa* Hampson, 1918
Range (in code): **PH**
- 28785. *Narosodes punctana* (Walker, 1863)** (Arctiidae) Synonym(s): *punctana* Walker, 1863
Range (in code): **LK Dck Pdy**
- 28786. *Neonerita dorsipuncta* Hampson, 1901** (Arctiidae) Synonym(s): *dorsipuncta* Hampson, 1901
Range (in code): **MX BR**
- 28787. *Neoplynes cytheraea* (Druce, 1894)** (Arctiidae) Synonym(s): *cytheraea* Druce, 1894
Range (in code): **MX**
- 28788. *Neritos cotes* Druce, 1896** (Arctiidae) Synonym(s): *cotes* Druce, 1896
Range (in code): **MX**
- 28789. *Neritos flavoroseus* (Walker, 1855)** (Arctiidae) Synonym(s): *flavoroseus* Walker, 1855
Range (in code): **MX HN**
- 28790. *Neritos leucoplaga* Hampson, 1905** (Arctiidae) Synonym(s): *leucoplaga* Hampson, 1905
Range (in code): **MX**
- 28791. *Neritos samos* Druce, 1896** (Arctiidae) Synonym(s): *samos* Druce, 1896
Range (in code): **MX BZ HN**
- 28792. *Neuroxena aberrans* Bethune-Baker, 1927** (Arctiidae) Synonym(s): *aberrans* Bethune-Baker, 1927
Range (in code): **CM**
- 28793. *Neuroxena albofasciata* (Druce, 1910)** (Arctiidae) Synonym(s): *albofasciata* Druce, 1910
Range (in code): **CM**
- 28794. *Neuroxena ansorgei* Kirby, 1896** (Arctiidae) Synonym(s): *ansorgei* Kirby, 1896
Range (in code): **KE UG ZR**
- 28795. *Neuroxena auremaculatus* (Rothschild, 1933)** (Arctiidae) Synonym(s): *auremaculatus* Rothschild, 1933
Range (in code): **MG**
- 28796. *Neuroxena biplagiata* (Gaede, 1926)** (Arctiidae) Synonym(s): *biplagiata* Gaede, 1926
Range (in code): **MG**
- 28797. *Neuroxena flammea* (Gaede, 1926)** (Arctiidae) Synonym(s): *flammea* Gaede, 1926
Range (in code): **LR SL GH**
- 28798. *Neuroxena fulleri* (Druce, 1883)** (Arctiidae) Synonym(s): *fulleri* Druce, 1883
Range (in code): **CM NG**
- 28799. *Neuroxena funereus* (Rothschild, 1933)** (Arctiidae) Synonym(s): *funereus* Rothschild, 1933
Range (in code): **NG**
- 28800. *Neuroxena lasti* (Rothschild, 1910)** (Arctiidae) Synonym(s): *lasti* Rothschild, 1910
Range (in code): **MG**
- 28801. *Neuroxena medioflavus* (Rothschild, 1935)** (Arctiidae) Synonym(s): *medioflavus* Rothschild, 1935
Range (in code): **GH NG**
- 28802. *Neuroxena obscurascens* (Strand, 1909)** (Arctiidae) Synonym(s): *obscurascens* Strand, 1909
Range (in code): **CM ZA**
- 28803. *Neuroxena postrubidus* (Rothschild, 1933)** (Arctiidae) Synonym(s): *postrubidus* Rothschild, 1933
Range (in code): **ZR**
- 28804. *Neuroxena rectilineata* (Toulgoet, 1972)** (Arctiidae) Synonym(s): *rectilineata* Toulgoet, 1972
Range (in code): **KM**
- 28805. *Neuroxena rubriceps* (Mabille, 1878)** (Arctiidae) Synonym(s): *rubriceps* Mabille, 1878
Range (in code): **MG**
- 28806. *Neuroxena simulans* (Toulgoet, 1971)** (Arctiidae) Synonym(s): *simulans* Toulgoet, 1971
Range (in code): **MG**
- 28807. *Neuroxena sulphureovitta* (Strand, 1909)** (Arctiidae) Synonym(s): *sulphureovitta* Strand, 1909
Range (in code): **MG**
- 28808. *Neuroxena truncatus* (Rothschild, 1933)** (Arctiidae) Synonym(s): *truncatus* Rothschild, 1933
Range (in code): **GH**
- 28809. *Nikaea longipennis* (Walker, 1855)** (Arctiidae) Synonym(s): *longipennis* Walker, 1855
Range (in code): **CN Sz Yu Hpe Fkn Kig She TW JP Ri IN SI Ass Kma NP BD**
- 28810. *Nikaea longipennis longipennis* (Walker, 1855)** (Arctiidae) Synonym(s): *longipennis* Walker, 1855
Range (in code): **CN Sz Yu Hpe Fkn Kig She IN SI Ass Kma NP BD**
- 28811. *Nikaea longipennis matsumurai* Kishida, 1983** (Arctiidae) Synonym(s): *formosana* Matsumura, 1930 nec Myak., 1907; *matsumurai* Kishida, 1983
Range (in code): **TW JP Ri**

- 28812. Nishada flabrifera Moore, 1878** (Arctiidae) Synonym(s): *flabrifera* Moore, 1878 _ Range (in code): IN Clc NI Tvc LK Nwp
- 28813. Nishada impervia (Walker, [1865])** (Arctiidae) Synonym(s): *impervia* Walker, [1865]; *phaeocephala* Meyrick, 1889; *melanopa* Bethune-Baker, 1904; *unicolora* Bethune-Baker, 1904 _ Range (in code): ID Crm PG
- 28814. Nishada melanistis Swinhoe, 1902** (Arctiidae) Synonym(s): *melanistis* Swinhoe, 1902 Range (in code): MY Bor ID Clb
- 28815. Nishada rotundipennis (Walker, 1862)** (Arctiidae) Synonym(s): *rotundipennis* Walker, 1862; *nodicornis* Walker, 1862 _ Range (in code): MY Bor Swk MM IN
- 28816. Nishada sambara (Moore, 1859)** (Arctiidae) Synonym(s): *sambara* Moore, 1859; *intacta* Walker, 1862; *chryseola* Snellen, 1879; *flavens* Rothschild, 1912 _ Range (in code): ID Ja Sum Bli Bor MY PH
- 28817. Nishada syntomioides (Walker, 1862)** (Arctiidae) Synonym(s): *syntomioides* Walker, 1862; *brevis* Swinhoe, 1892 _ Range (in code): MY Bor Snk
- 28818. Nishada xantholoma (Snellen, 1879)** (Arctiidae) Synonym(s): *xantholoma* Snellen, 1879 Range (in code): ID Clb
- 28819. Notarctia proxima (Guérin-Méneville, [1844])** (Arctiidae) Synonym(s): *proxima* Guérin-Méneville, [1844]; *docta* Walker, 1855; *mexicana* Grote & Robinson, 1867; *autholea* Boisduval, 1869; *arizonensis* Stretch, 1874 _ Range (in code): US Arz MX CR
- 28820. Notata modicus (Lucas, 1892)** (Arctiidae) Synonym(s): *modicus* Lucas, 1892 _ Range (in code): AU
- 28821. Nudaria mundana (Linnaeus, 1761)** (Arctiidae) Synonym(s): *mundana* Linnaeus, 1761; *transparens* Retzius, 1783; *munda* Fabricius, 1793; *nuda* Hübner, [1803]; *hemerobia* Hübner, [1803]; *alpina* Uffeln, 1912 Original Reference: Phalaena mundana Linnaeus, 1761, Fauna Suecica (2): 349. Type(s): Sweden. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LT RU MD UA BY AM Cc Bionomy: Larva feeds on mosses and Lichen (*Parmelia saxatilis* [Parmeliaceae, Fungi]) (South, 1907; Seppänen, 1970).
- 28822. Nyctemera absurdum (Swinhoe, 1892)** (Arctiidae) Synonym(s): *absurdum* Swinhoe, 1892 Original Reference: Leptosoma absurdum Swinhoe, 1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 143. Type ♂: S.W. of New Guinea: Salawatti Island (Wallace). Range (in code): ID Bli Crm PG
- 28823. Nyctemera absurdum absurdum (Swinhoe, 1892)** (Arctiidae) Synonym(s): *absurdum* Swinhoe, 1892 Original Reference: Leptosoma absurdum Swinhoe, 1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 143. Type ♂: S.W. of New Guinea: Salawatti Island (Wallace). Range (in code): ID Crm
- 28824. Nyctemera absurdum latimargo (Rothschild, 1915)** (Arctiidae) Synonym(s): *latimargo* Rothschild, 1915 _ Range (in code): PG
- 28825. Nyctemera absurdum strictifascia (Rothschild, 1915)** (Arctiidae) Synonym(s): *strictifascia* Rothschild, 1915 _ Range (in code): ID Bli
- 28826. Nyctemera acraeina Druce, 1882** (Arctiidae) Synonym(s): *acraeina* Druce, 1882 _ Range (in code): GH CM
- 28827. Nyctemera acraeina acraeina Druce, 1882** (Arctiidae) Synonym(s): *acraeina* Druce, 1882 Range (in code): GH CM
- 28828. Nyctemera acraeina togoensis (Strand, 1909)** (Arctiidae) Synonym(s): *togoensis* Strand, 1909 _ Range (in code): TG
- 28829. Nyctemera adversata (Schaller, 1788)** (Arctiidae) Synonym(s): *adversata* Schaller, 1788; *plagifera* Walker, 1854. Original Reference: Phalaena adversata Schaller, 1788, Beytr. ges. exot. Pap. Naturf. (Jena) 23: 54. Range (in code): CN Sz Yu Ti Hn Hun Hpe Fkn Kwa KwT Kig Tkg TW JP NP BT IN MM TH CMa Cuo Cuo7 Cu10 CDo CD2 Lmp ID Sum Bor MY Bionomy: Larva on Erechites, Erigeron, Gynura, Picris, Senecio (Asteraceae) (Sevastopulo, 1940 et seq.).
- 28830. Nyctemera adversata adversata (Schaller, 1788)** (Arctiidae) Synonym(s): *adversata* Schaller, 1788; *plagifera* Walker, 1854. Original Reference: Phalaena adversata Schaller, 1788, Beytr. ges. exot. Pap. Naturf. (Jena) 23: 54. Range (in code): CN Sz Yu Ti Hn Hun Hpe Fkn Kwa KwT Kig Tkg TW JP NP BT IN MM TH CMa Cuo Cuo7 Cu10 CDo CD2 Lmp ID Sum Bor MY Bionomy: Larva on Erechites, Erigeron, Gynura, Picris, Senecio (Asteraceae) (Sevastopulo, 1940 et seq.).
- 28831. Nyctemera alba Pagenstecher, 1901** (Arctiidae) Synonym(s): *alba* Pagenstecher, 1901 Range (in code): WS

- 28832. *Nyctemera amicus* (White,1841)** (Arctiidae) Synonym(s): *amicus* White,1841; *plagiatum* Guenée,1868 _ Range (in code): AU
- 28833. *Nyctemera amicus amicus* (White,1841)** (Arctiidae) Synonym(s): *amicus* White,1841; *plagiatum* Guenée,1868 _ Range (in code): AU
- 28834. *Nyctemera angulata* Seitz,1915** (Arctiidae) Synonym(s): *angulata* Seitz,1915; *consobrina* Pagenstecher,1897 _ Range (in code): ID Clb
- 28835. *Nyctemera angustipennis* Kishida,1994** (Arctiidae) Synonym(s): *angustipennis* Kishida,1994 _ Range (in code): PH
- 28836. *Nyctemera annulatum* (Boisduval,1832)** (Arctiidae) Synonym(s): *annulatum* Boisduval,1832; *doubledayi* Walker,1854; *tripunctaria* Swinhoe,1916 _ Range (in code): PG NZ
- 28837. *Nyctemera annulatum annulatum* (Boisduval,1832)** (Arctiidae) Synonym(s): *annulatum* Boisduval,1832; *doubledayi* Walker,1854; *tripunctaria* Swinhoe,1916 _ Range (in code): PG
- 28838. *Nyctemera annulatum antipodea* Salmon & Bradley,1956** (Arctiidae) Synonym(s): *antipodea* Salmon & Bradley,1956 _ Range (in code): NZ
- 28839. *Nyctemera apensis* Semper,1899** (Arctiidae) Synonym(s): *apensis* Semper,1899 _ Range (in code): PH Mno
- 28840. *Nyctemera apicalis* Walker,1854** (Arctiidae) Synonym(s): *apicalis* Walker,1854 _ Range (in code): SL ZA Nta Kzu TZ CM NG
- 28841. *Nyctemera aquimqargo* (Rothschild,1920)** (Arctiidae) Synonym(s): *aquimqargo* Rothschild,1920 _ Range (in code): ID Sum
- 28842. *Nyctemera arctata* Walker,1856** (Arctiidae) Synonym(s): *arctata* Walker,1856; *maculosa* Walker,1864; *dentifascia* Kalis,1934 _ Range (in code): CN Yu Ti NP TW BT IN MM PH Luz ID Ja Sum
- 28843. *Nyctemera arctata albofasciata* (Wileman,1911)** (Arctiidae) Synonym(s): *albofasciata* Wileman,1911 _ Range (in code): TW PH Luz
- 28844. *Nyctemera arctata arctata* Walker,1856** (Arctiidae) Synonym(s): *arctata* Walker,1856; *maculosa* Walker,1864; *dentifascia* Kalis,1934 _ Range (in code): CN Yu Ti NP TW BT IN MM
- 28845. *Nyctemera arctata scalarium* (Snellen,1863)** (Arctiidae) Synonym(s): *scalarium* Snellen,1863; *javana* Reich,1932 _ Range (in code): ID Ja
- 28846. *Nyctemera arctata zerenoides* (Butler,1881)** (Arctiidae) Synonym(s): *zerenoides* Butler,1881 _ Range (in code): ID Sum
- 28847. *Nyctemera arieticornis* (Strand,1909)** (Arctiidae) Synonym(s): *arieticornis* Strand,1909 _ Range (in code): CM
- 28848. *Nyctemera baulus* (Boisduval,1832)** (Arctiidae) Synonym(s): *baulus* Boisduval,1832; *buruana* Van Eecke,1929 _ Range (in code): ID Ja Bru Clb Sgr Sum Mlc SB Re PG PH NH AU
- 28849. *Nyctemera baulus alba* Pagenstecher,1901** (Arctiidae) Synonym(s): *alba* Pagenstecher,1901; *albida* Pagenstecher,1901 _ Range (in code): WS
- 28850. *Nyctemera baulus aluensis* Butler,1887** (Arctiidae) Synonym(s): *aluensis* Butler,1887; *illustris* Swinhoe,1903 _ Range (in code): SB
- 28851. *Nyctemera baulus baulus* (Boisduval,1832)** (Arctiidae) Synonym(s): *baulus* Boisduval,1832; *buruana* Van Eecke,1929 _ Range (in code): ID Ja Bru
- 28852. *Nyctemera baulus fasciata* Walker,1856** (Arctiidae) Synonym(s): *fasciata* Walker,1856 _ Range (in code): NH IN AU NC WS TO FJ
- 28853. *Nyctemera baulus integra* Walker,1866** (Arctiidae) Synonym(s): *integra* Walker,1866 _ Range (in code): PH
- 28854. *Nyctemera baulus moluccana* Roepke,1957** (Arctiidae) Synonym(s): *moluccana* Roepke,1957 _ Range (in code): ID Mlc
- 28855. *Nyctemera baulus mundipicta* Walker,1859** (Arctiidae) Synonym(s): *mundipicta* Walker,1859 _ Range (in code): ID Mlc Sum Ja
- 28856. *Nyctemera baulus nigrovena* (Swinhoe,1903)** (Arctiidae) Synonym(s): *nigrovena* Swinhoe,1903 _ Range (in code): ID Clb
- 28857. *Nyctemera baulus nisa* (Swinhoe,1903)** (Arctiidae) Synonym(s): *nisa* Swinhoe,1903 _ Range (in code): ID Sgr
- 28858. *Nyctemera baulus pratti* (Bethune-Baker,1904)** (Arctiidae) Synonym(s): *pratti* Bethune-Baker,1904 _ Range (in code): PG
- 28859. *Nyctemera baulus pullatus* (D.S.Fletcher,1957)** (Arctiidae) Synonym(s): *pullatus* D.S.Fletcher,1957 _ Range (in code): SB Re

- 28860. *Nyctemera baulus samoensis* Tams,1935** (Arctiidae) Synonym(s): *samoensis* Tams,1935
Range (in code): **WS**
- 28861. *Nyctemera baulus tertiana* Meyrick,1886** (Arctiidae) Synonym(s): *tertiana* Meyrick,1886
Range (in code): **AU**
- 28862. *Nyctemera biformis* Mabille,1878** (Arctiidae) Synonym(s): *biformis* Mabille,1878; *mabillei* Butler,1882; *infumata* Oberthür,1916 Range (in code): **MG**
- 28863. *Nyctemera bouruana* Swinhoe,1917** (Arctiidae) Synonym(s): *bouruana* Swinhoe,1917
Range (in code): **ID Bru**
- 28864. *Nyctemera browni* (Schultze,1908)** (Arctiidae) Synonym(s): *browni* Schultze,1908; *conjuncta* Wileman,1915 Range (in code): **PH TW**
- 28865. *Nyctemera calcicola* Holloway,1988** (Arctiidae) Synonym(s): *calcicola* Holloway,1988
Range (in code): **MY ID Bor**
- 28866. *Nyctemera carissima* (Swinhoe,1891)** (Arctiidae) Synonym(s): *carissima* Swinhoe,1891; *formosana* Swinhoe,1908 Range (in code): **CN Kwa Fkn Hun TW JP Ryu IN Ass MM NP VN TH MY ID Sum**
- 28867. *Nyctemera cenis* (Cramer,[1777])** (Arctiidae) Synonym(s): *cenis* Cramer,[1777] Range (in code): **PG CN Tkg Yu TW JP Ryu IN Ass MM**
- 28868. *Nyctemera cenis cenis* (Cramer,[1777])** (Arctiidae) Synonym(s): *cenis* Cramer,[1777]
Range (in code): **CN Tkg Yu TW JP Ryu IN Ass MM**
- 28869. *Nyctemera cenis parva* (Swinhoe,1917)** (Arctiidae) Synonym(s): *parva* Swinhoe,1917
Range (in code): **PG**
- 28870. *Nyctemera chalcosidia* (Hampson,1910)** (Arctiidae) Synonym(s): *chalcosidia* Hampson,1910 Range (in code): **ZR UG**
- 28871. *Nyctemera chalcosidia chalcosidia* (Hampson,1910)** (Arctiidae) Synonym(s): *chalcosidia* Hampson,1910 Range (in code): **ZR UG**
- 28872. *Nyctemera chalcosidia seriatopunctata* (Aurivillius,1925)** (Arctiidae) Synonym(s): *seriatopunctata* Aurivillius,1925 Range (in code): **ZR**
- 28873. *Nyctemera chromis* (Druce,1882)** (Arctiidae) Synonym(s): *chromis* Druce,1882
Range (in code): **CM**
- 28874. *Nyctemera clathratum* (Snellen,1863)** (Arctiidae) Synonym(s): *clathratum* Snellen,1863
Range (in code): **ID Amb**
- 28875. *Nyctemera coleta* (Stoll,[1781])** (Arctiidae) Synonym(s): *coleta* Stoll,[1781] Range (in code): **CN Kwa Hn Yu TW IN Ass Adm Nk LK Tcm Pdy Psw MM SG MY TH CMa Qs Cmz Cuo CDo CD2 Pap Mro JP Ryu PH ID Ja Sum Nia Mlc Crm Bng Clb Amb Mlc Crm PG**
- 28876. *Nyctemera coleta coleta* (Stoll,[1781])** (Arctiidae) Synonym(s): *coleta* Stoll,[1781]
Range (in code): **CN Kwa Hn Yu TW IN Ass Adm Nk LK Tcm Pdy Psw MM MY TH CMa Qs Cmz Cuo CDo CD2 Pap Mro SG ID Sum Ja**
- 28877. *Nyctemera coleta melaneura* (Butler,1883)** (Arctiidae) Synonym(s): *melaneura* Butler,1883 Range (in code): **ID Nia**
- 28878. *Nyctemera coleta melas* Röber,1891** (Arctiidae) Synonym(s): *melas* Röber,1891
Range (in code): **ID Mlc Crm Bng**
- 28879. *Nyctemera coleta nigrovenosa* Moore,1879** (Arctiidae) Synonym(s): *nigrovenosa* Moore,1879 Range (in code): **LK**
- 28880. *Nyctemera consobriniformis* Vos & Cerny,1999** (Arctiidae) Synonym(s): *consobriniformis* Vos & Cerny,1999 Range (in code): **PH**
- 28881. *Nyctemera consors* (Butler,1879)** (Arctiidae) Synonym(s): *consors* Butler,1879 Range (in code): **PH**
- 28882. *Nyctemera contrasta* Vos & Cerny,1999** (Arctiidae) Synonym(s): *contrasta* Vos & Cerny,1999 Range (in code): **PH Pal Mno Neg**
- 28883. *Nyctemera contrasta contrasta* Vos & Cerny,1999** (Arctiidae) Synonym(s): *contrasta* Vos & Cerny,1999 Range (in code): **PH Mno**
- 28884. *Nyctemera contrasta negrosica* Vos & Cerny,1999** (Arctiidae) Synonym(s): *negrosica* Vos & Cerny,1999 Range (in code): **PH Neg**
- 28885. *Nyctemera contrasta supracontrasta* Vos & Cerny,1999** (Arctiidae) Synonym(s): *supracontrasta* Vos & Cerny,1999 Range (in code): **PH Pal**
- 28886. *Nyctemera crassiantennata* Oberthür,1916** (Arctiidae) Synonym(s): *crassiantennata* Oberthür,1916 Range (in code): **MG**

- 28887. *Nyctemera dentifascia* Snellen,1898** (Arctiidae) Synonym(s): *dentifascia* Snellen,1898; *biserrata* Seitz,1915; *abraxina* Rothschild,1920; *personata* Talbot,1929 _ Range (in code): ID Sum
- 28888. *Nyctemera diaphana* Roepke,1949** (Arctiidae) Synonym(s): *diaphana* Roepke,1949
Range (in code): ID Clb
- 28889. *Nyctemera dispar* (Swinhoe,1903)** (Arctiidae) Synonym(s): *dispar* Swinhoe,1903
Range (in code): Rs SB
- 28890. *Nyctemera distincta* Walker,1854** (Arctiidae) Synonym(s): *distincta* Walker,1854; *anthracinum* Snellen,1863 _ Range (in code): ID Ja
- 28891. *Nyctemera druna* (Swinhoe,1904)** (Arctiidae) Synonym(s): *druna* Swinhoe,1904
Range (in code): GH CM
- 28892. *Nyctemera evergista* (Stoll,[1781])** (Arctiidae) Synonym(s): *evergista* Stoll,[1781]; *aeres* Boisduval,1832; *intercisa* Walker,1864; *mutabilis* Walker,1864 _ Range (in code): ID Mlc Amb Crm Bru Ij PG Eca NBr Nlr NHa Bsm
- 28893. *Nyctemera evergista agagles* (Boisduval,1832)** (Arctiidae) Synonym(s): *agagles* Boisduval,1832 _ Range (in code): ID Ij
- 28894. *Nyctemera evergista bismarckiana* Vos,2002** (Arctiidae) Synonym(s): *bismarckiana* Vos,2002 _ Range (in code): PG NBr Nlr NHa Bsm
- 28895. *Nyctemera evergista evergista* (Stoll,[1781])** (Arctiidae) Synonym(s): *evergista* Stoll,[1781]; *aeres* Boisduval,1832; *intercisa* Walker,1864; *mutabilis* Walker,1864 _ Range (in code): ID Mlc Amb Crm Bru
- 28896. *Nyctemera evergista uniplaga* (Swinhoe,1903)** (Arctiidae) Synonym(s): *uniplaga* Swinhoe,1903 _ Range (in code): ID Ij PG Eca
- 28897. *Nyctemera extendens* Walker,1856** (Arctiidae) Synonym(s): *extendens* Walker,1856; *horites* Druce,1889 _ Range (in code): SB
- 28898. *Nyctemera externa* (Swinhoe,1917)** (Arctiidae) Synonym(s): *externa* Swinhoe,1917
Range (in code): ID Bch
- 28899. *Nyctemera floresicola* Roepke,1954** (Arctiidae) Synonym(s): *floresicola* Roepke,1954
Range (in code): MY ID Flo Sum
- 28900. *Nyctemera floresicola clarior* Roepke,1957** (Arctiidae) Synonym(s): *clarior* Roepke,1957
Range (in code): ID Sum
- 28901. *Nyctemera floresicola corbeti* Roepke,1957** (Arctiidae) Synonym(s): *corbeti* Roepke,1957 _ Range (in code): MY
- 28902. *Nyctemera floresicola floresicola* Roepke,1954** (Arctiidae) Synonym(s): *floresicola* Roepke,1954 _ Range (in code): ID Flo
- 28903. *Nyctemera genora* (Swinhoe,1917)** (Arctiidae) Synonym(s): *genora* Swinhoe,1917
Range (in code): PG
- 28904. *Nyctemera gerra* (Swinhoe,1903)** (Arctiidae) Synonym(s): *gerra* Swinhoe,1903; *leuctra* Swinhoe,1903; *vandenberghi* Roepke,1957 _ Range (in code): ID Clb Sgh Tal PH Sul
- 28905. *Nyctemera glauce* (Fawcett,1916)** (Arctiidae) Synonym(s): *glauce* Fawcett,1916 _ Range (in code): KE UG
- 28906. *Nyctemera gracilis* Saalmüller,1884** (Arctiidae) Synonym(s): *gracilis* Saalmüller,1884
Range (in code): MG
- 28907. *Nyctemera gratia* Schultze,1910** (Arctiidae) Synonym(s): *gratia* Schultze,1910; *philippinensis* Rothschild,1933; *venata* Wileman,1915 _ Range (in code): PH Luz Neg
- 28908. *Nyctemera groenendaeli* Vos,[1995]** (Arctiidae) Synonym(s): *groenendaeli* Vos,[1995]
Range (in code): PG
- 28909. *Nyctemera hemixantha* (Aurivillius,1904)** (Arctiidae) Synonym(s): *hemixantha* Aurivillius,1904; *anomala* Holland,1920 _ Range (in code): CM GA ZR
- 28910. *Nyctemera herklotsii* (Snellen,1863)** (Arctiidae) Synonym(s): *herklotsii* Snellen,1863; *quadriguttatum* Snellen,1863; *sexmaculata* Seitz,1915 _ Range (in code): ID Ja
- 28911. *Nyctemera homogona* (Swinhoe,1917)** (Arctiidae) Synonym(s): *homogona* Swinhoe,1917
Range (in code): VN
- 28912. *Nyctemera hyalina* (Bethune-Baker,1910)** (Arctiidae) Synonym(s): *hyalina* Bethune-Baker,1910 _ Range (in code): ID Mlc PG
- 28913. *Nyctemera imitans* (Rothschild,1915)** (Arctiidae) Synonym(s): *imitans* Rothschild,1915
Range (in code): ID Crm

- 28914. *Nyctemera insulare* (Boisduval,1833)** (Arctiidae) Synonym(s): *insulare* Boisduval,1833; *consors* Butler,1879; *rasana* Mabile,1879; *howa* Strand,1909; *madagascaria* Strand,1909; *pauli* Strand,1909.
Range (in code): **MG KM RE MU**
- 28915. *Nyctemera insularis* (Talbot,1929)** (Arctiidae) Synonym(s): *insularis* Talbot,1929; *insulana* Bryk,1937 _ Range (in code): **ST**
- 28916. *Nyctemera interlecta* Walker,1854** (Arctiidae) Synonym(s): *interlecta* Walker,1854
Range (in code): **BD**
- 28917. *Nyctemera itokina* (Aurivillius,1904)** (Arctiidae) Synonym(s): *itokina* Aurivillius,1904; *marcida* Swinhoe,1906; *camerunica* Strand,1909; *plana* Wichgraf,1921 _ Range (in code): **CM NG AO ZR TZ ZM MW UG ZA**
- 28918. *Nyctemera kala* (Swinhoe,1892)** (Arctiidae) Synonym(s): *kala* Swinhoe,1892 Original Reference: *Leptosoma kala* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 143, Pl. v fig.8. Type ♀: Ké Island (Wallace). Range (in code): **ID Kai**
- 28919. *Nyctemera kebeae* (Bethune-Baker,1904)** (Arctiidae) Synonym(s): *kebeae* Bethune-Baker,1904 _ Range (in code): **ID Ij Sta PG Ow**
- 28920. *Nyctemera kebeae intermedia* Vos,1997** (Arctiidae) Synonym(s): *intermedia* Vos,1997
Range (in code): **ID Ij Sta**
- 28921. *Nyctemera kebeae kebeae* (Bethune-Baker,1904)** (Arctiidae) Synonym(s): *kebeae* Bethune-Baker,1904 _ Range (in code): **PG Ow**
- 28922. *Nyctemera kebeae occidentalis* Vos,1997** (Arctiidae) Synonym(s): *occidentalis* Vos,1997
Range (in code): **ID Ij PG**
- 28923. *Nyctemera kiauensis* Holloway,1977** (Arctiidae) Synonym(s): *kiauensis* Holloway,1977
Range (in code): **MY Bor**
- 28924. *Nyctemera kinabaluensis* (Reich,1932)** (Arctiidae) Synonym(s): *kinabaluensis* Reich,1932
Range (in code): **MY Bor KBa**
- 28925. *Nyctemera kinagananga* (Swinhoe,1903)** (Arctiidae) Synonym(s): *kinagananga* Swinhoe,1903 _ Range (in code): **PG NBr**
- 28926. *Nyctemera kinibalina* Snellen,1899** (Arctiidae) Synonym(s): *kinibalina* Snellen,1899
Range (in code): **MY ID Bor**
- 28927. *Nyctemera kiriwina* (Swinhoe,1917)** (Arctiidae) Synonym(s): *kiriwina* Swinhoe,1917
Range (in code): **PG Tro**
- 28928. *Nyctemera kishidai* Vos & Cerny,1999** (Arctiidae) Synonym(s): *apoensis* Kishida,1994; *kishidai* Vos & Cerny,1999 _ Range (in code): **PH Mno Apo**
- 28929. *Nyctemera lacticina* (Cramer,[1779])** (Arctiidae) Synonym(s): *lacticina* Cramer,[1779]
Range (in code): **CN Kwa TW JP Ryu IN Ass Adm LK Cob Tcm Pdy MM VN Ton MY Bor ID Crm**
Bionomy: Larva on *Cacalia conchifolia* (Seitz,1910).
- 28930. *Nyctemera lataemarginata* Pagenstecher,1901** (Arctiidae) Synonym(s): *lataemarginata* Pagenstecher,1901 _ Range (in code): **PG**
- 28931. *Nyctemera latera* (Swinhoe,1917)** (Arctiidae) Synonym(s): *latera* Swinhoe,1917 _ Range (in code): **TW**
- 28932. *Nyctemera latistriga* Walker,1854** (Arctiidae) Synonym(s): *latistriga* Walker,1854; *arcuatum* Swinhoe,1892; *inconstans* Snellen,1863; *negritorum* Seitz,1915; *consobrina* Rothschild,1920. _ Range (in code): **TW IN Ass Adm Nk BD LK Cob Kotm MM PH ID Sum Bor Ja Nia**
- 28933. *Nyctemera latistriga amplificata* (Walker,1865)** (Arctiidae) Synonym(s): *amplificata* Walker,1865; *flavescens* Snellen,1863. _ Range (in code): **ID Sum Nia Ja?**
- 28934. *Nyctemera latistriga kotoshonis* Matsumura,1930** (Arctiidae) Synonym(s): *kotoshonis* Matsumura,1930 _ Range (in code): **TW**
- 28935. *Nyctemera latistriga latistriga* Walker,1854** (Arctiidae) Synonym(s): *latistriga* Walker,1854; *arcuatum* Swinhoe,1892; *inconstans* Snellen,1863; *negritorum* Seitz,1915; *consobrina* Rothschild,1920. _ Range (in code): **IN Ass Adm Nk BD LK Cob Kotm MM PH ID Sum Bor**
- 28936. *Nyctemera latistriga leucostigma* (Snellen,1863)** (Arctiidae) Synonym(s): *leucostigma* Snellen,1863; *pallens* Snellen,1863; *nubecula* Snellen,1863. _ Range (in code): **ID Ja**
- 28937. *Nyctemera leopoldi* Tams,1935** (Arctiidae) Synonym(s): *leopoldi* Tams,1935 _ Range (in code): **PG**
- 28938. *Nyctemera letensis* Reich,1932** (Arctiidae) Synonym(s): *letensis* Reich,1932 _ Range (in code): **ID Tim**
- 28939. *Nyctemera leuconoe* Hopffer,1857** (Arctiidae) Synonym(s): *leuconoe* Hopffer,1857; *fuscipennis* Wallengren,1860; *limbalis* Strand,1909 Original Reference: *Nyctemera leuconoe*

- Hopffer, 1857, Mber. K. preuss. Akad. Wiss. 1857: 422. Type: "Mossambique". Range (in code): TZ MW MZ ZA Tva Spb Mdk Nta Kzu ZW AO ZM ET UG ZR SD Bionomy: Larva on Senecio (Asteraceae), Coffea arabica (Pinhey, 1979).
- 28940. Nyctemera leuconoe leuconoe Hopffer, 1857** (Arctiidae) Synonym(s): leuconoe Hopffer, 1857; fuscipennis Wallengren, 1860; limbalis Strand, 1909 Original Reference: Nyctemera leuconoe Hopffer, 1857, Mber. K. preuss. Akad. Wiss. 1857: 422. Type: "Mossambique". Range (in code): TZ MW MZ ZA Tva Spb Mdk Nta Kzu ZW AO ZM ET UG ZR SD
- 28941. Nyctemera limbata Roepke, 1949** (Arctiidae) Synonym(s): limbata Roepke, 1949 Range (in code): ID Clb
- 28942. Nyctemera lombokiana (Swinhoe, 1903)** (Arctiidae) Synonym(s): lombokiana Swinhoe, 1903 Range (in code): ID Lb
- 28943. Nyctemera luctuosa (Snellen, 1863)** (Arctiidae) Synonym(s): luctuosa Snellen, 1863; crescens Walker, 1864; drucei Swinhoe, 1903 Range (in code): PG ID Bch NH
- 28944. Nyctemera luctuosa galbana (Swinhoe, 1892)** (Arctiidae) Synonym(s): galbana Swinhoe, 1892; rostrigera Prout, 1918 Original Reference: Leptosoma galbanum Swinhoe, 1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 146. Syntypes ♂♀: Philippines. Range (in code): PH Seb
- 28945. Nyctemera luctuosa kapaurensis (Swinhoe, 1903)** (Arctiidae) Synonym(s): kapaurensis Swinhoe, 1903; dinawa Bethune-Baker, 1904 Range (in code): PG
- 28946. Nyctemera luctuosa luctuosa (Snellen, 1863)** (Arctiidae) Synonym(s): luctuosa Snellen, 1863; crescens Walker, 1864; drucei Swinhoe, 1903 Range (in code): ID Bch NH
- 28947. Nyctemera luctuosa onetha (Swinhoe, 1901)** (Arctiidae) Synonym(s): onetha Swinhoe, 1901 Range (in code): PG NBr
- 28948. Nyctemera luctuosa syrnia (Swinhoe, 1903)** (Arctiidae) Synonym(s): syrnia Swinhoe, 1903 Range (in code): PG Fg
- 28949. Nyctemera ludekingii (Snellen, 1863)** (Arctiidae) Synonym(s): ludekingii Snellen, 1863; variegata Reich, 1932 Range (in code): ID Sum Bor
- 28950. Nyctemera lugens Roepke, 1949** (Arctiidae) Synonym(s): lugens Roepke, 1949 Range (in code): ID Clb
- 28951. Nyctemera lunulata Vos & Cerny, 1999** (Arctiidae) Synonym(s): lunulata Vos & Cerny, 1999 Range (in code): PH Mno
- 28952. Nyctemera luzonensis Wileman, 1915** (Arctiidae) Synonym(s): luzonensis Wileman, 1915 Range (in code): PH Luz
- 28953. Nyctemera luzonensis luzonensis Wileman, 1915** (Arctiidae) Synonym(s): luzonensis Wileman, 1915 Range (in code): PH Luz
- 28954. Nyctemera luzonensis squalida Vos & Cerny, 1999** (Arctiidae) Synonym(s): squalida Vos & Cerny, 1999 Range (in code): PH Luz
- 28955. Nyctemera luzonica (Swinhoe, 1917)** (Arctiidae) Synonym(s): luzonica Swinhoe, 1917 Range (in code): PH Luz Mno Boh Ceb Ley Neg Sam Sib
- 28956. Nyctemera luzonica luzonica (Swinhoe, 1917)** (Arctiidae) Synonym(s): luzonica Swinhoe, 1917 Range (in code): PH Luz Mno Boh Ceb Ley Neg Sam Sib
- 28957. Nyctemera luzonica plesiastes (West, 1932)** (Arctiidae) Synonym(s): plesiastes West, 1932 Range (in code): PH Luz
- 28958. Nyctemera maculata Walker, 1854** (Arctiidae) Synonym(s): maculata Walker, 1854; noviespunctatum Snellen, 1863 Range (in code): ID Bli Lb Flo Ja
- 28959. Nyctemera maculata maculata Walker, 1854** (Arctiidae) Synonym(s): maculata Walker, 1854; noviespunctatum Snellen, 1863 Range (in code): ID Ja
- 28960. Nyctemera maculata variamacula Vos, 2002** (Arctiidae) Synonym(s): variamacula Vos, 2002 Range (in code): ID Bli Lb Flo
- 28961. Nyctemera malaccana Roepke, 1957** (Arctiidae) Synonym(s): malaccana Roepke, 1957 Range (in code): MY
- 28962. Nyctemera mastigti Vos, 1996** (Arctiidae) Synonym(s): mastigti Vos, 1996 Range (in code): Ij ID
- 28963. Nyctemera mesolychna Meyrick, 1889** (Arctiidae) Synonym(s): mesolychna Meyrick, 1889 Range (in code): PG
- 28964. Nyctemera montana Holloway, 1976** (Arctiidae) Synonym(s): montana Holloway, 1976 Range (in code): MY Bor ID

- 28965. *Nyctemera muelleri* (Snellen,1863)** (Arctiidae) Synonym(s): *muelleri* Snellen,1863
Range (in code): **MM TH VN MY ID Egg Sum Sbt Sip Mw Bor PH Pal Taw**
- 28966. *Nyctemera muelleri eddela* (Swinhoe,1904)** (Arctiidae) Synonym(s): *eddela* Swinhoe,1904 _ Range (in code): **ID Egg**
- 28967. *Nyctemera muelleri mentawaiensis* Vos,2002** (Arctiidae) Synonym(s): *mentawaiensis* Vos,2002 _ Range (in code): **ID Sbt Sip Mw**
- 28968. *Nyctemera muelleri muelleri* (Snellen,1863)** (Arctiidae) Synonym(s): *muelleri* Snellen,1863 _ Range (in code): **MM TH VN MY ID Sum Bor PH Pal Taw**
- 28969. *Nyctemera mundipicta samoensis* (Tams,1935)** (Arctiidae) Synonym(s): *samoensis* Tams,1935 _ Range (in code): **WS**
- 28970. *Nyctemera nicobarensis* Reich,1932** (Arctiidae) Synonym(s): *nicobarensis* Reich,1932
Range (in code): **IN Nk**
- 28971. *Nyctemera nonapicalis* Rothschild,1915** (Arctiidae) Synonym(s): *nonapicalis* Rothschild,1915 _ Range (in code): **ID Crm**
- 28972. *Nyctemera obtusa* Walker,1856** (Arctiidae) Synonym(s): *obtusa* Walker,1856 _ Range (in code): **ID Clb**
- 28973. *Nyctemera ovada* (Swinhoe,1903)** (Arctiidae) Synonym(s): *ovada* Swinhoe,1903
Range (in code): **ID Sba**
- 28974. *Nyctemera owadai* Kishida,1994** (Arctiidae) Synonym(s): *owadai* Kishida,1994 _ Range (in code): **PH**
- 28975. *Nyctemera pagenstecheri* Pagenstecher,1898** (Arctiidae) Synonym(s): *pagenstecheri* Pagenstecher,1898 _ Range (in code): **ID Lb Sbw Bor Flo**
- 28976. *Nyctemera palawanica* Vos & Cerny,1999** (Arctiidae) Synonym(s): *palawanica* Vos & Cerny,1999 _ Range (in code): **PH Pal**
- 28977. *Nyctemera pallescens* Oberthür,1890** (Arctiidae) Synonym(s): *pallescens* Oberthür,1890
Range (in code): **KM**
- 28978. *Nyctemera paradelpha* (Swinhoe,1917)** (Arctiidae) Synonym(s): *paradelpha* Swinhoe,1917 _ Range (in code): **Fg PG**
- 28979. *Nyctemera perissa* (Swinhoe,1917)** (Arctiidae) Synonym(s): *perissa* Swinhoe,1917
Range (in code): **ID Ob**
- 28980. *Nyctemera perspicua* Walker,1854** (Arctiidae) Synonym(s): *perspicua* Walker,1854; *fallax* Holland,1893 _ Range (in code): **SL GA**
- 28981. *Nyctemera poliodesma* (Swinhoe,1917)** (Arctiidae) Synonym(s): *poliodesma* Swinhoe,1917 _ Range (in code): **PG NBr**
- 28982. *Nyctemera popiya* (Swinhoe,1903)** (Arctiidae) Synonym(s): *popiya* Swinhoe,1903
Range (in code): **ID Ja**
- 28983. *Nyctemera pseudokala* Vos,1996** (Arctiidae) Synonym(s): *pseudokala* Vos,1996
Range (in code): **ID Bru**
- 28984. *Nyctemera quadriplaga* Walker,1864** (Arctiidae) Synonym(s): *quadriplaga* Walker,1864
Range (in code): **PG**
- 28985. *Nyctemera quaternarium* Pagenstecher,1900** (Arctiidae) Synonym(s): *quaternarium* Pagenstecher,1900 _ Range (in code): **PG Bsm**
- 28986. *Nyctemera radiata* Walker,1856** (Arctiidae) Synonym(s): *radiata* Walker,1856; *alternata* Walker,1866; *proprium* Swinhoe,1892; *eryla* Semper,1899; *convexa* Semper,1899; *loligo* Seitz,1915 _ Range (in code): **PH**
- 28987. *Nyctemera ratrayi* (Swinhoe,1904)** (Arctiidae) Synonym(s): *ratrayi* Swinhoe,1904
Range (in code): **UG KE AO ZR**
- 28988. *Nyctemera regalis* Roepke,1954** (Arctiidae) Synonym(s): *regalis* Roepke,1954 _ Range (in code): **ID Flo**
- 28989. *Nyctemera regularis* (Snellen,1880)** (Arctiidae) Synonym(s): *regularis* Snellen,1880; *picatus* Butler,1881; *picata* Kirby,1892 _ Range (in code): **ID Sum MY Bor Ja**
- 28990. *Nyctemera regularis crameri* Roepke,1949** (Arctiidae) Synonym(s): *crameri* Roepke,1949 _ Range (in code): **ID Ja**
- 28991. *Nyctemera regularis regularis* (Snellen,1880)** (Arctiidae) Synonym(s): *regularis* Snellen,1880; *picatus* Butler,1881; *picata* Kirby,1892 _ Range (in code): **ID Sum**
- 28992. *Nyctemera regularis snelleni* Pagenstecher,1901** (Arctiidae) Synonym(s): *snelleni* Pagenstecher,1901 _ Range (in code): **ID MY Bor**

- 28993. *Nyctemera restrictum* (Butler,1894)** (Arctiidae) Synonym(s): *restrictum* Butler,1894; *#ottonis* Strand,1909; *#subhyalina* Strand,1909 _ Range (in code): **ET KE UG TZ ZR GH NG**
- 28994. *Nyctemera robusta* Vos & Cerny,1999** (Arctiidae) Synonym(s): *robusta* Vos & Cerny,1999 _ Range (in code): **PH Mno**
- 28995. *Nyctemera secundiana* Lucas,1891** (Arctiidae) Synonym(s): *secundiana* Lucas,1891 _ Range (in code): **AU QAU**
- 28996. *Nyctemera semperi* (Swinhoe,1903)** (Arctiidae) Synonym(s): *leucospilota* Semper,1899; *semperi* Swinhoe,1903 _ Range (in code): **PH Pal**
- 28997. *Nyctemera semperi semperi* (Swinhoe,1903)** (Arctiidae) Synonym(s): *leucospilota* Semper,1899; *semperi* Swinhoe,1903 _ Range (in code): **PH Pal**
- 28998. *Nyctemera separata* Walker,1864** (Arctiidae) Synonym(s): *separata* Walker,1864 _ Range (in code): **ID Aru Crm AU QAU**
- 28999. *Nyctemera sexmaculatum* (Butler,1887)** (Arctiidae) Synonym(s): *sexmaculatum* Butler,1887; *aolaensis* Druce,[1889] _ Range (in code): **SB**
- 29000. *Nyctemera seychellensis* (Hampson,1908)** (Arctiidae) Synonym(s): *seychellensis* Hampson,1908 _ Range (in code): **SC**
- 29001. *Nyctemera simulatrix* Walker,1864** (Arctiidae) Synonym(s): *simulatrix* Walker,1864; *delocyma* Swinhoe,1917; *everetti* Swinhoe,1917 _ Range (in code): **ID Clb Flo Kai Bng**
- 29002. *Nyctemera simulatrix basinigra* Niewenhuis,1948** (Arctiidae) Synonym(s): *basinigra* Niewenhuis,1948 _ Range (in code): **ID Clb Bng**
- 29003. *Nyctemera simulatrix consobrina* (Hopffer,1874)** (Arctiidae) Synonym(s): *consobrina* Hopffer,1874; *accepta* Swinhoe,1892 _ Range (in code): **ID Clb**
- 29004. *Nyctemera simulatrix simulatrix* Walker,1864** (Arctiidae) Synonym(s): *simulatrix* Walker,1864; *delocyma* Swinhoe,1917; *everetti* Swinhoe,1917 _ Range (in code): **ID Clb Flo**
- 29005. *Nyctemera sontica* (Swinhoe,1892)** (Arctiidae) Synonym(s): *sonticum* Swinhoe,1892; *purata* Swinhoe,1917. _ Original Reference: *Leptosoma sonticum* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 142. Syntypes ♂♀: Philippines. _ Range (in code): **PH MY ID Bor**
- 29006. *Nyctemera stresemanni* Rothschild,1915** (Arctiidae) Synonym(s): *stresemanni* Rothschild,1915 _ Range (in code): **ID Crm**
- 29007. *Nyctemera sumatraensis* Heylaerts,1890** (Arctiidae) Synonym(s): *sumatraensis* Heylaerts,1890; *nesites* Seitz,1915; *instar* Rothschild,1920 _ Range (in code): **MY ID Sum Ja?**
- 29008. *Nyctemera swinhoei* Vos,2002** (Arctiidae) Synonym(s): *swinhoei* Vos,2002 _ Range (in code): **ID Mlc Bch Hm Ob Trn Mti**
- 29009. *Nyctemera tenompoka* Holloway,1988** (Arctiidae) Synonym(s): *tenompoka* Holloway,1988 _ Range (in code): **ID Bor MY**
- 29010. *Nyctemera tenuifascia* Snellen,1898** (Arctiidae) Synonym(s): *tenuifascia* Snellen,1898 _ Range (in code): **ID Ja Lb**
- 29011. *Nyctemera torbeni* Wiltshire,1983** (Arctiidae) Synonym(s): *torbeni* Wiltshire,1983 _ Range (in code): **SA As YE**
- 29012. *Nyctemera toxopei* Van Eecke,1929** (Arctiidae) Synonym(s): *toxopei* Van Eecke,1929 _ Range (in code): **ID Bru**
- 29013. *Nyctemera transitella* (Strand,1909)** (Arctiidae) Synonym(s): *transitella* Strand,1909 _ Range (in code): **TZ**
- 29014. *Nyctemera tripunctaria* (Linnaeus,1758)** (Arctiidae) Synonym(s): *tripunctaria* Linnaeus,1758; *petulca* Sparrman,1769; *assimile* Snellen,1863; *confusum* Swinhoe,1892; *kondekum* Swinhoe,1892; *sumatrensis* Pagenstecher,1901; *elzuniae* kruscheae Bryk,1937 _ Range (in code): **TH MY ID Ja Nia Sum Sme Clb CN Hn KH**
- 29015. *Nyctemera tripunctaria candidissima* Seitz,1915** (Arctiidae) Synonym(s): *candidissima* Seitz,1915 _ Range (in code): **CN Hn**
- 29016. *Nyctemera tripunctaria celsa* Walker,1864** (Arctiidae) Synonym(s): *celsa* Walker,1864 _ Range (in code): **KH**
- 29017. *Nyctemera tripunctaria cydippe* Weymer,1885** (Arctiidae) Synonym(s): *cydippe* Weymer,1885; *niassana* Swinhoe,1906 _ Range (in code): **ID Nia**
- 29018. *Nyctemera tripunctaria optata* (Swinhoe,1903)** (Arctiidae) Synonym(s): *optata* Swinhoe,1903; *coequalis* Swinhoe,1915 _ Range (in code): **ID Sum**
- 29019. *Nyctemera tripunctaria simalura* Roepke,1957** (Arctiidae) Synonym(s): *simalura* Roepke,1957 _ Range (in code): **ID Sme**

- 29020. *Nyctemera tripunctaria subvelata* Walker, 1864** (Arctiidae) **Synonym(s):** *subvelata* Walker, 1864; *velans* Walker, 1864; *infuscatum* Hopffer, 1874. **Range (in code):** **ID Clb**
- 29021. *Nyctemera tripunctaria tripunctaria* (Linnaeus, 1758)** (Arctiidae) **Synonym(s):** *tripunctaria* Linnaeus, 1758; *petulca* Sparrman, 1769; *assimile* Snellen, 1863; *confusum* Swinhoe, 1892; *kondekum* Swinhoe, 1892; *sumatrensis* Pagenstecher, 1901; *elzuniae* kruscheae Bryk, 1937 **Range (in code):** **TH MY ID Ja**
- 29022. *Nyctemera trita* Walker, 1864** (Arctiidae) **Synonym(s):** *trita* Walker, 1864 **Range (in code):** **MY ID Ja Sum Lb**
- 29023. *Nyctemera trita harca* (Swinhoe, 1893)** (Arctiidae) **Synonym(s):** *harca* Swinhoe, 1893 **Range (in code):** **MY**
- 29024. *Nyctemera trita trita* Walker, 1864** (Arctiidae) **Synonym(s):** *trita* Walker, 1864 **Range (in code):** **MY ID Ja Sum Lb**
- 29025. *Nyctemera trita tritoides* Heylaerts, 1890** (Arctiidae) **Synonym(s):** *tritoides* Heylaerts, 1890; *herce* Pagenstecher, 1901; *assimilis* Seitz, 1915; *battakorum* Seitz, 1915; *seitzii* Van Eecke, 1927; *seitzii* Van Eecke, 1928; *reducta* Rothschild, 1920. **Range (in code):** **ID Sum**
- 29026. *Nyctemera ugandicola* (Strand, 1909)** (Arctiidae) **Synonym(s):** *ugandicola* Strand, 1909 **Range (in code):** **UG**
- 29027. *Nyctemera undulata* Vos & Cerny, 1999** (Arctiidae) **Synonym(s):** *undulata* Vos & Cerny, 1999 **Range (in code):** **PH Mno**
- 29028. *Nyctemera uniformis* (Plötz, 1880)** (Arctiidae) **Synonym(s):** *uniformis* Plötz, 1880 **Range (in code):**
- 29029. *Nyctemera usambarae* (Oberthür, 1893)** (Arctiidae) **Synonym(s):** *usambarae* Oberthür, 1893 **Range (in code):** **TZ Tnga Usa**
- 29030. *Nyctemera virgo* (Strand, 1909)** (Arctiidae) **Synonym(s):** *virgo* Strand, 1909 **Range (in code):** **MG**
- 29031. *Nyctemera warmasina* Bethune-Baker, 1910** (Arctiidae) **Synonym(s):** *warmasina* Bethune-Baker, 1910 **Range (in code):** **ID Ij Afk**
- 29032. *Nyctemera xanthura* (Plötz, 1880)** (Arctiidae) **Synonym(s):** *simplex* Walker, 1869 *nec* Walk., 1864; *xanthura* Plötz, 1880; *#paucipunctis* Strand, 1909; *#serrimargo* Strand, 1909; **Range (in code):** **ZR CM GA NG GH**
- 29033. *Nyctosia coccinea* Schaus, 1899** (Arctiidae) **Synonym(s):** *coccinea* Schaus, 1899 **Range (in code):** **MX**
- 29034. *Nyctosia poicilonotus* Dyar, 1912** (Arctiidae) **Synonym(s):** *poicilonotus* Dyar, 1912 **Range (in code):** **MX**
- 29035. *Nyctosia tenebrosa* (Druce, 1885)** (Arctiidae) **Synonym(s):** *tenebrosa* Druce, 1885; *proxima* Edwards, 1884 **Range (in code):** **MX GT**
- 29036. *Ochrodota pronapides* (Druce, 1894)** (Arctiidae) **Synonym(s):** *pronapides* Druce, 1894 **Range (in code):** **MX PA**
- 29037. *Ochrota bipuncta* (Hampson, 1900)** (Arctiidae) **Synonym(s):** *bipuncta* Hampson, 1900 **Range (in code):** **ZA**
- 29038. *Ochrota unicolor* (Hopffer, 1857)** (Arctiidae) **Synonym(s):** *unicolor* Hopffer, 1857 **Range (in code):** **ZA**
- 29039. *Ocnogyna (Somatotrichia) parasita arenosa* Witt, 1980** (Arctiidae) **Synonym(s):** *arenosa* Witt, 1980 **Range (in code):** **GR**
- 29040. *Ocnogyna (Somatotrichia) parasita lianea* Witt, 1980** (Arctiidae) **Synonym(s):** *lianea* Witt, 1980 **Range (in code):** **MK BG**
- 29041. *Ocnogyna (Somatotrichia) parasita parasita* (Hübner, 1790)** (Arctiidae) **Synonym(s):** *parasita* Hübner, 1790 **Original Reference:** *Phalaena parasita* Hübner, 1790, Beitr. Gesch. Schmett. 2(2): 42. **Type(s):** [Austria]: Wien. **Range (in code):** **FR IT CH CZ SK HU RO**
- 29042. *Ocnogyna (Somatotrichia) parasita rothschildi* A. Bang-Haas, 1912** (Arctiidae) **Synonym(s):** *rothschildi* A. Bang-Haas, 1912 **Range (in code):** **RU**
- 29043. *Ocnogyna (Somatotrichia) anatolica* Witt, 1980** (Arctiidae) **Synonym(s):** *anatolica* Witt, 1980 **Original Reference:** *Ocnogyna anatolica* Witt, 1980, Mitt. münch. ent. Ges. 69: 154-156, Abb. 52. **Holotype** ♂: Türkei: [Tunceli]: Südöstl. Erzincan, Pülümür, 1500m. **Range (in code):** **TR**
- 29044. *Ocnogyna (Somatotrichia) anatolica anatolica* Witt, 1980** (Arctiidae) **Synonym(s):** *anatolica* Witt, 1980 **Original Reference:** *Ocnogyna anatolica* Witt, 1980, Mitt. münch. ent. Ges.

- 69: 154-156, Abb.52. Holotype ♂: Türkiye: [Tunceli]: Südöstl. Erzincan, Pülümür, 1500m. Range (in code): TR
- 29045. Ocnogyna (Somatruchia) parasita (Hübner,1790)** (Arctiidae) Synonym(s): *parasita* Hübner,1790 Original Reference: Phalaena parasita Hübner,1790, Beitr. Gesch. Schmett. 2(2): 42. Type(s): [Austria]: Wien. Range (in code): FR IT CH CZ SK HU RO YU BG GR TR RU Bionomy: Larva on Gentiana lutea (Gentianaceae), Urtica (Urticaceae), Plantago, Scabiosa (Dipsacaceae) (Meyer,1919; De Freina & Witt,1987).
- 29046. Ocnogyna (Somatruchia) parasita intermedia Staudinger,1879** (Arctiidae) Synonym(s): *intermedia* Staudinger,1879 Range (in code): TR
- 29047. Ocnogyna (Somatruchia) parasita nogelli Lederer,1865** (Arctiidae) Synonym(s): *nogelli* Lederer,1865 Original Reference: Ocnogyna nogelli Lederer,1865, Annls Soc. ent. Belge 9: 77-78, pl.iii fig.5. Range (in code): TR
- 29048. Ocnogyna (s.str.) advena (Fabricius,1787)** (Arctiidae) Synonym(s): *advena* Fabricius,1787; ?*pierreti* Rambur,1841; *mauretanica* Lucas,1848; *atlanticum* Lucas,1853; *huguenini* Oberthür,1878; *gandolphe* Oberthür,1881; *pallida* Rothschild,1917; *massoueroi* Turati,1930 Original Reference: Bombyx advena Fabricius,1787, Mant. Ins. 2: 123. Type: [Nordafrika]. Range (in code): AET ES An MA DZ Agi Méd Anna TN
- 29049. Ocnogyna (s.str.) armena Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871 Range (in code): TR Cc AM AZ RU Da IQ? TM Kp UZ TJ AF IR ArL Kz Bk Kh Th Kdj Bu Fa Shr
- 29050. Ocnogyna (s.str.) armena armena Staudinger,1871** (Arctiidae) Synonym(s): *armena* Staudinger,1871 Range (in code): TR Cc AM AZ IQ?
- 29051. Ocnogyna (s.str.) armena daghestana Dubatolov,1996** (Arctiidae) Synonym(s): *daghestana* Dubatolov,1996 Range (in code): Cc RU Da
- 29052. Ocnogyna (s.str.) armena pallidior Christoph,1884** (Arctiidae) Synonym(s): *pallidior* Christoph,1884 Range (in code): TM Kp UZ TJ AF IR
- 29053. Ocnogyna (s.str.) baetica (Rambur,1836)** (Arctiidae) Synonym(s): *baetica* Rambur,1836; *meridionalis* Seitz,1910; *ramburi* Oberthür,1911; *albescens* Oberthür,1917. Original Reference: Trichosoma baetica Rambur,1836, Annls Soc. ent. Fr. 5: 587. Range (in code): AET MA DZ Btina Sbd Agi DhM Lbs Cst TN PT ES Si IT Bionomy: Larva on Plantago media (Meyer,1919).
- 29054. Ocnogyna (s.str.) baetica baetica (Rambur,1836)** (Arctiidae) Synonym(s): *baetica* Rambur,1836; *meridionalis* Seitz,1910; *ramburi* Oberthür,1911; *albescens* Oberthür,1917. Original Reference: Trichosoma baetica Rambur,1836, Annls Soc. ent. Fr. 5: 587. Range (in code): AET MA DZ Btina Sbd Agi DhM Lbs Cst TN PT ES Si IT
- 29055. Ocnogyna (s.str.) bellieri (Lederer,1855)** (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. Original Reference: Arctia bellieri Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 203. Syntypes: [Libanon]: Beirut. Range (in code): LB Bei TR IQ Dia Su
- 29056. Ocnogyna (s.str.) bellieri bellieri (Lederer,1855)** (Arctiidae) Synonym(s): *bellieri* Lederer,1855; *banghaasi* Staudinger,1895. Original Reference: Arctia bellieri Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 203. Syntypes: [Libanon]: Beirut. Range (in code): LB Bei TR IQ Dia Su
- 29057. Ocnogyna (s.str.) bellieri berytta (Staudinger,1895)** (Arctiidae) Synonym(s): *berytta* Staudinger,1895 Range (in code): LB Bei
- 29058. Ocnogyna (s.str.) corsica (Rambur,1832)** (Arctiidae) Synonym(s): *corsica* Rambur,1832 Original Reference: Trichosoma corsica Rambur,1832, Annls Soc. ent. Fr. 1: 272. Type: Corsica. Range (in code): Co Sa
- 29059. Ocnogyna (s.str.) corsica corsica (Rambur,1832)** (Arctiidae) Synonym(s): *corsica* Rambur,1832 Original Reference: Trichosoma corsica Rambur,1832, Annls Soc. ent. Fr. 1: 272. Type: Corsica. Range (in code): Co
- 29060. Ocnogyna (s.str.) corsica sardoa Staudinger,1870** (Arctiidae) Synonym(s): *sardoa* Staudinger,1870 Original Reference: Ocnogyna corsica var. sardoa Staudinger,1870, Berl. ent. Z. 14: 105. Syntypes: Sardinien. Range (in code): Sa
- 29061. Ocnogyna (s.str.) cypriaca O.Bang-Haas,1934** (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas,1934; *#immaculata* O.Bang-Haas,1934; *#maculata* O.Bang-Haas,1934; *#rosacea* O.Bang-Haas,1934 Original Reference: Ocnogyna loewii ssp. cypriaca O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 48. Syntypes: Cypria: Limassol. Range (in code): CY
- 29062. Ocnogyna (s.str.) cypriaca cypriaca O.Bang-Haas,1934** (Arctiidae) Synonym(s): *cypriaca* O.Bang-Haas,1934; *#immaculata* O.Bang-Haas,1934; *#maculata* O.Bang-Haas,1934; *#rosacea* O.Bang-

- Haas,1934* Original Reference: *Ocnogyna loewii* ssp. *cypriaca* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 48. Syntypes: Cypria: Limassol. Range (in code): **CY**
- 29063. *Ocnogyna* (s.str.) *herrichi* Staudinger,1879** (Arctiidae) Synonym(s): *herrichi* Staudinger,1879 Original Reference: *Ocnogyna herrichi* Staudinger,1879, Horae Soc. ent. ross. 14: 337. Syntypes: [Türkei]: Taurus; [Libanon]: Beirut. Range (in code): **TR LB Bei**
- 29064. *Ocnogyna* (s.str.) *herrichi herrichi* Staudinger,1879** (Arctiidae) Synonym(s): *herrichi* Staudinger,1879 Original Reference: *Ocnogyna herrichi* Staudinger,1879, Horae Soc. ent. ross. 14: 337. Syntypes: [Türkei]: Taurus; [Libanon]: Beirut. Range (in code): **TR LB Bei**
- 29065. *Ocnogyna* (s.str.) *loewii* (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. Original Reference: *Trichosoma loewii* Zeller,1846, Stettin ent. Ztg. 7:9. Type(s): [Türkei]: Kleinasien: Tal südlich Istenas. Range (in code): **GR Rd TR LB Bei IL Pa Hf EG LY Cy IR Ak Tbz Ke AF IQ**
- 29066. *Ocnogyna* (s.str.) *loewii loewii* (Zeller,1846)** (Arctiidae) Synonym(s): *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. Original Reference: *Trichosoma loewii* Zeller,1846, Stettin ent. Ztg. 7:9. Type(s): [Türkei]: Kleinasien: Tal südlich Istenas. Range (in code): **GR Rd TR LB Bei IL Hf Pa EG LY Cy IR Ak Tbz Ke AF IQ**
- 29067. *Ocnogyna* (s.str.) *mutabilis* Turati,1924** (Arctiidae) Synonym(s): *mutabilis* Turati,1924 Original Reference: *Ocnogyna mutabilis* Turati,1924, Atti Soc. ital. Sci. nat. 63: [42] 26. Range (in code): **LY Cy EG**
- 29068. *Ocnogyna* (s.str.) *mutabilis mutabilis* Turati,1924** (Arctiidae) Synonym(s): *mutabilis* Turati,1924 Original Reference: *Ocnogyna mutabilis* Turati,1924, Atti Soc. ital. Sci. nat. 63: [42] 26. Range (in code): **LY Cy EG**
- 29069. *Ocnogyna* (s.str.) *pudens* (Lucas,1853)** (Arctiidae) Synonym(s): *pudens* Lucas,1853; *vallantini* Austaut,1894. Range (in code): **AET DZ Anna Agi Blid BSa Phv**
- 29070. *Ocnogyna* (s.str.) *pudens leprieuri* (Oberthür,1878)** (Arctiidae) Synonym(s): *leprieuri* Oberthür,1878; *faroulti* Rothschild,1911 Range (in code): **AET DZ BSa Phv**
- 29071. *Ocnogyna* (s.str.) *pudens pudens* (Lucas,1853)** (Arctiidae) Synonym(s): *pudens* Lucas,1853; *vallantini* Austaut,1894. Range (in code): **AET DZ Anna Agi Blid**
- 29072. *Ocnogyna* (s.str.) *zoraida* (De Graslin,[1837])** (Arctiidae) Synonym(s): *zoraida* De Graslin,[1837] Original Reference: *Chelonia zoraida* De Graslin,[1837], Annls Soc. ent. Fr. 5: 561. Range (in code): **PT ES FR** Bionomy: Larva on *Astragalus*, *Rumex*, *Urtica*, *Lotus*, *Echium*, *Verbascum*, *Ulex*, *Euphorbia*, *Astragalus*, *Helianthemum*, *Plantago*, *Galium*, *Taraxacum*, *Salvia*, *Urtica*, *Achillea* (Meyer,1919; De Freina & Witt,1987).
- 29073. *Ocnogyna* (s.str.) *zoraida hemigena* (De Graslin,1850)** (Arctiidae) Synonym(s): *hemigena* De Graslin,1850 Original Reference: *Chelonia hemigena* De Graslin,1850, Annls Soc. ent. Fr. 8: 402. Syntypes: South France: Vernet-les-Bains. Range (in code): **FR**
- 29074. *Ocnogyna* (s.str.) *zoraida zoraida* (De Graslin,[1837])** (Arctiidae) Synonym(s): *zoraida* De Graslin,[1837] Original Reference: *Chelonia zoraida* De Graslin,[1837], Annls Soc. ent. Fr. 5: 561. Range (in code): **PT ES FR**
- 29075. *Odozana unica* Schaus,1905** (Arctiidae) Synonym(s): *unica* Schaus,1905 Range (in code): **MX**
- 29076. *Oeonistis altica* (Linnaeus,1768)** (Arctiidae) Synonym(s): *altica* Linnaeus,1768 Range (in code): **TH? MY Bor Swk NC AU ID Crm Amb NH SB CN PH VN TW**
- 29077. *Oeonistis delia* (Fabricius,1787)** (Arctiidae) Synonym(s): *delia* Fabricius,1787; *ceramensis* Vollenhoven,1872; *splendens* Lucas,1890 Range (in code): **ID Crm Clb AU QAU TO NC WS**
- 29078. *Oeonistis entella* (Cramer,[1779])** (Arctiidae) Synonym(s): *entella* Cramer,[1779]; *convoluta* Fabricius,1781; *entelliola* Hübner,[1819] Range (in code): **LK Pdy IN**
- 29079. *Oeonistis lifuensis* Rothschild,1912** (Arctiidae) Synonym(s): *lifuensis* Rothschild,1912 Range (in code): **NC**
- 29080. *Olepa anomia* Orhant,1986** (Arctiidae) Synonym(s): *anomia* Orhant,1986 Range (in code): **LK**
- 29081. *Olepa clavatus* (Swinhoe,1885)** (Arctiidae) Synonym(s): *clavatus* Swinhoe,1885 Range (in code): **IN**
- 29082. *Olepa duboisi* Orhant,1986** (Arctiidae) Synonym(s): *duboisi* Orhant,1986 Range (in code): **LK**
- 29083. *Olepa kakatii* Orhant,2000** (Arctiidae) Synonym(s): *kakatii* Orhant,2000 Range (in code): **IN Ass**

- 29084. *Olepa koslandana* Orhant,1986** (Arctiidae) **Synonym(s):** *koslandana* Orhant,1986
Range (in code): **IN LK**
- 29085. *Olepa ocellifera* (Walker,1855)** (Arctiidae) **Synonym(s):** *ocellifera* Walker,1855 **Range (in code):** **IN BD LK**
- 29086. *Olepa ricini* (Fabricius,1775)** (Arctiidae) **Synonym(s):** *ricini* Fabricius,1775; *zerah* Stoll,[1782]; *clavatus* Swinhoe,1885 **Original Reference:** *Bombyx ricini* Fabricius,1775, Syst. Ent.: 583. Type(s): India orientalis. **Range (in code):** **IN BD LK Kndy Pdy NP**
- 29087. *Olepa schleini* Witt, G.C.Müller, Kravchenko, M.A.Miller, Hausmann & Speidel,2005** (Arctiidae) **Synonym(s):** *schleini* Witt, G.C.Müller, Kravchenko, M.A.Miller, Hausmann & Speidel,2005 **Original Reference:** *Olepa schleini* NachrBl. bayer. Ent. 54 (3/4): 102-113, figs. Holotype ♂: Israel: Tel Aviv North, 50m larva Sept.2002, e.l. November 2002, leg. G.Müller (MWM). **Range (in code):** **IL Pa Jf**
- 29088. *Olepa toulgoeti* Orhant,1986** (Arctiidae) **Synonym(s):** *toulgoeti* Orhant,1986 **Range (in code):** **IN**
- 29089. *Opharus bimaculata* (Dewitz,1884)** (Arctiidae) **Synonym(s):** *bimaculata* Dewitz,1884
Range (in code): **MX**
- 29090. *Opharus calosoma* (Dyar,1913)** (Arctiidae) **Synonym(s):** *calosoma* Dyar,1913 **Range (in code):** **MX**
- 29091. *Opharus consimilis* Hampson,1901** (Arctiidae) **Synonym(s):** *consimilis* Hampson,1901
Range (in code): **MX CO**
- 29092. *Opharus euchaetiformis* Edwards,1884** (Arctiidae) **Synonym(s):** *euchaetiformis* Edwards,1884 **Range (in code):** **MX CR**
- 29093. *Opharus immanis* (Edwards,1884)** (Arctiidae) **Synonym(s):** *immanis* Edwards,1884; *#ochraceovirida* Strand,1921 **Range (in code):** **MX PE**
- 29094. *Opharus jacca* Druce,1897** (Arctiidae) **Synonym(s):** *jacca* Druce,1897 **Range (in code):** **PA MX**
- 29095. *Opharus linus* Druce,1897** (Arctiidae) **Synonym(s):** *linus* Druce,1897 **Range (in code):** **MX**
- 29096. *Opharus momis* (Dyar,1912)** (Arctiidae) **Synonym(s):** *momis* Dyar,1912 **Range (in code):** **MX**
- 29097. *Opharus roseistriga* Schaus,1910** (Arctiidae) **Synonym(s):** *roseistriga* Schaus,1910
Range (in code): **CR**
- 29098. *Opsaroa fulvinota* Hampson,1905** (Arctiidae) **Synonym(s):** *fulvinota* Hampson,1905
Range (in code): **ZA**
- 29099. *Ordishia rutilus* (Stoll,1782)** (Arctiidae) **Synonym(s):** *rutilus* Stoll,1782; *striata* Druce,1895
Range (in code): **MX**
- 29100. *Ormetica ataenia* (Schaus,1910)** (Arctiidae) **Synonym(s):** *ataenia* Schaus,1910 **Range (in code):** **MX CR**
- 29101. *Ormetica nabdalsa* (Schaus,1889)** (Arctiidae) **Synonym(s):** *nabdalsa* Schaus,1889
Range (in code): **MX**
- 29102. *Ormetica orbona* (Schaus,1889)** (Arctiidae) **Synonym(s):** *orbona* Schaus,1889 **Range (in code):** **MX**
- 29103. *Ormetica sicilia* (Druce,1884)** (Arctiidae) **Synonym(s):** *sicilia* Druce,1884; *parma* Schaus,1889 **Range (in code):** **MX CO**
- 29104. *Ormetica taeniata* (Guérin-Méneville,[1844])** (Arctiidae) **Synonym(s):** *taeniata* Guérin-Méneville,[1844]; *sphingiformis* Clemens,1860; *imitata* Druce,1889 **Range (in code):** **MX CR**
- 29105. *Ormetica temperata* (Schaus,1921)** (Arctiidae) **Synonym(s):** *temperata* Schaus,1921
Range (in code): **MX**
- 29106. *Oroncus* (Arctoroncus) *gurkoi* Dubatolov,2004** (Arctiidae) **Synonym(s):** *gurkoi* Dubatolov,2004 **Range (in code):** **PK Ch**
- 29107. *Oroncus* (s.str.) *alaica* O.Bang-Haas,1927** (Arctiidae) **Synonym(s):** *alaica* O.Bang-Haas,1927 **Range (in code):** **UZ TJ Al KK Pm TrA KG**
- 29108. *Oroncus* (s.str.) *alaica* *alaica* O.Bang-Haas,1927** (Arctiidae) **Synonym(s):** *alaica* O.Bang-Haas,1927 **Range (in code):** **UZ TJ Al KK Pm TrA KG**
- 29109. *Oroncus* (s.str.) *elisabethae* Kotsch,1937** (Arctiidae) **Synonym(s):** *elisabethae* Kotsch,1937 **Original Reference:** *Micrarctia elisabethae* Kotsch,1937, Ent. Rdsch. 55: 9. Holotype ♂: Hindu Kush, 3500m. **Range (in code):** **AF**

- 29110. *Oroncus (s.str.) elisabethae elisabethae* Kotzsch,1937** (Arctiidae) Synonym(s): *elisabethae* Kotzsch,1937 Original Reference: *Micrarctia elisabethae* Kotzsch,1937, Ent. Rdsch. 55: 9. Holotype ♂: Hindu Kush, 3500m. Range (in code): **AF**
- 29111. *Oroncus (s.str.) fasciata* O.Bang-Haas,1927** (Arctiidae) Synonym(s): *fasciata* O.Bang-Haas,1927 Range (in code): **KG DsA**
- 29112. *Oroncus (s.str.) fasciata fasciata* O.Bang-Haas,1927** (Arctiidae) Synonym(s): *fasciata* O.Bang-Haas,1927 Range (in code): **KG DsA**
- 29113. *Oroncus (s.str.) tancrei* (Staudinger,1887)** (Arctiidae) Synonym(s): *tancrei* Staudinger,1887; *urania* Püngeler,1904. Original Reference: *Arctia tancrei* Staudinger,1887, Stettin ent. Ztg. 48: 81-82. Syntypes: [Kirgizistan]: Issyk-Kul. Range (in code): **KK Ik Na CN Ui KI**
- 29114. *Oroncus (s.str.) tancrei tancrei* (Staudinger,1887)** (Arctiidae) Synonym(s): *tancrei* Staudinger,1887; *urania* Püngeler,1904. Original Reference: *Arctia tancrei* Staudinger,1887, Stettin ent. Ztg. 48: 81-82. Syntypes: [Kirgizistan]: Issyk-Kul. Range (in code): **KK Ik Na CN Ui KI**
- 29115. *Orontobia coelestina* (Püngeler,1904)** (Arctiidae) Synonym(s): *coelestina* Püngeler,1904 Original Reference: *Phragmatobia coelestina* Püngeler,1904, Societ. Ent. 19: 121. Range (in code): **CN Ui Alt Ts**
- 29116. *Orontobia coelestina coelestina* (Püngeler,1904)** (Arctiidae) Synonym(s): *coelestina* Püngeler,1904 Original Reference: *Phragmatobia coelestina* Püngeler,1904, Societ. Ent. 19: 121. Range (in code): **CN Ui Alt Ts**
- 29117. *Orontobia mooseri* De Freina,1997** (Arctiidae) Synonym(s): *mooseri* De Freina,1997 Range (in code):
- 29118. *Orontobia mooseri mooseri* De Freina,1997** (Arctiidae) Synonym(s): *mooseri* De Freina,1997 Range (in code):
- 29119. *Orontobia secreta* (Draudt,1931)** (Arctiidae) Synonym(s): *secreta* Draudt,1931 Range (in code): **CN Ti Gn**
- 29120. *Orontobia secreta dalailama* De Freina,1997** (Arctiidae) Synonym(s): *dalailama* De Freina,1997 Range (in code): **CN Ti**
- 29121. *Orontobia secreta kansuensis* De Freina,1997** (Arctiidae) Synonym(s): *kansuensis* De Freina,1997 Range (in code): **CN Gn**
- 29122. *Orontobia secreta secreta* (Draudt,1931)** (Arctiidae) Synonym(s): *secreta* Draudt,1931 Range (in code): **CN Ti**
- 29123. *Orontobia taglangla* De Freina,1997** (Arctiidae) Synonym(s): *taglangla* De Freina,1997 Range (in code): **Ld IN**
- 29124. *Orontobia taglangla taglangla* De Freina,1997** (Arctiidae) Synonym(s): *taglangla* De Freina,1997 Range (in code): **Ld IN**
- 29125. *Ovenna agonchae* (Plötz,1880)** (Arctiidae) Synonym(s): *agonchae* Plötz,1880 Original Reference: *Lithosia agonchae* Plötz,1880, Stettin ent. Ztg. 41: 80. Type: Agoncha. Range (in code):
- 29126. *Ovenna guineacola* Strand,1912** (Arctiidae) Synonym(s): *guineacola* Strand,1912 Range (in code): **GN**
- 29127. *Ovenna hailesellassiei* Birket-Smith,1965** (Arctiidae) Synonym(s): *hailesellassiei* Birket-Smith,1965 Original Reference: *Ovenna hailesellassiei* Birket-Smith,1965, Pap. Fac. Sci. Haile Sellassis Univ. (C) 1: 105, figs. Type: Ethiopia. Range (in code): **ET**
- 29128. *Ovenna simplex* Birket-Smith,1965** (Arctiidae) Synonym(s): *simplex* Birket-Smith,1965 Original Reference: *Ovenna simplex* Birket-Smith,1965, Pap. Fac. Sci. Haile Sellassis Univ. (C) 1: 101, figs. Type: Ethiopia. Range (in code): **ET**
- 29129. *Ovenna subgriseola* (Strand,1912)** (Arctiidae) Synonym(s): *subgriseola* Strand,1912; *callidescens* Hampson,1914; *heringi* Kiriakoff,1954 Original Reference: *Eilema subgriseola* Strand,1912, Arch. f. Naturk. (A7): 178. Type: [Equatorial Guinea]: Spanisch Guinea. Range (in code): **ZA GO CI CG**
- 29130. *Ovenna vicaria* (Walker,1854)** (Arctiidae) Synonym(s): *vicaria* Walker,1854; *imitans* Mabille,1879; *simulans* Mabille,1879; *desiccata* Kiriakoff,1954 Original Reference: *Lithosia vicaria* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 505. Range (in code): **ZA Nta Kzu NG Caa ZR UG RZ Am CN HK IN SI Ass Clc Bba Adm LK ID Ja MY Bor Swk**
- 29131. *Pachydota drucei* Rothschild,1909** (Arctiidae) Synonym(s): *drucei* Rothschild,1909; *josephina* Schaus,1910 Range (in code): **MX CR CO**

- 29132. *Pachydota ioidea* (Herrich-Schäffer,1855)** (Arctiidae) Synonym(s): *ioidea* Herrich-Schäffer,1855 _ Range (in code): **MX JM**
- 29133. *Pachydota punctata* Druce,1909** (Arctiidae) Synonym(s): *punctata* Druce,1909 _ Range (in code): **SR VE EC MX**
- 29134. *Pachydota saduca* (Druce,1895)** (Arctiidae) Synonym(s): *saduca* Druce,1895 _ Range (in code): **MX CR**
- 29135. *Padenia acutifascia* De Joannis,1928** (Arctiidae) Synonym(s): *acutifascia* De Joannis,1928 Range (in code): **VN Ton**
- 29136. *Padenia sordida* Rothschild,1912** (Arctiidae) Synonym(s): *sordida* Rothschild,1912 Range (in code): **MY**
- 29137. *Padenia transversa* (Walker,1854)** (Arctiidae) Synonym(s): *transversa* Walker,1854; *bifasciata* Felder,1874; *latifasciata* Draudt,1914 _ Range (in code): **LK Dck Mwp Pdy**
- 29138. *Padenodes cuprizona* (Hampson,1914)** (Arctiidae) Synonym(s): *cuprizona* Hampson,1914 Range (in code): **AU**
- 29139. *Paidia (Conjuncta) conjuncta* (Staudinger,1892)** (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892 Original Reference: *Nudaria murina* var. *conjuncta* Staudinger,1892, Dt. ent. Z., Iris 4: 249-250. Syntypes 10♂ 1♀: [Türkei]: Mardin. Range (in code): **AET DZ Agi Cc TR AF Pag Slg PK Gg Ch IR Elb Th Fa IQ Dk** Bionomy: Larva on rock lichens (Wiltshire,1957).
- 29140. *Paidia (Conjuncta) conjuncta conjuncta* (Staudinger,1892)** (Arctiidae) Synonym(s): *conjuncta* Staudinger,1892 Original Reference: *Nudaria murina* var. *conjuncta* Staudinger,1892, Dt. ent. Z., Iris 4: 249-250. Syntypes 10♂ 1♀: [Türkei]: Mardin. Range (in code): **TR IR Elb Th Fa IQ**
- 29141. *Paidia (Conjuncta) conjuncta major* (Daniel,1963)** (Arctiidae) Synonym(s): *major* Daniel,1963 _ Range (in code): **IR Th AF Pag Slg PK Gg Ch**
- 29142. *Paidia (Conjuncta) conjuncta ovita* De Freina,1999** (Arctiidae) Synonym(s): *ovita* De Freina,1999 Original Reference: *Paidia conjuncta* ssp. *ovita* De Freina,1999, Atalanta 30 (1/4): 233-234, figs. Holotype ♂: [Türkei]: Kleinasien: Prov. Erzurum, Ovit Pass-Südseite, 20km NW Ispir, 1600m 4-6.viii.1980 de Freina leg. (MWM). Range (in code): **Cc TR**
- 29143. *Paidia (s.str.) albescens* (Staudinger,1892)** (Arctiidae) Synonym(s): *albescens* Staudinger,1892 Original Reference: *Nudaria murina* var. *albescens* Staudinger,1892, Dt. ent. Z., Iris 4: 250. Syntypes: [Türkei]: Antiochia [=Antakya], Hadjin [=Saimbeyli]. Range (in code): **TR LB Bro Bsa**
- 29144. *Paidia (s.str.) bodenheimeri* Draudt,1931** (Arctiidae) Synonym(s): *bodenheimeri* Draudt,1931 Original Reference: *Paidia bodenheimeri* Draudt,1931, [in] Seitz,A. Die Gross-Schmett. Erde 2 (Suppl.): 65. IL Pa Js
- 29145. *Paidia (s.str.) brunneagrisescens* Daniel,1932** (Arctiidae) Synonym(s): *#brunneagrisescens* Daniel,1932 Original Reference: *Paidia albescens* mod. *brunnea-grisescens* Daniel,1932, [in] Pfeiffer & Ostherder, Mitt. münch. ent. Ges. 22: 57-58. Syntypes 4♂: [Türkei]: [Osmaniye Prov.], "Nordsyrien, DD". TR
- 29146. *Paidia (s.str.) cinerascens* (Herrich-Schäffer,[1847])** (Arctiidae) Synonym(s): *cinerascens* Herrich-Schäffer,[1847] Original Reference: *Nudaria cinerascens* Herrich-Schäffer,[1847], Syst. Bearb. Schmett. Eur. 2:162, fig.143. Type(s): Türkei [Bursa] (Staudinger,1879: 329). Range (in code): **TR GR Pl Cr IQ Rwz AZ Cc Nv Ord JO Amm IL Pa Js Hf**
- 29147. *Paidia (s.str.) cinerascens palaestinensis* Amsel,1935** (Arctiidae) Synonym(s): *palaestinensis* Amsel,1935 _ JO Amm IL Pa Js Hf
- 29148. *Paidia (s.str.) elegantia* De Freina & Witt,2004** (Arctiidae) Synonym(s): *elegantia* De Freina & Witt,2004 _ Range (in code): **IR Fa Com**
- 29149. *Paidia (s.str.) griseola* (Rothschild,1933)** (Arctiidae) Synonym(s): *griseola* Rothschild,1933 Original Reference: *Paida murina* ssp. *griseola* Rothschild,1933, Novit. zool. 38: 325. Type ♀: [Marocco]: "Xauen". Range (in code): **MA Si IT**
- 29150. *Paidia (s.str.) moabitica* de Freina,2004** (Arctiidae) Synonym(s): *moabitica* de Freina,2004 _ JO Amm IL Pa Js Hf
- 29151. *Paidia (s.str.) rica* (Freyer,[1855])** (Arctiidae) Synonym(s): *murina* Hübner,1790 (preocc.); *rica* Freyer,[1855] Original Reference: *Lithosia rica* Freyer,[1855], Neuere Beitr. Schmett. 7: 73, Tab. 642 [for the validity of the name, see Koçak,1980, Commun. Fac. Sci. Univ. Ankara (Ser C3, Zool.) 24: 10]. Range (in code): **AET DZ Sbd PT ES FR IT BE DE CH AT CZ SK HU GR Cr TR**

- 29152. *Paidia* (s.str.) *simplicicarata* Ebert,1973** (Arctiidae) Synonym(s): *simplicicarata* Ebert,1973 Original Reference: *Paidia simplicicarata* Ebert,1973, Reichenbachia 14 (8): 48, fig. Holotype ♂: Afghanistan, Koh-i-Baba. [AF Kbb](#)
- 29153. *Palaeopsis* *diaphanella* Hampson,1893** (Arctiidae) Synonym(s): *diaphanella* Hampson,1893 Range (in code): [LK Nwp](#)
- 29154. *Palaeopsis* *testacea* Rothschild,1913** (Arctiidae) Synonym(s): *testacea* Rothschild,1913 Range (in code): [PG](#)
- 29155. *Palaeopsis* *unifascia* Inoue,1980** (Arctiidae) Synonym(s): *unifascia* Inoue,1980 Range (in code): [JP](#)
- 29156. *Palaeosia* *bicosta* (Walker,1854)** (Arctiidae) Synonym(s): *bicosta* Walker,1854; *fraterna* Butler,1877 Range (in code): [AU](#)
- 29157. *Palearctia* *amosovi* Dubatolov & Gurko,2002** (Arctiidae) Synonym(s): *amosovi* Dubatolov & Gurko,2002 Range (in code): [CN Ti Eve](#)
- 29158. *Palearctia* *amosovi* *amosovi* Dubatolov & Gurko,2002** (Arctiidae) Synonym(s): *amosovi* Dubatolov & Gurko,2002 Range (in code): [CN Ti Eve](#)
- 29159. *Palearctia* *erschoffii* (Alpheraky,1882)** (Arctiidae) Synonym(s): *erschoffii* Alpheraky,1882; *korlana* O.Bang-Haas,1927 Range (in code): [CN Ui Mkü Ju Srm Kl KK Na Ik](#)
- 29160. *Palearctia* *erschoffii* *erschoffii* (Alpheraky,1882)** (Arctiidae) Synonym(s): *erschoffii* Alpheraky,1882; *korlana* O.Bang-Haas,1927 Range (in code): [CN Ui Mkü Ju Srm Kl](#)
- 29161. *Palearctia* *erschoffii* *issyka* (Staudinger,1887)** (Arctiidae) Synonym(s): *issyka* Staudinger,1887 Range (in code): [KK Ik](#)
- 29162. *Palearctia* *erschoffii* *selmonsi* (Böttcher,1905)** (Arctiidae) Synonym(s): *selmonsi* Böttcher,1905 Original Reference: *Arctia erschoffii* var. *selmonsi* Böttcher,1905, Ent. Z., Stuttg. 19 (12): 62, figs. 18-21. Syntypes ♂♀: [Kirgizistan]: "Naryn". Range (in code): [KK Na](#)
- 29163. *Palearctia* *ferghana* (Staudinger,1887)** (Arctiidae) Synonym(s): *ferghana* Staudinger,1887 Range (in code): [KK UZ Fe Man CN Ui Ju AF Anj Bd](#)
- 29164. *Palearctia* *ferghana* *ferghana* (Staudinger,1887)** (Arctiidae) Synonym(s): *ferghana* Staudinger,1887 Range (in code): [KK UZ Fe Man CN Ui Ju](#)
- 29165. *Palearctia* *ferghana* *mustangbhoti* (Daniel,1961)** (Arctiidae) Synonym(s): *mustangbhoti* Daniel,1961 Range (in code):
- 29166. *Palearctia* *ferghana* *schottlaenderi* (Strand,1912)** (Arctiidae) Synonym(s): *schottlaenderi* Strand,1912 Range (in code):
- 29167. *Palearctia* *ferghana* *sussamyra* Dubatolov,1996** (Arctiidae) Synonym(s): *sussamyra* Dubatolov,1996 Range (in code): [KK](#)
- 29168. *Palearctia* *ferghana* *turkestana* Dubatolov,1996** (Arctiidae) Synonym(s): *turkestana* Dubatolov,1996 Range (in code):
- 29169. *Palearctia* *ferghana* *variabilis* (Daniel,1966)** (Arctiidae) Synonym(s): *variabilis* Daniel,1966 Original Reference: *Micrarctia variabilis* Daniel,1966, Mitt. münch. ent. Ges. 56: 161-163, fig. Holotype ♂: Afghanistan: Anjuman Pass, 3900-4300m, 8-12.August 1963, K.Omoto leg. (ZSM). Range (in code): [AF Anj Bd](#)
- 29170. *Palearctia* *glaphyra* (Eversmann,1843)** (Arctiidae) Synonym(s): *glaphyra* Eversmann,1843 Range (in code): [KK Al Ik KG Ssn DsA TrA Ax KuA TeA Na Tk CN Ui Ku Bc Au Cho](#)
- 29171. *Palearctia* *glaphyra* *aksuensis* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *aksuensis* O.Bang-Haas,1927; *naryna* O.Bang-Haas,1927 Range (in code): [CN Ui Au Cho Na TeA KK](#)
- 29172. *Palearctia* *glaphyra* *altotibetana* De Freina,1997** (Arctiidae) Synonym(s): *altotibetana* De Freina,1997 Range (in code): [CN Ti](#)
- 29173. *Palearctia* *glaphyra* *dublitzkyi* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *dublitzkyi* O.Bang-Haas,1927 Range (in code): [KG TrA KK KuA](#)
- 29174. *Palearctia* *glaphyra* *glaphyra* (Eversmann,1843)** (Arctiidae) Synonym(s): *glaphyra* Eversmann,1843 Range (in code): [KG Ssn DsA](#)
- 29175. *Palearctia* *glaphyra* *manni* (Staudinger,1881)** (Arctiidae) Synonym(s): *manni* Staudinger,1881 Range (in code): [KK Al Ik KG Tk CN Ui Ku Bc](#)
- 29176. *Palearctia* *golbecki* Dubatolov,1996** (Arctiidae) Synonym(s): *golbecki* Dubatolov,1996 Range (in code): [KK](#)
- 29177. *Palearctia* *golbecki* *golbecki* Dubatolov,1996** (Arctiidae) Synonym(s): *golbecki* Dubatolov,1996 Range (in code): [KK](#)

- 29178. *Palaearctia gracilis* Dubatolov,1996** (Arctiidae) **Synonym(s):** *gracilis* Dubatolov,1996
Range (in code): **KK**
- 29179. *Palaearctia gracilis gracilis* Dubatolov,1996** (Arctiidae) **Synonym(s):** *gracilis* Dubatolov,1996
Range (in code): **KK**
- 29180. *Palaearctia gratiosa* (Groum-Grshimailo,1890)** (Arctiidae) **Synonym(s):** *gratiosa* Groum-Grshimailo,1890
Range (in code): **PK Gg SkL IN Ch CN Ti Sz Ui Sry KK TeA Sda Al TJ His Pm Rsh**
- 29181. *Palaearctia gratiosa albotibetana* De Freina,1997** (Arctiidae) **Synonym(s):** *albotibetana* De Freina,1997
Range (in code): **CN Ti**
- 29182. *Palaearctia gratiosa caroli* Dubatolov,1996** (Arctiidae) **Synonym(s):** *caroli* Dubatolov,1996
Range (in code): **KK**
- 29183. *Palaearctia gratiosa flavoala* Dubatolov,1996** (Arctiidae) **Synonym(s):** *flavoala* Dubatolov,1996; #*flavala* Dubatolov,2003
Range (in code): **TJ His**
- 29184. *Palaearctia gratiosa gratiosa* (Groum-Grshimailo,1890)** (Arctiidae) **Synonym(s):** *gratiosa* Groum-Grshimailo,1890
Range (in code): **TJ Al**
- 29185. *Palaearctia gratiosa kashmirica* Ferguson,1985** (Arctiidae) **Synonym(s):** *kashmirica* Ferguson,1985
Range (in code): **Ch**
- 29186. *Palaearctia gratiosa lochmatteri* (Reich,1933)** (Arctiidae) **Synonym(s):** *lochmatteri* Reich,1933
Range (in code): **PK Ch**
- 29187. *Palaearctia gratiosa postflavida* (Hampson,1894)** (Arctiidae) **Synonym(s):** *postflavida* Hampson,1894
Range (in code): **PK Gg SkL**
- 29188. *Palaearctia gratiosa rupicola* (Groum-Grshimailo,1890)** (Arctiidae) **Synonym(s):** *rupicola* Groum-Grshimailo,1890
Range (in code):
- 29189. *Palaearctia gratiosa sarezica* Dubatolov & Gurko,2003** (Arctiidae) **Synonym(s):** *sarezica* Dubatolov & Gurko,2003
Original Reference: *Palaearctia gratiosa* ssp. *sarezica* Dubatolov & Gurko,2003, *Atalanta* 34 (3/4): 440-441, figs. Holotype ♂: Tadzhikistan: Pamirs, Rushan District, Rushan Range near lake Sarez, 3700-4000m 10-20.vii.1996 V.Gurko leg. **Range (in code):** **TJ Pm Rsh**
- 29190. *Palaearctia gratiosa sarycola* De Freina,1997** (Arctiidae) **Synonym(s):** *sarycola* De Freina,1997
Original Reference: *Palaearctia sarykola* De Freina,1997, *Linneana Belg.* 16 (1): 55-56, figs. Holotype: "Chine, 4100m-4700m Mts Sarykol, 30km west Mt. Mustagata, 23-28.vii.1994 (Mus. Witt). **Range (in code):** **CN Ui Sry KK Sda**
- 29191. *Palaearctia gratiosa sergei* Dubatolov,1996** (Arctiidae) **Synonym(s):** *sergei* Dubatolov,1996
Range (in code): **KK TeA**
- 29192. *Palaearctia hauensteini* P.Kautt,1996** (Arctiidae) **Synonym(s):** *hauensteini* P.Kautt,1996
Range (in code): **CN Ti Eve**
- 29193. *Palaearctia hauensteini hauensteini* P.Kautt,1996** (Arctiidae) **Synonym(s):** *hauensteini* P.Kautt,1996
Range (in code): **CN Ti Eve**
- 29194. *Palaearctia marxi* (O.Bang-Haas,1927)** (Arctiidae) **Synonym(s):** *marxi* O.Bang-Haas,1927
Original Reference: *Micrarctia kindermanni* ssp. *marxi* O.Bang-Haas,1927, *Horae Macrolepid.* 1: 68, Taf.8 fig.51. Type ♂: [India]: "Bashahr Staten, Poo nordöstl. Simla". **Range (in code):** **IN Hp Sml**
- 29195. *Palaearctia marxi marxi* (O.Bang-Haas,1927)** (Arctiidae) **Synonym(s):** *marxi* O.Bang-Haas,1927
Original Reference: *Micrarctia kindermanni* ssp. *marxi* O.Bang-Haas,1927, *Horae Macrolepid.* 1: 68, Taf.8 fig.51. Type ♂: [India]: "Bashahr Staten, Poo nordöstl. Simla". **Range (in code):** **IN Hp Sml**
- 29196. *Palaearctia mira* Dubatolov & Tshistjakov,1989** (Arctiidae) **Synonym(s):** *mira* Dubatolov & Tshistjakov,1989
Range (in code): **RU At**
- 29197. *Palaearctia mira mira* Dubatolov & Tshistjakov,1989** (Arctiidae) **Synonym(s):** *mira* Dubatolov & Tshistjakov,1989
Range (in code): **RU At**
- 29198. *Palaearctia rasa* Saldaitis, Ivinskis & Churkin,2000** (Arctiidae) **Synonym(s):** *rasa* Saldaitis, Ivinskis & Churkin,2000
Range (in code): **CN Ui Kml**
- 29199. *Palaearctia wagneri* (Püngeler,1918)** (Arctiidae) **Synonym(s):** *wagneri* Püngeler,1918
Range (in code): **KK Sda**
- 29200. *Palaearctia wagneri wagneri* (Püngeler,1918)** (Arctiidae) **Synonym(s):** *wagneri* Püngeler,1918
Range (in code): **KK Sda**

- 29201. *Panachranta lirioleuca* Turner,1922** (Arctiidae) Synonym(s): *lirioleuca* Turner,1922
Range (in code): **AU**
- 29202. *Pangora coorgensis* (Hampson,1916)** (Arctiidae) Synonym(s): *coorgensis* Hampson,1916
Range (in code): **IN NI**
- 29203. *Pangora distorta* Moore,1879** (Arctiidae) Synonym(s): *distorta* Moore,1879 - Range (in code): **IN Hp Sml**
- 29204. *Pangora erosa* (Walker,1855)** (Arctiidae) Synonym(s): *erosa* Walker,1855 - Range (in code): **IN NI LK Nwp Pdy Kndy Uda Keg**
- 29205. *Pangora matherana* Moore,1879** (Arctiidae) Synonym(s): *matherana* Moore,1879;
rubelliana Swinhoe,[1890] - Range (in code): **IN Bba Mh NI Knr**
- 29206. *Paracles herbuloti* Toulgoet,1975** (Arctiidae) Synonym(s): *herbuloti* Toulgoet,1975
Range (in code):
- 29207. *Paralacydes arborifera* (Butler,1875)** (Arctiidae) Synonym(s): *arborifera* Butler,1875;
scapulosa Wallengren,1875; *wallengreni* Aurivillius,1879; *smithii* Holland,1897; *gracilis* Butler,1898; *impia*
Strand,1909. - Range (in code): **AO ZA Tva MZ BW ZW KE SD TZ**
- 29208. *Paralacydes bivittata* (Bartel,1903)** (Arctiidae) Synonym(s): *bivittata* Bartel,1903;
fuscovenata Bartel,1903 - Range (in code): **KE TZ**
- 29209. *Paralacydes bomfordi* (Pinhey,1968)** (Arctiidae) Synonym(s): *bomfordi* Pinhey,1968
Range (in code): **ZW ZA**
- 29210. *Paralacydes decemmaculata* (Rothschild,1916)** (Arctiidae) Synonym(s):
decemmaculata Rothschild,1916 - Range (in code): **ZR**
- 29211. *Paralacydes fiorii* (Berio,1937)** (Arctiidae) Synonym(s): *fiorii* Berio,1937 - Range (in code): **SO KE TZ**
- 29212. *Paralacydes flavizonata* (Hampson,1911)** (Arctiidae) Synonym(s): *flavizonata*
Hampson,1911 - Range (in code): **AET NG**
- 29213. *Paralacydes jeskei* (Grünberg,1911)** (Arctiidae) Synonym(s): *jeskei* Grünberg,1911
Range (in code): **NA ZA BW**
- 29214. *Paralacydes maculifascia* (Walker,1855)** (Arctiidae) Synonym(s): *maculifascia*
Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *malayensis* Hampson,1901; *areoscopa* Turner,1906;
roseata Rothschild,1910; *parvula* Hulstaert,1924 - Range (in code): **ID Sum Nia Ja Bli Bor Clb PH Mlc
Amb Bru Lb Tim PG AU**
- 29215. *Paralacydes maculifascia maculifascia* (Walker,1855)** (Arctiidae) Synonym(s):
maculifascia Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *malayensis* Hampson,1901; *areoscopa*
Turner,1906; *roseata* Rothschild,1910; *parvula* Hulstaert,1924 - Range (in code): **ID Sum Nia Ja Bli Bor
Clb PH Mlc Amb Bru Lb Tim PG AU**
- 29216. *Paralacydes minorata* (Berio,1935)** (Arctiidae) Synonym(s): *minorata* Berio,1935
Range (in code): **SO ET KE**
- 29217. *Paralacydes ramosa* (Hampson,1907)** (Arctiidae) Synonym(s): *ramosa* Hampson,1907
Range (in code): **TZ ZW ZA**
- 29218. *Paralacydes ugandae* (Hampson,1916)** (Arctiidae) Synonym(s): *ugandae* Hampson,1916
Range (in code): **AET UG**
- 29219. *Paralacydes vocula* (Stoll,[1790])** (Arctiidae) Synonym(s): *vocula* Stoll,[1790] - Range (in code): **ZA Ec TZ**
- 29220. *Paralacydes witgensi* (Strand,1909)** (Arctiidae) Synonym(s): *witgensi* Strand,1909;
nigrilinea Joicey & Talbot,1921; *paucipuncta* Joicey & Talbot,1921; *eborina* Debauche,1942 - Range (in code):
AET RW ZR
- 29221. *Paralpenus atripes* (Hampson,1909)** (Arctiidae) Synonym(s): *atripes* Hampson,1909
Range (in code): **GH**
- 29222. *Paralpenus flavicosta* (Hampson,1909)** (Arctiidae) Synonym(s): *flavicosta*
Hampson,1909 - Range (in code): **SL CM**
- 29223. *Paralpenus flavicosta flavicosta* (Hampson,1909)** (Arctiidae) Synonym(s): *flavicosta*
Hampson,1909 - Range (in code): **SL**
- 29224. *Paralpenus flavicosta punctigera* (Hering,1928)** (Arctiidae) Synonym(s): *punctigera*
Hering,1928 - Range (in code): **CM**
- 29225. *Paralpenus flavizonatus* (Hampson,1911)** (Arctiidae) Synonym(s): *flavizonatus*
Hampson,1911 - Range (in code): **NG GH**
- 29226. *Paralpenus strigulosa* (Hampson,1901)** (Arctiidae) Synonym(s): *strigulosa*
Hampson,1901; *atropunctata* Fawcett,1903 - Range (in code): **ZA Nta Kzu Tva**

- 29227. *Paralpenus ugandae* (Hampson,1916)** (Arctiidae) **Synonym(s):** *ugandae* Hampson,1916
Range (in code): **UG**
- 29228. *Paralpenus wintgensii* (Strand,1909)** (Arctiidae) **Synonym(s):** *wintgensii* Strand,1909;
nigrilinea Joicey & Talbot,1921; *paucipuncta* Joicey & Talbot,1921; *eborina* Debauche,1942
Range (in code): **RW ZR**
- 29229. *Paramaenas affinis* (Rothschild,1933)** (Arctiidae) **Synonym(s):** *affinis* Rothschild,1933
Range (in code): **ZA NA**
- 29230. *Paramaenas nephelitis* (Hampson,1907)** (Arctiidae) **Synonym(s):** *nephelitis*
Hampson,1907
Range (in code): **AO KE ZA**
- 29231. *Paramaenas nephelitis diaphana* (Rothschild,1933)** (Arctiidae) **Synonym(s):**
diaphana Rothschild,1933; *hecate* Fawcett,1916
Range (in code): **KE**
- 29232. *Paramaenas nephelitis nephelitis* (Hampson,1907)** (Arctiidae) **Synonym(s):**
nephelitis Hampson,1907
Range (in code): **AO ZA**
- 29233. *Paramaenas strigosus* Grünberg,1911** (Arctiidae) **Synonym(s):** *strigosus* Grünberg,1911
Range (in code): **NA ZA Cto Ec KE**
- 29234. *Paramsacta collaris* (Hampson,1891)** (Arctiidae) **Synonym(s):** *collaris* Hampson,1891
Range (in code): **IN NI Cn Hn**
- 29235. *Paramsacta flavimargo* (Hampson,1894)** (Arctiidae) **Synonym(s):** *flavimargo*
Hampson,1894
Range (in code): **MM**
- 29236. *Paramsacta marginata* (Donovan,1805)** (Arctiidae) **Synonym(s):** *marginata*
Donovan,1805; *roseicostis* Butler,1897; *punctipennis* Butler,1876; *#flaveola* Rothschild,1914; *#simplicans*
Strand,1919; *pura* Hulstaert,1923; *eurymochla* Turner,1927
Range (in code): **AU QAU PG SB Fs**
- 29237. *Paramsacta moorei* (Butler,1875)** (Arctiidae) **Synonym(s):** *moorei* Butler,1875; *sara*
Swinhoe,1889
Original Reference: Areas moorei Butler,1875, Cistula Ent. 2: 23. Type: "Almorah,
N.India (Boys leg.) (BMNH). **Range (in code):** **Bba Mh IN Hp PK Sd Krc**
- 29238. *Paraona interjecta* Strand,1912** (Arctiidae) **Synonym(s):** *interjecta* Strand,1912
Range (in code): **ZA Nta Kzu Tva Lpo Spb Lj**
- 29239. *Paraona splendens* (Butler,1877)** (Arctiidae) **Synonym(s):** *splendens* Butler,1877
Range (in code): **IN Mh Bba**
- 29240. *Paraona staudingeri* Alpheraky,1897** (Arctiidae) **Synonym(s):** *staudingeri* Alpheraky,1897
Range (in code): **RU Us CN Sz JP KP KR TW**
- 29241. *Paraona staudingeri formosana* Okano,1960** (Arctiidae) **Synonym(s):** *formosana*
Okano,1960
Range (in code): **TW**
- 29242. *Pararctia lapponica* (Thunberg,1791)** (Arctiidae) **Synonym(s):** *lapponica* Thunberg,1791;
festiva Borkhausen,1790 nec Hufn.,1766; *avia* Hübner,[1804]; *rosea* Sheljuzhko,1929.
Range (in code): **NO SE FI RU Sb Sj Ya At Kmt CA Qb Als**
- 29243. *Pararctia lapponica lapponica* (Thunberg,1791)** (Arctiidae) **Synonym(s):** *lapponica*
Thunberg,1791; *festiva* Borkhausen,1790 nec Hufn.,1766; *avia* Hübner,[1804]; *rosea* Sheljuzhko,1929.
Range (in code): **NO SE FI RU Sb Ya Sj At Kmt**
- 29244. *Pararctia lapponica lemniscata* (Stichel,1911)** (Arctiidae) **Synonym(s):** *lemniscata*
(Stichel,1911)
Range (in code): **RU Ya Sj At**
- 29245. *Pararctia subnebulosa* (Dyar,1899)** (Arctiidae) **Synonym(s):** *subnebulosa* Dyar,1899
Range (in code): **RU Ya Ur Kmt Tai US Als CA Yuk**
- 29246. *Pararctia subnebulosa tundrana* Tshistjakov,1990** (Arctiidae) **Synonym(s):** *tundrana*
Tshistjakov,1990
Range (in code): **RU Ya Ur Kmt Tai**
- 29247. *Parascaptia biplagata* Bethune-Baker,1908** (Arctiidae) **Synonym(s):** *biplagata* Bethune-
Baker,1908
Range (in code): **AU**
- 29248. *Parascaptia dochoschema* (Turner,1940)** (Arctiidae) **Synonym(s):** *dochoschema*
Turner,1940
Range (in code): **AU**
- 29249. *Parasemia plantaginis* (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *plantaginis*
Linnaeus,1758; *hospita* [Denis & Schiffermüller],1775.
Original Reference: Phalaena plantaginis Linnaeus,1758, Syst. Nat. (Edn.10)1: 501. Syntypes: [Europa]. **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR GG Smt Aba Akh Bku AM AZ Cc IR Elb Mz DK NO SE FI EE LV LT MD UA BY MN JP Hkk RU Ur Sb Ya Prj Us Am Mgd KP KR KG Tar Ssn CN Mc IMn Lng Jn Ui Ts Sz Shs CA US**
Bionomy: Larva on Hyacinthus, Lychnis, Plantago, Silene, Urtica (Meyer,1919).
- 29250. *Parasemia plantaginis araitensis* Matsumura,1929** (Arctiidae) **Synonym(s):**
araitensis Matsumura,1929; *paramushira* Bryk,1942; *#kamtschadalus* Bryk,1942.
Range (in code): **RU**

- 29251. *Parasemia plantaginis carbonelli* De Freina, 1993** (Arctiidae) Synonym(s): *carbonelli* De Freina, 1993 Original Reference: *Parasemia plantaginis* ssp. *carbonelli* De Freina, 1993, Linneana Belgica 14 (3): 159, 162, figs. 16-24. Holotype ♂: Turkey: Hakkari Prov., Altın Dağları 3000m, 11.vii.1991, leg. F. Carbonell (Witt Mus.). Range (in code): **TR**
- 29252. *Parasemia plantaginis carpathica* Daniel, 1939** (Arctiidae) Synonym(s): *carpathica* Daniel, 1939 Original Reference: *Parasemia plantaginis* ssp. *carpathica* Daniel, 1939, Mitt. münch. ent. Ges. 29: 357-358, figs. 17, 18, 21. Syntypes: Transsylvanische Alpen, Siebenbürgen, Radnabirge; Klak Geb. Range (in code): **RO CZ SK UA**
- 29253. *Parasemia plantaginis caspica* De Freina, 1981** (Arctiidae) Synonym(s): *#caspica* Daniel, 1939; *caspica* De Freina, 1981 Original Reference: *Parasemia plantaginis* ssp. *caspica* De Freina, 1981, Atalanta 12 (1): 46 [raised to subspecific level; consequently made nomenclaturally available for the first time]. Range (in code): **IR Elb Mz**
- 29254. *Parasemia plantaginis caucasica* (Ménétriés, 1832)** (Arctiidae) Synonym(s): *caucasica* Ménétriés, 1832; *passanauriensis* Alberti, 1973. Range (in code): **TR GG Smt Bku Aba Akh AM Cc**
- 29255. *Parasemia plantaginis floccosa* (Graeser, 1888)** (Arctiidae) Synonym(s): *floccosa* Graeser, 1888 Range (in code): **RU Prj Us Am CN KP KR**
- 29256. *Parasemia plantaginis hesselbarthi* De Freina, 1981** (Arctiidae) Synonym(s): *hesselbarthi* De Freina, 1981 Range (in code): **TR**
- 29257. *Parasemia plantaginis insularum* Seitz, 1910** (Arctiidae) Synonym(s): *insularum* Seitz, 1910 Range (in code): **GB**
- 29258. *Parasemia plantaginis interrupta* Schawerda, 1906** (Arctiidae) Synonym(s): *interrupta* Schawerda, 1906 Range (in code): **PT ES CH IT AT FR Py YU B-H MK AL BG GR**
- 29259. *Parasemia plantaginis jezoensis* Inoue, 1976** (Arctiidae) Synonym(s): *jezoensis* Inoue, 1976. Range (in code):
- 29260. *Parasemia plantaginis kunashirica* Bryk, 1942** (Arctiidae) Synonym(s): *kunashirica* Bryk, 1942 Range (in code):
- 29261. *Parasemia plantaginis macromera* (Butler, 1881)** (Arctiidae) Synonym(s): *macromera* Butler, 1881; *leucomera* Butler, 1881. Range (in code): **JP**
- 29262. *Parasemia plantaginis melanissima* Inoue, 1976** (Arctiidae) Synonym(s): *melanissima* Inoue, 1976 Range (in code):
- 29263. *Parasemia plantaginis melanomera* Butler, 1881** (Arctiidae) Synonym(s): *melanomera* Butler, 1881; *japonica* Inoue & Kobayashi, 1956 Range (in code): **JP**
- 29264. *Parasemia plantaginis nictitans* (Ménétriés, 1859)** (Arctiidae) Synonym(s): *nictitans* Ménétriés, 1859; *melas* Christoph, 1893 Range (in code): **RU Sb Ya Mgd**
- 29265. *Parasemia plantaginis plantaginis* (Linnaeus, 1758)** (Arctiidae) Synonym(s): *plantaginis* Linnaeus, 1758; *hospita* [Denis & Schiffermüller], 1775. Original Reference: *Phalaena plantaginis* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 501. Syntypes: [Europa]. Range (in code): **FR BE NL LU DE PL HU DK NO SE FI EE LV LT RU BY**
- 29266. *Parasemia plantaginis sachalinensis* Matsumura, 1927** (Arctiidae) Synonym(s): *sachalinensis* Matsumura, 1927 Range (in code):
- 29267. *Parasemia plantaginis sifanica* (Groum-Grshimailo, 1891)** (Arctiidae) Synonym(s): *sifanica* Groum-Grshimailo, 1891; *altaica* Seitz, 1910. Range (in code): **RU At MN KG Tar Ssn CN Ts**
- 29268. *Parasemia plantaginis stoetznieri* O. Bang-Haas, 1927** (Arctiidae) Synonym(s): *stoetznieri* O. Bang-Haas, 1927 Range (in code): **CN**
- 29269. *Parasemia plantaginis uralensis* Krulikowsky, 1904** (Arctiidae) Synonym(s): *uralensis* Krulikowsky, 1904 Range (in code): **RU Ur**
- 29270. *Parasemia altaica* (Lederer, 1855)** (Arctiidae) Synonym(s): *altaica* Lederer, 1855 Original Reference: *Nudaria altaica* Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 104, pl. 1 fig. 3. Range (in code): **KG RU At Am Sh CN Ui Mc KP KR JP Hkk**
- 29271. *Parathyris cedonulli* (Stoll, 1781)** (Arctiidae) Synonym(s): *cedonulli* Stoll, 1781 Range (in code): **MX**
- 29272. *Parelictis saleuta* Meyrick, 1886** (Arctiidae) Synonym(s): *saleuta* Meyrick, 1886 Range (in code): **AU**
- 29273. *Pareuchaetes aurata* (Butler, 1875)** (Arctiidae) Synonym(s): *aurata* Butler, 1875 Original Reference: *Euchaetes aurata* Butler, 1875, Cist. Ent. 2: 38. Type: Brazil: Espirito Santo. Range (in code): **BR ZA**

- 29274. *Pareuchaetes insulata* (Walker,1855)** (Arctiidae) Synonym(s): *insulata* Walker,1855; *cadaverosa* Grote,1866; *affinis* Grote,1866; *aurata* Butler,1875 - Range (in code): **MX**
- 29275. *Pareuchaetes misantlensis* Rego-Barros,1956** (Arctiidae) Synonym(s): *misantlensis* Rego-Barros,1956 - Range (in code): **MX**
- 29276. *Pareuchaetes pseudoinsulata* Rego-Barros,1956** (Arctiidae) Synonym(s): *pseudoinsulata* Rego-Barros,1956 - Range (in code): **ZA TH**
- 29277. *Pareuchaetes pseudoinsulata* Rego-Barros,1956** (Arctiidae) Synonym(s): *pseudoinsulata* Rego-Barros,1956 - Range (in code): **VE TT TH Bor GU PH Luz Mar Mdo Pan Ley Mno Pal**
- 29278. *Parevia parnelli* Schaus,1911** (Arctiidae) Synonym(s): *parnelli* Schaus,1911 - Range (in code): **MX CR**
- 29279. *Pasteosia irrorata* Hampson,1900** (Arctiidae) Synonym(s): *irrorata* Hampson,1900 - Range (in code): **ZA Ec Ans**
- 29280. *Pasteosia plumbea* Hampson,1900** (Arctiidae) Synonym(s): *plumbea* Hampson,1900 - Range (in code): **ZA Ec Tra**
- 29281. *Paurophleps minuta* Hampson,1900** (Arctiidae) Synonym(s): *minuta* Hampson,1900 - Range (in code): **ZA**
- 29282. *Paurophleps reducta* (Janse,1964)** (Arctiidae) Synonym(s): *reducta* Janse,1964 - Range (in code): **ZA**
- 29283. *Pelochyta arontes* (Stoll,1782)** (Arctiidae) Synonym(s): *arontes* Stoll,1782; *neuroptera* Sepp,1848; *degenera* Walker,1855 - Range (in code): **MX**
- 29284. *Pelochyta cervina* (Edwards,1884)** (Arctiidae) Synonym(s): *cervina* Edwards,1884 - Range (in code): **MX GT**
- 29285. *Pelochyta draudti* (Seitz,1925)** (Arctiidae) Synonym(s): *draudti* Seitz,1925 - Range (in code): **MX**
- 29286. *Pelochyta ruficollis* (Druce,1884)** (Arctiidae) Synonym(s): *ruficollis* Druce,1884 - Range (in code): **MX CR PA**
- 29287. *Pelosia arabica* (Rebel,1907)** (Arctiidae) Synonym(s): *arabica* Rebel,1907 - Range (in code): **AE SA Bhh**
- 29288. *Pelosia hampsoni* (Toulgoet,1959)** (Arctiidae) Synonym(s): *hampsoni* Toulgoet,1959 - Original Reference: Eilema hampsoni Toulgoet,1959, Le Naturaliste malgache 11: 121. - Range (in code): **MG**
- 29289. *Pelosia muscerda* (Hufnagel,1766)** (Arctiidae) Synonym(s): *muscerda* Hufnagel,1766 - Original Reference: Phalaena muscerda Hufnagel,1766, Berl. Mag. 3: 400. Type(s): Deutschland: Berlin. - Range (in code): **ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Cc Bjo Smt Tbl Lag Da Der DK NO SE FI EE LV LT RU MD UA BY** - Bionomy: Larva on algae, lichens, *Rubus fruticosus* (Rosaceae), *Salix caprea* (Salicaceae) (Waring & Townsend,2003).
- 29290. *Pelosia obtusa* Herrich-Schäffer,[1847]** (Arctiidae) Synonym(s): *obtusa* Herrich-Schäffer,[1847]; *taurica* Daniel,1939. - Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR IR Mz DK SE LV LT RU MD UA BY**
- 29291. *Pelosia obtusoides* (Toulgoet,1954)** (Arctiidae) Synonym(s): *obtusoides* Toulgoet,1954 - Original Reference: Eilema obtusoides Toulgoet,1954, Mém. Inst. Sci. Madag. (E) 5: 186. - Range (in code): **MG Myt SC**
- 29292. *Pelosia obtusoides sakalava* (Toulgoet,1959)** (Arctiidae) Synonym(s): *sakalava* Toulgoet,1959 - Original Reference: Eilema obtusoides sakalava Toulgoet,1959, Le Naturaliste malgache 11: 120. - Range (in code): **Myt SC**
- 29293. *Pelosia plumosa* (Mabille,[1900])** (Arctiidae) Synonym(s): *plumosa* Mabille,[1900]; *unipuncta* Hampson,1905; *hispanica* Witt,1979. - Range (in code): **AET MA DZ Bsk Hes ES Mu IT ZR MG MW NG**
- 29294. *Pericaliella melanodisca* (Hampson,1907)** (Arctiidae) Synonym(s): *melanodisca* Hampson,1907 - Range (in code): **CM ZR UG RW**
- 29295. *Pericallia matronula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *matronula* Linnaeus,1758; *idriensis* Scopoli,1772; *matrona* Hübner,[1803]; *centralasiae* Schultz,1905; *agassizi* Spuler,1906; *amurensis* Sheljuzhko,1926; *sachalinensis* Draudt,1931. - Original Reference: Phalaena matronula Linnaeus,1758, Syst. Nat. (Edn.10) 1: 509. Type(s): Germania. - Range (in code): **FR IT LU DE CH AT PL CZ SK HU RO EE LV LT RU MD UA BY Sb Am Vv KG Ssn** - Bionomy: Larva on Evonymus, Prunus padus (Meyer,1919).

- 29296. *Pericallia matronula matronula* (Linnaeus,1758)** (Arctiidae) Synonym(s): *matronula* Linnaeus,1758; *idriensis* Scopoli,1772; *matrona* Hübner,[1803]; *centralasiae* Schultz,1905; *agassizi* Spuler,1906; *amurensis* Sheljuzhko,1926; *sachalinensis* Draudt,1931. Original Reference: *Phalaena matronula* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 509. Type(s): Germania. Range (in code): **FR IT LU DE CH AT PL CZ SK HU RO EE LV LT RU MD UA BY Sb Am Vv KG Ssn**
- 29297. *Pericallia picta* (Walker,1864)** (Arctiidae) Synonym(s): *picta* Walker,1864 Original Reference: *Deiopeia picta* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 31: 263. Type: Burma. Range (in code): **MM TH Cma Cnz Cz10 CDo**
- 29298. *Pericallia tripartita* (Walker,1855)** (Arctiidae) Synonym(s): *tripartita* Walker,1855 Original Reference: *Aloa tripartita* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 706. Syntypes: Burma: Moulmein, China: Hainan. Range (in code): **IN MM Mm CN Hn TH Cma CDo**
- 29299. *Phaemolis lineatus* (Druce,1884)** (Arctiidae) Synonym(s): *lineatus* Druce,1884 Range (in code): **MX PA**
- 29300. *Phaeophleboscia furcifera* (Walker,1854)** (Arctiidae) Synonym(s): *furcifera* Walker,1854; *trifurcata* Walker,[1865] Range (in code): **AU**
- 29301. *Phaeosia lutea* (Druce,1885)** (Arctiidae) Synonym(s): *lutea* Druce,1885 Range (in code): **MX**
- 29302. *Phaeosia lutea intermedia* (Druce,1885)** (Arctiidae) Synonym(s): *intermedia* Druce,1885 Range (in code): **MX**
- 29303. *Phaloesia saucia* Walker,1854** (Arctiidae) Synonym(s): *saucia* Walker,1854 Range (in code): **MX NI**
- 29304. *Phenacomorpha bisecta* (Lucas,1890)** (Arctiidae) Synonym(s): *bisecta* Lucas,1890; *rhabdophora* Turner,1899 Range (in code): **AU**
- 29305. *Philagria entella delia* (Fabricius,1787)** (Arctiidae) Synonym(s): *delia* Fabricius,1787 Range (in code): **WS FJ NH SB PG**
- 29306. *Philenora aspectalella* (Walker,1864)** (Arctiidae) Synonym(s): *aspectalella* Walker,1864; *oecophorella* Walker,1866 Range (in code): **AU**
- 29307. *Philenora brunneata* Daniel,1965** (Arctiidae) Synonym(s): *brunneata* Daniel,1965 Range (in code): **AF Nu**
- 29308. *Philenora cataplex* Turner,1940** (Arctiidae) Synonym(s): *cataplex* Turner,1940 Range (in code): **AU**
- 29309. *Philenora chionastis* (Meyrick,1886)** (Arctiidae) Synonym(s): *chionastis* Meyrick,1886; *obliquata* Lucas,1890 Range (in code): **AU**
- 29310. *Philenora elegans* (Butler,1877)** (Arctiidae) Synonym(s): *elegans* Butler,1877 Range (in code): **AU**
- 29311. *Philenora irregularis* (Lucas,1890)** (Arctiidae) Synonym(s): *irregularis* Lucas,1890 Range (in code): **AU**
- 29312. *Philenora lunata* Lucas,1890** (Arctiidae) Synonym(s): *lunata* Lucas,1890 Range (in code): **AU**
- 29313. *Philenora malthaca* Turner,1944** (Arctiidae) Synonym(s): *malthaca* Turner,1944 Range (in code): **AU**
- 29314. *Philenora nudaridia* Hampson,1900** (Arctiidae) Synonym(s): *nudaridia* Hampson,1900 Range (in code): **AU**
- 29315. *Philenora omophanes* (Meyrick,1886)** (Arctiidae) Synonym(s): *omophanes* Meyrick,1886 Range (in code): **AU**
- 29316. *Philenora placochrysa* (Turner,1899)** (Arctiidae) Synonym(s): *placochrysa* Turner,1899 Range (in code): **AU**
- 29317. *Philenora pteridopola* Turner,1922** (Arctiidae) Synonym(s): *pteridopola* Turner,1922 Range (in code): **AU**
- 29318. *Philenora undulosa* (Walker,1858)** (Arctiidae) Synonym(s): *undulosa* Walker,1858; *lyelliana* Lower,1893 Range (in code): **AU**
- 29319. *Phlyctaenogastra rangei* Gaede,1915** (Arctiidae) Synonym(s): *rangei* Gaede,1915 Range (in code): **ZA NA**
- 29320. *Phragmatobia amurensis* Seitz,1910** (Arctiidae) Synonym(s): *amurensis* Seitz,1910 Range (in code): **RU Am KP KR JP Hkk CN KG Ssn MN**
- 29321. *Phragmatobia amurensis amurensis* Seitz,1910** (Arctiidae) Synonym(s): *amurensis* Seitz,1910 Range (in code): **RU Am KP KR JP CN KG Ssn MN**

- 29322. *Phragmatobia amurensis japonica* Rothschild,1910** (Arctiidae) Synonym(s): *japonica* Rothschild,1910 _ Range (in code): JP Hkk
- 29323. *Phragmatobia fervida* (Walker,1855)** (Arctiidae) Synonym(s): *fervida* Walker,1855; *commixta* Butler,1877; *rodriguezi* Druce,1890 _ Range (in code): MX GT
- 29324. *Phragmatobia fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 _ Original Reference: Phalaena fuliginosa Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa]. Range (in code): AET DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Th Mz Kdj GG AZ Kir AM LB Bei JO IL Hf DK NO SE FI EE LV LT RU Sr MD UA BY AF Bark TJ KK KG Ssn CN Ui Ku Ts Kno Gn UZ Fe Ti CA Bd Hr Gbh Fz Srb Pli Dw Cc Smt Bjo Tbl Mng Da Der IQ SY Sc On Mai Wc BCo NCa Mnt Ssk Vc Yuk Ts B-B Ab Khy Oru Ak Aha Gh Mz GlS Kh Kd Bne Km Fa Pag Kön PK Gg Hu Psu Khh DhM Anna _ Bionomy: Larva on Gallium mollugo, Rumex, Salix, Sinapis (Meyer,1919).
- 29325. *Phragmatobia fuliginosa borealis* (Staudinger,1871)** (Arctiidae) Synonym(s): *borealis* Staudinger,1871 _ Range (in code): NO SE FI EE LV LT GB Sc
- 29326. *Phragmatobia fuliginosa fuliginosa* (Linnaeus,1758)** (Arctiidae) Synonym(s): *fuliginosa* Linnaeus,1758; *fervida* Staudinger,1871 *nec* Walk.,1855; *lurida* Rothschild,1910; *monticola* Daniel,1970 *nec* Reiss.,1934 _ Original Reference: Phalaena fuliginosa Linnaeus,1758, Syst. Nat. (Edn.10)1: 509. Syntypes: [Europa]. Range (in code): PT ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Cc AZ AM DK RU MD UA BY KG
- 29327. *Phragmatobia fuliginosa kroumira* Oberthür,1917** (Arctiidae) Synonym(s): *kroumira* Oberthür,1917; *harterti* Rothschild,1929. _ Original Reference: Phragmatobia fuliginosa f. kroumira Oberthür,1917, Etud. Lépid.comp. 13: 11, pl.cdxxxv fig.3751. Type: Tunisia, Ain Draham. Range (in code): AET MA DZ Khh DhM TN
- 29328. *Phragmatobia fuliginosa melitensis* O.Bang-Haas,1927** (Arctiidae) Synonym(s): *melitensis* O.Bang-Haas,1927 _ Range (in code): MT
- 29329. *Phragmatobia fuliginosa meridionalis* Tutt,1904** (Arctiidae) Synonym(s): *meridionalis* Tutt,1904 _ Range (in code): TR
- 29330. *Phragmatobia fuliginosa paghmani* Lenek,1966** (Arctiidae) Synonym(s): *paghmani* Lenek,1966; *nawari* Ebert,1973 _ Original Reference: Phragmatobia fuliginosa ssp. paghmani Lenek,1966, Z. Wien. ent. Ges. 51 (8): 105. Holotype: Afghanistan, Paghman Mt. Range (in code): AF Pag Bark TJ KK UZ Fe CN Ui Kön IR Ab Khy Oru Ak Aha Gh Mz GlS Th Kh Kd Bne Km Fa Cc AZ AM
- 29331. *Phragmatobia fuliginosa pulverulenta* (Alpheraky,1889)** (Arctiidae) Synonym(s): *pulverulenta* Alpheraky,1889; *pallida* Rothschild,1910; *thibetica* Strand,1919. _ Original Reference: Spilosoma fuliginosa var. pulverulenta Alpheraky,1889, [in] Romanoff, Mem. lépid. 5: 84. Lectotype ♀: N Ost Tibet [Qinghai, Burhan Budai Shan], leg. Przewalsky, designated by Dubatolov,1996 (ZIP). Range (in code): AF Bd Hr Gbh Fz Srb Pli Dwe KG Ssn Ii Dj KK Ik CN Ui Ti Ku Ju T-S Ts Kno Gn Ts B-B
- 29332. *Phragmatobia fuliginosa rubricosa* Harris,1841** (Arctiidae) Synonym(s): *rubricosa* Harris,1841 _ Range (in code): CA US On Mai Wc BCo NCa Mnt Ssk Vc Yuk
- 29333. *Phragmatobia fuliginosa taurica* Daniel,1970** (Arctiidae) Synonym(s): *taurica* Daniel,1970. _ Range (in code): IL JO Hf LB Bei SY TR Cc IR Elb Th Mz Kdj IQ
- 29334. *Phragmatobia hodeva* (Druce,1919)** (Arctiidae) Synonym(s): *hodeva* Druce,1919; *postalalis* Strand,1919 _ Range (in code): MX
- 29335. *Phragmatobia nundar* Dyar,1907** (Arctiidae) Synonym(s): *nundar* Dyar,1907 _ Range (in code): MX
- 29336. *Phragmatobia oberthueri* Rothschild,1910** (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910 _ Range (in code): CN Ts Kno
- 29337. *Phragmatobia oberthueri oberthueri* Rothschild,1910** (Arctiidae) Synonym(s): *oberthueri* Rothschild,1910 _ Range (in code): CN Ts Kno
- 29338. *Phragmatobia parvula* (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonym(s): *parvula* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Ec
- 29339. *Phragmatobia placida* (Frivaldsky,1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky,1835 _ Original Reference: Euprepia placida Frivaldsky,1835, Köslések a balkany vidékén tett termés. utazasrol. 2: 271, pl.7 f.5. Type(s): [Bulgaria]: Philippopolis. Range (in code): YU AL BG GR TR RU UA Cm Cc AM AZ Nv Ord AF TM LB Ale Bsa IQ IR Elb Th Kdj Mz Ak Tbz Kdv IL Pa

- 29340. *Phragmatobia placida mirzayansi* Dubatolov & Zahir, [2006]** (Arctiidae)
Synonym(s): *mirzayansi* Dubatolov & Zahir, [2006] _ Range (in code): IR Th Kdj Elb
- 29341. *Phragmatobia placida placida* (Frivaldsky, 1835)** (Arctiidae) Synonym(s): *placida* Frivaldsky, 1835
Original Reference: Euprepia placida Frivaldsky, 1835, Köslések a balkany vidékén tett termés. utazasrol. 2: 271, pl. 7 f. 5. Type(s): [Bulgaria]: Philippopolis. Range (in code): YU AL BG GR TR RU UA Cm Cc AM AF TM LB Ale Bsa IQ IR Ab Mz Elb
- 29342. *Phragmatobia placida unipuncta* Amsel, 1935** (Arctiidae) Synonym(s): *unipuncta* Amsel, 1935 _ Range (in code): IL Pa
- 29343. *Phryganopsis asperatella* (Walker, 1864)** (Arctiidae) Synonym(s): *asperatella* Walker, 1864; *sordida* R. Felder & Rogenhofer, 1874 _ Range (in code): ZA Ec Ans
- 29344. *Phryganopsis atrescens* Hampson, 1903** (Arctiidae) Synonym(s): *atrescens* Hampson, 1903 _ Range (in code): ZA
- 29345. *Phryganopsis cinerella* (Wallengren, 1860)** (Arctiidae) Synonym(s): *cinerella* Wallengren, 1860; *zelleri* Wallengren, 1863 _ Range (in code): ZW Har MZ Del ZA Nta Kzu Ec Ans
- 29346. *Phryganopsis interstiteola* Hampson, 1914** (Arctiidae) Synonym(s): *interstiteola* Hampson, 1914 _ Range (in code): ZA
- 29347. *Phryganopsis plumosa* Mabille, 1899** (Arctiidae) Synonym(s): *plumosa* Mabille, 1899
Range (in code): ZA
- 29348. *Phryganopsis sordida* R. Felder & Rogenhofer, 1874** (Arctiidae) Synonym(s): *sordida* R. Felder & Rogenhofer, 1874 _ Range (in code): ZA
- 29349. *Phryganopsis subasperatella* Strand, 1912** (Arctiidae) Synonym(s): *subasperatella* Strand, 1912 _ Range (in code): ZA
- 29350. *Planovalvata roseivena* (Hampson, 1894)** (Arctiidae) Synonym(s): *roseivena* Hampson, 1894
Original Reference: Eugoa roseivena Hampson, 1894, Fauna Br. India (moths) 2: 99. Type: [Myanmar]: Momeit, Burma. Range (in code): MM TH CN Fkn Hun Kwa Hn Yu
- 29351. *Platarctia atropurpurea* (O. Bang-Haas, 1927)** (Arctiidae) Synonym(s): *ornata* Staudinger, 1896; *atropurpurea* O. Bang-Haas, 1927 _ Range (in code): MN Ya Sb RU CN IMn
- 29352. *Platarctia atropurpurea atropurpurea* (O. Bang-Haas, 1927)** (Arctiidae)
Synonym(s): *ornata* Staudinger, 1896; *atropurpurea* O. Bang-Haas, 1927 _ Range (in code): MN Ya Sb RU CN IMn
- 29353. *Platarctia atropurpurea sotavaltai* Dubatolov, 1996** (Arctiidae) Synonym(s): *sotavaltai* Dubatolov, 1996 _ Range (in code): RU Ya
- 29354. *Poecilarctia venata* Aurivillius, 1921** (Arctiidae) Synonym(s): *venata* Aurivillius, 1921; *rubricosta* Talbot, 1929 _ Range (in code): MW ZA
- 29355. *Poliodule melanotricha* Turner, 1941** (Arctiidae) Synonym(s): *melanotricha* Turner, 1941
Range (in code): AU
- 29356. *Poliodule poliotricha* Turner, 1940** (Arctiidae) Synonym(s): *poliotricha* Turner, 1940
Range (in code): AU
- 29357. *Poliodule xanthodelta* (Lower, 1897)** (Arctiidae) Synonym(s): *xanthodelta* Lower, 1897
Range (in code): AU
- 29358. *Poliosia binotata* (Hampson, 1893)** (Arctiidae) Synonym(s): *binotata* Hampson, 1893
Original Reference: Prabhasa binotata Hampson, 1893, Illustr. typical Spec. lepid. Het. Colln Br. Mus. 9: 81, pl. 158 fig. 24. Type: Ceylon, Nawala-pittia. Range (in code): LK Nwp Pdy
- 29359. *Poliosia cubitifera* (Hampson, 1894)** (Arctiidae) Synonym(s): *cubitifera* Hampson, 1894
Range (in code): IN Ass Nag
- 29360. *Poliosia fragilis* (Lucas, 1890)** (Arctiidae) Synonym(s): *fragilis* Lucas, 1890 _ Range (in code): AU
- 29361. *Poliosia muricolor* (Walker, 1862)** (Arctiidae) Synonym(s): *muricolor* Walker, 1862; *parva* Moore, 1878 _ Range (in code): MY SG Bor Swk SI IN Ass
- 29362. *Poliosia punctivena* (Hampson, 1897)** (Arctiidae) Synonym(s): *punctivena* Hampson, 1897
Range (in code): SI IN
- 29363. *Popoudina* (Pseudopopoudina) *broisi* (Toulgoet, 1986)** (Arctiidae) Synonym(s): *broisi* Toulgoet, 1986 _ Range (in code): TZ
- 29364. *Popoudina aliena* (Kiriakoff, 1954)** (Arctiidae) Synonym(s): *aliena* Kiriakoff, 1954
Range (in code): ZR
- 29365. *Popoudina dorsalis* (Walker, 1855)** (Arctiidae) Synonym(s): *dorsalis* Walker, 1855
Range (in code): ZA

- 29366. Popoudina griseipennis (Bartel,1903)** (Arctiidae) Synonym(s): *griseipennis* Bartel,1903
Range (in code): **ZA**
- 29367. Popoudina lemniscata (Distant,1898)** (Arctiidae) Synonym(s): *lemniscata* Distant,1898
Range (in code): **ZA Tva Lpo Mpu Brb Jh Gau**
- 29368. Popoudina linea (Walker,1855)** (Arctiidae) Synonym(s): *linea* Walker,1855; *truncatum* Walker,1856; *strigatum* Wallengren,1860 _ Range (in code): **ZA Tra Ec Nta Kzu Tva Lpo Spb Mdk Ly Wnn Brb Mpu Grh Dbn Ptb Ans Suw Wca Kny Gau Pre**
- 29369. Popoudina pamphilia (Kiriakoff,1958)** (Arctiidae) Synonym(s): *pamphilia* Kiriakoff,1958
Range (in code): **KE UG RW**
- 29370. Preparctia allardi (Oberthür,1911)** (Arctiidae) Synonym(s): *allardi* Oberthür,1911
Range (in code): **CN Sz Ts Ti**
- 29371. Preparctia allardi allardi (Oberthür,1911)** (Arctiidae) Synonym(s): *allardi* Oberthür,1911
Range (in code): **CN Sz Ts Ti**
- 29372. Preparctia buddenbrocki Kotzsch,1929** (Arctiidae) Synonym(s): *buddenbrocki* Kotzsch,1929; *biedermanni* O.Bang-Hass,1933 _ Range (in code): **CN Gn She**
- 29373. Preparctia buddenbrocki buddenbrocki Kotzsch,1929** (Arctiidae) Synonym(s): *buddenbrocki* Kotzsch,1929; *biedermanni* O.Bang-Hass,1933 _ Range (in code): **CN Gn She**
- 29374. Preparctia cupido Kishida,1995** (Arctiidae) Synonym(s): *cupido* Kishida,1995 _ Range (in code): **NP**
- 29375. Preparctia cupido cupido Kishida,1995** (Arctiidae) Synonym(s): *cupido* Kishida,1995
Range (in code): **NP**
- 29376. Preparctia hannyingtoni Hampson,1910** (Arctiidae) Synonym(s): *hannyingtoni* Hampson,1910 _ Range (in code): **IN NP**
- 29377. Preparctia hannyingtoni hannyingtoni Hampson,1910** (Arctiidae) Synonym(s): *hannyingtoni* Hampson,1910 _ Range (in code): **IN NP**
- 29378. Preparctia mirifica (Oberthür,1892)** (Arctiidae) Synonym(s): *mirifica* Oberthür,1892
Range (in code): **CN Sz Ti Gn Ts**
- 29379. Preparctia mirifica mirifica (Oberthür,1892)** (Arctiidae) Synonym(s): *mirifica* Oberthür,1892 _ Range (in code): **CN Sz Ti Gn Ts**
- 29380. Preparctia romanovi (Groum-Grshimailo,1891)** (Arctiidae) Synonym(s): *romanovi* Groum-Grshimailo,1891 _ Range (in code): **CN Ts**
- 29381. Preparctia romanovi romanovi (Groum-Grshimailo,1891)** (Arctiidae) Synonym(s): *romanovi* Groum-Grshimailo,1891 _ Range (in code): **CN Ts**
- 29382. Progona rioma Schaus,1924** (Arctiidae) Synonym(s): *rioma* Schaus,1924 _ Range (in code): **MX**
- 29383. Pseudoblabe oophora Zeller,1853** (Arctiidae) Synonym(s): *oophora* Zeller,1853; *flavicostana* Walker,1863 _ Range (in code): **IN Ass MM Rgo SG ID Ja LK Nwp Pdy**
- 29384. Pseudogaltara inexpectata Toulgoet,1978** (Arctiidae) Synonym(s): *inexpectata* Toulgoet,1978 _ Range (in code): **RW**
- 29385. Pseudophaloe cerealia (Druce,1884)** (Arctiidae) Synonym(s): *cerealia* Druce,1884
Range (in code): **MX PA**
- 29386. Pseudophaloe schausii (Edwards,1884)** (Arctiidae) Synonym(s): *schausii* Edwards,1884
Range (in code): **MX**
- 29387. Pseudophaloe stenoxantha Hering,1925** (Arctiidae) Synonym(s): *stenoxantha* Hering,1925 _ Range (in code): **MX**
- 29388. Pseudophaloe verania (Druce,1884)** (Arctiidae) Synonym(s): *verania* Druce,1884
Range (in code): **MX GT**
- 29389. Pseudophaloe veranioides Hering,1925** (Arctiidae) Synonym(s): *veranioides* Hering,1925
Range (in code): **MX**
- 29390. Pseudophanes melanoptera Turner,1940** (Arctiidae) Synonym(s): *melanoptera* Turner,1940 _ Range (in code): **AU**
- 29391. Psilopepla mollis (Lucas,1894)** (Arctiidae) Synonym(s): *mollis* Lucas,1894 _ Range (in code): **AU**
- 29392. Psychopasma erosa (Herrich-Schäffer,[1858])** (Arctiidae) Synonym(s): *erosa* Herrich-Schäffer,[1858]; *albidator* Walker,1864; *vitripennis* Walker,1869 _ Range (in code): **MX**
- 29393. Pteroodes longipennis (Walker,1854)** (Arctiidae) Synonym(s): *longipennis* Walker,1854
Range (in code): **MX**

- 29394. *Ptychoglène aequalis* (Walker,1854)** (Arctiidae) **Synonym(s):** *aequalis* Walker,1854
Range (in code): **MX GT**
- 29395. *Ptychoglène erythrophora* R.Felder,1874** (Arctiidae) **Synonym(s):** *erythrophora* R.Felder,1874 - Range (in code): **MX**
- 29396. *Ptychoglène haematodes* Dyar,1912** (Arctiidae) **Synonym(s):** *haematodes* Dyar,1912
Range (in code): **MX**
- 29397. *Ptychoglène pertunda* Druce,1889** (Arctiidae) **Synonym(s):** *pertunda* Druce,1889
Range (in code): **MX**
- 29398. *Ptychoglène phrada* Druce,1889** (Arctiidae) **Synonym(s):** *phrada* Druce,1889; *flammans* Dyar,1898 - Range (in code): **MX**
- 29399. *Ptychoglène sanguineola* (Boisduval,1870)** (Arctiidae) **Synonym(s):** *sanguineola* Boisduval,1870 - Range (in code): **MX**
- 29400. *Ptychoglène stenodora* Dyar,1913** (Arctiidae) **Synonym(s):** *stenodora* Dyar,1913
Range (in code): **MX**
- 29401. *Ptychoglène tenuimargo* Holland,1904** (Arctiidae) **Synonym(s):** *tenuimargo* Holland,1904 - Range (in code): **MX**
- 29402. *Ptychoglène xylophila* Druce,1885** (Arctiidae) **Synonym(s):** *xylophila* Druce,1885
Range (in code): **MX GT NI SV**
- 29403. *Purius superpulverea* (Dyar,1925)** (Arctiidae) **Synonym(s):** *superpulverea* Dyar,1925
Range (in code): **MX**
- 29404. *Pusiola flavicosta* (Wallengren,1860)** (Arctiidae) **Synonym(s):** *flavicosta* Wallengren,1860
Range (in code): **ZA Ec**
- 29405. *Pusiola verulama* (Strand,1912)** (Arctiidae) **Synonym(s):** *verulama* Strand,1912
Range (in code): **ZA**
- 29406. *Pygarctia angelus* (Dyar,1907)** (Arctiidae) **Synonym(s):** *angelus* Dyar,1907 - Range (in code): **MX**
- 29407. *Pygarctia haematodes* Dyar,1921** (Arctiidae) **Synonym(s):** *haematodes* Dyar,1921
Range (in code): **MX CR**
- 29408. *Pygarctia matudai* (Beutelspacher,1978)** (Arctiidae) **Synonym(s):** *matudai* Beutelspacher,1978 - Range (in code): **MX**
- 29409. *Pygarctia murina* (Stretch,1885)** (Arctiidae) **Synonym(s):** *murina* Stretch,1885 - Range (in code): **MX**
- 29410. *Pygarctia pterygostigma* Dyar,1909** (Arctiidae) **Synonym(s):** *pterygostigma* Dyar,1909
Range (in code): **MX**
- 29411. *Pygoctenucha azteca* (Schaus,1892)** (Arctiidae) **Synonym(s):** *azteca* Schaus,1892
Range (in code): **MX**
- 29412. *Pygoctenucha enna* (Druce,1885)** (Arctiidae) **Synonym(s):** *enna* Druce,1885 - Range (in code): **MX**
- 29413. *Pygoctenucha funerea* Grote,1883** (Arctiidae) **Synonym(s):** *funerea* Grote,1883
Range (in code): **MX**
- 29414. *Pygoctenucha terminalis* (Walker,1854)** (Arctiidae) **Synonym(s):** *terminalis* Walker,1854; *votiva* Edwards,1884; *harrisii* Boisduval,1869 - Range (in code): **MX**
- 29415. *Pyrrharctia isabella* (Smith,1797)** (Arctiidae) **Synonym(s):** *isabella* Smith,1797; *californica* Packard,1864 - Range (in code): **US Cf MX**
- 29416. *Radiarctia jacksoni* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *jacksoni* Rothschild,1910
Original Reference: *Seirarctia jacksoni* Rothschild,1910, Novit. zool. 17: 176. Syntypes 2♂ 1♀: [Kenya]: Nairobi to Mount Kenia (Tring Mus.). Range (in code): **KE Nai ET TZ**
- 29417. *Radiarctia melanochoria* (M.Hering,1932)** (Arctiidae) **Synonym(s):** *melanochoria* M.Hering,1932 - Range (in code): **ZR RW**
- 29418. *Radiarctia rhodesiana* (Hampson,1900)** (Arctiidae) **Synonym(s):** *rhodesiana* Hampson,1900
Original Reference: *Diacrisia rhodesiana* Hampson,1900, Ann. S. Afric. Mus. 2: 57. Type(s): Zimbabwe, Salisbury. Range (in code): **ZW KE UG TZ ZA Nta Kzu Drb**
- 29419. *Rajendra biguttata* (Walker,1855)** (Arctiidae) **Synonym(s):** *biguttata* Walker,1855; *nigricans* Moore,1872; *vittata* Moore,1879; *#flava* Rothschild,1914; *#confluens* Rothschild,1914. Original Reference: *Aloa biguttata* Walker,1855, List Spec. lepid. Ins. Colln. Br. Mus. 3: 707. Type: Canara, Malabar Coast; Lectotype♀: India, Canara, designated by Dubatolov et al.,2007 (BMNH). Range (in code): **LK Cob IN Mh Bba Hp Sml? SI Djl NI BD MM**

- 29420. *Rajendra cingulata* (Rothschild,1910)** (Arctiidae) Synonym(s): *cingulata* Rothschild,1910
Range (in code): **IN NI**
- 29421. *Rajendra perrottetii* (Guérin-Méneville,[1844])** (Arctiidae) Synonym(s): *perrottetii* Guérin-Méneville,[1844]; *vittata* Moore,1879 Range (in code): **IN Pj Ben NI Bba Sml Hp Poo MM**
- 29422. *Rhabdatomis cora* Dyar,1907** (Arctiidae) Synonym(s): *cora* Dyar,1907; *coroides* Schaus,1911
Range (in code): **MX CR**
- 29423. *Rhabdatomis knabi* Field,1964** (Arctiidae) Synonym(s): *knabi* Field,1964 Range (in code): **MX**
- 29424. *Rhabdatomis laudamia* (Druce,1885)** (Arctiidae) Synonym(s): *laudamia* Druce,1885; *pusa* Dognin,1900; *peruviana* Schaus,1900 Range (in code): **MX**
- 29425. *Rhabdatomis pueblae* (Draudt,1913)** (Arctiidae) Synonym(s): *pueblae* Draudt,1913
Range (in code): **MX**
- 29426. *Rhabdatomis zaba* Dyar,1907** (Arctiidae) Synonym(s): *zaba* Dyar,1907 Range (in code): **MX**
- 29427. *Rhipha chionoplaga* (Dognin,1913)** (Arctiidae) Synonym(s): *chionoplaga* Dognin,1913
Range (in code): **MX PA**
- 29428. *Rhodareas melanopsis* (Walker,[1865])** (Arctiidae) Synonym(s): *melanopsis* Walker,[1865]; *callisoma* R.Felder,1874 Original Reference: *Arctia melanopsis* Walker,[1865], List Spec. lepid. Ins. Colln Br. Mus. 31: 280. Type(s): Ceylon. Range (in code): **LK Pdy**
- 29429. *Rhodogastria albivitrearia* Hampson,1901** (Arctiidae) Synonym(s): *albivitrearia* Hampson,1901 Range (in code): **LO NC**
- 29430. *Rhodogastria amasis* (Cramer,[1779])** (Arctiidae) Synonym(s): *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Méneville,1862 Range (in code): **ZA Tva Lpo Ltr Spb Lj Gau Pre Nta Kzu MZ ZW LS**
- 29431. *Rhodogastria amasis amasis* (Cramer,[1779])** (Arctiidae) Synonym(s): *amasis* Cramer,[1779]; *serici* Thunberg,1781; *erythronota* Boisduval,1847; *delineata* Walker,1855; *callipyga* Wallengren,1860; *thunbergii* Guérin-Méneville,1862 Range (in code): **ZA Tva Lpo Ltr Spb Lj Gau Pre Nta Kzu MZ ZW LS**
- 29432. *Rhodogastria similis* (Möschler,1884)** (Arctiidae) Synonym(s): *similis* Möschler,1884
Range (in code): **ZA Ec ZW**
- 29433. *Rhodogastria similis similis* (Möschler,1884)** (Arctiidae) Synonym(s): *similis* Möschler,1884 Range (in code): **ZA Ec ZW**
- 29434. *Rhyparia purpurata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. Original Reference: *Phalaena purpurata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505. Type(s): [Europa]. Range (in code): **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT AZ Len Cc GG Tbl Bjo Smt Kir RU MD UA BY KG Ssn KK Cm VI To Sr Ir Am Ss SY MN CN Ui Jn Lng IMn Gn Mc Kig KP KR JP IR Ak Gh** Bionomy: Larva on Ribes (Linnaeus,1758); Salix (Meyer,1919).
- 29435. *Rhyparia purpurata caucasica* (Alpheraky,1867)** (Arctiidae) Synonym(s): *caucasica* Alpheraky,1867 Range (in code): **Cc GG AM TR** o
- 29436. *Rhyparia purpurata gerda* Warnecke,1918** (Arctiidae) Synonym(s): *gerda* Warnecke,1918 Range (in code): **RU Am Ss MN CN Mc Jn Lng KP KR JP**
- 29437. *Rhyparia purpurata purpurata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *purpurata* Linnaeus,1758; *purpurea* Linnaeus,1767; *uralensis* Spuler,1906; *barteli* Krulikowsky,1909. Original Reference: *Phalaena purpurata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505. Type(s): [Europa]. Range (in code): **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc SE FI EE LV LT RU MD UA BY KG Ssn CN Ui IMn Gn**
- 29438. *Rhyparioides amurensis* (Bremer,1861)** (Arctiidae) Synonym(s): *amurensis* Bremer,1861; *meridei* Daniel,1943 Range (in code): **CN Kig Hpe She Shs Mc Sz Yu Jn Kgs Hph Hun Fkn KwT Kwt KP KR JP Hkk Kyu RU Am Prj Us Krl**
- 29439. *Rhyparioides amurensis nipponensis* Kishida & Inomata,1981** (Arctiidae) Synonym(s): *nipponensis* Kishida & Inomata,1981 Range (in code): **JP Hkk Kyu**
- 29440. *Rhyparioides flavida* (Bremer,1861)** (Arctiidae) Synonym(s): *flavida* Bremer,1861; *occidentalis* Daniel,1939 Range (in code): **FR BE DE HU RO BG RU MD UA BY**
- 29441. *Rhyparioides metelkana* (Lederer,1861)** (Arctiidae) Synonym(s): *metelkana* Lederer,1861; *simanensis* Miyake,1909; *okinawana* Matsumura,1927; *kiangsui* Daniel,1943 Range (in code): **CN Mc Jn Kgs RU UA KP KR JP**
- 29442. *Rhyparioides nebulosa* Butler,1877** (Arctiidae) Synonym(s): *nebulosa* Butler,1877; *simplicior* Butler,1881. Range (in code): **CN IMn Mc Jn Lng**

- 29443. *Rhyarioides nebulosa nebulosa* Butler,1877** (Arctiidae) Synonym(s): *nebulosa* Butler,1877; *simplicior* Butler,1881. Range (in code): CN IMn Mc Jn Lng
- 29444. *Rhyarioides subvaria* (Walker,1855)** (Arctiidae) Synonym(s): *subvaria* Walker,1855; *flavidior* Oberthür,1911 Range (in code): CN Sz Hun Fkn Hpe Kwa Kwt HK KP KR JP
- 29445. *Robinsonia cajali* (Hoffmann,1934)** (Arctiidae) Synonym(s): *cajali* Hoffmann,1934 Range (in code): MX
- 29446. *Robinsonia deiopea* Druce,1895** (Arctiidae) Synonym(s): *deiopea* Druce,1895 Range (in code): MX BZ HN
- 29447. *Robinsonia dewitzi* Gundlach,1881** (Arctiidae) Synonym(s): *dewitzi* Gundlach,1881; *grotei* Schaus,1895 Range (in code): MX CU VE CR PE BR
- 29448. *Robinsonia punctata* Rothschild,1909** (Arctiidae) Synonym(s): *punctata* Rothschild,1909 Range (in code): MX
- 29449. *Robinsonia sabata* Druce,1895** (Arctiidae) Synonym(s): *sabata* Druce,1895 Range (in code): MX HN BZ
- 29450. *Saenura flava* Wallengren,1858** (Arctiidae) Synonym(s): *flava* Wallengren,1858; *oriens* Rothschild,1917 Range (in code): NA ZA Cto Nta Kzu Tva ZW MW ZM
- 29451. *Sagaropsis horae* (Druce,1885)** (Arctiidae) Synonym(s): *horae* Druce,1885 Range (in code): MX PA
- 29452. *Scaphidriotis camptopleura* (Turner,1941)** (Arctiidae) Synonym(s): *camptopleura* Turner,1941 Range (in code): AU
- 29453. *Scaphidriotis xylogramma* Turner,1899** (Arctiidae) Synonym(s): *xylogramma* Turner,1899 Range (in code): AU
- 29454. *Scaptosyle bicolor* Walker,1864** (Arctiidae) Synonym(s): *bicolor* Walker,1864; *nietneri* Felder,1868 Range (in code): LK Pdy PH
- 29455. *Scaptosyle dichotoma* (Meyrick,1886)** (Arctiidae) Synonym(s): *dichotoma* Meyrick,1886 Range (in code): AU
- 29456. *Scaptosyle dictyota* (Meyrick,1886)** (Arctiidae) Synonym(s): *dictyota* Meyrick,1886 Range (in code): AU
- 29457. *Scaptosyle equidistans* (Lucas,1890)** (Arctiidae) Synonym(s): *equidistans* Lucas,1890 Range (in code): AU
- 29458. *Scaptosyle middletoni* (Turner,1941)** (Arctiidae) Synonym(s): *middletoni* Turner,1941 Range (in code): AU
- 29459. *Scaptosyle monogrammaria* (Walker,[1863])** (Arctiidae) Synonym(s): *monogrammaria* Walker,[1863] Range (in code): AU
- 29460. *Scaptosyle tetramita* Turner,1940** (Arctiidae) Synonym(s): *tetramita* Turner,1940 Range (in code): AU
- 29461. *Schistophleps albida* (Walker,[1865])** (Arctiidae) Synonym(s): *albida* Walker,[1865]; *punctistriata* Rothschild,1913 Range (in code): AU QAu PG
- 29462. *Schistophleps bicolora* Bethune-Baker,1904** (Arctiidae) Synonym(s): *bicolora* Bethune-Baker,1904 Range (in code): PG
- 29463. *Schistophleps bipuncta* Hampson,1891** (Arctiidae) Synonym(s): *bipuncta* Hampson,1891; *postmedialis* Strand,1917 Range (in code): IN LK Pdy TW
- 29464. *Schistophleps fulvia* Hampson,1900** (Arctiidae) Synonym(s): *fulvia* Hampson,1900 Range (in code): ID Sum
- 29465. *Schistophleps major* Roepke,1946** (Arctiidae) Synonym(s): *major* Roepke,1946 Range (in code): ID Clb
- 29466. *Schistophleps minor* Roepke,1946** (Arctiidae) Synonym(s): *minor* Roepke,1946 Range (in code): ID Clb
- 29467. *Schistophleps mundata* Reich,1957** (Arctiidae) Synonym(s): *mundata* Reich,1957 Range (in code): CN
- 29468. *Schistophleps obducta* (Lucas,1894)** (Arctiidae) Synonym(s): *obducta* Lucas,1894; *thelxinoa* Turner,1940 Range (in code): AU QAu Bri
- 29469. *Schistophleps plagosus* Rothschild,1916** (Arctiidae) Synonym(s): *plagosus* Rothschild,1916 Range (in code): PG Dmp
- 29470. *Schistophleps subtilis* Holloway,1979** (Arctiidae) Synonym(s): *subtilis* Holloway,1979 Range (in code): NC

- 29471. *Secusio ansorgei* Rothschild,1933** (Arctiidae) Synonym(s): *ansorgei* Rothschild,1933
Range (in code): **AO**
- 29472. *Secusio atrizonata* Hampson,1910** (Arctiidae) Synonym(s): *atrizonata* Hampson,1910
Range (in code): **ZM**
- 29473. *Secusio deilemera* Talbot,1929** (Arctiidae) Synonym(s): *deilemera* Talbot,1929 _ Range
(in code): **AO ZR UG ZA**
- 29474. *Secusio discoidalis* Talbot,1929** (Arctiidae) Synonym(s): *discoidalis* Talbot,1929
Range (in code): **AO KE ZA**
- 29475. *Secusio drucei* Rothschild,1933** (Arctiidae) Synonym(s): *drucei* Rothschild,1933
Range (in code): **AO UG**
- 29476. *Secusio drucei drucei* Rothschild,1933** (Arctiidae) Synonym(s): *drucei* Rothschild,1933
Range (in code): **AO**
- 29477. *Secusio drucei intensa* Rothschild,1933** (Arctiidae) Synonym(s): *intensa* Rothschild,1933
Range (in code): **UG**
- 29478. *Secusio gaetana* Oberthür,1923** (Arctiidae) Synonym(s): *gaetana* Oberthür,1923
Range (in code): **MG**
- 29479. *Secusio javanica* Roepke,1940** (Arctiidae) Synonym(s): *javanica* Roepke,1940 _ Range
(in code): **ID Ja**
- 29480. *Secusio mania* Druce,1887** (Arctiidae) Synonym(s): *mania* Druce,1887 _ Range (in
code): **MZ MW UG ZA**
- 29481. *Secusio monteironis* Rothschild,1933** (Arctiidae) Synonym(s): *monteironis*
Rothschild,1933 _ Range (in code): **AO MZ ZA**
- 29482. *Secusio parvipuncta* Hampson,1891** (Arctiidae) Synonym(s): *parvipuncta* Hampson,1891
Range (in code): **IN**
- 29483. *Secusio sansibarensis* Strand,1909** (Arctiidae) Synonym(s): *sansibarensis* Strand,1909
Range (in code): **TZ**
- 29484. *Secusio strigata* Walker,1854** (Arctiidae) Synonym(s): *strigata* Walker,1854; *hymenaea*
Gerstaecker,1871; *parvipuncta* Hampson,1901 _ Range (in code): **ZA Nta Kzu KE UG MW TZ YE Ad IN**
SO Zai
- 29485. *Secusio strigata strigata* Walker,1854** (Arctiidae) Synonym(s): *strigata* Walker,1854;
hymenaea Gerstaecker,1871; *parvipuncta* Hampson,1901 _ Range (in code): **ZA Nta Kzu KE UG MW TZ**
IN
- 29486. *Secusio strigata yemenensis* Wiltshire,1983** (Arctiidae) Synonym(s): *yemenensis*
Wiltshire,1983 _ Range (in code): **YE Ad**
- 29487. *Selenarctia elissa* (Schaus,1892)** (Arctiidae) Synonym(s): *elissa* Schaus,1892 _ Range
(in code): **MX CR BR**
- 29488. *Setema cereola* (Hübner,[1803])** (Arctiidae) Synonym(s): *cereola* Hübner,[1803]; *cinereola*
Zeller,1847 _ Range (in code): **FR IT DE CH AT NO SE FI EE RU MD UA BY**
- 29489. *Setina alpestris* Zeller,1865** (Arctiidae) Synonym(s): *alpestris* Zeller,1865 _ Range (in
code): **IT CH**
- 29490. *Setina atroradiata* Walker,1865** (Arctiidae) Synonym(s): *atroradiata* Walker,1865
Range (in code): **ZA**
- 29491. *Setina aurata* (Ménétriés,1832)** (Arctiidae) Synonym(s): *aurata* Ménétriés,1832; *#pontica*
Draudt,1933; *pontica* Schwingenschuss,1939 _ Range (in code): **TR GG Bjo Aba Smt Lag Cc AZ Len AM**
- 29492. *Setina cantabrica* (De Freina & Witt,1985)** (Arctiidae) Synonym(s): *etina cantabrica* De
Freina & Witt,1985 _ Range (in code): **ES**
- 29493. *Setina flavicans* (Geyer,[1836])** (Arctiidae) Synonym(s): *flavicans* Geyer,[1836] _ Range
(in code): **PT ES FR TR AZ Kir Cc**
- 29494. *Setina irrorella* (Linnaeus,1758)** (Arctiidae) Synonym(s): *irrorella* Linnaeus,1758; *ochracea*
Scopoli,1772; *irrorea* [Denis & Schiffermüller],1775; *flavanigropunctata* Retzius,1783; *palealis* Villers,1789; *irrorata*
Fabricius,1798; *binumerica* Drapiez,1819; *pseudoirrorella* Witt & De Freina,1985 _ Range (in code): **FR IT**
IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY
Bionomy: Larva on *Parietina*, *Parmelia* (Parmeliaceae) [Fungi] (Hofmann,1893).
- 29495. *Setina ramosa* (Fabricius,1793)** (Arctiidae) Synonym(s): *aurita* Esper,[1787] *nec Fabr.*,1787;
ramosa Fabricius,1793; *imbuta* Hübner,[1803]; *tecticola* Thomann,1951; *pfisteri* Burmann & Tarmann,1985
Original Reference: *Bombyx ramosa* Fabricius,1793, Ent. Syst. 3 (1): 463. Type(s): Italia. Range
(in code): **FR IT DE CH AT RO?**

- 29496. *Setina roscida* ([Denis & Schiffermüller],1775)** (Arctiidae) Synonym(s): *roscida* [Denis & Schiffermüller],1775; *roscidella* Fabricius,1794; *melanomos* Nickerl,1845; *bosniaca* Rebel,1910; *baltica* Wahlgren,1913; *subalpina* Thomann,1951; *rubeni* Viidalepp,1979 Original Reference: *Noctua roscida* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 68. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU BG TR GG Smt Akh Cc SE RU MD UA BY**
- 29497. *Seydelia ellioti* (Butler,1896)** (Arctiidae) Synonym(s): *ellioti* Butler,1896 Range (in code): **ZA MZ ZW ZM KE UG**
- 29498. *Seydelia geometrica* (Oberthür,1883)** (Arctiidae) Synonym(s): *geometrica* Oberthür,1883; *#intermedia* Berio,1943 Range (in code): **ET**
- 29499. *Seydelia turlini* Toulgoet,1976** (Arctiidae) Synonym(s): *turlini* Toulgoet,1976 Range (in code): **RW**
- 29500. *Seydelia turlini celsicola* Toulgoet,1976** (Arctiidae) Synonym(s): *celsicola* Toulgoet,1976 Range (in code): **RW**
- 29501. *Seydelia turlini turlini* Toulgoet,1976** (Arctiidae) Synonym(s): *turlini* Toulgoet,1976 Range (in code): **RW**
- 29502. *Sibirarctia buraetica* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *buraetica* O.Bang-Haas,1927; *elwesi* O.Bang-Haas,1927. Range (in code):
- 29503. *Sibirarctia buraetica buraetica* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *buraetica* O.Bang-Haas,1927; *elwesi* O.Bang-Haas,1927. Range (in code):
- 29504. *Sibirarctia buraetica chajataensis* Dubatolov,1996** (Arctiidae) Synonym(s): *chajataensis* Dubatolov,1996 Range (in code):
- 29505. *Sibirarctia buraetica valida* (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *valida* O.Bang-Haas,1927 Range (in code):
- 29506. *Sibirarctia kindermanni* (Staudinger,1867)** (Arctiidae) Synonym(s): *kindermanni* Staudinger,1867 Range (in code): **KK CN Ui Ku Ts Kno Mc MN RU Am Ur Sb Vv**
- 29507. *Sibirarctia kindermanni albobittata* (Rothschild,1910)** (Arctiidae) Synonym(s): *albobittata* Rothschild,1910 Range (in code): **CN Kno Ts**
- 29508. *Sibirarctia kindermanni chinensis* (Groum-Grshimailo,1899)** (Arctiidae) Synonym(s): *chinensis* Groum-Grshimailo,1899 Range (in code): **CN**
- 29509. *Sibirarctia kindermanni kindermanni* (Staudinger,1867)** (Arctiidae) Synonym(s): *kindermanni* Staudinger,1867 Range (in code): **RU Ur Sb KK**
- 29510. *Sibirarctia kindermanni pomona* (Staudinger,1897)** (Arctiidae) Synonym(s): *pomona* Staudinger,1897; *roseni* O.Bang-Haas,1927. Range (in code): **CN Ui Ku RU Am MN**
- 29511. *Sibirarctia kindermanni pretiosa* (Staudinger,1887)** (Arctiidae) Synonym(s): *pretiosa* Staudinger,1887; *ussuriensis* O.Bang-Haas,1927. Range (in code): **RU Vv Am CN Mc**
- 29512. *Siccia adiaphora* Kiriakoff,1958** (Arctiidae) Synonym(s): *adiaphora* Kiriakoff,1958 Range (in code): **UG Rz**
- 29513. *Siccia albisparsa* (Hampson,1898)** (Arctiidae) Synonym(s): *albisparsa* Hampson,1898 Range (in code): **IN Ass Meg**
- 29514. *Siccia altiguttata* Hampson,1909** (Arctiidae) Synonym(s): *altiguttata* Hampson,1909 Range (in code): **ZA AO**
- 29515. *Siccia arabica* Wiltshire,1983** (Arctiidae) Synonym(s): *arabica* Wiltshire,1983 Range (in code): **SA Bhh**
- 29516. *Siccia buettikeri* Wiltshire,1988** (Arctiidae) Synonym(s): *buettikeri* Wiltshire,1988 Range (in code): **SA**
- 29517. *Siccia butvilai* Saldaitis & Ivinskis,2008** (Arctiidae) Synonym(s): *butvilai* Saldaitis & Ivinskis,2008 Range (in code): **Sk**
- 29518. *Siccia caffra* Walker,1854** (Arctiidae) Synonym(s): *caffra* Walker,1854; *nigropunctata* Wallengren,1860; *punctigera* R.Felder & Rogenhofer,1874 Original Reference: *Siccia caffra* Walker,1854, *List Spec. lepid. Ins. Colln Br. Mus.* 2: 539. Syntypes: "South Africa". Range (in code): **ZA Tva Gau Pre Nta Kzu Est Wca Kny**
- 29519. *Siccia chogoriae* Kühne,2007** (Arctiidae) Synonym(s): *chogoriae* Kühne,2007 Range (in code): **KE**
- 29520. *Siccia conformis* Hampson,1914** (Arctiidae) Synonym(s): *conformis* Hampson,1914 Range (in code): **NG**
- 29521. *Siccia dudai* Ivinskis & Saldaitis,2008** (Arctiidae) Synonym(s): *dudai* Ivinskis & Saldaitis,2008 Range (in code): **OM Dh**

- 29522. *Siccia eberti* Kühne, 2007** (Arctiidae) Synonym(s): *eberti* Kühne, 2007 _ Range (in code): KE
- 29523. *Siccia elgona* Kühne, 2007** (Arctiidae) Synonym(s): *elgona* Kühne, 2007 _ Range (in code): KE
- 29524. *Siccia guttulosana* (Walker, 1863)** (Arctiidae) Synonym(s): *guttulosana* Walker, 1863
Range (in code): IN Mh Bba NI LK Nwp ID Ja
- 29525. *Siccia gypsia* Hampson, 1914** (Arctiidae) Synonym(s): *gypsia* Hampson, 1914 _ Range (in code): GH
- 29526. *Siccia melanospila* Hampson, 1911** (Arctiidae) Synonym(s): *melanospila* Hampson, 1911
Original Reference: *Siccia melanospila* Hampson, 1911, Ann. Mag. nat. Hist. (8) 8: 404. Syntypes 3♂ 1♀: [Kenya]: Br. E. Africa, Kikuyu Esc. (Doherty). Range (in code): AET ZA KE Kky
- 29527. *Siccia minima* Hampson, 1900** (Arctiidae) Synonym(s): *minima* Hampson, 1900 _ Range (in code): LK
- 29528. *Siccia nilgirica* (Hampson, 1891)** (Arctiidae) Synonym(s): *nilgirica* Hampson, 1891; *cinereicolor* Hampson, 1891 _ Range (in code): IN NI LK CN
- 29529. *Siccia paucipuncta* Hampson, 1918** (Arctiidae) Synonym(s): *paucipuncta* Hampson, 1918
Range (in code): SL
- 29530. *Siccia punctipennis* (Wallengren, 1860)** (Arctiidae) Synonym(s): *punctipennis* Wallengren, 1860; *nigropunctana* Saalmüller, 1884 _ Range (in code): ZA Ec MG KE
- 29531. *Siccia pyralina* (Rothschild, 1913)** (Arctiidae) Synonym(s): *pyralina* Rothschild, 1913
Range (in code): ID Ij
- 29532. *Siccia sagittigera* (Moore, 1888)** (Arctiidae) Synonym(s): *sagittigera* Moore, 1888
Original Reference: *Aemene sagittigera* Moore, 1888, Proc. zool. Soc. London 1888: 392-393. Syntypes ♂♀: India, Darmshala. Range (in code): PK Haz Mre IN SI Hp Kgr Drm Dlh
- 29533. *Siccia seriata* Hampson, 1900** (Arctiidae) Synonym(s): *seriata* Hampson, 1900 _ Range (in code): IN Ass Nag
- 29534. *Siccia sordida* (Butler, 1877)** (Arctiidae) Synonym(s): *sordida* Butler, 1877; *subcinerea* Moore, 1878; *modesta* Moore, 1878; *quinquefascia* Hampson, 1891 _ Range (in code): LK IN Hp Kgr TW NI CN Pj SG ID Bli
- 29535. *Siccia tau* (Heylaerts, 1891)** (Arctiidae) Synonym(s): *tau* Heylaerts, 1891 _ Range (in code): IN Mad LK ID Ja
- 29536. *Siccia tenebrosa* (Moore, 1878)** (Arctiidae) Synonym(s): *tenebrosa* Moore, 1878 _ Range (in code): IN Mh Bba
- 29537. *Sinowatsonia hoenei* (Daniel, 1943)** (Arctiidae) Synonym(s): *hoenei* Daniel, 1943
Range (in code): CN Ti Sz Yu
- 29538. *Sinowatsonia hoenei alpicola* (Daniel, 1943)** (Arctiidae) Synonym(s): *alpicola* Daniel, 1943 _ Range (in code): CN Ti? Yu
- 29539. *Sinowatsonia hoenei hoenei* (Daniel, 1943)** (Arctiidae) Synonym(s): *hoenei* Daniel, 1943
Range (in code): CN Yu
- 29540. *Sinowatsonia mussoti* (Oberthür, 1903)** (Arctiidae) Synonym(s): *mussoti* Oberthür, 1903; *batangi* Daniel, 1943 _ Range (in code): CN Btn Sz
- 29541. *Sinowatsonia mussoti mussoti* (Oberthür, 1903)** (Arctiidae) Synonym(s): *mussoti* Oberthür, 1903; *batangi* Daniel, 1943 _ Range (in code): CN Btn Sz
- 29542. *Sozusa despecta* Walker, 1862** (Arctiidae) Synonym(s): *despecta* Walker, 1862 _ Range (in code): ZA
- 29543. *Sozusa heterocera* Walker, 1865** (Arctiidae) Synonym(s): *heterocera* Walker, 1865
Range (in code): ZA
- 29544. *Sozusa scutellata* (Wallengren, 1860)** (Arctiidae) Synonym(s): *scutellata* Wallengren, 1860; *dorsiglauca* Walker, 1864; *natalica* Möschler, 1872 _ Range (in code): ZA Lpo Tva Spb Mdk Nta Kzu Est
- 29545. *Sphaeromachia cubana* (Herrich-Schäffer, 1866)** (Arctiidae) Synonym(s): *cubana* Herrich-Schäffer, 1866 _ Range (in code): MX CU
- 29546. *Sphaeromachia gaumeri* (Druce, 1884)** (Arctiidae) Synonym(s): *gaumeri* Druce, 1884
Range (in code): MX
- 29547. *Spilartia alba* (Bremer & Grey, 1853)** (Arctiidae) Synonym(s): *alba* Bremer & Grey, 1853
Range (in code):
- 29548. *Spilartia alba alba* (Bremer & Grey, 1853)** (Arctiidae) Synonym(s): *alba* Bremer & Grey, 1853 _ Range (in code):

- 29549. *Spilarctia bifascia* (Hampson,1891)** (Arctiidae) **Synonym(s):** *bifascia* Hampson,1891; *#bifasciatm* Hampson,1894 **_ Range (in code):** **IN NI Ker**
- 29550. *Spilarctia bifasciata* Butler,1881** (Arctiidae) **Synonym(s):** *bifasciata* Butler,1881 **_ Range (in code):** **JP**
- 29551. *Spilarctia bifasciata bifasciata* Butler,1881** (Arctiidae) **Synonym(s):** *bifasciata* Butler,1881 **_ Range (in code):** **JP**
- 29552. *Spilarctia bisecta* (Leech,[1899])** (Arctiidae) **Synonym(s):** *bisecta* Leech,[1899] **_ Range (in code):** **JP CN HK Sz Fkn Hun Kwa Yu TW IN Hp Kgr**
- 29553. *Spilarctia bisecta bisecta* (Leech,[1899])** (Arctiidae) **Synonym(s):** *bisecta* Leech,[1899] **_ Range (in code):** **JP CN HK Sz Fkn Hun Kwa Yu TW IN Hp Kgr**
- 29554. *Spilarctia castanea* (Hampson,1893)** (Arctiidae) **Synonym(s):** *castanea* Hampson,1893 **Original Reference:** *Spilosoma castanea* Hampson,1893, Illustr. Het. 9: 79, pl.158 figs.26,27. **Syntypes:** Ceylon (BMNH). **_ Range (in code):** **LK Dck**
- 29555. *Spilarctia coorgensis* Kirti & Gill,2010** (Arctiidae) **Synonym(s):** *coorgensis* Kirti & Gill,2010 **_ Range (in code):** **IN Ker Co**
- 29556. *Spilarctia inayatullahi* Dubatolov & Gurko,2004** (Arctiidae) **Synonym(s):** *inayatullahi* Dubatolov & Gurko,2004 **_ Range (in code):** **PK Ch**
- 29557. *Spilarctia leopardina* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *leopardina* Kollar,[1844]; *divisa* Walker,1855; *litrata* Walker,1869 **_ Range (in code):** **Ch IN Hp Up SI Meg Khs Kma Sml CN Ti NP**
- 29558. *Spilarctia leopardina dhaulagiriensis* Dubatolov & Kishida,2005** (Arctiidae) **Synonym(s):** *dhaulagiriensis* Dubatolov & Kishida,2005 **_ Range (in code):** **NP**
- 29559. *Spilarctia leopardina leopardina* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *leopardina* Kollar,[1844] **_ Range (in code):** **Ch IN Hp Up SI Meg Khs Kma Sml NP CN Ti**
- 29560. *Spilarctia leopardina rosepuma* Dubatolov & Kishida,2005** (Arctiidae) **Synonym(s):** *rosepuma* Dubatolov & Kishida,2005 **_ Range (in code):** **NP CN Ti**
- 29561. *Spilarctia lutea* (Hufnagel,1766)** (Arctiidae) **Synonym(s):** *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododaktyla* Bryk,1948; *reisseri* Koutsaftikis,1973 **Original Reference:** *Phalaena lubricipeda lutea* Hufnagel,1766, Berl. Mag. 2: 412. **Type(s):** Deutschland: Berlin. **_ Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CN She Ahw Lng Jn Mc IMn Ui JP** **Bionomy:** Larva on *Hieracium umbellatum*, *Rubus*, *Urtica* (Meyer,1919).
- 29562. *Spilarctia lutea adzharica* Dubatolov,2007** (Arctiidae) **Synonym(s):** *adzharica* Dubatolov,2007 **Original Reference:** *Spilarctia lutea* ssp. *adzharica* Dubatolov,2007, *Atalanta* 38 (3/4): 353-354, figs. **Holotype** ♂: Georgia: Adzharia: Tsikhiz-dziri, 17.vii.1928, A.Golotsyn leg. (ZIN). **_ Range (in code):** **Cc GG Aj Btm Abk Sok TR**
- 29563. *Spilarctia lutea japonica* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *japonica* Rothschild,1910 **_ Range (in code):** **JP**
- 29564. *Spilarctia lutea lutea* (Hufnagel,1766)** (Arctiidae) **Synonym(s):** *lutea* Hufnagel,1766; *radiatus* Haworth,1812; *rhododaktyla* Bryk,1948; *reisseri* Koutsaftikis,1973 **Original Reference:** *Phalaena lubricipeda lutea* Hufnagel,1766, Berl. Mag. 2: 412. **Type(s):** Deutschland: Berlin. **_ Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Aj Btm Abk Sok**
- 29565. *Spilarctia mona* (Swinhoe,1885)** (Arctiidae) **Synonym(s):** *mona* Swinhoe,1885 **_ Range (in code):** **IN Mh**
- 29566. *Spilarctia montana* (Guérin-Méneville,1843)** (Arctiidae) **Synonym(s):** *montana* Guérin-Méneville,1843 **Original Reference:** *Arctia montana* Guérin-Méneville,1843, [in] Delessert,M.A., *Souvenirs d'un Voyage dans l'Inde de 1834 a 1839*: 92, Pl.26 figs.3,3a. **Type** ♂: Inde: "Neelgheris" (BMNH). **_ Range (in code):** **IN NI**
- 29567. *Spilarctia obliqua* (Walker,1855)** (Arctiidae) **Synonym(s):** *obliqua* Walker,1855; *suffusa* Walker,1855; *dentilinea* Moore,1872; *confusa* Butler,1875; *howra* Moore,1879; *assamensis* Rothschild,1910 **_ Range (in code):** **IN Pj Djl SI Ass Clc BD Dak AF Srb PK Mre Haz Ci Rw NP Kdu MM TH Tha Hp Bhi Ari Alh Mad Bba Bel De Bi Up Poo Mys Tez** **Bionomy:** Larva on *Tectona grandis* (Verbenaceae)
- 29568. *Spilarctia obliquizonata* (Miyake,1910)** (Arctiidae) **Synonym(s):** *obliquizonata* Miyake,1910 **_ Range (in code):** **RU Sh Krl JP Hkk Kyu**
- 29569. *Spilarctia obliquizonata obliquizonata* (Miyake,1910)** (Arctiidae) **Synonym(s):** *obliquizonata* Miyake,1910 **_ Range (in code):** **RU Sh Krl JP Hkk Kyu**

- 29570. *Spilarectia quercii* (Oberthür,1911)** (Arctiidae) Synonym(s): *quercii* Oberthür,1911
Range (in code):
- 29571. *Spilarectia quercii quercii* (Oberthür,1911)** (Arctiidae) Synonym(s): *quercii* Oberthür,1911
Range (in code):
- 29572. *Spilarectia robusta* (Leech,[1899])** (Arctiidae) Synonym(s): *robusta* Leech,[1899]
Range (in code):
- 29573. *Spilarectia robusta robusta* (Leech,[1899])** (Arctiidae) Synonym(s): *robusta* Leech,[1899]
Range (in code):
- 29574. *Spilarectia seriatopunctata* (Motschulsky,[1861])** (Arctiidae) Synonym(s): *seriatopunctata* Motschulsky,[1861] Range (in code):
- 29575. *Spilarectia seriatopunctata seriatopunctata* (Motschulsky,[1861])** (Arctiidae) Synonym(s): *seriatopunctata* Motschulsky,[1861] Range (in code):
- 29576. *Spilarectia subcarneum* (Walker,1855)** (Arctiidae) Synonym(s): *subcarneum* Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897 Range (in code): **RU Prj Us CN Mc Yu TW KP KR JP Hkk Kyu**
- 29577. *Spilarectia subcarneum charbini* (Daniel,1943)** (Arctiidae) Synonym(s): *charbini* Daniel,1943 Range (in code): **RU Prj Us CN Mc**
- 29578. *Spilarectia subcarneum subcarneum* (Walker,1855)** (Arctiidae) Synonym(s): *subcarneum* Walker,1855; *bifrons* Walker,1855; *rybakovi* Alpheraky,1897 Range (in code): **RU Prj Us CN Yu TW KP KR JP Hkk Kyu**
- 29579. *Spilarectia todara* (Moore,1872)** (Arctiidae) Synonym(s): *todara* Moore,1872 Range (in code): **IN NI**
- 29580. *Spilosoma accensa* (Swinhoe,1903)** (Arctiidae) Synonym(s): *accensa* Swinhoe,1903
Range (in code): **ID Sum MY PH Pal**
- 29581. *Spilosoma affinis* Bartel,1903** (Arctiidae) Synonym(s): *affinis* Bartel,1903 Range (in code): **TZ**
- 29582. *Spilosoma albiventre* Kiriakoff,1963** (Arctiidae) Synonym(s): *albiventre* Kiriakoff,1963
Range (in code): **ZR TZ**
- 29583. *Spilosoma angolensis* Bartel,1903** (Arctiidae) Synonym(s): *angolensis* Bartel,1903
Range (in code): **AO**
- 29584. *Spilosoma ardens* Kishida,1987** (Arctiidae) Synonym(s): *ardens* Kishida,1987 Range (in code): **PH Luz**
- 29585. *Spilosoma atridorsium* (Hampson,1920)** (Arctiidae) Synonym(s): *ratrayi* Rothschild,1910 *nec Roths.*,1910; *atridorsia* Hampson,1920 Range (in code): **KE UG**
- 29586. *Spilosoma atrivenatum* Rothschild,1933** (Arctiidae) Synonym(s): *atrivenata* Rothschild,1933 Range (in code): **TZ**
- 29587. *Spilosoma aurantiacum* (Holland,1893)** (Arctiidae) Synonym(s): *aurantiaca* Holland,1893; *multiscripta* Holland,1893 Range (in code): **LR SL GH NG GA**
- 29588. *Spilosoma balthazarae* Cerny,1995** (Arctiidae) Synonym(s): *balthazarae* Cerny,1995
Range (in code): **PH Mno Pan**
- 29589. *Spilosoma batesi* (Rothschild,1910)** (Arctiidae) Synonym(s): *batesi* Rothschild,1910
Range (in code): **NG CM ZR**
- 29590. *Spilosoma baxteri* (Rothschild,1910)** (Arctiidae) Synonym(s): *baxteri* Rothschild,1910
Range (in code): **TZ MW KE**
- 29591. *Spilosoma bipartitum* Rothschild,1933** (Arctiidae) Synonym(s): *bipartitum* Rothschild,1933 Range (in code): **ZA**
- 29592. *Spilosoma brechlini* Cerny,2011** (Arctiidae) Synonym(s): *brechlini* Cerny,2011 Range (in code): **PH Neg**
- 29593. *Spilosoma brunneomixtum* Tougoet,1971** (Arctiidae) Synonym(s): *brunneomixta* Tougoet,1971 Range (in code): **MG**
- 29594. *Spilosoma buryi* (Rothschild,1910)** (Arctiidae) Synonym(s): *buryi* Rothschild,1910
Range (in code): **GH NG**
- 29595. *Spilosoma butti* (Rothschild,1910)** (Arctiidae) Synonym(s): *butti* Rothschild,1910
Original Reference: *Proschaliphora butti* Rothschild,1910, Novit. zool. 17: 180. Syntypes 1♂ 1♀: [South Africa]: Natal: Foot of Nieuwveld Mountains 5mls NW Beaufort West; Weenen (Mrs. Butt) (Tring Mus.). Range (in code): **ZA Nta Kzu Wnn**

- 29596. *Spilosoma caerium* (Püngeler,1906)** (Arctiidae) **Synonym(s):** *caeria* Püngeler,1906
Original Reference: *Diacrisia* (*Spilosoma*) *caeria* Püngeler,1906, Dt. ent. Z., Iris 19: 79. Syntypes 2♂: [China]: Kuku-Noor (Rückbeil). **Range (in code):** **CN Ts Kno**
- 29597. *Spilosoma caerium caerium* (Püngeler,1906)** (Arctiidae) **Synonym(s):** *caeria* Püngeler,1906
Original Reference: *Diacrisia* (*Spilosoma*) *caeria* Püngeler,1906, Dt. ent. Z., Iris 19: 79. Syntypes 2♂: [China]: Kuku-Noor (Rückbeil). **Range (in code):** **CN Ts Kno**
- 29598. *Spilosoma caloscopium* Cerny,2011** (Arctiidae) **Synonym(s):** *caloscopium* Cerny,2011
Range (in code): **PH Neg Pam Luz**
- 29599. *Spilosoma casignetum* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *casignetum* Kollar,[1844]; *sanguinalis* Moore,1865; *confusa* Butler,1875; *sagittifera* Moore,1888
Range (in code): **CN IN SI Ti Ass Kgr Hp Clc Bba Mh Nl MM Mpr BT TH CMa CDo CD2 Cuo Cuo5**
- 29600. *Spilosoma castaneum* Hampson,1893** (Arctiidae) **Synonym(s):** *castaneum* Hampson,1893
Range (in code): **LK**
- 29601. *Spilosoma castelli* Rothschild,1933** (Arctiidae) **Synonym(s):** *castelli* Rothschild,1933
Range (in code): **SN NG**
- 29602. *Spilosoma castelli castelli* Rothschild,1933** (Arctiidae) **Synonym(s):** *castelli* Rothschild,1933
Range (in code): **SN**
- 29603. *Spilosoma castelli grandis* Rothschild,1933** (Arctiidae) **Synonym(s):** *grandis* Rothschild,1933
Range (in code): **NG**
- 29604. *Spilosoma chioneum* (Hampson,1900)** (Arctiidae) **Synonym(s):** *chionea* Hampson,1900
Range (in code): **ZA Nta Kzu Wnn**
- 29605. *Spilosoma coccinea* (Hampson,1907)** (Arctiidae) **Synonym(s):** *coccinea* Hampson,1907
Range (in code): **PH Luz**
- 29606. *Spilosoma crossi* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *crossi* Rothschild,1910
Range (in code): **GM NG**
- 29607. *Spilosoma curvatum* (Donovan,1805)** (Arctiidae) **Synonym(s):** *curvata* Donovan,1805; *fuscinula* Doubleday,1845; *fuscinula* Walker,1855; *vittata* Möschler,1872; *vigens* Butler,1878; *notatum* Butler,1878; *nexum* Butler,1878; *lacteatum* Butler,1878; *brisbanensis* T.P.Lucas,1890; *quinquefascia* T.P.Lucas,1890; *#verticipicta* Strand,1919; *athertonensis* Turner,1940
Range (in code): **AU QAU**
- 29608. *Spilosoma curvilineum* Walker,1855** (Arctiidae) **Synonym(s):** *curvilinea* Walker,1855
Range (in code): **ZR SD UG TZ GM CI NG**
- 29609. *Spilosoma daltonica* Cerny,2011** (Arctiidae) **Synonym(s):** *daltonica* Cerny,2011
Range (in code): **PH Luz**
- 29610. *Spilosoma dissimilis* Distant,1897** (Arctiidae) **Synonym(s):** *dissimilis* Distant,1897
Original Reference: *Spilosoma dissimilis* Distant,1897, Ann. Mag. nat. Hist. (6) 20: 198. Syntypes: South Africa: Transvaal: Pretoria. **Range (in code):** **ZA Nta Ca Kzu Tra Ec Wnn Tva Pre**
- 29611. *Spilosoma dufranei* Kiriakoff,1965** (Arctiidae) **Synonym(s):** *dufranei* Kiriakoff,1965
Range (in code): **ZR**
- 29612. *Spilosoma erythrozona* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *erythrozona* Kollar,[1844]; *cognata* Walker,1869
Range (in code): **Ch PK Haz Nar Swa Klm AF IN Hp Dlh Drm CN Ui Ti**
- 29613. *Spilosoma erythrozonum* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *erythrozona* Kollar,[1844]
Range (in code):
- 29614. *Spilosoma erythrozonum erythrozonum* (Kollar,[1844])** (Arctiidae) **Synonym(s):** *erythrozona* Kollar,[1844]
Range (in code):
- 29615. *Spilosoma euryphlebium* (Hampson,1903)** (Arctiidae) **Synonym(s):** *euryphlebia* Hampson,1903
Range (in code): **ZA Kzu Nta Tva**
- 29616. *Spilosoma euryphlebium euryphlebium* (Hampson,1903)** (Arctiidae) **Synonym(s):** *euryphlebia* Hampson,1903
Range (in code): **ZA Kzu Nta**
- 29617. *Spilosoma feifensis* Wiltshire,1986** (Arctiidae) **Synonym(s):** *feifensis* Wiltshire,1986
Range (in code): **SA**
- 29618. *Spilosoma femininum* Rothschild,1933** (Arctiidae) **Synonym(s):** *feminina* Rothschild,1933
Range (in code): **MG**
- 29619. *Spilosoma fidelia* Cerny,2011** (Arctiidae) **Synonym(s):** *fidelia* Cerny,2011
Range (in code): **PH Luz**
- 29620. *Spilosoma flavidior* Gaede,1933** (Arctiidae) **Synonym(s):** *flavidior* Gaede,1933
Range (in code):

- 29621. *Spilosoma fuscipenne* Hampson, 1894** (Arctiidae) **Synonym(s):** *fuscipenne* Hampson, 1894
Original Reference: *Spilosoma fuscipenne* Hampson, 1894, Fauna Br. India (Moths) 2: 11. Type ♂: India: Simla (Harford leg.) (BMNH). **Range (in code):** **IN Sml Hp**
- 29622. *Spilosoma griveaudi* (Toulgoet, 1956)** (Arctiidae) **Synonym(s):** *griveaudi* Toulgoet, 1956
Range (in code): **MG**
- 29623. *Spilosoma grogane* Holloway, 1976** (Arctiidae) **Synonym(s):** *grogane* Holloway, 1976
Range (in code): **Bor PH Pal**
- 29624. *Spilosoma gynephaeum* (Hampson, 1901)** (Arctiidae) **Synonym(s):** *gynephaea* Hampson, 1901
Range (in code): **ZW ZA**
- 29625. *Spilosoma gynephaeum gynephaeum* (Hampson, 1901)** (Arctiidae) **Synonym(s):** *gynephaea* Hampson, 1901
Range (in code): **ZA ZW**
- 29626. *Spilosoma harlequina* Cerny, 2011** (Arctiidae) **Synonym(s):** *harlequina* Cerny, 2011
Range (in code): **PH Mno**
- 29627. *Spilosoma hercules* (Toulgoet, 1956)** (Arctiidae) **Synonym(s):** *hercules* Toulgoet, 1956
Range (in code): **MG**
- 29628. *Spilosoma heterogeneum* Bartel, 1903** (Arctiidae) **Synonym(s):** *heterogenea* Bartel, 1903
Range (in code): **AO**
- 29629. *Spilosoma holoxanthum* (Hampson, 1907)** (Arctiidae) **Synonym(s):** *holoxantha* Hampson, 1907
Range (in code): **NG**
- 29630. *Spilosoma hosei* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *hosei* Rothschild, 1910
Range (in code): **Bor PH Pal**
- 29631. *Spilosoma hypogopa* (Hampson, 1907)** (Arctiidae) **Synonym(s):** *hypogopa* Hampson, 1907
Range (in code): **SG Bor Sum ID MY PH Pal**
- 29632. *Spilosoma immaculatum* Bartel, 1903** (Arctiidae) **Synonym(s):** *immaculata* Bartel, 1903
Range (in code): **SL CI NG CM ZR**
- 29633. *Spilosoma jordani* Debauche, 1938** (Arctiidae) **Synonym(s):** *jordani* Debauche, 1938
Range (in code): **CF**
- 29634. *Spilosoma kareli* Thomas, 1993** (Arctiidae) **Synonym(s):** *kareli* Thomas, 1993
(in code): **PH Mno** **Range**
- 29635. *Spilosoma karschi* Bartel, 1903** (Arctiidae) **Synonym(s):** *karschi* Bartel, 1903
(in code): **TG GH NG** **Range**
- 29636. *Spilosoma lateriticum* Holloway, 1979** (Arctiidae) **Synonym(s):** *lateriticum* Holloway, 1979
Range (in code): **NC**
- 29637. *Spilosoma latiradiatum* (Hampson, 1901)** (Arctiidae) **Synonym(s):** *latiradiata* Hampson, 1901
Range (in code): **ZA MW**
- 29638. *Spilosoma latiradiatum latiradiatum* (Hampson, 1901)** (Arctiidae) **Synonym(s):** *latiradiata* Hampson, 1901
Range (in code): **MW**
- 29639. *Spilosoma leighi* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *leighi* Rothschild, 1910
Range (in code): **ZA Nta Kzu Dbn**
- 29640. *Spilosoma leighi leighi* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *leighi* Rothschild, 1910
Range (in code): **ZA Nta Kzu Dbn**
- 29641. *Spilosoma lentifasciatum* (Hampson, 1916)** (Arctiidae) **Synonym(s):** *lentifasciata* Hampson, 1916
Range (in code): **ZA ZW ZM**
- 29642. *Spilosoma lentifasciatum lentifasciatum* (Hampson, 1916)** (Arctiidae) **Synonym(s):** *lentifasciata* Hampson, 1916
Range (in code): **ZA ZW ZM**
- 29643. *Spilosoma lifuensis* (Rothschild, 1910)** (Arctiidae) **Synonym(s):** *lifuensis* Rothschild, 1910
Range (in code): **NC**
- 29644. *Spilosoma lineatum* Walker, 1855** (Arctiidae) **Synonym(s):** *lineata* Walker, 1855; *simplex* Walker, 1855; *alba* Wallengren, 1860; *puella* Druce, 1898; *albida* Bartel, 1903
Range (in code): **ZA Nta Kzu Tra Ec TZ ET KE**
- 29645. *Spilosoma lubricipeda* (Linnaeus, 1758)** (Arctiidae) **Synonym(s):** *lubricipeda* Linnaeus, 1758; *menthastri* [Denis & Schiffermüller], 1775; ? *sangaica* Walker, [1865]; *chishimana* Matsumura, 1929; *masuensis* Matsumura, 1930; *elegans* Bryk, 1938; *sotiriadis* Koutsaftikis, 1973; #*lubrecipeda* De Freina, 1981.
Original Reference: *Phalaena lubricipeda* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 505-506. Lectotype ♂: [Europa], designated by Mikkola & Honey, 1993. **Range (in code):** **AET DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR TR GG Smt Bjo Lag AM AZ Kir Da Der Cc DK NO SE FI EE LV LT RU MD UA BY CN Sz Stg TW Yu Mc Hun IMn PK Haz Mre**

- Bionomy:** Larva on Atriplex, Chenopodium, Galium, Mentha, Polygonum, Quercus, Ulmus, Urtica (Linnaeus,1758; Meyer,1919).
- 29646. *Spilosoma lubricipedium lubricipedium* (Linnaeus,1758)** (Arctiidae) **Synonym(s):** *lubricipeda* Linnaeus,1758; *menthastri* [Denis & Schiffermüller],1775; ? *sangaica* Walker,[1865]; *chishimana* Matsumura,1929; *masuensis* Matsumura,1930; *elegans* Bryk,1938; *sotiriadis* Koutsaftikis,1973; *#lubrecipeda* De Freina,1981. **Original Reference:** *Phalaena lubricipeda* Linnaeus,1758, Syst. Nat. (Edn.10)1: 505-506. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. **Range (in code):** **AET DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR TR GG Smt Bjo Lag AM AZ Kir Da Der AM Cc DK NO SE FI EE LV LT RU MD UA BY CN PK Haz Mre**
- 29647. *Spilosoma luteoradians* Toulgoet,1954** (Arctiidae) **Synonym(s):** *luteoradians* Toulgoet,1954 **Range (in code):** **MG**
- 29648. *Spilosoma luteoradians jugicola* Toulgoet,1976** (Arctiidae) **Synonym(s):** *jugicola* Toulgoet,1976 **Range (in code):** **MG**
- 29649. *Spilosoma luteoradians luteoradians* Toulgoet,1954** (Arctiidae) **Synonym(s):** *luteoradians* Toulgoet,1954 **Range (in code):** **MG**
- 29650. *Spilosoma luteoradians monochroma* Toulgoet,1984** (Arctiidae) **Synonym(s):** *monochroma* Toulgoet,1984 **Range (in code):** **MG**
- 29651. *Spilosoma mahaplaga* Cerny,2011** (Arctiidae) **Synonym(s):** *mahaplaga* Cerny,2011 **Range (in code):** **PH Ley**
- 29652. *Spilosoma maniema* Kiriakoff,1965** (Arctiidae) **Synonym(s):** *maniema* Kiriakoff,1965 **Range (in code):** **ZR**
- 29653. *Spilosoma mediocinereum* (Toulgoet,1956)** (Arctiidae) **Synonym(s):** *mediocinerea* Toulgoet,1956 **Range (in code):** **MG**
- 29654. *Spilosoma mediopunctatum* (Pagenstecher,1903)** (Arctiidae) **Synonym(s):** *mediopunctata* Pagenstecher,1903 **Range (in code):** **SO ET**
- 29655. *Spilosoma melanimon* Mabilite,1880** (Arctiidae) **Synonym(s):** *melanimon* Mabilite,1880; *robleti* Mabilite,1893 **Range (in code):** **MG**
- 29656. *Spilosoma metaleuca* (Hampson,1905)** (Arctiidae) **Synonym(s):** *metaleuca* Hampson,1905 **Range (in code):** **NG SD**
- 29657. *Spilosoma metarhoda* Walker,1856** (Arctiidae) **Synonym(s):** *metarhoda* Walker,1856 **Range (in code):** **PH Luz Mdo Pan Ceb Cmt Mno**
- 29658. *Spilosoma mienshanicum* Daniel,1943** (Arctiidae) **Synonym(s):** *mienshanicum* Daniel,1943; *streltzevi* Dubatolov,1996 **Range (in code):** **CN RU Am Prj Us**
- 29659. *Spilosoma mienshanicum mienshanicum* Daniel,1943** (Arctiidae) **Synonym(s):** *mienshanicum* Daniel,1943; *streltzevi* Dubatolov,1996 **Range (in code):** **CN RU Am Prj Us**
- 29660. *Spilosoma milloti* Toulgoet,1954** (Arctiidae) **Synonym(s):** *milloti* Toulgoet,1954 **Range (in code):** **MG**
- 29661. *Spilosoma mollis* Cerny,2011** (Arctiidae) **Synonym(s):** *mollis* Cerny,2011 **Range (in code):** **PH Mno**
- 29662. *Spilosoma neglectum* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *neglectum* Rothschild,1910 **Original Reference:** *Liacrisia neglecta* Rothschild,1910, Novit. zool. 17: 121. Type: Sikkim. **Range (in code):** **IN SI TH CMa CDo**
- 29663. *Spilosoma nigrocastaneum* (Rothschild,1917)** (Arctiidae) **Synonym(s):** *nigrocastanea* Rothschild,1917 **Range (in code):** **MW**
- 29664. *Spilosoma nigrocinctum* Kenrick,1914** (Arctiidae) **Synonym(s):** *nigrocincta* Kenrick,1914 **Range (in code):** **MG**
- 29665. *Spilosoma nyasanum* Rothschild,1933** (Arctiidae) **Synonym(s):** *nyasana* Rothschild,1933 **Range (in code):** **MW**
- 29666. *Spilosoma nyasicum* (Hampson,1911)** (Arctiidae) **Synonym(s):** *nyasica* Hampson,1911 **Original Reference:** *Diacrisia nyasica* Hampson,1911, Ann. Mag. nat. Hist. (8) 8: 409. Syntypes 2♂: [Malawi]: Brit. Centr. Africa, Zomba (Neave). **Range (in code):** **AET MW Zom ZA**
- 29667. *Spilosoma occidens* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *occidens* Rothschild,1910 **Range (in code):** **SN SL GH NG ZR**
- 29668. *Spilosoma occidens nyangweensis* (Strand,1922)** (Arctiidae) **Synonym(s):** *nyangweensis* Strand,1922 **Range (in code):** **ZR**
- 29669. *Spilosoma occidens occidens* (Rothschild,1910)** (Arctiidae) **Synonym(s):** *occidens* Rothschild,1910 **Range (in code):** **SN SL GH NG**

- 29670. *Spilosoma pales* (Druce,1910)** (Arctiidae) Synonym(s): *pales* Druce,1910 _ Range (in code): KE UG TZ
- 29671. *Spilosoma pauliani* (Toulgoet,1956)** (Arctiidae) Synonym(s): *pauliani* Toulgoet,1956 Range (in code): MG
- 29672. *Spilosoma pellucidum* (Rothschild,1910)** (Arctiidae) Synonym(s): *pellucida* Rothschild,1910 _ Range (in code): GH
- 29673. *Spilosoma pelopea* (Druce,1897)** (Arctiidae) Synonym(s): *pelopea* Druce,1897 _ Range (in code): MX
- 29674. *Spilosoma penultimum* Kiriakoff,1965** (Arctiidae) Synonym(s): *penultimum* Kiriakoff,1965 _ Range (in code): ZR
- 29675. *Spilosoma philippina* Dubatolov & Kishida,2006** (Arctiidae) Synonym(s): *philippina* Dubatolov & Kishida,2006 _ Range (in code): PH Neg Mno Ley Sam
- 29676. *Spilosoma philippina mindanaoica* Dubatolov & Kishida,2006** (Arctiidae) Synonym(s): *mindanaoica* Dubatolov & Kishida,2006 _ Range (in code): PH Mno Ley Sam
- 29677. *Spilosoma pseudambrensis* (Toulgoet,1961)** (Arctiidae) Synonym(s): *pseudambrensis* Toulgoet,1961 _ Range (in code): MG
- 29678. *Spilosoma punctarium* (Stoll,[1782])** (Arctiidae) Synonym(s): *punctarium* Stoll,[1782] Range (in code):
- 29679. *Spilosoma punctarium punctarium* (Stoll,[1782])** (Arctiidae) Synonym(s): *punctarium* Stoll,[1782] _ Range (in code):
- 29680. *Spilosoma quadrimaculum* Toulgoet,1977** (Arctiidae) Synonym(s): *quadrimacula* Toulgoet,1977 _ Range (in code): ET
- 29681. *Spilosoma rava* (Druce,1898)** (Arctiidae) Synonym(s): *rava* Druce,1898 Original Reference: Spilarctia rava Druce,1898, Ann. Mag. nat. Hist. (7) 1: 211-212. Type ♀: "West Africa, Gambia (Mus.Druce)". Range (in code): ZR GM SN GH
- 29682. *Spilosoma rava deletum* Debauche,1938** (Arctiidae) Synonym(s): *deleta* Debauche,1938 Range (in code): ZR
- 29683. *Spilosoma rava rava* (Druce,1898)** (Arctiidae) Synonym(s): *rava* Druce,1898 Original Reference: Spilarctia rava Druce,1898, Ann. Mag. nat. Hist. (7) 1: 211-212. Type ♀: "West Africa, Gambia (Mus.Druce)". Range (in code): GM SN GH
- 29684. *Spilosoma scitum* (Walker,[1865])** (Arctiidae) Synonym(s): *scita* Walker,[1865] Range (in code): ZA Nta Kzu ZM
- 29685. *Spilosoma semihyalinum* Bartel,1903** (Arctiidae) Synonym(s): *semihyalina* Bartel,1903 Range (in code): TG
- 29686. *Spilosoma sinefascium* (Hampson,1916)** (Arctiidae) Synonym(s): *sinefascia* Hampson,1916 _ Range (in code): ZA
- 29687. *Spilosoma strigatula* (Walker,1855)** (Arctiidae) Synonym(s): *strigatula* Walker,1855; *cervina* Wallengren,1864 Original Reference: Spilosoma strigatula Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 613. Type: Burma. Range (in code): CN MM TH ID PH Luz Mdo Pal
- 29688. *Spilosoma sulphureum* Bartel,1903** (Arctiidae) Synonym(s): *sulphurea* Bartel,1903 Original Reference: Spilosoma sulphurea Bartel,1903, Dt. ent. Z., Iris 16: 189. Type: Cameroon, Yaunde. Range (in code): CM
- 29689. *Spilosoma tenuivena* Kiriakoff,1965** (Arctiidae) Synonym(s): *tenuivena* Kiriakoff,1965 Range (in code): ZR
- 29690. *Spilosoma togoensis* Bartel,1903** (Arctiidae) Synonym(s): *togoensis* Bartel,1903; *impunctata* Rothschild,1933 Original Reference: Spilosoma togoensis Bartel,1903, Dt. ent. Z., Iris 16: 184. Syntypes: Togo, Bismarckburg, Aoré Hinterland. Range (in code): TG NG CM CF
- 29691. *Spilosoma trikenzana* Cerny,2011** (Arctiidae) Synonym(s): *trikenzana* Cerny,2011 Range (in code): PH Mno
- 29692. *Spilosoma turlini* Toulgoet,1973** (Arctiidae) Synonym(s): *turlini* Toulgoet,1973 _ Range (in code): MG
- 29693. *Spilosoma ummeroides* Cerny,2011** (Arctiidae) Synonym(s): *ummeroides* Cerny,2011 Range (in code): PH Pal
- 29694. *Spilosoma unimaculatum* Bartel,1903** (Arctiidae) Synonym(s): *unimaculata* Bartel,1903; *bipartita* Rothschild,1933 Original Reference: Spilosoma unimaculata Bartel,1903, Dt. ent. Z., Iris 16: 185. Syntypes: [Tanzania]: "Dar-es-Salaam". Range (in code): AO MW TZ KE ZW

- 29695. *Spilosoma unipunctum* (Hampson,1905)** (Arctiidae) Synonym(s): *unipuncta* Hampson,1905 _ Range (in code): ZA KE TZ ZW AO
- 29696. *Spilosoma urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791 _ Original Reference: Phalaena Bombyx urticae Esper,[1789], Die Schmett. 3: 20, pl.83 fig.2. Range (in code): PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Prj Us Krl Am Sb MD UA BY CN Ui Sz IR Mz Cc Th Ar Gh GlS GG Bjo Tbl Smt Lag Da Der Kir Sok Abk KG KK UZ _ Bionomy: Larva on Urtica (Urticaceae) (Meyer,1919).
- 29697. *Spilosoma urticae mandli* Schawerda,1922** (Arctiidae) Synonym(s): *mandli* Schawerda,1922 _ Original Reference: Spilosoma mandli Schawerda,1922, Z. Öst. EntVer. 7: 11. Range (in code): RU Prj Us Krl IR Mz
- 29698. *Spilosoma urticae urticae* (Esper,[1789])** (Arctiidae) Synonym(s): *urticae* Esper,[1789]; *papyratia* Marsham,1791 _ Original Reference: Phalaena Bombyx urticae Esper,[1789], Die Schmett. 3: 20, pl.83 fig.2. Range (in code): PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY CN Ui IR Mz Cc GG Bjo Tbl Smt Lag Da Der Kir Sok Abk KG KK UZ
- 29699. *Spilosoma vandepolli* (Rothschild,1910)** (Arctiidae) Synonym(s): *vandepolli* Rothschild,1910 _ Range (in code): TH PH Mno Neg ID Ja
- 29700. *Spilosoma venata* (Wileman,1915)** (Arctiidae) Synonym(s): *venata* Wileman,1915 _ Range (in code): PH Luz
- 29701. *Spilosoma victorina* Cerny,2011** (Arctiidae) Synonym(s): *victorina* Cerny,2011 _ Range (in code): PH Mno
- 29702. *Spilosoma viettei* (Toulgoet,1954)** (Arctiidae) Synonym(s): *viettei* Toulgoet,1954 _ Range (in code): MG
- 29703. *Spilosoma viettei viettei* (Toulgoet,1954)** (Arctiidae) Synonym(s): *viettei* Toulgoet,1954 _ Range (in code): MG
- 29704. *Spilosoma vieui* (Toulgoet,1956)** (Arctiidae) Synonym(s): *vieuui* Toulgoet,1956 _ Range (in code): MG
- 29705. *Spilosoma virginicum* (Fabricius,1798)** (Arctiidae) Synonym(s): *virginica* Fabricius,1798; *fumosa* Strecker,1900 _ Range (in code): MX
- 29706. *Spilosoma virginicum virginicum* (Fabricius,1798)** (Arctiidae) Synonym(s): *virginica* Fabricius,1798; *fumosa* Strecker,1900 _ Range (in code): MX
- 29707. *Spilosoma virgulae* Cerny,2011** (Arctiidae) Synonym(s): *virgulae* Cerny,2011 _ Range (in code): PH Ley Sam
- 29708. *Spilosoma yemenensis* (Hampson,1916)** (Arctiidae) Synonym(s): *yemenensis* Hampson,1916 _ Original Reference: Diacrisia yemenensis Hampson,1916, Novit. zool. 23: 235. Type: Yemen. Range (in code): YE
- 29709. *Spiris bipunctata* (Staudinger,1892)** (Arctiidae) Synonym(s): *bipunctata* Staudinger,1892 _ Range (in code): RU Sb CN Ui Ga Mc Shs Ts MN
- 29710. *Spiris bipunctata bipunctata* (Staudinger,1892)** (Arctiidae) Synonym(s): *bipunctata* Staudinger,1892 _ Range (in code): RU Sb CN Ui Ga Mc Shs Ts MN
- 29711. *Spiris striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. _ Original Reference: Phalaena striata Linnaeus,1758, Syst. Nat. (Edn.10)1: 502. Type(s): Germania. Range (in code): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE EE LV LT RU Sb Ya MD Cm UA BY GG AZ Len Cc KG Ssn CN Ui MN At _ Bionomy: Larva on Artemisia campestris, A. vulgaris, Festuca, Hieracium, Plantago (Meyer,1919).
- 29712. *Spiris striata striata* (Linnaeus,1758)** (Arctiidae) Synonym(s): *striata* Linnaeus,1758; *grammica* Linnaeus,1758; *funerea* Eversmann,1847; *strandii* Obratzsov,1936; *slovenica* Daniel,1939; *wisniewskii* Wojtusiak & Niesielowski,1946; *hospitali* Marten,1948. _ Original Reference: Phalaena striata Linnaeus,1758, Syst. Nat. (Edn.10)1: 502. Type(s): Germania. Range (in code): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY DK SE EE LV LT RU Sb Ya MD Cm UA BY GG AZ Len Cc KG Ssn CN Ui MN
- 29713. *Stenarcha stenopa* (Meyrick,1886)** (Arctiidae) Synonym(s): *stenopa* Meyrick,1886 _ Range (in code): AU
- 29714. *Stenarctia abdominalis* (Rothschild,1910)** (Arctiidae) Synonym(s): *abdominalis* Rothschild,1910 _ Range (in code): SL CM AO
- 29715. *Stenarctia quadripunctata* Aurivillius,1900** (Arctiidae) Synonym(s): *quadripunctata* Aurivillius,1900 _ Range (in code): CM AO ZR UG?

- 29716. *Stenartia rothi* (Rothschild,1933)** (Arctiidae) Synonym(s): *rothi* Rothschild,1933
Range (in code): **NG**
- 29717. *Stenoscapia venusta* (Lucas,1890)** (Arctiidae) Synonym(s): *venusta* Lucas,1890
Range (in code): **AU**
- 29718. *Stenucha dolens* (Druce,1897)** (Arctiidae) Synonym(s): *dolens* Druce,1897; *minca* Schaus,1905; *noctella* Dyar,1910; *melas* Dyar,1912 _ Range (in code): **MX**
- 29719. *Stictane bipunctulata* (Van Eecke,1927)** (Arctiidae) Synonym(s): *bipunctulata* Van Eecke,1927 _ Range (in code): **ID Sum**
- 29720. *Stictane fractilinea* (Snellen,1880)** (Arctiidae) Synonym(s): *fractilinea* Snellen,1880; *?multipuncta* Hampson,1893 _ Range (in code): **LK Dck**
- 29721. *Stictane fusca* (Hampson,1901)** (Arctiidae) Synonym(s): *fusca* Hampson,1901 _ Range (in code): **LK**
- 29722. *Stictane obliquilinea* Hampson,1900** (Arctiidae) Synonym(s): *obliquilinea* Hampson,1900
Range (in code): **LK**
- 29723. *Stictane rectilinea* (Snellen,1879)** (Arctiidae) Synonym(s): *rectilinea* Snellen,1879
Range (in code): **CN SG ID Clb**
- 29724. *Stictane umbrata* (Van Eecke,1927)** (Arctiidae) Synonym(s): *umbrata* Van Eecke,1927
Range (in code): **ID Sum**
- 29725. *Stigmatophora palmata* (Moore,1878)** (Arctiidae) Synonym(s): *palmata* Moore,1878
Range (in code): **IN Hp Drm Ass PK Haz Mre**
- 29726. *Stigmatophora roseivena* (Hampson,1894)** (Arctiidae) Synonym(s): *roseivena* Hampson,1894 _ Range (in code): **MM**
- 29727. *Stigmatophora strigivenata* (Hampson,1894)** (Arctiidae) Synonym(s): *strigivenata* Hampson,1894 _ Range (in code): **MM Peg**
- 29728. *Sychesia dryas* (Cramer,1775)** (Arctiidae) Synonym(s): *dryas* Cramer,1775 _ Range (in code): **MX**
- 29729. *Symmetrodes platymelas* Turner,1940** (Arctiidae) Synonym(s): *platymelas* Turner,1940
Range (in code): **AU**
- 29730. *Symmetrodes sciocosma* Meyrick,1888** (Arctiidae) Synonym(s): *sciocosma* Meyrick,1888; *ectophaea* Hampson,1900; *atrifusa* Hampson,1900; *reducta* Draudt,1914 nec Roth.,1913; *reductana* Strand,1922. _ Range (in code): **AU**
- 29731. *Symphlebia alinda* (Dyar,1909)** (Arctiidae) Synonym(s): *alinda* Dyar,1909 _ Range (in code): **MX**
- 29732. *Symphlebia herbosa* (Schaus,1910)** (Arctiidae) Synonym(s): *herbosa* Schaus,1910
Range (in code): **MX CR**
- 29733. *Symphlebia jalapa* (Druce,1894)** (Arctiidae) Synonym(s): *jalapa* Druce,1894 _ Range (in code): **MX**
- 29734. *Symphlebia juvenis* (Schaus,1896)** (Arctiidae) Synonym(s): *juvenis* Schaus,1896
Range (in code): **MX**
- 29735. *Symphlebia lophocampoides* R.Felder,1874** (Arctiidae) Synonym(s): *lophocampoides* R.Felder,1874 _ Range (in code): **MX**
- 29736. *Tajigyna gansoni* Dubatolov,1990** (Arctiidae) Synonym(s): *gansoni* Dubatolov,1990
Range (in code):
- 29737. *Tajigyna gansoni gansoni* Dubatolov,1990** (Arctiidae) Synonym(s): *gansoni* Dubatolov,1990 _ Range (in code):
- 29738. *Talara rubida* Schaus,1911** (Arctiidae) Synonym(s): *rubida* Schaus,1911 _ Range (in code): **MX CR**
- 29739. *Talara synnephela* Dyar,1916** (Arctiidae) Synonym(s): *synnephela* Dyar,1916 _ Range (in code): **MX**
- 29740. *Tancrea pardalina* Püngeler,1898** (Arctiidae) Synonym(s): *pardalina* Püngeler,1898
Original Reference: *Tancrea pardalina* Püngeler,1898, Societ. Ent. 13: 57. Type ♂: [Uighur A.R.]: "Ili flumen". Range (in code): **KG Tk Dj Ii TM CN Ui Kun**
- 29741. *Tancrea pardalina pardalina* Püngeler,1898** (Arctiidae) Synonym(s): *pardalina* Püngeler,1898
Original Reference: *Tancrea pardalina* Püngeler,1898, Societ. Ent. 13: 57. Type ♂: [Uighur A.R.]: "Ili flumen". Range (in code): **KG Tk Dj Ii TM CN Ui Kun**

- 29742. *Tarika varana* (Moore,1865)** (Arctiidae) Synonym(s): *varana* Moore,1865 Original Reference: *Lithosia varana* Moore,1865, Proc. zool. Soc. London 1865: 797. Syntypes: "Darjeeling" (BMNH). Range (in code): **IN Apr SI Djl Ass TH CN**
- 29743. *Tatargina (Hindargina) ceylonensis* (Hampson,1901)** (Arctiidae) Synonym(s): *ceylonensis* Hampson,1901 Range (in code): **LK**
- 29744. *Tatargina (Hindargina) pannosa* (Moore,1879)** (Arctiidae) Synonym(s): *pannosa* Moore,1879 Range (in code): **NP IN Hp Kgr Sml Up PK Haz Mre Swa Kkar**
- 29745. *Tatargina (Hindargina) sipahi* (Moore,1872)** (Arctiidae) Synonym(s): *sipahi* Moore,1872 Original Reference: *Aloa sipahi* Moore,1872, Proc. zool. Soc. Lond. 1872: 573. Range (in code): **IN Mh Bba**
- 29746. *Tatargina (s.str.) picta* (Walker,[1865])** (Arctiidae) Synonym(s): *picta* Walker,[1865]; *formosa* Butler,1877; *#lutea* Rothschild,1914 Original Reference: *Deiopeia picta* Walker,[1865], List Spec. Lepid. Ins. Colln Br. Mus. 31: 263-264. Type: [Myanmar]: Moulmeine. Range (in code): **MM Mm VN KH CN Kwa Yu Hn TW TH Ri**
- 29747. *Teliusna bipectinis* Fang,2000** (Arctiidae) Synonym(s): *bipectinis* Fang,2000 Range (in code): **CN Yu Kwa Hn**
- 29748. *Teliusna plagiata* Walker,1862** (Arctiidae) Synonym(s): *plagiata* Walker,1862 Range (in code):
- 29749. *Teracotona abyssinica* (Rothschild,1933)** (Arctiidae) Synonym(s): *abyssinica* Rothschild,1933 Range (in code): **ET KE**
- 29750. *Teracotona alicia* (Hampson,1911)** (Arctiidae) Synonym(s): *alicia* Hampson,1911 Original Reference: *Seirarctia alicia* Hampson,1911, Ann. Mag. nat. Hist. (8) 8: 410-411. Type ♂: [Kenya]: Br. E. Africa, Bueni (Neave). Range (in code): **KE**
- 29751. *Teracotona approximans* (Rothschild,1917)** (Arctiidae) Synonym(s): *approximans* Rothschild,1917 Range (in code): **TZ KE UG**
- 29752. *Teracotona buryi* Rothschild,1910** (Arctiidae) Synonym(s): *buryi* Rothschild,1910 Range (in code): **GH NG**
- 29753. *Teracotona clara* Holland,1892** (Arctiidae) Synonym(s): *clara* Holland,1892 Range (in code): **ET TZ KE**
- 29754. *Teracotona clara clara* Holland,1892** (Arctiidae) Synonym(s): *clara* Holland,1892 Range (in code): **TZ KE**
- 29755. *Teracotona clara rubiginea* (Toulgoet,1977)** (Arctiidae) Synonym(s): *rubiginea* Toulgoet,1977 Range (in code): **ET**
- 29756. *Teracotona euprepia* Hampson,1900** (Arctiidae) Synonym(s): *euprepia* Hampson,1900 Range (in code): **MW TZ AO ZA ZW MZ ZM**
- 29757. *Teracotona euprepia bicolor* Toulgoet,1980** (Arctiidae) Synonym(s): *bicolor* Toulgoet,1980 Range (in code): **MW TZ**
- 29758. *Teracotona euprepia euprepia* Hampson,1900** (Arctiidae) Synonym(s): *euprepia* Hampson,1900 Range (in code): **AO ZW ZA**
- 29759. *Teracotona euprepioides* Wichgraf,1921** (Arctiidae) Synonym(s): *euprepioides* Wichgraf,1921 Range (in code): **AO**
- 29760. *Teracotona homeyeri* Rothschild,1910** (Arctiidae) Synonym(s): *homeyeri* Rothschild,1910 Range (in code): **AO TZ**
- 29761. *Teracotona immaculata* Wichgraf,1921** (Arctiidae) Synonym(s): *immaculata* Wichgraf,1921 Range (in code): **AO**
- 29762. *Teracotona jacksoni* (Rothschild,1910)** (Arctiidae) Synonym(s): *jacksoni* Rothschild,1910 Range (in code): **KE Nai**
- 29763. *Teracotona latifasciata* Carcasson,1965** (Arctiidae) Synonym(s): *latifasciata* Carcasson,1965 Range (in code): **TZ**
- 29764. *Teracotona melanocera* (Hampson,1920)** (Arctiidae) Synonym(s): *melanocera* Hampson,1920 Range (in code): **TZ KE UG**
- 29765. *Teracotona metaxantha* (Hampson,1909)** (Arctiidae) Synonym(s): *metaxantha* Hampson,1909 Range (in code): **ZW ZA Tva**
- 29766. *Teracotona mirabilis* Bartel,1903** (Arctiidae) Synonym(s): *mirabilis* Bartel,1903 Dt. ent. Z., Iris 16: Range (in code): **MW**
- 29767. *Teracotona multistrigata* Joicey & Talbot,1924** (Arctiidae) Synonym(s): *multistrigata* Joicey & Talbot,1924 Range (in code): **ZR RW**

- 29768. *Teracotona murtafaa* Wiltshire,1980** (Arctiidae) Synonym(s): *murtafaa* Wiltshire,1980
Range (in code): OM
- 29769. *Teracotona neumanni* Rothschild,1933** (Arctiidae) Synonym(s): *neumanni* Rothschild,1933 Range (in code): ET
- 29770. *Teracotona pallida* Joicey & Talbot,1924** (Arctiidae) Synonym(s): *pallida* Joicey & Talbot,1924 Range (in code): RW
- 29771. *Teracotona pardalina* Bartel,1903** (Arctiidae) Synonym(s): *pardalina* Bartel,1903; *flavipennis* Bartel,1903; *rufipennis* Strand,1909 Dt. ent. Z., Iris 16: Range (in code): UG ZR KE TZ ZA
- 29772. *Teracotona pitmanni* Rothschild,1933** (Arctiidae) Synonym(s): *pitmanni* Rothschild,1933
Range (in code): KE Nai
- 29773. *Teracotona pitmanni major* Rothschild,1933** (Arctiidae) Synonym(s): *major* Rothschild,1933 Range (in code): KE Nai
- 29774. *Teracotona pitmanni pitmanni* Rothschild,1933** (Arctiidae) Synonym(s): *pitmanni* Rothschild,1933 Range (in code): KE
- 29775. *Teracotona proditrix* (Berio,1939)** (Arctiidae) Synonym(s): *proditrix* Berio,1939
Range (in code): ER
- 29776. *Teracotona pruinosa* Joannis,1912** (Arctiidae) Synonym(s): *pruinosa* Joannis,1912
Range (in code): ER
- 29777. *Teracotona rhodophaea* (Walker,[1865])** (Arctiidae) Synonym(s): *rhodophaea* Walker,[1865]; *debilis* R.Felder & Rogenhofer,1874 Range (in code): BW NA ZA
- 29778. *Teracotona seminigra* (Hampson,1905)** (Arctiidae) Synonym(s): *seminigra* Hampson,1905 Range (in code): ET
- 29779. *Teracotona senegalensis* Rothschild,1933** (Arctiidae) Synonym(s): *senegalensis* Rothschild,1933 Range (in code): SN
- 29780. *Teracotona subapproximans* Rothschild,1933** (Arctiidae) Synonym(s): *subapproximans* Rothschild,1933 Range (in code):
- 29781. *Teracotona submacula* Walker,1855** (Arctiidae) Synonym(s): *submacula* Walker,1855; *roseata* Butler,1878 Range (in code): ZA Cto Nta Kzu Tva NA
- 29782. *Teracotona subterminata* Hampson,1901** (Arctiidae) Synonym(s): *subterminata* Hampson,1901; *sordida* Rothschild,1917 Range (in code): ET KE
- 29783. *Teracotona translucens* (Grünberg,1907)** (Arctiidae) Synonym(s): *translucens* Grünberg,1907; *subflava* Joicey & Talbot,1924 Range (in code): ZR UG RW
- 29784. *Teracotona trifasciata* Bartel,1903** (Arctiidae) Synonym(s): *trifasciata* Bartel,1903
Range (in code): AO
- 29785. *Teracotona uhrikmeszarosi* Szent-Ivany,1942** (Arctiidae) Synonym(s): *uhrikmeszarosi* Szent-Ivany,1942 Range (in code): TZ
- 29786. *Teracotona wittei* (Debauche,1942)** (Arctiidae) Synonym(s): *wittei* Debauche,1942
Range (in code): ZR UG RW
- 29787. *Termessa catocalina* (Walker,[1865])** (Arctiidae) Synonym(s): *catocalina* Walker,[1865]
Range (in code): AU
- 29788. *Termessa congrua* (Walker,[1865])** (Arctiidae) Synonym(s): *congrua* Walker,[1865]
Range (in code): AU
- 29789. *Termessa conographa* (Meyrick,1886)** (Arctiidae) Synonym(s): *conographa* Meyrick,1886 Range (in code): AU
- 29790. *Termessa diplographa* Turner,1899** (Arctiidae) Synonym(s): *diplographa* Turner,1899
Range (in code): AU
- 29791. *Termessa discrepans* (Walker,[1865])** (Arctiidae) Synonym(s): *discrepans* Walker,[1865]; *hamula* Felder,1874; *#samula* Seitz,1914 Range (in code): AU
- 29792. *Termessa gratiosa* (Walker,[1865])** (Arctiidae) Synonym(s): *gratiosa* Walker,[1865]
Range (in code): AU
- 29793. *Termessa laeta* (Walker,1856)** (Arctiidae) Synonym(s): *laeta* Walker,1856 Range (in code): AU
- 29794. *Termessa nivosa* (Walker,1865)** (Arctiidae) Synonym(s): *nivosa* Walker,1865 Range (in code): AU
- 29795. *Termessa orthocrossa* Turner,1922** (Arctiidae) Synonym(s): *orthocrossa* Turner,1922
Range (in code): AU

- 29796. Termessa shepherdii Newman, 1856** (Arctiidae) Synonym(s): *shepherdii* Newman, 1856
Range (in code): **AU**
- 29797. Termessa xanthomelas (Lower, 1892)** (Arctiidae) Synonym(s): *xanthomelas* Lower, 1892;
terpnodes Turner, 1940 Range (in code): **AU**
- 29798. Termessa zonophanes (Meyrick, 1888)** (Arctiidae) Synonym(s): *zonophanes*
Meyrick, 1888 Range (in code): **AU**
- 29799. Tesselarctia walterei Beutelspacher, 1984** (Arctiidae) Synonym(s): *walterei*
Beutelspacher, 1984 Range (in code): **MX**
- 29800. Teulisna atratella (Walker, 1864)** (Arctiidae) Synonym(s): *atratella* Walker, 1864
Range (in code): **ID Ja**
- 29801. Teulisna basigera (Walker, [1865])** (Arctiidae) Synonym(s): *basigera* Walker, [1865]; *ruma*
Swinhoe, [1890] Range (in code): **IN NI**
- 29802. Teulisna berthae Butler, 1877** (Arctiidae) Synonym(s): *berthae* Butler, 1877 Range (in
code): **ID Ja**
- 29803. Teulisna bipunctata (Walker, 1866)** (Arctiidae) Synonym(s): *bipunctata* Walker, 1866;
mysolica Swinhoe, 1892; *dinawa* Bethune-Baker, 1904; *dinawa* Hampson, 1894 Range (in code): **AU QAU ID**
Mi PG Ls
- 29804. Teulisna chiloides Walker, 1862** (Arctiidae) Synonym(s): *chiloides* Walker, 1862; *torta*
Walker, 1862; *humeralis* Walker, 1866 Range (in code): **MY Bor Swk ID Sum AU QAU Sbw Clb**
- 29805. Teulisna curviplaga (Rothschild, 1912)** (Arctiidae) Synonym(s): *curviplaga*
Rothschild, 1912 Range (in code): **MY Bor**
- 29806. Teulisna murina (Heylaerts, 1891)** (Arctiidae) Synonym(s): *murina* Heylaerts, 1891
Range (in code): **ID Ja**
- 29807. Teulisna nebulosa (Walker, 1862)** (Arctiidae) Synonym(s): *nebulosa* Walker, 1862;
perdentata Druce, 1899 Range (in code): **MY Prk Bor Swk**
- 29808. Teulisna pendleburyi Holloway, 1982** (Arctiidae) Synonym(s): *pendleburyi* Holloway, 1982
Range (in code): **MY Pah**
- 29809. Teulisna plagiata Walker, 1862** (Arctiidae) Synonym(s): *plagiata* Walker, 1862 Range
(in code): **MY Bor Swk**
- 29810. Teulisna pseudochiloides Holloway, 2001** (Arctiidae) Synonym(s): *pseudochiloides*
Holloway, 2001 Range (in code): **MY Bor Swk**
- 29811. Teulisna quadratella Holloway, 2001** (Arctiidae) Synonym(s): *quadratella* Holloway, 2001
Range (in code): **MY Bor Swk**
- 29812. Teulisna reflexa Holloway, 2001** (Arctiidae) Synonym(s): *reflexa* Holloway, 2001
Range (in code): **MY Bor Sbh KBa**
- 29813. Teulisna tricornuta Holloway, 2001** (Arctiidae) Synonym(s): *tricornuta* Holloway, 2001
Range (in code): **MY Bor Swk**
- 29814. Teulisna tumida (Walker, 1862)** (Arctiidae) Synonym(s): *tumida* Walker, 1862; *basistriga*
Moore, 1878; *baibarensis* Matsumura, 1927 Range (in code): **LK Pdy TW IN MY Bor Swk**
- 29815. Teulisna uniformis (Hampson, 1894)** (Arctiidae) Synonym(s): *uniformis* Hampson, 1894
Range (in code): **MM Tns**
- 29816. Thallarcha albicollis R. Felder & Rogenhofer, 1875** (Arctiidae) Synonym(s): *albicollis*
R. Felder & Rogenhofer, 1875; *chionea* Turner, 1899 Range (in code): **AU**
- 29817. Thallarcha catasticta Lower, 1915** (Arctiidae) Synonym(s): *catasticta* Lower, 1915
Range (in code): **AU**
- 29818. Thallarcha chrysochaes (Meyrick, 1886)** (Arctiidae) Synonym(s): *chrysochaes*
Meyrick, 1886; *cosmia* Turner, 1899 Range (in code): **AU**
- 29819. Thallarcha chrysochoa (Meyrick, 1886)** (Arctiidae) Synonym(s): *chrysochoa*
Meyrick, 1886 Range (in code): **AU**
- 29820. Thallarcha cosmodes Turner, 1940** (Arctiidae) Synonym(s): *cosmodes* Turner, 1940
Range (in code): **AU**
- 29821. Thallarcha epicela Turner, 1922** (Arctiidae) Synonym(s): *epicela* Turner, 1922 Range
(in code): **AU**
- 29822. Thallarcha epigypsa (Lower, 1902)** (Arctiidae) Synonym(s): *epigypsa* Lower, 1902
Range (in code): **AU**
- 29823. Thallarcha epileuca Turner, 1922** (Arctiidae) Synonym(s): *epileuca* Turner, 1922
Range (in code): **AU**

- 29824. *Thallarcha epiostola* Turner,1926** (Arctiidae) Synonym(s): *epiostola* Turner,1926
Range (in code): AU
- 29825. *Thallarcha eremicola* Pescott,1951** (Arctiidae) Synonym(s): *eremicola* Pescott,1951
Range (in code): AU
- 29826. *Thallarcha erotis* Turner,1914** (Arctiidae) Synonym(s): *erotis* Turner,1914 - Range (in code): AU
- 29827. *Thallarcha fusa* Hampson,1900** (Arctiidae) Synonym(s): *fusa* Hampson,1900 - Range (in code): AU
- 29828. *Thallarcha homoschema* Turner,1940** (Arctiidae) Synonym(s): *homoschema* Turner,1940
Range (in code): AU
- 29829. *Thallarcha isophragma* (Meyrick,1886)** (Arctiidae) Synonym(s): *isophragma* Meyrick,1886; *pallida* Lucas,1892 - Range (in code): AU
- 29830. *Thallarcha jocularis* (Rosenstock,1885)** (Arctiidae) Synonym(s): *jocularis* Rosenstock,1885 - Range (in code): AU
- 29831. *Thallarcha lechrioleuca* Turner,1940** (Arctiidae) Synonym(s): *lechrioleuca* Turner,1940
Range (in code): AU
- 29832. *Thallarcha leptographa* Turner,1899** (Arctiidae) Synonym(s): *leptographa* Turner,1899
Range (in code): AU
- 29833. *Thallarcha levis* Turner,1943** (Arctiidae) Synonym(s): *levis* Turner,1943 - Range (in code): AU
- 29834. *Thallarcha lochaga* (Meyrick,1886)** (Arctiidae) Synonym(s): *lochaga* Meyrick,1886
Range (in code): AU
- 29835. *Thallarcha macilenta* (Lucas,1894)** (Arctiidae) Synonym(s): *macilenta* Lucas,1894
Range (in code): AU
- 29836. *Thallarcha mochlina* (Turner,1899)** (Arctiidae) Synonym(s): *mochlina* Turner,1899
Range (in code): AU
- 29837. *Thallarcha multifasciata* Holloway,1979** (Arctiidae) Synonym(s): *multifasciata* Holloway,1979 - Range (in code): NC
- 29838. *Thallarcha oblita* (R.Felder & Rogenhofer,1875)** (Arctiidae) Synonym(s): *oblita* R.Felder & Rogenhofer,1875 - Range (in code): AU
- 29839. *Thallarcha partita* (Walker,1869)** (Arctiidae) Synonym(s): *partita* Walker,1869; *tineoides* R.Felder & Rogenhofer,1874; *amanda* R.Felder & Rogenhofer,1875 - Range (in code): AU
- 29840. *Thallarcha pallax* Turner,1940** (Arctiidae) Synonym(s): *pallax* Turner,1940 - Range (in code): AU
- 29841. *Thallarcha phalarota* (Meyrick,1886)** (Arctiidae) Synonym(s): *phalarota* Meyrick,1886; *phaedropa* Meyrick,1886; *aurantiacea* Lucas,1890. - Range (in code): AU
- 29842. *Thallarcha polystigma* Turner,1943** (Arctiidae) Synonym(s): *polystigma* Turner,1943
Range (in code): AU
- 29843. *Thallarcha rhapsophora* Lower,1915** (Arctiidae) Synonym(s): *rhapsophora* Lower,1915
Range (in code): AU
- 29844. *Thallarcha sparsana* (Walker,1863)** (Arctiidae) Synonym(s): *sparsana* Walker,1863; *gracilis* Butler,1877; *#sparsanoides* Strand,1922; *#sparsanella* Strand,1922 - Range (in code): AU
- 29845. *Thallarcha staurocola* (Meyrick,1886)** (Arctiidae) Synonym(s): *staurocola* Meyrick,1886
Range (in code): AU
- 29846. *Thallarcha stramenticolor* Turner,1940** (Arctiidae) Synonym(s): *stramenticolor* Turner,1940 - Range (in code): AU
- 29847. *Thallarcha trissomochla* Turner,1940** (Arctiidae) Synonym(s): *trissomochla* Turner,1940
Range (in code): AU
- 29848. *Thallarcha zophophanes* Turner,1940** (Arctiidae) Synonym(s): *zophophanes* Turner,1940
Range (in code): AU
- 29849. *Threnosia agraphes* Turner,1940** (Arctiidae) Synonym(s): *agraphes* Turner,1940
Range (in code): AU
- 29850. *Threnosia heminephes* (Meyrick,1886)** (Arctiidae) Synonym(s): *heminephes* Meyrick,1886 - Range (in code): AU
- 29851. *Threnosia hypopolia* Turner,1940** (Arctiidae) Synonym(s): *hypopolia* Turner,1940
Range (in code): AU

- 29852. *Threnosia myochroa* Turner,1940** (Arctiidae) Synonym(s): *myochroa* Turner,1940
Range (in code): AU
- 29853. *Thumatha fuscescens* Walker,1866** (Arctiidae) Synonym(s): *fuscescens* Walker,1866;
infantula Saalmüller,1879; *rava* Lucas,1890 Range (in code): AU ZA
- 29854. *Thumatha inconstans* Butler,1896** (Arctiidae) Synonym(s): *inconstans* Butler,1896
Range (in code): ZA
- 29855. *Thumatha senex* (Hübner,[1808])** (Arctiidae) Synonym(s): *senex* Hübner,[1808]; *syriaca* Daniel,1939. Original Reference: *Bombyx senex* Hübner,[1808], Samml. eur. Schmett. 3: pl.55, figs.236,237. Syntypes: Europa. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva feeds on lichens and mooses, *Peltigera canina* (Peltigeraceae), *Hypnum sericeum* (Hypnaceae), *Weissia serrata* (Pottiaceae) (South,1907).
- 29856. *Thumathoides fumosa* Holloway,1979** (Arctiidae) Synonym(s): *fumosa* Holloway,1979
Range (in code): NC
- 29857. *Thysanoprymna roseocincta* (Seitz,1925)** (Arctiidae) Synonym(s): *roseocincta* Seitz,1925
Range (in code): MX CO
- 29858. *Thysanoprymna superba* (Schaus,1889)** (Arctiidae) Synonym(s): *superba* Schaus,1889
Range (in code): MX
- 29859. *Tigrioides alterna* (Walker,1854)** (Arctiidae) Synonym(s): *alterna* Walker,1854; *histrionica* Herrich-Schäffer,1855; *transversa* Walker,[1865] Range (in code): AU
- 29860. *Tigrioides nitens* (Walker,[1865])** (Arctiidae) Synonym(s): *nitens* Walker,[1865]; *remota* Walker,1869; *unicolor* Lucas,1890 Range (in code): AU
- 29861. *Tigrioides quadrinotata* (Walker,1864)** (Arctiidae) Synonym(s): *quadrinotata* Walker,1864 Range (in code): ZA
- 29862. *Tinoliodes benguetensis* Wileman,1915** (Arctiidae) Synonym(s): *benguetensis* Wileman,1915 Original Reference: *Tinoliodes benguetensis* Wileman,1915, Entomologist 48: 110. Type: Philippines, N.Luzon, Palali, Benguet. Range (in code): PH Luz Mno
- 29863. *Tinoliodes dehanna* (Pagenstecher,1885)** (Arctiidae) Synonym(s): *dehanna* Pagenstecher,1885; *ruberrima* Roepke,1947; *javana* Roepke,1947; *borneana* Roepke,1947 Range (in code): ID Ja Sum Bor
- 29864. *Toulgarctia griveaudi* (Toulgoet,1956)** (Arctiidae) Synonym(s): *griveaudi* Toulgoet,1956
Range (in code): MG
- 29865. *Toulgarctia luteoradians* (Toulgoet,1954)** (Arctiidae) Synonym(s): *luteoradians* Toulgoet,1954 Range (in code): MG
- 29866. *Toulgarctia luteoradians jugicola* (Toulgoet,1976)** (Arctiidae) Synonym(s): *jugicola* Toulgoet,1976 Range (in code): MG
- 29867. *Toulgarctia luteoradians monochroma* (Toulgoet,1984)** (Arctiidae) Synonym(s): *madagascariensis* Rothschild,1933 nec Butl.,1882; *monochroma* Toulgoet,1984 Range (in code): MG
- 29868. *Toulgarctia milloti* (Toulgoet,1954)** (Arctiidae) Synonym(s): *milloti* Toulgoet,1954
Range (in code): MG
- 29869. *Toulgarctia viettei* (Toulgoet,1954)** (Arctiidae) Synonym(s): *viettei* Toulgoet,1954
Range (in code): MG
- 29870. *Toulgarctia vieui* (Toulgoet,1956)** (Arctiidae) Synonym(s): *vieui* Toulgoet,1956 Range (in code): MG
- 29871. *Tricypha imperialis* Heylaerts,1884** (Arctiidae) Synonym(s): *imperialis* Heylaerts,1884
Range (in code): MX BR
- 29872. *Trischalis absconditana* (Walker,1863)** (Arctiidae) Synonym(s): *absconditana* Walker,1863; *flava* Hampson,1893; *abbreviata* Seitz,1914 Range (in code): LK Nwp MY Bor Swk
- 29873. *Trischalis aureoplagiata* (Rothschild,1913)** (Arctiidae) Synonym(s): *aureoplagiata* Rothschild,1913 Range (in code): AU
- 29874. *Trischalis convoluta* Hampson,1918** (Arctiidae) Synonym(s): *convoluta* Hampson,1918
Range (in code): PH
- 29875. *Trischalis iridescens* Rothschild,1913** (Arctiidae) Synonym(s): *iridescens* Rothschild,1913; *orientalis* Rothschild,1913 Range (in code): PG
- 29876. *Trischalis subaurana* (Walker,1863)** (Arctiidae) Synonym(s): *subaurana* Walker,1863
Range (in code): Adm

- 29877. Trissobrocha eugraphica Turner,1914** (Arctiidae) Synonym(s): *eugraphica* Turner,1914
Range (in code): **AU**
- 29878. Tuina cingulata (Walker,1854)** (Arctiidae) Synonym(s): *cingulata* Walker,1854 Range (in code): **MX GT HN**
- 29879. Tumicla sagenaria (Wallengren,1860)** (Arctiidae) Synonym(s): *sagenaria* Wallengren,1860 Range (in code): **ZA**
- 29880. Turuptiana lacipecta (Druce,1890)** (Arctiidae) Synonym(s): *lacipecta* Druce,1890 Range (in code): **MX GT**
- 29881. Turuptiana obliqua Walker,1869** (Arctiidae) Synonym(s): *obliqua* Walker,1869; *ochrostera* R.Felder,1874; *perfecta* Edwards,1884 Range (in code): **MX CR**
- 29882. Tylanthus ptochias Meyrick,1889** (Arctiidae) Synonym(s): *ptochias* Meyrick,1889; *lousiadensis* Rothschild,1913 Range (in code): **AU PG**
- 29883. Tyria jacobaeae (Linnaeus,1758)** (Arctiidae) Synonym(s): *jacobaeae* Linnaeus,1758; *senecionis* Godart,1823; *confluens* Schultz,1908. Original Reference: *Phalaena jacobaeae* Linnaeus,1758, Syst. Nat. (Edn.10): 511. Type(s): [Europa]. Range (in code): **PT ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD Cm UA BY GG Lag Der Da Cc AZ AM Nv Sb KG Lps UZ KK KG TJ CN Ui CA BCo US Cf Org TS NZ AU**
Bionomy: Larva on *Senecio jacobaeae*, *S.paludosus*, *S.vulgaris*, *S.vernalis*, *Tussilago farfara* (Asteraceae) (Linnaeus,1758; Seitz,1910; Meyer,1919; Seven,1996).
- 29884. Urozana cordatula (Druce,1885)** (Arctiidae) Synonym(s): *cordatula* Druce,1885
Range (in code): **MX GT**
- 29885. Utetheisa (Atasca) aegrotata (Swinhoe,1892)** (Arctiidae) Synonym(s): *aegrotum* Swinhoe,1892; *mckieana* Lucas,1898 Original Reference: *Leptosoma aegrotum* Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 145, Pl.v fig.15. Type ♀: [Australia]: New South Wales. Range (in code): **AU QAU NSW**
- 29886. Utetheisa (Atasca) pellex (Linnaeus,1758)** (Arctiidae) Synonym(s): *pellex* Linnaeus,1758; *artemis* Boisduval,1832; *amosa* Swinhoe,1903; *tangens* Seitz,1915. Original Reference: *Phalaena Noctua pellex* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 510. Type(s): India. Range (in code): **PG Bgv ID Tnm Kai SB**
- 29887. Utetheisa (Atasca) pellex albipuncta (Druce,1888)** (Arctiidae) Synonym(s): *albipuncta* Druce,1888; *zoilides* Prout,1920 Range (in code): **SB PG**
- 29888. Utetheisa (Atasca) pellex bougainvillensis Strand,1916** (Arctiidae) Synonym(s): *bougainvillensis* Strand,1916 Range (in code): **PG Bgv**
- 29889. Utetheisa (Atasca) pellex frosti (Prout,1918)** (Arctiidae) Synonym(s): *frosti* Prout,1918
Range (in code): **ID Kai**
- 29890. Utetheisa (Atasca) pellex pellex (Linnaeus,1758)** (Arctiidae) Synonym(s): *pellex* Linnaeus,1758; *artemis* Boisduval,1832; *amosa* Swinhoe,1903; *tangens* Seitz,1915. Original Reference: *Phalaena Noctua pellex* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 510. Type(s): India. Range (in code): **PG Bgv ID Tnm Kai SB**
- 29891. Utetheisa (Atasca) pellex pervecta Prout,1920** (Arctiidae) Synonym(s): *pervecta* Prout,1920 Range (in code): **ID Tnm**
- 29892. Utetheisa (Atasca) pellex signata (Butler,1878)** (Arctiidae) Synonym(s): *signata* Butler,1878 Range (in code): **PG**
- 29893. Utetheisa (Atasca) timorensis Roepke,1954** (Arctiidae) Synonym(s): *timorensis* Roepke,1954 Range (in code): **Tim ID**
- 29894. Utetheisa (Pitasila) abraxoides (Walker,1862)** (Arctiidae) Synonym(s): *abraxoides* Walker,1862 Range (in code): **ID Bor**
- 29895. Utetheisa (Pitasila) fractifascia (Wileman,1911)** (Arctiidae) Synonym(s): *fractifascia* Wileman,1911; *basistrigata* Reich,1932. Range (in code): **TW**
- 29896. Utetheisa (Pitasila) guttulosa (Walker,1864)** (Arctiidae) Synonym(s): *guttulosa* Walker,1864; *abraxata* Snellen,1879 Range (in code): **ID Clb**
- 29897. Utetheisa (Pitasila) latifascia (Hopffer,1874)** (Arctiidae) Synonym(s): *latifascia* Hopffer,1874 Range (in code): **ID Clb**
- 29898. Utetheisa (Pitasila) leucospilota (Moore,1877)** (Arctiidae) Synonym(s): *leucospilota* Moore,1877 Range (in code): **IN Adm**
- 29899. Utetheisa (Pitasila) macklotti (Snellen,1863)** (Arctiidae) Synonym(s): *macklotti* Snellen,1863 Range (in code): **ID Crm Flo Amb**

- 29900. Utetheisa (Pitasila) okinawensis (Inoue,1982)** (Arctiidae) Synonym(s): *okinawensis* Inoue,1982 _ Range (in code): JP
- 29901. Utetheisa (Pitasila) oroya (Swinhoe,1903)** (Arctiidae) Synonym(s): *oroya Swinhoe,1903* _ Range (in code): ID Sla Mlc PG
- 29902. Utetheisa (Pitasila) sangira (Swinhoe,1903)** (Arctiidae) Synonym(s): *sangira Swinhoe,1903; distincta Swinhoe,1903* _ Range (in code): ID Sgr
- 29903. Utetheisa (Pitasila) selecta (Walker,1854)** (Arctiidae) Synonym(s): *selecta Walker,1854; bijunctella Walker,1866; bipunctella Kirby,1892; disrupta Butler,1887* _ Range (in code): PW TW IN Bru Adm PH ID TH MY Bor Clb Amb? Crm?
- 29904. Utetheisa (Pitasila) selecta burica (Holland,1900)** (Arctiidae) Synonym(s): *burica Holland,1900* _ Range (in code): ID Bru
- 29905. Utetheisa (Pitasila) selecta inconstans (Butler,1880)** (Arctiidae) Synonym(s): *inconstans Butler,1880; brylancik Bryk,1937* _ Range (in code): TW
- 29906. Utetheisa (Pitasila) selecta selecta (Walker,1854)** (Arctiidae) Synonym(s): *selecta Walker,1854; bijunctella Walker,1866; bipunctella Kirby,1892; disrupta Butler,1887* _ Range (in code): IN Adm PH ID TH MY Bor Clb Amb? Crm?
- 29907. Utetheisa (Pitasila) selecta similis (Swinhoe,1917)** (Arctiidae) Synonym(s): *similis Swinhoe,1917; angalensis Matsumura,1930* _ Range (in code): PW
- 29908. Utetheisa (Pitasila) selecta vollenhovii (Snellen,1890)** (Arctiidae) Synonym(s): *vollenhovii Snellen,1890* _ Range (in code): ID Clb
- 29909. Utetheisa (Pitasila) specularis (Walker,1856)** (Arctiidae) Synonym(s): *specularis Walker,1856; confluens Felder,1861* _ Range (in code): ID Clb Crm Amb
- 29910. Utetheisa (Pitasila) specularis specularis (Walker,1856)** (Arctiidae) Synonym(s): *specularis Walker,1856; confluens Felder,1861* _ Range (in code): ID Crm Amb
- 29911. Utetheisa (Pitasila) specularis transiens (Jurriaanse,1919)** (Arctiidae) Synonym(s): *transiens Jurriaanse,1919* _ Range (in code): ID
- 29912. Utetheisa (Pitasila) vandenberghi (Nieuwenhuis,1948)** (Arctiidae) Synonym(s): *vandenberghi Nieuwenhuis,1948* _ Range (in code): ID Clb
- 29913. Utetheisa (Pitasila) varians (Walker,1854)** (Arctiidae) Synonym(s): *variens Walker,1854; moolaica Moore,1878* _ Range (in code): CN Yu KwT IN MM
- 29914. Utetheisa (Pitasila) variolosa (Felder,1874)** (Arctiidae) Synonym(s): *variolosa Felder,1874* _ Range (in code): IN Adm
- 29915. Utetheisa (s.str.) amhara Jordan,1939** (Arctiidae) Synonym(s): *amhara Jordan,1939* _ Range (in code): ET
- 29916. Utetheisa (s.str.) antennata (Swinhoe,1893)** (Arctiidae) Synonym(s): *antennata Swinhoe,1893* _ Range (in code): IN Nk
- 29917. Utetheisa (s.str.) clareae Robinson,1971** (Arctiidae) Synonym(s): *clareae Robinson,1971* _ Range (in code): FJ
- 29918. Utetheisa (s.str.) cruentata (Butler,1881)** (Arctiidae) Synonym(s): *cruentata Butler,1881* _ Range (in code): MU
- 29919. Utetheisa (s.str.) devriesi Hayes,1975** (Arctiidae) Synonym(s): *devriesi Hayes,1975* _ Range (in code): GS
- 29920. Utetheisa (s.str.) dorsifumata Prout,1920** (Arctiidae) Synonym(s): *dorsifumata Prout,1920* _ Range (in code): PG
- 29921. Utetheisa (s.str.) elata (Fabricius,1798)** (Arctiidae) Synonym(s): *elata Fabricius,1798* _ Range (in code): TZ SC MG MU
- 29922. Utetheisa (s.str.) elata elata (Fabricius,1798)** (Arctiidae) Synonym(s): *elata Fabricius,1798* _ Range (in code): MG MU
- 29923. Utetheisa (s.str.) elata fatela Jordan,1939** (Arctiidae) Synonym(s): *fatela Jordan,1939* _ Range (in code): SC
- 29924. Utetheisa (s.str.) elata fatua (Heyn,1906)** (Arctiidae) Synonym(s): *fatua Heyn,1906* _ Range (in code): TZ
- 29925. Utetheisa (s.str.) galapagensis (Wallengren,1860)** (Arctiidae) Synonym(s): *galapagensis Wallengren,1860* _ Range (in code): GS
- 29926. Utetheisa (s.str.) lactea (Butler,1884)** (Arctiidae) Synonym(s): *lactea Butler,1884* _ Range (in code):
- 29927. Utetheisa (s.str.) lactea aldabrensis T.B.Fletcher,1910** (Arctiidae) Synonym(s): *aldabrensis T.B.Fletcher,1910* _ Range (in code):

- 29928. Utetheisa (s.str.) lactea lactea (Butler,1884)** (Arctiidae) Synonym(s): *lactea* Butler,1884
Range (in code):
- 29929. Utetheisa (s.str.) lotrix (Cramer,[1777])** (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
Range (in code): **Sk RE SA Sk YE ZA IN SC LK JP PG AU QAU NZ NC LO NH FJ SB WS TO CN Sz Yu Fkn TW NP MM TH PH Luz Pal Ceb Mdo Mno Pan PK AF IR Hz Ss**
- 29930. Utetheisa (s.str.) lotrix lepida (Rambur,[1866])** (Arctiidae) Synonym(s): *lepida* Rambur,[1866]
Range (in code): **RE SA Sk YE ZA**
- 29931. Utetheisa (s.str.) lotrix lotrix (Cramer,[1777])** (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
Range (in code): **IN SC LK CN Sz Yu Fkn TW NP MM TH PH Luz Pal Ceb Mdo Mno Pan PK AF IR JP PG AU QAU NZ**
- 29932. Utetheisa (s.str.) lotrix socotrensis Jordan,1939** (Arctiidae) Synonym(s): *socotrensis* Jordan,1939
Range (in code): **Sk**
- 29933. Utetheisa (s.str.) lotrix stigmata Rothschild,1910** (Arctiidae) Synonym(s): *stigmata* Rothschild,1910
Range (in code): **NC LO NH FJ SB WS TO**
- 29934. Utetheisa (s.str.) maddisoni Robinson & Robinson,1980** (Arctiidae) Synonym(s): *maddisoni* Robinson & Robinson,1980
Range (in code): **NZ**
- 29935. Utetheisa (s.str.) ornatix (Linnaeus,1758)** (Arctiidae) Synonym(s): *ornatrix* Linnaeus,1758; *stretchii* Butler,1877; *pura* Butler,1877; *daphoena* Dyar,1914; *butleri* Dyar,1914
Original Reference: *Phalaena Noctua ornatix* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 511. Type(s): America. Range (in code): **US MX GS**
- 29936. Utetheisa (s.str.) pectinata Hampson,1907** (Arctiidae) Synonym(s): *pectinata* Hampson,1907
Range (in code): **CN ID Tnm Dm Kai AU**
- 29937. Utetheisa (s.str.) perryi Hayes,1975** (Arctiidae) Synonym(s): *perryi* Hayes,1975
Range (in code): **GS**
- 29938. Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyter* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969.
Original Reference: *Phalaena pulchella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 534. Syntypes: Europa, Mauritania. Range (in code): **CV Az PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG ZR ZA Ec Nta Kzu Gau Pre Spb Mdk Ent Tva Lpo AF Ca Kab Asm Nu Bsg CN Ui GP IQ Agh TH CMA Knc Sbu Ab Oru Gh Mz Kh Gls Se Th Qz Kd Bne Mrv Snj Lo Km Il Es Yz By Bk Fa Kc Ss Hz Bu Kz Tbl Bjo Smt Lag Der Da Bak Len PK Nwf Pes Bt Skd Bl Cp SO IN Cn Md ID Ja VN LK Cob Pdy Dck AU Bhh SO Zai YE Ad MA DZ TN Afl Ess Tun Tgr Khh Btina Ktr BSa Gha Dje Ges Agi Gle Hdd Bsk Ah Ajj** Bionomy: Larva on *Echium vulgare*, *Heliotropium indicum* [na guang chang], *Myosotis arvensis* (Boraginaceae), *Solanum tomentosum* (Meyer,1919; Lewvanich,2001).
- 29939. Utetheisa (s.str.) pulchella callima Swinhoe,1907** (Arctiidae) Synonym(s): *callima* Swinhoe,1907
Range (in code): **ZA Ec Nta Kzu Tva Lpo Gau Pre Spb Mdk Ent**
- 29940. Utetheisa (s.str.) pulchella dilutior Rothschild,1910** (Arctiidae) Synonym(s): *dilutior* Rothschild,1910
Range (in code): **AO ZR TZ**
- 29941. Utetheisa (s.str.) pulchella pulchella (Linnaeus,1758)** (Arctiidae) Synonym(s): *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775.
Original Reference: *Phalaena pulchella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 534. Syntypes: Europa, Mauritania. Range (in code): **AET PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR DK LV LT RU MD UA BY IL Pa Hf IR Kz Ss Kd Ke CY GG AZ Len Cc AM KG AF Ca Kab Asm Nu Bsg IQ Agh TH CMA Knc Sbu MA DZ TN Afl Ess Tun Tgr Khh Btina Ktr BSa Gha Dje Ges Ag Gle Hdd Bsk** Bionomy: Larva on *Echium vulgare*, *Heliotropium indicum* [na guang chang], *Myosotis arvensis* (Boraginaceae), *Solanum tomentosum* (Meyer,1919; Lewvanich,2001).
- 29942. Utetheisa (s.str.) pulchelloides Hampson,1907** (Arctiidae) Synonym(s): *pulchelloides* Hampson,1907
Range (in code): **SC GU CC PG WS FJ TV TO MH CN Yu TH PH Pal Luz Neg Sul TW LK MG ID Mlc AU NZ NH LO SB MY IN**
- 29943. Utetheisa (s.str.) pulchelloides aphanis Jordan,1939** (Arctiidae) Synonym(s): *aphanis* Jordan,1939
Range (in code): **PG**
- 29944. Utetheisa (s.str.) pulchelloides darwini Jordan,1939** (Arctiidae) Synonym(s): *darwini* Jordan,1939
Range (in code): **CC**
- 29945. Utetheisa (s.str.) pulchelloides dorsirufa Prout,1920** (Arctiidae) Synonym(s): *dorsirufa* Prout,1920; *papuana* Jordan,1939.
Range (in code): **PG**
- 29946. Utetheisa (s.str.) pulchelloides marshallorum Rothschild,1910** (Arctiidae) Synonym(s): *marshallorum* Rothschild,1910
Original Reference: *Utetheisa pulchelloides*

- marshallorum Rothschild,1910, Novit. zool. 17: 182. Syntypes 4♂ 5♀: Marshall Islands, Oceania (Tring Mus.). Range (in code): WS FJ TV TO MH
- 29947. Utetheisa (s.str.) pulchelloides pulchelloides Hampson,1907** (Arctiidae)
Synonym(s): *pulchelloides* Hampson,1907. Range (in code): SC
- 29948. Utetheisa (s.str.) pulchelloides umata Jordan,1939** (Arctiidae) Synonym(s): *umata* Jordan,1939 Range (in code): GU
- 29949. Utetheisa (s.str.) pulchelloides vaga Jordan,1939** (Arctiidae) Synonym(s): *vaga* Jordan,1939 Range (in code): CN Yu TH PH Pal Luz Neg Sul TW LK MG ID Mlc AU NZ
- 29950. Utetheisa (s.str.) salomonis Rothschild,1910** (Arctiidae) Synonym(s): *salomonis* Rothschild,1910; *ruberrima* Rothschild,1910. Range (in code): PG NBr Bsm SB NH FJ LO NC
- 29951. Utetheisa (s.str.) semara Moore,1859** (Arctiidae) Synonym(s): *semara* Moore,1859 Range (in code): ID Ja Lb Clb
- 29952. Utetheisa (s.str.) sumatrana Rothschild,1910** (Arctiidae) Synonym(s): *sumatrana* Rothschild,1910 Original Reference: Utetheisa sumatrana Rothschild,1910, Novit. zool. 17: 182.
Syntypes 3♂: [Indonesia]: "Deli, North-East Sumatra" (Tring Mus.). Range (in code): ID Sum
- 29953. Utriculofera fuscipex Hampson,1893** (Arctiidae) Synonym(s): *fuscipex* Hampson,1893 Range (in code): LK Nwp IN MY Bor
- 29954. Virbia ampla (Walker,1864)** (Arctiidae) Synonym(s): *ampla* Walker,1864 Range (in code): MX BR
- 29955. Virbia luteilinea Walker,1854** (Arctiidae) Synonym(s): *luteilinea* Walker,1854; *inversa* Edwards,1884 Range (in code): MX
- 29956. Virbia phalangia Hampson,1920** (Arctiidae) Synonym(s): *phalangia* Hampson,1920 Range (in code): MX
- 29957. Virbia rosenbergi Rothschild,1910** (Arctiidae) Synonym(s): *rosenbergi* Rothschild,1910 Range (in code): MX CO
- 29958. Virbia zonata (R.Felder & Rogenhofer,1874)** (Arctiidae) Synonym(s): *zonata* R.Felder & Rogenhofer,1874; *distincta* Edwards,1884 Range (in code): MX
- 29959. Viviennea flavicincta (Herrich-Schäffer,[1855])** (Arctiidae) Synonym(s): *flavicincta* Herrich-Schäffer,[1855]; *angulosa* Walker,1856; *immaculata* Rothschild,1935; *spitzi* Rothschild,1935 Range (in code): MX
- 29960. Viviennea salma (Druce,1896)** (Arctiidae) Synonym(s): *salma* Druce,1896; *whitei* Rothschild,1935 Range (in code): VE MX
- 29961. Watsonarctia deserta (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980 Original Reference: Arctia casta var. deserta Bartel,1902, Dt. ent. Z., Iris 15: 226. Syntypes: Russland: Südural. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR AM Alg Cc TR IR Elb Mz RU Or MD UA BY KG Sb Pe At Mnu Kj Ir MN CN Ui Ju Bionomy: Larva on Galium cynanchica [=Asperula] (Rubiaceae) (Meyer,1919).
- 29962. Watsonarctia deserta centralasiae (O.Bang-Haas,1927)** (Arctiidae) Synonym(s): *centralasiae* O.Bang-Haas,1927 Original Reference: Eucharhia deserta centralasiae O.Bang-Haas,1927, Horae Macrolepid. Palaearct. 1: 59, pl.8 fig.9. Range (in code): KG CN Ui Ju
- 29963. Watsonarctia deserta deserta (Bartel,1902)** (Arctiidae) Synonym(s): *casta* Esper,[1784] *nec* Pall.,1771; *deserta* Bartel,1902; *sibirica* Kozhantschikov,1924; *callesi* Gomez-Bustillo,1979; *esperii* Koçak,1980. Original Reference: Arctia casta var. deserta Bartel,1902, Dt. ent. Z., Iris 15: 226. Syntypes: Russland: Südural. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR Cc AM RU MD UA BY Sb Pe Or At Mnu Kj Ir MN
- 29964. Watsonarctia deserta elbursica Dubatolov & Zahiri,[2006]** (Arctiidae)
Synonym(s): *elbursica* Dubatolov & Zahiri,[2006] Original Reference: Watsonarctia deserta ssp. elbursica Dubatolov & Zahiri,[2006], Atalanta 36 (3/4): 498, figs. Holotype ♂: Iran, Mazandran, Elburs Mts. Sefid-Ab, 360m 7.vii.1978, anonymous leg. (HMIM). Range (in code): IR Elb Mz
- 29965. Watsonarctia deserta karduchena (De Freina,1983)** (Arctiidae) Synonym(s): *karduchena* De Freina,1983 Original Reference: Eucharhia deserta ssp. karduchena De Freina,1983, Mitt. münch. ent. Ges. 72: 105-107, Abb. 20. Holotype ♂: [Türkei]: Tokat: Çamlıbel Paş, 1600m. Range (in code): TR Cc AM Alg
- 29966. Wittia sororcula (Hufnagel,1766)** (Arctiidae) Synonym(s): *sororcula* Hufnagel,1766; *crocella* Fourcroy,1785; *crocinea* Villers,1789; *aureola* Hübner,[1808]; *aurantia* Haworth,1809. Original Reference: Phalaena sororcula Hufnagel,1766, Berl. Mag. 3:398. Type(s): Deutschland: Berlin. Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR IR Mz DK

- SE FI EE LV LT RU MD UA BY** Bionomy: Larva on lichens, Quercus, Fagus sylvatica (Fagaceae), Larix decidua (Pinaceae), Prunus spinosa (Rosaceae) (Waring & Townsend, 2003).
- 29967. Xanthetis ichorina (Butler, 1877)** (Arctiidae) Synonym(s): *ichorina* Butler, 1877 Range (in code): ZA Nta Kzu
- 29968. Xenosoma flaviceps (Walker, 1865)** (Arctiidae) Synonym(s): *flaviceps* Walker, 1865; *nigricosta* R. Felder & Rogenhofer, 1874 Range (in code): MX GT
- 29969. Zadadrina metallica Kiriakoff, 1954** (Arctiidae) Synonym(s): *metallica* Kiriakoff, 1954 Range (in code): ZA
- 29970. Zobida bipuncta (Hübner, [1824])** (Arctiidae) Synonym(s): *bipuncta* Hübner, [1824] Range (in code): AET DZ PT ES NL
- 29971. Zobida colon (Möschler, 1872)** (Arctiidae) Synonym(s): *colon* Möschler, 1872 Range (in code): ZA Nta Kzu Est Ec Ans
- 29972. Zobida trinitas (Strand, 1912)** (Arctiidae) Synonym(s): *trinitas* Strand, 1912; *jacobsi* Hampson, 1914 Range (in code): TG
- 29973. Acrosyntaxis accretans Gozmany, 2008** (Autostichidae) Synonym(s): *accretans* Gozmany, 2008 Range (in code): AF Kab
- 29974. Acrosyntaxis albella (Amsel, 1959)** (Autostichidae) Synonym(s): *albella* Amsel, 1959; *griseella* Amsel, 1959. Range (in code): SY Dms IQ Rba IR Th Fa
- 29975. Acrosyntaxis anagramma Gozmany, 2008** (Autostichidae) Synonym(s): *anagramma* Gozmany, 2008 Range (in code): IR Th
- 29976. Acrosyntaxis anasyra Gozmany, 2008** (Autostichidae) Synonym(s): *anasyra* Gozmany, 2008 Range (in code): AF Bm
- 29977. Acrosyntaxis angustipennis (Rebel, 1927)** (Autostichidae) Synonym(s): *angustipennis* Rebel, 1927 EG
- 29978. Acrosyntaxis aorista Gozmany, 2008** (Autostichidae) Synonym(s): *aorista* Gozmany, 2008 Range (in code): AF Kab
- 29979. Acrosyntaxis astergys Gozmany, 2008** (Autostichidae) Synonym(s): *astergys* Gozmany, 2008 Range (in code): AF Sfk Kot
- 29980. Acrosyntaxis brandti Gozmany, 2008** (Autostichidae) Synonym(s): *brandti* Gozmany, 2008 Range (in code): JO IR Elb Th Kdj
- 29981. Acrosyntaxis cyclacantha Gozmany, 2008** (Autostichidae) Synonym(s): *cyclacantha* Gozmany, 2008 Range (in code): IR Th Elb
- 29982. Acrosyntaxis decipiens Gozmany, 1967** (Autostichidae) Synonym(s): *decipiens* Gozmany, 1967 Range (in code): AET DZ Bsk
- 29983. Acrosyntaxis deserticolella (Turati, 1924)** (Autostichidae) Synonym(s): *deserticolella* Turati, 1924 LY Cy
- 29984. Acrosyntaxis ecclestis Gozmany, 2008** (Autostichidae) Synonym(s): *ecclestis* Gozmany, 2008 AF Kbb
- 29985. Acrosyntaxis kalifella (Amsel, 1949)** (Autostichidae) Synonym(s): *kalifella* Amsel, 1949; *#khalifa* Hacker, 1999 Original Reference: Symmoca kalifella Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 39, figs. Syntypes 7♂: Iraq: Baghdad; Kerbela desert. Range (in code): IQ Bgd Kbl
- 29986. Acrosyntaxis mahunkai Gozmany, 2008** (Autostichidae) Synonym(s): *mahunkai* Gozmany, 2008 Range (in code): AF Ca Kab IR Fa Elb Kdj Ss Kd Snj AZ Ord Nv Cc PK Bl Qu
- 29987. Acrosyntaxis micracantha Gozmany, 2008** (Autostichidae) Synonym(s): *micracantha* Gozmany, 2008 Range (in code): IR Ss
- 29988. Acrosyntaxis padishah (Gozmany, 1963)** (Autostichidae) Synonym(s): *padishah* Gozmany, 1963 Range (in code): SA SA63
- 29989. Acrosyntaxis pharaoh (Gozmany, 1963)** (Autostichidae) Synonym(s): *pharaoh* Gozmany, 1963 Range (in code): AET DZ Lgt Bsk TN
- 29990. Acrosyntaxis pilatus (Gozmany, 1963)** (Autostichidae) Synonym(s): *pilatus* Gozmany, 1963 Range (in code): IR Fa
- 29991. Acrosyntaxis rhyparastis Gozmany, 2008** (Autostichidae) Synonym(s): *rhyparastis* Gozmany, 2008 Range (in code): IR
- 29992. Acrosyntaxis vartiani Gozmany, 2008** (Autostichidae) Synonym(s): *vartiani* Gozmany, 2008 Range (in code): IQ Rba
- 29993. Acrosyntaxis walsinghami (Gozmany, 1967)** (Autostichidae) Synonym(s): *walsinghami* Gozmany, 1967 Range (in code): AET DZ Ktr

- 29994. Afrosymmoca seydeli Gozmany,1966** (Autostichidae) Synonym(s): *seydeli* Gozmany,1966
Range (in code): **ZR**
- 29995. Afrosymmoca straminea Gozmany,1966** (Autostichidae) Synonym(s): *straminea* Gozmany,1966
Range (in code): **ZR**
- 29996. Ambloma brachyptera Walsingham,[1908]** (Autostichidae) Synonym(s): *brachyptera* Walsingham,[1908]
Range (in code): **Cn**
- 29997. Ambloma klimeschi Gozmany,1975** (Autostichidae) Synonym(s): *klimeschi* Gozmany,1975
Range (in code): **Cn**
- 29998. Amselina acantha Gozmany,1963** (Autostichidae) Synonym(s): *acantha* Gozmany,1963
Range (in code): **Sa**
- 29999. Amselina adornata Gozmany,2008** (Autostichidae) Synonym(s): *adornata* Gozmany,2008
Range (in code): **IR Elb Kdj Fa Kd**
- 30000. Amselina africana Gozmany,2008** (Autostichidae) Synonym(s): *africana* Gozmany,2008
Range (in code): **TN Tun**
- 30001. Amselina altitudinis Gozmany,1962** (Autostichidae) Synonym(s): *altitudinis* Gozmany,1962
Range (in code): **ES**
- 30002. Amselina amaura Gozmany,2008** (Autostichidae) Synonym(s): *amaura* Gozmany,2008
Range (in code): **AF Pag**
- 30003. Amselina aspergata Gozmany,2008** (Autostichidae) Synonym(s): *aspergata* Gozmany,2008
Range (in code): **AF Sfk**
- 30004. Amselina astuta Gozmany,1962** (Autostichidae) Synonym(s): *astuta* Gozmany,1962
Range (in code): **ES**
- 30005. Amselina burmanni Gozmany,1962** (Autostichidae) Synonym(s): *burmanni* Gozmany,1962
Range (in code): **ES**
- 30006. Amselina cedeștiella (Zeller,1868)** (Autostichidae) Synonym(s): *cedeștiella* Zeller,1868; *dissoluta* Staudinger,1870; *paracedestiella* Caradja,1920; *goulandrionum* Gozmany,1982
Range (in code): **MK BG GR TR RU Sr MD UA Cm KG UK**
- 30007. Amselina emir (Gozmany,1961)** (Autostichidae) Synonym(s): *emir* Gozmany,1961; *parapsesta* Gozmany,1986
Original Reference: Eremica emir Gozmány,1961, Acta zool. Acad. Sci. Hung. 7 (1/2): 104-106, fig.s Holotype ♂: [Turkey]: Ak-chehir, Tschiftlik.
Range (in code): **GR TR SY Hal IR Elb Plr**
- 30008. Amselina kasyi (Gozmany,1961)** (Autostichidae) Synonym(s): *kasyi* Gozmany,1961
Range (in code): **MK GR**
- 30009. Amselina manisadjiani Gozmany,2008** (Autostichidae) Synonym(s): *manisadjiani* Gozmany,2008
Original Reference: Amselina manisadjiani Gozmany,2008, Microlepid. Palearct. 13: 178-179, figs. Holotype ♂: Türkei, Mardin (Manissadjian leg., ex coll.Bang-Haas) (ZMB).
Range (in code): **TR**
- 30010. Amselina minorita (Gozmany,1968)** (Autostichidae) Synonym(s): *minorita* Gozmany,1968
Original Reference: Eremicamima minorita Gozmany,1968, Z. Wien. ent. Ges. 53: 24-26, fig.3. Holotype ♂: [Türkei]: Anatolia: Egridir, 1600m. 27-28.7.63, leg. Arenberger (NHMW).
Range (in code): **TR**
- 30011. Amselina odynera Gozmany,2008** (Autostichidae) Synonym(s): *odynera* Gozmany,2008
Range (in code): **IR Fa**
- 30012. Amselina olympi (Gozmany,1957)** (Autostichidae) Synonym(s): *olympi* Gozmany,1957
Original Reference: Symmoca olympi Gozmány,1957, Annls. hist.- nat. Mus. nat. hung. (N.S.) 8: 337. Holotype: Turkey: Bolu.
Range (in code): **TR**
- 30013. Amselina stagonophora Gozmany,2008** (Autostichidae) Synonym(s): *stagonophora* Gozmany,2008
Range (in code): **IR Fa**
- 30014. Amselina virgo (Gozmany,1959)** (Autostichidae) Synonym(s): *virgo* Gozmany,1959
Range (in code): **Cr**
- 30015. Apatema acutivalva Gozmany,2008** (Autostichidae) Synonym(s): *acutivalva* Gozmany,2008
Range (in code): **CY**
- 30016. Apatema apatemella (Amsel,1958)** (Autostichidae) Synonym(s): *apatemella* Amsel,1958
Original Reference: Oeogoconia [sic!] apatemella Amsel,1958, Z. wien. ent. Ges. 43: 74-75, Abb.14. Holotype ♂: Cypern, Trikoukkia, Prodromos 4000ft. 23.8.1949, leg.Wiltshire.
Range (in code): **CY**
- 30017. Apatema apolausticum Gozmany,1996** (Autostichidae) Synonym(s): *apolausticum* Gozmany,1996
Range (in code): **RO**

- 30018. *Apatema fasciatum* (Stainton,1859)** (Autostichidae) **Synonym(s):** *fasciata* Stainton,1859; *coarctella* Rebel,1896; *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *proteroclina* Meyrick,1938; *impunctella* Amsel,1940; *melitensis* Amsel,1942 **Original Reference:** *Gelechia fasciata* Stainton,1859, Ann. Mag. nat. Hist. (3) 3: 213. **Range (in code):** **FR MT CY Cn IT Sa HV IL Pa Js**
- 30019. *Apatema hispanicum* Gozmany,1985** (Autostichidae) **Synonym(s):** *hispanicum* Gozmany,1985 **Range (in code):** **ES**
- 30020. *Apatema inexpectatum* Gozmany,1988** (Autostichidae) **Synonym(s):** *inexpectatum* Gozmany,1988 **Range (in code):** **MA TN DhM**
- 30021. *Apatema lucidum* Walsingham,[1908]** (Autostichidae) **Synonym(s):** *lucidum* Walsingham,[1908] **Range (in code):** **Cn**
- 30022. *Apatema mediopallidum* Walsingham,1900** (Autostichidae) **Synonym(s):** *mediopallidum* Walsingham,1900; *minor* Rebel,1916; *bifasciatum* Chrétien,1922; *phanerodoxa* Meyrick,1926; *proteroclina* Meyrick,19238; *melitensis* Amsel,1952 **Original Reference:** *Apatema mediopallidum* Walsingham,1900, Entomologist's mon. Mag. 36: 220. Type: Corsica, Ajaccio. **Range (in code):** **AET MA Rf Tgr DZ Anna Bsk TN DhM Tun PT ES FR Co Sa Si IT MT AT HU RO YU AL BG GR Rd Cr JO Amm SY Dms Ltk TR CY AF**
- 30023. *Apatema sutteri* Gozmany,1997** (Autostichidae) **Synonym(s):** *sutteri* Gozmany,1997 **Range (in code):** **GR MK**
- 30024. *Apatema whalleyi* (Popescu-Gorj & Capuse,1965)** (Autostichidae) **Synonym(s):** *whalleyi* Popescu-Gorj & Capuse,1965 **Range (in code):** **AT SK HU RO GR Cr TR IR**
- 30025. *Apiletria apaurta* Gozmany,1965** (Autostichidae) **Synonym(s):** *apaurta* Gozmany,1965 **Original Reference:** *Apiletria apaurta* Gozmany,1965, Acta zool. Hung. 11: 118-119. Type ♀: [Iraq]: Rayat leg. Wiltshire (Tring Museum). **Range (in code):** **IQ Ry**
- 30026. *Apiletria artaxerxes* Gozmany,1965** (Autostichidae) **Synonym(s):** *artaxerxes* Gozmany,1965 **Range (in code):** **IR Kd Mrv Snj Fa AF Nu**
- 30027. *Apiletria asirica* Gozmany,1982** (Autostichidae) **Synonym(s):** *asirica* Gozmany,1982 **Range (in code):** **SA As**
- 30028. *Apiletria endopercna* (Meyrick,1936)** (Autostichidae) **Synonym(s):** *endopercna* Meyrick,1936 **Original Reference:** *Aretascetis endopercna* Meyrick,1936, Exot. microlep. 5: 4. Lectotype ♂: Iraq, Diana, designated by Gozmany (1965) (coll.Wiltshire, Tring Mus.). **AM Cc IQ Bag Dia Bgd Mos SY Dms TR IR Fa Bne Bu Ha Avd Yz Ab Khy Kdj Th Sdt Km Kd Mrv Snj**
- 30029. *Apiletria luella* Lederer,1855** (Autostichidae) **Synonym(s):** *luella* Lederer,1855 **Original Reference:** *Apiletria luella* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 231-232. Lectotype ♂: Libanon, Beirut (NHMW). **Range (in code):** **AET DZ Agi LY Cy JO IL Pa Hf EG CY TR LB Bei Bsa Bmm**
- 30030. *Apiletria murcidella* (Christoph,1876)** (Autostichidae) **Synonym(s):** *murcidella* Christoph,1876 **Range (in code):** **TM Krn KG**
- 30031. *Apiletria nervosa* Stainton,1867** (Autostichidae) **Synonym(s):** *nervosa* Stainton,1867 **Original Reference:** *Apiletria nervosa* Stainton,1867, Tineina Syria Asia Minor: 44. Lectotype ♂: Palestine (BMNH). **Range (in code):** **LY IQ Bgd Agh IL Pa Hf JO**
- 30032. *Apiletria purulentella* Stainton,1867** (Autostichidae) **Synonym(s):** *purulentella* Stainton,1867 **Original Reference:** *Apiletria purulentella* Stainton,1867, Tineina Syria Asia Minor: 43-44. Lectotype ♂: Palestine: Plains of Jordan (BMNH). **Range (in code):** **TR Cc AM Eri JO Amm IL Pa Hf LB Bsa Bei SY Dms IQ Shq Dia Ry Mos Bgd Kbl TM IR Elb Kdv Lo Kd Fa Shr**
- 30033. *Apiletria tripleura* (Meyrick,1914)** (Autostichidae) **Synonym(s):** *tripleura* Meyrick,1914 **Original Reference:** *Xystoceros tripleura* Meyrick,1914, Exot. microlep. 1 (8): 253-254. Type ♂: W. Himalaya [Pakistan]: Quetta. **Range (in code):** **PK BI Qu**
- 30034. *Aprominta africana* Gozmany,1961** (Autostichidae) **Synonym(s):** *africana* Gozmany,1961 **Range (in code):** **MA**
- 30035. *Aprominta afrogypsa* Gozmany,1988** (Autostichidae) **Synonym(s):** *afrogypsa* Gozmany,1988 **Range (in code):** **MA Ifr**
- 30036. *Aprominta aga* Gozmany,1962** (Autostichidae) **Synonym(s):** *aga* Gozmany,1962 **Range (in code):** **GR Ae Le TR**
- 30037. *Aprominta aladdin* Gozmany,1963** (Autostichidae) **Synonym(s):** *aladdin* Gozmany,1963 **Range (in code):** **SY Dms Ltk**
- 30038. *Aprominta aperitta* Gozmany,1997** (Autostichidae) **Synonym(s):** *aperitta* Gozmany,1997 **Range (in code):** **Ae GR Chi**

- 30039. *Aprominta arenbergeri* Gozmany, 1968** (Autostichidae) Synonym(s): *arenbergeri* Gozmany, 1968 Original Reference: *Aprominta arenbergeri* Gozmany, 1968, Z. Wien. ent. Ges. 53: 23-24, fig. 2. Holotype ♂: [Türkei]: Asia minor: ndl. Tarsus, ca. 800m 12.8.1965 leg. M. u. E. Arenberger (NHMW). Range (in code): **TR**
- 30040. *Aprominta argonauta* Gozmany, 1964** (Autostichidae) Synonym(s): *argonauta* Gozmany, 1964 Range (in code): **Cr**
- 30041. *Aprominta atricanella* (Rebel, 1906)** (Autostichidae) Synonym(s): *atricanella* Rebel, 1906 Range (in code): **MK BG GR**
- 30042. *Aprominta bifasciata* (Staudinger, 1870)** (Autostichidae) Synonym(s): *bifasciata* Staudinger, 1870; *virginella* Rebel, 1902. Range (in code): **GR TR LB IQ**
- 30043. *Aprominta cryptogamarum* (Millière, 1872)** (Autostichidae) Synonym(s): *cryptogamarum* Millière, 1872 Range (in code): **ES FR IT**
- 30044. *Aprominta designatella* (Herrich-Schäffer, [1855])** (Autostichidae) Synonym(s): *designatella* Herrich-Schäffer, [1855] Range (in code): **RO MK AL BG GR RU TR**
- 30045. *Aprominta gloriosa* Gozmany, 1959** (Autostichidae) Synonym(s): *gloriosa* Gozmany, 1959; *nausikaa* Gozmany, 1961 Range (in code): **GR**
- 30046. *Aprominta kyra* (Gozmany, 1961)** (Autostichidae) Synonym(s): *kyra* Gozmany, 1961 Original Reference: *Hecestoptera kyra* Gozmany, 1961, Acta zool. Acad. sci. Hung. 7(1/2): 101-102, fig. Holotype ♂: [Turkey]: Wan [Van] 2000m. Range (in code): **TR**
- 30047. *Aprominta marthae* Gozmany, 2000** (Autostichidae) Synonym(s): *marthae* Gozmany, 2000 Range (in code): **TR**
- 30048. *Aprominta pannosella* (Rebel, 1906)** (Autostichidae) Synonym(s): *pannosella* Rebel, 1906 Range (in code): **GR**
- 30049. *Aprominta reisseri* Gozmany, 1959** (Autostichidae) Synonym(s): *reisseri* Gozmany, 1959 Range (in code): **Cr**
- 30050. *Aprominta separata* Gozmany, 1961** (Autostichidae) Synonym(s): *separata* Gozmany, 1961 Range (in code): **Cr**
- 30051. *Aprominta syriacella* (Ragonot, 1895)** (Autostichidae) Synonym(s): *syriacella* Ragonot, 1895 Original Reference: *Symmoca syriacella* Ragonot, 1895, Annls Soc. ent. Fr. 1895 (Bull.): cviii. Type ♂: [Turquie]: Akbès (NMHN Paris). Range (in code): **TR**
- 30052. *Aprominta tectaphella* (Rebel, 1916)** (Autostichidae) Synonym(s): *tectaphella* Rebel, 1916 Range (in code): **Cr**
- 30053. *Aprominta xena* Gozmany, 1959** (Autostichidae) Synonym(s): *xena* Gozmany, 1959 Range (in code): **Cr**
- 30054. *Aprominta yatagan* Gozmany, 2008** (Autostichidae) Synonym(s): *yatagan* Gozmany, 2008 Original Reference: *Aprominta yatagan* Gozmany, 2008, Microlepid. Palearct. 13: 168, figs. Holotype ♂: Türkiye, Elazığ 40km SW, 900m [Baskil district], F. Kasy leg. (NMW). Range (in code): **TR**
- 30055. *Arragonia anatolica* Gozmany, 1986** (Autostichidae) Synonym(s): *anatolica* Gozmany, 1986 Original Reference: *Arragonia anatolica* Gozmany, 1986, Entomofauna 7(14): 206-207, fig. 8. Holotype ♂: Türkiye: Mersin: Mut 4km NW, 300m (coll. Derra). Range (in code): **TR**
- 30056. *Arragonia kautzi* (Rebel, 1928)** (Autostichidae) Synonym(s): *kautzi* Rebel, 1928 Range (in code): **ES An**
- 30057. *Arragonia punctivittella* (Zerny, 1927)** (Autostichidae) Synonym(s): *punctivittella* Zerny, 1927 Range (in code): **AET ES MA DZ Orn Lbs Afl TN**
- 30058. *Arragonia tunesiella* Amsel, 1942** (Autostichidae) Synonym(s): *tunesiella* Amsel, 1942 Range (in code): **AET DZ Lgt TN LY BH**
- 30059. *Arragonia tunesiella tunesiella* Amsel, 1942** (Autostichidae) Synonym(s): *tunesiella* Amsel, 1942 Range (in code): **AET DZ Lgt TN LY BH**
- 30060. *Aspronympha agapita* Gozmany, 2008** (Autostichidae) Synonym(s): *agapita* Gozmany, 2008 Original Reference: *Aspronympha agapita* Gozmany, 2008, Microlepid. Palaeart. 13: 246. Holotype ♂: Afghanistan, 25km N v. Barikot (NHMW). Range (in code): **AF Bkt**
- 30061. *Autosticha emmetra* Meyrick, 1921** (Autostichidae) Synonym(s): *emmetra* Meyrick, 1921 Range (in code): **ZW Har**

- 30062. Autosticha nothropis Meyrick,1921** (Autostichidae) Synonym(s): *nothropis* Meyrick,1921
Range (in code): **ZW Uma**
- 30063. Catasphalma kautziella (Rebel,1935)** (Autostichidae) Synonym(s): *kautziella* Rebel,1935
Range (in code): **PT ES**
- 30064. Charadraula cassandra Gozmany,1967** (Autostichidae) Synonym(s): *cassandra* Gozmany,1967
Original Reference: Charadraula cassandra Gozmány,1967, Acta zool. hung. 13: 275, fig.2. Holotype ♂: Syrien: Aleppo: "Shar Deresy Haleb" (NHML). Range (in code): **HV RO Cr SY Hal TR CY IR Mz**
- 30065. Charadraula parcella (Lederer,1855)** (Autostichidae) Synonym(s): *parcella* Lederer,1855; *chersopsamma* Meyrick,1931. Original Reference: Hapsifera parcella Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 228, Taf.4 fig.12. Lectotype ♂: [Libanon]: "Beirut", designated by Gozmany,2000 (ZMB). Range (in code): **SY Dms Ltk LB Bmm Bei IL Hf Js Car EG**
- 30066. Charadraula parcella parcella (Lederer,1855)** (Autostichidae) Synonym(s): *parcella* Lederer,1855; *chersopsamma* Meyrick,1931. Original Reference: Hapsifera parcella Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 228, Taf.4 fig.12. Lectotype ♂: [Libanon]: "Beirut", designated by Gozmany,2000 (ZMB). Range (in code): **SY Dms Ltk LB Bmm Bei IL Hf Js Car EG**
- 30067. Chersogenes victimella Walsingham,[1908]** (Autostichidae) Synonym(s): *victimella* Walsingham,[1908] Cn
- 30068. Chionellidea leucella (Amsel,1935)** (Autostichidae) Synonym(s): *leucella* Amsel,1935
IL Pa JO
- 30069. Concordaxis convergens Gozmany,2008** (Autostichidae) Synonym(s): *convergens* Gozmany,2008 Range (in code): **IR Ss**
- 30070. Cyllaraxis cambyses Gozmany,2000** (Autostichidae) Synonym(s): *cambyses* Gozmany,2000
Original Reference: Cyllaraxis cambyses Gozmany,2000, Microlepid. Palaeart. 10: 59-60, figs. Holotype ♂: Iran, Laristan, Bender Tchah-Bahar- Sardabad Sardze str., 200m leg. Brandt (RMS). Range (in code): **IR Ss**
- 30071. Cyllaraxis cambyses cambyses Gozmany,2000** (Autostichidae) Synonym(s): *cambyses* Gozmany,2000
Original Reference: Cyllaraxis cambyses Gozmany,2000, Microlepid. Palaeart. 10: 59-60, figs. Holotype ♂: Iran, Laristan, Bender Tchah-Bahar- Sardabad Sardze str., 200m leg. Brandt (RMS). Range (in code): **IR Ss**
- 30072. Cyllaraxis cyrus Gozmany,2000** (Autostichidae) Synonym(s): *cyrus* Gozmany,2000
Original Reference: Cyllaraxis cyrus Gozmany,2000, Microlepid. Palaeart. 10: 58-59, figs. Holotype ♂: Iran, Belutchistan, Bender Tchah-Bahar, leg. Brandt (RMS). Range (in code): **IR Ss**
- 30073. Cyllaraxis cyrus cyrus Gozmany,2000** (Autostichidae) Synonym(s): *cyrus* Gozmany,2000
Original Reference: Cyllaraxis cyrus Gozmany,2000, Microlepid. Palaeart. 10: 58-59, figs. Holotype ♂: Iran, Belutchistan, Bender Tchah-Bahar, leg. Brandt (RMS). Range (in code): **IR Ss**
- 30074. Deroxena venosulella (Möschler,1862)** (Autostichidae) Synonym(s): *venosulella* Möschler,1862; *neglectella* Lederer,1863. Original Reference: Depressaria venosulella Möschler,1862, Wien. ent. Monatschr. 6: 142, pl1. fig.15. Range (in code): **FR AT SK HU RO YU GR TR GG RU Cc CN Ui Ku KG Uk**
- 30075. Donaspastus bosellii (Hartig,1941)** (Autostichidae) Synonym(s): *bosellii* Hartig,1941
Range (in code): **Sa**
- 30076. Donaspastus delicatella (Walsingham,1901)** (Autostichidae) Synonym(s): *delicatella* Walsingham,1901 Range (in code): **Co**
- 30077. Donaspastus digitatus Gozmany,1985** (Autostichidae) Synonym(s): *digitatus* Gozmany,1985 Range (in code): **ES**
- 30078. Donaspastus liguricus Gozmany,1977** (Autostichidae) Synonym(s): *liguricus* Gozmany,1977 Range (in code): **IT**
- 30079. Donaspastus pannonicus Gozmany,1952** (Autostichidae) Synonym(s): *pannonicus* Gozmany,1952 Range (in code): **IT SK HU RO? AL RU MD UA BY**
- 30080. Dysspastus baldizzoni Gozmany,1977** (Autostichidae) Synonym(s): *baldizzoni* Gozmany,1977 Range (in code): **Cr**
- 30081. Dysspastus djinn Gozmany,1963** (Autostichidae) Synonym(s): *djinn* Gozmany,1963
Original Reference: Dysspastus djinn Gozmany,1963, Acta zool. Hung. 9: 120-122, figs. Holotype ♂: Libanon: 15km O von Batrun (Kasy & Vartian leg.) (NHMW). Range (in code): **LB Bei IL Pa Js JO Amm**

- 30082. *Dysspastus fallax* (Gozmany,1961)** (Autostichidae) **Synonym(s):** *fallax* Gozmany,1961; *demon* Gozmany,1963; *uncinatus* Gozmany,1976 _ Range (in code): **PT ES An Grn Py FR**
- 30083. *Dysspastus gracilellus* (Turati,1922)** (Autostichidae) **Synonym(s):** *gracilellus* Turati,1922; *desertella* Turati,1924; *mediterraceus* Gozmany,1957 _ LY Cy IT Si
- 30084. *Dysspastus hartigi* Gozmany,1977** (Autostichidae) **Synonym(s):** *hartigi* Gozmany,1977 Range (in code): **IT**
- 30085. *Dysspastus hebraicus* Gozmany,2008** (Autostichidae) **Synonym(s):** *hebraicus* Gozmany,2008 _ Range (in code): **IL Pa**
- 30086. *Dysspastus ios* Gozmany,2000** (Autostichidae) **Synonym(s):** *ios* Gozmany,2000 Range (in code): **GR**
- 30087. *Dysspastus mediterraneus* (Gozmany,1957)** (Autostichidae) **Synonym(s):** *mediterraneus* Gozmany,1957 _ Range (in code): **Si**
- 30088. *Dysspastus mucronatus* Gozmany,2008** (Autostichidae) **Synonym(s):** *mucronatus* Gozmany,2008 _ Range (in code): **IR Fa**
- 30089. *Dysspastus musculus* (Staudinger,1870)** (Autostichidae) **Synonym(s):** *musculina* Staudinger,1870 _ Range (in code): **GR**
- 30090. *Dysspastus perpygmaeellus* (Walsingham,1901)** (Autostichidae) **Synonym(s):** *perpygmaeella* Walsingham,1901; *similis* Amsel,1939 _ Range (in code): **Co Sa**
- 30091. *Dysspastus undecimpunctellus* (Mann,1864)** (Autostichidae) **Synonym(s):** *undecimpunctellus* Mann,1864; *cinerascens* Gozmany,1968 _ Range (in code): **RO HV MK AL GR CY TR**
- 30092. *Epanastasis arenbergerorum* Gozmany,1988** (Autostichidae) **Synonym(s):** *arenbergerorum* Gozmany,1988 _ Range (in code): **TN**
- 30093. *Epanastasis canariensis* (Rebel,1906)** (Autostichidae) **Synonym(s):** *canariensis* Rebel,1906; *aegrella* Walsingham,1907; *extricata* Gozmany,1964 _ Range (in code): **Cn**
- 30094. *Epanastasis enigmatica* Gozmany,1964** (Autostichidae) **Synonym(s):** *enigmatica* Gozmany,1964 Original Reference: *Epanastasis enigmatica* Gozmany,1964, *Acta zool. hung.* 10: 123-124, figs. Holotype ♂: Algeria, Guelt-es-Stel (NMW). Range (in code): **AET DZ Ges**
- 30095. *Epanastasis eremicola* Gozmany,1988** (Autostichidae) **Synonym(s):** *eremicola* Gozmany,1988 _ Range (in code): **LY**
- 30096. *Epanastasis erroris* (Gozmany,1962)** (Autostichidae) **Synonym(s):** *erroris* Gozmany,1962 **AET DZ Ktr**
- 30097. *Epanastasis eupracta* Gozmany,1988** (Autostichidae) **Synonym(s):** *eupracta* Gozmany,1988 _ Range (in code): **Cn**
- 30098. *Epanastasis excellens* Gozmany,1977** (Autostichidae) **Synonym(s):** *excellens* Gozmany,1977 _ Range (in code): **Cn**
- 30099. *Epanastasis friedeli* Gozmany,1988** (Autostichidae) **Synonym(s):** *friedeli* Gozmany,1988 Range (in code): **MA**
- 30100. *Epanastasis tunesica* Gozmany,1988** (Autostichidae) **Synonym(s):** *tunesica* Gozmany,1988 _ Range (in code): **TN**
- 30101. *Epanastasis venustella* (Zerny,1935)** (Autostichidae) **Synonym(s):** *venustella* Zerny,1935 **MA Fez**
- 30102. *Eremica eremita* Gozmany,1963** (Autostichidae) **Synonym(s):** *eremita* Gozmany,1963 Range (in code): **IR Fa**
- 30103. *Eremica saharae* Walsingham,1904** (Autostichidae) **Synonym(s):** *saharae* Walsingham,1904 Original Reference: *Eremica saharae* Walsingham,1904, *Entomologist's mon. Mag.* 40: 270-271. Lectotype ♂: Algeria, Hammam es Salahin. Range (in code): **AET MA Tez DZ Bsk Hes TN**
- 30104. *Eremica wiltshirei* Gozmany,1963** (Autostichidae) **Synonym(s):** *wiltshirei* Gozmany,1963 Range (in code): **IR Fa**
- 30105. *Gobiletria kaszabi* Gozmany,1964** (Autostichidae) **Synonym(s):** *kaszabi* Gozmany,1964 Range (in code): **MN**
- 30106. *Gobiletria kaszabi kaszabi* Gozmany,1964** (Autostichidae) **Synonym(s):** *kaszabi* Gozmany,1964 _ Range (in code): **MN**
- 30107. *Heringita amselina* (Gozmany,1967)** (Autostichidae) **Synonym(s):** *amseli* Gozmany,1963 *nec* Gozm.,1954; *amselina* Gozmany,1967. _ Range (in code): **SA IR Fa Lo Ss AF Kab BH**
- 30108. *Heringita amselina amselina* (Gozmany,1967)** (Autostichidae) **Synonym(s):** *amseli* Gozmany,1963 *nec* Gozm.,1954; *amselina* Gozmany,1967. _ Range (in code): **SA IR Fa Lo Ss AF Kab BH**

- 30109. *Heringita dentulata* (Gozmany,1867)** (Autostichidae) Synonym(s): *dentulata* Gozmany,1867 _ Range (in code): AET DZ Orn Afl Lgt
- 30110. *Heringita dentulata dentulata* (Gozmany,1867)** (Autostichidae) Synonym(s): *dentulata* Gozmany,1867 _ Range (in code): AET DZ Orn Afl Lgt
- 30111. *Heringita heringi* Agenjo,1953** (Autostichidae) Synonym(s): *heringi* Agenjo,1953; *amseli* Gozmany,1954. _ Range (in code): ES
- 30112. *Heringita perarmata* Gozmany,2000** (Autostichidae) Synonym(s): *perarmata* Gozmany,2000 _ Range (in code): TN LY Cy
- 30113. *Heringita perarmata perarmata* Gozmany,2000** (Autostichidae) Synonym(s): *perarmata* Gozmany,2000 _ Range (in code): TN LY Cy
- 30114. *Hesperesta achromatella* (Turati,1930)** (Autostichidae) Synonym(s): *achromatella* Turati,1930 _ Range (in code): LY
- 30115. *Hesperesta achromatella achromatella* (Turati,1930)** (Autostichidae) Synonym(s): *achromatella* Turati,1930 _ Range (in code): LY
- 30116. *Hesperesta arabica* Gozmany,2000** (Autostichidae) Synonym(s): *arabica* Gozmany,2000 _ Range (in code): SA
- 30117. *Hesperesta arabica arabica* Gozmany,2000** (Autostichidae) Synonym(s): *arabica* Gozmany,2000 _ Range (in code): SA
- 30118. *Hesperesta geminella* (Chrétien,1915)** (Autostichidae) Synonym(s): *geminella* Chrétien,1915; *perstriellus* Amsel,1942. _ Original Reference: Holcopogon geminellus Chrétien,1915, Annls Soc. ent. Fr. 84: 330. Syntypes ♂♂: [Algérie]: "Biskra, en octobre". Range (in code): AET ES DZ Ges Bsk MA Agd TN
- 30119. *Hesperesta hartigi* (Turati,1934)** (Autostichidae) Synonym(s): *hartigi* Turati,1934 _ Range (in code): MA TN Gab Sfx LY
- 30120. *Hesperesta hartigi hartigi* (Turati,1934)** (Autostichidae) Synonym(s): *hartigi* Turati,1934 _ Range (in code): MA TN Gab Sfx LY
- 30121. *Holcopogon bubulcellus* (Staudinger,1859)** (Autostichidae) Synonym(s): *bubulcellus* Staudinger,1859; *pulverulellus* Constant,1865; *barbata* Walsingham,1900. _ Range (in code): AET MA Rbt DZ TN DhM PT ES FR Co Sa Si IT MT AT HU RO YU AL BG MK GR Cr TR SE RU MD UA BY LB IL KG Uk Bionomy: Larva in silky tubes in horse dung (Piskunov,1981).
- 30122. *Holcopogon bubulcellus helveolellus* Staudinger,1879** (Autostichidae) Synonym(s): *helveolellus* Staudinger,1879 _ Range (in code): SE IT HV MK RO BG GR TR CY RU UA Cm Cr
- 30123. *Holcopogon croesus* Gozmany,2000** (Autostichidae) Synonym(s): *croesus* Gozmany,2000 _ Range (in code): LB Bei IL Pa
- 30124. *Holcopogon croesus croesus* Gozmany,2000** (Autostichidae) Synonym(s): *croesus* Gozmany,2000 _ Range (in code): LB Bei IL Pa
- 30125. *Holcopogon glaserorum* Gozmany,1987** (Autostichidae) Synonym(s): *glaserorum* Gozmany,1987 _ Range (in code): ES
- 30126. *Holcopogon rhyodes* (Meyrick,1909)** (Autostichidae) Synonym(s): *rhyodes* Meyrick,1909; *amphicentra* Meyrick,1913 _ Range (in code): ZA Tva Gau Pre
- 30127. *Holcopogon scaeocentra* Meyrick,1921** (Autostichidae) Synonym(s): *scaeocentra* Meyrick,1921 _ Range (in code): MZ Blv
- 30128. *Holcopogon tucki* Vives Moreno,1999** (Autostichidae) Synonym(s): *tucki* Vives Moreno,1999 _ Range (in code): ZA
- 30129. *Indiospastus epentheticus* (Meyrick,1931)** (Autostichidae) Synonym(s): *epentheticus* Meyrick,1931 _ Range (in code): IN SI NP
- 30130. *Irenidora serenisca* Meyrick,1938** (Autostichidae) Synonym(s): *serenisca* Meyrick,1938 _ Range (in code): CN
- 30131. *Leilaptera lithochroma* (Walsingham,1904)** (Autostichidae) Synonym(s): *lithochroma* Walsingham,1904; *longicornella* Chrétien,1915 _ Original Reference: Eremica lithochroma Walsingham,1904, Entomologist's mon. Mag. 40: 271. Syntypes 38♂♂: Range (in code): AET DZ Bsk Hes TN Gf LY
- 30132. *Metaxitagma connivens* Gozmany,1985** (Autostichidae) Synonym(s): *connivens* Gozmany,1985 _ Range (in code): ES Mu
- 30133. *Metaxitagma mauricum* Gozmany,2008** (Autostichidae) Synonym(s): *mauricum* Gozmany,2008 _ Original Reference: Metaxitagma mauricum Gozmany,2008, Microlepid. Palearct. 13: 225, figs. Holotype ♂: Algerien, Prov. Oran (ZMHB). Range (in code): AET DZ Orn

- 30134. Metaxitagma monotona Gozmany,2008** (Autostichidae) *Synonym(s):* *monotona* Gozmany,2008 _ ES An Grn
- 30135. Nukusa cinerella (Rebel,1941)** (Autostichidae) *Synonym(s):* *cinerella* Rebel,1941
Range (in code): MK HV AL GR
- 30136. Nukusa praeditella (Rebel,1891)** (Autostichidae) *Synonym(s):* *praeditella* Rebel,1891
Range (in code): B-H YU HV AL
- 30137. Oecia oecophila (Staudinger,1876)** (Autostichidae) *Synonym(s):* *oecophila* Staudinger,1876; *maculata* Walsingham,1897; *busadeli* Rebel,1910. _ Range (in code): Cn MA LY ES Si MT GR Cr Rd EG LB Bei PK JP Hw ST BR TW MY ID Jv AU ZA
- 30138. Oegoconia annae Sutter,2007** (Autostichidae) *Synonym(s):* *annae* Sutter,2007 _ Range (in code):
- 30139. Oegoconia ariadne Gozmany,1988** (Autostichidae) *Synonym(s):* *ariadne* Gozmany,1988
Range (in code): Cr GR
- 30140. Oegoconia caradjai Popescu-Gorj & Capuse,1965** (Autostichidae) *Synonym(s):* *caradjai* Popescu-Gorj & Capuse,1965 Original Reference: *Oegoconia caradjai* Popescu-Gorj & Capuse,1965, *Revue roum. Biol.-Zool.* 6: 394-397, figs. Holotype ♂: Türkiye, Kazikoparan (MGAB). Range (in code): AET MA DZ Hsb TN Sfx Gf LY PT ES Mu FR Co Si IT GB DE CH CZ HU RO YU BG GR Cr Rd TR RU EG SA As UZ TJ IR Elb Mz Dam Plr Shh Srd GlS AZ AM GG Cc IQ LB Bsa NZ
- 30141. Oegoconia ceres Sutter,2007** (Autostichidae) *Synonym(s):* *ceres* Sutter,2007 _ Range (in code):
- 30142. Oegoconia deauratella (Herrich-Schäffer,[1854])** (Autostichidae) *Synonym(s):* *deauratella* Herrich-Schäffer,[1854]; *bacescui* Popescu-Gorj & Capuse,1965 _ Range (in code): GB NL DK FI DE PL AT IT Sa HU RO BG GR TR RU Cc AZ AM GG UA IR CA On
- 30143. Oegoconia meladantis (Meyrick,1921)** (Autostichidae) *Synonym(s):* *meladantis* Meyrick,1921; *cyrota* Meyrick,1921 _ Range (in code): ZA
- 30144. Oegoconia novimundi (Busck,1915)** (Autostichidae) *Synonym(s):* *novimundi* Busck,1915
Range (in code): TN FR DE AT ES IT HV YU BG MZ GR GG Cc AZ AM Az US Cf CA
- 30145. Oegoconia parodia Gozmany,1988** (Autostichidae) *Synonym(s):* *parodia* Gozmany,1988
Range (in code): MA ES An
- 30146. Oegoconia praeramis Meyrick,1918** (Autostichidae) *Synonym(s):* *praeramis* Meyrick,1918
Range (in code): LK Mky
- 30147. Oegoconia quadripuncta (Haworth,[1828])** (Autostichidae) *Synonym(s):* *quadripuncta* Haworth,[1828]; *deauratella* Stainton,1849; *#quadripunctata* Noack,1960. Original Reference: *Recurvaria quadripuncta* Haworth,[1828], *Lepid. Br.* 4: 557. Range (in code): AET DZ Anna Bsk TN Gf GB FR DE ES An Mu PT YE Bionomy: Larva on *Atriplex halimus* (Chrétien,1917).
- 30148. Oegoconia syndesma Meyrick,1926** (Autostichidae) *Synonym(s):* *syndesma* Meyrick,1926
Range (in code): ZA
- 30149. Oegoconia uralskella Popescu-Gorj & Capuse,1965** (Autostichidae) *Synonym(s):* *uralskella* Popescu-Gorj & Capuse,1965 _ Range (in code): FR Co CH DE CZ AT IT RU Cc GR BG TR GG AM Eri AZ At LB Bsa IR Elb Kdj Dam KG Uk Af
- 30150. Oegoconia uralskella corsa Sutter & Liska,2002** (Autostichidae) *Synonym(s):* *corsa* Sutter & Liska,2002 _ Range (in code): Co
- 30151. Orpecacantha afghana Gozmany,2008** (Autostichidae) *Synonym(s):* *afghana* Gozmany,2008 _ AF Kbb Pnj Bm IR Fa Sse
- 30152. Orpecacantha aphrodite (Gozmany,1986)** (Autostichidae) *Synonym(s):* *aphrodite* Gozmany,1986 _ CY
- 30153. Orpecacantha burmanni (Gozmany,1962)** (Autostichidae) *Synonym(s):* *burmanni* Gozmany,1962; *don* Gozmany,1963 _ ES An Grn Mu
- 30154. Orpecacantha capnoptera Gozmany,2008** (Autostichidae) *Synonym(s):* *capnoptera* Gozmany,2008 _ Range (in code): AF Pag
- 30155. Orpecacantha multispina Gozmany,2008** (Autostichidae) *Synonym(s):* *multispina* Gozmany,2008 _ Range (in code): IR Kd Bne Mrv
- 30156. Orpecacantha opacogramma Gozmany,2008** (Autostichidae) *Synonym(s):* *opacogramma* Gozmany,2008 _ Range (in code): AF Nu Bkt
- 30157. Orpecacantha oxydata Gozmany,2008** (Autostichidae) *Synonym(s):* *oxydata* Gozmany,2008 _ Range (in code): AF Sfk Kot
- 30158. Orpecacantha pardalis Gozmany,2008** (Autostichidae) *Synonym(s):* *pardalis* Gozmany,2008 _ Range (in code): IR Kd Bne Mrv Sse Fa

- 30159. Orpecovalva acantha (Gozmany,1963)** (Autostichidae) Synonym(s): *acantha* Gozmany,1963 _ Range (in code): Sa
- 30160. Orpecovalva diadema Gozmany,1977** (Autostichidae) Synonym(s): *diadema* Gozmany,1977 _ Range (in code): ES
- 30161. Orpecovalva effendi (Gozmany,1963)** (Autostichidae) Synonym(s): *effendi* Gozmany,1963 _ Range (in code): IR Fa Shr Sse
- 30162. Orpecovalva eremita (Gozmany,1963)** (Autostichidae) Synonym(s): *eremita* Gozmany,1963 _ Range (in code): IR
- 30163. Orpecovalva glaseri Gozmany,1977** (Autostichidae) Synonym(s): *glaseri* Gozmany,1977 _ Range (in code): ES
- 30164. Orpecovalva kasyi Gozmany,1988** (Autostichidae) Synonym(s): *kasyi* Gozmany,1988 _ Range (in code): MA Azr
- 30165. Orpecovalva mallorcae Gozmany,1975** (Autostichidae) Synonym(s): *mallorcae* Gozmany,1975 _ Range (in code): ES
- 30166. Orpecovalva molitor (Walsingham,1905)** (Autostichidae) Synonym(s): *molitor* Walsingham,1905 _ Original Reference: Symmoca molitor Walsingham,1905, Entomologist's mon. Mag. 41: 38-39. Syntypes 3♂: Algeria, El-Kantara. Range (in code): AET DZ Ktr
- 30167. Orpecovalva obliterated (Walsingham,1905)** (Autostichidae) Synonym(s): *obliterated* Walsingham,1905 _ Original Reference: Symmoca obliterated Walsingham,1905, Entomologist's mon. Mag. 41: 38. Syntypes 31♂♀: Algeria, Hammam-es-Salahin, Biskra. Range (in code): AET DZ Hes Bsk
- 30168. Orpecovalva singularis Gozmany,2008** (Autostichidae) Synonym(s): *singularis* Gozmany,2008 _ Range (in code): IR Kd Bne Mrv
- 30169. Orpecovalva wiltshirei (Gozmany,1963)** (Autostichidae) Synonym(s): *wiltshirei* Gozmany,1963 _ Range (in code): IR Fa Shr
- 30170. Pachnistis craniota (Meyrick,1913)** (Autostichidae) Synonym(s): *craniota* Meyrick,1913; *propitia* Meyrick,1913; *consors* Meyrick,1921 _ Range (in code): ZA Tva Mpu Brb Nel MZ Mag
- 30171. Pantacordis pales Gozmany,1954** (Autostichidae) Synonym(s): *pales* Gozmany,1954 _ Range (in code): HU SK HV
- 30172. Pantacordis pallidum (Staudinger,1876)** (Autostichidae) Synonym(s): *pallida* Staudinger,1876; *saharae* Oberthür,1888; *exiguella* Chrétien,1915; *minutella* Chrétien,1922; *klimeschi* Gozmany,1957 _ Range (in code): AET MA Fez DZ Cst Agi Elt Méd TN DhM Sfx LY Tun Si IT MT
- 30173. Pantacordis pantsa (Gozmany,1963)** (Autostichidae) Synonym(s): *pantsa* Gozmany,1963 _ Original Reference: Eremica pantsa Gozmany,1963, Acta zool. Hung. 9: 126, fig. Holotype ♂: [Macedonia]: Ochrid, Sveti Rasmo (coll. Klimesch). Range (in code): MK GR
- 30174. Pantacordis scotinella (Rebel,1916)** (Autostichidae) Synonym(s): *scotinella* Rebel,1916 _ Range (in code): Cr
- 30175. Parasyymmoca latiuscella (Stainton,1867)** (Autostichidae) Synonym(s): *latiuscella* Stainton,1867; *contristella* Caradja,1920; *sulamit* Gozmany,1963 _ Original Reference: Hypatima latiuscella Stainton,1867, Tinea Syria Asia minor: 55. Lectotype: Turkey, Bursa, designated by Gozmany (2008). TR LB Bsa Bei SY Ltk Dms IL Pa Js
- 30176. Parasyymmoca meyricki (Gerasimov,1930)** (Autostichidae) Synonym(s): *meyricki* Gerasimov,1930 _ UZ Br
- 30177. Parasyymmoca secreta Gozmany,2008** (Autostichidae) Synonym(s): *secreta* Gozmany,2008 _ TR
- 30178. Procometis (Hyostola) acharma Meyrick,1908** (Autostichidae) Synonym(s): *acharma* Meyrick,1908 _ Range (in code): ZA Nta Kzu Wnn
- 30179. Procometis (Hyostola) oxypora Meyrick,1908** (Autostichidae) Synonym(s): *oxypora* Meyrick,1908 _ Range (in code): ZA Nta Kzu Wnn
- 30180. Procometis (Hyostola) terrena Meyrick,1908** (Autostichidae) Synonym(s): *terrena* Meyrick,1908 _ Range (in code): ZA TZ
- 30181. Procometis (s.str.) limitata Meyrick,1911** (Autostichidae) Synonym(s): *limitata* Meyrick,1911 _ Range (in code): ZA Wb Tva
- 30182. Procometis (s.str.) milvina Meyrick,1914** (Autostichidae) Synonym(s): *milvina* Meyrick,1914 _ Range (in code): ZA
- 30183. Procometis (s.str.) ochricilia Meyrick,1921** (Autostichidae) Synonym(s): *ochricilia* Meyrick,1921 _ Range (in code): ZA

- 30184. Sagarancona sericiella (Walsingham,1904)** (Autostichidae) Synonym(s): *sericiella* Walsingham,1904 Original Reference: *Symmoca sericiella* Walsingham,1904, Entomologist's mon. Mag. 40: 273. Syntypes 19♂♂: Algeria, El-Kantara, Hammam-es-Salahin. Range (in code): **MA DZ Ktr Hes TN**
- 30185. Serendipitia sacuntala Gozmany,2008** (Autostichidae) Synonym(s): *sacuntala* Gozmany,2008 Original Reference: *Serendipitia sacuntala* Gozmany,2008, [in] Gaedike,R., Microlepid. Palaearctica 13: 76. Holotype ♂: O-Afghanistan, Salang Pass (Khinjan) 2100m, 6-11.7.1966, Amsel leg. (SMNK). AF Kbb Slg
- 30186. Stibaromacha ratella (Herrich-Schäffer,1854)** (Autostichidae) Synonym(s): *ratella* Herrich-Schäffer,1854; *sericeella* Rebel,1917; *sebdorella* Chrétien,1922; *#viettei* Agenjo,1952 Range (in code): **MA Tgr Azr Ouk DZ Sbd Tni Tis Blid Gue Anna TN DhM PT ES Mu FR CY TR**
- 30187. Stibaromacha ratellina (Turati,1919)** (Autostichidae) Synonym(s): *ratellina* Turati,1919 Original Reference: *Euteles ratellina* Turati,1919, Naturalista sicil. 23 (7/12): 329, pl.4 figs.47-48. Type: Beirut. Range (in code): **LB Bei**
- 30188. Symmoca (Xenoplaxa) seraf (Gozmany,1963)** (Autostichidae) Synonym(s): *seraf* Gozmany,1963 Range (in code): **SY Dms**
- 30189. Symmoca (s.str.) achrestella Rebel,1889** (Autostichidae) Synonym(s): *achrestella* Rebel,1889 Range (in code): **IT AT**
- 30190. Symmoca (s.str.) albicanella Zeller,1868** (Autostichidae) Synonym(s): *albicanella* Zeller,1868 Range (in code): **SS HV**
- 30191. Symmoca (s.str.) alhambrella Walsingham,1911** (Autostichidae) Synonym(s): *alhambrella* Walsingham,1911 Range (in code): **PT ES An Grn**
- 30192. Symmoca (s.str.) anaphracta (Meyrick,1907)** (Autostichidae) Synonym(s): *anaphracta* Meyrick,1907 BT SI IN Meg NP
- 30193. Symmoca (s.str.) anthracosema Meyrick,1933** (Autostichidae) Synonym(s): *anthracosema* Meyrick,1933 IN Ch NP
- 30194. Symmoca (s.str.) arcuata Gozmany,2008** (Autostichidae) Synonym(s): *arcuata* Gozmany,2008 Range (in code): **AF Kab Sfk**
- 30195. Symmoca (s.str.) ascalaphus Gozmany,2008** (Autostichidae) Synonym(s): *ascalaphus* Gozmany,2008 Range (in code): **AF BdA**
- 30196. Symmoca (s.str.) attalica Gozmany,1957** (Autostichidae) Synonym(s): *attalica* Gozmany,1957; *klimeschiella* Gozmany,1959 Range (in code): **GR**
- 30197. Symmoca (s.str.) calidella Walsingham,1905** (Autostichidae) Synonym(s): *calidella* Walsingham,1905 Original Reference: *Symmoca calidella* Walsingham,1905, Entomologist's mon. Mag. 41: 37-38. Syntypes ♂♀: Algeria, Hammam-es-Salahin, Biskra. Range (in code): **DZ Bsk Hes TN Sfx**
- 30198. Symmoca (s.str.) caliginella Mann,1867** (Autostichidae) Synonym(s): *caliginella* Mann,1867 Range (in code): **IT CH? AT SS HV B-H**
- 30199. Symmoca (s.str.) candidella Chrétien,1922** (Autostichidae) Synonym(s): *candidella* Chrétien,1922; *gypsomorpha* Meyrick,1928; *colluellum* Chrétien,1922 Range (in code): **MA LY**
- 30200. Symmoca (s.str.) capnistis Gozmany,2008** (Autostichidae) Synonym(s): *capnistis* Gozmany,2008 Range (in code): **IR Elb Mz Dam**
- 30201. Symmoca (s.str.) christenseni Gozmany,1982** (Autostichidae) Synonym(s): *christenseni* Gozmany,1982 Range (in code): **GR Tyg**
- 30202. Symmoca (s.str.) christophi (Gozmany,1967)** (Autostichidae) Synonym(s): *christophi* Gozmany,1967 Range (in code): **IR Elb Srd TM Noc**
- 30203. Symmoca (s.str.) cinerariella (Mann,1859)** (Autostichidae) Synonym(s): *cinerariella* Mann,1859 Range (in code): **Co Sa Si**
- 30204. Symmoca (s.str.) costobscurella Amsel,1949** (Autostichidae) Synonym(s): *costobscurella* Amsel,1949 Original Reference: *Symmoca costobscurella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 318, pls. viii & xii, figs. 55 & 100. Type ♂: Iran: Hamidiyah near Ahwazi, riverside scrub. Range (in code): **IQ Bsr SA IR Ahz Th**
- 30205. Symmoca (s.str.) creseritis (Meyrick,1907)** (Autostichidae) Synonym(s): *creseritis* Meyrick,1907 PK BI Qu IR Kh
- 30206. Symmoca (s.str.) deprinsi Gozmany,2001** (Autostichidae) Synonym(s): *deprinsi* Gozmany,2001 Original Reference: *Symmoca deprinsi* Gozmány,2001, Phegea 29 (4): 122-124, figs. Holotype ♂: Turkey: Asia Minor: Antalya, Palaz Dağı 1500m, NE Akseki, 18.vii.1994, H.v.Oorschot, H.v.d.Brink, D.v.d.Poorten, W. de Prins leg. (IZMA). Range (in code): **TR**

- 30207. *Symmoca* (s.str.) *dodecatella* Staudinger, 1859** (Autostichidae) Synonym(s): *dodecatella* Staudinger, 1859; *pleostigmella* Rebel, 1917; *tristella* Caradja, 1920 _ Range (in code): ES An Mu Grn PT
- 30208. *Symmoca* (s.str.) *dolomitana* Huemer & Gozmany, 1992** (Autostichidae) Synonym(s): *dolomitana* Huemer & Gozmany, 1992 _ Range (in code): IT AT
- 30209. *Symmoca* (s.str.) *euxantha* Gozmany, 2008** (Autostichidae) Synonym(s): *euxantha* Gozmany, 2008 _ Range (in code): IR Elb Th Ab
- 30210. *Symmoca* (s.str.) *forsteri* (Gozmany, 1963)** (Autostichidae) Synonym(s): *forsteri* Gozmany, 1963 _ Range (in code): IR Fa Sse
- 30211. *Symmoca* (s.str.) *fuscella* Amsel, 1959** (Autostichidae) Synonym(s): *fuscella* Amsel, 1959 Original Reference: *Symmoca fuscella* Amsel, 1959, Bull. Soc. ent. Egypte 43: 63, figs. Type ♂: Iraq: Rayat. Range (in code): IQ Ry
- 30212. *Symmoca* (s.str.) *huri* (Gozmany, 1963)** (Autostichidae) Synonym(s): *huri* Gozmany, 1963 _ Range (in code): AF Srb
- 30213. *Symmoca* (s.str.) *italica* Gozmany, 1962** (Autostichidae) Synonym(s): *italica* Gozmany, 1962 _ Range (in code): IT
- 30214. *Symmoca* (s.str.) *libanicolella* Zerny, 1934** (Autostichidae) Synonym(s): *libanicolella* Zerny, 1934 _ Range (in code): LB Bsa SY Dms IR Elb Kdv Mz
- 30215. *Symmoca* (s.str.) *longipalpella* Rebel, 1914** (Autostichidae) Synonym(s): *longipalpella* Rebel, 1914 _ Range (in code): EG EG61 TR
- 30216. *Symmoca* (s.str.) *maga* (Gozmany, 1963)** (Autostichidae) Synonym(s): *maga* Gozmany, 1963 _ Range (in code): IR Fa Shr
- 30217. *Symmoca* (s.str.) *mannii* Gozmany, 2008** (Autostichidae) Synonym(s): *mannii* Gozmany, 2008 Original Reference: *Symmoca mannii* Gozmany, 2008, Microlepid. palearct. 13: 133, figs. Holotype ♂: Türkiye, Mardin (ZMB). Range (in code): TR
- 30218. *Symmoca* (s.str.) *maschalista* Meyrick, 1926** (Autostichidae) Synonym(s): *maschalista* Meyrick, 1926 _ IN Hp Kma NP
- 30219. *Symmoca* (s.str.) *megalomera* Gozmany, 2008** (Autostichidae) Synonym(s): *megalomera* Gozmany, 2008 _ Range (in code): IR Elb Th Nss
- 30220. *Symmoca* (s.str.) *mimetica* Gozmany, 2008** (Autostichidae) Synonym(s): *mimetica* Gozmany, 2008 _ Range (in code): ES Mu
- 30221. *Symmoca* (s.str.) *mithra* (Gozmany, 1963)** (Autostichidae) Synonym(s): *mithra* Gozmany, 1963 _ Range (in code): IR Fa Sse
- 30222. *Symmoca* (s.str.) *mithridates* (Gozmany, 1963)** (Autostichidae) Synonym(s): *mithridates* Gozmany, 1963 _ Range (in code): IR Fa Shr Kd Mrv
- 30223. *Symmoca* (s.str.) *mobilella* Zerny, 1935** (Autostichidae) Synonym(s): *mobilella* Zerny, 1935 _ MA
- 30224. *Symmoca* (s.str.) *multicrassa* Gozmany, 2008** (Autostichidae) Synonym(s): *multicrassa* Gozmany, 2008 _ Range (in code): IR Se Ss
- 30225. *Symmoca* (s.str.) *nigromaculella* Ragonot, 1875** (Autostichidae) Synonym(s): *nigromaculella* Ragonot, 1875 _ Range (in code): PT ES An
- 30226. *Symmoca* (s.str.) *nivalis* Gozmany, 1988** (Autostichidae) Synonym(s): *nivalis* Gozmany, 1988 _ Range (in code): MA Ifr
- 30227. *Symmoca* (s.str.) *oenophila* Staudinger, 1871** (Autostichidae) Synonym(s): *oenophila* Staudinger, 1871; *muricella* Chrétien, 1896; *altitudinis* Gozmany, 1962 _ Range (in code): PT Py ES FR
- 30228. *Symmoca* (s.str.) *orphnella* Rebel, 1893** (Autostichidae) Synonym(s): *orphnella* Rebel, 1883 _ Range (in code): ES FR IT
- 30229. *Symmoca* (s.str.) *paghmana* Gozmany, 2008** (Autostichidae) Synonym(s): *paghmana* Gozmany, 2008 _ Range (in code): AF Kab Pag Nu Bkt
- 30230. *Symmoca* (s.str.) *perobscurata* Gozmany, 1957** (Autostichidae) Synonym(s): *perobscurata* Gozmany, 1957; *torrida* Gozmany, 1961 _ Range (in code): PT ES Mu TR
- 30231. *Symmoca* (s.str.) *persica* (Gozmany, 1963)** (Autostichidae) Synonym(s): *persica* Gozmany, 1963 _ Range (in code): IR Fa
- 30232. *Symmoca* (s.str.) *petrogenes* Walsingham, 1907** (Autostichidae) Synonym(s): *petrogenes* Walsingham, 1907; *hispanella* Rebel, 1917 _ Range (in code): ES An Mu MA Tgr
- 30233. *Symmoca* (s.str.) *ponerias* Walsingham, 1905** (Autostichidae) Synonym(s): *ponerias* Walsingham, 1905 Original Reference: *Symmoca ponerias* Walsingham, 1905, Entomologist's

- mon. Mag. 41: 37. Syntypes ♂♂: Algeria, Hammam-es-Salahin. Range (in code): **MA Ouk LY DZ Hes ES An**
- 30234. *Symmoca* (s.str.) *profanella* Zerny,1935** (Autostichidae) Synonym(s): *profanella* Zerny,1935 Range (in code): **MA Rf**
- 30235. *Symmoca* (s.str.) *pyrenaica* Gozmany,1985** (Autostichidae) Synonym(s): *pyrenaica* Gozmany,1985 Range (in code): **ES Py**
- 30236. *Symmoca* (s.str.) *pyrrhella* Ragonot,1895** (Autostichidae) Synonym(s): *pyrrhella* Ragonot,1895; *zeitunella* Rebel,1902; *straminella* Gozmany,1986 Original Reference: *Symmoca* *pyrrhella* Ragonot,1895, Annls Soc. ent. Fr. 1895 (Bull.): cvii. Holotype ♂: [Turquie]: Akbès (MNHN Paris). Range (in code): **TR**
- 30237. *Symmoca* (s.str.) *revoluta* Gozmany,1985** (Autostichidae) Synonym(s): *revoluta* Gozmany,1985 Range (in code): **PT ES**
- 30238. *Symmoca* (s.str.) *rifella* (Zerny,1932)** (Autostichidae) Synonym(s): *rifella* Zerny,1932; *bomalodoxa* Meyrick,1935 Original Reference: *Ceuthomadarus rifella* Zerny,1932, Z. öst. ent. Ver. 17: 41. Type: Marocco. Range (in code): **MA Rf**
- 30239. *Symmoca* (s.str.) *ronkayi* Gozmany,2008** (Autostichidae) Synonym(s): *ronkayi* Gozmany,2008 Range (in code): **PK Cls Gg Ds**
- 30240. *Symmoca* (s.str.) *sahname* (Gozmany,1963)** (Autostichidae) Synonym(s): *sahname* Gozmany,1963 Range (in code): **IR Fa Shr**
- 30241. *Symmoca* (s.str.) *salem* Gozmany,1963** (Autostichidae) Synonym(s): *salem* Gozmany,1963 Range (in code): **CY EG EG11**
- 30242. *Symmoca* (s.str.) *salinata* Gozmany,1986** (Autostichidae) Synonym(s): *salinata* Gozmany,1986 Original Reference: *Symmoca salinata* Gozmany,1986, Entomofauna 7 (14): 202-203, fig.3. Holotype ♂: [Turkey]: Anatolien: [Konya]: Ereğli, Salzsteppe (NHMH). Range (in code): **TR**
- 30243. *Symmoca* (s.str.) *samum* Gozmany,1988** (Autostichidae) Synonym(s): *samum* Gozmany,1988 Original Reference: *Symmoca samum* Gozmany,1988, Boll. Mus. reg. Sci. nat. Torino 6: 176-177, fig. Holotype ♂: Algeria, Sebdou (MNHN Paris). Range (in code): **DZ Sbd Tlm**
- 30244. *Symmoca* (s.str.) *saracenica* Gozmany,2008** (Autostichidae) Synonym(s): *saracenica* Gozmany,2008 Range (in code): **IL Pa Jf**
- 30245. *Symmoca* (s.str.) *satrapa* (Gozmany,1963)** (Autostichidae) Synonym(s): *satrapa* Gozmany,1963 Range (in code): **IR Fa**
- 30246. *Symmoca* (s.str.) *sattleri* Gozmany,1962** (Autostichidae) Synonym(s): *sattleri* Gozmany,1962 Range (in code): **ES**
- 30247. *Symmoca* (s.str.) *sefidica* Gozmany,2008** (Autostichidae) Synonym(s): *sefidica* Gozmany,2008 Range (in code): **IR Fa**
- 30248. *Symmoca* (s.str.) *senora* Gozmany,1977** (Autostichidae) Synonym(s): *senora* Gozmany,1977 Range (in code): **ES An Mu**
- 30249. *Symmoca* (s.str.) *senorita* Gozmany,1988** (Autostichidae) Synonym(s): *senorita* Gozmany,1988 Range (in code): **MA Ess**
- 30250. *Symmoca* (s.str.) *serrata* Gozmany,1985** (Autostichidae) Synonym(s): *serrata* Gozmany,1985 Range (in code): **PT ES TN**
- 30251. *Symmoca* (s.str.) *shahriar* Gozmany,2008** (Autostichidae) Synonym(s): *shahriar* Gozmany,2008 Range (in code): **IR Lo Fa Kd Mrv**
- 30252. *Symmoca* (s.str.) *sheherezade* (Gozmany,1963)** (Autostichidae) Synonym(s): *sheherezade* Gozmany,1963 Range (in code): **IR Fa**
- 30253. *Symmoca* (s.str.) *signatella* Herrich-Schäffer,1854** (Autostichidae) Synonym(s): *signatella* Herrich-Schäffer,1854; *rosmarinella* Walsingham,1901; *melitensis* Amsel,1954 Range (in code): **MA DZ Phv Tou PT ES FR IT MT GB DE CH YU HV GR Rd RU MD EG UA Cc**
- 30254. *Symmoca* (s.str.) *signella* (Hübner,1796)** (Autostichidae) Synonym(s): *signella* Hübner,1796 Range (in code): **PT ES FR CH AT YU HV SS DE GR**
- 30255. *Symmoca* (s.str.) *simulans* Gozmany,1985** (Autostichidae) Synonym(s): *simulans* Gozmany,1985 Range (in code): **ES Mu**
- 30256. *Symmoca* (s.str.) *sindbad* Gozmany,2008** (Autostichidae) Synonym(s): *#sindbad* Gozmany,1963; *sindbad* Gozmany,2008 Original Reference: *Megasymmoca* ? *sindbad* Gozmany,1963, Acta zool. Hung. 9: 92, fig. Holotype ♂: Iran: Fars: Str. Chiraz- Kazeroun, Fort

- Sineh Sefid, 2200m, leg. Brandt (coll. Lattin) [unavailable name as proposed conditionally]. See Gozmany, 2008 (Microlep. Pal. 13: 134. Range (in code): IR Fa
- 30257. *Symmoca* (s.str.) *solanella* Amsel, 1953** (Autostichidae) Synonym(s): solanella Amsel, 1953 MA
- 30258. *Symmoca* (s.str.) *sorrissa* Gozmany, 1975** (Autostichidae) Synonym(s): sorrissa Gozmany, 1975 Range (in code): ES
- 30259. *Symmoca* (s.str.) *sparsella* (De Joannis, 1891)** (Autostichidae) Synonym(s): sparsella De Joannis, 1891; ratellina Turati, 1919 Original Reference: Symmoca sparsella De Joannis, 1891, Bull. Soc. ent. Fr. 1891: lxxxiv. Type: Syrie [Liban]: Beyrouth. Range (in code): ES Mu LB Bei IL Pa Hf Js JO Amm EG GR TR SY Dms IQ Shq Rwz Dia
- 30260. *Symmoca* (s.str.) *squalida* Gozmany, 2008** (Autostichidae) Synonym(s): squalida Gozmany, 2008 Range (in code): IR Gl
- 30261. *Symmoca* (s.str.) *stigmaphora* Gozmany, 2008** (Autostichidae) Synonym(s): stigmaphora Gozmany, 2008 Range (in code): TN Sfx LY Cy
- 30262. *Symmoca* (s.str.) *sultan* Gozmany, 1962** (Autostichidae) Synonym(s): sultan Gozmany, 1962 Range (in code): ES An Grn Mu
- 30263. *Symmoca* (s.str.) *sutteri* Gozmany, 2000** (Autostichidae) Synonym(s): sutteri Gozmany, 2000 GR
- 30264. *Symmoca* (s.str.) *thyrota* Meyrick, 1929** (Autostichidae) Synonym(s): thyrota Meyrick, 1929 SD
- 30265. *Symmoca* (s.str.) *tofosella* Rebel, 1893** (Autostichidae) Synonym(s): tofosella Rebel, 1893; sezam Gozmany, 1963 Range (in code): DZ Tni Tis Hsb PT ES IT
- 30266. *Symmoca* (s.str.) *tunesica* Gozmany, 1988** (Autostichidae) Synonym(s): tunesica Gozmany, 1988 Range (in code): TN Sfx
- 30267. *Symmoca* (s.str.) *turana* Caradja, 1920** (Autostichidae) Synonym(s): turana Caradja, 1920 UZ Nmg Man KK TM Kp Krn AF
- 30268. *Symmoca* (s.str.) *uniformella* Rebel, 1900** (Autostichidae) Synonym(s): uniformella Rebel, 1900 Range (in code): PT ES An Grn Mu
- 30269. *Symmoca* (s.str.) *vitiosella* Zeller, 1868** (Autostichidae) Synonym(s): vitiosella Zeller, 1868 Original Reference: Symmoca vitiosella Zeller, 1868, Stettin ent. Ztg. 29: 139. Holotype ♂: Türkiye, Makri [Fethiye] (BMNH). Range (in code): TR Rd CY GR
- 30270. *Symmoca* (s.str.) *vojnitsi* Gozmany, 2008** (Autostichidae) Synonym(s): vojnitsi Gozmany, 2008 Range (in code): IR Fa Shr Kh Ss
- 30271. *Symmoca* *crocodesma* Meyrick, 1911** (Autostichidae) Synonym(s): crocodesma Meyrick, 1911 Original Reference: Symmoca crocodesma Meyrick, 1911, Ann. Transv. Mus. 3(1): 70. Type ♂: [South Africa]: Woodbush Village (Swierstra) (coll. Meyrick). Range (in code): ZA Tva Lpo Wo
- 30272. *Symmoca* *designella* Herrich-Schäffer, 1855** (Autostichidae) Synonym(s): designella Herrich-Schäffer, 1855 Range (in code): YU
- 30273. *Symmoca* *parvella* Chrétien, 1915** (Autostichidae) Synonym(s): parvella Chrétien, 1915 Original Reference: Symmoca parvella Chrétien, 1915, Annls Soc. ent. Fr. 84: 335. Type: [Algérie]: "Biskra, en octobre" [Chrétien's Collection totally destroyed (Gozmany, 2008: 267, ex Viette (1966)). Range (in code): DZ Bsk
- 30274. *Symmoca* *pelospora* Meyrick, 1927** (Autostichidae) Synonym(s): pelospora Meyrick, 1927 Original Reference: Symmoca pelospora Meyrick, 1927, Exot. Microlepid. 3: 356. Type ♂: [Uighur Ili]: Kuldja (MGAB) [Type without abdomen!]. CN Ui Ku
- 30275. *Symmoca* *striolatella* Gozmany, 1963** (Autostichidae) Synonym(s): striolatella Gozmany, 1963 Range (in code): IR Elb
- 30276. *Symmocoides* *don* (Gozmany, 1963)** (Autostichidae) Synonym(s): don Gozmany, 1963 Original Reference: Donaspastus don Gozmany, 1963, Acta zool. Hung. 9: 118-119, figs. 54, 55. Holotype ♂: Hispania: Madrid: Escorial (leg. Escalera) (HNHMB). Range (in code): ES
- 30277. *Symmocoides* *ferreirae* Gozmany, 2008** (Autostichidae) Synonym(s): ferreirae Gozmany, 2008 Range (in code): ES
- 30278. *Symmocoides* *gozmanyi* (Amsel, 1959)** (Autostichidae) Synonym(s): gozmanyi Amsel, 1959 Range (in code): PT ES
- 30279. *Symmocoides* *margaritis* Gozmany, 2008** (Autostichidae) Synonym(s): margaritis Gozmany, 2008 Range (in code): MA Tgr

- 30280. *Symmocoides marthae* (Gozmany,1957)** (Autostichidae) Synonym(s): *marthae* Gozmany,1957 Range (in code): ES
- 30281. *Symmocoides oxybiellus* (Millière,1872)** (Autostichidae) Synonym(s): *oxybiellus* Millière,1872; *astuta* Gozmany,1961 Range (in code): DZ Agi TN Gf PT ES An FR IT
- 30282. *Synchordaxis synnepha* Gozmany,2008** (Autostichidae) Synonym(s): *synnepha* Gozmany,2008 Range (in code): AF Pag Kab Nu Brk
- 30283. *Syssymmoca sahib* Gozmany,1963** (Autostichidae) Synonym(s): *sahib* Gozmany,1963 Range (in code): IR Fa
- 30284. *Telephirca quadrifariella* (Mann,1855)** (Autostichidae) Synonym(s): *quadrifariella* Mann,1855 Range (in code): Co Sa
- 30285. *Tenietta albidella* (Rebel,1901)** (Autostichidae) Synonym(s): *albidella* Rebel,1901; *kebillilla* Lucas,1945; *evae* Gozmany,1967 Original Reference: *Epidola* ? *albidella* Rebel,1901, Dt. ent. Z., Iris 13: 166. Syntypes: Algerien, Teniet-el-Had (NMW). Range (in code): DZ Tni Tis TN Méd MA
- 30286. *Turatia arenacea* Gozmany,2000** (Autostichidae) Synonym(s): *arenacea* Gozmany,2000 Range (in code): SA Hj SA39
- 30287. *Turatia arenacea arenacea* Gozmany,2000** (Autostichidae) Synonym(s): *arenacea* Gozmany,2000 Range (in code): SA Hj SA39
- 30288. *Turatia argillacea* Gozmany,2000** (Autostichidae) Synonym(s): *argillacea* Gozmany,2000 Original Reference: *Turatia argillacea* Gozmany,2000, Spixiana 23 (3): 279. Holotype ♂: Tanganika Songea, Peramiho 1000m (ZSM). Range (in code): TZ
- 30289. *Turatia chretieni* Gozmany,2000** (Autostichidae) Synonym(s): *chretieni* Gozmany,2000 Range (in code): TN
- 30290. *Turatia chretieni chretieni* Gozmany,2000** (Autostichidae) Synonym(s): *chretieni* Gozmany,2000 Range (in code): TN
- 30291. *Turatia cinerascens* (Turati,1926)** (Autostichidae) Synonym(s): *cinerascens* Turati,1926 Range (in code): LY Cy
- 30292. *Turatia cinerascens cinerascens* (Turati,1926)** (Autostichidae) Synonym(s): *cinerascens* Turati,1926 Range (in code): LY Cy
- 30293. *Turatia foeldvarii* (Gozmany,1959)** (Autostichidae) Synonym(s): *foeldvarii* Gozmany,1959 Range (in code): EG
- 30294. *Turatia foeldvarii foeldvarii* (Gozmany,1959)** (Autostichidae) Synonym(s): *foeldvarii* Gozmany,1959 Range (in code): EG
- 30295. *Turatia iranica* Gozmany,2000** (Autostichidae) Synonym(s): *iranica* Gozmany,2000 Original Reference: *Turatia iranica* Gozmany,2000, Microlepid. Palaeart. 10: 68-69, figs. Holotype ♂: Iran, Belutchistan, Bender Tchah-Bahar, leg. Brandt (RMS). Range (in code): IR Ss AE
- 30296. *Turatia iranica iranica* Gozmany,2000** (Autostichidae) Synonym(s): *iranica* Gozmany,2000 Original Reference: *Turatia iranica* Gozmany,2000, Microlepid. Palaeart. 10: 68-69, figs. Holotype ♂: Iran, Belutchistan, Bender Tchah-Bahar, leg. Brandt (RMS). Range (in code): IR Ss AE
- 30297. *Turatia morettii* (Turati,1926)** (Autostichidae) Synonym(s): *morettii* Turati,1926. Range (in code): TN LY Cy
- 30298. *Turatia morettii morettii* (Turati,1926)** (Autostichidae) Synonym(s): *morettii* Turati,1926. Range (in code): TN LY Cy
- 30299. *Turatia psameticella* (Rebel,1914)** (Autostichidae) Synonym(s): *psameticella* Rebel,1914 Range (in code): LY EG BH
- 30300. *Turatia psameticella psameticella* (Rebel,1914)** (Autostichidae) Synonym(s): *psameticella* Rebel,1914 Range (in code): LY EG BH
- 30301. *Turatia psammella* (Amsel,1935)** (Autostichidae) Synonym(s): *psammella* Amsel,1935 Range (in code): EG IL Pa
- 30302. *Turatia psammella psammella* (Amsel,1935)** (Autostichidae) Synonym(s): *psammella* Amsel,1935 Range (in code): EG IL Pa
- 30303. *Turatia rhyodes* (Meyrick,1909)** (Autostichidae) Synonym(s): *rhyodes* Meyrick,1909 Original Reference: *Nothris rhyodes* Meyrick,1909, Ann. Transv. Mus. 2: 16, Pl.5 fig.8. Type: [South Africa]: Pretoria: Rietfontein. Range (in code): ZA Tva Gau Pre

- 30304. *Turatia rhyodes rhyodes* (Meyrick,1909)** (Autostichidae) Synonym(s): *rhyodes* Meyrick,1909 Original Reference: Nothris rhyodes Meyrick,1909, Ann. Transv. Mus. 2: 16, Pl.5 fig.8. Type: [South Africa]: Pretoria: Rietfontein. Range (in code): **ZA Tva Gau Pre**
- 30305. *Turatia scaeocentra* (Meyrick,1921)** (Autostichidae) Synonym(s): *scaeocentra* Meyrick,1921 Original Reference: Holcopogon scaeocentra Meyrick,1921, Ann. Transv. Mus. 8: 93. Type: "Portugiesisch Ostafrika": Bela Vista. Range (in code): **MZ**
- 30306. *Turatia scaeocentra scaeocentra* (Meyrick,1921)** (Autostichidae) Synonym(s): *scaeocentra* Meyrick,1921 Original Reference: Holcopogon scaeocentra Meyrick,1921, Ann. Transv. Mus. 8: 93. Type: "Portugiesisch Ostafrika": Bela Vista. Range (in code): **MZ**
- 30307. *Turatia scioneura* (Meyrick,1929)** (Autostichidae) Synonym(s): *scioneura* Meyrick,1929 Range (in code): **SD**
- 30308. *Turatia scioneura scioneura* (Meyrick,1929)** (Autostichidae) Synonym(s): *scioneura* Meyrick,1929 Range (in code): **SD**
- 30309. *Turatia scutigera* Gozmany,2000** (Autostichidae) Synonym(s): *scutigera* Gozmany,2000 Range (in code): **TN**
- 30310. *Turatia scutigera scutigera* Gozmany,2000** (Autostichidae) Synonym(s): *scutigera* Gozmany,2000 Range (in code): **TN**
- 30311. *Turatia serratina* (Gozmany,1967)** (Autostichidae) Synonym(s): *serratina* Gozmany,1967 Range (in code): **DZ Afl Lbs Orn TN**
- 30312. *Turatia serratina serratina* (Gozmany,1967)** (Autostichidae) Synonym(s): *serratina* Gozmany,1967 Range (in code): **DZ Afl Orn Lbs TN**
- 30313. *Turatia striatula* Gozmany,2000** (Autostichidae) Synonym(s): *striatula* Gozmany,2000 Range (in code): **SA Hj SA39**
- 30314. *Turatia striatula striatula* Gozmany,2000** (Autostichidae) Synonym(s): *striatula* Gozmany,2000 Range (in code): **SA Hj SA39**
- 30315. *Turatia tenebrata* Gozmany,2000** (Autostichidae) Synonym(s): *tenebrata* Gozmany,2000 Range (in code): **MA Agd**
- 30316. *Turatia tenebrata tenebrata* Gozmany,2000** (Autostichidae) Synonym(s): *tenebrata* Gozmany,2000 Range (in code): **MA Agd**
- 30317. *Turatia turpicula* Gozmany,2000** (Autostichidae) Synonym(s): *turpicula* Gozmany,2000 Original Reference: *Turatia turpicula* Gozmany,2000, Spixiana 23 (3): 280-281, fig.2. Holotype ♀: "S.W.Africa, Swakopmund iii.1959, leg. G.Hobohm" (ZSM). Range (in code): **ZA**
- 30318. *Batrachedra acrodeta* Meyrick,1927** (Batrachedridae) Synonym(s): *acrodeta* Meyrick,1927 Range (in code): **WS**
- 30319. *Batrachedra agaura* Meyrick,1901** (Batrachedridae) Synonym(s): *agaura* Meyrick,1901 Range (in code): **NZ**
- 30320. *Batrachedra amydraula* Meyrick,1916** (Batrachedridae) Synonym(s): *amydraula* Meyrick,1916 Range (in code): **DZ IN Ben Pus IQ Bgd SA AE** Bionomy: Larva on Phoenix dactylifera (Arecaceae) (Gharib,1968).
- 30321. *Batrachedra atomosella* Walsingham,1900** (Batrachedridae) Synonym(s): *atomosella* Walsingham,1900 Range (in code): **YE Sk**
- 30322. *Batrachedra epombra* Meyrick,1914** (Batrachedridae) Synonym(s): *epombra* Meyrick,1914 Range (in code): **ZA**
- 30323. *Batrachedra granosa* Meyrick,1911** (Batrachedridae) Synonym(s): *granosa* Meyrick,1911 Range (in code): **ZA Tva Gau Pre**
- 30324. *Batrachedra halans* Meyrick,1924** (Batrachedridae) Synonym(s): *halans* Meyrick,1924 Range (in code): **ZA**
- 30325. *Batrachedra heliota* Meyrick,1913** (Batrachedridae) Synonym(s): *heliota* Meyrick,1913 Range (in code): **ZA Tva Mpu Wv**
- 30326. *Batrachedra isochtha* Meyrick,1914** (Batrachedridae) Synonym(s): *isochtha* Meyrick,1914 Range (in code): **ZA Nta Kzu Srn**
- 30327. *Batrachedra kabulella* (Kasy,1969)** (Batrachedridae) Synonym(s): *kabulella* Kasy,1969 Range (in code): **AF Kab Pic KK**
- 30328. *Batrachedra microbias* Meyrick,1914** (Batrachedridae) Synonym(s): *microbias* Meyrick,1914 Range (in code): **ZA Tva Mpu Tst**
- 30329. *Batrachedra oemias* Meyrick,1909** (Batrachedridae) Synonym(s): *oemias* Meyrick,1909 Range (in code): **ZA**

- 30330. *Batrachedra parvulipunctella* Chrétien, 1915** (Batrachedridae) Synonym(s): *parvulipunctella* Chrétien, 1915; *phragmitidella* Mariani, 1936. Range (in code): TN Gf PT ES FR Sa Si IT MT GB GR Cr Bionomy: Larva on *Phragmites communis* (Riedl, 1969).
- 30331. *Batrachedra phaneropa* Meyrick, 1914** (Batrachedridae) Synonym(s): *phaneropa* Meyrick, 1914. Range (in code): ZA
- 30332. *Batrachedra philocarpa* Meyrick, 1921** (Batrachedridae) Synonym(s): *philocarpa* Meyrick, 1921. Range (in code): IQ Bsr
- 30333. *Batrachedra pinicolella* (Zeller, 1839)** (Batrachedridae) Synonym(s): *pinicolella* Zeller, 1839. Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb MD UA BY Bionomy: Larva on *Abies alba*, *Pinus sylvestris* (Riedl, 1969).
- 30334. *Batrachedra praeangusta* (Haworth, 1828)** (Batrachedridae) Synonym(s): *praeangusta* Haworth, 1828; *tur dipennella* Kollar, 1832; *praeangustella* Doubleday, 1859; *clemensella* Chambers, 1877. Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Sb US Bionomy: Larva on *Populus tremula*, *P. alba*, *Salix alba*, *S. caprea* (Salicaceae) (Riedl, 1969).
- 30335. *Batrachedra saurota* Meyrick, 1911** (Batrachedridae) Synonym(s): *saurota* Meyrick, 1911. Range (in code): ZA Tva Wo
- 30336. *Asaphocrita obsoletella* (Krogerus, 1947)** (Blastobasidae) Synonym(s): *obsoletella* Krogerus, 1947. Range (in code): FI
- 30337. *Blastobasis acarta* Meyrick, 1911** (Blastobasidae) Synonym(s): *acarta* Meyrick, 1911. Range (in code): SC
- 30338. *Blastobasis acuta* Bradley, 1958** (Blastobasidae) Synonym(s): *acuta* Bradley, 1958. Range (in code): Md
- 30339. *Blastobasis adustella* Walsingham, 1894** (Blastobasidae) Synonym(s): *adustella* Walsingham, 1894; *melanella* Mansbridge & Wright, 1939; *pallidella* Mansbridge & Wright, 1939; *xanthographella* Rebel, 1940. Range (in code): Md GB BE AU
- 30340. *Blastobasis albidella* Rebel, 1928** (Blastobasidae) Synonym(s): *albidella* Rebel, 1928. Range (in code): MA
- 30341. *Blastobasis arguta* Meyrick, 1918** (Blastobasidae) Synonym(s): *arguta* Meyrick, 1918. Range (in code): ZA Nta Kzu Umk
- 30342. *Blastobasis basipectenella* Adamski, 2003** (Blastobasidae) Synonym(s): *basipectenella* Adamski, 2003. Range (in code): TH
- 30343. *Blastobasis bispinaella* Adamski, 2003** (Blastobasidae) Synonym(s): *bispinaella* Adamski, 2003. Range (in code): TH
- 30344. *Blastobasis byrsodepta* Meyrick, 1913** (Blastobasidae) Synonym(s): *byrsodepta* Meyrick, 1913. Range (in code): ZA Tva Mpu Wv
- 30345. *Blastobasis centralasiae* Sinev, 2007** (Blastobasidae) Synonym(s): *centralasiae* Sinev, 2007. Range (in code):
- 30346. *Blastobasis decolorella* Wollaston, 1858** (Blastobasidae) Synonym(s): *decolorella* Wollaston, 1858. Range (in code): GB
- 30347. *Blastobasis determinata* Meyrick, 1921** (Blastobasidae) Synonym(s): *determinata* Meyrick, 1921. Range (in code): ZA Tva Mdt
- 30348. *Blastobasis egens* Meyrick, 1918** (Blastobasidae) Synonym(s): *egens* Meyrick, 1918. Range (in code): ZA Nta Kzu Srn Umk Nha Esw Ver
- 30349. *Blastobasis eridryas* Meyrick, 1932** (Blastobasidae) Synonym(s): *eridryas* Meyrick, 1932. Original Reference: *Blastobasis eridryas* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 114. Syntypes 2♂: [Ethiopia]: Mt. Chillalo (BMNH). Range (in code): ET ET7o Sw
- 30350. *Blastobasis evanescens* Walsingham, 1901** (Blastobasidae) Synonym(s): *evanescens* Walsingham, 1901. Range (in code): Co
- 30351. *Blastobasis extensa* Meyrick, 1918** (Blastobasidae) Synonym(s): *extensa* Meyrick, 1918. Range (in code): ZA Tva Gau Pre
- 30352. *Blastobasis fatigata* Meyrick, 1914** (Blastobasidae) Synonym(s): *fatigata* Meyrick, 1914. Range (in code): ZA Tva Gau Pre
- 30353. *Blastobasis fuscomaculella* Ragonot, 1879** (Blastobasidae) Synonym(s): *fuscomaculella* Ragonot, 1879. Range (in code): PT ES FR
- 30354. *Blastobasis glandulella* (Riley, 1871)** (Blastobasidae) Synonym(s): *glandulella* Riley, 1871; *huemeri* Sinev, 1993. Range (in code): AT FR DE SK CH IT HV US Fl Arz CA On Col Tx

- 30355. Blastobasis ianella Adamski,2003** (Blastobasidae) Synonym(s): *ianella Adamski,2003*
Range (in code): TH
- 30356. Blastobasis indigesta Meyrick,1931** (Blastobasidae) Synonym(s): *indigesta Meyrick,1931*
Range (in code): ZA
- 30357. Blastobasis indirecta Meyrick,1931** (Blastobasidae) Synonym(s): *indirecta Meyrick,1931*
Range (in code): TW
- 30358. Blastobasis industria Meyrick,1913** (Blastobasidae) Synonym(s): *industria Meyrick,1913*
Original Reference: Blastobasis industria Meyrick,1913, Ann. Transv. Mus. 3: 314. Range (in code): ZA Tva Mpu Brb ET Sw ET88
- 30359. Blastobasis irroratella Walsingham,1891** (Blastobasidae) Synonym(s): *irroratella Walsingham,1891* _ Range (in code): ZA
- 30360. Blastobasis lignea Walsingham,1894** (Blastobasidae) Synonym(s): *lignea Walsingham,1894* _ Range (in code): IE GB
- 30361. Blastobasis magna Amsel,1952** (Blastobasidae) Synonym(s): *magna Amsel,1952*
Range (in code): ES Sa Si IT
- 30362. Blastobasis maroccanella Amsel,1952** (Blastobasidae) Synonym(s): *maroccanella Amsel,1952* _ Range (in code): MA PT ES US Cf
- 30363. Blastobasis mnemosynella Millière,1876** (Blastobasidae) Synonym(s): *mnemosynella Millière,1876* _ Range (in code): FR
- 30364. Blastobasis monopetali (Walsingham,1908)** (Blastobasidae) Synonym(s): *monopetali Walsingham,1908* _ Range (in code): ES
- 30365. Blastobasis nephelophaea Meyrick,1921** (Blastobasidae) Synonym(s): *nephelophaea Meyrick,1921* _ Range (in code): TW
- 30366. Blastobasis ochromorpha Meyrick,1925** (Blastobasidae) Synonym(s): *ochromorpha Meyrick,1925* Original Reference: Blastobasis ochromorpha Meyrick,1925, Exot. Microlepid. 3: 145. Range (in code): TH IN MY Bionomy: Larva on Allium cepa (onion) (Liliaceae), Elaeis guineensis (Arecaceae), Shorea robusta (Dipterocarpaceae) (Robinson et al.,1994).
- 30367. Blastobasis parki Sinev,1993** (Blastobasidae) Synonym(s): *parki Sinev,1993* _ Range (in code): RU KR
- 30368. Blastobasis phycidella (Zeller,1839)** (Blastobasidae) Synonym(s): *phycidella Zeller,1839; roscidella Zeller,1847* _ Range (in code): DZ TN Gf Cn PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LT RU MD UA BY LB Bsa Bmm IR Mz Gl Bionomy: Larva on Ficus, Armeniaca vulgaris (Chrétien,1917).
- 30369. Blastobasis ponticella Sinev,2007** (Blastobasidae) Synonym(s): *ponticella Sinev,2007*
Range (in code): UA Cm RU Cc
- 30370. Blastobasis rebeli Karsholt & Sinev,2004** (Blastobasidae) Synonym(s): *rebeli Karsholt & Sinev,2004* _ Range (in code): GB
- 30371. Blastobasis rosmarinella Walsingham,1901** (Blastobasidae) Synonym(s): *rosmarinella Walsingham,1901* _ Range (in code): FR
- 30372. Blastobasis spermologa Meyrick,1916** (Blastobasidae) Synonym(s): *spermologa Meyrick,1916* _ Range (in code): LK TW
- 30373. Blastobasis spiniella Park,2000** (Blastobasidae) Synonym(s): *spiniella Park,2000*
Range (in code): KR
- 30374. Blastobasis tarda Meyrick,1902** (Blastobasidae) Synonym(s): *tarda Meyrick,1902; ligurica Nel & Varenne,2004* _ Range (in code): NZ US Cf AU QAn FR
- 30375. Blastobasis taricheuta Meyrick,1909** (Blastobasidae) Synonym(s): *taricheuta Meyrick,1909* _ Range (in code): ZA
- 30376. Blastobasis trachelista Meyrick,1921** (Blastobasidae) Synonym(s): *trachelista Meyrick,1921* _ Range (in code): ZW Uma
- 30377. Blastobasis tridigitella Adamski,2003** (Blastobasidae) Synonym(s): *tridigitella Adamski,2003* _ Range (in code): TH
- 30378. Blastobasis xylophagum (Walsingham,1908)** (Blastobasidae) Synonym(s): *xylophagum Walsingham,1908* _ Range (in code): ES
- 30379. Calosima alba fasciata Adamski,2002** (Blastobasidae) Synonym(s): *alba fasciata Adamski,2002* _ Range (in code): TH
- 30380. Calosima alba fasciella Adamski,2002** (Blastobasidae) Synonym(s): *alba fasciella Adamski,2002* _ Range (in code): TH

- 30381. Calosima malikuli Adamski,2002** (Blastobasidae) *Synonym(s): malikuli Adamski,2002*
Range (in code): TH
- 30382. Calosima moriutii Adamski,2002** (Blastobasidae) *Synonym(s): moriutii Adamski,2002*
Range (in code): TH
- 30383. Cladobrostis melitricha Meyrick,1921** (Blastobasidae) *Synonym(s): melitricha Meyrick,1921*
Original Reference: Cladobrostis melitricha Meyrick,1921, Exot. Microlepid. 2: 410. Range (in code): IN TH
- 30384. Coniogenes contempta Meyrick,1916** (Blastobasidae) *Synonym(s): contempta Meyrick,1916*
Range (in code): TW
- 30385. Holcocera binotella (Thunberg,1794)** (Blastobasidae) *Synonym(s): binotella Thunberg,1794*
Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 30386. Homothamnis litholeuca Meyrick,1921** (Blastobasidae) *Synonym(s): litholeuca Meyrick,1921*
Range (in code): MZ Mag
- 30387. Hypatopa ibericella Sinev,2007** (Blastobasidae) *Synonym(s): ibericella Sinev,2007*
Range (in code): ES
- 30388. Hypatopa inunctella (Zeller,1839)** (Blastobasidae) *Synonym(s): inunctella Zeller,1839; haliciella Klemensiewicz,1898; fuscilla Klemensiewicz,1898*
Range (in code): ES FR Si IT BE NL DE CH AT PL CZ SK HU RO TR DK SE FI LV LT RU MD UA BY
- 30389. Hypatopa segnella (Zeller,1873)** (Blastobasidae) *Synonym(s): segnella Zeller,1873; perfugella Jonasson,1985*
Range (in code): ES FR DE AT PL CZ SK FI RU MD UA BY
- 30390. Hypatopa silvestrella Kuznetsov,1984** (Blastobasidae) *Synonym(s): silvestrella Kuznetsov,1984*
Range (in code): RU Us KR
- 30391. Hypatopa tianshanica Sinev,1993** (Blastobasidae) *Synonym(s): tianshanica Sinev,1993*
Original Reference: Hypatopa tianshanica Sinev,1993, Ent. Rev. 72 (2): 372. Range (in code): UZ KR
- 30392. Neoblastobasis biceratala Park,1984** (Blastobasidae) *Synonym(s): biceratala Park,1984*
Range (in code): KR
- 30393. Neoblastobasis decolor (Meyrick,1907)** (Blastobasidae) *Synonym(s): decolor Meyrick,1907*
Original Reference: Blastobasis decolor Meyrick,1907, J. Bombay nat. Hist. Soc. 18: 150. Type: [Sri Lanka]: Ceylon (BMNH). Range (in code): LK
- 30394. Neoblastobasis spiniharpella Kuznetsov & Sinev,1985** (Blastobasidae) *Synonym(s): spiniharpella Kuznetsov & Sinev,1985*
Range (in code): RU KR
- 30395. Pseudohypatopa beljaevi Sinev,2007** (Blastobasidae) *Synonym(s): beljaevi Sinev,2007*
Range (in code):
- 30396. Pseudohypatopa longicornutella Park,1989** (Blastobasidae) *Synonym(s): longicornutella Park,1989*
Range (in code): KR
- 30397. Pseudohypatopa pulverea (Meyrick,1907)** (Blastobasidae) *Synonym(s): pulverea Meyrick,1907*
Original Reference: Blastobasis pulverea Meyrick,1907, J. Bombay Soc. nat. Hist. 18: 151. Range (in code): IN TH
- 30398. Sinevina scythrella (Sinev,1986)** (Blastobasidae) *Synonym(s): scythrella Sinev,1986*
Original Reference: Holcoceroides scythrella Sinev,1986, Trudy zool. Inst., Leningr. 145: 66. Range (in code): RU KR
- 30399. Tecmerium anthophaga (Staudinger,1871)** (Blastobasidae) *Synonym(s): anthophaga Staudinger,1871*
Range (in code): ES FR Co Sa
- 30400. Tecmerium perplexum (Gozmany,1957)** (Blastobasidae) *Synonym(s): perplexum Gozmany,1957*
Range (in code): HU GR CY
- 30401. Tecmerium spermophagis (Walsingham,1907)** (Blastobasidae) *Synonym(s): spermophagis Walsingham,1907*
Range (in code): PT ES
- 30402. Andraca adoxima (Turner,1902)** (Bombycidae) *Synonym(s): adoxima Turner,1902*
Range (in code): AU
- 30403. Andraca apodecta Swinhoe,1907** (Bombycidae) *Synonym(s): apodecta Swinhoe,1907; corporaali Van Eecke,1921*
Range (in code): ID Sum
- 30404. Andraca bipunctata Walker,1865** (Bombycidae) *Synonym(s): bipunctata Walker,1865; tricholoides Moore,1865*
Range (in code): IN Ass SI ID Ja TH CMa CDo
- 30405. Andraca olivacea Matsumura,1927** (Bombycidae) *Synonym(s): olivacea Matsumura,1927*
Range (in code): TW

- 30406. *Andraca roepkei* Bryk,1944** (Bombycidae) Synonym(s): *roepkei* Bryk,1944 - Range (in code): **MM**
- 30407. *Andraca theae* (Matsumura,1909)** (Bombycidae) Synonym(s): *theae* Matsumura,1909 Range (in code): **TW**
- 30408. *Bombyx barnardi* Lucas,1895** (Bombycidae) Synonym(s): *barnardi* Lucas,1895 - Range (in code): **TA**
- 30409. *Bombyx horsfieldi* (Moore,1860)** (Bombycidae) Synonym(s): *horsfieldi* Moore,1860 Range (in code): **ID Ja TW**
- 30410. *Bombyx mandarina* (Moore,1872)** (Bombycidae) Synonym(s): *mandarina* Moore,1872; *formosana* Matsumura,1927 - Range (in code): **CN TW**
- 30411. *Bombyx mori* (Linnaeus,1758)** (Bombycidae) Synonym(s): *mori* Linnaeus,1758; *sinensis* Moore & Hutton,1862; *croesi* Moore & Hutton,1862; *fortunatus* Moore & Hutton,1862; *arracanensis* Moore & Hutton,1862; *textor* Moore & Hutton,1862. Original Reference: Phalaena *Bombyx mori* Linnaeus,1758, Syst. Nat. 10 (1): 499-500. Type(s): "Habitat in Moro Chine". Range (in code): **ES FR BG TR ZA TH CN**
- 30412. *Bombyx rotundapex* Myata & Kishida,1990** (Bombycidae) Synonym(s): *rotundapex* Myata & Kishida,1990 - Range (in code): **TW**
- 30413. *Dalailama bifurca* Staudinger,[1896]** (Bombycidae) Synonym(s): *bifurca* Staudinger,[1896] Original Reference: *Dalailama bifurca* Staudinger,[1896], Dt. ent. Z., Iris 8 (2): 303, pl.5 fig.9. [China]: "zwischen Lob Noor u. Kuku Noor". Lectotype ♂: Kuku Noor (MNB), designated by Witt (2006). Range (in code): **CN Ui Kn Ts Kno Shs**
- 30414. *Dalailama vadim* Witt,2007** (Bombycidae) Synonym(s): *vadim* Witt,2007 - Range (in code): **CN Sz**
- 30415. *Elachyophthalma bicolor* (Bethune-Baker,1904)** (Bombycidae) Synonym(s): *bicolor* Bethune-Baker,1904 - Range (in code): **PG**
- 30416. *Elachyophthalma cotanoides* Rothschild,1920** (Bombycidae) Synonym(s): *cotanoides* Rothschild,1920 - Range (in code): **PG**
- 30417. *Ernolatia lida* (Moore,1859)** (Bombycidae) Synonym(s): *lida* Moore,1859; *signata* Walker,1862 - Range (in code): **MY Bor ID Sum Ja Clb PH** Bionomy: Larva on *Ficus elastica*, *F. benjaminiana*, *F. leucanthatoma* (Moraceae) (Barlow,1982).
- 30418. *Ernolatia moorei* (Hutton,1865)** (Bombycidae) Synonym(s): *moorei* Hutton,1865; *plana* Walker,1865 - Range (in code): **IN CN HK TW**
- 30419. *Gnathocinara situla* (Van Eecke,1929)** (Bombycidae) Synonym(s): *situla* Van Eecke,1929 Original Reference: *Ocinara situla* Van Eecke,1929, Zool. Meded. 12: 62, figs. Type: Sumatra. Range (in code): **ID Sum TH CMa CDo**
- 30420. *Gunda apicalis* Hampson,1892** (Bombycidae) Synonym(s): *apicalis* Hampson,1892 Range (in code): **LK IN**
- 30421. *Gunda aroa* Bethune-Baker,1904** (Bombycidae) Synonym(s): *aroa* Bethune-Baker,1904 Range (in code): **PG Aro**
- 30422. *Gunda ochracea* Walker,1862** (Bombycidae) Synonym(s): *ochracea* Walker,1862; *hainana* Moore,1878; *leefmansi* Roepke,1924 Original Reference: *Gunda ochracea* Walker,1862, J. Proc. linn. Soc. Zool. 6: 177. Type: Borneo, Sarawak. Range (in code): **CN Hn IN ID Sum MY Bor Swk PH**
- 30423. *Gunda proxima* Roepke,1924** (Bombycidae) Synonym(s): *proxima* Roepke,1924 - Range (in code):
- 30424. *Gunda richteri* Weymer,1890** (Bombycidae) Synonym(s): *richteri* Weymer,1890 Range (in code):
- 30425. *Gunda sikkima* Moore,1879** (Bombycidae) Synonym(s): *sikkima* Moore,1879; *variegata* Hampson,1893 - Range (in code): **LK IN SI**
- 30426. *Gunda thwaitesii* (Moore,[1883])** (Bombycidae) Synonym(s): *thwaitesii* Moore,[1883] Original Reference: *Aristhala thwaitesii* Moore,[1883], Lepid. Ceylon 2: 136-137, pl.133 fig.2. Type: Ceylon. Range (in code): **LK**
- 30427. *Mustilia gerontica* West,1932** (Bombycidae) Synonym(s): *gerontica* West,1932 Original Reference: *Mustilia gerontica* West,1932, Novit. zool. 37: 216. Range (in code): **TW TH CMa CDo**
- 30428. *Mustilia hepatica* Moore,1879** (Bombycidae) Synonym(s): *hepatica* Moore,1879 Original Reference: *Mustilia hepatica* Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 82. Range (in code): **IN TH CMa CDo MY**
- 30429. *Norasuma javanica* Moore,1872** (Bombycidae) Synonym(s): *javanica* Moore,1872 Range (in code): **ID Ja MY IN LK Bor PH Pal**

- 30430. *Norasuma javanica javanica* Moore, 1872** (Bombycidae) Synonym(s): *javanica* Moore, 1872 Range (in code): **ID Ja MY IN LK Bor**
- 30431. *Norasuma javanica palawana* (Schultze, 1925)** (Bombycidae) Synonym(s): *palawana* Schultze, 1925 Range (in code): **PH Pal**
- 30432. *Norasuma kolga* Druce, 1887** (Bombycidae) Synonym(s): *kolga* Druce, 1887; *pruinosa* Grünberg, 1907 Range (in code):
- 30433. *Oberthueria formosibia* Matsumura, 1927** (Bombycidae) Synonym(s): *formosibia* Matsumura, 1927 Range (in code): **TW**
- 30434. *Ocinara abbreviata* Dierl, 1978** (Bombycidae) Synonym(s): *abbreviata* Dierl, 1978 Range (in code): **PH Luz ID Clb**
- 30435. *Ocinara albiceps* Walker, 1862** (Bombycidae) Synonym(s): *albiceps* Walker, 1862 Range (in code): **MY Bor ID Sum Ja**
- 30436. *Ocinara albiceps albiceps* Walker, 1862** (Bombycidae) Synonym(s): *albiceps* Walker, 1862 Range (in code): **MY Bor ID Sum**
- 30437. *Ocinara albiceps obscurata* Dierl, 1978** (Bombycidae) Synonym(s): *obscurata* Dierl, 1978 Range (in code): **ID Ja**
- 30438. *Ocinara albicollis* (Walker, 1862)** (Bombycidae) Synonym(s): *albicollis* Walker, 1862 Range (in code): **MY Bor Swk ID Ja Sum IN TH LK CN Hn**
- 30439. *Ocinara arabica* Wiltshire, 1982** (Bombycidae) Synonym(s): *arabica* Wiltshire, 1982 Range (in code): **SA As**
- 30440. *Ocinara bifurcula* Dierl, 1978** (Bombycidae) Synonym(s): *bifurcula* Dierl, 1978 Original Reference: *Ocinara bifurcula* Dierl, 1978, Spixiana 1 (3): 238, fig. Holotype: Sumatra. Range (in code): **ID Sum TH Bnk MY Bor** Bionomy: Larva on *Artocarpus integrifolia*, *Ficus religiosa*, *Ficus callophylla* [sai] (Moraceae) (Barlow, 1982; Lewvanich, 2001).
- 30441. *Ocinara ficicola* (Westwood & Ormerod, 1889)** (Bombycidae) Synonym(s): *ficicola* Westwood & Ormerod, 1889; *obliquisignata* Hampson, 1910; *#ficicolor* Janse, 1917. Range (in code): **ZA**
- 30442. *Ocinara ianthe* (Druce, 1888)** (Bombycidae) Synonym(s): *ianthe* Druce, 1888; *#janthe* Gaede, 1927 Range (in code): **ZA**
- 30443. *Ocinara lactea* Hutton, 1865** (Bombycidae) Synonym(s): *lactea* Hutton, 1865 Range (in code): **IN AF Srb**
- 30444. *Ocinara pallicornis* Strand, 1910** (Bombycidae) Synonym(s): *pallicornis* Strand, 1910 Range (in code): **ZA**
- 30445. *Ocinara signicosta* Strand, 1910** (Bombycidae) Synonym(s): *signicosta* Strand, 1910; *fuscocervina* Strand, 1910 Range (in code): **ZA Lpo Tva Spb Mdk**
- 30446. *Ocinara tamsi* Lemée, 1950** (Bombycidae) Synonym(s): *tamsi* Lemée, 1950 Range (in code): **VN Ton**
- 30447. *Penicillifera apicalis* (Walker, 1862)** (Bombycidae) Synonym(s): *apicalis* Walker, 1862; *signifera* Walker, 1862 Range (in code): **PK Swa Kkar IN MM MY ID Sum Ja Bor PH** Bionomy: Larva on *Ficus elastica* (Moraceae) (Barlow, 1982).
- 30448. *Penicillifera infuscata* Dierl, 1978** (Bombycidae) Synonym(s): *infuscata* Dierl, 1978 Range (in code): **ID Sum**
- 30449. *Penicillifera lactea* (Hutton, 1865)** (Bombycidae) Synonym(s): *lactea* Hutton, 1865 Range (in code):
- 30450. *Penicillifera purpurascens* (Holloway, 1976)** (Bombycidae) Synonym(s): *purpurascens* Holloway, 1976 Range (in code): **MY Bor Sbh KBa**
- 30451. *Prismosticta fenestrata* Butler, 1880** (Bombycidae) Synonym(s): *fenestrata* Butler, 1880 Range (in code): **IN TW**
- 30452. *Prismosticta hyalinata* Butler, 1885** (Bombycidae) Synonym(s): *hyalinata* Butler, 1885 Range (in code):
- 30453. *Prismosticta tiretta* Swinhoe, 1903** (Bombycidae) Synonym(s): *tiretta* Swinhoe, 1903 Range (in code): **TH CMa Dst Mth MY Bor ID Sum**
- 30454. *Trilocha friedeli* Dierl, 1978** (Bombycidae) Synonym(s): *friedeli* Dierl, 1978 Range (in code): **MY Bor Swk VN Ton PH TH**
- 30455. *Trilocha varians* (Walker, 1855)** (Bombycidae) Synonym(s): *variens* Walker, 1855 Original Reference: *Naprepa varians* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1153. Range (in code): **LK TH Sbu Bnk Cbi Pbu TW CN Hn IN NP ID Sum SI Pj MM** Bionomy:

- Larva on flower of *Nephelium lappaceum* [rambutan] (Sapindaceae), *Artocarpus heterophyllus* [jack fruit] (Moraceae) (Lewvanich,2001).
- 30456. *Triuncina brunnea* (Wileman,1911)** (Bombycidae) Synonym(s): *brunnea* Wileman,1911; *formosana* Mell,1958 - Range (in code): TW
- 30457. *Triuncina religiosae* (Helfer,1837)** (Bombycidae) Synonym(s): *religiosae* Helfer,1837; *huttoni* Westwood,1847; *affinis* Hutton,1865; *bengalensis* Hutton,1865; *sherwilli* Hutton,1865 - Range (in code): IN Ben MY Bor ID Sum Bionomy: Larva on *Morus* (Moraceae) (Barlow,1982).
- 30458. *Atractoceros albiciliatus* (Walsingham,1891)** (Brachodidae) Synonym(s): *albiciliatus* Walsingham,1891 - Range (in code): ZA
- 30459. *Atractoceros xanthoprocta* (Meyrick,1914)** (Brachodidae) Synonym(s): *xanthoprocta* Meyrick,1914 - Range (in code): ZA
- 30460. *Brachodes albinus* Zagulyaev,1999** (Brachodidae) Synonym(s): *albina* Zagulyaev,1999 Range (in code): RU Sr
- 30461. *Brachodes anatolicus* Kallies,2001** (Brachodidae) Synonym(s): *anatolicus* Kallies,2001 Original Reference: *Brachodes anatolicus* Kallies,2001, *Nota lepid.* 25 (1): 17-18, figs. Holotype ♂: Turkey: Sivas Prov., 25km E Zara 1600m, 23 vii.1995 leg. A.Kallies (MNHB). Range (in code): TR
- 30462. *Brachodes appendiculatus* (Esper,[1783])** (Brachodidae) Synonym(s): *appendiculata* Esper,[1783]; *vahlia* Fabricius,1787; *saldonana* Fabricius,1787; *chimaera* Hübner,1796; *lucida* Lederer,1853; *gerassimovii* Kozhantschikov,1923 - Range (in code): DZ Lbs ES FR IT DE AT CZ SK HU RO YU AL BG GR TR SY RU Cc AM Ur Sb KG
- 30463. *Brachodes araxellus* Zagulyaev,1999** (Brachodidae) Synonym(s): *araxella* Zagulyaev,1999 - Range (in code): TR
- 30464. *Brachodes bellicosus* Kallies,1998** (Brachodidae) Synonym(s): *bellicosus* Kallies,1998 Range (in code): IN Ld AF Nu
- 30465. *Brachodes beryti* (Stainton,1867)** (Brachodidae) Synonym(s): *nana* Lederer,1855 *nec* Treit.,1834; *beryti* Stainton,1867 - Range (in code): LB Bei GR Pl TR
- 30466. *Brachodes buxeus* Kallies,2001** (Brachodidae) Synonym(s): *buxeus* Kallies,2001 Original Reference: *Brachodes buxeus* Kallies,2001, *Nota lepid.* 25 (1): 14-17, figs. Holotype ♂: Turkey: Amanus Mts. Eybiz [Akbes] (BMNH). Range (in code): TR
- 30467. *Brachodes candefactus* (Lederer,1858)** (Brachodidae) Synonym(s): *candefacta* Lederer,1858; *diacona* Lederer,1858 Original Reference: *Atychia candefacta* Lederer,1858, *Wien. ent. Monatschr.* 2: 151, Taf.4 fig.9. Type ♀: Syria: Damask (MNHB). Range (in code): SY Dms TR IR Elb Mz Zj LB Bsa
- 30468. *Brachodes cassandrellus* (Staudinger,1859)** (Brachodidae) Synonym(s): *cassandrella* Staudinger,1859 - Range (in code): ES IT
- 30469. *Brachodes compar* (Staudinger,1879)** (Brachodidae) Synonym(s): *compar* Staudinger,1879 Original Reference: *Atychia compar* Staudinger,1879, *Horae Soc. ent. ross.* 15: 265-266. Syntypes 2♂: [Türkei]: Amasia (Kerasdere); Taurus. Range (in code): TR IR
- 30470. *Brachodes dispar* (Herrich-Schäffer,[1854])** (Brachodidae) Synonym(s): *dispar* Herrich-Schäffer,[1854] - Range (in code): TR RU
- 30471. *Brachodes elbursiensis* Zagulyaev,1999** (Brachodidae) Synonym(s): *elbursiensis* Zagulyaev,1999 - Range (in code): IR Elb Th
- 30472. *Brachodes fallax* (Staudinger,1900)** (Brachodidae) Synonym(s): *fallax* Staudinger,1900 Original Reference: *Atychia fallax* Staudinger,1900, *Dt. ent. Z., Iris* 1900: 350. Lectotype ♂: [Uighur A.R.]: Kuldja (ZMHU). Range (in code): RU CN Ui Ku Au Ju KG Tk Dj KK Al
- 30473. *Brachodes fasciatus* (Staudinger,[1900])** (Brachodidae) Synonym(s): *fasciatus* Staudinger,[1900] - Range (in code): CN Ui
- 30474. *Brachodes flagellatus* Kallies,2002** (Brachodidae) Synonym(s): *flagellatus* Kallies,2002 Original Reference: *Brachodes flagellatus* Kallies,2002, *Nachr. ent. Ver. Apollo* (N.F.) 23 (3): 159-160, figs.; 23 (4): 166. Holotype ♂: China: Tibet, Yung la, 5100-5300m 13/14.vi.1999 leg. K.Huber (TLMF). Range (in code): CN Ti
- 30475. *Brachodes flavescens* (Turati,1919)** (Brachodidae) Synonym(s): *flavescens* Turati,1919 Range (in code):
- 30476. *Brachodes formosus* (Amsel,1954)** (Brachodidae) Synonym(s): *formosus* Amsel,1954 Original Reference: *Atychia formosa* Amsel,1954, *Ark. Zool.* 6 (16): 315, figs.50, 282. Holotype ♂: Iran: [Fars]: Sine Sefid, leg. Wiltshire. Range (in code): IR Fa Sse

- 30477. *Brachodes fulguritus* (Fischer v. Waldheim,1832)** (Brachodidae) **Synonym(s):** *fulgurita* Fischer v. Waldheim,1832; *orbonota* Freyer,1842; *exilis* Herrich-Schäffer,[1856]; *confinis* Boisduval,[1875]
Range (in code): **TR RU KG UK**
- 30478. *Brachodes funebris* (Feisthamel,1833)** (Brachodidae) **Synonym(s):** *funebris* Feisthamel,1833; *vernetella* Gn.,1845; *gadiatana* Rambur,[1866]; *#mediterranea* Walsingham,1904
Range (in code): **PT ES FR**
- 30479. *Brachodes infandus* (Meyrick,1920)** (Brachodidae) **Synonym(s):** *infandus* Meyrick,1920
Original Reference: *Atychia infanda* Meyrick,1920, Ann. S. Afr. Mus. 17: 294. Syntypes 3♂♂:
South Africa: "Cape Colony: Gt. Winthoek, 4500ft." **Range (in code):** **ZA Ec Wth**
- 30480. *Brachodes keredjellus* (Amsel,1954)** (Brachodidae) **Synonym(s):** *keredjella* Amsel,1954
Original Reference: *Atychia keredjella* Amsel,1954, Ark. Zool. 6 (16): 316-317, figs.49, 283-284.
Holotype ♂: Iran: Keredj, 1800m. **Range (in code):** **IR Elb Th Kdj Kh**
- 30481. *Brachodes laetus* (Staudinger,1863)** (Brachodidae) **Synonym(s):** *laeta* Staudinger,1863
Range (in code): **PT ES**
- 30482. *Brachodes mesopotamicus* (Amsel,1949)** (Brachodidae) **Synonym(s):** *mesopotamicus* Amsel,1949
Range (in code): **IQ**
- 30483. *Brachodes metaspilus* (Meyrick,1926)** (Brachodidae) **Synonym(s):** *metaspilus* Meyrick,1926
Range (in code): **ZA**
- 30484. *Brachodes minutulus* (Erschoff,1874)** (Brachodidae) **Synonym(s):** *minutulus* Erschoff,1874
Range (in code): **UZ**
- 30485. *Brachodes monotonus* (Amsel,1954)** (Brachodidae) **Synonym(s):** *monotonus* Amsel,1954
Original Reference: *Atychia monotona* Amsel,1954, Ark. Zool. 6 (16): 317, figs.48, 285. Holotype ♂: Iran: [Fars]: Sine Sefid. **Range (in code):** **IR Fa Shr Sse Com Kz**
- 30486. *Brachodes nanettus* (Oberthür,1922)** (Brachodidae) **Synonym(s):** *nanetta* Oberthür,1922
Range (in code): **MA PT ES**
- 30487. *Brachodes nanus* (Treitschke,1834)** (Brachodidae) **Synonym(s):** *nana* Treitschke,1834
Range (in code): **PT ES Si? RO YU AL BG GR TR RU**
- 30488. *Brachodes neglectus* Kallies,1998** (Brachodidae) **Synonym(s):** *neglectus* Kallies,1998
Original Reference: *Brachodes neglectus* Kallies,1998, Nota lepid 21 (1/4): 184-185, figs.
Holotype ♂: Usgent, Ferghana (ZMHU). **Range (in code):** **KK UZ Fe Man CN Ui Ln**
- 30489. *Brachodes nycteropis* (Meyrick,1920)** (Brachodidae) **Synonym(s):** *nycteropis* Meyrick,1920
Original Reference: *Atychia nycteropis* Meyrick,1920, Ann. S. Afr. Mus. 17: 294-295. Monotype ♂: South Africa: "Cape Colony: Gt. Winthoek, 4500ft." **Range (in code):** **ZA Ec Wth**
- 30490. *Brachodes ordubadi* Zagulyaev,1999** (Brachodidae) **Synonym(s):** *ordubadi* Zagulyaev,1999
Range (in code): **AZ Nv Ord Cc**
- 30491. *Brachodes orientalis* (Rebel,1905)** (Brachodidae) **Synonym(s):** *orientalis* Rebel,1905
Range (in code): **TR**
- 30492. *Brachodes paghmanus* Kallies,1998** (Brachodidae) **Synonym(s):** *paghmanus* Kallies,1998
Range (in code): **AF Pag Kab**
- 30493. *Brachodes powelli* (Oberthür,1922)** (Brachodidae) **Synonym(s):** *powelli* Oberthür,1922
Range (in code): **IT ES MA TN Tun DZ Lbs**
- 30494. *Brachodes pumilus* (Ochsenheimer,1808)** (Brachodidae) **Synonym(s):** *pumila* Ochsenheimer,1808; *chimaera* Hübner,[1808]
Original Reference: *Atychia pumila* Ochsenheimer,1808, Schmett. Eur. 2: 3. Type: Hungary [?NHMW]. **Range (in code):** **FR IT DE AT SK HU RO YU AL BG GR MK HV Cc TR SY RU CN Ui Ku KG Ssn KK**
- 30495. *Brachodes pusillus* (Eversmann,1844)** (Brachodidae) **Synonym(s):** *pusilla* Eversmann,1844
Range (in code): **RU Ur**
- 30496. *Brachodes quiris* (R.Felder & Rogenhofer,1875)** (Brachodidae) **Synonym(s):** *quiris* R.Felder & Rogenhofer,1875
Range (in code): **ZA**
- 30497. *Brachodes radiatus* (Christoph,1873)** (Brachodidae) **Synonym(s):** *radiatus* Christoph,1873; *rasa* Christoph,1877; *rasata* Staudinger,[1900]
Range (in code): **IR Kh UZ Fe**
- 30498. *Brachodes radiolatus* (Staudinger,[1900])** (Brachodidae) **Synonym(s):** *radiolatus* Staudinger,[1900]
Range (in code): **KG Tar**
- 30499. *Brachodes rhagensis* (Lederer,1869)** (Brachodidae) **Synonym(s):** *rhagensis* Lederer,1869
Original Reference: *Atychia rhagensis* Lederer,1869, Horae Soc. ent. ross. 6: 91, Taf.v fig.10.
Type ♂: Iran: Astrabad (Gorgan) leg. Haberhauer. **Range (in code):** **IR Fa Kz Gor Shh Se Es Com**

- 30500. *Brachodes staudingeri* Kallies,1998** (Brachodidae) Synonym(s): *staudingeri* Kallies,1998
Range (in code): **RU Sr CN Ui Ku Ju KK Ik Ax UZ Fe Man KG Aa TrA**
- 30501. *Brachodes straminellus* (Rebel,1916)** (Brachodidae) Synonym(s): *straminella* Rebel,1916
Range (in code): **CN**
- 30502. *Brachodes tristis* (Staudinger,1879)** (Brachodidae) Synonym(s): *tristis* Staudinger,1879
Original Reference: *Atychia tristis* Staudinger,1879, *Horae Soc. ent. ross.* 15: 266-267. Type ♂: [Türkei]: Taurus Gebirge (leg. Haberhauer). Range (in code): **GR MK BG LB TR**
- 30503. *Miscera basichrysa* (Lower,1916)** (Brachodidae) Synonym(s): *basichrysa* Lower,1916
Range (in code): **AU QAU PG**
- 30504. *Miscera basichrysa extensa* Kallies,1998** (Brachodidae) Synonym(s): *extensa* Kallies,1998
Range (in code): **PG**
- 30505. *Miscera dohertyi* Kallies,1998** (Brachodidae) Synonym(s): *dohertyi* Kallies,1998
Range (in code): **IN Ass**
- 30506. *Miscera eubrachycera* (Diakonoff,[1968])** (Brachodidae) Synonym(s): *eubrachycera* Diakonoff,[1968]
Range (in code): **PH**
- 30507. *Miscera orpheus* Kallies,2004** (Brachodidae) Synonym(s): *orpheus* Kallies,2004
Range (in code): **ID Ja Clb**
- 30508. *Miscera sauteri* Kallies,2004** (Brachodidae) Synonym(s): *sauteri* Kallies,2004
Range (in code): **TW**
- 30509. *Nigilgia adjectella* Walker,1863** (Brachodidae) Synonym(s): *adjectella* Walker,1863
Range (in code): **SL IN LK CN VN Ton JP**
- 30510. *Nigilgia albitogata* (Walsingham,1891)** (Brachodidae) Synonym(s): *albitogata* Walsingham,1891
Range (in code): **ZA**
- 30511. *Nigilgia anactis* Diakonoff,1982** (Brachodidae) Synonym(s): *anactis* Diakonoff,1982
Range (in code): **LK**
- 30512. *Nigilgia aureoviridis* Kallies,1998** (Brachodidae) Synonym(s): *aureoviridis* Kallies,1998
Range (in code): **ID Clb**
- 30513. *Nigilgia cuprea* Kallies,1998** (Brachodidae) Synonym(s): *cuprea* Kallies,1998
Range (in code): **MY Bor**
- 30514. *Nigilgia diehli* Kallies,2000** (Brachodidae) Synonym(s): *diehli* Kallies,2000
Range (in code): **ID Sum**
- 30515. *Nigilgia eucallynta* (Meyrick,1937)** (Brachodidae) Synonym(s): *eucallynta* Meyrick,1937
Range (in code): **ZA**
- 30516. *Nigilgia limata* Diakonoff & Arita,1979** (Brachodidae) Synonym(s): *limata* Diakonoff & Arita,1979
Range (in code): **JP Ri TW**
- 30517. *Nigilgia mochlophanes* (Meyrick,1921)** (Brachodidae) Synonym(s): *mochlophanes* Meyrick,1921
Range (in code): **ZA**
- 30518. *Nigilgia pseliota* (Meyrick,1920)** (Brachodidae) Synonym(s): *pseliota* Meyrick,1920
Range (in code): **ZA Nta Kzu Dbn**
- 30519. *Nigilgia superbella* (Rebel,1907)** (Brachodidae) Synonym(s): *superbella* Rebel,1907
Original Reference: *Phycodes superbella* Rebel,1907, *Denkschr. Akad. Wiss. Wien* 71 (2): 119, fig.
Range (in code): **YE SA**
- 30520. *Nigilgia talhouki* Diakonoff,[1984]** (Brachodidae) Synonym(s): *talhouki* Diakonoff,[1984]
Original Reference: *Nigilgia talhouki* Diakonoff,[1984], *Fauna Saudi Arabia* 5: 278. Holotype : Saudi Arabia: Gizan. Range (in code): **SA Jz**
- 30521. *Nigilgia venerea* (Meyrick,1921)** (Brachodidae) Synonym(s): *venerea* Meyrick,1921; *nagaii* Arita,1987
Range (in code): **ID Sum Ja Clb MY Bor**
- 30522. *Paranigilgia aritai* Kallies,1998** (Brachodidae) Synonym(s): *aritai* Kallies,1998
Range (in code): **IN Ass**
- 30523. *Paranigilgia bushii* (Arita,1980)** (Brachodidae) Synonym(s): *bushii* Arita,1980
Range (in code): **TW JP Ri**
- 30524. *Paranigilgia morosa* (Diakonoff,1948)** (Brachodidae) Synonym(s): *morosa* Diakonoff,1948
Range (in code): **ID Mlc PG**
- 30525. *Phycodes celebica* Kallies,1998** (Brachodidae) Synonym(s): *celebica* Kallies,1998
Range (in code): **ID Clb**
- 30526. *Phycodes chalcocrossa* Meyrick,1909** (Brachodidae) Synonym(s): *chalcocrossa* Meyrick,1909; *mesopotamica* Rebel,1910
Original Reference: *Phycodes chalcocrossa* Meyrick,1909,

- J. Bombay nat. Hist. Soc. 19: 424 (Syntypes 3♂), Lectotype ♀: Saudi Arabia, designated by Clarke, 1969, Meyr. Cat. 6: pl. 95 figs. 1-1b) (BMNH). Range (in code): SA IL Pa TR
- 30527. *Phycodes chionardis* Meyrick, 1909** (Brachodidae) Synonym(s): *chionardis* Meyrick, 1909
Range (in code): LK
- 30528. *Phycodes interstincta* Kallies & Arita, 2011** (Brachodidae) Synonym(s): *interstincta* Kallies & Arita, 2011
Range (in code): CN
- 30529. *Phycodes maculata* Moore, 1881** (Brachodidae) Synonym(s): *maculata* Moore, 1881
Range (in code): IN Ass
- 30530. *Phycodes minor* Moore, 1881** (Brachodidae) Synonym(s): *minor* Moore, 1881; *lucasseni* Snellen, 1901; *cymineuta* Meyrick, 1909; *omnimicans* Diakonoff, 1978
Range (in code): SA PK Cp IN Ben LK CN ID Ja NP VN Ton CI KH TH Cbi PH Luz
Bionomy: Larva on *Ficus carina*, *F. heterophylla*, *F. melinocarpa*, *F. rostrata*, *F. microcarpa*, *F. hirta* (Moraceae) (Fletcher, 1920, 1933; Arita, 1989).
- 30531. *Phycodes penitis* Diakonoff, 1978** (Brachodidae) Synonym(s): *penitis* Diakonoff, 1978
Range (in code): MY Bor Swk
- 30532. *Phycodes punctata* Walsingham, 1891** (Brachodidae) Synonym(s): *punctata* Walsingham, 1891
Range (in code): ZA
- 30533. *Phycodes radiata* (Ochsenheimer, 1808)** (Brachodidae) Synonym(s): *radiata* Ochsenheimer, 1808; *hirudicornis* Guenée, 1852; *hyblaeella* Walker, 1866; *#superbella* Rebel, 1910; *tertiana* Diakonoff, 1978
Original Reference: *Chimaera radiata* Ochsenheimer, 1808, Schmett. Eur. 2: 5. Type(s): [sic!] Austria, Vienna; recte India (cf. Diakonoff, 1986: 219). Range (in code): AF Nu NP PK Cp H-A Kba IN LK TR
Bionomy: Larva on *Ficus carica*, *F. religiosa*, *F. benghalensis*, *F. racemosa*, *F. tsiela*, *F. benjamina* (Moraceae) (auct.).
- 30534. *Phycodes taonopa* Meyrick, 1909** (Brachodidae) Synonym(s): *taonopa* Meyrick, 1909
Range (in code): IN Ass LK TH CMa Int VN
- 30535. *Phycodes tortricina* Moore, 1881** (Brachodidae) Synonym(s): *tortricina* Moore, 1881
Range (in code): IN
- 30536. *Phycodopteryx tigripes* Kallies, 2004** (Brachodidae) Synonym(s): *tigripes* Kallies, 2004
Range (in code): VN IN Ass
- 30537. *Synechodes agrippina* (Meyrick, 1930)** (Brachodidae) Synonym(s): *agrippina* Meyrick, 1930
Range (in code): ID Clb
- 30538. *Synechodes andamanensis* Kallies, 2004** (Brachodidae) Synonym(s): *andamanensis* Kallies, 2004; *#andamanus* Kallies, 2004
Range (in code): IN Adm
- 30539. *Synechodes diabolus* (R. Felder & Rogenhofer, 1875)** (Brachodidae) Synonym(s): *diabolus* R. Felder & Rogenhofer, 1875
Range (in code): ID Mlc PG
- 30540. *Synechodes exigua* Kallies, 2004** (Brachodidae) Synonym(s): *exigua* Kallies, 2004
Range (in code): IN Ass
- 30541. *Synechodes fulvoris* Kallies, 1998** (Brachodidae) Synonym(s): *fulvoris* Kallies, 1998
Range (in code): ID Clb
- 30542. *Synechodes lunaris* Kallies, 2004** (Brachodidae) Synonym(s): *lunaris* Kallies, 2004
Range (in code): MY
- 30543. *Synechodes megaloptera* Kallies, 1998** (Brachodidae) Synonym(s): *megaloptera* Kallies, 1998
Range (in code): MY Bor
- 30544. *Synechodes olivora* Kallies, 1998** (Brachodidae) Synonym(s): *olivora* Kallies, 1998
Range (in code): MY ID Ja
- 30545. *Synechodes papuana* Heppner, 1990** (Brachodidae) Synonym(s): *papuana* Heppner, 1990
Range (in code): PG
- 30546. *Synechodes platysema* (Meyrick, 1921)** (Brachodidae) Synonym(s): *platysema* Meyrick, 1921
Range (in code): ID Ja
- 30547. *Synechodes rotanicola* Kallies, 2004** (Brachodidae) Synonym(s): *rotanicola* Kallies, 2004
Range (in code): ID Ja
- 30548. *Synechodes royalis* Kallies, 1998** (Brachodidae) Synonym(s): *royalis* Kallies, 1998
Range (in code): MM
- 30549. *Synechodes rubroris* Kallies, 1998** (Brachodidae) Synonym(s): *rubroris* Kallies, 1998
Range (in code): ID Clb
- 30550. *Synechodes sidereus* Kallies, 2004** (Brachodidae) Synonym(s): *sidereus* Kallies, 2004
Range (in code): PG

- 30551. *Synechodes sumatrana* Kallies, 2000** (Brachodidae) **Synonym(s):** *sumatrana* Kallies, 2000 **Range (in code):** **ID Sum**
- 30552. *Acanthobrahmaea europaea* (Hartig, 1963)** (Brahmaeidae) **Synonym(s):** *europaea* Hartig, 1963 **Range (in code):** **IT**
- 30553. *Brahmaea (Brahmophthalma) ardjoeno* Kalis, 1934** (Brahmaeidae) **Synonym(s):** *ardjoeno* Kalis, 1934 **Range (in code):** **ID Ja**
- 30554. *Brahmaea (Brahmophthalma) celebica* Toxopeus, 1939** (Brahmaeidae) **Synonym(s):** *celebica* Toxopeus, 1939 **Range (in code):** **ID Clb**
- 30555. *Brahmaea (Brahmophthalma) hearseyi* (White, 1862)** (Brahmaeidae) **Synonym(s):** *hearseyi* White, 1862 **Range (in code):** **IN Up Bhi VN Ton Tda TH CMa Mta Hnd LA KH**
- 30556. *Brahmaea (Brahmophthalma) loeffleri* S.Naumann & Brosch, 2005** (Brahmaeidae) **Synonym(s):** *loeffleri* S.Naumann & Brosch, 2005 **Range (in code):** **ID Klt Bor Sbh KBa MY**
- 30557. *Brahmaea (Brahmophthalma) naessigi* S.Naumann & Brosch, 2005** (Brahmaeidae) **Synonym(s):** *naessigi* S.Naumann & Brosch, 2005 **Range (in code):** **PH Mno**
- 30558. *Brahmaea (Brahmophthalma) paukstatorum* S.Naumann & Brosch, 2005** (Brahmaeidae) **Synonym(s):** *paukstatorum* S.Naumann & Brosch, 2005; *#paukstatorum* S.Naumann & Brosch, 2005 **Range (in code):** **PH Neg**
- 30559. *Brahmaea (Brahmophthalma) wallichii* (Gray, 1831)** (Brahmaeidae) **Synonym(s):** *wallichii* Gray, 1831 **Range (in code):** **LA TH VN Ton Fan PK Haz Mre**
- 30560. *Brahmaea (s.str.) certhia* (Fabricius, 1779)** (Brahmaeidae) **Synonym(s):** *certhia* Fabricius, 1779 **Range (in code):** **CN Mc RU Am Us KP KR**
- 30561. *Brahmaea (s.str.) christophi* Staudinger, 1879** (Brahmaeidae) **Synonym(s):** *christophi* Staudinger, 1879 **Original Reference:** *Brahmaea christophi* Staudinger, 1879, Horae Soc. ent. ross. 14: 360. **Syntypes:** [Azerbaijan]: Lenkoran. **Range (in code):** **TR IR Elb Mz Gls Clu Th Kdv Gor Cc AZ Tlh Len** **Bionomy:** Larva on *Fraxinus excelsior* (Romanoff, 1885).
- 30562. *Brahmaea (s.str.) christophi christophi* Staudinger, 1879** (Brahmaeidae) **Synonym(s):** *christophi* Staudinger, 1879 **Original Reference:** *Brahmaea christophi* Staudinger, 1879, Horae Soc. ent. ross. 14: 360. **Syntypes:** [Azerbaijan]: Lenkoran. **Range (in code):** **TR IR Elb Mz Gls Clu Th Kdv Gor Cc AZ Tlh Len** **Bionomy:** Larva on *Fraxinus excelsior* (Romanoff, 1885).
- 30563. *Brahmaea (s.str.) ledereri* Rogenhofer, 1873** (Brahmaeidae) **Synonym(s):** *ledereri* Rogenhofer, 1873 **Original Reference:** *Brahmaea ledereri* Rogenhofer, 1873, Verh. Zool.- bot. Ges. Wien 23: 754. **Type:** Cilik. Taurus, Külek. **Range (in code):** **SY Hal TR** **Bionomy:** Larva on *Phillyrea latifolia* (Rogenhofer, 1873; Staudinger, 1879); *Fraxinus excelsior* [sic] (De Freina, 1982, 1985), recte *Fraxinus angustifolia* (Kemal & Koçak).
- 30564. *Brahmaea (s.str.) ledereri ledereri* Rogenhofer, 1873** (Brahmaeidae) **Synonym(s):** *ledereri* Rogenhofer, 1873; *zaba* De Freina, 1982 **Original Reference:** *Brahmaea ledereri* Rogenhofer, 1873, Verh. Zool.- bot. Ges. Wien 23: 754. **Type:** Cilik. Taurus, Külek. **Range (in code):** **SY Hal TR** **Bionomy:** Larva on *Phillyrea latifolia* (Rogenhofer, 1873; Staudinger, 1879); *Fraxinus excelsior* [sic] (De Freina, 1982, 1985), recte *Fraxinus angustifolia* (Kemal & Koçak).
- 30565. *Calliprogonos miraculosa* Mell, 1937** (Brahmaeidae) **Synonym(s):** *miraculosa* Mell, 1937 **Original Reference:** *Calliprogonos miraculosa* Mell, 1937, Dt. ent. Z. 1937 (1/2): 9. **Holotype** ♂: China, Shaanxi. **Range (in code):** **CN She Sz**
- 30566. *Dactyloceras widenmanni* (Karsch, 1895)** (Brahmaeidae) **Synonym(s):** *widenmanni* Karsch, 1895 **Range (in code):** **ZA**
- 30567. *Spiramiopsis comma* Hampson, 1901** (Brahmaeidae) **Synonym(s):** *comma* Hampson, 1901 **Original Reference:** *Spiramiopsis comma* Hampson, 1901, Trans. ent. Soc. London 1901: 191-192, fig. **Type** ♂: [South Africa]: C.Colony: Kowie R., Grahamstown (Dr. Becker leg.). **Range (in code):** **ZA Ec Grh**
- 30568. *Bucculatrix absinthii* Gartner, 1865** (Bucculatricidae) **Synonym(s):** *absinthii* Gartner, 1865; *valesiaca* Frey, 1870 **Range (in code):** **FR IT DE CH AT PL CZ SK SE**
- 30569. *Bucculatrix agilis* Meyrick, 1920** (Bucculatricidae) **Synonym(s):** *agilis* Meyrick, 1920 **Range (in code):** **ZA Nca Kim**
- 30570. *Bucculatrix alaternella* Constant, 1890** (Bucculatricidae) **Synonym(s):** *alaternella* Constant, 1890 **Range (in code):** **ES FR**

- 30571. *Bucculatrix albedinella* (Zeller,1839)** (Bucculatricidae) Synonym(s): *albedinella* Zeller,1839; *boyerella* Duponchel,[1840]. Range (in code): FR Sa Si? IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR NO SE FI LV LT RU MD UA BY
- 30572. *Bucculatrix albella* Stainton,1867** (Bucculatricidae) Synonym(s): *albella* Stainton,1867 Range (in code): FR IT RO YU GR IL Pa IQ Bgd
- 30573. *Bucculatrix albiguttella* Millière,1886** (Bucculatricidae) Synonym(s): *albiguttella* Millière,1886 Range (in code): FR IT
- 30574. *Bucculatrix alpina* Frey,1870** (Bucculatricidae) Synonym(s): *alpina* Frey,1870 Range (in code): IT FR CH AT
- 30575. *Bucculatrix amara* Meyrick,1913** (Bucculatricidae) Synonym(s): *amara* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 30576. *Bucculatrix andalusica* Deschka,1980** (Bucculatricidae) Synonym(s): *andalusica* Deschka,1980 Range (in code): ES
- 30577. *Bucculatrix anthemidella* Deschka,1972** (Bucculatricidae) Synonym(s): *anthemidella* Deschka,1972 Original Reference: *Bucculatrix anthemidella* Deschka,1972, Ent. Z., Frankf. a. M. 82: 86, fig. Holotype ♂: Türkiye: Ankara Prov., Kızılcahamam (coll. Glaser). Range (in code): TR Bionomy: Larva on *Anthemis tinctoria* var. *pallida* (Deschka,1972).
- 30578. *Bucculatrix anticolona* Meyrick,1913** (Bucculatricidae) Synonym(s): *anticolona* Meyrick,1913 Range (in code): ZA Tva Gau Pre
- 30579. *Bucculatrix argentsignella* Herrich-Schäffer,1855** (Bucculatricidae) Synonym(s): *argentsignella* Herrich-Schäffer,1855 Range (in code): IT DE AT FI EE LV RU MD UA BY
- 30580. *Bucculatrix armeniaca* Deschka,1992** (Bucculatricidae) Synonym(s): *armeniaca* Deschka,1992 Original Reference: *Bucculatrix armeniaca* Deschka,1992, Z. ArbGem. öst. Ent. 44 (1/2): 17-19, figs. Holotype ♂: [Armenia]: Russisch Armenien, Geghard 1700m 40km östl. Eriwan leg. Kasy & Vartian (NHMW). Range (in code): Cc AM Eri RU Sr VI
- 30581. *Bucculatrix artemisiella* Herrich-Schäffer,1855** (Bucculatricidae) Synonym(s): *artemisiella* Herrich-Schäffer,1855 Range (in code): FR IT BE DE CH AT PL CZ SK HU DK SE FI EE LV RU MD UA BY
- 30582. *Bucculatrix atagina* Wocke,1876** (Bucculatricidae) Synonym(s): *atagina* Wocke,1876 Range (in code): IT AT
- 30583. *Bucculatrix basifuscella* Staudinger,1880** (Bucculatricidae) Synonym(s): *basifuscella* Staudinger,1880 Original Reference: *Bucculatrix basifuscella* Staudinger,1880, Horae Soc. ent. ross. 15: 416-417. Syntypes 3♂: [Türkei]: Amasia (Caraman). Range (in code): TR
- 30584. *Bucculatrix bechsteinella* (Bechstein & Scharfenberg,1805)** (Bucculatricidae) Synonym(s): *bechsteinella* Bechstein & Scharfenberg,1805; *crataegi* Zeller,1839; *crataegifoliella* Duponchel,1842; *crataegella* Herrich-Schäffer,1862. Range (in code): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Crataegus* (Zeller,1839; Duponchel,1842; Herrich-Schäffer,1862).
- 30585. *Bucculatrix benacicolella* Hartig,1937** (Bucculatricidae) Synonym(s): *benacicolella* Hartig,1937 Range (in code): IT HU RO YU
- 30586. *Bucculatrix bicorella* Chrétien,1915** (Bucculatricidae) Synonym(s): *bicorella* Chrétien,1915 Range (in code): TN Gf IT
- 30587. *Bucculatrix cantabricella* Chrétien,1898** (Bucculatricidae) Synonym(s): *cantabricella* Chrétien,1898 Range (in code): ES FR IT SK HU YU
- 30588. *Bucculatrix centaureae* Deschka,1973** (Bucculatricidae) Synonym(s): *centaureae* Deschka,1973 Range (in code): MK GR
- 30589. *Bucculatrix cidarella* (Zeller,1839)** (Bucculatricidae) Synonym(s): *cidarella* Zeller,1839 Range (in code): FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT TR? RU MD UA BY
- 30590. *Bucculatrix cristatella* (Zeller,1839)** (Bucculatricidae) Synonym(s): *cristatella* Zeller,1839; *concolorella* Tengström,1848; *argentsignella* Herrich-Schäffer,1855; *gracilella* Frey,1856 Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 30591. *Bucculatrix demaryella* (Duponchel,1840)** (Bucculatricidae) Synonym(s): *demaryella* Duponchel,1840; *scoticella* Herrich-Schäffer,1855 Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU YU DK NO SE FI LV LT RU MD UA BY
- 30592. *Bucculatrix diffusella* Menhofer,1943** (Bucculatricidae) Synonym(s): *diffusella* Menhofer,1943 Range (in code): FR

- 30593. *Bucculatrix dulcis* Meyrick, 1913** (Bucculatricidae) Synonym(s): *dulcis* Meyrick, 1913
Range (in code): **ZA Tva Mpu Brb Tst**
- 30594. *Bucculatrix edocta* Meyrick, 1921** (Bucculatricidae) Synonym(s): *edocta* Meyrick, 1921
Range (in code): **ZA Wca Cto Tva Gau Pre**
- 30595. *Bucculatrix endospiralis* Deschka, 1981** (Bucculatricidae) Synonym(s): *endospiralis* Deschka, 1981
Range (in code): **IR Ss YE**
- 30596. *Bucculatrix extensa* Mey, 1999** (Bucculatricidae) Synonym(s): *extensa* Mey, 1999
Range (in code): **YE**
- 30597. *Bucculatrix facilis* Meyrick, 1911** (Bucculatricidae) Synonym(s): *facilis* Meyrick, 1911
Range (in code): **ZA Tva Gau Pre**
- 30598. *Bucculatrix fatigatella* Heyden, 1863** (Bucculatricidae) Synonym(s): *fatigatella* Heyden, 1863; *clavenae* Klimesch, 1950
Range (in code): **FR IT CH AT**
- 30599. *Bucculatrix frangutella* (Goeze, 1783)** (Bucculatricidae) Synonym(s): *frangutella* Goeze, 1783; *maculatafrangulae* Retzius, 1783; *alnella* Villers, 1789; *rharnifoliella* Treitschke, 1833; *frangulella* Herrich-Schäffer, 1855
Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 30600. *Bucculatrix galeodes* Meyrick, 1913** (Bucculatricidae) Synonym(s): *galeodes* Meyrick, 1913
Range (in code): **ZA Tva Gau Pre**
- 30601. *Bucculatrix gnaphaliella* (Treitschke, 1833)** (Bucculatricidae) Synonym(s): *gnaphaliella* Treitschke, 1833
Range (in code): **FR Sa Si? IT DE AT PL CZ SK RO DK SE EE LV LT RU MD UA BY**
- 30602. *Bucculatrix helichrysella* Constant, 1889** (Bucculatricidae) Synonym(s): *helichrysella* Constant, 1889
Range (in code): **PT FR Co Sa**
- 30603. *Bucculatrix herbalbella* Chrétien, 1915** (Bucculatricidae) Synonym(s): *herbalbella* Chrétien, 1915
Original Reference: *Bucculatrix herbalbella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 363-364. Syntypes: [Tunisia]: "Gafsa, en avril-mai".
Range (in code): **TN Gf IT AT YU**
Bionomy: Larva on *Artemisia herba-alba* (Asteraceae) (Chrétien, 1915).
- 30604. *Bucculatrix humiliella* Herrich-Schäffer, 1855** (Bucculatricidae) Synonym(s): *humiliella* Herrich-Schäffer, 1855
Range (in code): **DE**
- 30605. *Bucculatrix imitatella* Herrich-Schäffer, 1855** (Bucculatricidae) Synonym(s): *imitatella* Herrich-Schäffer, 1855
Range (in code): **DE**
- 30606. *Bucculatrix inchoata* Meyrick, 1913** (Bucculatricidae) Synonym(s): *inchoata* Meyrick, 1913
Range (in code): **ZA Tva Gau Pre**
- 30607. *Bucculatrix infans* Staudinger, 1880** (Bucculatricidae) Synonym(s): *infans* Staudinger, 1880
Original Reference: *Bucculatrix infans* Staudinger, 1880, *Horae Soc. ent. ross.* 15: 418-419. Type ♂: [Türkei]: Amasia (Kerasdere).
Range (in code): **TR**
- 30608. *Bucculatrix iranica* Deschka, 1981** (Bucculatricidae) Synonym(s): *iranica* Deschka, 1981
Range (in code): **IR**
- 30609. *Bucculatrix jiblahensis* Mey, 1999** (Bucculatricidae) Synonym(s): *jiblahensis* Mey, 1999
Range (in code): **YE**
- 30610. *Bucculatrix jugicola* Wocke, 1876** (Bucculatricidae) Synonym(s): *jugicola* Wocke, 1876
Range (in code): **IT CH AT**
- 30611. *Bucculatrix laciniatella* Benander, 1931** (Bucculatricidae) Synonym(s): *laciniatella* Benander, 1931
Range (in code): **SE**
- 30612. *Bucculatrix latviaella* Sulcs, 1990** (Bucculatricidae) Synonym(s): *latviaella* Sulcs, 1990
Range (in code): **FI EE LV**
- 30613. *Bucculatrix lavaterella* Millière, 1865** (Bucculatricidae) Synonym(s): *lavaterella* Millière, 1865
Range (in code): **FR Sa Si LV**
- 30614. *Bucculatrix lenis* Meyrick, 1913** (Bucculatricidae) Synonym(s): *lenis* Meyrick, 1913
Range (in code): **ZA Tva Mpu Brb Tst Wv**
- 30615. *Bucculatrix leucanthemella* Constant, 1895** (Bucculatricidae) Synonym(s): *leucanthemella* Constant, 1895
Range (in code): **FR IT**
- 30616. *Bucculatrix makabana* Mey, 1999** (Bucculatricidae) Synonym(s): *makabana* Mey, 1999
Range (in code): **YE**
- 30617. *Bucculatrix maritima* Stainton, 1851** (Bucculatricidae) Synonym(s): *maritima* Stainton, 1851; *maritimella* Herrich-Schäffer, 1855
Range (in code): **FR IT IE GB BE NL DE AT PL CZ SK HU RO BG DK NO SE FI EE RU MD UA BY**

- 30618. *Bucculatrix melipecta* Meyrick, 1914** (Bucculatricidae) Synonym(s): *melipecta* Meyrick, 1914 - Range (in code): ZA Tva Gau Pre
- 30619. *Bucculatrix monelpis* Meyrick, 1928** (Bucculatricidae) Synonym(s): *monelpis* Meyrick, 1928 - Range (in code): ZA
- 30620. *Bucculatrix myricae* Ragonot, 1879** (Bucculatricidae) Synonym(s): *myricae* Ragonot, 1879 - Range (in code): PT ES FR
- 30621. *Bucculatrix nigricomella* (Zeller, 1839)** (Bucculatricidae) Synonym(s): *nigricomella* Zeller, 1839; *aurimaculella* Stainton, 1849 - Range (in code): PT ES FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY
- 30622. *Bucculatrix nigrovalvata* Mey, 1999** (Bucculatricidae) Synonym(s): *nigrovalvata* Mey, 1999 - Range (in code): YE
- 30623. *Bucculatrix noltei* Petry, 1912** (Bucculatricidae) Synonym(s): *noltei* Petry, 1912 - Range (in code): IT BE NL DE AT PL CZ SK HU SE LV RU MD UA BY
- 30624. *Bucculatrix obscurella* Klemensiewicz, 1899** (Bucculatricidae) Synonym(s): *obscurella* Klemensiewicz, 1899 - Range (in code): GB AT PL NO SE FI
- 30625. *Bucculatrix ochromeris* Meyrick, 1928** (Bucculatricidae) Synonym(s): *ochromeris* Meyrick, 1928 - Range (in code): ZA
- 30626. *Bucculatrix oppositella* Staudinger, 1880** (Bucculatricidae) Synonym(s): *oppositella* Staudinger, 1880 - Original Reference: *Bucculatrix oppositella* Staudinger, 1880, Horae Soc. ent. ross. 15: 417-418. Syntypes ♂♂: [Türkei]: Amasia. Range (in code): TR
- 30627. *Bucculatrix pannonica* Deschka, 1982** (Bucculatricidae) Synonym(s): *pannonica* Deschka, 1982 - Range (in code): AT SK
- 30628. *Bucculatrix phagnalella* Walsingham, 1908** (Bucculatricidae) Synonym(s): *phagnalella* Walsingham, 1908 - Range (in code): ES
- 30629. *Bucculatrix porthmis* Meyrick, 1908** (Bucculatricidae) Synonym(s): *porthmis* Meyrick, 1908 - Range (in code): ZA Tva Gau Pre
- 30630. *Bucculatrix praecipua* Meyrick, 1918** (Bucculatricidae) Synonym(s): *praecipua* Meyrick, 1918 - Range (in code): ZA Kzu Nta Esw
- 30631. *Bucculatrix pseudosylvella* Rebel, 1941** (Bucculatricidae) Synonym(s): *pseudosylvella* Rebel, 1941 - Range (in code): PT HV MK TR
- 30632. *Bucculatrix quieta* Meyrick, 1913** (Bucculatricidae) Synonym(s): *quieta* Meyrick, 1913 - Range (in code): ZA Tva Gau Pre
- 30633. *Bucculatrix ramallahensis* Amsel, 1935** (Bucculatricidae) Synonym(s): *ramallahensis* Amsel, 1935 - Range (in code): IL Pa Rml
- 30634. *Bucculatrix ratisbonensis* Stainton, 1861** (Bucculatricidae) Synonym(s): *ratisbonensis* Stainton, 1861 - Range (in code): IT BE DE AT CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 30635. *Bucculatrix regaella* Chrétien, 1907** (Bucculatricidae) Synonym(s): *regaella* Chrétien, 1907 - Original Reference: *Bucculatrix regaella* Chrétien, 1907, Bull. Soc. ent. Fr. 1907: 306. Type: Algérie, Biskra. Range (in code): DZ Bsk Bionomy: Larva on *Helianthemum sessiliflorum* (en arabe rega) [Cistaceae] (Chrétien, 1907).
- 30636. *Bucculatrix rhamniella* Herrich-Schäffer, 1855** (Bucculatricidae) Synonym(s): *rhamniella* Herrich-Schäffer, 1855 - Range (in code): PL HU LV LT
- 30637. *Bucculatrix santolinella* Walsingham, 1898** (Bucculatricidae) Synonym(s): *santolinella* Walsingham, 1898 - Range (in code): FR Co Sa
- 30638. *Bucculatrix telavivella* Amsel, 1935** (Bucculatricidae) Synonym(s): *telavivella* Amsel, 1935 - Range (in code): IT IL Jf Pa
- 30639. *Bucculatrix thoracella* (Thunberg, 1794)** (Bucculatricidae) Synonym(s): *thoracella* Thunberg, 1794 - Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 30640. *Bucculatrix ulmella* Zeller, 1848** (Bucculatricidae) Synonym(s): *ulmella* Zeller, 1848; *sircomella* Stainton, 1848; *venustella* Stainton, 1849. - Range (in code): FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Ulmus* (Ulmaceae) (Zeller, 1848).
- 30641. *Bucculatrix ulmicola* Kuznetsov, 1962** (Bucculatricidae) Synonym(s): *ulmicola* Kuznetsov, 1962 - Range (in code): RU Sr TR
- 30642. *Bucculatrix ulmifoliae* Hering, 1931** (Bucculatricidae) Synonym(s): *ulmifoliae* Hering, 1931; *caspica* Puplesis & Sruoga, 1991 - Range (in code): Sa Si? IT DE AT PL CZ SK HU RO YU IR TM

- 30643. *Bucculatrix yemenitica* Mey,1999** (Bucculatricidae) **Synonym(s):** *yemenitica* Mey,1999
Range (in code): **YE**
- 30644. *Bucculatrix zizyphella* Chrétien,1907** (Bucculatricidae) **Synonym(s):** *zizyphella* Chrétien,1907
Range (in code): **YU DZ IL Pa TN Gf**
- 30645. *Leucoedemia ingens* Scoble & Scholtz,1984** (Bucculatricidae) **Synonym(s):** *ingens* Scoble & Scholtz,1984
Range (in code): **ZA**
- 30646. *Callidula arctata* (Butler,1877)** (Callidulidae) **Synonym(s):** *arctata* Butler,1877;
angustifasciata Röber,1892
Range (in code): **ID Trn Kai**
- 30647. *Callidula atata* Swinhoe,1909** (Callidulidae) **Synonym(s):** *atata* Swinhoe,1909
Range (in code): **ID Kai**
- 30648. *Callidula aureola* Swinhoe,1905** (Callidulidae) **Synonym(s):** *aureola* Swinhoe,1905
Range (in code): **ID Ob**
- 30649. *Callidula biplagiata* Butler,1887** (Callidulidae) **Synonym(s):** *biplagiata* Butler,1887
Range (in code): **SB**
- 30650. *Callidula dichroa* (Boisduval,1832)** (Callidulidae) **Synonym(s):** *dichroa* Boisduval,1832
Range (in code): **PG ID Crm Aru**
- 30651. *Callidula evander* (Cramer,1782)** (Callidulidae) **Synonym(s):** *evander* Cramer,1782;
clavata Pagenstecher,1887; *evandra* Hübner,1816; *evandrus* Walker,1864
Range (in code): **ID Amb Crm Trn Aru Wg Clb PG**
- 30652. *Callidula fasciata* Butler,1877** (Callidulidae) **Synonym(s):** *fasciata* Butler,1877
Range (in code): **ID Trn Hm Crm Aru**
- 30653. *Callidula formosana* Wileman** (Callidulidae) **Synonym(s):** **Range (in code):** **TW**
- 30654. *Callidula hypoleuca* Butler,1887** (Callidulidae) **Synonym(s):** *hypoleuca* Butler,1887
Range (in code): **SB**
- 30655. *Callidula kobesi* Holloway,1998** (Callidulidae) **Synonym(s):** *kobesi* Holloway,1998
Range (in code): **MY Bor Sbh KBa**
- 30656. *Callidula lunigera* Butler,1879** (Callidulidae) **Synonym(s):** *lunigera* Butler,1879
Range (in code): **PG**
- 30657. *Callidula miokensis* Pagenstecher,1894** (Callidulidae) **Synonym(s):** *miokensis* Pagenstecher,1894
Range (in code): **PG**
- 30658. *Callidula nenia* Druce,1888** (Callidulidae) **Synonym(s):** *nenia* Druce,1888
Range (in code): **SB**
- 30659. *Callidula nigrescens* Butler,1887** (Callidulidae) **Synonym(s):** *nigrescens* Butler,1887
Range (in code): **SB**
- 30660. *Callidula plagalis* R.Felder & Rogenhofer,1868** (Callidulidae) **Synonym(s):** *plagalis* R.Felder & Rogenhofer,1868
Range (in code): **ID Aru**
- 30661. *Callidula plioxantha* Kirsch,1877** (Callidulidae) **Synonym(s):** *plioxantha* Kirsch,1877
Range (in code): **ID Mi**
- 30662. *Callidula posticalis* Guérin-Méneville,1831** (Callidulidae) **Synonym(s):** *posticalis* Guérin-Méneville,1831
Range (in code): **ID Trn Crm Aru Kai Clb PG**
- 30663. *Callidula propinqua* Butler,1877** (Callidulidae) **Synonym(s):** *propinqua* Butler,1877
Range (in code): **ID Amb Crm Bru Trn Aru Wg Clb**
- 30664. *Callidula scotti* Mac Leay,1866** (Callidulidae) **Synonym(s):** *scotti* Mac Leay,1866
Range (in code): **AU**
- 30665. *Callidula sobah* Pagenstecher,1886** (Callidulidae) **Synonym(s):** *sobah* Pagenstecher,1886
Range (in code): **ID Bru Wg PG**
- 30666. *Callidula versicolor* R.Felder & Rogenhofer,1868** (Callidulidae) **Synonym(s):** *versicolor* R.Felder & Rogenhofer,1868
Range (in code): **PG**
- 30667. *Caloschemia monolifera* Mabille,1878** (Callidulidae) **Synonym(s):** *monolifera* Mabille,1878; *pulchra* Butler,1878
Original Reference: *Caloschemia monolifera* Mabille,1878, Bull. Soc. zool. Fr. 3: 86. Type(s): Madagascar. **Range (in code):** **MG**
- 30668. *Caloschemia monolifera monolifera* Mabille,1878** (Callidulidae) **Synonym(s):** *monolifera* Mabille,1878; *pulchra* Butler,1878
Original Reference: *Caloschemia monolifera* Mabille,1878, Bull. Soc. zool. Fr. 3: 86. Type(s): Madagascar. **Range (in code):** **MG**
- 30669. *Comella laetifica* (C.Felder & R.Felder,1864)** (Callidulidae) **Synonym(s):** *laetifica* C.Felder & R.Felder,1864; *erycinata* Walker,1864
Range (in code): **ID Aru Mi Wg PG**

- 30670. *Petavia attenuata* (Hewitson & Moore,1879)** (Callidulidae) Synonym(s): *attenuata* Hewitson & Moore,1879 - Range (in code): IN
- 30671. *Petavia erycinoides* (Walker,1869)** (Callidulidae) Synonym(s): *erycinoides* Walker,1869; *flavovittata* Moore,1887 - Range (in code): IN
- 30672. *Petavia jucunda* (C.Felder & Rogenhofer,1874)** (Callidulidae) Synonym(s): *jucunda* C.Felder & R.Felder,1874 - Range (in code): MY Bor ID Ja
- 30673. *Petavia lutensis* (Swinhoe,1892)** (Callidulidae) Synonym(s): *lutensis* Swinhoe,1892 - Range (in code): ID Trn Crm PG Bsm
- 30674. *Petavia mindanensis* (Pagenstecher,1887)** (Callidulidae) Synonym(s): *mindanensis* Pagenstecher,1887 - Range (in code): PH Mno
- 30675. *Petavia nemoga* (Swinhoe,1909)** (Callidulidae) Synonym(s): *nemoga* Swinhoe,1909 - Range (in code): PG
- 30676. *Petavia niasica* (Pagenstecher,1887)** (Callidulidae) Synonym(s): *niasica* Pagenstecher,1887 - Original Reference: Callidula petavius var. niasica Pagenstecher,1887, J. nassau. Ver. Nat. 40: 232, pl. 2 figs. 17,18. Type: Nias. Range (in code): ID Nia TH
- 30677. *Petavia petavia* (Cramer,1782)** (Callidulidae) Synonym(s): *petavia* Cramer,1782; *abisara* Butler,1879; *batjanensis* Pagenstecher,1887; *celebensis* Pagenstecher,1887; *luzonica* Pagenstecher,1887 - Range (in code): ID Crm Amb Bch MY Clb PH Luz MM Tns
- 30678. *Petavia sakuni* (Horsfield,1828)** (Callidulidae) Synonym(s): *sakuni* Horsfield,1828; *abisara* Butler,1879; *minor* Moore,1879 - Range (in code): ID Sum TH MY MM Bor Sbh KBa
- 30679. *Petavia similis* (Pagenstecher,1887)** (Callidulidae) Synonym(s): *similis* Pagenstecher,1887 - Range (in code): PH
- 30680. *Petavia sumatrensis* Pagenstecher,1887** (Callidulidae) Synonym(s): *sumatrensis* Pagenstecher,1887 - Range (in code): ID Sum TH
- 30681. *Petavia waterstradti* Holloway,1998** (Callidulidae) Synonym(s): *waterstradti* Holloway,1998 - Range (in code): MY Bor Sbh KBa ID Sum
- 30682. *Pterodecta anchora* Pagenstecher,1887** (Callidulidae) Synonym(s): *#anchora* Butler,1877; *anchora* Pagenstecher,1887 - Range (in code): IN
- 30683. *Pterodecta felderi* (Bremer,1864)** (Callidulidae) Synonym(s): *felderi* Bremer,1864; *gloriosa* Butler,1877 - Range (in code): RU Am JP
- 30684. *Pterothysanus laticilia* Walker,1854** (Callidulidae) Synonym(s): *laticilia* Walker,1854; *lanaris* Butler,1884; *atratus* Butler,1885; *pictus* Butler,1885; *orleans* Oberthür; *noblei* Swinhoe,1889; *#roblei* Hutacharern & Tubtim,1995 - Original Reference: Pterothysanus laticilia Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 401. Range (in code): MM TH CMa Cuo Cuo4 CDo
- 30685. *Pterothysanus laticilia laticilia* Walker,1854** (Callidulidae) Synonym(s): *laticilia* Walker,1854; *lanaris* Butler,1884; *atratus* Butler,1885; *pictus* Butler,1885; *orleans* Oberthür; *noblei* Swinhoe,1889; *#roblei* Hutacharern & Tubtim,1995 - Original Reference: Pterothysanus laticilia Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 401. Range (in code): MM TH CMa Cuo Cuo4 CDo
- 30686. *Tetragonus lycaenoides* (C.Felder & R.Felder,1874)** (Callidulidae) Synonym(s): *lycaenoides* C.Felder & R.Felder,1874 - Range (in code): MY Bor ID Sum Clb Nia
- 30687. *Alexotypa caradjai* Diakonoff,1989** (Carposinidae) Synonym(s): *caradjai* Diakonoff,1989 - Range (in code): CN Kwa
- 30688. *Alexotypa japonica* (Walsingham,1900)** (Carposinidae) Synonym(s): *japonica* Walsingham,1900 - Range (in code): JP
- 30689. *Alexotypa vitiata* (Meyrick,1913)** (Carposinidae) Synonym(s): *vitiata* Meyrick,1913 - Range (in code): IN Meg Ass Khs
- 30690. *Archostola amblystoma* Diakonoff,1989** (Carposinidae) Synonym(s): *amblystoma* Diakonoff,1989 - Range (in code): CN Yu
- 30691. *Archostola martyr* Diakonoff,1989** (Carposinidae) Synonym(s): *martyr* Diakonoff,1989 - Range (in code): CN Yu
- 30692. *Archostola niphauge* Diakonoff,1989** (Carposinidae) Synonym(s): *niphauge* Diakonoff,1989 - Range (in code): CN Yu
- 30693. *Archostola ocytoma* (Meyrick,1938)** (Carposinidae) Synonym(s): *ocytoma* Meyrick,1938 - Range (in code): CN Yu Ats
- 30694. *Bondia nigella* Newman,1856** (Carposinidae) Synonym(s): *nigella* Newman,1856 - Range (in code): AU
- 30695. *Carposina anopta* Diakonoff,1988** (Carposinidae) Synonym(s): *anopta* Diakonoff,1988 - Range (in code): Md

- 30696. *Carposina askoldana* Diakonoff,1989** (Carposinidae) Synonym(s): *askoldana* Diakonoff,1989 _ Range (in code): Ask RU Vv
- 30697. *Carposina atlanticella* Rebel,1894** (Carposinidae) Synonym(s): *atlanticella* Rebel,1894 _ Range (in code): Md
- 30698. *Carposina autologa* Meyrick,1910** (Carposinidae) Synonym(s): *autologa* Meyrick,1910; *syciodes* Turner,1947 _ Range (in code): ZA
- 30699. *Carposina berberidella* Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *berberidella* Herrich-Schäffer,[1854] _ Range (in code): ES IT DE AT PL CZ SK HU YU TR LT RU GG Cc AM Bionomy: Larva on Berberis (Herrich-Schäffer,[1854]).
- 30700. *Carposina brachycentra* Meyrick,1914** (Carposinidae) Synonym(s): *brachycentra* Meyrick,1914 _ Range (in code): ZA Nta Kzu Srn
- 30701. *Carposina candace* Meyrick,1932** (Carposinidae) Synonym(s): *candace* Meyrick,1932 Original Reference: *Carposina candace* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 114. Type ♀: [Ethiopia]: Jem-Jem Forest. Range (in code): ET ET88 SW
- 30702. *Carposina cinderella* Diakonoff,1988** (Carposinidae) Synonym(s): *cinderella* Diakonoff,1988 _ Range (in code): Cn
- 30703. *Carposina conobathra* Meyrick,1928** (Carposinidae) Synonym(s): *conobathra* Meyrick,1928 _ Range (in code): ZA
- 30704. *Carposina diampyx* Diakonoff,1989** (Carposinidae) Synonym(s): *diampyx* Diakonoff,1989 Original Reference: *Carposina diampyx* Diakonoff,1989, Zool. Verh. 251: 57, figs. Holotype ♂: Armenia: Geghard, 1700m, 40km E of Erivan (Kasy & Vartian leg.) (MNHV). Range (in code): Cc AM Eri Alg
- 30705. *Carposina ekbatana* Amsel,1978** (Carposinidae) Synonym(s): *ekbatana* Amsel,1978; *#ecbatana* Amsel,1978 Original Reference: *Carposina ekbatana* Amsel,1978, Beitr. naturk. Forsch. SüdwDtl. 37: 215-216, 3 Abb. Holotype ♂: Iran, Hamadan, leg. Wiltshire (LNK). Range (in code): IR Ha
- 30706. *Carposina exsanguis* Meyrick,1918** (Carposinidae) Synonym(s): *exsanguis* Meyrick,1918 Range (in code): ZA Tva Mpu Brb
- 30707. *Carposina gigantella* Rebel,1917** (Carposinidae) Synonym(s): *gigantella* Rebel,1917 Range (in code): Cn
- 30708. *Carposina impavida* Meyrick,1913** (Carposinidae) Synonym(s): *impavida* Meyrick,1913 Range (in code): ZA
- 30709. *Carposina irata* Meyrick,1914** (Carposinidae) Synonym(s): *irata* Meyrick,1914 _ Range (in code): ZA Tva Gau Pre
- 30710. *Carposina niponensis* Walsingham,1900** (Carposinidae) Synonym(s): *niponensis* Walsingham,1900 _ Range (in code): JP
- 30711. *Carposina proconsularis* Meyrick,1921** (Carposinidae) Synonym(s): *proconsularis* Meyrick,1921 _ Range (in code): ZA Wca Cto
- 30712. *Carposina roesleri* Amsel,1977** (Carposinidae) Synonym(s): *roesleri* Amsel,1977 Range (in code): IR Fa
- 30713. *Carposina rosella* Kuznetsov,1975** (Carposinidae) Synonym(s): *rosella* Kuznetsov,1975 Range (in code): TJ UZ
- 30714. *Carposina sasakii* Matsumura,1898** (Carposinidae) Synonym(s): *sasakii* Matsumura,1898 Range (in code): JP CN Mc KP KR RU Am CA
- 30715. *Carposina scirrhosella* Herrich-Schäffer,[1854]** (Carposinidae) Synonym(s): *scirrhosella* Herrich-Schäffer,[1854]; *orientella* Stanoi & Nemes,1968 _ Range (in code): DE AT CZ SK HU YU RO BG TR LB Bionomy: Larva on Rosa (Rosaceae) (Diakonoff,1989).
- 30716. *Carposina siturga* Meyrick,1912** (Carposinidae) Synonym(s): *siturga* Meyrick,1912 Range (in code): ZA
- 30717. *Carposina socors* Meyrick,1928** (Carposinidae) Synonym(s): *socors* Meyrick,1928 Range (in code): ZA
- 30718. *Carposina sublucida* Diakonoff,1988** (Carposinidae) Synonym(s): *sublucida* Diakonoff,1988 _ Range (in code): Cn
- 30719. *Carposina subselliata* Meyrick,1921** (Carposinidae) Synonym(s): *subseliata* Meyrick,1921 Range (in code): ZA Nta Kzu Kkf
- 30720. *Carposina tetratoma* Diakonoff,1989** (Carposinidae) Synonym(s): *tetratoma* Diakonoff,1989 _ Range (in code): AF Pag

- 30721. *Carposina thermurga* Meyrick, 1929** (Carposinidae) Synonym(s): *thermurga* Meyrick, 1929; *ferruginea* Meyrick, 1925. Range (in code): ZA
- 30722. *Carposina zymota* (Meyrick, 1910)** (Carposinidae) Synonym(s): *zymota* Meyrick, 1910 Range (in code): PG
- 30723. *Commatarcha acidodes* Diakonoff, 1989** (Carposinidae) Synonym(s): *acidodes* Diakonoff, 1989 Range (in code): CN Yu
- 30724. *Commatarcha characterias* (Meyrick, 1932)** (Carposinidae) Synonym(s): *characterias* Meyrick, 1932; *autocharacta* Meyrick, 1932. Range (in code): Ch
- 30725. *Commatarcha chrysanches* (Meyrick, 1938)** (Carposinidae) Synonym(s): *chrysanches* Meyrick, 1938 Range (in code): CN Yu
- 30726. *Commatarcha citrogramma* (Meyrick, 1938)** (Carposinidae) Synonym(s): *citrogramma* Meyrick, 1938 Range (in code): CN Yu
- 30727. *Commatarcha oresbia* Diakonoff, 1989** (Carposinidae) Synonym(s): *oresbia* Diakonoff, 1989 Range (in code): PK Swa Sgl
- 30728. *Commatarcha palaeosema* Meyrick, 1935** (Carposinidae) Synonym(s): *palaeosema* Meyrick, 1935 Range (in code): JP Hkk
- 30729. *Commatarcha quaestrix* (Meyrick, 1935)** (Carposinidae) Synonym(s): *quaestrix* Meyrick, 1935 Range (in code): CN Tkg
- 30730. *Commatarcha vaga* Diakonoff, 1989** (Carposinidae) Synonym(s): *vaga* Diakonoff, 1989 Range (in code): JP
- 30731. *Heterogymna metarsia* Diakonoff, 1989** (Carposinidae) Synonym(s): *metarsia* Diakonoff, 1989 Range (in code): SI
- 30732. *Heterogymna ochrogramma* (Meyrick, 1913)** (Carposinidae) Synonym(s): *ochrogramma* Meyrick, 1913; *seriatopunctata* Matsumura, 1931 Range (in code): BT JP CN Tkg Yu Ats MM
- 30733. *Heterogymna ochrogramma coloba* Diakonoff, 1989** (Carposinidae) Synonym(s): *coloba* Diakonoff, 1989 Range (in code): CN Tkg Yu Ats
- 30734. *Heterogymna ochrogramma ochrogramma* (Meyrick, 1913)** (Carposinidae) Synonym(s): *ochrogramma* Meyrick, 1913; *seriatopunctata* Matsumura, 1931 Range (in code):
- 30735. *Heterogymna ochrogramma seriapunctata* (Matsumura, 1931)** (Carposinidae) Synonym(s): *seriapunctata* Matsumura, 1931 Range (in code): JP
- 30736. *Heterogymna ochrogramma toxotes* Diakonoff, 1989** (Carposinidae) Synonym(s): *toxotes* Diakonoff, 1989 Range (in code): CN Yu MM
- 30737. *Meridarchis bryonephela* Meyrick, 1938** (Carposinidae) Synonym(s): *bryonephela* Meyrick, 1938 Range (in code): CN Yu
- 30738. *Meridarchis crotalus* Diakonoff, 1989** (Carposinidae) Synonym(s): *crotalus* Diakonoff, 1989 Range (in code): RU Prj Us
- 30739. *Meridarchis ensifera* Diakonoff, 1950** (Carposinidae) Synonym(s): *ensifera* Diakonoff, 1950 Range (in code): SI
- 30740. *Meridarchis excisa* (Walsingham, 1900)** (Carposinidae) Synonym(s): *excisa* Walsingham, 1900 Range (in code): JP Hkk RU Prj Us
- 30741. *Meridarchis isodina* Diakonoff, 1989** (Carposinidae) Synonym(s): *isodina* Diakonoff, 1989 Range (in code): CN She
- 30742. *Meridarchis jamboa* Kawabe, 1980** (Carposinidae) Synonym(s): *jamboa* Kawabe, 1980 Range (in code): JP
- 30743. *Meridarchis longirostris* (Hampson, 1900)** (Carposinidae) Synonym(s): *longirostris* Hampson, 1900 Range (in code): CN Ti Yt
- 30744. *Meridarchis merga* Diakonoff, 1989** (Carposinidae) Synonym(s): *merga* Diakonoff, 1989 Range (in code): JP Kyu
- 30745. *Meridarchis scyroides* Meyrick, 1916** (Carposinidae) Synonym(s): *scyroides* Meyrick, 1916 Original Reference: *Meridarchis scyroides* Meyrick, 1916, Exot. Microlepid. 2: 30. Type: India. Range (in code): IN TH Knc Rat Smu Nkh Bionomy: Larva bores fruit of *Ziziphus mauritiana* (Rhamnaceae) [jujube], *Psidium guajava* (Myrtaceae) [guava], *Eugenia* (Myrtaceae) [rose apple] (Lewvanich, 2001).
- 30746. *Meridarchis trapeziella* Zeller, 1867** (Carposinidae) Synonym(s): *trapeziella* Zeller, 1867; *stoetznieri* Caradja, 1927. Range (in code): IN Ass BT CN Yu TH SI MM

- 30747. *Meridarchis xerostola* (Diakonoff,[1984])** (Carposinidae) **Synonym(s):** *xerostola* Diakonoff,[1984] **Range (in code):** **SA As**
- 30748. *Metacosmesis laxeuta* (Meyrick,1906)** (Carposinidae) **Synonym(s):** *laxeuta* Meyrick,1906 **Range (in code):** **LK JP CN Hun ID Ja**
- 30749. *Peragrarchis emmilita* Diakonoff,1989** (Carposinidae) **Synonym(s):** *emmilita* Diakonoff,1989 **Range (in code):** **CN Kwa**
- 30750. *Peragrarchis rodea* (Diakonoff,1950)** (Carposinidae) **Synonym(s):** *rodea* Diakonoff,1950 **Range (in code):**
- 30751. *Peragrarchis syncolleta* (Meyrick,1928)** (Carposinidae) **Synonym(s):** *syncolleta* Meyrick,1928 **Range (in code):** **TH IN Adm JP MY BN Bor Sbh Clb SB**
- 30752. *Tascina metallica* Pagenstecher,1890** (Castniidae) **Synonym(s):** *metallica* Pagenstecher,1890 **Original Reference:** *Tascina metallica* Pagenstecher,1890, Dt. ent. Z., Iris 3: 3-4. Syntypes 2♂ 1♀: [Philippines]: Palawan. **Range (in code):** **PH Pal**
- 30753. *Tascina orientalis* (Westwood,1877)** (Castniidae) **Synonym(s):** *orientalis* Westwood,1877 **Range (in code):** **SG MY**
- 30754. *Anthophila abhasica* Danilevsky,1969** (Choreutidae) **Synonym(s):** *abhasica* Danilevsky,1969 **Original Reference:** *Anthophila abhasica* Danilevsky,1969, Revue ent. USSR 48: 928, figs. Holotype ♂: Georgia: Abhasia: Avadkhara, 1800-2100m (ZIAN). **Range (in code):** **CZ SK RU Soc Kr GG Cc Abk RO MD AZ UA AT Slz DE Bv**
- 30755. *Anthophila armata* Danilevsky,1969** (Choreutidae) **Synonym(s):** *armata* Danilevsky,1969; *superba* Danilevsky,1969 **Original Reference:** *Anthophila armata* Danilevsky,1969, Revue ent. USSR 48: 930, figs. 12-13. Holotype: Russia: Kuznetski Alatau: Myski (ZIAN). **Range (in code):** **RU At Kuz**
- 30756. *Anthophila colchica* Danilevsky,1969** (Choreutidae) **Synonym(s):** *colchica* Danilevsky,1969 **Original Reference:** *Anthophila colchica* Danilevsky,1969, Revue ent. USSR 48: 931, fig. 143. Holotype ♂: Georgia: Abkhasia: Avadkhar (ZIAN). **Range (in code):** **GG Abk Cc**
- 30757. *Anthophila decolorana* Danilevsky,1969** (Choreutidae) **Synonym(s):** *decolorana* Danilevsky,1969 **Original Reference:** *Anthophila decolorana* Danilevsky,1969, Revue ent. USSR 48: 925-931, fig. 14b. Holotype ♂: Georgia: Abkhasia: Avadkhar, 1800-2100m (ZIAN). **Range (in code):** **GG Abk Cc**
- 30758. *Anthophila dischides* Diakonoff,1978** (Choreutidae) **Synonym(s):** *dischides* Diakonoff,1978 **Range (in code):** **CN Yu Lik**
- 30759. *Anthophila fabriciana* (Linnaeus,1767)** (Choreutidae) **Synonym(s):** *fabriciana* Linnaeus,1767; *oxyacanthella* Linnaeus,1767; *urticana* Denis & Schifferrmüller,[1775]; *excisum* Retzius,1783; *gilibertiana* Villers,1789; *oxyacanthae* Fabricius,1798; *dentana* Hübner,1799; *fabricii* Haworth,1811; *dentanalís* Treitschke,1829; *parietariae* Stainton,1855; *fabriciella* Herrich-Schäffer,1862; *parietariella* Herrich-Schäffer,1862 **Original Reference:** *Phalaena fabriciana* Linnaeus,1767, Syst. Nat. (Edn.12): 880, nr.324 Type(s): Sweden. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Krl Sh MD UA BY KP KR JP TW CA Mnt** **Bionomy:** Larva on *Urtica dioica*, *Parietaria officinalis*, *Symphytum tuberosum* (Snellen,1882 et seq.).
- 30760. *Anthophila filipjevi* Danilevsky,1969** (Choreutidae) **Synonym(s):** *filipjevi* Danilevsky,1969 **Range (in code):** **RU Sb MN**
- 30761. *Anthophila oreina* Diakonoff,1979** (Choreutidae) **Synonym(s):** *oreina* Diakonoff,1979 **Range (in code):** **Ch GI**
- 30762. *Anthophila threnodes* (Walsingham,1910)** (Choreutidae) **Synonym(s):** *threnodes* Walsingham,1910 **Range (in code):** **Md**
- 30763. *Brenthia albipunctata* Arita,1987** (Choreutidae) **Synonym(s):** *albipunctata* Arita,1987 **Original Reference:** *Brenthia albipunctata* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 16-16, figs. Holotype ♂: Thailand: Kanchanaburi, Erawan, 600m (UOP). **Range (in code):** **TH Knc** **Bionomy:** Larva on *Spatholobus compar* (Fabaceae) (Arita,1987).
- 30764. *Brenthia angoonae* Arita,1987** (Choreutidae) **Synonym(s):** *angoonae* Arita,1987 **Original Reference:** *Brenthia angoonae* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 28-29, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP). **Range (in code):** **TH CMa Fn Msv**
- 30765. *Brenthia ardens* Meyrick,1912** (Choreutidae) **Synonym(s):** *ardens* Meyrick,1912 **Original Reference:** *Brenthia ardens* Meyrick,1912, Exot. microlepid. 1: 52. Lectotype ♀: India: Assam: Khasi Hills, designated by Diakonoff,1986, Microlepid. Pal. 7: 76 (BMNH). **Range (in code):** **IN Meg Ass Khs CN Tkg**

- 30766. *Brenthia Chiangmaiensis* Arita, 1987** (Choreutidae) Synonym(s): *Chiangmaiensis* Arita, 1987 Original Reference: *Brenthia Chiangmaiensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 21-22, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP). Range (in code): **TH CMA Fn**
- 30767. *Brenthia dendronympha* Meyrick, 1937** (Choreutidae) Synonym(s): *dendronympha* Meyrick, 1937 Original Reference: *Brenthia dendronympha* Meyrick, 1937, Exot. Microlepid. 5: 125. Type: India. Range (in code): **TH IN MM Bor Swk MY**
- 30768. *Brenthia flava* Arita, 1987** (Choreutidae) Synonym(s): *flava* Arita, 1987 Original Reference: *Brenthia flava* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 18-20, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOP). Range (in code): **TH CMA Dst**
- 30769. *Brenthia formosensis* Issiki, 1930** (Choreutidae) Synonym(s): *formosensis* Issiki, 1930 Range (in code): **TW JP Ri**
- 30770. *Brenthia karsholti* Arita, 1987** (Choreutidae) Synonym(s): *karsholti* Arita, 1987 Original Reference: *Brenthia karsholti* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 17-18, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 700m (ZMC). Range (in code): **TH Nna Kao**
- 30771. *Brenthia khaoyaiensis* Arita, 1987** (Choreutidae) Synonym(s): *khaoyaiensis* Arita, 1987 Original Reference: *Brenthia khaoyaiensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 22-23, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): **TH Nna Kao**
- 30772. *Brenthia kurokoi* Arita, 1987** (Choreutidae) Synonym(s): *kurokoi* Arita, 1987 Original Reference: *Brenthia kurokoi* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 32-33, figs. Holotype ♂: Thailand: Kanchanaburi, Erawan, 600m (UOP). Range (in code): **TH Knc Cbi CMA Fn**
- 30773. *Brenthia leucatoma* Meyrick, 1918** (Choreutidae) Synonym(s): *leucatoma* Meyrick, 1918 Range (in code): **ZA Nta Kzu Dbn ET ETow Sw**
- 30774. *Brenthia multipunctata* Arita, 1987** (Choreutidae) Synonym(s): *multipunctata* Arita, 1987 Original Reference: *Brenthia multipunctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 26-27, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): **TH Nna Kao CMA Int**
- 30775. *Brenthia nephelosema* Diakonoff, 1978** (Choreutidae) Synonym(s): *nephelosema* Diakonoff, 1978 Range (in code): **CN Fkn**
- 30776. *Brenthia octopunctata* Arita, 1987** (Choreutidae) Synonym(s): *octopunctata* Arita, 1987 Original Reference: *Brenthia octopunctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 23-24, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep NP, 22.vii.1981 (UOP). Range (in code): **TH CMA Dst**
- 30777. *Brenthia pileae* Arita, 1971** (Choreutidae) Synonym(s): *pileae* Arita, 1971 Range (in code): **JP**
- 30778. *Brenthia punctata* Arita, 1987** (Choreutidae) Synonym(s): *punctata* Arita, 1987 Original Reference: *Brenthia punctata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 24-25, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): **TH Nna Kao**
- 30779. *Brenthia saitoi* Arita, 1987** (Choreutidae) Synonym(s): *saitoi* Arita, 1987 Original Reference: *Brenthia saitoi* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 29-30, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP). Range (in code): **TH Knc**
- 30780. *Brenthia siamensis* Arita, 1987** (Choreutidae) Synonym(s): *siamensis* Arita, 1987 Original Reference: *Brenthia siamensis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 27-28, figs. Holotype ♂: Thailand: Chantaburi, Phliu, 30m (UOP). Range (in code): **TH Cbi**
- 30781. *Brenthia similis* Arita, 1987** (Choreutidae) Synonym(s): *similis* Arita, 1987 Original Reference: *Brenthia similis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 33-34, figs. Holotype ♂: Thailand: Chantaburi, Phliu, 30m (UOP). Range (in code): **TH Cbi**
- 30782. *Brenthia subflava* Arita, 1987** (Choreutidae) Synonym(s): *subflava* Arita, 1987 Original Reference: *Brenthia subflava* Arita, 1987, [in] Kuroko, H. & S. Moriuti, Microlepid. Thailand 1: 20, figs. Holotype ♂: Thailand: Chiang Mai, Fang, 450m (UOP). Range (in code): **TH CMA Fn**

- 30783. *Brenthia subsimilis* Arita,1987** (Choreutidae) Synonym(s): *subsimilis* Arita,1987
Original Reference: *Brenthia subsimilis* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 31, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP). Range (in code): TH Knc
- 30784. *Brenthia thaiensis* Arita,1987** (Choreutidae) Synonym(s): *thaiensis* Arita,1987 Original Reference: *Brenthia thaiensis* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 20-21, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): TH
- 30785. *Brenthia yaeyamae* Arita,1971** (Choreutidae) Synonym(s): *yaeyamae* Arita,1971
Range (in code): JP Ri TW
- 30786. *Choreutis achyrodes* (Meyrick,1912)** (Choreutidae) Synonym(s): *achyrodes* Meyrick,1912; *albifascialis* Marumo,1923; *kochiensis* Matsumura,1931 Range (in code): IN NI Ass JP Ri TW LK ID Ja
- 30787. *Choreutis aegyptiaca* (Zeller,1867)** (Choreutidae) Synonym(s): *aegyptiaca* Zeller,1867; *hypocroca* Diakonoff,1978 Range (in code): EG IL Jf Pa SA SA39 IN UG Sk NP
- 30788. *Choreutis agalmatopa* Meyrick,1926** (Choreutidae) Synonym(s): *agalmatopa* Meyrick,1926 Range (in code): ID Sum
- 30789. *Choreutis agelasta* Bradley,1965** (Choreutidae) Synonym(s): *agelasta* Bradley,1965
Range (in code): UG Rz
- 30790. *Choreutis alliciens* Meyrick,1926** (Choreutidae) Synonym(s): *alliciens* Meyrick,1926
Range (in code): BO
- 30791. *Choreutis amethystodes* (Meyrick,1914)** (Choreutidae) Synonym(s): *amethystodes* Meyrick,1914 Range (in code): TW PH JP Ri ID Ja
- 30792. *Choreutis antiptila* Meyrick,1912** (Choreutidae) Synonym(s): *antiptila* Meyrick,1912
Range (in code): CN Hn NP
- 30793. *Choreutis argyrastra* Meyrick,1932** (Choreutidae) Synonym(s): *argyrastra* Meyrick,1932
Original Reference: *Choreutis argyrastra* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 115. Syntypes 2♀: [Ethiopia]: Mt. Zukwala (BMNH). Range (in code): ET
- 30794. *Choreutis argyrota* Meyrick,1912** (Choreutidae) Synonym(s): *argyrota* Meyrick,1912
Range (in code): IN Ass
- 30795. *Choreutis argyroxantha* Meyrick,1938** (Choreutidae) Synonym(s): *argyroxantha* Meyrick,1938 Range (in code): ID Ja
- 30796. *Choreutis arisema* Diakonoff,1978** (Choreutidae) Synonym(s): *arisema* Diakonoff,1978
Range (in code): NP
- 30797. *Choreutis atrosignata* (Christoph,1888)** (Choreutidae) Synonym(s): *atrosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973 Range (in code): RU Us JP Hkk CN Pkn
- 30798. *Choreutis atrosignata atrosignata* (Christoph,1888)** (Choreutidae) Synonym(s): *atrosignata* Christoph,1888; *moiwana* Matsumura,1931; *ussuriensis* Danilevsky,1973 Range (in code): RU Us JP Hkk
- 30799. *Choreutis atrosignata sinica* Diakonoff,1984** (Choreutidae) Synonym(s): *sinica* Diakonoff,1984 Range (in code): CN Pkn
- 30800. *Choreutis augustella* Clarke,1933** (Choreutidae) Synonym(s): *augustella* Clarke,1933
Range (in code): US
- 30801. *Choreutis balsamorrhizella* Busck,1904** (Choreutidae) Synonym(s): *balsamorrhizella* Busck,1904 Range (in code): US
- 30802. *Choreutis basalis* (C.Felder & Rogenhofer,1875)** (Choreutidae) Synonym(s): *basalis* C.Felder & Rogenhofer,1875; *chionodesma* Lower,1900 Range (in code): ID Amb AU JP Ri TW PH PG Aru Clb Ob Bru
- 30803. *Choreutis batangensis* Caradja,1940** (Choreutidae) Synonym(s): *batangensis* Caradja,1940 Range (in code): CN Ti
- 30804. *Choreutis bathysema* (Diakonoff,1978)** (Choreutidae) Synonym(s): *bathysema* Diakonoff,1978 Range (in code): CN Yu
- 30805. *Choreutis blandinalis* Zeller,1877** (Choreutidae) Synonym(s): *blandinalis* Zeller,1877
Range (in code): CO
- 30806. *Choreutis brunescens* Diakonoff,1978** (Choreutidae) Synonym(s): *brunescens* Diakonoff,1978 Range (in code): JP
- 30807. *Choreutis caliginosa* Braun,1921** (Choreutidae) Synonym(s): *caliginosa* Braun,1921
Range (in code): US

- 30808. *Choreutis calliclisa* Diakonoff, 1978** (Choreutidae) **Synonym(s):** *calliclisa* Diakonoff, 1978
Range (in code): **CN Hun**
- 30809. *Choreutis caradjai* (Diakonoff, 1984)** (Choreutidae) **Synonym(s):** *caradjai* Diakonoff, 1984
Range (in code): **CN Yu**
- 30810. *Choreutis carduiella* Kearfott, 1902** (Choreutidae) **Synonym(s):** *carduiella* Kearfott, 1902;
buskiella Kearfott, 1902 Range (in code): **US**
- 30811. *Choreutis catapsesta* (Meyrick, 1935)** (Choreutidae) **Synonym(s):** *catapsesta* Meyrick, 1935
Range (in code): **Ms PF**
- 30812. *Choreutis chadzhaeri* Gerasimov, 1930** (Choreutidae) **Synonym(s):** *chadzhaeri* Gerasimov, 1930 Range (in code): **RU**
- 30813. *Choreutis charmonica* (Walsingham, 1914)** (Choreutidae) **Synonym(s):** *charmonica* Walsingham, 1914 Range (in code): **GT**
- 30814. *Choreutis chionocosma* Diakonoff, 1978** (Choreutidae) **Synonym(s):** *chionocosma* Diakonoff, 1978 Range (in code): **AF**
- 30815. *Choreutis chrysostacta* Meyrick, 1933** (Choreutidae) **Synonym(s):** *chrysostacta* Meyrick, 1933 Range (in code): **ID Ja**
- 30816. *Choreutis chrysoterma* Meyrick, 1932** (Choreutidae) **Synonym(s):** *chrysoterma* Meyrick, 1932 Range (in code): **BO**
- 30817. *Choreutis clemensella* (Walsingham, 1914)** (Choreutidae) **Synonym(s):** *clemensella* Walsingham, 1914 Range (in code): **GT**
- 30818. *Choreutis coloradella* Kearfott, 1902** (Choreutidae) **Synonym(s):** *coloradella* Kearfott, 1902 Range (in code): **US Col**
- 30819. *Choreutis cunuligera* (Diakonoff, 1978)** (Choreutidae) **Synonym(s):** *cunuligera* Diakonoff, 1978 Range (in code): **CN**
- 30820. *Choreutis cunuligera* (Diakonoff, 1978)** (Choreutidae) **Synonym(s):** *cunuligera* Diakonoff, 1978 Range (in code): **CN Tk**
- 30821. *Choreutis cyanogramma* (Diakonoff & Arita, 1979)** (Choreutidae) **Synonym(s):** *cyanogramma* Diakonoff & Arita, 1979 Range (in code): **JP Ri**
- 30822. *Choreutis cydrotia* Meyrick, 1915** (Choreutidae) **Synonym(s):** *cydrotia* Meyrick, 1915
Range (in code): **CO**
- 30823. *Choreutis diana* (Hübner, 1822)** (Choreutidae) **Synonym(s):** *diana* Hübner, 1822; *dianalis* Treitschke, 1835; *decorana* Zetterstedt, 1839; *dianella* Herrich-Schäffer, 1862; *luridana* Walker, 1863; *vicarialis* Zeller, 1875 Range (in code): **FR GB DE CH CZ DK NO SE FI EE LV RU MD UA BY KG Sb Us JP Hkk**
US Bionomy: Larva on *Betula*, *Prunus malus* (Diakonoff, 1986).
- 30824. *Choreutis dichlora* (Meyrick, 1912)** (Choreutidae) **Synonym(s):** *dichlora* Meyrick, 1912
Range (in code): **CN Hn**
- 30825. *Choreutis dyarella* Kearfott, 1902** (Choreutidae) **Synonym(s):** *dyarella* Kearfott, 1902
Range (in code): **US Cf**
- 30826. *Choreutis enantia* (Walsingham, 1914)** (Choreutidae) **Synonym(s):** *enantia* Walsingham, 1914 Range (in code): **GT**
- 30827. *Choreutis euclista* (Meyrick, 1918)** (Choreutidae) **Synonym(s):** *euclista* Meyrick, 1918
Original Reference: *Simaethis euclista* Meyrick, 1918, *Exot. Microlepid.* 2: 192. Type: Burma.
Range (in code): **TH IN LK MM PH**
- 30828. *Choreutis extrincicella* Dyar, 1900** (Choreutidae) **Synonym(s):** *extrincicella* Dyar, 1900
Range (in code): **US**
- 30829. *Choreutis falsifica* Meyrick, 1926** (Choreutidae) **Synonym(s):** *falsifica* Meyrick, 1926
Range (in code): **WS**
- 30830. *Choreutis fulminatrix* (Meyrick, 1935)** (Choreutidae) **Synonym(s):** *fulminatrix* Meyrick, 1935 Range (in code): **PF Ms**
- 30831. *Choreutis gemmalis* Hulst, 1886** (Choreutidae) **Synonym(s):** *gemmalis* Hulst, 1886
Range (in code): **US Cf**
- 30832. *Choreutis gnaphaliella* Kearfott, 1902** (Choreutidae) **Synonym(s):** *gnaphaliella* Kearfott, 1902 Range (in code): **US**
- 30833. *Choreutis hyligenes* (Butler, 1879)** (Choreutidae) **Synonym(s):** *hyligenes* Butler, 1879
Range (in code): **JP CN**
- 30834. *Choreutis hymenaea* Meyrick, 1909** (Choreutidae) **Synonym(s):** *hymenaea* Meyrick, 1909
Range (in code): **BO**

- 30835. *Choreutis ialeura* (Meyrick,1912)** (Choreutidae) **Synonym(s):** *ialeura* Meyrick,1912
Range (in code): **IN NI NP LK CN Yu MU**
- 30836. *Choreutis immutabilis* Braun,1927** (Choreutidae) **Synonym(s):** *immutabilis* Braun,1927
Range (in code): **US Cf**
- 30837. *Choreutis inflatella* Clemens,1863** (Choreutidae) **Synonym(s):** *inflatella* Clemens,1863;
virginella Clemens,1864 **Range (in code):** **US**
- 30838. *Choreutis inspirata* Meyrick,1916** (Choreutidae) **Synonym(s):** *inspirata* Meyrick,1916
Range (in code): **NG**
- 30839. *Choreutis japonica* (Zeller,1877)** (Choreutidae) **Synonym(s):** *japonica* Zeller,1877
Range (in code): **JP Ri**
- 30840. *Choreutis lactibasis* (Walsingham,1914)** (Choreutidae) **Synonym(s):** *lactibasis*
Walsingham,1914 **Range (in code):** **GT**
- 30841. *Choreutis lamella* (Busck,1914)** (Choreutidae) **Synonym(s):** *lamella* Busck,1914
Range (in code): **PA**
- 30842. *Choreutis lapidaria* Meyrick,1909** (Choreutidae) **Synonym(s):** *lapidaria* Meyrick,1909
Range (in code): **BO**
- 30843. *Choreutis leptilionella* Busck,1934** (Choreutidae) **Synonym(s):** *leptilionella* Busck,1934
Range (in code): **CU**
- 30844. *Choreutis leucobasis* Fernald,1900** (Choreutidae) **Synonym(s):** *leucobasis* Fernald,1900
Range (in code): **US CA**
- 30845. *Choreutis loxotenes* (Walsingham,1914)** (Choreutidae) **Synonym(s):** *loxotenes*
Walsingham,1914 **Range (in code):** **GT**
- 30846. *Choreutis melanifera* Keifer,1937** (Choreutidae) **Synonym(s):** *melanifera* Keifer,1937
Range (in code): **US Cf**
- 30847. *Choreutis merzoccai* Pastrana,1991** (Choreutidae) **Synonym(s):** *merzoccai* Pastrana,1991
Range (in code): **AR**
- 30848. *Choreutis mesolyma* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *mesolyma*
Diakonoff,1978 **Range (in code):** **CN Sz**
- 30849. *Choreutis minuta* (Diakonoff & Arita,1979)** (Choreutidae) **Synonym(s):** *minuta*
Diakonoff & Arita,1979 **Range (in code):** **JP Ri**
- 30850. *Choreutis moniligera* Meyrick,1912** (Choreutidae) **Synonym(s):** *moniligera* Meyrick,1912
Range (in code): **IN Ass**
- 30851. *Choreutis montana* (Danilevsky,1973)** (Choreutidae) **Synonym(s):** *montana*
Danilevsky,1973 **Range (in code):** **KK TJ KG TrA Aa** **Bionomy:** Larva on Malus, Amelanchier,
Betula (Rosaceae) (Diakonoff,1986).
- 30852. *Choreutis montelli* Hackman,1947** (Choreutidae) **Synonym(s):** *montelli* Hackman,1947
Range (in code): **FI**
- 30853. *Choreutis muhabbet* Koçak,2008** (Choreutidae) **Synonym(s):** *muhabbet* Koçak,2008
Original Reference: *Choreutis muhabbet* Koçak,2008, Cent. ent. Stud., Misc. Pap. 142: 6-7.
Holotype ♂: Turkey: Van Prov. Çatak valley 1800m, (coll.Cesa); 2008, Cesa News 30: 17, fig.1
(Paratype). **Range (in code):** **TR** **Bionomy:** Ficus carica (Moraceae) (Koçak & Kemal,2008).
- 30854. *Choreutis multimarginata* Braun,1925** (Choreutidae) **Synonym(s):** *multimarginata*
Braun,1925 **Range (in code):** **US Ut**
- 30855. *Choreutis nemorana* (Hübner,[1799])** (Choreutidae) **Synonym(s):** *nemorana*
Hübner,[1799]; *incisalis* Treitschke,1828; *nemoranalisis* Treitschke,1829; *nemorella* Herrich-Schäffer,1862
Range (in code): **Md Cn DZ Anna MA PT ES Co MT AT GR Cr CY TR IQ Shq IR Gh Tgo Ak Qm RU MD**
UA Cm Cc GG AZ AM TM CN Yu **Bionomy:** Larva on Ficus carica (Moraceae) (Lhomme,1963).
- 30856. *Choreutis occidentella* Dyar,1900** (Choreutidae) **Synonym(s):** *occidentella* Dyar,1900
Range (in code): **US Cf**
- 30857. *Choreutis ochrilactea* (Meyrick,1934)** (Choreutidae) **Synonym(s):** *ochrilactea*
Meyrick,1934 **Range (in code):** **PF Ms**
- 30858. *Choreutis onustana* (Walker,1864)** (Choreutidae) **Synonym(s):** *onustana* Walker,1864;
ohiensis Zeller,1875 **Range (in code):** **US Oh CA**
- 30859. *Choreutis ophiosema* (Lower,1896)** (Choreutidae) **Synonym(s):** *ophiosema* Lower,1896; ?
regularis Pagenstecher,1884 **Range (in code):** **IN CN Kwa JP TW AU QAU Bri ID Amb**
- 30860. *Choreutis pariana* (Clerck,1759)** (Choreutidae) **Synonym(s):** *#pariana* Clerck,1759; *lutosa*
Haworth,1811; *parialis* Treitschke,1828; *pariella* Herrich-Schäffer,1862 **Range (in code):** **Cn DZ ES FR GB**
BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Sh Krl SA JP CA US

- Col** Bionomy: Larva on *Prunus spinosa*, *Pyrus malus*, *Sorbus chamaemespilus*, *S. aucuparia*, *Crataegus*, *Cydonia* (Rosaceae), *Fraxinus*, *Betula*, *Salix caprea*, *Alnus glutinosa*, *Symphytum* (Lhomme, 1963 et seq.).
- 30861. *Choreutis pelinobasis* (Walsingham, 1914)** (Choreutidae) Synonym(s): *pelinobasis* Walsingham, 1914 Range (in code): GT
- 30862. *Choreutis pentacyba* Meyrick, 1925** (Choreutidae) Synonym(s): *pentacyba* Meyrick, 1925 Range (in code): EG
- 30863. *Choreutis pernivalis* Braun, 1921** (Choreutidae) Synonym(s): *pernivalis* Braun, 1921 Range (in code): US
- 30864. *Choreutis phalaraspis* Meyrick, 1923** (Choreutidae) Synonym(s): *phalaraspis* Meyrick, 1923 Range (in code): IN Hp Kma
- 30865. *Choreutis philonyma* Meyrick, 1912** (Choreutidae) Synonym(s): *philonyma* Meyrick, 1912 Range (in code): LK
- 30866. *Choreutis piperella* Busck, 1904** (Choreutidae) Synonym(s): *piperella* Busck, 1904 Range (in code): US
- 30867. *Choreutis pychnomochla* Bradley, 1965** (Choreutidae) Synonym(s): *pychnomochla* Bradley, 1965 Range (in code): UG Rz
- 30868. *Choreutis sandaracina* (Meyrick, 1907)** (Choreutidae) Synonym(s): *sandaracina* Meyrick, 1907 Range (in code): IN Sml Hp
- 30869. *Choreutis schausiella* Busck, 1907** (Choreutidae) Synonym(s): *schausiella* Busck, 1907 Range (in code): US NMx
- 30870. *Choreutis semiclara* (Meyrick, 1929)** (Choreutidae) Synonym(s): *semiclara* Meyrick, 1929 Range (in code): PF Ms
- 30871. *Choreutis sexfasciella* (Sauber, 1902)** (Choreutidae) Synonym(s): *sexfasciella* Sauber, 1902; *fulminea* Meyrick, 1912 Range (in code): PH Pal Luz LK JP ID Ja TW CN Hn
- 30872. *Choreutis silphiella* Grote, 1881** (Choreutidae) Synonym(s): *silphiella* Grote, 1881 Range (in code): US
- 30873. *Choreutis simplex* Diakonoff, 1955** (Choreutidae) Synonym(s): *simplex* Diakonoff, 1955 Range (in code): PG
- 30874. *Choreutis sororculella* Dyar, 1900** (Choreutidae) Synonym(s): *sororculella* Dyar, 1900 Range (in code): US Cf
- 30875. *Choreutis tacubayella* Kearfott, 1908** (Choreutidae) Synonym(s): *tacubayella* Kearfott, 1908 Range (in code): MX
- 30876. *Choreutis venusta* (Walsingham, 1914)** (Choreutidae) Synonym(s): *venusta* Walsingham, 1914 Range (in code): GT
- 30877. *Choreutis vinosa* (Diakonoff, 1978)** (Choreutidae) Synonym(s): *vinosa* Diakonoff, 1978 Range (in code): RU Sb Am Us JP Hkk
- 30878. *Choreutis vinosa discolor* (Diakonoff & Arita, 1979)** (Choreutidae) Synonym(s): *discolor* Diakonoff & Arita, 1979 Range (in code): JP Hkk
- 30879. *Choreutis vinosa vinosa* (Diakonoff, 1978)** (Choreutidae) Synonym(s): *vinosa* Diakonoff, 1978 Range (in code): RU Sb Am Us
- 30880. *Choreutis xanthogramma* (Meyrick, 1912)** (Choreutidae) Synonym(s): *xanthogramma* Meyrick, 1912 Range (in code): PH Mdo TW PG JP Ri ID Kai Ob
- 30881. *Choreutis yakushimensis* (Marumo, 1923)** (Choreutidae) Synonym(s): *yakushimensis* Marumo, 1923 Range (in code): JP
- 30882. *Lithobrenthia trimaculata* Arita, 1987** (Choreutidae) Synonym(s): *trimaculata* Arita, 1987 Original Reference: *Lithobrenthia trimaculata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, *Microlepid. Thailand* 1: 9-10, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): TH Nna Kao
- 30883. *Litobrenthia affinis* Arita, 1987** (Choreutidae) Synonym(s): *affinis* Arita, 1987 Original Reference: *Litobrenthia affinis* Arita, 1987, [in] Kuroko, H. & S. Moriuti, *Microlepid. Thailand* 1: 14-15, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): TH Nna Kao
- 30884. *Litobrenthia albifasciata* Arita, 1987** (Choreutidae) Synonym(s): *albifasciata* Arita, 1987 Original Reference: *Litobrenthia albifasciata* Arita, 1987, [in] Kuroko, H. & S. Moriuti, *Microlepid. Thailand* 1: 13-14, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). Range (in code): TH Nna Kao

- 30885. *Litobrenthia carola* (Meyrick,1912)** (Choreutidae) **Synonym(s):** *carola* Meyrick,1912
Range (in code): [IN Meg Ass Khs CN Tkg](#)
- 30886. *Litobrenthia doiinthanonensis* Arita,1987** (Choreutidae) **Synonym(s):** *doiinthanonensis* Arita,1987
Original Reference: *Litobrenthia doiinthanonensis* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 12-13, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 1200-1300m (ZMC). **Range (in code):** [TH CMa Int](#)
- 30887. *Litobrenthia grammodes* Diakonoff,1979** (Choreutidae) **Synonym(s):** *grammodes* Diakonoff,1979
Range (in code): [TW](#)
- 30888. *Litobrenthia japonica* (Issiki,1930)** (Choreutidae) **Synonym(s):** *japonica* Issiki,1930
Range (in code): [JP CN Tkg](#)
- 30889. *Litobrenthia minima* Arita,1987** (Choreutidae) **Synonym(s):** *minima* Arita,1987
Original Reference: *Litobrenthia minima* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 8-9, figs. Holotype ♂: Thailand: Kanchanaburi, Mae La Mun, 400m (UOP). **Range (in code):** [TH Knc](#)
- 30890. *Litobrenthia nakhonnayokensis* Arita,1987** (Choreutidae) **Synonym(s):** *nakhonnayokensis* Arita,1987
Original Reference: *Litobrenthia nakhonnayokensis* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 15-16, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). **Range (in code):** [TH Nna Kao](#)
- 30891. *Litobrenthia quadrimaculata* Arita,1987** (Choreutidae) **Synonym(s):** *quadrimaculata* Arita,1987
Original Reference: *Litobrenthia quadrimaculata* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 11-12, figs. Holotype ♂: Thailand: Kanchanaburi, Tham Than Lot, 800m (UOP). **Range (in code):** [TH Knc](#)
- 30892. *Litobrenthia stephanephora* Diakonoff,1979** (Choreutidae) **Synonym(s):** *stephanephora* Diakonoff,1979
Range (in code): [TW](#)
- 30893. *Litobrenthia tetartodipla* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *tetartodipla* Diakonoff,1978
Range (in code): [CN Tkg](#)
- 30894. *Litobrenthia yoshiyasui* Arita,1987** (Choreutidae) **Synonym(s):** *yoshiyasui* Arita,1987
Original Reference: *Litobrenthia yoshiyasui* Arita,1987, [in] Kuroko,H. & S.Moriuti, Microlepid. Thailand 1: 10-11, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 800m (UOP). **Range (in code):** [TH Nna Kao](#)
- 30895. *Millieria dolosana* (Herrich-Schäffer,[1854])** (Choreutidae) **Synonym(s):** *#dolosalis* Heydenreich,1851; *dolosana* Herrich-Schäffer,[1854]; *#dolasana* Desmarest,[1857]
Range (in code): [DZ MA PT ES FR Co IT DE AT PL CZ SK HU RO YU HV MK AL TR LB Bei IL Js Pa SY Dms UA Cm RU Sr](#)
Bionomy: Larva on *Aristolochia clematidis*, *A. pistolochia* (Aristolochiaceae) (Millière,1856; Hering,1957).
- 30896. *Niveas agassizi* Rota,2013** (Choreutidae) **Synonym(s):** *agassizi* Rota,2013
Range (in code): [KE](#)
- 30897. *Niveas kone* Rota,2013** (Choreutidae) **Synonym(s):** *kone* Rota,2013
Range (in code): [PG SB](#)
- 30898. *Nyx puyaphaga* Heppner,1982** (Choreutidae) **Synonym(s):** *puyaphaga* Heppner,1982
Range (in code): [CL](#)
- 30899. *Peotyle atmodesma* (Meyrick,1933)** (Choreutidae) **Synonym(s):** *atmodesma* Meyrick,1933
Range (in code): [Ch](#)
- 30900. *Peotyle batangensis* (Caradja,1940)** (Choreutidae) **Synonym(s):** *batangensis* Caradja,1940
Range (in code): [CN Btn](#)
- 30901. *Phormoestes palmettovora* Heppner,1982** (Choreutidae) **Synonym(s):** *palmettovora* Heppner,1982
Range (in code): [US Fl](#)
- 30902. *Prochoreutis alpina* (Arita,1976)** (Choreutidae) **Synonym(s):** *alpina* Arita,1976
Range (in code): [RU Us JP](#)
- 30903. *Prochoreutis arisema* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *arisema* Diakonoff,1978
Range (in code): [NP](#)
- 30904. *Prochoreutis atrox* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *atrox* Diakonoff,1978
Range (in code): [AF Hk Sfk](#)
- 30905. *Prochoreutis brunescens* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *brunescens* Diakonoff,1978
Range (in code): [JP](#)
- 30906. *Prochoreutis chionocosma* (Diakonoff,1978)** (Choreutidae) **Synonym(s):** *chionocosma* Diakonoff,1978
Range (in code): [AF Pag Bm](#)

- 30907. *Prochoreutis delicata* (Arita,1976)** (Choreutidae) Synonym(s): *delicata* Arita,1976
Range (in code): JP
- 30908. *Prochoreutis diakonoffi* Arita,1976** (Choreutidae) Synonym(s): *diakonoffi* Arita,1976
Range (in code): JP
- 30909. *Prochoreutis drosodoxa* (Meyrick,1933)** (Choreutidae) Synonym(s): *drosodoxa* Meyrick,1933
Range (in code): Ch
- 30910. *Prochoreutis hadrogastra* (Diakonoff,1978)** (Choreutidae) Synonym(s): *hadrogastra* Diakonoff,1978
Range (in code): RU Us Prj JP
- 30911. *Prochoreutis halimora* (Meyrick,1912)** (Choreutidae) Synonym(s): *halimora* Meyrick,1912
Range (in code): IN Meg Ass Khs
- 30912. *Prochoreutis hestiaracha* (Meyrick,1912)** (Choreutidae) Synonym(s): *hestiaracha* Meyrick,1912
Range (in code): IN Meg Ass Khs CN Kwa
- 30913. *Prochoreutis holotoxa* (Meyrick,1903)** (Choreutidae) Synonym(s): *holotoxa* Meyrick,1903; *sibirica* Hackman,1947; *incerta* Capuse,1970
Range (in code): CH AT RO RU Sb
- 30914. *Prochoreutis intermediana* (Rebel,1910)** (Choreutidae) Synonym(s): *intermediana* Rebel,1910
Range (in code): KK
- 30915. *Prochoreutis monognoma* (Diakonoff,1978)** (Choreutidae) Synonym(s): *monognoma* Diakonoff,1978
Range (in code): RU At
- 30916. *Prochoreutis myllerana* (Fabricius,1794)** (Choreutidae) Synonym(s): *myllerana* Fabricius,1794; *mylleri* Haworth,1811; *augustana* Hübner,[1813]; *scintilulana* Hübner,[1825]; *scintilulalis* Treitschke,1835; *albipunctalis* Zetterstedt,1839; *müllerana* Heyden,1865
Original Reference: Pyralis myllerana Fabricius,1794, Ent. Syst. 3 (2): 277. Type(s): Sweden. Range (in code): PT ES FR Co Sa Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc MD UA BY JP Hkk Bionomy: Larva on *Scutellaria galericulata*, *Lamium album*, *L. purpureum* (Lamiaceae) (Hering,1932; Ford,1949; Diakonoff,1986).
- 30917. *Prochoreutis radians* (Diakonoff,1978)** (Choreutidae) Synonym(s): *radians* Diakonoff,1978
Range (in code): AF Pag Bm Bionomy: Larva on *Nepeta honigbergeri* (Lamiaceae) (Diakonoff,1986).
- 30918. *Prochoreutis sachalinensis* (Danilevsky,1969)** (Choreutidae) Synonym(s): *sachalinensis* Danilevsky,1969
Range (in code): RU Sh Us CN Hun
- 30919. *Prochoreutis sehestediana* (Fabricius,1777)** (Choreutidae) Synonym(s): *sehestediana* Fabricius,1777; *punctosa* Haworth,1811; *philonyma* Meyrick,1912; *phalaraspis* Meyrick,1923
Original Reference: Pyralis sehestediana Fabricius,1777, Genera Ins.: 293. Type(s): Kiel. Range (in code): ES FR GB BE NL DE CZ SK HU DK SY TR SE FI EE LV LT RU MD UA BY LK IN Hp NP JP Bionomy: Larva on *Scutellaria galericulata* (Lamiaceae) (Ford,1949).
- 30920. *Prochoreutis solaris* (Erschoff,1877)** (Choreutidae) Synonym(s): *solaris* Erschoff,1877
Range (in code): FI LV RU Sb Sh
- 30921. *Prochoreutis stellaris* (Zeller,1847)** (Choreutidae) Synonym(s): *stellaris* Zeller,1847; *irradiata* Meyrick,1913
Original Reference: Choreutis stellaris Zeller,1847, Isis 1847: 642. Type(s): Sicilia: Syracuse. Range (in code): FR BE Si IT CH AT SK HU AL GR Cr BG TR RU Da Cc IR Mz Elb
- 30922. *Prochoreutis talyshensis* (Danilevsky,1969)** (Choreutidae) Synonym(s): *talyshensis* Danilevsky,1969
Original Reference: Choreutis talyshensis Danilevsky,1969, Revue Ent. URSS 48: 921, fig.3. Type: Azerbaidjan: Lenkoran. Range (in code): Cc AZ Len
- 30923. *Prochoreutis ultimana* (Krulikovskiy,1909)** (Choreutidae) Synonym(s): *ultimana* Krulikovskiy,1909
Range (in code): SE FI EE LV LT RU Us JP Hkk Sh Krl
- 30924. *Prochoreutis ussurica* (Danilevsky,1969)** (Choreutidae) Synonym(s): *ussurica* Danilevsky,1969
Range (in code): RU Us
- 30925. *Saptha cypridia* Meyrick,1910** (Choreutidae) Synonym(s): *cypridia* Meyrick,1910
Original Reference: Saptha cypridia Meyrick,1910, Trans. ent. Soc. London 1910: 462. Type: Borneo. Range (in code): TH MY Swk PH ID Clb Bor
- 30926. *Saptha smaragditis* Meyrick,1905** (Choreutidae) Synonym(s): *smaragditis* Meyrick,1905
Original Reference: Saptha smaragditis Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 610. Type: Ceylon. Range (in code): TH LK MM ID Ja Clb Amb MY Bor Swk Klt
- 30927. *Tebenna bjerkanrella* (Borgström,1784)** (Choreutidae) Synonym(s): *cardui* Ström,1783; *bjerkanrella* Borgström,1784; *prunnerella* Rossi,1794; *vibrana* Hübner,[1813]; *fibrana* Hübner,[1825]; *pretiosana* Duponchel,1842; *vibralis* Treitschke,1835; *australis* Zeller,1857; *kawabei* Arita,1975

- Range (in code): **TN Gf PT ES FR Co Si MT DE CH AT PL CZ SK DK SE FI EE LV RU MD UA BY TR Cc IL ZA Tva Gau Pre JP Hkk Sb Krl** Bionomy: Larva on *Inula viscosa* (Asteraceae) (Chrétien,1917).
- 30928. *Tebenna bradleyi* Clarke,1971** (Choreutidae) Synonym(s): *bradleyi* Clarke,1971 Range (in code): **RA**
- 30929. *Tebenna caucasica* Danilevsky,1976** (Choreutidae) Synonym(s): *caucasica* Danilevsky,1976 Original Reference: *Tebenna caucasica* Danilevsky,1976, Trudy zool. Inst. Leningr. 64: 34, figs. Holotype: [Georgia]: Georgia SSR. Range (in code): **GG Abk Cc**
- 30930. *Tebenna chingana* Danilevsky,1969** (Choreutidae) Synonym(s): *chingana* Danilevsky,1969 Range (in code): **RU**
- 30931. *Tebenna chodzhajevi* (Gerasimov,1930)** (Choreutidae) Synonym(s): *chodzhajevi* Gerasimov,1930 Range (in code): **UZ Br Smk IR Gls**
- 30932. *Tebenna micalis* (Mann,1857)** (Choreutidae) Synonym(s): *micalis* Mann,1857; *isschikii* Matsumura,1931; *bradleyi* Clarke,1971; *hypocroca* Diakonoff,1978 Range (in code): **Cn Md MA DZ TN Gf PT ES FR Sa IT MT IE GB SK HU YU MK AL HV GR TR Cc AZ IR Fa Ha Kz Gls Th Ak AF Srb Dwe Pag Blh Gbh NP Kdu CN Tkg JP Hkk Ri SA As YE Sk RE ID Ja AU NZ** Bionomy: Larva on *Inula, Pulicaria dysenterica* (Asteraceae) (Diakonoff,1986).
- 30933. *Tebenna submicalis* Danilevsky,1969** (Choreutidae) Synonym(s): *submicalis* Danilevsky,1969 Range (in code): **RU Sh Krl JP Hkk NP**
- 30934. *Axia (Epicimelia) theresiae* (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900 Original Reference: *Epicimelia theresiae* Korb,1900, Dt. ent. Z., Iris 12: 300-302. Syntypes: [Türkei]: Konia. Range (in code): **TR Cc IR Ab Oru SY Hal IQ** Bionomy: Larva on *Astragalus* ? (Seitz,1912).
- 30935. *Axia (Epicimelia) theresiae malatyensis* Amsel,1979** (Cimeliidae) Synonym(s): *malatyensis* Amsel,1979 Original Reference: *Axia theresiae* ssp. *malatyensis* Amsel,1979, Atalanta 10 (1): 73-74, figs. Holotype ♂: Türkiye: Prov. Malatya, Reşadiye Geçidi 1500m, leg. S.Wagener (in coll.Wagener). Range (in code): **TR**
- 30936. *Axia (Epicimelia) theresiae schellhornae* Amsel,1979** (Cimeliidae) Synonym(s): *schellhornae* Amsel,1979; *defreinae* Witt,1982. Original Reference: *Axia theresiae* ssp. *schellhornae* Amsel,1979, Atalanta 10 (1): 70-73, figs. Holotype ♂: NW-Iran: Rezaiyeh 12km westl., 1350m (LNK); 2♂ (paratypes) NE-Türkei: Prov. Kars, Kağızman 1400m, leg.A.Koçak (in coll.Cesa). Range (in code): **TR Cc IR**
- 30937. *Axia (Epicimelia) theresiae theresiae* (Korb,1900)** (Cimeliidae) Synonym(s): *theresiae* Korb,1900 Original Reference: *Epicimelia theresiae* Korb,1900, Dt. ent. Z., Iris 12: 300-302. Syntypes: [Türkei]: Konia. Range (in code): **TR**
- 30938. *Axia (Epicimelia) theresiae tischendorffi* (O.Bang-Haas,1927)** (Cimeliidae) Synonym(s): *tischendorffi* O.Bang-Haas,1927 Original Reference: *Epicimelia theresiae* ssp. *tischendorffi* O.Bang-Haas,1927, Horae Macrolepidopt. 1: 82, t.9 fig.16. Type ♀: Syrien: Aleppo, leg. General-konsul von Tischendorff. Range (in code): **SY Hal**
- 30939. *Axia (s.str.) margarita* (Hübner,[1813])** (Cimeliidae) Synonym(s): *margarita* Hübner,[1813] Range (in code): **MA ES An Cz Hv Svl Mlg Grn Alm Jae Cd Cl Nrr Ag Vcl Cs Mdr FR IT YU** Bionomy: Larva on *Euphorbia* (Maso et al.,1986).
- 30940. *Axia (s.str.) margarita andalusica* Marten,1934** (Cimeliidae) Synonym(s): *andalusica* Marten,1934 Range (in code): **ES An Cz Hv Svl Mlg Grn Alm Jae Cd**
- 30941. *Axia (s.str.) margarita margarita* (Hübner,[1813])** (Cimeliidae) Synonym(s): *margarita* Hübner,[1813] Range (in code): **ES**
- 30942. *Axia (s.str.) margarita soledad* Schawerda,1927** (Cimeliidae) Synonym(s): *soledad* Schawerda,1927 Range (in code): **ES**
- 30943. *Axia (s.str.) napoleona* Schawerda,1926** (Cimeliidae) Synonym(s): *napoleona* Schawerda,1926 Range (in code): **Co**
- 30944. *Axia (s.str.) nesiota* Reisser,1962** (Cimeliidae) Synonym(s): *nesiota* Reisser,1962 Range (in code): **GR Pl Sms Cr TR** Bionomy: Larva on *Euphorbia acanthothamnus* (Euphorbiaceae) (Fritsch et al., 2014).
- 30945. *Axia (s.str.) olga* Staudinger,1900** (Cimeliidae) Synonym(s): *olga* Staudinger,1900 Range (in code): **TR GG Bjo Smt Cc**
- 30946. *Axia (s.str.) vaulogeri* (Staudinger,1892)** (Cimeliidae) Synonym(s): *vaulogeri* Staudinger,1892 Range (in code): **TN**

- 30947. *Ussara semicoronis* Meyrick, 1932** (Cimeliidae) **Synonym(s):** *semicoronis* Meyrick, 1932
Original Reference: *Ussara semicoronis* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 115.
Syntypes 2♂: [Ethiopia]: Jem-Jem Forest (BMNH). **Range (in code):** **ET ET88 Sw**
- 30948. *Amblyxena pilifera* Meyrick, 1921** (Coleophoridae) **Synonym(s):** *pilifera* Meyrick, 1921
Range (in code): **ZA Tva Lpo Wo**
- 30949. *Augasma aeratellum* (Zeller, 1839)** (Coleophoridae) **Synonym(s):** *aeratellum* Zeller, 1839
Original Reference: *Elachista aeratella* Zeller, 1839, Isis 1839: 212. **Range (in code):** **ES FR IT GB BE DE CH AT PL CZ SK HU RO YU GR TR DK SE LV LT RU** **Bionomy:** Larva on Polygonum (Patzak, 1974).
- 30950. *Augasma nidifica* Meyrick, 1912** (Coleophoridae) **Synonym(s):** *nidifica* Meyrick, 1912
Range (in code): **ZA**
- 30951. *Augasma nitens* Amsel, 1935** (Coleophoridae) **Synonym(s):** *nitens* Amsel, 1935 **Range (in code):** **IL**
- 30952. *Coleophora abbasella* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *abbasella* Baldizzone, 1994 **Range (in code):** **IR Hz B-A PK Sd Krc**
- 30953. *Coleophora absinthii* Wocke, 1876** (Coleophoridae) **Synonym(s):** *absinthii* Wocke, 1876
Range (in code): **Si IT DE CH PL CZ HU DK NO SE FI EE LV LT RU MD UA BY RO**
- 30954. *Coleophora absinthivora* Baldizzone, 1990** (Coleophoridae) **Synonym(s):** *absinthivora* Baldizzone, 1990 **Range (in code):** **ES FR**
- 30955. *Coleophora acanthophyllii* (Falkovitsh, 1989)** (Coleophoridae) **Synonym(s):** *acanthophyllii* Falkovitsh, 1989 **Range (in code):** **AF Kab IR TM**
- 30956. *Coleophora acanthyllidis* Walsingham, 1907** (Coleophoridae) **Synonym(s):** *acanthyllidis* Walsingham, 1907 **Range (in code):** **DZ Bsk Hes TN Gf** **Bionomy:** Larva on *Acanthyllis tragacanthoides* [Fabaceae] (Walsingham, 1907).
- 30957. *Coleophora accadica* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *accadica* Baldizzone, 1994 **Range (in code):** **IR Ke**
- 30958. *Coleophora acerosa* (Falkovitsh, 1989)** (Coleophoridae) **Synonym(s):** *acerosa* Falkovitsh, 1989 **Range (in code):** **RU**
- 30959. *Coleophora achaenivora* Hofmann, 1877** (Coleophoridae) **Synonym(s):** *achaenivora* Hofmann, 1877; *paratanaceti* Toll, 1961 **Range (in code):** **ES FR DE AT**
- 30960. *Coleophora achilleae* Baldizzone, 2001** (Coleophoridae) **Synonym(s):** *achilleae* Baldizzone, 2001 **Range (in code):** **GR** **Bionomy:** Larva on *Achillea umbellata* (Baldizzone, 2001).
- 30961. *Coleophora acmura* Meyrick, 1914** (Coleophoridae) **Synonym(s):** *acmura* Meyrick, 1914
Range (in code): **ZA**
- 30962. *Coleophora acrisella* Millière, 1872** (Coleophoridae) **Synonym(s):** *acrisella* Millière, 1872
Range (in code): **PT ES FR IT AT CZ HU YU GR**
- 30963. *Coleophora aculeata* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *aculeata* Baldizzone, 1994
Original Reference: *Coleophora aculeata* Baldizzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 32-33, fig.11. Holotype ♂: S-Iran 22km nördl. Bandar Abbas (NHMW). **Range (in code):** **IR B-A Hz**
- 30964. *Coleophora acutiphaga* Baldizzone, 1982** (Coleophoridae) **Synonym(s):** *acutiphaga* Baldizzone, 1982 **Range (in code):** **ES FR Sa**
- 30965. *Coleophora adelogrammella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *adelogrammella* Zeller, 1849; *collina* Frey, 1880; *separatella* Benander, 1939. **Original Reference:** *Coleophora adelogrammella* Zeller, 1849, Linn. ent. 4: 365. **Range (in code):** **PT ES FR Co IT CH AT CZ YU TR IR Mz Clu DK NO SE FI EE LV RU MD UA BY**
- 30966. *Coleophora adjectella* Herrich-Schäffer, 1861** (Coleophoridae) **Synonym(s):** *adjectella* Herrich-Schäffer, 1861 **Range (in code):** **ES FR Sa Si IT GB CH AT CZ SK GR TR DK SE**
- 30967. *Coleophora adjunctella* Hodgkinson, 1882** (Coleophoridae) **Synonym(s):** *adjunctella* Hodgkinson, 1882; *paludicola* Stainton, 1885; *aratorensis* Barasch, 1934 **Original Reference:** *Coleophora adjunctella* Hodgkinson, 1882, Entomologist's mon. Mag. 18: 189, Lectotype ♂ England, designated by Baldizzone (1994: 148-149). **Range (in code):** **FR IT IE GB BE NL DE AT PL CZ SK HU DK NO SE FI EE LV RU MD UA BY RO TR IR Ab Oru AF Kab**
- 30968. *Coleophora adlecta* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *adlecta* Baldizzone, 1994 **Range (in code):** **IR Ab Mak**

- 30969. *Coleophora adpersella* Benander, 1939** (Coleophoridae) Synonym(s): *adpersella* Benander, 1939 _ Range (in code): **FR Sa IT IE GB BE NL DE AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU MD UA BY**
- 30970. *Coleophora aegra* Meyrick, 1917** (Coleophoridae) Synonym(s): *aegra* Meyrick, 1917 _ Range (in code): **AF Nu PK Haz Mre**
- 30971. *Coleophora aegyptiacae* Walsingham, 1907** (Coleophoridae) Synonym(s): *aegyptiacae* Walsingham, 1907 _ Original Reference: *Coleophora aegyptiacae* Walsingham, 1907, Entomologist's mon. Mag. 43: 148. Type ♀: Algeria, Hammam-es-Salahin (BMNH). Range (in code): **Cn MA DZ Hes TN Gf LY IL Pa EG SA IR Hz B-A** _ Bionomy: Larva on *Salvia aegyptiaca* (Lamiaceae) (Walsingham, 1907).
- 30972. *Coleophora aequalella* Christoph, 1872** (Coleophoridae) Synonym(s): *aequalella* Christoph, 1872 _ Range (in code): **RU Ur UZ AF IR Ab Khy KG Uk**
- 30973. *Coleophora aervae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *aervae* Baldizzone, 1994 _ Range (in code): **IR Hz B-A**
- 30974. *Coleophora aestuariella* Bradley, 1984** (Coleophoridae) Synonym(s): *aestuariella* Bradley, 1984; *tanassella* Nemeş, 2003 _ Range (in code): **PT ES FR GB BG GR RO RU MD UA BY**
- 30975. *Coleophora aethiops* Heinemann & Wocke, 1877** (Coleophoridae) Synonym(s): *aethiops* Heinemann & Wocke, 1877 _ Range (in code): **IT**
- 30976. *Coleophora afghana* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *afghana* Toll & Amsel, 1967 _ Range (in code): **IR GlS AF Kab UZ**
- 30977. *Coleophora afrohispana* Baldizzone, 1982** (Coleophoridae) Synonym(s): *afrohispana* Baldizzone, 1982 _ Range (in code): **PT ES**
- 30978. *Coleophora afrosarda* Baldizzone & Kaltenbach, 1983** (Coleophoridae) Synonym(s): *afrosarda* Baldizzone & Kaltenbach, 1983 _ Range (in code): **ES Sa FR GR**
- 30979. *Coleophora afrotropicalis* Baldizzone & Wolf, 2004** (Coleophoridae) Synonym(s): *afrotropicalis* Baldizzone & Wolf, 2004 _ Range (in code): **NA Dmr Bnd**
- 30980. *Coleophora agadirensis* Baldizzone, 2001** (Coleophoridae) Synonym(s): *agadirensis* Baldizzone, 2001 _ Range (in code): **MA Agd**
- 30981. *Coleophora agenjoi* Toll, 1960** (Coleophoridae) Synonym(s): *agenjoi* Toll, 1960 _ Range (in code): **ES**
- 30982. *Coleophora agilis* Baldizzone, 1998** (Coleophoridae) Synonym(s): *agilis* Baldizzone, 1998 _ Range (in code): **ES**
- 30983. *Coleophora aglabitella* Chrétien, 1915** (Coleophoridae) Synonym(s): *aglabitella* Chrétien, 1915 _ Range (in code): **TN**
- 30984. *Coleophora agnatella* Toll, 1960** (Coleophoridae) Synonym(s): *agnatella* Toll, 1960 _ Original Reference: *Coleophora agnatella* Toll, 1960, Acta zool. cracov. 5 (7): 258. Range (in code): **MA ES IQ Rba LY TN**
- 30985. *Coleophora agrianella* Rebel, 1934** (Coleophoridae) Synonym(s): *agrianella* Rebel, 1934 _ Range (in code): **YU MK BG TR**
- 30986. *Coleophora agridensis* Baldizzone, 2001** (Coleophoridae) Synonym(s): *agridensis* Baldizzone, 2001 _ Range (in code): **TR**
- 30987. *Coleophora ahenella* Heinemann, 1876** (Coleophoridae) Synonym(s): *ahenella* Heinemann, 1876; *subahenella* Capuse, 1975 _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY** _ Bionomy: Larva on *Cornus sanguinea* (Caradja, 1920).
- 30988. *Coleophora alabardata* Baldizzone, 1994** (Coleophoridae) Synonym(s): *alabardata* Baldizzone, 1994 _ Range (in code): **IR Ab Oru Ak Mrd**
- 30989. *Coleophora alashiae* Baldizzone, 1996** (Coleophoridae) Synonym(s): *alashiae* Baldizzone, 1996 _ Range (in code): **CY**
- 30990. *Coleophora albadomina* Baldizzone & Wolf, 2004** (Coleophoridae) Synonym(s): *albadomina* Baldizzone & Wolf, 2004 _ Range (in code): **NA Dmr Bnd**
- 30991. *Coleophora albarracinica* Toll, 1961** (Coleophoridae) Synonym(s): *albarracinica* Toll, 1961 _ Range (in code): **ES**
- 30992. *Coleophora albella* (Thunberg, 1788)** (Coleophoridae) Synonym(s): *albella* Thunberg, 1788; *leucapennella* Hübner, 1796. _ Range (in code): **DZ Anna PT ES FR IT Si GB DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa CY IR NO SE FI LV LT RU** _ Bionomy: Larva on *Silene*, *Viscaria* (Patzak, 1974).

- 30993. *Coleophora albicans* Zeller, 1849** (Coleophoridae) Synonym(s): *albicans* Zeller, 1849; *artemisiella* Scott, 1861; *simillimella* Fuchs, 1881; *digitella* Palm, 1947 _ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RO RU MD UA BY
- 30994. *Coleophora albicella* Constant, 1885** (Coleophoridae) Synonym(s): *albicella* Constant, 1885; *ventifuga* Walsingham, 1898; *santolinae* Hartig, 1938 _ Range (in code): ES FR Co Sa
- 30995. *Coleophora albicinctella* Toll, 1960** (Coleophoridae) Synonym(s): *albicinctella* Toll, 1960 _ Range (in code): ES
- 30996. *Coleophora albicosta* (Haworth, [1828])** (Coleophoridae) Synonym(s): *albicosta* Haworth, [1828]; *albicostella* Doubleday, 1859; *coarctella* Staudinger, 1859; *fraudentella* Toll, 1944 _ Range (in code): PT ES FR Si IE GB BE NL
- 30997. *Coleophora albicostella* (Duponchel, 1842)** (Coleophoridae) Synonym(s): *albicostella* Duponchel, 1842; *albimarginella* Herrich-Schäffer, 1855 _ Range (in code): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL GR TR CY SY Dms LB Bro Say IR Elb Kdv EE LV LT
- 30998. *Coleophora albidella* ([Denis & Schiffermüller], 1775)** (Coleophoridae) Synonym(s): *albidella* [Denis & Schiffermüller], 1775; *palliipennella* Treitschke, 1833 _ Original Reference: Tinea albidella [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 137. Type(s): [Austria]: Vienna district. Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO Cr DK NO SE FI EE LV LT RU MD UA BY
- 30999. *Coleophora albidorsella* Toll, 1942** (Coleophoridae) Synonym(s): *albidorsella* Toll, 1942 _ Original Reference: Coleophora albidorsella Toll, 1942, *Veröff. Übersee Mus. Bremen* 3 (3): 292. Range (in code): AE IR Hz B-A IL Pa
- 31000. *Coleophora albilineella* Toll, 1960** (Coleophoridae) Synonym(s): *albilineella* Toll, 1960; *bucovinella* Nemes, 1968 _ Range (in code): ES Sa AT CZ SK RO YU GR RU
- 31001. *Coleophora albiochrella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *albiochrella* Toll & Amsel, 1967 _ Range (in code): AF Kab Pag IR Ak Mrd TR
- 31002. *Coleophora albipennella* Staudinger, 1879** (Coleophoridae) Synonym(s): *albipennella* Staudinger, 1879 _ Original Reference: Coleophora albipennella Staudinger, 1879, *Horae Soc. ent. ross.* 15: 359-360. Type ♂: [Türkei]: Amasia. Range (in code): TR AM Geg Eri Cc IR Elb Th Fa Kd
- 31003. *Coleophora albitarsella* Zeller, 1849** (Coleophoridae) Synonym(s): *albitarsella* Zeller, 1849; *lividella* Bruand, 1850 _ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY
- 31004. *Coleophora albostraminata* Toll, 1960** (Coleophoridae) Synonym(s): *albostraminata* Toll, 1960 _ Range (in code): ES TR
- 31005. *Coleophora albotitae* Rebel, 1935** (Coleophoridae) Synonym(s): *albotitae* Rebel, 1935 _ Original Reference: Coleophora albotitae Rebel, 1935, *Mitt. münch. ent. Ges.* 25 (3): 86-87. Syntypes: [Türkei]: Maraş, Yeşildere (ZSM). Range (in code): TR
- 31006. *Coleophora albulae* Frey, 1880** (Coleophoridae) Synonym(s): *albulae* Frey, 1880 _ Range (in code): FR IT CH
- 31007. *Coleophora alcyonipennella* (Kollar, 1832)** (Coleophoridae) Synonym(s): *alcyonipennella* Kollar, 1832; *cuprariella* Zeller, 1847; *praticolella* Zeller, 1849; *cuprifulgella* Toll, 1962 _ Original Reference: Ornix alcyonipennella Kollar, 1832, *Beitr. Land. Oesterr.* 2: 99. Neotype ♂, designated by Baldizzone (1988) (MNW). Range (in code): MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Ghz IQ Hjo Ry IR Elb Th Kh Msh Ab Mak AF Nu Pag Kab Bd PK Swa Mdy DK NO SE FI EE LV LT RU MD UA BY JP NZ AU NSw Syd KK CN Ui Ku Um
- 31008. *Coleophora aleramica* Baldizzone & Stübner, 2007** (Coleophoridae) Synonym(s): *aleramica* Baldizzone & Stübner, 2007 _ IT YU ME AT SK HV MK GR TR JO
- 31009. *Coleophora alfacarensis* Baldizzone, 1998** (Coleophoridae) Synonym(s): *alfacarensis* Baldizzone, 1998 _ Range (in code): ES
- 31010. *Coleophora algeriensis* Toll, 1952** (Coleophoridae) Synonym(s): *algeriensis* Toll, 1952 _ Range (in code): DZ PT ES Si
- 31011. *Coleophora algidella* Zeller, 1857** (Coleophoridae) Synonym(s): *algidella* Zeller, 1857 _ Range (in code): FR IT IE NO
- 31012. *Coleophora alhamaella* Baldizzone, 1979** (Coleophoridae) Synonym(s): *alhamaella* Baldizzone, 1979 _ Range (in code): ES
- 31013. *Coleophora aliena* Baldizzone, 1987** (Coleophoridae) Synonym(s): *aliena* Baldizzone, 1987 _ Range (in code): ES
- 31014. *Coleophora almeriensis* Baldizzone & Wolf, 1999** (Coleophoridae) Synonym(s): *almeriensis* Baldizzone & Wolf, 1999 _ Range (in code): ES

- 31015. *Coleophora alnifoliae* Barasch,1934** (Coleophoridae) Synonym(s): *alnifoliae* Barasch,1934; *alnivorella* McDunnough,1946 Original Reference: *Coleophora alnifoliae* Barasch,1934, Dt. ent. Z. 1934: 36. Range (in code): **FR Sa IT GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RO CA** Bionomy: Larva on *Alnus* (Barasch,1934; Patzak,1974).
- 31016. *Coleophora alphonella* Toll,1957** (Coleophoridae) Synonym(s): *alphonella* Toll,1957 Range (in code): **DZ**
- 31017. *Coleophora alticolella* Zeller,1849** (Coleophoridae) Synonym(s): *alticolella* Zeller,1849 Original Reference: *Coleophora alticolella* Zeller,1849, Linn. ent. 4: 341. Range (in code): **TN ES FR Sa IT IS IE GB BE NL DE CH AT PL CZ SK HU YU GR BG IR Mz Clu DK NO SE FI LV LT RU MD UA BY RO US**
- 31018. *Coleophora altivagella* Toll,1952** (Coleophoridae) Synonym(s): *altivagella* Toll,1952 Range (in code): **FR IT AT**
- 31019. *Coleophora amarchana* Falkovitsh,1972** (Coleophoridae) Synonym(s): *amarchana* Falkovitsh,1972 Range (in code): **RU**
- 31020. *Coleophora amasicola* Toll,1942** (Coleophoridae) Synonym(s): *amasicola* Toll,1942 Range (in code): **TR**
- 31021. *Coleophora amasiella* Stainton,1867** (Coleophoridae) Synonym(s): *amasiella* Stainton,1867 Original Reference: *Coleophora amasiella* Stainton,1867, Tineina Syr.: 56. Range (in code): **TR IL Pa SY Dms JO IR Se IQ Rba AF kab**
- 31022. *Coleophora amellivora* Baldizzone,1979** (Coleophoridae) Synonym(s): *amellivora* Baldizzone,1979 Range (in code): **FR IT BE DE CH AT CZ SK HU BG SE FI EE LV RU MD UA BY RO**
- 31023. *Coleophora amentastra* Falkovitsh,1972** (Coleophoridae) Synonym(s): *amentastra* Falkovitsh,1972 Range (in code): **TR AF Kab TM UZ**
- 31024. *Coleophora amethystinella* Ragonot,1885** (Coleophoridae) Synonym(s): *amethystinella* Ragonot,1885; *metallica* Toll,1961 Original Reference: *Coleophora amethystinella* Ragonot,1885, Bull. Soc. ent. Fr. 1885: 181. Lectotype ♂: France: Cannes (Baldizzone, 1979: 76). Range (in code): **TR IL Pa PT FR MK IQ Agh MA Azr Ifr**
- 31025. *Coleophora amikanella* Baldizzone,1988** (Coleophoridae) Synonym(s): *amikanella* Baldizzone,1988 Range (in code): **DZ Bsk**
- 31026. *Coleophora ammodyta* Falkovitsh,1970** (Coleophoridae) Synonym(s): *ammodyta* Falkovitsh,1970 Range (in code): **UZ SA**
- 31027. *Coleophora ammophora* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *ammophora* Falkovitsh,1989 Range (in code): **TR IR Ab Mak Kh AF Gz TM**
- 31028. *Coleophora amphorella* Baldizzone,1994** (Coleophoridae) Synonym(s): *amphorella* Baldizzone,1994 Range (in code): **IR Kh Msh**
- 31029. *Coleophora amseliella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *amseliella* Toll & Amsel,1967 Range (in code): **AF IR Msh Kh**
- 31030. *Coleophora anabaseos* Falkovitsh,1978** (Coleophoridae) Synonym(s): *anabaseos* Falkovitsh,1978 Range (in code): **RU**
- 31031. *Coleophora angustiorella* Fuchs,1903** (Coleophoridae) Synonym(s): *angustiorella* Fuchs,1903 Range (in code): **AM Eri Cc TR IT MK HV**
- 31032. *Coleophora anitella* Baldizzone,1985** (Coleophoridae) Synonym(s): *anitella* Baldizzone,1985 Range (in code): **ES FR**
- 31033. *Coleophora antennariella* Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *antennariella* Herrich-Schäffer,1861 Range (in code): **FR GB BE DE CH AT IT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY RO**
- 31034. *Coleophora aphanombra* Meyrick,1913** (Coleophoridae) Synonym(s): *aphanombra* Meyrick,1913 Range (in code): **ZA Tva Gau Pre Mpu Tst**
- 31035. *Coleophora aphypnota* Meyrick,1917** (Coleophoridae) Synonym(s): *aphypnota* Meyrick,1917 Range (in code): **LK Ptl**
- 31036. *Coleophora aporiella* Baldizzone,1989** (Coleophoridae) Synonym(s): *aporiella* Baldizzone,1989 Range (in code): **IR Hz B-A**
- 31037. *Coleophora aquaecadentis* Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *aquaecadentis* Baldizzone & Wolf,2004 Range (in code): **NA Dmr Bnd**
- 31038. *Coleophora arachnias* Meyrick,1922** (Coleophoridae) Synonym(s): *arachnias* Meyrick,1922; *hederella* Toll,1942; *shadeganensis* Toll,1959. Range (in code): **IR Kz Hz B-A SA TM IL Pa Jt AF**

- 31039. *Coleophora arachosiae* Baldizzone,1994** (Coleophoridae) **Synonym(s):** *arachosiae* Baldizzone,1994 **_ Range (in code):** **AF Pag Kab IR Fa Shr Elb Th**
- 31040. *Coleophora arctostaphyli* Meder,1934** (Coleophoridae) **Synonym(s):** *arctostaphyli* Meder,1934 **Original Reference:** *Coleophora arctostaphyli* Meder,1934, Int. ent. Z. 27: 490. **Range (in code):** **ES FR Co? IT GB DE CH? PL DK NO SE FI EE LV RU MD UA BY** **Bionomy:** Larva on *Arctostaphylos uva-ursi* (Meder,1934; Patzak,1974).
- 31041. *Coleophora arefactella* Staudinger,1859** (Coleophoridae) **Synonym(s):** *arefactella* Staudinger,1859 **_ Range (in code):** **ES**
- 31042. *Coleophora arenbergerella* Baldizzone,1985** (Coleophoridae) **Synonym(s):** *arenbergerella* Baldizzone,1985 **_ Range (in code):** **CY**
- 31043. *Coleophora arenbergeri* Glaser,1981** (Coleophoridae) **Synonym(s):** *arenbergeri* Glaser,1981 **Original Reference:** *Coleophora arenbergeri* Glaser,1981, Z. ArbGem. öst. Ent. 32(3/4): 133-135, 6Abb. Holotype ♂: Türkei: Konya: Karapinar, 995m. **Range (in code):** **TR**
- 31044. *Coleophora arenicola* Toll,1952** (Coleophoridae) **Synonym(s):** *arenicola* Toll,1952; *#hedysariella* Toll,1962 **_ Range (in code):** **DZ**
- 31045. *Coleophora areniphila* Toll,1957** (Coleophoridae) **Synonym(s):** *areniphila* Toll,1957 **Range (in code):** **DZ**
- 31046. *Coleophora arens* Baldizzone & Wolf,2004** (Coleophoridae) **Synonym(s):** *arens* Baldizzone & Wolf,2004 **_ Range (in code):** **NA Dmr Bnd**
- 31047. *Coleophora argenteonivea* Walsingham,1907** (Coleophoridae) **Synonym(s):** *argenteonivea* Walsingham,1907; *nivea* Toll,1952 **_ Range (in code):** **DZ MA PT ES FR Sa IT**
- 31048. *Coleophora argentifimbriata* Walsingham,1907** (Coleophoridae) **Synonym(s):** *argentifimbriata* Walsingham,1907 **_ Range (in code):** **DZ Hes**
- 31049. *Coleophora argentipennella* Duponchel,1838** (Coleophoridae) **Synonym(s):** *argentipennella* Duponchel,1838 **_ Range (in code):** **TR**
- 31050. *Coleophora argentula* (Stephens,1834)** (Coleophoridae) **Synonym(s):** *argentula* Stephens,1834; *cothurnella* Duponchel,1843; *argentulella* Doubleday,1859; *argentulella* Bruand,1859 **_ Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU YU AL BG RO TR DK NO SE FI EE LV LT RU MD UA BY**
- 31051. *Coleophora argopleura* Meyrick,1917** (Coleophoridae) **Synonym(s):** *argopleura* Meyrick,1917 **_ Range (in code):** **AF Ch PK**
- 31052. *Coleophora argyrella* Herrich-Schäffer,1861** (Coleophoridae) **Synonym(s):** *argyrella* Herrich-Schäffer,1861 **Original Reference:** *Coleophora argyrella* Herrich-Schäffer,1861, Neue Schmett. 3: 31, fig.157. Syntypes 1♂ 2♀: [Russia]: Sarepta. **Range (in code):** **TR RU Sr SY AF Kab**
- 31053. *Coleophora armeniae* Baldizzone & Patzak,1991** (Coleophoridae) **Synonym(s):** *armeniae* Baldizzone & Patzak,1991 **Original Reference:** *Coleophora armeniae* Baldizzone & Patzak,1991, Beitr. Ent. 41 (2): 360-361, figs. Holotype ♂: Armenien, Gegard 1700m 40km ö. v.Erevan leg.Vartian (LNK). **Range (in code):** **Cc AM Geg Eri RU TR UA KG KK CN Ui**
- 31054. *Coleophora artemisicolella* Bruand,1855** (Coleophoridae) **Synonym(s):** *artemisicolella* Bruand,1855 **_ Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI LV LT RU MD UA BY**
- 31055. *Coleophora asiaeminoris* Toll,1952** (Coleophoridae) **Synonym(s):** *asiaeminoris* Toll,1952 **Range (in code):** **TR**
- 31056. *Coleophora asirensis* Baldizzone,1990** (Coleophoridae) **Synonym(s):** *asirensis* Baldizzone,1990 **_ Range (in code):** **SA As**
- 31057. *Coleophora asperginella* Christoph,1862** (Coleophoridae) **Synonym(s):** *asperginella* Christoph,1862 **_ Range (in code):** **RU Cc TR**
- 31058. *Coleophora assyriae* Baldizzone,1994** (Coleophoridae) **Synonym(s):** *assyriae* Baldizzone,1994 **_ Range (in code):** **IQ Rba SY Dms**
- 31059. *Coleophora asteris* Mühlig,1864** (Coleophoridae) **Synonym(s):** *asteris* Mühlig,1864; *tripoliella* Hodgkinson,1875 **_ Range (in code):** **FR IT GB BE NL CH AT CZ SK HU GR? Cr RO DK NO SE**
- 31060. *Coleophora asthenella* Constant,1893** (Coleophoridae) **Synonym(s):** *asthenella* Constant,1893 **_ Range (in code):** **DZ Bsk TN Gf ES FR Sa Si IT TR** **Bionomy:** Larva on *Tamarix* (Chrétien,1917).
- 31061. *Coleophora astragalella* Zeller,1849** (Coleophoridae) **Synonym(s):** *astragalella* Zeller,1849; *fimbriosella* Herrich-Schäffer,1861; *phusiella* Constant,1865; *persimilis* Rebel,1904 **_ Range (in**

- code): **ES FR IT CH AT CZ SK HU RO B-H YU TR LB Bsa RU UA KG UK** Bionomy: Larva on Astragalus (Zeller,1849).
- 31062. Coleophora atriplicis Meyrick,1928** (Coleophoridae) Synonym(s): *atriplicis* Meyrick,1928; *cervinella* McDunnough,1946 Range (in code): **FR IE GB BE NL DE HU DK NO SE FI EE LV PL RU MD UA BY RO CA BCo Abt Nsc**
- 31063. Coleophora attalicella Zeller,1871** (Coleophoridae) Synonym(s): *attalicella* Zeller,1871 Range (in code): **AF Pag Kab RU Ur**
- 31064. Coleophora audeoudi Rebel,1935** (Coleophoridae) Synonym(s): *audeoudi* Rebel,1935 Original Reference: Coleophora audeoudi Rebel,1935, Mitt. Schweiz. ent. Ges. 16: 443-444. Holotype ♂: [Türkei]: [Konya Prov.]: Akschehir (leg. Wagner) (NHMW). Range (in code): **MK TR**
- 31065. Coleophora aularia Meyrick,1924** (Coleophoridae) Synonym(s): *aularia* Meyrick,1924; *haplopennella* Toll,1956 Range (in code): **SA EG EGo7**
- 31066. Coleophora auricella (Fabricius,1794)** (Coleophoridae) Synonym(s): *auricella* Fabricius,1794; *suceavella* Nemeş,2003; *danilae* Nemeş,2004 Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU**
- 31067. Coleophora austrina Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *austrina* Baldizzone & Wolf,2004 Range (in code): **NA Dmr Bnd**
- 31068. Coleophora autumnella (Duponchel,1843)** (Coleophoridae) Synonym(s): *autumnella* Duponchel,1843; *asterifoliella* Klimesch,1939 Range (in code): **AT CZ SK RO**
- 31069. Coleophora bactrianae Baldizzone,1994** (Coleophoridae) Synonym(s): *bactrianae* Baldizzone,1994 Original Reference: Coleophora bactrianae Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 26-27, fig.7. Holotype ♂: Afghanistan, 1800m Tangi Garu bei Kabul (LNK). Range (in code): **AF Kab**
- 31070. Coleophora badiipennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *badiipennella* Duponchel,1843 Original Reference: Ornix badiipennella Duponchel,1843, Hist. nat. Lepid. Fr. Suppl. 4: 22, 346. Range (in code): **PT ES IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR IR Mz Clu DK SE FI EE LV RU MD UA BY** Bionomy: Larva on Ulmus (Patzak,1974).
- 31071. Coleophora bagorella (Falkovitsh,1977)** (Coleophoridae) Synonym(s): *bagorella* Falkovitsh,1977; *capusiella* Nemeş,2003 Range (in code): **RO RU MN CN Ui TR**
- 31072. Coleophora baischi Baldizzone,2007** (Coleophoridae) Synonym(s): *baischi* Baldizzone,2007 Range (in code): **TR**
- 31073. Coleophora ballotella (Fischer v. Röslerstamm,1839)** (Coleophoridae) Synonym(s): *ballotella* Fischer v. Röslerstamm,1839; *alexinschiella* Nemeş,2004 Range (in code): **ES FR IT DE AT PL CZ SK HU RO YU BG GR TR LT RU MD UA BY KG UK** Bionomy: Larva on Ballota (Fischer v. Röslerstamm,1839; Mann,1862).
- 31074. Coleophora bandiamirella Baldizzone,1994** (Coleophoridae) Synonym(s): *bandiamirella* Baldizzone,1994 Range (in code): **AF BdA**
- 31075. Coleophora barbaricina Baldizzone,1980** (Coleophoridae) Synonym(s): *barbaricina* Baldizzone,1980 Range (in code): **Sa**
- 31076. Coleophora basimaculella Mann,1864** (Coleophoridae) Synonym(s): *basimaculella* Mann,1864 Original Reference: Coleophora basimaculella Mann,1864, Wien. ent. Monatschr. 8: 189. Lectotype ♂: Turkey, Bursa, designated by Baldizzone (1981) (NHMW). Range (in code): **GR Rd TR LB Ghz EG**
- 31077. Coleophora bassii Baldizzone,1989** (Coleophoridae) Synonym(s): *bassii* Baldizzone,1989 Range (in code): **FR IT**
- 31078. Coleophora bazae Glaser,1978** (Coleophoridae) Synonym(s): *bazae* Glaser,1978; *totanae* Baldizzone,1985 Range (in code): **ES**
- 31079. Coleophora bedella Falkovitsh,1976** (Coleophoridae) Synonym(s): *bedella* Falkovitsh,1976 Range (in code): **TJ IR Fa**
- 31080. Coleophora beduina Baldizzone,1987** (Coleophoridae) Synonym(s): *beduina* Baldizzone,1987 Range (in code): **DZ Bsk LY TN EG IR Hz B-A**
- 31081. Coleophora berbera Baldizzone,1998** (Coleophoridae) Synonym(s): *berbera* Baldizzone,1998 Original Reference: Coleophora berbera Baldizzone,1998, Stapfia 16: 31, fig. Holotype ♂: Tunisia, 20km S v. Hammamet (coll. Arenberger). Range (in code): **TN ES**
- 31082. Coleophora berdjanski Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *berdjanski* Baldizzone & Patzak,1991 Range (in code): **UA**
- 31083. Coleophora berlandella Toll,1956** (Coleophoridae) Synonym(s): *berlandella* Toll,1956 Range (in code): **MA DZ TN LY Cy ES TR**

- 31084. *Coleophora bernoulliella* (Goeze,1783)** (Coleophoridae) Synonym(s): *bernoulliella* Goeze,1783; *anatipenella* Hübner,1796 _ Range (in code): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU UA MD BY Cc AM Geg Eri IR Elb Kdv Ha Avd Gls Kh Mz Clu Fa
- 31085. *Coleophora beticella* Baldizzone,1987** (Coleophoridae) Synonym(s): *beticella* Baldizzone,1987 _ Range (in code): ES
- 31086. *Coleophora betulaenanae* Klimesch,1958** (Coleophoridae) Synonym(s): *betulaenanae* Klimesch,1958 _ Range (in code): AT CZ
- 31087. *Coleophora betulella* Heinemann,1876** (Coleophoridae) Synonym(s): *betulella* Heinemann,1876 _ Range (in code): ES FR IT IE GB NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 31088. *Coleophora bifrondella* Walsingham,1891** (Coleophoridae) Synonym(s): *bifrondella* Walsingham,1891 _ Range (in code): ES FR IT
- 31089. *Coleophora bilineatella* Zeller,1849** (Coleophoridae) Synonym(s): *bilineatella* Zeller,1849 Range (in code): ES FR Sa IT CH AT CZ SK HU YU GR TR KG Uk
- 31090. *Coleophora bilineella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *bilineella* Herrich-Schäffer,1855; *perserenella* Rebel,1919; *joannisella* Suire,1930; *sergii* Gozmany,1956 _ Range (in code): PT ES FR Co Sa IT AT HU RO GR Cr TR CY
- 31091. *Coleophora binderella* (Kollar,1832)** (Coleophoridae) Synonym(s): *binderella* Kollar,1832; *binderiella* Duponchel,1843; *politella* Scott,1861; *bicolorella* Stainton,1861 _ Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY RO
- 31092. *Coleophora binotapennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *binotapennella* Duponchel,1843; *lygia* Nemes,2003 _ Range (in code): ES FR MT BE DE CZ SK HU RO LT RU MD UA BY
- 31093. *Coleophora biseriata* Staudinger,1859** (Coleophoridae) Synonym(s): *biseriata* Staudinger,1859 _ Range (in code): MA ES
- 31094. *Coleophora bitlisella* Baldizzone,1994** (Coleophoridae) Synonym(s): *bitlisella* Baldizzone,1994 Original Reference: Coleophora bitlisella Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 50-51, fig.22. Holotype ♂: Turkey, Prov. Bitlis, Başor-Tal 1400m 25km S Bitlis (coll. Derra). Range (in code): TR IR Kd Bne
- 31095. *Coleophora bivittella* Staudinger,1879** (Coleophoridae) Synonym(s): *bivittella* Staudinger,1879 Original Reference: Coleophora bivittella Staudinger,1879, Horae Soc. ent. ross. 15: 363-364. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): TR CY IR Kh Elb Se
- 31096. *Coleophora boreella* Benander,1939** (Coleophoridae) Synonym(s): *boreella* Benander,1939 _ Range (in code): DK NO SE FI EE RU MD UA BY
- 31097. *Coleophora bornicensis* Fuchs,1886** (Coleophoridae) Synonym(s): *bornicensis* Fuchs,1886 _ Range (in code): DE TR Bionomy: Larva on Tanacetum vulgare (Asteraceae) (Baldizzone,2007).
- 31098. *Coleophora botaurella* Herrich-Schäffer,1861** (Coleophoridae) Synonym(s): *botaurella* Herrich-Schäffer,1861 Original Reference: Coleophora botaurella Herrich-Schäffer,1861, CorrespBl. Samml. Inst. Schmett. 2: 143. Range (in code): TR RU Sr TM Ur IR Kd Snj Km AF KG Uk CN Ui Ku
- 31099. *Coleophora botauripennella* Toll,1959** (Coleophoridae) Synonym(s): *botauripennella* Toll,1959 _ Range (in code): IR Th
- 31100. *Coleophora brandbergella* Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *brandbergella* Baldizzone & Wolf,2004 _ Range (in code): NA Dmr Bnd
- 31101. *Coleophora brevipalpella* Wocke,1874** (Coleophoridae) Synonym(s): *brevipalpella* Wocke,1874 _ Range (in code): FR DE AT PL CZ SK HU YU NO SE FI EE LV LT RU MD UA BY RO
- 31102. *Coleophora breviuscula* Staudinger,1880** (Coleophoridae) Synonym(s): *breviuscula* Staudinger,1880 Original Reference: Coleophora breviuscula Staudinger,1880, Horae Soc. ent. ross. 15: 377-378. Type ♂: [Türkei]: Amasia (Kerasdere). Range (in code): GR TR IT CH
- 31103. *Coleophora brunneosignata* Toll,1944** (Coleophoridae) Synonym(s): *brunneosignata* Toll,1944; *degenerella* Toll,1960 _ Range (in code): PT ES FR Sa
- 31104. *Coleophora buettikeri* Baldizzone,1984** (Coleophoridae) Synonym(s): *buettikeri* Baldizzone,1984 _ Range (in code): SA
- 31105. *Coleophora burmanni* Toll,1952** (Coleophoridae) Synonym(s): *burmanni* Toll,1952 Range (in code): ES FR DE CH AT LV RU MD UA BY

- 31106. *Coleophora byrsostola* (Meyrick,1931)** (Coleophoridae) Synonym(s): *byrsostola* Meyrick,1931 _ Range (in code): **IN**
- 31107. *Coleophora caelebipennella* Zeller,1839** (Coleophoridae) Synonym(s): *caelebipennella* Zeller,1839; *bifurcella* Turati,1930 _ Range (in code): **ES FR Co IT NL DE CH AT PL CZ SK HU RO TR AF Pag Kab Sfk PK Swa Mdy DK NO SE FI EE LV LT RU**
- 31108. *Coleophora caespititiella* Zeller,1839** (Coleophoridae) Synonym(s): *caespititiella* Zeller,1839; *scirpicolella* Zeller,1849; *lacunicolella* Zeller,1849; *agrammella* Wood,1892 _ Range (in code): **PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU IR Elb Th DK NO SE FI EE LV LT**
- 31109. *Coleophora calligoni* Falkovitsh,1972** (Coleophoridae) Synonym(s): *calligoni* Falkovitsh,1972 _ Range (in code): **RU**
- 31110. *Coleophora calycotomella* Stainton,1869** (Coleophoridae) Synonym(s): *calycotomella* Stainton,1869; *sarothamni* Rössler,1877; *oranella* Toll,1952; *afra* Toll,1952; *paraobviella* Toll,1961 _ Original Reference: *Coleophora calycotomella* Stainton,1869, *Tineina* South Eur.: 225. Range (in code): **LY DZ PT ES FR Sa Si BE IT MT NL DE YU AL GR Cr TR SY Dms LB Bei Say**
- 31111. *Coleophora campestriphaga* Baldizzone & Patzak,1980** (Coleophoridae) Synonym(s): *campestriphaga* Baldizzone & Patzak,1980 _ Range (in code): **AT CZ SK RO**
- 31112. *Coleophora canariipennella* Toll,1959** (Coleophoridae) Synonym(s): *canariipennella* Toll,1959 _ Range (in code): **IQ Hjo Ry TR**
- 31113. *Coleophora capella* Baldizzone,1990** (Coleophoridae) Synonym(s): *capella* Baldizzone,1990 _ Original Reference: *Coleophora capella* Baldizzone,1990, *Fauna Saudi Arabia* 11: 85. Range (in code): **SA IR Hz B-A**
- 31114. *Coleophora capillata* Baldizzone,1994** (Coleophoridae) Synonym(s): *capillata* Baldizzone,1994 _ Range (in code): **TR**
- 31115. *Coleophora cappadociae* Baldizzone,1994** (Coleophoridae) Synonym(s): *cappadociae* Baldizzone,1994 _ Range (in code): **TR**
- 31116. *Coleophora capricornis* Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *capricornis* Baldizzone & Wolf,2004 _ Range (in code): **NA Dmr Bnd**
- 31117. *Coleophora captiosa* Falkovitsh,1972** (Coleophoridae) Synonym(s): *captiosa* Falkovitsh,1972 _ Range (in code): **SY Dms MN TM**
- 31118. *Coleophora captiosa maior* Baldizzone,1994** (Coleophoridae) Synonym(s): *maior* Baldizzone,1994 _ Range (in code): **SY Dms**
- 31119. *Coleophora carelica* Hackman,1945** (Coleophoridae) Synonym(s): *carelica* Hackman,1945 _ Range (in code): **FI LV RU MD UA BY**
- 31120. *Coleophora carmaniae* Baldizzone,1994** (Coleophoridae) Synonym(s): *carmaniae* Baldizzone,1994 _ Range (in code): **IR Ke**
- 31121. *Coleophora cartilaginella* Christoph,1872** (Coleophoridae) Synonym(s): *cartilaginella* Christoph,1872; *dubiosa* Toll,1952; *paraspumosella* Toll,1957; *medicagivora* Toll,1961. _ Range (in code): **ES PT YU RU MD Cm TM TR IR Se Fa Elb Th Lo AF Pag Kab Nu HU MK**
- 31122. *Coleophora castalia* Meyrick,1930** (Coleophoridae) Synonym(s): *castalia* Meyrick,1930 _ Range (in code): **AF Ch PK**
- 31123. *Coleophora caucasica* Stainton,1867** (Coleophoridae) Synonym(s): *caucasica* Stainton,1867 _ Original Reference: *Coleophora caucasica* Stainton,1867, *Tineina* Syr.: 57. Range (in code): **Cc GG Akh TR**
- 31124. *Coleophora cecidophorella* Oudejans,1972** (Coleophoridae) Synonym(s): *cecidophorella* Oudejans,1972 _ Range (in code): **FR IT AT SK HU RO YU RU MD UA BY**
- 31125. *Coleophora celsa* Baldizzone,1994** (Coleophoridae) Synonym(s): *celsa* Baldizzone,1994 _ Range (in code): **IR Elb Th**
- 31126. *Coleophora centaureivora* Baldizzone,1998** (Coleophoridae) Synonym(s): *centaureivora* Baldizzone,1998 _ Range (in code): **ES FR**
- 31127. *Coleophora centrota* Meyrick,1917** (Coleophoridae) Synonym(s): *centrota* Meyrick,1917 _ Range (in code): **IN**
- 31128. *Coleophora ceratoidis* (Falkovitsh,1979)** (Coleophoridae) Synonym(s): *ceratoidis* Falkovitsh,1979 _ Range (in code): **RU**
- 31129. *Coleophora certhiella* Baldizzone,1985** (Coleophoridae) Synonym(s): *certhiella* Baldizzone,1985 _ Range (in code): **ES**
- 31130. *Coleophora chalcogrammella* Zeller,1839** (Coleophoridae) Synonym(s): *chalcogrammella* Zeller,1839 _ Range (in code): **FR GB NL DE CZ SK RO DK SE**

- 31131. *Coleophora chamaedriella* Bruand, 1852** (Coleophoridae) Synonym(s): *chamaedriella* Bruand, 1852; *setipalpella* Staudinger, 1879. Range (in code): **MA ES FR Sa IT BE CH AT PL CZ SK HU RO YU AL GR TR IQ Mos**
- 31132. *Coleophora changaica* Reznik, 1975** (Coleophoridae) Synonym(s): *changaica* Reznik, 1975 Range (in code): **ES RU MD UA JO AF Kab CN**
- 31133. *Coleophora charadriella* Baldizzone, 1988** (Coleophoridae) Synonym(s): *charadriella* Baldizzone, 1988 Range (in code): **KG Uk**
- 31134. *Coleophora cherasforella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *cherasforella* Baldizzone, 2001 Range (in code): **Cc AM TR**
- 31135. *Coleophora chiclanensis* Hering, 1936** (Coleophoridae) Synonym(s): *chiclanensis* Hering, 1936 Range (in code): **ES Sa**
- 31136. *Coleophora chordoscelis* Meyrick, 1917** (Coleophoridae) Synonym(s): *chordoscelis* Meyrick, 1917 Range (in code): **IN**
- 31137. *Coleophora chotticola* Baldizzone, 1988** (Coleophoridae) Synonym(s): *chotticola* Baldizzone, 1988 Range (in code): **DZ Bsk**
- 31138. *Coleophora chretienella* Oudejans, 1971** (Coleophoridae) Synonym(s): *bipunctella* Chrét., 1915 nec Walsh., 1882; *chretienella* Oudejans, 1971 Range (in code): **TN Gf**
- 31139. *Coleophora chretieni* Baldizzone, 1979** (Coleophoridae) Synonym(s): *chretieni* Baldizzone, 1979 Range (in code): **Co Sa FR IT**
- 31140. *Coleophora chretieniella* Oudejans, 1971** (Coleophoridae) Synonym(s): *chretieniella* Oudejans, 1971 Range (in code): **DZ TN Gf**
- 31141. *Coleophora christenseni* Baldizzone, 1983** (Coleophoridae) Synonym(s): *christenseni* Baldizzone, 1983 Range (in code): **GR Cr TR**
- 31142. *Coleophora chrysanthemi* Hofmann, 1869** (Coleophoridae) Synonym(s): *chrysanthemi* Hofmann, 1869 Range (in code): **IT DE CH? AT CZ SK FI**
- 31143. *Coleophora ciconiella* Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *ciconiella* Herrich-Schäffer, 1855 Range (in code): **ES FR IT CH? AT CZ SK HU RO BG GR?**
- 31144. *Coleophora ciliataephaga* Glaser, 1978** (Coleophoridae) Synonym(s): *ciliataephaga* Glaser, 1978 Range (in code): **ES**
- 31145. *Coleophora clarissa* Falkovitsh, 1977** (Coleophoridae) Synonym(s): *clarissa* Falkovitsh, 1977 Range (in code): **PT ES MN**
- 31146. *Coleophora clypeiferella* Hofmann, 1871** (Coleophoridae) Synonym(s): *clypeiferella* Hofmann, 1871 Range (in code): **FR GB BE NL DE AT PL CZ SK HU RO BG DK SE FI LV LT RU MD UA BY KG Uk**
- 31147. *Coleophora cnossiaca* Baldizzone, 1983** (Coleophoridae) Synonym(s): *cnossiaca* Baldizzone, 1983 Range (in code): **Cr**
- 31148. *Coleophora coarctataephaga* Toll, 1961** (Coleophoridae) Synonym(s): *coarctataephaga* Toll, 1961; *balcanica* Baldizzone, 1994 Range (in code): **YU AL BG Pi RO GR MK Cc AM Geg Eri**
- 31149. *Coleophora cogitata* Baldizzone, 1998** (Coleophoridae) Synonym(s): *cogitata* Baldizzone, 1998 Range (in code): **ES**
- 31150. *Coleophora coliella* Baldizzone, 1988** (Coleophoridae) Synonym(s): *coliella* Baldizzone, 1988 Range (in code): **DZ Bsk**
- 31151. *Coleophora colutella* (Fabricius, 1794)** (Coleophoridae) Synonym(s): *colutella* Fabricius, 1794, *serenella* Duponchel, 1843; *crocinea* Tengström, 1848; *stanoiuii* Nemeş, 2004 Range (in code): **TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU GR TR Cc AM DK NO SE FI EE LV LT RU MD UA BY IR Gl** Bionomy: Larva on *Astragalus cruciatus*, *Medicago tribuloides* [Fabaceae] (Chrétien, 1917).
- 31152. *Coleophora confusa* Staudinger, 1880** (Coleophoridae) Synonym(s): *confusa* Staudinger, 1880 Original Reference: *Coleophora confusa* Staudinger, 1880, *Horae Soc. ent. ross.* 15: 372-374. Syntypes 3♂♂: [Türkei]: Amasia; Lectotype ♂, designated by Baldizzone (1994: 71). Range (in code): **TR**
- 31153. *Coleophora congeriella* Staudinger, 1859** (Coleophoridae) Synonym(s): *congeriella* Staudinger, 1859; *suboriolella* Toll, 1944 Original Reference: *Coleophora congeriella* Staudinger, 1859, *Stettin ent. Ztg.* 20: 254. Range (in code): **LY ES FR IT AT CZ SK HU BG GR TR**
- 31154. *Coleophora conspersa* Baldizzone & Tabell, 1999** (Coleophoridae) Synonym(s): *conspersa* Baldizzone & Tabell, 1999 Range (in code): **TR** Bionomy: Larva on *Phlomis lycia* (Baldizzone & Tabell, 1999).

- 31155. *Coleophora conspicuella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *conspicuella* Zeller, 1849; *centaureicolella* Bruand, [1856]; *similis* Staudinger, 1880; *aceris* Caradja, 1920. **Range (in code):** DZ Eba ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc SY Dms LB Bsa IQ Hjo Ry DK SE FI EE LV LT RU MD UA BY CN Ui Ku. **Bionomy:** Larva on *Centaurea* (Asteraceae) (ex Wiltshire) (Toll, 1959: 335).
- 31156. *Coleophora conyzae* Zeller, 1868** (Coleophoridae) **Synonym(s):** *conyzae* Zeller, 1868, *angustilinea* Toll, 1962; *mellechella* Toll, 1962; *vicolii* Nemes, 2003. **Range (in code):** PT ES FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL GR Cr TR SE EE LV.
- 31157. *Coleophora coracipennella* (Hübner, 1796)** (Coleophoridae) **Synonym(s):** *coracipennella* Hübner, 1796; *coracipennis* Haworth, [1828]; *nigricella* Stephens, 1834; *occidentis* Zeller, 1873; *varii* Patzak, 1969. **Original Reference:** *Tinea coracipennella* Hübner, 1796, Samml. eur. Schmett.: Taf. 30 fig. 208. **Type(s):** Europa. **Range (in code):** FR Si IT GB BE NL DE CH AT CZ SK HU RO YU TR EE RU MD UA BY. **Bionomy:** Larva on *Prunus*, *Cerasus* (Patzak, 1974).
- 31158. *Coleophora cornutella* Herrich-Schäffer, 1861** (Coleophoridae) **Synonym(s):** *cornutella* Herrich-Schäffer, 1861. **Range (in code):** FR BE NL DE CH AT PL CZ SK HU RO FI SE.
- 31159. *Coleophora coronata* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *coronata* Baldizzone, 1994. **Range (in code):** IR Ab Mak.
- 31160. *Coleophora coronillae* Zeller, 1849** (Coleophoridae) **Synonym(s):** *coronillae* Zeller, 1849. **Original Reference:** *Coleophora coronillae* Zeller, 1849, Linn. ent. 4: 265. **Range (in code):** ES FR IT DE CH AT PL CZ SK HU RO YU BG TR Cc AM IR Ab Oru LT RU MD UA BY.
- 31161. *Coleophora corsicella* Walsingham, 1898** (Coleophoridae) **Synonym(s):** *corsicella* Walsingham, 1898. **Original Reference:** *Coleophora corsicella* Walsingham, 1898, Entomologist's mon. Mag. 34: 167. **Range (in code):** ES FR Co IT SK HU YU GR TR.
- 31162. *Coleophora corticosa* Baldizzone & Wolf, 1999** (Coleophoridae) **Synonym(s):** *corticosa* Baldizzone & Wolf, 1999. **Range (in code):** ES.
- 31163. *Coleophora cracella* Vallot, 1835** (Coleophoridae) **Synonym(s):** *cracella* Vallot, 1835. **Range (in code):** ES FR SK HU BG TR RU MD UA BY RO.
- 31164. *Coleophora crassicornella* Chrétien, 1915** (Coleophoridae) **Synonym(s):** *crassicornella* Chrétien, 1915; *sabulella* Toll, 1956. **Range (in code):** DZ Bsk. **Bionomy:** Larva on *Atriplex halimus* [Chenopodiaceae] (Chrétien, 1915).
- 31165. *Coleophora crepidinella* Zeller, 1847** (Coleophoridae) **Synonym(s):** *crepidinella* Zeller, 1847. **Range (in code):** DZ TN PT ES Sa Si IT MT GR TR IL Pa.
- 31166. *Coleophora crexella* Baldizzone, 1987** (Coleophoridae) **Synonym(s):** *crexella* Baldizzone, 1987. **Range (in code):** DZ Bsk LY TN. **Bionomy:** Larva on *Traganum* (Baldizzone, 1987).
- 31167. *Coleophora crispella* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *crispella* Baldizzone, 1994. **Range (in code):** TR.
- 31168. *Coleophora crossophanes* Meyrick, 1917** (Coleophoridae) **Synonym(s):** *crossophanes* Meyrick, 1917. **Range (in code):** LK Mky.
- 31169. *Coleophora crypsiphanes* Meyrick, 1917** (Coleophoridae) **Synonym(s):** *crypsiphanes* Meyrick, 1917. **Range (in code):** LK Mky.
- 31170. *Coleophora cuprariella* Zeller, 1847** (Coleophoridae) **Synonym(s):** *cuprariella* Zeller, 1847; *metallicella* Fuchs, 1903 *nec* Hodg., 1892; *fuchsiella* Odejans, 1971. **Original Reference:** *Coleophora cuprariella* Zeller, 1847, Isis 1847: 36. **Type** ♂: [Türkei]: Mermeriza [Marmaris]. **Range (in code):** GR Rd AM Eri Cc TR.
- 31171. *Coleophora currucipennella* Zeller, 1839** (Coleophoridae) **Synonym(s):** *currucipennella* Zeller, 1839. **Range (in code):** FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK NO SE EE LV LT RU MD UA BY. **Bionomy:** Larva on *Quercus* (Mann, 1862).
- 31172. *Coleophora cycnea* Baldizzone, 1995** (Coleophoridae) **Synonym(s):** *cycnea* Baldizzone, 1995. **Range (in code):** MA.
- 31173. *Coleophora cyrniella* Rebel, 1926** (Coleophoridae) **Synonym(s):** *cyrniella* Rebel, 1926; *dylineella* Amsel, 1935; *simulatella* Baldizzone, 1979. **Range (in code):** ES FR Co Sa IT IL Pa LY SA. **Bionomy:** Larva on *Cistus* and *Helianthemum* (Baldizzone, 1983).
- 31174. *Coleophora cyrta* Falkovitsh, 1976** (Coleophoridae) **Synonym(s):** *cyrta* Falkovitsh, 1976. **Range (in code):** TM UZ AF Kab.
- 31175. *Coleophora cythisanthi* Baldizzone, 1978** (Coleophoridae) **Synonym(s):** *cythisanthi* Baldizzone, 1978. **Range (in code):** IT.

- 31176. *Coleophora cytisivora* Baldizzone,1995** (Coleophoridae) Synonym(s): *cytisivora* Baldizzone,1995 _ Range (in code): **MA** Bionomy: Larva on *Cytisus* (Baldizzone,1995).
- 31177. *Coleophora daeva* Baldizzone,1994** (Coleophoridae) Synonym(s): *daeva* Baldizzone,1994 Original Reference: *Coleophora daeva* Baldizzone,1994, *Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe*: 53-54, fig.23. Holotype ♂: SO-Iran, 100km W v. Sahidan (NHMW). Range (in code): **IR Elb Th Ss Zhd AF Ca**
- 31178. *Coleophora daglarica* Baldizzone & Tabell,1999** (Coleophoridae) Synonym(s): *daglarica* Baldizzone & Tabell,1999 _ Range (in code): **TR**
- 31179. *Coleophora damarella* Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *damarella* Baldizzone & Wolf,2004 _ Range (in code): **NA Dmr Bnd**
- 31180. *Coleophora darica* Baldizzone,1994** (Coleophoridae) Synonym(s): *darica* Baldizzone,1994 Range (in code): **IR Hz B-A**
- 31181. *Coleophora deauratella* Lienig & Zeller,1846** (Coleophoridae) Synonym(s): *deauratella* Lienig & Zeller,1846 _ Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL GR TR Cc LB Ghz DK NO SE FI EE LV LT RU RO US**
- 31182. *Coleophora delibutella* Christoph,1872** (Coleophoridae) Synonym(s): *delibutella* Christoph,1872 _ Range (in code): **RU**
- 31183. *Coleophora delicatella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *delicatella* Toll & Amsel,1967 _ Range (in code): **IR Kh Msh AF**
- 31184. *Coleophora denigrella* Gerasimov,1930** (Coleophoridae) Synonym(s): *denigrella* Gerasimov,1930 Original Reference: *Coleophora denigrella* Gerasimov,1930, *Ann. Mus. Zool. Acad. Leningr.* 31: 40. Range (in code): **AF Hr UZ TM TR** Bionomy: Larva on *Alhagi sparsifolia*, *A. canescens* (Fabaceae) (Falkovitsh,1978).
- 31185. *Coleophora dentatella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *dentatella* Toll & Amsel,1967 _ Range (in code): **TM IR Kh Msh AF RU**
- 31186. *Coleophora dentiferella* Toll,1952** (Coleophoridae) Synonym(s): *dentiferella* Toll,1952; *latilineella* Toll,1961. _ Range (in code): **FR IT AT HU YU GR**
- 31187. *Coleophora depunctella* Toll,1961** (Coleophoridae) Synonym(s): *depunctella* Toll,1961 Range (in code): **YU GR**
- 31188. *Coleophora derasofasciella* Klimesch,1952** (Coleophoridae) Synonym(s): *derasofasciella* Klimesch,1952 _ Range (in code): **DE AT**
- 31189. *Coleophora derbendella* Baldizzone,1994** (Coleophoridae) Synonym(s): *derbendella* Baldizzone,1994 _ Range (in code): **IR Th Elb Fa Shr SY Dms JO Amm**
- 31190. *Coleophora derrai* Baldizzone,1985** (Coleophoridae) Synonym(s): *derrai* Baldizzone,1985 Range (in code): **ES**
- 31191. *Coleophora deviella* Zeller,1847** (Coleophoridae) Synonym(s): *deviella* Zeller,1847; *leucophaeella* Caradja,1920; *suaedivora* Meyrick,1928 _ Range (in code): **TN ES FR Sa Si IT GB BE NL DE BG GR DK RU RO**
- 31192. *Coleophora dianthi* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *dianthi* Herrich-Schäffer,1855; *dianthella* Herrich-Schäffer,1861; *amseli* Toll,1942 _ Range (in code): **FR Sa Si IT CH? AT PL CZ SK HU RO YU BG GR TR IR Ab Oru Th Elb Plr Gl Cc AM Eri Geg IQ Hjo Ry SE FI EE LV LT RU**
- 31193. *Coleophora dianthivora* Walsingham,1901** (Coleophoridae) Synonym(s): *dianthivora* Walsingham,1901; *eudoriella* Toll,1952 _ Range (in code): **ES FR IT**
- 31194. *Coleophora didymella* Chrétien,1899** (Coleophoridae) Synonym(s): *didymella* Chrétien,1899 _ Range (in code): **FR IT TR**
- 31195. *Coleophora diffusa* Meyrick,1913** (Coleophoridae) Synonym(s): *diffusa* Meyrick,1913 Range (in code): **ZA Tva Mpu Tst**
- 31196. *Coleophora dignella* Toll,1961** (Coleophoridae) Synonym(s): *dignella* Toll,1961 Original Reference: *Coleophora dignella* Toll,1961, *Bull. Soc. ent. Mulhouse* 1961: 71. Range (in code): **ES FR IT AT YU GR TR RO**
- 31197. *Coleophora dilabens* (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *dilabens* Falkovitsh,1982 _ Range (in code): **AF Kab Bm UZ TM RU**
- 31198. *Coleophora diluta* Baldizzone & Wolf,1999** (Coleophoridae) Synonym(s): *diluta* Baldizzone & Wolf,1999 _ Range (in code): **ES**
- 31199. *Coleophora diogenes* Falkovitsh,1970** (Coleophoridae) Synonym(s): *diogenes* Falkovitsh,1970 _ Range (in code): **RU Ur**

- 31200. *Coleophora directella* Zeller,1849** (Coleophoridae) Synonym(s): *directella* Zeller,1849
Range (in code): **FR IT DE CH AT PL CZ SK HU YU RO DK NO SE FI EE LV LT KG UK**
- 31201. *Coleophora discomaculella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *discomaculella* Toll & Amsel,1967
Range (in code): **IR Hz B-A Fa Dlk AF TM**
- 31202. *Coleophora discordella* Zeller,1849** (Coleophoridae) Synonym(s): *discordella* Zeller,1849; *dorycniella* Hartig,1939
Range (in code): **MA PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU GR TR DK NO SE FI EE LV RU MD UA BY**
- 31203. *Coleophora dissecta* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *dissecta* Falkovitsh,1989
Range (in code): **RU**
- 31204. *Coleophora dissona* Baldizzone,1998** (Coleophoridae) Synonym(s): *dissona* Baldizzone,1998
Range (in code): **ES**
- 31205. *Coleophora ditella* Zeller,1849** (Coleophoridae) Synonym(s): *ditella* Zeller,1849; *tanaceti* Roesler,1866 nec Mühl.,1865; *roesleri* Wocke,[1876]; *anatolica* Toll,1952.
Range (in code): **ES FR IT NL DE CH AT PL CZ SK HU RO YU Cc AM Geg Eri TR IR Elb Th Kh Es Mz Clu Ab Oru Gor BG RU MN**
Bionomy: Larva on Artemisia (Caradja,1920).
- 31206. *Coleophora dracontea* Baldizzone,1994** (Coleophoridae) Synonym(s): *dracontea* Baldizzone,1994
Range (in code): **AF Kab IR Qm**
- 31207. *Coleophora drangiana* Baldizzone,1994** (Coleophoridae) Synonym(s): *drangiana* Baldizzone,1994
Range (in code): **AF**
- 31208. *Coleophora drymidis* Mann,1857** (Coleophoridae) Synonym(s): *drymidis* Mann,1857
Range (in code): **HV GR**
- 31209. *Coleophora dubiella* Baker,1888** (Coleophoridae) Synonym(s): *dubiella* Baker,1888; *reisseri* Rebel,1926; *eucera* Toll,1952; *microeucera* Toll,1960; *leucostrigella* Toll,1960
Original Reference: *Coleophora dubiella* Baker,1888, Entomologist's mon. Mag. 24: 256-257. Syntypes 3 ex: Algeria, Lambessa.
Range (in code): **DZ Lbs ES FR TR Cc JO IQ Rba IR Ab Mak Qm Fa AF RU**
- 31210. *Coleophora dylineella* Amsel,1935** (Coleophoridae) Synonym(s): *dylineella* Amsel,1935
Range (in code): **IL**
- 31211. *Coleophora echinacea* Falkovitsh,1972** (Coleophoridae) Synonym(s): *echinacea* Falkovitsh,1972
Range (in code): **TR MN**
- 31212. *Coleophora echinella* Staudinger,1879** (Coleophoridae) Synonym(s): *echinella* Staudinger,1879
Original Reference: *Coleophora echinella* Staudinger,1879, Horae Soc. ent. ross. 15: 364-365. Syntypes: [Türkei]: Amasia (Caraman).
Range (in code): **TR**
Bionomy: Larva on *Astragalus echinus* (Staudinger,1880).
- 31213. *Coleophora echinopsilonella* Chrétien,1915** (Coleophoridae) Synonym(s): *echinopsilonella* Chrétien,1915; *icarella* Toll,1957
Range (in code): **MA DZ TN Gf LY**
- 31214. *Coleophora efflua* Meyrick,1911** (Coleophoridae) Synonym(s): *efflua* Meyrick,1911
Original Reference: *Coleophora efflua* Meyrick,1911, Ann. Transv. Mus. 3(1): 78. Type ♂: [South Africa]: Woodbush Village (Swierstra) (coll. Meyrick).
Range (in code): **ZA Tva Wo**
- 31215. *Coleophora eichleri* Patzak,1977** (Coleophoridae) Synonym(s): *eichleri* Patzak,1977
Range (in code): **RU**
- 31216. *Coleophora eilatica* Baldizzone,1994** (Coleophoridae) Synonym(s): *eilatica* Baldizzone,1994
Original Reference: *Coleophora eilatica* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 22-23, fig.4. Holotype ♂: Israel, Eilat (MSNH).
Range (in code): **MA IR Es IL Pa AE**
- 31217. *Coleophora elamita* Baldizzone,1994** (Coleophoridae) Synonym(s): *elamita* Baldizzone,1994
Original Reference: *Coleophora elamita* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 38-40, fig.16. Holotype ♂: S-Iran, 160km N. Shiraz 1900m, Didegan (LNK).
Range (in code): **IR Fa Shr**
- 31218. *Coleophora elbursella* Baldizzone,1994** (Coleophoridae) Synonym(s): *elbursella* Baldizzone,1994
Original Reference: *Coleophora elbursella* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 30-31, fig.10. Holotype ♂: N-Iran, Shemshak 70km n Teheran 1700m (LNK).
Range (in code): **IR Elb Th**
- 31219. *Coleophora emberizella* Baldizzone,1984** (Coleophoridae) Synonym(s): *emberizella* Baldizzone,1984
Range (in code): **SA**
- 31220. *Coleophora epijudaica* Amsel,1935** (Coleophoridae) Synonym(s): *epijudaica* Amsel,1935; *pseudojudaica* Amsel,1935; *cretensis* Baldizzone,1983.
Range (in code): **ES Cr IL**

- 31221. Coleophora eremodes Meyrick,1912** (Coleophoridae) Synonym(s): *eremodes* Meyrick,1912 _ Range (in code): ZA
- 31222. Coleophora eremosparti (Falkovitsh,1974)** (Coleophoridae) Synonym(s): *eremosparti* Falkovitsh,1974 _ Range (in code): RU
- 31223. Coleophora erratella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *erratella* Toll & Amsel,1967 _ Range (in code): TM IR Kh Msh AF RU
- 31224. Coleophora etrusca Baldizzone,1990** (Coleophoridae) Synonym(s): *etrusca* Baldizzone,1990 _ Original Reference: Coleophora etrusca Baldizzone,1990, Nota lepid. 13 (4): 198. Holotype ♂: Italia, Lazio. Range (in code): IT TR
- 31225. Coleophora eucoleos Falkovitsh,1973** (Coleophoridae) Synonym(s): *eucoleos* Falkovitsh,1973 _ Range (in code): AF Ca TM UZ
- 31226. Coleophora eumorphella Baldizzone,1994** (Coleophoridae) Synonym(s): *eumorphella* Baldizzone,1994 _ Range (in code): IR Fa Ke Hz B-A
- 31227. Coleophora eupreta Walsingham,1907** (Coleophoridae) Synonym(s): *eupreta* Walsingham,1907; *nageli* Rebel,1910; *circumdatella* Turati,1934; *argentariella* Klimesch,1952; *africana* Toll,1957; *gozmanyi* Toll,1960; *betica* Glaser,1981 _ Range (in code): DZ Bsk TN Gf LY PT ES FR IT AT YU TR IR Fa Hz B-A Bionomy: Larva on Helianthemum sessiliflorum [Cistaceae] (Chrétien,1917).
- 31228. Coleophora eurasiatica Baldizzone,1989** (Coleophoridae) Synonym(s): *eurasiatica* Baldizzone,1989 _ Range (in code): HU RU
- 31229. Coleophora exalbida Baldizzone,1994** (Coleophoridae) Synonym(s): *exalbida* Baldizzone,1994 _ Original Reference: Coleophora exalbida Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 48-49, fig.20. Holotype ♂: O-Afghanistan, Sarobi (LNK). Range (in code): AF Bm Srb
- 31230. Coleophora expressella Klemensiewicz,1883** (Coleophoridae) Synonym(s): *expressella* Klemensiewicz,1883 _ Range (in code): IT DE PL CZ SK BG NO SE FI LV RU MD UA BY
- 31231. Coleophora exul (Falkovitsh,1992)** (Coleophoridae) Synonym(s): *exul* Falkovitsh,1992 _ Range (in code): RU Sb Ur
- 31232. Coleophora falcigerella Christoph,1872** (Coleophoridae) Synonym(s): *falcigerella* Christoph,1872 _ Range (in code): RU
- 31233. Coleophora felixella Baldizzone,1994** (Coleophoridae) Synonym(s): *felixella* Baldizzone,1994 _ Range (in code): AM Di Cc RU Kc Teb
- 31234. Coleophora femorella Walsingham,1898** (Coleophoridae) Synonym(s): *femorella* Walsingham,1898 _ Range (in code): Co
- 31235. Coleophora feoleuca Baldizzone,1989** (Coleophoridae) Synonym(s): *feoleuca* Baldizzone,1989 _ Range (in code): ES
- 31236. Coleophora feomicrella Baldizzone,1988** (Coleophoridae) Synonym(s): *feomicrella* Baldizzone,1988 _ Range (in code): DZ Bsk
- 31237. Coleophora ferruginea Baldizzone,1994** (Coleophoridae) Synonym(s): *ferruginea* Baldizzone,1994 _ Original Reference: Coleophora ferruginea Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 97-99, fig.38. Holotype ♂: [Turkey]: "Asia min., 10km NW Gümüşhane 1000m." (NHMW). Range (in code): TR Cc AM Geg Eri IR Km Elb Th Kdj Ab Oru
- 31238. Coleophora festivella Toll,1952** (Coleophoridae) Synonym(s): *festivella* Toll,1952 _ Range (in code): DZ ES
- 31239. Coleophora filaginella Fuchs,1881** (Coleophoridae) Synonym(s): *filaginella* Fuchs,1881; *graurii* Nemes,2004 _ Range (in code): DE GR RO TR
- 31240. Coleophora fiorii Toll,1953** (Coleophoridae) Synonym(s): *fiorii* Toll,1953 _ Original Reference: Coleophora fiorii Toll,1953, Mem. Soc. ent. ital. 32: 104. Range (in code): ES IT TR
- 31241. Coleophora flammea Baldizzone,1994** (Coleophoridae) Synonym(s): *flammea* Baldizzone,1994 _ Range (in code): IR Elb Th AF Kab
- 31242. Coleophora flaviella Mann,1857** (Coleophoridae) Synonym(s): *flaviella* Mann,1857 _ Original Reference: Coleophora flaviella Mann,1857, Wiener ent. Monatschr. 1: 182. Range (in code): LY PT ES FR Si IT DE AT CZ SK HU YU GR RO TR IR Elb Th
- 31243. Coleophora flavilineella Toll,1952** (Coleophoridae) Synonym(s): *flavilineella* Toll,1952 _ Range (in code): TR
- 31244. Coleophora flavipennella (Duponchel,1843)** (Coleophoridae) Synonym(s): *flavipennella* Duponchel,1843 _ Original Reference: Ornix flavipennella Duponchel,1843, Hist. nat.

- Lepid. Fr. Suppl. 4: 338. Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on ? *Parietaria* (Mann,1862); *Quercus* (Patzak,1974).
- 31245. *Coleophora follicularis* (Vallot,1802)** (Coleophoridae) Synonym(s): *follicularis* Vallot,1802; *troglodytella* Duponchel,1843. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV RU MD UA BY**
- 31246. *Coleophora frankii* Schmidt,1887** (Coleophoridae) Synonym(s): *frankii* Schmidt,1887 Range (in code): **IT DE AT CZ SK HU YU**
- 31247. *Coleophora franzi* Klimesch,1947** (Coleophoridae) Synonym(s): *franzi* Klimesch,1947 Range (in code): **FR IT? CH AT**
- 31248. *Coleophora fretella* Zeller,1847** (Coleophoridae) Synonym(s): *fretella* Zeller,1847; *gilveolella* Toll,1953. Original Reference: *Coleophora fretella* Zeller,1847, *Isis* Oken 1847: 887. Range (in code): **DZ TN ES Si AT IT GR TR**
- 31249. *Coleophora fringillella* Zeller,1839** (Coleophoridae) Synonym(s): *fringillella* Zeller,1839 Range (in code): **FR IT AT HU RO TR**
- 31250. *Coleophora frischella* (Linnaeus,1758)** (Coleophoridae) Synonym(s): *frischella* Linnaeus,1758; *dannehli* Toll,1952; *auronitella* Toll,1962 Original Reference: *Phalaena Tinea frischella* Linnaeus,1758, *Syst. Nat.* 10 (1): 541. Type(s): "Habitat in Europa". Range (in code): **MA ES FR IT IE GB BE LU DE CH AT CZ SK HU GR TR IL AF Slg DK NO SE FI EE LV LT RU RO KG UK**
- 31251. *Coleophora fulgidella* Toll & Amsel,1967** (Coleophoridae) Synonym(s): *fulgidella* Toll & Amsel,1967 Range (in code): **AE IR Hz B-A Ss Zhd AF**
- 31252. *Coleophora fuliginosa* Baldizzone,1998** (Coleophoridae) Synonym(s): *fuliginosa* Baldizzone,1998 Range (in code): **ES**
- 31253. *Coleophora fulvociliella* Chrétien,1915** (Coleophoridae) Synonym(s): *fulvociliella* Chrétien,1915; *argentulella* Turati,1924 Range (in code): **DZ Bsk LY**
- 31254. *Coleophora fuscicornis* Zeller,1847** (Coleophoridae) Synonym(s): *fuscicornis* Zeller,1847 Original Reference: *Coleophora fuscicornis* Zeller,1847, *Isis* 1847: 37. Type ♂: [Türkei]: Caracasu [Karacasu]. Range (in code): **MA LY PT ES FR IT Sa Si GB HU YU GR Cr TR LB SY IL Pa IR**
- 31255. *Coleophora fuscinnervella* Toll,1956** (Coleophoridae) Synonym(s): *fuscinnervella* Toll,1956 Range (in code): **TN IR**
- 31256. *Coleophora fuscoaenea* Toll,1952** (Coleophoridae) Synonym(s): *fuscoaenea* Toll,1952 Range (in code): **MA TN EG IL Pa**
- 31257. *Coleophora fuscociliella* Zeller,1849** (Coleophoridae) Synonym(s): *fuscociliella* Zeller,1849; *bucovinae* Nemeş,2004 Range (in code): **Si IT DE AT PL CZ SK HU YU TR RU RO**
- 31258. *Coleophora fuscocuprella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *fuscocuprella* Herrich-Schäffer,1855 Original Reference: *Coleophora fuscocuprella* Herrich-Schäffer,1855, *Syst. Bearb. Schmett. Eur.* 5: 230. Range (in code): **FR IT IE GB NL DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT** Bionomy: Larva on *Alnus*, *Betula*, *Carpinus*, *Corylus* (Patzak,1974).
- 31259. *Coleophora fuscolineata* Walsingham,1898** (Coleophoridae) Synonym(s): *fuscolineata* Walsingham,1898 Range (in code): **Co**
- 31260. *Coleophora fuscopictella* Toll,1957** (Coleophoridae) Synonym(s): *fuscopictella* Toll,1957 Range (in code): **DZ TN**
- 31261. *Coleophora gabralensis* Baldizzone,1994** (Coleophoridae) Synonym(s): *gabralensis* Baldizzone,1994 Range (in code): **PK Swa Klm**
- 31262. *Coleophora galatellae* Hering,1942** (Coleophoridae) Synonym(s): *galatellae* Hering,1942; *opacella* Toll,1952 Range (in code): **FR IT DE CZ SK HU**
- 31263. *Coleophora galbulipennella* Zeller,1838** (Coleophoridae) Synonym(s): *galbulipennella* Zeller,1838; *otitae* Zeller,1839. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR Cc AM Geg Eri IR Ab Oru SE EE LV LT RU MD UA BY**
- 31264. *Coleophora galligena* Falkovitsh,1970** (Coleophoridae) Synonym(s): *galligena* Falkovitsh,1970 Range (in code): **PK Qu JO TM UZ**
- 31265. *Coleophora gallipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *gallipennella* Hübner,1796 Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO TR DK NO SE EE LV LT RU MD UA BY**
- 31266. *Coleophora gallurella* Amsel,1952** (Coleophoridae) Synonym(s): *gallurella* Amsel,1952 Original Reference: *Coleophora gallurella* Amsel,1952, *Fragm. Ent.* 1 (1): 131, fig.37. Lectotype ♂: Sardaigne: Tempio Pausania (LNK). Range (in code): **Sa**

- 31267. *Coleophora ganglionella* Baldizzone,1994** (Coleophoridae) Synonym(s): *ganglionella* Baldizzone,1994 Original Reference: *Coleophora ganglionella* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 27-29, fig.8. Holotype ♂: S-Iran, Miyan Kotal 1900m östl. Kazerun (LNK). Range (in code): IR Elb Th Hz B-A Fa Kd Bne
- 31268. *Coleophora gardesanella* Toll,1953** (Coleophoridae) Synonym(s): *maritimella* Machin,1884 nec Newm.,1873; *gardesanella* Toll,1953; *machinella* Bradley,1971 Range (in code): IT Si AT GB BE YU BG? Cc AM Geg Eri FI LV RU
- 31269. *Coleophora gaviaepennella* Toll,1952** (Coleophoridae) Synonym(s): *gaviaepennella* Toll,1952 Range (in code): ES FR IT SK TR Cc AM Geg Eri RU
- 31270. *Coleophora gazella* Toll,1952** (Coleophoridae) Synonym(s): *gazella* Toll,1952 Range (in code): TR IQ Rba IR Kd Elb Th Kh Msh AF Kab TM
- 31271. *Coleophora gedrosiae* Baldizzone,1994** (Coleophoridae) Synonym(s): *gedrosiae* Baldizzone,1994 Range (in code): IR Hz B-A PK Sd Krc
- 31272. *Coleophora geghardella* Baldizzone,1994** (Coleophoridae) Synonym(s): *geghardella* Baldizzone,1994 Range (in code): Cc AM Geg Eri
- 31273. *Coleophora genistae* Stainton,1857** (Coleophoridae) Synonym(s): *genistae* Stainton,1857 Range (in code): PT ES FR Sa IT GB BE NL AT CZ SK HU RO MK GR TR DK SE Bionomy: Larva on Genista (Fabaceae) (Stainton,1857).
- 31274. *Coleophora ghorella* Amsel,1955** (Coleophoridae) Synonym(s): *ghorella* Amsel,1955 Range (in code): IL
- 31275. *Coleophora gibberosa* Baldizzone,2003** (Coleophoridae) Synonym(s): *gibberosa* Baldizzone,2003 Range (in code): DZ
- 31276. *Coleophora gielisi* Baldizzone,1985** (Coleophoridae) Synonym(s): *gielisi* Baldizzone,1985 Range (in code): MA ES
- 31277. *Coleophora glareolella* Baldizzone,1989** (Coleophoridae) Synonym(s): *glareolella* Baldizzone,1989 Original Reference: *Coleophora glareolella* Baldizzone,1989, Nota lepid. 12 (2): 118. Holotype ♂: Afghanistan, 30km NW Kabul, 2100m (LNK). Range (in code): AF Pag
- 31278. *Coleophora glaseri* Toll,1961** (Coleophoridae) Synonym(s): *glaseri* Toll,1961 Range (in code): AT CZ SK HU BG
- 31279. *Coleophora glaucicolella* Wood,1892** (Coleophoridae) Synonym(s): *glaucicolella* Wood,1892 Range (in code): PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU YU AL BG GR? RO IR Mz TR DK NO FI EE LV LT RU MD UA BY
- 31280. *Coleophora glitzella* Hofmann,1869** (Coleophoridae) Synonym(s): *glitzella* Hofmann,1869 Range (in code): GB BE NL DE CH IT AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY CA Yuk
- 31281. *Coleophora gnaphalii* Zeller,1839** (Coleophoridae) Synonym(s): *gnaphalii* Zeller,1839 Range (in code): FR DE PL CZ SK HU DK SE EE LV LT RO RU MD UA BY
- 31282. *Coleophora goluensis* Baldizzone,1994** (Coleophoridae) Synonym(s): *goluenis* Baldizzone,1994 Range (in code): TR
- 31283. *Coleophora gracilella* Toll,1952** (Coleophoridae) Synonym(s): *gracilella* Toll,1952 Original Reference: *Coleophora gracilella* Toll,1952, Bull. Soc. ent. Mulhouse 1952: 22. Type: Algérie, Biskra. Range (in code): DZ Bsk TN Gab
- 31284. *Coleophora graeca* Baldizzone,1990** (Coleophoridae) Synonym(s): *graeca* Baldizzone,1990 Range (in code): GR
- 31285. *Coleophora graminicolella* Heinemann,1876** (Coleophoridae) Synonym(s): *graminicolella* Heinemann,1876 Range (in code): IT NL CH C-Z SK YU BG GR? RO DK PL NO SE FI EE LV LT RU MD UA BY
- 31286. *Coleophora granulatella* Zeller,1849** (Coleophoridae) Synonym(s): *granulatella* Zeller,1849 Range (in code): ES FR IT BE NL DE AT PL CZ HU GR DK NO SE FI EE LV LT RU MD UA BY RO CN CA Abt On BCo US Col Arz Wy
- 31287. *Coleophora granulosella* Staudinger,1880** (Coleophoridae) Synonym(s): *granulosella* Staudinger,1880 Original Reference: *Coleophora granulosella* Staudinger,1880, Horae Soc. ent. ross. 15: 379. Syntypes 4♂♂: [Türkei]: Amasia. Range (in code): CY LB Bsa TR
- 31288. *Coleophora gredosella* Baldizzone,1985** (Coleophoridae) Synonym(s): *gredosella* Baldizzone,1985 Range (in code): ES
- 31289. *Coleophora griseicornella* Toll,1959** (Coleophoridae) Synonym(s): *griseicornella* Toll,1959 Range (in code): IR Shr Fa

- 31290. *Coleophora griseomixta* Toll,1960** (Coleophoridae) Synonym(s): *griseomixta* Toll,1960
Range (in code): **ES**
- 31291. *Coleophora gryphipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *gryphipennella* Hübner,1796; *obscura* Haworth,1828; *mariniella* Hodgkinson,1881; *scolopiphora* Hering,1926.
Original Reference: Tinea gryphipennella Hübner,1796, Samml. eur. Schmett.: Taf.30, fig.206
Type(s): Europa. Range (in code): **PT FR IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on Rosa (Patzak,1974).
- 31292. *Coleophora guadicensis* Baldizzone,1989** (Coleophoridae) Synonym(s): *guadicensis* Baldizzone,1989 Range (in code): **ES**
- 31293. *Coleophora gulinovi* Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *gulinovi* Baldizzone & Patzak,1991 Range (in code): **UA**
- 31294. *Coleophora gurunensis* Baldizzone,1994** (Coleophoridae) Synonym(s): *gurunensis* Baldizzone,1994 Range (in code): **TR**
- 31295. *Coleophora gymnocarpella* Walsingham,1907** (Coleophoridae) Synonym(s): *gymnocarpella* Walsingham,1907 Range (in code): **MA DZ Bsk Hes TN Gf IR Hz B-A AE** Bionomy: Larva on Gymnocarpon fruticosum (Walsingham,1907).
- 31296. *Coleophora hackmani* (Toll,1953)** (Coleophoridae) Synonym(s): *hackmani* Toll,1953
Range (in code): **DK NO SE FI EE LV RO**
- 31297. *Coleophora hadrocerella* Toll,1952** (Coleophoridae) Synonym(s): *hadrocerella* Toll,1952
Range (in code): **LY TN MA DZ**
- 31298. *Coleophora halmodes* Meyrick,1911** (Coleophoridae) Synonym(s): *halmodes* Meyrick,1911
Range (in code): **ZA Tva Gau Pre**
- 31299. *Coleophora halocnemin* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *halocnemin* Falkovitsh,1994 Range (in code): **RU**
- 31300. *Coleophora halophilella* Zimmermann,1926** (Coleophoridae) Synonym(s): *halophilella* Zimmermann,1926 Range (in code): **FR IT AT PL CZ SK HU YU GR Cr RO RU MD UA BY**
- 31301. *Coleophora haloxylonella* Chrétien,1915** (Coleophoridae) Synonym(s): *haloxylonella* Chrétien,1915 Range (in code): **MA DZ Bsk TN Gf LY**
- 31302. *Coleophora haoma* Baldizzone,1994** (Coleophoridae) Synonym(s): *haoma* Baldizzone,1994 Range (in code): **IR Hz B-A**
- 31303. *Coleophora hartigi* Toll,1944** (Coleophoridae) Synonym(s): *hartigi* Toll,1944 Original Reference: *Coleophora hartigi* Toll,1944, Z. Wien. ent. Ges. 29: 246. Range (in code): **IT DE AT CZ SK YU BG GR TR**
- 31304. *Coleophora helianthemella* Millière,1870** (Coleophoridae) Synonym(s): *helianthemella* Millière,1870 Range (in code): **DZ LY PT ES FR Sa Si IT GR Cr TR CY LY**
- 31305. *Coleophora helichrysiella* Krone,1909** (Coleophoridae) Synonym(s): *helichrysiella* Krone,1909 Range (in code): **PT ES FR IT YU GR Cr RO**
- 31306. *Coleophora helvolella* Baldizzone,1994** (Coleophoridae) Synonym(s): *helvolella* Baldizzone,1994 Range (in code): **IR Fa**
- 31307. *Coleophora hemerobiella* (Scopoli,1763)** (Coleophoridae) Synonym(s): *hemerobiella* Scopoli,1763 Original Reference: *Phalaena hemerobiella* Scopoli,1763, Ent. Carniolica: 252.
Range (in code): **FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc AM Geg Eri LB Bsa IR DK NO SE FI SS EE LT KG Uk**
- 31308. *Coleophora heringi* Toll,1952** (Coleophoridae) Synonym(s): *heringi* Toll,1952 Range (in code): **TR AF Pag Kab Bkt BdA**
- 31309. *Coleophora hermanniella* Walsingham,1898** (Coleophoridae) Synonym(s): *hermanniella* Walsingham,1898; *rugulosa* Toll,1944 Range (in code): **Co**
- 31310. *Coleophora herniariae* Baldizzone,2001** (Coleophoridae) Synonym(s): *herniariae* Baldizzone,2001 Range (in code): **TR** Bionomy: Larva on *Herniaria incana* (Baldizzone,2001).
- 31311. *Coleophora hiberica* Baldizzone,1985** (Coleophoridae) Synonym(s): *hiberica* Baldizzone,1985 Range (in code): **ES**
- 31312. *Coleophora hieratica* Baldizzone,1994** (Coleophoridae) Synonym(s): *hieratica* Baldizzone,1994 Original Reference: *Coleophora hieratica* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 15-16, fig.3. Holotype ♀: Iran, 52km südl. Sirjan (NHMW). Range (in code): **IR Ke**
- 31313. *Coleophora hieronella* Zeller,1849** (Coleophoridae) Synonym(s): *hieronella* Zeller,1849
Original Reference: *Coleophora hieronella* Zeller,1849, Linn. ent. 4: 203. Range (in code): **DZ MA**

- TN PT ES Sa Si IT HU YU GR Cr TR IR Mz Clu LB Ghz SY Dms Bionomy: Larva on Trifolium angustifolium (Fabaceae) (Nel & Varenne,1995).
- 31314. Coleophora hinnula Baldizzone,1995** (Coleophoridae) Synonym(s): *hinnula* Baldizzone,1995 Range (in code): **MA**
- 31315. Coleophora hippodromica Walsingham,1907** (Coleophoridae) Synonym(s): *hippodromica* Walsingham,1907 Range (in code): **DZ Bsk Hes TN LY**
- 31316. Coleophora hololeucella Toll,1952** (Coleophoridae) Synonym(s): *hololeucella* Toll,1952 Range (in code): **DZ TN EG**
- 31317. Coleophora honestella Toll,1952** (Coleophoridae) Synonym(s): *honestella* Toll,1952 Range (in code): **DZ**
- 31318. Coleophora horatioella (Agenjo,1952)** (Coleophoridae) Synonym(s): *horatioella* Agenjo,1952 Range (in code): **ES**
- 31319. Coleophora horridula Baldizzone,2001** (Coleophoridae) Synonym(s): *horridula* Baldizzone,2001 Range (in code): **Cc TR**
- 31320. Coleophora hospitiella Chrétien,1915** (Coleophoridae) Synonym(s): *hospitiella* Chrétien,1915; *eupepla* Gozmany,1954; *fuscostraminella* Toll,1956; *richteri* Toll,1959 Range (in code): **Cn DZ Bsk LY TN Gf SA ES FR HU GR IR Kz Elb Th AF Kab Pag**
- 31321. Coleophora hungariae Gozmany,1955** (Coleophoridae) Synonym(s): *hungariae* Gozmany,1955 Range (in code): **AT SK HU RO BG RU**
- 31322. Coleophora hydrella Baldizzone,1994** (Coleophoridae) Synonym(s): *hydrella* Baldizzone,1994 Range (in code): **PK Sd Krc**
- 31323. Coleophora hydrolapathella Hering,1924** (Coleophoridae) Synonym(s): *hydrolapathella* Hering,1924 Original Reference: *Coleophora hydrolapathella* Hering,1924, Tijdschr. Ent. 64: 179. Range (in code): **GB BE NL DE AT CZ SK HU RO DK NO SE LV** Bionomy: Larva on Rumex hydrolapathum (Hering,1924).
- 31324. Coleophora hypoxantha (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *hypoxantha* Falkovitsh,1982 Range (in code): **RU**
- 31325. Coleophora hyssopi Toll,1961** (Coleophoridae) Synonym(s): *hyssopi* Toll,1961; *melissella* Toll,1961 Range (in code): **ES FR**
- 31326. Coleophora hystricella Toll,1957** (Coleophoridae) Synonym(s): *hystricella* Toll,1957 Range (in code): **DZ TN TR**
- 31327. Coleophora ibipennella Zeller,1849** (Coleophoridae) Synonym(s): *ibipennella* Zeller,1849; *nemorum* Heinemann,1854; *ardeapennella* Scott,1860; *alba* Toll,1952; *peralba* Toll,1953; *quercivorella* Capuşe,1971 Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR DK NO SE EE LV LT RU MD UA BY**
- 31328. Coleophora ichthyura Falkovitch,1976** (Coleophoridae) Synonym(s): *ichthyura* Falkovitch,1976 Range (in code): **TJ** Bionomy: Larva on Atraphaxis pyrifolia (Polygonaceae).
- 31329. Coleophora idaeella Hofmann,1869** (Coleophoridae) Synonym(s): *idaeella* Hofmann,1869 Original Reference: *Coleophora idaeella* Hofmann,1869, Stettin ent. Ztg. 30: 187. Range (in code): **FR GB DE CH AT PL CZ SK DK NO SE FI EE LV LT** Bionomy: Larva on Vaccinium vitis-idaea (Hofmann,1869).
- 31330. Coleophora ignotella Toll,1944** (Coleophoridae) Synonym(s): *ignotella* Toll,1944 Range (in code): **ES**
- 31331. Coleophora iljiniae (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *iljiniae* Falkovitsh,1989 Range (in code): **KG Aa IR Ke**
- 31332. Coleophora illustrata Meyrick,1913** (Coleophoridae) Synonym(s): *illustrata* Meyrick,1913 Range (in code): **ZA Tva Gau Pre**
- 31333. Coleophora impalella Toll,1961** (Coleophoridae) Synonym(s): *impalella* Toll,1961 Range (in code): **RU**
- 31334. Coleophora inclita Baldizzone,1994** (Coleophoridae) Synonym(s): *inclita* Baldizzone,1994 Range (in code): **IR Th**
- 31335. Coleophora inconstans (Reznik,1975)** (Coleophoridae) Synonym(s): *inconstans* Reznik,1975 Range (in code): **RU**
- 31336. Coleophora incultella Toll,1952** (Coleophoridae) Synonym(s): *incultella* Toll,1952 Range (in code): **DZ**
- 31337. Coleophora inequidentella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *inequidentella* Toll & Amsel,1967 Range (in code): **IR Elb Kdj B-A Hz AF Hr**

- 31338. *Coleophora inflatae* Stainton, 1857** (Coleophoridae) Synonym(s): *inflatae* Stainton, 1857
Range (in code): **TR**
- 31339. *Coleophora infolliculella* Chrétien, 1915** (Coleophoridae) Synonym(s): *infolliculella* Chrétien, 1915; *esunaella* Glaser, 1978 Range (in code): **ES DZ Bsk ES Mu TN Gf**
- 31340. *Coleophora inopinata* Baldizzone, 1994** (Coleophoridae) Synonym(s): *inopinata* Baldizzone, 1994 Range (in code): **IR Hz B-A**
- 31341. *Coleophora insulicola* Toll, 1942** (Coleophoridae) Synonym(s): *insulicola* Toll, 1942
Range (in code): **PT ES FR Sa Si IT YU AL**
- 31342. *Coleophora intensa* Meyrick, 1913** (Coleophoridae) Synonym(s): *intensa* Meyrick, 1913
Range (in code): **ZA Tva Mpu Brb Tst**
- 31343. *Coleophora internitens* Baldizzone & Wolf, 1999** (Coleophoridae) Synonym(s): *internitens* Baldizzone & Wolf, 1999 Range (in code): **PT ES TN**
- 31344. *Coleophora inulae* Wocke, 1876** (Coleophoridae) Synonym(s): *inulae* Wocke, 1876
Range (in code): **IT GB BE AT PL SK HU YU RO BG FI EE**
- 31345. *Coleophora inusitatella* Caradja, 1920** (Coleophoridae) Synonym(s): *inusitatella* Caradja, 1920 Original Reference: *Coleophora inusitatella* Caradja, 1920, Dt. ent. Z., Iris 34: 150. Syntypes: [Türkei]: Konia; [Spain]: Cuenca, Sierra Nevada. Range (in code): **PT ES TR**
- 31346. *Coleophora involucrella* Chrétien, 1905** (Coleophoridae) Synonym(s): *involucrella* Chrétien, 1905 Range (in code): **PT ES**
- 31347. *Coleophora iperspinata* Baldizzone & Nel, 2003** (Coleophoridae) Synonym(s): *iperspinata* Baldizzone & Nel, 2003 Range (in code): **FR ES**
- 31348. *Coleophora iranella* Toll, 1959** (Coleophoridae) Synonym(s): *iranella* Toll, 1959 Range (in code): **IR Elb Mz Dam Ab Mak Mrd Ak AF**
- 31349. *Coleophora isomoera* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *isomoera* Falkovitsh, 1972 Range (in code): **MA ES TR UZ MN**
- 31350. *Coleophora ispartae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *ispartae* Baldizzone, 1994 Range (in code): **TR** Bionomy: Larva on *Artemisia* sp. (Baldizzone & Tabell, 1999).
- 31351. *Coleophora ivrizensis* Baldizzone, 1994** (Coleophoridae) Synonym(s): *ivrizensis* Baldizzone, 1994 Range (in code): **TR**
- 31352. *Coleophora jebeli* Baldizzone, 1984** (Coleophoridae) Synonym(s): *jebeli* Baldizzone, 1984
Range (in code): **SA**
- 31353. *Coleophora jerusalemella* Toll, 1942** (Coleophoridae) Synonym(s): *jerusalemella* Toll, 1942 Range (in code): **DZ ES GR Cr LB JO IL Js Pa SA IR Hz B-A Ke CY SY TR AE** Bionomy: Larva on *Inula viscosa* (Asteraceae) (Baldizzone, 1996).
- 31354. *Coleophora judaica* Amsel, 1935** (Coleophoridae) Synonym(s): *judaica* Amsel, 1935
Range (in code): **IL**
- 31355. *Coleophora juncicolella* Stainton, 1851** (Coleophoridae) Synonym(s): *juncicolella* Stainton, 1851 Range (in code): **PT FR IT IE GB BE NL DE CH AT PL CZ SK HU GR DK NO SE FI EE LV**
- 31356. *Coleophora jynxella* Baldizzone, 1987** (Coleophoridae) Synonym(s): *jynxella* Baldizzone, 1987 Range (in code): **ES FR**
- 31357. *Coleophora kabulensis* Baldizzone, 1994** (Coleophoridae) Synonym(s): *kabulensis* Baldizzone, 1994 Original Reference: *Coleophora kabulensis* Baldizzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 29-30, fig.9. Holotype ♂: Afghanistan, 10km NW Kabul 1900m (NHMW). Range (in code): **AF Kab PK Qu**
- 31358. *Coleophora kahaourella* Toll, 1956** (Coleophoridae) Synonym(s): *kahaourella* Toll, 1956
Range (in code): **ES**
- 31359. *Coleophora kandymella* Falkovitsh, 1988** (Coleophoridae) Synonym(s): *kandymella* Falkovitsh, 1988 Range (in code): **TM IR Ss Zhd Hz B-A**
- 31360. *Coleophora kantarica* Baldizzone, 2003** (Coleophoridae) Synonym(s): *kantarica* Baldizzone, 2003 Range (in code): **DZ**
- 31361. *Coleophora karakurti* Baldizzone, 1994** (Coleophoridae) Synonym(s): *karakurti* Baldizzone, 1994 Range (in code): **TR**
- 31362. *Coleophora kargani* (Falkovitsh, 1989)** (Coleophoridae) Synonym(s): *kargani* Falkovitsh, 1989 Range (in code): **RU**

- 31363. *Coleophora karsholti* Baldizzzone, 1987** (Coleophoridae) Synonym(s): *karsholti* Baldizzzone, 1987 _ Range (in code): LY
- 31364. *Coleophora kashkaella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *kashkaella* Toll & Amsel, 1967 _ Range (in code): AF Kab TM
- 31365. *Coleophora kasyi* Toll, 1961** (Coleophoridae) Synonym(s): *kasyi* Toll, 1961 Original Reference: *Coleophora kasyi* Toll, 1961, Sber. bayer. Akad. Wiss. Mat.Nat. 170 (7/10): 280. Range (in code): HU MK FR TR
- 31366. *Coleophora katunella* (Falkovitsh, 1991)** (Coleophoridae) Synonym(s): *katunella* Falkovitsh, 1991 _ Range (in code): RU
- 31367. *Coleophora kautzi* Rebel, 1933** (Coleophoridae) Synonym(s): *kautzi* Rebel, 1933 _ Range (in code): ES FR Co Sa MK GR TR IR RU RO
- 31368. *Coleophora kitella* Baldizzzone, 1994** (Coleophoridae) Synonym(s): *kitella* Baldizzzone, 1994 Original Reference: *Coleophora kitella* Baldizzzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 35-36, fig.13. Holotype ♀: S-Iran, 40km nördl. Bandar-Abbas (NHMW). Range (in code): IR Hz B-A
- 31369. *Coleophora klimeschiella* Toll, 1952** (Coleophoridae) Synonym(s): *klimeschiella* Toll, 1952 Range (in code): HU RO GR RU TR IR Mz Kdj Elb PK TM US Tx NMx Cf Ut
- 31370. *Coleophora kolymella* (Falkovitsh, 1992)** (Coleophoridae) Synonym(s): *kolymella* Falkovitsh, 1992 _ Range (in code): RU Sb Ur
- 31371. *Coleophora korbi* Baldizzzone, 1998** (Coleophoridae) Synonym(s): *korbi* Baldizzzone, 1998 Range (in code): ES
- 31372. *Coleophora kotalensis* Baldizzzone, 1994** (Coleophoridae) Synonym(s): *kotalensis* Baldizzzone, 1994 _ Range (in code): IR Fa
- 31373. *Coleophora kroneella* Fuchs, 1899** (Coleophoridae) Synonym(s): *kroneella* Fuchs, 1899 Original Reference: *Coleophora kroneella* Fuchs, 1899, Stettin ent. Ztg. 60: 183-184. Type: Austria, Wien, leg. Krone. Range (in code): IT AT CZ HU RO BG GR TR Cc AM Geg IR Kd Snj
- 31374. *Coleophora kruegeri* Baldizzzone & Wolf, 2004** (Coleophoridae) Synonym(s): *kruegeri* Baldizzzone & Wolf, 2004 _ Range (in code): NA Dmr Bnd
- 31375. *Coleophora kuehnella* (Goeze, 1783)** (Coleophoridae) Synonym(s): *kuehnella* Goeze, 1783; *palliatella* Zincken, 1813 Original Reference: *Phalaena kühnella* Goeze, 1783, Ent. Beytr. 3 (4): 168. Range (in code): PT ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Bionomy: Larva on *Quercus* (Fagaceae) (Schütze, 1931) On leaf of *Quercus* sp. in Van Pr. (Kemal, pers. obs.).
- 31376. *Coleophora kyffhusana* Petry, 1898** (Coleophoridae) Synonym(s): *kyffhusana* Petry, 1898 Range (in code): DE PL SE LV
- 31377. *Coleophora lacera* (Falkovitsh, 1993)** (Coleophoridae) Synonym(s): *lacera* Falkovitsh, 1993 _ Range (in code): RU
- 31378. *Coleophora laconiae* Baldizzzone, 1983** (Coleophoridae) Synonym(s): *laconiae* Baldizzzone, 1983 _ Range (in code): GR
- 31379. *Coleophora laevipennis* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *laevipennis* Toll & Amsel, 1967 Original Reference: *Coleophora laevipennis* Toll & Amsel, 1967, Beitr. naturk. Forsch. SüdwDtl. 26 (3): 12. Range (in code): AF Kab TM
- 31380. *Coleophora lagopella* Baldizzzone, 2001** (Coleophoridae) Synonym(s): *lagopella* Baldizzzone, 2001 _ Range (in code): TR
- 31381. *Coleophora laricella* (Hübner, [1817])** (Coleophoridae) Synonym(s): *laricella* Hübner, [1817] _ Range (in code): FR IE GB BE NL DE CH AT PL CZ SK HU YU DK NO SE FI EE LV LT RU MD UA BY RO
- 31382. *Coleophora lasiocharis* Meyrick, 1931** (Coleophoridae) Synonym(s): *lasiocharis* Meyrick, 1931; *shirazella* Toll, 1959. Original Reference: *Coleophora lasiocharis* Meyrick, 1931, Exot. Microlepid. 4: 180. Range (in code): IR Fa Ss Kh TM UZ
- 31383. *Coleophora lasloella* Baldizzzone, 1982** (Coleophoridae) Synonym(s): *lasloella* Baldizzzone, 1982 _ Range (in code): DZ Bsk TN SA SA63 IR Hz B-A AE
- 31384. *Coleophora lassella* Staudinger, 1859** (Coleophoridae) Synonym(s): *lassella* Staudinger, 1859; *teidensis* Walsingham, 1908; *gotlandica* Benander, 1939; *telavivella* Toll, 1942 _ Range (in code): Cn MA PT ES FR Co Sa Si IT IE GB BE NL DE PL GR TR CY IL DK NO SE FI LV RU MD UA BY RO
- 31385. *Coleophora laticostella* Mann, 1859** (Coleophoridae) Synonym(s): *laticostella* Mann, 1859 Range (in code): TR

- 31386. *Coleophora lebedella* (Falkovitsh,1982)** (Coleophoridae) Synonym(s): *lebedella* Falkovitsh,1982 _ Range (in code): **DZ ES GR Cr UZ TR IR Hz B-A RU Ur PK**
- 31387. *Coleophora ledi* Stainton,1860** (Coleophoridae) Synonym(s): *ledi* Stainton,1860
Range (in code): **FR DE AT PL CZ SK SE FI EE LV LT RU MD UA BY**
- 31388. *Coleophora lenae* Glaser,1969** (Coleophoridae) Synonym(s): *lenae* Glaser,1969 _ Range (in code): **YU**
- 31389. *Coleophora leonensis* Baldizzone & Wolf,2000** (Coleophoridae) Synonym(s): *leonensis* Baldizzone & Wolf,2000 _ Range (in code): **ES**
- 31390. *Coleophora lessinica* Baldizzone,1980** (Coleophoridae) Synonym(s): *lessinica* Baldizzone,1980 _ Range (in code): **FR IT YU**
- 31391. *Coleophora leucaula* Meyrick,1911** (Coleophoridae) Synonym(s): *leucaula* Meyrick,1911
Original Reference: *Coleophora leucaula* Meyrick,1911, Ann. Transv. Mus. 3(1): 78. Type ♂: [South Africa]: Woodbush Village (Swierstra) (TMP). Range (in code): **ZA Tva Wo**
- 31392. *Coleophora leucochaes* Meyrick,1922** (Coleophoridae) Synonym(s): *leucochaes* Meyrick,1922 _ Range (in code): **IN**
- 31393. *Coleophora leucostoma* Gerasimov,1930** (Coleophoridae) Synonym(s): *leucostoma* Gerasimov,1930
Original Reference: *Coleophora leucostoma* Gerasimov,1930, Ann. Mus. Zool. Acad. Leningr. 31: 39. Range (in code): **TM AF UZ**
- 31394. *Coleophora lewandowskii* (Toll,1953)** (Coleophoridae) Synonym(s): *lewandowskii* Toll,1953 _ Range (in code): **PL LT**
- 31395. *Coleophora libanella* Baldizzone,1994** (Coleophoridae) Synonym(s): *libanella* Baldizzone,1994 _ Range (in code): **LB Bsa**
- 31396. *Coleophora limacella* Baldizzone,1994** (Coleophoridae) Synonym(s): *limacella* Baldizzone,1994 _ Range (in code): **AF Kab**
- 31397. *Coleophora limosipennella* (Duponchel,1843)** (Coleophoridae) Synonym(s): *limosipennella* Duponchel,1843
Original Reference: *Ornix limosipennella* Duponchel,1843, Hist. nat. Lepid. Fr. Suppl. 4: 296. Range (in code): **FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL GR TR Cc AM Di DK NO SE FI EE LV LT** Bionomy: Larva on *Ulmus* (Patzak,1974).
- 31398. *Coleophora lineariella* Zeller,1849** (Coleophoridae) Synonym(s): *lineariella* Zeller,1849
Range (in code): **TR**
- 31399. *Coleophora lineata* Toll,1960** (Coleophoridae) Synonym(s): *lineata* Toll,1960 _ Range (in code): **ES FR**
- 31400. *Coleophora lineolea* (Haworth,1828)** (Coleophoridae) Synonym(s): *lineolea* Haworth,1828; *crocogrammos* Zeller,1849; *stachydella* Zeller,1849; *balloticolella* Bruand,1850; *lineolella* Doubleday,1859; *crocogrammella* Bruand,1859 _ Range (in code): **ES FR Si IT GB BE NL DE CH AT PL CZ SK HU YU GR DK SE LV LT RU MD UA BY RO KG Uk**
- 31401. *Coleophora linosyridella* Fuchs,1880** (Coleophoridae) Synonym(s): *linosyridella* Fuchs,1880 _ Range (in code): **FR IT GB DE CH CZ SK HU YU**
- 31402. *Coleophora linosyris* Hering,1937** (Coleophoridae) Synonym(s): *linosyris* Hering,1937
Range (in code): **DZ FR IT AT CZ HU RO RU Ur**
- 31403. *Coleophora liriophorella* Baldizzone,1982** (Coleophoridae) Synonym(s): *#linifoliella* Toll,1962; *liriophorella* Baldizzone,1982 _ Range (in code): **MA**
- 31404. *Coleophora lithargyrinella* Zeller,1849** (Coleophoridae) Synonym(s): *lithargyrinella* Zeller,1849; *olivaceella* Stainton,1854; *fuscantella* Toll,1952 _ Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI LV LT RU MD UA BY**
- 31405. *Coleophora lixella* Zeller,1849** (Coleophoridae) Synonym(s): *lixella* Zeller,1849
Original Reference: *Coleophora lixella* Zeller,1849, Linn. ent. 4: 231. Lectotype ♂, designated by Baldizzone (1994: 141) (BMNH). Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR Cc AM Geg Eri DK SE FI EE LV LT RU MD UA BY**
- 31406. *Coleophora lonchodes* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *lonchodes* Falkovitsh,1994 _ Range (in code): **RU**
- 31407. *Coleophora longicornella* Constant,1893** (Coleophoridae) Synonym(s): *longicornella* Constant,1893 _ Range (in code): **FR IT AT HU GR**
- 31408. *Coleophora longiductella* Baldizzone,1989** (Coleophoridae) Synonym(s): *longiductella* Baldizzone,1989 _ Range (in code): **IR Hz B-A PK Sd Krc**
- 31409. *Coleophora lucienella* Nel,1992** (Coleophoridae) Synonym(s): *lucienella* Nel,1992
Range (in code): **FR**

- 31410. *Coleophora lunensis* Falkovitsh,1975** (Coleophoridae) **Synonym(s):** *lunensis* Falkovitsh,1975 **Range (in code):** **RU**
- 31411. *Coleophora lusciniapennella* (Treitschke,1833)** (Coleophoridae) **Synonym(s):** *lusciniapennella* Treitschke,1833; *viminetella* Zeller,1849. **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK RO AL TR DK NO SE FI EE LV LT** **Bionomy:** Larva on Salix (Zeller,1849).
- 31412. *Coleophora lusitanica* Baldizzone & Corley,2004** (Coleophoridae) **Synonym(s):** *lusitanica* Baldizzone & Corley,2004 **Range (in code):** **PT**
- 31413. *Coleophora lutatiella* Staudinger,1859** (Coleophoridae) **Synonym(s):** *lutatiella* Staudinger,1859 **Range (in code):** **ES**
- 31414. *Coleophora luteolella* Staudinger,1880** (Coleophoridae) **Synonym(s):** *luteolella* Staudinger,1880; *mendosella* Toll,1960 **Original Reference:** *Coleophora luteolella* Staudinger,1880, Horae Soc. ent. ross. 15: 380. Syntypes ♂♀: [Türkei]: Amasia. **Range (in code):** **MA PT ES FR Sa Si IT MT GR Cr TR IR Mz Clu Gls AF Kab Pag CY**
- 31415. *Coleophora lutipennella* (Zeller,1838)** (Coleophoridae) **Synonym(s):** *lutipennella* Zeller,1838. **Original Reference:** *Ornix lutipennella* Zeller,1838, Isis 1838: 713. Lectotype ♂, designated by Baldizzone,1994, Coleophoridae Irano-Anatolica: 11 (BMNH). **Range (in code):** **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bei Bsa DK NO SE EE LV LT RU MD UA BY** **Bionomy:** Larva on Quercus (Patzak,1974).
- 31416. *Coleophora lycaoniae* Baldizzone,1994** (Coleophoridae) **Synonym(s):** *lycaoniae* Baldizzone,1994 **Range (in code):** **TR**
- 31417. *Coleophora macedonica* Toll,1959** (Coleophoridae) **Synonym(s):** *macedonica* Toll,1959 **Range (in code):** **IT YU MK**
- 31418. *Coleophora machinopsis* Meyrick,1936** (Coleophoridae) **Synonym(s):** *machinopsis* Meyrick,1936 **Range (in code):** **TR IQ IR TM UZ** **Bionomy:** Larva on Alhagi sparsifolia (Fabaceae) (Falkovitsh,1972).
- 31419. *Coleophora macilenta* Falkovitsh,1972** (Coleophoridae) **Synonym(s):** *macilenta* Falkovitsh,1972 **Original Reference:** *Coleophora macilenta* Falkovitsh,1972, Nasekomye Mongol. 1: 694. **Range (in code):** **IR Se TM MN RU**
- 31420. *Coleophora macrobiella* Constant,1885** (Coleophoridae) **Synonym(s):** *macrobiella* Constant,1885 **Range (in code):** **ES FR**
- 31421. *Coleophora magnatella* Toll,1959** (Coleophoridae) **Synonym(s):** *magnatella* Toll,1959 **Original Reference:** *Coleophora magnatella* Toll,1959, Bull. Soc. ent. Egypte 43: 342. **Range (in code):** **TM IR Elb Th Ha Avd UZ Man AF Pag Kab**
- 31422. *Coleophora magyarica* Baldizzone,1983** (Coleophoridae) **Synonym(s):** *magyarica* Baldizzone,1983 **Range (in code):** **HU RU MD UA BY**
- 31423. *Coleophora makuensis* Baldizzone,1994** (Coleophoridae) **Synonym(s):** *makuensis* Baldizzone,1994 **Range (in code):** **IR Ab Mak**
- 31424. *Coleophora malatiella* Toll,1952** (Coleophoridae) **Synonym(s):** *malatiella* Toll,1952 **Range (in code):** **RO TR IR Mz Dam Elb Fa**
- 31425. *Coleophora maneella* Toll,1962** (Coleophoridae) **Synonym(s):** *maneella* Toll,1962 **Range (in code):** **FR**
- 31426. *Coleophora marcella* (Capuse,1972)** (Coleophoridae) **Synonym(s):** *marcella* Capuse,1972 **Original Reference:** *Falkovitshia marcella* Capuse,1972, Trav. Inst. Spéol. 11: 266. **Range (in code):** **AF Kab UZ Br**
- 31427. *Coleophora mareki* Tabell & Baldizzone,2014** (Coleophoridae) **Synonym(s):** *mareki* Tabell & Baldizzone,2014 **Range (in code):** **IT FR Sa BG GR HU CZ AT UA MK TR IQ Mos**
- 31428. *Coleophora maritimella* Newman,1863** (Coleophoridae) **Synonym(s):** *maritimella* Newman,1863 **Range (in code):** **TN ES FR Sa Si IT IE GB NL YU AL BG GR Cr CY IR Hz B-A DK**
- 31429. *Coleophora maroccana* Baldizzone,1995** (Coleophoridae) **Synonym(s):** *maroccana* Baldizzone,1995 **Range (in code):** **MA**
- 31430. *Coleophora mausolella* Chrétien,1908** (Coleophoridae) **Synonym(s):** *mausolella* Chrétien,1908; *thermoleuca* Meyrick,1922; *palaestinella* Toll,1942 **Range (in code):** **MA DZ LY Cy PT ES Co Si IT GR TR CY IL Pa AE** **Bionomy:** Larva on Chenopodium (Chenopodiaceae) (Suire,1961; Toll,1962).
- 31431. *Coleophora mayrella* (Hübner,[1813])** (Coleophoridae) **Synonym(s):** *fabriciella* Villers,1789 nec Swed.,1787; *mayrella* Hübner,[1813]; *spissicornis* Haworth,[1828]; *moldaviella* Nemeş,2004 **Range (in code):** **DZ Anna PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO MD YU AL GR TR IL Cc AM Geg DK NO SE FI EE LV LT RU KG Uk**

- 31432. *Coleophora medelichensis* Krone, 1908** (Coleophoridae) **Synonym(s):** *medelichensis* Krone, 1908 **Original Reference:** *Coleophora medelichensis* Krone, 1908, Jb. Wien. ent. Ver. 18: 119. **Range (in code):** **ES FR IT AT CZ SK HU YU BG GR Cr TR RO**
- 31433. *Coleophora mediae* Baldizzone, 1990** (Coleophoridae) **Synonym(s):** *mediae* Baldizzone, 1990 **Original Reference:** *Coleophora mediae* Baldizzone, 1990, Nota lepid. 13 (2/3): 109-114, figs. Holotype ♂: Z-Iran, Kashan [Esfahan], 22 v 1970 M. Abai leg. (LNK). **Range (in code):** **IR Elb Es**
- 31434. *Coleophora mediterranea* Baldizzone, 1990** (Coleophoridae) **Synonym(s):** *mediterranea* Baldizzone, 1990 **Range (in code):** **ES Sa Si**
- 31435. *Coleophora megaloptila* Meyrick, 1909** (Coleophoridae) **Synonym(s):** *megaloptila* Meyrick, 1909 **Range (in code):** **ZA**
- 31436. *Coleophora mendica* Baldizzone & Wolf, 2000** (Coleophoridae) **Synonym(s):** *mendica* Baldizzone & Wolf, 2000 **Range (in code):** **ES Mu**
- 31437. *Coleophora meridionella* Rebel, 1912** (Coleophoridae) **Synonym(s):** *meridionella* Rebel, 1912 **Range (in code):** **FR IT CZ YU GR**
- 31438. *Coleophora meyi* Baldizzone & Wolf, 2004** (Coleophoridae) **Synonym(s):** *meyi* Baldizzone & Wolf, 2004 **Range (in code):** **NA Dmr Bnd**
- 31439. *Coleophora microalbella* Amsel, 1935** (Coleophoridae) **Synonym(s):** *microalbella* Amsel, 1935; *sabulella* Toll, 1952 **Range (in code):** **Cn DZ TN ES DZ TN IL Pa SY Dms**
- 31440. *Coleophora micronotella* Toll, 1956** (Coleophoridae) **Synonym(s):** *micronotella* Toll, 1956 **Range (in code):** **DZ TN ES Sa Si IT IR Elb Th Hz B-A**
- 31441. *Coleophora microsticta* Baldizzone, 2003** (Coleophoridae) **Synonym(s):** *microsticta* Baldizzone, 2003 **Range (in code):** **DZ**
- 31442. *Coleophora microtitae* Toll & Amsel, 1967** (Coleophoridae) **Synonym(s):** *microtitae* Toll & Amsel, 1967 **Range (in code):** **AF Pag Kab TM**
- 31443. *Coleophora microxantha* Walsingham, 1907** (Coleophoridae) **Synonym(s):** *microxantha* Walsingham, 1907 **Range (in code):** **DZ Bsk Hes** **Bionomy:** Larva on *Herniaria fruticosa* [Caryophyllaceae] (Chrétien, 1917).
- 31444. *Coleophora millefolii* Zeller, 1849** (Coleophoridae) **Synonym(s):** *millefolii* Zeller, 1849 **Range (in code):** **FR IT DE CH AT PL HU YU AL BG GR? RO DK NO SE FI EE LV KG Uk**
- 31445. *Coleophora milvipennis* Zeller, 1839** (Coleophoridae) **Synonym(s):** *milvipennis* Zeller, 1839 **Original Reference:** *Coleophora milvipennis* Zeller, 1839, Isis 1839: 208. **Range (in code):** **ES FR Sa IT GB NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT** **Bionomy:** Larva on *Betula*, *Alnus*, *Corylus*, *Carpinus* (Patzak, 1974).
- 31446. *Coleophora miniaxella* Toll, 1952** (Coleophoridae) **Synonym(s):** *miniaxella* Toll, 1952 **Range (in code):** **TR**
- 31447. *Coleophora minimella* Toll, 1952** (Coleophoridae) **Synonym(s):** *minimella* Toll, 1952 **Range (in code):** **DZ**
- 31448. *Coleophora minipalpella* Baldizzone, 1998** (Coleophoridae) **Synonym(s):** *minipalpella* Baldizzone, 1998 **Range (in code):** **ES An**
- 31449. *Coleophora minoica* Baldizzone, 1983** (Coleophoridae) **Synonym(s):** *minoica* Baldizzone, 1983 **Range (in code):** **GR Cr**
- 31450. *Coleophora minutula* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *minutula* Baldizzone, 1994 **Range (in code):** **IR Fa**
- 31451. *Coleophora miserella* Staudinger, 1880** (Coleophoridae) **Synonym(s):** *miserella* Staudinger, 1880 **Original Reference:** *Coleophora miserella* Staudinger, 1880, Horae Soc. ent. ross. 15: 380. Type ♀: [Türkei]: Amasia (Caraman). **Range (in code):** **TR**
- 31452. *Coleophora moehringiae* Burmann, 1967** (Coleophoridae) **Synonym(s):** *moehringiae* Burmann, 1967 **Range (in code):** **IT**
- 31453. *Coleophora molesta* Meyrick, 1921** (Coleophoridae) **Synonym(s):** *molesta* Meyrick, 1921 **Range (in code):** **ZW Uma**
- 31454. *Coleophora monstrosa* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *monstrosa* Baldizzone, 1994 **Range (in code):** **IR Hz B-A**
- 31455. *Coleophora montei* Toll, 1961** (Coleophoridae) **Synonym(s):** *montei* Toll, 1961 **Range (in code):** **PT**
- 31456. *Coleophora monticola* Baldizzone & Wolf, 2004** (Coleophoridae) **Synonym(s):** *monticola* Baldizzone & Wolf, 2004 **Range (in code):** **NA Dmr Bnd**

- 31457. *Coleophora motacillella* Zeller, 1849** (Coleophoridae) Synonym(s): *motacillella* Zeller, 1849 _ Range (in code): **FR DE AT PL CZ SK HU RO RU MD UA BY**
- 31458. *Coleophora mucronata* Baldizzone, 1994** (Coleophoridae) Synonym(s): *mucronata* Baldizzone, 1994 _ Original Reference: *Coleophora mucronata* Baldizzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 23-24, fig.5. Holotype ♂: Iran, Derbend, 25km N v. Teheran 2000m (NHMW). Range (in code): **IR Elb Th**
- 31459. *Coleophora murciana* Toll, 1960** (Coleophoridae) Synonym(s): *murciana* Toll, 1960 _ Range (in code): **PT ES Mu FR Sa IT**
- 31460. *Coleophora murinella* Tengström, 1848** (Coleophoridae) Synonym(s): *murinella* Tengström, 1848 _ Range (in code): **DE PL CZ NO SE FI EE LV LT RU MD UA BY**
- 31461. *Coleophora musculella* Mühlig, 1864** (Coleophoridae) Synonym(s): *musculella* Mühlig, 1864 _ Range (in code): **DE CH? PL SK HU**
- 31462. *Coleophora namakella* Amsel, 1977** (Coleophoridae) Synonym(s): *namakella* Amsel, 1977 _ Range (in code): **IR Elb Th Hz B-A**
- 31463. *Coleophora namella* Baldizzone & Wolf, 2004** (Coleophoridae) Synonym(s): *namella* Baldizzone & Wolf, 2004 _ Range (in code): **NA Dmr Bnd**
- 31464. *Coleophora namibiae* Baldizzone & Wolf, 2004** (Coleophoridae) Synonym(s): *namibiae* Baldizzone & Wolf, 2004 _ Range (in code): **NA Dmr Bnd**
- 31465. *Coleophora nanophyti* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *nanophyti* Falkovitsh, 1972 _ Range (in code): **RU Ur**
- 31466. *Coleophora narbonensis* Baldizzone, 1990** (Coleophoridae) Synonym(s): *narbonensis* Baldizzone, 1990 _ Range (in code): **FR HU MK TR**
- 31467. *Coleophora necessaria* Staudinger, 1880** (Coleophoridae) Synonym(s): *necessaria* Staudinger, 1880; *indiges* Falkovitsh, 1992. _ Original Reference: *Coleophora necessaria* Staudinger, 1880, Horae Soc. ent. ross. 15: 370. Type ♂: [Türkei]: Amasia. Range (in code): **TR TM RU**
- 31468. *Coleophora nepetae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *nepetae* Baldizzone, 1994 _ Original Reference: *Coleophora nepetae* Baldizzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 40-42, fig.14. Holotype ♂: Afghanistan, Paghman (NHMW). Range (in code): **AF Nu Pag Kab Bkt** _ Bionomy: Larva on *Nepeta honigbergeri* (Baldizzone, 1994).
- 31469. *Coleophora nesiotidella* Baldizzone & Wolf, 2000** (Coleophoridae) Synonym(s): *nesiotidella* Baldizzone & Wolf, 2000 _ Range (in code): **Cr Rd**
- 31470. *Coleophora nevadella* Baldizzone, 1985** (Coleophoridae) Synonym(s): *nevadella* Baldizzone, 1985 _ Range (in code): **ES**
- 31471. *Coleophora nigradorsella* Amsel, 1935** (Coleophoridae) Synonym(s): *nigradorsella* Amsel, 1935 _ Original Reference: *Coleophora nigradorsella* Amsel, 1935, Mitt. zool. Mus. Berlin 20: 305. Range (in code): **MK GR TR IL Pa Jf TM**
- 31472. *Coleophora nigrosparsella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *nigrosparsella* Toll & Amsel, 1967 _ Range (in code): **AF Ca Bm**
- 31473. *Coleophora nigrosquamella* Filipjev, 1925** (Coleophoridae) Synonym(s): *nigrosquamella* Filipjev, 1925 _ Range (in code): **UZ DZ**
- 31474. *Coleophora nikiella* Baldizzone, 1983** (Coleophoridae) Synonym(s): *nikiella* Baldizzone, 1983 _ Range (in code): **GR Cr**
- 31475. *Coleophora niphocrossa* Meyrick, 1920** (Coleophoridae) Synonym(s): *niphocrossa* Meyrick, 1920 _ Range (in code): **ZA Wca Cto**
- 31476. *Coleophora niphomesta* Meyrick, 1917** (Coleophoridae) Synonym(s): *niphomesta* Meyrick, 1917; *sarobiensis* Toll & Amsel, 1967 _ Range (in code): **TM IR Hz B-A AF PK Sd Krc AE**
- 31477. *Coleophora nitidipennella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *nitidipennella* Toll & Amsel, 1967 _ Range (in code): **TR IR Ab Mak AF**
- 31478. *Coleophora niveiciliella* Hofmann, 1877** (Coleophoridae) Synonym(s): *niveiciliella* Hofmann, 1877 _ Range (in code): **AT HU**
- 31479. *Coleophora niveicostella* Zeller, 1839** (Coleophoridae) Synonym(s): *niveicostella* Zeller, 1839 _ Range (in code): **TN Gf ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Cc LB Bro IL Pa DK SE LV** _ Bionomy: Larva on *Thymus algeriensis numidicus* (Chrétien, 1917).

- 31480. *Coleophora niveistrigella* Heinemann & Wocke,[1877]** (Coleophoridae)
Synonym(s): *niveistrigella* Heinemann & Wocke,[1877] _ Range (in code): **FR DE CH AT PL CZ SK HU LV LT RU TR**
- 31481. *Coleophora niveopictella* Toll,1952** (Coleophoridae) Synonym(s): *niveopictella* Toll,1952
Range (in code): **IR Elb Th Km**
- 31482. *Coleophora noeae* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *noeae* Falkovitsh,1989 _ Range (in code): **TM IR Elb Th Kh**
- 31483. *Coleophora nomgona* Falkovitsh,1975** (Coleophoridae) Synonym(s): *nomgona* Falkovitsh,1975 _ Range (in code): **MN KG RU RO HU TR RU**
- 31484. *Coleophora nubivagella* Zeller,1849** (Coleophoridae) Synonym(s): *nubivagella* Zeller,1849 _ Range (in code): **FR IT BE DE CH AT PL SK RO YU GR?**
- 31485. *Coleophora numeniella* Baldizzone,1988** (Coleophoridae) Synonym(s): *numeniella* Baldizzone,1988 _ Range (in code): **KG Uk**
- 31486. *Coleophora nurmahal* Toll,1957** (Coleophoridae) Synonym(s): *nurmahal* Toll,1957
Range (in code): **SA LY DZ TN IR Hz B-A IL Pa AE**
- 31487. *Coleophora nutantella* Mühlig & Frey,1857** (Coleophoridae) Synonym(s): *nutantella* Mühlig & Frey,1857 _ Range (in code): **ES FR Si IT GB? DE CH AT CZ PL SK HU YU GR RO TR Cc AM Geg Eri IR Mz Clu DK NO SE EE LV LT RU MD UA BY**
- 31488. *Coleophora oblitterata* Toll,1952** (Coleophoridae) Synonym(s): *oblitterata* Toll,1952
Range (in code): **TR**
- 31489. *Coleophora obscenella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *obsценella* Herrich-Schäffer,1855; *virgaureae* Stainton,1857; *virgaureella* Doubleday,1859; *cinerea* Toll,1953
Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY**
- 31490. *Coleophora obscuripalpella* Kanerva,1941** (Coleophoridae) Synonym(s): *obscuripalpella* Kanerva,1941 _ Range (in code): **SE FI LV RU MD UA BY**
- 31491. *Coleophora obtectella* Zeller,1849** (Coleophoridae) Synonym(s): *obtectella* Zeller,1849
Original Reference: *Coleophora obtectella* Zeller,1849, Linn. Ent. 4: 333. Range (in code): **ES FR Si IT AT HU YU BG GR Cr TR Cc AM Eri Geg LB IL**
- 31492. *Coleophora obviella* Rebel,1914** (Coleophoridae) Synonym(s): *obviella* Rebel,1914
Original Reference: *Coleophora obviella* Rebel,1914, Verh. zool.- bot. Ges. Wien 64: 178.
Lectotype ♂: [Slovenien]: Carnie, Wippach (Baldizzone, 1982: 428). Range (in code): **IT AT HU SK YU AL TR**
- 31493. *Coleophora occasi* Baldizzone & Wolf,1999** (Coleophoridae) Synonym(s): *occasi* Baldizzone & Wolf,1999 _ Range (in code): **ES**
- 31494. *Coleophora occatella* Staudinger,1880** (Coleophoridae) Synonym(s): *occatella* Staudinger,1880
Original Reference: *Coleophora occatella* Staudinger,1880, Horae Soc. ent. ross. 15: 376-377. Syntypes: [Türkei]: Amasia. Range (in code): **BG RU Sr MD UA TR RO KG Uk**
- 31495. *Coleophora occitana* Baldizzone,1989** (Coleophoridae) Synonym(s): *occitana* Baldizzone,1989 _ Range (in code): **IT FR**
- 31496. *Coleophora ochrea* (Haworth,[1828])** (Coleophoridae) Synonym(s): *ochrea* Haworth,[1828]; *argentipennella* Duponchel,1838; *hapsella* Zeller,1839; *aridatella* Zeller,1849; *castelensis* Rebel,1919; *quadrilineella* Turati,1930; *argentivittella* Toll,1952; *digramella* Toll,1953; *hispanica* Toll,1960
Original Reference: *Porrectaria ochrea* Haworth,[1828], Lepid. Br. (4): 533. Type(s): Britain.
Range (in code): **DZ Ges PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO Cr TR IR Km Ksh Cc AM SE RU MD UA BY**
- 31497. *Coleophora ochripennella* Zeller,1849** (Coleophoridae) Synonym(s): *ochripennella* Zeller,1849
Original Reference: *Coleophora ochripennella* Zeller,1849, Linn. Ent. 4: 408. Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO GR GR TR IR Mz Clu** Bionomy: Larva on Ballota (Patzak,1974).
- 31498. *Coleophora ochroflava* Toll,1961** (Coleophoridae) Synonym(s): *ochroflava* Toll,1961; *halimionella* Baldizzone,1980 _ Range (in code): **IT RO GR BG RU**
- 31499. *Coleophora odorariella* Mühlig,1857** (Coleophoridae) Synonym(s): *odorariella* Mühlig,1857; *chrysocomae* Hering,1942 _ Range (in code): **ES FR DE CH AT CZ SK HU YU RO**
- 31500. *Coleophora ogmotona* Meyrick,1917** (Coleophoridae) Synonym(s): *ogmotona* Meyrick,1917 _ Range (in code): **IN LK Ph**
- 31501. *Coleophora olympica* Baldizzone,1983** (Coleophoridae) Synonym(s): *olympica* Baldizzone,1983 _ Range (in code): **GR**

- 31502. *Coleophora onobrychiella* Zeller,1849** (Coleophoridae) Synonym(s): *onobrychiella* Zeller,1849; *arenariella* Zeller,1865 Original Reference: *Coleophora onobrychiella* Zeller,1849, Linn. ent. 4: 271. Range (in code): **IT DE CH AT PL CZ SK HU YU GR TR SY Dms IR Ab Oru Hz B-A Elb Kdj SE EE LV LT RU MD UA BY RO** Bionomy: Larva on *Onobrychis* (Zeller,1849).
- 31503. *Coleophora ononidella* Millièrè,1879** (Coleophoridae) Synonym(s): *ononidella* Millièrè,1879 Range (in code): **ES FR IT AT YU GR Cr CY**
- 31504. *Coleophora onopordiella* Zeller,1849** (Coleophoridae) Synonym(s): *onopordiella* Zeller,1849; *eremica* Amsel,1935; *cerinaula* Meyrick,1936; *fusca* Toll,1952; *pseudophlomidella* Toll,1952; *sivandella* Toll,1959; *litorella* Nemes,2003 Range (in code): **FR IT AT PL CZ SK HU RO BG GR TR Cc AM Geg SY Dms IR Fa Elb Th Kdj IL Pa IQ Dia** Bionomy: Larva on *Onopordum* (Zeller,1849).
- 31505. *Coleophora orbitella* Zeller,1849** (Coleophoridae) Synonym(s): *orbitella* Zeller,1849 Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 31506. *Coleophora ordinaria* Meyrick,1913** (Coleophoridae) Synonym(s): *ordinaria* Meyrick,1913 Range (in code): **ZA Tva Gau Pre**
- 31507. *Coleophora orientalis* Li & Zheng,1998** (Coleophoridae) Synonym(s): *orientalis* Li & Zheng,1998 Range (in code): **CN Mc**
- 31508. *Coleophora oriolella* Zeller,1849** (Coleophoridae) Synonym(s): *oriolella* Zeller,1849 Original Reference: *Coleophora oriolella* Zeller,1849, Linn. ent. 4: 258, Lectotype ♂, designated by Baldizzone (1994: 143) (BMNH). Range (in code): **PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU**
- 31509. *Coleophora ornatipennella* (Hübner,1796)** (Coleophoridae) Synonym(s): *ornatipennella* Hübner,1796; *#agrammella* Rebel,1935. Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IL EE RU KG Uk CN Ui Ku**
- 31510. *Coleophora orphnoceros* Meyrick,1937** (Coleophoridae) Synonym(s): *orphnoceros* Meyrick,1937 Range (in code): **ZA**
- 31511. *Coleophora ortneri* Glaser,1981** (Coleophoridae) Synonym(s): *ortneri* Glaser,1981 Range (in code): **ES**
- 31512. *Coleophora otidipennella* (Hübner,[1817])** (Coleophoridae) Synonym(s): *otidipennella* Hübner,[1817] Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO YU GR DK NO SE FI EE LV LT RU MD UA BY**
- 31513. *Coleophora ovata* Baldizzone,1994** (Coleophoridae) Synonym(s): *ovata* Baldizzone,1994 Original Reference: *Coleophora ovata* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 49-50, fig.21. Holotype ♂: S-Iran, 40km nördl. Bandar-Abbas (NHMW). Range (in code): **IR Hz B-A**
- 31514. *Coleophora oxyphaea* Meyrick,1913** (Coleophoridae) Synonym(s): *oxyphaea* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 31515. *Coleophora pachyderma* Baldizzone,1994** (Coleophoridae) Synonym(s): *pachyderma* Baldizzone,1994 Range (in code): **IR Ss Zhd**
- 31516. *Coleophora paeltsaella* Palmqvist & Hellberg,1999** (Coleophoridae) Synonym(s): *paeltsaella* Palmqvist & Hellberg,1999 Original Reference: *Coleophora paeltsaella* Palmqvist & Hellberg,1999, Ent. Tidskr. 120 (1/2): 37-42, figs. Holotype ♂: Suecia: Paeltsa (RMS). Range (in code): **SE**
- 31517. *Coleophora pakistana* Baldizzone,1994** (Coleophoridae) Synonym(s): *pakistana* Baldizzone,1994 Range (in code): **PK Sd Krc**
- 31518. *Coleophora pallidata* Toll,1959** (Coleophoridae) Synonym(s): *pallidata* Toll,1959 Range (in code): **IR Ss Zhd Hz B-A Kh Msh AF**
- 31519. *Coleophora pandionella* Baldizzone,1988** (Coleophoridae) Synonym(s): *pandionella* Baldizzone,1988 Range (in code): **RU Sb Chb**
- 31520. *Coleophora paphlagoniae* Baldizzone,1994** (Coleophoridae) Synonym(s): *paphlagoniae* Baldizzone,1994 Range (in code): **TR**
- 31521. *Coleophora pappiferella* Hofmann,1869** (Coleophoridae) Synonym(s): *pappiferella* Hofmann,1869 Range (in code): **IE IT DE CH AT PL CZ SK DK NO SE FI EE LV RO**
- 31522. *Coleophora paracousinae* Baldizzone,1994** (Coleophoridae) Synonym(s): *paracousinae* Baldizzone,1994 Original Reference: *Coleophora paracousinae* Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 42-43, fig.17. Holotype ♂: Afghanistan, Paghman (NHMW). Range (in code): **AF Pag Kab IR Kh**
- 31523. *Coleophora paradoxella* Toll,1961** (Coleophoridae) Synonym(s): *paradoxella* Toll,1961 Range (in code): **RU Ur**

- 31524. Coleophora paradrymidis** Toll,1949 (Coleophoridae) Synonym(s): *paradrymidis* Toll,1949 - Range (in code): SE
- 31525. Coleophora paragiraudi** Toll,1959 (Coleophoridae) Synonym(s): *paragiraudi* Toll,1959 - Range (in code): IR Fa Sse
- 31526. Coleophora paramayrella** Nel,1993 (Coleophoridae) Synonym(s): *paramayrella* Nel,1993 - Range (in code): FR IT SS MK GR
- 31527. Coleophora paraptarmica** Toll & Amsel,1967 (Coleophoridae) Synonym(s): *paraptarmica* Toll & Amsel,1967 - Range (in code): TR SY Dms IR Kh Msh Fa AF Kab PK Swa Klm TM Bionomy: Larva on *Artemisia maritima* (Baldizzzone,1994).
- 31528. Coleophora paravestalella** Baldizzzone,1994 (Coleophoridae) Synonym(s): *paravestalella* Baldizzzone,1994 - Original Reference: *Coleophora paravestalella* Baldizzzone,1994, *Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe*: 91-92, fig.37. Holotype ♂: Iraq, Mosul (PAN). Range (in code): IQ Mos
- 31529. Coleophora parcella** Toll,1952 (Coleophoridae) Synonym(s): *parcella* Toll,1952 - Original Reference: *Coleophora parcella* Toll,1952, *Bull. Soc. ent. Mulhouse* 1952: 18. Range (in code): TR Cc AM Geg IR Ab Oru Kd Bne Th Kdv Elb
- 31530. Coleophora parenthella** Toll,1952 (Coleophoridae) Synonym(s): *parenthella* Toll,1952 - Range (in code): RU MD UA BY
- 31531. Coleophora paripennella** Zeller,1839 (Coleophoridae) Synonym(s): *paripennella* Zeller,1839 - Range (in code): IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 31532. Coleophora parthenica** Meyrick,1891 (Coleophoridae) Synonym(s): *parthenica* Meyrick,1891; *cygnipennella* Toll,1959; *candidella* Toll,1959; *transcaspica* Toll,1959; *lashkarella* Toll & Amsel,1967; *hilmendella* Amsel,1968. - Original Reference: *Coleophora parthenica* Meyrick,1891, *Entomologist's mon. Mag.* 27: 59. Holotype ♀: Biskra, Algeria (BMNH). Range (in code): MA DZ Bsk TN Gf RO GR Cr TR LB JO IR Kh Elb Th Msh Hz B-A Fa Es IQ Bgd CY PK Sd Krc RU Bionomy: Larva on *Atriplex halimus* [Amaranthaceae] (Chrétien,1917).
- 31533. Coleophora parthica** Baldizzzone,1994 (Coleophoridae) Synonym(s): *parthica* Baldizzzone,1994 - Original Reference: *Coleophora parthica* Baldizzzone,1994, *Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe*: 24-26, fig.6. Holotype ♂: S-Iran, Bandar Abbas-Sirjan km 70, 500m (LNK). Range (in code): IR Hz B-A Ke
- 31534. Coleophora partitella** Zeller,1849 (Coleophoridae) Synonym(s): *partitella* Zeller,1849; *davidii* Nemes,2003 - Range (in code): ES FR IT DE AT PL CZ SK HU YU TR NO SE FI LV RU MD UA BY RO
- 31535. Coleophora parvicuprella** Baldizzzone & Tabell,2006 (Coleophoridae) Synonym(s): *parvicuprella* Baldizzzone & Tabell,2006 - Original Reference: *Coleophora parvicuprella* Baldizzzone & Tabell,2006, *Shilap Revta lepid.* 34 (133): 93-94, figs. Holotype ♂: Turkey: Prov. Izmir: 30km NW Bergama 500-700m O.Karsholt leg. (ZMUC). Range (in code): BG GR TR
- 31536. Coleophora passeripennella** Baldizzzone,2001 (Coleophoridae) Synonym(s): *passeripennella* Baldizzzone,2001 - Range (in code): TR
- 31537. Coleophora pathana** Baldizzzone,1994 (Coleophoridae) Synonym(s): *pathana* Baldizzzone,1994 - Range (in code): AF Pag Kab
- 31538. Coleophora patzaki** Baldizzzone,1983 (Coleophoridae) Synonym(s): *patzaki* Baldizzzone,1983 - Range (in code): GR
- 31539. Coleophora pauperculella** Toll,1956 (Coleophoridae) Synonym(s): *pauperculella* Toll,1956 - Range (in code): TN IR Hz B-A
- 31540. Coleophora pechi** Baker,1888 (Coleophoridae) Synonym(s): *pechi* Baker,1888; *subcastanea* Walsingham,1907; *lepigrella* Lucas,1933 - Original Reference: *Coleophora pechi* Baker,1888, *Entomologist's mon. Mag.* 24: 256. Type: Algeria, Lambessa. Range (in code): DZ Bsk Hes Lbs Ges Bionomy: Larva on *Suaeda vermiculata* (Chrétien,1917).
- 31541. Coleophora peisoniella** Kasy,1965 (Coleophoridae) Synonym(s): *peisoniella* Kasy,1965 - Range (in code): AT SK HU RU RO
- 31542. Coleophora pellicornella** Zerny,1930 (Coleophoridae) Synonym(s): *pellicornella* Zerny,1930 - Range (in code): PT ES TR
- 31543. Coleophora pennella** ([Denis & Schiffermüller],1775) (Coleophoridae) Synonym(s): *pennella* [Denis & Schiffermüller],1775; *borowskiella* Goeze,1783; *mucosa* Fourcroy,1785; *mucosella* Villers,1789; *onosmella* Brahm,1791; *struthionipennella* Hübner,1796; *cornuum* Vallot,1818; *hispanicella* Möschler,1866; *diffinis* Staudinger,1880; *nervosella* Müller-Rutz,1927; *flavilineella* Toll,1952; *gogovi* Capuse,1971 - Original

- Reference: *Tinea pennella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 140. Type(s): [Austria]: Vienna district. Range (in code): **MA PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG Cr TR Cc IR Gor DK SE LV LT RU MD UA BY**
- 31544. *Coleophora peri* Svensson, 1976** (Coleophoridae) Synonym(s): *peri* Svensson, 1976
Range (in code): **SE**
- 31545. *Coleophora peribenanderi* Toll, 1943** (Coleophoridae) Synonym(s): *benanderi* Toll, 1942 *nec* Kanerv., 1941; *peribenanderi* Toll, 1943 _ Range (in code): **FR IT IE GB BE NL DE PL CZ SK HU BG GR RO DK NO SE FI EE LV LT RU MD UA BY**
- 31546. *Coleophora perplexella* Toll, 1960** (Coleophoridae) Synonym(s): *perplexella* Toll, 1960
Range (in code): **PT ES**
- 31547. *Coleophora persana* Baldizzone, 1990** (Coleophoridae) Synonym(s): *persana* Baldizzone, 1990 Original Reference: *Coleophora perseana* Baldizzone, 1990, *Nota lepid.* 13 (2/3): 114-116, figs. Holotype ♂: NW-Iran, 15km sö Maku 1050m 3 vi 1975 Amsel leg. (LNK). Range (in code): **IR Ab Mak Th**
- 31548. *Coleophora peterseni* Baldizzone, 1983** (Coleophoridae) Synonym(s): *peterseni* Baldizzone, 1983 _ Range (in code): **Sa**
- 31549. *Coleophora petraea* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *petraea* Falkovitsh, 1972 _ Range (in code): **UZ IR Gor**
- 31550. *Coleophora phlomidella* Christoph, 1862** (Coleophoridae) Synonym(s): *phlomidella* Christoph, 1862 _ Range (in code): **DZ Lbs RU TR** Bionomy: Larva on *Phlomis herba-venti* [Lamiaceae] (Chrétien, 1917).
- 31551. *Coleophora phlomidis* Stainton, 1867** (Coleophoridae) Synonym(s): *phlomidis* Stainton, 1867; *spiniferella* Toll, 1952; *subochrea* Toll, 1952 Original Reference: *Coleophora phlomidis* Stainton, 1867, *Tineina Syria Asiaminor*: 57. Range (in code): **TR SY Dms Cc AM Geg IR Fa Elb Th TM RU Sr RO** Bionomy: Larva on *Phlomis* (Stainton, 1867; Staudinger, 1880).
- 31552. *Coleophora phoenicia* Baldizzone, 1994** (Coleophoridae) Synonym(s): *phoenicia* Baldizzone, 1994 Original Reference: *Coleophora phoenicia* Baldizzone, 1994, *Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe*: 12-13, fig. 2. Holotype ♀: Libanon O v. Saida (NHMW). Range (in code): **LB Say**
- 31553. *Coleophora phrygiae* Baldizzone, 1994** (Coleophoridae) Synonym(s): *phrygiae* Baldizzone, 1994 _ Range (in code): **TR**
- 31554. *Coleophora physophorae* (Falkovitsh, 1994)** (Coleophoridae) Synonym(s): *physophorae* Falkovitsh, 1994 _ Range (in code): **RU**
- 31555. *Coleophora picardella* Suire, 1934** (Coleophoridae) Synonym(s): *picardella* Suire, 1934
Range (in code): **FR**
- 31556. *Coleophora pilion* (Falkovitsh, 1992)** (Coleophoridae) Synonym(s): *pilion* Falkovitsh, 1992
Range (in code): **RU**
- 31557. *Coleophora pirizanella* Toll, 1959** (Coleophoridae) Synonym(s): *pirizanella* Toll, 1959
Range (in code): **IR Fa**
- 31558. *Coleophora plicipunctella* Chrétien, 1915** (Coleophoridae) Synonym(s): *plicipunctella* Chrétien, 1915; *halostachylos* Falkovitsh, 1992 _ Range (in code): **DZ Bsk ES**
- 31559. *Coleophora plumbella* Kanerva, 1941** (Coleophoridae) Synonym(s): *plumbella* Kanerva, 1941 _ Range (in code): **PL DK NO SE FI EE LV LT RU MD UA BY RO**
- 31560. *Coleophora plurifoliella* Chrétien, 1896** (Coleophoridae) Synonym(s): *plurifoliella* Chrétien, 1896 Original Reference: *Coleophora plurifoliella* Chrétien, 1896, *Bull. Soc. ent. Fr.* 1896: 191. Syntypes: Algérie, Biskra (Olivier). Range (in code): **DZ Bsk TN Gf** Bionomy: Larva on *Atriplex halimus* (Chrétien, 1917).
- 31561. *Coleophora poecilella* Walsingham, 1907** (Coleophoridae) Synonym(s): *poecilella* Walsingham, 1907 Original Reference: *Coleophora poecilella* Walsingham, 1907, *Entomologist's mon. Mag.* 43: 129. Lectotype ♂: Algeria, Hamman-es-Salahin (BMNH), designated by Baldizzone (1994). Range (in code): **DZ Bsk Hes TN IR Hz B-A JO** Bionomy: Larva on *Suaeda vermiculata* [Amaranthaceae] (Walsingham, 1907).
- 31562. *Coleophora poliacantha* Baldizzone, 2001** (Coleophoridae) Synonym(s): *poliacantha* Baldizzone, 2001 _ Range (in code): **TR**
- 31563. *Coleophora polichomriensis* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *polichomriensis* Toll & Amsel, 1967 _ Range (in code): **AF Sfk Ca PK Bl Qu**

- 31564. *Coleophora polonicella* Zeller, 1865** (Coleophoridae) Synonym(s): *polonicella* Zeller, 1865
Range (in code): **DE PL RO YU LT RU MD UA BY**
- 31565. *Coleophora pontica* (Reznik, 1984)** (Coleophoridae) Synonym(s): *pontica* Reznik, 1984
Range (in code): **UA**
- 31566. *Coleophora potentillae* Elisha, 1885** (Coleophoridae) Synonym(s): *potentillae* Elisha, 1885
Range (in code): **FR IE GB BE NL PL CZ DK NO SE FI EE LV**
- 31567. *Coleophora praecipua* Walsingham, 1907** (Coleophoridae) Synonym(s): *praecipua* Walsingham, 1907
Original Reference: *Coleophora praecipua* Walsingham, 1907, Entomologist's mon. Mag. 43: 129. Syntypes 4♂♂: Algeria, Biskra, Hammam-es-Salahin (coll. Walsingham).
Range (in code): **DZ Bsk Hes TN Gf LY SA IR Ke Hz B-A IQ**
- 31568. *Coleophora praeclara* Baldizzone, 1994** (Coleophoridae) Synonym(s): *praeclara* Baldizzone, 1994
Range (in code): **AF Pag Kab Ng Jla**
- 31569. *Coleophora praecursella* Zeller, 1847** (Coleophoridae) Synonym(s): *praecursella* Zeller, 1847
Range (in code): **FR Si IT**
- 31570. *Coleophora pratella* Zeller, 1871** (Coleophoridae) Synonym(s): *pratella* Zeller, 1871
Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU BG GR? LV LT RU MD UA BY**
- 31571. *Coleophora preisseckeri* Toll, 1942** (Coleophoridae) Synonym(s): *preisseckeri* Toll, 1942
Range (in code): **ES FR AT SK HU YU MK TR RO RU Ur**
- 31572. *Coleophora presbytica* Meyrick, 1921** (Coleophoridae) Synonym(s): *presbytica* Meyrick, 1921
Range (in code): **ZA Tva Gau Pre**
- 31573. *Coleophora principiella* Walsingham, 1907** (Coleophoridae) Synonym(s): *principiella* Walsingham, 1907
Range (in code): **DZ**
- 31574. *Coleophora propinqua* Staudinger, 1880** (Coleophoridae) Synonym(s): *propinqua* Staudinger, 1880
Original Reference: *Coleophora propinqua* Staudinger, 1880, Horae Soc. ent. ross: 15: 367. Lectotype ♂: "Beirut", designated by Baldizzone (1994: 109) (ZMB).
Range (in code): **TR LB Bei Baa Bsa IR Fa**
- 31575. *Coleophora propinquoides* Baldizzone, 1994** (Coleophoridae) Synonym(s): *propinquoides* Baldizzone, 1994
Range (in code): **IR Fa Elb Th**
- 31576. *Coleophora protecta* Walsingham, 1907** (Coleophoridae) Synonym(s): *protecta* Walsingham, 1907
Original Reference: *Coleophora protecta* Walsingham, 1907, Entomologist's mon. Mag. 43: 147.
Range (in code): **TM LB TN Gf DZ Bsk Hes Ktr MA IR Elb Th Ke Fa IQ TR**
Bionomy: Larva on *Acanthyllis tragacanthoides* (Walsingham, 1907).
- 31577. *Coleophora prunifoliae* Doets, 1944** (Coleophoridae) Synonym(s): *prunifoliae* Doets, 1944
Original Reference: *Coleophora prunifoliae* Doets, 1944, Z. Wien. ent. Ges. 29: 103.
Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE LV LT**
Bionomy: Larva on *Prunus*, *Cerasus*, *Malus* (Doets, 1944; Patzak, 1974).
- 31578. *Coleophora pseudociconiella* Toll, 1952** (Coleophoridae) Synonym(s): *pseudociconiella* Toll, 1952; *patrascui* Nemes, 2003
Range (in code): **Sa AT SK HU RO YU BG TR RU Ur**
- 31579. *Coleophora pseudodianthi* Baldizzone & Tabell, 2006** (Coleophoridae) Synonym(s): *pseudodianthi* Baldizzone & Tabell, 2006
Range (in code): **UA Cm BG Slv**
- 31580. *Coleophora pseudodirectella* Toll, 1959** (Coleophoridae) Synonym(s): *pseudodirectella* Toll, 1959
Range (in code): **PL CZ SK**
- 31581. *Coleophora pseudoditella* Baldizzone & Patzak, 1983** (Coleophoridae) Synonym(s): *pseudoditella* Baldizzone & Patzak, 1983
Range (in code): **FR IT DE AT CZ SK HU RU MD UA BY**
- 31582. *Coleophora pseudofuscoaenea* Stübner, 2007** (Coleophoridae) Synonym(s): *pseudofuscoaenea* Stübner, 2007
Range (in code): **TN DhM**
- 31583. *Coleophora pseudolinosyris* Kasy, 1979** (Coleophoridae) Synonym(s): *pseudolinosyris* Kasy, 1979
Range (in code): **IT AT CZ SK HU YU RU RO KG**
- 31584. *Coleophora pseudorepentis* Toll, 1960** (Coleophoridae) Synonym(s): *pseudorepentis* Toll, 1960
Range (in code): **FR Co DE AT SK HU YU UA**
- 31585. *Coleophora pseudosquamosella* Baldizzone & Nel, 2003** (Coleophoridae) Synonym(s): *pseudosquamosella* Baldizzone & Nel, 2003
Range (in code): **IT FR RU At**
- 31586. *Coleophora ptarmicia* Walsingham, 1910** (Coleophoridae) Synonym(s): *ptarmicia* Walsingham, 1910; *zimmermanni* Rebel, 1937; *ptarmica* Toll, 1962
Range (in code): **FR IT Si AT CZ SK HU LV LT TR RU CN**
- 31587. *Coleophora pterosparti* Mendes, 1910** (Coleophoridae) Synonym(s): *pterosparti* Mendes, 1910
Range (in code): **PT ES**

- 31588. *Coleophora pulmonariella* Ragonot, 1874** (Coleophoridae) Synonym(s): *pulmonariella* Ragonot, 1874 - Range (in code): FR IT DE AT PL CZ SK HU DK SE RO
- 31589. *Coleophora punctulatella* Zeller, 1849** (Coleophoridae) Synonym(s): *punctulatella* Zeller, 1849 - Range (in code): ES FR HU
- 31590. *Coleophora punica* Baldizzone, 1985** (Coleophoridae) Synonym(s): *punica* Baldizzone, 1985 - Original Reference: *Coleophora punica* Baldizzone, 1985, *Nota lepid.* 8 (3): 216-217. Holotype ♂: Algérie, Biskra. Range (in code): ES TN DZ Bsk
- 31591. *Coleophora purifica* Meyrick, 1921** (Coleophoridae) Synonym(s): *purifica* Meyrick, 1921 - Range (in code): ZW Hfo Ema
- 31592. *Coleophora pyrenaica* Baldizzone, 1980** (Coleophoridae) Synonym(s): *pyrenaica* Baldizzone, 1980 - Range (in code): PT ES FR TR
- 31593. *Coleophora pyrrhulipennella* Zeller, 1839** (Coleophoridae) Synonym(s): *pyrrhulipennella* Zeller, 1839 - Range (in code): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ YU GR Cr TR DK NO SE FI EE LV LT RU MD UA BY RO
- 31594. *Coleophora quadrifariella* Staudinger, 1880** (Coleophoridae) Synonym(s): *quadrifariella* Staudinger, 1880 - Range (in code): RU Sr KG Uk
- 31595. *Coleophora quadristraminella* Toll, 1961** (Coleophoridae) Synonym(s): *quadristraminella* Toll, 1961 - Range (in code): FR IT MK YU GR TR EG
- 31596. *Coleophora qulikushella* Toll, 1959** (Coleophoridae) Synonym(s): *qulikushella* Toll, 1959 - Range (in code): IR Lo Ab Khy Mak Mha Km Fa TR GR
- 31597. *Coleophora ramosella* Zeller, 1849** (Coleophoridae) Synonym(s): *ramosella* Zeller, 1849 - Range (in code): FR IT IE GB DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 31598. *Coleophora raptans* Baldizzone, 1989** (Coleophoridae) Synonym(s): *raptans* Baldizzone, 1989 - Original Reference: *Coleophora raptans* Baldizzone, 1989, *Nota lepid.* 12 (2): 114. Holotype ♂: Afghanistan, Paghman (NHMW). Range (in code): AF Pag
- 31599. *Coleophora ravillella* Toll, 1961** (Coleophoridae) Synonym(s): *ravillella* Toll, 1961 - Range (in code): ES FR IT
- 31600. *Coleophora rectilineella* Fischer v. Röslerstamm, 1843** (Coleophoridae) Synonym(s): *rectilineella* Fischer v. Röslerstamm, 1843 - Range (in code): FR IT CH AT SK RO
- 31601. *Coleophora reisseri* Rebel, 1926** (Coleophoridae) Synonym(s): *reisseri* Rebel, 1926 - Range (in code): FR ES DZ TN LY TR
- 31602. *Coleophora remizella* Baldizzone, 1983** (Coleophoridae) Synonym(s): *remizella* Baldizzone, 1983 - Range (in code): HU RO
- 31603. *Coleophora repentis* Klimesch, 1947** (Coleophoridae) Synonym(s): *repentis* Klimesch, 1947 - Range (in code): FR IT AT
- 31604. *Coleophora retifera* Meyrick, 1922** (Coleophoridae) Synonym(s): *retifera* Meyrick, 1922; *cribrella* Toll, 1960; *pseudooobiella* Toll, 1962 - Range (in code): ES DZ IL Pa Js
- 31605. *Coleophora retrodentella* Baldizzone & Nel, 2004** (Coleophoridae) Synonym(s): *retrodentella* Baldizzone & Nel, 2004 - Range (in code): FR IT
- 31606. *Coleophora rhanteriella* Chrétien, 1915** (Coleophoridae) Synonym(s): *rhanteriella* Chrétien, 1915; *excellens* Toll, 1952; *semistriatella* Toll, 1962; *subexcellens* Toll, 1962 - Range (in code): LY TN DZ Bsk
- 31607. *Coleophora rhinoceros* Baldizzone, 2001** (Coleophoridae) Synonym(s): *rhinoceros* Baldizzone, 2001 - Range (in code): Cc TR
- 31608. *Coleophora ribasella* Baldizzone, 1982** (Coleophoridae) Synonym(s): *ribasella* Baldizzone, 1982 - Range (in code): ES FR
- 31609. *Coleophora riffelensis* Rebel, 1913** (Coleophoridae) Synonym(s): *riffelensis* Rebel, 1913; *fischeri* Toll, 1950; *klemensiewiczzi* Toll, 1950 - Range (in code): FR CH AT SK HU YU EE LV TR IR
- 31610. *Coleophora roridella* Toll & Amsel, 1967** (Coleophoridae) Synonym(s): *roridella* Toll & Amsel, 1967 - Range (in code): AF Pag Kab Slg
- 31611. *Coleophora rostrata* Baldizzone, 1994** (Coleophoridae) Synonym(s): *rostrata* Baldizzone, 1994 - Range (in code): IR Elb Th
- 31612. *Coleophora rudella* Toll, 1944** (Coleophoridae) Synonym(s): *rudella* Toll, 1944 - Range (in code): ES FR Sa IT RO
- 31613. *Coleophora sabulella* Toll, 1952** (Coleophoridae) Synonym(s): *sabulella* Toll, 1952 - Range (in code): ES
- 31614. *Coleophora safadella* Van der Wolf, 2008** (Coleophoridae) Synonym(s): *safadella* Van der Wolf, 2008 - Range (in code): AE

- 31615. *Coleophora sahariana* Baldizzzone,1997** (Coleophoridae) **Synonym(s):** *sahariana* Baldizzzone,1997 **Range (in code):** **DZ**
- 31616. *Coleophora salicorniae* Heinemann & Wocke,1877** (Coleophoridae) **Synonym(s):** *salicorniae* Heinemann & Wocke,1877; *cypriacella* Rebel,1928. **Range (in code):** **Cn PT ES FR Sa Si IT GB BE NL AT HU RO YU GR TR TM IR Fa Shr CY EG DK SE FI RU MD UA BY**
- 31617. *Coleophora salinella* Stainton,1858** (Coleophoridae) **Synonym(s):** *salinella* Stainton,1858 **Original Reference:** *Coleophora salinella* Stainton,1858, Ent. Annu. 1858: 154. **Range (in code):** **ES FR Si IT GB NL SK HU BG Cc AM Eri RU MD UA CY**
- 31618. *Coleophora salsolella* Chrétien,1915** (Coleophoridae) **Synonym(s):** *salsolella* Chrétien,1915; *nigridorsella* Amsel,1935. **Range (in code):** **DZ Bsk MK GR TR IL TM RU**
- 31619. *Coleophora salviella* Chrétien,1917** (Coleophoridae) **Synonym(s):** *salviella* Chrétien,1917; *pagmana* Toll,1962; *gomerella* Falkovitsh,1978 **Original Reference:** *Coleophora salviella* Chrétien,1917, Annls Soc. ent. Fr. 85: 495. Type: [Algérie]. **Range (in code):** **Cn DZ AF Kab Sfk TM PK Qu** **Bionomy:** Larva on *Perovskia atriplicifolia* (Labiateae) (Baldizzzone,1994).
- 31620. *Coleophora sanella* Baldizzzone & Wolf,2004** (Coleophoridae) **Synonym(s):** *sanella* Baldizzzone & Wolf,2004 **Range (in code):** **NA Dmr Bnd**
- 31621. *Coleophora santolinella* Constant,1890** (Coleophoridae) **Synonym(s):** *santolinella* Constant,1890 **Range (in code):** **ES Co Sa**
- 31622. *Coleophora saponariella* Heeger,1848** (Coleophoridae) **Synonym(s):** *saponariella* Heeger,1848 **Range (in code):** **PT FR IT DE CH AT PL CZ SK HU RO YU SE** **Bionomy:** Larva on *Saponaria* (Heeger,1848).
- 31623. *Coleophora sardiniae* Baldizzzone,1983** (Coleophoridae) **Synonym(s):** *sardiniae* Baldizzzone,1983 **Range (in code):** **IT Sa**
- 31624. *Coleophora sardocorsa* Baldizzzone,1983** (Coleophoridae) **Synonym(s):** *sardocorsa* Baldizzzone,1983 **Range (in code):** **FR IT Co Sa**
- 31625. *Coleophora sarehma* Toll,1956** (Coleophoridae) **Synonym(s):** *sarehma* Toll,1956; *exasperatella* Toll,1957 **Original Reference:** *Coleophora sarehma* Toll,1956, Entomologiste 12 (6): 128. **Range (in code):** **Cn DZ MA TN TR IR Hz B-A SA**
- 31626. *Coleophora sattleri* Baldizzzone,1995** (Coleophoridae) **Synonym(s):** *sattleri* Baldizzzone,1995 **Range (in code):** **FR**
- 31627. *Coleophora saturatella* Stainton,1850** (Coleophoridae) **Synonym(s):** *saturatella* Stainton,1850 **Range (in code):** **FR GB BE NL DE AT PL CZ SK HU RO AL DK SE LT**
- 31628. *Coleophora saudita* Baldizzzone,1984** (Coleophoridae) **Synonym(s):** *saudita* Baldizzzone,1984 **Range (in code):** **SA**
- 31629. *Coleophora saxicolella* (Duponchel,1843)** (Coleophoridae) **Synonym(s):** *saxicolella* Duponchel,1843; *bucovinensis* Nemes,2004 **Range (in code):** **ES FR Sa IT IE GB NL DE AT PL CZ SK HU YU GR TR DK NO SE FI EE LV RO RU MD UA BY**
- 31630. *Coleophora scabrida* Toll,1959** (Coleophoridae) **Synonym(s):** *scabrida* Toll,1959 **Range (in code):** **PT ES FR IT DE PL YU SE EE LV LT RO MK**
- 31631. *Coleophora scaleuta* Meyrick,1911** (Coleophoridae) **Synonym(s):** *scaleuta* Meyrick,1911 **Range (in code):** **ZA Nta Kzu Dbn Tva Gau Pre**
- 31632. *Coleophora scariphota* Meyrick,1911** (Coleophoridae) **Synonym(s):** *scariphota* Meyrick,1911 **Original Reference:** *Coleophora scariphota* Meyrick,1911, Ann. Transv. Mus. 3(1): 78-79. Syntypes 2♂: [South Africa]: Haenertsburg (Swierstra) (TMP). **Range (in code):** **ZA Lpo Tva Hae**
- 31633. *Coleophora schahkuhensis* Toll,1952** (Coleophoridae) **Synonym(s):** *schahkuhensis* Toll,1952 **Range (in code):** **IR Elb Shh Th Qm**
- 31634. *Coleophora schaufferella* Toll,1959** (Coleophoridae) **Synonym(s):** *schaufferella* Toll,1959 **Range (in code):** **IR Hz B-A**
- 31635. *Coleophora schmidtii* Toll,1960** (Coleophoridae) **Synonym(s):** *schmidtii* Toll,1960 **Range (in code):** **ES**
- 31636. *Coleophora seguiella* Chrétien,1915** (Coleophoridae) **Synonym(s):** *seguella* Chrétien,1915; *inversella* Turati,1934; *leucanthella* Capuse,1974 **Range (in code):** **DZ Bsk**
- 31637. *Coleophora semicinerea* Staudinger,1859** (Coleophoridae) **Synonym(s):** *semicinerea* Staudinger,1859; *chrisrigella* Ragonot,1895; *medicaginella* Toll,1944 **Range (in code):** **PT ES Sa Si MT YU MK CY GR Cr**
- 31638. *Coleophora sergiella* Falkovitsh,1979** (Coleophoridae) **Synonym(s):** *sergiella* Falkovitsh,1979 **Range (in code):** **FR AT SK**

- 31639. Coleophora serinipennella Christoph, 1872** (Coleophoridae) Synonym(s): *serinipennella* Christoph, 1872; *stefanii* Joannis, 1899; *novella* Chrétien, 1926; *caliacraella* Caradja, 1931; *lucidella* Caradja, 1932; *jerichoella* Amsel, 1935; *jordanella* Amsel, 1935; *deserticola* Toll, 1944; *soffneri* Toll, 1944. Original Reference: *Coleophora serinipennella* Christoph, 1872, Horae Soc. ent. ross. 9: 31. Range (in code): **DZ Bsk Gf TN LY Cy PT ES FR Si IT RO BG GR JO IL Pa EG RU MD UA BY JP** Bionomy: Larva on *Atriplex halimus* (Chrétien, 1917).
- 31640. Coleophora serpylletorum Hering, 1889** (Coleophoridae) Synonym(s): *serpylletorum* Hering, 1889; *assisi* Nemes, 2003. Range (in code): **ES FR IT GB NL DE CH AT PL CZ SK HU RO YU GR TR DK LV LT**
- 31641. Coleophora serratella (Linnaeus, 1761)** (Coleophoridae) Synonym(s): *serratella* Linnaeus, 1761; *fuscedinella* Zeller, 1849; *metallicella* Hodgkinson, 1892; *aethiopiformis* Strand, 1902; *salmani* Heinrich, 1929; *parasalmani* Oudejans, 1971. Original Reference: *Phalaena serratella* Linnaeus, 1761, Fauna Suecica 1761: 369. Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Betula*, *Corylus*.
- 31642. Coleophora serratulella Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *serratulella* Herrich-Schäffer, 1855. Range (in code): **FR CH AT CZ SK YU GR RO TR KG UK**
- 31643. Coleophora settarii Wocke, 1876** (Coleophoridae) Synonym(s): *settarii* Wocke, 1876. Range (in code): **FR IT CH AT**
- 31644. Coleophora sibiricella Falkovitsh, 1965** (Coleophoridae) Synonym(s): *sibiricella* Falkovitsh, 1965. Range (in code): **FI LV RU MD UA BY**
- 31645. Coleophora siccifolia Stainton, 1856** (Coleophoridae) Synonym(s): *siccifolia* Stainton, 1856. Original Reference: *Coleophora siccifolia* Stainton, 1856, Ent. Ann. 1856: 37. Range (in code): **ES FR GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Betula*, *Crataegus*, *Alnus*, *Carpinus*, *Sorbus*, *Tilia* (Patzak, 1974).
- 31646. Coleophora silenella Herrich-Schäffer, 1855** (Coleophoridae) Synonym(s): *silenella* Herrich-Schäffer, 1855; *dragusanii* Nemes, 2004. Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IR Gor Mz Clu LV LT RU**
- 31647. Coleophora simplex Baldizzone, 1994** (Coleophoridae) Synonym(s): *simplex* Baldizzone, 1994. Range (in code): **IR Fa**
- 31648. Coleophora singreni Falkovitsh, 1973** (Coleophoridae) Synonym(s): *singreni* Falkovitsh, 1973. Range (in code): **RU**
- 31649. Coleophora sisteronica Toll, 1961** (Coleophoridae) Synonym(s): *sisteronica* Toll, 1961. Range (in code): **ES FR IT**
- 31650. Coleophora sobria Baldizzone, 1994** (Coleophoridae) Synonym(s): *sobria* Baldizzone, 1994. Range (in code): **IR Hz B-A**
- 31651. Coleophora sobrinella Toll, 1944** (Coleophoridae) Synonym(s): *sobrinella* Toll, 1944. Range (in code): **TR**
- 31652. Coleophora sodae Baldizzone & Nel, 1993** (Coleophoridae) Synonym(s): *sodae* Baldizzone & Nel, 1993. Range (in code): **PT ES FR**
- 31653. Coleophora soffneriella Toll, 1961** (Coleophoridae) Synonym(s): *soffneriella* Toll, 1961. Original Reference: *Coleophora soffneriella* Toll, 1961, Z. Wien. ent. Ges. 46: 165. Range (in code): **IT YU AL BG GR TR**
- 31654. Coleophora sogdianae Baldizzone, 1994** (Coleophoridae) Synonym(s): *sogdianae* Baldizzone, 1994. Original Reference: *Coleophora sogdianae* Baldizzone, 1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 33-35, fig.12. Holotype ♂: Afghanistan, 40km SW Kabul 2300m (NHMW). Range (in code): **AF Kab PK Swa Mdy IR**
- 31655. Coleophora solenella Staudinger, 1859** (Coleophoridae) Synonym(s): *solenella* Staudinger, 1859. Range (in code): **ES FR IT CH**
- 31656. Coleophora solidaginella Staudinger, 1859** (Coleophoridae) Synonym(s): *solidaginella* Staudinger, 1859. Range (in code): **MA DZ TN PT ES**
- 31657. Coleophora solitariella Zeller, 1849** (Coleophoridae) Synonym(s): *solitariella* Zeller, 1849. Range (in code): **FR IT GB BE NL DE CH? AT PL CZ SK HU DK SE FI EE LV LT RU RO**
- 31658. Coleophora soriaella Baldizzone, 1980** (Coleophoridae) Synonym(s): *soriaella* Baldizzone, 1980. Range (in code): **ES**
- 31659. Coleophora spinella (Schrank, 1802)** (Coleophoridae) Synonym(s): *spinella* Schrank, 1802; *lutifrontella* Bruand, 1850; *cerasivorella* Packard, 1870; *nigrella* Chambers, 1878; *occidentalis* Chambers, 1878; *fletcherella* Fernald, 1892. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK YU DK NO SE FI EE LV LT RU MD UA BY RO**

- 31660. Coleophora spiraeella Rebel,1916** (Coleophoridae) Synonym(s): *spiraeella Rebel,1916*
Range (in code): DE AT PL CZ SK HU SE
- 31661. Coleophora spumosella Staudinger,1859** (Coleophoridae) Synonym(s): *spumosella Staudinger,1859* - Range (in code): ES FR IT CH
- 31662. Coleophora squalorella Zeller,1849** (Coleophoridae) Synonym(s): *squalorella Zeller,1849*
Range (in code): NL DE AT PL CZ SK HU RO YU DK SE FI LV LT RU MD UA BY
- 31663. Coleophora squamella Constant,1885** (Coleophoridae) Synonym(s): *squamella Constant,1885; paragenistae Kasy,1964* - Range (in code): FR Sa IT AT CZ SK YU RO TR Bionomy: Larva on Lotus corniculatus, Dorycnium pentaphyllum (Fabaceae) (Baldizzone,2007).
- 31664. Coleophora squamosella Stainton,1856** (Coleophoridae) Synonym(s): *squamosella Stainton,1856; erigerella Ford,1935; podolensis Toll,1938; sabulicola Benander,1939* - Range (in code): FR IT GB CH AT PL CZ SK HU DK NO SE FI LV LT Cc TR RU At MD UA BY Bionomy: Larva on Erigeron (Baldizzone,2007).
- 31665. Coleophora stachydis Baldizzone,1994** (Coleophoridae) Synonym(s): *stachydis Baldizzone,1994* Original Reference: Coleophora stachydis Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 45-47, fig.19. Holotype ♂: Afghanistan, 10km NW Kabul (NHMW). Range (in code): AF Sfk Pag Bionomy: Larva on Stachys parviflora (Lamiaceae) (Baldizzone,1994).
- 31666. Coleophora staehelinella Walsingham,1891** (Coleophoridae) Synonym(s): *staehelinella Walsingham,1891* - Range (in code): ES FR
- 31667. Coleophora statherota Meyrick,1917** (Coleophoridae) Synonym(s): *statherota Meyrick,1917* - Range (in code): LK Mky
- 31668. Coleophora stenidella Toll,1952** (Coleophoridae) Synonym(s): *stenidella Toll,1952*
Range (in code): DZ
- 31669. Coleophora stepposa Falkovitsh,1975** (Coleophoridae) Synonym(s): *stepposa Falkovitsh,1975* - Range (in code): RU
- 31670. Coleophora sternipennella (Zetterstedt,1839)** (Coleophoridae) Synonym(s): *sternipennella Zetterstedt,1839* - Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU YU BG DK NO SE FI EE LV LT RO RU MD UA BY
- 31671. Coleophora stramentella Zeller,1849** (Coleophoridae) Synonym(s): *stramentella Zeller,1849* Original Reference: Coleophora stramentella Zeller,1849, Linn. ent. 4: 274. Range (in code): AT CZ SK HU RO YU BG TR RU MD UA BY
- 31672. Coleophora striatipennella Nylander,1848** (Coleophoridae) Synonym(s): *striatipennella Nylander,1848* - Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 31673. Coleophora strigosella Toll,1960** (Coleophoridae) Synonym(s): *strigosella Toll,1960*
Range (in code): PT ES FR
- 31674. Coleophora striolatella Zeller,1849** (Coleophoridae) Synonym(s): *striolatella Zeller,1849; benedictella Chrétien,1908; moestrella Toll,1942* - Range (in code): PT ES FR IT DE HU YU
- 31675. Coleophora strophingella Baldizzone,1994** (Coleophoridae) Synonym(s): *strophingella Baldizzone,1994* - Range (in code): DZ IR Fa
- 31676. Coleophora struella Staudinger,1859** (Coleophoridae) Synonym(s): *struella Staudinger,1859* - Range (in code): PT ES FR
- 31677. Coleophora strutiella Glaser,1975** (Coleophoridae) Synonym(s): *strutiella Glaser,1975*
Range (in code): ES
- 31678. Coleophora subochracea Toll,1952** (Coleophoridae) Synonym(s): *subochracea Toll,1952*
Range (in code): TR
- 31679. Coleophora subparcella Toll & Amsel,1967** (Coleophoridae) Synonym(s): *subparcella Toll & Amsel,1967* - Range (in code): IR Ke Se AF Ca TM
- 31680. Coleophora subula (Falkovitsh,1993)** (Coleophoridae) Synonym(s): *subula Falkovitsh,1993* - Range (in code): RU Ur At Sb TR Cc TJ TM
- 31681. Coleophora succursella Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *succursella Herrich-Schäffer,1855* - Range (in code): FR Co? IT BE DE CH AT PL CZ SK DK SE FI EE LV LT
- 31682. Coleophora sudanella Rebel,1917** (Coleophoridae) Synonym(s): *sudanella Rebel,1917*
Range (in code): AE SA SD SD95
- 31683. Coleophora sumptuosa Toll,1952** (Coleophoridae) Synonym(s): *sumptuosa Toll,1952*
Range (in code): RO

- 31684. *Coleophora superlonga* (Falkovitsh,1989)** (Coleophoridae) Synonym(s): *superlonga* Falkovitsh,1989 _ Range (in code): RU
- 31685. *Coleophora supinella* Ortner,1949** (Coleophoridae) Synonym(s): *supinella* Ortner,1949 _ Range (in code): ES FR IT BE AT CZ SK BG
- 31686. *Coleophora surniella* Baldizzone,1990** (Coleophoridae) Synonym(s): *surniella* Baldizzone,1990 _ Range (in code): SA As
- 31687. *Coleophora svenssoni* Baldizzone,1985** (Coleophoridae) Synonym(s): *svenssoni* Baldizzone,1985; *seghedinii* Nemeş,2004 _ Range (in code): AT SK NO SE FI RO
- 31688. *Coleophora swatensis* Baldizzone,1994** (Coleophoridae) Synonym(s): *swatensis* Baldizzone,1994 _ Original Reference: Coleophora swatensis Baldizzone,1994, Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe: 44-45, fig.18. Holotype ♂: NW Pakistan, Prov. Swat, Gabral-Tal 2100m 15km nördl. Kalam (LNK). Range (in code): PK Swa Mdy Klm AF Kab Pag Sfk IR Se
- 31689. *Coleophora sylvaticella* Wood,1892** (Coleophoridae) Synonym(s): *sylvaticella* Wood,1892 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO
- 31690. *Coleophora symphistropa* Reznik,1976** (Coleophoridae) Synonym(s): *symphistropa* Reznik,1976 _ Range (in code): TR Cc AM IR Elb Th Ke
- 31691. *Coleophora synchrona* Falkovitsh,1988** (Coleophoridae) Synonym(s): *synchrona* Falkovitsh,1988 _ Range (in code): TM IR Hz B-A
- 31692. *Coleophora syriaca* Toll,1942** (Coleophoridae) Synonym(s): *syriaca* Toll,1942 _ Range (in code): LB Bei
- 31693. *Coleophora tabelli* Baldizzone,2001** (Coleophoridae) Synonym(s): *tabelli* Baldizzone,2001 _ Range (in code): TR
- 31694. *Coleophora taeniipennella* Herrich-Schäffer,1855** (Coleophoridae) Synonym(s): *taeniipennella* Herrich-Schäffer,1855; *galactaula* Meyrick,1928 _ Range (in code): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU YU AL GR TR IR Mz Clu Cc AM DK NO SE FI LV LT RU MD UA BY RO
- 31695. *Coleophora tamara* Baldizzone,1994** (Coleophoridae) Synonym(s): *tamara* Baldizzone,1994 _ Range (in code): Cc GG AM AZ
- 31696. *Coleophora tamesis* Waters,1929** (Coleophoridae) Synonym(s): *tamesis* Waters,1929 _ Range (in code): ES FR IT IE GB BE NL DE AT PL CZ SK HU YU BG GR RO JO TR CY AF Kab DK NO SE FI LV LT RU MD UA BY
- 31697. *Coleophora tanaceti* Mühlig,1865** (Coleophoridae) Synonym(s): *tanaceti* Mühlig,1865 _ Range (in code): ES Sa IT BE NL DE AT PL CZ SK HU BG TR RO DK NO SE FI LV LT RU MD UA BY
- 31698. *Coleophora tanitella* Baldizzone,1982** (Coleophoridae) Synonym(s): *tanitella* Baldizzone,1982 _ Range (in code): PT ES
- 31699. *Coleophora taurica* Baldizzone,1994** (Coleophoridae) Synonym(s): *taurica* Baldizzone,1994 _ Range (in code): TR
- 31700. *Coleophora tauricella* Staudinger,1880** (Coleophoridae) Synonym(s): *tauricella* Staudinger,1880; *skopusella* Amsel,1935; *egenella* Toll,1952; *kurdistanella* Amsel,1955 _ Original Reference: Coleophora tauricella Staudinger,1880, Horae Soc. ent. ross. 15: 374-375. Type ♀: [Türkei]: Taurus (Haberhauer leg.). Range (in code): YU TR SY Dms IL Pa IQ Shq
- 31701. *Coleophora taygeti* Baldizzone,1983** (Coleophoridae) Synonym(s): *taygeti* Baldizzone,1983 _ Original Reference: Coleophora taygeti Baldizzone,1983, Ann. Mus. Goulondris 6: 241. Range (in code): FR ES IT GR TR RO
- 31702. *Coleophora teheranella* Baldizzone,1994** (Coleophoridae) Synonym(s): *teheranella* Baldizzone,1994 _ Range (in code): IR Elb Th RU
- 31703. *Coleophora telonica* Nel,1991** (Coleophoridae) Synonym(s): *telonica* Nel,1991 _ Range (in code): FR
- 31704. *Coleophora teredo* (Falkovitsh,1994)** (Coleophoridae) Synonym(s): *teredo* Falkovitsh,1994 _ Range (in code): RU
- 31705. *Coleophora terenaula* Meyrick,1927** (Coleophoridae) Synonym(s): *terenaula* Meyrick,1927 _ Range (in code): ZA
- 31706. *Coleophora testudo* Falkovitsh,1973** (Coleophoridae) Synonym(s): *testudo* Falkovitsh,1973 _ Range (in code): TR IR Elb Th AF Kab Ke TM UZ
- 31707. *Coleophora tetraciliata* Baldizzone,2007** (Coleophoridae) Synonym(s): *tetraciliata* Baldizzone,2007 _ Range (in code): TR LB IR Fa

- 31708. *Coleophora texanella* Chambers,1878** (Coleophoridae) **Synonym(s):** *texanella* Chambers,1878; *vagans* Walsingham,1907; *coxi* Baldizzzone & Van der Wolf,2007 **Range (in code):** **IT SI GR Cr US Tx Ny Fl Cf Mrl Vi Oh MX**
- 31709. *Coleophora textoria* Meyrick,1921** (Coleophoridae) **Synonym(s):** *textoria* Meyrick,1921 **Range (in code):** **ZA Tva Gau Pre**
- 31710. *Coleophora therinella* Tengström,1848** (Coleophoridae) **Synonym(s):** *therinella* Tengström,1848 **Range (in code):** **ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 31711. *Coleophora thiophaea* Meyrick,1917** (Coleophoridae) **Synonym(s):** *thiophaea* Meyrick,1917 **Range (in code):** **IN**
- 31712. *Coleophora thulea* Johansson,1967** (Coleophoridae) **Synonym(s):** *thulea* Johansson,1967 **Range (in code):** **NO SE FI RU MD UA BY**
- 31713. *Coleophora thurneri* Glaser,1968** (Coleophoridae) **Synonym(s):** *thurneri* Glaser,1968 **Range (in code):** **FR IT**
- 31714. *Coleophora thymi* Hering,1942** (Coleophoridae) **Synonym(s):** *thymi* Hering,1942 **Range (in code):** **IT DE AT CZ SK HU GR TR**
- 31715. *Coleophora tollamseliella* Oudejans,1971** (Coleophoridae) **Synonym(s):** *tenuis* Toll & Amsel,1967; *tollamseliella* Oudejans,1971 **Original Reference:** *Coleophora tollamseliella* Oudejans,1971, Ent. Ber., Amst. 31: 189. **Range (in code):** **PK Swa Klm IR Elb Th Kh Msh AF TM TR**
- 31716. *Coleophora tolli* Klimesch,1951** (Coleophoridae) **Synonym(s):** *toll* Klimesch,1951 **Range (in code):** **FR IT DE AT SK** **Bionomy:** Larva on Thymus (Klimesch,1951).
- 31717. *Coleophora tornata* (Falkovitsh,1989)** (Coleophoridae) **Synonym(s):** *tornata* Falkovitsh,1989 **Range (in code):** **RU**
- 31718. *Coleophora totanae* Baldizzzone,1985** (Coleophoridae) **Synonym(s):** *totanae* Baldizzzone,1985 **Range (in code):** **ES**
- 31719. *Coleophora tractella* Zeller,1849** (Coleophoridae) **Synonym(s):** *tractella* Zeller,1849 **Range (in code):** **CH**
- 31720. *Coleophora traganella* Chrétien,1915** (Coleophoridae) **Synonym(s):** *traganella* Chrétien,1915 **Range (in code):** **DZ TN Bsk Gf EG**
- 31721. *Coleophora traugotti* Baldizzzone,1985** (Coleophoridae) **Synonym(s):** *traugotti* Baldizzzone,1985 **Range (in code):** **ES**
- 31722. *Coleophora tremulae* (Falkovitsh,1989)** (Coleophoridae) **Synonym(s):** *tremulae* Falkovitsh,1989 **Range (in code):** **RU**
- 31723. *Coleophora treskaensis* Toll & Amsel,1967** (Coleophoridae) **Synonym(s):** *treskaensis* Toll & Amsel,1967; *sciurella* Baldizzzone,1987 **Range (in code):** **ES FR IT MK YU TR IR AF TM**
- 31724. *Coleophora trichopterella* Baldizzzone,1985** (Coleophoridae) **Synonym(s):** *trichopterella* Baldizzzone,1985 **Range (in code):** **ES**
- 31725. *Coleophora tricolor* Walsingham,1899** (Coleophoridae) **Synonym(s):** *tricolor* Walsingham,1899 **Range (in code):** **GB**
- 31726. *Coleophora tridentifera* Baldizzzone,1980** (Coleophoridae) **Synonym(s):** *tridentifera* Baldizzzone,1980 **Range (in code):** **ES**
- 31727. *Coleophora trientella* Christoph,1872** (Coleophoridae) **Synonym(s):** *trientella* Christoph,1872; *pilicornis* Rebel,1914. **Range (in code):** **SK HU RO YU BG RU**
- 31728. *Coleophora trifariella* Zeller,1849** (Coleophoridae) **Synonym(s):** *trifariella* Zeller,1849 **Range (in code):** **PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU TR RU MD UA BY** **Bionomy:** Larva on Genista, Sarothamnus, Cytisus, Coronilla, Spartium (Fabaceae) (Baldizzzone,2007).
- 31729. *Coleophora trifissella* Rebel,1910** (Coleophoridae) **Synonym(s):** *trifissella* Rebel,1910 **Original Reference:** *Coleophora trifissella* Rebel,1910, Verh. zool.- bot. Ges. Wien 60: 32, fig.5. **Range (in code):** **IR Elb Kdv Mz**
- 31730. *Coleophora triflua* Meyrick,1911** (Coleophoridae) **Synonym(s):** *triflua* Meyrick,1911 **Range (in code):** **ZA Tva Gau Pre**
- 31731. *Coleophora trifolii* (Curtis,1832)** (Coleophoridae) **Synonym(s):** *trifolii* Curtis,1832; *chalybaella* Costa,[1836]; *melilotella* Scott,1861. **Range (in code):** **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR IR Elb Th AF DK NO SE FI EE LV LT RU MD UA BY IQ Agh Bgd CN Ui KI CA BCo** **Bionomy:** Larva on Trifolium, Melilotus (Curtis,1832; Scott,1861).
- 31732. *Coleophora trigeminella* Fuchs,1881** (Coleophoridae) **Synonym(s):** *trigeminella* Fuchs,1881 **Original Reference:** *Coleophora trigeminella* Fuchs,1881, Stettin ent. Ztg. 42: 462.

- Range (in code): **PT ES FR IT GB NL DE CH AT CZ SK HU YU AL TR Cc AM Geg DK NO SE FI LV LT RO** Bionomy: Larva on Sorbus, Crataegus (Patzak,1974).
- 31733. Coleophora trimaculella Baldizzone,2001** (Coleophoridae) Synonym(s): *trimaculella Baldizzone,2001* Range (in code): **Cc TR IR Kh**
- 31734. Coleophora tringella Baldizzone,1988** (Coleophoridae) Synonym(s): *tringella Baldizzone,1988* Range (in code): **KG Uk TR RU Ur** Bionomy: Larva on Kochia prostrata (Anikin & Falkovitsh,1997).
- 31735. Coleophora tripeniella Baldizzone,1994** (Coleophoridae) Synonym(s): *tripeniella Baldizzone,1994* Range (in code): **AF Kab IR Ke TR**
- 31736. Coleophora tripolitana Toll,1960** (Coleophoridae) Synonym(s): *tripolitana Toll,1960* Range (in code): **LY Cy**
- 31737. Coleophora tristella Staudinger,1879** (Coleophoridae) Synonym(s): *tristella Staudinger,1879* Original Reference: Coleophora tristella Staudinger,1879, Horae Soc. ent. ross. 15: 362-363. Type ♂: [Türkei]: Amasia. Range (in code): **TR**
- 31738. Coleophora tristraminata Toll,1959** (Coleophoridae) Synonym(s): *tristraminata Toll,1959* Range (in code): **IR Fa**
- 31739. Coleophora trochilella (Duponchel,1843)** (Coleophoridae) Synonym(s): *trochilella Duponchel,1843, lineatella Tengström,1848; albigriseella Bruand,1850; alpicola Heimenann & Wocke,1876; corymbosiella Brauer,1917; axana Hering,1942* Range (in code): **FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU**
- 31740. Coleophora tsherkesi Falkovitsh,1970** (Coleophoridae) Synonym(s): *tsherkesi Falkovitsh,1970* Range (in code): **TM UZ IR Qm**
- 31741. Coleophora tshiligella (Reznik,1976)** (Coleophoridae) Synonym(s): *tshiligella Reznik,1976* Range (in code): **RU**
- 31742. Coleophora tundrosa (Falkovitsh,1991)** (Coleophoridae) Synonym(s): *tundrosa Falkovitsh,1991* Range (in code): **RU Ur**
- 31743. Coleophora tunisiae Stübner & Baldizzone,2007** (Coleophoridae) Synonym(s): *tunisiae Stübner & Baldizzone,2007* Range (in code): **TN Dhm DZ Ahr**
- 31744. Coleophora turbatella Toll,1944** (Coleophoridae) Synonym(s): *turbatella Toll,1944* Range (in code): **ES**
- 31745. Coleophora turca Baldizzone,1994** (Coleophoridae) Synonym(s): *turca Baldizzone,1994* Range (in code): **TR**
- 31746. Coleophora turolella Zerny,1927** (Coleophoridae) Synonym(s): *turolella Zerny,1927* Range (in code): **ES**
- 31747. Coleophora tyrrhaenica Amsel,1952** (Coleophoridae) Synonym(s): *tyrrhaenica Amsel,1952.* Original Reference: Coleophora tyrrhaenica Amsel,1952, Fragm. Ent. 1 (1): 130, fig.34. Holotype ♂: Sardaigne: Aritzo (LNK). Range (in code): **FR Sa IT HU YU BG GR RU MK RO**
- 31748. Coleophora ucrainae Baldizzone & Patzak,1991** (Coleophoridae) Synonym(s): *ucrainae Baldizzone & Patzak,1991* Range (in code): **UA**
- 31749. Coleophora ugabensis Baldizzone & Wolf,2004** (Coleophoridae) Synonym(s): *ugabensis Baldizzone & Wolf,2004* Range (in code): **NA Dmr Bnd**
- 31750. Coleophora uliginosella Glitz,1872** (Coleophoridae) Synonym(s): *uliginosella Glitz,1872* Original Reference: Coleophora uliginosella Glitz,1872, Stettin ent. Ztg. 33: 23. Range (in code): **FR IT DE AT PL DK SE FI LV LT** Bionomy: Larva on Vaccinium uliginosum (Glitz,1872).
- 31751. Coleophora unigenella Svensson,1966** (Coleophoridae) Synonym(s): *unigenella Svensson,1966* Range (in code): **AT NO SE FI RU MD UA BY**
- 31752. Coleophora unipunctella Zeller,1849** (Coleophoridae) Synonym(s): *unipunctella Zeller,1849* Range (in code): **ES FR IT DE AT PL CZ SK HU RO LT RU**
- 31753. Coleophora univittella Staudinger,1880** (Coleophoridae) Synonym(s): *univittella Staudinger,1880* Original Reference: Coleophora univittella Staudinger,1880, Horae Soc. ent. ross. 15: 368. Syntypes 2 ex: [Türkei]: Bosz-Dagh; Lectotype ♂, designated by Baldizzone (1994: 134) (ZMB). Range (in code): **GG Cc TR AM Geg Eri IR Elb Th Se Kz Fa Kd Snj AF Pag Kab UA Cm Kp TM** Bionomy: Larva Tragacantha (Fabaceae) (Falkovitsh,1988).
- 31754. Coleophora uralensis Toll,1961** (Coleophoridae) Synonym(s): *uralensis Toll,1961* Original Reference: Coleophora uralensis Toll,1961, Ann. Zool. Warsz. 19 (6): 217. Range (in code): **ES FR YU HU RU Ur MD UA BY AF Kab Gz TR**

- 31755. *Coleophora vacciniella* Herrich-Schäffer, 1861** (Coleophoridae) **Synonym(s):** *vacciniella* Herrich-Schäffer, 1861 **Original Reference:** *Coleophora vacciniella* Herrich-Schäffer, 1861, Corresp. Bl. Samml. Ins. Schmett. 2: 135. **Range (in code):** **FR IT NL BE DE CH AT PL CZ SK DK NO SE FI LV RU MD UA BY RO** **Bionomy:** Larva on *Vaccinium vitis-idaea*, *V. myrtillus*, *V. uliginosum* (Herrich-Schäffer, 1861; Patzak, 1974).
- 31756. *Coleophora valesianella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *valesianella* Zeller, 1849; *giraudi* Ragonot, 1874; *simillima* Staudinger, 1880; *predotaella* Rebel, 1914 **Range (in code):** **ES FR IT CH AT RO YU HV MK GR TR IR Shr Fa Mz Clu Ab Mak CY**
- 31757. *Coleophora vanderwolfi* Baldizzone, 1985** (Coleophoridae) **Synonym(s):** *vanderwolfi* Baldizzone, 1985 **Range (in code):** **PT ES**
- 31758. *Coleophora varensis* Baldizzone & Nel, 1993** (Coleophoridae) **Synonym(s):** *varensis* Baldizzone & Nel, 1993 **Range (in code):** **ES FR**
- 31759. *Coleophora variicornis* Toll, 1952** (Coleophoridae) **Synonym(s):** *variicornis* Toll, 1952 **TR PL FR IT HV MK AL GR Rd BG**
- 31760. *Coleophora varnella* Badizzone & Tabell, 2006** (Coleophoridae) **Synonym(s):** *varnella* Badizzone & Tabell, 2006 **Range (in code):** **BG Vrn**
- 31761. *Coleophora ventadelsolella* Glaser, 1981** (Coleophoridae) **Synonym(s):** *ventadelsolella* Glaser, 1981 **Range (in code):** **ES**
- 31762. *Coleophora vermiculatella* Glaser, 1975** (Coleophoridae) **Synonym(s):** *vermiculatella* Glaser, 1975 **Range (in code):** **ES**
- 31763. *Coleophora versurella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *versurella* Zeller, 1849; *tardipennella* Zeller, 1849; *miserella* Staudinger, 1880; *agricolella* Fuchs, 1886; *atlanticella* Rebel, 1896; *enchorda* Meyrick, 1931; *pallorella* Benander, 1939; *thalassella* McDunnough, 1940; *constanti* Hering, 1942; *pisella* Amsel, 1953; *saccharella* Amsel, 1953; *amaranthivora* Oku, 1965 **Range (in code):** **AE LY MA PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL IR Hz B-A Elb Th AF Kab IN DK NO SE FI EE LV LT RU MD UA BY**
- 31764. *Coleophora vestalella* Staudinger, 1859** (Coleophoridae) **Synonym(s):** *vestalella* Staudinger, 1859; *balearica* Falkovitsh, 1978 **Range (in code):** **ES FR**
- 31765. *Coleophora vestianella* (Linnaeus, 1758)** (Coleophoridae) **Synonym(s):** *vestianella* Linnaeus, 1758; *laripennella* Zetterstedt, 1839; *galbulipennella* Duponchel, 1843; *annulatella* Tengström, 1848; *tengstroemella* Doubleday, 1859; *subtractella* Caradja, 1920 **Original Reference:** *Phalaena Tinea vestianella* Linnaeus, 1758, Syst. Nat. 10 (1): 536. Type(s): "Habitat in Vestimentis". **Range (in code):** **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM Geg Eri AF Bd Pag Kab IR Fa Shr Elb Th CN JP DK NO SE FI EE LV LT RU MD UA BY**
- 31766. *Coleophora vibicella* (Hübner, [1813])** (Coleophoridae) **Synonym(s):** *vibicella* Hübner, [1813]; *vibicipennella* Treitschke, 1833; *brunneella* Müller-Rutz, 1922 **Range (in code):** **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY**
- 31767. *Coleophora vibicigerella* Zeller, 1839** (Coleophoridae) **Synonym(s):** *vibicigerella* Zeller, 1839; *mandschuriae* Toll, 1942; *didyma* Toll, 1957. **Range (in code):** **ES FR IT GB DE AT PL CZ SK HU RO YU BG IR Elb Dam Srd DK SE FI EE LV LT RU MD UA BY**
- 31768. *Coleophora vicinella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *vicinella* Zeller, 1849; *gypsophilae* Christoph, 1862. **Range (in code):** **DZ Anna ES FR IT DE AT CZ SK HU RO YU GR TR Cc AM Geg Eri IR Gl Elb Th RU UA** **Bionomy:** Larva on *Medicago* [Fabaceae] (Chrétien, 1917).
- 31769. *Coleophora viettella* Toll, 1942** (Coleophoridae) **Synonym(s):** *viettella* Toll, 1942; *arabica* Amsel, 1958 **Range (in code):** **AE TN SA**
- 31770. *Coleophora violacea* (Ström, 1783)** (Coleophoridae) **Synonym(s):** *violacea* Ström, 1783; *hornigi* Toll, 1952; *albicornuella* Bradley, 1956 **Range (in code):** **DZ FR IT GB NL DE CH AT CZ SK DK NO SE FI EE LV LT RU MD UA BY**
- 31771. *Coleophora virgatella* Zeller, 1849** (Coleophoridae) **Synonym(s):** *virgatella* Zeller, 1849 **Range (in code):** **FR IT BE DE CH AT PL CZ SK HU B-H BG GR TR RO**
- 31772. *Coleophora vitisella* Gregson, 1856** (Coleophoridae) **Synonym(s):** *vitisella* Gregson, 1856 **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RO CA Yuk RU Us**
- 31773. *Coleophora vivesella* Baldizzone, 1987** (Coleophoridae) **Synonym(s):** *vivesella* Baldizzone, 1987 **Range (in code):** **ES**
- 31774. *Coleophora vulnerariae* Zeller, 1839** (Coleophoridae) **Synonym(s):** *vulnerariae* Zeller, 1839; *icterella* Duponchel, 1840; *vulnerariella* Doubleday, 1859; *vulnerariella* Bruand, 1859 **Range (in code):** **PT ES FR Co? Si? IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR? TR DK NO SE EE LV LT RU MD UA BY**

- 31775. *Coleophora vulpecula* Zeller, 1849** (Coleophoridae) Synonym(s): *vulpecula* Zeller, 1849; *vulpeculoides* Toll, 1952 Original Reference: *Coleophora vulpecula* Zeller, 1849, Linn. ent. 4: 219. Range (in code): **ES FR IT DE AT CZ SK HU YU BG TR IR Mz Clu Elb Kdv Gls AF Pag Kab**
- 31776. *Coleophora walsinghami* Baldizzone, 1990** (Coleophoridae) Synonym(s): *walsinghami* Baldizzone, 1990 Original Reference: *Coleophora walsinghami* Baldizzone, 1990, Nota lepid. 13 (2/3): 116-118, figs. Holotype ♂: [Turkey: Kayseri Prov.]: "Césarée de Syrie" (MNHN). Range (in code): **SY? TR**
- 31777. *Coleophora wiltshirei* Toll, 1959** (Coleophoridae) Synonym(s): *wiltshirei* Toll, 1959 Original Reference: *Coleophora wiltshirei* Toll, 1959, Bull. Soc. ent. Egypte 43: 333-334, figs. Holotype ♂: Iraq, Hassi-Omran, Kurdistan 1760m 25 vi 1954. Range (in code): **TR IR Lo Kd Bnc IQ Hjo**
- 31778. *Coleophora wockeella* Zeller, 1849** (Coleophoridae) Synonym(s): *wockeella* Zeller, 1849; *fumigatella* Caradja, 1920; *italiae* Toll, 1960 Range (in code): **ES FR IT GB BE DE CH AT PL SK HU RO YU AL TR LV**
- 31779. *Coleophora wolschrijni* Baldizzone & Wolf, 2000** (Coleophoridae) Synonym(s): *wolschrijni* Baldizzone & Wolf, 2000 Range (in code): **ES**
- 31780. *Coleophora xanthoargentea* Toll, 1959** (Coleophoridae) Synonym(s): *xanthoargentea* Toll, 1959 Range (in code): **IR Fa TR**
- 31781. *Coleophora xanthoptera* Toll, 1952** (Coleophoridae) Synonym(s): *xanthoptera* Toll, 1952 Range (in code): **DZ**
- 31782. *Coleophora zagrosella* Baldizzone, 1994** (Coleophoridae) Synonym(s): *zagrosella* Baldizzone, 1994 Range (in code): **IR Hz B-A Kh Msh**
- 31783. *Coleophora zelleriella* Heinemann, 1854** (Coleophoridae) Synonym(s): *zelleriella* Heinemann, 1854 Range (in code): **PT ES FR IT NL DE AT PL CZ SK HU RO YU AL BG GR TR IR Gls fa Elb Th SY Dms DK SE LV LT RU MD UA BY JP**
- 31784. *Coleophora zernyi* Toll, 1944** (Coleophoridae) Synonym(s): *zernyi* Toll, 1944 Range (in code): **MA ES Co Sa IQ Hjo Ry IR Fa LB Bei Bsa SY Dms CY**
- 31785. *Coleophora zhusani* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *zhusani* Falkovitsh, 1972 Range (in code): **IR Elb Th TM UZ**
- 31786. *Coleophora zhusuni* Falkovitsh, 1972** (Coleophoridae) Synonym(s): *zhusuni* Falkovitsh, 1972 Range (in code): **RU**
- 31787. *Coleophora zofodella* Baldizzone, 2001** (Coleophoridae) Synonym(s): *zofodella* Baldizzone, 2001 Range (in code): **TR**
- 31788. *Coleophora zukowskii* Toll, 1959** (Coleophoridae) Synonym(s): *zukowskii* Toll, 1959 Range (in code): **DE PL DK**
- 31789. *Enscepastra longirostris* Meyrick, 1926** (Coleophoridae) Synonym(s): *longirostris* Meyrick, 1926 Range (in code): **ZA**
- 31790. *Enscepastra machinopis* Meyrick, 1936** (Coleophoridae) Synonym(s): *machinopis* Meyrick, 1936; *#machinopis* Amsel, 1949; *alhagii* Falkovich, 1972 Original Reference: *Enscepastra machinopis* Meyrick, 1936, Exot. Microlepid. 5: 63. Type ♂: Iraq: Diana, 2800ft. (E.P. Wiltshire leg.). Range (in code): **IQ Rmd Dia IR Qm**
- 31791. *Enscepastra plagiopa* Meyrick, 1920** (Coleophoridae) Synonym(s): *plagiopa* Meyrick, 1920 Range (in code): **ZA Wca Tmo**
- 31792. *Goniodoma auroguttella* (Fischer v. Röslerstamm, 1841)** (Coleophoridae) Synonym(s): *auroguttella* Fischer v. Röslerstamm, 1841 Range (in code): **PT FR IT CH? AT PL CZ SK HU RO GR TR KG Uk RU MD UA BY**
- 31793. *Goniodoma limoniella* (Stainton, 1884)** (Coleophoridae) Synonym(s): *limoniella* Stainton, 1884 Range (in code): **ES FR Sa Si IT GB BE NL SK YU GR CY**
- 31794. *Goniodoma millierella* Ragonot, 1882** (Coleophoridae) Synonym(s): *millierella* Ragonot, 1882 Range (in code): **TN Gf FR IT** Bionomy: Larva on *Statice delicatula* [Limonium delicatulum, Plumbaginaceae] (Chrétien, 1917).
- 31795. *Goniodoma nemesi* Capuse, 1970** (Coleophoridae) Synonym(s): *nemesi* Capuse, 1970 Range (in code): **RO**
- 31796. *Iriothyrsa melanogma* Meyrick, 1908** (Coleophoridae) Synonym(s): *melanogma* Meyrick, 1908 Range (in code): **ZA Tva Lpo Pie Nta Kzu ZW**
- 31797. *Ischnophanes aquilina* Baldizzone & van der Wolf, 2003** (Coleophoridae) Synonym(s): *aquilina* Baldizzone & van der Wolf, 2003 Range (in code): **ES**

- 31798. *Ischnophanes baldizzonella* Vives Moreno, 1983** (Coleophoridae) **Synonym(s):** *baldizzonella* Vives Moreno, 1983 **Range (in code): ES**
- 31799. *Ischnophanes bifurcata* Baldizzone, 1994** (Coleophoridae) **Synonym(s):** *bifurcata* Baldizzone, 1994 **Range (in code): IR TM TJ**
- 31800. *Ischnophanes canariella* Baldizzone, 1984** (Coleophoridae) **Synonym(s):** *canariella* Baldizzone, 1984 **Range (in code): Cn**
- 31801. *Ischnophanes excentra* Baldizzone & van der Wolf, 2003** (Coleophoridae) **Synonym(s):** *excentra* Baldizzone & van der Wolf, 2003 **Range (in code): ES**
- 31802. *Ischnophanes monocentra* Meyrick, 1891** (Coleophoridae) **Synonym(s):** *monocentra* Meyrick, 1891 **Range (in code): DZ TN**
- 31803. *Ischnopsis angustella* Walsingham, 1881** (Coleophoridae) **Synonym(s):** *angustella* Walsingham, 1881 **Range (in code): ZA**
- 31804. *Metriotes jaeckhi* Baldizzone, 1985** (Coleophoridae) **Synonym(s):** *jaeckhi* Baldizzone, 1985 **Range (in code): PT ES**
- 31805. *Metriotes lutarea* (Haworth, [1828])** (Coleophoridae) **Synonym(s):** *lutarea* Haworth, [1828]; *modestella* Duponchel, 1838; *splendidella* Lienig & Zeller, 1846; *bucovinella* Nemes, 2004 **Original Reference:** *Porrectaria lutarea* Haworth, [1828], Lep. Br. 4: 537. **Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK SE EE LV LT RU MD UA BY** **Bionomy:** Larva on *Stellaria holostea*, *Thesium montanum* (Patzak, 1974).
- 31806. *Porotica astragalis* Meyrick, 1913** (Coleophoridae) **Synonym(s):** *astragalis* Meyrick, 1913 **Range (in code): ZA Tva Mpu Brb**
- 31807. *Sandaloea lathraea* Meyrick, 1920** (Coleophoridae) **Synonym(s):** *lathraea* Meyrick, 1920 **Range (in code): ZA Wca Cld**
- 31808. *Copromorpha aeruginea* Meyrick, 1917** (Copromorphidae) **Synonym(s):** *aeruginea* Meyrick, 1917 **Range (in code): ZA**
- 31809. *Copromorpha macrolepis* Diakonoff, 1959** (Copromorphidae) **Synonym(s):** *macrolepis* Diakonoff, 1959 **Range (in code): ID Clb**
- 31810. *Sisyroxena syncentra* Meyrick, 1916** (Copromorphidae) **Synonym(s):** *syncentra* Meyrick, 1916 **Range (in code): ZA**
- 31811. "Leptozestis" leucoloma (Lower, 1897)** (Cosmopterigidae) **Synonym(s):** *leucoloma* Lower, 1897 **Range (in code): AU**
- 31812. "Syntomactis" oxyptera Lower, 1900** (Cosmopterigidae) **Synonym(s):** *oxyptera* Lower, 1900 **Range (in code): AU**
- 31813. *Alloclita brachygrapta* Meyrick, 1925** (Cosmopterigidae) **Synonym(s):** *brachygrapta* Meyrick, 1925 **Range (in code): EG Sn**
- 31814. *Alloclita delozona* Meyrick, 1919** (Cosmopterigidae) **Synonym(s):** *delozona* Meyrick, 1919 **Range (in code): EG IN SA OM**
- 31815. *Alloclita deprinsi* Koster & Sinev, 2003** (Cosmopterigidae) **Synonym(s):** *deprinsi* Koster & Sinev, 2003 **Original Reference:** *Alloclita deprinsi* Koster & Sinev, 2003, Microlepid. Eur. 5: 102, figs. Holotype ♂: Turkey, Icel, 8km SSE Kazanlı 10 viii 1997 leg. W de Prins (ZMAN). **Range (in code): TR**
- 31816. *Alloclita francoeuriae* Walsingham, 1905** (Cosmopterigidae) **Synonym(s):** *francoeuriae* Walsingham, 1905 **Range (in code): DZ Bsk Hes MA TN Gf** **Bionomy:** Larva on *Francoeuria crispa* (Asteraceae) (Walsingham, 1905).
- 31817. *Alloclita gambiella* (Walsingham, 1891)** (Cosmopterigidae) **Synonym(s):** *gambiella* Walsingham, 1891 **Range (in code): GM SA**
- 31818. *Alloclita haifensis* Rebel, 1911** (Cosmopterigidae) **Synonym(s):** *haifensis* Rebel, 1911; *litorella* Amsel, 1935 **Range (in code): IL Pa Jf**
- 31819. *Alloclita paraphracta* (Meyrick, 1914)** (Cosmopterigidae) **Synonym(s):** *paraphracta* Meyrick, 1914 **Range (in code): ZA**
- 31820. *Alloclita plumbaria* (Meyrick, 1921)** (Cosmopterigidae) **Synonym(s):** *plumbaria* Meyrick, 1921 **Range (in code): ZW**
- 31821. *Alloclita recisella* Staudinger, 1859** (Cosmopterigidae) **Synonym(s):** *recisella* Staudinger, 1859; *albocinctella* Chrétien, 1915; *orthoclina* Meyrick, 1922; *inconspicuellla* Turati, 1929; *gelechiformis* Turati, 1930 **Range (in code): DZ Agi PT ES An Si IL Pa Hf CY GR Co**
- 31822. *Alloclita reflua* Meyrick, 1914** (Cosmopterigidae) **Synonym(s):** *reflua* Meyrick, 1914 **Range (in code): IN LK**

- 31823. *Alloclita xylodesma* Meyrick, 1911** (Cosmopterigidae) Synonym(s): *xylodesma* Meyrick, 1911 Original Reference: *Alloclita xylodesma* Meyrick, 1911, Ann. Transv. Mus. 3(1): 72-73. Type ♀: [South Africa]: Waterberg (Jutrzencka) (TMP). Range (in code): **ZA Wb**
- 31824. *Alloclita zelotypa* (Meyrick, 1918)** (Cosmopterigidae) Synonym(s): *zelotypa* Meyrick, 1918 Range (in code): **MZ Blv**
- 31825. *Allotalanta autophaea* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *autophaea* Meyrick, 1913 Original Reference: *Allotalanta autophaea* Meyrick, 1913, Exot. Microlepid. 1: 114. Syntypes 2♂: [Turkey]: Asia Minor: Taurus Mts. (BMNH). Range (in code): **TR**
- 31826. *Allotalanta clonomicta* Meyrick, 1927** (Cosmopterigidae) Synonym(s): *clonomicta* Meyrick, 1927 Range (in code): **ZA Nta Kzu**
- 31827. *Allotalanta crocomitra* (Meyrick, 1914)** (Cosmopterigidae) Synonym(s): *crocomitra* Meyrick, 1914 Range (in code): **IN Kn**
- 31828. *Allotalanta decepatrix* Meyrick, 1925** (Cosmopterigidae) Synonym(s): *decepatrix* Meyrick, 1925 Range (in code): **CN Kwa**
- 31829. *Allotalanta globulosa* Meyrick, 1914** (Cosmopterigidae) Synonym(s): *globulosa* Meyrick, 1914 Range (in code): **LK**
- 31830. *Allotalanta lacteata* Meyrick, 1914** (Cosmopterigidae) Synonym(s): *lacteata* Meyrick, 1914 Range (in code): **IN**
- 31831. *Allotalanta ochrotoma* Meyrick, 1930** (Cosmopterigidae) Synonym(s): *ochrotoma* Meyrick, 1930 Range (in code): **CM**
- 31832. *Allotalanta oporista* Meyrick, 1926** (Cosmopterigidae) Synonym(s): *oporista* Meyrick, 1926 Range (in code): **PG Nlr**
- 31833. *Allotalanta spilothyris* Meyrick, 1922** (Cosmopterigidae) Synonym(s): *spilothyris* Meyrick, 1922 Range (in code): **IN Ass Meg**
- 31834. *Allotalanta synclera* (Meyrick, 1921)** (Cosmopterigidae) Synonym(s): *synclera* Meyrick, 1921 Range (in code): **IN Kn**
- 31835. *Allotalanta tephroclystis* Meyrick, 1930** (Cosmopterigidae) Synonym(s): *tephroclystis* Meyrick, 1930 Range (in code): **CM**
- 31836. *Allotalanta triocellata* (Stainton, 1859)** (Cosmopterigidae) Synonym(s): *triocellata* Stainton, 1859 Range (in code): **IN**
- 31837. *Anatrachyntis amphisaris* (Meyrick, 1922)** (Cosmopterigidae) Synonym(s): *amphisaris* Meyrick, 1922 Range (in code): **LK TH MY PG** Bionomy: Larva on *Elaeis guineensis* (Palmae), *Sorghum bicolor*, *Zea mays* (Poaceae) (Robinson et al., 2005).
- 31838. *Anatrachyntis anaclostis* (Meyrick, 1897)** (Cosmopterigidae) Synonym(s): *anaclostis* Meyrick, 1897 Range (in code): **AU QAU Bri**
- 31839. *Anatrachyntis anoista* (Bradley, 1956)** (Cosmopterigidae) Synonym(s): *anoista* Bradley, 1956 Range (in code): **AU Lhw**
- 31840. *Anatrachyntis badia* (Hodges, 1962)** (Cosmopterigidae) Synonym(s): *badia* Hodges, 1962 Range (in code): **ES Cn FR US NL GB**
- 31841. *Anatrachyntis bicincta* (Ghesquière, 1940)** (Cosmopterigidae) Synonym(s): *bicincta* Ghesquière, 1940 Range (in code): **ZR**
- 31842. *Anatrachyntis calefacta* (Meyrick, 1922)** (Cosmopterigidae) Synonym(s): *calefacta* Meyrick, 1922; *califacta* Sinev, 2002 Range (in code): **IN Clc**
- 31843. *Anatrachyntis carpophila* (Ghesquière, 1940)** (Cosmopterigidae) Synonym(s): *carpophila* Ghesquière, 1940 Range (in code): **ZR**
- 31844. *Anatrachyntis cecidicida* (Ghesquière, 1940)** (Cosmopterigidae) Synonym(s): *cecidicida* Ghesquière, 1940 Range (in code): **ZR**
- 31845. *Anatrachyntis centropecta* (Meyrick, 1931)** (Cosmopterigidae) Synonym(s): *centropecta* Meyrick, 1931 Original Reference: *Pyroderces centropecta* Meyrick, 1931, Exot. Microlepid. 4: 52. Type: Malaya. Range (in code): **IN MY** Bionomy: Larva on *Elaeis guineensis* (Palmae) (Robinson et al., 2005).
- 31846. *Anatrachyntis centrophanes* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *centrophanes* Meyrick, 1915 Original Reference: *Anatrachyntis centrophanes* Meyrick, 1915, Exot. Microlepid. 1: 325. Type: India. Range (in code): **LK IN MY** Bionomy: Larva on *Elaeis guineensis* (Palmae), *Mangifera indica* (Anacardiaceae) (Robinson et al., 2005).
- 31847. *Anatrachyntis coriacella* (Snellen, 1901)** (Cosmopterigidae) Synonym(s): *coriacella* Snellen, 1901 Range (in code): **ID Ja**

- 31848. *Anatrachyntis coridophaga* (Meyrick,1925)** (Cosmopterigidae) **Synonym(s):** *coridophaga* Meyrick,1925; *pygmaella* Turati,1927 _ **Range (in code):** **EG LY** **Bionomy:** Larva on Hibiscus (Malvaceae) (Koster & Sinev,2003).
- 31849. *Anatrachyntis coridophaga* (Meyrick,1925)** (Cosmopterigidae) **Synonym(s):** *choridophaga* Meyrick,1925 _ **Range (in code):** **EG EG11**
- 31850. *Anatrachyntis dactyliota* (Meyrick,1931)** (Cosmopterigidae) **Synonym(s):** *dactyliota* Meyrick,1931 _ **Range (in code):** **IN MY** **Bionomy:** Larva on Cocos nucifera (Palmae) (Robinson et al.,2005).
- 31851. *Anatrachyntis euryspora* (Meyrick,1922)** (Cosmopterigidae) **Synonym(s):** *euryspora* Meyrick,1922 _ **Range (in code):** **FJ** **Bionomy:** Larva on Gossypium arboreum (Malvaceae) (Robinson et al.,2005).
- 31852. *Anatrachyntis exagria* (Meyrick,1915)** (Cosmopterigidae) **Synonym(s):** *exagria* Meyrick,1915 _ **Range (in code):** **IN**
- 31853. *Anatrachyntis gymnocentra* (Meyrick,1937)** (Cosmopterigidae) **Synonym(s):** *gymnocentra* Meyrick,1937 _ **Range (in code):** **ZR**
- 31854. *Anatrachyntis haemodryas* (Meyrick,1930)** (Cosmopterigidae) **Synonym(s):** *haemodryas* Meyrick,1930 _ **Range (in code):** **MY** **Bionomy:** Larva on Nypa fruticans (Palmae) (Robinson et al.,2005).
- 31855. *Anatrachyntis holotherma* (Meyrick,1936)** (Cosmopterigidae) **Synonym(s):** *holotherma* Meyrick,1936 _ **Range (in code):** **ZR**
- 31856. *Anatrachyntis incertulella* (Walker,1864)** (Cosmopterigidae) **Synonym(s):** *incertulella* Walker,1864; *aulacosema* Lower,1904; *tridigitella* Walsingham,1907 _ **Range (in code):** **AU Hw**
- 31857. *Anatrachyntis lunulifera* (Meyrick,1934)** (Cosmopterigidae) **Synonym(s):** *lunulifera* Meyrick,1934 _ **Range (in code):** **Mq**
- 31858. *Anatrachyntis mesoptila* (Meyrick,1915)** (Cosmopterigidae) **Synonym(s):** *mesoptila* Meyrick,1915 _ **Range (in code):** **AU QAU**
- 31859. *Anatrachyntis mythologica* (Meyrick,1917)** (Cosmopterigidae) **Synonym(s):** *mythologica* Meyrick,1917 _ **Range (in code):** **LK**
- 31860. *Anatrachyntis nephelopyrrha* (Meyrick,1917)** (Cosmopterigidae) **Synonym(s):** *nephelopyrrha* Meyrick,1917 _ **Range (in code):** **IN**
- 31861. *Anatrachyntis orphnographa* (Meyrick,1936)** (Cosmopterigidae) **Synonym(s):** *orphnographa* Meyrick,1936 _ **Range (in code):** **ZR**
- 31862. *Anatrachyntis oxyptila* (Meyrick,1928)** (Cosmopterigidae) **Synonym(s):** *oxyptila* Meyrick,1928 _ **Range (in code):** **PG Nlr**
- 31863. *Anatrachyntis palmicola* (Ghesquière,1940)** (Cosmopterigidae) **Synonym(s):** *palmicola* Ghesquière,1940 _ **Range (in code):** **ZR**
- 31864. *Anatrachyntis paroditis* (Meyrick,1928)** (Cosmopterigidae) **Synonym(s):** *paroditis* Meyrick,1928 _ **Range (in code):** **FJ**
- 31865. *Anatrachyntis philogeorga* (Meyrick,1933)** (Cosmopterigidae) **Synonym(s):** *philogeorga* Meyrick,1933 _ **Range (in code):** **TZ**
- 31866. *Anatrachyntis ptilodelta* (Meyrick,1922)** (Cosmopterigidae) **Synonym(s):** *ptilodelta* Meyrick,1922 _ **Range (in code):** **MY CN** **Bionomy:** Larva on Areca catechu, Cocos nucifera, Elaeis guineensis (Palmae), Coffea (Rubiaceae), Delonix regia (Fabaceae), Gossypium barbadense, G.herbaceum (Malvaceae), Theobroma cacao (Sterculiaceae) (Robinson et al.,2005).
- 31867. *Anatrachyntis pyrrhodes* (Meyrick,1897)** (Cosmopterigidae) **Synonym(s):** *pyrrhodes* Meyrick,1897 _ **Range (in code):** **AU**
- 31868. *Anatrachyntis rhizonympha* (Meyrick,1924)** (Cosmopterigidae) **Synonym(s):** *rhizonympha* Meyrick,1924 _ **Range (in code):** **IN**
- 31869. *Anatrachyntis rileyi* (Walsingham,1882)** (Cosmopterigidae) **Synonym(s):** *rileyi* Walsingham,1882; *stigmatophora* Walsingham,1882 _ **Range (in code):** **Cn FR TH US Hw AU PH ID IN ZA IQ AF TR**
- 31870. *Anatrachyntis risbeci* (Ghesquière,1940)** (Cosmopterigidae) **Synonym(s):** *risbeci* Ghesquière,1940 _ **Range (in code):** **SN**
- 31871. *Anatrachyntis sesamivora* (Meyrick,1933)** (Cosmopterigidae) **Synonym(s):** *sesamivora* Meyrick,1933 _ **Range (in code):** **ID Ja**
- 31872. *Anatrachyntis simplex* (Walsingham,1891)** (Cosmopterigidae) **Synonym(s):** *simplex* Walsingham,1891; *gossypiella* Walsingham,1906; *hemizopha* Meyrick,1916; *repandatella* Legrand,1965;

- flexiloquella* Riedl, 1994 Original Reference: *Pyroderces simplex* Walsingham, 1891, Trans. ent. Soc. London 1891: 19, pl. 6 fig. 58. Syntypes ♂♀: Gambia. Range (in code): **MA ES PT EG GB MW SC SN KE CY GM IN MM ID Ja TW MU PH Luz Mno** Bionomy: Larva on Gossypium, *Elaeis guineensis*, *Eriodendron frondosum* (Walsingham, 1906; Diakonoff, 1967).
- 31873. *Anatrachyntis strangalota* (Meyrick, 1922)** (Cosmopterigidae) Synonym(s): *strangalota* Meyrick, 1922 Range (in code): **IN NI**
- 31874. *Anatrachyntis terminella* (Walker, 1864)** (Cosmopterigidae) Synonym(s): *terminella* Walker, 1864 Range (in code): **AU NSw Syd**
- 31875. *Archisopha foliosa* Meyrick, 1918** (Cosmopterigidae) Synonym(s): *foliosa* Meyrick, 1918 Range (in code): **LK**
- 31876. *Ascalenia acaciella* Chrétien, 1915** (Cosmopterigidae) Synonym(s): *acaciella* Chrétien, 1915; *tergipunctella* Turati, 1924; *maculatella* Lucas, 1937 nec Chrétien, 1915; *noviciata* Gozmany, 1960. Original Reference: *Ascalenia acaciella* Chrétien, 1915, Annls Soc. ent. Fr. 84: 352. Lectotype ♂: Algeria, Biskra, designated by Kasy (1969) (MNHN Paris). Range (in code): **Cn DZ Bsk TN LY Cy IR Hz B-A AF Kab PK Bl Qu LB Bei EG** Bionomy: Larva on *Acacia farnesiana*, *A. horrida*, *A. tortilis* (Mimosaceae) (Chrétien, 1915).
- 31877. *Ascalenia albitergis* Meyrick, 1926** (Cosmopterigidae) Synonym(s): *albitergis* Meyrick, 1926 Range (in code): **ZA**
- 31878. *Ascalenia antiqua* Meyrick, 1925** (Cosmopterigidae) Synonym(s): *antiqua* Meyrick, 1925 Range (in code): **EG EG11 IL Pa JO** Bionomy: Larva on Gal of *Tamarix aphylla* (Tamaricaceae) (Kasy, 1974).
- 31879. *Ascalenia beieri* Kasy, 1968** (Cosmopterigidae) Synonym(s): *beieri* Kasy, 1968 Range (in code): **SD SD91**
- 31880. *Ascalenia bifasciella* Chrétien, 1915** (Cosmopterigidae) Synonym(s): *bifasciella* Chrétien, 1915; *bizonatella* Turati, 1930 Original Reference: *Ascalenia bifasciella* Chrétien, 1915, Annls Soc. ent. Fr. 84: 352. Lectotype ♀: Algeria, Biskra, designated by Kasy (1969) (MNHN Paris). Range (in code): **DZ Bsk EG**
- 31881. *Ascalenia callynella* Kasy, 1968** (Cosmopterigidae) Synonym(s): *callynella* Kasy, 1968 Original Reference: *Ascalenia callynella* Kasy, 1968, Annln. naturh. Mus. Wien 72: 502, figs. Holotype ♂: Sudan, Nubien Wadi Halfa (NHMW). Range (in code): **EG EG11 IR Hz B-A AE SD SD91 IL Pa PK Lh** Bionomy: Larva on *Tamarix* (auct.).
- 31882. *Ascalenia cardinata* (Meyrick, 1918)** (Cosmopterigidae) Synonym(s): *cardinata* Meyrick, 1918 Range (in code): **ZA Nta Kzu Umk**
- 31883. *Ascalenia conformata* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *conformata* Meyrick, 1921 Range (in code): **ZA Nta Kzu Dbn**
- 31884. *Ascalenia danilevskyi* Sinev, 1984** (Cosmopterigidae) Synonym(s): *danilevskyi* Sinev, 1984 Range (in code): **TJ**
- 31885. *Ascalenia decolorella* Sinev, 1980** (Cosmopterigidae) Synonym(s): *decolorella* Sinev, 1980 Range (in code): **KG TM Rpt UZ TJ Dsb**
- 31886. *Ascalenia echidnias* (Meyrick, 1891)** (Cosmopterigidae) Synonym(s): *echidnias* Meyrick, 1891; *signatella* Chrétien, 1915; *oranella* Lucas, 1939; *satellita* Gozmany, 1960. Range (in code): **Md DZ Bsk Agi Gf TN TR B-A EG SA SA63 IR Ss Hz AF Hr Ca PK Bl Qu IN Bba**
- 31887. *Ascalenia falkovitshi* Sinev, 1984** (Cosmopterigidae) Synonym(s): *falkovitshi* Sinev, 1984 Range (in code): **TM Rpt**
- 31888. *Ascalenia gastrocosma* Meyrick, 1931** (Cosmopterigidae) Synonym(s): *gastrocosma* Meyrick, 1931 Range (in code): **IN Bi**
- 31889. *Ascalenia grisella* Kuznetsov, 1957** (Cosmopterigidae) Synonym(s): *grisella* Kuznetsov, 1957 Range (in code): **Cc AM** Bionomy: Larva on *Tamarix* (Kuznetsov, 1957).
- 31890. *Ascalenia hodgesi* Sinev, 1984** (Cosmopterigidae) Synonym(s): *hodgesi* Sinev, 1984 Range (in code): **UZ Br TM Rpt**
- 31891. *Ascalenia imbellia* Kasy, 1974** (Cosmopterigidae) Synonym(s): *imbellia* Kasy, 1974 Range (in code): **IR Hz B-A**
- 31892. *Ascalenia jerichoella* (Amsel, 1935)** (Cosmopterigidae) Synonym(s): *jerichoella* Amsel, 1933; *jerichoella* Amsel, 1935 Range (in code): **IL Jer Pa**
- 31893. *Ascalenia kabulella* Kasy, 1969** (Cosmopterigidae) Synonym(s): *kabulella* Kasy, 1969 Original Reference: *Ascalenia kabulella* Kasy, 1969, Annln. naturh. Mus. Wien 73: 350-352, figs.

- Holotype ♂: Afghanistan, Pol-i-Charchi, östl. Kabul, Amsel leg. (LNK). Range (in code): AF Kab KK Na Bionomy: Larva on Myricaria alopecuroides (Tamaricaceae) (Sinev,1984).
- 31894. *Ascalenia kairaella* Kasy,1969** (Cosmopterigidae) Synonym(s): kairaella Kasy,1969
Range (in code): IR Hz B-A IN Bba Mh
- 31895. *Ascalenia kasyi* Sinev,1984** (Cosmopterigidae) Synonym(s): kasyi Sinev,1984 - Range (in code): TM Bdz
- 31896. *Ascalenia melanogastra* (Meyrick,1918)** (Cosmopterigidae) Synonym(s): melanogastra Meyrick,1918 - Range (in code): ZA Nta Kzu Nkw
- 31897. *Ascalenia nudicornis* (Meyrick,1913)** (Cosmopterigidae) Synonym(s): nudicornis Meyrick,1913 - Range (in code): ZA Tva Gau Pre Mpu Brb Tst
- 31898. *Ascalenia pachnodes* (Meyrick,1917)** (Cosmopterigidae) Synonym(s): pachnodes Meyrick,1917 Original Reference: Cholutis pachnodes Meyrick,1917, Exot. Microlepid. 2: 44. Lectotype ♀: India: Bengal: Pusa, designated by Kasy,1969:346 (BMNH). Range (in code): IR Hz B-A IN Ben SD SD91 Bionomy: Larva on Tamarix gallica, T.indica, T.nilotica? (Fletcher,1933).
- 31899. *Ascalenia phaneracma* Meyrick,1921** (Cosmopterigidae) Synonym(s): phaneracma Meyrick,1921 - Range (in code): ZW Har Uma
- 31900. *Ascalenia pulverata* Meyrick,1913** (Cosmopterigidae) Synonym(s): pulverata Meyrick,1913 - Range (in code): ZA Tva Mpu Wv Brb Tst
- 31901. *Ascalenia sclerodes* (Meyrick,1909)** (Cosmopterigidae) Synonym(s): sclerodes Meyrick,1909 - Range (in code): ZA Tva Gau Pre
- 31902. *Ascalenia secretifera* Meyrick,1932** (Cosmopterigidae) Synonym(s): secretifera Meyrick,1932 Original Reference: *Ascalenia secretifera* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 113. Syntypes 3♂♀: [Ethiopia]: Mt. Chillalo (BMNH). Range (in code): ET ET70 Sw
- 31903. *Ascalenia sirjanella* Kasy,1975** (Cosmopterigidae) Synonym(s): sirjanella Kasy,1975
Range (in code): IR Hz B-A
- 31904. *Ascalenia stagnans* Meyrick,1921** (Cosmopterigidae) Synonym(s): stagnans Meyrick,1921
Range (in code): ZA Tva Gau Pre
- 31905. *Ascalenia staurocentra* (Meyrick,1915)** (Cosmopterigidae) Synonym(s): staurocentra Meyrick,1915 - Range (in code): ZA
- 31906. *Ascalenia thoracista* (Meyrick,1915)** (Cosmopterigidae) Synonym(s): thoracista Meyrick,1915 Original Reference: Cholutis thoracista Meyrick,1915, Exot. Microlepid. 1: 327. Type: Ceylon. Range (in code): TH IN LK AU
- 31907. *Ascalenia unifasciella* Kasy,1969** (Cosmopterigidae) Synonym(s): unifasciella Kasy,1969
Original Reference: *Ascalenia unifasciella* Kasy,1969, Annln. naturh. Mus. Wien 73: 349-350, figs. Holotype ♂: Afghanistan, Khurd Kabul 1900m (NHMW). Range (in code): AF Kab Gbh
- 31908. *Ascalenia vanella* (Frey,1860)** (Cosmopterigidae) Synonym(s): vanella Frey,1860; seeboldiella Ragonot,1882. Original Reference: Laverna vanella Frey,1860, Linn. Ent. 14: 197. Lectotype ♀: Baden (SW-Deutschland), designated by Kasy,1969:342 (BMNH). Range (in code): Cn ES FR Si DE CH AT SK HU GR Cr TR RU MD UA BY Bionomy: Larva on Myricaria germanica, Tamarix (Tamaricaceae) (Spuler,1910; Kasy,1969).
- 31909. *Ascalenia vanelloides* Gerasimov,1930** (Cosmopterigidae) Synonym(s): vanelloides Gerasimov,1930; #eremella Amsel,1933; eremella Amsel,1935. - Range (in code): Si TR Cc AZ SA IL Jer Pa IQ Bgd IR Elb Th AF UZ Br TJ TM Mgab Mrw Kp K-K Bdz SA SA63 Bionomy: Larva on Prosopis stephaniana (Fabaceae) (Kasy,1969).
- 31910. *Ascalenia viviparella* Kasy,1969** (Cosmopterigidae) Synonym(s): viviparella Kasy,1969
Range (in code): TR UA Cm IR Kh Msh Sbz AF Arh Ca Hr RU VI Mrw Mgab Da Cc AM Eri TM K-K Kp Bdz Rpt UZ Br MN KG Bionomy: Larva on Calligonum junceum, C.setosum, C.leucocladum (Polygonaceae) (Falkovich,1968).
- 31911. *Axiarcha disconema* Meyrick,1921** (Cosmopterigidae) Synonym(s): disconema Meyrick,1921 - Range (in code): ZA
- 31912. *Calanesia karsholti* Sinev,1990** (Cosmopterigidae) Synonym(s): karsholti Sinev,1990
Range (in code): TN
- 31913. *Calycobathra acarpa* Meyrick,1891** (Cosmopterigidae) Synonym(s): acarpa Meyrick,1891; pinguescentella Chrétien,1915; sublineatella Lucas,1933 - Range (in code): DZ Bsk Gf TN IL Pa
- 31914. *Calycobathra arabicella* Kasy,1968** (Cosmopterigidae) Synonym(s): arabicella Kasy,1968
Range (in code): SA

- 31915. Calycobathra calligoni Sinev,1979** (Cosmopterigidae) Synonym(s): *calligoni Sinev,1979*
Range (in code): **RU Or KG Aa TM Mgab K-K Kp Bdz UZ Br Smk TJ Dsb** Bionomy: Larva on Calligonum junceum, C. eriopodum, C. microcarpum, C. leucocladum (Polygonaceae) (Falkovich,1968).
- 31916. Calycobathra pakistanella Kasy,1968** (Cosmopterigidae) Synonym(s): *pakistanella Kasy,1968* Range (in code): **AF PK BI Qu**
- 31917. Calycobathra sahidanella Kasy,1968** (Cosmopterigidae) Synonym(s): *sahidanella Kasy,1968* Range (in code): **IR Hz B-A**
- 31918. Calycobathra striatella Kasy,1968** (Cosmopterigidae) Synonym(s): *striatella Kasy,1968*
Range (in code): **SA Pa IL**
- 31919. Calycobathra variapenella Sinev,1984** (Cosmopterigidae) Synonym(s): *variapenella Sinev,1984* Range (in code): **RU Ur Da Cc AM KG Aa**
- 31920. Cholotis exodroma (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *exodroma Meyrick,1897* Range (in code): **AU**
- 31921. Cholotis semnostola (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *semnostola Meyrick,1897* Range (in code): **AU**
- 31922. Clarkeophlebia argentea (Clarke,1986)** (Cosmopterigidae) Synonym(s): *argentea Clarke,1986* Range (in code): **Mq**
- 31923. Coccidiphila charlierella Réal,1988** (Cosmopterigidae) Synonym(s): *charlierella Réal,1988* Range (in code): **FR**
- 31924. Coccidiphila danilevskyi Sinev,1997** (Cosmopterigidae) Synonym(s): *danilevskyi Sinev,1997* Range (in code): **FR Co ES MA TN**
- 31925. Coccidiphila gerasimovi Danilevsky,1950** (Cosmopterigidae) Synonym(s): *gerasimovi Danilevsky,1950* Range (in code): **Cn PT ES Co IT? GR TR IL Pa GG Aj Btm Abk Sok Cc RU Kr Soc**
Bionomy: Larva on Pseudococcus maritimus, Lecanium prunastri (Homoptera, Coccoidea) (Riedl,1969).
- 31926. Coccidiphila kasypinkeri Traugott-Olsen,1986** (Cosmopterigidae) Synonym(s): *kasypinkeri Traugott-Olsen,1986* Range (in code): **Cn**
- 31927. Coccidiphila ledereriella (Zeller,1850)** (Cosmopterigidae) Synonym(s): *ledereriella Zeller,1850; unedella Millièrre,1876; rungsella Nel & Brusseaux,1997* Range (in code): **Cn MA DZ TN PT ES FR Co Si YU TR**
- 31928. Coccidiphila particiae J.Nel & A.Nel,2000** (Cosmopterigidae) Synonym(s): *particiae J.Nel & A.Nel,2000* Original Reference: Coccidiphila particiae J.Nel & A.Nel,2000, Bull. Soc. ent. Fr. 105 (4): 381-385. Range (in code): **Cn**
- 31929. Coccidiphila riedli Traugott-Olsen,1986** (Cosmopterigidae) Synonym(s): *riedli Traugott-Olsen,1986* Range (in code): **Cn**
- 31930. Coccidiphila silvatica (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *silvatica Meyrick,1917* Range (in code): **IN Hp**
- 31931. Coccidiphila stegodyphobius (Walsingham,1903)** (Cosmopterigidae) Synonym(s): *stegodyphobia Walsingham,1903* Range (in code): **ZA Fs**
- 31932. Colonophora ictifera Meyrick,1937** (Cosmopterigidae) Synonym(s): *ictifera Meyrick,1937*
Range (in code): **ZA**
- 31933. Cosmopterix abdita Hodges,1962** (Cosmopterigidae) Synonym(s): *abdita Hodges,1962*
Range (in code): **US FI**
- 31934. Cosmopterix abnormalis Walsingham,1897** (Cosmopterigidae) Synonym(s): *abnormalis Walsingham,1897* Range (in code): **CU**
- 31935. Cosmopterix aculeata Meyrick,1909** (Cosmopterigidae) Synonym(s): *aculeata Meyrick,1909* Range (in code): **LK**
- 31936. Cosmopterix acutivalva Kuroko,1987** (Cosmopterigidae) Synonym(s): *acutivalva Kuroko,1987* Range (in code): **TH Nna**
- 31937. Cosmopterix albicaudis Meyrick,1932** (Cosmopterigidae) Synonym(s): *albicaudis Meyrick,1932* Range (in code): **CU**
- 31938. Cosmopterix anadoxa Meyrick,1909** (Cosmopterigidae) Synonym(s): *anadoxa Meyrick,1909* Range (in code): **IN NI**
- 31939. Cosmopterix ancaldodes Meyrick,1919** (Cosmopterigidae) Synonym(s): *ancaldodes Meyrick,1919* Range (in code): **IN Ass Slo**

- 31940. *Cosmopterix ancistraea* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *ancistraea* Meyrick, 1913 _ Range (in code): ZA Tva Mpu Brb
- 31941. *Cosmopterix angoonae* Kuroko, 1987** (Cosmopterigidae) Synonym(s): *angoonae* Kuroko, 1987 _ Range (in code): TH Nna Cbi
- 31942. *Cosmopterix antichorda* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *antichorda* Meyrick, 1909 _ Range (in code): ZA Ec Cto
- 31943. *Cosmopterix aphranassa* Meyrick, 1926** (Cosmopterigidae) Synonym(s): *aphranassa* Meyrick, 1926 _ Range (in code): RA
- 31944. *Cosmopterix argentitegulella* Sinev, 1985** (Cosmopterigidae) Synonym(s): *argentitegulella* Sinev, 1985 _ Range (in code): RU Us
- 31945. *Cosmopterix artemidora* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *artemidora* Meyrick, 1909 _ Range (in code): IN Coo
- 31946. *Cosmopterix artifica* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *artifica* Meyrick, 1909 _ Range (in code): LK
- 31947. *Cosmopterix asiatica* Stainton, 1859** (Cosmopterigidae) Synonym(s): *asiatica* Stainton, 1859 _ Range (in code): IN Clc
- 31948. *Cosmopterix asignella* Sinev, 1988** (Cosmopterigidae) Synonym(s): *asignella* Sinev, 1988 _ Range (in code): RU Us
- 31949. *Cosmopterix astrapias* Walsingham, 1909** (Cosmopterigidae) Synonym(s): *astrapias* Walsingham, 1909 _ Range (in code): MX
- 31950. *Cosmopterix asymmetrella* Sinev, 1993** (Cosmopterigidae) Synonym(s): *asymmetrella* Sinev, 1993 _ Range (in code): RU Us
- 31951. *Cosmopterix athesiae* Huemer & Koster, 2006** (Cosmopterigidae) Synonym(s): *athesiae* Huemer & Koster, 2006 _ Range (in code): IT ES GR TZ Mgr CM
- 31952. *Cosmopterix attenuatella* (Walker, 1864)** (Cosmopterigidae) Synonym(s): *attenuatella* Walker, 1864; *flavofasciata* Wollaston, 1879; *lepidezae* Walsingham, 1882; *mimetis* Meyrick, 1897; *apiculata* Meyrick, 1922; *antillia* Forbes, 1930; *luteoapicalis* Ghesquière, 1942; *superba* Gozmany, 1960 _ Range (in code): Cn Md MA DZ TN Gf EG IR IN MY Bor PG AU FJ SC PR US SN BR PE Bionomy: Larva on *Scirpus*, *Cyperus rotundus* (Cyperaceae) (Riedl, 1969).
- 31953. *Cosmopterix aurella* Bradley, 1957** (Cosmopterigidae) Synonym(s): *aurella* Bradley, 1957 _ Range (in code): SB Re
- 31954. *Cosmopterix bacata* Hodges, 1962** (Cosmopterigidae) Synonym(s): *bacata* Hodges, 1962 _ Range (in code): US Alb
- 31955. *Cosmopterix bactrophora* Meyrick, 1908** (Cosmopterigidae) Synonym(s): *bactrophora* Meyrick, 1908 _ Range (in code): ZA Tva Gau Pre
- 31956. *Cosmopterix bambusae* Meyrick, 1912** (Cosmopterigidae) Synonym(s): *bambusae* Meyrick, 1912 _ Range (in code): IN Ben Pus
- 31957. *Cosmopterix basilisca* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *basilisca* Meyrick, 1909 _ Range (in code): LK IN PH
- 31958. *Cosmopterix belonacma* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *belonacma* Meyrick, 1909 _ Range (in code): IN Ass Meg Khs
- 31959. *Cosmopterix bendidia* Hodges, 1962** (Cosmopterigidae) Synonym(s): *bendidia* Hodges, 1962 _ Range (in code): US Arz
- 31960. *Cosmopterix bichromella* Sinev & Park, 1994** (Cosmopterigidae) Synonym(s): *bichromella* Sinev & Park, 1994 _ Range (in code): KR
- 31961. *Cosmopterix brachyclina* Meyrick, 1933** (Cosmopterigidae) Synonym(s): *brachyclina* Meyrick, 1933 _ Range (in code): TW
- 31962. *Cosmopterix callichalca* Meyrick, 1922** (Cosmopterigidae) Synonym(s): *callichalca* Meyrick, 1922 _ Range (in code): BR
- 31963. *Cosmopterix callinympha* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *callinympha* Meyrick, 1913 _ Range (in code): ZA Tva Gau Pre
- 31964. *Cosmopterix calliochra* Turner, 1926** (Cosmopterigidae) Synonym(s): *calliochra* Turner, 1926 _ Range (in code): AU QAU
- 31965. *Cosmopterix calypso* Meyrick, 1919** (Cosmopterigidae) Synonym(s): *calypso* Meyrick, 1919 _ Range (in code): IN Ass Meg Khs
- 31966. *Cosmopterix catharacma* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *catharacma* Meyrick, 1909 _ Range (in code): LK

- 31967. *Cosmopterix chalcelata* Turner,1923** (Cosmopterigidae) Synonym(s): *chalcelata* Turner,1923 _ Range (in code): AU QAU
- 31968. *Cosmopterix chalybaeella* Walsingham,1889** (Cosmopterigidae) Synonym(s): *chalybaeella* Walsingham,1889 _ Range (in code): US Tx
- 31969. *Cosmopterix chasanica* Sinev,1985** (Cosmopterigidae) Synonym(s): *chasanica* Sinev,1985 _ Range (in code): RU Us
- 31970. *Cosmopterix chisosensis* Hodges,1978** (Cosmopterigidae) Synonym(s): *chisosensis* Hodges,1978 _ Range (in code): US Tx
- 31971. *Cosmopterix chlorochalca* Meyrick,1915** (Cosmopterigidae) Synonym(s): *chlorochalca* Meyrick,1915 _ Original Reference: Cosmopterix chlorochalca Meyrick,1915, Exot. Microlepid. 1: 322. Type: Victoria. Range (in code): AU
- 31972. *Cosmopterix chrysobela* Meyrick,1928** (Cosmopterigidae) Synonym(s): *chrysobela* Meyrick,1928 _ Range (in code): IN Ass Meg Khs
- 31973. *Cosmopterix chrysocrates* Meyrick,1919** (Cosmopterigidae) Synonym(s): *chrysocrates* Meyrick,1919 _ Original Reference: Cosmopterix chrysocrates Meyrick,1919, Exot. Microlepid. 2: 232. Type: Fiji. Range (in code): FJ
- 31974. *Cosmopterix circe* Meyrick,1921** (Cosmopterigidae) Synonym(s): *circe* Meyrick,1921 _ Range (in code): ZA Cto Ec Elo
- 31975. *Cosmopterix citrinopa* Meyrick,1915** (Cosmopterigidae) Synonym(s): *citrinopa* Meyrick,1915 _ Range (in code): PE
- 31976. *Cosmopterix clandestinella* Busck,1906** (Cosmopterigidae) Synonym(s): *clandestinella* Busck,1906 _ Range (in code): US
- 31977. *Cosmopterix clemensella* Stainton,1860** (Cosmopterigidae) Synonym(s): *clemensella* Stainton,1860; *hermodora* Meyrick,1919 _ Range (in code): US CA Mnt
- 31978. *Cosmopterix cleophanes* Meyrick,1937** (Cosmopterigidae) Synonym(s): *cleophanes* Meyrick,1937 _ Range (in code): ZA Ec
- 31979. *Cosmopterix cognita* Walsingham,1891** (Cosmopterigidae) Synonym(s): *cognita* Walsingham,1891 _ Range (in code): ZA Nta Kzu
- 31980. *Cosmopterix complicata* Kuroko,1987** (Cosmopterigidae) Synonym(s): *complicata* Kuroko,1987 _ Range (in code): TH CMA
- 31981. *Cosmopterix coryphaea* Walsingham,1908** (Cosmopterigidae) Synonym(s): *coryphaea* Walsingham,1908; *donatellae* Mariani,1932; *formosa* Amsel,1935; *coryphae* Agenjo,1952 _ Range (in code): DZ Cn ES Si IT MT YU GR CY IL Pa _ Bionomy: Larva on Phragmites australis (Poaceae) (Amsel,1935).
- 31982. *Cosmopterix crassicervicella* Chrétien,1896** (Cosmopterigidae) Synonym(s): *crassicervicella* Chrétien,1896; *flavipes* Turati,1930; *superba* Gozmany,1960; *dalii* Agenjo,1981 _ Range (in code): MR DZ ES PT EG GR TR GG Cc _ Bionomy: Larva on Cyperus (Cyperaceae) (Chrétien,1917).
- 31983. *Cosmopterix cuprea* Lower,1916** (Cosmopterigidae) Synonym(s): *cuprea* Lower,1916 _ Range (in code): AU QAU
- 31984. *Cosmopterix cyclopaea* Meyrick,1909** (Cosmopterigidae) Synonym(s): *cyclopaea* Meyrick,1909 _ Range (in code): IN Co
- 31985. *Cosmopterix dacryodes* Meyrick,1910** (Cosmopterigidae) Synonym(s): *dacryodes* Meyrick,1910 _ Range (in code): MU
- 31986. *Cosmopterix damnosa* Hodges,1962** (Cosmopterigidae) Synonym(s): *damnosa* Hodges,1962 _ Range (in code): US FI
- 31987. *Cosmopterix dapifera* Hodges,1962** (Cosmopterigidae) Synonym(s): *dapifera* Hodges,1962 _ Range (in code): US Arz
- 31988. *Cosmopterix delicatella* Walsingham,1889** (Cosmopterigidae) Synonym(s): *delicatella* Walsingham,1889 _ Range (in code): US
- 31989. *Cosmopterix diandra* Clarke,1986** (Cosmopterigidae) Synonym(s): *diandra* Clarke,1986 _ Range (in code): Ms PF
- 31990. *Cosmopterix diaphora* Walsingham,1909** (Cosmopterigidae) Synonym(s): *diaphora* Walsingham,1909 _ Range (in code): MX
- 31991. *Cosmopterix dicacula* Hodges,1962** (Cosmopterigidae) Synonym(s): *dicacula* Hodges,1962 _ Range (in code): US FI
- 31992. *Cosmopterix diplozona* Meyrick,1921** (Cosmopterigidae) Synonym(s): *diplozona* Meyrick,1921 _ Range (in code): ZA Nta Kzu Kkf

- 31993. *Cosmopterix dulcivora* Meyrick, 1919** (Cosmopterigidae) Synonym(s): *dulcivora* Meyrick, 1919; *sublaetifica* Kuroko, 1982 _ Range (in code): FJ WS AU QAU ID Ja PH Neg JP Hkk
- 31994. *Cosmopterix ebrida* Hodges, 1962** (Cosmopterigidae) Synonym(s): *ebrida* Hodges, 1962 _ Range (in code): US FI
- 31995. *Cosmopterix emmolybda* Meyrick, 1914** (Cosmopterigidae) Synonym(s): *emmolybda* Meyrick, 1914 _ Range (in code): ZA MW
- 31996. *Cosmopterix epismaragda* Meyrick, 1932** (Cosmopterigidae) Synonym(s): *epismaragda* Meyrick, 1932 _ Original Reference: Cosmopteryx epismaragda Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 113. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): ET ET88 Sw
- 31997. *Cosmopterix epizona* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *epizona* Meyrick, 1897 _ Range (in code): AU QAU Bri
- 31998. *Cosmopterix erasmia* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *erasmia* Meyrick, 1915 _ Range (in code): GY BR Para
- 31999. *Cosmopterix erethista* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *erethista* Meyrick, 1909 _ Range (in code): IN Ass Meg Khs
- 32000. *Cosmopterix ermolaevi* Sinev, 1985** (Cosmopterigidae) Synonym(s): *ermolaevi* Sinev, 1985 _ Range (in code): RU Us
- 32001. *Cosmopterix facunda* Hodges, 1962** (Cosmopterigidae) Synonym(s): *facunda* Hodges, 1962 _ Range (in code): US Tx
- 32002. *Cosmopterix feminella* Sinev, 1988** (Cosmopterigidae) Synonym(s): *feminella* Sinev, 1988 _ Range (in code): RU Us
- 32003. *Cosmopterix fernaldella* Walsingham, 1882** (Cosmopterigidae) Synonym(s): *fernaldella* Walsingham, 1882; *floridanella* Beutenmüller, 1889; *nigrapunctella* Busck, 1900 _ Range (in code): US FI
- 32004. *Cosmopterix flava* Sinev, 1986** (Cosmopterigidae) Synonym(s): *flava* Sinev, 1986 _ Range (in code): UZ
- 32005. *Cosmopterix flavipes* Turati, 1930** (Cosmopterigidae) Synonym(s): *flavipes* Turati, 1930 _ Range (in code): LY Cy
- 32006. *Cosmopterix flavofasciata* (Wollaston, 1879)** (Cosmopterigidae) Synonym(s): *flavofasciata* Wollaston, 1879; *crassicervicella* Chrétien, 1896; *mimetis* Meyrick, 1897 _ Range (in code): SH DZ SA AU
- 32007. *Cosmopterix fulminella* Stringer, 1930** (Cosmopterigidae) Synonym(s): *fulminella* Stringer, 1930 _ Range (in code): JP
- 32008. *Cosmopterix fuscella* Sinev, 1988** (Cosmopterigidae) Synonym(s): *fuscella* Sinev, 1988 _ Range (in code): VN Ton
- 32009. *Cosmopterix galapagosensis* Landry, 2001** (Cosmopterigidae) Synonym(s): *galapagosensis* Landry, 2001 _ Range (in code): GS
- 32010. *Cosmopterix geminella* Sinev, 1985** (Cosmopterigidae) Synonym(s): *geminella* Sinev, 1985 _ Range (in code): RU Us
- 32011. *Cosmopterix gemmiferella* Clemens, 1860** (Cosmopterigidae) Synonym(s): *gemmiferella* Clemens, 1860 _ Range (in code): US
- 32012. *Cosmopterix glaucogramma* Meyrick, 1934** (Cosmopterigidae) Synonym(s): *glaucogramma* Meyrick, 1934 _ Range (in code): ID Ja
- 32013. *Cosmopterix gloriosa* Meyrick, 1922** (Cosmopterigidae) Synonym(s): *gloriosa* Meyrick, 1922 _ Range (in code): FJ
- 32014. *Cosmopterix gracilens* Hodges, 1962** (Cosmopterigidae) Synonym(s): *gracilens* Hodges, 1962 _ Range (in code): US Arz
- 32015. *Cosmopterix gracilis* Sinev, 1985** (Cosmopterigidae) Synonym(s): *gracilis* Sinev, 1985 _ Range (in code): RU Us
- 32016. *Cosmopterix gramineella* Kuroko, 1987** (Cosmopterigidae) Synonym(s): *gramineella* Kuroko, 1987 _ Range (in code): TH Cbi
- 32017. *Cosmopterix hamifera* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *hamifera* Meyrick, 1909 _ Range (in code): LK
- 32018. *Cosmopterix heliactis* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *heliactis* Meyrick, 1897 _ Range (in code): AU QAU
- 32019. *Cosmopterix hieraspis* Meyrick, 1924** (Cosmopterigidae) Synonym(s): *hieraspis* Meyrick, 1924 _ Range (in code): IN

- 32020. *Cosmopterix holophracta* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *holophracta* Meyrick, 1909 _ Range (in code): IN Ass Meg Khs
- 32021. *Cosmopterix inaugurata* Meyrick, 1922** (Cosmopterigidae) Synonym(s): *inaugurata* Meyrick, 1922 _ Range (in code): BR Para
- 32022. *Cosmopterix infundibulella* Sinev, 1988** (Cosmopterigidae) Synonym(s): *infundibulella* Sinev, 1988 _ Range (in code): RU Us
- 32023. *Cosmopterix ingeniosa* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *ingeniosa* Meyrick, 1909 _ Range (in code): IN Ass Meg Khs
- 32024. *Cosmopterix inopis* Hodges, 1962** (Cosmopterigidae) Synonym(s): *inopis* Hodges, 1962 _ Range (in code): US Arz
- 32025. *Cosmopterix interfracta* Meyrick, 1922** (Cosmopterigidae) Synonym(s): *interfracta* Meyrick, 1922 _ Range (in code): BR
- 32026. *Cosmopterix iphigona* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *iphigona* Meyrick, 1915 _ Range (in code): IN Co
- 32027. *Cosmopterix irrubricata* Walsingham, 1909** (Cosmopterigidae) Synonym(s): *irrubricata* Walsingham, 1909 _ Range (in code): MX
- 32028. *Cosmopterix isoteles* Meyrick, 1919** (Cosmopterigidae) Synonym(s): *isoteles* Meyrick, 1919 _ Range (in code): AU NSW Syd
- 32029. *Cosmopterix isotoma* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *isotoma* Meyrick, 1915 _ Range (in code): GY
- 32030. *Cosmopterix issikiella* Kuroko, 1957** (Cosmopterigidae) Synonym(s): *issikiella* Kuroko, 1957 _ Range (in code): TW
- 32031. *Cosmopterix kerzhneri* Sinev, 1982** (Cosmopterigidae) Synonym(s): *kerzhneri* Sinev, 1982 _ Range (in code): MN
- 32032. *Cosmopterix kurokoi* Sinev, 1985** (Cosmopterigidae) Synonym(s): *kurokoi* Sinev, 1985 _ Range (in code): RU Us
- 32033. *Cosmopterix kuznetsovi* Sinev, 1988** (Cosmopterigidae) Synonym(s): *kuznetsovi* Sinev, 1988 _ Range (in code): VN Ton
- 32034. *Cosmopterix labathiella* Viette, 1956** (Cosmopterigidae) Synonym(s): *labathiella* Viette, 1956 _ Range (in code): MG
- 32035. *Cosmopterix laetifica* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *laetifica* Meyrick, 1909 _ Range (in code): IN NI
- 32036. *Cosmopterix laetificoides* Sinev, 1993** (Cosmopterigidae) Synonym(s): *laetificoides* Sinev, 1993 _ Range (in code): RU Us
- 32037. *Cosmopterix latilineata* Kuroko, 1987** (Cosmopterigidae) Synonym(s): *latilineata* Kuroko, 1987 _ Range (in code): TH Nna Kao PH Pal Mno Taw
- 32038. *Cosmopterix lautissimella* Amsel, 1968** (Cosmopterigidae) Synonym(s): *lautissimella* Amsel, 1968 _ Range (in code): PK Krc
- 32039. *Cosmopterix licnura* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *licnura* Meyrick, 1909 _ Range (in code): IN
- 32040. *Cosmopterix lienigiella* Lienig & Zeller, 1846** (Cosmopterigidae) Synonym(s): *lienigiella* Lienig & Zeller, 1846 _ Range (in code): DZ FR GB NL DE CH AT PL HU BG GR DK SE FI EE LV RU MD UA BY Bionomy: Larva on *Phragmites communis* (Riedl, 1969).
- 32041. *Cosmopterix ligyroides* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *ligyroides* Meyrick, 1915 _ Range (in code): IN
- 32042. *Cosmopterix longilineata* Kuroko, 1987** (Cosmopterigidae) Synonym(s): *longilineata* Kuroko, 1987 _ Range (in code): TH CMa Dst
- 32043. *Cosmopterix luteoapicalis* Sinev, 2002** (Cosmopterigidae) Synonym(s): *#luteoapicalis* Ghesquière, 1942; *luteoapicalis* Sinev, 2002 _ Range (in code): SN
- 32044. *Cosmopterix macroglossa* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *macroglossa* Meyrick, 1913 _ Range (in code): ZA Tva Mpu Wv Gau Pre
- 32045. *Cosmopterix macrula* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *macrula* Meyrick, 1897 _ Range (in code): AU QAU Bri
- 32046. *Cosmopterix madelainae* Landry, 2001** (Cosmopterigidae) Synonym(s): *madelainae* Landry, 2001 _ Range (in code): GS
- 32047. *Cosmopterix magophila* Meyrick, 1919** (Cosmopterigidae) Synonym(s): *magophila* Meyrick, 1919 _ Range (in code): US

- 32048. *Cosmopterix manipularis* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *manipularis* Meyrick, 1909 - Range (in code): IN Co
- 32049. *Cosmopterix maritimella* Sinev, 1985** (Cosmopterigidae) Synonym(s): *maritimella* Sinev, 1985 - Range (in code): RU Us
- 32050. *Cosmopterix melanarches* Meyrick, 1929** (Cosmopterigidae) Synonym(s): *melanarches* Meyrick, 1929 - Range (in code):
- 32051. *Cosmopterix minutella* Beutenmüller, 1889** (Cosmopterigidae) Synonym(s): *minutella* Beutenmüller, 1889 - Range (in code): US
- 32052. *Cosmopterix molybdina* Hodges, 1962** (Cosmopterigidae) Synonym(s): *molybdina* Hodges, 1962 - Range (in code): US Mai
- 32053. *Cosmopterix montisella* Chambers, 1875** (Cosmopterigidae) Synonym(s): *montisella* Chambers, 1875; *unicolorella* Walsingham, 1889 - Range (in code): US
- 32054. *Cosmopterix mystica* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *mystica* Meyrick, 1897 - Range (in code): AU NSw Syd
- 32055. *Cosmopterix neodesma* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *neodesma* Meyrick, 1915 - Range (in code): IN Co
- 32056. *Cosmopterix nitens* Walsingham, 1889** (Cosmopterigidae) Synonym(s): *nitens* Walsingham, 1889 - Range (in code): US
- 32057. *Cosmopterix nyctiphanes* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *nyctiphanes* Meyrick, 1915 - Range (in code): EC
- 32058. *Cosmopterix ochleria* Walsingham, 1909** (Cosmopterigidae) Synonym(s): *ochleria* Walsingham, 1909 - Range (in code): MX
- 32059. *Cosmopterix opulenta* Braun, 1919** (Cosmopterigidae) Synonym(s): *opulenta* Braun, 1919 - Range (in code): US Cf
- 32060. *Cosmopterix orichalcea* Stainton, 1861** (Cosmopterigidae) Synonym(s): *orichalcea* Stainton, 1861; *singularis* Sinev, 1980 - Range (in code): ES FR IT IE GB DE CH AT PL CZ SK HU RO BG DK SE FI EE LV LT RU MD UA BY MN Bionomy: Larva on *Hierochloa odorata*, *H. australis*, *Milium*, *Phragmites communis*, *Festuca arundinacea* (Riedl, 1969).
- 32061. *Cosmopterix ornithognatosella* Mey, 1998** (Cosmopterigidae) Synonym(s): *ornithognatosella* Mey, 1998 - Range (in code): PH Mno Pal
- 32062. *Cosmopterix oxyglossa* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *oxyglossa* Meyrick, 1909 - Range (in code): ZA Tva Gau Pre
- 32063. *Cosmopterix pallifasciella* Snellen, 1897** (Cosmopterigidae) Synonym(s): *pallifasciella* Snellen, 1897 - Range (in code): ID Ja
- 32064. *Cosmopterix paltophanes* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *paltophanes* Meyrick, 1909 - Original Reference: *Cosmopterix paltophanes* Meyrick, 1909, J. Bombay nat. Hist. Soc. 19: 417. Type: India: Khasi Hills. Range (in code): IN Ass Meg Khs
- 32065. *Cosmopterix panayella* Mey, 1998** (Cosmopterigidae) Synonym(s): *panayella* Mey, 1998 - Range (in code): PH Pan
- 32066. *Cosmopterix panopla* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *panopla* Meyrick, 1909 - Range (in code): LK
- 32067. *Cosmopterix pararufella* Riedl, 1976** (Cosmopterigidae) Synonym(s): *pararufella* Riedl, 1976 - Range (in code): DZ TN EG ES Co CY Bionomy: Larva on *Saccharum officinarum* (Poaceae) (Koster & Sinev, 2003).
- 32068. *Cosmopterix pentachorda* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *pentachorda* Meyrick, 1915 - Range (in code): EC
- 32069. *Cosmopterix phaeogastra* Meyrick, 1917** (Cosmopterigidae) Synonym(s): *phaeogastra* Meyrick, 1917 - Range (in code): IN
- 32070. *Cosmopterix phaeosphora* Turner, 1923** (Cosmopterigidae) Synonym(s): *phaeosphora* Turner, 1923 - Range (in code): AU QAu Bri
- 32071. *Cosmopterix phragmitidis* Amsel, 1935** (Cosmopterigidae) Synonym(s): *phragmitidis* Amsel, 1935 - Range (in code): IL Pa Jf
- 32072. *Cosmopterix phyladelphella* Sinev, 1985** (Cosmopterigidae) Synonym(s): *phyladelphella* Sinev, 1985 - Range (in code): RU Us
- 32073. *Cosmopterix phyllostachysea* Kuroko, 1957** (Cosmopterigidae) Synonym(s): *phyllostachysea* Kuroko, 1957 - Range (in code): JP

- 32074. Cosmopterix plesiasta Meyrick, 1919** (Cosmopterigidae) Synonym(s): *plesiasta Meyrick, 1919* Original Reference: *Cosmopteryx plesiasta* Meyrick, 1919, Exot. Microlepid. 2: 284. Type: Costa Rica. Range (in code): **CR TH CMa Dst IN**
- 32075. Cosmopterix plumbigutella Kuroko, 1987** (Cosmopterigidae) Synonym(s): *plumbigutella Kuroko, 1987* Range (in code): **TH CMa Int**
- 32076. Cosmopterix pocsi Sinev, 1988** (Cosmopterigidae) Synonym(s): *pocsi Sinev, 1988* Range (in code): **VN Ton**
- 32077. Cosmopterix pseudomontisella Sinev, 1988** (Cosmopterigidae) Synonym(s): *pseudomontisella Sinev, 1988* Range (in code): **VN Ton**
- 32078. Cosmopterix pulcherimella Chambers, 1875** (Cosmopterigidae) Synonym(s): *pulcherimella Chambers, 1875; parietariae M. Hering, 1931* Range (in code): **Az Cn Md GB PT ES FR Co Sa Si IT MT CH YU GR Cc GG US** Bionomy: Larva on *Parietaria officinalis*, *P. pennsylvanica*, *Pilea pumila* (Urticaceae) (Busck, 1906).
- 32079. Cosmopterix pustulatella Snellen, 1897** (Cosmopterigidae) Synonym(s): *pustulatella Snellen, 1897* Range (in code): **PH**
- 32080. Cosmopterix pyrozela Meyrick, 1922** (Cosmopterigidae) Synonym(s): *pyrozela Meyrick, 1922* Range (in code): **BR**
- 32081. Cosmopterix quadrilineella Chambers, 1878** (Cosmopterigidae) Synonym(s): *quadrilineella Chambers, 1878* Range (in code): **US**
- 32082. Cosmopterix rhabdophanes Meyrick, 1928** (Cosmopterigidae) Synonym(s): *rhabdophanes Meyrick, 1928* Range (in code): **UG**
- 32083. Cosmopterix rhynchognathosella Sinev, 1985** (Cosmopterigidae) Synonym(s): *rhynchognathosella Sinev, 1985* Range (in code): **RU Us CN Sz JP**
- 32084. Cosmopterix rumakomi Kuroko, 1987** (Cosmopterigidae) Synonym(s): *rumakomi Kuroko, 1987* Range (in code): **TH CMa Fn**
- 32085. Cosmopterix salahinella Chrétien, 1907** (Cosmopterigidae) Synonym(s): *salahinella Chrétien, 1907; rufella Turati, 1927; phragmitidis Amsel, 1935* Original Reference: *Cosmopterix salahinella* Chrétien, 1907, Bull. Soc. ent. Fr 1907: 306-307. Syntypes: Algérie, "assez abondante dans les environs de Biskra". Range (in code): **DZ Bsk Hes TN LY IL Pa SA IR** Bionomy: Larva on *Phragmites australis* (Poaceae) (Amsel, 1935).
- 32086. Cosmopterix sapporensis (Matsumura, 1931)** (Cosmopterigidae) Synonym(s): *sapporensis Matsumura, 1931; kurilensis Sinev, 1985* Range (in code): **JP Hkk RU Krl**
- 32087. Cosmopterix scaligera Meyrick, 1909** (Cosmopterigidae) Synonym(s): *scaligera Meyrick, 1909* Range (in code): **ZA Tva Gau Pre**
- 32088. Cosmopterix schmidiella (Frey, 1856)** (Cosmopterigidae) Synonym(s): *schmidiella Frey, 1856* Range (in code): **ES FR GB DE CH AT PL CZ SK RO RU IR MD UA BY MN KP KR JP** Bionomy: Larva on *Lathyrus niger*, *L. montanus*, *Vicia sepium*, *V. pisiformis* (Riedl, 1969).
- 32089. Cosmopterix schmidiella mongoliella Sinev, 1980** (Cosmopterigidae) Synonym(s): *mongoliella Sinev, 1980* Range (in code): **MN**
- 32090. Cosmopterix scirpicola Hodges, 1962** (Cosmopterigidae) Synonym(s): *scirpicola Hodges, 1962* Range (in code): **US Ok**
- 32091. Cosmopterix scribaiella Zeller, 1850** (Cosmopterigidae) Synonym(s): *scribaiella Zeller, 1850; hermsiella Hering, 1889; japonica Kuroko, 1960* Range (in code): **DZ FR IT BE NL DE CH AT PL CZ SK HU RO TR DK SE LV LT RU MD UA BY Us JP Krl** Bionomy: Larva on *Phragmites communis* (Poaceae) (Riedl, 1969).
- 32092. Cosmopterix semnota Meyrick, 1914** (Cosmopterigidae) Synonym(s): *semnota Meyrick, 1914* Range (in code): **IN NI**
- 32093. Cosmopterix setariella Sinev, 1985** (Cosmopterigidae) Synonym(s): *setariella Sinev, 1985* Range (in code): **RU Us**
- 32094. Cosmopterix sharkovi Sinev, 1988** (Cosmopterigidae) Synonym(s): *sharkovi Sinev, 1988* Range (in code): **VN Ton**
- 32095. Cosmopterix sibirica Sinev, 1985** (Cosmopterigidae) Synonym(s): *sibirica Sinev, 1985* Range (in code): **RU Sb Ur MN**
- 32096. Cosmopterix similis Walsingham, 1897** (Cosmopterigidae) Synonym(s): *similis Walsingham, 1897* Range (in code): **CU**
- 32097. Cosmopterix sinelinea Hodges, 1978** (Cosmopterigidae) Synonym(s): *sinelinea Hodges, 1978* Range (in code): **US**

- 32098. Cosmopterix singularis Sinev,1979** (Cosmopterigidae) **Synonym(s):** *singularis Sinev,1979*
Range (in code): RU
- 32099. Cosmopterix spiculata Meyrick,1909** (Cosmopterigidae) **Synonym(s):** *spiculata Meyrick,1909* - Range (in code): LK
- 32100. Cosmopterix splendens Sinev,1985** (Cosmopterigidae) **Synonym(s):** *splendens Sinev,1985*
Range (in code): RU Us
- 32101. Cosmopterix sublaetifica Inoue, Suga, Kuroko, Moriuti & Kawabe,1982** (Cosmopterigidae) **Synonym(s):** *sublaetifica Inoue, Suga, Kuroko, Moriuti & Kawabe,1982* - Range (in code): JP
- 32102. Cosmopterix tabellaria Meyrick,1908** (Cosmopterigidae) **Synonym(s):** *tabellaria Meyrick,1908* - Range (in code): ZA Tva Gau Pre
- 32103. Cosmopterix teligera Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *teligera Meyrick,1915*
Range (in code): CO
- 32104. Cosmopterix tenax Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *tenax Meyrick,1915*
Range (in code): CO
- 32105. Cosmopterix tetragramma Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *tetragramma Meyrick,1915* - Range (in code): GY
- 32106. Cosmopterix tetrophthalma Meyrick,1921** (Cosmopterigidae) **Synonym(s):** *tetrophthalma Meyrick,1921* - Range (in code): ZA Nta Kzu Kkf
- 32107. Cosmopterix thrasyzela Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *thrasyzela Meyrick,1915* - Range (in code): GY
- 32108. Cosmopterix toraula Meyrick,1910** (Cosmopterigidae) **Synonym(s):** *toraula Meyrick,1910*
Range (in code): MY Bor
- 32109. Cosmopterix transcissa Meyrick,1914** (Cosmopterigidae) **Synonym(s):** *transcissa Meyrick,1914* - Range (in code): MW
- 32110. Cosmopterix trilopha Meyrick,1922** (Cosmopterigidae) **Synonym(s):** *trilopha Meyrick,1922* - Range (in code): UG
- 32111. Cosmopterix turbidella Rebel,1896** (Cosmopterigidae) **Synonym(s):** *turbidella Rebel,1896* - Range (in code): Cn Bionomy: Larva on *Parietaria officinalis*, *P.debilis*, *P.arborea* (Riedl,1969).
- 32112. Cosmopterix venefica Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *venefica Meyrick,1915* - Range (in code): PE Lma
- 32113. Cosmopterix vexillaris Meyrick,1909** (Cosmopterigidae) **Synonym(s):** *vexillaris Meyrick,1909* - Range (in code): IN Ass Meg Khs
- 32114. Cosmopterix victor Stringer,1930** (Cosmopterigidae) **Synonym(s):** *victor Stringer,1930*
Range (in code): JP
- 32115. Cosmopterix violenta (Meyrick,1916)** (Cosmopterigidae) **Synonym(s):** *violenta Meyrick,1916* - Range (in code): GY
- 32116. Cosmopterix wongsirii Kuroko,1987** (Cosmopterigidae) **Synonym(s):** *wongsirii Kuroko,1987* - Range (in code): TH CMa Hnd
- 32117. Cosmopterix xanthura Walsingham,1909** (Cosmopterigidae) **Synonym(s):** *xanthura Walsingham,1909* - Range (in code): MX
- 32118. Cosmopterix xuthogastra Meyrick,1910** (Cosmopterigidae) **Synonym(s):** *xuthogastra Meyrick,1910* - Range (in code): MY Bor
- 32119. Cosmopterix yvani Landry,2001** (Cosmopterigidae) **Synonym(s):** *yvani Landry,2001*
Range (in code): GS
- 32120. Cosmopterix zathea Meyrick,1917** (Cosmopterigidae) **Synonym(s):** *zathea Meyrick,1917*
Range (in code): IN Co
- 32121. Cosmopterix zenobia Meyrick,1921** (Cosmopterigidae) **Synonym(s):** *zenobia Meyrick,1921* - Range (in code): ID Ja
- 32122. Cosmopterix zieglerella (Hübner,[1810])** (Cosmopterigidae) **Synonym(s):** *zieglerella Hübner,[1810]; eximia Haworth,1828* Original Reference: *Tinea zieglerella Hübner,[1810]*, Samml. eur. Schmett. Tin.:306, pl.44. Type: Europa. Range (in code): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LV RU MD UA BY JP Bionomy: Larva on *Humulus lupulus*, *H.japonicus* (Cannabinaceae), *Boehmeria nipononivea* (Urticaceae) (Sorhagen,1885; Kuroko,1960; Riedl,1969; et seq.).

- 32123. Craterobathra argyracma Diakonoff,[1968]** (Cosmopterigidae) **Synonym(s):** *argyracma* Diakonoff,[1968] Range (in code): PH Mno
- 32124. Craterobathra demarcata Diakonoff,[1968]** (Cosmopterigidae) **Synonym(s):** *demarcata* Diakonoff,[1968] Range (in code): PH Mno
- 32125. Craterobathra ornata Diakonoff,[1968]** (Cosmopterigidae) **Synonym(s):** *ornata* Diakonoff,[1968] Range (in code): PH Mno
- 32126. Craterobathra tabellifera Meyrick,1927** (Cosmopterigidae) **Synonym(s):** *tabellifera* Meyrick,1927 Range (in code): PG Nlr
- 32127. Cyphacma chalcozela Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *chalcozela* Meyrick,1915 Range (in code): CO EC PE
- 32128. Cyphacma tragiae Braun,1942** (Cosmopterigidae) **Synonym(s):** *tragiae* Braun,1942 Range (in code): US
- 32129. Cyphothyris disphaerias Meyrick,1932** (Cosmopterigidae) **Synonym(s):** *disphaerias* Meyrick,1932 Range (in code): PG
- 32130. Cyphothyris ophryodes Meyrick,1914** (Cosmopterigidae) **Synonym(s):** *ophryodes* Meyrick,1914 Range (in code): LK
- 32131. Cyphothyris pyrrhophrys Meyrick,1932** (Cosmopterigidae) **Synonym(s):** *pyrrhophrys* Meyrick,1932 Range (in code): PG
- 32132. Diatonica macrogramma Meyrick,1921** (Cosmopterigidae) **Synonym(s):** *macrogramma* Meyrick,1921 Range (in code): AU
- 32133. Diophila bathrota (Meyrick,1911)** (Cosmopterigidae) **Synonym(s):** *bathrota* Meyrick,1911; *claricoma* Meyrick,1937 Range (in code): ZA Tva Lpo Hae
- 32134. Diversivalva minutella Sinev,1991** (Cosmopterigidae) **Synonym(s):** *minutella* Sinev,1991 Range (in code): RU Us
- 32135. Dorodoca chrysaula (Meyrick,1927)** (Cosmopterigidae) **Synonym(s):** *chrysaula* Meyrick,1927 Range (in code): PG Nlr
- 32136. Dorodoca chrysomochla Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *chrysomochla* Meyrick,1915 Range (in code): IN
- 32137. Dorodoca eometalla Meyrick,1926** (Cosmopterigidae) **Synonym(s):** *eometalla* Meyrick,1926 Range (in code): ZA NA
- 32138. Dorodoca leucomochla Meyrick,1922** (Cosmopterigidae) **Synonym(s):** *leucomochla* Meyrick,1922 Range (in code): MM
- 32139. Echinoscelis pandani (Turner,1923)** (Cosmopterigidae) **Synonym(s):** *pandani* Turner,1923 Range (in code): AU
- 32140. Erechthiodes audax Meyrick,1914** (Cosmopterigidae) **Synonym(s):** *audax* Meyrick,1914 Range (in code): ZA Tva Gau Pre
- 32141. Eteobalea aglaopa (Meyrick,1928)** (Cosmopterigidae) **Synonym(s):** *aglaopa* Meyrick,1928 Original Reference: *Stagmatophora aglaopa* Meyrick,1928, *Exot. Microlepid.* 3: 389. Type: Uganda. Range (in code): UG
- 32142. Eteobalea albiapicella (Duponchel,1843)** (Cosmopterigidae) **Synonym(s):** *albiapicella* Duponchel,1843 Range (in code): ES FR Co IT DE CH AT CZ SK HU RO YU GR TR IL Pa RU MD UA BY Bionomy: Larva on *Globularia vulgaris* (Riedl,1969).
- 32143. Eteobalea alypella (Klimesch,1946)** (Cosmopterigidae) **Synonym(s):** *alypella* Klimesch,1946 Range (in code): MA ES FR IT Bionomy: Larva on *Globularia alypum* (*Globulariaceae*) (Riedl,1969).
- 32144. Eteobalea anonymella (Riedl,1965)** (Cosmopterigidae) **Synonym(s):** *anonymella* Riedl,1965 Original Reference: *Stagmatophora anonymella* Riedl,1965, *Polskie pismo ent.* 35 (2): 433. Range (in code): DZ ES FR IT DE AT PL CZ SK HU RO YU BG GR TR IR SE FI EE LV LT RU Sr MD UA BY
- 32145. Eteobalea dohrnii (Zeller,1847)** (Cosmopterigidae) **Synonym(s):** *dohrnii* Zeller,1847 Range (in code): DZ Anna PT ES Mu FR Co Si IT GR Cr TR SY Bionomy: Larva on *Plantago albicans* (*Plantaginaceae*) (Lhomme,1949).
- 32146. Eteobalea enchrysa Hodges,1962** (Cosmopterigidae) **Synonym(s):** *enchrysa* Hodges,1962 Range (in code): US Cf
- 32147. Eteobalea eurinella Sinev,1986** (Cosmopterigidae) **Synonym(s):** *eurinella* Sinev,1986 Range (in code): RU Us

- 32148. Eteobalea intermediella (Riedl,1966)** (Cosmopterigidae) Synonym(s): *intermediella* Riedl,1966 _ Range (in code): **PT ES FR Sa Si IT AT SK HU RO YU BG GR Cr CY TR RU MD UA BY IR**
Bionomy: Larva on Linaria genistifolia, L.vulgaris, L.pontica, Anarrhinum bellidifolium (Scrophulariaceae) (Saner,1991).
- 32149. Eteobalea iridella (Busck,1907)** (Cosmopterigidae) Synonym(s): *iridella* Busck,1907
Range (in code): **US Cf**
- 32150. Eteobalea isabellella (Costa,1836)** (Cosmopterigidae) Synonym(s): *isabellella* Costa,1836; *opulentella* Herrich-Schäffer,1853; *rutilella* Chrétien,1896. _ Range (in code): **DZ TN ES Co Si IT HU RO YU B-H MK AL BG GR TR**
- 32151. Eteobalea klisieckii (Riedl,1966)** (Cosmopterigidae) Synonym(s): *klisieckii* Riedl,1966
Range (in code): **MA**
- 32152. Eteobalea pentagama (Meyrick,1928)** (Cosmopterigidae) Synonym(s): *pentagama* Meyrick,1928 _ Range (in code): **ZA ZW**
- 32153. Eteobalea planoptila (Meyrick,1911)** (Cosmopterigidae) Synonym(s): *planoptila* Meyrick,1911 _ Range (in code): **ZA Tva Lpo**
- 32154. Eteobalea quinquecristata (Walsingham,1891)** (Cosmopterigidae) Synonym(s): *quinquecristata* Walsingham,1891 _ Original Reference: Laverna quinquecristata Walsingham,1891, Trans. ent. Soc. London 1891: 117, pl.6 fig.55. Type: Natal. Range (in code): **ZA Nta Kzu**
- 32155. Eteobalea serratella (Treitschke,1833)** (Cosmopterigidae) Synonym(s): *serratella* Treitschke,1833; *sareptensis* Walsingham,1907; *cinereocapitella* Caradja,1920 _ Original Reference: Oecophora serratella Treitschke,1833, [in] Ochsenheimer, Schmett. Eur. 9 (2): 168-169. Syntypes: [Deutschland]: Dresden, etc. Range (in code): **MA Rbt DZ Agi Phv PT ES FR Co Si IT CH CZ SK AT HU HV SS YU MK DE PL RU BG GR TR UA Cc AM AZ MT YU LB Bsa SY Hal IL Pa RU Sr KG Uk**
Bionomy: Larva on Linaria vulgaris, L.genistifolia ssp.euxina (Scrophulariaceae) (Saner,1991).
- 32156. Eteobalea sexnotella (Chambers,1878)** (Cosmopterigidae) Synonym(s): *sexnotella* Chambers,1878 _ Range (in code): **US Tx**
- 32157. Eteobalea siciliae (Riedl,1966)** (Cosmopterigidae) Synonym(s): *siciliae* Riedl,1966
Range (in code): **ES Si DZ TR**
- 32158. Eteobalea sumptuosella (Lederer,1855)** (Cosmopterigidae) Synonym(s): *sumptuosella* Lederer,1855; *amseli* Osthelder,1940 _ Original Reference: Elachista sumptuosella Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 234. Type: Libanon: Beirut. Range (in code): **MA DZ Eba TN ES FR Co IT YU HV MK AL BG GR TR RU Cc MD UA BY LB Bei CY IL Js SY Hal TM AF Pag Kab KG Uk**
- 32159. Eteobalea teucarii (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *teucarii* Walsingham,1907 _ Range (in code): **MA ES** _ Bionomy: Larva on Teucrium fruticans (Lamiaceae) (Riedl,1969).
- 32160. Eteobalea thaumatella (Walsingham,1907)** (Cosmopterigidae) Synonym(s): *thaumatella* Walsingham,1907; *lactipunctella* Turati,1924. _ Original Reference: Stagmatophora thaumatella Walsingham,1907, Entomologist's mon. Mag. 43: 153. Type: Algeria. Range (in code): **Cn DZ Bsk Hes TN Gf LY Cy SA IR Kz SA SA63**
- 32161. Eteobalea tririvella (Staudinger,1871)** (Cosmopterigidae) Synonym(s): *tririvella* Staudinger,1871; *kasyi* Riedl,1965. _ Range (in code): **IT AT CZ SK HU RO YU SE EE LV RU Sr Sb MD UA BY TR Cc KG Uk Ui CN Ku MN**
- 32162. Eteobalea vinsoni (Viette,1953)** (Cosmopterigidae) Synonym(s): *vinsoni* Viette,1953
Range (in code): **MU RE**
- 32163. Eteobalea wyattella (Barnes & Busck,1920)** (Cosmopterigidae) Synonym(s): *wyattella* Barnes & Busck,1920 _ Range (in code): **US Ilu**
- 32164. Euclemensia woodiella (Curtis,1830)** (Cosmopterigidae) Synonym(s): *woodiella* Curtis,1830 _ Range (in code): **GB**
- 32165. Eumenodora encrypta Meyrick,1906** (Cosmopterigidae) Synonym(s): *encrypta* Meyrick,1906 _ Range (in code): **AU QAU Bri**
- 32166. Eumenodora tetrachorda Meyrick,1924** (Cosmopterigidae) Synonym(s): *tetrachorda* Meyrick,1924 _ Original Reference: Eumenodora tetrachorda Meyrick,1924, Exot. Microlepid. 3: 91. Type: India. Range (in code): **TH IN MY** _ Bionomy: Larva in needles of Casuarina (Casuarinaceae) (Robinson et al.,1994).
- 32167. Gibeauxiella bellaqueifontis (Gibeaux,1986)** (Cosmopterigidae) Synonym(s): *bellaqueifontis* Gibeaux,1986 _ Range (in code): **FR** _ Bionomy: Larva on Ganoderma applanatum (Gibeaux,1986).

- 32168. Gibeauxiella reliqua (Gibeaux,1986)** (Cosmopterigidae) Synonym(s): *reliqua* Gibeaux,1986 _ Range (in code): FR Bionomy: Larva on *Fagus sylvatica* (Fagaceae) (Gibeaux,1986).
- 32169. Gisilia lerautella Gibeaux,1986** (Cosmopterigidae) Synonym(s): *lerautea* Gibeaux,1986 Range (in code): FR
- 32170. Gisilia stereodoxa (Meyrick,1925)** (Cosmopterigidae) Synonym(s): *stereodoxa* Meyrick,1925; *evitans* Meyrick,1925; *alfieriella* Rebel,1926. _ Range (in code): PT ES Sa MT MK EG SD SD91 IR IN PK Bionomy: Larva on *Acacia nilotica* (Mimosaceae) (Meyrick,1925).
- 32171. Glaphyristis lithinopa Meyrick,1917** (Cosmopterigidae) Synonym(s): *lithinopa* Meyrick,1917 _ Range (in code): AU
- 32172. Glaphyristis marmarea Meyrick,1897** (Cosmopterigidae) Synonym(s): *marmarea* Meyrick,1897 _ Range (in code): AU
- 32173. Gracilosia ochreopennella Sinev,1989** (Cosmopterigidae) Synonym(s): *ochreopennella* Sinev,1989 _ Range (in code): TJ
- 32174. Haplochrois chlorometalla Meyrick,1897** (Cosmopterigidae) Synonym(s): *chlorometalla* Meyrick,1897 _ Range (in code): AU
- 32175. Haplochrois tanyptera Turner,1923** (Cosmopterigidae) Synonym(s): *tanyptera* Turner,1923 _ Range (in code): AU
- 32176. Haplochrois thalykra Meyrick,1897** (Cosmopterigidae) Synonym(s): *thalykra* Meyrick,1897 _ Range (in code): AU
- 32177. Heureta cirrhodora (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *cirrhodora* Meyrick,1915 _ Range (in code): AU
- 32178. Hodgesiella bellaqueifontis Gibeaux,1986** (Cosmopterigidae) Synonym(s): *bellaqueifontis* Gibeaux,1986 _ Range (in code): FR
- 32179. Hodgesiella callistrepta (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *callistrepta* Meyrick,1917 _ Range (in code): IN
- 32180. Hodgesiella christophi Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *christophi* Koster & Sinev,2003 _ Range (in code): TR
- 32181. Hodgesiella fruticosae Falkovitsh,1986** (Cosmopterigidae) Synonym(s): *fruticosae* Falkovitsh,1986 _ Range (in code): UZ
- 32182. Hodgesiella lampropeda (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *lampropeda* Meyrick,1917 _ Range (in code): IN Kn
- 32183. Hodgesiella puplesisi Sinev,1989** (Cosmopterigidae) Synonym(s): *puplesisi* Sinev,1989 Range (in code): TJ
- 32184. Hodgesiella quagella (Christoph,1877)** (Cosmopterigidae) Synonym(s): *quagella* Christoph,1877; *fruticosae* Falkovitsh,1986 _ Range (in code): TM Krn UZ AF Slg Bionomy: Larva on *Convolvulus fruticosus* (Convolvulaceae) (Falkovitsh,1986).
- 32185. Hodgesiella rebeli (Krone,1905)** (Cosmopterigidae) Synonym(s): *rebeli* Krone,1905 Range (in code): HV MK AL GR Bionomy: Larva on *Convolvulus cantabricus*, *C. altheoides* (Convolvulaceae) (Krone,1905 et seq.).
- 32186. Homosaces anthocoma Meyrick,1894** (Cosmopterigidae) Synonym(s): *anthocoma* Meyrick,1894 _ Range (in code): MM
- 32187. Ischnobathra balanobola Meyrick,1937** (Cosmopterigidae) Synonym(s): *balanobola* Meyrick,1937 _ Range (in code): ZA
- 32188. Ischnobathra dormiens Meyrick,1937** (Cosmopterigidae) Synonym(s): *dormiens* Meyrick,1937 _ Range (in code): ZA
- 32189. Isidiella divitella (Constant,1885)** (Cosmopterigidae) Synonym(s): *divitella* Constant,1885 Range (in code): PT ES FR Co Sa Bionomy: Larva on *Helichrysum angustifolium*, *H. serolinum*, *H. stoechas*, *Santolina* (Asteraceae) (Riedl,1969).
- 32190. Isidiella nickerlii (Nickerl,1864)** (Cosmopterigidae) Synonym(s): *nickerlii* Nickerl,1864 Range (in code): PT ES FR IT CH CZ HU RO MK Bionomy: Larva on *Achillea millefolium*, *Helichrysum arenarium* (Asteraceae) (Riedl,1969).
- 32191. Isorrhoea aetheria (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *aetheria* Meyrick,1897 Range (in code): AU
- 32192. Isorrhoea ancistrota (Turner,1923)** (Cosmopterigidae) Synonym(s): *ancistrota* Turner,1923 _ Range (in code): AU

- 32193. Isorrhoa aphrosema (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *aphrosema* Meyrick,1897; *empecta* Turner,1926 - Range (in code): AU
- 32194. Isorrhoa atmozona Turner,1917** (Cosmopterigidae) Synonym(s): *atmozona* Turner,1917
Range (in code): AU
- 32195. Isorrhoa implicata Meyrick,1920** (Cosmopterigidae) Synonym(s): *implicata* Meyrick,1920
Range (in code): AU
- 32196. Isorrhoa loxoschema Turner,1923** (Cosmopterigidae) Synonym(s): *loxoschema* Turner,1923 - Range (in code): AU
- 32197. Ithome lassula Hodges,1962** (Cosmopterigidae) Synonym(s): *lassula* Hodges,1962
Range (in code): AU
- 32198. Labdia anarithma (Meyrick,1889)** (Cosmopterigidae) Synonym(s): *anarithma* Meyrick,1889 - Range (in code): AU
- 32199. Labdia ancyllosema Turner,1923** (Cosmopterigidae) Synonym(s): *ancyllosema* Turner,1923
Range (in code): AU
- 32200. Labdia apenthes Turner,1939** (Cosmopterigidae) Synonym(s): *apenthes* Turner,1939
Range (in code): AU
- 32201. Labdia aresta Turner,1926** (Cosmopterigidae) Synonym(s): *aresta* Turner,1926 - Range (in code): AU
- 32202. Labdia argophracta Turner,1923** (Cosmopterigidae) Synonym(s): *argophracta* Turner,1923 - Range (in code): AU
- 32203. Labdia argyrozona (Lower,1904)** (Cosmopterigidae) Synonym(s): *argyrozona* Lower,1904 - Range (in code): AU QAU
- 32204. Labdia arimaspia (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *arimaspia* Meyrick,1897 - Range (in code): AU
- 32205. Labdia auchmerodes Turner,1939** (Cosmopterigidae) Synonym(s): *auchmerodes* Turner,1939 - Range (in code): AU
- 32206. Labdia autotoma (Meyrick,1919)** (Cosmopterigidae) Synonym(s): *autotoma* Meyrick,1919
Range (in code): AU NSW
- 32207. Labdia bathrosema (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *bathrosema* Meyrick,1897 - Range (in code): AU
- 32208. Labdia bryomima (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *bryomima* Meyrick,1897 - Range (in code): AU
- 32209. Labdia calthula Turner,1923** (Cosmopterigidae) Synonym(s): *calthula* Turner,1923
Range (in code): AU
- 32210. Labdia caroli Koster,2008** (Cosmopterigidae) Synonym(s): *caroli* Koster,2008 - Range (in code): Ch IN
- 32211. Labdia caulota Meyrick,1918** (Cosmopterigidae) Synonym(s): *caulota* Meyrick,1918
Range (in code): ZA Nta Kzu Esw Ptw
- 32212. Labdia ceraunica (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *ceraunica* Meyrick,1897
Range (in code): AU
- 32213. Labdia chalcoplecta Turner,1933** (Cosmopterigidae) Synonym(s): *chalcoplecta* Turner,1933 - Range (in code): AU
- 32214. Labdia charisia (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *charisia* Meyrick,1897
Range (in code): AU
- 32215. Labdia chryselectra (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *chryselectra* Meyrick,1897 - Range (in code): AU
- 32216. Labdia cosmangela Meyrick,1923** (Cosmopterigidae) Synonym(s): *cosmangela* Meyrick,1923 - Range (in code): AU
- 32217. Labdia crocotypa Turner,1923** (Cosmopterigidae) Synonym(s): *crocotypa* Turner,1923
Range (in code): AU
- 32218. Labdia cyanogramma (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *cyanogramma* Meyrick,1897; *euphrantica* Turner,1923 - Range (in code): AU
- 32219. Labdia deliciosella Walker,1864** (Cosmopterigidae) Synonym(s): *deliciosella* Walker,1864; *receptella* Walker,1864 - Range (in code): AU
- 32220. Labdia diophanes Meyrick,1927** (Cosmopterigidae) Synonym(s): *diophanes* Meyrick,1927
Range (in code): ZA

- 32221. *Labdia ejaculata* Meyrick,1921** (Cosmopterigidae) Synonym(s): *ejaculata* Meyrick,1921
Range (in code): **AU**
- 32222. *Labdia eumelaena* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *eumelaena* Meyrick,1897
Range (in code): **AU SAu Ade**
- 32223. *Labdia glaucoxantha* Meyrick,1921** (Cosmopterigidae) Synonym(s): *glaucoxantha* Meyrick,1921
Range (in code): **AU**
- 32224. *Labdia hexaspila* Turner,1923** (Cosmopterigidae) Synonym(s): *hexaspila* Turner,1923
Range (in code): **AU**
- 32225. *Labdia hierarcha* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *hierarcha* Meyrick,1897
Range (in code): **AU**
- 32226. *Labdia irrigua* (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *irrigua* Meyrick,1915
Range (in code): **AU**
- 32227. *Labdia ischnotypa* Turner,1923** (Cosmopterigidae) Synonym(s): *ischnotypa* Turner,1923
Range (in code): **AU**
- 32228. *Labdia leucombra* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *leucombra* Meyrick,1897
Range (in code): **AU**
- 32229. *Labdia leuconota* Turner,1923** (Cosmopterigidae) Synonym(s): *leuconota* Turner,1923
Range (in code): **AU**
- 32230. *Labdia macrobela* Meyrick,1918** (Cosmopterigidae) Synonym(s): *macrobela* Meyrick,1918;
#macobela Vari,1958
Range (in code): **MZ Blv**
- 32231. *Labdia microchalca* Meyrick,1921** (Cosmopterigidae) Synonym(s): *microchalca* Meyrick,1921
Range (in code): **AU**
- 32232. *Labdia mitrophora* Turner,1923** (Cosmopterigidae) Synonym(s): *mitrophora* Turner,1923
Range (in code): **AU**
- 32233. *Labdia myrrhicoma* (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *myrrhicoma* Meyrick,1917
Range (in code): **AU**
- 32234. *Labdia narcota* (Meyrick,1909)** (Cosmopterigidae) Synonym(s): *narcota* Meyrick,1909
Original Reference: *Stagmatophora narcota* Meyrick,1909, Ann. Transv. Mus. 2: 19, pl.6 fig.5.
Type: [South Africa]: Transvaal. Range (in code): **ZA Tva Gau Pre**
- 32235. *Labdia nesophora* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *nesophora* Meyrick,1897
Range (in code): **AU**
- 32236. *Labdia niphocera* Turner,1923** (Cosmopterigidae) Synonym(s): *niphocera* Turner,1923
Range (in code): **AU**
- 32237. *Labdia niphostephes* Turner,1923** (Cosmopterigidae) Synonym(s): *niphostephes* Turner,1923
Range (in code): **AU**
- 32238. *Labdia niphosticta* (Meyrick,1936)** (Cosmopterigidae) Synonym(s): *niphosticta* Meyrick,1936
Range (in code): **CN JP**
- 32239. *Labdia ochrostephana* Turner,1923** (Cosmopterigidae) Synonym(s): *ochrostephana* Turner,1923
Range (in code): **AU**
- 32240. *Labdia orthoschema* Turner,1923** (Cosmopterigidae) Synonym(s): *orthoschema* Turner,1923
Range (in code): **AU**
- 32241. *Labdia oxychlora* Meyrick,1932** (Cosmopterigidae) Synonym(s): *oxychlora* Meyrick,1932
Original Reference: *Labdia oxychlora* Meyrick,1932, Exot. Microlepid. 4: 314. Type: Siera Leone.
Range (in code): **SL IN LK TH MY BN Bor Sbh**
- 32242. *Labdia oxysema* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *oxysema* Meyrick,1897
Range (in code): **AU**
- 32243. *Labdia oxytoma* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *oxytoma* Meyrick,1897
Range (in code): **AU**
- 32244. *Labdia pammeces* Turner,1923** (Cosmopterigidae) Synonym(s): *pammeces* Turner,1923
Range (in code): **AU**
- 32245. *Labdia pantophyrta* Turner,1923** (Cosmopterigidae) Synonym(s): *pantophyrta* Turner,1923
Range (in code): **AU**
- 32246. *Labdia phaeocala* Turner,1926** (Cosmopterigidae) Synonym(s): *phaeocala* Turner,1926
Range (in code): **AU**
- 32247. *Labdia pileata* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *pileata* Meyrick,1897
Range (in code): **AU**

- 32248. *Labdia promacha* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *promacha* Meyrick,1897 _ Range (in code): AU
- 32249. *Labdia rhadinopis* Turner,1923** (Cosmopterigidae) Synonym(s): *rhadinopis* Turner,1923 _ Range (in code): AU
- 32250. *Labdia rhoecosticha* Turner,1923** (Cosmopterigidae) Synonym(s): *rhoecosticha* Turner,1923 _ Range (in code): AU
- 32251. *Labdia schismatias* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *schismatias* Meyrick,1897 _ Range (in code): AU
- 32252. *Labdia semicoccinea* (Stainton,1859)** (Cosmopterigidae) Synonym(s): *semicoccinea* Stainton,1859 _ Original Reference: Cosmopteryx semicoccinea Stainton,1859, Trans. ent. Soc. London 1859: 123. Type: Java. Range (in code): RU GG Cc KP KR JP LK IN TW ID Ja TH Bionomy: Larva on Cajanus indicus (Fabaceae), Polyscias (Araliaceae) (Fletcher,1920; et seq.).
- 32253. *Labdia stibogramma* Meyrick,1924** (Cosmopterigidae) Synonym(s): *stibogramma* Meyrick,1924 _ Original Reference: Labdia stibogramma Meyrick,1924, Exot. Microlepid. 3: 90. Type: Kuala Lumpur. Range (in code): TH MY Bionomy: Larva on decaying rubber wood Hevea brasiliensis (Euphorbiaceae), Bertholletia (Lecythidaceae), Citrus (Rutaceae) (Robinson et al.,1994).
- 32254. *Labdia symbolias* (Meyrick,1906)** (Cosmopterigidae) Synonym(s): *symbolias* Meyrick,1905; *symbolias* Meyrick,1906 _ Range (in code): AU
- 32255. *Labdia thalamaula* (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *thalamaula* Meyrick,1915 _ Range (in code): AU
- 32256. *Labdia thermophila* (Lower,1900)** (Cosmopterigidae) Synonym(s): *thermophila* Lower,1900 _ Range (in code): AU
- 32257. *Labdia trichaeola* Meyrick,1933** (Cosmopterigidae) Synonym(s): *trichaeola* Meyrick,1933 _ Original Reference: Labdia trichaeola Meyrick,1933, Exot. Microlepid. 4: 427. Type: Java. Range (in code): ID Ja TH
- 32258. *Labdia triploa* Turner,1923** (Cosmopterigidae) Synonym(s): *triploa* Turner,1923 _ Range (in code): AU
- 32259. *Labdia tristoecha* Turner,1923** (Cosmopterigidae) Synonym(s): *tristoecha* Turner,1923 _ Range (in code): AU
- 32260. *Labdia trivincta* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *trivincta* Meyrick,1897 _ Range (in code): AU
- 32261. *Labdia zonobela* Turner,1923** (Cosmopterigidae) Synonym(s): *zonobela* Turner,1923 _ Range (in code): AU
- 32262. *Leptozestis anagraptia* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *anagraptia* Meyrick,1897 _ Range (in code): AU
- 32263. *Leptozestis antithetis* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *antithetis* Meyrick,1897 _ Range (in code): AU
- 32264. *Leptozestis argoscia* (Lower,1904)** (Cosmopterigidae) Synonym(s): *argoscia* Lower,1904 _ Range (in code): AU
- 32265. *Leptozestis autochroa* (Meyrick,1915)** (Cosmopterigidae) Synonym(s): *autochroa* Meyrick,1915 _ Range (in code): AU
- 32266. *Leptozestis capnopora* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *capnopora* Meyrick,1897 _ Range (in code): AU
- 32267. *Leptozestis cataspoda* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *cataspoda* Meyrick,1897 _ Range (in code): AU
- 32268. *Leptozestis charmosyna* (Meyrick,1921)** (Cosmopterigidae) Synonym(s): *charmosyna* Meyrick,1921 _ Range (in code): AU
- 32269. *Leptozestis crassipalpis* (Turner,1923)** (Cosmopterigidae) Synonym(s): *crassipalpis* Turner,1923 _ Range (in code): AU
- 32270. *Leptozestis crebra* (Meyrick,1906)** (Cosmopterigidae) Synonym(s): *crebra* Meyrick,1906 _ Range (in code): AU
- 32271. *Leptozestis cyclonica* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *cyclonica* Meyrick,1897 _ Range (in code): AU
- 32272. *Leptozestis decalopha* (Lower,1904)** (Cosmopterigidae) Synonym(s): *decalopha* Lower,1904 _ Range (in code): AU

- 32273. *Leptozestis ecstatica* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *ecstatica* Meyrick,1897 Range (in code): AU
- 32274. *Leptozestis epiphrixia* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *epiphrixia* Meyrick,1897 Range (in code): AU
- 32275. *Leptozestis euryplaca* (Lower,1893)** (Cosmopterigidae) Synonym(s): *euryplaca* Lower,1893; *selenura* Meyrick,1897 Range (in code): AU
- 32276. *Leptozestis eximia* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *eximia* Meyrick,1897 Range (in code): AU
- 32277. *Leptozestis gnophodes* (Lower,1904)** (Cosmopterigidae) Synonym(s): *gnophodes* Lower,1904 Range (in code): AU
- 32278. *Leptozestis harmosta* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *harmosta* Meyrick,1897 Range (in code): AU
- 32279. *Leptozestis hestiopa* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *hestiopa* Meyrick,1897 Range (in code): AU
- 32280. *Leptozestis melanopa* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *melanopa* Meyrick,1897 Range (in code): AU
- 32281. *Leptozestis ochlopa* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *ochlopa* Meyrick,1897 Range (in code): AU
- 32282. *Leptozestis parascia* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *parascia* Meyrick,1897 Range (in code): AU
- 32283. *Leptozestis phylactis* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *phylactis* Meyrick,1897 Range (in code): AU
- 32284. *Leptozestis psarotricha* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *psarotricha* Meyrick,1897 Range (in code): AU
- 32285. *Leptozestis psoralea* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *psoralea* Meyrick,1897 Range (in code): AU
- 32286. *Leptozestis sedula* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *sedula* Meyrick,1897 Range (in code): AU
- 32287. *Leptozestis spodoptera* (Turner,1923)** (Cosmopterigidae) Synonym(s): *spodoptera* Turner,1923 Range (in code): AU
- 32288. *Leptozestis strophicodes* (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *strophicodes* Meyrick,1917 Range (in code): AU
- 32289. *Leptozestis tephtras* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *tephtras* Meyrick,1897 Range (in code): AU
- 32290. *Leptozestis toreutica* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *toreutica* Meyrick,1897 Range (in code): AU
- 32291. *Leptozestis tropaea* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *tropaea* Meyrick,1897 Range (in code): AU
- 32292. *Leptozestis valida* (Meyrick,1919)** (Cosmopterigidae) Synonym(s): *valida* Meyrick,1919 Range (in code): AU
- 32293. *Limnaecia acantophora* Meyrick,1922** (Cosmopterigidae) Synonym(s): *acantophora* Meyrick,1922 Original Reference: Limnaecia acantophora Meyrick,1922, Exot. Microlepid. 2: 573. Type ♀: Philippines: Manila. Range (in code): PH Luz
- 32294. *Limnaecia adiacrita* Turner,1923** (Cosmopterigidae) Synonym(s): *adiacrita* Turner,1923 Range (in code): AU
- 32295. *Limnaecia anisodesma* Lower,1904** (Cosmopterigidae) Synonym(s): *anisodesma* Lower,1904 Range (in code): AU
- 32296. *Limnaecia antidesma* Meyrick,1913** (Cosmopterigidae) Synonym(s): *antidesma* Meyrick,1913 Range (in code): ZA Tva Mpu Tst
- 32297. *Limnaecia bisignis* Meyrick,1921** (Cosmopterigidae) Synonym(s): *bisignis* Meyrick,1921 Range (in code): AU
- 32298. *Limnaecia callimitris* Meyrick,1897** (Cosmopterigidae) Synonym(s): *callimitris* Meyrick,1897 Range (in code): AU
- 32299. *Limnaecia camptosema* Meyrick,1897** (Cosmopterigidae) Synonym(s): *camptosema* Meyrick,1897 Range (in code): AU
- 32300. *Limnaecia charactis* Meyrick,1897** (Cosmopterigidae) Synonym(s): *charactis* Meyrick,1897 Range (in code): AU

- 32301. *Limnaecia chionospila* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *chionospila* Meyrick, 1897 _ Range (in code): AU
- 32302. *Limnaecia chlorodeta* Meyrick, 1928** (Cosmopterigidae) Synonym(s): *chlorodeta* Meyrick, 1928 _ Range (in code): ZA
- 32303. *Limnaecia chloronephes* Meyrick, 1924** (Cosmopterigidae) Synonym(s): *chloronephes* Meyrick, 1924 _ Range (in code): ZA
- 32304. *Limnaecia chromaturga* (Meyrick, 1915)** (Cosmopterigidae) Synonym(s): *chromaturga* Meyrick, 1915 _ Original Reference: Xestocasis chromaturga Meyrick, 1915, Exot. Microlepid. 1: 316. Type: Ceylon. Range (in code): TH IN LK MY
- 32305. *Limnaecia chrysonesa* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *chrysonesa* Meyrick, 1897 _ Range (in code): AU
- 32306. *Limnaecia chrysothorax* Meyrick, 1920** (Cosmopterigidae) Synonym(s): *chrysothorax* Meyrick, 1920 _ Range (in code): AU
- 32307. *Limnaecia cirrhazona* Turner, 1923** (Cosmopterigidae) Synonym(s): *cirrhazona* Turner, 1923 _ Range (in code): AU
- 32308. *Limnaecia combota* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *combota* Meyrick, 1921 _ Original Reference: Limnoecia combota Meyrick, 1921, Exot. Microlepid. 2: 454. Type ♂: [Iraq]: "Baghdad". Range (in code): IQ Bgd Bsr
- 32309. *Limnaecia conjuncta* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *conjuncta* Meyrick, 1921 _ Range (in code): MZ Mag
- 32310. *Limnaecia crossomela* Lower, 1908** (Cosmopterigidae) Synonym(s): *crossomela* Lower, 1908 _ Range (in code): AU
- 32311. *Limnaecia cybophora* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *cybophora* Meyrick, 1897 _ Range (in code): AU
- 32312. *Limnaecia definitiva* (T.P.Lucas, 1901)** (Cosmopterigidae) Synonym(s): *definitiva* T.P.Lucas, 1901 _ Range (in code): AU
- 32313. *Limnaecia effulgens* Meyrick, 1918** (Cosmopterigidae) Synonym(s): *effulgens* Meyrick, 1918; #*effluens* Vari, 1958 _ Range (in code): ZA Nta Kzu Esw
- 32314. *Limnaecia elaphropa* Turner, 1923** (Cosmopterigidae) Synonym(s): *elaphropa* Turner, 1923 _ Range (in code): AU
- 32315. *Limnaecia epimictis* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *epimictis* Meyrick, 1897 _ Range (in code): AU
- 32316. *Limnaecia eretmota* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *eretmota* Meyrick, 1909 _ Range (in code): ZA Tva Gau Pre
- 32317. *Limnaecia eristica* Meyrick, 1919** (Cosmopterigidae) Synonym(s): *eristica* Meyrick, 1919 _ Range (in code): AU
- 32318. *Limnaecia eugramma* Lower, 1899** (Cosmopterigidae) Synonym(s): *eugramma* Lower, 1899 _ Range (in code): AU
- 32319. *Limnaecia explanata* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *explanata* Meyrick, 1921 _ Range (in code): ZW Har
- 32320. *Limnaecia hemidoma* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *hemidoma* Meyrick, 1897 _ Range (in code): AU
- 32321. *Limnaecia hemimitra* Turner, 1923** (Cosmopterigidae) Synonym(s): *hemimitra* Turner, 1923 _ Range (in code): AU
- 32322. *Limnaecia heterozona* Lower, 1904** (Cosmopterigidae) Synonym(s): *heterozona* Lower, 1904 _ Range (in code): AU
- 32323. *Limnaecia ichnographa* Meyrick, 1908** (Cosmopterigidae) Synonym(s): *ichnographa* Meyrick, 1908 _ Range (in code): ZA Tva Gau Lpo Pre Pie
- 32324. *Limnaecia ida* Lower, 1908** (Cosmopterigidae) Synonym(s): *ida* Lower, 1908 _ Range (in code): AU
- 32325. *Limnaecia iriastis* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *iriastis* Meyrick, 1897 _ Range (in code): AU
- 32326. *Limnaecia isodesma* Lower, 1904** (Cosmopterigidae) Synonym(s): *isodesma* Lower, 1904 _ Range (in code): AU
- 32327. *Limnaecia isozona* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *isozona* Meyrick, 1897 _ Range (in code): AU

- 32328. *Limnaecia leptomeris* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *leptomeris* Meyrick, 1897 _ Range (in code): AU
- 32329. *Limnaecia leptozona* Turner, 1923** (Cosmopterigidae) Synonym(s): *leptozona* Turner, 1923 _ Range (in code): AU
- 32330. *Limnaecia leucomita* Turner, 1923** (Cosmopterigidae) Synonym(s): *leucomita* Turner, 1923 _ Range (in code): AU
- 32331. *Limnaecia loxoscia* Lower, 1923** (Cosmopterigidae) Synonym(s): *loxoscia* Lower, 1923 _ Range (in code): AU
- 32332. *Limnaecia lunacrescens* (T.P.Lucas, 1901)** (Cosmopterigidae) Synonym(s): *lunacrescens* T.P.Lucas, 1901 _ Range (in code): AU
- 32333. *Limnaecia magnifica* Amsel, 1968** (Cosmopterigidae) Synonym(s): *magnifica* Amsel, 1968 _ Range (in code): PK Krc
- 32334. *Limnaecia monoxantha* (Meyrick, 1922)** (Cosmopterigidae) Synonym(s): *monoxantha* Meyrick, 1922 _ Range (in code): AU
- 32335. *Limnaecia neurogramma* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *neurogramma* Meyrick, 1909 _ Range (in code): ZA Tva Lpo Spb Wm
- 32336. *Limnaecia novalis* Meyrick, 1920** (Cosmopterigidae) Synonym(s): *novalis* Meyrick, 1920 _ Range (in code): AU
- 32337. *Limnaecia ochrozona* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *ochrozona* Meyrick, 1897 _ Range (in code): AU
- 32338. *Limnaecia orthochroa* (Lower, 1899)** (Cosmopterigidae) Synonym(s): *orthochroa* Lower, 1899 _ Range (in code): AU
- 32339. *Limnaecia pallidula* Turner, 1923** (Cosmopterigidae) Synonym(s): *pallidula* Turner, 1923 _ Range (in code): AU
- 32340. *Limnaecia phragmitella* Stainton, 1851** (Cosmopterigidae) Synonym(s): *phragmitella* Stainton, 1851 _ Range (in code): MA DZ TN PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY US AU NZ ZA Tva Gau Pre Bionomy: Larva on Phragmitis, Typha latifolia, T. angustifolia (Stainton, 1851; Riedl, 1969).
- 32341. *Limnaecia platychlora* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *platychlora* Meyrick, 1915 _ Range (in code): AU
- 32342. *Limnaecia platyochra* Turner, 1923** (Cosmopterigidae) Synonym(s): *platyochra* Turner, 1923 _ Range (in code): AU
- 32343. *Limnaecia platyscia* Turner, 1923** (Cosmopterigidae) Synonym(s): *platyscia* Turner, 1923 _ Range (in code): AU
- 32344. *Limnaecia polyactis* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *polyactis* Meyrick, 1921 _ Range (in code): AU
- 32345. *Limnaecia polycydista* Turner, 1926** (Cosmopterigidae) Synonym(s): *polycydista* Turner, 1926 _ Range (in code): AU
- 32346. *Limnaecia pterolopha* Meyrick, 1920** (Cosmopterigidae) Synonym(s): *pterolopha* Meyrick, 1920 _ Range (in code): AU
- 32347. *Limnaecia recidiva* Meyrick, 1911** (Cosmopterigidae) Synonym(s): *recidiva* Meyrick, 1911 _ Original Reference: *Limnaecia recidiva* Meyrick, 1911, Ann. Transv. Mus. 3(1): 71. Type ♀: [South Africa]: Waterberg (Jutrzencka) (TMP). Range (in code): ZA Wb
- 32348. *Limnaecia sarcanthes* Meyrick, 1921** (Cosmopterigidae) Synonym(s): *sarcanthes* Meyrick, 1921 _ Range (in code): ZW Uma
- 32349. *Limnaecia scoliosema* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *scoliosema* Meyrick, 1897 _ Range (in code): AU
- 32350. *Limnaecia semisecta* Meyrick, 1928** (Cosmopterigidae) Synonym(s): *semisecta* Meyrick, 1928 _ Range (in code): ZA
- 32351. *Limnaecia stenosticha* Turner, 1926** (Cosmopterigidae) Synonym(s): *stenosticha* Turner, 1926 _ Range (in code): AU
- 32352. *Limnaecia symplecta* Turner, 1923** (Cosmopterigidae) Synonym(s): *symplecta* Turner, 1923 _ Range (in code): AU
- 32353. *Limnaecia syntaracta* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *syntaracta* Meyrick, 1897 _ Range (in code): AU
- 32354. *Limnaecia tetraplanetis* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *tetraplanetis* Meyrick, 1897 _ Range (in code): AU

- 32355. *Limnaecia triplaneta* Meyrick,1921** (Cosmopterigidae) Synonym(s): *triplaneta* Meyrick,1921 _ Range (in code): AU
- 32356. *Limnaecia trisema* Meyrick,1897** (Cosmopterigidae) Synonym(s): *trisema* Meyrick,1897 _ Range (in code): AU
- 32357. *Limnaecia trissodesma* (Meyrick,1887)** (Cosmopterigidae) Synonym(s): *trissodesma* Meyrick,1887 _ Range (in code): AU
- 32358. *Limnaecia xanthopelta* Lower,1903** (Cosmopterigidae) Synonym(s): *xanthopelta* Lower,1903 _ Range (in code): AU
- 32359. *Limnaecia xanthopis* Meyrick,1920** (Cosmopterigidae) Synonym(s): *xanthopis* Meyrick,1920 _ Range (in code): AU
- 32360. *Limnaecia zonomacula* Lower,1908** (Cosmopterigidae) Synonym(s): *zonomacula* Lower,1908 _ Range (in code): AU
- 32361. *Limnaecia zotica* Meyrick,1921** (Cosmopterigidae) Synonym(s): *zotica* Meyrick,1921 _ Range (in code): AU
- 32362. *Macrobathra allocrana* Turner,1916** (Cosmopterigidae) Synonym(s): *allocrana* Turner,1916 _ Range (in code): AU
- 32363. *Macrobathra allophyla* (Turner,1944)** (Cosmopterigidae) Synonym(s): *allophyla* Turner,1944 _ Range (in code): AU
- 32364. *Macrobathra alternatella* (Walker,1864)** (Cosmopterigidae) Synonym(s): *alternatella* Walker,1864; *puncticulata* Turner,1896; *obliquata* T.P.Lucas,1901 _ Range (in code): AU
- 32365. *Macrobathra anacampta* Meyrick,1914** (Cosmopterigidae) Synonym(s): *anacampta* Meyrick,1914 _ Range (in code): AU
- 32366. *Macrobathra anemarcha* Meyrick,1886** (Cosmopterigidae) Synonym(s): *anemarcha* Meyrick,1886 _ Range (in code): AU
- 32367. *Macrobathra anemodes* Meyrick,1886** (Cosmopterigidae) Synonym(s): *anemodes* Meyrick,1886 _ Range (in code): AU
- 32368. *Macrobathra aneurae* Turner,1932** (Cosmopterigidae) Synonym(s): *aneurae* Turner,1932 _ Range (in code): AU
- 32369. *Macrobathra anisodora* Meyrick,1924** (Cosmopterigidae) Synonym(s): *anisodora* Meyrick,1924 _ Range (in code): ZA
- 32370. *Macrobathra aphristis* Meyrick,1889** (Cosmopterigidae) Synonym(s): *aphristis* Meyrick,1889 _ Range (in code): AU
- 32371. *Macrobathra arrectella* (Walker,1864)** (Cosmopterigidae) Synonym(s): *arrectella* Walker,1864; *argonota* Meyrick,1886; *opposita* Meyrick,1920 _ Range (in code): AU
- 32372. *Macrobathra asemanta* Lower,1894** (Cosmopterigidae) Synonym(s): *asemanta* Lower,1894 _ Range (in code): AU
- 32373. *Macrobathra astrota* Meyrick,1914** (Cosmopterigidae) Synonym(s): *astrota* Meyrick,1914 _ Range (in code): AU
- 32374. *Macrobathra baliomitra* Turner,1932** (Cosmopterigidae) Synonym(s): *baliomitra* Turner,1932 _ Range (in code): AU
- 32375. *Macrobathra basisticha* (Turner,1936)** (Cosmopterigidae) Synonym(s): *basisticha* Turner,1936 _ Range (in code): AU
- 32376. *Macrobathra bigerella* (Walker,1864)** (Cosmopterigidae) Synonym(s): *bigerella* Walker,1864; *crymalea* Meyrick,1886 _ Range (in code): AU
- 32377. *Macrobathra brontodes* Meyrick,1886** (Cosmopterigidae) Synonym(s): *brontodes* Meyrick,1886 _ Range (in code): AU
- 32378. *Macrobathra callipetala* Turner,1932** (Cosmopterigidae) Synonym(s): *callipetala* Turner,1932 _ Range (in code): AU
- 32379. *Macrobathra callispila* Turner,1916** (Cosmopterigidae) Synonym(s): *callispila* Turner,1916 _ Range (in code): AU
- 32380. *Macrobathra ceraunobola* Meyrick,1886** (Cosmopterigidae) Synonym(s): *ceraunobola* Meyrick,1886 _ Range (in code): AU
- 32381. *Macrobathra chryseostola* Turner,1932** (Cosmopterigidae) Synonym(s): *chryseostola* Turner,1932 _ Range (in code): AU
- 32382. *Macrobathra chrysospila* Meyrick,1886** (Cosmopterigidae) Synonym(s): *chrysospila* Meyrick,1886; *chrysobaphes* Turner,1896 _ Range (in code): AU

- 32383. *Macrobathra chrysotoxa* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *chrysotoxa* Meyrick, 1886 _ Range (in code): AU
- 32384. *Macrobathra constrictella* (Walker, 1864)** (Cosmopterigidae) **Synonym(s):** *constrictella* Walker, 1864 _ Range (in code): AU
- 32385. *Macrobathra crococosma* Meyrick, 1922** (Cosmopterigidae) **Synonym(s):** *crococosma* Meyrick, 1922 _ Range (in code): AU
- 32386. *Macrobathra dasyplaca* Lower, 1894** (Cosmopterigidae) **Synonym(s):** *dasyplaca* Lower, 1894 _ Range (in code): AU
- 32387. *Macrobathra decataea* Meyrick, 1914** (Cosmopterigidae) **Synonym(s):** *decataea* Meyrick, 1914 _ Range (in code): AU
- 32388. *Macrobathra desmotoma* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *desmotoma* Meyrick, 1886 _ Range (in code): AU
- 32389. *Macrobathra diplochrysa* Lower, 1894** (Cosmopterigidae) **Synonym(s):** *diplochrysa* Lower, 1894 _ Range (in code): AU
- 32390. *Macrobathra dispila* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *dispila* Turner, 1932 _ Range (in code): AU
- 32391. *Macrobathra drosera* Lower, 1901** (Cosmopterigidae) **Synonym(s):** *drosera* Lower, 1901 _ Range (in code): AU
- 32392. *Macrobathra embroneta* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *embroneta* Turner, 1932 _ Range (in code): AU
- 32393. *Macrobathra epimela* (Lower, 1894)** (Cosmopterigidae) **Synonym(s):** *epimela* Lower, 1894 _ Range (in code): AU
- 32394. *Macrobathra erythrocephala* (Lower, 1904)** (Cosmopterigidae) **Synonym(s):** *erythrocephala* Lower, 1904 _ Range (in code): AU
- 32395. *Macrobathra eudesma* Lower, 1900** (Cosmopterigidae) **Synonym(s):** *eudesma* Lower, 1900 _ Range (in code): AU
- 32396. *Macrobathra euryleuca* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *euryleuca* Meyrick, 1886; *exaeta* Turner, 1916 _ Range (in code): AU
- 32397. *Macrobathra euryxantha* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *euryxantha* Meyrick, 1886 _ Range (in code): AU
- 32398. *Macrobathra euspila* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *euspila* Turner, 1932 _ Range (in code): AU
- 32399. *Macrobathra galenaea* Meyrick, 1902** (Cosmopterigidae) **Synonym(s):** *galenaea* Meyrick, 1902 _ Range (in code): AU
- 32400. *Macrobathra gastroleuca* Lower, 1905** (Cosmopterigidae) **Synonym(s):** *gastroleuca* Lower, 1905 _ Range (in code): AU
- 32401. *Macrobathra genitrix* Meyrick, 1927** (Cosmopterigidae) **Synonym(s):** *genitrix* Meyrick, 1927 _ Range (in code): ZA
- 32402. *Macrobathra hamaxitodes* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *hamaxitodes* Meyrick, 1886; *unguinosa* Turner, 1932 _ Range (in code): AU
- 32403. *Macrobathra harmostis* Meyrick, 1889** (Cosmopterigidae) **Synonym(s):** *harmostis* Meyrick, 1889 _ Range (in code): AU
- 32404. *Macrobathra heminephela* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *heminephela* Meyrick, 1886 _ Range (in code): AU
- 32405. *Macrobathra hemitropa* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *hemitropa* Meyrick, 1886 _ Range (in code): AU
- 32406. *Macrobathra heterocera* Lower, 1894** (Cosmopterigidae) **Synonym(s):** *heterocera* Lower, 1894 _ Range (in code): AU
- 32407. *Macrobathra heterozona* Meyrick, 1889** (Cosmopterigidae) **Synonym(s):** *heterozona* Meyrick, 1889 _ Range (in code): AU
- 32408. *Macrobathra hexadyas* Meyrick, 1906** (Cosmopterigidae) **Synonym(s):** *hexadyas* Meyrick, 1906 _ Range (in code): AU
- 32409. *Macrobathra homocosma* Meyrick, 1902** (Cosmopterigidae) **Synonym(s):** *homocosma* Meyrick, 1902 _ Range (in code): AU
- 32410. *Macrobathra honoratella* (Walker, 1864)** (Cosmopterigidae) **Synonym(s):** *honoratella* Walker, 1864; *chlorosoma* Meyrick, 1886 _ Range (in code): AU

- 32411. *Macrobathra humilis* (Turner,1933)** (Cosmopterigidae) Synonym(s): *humilis*
Turner,1933 _ [Range \(in code\): AU](#)
- 32412. *Macrobathra hyalistis* Meyrick,1889** (Cosmopterigidae) Synonym(s): *hyalistis*
Meyrick,1889 _ [Range \(in code\): AU](#)
- 32413. *Macrobathra isoscelana* Lower,1893** (Cosmopterigidae) Synonym(s): *isoscelana*
Lower,1893 _ [Range \(in code\): AU](#)
- 32414. *Macrobathra leucopeda* Meyrick,1886** (Cosmopterigidae) Synonym(s): *leucopeda*
Meyrick,1886; *lamprotypa* Turner,1932 _ [Range \(in code\): AU](#)
- 32415. *Macrobathra leucozancla* Turner,1932** (Cosmopterigidae) Synonym(s): *leucozancla*
Turner,1932 _ [Range \(in code\): AU](#)
- 32416. *Macrobathra lychnophora* Turner,1932** (Cosmopterigidae) Synonym(s): *lychnophora*
Turner,1932 _ [Range \(in code\): AU](#)
- 32417. *Macrobathra melanargyra* Meyrick,1886** (Cosmopterigidae) Synonym(s): *melanargyra* Meyrick,1886 _ [Range \(in code\): AU](#)
- 32418. *Macrobathra melanota* Meyrick,1886** (Cosmopterigidae) Synonym(s): *melanota*
Meyrick,1886 _ [Range \(in code\): AU](#)
- 32419. *Macrobathra mesopora* Meyrick,1886** (Cosmopterigidae) Synonym(s): *mesopora*
Meyrick,1886 _ [Range \(in code\): AU](#)
- 32420. *Macrobathra micropis* Lower,1894** (Cosmopterigidae) Synonym(s): *micropis* Lower,1894
[Range \(in code\): AU](#)
- 32421. *Macrobathra microspora* Lower,1900** (Cosmopterigidae) Synonym(s): *microspora*
Lower,1900 _ [Range \(in code\): AU](#)
- 32422. *Macrobathra monostadia* Meyrick,1886** (Cosmopterigidae) Synonym(s): *monostadia*
Meyrick,1886; *gonoloma* Lower,1894 _ [Range \(in code\): AU](#)
- 32423. *Macrobathra myriophthalma* Meyrick,1886** (Cosmopterigidae) Synonym(s): *myriophthalma* Meyrick,1886 _ [Range \(in code\): AU](#)
- 32424. *Macrobathra nephelomorpha* Meyrick,1886** (Cosmopterigidae) Synonym(s): *nephelomorpha* Meyrick,1886 _ [Range \(in code\): AU](#)
- 32425. *Macrobathra nimbifera* Turner,1932** (Cosmopterigidae) Synonym(s): *nimbifera*
Turner,1932 _ [Range \(in code\): AU](#)
- 32426. *Macrobathra niphadobola* Meyrick,1886** (Cosmopterigidae) Synonym(s): *niphadobola*
Meyrick,1886 _ [Range \(in code\): AU](#)
- 32427. *Macrobathra notozyga* Meyrick,1914** (Cosmopterigidae) Synonym(s): *notozyga*
Meyrick,1914 _ [Range \(in code\): AU](#)
- 32428. *Macrobathra paracentra* Lower,1893** (Cosmopterigidae) Synonym(s): *paracentra*
Lower,1893 _ [Range \(in code\): AU](#)
- 32429. *Macrobathra parthenistis* Meyrick,1889** (Cosmopterigidae) Synonym(s): *parthenistis*
Meyrick,1889 _ [Range \(in code\): AU](#)
- 32430. *Macrobathra peraeota* Meyrick,1921** (Cosmopterigidae) Synonym(s): *peraeota*
Meyrick,1921 _ [Range \(in code\): ZA](#)
- 32431. *Macrobathra phernaea* Lower,1899** (Cosmopterigidae) Synonym(s): *phernaea*
Lower,1899 _ [Range \(in code\): AU](#)
- 32432. *Macrobathra philopsamma* Lower,1900** (Cosmopterigidae) Synonym(s): *philopsamma*
Lower,1900 _ [Range \(in code\): AU](#)
- 32433. *Macrobathra phrynganina* Turner,1932** (Cosmopterigidae) Synonym(s): *phrynganina*
Turner,1932 _ [Range \(in code\): AU](#)
- 32434. *Macrobathra platychroa* Lower,1897** (Cosmopterigidae) Synonym(s): *platychroa*
Lower,1897 _ [Range \(in code\): AU](#)
- 32435. *Macrobathra platyzona* Turner,1932** (Cosmopterigidae) Synonym(s): *platyzona*
Turner,1932 _ [Range \(in code\): AU](#)
- 32436. *Macrobathra polypasta* Turner,1932** (Cosmopterigidae) Synonym(s): *polypasta*
Turner,1932 _ [Range \(in code\): AU](#)
- 32437. *Macrobathra pompholyctis* Meyrick,1889** (Cosmopterigidae) Synonym(s): *pompholyctis* Meyrick,1889 _ [Range \(in code\): AU](#)
- 32438. *Macrobathra porphyrea* Meyrick,1886** (Cosmopterigidae) Synonym(s): *porphyrea*
Meyrick,1886 _ [Range \(in code\): AU](#)

- 32439. *Macrobathra psathyroides* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *psathyroides* Turner, 1932 **_ Range (in code): AU**
- 32440. *Macrobathra recrepans* Meyrick, 1926** (Cosmopterigidae) **Synonym(s):** *recrepans* Meyrick, 1926 **_ Range (in code): ZA**
- 32441. *Macrobathra rhodospila* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *rhodospila* Meyrick, 1886 **_ Range (in code): AU**
- 32442. *Macrobathra rhythmodes* Turner, 1916** (Cosmopterigidae) **Synonym(s):** *rhythmodes* Turner, 1916 **_ Range (in code): AU**
- 32443. *Macrobathra rubicundella* (Walker, 1864)** (Cosmopterigidae) **Synonym(s):** *rubicundella* Walker, 1864; *rosea* Turner, 1896 **_ Range (in code): AU**
- 32444. *Macrobathra sarcoleuca* Meyrick, 1915** (Cosmopterigidae) **Synonym(s):** *sarcoleuca* Meyrick, 1915; *tetraleuca* Turner, 1932 **_ Range (in code): AU**
- 32445. *Macrobathra stenosema* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *stenosema* Turner, 1932 **_ Range (in code): AU**
- 32446. *Macrobathra synacta* Meyrick, 1920** (Cosmopterigidae) **Synonym(s):** *synacta* Meyrick, 1920 **_ Range (in code): AU**
- 32447. *Macrobathra synastra* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *synastra* Meyrick, 1886 **_ Range (in code): AU**
- 32448. *Macrobathra syncoma* Lower, 1899** (Cosmopterigidae) **Synonym(s):** *syncoma* Lower, 1899 **_ Range (in code): AU**
- 32449. *Macrobathra trimorpha* Meyrick, 1889** (Cosmopterigidae) **Synonym(s):** *trimorpha* Meyrick, 1889 **_ Range (in code): AU**
- 32450. *Macrobathra trithyra* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *trithyra* Meyrick, 1886 **_ Range (in code): AU**
- 32451. *Macrobathra vexillariata* Lucas, 1901** (Cosmopterigidae) **Synonym(s):** *vexillariata* Lucas, 1901 **_ Range (in code): AU**
- 32452. *Macrobathra vividella* (C.Felder & R.Felder, 1875)** (Cosmopterigidae) **Synonym(s):** *vividella* C.Felder & R.Felder, 1875 **_ Range (in code): AU**
- 32453. *Macrobathra xanthoplaca* Meyrick, 1902** (Cosmopterigidae) **Synonym(s):** *xanthoplaca* Meyrick, 1902 **_ Range (in code): AU**
- 32454. *Macrobathra xuthocoma* Meyrick, 1886** (Cosmopterigidae) **Synonym(s):** *xuthocoma* Meyrick, 1886 **_ Range (in code): AU**
- 32455. *Macrobathra xylopterella* (Walker, 1864)** (Cosmopterigidae) **Synonym(s):** *xylopterella* Walker, 1864 **_ Range (in code): AU**
- 32456. *Macrobathra zonodesma* Lower, 1900** (Cosmopterigidae) **Synonym(s):** *zonodesma* Lower, 1900 **_ Range (in code): AU**
- 32457. *Melanozestis heterodesma* Meyrick, 1930** (Cosmopterigidae) **Synonym(s):** *heterodesma* Meyrick, 1930 **_ Range (in code): ZA**
- 32458. *Mimodoxa dryina* Lower, 1901** (Cosmopterigidae) **Synonym(s):** *dryina* Lower, 1901 **_ Range (in code): AU**
- 32459. *Mimodoxa empyrophanes* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *empyrophanes* Turner, 1932 **_ Range (in code): AU**
- 32460. *Mimodoxa loxospila* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *loxospila* Turner, 1932 **_ Range (in code): AU**
- 32461. *Mimodoxa metallica* (Lower, 1899)** (Cosmopterigidae) **Synonym(s):** *metallica* Lower, 1899 **_ Range (in code): AU**
- 32462. *Mimodoxa phaulophanes* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *phaulophanes* Turner, 1932 **_ Range (in code): AU**
- 32463. *Mimodoxa tricommatia* Turner, 1932** (Cosmopterigidae) **Synonym(s):** *tricommatia* Turner, 1932 **_ Range (in code): AU**
- 32464. *Morphotica mirifica* Meyrick, 1915** (Cosmopterigidae) **Synonym(s):** *mirifica* Meyrick, 1915 **_ Range (in code): AU**
- 32465. *Mothonodes obtusa* (Meyrick, 1921)** (Cosmopterigidae) **Synonym(s):** *obtusa* Meyrick, 1921 **_ Range (in code): AU**
- 32466. *Neomariania partinicensis* (Rebel, 1937)** (Cosmopterigidae) **Synonym(s):** *partinicensis* Rebel, 1937 **_ Range (in code): IT Si**

- 32467. *Neomariania rebeli* (Walsingham,1894)** (Cosmopterigidae) Synonym(s): *rebeli* Walsingham,1894 Original Reference: Laverna rebeli Walsingham,1894, Trans. ent. Soc. London 1894:554. Type: Madeira. Range (in code): **Md**
- 32468. *Orthromicta argonota* Turner,1923** (Cosmopterigidae) Synonym(s): *argonota* Turner,1923 Range (in code): **AU**
- 32469. *Orthromicta galactitis* Meyrick,1897** (Cosmopterigidae) Synonym(s): *galactitis* Meyrick,1897 Range (in code): **AU**
- 32470. *Orthromicta semifumea* Turner,1923** (Cosmopterigidae) Synonym(s): *semifumea* Turner,1923 Range (in code): **AU**
- 32471. *Otonoma anemois* Meyrick,1897** (Cosmopterigidae) Synonym(s): *anemois* Meyrick,1897 Range (in code): **AU**
- 32472. *Otonoma leuchlaena* Meyrick,1919** (Cosmopterigidae) Synonym(s): *leuchlaena* Meyrick,1919 Range (in code): **AU**
- 32473. *Otonoma sophronica* Meyrick,1920** (Cosmopterigidae) Synonym(s): *sophronica* Meyrick,1920 Range (in code): **AU**
- 32474. *Otonoma sphenosema* (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *sphenosema* Meyrick,1897 Range (in code): **AU**
- 32475. *Pancalia aureatus* Yang,1977** (Cosmopterigidae) Synonym(s): *aureatus* Yang,1977 Range (in code): **CN**
- 32476. *Pancalia baldizzonella* Riedl,1994** (Cosmopterigidae) Synonym(s): *baldizzonella* Riedl,1994 Range (in code): **IT**
- 32477. *Pancalia gaedikei* Sinev,1985** (Cosmopterigidae) Synonym(s): *gaedikei* Sinev,1985 Range (in code): **RU Us**
- 32478. *Pancalia hexachrysa* (Meyrick,1935)** (Cosmopterigidae) Synonym(s): *hexachrysa* Meyrick,1935; *japonica* Riedl,1973 Range (in code): **JP**
- 32479. *Pancalia isschikii* Matsumura,1931** (Cosmopterigidae) Synonym(s): *isschikii* Matsumura,1931 Range (in code): **RU Am JP Hkk Sh**
- 32480. *Pancalia isschikii amurella* Gaedike,1967** (Cosmopterigidae) Synonym(s): *amurella* Gaedike,1967 Range (in code): **RU Am**
- 32481. *Pancalia isschikii sachalinella* Sinev,1985** (Cosmopterigidae) Synonym(s): *sachalinella* Sinev,1985 Range (in code): **RU Sh**
- 32482. *Pancalia leuwenhoekella* (Linnaeus,1761)** (Cosmopterigidae) Synonym(s): *leuwenhoekella* Linnaeus,1761; *schmidtella* Treitschke,1833 Original Reference: *Phalaena leuwenhoekella* Linnaeus,1761, Fauna Suec.: 361, nr.1400. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE EE LV LT RU Sb Us MD UA BY CN Mc** Bionomy: Larva on Viola (Riedl,1969).
- 32483. *Pancalia leuwenhoekella mandschuricella* Sinev,1985** (Cosmopterigidae) Synonym(s): *mandschuricella* Sinev,1985 Range (in code): **CN Mc RU Us**
- 32484. *Pancalia nodosella* (Bruand,[1850])** (Cosmopterigidae) Synonym(s): *nodosella* Bruand,[1850]; *nodosella* Mann,1854 Original Reference: *Oecophora nodosella* Bruand,[1850], Mém. Soc. Emul. Doubs. 3: 79. Type: France: Doubs. Range (in code): **ES FR NL AT SK B-H HV AL BG TR LV RU KK** Bionomy: Larva on Viola curtisi (Violaceae) (Koster & Sinev,2003).
- 32485. *Pancalia pyrophracta* (Meyrick,1924)** (Cosmopterigidae) Synonym(s): *pyrophracta* Meyrick,1924 Range (in code): **IN Ass Meg**
- 32486. *Pancalia schwarzella* (Fabricius,1798)** (Cosmopterigidae) Synonym(s): *schwarzella* Fabricius,1798; *latreillella* Curtis,1830. Original Reference: *Tinea schwarzella* Fabricius,1798, Suppl. Ent. Syst.: 493. Type: Germania. Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY JP** Bionomy: Larva on Viola hirta, V.tricolor, V.canina, Lotus corniculatus (Riedl,1969).
- 32487. *Pancalia sichotella* Christoph,1882** (Cosmopterigidae) Synonym(s): *sichotella* Christoph,1882 Range (in code): **RU Us**
- 32488. *Pancalia sinense* Gaedike,1967** (Cosmopterigidae) Synonym(s): *sinense* Gaedike,1967 Range (in code): **CN Pkn**
- 32489. *Pancalia swetlanae* Sinev,1985** (Cosmopterigidae) Synonym(s): *swetlanae* Sinev,1985 Range (in code): **RU Us**
- 32490. *Paratheta calyptra* Lower,1899** (Cosmopterigidae) Synonym(s): *calyptra* Lower,1899 Range (in code): **AU**

- 32491. Paratheta lasiomela** Lower,1899 (Cosmopterigidae) Synonym(s): *lasiomela* Lower,1899
Range (in code): **AU**
- 32492. Paratheta ochrocoma** Lower,1899 (Cosmopterigidae) Synonym(s): *ochrocoma* Lower,1899
Range (in code): **AU**
- 32493. Parathystas porphyrantha** Meyrick,1913 (Cosmopterigidae) Synonym(s): *porphyrantha* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 32494. Pauroptila galenitis** Meyrick,1913 (Cosmopterigidae) Synonym(s): *galenitis* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 32495. Pechyptila rhodocharis** Meyrick,1921 (Cosmopterigidae) Synonym(s): *rhodocharis* Meyrick,1921
Range (in code): **AU**
- 32496. Persicoptila arenosa** Turner,1917 (Cosmopterigidae) Synonym(s): *arenosa* Turner,1917
Range (in code): **AU**
- 32497. Persicoptila dasyceles** Turner,1917 (Cosmopterigidae) Synonym(s): *dasyceles* Turner,1917
Range (in code): **AU**
- 32498. Persicoptila hesperis** Meyrick,1897 (Cosmopterigidae) Synonym(s): *hesperis* Meyrick,1897
Range (in code): **AU**
- 32499. Persicoptila mimochora** Meyrick,1897 (Cosmopterigidae) Synonym(s): *mimochora* Meyrick,1897
Range (in code): **AU**
- 32500. Persicoptila oenosceles** Turner,1917 (Cosmopterigidae) Synonym(s): *oenosceles* Turner,1917
Range (in code): **AU**
- 32501. Persicoptila peltias** Meyrick,1897 (Cosmopterigidae) Synonym(s): *peltias* Meyrick,1897
Range (in code): **AU**
- 32502. Persicoptila rhodocnemis** Meyrick,1915 (Cosmopterigidae) Synonym(s): *rhodocnemis* Meyrick,1915
Range (in code): **AU**
- 32503. Persicoptila tritozona** Turner,1917 (Cosmopterigidae) Synonym(s): *tritozona* Turner,1917
Range (in code): **AU**
- 32504. Phaneroctena homopsara** Turner,1923 (Cosmopterigidae) Synonym(s): *homopsara* Turner,1923
Range (in code): **AU**
- 32505. Phaneroctena pentasticta** Turner,1923 (Cosmopterigidae) Synonym(s): *pentasticta* Turner,1923
Range (in code): **AU**
- 32506. Phaneroctena spodopasta** Turner,1923 (Cosmopterigidae) Synonym(s): *spodopasta* Turner,1923
Range (in code): **AU**
- 32507. Phosphaticola gemmatella** Viette,1951 (Cosmopterigidae) Synonym(s): *gemmatella* Viette,1951
Original Reference: Phosphaticola gemmatella Viette,1951, Revue fr. Lepid. 3/4 (1951): 59. Range (in code): **TN**
- 32508. Pseudascalenia abbasella** Kasy,1974 (Cosmopterigidae) Synonym(s): *abbasella* Kasy,1974
Range (in code): **IR Hz B-A**
- 32509. Pycnagorastis tanyopa** Meyrick,1937 (Cosmopterigidae) Synonym(s): *tanyopa* Meyrick,1937
Range (in code): **ZA**
- 32510. Pyroderces aellotricha** (Meyrick,1889) (Cosmopterigidae) Synonym(s): *aellotricha* Meyrick,1889
Range (in code): **NZ AU**
- 32511. Pyroderces anarithma** (Meyrick,1889) (Cosmopterigidae) Synonym(s): *anarithma* Meyrick,1889
Range (in code): **NZ AU**
- 32512. Pyroderces anthinopa** Meyrick,1917 (Cosmopterigidae) Synonym(s): *anthinopa* Meyrick,1917
Range (in code): **LK**
- 32513. Pyroderces apicinotella** (Chrétien,1915) (Cosmopterigidae) Synonym(s): *apicinotella* Chrétien,1915; *simplicella* Amsel,1959
Range (in code): **TN Gf IQ**
- 32514. Pyroderces apparitella** (Walker,1864) (Cosmopterigidae) Synonym(s): *apparitella* Walker,1864
Range (in code): **NZ**
- 32515. Pyroderces argobalana** Meyrick,1915 (Cosmopterigidae) Synonym(s): *argobalana* Meyrick,1915
Range (in code): **AU QAU**
- 32516. Pyroderces argyrogrammos** (Zeller,1847) (Cosmopterigidae) Synonym(s): *argyrogrammos* Zeller,1847; *goldeggella* Herrich-Schäffer,[1853]
Original Reference: Cosmopteryx argyrogrammos Zeller,1847, Isis 1847: 37-38. Syntypes: Kleinasien: Adirnas [Edirne]; Italia: Sicilien, Rom. Range (in code): **MR MA DZ Cn PT ES FR Co Sa Si IT MT CH AT CZ SK HU RO YU AL BG GR Cr CY TR KG Uk LB Bei Bsa RU MD UA BY SY IL Pa IR Elb Dam Gor Gls Kh**
Bionomy: Larva

on *Carlina*, *Centaurea*, *Carduus nutans*, *C. pycnocephalus*, *Cnicus benedictus*, *Scolymus hispanicus* (Asteraceae) (Riedl, 1969; et seq.).

- 32517. *Pyroderces brosi* Riedl, 1969** (Cosmopterigidae) Synonym(s): *brosi* Riedl, 1969 _ Range (in code): IT
- 32518. *Pyroderces caesaris* Gozmany, 1957** (Cosmopterigidae) Synonym(s): *caesaris* Gozmany, 1957 _ Range (in code): HV BG RU UA Cm TR Bionomy: Larva on *Echinops ruthenicus*, *Centaurea orientalis*, *C. salonitana*, *Cirsium sublaniflorum* (Sinev, 1993).
- 32519. *Pyroderces cervinella* (Walsingham, 1897)** (Cosmopterigidae) Synonym(s): *cervinella* Walsingham, 1897 _ Range (in code):
- 32520. *Pyroderces chalcoptila* (Meyrick, 1922)** (Cosmopterigidae) Synonym(s): *chalcoptila* Meyrick, 1922 _ Range (in code): PE
- 32521. *Pyroderces charisia* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *charisia* Meyrick, 1897 Range (in code): AU QAU
- 32522. *Pyroderces cinnamomina* (Turati, 1930)** (Cosmopterigidae) Synonym(s): *cinnamomina* Turati, 1930 _ Range (in code): LY Cy
- 32523. *Pyroderces deamatella* (Walker, 1864)** (Cosmopterigidae) Synonym(s): *deamatella* Walker, 1864 _ Range (in code): NZ
- 32524. *Pyroderces diplecta* Meyrick, 1935** (Cosmopterigidae) Synonym(s): *diplecta* Meyrick, 1935 Range (in code): LK IN Bionomy: Larva on *Borassus flabellifer* (Palmae) (Robinson et al., 2005).
- 32525. *Pyroderces embrochota* Meyrick, 1914** (Cosmopterigidae) Synonym(s): *embrochota* Meyrick, 1914 _ Range (in code): MW
- 32526. *Pyroderces eupogon* Turner, 1926** (Cosmopterigidae) Synonym(s): *eupogon* Turner, 1926 Range (in code): AU NSW
- 32527. *Pyroderces falcatella* (Stainton, 1859)** (Cosmopterigidae) Synonym(s): *falcatella* Stainton, 1859; *spodochtha* Meyrick, 1905; *dendrophaga* Meyrick, 1920 Original Reference: *Gracilaria* ? *falcatella* Stainton, 1859, Trans. ent. Soc. London (N.S.) 5: 121. Type: Calcutta. Range (in code): LK IN Clc TH AU QAU SB MY ID Ja Bionomy: Larva on *Ceiba pantandra* (Bombacaceae), *Cocos nucifera*, *Elaeis guineensis* (Palmae), *Coffea liberica* (Rubiaceae), *Gossypium barbadense*, *G. herbaceum* (Malvaceae), *Parkinsonia aculeata* (Fabaceae), *Shorea robusta* (Dipterocarpaceae), *Xanthorrhoea arborea* (Xanthorrhoeaceae) (Robinson et al., 2005).
- 32528. *Pyroderces firma* (Meyrick, 1911)** (Cosmopterigidae) Synonym(s): *firma* Meyrick, 1911 Range (in code): SC
- 32529. *Pyroderces hapalodes* Turner, 1923** (Cosmopterigidae) Synonym(s): *hapalodes* Turner, 1923 _ Range (in code): AU QAU
- 32530. *Pyroderces hemipelta* (Meyrick, 1917)** (Cosmopterigidae) Synonym(s): *hemipelta* Meyrick, 1917 _ Range (in code): IN
- 32531. *Pyroderces irrigua* Meyrick, 1915** (Cosmopterigidae) Synonym(s): *irrigua* Meyrick, 1915 Range (in code): AU
- 32532. *Pyroderces jonesella* Legrand, 1965** (Cosmopterigidae) Synonym(s): *jonesella* Legrand, 1965 _ Range (in code):
- 32533. *Pyroderces klimeschi* Rebel, 1938** (Cosmopterigidae) Synonym(s): *klimeschi* Rebel, 1938 Range (in code): IT AT PL SK HU RO IR Mz
- 32534. *Pyroderces leptarga* (Meyrick, 1914)** (Cosmopterigidae) Synonym(s): *leptarga* Meyrick, 1914 _ Range (in code): TW
- 32535. *Pyroderces longalitella* Legrand, 1965** (Cosmopterigidae) Synonym(s): *longalitella* Legrand, 1965 _ Range (in code):
- 32536. *Pyroderces melanosarca* Meyrick, 1937** (Cosmopterigidae) Synonym(s): *melanosarca* Meyrick, 1937 _ Range (in code): ID Ja
- 32537. *Pyroderces nesophora* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *nesophora* Meyrick, 1897 _ Range (in code): AU
- 32538. *Pyroderces ocrella* Viette, 1955** (Cosmopterigidae) Synonym(s): *ocrella* Viette, 1955 Range (in code): MG
- 32539. *Pyroderces oxysema* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *oxysema* Meyrick, 1897 _ Range (in code): AU QAU NSW
- 32540. *Pyroderces phaeostigma* Bradley, 1961** (Cosmopterigidae) Synonym(s): *phaeostigma* Bradley, 1961 _ Range (in code): SB

- 32541. *Pyroderces pogonias* Turner,1923** (Cosmopterigidae) Synonym(s): *pogonias* Turner,1923
Range (in code): **AU NSW Syd**
- 32542. *Pyroderces resoluta* Diakonoff,1948** (Cosmopterigidae) Synonym(s): *resoluta* Diakonoff,1948
Range (in code): **ID Bru**
- 32543. *Pyroderces sphenosema* Meyrick,1897** (Cosmopterigidae) Synonym(s): *sphenosema* Meyrick,1897
Range (in code): **AU QAU**
- 32544. *Pyroderces symbolias* Meyrick,1915** (Cosmopterigidae) Synonym(s): *symbolias* Meyrick,1915
Range (in code): **AU QAU Bri**
- 32545. *Pyroderces syngalactis* Meyrick,1928** (Cosmopterigidae) Synonym(s): *syngalactis* Meyrick,1928
Range (in code): **NH**
- 32546. *Pyroderces tenuilinea* Turner,1923** (Cosmopterigidae) Synonym(s): *tenuilinea* Turner,1923
Range (in code): **AU QAU**
- 32547. *Pyroderces tersectella* (Zeller,1877)** (Cosmopterigidae) Synonym(s): *tersectella* Zeller,1877
Range (in code): **CO**
- 32548. *Pyroderces tethysella* Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *tethysella* Koster & Sinev,2003
Range (in code): **ES TN TJ**
- 32549. *Pyroderces thalamaula* Meyrick,1915** (Cosmopterigidae) Synonym(s): *thalamaula* Meyrick,1915
Range (in code): **AU QAU**
- 32550. *Pyroderces thermophila* Lower,1900** (Cosmopterigidae) Synonym(s): *thermophila* Lower,1900
Range (in code): **AU NSW**
- 32551. *Pyroderces tripola* (Meyrick,1909)** (Cosmopterigidae) Synonym(s): *tripola* Meyrick,1909
Range (in code): **ZA Tva Gau Pre**
- 32552. *Pyroderces urantha* (Meyrick,1914)** (Cosmopterigidae) Synonym(s): *urantha* Meyrick,1914
Range (in code): **TW**
- 32553. *Pyroderces wolschrijni* Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *wolschrijni* Koster & Sinev,2003
Range (in code): **PT ES Mu MA MT**
- 32554. *Ramphis ibericus* Riedl,1969** (Cosmopterigidae) Synonym(s): *ibericus* Riedl,1969
Range (in code): **ES PT**
- 32555. *Ramphis libanoticus* Riedl,1969** (Cosmopterigidae) Synonym(s): *libanoticus* Riedl,1969
Range (in code): **GR Cr Rd CY LB Bsa SY TR** Bionomy: Larva on *Salvia triloba* cypria, *S. triloba* libanotica (Lamiaceae) (Riedl,1986).
- 32556. *Ressia didesmococcusphaga* (Yang,1977)** (Cosmopterigidae) Synonym(s): *didesmococcusphaga* Yang,1977
Range (in code):
- 32557. *Ressia quercidentella* Sinev,1988** (Cosmopterigidae) Synonym(s): *quercidentella* Sinev,1988
Range (in code): **VN**
- 32558. *Ressia tonkinella* Sinev,1988** (Cosmopterigidae) Synonym(s): *tonkinella* Sinev,1988
Range (in code): **VN Ton**
- 32559. *Rhadinastis microlychna* Meyrick,1897** (Cosmopterigidae) Synonym(s): *microlychna* Meyrick,1897
Range (in code): **AU**
- 32560. *Rhadinastis sideropa* Meyrick,1897** (Cosmopterigidae) Synonym(s): *sideropa* Meyrick,1897
Range (in code): **AU**
- 32561. *Scaeosopha mitescens* (T.P.Lucas,1891)** (Cosmopterigidae) Synonym(s): *mitescens* T.P.Lucas,1891; *epileuca* T.P.Lucas,1901
Range (in code): **AU**
- 32562. *Sorhagenia fibigeri* Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *fibigeri* Koster & Sinev,2003
Range (in code): **TR**
- 32563. *Sorhagenia janiszewskae* Riedl,1962** (Cosmopterigidae) Synonym(s): *janiszewskae* Riedl,1962
Range (in code): **PT FR GB NL DE CH AT PL CZ SK HU RO YU DK NO SE FI LV LT RU MD UA BY Cc** Bionomy: Larva on *Rhamnus catharticus*, *R. alpina*, *Frangula alnus* (Rhamnaceae) (Riedl,1969).
- 32564. *Sorhagenia lophyrella* (Douglas,1846)** (Cosmopterigidae) Synonym(s): *lophyrella* Douglas,1846; *tolli* Riedl,1962
Range (in code): **ES FR IT GB DE CH AT PL CZ SK HU RO MK AL BG GR TR Cc DK NO SE FI EE LV RU Sr MD UA BY** Bionomy: Larva on *Rhamnus catharticus*, *R. saxatilis*, *Frangula alnus* (Rhamnaceae) (Riedl,1969).
- 32565. *Sorhagenia reconditella* Riedl,1983** (Cosmopterigidae) Synonym(s): *reconditella* Riedl,1983
Range (in code): **GR CY**
- 32566. *Sorhagenia rhamniella* (Zeller,1839)** (Cosmopterigidae) Synonym(s): *rhamniella* Zeller,1839; *asperipunctella* Bruand,1850
Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK**

- RO DK TR NO SE EE LV LT RU Sr Cc MD UA BY IR Gl** Bionomy: Larva on Rhamnus catharticus, R.alpina, Frangula alnus (Rhamnaceae) (Zeller,1839; Riedl,1969).
- 32567. Sorhagenia taurensis Koster & Sinev,2003** (Cosmopterigidae) Synonym(s): *taurensis* Koster & Sinev,2003 Range (in code): **TR**
- 32568. Stigmatophora acanthodes Meyrick,1933** (Cosmopterigidae) Synonym(s): *acanthodes* Meyrick,1933 Original Reference: Stigmatophora acanthodes Meyrick,1933, Exot. Microlepid. 4: 428. Type: India. Range (in code): **IN**
- 32569. Stigmatophora acris Meyrick,1911** (Cosmopterigidae) Synonym(s): *acris* Meyrick,1911 Range (in code): **SC**
- 32570. Stigmatophora argyroela Walsingham,1907** (Cosmopterigidae) Synonym(s): *argyroela* Walsingham,1907 Range (in code): **US**
- 32571. Stigmatophora argyrostrepta (Meyrick,1897)** (Cosmopterigidae) Synonym(s): *argyrostrepta* Meyrick,1897 Range (in code): **AU Syd NSW**
- 32572. Stigmatophora auriferella (Walker,1864)** (Cosmopterigidae) Synonym(s): *auriferella* Walker,1864 Range (in code): **SL IL Pa**
- 32573. Stigmatophora basanistis Meyrick,1909** (Cosmopterigidae) Synonym(s): *basanistis* Meyrick,1909 Range (in code): **ZA**
- 32574. Stigmatophora beata Walsingham,1907** (Cosmopterigidae) Synonym(s): *beata* Walsingham,1907 Original Reference: Stigmatophora beata Walsingham,1907, Entomologist's mon. Mag. 43: 180-181. Type ♂: Algeria, Hammam-es-Salahin. Range (in code): **MA DZ ES FR IT HU GR Cr TR LB Bei SY Hal IR Kh KuB Th RU MD UA BY**
- 32575. Stigmatophora buhri M.Hering,1935** (Cosmopterigidae) Synonym(s): *buhri* M.Hering,1935 Range (in code): **IN TH CMA** Bionomy: Larva on Tectona grandis, Vitex negundo (Verbenaceae) (Robinson et al.,2005).
- 32576. Stigmatophora callistrepta (Meyrick,1917)** (Cosmopterigidae) Synonym(s): *callistrepta* Meyrick,1917 Original Reference: Pyroderces callistrepta Meyrick,1917, Exot. Microlepid. 2: 38. Type: India. Range (in code): **IN TH CMA** Bionomy: Larva on Tectona grandis, Vitex negundo (Verbenaceae) (Robinson et al.,2005).
- 32577. Stigmatophora chopardella Viette,1954** (Cosmopterigidae) Synonym(s): *chopardella* Viette,1954 Range (in code): **MG**
- 32578. Stigmatophora clinarcha Meyrick,1921** (Cosmopterigidae) Synonym(s): *clinarcha* Meyrick,1921 Range (in code): **AU QAU**
- 32579. Stigmatophora cyma Bradley,1953** (Cosmopterigidae) Synonym(s): *cyma* Bradley,1953 Range (in code): **FJ**
- 32580. Stigmatophora diakonoffi Viette,1968** (Cosmopterigidae) Synonym(s): *diakonoffi* Viette,1968 Range (in code): **MG**
- 32581. Stigmatophora divitella Constant,1885** (Cosmopterigidae) Synonym(s): *divitella* Constant,1885 Range (in code): **ZA**
- 32582. Stigmatophora drosophanes Meyrick,1921** (Cosmopterigidae) Synonym(s): *drosophanes* Meyrick,1921 Range (in code): **IN Slo**
- 32583. Stigmatophora erebinthia Meyrick,1921** (Cosmopterigidae) Synonym(s): *erebinthia* Meyrick,1921 Range (in code): **FJ**
- 32584. Stigmatophora faceta Meyrick,1912** (Cosmopterigidae) Synonym(s): *faceta* Meyrick,1912 Range (in code): **LK**
- 32585. Stigmatophora flexa Meyrick,1921** (Cosmopterigidae) Synonym(s): *flexa* Meyrick,1921 Range (in code): **FJ**
- 32586. Stigmatophora floretella Legrand,1958** (Cosmopterigidae) Synonym(s): *floretella* Legrand,1958 Range (in code): **SC**
- 32587. Stigmatophora haploceros Turner,1926** (Cosmopterigidae) Synonym(s): *haploceros* Turner,1926 Range (in code): **AU QAU**
- 32588. Stigmatophora heydeniella (Fischer v. Röslerstamm,1842)** (Cosmopterigidae) Synonym(s): *heydeniella* Fischer v. Röslerstamm,1842; *torquillaepennella* Bruand,1850 Original Reference: Oecophora heydeniella Fischer v. Röslerstamm,1842, Abbild. Schmett. (18): 256. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU RU** Bionomy: Larva on Stachys sylvatica, Betonica officinalis, B.alopeucuros (Lamiaceae) (Riedl,1969).
- 32589. Stigmatophora hieroglypta Meyrick,1911** (Cosmopterigidae) Synonym(s): *hieroglypta* Meyrick,1911 Range (in code): **SC**

- 32590. *Stigmatophora ilarcha* Meyrick, 1911** (Cosmopterigidae) Synonym(s): *ilarcha* Meyrick, 1911. Range (in code): SC
- 32591. *Stigmatophora luciliella* (Zeller, 1877)** (Cosmopterigidae) Synonym(s): *luciliella* Zeller, 1877. Range (in code): CO Bgt
- 32592. *Stigmatophora niphocrana* Turner, 1926** (Cosmopterigidae) Synonym(s): *niphocrana* Turner, 1926. Range (in code): AU
- 32593. *Stigmatophora notoleuca* Turner, 1923** (Cosmopterigidae) Synonym(s): *notoleuca* Turner, 1923. Range (in code): AU
- 32594. *Stigmatophora oxytoma* (Meyrick, 1897)** (Cosmopterigidae) Synonym(s): *oxytoma* Meyrick, 1897. Range (in code): AU NSW
- 32595. *Stigmatophora phalacra* Meyrick, 1909** (Cosmopterigidae) Synonym(s): *phalacra* Meyrick, 1909. Range (in code): ZA Tva Gau Pre
- 32596. *Stigmatophora phanoptila* Meyrick, 1911** (Cosmopterigidae) Synonym(s): *phanoptila* Meyrick, 1911. Original Reference: *Stigmatophora phanoptila* Meyrick, 1911, Ann. Transv. Mus. 3(1): 70. Syntypes 2♂: [South Africa]: Haenertsburg (Swierstra) (coll. Meyrick). Range (in code): ZA Tva Lpo Hae
- 32597. *Stigmatophora pilana* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *pilana* Meyrick, 1913. Range (in code): ZA Tva Mpu Brb
- 32598. *Stigmatophora rutilella* Chrétien, 1896** (Cosmopterigidae) Synonym(s): *rutilella* Chrétien, 1896. Range (in code): DZ
- 32599. *Stigmatophora semioceros* Meyrick, 1935** (Cosmopterigidae) Synonym(s): *semioceros* Meyrick, 1935. Range (in code): JP
- 32600. *Stigmatophora tetradema* (Meyrick, 1897)** (Cosmopterigidae) Synonym(s): *tetradema* Meyrick, 1897. Range (in code): AU
- 32601. *Stigmatophora trimitra* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *trimitra* Meyrick, 1913; *#trimetra* Vari, 1958. Range (in code): ZA Tva Mpu Brb
- 32602. *Strenophila hyptiota* Meyrick, 1913** (Cosmopterigidae) Synonym(s): *hyptiota* Meyrick, 1913. Range (in code): ZA Tva Mpu Wv
- 32603. *Streptothyris tanyacta* Meyrick, 1918** (Cosmopterigidae) Synonym(s): *tanyacta* Meyrick, 1918. Range (in code): ZA
- 32604. *Syntomaula cana* Moriuti, 1977** (Cosmopterigidae) Synonym(s): *cana* Moriuti, 1977. Range (in code): JP
- 32605. *Syntomaula microsperma* (Diakonoff, 1954)** (Cosmopterigidae) Synonym(s): *microsperma* Diakonoff, 1954. Range (in code): PG
- 32606. *Syntomaula simulatella* (Walker, 1864)** (Cosmopterigidae) Synonym(s): *simulatella* Walker, 1864; *niveosella* Walker, 1864. Original Reference: *Cryptolechia simulatella* Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 29: 747. Type: Borneo. Range (in code): TH MY BN Bor Sbh Swk PH FJ Rot
- 32607. *Syntomaula tephrota* Meyrick, 1914** (Cosmopterigidae) Synonym(s): *tephrota* Meyrick, 1914. Range (in code): LK
- 32608. *Tenuipenna simlicella* Amsel, 1959** (Cosmopterigidae) Synonym(s): *simlicella* Amsel, 1959. Range (in code): IQ Bgd
- 32609. *Tetraonta clepsimorpha* Turner, 1932** (Cosmopterigidae) Synonym(s): *clepsimorpha* Turner, 1932. Range (in code): AU
- 32610. *Tolliella fulguritella* (Ragonot, 1895)** (Cosmopterigidae) Synonym(s): *fulguritella* Ragonot, 1895; *copidobathra* Meyrick, 1936. Original Reference: *Stigmatophora fulguritella* Ragonot, 1895, Bull. Soc. ent. Fr. 1895: cviii-cix. Type ♂: [Turquie]: Akbes (NHMN Paris). Range (in code): TR LB Bsa JO IQ Hjo Er
- 32611. *Trachydora acrocyrta* (Turner, 1923)** (Cosmopterigidae) Synonym(s): *acrocyrta* Turner, 1923. Range (in code): AU
- 32612. *Trachydora acromianta* (Turner, 1923)** (Cosmopterigidae) Synonym(s): *acromianta* Turner, 1923. Range (in code): AU
- 32613. *Trachydora actinia* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *actinia* Meyrick, 1897. Range (in code): AU
- 32614. *Trachydora anthrascopa* Lower, 1904** (Cosmopterigidae) Synonym(s): *anthrascopa* Lower, 1904. Range (in code): AU
- 32615. *Trachydora aphrocoma* Meyrick, 1897** (Cosmopterigidae) Synonym(s): *aphrocoma* Meyrick, 1897. Range (in code): AU

- 32616. *Trachydora argoneura* Lower,1904** (Cosmopterigidae) Synonym(s): *argoneura* Lower,1904 _ [Range \(in code\): AU](#)
- 32617. *Trachydora astragalota* Meyrick,1897** (Cosmopterigidae) Synonym(s): *astragalota* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32618. *Trachydora capnopa* (Lower,1894)** (Cosmopterigidae) Synonym(s): *capnopa* Lower,1894 _ [Range \(in code\): AU](#)
- 32619. *Trachydora centromela* Lower,1904** (Cosmopterigidae) Synonym(s): *centromela* Lower,1904; *holochorda* Meyrick,1915 _ [Range \(in code\): AU](#)
- 32620. *Trachydora chalybanthes* Meyrick,1897** (Cosmopterigidae) Synonym(s): *chalybanthes* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32621. *Trachydora chlorozona* Meyrick,1897** (Cosmopterigidae) Synonym(s): *chlorozona* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32622. *Trachydora chrysodoxa* Meyrick,1915** (Cosmopterigidae) Synonym(s): *chrysodoxa* Meyrick,1915 _ [Range \(in code\): AU](#)
- 32623. *Trachydora corysta* Meyrick,1897** (Cosmopterigidae) Synonym(s): *corysta* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32624. *Trachydora dionysias* Meyrick,1921** (Cosmopterigidae) Synonym(s): *dionysias* Meyrick,1921 _ [Range \(in code\): AU](#)
- 32625. *Trachydora droserodes* Meyrick,1897** (Cosmopterigidae) Synonym(s): *droserodes* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32626. *Trachydora fumea* (Turner,1923)** (Cosmopterigidae) Synonym(s): *fumea* Turner,1923 _ [Range \(in code\): AU](#)
- 32627. *Trachydora heliodora* (Lower,1894)** (Cosmopterigidae) Synonym(s): *heliodora* Lower,1894 _ [Range \(in code\): AU](#)
- 32628. *Trachydora heliotricha* (Lower,1894)** (Cosmopterigidae) Synonym(s): *heliotricha* Lower,1894 _ [Range \(in code\): AU](#)
- 32629. *Trachydora illustris* Meyrick,1897** (Cosmopterigidae) Synonym(s): *illustris* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32630. *Trachydora iocharis* Meyrick,1918** (Cosmopterigidae) Synonym(s): *iocharis* Meyrick,1918 _ [Range \(in code\): ZA Nta Kzu Esw Dmm](#)
- 32631. *Trachydora iridoptila* Meyrick,1921** (Cosmopterigidae) Synonym(s): *iridoptila* Meyrick,1921 _ [Range \(in code\): AU](#)
- 32632. *Trachydora leucobathra* Lower,1904** (Cosmopterigidae) Synonym(s): *leucobathra* Lower,1904 _ [Range \(in code\): AU](#)
- 32633. *Trachydora leucura* Meyrick,1897** (Cosmopterigidae) Synonym(s): *leucura* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32634. *Trachydora macrostola* (Turner,1923)** (Cosmopterigidae) Synonym(s): *macrostola* Turner,1923 _ [Range \(in code\): AU](#)
- 32635. *Trachydora microleuca* Lower,1904** (Cosmopterigidae) Synonym(s): *microleuca* Lower,1904 _ [Range \(in code\): AU](#)
- 32636. *Trachydora molybdimera* Lower,1904** (Cosmopterigidae) Synonym(s): *molybdimera* Lower,1904 _ [Range \(in code\): AU](#)
- 32637. *Trachydora musaea* Meyrick,1897** (Cosmopterigidae) Synonym(s): *musaea* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32638. *Trachydora nomodoxa* Meyrick,1897** (Cosmopterigidae) Synonym(s): *nomodoxa* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32639. *Trachydora oxypeuces* Turner,1939** (Cosmopterigidae) Synonym(s): *oxypeuces* Turner,1939 _ [Range \(in code\): AU](#)
- 32640. *Trachydora oxyzona* Meyrick,1897** (Cosmopterigidae) Synonym(s): *oxyzona* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32641. *Trachydora peroneta* Meyrick,1897** (Cosmopterigidae) Synonym(s): *peroneta* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32642. *Trachydora placophanes* Meyrick,1897** (Cosmopterigidae) Synonym(s): *placophanes* Meyrick,1897 _ [Range \(in code\): AU](#)
- 32643. *Trachydora polyzona* Lower,1904** (Cosmopterigidae) Synonym(s): *polyzona* Lower,1904 _ [Range \(in code\): AU](#)

- 32644. *Trachydora porphyrescens* (Lower,1894)** (Cosmopterigidae) **Synonym(s):** *porphyrescens* Lower,1894 _ Range (in code): AU
- 32645. *Trachydora psammodes* Meyrick,1897** (Cosmopterigidae) **Synonym(s):** *psammodes* Meyrick,1897 _ Range (in code): AU
- 32646. *Trachydora pygaea* (Turner,1923)** (Cosmopterigidae) **Synonym(s):** *pygaea* Turner,1923 _ Range (in code): AU
- 32647. *Trachydora rhachitis* Meyrick,1897** (Cosmopterigidae) **Synonym(s):** *rhachitis* Meyrick,1897 _ Range (in code): ZA
- 32648. *Trachydora scandalotis* Meyrick,1921** (Cosmopterigidae) **Synonym(s):** *scandalotis* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre
- 32649. *Trachydora stephanopa* Meyrick,1897** (Cosmopterigidae) **Synonym(s):** *stephanopa* Meyrick,1897 _ Range (in code): AU
- 32650. *Trachydora tephronota* (Turner,1923)** (Cosmopterigidae) **Synonym(s):** *tephronota* Turner,1923 _ Range (in code): AU
- 32651. *Trachydora thyrsophora* Meyrick,1897** (Cosmopterigidae) **Synonym(s):** *thyrsophora* Meyrick,1897 _ Range (in code): AU
- 32652. *Trachydora zophopepla* Lower,1904** (Cosmopterigidae) **Synonym(s):** *zophopepla* Lower,1904 _ Range (in code): AU
- 32653. *Trissodoris euphaedra* (Lower,1904)** (Cosmopterigidae) **Synonym(s):** *euphaedra* Lower,1904; *larozona* Turner,1917 _ Range (in code): AU
- 32654. *Trissodoris honorariella* (Walsingham,1907)** (Cosmopterigidae) **Synonym(s):** *honorariella* Walsingham,1907; *quadrifasciata* Walsingham,1907 _ Range (in code): AU
- 32655. *Vulcaniella anatolica* Koster & Sinev,2003** (Cosmopterigidae) **Synonym(s):** *anatolica* Koster & Sinev,2003 _ Range (in code): TR
- 32656. *Vulcaniella caucasica* Sinev,1986** (Cosmopterigidae) **Synonym(s):** *caucasica* Sinev,1986 _ Range (in code): TR Cc AZ AM
- 32657. *Vulcaniella cognatella* Riedl,1991** (Cosmopterigidae) **Synonym(s):** *cognatella* Riedl,1991 _ Range (in code): IT YU GR TR
- 32658. *Vulcaniella extremella* (Wocke,1871)** (Cosmopterigidae) **Synonym(s):** *extremella* Wocke,1871; *naviella* Chrétien,1907; *buhri* Hering,1935. _ Range (in code): ES FR IT AT CZ SK HU YU HV RU Bionomy: Larva on *Salvia pratensis*, *S.bertolonii*, *Brunella grandiflora* (Lamiaceae) (Riedl,1969).
- 32659. *Vulcaniella fiordalisa* (Petry,1904)** (Cosmopterigidae) **Synonym(s):** *fiordalisa* Petry,1904; *gnaphaliella* Chrétien,1922. _ Range (in code): MA PT ES Mu FR Co Sa IT HV TR LB Bsa Bionomy: Larva on *Helichrysum serotinum*, *H.angustifolium*, *H.stoechas*, *Phagnalon* (Asteraceae) (Chrétien,1922; et seq.).
- 32660. *Vulcaniella gielisi* Koster & Sinev,2003** (Cosmopterigidae) **Synonym(s):** *gielisi* Koster & Sinev,2003 _ Range (in code): ES
- 32661. *Vulcaniella glaseri* (Riedl,1966)** (Cosmopterigidae) **Synonym(s):** *glaseri* Riedl,1966 Original Reference: *Stagmatophora glaseri* Riedl,1966, Mitt. ent. Ges. Basel 16: 108. Holotype ♂: [Türkei: Ankara Prov.]: "Asia min., Turcia, Kızılcahamam, 925m" (LNK). _ Range (in code): TR
- 32662. *Vulcaniella grabowiella* (Staudinger,1859)** (Cosmopterigidae) **Synonym(s):** *grabowiella* Staudinger,1859 _ Range (in code): TN Gf PT ES FR Sa IT YU MK GR TR Bionomy: Larva on *Lavandula stoechas*, *Thymus vulgaris*, *T.algeriensis numidicus* (Lamiaceae) (Staudinger,1859; Chrétien,1917; et seq.).
- 32663. *Vulcaniella grandiferella* Sinev,1986** (Cosmopterigidae) **Synonym(s):** *grandiferella* Sinev,1986 _ Range (in code): YU MK GR TR RU UA Cc AZ Bionomy: Larva on *Salvia aethiopis*, *S.sclarea* (Lamiaceae) (Sinev,1993).
- 32664. *Vulcaniella kabulensis* Koster,2008** (Cosmopterigidae) **Synonym(s):** *kabulensis* Koster,2008 Original Reference: *Vulcaniella kabulensis* Koster,2008, Zool. Meded. 82 (1): 97-99, figs.8-10. Holotype ♂: Afghanistan, 10km NW v. Kabul 1900m Kasy & Vartian (NHMW). _ Range (in code): AF Kab
- 32665. *Vulcaniella karadaghella* Sinev,1986** (Cosmopterigidae) **Synonym(s):** *karadaghella* Sinev,1986 _ Range (in code): Cc AZ UA Cm TR
- 32666. *Vulcaniella klimeschi* (Riedl,1966)** (Cosmopterigidae) **Synonym(s):** *klimeschi* Riedl,1966 _ Range (in code): MK GR Cr Bionomy: Larva on *Salvia ringens* (Lamiaceae) (Riedl,1969).

- 32667. *Vulcaniella kopetdaghella* Sinev,1986** (Cosmopterigidae) **Synonym(s):** *kopetdaghella Sinev,1986* _ Range (in code): **TM Kp**
- 32668. *Vulcaniella peristrepta* (Meyrick,1917)** (Cosmopterigidae) **Synonym(s):** *peristrepta Meyrick,1917* _ Original Reference: *Stagmatophora peristrepta* Meyrick,1917, *Exot. Microlepid.* 2: 39. Type: [Pakistan]: Peshawar. Range (in code): **PK Nwf Pes**
- 32669. *Vulcaniella pomposella* (Zeller,1839)** (Cosmopterigidae) **Synonym(s):** *pomposella Zeller,1839* _ Range (in code): **FR Co Si DE CH AT PL CZ SK HU RO MK GR TR Cc LV RU MD UA BY SY Dms** _ Bionomy: Larva on *Helichrysum arenarium* (Asteraceae), *Salvia officinalis* (Lamiaceae) (Schütze,1931; Riedl,1969).
- 32670. *Vulcaniella pontica* Koster & Sinev,2003** (Cosmopterigidae) **Synonym(s):** *pontica Koster & Sinev,2003* _ Range (in code): **TR**
- 32671. *Vulcaniella rosmarinella* (Walsingham,1891)** (Cosmopterigidae) **Synonym(s):** *rosmarinella Walsingham,1891* _ Range (in code): **DZ ES FR Co GR Cr** _ Bionomy: Larva on *Rosmarinus officinalis* (Lamiaceae) (Walsingham,1891).
- 32672. *Vulcaniella schultendorffi* (Amsel,1958)** (Cosmopterigidae) **Synonym(s):** *schultendorffi Amsel,1958* _ Range (in code): **IR Fa Sse**
- 32673. *Vulcaniella vartianae* (Amsel,1968)** (Cosmopterigidae) **Synonym(s):** *vartianae Amsel,1968* _ Original Reference: *Stagmatophora vartianae* Amsel,1968, *Stuttg. Beitr. Naturk.* 191: 21, figs. Holotype: Pakistan: Karachi. Range (in code): **PK Krc Sd**
- 32674. *Xestocasis balanochrysa* Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *balanochrysa Meyrick,1915* _ Range (in code): **AU**
- 32675. *Xestocasis colometra* Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *colometra Meyrick,1915* _ Range (in code): **AU**
- 32676. *Xestocasis hololampra* Meyrick,1915** (Cosmopterigidae) **Synonym(s):** *hololampra Meyrick,1915* _ Range (in code): **AU**
- 32677. *Acosma gurkoi* Yakovlev,2011** (Cossidae) **Synonym(s):** *gurkoi Yakovlev,2011* _ Range (in code): **SU**
- 32678. *Acossus terebrus* (Denis,1785)** (Cossidae) **Synonym(s):** *#terebra [Denis & Schiffermüller],1775; terebra Denis,1785.* _ Original Reference: *Phalaena terebra* Denis,1785, in Fuessly, *Neues Mag. Liebh. Ent.* 2:377. Range (in code): **PT ES FR IT DE CH AT PL SK HU RO BG TR GG Bjo Smg Kak Cc AM SE FI EE LV LT RU Ur MD UA BY IR Kh CN Mc**
- 32679. *Aethalopteryx anikini* Yakovlev,2011** (Cossidae) **Synonym(s):** *anikini Yakovlev,2011* _ Range (in code): **ZA Fs**
- 32680. *Aethalopteryx atrireta* (Hampson,1910)** (Cossidae) **Synonym(s):** *atrireta Hampson,1910* _ Range (in code): **BW**
- 32681. *Aethalopteryx dictyotephra* (Clench,1959)** (Cossidae) **Synonym(s):** *dictyotephra Clench,1959* _ Range (in code): **NA**
- 32682. *Aethalopteryx diksami* Yakovlev & Saldaitis,2010** (Cossidae) **Synonym(s):** *diksami Yakovlev & Saldaitis,2010* _ Range (in code): **Sk**
- 32683. *Aethalopteryx elf* Yakovlev,2011** (Cossidae) **Synonym(s):** *elf Yakovlev,2011* _ Range (in code): **SO**
- 32684. *Aethalopteryx forsteri* (Clench,1959)** (Cossidae) **Synonym(s):** *forsteri Clench,1959* _ Range (in code): **NA**
- 32685. *Aethalopteryx gazelle* Yakovlev,2011** (Cossidae) **Synonym(s):** *gazelle Yakovlev,2011* _ Range (in code): **KE**
- 32686. *Aethalopteryx grandiplaga* (Gaede,1930)** (Cossidae) **Synonym(s):** *grandiplaga Gaede,1930* _ Range (in code): **TD CF CG**
- 32687. *Aethalopteryx gyldenstolpei* (Aurivillius,1925)** (Cossidae) **Synonym(s):** *gyldenstolpei Aurivillius,1925* _ Range (in code): **CG**
- 32688. *Aethalopteryx kisangani* Yakovlev,2011** (Cossidae) **Synonym(s):** *kisangani Yakovlev,2011* _ Range (in code): **ZR**
- 32689. *Aethalopteryx masai* Yakovlev,2011** (Cossidae) **Synonym(s):** *masai Yakovlev,2011* _ Range (in code): **KE**
- 32690. *Aethalopteryx mesosticta* (Hampson,1916)** (Cossidae) **Synonym(s):** *mesosticta Hampson,1916* _ Range (in code): **SO**
- 32691. *Aethalopteryx nilotica* Yakovlev,2011** (Cossidae) **Synonym(s):** *nilotica Yakovlev,2011* _ Range (in code): **SD**

- 32692. Aethalopteryx obscurascens (Gaede,1930)** (Cossidae) Synonym(s): *obscurascens* Gaede,1930 _ Range (in code): ET
- 32693. Aethalopteryx obsolete (Gaede,1930)** (Cossidae) Synonym(s): *obsolete* Gaede,1930 _ Range (in code): SD TZ SZ
- 32694. Aethalopteryx pindarus (Fawcett,1916)** (Cossidae) Synonym(s): *pindarus* Fawcett,1916 _ Range (in code): KE UG
- 32695. Aethalopteryx politzari Yakovlev,2011** (Cossidae) Synonym(s): *politzari* Yakovlev,2011 _ Range (in code): SO KE TZ
- 32696. Aethalopteryx rudloffii Yakovlev,2011** (Cossidae) Synonym(s): *rudloffii* Yakovlev,2011 _ Range (in code): SZ
- 32697. Aethalopteryx simillima (Hampson,1916)** (Cossidae) Synonym(s): *simillima* Hampson,1916 _ Range (in code): SO ET
- 32698. Aethalopteryx squameus (Distant,1902)** (Cossidae) Synonym(s): *squameus* Distant,1902; *atriplaga* Le Cerf,1919 _ Range (in code): AO ZA Tva Pre BW MZ MW GH TZ
- 32699. Aethalopteryx steniptera (Hampson,1916)** (Cossidae) Synonym(s): *steniptera* Hampson,1916 _ Range (in code): SO
- 32700. Aethalopteryx sulaki Yakovlev,2011** (Cossidae) Synonym(s): *sulaki* Yakovlev,2011 _ Range (in code): KE
- 32701. Aethalopteryx tristis (Gaede,1915)** (Cossidae) Synonym(s): *tristis* Gaede,1915 _ Range (in code): NA KE ZA
- 32702. Aethalopteryx wiltshirei Yakovlev,2009** (Cossidae) Synonym(s): *wiltshirei* Yakovlev,2009 _ Range (in code): SA
- 32703. Afroarabiella (Meyoarabiella) meyi Yakovlev,2008** (Cossidae) Synonym(s): *meyi* Yakovlev,2008 _ Range (in code): ZA
- 32704. Afroarabiella (s.str.) buchanani (Rothschild,1921)** (Cossidae) Synonym(s): *buchanani* Rothschild,1921 _ Range (in code): NE
- 32705. Afroarabiella (s.str.) fanti (Hampson,1910)** (Cossidae) Synonym(s): *fanti* Hampson,1910 _ Range (in code): GH
- 32706. Afroarabiella (s.str.) namaquensis Yakovlev,2014** (Cossidae) Synonym(s): *namaquensis* Yakovlev,2014 _ Range (in code): ZA
- 32707. Afroarabiella (s.str.) ochracea (Gaede,1930)** (Cossidae) Synonym(s): *ochracea* Gaede,1930 _ Range (in code): ZR TZ
- 32708. Afroarabiella (s.str.) politzari Yakovlev,2008** (Cossidae) Synonym(s): *politzari* Yakovlev,2008 _ Range (in code): KE
- 32709. Afroarabiella (s.str.) tahamae (Wiltshire,1949)** (Cossidae) Synonym(s): *tahamae* Wiltshire,1949 _ Range (in code): SA Hj SA39 YE
- 32710. Afroarabiella (s.str.) tanzaniae Yakovlev,2011** (Cossidae) Synonym(s): *tanzaniae* Yakovlev,2011 _ Range (in code): TZ
- 32711. Afroarabiella (s.str.) ukambani Yakovlev,2008** (Cossidae) Synonym(s): *ukambani* Yakovlev,2008 _ Range (in code): KE
- 32712. Aholcocus ronkayorum Yakovlev,2006** (Cossidae) Synonym(s): *ronkayorum* Yakovlev,2006 _ Original Reference: Aholcocus ronkayorum Yakovlev,2006, Tinea 19 (3): 201-203. Holotype ♂: Pakistan, Islamabad, Margalla Hills 1000m, Fabian & Ronkay leg. (MWM). Range (in code): PK
- 32713. Alcterogystia cadambae (Moore,[1866])** (Cossidae) Synonym(s): *cadambae* Moore,[1866] _ Range (in code): IN Clc Up Kma Rnb
- 32714. Alcterogystia frater (Warnecke,1929)** (Cossidae) Synonym(s): *frater* Warnecke,1929 _ Range (in code): YE SA
- 32715. Alcterogystia l-nigra (Bethune-Baker,1894)** (Cossidae) Synonym(s): *l-nigrum* Bethune-Baker,1894 _ Range (in code): EG YE SA OM CY TR
- 32716. Allocryptobia mucoreus (Herrich-Schäffer,[1853])** (Cossidae) Synonym(s): *mucoreus* Herrich-Schäffer,[1853]; *phobifera* Dyar,1940 _ Range (in code): BR VE PY PE
- 32717. Allocryptobia musae (Herrich-Schäffer,[1854])** (Cossidae) Synonym(s): *musae* Herrich-Schäffer,[1854] _ Range (in code): VE GT
- 32718. Alophonotus rauana (Strand,1909)** (Cossidae) Synonym(s): *rauana* Strand,1909; *langi* Holland,1920 _ Range (in code): AO SN UG ZW KE MW

- 32719. *Azygophleps aburae* (Plötz,1880)** (Cossidae) Synonym(s): *aburae* Plötz,1880 _ Range (in code): GH ZW KE SD CM
- 32720. *Azygophleps afghanistanensis* (Daniel,1964)** (Cossidae) Synonym(s): *afghanistanensis* Daniel,1964 _ Range (in code): AF Srb Prw Gbh
- 32721. *Azygophleps albofasciata* (Moore,1879)** (Cossidae) Synonym(s): *albofasciata* Moore,1879 _ Range (in code): IN SI Djl PK
- 32722. *Azygophleps albovittata* Bethune-Baker,1908** (Cossidae) Synonym(s): *albovittata* Bethune-Baker,1908 _ Range (in code): NG GH UG CG KE GN ZW
- 32723. *Azygophleps asylas* (Cramer,[1777])** (Cossidae) Synonym(s): *asylas* Cramer,[1777]; *canadensis* Herrich-Schäffer,[1854]; *strigulosa* Walker,1856 _ Range (in code): SA Hj SA74 ZA
- 32724. *Azygophleps atrifasciata* Hampson,1910** (Cossidae) Synonym(s): *atrifasciata* Hampson,1910 _ Range (in code): ZM ZW UG KE AO MW ZA
- 32725. *Azygophleps boisduvalii* (Herrich-Schäffer,[1854])** (Cossidae) Synonym(s): *boisduvalii* Herrich-Schäffer,[1854] _ Range (in code): SL GN GH CM NG SD ET KE UG CG ZM ZW SN MW CI
- 32726. *Azygophleps confucianus* Yakovlev,2006** (Cossidae) Synonym(s): *confucianus* Yakovlev,2006 _ Range (in code): CN Ti Sz Yu
- 32727. *Azygophleps cooksoni* Pinhey,1968** (Cossidae) Synonym(s): *cooksoni* Pinhey,1968 _ Range (in code): ZA Nta Kzu
- 32728. *Azygophleps equatorialis* Yakovlev,2011** (Cossidae) Synonym(s): *equatorialis* Yakovlev,2011 _ Range (in code): CG
- 32729. *Azygophleps ganzelkozikmundi* Yakovlev,2009** (Cossidae) Synonym(s): *ganzelkozikmundi* Yakovlev,2009 _ Range (in code): CM CG
- 32730. *Azygophleps godswindow* Yakovlev & Saldaitis,2011** (Cossidae) Synonym(s): *godswindow* Yakovlev & Saldaitis,2011 _ Range (in code): ZA Tva Mpu
- 32731. *Azygophleps inclusa* (Walker,1856)** (Cossidae) Synonym(s): *inclusa* Walker,1856 _ Range (in code): ZA Nta Kzu Dbn KE TZ ZM AO MW MZ BW ZA LS UG CG GH SL GN CI SA Hj SA74 AE OM YE Sk
- 32732. *Azygophleps kovtunovitchi* Yakovlev,2011** (Cossidae) Synonym(s): *kovtunovitchi* Yakovlev,2011 _ Range (in code): LS
- 32733. *Azygophleps larseni* Yakovlev & Saldaitis,2011** (Cossidae) Synonym(s): *larseni* Yakovlev & Saldaitis,2011 _ Original Reference: *Azygophleps larseni* Yakovlev & Saldaitis,2011, Neue ent. Nachr. 66: 84, pl.8 figs.28-29. Range (in code): OM IQ IR YE Sk
- 32734. *Azygophleps legraini* Yakovlev & Saldaitis,2011** (Cossidae) Synonym(s): *legraini* Yakovlev & Saldaitis,2011 _ Range (in code): CM
- 32735. *Azygophleps leopardina* Distant,1902** (Cossidae) Synonym(s): *leopardina* Distant,1902; *borchmanni* Grünberg,1910; *#leopardinae* Dalla-Torre,1923 _ Range (in code): ZA Tva Gau Pre Lpo ZM NA KE
- 32736. *Azygophleps lilyae* Yakovlev,2011** (Cossidae) Synonym(s): *lilyae* Yakovlev,2011 _ Range (in code): TZ
- 32737. *Azygophleps liturata* (Aurivillius,1879)** (Cossidae) Synonym(s): *liturata* Aurivillius,1879; *aurivillii* Kirby,1892 _ Range (in code): NA BW ZA
- 32738. *Azygophleps melanophele* Hampson,1910** (Cossidae) Synonym(s): *melanophele* Hampson,1910 _ Range (in code): NG CF
- 32739. *Azygophleps nubilosa* Hampson,1910** (Cossidae) Synonym(s): *nubilosa* Hampson,1910 _ Range (in code): UG TZ ZA MW
- 32740. *Azygophleps nurella* Swinhoe,1894** (Cossidae) Synonym(s): *nurella* Swinhoe,1894 _ Original Reference: *Azygophleps nurella* Swinhoe,1894, Ann. Mag. nat. Hist. (6) 14: 440. Type: India: Cherra Punji. Range (in code): SI IN Ass Cpj MY Bor PH Pal
- 32741. *Azygophleps otello* Yakovlev,2011** (Cossidae) Synonym(s): *otello* Yakovlev,2011 _ Range (in code): MR
- 32742. *Azygophleps pallens* (Herrich-Schäffer,[1854])** (Cossidae) Synonym(s): *pallens* Herrich-Schäffer,[1854] _ Range (in code): GN SL UG NG CM KE SD
- 32743. *Azygophleps pusilla* (Walker,1856)** (Cossidae) Synonym(s): *pusilla* Walker,1856 _ Range (in code): IN
- 32744. *Azygophleps regia* (Staudinger,1892)** (Cossidae) Synonym(s): *regia* Staudinger,1892; *#regina* Wiltshire,1957 _ Original Reference: *Zeuzera* (?) *regia* Staudinger,1892, Dt. ent. Z., Iris 4:

- 253-254, Taf.iii fig.6. Syntypes: [Türkei]: Hadjin [=Saimbeyli] (J.J.Manissadjian leg.). Range (in code): Cc TR IQ IR PK
- 32745. Azygophleps scalaris (Fabricius,1775)** (Cossidae) Synonym(s): *scalaris* Fabricius,1775; *bivittata* Walker,1865 Original Reference: Phalaena scalaris Fabricius,1775, Syst. Ent.: 590. Range (in code): TH Cph PK Krc Sd MM KH CN IN LK BD MR SO SN CI GH NG CG KE AO NA TZ SD
- 32746. Azygophleps sheikh Yakovlev & Saldaitis,2011** (Cossidae) Synonym(s): *sheikh* Yakovlev & Saldaitis,2011 Range (in code): SA As YE
- 32747. Azygophleps simplex Aurivillius,1905** (Cossidae) Synonym(s): *simplex* Aurivillius,1905 Range (in code): NG
- 32748. Azygophleps sponda (Wallengren,1875)** (Cossidae) Synonym(s): *sponda* Wallengren,1875 Range (in code): ZA Tva Lpo
- 32749. Barchaniella inspersus (Christoph,1887)** (Cossidae) Synonym(s): *inspersus* Christoph,1887 Original Reference: Holcocerus inspersus Christoph,1887, Stettin ent. Ztg. 48: 163. Syntypes: [Turkmenistan]: "Askhabat". Range (in code): TM Kp Mrw Rpt UZ CN Ui Kml Au MN KG Aa
- 32750. Barchaniella mus (Groum-Grshimailo,1902)** (Cossidae) Synonym(s): *mus* Groum-Grshimailo,1902 Original Reference: Holcocerus mus Groum-Grshimailo,1902, Ann. Mus. Petersb. 7: 198. Type: SE Iran, Makran. Range (in code): IR Ss Mkr
- 32751. Barchaniella sacara (Groum-Grshimailo,1902)** (Cossidae) Synonym(s): *sacara* Groum-Grshimailo,1902; *sacrum* Groum-Grshimailo,1902; *sumbannus* Rothschild,1912; *tekkensis* Rothschild,1912; *brunneogrisea* Daniel,1949 Range (in code): TM Rpt KG Bai UZ Br
- 32752. Bergaris jacobsoni (Roepke,1957)** (Cossidae) Synonym(s): *jacobsoni* Roepke,1957 Range (in code): ID Sum Flo
- 32753. Bergaris lutescens (Roepke,1957)** (Cossidae) Synonym(s): *lutescens* Roepke,1957; *griseola* Roepke,1957 Range (in code): ID Bor BN MY
- 32754. Bergaris malayica (Roepke,1957)** (Cossidae) Synonym(s): *malayica* Roepke,1957 Range (in code): Bor Klt MY ID Sum BN
- 32755. Bergaris ruficeps (De Joannis,1929)** (Cossidae) Synonym(s): *ruficeps* De Joannis,1929 Range (in code): VN Ton Han
- 32756. Bergaris sp.** (Cossidae) Synonym(s): Range (in code): PG
- 32757. Brachygystia mauretanica (Lucas,1907)** (Cossidae) Synonym(s): *mauretanica* Lucas,1907; *powelli* Oberthür,1911 Original Reference: Cossus mauretanica Lucas,1907, Bull. ent. Soc. Fr. 1907: 343. Type: Algeria. Range (in code): MA DZ Eba Ges TN
- 32758. Brachyilia nussi Yakovlev,2011** (Cossidae) Synonym(s): *nussi* Yakovlev,2011 Range (in code): MW
- 32759. Brachyilia vukutu Yakovlev & Lenz,2013** (Cossidae) Synonym(s): *vukutu* Yakovlev & Lenz,2013 Range (in code): ZW
- 32760. Butaya gracilis Yakovlev,2005** (Cossidae) Synonym(s): *gracilis* Yakovlev,2005 Range (in code): CN Yu Xis
- 32761. Camellocossus abyssinica (Hampson,1910)** (Cossidae) Synonym(s): *abyssinica* Hampson,1910 Range (in code): ET MR YE
- 32762. Camellocossus henleyi (W.Warren & Rothschild,1905)** (Cossidae) Synonym(s): *henleyi* W.Warren & Rothschild,1905; *niloticus* de Joannis,1909; *pharaonis* A.Bang-Haas,1910 Range (in code): MA ET MR SD DZ Ajj EG EG11 EG05
- 32763. Camellocossus osmanya Yakovlev,2011** (Cossidae) Synonym(s): *osmanya* Yakovlev,2011 Range (in code): SO
- 32764. Catopta acronyctoides (Moore,1879)** (Cossidae) Synonym(s): *acronyctoides* Moore,1879 Range (in code): PK Krc IN NI Mh Bba Ch
- 32765. Catopta albonubilis (Graeser,1888)** (Cossidae) Synonym(s): *albonubilis* Graeser,1888 Range (in code): RU Sb Vv Am KP KR CN Ui KI KG Tk Dj KK Ik Shs She
- 32766. Catopta albonubilis albimaculus Staudinger,1899** (Cossidae) Synonym(s): *albimaculus* Staudinger,1899 Range (in code): CN Ui KI Au KG Tk Dj KK Ik
- 32767. Catopta albonubilis albonubilis (Graeser,1888)** (Cossidae) Synonym(s): *albonubilis* Graeser,1888 Range (in code): RU Vv Am KP KR
- 32768. Catopta albonubilis argunicus Yakovlev,2007** (Cossidae) Synonym(s): *argunicus* Yakovlev,2007 Range (in code): RU Sb
- 32769. Catopta albonubilis centralsinicus Daniel,1940** (Cossidae) Synonym(s): *centralsinicus* Daniel,1940 Range (in code): CN Shs She

- 32770. *Catopta alpherakyi* (Christoph,1885)** (Cossidae) **Synonym(s):** *alpherakyi* Christoph,1885
Original Reference: Endagria alpherakyi Christoph,1885, [in] Romanoff, Mem. lepid. 2: 3-4, pl.ii fig.1. Syntypes: [Azerbaijan]: Ordubad. **Range (in code):** **AZ Nv Ord GG Kak Cc**
- 32771. *Catopta birmanoptus* Bryk,1950** (Cossidae) **Synonym(s):** *birmanoptus* Bryk,1950
Range (in code): **MM**
- 32772. *Catopta cashmirensis* (Moore,1879)** (Cossidae) **Synonym(s):** *cashmirensis* Moore,1879
Range (in code): **PK Hu Ch CN Yu Ti AF Sfk NP BT IN**
- 32773. *Catopta clathratus* (Christoph,1884)** (Cossidae) **Synonym(s):** *clathratus* Christoph,1884
Range (in code): **TM Kp K-A UZ AF Srb**
- 32774. *Catopta cossoides* (Graeser,1892)** (Cossidae) **Synonym(s):** *cossoides* Graeser,1892
Original Reference: Endagria cossoides Graeser,1892, Berl. ent. Z. 37 (3): 300-301. Type ♂: [Kirgizistan]: Alexander Gebirge. **Range (in code):** **KK Ax Ik UZ**
- 32775. *Catopta cossoides cossoides* (Graeser,1892)** (Cossidae) **Synonym(s):** *cossoides* Graeser,1892
Original Reference: Endagria cossoides Graeser,1892, Berl. ent. Z. 37 (3): 300-301. Type ♂: [Kirgizistan]: Alexander Gebirge. **Range (in code):** **KK Ax Ik UZ**
- 32776. *Catopta cossoides tsimganus* (Zukowsky,1936)** (Cossidae) **Synonym(s):** *tsimganus* Zukowsky,1936
Range (in code): **UZ**
- 32777. *Catopta danieli* (Clench,1958)** (Cossidae) **Synonym(s):** *danieli* Clench,1958
Range (in code): **CN Sz She**
- 32778. *Catopta dusii* Yakovlev et al.,2013** (Cossidae) **Synonym(s):** *dusii* Yakovlev et al.,2013
Range (in code): **CN Sz**
- 32779. *Catopta eberti* Daniel,1964** (Cossidae) **Synonym(s):** *eberti* Daniel,1964
Range (in code): **AF Kbb**
- 32780. *Catopta griseotinctus* Daniel,1940** (Cossidae) **Synonym(s):** *griseotinctus* Daniel,1940
Range (in code): **CN Yu**
- 32781. *Catopta hyrcanus* (Christoph,1888)** (Cossidae) **Synonym(s):** *hyrcanus* Christoph,1888; *brandti* Bryk,1947
Range (in code): **IR Kh Ss Se IQ TM**
- 32782. *Catopta kansuensis* Bryk,1942** (Cossidae) **Synonym(s):** *kansuensis* Bryk,1942
Range (in code): **CN Gn Kno**
- 32783. *Catopta kendevarensis* Daniel,1937** (Cossidae) **Synonym(s):** *kendevarensis* Daniel,1937
Range (in code): **AF Bd IR Elb Th Mz Kh**
- 32784. *Catopta kendevarensis anjumanica* Daniel,1964** (Cossidae) **Synonym(s):** *anjumanica* Daniel,1964
Range (in code): **AF Bd**
- 32785. *Catopta kendevarensis kendevarensis* Daniel,1937** (Cossidae) **Synonym(s):** *kendevarensis* Daniel,1937
Range (in code): **IR Elb Th Mz Kh**
- 32786. *Catopta lacertulus* (Staudinger,1887)** (Cossidae) **Synonym(s):** *lacertulus* Staudinger,1887
Range (in code): **UZ Fe Nmg Man CN Ui Ku Um Au Ii Kml KK Ax Ik**
- 32787. *Catopta monticola* (Groum-Grshimailo,1890)** (Cossidae) **Synonym(s):** *monticola* Groum-Grshimailo,1890
Range (in code): **UZ TJ AF Bd**
- 32788. *Catopta nycteris* (John,1923)** (Cossidae) **Synonym(s):** *nycteris* John,1923
Range (in code): **UZ Fe Nmg**
- 32789. *Catopta pallidalae* (Hampson,1892)** (Cossidae) **Synonym(s):** *pallidalae* Hampson,1892
Range (in code): **SI IN**
- 32790. *Catopta perunovi* Yakovlev,2007** (Cossidae) **Synonym(s):** *perunovi* Yakovlev,2007
Range (in code): **RU At Tv MN**
- 32791. *Catopta rocharvus* Sheljuzhko,1943** (Cossidae) **Synonym(s):** *rocharvus* Sheljuzhko,1943
Range (in code): **AF Bd TJ Pm**
- 32792. *Catopta saldaitisi* Yakovlev,2007** (Cossidae) **Synonym(s):** *saldaitisi* Yakovlev,2007
Range (in code): **MN**
- 32793. *Catopta tropicalis* Yakovlev & Witt,2009** (Cossidae) **Synonym(s):** *tropicalis* Yakovlev & Witt,2009
Range (in code): **VN**
- 32794. *Catopta zoroastres* (Groum-Grshimailo,1902)** (Cossidae) **Synonym(s):** *zoroastres* Groum-Grshimailo,1902
Range (in code): **IR Ss**
- 32795. *Cecryphalus helenae* (Le Cerf,1927)** (Cossidae) **Synonym(s):** *helenae* Le Cerf,1927
Range (in code): **MA DZ**
- 32796. *Cecryphalus nubila* (Staudinger,1895)** (Cossidae) **Synonym(s):** *nubila* Staudinger,1895; *strix* Groum-Grshimailo,1897; *speyeri* Austaut,1897
Range (in code): **Cc AZ Kir IR TM I-B Kka Mrw Rpt**

- 32797. *Cecryphalus nubila babadzhanidii* (Sheljuzhko,1913)** (Cossidae) Synonym(s): *babadzhanidii* Sheljuzhko,1913 Original Reference: *Zeuzera nubila* ssp. *babadzhanidii* Sheljuzhko,1913, Dt. ent. Z., Iris 23: 21-22, fig.5. Type ♂: [Azerbaijan]: Jelisawetpol, 25.Juli 09, J.Babadzhanidi leg. (coll.Sheljuzhko). Range (in code): Cc AZ Kir
- 32798. *Cecryphalus nubila nubila* (Staudinger,1895)** (Cossidae) Synonym(s): *nubila* Staudinger,1895; *strix* Groum-Grshimailo,1897; *speyeri* Austaut,1897 Range (in code): IR TM I-B Kka Mrw Rpt
- 32799. *Chalcidica minea* (Cramer,[1777])** (Cossidae) Synonym(s): *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865 Original Reference: *Phalaena minea* Cramer,[1777], Uitl. Kapellen 2: 52, pl.131 fig.D. Range (in code): TH Nan Rng CMa Cuo CDo IN SI Clc BD Syl PH Luz ID Ja Flo Clb Ij Kai Sly Aru Amb Crm Bia Fak PG Bsm SB
- 32800. *Chalcidica minea hyphinoe* (Cramer,[1777])** (Cossidae) Synonym(s): *hyphinoe* Cramer,[1777] Original Reference: *Phalaena hyphinoe* Cramer,[1777], Uitl. Kapellen 2: 91, pl.154 fig.B. Range (in code): ID Amb Crm Clb Sly Kai Ij Bia Fak
- 32801. *Chalcidica minea minea* (Cramer,[1777])** (Cossidae) Synonym(s): *minea* Cramer,[1777]; *viridicans* Eschscholtz,1821;; *alboatra* Walker,1865 Original Reference: *Phalaena minea* Cramer,[1777], Uitl. Kapellen 2: 52, pl.131 fig.D. Range (in code): TH Nan Rng CMa Cuo CDo IN SI Clc BD Syl PH Luz ID Ja Flo
- 32802. *Chalcidica minea pallescens* Roepke,1955** (Cossidae) Synonym(s): *pallescens* Roepke,1955 Range (in code): PG ID Ij
- 32803. *Chiangmaiana buddhi* (Yakovlev,2005)** (Cossidae) Synonym(s): *buddhi* Yakovlev,2005 Range (in code): TH Nan CMa CN Yu
- 32804. *Chiangmaiana qinlingensis* (Hua, Chou, Fang & Chen,1990)** (Cossidae) Synonym(s): *qinlingensis* Hua, Chou, Fang & Chen,1990 Range (in code): CN She Sz
- 32805. *Comadia albistriga* Barnes & McDunnough,1918** (Cossidae) Synonym(s): *albistriga* Barnes & McDunnough,1918 Range (in code): UA Arz
- 32806. *Comadia alleni* Brown,1976** (Cossidae) Synonym(s): *alleni* Brown,1976 Range (in code): US
- 32807. *Comadia arenae* Brown,1976** (Cossidae) Synonym(s): *arenae* Brown,1976 Range (in code): US
- 32808. *Comadia bertholdi* (Grote,1880)** (Cossidae) Synonym(s): *bertholdi* Grote,1880 Range (in code): US
- 32809. *Comadia bertholdi indistincta* Brown,1976** (Cossidae) Synonym(s): *indistincta* Brown,1976 Range (in code): US
- 32810. *Comadia bertholdi polingi* Barnes & Benjamin,1927** (Cossidae) Synonym(s): *polingi* Barnes & Benjamin,1927 Range (in code): US
- 32811. *Comadia dolli* Barnes & Benjamin,1923** (Cossidae) Synonym(s): *dolli* Barnes & Benjamin,1923 Range (in code): US
- 32812. *Comadia edwardi* (Neumoegen & Dyar,1893)** (Cossidae) Synonym(s): *edwardi* Neumoegen & Dyar,1893 Range (in code): US Cf
- 32813. *Comadia henrici* (Grote,1882)** (Cossidae) Synonym(s): *henrici* Grote,1882 Range (in code): US
- 32814. *Comadia intrusa* Barnes & Benjamin,1923** (Cossidae) Synonym(s): *intrusa* Barnes & Benjamin,1923 Range (in code): US
- 32815. *Comadia manfredi* (Neumoegen,1884)** (Cossidae) Synonym(s): *manfredi* Neumoegen,1884 Range (in code): US
- 32816. *Comadia redtenbacheri* (Hammerschmidt,1848)** (Cossidae) Synonym(s): *redtenbacheri* Hammerschmidt,1848; *agavis* Blasquez,1870; *#redtenbachi* Druce,1887; *chilodora* Dyar,1910 Range (in code): US
- 32817. *Comadia sperata* Brown,1976** (Cossidae) Synonym(s): *sperata* Brown,1976 Range (in code): US
- 32818. *Comadia stabilis* Barnes & Benjamin,1923** (Cossidae) Synonym(s): *stabilis* Barnes & Benjamin,1923 Range (in code): US
- 32819. *Comadia suaedivora* Brown & Allen,1973** (Cossidae) Synonym(s): *suaedivora* Brown & Allen,1973 Range (in code): US
- 32820. *Comadia subterminata* Barnes & Benjamin,1923** (Cossidae) Synonym(s): *fusca* Barnes & Benjamin,1923 Range (in code): US

- 32821. *Cossulus alaicus* Yakovlev,2006** (Cossidae) Synonym(s): *alaicus* Yakovlev,2006
Range (in code): **KK**
- 32822. *Cossulus alataucis* Yakovlev,2006** (Cossidae) Synonym(s): *alataucis* Yakovlev,2006
Range (in code): **KG Aa**
- 32823. *Cossulus argentatus* (Staudinger,1887)** (Cossidae) Synonym(s): *argentatus* Staudinger,1887; *araxes* De Freina,1982 Original Reference: *Cossulus argentatus* Staudinger,1887, Stettin ent. Ztg. 48: 91. Type ♂: [Türkei]: "Alexandropol (südwestl. Caucasus Gebiete, Armenien)". Range (in code): **TR Cc AM AZ Nv Ord LB Bsa IR Elb Kdv**
- 32824. *Cossulus argentatus argentatus* (Staudinger,1887)** (Cossidae) Synonym(s): *argentatus* Staudinger,1887; *araxes* De Freina,1982 Original Reference: *Cossulus argentatus* Staudinger,1887, Stettin ent. Ztg. 48: 91. Type ♂: [Türkei]: "Alexandropol (südwestl. Caucasus Gebiete, Armenien)". Range (in code): **TR Cc AM AZ Nv Ord LB Bsa IR Elb Kdv**
- 32825. *Cossulus bolshoji* (Zukowsky,1936)** (Cossidae) Synonym(s): *bolshoji* Zukowsky,1936
Range (in code): **UZ Fe KG KK**
- 32826. *Cossulus darvazi* Sheljuzhko,1943** (Cossidae) Synonym(s): *darvazi* Sheljuzhko,1943
Range (in code): **TJ Pm**
- 32827. *Cossulus griseatellus* Yakovlev,2006** (Cossidae) Synonym(s): *griseatellus* Yakovlev,2006
Range (in code): **PK Swa Klm AF Sfk**
- 32828. *Cossulus habibae* Yakovlev, Pljustch, Srkylnik & Pak,2015** (Cossidae) Synonym(s): *habibae* Yakovlev, Pljustch, Srkylnik & Pak,2015 **AF BdA Bm**
- 32829. *Cossulus herzi* (Alpheraky,1893)** (Cossidae) Synonym(s): *herzi* Alpheraky,1893
Range (in code): **IR Elb Shh Kh UZ Smk Fe AF Kab Bm BdA Bd Kbb Srb KK**
- 32830. *Cossulus herzi herzi* (Alpheraky,1893)** (Cossidae) Synonym(s): *herzi* Alpheraky,1893
Range (in code): **IR Elb Shh Kh UZ Smk Fe AF Kab Bm BdA Bd Kbb Srb KK**
- 32831. *Cossulus intractatus* Staudinger,1887** (Cossidae) Synonym(s): *intractatus* Staudinger,1887; *sericeus* Groum-Grshimailo,1890 Original Reference: *Cossus intractatus* Staudinger,1887, Stettin ent. Ztg. 48: 89. Type: [Tadjikistan]: Obi-Garm, Karategin. Range (in code): **TJ AF Bd UZ Smk KK**
- 32832. *Cossulus irani* (Daniel,1937)** (Cossidae) Synonym(s): *irani* Daniel,1937 Original Reference: *Cossus irani* Daniel,1937, Mitt. münch. ent. Ges. 27: 49, Taf.iii figs.7-8. Holotype ♂: Persia: Elburs mont. Kendevan Pass. (ZSSM). Range (in code): **IR Elb Th Mz Kdv**
- 32833. *Cossulus issycus* (Gaede,1933)** (Cossidae) Synonym(s): *issycus* Gaede,1933 **Range (in code): KK Ik**
- 32834. *Cossulus kabulense* (Daniel,1965)** (Cossidae) Synonym(s): *kabulense* Daniel,1965
Range (in code): **AF Kab Pag**
- 32835. *Cossulus lena* Yakovlev,2008** (Cossidae) Synonym(s): *lena* Yakovlev,2008 **Range (in code): TR**
- 32836. *Cossulus lignosus* (Brandt,1938)** (Cossidae) Synonym(s): *lignosus* Brandt,1938 Original Reference: *Hypopta lignosus* Brandt,1938, Ent. Rdsch. 55: 699, Taf.v figs. 46,47. Syntypes: Iran: Sine Sefid, Mian-Kotal Commee. Range (in code): **TR Cc IR Fa See Com Elb Th IQ LB Bsa**
- 32837. *Cossulus lignosus lignosus* (Brandt,1938)** (Cossidae) Synonym(s): *lignosus* Brandt,1938 Original Reference: *Hypopta lignosus* Brandt,1938, Ent. Rdsch. 55: 699, Taf.v figs. 46,47. Syntypes: Iran: Sine Sefid, Mian-Kotal Commee. Range (in code): **IR Fa Sse Com Elb Th IQ LB Bsa**
- 32838. *Cossulus lignosus solgunus* De Freina,1982** (Cossidae) Synonym(s): *solgunus* De Freina,1982 **Range (in code): TR**
- 32839. *Cossulus mollis* (Christoph,1887)** (Cossidae) Synonym(s): *mollis* Christoph,1887
Range (in code): **TM Kp IQ Kku**
- 32840. *Cossulus mollis mollis* (Christoph,1887)** (Cossidae) Synonym(s): *mollis* Christoph,1887
Range (in code): **TM Kp**
- 32841. *Cossulus mollis muelleri* Yakovlev,2006** (Cossidae) Synonym(s): *muelleri* Yakovlev,2006 **Range (in code): IQ Kku**
- 32842. *Cossulus mucosus* (Christoph,1884)** (Cossidae) Synonym(s): *mucosus* Christoph,1884
Range (in code): **TM Kp KG Aa UZ Fe T-S IR Fa Es Th AF**
- 32843. *Cossulus nasreddin* Yakovlev,2006** (Cossidae) Synonym(s): *nasreddin* Yakovlev,2006
Range (in code): **UZ**

- 32844. *Cossulus nedretus* De Freina & Yakovlev, 2005** (Cossidae) Synonym(s): *nedretus* De Freina & Yakovlev, 2005 Original Reference: *Cossulus nedretus* De Freina & Yakovlev, 2005, Ent. Z. 115 (2): 81-84, figs. Holotype ♂: Turkey: Sivas Prov., Gürün, Gökpınar 1600m (MNH). Range (in code): **TR**
- 32845. *Cossulus nikiforoviorum* Yakovlev, 2006** (Cossidae) Synonym(s): *nikiforoviorum* Yakovlev, 2006 Range (in code): **UZ**
- 32846. *Cossulus putridus* (Christoph, 1887)** (Cossidae) Synonym(s): *putridus* Christoph, 1887 Original Reference: *Holcocerus putridus* Christoph, 1887, [in] Romanoff, Mém. lépid. 3: 57, pl. 3 fig. 4. Syntypes: [Turkmenistan]: Ashabad (ZISP). Range (in code): **TM Kp IR Kh Msh AF Bd Nu Slg Jla**
- 32847. *Cossulus sergchurkini* Yakovlev, 2008** (Cossidae) Synonym(s): *sergchurkini* Yakovlev, 2008 Range (in code): **KK Fe UZ**
- 32848. *Cossulus sheljuzhkoi* (Zukowsky, 1936)** (Cossidae) Synonym(s): *sheljuzhkoi* Zukowsky, 1936 Range (in code): **KK KG**
- 32849. *Cossulus stertzi* (Püngeler, 1899)** (Cossidae) Synonym(s): *stertzi* Püngeler, 1899; *strigillata* Rothschild, 1912 Original Reference: *Cossus stertzi* Püngeler, 1899, Dt. ent. Z., Iris 12: 288, 8 fig. 3. Type: Tadjikistan: Kuliab. Range (in code): **AF TM Mrw**
- 32850. *Cossulus strioliger* (Alpheraky, 1893)** (Cossidae) Synonym(s): *strioliger* Alpheraky, 1893; *confusa* Rothschild, 1912. Original Reference: *Holcocerus strioliger* Alpheraky, 1893, Dt. ent. Z., Iris 6: 346. Type: Uzbekistan, Samarkand. Range (in code): **IR Elb Th AF Kab Pag Bm BdA PK TJ Pm Chr UZ Smk KK Ik**
- 32851. *Cossulus turcomanicus* (Christoph, 1893)** (Cossidae) Synonym(s): *turcomanicus* Christoph, 1893 Range (in code): **Cc TR? AF Hr Slg PK IR TM Kp**
- 32852. *Cossus afghanistanus* Daniel, 1953** (Cossidae) Synonym(s): *afghanistanus* Daniel, 1953 Original Reference: *Cossus cossus* ssp. *afghanistana* Daniel, 1953, Mitt. münch. ent. Ges. 43: 256-257, Tab. 7 figs. 1, 2. Holotype ♂: Afghanistan: Wardik, 7.vii.1950, Volk leg. (ZSM). Range (in code): **AF Pag Kab Hr PK CN Ui Kl**
- 32853. *Cossus balcanicus* Lederer, 1863** (Cossidae) Synonym(s): *balcanicus* Lederer, 1863 Range (in code): **BG Slv**
- 32854. *Cossus bohatschi* Püngeler, 1898** (Cossidae) Synonym(s): *bohatschi* Püngeler, 1898 Original Reference: *Cossus bohatschi* Püngeler, 1898, Societas Ent. 13: 57. Syntypes ♂♀: [China: Uighur A.R.]: "Ili flumen". Range (in code): **CN Ui li KK Ik**
- 32855. *Cossus cinereus* Roepke, 1957** (Cossidae) Synonym(s): *cinereus* Roepke, 1957 Range (in code): **MY Bor ID Sum**
- 32856. *Cossus cossus* (Linnaeus, 1758)** (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1794; *ligniperda* Fabricius, 1794 Original Reference: *Phalaena cossus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 504. Type(s): [Europa]. Range (in code): **DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR IQ Hjo Shq DK NO SE FI EE LV LT RU Ur Sb Am Daur MD UA BY Cc Gg Tbl Bjo Mng Lag Kir Len Aj Akh Btm Smg Sok Abk AZ LB Bsa IR Elb Th Mz Glk Kh KG Uk CN Yu Mc KP KR JP MN**
- 32857. *Cossus cossus albescens* Kitt, 1925** (Cossidae) Synonym(s): *albescens* Kitt, 1925 Original Reference: *Cossus cossus albescens* Kitt, 1925, Z. Öst. Ent. Ver. 10: 29. Type ♀: Spanien: Albarracin (coll. Bubacek). Range (in code): **PT ES**
- 32858. *Cossus cossus araraticus* Teich, 1896** (Cossidae) Synonym(s): *araraticus* Teich, 1896 Original Reference: *Cossus araraticus* Teich, 1896, Stettin ent. Ztg. 57: 28. Type: [Türkei]: "Igdyr" [İğdir]. Range (in code): **TR Cc AM IR Mz Elb Ss AZ GG Bjo**
- 32859. *Cossus cossus armeniacus* Rothschild, 1912** (Cossidae) Synonym(s): *armeniacus* Rothschild, 1912; *giganteus* Schwingenschuss, 1938. Original Reference: *Cossus cossus* ssp. *armeniaca* Rothschild, 1912, [in] Seitz, A., Die Gross-Schmett. 2: 451. Type ♀: [Türkei: Adana Prov.]: "Hadjin" [Saimbeyli] (Tring Museum). Range (in code): **TR GG Tbl Bjo Aj Akh Btm Smg Sok Abk Mng Lag Kir Len Cc AZ LB Bsa**
- 32860. *Cossus cossus chinensis* Rothschild, 1912** (Cossidae) Synonym(s): *chinensis* Rothschild, 1912 Original Reference: *Cossus cossus* ssp. *chinensis* Rothschild, 1912, [in] Seitz, A., Die Gross-Schmett. 2: 451. Type: China: Tsingtau. Range (in code): **CN Yu**
- 32861. *Cossus cossus cossus* (Linnaeus, 1758)** (Cossidae) Synonym(s): *cossus* Linnaeus, 1758; *unguiculatus* Fabricius, 1793; *ligniperda* Fabricius, 1794; *subnigra* Schultz, 1911; *uralicus* Seitz, 1912; *orientalis* Gaede, 1929. Original Reference: *Phalaena cossus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 504.

- Type(s): [Europa]. Range (in code): **FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR IR Elb Th DK EE LV LT RU MD UA BY MN**
- 32862. *Cossus cossus dauricus* Yakovlev, 2007** (Cossidae) Synonym(s): *dauricus* Yakovlev, 2007
Range (in code): **RU Am Daur**
- 32863. *Cossus cossus deserta* Daniel, 1969** (Cossidae) Synonym(s): *deserta* Daniel, 1969; *altensis* Hua, Chou, Fang & Chen, 1990
Range (in code): **CN Ui At MN**
- 32864. *Cossus cossus gueruenensis* Friedel, 1977** (Cossidae) Synonym(s): *gueruenensis* Friedel, 1977
Range (in code): **TR**
- 32865. *Cossus cossus kossai* Wiltshire, 1957** (Cossidae) Synonym(s): *kossai* Wiltshire, 1957
Original Reference: *Cossus cossus* ssp. *kossai* Wiltshire, 1957, *Lepidoptera of Iraq*: 145, pl. v figs. 1-3. Holotype ♂: Iraq: Shaqlawa 2500ft. (coll. Wiltshire). Range (in code): **IQ Shq IR Ss**
- 32866. *Cossus cossus omrana* Wiltshire, 1957** (Cossidae) Synonym(s): *omrana* Wiltshire, 1957
Original Reference: *Cossus cossus* ssp. *omrana* Wiltshire, 1957, *Lepidoptera of Iraq*: 144-145, pl. v figs. 4-5. Holotype ♂: Iraq: Haj Omran 6000ft. (coll. Wiltshire). Range (in code): **TR IQ Hjo**
- 32867. *Cossus cossus orientalis* Gaede, 1929** (Cossidae) Synonym(s): *orientalis* Gaede, 1929
Range (in code): **CN Mc KP KR RU Am JP**
- 32868. *Cossus cossus stygianus* Stichel, 1908** (Cossidae) Synonym(s): *stygianus* Stichel, 1908
Range (in code): **NO SE FI**
- 32869. *Cossus cossus uralicus* Seitz, 1912** (Cossidae) Synonym(s): *uralicus* Seitz, 1912; *#uralensis* Daniel, 1956.
Range (in code): **KG Uk RU Ur**
- 32870. *Cossus divisa* Rothschild, 1912** (Cossidae) Synonym(s): *divisa* Rothschild, 1912
Original Reference: *Cossus divisa* Rothschild, 1912, [in] Seitz, Gross-Schmett. *Erde* 2: 451. Type: Türkei: "Panangan". Range (in code): **TR**
- 32871. *Cossus funkei* (Röber, 1896)** (Cossidae) Synonym(s): *funkei* Röber, 1896
Original Reference: Trypanus *funkei* Röber, 1896, *Ent. Nachr.* 22: 3. Type ♂: [Türkei]: Gülek, 750m. (leg. Funke). Range (in code): **TR**
- 32872. *Cossus hyrcanus* Christoph, 1888** (Cossidae) Synonym(s): *hyrcanus* Christoph, 1888
Range (in code): **IR Elb Srd**
- 32873. *Cossus kinabaluensis* Gaede, 1933** (Cossidae) Synonym(s): *kinabaluensis* Gaede, 1933
Range (in code): **MY Bor Sbh KBa ID Sum Ja**
- 32874. *Cossus nigrescens* (Rothschild, 1912)** (Cossidae) Synonym(s): *nigrescens* Rothschild, 1912
Original Reference: *Holcocerus nigrescens* Rothschild, 1912, [in] Seitz, Gross-Schmett. *Erde* 2: 451. Type: "Karagaitau". Range (in code): **KK**
- 32875. *Cossus siniaevi* Yakovlev, 2005** (Cossidae) Synonym(s): *siniaevi* Yakovlev, 2005
Range (in code): **CN Sz She Kig RU Us**
- 32876. *Cryptoholcocerus mongolicus* (Erschoff, 1882)** (Cossidae) Synonym(s): *mongolicus* Erschoff, 1882; *nigrescens* Rothschild, 1912
Original Reference: *Cossus mongolicus* Erschoff, 1882, *Horae Soc. ent. ross.* 17: 33, Taf.1 fig.34. Type ♂: [China: Uighur A.R.]: Kuldja. Range (in code): **CN Ui Ku AF Bd Bm Srb Kab KG Tk KK UZ Fe TJ Pm PK Sha**
- 32877. *Dervishiya cadambae* (Moore, 1865)** (Cossidae) Synonym(s): *cadambae* Moore, 1865
AF Nu Bkt PK IN Clc
- 32878. *Dervishiya vartianae* Yakovlev, 2011** (Cossidae) Synonym(s): *vartianae* Yakovlev, 2011
AF Jla
- 32879. *Deserticossus arenicola* (Staudinger, 1879)** (Cossidae) Synonym(s): *arenicola* Staudinger, 1879; *albida* Seitz, 1912; *dilutior* Rothschild, 1912
Original Reference: *Cossus arenicola* Staudinger, 1879, *Stettin ent. Ztg.* 40: 317. Lectotype ♂, Narün, NW Kazakhstan (MHUB). Range (in code): **Sn JO Cc AM Dar RU Da AZ Nv Dz GG TM Mrw Rpt Krn UZ Br CN Ui Yk Ku Au IR Ss Se KK Ax Ik KG Tk Dj AF Ca PK Bl Qu MN**
- 32880. *Deserticossus arenicola arenicola* (Staudinger, 1879)** (Cossidae) Synonym(s): *arenicola* Staudinger, 1879; *albida* Seitz, 1912; *dilutior* Rothschild, 1912
Original Reference: *Cossus arenicola* Staudinger, 1879, *Stettin ent. Ztg.* 40: 317. Lectotype ♂, Narün, NW Kazakhstan (MHUB). Range (in code): **RU TM Mrw Rpt Krn UZ Br CN Ui Ga Yk Ku Au Ln IR Ss KK Ax Ik KG Tk Dj AF Ca MN**
- 32881. *Deserticossus arenicola iranica* (Austaut, 1897)** (Cossidae) Synonym(s): *iranica* Austaut, 1897
Original Reference: *Cossus iranica* Austaut, 1897, *Naturaliste* 19: 44. Type ♀: Perse, Sefis Kuh (BMNH). Range (in code): **IR Ss Se AF Ca PK Bl Qu**
- 32882. *Deserticossus arenicola transcaucasicus* Zukowsky, 1936** (Cossidae) Synonym(s): *transcaucasica* Zukowsky, 1936
Range (in code): **Cc AM Dar RU Da AZ Nv Dz GG**

- 32883. *Deserticossus beketi* (Yakovlev,2004)** (Cossidae) Synonym(s): *beketi* Yakovlev,2004
Range (in code): **MN**
- 32884. *Deserticossus campicola* (Eversmann,1854)** (Cossidae) Synonym(s): *campicola* Eversmann,1854
Original Reference: Cossus campicola Eversmann,1854, Bull. Soc. Nat. Moscou 27 (2): 184. Type: [Kazakhstan]: Kirgisensteppen. Range (in code): **KG Bai Tk Dj Ktu TJ Pm CN MN RU Cc AZ UZ**
- 32885. *Deserticossus churkini* Yakovlev,2006** (Cossidae) Synonym(s): *churkini* Yakovlev,2006
Range (in code): **MN**
- 32886. *Deserticossus consobrinus* (Püngeler,1898)** (Cossidae) Synonym(s): *consobrinus* Püngeler,1898; *consobrinus* Püngeler,1899; *aksuensis* Daniel,1953; *sheljuzhkoi* Schawerda,1930; *apicalis* Chou & Hua,1986
Original Reference: Holcocerus consobrinus Püngeler,1898, Societas ent. 13: 57. Syntypes ♂♂: [Uighur A.R.]: "Kuldscha, Kisil-Jart, Nia fl.". Range (in code): **CN Ui Ku Kml Ln Au Ga Yk KK KG Tk Dj MN RU Sb**
- 32887. *Deserticossus curdus* Yakovlev,2006** (Cossidae) Synonym(s): *curdus* Yakovlev,2006
Original Reference: *Deserticossus curdus* Yakovlev,2006, Eversmannia (Suppl.1): 44-45, figs. Holotype ♂: Iraq, östl. v. Kirkuk 1000-2000m leg. G.Müller (MWM). Range (in code): **IQ Kku**
- 32888. *Deserticossus danilevskiy* Yakovlev,2006** (Cossidae) Synonym(s): *danilevskiy* Yakovlev,2006
Range (in code): **KG**
- 32889. *Deserticossus decoratus* Yakovlev,2006** (Cossidae) Synonym(s): *decoratus* Yakovlev,2006
Range (in code): **KG Aa**
- 32890. *Deserticossus janychar* Yakovlev,2006** (Cossidae) Synonym(s): *janychar* Yakovlev,2006
Original Reference: *Deserticossus janychar* Yakovlev,2006, Eversmannia (Suppl.1): 43-44, figs. Holotype ♂: [Turkey]: "Asia minor, Tuz Gölü, Nordufer, Friedel leg. (MWM)". Range (in code): **TR**
- 32891. *Deserticossus lukhtanovi* Yakovlev,2006** (Cossidae) Synonym(s): *lukhtanovi* Yakovlev,2006
Range (in code): **TJ**
- 32892. *Deserticossus murinus* (Rothschild,1912)** (Cossidae) Synonym(s): *murinus* Rothschild,1912
Range (in code): **KG Bai Aa Tk KK**
- 32893. *Deserticossus praeclarus* (Püngeler,1898)** (Cossidae) Synonym(s): *praeclarus* Püngeler,1898
Original Reference: Holcocerus praeclarus Püngeler,1898, Societas ent. 13 (8): 58. Type ♂: [Turkmenistan]: "Merw". Range (in code): **TM Mrw Rpt**
- 32894. *Deserticossus pullus* (Chua, Chou, Fang & Chen,1990)** (Cossidae) Synonym(s): *pullus* Chua, Chou, Fang & Chen,1990
Range (in code): **CN Ui Bkr**
- 32895. *Deserticossus pulverulentus* (Püngeler,1898)** (Cossidae) Synonym(s): *pulverulentus* Püngeler,1898; *phuckangensis* Hua, Chou, Fang & Chen,1990
Original Reference: Holcocerus pulverulentus Püngeler,1898, Societas ent. 13 (8): 57-58. Syntypes ♂♂: [Turkmenistan]: "Merw". Range (in code): **IL Pa He TM Mrw Rpt CN Fkn Ui Au KG UZ**
- 32896. *Deserticossus sareptensis* (Rothschild,1912)** (Cossidae) Synonym(s): *sareptensis* Rothschild,1912
Range (in code): **RU Sr**
- 32897. *Deserticossus volgensis* (Christoph,1893)** (Cossidae) Synonym(s): *volgensis* Christoph,1893
Original Reference: Holcocerus volgensis Christoph,1893, Dt. ent. Z., Iris 6: 88. Holotype ♀: Russia, Sarepta (ZISP). Range (in code): **RU Sr Cc Da TR**
- 32898. *Dieida afghana* Yakovlev & Pljustch,2014** (Cossidae) Synonym(s): *afghana* Yakovlev & Pljustch,2014
Range (in code): **AF BdA Bm**
- 32899. *Dieida ledereri* Staudinger,1871** (Cossidae) Synonym(s): *ledereri* Staudinger,1871
Range (in code): **SY TR IR Cc AZ Nv Ord IQ**
- 32900. *Dieida persa* Strand,1911** (Cossidae) Synonym(s): *persa* Strand,1911
Range (in code): **IR AF Bm BdA**
- 32901. *Duomitus ceramicus* (Walker,1865)** (Cossidae) Synonym(s): *ceramicus* Walker,1865; *ligneus* Butler,1880; *bosschae* Heylaerts,1892
Range (in code): **SI IN Djl ID Nia Crm TH Nan Chy Knc Kao Phy CMA Cuo PH SB**
- 32902. *Duomitus ceramicus eichhorni* Roepke,1957** (Cossidae) Synonym(s): *eichhorni* Roepke,1957
Range (in code): **SB**
- 32903. *Duomitus euphyes* (West,1932)** (Cossidae) Synonym(s): *euphyes* West,1932; *sibolgae* Roepke,1957
Range (in code): **PH Luz ID Sum MY Pen Clb Sly Bor**
- 32904. *Duomitus leuconotus* (Walker,1856)** (Cossidae) Synonym(s): *leuconotus* Walker,1856
Range (in code): **IN Up Kma Bhi**
- 32905. *Duomitus perdrix* (Roepke,1955)** (Cossidae) Synonym(s): *perdrix* Roepke,1955
Range (in code): **ID Ij PG Afk**

- 32906. *Dyspessa aculeata* Turati,1909** (Cossidae) **Synonym(s):** *aculeata* Turati,1909 _ Range (in code): Si
- 32907. *Dyspessa affinis* Rothschild,1912** (Cossidae) **Synonym(s):** *affinis* Rothschild,1912
Range (in code): KG UZ
- 32908. *Dyspessa albina* Rothschild,1912** (Cossidae) **Synonym(s):** *albina* Rothschild,1912
Original Reference: *Dyspessa albina* Rothschild,1912, [in] Seitz, Gross-Schmett. Erde 2: 452.
Type ♀: [Uighur |li]: "Baldscuan (Turkestan)" (Tring Museum). Range (in code): CN Ui
- 32909. *Dyspessa albosignata* Rothschild,1912** (Cossidae) **Synonym(s):** *albosignata* Rothschild,1912 _ Range (in code): TM
- 32910. *Dyspessa algeriensis* (Rambur,1858)** (Cossidae) **Synonym(s):** *algeriensis* Rambur,1858
Original Reference: *Endagria algeriensis* Rambur,1858, Cat. Syst. Lepid. And.: 331. Type: Algérie. Range (in code): MA DZ Ges Khk BSa Ktr TN
- 32911. *Dyspessa alipanahae* Yakovlev,2008** (Cossidae) **Synonym(s):** *alipanahae* Yakovlev,2008
Range (in code): IR Kd
- 32912. *Dyspessa alpherakyi* (Christoph,1885)** (Cossidae) **Synonym(s):** *alpherakyi* Christoph,1885 _ Range (in code): AZ Nv Ord GG Cc Tbl Bjo Akh Smt
- 32913. *Dyspessa aphrodite* Yakovlev & Witt,2007** (Cossidae) **Synonym(s):** *aphrodite* Yakovlev & Witt,2007
Original Reference: *Dyspessa aphrodite* Yakovlev & Witt,2007, Nota lepid. 30 (2): 411-141, figs. Range (in code): GR TR
- 32914. *Dyspessa arabeska* Yakovlev,2005** (Cossidae) **Synonym(s):** *arabeska* Yakovlev,2005
Original Reference: *Dyspessa arabeska* Yakovlev,2005, Eversmannia 2005 (3/4): 23-24, figs. Holotype ♂: [Turkey]: Asia min., Turcia, 50km östl. Istanbul [Gebze], 6.07.65 M. & W.Glaser leg. (MWM) [Image of Holotype accessible!]. Range (in code): TR
- 32915. *Dyspessa argaensis* Rebel,1902** (Cossidae) **Synonym(s):** *argaensis* Rebel,1902; *taurica* Rebel,1902. _ Range (in code): TR
- 32916. *Dyspessa ariadne* Yakovlev,2008** (Cossidae) **Synonym(s):** *ariadne* Yakovlev,2008
Range (in code): IR Ab Khy
- 32917. *Dyspessa artemis* Yakovlev,2008** (Cossidae) **Synonym(s):** *artemis* Yakovlev,2008
Range (in code): TR
- 32918. *Dyspessa aurora* Yakovlev,2008** (Cossidae) **Synonym(s):** *aurora* Yakovlev,2008
Range (in code): Cc AZ Len
- 32919. *Dyspessa bianchii* (C.G.Krüger,1934)** (Cossidae) **Synonym(s):** *bianchii* C.G.Krüger,1934
Range (in code): LY Cy
- 32920. *Dyspessa blonda* Yakovlev,2008** (Cossidae) **Synonym(s):** *blonda* Yakovlev,2008
Range (in code): TR
- 32921. *Dyspessa bucharana* A.Bang-Haas,1910** (Cossidae) **Synonym(s):** *bucharana* A.Bang-Haas,1910 _ Range (in code): UZ Br
- 32922. *Dyspessa cerberus* Daniel,1939** (Cossidae) **Synonym(s):** *cerberus* Daniel,1939 _ Range (in code): TR SY Hal
- 32923. *Dyspessa cerberus albinervis* Yakovlev,2008** (Cossidae) **Synonym(s):** *albinervis* Yakovlev,2008 _ Range (in code): SY Hal
- 32924. *Dyspessa cerberus cerberus* Daniel,1939** (Cossidae) **Synonym(s):** *cerberus* Daniel,1939
Range (in code): TR
- 32925. *Dyspessa curta* Rothschild,1912** (Cossidae) **Synonym(s):** *curta* Rothschild,1912 _ Range (in code): AF TJ
- 32926. *Dyspessa cyprica* Rebel,1927** (Cossidae) **Synonym(s):** *cyprica* Rebel,1927 _ Range (in code): CY AZ Cc
- 32927. *Dyspessa cyrenaica* Turati,1919** (Cossidae) **Synonym(s):** *cyrenaica* Turati,1919 _ Range (in code): LY Cy
- 32928. *Dyspessa defreinai* Yakovlev,2008** (Cossidae) **Synonym(s):** *defreinai* Yakovlev,2008
Range (in code): TR
- 32929. *Dyspessa delrei* Turati,1936** (Cossidae) **Synonym(s):** *delrei* Turati,1936 _ Range (in code): LY Cy
- 32930. *Dyspessa elbursensis* Daniel,1964** (Cossidae) **Synonym(s):** *elbursensis* Daniel,1964
Range (in code): IR Elb Th Mz
- 32931. *Dyspessa elbursensis derbendi* Daniel,1964** (Cossidae) **Synonym(s):** *derbendi* Daniel,1964 _ Range (in code): IR Elb Th

- 32932. *Dyspessa elbursensis elbursensis* Daniel,1964** (Cossidae) **Synonym(s):** *elbursensis* Daniel,1964 **Range (in code):** **IR Elb Mz**
- 32933. *Dyspessa emilia* (Staudinger,1879)** (Cossidae) **Synonym(s):** *emilia* Staudinger,1879
Original Reference: Endagria emilia Staudinger,1879, Horae Soc. ent. ross. 14: 347-348.
Syntypes: [Türkei]: Amasia (Kerasdere). **Range (in code):** **TR GR**
- 32934. *Dyspessa fantolii* C.G.Krüger,1934** (Cossidae) **Synonym(s):** *fantolii* C.G.Krüger,1934
Range (in code): **LY Cy**
- 32935. *Dyspessa foeda* (Swinhoe,1884)** (Cossidae) **Synonym(s):** *foeda* Swinhoe,1884;
baloutchistanensis Daniel,1949 **Range (in code):** **IR Kh Ss PK Sd Krc**
- 32936. *Dyspessa foeda foeda* (Swinhoe,1884)** (Cossidae) **Synonym(s):** *foeda* Swinhoe,1884;
baloutchistanensis Daniel,1949 **Range (in code):** **IR Kh Ss PK Sd Krc**
- 32937. *Dyspessa fuscula* (Staudinger,1892)** (Cossidae) **Synonym(s):** *fuscula* Staudinger,1892
Original Reference: Endagria fuscula Staudinger,1892, Dt. ent. Z., Iris 5: 283, pl.3 fig.10. Type: Tunis. **Range (in code):** **DZ Bsk Khh Ges TN**
- 32938. *Dyspessa hethitica* Daniel,1932** (Cossidae) **Synonym(s):** *hethitica* Daniel,1932; *#hetithica* De Freina,1981
Original Reference: *Dyspessa hethitica* Daniel,1932, Mitt. münch. ent. Ges. 22: 16.
Synypes 1♂ 5♀: [Türkei]: "Marasch in Nordsyrien" (ZSM) [Image of Holotype accessible!]. **Range (in code):** **TR**
- 32939. *Dyspessa hethitica hethitica* Daniel,1932** (Cossidae) **Synonym(s):** *hethitica* Daniel,1932;
#hetithica De Freina,1981
Original Reference: *Dyspessa hethitica* Daniel,1932, Mitt. münch. ent. Ges. 22: 16. **Synypes** 1♂ 5♀: [Türkei]: "Marasch in Nordsyrien" (ZSM). **Range (in code):** **TR**
- 32940. *Dyspessa infuscata* (Staudinger,1892)** (Cossidae) **Synonym(s):** *infuscata* Staudinger,1892; *cypriaca* Rebel,1927; *kurdistanica* Turati,1909. **Range (in code):** **TR Cc RU LB Bei CY UA SY**
- 32941. *Dyspessa kabylaria* A.Bang-Haas,1906** (Cossidae) **Synonym(s):** *kabylaria* A.Bang-Haas,1906; *turbinans* Turati,1926. **Original Reference:** *Dyspessa kabylaria* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 143-144, Taf.v fig.10. **Syntypes** ♂♂: "Tunis (Gafsa)". **Range (in code):** **DZ Khh Bsk TN Gab Gf EG Sn EG11 IL Pa JO SA IR Fa**
- 32942. *Dyspessa kabylaria kabylaria* A.Bang-Haas,1906** (Cossidae) **Synonym(s):** *kabylaria* A.Bang-Haas,1906; *turbinans* Turati,1926. **Original Reference:** *Dyspessa kabylaria* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 143-144, Taf.v fig.10. **Syntypes** ♂♂: "Tunis (Gafsa)". **Range (in code):** **DZ Khh Bsk TN Gab Gf EG Sn EG11 IL Pa JO SA IR Fa**
- 32943. *Dyspessa karatavica* Yakovlev,2007** (Cossidae) **Synonym(s):** *karatavica* Yakovlev,2007
Range (in code): **KG Ktu**
- 32944. *Dyspessa kostjuki* Yakovlev,2005** (Cossidae) **Synonym(s):** *kostjuki* Yakovlev,2005
Range (in code): **UA Cm RU Cc Ro**
- 32945. *Dyspessa lacertula* Staudinger,1887** (Cossidae) **Synonym(s):** *lacertula* Staudinger,1887
Range (in code): **UZ Fe T-S KK KG CN Ui**
- 32946. *Dyspessa manas* Yakovlev,2007** (Cossidae) **Synonym(s):** *manas* Yakovlev,2007 **Range (in code):** **KK Na**
- 32947. *Dyspessa marikowskyi* Yakovlev,2007** (Cossidae) **Synonym(s):** *marikowskyi* Yakovlev,2007 **Range (in code):** **KG Tk**
- 32948. *Dyspessa maroccana* Rothschild,1917** (Cossidae) **Synonym(s):** *maroccana* Rothschild,1917
Range (in code): **MA DZ Ges BSa Agi**
- 32949. *Dyspessa mogola* Yakovlev,2007** (Cossidae) **Synonym(s):** *mogola* Yakovlev,2007
Range (in code): **TJ**
- 32950. *Dyspessa monticola* Groum-Grshimailo,1893** (Cossidae) **Synonym(s):** *monticola* Groum-Grshimailo,1893 **Range (in code):** **UZ Fe**
- 32951. *Dyspessa nigracula* (Staudinger,1887)** (Cossidae) **Synonym(s):** *nigracula* Staudinger,1887
Range (in code): **AF Ca Bd T-A TJ**
- 32952. *Dyspessa pallida* Rothschild,1912** (Cossidae) **Synonym(s):** *pallida* Rothschild,1912
Range (in code): **UZ TJ**
- 32953. *Dyspessa pallidata* Staudinger,1901** (Cossidae) **Synonym(s):** *#pallidata* Staudinger,1892;
pallidata Staudinger,1901; *nigrita* Wagner,1931; *dueldueli* Daniel,1939. **Range (in code):** **TR LB Bsa Cc AM IR Ss GG Smt Akh RU**
- 32954. *Dyspessa rothschildi* Yakovlev,2011** (Cossidae) **Synonym(s):** *pallida* Rothschild,1917
(preocc.); *rothschildi* Yakovlev,2011 **Range (in code):** **DZ Gue Hmk**

- 32955. *Dyspessa ruekbeili* Yakovlev, 2007** (Cossidae) Synonym(s): *ruekbeili* Yakovlev, 2007
Range (in code): **CN Ui Alt**
- 32956. *Dyspessa saldaitisi* Yakovlev, 2011** (Cossidae) Synonym(s): *saldaitisi* Yakovlev, 2011
Range (in code): **MN**
- 32957. *Dyspessa salicicola* (Eversmann, 1848)** (Cossidae) Synonym(s): *salicicola* Eversmann, 1848
Range (in code): **RO MK BG GR TR Cc GG Tbl Akh Smt Kak Akk AM Eri UA Cm RU Ur Sr IR Mz Gls TM Kp Mrw KG CN Ui Kml Tbl Mng Kir Der Da AZ**
- 32958. *Dyspessa salicicola aschabadensis* Daniel, 1953** (Cossidae) Synonym(s): *aschabadensis* Daniel, 1953
Original Reference: *Dyspessa salicicola* ssp. *aschabadensis* Daniel, 1953, Mitt. münch. ent. Ges. 43: 260-261, Pl.vii fig.10. Holotype ♂: [Turkmenistan]: Asia centr., Ashabad (coll. Tancre) (ZSM). Range (in code): **TR Cc AM Eri RU IR TM Kp Mrw CN Ui Kml Tbl Mng Kir Der Da AZ**
- 32959. *Dyspessa salicicola salicicola* (Eversmann, 1848)** (Cossidae) Synonym(s): *salicicola* Eversmann, 1848
Range (in code): **RO MK BG GR Cc GG TR RU Ur UA Cm**
- 32960. *Dyspessa saxicola* (Christoph, 1885)** (Cossidae) Synonym(s): *saxicola* Christoph, 1885
Original Reference: *Endagria saxicola* Christoph, 1885, [in] Romanoff, Mem. lepid. 2: 5-6, pl.i fig.1. Syntypes: [Azerbaijan]: Ordubad. Range (in code): **Cc AZ Nv Ord**
- 32961. *Dyspessa serica* Brandt, 1938** (Cossidae) Synonym(s): *serica* Brandt, 1938
Original Reference: *Dyspessa serica* Brandt, 1938, Ent. Rdsch. 55: 699, Taf.v figs.48-49. Syntypes: Iran: [Fras]: Sine Sefid. Range (in code): **IR Fa Sse**
- 32962. *Dyspessa stroehlei* Yakovlev, 2008** (Cossidae) Synonym(s): *stroehlei* Yakovlev, 2008
Range (in code): **TR**
- 32963. *Dyspessa suavis* (Staudinger, 1900)** (Cossidae) Synonym(s): *suavis* Staudinger, 1900
Original Reference: *Endagria jordana* var. *suavis* Staudinger, 1900, Dt. ent. Z., Irs 12: 355, pl.5 fig.7. Type: Algérie, Biskra. Range (in code): **MR DZ Bsk BSa Ear Ogl Gle**
- 32964. *Dyspessa syrtica* Krüger, 1932** (Cossidae) Synonym(s): *syrtica* Krüger, 1932
Range (in code): **LY**
- 32965. *Dyspessa thianshanica* Daniel, 1964** (Cossidae) Synonym(s): *thianshanica* Daniel, 1964.
Original Reference: *Dyspessa thianshanica* Daniel, 1964, Mitt. münch. ent. Ges. 54: 219, Taf.v, figs.79-81. Holotype ♂: [China: Uighur A.R.]: Aksu, coll. Tancre (ZSM) [Image of Holotype accessible!]. Range (in code): **CN Ui Au li**
- 32966. *Dyspessa tristis* A.Bang-Haas, 1912** (Cossidae) Synonym(s): *tristis* A.Bang-Haas, 1912; *affinis* Rothschild, 1912; *pallida* Rothschild, 1912.
Original Reference: *Dyspessa tristis* A.Bang-Haas, 1912, Dt. ent. Z., Iris 26: 110, Tab.vi fig.4. Syntypes ♂: [Kirgizistan]: Karagai-tau. Range (in code): **AF Hr KG Dj Tk li KK Na CN Ui Au**
- 32967. *Dyspessa tsvetaevi* Yakovlev, 2008** (Cossidae) Synonym(s): *tsvetaevi* Yakovlev, 2008
Range (in code): **IQ Er Shq**
- 32968. *Dyspessa turbinans* Turati, 1926** (Cossidae) Synonym(s): *turbinans* Turati, 1926
Range (in code): **LY**
- 32969. *Dyspessa tyumasevae* Yakovlev, 2008** (Cossidae) Synonym(s): *tyumasevae* Yakovlev, 2008
Range (in code): **TR**
- 32970. *Dyspessa ulula* (Borkhausen, 1790)** (Cossidae) Synonym(s): *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Roth., 1912.
Original Reference: *Phalaena ulula* Borkhausen, 1790, Naturg. Eur. Schmett. 3: 142. Type: Germany: Frankfurt.
Range (in code): **PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR RU MD UA BY CY LB Bei IR Kd KG Ssn IQ Mkp GG Tbl Bjo Kir Kak Cc AZ**
- 32971. *Dyspessa ulula kasrii* Daniel, 1964** (Cossidae) Synonym(s): *kasrii* Daniel, 1964
Range (in code): **IR Kd**
- 32972. *Dyspessa ulula psychidion* (Staudinger, 1870)** (Cossidae) Synonym(s): *psychidion* Staudinger, 1870
Range (in code): **GR Rd Cr**
- 32973. *Dyspessa ulula ulula* (Borkhausen, 1790)** (Cossidae) Synonym(s): *ulula* Borkhausen, 1790; *hepialica* Borkhausen, 1790; *hepialina* Hübner, 1792; *marmorata* Rambur, 1858; *fuscula* Staudinger, 1892; *affinis* Rothschild, 1917; *maroccana* Rothschild, 1917; *pallida* Rothschild, 1917 nec Rothschild, 1912.
Original Reference: *Phalaena ulula* Borkhausen, 1790, Naturg. Eur. Schmett. 3: 142. Type: Germany: Frankfurt.
Range (in code): **PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG RU MD UA BY KG Ssn Mkp Tbl Bjo Kir GG Cc AZ**

- 32974. *Dyspessa wagneri* Schwingenschuss, 1939** (Cossidae) Synonym(s): *wagneri* Schwingenschuss, 1939 - Range (in code): UA Cm IR Elb Mz
- 32975. *Dyspessa walteri* Yakovlev, 2011** (Cossidae) Synonym(s): *affinis* Rothschild, 1917 (preocc.); *walteri* Yakovlev, 2011 - Range (in code): DZ Sfr
- 32976. *Dyspessa wiltshirei* Daniel, 1938** (Cossidae) Synonym(s): *wiltshirei* Daniel, 1938 - Range (in code): IQ Dy Qg Shq Bgd
- 32977. *Dyspessa zurvan* Yakovlev, 2008** (Cossidae) Synonym(s): *zurvan* Yakovlev, 2008 - Range (in code): TR IR Ab Khy
- 32978. *Dyspessacossus fereidun* Groum-Grshimailo, 1895** (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937. - Range (in code): IR Elb Th Cc AM IQ Ry Shq TR CN Ui
- 32979. *Dyspessacossus fereidun ahmadi* Wiltshire, 1957** (Cossidae) Synonym(s): *ahmadi* Wiltshire, 1957 - Original Reference: *Dyspessacossus fereidun* ssp. *ahmadi* Wiltshire, 1957, Lepidoptera of Iraq: 146, fig. 6. Holotype ♂: Iraq: Shaqlawa 2500" (coll. Wiltshire). Range (in code): IQ Shq
- 32980. *Dyspessacossus fereidun fereidun* Groum-Grshimailo, 1895** (Cossidae) Synonym(s): *fereidun* Groum-Grshimailo, 1895; *firdusi* Wagner, 1937. - Range (in code): IR Elb Th Cc AM IQ Ry Shq
- 32981. *Dyspessacossus fereidun osthelderi* (Daniel, 1932)** (Cossidae) Synonym(s): *osthelderi* Daniel, 1932 - Range (in code): TR
- 32982. *Dyspessacossus hadjinensis* Daniel, 1953** (Cossidae) Synonym(s): *hadjinensis* Daniel, 1953 - Original Reference: *Dyspessacossus hadjinensis* Daniel, 1953, Mitt. münch. ent. Ges. 43: 258-259, Pl. vii fig. 4. Holotype ♂: [Türkei]: Asia min., Hadjin [=Saimbeyli], 16.vii. (coll. Daniel). Range (in code): TR
- 32983. *Dyspessacossus hadjinensis hadjinensis* Daniel, 1953** (Cossidae) Synonym(s): *hadjinensis* Daniel, 1953 - Original Reference: *Dyspessacossus hadjinensis* Daniel, 1953, Mitt. münch. ent. Ges. 43: 258-259, Pl. vii fig. 4. Holotype ♂: [Türkei]: Asia min., Hadjin [=Saimbeyli], 16.vii. (coll. Daniel). Range (in code): TR
- 32984. *Endoxyla anceps* Snellen, 1900** (Cossidae) Synonym(s): *anceps* Snellen, 1900; *plesseni* Schultze, 1925 - Range (in code): MY Bor Sbh ID Sum Nia Klt Ja PH BN
- 32985. *Endoxyla meyi* (Yakovlev, 2006)** (Cossidae) Synonym(s): *meyi* Yakovlev, 2006 - PH Luz
- 32986. *Eogystia sibirica* (Alpheraky, 1895)** (Cossidae) Synonym(s): *sibirica* Alpheraky, 1895 - Range (in code): MN RU Vv CN Mc
- 32987. *Eremocossus almerianus* (De Freina & Witt, 1990)** (Cossidae) Synonym(s): *almeriana* De Freina & Witt, 1990 - Range (in code): ES
- 32988. *Eremocossus asema* (Püngeler, 1900)** (Cossidae) Synonym(s): *asema* Püngeler, 1900 - Original Reference: Hypopta asema Püngeler, 1900, Dt. ent. Z., Iris 12 (1899): 288, pl. 8 fig. 5. Type: [Turkmenistan]: Ashgabad. Range (in code): TM Kp IR IQ Kbl
- 32989. *Eremocossus foedus* (Swinhoe, 1884)** (Cossidae) Synonym(s): *foedus* Swinhoe, 1884 - Original Reference: Phragmatoecia foedus Swinhoe, 1884, Proc. zool. Soc. London 1884: 515, pl. xlvii fig. 1. Type: Pakistan: Karachi (BMNH). Range (in code): PK Krc
- 32990. *Eremocossus nubicus* Yakovlev, 2008** (Cossidae) Synonym(s): *nubica* Yakovlev, 2008 - Range (in code): SD
- 32991. *Eremocossus vaulogeri* (Staudinger, 1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger, 1897; *saharae* Lucas, 1907; *hartigi* Rebel, 1935. - Range (in code): SN MR MA DZ Bsk BSa Ela Ogl TN ES LY Cy EG IL Jt Pa JO Cc SY AM SA PK Krc IR Ss IQ Bsy Kbl BH OM AE
- 32992. *Eremocossus vaulogeri blanca* (Daniel, 1949)** (Cossidae) Synonym(s): *blanca* Daniel, 1949; *baloutchistanensis* Daniel, 1949; *#murati* Brandt - Range (in code): IQ Kbl IR Ss PK Krc SA
- 32993. *Eremocossus vaulogeri erebuni* Yakovlev, 2008** (Cossidae) Synonym(s): *erebuni* Yakovlev, 2008 - Range (in code): Cc AM
- 32994. *Eremocossus vaulogeri jordanus* (Staudinger, 1897)** (Cossidae) Synonym(s): *jordana* Staudinger, 1897; *maxima* Turati, 1930; *intermedia* C.G. Krüger, 1939. - Range (in code): LY Cy EG IL Jt Pa JO SA BH OM AE
- 32995. *Eremocossus vaulogeri meirleirei* (Rungs, 1951)** (Cossidae) Synonym(s): *meirleirei* Rungs, 1951 - Range (in code): MA
- 32996. *Eremocossus vaulogeri senegalensis* Le Cerf, 1919** (Cossidae) Synonym(s): *senegalensis* Le Cerf, 1919 - Range (in code): SN MR

- 32997. Eremocossus vaulogeri vaulogeri (Staudinger,1897)** (Cossidae) Synonym(s): *vaulogeri* Staudinger,1897; *saharae* Lucas,1907; *hartigi* Rebel,1935. _ Range (in code): **DZ TN ES Bsk BSa**
Ela Ogl
- 32998. Eulophonotus armstrongi (Hampson,1914)** (Cossidae) Synonym(s): *armstrongi* Hampson,1914 _ Range (in code): **GH SL**
- 32999. Eulophonotus elegans (Aurivillius,1910)** (Cossidae) Synonym(s): *elegans* Aurivillius,1910 _ Range (in code): **CI SL ZR CM GO TZ**
- 33000. Eulophonotus hyalinipennis (Strand,1910)** (Cossidae) Synonym(s): *hyalinipennis* Strand,1910 _ Range (in code): **ZA ZW TZ MZ**
- 33001. Eulophonotus myrmeleon (R.Felder,1874)** (Cossidae) Synonym(s): *myrmeleon* R.Felder,1874; *obesus* Karsch,1900 _ Range (in code): **GH GN TG ST CM ZR UG ZA Nta Dbn ZW CI KE MZ ET NA NG**
- 33002. Eulophonotus nigrodiscalis Yakovlev,2011** (Cossidae) Synonym(s): *nigrodiscalis* Yakovlev,2011 _ Range (in code): **ST**
- 33003. Eulophonotus obesus (Karsch,1900)** (Cossidae) Synonym(s): *obesus* Karsch,1900 _ Range (in code): **TG**
- 33004. Eulophonotus stephania (Druce,1887)** (Cossidae) Synonym(s): *stephania* Druce,1887; *hyalinipennis* Strand,1910 _ Range (in code): **MW CI TW**
- 33005. Franzdanielia likiangi (Daniel,1940)** (Cossidae) Synonym(s): *likiangi* Daniel,1940 _ Range (in code): **CN Yu Lik**
- 33006. Gobibatyr colossus (Staudinger,1887)** (Cossidae) Synonym(s): *colossus* Staudinger,1887 _ Range (in code): **KG Tk Dj CN Ui Ku MN**
- 33007. Groenendaelia kinabaluensis (Gaede,1933)** (Cossidae) Synonym(s): *kinabaluensis* Gaede,1933 _ Range (in code): **MY Bor Kba ID Sum MM Tns Krh TH Nan**
- 33008. Hamilcara atra Barnes & McDunnough,1910** (Cossidae) Synonym(s): *atra* Barnes & McDunnough,1910 _ Range (in code): **US Arz**
- 33009. Hirtocossus cirrillator (Le Cerf,1919)** (Cossidae) Synonym(s): *cirrillator* Le Cerf,1919 _ Range (in code): **MG**
- 33010. Holcoceris brunneogriseus Daniel,1949** (Cossidae) Synonym(s): *brunneogriseus* Daniel,1949 _ Original Reference: Holcoceris brunneogriseus Daniel,1949, Mitt. münch. ent. Ges. 35/39: 238. Type ♂: [China: Uighur A.R.]: "Thian Shan" (coll. Merzbacher) (ZSM). _ Range (in code): **CN Ui T-S**
- 33011. Holcoceris desioi Turati,1936** (Cossidae) Synonym(s): *desioi* Turati,1936 _ Range (in code): **LY**
- 33012. Holcoceris didmanidzae Yakovlev,2007** (Cossidae) Synonym(s): *didmanidzae* Yakovlev,2007 _ Original Reference: Holcoceris didmanidzae Yakovlev,2007, Eversmannia (Suppl.1): 14-15, figs. Holotype ♂: Georgia, Vashlovanskii res. (SMGT). _ Range (in code): **GG Tbl Cc**
- 33013. Holcoceris drangianicus Groum-Grshimailo,1902** (Cossidae) Synonym(s): *drangianicus* Groum-Grshimailo,1902 _ Range (in code): **IR Kh**
- 33014. Holcoceris gloriosus (Erschoff,1874)** (Cossidae) Synonym(s): *gloriosus* Erschoff,1874; *puengeleri* Rothschild,1912 _ Range (in code): **SA OM YE AE LY Cy IQ Kbl Amr Bsr Mnd kut BH IR GlS Kh Ss Ahz IL Jer Js Pa SA UZ TJ Pm KG TM Kp Rpt Mrw AF Srb**
- 33015. Holcoceris gloriosus laudabilis Staudinger,1899** (Cossidae) Synonym(s): *laudabilis* Staudinger,1899 _ Range (in code): **LY Cy IL Jer Js Pa IR GlS Kh Ss SA OM YE AE**
- 33016. Holcoceris gloriosus mesopotamicus Watkins & Buxton,1921** (Cossidae) Synonym(s): *mesopotamicus* Watkins & Buxton,1921 _ Range (in code): **IQ Amr Bsr Kbl Mnd kut BH IR Ss AF Srb SA OM**
- 33017. Holcoceris holosericeus (Staudinger,1884)** (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897. _ Range (in code): **DZ Cst TN LY Cy EG IL Pa UZ Fe Man IR Ss Kh TM Kp Mrw AF Kab Hr**
- 33018. Holcoceris holosericeus darwesthanus Daniel,1959** (Cossidae) Synonym(s): *darwesthanus* Daniel,1959 _ Range (in code): **IR Ss Kh AF**
- 33019. Holcoceris holosericeus faroulti Oberthür,1911** (Cossidae) Synonym(s): *faroulti* Oberthür,1911; *desioi* Turati,1936 _ Range (in code): **DZ Cst LY Cy EG IL Pa**
- 33020. Holcoceris holosericeus holosericeus (Staudinger,1884)** (Cossidae) Synonym(s): *holosericeus* Staudinger,1884; *persicus* Austaut,1897. _ Range (in code): **UZ Fe Man IR TM Kp Mrw**

- 33021. *Holcocer* lucifer (Groum-Grshimailo,1891)** (Cossidae) **Synonym(s):** *lucifer* Groum-Grshimailo,1891 _ **Range (in code):** **CN Sng**
- 33022. *Holcocer* nobilis (Staudinger,1884)** (Cossidae) **Synonym(s):** *nobilis* Staudinger,1884; *strigatus* Austaut,1897; *marmoratus* Austaut,1897; *difficilis* A.Bang-Haas,1906 _ **Range (in code):** **IR Mz Kh TM Kp Rpt Mrw RU Ur UZ Fe Man Tas CN Ui Ln Kml TJ AF Hr KG Aa Tk KK Ik**
- 33023. *Holcocer* reticuliferus Daniel,1949** (Cossidae) **Synonym(s):** *reticuliferus* Daniel,1949
Original Reference: *Holcocer* reticuliferus Daniel,1949, Mitt. münch. ent. Ges. 39: 238, Taf.viii fig.6. Holotype ♂: Uzbekistan, Buchara (ZSSM). **Range (in code):** **UZ Br**
- 33024. *Holcocer* rjabovi Yakovlev,2007** (Cossidae) **Synonym(s):** *rjabovi* Yakovlev,2007
Original Reference: *Holcocer* rjabovi Yakovlev,2007, Eversmannia (Suppl.1): 26-27, figs. Holotype ♂: "Transcaucas., fl.Arax, Dzhuga, Dzhulfa 3000" leg. Rjabov (MWM). **Range (in code):** **AM Cc AZ Nv Dz**
- 33025. *Holcocer* strigillatus Rothschild,1912** (Cossidae) **Synonym(s):** *strigillata* Rothschild,1912 _ **Range (in code):** **AF**
- 33026. *Holcocer* tancrei Püngeler,1898** (Cossidae) **Synonym(s):** *tancrei* Püngeler,1898
Original Reference: *Holcocer* tancrei Püngeler,1898, Societas ent. 13 (8): 58. Type ♂: [Turkmenistan]: "Merw". **Range (in code):** **IR Kh TM Mrw Rpt AF UZ**
- 33027. *Holcocer* tekkensis (Rothschild,1912)** (Cossidae) **Synonym(s):** *tekkensis* Rothschild,1912 _ **Range (in code):** **TMKp**
- 33028. *Holcocer* vicarius (Walker,1865)** (Cossidae) **Synonym(s):** *vicarius* Walker,1865
Range (in code): **CN KP KT RU MN**
- 33029. *Holcocer* witti Yakovlev, Saidaitis & Ivinkis,2007** (Cossidae) **Synonym(s):** *witti* Yakovlev, Saidaitis & Ivinkis,2007
Original Reference: *Holcocer* witti Yakovlev, Saidaitis & Ivinkis,2007, Atalanta 38 (3/4): 381-383, figs. Holotype ♂: Iran: Azarbaijan e- Sharqi, 10km NW of Miyane [Meyaneh], 11-15.6.2005, leg. P.Gyulai & A.Garai (Museum Witt [MWM]). **Range (in code):** **IR Ak Mey**
- 33030. *Holcocer* zarudnyi Groum-Grshimailo,1902** (Cossidae) **Synonym(s):** *zarudnyi* Groum-Grshimailo,1902
Original Reference: *Holcocer* zarudnyi Groum-Grshimailo,1902, Ann. Mus. Petersb. 7: 200. Lectotype ♂, Iranshahr, Bampur (ZISP). **Range (in code):** **IR Ss Irs**
- 33031. *Hypopta* murati Brandt [MS]** (Cossidae) **Synonym(s):** *murati* Brandt [MS] (unpublished!)
Range (in code): **IR Ss**
- 33032. *Isoceras* bipunctatum (Staudinger,1887)** (Cossidae) **Synonym(s):** *bipunctatum* Staudinger,1887 _ **Range (in code):** **TR IL Js Pa LB Cc GG Kak AZ Nv Ord IR Fa Ahz IQ Ry Dia**
- 33033. *Isoceras* bipunctatum bipunctatum (Staudinger,1887)** (Cossidae) **Synonym(s):** *bipunctatum* Staudinger,1887 _ **Range (in code):** **TR IL Js Pa LB Cc AZ Nv Ord**
- 33034. *Isoceras* bipunctatum brandti (Wiltshire,1946)** (Cossidae) **Synonym(s):** *brandti* Wiltshire,1946; #brandi Daniel,1960 _ **Range (in code):** **IR Fa**
- 33035. *Isoceras* bipunctatum marginepunctatum (Wiltshire,1939)** (Cossidae)
Synonym(s): *marginepunctatum* Wiltshire,1939 _ **Range (in code):** **IR Ahz IQ Ry Dia TR**
- 33036. *Isoceras* huberi Eitschberger & Ströhle,1987** (Cossidae) **Synonym(s):** *huberi* Eitschberger & Ströhle,1987
Original Reference: *Isoceras* huberi Eitschberger & Ströhle,1987, Atalanta 18: 93-95, figs. Holotype ♂: "Türkei East [sic!] Baskale Umg., 2900m Güzeldere Pass 30.vi-7.vii.1984, leg. K.Huber (coll.Ströhle)". **Range (in code):** **TR AM AZ Nv Ord Cc GG Smt Akh**
- 33037. *Isoceras* kaszabi Daniel,1965** (Cossidae) **Synonym(s):** *kaszabi* Daniel,1965 _ **Range (in code):** **MN**
- 33038. *Isoceras* kruegeri (Turati,1924)** (Cossidae) **Synonym(s):** *kruegeri* Turati,1924; *silvicola* C.G.Krüger,1934. _ **Range (in code):** **LY**
- 33039. *Isoceras* shevnini Yakovlev,2015** (Cossidae) **Synonym(s):** *shevnini* Yakovlev,2015
Original Reference: *Isoceras* shevnini Yakovlev,2015, Zootaxa 3990 (1): 147-150. **AM Cc**
- 33040. *Isoceras* sibiricum (Alpheraky,1895)** (Cossidae) **Synonym(s):** *sibiricum* Alpheraky,1895
Range (in code): **RU Sb MN**
- 33041. *Isocossus* vandeldenii Roepke,1957** (Cossidae) **Synonym(s):** *vandeldenii* Roepke,1957
Range (in code): **LK IN MM MY Bor**
- 33042. *Koboldocossus* nigrostriatus Yakovlev,2011** (Cossidae) **Synonym(s):** *nigrostriatus* Yakovlev,2011 _ **Range (in code):** **TZ**
- 33043. *Kotchevnik* durrelli Yakovlev,2005** (Cossidae) **Synonym(s):** *durrelli* Yakovlev,2005
Range (in code): **Cc AM Alg RU Da**

- 33044. *Kotchevnik modestus* (Staudinger,1887)** (Cossidae) Synonym(s): *modestus* Staudinger,1887 _ Range (in code): IR Ss TM Mrw CN Ui li Ku TJ UZ KK KG Tk Dj TrA Aa At Ket
- 33045. *Kotchevnik schablyai* Yakovlev,2005** (Cossidae) Synonym(s): *schablyai* Yakovlev,2005 Range (in code): TJ
- 33046. *Kotchevnik tapinus* (Püngeler,1898)** (Cossidae) Synonym(s): *tapinus* Püngeler,1898 Original Reference: *Cossus tapinus* Püngeler,1898, *Societas ent.* 13 (8): 57. Syntypes ♂♀: [Turkmenistan]: "Merw". Range (in code): TM Kp Mrw AF Kab Nu Srb PK IR Se TJ
- 33047. *Lakshmia hauensteini* Yakovlev,2005** (Cossidae) Synonym(s): *hauensteini* Yakovlev,2005 Range (in code): TH CMA
- 33048. *Lakshmia pandava* Yakovlev & Nakao,2013** (Cossidae) Synonym(s): *pandava* Yakovlev & Nakao,2013 Original Reference: *Lakshmia pandava* Yakovlev & Nakao,2013, *Zootaxa* 3736 (2): 198-200, figs. Holotype ♂: Thailand, Chiang Mai, Chae Son NP 1200m, K.Nakao leg. (MW). Range (in code): TH CMA
- 33049. *Lakshmia sirena* Yakovlev,2006** (Cossidae) Synonym(s): *sirena* Yakovlev,2006 _ Range (in code): VN
- 33050. *Lakshmia zolotuhini* Yakovlev,2005** (Cossidae) Synonym(s): *zolotuhini* Yakovlev,2005 Range (in code): TH Nan CMA Phy Msv
- 33051. *Macrocosus caduchus* Clench,1959** (Cossidae) Synonym(s): *caduchus* Clench,1959 Range (in code): LR
- 33052. *Macrocosus coelebs* Clench,1959** (Cossidae) Synonym(s): *coelebs* Clench,1959 _ Range (in code): NA
- 33053. *Macrocosus grebennikovi* Yakovlev,2013** (Cossidae) Synonym(s): *grebennikovi* Yakovlev,2013 _ Range (in code): MW
- 33054. *Macrocosus sidamo* (Rougeot,1977)** (Cossidae) Synonym(s): *sidamo* Rougeot,1977 Range (in code): ET
- 33055. *Macrocosus tominus* (Druce,1887)** (Cossidae) Synonym(s): *tominus* Druce,1887; *rudis* Aurivillius,1900 _ Range (in code): MW GM TZ ZA SL NA CI ZR CM
- 33056. *Mahommedella rungsi* (Daniel & Witt,1974)** (Cossidae) Synonym(s): *rungs* Daniel & Witt,1974 _ Range (in code): MA
- 33057. *Meharia acuta* Wiltshire,1982** (Cossidae) Synonym(s): *acuta* Wiltshire,1982 _ Range (in code): SA OM YE
- 33058. *Meharia avicenna* Yakovlev,2011** (Cossidae) Synonym(s): *avicenna* Yakovlev,2011 Range (in code): IR Qm
- 33059. *Meharia fischeri* Yakovlev & Saldaitis,2008** (Cossidae) Synonym(s): *fischeri* Yakovlev & Saldaitis,2008 _ Range (in code): MA
- 33060. *Meharia ganslmeieri* Yakovlev & Witt,2015** (Cossidae) Synonym(s): *ganslmeieri* Yakovlev & Witt,2015 _ ZM
- 33061. *Meharia hackeri* Saldaitis, Ivinskis & Yakovlev,2011** (Cossidae) Synonym(s): *hackeri* Saldaitis, Ivinskis & Yakovlev,2011 _ Range (in code): Sk
- 33062. *Meharia incurvariella* Chrétien,1915** (Cossidae) Synonym(s): *incurvariella* Chrétien,1915; *vittata* Rungs,[1943] Original Reference: *Meharia incurvariella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 368, fig.11. Type: [Algérie]: "Biskra, en mai". Range (in code): MA DZ Bsk IR Fa Shr AF Ca PK
- 33063. *Meharia incurvariella incurvariella* Chrétien,1915** (Cossidae) Synonym(s): *incurvariella* Chrétien,1915; *vittata* Rungs,[1943] Original Reference: *Meharia incurvariella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 368, fig.11. Type: [Algérie]: "Biskra, en mai". MA DZ Bsk
- 33064. *Meharia incurvariella persica* (Wiltshire,1946)** (Cossidae) Synonym(s): *persica* Wiltshire,1946 _ IR Fa Shr AF Ca PK
- 33065. *Meharia murphyi* Yakovlev & Saldaitis,2013** (Cossidae) Synonym(s): *murphyi* Yakovlev & Saldaitis,2013 _ Range (in code): MW
- 33066. *Meharia ostrauskasi* Ivinskis & Saldaitis,2013** (Cossidae) Synonym(s): *ostrauskasi* Ivinskis & Saldaitis,2013 _ Range (in code): KE
- 33067. *Meharia philbyi* Bradley,1951** (Cossidae) Synonym(s): *philbyi* Bradley,1951 Original Reference: *Meharia philbyi* Bradley,1951, *Ent.* 85: 241, figs. Type: Arabia. Range (in code): SA As YE OM
- 33068. *Meharia pulcher* (Rungs,[1943])** (Cossidae) Synonym(s): *pulcher* Rungs,[1943] Original Reference: *Blalia pulcher* Rungs,[1943], *Bull. Soc. Sci. nat. Maroc* 22: 177, figs. Type: Morocco. Range (in code): MA

- 33069. Meharia scythica D.Komarov & Zolotuhin,2005** (Cossidae) Synonym(s): *scythica* D.Komarov & Zolotuhin,2005 Original Reference: *Meharia scythica* D.Komarov & Zolotuhin,2005, *Nota lepid.* 28 (1): 52-53, figs.1-4. Holotype ♂: Russia: Astrakhan Prov., Akhtuba Distr., passing track Martovsky, outsk. Bolshoe Bogdo Mt. (MWM). Range (in code): RU Ao VI
- 33070. Meharia semilactea (W.Warren & Rothschild,1905)** (Cossidae) Synonym(s): *semilactea* W.Warren & Rothschild,1905; *incurvariella* Chrétien,1915; *vittata* Rungs,1942; *persica* Wiltshire,1946 Range (in code): MR MA DZ Bsk SD SA OM AE YE IL Pa JO EG Sn IR Fa Shr
- 33071. Meharia tancredii Sutton,1964** (Cossidae) Synonym(s): *tancredii* Sutton,1964 Original Reference: *Meharia tancredii* Sutton,1964, *Ann. Mag. nat. Hist.* (13) 6: 365. Holotype ♂: N. Iran, Meyan Kaleh Peninsula (BMNH). Range (in code): IR
- 33072. Meharia tanganyikae Bradley,1951** (Cossidae) Synonym(s): *tanganyikae* Bradley,1951 Original Reference: *Meharia tanganyikae* Bradley,1951, *Ent.* 85: 241. Type: Tanzania: Tanganyika. Range (in code): TZ
- 33073. Meharia yakovlevi Saldaitis & Ivinskis,2010** (Cossidae) Synonym(s): *yakovlevi* Saldaitis & Ivinskis,2010 Range (in code): Sk
- 33074. Melisomimas metallica Hampson,1914** (Cossidae) Synonym(s): *grandis* Jordan,1907 *nec* Holl.; *metallica* Hampson,1914 Range (in code): SL NG
- 33075. Mormogystia brandstetteri Saldaitis, Ivinskis & Yakovlev,2011** (Cossidae) Synonym(s): *brandstetteri* Saldaitis, Ivinskis & Yakovlev,2011 Range (in code): Sk
- 33076. Mormogystia equatorialis (Le Cerf,1933)** (Cossidae) Synonym(s): *equatorialis* Le Cerf,1933 Range (in code): KE
- 33077. Mormogystia proleuca (Hampson,1896)** (Cossidae) Synonym(s): *proleuca* Hampson,1896 Range (in code): DZ Ajj NE SA As OM Df YE Ad
- 33078. Mormogystia reibellii (Oberthür,1876)** (Cossidae) Synonym(s): *reibellii* Oberthür,1876; *mussolinii* Turati,1927; *cognata* Krüger,1939; *#reibelli* Wiltshire,1980 Original Reference: *Hypopta reibellii* Oberthür,1876, *Etud. Ent.* 1: 40, pl.4 fig.1. Type: Algérie, Biskra. Range (in code): YE Ad Sk Sn KE MA SA OM AE IL Pa EG DZ Bsk LY TN MR NE TD
- 33079. Morpheis clenchi Donahue,1980** (Cossidae) Synonym(s): *clenchi* Donahue,1980 Range (in code): US Arz
- 33080. Morpheis cognata (Walker,1856)** (Cossidae) Synonym(s): *cognata* Walker,1856; *comisteon* Schaus,1911; *discreta* Dyar,1940; *mexicana* Houlbert,1916 Range (in code): MX GT HN
- 33081. Morpheis fracta (Walker,1856)** (Cossidae) Synonym(s): *fracta* Walker,1856 Range (in code): VE
- 33082. Morpheis lelex (Dognin,1891)** (Cossidae) Synonym(s): *lelex* Dognin,1891 Range (in code): VE
- 33083. Morpheis mathani (Schaus,1901)** (Cossidae) Synonym(s): *mathani* Schaus,1901; *oberthuri* Houlbert,1916; *distinctus* Bryk,1953 Range (in code): EC PE
- 33084. Morpheis melanoleuca (Burmeister,1878)** (Cossidae) Synonym(s): *melanoleuca* Burmeister,1878 Range (in code): AR
- 33085. Morpheis putrida (Percheron,1838)** (Cossidae) Synonym(s): *putrida* Percheron,1838 Range (in code): PE SR
- 33086. Morpheis pyracmon (Cramer,1782)** (Cossidae) Synonym(s): *pyracmon* Cramer,1782; *palmarum* Herrich-Schäffer,[1853]; *pyracmonides* Schaus,1901 Range (in code): MX VE PE CO BR
- 33087. Morpheis strigillata R.Felder,1874** (Cossidae) Synonym(s): *strigillata* R.Felder,1874; *impedita* Wallengren,1860 Range (in code): AR
- 33088. Morpheis vatani (Schaus,1934)** (Cossidae) Synonym(s): *vatani* Schaus,1934 Range (in code): AR
- 33089. Morpheis xylotribus (Herrich-Schäffer,[1853])** (Cossidae) Synonym(s): *xylotribus* Herrich-Schäffer,[1853] Range (in code): PA PE VE GT BR BO PY
- 33090. Neostygia postaurantia Wiltshire,1980** (Cossidae) Synonym(s): *postaurantia* Wiltshire,1980 Range (in code): OM Dh
- 33091. Oreocossus kilimanjarensis (Holland,1892)** (Cossidae) Synonym(s): *kilimanjarensis* Holland,1892 Range (in code): ET KE TZ
- 33092. Oreocossus occidentalis Strand,1912** (Cossidae) Synonym(s): *occidentalis* Strand,1912 Range (in code): ZR UG KE TZ MW MZ
- 33093. Oreocossus ungemachi Rougeot,1977** (Cossidae) Synonym(s): *ungemachi* Rougeot,1977 Range (in code): ET

- 33094. Panau adusta (Roepke,1957)** (Cossidae) Synonym(s): *adusta* Roepke,1957 _ Range (in code): ID Sum Ja MY Btg
- 33095. Panau borealis Yakovlev,2005** (Cossidae) Synonym(s): *borealis* Yakovlev,2005 _ Range (in code): CN Yu Xis
- 33096. Panau brunnescens (Roepke,1957)** (Cossidae) Synonym(s): *brunnescens* Roepke,1957 _ Range (in code): ID Kai Bng
- 33097. Panau euphanes (West,1932)** (Cossidae) Synonym(s): *euphanes* West,1932 _ Range (in code): PH Luz
- 33098. Panau princeps (Roepke,1957)** (Cossidae) Synonym(s): *princeps* Roepke,1957 _ Range (in code): ID Clb
- 33099. Panau quarlesi (Roepke,1957)** (Cossidae) Synonym(s): *quarlesi* Roepke,1957 _ Range (in code): ID Klt Sum Bli Klt MY
- 33100. Panau sp.** (Cossidae) Synonym(s): _ Range (in code): MY Prk
- 33101. Panau stenoptera (Roepke,1957)** (Cossidae) Synonym(s): *stenoptera* Roepke,1957 _ Range (in code): MY ID Ja Btg Sum
- 33102. Panau variegata (Roepke,1957)** (Cossidae) Synonym(s): *variegata* Roepke,1957 _ Range (in code): ID Clb
- 33103. Paracossulus thrips (Hübner,[1818])** (Cossidae) Synonym(s): *thrips* Hübner,[1818]; *fuchsiana* Eversmann,1832; *kindermannii* Freyer,1836. _ Range (in code): PL HU RO BG RU Da Der Ur Sr KG Uk TR GG Tbl Cc AZ Kir
- 33104. Paracossulus thrips polonicus (Daniel,1953)** (Cossidae) Synonym(s): *polonicus* Daniel,1953 _ Range (in code): PL
- 33105. Paracossus khmer Yakovlev,2005** (Cossidae) Synonym(s): *khmer* Yakovlev,2005 _ Range (in code): KH
- 33106. Paracossus microgenitalis Yakovlev,2005** (Cossidae) Synonym(s): *microgenitalis* Yakovlev,2005 _ Range (in code): MY Sbh MY
- 33107. Paracossus pinratanai Yakovlev,2005** (Cossidae) Synonym(s): *pinratanai* Yakovlev,2005
Original Reference: Paracossus pinratanai Yakovlev,2005, Atalanta 35 (3/4): 383-384, figs. Holotype ♂: North Thailand: Chiang Mai, 1800m 4km S of Lop Dong, 6.xi.2002, leg.B.Herczig & G.Ronkay (coll. Armin Hauenstein). Range (in code): TH CMa
- 33108. Paracossus rufidorsia (Hampson,1905)** (Cossidae) Synonym(s): *rufidorsia* Hampson,1905
Original Reference: Cossus rufidorsia Hampson,1905, J. Bombay nat. Hist. Soc. 16: 194. Type: Sikkim. Range (in code): IN SI
- 33109. Paracossus schoorli Yakovlev,2005** (Cossidae) Synonym(s): *schoorli* Yakovlev,2005 _ Range (in code): ID Clb
- 33110. Paracossus sp.** (Cossidae) Synonym(s): _ Range (in code): TH Nan CMa
- 33111. Paracossus speideli (Holloway,1986)** (Cossidae) Synonym(s): *speideli* Holloway,1986 _ Range (in code): MY Bor
- 33112. Paracossus xishuangbannaensis (Chou & Hua,1986)** (Cossidae) Synonym(s): *xishuangbannaensis* Chou & Hua,1986 _ Range (in code): CN Yu
- 33113. Parahypopta caestrum (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912. _ Original Reference: Bombyx caestrum Hübner,[1808], Samml. eur. Schmett. 3, Bombyces: Tab.46 fig.199. Type(s): Europa. Range (in code): PT ES FR Si IT AT CZ SK HU RO YU MK AL BG GR Rd Cr TR RU Da Der UA AZ Kir Cc GG Kak Tbl LB IL Hf Pa
- 33114. Parahypopta caestrum caestrum (Hübner,[1808])** (Cossidae) Synonym(s): *caestrum* Hübner,[1808]; *teredo* Boisduval,1829; *radoti* Homberg,1911; *nigrosignatus* Rothschild,1912. _ Original Reference: Bombyx caestrum Hübner,[1808], Samml. eur. Schmett. 3, Bombyces: Tab.46 fig.199. Type(s): Europa. Range (in code): PT ES FR Si IT AT CZ SK HU RO YU MK AL BG GR Cr Rd TR RU Da Der Cc AZ Kir UA
- 33115. Parahypopta caestrum caucasicum (Groum-Grshimailo,1902)** (Cossidae) Synonym(s): *caucasicum* Groum-Grshimailo,1902 _ Range (in code): AZ Kir GG Kak Tbl Cc LB IL Pa Hf
- 33116. Parahypopta caestrum desertum (Fischer Waldheim,1832)** (Cossidae) Synonym(s): *desertum* Fischer Waldheim,1832 _ Range (in code): RU
- 33117. Parahypopta issycum (Gaede,1933)** (Cossidae) Synonym(s): *issycum* Gaede,1933 _ Range (in code): KK Ik

- 33118. Parahypopta sheljuzhkoii** (Zukowsky,1936) (Cossidae) Synonym(s): *sheljuzhkoii* Zukowsky,1936 _ Range (in code): UZ T-S
- 33119. Paralophonotus auroguttatus** (Herrich-Schäffer,[1854]) (Cossidae) Synonym(s): *auroguttatus* Herrich-Schäffer,[1854] _ Range (in code): GH SL CM ZR AO
- 33120. Paropta frater** (Warnecke,1929) (Cossidae) Synonym(s): *frater* Warnecke,1929 _ Range (in code): SA YE Sna
- 33121. Paropta paradoxus** (Herrich-Schäffer,1851) (Cossidae) Synonym(s): *paradoxus* Herrich-Schäffer,1851 _ Range (in code): GR TR SY Ltk IL Js Hf Jf Pa EG SA
- 33122. Patoptoformis ganesha** (Yakovlev,2005) (Cossidae) Synonym(s): *ganesha* Yakovlev,2005 _ Range (in code): NP
- 33123. Patoptoformis hanuman** Yakovlev,2006 (Cossidae) Synonym(s): *hanuman* Yakovlev,2006 _ Range (in code): IN Ass
- 33124. Patoptoformis rimsaitae** Saldaitis & Yakovlev,2012 (Cossidae) Synonym(s): *rimsaitae* Saldaitis & Yakovlev,2012 _ Range (in code): CN Sz
- 33125. Phragmacossia bandeamiri** Yakovlev, Pljustch, Skrylnik & Pak,2015 (Cossidae) Synonym(s): *bandeamiri* Yakovlev, Pljustch, Skrylnik & Pak,2015 _ AF BdA Bm
- 33126. Phragmacossia clara** (Bryk,1950) (Cossidae) Synonym(s): *clara* Bryk,1950 _ Range (in code): IN BT MM
- 33127. Phragmacossia furiosa** (Sheljuzhko,1943) (Cossidae) Synonym(s): *furiosa* Sheljuzhko,1943 _ Range (in code): TJ Chr Pm AF Bd BdA Bm
- 33128. Phragmacossia libani** Daniel,1933 (Cossidae) Synonym(s): *libani* Daniel,1933 Original Reference: Phragmacossia libani Daniel,1933, Dt. ent. Z., Iris 47: 107-108, Taf.1 Abb.33. Syntypes 3♂: Libanon: Bscharre (coll. Daniel). Range (in code): LB Bsa
- 33129. Phragmacossia micromaculata** Yakovlev,2009 (Cossidae) Synonym(s): *micromaculata* Yakovlev,2009 _ AF Bkt Nu
- 33130. Phragmacossia minos** Reisser,1962 (Cossidae) Synonym(s): *minos* Reisser,1962 _ Range (in code): Cr
- 33131. Phragmacossia obliquifascia** (Bryk,1950) (Cossidae) Synonym(s): *obliquifascia* Bryk,1950 _ Range (in code): IN MM
- 33132. Phragmacossia paghmana** Daniel,1963 (Cossidae) Synonym(s): *paghmana* Daniel,1963 _ Range (in code): AF Bm Kab Pag PK
- 33133. Phragmacossia pallidulae** (Hampson,1892) (Cossidae) Synonym(s): *pallidulae* Hampson,1892 _ Range (in code): IN SI BT
- 33134. Phragmacossia reticulata** (Püngeler,1900) (Cossidae) Synonym(s): *reticulata* Püngeler,1900 Original Reference: ?Phragmatoecia reticulata Püngeler,1900, Dt. ent. Z., Iris 13: 115, Taf.iv fig.2. Type ♂: [Turkmenistan]: "Merw". Range (in code): TM Mrw AF
- 33135. Phragmacossia stigmatica** (Moore,1879) (Cossidae) Synonym(s): *stigmatica* Moore,1879 _ Range (in code): IN Meg Ass Khs SI BT
- 33136. Phragmacossia territa** Staudinger,1878 (Cossidae) Synonym(s): *territa* Staudinger,1878 _ Range (in code): TR IQ Bsy LB Bsa SY Cc AM TM Rpt UZ Smk TJ IR Elb Dam AF Slg IL Pa EG
- 33137. Phragmacossia tigrisia** Schawerda,1924 (Cossidae) Synonym(s): *tigrisia* Schawerda,1924 _ Range (in code): IQ Mos
- 33138. Phragmacossia vartianae** Daniel,1963 (Cossidae) Synonym(s): *vartianae* Daniel,1963 _ Range (in code): AF Pag Kab Nu
- 33139. Phragmataecia albida** Erschoff,1874 (Cossidae) Synonym(s): *albida* Erschoff,1874; *erschoffi* Reisser,1962 _ Range (in code): Cr GR TR Cc TM Kp AF IR Kh TM UZ KG CN Ui Ku RU
- 33140. Phragmataecia andarana** Clench,1959 (Cossidae) Synonym(s): *andarana* Clench,1959 _ Range (in code): NA ZA
- 33141. Phragmataecia anikini** Yakovlev,2011 (Cossidae) Synonym(s): *anikini* Yakovlev,2011 _ Range (in code): MN
- 33142. Phragmataecia brunni** Pagenstecher,1892 (Cossidae) Synonym(s): *brunni* Pagenstecher,1892 _ Range (in code): TZ
- 33143. Phragmataecia castaneae** (Hübner,1790) (Cossidae) Synonym(s): *castaneae* Hübner,1790; *arundinis* Hübner,[1808]; *minor* Moore,1879; *pygmaea* Graeser,1888; *minima* Hampson,1891 _ Range (in code): MA TN ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Kz Mz DK SE FI EE LV LT RU Vv Sb Am MD UA BY IQ Ama Da Der TM GG Pti AZ Kir Cc LB SY EG BD IN CN Ui JP Bionomy: Larva on Phragmites australis, Saccharum spontaneum (Skinner,1985).

- 33144. *Phragmataecia cinnamomea* Wileman,1911** (Cossidae) Synonym(s): *cinnamomea* Wileman,1911; *hansi* Strand,1915 _ Range (in code): TW CN
- 33145. *Phragmataecia dushman* Yakovlev,2009** (Cossidae) Synonym(s): *dushman* Yakovlev,2009 _ Range (in code): AF Srb Jla
- 33146. *Phragmataecia furia* Groum-Grshimailo,1890** (Cossidae) Synonym(s): *furia* Groum-Grshimailo,1890 _ Range (in code): TJ UZ AF Tkh
- 33147. *Phragmataecia fusca* Wileman,1911** (Cossidae) Synonym(s): *fusca* Wileman,1911; *obscura* Wileman,1911 _ Range (in code): TH CMa CDo TW
- 33148. *Phragmataecia fuscifusa* Hampson,1910** (Cossidae) Synonym(s): *fuscifusa* Hampson,1910 _ Range (in code): SL NG
- 33149. *Phragmataecia geisha* Yakovlev,2011** (Cossidae) Synonym(s): *geisha* Yakovlev,2011 _ Range (in code): JP
- 33150. *Phragmataecia gummata* Swinhoe,1892** (Cossidae) Synonym(s): *gummata* Swinhoe,1892; *lata* Snellen,1895; *sordida* Snellen,1900 _ Range (in code): ID Sum Ja CN Fkn TH VN
- 33151. *Phragmataecia gurkoi* Yakovlev,2007** (Cossidae) Synonym(s): *gurkoi* Yakovlev,2007 _ Range (in code): PK Nwf
- 33152. *Phragmataecia hummeli* Bryk,1942** (Cossidae) Synonym(s): *hummeli* Bryk,1942 _ Range (in code): CN Sz
- 33153. *Phragmataecia impura* Hampson,1891** (Cossidae) Synonym(s): *impura* Hampson,1891 _ Range (in code): IN NI LK TH CMa CDo Dst Mth MY ID Sum Ja NP CN LA VN
- 33154. *Phragmataecia innominata* Dalla Torre,1923** (Cossidae) Synonym(s): *reticulata* Hampson,1910 nec Püng.,1900; *innominata* Dalla Torre,1923 _ Range (in code): ZA MZ MW
- 33155. *Phragmataecia innotata* (Walker,1865)** (Cossidae) Synonym(s): *innotata* Walker,1865 _ Range (in code): CN VN LA TH
- 33156. *Phragmataecia irrorata* Hampson,1910** (Cossidae) Synonym(s): *irrorata* Hampson,1910 _ Range (in code): ZW ZA NA BW MW MZ ZM
- 33157. *Phragmataecia itremo* Viette,1974** (Cossidae) Synonym(s): *itremo* Viette,1974 _ Range (in code): MG
- 33158. *Phragmataecia laszloi* Yakovlev,2009** (Cossidae) Synonym(s): *laszloi* Yakovlev,2009 _ Range (in code): NP
- 33159. *Phragmataecia longivitta* Candeze,1927** (Cossidae) Synonym(s): *longivitta* Candeze,1927 _ Range (in code): LA
- 33160. *Phragmataecia minima* Hampson,1891** (Cossidae) Synonym(s): *minima* Hampson,1891 _ Range (in code): IN
- 33161. *Phragmataecia minor* Moore,1879** (Cossidae) Synonym(s): *minor* Moore,1879 _ Range (in code): BD MM CN
- 33162. *Phragmataecia monika* Yakovlev & Saldaitis,2012** (Cossidae) Synonym(s): *monika* Yakovlev & Saldaitis,2012 _ Range (in code): CN
- 33163. *Phragmataecia obscura* Wileman,1911** (Cossidae) Synonym(s): *obscura* Wileman,1911 _ Range (in code): TW
- 33164. *Phragmataecia okovangae* Clench,1959** (Cossidae) Synonym(s): *okovangae* Clench,1959 _ Range (in code): NA ZA
- 33165. *Phragmataecia pacifica* Yakovlev,2007** (Cossidae) Synonym(s): *pacifica* Yakovlev,2007 _ Range (in code): RU Da Cc
- 33166. *Phragmataecia parvipuncta* (Hampson,1892)** (Cossidae) Synonym(s): *parvipuncta* Hampson,1892 _ Range (in code): IN Ass Nag LK VN
- 33167. *Phragmataecia pectinicornis* (Strand,1914)** (Cossidae) Synonym(s): *pectinicornis* Strand,1914 _ Range (in code): SD
- 33168. *Phragmataecia pelostema* (M.Hering,1923)** (Cossidae) Synonym(s): *pelostema* M.Hering,1923 _ Range (in code): TG CM NG
- 33169. *Phragmataecia psyche* (Le Cerf,1919)** (Cossidae) Synonym(s): *psyche* Le Cerf,1919 _ Range (in code): BJ
- 33170. *Phragmataecia purpurea* Fletcher,1927** (Cossidae) Synonym(s): *purpurea* Fletcher,1927 _ Range (in code): IN Bionomy: Larva on Andrapogon sorghum, Saccharum arundinaceum, S.spontaneum (Arora,1976).
- 33171. *Phragmataecia pygmaea* Graeser,1888** (Cossidae) Synonym(s): *pygmaea* Graeser,1888 _ Range (in code): CN Mc KP KR RU

- 33172. *Phragmataecia roborowskii* Alpheraky, 1897** (Cossidae) Synonym(s): *roborowskii* Alpheraky, 1897; *longialatus* Hua, Chou, Fang & Chen, 1990 _ Range (in code): CN MN
- 33173. *Phragmataecia sericeata* Hampson, 1910** (Cossidae) Synonym(s): *sericeata* Hampson, 1910 _ Range (in code): GH NG
- 33174. *Phragmataecia sumatrensis* Snellen, 1892** (Cossidae) Synonym(s): *sumatrensis* Snellen, 1892 _ Range (in code): ID Sum Ja
- 33175. *Phragmataecia terebrifer* Fletcher, 1927** (Cossidae) Synonym(s): *terebrifer* Fletcher, 1927 _ Range (in code): IN
- 33176. *Phragmataecia turkmenbashi* Yakovlev, 2008** (Cossidae) Synonym(s): *turkmenbashi* Yakovlev, 2008 _ Range (in code): TM Kp
- 33177. *Planctogystia breviculus* (Mabille, 1879)** (Cossidae) Synonym(s): *breviculus* Mabille, 1879 _ Range (in code): MG
- 33178. *Plyustchiella gracilis* (Christoph, 1887)** (Cossidae) Synonym(s): *gracilis* Christoph, 1887 _ Range (in code): TM Kp Rpt UZ Br
- 33179. *Pseudozeuzera biatra* (Hampson, 1910)** (Cossidae) Synonym(s): *biatra* Hampson, 1910 _ Range (in code): SL NG UG GH CI
- 33180. *Rambuasalama augustasi* Yakovlev & Saldaitis, 2008** (Cossidae) Synonym(s): *augustasi* Yakovlev & Saldaitis, 2008 _ Range (in code): MG
- 33181. *Rapdalus pardicolor* (Moore, 1879)** (Cossidae) Synonym(s): *pardicolor* Moore, 1879; *pardalis* Dudgeon, 1899 _ Range (in code): IN SI MM Mm MY VN Bor Swk Sum Klt TH CMa MAI
- 33182. *Relluna nurella* (Swinhoe, 1894)** (Cossidae) Synonym(s): *nurella* Swinhoe, 1894 _ Range (in code): CN Yu TH Nan IN Meg Ass Khs PH Pal MY Bor
- 33183. *Rugigerat nigra* (Moore, 1877)** (Cossidae) Synonym(s): *nigra* Moore, 1877 _ Range (in code): LK SG
- 33184. *Sansara hreblayi* Yakovlev, 2005** (Cossidae) Synonym(s): *hreblayi* Yakovlev, 2005 _ Range (in code): TH Nan CMa
- 33185. *Sansara naumanni* Yakovlev, 2005** (Cossidae) Synonym(s): *naumanni* Yakovlev, 2005 _ Range (in code): TH CMa
- 33186. *Semagystia agilis* (Christoph, 1884)** (Cossidae) Synonym(s): *agilis* Christoph, 1884 _ Range (in code): IR Kh TM Kp Mrw Krn AF Bd CN Ui Au UZ Br Fe Nmg
- 33187. *Semagystia agilis agilis* (Christoph, 1884)** (Cossidae) Synonym(s): *agilis* Christoph, 1884 _ Range (in code): TM Kp Mrw Krn AF Bd CN Ui Au
- 33188. *Semagystia agilis bucharana* (A. Bang-Haas, 1910)** (Cossidae) Synonym(s): *bucharanus* A. Bang-Haas, 1910 _ Range (in code): UZ Br Fe Nmg
- 33189. *Semagystia alaica* Yakovlev, 2007** (Cossidae) Synonym(s): *alaica* Yakovlev, 2007 _ Range (in code): KK
- 33190. *Semagystia bamiani* Yakovlev, Pljustch, Skrylnik & Pak, 2015** (Cossidae) Synonym(s): *bamiani* Yakovlev, Pljustch, Skrylnik & Pak, 2015 _ AF BdA Bm
- 33191. *Semagystia cossoides* (Graeser, 1892)** (Cossidae) Synonym(s): *cossoides* Graeser, 1892 _ TJ KG KK Ax AF Pag BdA Bm
- 33192. *Semagystia cuhensis* De Freina, 1994** (Cossidae) Synonym(s): *cuhensis* De Freina, 1994 _ Original Reference: Samagystia [sic!] cuhensis De Freina, 1994, Atalanta 25 (1/2): 321-324, figs. Holotype ♂: [Türkei]: Prov. Erzurum, Kop Dağı Geçidi, 2400m, 5.vii.1986 leg. Pavlas (Mus. Witt) [Holotype image accessible!]. Range (in code): TR Cc AM
- 33193. *Semagystia dubatolovi* Yakovlev, 2007** (Cossidae) Synonym(s): *dubatolovi* Yakovlev, 2007 _ Range (in code): TM
- 33194. *Semagystia enigma* Yakovlev, 2007** (Cossidae) Synonym(s): *enigma* Yakovlev, 2007 _ Range (in code): TR
- 33195. *Semagystia lukhtanovi* Yakovlev, 2007** (Cossidae) Synonym(s): *lukhtanovi* Yakovlev, 2007 _ Range (in code): TJ
- 33196. *Semagystia pljustchi* Yakovlev, 2007** (Cossidae) Synonym(s): *pljustchi* Yakovlev, 2007 _ Range (in code): KG Aa
- 33197. *Semagystia pushtunica* Yakovlev, 2007** (Cossidae) Synonym(s): *pushtunica* Yakovlev, 2007 _ Range (in code): AF Bd
- 33198. *Semagystia stchetkini* Yakovlev, 2007** (Cossidae) Synonym(s): *stchetkini* Yakovlev, 2007 _ Range (in code): TJ

- 33199. *Semagystia wernerithomasi* Yakovlev, 2007** (Cossidae) Synonym(s): *wernerithomasi* Yakovlev, 2007 _ Range (in code): AF Bm BdA
- 33200. *Semagystia witti* Yakovlev, 2007** (Cossidae) Synonym(s): *witti* Yakovlev, 2007 _ Range (in code): AF Srb Kab
- 33201. *Semitocossus johannes* (Staudinger, 1899)** (Cossidae) Synonym(s): *johannes* Staudinger, 1899; *striolatus* Rothschild, 1912 _ Range (in code): TR JO IL Pa SA
- 33202. *Skeletophyllon euphyes* (West, 1932)** (Cossidae) Synonym(s): *euphyes* West, 1932 _ Range (in code): TH
- 33203. *Strigocossus ambahona* (Viette, 1954)** (Cossidae) Synonym(s): *ambahona* Viette, 1954 _ Range (in code): MG
- 33204. *Strigocossus capensis* (Walker, 1856)** (Cossidae) Synonym(s): *capensis* Walker, 1856; *sjostedti* Aurivillius, 1910; *flavitincta* Hampson, 1910; *kilimandjarae* Le Cerf, 1914 _ Range (in code): ZA TZ MW UG KE ZR
- 33205. *Strigocossus crassa* (Drury, [1782])** (Cossidae) Synonym(s): *crassa* Drury, [1782]; *lunifera* Hampson, 1910; *polioplaga* Hampson, 1910; *speciosus* Houlbert, 1916 _ Range (in code): CM ZR GH NG SL ZA
- 33206. *Strigocossus cretacea* (Butler, 1878)** (Cossidae) Synonym(s): *cretacea* Butler, 1878; *malgacica* Houlbert, 1916 _ Range (in code): MG
- 33207. *Strigocossus elephas* Yakovlev, 2013** (Cossidae) Synonym(s): *elephas* Yakovlev, 2013 _ Range (in code): MW
- 33208. *Strigocossus guillemei* (Houlbert, 1916)** (Cossidae) Synonym(s): *guillemei* Houlbert, 1916 _ Range (in code): ZR
- 33209. *Strigocossus hepialoides* Yakovlev, 2011** (Cossidae) Synonym(s): *hepialoides* Yakovlev, 2011 _ Range (in code): TZ
- 33210. *Strigocossus kushit* Yakovlev, 2011** (Cossidae) Synonym(s): *kushit* Yakovlev, 2011 _ Range (in code): ET
- 33211. *Strigocossus mediopallens* (D.S.Fletcher, 1968)** (Cossidae) Synonym(s): *mediopallens* D.S.Fletcher, 1968 _ Range (in code): UG RZ
- 33212. *Strigocossus moderatus* (Walker, 1856)** (Cossidae) Synonym(s): *moderatus* Walker, 1856; *leucopteris* Houlbert, 1916; *vosseleri* Gaede, 1930 _ Range (in code): SL
- 33213. *Strigocossus ochricosta* (D.S.Fletcher, 1968)** (Cossidae) Synonym(s): *ochricosta* D.S.Fletcher, 1968 _ Range (in code): ZR GN KE MW RW ZA TZ UG ZW Vum
- 33214. *Strigocossus tandoensis* (Bethune-Baker, 1927)** (Cossidae) Synonym(s): *tandoensis* Bethune-Baker, 1927 _ Range (in code): AO KE MW
- 33215. *Stygia australis* Latreille, 1803** (Cossidae) Synonym(s): *australis* Latreille, 1803; *terebellum* Hübner, [1808]; *leucomelas* Ochsenheimer, 1808 _ Range (in code): PT ES FR IT
- 33216. *Stygia mosulensis* Daniel, 1965** (Cossidae) Synonym(s): *mosulensis* Daniel, 1965
Original Reference: *Stygia mosulensis* Daniel, 1965, Mitt. münch. ent. Ges. 55: 80-81, Taf. II fig. 1.
Holotype ♀: Iraq: Mosul desert, vi. 35 (leg. & coll. Wiltshire). _ Range (in code): BG GR IQ Mos TR
- 33217. *Stygia nilssoni* Saldaitis & Yakovlev, 2008** (Cossidae) Synonym(s): *nilssoni* Saldaitis & Yakovlev, 2008 _ Range (in code): Cn
- 33218. *Stygioides colchica* (Herrich-Schäffer, [1851])** (Cossidae) Synonym(s): *colchica* Herrich-Schäffer, [1851] _ Range (in code): IT GR TR RU
- 33219. *Stygioides ivinskisi* Saldaitis & Yakovlev, 2007** (Cossidae) Synonym(s): *ivinskisi* Saldaitis & Yakovlev, 2007 _ Range (in code): LB
- 33220. *Stygioides persephone* (Reisser, 1962)** (Cossidae) Synonym(s): *persephone* Reisser, 1962 _ Range (in code): Cr
- 33221. *Stygioides tricolor* (Lederer, 1858)** (Cossidae) Synonym(s): *tricolor* Lederer, 1858
Original Reference: *Stygia tricolor* Lederer, 1858, Wien. ent. Monatschr. 2: 143, Taf. 2 fig. 4. Type ♀: Syria: Damask. _ Range (in code): SY Dms
- 33222. *Sundacossus gauguini* Yakovlev, 2008** (Cossidae) Synonym(s): *gauguini* Yakovlev, 2008 _ Range (in code): ID Sba
- 33223. *Sundacossus timur* Yakovlev, 2006** (Cossidae) Synonym(s): *timur* Yakovlev, 2006 _ Range (in code): ID Flo
- 33224. *Tarsozeuzera fuscipars* (Hampson, 1892)** (Cossidae) Synonym(s): *fuscipars* Hampson, 1892; *#fuscipans* Yakovlev, 2005 _ Range (in code): IN SI CN Yu TH Nan CMa Int MY Bor
- 33225. *Tarsozeuzera kochi* (Semper, 1896)** (Cossidae) Synonym(s): *kochi* Semper, 1896 _ Range (in code): ID PH Clb Luz

- 33226. Trismelasmos robinson Yakovlev,2005** (Cossidae) Synonym(s): *robinson Yakovlev,2005*
Range (in code): **PH Ley Neg Luz Sam**
- 33227. Vartiania musculus (Rothschild,1912)** (Cossidae) Synonym(s): *musculus Rothschild,1912*
Range (in code): **KG Bai**
- 33228. Vartiania sapho Yakovlev,2007** (Cossidae) Synonym(s): *sapho Yakovlev,2007* - Range (in code): **Ch**
- 33229. Vartiania senganensis (Daniel,1949)** (Cossidae) Synonym(s): *senganensis Daniel,1949*
Range (in code): **IR Ss AF**
- 33230. Vartiania zarathustra Yakovlev,2005** (Cossidae) Synonym(s): *zarathustra Yakovlev,2005*
Range (in code): **IR Hz**
- 33231. Voousia punctifer (Hampson,1898)** (Cossidae) Synonym(s): *punctifer Hampson,1898*
Range (in code): **DM**
- 33232. Voousia sp.n.** (Cossidae) Synonym(s): - Range (in code): **VE**
- 33233. Wiltshirocossus aries (Püngeler,1902)** (Cossidae) Synonym(s): *aries Püngeler,1902; tahlai Dumont,1932; bongiovannii Krüger,1939* Original Reference: *Cossus aries Püngeler,1902, Dt. ent. Z., Iris 15: 145-146, pl.6 fig.22. Syntypes 2♂: Palestine.* Range (in code): **Cn MA DZ Agi Cst Onc Bsk Kdr Ajj TN EG IL Js Pa SA YE AE ES**
- 33234. Wiltshirocossus aries aegyptiacus (Hampson,1910)** (Cossidae) Synonym(s): *aegyptiacus Hampson,1910* - Range (in code): **EG**
- 33235. Wiltshirocossus aries aries (Püngeler,1902)** (Cossidae) Synonym(s): *aries Püngeler,1902; tahlai Dumont,1932; bongiovannii Krüger,1939* Original Reference: *Cossus aries Püngeler,1902, Dt. ent. Z., Iris 15: 145-146, pl.6 fig.22. Syntypes 2♂: Palestine.* Range (in code): **IL Js Pa AE SA**
- 33236. Wiltshirocossus aries cheesmani (Tams,1925)** (Cossidae) Synonym(s): *cheesmani Tams,1925* - Range (in code): **YE SA**
- 33237. Wiltshirocossus aries pulcher (Rungs,1956)** (Cossidae) Synonym(s): *pulcher Rungs,1956* - Range (in code): **Cn MA DZ Cst Agi Bsk Kdr TN ES**
- 33238. Wittocossus mokanshanensis (Daniel,1945)** (Cossidae) Synonym(s): *mokanshanensis Daniel,1945* - Range (in code): **CN Yu Tkg Kgs TH CMa Dst Mta**
- 33239. Xyleutes adusta Roepke,1957** (Cossidae) Synonym(s): *adusta Roepke,1957* - Range (in code): **ID Sum Ja MY Bor BN**
- 33240. Xyleutes anceps (Snellen,1900)** (Cossidae) Synonym(s): *anceps Snellen,1900* - Range (in code): **ID Sum Ja PH MY Bor** Bionomy: Larva on Derris (Fabaceae) (Roepke,1957).
- 33241. Xyleutes ceramicus (Walker,1865)** (Cossidae) Synonym(s): *ceramica Walker,1865; ligneus Butler,1880; bosschae Heylaerts,1886* Original Reference: *Zeuzera ceramica Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 587.* Range (in code): **IN MM TH ID Sum Ja Crm MY Bor PG SB** Bionomy: Larva on Callicarpa, Clerodendrum, Gmelina, Tectona grandis (Verbenaceae), Erythrina, Sesbania (Fabaceae), Spathodea (Bignoniaceae), Duabanga (Sonneratiaceae) (Roepke,1957; Arora,1976).
- 33242. Xyleutes dictyograptus Roepke,1957** (Cossidae) Synonym(s): *dictyograptus Roepke,1957*
Range (in code): **MY Bor BN**
- 33243. Xyleutes euphyes West,1932** (Cossidae) Synonym(s): *euphyes West,1932; sibolgae Roepke,1957; kalisi Roepke,1957* - Range (in code): **MY Bor BN ID Sum PH**
- 33244. Xyleutes fuscipars (Hampson,1892)** (Cossidae) Synonym(s): *fuscipars Hampson,1892*
Range (in code): **SI IN MY Bor** Bionomy: Larva on Gliricidia (Barlow,1982).
- 33245. Xyleutes keyensis Strand,1919** (Cossidae) Synonym(s): *keyensis Strand,1919* - Range (in code): **ID Kai Tnm Ij**
- 33246. Xyleutes lutescens Roepke,1957** (Cossidae) Synonym(s): *lutescens Roepke,1957* - Range (in code): **MY SG Bor**
- 33247. Xyleutes maculatus (Snellen,1879)** (Cossidae) Synonym(s): *maculatus Snellen,1879; overbecki Draeseke,1937* - Range (in code): **SG MY Bor Swk ID Sum Ja Clb** Bionomy: Larva on Ceiba (Bombacaceae) (Roepke,1957).
- 33248. Xyleutes malayica Roepke,1957** (Cossidae) Synonym(s): *malayica Roepke,1957* - Range (in code): **MY Bor ID Sum PG**
- 33249. Xyleutes pardicolor (Moore,1879)** (Cossidae) Synonym(s): *pardicolor Moore,1879; pardalis Dudgeon,1899* - Range (in code): **IN MM VN MY Bor ID Sum**
- 33250. Xyleutes personus Le Guillou,1841** (Cossidae) Synonym(s): *personus Le Guillou,1841; leuconotus Walker,1856* - Range (in code): **TH Bnk Nan CMa Int Cmz Czo1 Cuo Rng IN Mh Nsk MY**

- PH PG ID Bia Ij LK** Bionomy: Larva on Cassia (Fabaceae), Durio (Bombacaceae), Premna, Tectona grandis (Verbenaceae) (Arora,1976 et seq.).
- 33251. Xyleutes pindarus (Fawcett,1916)** (Cossidae) Synonym(s): *pindarus* Fawcett,1916 Range (in code): **SO SA**
- 33252. Xyleutes quarlesi Roepke,1957** (Cossidae) Synonym(s): *quarlesi* Roepke,1957 Range (in code): **MY Bor**
- 33253. Xyleutes stenoptera Roepke,1957** (Cossidae) Synonym(s): *stenoptera* Roepke,1957 Range (in code): **ID Ja Sum MY Bor**
- 33254. Xyleutes strix (Linnaeus,1758)** (Cossidae) Synonym(s): *strix* Linnaeus,1758; *signata* Walker,1856; *bubo* Butler,1882; *tigrata* Houlbert,1916 Range (in code): **IN Up Kma Rnb MY TH Srt Nan Rng CMa Cuo CDo PG NBr ID Ja Clb Amb SB PH TW** Bionomy: Larva on Sesbania grandiflora (Snellen,1877).
- 33255. Xyleutes unimaculosa (Matsumura,1931)** (Cossidae) Synonym(s): *unimaculosa* Matsumura,1931; *pardicolor* Sonan,1938 *nec Mre.*,1882 Range (in code): **TW**
- 33256. Yakovlevina galina (Yakovlev,2005)** (Cossidae) Synonym(s): *galina* Yakovlev,2005 Range (in code): **CN Yu**
- 33257. Zeuzera biebingeri Speidel & Speidel,1986** (Cossidae) Synonym(s): *biebingeri* Speidel & Speidel,1986 Range (in code): **Cr**
- 33258. Zeuzera borneana Roepke,1957** (Cossidae) Synonym(s): *borneana* Roepke,1957 Range (in code): **ID Bor Klt**
- 33259. Zeuzera caudata Joicey & Talbot,1916** (Cossidae) Synonym(s): *caudata* Joicey & Talbot,1916; *rhabdota* Jordan,1932; *celebensis* Roepke,1957 Range (in code): **TH Nan Knc Srt ID Clb JP MY ID Ij Bru Sum PG SB**
- 33260. Zeuzera coffeae Nietner,1861** (Cossidae) Synonym(s): *coffeae* Nietner,1861; *oblita* Swinhoe,1890; *reticulata* Joicey & Talbot,1916; *buergersi* Gaede,1933 Original Reference: *Zeuzera coffeae* Nietner,1861, Enemies of Coffee Tree: 21-22. Range (in code): **PK IN Up Kma Rnb LK TH Bnk Nan Phy MY Bor TW ID Mlc Krkt PG Ij Ja** Bionomy: Larva on Casuarina (Casuarinaceae), Erythroxylum (Erythroxylaceae), Acalypha, Phyllanthus (Euphorbiaceae), Doryalis, Hydnocarpus (Flacourtiaceae), Anona, Cinnamomum, Persea, Phoebe (Lauraceae), Amherstia, Cassia, Pericopsis, Xylia (Fabaceae), Gossypium Hibiscus (Malvaceae), Cedrela, Chukrasia, Melia, Swietenia (Meliaceae), Psidium (Myrtaceae), Grevillea (Proteaceae), Crataegus, Eriobotrya (Rosaceae), Coffea (Rubiaceae), Citrus (Rutaceae), Santalum (Santalaceae), Filicium, Nephelium, Schleicheria (Sapindaceae), Cestrum (Solanaceae), Theobroma (Sterculiaceae), Cryptomeria (Taxodiaceae), Camellia (Theaceae), Clerodendrum, Lantana, Tectona grandis, Vitex (Verbenaceae) (Arora,1976; et seq.).
- 33261. Zeuzera conferta Walker,1856** (Cossidae) Synonym(s): *conferta* Walker,1856; *roricyanea* Walker,1862; *neuropunctata* Gaede,1933 Original Reference: *Zeuzera conferta* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1536. Range (in code): **VN TH Phy Mae Knc BD Syl ID Sum Ja Bor Swk Klt Ob MY Clb Ij PG PH** Bionomy: Larva on Barringtonia (Lecythidaceae), Ochroma (Bombacaceae), Theobroma (Sterculiaceae), Eucalyptus (Myrtaceae), Sonneratia (Sonneratiaceae) (Toxopeus,1948, et seq.).
- 33262. Zeuzera indica Herrich-Schäffer,1854** (Cossidae) Synonym(s): *indica* Herrich-Schäffer,1854; *viridimacula* Matsumura,1883 Range (in code): **CN Hn Yu TW TH Nan CMa Cuo Ssi Srt IN SI Hp Sml BD Syl MY ID Ja PG** Bionomy: Larva on Phoebe excelsa (Lauraceae) (Barlow,1982).
- 33263. Zeuzera lineata Gaede,1933** (Cossidae) Synonym(s): *lineata* Gaede,1933 Original Reference: *Zeuzera lineata* Gaede,1933, [in] Seitz, Gross-Schmett. Erde 10: 812. Range (in code): **MY ID Bor Sbh KBa Sum Swk Clb**
- 33264. Zeuzera multistrigata Moore,1881** (Cossidae) Synonym(s): *multistrigata* Moore,1881; *leuconotum* Butler,1881 Range (in code): **IR IN Up Kma Gag Bhi Djl Meg Khs Ass BD Syl SI CN Yu She KP KR RU Us JP TW PH MM TH CMa Mae Int** Bionomy: Larva on Quercus, Buxus, Streblus, Cryptomeria japonica, Ilex, Mahonia nepalensis, Mussaenda frondosa, Pyrus malus, Santalum album (Arora,1976).
- 33265. Zeuzera nepalense Daniel,1962** (Cossidae) Synonym(s): *nepalense* Daniel,1962 Range (in code): **IN SI NP**
- 33266. Zeuzera nuristanensis Daniel,1964** (Cossidae) Synonym(s): *nuristanensis* Daniel,1964 Range (in code): **AF Nu Bkt PK**
- 33267. Zeuzera postexcisa Hampson,1893** (Cossidae) Synonym(s): *postexcisa* Hampson,1893 Range (in code): **IN LK ID Ja** Bionomy: Larva on Phoebe excelsa (Lauraceae) (Arora,1976).

- 33268. *Zeuzera pyrina* (Linnaeus,1761)** (Cossidae) **Synonym(s):** *pyrina* Linnaeus,1761; *hypocastani* Poda,1761; *aesuli* Linnaeus,1767; *hilaris* Fourcroy,1785; *octopunctata* Boisduval,1832; *decipiens* Kirby,1892
Range (in code): MA DZ Khh Anna PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Bjo Tbl Lag Smg Smt Akh Abk Sok Aj Cc IQ DK NO SE EE LV LT RU MD UA BY EG IL Pa Hf LB Bsa IR Mz Us Vv CN US Ny
- 33269. *Zeuzera roriczyana* Walker,1862** (Cossidae) **Synonym(s):** *roricyanea* Walker,1862
Range (in code): LK IN CN TW MY Bor Swk PG ID
- 33270. *Zeuzera yuennani* Daniel,1940** (Cossidae) **Synonym(s):** *yuennani* Daniel,1940 _ **Range (in code):** CN Ti Yu
- 33271. *Zeuzeropecten altitudinis* Viette,1957** (Cossidae) **Synonym(s):** *altitudinis* Viette,1957
Range (in code): MG
- 33272. *Zeuzeropecten argillosa* (Le Cerf,1919)** (Cossidae) **Synonym(s):** *argillosa* Le Cerf,1919
Range (in code): MG
- 33273. *Zeuzeropecten castaneus* (Kenrick,1913)** (Cossidae) **Synonym(s):** *castaneus* Kenrick,1913 _ **Range (in code):** MG
- 33274. *Zeuzeropecten combustus* (Kenrick,1913)** (Cossidae) **Synonym(s):** *combustus* Kenrick,1913 _ **Range (in code):** MG
- 33275. *Zeuzeropecten lactescens* Gaede,1930** (Cossidae) **Synonym(s):** *lactescens* Gaede,1930
Range (in code): MG
- 33276. *Zeuzeropecten lecerfi* (Viette,1957)** (Cossidae) **Synonym(s):** *lecerfi* Viette,1957 _ **Range (in code):** MG
- 33277. *Zeuzeropecten occultoides* (Kenrick,1913)** (Cossidae) **Synonym(s):** *occultoides* Kenrick,1913 _ **Range (in code):** MG
- 33278. *Crinopteryx familiella* Peyerimhoff,1871** (Ctenoptrygidae) **Synonym(s):** *familiella* Peyerimhoff,1871 _ **Range (in code):** PT ES FR Si
- 33279. *Abrochia aequalis* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *aequalis* Walker,1864
Range (in code): VE PE Mdi Tbp
- 33280. *Abrochia analis* (Gaede,1926)** (Ctenuchidae) **Synonym(s):** *analis* Gaede,1926 _ **Range (in code):** BO PE Mdi Tbp
- 33281. *Abrochia faveria* (Druce,1883)** (Ctenuchidae) **Synonym(s):** *faveria* Druce,1883 _ **Range (in code):** PA PE Mdi Tbp
- 33282. *Abrochia fulvisphex* (Druce,1898)** (Ctenuchidae) **Synonym(s):** *fulvisphex* Druce,1898
Original Reference: Chrysostola fulvisphex Druce,1898, Ann. Mag. nat. Hist. (7) 1: 404. Type: French Guayana. **Range (in code):** GF PE Mdi Tbp
- 33283. *Abrochia munda* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *munda* Walker,1856
Range (in code): BR Para PE Mdi Tbp
- 33284. *Abrochia pelopia* (Druce,1897)** (Ctenuchidae) **Synonym(s):** *pelopia* Druce,1897 _ **Range (in code):** PA BO PE Mdi Tbp
- 33285. *Abrochia tetrazona* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *tetrazona* Hampson,1898 _ **Range (in code):** BO PE Mdi Tbp
- 33286. *Aclytia gynamorpha* Hampson,1898** (Ctenuchidae) **Synonym(s):** *gynamorpha* Hampson,1898 _ **Range (in code):** PE Mdi Tbp
- 33287. *Aclytia heber* (Cramer,1780)** (Ctenuchidae) **Synonym(s):** *heber* Cramer,1780 _ **Range (in code):** PE Mdi Tbp
- 33288. *Aclytia klagesi* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *klagesi* Rothschild,1912
Range (in code): PE Mdi Tbp
- 33289. *Aclytia petra* Schaus,1892** (Ctenuchidae) **Synonym(s):** *petra* Schaus,1892 _ **Range (in code):** PE Mdi Tbp
- 33290. *Aclytia reducta* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *reducta* Rothschild,1912
Range (in code): PE Mdi Tbp
- 33291. *Aclytia* sp.n.** (Ctenuchidae) **Synonym(s):** _ **Range (in code):** PE Mdi Tbp
- 33292. *Agyrta albisparsa* Hampson,1898** (Ctenuchidae) **Synonym(s):** *albisparsa* Hampson,1898
BR Sct
- 33293. *Agyrta chena* Druce,1893** (Ctenuchidae) **Synonym(s):** *chena* Druce,1893 _ **BO**
- 33294. *Agyrta dux* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *dux* Walker,1864; *aestiva* Butler,1876; *superba* Druce,1884; *phylla* Druce,1893 _ **Range (in code):** PE Mdi Tbp VE GT HN LC
- 33295. *Agyrta flavitincta* Hampson,1898** (Ctenuchidae) **Synonym(s):** *flavitincta* Hampson,1898
BO

- 33296. *Agyrta micilia* (Cramer,[1779])** (Ctenuchidae) **Synonym(s):** *micilia* Cramer,[1779] _ **BR Para VE**
- 33297. *Agyrta monopлага* Druce,1898** (Ctenuchidae) **Synonym(s):** *monopлага* Druce,1898 **EC**
- 33298. *Agyrta pandemia* Druce,1893** (Ctenuchidae) **Synonym(s):** *pandemia* Druce,1893
Range (in code): **PE Mdi Tbp BR Para**
- 33299. *Agyrta porphyria* (Stoll,[1782])** (Ctenuchidae) **Synonym(s):** *porphyria* Stoll,[1782];
cryptoleuca Walker,1856 _ **Range (in code):** **PE Mdi Tbp SR BR Para**
- 33300. *Agyrta porphyria rothschildi* Draudt,1915** (Ctenuchidae) **Synonym(s):** *rothschildi* Draudt,1915 _ **Range (in code):** **PE Mdi Tbp**
- 33301. *Agyrtidia uranophila* (Walker,1866)** (Ctenuchidae) **Synonym(s):** *uranophila* Walker,1866
Range (in code): **PE Mdi Tbp**
- 33302. *Amata acrospila* (R.Felder & Rogenhofer,1874)** (Ctenuchidae) **Synonym(s):** *acrospila* R.Felder & Rogenhofer,1874; *confluens* Leech,1898 _ **Range (in code):** **CN**
- 33303. *Amata actea* (Swinhoe,1891)** (Ctenuchidae) **Synonym(s):** *actea* Swinhoe,1891; *swinhoei* Leech,1898 _ **Range (in code):** **IN Ass CN**
- 33304. *Amata adjuncta* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *adjuncta* Walker,1864
Range (in code): **ID Amb Crm Kai**
- 33305. *Amata aequipuncta* (Turati,1917)** (Ctenuchidae) **Synonym(s):** *aequipuncta* Turati,1917;
#aequipunctata De Freina,1994 _ **Original Reference:** Syntomis aequipuncta Turati,1917, Atti Soc. ital. Sci. Nat. 56: 216, 224, t.2 figs. 17-20. Holotype ♂: [Turkey]: Eibes [Akbes] (coll. Turati).
Range (in code): **TR Cc SY LB IQ**
- 33306. *Amata aequipuncta aequipuncta* (Turati,1917)** (Ctenuchidae) **Synonym(s):** *aequipuncta* Turati,1917; *#aequipunctata* De Freina,1994 _ **Original Reference:** Syntomis aequipuncta Turati,1917, Atti Soc. ital. Sci. Nat. 56: 216, 224, t.2 figs. 17-20. Holotype ♂: [Turkey]: Eibes [Akbes] (coll. Turati). **Range (in code):** **TR Cc SY LB**
- 33307. *Amata aequipuncta maraschi* (Daniel,1939)** (Ctenuchidae) **Synonym(s):** *maraschi* Daniel,1939; *marasiana* Obraztsov,1941. _ **Original Reference:** Syntomis aequipuncta ssp. maraschi Daniel,1939, Mitt. münch. ent. ges. 29: 86, t.2 figs.15-16. Holotype ♂: [Türkei]: Marasch (Nordsyrien) (ZSM). **Range (in code):** **TR IQ**
- 33308. *Amata albapex* (Hampson,1893)** (Ctenuchidae) **Synonym(s):** *albapex* Hampson,1893
Range (in code): **LK**
- 33309. *Amata alberti* Rothschild,1911** (Ctenuchidae) **Synonym(s):** *alberti* Rothschild,1911
Range (in code): **PG**
- 33310. *Amata albicornis* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *albicornis* Rothschild,1910
Range (in code): **VN Ton**
- 33311. *Amata albifrons* (Moore,1878)** (Ctenuchidae) **Synonym(s):** *albifrons* Moore,1878
Range (in code): **MM TH**
- 33312. *Amata alicia* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *alicia* Butler,1876 _ **Original Reference:** Syntomis alicia Butler,1876, J. linn. Soc. Lond., Zool. 12: 348. Type: Abyssinia (Harris leg.) (BMNH). **Range (in code):** **NA ZA AO SO ET CM Ada BW BI ZR GA KE MZ RW TZ ZM ZW**
- 33313. *Amata alicia damarensis* Grünberg,1910** (Ctenuchidae) **Synonym(s):** *damarensis* Grünberg,1910 _ **Range (in code):** **ZA NA**
- 33314. *Amata annulata* (Fabricius,1775)** (Ctenuchidae) **Synonym(s):** *annulata* Fabricius,1775; *nigriceps* Butler,1876; *intensa* Butler,1876 _ **Original Reference:** Zygaena annulata Fabricius,1775, Syst. Ent.: 551. Type(s): Nova Hollandia. **Range (in code):** **PH PG QAU AU NSw VAu TA**
- 33315. *Amata antiochena* (Lederer,1861)** (Ctenuchidae) **Synonym(s):** *antiochena* Lederer,1861; *tringulata* Culot,1909 _ **Original Reference:** Syntomis antiochena Lederer,1861, Wiener ent. Monatsch. 5: 151, Taf.1 figs. 13-14. Syntypes: [Türkei]: Antiochien (ZMHUB). **Range (in code):** **TR LB Bei SY**
- 33316. *Amata antitheta* (Meyrick,1886)** (Ctenuchidae) **Synonym(s):** *antitheta* Meyrick,1886
Range (in code): **AU QAU**
- 33317. *Amata aperta* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *aperta* Walker,1864; *nesothesis* Meyrick,1886; *mochlotis* Meyrick,1886 _ **Range (in code):** **PG AU NSw**
- 33318. *Amata apicelisa* Holloway,1988** (Ctenuchidae) **Synonym(s):** *apicelisa* Holloway,1988
Range (in code): **MY Bor Swk**
- 33319. *Amata arfakensis* Rothschild,1911** (Ctenuchidae) **Synonym(s):** *arfakensis* Rothschild,1911
Range (in code): **ID Ij Afk**

- 33320. Amata aserbeidjana (De Freina,1982)** (Ctenuchidae) Synonym(s): *aserbeidjana* De Freina,1982 Original Reference: Syntomis aserbeidjana De Freina,1982, NachrBl. bayer. Ent. 31 (3): 58-62, Abb. 18-21. Holotype ♂: Iran: Azarshar, SW. Tabriz, 7.76 (leg. Czipka). Range (in code): IR Tbz Ak Ab
- 33321. Amata assamensis (Zerny,1912)** (Ctenuchidae) Synonym(s): *hasiana* Rothschild,1910 nec Butl.,1876; *assamensis* Zerny,1912 Range (in code): IN Meg Ass Khs
- 33322. Amata atricornis (Wallengren,1863)** (Ctenuchidae) Synonym(s): *atricornis* Wallengren,1863; *sirius* Distant,1897 Range (in code): ZA Pie Tva Lpo Spb ZW Ec
- 33323. Amata atricornuta Gaede,1926** (Ctenuchidae) Synonym(s): *atricornuta* Gaede,1926 Range (in code): AU
- 33324. Amata aurea (Swinhoe,1908)** (Ctenuchidae) Synonym(s): *aurea* Swinhoe,1908 Range (in code): IN Ass
- 33325. Amata aureola (Swinhoe,1902)** (Ctenuchidae) Synonym(s): *aureola* Swinhoe,1902 Range (in code): IN Ass
- 33326. Amata aurofasciata (Swinhoe,1892)** (Ctenuchidae) Synonym(s): *aurofasciata* Swinhoe,1892 Range (in code): PG
- 33327. Amata bactriana (Erschoff,1874)** (Ctenuchidae) Synonym(s): *bactriana* Erschoff,1874 Range (in code): TM CN Ui Au UZ Fe Man Smk
- 33328. Amata bajaea (Swinhoe,1891)** (Ctenuchidae) Synonym(s): *bajaea* Swinhoe,1891 Range (in code): IN Ass Khs MY Bor ID Ja
- 33329. Amata basigera (Walker,1864)** (Ctenuchidae) Synonym(s): *basigera* Walker,1864 Range (in code): ID
- 33330. Amata beluchistana De Freina,2008** (Ctenuchidae) Synonym(s): *beluchistana* De Freina,2008 Range (in code): IR Ss
- 33331. Amata berinda (Moore,1878)** (Ctenuchidae) Synonym(s): *berinda* Moore,1878 Range (in code): MM
- 33332. Amata bicincta (Kollar,1844)** (Ctenuchidae) Synonym(s): *bicincta* Kollar,1844 Original Reference: Syntomis bicincta Kollar,1844, [in] Hügels Kaschmir 4: 460, Pl.19 fig.8. Type: Himalaya Gebirge. Range (in code): IN Djl Kul Hp CN
- 33333. Amata bicolor (Walker,1854)** (Ctenuchidae) Synonym(s): *bicolor* Walker,1854 Range (in code): AU QAU
- 33334. Amata bifasciata (Hopffer,1857)** (Ctenuchidae) Synonym(s): *bifasciata* Hopffer,1857 Range (in code): MZ ZA
- 33335. Amata borguensis (Hampson,1901)** (Ctenuchidae) Synonym(s): *borguensis* Hampson,1901 Range (in code): NG CM Ada
- 33336. Amata borneogena Obratzov,1955** (Ctenuchidae) Synonym(s): *borneogena* Obratzov,1955 Range (in code): MY Swk Bor ID Nat
- 33337. Amata brooksi Holloway,1988** (Ctenuchidae) Synonym(s): *brooksi* Holloway,1988 Range (in code): MY Bor Swk
- 33338. Amata burtti Distant,1900** (Ctenuchidae) Synonym(s): *burtti* Distant,1900 Range (in code): TZ Pb Zz
- 33339. Amata caerulescens (Druce,1898)** (Ctenuchidae) Synonym(s): *caerulescens* Druce,1898 Original Reference: Syntomis caerulescens Druce,1898, Ann. Mag. nat. Hist. (7) 1: 146. Syntypes 2♂: "East Africa, Delagoa Bay (Monteiro, Mus. Druce)". Range (in code): MZ Del
- 33340. Amata cantori (Moore,1859)** (Ctenuchidae) Synonym(s): *cantori* Moore,1859 Range (in code): MY Pen Bor
- 33341. Amata caspia (Staudinger,1877)** (Ctenuchidae) Synonym(s): *caspia* Staudinger,1877; *#caspica* Romanoff,1884; *minuta* A.Bang-Haas,1910 nec Bsd.,1833; *martinierici* Bryk,1941; *banghaasi* Obratzov,1966; *minutissima* Obratzov,1966; *schachti* De Freina,1994 Original Reference: Syntomis caspia Staudinger,1877, Stettin ent. Ztg. 38: 176. Lectotype ♂: Astrachan, designated by Ignatyev & Zolotuhin,2005 (ZMHUB). Range (in code): Cc AM Eri AZ Len TR Arr TM Kp Mrw KG Tk Ssn DsA Tk Dj Ii UZ Fe T-S Aa Tk KK Ik MN CN Ui Um Au Gn Ts Kno RU Ao Ur Pja Da Der Sb IQ AF
- 33342. Amata celebese (Walker,1864)** (Ctenuchidae) Synonym(s): *celebese* Walker,1864; *gracilis* Röber,1885; *elvira* Pagenstecher,1896 Range (in code): ID Clb TH
- 33343. Amata cerbera (Linnaeus,1764)** (Ctenuchidae) Synonym(s): *cerbera* Linnaeus,1764; *fantasia* Butler,1876; *francisca* Butler,1876; *curtiplaga* Mabille,1890 Range (in code): ZA Nta Kzu Ec MZ Del SO

- 33344. *Amata ceres* (Oberthür,1878)** (Ctenuchidae) Synonym(s): *ceres* Oberthür,1878 _ Range (in code): TZ Zz
- 33345. *Amata chlorocera* (Hampson,1892)** (Ctenuchidae) Synonym(s): *chlorocera* Hampson,1892 _ Range (in code): IN Ass
- 33346. *Amata chlorometis* (Meyrick,1886)** (Ctenuchidae) Synonym(s): *chlorometis* Meyrick,1886 _ Range (in code): AU QAU NSW
- 33347. *Amata chloroscia* (Hampson,1901)** (Ctenuchidae) Synonym(s): *chloroscia* Hampson,1901 _ Range (in code): TZ KE
- 33348. *Amata cholmlei* (Hampson,1907)** (Ctenuchidae) Synonym(s): *cholmlei* Hampson,1907 _ Range (in code): KE
- 33349. *Amata choneutospila* (Turner,1905)** (Ctenuchidae) Synonym(s): *choneutospila* Turner,1905 _ Range (in code): AU QAU
- 33350. *Amata chroma* (Swinhoe,1892)** (Ctenuchidae) Synonym(s): *chroma* Swinhoe,1892; *clementsi* Hampson,1901; *attenuata* Hampson,1901; *amoenaria* Swinhoe,1892 _ Range (in code): AU
- 33351. *Amata chromatica* (Turner,1905)** (Ctenuchidae) Synonym(s): *chromatica* Turner,1905 _ Range (in code): AU QAU
- 33352. *Amata chrysozona* (Hampson,1898)** (Ctenuchidae) Synonym(s): *chrysozona* Hampson,1898 _ Range (in code): TZ SO
- 33353. *Amata cinctelisa* Holloway,1988** (Ctenuchidae) Synonym(s): *cinctelisa* Holloway,1988 _ Range (in code): MY Bor Swk Nat ID
- 33354. *Amata cingulata* (Weber,1801)** (Ctenuchidae) Synonym(s): *cingulata* Weber,1801; *atereus* Walker,1854 nec Cr.; *annetta* Butler,1876 _ Range (in code): CN
- 33355. *Amata cocandica* (Erschoff,1874)** (Ctenuchidae) Synonym(s): *cocandica* Erschoff,1874 _ Range (in code): UZ T-S KG KK
- 33356. *Amata cocandica transtalassensis* Obraztsov,1966** (Ctenuchidae) Synonym(s): *trantalassensis* Obraztsov,1966 _ Range (in code): KG
- 33357. *Amata collaris* (Fabricius,1793)** (Ctenuchidae) Synonym(s): *cyssea* Cramer,1782; *collaris* Fabricius,1793; *schoenerrhi* Boisduval,1829; *cuprea* Prittwitz,1867 nec Wlk.,1856; *georgina* Butler,1876; *cysseoides* Butler,1876 _ Range (in code): IN Ass LK PK Krc Sd Ch
- 33358. *Amata compta* (Walker,1869)** (Ctenuchidae) Synonym(s): *compta* Walker,1869 _ Range (in code): SI IN Ass TH
- 33359. *Amata congener* (Hampson,1901)** (Ctenuchidae) Synonym(s): *congener* Hampson,1901; *congenera* Zerny,1912 _ Range (in code): KE
- 33360. *Amata connectens* Rothschild,1910** (Ctenuchidae) Synonym(s): *connectens* Rothschild,1910 _ Range (in code): MM
- 33361. *Amata consequa* (Leech,1898)** (Ctenuchidae) Synonym(s): *consequa* Leech,1898 _ Range (in code): CN
- 33362. *Amata consimilis* (Hampson,1901)** (Ctenuchidae) Synonym(s): *consimilis* Hampson,1901 _ Range (in code): TZ KE
- 33363. *Amata creobota* (Holland,1893)** (Ctenuchidae) Synonym(s): *creobota* Holland,1893 _ Range (in code):
- 33364. *Amata croceizona* (Hampson,1910)** (Ctenuchidae) Synonym(s): *croceizona* Hampson,1910 _ Range (in code): ZW
- 33365. *Amata cuprizonata* (Hampson,1901)** (Ctenuchidae) Synonym(s): *cuprizonata* Hampson,1901 _ Original Reference: Syntomis cuprizonata Hampson,1901, Ann. Mag. nat. Hist. 8 (7): 168. Type: [Kenya]: British East Africa. Range (in code): KE ZA
- 33366. *Amata cyanura* (Meyrick,1886)** (Ctenuchidae) Synonym(s): *cyanura* Meyrick,1886 _ Range (in code):
- 33367. *Amata cymatilis* (Swinhoe,1892)** (Ctenuchidae) Synonym(s): *cymatilis* Swinhoe,1892; *laomedia* Druce,1895 _ Range (in code): PH
- 33368. *Amata cyssea* (Stoll,1782)** (Ctenuchidae) Synonym(s): *cyssea* Stoll,1782; *collaris* Fabricius,1783; *schoenerrhi* Boisduval,1829; *cysseoides* Butler,1876; *georgina* Butler,1876 _ Range (in code): IN Ass LK
- 33369. *Amata decorata* (Wlker,1862)** (Ctenuchidae) Synonym(s): *decorata* Wlker,1862; *florina* Butler,1876; *fata* Swinhoe,1892 _ Range (in code): MY Bor ID Ja
- 33370. *Amata deflocca* Swinhoe,1892** (Ctenuchidae) Synonym(s): *deflocca* Swinhoe,1892; *philippinensis* Hampson,1907 _ Range (in code): PH

- 33371. *Amata derivata* (Walker,1862)** (Ctenuchidae) Synonym(s): *derivata* Walker,1862
Range (in code): **MY Prk ID Sum Ja Bor**
- 33372. *Amata dichotoma* (Leech,1898)** (Ctenuchidae) Synonym(s): *dichotoma* Leech,1898;
concurrans Leech,1898 Range (in code): **CN**
- 33373. *Amata dilatata* (Snellen,1880)** (Ctenuchidae) Synonym(s): *dilatata* Snellen,1880
Range (in code): **ID Sum Nia Ja Nat MY Bor**
- 33374. *Amata dilatalis* (Hampson,1898)** (Ctenuchidae) Synonym(s): *dilatalis* Hampson,1898
Range (in code): **TZ**
- 33375. *Amata dinara* De Freina,2010** (Ctenuchidae) Synonym(s): *dinara* De Freina,2010
Range (in code): **IR By Bk Es**
- 33376. *Amata dinara esfahanica* De Freina,2010** (Ctenuchidae) Synonym(s): *esfahanica* De Freina,2010 Range (in code): **IR Es Bk**
- 33377. *Amata discata* (Druce,1898)** (Ctenuchidae) Synonym(s): *discata* Druce,1898 Original Reference: Syntomis *discata* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 147. Type ♀: [Tanzania]: "East Africa, Dar-es-Salaam (Mus. Druce)". Range (in code): **TZ Dss**
- 33378. *Amata dissimilis* (Bethune-Baker,1911)** (Ctenuchidae) Synonym(s): *dissimilis* Bethune-Baker,1911 Range (in code): **GO**
- 33379. *Amata divalis* (Schaus & Clements,1893)** (Ctenuchidae) Synonym(s): *divalis* Schaus & Clements,1893 Range (in code): **SL**
- 33380. *Amata divisa* (Walker,1854)** (Ctenuchidae) Synonym(s): *divisa* Walker,1854; *sylhetica* Strand,1917 Range (in code): **SI IN Ass BD Syl MY Prk MM Peg CN Kwa TH CMa**
- 33381. *Amata divisa disrupta* (Moore,1878)** (Ctenuchidae) Synonym(s): *disrupta* Moore,1878
Range (in code): **CN TH CMa MM Tns**
- 33382. *Amata divisa divisa* (Walker,1854)** (Ctenuchidae) Synonym(s): *divisa* Walker,1854;
sylhetica Strand,1917 Range (in code): **IN Ass BD Syl MY Prk CN Kwa MM Peg**
- 33383. *Amata divisa sikkima* (Strand,1917)** (Ctenuchidae) Synonym(s): *sikkima* Strand,1917
Range (in code): **SI**
- 33384. *Amata dyschlaena* (Turner,1905)** (Ctenuchidae) Synonym(s): *dyschlaena* Turner,1905
Range (in code): **AU QAU**
- 33385. *Amata ebertorum* Koçak & Kemal,2015** (Ctenuchidae) Synonym(s): *obraztsovi* Ebert,1969 nec Kiriak.,1954; *ebertorum* Koçak & Kemal,2015 Original Reference: *Amata ebertorum* Koçak & Kemal,2015, Priamus 13 (1). 73 (nom. nov. *obraztsovi* Ebert,1969 nec Kiriakoff,1954).
Range (in code): **AF Sfk**
- 33386. *Amata edwardsii* (Butler,1876)** (Ctenuchidae) Synonym(s): *edwardsii* Butler,1876; *emma* Butler,1876; *formosae* Butler,1876; *tetrazonata* Hampson,1898; *taiwana* Miyake,1907; *frontis* Strand,1915; *tainanensis* Strand,1915; *#kosemponicola* Strand,1915; *#taihokuensis* Sonan,1941 Original Reference: Syntomis *edwardsii* Butler,1876, J. linn. Soc. Lond., Zool. 12: 346. Type: [Taiwan]: Formosa (coll. Moore). Range (in code): **TW MM IN Ass CN**
- 33387. *Amata egenaria* (Walker,1862)** (Ctenuchidae) Synonym(s): *egenaria* Walker,1862
Range (in code): **MY Bor**
- 33388. *Amata elisa* (Butler,1876)** (Ctenuchidae) Synonym(s): *elisa* Butler,1876 Original Reference: Syntomis *elisa* Butler,1876, J. linn. Soc. Lond., Zool. 12: 347. Syntypes: Sarawak (Wallace leg.) (BMNH). Range (in code): **SG MY Bor Swk**
- 33389. *Amata elisoides* Holloway,1988** (Ctenuchidae) Synonym(s): *elisoides* Holloway,1988
Range (in code): **MY Bor Swk**
- 33390. *Amata elongata* (Hampson,1900)** (Ctenuchidae) Synonym(s): *elongata* Hampson,1900
Range (in code): **IN**
- 33391. *Amata elongimacula* (Hampson,1898)** (Ctenuchidae) Synonym(s): *elongimacula* Hampson,1898 Range (in code): **MY Bor**
- 33392. *Amata elwesi* Rothschild,1910** (Ctenuchidae) Synonym(s): *elwesi* Rothschild,1910
Original Reference: *Amata elwesi* Rothschild,1910, Novit. zool. 17 (3): 432. Type ♂: [Myanmar]: "Burmah" (coll. Adamson). Range (in code): **MM**
- 33393. *Amata emma* (Butler,1876)** (Ctenuchidae) Synonym(s): *emma* Butler,1876; *torquata* Leech,1889; *jankowskyi* Rothschild,1910; *tergomelas* M.Hering,1936 Range (in code): **MN CN Mc Fkn Kwa Hun Sz**
- 33394. *Amata endocrocis* (Hampson,1903)** (Ctenuchidae) Synonym(s): *endocrocis* Hampson,1903 Range (in code): **BW ZA ZR**

- 33395. *Amata era* (Swinhoe,1891)** (Ctenuchidae) Synonym(s): *era* Swinhoe,1891 _ Range (in code): IN Ass
- 33396. *Amata euryptera* (Hampson,1898)** (Ctenuchidae) Synonym(s): *euryptera* Hampson,1898
Range (in code): Prk MY Bor
- 33397. *Amata euryzona* (Leech,1898)** (Ctenuchidae) Synonym(s): *euryzona* Leech,1898
Range (in code): CN
- 33398. *Amata exapta* (Swinhoe,1892)** (Ctenuchidae) Synonym(s): *exapta* Swinhoe,1892; *everetti* Rothschild,1919 _ Range (in code): ID Ja Flo Lb Sbw
- 33399. *Amata expandens* (Walker,1862)** (Ctenuchidae) Synonym(s): *expandens* Walker,1862; *inaequalis* Snellen,1895; *ericssoni* Rothschild,1910 _ Range (in code): MY Prk Bor ID Sum Ja
- 33400. *Amata extensa* (Walker,1866)** (Ctenuchidae) Synonym(s): *extensa* Walker,1866
Range (in code): IN NI Bba
- 33401. *Amata fervida* (Walker,1854)** (Ctenuchidae) Synonym(s): *fervida* Walker,1854 _ Range (in code): MM KH
- 33402. *Amata flava* (Wileman,1910)** (Ctenuchidae) Synonym(s): *flava* Wileman,1910; *aurantiifrons* Rothschild,1911; *#aurantiifrons* Sonan,1941 _ Range (in code): TW
- 33403. *Amata flavibrooksi* Holloway,1988** (Ctenuchidae) Synonym(s): *flavibrooksi* Holloway,1988 _ Range (in code): MY Bor
- 33404. *Amata flavifrons* (Hampson,1892)** (Ctenuchidae) Synonym(s): *flavifrons* Hampson,1892
Range (in code): IN Ass MM
- 33405. *Amata flaviguttata* (Hampson,1900)** (Ctenuchidae) Synonym(s): *flaviguttata* Hampson,1900
Original Reference: *Syntomis flaviguttata* Hampson,1900, J. Bomb. nat. Hist. Soc. 13: 50, Pl.B fig.2. Type: [Pakistan]: N.W.Himalaya: Chitral. Range (in code): AF Nu PK Nwf Ci
- 33406. *Amata flavolavata* Rothschild,1910** (Ctenuchidae) Synonym(s): *flavolavata* Rothschild,1910 _ Range (in code): IN Ass
- 33407. *Amata formosensis* (Wileman,1928)** (Ctenuchidae) Synonym(s): *dichotoma* Matsumura,1911 nec Leec.,1898; *formosensis* Wileman,1928 _ Range (in code): TW
- 33408. *Amata fortunei* (Orza,1869)** (Ctenuchidae) Synonym(s): *fortunei* Orza,1869; *erebina* Butler,1876; *formosensis* Wileman,1928 nec Wlm.,1928; *matsumurai* Sonan,1941 _ Range (in code): JP KP KR CN TW
- 33409. *Amata fruhstorferi* Rothschild,1910** (Ctenuchidae) Synonym(s): *fruhstorferi* Rothschild,1910 _ Range (in code): VN Ton
- 33410. *Amata gelatina* (Hampson,1890)** (Ctenuchidae) Synonym(s): *gelatina* Hampson,1890
Range (in code): IN
- 33411. *Amata geon* (Druce,1885)** (Ctenuchidae) Synonym(s): *geon* Druce,1885 _ Range (in code): PH Mno
- 33412. *Amata germana* (C.Felder & R.Felder,1862)** (Ctenuchidae) Synonym(s): *germana* C.Felder & R.Felder,1862; *mandarina* Butler,1876; *#nigricauda* Miyake,1907 _ Range (in code): RU Am Us KP KR CN JP VN Ann
- 33413. *Amata goodii* (Holland,1893)** (Ctenuchidae) Synonym(s): *goodii* Holland,1893; *reutlingeri* Holland,1893 _ Range (in code): GA Ogo ZR KE
- 33414. *Amata graduata* (Hampson,1898)** (Ctenuchidae) Synonym(s): *graduata* Hampson,1898
Range (in code): CN
- 33415. *Amata grahami* Obratzsov,1966** (Ctenuchidae) Synonym(s): *grahami* Obratzsov,1966
Range (in code): CN Sz
- 33416. *Amata grotei* (Moore,1871)** (Ctenuchidae) Synonym(s): *grotei* Moore,1871; *aureola* Swinhoe,1902 _ Range (in code): CN Yu VN Ann MM TH
- 33417. *Amata hakkariana* (De Freina,1982)** (Ctenuchidae) Synonym(s): *hakkariana* De Freina,1982
Original Reference: *Syntomis hakkariana* De Freina,1982, NachrBl. bayer. Ent. 31 (3): 54-57, Abb. 7-11. Holotype ♂: Kleinasien: Prov. Hakkari: Zab-Tal, 30km SW Hakkari, 1200-1300m, 4-13.6.81 (De Freina leg. & coll.). Range (in code): TR
- 33418. *Amata harandii* De Freina & Naderi,2008** (Ctenuchidae) Synonym(s): *harandii* De Freina & Naderi,2008 _ Range (in code): IR Kz
- 33419. *Amata harandii* De Freina & Naderi,2008** (Ctenuchidae) Synonym(s): *harandii* De Freina & Naderi,2008 _ Range (in code): IR Kz
- 33420. *Amata hemiphoenica* (Hampson,1910)** (Ctenuchidae) Synonym(s): *hemiphoenica* Hampson,1910 _ Range (in code): ZR

- 33421. *Amata henrici* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *henrici* Rothschild,1910
Range (in code): **ID Tim Dm Lt**
- 33422. *Amata heptaspila* (Turner,1905)** (Ctenuchidae) **Synonym(s):** *heptaspila* Turner,1905
Range (in code): **AU QAU**
- 33423. *Amata higginsii* (Wiltshire,1958)** (Ctenuchidae) **Synonym(s):** *higginsii* Wiltshire,1958
Range (in code): **IQ Slh Er**
- 33424. *Amata hirayamae* Matsumura,1927** (Ctenuchidae) **Synonym(s):** *hirayamae* Matsumura,1927
Range (in code): **TW**
- 33425. *Amata huebneri* (Boisduval,[1828])** (Ctenuchidae) **Synonym(s):** *huebneri* Boisduval,[1828]; *marsdeni* Moore,1859; *xanthomela* Walker,1860; *cingulata* Wallengren,1860 *nec* Wb.,1801; *sangaris* Wallengren,1863; *contermina* Walker,1864; *pyrrhoderia* Meyrick,1886; *frustulenta* Swinhoe,1892; *sala* Swinhoe,1902
Range (in code): **LK IN Bba SG MY ID Sum Nia Ja Flo PH Luz AU QAU** **Bionomy:** Larva on rice (Holloway,1988).
- 33426. *Amata humeralis* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *humeralis* Butler,1876; *olinda* Swinhoe,1892
Range (in code): **AU QAU**
- 33427. *Amata hyalota* (Meyrick,1886)** (Ctenuchidae) **Synonym(s):** *hyalota* Meyrick,1886
Range (in code): **AU KY**
- 33428. *Amata hydatina* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *hydatina* Butler,1876
Original Reference: *Syntomis hydatina* Butler,1876, J. linn. Soc. Lond., Zool. 12: 346. Type: [India]: Calcutta (Dick leg.) (coll.F.Moore). **Range (in code):** **IN Clc SI**
- 33429. *Amata hyrcana* (A.Bang-Haas,1912)** (Ctenuchidae) **Synonym(s):** *hyrcana* A.Bang-Haas,1912
Original Reference: *Syntomis hyrcana* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 107, Taf.vi fig.2. Syntypes: Persien: "Sultanabad-Gebiet". **Range (in code):** **IR Lo Ma Es Bk Ha Zj Th Dam Elb**
- 33430. *Amata hyrcana sharestana* De Freina,2010** (Ctenuchidae) **Synonym(s):** *sharestana* De Freina,2010
Range (in code): **IR Lo**
- 33431. *Amata insueta* (Swinhoe,1892)** (Ctenuchidae) **Synonym(s):** *insueta* Swinhoe,1892
Range (in code): **IN**
- 33432. *Amata insularis* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *insularis* Butler,1876; *stelotis* Meyrick,1886; *microspila* Turner,1922
Range (in code): **NAu AU QAU**
- 33433. *Amata interniplaga* (Mabille,1890)** (Ctenuchidae) **Synonym(s):** *interniplaga* Mabille,1890
Range (in code): **NG GA ZR**
- 33434. *Amata interrupta* (Wileman,1910)** (Ctenuchidae) **Synonym(s):** *interrupta* Wileman,1910
Range (in code): **TW**
- 33435. *Amata issikii* (Sonan,1941)** (Ctenuchidae) **Synonym(s):** *issikii* Sonan,1941
Range (in code): **TW**
- 33436. *Amata jacksoni* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *jacksoni* Rothschild,1910
Original Reference: *Amata jacksoni* Rothschild,1910, Novit. zool. 17 (3): 432. Type ♀: Uganda (coll.Jackson). **Range (in code):** **UG**
- 33437. *Amata jankowskyi* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *jankowskyi* Rothschild,1910
Range (in code): **CN**
- 33438. *Amata johanna* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *johanna* Butler,1876; *anna* Butler,1876
Original Reference: *Syntomis johanna* Butler,1876, J. linn. Soc. Lond., Zool. 12: 348. Type: [South Africa]: "Knysna" (Trimen leg.) (BMNH). **Range (in code):** **ZA Wca Kny CM Ada**
- 33439. *Amata kalidupensis* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *kalidupensis* Rothschild,1910
Range (in code): **ID Clb**
- 33440. *Amata kamarana* De Freina,2010** (Ctenuchidae) **Synonym(s):** *kamarana* De Freina,2010
Range (in code): **IR Es Bk**
- 33441. *Amata kenredi* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *kenredi* Rothschild,1910
Range (in code): **ZR**
- 33442. *Amata khasiana* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *khasiana* Butler,1876
Original Reference: *Syntomis khasiana* Butler,1876, J. linn. Soc. Lond., Zool. 12: 345-346. Type: [India]: Khasia Hills (G.-Austen leg.) (coll.F.Moore). **Range (in code):** **IN Meg Ass Khs**
- 33443. *Amata kinensis* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *kinensis* Hampson,1898
Range (in code): **Bor Sbh KBa MY**
- 33444. *Amata kordestana* De Freina & Ten Hagen,2003** (Ctenuchidae) **Synonym(s):** *kordestana* De Freina & Ten Hagen,2003
Original Reference: *Amata wiltshirei* ssp. *kordestana* De Freina & Ten Hagen,2003, Linneana Belg. 19 (1): 52-57, figs. Holotype ♂: Iran: Kordestan: Stra.

- Saghez-Baneh, 21 NE Baneh, 1950m, vii.1976. Ebert & Falkner leg. (LNK). Range (in code): IR Kd Bne Snj
- 33445. *Amata kruegeri* (Ragusa,1904)** (Ctenuchidae) Synonym(s): #*kruegeri* Ragusa,1904; *kruegeri* Turati,1917 Original Reference: Syntomis phegea ab. *kruegeri* Ragusa,1904, Nat. Sic. 17: 20, Tab.1 fig.2. Type: Sicilia: Berg Busambra, Ficussa. [invalid name!] Range (in code): FR Co Si IT CH AT RO YU HV MK AL BG TR GR RU Da Cc MD UA
- 33446. *Amata kruegeri kruegeri* (Ragusa,1904)** (Ctenuchidae) Synonym(s): #*kruegeri* Ragusa,1904; *kruegeri* Turati,1917 Original Reference: Syntomis phegea ab. *kruegeri* Ragusa,1904, Nat. Sic. 17: 20, Tab.1 fig.2. Type: Sicilia: Berg Busambra, Ficussa. [invalid name!] Range (in code): FR Co Si IT CH AT YU
- 33447. *Amata kruegeri marjana* (Stauder,1913)** (Ctenuchidae) Synonym(s): *marjana* Stauder,1913; *macedonica* Daniel,1934; *bulgarica* Daniel,1934; *odessana* Obratzsov,1935; *sheljuzhkoii* Obratzsov,1966 Original Reference: Syntomis phegea ssp. *marjana* Stauder,1913, Z. wiss. Ins. Biol. 9: 238. Syntypes: [Croatia]: Marjan Isl., Spalato Dalmatien. Range (in code): RO YU HV MK AL BG TR GR RU Da Cc MD UA
- 33448. *Amata kuhlweini* (Lefèbvre,1831)** (Ctenuchidae) Synonym(s): *kuhlweini* Lefèbvre,1831; *natalii* Boisduval,1847 Range (in code): ZA Nta Kzu Dbn Tva Lpo Spb Ec TZ
- 33449. *Amata lagosensis* (Hampson,1907)** (Ctenuchidae) Synonym(s): *lagosensis* Hampson,1907 Range (in code): NG Lgo
- 33450. *Amata lampetis* (Turner,1898)** (Ctenuchidae) Synonym(s): *lampetis* Turner,1898 Range (in code): QAU AU
- 33451. *Amata lateralis* (Boisduval,1858)** (Ctenuchidae) Synonym(s): *marginalis* Walker,1854; *lateralis* Boisduval,1858 Range (in code): SN
- 33452. *Amata leechi* Rothschild,1910** (Ctenuchidae) Synonym(s): *acrospila* Leech,1898 *nec* Feld.,1874; *leechi* Rothschild,1910 Range (in code): CN
- 33453. *Amata leimacis* (Holland,1893)** (Ctenuchidae) Synonym(s): *leimacis* Holland,1893; *limacis* Zerny,1912 Range (in code):
- 33454. *Amata leucacma* (Meyrick,1886)** (Ctenuchidae) Synonym(s): *leucacma* Meyrick,1886 Range (in code): QAU AU
- 33455. *Amata leucerythra* (Holland,1893)** (Ctenuchidae) Synonym(s): *leucerythra* Holland,1893; *rubicunda* Mabilie,1892 Range (in code): GA Ogo CM
- 33456. *Amata libanotica* (A.Bang-Haas,1906)** (Ctenuchidae) Synonym(s): *libanotica* A.Bang-Haas,1906 Original Reference: Syntomis libanotica A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 142. Holotype ♂: Libanon: Dlibta (=Delepta) (ZMB). Range (in code): LB SY
- 33457. *Amata lucerna* (Wileman,1910)** (Ctenuchidae) Synonym(s): *lucerna* Wileman,1910; *sinana* Bytinski-Salz,1939 Range (in code): TW CN Sz
- 33458. *Amata lucina* (Butler,1876)** (Ctenuchidae) Synonym(s): *lucina* Butler,1876 Original Reference: Syntomis lucina Butler,1876, J. linn. Soc. Lond., Zool. 12: 345. Type: Nepal (Hardwicke leg.) (BMNH). Range (in code): NP BT IN SI
- 33459. *Amata lucta* (Lucas,1901)** (Ctenuchidae) Synonym(s): *lucta* Lucas,1901 Range (in code): QAU AU
- 33460. *Amata luteifascia* (Hampson,1892)** (Ctenuchidae) Synonym(s): *luteifascia* Hampson,1892 Range (in code): IN Ass
- 33461. *Amata macroflavifer* Holloway,1988** (Ctenuchidae) Synonym(s): *macroflavifer* Holloway,1988 Range (in code): MY Bor Swk
- 33462. *Amata macroplaca* (Meyrick,1886)** (Ctenuchidae) Synonym(s): *macroplaca* Meyrick,1886; #*macrophaca* Seitz,1913; Range (in code): AU
- 33463. *Amata madurensis* (Hampson,1901)** (Ctenuchidae) Synonym(s): *madurensis* Hampson,1901 Range (in code): IN
- 33464. *Amata magistri* (Turner,1905)** (Ctenuchidae) Synonym(s): *magistri* Turner,1905; *aperta* Meyrick,1886 Range (in code): AU NSw
- 33465. *Amata magretti* Berio,1937** (Ctenuchidae) Synonym(s): *magretti* Berio,1937 Range (in code): AET ER
- 33466. *Amata maracandina* (Erschoff,1874)** (Ctenuchidae) Synonym(s): *maracandina* Erschoff,1874 Range (in code): TM UZ TJ Pm AF
- 33467. *Amata maracandina pamira* Obratzsov,1966** (Ctenuchidae) Synonym(s): *pamira* Obratzsov,1966 Range (in code): TJ Pm AF

- 33468. Amata marella (Butler,1876)** (Ctenuchidae) Synonym(s): *marella* Butler,1876; *ecliptis* Meyrick,1886 _ Range (in code): QAU AU
- 33469. Amata marina (Butler,1876)** (Ctenuchidae) Synonym(s): *marina* Butler,1876; *negretina* Plötz,1880; *ogovensis* Holland,1893 _ Range (in code): SL UG ZW
- 33470. Amata masoni (Moore,1878)** (Ctenuchidae) Synonym(s): *masoni* Moore,1878; *davidi* Poujade,1885 _ Range (in code): CN MM Tns
- 33471. Amata megista (Hampson,1898)** (Ctenuchidae) Synonym(s): *megista* Hampson,1898 _ Range (in code): MY Bor
- 33472. Amata melaena (Walker,1854)** (Ctenuchidae) Synonym(s): *melaena* Walker,1854; *andersoni* Moore,1871 _ Range (in code): NP SI IN Ass MM CN Yu
- 33473. Amata melanocera (Hampson,1903)** (Ctenuchidae) Synonym(s): *melanocera* Hampson,1903 _ Range (in code): CN
- 33474. Amata melanoproctis (Hampson,1901)** (Ctenuchidae) Synonym(s): *melanoproctis* Hampson,1901 _ Range (in code): PH
- 33475. Amata melitopsila (Turner,1905)** (Ctenuchidae) Synonym(s): *melitopsila* Turner,1905 _ Range (in code): QAU AU
- 33476. Amata menia Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *menia* Bytinski-Salz,1939 _ Range (in code): CN Ti
- 33477. Amata mestralii (Bugnion,1837)** (Ctenuchidae) Synonym(s): *mestralii* Bugnion,1837; *kindermanni* Lederer,1858 _ Original Reference: Syntomis mestralii Bugnion,1837, Annls Soc. ent. Fr. 1837: 6: 439, Pl. 16 fig.1. Type: Syrien. Range (in code): LB Bei Ctr IL Pa Hf SY Zb
- 33478. Amata mestralii antilibanotica Obraztsov,1966** (Ctenuchidae) Synonym(s): *antilibanotica* Obraztsov,1966 _ Original Reference: Amata (Syntomis) mestralii ssp. antilibanotica Obraztsov,1966, Veröff. zool. Stsamml. Münch. 10: 350-351, figs. Holotype ♂: [Syria]: Antilibanon: Zebdani (ZSM). Range (in code): SY Zb
- 33479. Amata mestralii mestralii (Bugnion,1837)** (Ctenuchidae) Synonym(s): *mestralii* Bugnion,1837; *kindermanni* Lederer,1858 _ Original Reference: Syntomis mestralii Bugnion,1837, Annls Soc. ent. Fr. 1837: 6: 439, Pl. 16 fig.1. Type: Syrien. Range (in code): LB Bei Ctr IL Pa
- 33480. Amata mestralii palaestinae (Hampson,1898)** (Ctenuchidae) Synonym(s): *#palaestinae* Hampson,1898 _ Original Reference: Syntomis mestralii ab. palaestinae Hampson,1898, Cat. lepid Phalaenae Br. Mus. 1: 110. Type: Palestina (BMNH). Range (in code): IL Pa Hf
- 33481. Amata metaphaea (Hampson,1898)** (Ctenuchidae) Synonym(s): *metaphaea* Hampson,1898 _ Range (in code): PG
- 33482. Amata midas (Butler,1876)** (Ctenuchidae) Synonym(s): *fenestrata* Walker,1864 *nec* Dru.,1773; *midas* Butler,1876 _ Range (in code): KH
- 33483. Amata mindanaoensis Wileman,1916** (Ctenuchidae) Synonym(s): *mindanaoensis* Wileman,1916 _ Range (in code): PH Mno
- 33484. Amata minor (W.Warren,1888)** (Ctenuchidae) Synonym(s): *minor* W.Warren,1888 _ Original Reference: Syntomis minor W.Warren,1888, Proc. zool. Soc. Lond. 1888: 294. Syntypes: [Pakistan]: Kala Pani, Abbotabad. Range (in code): IN PK Pj Abb K-P
- 33485. Amata minutissima Obraztsov,1966** (Ctenuchidae) Synonym(s): *minutissima* Obraztsov,1966 _ Range (in code): TM
- 33486. Amata miozona (Hampson,1910)** (Ctenuchidae) Synonym(s): *miozona* Hampson,1910 _ Range (in code): ZW TZ ZA
- 33487. Amata mjobergi (Talbot,1926)** (Ctenuchidae) Synonym(s): *mjobergi* Talbot,1926 _ Range (in code): MY Bor Swk
- 33488. Amata mogadorensis Blachier,1908** (Ctenuchidae) Synonym(s): *mogadorensis* Blachier,1908 _ Range (in code): MA DZ Idl Ah Ajj
- 33489. Amata mogadorensis hoggarensis B.Alberti & D.Alberti,1978** (Ctenuchidae) Synonym(s): *hoggarensis* B.Alberti & D.Alberti,1978 _ Range (in code): DZ Idl Ah Ajj
- 33490. Amata mogadorensis mogadorensis Blachier,1908** (Ctenuchidae) Synonym(s): *mogadorensis* Blachier,1908 _ Range (in code): MA
- 33491. Amata monticola (Aurivillius,1909)** (Ctenuchidae) Synonym(s): *monticola* Aurivillius,1909 _ Range (in code): TZ
- 33492. Amata muirheadi (C.Felder & R.Felder,1862)** (Ctenuchidae) Synonym(s): *muirheadi* C.Felder & R.Felder,1862; *aucta* Leech,1898 _ Range (in code): CN

- 33493. *Amata naderii* De Freina, 2010** (Ctenuchidae) **Synonym(s):** *naderii* De Freina, 2010
Range (in code): **IR II**
- 33494. *Amata newara* (Moore, 1879)** (Ctenuchidae) **Synonym(s):** *newara* Moore, 1879 **Range (in code):** **SI IN BT**
- 33495. *Amata nigricilia* (Strand, 1912)** (Ctenuchidae) **Synonym(s):** *nigricilia* Strand, 1912
Range (in code): **TZ**
- 33496. *Amata nigrifrons* Wileman, 1914** (Ctenuchidae) **Synonym(s):** *nigrifrons* Wileman, 1914;
deflavata Gaede, 1926 **Range (in code):** **TW**
- 33497. *Amata nigrobasalis* Rothschild, 1910** (Ctenuchidae) **Synonym(s):** *nigrobasalis* Rothschild, 1910 **Range (in code):** **CI UG**
- 33498. *Amata ntebi* (Bethune-Baker, 1911)** (Ctenuchidae) **Synonym(s):** *ntebi* Bethune-Baker, 1911
Range (in code): **UG**
- 33499. *Amata obraztsovi* Kiriakoff, 1954** (Ctenuchidae) **Synonym(s):** *obraztsovi* Kiriakoff, 1954
Range (in code): **ZR AET**
- 33500. *Amata ochreipuncta* (Hampson, 1892)** (Ctenuchidae) **Synonym(s):** *ochreipuncta* Hampson, 1892 **Range (in code):** **IN**
- 33501. *Amata ochreopunctata* (Pagenstecher, 1900)** (Ctenuchidae) **Synonym(s):** *ochreopunctata* Pagenstecher, 1900 **Range (in code):** **PG**
- 33502. *Amata ochrospila* (Turner, 1922)** (Ctenuchidae) **Synonym(s):** *ochrospila* Turner, 1922
Range (in code): **AU**
- 33503. *Amata orphana* (Snellen, 1904)** (Ctenuchidae) **Synonym(s):** *orphana* Snellen, 1904
Range (in code): **ID Ja**
- 33504. *Amata orphnaea* (Turner, 1898)** (Ctenuchidae) **Synonym(s):** *orphnaea* Turner, 1898
Range (in code): **QAU AU NSW**
- 33505. *Amata owstoni* Rothschild, 1910** (Ctenuchidae) **Synonym(s):** *owstoni* Rothschild, 1910
Range (in code): **VN Ann CN Hn**
- 33506. *Amata pactolina* (Walker, 1864)** (Ctenuchidae) **Synonym(s):** *pactolina* Walker, 1864;
sphenophora Turner, 1898 **Range (in code):** **AU**
- 33507. *Amata palanana* (Semper, 1898)** (Ctenuchidae) **Synonym(s):** *palanana* Semper, 1898
Range (in code): **PH Luz**
- 33508. *Amata paradelpha* (Turner, 1905)** (Ctenuchidae) **Synonym(s):** *paradelpha* Turner, 1905
Range (in code): **QAU AU**
- 33509. *Amata paraula* (Meyrick, 1886)** (Ctenuchidae) **Synonym(s):** *paraula* Meyrick, 1886;
macroplaca Meyrick, 1886 **Range (in code):** **QAU AU NSW**
- 33510. *Amata pasca* (Leech, 1889)** (Ctenuchidae) **Synonym(s):** *pasca* Leech, 1889 **Range (in code):** **CN**
- 33511. *Amata passalis* (Fabricius, 1781)** (Ctenuchidae) **Synonym(s):** *cerbera* Sulzer, 1776 nec Linn.;
passalis Fabricius, 1781; *creusa* Cramer, 1782; *latreillei* Boisduval, 1829; *montana* Butler, 1876 **Original Reference:** *Zygaena passalis* Fabricius, 1781, Spec. Ins. 2: 159. **Range (in code):** **IN Bba Ass LK**
- 33512. *Amata pectoralis* (Walker, 1854)** (Ctenuchidae) **Synonym(s):** *pectoralis* Walker, 1854;
basirufa Swinhoe, 1892 **Range (in code):** **MM KH Tns Adm IN**
- 33513. *Amata pembertoni* Rothschild, 1910** (Ctenuchidae) **Synonym(s):** *pembertoni* Rothschild, 1910 **Range (in code):** **AO**
- 33514. *Amata pentazonata* (Hampson, 1898)** (Ctenuchidae) **Synonym(s):** *pentazonata* Hampson, 1898 **Range (in code):** **MM**
- 33515. *Amata perixanthia* (Hampson, 1898)** (Ctenuchidae) **Synonym(s):** *perixanthia* Hampson, 1898; *sinensis* Rothschild, 1910; *interrupta* Wileman, 1910; *perixanthoides* Strand, 1915 **Range (in code):** **TW CN**
- 33516. *Amata persica* (Kollar, [1849])** (Ctenuchidae) **Synonym(s):** *persica* Kollar, [1849]
Range (in code): **IR By Shr Fa Sse**
- 33517. *Amata persimilis* (Leech, 1898)** (Ctenuchidae) **Synonym(s):** *persimilis* Leech, 1898
Range (in code): **CN**
- 33518. *Amata pfeifferae* (Moore, 1859)** (Ctenuchidae) **Synonym(s):** *pfeifferae* Moore, 1859;
acuminata Snellen, 1880 **Range (in code):** **ID Sum Ja PH Pal**
- 33519. *Amata phaeobasis* (Hampson, 1907)** (Ctenuchidae) **Synonym(s):** *phaeobasis* Hampson, 1907 **Range (in code):** **UG**

- 33520. Amata phaeochyta (Turner,1907)** (Ctenuchidae) Synonym(s): *phaeochyta* Turner,1907
Range (in code): **QAu AU**
- 33521. Amata phaeozona (Zerny,1912)** (Ctenuchidae) Synonym(s): *phaeozona* Zerny,1912
Range (in code): **TZ**
- 33522. Amata phegea (Linnaeus,1758)** (Ctenuchidae) Synonym(s): *phegea* Linnaeus,1758; *quercus* Fabricius,1793
Original Reference: Sphinx phegea Linnaeus,1758, Syst. Nat. (Edn.10) 1: 494.
Type(s): Germania. Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LT RU MD UA BY Cc**
- 33523. Amata phepsalotis (Meyrick,1886)** (Ctenuchidae) Synonym(s): *phepsalotis* Meyrick,1886; *eschatias* Meyrick,1886
Range (in code): **QAu AU NSw**
- 33524. Amata philippinensis (Hampson,1907)** (Ctenuchidae) Synonym(s): *philippinensis* Hampson,1907
Range (in code): **PH Luz Mno Mdo**
- 33525. Amata phoenicia (Hampson,1898)** (Ctenuchidae) Synonym(s): *phoenicia* Hampson,1898
Range (in code): **ZA KE**
- 33526. Amata phoenicozona (Hampson,1897)** (Ctenuchidae) Synonym(s): *phoenicozona* Hampson,1897
Range (in code): **IN Adm**
- 33527. Amata pleurosticta (Hampson,1898)** (Ctenuchidae) Synonym(s): *pleurosticta* Hampson,1898
Range (in code): **MY Bor**
- 33528. Amata polidamon (Cramer,1779)** (Ctenuchidae) Synonym(s): *polidamon* Cramer,1779
Range (in code): **ZA**
- 33529. Amata polymita (Sparrmann,1769)** (Ctenuchidae) Synonym(s): *polymita* Sparrmann,1769; *fenestrata* Drury,1773; *thelebus* Fabricius,1787
Range (in code): **PH Mdo CN VN Ton**
- 33530. Amata pratti (Leech,1889)** (Ctenuchidae) Synonym(s): *pratti* Leech,1889
Range (in code): **CN**
- 33531. Amata prepuncta Holloway,1988** (Ctenuchidae) Synonym(s): *prepuncta* Holloway,1988
Range (in code): **MY Bor Sbh Swk BN**
- 33532. Amata prosomoea (Turner,1905)** (Ctenuchidae) Synonym(s): *prosomoea* Turner,1905; *#chrysocephala* Seitz,1913; *#aureicauda* Seitz,1913; *#dorsatrum* Seitz,1913
Range (in code): **QAu AU**
- 33533. Amata pryeri (Hampson,1898)** (Ctenuchidae) Synonym(s): *pryeri* Hampson,1898
Range (in code): **MY Bor Snk ID Ja**
- 33534. Amata pseudextensa Rothschild,1910** (Ctenuchidae) Synonym(s): *pseudextensa* Rothschild,1910
Range (in code): **MY Bor Sbh KBa**
- 33535. Amata punctata (Semper,1898)** (Ctenuchidae) Synonym(s): *punctata* Semper,1898
Range (in code): **PH Luz**
- 33536. Amata pyrocoma (Meyrick,1886)** (Ctenuchidae) Synonym(s): *cingulata* Butler,1876 nec Wb.,1801; *pyrocoma* Meyrick,1886; *synedra* Meyrick,1886; *hesperitis* Meyrick,1886; *mochlotis* Meyrick,1886; *aperta* Turner,1898 nec Wlk.
Range (in code): **PG AU QAu NSw**
- 33537. Amata quadrifascia (Hampson,1892)** (Ctenuchidae) Synonym(s): *quadrifascia* Hampson,1892
Range (in code): **MM**
- 33538. Amata quadripunctata Rothschild,1910** (Ctenuchidae) Synonym(s): *quadripunctata* Rothschild,1910
Range (in code): **ID Sum**
- 33539. Amata ragazzii (Turati,1917)** (Ctenuchidae) Synonym(s): *ragazzii* Turati,1917
Range (in code): **IT**
- 33540. Amata rantaisana (Sonan,1941)** (Ctenuchidae) Synonym(s): *rantaisana* Sonan,1941
Range (in code): **TW**
- 33541. Amata recedens (Lucas,1891)** (Ctenuchidae) Synonym(s): *recedens* Lucas,1891
Range (in code): **QAu AU**
- 33542. Amata rendalli (Distant,1897)** (Ctenuchidae) Synonym(s): *rendalli* Distant,1897
Range (in code): **ZA Tva Mpu Brb**
- 33543. Amata ribbei (Röber,1885)** (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
Range (in code): **PH ID Clb**
- 33544. Amata ribbei ribbei (Röber,1885)** (Ctenuchidae) Synonym(s): *ribbei* Röber,1885; *polusca* Druce,1895
Range (in code): **ID Clb PH**
- 33545. Amata rossica (Turati,1917)** (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (praeocc.); *rossica* Turati,1917; *tanaica* Obraztsov,1941
Original Reference: Syntomis rossica Turati,1917, Atti Soc. ital. Sci. Nat. 56: 219, 228, t.4 fig. 4. Type ♂: Russia: Saratow (coll. Turati). Range (in code): **TR RU Sr Pe Tt Or Ur Ro Da Tua Soc St Pja Kis Vlk Kb Teh Nal Cc GG Sva Tbl Lag Aj Btm Im Kta Bjo Smt Akh Aba AM Alg Eri Svn AZ Kir UA Cm KG Uk IR Ak Kly**

- 33546. *Amata rossica anatolica* (Zerny,[1931])** (Ctenuchidae) Synonym(s): *anatolica* Zerny,[1931]; *bithynica* Schwingenschuss,1940 Original Reference: Syntomis *anatolica* Zerny,[1931], Dt. ent. Z., Iris 45: 3, pl.1 figs.6-9. Lectotype ♂: [Türkei: Kayseri Prov.]: Erdschias-Dagh (NHMW). Range (in code): **TR Cc AM Alg AZ**
- 33547. *Amata rossica borzhomica* Obratsov,1966** (Ctenuchidae) Synonym(s): *#borzhomica* Obratsov,1966 Range (in code): **GG Bjo Smt Akh Aba Cc TR**
- 33548. *Amata rossica jaica* Obratsov,1941** (Ctenuchidae) Synonym(s): *jaica* Obratsov,1941 Range (in code): **KG Uk**
- 33549. *Amata rossica krymaea* Obratsov,1937** (Ctenuchidae) Synonym(s): *krymaea* Obratsov,1937 Range (in code): **UA Cm**
- 33550. *Amata rossica montana* Obratsov,1937** (Ctenuchidae) Synonym(s): *montana* Obratsov,1937 Range (in code): **RU Teb Nal Cc GG Sva Tbl Lag**
- 33551. *Amata rossica osthelderi* Obratsov,1966** (Ctenuchidae) Synonym(s): *osthelderi* Obratsov,1966 Range (in code): **TR**
- 33552. *Amata rossica rossica* (Turati,1917)** (Ctenuchidae) Synonym(s): *#nigricornis* Alpheraky,1883; *nigricornis* Kirby,1892 (*praeocc.*); *rossica* Turati,1917; *tanaica* Obratsov,1941 Original Reference: Syntomis *rossica* Turati,1917, Atti Soc. ital. Sci. Nat. 56: 219, 228, t.4 fig. 4. Type ♂: Russia: Saratow (coll. Turati). Range (in code): **RU Sr Pe Tt Or Ur Ro Kr Tua Soc St Pja Kis Vlk Da Cc GG Aj Btm Im Kta AM Eri Svn AZ Kir TR**
- 33553. *Amata rubritincta* (Hampson,1903)** (Ctenuchidae) Synonym(s): *rubritincta* Hampson,1903 Range (in code): **KE**
- 33554. *Amata rubrozonata* (Poujade,1886)** (Ctenuchidae) Synonym(s): *rubrozonata* Poujade,1886; *leucoma* Leech,1898 Range (in code): **CN**
- 33555. *Amata rufina* (Oberthür,1878)** (Ctenuchidae) Synonym(s): *rufina* Oberthür,1878 Range (in code): **ET**
- 33556. *Amata serrata* (Hampson,[1893])** (Ctenuchidae) Synonym(s): *serrata* Hampson,[1893] Range (in code): **IN Ass Khs**
- 33557. *Amata shirakii* (Sonan,1941)** (Ctenuchidae) Synonym(s): *diptera* Wileman,1928 *nec* Fabr.,1775; *shirakii* Sonan,1941 Range (in code): **TW**
- 33558. *Amata shoa* (Hampson,1898)** (Ctenuchidae) Synonym(s): *shoa* Hampson,1898 Range (in code): **ET SD**
- 33559. *Amata sibulana* (Semper,1898)** (Ctenuchidae) Synonym(s): *sibulana* Semper,1898 Range (in code): **PH Mno**
- 33560. *Amata signata* (Walker,1856)** (Ctenuchidae) Synonym(s): *signata* Walker,1856 Range (in code): **ID Ja**
- 33561. *Amata simillima* Rothschild,1910** (Ctenuchidae) Synonym(s): *simillima* Rothschild,1910 Range (in code): **ID Ob**
- 33562. *Amata simplex* (Walker,1854)** (Ctenuchidae) Synonym(s): *simplex* Walker,1854; *nostalis* Walker,1854; *corvus* Wallengren,1860; *monedula* Wallengren,1860 Range (in code): **ZA Nta Kzu**
- 33563. *Amata sinana* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *sinana* Bytinski-Salz,1939 Range (in code): **CN Sz**
- 33564. *Amata sintenisi* (Standfuss,1892)** (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892; *aurivala* Schawerda,1923 Original Reference: Syntomis *sintenisi* Standfuss,1892, [in] Romanoff, Mém. lépid. 6: 664-665, Pl.xv fig.3. Syntypes: [Türkei]: Mardin (P.Sintenisi). Range (in code): **IQ Mos TR**
- 33565. *Amata sintenisi aurivala* Schawerda,1923** (Ctenuchidae) Synonym(s): *aurivala* Schawerda,1923 Range (in code): **IQ Mos**
- 33566. *Amata sintenisi sintenisi* (Standfuss,1892)** (Ctenuchidae) Synonym(s): *sintenisi* Standfuss,1892; *aurivala* Schawerda,1923 Original Reference: Syntomis *sintenisi* Standfuss,1892, [in] Romanoff, Mém. lépid. 6: 664-665, Pl.xv fig.3. Syntypes: [Türkei]: Mardin (P.Sintenisi). Range (in code): **TR IQ Mos**
- 33567. *Amata sladeni* (Moore,1871)** (Ctenuchidae) Synonym(s): *sladeni* Moore,1871 Range (in code): **MM CN Yu TH CMa**
- 33568. *Amata snelleni* Rothschild,1910** (Ctenuchidae) Synonym(s): *snelleni* Rothschild,1910 Original Reference: *Amata snelleni* Rothschild,1910, Novit. zool. 17 (3): 432. Type ♀: [Indonesia]: "East Java". Range (in code): **ID Ja**

- 33569. *Amata sovinskiji* Obratzsov,1966** (Ctenuchidae) **Synonym(s):** *sovinskiji* Obratzsov,1966
Range (in code): **UZ CN Ui Ii KK Ax TeA KG T-S Ik Osh Fe Smk Nmg Ts Kno TJ**
- 33570. *Amata sperbius* (Fabricius,1787)** (Ctenuchidae) **Synonym(s):** *sperbius* Fabricius,1787;
atkinsoni Moore,1871; *#sprebius* Koçak & Kemal,2009 **Original Reference:** *Zygaena sperbius*
Fabricius,1787, Mant. Ins. 2: 103. **Range (in code):** **SI IN Mh Nsk BT Ass CN Kwa Hn Yu Sz Ti MM**
VN Ton TH CMa Cuo7 Pap Prk Cph Nan Sgk Hya PSu MY
- 33571. *Amata sperbius gressitti* Bytinski-Salz,1939** (Ctenuchidae) **Synonym(s):** *gressitti*
Bytinski-Salz,1939 **Original Reference:** *Amata sperbius* ssp. *gressitti* Bytinski-Salz,1939,
Entomologist's Rec. J. Var. 51: 152, pl.10 figs. 5,6. Cotypes: [China]: Hainan, Nodoo, 30.v.1935
leg. L. Gressitt. **Range (in code):** **CN Hn TH Nan**
- 33572. *Amata sperbius septentrionalis* Bytinski-Salz,1939** (Ctenuchidae) **Synonym(s):**
septentrionalis Bytinski-Salz,1939 **Range (in code):** **CN Sz**
- 33573. *Amata stellaris* (Snellen,1895)** (Ctenuchidae) **Synonym(s):** *stellaris* Snellen,1895
Range (in code): **TH MY Prk ID Sum Ja Bor**
- 33574. *Amata stenoptera* (Zerny,1912)** (Ctenuchidae) **Synonym(s):** *attenuata* Rothschild,1910 *nec*
Hmps.,1901; stenoptera Zerny,1912 **Range (in code):** **KE**
- 33575. *Amata stenozone* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *stenozone* Hampson,1898
Range (in code): **QAU AU ID Tim**
- 33576. *Amata stictoptera* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *stictoptera* Rothschild,1910
Range (in code): **CI**
- 33577. *Amata submarginalis* (Walker,1869)** (Ctenuchidae) **Synonym(s):** *submarginalis*
Walker,1869 **Range (in code):** **SI BT IN Ass MM**
- 33578. *Amata sulana* (Lathy,1899)** (Ctenuchidae) **Synonym(s):** *sulana* Lathy,1899 **Range (in**
code): **ID Sla**
- 33579. *Amata susa* Bytinski-Salz,1939** (Ctenuchidae) **Synonym(s):** *susa* Bytinski-Salz,1939
Range (in code): **KG**
- 33580. *Amata symphona* (Swinhoe,1907)** (Ctenuchidae) **Synonym(s):** *symphona* Swinhoe,1907
Range (in code): **MY Bor Sbh**
- 33581. *Amata t-nigra* (Matsumura,1931)** (Ctenuchidae) **Synonym(s):** *t-nigra* Matsumura,1931
Range (in code): **TW**
- 33582. *Amata tanina* (De Freina,1982)** (Ctenuchidae) **Synonym(s):** *tanina* De Freina,1982.
Original Reference: *Syntomis tanina* De Freina,1982, NachrBl. bayer. Ent. 31 (3): 48-52, Abb. 1-
5. Holotype ♂: Kleinasien: Prov. Hakkari [Şırnak Prov.]: Tanin Tanin Pass, 2200m, 10.7.1981 (De
Freina ex caterpillar & coll.). **Range (in code):** **TR**
- 33583. *Amata taurica* (Turati,1917)** (Ctenuchidae) **Synonym(s):** *#taurica* Hampson,1898; *taurica*
Turati,1917. **Original Reference:** *Syntomis taurica* Turati,1917, Atti Soc. ital. Sci. Nat. 56: 221,
231, t.4 fig. 12. Type(s): [Turkey]: Taurus. **Range (in code):** **TR SY**
- 33584. *Amata teinopera* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *teinopera* Hampson,1898
Range (in code): **MY Bor Sbh KBa**
- 33585. *Amata tenuis* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *tenuis* Walker,1856; *linearis*
Walker,1864; deflocca Swinhoe,1892 **Range (in code):** **ID Ja Clb PH Pal**
- 33586. *Amata tetragonaria* (Walker,1862)** (Ctenuchidae) **Synonym(s):** *tetragonaria* Walker,1862
Range (in code): **MY Bor ID Nat**
- 33587. *Amata thoracica* (Moore,1877)** (Ctenuchidae) **Synonym(s):** *thoracica* Moore,1877
Range (in code): **LK**
- 33588. *Amata ticaonis* (Hampson,1907)** (Ctenuchidae) **Synonym(s):** *ticaonis* Hampson,1907
Range (in code): **PH**
- 33589. *Amata tinopera* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *tinopera* Hampson,1898
Range (in code): **MY Bor**
- 33590. *Amata tomasina* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *tomasina* Butler,1876;
thomasina Zerny,1912 **Range (in code):** **SL ZR TZ**
- 33591. *Amata transcaspica* Obratzsov,1941** (Ctenuchidae) **Synonym(s):** *transcaspica*
Obratzsov,1941 **Original Reference:** *Amata* (*Syntomis*) *transcaspica* Obratzsov,1941, Univ. Kijev.
Acta Mus. Zool. 1 (1939): 138 et seq. Type ♂: [Turkmenistan]: Krasnowodsk (coll. Sheljuzhko).
Range (in code): **TR TM Krn I-B Cc AZ**
- 33592. *Amata transcaspica jasoni* Ignatyev & Zolotuhin,2005** (Ctenuchidae) **Synonym(s):**
jasoni Ignatyev & Zolotuhin,2005 **Original Reference:** *Amata transcaspica* ssp. *jasoni* Ignatyev &

- Zolotuhin, 2005, Eversmannia 2005 (3/4): 39-41, figs. Holotype ♂: [Turkey]: "Kleinasien: Prov. Malatya, vic. Daganşehir" [Doğanşehir], 1400m 28.v.1978 leg. de Freina (MWM); Paratypes: 64♂♂ 35♀♀ (same data). Range (in code): TR
- 33593. Amata transcaspica transcaspica Obraztsov, 1941** (Ctenuchidae) Synonym(s): *transcaspica* Obraztsov, 1941 Original Reference: Amata (Syntomis) transcaspica Obraztsov, 1941, Univ. Kijev. Acta Mus. Zool. 1 (1939): 138 et seq. Type ♂: [Turkmenistan]: Krasnowodsk (coll. Sheljuzhko). Range (in code): TM Krn I-B Cc AZ
- 33594. Amata tricingulata (Culot, 1909)** (Ctenuchidae) Synonym(s): *tricingulata* Culot, 1909 Range (in code): SY
- 33595. Amata trifascia (Holloway, 1976)** (Ctenuchidae) Synonym(s): *trifascia* Holloway, 1976 Range (in code): MY Bor KBa Sbh
- 33596. Amata trifenestra (Röber, 1891)** (Ctenuchidae) Synonym(s): *trifenestra* Röber, 1891 Range (in code): ID Lt
- 33597. Amata trigonophora (Turner, 1898)** (Ctenuchidae) Synonym(s): *trigonophora* Turner, 1898 Range (in code): QAU AU NSw
- 33598. Amata tripunctata (Bethune-Baker, 1911)** (Ctenuchidae) Synonym(s): *tripunctata* Bethune-Baker, 1911 Range (in code): AO
- 33599. Amata tritonia (Hampson, 1911)** (Ctenuchidae) Synonym(s): *tritonia* Hampson, 1911 Original Reference: Syntomis tritonia Hampson, 1911, Ann. Mag. nat. Hist. (8) 8: 394. Type ♀: Nigeria: "Ilesha (Humprey)". Range (in code): NG
- 33600. Amata turbida (Turati, 1917)** (Ctenuchidae) Synonym(s): *turbida* Turati, 1917 Original Reference: Syntomis turbida Turati, 1917, Atti Soc. ital. Nat. 56: 222, 232, Pl. 4 fig. 15. Type ♂: Libanon (coll. Turati). Range (in code): LB Bei
- 33601. Amata unifascia (Hampson, 1892)** (Ctenuchidae) Synonym(s): *unifascia* Hampson, 1892 Range (in code): SI
- 33602. Amata vandepolli Rothschild, 1910** (Ctenuchidae) Synonym(s): *vandepolli* Rothschild, 1910 Range (in code): ID Sum
- 33603. Amata velatipennis (Walker, [1865])** (Ctenuchidae) Synonym(s): *velatipennis* Walker, [1865] Range (in code): ET SO
- 33604. Amata verecunda (Swinhoe, 1902)** (Ctenuchidae) Synonym(s): *verecunda* Swinhoe, 1902 Range (in code): IN Ass
- 33605. Amata veronica (Oberthür, 1893)** (Ctenuchidae) Synonym(s): *veronica* Oberthür, 1893 Range (in code): MG
- 33606. Amata vicarians Holloway, 1988** (Ctenuchidae) Synonym(s): *vicarians* Holloway, 1988 Range (in code): MY Bor Swk BN
- 33607. Amata vicarians api Holloway, 1988** (Ctenuchidae) Synonym(s): *api* Holloway, 1988 Range (in code): MY Bor Swk a
- 33608. Amata vicarians pagon Holloway, 1988** (Ctenuchidae) Synonym(s): *pagon* Holloway, 1988 Range (in code): MY Bor BN
- 33609. Amata vitrea (Walker, 1856)** (Ctenuchidae) Synonym(s): *vitrea* Walker, 1856; *austeni* Moore, 1879; *polyzonata* Hampson, 1895 Range (in code): IN Ass MM
- 33610. Amata waldowi (Grünberg, 1907)** (Ctenuchidae) Synonym(s): *waldowi* Grünberg, 1907 Range (in code): CM Ada
- 33611. Amata wallacei (Moore, 1879)** (Ctenuchidae) Synonym(s): *wallacei* Moore, 1879 Range (in code): MY Bor Swk TH ID Ja Sum
- 33612. Amata wallacei paucicincta Holloway, 1988** (Ctenuchidae) Synonym(s): *paucicincta* Holloway, 1988 Range (in code): MY Bor Swk
- 33613. Amata wilemani Rothschild, 1911** (Ctenuchidae) Synonym(s): *wilemani* Rothschild, 1911; *ponkikonis* Strand, 1915; *karapinensis* Strand, 1915 Range (in code): TW
- 33614. Amata williamsi Rothschild, 1910** (Ctenuchidae) Synonym(s): *williamsi* Rothschild, 1910 Range (in code): KE
- 33615. Amata wiltshirei Bytinski-Salz, 1939** (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz, 1939 Original Reference: Amata wiltshirei Bytinski-Salz, 1939, Entomologist's Rec. J. Var. 51: 150, t. 10 figs. 3-4. Lectotype ♂: Iraq: Rayat, designated by Obraztsov, 1966 (coll. Daniel). Range (in code): IQ Ry TR IR Ab Oru Ak Zj TS

- 33616. *Amata wiltshirei wiltshirei* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *wiltshirei* Bytinski-Salz,1939 Original Reference: *Amata wiltshirei* Bytinski-Salz,1939, Entomologist's Rec. J. Var. 51: 150, t.10 figs.3-4. Lectotype ♂: Iraq: Rayat, designated by Obraztsov,1966 (coll. Daniel). Range (in code): IQ Ry TR IR Ab Oru Ak Zj TS
- 33617. *Amata wimberleyi* (Swinhoe,1889)** (Ctenuchidae) Synonym(s): *wimberleyi* Swinhoe,1889 Range (in code): IN Adm
- 33618. *Amata wuka* (Pagenstecher,1886)** (Ctenuchidae) Synonym(s): *wuka* Pagenstecher,1886; *tiandae* Hampson,1898 Range (in code): ID Kai Tro PG
- 33619. *Amata xanthoma* (Leech,1898)** (Ctenuchidae) Synonym(s): *xanthoma* Leech,1898 Range (in code): CN Yu Ats
- 33620. *Amata xanthosoma* (Turner,1898)** (Ctenuchidae) Synonym(s): *xanthosoma* Turner,1898; *cremnotherma* Lower,1900; *tunneyi* Rothschild,1910 Range (in code): AU PG Tro
- 33621. *Amata xanthura* (Turner,1905)** (Ctenuchidae) Synonym(s): *xanthura* Turner,1905 Range (in code): VAu AU
- 33622. *Amata yunnanensis* Rothschild,1911** (Ctenuchidae) Synonym(s): *yunnanensis* Rothschild,1911 Range (in code): CN Yu
- 33623. *Andrenimorpha lucens* (Dognin,1902)** (Ctenuchidae) Synonym(s): *lucens* Dognin,1902 Range (in code): PE Mdi Tbp
- 33624. *Andrenimorpha sephela* (Druce,1883)** (Ctenuchidae) Synonym(s): *sephela* Druce,1883 Range (in code): PE Mdi Tbp
- 33625. *Andrenimorpha villia* (Druce,1906)** (Ctenuchidae) Synonym(s): *villia* Druce,1906 Range (in code): PE Mdi Tbp
- 33626. *Antichloris eriphia* (Fabricius,1777)** (Ctenuchidae) Synonym(s): *eriphia* Fabricius,1777 Range (in code): PE Mdi Tbp
- 33627. *Apisa arabica* Warnecke,1934** (Ctenuchidae) Synonym(s): *arabica* Warnecke,1934; *lippensi* Kiriakoff,1960 Original Reference: *Apisa arabica* Warnecke,1934, Mitt. münch. ent. Ges. 25: 63. Range (in code): SA Bhh Sna OM YE
- 33628. *Apisa canescens* Walker,1855** (Ctenuchidae) Synonym(s): *canescens* Walker,1855; *pallota* Plötz,1880; *cana* Holland,1893; *cinereocostata* Holland,1893; *subcanescens* Rothschild,1910; *#homoerotica* Strand,1917; *#perversa* Strand,1917 Range (in code): SO TZ KE CG SL ZA Tva Nta Kzu
- 33629. *Apisa canescens microcanescens* Berio,1935** (Ctenuchidae) Synonym(s): *microcanescens* Berio,1935 Range (in code): SO
- 33630. *Apisa chrysopyga* (Plötz,1880)** (Ctenuchidae) Synonym(s): *chrysopyga* Plötz,1880 Range (in code): CM
- 33631. *Apisa cleta* (Plötz,1880)** (Ctenuchidae) Synonym(s): *cleta* Plötz,1880 Range (in code): CM
- 33632. *Apisa connexa* (Walker,1854)** (Ctenuchidae) Synonym(s): *connexa* Walker,1854 Range (in code): GO Bio
- 33633. *Apisa crenophylax* (Holland,1893)** (Ctenuchidae) Synonym(s): *crenophylax* Holland,1893 Range (in code):
- 33634. *Apisa grisescens* Dufrane,1945** (Ctenuchidae) Synonym(s): *grisescens* Dufrane,1945 Range (in code): ZR Kvu MW
- 33635. *Apisa grisescens grisescens* Dufrane,1945** (Ctenuchidae) Synonym(s): *grisescens* Dufrane,1945 Range (in code): ZR Kvu
- 33636. *Apisa grisescens nyasae* Kiriakoff,1957** (Ctenuchidae) Synonym(s): *nyasae* Kiriakoff,1957 Range (in code): MW
- 33637. *Apisa kerri* (Holland,1898)** (Ctenuchidae) Synonym(s): *kerri* Holland,1898 Range (in code): CM
- 33638. *Apisa leucogastra* (Holland,1893)** (Ctenuchidae) Synonym(s): *leucogastra* Holland,1893 Range (in code):
- 33639. *Apisa melaleuca* (Holland,1898)** (Ctenuchidae) Synonym(s): *melaleuca* Holland,1898 Range (in code): CM
- 33640. *Apisa metarctioides* Hampson,1907** (Ctenuchidae) Synonym(s): *metarctioides* Hampson,1907 Range (in code): UG
- 33641. *Apisa monotica* (Holland,1893)** (Ctenuchidae) Synonym(s): *monotica* Holland,1893 Range (in code): CM
- 33642. *Apisa parachoria* (Holland,1893)** (Ctenuchidae) Synonym(s): *parachoria* Holland,1893 Range (in code): ZR CM

- 33643. *Apisa perpusilla* (Walker,1856)** (Ctenuchidae) Synonym(s): *perpusilla* Walker,1856
Range (in code): **SL**
- 33644. *Apisa quadrimaculata* Zerny,1912** (Ctenuchidae) Synonym(s): *quadrimaculata* Zerny,1912
Range (in code): **ZR**
- 33645. *Apisa rendalli* Rothschild,1910** (Ctenuchidae) Synonym(s): *rendalli* Rothschild,1910
Range (in code): **MW**
- 33646. *Apisa sjoestedti* Aurivillius,1904** (Ctenuchidae) Synonym(s): *sjoestedti* Aurivillius,1904
Range (in code): **CM**
- 33647. *Apisa tristigma* (Mabille,1893)** (Ctenuchidae) Synonym(s): *tristigma* Mabille,1893
Range (in code): **SL**
- 33648. *Argyroeides ceres* (Druce,1893)** (Ctenuchidae) Synonym(s): *ceres* Druce,1893 _ Range (in code): **VE GY PE Mdi Tbp**
- 33649. *Argyroeides flavicincta* (Druce,1893)** (Ctenuchidae) Synonym(s): *flavicincta* Druce,1893
Range (in code): **VE PE Mdi Tbp**
- 33650. *Argyroeides ophion* (Walker,1854)** (Ctenuchidae) Synonym(s): *ophion* Walker,1854
Range (in code): **BR VE HN PE Mdi Tbp**
- 33651. *Athyphopsis tambopata* Grados,1999** (Ctenuchidae) Synonym(s): *tambopata* Grados,1999 _ Range (in code): **PE Mdi Tbp**
- 33652. *Auriculoceryx basalis* (Walker,1864)** (Ctenuchidae) Synonym(s): *basalis* Walker,1864; *vandepolli* Rothschild,1910; *klossi* Rothschild,1910 _ Range (in code): **MY TH ID Sum**
- 33653. *Auriculoceryx kannegieteri* (Rothschild,1910)** (Ctenuchidae) Synonym(s): *kannegieteri* Rothschild,1910 _ Range (in code): **ID Nia**
- 33654. *Auriculoceryx pterodactyliformis* (Holloway,1976)** (Ctenuchidae) Synonym(s): *pterodactyliformis* Holloway,1976 _ Range (in code): **MY Bor Sbh KBa**
- 33655. *Auriculoceryx transitiva* (Walker,1862)** (Ctenuchidae) Synonym(s): *transitiva* Walker,1862; *intermissa* Walker,1862 _ Range (in code): **MY Bor Swk ID Sum**
- 33656. *Autochloris completa* (Walker,1854)** (Ctenuchidae) Synonym(s): *completa* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33657. *Autochloris ethela* Schaus,1924** (Ctenuchidae) Synonym(s): *ethela* Schaus,1924
Range (in code): **PE Mdi Tbp**
- 33658. *Cacosoma gnathulum* (Boisduval,1847)** (Ctenuchidae) Synonym(s): *gnathulum* Boisduval,1847 _ Range (in code): **ZA**
- 33659. *Cacostatia germana* (Rothschild,1912)** (Ctenuchidae) Synonym(s): *germana* Rothschild,1912 _ Range (in code): **PE Mdi Tbp**
- 33660. *Caeneressa alikangiensis* (Strand,1915)** (Ctenuchidae) Synonym(s): *alikangiensis* Strand,1915; *takamukuana* Matsumura,1927 _ Range (in code): **TW**
- 33661. *Caeneressa annosa* (Walker,1859)** (Ctenuchidae) Synonym(s): *annosa* Walker,1859; *marcescens* R.Felder & Rogenhofer,1874; *lasara* Pagenstecher,1885 _ Range (in code): **MM Tns MY SG ID Sum Nia Ja Nat**
- 33662. *Caeneressa brithyris* (Druce,1898)** (Ctenuchidae) Synonym(s): *brithyris* Druce,1898
Original Reference: Syntomis brithyris Druce,1898, Ann. Mag. nat. Hist. (7) 1: 146-147. Type ♀: "North East Borneo (Pryer, Mus. Druce)". Range (in code): **MY Bor ID Sum**
- 33663. *Caeneressa diaphana* (Kollar,[1844])** (Ctenuchidae) Synonym(s): *diaphana* Kollar,[1844]; *vitrea* Herrich-Schäffer,1855; *oenone* Butler,1876; *baiaea* Swinhoe,1891; *horishana* Matsumura,1911; *hoppo* Matsumura,1911 _ Range (in code): **IN Ass Ch MM ID Ja TW MY Bor Sbh KBa CN Yu NP**
- 33664. *Caeneressa everetti* (Rothschild,1910)** (Ctenuchidae) Synonym(s): *everetti* Rothschild,1910 _ Range (in code): **MY Bor ID Nat**
- 33665. *Caeneressa leucozona* (Hampson,1911)** (Ctenuchidae) Synonym(s): *leucozona* Hampson,1911 _ Range (in code): **MY Bor**
- 33666. *Caeneressa longipennis* (Walker,1862)** (Ctenuchidae) Synonym(s): *longipennis* Walker,1862; *leucozonoides* Rothschild,1912 _ Range (in code): **MY Bor Swk**
- 33667. *Caeneressa lutosa* (Holloway,1976)** (Ctenuchidae) Synonym(s): *lutosa* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 33668. *Caeneressa sexpuncta* (Rothschild,1912)** (Ctenuchidae) Synonym(s): *sexpuncta* Rothschild,1912 _ Range (in code): **MY Bor**

- 33669. *Caeneressa syntomoides* (Rothschild,1912)** (Ctenuchidae) Synonym(s): *syntomoides* Rothschild,1912; *hosei* Rothschild,1912 Original Reference: *Eressa syntomoides* Rothschild,1912, Novit. zool. 19: 123-124. Type ♀: Borneo, "Trusan, Sarawak". Range (in code): **MY Bor Swk**
- 33670. *Callitomis albertiana* (Obraztsov,1966)** (Ctenuchidae) Synonym(s): *albertiana* Obraztsov,1966 Range (in code): **CN Ti**
- 33671. *Callitomis dimorpha* Bytinski-Salz,1939** (Ctenuchidae) Synonym(s): *dimorpha* Bytinski-Salz,1939; *#nigerrima* Bytinski-Salz,1939 Original Reference: *Callitomis dimorpha* Bytinski-Salz,1939, Entomologist's Rec. J. Var. 51: 149, Pl.10 figs.13,14. Holotype ♂: [Turkey]: "Agri-Dagh" (coll. Bytinski-Salz). Range (in code): **Cc TR Arr**
- 33672. *Callitomis distorta* Rothschild,1910** (Ctenuchidae) Synonym(s): *distorta* Rothschild,1910 Range (in code): **ID Ob**
- 33673. *Callitomis dohertyi* Hampson,1898** (Ctenuchidae) Synonym(s): *dohertyi* Hampson,1898 Range (in code): **ID Ja**
- 33674. *Callitomis fruhstorferi* Hampson,1898** (Ctenuchidae) Synonym(s): *fruhstorferi* Hampson,1898 Range (in code): **ID Clb**
- 33675. *Callitomis gigas* Rothschild,1910** (Ctenuchidae) Synonym(s): *gigas* Rothschild,1910 Range (in code): **PH Luz**
- 33676. *Callitomis leucosoma* Butler,1876** (Ctenuchidae) Synonym(s): *leucosoma* Butler,1876 Range (in code): **Ch**
- 33677. *Callitomis multifasciata* Hampson,1892** (Ctenuchidae) Synonym(s): *multifasciata* Hampson,1892 Range (in code): **SI IN Ass**
- 33678. *Callitomis syntomoides* Butler,1876** (Ctenuchidae) Synonym(s): *syntomoides* Butler,1876 Range (in code): **Ch**
- 33679. *Callitomis xanthographa* (Hampson,1915)** (Ctenuchidae) Synonym(s): *xanthographa* Hampson,1915 Range (in code): **Ch**
- 33680. *Calonotos acutipennis* Zerny,1931** (Ctenuchidae) Synonym(s): *acutipennis* Zerny,1931 Range (in code): **BR**
- 33681. *Calonotos aequimaculatus* Zerny,1931** (Ctenuchidae) Synonym(s): *aequimaculatus* Zerny,1931 Range (in code): **BR**
- 33682. *Calonotos angustipennis* Zerny,1931** (Ctenuchidae) Synonym(s): *angustipennis* Zerny,1931 Range (in code): **BR**
- 33683. *Calonotos antennata* Rothschild,1911** (Ctenuchidae) Synonym(s): *antennata* Rothschild,1911 Range (in code): **VE**
- 33684. *Calonotos aurata* (Walker,1854)** (Ctenuchidae) Synonym(s): *aurata* Walker,1854 Original Reference: *Euchromia aurata* Walker,1854, List 1: 250. Type: Venezuela. Range (in code): **VE**
- 33685. *Calonotos chalcipleura* Hampson,1898** (Ctenuchidae) Synonym(s): *chalcipleura* Hampson,1898 Range (in code): **VE PE Mdi Tbp**
- 33686. *Calonotos craneae* Fleming,1957** (Ctenuchidae) Synonym(s): *craneae* Fleming,1957 Range (in code): **TT**
- 33687. *Calonotos dorata* (Dognin,1897)** (Ctenuchidae) Synonym(s): *dorata* Dognin,1897; *chryseis* Druce,1898 Range (in code): **EC**
- 33688. *Calonotos helymus* (Cramer,1775)** (Ctenuchidae) Synonym(s): *helymus* Cramer,1775; *aterrima* Sepp,1848 Range (in code): **SR**
- 33689. *Calonotos hoffmannsi* Rothschild,1911** (Ctenuchidae) Synonym(s): *hoffmannsi* Rothschild,1911 Range (in code): **BR**
- 33690. *Calonotos longipennis* Rothschild,1911** (Ctenuchidae) Synonym(s): *longipennis* Rothschild,1911 Range (in code): **SR**
- 33691. *Calonotos metallicas* Druce,1884** (Ctenuchidae) Synonym(s): *metallicas* Druce,1884 Range (in code): **CR PA**
- 33692. *Calonotos niger* Gaede,1926** (Ctenuchidae) Synonym(s): *niger* Gaede,1926 Range (in code): **BR**
- 33693. *Calonotos opalizans* Rothschild,1911** (Ctenuchidae) Synonym(s): *opalizans* Rothschild,1911 Range (in code): **VE**
- 33694. *Calonotos phlegmon* (Cramer,1775)** (Ctenuchidae) Synonym(s): *phlegmon* Cramer,1775 Range (in code): **SR BR**

- 33695. *Calonotos plumulata* (Klages,1906)** (Ctenuchidae) **Synonym(s):** *plumulata* Klages,1906
Range (in code): **VE**
- 33696. *Calonotos rectifascia* Talbot,1932** (Ctenuchidae) **Synonym(s):** *rectifascia* Talbot,1932
Range (in code): **CO**
- 33697. *Calonotos* sp.n.** (Ctenuchidae) **Synonym(s):** **Range (in code):** **PE Mdi Tbp**
- 33698. *Calonotos tiburtus* (Cramer,[1780])** (Ctenuchidae) **Synonym(s):** *tiburtus* Cramer,[1780];
#trinitatis Strand **Range (in code):** **CR PA VE SR TT**
- 33699. *Calonotos triplaga* Hampson,1909** (Ctenuchidae) **Synonym(s):** *tripunctatus*
Hampson,1898 nec Dru.,1898; triplaga Hampson,1909 **Range (in code):** **BR**
- 33700. *Calonotos tripunctata* Druce,1898** (Ctenuchidae) **Synonym(s):** *tripunctata* Druce,1898
Range (in code): **TT**
- 33701. *Centronia capysca* (Schaus,1910)** (Ctenuchidae) **Synonym(s):** *capysca* Schaus,1910
Range (in code): **PE Mdi Tbp**
- 33702. *Centronia demonis* (Druce,1896)** (Ctenuchidae) **Synonym(s):** *demonis* Druce,1896
Range (in code): **PE Mdi Tbp**
- 33703. *Centronia dodaba* (Dyar,1910)** (Ctenuchidae) **Synonym(s):** *dodaba* Dyar,1910 **Range**
(in code): **PE Mdi Tbp**
- 33704. *Centronia grisescens* (Hampson,1914)** (Ctenuchidae) **Synonym(s):** *grisescens*
Hampson,1914 **Range (in code):** **PE Mdi Tbp**
- 33705. *Centronia hypoleuca* (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *hypoleuca*
Hampson,1898 **Range (in code):** **PE Mdi Tbp**
- 33706. *Centronia lenaeus* (Cramer,[1779])** (Ctenuchidae) **Synonym(s):** *lenaeus* Cramer,[1779]
Range (in code): **PE Mdi Tbp**
- 33707. *Centronia melanitis* (Hübner,[1813])** (Ctenuchidae) **Synonym(s):** *melanitis*
Hübner,[1813] **Range (in code):** **PE Mdi Tbp**
- 33708. *Centronia* sp.** (Ctenuchidae) **Synonym(s):** **Range (in code):** **PE Mdi Tbp**
- 33709. *Ceramidia fumipennis* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *fumipennis*
Walker,1854 **Range (in code):** **PE Mdi Tbp**
- 33710. *Ceryx aethalodes* Wileman & West,1928** (Ctenuchidae) **Synonym(s):** *aethalodes*
Wileman & West,1928 **Range (in code):** **PH Luz**
- 33711. *Ceryx albimacula* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *albimacula* Walker,1854;
terminalis Walker,1854; *macrospila* Walker,1864; *constricta* Butler,1877; *cybelistes* Holland,1893 **Range (in**
code): **SL ZR GO Bio**
- 33712. *Ceryx albipuncta* Hampson,1907** (Ctenuchidae) **Synonym(s):** *albipuncta* Hampson,1907
Range (in code): **PH Luz**
- 33713. *Ceryx anthraciformis* (Wallengren,1860)** (Ctenuchidae) **Synonym(s):** *anthraciformis*
Wallengren,1860 **Range (in code):** **ZA Ec**
- 33714. *Ceryx burgeffi* Obratzsov,1949** (Ctenuchidae) **Synonym(s):** *burgeffi* Obratzsov,1949
Range (in code): **ID Ja**
- 33715. *Ceryx catena* (Wileman,1910)** (Ctenuchidae) **Synonym(s):** *catena* Wileman,1910
Range (in code): **TW**
- 33716. *Ceryx chea* (Druce,1895)** (Ctenuchidae) **Synonym(s):** *chea* Druce,1895 **Range (in**
code): **PH Mno**
- 33717. *Ceryx cherra* (Moore,1879)** (Ctenuchidae) **Synonym(s):** *cherra* Moore,1879; *quisqualis*
Swinhoe,1894 **Range (in code):** **IN Ass**
- 33718. *Ceryx claremonti* (Heylaerts,1890)** (Ctenuchidae) **Synonym(s):** *claremonti* Heylaerts,1890
Range (in code): **ID Sum Ja**
- 33719. *Ceryx crawshayi* Hampson,1901** (Ctenuchidae) **Synonym(s):** *crawshayi* Hampson,1901
Range (in code): **KE**
- 33720. *Ceryx diptera* (Fabricius,1775)** (Ctenuchidae) **Synonym(s):** *diptera* Fabricius,1775; *atereus*
Cramer,1782; incipiens Walker,1864; *brachypecten* Hampson,1893 **Original Reference:** *Zygaena diptera*
Fabricius,1775, Syst. Ent.: 555. Type(s): India orientalis; Ceylon. **Range (in code):** **IN LK**
- 33721. *Ceryx dohertyi* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *dohertyi* Rothschild,1910
Range (in code): **MY**
- 33722. *Ceryx elasson* (Holland,1893)** (Ctenuchidae) **Synonym(s):** *elasson* Holland,1893
Range (in code): **CM**

- 33723. *Ceryx ericsoni* Rothschild,1910** (Ctenuchidae) Synonym(s): *ericsoni* Rothschild,1910
Range (in code): **ID Sum**
- 33724. *Ceryx finitima* (Wileman,1910)** (Ctenuchidae) Synonym(s): *finitima* Wileman,1910
Range (in code): **TW**
- 33725. *Ceryx flava* Bethune-Baker,1911** (Ctenuchidae) Synonym(s): *flava* Bethune-Baker,1911
Range (in code): **AO**
- 33726. *Ceryx flaviplaga* Hampson,1898** (Ctenuchidae) Synonym(s): *flaviplaga* Hampson,1898
Range (in code): **PH Mno**
- 33727. *Ceryx fulvescens* (Walker,1854)** (Ctenuchidae) Synonym(s): *fulvescens* Walker,1854
Range (in code): **ZA Gau Pre Tva Lpo Spb**
- 33728. *Ceryx ginorea* (Swinhoe,1894)** (Ctenuchidae) Synonym(s): *ginorea* Swinhoe,1894
Range (in code): **IN Ass**
- 33729. *Ceryx godarti* (Boisduval,1829)** (Ctenuchidae) Synonym(s): *godarti* Boisduval,1829;
cupreipennis Butler,1876 _ Range (in code): **IN SI CN Yu LK Pdy ID Sum**
- 33730. *Ceryx hageni* (Snellen,1895)** (Ctenuchidae) Synonym(s): *hageni* Snellen,1895; *flavibasis*
Hampson,1898 _ Range (in code): **MY Prk ID Sum**
- 33731. *Ceryx hilda* (Ehrmann,1894)** (Ctenuchidae) Synonym(s): *hilda* Ehrmann,1894; *seminigra*
Holland,1898 _ Range (in code): **LR CM**
- 33732. *Ceryx hyalina* (Moore,1879)** (Ctenuchidae) Synonym(s): *hyalina* Moore,1879; *volans*
Swinhoe,1890 _ Range (in code): **SI IN Ass MM**
- 33733. *Ceryx javanica* Obratzsov,1949** (Ctenuchidae) Synonym(s): *javanica* Obratzsov,1949
Range (in code): **ID Ja**
- 33734. *Ceryx laterimacula* Zerny,1912** (Ctenuchidae) Synonym(s): *pleurosticta* Hampson,1901 nec
Hamps.,1898; *laterimacula* Zerny,1912 _ Range (in code): **IN**
- 33735. *Ceryx longipes* (Herrich-Schäffer,1855)** (Ctenuchidae) Synonym(s): *longipes* Herrich-
Schäffer,1855 _ Range (in code): **ZA Nta Kzu Kkf**
- 33736. *Ceryx macgregori* Schultze,1908** (Ctenuchidae) Synonym(s): *macgregori* Schultze,1908
Range (in code): **PH**
- 33737. *Ceryx mirabilis* Smetacek,2010** (Ctenuchidae) Synonym(s): *mirabilis* Smetacek,2010
Original Reference: *Ceryx mirabilis* Smetacek,2010, J. threat. Taxa 2 (5): 894-895, figs. Holotype
♂: India, Uttarakhand, Nainital distr., Shyamkhet 2000m 30 viii 2008 (leg. coll. P.Smetacek).
Range (in code): **IN Up Kma**
- 33738. *Ceryx nacliodes* Hampson,1914** (Ctenuchidae) Synonym(s): *nacliodes* Hampson,1914
Range (in code): **ZA**
- 33739. *Ceryx resecta* (Herrich-Schäffer,1855)** (Ctenuchidae) Synonym(s): *resecta* Herrich-
Schäffer,1855 _ Range (in code): **ZA**
- 33740. *Ceryx semicincta* (Hampson,1895)** (Ctenuchidae) Synonym(s): *semicincta* Hampson,1895
Range (in code): **MM MY Tns Bor**
- 33741. *Ceryx semihyalina* (Kirby,1896)** (Ctenuchidae) Synonym(s): *semihyalina* Kirby,1896
Range (in code): **KE**
- 33742. *Ceryx sumatrensis* Obratzsov,1949** (Ctenuchidae) Synonym(s): *sumatrensis*
Obratzsov,1949 _ Range (in code): **ID Sum**
- 33743. *Ceryx swinhoei* Bethune-Baker,1904** (Ctenuchidae) Synonym(s): *swinhoei* Bethune-
Baker,1904 _ Range (in code): **PG Aro**
- 33744. *Ceryx toxopeusi* Obratzsov,1957** (Ctenuchidae) Synonym(s): *toxopeusi* Obratzsov,1957
Range (in code): **ID Sum**
- 33745. *Ceryx toxotes* Hampson,1898** (Ctenuchidae) Synonym(s): *toxotes* Hampson,1898
Range (in code): **ZA Ec Ans**
- 33746. *Ceryx vespella* Obratzsov,1957** (Ctenuchidae) Synonym(s): *vespella* Obratzsov,1957
Range (in code): **ID Ja**
- 33747. *Ceryx xuthosphendona* Wileman & West,1928** (Ctenuchidae) Synonym(s):
xuthosphendona Wileman & West,1928 _ Range (in code): **PH**
- 33748. *Chrostosoma flavothorax* (Rothschild,1910)** (Ctenuchidae) Synonym(s): *flavothorax*
Rothschild,1910 _ Range (in code): **PE Mdi Tbp**
- 33749. *Chrostosoma metallescens* (Ménétriés,1857)** (Ctenuchidae) Synonym(s): *metallescens*
Ménétriés,1857 _ Range (in code): **PE Mdi Tbp**

- 33750. Chrostosoma phoenicophora (Dognin,1909)** (Ctenuchidae) **Synonym(s):** *phoenicophora* Dognin,1909 _ Range (in code): PE Mdi Tbp
- 33751. Chrostosoma stilbosticta (Butler,1876)** (Ctenuchidae) **Synonym(s):** *stilbosticta* Butler,1876 _ Range (in code): PE Mdi Tbp
- 33752. Chrostosoma subflamma (Walker,1854)** (Ctenuchidae) **Synonym(s):** *subflamma* Walker,1854 _ Range (in code): PE Mdi Tbp
- 33753. Chrostosoma telephus (Walker,1854)** (Ctenuchidae) **Synonym(s):** *telephus* Walker,1854 _ Range (in code): PE Mdi Tbp
- 33754. Chrostosoma teuthras (Walker,1854)** (Ctenuchidae) **Synonym(s):** *teuthras* Walker,1854 _ Range (in code): PE Mdi Tbp
- 33755. Chrostosoma thoracicum (Schaus,1905)** (Ctenuchidae) **Synonym(s):** *thoracicum* Schaus,1905 _ Range (in code): PE Mdi Tbp
- 33756. Chrostosoma xanthostictum (Hampson,1898)** (Ctenuchidae) **Synonym(s):** *xanthostictum* Hampson,1898 _ Range (in code): PE Mdi Tbp
- 33757. Clystea aner (Hampson,1905)** (Ctenuchidae) **Synonym(s):** *aner* Hampson,1905 _ Range (in code): VE PE Mdi Tbp
- 33758. Clystea eliza (Klages,1906)** (Ctenuchidae) **Synonym(s):** *eliza* Klages,1906 _ Range (in code): VE PE Mdi Tbp
- 33759. Clystea leucaspis (Cramer,[1775])** (Ctenuchidae) **Synonym(s):** *leucaspis* Cramer,[1775] _ Range (in code): VE SR GY BR BO PE Mdi Tbp
- 33760. Corematura chrysogastra (Perty,1834)** (Ctenuchidae) **Synonym(s):** *chrysogastra* Perty,1834 _ Range (in code): EC BO BR PE Mdi Tbp
- 33761. Correbidia calopteridia (Butler,1878)** (Ctenuchidae) **Synonym(s):** *calopteridia* Butler,1878 _ Range (in code): PE Mdi Tbp
- 33762. Correbidia simousi Rothschild,1912** (Ctenuchidae) **Synonym(s):** *simousi* Rothschild,1912 _ Range (in code): PE Mdi Tbp
- 33763. Correbidia tristitia Kaye,1911** (Ctenuchidae) **Synonym(s):** *tristitia* Kaye,1911 _ Range (in code): PE Mdi Tbp
- 33764. Delphyre ? cumulosa Dyar,1914** (Ctenuchidae) **Synonym(s):** *cumulosa* Dyar,1914 _ Range (in code): PE Mdi Tbp
- 33765. Delphyre dizona (Druce,1898)** (Ctenuchidae) **Synonym(s):** *dizona* Druce,1898 _ Range (in code): PE Mdi Tbp
- 33766. Delphyre hebes Walker,1854** (Ctenuchidae) **Synonym(s):** *hebes* Walker,1854 _ Range (in code): PE Mdi Tbp
- 33767. Delphyre lemoulti Draudt,1915** (Ctenuchidae) **Synonym(s):** *lemoulti* Draudt,1915 _ Range (in code): PE Mdi Tbp
- 33768. Delphyre pusilla (Butler,1878)** (Ctenuchidae) **Synonym(s):** *pusilla* Butler,1878 _ Range (in code): PE Mdi Tbp
- 33769. Delphyre rufiventris (Schaus,1894)** (Ctenuchidae) **Synonym(s):** *rufiventris* Schaus,1894 _ Range (in code): PE Mdi Tbp
- 33770. Dinia auge Walker,1854** (Ctenuchidae) **Synonym(s):** *auge* Walker,1854 _ Range (in code):
- 33771. Dinia eagrus (Cramer,1779)** (Ctenuchidae) **Synonym(s):** *eagrus* Cramer,1779 _ Range (in code): MX PA SR BR Rja PY AR
- 33772. Dinia invittata Hampson,1920** (Ctenuchidae) **Synonym(s):** *invittata* Hampson,1920 _ Range (in code): MX
- 33773. Dinia mena (Hübner,[1823])** (Ctenuchidae) **Synonym(s):** *mena* Hübner,[1823]; *saucia* Walker,1854; *#puniceocincta* Strand,1915 _ Range (in code): PA CO VE TT BR PE Mdi Tbp
- 33774. Dinia subapicalis (Walker,1854)** (Ctenuchidae) **Synonym(s):** *subapicalis* Walker,1854; *merra* Wallengren,1860 _ Range (in code): PE Mdi Tbp
- 33775. Diptilon aterea Schaus,1901** (Ctenuchidae) **Synonym(s):** *aterea* Schaus,1901 _ Range (in code): BR
- 33776. Diptilon proleuca Druce,1905** (Ctenuchidae) **Synonym(s):** *proleuca* Druce,1905
Original Reference: *Diptilon proleuca* Druce,1905, Ann. Mag. nat. Hist. (7) 15: 462. Type: Venezuela. Range (in code): VE PE Mdi Tbp
- 33777. Diptilon sp.n.** (Ctenuchidae) **Synonym(s):** _ Range (in code): PE Mdi Tbp

- 33778. *Dixophlebia quadristrigata* (Walker,1864)** (Ctenuchidae) Synonym(s): *quadristrigata* Walker,1864 Range (in code): **PE Mdi Tbp**
- 33779. *Dysauxes (Adautis) punctata* (Fabricius,1781)** (Ctenuchidae) Synonym(s): *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876 Original Reference: *Bombyx punctata* Fabricius,1781, Spec. Ins. 2: 207. Type(s): Italien. Range (in code): **MA DZ TN PT ES FR Co Si IT BE LU CH AT PL CZ SK HU RO RU MD UA BY TR AZ Da Nv Ord Kir Der Len Cc GG Tbl Smt Bjo**
- 33780. *Dysauxes (Adautis) punctata punctata* (Fabricius,1781)** (Ctenuchidae) Synonym(s): *punctata* Fabricius,1781; *serva* Hübner,[1803]; *confamula* Hübner,[1803]; *ochrea* Millière,1876 Original Reference: *Bombyx punctata* Fabricius,1781, Spec. Ins. 2: 207. Type(s): Italien. Range (in code): **FR Co IT BE LU CH AT PL CZ SK HU RO RU MD UA BY AZ Da Nv Ord Kir Der Len Cc GG Tbl Smt Bjo**
- 33781. *Dysauxes (Adautis) punctata taurica* Draudt,1933** (Ctenuchidae) Synonym(s): *taurica* Draudt,1933 Range (in code): **TR Cc**
- 33782. *Dysauxes (Adautis) servula* (Berce,1862)** (Ctenuchidae) Synonym(s): *servula* Berce,1862; *separata* A.Bang-Haas,1906 Original Reference: *Naclia servula* Berce,1862, Annls Soc. ent. Fr. (4) 2: 386. Syntypes: France: Hyères. Range (in code): **FR ES MA DZ Dje Anna Lbs Clo Orn TN Si**
- 33783. *Dysauxes (s.str.) ancilla* (Linnaeus,1767)** (Ctenuchidae) Synonym(s): *ancilla* Linnaeus,1767; *obscura* Fabricius,1781; *quadrioculata* Goeze,1783; *lomopicta* Fourcroy,1785; *fuscoptera* Fourcroy,1785; *tripunctata* Scopoli,1786; *arcuatella* Schrank,1802; *horta* Schrank,1802; *abundans* Dannehl,1933; *pluripuncta* Naufock,1933. Original Reference: *Phalaena ancilla* Linnaeus,1767, Syst. Nat. (Edn. 12): 835. Type(s): Germania. Range (in code): **ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU MD UA BY AM GG Cc**
- 33784. *Dysauxes (s.str.) famula* (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. Original Reference: *Lithosia famula* Freyer,1836, Neuere Beitr. 2: 143. Type(s): [Slovenien]: Fiume [Rijeka]. Range (in code): **FR Co Si IT MT CH AT HU RO SS B-H HV MK YU AL BG GR Rd Cr TR Cc RU Us MN IQ Ry Rwz Kq IL Pa Hf IR Mz Gl Kh TM Kp Ch** Bionomy: Larva on Taraxacum (Asteraceae) (De Freina & Witt,1987).
- 33785. *Dysauxes (s.str.) famula famula* (Freyer,1836)** (Ctenuchidae) Synonym(s): *famula* Freyer,1836; *hyalina* Freyer,1845; *ragusaria* Zickert,1904; *herthina* Stauder,1921; *burgeffi* Draudt,1931; *taurica* Draudt,1931; *pseudoservula* Naufock,1933; *pontica* Friese,1959; *sofiata* De Laever,1983; *lucana* De Laever,1983. Original Reference: *Lithosia famula* Freyer,1836, Neuere Beitr. 2: 143. Type(s): [Slovenien]: Fiume [Rijeka]. Range (in code): **FR Co Si IT MT CH AT HU RO SS B-H HV MK YU AL BG GR Rd Cr TR Cc RU IQ Ry Rwz Kq IL Pa Hf IR Mz Gl Kh TM Kp Ch**
- 33786. *Dysauxes (s.str.) famula gravis* Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *gravis* Ignatyev & Zolotuhin,2006 Range (in code): **RU Us MN**
- 33787. *Dysauxes (s.str.) famula haberhaueri* Friese,1959** (Ctenuchidae) Synonym(s): *haberhaueri* Friese,1959 Range (in code):
- 33788. *Dysauxes (s.str.) fraterna* Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *fraterna* Ignatyev & Zolotuhin,2006 Range (in code): **Cc AM Eri TR**
- 33789. *Dysauxes (s.str.) kaschmiriensis* Rothschild,1910** (Ctenuchidae) Synonym(s): *kaschmiriensis* Rothschild,1910; *#kaschmirensis* Friese,1959; *silvatica* Ebert,1969 Original Reference: *Dysauxes punctata kaschmiriensis* Rothschild,1910, Novit. zool. 17: 441. Type ♂: Kaschmir, Goorais valley (BMNH). Range (in code): **Ch Gs AF Ca Bm Srb Ng Nu PK Gup Gg Nlt Cls Sha Dara Swa Mdy IN Hp Spi**
- 33790. *Dysauxes (s.str.) kaschmiriensis afghanica* Daniel,1965** (Ctenuchidae) Synonym(s): *afghanica* Daniel,1965; *silvatica* Ebert,1969 Original Reference: *Dysauxes afghanica* Daniel,1965, Z. wien. ent. Ges. 50: 122. Holotype ♂: Afghanistan, Sarobi 1100m (ZSSM). Range (in code): **AF Ca Bm Srb Ng Nu**
- 33791. *Dysauxes (s.str.) kaschmiriensis karapaki* Ignatyev & Zolotuhin,2006** (Ctenuchidae) Synonym(s): *karapaki* Ignatyev & Zolotuhin,2006 Original Reference: *Dysauxes ssp. kaschmiriensis karapaki* Ignatyev & Zolotuhin,2006, Eversmannia 6: 38, figs. Holotype ♂: Pakistan, Karakoram Mts., Naltar valley 2800m 18 vii 1988, leg. G.Csorba & L.Ronkay (MWM). Range (in code): **PK Gup Gg Nlt Sha Dara Swa Cls Mdy**
- 33792. *Dysauxes (s.str.) kaschmiriensis kaschmiriensis* Rothschild,1910** (Ctenuchidae) Synonym(s): *kaschmiriensis* Rothschild,1910; *#kaschmirensis* Friese,1959 Original Reference:

- Dysauxes punctata kaschmiriensis* Rothschild, 1910, Novit. zool. 17: 441. Type ♂: Kaschmir, Goorais valley (BMNH). Range (in code): Ch Gs
- 33793. *Dysauxes* (s.str.) *kaschmiriensis* kautti Ignatyev & Zolotuhin, 2006** (Ctenuchidae) Synonym(s): kautti Ignatyev & Zolotuhin, 2006 IN Hp Original Reference: Dysauxes kaschmiriensis ssp. kautti Ignatyev & Zolotuhin, 2006, Eversmannia 6: 39, figs. Holotype ♂: Indien, Himachal Pradesh, Spiti valley, Kaza 3600m 23 vi 1994 leg. P. Kautt & V. Weisz (MWM). Range (in code): IN Hp Spi
- 33794. *Dysauxes* (s.str.) *parvigutta* (Christoph, 1889)** (Ctenuchidae) Synonym(s): parvigutta Christoph, 1889 Range (in code): IR Zj TM Kp
- 33795. *Dysauxes* (s.str.) *parvigutta guttulifera* Ignatyev & Zolotuhin, 2006** (Ctenuchidae) Synonym(s): guttulifera Ignatyev & Zolotuhin, 2006 Range (in code): IR Zj
- 33796. *Dysauxes* (s.str.) *parvigutta parvigutta* (Christoph, 1889)** (Ctenuchidae) Synonym(s): parvigutta Christoph, 1889 Range (in code): TM Kp
- 33797. *Dysauxes* (s.str.) *syntomida* (Staudinger, 1892)** (Ctenuchidae) Synonym(s): syntomida Staudinger, 1892 Original Reference: Naclia syntomida Staudinger, 1892, Dt. ent. Z., Iris 4: 248-249. Syntypes ♂♀: [Türkei]: Mardin. Range (in code): TR
- 33798. *Dysauxes* *cambouei* (Oberthür, 1893)** (Ctenuchidae) Synonym(s): cambouei Oberthür, 1893 Range (in code): MG
- 33799. *Dysauxes* *florida* De Joannis, 1906** (Ctenuchidae) Synonym(s): florida De Joannis, 1906 Range (in code): MU
- 33800. *Dysauxes* *lucia* (Oberthür, 1893)** (Ctenuchidae) Synonym(s): lucia Oberthür, 1893 Range (in code): MG
- 33801. *Dysauxes* *quinquemacula* (Mabille, 1882)** (Ctenuchidae) Synonym(s): quinquemacula Mabille, 1882; perroti Oberthür, 1893 Range (in code): MG
- 33802. *Dysauxes* *subfenestrata* Aurivillius, 1899** (Ctenuchidae) Synonym(s): subfenestrata Aurivillius, 1899 Range (in code): MG
- 33803. *Ecdemus* *fuliginosa* Rothschild, 1912** (Ctenuchidae) Synonym(s): fuliginosa Rothschild, 1912 Range (in code):
- 33804. *Ecdemus* *hypoleucus* Herrich-Schäffer, 1855** (Ctenuchidae) Synonym(s): hypoleucus Herrich-Schäffer, 1855 Range (in code): BR PE Mdi Tbp
- 33805. *Epanycles* *imperialis* (Walker, 1854)** (Ctenuchidae) Synonym(s): imperialis Walker, 1854 Range (in code): PE Mdi Tbp
- 33806. *Epidesma* *aurimacula* (Schaus, 1905)** (Ctenuchidae) Synonym(s): aurimacula Schaus, 1905 Range (in code): PE Mdi Tbp
- 33807. *Epidesma* *hoffmannsi* (Rothschild, 1912)** (Ctenuchidae) Synonym(s): hoffmannsi Rothschild, 1912 Range (in code): PE Mdi Tbp
- 33808. *Epidesma* *klagesi* Rothschild, 1912** (Ctenuchidae) Synonym(s): klagesi Rothschild, 1912 Range (in code): PE Mdi Tbp
- 33809. *Epidesma* *oblicua* (Schaus, 1898)** (Ctenuchidae) Synonym(s): oblicua Schaus, 1898 Range (in code): PE Mdi Tbp
- 33810. *Epidesma* *similis* (Rothschild, 1912)** (Ctenuchidae) Synonym(s): similis Rothschild, 1912 Range (in code): PE Mdi Tbp
- 33811. *Epidesma* *ursula* (Stoll, [1781])** (Ctenuchidae) Synonym(s): ursula Stoll, [1781] Range (in code): PE Mdi Tbp
- 33812. *Epitoxis* *albicincta* Hampson, 1903** (Ctenuchidae) Synonym(s): albicincta Hampson, 1903 Range (in code): KE
- 33813. *Epitoxis* *amazoula* (Boisduval, 1847)** (Ctenuchidae) Synonym(s): amazoula Boisduval, 1847; amazonula Zerny, 1912 Range (in code): ZA Nta Kzu Est Dbn
- 33814. *Epitoxis* *ansorgei* Rothschild, 1910** (Ctenuchidae) Synonym(s): ansorgei Rothschild, 1910 Range (in code): KE
- 33815. *Epitoxis* *nigra* Hampson, 1903** (Ctenuchidae) Synonym(s): nigra Hampson, 1903 Range (in code): ZA MZ
- 33816. *Epitoxis* *proceridia* Hampson, 1898** (Ctenuchidae) Synonym(s): proceridia Hampson, 1898 Range (in code): KE
- 33817. *Eressa* *affinis* Moore, 1877** (Ctenuchidae) Synonym(s): affinis Moore, 1877; politula Swinhoe, 1892 Range (in code): IN Adm

- 33818. Eressa angustipenna (T.P.Lucas,1890)** (Ctenuchidae) Synonym(s): *angustipenna* T.P.Lucas,1890 - Range (in code): **QAU AU**
- 33819. Eressa aperiens (Walker,1864)** (Ctenuchidae) Synonym(s): *aperiens* Walker,1864; *moorei* Butler,1876; *lydia* Swinhoe,1891; *khasiana* Rothschild,1910 - Range (in code): **ID Sum IN Bba BT NI LK Meg Ass Khs**
- 33820. Eressa confinis (Walker,1854)** (Ctenuchidae) Synonym(s): *confinis* Walker,1854; *musa* Swinhoe,1885; *catoria* Swinhoe,1900; *malaccensis* Rothschild,1910 - Original Reference: *Glaucopis* (Eressa) *confinis* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type: North India. Range (in code): **IN Ass LK MM VN Ton Mrg MY TH CMa Cuo Cuo1 Cmz Cz10 CDo CD2 Bnk TW** Bionomy: Larva on decayed Mikania cordata foliage (Asteraceae), Tamarindus indica (Fabaceae) foliage; fresh Lactuca sativa var. longifolia [Romaine] in capture (Kemal, in litt.).
- 33821. Eressa confinis confinis (Walker,1854)** (Ctenuchidae) Synonym(s): *confinis* Walker,1854; *musa* Swinhoe,1885; *catoria* Swinhoe,1900; *malaccensis* Rothschild,1910 - Original Reference: *Glaucopis* (Eressa) *confinis* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 149. Type: North India. Range (in code): **IN Ass LK MM VN Ton Mrg MY TH CMa Cuo Cuo1 Cmz Cz10 Bnk**
- 33822. Eressa confinis finitima (Wileman,1910)** (Ctenuchidae) Synonym(s): *finitima* Wileman,1910; *catena* Wileman,1910; *guttulata* Strand,1915; *trifenestrata* Strand,1915 - Range (in code): **TW**
- 33823. Eressa discinota (Moore,1879)** (Ctenuchidae) Synonym(s): *discinota* Moore,1879 Range (in code): **MM Tns Prk MY IN Ass**
- 33824. Eressa dohertyi Rothschild,1910** (Ctenuchidae) Synonym(s): *dohertyi* Rothschild,1910 Range (in code): **ID Ado**
- 33825. Eressa eressoides (Hampson,1892)** (Ctenuchidae) Synonym(s): *eressoides* Hampson,1892 Range (in code): **MM**
- 33826. Eressa erythrosoma (Hampson,1892)** (Ctenuchidae) Synonym(s): *erythrosoma* Hampson,1892 - Range (in code): **MM**
- 33827. Eressa furva Hampson,1898** (Ctenuchidae) Synonym(s): *furva* Hampson,1898 - Range (in code): **ID Bru Dm**
- 33828. Eressa geographica (Meyrick,1886)** (Ctenuchidae) Synonym(s): *geographica* Meyrick,1886; *detola* Swinhoe,1892 - Range (in code): **QAU AU NSW**
- 33829. Eressa ichneumoniformis Rothschild,1910** (Ctenuchidae) Synonym(s): *ichneumoniformis* Rothschild,1910 - Range (in code): **IN Ass TH**
- 33830. Eressa lepcha (Moore,1879)** (Ctenuchidae) Synonym(s): *lepcha* Moore,1879 - Range (in code): **SI**
- 33831. Eressa lutulenta (Snellen,1879)** (Ctenuchidae) Synonym(s): *lutulenta* Snellen,1879 Range (in code): **ID Ja Clb**
- 33832. Eressa megalospilia Turner,1922** (Ctenuchidae) Synonym(s): *megalospilia* Turner,1922 Range (in code): **AU**
- 33833. Eressa megatorna Hampson,1898** (Ctenuchidae) Synonym(s): *megatorna* Hampson,1898 Range (in code): **QAU AU**
- 33834. Eressa microchila (Hampson,1892)** (Ctenuchidae) Synonym(s): *microchila* Hampson,1892; *plumalis* Hampson,1896 - Range (in code): **MM ID Lb**
- 33835. Eressa multigutta (Walker,1854)** (Ctenuchidae) Synonym(s): *multigutta* Walker,1854; *blanchardi* Poujade,1884 - Range (in code): **CN NP SI IN MM**
- 33836. Eressa naclioides (C.Felder,1861)** (Ctenuchidae) Synonym(s): *naclioides* C.Felder,1861 Range (in code): **ID Amb**
- 33837. Eressa nigra (Hampson,[1893])** (Ctenuchidae) Synonym(s): *nigra* Hampson,[1893] Original Reference: *Syntomis nigra* Hampson,[1893], Fauna Br. India (moths) 1: 221. Type ♂: India, Simla (coll.Harford) (BMNH). Range (in code): **IN Hp Sml**
- 33838. Eressa paurospila Turner,1922** (Ctenuchidae) Synonym(s): *paurospila* Turner,1922 Range (in code): **AU**
- 33839. Eressa quinquecincta Hampson,1898** (Ctenuchidae) Synonym(s): *quinquecincta* Hampson,1898 - Range (in code): **MY Prk**
- 33840. Eressa semifusca Hampson,1898** (Ctenuchidae) Synonym(s): *semifusca* Hampson,1898 Range (in code): **MY Prk Bor Swk**
- 33841. Eressa siamica (Walker,1864)** (Ctenuchidae) Synonym(s): *siamica* Walker,1864 Range (in code): **TH**

- 33842. *Eressa simplex* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *simplex* Rothschild,1910
Range (in code): **IN Hp Sml**
- 33843. *Eressa strepsimeris* (Meyrick,1886)** (Ctenuchidae) **Synonym(s):** *strepsimeris* Meyrick,1886; *xanthostacta* Hampson,1903; *stenothyris* Turner,1933
Range (in code): **NAu AU QAU**
- 33844. *Eressa subaurata* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *subaurata* Walker,1854
Range (in code): **LK TH**
- 33845. *Eressa vespa* Hampson,1898** (Ctenuchidae) **Synonym(s):** *vespa* Hampson,1898
Original Reference: *Eressa vespa* Hampson,1898, Cat. Lep. Phalaenae Br. Mus. 1: 118, pl.iv fig.27. Syntypes ♂♀: [Myanmar]: "Burma, Karen Hills". **Range (in code):** **MM Krh**
- 33846. *Eressa vespina* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *vespina* Rothschild,1912
Range (in code): **MY Bor Swk**
- 33847. *Eressa vespoides* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *vespoides* Rothschild,1910
Range (in code): **IN Ass**
- 33848. *Eressa ypleta* (Swinhoe,1892)** (Ctenuchidae) **Synonym(s):** *ypleta* Swinhoe,1892
Range (in code): **ID Wg**
- 33849. *Eressades flavipunctata* Bethune-Baker,1911** (Ctenuchidae) **Synonym(s):** *flavipunctata* Bethune-Baker,1911
Range (in code): **AO**
- 33850. *Eucereon albitorna* Dognin,1912** (Ctenuchidae) **Synonym(s):** *albitorna* Dognin,1912
Range (in code): **PE Mdi Tbp**
- 33851. *Eucereon amadis* Schaus,1896** (Ctenuchidae) **Synonym(s):** *amadis* Schaus,1896
Range (in code): **PE Mdi Tbp**
- 33852. *Eucereon archias* (Stoll,1790)** (Ctenuchidae) **Synonym(s):** *archias* Stoll,1790
Range (in code): **PE Mdi Tbp**
- 33853. *Eucereon atrigutta* Druce,1905** (Ctenuchidae) **Synonym(s):** *atrigutta* Druce,1905
Range (in code): **PE Mdi Tbp**
- 33854. *Eucereon facundum* Draudt,1915** (Ctenuchidae) **Synonym(s):** *facundum* Draudt,1915
Range (in code): **PE Mdi Tbp**
- 33855. *Eucereon flemmingi* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *flemmingi* Rothschild,1912
Range (in code): **PE Mdi Tbp**
- 33856. *Eucereon fuscoirroratum* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *fuscoirroratum* Rothschild,1912
Range (in code): **PE Mdi Tbp**
- 33857. *Eucereon latifascia* Walker,1856** (Ctenuchidae) **Synonym(s):** *latifascia* Walker,1856
Range (in code): **PE Mdi Tbp**
- 33858. *Eucereon leria* Druce,1884** (Ctenuchidae) **Synonym(s):** *leria* Druce,1884
Range (in code): **PE Mdi Tbp**
- 33859. *Eucereon maia* Druce,1905** (Ctenuchidae) **Synonym(s):** *maia* Druce,1905
Range (in code): **PE Mdi Tbp**
- 33860. *Eucereon marmoratum* Butler,1897** (Ctenuchidae) **Synonym(s):** *marmoratum* Butler,1897
Range (in code): **PE Mdi Tbp**
- 33861. *Eucereon obscurum* (Möschler,1872)** (Ctenuchidae) **Synonym(s):** *obscurum* Möschler,1872
Range (in code): **PE Mdi Tbp**
- 33862. *Eucereon parascyton* Hampson,1914** (Ctenuchidae) **Synonym(s):** *parascyton* Hampson,1914
Range (in code): **PE Mdi Tbp**
- 33863. *Eucereon pseudoarchias* Hampson,1898** (Ctenuchidae) **Synonym(s):** *pseudoarchias* Hampson,1898
Range (in code): **PE Mdi Tbp**
- 33864. *Eucereon punctatum* (Guérin,[1844])** (Ctenuchidae) **Synonym(s):** *punctatum* Guérin,[1844]
Range (in code): **PE Mdi Tbp**
- 33865. *Eucereon rosa* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *rosa* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33866. *Eucereon sarisa* Draudt,1915** (Ctenuchidae) **Synonym(s):** *sarisa* Draudt,1915
Range (in code): **PE Mdi Tbp**
- 33867. *Eucereon scyton* (Cramer,1777)** (Ctenuchidae) **Synonym(s):** *scyton* Cramer,1777
Range (in code): **PE Mdi Tbp**
- 33868. *Eucereon taperinhae* Dognin,1923** (Ctenuchidae) **Synonym(s):** *taperinhae* Dognin,1923
Range (in code): **PE Mdi Tbp**
- 33869. *Eucereon varium* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *varium* Walker,1854
Range (in code): **PE Mdi Tbp**

- 33870. *Euchromia aemulina* Butler, 1877** (Ctenuchidae) **Synonym(s):** *aemulina* Butler, 1877; *minuta* Rothschild, 1916 **Range (in code):** **AU PG**
- 33871. *Euchromia amboinica* Hampson, 1898** (Ctenuchidae) **Synonym(s):** *amboinica* Hampson, 1898 **Range (in code):** **ID Amb**
- 33872. *Euchromia amoena* (Möschler, 1872)** (Ctenuchidae) **Synonym(s):** *amoena* Möschler, 1872; *africana* Butler, 1876 **Range (in code):** **ZA Tva Nta Kzu Dbn Gau Pre KE MZ Del TZ MG**
- 33873. *Euchromia auranticincta* Hampson, 1898** (Ctenuchidae) **Synonym(s):** *auranticincta* Hampson, 1898 **Range (in code):** **PG**
- 33874. *Euchromia bourica* (Boisduval, 1832)** (Ctenuchidae) **Synonym(s):** *bourica* Boisduval, 1832; *coelipennis* Walker, 1864; *pagenstecheri* Röber, 1887 **Range (in code):** **ID Amb Cm Bru**
- 33875. *Euchromia brilliantina* Rothschild, 1911** (Ctenuchidae) **Synonym(s):** *brilliantina* Rothschild, 1911 **Range (in code):** **ID Bru**
- 33876. *Euchromia caelipunctata* Lathy, 1899** (Ctenuchidae) **Synonym(s):** *caelipunctata* Lathy, 1899 **Range (in code):** **ID Bru**
- 33877. *Euchromia cincta* (Montr., 1864)** (Ctenuchidae) **Synonym(s):** *cincta* Montr., 1864 **Range (in code):** **NC**
- 33878. *Euchromia cincta* (Montrouzier, 1864)** (Ctenuchidae) **Synonym(s):** *cincta* Montrouzier, 1864 **Range (in code):** **NC**
- 33879. *Euchromia collaris* Swinhoe, 1905** (Ctenuchidae) **Synonym(s):** *collaris* Swinhoe, 1905 **Range (in code):** **SB**
- 33880. *Euchromia creusa* (Linnaeus, 1758)** (Ctenuchidae) **Synonym(s):** *creusa* Linnaeus, 1758; *thelebas* Cramer, 1777; *irus* Cramer, 1782; *ganymede* Doubleday, 1846; *superposita* Rothschild, 1916 **Range (in code):** **ID Amb Kai Clb PG AU NH NC FJ**
- 33881. *Euchromia cyanitis* Meyrick, 1889** (Ctenuchidae) **Synonym(s):** *cyanitis* Meyrick, 1889 **Range (in code):** **PG**
- 33882. *Euchromia dohertyi* Druce, 1899** (Ctenuchidae) **Synonym(s):** *dohertyi* Druce, 1899 **Range (in code):** **ID Bru**
- 33883. *Euchromia dubia* (Röber, 1887)** (Ctenuchidae) **Synonym(s):** *dubia* Röber, 1887 **Range (in code):** **ID Cm Bru**
- 33884. *Euchromia ekeikei* Bethune-Baker, 1908** (Ctenuchidae) **Synonym(s):** *ekeikei* Bethune-Baker, 1908 **Range (in code):** **PG**
- 33885. *Euchromia elegantissima* (Wallengren, 1861)** (Ctenuchidae) **Synonym(s):** *elegantissima* Wallengren, 1861; *fraterna* Butler, 1876; *laura* Butler, 1876; *orientalis* Butler, 1876 **Original Reference:** Charidea elegantissima Wallengren, 1861, Eugenes Resa: 360. **Range (in code):** **PH Neg Ceb Luz TW IN MY Bor**
- 33886. *Euchromia elegantissima elegantissima* (Wallengren, 1861)** (Ctenuchidae) **Synonym(s):** *elegantissima* Wallengren, 1861; *fraterna* Butler, 1876; *laura* Butler, 1876; *orientalis* Butler, 1876 **Range (in code):** **PH Neg Ceb Luz IN MY Bor**
- 33887. *Euchromia elegantissima formosana* Butler, 1888** (Ctenuchidae) **Synonym(s):** *formosana* Butler, 1888 **Range (in code):** **TW**
- 33888. *Euchromia epa* Bethune-Baker, 1908** (Ctenuchidae) **Synonym(s):** *epa* Bethune-Baker, 1908 **Range (in code):** **PG**
- 33889. *Euchromia formosa* (Guérin-Méneville, 1829)** (Ctenuchidae) **Synonym(s):** *formosa* Guérin-Méneville, 1829; *folletsi* Gray, 1833 **Range (in code):** **ZA Tva Lpo Nta Kzu Dbn Ec MG KE SL ZW TZ MZ KM SC**
- 33890. *Euchromia fulgens* Lathy, 1899** (Ctenuchidae) **Synonym(s):** *fulgens* Lathy, 1899 **Range (in code):** **ID Ij**
- 33891. *Euchromia gemmata* Butler, 1887** (Ctenuchidae) **Synonym(s):** *gemmata* Butler, 1887 **Range (in code):** **SB ID Alo Hm**
- 33892. *Euchromia guineensis* (Fabricius, 1775)** (Ctenuchidae) **Synonym(s):** *guineensis* Fabricius, 1775; *sperchius* Cramer, 1777; *interstans* Walker, 1854; *leonis* Butler, 1876; *bellula* Mabilie, 1890; *splendens* Butler, 1888; *interrupta* Grünberg, 1910 **Original Reference:** *Zygaena guineensis* Fabricius, 1775, Syst. Ent.: 551. Type(s): Guinea. **Range (in code):** **ZA Nta Kzu SL ZR UG CM AO CG GO GA GM GH NG**
- 33893. *Euchromia horsfieldi* (Moore, 1859)** (Ctenuchidae) **Synonym(s):** *horsfieldi* Moore, 1859 **Range (in code):** **MY Bor ID Sum Ja Bli Sbw Flo** **Bionomy:** Larva on Dioscorea (Dioscoreaceae) (Holloway, 1988).
- 33894. *Euchromia irius* (Boisduval, 1832)** (Ctenuchidae) **Synonym(s):** *irus* Boisduval, 1832; *boisduvali* Montr., 1864; *aruica* Walker, 1864 **Range (in code):** **ID Mlc Ij Aru Mi**

- 33895. *Euchromia isis* (Boisduval,1832)** (Ctenuchidae) Synonym(s): *isis* Boisduval,1832
Range (in code): **D-Y Bsm PG**
- 33896. *Euchromia jacksoni* Bethune-Baker,1911** (Ctenuchidae) Synonym(s): *jacksoni* Bethune-Baker,1911 - Range (in code): **UG**
- 33897. *Euchromia lethe* (Fabricius,1775)** (Ctenuchidae) Synonym(s): *lethe* Fabricius,1775; *eumolphus* Cramer,1779; *fulvida* Butler,1888 - Original Reference: *Zygaena lethe* Fabricius,1775, Syst. Ent.: 553. Type(s): Africa. Range (in code): **MZ ZR AO GO Bio ST**
- 33898. *Euchromia lurlina* Butler,1888** (Ctenuchidae) Synonym(s): *lurlina* Butler,1888
Range (in code): **Fg PG**
- 33899. *Euchromia madagascariensis* (Boisduval,1833)** (Ctenuchidae) Synonym(s): *madagascariensis* Boisduval,1833 - Range (in code): **MG**
- 33900. *Euchromia magna* (Swinhoe,1891)** (Ctenuchidae) Synonym(s): *magna* Swinhoe,1891
Range (in code): **IN LK**
- 33901. *Euchromia mathewi* Butler,1888** (Ctenuchidae) Synonym(s): *mathewi* Butler,1888
Range (in code): **SB**
- 33902. *Euchromia neglecta* Rothschild,1911** (Ctenuchidae) Synonym(s): *neglecta* Rothschild,1911; *occidentalis* Rothschild,1911 - Range (in code): **SB Hon4 Hon Isa PG Bgv**
- 33903. *Euchromia oenone* Butler,1876** (Ctenuchidae) Synonym(s): *oenone* Butler,1876
Range (in code): **SB Hon Hon7**
- 33904. *Euchromia paula* (Röber,1887)** (Ctenuchidae) Synonym(s): *paula* Röber,1887 - Range (in code): **ID Clb**
- 33905. *Euchromia pelewana* Swinhoe,1906** (Ctenuchidae) Synonym(s): *pelewana* Swinhoe,1906
Range (in code): **Cro**
- 33906. *Euchromia plagosa* Swinhoe,1905** (Ctenuchidae) Synonym(s): *plagosa* Swinhoe,1905
Range (in code): **PG**
- 33907. *Euchromia polymena* (Linnaeus,1758)** (Ctenuchidae) Synonym(s): *polymena* Linnaeus,1758; *celebensis* Butler,1876; *orientalis* Butler,1876; *siamensis* Butler,1876; *butleri* Röber,1887; *diffusihelvola* Schultze,1908; *#hainana* Seitz,1913; *#egestosa* Seitz,1913 - Original Reference: *Sphinx polymena* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 494. Type(s): Asia. Range (in code): **CN Hn TW IN Bba MM Mm LK Adm ID Ja Clb Sum MY Bor TH CMa Bnk PH**
- 33908. *Euchromia pratti* Bethune-Baker,1908** (Ctenuchidae) Synonym(s): *pratti* Bethune-Baker,1908 - Range (in code): **PG**
- 33909. *Euchromia rubricollis* (Walker,1864)** (Ctenuchidae) Synonym(s): *rubricollis* Walker,1864 - Range (in code): **NC NH SB**
- 33910. *Euchromia salamonis* Swinhoe,1905** (Ctenuchidae) Synonym(s): *salamonis* Swinhoe,1905 - Range (in code): **SB Isa**
- 33911. *Euchromia shortlandica* Swinhoe,1905** (Ctenuchidae) Synonym(s): *shortlandica* Swinhoe,1905 - Range (in code): **SB Bgv3 PG**
- 33912. *Euchromia vitiensis* Hampson,1903** (Ctenuchidae) Synonym(s): *vitiensis* Hampson,1903
Range (in code): **FJ**
- 33913. *Euchromia wahnesi* Rothschild,1911** (Ctenuchidae) Synonym(s): *wahnesi* Rothschild,1911
Range (in code): **PG**
- 33914. *Euchromia walkeri* Hampson,1898** (Ctenuchidae) Synonym(s): *walkeri* Hampson,1898
Range (in code): **ID Ob Trn**
- 33915. *Euclera hoffmannsi* Rothschild,1912** (Ctenuchidae) Synonym(s): *hoffmannsi* Rothschild,1912 - Range (in code): **PE Mdi Tbp**
- 33916. *Eutomis minceus* (Stoll,1781)** (Ctenuchidae) Synonym(s): *minceus* Stoll,1781 - Range (in code): **ZA Ec**
- 33917. *Hampsonata natalithala* De Freina,2008** (Ctenuchidae) Synonym(s): *natalithala* De Freina,2008 - Range (in code): **ZA Kzu Nta**
- 33918. *Hampsonata phoenicia* (Hampson,1898)** (Ctenuchidae) Synonym(s): *phoenicia* Hampson,1898 - Range (in code): **TZ Zz**
- 33919. *Heliura cadroe* Schaus,1924** (Ctenuchidae) Synonym(s): *cadroe* Schaus,1924 - Range (in code): **PE Mdi Tbp**
- 33920. *Heliura maricum* (Cramer,[1775])** (Ctenuchidae) Synonym(s): *maricum* Cramer,[1775]
Range (in code): **PE Mdi Tbp**
- 33921. *Heliura phaeosoma* Druce,1905** (Ctenuchidae) Synonym(s): *phaeosoma* Druce,1905
Range (in code): **PE Mdi Tbp**

- 33922. *Heliura postcaeruleum* (Rothschild,1912)** (Ctenuchidae) **Synonym(s):** *postcaeruleum* Rothschild,1912 _ Range (in code): **PE Mdi Tbp**
- 33923. *Heliura rhodophila* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *rhodophila* Walker,1856 _ Range (in code): **PE Mdi Tbp**
- 33924. *Heliura semihyalina* (Rothschild,1912)** (Ctenuchidae) **Synonym(s):** *semihyalina* Rothschild,1912 _ Range (in code): **PE Mdi Tbp**
- 33925. *Heliura* sp.n.** (Ctenuchidae) **Synonym(s):** _ Range (in code): **PE Mdi Tbp**
- 33926. *Heliura stolli* Rothschild,1912** (Ctenuchidae) **Synonym(s):** *stolli* Rothschild,1912 _ Range (in code): **PE Mdi Tbp**
- 33927. *Heliura valdiviai* Grados,1999** (Ctenuchidae) **Synonym(s):** *valdiviai* Grados,1999 _ Range (in code): **PE Mdi Tbp**
- 33928. *Heliura zonata* Druce,1905** (Ctenuchidae) **Synonym(s):** *zonata* Druce,1905 _ Range (in code): **PE Mdi Tbp**
- 33929. *Herea prittwiti* (Möschler,1872)** (Ctenuchidae) **Synonym(s):** *prittwiti* Möschler,1872 _ Range (in code): **PE Mdi Tbp**
- 33930. *Heterodontia cardinale* (Schaus,1898)** (Ctenuchidae) **Synonym(s):** *cardinale* Schaus,1898 _ Range (in code): **PE Mdi Tbp**
- 33931. *Heterodontia chalconitis* (Druce,1883)** (Ctenuchidae) **Synonym(s):** *chalconitis* Druce,1883 _ Range (in code): **PE Mdi Tbp**
- 33932. *Heterodontia haematica* (Perty,1834)** (Ctenuchidae) **Synonym(s):** *haematica* Perty,1834 _ Range (in code): **PE Mdi Tbp**
- 33933. *Heterodontia mediana* (Schaus,1928)** (Ctenuchidae) **Synonym(s):** *mediana* Schaus,1928 _ Range (in code): **PE Mdi Tbp**
- 33934. *Heterodontia* sp.n.** (Ctenuchidae) **Synonym(s):** _ Range (in code): **PE Mdi Tbp**
- 33935. *Histioea proserpina* (Hübner,1823)** (Ctenuchidae) **Synonym(s):** *proserpina* Hübner,1823 _ Range (in code): **PE Mdi Tbp**
- 33936. *Hyalathea alberti* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *alberti* Rothschild,1910 _ Range (in code): **SB**
- 33937. *Hyalathea bivitreata* Hampson,1909** (Ctenuchidae) **Synonym(s):** *bivitreata* Hampson,1909 _ Range (in code): **ID Tim**
- 33938. *Hyalathea decipiens* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *decipiens* Rothschild,1910 _ Range (in code): **SB**
- 33939. *Hyalathea dohertyi* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *dohertyi* Rothschild,1910 _ Range (in code): **PG**
- 33940. *Hyalathea kuehni* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *kuehni* Rothschild,1910 _ Range (in code): **ID Tim**
- 33941. *Hyalathea meeki* Rothschild,1910** (Ctenuchidae) **Synonym(s):** *meeki* Rothschild,1910 _ Range (in code): **SB**
- 33942. *Hyalathea metaphaea* Druce,1898** (Ctenuchidae) **Synonym(s):** *metaphaea* Druce,1898; *georgiensis* Rothschild,1910 _ Original Reference: *Hyalathea metaphaea* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 147. Type ♀: "Aola, Guadalcanar Island, Solomon group (C.M.Woodford, Mus. Druce)". _ Range (in code): **SB**
- 33943. *Hyalathea sublutea* Bethune-Baker,1908** (Ctenuchidae) **Synonym(s):** *sublutea* Bethune-Baker,1908 _ Range (in code): **PG**
- 33944. *Hyalathea woodfordi* Butler,1887** (Ctenuchidae) **Synonym(s):** *woodfordi* Butler,1887 _ Range (in code): **SB**
- 33945. *Hyaleucerea erythrotelus* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *erythrotelus* Walker,1854 _ Range (in code): **PE Mdi Tbp**
- 33946. *Hyaleucerea fusiformis* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *fusiformis* Walker,1856 _ Range (in code): **PE Mdi Tbp**
- 33947. *Hyaleucerea gigantea* (Druce,1884)** (Ctenuchidae) **Synonym(s):** *gigantea* Druce,1884 _ Range (in code): **PE Mdi Tbp**
- 33948. *Hyaleucerea lemoulti* (Schaus,1905)** (Ctenuchidae) **Synonym(s):** *lemoulti* Schaus,1905 _ Range (in code): **PE Mdi Tbp**
- 33949. *Hyaleucerea vulnerata* Butler,1875** (Ctenuchidae) **Synonym(s):** *vulnerata* Butler,1875 _ Range (in code): **PE Mdi Tbp**

- 33950. Hyda basilutea (Walker,1854)** (Ctenuchidae) Synonym(s): *basilutea* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33951. Hypocladia elongata Druce,1905** (Ctenuchidae) Synonym(s): *elongata* Druce,1905
Range (in code): **VE PE Mdi Tbp**
- 33952. Hypocladia militaris (Butler,1879)** (Ctenuchidae) Synonym(s): *militaris* Butler,1879
Range (in code): **BR PE Mdi Tbp**
- 33953. Isanthrene porphyria (Walker,1854)** (Ctenuchidae) Synonym(s): *porphyria* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33954. Leucotmemis emergens (Walker,1864)** (Ctenuchidae) Synonym(s): *emergens* Walker,1864 _ Range (in code): **PE Mdi Tbp**
- 33955. Leucotmemis hemileuca (Butler,1876)** (Ctenuchidae) Synonym(s): *hemileuca* Butler,1876 _ Range (in code): **PE Mdi Tbp**
- 33956. Leucotmemis tenthredoides (Walker,1856)** (Ctenuchidae) Synonym(s): *tenthredoides* Walker,1856 _ Range (in code): **PE Mdi Tbp**
- 33957. Leucotmemis varipes (Walker,1854)** (Ctenuchidae) Synonym(s): *varipes* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33958. Loxophlebia chrysobasis Dognin,1912** (Ctenuchidae) Synonym(s): *chrysobasis* Dognin,1912 _ Range (in code): **PE Mdi Tbp**
- 33959. Loxophlebia diaphana (Sepp,[1847])** (Ctenuchidae) Synonym(s): *diaphana* Sepp,[1847]
Range (in code): **SR PE Mdi Tbp**
- 33960. Loxophlebia geminata Schaus,1905** (Ctenuchidae) Synonym(s): *geminata* Schaus,1905
Range (in code): **PE Mdi Tbp**
- 33961. Loxophlebia picta (Walker,1854)** (Ctenuchidae) Synonym(s): *picta* Walker,1854
Range (in code): **PE Mdi Tbp**
- 33962. Lymire strigivenia Druce,1898** (Ctenuchidae) Synonym(s): *strigivenia* Druce,1898
Range (in code): **PE Mdi Tbp**
- 33963. Macrocneme lades (Cramer,[1775])** (Ctenuchidae) Synonym(s): *lades* Cramer,[1775]
Range (in code): **PE Mdi Tbp**
- 33964. Macrocneme zongonata Dietz,1994** (Ctenuchidae) Synonym(s): *zongonata* Dietz,1994
Range (in code): **PE Mdi Tbp**
- 33965. Meganaclia carnea Hampson,1898** (Ctenuchidae) Synonym(s): *carnea* Hampson,1898
Range (in code): **GA ZR AO**
- 33966. Meganaclia sippia (Plötz,1880)** (Ctenuchidae) Synonym(s): *sippia* Plötz,1880 _ Range (in code): **SL NG CM UG**
- 33967. Mesothen desperata (Walker,1856)** (Ctenuchidae) Synonym(s): *desperata* Walker,1856
Range (in code): **PA BR PY PE Mdi Tbp**
- 33968. Mesothen pyrrha (Schaus,1889)** (Ctenuchidae) Synonym(s): *pyrrha* Schaus,1889
Range (in code): **MX CO GF PE Mdi Tbp**
- 33969. Metastatia azurea Lathy,1899** (Ctenuchidae) Synonym(s): *azurea* Lathy,1899; *rubroanalis* Rothschild _ Range (in code): **EC**
- 33970. Metastatia pyrrhorhoea (Hübner,1827)** (Ctenuchidae) Synonym(s): *pyrrhorhoea* Hübner,1827 _ Range (in code): **GY BR Para PE Mdi Tbp**
- 33971. Micronaclia bicolor Rothschild,1911** (Ctenuchidae) Synonym(s): *bicolor* Rothschild,1911
Range (in code): **MG**
- 33972. Micronaclia leopardina Rothschild,1911** (Ctenuchidae) Synonym(s): *leopardina* Rothschild,1911 _ Range (in code): **MG**
- 33973. Micronaclia muscella (Mabille,1884)** (Ctenuchidae) Synonym(s): *muscella* Mabille,1884; *flavia* Oberthür,1893 _ Range (in code): **MG**
- 33974. Micronaclia oberthueri Rothschild,1911** (Ctenuchidae) Synonym(s): *oberthueri* Rothschild,1911 _ Range (in code): **MG**
- 33975. Micronaclia simplex (Butler,1879)** (Ctenuchidae) Synonym(s): *simplex* Butler,1879
Range (in code): **MG**
- 33976. Micronaclia tenera (Mabille,1878)** (Ctenuchidae) Synonym(s): *tenera* Mabille,1878
Range (in code): **MG**
- 33977. Myrmecopsis caurensis (Klages,1906)** (Ctenuchidae) Synonym(s): *caurensis* Klages,1906
Range (in code): **PE Mdi Tbp**

- 33978. Myrmecopsis ichneumonea (Herrich-Schäffer,[1858])** (Ctenuchidae) **Synonym(s):** *ichneumonea Herrich-Schäffer,[1858]* Range (in code): PE Mdi Tbp
- 33979. Myrmecopsis polistes (Hübner,[1813])** (Ctenuchidae) **Synonym(s):** *polistes Hübner,[1813]* Range (in code): PE Mdi Tbp
- 33980. Myrmecopsis sp.** (Ctenuchidae) **Synonym(s):** Range (in code): PE Mdi Tbp
- 33981. Neeressa sagada (Semper,1898)** (Ctenuchidae) **Synonym(s):** *sagada Semper,1898* Range (in code): PH Luz
- 33982. Neeressa whiteheadi Rothschild,1910** (Ctenuchidae) **Synonym(s):** *whiteheadi Rothschild,1910* Range (in code): PH Luz
- 33983. Orcynia calcarata (Walker,1854)** (Ctenuchidae) **Synonym(s):** *calcarata Walker,1854* Range (in code): PE Mdi Tbp
- 33984. Osmocneme bracata Draudt,1915** (Ctenuchidae) **Synonym(s):** *bracata Draudt,1915* Range (in code): PE Mdi Tbp
- 33985. Paraethria flavosignata Rothschild,1911** (Ctenuchidae) **Synonym(s):** *flavosignata Rothschild,1911* Range (in code): PE Mdi Tbp
- 33986. Paralaethia subformicina (Bethune-Baker,1904)** (Ctenuchidae) **Synonym(s):** *subformicina Bethune-Baker,1904* Range (in code): PG
- 33987. Phaeospecchia opaca (Walker,1854)** (Ctenuchidae) **Synonym(s):** *opaca Walker,1854* Range (in code): PE Mdi Tbp
- 33988. Pheia albisigna (Walker,1854)** (Ctenuchidae) **Synonym(s):** *albisigna Walker,1854* Range (in code): PE Mdi Tbp
- 33989. Pheia utica (Druce,1889)** (Ctenuchidae) **Synonym(s):** *utica Druce,1889; proterea Schaus,1924* Range (in code): MX VE PA PE Mdi Tbp
- 33990. Pheia xanthozona Dognin,1910** (Ctenuchidae) **Synonym(s):** *xanthozona Dognin,1910* Range (in code): GF
- 33991. Phoenicoprocta vacillans (Walker,1856)** (Ctenuchidae) **Synonym(s):** *vacillans Walker,1856* Range (in code): PE Mdi Tbp
- 33992. Pionia lycoides Walker,1854** (Ctenuchidae) **Synonym(s):** *lycoides Walker,1854* Range (in code): PE Mdi Tbp
- 33993. Pionia minima (Druce,1905)** (Ctenuchidae) **Synonym(s):** *minima Druce,1905* Range (in code): PE Mdi Tbp
- 33994. Pleurosoma angustatum (Möschler,1877)** (Ctenuchidae) **Synonym(s):** *angustatum Möschler,1877* Range (in code): PE Mdi Tbp
- 33995. Pleurosoma testacea (Walker,1854)** (Ctenuchidae) **Synonym(s):** *testacea Walker,1854* Range (in code): GY PE Mdi Tbp
- 33996. Poecilosoma chrysis Hübner,1823** (Ctenuchidae) **Synonym(s):** *chrysis Hübner,1823* Range (in code): PE Mdi Tbp
- 33997. Poecilosoma eone (Hübner,[1831])** (Ctenuchidae) **Synonym(s):** *eone Hübner,[1831]* Range (in code): PE Mdi Tbp
- 33998. Poliopastea anthracina Klages,1906** (Ctenuchidae) **Synonym(s):** *anthracina Klages,1906* Original Reference: Poliopastea anthracina Klages,1906, Proc. U.S. nat. Mus. 29: 537. Type: Venezuela. Range (in code): VE PE Mdi Tbp
- 33999. Poliopastea plumbea Hampson,1898** (Ctenuchidae) **Synonym(s):** *plumbea Hampson,1898* Range (in code): PE Mdi Tbp
- 34000. Pompiliodes aliena (Walker,1854)** (Ctenuchidae) **Synonym(s):** *aliena Walker,1854* Range (in code): PE Mdi Tbp
- 34001. Pseudaclytia minor Schaus,1905** (Ctenuchidae) **Synonym(s):** *minor Schaus,1905* Range (in code): PE Mdi Tbp
- 34002. Pseudaclytia opponens (Walker,1864)** (Ctenuchidae) **Synonym(s):** *opponens Walker,1864* Range (in code): PE Mdi Tbp
- 34003. Pseudoceryx dohertyi Rothschild,1910** (Ctenuchidae) **Synonym(s):** *dohertyi Rothschild,1910* Range (in code): ID Bia
- 34004. Pseudocharis ? nigrozonum Schaus,1905** (Ctenuchidae) **Synonym(s):** *nigrozonum Schaus,1905* Range (in code): PE Mdi Tbp
- 34005. Pseudomya cassandra (Linnaeus,1758)** (Ctenuchidae) **Synonym(s):** *cassandra Linnaeus,1758* Range (in code): PE Mdi Tbp

- 34006. *Pseudomya fumosa* (Schaus,1912)** (Ctenuchidae) **Synonym(s):** *fumosa* Schaus,1912
Range (in code): PE Mdi Tbp
- 34007. *Pseudomya lasiphlebia* (Dognin,1906)** (Ctenuchidae) **Synonym(s):** *lasiphlebia* Dognin,1906
Range (in code): PE Mdi Tbp
- 34008. *Pseudomya obscura* (Klages,1906)** (Ctenuchidae) **Synonym(s):** *obscura* Klages,1906
Range (in code): PE Mdi Tbp
- 34009. *Pseudomya* sp.** (Ctenuchidae) **Synonym(s):** Range (in code): PE Mdi Tbp
- 34010. *Pseudomya temenus* (Stoll,[1781])** (Ctenuchidae) **Synonym(s):** *temenus* Stoll,[1781]
Range (in code): PE Mdi Tbp
- 34011. *Pseudomya tetraema* (Forbes,1939)** (Ctenuchidae) **Synonym(s):** *tetraema* Forbes,1939
Range (in code): PE Mdi Tbp
- 34012. *Pseudomya tipulina* (Hübner,[1812])** (Ctenuchidae) **Synonym(s):** *tipulina* Hübner,[1812]
Range (in code): PE Mdi Tbp
- 34013. *Pseudomya vindonnisa* (Druce,1883)** (Ctenuchidae) **Synonym(s):** *vindonnisa* Druce,1883
Range (in code): PE Mdi Tbp
- 34014. *Pseudonaclia bifasciata* Aurivillius,1909** (Ctenuchidae) **Synonym(s):** *bifasciata* Aurivillius,1909
Range (in code): ZA TZ
- 34015. *Pseudonaclia puella* (Boisduval,1847)** (Ctenuchidae) **Synonym(s):** *puella* Boisduval,1847;
minor Rothschild,1910
Range (in code): ZA Nta Kzu MZ Del ZW Har KE
- 34016. *Pseudosphenopectera chimaera* (Rothschild,1911)** (Ctenuchidae) **Synonym(s):** *chimaera* Rothschild,1911
Range (in code): PE Mdi Tbp
- 34017. *Pseudosphex caurensis* (Klages,1906)** (Ctenuchidae) **Synonym(s):** *caurensis* Klages,1906
Range (in code): VE PE Mdi Tbp
- 34018. *Pseudosphex crabronis* (Druce,1884)** (Ctenuchidae) **Synonym(s):** *crabronis* Druce,1884
Range (in code): VE
- 34019. *Pseudosphex crabronis venezuelensis* Rothschild,1931** (Ctenuchidae) **Synonym(s):** *venezuelensis* Rothschild,1931
Range (in code): VE
- 34020. *Psichotoe duvauceli* Boisduval,1829** (Ctenuchidae) **Synonym(s):** *duvauceli* Boisduval,1829
Original Reference: *Psichotoe duvauceli* Boisduval,1829, Monogr. Zygaen.: 129, pl.8 fig.5,6.
Range (in code): PK Sd IN MM TH CMa Cuo Cuo7
- 34021. *Psichotoe gnatula* (Boisduval,1847)** (Ctenuchidae) **Synonym(s):** *gnatula* Boisduval,1847;
naclioides R.Felder & Rogenhofer,1869
Range (in code): ZA Tva Lpo Nta WCa
- 34022. *Psoloptera thoracica* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *thoracica* Walker,1854
Range (in code): PE Mdi Tbp
- 34023. *Ptychotricos zeus* Schaus,1894** (Ctenuchidae) **Synonym(s):** *zeus* Schaus,1894
Range (in code): PE Mdi Tbp
- 34024. *Rhynchopyga garleppi* Gaede,1926** (Ctenuchidae) **Synonym(s):** *garleppi* Gaede,1926
Range (in code): PE Mdi Tbp
- 34025. *Sarosa acutior* (R.Felder,1874)** (Ctenuchidae) **Synonym(s):** *acutior* R.Felder,1874
Range (in code): EC PE Mdi Tbp
- 34026. *Sarosa albraamea* Schaus,1920** (Ctenuchidae) **Synonym(s):** *albraamea* Schaus,1920
Range (in code): GY PE Mdi Tbp
- 34027. *Schasiura mimica* Butler,1877** (Ctenuchidae) **Synonym(s):** *mimica* Butler,1877
Range (in code): PE Mdi Tbp
- 34028. *Sciopsyche tropica* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *tropica* Walker,1854
Range (in code): PE Mdi Tbp
- 34029. *Sesiura smaragdina* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *smaragdina* Walker,1864;
saturatissima Walker,1864; *flava* Draudt,1915
Range (in code): VE SR BR GF PE Mdi Tbp
- 34030. *Sphecops abdominalis* (Schaus,1905)** (Ctenuchidae) **Synonym(s):** *abdominalis* Schaus,1905
Range (in code): PE Mdi Tbp
- 34031. *Sphecosoma mathani* Rothschild,1911** (Ctenuchidae) **Synonym(s):** *mathani* Rothschild,1911
Range (in code): BR PE Mdi Tbp
- 34032. *Sphecosoma surrentum* Druce,1883** (Ctenuchidae) **Synonym(s):** *surrenta* Druce,1883
Range (in code): BO PE Mdi Tbp
- 34033. *Stictonaclia amplificata* (Saalmüller,1880)** (Ctenuchidae) **Synonym(s):** *amplificata* Saalmüller,1880
Range (in code): MG

- 34034. *Stictonaclia anastasia* (Oberthür,1893)** (Ctenuchidae) Synonym(s): *anastasia* Oberthür,1893 Range (in code): MG
- 34035. *Stictonaclia maria* (Oberthür,1909)** (Ctenuchidae) Synonym(s): *maria* Oberthür,1909 Range (in code): MG
- 34036. *Stictonaclia marietta* (Oberthür,1909)** (Ctenuchidae) Synonym(s): *marietta* Oberthür,1909 Range (in code): MG
- 34037. *Stictonaclia myodes* (Guérin-Ménéville,1829)** (Ctenuchidae) Synonym(s): *myodes* Guérin-Ménéville,1829; *zygaenoides* Mabille,1884; *agnes* Oberthür,1893 Range (in code): MG
- 34038. *Stictonaclia reducta* (Mabille,1878)** (Ctenuchidae) Synonym(s): *reducta* Mabille,1878; *anapera* Mabille,1878 Range (in code): MG
- 34039. *Streptophlebia albipuncta* (Hampson,1898)** (Ctenuchidae) Synonym(s): *albipuncta* Hampson,1898 Original Reference: *Thylacoptera albipuncta* Hampson,1898, Cat. Lep. Phalaenae Br. Mus. 1: 53, fig.24. Type ♂: Philippines, Palawan. Range (in code): PH Pal
- 34040. *Streptophlebia antipolo* (Semper,1898)** (Ctenuchidae) Synonym(s): *antipolo* Semper,1898 Original Reference: *Syntomoides antipolo* Semper,1898, Reisen Archipel. Philipp. 2: 418, pl.53 figs.2,3. Syntypes 11♂♂: Philippines, Mittel-Luzon. Range (in code): PH Luz
- 34041. *Streptophlebia bicellulata* (Kaye,1918)** (Ctenuchidae) Synonym(s): *bicellulata* Kaye,1918 Original Reference: *Crinophora bicellulata* Kaye,1918, Ann. Mag. nat. Hist. (9) 1: 326-327. Syntypes 3♂ 2♀: Philippines, Cebu (J.J.Mounsey). Range (in code): PH Ceb
- 34042. *Streptophlebia obliquistria* Hampson,1898** (Ctenuchidae) Synonym(s): *obliquistria* Hampson,1898 Range (in code): MY Bor Sbh KBa
- 34043. *Streptophlebia palawanica* (Kaye,1918)** (Ctenuchidae) Synonym(s): *palawanica* Kaye,1918 Range (in code): PH Pal
- 34044. *Symphlebomis antipolo* (Semper,1898)** (Ctenuchidae) Synonym(s): *antipolo* Semper,1898 Range (in code): PH Luz
- 34045. *Syntomoides imaon* (Cramer,1780)** (Ctenuchidae) Synonym(s): *imaon* Cramer,1780; *godarti* Boisduval,1829; *fusiformis* Walker,1856; *approximata* Walker,1864; *libera* Walker,1864; *fytchei* Moore,1871; *cupreipennis* Butler,1876; *artina* Butler,1876; *sargania* Butler,1879; *mota* Swinhoe,1891 Range (in code): ID Sum Ja TH CMa Dst Dso9 CDo CD2 Pap Mro MY Bor BN IN SI LK CN Yu Ri TW Bionomy: Larva on *Anacardium* (Anacardiaceae), *Citrus* (Rutaceae) (Holloway,1988).
- 34046. *Syntrichura melaena* Dognin,1907** (Ctenuchidae) Synonym(s): *melaena* Dognin,1907 Range (in code): PE Mdi Tbp
- 34047. *Syntrichura virens* Butler,1876** (Ctenuchidae) Synonym(s): *virens* Butler,1876 Range (in code): PE Mdi Tbp
- 34048. *Telioneura carmania* (Druce,1883)** (Ctenuchidae) Synonym(s): *carmania* Druce,1883 Range (in code): PE Mdi Tbp
- 34049. *Telioneura glaucopis* R.Felder,1874** (Ctenuchidae) Synonym(s): *glaucopis* R.Felder,1874 Range (in code): PE Mdi Tbp
- 34050. *Theages xanthura* (Schaus,1910)** (Ctenuchidae) Synonym(s): *xanthura* Schaus,1910 Range (in code): PE Mdi Tbp
- 34051. *Thylacoptera albipuncta* Hampson,1898** (Ctenuchidae) Synonym(s): *albipuncta* Hampson,1898 Range (in code): PH Pal
- 34052. *Thyrogonia efulensis* (Holland,1893)** (Ctenuchidae) Synonym(s): *efulensis* Holland,1893 Range (in code): CM
- 34053. *Thyrosticta agatha* (Oberthür,1893)** (Ctenuchidae) Synonym(s): *agatha* Oberthür,1893 Range (in code): MG
- 34054. *Thyrosticta butleri* (Mabille,1884)** (Ctenuchidae) Synonym(s): *butleri* Mabille,1884; *distincta* Saalmüller,1884; *extensa* Saalmüller,1884; *expallescens* Saalmüller,1884 Range (in code): MG
- 34055. *Thyrosticta contigua* (Saalmüller,1884)** (Ctenuchidae) Synonym(s): *contigua* Saalmüller,1884 Range (in code): MG
- 34056. *Thyrosticta luctuosa* (Oberthür,1911)** (Ctenuchidae) Synonym(s): *luctuosa* Oberthür,1911 Range (in code): MG
- 34057. *Thyrosticta minuta* (Boisduval,1833)** (Ctenuchidae) Synonym(s): *minuta* Boisduval,1833 Range (in code): MG
- 34058. *Thyrosticta moerens* (Oberthür,1911)** (Ctenuchidae) Synonym(s): *moerens* Oberthür,1911; *sylvicolens* Butler,1878; *perpetua* Oberthür,1893; *confluens* Oberthür,1893; *quadrimacula* Oberthür,1893 (hom.); *#holoxantha* Zerny,1912 Range (in code): MG

- 34059. *Thyrosticta tollini* (Keferstein,1870)** (Ctenuchidae) **Synonym(s):** *tollini* Keferstein,1870; *lugens* Oberthür,1893 **Range (in code):** **MG**
- 34060. *Thyrosticta trimacula* (Mabille,1878)** (Ctenuchidae) **Synonym(s):** *trimacula* Mabille,1878 **Range (in code):** **MG**
- 34061. *Timalus leucomelas* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *leucomelas* Walker,1856 **Range (in code):** **PE Mdi Tbp**
- 34062. *Tipulodes rubriceps* Dognin,1912** (Ctenuchidae) **Synonym(s):** *rubriceps* Dognin,1912 **Range (in code):** **PE Mdi Tbp**
- 34063. *Trichaeta albifrontalis* (Pagenstecher,1885)** (Ctenuchidae) **Synonym(s):** *albifrontalis* Pagenstecher,1885 **Range (in code):** **ID Nia MY Bor**
- 34064. *Trichaeta bivittata* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *bivittata* Walker,1864 **Range (in code):** **SL**
- 34065. *Trichaeta fulvescens* (Walker,1854)** (Ctenuchidae) **Synonym(s):** *fulvescens* Walker,1854; *thyretiformis* Wallengren,1860; *molanna* Wallengren,1876 **Original Reference:** *Syntomis fulvescens* Walker,1854, List. lepid. Ins. Colln Br. Mus. 1: 1854. **Range (in code):** **ZA Nta Kzu Tva MZ SO ZW KE ZR**
- 34066. *Trichaeta parva* Aurivillius,1910** (Ctenuchidae) **Synonym(s):** *parva* Aurivillius,1910 **Range (in code):** **MZ ZR**
- 34067. *Trichaeta pterophorina* (Mabille,1892)** (Ctenuchidae) **Synonym(s):** *pterophorina* Mabille,1892 **Original Reference:** *Syntomis pterophorina* Mabille,1892, Bull. Soc. ent. Fr. 1892: 139. **Range (in code):** **ZA Tva Spb Mdk Nta Kzu ZW Har MZ BW**
- 34068. *Trichaeta schultzei* Aurivillius,1905** (Ctenuchidae) **Synonym(s):** *schultzei* Aurivillius,1905 **Range (in code):** **CM Ada**
- 34069. *Trichaeta tigrina* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *tigrina* Walker,1864 **Range (in code):** **KH**
- 34070. *Trichaeta tineiformis* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *tineiformis* Walker,1856 **Range (in code):** **IN Hp SI BT**
- 34071. *Trichaetoides albiplaga* (Walker,1862)** (Ctenuchidae) **Synonym(s):** *albiplaga* Walker,1862; *albosignata* Walker,1864 **Range (in code):** **MY Bor TH**
- 34072. *Trichaetoides apicalis* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *apicalis* Walker,1856; *flaviplaga* Walker,1862; *biplagata* Snellen,1880; **Range (in code):** **TH MY Bor ID Sum**
- 34073. *Trichaetoides borealis* (Rothschild,1912)** (Ctenuchidae) **Synonym(s):** *borealis* Rothschild,1912 **Range (in code):** **MY Bor Swk BN**
- 34074. *Trichaetoides chloroleuca* (Walker,1859)** (Ctenuchidae) **Synonym(s):** *chloroleuca* Walker,1859; *detracta* Walker,1862; *basifera* Walker,1862; *trizonata* Hampson,1898; *monoleuca* Hampson,1903; *dohertyi* Rothschild,1910; *biplagiata* Rothschild,1912 **Range (in code):** **MY Bor ID Sum SG Pen TH**
- 34075. *Trichaetoides divisura* (Walker,1862)** (Ctenuchidae) **Synonym(s):** *divisura* Walker,1862 **Range (in code):** **MY Bor ID Sum**
- 34076. *Trichaetoides hosei* (Rothschild,1910)** (Ctenuchidae) **Synonym(s):** *hosei* Rothschild,1910 **Original Reference:** *Trichaeta hosei* Rothschild,1910, Novit. zool. 17 (3): 431. Type ♀: North Borneo, Mt. Mulu. **Range (in code):** **MY Bor**
- 34077. *Trichaetoides proleuca* (Hampson,1903)** (Ctenuchidae) **Synonym(s):** *proleuca* Hampson,1903 **Range (in code):** **ID Sum**
- 34078. *Trichaetoides separabilis* (Walker,1862)** (Ctenuchidae) **Synonym(s):** *separabilis* Walker,1862; *quadriplagata* Snellen,1885 **Range (in code):** **ID Sum SG MY Bor**
- 34079. *Trichaetoides vigorsi* (Moore,1859)** (Ctenuchidae) **Synonym(s):** *vigorsi* Moore,1859 **Range (in code):** **ID Ja**
- 34080. *Trichura aurifera* Butler,1876** (Ctenuchidae) **Synonym(s):** *aurifera* Butler,1876 **Range (in code):** **PE Mdi Tbp**
- 34081. *Trichura mathina* Druce,1898** (Ctenuchidae) **Synonym(s):** *mathina* Druce,1898 **Range (in code):** **PE Mdi Tbp**
- 34082. *Tritonaclia erubescens* Hampson,1901** (Ctenuchidae) **Synonym(s):** *erubescens* Hampson,1901 **Range (in code):** **KE**
- 34083. *Tritonaclia kefersteini* (Butler,1882)** (Ctenuchidae) **Synonym(s):** *kefersteini* Butler,1882 **Range (in code):** **MG**
- 34084. *Uranophora alterata* (Walker,1864)** (Ctenuchidae) **Synonym(s):** *alterata* Walker,1864 **Range (in code):** **PE Mdi Tbp**

- 34085. *Uranophora leucatela* (Butler,1876)** (Ctenuchidae) **Synonym(s):** *leucatela* Butler,1876
Range (in code): **PE Mdi Tbp**
- 34086. *Uranophora maranhaonis* (Strand,1915)** (Ctenuchidae) **Synonym(s):** *maranhaonis* Strand,1915
Range (in code): **PE Mdi Tbp**
- 34087. *Uranophora walkeri* (Druce,1889)** (Ctenuchidae) **Synonym(s):** *walkeri* Druce,1889
Range (in code): **PE Mdi Tbp**
- 34088. *Urolosia brodea* (Schaus,1896)** (Ctenuchidae) **Synonym(s):** *brodea* Schaus,1896
Range (in code): **TT PE Mdi Tbp**
- 34089. *Xanthopleura perspicua* (Walker,1856)** (Ctenuchidae) **Synonym(s):** *perspicua* Walker,1856
Range (in code): **PE Mdi Tbp**
- 34090. *Cyclidia dictyaria* (Swinhoe,1899)** (Cyclidiidae) **Synonym(s):** *dictyaria* Swinhoe,1899
Original Reference: *Euchera dictyaria* Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 111. Type: N.W. India: Kangra. **Range (in code):** **IN Hp Kgr**
- 34091. *Cyclidia javana* Aurivillius,1894** (Cyclidiidae) **Synonym(s):** *javana* Aurivillius,1894
Range (in code): **ID Ja**
- 34092. *Cyclidia orciferaria* Walker,1860** (Cyclidiidae) **Synonym(s):** *orciferaria* Walker,1860
Original Reference: *Cyclidia orciferaria* Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 20: 56. Type: N.China. **Range (in code):** **CN TH Phr CRa CMa**
- 34093. *Cyclidia pitmani* (Moore,1886)** (Cyclidiidae) **Synonym(s):** *pitmani* Moore,1886
Range (in code): **MM Tvy TH CMa**
- 34094. *Cyclidia rectifasciata* Walker,1862** (Cyclidiidae) **Synonym(s):** *rectifasciata* Walker,1862
Range (in code): **IN MM Kch Kam** **Bionomy:** Larva on leaf of weed (Lewvanich,2001).
- 34095. *Cyclidia rectifasciata malaisei* Bryk,1943** (Cyclidiidae) **Synonym(s):** *malaisei* Bryk,1943
Range (in code): **MM Kch Kam**
- 34096. *Cyclidia substigmatica* (Hübner,[1825])** (Cyclidiidae) **Synonym(s):** *substigmatica* Hübner,[1825]; *capitata* Walker,1862
Range (in code): **IN SI Djl CN Ti MM Kam JP** **Bionomy:** Larva on Alangium chinense (Alangiaceae) (Robinson et al.,2005).
- 34097. *Cyclidia substigmatica intermedia* Prout,1918** (Cyclidiidae) **Synonym(s):** *intermedia* Prout,1918
Range (in code): **CN Ti**
- 34098. *Cyclidia substigmatica modesta* Bryk,1943** (Cyclidiidae) **Synonym(s):** *modesta* Bryk,1943
Original Reference: *Cyclidia substigmatica* ssp. *modesta* Bryk,1943, Ark. Zool. 34A (13): 3, pl.1 figs. Type: [Myanmar]: Burma. **Range (in code):** **MM Kam**
- 34099. *Cyclidia substigmatica nigralbata* W.Warren,1914** (Cyclidiidae) **Synonym(s):** *nigralbata* W.Warren,1914
Range (in code): **JP**
- 34100. *Cyclidia substigmatica substigmatica* (Hübner,[1825])** (Cyclidiidae) **Synonym(s):** *substigmatica* Hübner,[1825]; *capitata* Walker,1862
Range (in code): **CN**
- 34101. *Cyclidia substigmatica superstigmatica* Prout,1918** (Cyclidiidae) **Synonym(s):** *superstigmatica* Prout,1918
Range (in code): **IN SI Djl**
- 34102. *Cyclotorna diplocentra* Turner,1913** (Cyclotornidae) **Synonym(s):** *diplocentra* Turner,1913
Range (in code): **AU**
- 34103. *Cyclotorna egena* Meyrick,1912** (Cyclotornidae) **Synonym(s):** *egenae* Meyrick,1912
Range (in code): **AU**
- 34104. *Cyclotorna ementita* Meyrick,1921** (Cyclotornidae) **Synonym(s):** *ementita* Meyrick,1921
Range (in code): **AU**
- 34105. *Cyclotorna experta* Meyrick,1912** (Cyclotornidae) **Synonym(s):** *experta* Meyrick,1912
Range (in code): **AU**
- 34106. *Cyclotorna monocentra* Meyrick,1907** (Cyclotornidae) **Synonym(s):** *monocentra* Meyrick,1907
Range (in code): **AU QAu TH**
- 34107. *Syringopais temperatella* (Lederer,1855)** (Deoclonidae) **Synonym(s):** *temperatella* Lederer,1855; *fuscifasciata* Stainton,1867; *ochrolitella* Staudinger,1871; *xenicopa* Meyrick,1920
Original Reference: *Oecophora temperatella* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 230, Taf.5 fig.8. Syntypes 2♂: [Lebanon]: Beirut (Zach). **Range (in code):** **GR CY TR LB Bei IL Pa Hf IQ Shq Dia IR Lo** **Bionomy:** Larva on Hordeum, Triticum, etc. (Poaceae).
- 34108. *Klimeschia afghanica* Gaedike,1974** (Douglassiidae) **Synonym(s):** *afghanica* Gaedike,1974
Original Reference: *Klimeschia afghanica* Gaedike,1974, Acta faun. ent. Mus. Nat. Pragae 15 (176): 96, figs. Holotype ♂: Afghanistan: Paghman, 2200m leg. Kasy & Vartian (NHMW). **Range (in code):** **IR Kh AF Pag Kab RU Tv**

- 34109. Klimeschia cinereipunctella (Turati & Fiori,1930)** (Douglesiidae) Synonym(s): *cinereipunctella* Turati & Fiori,1930; *lutumella* Amsel,1938. Range (in code): **GR Cr TR IL Js Pa IQ Hjo Shq**
- 34110. Klimeschia paghmanella Gaedike,1974** (Douglesiidae) Synonym(s): *paghmanella* Gaedike,1974. Original Reference: *Klimeschia paghmanella* Gaedike,1974, Acta faun. ent. Mus. Nat. Pragae 15 (176): 98, figs. Holotype ♂: Afghanistan: Paghman, 2100m leg. Kasy & Vartian (NHMW). Range (in code): **AF Pag Kab Kbb Pli Pnj**
- 34111. Klimeschia thymetella (Staudinger,1859)** (Douglesiidae) Synonym(s): *thymetella* Staudinger,1859 Original Reference: *Tinagma thymetella* Staudinger,1859, Stettin ent. Ztg. 20: 252. Lectotype ♂: [Spain]: Chiclana, designated by Gaedike (1974) (ZMB). Range (in code): **PT ES** Bionomy: Larva on *Thymus vulgaris* (Lamiaceae) (Gaedike,1974).
- 34112. Klimeschia transversella (Zeller,1839)** (Douglesiidae) Synonym(s): *transversella* Zeller,1839 Original Reference: *Tinagma transversella* Zeller,1839, Isis Oken, Lepizig 1839: 204. Type ♂: [Austria]: Glogau (BMNH). Range (in code): **PT ES FR IT BE DE AT PL CZ SK HU RO YU GR TR IR Elb Kdj DK SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Thymus* (Lamiaceae) (Gaedike,1974).
- 34113. Klimeschia vibratoriella (Mann,1862)** (Douglesiidae) Synonym(s): *vibratoriella* Mann,1862 Original Reference: *Tinagma vibratoriella* Mann,1862, Wien. ent. Monatschr. 6: 404, Taf.3 fig.15. Lectotype ♂: [Türkei]: Kleinasien: Brussa [Bursa], designated by Gaedike (1974:95) (ZMB). Range (in code): **TR**
- 34114. Tinagma anchusellum (Benander,1936)** (Douglesiidae) Synonym(s): *anchusellum* Benander,1936 Original Reference: *Douglasia anchusella* Benander,1936, Opusc. Ent. 1: 51-53, figs.1e. Type: Sweden: Vickelby auf Öland (Coll. Benander). Range (in code): **DK SE EE LV PL DE AT HU BG GR TR IL Pa IR Elb Kdj Th** Bionomy: Larva on *Anchusa azurea* (Boraginaceae) (Gaedike,1974; Kemal, in litt.).
- 34115. Tinagma asymmetricum Gaedike,2010** (Douglesiidae) Synonym(s): *asymmetricum* Gaedike,2010 Range (in code): **ES**
- 34116. Tinagma balteolellum (Fischer v. Röslerstamm,1841)** (Douglesiidae) Synonym(s): *balteolellum* Fischer v. Röslerstamm,1841; *borkhausenella* Herrich-Schäffer,1855 Original Reference: *Aechmia balteolella* Fischer v. Röslerstamm,1841, Abb. Ber. Erg. Schmett. Cent. I: 247. Type: [Austria]: Mark Brandenburg. Range (in code): **TN Gf PT FR IT GB BE NL DE CH AT PL CZ SK HU RO LT RU MD UA BY LB Bei** Bionomy: Larva on *Echium humile* (Chrétien,1917); *Echium vulgare* (Boraginaceae) (Gaedike,1974).
- 34117. Tinagma bledellum (Chrétien,1916)** (Douglesiidae) Synonym(s): *bledellum* Chrétien,1916. Original Reference: *Elachista bledella* Chrétien,1916, Annls Soc. ent. Fr. 84: 362. Lectotype ♂: [Tunis]: Gafsa, designated by Gaedike (1974: 86). Range (in code): **DZ TN Gf IR Ss**
- 34118. Tinagma columbellum (Staudinger,1880)** (Douglesiidae) Synonym(s): *columbellum* Staudinger,1880. Original Reference: *Douglasia columbella* Staudinger,1880, Horae Soc. ent. ross. 15: 383-384. Syntypes 2♂: [Türkei]: Amasia (Kerasdere), Lectotype ♂, designated by Gaedike (1974: 85). Range (in code): **TR IR Fa Shr IL Pa**
- 34119. Tinagma dryadis Staudinger,1872** (Douglesiidae) Synonym(s): *dryadis* Staudinger,1872 Original Reference: *Tinagma dryadis* Staudinger,1872, Verh. zool.-bot. Ges. Wien 22: 735-736. Lectotype ♂: [Schweiz]: Trafoi, designated by Gaedike,1974. Range (in code): **US CA Als FR IT CH AT NO SE FI RU At BY** Bionomy: Larva on *Dryas octopetala* (Staudinger,1872; et seq.).
- 34120. Tinagma grisescens Stainton,1867** (Douglesiidae) Synonym(s): *grisescens* Stainton,1867; *tabghana* Amsel,1935 Original Reference: *Tinagma grisescens* Stainton,1867, Tineina of Syria and Asia minor: 51. Type ♂: "Palaestina" (BMNH). Range (in code): **IL Nzr Pa**
- 34121. Tinagma hedemanni (Caradja,1920)** (Douglesiidae) Synonym(s): *hedemanni* Caradja,1920 Original Reference: *Douglasia hedemanni* Caradja,1920, Dt. ent. Z., Iris 34: 89-90. Lectotype ♂: Italia: Bozen, designated by Gaedike (1974; 86) (MGA). Range (in code): **IT AT MK Och TR**
- 34122. Tinagma klimeschi Gaedike,1987** (Douglesiidae) Synonym(s): *klimeschi* Gaedike,1987 Original Reference: *Tinagma klimeschi* Gaedike,1987, Nota lepid. 10 (3): 158-162, figs. Holotype ♂: Insel Rhodos, Faliraki 14.iv.1986 (leg. & coll. Klimesch). Range (in code): **GR Rd** Bionomy: Larva on *Echium diffusum* (Boraginaceae) (Gaedike,1987).

- 34123. *Tinagma minutissimum* (Staudinger,1880)** (Douglassiidae) Synonym(s): *minutissimum* Staudinger,1880. Original Reference: Douglasia (?) minutissima Staudinger,1880, Horae Soc. ent. ross. 15: 384-385. Type ♀: [Türkei]: Amasia (Kerasdere) (ZMB). Range (in code): **TR RU**
- 34124. *Tinagma mongolicum* Gaedike,1991** (Douglassiidae) Synonym(s): *mongolicum* Gaedike,1991 Range (in code): **MN**
- 34125. *Tinagma ocnerostomellum* (Stainton,1850)** (Douglassiidae) Synonym(s): *ocnerostomellum* Stainton,1850; *echii* Herrich-Schäffer,1854. Original Reference: Gracilaria ? ocnerostomella Stainton,1850, Trans. ent. Soc. London (Proc.) 1: 6. Type: England: Mickleham (BMNH). Range (in code): **PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU YU GR TR SY Dms DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva inside the stalk of Echium (Boraginaceae) (Gaedike,1975).
- 34126. *Tinagma perdicellum* Zeller,1839** (Douglassiidae) Synonym(s): *perdicellum* Zeller,1839; *deliciosella* Caradja,1920 Original Reference: Tinagma perdicella Zeller,1839, Isis Oken, Leipzig 1839: 204. Type: Am Spitzberge (BMNH). Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK HU HV AL NO SE FI EE LV LT RU MD UA BY KK** Bionomy: Larva on Alchemilla, Fragaria, Potentilla, Rubus (Rosaceae) (Gaedike,1974).
- 34127. *Tinagma signatum* Gaedike,1991** (Douglassiidae) Synonym(s): *signatum* Gaedike,1991 Range (in code): **IT DE AT CZ SK YU**
- 34128. *Agnidra fuscilinea* (Watson,1961)** (Drepanidae) Synonym(s): *fuscilinea* Watson,1961 Original Reference: Albara fuscilinea Watson,1961, Bull. Br. Mus. (Nat. Hist.) Ent. 10: 326. Holotype: Malaya (BMNH). Range (in code): **MY Bor TH**
- 34129. *Agnidra specularia* (Walker,1860)** (Drepanidae) Synonym(s): *specularia* Walker,1860 Range (in code): **IN SI**
- 34130. *Agnidra vinacea* Moore,1879** (Drepanidae) Synonym(s): *vinacea* Moore,1879; *birmanica* Bryk,1942 Range (in code): **IN SI MM**
- 34131. *Albara hollowayi* Watson,1970** (Drepanidae) Synonym(s): *hollowayi* Watson,1970 Original Reference: Albara hollowayi Watson,1970, Entomologist 103: 255. Range (in code): **MY Bor BN ID Sum**
- 34132. *Albara reversaria* Walker,1866** (Drepanidae) Synonym(s): *reversaria* Walker,1866 Original Reference: Albara reversaria Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1567. Range (in code): **ID Sum TH MY Bor BN Sbh KBa TW** Bionomy: Larva on Myrica (Myricaceae) (Wang,1995).
- 34133. *Amphitorna excisa* (W.Warren,1897)** (Drepanidae) Synonym(s): *excisa* W.Warren,1897 Range (in code): **MY Bor Sbh BN ID Sum**
- 34134. *Amphitorna perexcisa* (W.Warren,1923)** (Drepanidae) Synonym(s): *perexcisa* W.Warren,1923 Range (in code): **MY Bor BN ID Sum**
- 34135. *Amphitorna purpureofasciata* (Wileman,1911)** (Drepanidae) Synonym(s): *purpureofasciata* Wileman,1911; *unicolor* Wileman,1911; *bipunctinata* Strand,[1917]; *formosana* Matsumura,1921 Range (in code): **TW**
- 34136. *Amphitorna submontana* (Holloway,1976)** (Drepanidae) Synonym(s): *submontana* Holloway,1976 Range (in code): **MY Bor Sbh KBa BN ID Sum**
- 34137. *Archidrepana saturniata* W.Warren,1902** (Drepanidae) Synonym(s): *saturniata* W.Warren,1902 Range (in code): **AET MG KM**
- 34138. *Ausaris argenteola* (Moore,1858)** (Drepanidae) Synonym(s): *argenteola* Moore,1858; *argentifera* Druce,1888; *subfasciata* W.Warren,1922; *metaleuca* Bethune-Baker,1922 Range (in code): **ID Ja Mlc PG SB AU QAU**
- 34139. *Ausaris macnultyi* (Watson,1965)** (Drepanidae) Synonym(s): *macnultyi* Watson,1965 Range (in code): **AET NG ZR CF**
- 34140. *Ausaris serena* (Watson,1965)** (Drepanidae) Synonym(s): *serena* Watson,1965 Original Reference: Callidrepana serena Watson,1965, Bull. Br. Mus. (Nat. Hist.) Suppl. 3: 151-153, figs. Holotype ♂: Congo: Lusambo (Fontaine) (MRA, Tervuren). Range (in code): **AET ZR NG CM CF SL**
- 34141. *Ausaris serena nigeriensis* (Watson,1965)** (Drepanidae) Synonym(s): *nigeriensis* Watson,1965 Range (in code): **AET NG CM CF SL**
- 34142. *Ausaris serena serena* (Watson,1965)** (Drepanidae) Synonym(s): *serena* Watson,1965 Original Reference: Callidrepana serena Watson,1965, Bull. Br. Mus. (Nat. Hist.) Suppl. 3: 151-153, figs. Holotype ♂: Congo: Lusambo (Fontaine) (MRA, Tervuren). Range (in code): **AET ZR**

- 34143. Auzatellodes theafundum Holloway,1998** (Drepanidae) Synonym(s): *theafundum* Holloway,1998 Range (in code): **MY Bor Sbh ID Sum**
- 34144. Callidrepana albiceris (Swinhoe,1907)** (Drepanidae) Synonym(s): *albiceris* Swinhoe,1907 Range (in code): **MY Bor BN Swk ID Sum**
- 34145. Callidrepana argenteola (Moore,1858)** (Drepanidae) Synonym(s): *argenteola* Moore,1858; *bracteata* Hampson,1893; *dialitha* West,1932; *celebensis* W.Warren,1922 Range (in code): **MY Bor Sbh KBa PH Boh TW ID Tim Clb** Bionomy: Larva on Mangifera (Anacardiaceae) (Holloway,1998).
- 34146. Callidrepana gelidata (Walker,1862)** (Drepanidae) Synonym(s): *gelidata* Walker,1862; *argentilinea* Walker,1865 Range (in code): **IN MM SG MY Bor Swk Sbh KBa ID Ja Sum LA**
- 34147. Callidrepana heinzhuebneri Buchsbaum, Brüggemeier & Chen,2014** (Drepanidae) Synonym(s): *heinzhuebneri* Buchsbaum, Brüggemeier & Chen,2014 Range (in code): **LA**
- 34148. Callidrepana micacea (Walker,1862)** (Drepanidae) Synonym(s): *micacea* Walker,1862; *biocularis* Moore,1879; *fulvilauta* W.Warren,1897; *pilana* Swinhoe,1905 Range (in code): **IN Adm ID Sum Clb PH MY Bor** Bionomy: Larva on Bruguiera (Rhizophoraceae) (Holloway,1998).
- 34149. Callidrepana nana W.Warren,1922** (Drepanidae) Synonym(s): *nana* W.Warren,1922 Range (in code): **MY Bor ID Sum Bgk SG LA**
- 34150. Callidrepana pulcherrima (Hampson,1893)** (Drepanidae) Synonym(s): *pulcherrima* Hampson,1893; *praeusta* W.Warren,1922 Range (in code): **MM MY Bor ID Sum**
- 34151. Callidrepana saucia C.Felder,1861** (Drepanidae) Synonym(s): *saucia* C.Felder,1861; *scintillata* Walker,1862; Range (in code): **MY Bor Sbh BN KBa ID Sum Mlc PG SB Bsm**
- 34152. Callidrepana saucia sundobscura Holloway,1998** (Drepanidae) Synonym(s): *sundobscura* Holloway,1998 Range (in code): **MY Bor Sbh BN KBa**
- 34153. Callidrepana splendens (W.Warren,1897)** (Drepanidae) Synonym(s): *splendens* W.Warren,1897 Range (in code): **MY Bor BN ID Clb Sla Sum LA**
- 34154. Callidrepana vanbraeckeli Gaede,1934** (Drepanidae) Synonym(s): *vanbraeckeli* Gaede,1934 Range (in code): **MY Bor Swk ID Sum Clb**
- 34155. Canucha duplexa Moore,1865** (Drepanidae) Synonym(s): *duplexa* Moore,1865 Range (in code): **IN SI DjI**
- 34156. Canucha miranda W.Warren,1923** (Drepanidae) Synonym(s): *miranda* W.Warren,1923; *formosicola* Matsumura,1931 Range (in code): **IN Meg Ass Meg Khs MM TH CMa TW**
- 34157. Canucha miranda birmana Bryk,1943** (Drepanidae) Synonym(s): *birmana* Bryk,1943 Range (in code): **MM**
- 34158. Canucha specularis (Moore,1879)** (Drepanidae) Synonym(s): *specularis* Moore,1879; *obtruncata* W.Warren,1900 Range (in code): **TH CMa CDo CD2 Dst Dso9 IN LK CN MY Bor BN ID Sum Clb**
- 34159. Cilix algerica Leraut,2006** (Drepanidae) Synonym(s): *algerica* Leraut,2006 Range (in code): **DZ**
- 34160. Cilix asiatica A.Bang-Haas,1907** (Drepanidae) Synonym(s): *asiatica* A.Bang-Haas,1907; *depalpata* Strand,1913 Original Reference: *Cilix glaucata* var. *asiatica* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 70. Syntypes: [Türkei]: "Klein-Asien: Syrien: Mardin, Amasia". Range (in code): **GG Smt Akh Cc AM AZ Len UA Cm TR IL Hf Pa LB Bsa IR Elb IQ AF Srb Bsg** Bionomy: Larva on Crataegus, Prunus (Wiltshire,1957).
- 34161. Cilix filipjevi Kardakoff,1928** (Drepanidae) Synonym(s): *filipjevi* Kardakoff,1928 Range (in code): **RU Us Vv KP KR CN**
- 34162. Cilix glaucata (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777 Original Reference: *Phalaena glaucata* Scopoli,1763, Ent. Carniolica: 221. Range (in code): **DZ Clo Gue Ahr PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK AL BG GR Cr Rd TR Cc GG Smt Bjo Lag AZ Kir Mng DK NO SE FI RU MD UA BY TM Kp** Bionomy: Larva on Crataegus monogyna, Prunus domestica, P. spinosa, Pyrus malus, P. communis, Sorbus aucuparia, Rubus ulmifolius (Meyer,1919; Maso, 1993).
- 34163. Cilix glaucata aeta Zolotuhin,1997** (Drepanidae) Synonym(s): *aeta* Zolotuhin,1997 Range (in code): **TM Kp**
- 34164. Cilix glaucata glaucata (Scopoli,1763)** (Drepanidae) Synonym(s): *glaucata* Scopoli,1763; *modesta* Müller,1764; *ruffa* Linnaeus,1766; *spinula* [Denis & Schiffermüller],1775; *candidula* [Denis & Schiffermüller],1775; *compressa* Fabricius,1777 Original Reference: *Phalaena glaucata* Scopoli,1763,

- Ent. Carniolica: 221. Range (in code): DZ Gue Ahr PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK AL BG GR Cr Rd TR Cc GG Smt Bjo Lag AZ Kir Mng DK NO SE FI RU MD UA BY
- 34165. *Cilix malivora* Inoue, 1958** (Drepanidae) Synonym(s): *malivora* Inoue, 1958 - Range (in code): JP
- 34166. *Crocini* (*fenestrata*-gr.) *boboa* Watson, 1965** (Drepanidae) Synonym(s): *boboa* Watson, 1965 - Range (in code): AET MG
- 34167. *Crocini* (*fenestrata*-gr.) *canescens* Watson, 1965** (Drepanidae) Synonym(s): *canescens* Watson, 1965 - Range (in code): AET MG
- 34168. *Crocini* (*fenestrata*-gr.) *felina* Watson, 1965** (Drepanidae) Synonym(s): *felina* Watson, 1965 - Range (in code): AET MG
- 34169. *Crocini* (*fenestrata*-gr.) *fenestrata* Butler, 1879** (Drepanidae) Synonym(s): *fenestrata* Butler, 1879; *forata* W. Warren, 1897 - Range (in code): AET MG
- 34170. *Crocini* (*fenestrata*-gr.) *imaitsoana* Watson, 1965** (Drepanidae) Synonym(s): *imaitsoana* Watson, 1965 - Range (in code): AET MG
- 34171. *Crocini* (*fenestrata*-gr.) *prolixa* Watson, 1965** (Drepanidae) Synonym(s): *prolixa* Watson, 1965 - Range (in code): AET MG
- 34172. *Crocini* (*fenestrata*-gr.) *viettei* Watson, 1965** (Drepanidae) Synonym(s): *viettei* Watson, 1965 - Range (in code): AET MG
- 34173. *Crocini* (*spicata*-gr.) *licina* Watson, 1965** (Drepanidae) Synonym(s): *licina* Watson, 1965 - Range (in code): AET MG
- 34174. *Crocini* (*spicata*-gr.) *spicata* Watson, 1965** (Drepanidae) Synonym(s): *spicata* Watson, 1965 - Range (in code): AET MG
- 34175. *Crocini* (*spicata*-gr.) *tetrathyra* (Mabille, 1899)** (Drepanidae) Synonym(s): *tetrathyra* Mabille, 1899 - Range (in code): AET MG
- 34176. *Crucidava* *annulifera* Holloway, 1998** (Drepanidae) Synonym(s): *annulifera* Holloway, 1998 - Range (in code): MY Bor Swk
- 34177. *Ditrigona* *conflexaria* (Walker, 1861)** (Drepanidae) Synonym(s): *conflexaria* Walker, 1861 Original Reference: *Acidalia conflexaria* Walker, 1861, List Specimens lepid. Insects Colln Br. Mus. 23: 758. Range (in code): CN
- 34178. *Ditrigona* *conflexaria* *cerodeta* Wilkinson, 1968** (Drepanidae) Synonym(s): *cerodeta* Wilkinson, 1968 - Range (in code): CN
- 34179. *Ditrigona* *diana* Wilkinson, 1968** (Drepanidae) Synonym(s): *diana* Wilkinson, 1968 - Range (in code): IN
- 34180. *Ditrigona* *inconspicua* (Leech, 1898)** (Drepanidae) Synonym(s): *inconspicua* Leech, 1898 - Range (in code): CN
- 34181. *Ditrigona* *komarovi* Kurenzov, 1935** (Drepanidae) Synonym(s): *komarovi* Kurenzov, 1935 - Range (in code): RU Us
- 34182. *Ditrigona* *legnichrysa* Wilkinson, 1968** (Drepanidae) Synonym(s): *legnichrysa* Wilkinson, 1968 - Range (in code): CN Ti
- 34183. *Ditrigona* *margarita* Wilkinson, 1968** (Drepanidae) Synonym(s): *margarita* Wilkinson, 1968 - Range (in code): CN
- 34184. *Ditrigona* *mytylata* (Guenée, 1868)** (Drepanidae) Synonym(s): *mytylata* Guenée, 1868 - Range (in code): PK Thu IN
- 34185. *Ditrigona* *paludicola* Holloway, 1998** (Drepanidae) Synonym(s): *paludicola* Holloway, 1998 - Range (in code): MY Bor ID Sum
- 34186. *Ditrigona* *sacra* Butler, 1878** (Drepanidae) Synonym(s): *sacra* Butler, 1878; *virgo* Butler, 1878 - Range (in code): JP
- 34187. *Ditrigona* *sericea* (Leech, 1898)** (Drepanidae) Synonym(s): *sericea* Leech, 1898; *birmanica* Bryk, 1943 - Range (in code): CN MM
- 34188. *Ditrigona* *titana* Wilkinson, 1968** (Drepanidae) Synonym(s): *titana* Wilkinson, 1968 Original Reference: *Ditrigona titana* Wilkinson, 1968, Trans. zool. Soc. Lond. 31: 453, figs. Holotype: China: Yunnan, Likiang. Range (in code): CN Yu
- 34189. *Ditrigona* *triangularia* (Moore, 1867)** (Drepanidae) Synonym(s): *triangularia* Moore, 1867 - Range (in code): IN SI Ben TH CMA
- 34190. *Ditrigona* *wilkinsoni* Holloway, 1998** (Drepanidae) Synonym(s): *wilkinsoni* Holloway, 1998 - Range (in code): MY Bor Swk

- 34191. *Drapetodes barlowi* Holloway,1998** (Drepanidae) **Synonym(s):** *barlowi* Holloway,1998
Range (in code): MY Pah Bor BN Sbh ID Sum
- 34192. *Drapetodes croceago* Hampson,1895** (Drepanidae) **Synonym(s):** *croceago* Hampson,1895
Range (in code): MM MY Bor ID Klt
- 34193. *Drapetodes fratercula* Moore,1887** (Drepanidae) **Synonym(s):** *fratercula* Moore,1887;
albidior W.Warren,1922 - **Range (in code):** IN LK MY Bor Swk ID Klt Clb Bli **Bionomy:** Larva on
Elettaria (Zingiberaceae) (Holloway,1998).
- 34194. *Drapetodes lunulata* W.Warren,1896** (Drepanidae) **Synonym(s):** *lunulata*
W.Warren,1896 - **Range (in code):** ID Sum Ja
- 34195. *Drapetodes magnifica* Swinhoe,1902** (Drepanidae) **Synonym(s):** *magnifica* Swinhoe,1902
Original Reference: *Drapetodes magnifica* Swinhoe,1902, Trans. ent. Soc. Lond. 1902: 589.
Holotype ♀: Singapore. **Range (in code):** SG MY Bor Swk ID Klt Sum Ja
- 34196. *Drapetodes magnifica denotata* Watson,1961** (Drepanidae) **Synonym(s):** *denotata*
Watson,1961 **Original Reference:** *Drapetodes magnifica* ssp. *denotata* Watson,1961, Bull. Br.
Mus. nat. Hist. (Ent.) 10(8): 323. **Holotype** ♂: Borneo: Kariorang. **Range (in code):** MY Bor Swk
- 34197. *Drapetodes matulata* R.Felder & Rogenhofer,1875** (Drepanidae) **Synonym(s):**
matulata R.Felder & Rogenhofer,1875; *obliquifasciata* Swinhoe,1902 - **Range (in code):** IN Ass MY Bor
Swk ID Klt Ja
- 34198. *Drapetodes nummularia* Snellen,1889** (Drepanidae) **Synonym(s):** *nummularia*
Snellen,1889 - **Range (in code):** MY Bor BN ID Ja
- 34199. *Drepana curvatula* (Borkhausen,1790)** (Drepanidae) **Synonym(s):** *curvatula*
Borkhausen,1790 - **Range (in code):** ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO FI EE
LV LT RU MD UA BY **Bionomy:** Larva on *Alnus* (Meyer,1919).
- 34200. *Drepana falcatoria* (Linnaeus,1758)** (Drepanidae) **Synonym(s):** *falcatoria* Linnaeus,1758;
sicula [Denis & Schiffermüller],1775; *falcata* [Denis & Schiffermüller],1775; *falcata* Retzius,1783 nec Fabr.,1775;
falcatorialis Haworth,1802; *infernalis* Bytinski-Salz,1939 **Original Reference:** *Phalaena falcatoria*
Linnaeus,1758, Syst. Nat. (Edn 10) 1: 519. **Type(s):** [Europe]. **Range (in code):** ES FR Co IT IE GB
BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
Bionomy: Larva on *Alnus*, *Betula* (Meyer,1919).
- 34201. *Epicamptoptera andersoni* (Tams,1925)** (Drepanidae) **Synonym(s):** *andersoni* Tams,1925
Range (in code): AET KE Elg UG ZR CF
- 34202. *Epicamptoptera carnea* (Saalmüller,1884)** (Drepanidae) **Synonym(s):** *carnea*
Saalmüller,1884 - **Range (in code):** AET MG
- 34203. *Epicamptoptera difficilis* M.Hering,1934** (Drepanidae) **Synonym(s):** *difficilis*
M.Hering,1934 - **Range (in code):** AET GO Bio
- 34204. *Epicamptoptera efulena* Watson,1965** (Drepanidae) **Synonym(s):** *efulena* Watson,1965
Range (in code): AET CM
- 34205. *Epicamptoptera erosa* (Holland,1893)** (Drepanidae) **Synonym(s):** *erosa* Holland,1893
Range (in code): AET GA
- 34206. *Epicamptoptera graciosa* Watson,1965** (Drepanidae) **Synonym(s):** *graciosa* Watson,1965
Range (in code): AET MG
- 34207. *Epicamptoptera griveaudi* Watson,1965** (Drepanidae) **Synonym(s):** *griveaudi*
Watson,1965 - **Range (in code):** AET MG
- 34208. *Epicamptoptera heringi* Gaede,1927** (Drepanidae) **Synonym(s):** *heringi* Gaede,1927
Range (in code): AET CM
- 34209. *Epicamptoptera heterogyna* (Hampson,1914)** (Drepanidae) **Synonym(s):** *heterogyna*
Hampson,1914 - **Range (in code):** AET UG
- 34210. *Epicamptoptera ivoirensis* Watson,1965** (Drepanidae) **Synonym(s):** *ivoirensis*
Watson,1965 - **Range (in code):** AET GH CI GN
- 34211. *Epicamptoptera lumaria* Watson,1965** (Drepanidae) **Synonym(s):** *lumaria* Watson,1965
Range (in code): AET CM
- 34212. *Epicamptoptera marantica* (Tams,1930)** (Drepanidae) **Synonym(s):** *marantica*
Tams,1930; *ignorata* M.Hering,1934 - **Range (in code):** AET GN CI ZR UG CF CM
- 34213. *Epicamptoptera notialis* Watson,1965** (Drepanidae) **Synonym(s):** *notialis* Watson,1965
Range (in code): AET ZA Lpo Tva Ltr Spb Nta Kzu Eca
- 34214. *Epicamptoptera pallida* (Tams,1925)** (Drepanidae) **Synonym(s):** *pallida* Tams,1925
Range (in code): AET NG

- 34215. *Epicampoptera robusta* Watson,1965** (Drepanidae) Synonym(s): *robusta* Watson,1965
Range (in code): **AET ZR**
- 34216. *Epicampoptera seydeli* Watson,1965** (Drepanidae) Synonym(s): *seydeli* Watson,1965
Range (in code): **AET ZR Lbu**
- 34217. *Epicampoptera strandi* Bryk,1913** (Drepanidae) Synonym(s): *strandii* Bryk,1913;
vulvornata M.Hering,1934 _ Range (in code): **AET UG GN CM CF CI NG LR SL**
- 34218. *Epicampoptera strandi glauca* (Hampson,1914)** (Drepanidae) Synonym(s): *glauca*
Hampson,1914 _ Range (in code): **AET SL LR CI NG Lgo**
- 34219. *Epicampoptera tamsi* Watson,1965** (Drepanidae) Synonym(s): *tamsi* Watson,1965
Range (in code): **AET AO ZR**
- 34220. *Epicampoptera tumidula* Watson,1965** (Drepanidae) Synonym(s): *tumidula*
Watson,1965 _ Range (in code): **AET ZR CM GA**
- 34221. *Euphalacra discipuncta* (Holloway,1976)** (Drepanidae) Synonym(s): *discipuncta*
Holloway,1976 _ Range (in code): **MY Bor Sbh KBa Swk**
- 34222. *Euphalacra lacunata* Holloway,1998** (Drepanidae) Synonym(s): *lacunata* Holloway,1998
Range (in code): **MY Bor BN Swk**
- 34223. *Euphalacra nigradorsoides* Holloway,1998** (Drepanidae) Synonym(s): *nigradorsoides*
Holloway,1998 _ Range (in code): **MY Bor BN**
- 34224. *Euphalacra postmediangulata* Holloway,1998** (Drepanidae) Synonym(s):
postmediangulata Holloway,1998 _ Range (in code): **MY Bor Swk Sbh**
- 34225. *Euphalacra semisecta* W.Warren,1922** (Drepanidae) Synonym(s): *semisecta*
W.Warren,1922; *laticornis* Roepke,1951 _ Range (in code): **MY Bor ID Sum**
- 34226. *Euphalacra trifenestrata* (Swinhoe,1902)** (Drepanidae) Synonym(s): *trifenestrata*
Swinhoe,1902 _ Range (in code): **MY Bor BN Snk**
- 34227. *Falcaria lacertinaria* (Linnaeus,1758)** (Drepanidae) Synonym(s): *lacertinaria*
Linnaeus,1758; *lacertula* [Denis & Schiffermüller],1775; *lacertina* Retzius,1783; *dentaria* Thunberg,1784; *lacertinalis*
Haworth,1802; *curvula* Haworth,1802 _ Original Reference: *Phalaena lacertinaria* Linnaeus,1758,
Syst. Nat. (Edn 10) 1: 519. Type(s): [Europe]. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH**
AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY _ Bionomy: Larva on *Quercus*
(Linnaeus,1758); *Alnus*, *Betula* (Meyer,1919).
- 34228. *Gogana abnormalis* (W.Warren,1897)** (Drepanidae) Synonym(s): *abnormalis*
W.Warren,1897 _ Range (in code): **ID Sum MY Bor BN** _ Bionomy: Larva on *Calamus manan*
(Palmae) (Holloway,1998).
- 34229. *Gogana bornormalis* Holloway,1998** (Drepanidae) Synonym(s): *bornormalis*
Holloway,1998 _ Range (in code): **MY Bor Swk**
- 34230. *Gogana conwayi* (Holloway,1976)** (Drepanidae) Synonym(s): *conwayi* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 34231. *Gogana cottrillii* (Holloway,1976)** (Drepanidae) Synonym(s): *cottrillii* Holloway,1976
Range (in code): **MY Bor Sbh KBa BN**
- 34232. *Gogana fragilis* (Swinhoe,1902)** (Drepanidae) Synonym(s): *fragilis* Swinhoe,1902
Range (in code): **MY Bor**
- 34233. *Gogana integra* W.Warren,1900** (Drepanidae) Synonym(s): *integra* W.Warren,1900
Range (in code): **MY Bor BN**
- 34234. *Gogana kerara* (Swinhoe,1902)** (Drepanidae) Synonym(s): *kerara* Swinhoe,1902
Range (in code): **MY Bor Swk BN**
- 34235. *Gogana ossicolor* (W.Warren,1922)** (Drepanidae) Synonym(s): *ossicolor* W.Warren,1922
Range (in code): **MY Bor Swk**
- 34236. *Gogana semibrevis* (W.Warren,1901)** (Drepanidae) Synonym(s): *semibrevis*
W.Warren,1901 _ Range (in code): **MY Bor Swk** _ Bionomy: Larva on *Calamus manan* (Palmae)
(Holloway,1998).
- 34237. *Gogana specularis* Walker,[1866]** (Drepanidae) Synonym(s): *specularis* Walker,[1866]
Original Reference: *Gogana specularis* Walker,[1866], List Specimens lepid. Insects Colln Br.
Mus. 34: 1220. Type: Borneo, Sarawak. Range (in code): **MY Bor Swk**
- 34238. *Gogana streptoperoides* Holloway,1998** (Drepanidae) Synonym(s): *streptoperoides*
Holloway,1998 _ Range (in code): **MY Bor BN**

- 34239. Gogana tenera (Swinhoe,1902)** (Drepanidae) Synonym(s): *tenera* Swinhoe,1902
Range (in code): **Klt MY Bor Swk** Bionomy: Larva on Calamus manan (Palmae)
(Holloway,1998).
- 34240. Gogana turbinifera (W.Warren,1922)** (Drepanidae) Synonym(s): *turbinifera*
W.Warren,1922 Range (in code): **MY Bor**
- 34241. Gonoreta albiapex Watson,1965** (Drepanidae) Synonym(s): *albiapex* Watson,1965
Range (in code): **AET UG ZR TZ Usa**
- 34242. Gonoreta angulosa Watson,1965** (Drepanidae) Synonym(s): *angulosa* Watson,1965
Range (in code): **AET UG ZR**
- 34243. Gonoreta bispina Watson,1965** (Drepanidae) Synonym(s): *bispina* Watson,1965
Range (in code): **AET MG**
- 34244. Gonoreta contracta (W.Warren,1897)** (Drepanidae) Synonym(s): *contracta*
W.Warren,1897; *ansorgei* W.Warren,1902 Original Reference: *Oreta contracta* W.Warren,1897,
Novit. zool. 4: 16. Syntypes: "Warri, Niger". Range (in code): **AET NG Lgo GA Caa CM**
- 34245. Gonoreta cymba Watson,1965** (Drepanidae) Synonym(s): *cymba* Watson,1965 Range
(in code): **AET NG UG**
- 34246. Gonoreta diferenciata (Bryk,1913)** (Drepanidae) Synonym(s): *diferenciata* Bryk,1913
Range (in code): **AET CM CI**
- 34247. Gonoreta forcipulata Watson,1965** (Drepanidae) Synonym(s): *forcipulata* Watson,1965
Range (in code): **AET ZR ZW UG**
- 34248. Gonoreta gonioptera (Hampson,1914)** (Drepanidae) Synonym(s): *gonioptera*
Hampson,1914 Range (in code): **AET NG CM**
- 34249. Gonoreta opacifinis Watson,1965** (Drepanidae) Synonym(s): *opacifinis* Watson,1965
Range (in code): **AET SL CI NG ZR UG ZW Lgo Kvu Vum**
- 34250. Gonoreta subtilis (Bryk,1913)** (Drepanidae) Synonym(s): *subtilis* Bryk,1913 Range (in
code): **AET AO ZR Lbu KE CM TZ Usa CI SL**
- 34251. Gonoreta subtilis reali Watson,1965** (Drepanidae) Synonym(s): *reali* Watson,1965
Range (in code): **AET CI SL**
- 34252. Gonoretodes timea Watson,1965** (Drepanidae) Synonym(s): *timea* Watson,1965
Range (in code): **AET MG**
- 34253. Hyalospectra altipustularia Holloway,1998** (Drepanidae) Synonym(s): *altipustularia*
Holloway,1998 Range (in code): **MY Bor Sbh KBa Swk**
- 34254. Hyalospectra dierli Holloway,1998** (Drepanidae) Synonym(s): *dierli* Holloway,1998
Range (in code): **MY Bor Swk**
- 34255. Hyalospectra labi Holloway,1998** (Drepanidae) Synonym(s): *labi* Holloway,1998
Range (in code): **MY Bor BN**
- 34256. Hyalospectra pustularia (Walker,1861)** (Drepanidae) Synonym(s): *pustularia*
Walker,1861 Range (in code): **MY Bor BN**
- 34257. Hyalostola phoenicochyta Hampson,1914** (Drepanidae) Synonym(s): *phoenicochyta*
Hampson,1914; *#phoenicochta* auct. Range (in code): **MY Bor BN Swk TH**
- 34258. Hypsomadius insignis Butler,1877** (Drepanidae) Synonym(s): *insignis* Butler,1877;
formosana Strand,[1916] Range (in code): **JP TW**
- 34259. Isospidia angutipennis (W.Warren,1894)** (Drepanidae) Synonym(s): *angutipennis*
W.Warren,1894; *glaucinoe* Hampson,1914; *hylaeina* Aurivillius,1925 Range (in code): **AET CI GH NG CM
CF Bit UG**
- 34260. Isospidia angutipennis torulus Watson,1965** (Drepanidae) Synonym(s): *torulus*
Watson,1965 Range (in code): **AET UG**
- 34261. Isospidia brunneola (Holland,1893)** (Drepanidae) Synonym(s): *brunneola* Holland,1893
Range (in code): **AET SL CM ZR Bit**
- 34262. Leucoblepsis excisa (Hampson,1892)** (Drepanidae) Synonym(s): *excisa* Hampson,1892;
carneotincta W.Warren,1901 Range (in code): **SI IN Meg Khs Nag TH TW MY Bor BN ID Sum**
- 34263. Leucoblepsis fenestraria (Moore,1867)** (Drepanidae) Synonym(s): *fenestraria*
Moore,1867; *ostia* Swinhoe,1903 Range (in code): **IN TW MY Bor Sbh KBa**
- 34264. Leucoblepsis neoma (Swinhoe,1905)** (Drepanidae) Synonym(s): *neoma* Swinhoe,1905
Range (in code): **SG MY Bor BN ID Sum**
- 34265. Leucoblepsis renifera (W.Warren,1900)** (Drepanidae) Synonym(s): *renifera*
W.Warren,1900; *tristis* Swinhoe,1905 Range (in code): **MY Bor ID Sum**

- 34266. *Macrauzata maxima* Inoue,1960** (Drepanidae) **Synonym(s):** *maxima* Inoue,1960
Range (in code): **JP**
- 34267. *Macrauzata melanapex* Inoue,1993** (Drepanidae) **Synonym(s):** *melanapex* Inoue,1993
Range (in code): **MY Bor ID Sum**
- 34268. *Macrauzata submontana* Holloway,1976** (Drepanidae) **Synonym(s):** *submontana* Holloway,1976
Range (in code): **MY Bor BN Sbh KBa ID Sum Ja**
- 34269. *Macrocilix maia* (Leech,1888)** (Drepanidae) **Synonym(s):** *maia* Leech,1888
Range (in code): **KP KR JP CN TW IN MY ID Sum Bor TH**
- 34270. *Microblepsis cupreogrisea* (Hampson,1895)** (Drepanidae) **Synonym(s):** *cupreogrisea* Hampson,1895
Range (in code): **IN Ass Meg Khs MM MY Bor BN ID Sum**
- 34271. *Microblepsis leucosticta* Hampson,1895** (Drepanidae) **Synonym(s):** *leucosticta* Hampson,1895
Range (in code): **IN Meg Ass Khs TH CMa Dst Dso9 MY Bor**
- 34272. *Negera bimaculata* (Holland,1893)** (Drepanidae) **Synonym(s):** *bimaculata* Holland,1893;
immaculata Gaede,1927
Range (in code): **AET LR GH CM GA CI**
- 34273. *Negera clenchi* Watson,1965** (Drepanidae) **Synonym(s):** *clenchi* Watson,1965
Range (in code): **AET CM**
- 34274. *Negera confusa* Walker,1855** (Drepanidae) **Synonym(s):** *confusa* Walker,1855; *lytaea* Druce,1896
Range (in code): **AET GM SL GH CI NG CM Lgo Bit**
- 34275. *Negera dissipinosa* Watson,1965** (Drepanidae) **Synonym(s):** *dissipinosa* Watson,1965
Range (in code): **AET GA GH NG Caa**
- 34276. *Negera natalensis* (R.Felder,1874)** (Drepanidae) **Synonym(s):** *natalensis* R.Felder,1874
Range (in code): **AET ZA Nta Kzu Dbn ZW Vum Ptw GH CI NG GA SN CF ZW ZR Lbu CM UG**
- 34277. *Negera natalensis geometroides* (Holland,1893)** (Drepanidae) **Synonym(s):** *geometroides* Holland,1893
Range (in code): **AET CF ZW ZR Lbu CM UG**
- 34278. *Negera natalensis parviluma* Watson,1965** (Drepanidae) **Synonym(s):** *parviluma* Watson,1965
Range (in code): **AET GH CI NG GA SN**
- 34279. *Negera quadricornis* Watson,1965** (Drepanidae) **Synonym(s):** *quadricornis* Watson,1965
Range (in code): **AET UG AO Bje CM KE Elg ZR Kvu**
- 34280. *Negera ramosa* Watson,1965** (Drepanidae) **Synonym(s):** *ramosa* Watson,1965
Range (in code): **AET ZR UG**
- 34281. *Negera unispinosa* Watson,1965** (Drepanidae) **Synonym(s):** *unispinosa* Watson,1965
Range (in code): **AET MW Mje**
- 34282. *Nidara calligola* Watson,1965** (Drepanidae) **Synonym(s):** *calligola* Watson,1965
Range (in code): **AET MG**
- 34283. *Nidara croceina* Mabille,1897** (Drepanidae) **Synonym(s):** *croceina* Mabille,1897
Range (in code): **AET MG**
- 34284. *Nidara marcus* Watson,1965** (Drepanidae) **Synonym(s):** *marcus* Watson,1965
Range (in code): **AET MG**
- 34285. *Nidara multiversa* Watson,1965** (Drepanidae) **Synonym(s):** *multiversa* Watson,1965
Range (in code): **AET MG**
- 34286. *Nidara pumilla* Watson,1965** (Drepanidae) **Synonym(s):** *pumilla* Watson,1965
Range (in code): **AET MG**
- 34287. *Nordstromia agna* (Oberthür,1916)** (Drepanidae) **Synonym(s):** *agna* Oberthür,1916
Range (in code): **CN Sz**
- 34288. *Nordstromia angula* Chu & Wang,1988** (Drepanidae) **Synonym(s):** *angula* Chu & Wang,1988
Range (in code): **CN Fkn**
- 34289. *Nordstromia argenticeps* (W.Warren,1922)** (Drepanidae) **Synonym(s):** *argenticeps* W.Warren,1922
Range (in code): **IN Ass NP SI TH**
- 34290. *Nordstromia coffeata* Inoue,1992** (Drepanidae) **Synonym(s):** *coffeata* Inoue,1992
Range (in code): **MY Bor Sbh BN PH Luz Mno ID Sum**
- 34291. *Nordstromia duplicata* (W.Warren,1922)** (Drepanidae) **Synonym(s):** *duplicata* W.Warren,1922
Range (in code): **IN Meg Ass Khs TH MY Bor ID Sum CN**
- 34292. *Nordstromia fusca* Chu & Wang,1988** (Drepanidae) **Synonym(s):** *fusca* Chu & Wang,1988
Range (in code): **CN Fkn**
- 34293. *Nordstromia grisearia* (Staudinger,1892)** (Drepanidae) **Synonym(s):** *grisearia* Staudinger,1892
Range (in code): **RU Am Us JP CN Sz Fkn**

- 34294. Nordstromia guenterriedeli Buchsbaum,2010** (Drepanidae) **Synonym(s):** *guenterriedeli Buchsbaum,2010* - Range (in code): ID Sum
- 34295. Nordstromia heba Chu & Wang,1988** (Drepanidae) **Synonym(s):** *heba Chu & Wang,1988* Range (in code): CN
- 34296. Nordstromia humerata (W.Warren,1896)** (Drepanidae) **Synonym(s):** *humerata W.Warren,1896* - Range (in code): IN
- 34297. Nordstromia japonica (Moore,1877)** (Drepanidae) **Synonym(s):** *japonica Moore,1877* Range (in code): JP CN Hn Sz
- 34298. Nordstromia lilacina (Moore,1888)** (Drepanidae) **Synonym(s):** *lilacina Moore,1888* Range (in code): IN SI NP TH
- 34299. Nordstromia nigra Chu & Wang,1988** (Drepanidae) **Synonym(s):** *nigra Chu & Wang,1988* Range (in code): CN Yu Sz
- 34300. Nordstromia niva Chu & Wang,1988** (Drepanidae) **Synonym(s):** *niva Chu & Wang,1988* Range (in code): CN
- 34301. Nordstromia ochrozona (Bryk,1943)** (Drepanidae) **Synonym(s):** *ochrozona Bryk,1943* Range (in code): MM
- 34302. Nordstromia paralilacina Wang & Yazaki,2004** (Drepanidae) **Synonym(s):** *paralilacina Wang & Yazaki,2004* - Range (in code): CN
- 34303. Nordstromia problematica (Bryk,1943)** (Drepanidae) **Synonym(s):** *problematica Bryk,1943* - Range (in code): MM
- 34304. Nordstromia recava Watson,1968** (Drepanidae) **Synonym(s):** *recava Watson,1968* Range (in code): CN
- 34305. Nordstromia semililacina Inoue,1992** (Drepanidae) **Synonym(s):** *semililacina Inoue,1992* Range (in code): TW
- 34306. Nordstromia siccifolia (Roepke,1948)** (Drepanidae) **Synonym(s):** *siccifolia Roepke,1948* Range (in code): ID Sum
- 34307. Nordstromia simillima (Moore,1888)** (Drepanidae) **Synonym(s):** *simillima Moore,1888* Range (in code): Ch Pj IN AF Sfk
- 34308. Nordstromia sumatrana (Roepke,1948)** (Drepanidae) **Synonym(s):** *sumatrana Roepke,1948* - Range (in code): ID Sum
- 34309. Nordstromia undata Watson,1968** (Drepanidae) **Synonym(s):** *undata Watson,1968* Range (in code): CN Yu
- 34310. Nordstromia unilinea Chu & Wang,1988** (Drepanidae) **Synonym(s):** *unilinea Chu & Wang,1988* - Range (in code): CN Fkn
- 34311. Nordstromia vira (Moore,1866)** (Drepanidae) **Synonym(s):** *vira Moore,1866* - Range (in code): IN SI Djl Ass CN Fkn Sz Ti NP MM
- 34312. Oreta ashleyi Holloway,1998** (Drepanidae) **Synonym(s):** *ashleyi Holloway,1998* - Range (in code): MY Bor Sbh
- 34313. Oreta bicolor W.Warren,1897** (Drepanidae) **Synonym(s):** *bicolor W.Warren,1897* Range (in code): ID Sum MY Bor
- 34314. Oreta brunnea Wileman,1911** (Drepanidae) **Synonym(s):** *brunnea Wileman,1911* Range (in code): TW
- 34315. Oreta carnea (Butler,1892)** (Drepanidae) **Synonym(s):** *carnea Butler,1892; berenica Swinhoe,1893; hepaticata W.Warren,1897; cardinalis W.Warren,1897* - Range (in code): ID Sum MY Bor
Bionomy: Larva on Uncaria (Rubiaceae) (Yunus & Ho,1980).
- 34316. Oreta extensa Walker,1855** (Drepanidae) **Synonym(s):** *extensa Walker,1855; figlina Swinhoe,1905* - Range (in code): ID Ja TW
- 34317. Oreta fulgens (W.Warren,1899)** (Drepanidae) **Synonym(s):** *fulgens W.Warren,1899; triumbrata W.Warren,1899; thaumalea West,1932* - Range (in code): MY Bor Swk BN ID Clb Bru Crm Mlc PH
- 34318. Oreta griseotincta Hampson,[1893]** (Drepanidae) **Synonym(s):** *griseotincta Hampson,[1893]; olivacea Dudgeon,1899; horishana Matsumura,1927; changi Inoue,1988* - Range (in code): TW IN SI
- 34319. Oreta loochooana Swinhoe,1902** (Drepanidae) **Synonym(s):** *loochooana Swinhoe,1902; squamulata Strand,[1916]; formosicola Matsumura,1917* - Range (in code): JP TW
- 34320. Oreta perobliquilinea W.Warren,1923** (Drepanidae) **Synonym(s):** *perobliquilinea W.Warren,1923* - Range (in code): MY Bor BN SG

- 34321. Oreta pingorum Holloway,1998** (Drepanidae) Synonym(s): *pingorum* Holloway,1998
Range (in code): **MY Bor ID Clb Bru PG**
- 34322. Oreta rubromarginata Swinhoe,1902** (Drepanidae) Synonym(s): *rubromarginata* Swinhoe,1902; *subrosea* W.Warren,1923 _ Range (in code): **MY Bor Swk ID Sum**
- 34323. Oreta singapura Swinhoe,1892** (Drepanidae) Synonym(s): *singapura* Swinhoe,1892; *continua* W.Warren,1899; *leucospila* Joicey & Talbot,1917; *dissimilis* W.Warren,1923; *aurata* W.Warren,1923; *ustimacula* W.Warren,1923; *kalisi* Watson,1961 _ Range (in code): **MY SG Bor Swk PG ID Sum Clb Crm**
- 34324. Oretopsis vohilava (Viette,1954)** (Drepanidae) Synonym(s): *vohilava* Viette,1954
Range (in code): **AET MG**
- 34325. Paralbara inaequidiscata (W.Warren,1922)** (Drepanidae) Synonym(s): *inaequidiscata* W.Warren,1922 _ Range (in code): **IN Ass Meg Khs TH**
- 34326. Paralbara muscularia (Walker,1866)** (Drepanidae) Synonym(s): *muscularia* Walker,1866
Range (in code): **IN**
- 34327. Paralbara perhamata (Hampson,1894)** (Drepanidae) Synonym(s): *perhamata* Hampson,1894 _ Range (in code): **IN TH MY Bor**
- 34328. Paralbara watsoni Holloway,1976** (Drepanidae) Synonym(s): *watsoni* Holloway,1976
Range (in code): **MY Bor TH**
- 34329. Phalacra acutipennis Swinhoe,1903** (Drepanidae) Synonym(s): *acutipennis* Swinhoe,1903
Range (in code): **IN Ass Khs**
- 34330. Phalacra albilinea W.Warren,1899** (Drepanidae) Synonym(s): *albilinea* W.Warren,1899
Range (in code): **IN Ass Khs**
- 34331. Phalacra bushsbaumi Holloway,1998** (Drepanidae) Synonym(s): *bushsbaumi* Holloway,1998 _ Range (in code): **MY Bor BN ID Sum**
- 34332. Phalacra columba Holloway,1998** (Drepanidae) Synonym(s): *columba* Holloway,1998
Range (in code): **MY Prk Slo Bor Swk ID Sum**
- 34333. Phalacra kagiensis Wileman,1916** (Drepanidae) Synonym(s): *kagiensis* Wileman,1916
Range (in code): **TW**
- 34334. Phalacra ochrea W.Warren,1922** (Drepanidae) Synonym(s): *ochrea* W.Warren,1922
Range (in code): **IN Ass Khs**
- 34335. Phalacra rufa Hampson,1910** (Drepanidae) Synonym(s): *rufa* Hampson,1910 _ Range (in code): **LK**
- 34336. Phalacra strigata W.Warren,1896** (Drepanidae) Synonym(s): *strigata* W.Warren,1896
Range (in code): **IN Ass Cpj**
- 34337. Phalacra vidhisara (Walker,1860)** (Drepanidae) Synonym(s): *vidhisara* Walker,1860; *metagonaria* Walker,1866 _ Range (in code): **LK**
- 34338. Pseuderosia cristata Snellen,1889** (Drepanidae) Synonym(s): *cristata* Snellen,1889
Range (in code): **ID Sum MY Bor** _ **Bionomy:** Larva on *Korthalsia rigida*, *Elaeis* (Palmae) (Holloway,1998).
- 34339. Pseuderosia desmierdechenoni Holloway,1998** (Drepanidae) Synonym(s): *desmierdechenoni* Holloway,1998 _ Range (in code): **MY Bor BN ID Sum** _ **Bionomy:** Larva on *Elaeis* (Palmae) (Holloway,1998).
- 34340. Sabra harpagula (Esper,[1786])** (Drepanidae) Synonym(s): *harpagula* Esper,[1786]; *harparia* Fabricius,1798 _ Range (in code): **ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE EE LV LT RU MD UA BY** _ **Bionomy:** Larva on *Betula*, *Quercus*, *Tilia* (Meyer,1919).
- 34341. Scytalopteryx elongata (Snellen,1889)** (Drepanidae) Synonym(s): *elongata* Snellen,1889
Range (in code): **MY Bor BN ID Sum** _ **Bionomy:** Larva on *Cocos*, *Elaeis* (Palmae), *Coffea* (Rubiaceae), *Lablab* (Fabaceae) (Yunus & Ho,1980).
- 34342. Sewa orbiferata (Walker,1862)** (Drepanidae) Synonym(s): *orbiferata* Walker,1862; *insignata* Moore,1868; *cilicoides* Snellen,1889 _ Range (in code): **ID Ja Sum MY Bor Swk Sbh KBa CN MM IN**
- 34343. Spectroreta hyalodisca Hampson,1896** (Drepanidae) Synonym(s): *hyalodisca* Hampson,1896 _ Range (in code): **IN Meg Ass Khs TH MY Bor ID Kai**
- 34344. Spidia divisa Aurivillius,1906 [sp.rev.]** (Drepanidae) Synonym(s): *divisa* Aurivillius,1906 _ **Original Reference:** *Spidia divisa* Aurivillius,1906, *Arkiv. zool.* 3 (1): 10, pl.1 fig.3. Type ♂: W.Congo (NRS). Range (in code): **AET ZR UG**
- 34345. Spidia excentrica Strand,1912** (Drepanidae) Synonym(s): *excentrica* Strand,1912
Range (in code): **AET NG CM GA GO Bia Bit**

- 34346. *Spidia fenestrata* Butler, 1878** (Drepanidae) Synonym(s): *fenestrata* Butler, 1878; *rubrisecta* W. Warren, 1898; *fenestriculata* Gaede, 1914 Original Reference: *Spidia fenestrata* Butler, 1878, Ann. Mag. nat. Hist. (5) 2: 460. Type ♀: Old Calabar (BMNH). Range (in code): **AET GN SL LR CI GH NG AO CM Caa**
- 34347. *Spidia goniata* Waston, 1957** (Drepanidae) Synonym(s): *goniata* Waston, 1957 Range (in code): **AET UG Rz**
- 34348. *Spidia inangulata* Watson, 1965** (Drepanidae) Synonym(s): *inangulata* Watson, 1965 Range (in code): **AET CM Bit NG**
- 34349. *Spidia miserrima* (Holland, 1893)** (Drepanidae) Synonym(s): *miserrima* Holland, 1893 Range (in code): **AET GA**
- 34350. *Spidia planola* Watson, 1965** (Drepanidae) Synonym(s): *planola* Watson, 1965 Range (in code): **AET CI SL? GH? CF**
- 34351. *Spidia rufinota* Watson, 1965** (Drepanidae) Synonym(s): *rufinota* Watson, 1965 Range (in code): **AET CM Bit CF**
- 34352. *Spidia smithi* (W. Warren, 1902)** (Drepanidae) Synonym(s): *smithi* W. Warren, 1902 Range (in code): **AET ZR UG**
- 34353. *Spidia subviridis* (W. Warren, 1899)** (Drepanidae) Synonym(s): *subviridis* W. Warren, 1899 Range (in code): **AET NG CI CM ZR Bit**
- 34354. *Strepsigonia affinis* W. Warren, 1897** (Drepanidae) Synonym(s): *affinis* W. Warren, 1897 Range (in code): **MY Bor TH**
- 34355. *Strepsigonia diluta* (W. Warren, 1897)** (Drepanidae) Synonym(s): *diluta* W. Warren, 1897; *subobliqua* W. Warren, 1897; *takamukui* Matsumura, 1927; *fujiena* Chu & Wang, 1987 Range (in code): **IN CN TW MY Bor BN ID Sum Ja Crm**
- 34356. *Strepsigonia kerbau* Holloway, 1998** (Drepanidae) Synonym(s): *kerbau* Holloway, 1998 Range (in code): **MY Bor Swk**
- 34357. *Strepsigonia paludicola* Holloway, 1998** (Drepanidae) Synonym(s): *paludicola* Holloway, 1998 Range (in code): **MY Bor BN**
- 34358. *Strepsigonia placida* (Swinhoe, 1902)** (Drepanidae) Synonym(s): *placida* Swinhoe, 1902; *trigonoptera* W. Warren, 1923 Range (in code): **MM MY Bor**
- 34359. *Strepsigonia quadripunctata* (Walker, 1862)** (Drepanidae) Synonym(s): *quadripunctata* Walker, 1862 Range (in code): **IN TH ID Clb Sum MY Bor Mlc**
- 34360. *Strepsigonia robusta* Holloway, 1998** (Drepanidae) Synonym(s): *robusta* Holloway, 1998 Range (in code): **TH MY Bor Swk Sbh BN ID Sum**
- 34361. *Streptoperas crenelata* Swinhoe, 1902** (Drepanidae) Synonym(s): *crenelata* Swinhoe, 1902 Range (in code): **MY Bor**
- 34362. *Streptoperas luteata* Hampson, 1895** (Drepanidae) Synonym(s): *luteata* Hampson, 1895 Range (in code): **IN MY Bor BN Sbh KBa ID Clb Sum Ja Bli**
- 34363. *Teldenia angustifascia* Watson, 1961** (Drepanidae) Synonym(s): *angustifascia* Watson, 1961 Original Reference: *Teldenia angustifascia* Watson, 1961, Bull. Br. Mus. nat. Hist. (Ent.) 10(8): 319-323, figs. Holotype ♂: [Indonesia]: W. Celebes: Paloe, Tompoe, 2700ft. Range (in code): **ID Clb**
- 34364. *Teldenia latilinea* Watson, 1961** (Drepanidae) Synonym(s): *latilinea* Watson, 1961 Original Reference: *Teldenia latilinea* Watson, 1961, Bull. Br. Mus. nat. Hist. (Ent.) 10(8): 318-319, figs. Holotype ♂: [Indonesia]: W. Celebes: Paloe, Lindoe, 3700ft. Range (in code): **ID Clb**
- 34365. *Teldenia specca* Wilkinson, 1976** (Drepanidae) Synonym(s): *specca* Wilkinson, 1976 Range (in code): **IN CN TH CMa Cuo Cuo1 MY Bor Sbh KBa ID Sum PH Pal Bru PG**
- 34366. *Teldenia unistrigata* W. Warren, 1896** (Drepanidae) Synonym(s): *unistrigata* W. Warren, 1896 Range (in code): **MY Bor Sbh KBa ID Sum Clb PG PH**
- 34367. *Teldenia vestigiata* Butler, 1880** (Drepanidae) Synonym(s): *vestigiata* Butler, 1880 Range (in code): **IN TH**
- 34368. *Tridrepana albonotata* (Moore, 1879)** (Drepanidae) Synonym(s): *albonotata* Moore, 1879; *ochrea* Butler, 1886; *perversata* W. Warren, 1922; *glaciata* W. Warren, 1922 Range (in code): **IN NP VN LK ID Sum Ja Bli Clb MY Bor TH** Bionomy: Larva on *Schleichera* (Sapindaceae) (Holloway, 1998).
- 34369. *Tridrepana albonotata albonotata* (Moore, 1879)** (Drepanidae) Synonym(s): *albonotata* Moore, 1879; *ochrea* Butler, 1886; *perversata* W. Warren, 1922; *glaciata* W. Warren, 1922 Range (in code): **IN NP VN**

- 34370. *Tridrepana albonotata angusta* Watson,1957** (Drepanidae) **Synonym(s):** *angusta* Watson,1957 **_ Range (in code):** **MY Bor ID Sum**
- 34371. *Tridrepana albonotata celebesensis* Watson,1957** (Drepanidae) **Synonym(s):** *celebesensis* Watson,1957 **_ Range (in code):** **ID Clb**
- 34372. *Tridrepana albonotata ferrea* (Hampson,1892)** (Drepanidae) **Synonym(s):** *ferrea* Hampson,1892 **_ Range (in code):** **LK**
- 34373. *Tridrepana albonotata rotunda* Watson,1957** (Drepanidae) **Synonym(s):** *rotunda* Watson,1957 **_ Range (in code):** **ID Ja Bli**
- 34374. *Tridrepana argentistriga* W.Warren,1896** (Drepanidae) **Synonym(s):** *argentistriga* W.Warren,1896 **_ Range (in code):** **MY Bor Sbh KBa MM ID Clb**
- 34375. *Tridrepana argentistriga argentistriga* W.Warren,1896** (Drepanidae) **Synonym(s):** *argentistriga* W.Warren,1896 **_ Range (in code):** **MY Bor Sbh KBa MM**
- 34376. *Tridrepana argentistriga brevilinea* Watson,1957** (Drepanidae) **Synonym(s):** *brevilinea* Watson,1957 **_ Range (in code):** **ID Clb**
- 34377. *Tridrepana brunneilinea* Holloway,1998** (Drepanidae) **Synonym(s):** *brunneilinea* Holloway,1998 **_ Range (in code):** **MY Bor BN**
- 34378. *Tridrepana flava* (Moore,1879)** (Drepanidae) **Synonym(s):** *flava* Moore,1879 **_ Range (in code):** **IN TH MY Bor TW ID Clb Sum**
- 34379. *Tridrepana fulvata* (Snellen,1876)** (Drepanidae) **Synonym(s):** *fulvata* Snellen,1876 **Original Reference:** *Drepana fulvata* Snellen,1876, Tijdschr. Ent. 20: 19. **Range (in code):** **ID Ja Clb MM TH CDo Chi MY Bor Swk PH Boh** **Bionomy:** Larva on leaf of *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich,2001).
- 34380. *Tridrepana fulvata brevia* Watson,1957** (Drepanidae) **Synonym(s):** *brevia* Watson,1957 **Range (in code):** **MM TH CDo Chi**
- 34381. *Tridrepana fulvata celebica* Watson,1961** (Drepanidae) **Synonym(s):** *celebica* Watson,1961 **_ Range (in code):** **ID Ja Clb**
- 34382. *Tridrepana fulvata fulvata* (Snellen,1876)** (Drepanidae) **Synonym(s):** *fulvata* Snellen,1876 **Original Reference:** *Drepana fulvata* Snellen,1876, Tijdschr. Ent. 20: 19. **Range (in code):** **MY Bor Swk PH Boh**
- 34383. *Tridrepana microcrocea* Gaede,1914** (Drepanidae) **Synonym(s):** *microcrocea* Gaede,1914 **Range (in code):** **MY Bor BN ID Sum**
- 34384. *Tridrepana subtusmaculata* Gaede,1933** (Drepanidae) **Synonym(s):** *subtusmaculata* Gaede,1933 **_ Range (in code):** **MY Bor BN Sbh KBa**
- 34385. *Uranometra oculata* (Holland,1893)** (Drepanidae) **Synonym(s):** *oculata* Holland,1893; *diagonalis* Bryk,1913; *sulphurea* Hampson,1914 **_ Range (in code):** **AET GH NG CM Bit ZR Kga Lbu CF UG**
- 34386. *Watsonalla binaria* (Hufnagel,1767)** (Drepanidae) **Synonym(s):** *binaria* Hufnagel,1767; *falcata* Fabricius,1775; *falculataria* Villers,1789; *falcatalis* Haworth,1802; *uncula* Hübner,[1802] **_ Range (in code):** **DZ Sbd Agi Ges Dhm TN ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Lag IQ Brs LB Bsa DK SE FI LV LT RU MD UA BY** **Bionomy:** Larva on *Quercus* (Staudinger,1879; Meyer,1919; Wiltshire,1957).
- 34387. *Watsonalla cultraria* (Fabricius,1775)** (Drepanidae) **Synonym(s):** *cultraria* Fabricius,1775; *hamula* [Denis & Schiffermüller],1775; *cultrialis* Haworth,1802; *unguicula* Hübner,[1803]; *fasciata* Stephens,1829 **Original Reference:** *Phalaena cultraria* Fabricius,1775, Syst. Ent.: 621. **Type(s):** Germania. **Range (in code):** **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE RU MD UA BY** **Bionomy:** Larva on *Fagus* (Meyer,1919).
- 34388. *Watsonalla uncinula* (Borkhausen,1790)** (Drepanidae) **Synonym(s):** *uncinula* Borkhausen,1790 **_ Range (in code):** **PT ES FR Co Sa Si IT RO YU GR Cr TR**
- 34389. *Zusidava tortricaria* Walker,1862** (Drepanidae) **Synonym(s):** *tortricaria* Walker,1862 **Range (in code):** **MY Bor Swk**
- 34390. *Dudgeonea actinias* Turner,1902** (Dudgeonidae) **Synonym(s):** *actinias* Turner,1902; *#actenias* Dalla Torre,1923 **_ Range (in code):** **AU** **Bionomy:** Larva on *Canthium attenuatum* (Rubiaceae) (Turner,1902).
- 34391. *Dudgeonea leucosticta* Hampson,1900** (Dudgeonidae) **Synonym(s):** *leucosticta* Hampson,1900 **Original Reference:** *Dudgeonea leucosticta* Hampson,1900, J. Bombay Soc. nat. Hist. 13: 227. **Range (in code):** **IN Ass LK MY**
- 34392. *Dudgeonea locuples* (Mabille,1879)** (Dudgeonidae) **Synonym(s):** *locuples* Mabille,1879 **Range (in code):** **MG**

- 34393. *Dudgeonea lychnocycla* Turner, 1945** (Dudgeonidae) Synonym(s): *lychnocycla* Turner, 1945; *#lychnocyla* Turner, 1945; *#lichnocycla* Roepke, 1955 _ Range (in code): AU QAU
- 34394. *Dudgeonea malagassa* Viette, 1958** (Dudgeonidae) Synonym(s): *malagassa* Viette, 1958 _ Range (in code): MG
- 34395. *Dudgeonea polyastra* Turner, 1933** (Dudgeonidae) Synonym(s): *polyastra* Turner, 1933; *nummata* Roepke, 1955 _ Range (in code): AU QAU PG
- 34396. *Dudgeonea sierraleonensis* Strand, 1916** (Dudgeonidae) Synonym(s): *sierraleonensis* Strand, 1916 _ Range (in code): ZA SL
- 34397. *Biselachista bipunctella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *bipunctella* Sinev & Sruoga, 1995 _ Range (in code): RU Us
- 34398. *Biselachista pusillella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *pusillella* Sinev & Sruoga, 1995 _ Range (in code): RU Us
- 34399. *Biselachista tersella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *tersella* Sinev & Sruoga, 1995 _ Range (in code): RU Us
- 34400. *Cosmiotes bifurcatella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *bifurcatella* Sinev & Sruoga, 1995 _ Range (in code): RU Us
- 34401. *Cosmiotes consortella* (Stainton, 1851)** (Elachistidae) Synonym(s): *consortella* Stainton, 1851; *roesslerella* Wocke, 1876; *exiguella* Frey, 1885 _ Range (in code): PT ES FR Sa Si IT IE GB NL DE CH AT CZ SK YU BG DK NO SE EE LT RU MD UA BY
- 34402. *Cosmiotes exactella* (Herrich-Schäffer, 1855)** (Elachistidae) Synonym(s): *exactella* Herrich-Schäffer, 1855; *parvulella* Herrich-Schäffer, 1855; *infusata* Frey, 1882; *spectrella* Frey, 1885 _ Range (in code): ES FR IT BE NL DE CH AT CZ SK RO YU GR DK NO SE FI EE LV RU
- 34403. *Cosmiotes freyerella* (Hübner, [1825])** (Elachistidae) Synonym(s): *nigrella* Hübner, [1805] nec Fabr., 1775; *freyerella* Hübner, [1825]; *tristictella* Tengström, 1848; *bistictella* Tengström, 1848; *aridella* Heinemann, 1854; *gregsoni* Stainton, 1855; *gregsonella* Doubleday, 1859; *incertella* Frey, 1866; *griseszens* Wocke, 1862; *sublimis* Frey, 1866; *baltica* Hering, 1891 _ Range (in code): ES FR Co IT IE GB BE NL DE CH AT PL CZ SK RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Festuca, Poa (Poaceae) (Parenti, 2000).
- 34404. *Cosmiotes pravella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *pravella* Sinev & Sruoga, 1995 _ Range (in code): RU Us
- 34405. *Cosmiotes stabilella* (Stainton, 1858)** (Elachistidae) Synonym(s): *stabilella* Stainton, 1858 _ Range (in code): PT ES FR GB NL DE CH AT PL CZ SK HU DK SE RU MD UA BY
- 34406. *Dibrachia kalki* Parenti, 1978** (Elachistidae) Synonym(s): *kalki* Parenti, 1978 _ Range (in code): IT DE AT SK HU
- 34407. *Elachista (Apheloseitia) densa* Parenti, 1981** (Elachistidae) Synonym(s): *densa* Parenti, 1981 _ Range (in code): IR AE
- 34408. *Elachista (Apheloseitia) hedemanni* Rebel, 1899** (Elachistidae) Synonym(s): *hedemanni* Rebel, 1899; *tauricella* Sinev & Budashkin, 1991 _ Range (in code): ES DE AT CZ SK HU UA Cm RU Tv
- 34409. *Elachista (Apheloseitia) pollinariella* Zeller, 1839** (Elachistidae) Synonym(s): *pollinariella* Zeller, 1839 _ Range (in code): PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO DK TR SE FI EE LV LT RU MD UA BY Bionomy: Larva on Festuca, Poa, Trisetum (Poaceae) (Parenti, 2000).
- 34410. *Elachista abiskoella* Bengtsson, 1977** (Elachistidae) Synonym(s): *abiskoella* Bengtsson, 1977 _ Range (in code): SE
- 34411. *Elachista adelpha* Kaila & Jalava, 1994** (Elachistidae) Synonym(s): *adelpha* Kaila & Jalava, 1994 _ Range (in code): RU Cc
- 34412. *Elachista adscitella* Stainton, 1851** (Elachistidae) Synonym(s): *cinctella* auct.; *adscitella* Stainton, 1851 _ Range (in code): ES FR IT IE GB NL DE CH AT PL CZ SK HU TR DK NO SE FI EE LV RU MD UA BY Bionomy: Larva on Deschampsia, Festuca, Sesleria (Poaceae); Carex (Cyperaceae) (Parenti, 2000).
- 34413. *Elachista agelensis* Traugott-Olsen, 1996** (Elachistidae) Synonym(s): *agelensis* Traugott-Olsen, 1996 _ Range (in code): FR IT
- 34414. *Elachista albicapilla* Höfner, 1918** (Elachistidae) Synonym(s): *albicapilla* Höfner, 1918 _ Range (in code): IT AT
- 34415. *Elachista albidella* Tengström, 1848** (Elachistidae) Synonym(s): *albidella* Tengström, 1848; *rhynchosporella* Stainton, 1848; *uliginosella* Herrich-Schäffer, 1855 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY

- 34416. *Elachista albifrontella* (Hübner,[1817])** (Elachistidae) **Synonym(s):** *albifrontella* Hübner,[1817] - Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU MD UA BY**
- 34417. *Elachista albrechtii* Kaila,1998** (Elachistidae) **Synonym(s):** *albrechtii* Kaila,1998 - Range (in code): **NP**
- 34418. *Elachista alpinella* Stainton,1854** (Elachistidae) **Synonym(s):** *alpinella* Stainton,1854; *latipennella* Herrich-Schäffer,1855; *monticola* Wocke,1876; *subquadrella* Ragonot,1889 - Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY**
- 34419. *Elachista amparoae* Traugott-Olsen,1992** (Elachistidae) **Synonym(s):** *amparoae* Traugott-Olsen,1992 - Range (in code): **ES FR**
- 34420. *Elachista anatoliensis* Traugott-Olsen,1990** (Elachistidae) **Synonym(s):** *anatoliensis* Traugott-Olsen,1990 - Original Reference: *Elachista anatoliensis* Traugott-Olsen,1990, *Shilap Revta lepid.* 18 (71): 216-217, figs. Holotype ♂: Turkey: Prov. Ankara: "Kızılcahamam" [Kızılcahamam] (leg. Friedel) (TLMF). - Range (in code): **TR**
- 34421. *Elachista andorraensis* Traugott-Olsen,1988** (Elachistidae) **Synonym(s):** *andorraensis* Traugott-Olsen,1988 - Range (in code): **AD ES**
- 34422. *Elachista anitella* Traugott-Olsen,1985** (Elachistidae) **Synonym(s):** *anitella* Traugott-Olsen,1985 - Range (in code): **ES RU MD UA BY**
- 34423. *Elachista anserinella* Zeller,1839** (Elachistidae) **Synonym(s):** *anserinella* Zeller,1839; *disertella* Herrich-Schäffer,[1855]. - Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU BG TR DK NO SE LV LT RU MD UA BY**
- 34424. *Elachista apicipunctella* Stainton,1849** (Elachistidae) **Synonym(s):** *apicipunctella* Stainton,1849 - Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV RU MD UA BY**
- 34425. *Elachista argentella* (Clerck,1759)** (Elachistidae) **Synonym(s):** *argentella* Clerck,1759; *alabastrilla* [Denis & Schiffermüller],1775; *melanopsis* Fourcroy,1785; *alabastrata* Villers,1789; *cygnipennella* Hübner,1796; *cygnipennis* Haworth,1828; *semialbella* Stephens,1834 - Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY** - Bionomy: Larva on *Avenula*, *Brachypodium*, *Dactylis*, *Festuca*, *Koeleria*, *Poa* (Poaceae) (Parenti,2000).
- 34426. *Elachista argentifasciella* Höfner,1898** (Elachistidae) **Synonym(s):** *argentifasciella* Höfner,1898 - Range (in code): **IT CH AT**
- 34427. *Elachista atricomella* Stainton,1849** (Elachistidae) **Synonym(s):** *atricomella* Stainton,1849; *alienella* Stainton,1851; *extensella* Stainton,1851; *zetterstedtii* Wallengren,1852; *holdenella* Stainton,1854; *helvetica* Frey,1856; *longipennis* Frey,1885 - Range (in code): **PT FR IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL BG DK NO SE LV RU MD UA BY** - Bionomy: Larva on *Dactylis* (Poaceae).
- 34428. *Elachista atrisquamosa* Staudinger,1880** (Elachistidae) **Synonym(s):** *atrisquamosa* Staudinger,1880 - Original Reference: *Elachista atrisquamosa* Staudinger,1880, *Horae Soc. ent. ross.* 15: 406. Type ♂: [Türkei]: Amasia (Kerasdere). - Range (in code): **IT AT HV YU GR TR**
- 34429. *Elachista baldizzonei* Traugott-Olsen,1996** (Elachistidae) **Synonym(s):** *baldizzonei* Traugott-Olsen,1996 - Range (in code): **IT AT**
- 34430. *Elachista baldizzonella* Traugott-Olsen,1985** (Elachistidae) **Synonym(s):** *baldizzonella* Traugott-Olsen,1985 - Range (in code): **ES AT**
- 34431. *Elachista bassi* Parenti,2006** (Elachistidae) **Synonym(s):** *bassi* Parenti,2006 - Range (in code): **NP**
- 34432. *Elachista bazaella* Traugott-Olsen,1992** (Elachistidae) **Synonym(s):** *bazaella* Traugott-Olsen,1992 - Range (in code): **ES**
- 34433. *Elachista bazaensis* Traugott-Olsen,1990** (Elachistidae) **Synonym(s):** *bazaensis* Traugott-Olsen,1990 - Range (in code): **ES**
- 34434. *Elachista bedellella* (Sircom,1848)** (Elachistidae) **Synonym(s):** *bedellella* Sircom,1848; *truncatella* Herrich-Schäffer,1855; *nigrella* Herrich-Schäffer,1855; *lugdunensis* Frey,1859; *coeneni* Traugott-Olsen,1985; *titanella* Kaila & Jalva,1994 - Range (in code): **ES FR IT GB BE DE CH AT PL CZ SK HU RO AL BG DK NO SE**
- 34435. *Elachista bengtssoni* Traugott-Olsen,1992** (Elachistidae) **Synonym(s):** *bengtssoni* Traugott-Olsen,1992 - Range (in code): **ES**
- 34436. *Elachista berndtiella* Traugott-Olsen,1985** (Elachistidae) **Synonym(s):** *berndtiella* Traugott-Olsen,1985 - Range (in code): **ES DE**

- 34437. Elachista biatomella (Stainton,1848)** (Elachistidae) Synonym(s): *biatomella* Stainton,1848 _ Range (in code): FR Sa IT GB BE NL DE CH AT CZ SK HU RO YU DK SE RU MD UA BY
- 34438. Elachista bifasciella Treitschke,1833** (Elachistidae) Synonym(s): *bifasciella* Treitschke,1833; *binella* Zeller,1839 _ Range (in code): FR IT BE NL LU DE CH AT PL CZ SK RO DK SE
Bionomy: Larva on *Agrostis*, *Calamagrostis*, *Deschampsia*, *Festuca* (Poaceae) (Parenti,2000).
- 34439. Elachista bigorrensis Traugott-Olsen,1990** (Elachistidae) Synonym(s): *bigorrensis* Traugott-Olsen,1990 _ Range (in code): FR
- 34440. Elachista bimaculata Parenti,1981** (Elachistidae) Synonym(s): *bimaculata* Parenti,1981
Range (in code): IR Gl
- 34441. Elachista bisetella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *bisetella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34442. Elachista bisulcella (Duponchel,1843)** (Elachistidae) Synonym(s): *bisulcella* Duponchel,1843; *zonariella* Tensgröm,1847 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY
- 34443. Elachista blancellae Traugott-Olsen,1992** (Elachistidae) Synonym(s): *blancellae* Traugott-Olsen,1992
Original Reference: *Elachista blancellae* Traugott-Olsen,1992, *Shilap Revta lepid.* 20 (79): 216-217, figs. Holotype ♂: Turkey: Prov. Ankara: " 20km NW Kizilcahamam" [Kızılcahamam] (leg. M.Fibiger) (ZMUC). Range (in code): TR
- 34444. Elachista bledella Chrétien,1915** (Elachistidae) Synonym(s): *bledella* Chrétien,1915
Range (in code): TN Gf
- 34445. Elachista boursini Amsel,1952** (Elachistidae) Synonym(s): *#boursini* Amsel,1952; *boursini* Amsel,1952
Original Reference: *Elachista boursini* [sic!] Amsel,1952, [in] Hartig & Amsel, *Fragm. ent. Roma* 1: 142-143, fig.49. Type ♂: Italy: Sardinia: Muravera. Range (in code): IT Sa
- 34446. Elachista brachyplectra Meyrick,1921** (Elachistidae) Synonym(s): *brachyplectra* Meyrick,1921 _ Range (in code): LK IN ID Ja
- 34447. Elachista brachypterella (Klimesch,1990)** (Elachistidae) Synonym(s): *brachypterella* Klimesch,1990 _ Range (in code): IT
- 34448. Elachista brevis Sruoga & De Prins,2009** (Elachistidae) Synonym(s): *brevis* Sruoga & De Prins,2009 _ Range (in code): KE
- 34449. Elachista bromella Chrétien,1915** (Elachistidae) Synonym(s): *bromella* Chrétien,1915
Range (in code): TN Gf
- 34450. Elachista bruuni Traugott-Olsen,1990** (Elachistidae) Synonym(s): *bruuni* Traugott-Olsen,1990 _ Range (in code): FI EE LV RU MD UA BY
- 34451. Elachista buvati (Traugott-Olsen,1994)** (Elachistidae) Synonym(s): *buvati* Traugott-Olsen,1994 _ Range (in code): FR IT
- 34452. Elachista cahorsensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *cahorsensis* Traugott-Olsen,1992 _ Range (in code): FR IE GB DE
- 34453. Elachista canapennella (Hübner,[1813])** (Elachistidae) Synonym(s): *canapennella* Hübner,[1813]; *pulchella* Haworth,[1828] *nec* Fabricius,1794; *obscura* Stainton,1849; *incanella* Herrich-Schäffer,[1855], etc. _ Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK TR NO SE FI EE LV LT RU MD UA BY
- 34454. Elachista casascoensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *casascoensis* Traugott-Olsen,1992 _ Range (in code): IT
- 34455. Elachista catalana Parenti,1978** (Elachistidae) Synonym(s): *catalana* Parenti,1978
Range (in code): ES Si IT Cr HV
- 34456. Elachista catalunella Traugott-Olsen,1992** (Elachistidae) Synonym(s): *catalunella* Traugott-Olsen,1992 _ Range (in code): ES
- 34457. Elachista chelonitis Meyrick,1909** (Elachistidae) Synonym(s): *chelonitis* Meyrick,1909
Range (in code): KE
- 34458. Elachista chionella Mann,1861** (Elachistidae) Synonym(s): *chionella* Mann,1861
Original Reference: *Elachista chionella* Mann,1861, *Wien. ent. Monatschr.* 5: 193. Lectotype ♂: [Türkei]: Amasia (Nielsen & Traugott-Olsen, 1978:15). Range (in code): YU AL TR
- 34459. Elachista christenseni Traugott-Olsen,2000** (Elachistidae) Synonym(s): *christenseni* Traugott-Olsen,2000 _ Range (in code): GR
- 34460. Elachista chrysodesmella Zeller,1850** (Elachistidae) Synonym(s): *chrysodesmella* Zeller,1850 _ Range (in code): PT ES FR Co IT BE NL DE CH AT PL CZ SK YU AL TR SE EE RU MD

- UA BY** Bionomy: Larva on Brachypodium, Dactylis, Poa (Poaceae); Carex (Cyperaceae) (Parenti,2000).
- 34461. Elachista ciliatella Chrétien,1915** (Elachistidae) Synonym(s): *ciliatella* Chrétien,1915
Range (in code): **TN Gf**
- 34462. Elachista cinereopunctella (Haworth,[1828])** (Elachistidae) Synonym(s): *cinereopunctella* Haworth,[1828]
Range (in code): **PT FR IT IE GB BE DE CH AT PL CZ SK GR SE EE LV LT RU MD UA BY** Bionomy: Larva on Carex.
- 34463. Elachista cingillella (Herrich-Schäffer,[1855])** (Elachistidae) Synonym(s): *cingillella* Herrich-Schäffer,[1855]; *densicornuella* Hodgkinson,1879
Range (in code): **ES FR Co IT GB NL DE CH AT PL CZ SK HU RO YU TR GR NO SE FI LV RU MD UA BY**
- 34464. Elachista cirroplica Kaila,2012** (Elachistidae) Synonym(s): *cirroplica* Kaila,2012
Range (in code): **ES**
- 34465. Elachista clintoni Traugott-Olsen,1992** (Elachistidae) Synonym(s): *clintoni* Traugott-Olsen,1992
Range (in code): **FR**
- 34466. Elachista coeneni Traugott-Olsen,1985** (Elachistidae) Synonym(s): *coeneni* Traugott-Olsen,1985
Range (in code): **ES RU Cc**
- 34467. Elachista coeneni titanella Kaila & Jalava,1994** (Elachistidae) Synonym(s): *titanella* Kaila & Jalava,1994
Range (in code): **RU Cc**
- 34468. Elachista collitella (Duponchel,1843)** (Elachistidae) Synonym(s): *collitella* Duponchel,1843; *grossepunctella* Herrich-Schäffer,1855
Range (in code): **ES FR Si IT GB BE DE CH AT CZ SK HU RO YU TR** Bionomy: Larva on Festuca, Koeleria cristata, Poa pratensis (Poaceae) (Parenti,2000).
- 34469. Elachista coloratella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *coloratella* Sinev & Sruoga,1995
Range (in code): **RU Us Vv**
- 34470. Elachista compsa Traugott-Olsen,1974** (Elachistidae) Synonym(s): *compsa* Traugott-Olsen,1974
Range (in code): **IT DE AT PL CZ DK NO SE FI EE**
- 34471. Elachista contaminatella Zeller,1847** (Elachistidae) Synonym(s): *contaminatella* Zeller,1847; *fadella* Millière,1876; *suspectella* Chrétien,1896; *hypoleuca* Walsingham,1907
Range (in code): **DZ ES FR Sa Si IT AT SK HU YU AL BG TR**
- 34472. Elachista contisella Chrétien,1922** (Elachistidae) Synonym(s): *contisella* Chrétien,1922
Range (in code): **FR**
- 34473. Elachista crocogastra Meyrick,1908** (Elachistidae) Synonym(s): *crocogastra* Meyrick,1908
Range (in code): **ZA Tva Gau Pre**
- 34474. Elachista cuencaensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *cuencaensis* Traugott-Olsen,1992
Range (in code): **ES**
- 34475. Elachista curonensis Traugott-Olsen,1990** (Elachistidae) Synonym(s): *curonensis* Traugott-Olsen,1990
Range (in code): **IT**
- 34476. Elachista dalmatiensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *dalmatiensis* Traugott-Olsen,1992
Range (in code): **AT YU GR**
- 34477. Elachista deceptricula Staudinger,1880** (Elachistidae) Synonym(s): *deceptricula* Staudinger,1880
Original Reference: Elachista deceptricula Staudinger,1880, Horae Soc. ent. ross. 15: 409-410. Lectotype ♂: [Türkei]: Amasia, Caraman (Nielsen & Traugott-Olsen,1978:11).
Range (in code): **ES YU TR RU GR**
- 34478. Elachista delocharis Meyrick,1932** (Elachistidae) Synonym(s): *delocharis* Meyrick,1932
Original Reference: Elachista delocharis Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 115. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH).
Range (in code): **ET ET88 Sw**
- 34479. Elachista diderichsiella Hering,1889** (Elachistidae) Synonym(s): *diderichsiella* Hering,1889
Range (in code): **FR BE DE AT PL DK NO SE FI EE RU MD UA BY**
- 34480. Elachista differens Parenti,1978** (Elachistidae) Synonym(s): *differens* Parenti,1978
Range (in code): **FR IT DE CH**
- 34481. Elachista dimicatella Rebel,1903** (Elachistidae) Synonym(s): *dimicatella* Rebel,1903; *niphadophanes* Meyrick,1938
Range (in code): **FR IT DE CH AT PL SK RO**
- 34482. Elachista disemiella Zeller,1847** (Elachistidae) Synonym(s): *disemiella* Zeller,1847
Range (in code): **PT ES FR Si IT HU TR** Bionomy: Larva on Ampelodesmos mauritanica (Poaceae) (Parenti,2000).
- 34483. Elachista dispilella Zeller,1839** (Elachistidae) Synonym(s): *dispilella* Zeller,1839
Range (in code): **FR IT NL DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY**

- 34484. Elachista dispunctella (Duponchel,1843)** (Elachistidae) Synonym(s): *dispunctella Duponchel,1843* _ Range (in code): ES FR IT BE DE CH AT PL CZ SK HU RO LV RU MD UA BY
- 34485. Elachista drenovoi Parenti,1981** (Elachistidae) Synonym(s): *drenovoi Parenti,1981* _ Range (in code): MK
- 34486. Elachista dubitella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *dubitella Sinev & Sruoga,1995* _ Range (in code): RU Us
- 34487. Elachista dumosa Parenti,1981** (Elachistidae) Synonym(s): *dumosa Parenti,1981; kimmeriella Sinev & Budashkin,1991* _ Range (in code): YU
- 34488. Elachista elegans Frey,1859** (Elachistidae) Synonym(s): *elegans Frey,1859* _ Range (in code): IT DE CH AT CZ SK HU NO SE FI LV LT RU MD UA BY
- 34489. Elachista eleochariella Stainton,1851** (Elachistidae) Synonym(s): *eleochariella Stainton,1851* _ Range (in code): FR IE GB DE AT DK NO SE FI LV LT RU MD UA BY
- 34490. Elachista elsella Traugott-Olsen,1988** (Elachistidae) Synonym(s): *elsella Traugott-Olsen,1988* _ Range (in code): SE
- 34491. Elachista ermolenkoi Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *ermolenkoi Sinev & Sruoga,1995* _ Range (in code): RU Krl
- 34492. Elachista eskoi Kyrki & Karvonen,1985** (Elachistidae) Synonym(s): *eskoi Kyrki & Karvonen,1985* _ Range (in code): GB DK NO SE FI
- 34493. Elachista exigua Parenti,1978** (Elachistidae) Synonym(s): *exigua Parenti,1978* _ Range (in code): FR IT CH AL RU MD UA BY
- 34494. Elachista falaxella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *falaxella Sinev & Sruoga,1995* _ Range (in code): RU Us
- 34495. Elachista falirakiensis Traugott-Olsen,2000** (Elachistidae) Synonym(s): *falirakiensis Traugott-Olsen,2000* _ Range (in code): Rd
- 34496. Elachista fasciola Parenti,1983** (Elachistidae) Synonym(s): *fasciola Parenti,1983* _ Range (in code): IT SK RU
- 34497. Elachista festucicolella Zeller,1853** (Elachistidae) Synonym(s): *festucicolella Zeller,1853; #festucicolella Staudinger,1880.* _ Range (in code): BE DE CH AT PL CZ SK BG GR TR SE RU MD UA BY
- 34498. Elachista flavescens Parenti,1981** (Elachistidae) Synonym(s): *flavescens Parenti,1981* _ Range (in code): TR RU MD UA BY
- 34499. Elachista freyi Staudinger,1871** (Elachistidae) Synonym(s): *freyi Staudinger,1871* _ Range (in code): IT
- 34500. Elachista fulgens Parenti,1983** (Elachistidae) Synonym(s): *fulgens Parenti,1983* _ Range (in code): IT NL DE
- 34501. Elachista fumosella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *fumosella Sinev & Sruoga,1995* _ Range (in code): RU Us
- 34502. Elachista fuscibasella Chrétien,1915** (Elachistidae) Synonym(s): *fuscibasella Chrétien,1915* _ Range (in code): DZ Bsk PT ES
- 34503. Elachista fuscofrontella Sruoga,1990** (Elachistidae) Synonym(s): *fuscofrontella Sruoga,1990* _ Range (in code): EE LV RU MD UA BY
- 34504. Elachista galbina Kaila,2012** (Elachistidae) Synonym(s): *galbina Kaila,2012* _ Range (in code): KG
- 34505. Elachista gangabella Zeller,1850** (Elachistidae) Synonym(s): *gangabella Zeller,1850; taeniatella Stainton,1857; ursinella Chrétien,1896* _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR GR DK SE RU MD UA BY
- 34506. Elachista gebzeensis Traugott-Olsen,1990** (Elachistidae) Synonym(s): *gebzeensis Traugott-Olsen,1990* _ Original Reference: Elachista gebzeensis Traugott-Olsen,1990, Entomologist's Gaz. 41: 62-63, figs. Holotype ♂: Turkey: [Kocaeli]: Ismi, Gebze. Range (in code): TR
- 34507. Elachista gerdmaritella Traugott-Olsen,1992** (Elachistidae) Synonym(s): *gerdmaritella Traugott-Olsen,1992* _ Range (in code): ES
- 34508. Elachista gielisi Traugott-Olsen,1992** (Elachistidae) Synonym(s): *gielisi Traugott-Olsen,1992* _ Range (in code): ES
- 34509. Elachista gilvula Kaila,2012** (Elachistidae) Synonym(s): *gilvula Kaila,2012* _ Range (in code): RU Tv KG
- 34510. Elachista glaseri Traugott-Olsen,1992** (Elachistidae) Synonym(s): *glaseri Traugott-Olsen,1992* _ Range (in code): ES

- 34511. Elachista gleichenella (Fabricius,1781)** (Elachistidae) Synonym(s): *gleichenella* Fabricius,1781; *gleichella* Fabricius,1794; *magnificella* Duponchel,1843; *trifasciella* Tengström,1848; *fractella* Herrich-Schäffer,1855 _ Range (in code): FR IT IE GB BE DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Luzula* (Juncaceae); *Deschampsia* (Poaceae); *Carex* (Cyperaceae) (Parenti,2000).
- 34512. Elachista gormella Nielsen & Traugott-Olsen,1987** (Elachistidae) Synonym(s): *gormella* Nielsen & Traugott-Olsen,1987 _ Range (in code): PT ES FR Sa IT SK YU RU MD UA BY
- 34513. Elachista graeca Parenti,2002** (Elachistidae) Synonym(s): *graeca* Parenti,2002 Range (in code): GR HV
- 34514. Elachista grandella Traugott-Olsen,1992** (Elachistidae) Synonym(s): *grandella* Traugott-Olsen,1992 _ Range (in code): DE AT
- 34515. Elachista gregori Traugott-Olsen,1988** (Elachistidae) Synonym(s): *gregori* Traugott-Olsen,1988 _ Range (in code): DE AT CZ SK LV
- 34516. Elachista griseella (Duponchel,1843)** (Elachistidae) Synonym(s): *griseella* Duponchel,1843; *dispositella* Frey,1859 _ Range (in code): FR IT CH AT PL CZ SK HU RO YU TR RU MD UA BY Bionomy: Larva on *Calamagrostis*, *Dactylis*, *Elymus*, *Festuca* (Poaceae) (Parenti,2000).
- 34517. Elachista gruenewaldi Parenti,2002** (Elachistidae) Synonym(s): *gruenewaldi* Parenti,2002 _ Range (in code): IT
- 34518. Elachista gypsophila Meyrick,1911** (Elachistidae) Synonym(s): *gypsophila* Meyrick,1911 Range (in code): ZA Tva Gau Pre
- 34519. Elachista habeleri Traugott-Olsen,1990** (Elachistidae) Synonym(s): *habeleri* Traugott-Olsen,1990 _ Range (in code): AT YU
- 34520. Elachista hallini Traugott-Olsen,1992** (Elachistidae) Synonym(s): *hallini* Traugott-Olsen,1992 _ Range (in code): AT
- 34521. Elachista heinemanni Frey,1866** (Elachistidae) Synonym(s): *heinemanni* Frey,1866 Range (in code): IT CH AT Bionomy: Larva on *Sesleria albicans* (Poaceae) (Parenti,2000).
- 34522. Elachista heringi Rebel,1899** (Elachistidae) Synonym(s): *heringi* Rebel,1899 _ Range (in code): ES FR IT AT CZ SK HU RO IR Gl
- 34523. Elachista herrichii Frey,1859** (Elachistidae) Synonym(s): *obscura* Herrich-Schäffer,1855 *nec* Stt.,1849; *herrichii* Frey,1859; *reuttiana* Frey,1859; *psilellivicinella* Bruand,1859; *confluella* Rössler,1866 Range (in code): FR IT BE DE CH AT PL CZ SK HU RO LV RU MD UA BY
- 34524. Elachista hispanica Traugott-Olsen,1992** (Elachistidae) Synonym(s): *hispanica* Traugott-Olsen,1992 _ Range (in code): ES
- 34525. Elachista humilis Zeller,1850** (Elachistidae) Synonym(s): *humilis* Zeller,1850; *occultella* Douglas,1850; *humiliella* Herrich-Schäffer,1855; *perplexella* Stainton,1858; *airae* Stainton,1858 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 34526. Elachista ibericella Traugott-Olsen,1995** (Elachistidae) Synonym(s): *ibericella* Traugott-Olsen,1995 _ Range (in code): ES
- 34527. Elachista ievae Sruoga,2008** (Elachistidae) Synonym(s): *ievae* Sruoga,2008 _ Range (in code): NP
- 34528. Elachista igaloensis (Amsel,1951)** (Elachistidae) Synonym(s): *igaloensis* Amsel,1951 Range (in code): Co Sa YU
- 34529. Elachista imatrella Schantz,1971** (Elachistidae) Synonym(s): *imatrella* Schantz,1971 Range (in code): NO FI
- 34530. Elachista imbi Traugott-Olsen,1992** (Elachistidae) Synonym(s): *imbi* Traugott-Olsen,1992 Range (in code): AT
- 34531. Elachista incanella Herrich-Schäffer,[1855]** (Elachistidae) Synonym(s): *incanella* Herrich-Schäffer,[1855] _ Range (in code): TR
- 34532. Elachista ingeborgae (Traugott-Olsen,1994)** (Elachistidae) Synonym(s): *ingeborgae* Traugott-Olsen,1994 _ Range (in code): IT
- 34533. Elachista intrigella Traugott-Olsen,1992** (Elachistidae) Synonym(s): *intrigella* Traugott-Olsen,1992 _ Range (in code): AT
- 34534. Elachista irenae Buszko,1989** (Elachistidae) Synonym(s): *irenae* Buszko,1989 _ Range (in code): PL SK RU MD UA BY
- 34535. Elachista istanella Nielsen & Traugott-Olsen,1987** (Elachistidae) Synonym(s): *istanella* Nielsen & Traugott-Olsen,1987 _ Range (in code): ES
- 34536. Elachista jaeckhi Traugott-Olsen,1990** (Elachistidae) Synonym(s): *jaeckhi* Traugott-Olsen,1990 _ Range (in code): YU

- 34537. *Elachista jaskai* Kaila, 1988** (Elachistidae) Synonym(s): *jaskai* Kaila, 1988 _ Range (in code): RU
- 34538. *Elachista juliensis* Frey, 1870** (Elachistidae) Synonym(s): *juliensis* Frey, 1870 _ Range (in code): IT DE CH AT PL CZ SK HU NO SE FI EE LV RU MD UA BY
- 34539. *Elachista justificata* Meyrick, 1926** (Elachistidae) Synonym(s): *justificata* Meyrick, 1926 _ Range (in code): ZA
- 34540. *Elachista kakamegensis* Sruoga & De Prins, 2009** (Elachistidae) Synonym(s): *kakamegensis* Sruoga & De Prins, 2009 _ Range (in code): KE
- 34541. *Elachista karsholti* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *karsholti* Traugott-Olsen, 1992 _ Range (in code): AT
- 34542. *Elachista kebneella* (Traugott-Olsen & Nielsen, 1977)** (Elachistidae) Synonym(s): *kebneella* Traugott-Olsen & Nielsen, 1977 _ Range (in code): SE FI
- 34543. *Elachista kilmunella* Stainton, 1849** (Elachistidae) Synonym(s): *kilmunella* Stainton, 1849 _ Range (in code): IE GB DE CH AT PL CZ SK DK NO SE FI EE LV RU MD UA BY
- 34544. *Elachista kleini* Amsel, 1935** (Elachistidae) Synonym(s): *kleini* Amsel, 1935 _ Range (in code): PT ES YU TR
- 34545. *Elachista klimeschiella* Parenti, 2002** (Elachistidae) Synonym(s): *klimeschi* Parenti, 1981 nec Duf., 1957; *klimeschiella* Parenti, 2002 _ Range (in code): FR IT CH AT SK
- 34546. *Elachista kosteri* Traugott-Olsen, 1995** (Elachistidae) Synonym(s): *kosteri* Traugott-Olsen, 1995 _ Range (in code): GR
- 34547. *Elachista krogeri* Svensson, 1976** (Elachistidae) Synonym(s): *krogeri* Svensson, 1976 _ Range (in code): SE FI RU MD UA BY
- 34548. *Elachista ksarella* Chrétien, 1908** (Elachistidae) Synonym(s): *ksarella* Chrétien, 1908 _ Range (in code): DZ Bsk
- 34549. *Elachista laetella* Rebel, 1930** (Elachistidae) Synonym(s): *laetella* Rebel, 1930 _ Range (in code): BG
- 34550. *Elachista lastrella* Chrétien, 1896** (Elachistidae) Synonym(s): *lastrella* Chrétien, 1896 _ Range (in code): ES FR BE LU DE CH
- 34551. *Elachista latebrella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *latebrella* Sinev & Sruoga, 1995 _ Range (in code): RU Krl
- 34552. *Elachista latipenella* Sinev & Budashkin, 1991** (Elachistidae) Synonym(s): *latipenella* Sinev & Budashkin, 1991 _ Range (in code): RU MD UA BY
- 34553. *Elachista leifi* Kaila & Kerppola, 1992** (Elachistidae) Synonym(s): *leifi* Kaila & Kerppola, 1992 _ Range (in code): FI RU MD UA BY
- 34554. *Elachista lerauti* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *lerauti* Traugott-Olsen, 1992 _ Range (in code): FR
- 34555. *Elachista leucobathra* Meyrick, 1923** (Elachistidae) Synonym(s): *leucobathra* Meyrick, 1923 _ Range (in code): PK Pj Mre
- 34556. *Elachista leucosoma* Meyrick, 1922** (Elachistidae) Synonym(s): *leucosoma* Meyrick, 1922 _ Range (in code): PK Pj Abb
- 34557. *Elachista littoricola* Le Marchand, 1938** (Elachistidae) Synonym(s): *littoricola* Le Marchand, 1938 _ Range (in code): FR IT GB DE CZ SK DK FI EE LV
- 34558. *Elachista longispina* Sruoga & De Prins, 2009** (Elachistidae) Synonym(s): *longispina* Sruoga & De Prins, 2009 _ Range (in code): KE
- 34559. *Elachista lorigera* Meyrick, 1921** (Elachistidae) Synonym(s): *lorigera* Meyrick, 1921; *?endobela* Meyrick, 1926 _ Range (in code): IN Bba ID Ja
- 34560. *Elachista louisae* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *louisae* Traugott-Olsen, 1992 _ Range (in code): ES
- 34561. *Elachista luqueti* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *luqueti* Traugott-Olsen, 1992 _ Range (in code): ES
- 34562. *Elachista luticomella* Zeller, 1839** (Elachistidae) Synonym(s): *luticomella* Zeller, 1839; *guttella* Hübner, 1796 nec Fabr., 1787; *sexguttella* Reutti, 1853; *flavicomella* Stainton, 1856 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY
- 34563. *Elachista maboulella* Chrétien, 1915** (Elachistidae) Synonym(s): *maboulella* Chrétien, 1915 _ Range (in code): DZ Bsk TN Gf
- 34564. *Elachista maculata* Parenti, 1978** (Elachistidae) Synonym(s): *maculata* Parenti, 1978 _ Range (in code): MK BG GR TR

- 34565. *Elachista maculicerusella* Bruand, 1849** (Elachistidae) Synonym(s): *cerusella* Hübner, 1796 nec [Denis & Schiff.], 1775; *maculicerusella* Bruand, 1849; *monosemiella* auct. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY
- 34566. *Elachista maculosella* Chrétien, 1896** (Elachistidae) Synonym(s): *maculosella* Chrétien, 1896 Range (in code): FR IT DE
- 34567. *Elachista madridensis* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *madridensis* Traugott-Olsen, 1992 Range (in code): ES
- 34568. *Elachista mannella* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *mannella* Traugott-Olsen, 1992 Range (in code): AT
- 34569. *Elachista manni* Traugott-Olsen, 1990** (Elachistidae) Synonym(s): *manni* Traugott-Olsen, 1990 Range (in code): AT PL SK HU
- 34570. *Elachista margareteae* (Traugott-Olsen, 1994)** (Elachistidae) Synonym(s): *margareteae* Traugott-Olsen, 1994 Range (in code): IT
- 34571. *Elachista martinii* O. Hofmann, 1898** (Elachistidae) Synonym(s): *martinii* O. Hofmann, 1898 Range (in code): IT DE AT CZ SK HU RO YU GR
- 34572. *Elachista megerlella* (Hübner, [1810])** (Elachistidae) Synonym(s): *megerlella* Hübner, [1810]; *obliquella* Stainton, 1854 Range (in code): PT ES FR IT IE GB BE DE CH AT PL CZ SK HU RO YU DK NO SE EE LV RU MD UA BY
- 34573. *Elachista melancholica* Frey, 1859** (Elachistidae) Synonym(s): *melancholica* Frey, 1859 Original Reference: Elachista melancholica Frey, 1859, Linn. Ent. 13: 259. Syntypes: [Türkei]: Brussa. Range (in code): TR
- 34574. *Elachista merimnaea* Meyrick, 1920** (Elachistidae) Synonym(s): *merimnaea* Meyrick, 1920 Range (in code): ZA
- 34575. *Elachista metallica* Parenti, 1981** (Elachistidae) Synonym(s): *metallica* Parenti, 1981 Range (in code): NP
- 34576. *Elachista minusculella* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *minusculella* Traugott-Olsen, 1992 Original Reference: Elachista minusculella Traugott-Olsen, 1992, Shilap Revta lepid. 20 (79): 215-216, figs. Holotype ♂: Turkey: "50km östl., İstambul" [Kocaeli Prov.] (leg. M. & U. Glaser) (ZMUC). Range (in code): TR
- 34577. *Elachista modesta* Parenti, 1978** (Elachistidae) Synonym(s): *modesta* Parenti, 1978 Range (in code): Rd TR
- 34578. *Elachista monosemiella* Rössler, 1881** (Elachistidae) Synonym(s): *monosemiella* Rössler, 1881; *klimeschi* Dufrane, 1957 Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU Bionomy: Larva on Arrhenatherum, Dactylis, Phalaris, Phragmites (Poaceae) (Parenti, 2000).
- 34579. *Elachista multidentella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *multidentella* Sinev & Sruoga, 1995 Range (in code): RU Krl
- 34580. *Elachista multipunctella* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *multipunctella* Traugott-Olsen, 1992 Range (in code): AT
- 34581. *Elachista neapolisella* Traugott-Olsen, 1985** (Elachistidae) Synonym(s): *neapolisella* Traugott-Olsen, 1985 Range (in code): GR
- 34582. *Elachista nedaella* Traugott-Olsen, 1985** (Elachistidae) Synonym(s): *nedaella* Traugott-Olsen, 1985 Range (in code): Cr
- 34583. *Elachista nepalensis* Traugott-Olsen, 1999** (Elachistidae) Synonym(s): *nepalensis* Traugott-Olsen, 1999 Range (in code): NP
- 34584. *Elachista nevadella* Traugott-Olsen, 2000** (Elachistidae) Synonym(s): *nevadella* Traugott-Olsen, 2000 Range (in code): ES
- 34585. *Elachista nevadensis* Parenti, 1978** (Elachistidae) Synonym(s): *nevadensis* Parenti, 1978 Range (in code): ES Grn Snv
- 34586. *Elachista nielspederi* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *nielspederi* Traugott-Olsen, 1992 Range (in code): AT
- 34587. *Elachista nielswolffi* Svensson, 1976** (Elachistidae) Synonym(s): *nielswolffi* Svensson, 1976 Range (in code): NO SE FI RU MD UA BY
- 34588. *Elachista nieukerkeni* Traugott-Olsen, 1995** (Elachistidae) Synonym(s): *nieukerkeni* Traugott-Olsen, 1995 Range (in code): ES
- 34589. *Elachista nigrothoracella* Sinev & Sruoga, 1995** (Elachistidae) Synonym(s): *nigrothoracella* Sinev & Sruoga, 1995 Range (in code): RU Us

- 34590. *Elachista nitensella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *nitensella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34591. *Elachista nitidulella* (Herrich-Schäffer,1855)** (Elachistidae) Synonym(s): *nitidulella* Herrich-Schäffer,1855 _ Range (in code): FR BE DE CH AT CZ SK HU
- 34592. *Elachista nobilella* Zeller,1839** (Elachistidae) Synonym(s): *nobilella* Zeller,1839; *subnobilella* Rössler,1866 _ Range (in code): ES FR IT BE NL DE CH AT PL CZ SK DK NO SE FI EE LV RU MD UA BY
- 34593. *Elachista nolckenii* Sölcs,1984** (Elachistidae) Synonym(s): *nolckenii* Sölcs,1984 _ Range (in code): DE AT PL CZ EE LV IT FR CH
- 34594. *Elachista nuraghella* Amsel,1951** (Elachistidae) Synonym(s): *nuraghella* Amsel,1951; *grotenfelti* Kaila,2012 _ Range (in code): MA DZ TN PT ES Mu FR Co Sa Si IT MT MK AT YU BG GR TR SY Bionomy: Larva on *Dasypyrum villosum* (Poaceae) (Parenti,1994).
- 34595. *Elachista nymphaea* Meyrick,1911** (Elachistidae) Synonym(s): *nymphaea* Meyrick,1911 Range (in code): ZA Gau Tva Pre
- 34596. *Elachista obtusella* Sruoga,2008** (Elachistidae) Synonym(s): *obtusella* Sruoga,2008 Range (in code): NP
- 34597. *Elachista occidentalis* Frey,1882** (Elachistidae) Synonym(s): *occidentalis* Frey,1882 Range (in code): FR DE CH CZ SE
- 34598. *Elachista occidentella* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *occidentella* Traugott-Olsen,1992 _ Range (in code): PT
- 34599. *Elachista occulta* Parenti,1978** (Elachistidae) Synonym(s): *occulta* Parenti,1978 Range (in code): FR IT AT YU BG GR
- 34600. *Elachista ohridella* Parenti,2001** (Elachistidae) Synonym(s): *ohridella* Parenti,2001 Range (in code): MK BG TR
- 34601. *Elachista opacella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *opacella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34602. *Elachista optatella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *optatella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34603. *Elachista orientella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *orientella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34604. *Elachista ornithopodella* Frey,1859** (Elachistidae) Synonym(s): *ornithopodella* Frey,1859 Range (in code): IT DE CH CZ FI
- 34605. *Elachista orstadii* N.Palm,1943** (Elachistidae) Synonym(s): *orstadii* N.Palm,1943 Range (in code): IT GB DE CH AT CZ SK DK SE RU MD UA BY
- 34606. *Elachista parasella* Traugott-Olsen,1974** (Elachistidae) Synonym(s): *parasella* Traugott-Olsen,1974 _ Range (in code): AT PL SK NO SE FI
- 34607. *Elachista parvula* Parenti,1978** (Elachistidae) Synonym(s): *parvula* Parenti,1978 Range (in code): FR IT CH YU BG RU
- 34608. *Elachista passerini* Traugott-Olsen,1996** (Elachistidae) Synonym(s): *passerini* Traugott-Olsen,1996 _ Range (in code): ES FR IT
- 34609. *Elachista pigerella* (Herrich-Schäffer,1854)** (Elachistidae) Synonym(s): *pigerella* Herrich-Schäffer,1854; *fuscochreella* Frey,1856; *muehligiella* Frey,1856; *thorencella* Millière,1875; *incolorella* Constant,1890; *bilbaensis* Rebel,1893; *uniformella* Rebel,1916; *fuscogrisella* Rebel,1936 _ Range (in code): ES FR Sa IT DE CH AT CZ GR
- 34610. *Elachista planca* Sruoga & De Prins,2009** (Elachistidae) Synonym(s): *planca* Sruoga & De Prins,2009 _ Range (in code): KE
- 34611. *Elachista poae* Stainton,1855** (Elachistidae) Synonym(s): *poae* Stainton,1855 _ Range (in code): IE GB BE NL DE AT PL CZ HU RO DK SE FI LV LT RU MD UA BY
- 34612. *Elachista pocopunctella* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *pocopunctella* Traugott-Olsen,1992 _ Range (in code): AT
- 34613. *Elachista pollutella* (Duponchel,1844)** (Elachistidae) Synonym(s): *pollutella* Duponchel,1844 _ Range (in code): FR IT LU DE CH AT CZ SK HU RO YU AL GR TR RU MD UA BY
- 34614. *Elachista pollutissima* Staudinger,1880** (Elachistidae) Synonym(s): *pollutissima* Staudinger,1880 Original Reference: *Elachista pollutissima* (n.sp.?) Staudinger,1880, Horae Soc. ent. ross.15: 411. Lectotype ♂:[Türkei]: Amasia, Caraman (Nielsen & Traugott-Olsen,1978:13). Range (in code): YU TR
- 34615. *Elachista pomerana* Frey,1870** (Elachistidae) Synonym(s): *pomerana* Frey,1870 Range (in code): GB AT PL CZ HU RO DK NO SE FI EE LV LT RU MD UA BY

- 34616. *Elachista povolnyi* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *povolnyi* Traugott-Olsen,1992 _ Range (in code): AT YU
- 34617. *Elachista pullicomella* Zeller,1839** (Elachistidae) Synonym(s): *pullicomella* Zeller,1839; *rectifasciella* Stainton,1851; *bohemani* Wallengren,1852; *pullella* Herrich-Schäffer,1855 _ Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY
- 34618. *Elachista punctella* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *punctella* Traugott-Olsen,1992 _ Range (in code): AT
- 34619. *Elachista putris* Meyrick,1923** (Elachistidae) Synonym(s): *putris* Meyrick,1923 _ Range (in code): PK Pj Mre
- 34620. *Elachista quadripunctella* (Hübner,[1825])** (Elachistidae) Synonym(s): *quadrella* Hübner,[1805] nec Den. & Schiff.,1775; *quadripunctella* Hübner,[1825] _ Range (in code): FR IT BE DE CH AT PL CZ SK HU RO YU NO SE RU MD UA BY Bionomy: Larva on *Luzula* (Juncaceae) (Parenti,2000).
- 34621. *Elachista regificella* Sircom,1849** (Elachistidae) Synonym(s): *magnificella* Zeller,1847 nec Dup.,1843; *regificella* Sircom,1849; *geminatella* Herrich-Schäffer,1855 _ Range (in code): PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY
- 34622. *Elachista revinctella* Zeller,1850** (Elachistidae) Synonym(s): *revinctella* Zeller,1850 _ Range (in code): IT CZ HU YU AL EE TR
- 34623. *Elachista rikkeae* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *rikkeae* Traugott-Olsen,1992 _ Range (in code): ES
- 34624. *Elachista ripula* Kaila,1998** (Elachistidae) Synonym(s): *ripula* Kaila,1998 _ Range (in code): FI
- 34625. *Elachista rudectella* Stainton,1851** (Elachistidae) Synonym(s): *rudectella* Stainton,1851 _ Range (in code): Co IT DE CH AT PL CZ SK HU RO BG GR TR RU MD UA BY
- 34626. *Elachista rufella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *rufella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34627. *Elachista rufocinerea* (Haworth,[1828])** (Elachistidae) Synonym(s): *rufocinerea* Haworth,[1828]; *oleae* Haworth,[1828]; *floslactis* Haworth,[1828]; *rufocinerella* Herrich-Schäffer,1855; *rufocinereella* Bruand,1859 _ Range (in code): FR IT IE GB BE NL DE AT CZ SK HU RO YU MK GR TR DK Bionomy: Larva on *Arrhenatherum*, *Festuca*, *Holcus mollis* (Poaceae) (Parenti,2000).
- 34628. *Elachista ruthae* (Traugott-Olsen,1994)** (Elachistidae) Synonym(s): *ruthae* Traugott-Olsen,1994 _ Range (in code): AT
- 34629. *Elachista sagittiferella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *sagittiferella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34630. *Elachista sasae* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *sasae* Sinev & Sruoga,1995 _ Range (in code): RU Sh
- 34631. *Elachista scirpi* Stainton,1887** (Elachistidae) Synonym(s): *scirpi* Stainton,1887 _ Range (in code): Si Sa IE GB BE NL DE AT HU YU GR DK NO SE FI RU MD UA BY
- 34632. *Elachista serricornis* Stainton,1854** (Elachistidae) Synonym(s): *serricornis* Stainton,1854 _ Range (in code): IT IE GB NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 34633. *Elachista sricula* Parenti,1978** (Elachistidae) Synonym(s): *sricula* Parenti,1978 _ Range (in code): Si
- 34634. *Elachista simplimorphella* Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *simplimorphella* Sinev & Sruoga,1995 _ Range (in code): RU Sh
- 34635. *Elachista skulei* Traugott-Olsen,1992** (Elachistidae) Synonym(s): *skulei* Traugott-Olsen,1992 _ Range (in code): GR
- 34636. *Elachista sparsula* Meyrick,1921** (Elachistidae) Synonym(s): *sparsula* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre
- 34637. *Elachista spumella* Caradja,1920** (Elachistidae) Synonym(s): *spumella* Caradja,1920 _ Range (in code): IT AT CZ SK HU RU MD UA BY
- 34638. *Elachista squamosella* (Duponchel,1843)** (Elachistidae) Synonym(s): *squamosella* Duponchel,1843 _ Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG TR RU MD UA BY
- 34639. *Elachista stelviella* Amsel,1932** (Elachistidae) Synonym(s): *stelviella* Amsel,1932 _ Range (in code): IT
- 34640. *Elachista stenopterella* Rebel,1932** (Elachistidae) Synonym(s): *stenopterella* Rebel,1932 _ Range (in code): AL

- 34641. Elachista steueri Traugott-Olsen,1990** (Elachistidae) Synonym(s): *steueri* Traugott-Olsen,1990 _ Range (in code): CZ
- 34642. Elachista subalbidella Schläger,1847** (Elachistidae) Synonym(s): *subalbidella* Schläger,1847 _ Range (in code): IT IE GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY
- 34643. Elachista subnigrella Douglas,1853** (Elachistidae) Synonym(s): *subnigrella* Douglas,1853 Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE EE LV RU MD UA BY
- 34644. Elachista subocellea (Stephens,1834)** (Elachistidae) Synonym(s): *subocellea* Stephens,1834; *flammeapennella* Costa,[1836]; *disertella* Heydenreich,1851 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU YU SE FI EE LV
- 34645. Elachista sutteri Kaila,2002** (Elachistidae) Synonym(s): *sutteri* Kaila,2002 _ Range (in code): CY
- 34646. Elachista svenssoni Traugott-Olsen,1988** (Elachistidae) Synonym(s): *svenssoni* Traugott-Olsen,1988 _ Range (in code): CH AT CZ SK
- 34647. Elachista szocsi Parenti,1978** (Elachistidae) Synonym(s): *szocsi* Parenti,1978; *manca* Falkovitsh,1986 _ Range (in code): HU
- 34648. Elachista teruelensis Traugott-Olsen,1990** (Elachistidae) Synonym(s): *teruelensis* Traugott-Olsen,1990 _ Range (in code): ES
- 34649. Elachista tetragonella (Herrich-Schäffer,1855)** (Elachistidae) Synonym(s): *tetragonella* Herrich-Schäffer,1855 _ Range (in code): FR IT DE CH AT CZ SK BG SE FI
- 34650. Elachista tinctella Sinev & Sruoga,1995** (Elachistidae) Synonym(s): *tinctella* Sinev & Sruoga,1995 _ Range (in code): RU Us
- 34651. Elachista totalbella Chrétien,1908** (Elachistidae) Synonym(s): *totalbella* Chrétien,1908 Range (in code): DZ Bsk
- 34652. Elachista totanaensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *totanaensis* Traugott-Olsen,1992 _ Range (in code): ES
- 34653. Elachista toveella Traugott-Olsen,1985** (Elachistidae) Synonym(s): *toveella* Traugott-Olsen,1985 _ Range (in code): ES
- 34654. Elachista trapeziella Stainton,1849** (Elachistidae) Synonym(s): *trapeziella* Stainton,1849 Range (in code): FR IT IE GB BE DE CH AT PL CZ SK DK SE FI LV
- 34655. Elachista triatomea (Haworth,1828)** (Elachistidae) Synonym(s): *triatomea* Haworth,1828 _ Range (in code): IE GB BE DE AT SK HU DK SE FI RU MD UA BY
- 34656. Elachista tribertiella Traugott-Olsen,1985** (Elachistidae) Synonym(s): *tribertiella* Traugott-Olsen,1985 _ Range (in code): ES
- 34657. Elachista triseriatella Stainton,1854** (Elachistidae) Synonym(s): *triseriatella* Stainton,1854 _ Range (in code): FR IT GB CH AT PL HU DK LV RU MD UA BY Bionomy: Larva on *Festuca* (Poaceae) (Parenti,2000).
- 34658. Elachista tuberella Sruoga,2008** (Elachistidae) Synonym(s): *tuberella* Sruoga,2008 Range (in code): NP
- 34659. Elachista turkensis Traugott-Olsen,1990** (Elachistidae) Synonym(s): *turkensis* Traugott-Olsen,1990 Original Reference: *Elachista turkensis* Traugott-Olsen,1990, Entomologist's Gaz. 41: 61-62, figs. Holotype ♂: Turkey: [Ankara]: Tuzgölü, 1100m. Range (in code): TR
- 34660. Elachista unifasciella (Haworth,[1828])** (Elachistidae) Synonym(s): *unifasciella* Haworth,[1828] _ Range (in code): FR IT GB LU DE AT PL CZ SK HU RO AL TR DK SE LV
- 34661. Elachista utonella Frey,1856** (Elachistidae) Synonym(s): *utonella* Frey,1856 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Juncus gerardi* (Juncaceae); *Carex*, *Scirpus sylvaticus* (Cyperaceae) (Parenti,2000).
- 34662. Elachista vanderwolffi Traugott-Olsen,1992** (Elachistidae) Synonym(s): *vanderwolffi* Traugott-Olsen,1992 _ Range (in code): FR
- 34663. Elachista varensis Traugott-Olsen,1992** (Elachistidae) Synonym(s): *varensis* Traugott-Olsen,1992 _ Range (in code): FR
- 34664. Elachista vegliae Parenti,1978** (Elachistidae) Synonym(s): *vegliae* Parenti,1978 _ Range (in code): YU BG TR
- 34665. Elachista veletaella Traugott-Olsen,1992** (Elachistidae) Synonym(s): *veletaella* Traugott-Olsen,1992 _ Range (in code): ES

- 34666. *Elachista veruta* Kaila, 2008** (Elachistidae) Synonym(s): *veruta* Kaila, 2008 - Range (in code): AE
- 34667. *Elachista vivesi* Traugott-Olsen, 1992** (Elachistidae) Synonym(s): *vivesi* Traugott-Olsen, 1992 - Range (in code): ES
- 34668. *Elachista vonschantzi* Svensson, 1976** (Elachistidae) Synonym(s): *vonschantzi* Svensson, 1976 - Range (in code): SE FI RU MD UA BY
- 34669. *Elachista wieseriella* Huemer, 2000** (Elachistidae) Synonym(s): *wieseriella* Huemer, 2000 - Range (in code): AT
- 34670. *Elachista zabella* Chrétien, 1908** (Elachistidae) Synonym(s): *zabella* Chrétien, 1908 - Range (in code): DZ Bsk
- 34671. *Elachista zernyi* Hartig, 1941** (Elachistidae) Synonym(s): *zernyi* Hartig, 1941; *ingvarella* Traugott-Olsen, 1974 - Range (in code): IT DE CH AT LV NO SE FI RU MD UA BY
- 34672. *Elachista zuernbaueri* Traugott-Olsen, 1990** (Elachistidae) Synonym(s): *zuernbaueri* Traugott-Olsen, 1990 - Range (in code): FR
- 34673. *Kearfottina cunilae* (Braun, 1930)** (Elachistidae) Synonym(s): *cunilae* Braun, 1930 - Range (in code): US
- 34674. *Kearfottina major* (Kearfott, 1907)** (Elachistidae) Synonym(s): *major* Kearfott, 1907 - Range (in code): US
- 34675. *Myrrhinitis sporeuta* Meyrick, 1913** (Elachistidae) Synonym(s): *sporeuta* Meyrick, 1913 - Range (in code): ZA Tva Mpu Brb
- 34676. *Perittia aganopa* (Meyrick, 1911)** (Elachistidae) Synonym(s): *aganopa* Meyrick, 1911 - Range (in code): ZA Gau Tva Pre
- 34677. *Perittia biloba* Sruoga, 1989** (Elachistidae) Synonym(s): *biloba* Sruoga, 1989 - Range (in code): TJ UZ
- 34678. *Perittia echiella* Joannis, 1902** (Elachistidae) Synonym(s): *echiella* Joannis, 1902 - Range (in code): PT ES Sa Si GR TR
- 34679. *Perittia falciferella* Sruoga & De Prins, 2009** (Elachistidae) Synonym(s): *falciferella* Sruoga & De Prins, 2009 - Range (in code): KE
- 34680. *Perittia farinella* (Thunberg, 1794)** (Elachistidae) Synonym(s): *farinella* Thunberg, 1794; *subargentella* Dattin, 1932 - Range (in code): FR IT GB BE NL DE CH AT PL CZ HU BG DK SE FI EE LV LT RU MD UA BY
- 34681. *Perittia gnoma* Sruoga & De Prins, 2009** (Elachistidae) Synonym(s): *gnoma* Sruoga & De Prins, 2009 - Range (in code): KE
- 34682. *Perittia granadensis* (Traugott-Olsen, 1995)** (Elachistidae) Synonym(s): *granadensis* Traugott-Olsen, 1995 - Range (in code): ES
- 34683. *Perittia herrichiella* (Herrich-Schäffer, 1855)** (Elachistidae) Synonym(s): *herrichiella* Herrich-Schäffer, 1855 - Range (in code): FR IT DE CH AT PL CZ SK HU DK NO SE FI LV LT
- 34684. *Perittia huemeri* (Traugott-Olsen, 1990)** (Elachistidae) Synonym(s): *huemeri* Traugott-Olsen, 1990 - Original Reference: Mendesia huemeri Traugott-Olsen, 1990, *Shilap Revta lepid.* 18 (71): 274. Holotype ♂: Yugoslavia: Krk island, Punat leg. Habeler. Range (in code): HV HU TR
- 34685. *Perittia huemeri* Traugott-Olsen, 1990** (Elachistidae) Synonym(s): *huemeri* Traugott-Olsen, 1990 - Range (in code): YU HU
- 34686. *Perittia inscia* Meyrick, 1913** (Elachistidae) Synonym(s): *inscia* Meyrick, 1913 - Range (in code): ZA Tva Mpu Brb
- 34687. *Perittia junnilaisella* Kaila, 2009** (Elachistidae) Synonym(s): *junnilaisella* Kaila, 2009 - Original Reference: Perittia junnilaisella Kaila, 2009, *Zootaxa* 2230: 21-22, figs. Holotype ♂: Turkey: [Konya Prov.] Akşehir 30km SW, Sultandağları 1500m 29 v 1997, K.Nupponen & J.Junnilainen leg. (coll.MZH). Range (in code): TR
- 34688. *Perittia karadaghella* Sinev & Budashkin, 1991** (Elachistidae) Synonym(s): *karadaghella* Sinev & Budashkin, 1991 - Range (in code): UA Cm TR
- 34689. *Perittia minitaurella* Kaila, 2009** (Elachistidae) Synonym(s): *minitaurella* Kaila, 2009 - Range (in code): GR Cr
- 34690. *Perittia mucronata* (Parenti, 2001)** (Elachistidae) Synonym(s): *mucronata* Parenti, 2001 - Original Reference: Mendesia mucronata Parenti, 2001, *Shilap Revta lepid.* 29: 250. Range (in code): GR TR IR Elb Th Kdj
- 34691. *Perittia nimbifera* (Meyrick, 1913)** (Elachistidae) Synonym(s): *nimbifera* Meyrick, 1913 - Range (in code): ZA Tva Mpu Brb Wv

- 34692. *Perittia obscurepunctella* (Stainton,1848)** (Elachistidae) Synonym(s): *obscurepunctella* Stainton,1848 _ Range (in code): **FR IE GB BE NL DE CH PL SK DK SE FI LV LT RU MD UA BY**
- 34693. *Perittia ptychospila* (Meyrick,1918)** (Elachistidae) Synonym(s): *ptychospila* Meyrick,1918 _ Range (in code): **ZA**
- 34694. *Perittia ravida* Kaila,2009** (Elachistidae) Synonym(s): *ravida* Kaila,2009 _ Range (in code): **GR TR**
- 34695. *Perittia secutrix* Meyrick,1914** (Elachistidae) Synonym(s): *secutrix* Meyrick,1914 _ Range (in code): **ZA Tva Gau Pre**
- 34696. *Perittia spatulata* Sruoga & De Prins,2009** (Elachistidae) Synonym(s): *spatulata* Sruoga & De Prins,2009 _ Range (in code): **KE**
- 34697. *Perittia tantilla* Sruoga & De Prins,2009** (Elachistidae) Synonym(s): *tantilla* Sruoga & De Prins,2009 _ Range (in code): **KE**
- 34698. *Perittia weberella* Whitebread,1984** (Elachistidae) Synonym(s): *weberella* Whitebread,1984 _ Range (in code): **CH**
- 34699. *Phthinostoma infumata* Meyrick,1914** (Elachistidae) Synonym(s): *infumata* Meyrick,1914 _ Range (in code): **ZA Tva Gau Pre**
- 34700. *Phthinostoma pachyzona* Meyrick,1921** (Elachistidae) Synonym(s): *pachyzona* Meyrick,1921 _ Range (in code): **ZA Tva Gau Pre**
- 34701. *Polymetis piperatella* (Staudinger,1859)** (Elachistidae) Synonym(s): *piperatella* Staudinger,1859 _ Range (in code): **PT ES**
- 34702. *Proterochyta epicoena* (Meyrick,1914)** (Elachistidae) Synonym(s): *epicoena* Meyrick,1914 _ Range (in code): **ZA Tva Gau Pre**
- 34703. *Stephensia abbreviatella* (Stainton,1851)** (Elachistidae) Synonym(s): *abbreviatella* Stainton,1851; *maxima* Höfner,1897; *myosotivora* Müller-Rutz,1937. _ Range (in code): **AT PL CZ SK RO MK TR** Bionomy: larva on *Myosotis sylvatica* (Braginaceae) (Klimesch,1939).
- 34704. *Stephensia brunnichella* (Linnaeus,1767)** (Elachistidae) Synonym(s): *brunnichella* Linnaeus,1767; *stephensella* Douglas,1848; *staudingeri* Nielsen & Traugott-Olsen,1981 _ Original Reference: *Phalaena brunnichella* Linnaeus,1767, Syst. Nat. (Edn. 12) 2: 898. Lectotype ♂: Lusitania [Portugal], designated by Traugott-Olsen & Nielsen,1977; 45. Range (in code): **PT FR IT GB BE NL DE CH AT CZ SK HU RO AL BG TR GR DK NO SE FI LV RU MD UA BY** Bionomy: larva on *Calamintha officinalis*, *Clinopodium vulgare*, *Satureja vulgaris* (Lamiaceae) (Stauer,1987; Sruoga & Diskus,2001).
- 34705. *Stephensia calpella* (Walsingham,1908)** (Elachistidae) Synonym(s): *calpella* Walsingham,1908; *bullatella* Chrétien,1915. _ Original Reference: *Perittia calpella* Walsingham,1908, Entomologist's mon. Mag. 44: 54. Lectotype ♂: Spain: Gibraltar, designated by Nielsen & Traugott-Olsen,1978 (BMNH). Range (in code): **DZ TN Gf ES Gi Mu**
- 34706. *Stephensia cedronellae* (Walsingham,1908)** (Elachistidae) Synonym(s): *cedronellae* Walsingham,1908; *lavandulae* Walsingham,1908; *bystropogonis* Walsingham,1908. _ Range (in code): **Cn**
- 34707. *Stephensia cunilae* Braun,1930** (Elachistidae) Synonym(s): *cunilae* Braun,1930 _ Original Reference: *Stephensia cunilae* Braun,1930, Trans. am. ent. Soc. 56: 9. Type: U.S.A., Ohio, Adams County (coll. Braun). Range (in code): **US Oh**
- 34708. *Stephensia unipunctella* Nielsen & Traugott-Olsen,1978** (Elachistidae) Synonym(s): *unipunctella* Nielsen & Traugott-Olsen,1978 _ Original Reference: *Stephensia unipunctella* Nielsen & Traugott-Olsen,1978, Entomologist's Gaz. 29: 194-196, figs. 7,8. Holotype ♂: Spain: "Hispania, Barcelona, Avinyonet, 27.ix.1973" (P. L. Holst leg.). (ZMC). Range (in code): **ES Bar**
- 34709. *Endromis versicolora* (Linnaeus,1758)** (Endromidae) Synonym(s): *versicolora* Linnaeus,1758; *versicolor* Schrank,1801; *lapponica* Bau,1877; *sachalinensis* Matsumura,1929; *asiaeorientis* Warnecke,1943; *meridionalis* Rougeot,1971; *subpyrinaea* Gomez-Bustillo et al.,1974 _ Original Reference: *Phalaena Bombyx versicolora* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s): Europa. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY RU Kc Teb Cc AM Eri**
- 34710. *Endromis versicolora eichleri* Alberti,1975** (Endromidae) Synonym(s): *eichleri* Alberti,1975 _ Range (in code): **RU Kc Teb TR Cc AM Eri**
- 34711. *Endromis versicolora versicolora* (Linnaeus,1758)** (Endromidae) Synonym(s): *versicolora* Linnaeus,1758; *versicolor* Schrank,1801; *lapponica* Bau,1877; *sachalinensis* Matsumura,1929; *asiaeorientis* Warnecke,1943; *meridionalis* Rougeot,1971; *subpyrinaea* Gomez-Bustillo et al.,1974 _ Original Reference: *Phalaena Bombyx versicolora* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s):

- Europa. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU**
- 34712. *Mustilia columbaris* Butler,1886** (Endromidae) Synonym(s): *columbaris* Butler,1886
Original Reference: *Mustilia columbaris* Butler,1886, Proc. zool. Soc. Lond. 1886: 387, pl.xxxv fig.7. Type: [Pakistan]: Murree, 13th August 1885. Range (in code): **PK Haz Mre SI**
- 34713. *Africepermenia tanzanica* Gaedike,2004** (Epermeniidae) Synonym(s): *tanzanica* Gaedike,2004 Range (in code): **TZ KE**
- 34714. *Epermenia (Calotripis) aarviki* Gaedike,2013** (Epermeniidae) Synonym(s): *aarviki* Gaedike,2013 Range (in code): **TZ KE**
- 34715. *Epermenia (Calotripis) aequidentella* (Hofmann,1867)** (Epermeniidae) Synonym(s): *aequidentella* Hofmann,1867; *daucellus* Peyerimhoff,1870. Range (in code): **Cn DZ Anna ES B-I FR Co Sa Si IT GB DE NO CH AT CZ HU RO YU AL GR TR LB Bei Bsa IR Elb Mz Clu IL Pa EE MN RU Sb Cc** Bionomy: Larva on *Daucus carota*, *Meum athamanticum*, *Anthriscus vulgaris*, *Thapsia villosa*, *Angelica*, *Peucedanum* (Apiaceae) (Gaedike,1966).
- 34716. *Epermenia (Calotripis) brevilineolata* Gaedike,2004** (Epermeniidae) Synonym(s): *brevilineolata* Gaedike,2004 Range (in code): **MG**
- 34717. *Epermenia (Calotripis) bulbosa* Gaedike,2004** (Epermeniidae) Synonym(s): *bulbosa* Gaedike,2004 Range (in code): **KE ZA**
- 34718. *Epermenia (Calotripis) chaerophyllella* (Goeze,1783)** (Epermeniidae) Synonym(s): *chaerophyllella* Goeze,1783; *testaceella* Hübner,[1813]; *fasciculellus* Stephens,1834; *nigrostriatellus* Heylaerts,1883; *turatiella* Constantini,1923. Range (in code): **ES FR Co? Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR SY DK NO SE FI EE LV LT** Bionomy: Larva on *Apium*, *Carum*, *Cicuta*, *Conium*, *Levisticum*, *Oenanthe*, *Peucedanum*, *Pimpinella*, *Ptychotis*, *Seseli*, *Silaum*, *Sison*, *Sium*, *Torilis* (Hering,1957); *Chaerophyllum*, *Anthriscus*, *Heracleum*, *Pastinaca*, *Daucus* (Apiaceae) (Gaedike,1966).
- 34719. *Epermenia (Calotripis) conioptila* Meyrick,1921** (Epermeniidae) Synonym(s): *conioptila* Meyrick,1921 Range (in code): **ZW Uma KE**
- 34720. *Epermenia (Calotripis) costomaculata* Gaedike,2013** (Epermeniidae) Synonym(s): *costomaculata* Gaedike,2013 Range (in code): **KE**
- 34721. *Epermenia (Calotripis) criticodes* Meyrick,1913** (Epermeniidae) Synonym(s): *criticodes* Meyrick,1913 Range (in code): **ZA Cto Tva Mpu Wv KE**
- 34722. *Epermenia (Calotripis) dallastai* Gaedike,2013** (Epermeniidae) Synonym(s): *dallastai* Gaedike,2013 Range (in code): **KE**
- 34723. *Epermenia (Calotripis) epirrhicna* Meyrick,1938** (Epermeniidae) Synonym(s): *epirrhicna* Meyrick,1938 Range (in code): **ZR**
- 34724. *Epermenia (Calotripis) falciformis* (Haworth,[1828])** (Epermeniidae) Synonym(s): *falciformis* Haworth,[1828] Range (in code): **GB BE NL LU DE AT SK**
- 34725. *Epermenia (Calotripis) formosa* Gaedike,2013** (Epermeniidae) Synonym(s): *formosa* Gaedike,2013 Range (in code): **KE**
- 34726. *Epermenia (Calotripis) griveaudi* Gaedike,2004** (Epermeniidae) Synonym(s): *griveaudi* Gaedike,2004 Range (in code): **MG**
- 34727. *Epermenia (Calotripis) hamata* Gaedike,2013** (Epermeniidae) Synonym(s): *hamata* Gaedike,2013 Range (in code): **ZA Nta Kzu**
- 34728. *Epermenia (Calotripis) illigerella* (Hübner,[1813])** (Epermeniidae) Synonym(s): *illigerella* Hübner,[1813] Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Aegopodium podagraria*, *Angelica*, *Fragaria* (Sorhagen,1886; Rebel,1915; Amsel,1930; Schütze,1931; Gaedike,1966).
- 34729. *Epermenia (Calotripis) insecurella* (Stainton,1849)** (Epermeniidae) Synonym(s): *insecurella* Stainton,1849; *dentosella* Stainton,1851; *iniquellus* Wocke,1867; *plumbeella* Rebel,1915; *kruegerella* Schawerda,1921. Range (in code): **ES FR IT GB DE CH AT PL CZ SK HU YU TR LB Bei Bsa MN EE RU MD UA BY Cc IR Ss** Bionomy: Larva on *Peucedanum officinale*, *Thesium* sp. (Gaedike,1966,1971).
- 34730. *Epermenia (Calotripis) karurucola* Gaedike,2013** (Epermeniidae) Synonym(s): *karurucola* Gaedike,2013 Range (in code): **KE**
- 34731. *Epermenia (Calotripis) maculata* Gaedike,2004** (Epermeniidae) Synonym(s): *maculata* Gaedike,2004 Range (in code): **MG**
- 34732. *Epermenia (Calotripis) malawica* Gaedike,2004** (Epermeniidae) Synonym(s): *malawica* Gaedike,2004 Range (in code): **MW KE**

- 34733. *Epermenia (Calotripis) meyi* Gaedike, 2004** (Epermeniidae) Synonym(s): *meyi* Gaedike, 2004 Range (in code): **MW KE**
- 34734. *Epermenia (Calotripis) minuta* Gaedike, 2004** (Epermeniidae) Synonym(s): *minuta* Gaedike, 2004 Range (in code): **MG**
- 34735. *Epermenia (Calotripis) oriplanta* Bradley, 1965** (Epermeniidae) Synonym(s): *oriplanta* Bradley, 1965 Range (in code): **UG**
- 34736. *Epermenia (Calotripis) paramalawica* Gaedike, 2013** (Epermeniidae) Synonym(s): *paramalawica* Gaedike, 2013 Range (in code): **KE**
- 34737. *Epermenia (Calotripis) petrusella* (Heylaerts, 1883)** (Epermeniidae) Synonym(s): *petrusella* Heylaerts, 1883; *kroneella* Rebel, 1903; *notodoxa* Gozmany, 1952 Range (in code): **FR AT SK HU RO YU** Bionomy: Larva on *Peucedanum montanum* (Gaedike, 1966).
- 34738. *Epermenia (Calotripis) philorites* (Bradley, 1965)** (Epermeniidae) Synonym(s): *philorites* Bradley, 1965 Range (in code): **UG**
- 34739. *Epermenia (Calotripis) ruwenzorica* Gaedike, 2013** (Epermeniidae) Synonym(s): *ruwenzorica* Gaedike, 2013 Range (in code): **ZR Rz**
- 34740. *Epermenia (Calotripis) strictella* (Wocke, 1867)** (Epermeniidae) Synonym(s): *strictella* Wocke, 1867; *anthracoptila* Meyrick, 1931. Range (in code): **Cn ES FR Sa IT CH AT PL SK HU RO YU BG GR LV RU MD UA BY TR IR AF Kbb Pnj Bd Pag MN Cc** Bionomy: Larva on *Ferula communis*, *Peucedanum officinale*, *Pimpinella saxifraga* (Gaedike, 1971).
- 34741. *Epermenia (Calotripis) tenuipennella* Gaedike, 2013** (Epermeniidae) Synonym(s): *tenuipennella* Gaedike, 2013 Range (in code): **KE**
- 34742. *Epermenia (Calotripis) turicola* Gaedike, 2013** (Epermeniidae) Synonym(s): *turicola* Gaedike, 2013 Range (in code): **KE TZ**
- 34743. *Epermenia (Cataplectica) iniquella* (Wocke, 1867)** (Epermeniidae) Synonym(s): *dentosella* auct. nec Stt., 1851; *iniquella* Wocke, 1867; *kruegerella* Schawerda, 1921; *ochrodesma* Meyrick, 1913 Range (in code): **PT ES FR IT DE CH AT PL SK SS YU GR Cc IR Elb Plr RU ZA Tva Gau Brb KE**
- 34744. *Epermenia (Cataplectica) kenyacola* Gaedike, 2013** (Epermeniidae) Synonym(s): *kenyacola* Gaedike, 2013 Range (in code): **KE MW**
- 34745. *Epermenia (Cataplectica) mineti* Gaedike, 2004** (Epermeniidae) Synonym(s): *mineti* Gaedike, 2004 Range (in code): **MG**
- 34746. *Epermenia (Cataplectica) triacuta* Gaedike, 2013** (Epermeniidae) Synonym(s): *triacuta* Gaedike, 2013 Range (in code): **NA**
- 34747. *Epermenia (Epermeniola) thailandica* Gaedike, 1987** (Epermeniidae) Synonym(s): *thailandica* Gaedike, 1987 Original Reference: *Epermenia (Epermeniola) thailandica* Gaedike, 1987, *Tinea Suppl.* 12: 155-157. Range (in code): **TH**
- 34748. *Epermenia (s.str.) afghanistanella* (Gaedike, 1971)** (Epermeniidae) Synonym(s): *afghanistanella* Gaedike, 1971 Range (in code): **AF Adr Pm**
- 34749. *Epermenia (s.str.) agassizi* Gaedike, 2013** (Epermeniidae) Synonym(s): *agassizi* Gaedike, 2013 Range (in code): **KE**
- 34750. *Epermenia (s.str.) daucella* Peyerimhoff, 1870** (Epermeniidae) Synonym(s): *daucella* Peyerimhoff, 1870 Range (in code): **Cn ES FR GB Md B-H Co DZ**
- 34751. *Epermenia (s.str.) devotella* (Heyden, 1863)** (Epermeniidae) Synonym(s): *devotella* Heyden, 1863 Range (in code): **FR IT DE CH AT YU** Bionomy: Larva on *Heracleum spondylium*, *Angelica* (Gaedike, 1966).
- 34752. *Epermenia (s.str.) farreni* (Walsingham, 1894)** (Epermeniidae) Synonym(s): *farreni* Walsingham, 1894 Range (in code): **GB SK SE RU**
- 34753. *Epermenia (s.str.) ochreomaculella* (Millière, 1854)** (Epermeniidae) Synonym(s): *ochreomaculella* Millière, 1854; *prohaskaella* Schawerda, 1921; *afghanistanella* Gaedike, 1971. Range (in code): **ES FR IT CH YU AL BG UA GR TR Cc LB Bsa MN AF**
- 34754. *Epermenia (s.str.) orientalis* Gaedike, 1966** (Epermeniidae) Synonym(s): *orientalis* Gaedike, 1966. Original Reference: *Epermenia orientalis* Gaedike, 1966, *Reichenbachia* 6(20): 151-154, 5 figs. Holotype ♂: Iraq: SW Iraq: O.v.Rutba. Range (in code): **TR IR Elb Kdj Th Fa Dam LB SA SA63 IQ Rba AF PK Bl Qu**
- 34755. *Epermenia (s.str.) pontificella* (Hübner, 1796)** (Epermeniidae) Synonym(s): *pontificella* Hübner, 1796 Original Reference: *Tinea pontificella* Hübner, 1796, *Samml. eur. Schmett.*: Taf. 26 Abb. 181. Range (in code): **ES FR Co IT DE CH AT PL CZ SK HU YU AL BG GR TR LT RU MD UA BY** Bionomy: Larva on *Thesium* sp. (Gaedike, 1966, 1971).

- 34756. Epermenia (s.str.) profugella (Stainton,1856)** (Epermeniidae) Synonym(s): *profugella* Stainton,1856. Range (in code): **IT GB DE CH AT PL CZ DK NO SE FI LV RU MD UA BY** Bionomy: Larva on Pimpinella saxifraga (Gaedike,1966).
- 34757. Epermenia (s.str.) scurella (Stainton,1851)** (Epermeniidae) Synonym(s): *scurella* Stainton,1851. Range (in code): **ES IT DE CH AT PL SK RO YU AL**
- 34758. Epermenia (s.str.) vartianae (Gaedike,1971)** (Epermeniidae) Synonym(s): *vartianae* Gaedike,1971. Original Reference: Cataplectica vartianae Gaedike,1971, Beitr. Ent. 11 (1/2): 43-45, figs. Holotype ♂: SO-Afghanistan: Safed Koh, Südseite Kofkei, 2350m, leg. Vartian (coll. W. Glaser). Range (in code): **AF Sfk**
- 34759. Epermenia (s.str.) wockeella (Staudinger,1880)** (Epermeniidae) Synonym(s): *wockeella* Staudinger,1880. Original Reference: Chauliodus wockeellus Staudinger,1880, Horae Soc. ent. ross. 15: 282. Type ♀: [Türkei]: Amasia (Kerasdere) (ZMB). Range (in code): **TR**
- 34760. Gnathifera proserga (Meyrick,1913)** (Epermeniidae) Synonym(s): *proserga* Meyrick,1913 Range (in code): **ZA Mpu Tva Brb**
- 34761. Gnathifera punctata Gaedike,2013** (Epermeniidae) Synonym(s): *punctata* Gaedike,2013 Range (in code): **ZA**
- 34762. Inuncus juratae Gaedike,2013** (Epermeniidae) Synonym(s): *juratae* Gaedike,2013 Range (in code): **KE TZ**
- 34763. Mesepermenia malgachica Gaedike,2004** (Epermeniidae) Synonym(s): *malgachica* Gaedike,2004. Range (in code): **MG**
- 34764. Ochromolopis cana Gaedike,2013** (Epermeniidae) Synonym(s): *cana* Gaedike,2013 Range (in code): **ZA**
- 34765. Ochromolopis ictella (Hübner,[1813])** (Epermeniidae) Synonym(s): *ictella* Hübner,[1813]; *ictipennella* Treitschke,1833. Range (in code): **MA ES FR Co IT DE CH AT PL CZ SK HU YU HV MK AL FI RU MD UA BY** Bionomy: Larva on Thesium (Gaedike,1966).
- 34766. Ochromolopis ithycentra (Meyrick,1926)** (Epermeniidae) Synonym(s): *ithycentra* Meyrick,1926. Range (in code): **ZA Wca Cld**
- 34767. Ochromolopis kaszabi Gaedike,1973** (Epermeniidae) Synonym(s): *kaszabi* Gaedike,1973 Range (in code): **RU At Us MN**
- 34768. Ochromolopis pallida Gaedike,2004** (Epermeniidae) Synonym(s): *pallida* Gaedike,2004 Range (in code): **MG**
- 34769. Ochromolopis sagittella Gaedike,2013** (Epermeniidae) Synonym(s): *sagittella* Gaedike,2013. Range (in code): **KE**
- 34770. Ochromolopis staintonella (Millière,1869)** (Epermeniidae) Synonym(s): *staintonellus* Millière,1869. Range (in code): **PT ES B-I FR Sa Si IT CH YU GR Cr TR** Bionomy: Larva on Osyris alba (Gaedike, 1966,1971).
- 34771. Ochromolopis xeropa (Meyrick,1909)** (Epermeniidae) Synonym(s): *xeropa* Meyrick,1909; *praeufumata* Meyrick,1911. Original Reference: Temelucha xeropa Meyrick,1909, Ann. Transv. Mus. 2(1): 25-26, Pl.viii fig.3. Type ♀: South Africa: [Transvaal: Gauteng]: "Albert Mine, Pretoria District", January (TMP). Range (in code): **ZA Gau Tva Pre Wo**
- 34772. Ochromolopis zagulajevi Budashkin & Sachkov,1991** (Epermeniidae) Synonym(s): *zagulajevi* Budashkin & Sachkov,1991. Range (in code): **IT HV MK AL GR BG TR RU Cc AM Eri GG Tbl Cm IR Kdj Ss**
- 34773. Phaulernis africana Gaedike,2013** (Epermeniidae) Synonym(s): *africana* Gaedike,2013 Range (in code): **KE TZ**
- 34774. Phaulernis dentella (Zeller,1839)** (Epermeniidae) Synonym(s): *dentella* Zeller,1839 Range (in code): **IT GB BE NL DE CH AT PL CZ SK DK SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Aegopodium podagraria, Angelica sylvestre, Chaerophyllum bulbosum (Sorhagen,1866; Amsel,1930; Schütze,1931; Gaedike,1966).
- 34775. Phaulernis fulviguttella (Zeller,1839)** (Epermeniidae) Synonym(s): *fulviguttella* Zeller,1839; *flavimaculella* Stainton,1849; *auromaculata* Frey,1865. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK RO YU TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Angelica (Gaedike,1966).
- 34776. Phaulernis montuosa Gaedike,2013** (Epermeniidae) Synonym(s): *montuosa* Gaedike,2013. Range (in code): **KE**

- 34777. *Phaulernis rebeliella* Gaedike, 1966** (Epermeniidae) Synonym(s): *silerinella* Rebel, 1915 nec Zell., 1868; *rebeliella* Gaedike, 1966 _ Range (in code): FR IT CH AT SK Bionomy: Larva on *Siler trilobum* (Rebel, 1915).
- 34778. *Phaulernis silerinella* (Zeller, 1868)** (Epermeniidae) Synonym(s): *silerinella* Zeller, 1868 Range (in code): AT CH IT YU Bionomy: Larva on *Siler*, ? *Laserpitium* (Zeller, 1868; Gaedike, 1966).
- 34779. *Phaulernis statariella* (Heyden, 1863)** (Epermeniidae) Synonym(s): *statariella* Heyden, 1863; *laserpitiella* Pfaffenzeller, 1870 _ Range (in code): FR IT CH AT PL SK YU Bionomy: Larva on *Laserpitium hirsutum* (Pfaffenzeller, 1870).
- 34780. *Sinicaepermenia sauropophaga* Gaedike, Kuroko & Funahashi, 2008** (Epermeniidae) Synonym(s): *sauropophaga* Gaedike, Kuroko & Funahashi, 2008 _ Range (in code): TH Sbu
- 34781. *Sinicaepermenia taiwanella* Heppner, 1990** (Epermeniidae) Synonym(s): *taiwanella* Heppner, 1990 _ Range (in code): TW
- 34782. *Burmeia leesi* Minet, 2002** (Epicopeiidae) Synonym(s): *Burmeia leesi* Minet, 2002 Original Reference: *Burmeia leesi* Minet, 2002, *Annls Soc. ent. Fr. (n.s.)* 38 (4): 473-475, figs. Holotype ♂: [Myanmar]: N. Burma: Htawgaw, 10000ft. H.C. Tytler leg. (BMNH). Range (in code): MM Kch Hta
- 34783. *Epicopeia albofasciata* Djakonov, 1926** (Epicopeiidae) Synonym(s): *albofasciata* Djakonov, 1926 Original Reference: *Epicopeia albofasciata* Djakonov, 1926, *Rev. Russk. Ent.* 20: 284. Holotype ♀: Russia: Ussuri: Spasskaya Distr. Range (in code): RU Us
- 34784. *Epicopeia battaka* Dohrn, 1895** (Epicopeiidae) Synonym(s): *battaka* Dohrn, 1895 Original Reference: *Epicopeia battaka* Dohrn, 1895, *Stettin ent Ztg.* 56: 207. Type ♀: Indonesia: Sumatra, Sinabung. Range (in code): Sum ID
- 34785. *Epicopeia caroli* Janet, 1909** (Epicopeiidae) Synonym(s): *caroli* Janet, 1909 Original Reference: *Epicopeia caroli* Janet, 1909, [in] Seitz, *Die Gross-Schmett. Erde* 2: 36. Range (in code): CN Sz
- 34786. *Epicopeia hainesii* Holland, 1889** (Epicopeiidae) Synonym(s): *hainesii* Holland, 1889; *chinensis* Leech, [1887]; *simulans* Leech, [1887]; *sinicaria* Leech, 1897; *palleseus* Oberthür, 1920; *matsumurai* Okano, 1973 _ Range (in code): JP CN Yu TW
- 34787. *Epicopeia philenora* Westwood, 1845** (Epicopeiidae) Synonym(s): *philenora* Westwood, 1845; *varunaea* Moore, 1865 _ Range (in code): IN SI Ass
- 34788. *Epicopeia polydora* Westwood, 1841** (Epicopeiidae) Synonym(s): *polydora* Westwood, 1841; *philoxenoea* Moore, 1865; *diphilaea* Moore, 1865; *excisa* Butler, 1881; *caudata* Butler, 1881; *lidderdali* Butler, 1881; *maculata* Butler, 1881 Original Reference: *Epicopeia polydora* Westwood, 1841, *Arcan. Ent.* 1: 19, pl. 5 fig. 1. Type: [India]: Assam. Range (in code): IN Mus SI BT Meg Ass Khs Nag
- 34789. *Anopyrops corticina* Jordan, 1928** (Epipyropidae) Synonym(s): *corticina* Jordan, 1928 Range (in code): GF
- 34790. *Epieurybrachys eurybrachidis* (Fletcher, 1920)** (Epipyropidae) Synonym(s): *eurybrachidis* Fletcher, 1920 _ Range (in code):
- 34791. *Epipomponia* ? *multipunctata* (Druce, 1887)** (Epipyropidae) Synonym(s): *multipunctata* Druce, 1887 _ Range (in code): PA
- 34792. *Epipomponia nawai* (Dyar, 1904)** (Epipyropidae) Synonym(s): *nawai* Dyar, 1904 Range (in code): JP
- 34793. *Epiricania hagoromo* Kato, 1939** (Epipyropidae) Synonym(s): *hagoromo* Kato, 1939 Range (in code): JP
- 34794. *Fulgoraecia anomala* (Westwood, 1876)** (Epipyropidae) Synonym(s): *anomala* Westwood, 1876; *anamola* Hampson, 1909 _ Range (in code): CN
- 34795. *Fulgoraecia atra* (Pagenstecher, 1900)** (Epipyropidae) Synonym(s): *atra* Pagenstecher, 1900 Original Reference: *Orgyia atra* Pagenstecher, 1900, *Zoologica* 12 (29): 41. Type: Neu-Pommern. Range (in code): PG
- 34796. *Fulgoraecia barberiana* Dyar, 1902** (Epipyropidae) Synonym(s): *barberiana* Dyar, 1902 Range (in code): US NMx Tx
- 34797. *Fulgoraecia bowringii* Newman, 1851** (Epipyropidae) Synonym(s): *bowringii* Newman, 1851 _ Range (in code): CN HK
- 34798. *Fulgoraecia cerolestes* (Tams, 1947)** (Epipyropidae) Synonym(s): *cerolestes* Tams, 1947 Range (in code): KE

- 34799. Fulgoraecia cucullata (Heinrich,1931)** (Epiptropidae) Synonym(s): *cucullata* Heinrich,1931 _ Range (in code): HT
- 34800. Fulgoraecia epityraea Scheven,1974** (Epiptropidae) Synonym(s): *epityraea* Scheven,1974 _ Range (in code): TZ
- 34801. Fulgoraecia fuliginosa (Tams,1922)** (Epiptropidae) Synonym(s): *fuliginosa* Tams,1922 _ Original Reference: Epiptrops fuliginosa Tams,1922, Bull. Ent. Res. 12 (4): 468. Type: South India: Bangalore. Range (in code): IN Mys
- 34802. Fulgoraecia fulvipuncta (Distant,1913)** (Epiptropidae) Synonym(s): *fulvipuncta* Distant,1913 _ Range (in code): ZA Nta Kzu Dbn
- 34803. Fulgoraecia gradidieri (Viette,1960)** (Epiptropidae) Synonym(s): *gradidieri* Viette,1960 _ Range (in code): MG
- 34804. Fulgoraecia malagassica (Jordan,1928)** (Epiptropidae) Synonym(s): *malagassica* Jordan,1928 _ Range (in code): MG
- 34805. Fulgoraecia poliographa Hampson,1910** (Epiptropidae) Synonym(s): *poliographa* Hampson,1910 _ Range (in code): LK
- 34806. Fulgoraecia radama (Viette,1960)** (Epiptropidae) Synonym(s): *radama* Viette,1960 _ Range (in code): MG
- 34807. Fulgoraecia schawerdae (Zerny,1929)** (Epiptropidae) Synonym(s): *schawerdae* Zerny,1929 _ Range (in code): ES
- 34808. Heteropsyche micromorpha Perkins,1905** (Epiptropidae) Synonym(s): *micromorpha* Perkins,1905 _ Range (in code): AU
- 34809. Heteropsyche poecilochroma Perkins,1905** (Epiptropidae) Synonym(s): *poecilochroma* Perkins,1905; *dyscrita* Perkins,1905; *melanochroma* Perkins,1905; *threnodes* Perkins,1905; *doddi* Rothschild,1906 _ Range (in code): AU QAU
- 34810. Heteropsyche stenomorpha Perkins,1905** (Epiptropidae) Synonym(s): *stenomorpha* Perkins,1905 _ Range (in code): AU
- 34811. Microlimax pallidipuncta Hampson,1896** (Epiptropidae) Synonym(s): *pallidipuncta* Hampson,1896 _ Range (in code): LK
- 34812. Palaeopsyche melanias Perkins,1905** (Epiptropidae) Synonym(s): *melanias* Perkins,1905 _ Range (in code): AU
- 34813. Compsotena aedifica (Meyrick,1908)** (Eriocottidae) Synonym(s): *aedifica* Meyrick,1908 _ Range (in code): ZA Tva Gau Pre
- 34814. Compsotena africanella (Strand,1909)** (Eriocottidae) Synonym(s): *africanella* Strand,1909 _ Range (in code): ZA
- 34815. Compsotena agria (Meyrick,1909)** (Eriocottidae) Synonym(s): *agria* Meyrick,1909 _ Range (in code): ZA
- 34816. Compsotena araeopis (Meyrick,1926)** (Eriocottidae) Synonym(s): *araeopis* Meyrick,1926 _ Range (in code): ZA
- 34817. Compsotena autoderma (Meyrick,1914)** (Eriocottidae) Synonym(s): *autoderma* Meyrick,1914 _ Range (in code): ZA
- 34818. Compsotena barbarella (Walker,1856)** (Eriocottidae) Synonym(s): *barbarella* Walker,1856 _ Original Reference: Alavona barbarella Walker,1856, List spec. lepid. Ins. Colln. Br. Mus. 28: 575. Type: Hindostan. Range (in code): IN PK Cp
- 34819. Compsotena brachytenis (Meyrick,1909)** (Eriocottidae) Synonym(s): *brachytenis* Meyrick,1909 _ Range (in code): ZA
- 34820. Compsotena connexalis (Walker,1863)** (Eriocottidae) Synonym(s): *connexalis* Walker,1863 _ Range (in code): ZA
- 34821. Compsotena cossulella (Walker,1863)** (Eriocottidae) Synonym(s): *cossulella* Walker,1863 _ Range (in code): NP
- 34822. Compsotena cyclatma (Meyrick,1908)** (Eriocottidae) Synonym(s): *cyclatma* Meyrick,1908 _ Range (in code): ZW ZA Tva Lpo Gau Pre MZ
- 34823. Compsotena delocrossa (Meyrick,1921)** (Eriocottidae) Synonym(s): *delocrossa* Meyrick,1921 _ Range (in code): ZW Hfo
- 34824. Compsotena dermatodes (Meyrick,1914)** (Eriocottidae) Synonym(s): *dermatodes* Meyrick,1914 _ Range (in code): TZ ZW
- 34825. Compsotena expers (Meyrick,1911)** (Eriocottidae) Synonym(s): *expers* Meyrick,1911 _ Range (in code): NA ZW ZA Tva Lpo Wb

- 34826. *Compsoctena fossoria* (Meyrick,1920)** (Eriocottidae) **Synonym(s):** *fossoria* Meyrick,1920
Range (in code): **ZA Tva**
- 34827. *Compsoctena furciformis* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *furciformis* Meyrick,1921; *#furciformis* Dierl,1970 **Range (in code):** **ZW**
- 34828. *Compsoctena isopetra* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *isopetra* Meyrick,1921
Range (in code): **ZW Swm**
- 34829. *Compsoctena lycophanes* (Meyrick,1924)** (Eriocottidae) **Synonym(s):** *lycophanes* Meyrick,1924 **Range (in code):** **ZA Ec**
- 34830. *Compsoctena melitoploca* (Meyrick,1927)** (Eriocottidae) **Synonym(s):** *melitoploca* Meyrick,1927 **Range (in code):** **ZA**
- 34831. *Compsoctena microctenis* (Meyrick,1914)** (Eriocottidae) **Synonym(s):** *microctenis* Meyrick,1914; *tridentifera* Meyrick,1914. **Range (in code):** **ZW Har Hfo TZ**
- 34832. *Compsoctena montana* Dierl,1970** (Eriocottidae) **Synonym(s):** *montana* Dierl,1970
Range (in code): **TZ KE**
- 34833. *Compsoctena ochrastis* (Meyrick,1937)** (Eriocottidae) **Synonym(s):** *ochrastis* Meyrick,1937 **Range (in code):** **ZA**
- 34834. *Compsoctena ostracitis* (Meyrick,1913)** (Eriocottidae) **Synonym(s):** *ostracitis* Meyrick,1913 **Original Reference:** *Compsoctena primella* Zeller,[1854], *Svenk. Vetensk. Akad. verh.* 1852: 86. Lectotype ♂: "Caffraria", designated by Viette,1956, *Ark. Zool. (N.S.)* 8: 531-532 (RMS). **Range (in code):** **ZA Tva Mpu Noo**
- 34835. *Compsoctena pinguis* (Meyrick,1914)** (Eriocottidae) **Synonym(s):** *pinguis* Meyrick,1914
Range (in code): **TW Hn CN**
- 34836. *Compsoctena pinguis scoriopis* (Meyrick,1934)** (Eriocottidae) **Synonym(s):** *scoriopis* Meyrick,1934 **Range (in code):** **CN**
- 34837. *Compsoctena primella* Zeller,[1854]** (Eriocottidae) **Synonym(s):** *primella* Zeller,[1854]; *inquinalis* Walker,1863; *natalana* Walker,1864; *subauratana* Walker,1866 **Original Reference:** *Compsoctena primella* Zeller,[1854], *Svenk. Vetensk. Akad. verh.* 1852: 86. Lectotype ♂: "Caffraria", designated by Viette,1956, *Ark. Zool. (N.S.)* 8: 531-532 (RMS). **Range (in code):** **ZA Nta Kzu Ec Dbn**
- 34838. *Compsoctena psammoticha* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *psammoticha* Meyrick,1921 **Range (in code):** **ZW**
- 34839. *Compsoctena quassa* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *quassa* Meyrick,1921
Range (in code): **ZW**
- 34840. *Compsoctena reductella* (Walker,1863)** (Eriocottidae) **Synonym(s):** *reductella* Walker,1863 **Range (in code):** **IN NP SI Dj**
- 34841. *Compsoctena rudis* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *rudis* Meyrick,1921
Range (in code): **MZ ZW**
- 34842. *Compsoctena scribea* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *scribea* Meyrick,1921
Range (in code): **ZW Hfo Bul Har MZ TZ ZM**
- 34843. *Compsoctena secundella* (Walsingham,1897)** (Eriocottidae) **Synonym(s):** *secundella* Walsingham,1897 **Range (in code):**
- 34844. *Compsoctena similis* Dierl,1970** (Eriocottidae) **Synonym(s):** *similis* Dierl,1970 **Range (in code):** **TZ**
- 34845. *Compsoctena* sp.[1]:** (Eriocottidae) **Synonym(s):** **Range (in code):** **TH**
- 34846. *Compsoctena* sp.[2]:** (Eriocottidae) **Synonym(s):** **Range (in code):** **TH**
- 34847. *Compsoctena* sp.[3]:** (Eriocottidae) **Synonym(s):** **Range (in code):** **TH**
- 34848. *Compsoctena* sp.[4]:** (Eriocottidae) **Synonym(s):** **Range (in code):** **TH Bor Swk MY**
- 34849. *Compsoctena spilophanes* (Meyrick,1921)** (Eriocottidae) **Synonym(s):** *spilophanes* Meyrick,1921 **Range (in code):** **ZW**
- 34850. *Compsoctena talarodes* (Meyrick,1914)** (Eriocottidae) **Synonym(s):** *talarodes* Meyrick,1914 **Range (in code):** **TZ ZW**
- 34851. *Compsoctena terrestris* (Meyrick,1914)** (Eriocottidae) **Synonym(s):** *terrestris* Meyrick,1914 **Range (in code):** **ZA Tva Gau Pre**
- 34852. *Deuterotinea auronitens* Lucas,1956** (Eriocottidae) **Synonym(s):** *auronitens* Lucas,1956
Range (in code): **MA**

- 34853. Deuterotinea axiurga (Meyrick,1922)** (Eriocottidae) Synonym(s): *axiurga* Meyrick,1922
Original Reference: *Cronodoxa axiurga* Meyrick,1922, Exot. Microlepid. 2: 602. Holotype ♂:
Syria: Ghazir (MNHNP). Range (in code): SY
- 34854. Deuterotinea balcanica Zagulyaev,1972** (Eriocottidae) Synonym(s): *balcanica*
Zagulyaev,1972 Range (in code): BG TR
- 34855. Deuterotinea casanella (Eversmann,1844)** (Eriocottidae) Synonym(s): *casanella*
Eversmann,1844 Range (in code): RO TR RU UK KG
- 34856. Deuterotinea palaestinensis Rebel,1900** (Eriocottidae) Synonym(s): *palaestinensis*
Rebel,1900 Range (in code): TR IL JO
- 34857. Deuterotinea syriaca Lederer,1857** (Eriocottidae) Synonym(s): *syriaca* Lederer,1857
Range (in code): TR IL Pa Hf
- 34858. Eriocottis andalusiella Rebel,1901** (Eriocottidae) Synonym(s): *andalusiella* Rebel,1901
Range (in code): PT ES
- 34859. Eriocottis fuscanelle Zeller,1847** (Eriocottidae) Synonym(s): *fuscanelle* Zeller,1847
Original Reference: *Eriocottis fuscanelle* Zeller,1847, Isis Oken, Leipzig 1847: 813. Range (in code): DZ Anna Sa Si IT MT TR
- 34860. Eriocottis hispanica Zagulyaev,1988** (Eriocottidae) Synonym(s): *hispanica*
Zagulyaev,1988 Range (in code): ES
- 34861. Eriocottis nicolaeella Gibeaux,1983** (Eriocottidae) Synonym(s): *nicolaeella* Gibeaux,1983
Range (in code): FR
- 34862. Eriocottis paradoxella (Staudinger,1859)** (Eriocottidae) Synonym(s): *paradoxella*
Staudinger,1859 Range (in code): PT ES Bar FR TR
- 34863. Eriocottis sp.[1]:** (Eriocottidae) Synonym(s): Range (in code): TH CMa Dst
- 34864. Eriocottis sp.[2]:** (Eriocottidae) Synonym(s): Range (in code): TH CMa Int
- 34865. Eriocottis sp.[3]:** (Eriocottidae) Synonym(s): Range (in code): TH Kao
- 34866. Eucryptogona secularis Meyrick,1918** (Eriocottidae) Synonym(s): *secularis* Meyrick,1918
Range (in code): ZA Tva Gau Jh
- 34867. Dyseriocrania subpurpurella (Haworth,[1828])** (Eriocraniidae) Synonym(s):
subpurpurella Haworth,[1828]; *fastuosella* Zeller,1839; *donzelella* Duponchel,[1839]. Original Reference:
Tinea subpurpurella Haworth,[1828], Lep. Br.: 571. Type(s): England. Range (in code): PT ES FR
Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Chu MD UA
BY Bionomy: Larva mines leaves of *Quercus* (Fagaceae).
- 34868. Eriocrania alpinella Burmann,1958** (Eriocraniidae) Synonym(s): *alpinella* Burmann,1958
Range (in code): DE CH AT
- 34869. Eriocrania cicatricella (Zetterstedt,1839)** (Eriocraniidae) Synonym(s): *purpurella*
Haworth,1828 nec Thunb.,1788; *cicatricella* Zetterstedt,1839; *auripulverella* Eversmann,1842; *auripulverella*
Eversmann,1844; *violacella* Herrich-Schäffer,1851; *haworthi* Bradley,1966 Range (in code): FR IT IE GB
BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY
- 34870. Eriocrania salopiella (Stainton,1854)** (Eriocraniidae) Synonym(s): *salopiella*
Stainton,1854 Range (in code): FR IE GB NL PL DK NO SE FI LV RU MD UA BY
- 34871. Eriocrania sangii (Wood,1891)** (Eriocraniidae) Synonym(s): *sangii* Wood,1891 Range
(in code): FR IE GB NL LU CH AT CZ DK NO SE FI LV RU MD UA BY
- 34872. Eriocrania semipurpurella (Stephens,1835)** (Eriocraniidae) Synonym(s):
semipurpurella Stephens,1835; *solierella* Duponchel,[1839]; *amentella* Tengström,1848; *inconspicueella* Wood,1890
Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Chu
MD UA BY
- 34873. Eriocrania sparrmannella (Bosc,1791)** (Eriocraniidae) Synonym(s): *sparrmannella*
Bosc,1791; *caledoniella* Griffith,1891; *fimbriata* Walsingham,1900 Range (in code): FR IT IE GB BE NL
DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 34874. Heringocrania chrysolepidella (Zeller,1851)** (Eriocraniidae) Synonym(s):
chrysolepidella Zeller,1851; *kaltenbachii* Wood,1890 Original Reference: *Micropteryx chrysolepidella*
Zeller,1851, Linn. Ent. 5: 342-343. Syntypes: [Österreich]: Wien. Range (in code): FR IT IE GB BE
DE CH AT PL CZ DK SE EE LV RU Chu MD UA BY
- 34875. Heringocrania unimaculella (Zetterstedt,1839)** (Eriocraniidae) Synonym(s):
unimaculella Zetterstedt,1839 Range (in code): FR IE GB BE NL DE CH AT PL CZ SK RO BG? DK NO
SE FI EE LV LT
- 34876. Dasyethmia hiemalis Danilevsky,1969** (Ethmiidae) Synonym(s): *hiemalis*
Danilevsky,1969 Range (in code): KG

- 34877. *Ethmia acutella* (Turati,1934)** (Ethmiidae) Synonym(s): *acutella* Turati,1934 _ Range (in code): LY Cy SA YE
- 34878. *Ethmia afghana* Sattler,1967** (Ethmiidae) Synonym(s): *afghana* Sattler,1967 _ Range (in code): AF Kab
- 34879. *Ethmia alba* (Amsel,1949)** (Ethmiidae) Synonym(s): *alba* Amsel,1949 Original Reference: *Wiltshirea alba* Amsel,1949, Bull. Soc. Fouad I. Ent. 33: 317, Pl.10 figs.68, Pl.11 fig. 76. Holotype ♂: SW-Khuzistan: Ahwaz (coll. Wiltshire). Range (in code): AE EG IR Kz Ahz
- 34880. *Ethmia albifrontella* Sattler,1967** (Ethmiidae) Synonym(s): *albifrontella* Sattler,1967 Range (in code): AF Nu Bkt PK Rw Pj
- 34881. *Ethmia amasina* (Staudinger,1879)** (Ethmiidae) Synonym(s): *amasina* Staudinger,1879 Original Reference: *Psecadia amasina* Staudinger,1879, Horae Soc. ent. ross. 15: 291-292. Syntypes ♂♀: [Türkei]: Amasia (Kerasdere), Lectotype ♂, designated by Sattler (1967: 108) (ZMHU). Range (in code): TR SY Hal IQ Hjo Ry IR Elb Th Fa
- 34882. *Ethmia andalusica* (Staudinger,1879)** (Ethmiidae) Synonym(s): *andalusica* Staudinger,1879 Original Reference: *Psecadia chrysopyga* var. *andalusica* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♀: [Spanien]: Granada. Range (in code): PT ES An Grn
- 34883. *Ethmia angarensis* Caradja,1939** (Ethmiidae) Synonym(s): *angarensis* Caradja,1939 Range (in code): CN Shs RU Vv
- 34884. *Ethmia apispinata* J.Wang & S.Wang,2012** (Ethmiidae) Synonym(s): *apispinata* J.Wang & S.Wang,2012 _ Range (in code): CN Yu
- 34885. *Ethmia argopa* Meyrick,1910** (Ethmiidae) Synonym(s): *argopa* Meyrick,1910 Original Reference: *Ethmia argopa* Meyrick,1910, Trans. ent. Soc. London 1910: 461. Type: Malacca. Range (in code): TH Kao MY
- 34886. *Ethmia asbolarcha* Meyrick,1938** (Ethmiidae) Synonym(s): *asbolarcha* Meyrick,1938 Range (in code): CN Yu
- 34887. *Ethmia assamensis* (Butler,1879)** (Ethmiidae) Synonym(s): *assamensis* Butler,1879; *hockingella* Walsingham,1880; *okinawana* Matsumura,1931 Original Reference: *Hyponomeuta assamensis* Butler,1879, Trans. ent. Soc. London 1879: 6. Type ♀: India: Assam: Cachar (BMNH). Range (in code): PK K-P IN SI Hp Pj Kma Ass Drm JP Hkk Ri CN Hun Kgs Yu TW
- 34888. *Ethmia aurifluella* (Hübner,[1810])** (Ethmiidae) Synonym(s): *aurifluella* Hübner,[1810]; *albarracinella* Ragonot,1882. _ Range (in code): MA PT ES FR Sa IT CH AT RO YU AL BG GR Rd TR RU IR Fa Ha SY KG Bionomy: Larva on *Anchusa* (Boraginaceae) (Sattler,1967).
- 34889. *Ethmia autoschista* Meyrick,1932** (Ethmiidae) Synonym(s): *autoschista* Meyrick,1932 Range (in code): CN Sz
- 34890. *Ethmia bipunctella* (Fabricius,1775)** (Ethmiidae) Synonym(s): *bipunctella* Fabricius,1775; *echiella* [Denis & Schiffermüller],1775; *hochenwartiella* Rossi,1790; *griseicostella* Wiltshire,1947; *euphoria* Kun,2007 Original Reference: *Tinea bipunctella* Fabricius,1775, Syst. Ent.: 668. Type(s): Saxonia. Range (in code): Cn MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr CY TR IL Pa Hf DK NO SE FI EE LV LT RU Kb MD UA BY KG Uk IL Js IR Elb Th Km Kd Zj Kh IQ Shq LB Bsa Cc AM Bionomy: Larva on *Echium vulgare*, *Symphytum*, *Anchusa*, *Lithospermum* (Boraginaceae) (Denis & Schiffermüller,1775; Wiltshire,1947,1957; Sattler,1967).
- 34891. *Ethmia bombina* Sattler,1967** (Ethmiidae) Synonym(s): *bombina* Sattler,1967 _ Range (in code): CN Sz T-T
- 34892. *Ethmia candidella* (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931. Original Reference: *Psecadia pusiella* var. *candidella* Alphéraky,1908, Horae Soc. ent. ross.38: 616-617. Syntypes: Russia: Taganrog. Range (in code): MA DZ TN PT ES FR IT CH AT CZ SK HU RO YU GR TR IL Jt Pa GG AM Cc IQ Bgd IR Fa Shr Elb Mz RU MD UA BY KG Tk KK UZ Bionomy: Larva on *Lithospermum purpureocaeruleum*, *Cerinthe major*, *Borago officinalis* (Boraginaceae), *Asperugo procumbens* (Wiltshire,1947; Sattler,1967).
- 34893. *Ethmia candidella candidella* (Alpheraky,1908)** (Ethmiidae) Synonym(s): *candidella* Alpheraky,1908; *orientella* Caradja,1931. Original Reference: *Psecadia pusiella* var. *candidella* Alphéraky,1908, Horae Soc. ent. ross.38: 616-617. Syntypes: Russia: Taganrog. Range (in code): DZ PT ES FR IT CH AT CZ SK HU RO YU GR TR IQ Bgd IL Jt Pa GG AM Cc RU TM Kp Bionomy: Larva on *Lithospermum purpureocaeruleum*, *Cerinthe major*, *Borago officinalis* (Boraginaceae), *Asperugo procumbens* (Wiltshire,1947; Sattler,1967).
- 34894. *Ethmia candidella delicatella* De Lattin,1963** (Ethmiidae) Synonym(s): *delicatella* De Lattin,1963 _ Range (in code): MA DZ TN

- 34895. *Ethmia candidella farinatella* De Lattin, 1963** (Ethmiidae) Synonym(s): *farinatella* De Lattin, 1963 _ Range (in code): **KG Tk KK UZ**
- 34896. *Ethmia candidella wiltshirei* De Lattin, 1963** (Ethmiidae) Synonym(s): *wiltshirei* De Lattin, 1963 _ Range (in code): **IR Fa Shr** Bionomy: Larva on *Asperugo procumbens* (Wiltshire, 1947).
- 34897. *Ethmia caradjae* (Rebel, 1907)** (Ethmiidae) Synonym(s): *caradjae* Rebel, 1907; *chosroes* Wiltshire, 1947 Original Reference: *Psecadia caradjae* Rebel, 1907, Dt. ent. Z., Iris 19: 237. Type ♂: [Türkei]: "Amasia mont." (MHNGAB). Range (in code): **TR IQ Hjo Ry IR Fa**
- 34898. *Ethmia chrysopyga* (Zeller, 1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910. Original Reference: *Psecadia chrysopyga* Zeller, 1844, Stettin ent. Ztg. 5: 379. Type: Hungary. Range (in code): **PT ES FR Si IT BE RO MK AL GR TR SY Hal LB Bsa**
- 34899. *Ethmia chrysopyga andalusica* (Staudinger, 1879)** (Ethmiidae) Synonym(s): *andalusica* Staudinger, 1879 _ Range (in code): **PT ES**
- 34900. *Ethmia chrysopyga chrysopyga* (Zeller, 1844)** (Ethmiidae) Synonym(s): *chrysopyga* Zeller, 1844; *callidella* Walsingham, 1910. Original Reference: *Psecadia chrysopyga* Zeller, 1844, Stettin ent. Ztg. 5: 379. Type: Hungary. Range (in code): **FR Si IT BE RO MK AL GR TR SY Hal LB**
- 34901. *Ethmia chrysopyga staudingeri* (Rebel, 1901)** (Ethmiidae) Synonym(s): *staudingeri* Rebel, 1901 Original Reference: *Psecadia staudingeri* Rebel, 1901, Dt. ent. Z., Iris 13: 171. Lectotype ♀: [Türkei]: "Malatia", designated by Sattler, 1967 *Microlepid. Palaearkt.* 2: 97 (MHUB). Range (in code): **TR**
- 34902. *Ethmia chrysopygella* (Kolenati, 1846)** (Ethmiidae) Synonym(s): *chrysopygella* Kolenati, 1846; *flavitibiella* Herrich-Schäffer, [1854]. _ Range (in code): **FR IT CH AT Cc AZ RU Ur Sr** Bionomy: Larva on *Thalictrum* (Ranunculaceae) (Domingo, Huemer & Baixeras, 2003).
- 34903. *Ethmia circumdatella* (Walker, 1863)** (Ethmiidae) Synonym(s): *circumdatella* Walker, 1863 _ Range (in code): **ZA Nta Kzu ZW ZM**
- 34904. *Ethmia cirrhocnemis* (Lederer, 1870)** (Ethmiidae) Synonym(s): *cirrhocnemis* Lederer, 1870 Original Reference: *Anesychia cirrhocnemis* Lederer, 1870, *Horae Soc. ent. ross.* 8: 25. Syntypes: Iran, Astrabad [Gorgan], Hadschyabad. Range (in code): **RU Ur Sb At Am Ya Vv KJ Mnu Ir Irk Cc GG IR Gor KG Tk Dj Ii MN CN Shs Ui**
- 34905. *Ethmia comitella* Caradja, 1927** (Ethmiidae) Synonym(s): *comitella* Caradja, 1927 Range (in code): **CN Ui Au Sz Shs Pkn RU Sb Tv MN**
- 34906. *Ethmia comitella comitella* Caradja, 1927** (Ethmiidae) Synonym(s): *comitella* Caradja, 1927 _ Range (in code): **CN Ui Au Sz Shs Pkn**
- 34907. *Ethmia comitella steppella* Dubatolov & Ustjuzhanin, 1997** (Ethmiidae) Synonym(s): *steppella* Dubatolov & Ustjuzhanin, 1997 _ Range (in code): **RU Sb Tv MN**
- 34908. *Ethmia coscineutis* Meyrick, 1911** (Ethmiidae) Synonym(s): *coscineutis* Meyrick, 1911 Original Reference: *Ethmia coscineutis* Meyrick, 1911, *Ann. Transv. Mus.* 3(1): 76. Syntypes 2♂♂: [South Africa]: Waterberg (Jutrencka); Durban (Natal) (Leigh) (coll. Meyrick). Range (in code): **ZA Wb Nta Kzu Dbn MZ ZW BW**
- 34909. *Ethmia crocosoma* Meyrick, 1914** (Ethmiidae) Synonym(s): *crocosoma* Meyrick, 1914 Range (in code): **SI Djl IN**
- 34910. *Ethmia cyrenaicella* Amsel, 1955** (Ethmiidae) Synonym(s): *niveella* Turati, 1934 (*praeocc.*); *cyrenaicella* Amsel, 1955 _ Range (in code): **LY Cy**
- 34911. *Ethmia dactylia* Meyrick, 1911** (Ethmiidae) Synonym(s): *dactylia* Meyrick, 1911 Original Reference: *Ethmia dactylia* Meyrick, 1911, *Ann. Transv. Mus.* 3(1): 76-77. Type ♀: [South Africa]: [Gauteng]: Rooiplaat, Pretoria District (Swierstra) (TMP). Range (in code): **ZA Tva Gau Pre**
- 34912. *Ethmia defreinai* Ganév, 1984** (Ethmiidae) Synonym(s): *defreinai* Ganév, 1984 Original Reference: *Ethmia defreinai* Ganév, 1984, *Articulata* 2 (4): 81, fig. Holotype ♂: Türkiye: [Isparta]: [D]edegöl Dag, 1200-1400m (coll. Ganév). Range (in code): **TR**
- 34913. *Ethmia dehiscens* Meyrick, 1924** (Ethmiidae) Synonym(s): *dehiscens* Meyrick, 1924 Range (in code): **CN Sz**
- 34914. *Ethmia dentata* Diakonoff & Sattler, 1966** (Ethmiidae) Synonym(s): *dentata* Diakonoff & Sattler, 1966 _ Range (in code): **TW JP Kyu PH Luz**
- 34915. *Ethmia derbendella* Sattler, 1967** (Ethmiidae) Synonym(s): *derbendella* Sattler, 1967 Range (in code): **TR IR Elb Th**
- 34916. *Ethmia discrepitella* (Rebel, 1901)** (Ethmiidae) Synonym(s): *discrepitella* Rebel, 1901 Range (in code): **RU Ur Or**

- 34917. *Ethmia distigmatella* (Erschoff,1874)** (Ethmiidae) Synonym(s): *distigmatella* Erschoff,1874; *bipunctella* Rebel,1936; *distichella* Rebel,1940. Range (in code): **TR GR Cr UZ Smk AF Bd Srb Pli Gbh Kab IR TM**
- 34918. *Ethmia ditreta* Meyrick,1920** (Ethmiidae) Synonym(s): *ditreta* Meyrick,1920; *arabica* Amsel,1961 Range (in code): **YE Ad TZ**
- 34919. *Ethmia dodecea* (Haworth,[1828])** (Ethmiidae) Synonym(s): *decemguttella* Hübner,[1810] *nec* Fabr.,1794; *dodecea* Haworth,[1828]. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU B-H TR DK SE EE RU Ur Tt Ao Sb At Ya MD UA BY IR Elb Th KG Uk** Bionomy: Larva on *Lithospermum officinale*, *Cynoglossum* (Boraginaceae) (Freyer,1834; Sattler,1967).
- 34920. *Ethmia elimatella* Danilevsky,1975** (Ethmiidae) Synonym(s): *elimatella* Danilevsky,1975; *#simatalla* Danilevsky,1980 Original Reference: *Ethmia elimatella* Danilevsky,1975, Ent. Obozr. 54 (3): 615, fig.1. Holotype ♂: Azerbaidjan, Ordubad (ZISP). Range (in code): **Cc AZ Nv Ord**
- 34921. *Ethmia epiloxa* Meyrick,1914** (Ethmiidae) Synonym(s): *epiloxa* Meyrick,1914 Range (in code): **ZA**
- 34922. *Ethmia epitrocha* (Meyrick,1914)** (Ethmiidae) Synonym(s): *epitrocha* Meyrick,1914 Range (in code): **TW CN Hun Kgs Tkg**
- 34923. *Ethmia ermineella* (Walsingham,1880)** (Ethmiidae) Synonym(s): *ermineella* Walsingham,1880; *euarithma* Meyrick,1924 Range (in code): **CN Yu Sz Ti NP PK IN Pj Drm MM Ton VN**
- 34924. *Ethmia flavianella* (Treitschke,1832)** (Ethmiidae) Synonym(s): *flavianella* Treitschke,1832 Range (in code): **FR IT HV SS B-H MK AL TR?** Bionomy: Larva on *Thalictrum foetidum* (Ranunculaceae) (Cleu,1925).
- 34925. *Ethmia fumidella* (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931. Original Reference: *Pseudocladia fumidella* Wocke,1850, Übersicht Arb. Veränd. schles. Ges. vaterl. Kult. 1849: 70. Type(s): [Ungarn] (Sattler,1967). Range (in code): **PT ES AT PL SK HU RO GR Cr TR RU IQ IR Kh**
- 34926. *Ethmia fumidella fumidella* (Wocke,1850)** (Ethmiidae) Synonym(s): *fumidella* Wocke,1850; *ardosiella* Caradja,1931. Original Reference: *Pseudocladia fumidella* Wocke,1850, Übersicht Arb. Veränd. schles. Ges. vaterl. Kult. 1849: 70. Type(s): [Ungarn] (Sattler,1967). Range (in code): **PT ES AT PL SK HU RO GR Cr TR RU**
- 34927. *Ethmia fumidella turcica* De Lattin,1963** (Ethmiidae) Synonym(s): *turcica* De Lattin,1963 Original Reference: *Ethmia fumidella* ssp. *turcica* De Lattin,1963, Beitr. naturk. SüdwDtl. 22: 58, Taf. 5 figs. 5-8. Holotype ♂: Türkei: Marasch, Syr. sept. Taurus c. 600-900m, iv.1930 (coll. Osthelder) (ZSM). Range (in code): **TR IQ IR Kh**
- 34928. *Ethmia galactarcha* Meyrick,1928** (Ethmiidae) Synonym(s): *galactarcha* Meyrick,1928 Range (in code): **ID Flo Clb Bli Sum Ja Sbw**
- 34929. *Ethmia glandifera* Meyrick,1918** (Ethmiidae) Synonym(s): *glandifera* Meyrick,1918 Range (in code): **ZA Tva Gau Pre**
- 34930. *Ethmia guangzhouensis* Liu,1980** (Ethmiidae) Synonym(s): *guangzhouensis* Liu,1980; *pseudozygospila* Kun & Szaboky,2000 Range (in code): **CN TW**
- 34931. *Ethmia haemorrhoidella* (Eversmann,1844)** (Ethmiidae) Synonym(s): *haemorrhoidella* Eversmann,1844; *anatolica* Amsel,1953. Original Reference: *Yponomeuta haemorrhoidella* Eversmann,1844, Fauna lepidopt. volgo-uralens.: 565. Syntypes: Russia: Wolga. Range (in code): **IT SK HU RO B-H HV MK AL BG GR TR RU**
- 34932. *Ethmia hakkarica* Koçak,1986** (Ethmiidae) Synonym(s): *hakkarica* Koçak,1986 Original Reference: *Ethmia hakkarica* Koçak,1986, Priamus 4 (1/2): 61-63, 3 figs. Holotype ♂: Turkey: Hakkari: Üzümcü, 1200m, 16.v.1976 (A.Koçak leg.) (coll. Cesa). Range (in code): **TR**
- 34933. *Ethmia hamaxastra* Meyrick,1930** (Ethmiidae) Synonym(s): *hamaxastra* Meyrick,1930 Range (in code): **ZA**
- 34934. *Ethmia humiliella* (Chrétien,1915)** (Ethmiidae) Synonym(s): *humiliella* Chrétien,1915 Range (in code): **TN Gf**
- 34935. *Ethmia humiliella* Chrétien,1915** (Ethmiidae) Synonym(s): *humiliella* Chrétien,1915 Range (in code): **TN Gf**
- 34936. *Ethmia infelix* Meyrick,1914** (Ethmiidae) Synonym(s): *confusella* Rebel,1901 (*praeocc.*); *infelix* Meyrick,1914; *kurdistanella* Amsel,1959 Original Reference: *Ethmia infelix* Meyrick,1914, [in] Wagner, Lepid. Cat. 19: 29 (pro *confusella* Rbl.). Lectotype ♂: [Türkei]: Mardin (Sattler, 1967: 106). Range (in code): **TR IQ Ry Hjo Shq**

- 34937. *Ethmia interposita* Sattler,1967** (Ethmiidae) Synonym(s): *interposita* Sattler,1967
Range (in code): **TR IL Jer Js Jt Zq Pa JO**
- 34938. *Ethmia iranella* Zerny,1940** (Ethmiidae) Synonym(s): *iranella* Zerny,1940 Original Reference: *Ethmia bipunctella* ssp. *iranella* Zerny,1940, Z. Wien. EntVer. 25: 43. Lectotype ♂: [Iran]: Elburs: Rehne-Demawend, 2600m (Sattler, 1967:93). Range (in code): **ES HU GR TR IR Elb Th Dam Kh SY Hal** Bionomy: 13A 13Ab
- 34939. *Ethmia japonica* Sattler,1967** (Ethmiidae) Synonym(s): *japonica* Sattler,1967 Range (in code): **JP**
- 34940. *Ethmia judicialis* Meyrick,1921** (Ethmiidae) Synonym(s): *judicialis* Meyrick,1921
Range (in code): **ZW Uma**
- 34941. *Ethmia kabulica* Amsel,1969** (Ethmiidae) Synonym(s): *kabulica* Amsel,1969 Range (in code): **AF Kab**
- 34942. *Ethmia kutisi* Heppner,1991** (Ethmiidae) Synonym(s): *kutisi* Heppner,1991 US FI
- 34943. *Ethmia lapidella* (Walsingham,1880)** (Ethmiidae) Synonym(s): *lapidella* Walsingham,1880; *decempunctella* Matsumura,1931. Range (in code): **IN Pj Drm JP Kyu CN TW**
- 34944. *Ethmia lecmima* Sattler,1967** (Ethmiidae) Synonym(s): *lecmima* Sattler,1967 Original Reference: *Ethmia lecmima* Sattler,1967, Microlepid Palaeart. 2: 60-61, Taf.2 fig.3. Holotype ♂: O-Afghanistan: Sarobi 1100m, leg. Ebert (LNK). Range (in code): **AE AF Kab Srb Hr Bkt Nu IR Elb Th Ss Fa**
- 34945. *Ethmia lecmima amsel* Kemal & Koçak,2005** (Ethmiidae) Synonym(s): *heratella* Amsel,1969 nec Ams.,1969; *amsel* Kemal & Koçak,2005 Original Reference: *Ethmia lecmima* ssp. *amsel* Kemal & Koçak,2005, Cent. ent. Stud., Misc. Pap. 91/92: 12 (nomen novum pro *heratella* Amsel,1969 nec Amsel,1969). Range (in code): **AF Hr**
- 34946. *Ethmia lepidella* (Chrétien,1907)** (Ethmiidae) Synonym(s): *lepidella* Chrétien,1907; *niveella* Caradja,1920; *minusculella* Turati,1929; *lactistrigella* Turati & Krüger,1936; *euphraticella* Amsel,1954. Original Reference: *Psecadia lepidella* Chrétien,1907, Bull. Soc. ent. Fr. 1907: 324. Type: Algérie, Biskra. Range (in code): **DZ Bsk TN LY Cy ES IL Pa Js SY IQ Dy AE** Bionomy: Larva on *Echium humile*, *Anchusa hispida* (Boraginaceae) (Sattler,1967).
- 34947. *Ethmia leucocirrha* Meyrick,1926** (Ethmiidae) Synonym(s): *leucocirrha* Meyrick,1926
Range (in code): **ZA**
- 34948. *Ethmia lineatonotella* (Moore,1867)** (Ethmiidae) Synonym(s): *lineatonotella* Moore,1867; *vittatopunctata* Matsumura,1931. Range (in code): **SI DjI IN MM Shn TW Ass VN CN TH**
- 34949. *Ethmia livida* (Zeller,1852)** (Ethmiidae) Synonym(s): *livida* Zeller,1852 Range (in code): **ZA**
- 34950. *Ethmia lugubris* (Staudinger,1879)** (Ethmiidae) Synonym(s): *lugubris* Staudinger,1879
Original Reference: *Psecadia chrysopyga* var. *lugubris* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♂: Balkan. Range (in code): **AT RO BG RU** Bionomy: Larva on *Symphytum officinale* (Boraginaceae) (Sattler,1967).
- 34951. *Ethmia lybiella* (Ragonot,1892)** (Ethmiidae) Synonym(s): *lybiella* Ragonot,1892; *biskraella* Chrétien,1915; *trimaculella* Lucas,1943. Original Reference: *Psecadia lybiella* Ragonot,1892, Bull. Soc. ent. Fr. 1892: lxxxii. Lectotype ♂: Tunesien: Gabes, designated by Sattler,1967 (MNHNP). Range (in code): **TN Gab DZ Gha Bsk LY Cy IL Pa** Bionomy: Larva on *Echiochilon fruticosum* (Boraginaceae) (Chrétien,1915).
- 34952. *Ethmia maculata* Sattler,1967** (Ethmiidae) Synonym(s): *maculata* Sattler,1967 Range (in code): **CN Hun Tkg TW**
- 34953. *Ethmia maculifera* (Matsumura,1931)** (Ethmiidae) Synonym(s): *maculifera* Matsumura,1931; *mesozyga* Meyrick,1935. Range (in code): **JP Kyu TW**
- 34954. *Ethmia maracandica* (Rebel,1901)** (Ethmiidae) Synonym(s): *maracandica* Rebel,1901
Range (in code): **UZ Smk Br**
- 34955. *Ethmia minusculella* (Turati,1929)** (Ethmiidae) Synonym(s): *minusculella* Turati,1929
Range (in code): **LY Cy**
- 34956. *Ethmia mixtella* (Chrétien,1915)** (Ethmiidae) Synonym(s): *mixtella* Chrétien,1915
Original Reference: *Psecadia mixtella* Chrétien,1915, Annls Soc. ent. Fr. 84: 337. Type: [Algérie]: "Biskra, en avril". Range (in code): **DZ Bsk**
- 34957. *Ethmia mongolica* (Rebel,1901)** (Ethmiidae) Synonym(s): *mongolica* Rebel,1901
Original Reference: *Psecadia mongolica* Rebel,1901, Dt. ent. Z., Iris 13 (2): 171-172. Type ♀: "Mongolie, Mad. Putanin". Range (in code): **MN CN Ti Btn Sz Gn**

- 34958. *Ethmia namangana* (Rebel,1901)** (Ethmiidae) Synonym(s): *namangana* Rebel,1901
Range (in code): **UZ Nmg**
- 34959. *Ethmia nigrimaculata* Sattler,1967** (Ethmiidae) Synonym(s): *nigrimaculata* Sattler,1967
Range (in code): **RU Sb Tv MN CN Shs**
- 34960. *Ethmia nigripedella* (Erschoff,1877)** (Ethmiidae) Synonym(s): *nigripedella* Erschoff,1877; *nigripedella* Rebel,1901. Original Reference: *Psacadia nigripedella* Erschoff,1877, Horae Soc. ent. ross. 12 (4): 343. Syntypes: Russia, Siberia, Irkutsk, Albasin, Kiachta. Range (in code): **RU Am Ya Sb Vv UA Cm MN KG CN Shs Ui Ku Ts Kno JP Hkk**
- 34961. *Ethmia nigroapicella* (Saalmüller,1880)** (Ethmiidae) Synonym(s): *nigroapicella* Saalmüller,1880; *colonella* Walsingham,1907; *meteoris* Meyrick,1911; *systematica* Meyrick,1922; *apicalis* Matsumura,1931. Range (in code): **MG Hw SC MM Shn TH JP Ri TW IN Ass PH WS** Bionomy: Larva on *Tectona grandis* (Verbenaceae).
- 34962. *Ethmia octanoma* Meyrick,1914** (Ethmiidae) Synonym(s): *octanoma* Meyrick,1914
Range (in code): **TW**
- 34963. *Ethmia oculigera* (Möschler,1883)** (Ethmiidae) Synonym(s): *oculigera* Möschler,1883
Range (in code): **ZA**
- 34964. *Ethmia pagiopa* Meyrick,1918** (Ethmiidae) Synonym(s): *pagiopa* Meyrick,1918 Original Reference: *Ethmia pagiopa* Meyrick,1918, Exot. microlepid. 2: 189. Type: Kashmir. Range (in code): **Ch AF Pag Kab Pnj Slg Kot Kbb Sfk PK Sha**
- 34965. *Ethmia palawana* Schultze,1925** (Ethmiidae) Synonym(s): *palawana* Schultze,1925
Range (in code): **TH Yal MY Bor BN Sbh PH Pal**
- 34966. *Ethmia penyagolosella* Domingo, Huemer & Baixeras,2003** (Ethmiidae) Synonym(s): *penyagolosella* Domingo, Huemer & Baixeras,2003 Range (in code): **ES**
- 34967. *Ethmia pericentrotia* Meyrick,1926** (Ethmiidae) Synonym(s): *pericentrotia* Meyrick,1926
Range (in code): **ZA**
- 34968. *Ethmia persica* Kun,2007** (Ethmiidae) Synonym(s): *persica* Kun,2007; *#percisa* Kun,2007
Original Reference: *Ethmia persica* Kun,2007, Annls hist.-nat. Mus. natn. hung. 99: 102-104, figs. Holotype ♂: Iran, Prov. Boyer Ahmad, 3km N of Sisaht 2700m leg. G.Fabian & K.Szekely (HNHM). Range (in code): **IR By Fa**
- 34969. *Ethmia pingxiangensis* Liu,1980** (Ethmiidae) Synonym(s): *pingxiangensis* Liu,1980; *amissus* Kun,2001 Range (in code): **CN IN SI MM TH Sbu**
- 34970. *Ethmia pseudoscythrella* (Rebel,1902)** (Ethmiidae) Synonym(s): *pseudoscythrella* Rebel,1902 Original Reference: *Pseudadia pseudoscythrella* Rebel,1902, Dt. ent. Z., Iris 15(1): 116-117, Taf.iv fig.8 [1903]. Type ♀: [Türkei]: [Konya Pr.]: "Konia" (leg. Korb, coll. Caradja). Range (in code): **TR**
- 34971. *Ethmia pusiella* (Linnaeus,1758)** (Ethmiidae) Synonym(s): *pusiella* Linnaeus,1758; *scaella* Scopoli,1763; *sequella* [Denis & Schiffermüller],1775; *lithosperma* Hübner,1796. Original Reference: *Phalaena Tinea pusiella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 534. Type(s): Germania. Range (in code): **ES FR IT GB DE CH AT PL CZ SK HU RO YU B-H AL GR TR IL Pa IQ Bgd Ama NO SE FI EE LV LT RU Ur Sb Vv MD UA BY MN KG Tk Dj CN Ui Ju KK Ik RU Kj Mnu IR Fa Shr** Bionomy: Larva on *Lithospermum officinale*, *Pulmonaria officinalis* (Boraginaceae) (Sattler,1967).
- 34972. *Ethmia pusiella deletella* De Lattin,1963** (Ethmiidae) Synonym(s): *deletella* De Lattin,1963 Range (in code): **KG Tk Dj CN Ui Ju KK Ik RU Kj Mnu**
- 34973. *Ethmia pyrausta* (Pallas,1771)** (Ethmiidae) Synonym(s): *pyrausta* Pallas,1771; *nigrella* Fabricius,1775; *atropunctella* Thunberg,1788. Range (in code): **GB SE FI EE LV RU Ur Sb Tv KG TrA Aa MN CN Ui Ku** Bionomy: Larva on *Thalictrum aquilegifolium* (Ranunculaceae) (Nolcken,1871).
- 34974. *Ethmia quadrillella* (Goeze,1783)** (Ethmiidae) Synonym(s): *quadrillella* Goeze,1783; *inversella* Fourcroy,1785; *funerella* Fabricius,1787; *funerea* Haworth,1828; *afflatella* Fuchs,1903. Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT MD UA BY TR KG Ssn RU Sb At Tt** Bionomy: Larva on *Symphytum officinale*, *Pulmonaria officinalis*, *Lithospermum officinale*, *Myosotis* (Boraginaceae) (Sattler,1967).
- 34975. *Ethmia quadrillella luctuosella* (Herrich-Schäffer,[1854])** (Ethmiidae) Synonym(s): *luctuosella* Herrich-Schäffer,[1854] Range (in code): **TR IT**
- 34976. *Ethmia quadrinotella* (Mann,1861)** (Ethmiidae) Synonym(s): *quadrinotella* Mann,1861; *atticella* Caradja,1920; *galaxaea* Meyrick,1922. Original Reference: *Anesychia quadrinotella* Mann,1861, Wien. ent. Monatschr. 5: 191, Taf.3 fig.8. Lectotype ♂: [Türkei]: Amasia, designated

- by Sattler, 1967: 53. Range (in code): CV MA DZ Bsk EG SA SD LY Cy TN BH IQ Kbl AF Ca Hr PK Gg Ch GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th AE Bionomy: Larva on Heliotropium (Boraginaceae) (Sattler, 1967).
- 34977. *Ethmia quadrinotella heratella* Amsel, 1969** (Ethmiidae) Synonym(s): heratella Amsel, 1969 Range (in code): AF Ca Hr
- 34978. *Ethmia quadrinotella quadrinotella* (Mann, 1861)** (Ethmiidae) Synonym(s): quadrinotella Mann, 1861; atticella Caradja, 1920; galaxaea Meyrick, 1922. Original Reference: Anesychia quadrinotella Mann, 1861, Wien. ent. Monatschr. 5: 191, Taf. 3 fig. 8. Lectotype ♂: [Türkei]: Amasia, designated by Sattler, 1967: 53. Range (in code): GR TR Cc AM Eri SY IL Hf Pa Js IR Elb Kdj Th
- 34979. *Ethmia quadrinotella quinquenotella* (Chrétien, 1915)** (Ethmiidae) Synonym(s): quinquenotella Chrétien, 1915; acutella Turati, 1934; paneliusella Viette, 1958. Range (in code): CV MA DZ Bsk EG SA SD LY Cy TN BH IQ Kbl IR AF PK Gg Ch AE Bionomy: Larva on Heliotropium undulatum (Boraginaceae) (Chrétien, 1915).
- 34980. *Ethmia quadripunctella* Eversmann, 1844** (Ethmiidae) Synonym(s): quadripunctella Eversmann, 1844 Range (in code): RU Tt
- 34981. *Ethmia rhomboidella* Walsingham, 1897** (Ethmiidae) Synonym(s): rhomboidella Walsingham, 1897 Range (in code): ZA MZ ZW ZR KE CG
- 34982. *Ethmia rothschildi* (Rebel, 1912)** (Ethmiidae) Synonym(s): rothschildi Rebel, 1912 Range (in code): RO TR
- 34983. *Ethmia sabiella* (R. Felder & Rogenhofer, 1875)** (Ethmiidae) Synonym(s): sabiella R. Felder & Rogenhofer, 1875 Range (in code): ZA Nta Kzu Tva MZ ZW ZM
- 34984. *Ethmia sattleri* Kun, 2007** (Ethmiidae) Synonym(s): sattleri Kun, 2007 Original Reference: *Ethmia sattleri* Kun, 2007, Annls hist.- nat. Mus. natn. hung. 99: 106-110, figs. Holotype ♂: S-Iran, 100 m [sic!] westl. Shiraz (NHMW). Range (in code): IR Fa
- 34985. *Ethmia septempunctella* (Christoph, 1882)** (Ethmiidae) Synonym(s): septempunctella Christoph, 1882 Range (in code): RU Am Vv JP
- 34986. *Ethmia sibirica* Danilevsky, 1975** (Ethmiidae) Synonym(s): sibirica Danilevsky, 1975 Range (in code): RU Bry
- 34987. *Ethmia similis* Sattler, 1967** (Ethmiidae) Synonym(s): similis Sattler, 1967 Original Reference: *Ethmia similis* Sattler, 1967, Microlepid. Palaearc. 2: 101, figs. Holotype ♂: [Türkei]: Kleinasien: Mardin. Range (in code): TR IR Ak Ab Cc
- 34988. *Ethmia soljanikovi* Danilevsky & Zagulyaev, 1975** (Ethmiidae) Synonym(s): soljanikovi Danilevsky & Zagulyaev, 1975 Range (in code): RU At Tv MN
- 34989. *Ethmia subsidiaris* Meyrick, 1935** (Ethmiidae) Synonym(s): subsidiaris Meyrick, 1935 Range (in code): CN Kgs
- 34990. *Ethmia suspecta* Sattler, 1867** (Ethmiidae) Synonym(s): suspecta Sattler, 1967 Original Reference: *Ethmia suspecta* Sattler, 1967, Microlepid. palaearct. 2: 103, figs. Holotype ♂: Kleinasien: Malatia (BMNH). Range (in code): TR SY Dms JO Zq
- 34991. *Ethmia tamaridella* (Rebel, 1907)** (Ethmiidae) Synonym(s): tamaridella Rebel, 1907 Original Reference: *Psecadia tamaridella* Rebel, 1907, Denkschr. Akad. Wiss. Wien 71 (2): 96. Holotype ♂ Sokotra: Gubbet, Shoab (leg. O. Simony) (NHMW). Range (in code): YE Sk
- 34992. *Ethmia terminella* T.B. Fletcher, 1938** (Ethmiidae) Synonym(s): sexpunctella Hübner, [1810] nec Fabr., 1794; terminella T.B. Fletcher, 1938. Original Reference: *Ethmia terminella* Fletcher, 1938, Entomologist's rec. J. Var. 50: 53 (pro *T. sexpunctella* Hbn.). Type(s): [S. Deutschland]. Range (in code): MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU MD UA BY JO Jt IL Pa Bionomy: Larva on Echium (Boraginaceae) (Domingo, Huemer & Baixeras, 2003).
- 34993. *Ethmia terminella micropunctella* Amsel, 1955** (Ethmiidae) Synonym(s): micropunctella Amsel, 1955 Range (in code): JO Jt IL Pa
- 34994. *Ethmia terminella terminella* T.B. Fletcher, 1938** (Ethmiidae) Synonym(s): sexpunctella Hübner, [1810] nec Fabr., 1794; terminella T.B. Fletcher, 1938. Range (in code): MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU MD UA BY
- 34995. *Ethmia thomaswitti* Kun, 2004** (Ethmiidae) Synonym(s): thomaswitti Kun, 2004 Range (in code): ID Clb

- 34996. *Ethmia treitschkeella* (Staudinger,1879)** (Ethmiidae) Synonym(s): *treitschkeella* Staudinger,1879 Original Reference: *Psecadia treitschkeella* Staudinger,1879, Horae Soc. ent. ross. 15: 294-295. Syntypes 1♂ 1♀: [Türkei]: Amasia (Caraman). Range (in code): **TR**
- 34997. *Ethmia trifida* Kun,2004** (Ethmiidae) Synonym(s): *trifida* Kun,2004 Range (in code): **MY Bor BN Sbh TH IN MM Tns ID Sum PH Taw**
- 34998. *Ethmia tripunctella* (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879 Original Reference: *Psecadia tripunctella* Staudinger,1879, Horae Soc. ent. ross. 15: 292-293. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 131. Range (in code): **MK BG TR IQ Ry Hjo IR Km** Bionomy: Larva on *Onosma stellulata* (Boraginaceae) (Staudinger,1879).
- 34999. *Ethmia tripunctella rayatella* (Amsel,1959)** (Ethmiidae) Synonym(s): *rayatella* Amsel,1959 Original Reference: *Ethmia* ? *rayatella* Amsel,1959, Bull. Soc. ent. Egypte 43: 67, Taf.7 fig.2; Taf.9 fig.9. Holotype ♂: Irak: Kurdistan: Rayat, Haj Omran, 2-13.vi.56, 5000-6000ft., E.P.Wiltshire leg. (LNK). Range (in code): **TR IQ Ry Hjo IR Km**
- 35000. *Ethmia tripunctella tripunctella* (Staudinger,1879)** (Ethmiidae) Synonym(s): *tripunctella* Staudinger,1879 Original Reference: *Psecadia tripunctella* Staudinger,1879, Horae Soc. ent. ross. 15: 292-293. Lectotype ♂: [Türkei]: Amasia, designated by Sattler,1967: 131. Range (in code): **MK BG TR**
- 35001. *Ethmia turkmeniella* Dubatolov & Ustjuzhanin,1998** (Ethmiidae) Synonym(s): *turkmeniella* Dubatolov & Ustjuzhanin,1998 Original Reference: *Ethmia turkmeniella* Dubatolov & Ustjuzhanin,1998, Nota lepid. 21 (2): 101-105. Holotype ♂: SW Turkmenistan, Kara-Kala leg. A.L.Devjatkin (SZM). Range (in code): **TM K-K**
- 35002. *Ethmia ultima* Sattler,1967** (Ethmiidae) Synonym(s): *ultima* Sattler,1967 Range (in code): **MN RU Tv**
- 35003. *Ethmia umbricostella* Caradja,1927** (Ethmiidae) Synonym(s): *umbricostella* Caradja,1927 Range (in code): **CN Sz T-T Yu Ats**
- 35004. *Ethmia usbensis* Zagulyaev,1975** (Ethmiidae) Synonym(s): *usbensis* Zagulyaev,1975 Range (in code): **RU Tv MN**
- 35005. *Ethmia variinotella* (Chrétien,1915)** (Ethmiidae) Synonym(s): *variinotella* Chrétien,1915 Range (in code): **TN Gf**
- 35006. *Ethmia vidua* (Staudinger,1879)** (Ethmiidae) Synonym(s): *vidua* Staudinger,1879 Original Reference: *Psecadia vidua* Staudinger,1879, Horae Soc. ent. ross. 15: 296. Type ♂: [Kazakhstan]: Saisan (ZMHU). Range (in code): **KG Ssn RU Ya Bry**
- 35007. *Ethmia vidua flavilaterella* Danilevsky,1975** (Ethmiidae) Synonym(s): *flavilaterella* Danilevsky,1975 Range (in code): **RU Ya Bry**
- 35008. *Ethmia vittalbella* (Christoph,1877)** (Ethmiidae) Synonym(s): *vittalbella* Christoph,1877; *#vittalbata* Mabille,1906; *radiatella* Chrétien,1907; *tripolitanella* Turati,1929. Original Reference: *Psecadia vittalbella* Christoph,1877, Horae Soc. ent. ross. 12: 292, pl.8 fig.65. Range (in code): **MA DZ Bsk TN EG SA IL Jt Pa SY Hms AZ Nv Ord Cc AM IR Kh TM Krn PK Gg Ch IQ KG AF Hr Srb Pli Ca Dwe CN Ui Ku**
- 35009. *Ethmia wursteri* Amsel,1956** (Ethmiidae) Synonym(s): *wursteri* Amsel,1956 Original Reference: *Ethmia wursteri* Amsel,1956, Beitr. naturk. Forsch. Südwdtl. 15: 61. Type: Jordan valley, Zerqa. Range (in code): **IL Jt Pa Zq JO**
- 35010. *Ethmia xanthopleura* Meyrick,1931** (Ethmiidae) Synonym(s): *xanthopleura* Meyrick,1931 Range (in code): **RU Us KP KR**
- 35011. *Ethmia zagulyaevi* Kostjuk,1980** (Ethmiidae) Synonym(s): *zagulyaevi* Kostjuk,1980 Range (in code): **RU At**
- 35012. *Ethmia zygospila* Meyrick,1934** (Ethmiidae) Synonym(s): *zygospila* Meyrick,1934 Range (in code): **TW**
- 35013. *Acrojana rosacea* (Butler,1874)** (Eupterotidae) Synonym(s): *rosacea* Butler,1874 Range (in code):
- 35014. *Acrojana salmonea* Rothschild,1932** (Eupterotidae) Synonym(s): *salmonea* Rothschild,1932 Original Reference: *Acrojana salmonea* Rothschild,1932, Novit. zool. 38: 251-252. Syntypes ♂♀: [Ghana]: Kumasi, Ashanti; Nigeria: Bukuru. Range (in code): **GH NG**
- 35015. *Acrojana sciron* (Druce,1888)** (Eupterotidae) Synonym(s): *sciron* Druce,1888; *ochracea* Strand Range (in code): **ZA**

- 35016. *Acrojana scutaea* Strand,1909** (Eupterotidae) Synonym(s): *scutaea* Strand,1909; *sanguineipes* Strand,1910 - Range (in code): ZA
- 35017. *Acrojana simillima* Rothschild,1932** (Eupterotidae) Synonym(s): *simillima* Rothschild,1932 Original Reference: *Acrojana simillima* Rothschild,1932, Novit. zool. 38: 252. Type ♂: Sierra Leone. Range (in code): SL
- 35018. *Acrojana splendida* Rothschild,1917** (Eupterotidae) Synonym(s): *splendida* Rothschild,1917 Original Reference: *Acrojana splendida* Rothschild,1917, Novit. zool. 24: 492. Range (in code): SL
- 35019. *Apha arisana* Matsumura,1927** (Eupterotidae) Synonym(s): *arisana* Matsumura,1927 Range (in code): TW
- 35020. *Apha floralis* Butler,1881** (Eupterotidae) Synonym(s): *floralis* Butler,1881 - Range (in code): IN
- 35021. *Apha horishana* Matsumura,1927** (Eupterotidae) Synonym(s): *horishana* Matsumura,1927; *tychonoides* Mell,1930 - Range (in code): TW CN
- 35022. *Apha huabeiana* Yang,1978** (Eupterotidae) Synonym(s): *huabeiana* Yang,1978 - Range (in code): CN
- 35023. *Apha kantonensis* Mell,1929** (Eupterotidae) Synonym(s): *kantonensis* Mell,1929 Range (in code): CN
- 35024. *Apha strix* Bryk,1944** (Eupterotidae) Synonym(s): *strix* Bryk,1944 - Range (in code): MM
- 35025. *Apha subdives* Walker,1855** (Eupterotidae) Synonym(s): *subdives* Walker,1855; *yunnanensis* Mell,1937 - Range (in code): IN TH CMa CDo CN Yu
- 35026. *Apha tychoona* Butler,1871** (Eupterotidae) Synonym(s): *tychoona* Butler,1871; *aequalis* C.Felder & R.Felder,1874; *honei* Mell,1937 - Range (in code): CN She
- 35027. *Apona caschmirensis* Kollar,1844** (Eupterotidae) Synonym(s): *caschmirensis* Kollar,1844; *#cashmeriensis* Rothschild,1917 - Range (in code): Ch IN SI
- 35028. *Apona caschmirensis caschmirensis* Kollar,1844** (Eupterotidae) Synonym(s): *caschmirensis* Kollar,1844; *#cashmeriensis* Rothschild,1917 - Range (in code): Ch IN
- 35029. *Apona caschmirensis major* Rothschild,1917** (Eupterotidae) Synonym(s): *major* Rothschild,1917 - Range (in code): SI
- 35030. *Apona chasiana* Swinhoe** (Eupterotidae) Synonym(s): - Range (in code): IN Ass Meg Khs
- 35031. *Apona frater* Rothschild,1917** (Eupterotidae) Synonym(s): *frater* Rothschild,1917 Range (in code): IN Ass Meg Khs
- 35032. *Apona ligustri* Mell,1929** (Eupterotidae) Synonym(s): *ligustri* Mell,1929 - Range (in code): CN
- 35033. *Apona shevaroyensis* Moore,1884** (Eupterotidae) Synonym(s): *shevaroyensis* Moore,1884 Range (in code): LK IN
- 35034. *Apona styx* (Bethune-Baker,1908)** (Eupterotidae) Synonym(s): *styx* Bethune-Baker,1908; *crenulata* Joicey Original Reference: *Eupterote styx* Bethune-Baker,1908, Novit. zool. 15: 176. Type ♂: [Ivory Coast]: Mafala, Biagi. Range (in code): CI
- 35035. *Apona yunnanensis* Mell,1929** (Eupterotidae) Synonym(s): *yunnanensis* Mell,1929; *alticola* Mell,1937 - Range (in code): CN Yu
- 35036. *Bantuana cregoei* Distant,1906** (Eupterotidae) Synonym(s): *cregoei* Distant,1906 Range (in code): ZA
- 35037. *Camerunia albida* Aurivillius,1901** (Eupterotidae) Synonym(s): *albida* Aurivillius,1901 Range (in code): TZ
- 35038. *Camerunia bipartita* Rothschild,1917** (Eupterotidae) Synonym(s): *bipartita* Rothschild,1917 Original Reference: *Camarunia* [sic] *bipartita* Rothschild,1917, Novit. zool. 24: 491. Type ♂: Niger, Ogrugu. Range (in code): NE
- 35039. *Camerunia flava* Aurivillius,1904** (Eupterotidae) Synonym(s): *flava* Aurivillius,1904; *lactiflora* Wichgraf,1914 - Range (in code): ZA
- 35040. *Camerunia orphne* (Schaus,1893)** (Eupterotidae) Synonym(s): *orphne* Schaus,1893; *insignis* Aurivillius - Range (in code): SL
- 35041. *Catajana bimaculata* (Dewitz,1879)** (Eupterotidae) Synonym(s): *bimaculata* Dewitz,1879 Range (in code): ZA

- 35042. Cotana aroa (Bethune-Baker,1904)** (Eupterotidae) Synonym(s): *aroa* Bethune-Baker,1904 _ Range (in code): PG Aro
- 35043. Cotana bakeri Joicey & Talbot,1917** (Eupterotidae) Synonym(s): *bakeri* Joicey & Talbot,1917 _ Range (in code):
- 35044. Cotana bisecta Rothschild,1917** (Eupterotidae) Synonym(s): *bisecta* Rothschild,1917 _ Range (in code): PG
- 35045. Cotana brunnescens Rothschild,1917** (Eupterotidae) Synonym(s): *brunnescens* Rothschild,1917 _ Range (in code): PG
- 35046. Cotana castaneorufa Rothschild,1915** (Eupterotidae) Synonym(s): *castaneorufa* Rothschild,1915 _ Range (in code): ID Ij
- 35047. Cotana pallidipascia Rothschild,1917** (Eupterotidae) Synonym(s): *pallidipascia* Rothschild,1917 _ Range (in code): PG
- 35048. Cyrtojana trilineata Aurivillius,1911** (Eupterotidae) Synonym(s): *trilineata* Aurivillius,1911; *apithana* Hering,1929 _ Range (in code): ZA
- 35049. Drepanojana citheronia (Bryk,1944)** (Eupterotidae) Synonym(s): *citheronia* Bryk,1944 _ Range (in code): LK
- 35050. Drepanojana fasciata Aurivillius,1893** (Eupterotidae) Synonym(s): *fasciata* Aurivillius,1893; *apicalis* Aurivillius; *maeonia* Druce _ Range (in code):
- 35051. Epijana cosima (Plötz,1880)** (Eupterotidae) Synonym(s): *cosima* Plötz,1880; *cinerea* Holland,1893; *lanosa* Holland; *velutonia* Druce,1896 _ Range (in code): CM
- 35052. Epijana latifasciata Dall'Asta & Poncin,1980** (Eupterotidae) Synonym(s): *latifasciata* Dall'Asta & Poncin,1980 _ Range (in code): ZR
- 35053. Epijana meridionalis Dall'Asta & Poncin,1980** (Eupterotidae) Synonym(s): *meridionalis* Dall'Asta & Poncin,1980 _ Range (in code): ZR
- 35054. Eupterote amaena Walker,1855** (Eupterotidae) Synonym(s): *amaena* Walker,1855 _ Range (in code): ID Ja
- 35055. Eupterote axesta Swinhoe,1894** (Eupterotidae) Synonym(s): *axesta* Swinhoe,1894; *#axesta* Hutacharern & Tubtim,1995 _ Original Reference: Eupterote axesta Swinhoe,1894, Trans. ent. Soc. Lond. 1894: 157. Range (in code): TH CMa CDo
- 35056. Eupterote balwanti Bhasin.,1946** (Eupterotidae) Synonym(s): *balwanti* Bhasin.,1946 _ Original Reference: Eupterote balwanti Bhasin.,1946, Indian J. Ent. 6: 139. Range (in code): IN
- 35057. Eupterote calandra Swinhoe,1894** (Eupterotidae) Synonym(s): *calandra* Swinhoe,1894 _ Original Reference: Eupterote calandra Swinhoe,1894, Trans. ent. Soc. London 1894: 151. Range (in code):
- 35058. Eupterote chinensis Leech,1898** (Eupterotidae) Synonym(s): *chinensis* Leech,1898 _ Range (in code): CN
- 35059. Eupterote cinnamomea Moore,1884** (Eupterotidae) Synonym(s): *cinnamomea* Moore,1884 _ Range (in code): LK
- 35060. Eupterote citheronia Bryk,1944** (Eupterotidae) Synonym(s): *citheronia* Bryk,1944 _ Range (in code): LK
- 35061. Eupterote diffusa Walker,1865** (Eupterotidae) Synonym(s): *diffusa* Walker,1865 _ Range (in code): LK
- 35062. Eupterote dulcinea Swinhoe,1901** (Eupterotidae) Synonym(s): *dulcinea* Swinhoe,1901; *#dulcinea* Hutacharern & Tubtim,1995 _ Original Reference: Eupterote dulcinea Swinhoe,1901, Ann. Mag. nat. Hist. (7) 8: 123. Range (in code): TH
- 35063. Eupterote fabia (Cramer,[1779])** (Eupterotidae) Synonym(s): *fabia* Cramer,[1779]; *ochripicta* Moore,1879; *fasciata* Moore,[1883]; *auriflua* Moore,1884; *immutata* Moore,1884; *permutata* Moore,1884; *alterata* Moore,1884; *lucia* Butler,1885; *gyra* Swinhoe,1885 _ Range (in code): IN Ass Meg SI LK
- 35064. Eupterote geminata (Walker,1855)** (Eupterotidae) Synonym(s): *geminata* Walker,1855; *lineata* Walker,1855; *phalaenaria* C.Felder & R.Felder,1874 _ Range (in code): LK IN Bionomy: Larva on Tectona grandis (Verbenaceae).
- 35065. Eupterote harmani Holloway,1987** (Eupterotidae) Synonym(s): *harmani* Holloway,1987 _ Range (in code): MY Bor BN
- 35066. Eupterote mollifera Walker,1865** (Eupterotidae) Synonym(s): *mollifera* Walker,1865; *anthereata* Walker,1865; *ornata* C.Felder & R.Felder,1874; *canaraica* Moore,1879; *nilgirica* Moore,1879; *flava* Moore,1884; *discrepans* Moore,1884; *mollis* Moore,1884; *todara* Moore,1884; *lativittata* Moore,1884; *rufodisca*

- Hampson,1891; flavia Hampson,1891; rectifascia Hampson,1891* _ Range (in code): **IN NI Mh Bba LK Pdy Kndy**
- 35067. Eupterote multiarcuata Holloway,1976** (Eupterotidae) Synonym(s): *multiarcuata Holloway,1976* _ Range (in code): **MY Bor ID Sum**
- 35068. Eupterote muluana Holloway,1987** (Eupterotidae) Synonym(s): *muluana Holloway,1987* Range (in code): **MY Bor Swk**
- 35069. Eupterote murina (Moore,1877)** (Eupterotidae) Synonym(s): *murina Moore,1877* Original Reference: Tagora murina Moore,1877, Ann. Mag. nat. Hist. (4) 20: 347. Range (in code): **LK**
- 35070. Eupterote naessigi Holloway,1987** (Eupterotidae) Synonym(s): *naessigi Holloway,1987* Range (in code): **MY Bor BN Swk ID Sum**
- 35071. Eupterote niassana (Rothschild,1917)** (Eupterotidae) Synonym(s): *niassana Rothschild,1917* _ Range (in code): **ID Nia Sum MY BN Bor Swk Sbh KBa**
- 35072. Eupterote nigriceps (Hampson,1893)** (Eupterotidae) Synonym(s): *nigriceps Hampson,1893* _ Range (in code): **LK**
- 35073. Eupterote obsoleta (Talbot,1926)** (Eupterotidae) Synonym(s): *obsoleta Talbot,1926* Range (in code): **MY Bor Swk**
- 35074. Eupterote orientalis (Fabricius,1793)** (Eupterotidae) Synonym(s): *orientalis Fabricius,1793* Original Reference: Bombyx orientalis Fabricius,1793, Ent. Syst. 3 (1): 422. Type(s): India orientalis. Range (in code): **IN**
- 35075. Eupterote patula (Walker,1855)** (Eupterotidae) Synonym(s): *patula Walker,1855; khasiana Moore,1879; abnorminervis Strand,1924; dehyalinata Strand,1924* _ Range (in code): **IN Meg Ass Khs TH CMa Dst Ds10**
- 35076. Eupterote placida (Moore,[1883])** (Eupterotidae) Synonym(s): *placida Moore,[1883]* Range (in code): **LK ID Sum Ja**
- 35077. Eupterote placida asclepiades C.Felder & R.Felder,1874** (Eupterotidae) Synonym(s): *asclepiades C.Felder & R.Felder,1874* _ Range (in code): **ID Sum Ja**
- 35078. Eupterote plumipes (Walker,1855)** (Eupterotidae) Synonym(s): *plumipes Walker,1855; rubiginosa Walker,1855* _ Range (in code): **LK**
- 35079. Eupterote primularis Moore,1884** (Eupterotidae) Synonym(s): *primularis Moore,1884* Range (in code): **IN NI**
- 35080. Eupterote sp.** (Eupterotidae) Synonym(s): _ Range (in code): **TH CMa CDo**
- 35081. Eupterote subcurvifera (Walker,1865)** (Eupterotidae) Synonym(s): *subcurvifera Walker,1865* _ Range (in code): **LK**
- 35082. Eupterote testacea Walker,1855** (Eupterotidae) Synonym(s): *testacea Walker,1855* Original Reference: Eupterote testacea Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 906. Range (in code): **IN Ass Meg Khs BD Syl MM TH CMa CDo**
- 35083. Eupterote undata Blanchard,1844** (Eupterotidae) Synonym(s): *undata Blanchard,1844; taoensis Moore,1878; variegata Moore,1884; affinis Moore,1884; nigricans Moore,1884; sinuata Moore,1884; caliginosa Moore,1884; subdita Moore,1884; vinosa Moore,1884; affinis Moore,1884; cupripennis Moore,1884; persimilis Moore,1884; castanoptera Moore,1884; consimilis Moore,1884; dissimilis Moore,1884; assimilis Moore,1884; griseipennis Moore,1884; suffusa Moore,1884; decorata Moore,1884; diabolica Swinhoe,1885; ignavus Swinhoe,1886; fraterna Moore,1888; hirsuta Swinhoe,1891* _ Range (in code): **IN Hp Drm PjNI MM** Bionomy: Larva on Tectona grandis (Verbenaceae).
- 35084. Eupterote vialis (Moore,[1883])** (Eupterotidae) Synonym(s): *vialis Moore,[1883]* Range (in code): **LK**
- 35085. Ganisa gyraleus Orhant,2000** (Eupterotidae) Synonym(s): *gyraleus Orhant,2000* Original Reference: Ganisa gyraleus Orhant,2000, Tinea 16 (3): 149. Range (in code): **TH**
- 35086. Ganisa javana Holloway,1982** (Eupterotidae) Synonym(s): *javana Holloway,1982* Range (in code): **ID Ja**
- 35087. Ganisa niassana Rothschild,1917** (Eupterotidae) Synonym(s): *niassana Rothschild,1917* Range (in code): **ID Nia**
- 35088. Ganisa plana Walker,1855** (Eupterotidae) Synonym(s): *plana Walker,1855* _ Range (in code): **CN Yu MY Bor BN PH Pal**
- 35089. Ganisa postica Walker,1855** (Eupterotidae) Synonym(s): *postica Walker,1855* _ Range (in code): **PK Swa Sgl Alp IN Hp Kul Kgr SI Syl BD LK TW**
- 35090. Ganisa similis Moore,1884** (Eupterotidae) Synonym(s): *similis Moore,1884* Original Reference: Ganisa similis Moore,1884, Trans. ent. Soc. London 1884: 356. Range (in code): **IN TH CMa Dst Mth MY Bor ID Sum**

- 35091. Gonojana dimidiata Aurivillius,1893** (Eupterotidae) Synonym(s): *dimidiata Aurivillius,1893* - Range (in code):
- 35092. Hemijana griseola Rothschild,1917** (Eupterotidae) Synonym(s): *griseola Rothschild,1917*
Original Reference: Hemijana griseola Rothschild,1917, Novit. zool. 24: 490. Type ♂: [South Africa]: Natal, Mooi River. Range (in code): ZA Kzu
- 35093. Hemijana subrosea (Aurivillius,1893)** (Eupterotidae) Synonym(s): *subrosea Aurivillius,1893; ruberrima Rothschild,1917* - Range (in code): ZA Tva Gau Pre Nta Kzu AO
- 35094. Hemijana variegata Rothschild,1917** (Eupterotidae) Synonym(s): *variegata Rothschild,1917*
Original Reference: Hemijana variegata Rothschild,1917, Novit. zool. 24: 490. Type ♂: [Mozambique]: Delagoa Bay (Mrs. Monteiro). Range (in code): ZA MZ Del
- 35095. Hibrildes crawshayi Butler,1896** (Eupterotidae) Synonym(s): *crawshayi Butler,1896*
Range (in code): ZA
- 35096. Hibrildes norax Druce,1888** (Eupterotidae) Synonym(s): *norax Druce,1888* - Range (in code): ZA
- 35097. Hoplojana abyssinica Rothschild,1917** (Eupterotidae) Synonym(s): *abyssinica Rothschild,1917*
Original Reference: Hoplojana abyssinica Rothschild,1917, Novit. zool. 24: 489. Syntypes 1♂ 3♀: [Aethiopia]: Abyssinia, Harrar (G.Kristensen). Range (in code): ET
- 35098. Hoplojana distincta Rothschild,1917** (Eupterotidae) Synonym(s): *distincta Rothschild,1917*
Original Reference: Hoplojana distincta Rothschild,1917, Novit. zool. 24: 490. Syntypes ♂♀: Victoria Nyanza, Ukarewe. Range (in code): RW
- 35099. Hoplojana insignifica Rothschild,1917** (Eupterotidae) Synonym(s): *insignifica Rothschild,1917*
Original Reference: Hoplojana insignifica Rothschild,1917; Novit. zool. 24: 489. Type ♀: Upper Congo, Yakusu. Range (in code): ZR
- 35100. Hoplojana rhodoptera (Gerstaecker,1871)** (Eupterotidae) Synonym(s): *rhodoptera Gerstaecker,1871* - Range (in code): ZA Tva Mpu Brb
- 35101. Hoplojana roseobrunnea Rothschild,1917** (Eupterotidae) Synonym(s): *roseobrunnea Rothschild,1917*
Original Reference: Hoplojana roseobrunnea Rothschild,1917, Novit. zool. 24: 489. Syntypes ♂♂♀♀: Uganda. Range (in code): UG
- 35102. Hoplojana soricis Rothschild,1917** (Eupterotidae) Synonym(s): *soricis Rothschild,1917*
Original Reference: Hoplojana soricis Rothschild,1917, Novit. zool. 24: 489. Syntypes: Sierra Leone, Moyamba; Cape Coast Castle. Range (in code): SL
- 35103. Hoplojana tripunctata (Aurivillius,1897)** (Eupterotidae) Synonym(s): *tripunctata Aurivillius,1897* - Range (in code): ZA
- 35104. Jana eurymas Herrich-Schäffer,[1854]** (Eupterotidae) Synonym(s): *eurymas Herrich-Schäffer,[1854]; caesarea Weymer,1909; transvaalica Strand,1911.* - Range (in code): ZA Tva Gau Pre Nta Kzu CM
- 35105. Jana nigristriata Janse,1915** (Eupterotidae) Synonym(s): *nigristriata Janse,1915*
Range (in code): ZA Tva Mpu Wv Nta Kzu Nha
- 35106. Jana tantalus Herrich-Schäffer,[1854]** (Eupterotidae) Synonym(s): *tantalus Herrich-Schäffer,[1854]; signifera Walker,1855; crepax Wallengren,1860.* - Range (in code): ZA
- 35107. Janomima dannfelti (Aurivillius,1893)** (Eupterotidae) Synonym(s): *dannfelti Aurivillius,1893; claria Strand,1911; mesundulata Gaede,1927* - Range (in code): ZA
- 35108. Janomima mariana (White,1843)** (Eupterotidae) Synonym(s): *mariana White,1843; westwoodi Aurivillius,1901* - Range (in code): ZA
- 35109. Lichenopteryx despecta C.Felder & R.Felder,1874** (Eupterotidae) Synonym(s): *despecta C.Felder & R.Felder,1874* - Range (in code): ZA
- 35110. Marmaroplegma conspersa Aurivillius,1921** (Eupterotidae) Synonym(s): *conspersa Aurivillius,1921* - Range (in code): ZA
- 35111. Marmaroplegma paragarda Wallengren,1860** (Eupterotidae) Synonym(s): *paragarda Wallengren,1860; clio Fawcett,1902* - Range (in code): ZA Tva Gau Pre Ec Nta Kzu
- 35112. Marmaroplegma unicolor Janse,1915** (Eupterotidae) Synonym(s): *unicolor Janse,1915*
Range (in code): ZA Gau Tva Pre
- 35113. Melanothrix alternans Pagenstecher,1890** (Eupterotidae) Synonym(s): *alternans Pagenstecher,1890* - Range (in code): PH Pal BN MY Bor Sbh KBa
- 35114. Melanothrix fumosa Swinhoe,1905** (Eupterotidae) Synonym(s): *fumosa Swinhoe,1905; xanthomelas Strand,1922* - Range (in code): MY Bor Sbh KBa

- 35115. *Melanothrix homochroa* Grünberg,1914** (Eupterotidae) Synonym(s): *homochroa* Grünberg,1914 _ Range (in code): MY Bor Sbh KBa
- 35116. *Melanothrix intermedia* Rothschild,1917** (Eupterotidae) Synonym(s): *intermedia* Rothschild,1917 _ Original Reference: *Melanothrix intermedia* Rothschild,1917, Novit. zool. 24: 464. Type ♀: [Myanmar]: Mergui Archipelago. Range (in code): MM Mrg
- 35117. *Melanothrix latevittata* Grünberg,1914** (Eupterotidae) Synonym(s): *latevittata* Grünberg,1914; *lativitta* Rothschild,1917 _ Range (in code): MY Bor Sbh KBa
- 35118. *Melanothrix leucotrigona* Hampson,1892** (Eupterotidae) Synonym(s): *leucotrigona* Hampson,1892 _ Range (in code): MM Tns
- 35119. *Melanothrix nicevillei* Hampson,1896** (Eupterotidae) Synonym(s): *nicevillei* Hampson,1896 _ Range (in code): MM Tns MY Prk
- 35120. *Melanothrix nymphaliaria* (Walker,1866)** (Eupterotidae) Synonym(s): *nymphaliaria* Walker,1866; *pulchricolor* C.Felder & R.Felder,1874; *atropurpurea* Aurivillius,1894 _ Original Reference: Gnophos ? *nymphaliaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 30: 1698. Type: Indonesia: Java. Range (in code): ID Ja Sum MY Bor PH
- 35121. *Melanothrix nymphaliaria albidior* Rothschild,1917** (Eupterotidae) Synonym(s): *albidior* Rothschild,1917 _ Range (in code): MY Bor ID Sum
- 35122. *Melanothrix nymphaliaria nymphaliaria* (Walker,1866)** (Eupterotidae) Synonym(s): *nymphaliaria* Walker,1866; *pulchricolor* C.Felder & R.Felder,1874; *atropurpurea* Aurivillius,1894 _ Original Reference: Gnophos ? *nymphaliaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 30: 1698. Type: Indonesia: Java. Range (in code): ID Ja
- 35123. *Melanothrix nymphaliaria philippina* Rothschild,1917** (Eupterotidae) Synonym(s): *philippina* Rothschild,1917 _ Original Reference: *Melanothrix nymphaliaria* ssp. *philippina* Rothschild,1917, Novit. zool. 24: 464. Syntypes: Philippine Islands, Polillo. Range (in code): PH
- 35124. *Melanothrix nymphaliaria sanchezi* Schultze,1925** (Eupterotidae) Synonym(s): *sanchezi* Schultze,1925 _ Range (in code): PH Luz
- 35125. *Melanothrix radiata* Grünberg,1914** (Eupterotidae) Synonym(s): *radiata* Grünberg,1914 _ Original Reference: *Melanothrix nicevillei* var. *radiata* Grünberg,1914, Ent. Rdsch. 31: 21. Type: Malaysia, Borneo, Kina Balu. Range (in code): MY Bor Sbh KBa
- 35126. *Melanothrix semperi* Rothschild,1917** (Eupterotidae) Synonym(s): *semperi* Rothschild,1917 _ Original Reference: *Melanothrix semperi* Rothschild,1917, Novit. zool. 24: 465. Type ♀: Philippines: East Mindanao. Range (in code): PH Mno
- 35127. *Neopreptos clazomenia* (Druce,1886)** (Eupterotidae) Synonym(s): *clazomenia* Druce,1886 _ Range (in code): PA
- 35128. *Neopreptos marathusa* (Druce,1886)** (Eupterotidae) Synonym(s): *marathusa* Druce,1886 _ Range (in code): CR
- 35129. *Palirisa archivicina* Bryk,1944** (Eupterotidae) Synonym(s): *archivicina* Bryk,1944 _ Range (in code): MM
- 35130. *Palirisa cervina* (Moore,1865)** (Eupterotidae) Synonym(s): *cervina* Moore,1865; *burmanica* Strand,1924 _ Range (in code): CN MM TH CMa CDo
- 35131. *Palirisa cervina annamensis* Mell,1929** (Eupterotidae) Synonym(s): *annamensis* Mell,1929 _ Range (in code): CN
- 35132. *Palirisa cervina birmana* Bryk,1944** (Eupterotidae) Synonym(s): *birmana* Bryk,1944 _ Range (in code): MM
- 35133. *Palirisa cervina mosoensis* Mell,1937** (Eupterotidae) Synonym(s): *mosoensis* Mell,1937; *angustifasciata* Mell,1937; *chocolatina* Mell,1937; *curvilineata* Mell,1937; *roseitincta* Mell,1937; *significata* Mell,1937 _ Range (in code): CN Yu
- 35134. *Palirisa lineosa* Walker,1855** (Eupterotidae) Synonym(s): *lineosa* Walker,1855 _ Range (in code): MM
- 35135. *Palirisa lineosa noncurvata* Bryk,1944** (Eupterotidae) Synonym(s): *noncurvata* Bryk,1944 _ Range (in code): MM
- 35136. *Palirisa rotundala* Mell,1929** (Eupterotidae) Synonym(s): *rotundala* Mell,1929 _ Range (in code): CN
- 35137. *Palirisa sinensis* Rothschild,1917** (Eupterotidae) Synonym(s): *sinensis* Rothschild,1917 _ Range (in code): MM CN
- 35138. *Palirisa sinensis renei* Bryk,1944** (Eupterotidae) Synonym(s): *renei* Bryk,1944 _ Range (in code): MM

- 35139. Palirisa taipseishanis Mell,1937** (Eupterotidae) **Synonym(s):** *taipseishanis Mell,1937*
Range (in code): **CN**
- 35140. Pandala dolosa Walker,1855** (Eupterotidae) **Synonym(s):** *dolosa Walker,1855* **Range (in code):** **LK Kndy**
- 35141. Parajana gabunica (Aurivillius,1892)** (Eupterotidae) **Synonym(s):** *gabunica Aurivillius,1892; marmorata Holland,1893; lamani Aurivillius,1906* **Range (in code):** **GA**
- 35142. Paraphyllalia degenera (Walker,1855)** (Eupterotidae) **Synonym(s):** *degenera Walker,1855* **Range (in code):** **ZA**
- 35143. Phiala albidorsata Gaede,1927** (Eupterotidae) **Synonym(s):** *albidorsata Gaede,1927*
Range (in code): **ZA**
- 35144. Phiala bistrigata Aurivillius,1901** (Eupterotidae) **Synonym(s):** *bistrigata Aurivillius,1901; curvistriga Strand,1911* **Range (in code):** **ZA**
- 35145. Phiala costipuncta (Herrich-Schäffer,[1855])** (Eupterotidae) **Synonym(s):** *costipuncta Herrich-Schäffer,[1855]; angola Strand,1911; atomaria Walker,1855; xanthosoma Wallengren,1860; punctilinea Walker,1862.* **Range (in code):** **ZA Tva Mpu Brb Gau Pre Pin Ec AO ZR**
- 35146. Phiala crassistriga Strand,1911** (Eupterotidae) **Synonym(s):** *crassistriga Strand,1911*
Range (in code): **ZA**
- 35147. Phiala dasypoda Wallengren,1860** (Eupterotidae) **Synonym(s):** *dasypoda Wallengren,1860* **Range (in code):** **ZA**
- 35148. Phiala flavipennis Wallengren,1875** (Eupterotidae) **Synonym(s):** *flavipennis Wallengren,1875* **Range (in code):** **ZA Tva Gau Pre**
- 35149. Phiala hologramma (Aurivillius,1904)** (Eupterotidae) **Synonym(s):** *hologramma Aurivillius,1904* **Range (in code):** **ZA**
- 35150. Phiala incana (Distant,1897)** (Eupterotidae) **Synonym(s):** *incana Distant,1897; arrecta Distant,1899* **Range (in code):** **ZA Tva Gau Pre Mpu Ly**
- 35151. Phiala marshalli Aurivillius,1904** (Eupterotidae) **Synonym(s):** *marshalli Aurivillius,1904; reussi Strand,1911* **Range (in code):** **ZA**
- 35152. Phiala nigrolineata Aurivillius,1903** (Eupterotidae) **Synonym(s):** *nigrolineata Aurivillius,1903; chrysagyra Wichgraf,1914; rubrivena Hampson,1910* **Range (in code):** **ZA**
- 35153. Phiala niveociliata Strand,1911** (Eupterotidae) **Synonym(s):** *niveociliata Strand,1911*
Range (in code): **ZA**
- 35154. Phiala polita Distant,1897** (Eupterotidae) **Synonym(s):** *polita Distant,1897* **Range (in code):** **ZA Tva Mpu Brb**
- 35155. Phiala pretoriana Wichgraf,1908** (Eupterotidae) **Synonym(s):** *pretoriana Wichgraf,1908*
Range (in code): **ZA Tva Gau Pre**
- 35156. Phiala pseudatomaria Strand,1911** (Eupterotidae) **Synonym(s):** *sigyna Aurivillius,1893; pseudatomaria Strand,1911; sublimballis Strand,1911* **Range (in code):** **ZA**
- 35157. Phiala pulverea Distant,1903** (Eupterotidae) **Synonym(s):** *pulverea Distant,1903*
Range (in code): **ZA Tva Gau Pre**
- 35158. Phiala similis Aurivillius,1911** (Eupterotidae) **Synonym(s):** *similis Aurivillius,1911*
Range (in code): **ZA**
- 35159. Phiala simplex Aurivillius,1904** (Eupterotidae) **Synonym(s):** *simplex Aurivillius,1904*
Range (in code): **ZA**
- 35160. Phiala venusta (Walker,1865)** (Eupterotidae) **Synonym(s):** *venusta Walker,1865; angulata Gaede,1927* **Range (in code):** **ZA**
- 35161. Phiala wichgrafi Strand,1911** (Eupterotidae) **Synonym(s):** *wichgrafi Strand,1911*
Range (in code): **ZA**
- 35162. Phyllalia alboradiata Aurivillius,1911** (Eupterotidae) **Synonym(s):** *alboradiata Aurivillius,1911; acuta Strand,1911* **Range (in code):** **ZA**
- 35163. Phyllalia flavicostata Fawcett,1903** (Eupterotidae) **Synonym(s):** *flavicostata Fawcett,1903*
Range (in code): **ZA**
- 35164. Phyllalia patens (Boisduval,1847)** (Eupterotidae) **Synonym(s):** *patens Boisduval,1847; concolor Walker,1855* **Range (in code):** **ZA Tva Gau Jh Mpu Brb Nta Kzu Ec**
- 35165. Phyllalia thunbergii (Boisduval,1847)** (Eupterotidae) **Synonym(s):** *thunbergii Boisduval,1847; incerta Walker,1855.* **Range (in code):** **ZA**
- 35166. Phyllalia umbripennis Strand,1911** (Eupterotidae) **Synonym(s):** *umbripennis Strand,1911*
Range (in code): **ZA**

- 35167. *Phyllalia valida* (C.Felder & R.Felder,1874)** (Eupterotidae) **Synonym(s):** *valida* C.Felder & R.Felder,1874 **Range (in code):** **ZA**
- 35168. *Phyllalia ziczac* Strand,1911** (Eupterotidae) **Synonym(s):** *ziczac* Strand,1911 **Range (in code):** **ZA**
- 35169. *Poloma angulata* Walker,1855** (Eupterotidae) **Synonym(s):** *angulata* Walker,1855; *incompta* Walker,1865; *janula* C.Felder & R.Felder,1874 **Range (in code):** **ZA**
- 35170. *Poloma castanea* Aurivillius,1901** (Eupterotidae) **Synonym(s):** *castanea* Aurivillius,1901 **Range (in code):** **ZA Gau Jh Tva Nta Kzu**
- 35171. *Poloma nigromaculata* Aurivillius,1893** (Eupterotidae) **Synonym(s):** *nigromaculata* Aurivillius,1893; *nahor* Druce,1896 **Range (in code):** **ZA**
- 35172. *Preptos hidalgoensis* Beutelspacher,1983** (Eupterotidae) **Synonym(s):** *hidalgoensis* Beutelspacher,1983 **Range (in code):** **MX**
- 35173. *Preptos oropus* Schaus,1892** (Eupterotidae) **Synonym(s):** *oropus* Schaus,1892; *corax* Druce,1893 **Range (in code):** **MX Vcr**
- 35174. *Pseudoganisa currani* Schultze,1910** (Eupterotidae) **Synonym(s):** *currani* Schultze,1910; *gonioptera* West,1932 **Original Reference:** *Pseudoganisa currani* Schultze,1910, Philippine J. Sci. 5 (3): 162. Holotype ♂: Philippines: Mindanao, Zamboanga, leg.W.I.Hutchinson (dedicated to an other collector H.M.Curran). **Range (in code):** **PH Luz Mno Mdo Pan Neg Ceb Sam Boh Ley Jol**
- 35175. *Pseudojana clemensi* (Schultze,1910)** (Eupterotidae) **Synonym(s):** *clemensi* Schultze,1910 **Range (in code):** **PH Mno**
- 35176. *Pseudojana grandis* Rothschild,1917** (Eupterotidae) **Synonym(s):** *grandis* Rothschild,1917 **Original Reference:** *Pseudojana pallidipennis* ssp. *grandis* Rothschild,1917, Novit. zool. 24: 487. Syntypes: [Myanmar]: Shan States. **Range (in code):** **MM Shn**
- 35177. *Pseudojana incandescens* Walker,1855** (Eupterotidae) **Synonym(s):** *incandescens* Walker,1855 **Range (in code):** **IN**
- 35178. *Pseudojana obscura* Holloway,1987** (Eupterotidae) **Synonym(s):** *obscura* Holloway,1987 **Range (in code):** **MY Bor Swk**
- 35179. *Pseudojana pallidipennis* Hampson,1895** (Eupterotidae) **Synonym(s):** *pallidipennis* Hampson,1895 **Range (in code):** **MY Bor ID Sum Ja Nia**
- 35180. *Pseudojana perspicuifascia* Rothschild,1917** (Eupterotidae) **Synonym(s):** *perspicuifascia* Rothschild,1917 **Range (in code):** **MY Bor ID Sum Ja Nia**
- 35181. *Pseudojana perspicuifascia niassana* Rothschild,1917** (Eupterotidae) **Synonym(s):** *niassana* Rothschild,1917 **Range (in code):** **ID Nia**
- 35182. *Pseudojana roepkei* Nieuwenhuis,1948** (Eupterotidae) **Synonym(s):** *roepkei* Nieuwenhuis,1948 **Range (in code):** **ID**
- 35183. *Pseudojana vitalisi* Candeze,1927** (Eupterotidae) **Synonym(s):** *vitalisi* Candeze,1927 **Range (in code):** **VN**
- 35184. *Pterocerota virginea* Hampson,1905** (Eupterotidae) **Synonym(s):** *virginea* Hampson,1905 **Range (in code):** **ZA**
- 35185. *Rhabdosia patagiata* Hübner,[1820]** (Eupterotidae) **Synonym(s):** *patagiata* Hübner,[1820] **Range (in code):** **ZA**
- 35186. *Rhabdosia vaninia* (Stoll,[1781])** (Eupterotidae) **Synonym(s):** *vaninia* Stoll,[1781] **Range (in code):** **ZA**
- 35187. *Schistissa uniformis* Aurivillius,1901** (Eupterotidae) **Synonym(s):** *uniformis* Aurivillius,1901 **Range (in code):** **ZA**
- 35188. *Stenoglone decellei* Dall'Asta & Poncin,1980** (Eupterotidae) **Synonym(s):** *decellei* Dall'Asta & Poncin,1980 **Range (in code):** **ZA ZR**
- 35189. *Stenoglone decellei flava* Dall'Asta & Poncin,1980** (Eupterotidae) **Synonym(s):** *flava* Dall'Asta & Poncin,1980 **Range (in code):** **ZA**
- 35190. *Stenoglone hilaris* C.Felder & R.Felder,1874** (Eupterotidae) **Synonym(s):** *hilaris* C.Felder & R.Felder,1874; *bithynia* Druce,1887. **Range (in code):** **ZA**
- 35191. *Stenoglone livingstonensis* (Strand,1909)** (Eupterotidae) **Synonym(s):** *livingstonensis* Strand,1909 **Range (in code):** **ZA**
- 35192. *Stenoglone obtusa* (Walker,1855)** (Eupterotidae) **Synonym(s):** *obtusa* Walker,1855; *tristis* C.Felder & R.Felder,1874; *labda* Druce,1887; *subcrocea* Distant,1903; *evanescens* Distant,1903; *aequidistans* Strand,1912. **Range (in code):** **ZA Tva Gau Pre Mpu Ly**

- 35193. *Stenoglène pira* Druce, 1896** (Eupterotidae) Synonym(s): *pira* Druce, 1896 _ Range (in code): **ZA**
- 35194. *Stenoglène roseus* (Druce, 1886)** (Eupterotidae) Synonym(s): *roseus* Druce, 1886; *gregorii* Butler, 1894; *monteironis* Rothschild, 1917; *similis* Rothschild, 1917; *pulverulentus* Joicey & Talbot, 1924; *elgonae* Bethune-Baker, 1927. _ Range (in code): **ZA**
- 35195. *Striphnopteryx edulis* (Boisduval, 1847)** (Eupterotidae) Synonym(s): *edulis* Boisduval, 1847 _ Range (in code): **ZA Tva Mpu Brb Nta Kzu Dbn Ec**
- 35196. *Tissanga pretoriae* (Distant, 1892)** (Eupterotidae) Synonym(s): *pretoriae* Distant, 1892 _ Range (in code): **ZA Tva Gau Pre Nta Kzu**
- 35197. *Trichophiala devylderii* Aurivillius, 1879** (Eupterotidae) Synonym(s): *devylderii* Aurivillius, 1879 _ Range (in code): **ZA**
- 35198. *Urojana eborea* Gaede, 1915** (Eupterotidae) Synonym(s): *eborea* Gaede, 1915 _ Range (in code):
- 35199. *Vianga crowleyi* (Aurivillius, 1904)** (Eupterotidae) Synonym(s): *crowleyi* Aurivillius, 1904 _ Range (in code):
- 35200. *Vianga dimidiata* (Aurivillius, 1893)** (Eupterotidae) Synonym(s): *dimidiata* Aurivillius, 1893; *tenuis* Holland _ Range (in code):
- 35201. *Vianga magnifica* (Rothschild, 1917)** (Eupterotidae) Synonym(s): *magnifica* Rothschild, 1917 _ Original Reference: *Viana magnifica* Rothschild, 1917, Novit. zool. 24: 492. Type ♂: [Nigeria]: Lagos. _ Range (in code): **NG**
- 35202. *Vianga tristis* (Druce, 1896)** (Eupterotidae) Synonym(s): *tristis* Druce, 1896 _ Original Reference: *tristis* Druce, 1896, Ann. Mag. nat. Hist. (6) 17: 355. _ Range (in code):
- 35203. *Vianga velutina* (Walker, 1869)** (Eupterotidae) Synonym(s): *velutina* Walker, 1869 _ Range (in code):
- 35204. "*Gelechia*" *retractella* Walker, 1864** (Gelechiidae) Synonym(s): *retractella* Walker, 1864 _ Range (in code): **CN**
- 35205. "*Lita*" *trinella* Fuchs, 1903** [status incertae sedis (**Huemer, 1988: 518**)] (Gelechiidae) Synonym(s): *trinella* Fuchs, 1903 _ Range (in code): **AM Cc Eri**
- 35206. *Acanthophila alacella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *alacella* Zeller, 1839 _ Original Reference: *Gelechia alacella* Zeller, 1839, Isis Oken, Leipzig 1839: 199. Type(s): Europa. _ Range (in code): **PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG TR IR Gh Tgo Gls** _ Bionomy: Larva on Lichenes, Musci (Ponomarenko, 1997).
- 35207. *Acanthophila liui* (Li & Zheng, 1996)** (Gelechiidae) Synonym(s): *liui* Li & Zheng, 1996 _ Range (in code): **CN**
- 35208. *Acanthophila qinlingensis* (Li & Zheng, 1996)** (Gelechiidae) Synonym(s): *qinlingensis* Li & Zheng, 1996 _ Range (in code): **CN**
- 35209. *Acompsia* (*Telephila*) *schmidtellus* (Heyden, 1848)** (Gelechiidae) Synonym(s): *schmidtellus* Heyden, 1848; *durdhamella* Stainton, 1849; *quadrinella* Herrich-Schäffer, 1854 _ Range (in code): **ES FR Sa IT GB BE LU DE CH AT CZ SK DK RU MD UA BY**
- 35210. *Acompsia* (*Telephila*) *syriella* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *syriella* Huemer & Karsholt, 2002 _ Range (in code): **SY Dms**
- 35211. *Acompsia* (s.str.) *antirrhinella* (Millière, 1866)** (Gelechiidae) Synonym(s): *antirrhinella* Millière, 1866 _ Range (in code): **FR AD ES**
- 35212. *Acompsia* (s.str.) *bidzilyai* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *bidzilyai* Huemer & Karsholt, 2002 _ Range (in code): **RU**
- 35213. *Acompsia* (s.str.) *caucasella* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *caucasella* Huemer & Karsholt, 2002 _ Range (in code): **Cc RU Kb**
- 35214. *Acompsia* (s.str.) *cinerella* (Clerck, 1759)** (Gelechiidae) Synonym(s): *cinerella* Clerck, 1759; *murinella* Scopoli, 1763; *ardeliella* Hübner, [1817]; *cinerea* Haworth, 1828; *spodiella* Treitschke, 1833 _ Original Reference: [Phalena] *cinerella* Clerck, 1759, Icon. Insect. rariorum 1: pl. 11 fig. 6. Type(s): Europa. _ Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Us At MD UA BY Sb KG Cc AM Eri** _ Bionomy: Larva on Musci (Ponomarenko, 1997).
- 35215. *Acompsia* (s.str.) *dimorpha* Petry, 1904** (Gelechiidae) Synonym(s): *dimorpha* Petry, 1904 _ Range (in code): **ES FR Py**
- 35216. *Acompsia* (s.str.) *fibigeri* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *fibigeri* Huemer & Karsholt, 2002 _ Original Reference: *Acompsia* (s.str.) *fibigeri* Huemer &

- Karsholt, 2002, *Nota lepid.* 25 (2/3): 130, figs. Holotype ♂: Turkey, [Bayburt Prov.] "Gümüşhane Kop Pass 2400m 13-14.ix.1993, leg. M. Fibiger" (ZMUC). Range (in code): TR
- 35217. *Acompsia* (s.str.) *maculosella* (Stainton, 1851)** (Gelechiidae) Synonym(s): *maculosella* Stainton, 1851 Range (in code): IT CH AT SS DE
- 35218. *Acompsia* (s.str.) *minorella* (Rebel, 1899)** (Gelechiidae) Synonym(s): *minorella* Rebel, 1899 Range (in code): IT CH AT CZ FR SS
- 35219. *Acompsia* (s.str.) *muellerrutzi* Wehrli, 1925** (Gelechiidae) Synonym(s): *muellerrutzi* Wehrli, 1925 Range (in code): Co
- 35220. *Acompsia* (s.str.) *ponomarenkoae* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *ponomarenkoae* Huemer & Karsholt, 2002 Range (in code): GR AL
- 35221. *Acompsia* (s.str.) *pyrenaella* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *pyrenaella* Huemer & Karsholt, 2002 Range (in code): Py FR
- 35222. *Acompsia* (s.str.) *schepleri* Huemer & Karsholt, 2002** (Gelechiidae) Synonym(s): *schepleri* Huemer & Karsholt, 2002 Original Reference: *Acompsia* (s.str.) *schepleri* Huemer & Karsholt, 2002, *Nota lepid.* 25 (2/3): 129-130, figs. Holotype ♂: Turkey, Prov. Erzincan, Kızıldağ Geçidi 2100m 19 viii 1993, leg. Fritz Schepler (ZMUC). Range (in code): TR
- 35223. *Acompsia* (s.str.) *subpunctella* Svensson, 1966** (Gelechiidae) Synonym(s): *subpunctella* Svensson, 1966 Range (in code): SE FI EE LV RU Ur At PL
- 35224. *Acompsia* (s.str.) *tripunctella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *tripunctella* [Denis & Schiffermüller], 1775 Original Reference: *Tinea tripunctella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 319. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT CH AT PL CZ SK HU RO YU HV AL RU MD UA BY Cc Sb Bionomy: Larva on Plantago, *Antirrhinum majus* (Ponomarenko, 1997).
- 35225. *Acraeologa* *delotypa* Janse, 1963** (Gelechiidae) Synonym(s): *delotypa* Janse, 1963 Range (in code): ZA
- 35226. *Acraeologa* *xanthobasis* Janse, 1963** (Gelechiidae) Synonym(s): *xanthobasis* Janse, 1963 Range (in code): ZA
- 35227. *Acraeologa* *xerochroa* Meyrick, 1921** (Gelechiidae) Synonym(s): *xerochroa* Meyrick, 1921 Range (in code): ZA Tva Gau Pre
- 35228. *Acribologa* *cymotrocha* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *cymotrocha* Meyrick, 1913 Range (in code): ZA Tva Mpu Tst Brb
- 35229. *Acutitornus* *kalahariensis* Janse, 1957** (Gelechiidae) Synonym(s): *kalahariensis* Janse, 1957 Range (in code): ZA
- 35230. *Acutitornus* *leucostola* Janse, 1957** (Gelechiidae) Synonym(s): *leucostola* Janse, 1957 Range (in code): ZA
- 35231. *Acutitornus* *liebenbergi* Janse, 1963** (Gelechiidae) Synonym(s): *liebenbergi* Janse, 1963 Range (in code): ZA
- 35232. *Acutitornus* *munda* Janse, 1951** (Gelechiidae) Synonym(s): *munda* Janse, 1951 Range (in code): ZA Abc BW Klh
- 35233. *Acutitornus* *munroi* Janse, 1957** (Gelechiidae) Synonym(s): *munroi* Janse, 1957 Range (in code): ZA
- 35234. *Aeolotrocha* *delograptia* Janse, 1960** (Gelechiidae) Synonym(s): *delograptia* Janse, 1960 Range (in code): ZA
- 35235. *Aeolotrocha* *generosa* Meyrick, 1921** (Gelechiidae) Synonym(s): *generosa* Meyrick, 1921 Range (in code): ZA Nta Kzu Kkf
- 35236. *Aeolotrocha* *paroptila* Janse, 1960** (Gelechiidae) Synonym(s): *paroptila* Janse, 1960 Range (in code): ZA
- 35237. *Aeolotrocha* *phaeoptera* Janse, 1960** (Gelechiidae) Synonym(s): *phaeoptera* Janse, 1960 Range (in code): ZA
- 35238. *Agnippe* *haberlandi* (Amsel, 1961)** (Gelechiidae) Synonym(s): *haberlandi* Amsel, 1961 Original Reference: *Evippe haberlandi* Amsel, 1961, *Beitr. naturk. Forsch. SWDtl.* 20 (2): 99-102, Abb. 1-2. Holotype ♂: Afghanistan: Herat, 5.5.1956 (leg. & coll. Wiltshire). Range (in code): AF Blh Gbh Hr Blh IR Fa Shr Es Kh
- 35239. *Agnippe* *lunaki* (Rebel, 1941)** (Gelechiidae) Synonym(s): *lunaki* Rebel, 1941 Range (in code): MK GR
- 35240. *Agnippe* *penicillata* (Amsel, 1961)** (Gelechiidae) Synonym(s): *penicillata* Amsel, 1961 Original Reference: *Evippe penicillata* Amsel, 1961, *Beitr. naturk. Forsch. SWDtl.* 20 (2): 102-103,

- Abb.3. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch, 700-900m, vi. 1929 (coll. Osthelder).
Range (in code): TR
- 35241. Agnippe pseudolella (Christoph,1888)** (Gelechiidae) Synonym(s): *pseudolella Christoph,1888; cephalella Caradja,1920.* Range (in code): RU Ur KG TR
- 35242. Agonochaetia impunctella (Caradja,1920)** (Gelechiidae) Synonym(s): *impunctella Caradja,1920* Range (in code): RU Sb
- 35243. Agonochaetia intermedia Sattler,1968** (Gelechiidae) Synonym(s): *intermedia Sattler,1968* Range (in code): CH AT RU MD UA BY
- 35244. Agonochaetia quartana (Povolny,1990)** (Gelechiidae) Synonym(s): *quartana Povolny,1990* Range (in code): BG
- 35245. Agonochaetia terrestrella (Zeller,1872)** (Gelechiidae) Synonym(s): *terrestrella Zeller,1872* Range (in code): CH AL
- 35246. Albiflora minor Janse,1960** (Gelechiidae) Synonym(s): *minor Janse,1960* Range (in code): ZA
- 35247. Allophlebia hemizancla Janse,1960** (Gelechiidae) Synonym(s): *hemizancla Janse,1960* Range (in code): ZA
- 35248. Allotelphusa lathridia (Meyrick,1909)** (Gelechiidae) Synonym(s): *lathridia Meyrick,1909*
Original Reference: Telphusa lathridia Meyrick,1909, Ann. Transv. Mus. 2(1): 11, pl.iv figs.5,6.
Syntypes 1♂ 2♀: South Africa: Transvaal: Pretoria. Range (in code): ZA Tva Gau Pre
- 35249. Altenia elsneriella Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *elsneriella Huemer & Karsholt,1999* Range (in code): HV MK GR CY
- 35250. Altenia mersinella (Staudinger,1879)** (Gelechiidae) Synonym(s): *mersinella Staudinger,1879; melanostictella Ragonot,1895; sagittella Caradja,1920; praedicta Meyrick,1923; trilobopsis Meyrick,1927* Original Reference: Teleia mersinella Staudinger,1879, Horae Soc. ent. ross. 15: 313-314. Type [without abdomen]: [Türkei]: Mersin (coll. Lederer). Range (in code): CY LB SY TR
- 35251. Altenia modesta (Danilevsky,1955)** (Gelechiidae) Synonym(s): *modesta Danilevsky,1955*
Range (in code): DZ HV CY Cc AM TM KK Bionomy: Larva on Pistacia vera in Armenia (Danilevsky,1955).
- 35252. Altenia perspersella (Wocke,1862)** (Gelechiidae) Synonym(s): *perspersella Wocke,1862*
Range (in code): NO SE FI LV LT RU MD UA BY CA Mnt Yuk
- 35253. Altenia scriptella (Hübner,1796)** (Gelechiidae) Synonym(s): *scriptella Hübner,1796*
Range (in code): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE LV LT RU Ur Cc MD UA BY IR Kh Bionomy: Larva on Acer campestre, A. pseudoplatanus, A. platanoides (Aceraceae).
- 35254. Altenia wagneriella (Rebel,1926)** (Gelechiidae) Synonym(s): *wagneriella Rebel,1926; danilevskyi Piskunov,1973.* Original Reference: Gelechia wagneriella Rebel,1926, Verh. zool.- bot. Ges. Wien 74/75: (108). Lectotype ♂: [Croatia]: Dalmatia, "Gravosa", designated by Sattler,1982 (NHMW). Range (in code): HV MK GR TR IR TJ TM
- 35255. Amblyphylla lophozancla Janse,1960** (Gelechiidae) Synonym(s): *lophozancla Janse,1960*
Range (in code): ZA
- 35256. Anacampsis blattariella (Hübner,1796)** (Gelechiidae) Synonym(s): *blattariella Hübner,1796* Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb Ur Us MN MD UA BY
- 35257. Anacampsis cosmia Meyrick,1921** (Gelechiidae) Synonym(s): *cosmia Meyrick,1921*
Range (in code): ZA Nta Kzu Dbn
- 35258. Anacampsis embrocha Meyrick,1914** (Gelechiidae) Synonym(s): *embrocha Meyrick,1914*
Range (in code): ZA Nta Kzu Nha
- 35259. Anacampsis fuscella (Eversmann,1844)** (Gelechiidae) Synonym(s): *fuscella Eversmann,1844* Range (in code): SE FI RU MD UA BY
- 35260. Anacampsis hirsutella (Constant,1885)** (Gelechiidae) Synonym(s): *hirsutella Constant,1885* Range (in code): FR IT CH AT
- 35261. Anacampsis malella Amsel,1959** (Gelechiidae) Synonym(s): *malella Amsel,1959*
Range (in code): IQ Bgd Bionomy: Larva on Pyrus malus (Amsel,1959; Wiltshire,1962).
- 35262. Anacampsis obscurella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *obscurella [Denis & Schiffermüller],1775; subsequella Hübner,1796.* Original Reference: Tinea obscurella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT BE DE AT CZ SK HU RO YU AL BG GR TR Cc IR Gls RU Ur MD UA BY

- 35263. *Anacampsis panormitella* (Caradja,1920)** (Gelechiidae) Synonym(s): *panormitella* Caradja,1920 Original Reference: Tachyptilia panormitella Caradja,1920, Dt. ent. Z., Iris 34: 106. Syntypes 2 ex: [Türkei]: "Brussa" [Bursa]. Range (in code): **TR**
- 35264. *Anacampsis populella* (Clerck,1759)** (Gelechiidae) Synonym(s): *populella* Clerck,1759; *tremella* Denis & Schiffermüller,1775; *populi* Haworth,1828; *Stephens*,1834; *tremulella* Duponchel,[1839] Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR GlS DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus tremula (Salicaceae) (Schütze,1931).
- 35265. *Anacampsis scintillella* (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *scintillella* Fischer v. Röslerstamm,1841; *brunneella* Herrich-Schäffer,1854; *contuberniella* Staudinger,1859 Range (in code): **PT ES FR Sa Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR SE LT RU MD UA BY**
- 35266. *Anacampsis temerella* (Lienig & Zeller,1846)** (Gelechiidae) Synonym(s): *temerella* Lienig & Zeller,1846; *pernigrella* Douglas,1850 Range (in code): **FR IT IE GB NL DE AT PL CZ SK BG DK NO SE FI EE LV LT RU MD UA BY**
- 35267. *Anacampsis timidella* (Wocke,1887)** (Gelechiidae) Synonym(s): *timidella* Wocke,1887; *quercella* Chrétien,1907; *disquei* Mees,1907; *suberiella* Caradja,1920. Range (in code): **ES FR Sa IT DE CH AT CZ SK HU YU AL GR TR RU Ur Sb MD UA BY Cc**
- 35268. *Anacampsis trifoliella* (Constant,1890)** (Gelechiidae) Synonym(s): *trifoliella* Constant,1890 Range (in code): **FR CH**
- 35269. *Anapatetris crystallista* (Meyrick,1911)** (Gelechiidae) Synonym(s): *crystallista* Meyrick,1911 Range (in code): **ZA Tva Gau Pre**
- 35270. *Anarsia* (*Ananarsia*) *acaciae* Walsingham,1896** (Gelechiidae) Synonym(s): *acaciae* Walsingham,1896 Range (in code): **DZ TN EG JO Zq YE Ad** Bionomy: Larva on Acacia edgworthii, A. farnesiana (Fabaceae) (Walsingham,1896; Amsel,1967).
- 35271. *Anarsia* (*Ananarsia*) *acerata* Meyrick,1913** (Gelechiidae) Synonym(s): *acerata* Meyrick,1913 Range (in code): **IN VN**
- 35272. *Anarsia* (*Ananarsia*) *acrotoma* Meyrick,1913** (Gelechiidae) Synonym(s): *acrotoma* Meyrick,1913 Range (in code): **IN**
- 35273. *Anarsia* (*Ananarsia*) *aleurodes* Meyrick,1922** (Gelechiidae) Synonym(s): *aleurodes* Meyrick,1922 Original Reference: *Anarsia aleurodes* Meyrick,1922, Exot. Microlepid. 2: 502. Type: Iraq: Baghdad (BMNH). Range (in code): **TR IQ Bgd**
- 35274. *Anarsia* (*Ananarsia*) *arachniota* Meyrick,1925** (Gelechiidae) Synonym(s): *arachniota* Meyrick,1925 Range (in code): **EG EG31 JO**
- 35275. *Anarsia* (*Ananarsia*) *aspera* Park,1995** (Gelechiidae) Synonym(s): *aspera* Park,1995 Range (in code): **TW**
- 35276. *Anarsia* (*Ananarsia*) *belutschistanella* (Amsel,1959)** (Gelechiidae) Synonym(s): *belutschistanella* Amsel,1959 Range (in code): **IR Ss Irs Ke Ana**
- 35277. *Anarsia* (*Ananarsia*) *bipinnata* (Meyrick,1932)** (Gelechiidae) Synonym(s): *bipinnata* Meyrick,1932 Range (in code): **RU Us KR JP** Bionomy: Larva on Elaeagnus umbellata, Ageratum houstonianum, ?Acer ginnala, ?Quercus (Fagaceae) (Ponomarenko,1997).
- 35278. *Anarsia* (*Ananarsia*) *didymopa* Meyrick,1916** (Gelechiidae) Synonym(s): *didymopa* Meyrick,1916 Range (in code): **IN TH**
- 35279. *Anarsia* (*Ananarsia*) *eleagnella* Kuznetsov,1957** (Gelechiidae) Synonym(s): *eleagnella* Kuznetsov,1957 Range (in code): **RO RU At UA Cc GG KG TM AF** Bionomy: Larva on Hippophae (Pishkunov,1981) and Eleagnus, damaging mature fruits and young branches (Ponomarenko,1989).
- 35280. *Anarsia* (*Ananarsia*) *elongata* Park,1995** (Gelechiidae) Synonym(s): *elongata* Park,1995 Range (in code): **TW TH**
- 35281. *Anarsia* (*Ananarsia*) *euphorodes* Meyrick,1922** (Gelechiidae) Synonym(s): *euphorodes* Meyrick,1922 Range (in code): **CN TW**
- 35282. *Anarsia* (*Ananarsia*) *gajiensis* (Park & Ponomarenko,1996)** (Gelechiidae) Synonym(s): *gajiensis* Park & Ponomarenko,1996 Range (in code): **KR**
- 35283. *Anarsia* (*Ananarsia*) *idioptila* Meyrick,1916** (Gelechiidae) Synonym(s): *idioptila* Meyrick,1916 Range (in code): **IN**
- 35284. *Anarsia* (*Ananarsia*) *isogona* Meyrick,1913** (Gelechiidae) Synonym(s): *isogona* Meyrick,1913 Range (in code): **JP CN Yu TW IN** Bionomy: Larva on Schima (Ponomarenko,1997).
- 35285. *Anarsia* (*Ananarsia*) *lineatella* Zeller,1839** (Gelechiidae) Synonym(s): *lineatella* Zeller,1839; *heratella* Amsel,1967; *tauricella* Amsel,1967. Original Reference: *Anarsia lineatella*

- Zeller, 1839, Isis 1839: 190. Type(s): Europa. Range (in code): MA DZ Bsk LY TN EG PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB SY Dms DK SE FI LV LT RU MD UA BY Cc AM KG TM TJ UZ IQ IR Gls PK AF Hr IN Ch US CA AU Bionomy: Larva on Prunus, Persica, Armeniaca, Cerasus, Malus, Amygdalus (Rosaceae) (Beljaev & Ponomarenko, 2005).
- 35286. Anarsia (Ananarsia) patulella (Walker, 1864)** (Gelechiidae) Synonym(s): patulella Walker, 1864 Range (in code): CN TW IN LK TH AU QAU Bionomy: Larva on Prunus salicina (Rosaceae); Nephelium (Ponomarenko, 1997).
- 35287. Anarsia (Ananarsia) pensilis Meyrick, 1913** (Gelechiidae) Synonym(s): pensilis Meyrick, 1913 Range (in code): LK
- 35288. Anarsia (Ananarsia) phortica Meyrick, 1913** (Gelechiidae) Synonym(s): phortica Meyrick, 1913 Range (in code): TH NP IN LK MY Bor Swk ID Clb
- 35289. Anarsia (Ananarsia) protensa Park, 1995** (Gelechiidae) Synonym(s): protensa Park, 1995 Range (in code): JP TW
- 35290. Anarsia (Ananarsia) reciproca Meyrick, 1920** (Gelechiidae) Synonym(s): reciproca Meyrick, 1920 Range (in code): IN
- 35291. Anarsia (Ananarsia) retamella Chrétien, 1915** (Gelechiidae) Synonym(s): retamella Chrétien, 1915 Original Reference: Anarsia retamella Chrétien, 1915, Annls Soc. ent. Fr. 84: 331-332. Syntypes: [Tunisia]: Gafsa, en mai et juin". Range (in code): TN Gf Bionomy: Larva on Retama retam [Fabaceae] (Chrétien, 1915).
- 35292. Anarsia (Ananarsia) sagittaria Meyrick, 1914** (Gelechiidae) Synonym(s): sagittaria Meyrick, 1914 Range (in code): IN
- 35293. Anarsia (Ananarsia) sagmatica Meyrick, 1916** (Gelechiidae) Synonym(s): sagmatica Meyrick, 1916 Range (in code): IN
- 35294. Anarsia (Ananarsia) stylota Meyrick, 1913** (Gelechiidae) Synonym(s): stylota Meyrick, 1913 Range (in code): LK
- 35295. Anarsia (Ananarsia) tortuosella Amsel, 1967** (Gelechiidae) Synonym(s): tortuosella Amsel, 1967 Range (in code): PK AF
- 35296. Anarsia (Ananarsia) triaenota Meyrick, 1913** (Gelechiidae) Synonym(s): triaenota Meyrick, 1913 Range (in code): IN MM
- 35297. Anarsia (Ananarsia) tricornis Meyrick, 1913** (Gelechiidae) Synonym(s): tricornis Meyrick, 1913 Range (in code): LK TH
- 35298. Anarsia (Ananarsia) triglypta Meyrick, 1933** (Gelechiidae) Synonym(s): triglypta Meyrick, 1933 Range (in code): IN Bionomy: Larva on Acacia catechu (Fabaceae) (Ponomarenko, 1997).
- 35299. Anarsia (s.str.) agricola Walsingham, 1891** (Gelechiidae) Synonym(s): agricola Walsingham, 1891 Range (in code): GM ZA Tva Nta Kzu Dmm Nha Umk Ema Kkf Mpu Brb Tst Wv Hei Gau Pre Wo Mag Hfo Swm Abc MZ ZW KE
- 35300. Anarsia (s.str.) albibasella Janse, 1963** (Gelechiidae) Synonym(s): albibasella Janse, 1963 Range (in code): ZA
- 35301. Anarsia (s.str.) altercata Meyrick, 1918** (Gelechiidae) Synonym(s): altercata Meyrick, 1918 Range (in code): IN
- 35302. Anarsia (s.str.) amalleuta Meyrick, 1913** (Gelechiidae) Synonym(s): amalleuta Meyrick, 1913 Range (in code): ZA Tva Mpu Tst Ptb Nkw Uma ZW
- 35303. Anarsia (s.str.) amergarta Meyrick, 1933** (Gelechiidae) Synonym(s): amergarta Meyrick, 1933 Range (in code): ID Ja
- 35304. Anarsia (s.str.) antisaris (Meyrick, 1913)** (Gelechiidae) Synonym(s): antisaris Meyrick, 1913 Range (in code): ZA Tva Mpu Brb
- 35305. Anarsia (s.str.) austerodes (Meyrick, 1918)** (Gelechiidae) Synonym(s): austerodes Meyrick, 1918 Range (in code): ZA BW Klh Tva Gau Pre Mhk NA Abc
- 35306. Anarsia (s.str.) balioneura Meyrick, 1921** (Gelechiidae) Synonym(s): balioneura Meyrick, 1921 Range (in code): ZW Uma
- 35307. Anarsia (s.str.) bilbainella (Rössler, 1877)** (Gelechiidae) Synonym(s): bilbainella Rössler, 1877 Range (in code): ES FR
- 35308. Anarsia (s.str.) bimaculata Ponomarenko, 1989** (Gelechiidae) Synonym(s): bimaculata Ponomarenko, 1989 Range (in code): RU Us KR JP Hkk
- 35309. Anarsia (s.str.) burmanni Amsel, 1958** (Gelechiidae) Synonym(s): burmanni Amsel, 1958; ovilella Réal, 1994; bizensis Réal, 1994; infundibulella Réal, 1994 Range (in code): FR

- 35310. *Anarsia* (s.str.) *callicosma* Janse,1960** (Gelechiidae) **Synonym(s):** *callicosma* Janse,1960
Range (in code): **ZA**
- 35311. *Anarsia* (s.str.) *carbonaria* Meyrick,1913** (Gelechiidae) **Synonym(s):** *carbonaria* Meyrick,1913
Range (in code): **ZA Mpu Brb Wv Ver Nha Kkf Hei Uma Jh Gau Pre Tva Lpo Tz Buf**
- 35312. *Anarsia* (s.str.) *chiangmaiensis* Park & Ponomarenko,1996** (Gelechiidae)
Synonym(s): *chiangmaiensis* Park & Ponomarenko,1996
Range (in code): **TH CMa Dst**
- 35313. *Anarsia* (s.str.) *choana* Park,1995** (Gelechiidae) **Synonym(s):** *choana* Park,1995
Range (in code): **TW**
- 35314. *Anarsia* (s.str.) *citromitra* Meyrick,1921** (Gelechiidae) **Synonym(s):** *citromitra* Meyrick,1921
Range (in code): **MZ Mag**
- 35315. *Anarsia* (s.str.) *conica* Park & Ponomarenko,1996** (Gelechiidae) **Synonym(s):** *conica* Park & Ponomarenko,1996
Range (in code): **TH CMa Dst**
- 35316. *Anarsia* (s.str.) *eburnella* (Christoph,1887)** (Gelechiidae) **Synonym(s):** *eburnella* Christoph,1887
Range (in code): **TM Kp IR AF**
- 35317. *Anarsia* (s.str.) *ephippias* Meyrick,1908** (Gelechiidae) **Synonym(s):** *ephippias* Meyrick,1908
Range (in code): **IN**
Bionomy: Larva on *Arachis hypogaea* (Ponomarenko,1997).
- 35318. *Anarsia* (s.str.) *epotias* Meyrick,1916** (Gelechiidae) **Synonym(s):** *epotias* Meyrick,1916
Range (in code): **IN**
- 35319. *Anarsia* (s.str.) *eriozona* (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *eriozona* Meyrick,1921
Range (in code): **MZ Blv Mag**
- 35320. *Anarsia* (s.str.) *eutacta* Meyrick,1921** (Gelechiidae) **Synonym(s):** *eutacta* Meyrick,1921
Range (in code): **ID Ja**
- 35321. *Anarsia* (s.str.) *geminella* Amsel,1967** (Gelechiidae) **Synonym(s):** *geminella* Amsel,1967
Range (in code): **AF**
- 35322. *Anarsia* (s.str.) *gravata* Meyrick,1911** (Gelechiidae) **Synonym(s):** *gravata* Meyrick,1911; *ambitiosa* Meyrick,1913; *#gravata* Janse,1954
Original Reference: *Anarsia gravata* Meyrick,1911, Ann. Transv. Mus. 3(1): 68. Type ♂: [South Africa]: Woodbush Village (Swierstra) (TMP).
Range (in code): **ZA Mpu Brb Wv Kkf Gau Pre Wo Don Tva Lpo**
- 35323. *Anarsia* (s.str.) *halimodendri* (Christoph,1877)** (Gelechiidae) **Synonym(s):** *halimodendri* Christoph,1877
Range (in code): **TM IR AF**
Bionomy: Larva on *Halimodendron eichvaldii* (Ponomarenko,1989).
- 35324. *Anarsia* (s.str.) *inculta* Walsingham,1891** (Gelechiidae) **Synonym(s):** *inculta* Walsingham,1891
Range (in code): **GM ZA Xn**
- 35325. *Anarsia* (s.str.) *inserta* Ueda,1997** (Gelechiidae) **Synonym(s):** *inserta* Ueda,1997
Range (in code): **JP**
- 35326. *Anarsia* (s.str.) *lewvanichae* Park & Ponomarenko,1996** (Gelechiidae) **Synonym(s):** *lewvanichae* Park & Ponomarenko,1996
Range (in code): **TH Kao**
- 35327. *Anarsia* (s.str.) *libanoticella* Amsel,1967** (Gelechiidae) **Synonym(s):** *libanoticella* Amsel,1967
Range (in code): **LB Bsa**
- 35328. *Anarsia* (s.str.) *longipalpella* Rebel,1907** (Gelechiidae) **Synonym(s):** *longipalpella* Rebel,1907
Range (in code): **YE**
- 35329. *Anarsia* (s.str.) *luticostella* Chrétien,1915** (Gelechiidae) **Synonym(s):** *luticostella* Chrétien,1915
Original Reference: *Anarsia luticostella* Chrétien,1915, Annl's Soc. ent. Fr. 84: 332-333. Type: [Algérie]: "Biskra, en avril".
Range (in code): **DZ Bsk**
- 35330. *Anarsia* (s.str.) *meiosis* Park & Ponomarenko,1996** (Gelechiidae) **Synonym(s):** *meiosis* Park & Ponomarenko,1996
Range (in code): **TH Tng**
- 35331. *Anarsia* (s.str.) *melanchropa* Meyrick,1926** (Gelechiidae) **Synonym(s):** *melanchropa* Meyrick,1926
Range (in code): **IN**
- 35332. *Anarsia* (s.str.) *melanoptecta* Meyrick,1914** (Gelechiidae) **Synonym(s):** *melanoptecta* Meyrick,1914
Range (in code): **IN**
- 35333. *Anarsia* (s.str.) *mitescens* Meyrick,1913** (Gelechiidae) **Synonym(s):** *mitescens* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 35334. *Anarsia* (s.str.) *nigricana* Park,1991** (Gelechiidae) **Synonym(s):** *nigricana* Park,1991
Range (in code): **KR**
- 35335. *Anarsia* (s.str.) *nigrimacula* Janse,1949** (Gelechiidae) **Synonym(s):** *nigrimacula* Janse,1949
Range (in code): **ZA Umk Nta Kzu**

- 35336. *Anarsia* (s.str.) *nimbosa* Meyrick, 1913** (Gelechiidae) Synonym(s): *nimbosa* Meyrick, 1913
Range (in code): **ZA Tva Gau Pre Mpu Tst Wv ZW Bul**
- 35337. *Anarsia* (s.str.) *nuristanella* Amsel, 1967** (Gelechiidae) Synonym(s): *nuristanella* Amsel, 1967
Range (in code): **AF**
- 35338. *Anarsia* (s.str.) *omoptila* Meyrick, 1918** (Gelechiidae) Synonym(s): *omoptila* Meyrick, 1918
Range (in code): **IN** Bionomy: Larva on *Cajanus indicus* (Ponomarenko, 1997).
- 35339. *Anarsia* (s.str.) *ovula* Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *ovula* Park & Ponomarenko, 1996
Range (in code): **TH CMa CDo**
- 35340. *Anarsia* (s.str.) *paraisogona* Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *paraisogona* Park & Ponomarenko, 1996
Range (in code): **TH Nan**
- 35341. *Anarsia* (s.str.) *permissa* Meyrick, 1926** (Gelechiidae) Synonym(s): *permissa* Meyrick, 1926
Range (in code): **ZA Ec Wth**
- 35342. *Anarsia* (s.str.) *pinnata* Meyrick, 1931** (Gelechiidae) Synonym(s): *pinnata* Meyrick, 1931
Range (in code): **CM**
- 35343. *Anarsia* (s.str.) *procera* Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *procera* Park & Ponomarenko, 1996
Range (in code): **TH CMa Dst**
- 35344. *Anarsia* (s.str.) *pustulata* Janse, 1949** (Gelechiidae) Synonym(s): *pustulata* Janse, 1949
Range (in code): **ZA Abc**
- 35345. *Anarsia* (s.str.) *robertsonella* (Curtis, 1837)** (Gelechiidae) Synonym(s): *robertsonella* Curtis, 1837
Range (in code): **FR**
- 35346. *Anarsia* (s.str.) *robertsonella* *dejoannisi* Réal, 1994** (Gelechiidae) Synonym(s): *dejoannisi* Réal, 1994
Range (in code): **FR**
- 35347. *Anarsia* (s.str.) *sciograptia* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *sciograptia* Meyrick, 1921
Range (in code): **ZA Tva Gau Pre Nyl**
- 35348. *Anarsia* (s.str.) *sciotona* Meyrick, 1927** (Gelechiidae) Synonym(s): *sciotona* Meyrick, 1927
Range (in code): **ZA Nta Kzu Elo**
- 35349. *Anarsia* (s.str.) *semnopa* Meyrick, 1921** (Gelechiidae) Synonym(s): *semnopa* Meyrick, 1921
Range (in code): **MZ ZA Uma Mag Xn Nta Kzu Dbn ZW Bul**
- 35350. *Anarsia* (s.str.) *sibirica* Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *sibirica* Park & Ponomarenko, 1996
Range (in code): **RU Ur Sb**
- 35351. *Anarsia* (s.str.) *spartiella* (Schränk, 1802)** (Gelechiidae) Synonym(s): *spartiella* Schränk, 1802; *genistae* Stainton, 1854; *ragonotella* Réal, 1994; *krausei* Réal, 1994; *lhommeella* Réal, 1994; *acutiloba* Réal, 1994; *pseudospartiella* Réal, 1994; *ungemachi* Réal, 1994
Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR LB Bsa Bmm DK SE RU Ur Sb Cc MD UA BY MN KG Uk** Bionomy: Larva on *Sarothamnus scoparius*, *Genista tinctoria*, *Loembotropis nigricans*, *Ulex* (Fabaceae) (Ponomarenko, 1989).
- 35352. *Anarsia* (s.str.) *spatulatana* Park & Ponomarenko, 1996** (Gelechiidae) Synonym(s): *spatulatana* Park & Ponomarenko, 1996
Range (in code): **TH CMa Dst**
- 35353. *Anarsia* (s.str.) *spicata* Meyrick, 1918** (Gelechiidae) Synonym(s): *spicata* Meyrick, 1918
Range (in code): **ZA Tva Gau Pre MZ Mag**
- 35354. *Anarsia* (s.str.) *sthenarota* Meyrick, 1926** (Gelechiidae) Synonym(s): *sthenarota* Meyrick, 1926
Range (in code): **MY Bor Swk**
- 35355. *Anarsia* (s.str.) *subfulvescens* Meyrick, 1918** (Gelechiidae) Synonym(s): *subfulvescens* Meyrick, 1918
Range (in code): **ZA Umk Nta Kzu**
- 35356. *Anarsia* (s.str.) *tortuosa* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *tortuosa* Meyrick, 1913
Range (in code): **JP LK**
- 35357. *Anarsia* (s.str.) *vectaria* Meyrick, 1918** (Gelechiidae) Synonym(s): *vectaria* Meyrick, 1918
Range (in code): **MZ ZA Xn Mag Nta Kzu Srn**
- 35358. *Anarsia* (s.str.) *veruta* Meyrick, 1918** (Gelechiidae) Synonym(s): *veruta* Meyrick, 1918
Range (in code): **IN** Bionomy: Larva on *Inga dulcis* (Ponomarenko, 1997).
- 35359. *Anasphaltis* *renigerellus* (Zeller, 1839)** (Gelechiidae) Synonym(s): *renigerellus* Zeller, 1839
Range (in code): **FR IT DE CH AT CZ SK HU RO RU MD UA BY**
- 35360. *Anastomopteryx* *angulata* Janse, 1951** (Gelechiidae) Synonym(s): *angulata* Janse, 1951
Range (in code): **ZA Tva Gau Pre NA Abc**
- 35361. *Andusia* *alternella* Walker, 1866** (Gelechiidae) Synonym(s): *alternella* Walker, 1866
Range (in code): **ID Ja**
- 35362. *Angustiphylla* *hylotropia* Janse, 1960** (Gelechiidae) Synonym(s): *hylotropia* Janse, 1960
Range (in code): **ZA**

- 35363. *Anomologa demens* Meyrick,1926** (Gelechiidae) Synonym(s): *demens* Meyrick,1926
Range (in code): **ZA**
- 35364. *Anomologa dispulsa* Meyrick,1926** (Gelechiidae) Synonym(s): *dispulsa* Meyrick,1926
Range (in code): **ZA**
- 35365. *Antoniejanse griseoptera* (Janse,1958)** (Gelechiidae) Synonym(s): *griseoptera* Janse,1958
Range (in code): **ZA**
- 35366. *Antoniejanse reducta* (Janse,1958)** (Gelechiidae) Synonym(s): *reducta* Janse,1958
Range (in code): **ZA NA Abc**
- 35367. *Apatetris agenjoi* Gozmany,1954** (Gelechiidae) Synonym(s): *agenjoi* Gozmany,1954
Range (in code): **ES Mu**
- 35368. *Apatetris altithermella* (Walsingham,1903)** (Gelechiidae) Synonym(s): *altithermella* Walsingham,1903
Range (in code): **ES FR AT HU**
- 35369. *Apatetris caecivaga* Meyrick,1928** (Gelechiidae) Synonym(s): *caecivaga* Meyrick,1928
Range (in code): **PK Pj Mln**
- 35370. *Apatetris echiochilonella* (Chrétien,1908)** (Gelechiidae) Synonym(s): *echiochilonella* Chrétien,1908
Range (in code): **DZ Bsk TN Gf**
- 35371. *Apatetris halimilignella* (Walsingham,1904)** (Gelechiidae) Synonym(s): *halimilignella* Walsingham,1904; *acutella* Chrétien,1908
Original Reference: Proactica halimilignella Walsingham,1904, Entomologist's mon. Mag. 40: 269. Syntypes: 35♂♀: Algeria, Biskra, Hammam-es-Salahin. Range (in code): **DZ Bsk Hes** Bionomy: Larva on Atriplex halimus (Walsingham,1904).
- 35372. *Apatetris kinkerella* (Snellen,1876)** (Gelechiidae) Synonym(s): *kinkerella* Snellen,1876
Range (in code): **FR NL DE PL DK SE LV LT** Bionomy: Larva on Ammophila arenaria (Poaceae) (Elsner, Huemer & Tokar,1999).
- 35373. *Apatetris mirabella* Staudinger,1880** (Gelechiidae) Synonym(s): *mirabella* Staudinger,1880
Original Reference: Apatetris mirabella Staudinger,1880, Horae Soc. ent. ross. 15: 317-318. Type ♂: [Türkei]: Amasia (Tokatdere, Tschalan degirmeni). Range (in code): **TR**
- 35374. *Apatetris tamaricola* (Walsingham,1911)** (Gelechiidae) Synonym(s): *tamaricola* Walsingham,1911
Range (in code): **DZ Bsk Hes**
- 35375. *Aphnogenes zonaea* Meyrick,1921** (Gelechiidae) Synonym(s): *zonaea* Meyrick,1921
Range (in code): **ZW Uma**
- 35376. *Apodia bifractella* (Duponchel,1843)** (Gelechiidae) Synonym(s): *bifractella* Duponchel,[1843]
Range (in code): **DZ PT ES FR Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR SE FI EE LV Cc RU Ur Mo Or Gub MD UA BY** Bionomy: Larva on Inula conyzia, I.hirta, I.salicina, Pulicaria dysenterica (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 35377. *Apodia martinii* Petry,1911** (Gelechiidae) Synonym(s): *martinii* Petry,1911
Range (in code): **DE AT**
- 35378. *Aponoea obtusipalpis* Walsingham,1905** (Gelechiidae) Synonym(s): *obtusipalpis* Walsingham,1905; *cinerellus* Turati,1930
Range (in code): **ES DZ Bsk Hes TN Gf LY Cy** Bionomy: Larva on Limoniastrum guyonianum (Walsingham,1905).
- 35379. *Aponoea pruinosa* Chrétien,1915** (Gelechiidae) Synonym(s): *pruinosa* Chrétien,1915
Original Reference: Aponoea pruinosa Chrétien,1915, Annls Soc. ent. Fr. 84: 330-331. Syntypes: Tunisia, Gafsa. Range (in code): **TN Gf** Bionomy: Larva on Statice pruinosa [Limonium, Plumbaginaceae] (Chrétien,1915).
- 35380. *Apotactis drimylota* Meyrick,1918** (Gelechiidae) Synonym(s): *drimylota* Meyrick,1918
Range (in code): **MZ Blv Mag**
- 35381. *Apotistatus leucostictus* Walsingham,1904** (Gelechiidae) Synonym(s): *leucostictus* Walsingham,1904
Original Reference: Apotistatus leucostictus Walsingham,1904, Entomologist's mon. Mag. 40: 271-272. Syntypes 43♂♀: Algeria, Biskra, Hammam-es-Salahin. Range (in code): **DZ Bsk Hes TN Gf** Bionomy: Larva on Limoniastrum guyonianum (Walsingham,1904).
- 35382. *Approaerema africanella* (Janse,1951)** (Gelechiidae) Synonym(s): *africanella* Janse,1951
Range (in code): **ZA Nta Kzu Kkf**
- 35383. *Approaerema anthyllidella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *anthyllidella* Hübner,[1813]; *caliginosella* Duponchel,1843; *psoralella* Millière,1865; *sparsiciliella* Barrett,1891; *alfalfella* Amsel,1958; *aureliana* Capuse,1964
Range (in code): **DZ Bsk PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz Gls Kh DK NO SE FI EE LV LT RU MD UA**

- BY ZA Nta Kzu Kkf Wca Cto Tva Gau Pre** Bionomy: Larva on *Melilotus indica* [Fabaceae] (Chrétien,1917).
- 35384. Aproaerema modicella (Deventer,1904)** (Gelechiidae) Synonym(s): *modicella* Deventer,1904 Range (in code): **TH MY IN LK ID Ja** Bionomy: Larva mines leaves on *Arachis hypogaea*, *Glycine max* (soya bean) (Fabaceae) (Robinson et al.,1994).
- 35385. Araeophalla barbertonensis Janse,1960** (Gelechiidae) Synonym(s): *barbertonensis* Janse,1960 Range (in code): **ZA Tva Mpu Brb**
- 35386. Araeophylla spiladias (Meyrick,1921)** (Gelechiidae) Synonym(s): *spiladias* Meyrick,1921 Range (in code): **MZ Mag**
- 35387. Araeovalva albiflora (Meyrick,1920)** (Gelechiidae) Synonym(s): *albiflora* Meyrick,1920 Range (in code): **ZA**
- 35388. Aregha abhaustella Chrétien,1915** (Gelechiidae) Synonym(s): *abhaustella* Chrétien,1915 Original Reference: *Aregha abhaustella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 334. Type: [Algérie]: "Biskra, en octobre". Range (in code): **DZ Bsk**
- 35389. Argolamprotes micella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *micella* [Denis & Schiffermüller],1775; *asterella* Treitschke,1833 Original Reference: *Tinea micella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 140. Type(s): [Austria]: Vienna district. Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY JP** Bionomy: Larva on *Rubus caesius*, *R. idaeus* (Rosaceae) (Elsner, Huemer & Tokar,1999).
- 35390. Argophara epaxia Janse,1963** (Gelechiidae) Synonym(s): *epaxia* Janse,1963 Range (in code): **ZA**
- 35391. Aristotelia adceanotha Kiefer,1935** (Gelechiidae) Synonym(s): *adceanotha* Kiefer,1935 Range (in code): **US Cf**
- 35392. Aristotelia adenostomae Kiefer,1933** (Gelechiidae) Synonym(s): *adenostomae* Kiefer,1933 Range (in code): **US Cf**
- 35393. Aristotelia amelanchierella Braun,1925** (Gelechiidae) Synonym(s): *amelanchierella* Braun,1925 Range (in code): **US Ut**
- 35394. Aristotelia aphiltra Meyrick,1917** (Gelechiidae) Synonym(s): *aphiltra* Meyrick,1917 Range (in code):
- 35395. Aristotelia aquosa Meyrick,1925** (Gelechiidae) Synonym(s): *suffusella* Chambers,1872 *nec* Dougl.; *aquosa* Meyrick,1925 Range (in code): **US Knt**
- 35396. Aristotelia argentifera Busck,1903** (Gelechiidae) Synonym(s): *argentifera* Busck,1903 Range (in code): **US Cf**
- 35397. Aristotelia argyractis Meyrick,1923** (Gelechiidae) Synonym(s): *argyractis* Meyrick,1923 Range (in code): **BR**
- 35398. Aristotelia articulata Meyrick,1918** (Gelechiidae) Synonym(s): *articulata* Meyrick,1918 Range (in code): **TH IN NP** Bionomy: Larva on *Ammannia* (Lythraceae) (Robinson et al.,1994).
- 35399. Aristotelia avanica Piskunov & Emelyanov,1982** (Gelechiidae) Synonym(s): *avanica* Piskunov & Emelyanov,1982 Original Reference: *Aristotelia avanica* Piskunov & Emelyanov,1982, *Dokl. Akad. Nauk Arm.* 74: 142. Range (in code): **Cc AM** Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae) (Piskunov & Emelyanov,1982).
- 35400. Aristotelia balanocentra Meyrick,1914** (Gelechiidae) Synonym(s): *balanocentra* Meyrick,1914 Range (in code): **ZA Nta Kzu Nha**
- 35401. Aristotelia baltica A.Sulcs & I.Sulcs,1983** (Gelechiidae) Synonym(s): *baltica* A.Sulcs & I.Sulcs,1983 Range (in code): **LT EE RU Us Ur TR**
- 35402. Aristotelia bifasciella Busck,1903** (Gelechiidae) Synonym(s): *bifasciella* Busck,1903 Range (in code): **US Arz**
- 35403. Aristotelia brizella (Treitschke,1833)** (Gelechiidae) Synonym(s): *brizella* Treitschke,1833 Range (in code): **PT ES FR IT GB BE NL DE AT PL CZ SK GR DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on *Armeria maritima*, *A. plantaginella*, *A. vulgaris* (Plumbaginaceae) (Elsner, Huemer & Tokar,1999).
- 35404. Aristotelia calastomella (Christoph,1872)** (Gelechiidae) Synonym(s): *calastomella* Christoph,1872 Range (in code): **RU Ao Ur UA Cm CY HU**
- 35405. Aristotelia calculatrix Meyrick,1923** (Gelechiidae) Synonym(s): *calculatrix* Meyrick,1923 Range (in code): **BR**

- 35406. *Aristotelia calens* Meyrick, 1923** (Gelechiidae) Synonym(s): *calens* Meyrick, 1923
Range (in code): **US Cf**
- 35407. *Aristotelia callirhoda* Meyrick, 1923** (Gelechiidae) Synonym(s): *callirhoda* Meyrick, 1923
Range (in code): **US NCa SCa**
- 35408. *Aristotelia callyntrophora* Rebel, 1899** (Gelechiidae) Synonym(s): *callyntrophora* Rebel, 1899
Range (in code): **YE Ad**
- 35409. *Aristotelia chlorographa* Meyrick, 1914** (Gelechiidae) Synonym(s): *chlorographa* Meyrick, 1914
Range (in code): **ZA Tva Gau Pre MZ Mag**
- 35410. *Aristotelia coeruleopictella* (Caradja, 1920)** (Gelechiidae) Synonym(s): *coeruleopictella* Caradja, 1920
Range (in code): **LV LT RU MD UA BY**
- 35411. *Aristotelia comis* Meyrick, 1913** (Gelechiidae) Synonym(s): *comis* Meyrick, 1913
Range (in code): **ZA Mpu Tst Gau Pre Spb Wp Srn Esw Nta Kzu Tva Lpo**
- 35412. *Aristotelia cupreella* Zerny, 1934** (Gelechiidae) Synonym(s): *cupreella* Zerny, 1934
Range (in code): **TR**
- 35413. *Aristotelia decoratella* (Staudinger, 1880)** (Gelechiidae) Synonym(s): *decoratella* Staudinger, 1880
Original Reference: Ergatis decoratella Staudinger, 1880, Horae Soc. ent. ross. 15: 320-321. Syntypes: [Türkei]: Bursa; Sicilia, Lissa. Range (in code): **PT FR Co Sa Si IT CH BG TR RU MD UA BY KG Uk**
- 35414. *Aristotelia decurtella* (Hübner, [1813])** (Gelechiidae) Synonym(s): *decurtella* Hübner, [1813]; *turbatella* Treitschke, 1835; *amoenella* Joannis, 1891
Range (in code): **ES FR IT BE DE CH AT CZ SK HU YU AL BG GR TR IR**
Bionomy: Larva on Rosa pimpinellifolia, Sanguisorba officinalis (Rosaceae), Eryngium campestre (Apiaceae) (Elsner, Huemer & Tokar, 1999).
- 35415. *Aristotelia diversa* Janse, 1950** (Gelechiidae) Synonym(s): *diversa* Janse, 1950
Range (in code): **ZA Abc**
- 35416. *Aristotelia dryonota* Meyrick, 1926** (Gelechiidae) Synonym(s): *dryonota* Meyrick, 1926
Range (in code): **ZA**
- 35417. *Aristotelia ericinella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *ericinella* Zeller, 1839
Range (in code): **PT ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU GR DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on Calluna vulgaris, Erica herbacea (Ericaceae), Empetrum nigrum (Empetraceae) (Elsner, Huemer & Tokar, 1999).
- 35418. *Aristotelia euprepella* Zerny, 1934** (Gelechiidae) Synonym(s): *euprepella* Zerny, 1934
Original Reference: *Aristotelia euprepella* Zerny, 1934, Dt. ent. Z., Iris 48: 20. Syntypes: Libanon: Bscharre; [Türkei]: Marasch (NMHW). Range (in code): **TR LB Bsa IQ Hjo Er**
- 35419. *Aristotelia fervidella* Mann, 1864** (Gelechiidae) Synonym(s): *fervidella* Mann, 1864; *#feroidella* Staudinger, 1880.
Range (in code): **TR**
- 35420. *Aristotelia flavicapitella* (Chrétien, 1915)** (Gelechiidae) Synonym(s): *flavicapitella* Chrétien, 1915
Original Reference: *Xystophora flavicapitella* Chrétien, 1915, Annls Soc. ent. Fr. 84: 323. Type: Algérie, Biskra. Range (in code): **DZ Bsk**
- 35421. *Aristotelia frankeniae* Walsingham, 1898** (Gelechiidae) Synonym(s): *frankeniae* Walsingham, 1898
Range (in code): **DZ Bsk ES Co**
Bionomy: Larva on Frankenia pallida (Walsingham, 1898).
- 35422. *Aristotelia galeotis* Meyrick, 1908** (Gelechiidae) Synonym(s): *galeotis* Meyrick, 1908
Range (in code): **TH ZA IN LK ID Ja BN Bor Sbh MY PG**
Bionomy: Larva on Glochidion, Mallotus (Euphorbiaceae) (Robinson et al., 1994).
- 35423. *Aristotelia heliacella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *heliacella* Herrich-Schäffer, 1854
Range (in code): **FR IT CH AT YU NO SE FI**
Bionomy: Larva on Dryas octopetala (Rosaceae) (Elsner, Huemer & Tokar, 1999).
- 35424. *Aristotelia jactatrix* Meyrick, 1926** (Gelechiidae) Synonym(s): *jactatrix* Meyrick, 1926
Original Reference: *Aristotelia jactatrix* Meyrick, 1926, Exot. Microlepid. 3: 272. Type ♂: [Turkey]: "Asia Minor: Marasch" (leg. Caradja). Range (in code): **TR**
- 35425. *Aristotelia leonhardi* Krone, 1907** (Gelechiidae) Synonym(s): *leonhardi* Krone, 1907
Range (in code): **AT**
- 35426. *Aristotelia mirabilis* (Christoph, 1888)** (Gelechiidae) Synonym(s): *mirabilis* Christoph, 1888
Range (in code): **PT ES UA Cm RU Ur Sr**
- 35427. *Aristotelia mirandella* (Chrétien, 1908)** (Gelechiidae) Synonym(s): *mirandella* Chrétien, 1908
Original Reference: *Anacampsis mirandella* Chrétien, 1908, Bull. Soc. ent. Fr. 1908: 166. Type: Algérie, Biskra. Range (in code): **DZ Bsk**

- 35428. *Aristotelia montarcella* Schmidt,1941** (Gelechiidae) Synonym(s): *montarcella* Schmidt,1941 Range (in code): **ES**
- 35429. *Aristotelia osthelderi* Rebel,1935** (Gelechiidae) Synonym(s): *osthelderi* Rebel,1935 Original Reference: *Aristotelia osthelderi* Rebel,1935, Mitt. münch. ent. Ges. 25: 40. Type ♂: [Türkei]: [Konya]: Akşehir, 1200m, 15.ix.1934. Range (in code): **TR**
- 35430. *Aristotelia ouedella* (Chrétien,1908)** (Gelechiidae) Synonym(s): *ouedella* Chrétien,1908; *vallicola* Meyrick,1925 Original Reference: *Apodia ouedella* Chrétien,1908, Bull. Soc. ent. Fr. 1908: 141-142. Syntypes: Algérie, Biskra. Range (in code): **DZ Bsk**
- 35431. *Aristotelia pancaliella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *pancaliella* Staudinger,1871 Range (in code): **RU MD UA BY TR**
- 35432. *Aristotelia parvula* (Staudinger,1879)** (Gelechiidae) Synonym(s): *parvula* Staudinger,1879 Original Reference: *Doryphora parvula* Staudinger,1879, Horae Soc. ent. ross. 15: 323-324. Type ♀: [Türkei]: Amasia (Kerasdere). Range (in code): **TR**
- 35433. *Aristotelia ptilastis* Meyrick,1909** (Gelechiidae) Synonym(s): *ptilastis* Meyrick,1909 Range (in code): **ZA**
- 35434. *Aristotelia punctatella* (Staudinger,1879)** (Gelechiidae) Synonym(s): *punctatella* Staudinger,1879 Original Reference: *Doryphora punctatella* Staudinger,1879, Horae Soc. ent. ross. 15: 321-322. Type ♂: [Türkei]: Amasia (Kerasdere). Range (in code): **TR**
- 35435. *Aristotelia retusella* Rebel,1891** (Gelechiidae) Synonym(s): *retusella* Rebel,1891 Range (in code): **TR**
- 35436. *Aristotelia servella* Zeller,1839** (Gelechiidae) Synonym(s): *servella* Zeller,1839 Range (in code): **TR**
- 35437. *Aristotelia staticella* Millière,1876** (Gelechiidae) Synonym(s): *staticella* Millière,1876 Range (in code): **DZ Bsk PT FR Sa** Bionomy: Larva on *Statice delicatula* (Chrétien,1917).
- 35438. *Aristotelia striatopunctella* Rebel,1891** (Gelechiidae) Synonym(s): *striatopunctella* Rebel,1891 Range (in code): **TR**
- 35439. *Aristotelia subdecurtella* (Stainton,1859)** (Gelechiidae) Synonym(s): *subdecurtella* Stainton,1859 Range (in code): **FR Si IT GB NL DE AT PL RO AL BG DK SE FI LV LT RU Us MD UA BY** Bionomy: Larva on *Lythrum salicaria* (Lythraceae), *Stachys palustris* (Lamiaceae), *Veronica anagallis-aquatica* (Scrophulariaceae) (Elsner, Huemer & Tokar,1999).
- 35440. *Aristotelia subericinella* (Duponchel,1843)** (Gelechiidae) Synonym(s): *subericinella* Duponchel,1843; *prohaskaella* Rebel,1907 Range (in code): **DZ Cst ES FR Co Sa IT CH AT CZ SK HU RO YU BG GR TR KG Uk MN RU Ur Sb Cc** Bionomy: Larva on *Genista germanica*, *G. pilosa*, *Medicago falcata*, *M. sativa* (Fabaceae) (Chrétien,1917; Elsner, Huemer & Tokar,1999).
- 35441. *Aristotelia swierstrai* Janse,1950** (Gelechiidae) Synonym(s): *swierstrai* Janse,1950; *#swierstrae* Janse,1950 Range (in code): **MZ Blv**
- 35442. *Aristotelia trematias* Meyrick,1913** (Gelechiidae) Synonym(s): *trematias* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb Tst Lds Nta Kzu**
- 35443. *Aristotelia unifasciella* Rebel,1929** (Gelechiidae) Synonym(s): *unifasciella* Rebel,1929 Range (in code): **TR**
- 35444. *Aroga aristotelis* (Millière,1876)** (Gelechiidae) Synonym(s): *aristotelis* Millière,1876; *astragali* Staudinger,1879; *fulminella* Millière,1882; *lacertella* Walsingham,1904; *#aplasticella* Rebel,1913; *hyrcanella* Toll,1948. Original Reference: *Gelechia aristotelis* Millière,1876, Cat. Léop. Alpes-Maritimes (3): 324, 414, pl.1 fig.1,2. Type: France, Alpes-Maritimes. Range (in code): **DZ Bsk Ktr TN Gf ES FR Si IT RO BG GR TR GG Cc IR Elb Mz Plr Kdv Kh IQ Ry RU Ur MN** Bionomy: Larva on *Acanthyllis armata*, *Astragalus echinus*, *A.monspessulanus* (Fabaceae) (Millière,1876; Staudinger,1879; Walsingham,1904; Huemer & Karsholt,1999).
- 35445. *Aroga atraphaxi* Bidzilya,2009** (Gelechiidae) Synonym(s): *atraphaxi* Bidzilya,2009 Original Reference: *Aroga atraphaxi* Bidzilya,2009, Shilap Revta lepid. 37 (147): 301. Holotype: Tadzhikistan, Kondara 1100m. Range (in code): **TJ** Bionomy: Larva on *Atraphaxis pyrifolia* (Polygonaceae) (Bidzilya,2009).
- 35446. *Aroga balcanicola* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *balcanicola* Huemer & Karsholt,1999 Original Reference: *Aroga balcanicola* Huemer & Karsholt,1999, Microlep. Eur. 5: 160. Holotype: Macedonia occ., Drenovo bei Kavadar. Range (in code): **MK GR IR Fa Shr**
- 35447. *Aroga flavicomella* (Zeller,1839)** (Gelechiidae) Synonym(s): *flavicomella* Zeller,1839; *aureodorsella* Bruand,1859 Original Reference: *Gelechia flavicomella* Zeller,1839, Isis Leipzig:

198. Range (in code): ES FR Si IT DE CH AT PL CZ SK HU RO YU BG RU Ur Sb KR KG MN CN TR
Bionomy: Larva on *Prunus spinosa*, *P. domestica*, *P. cerasus* (Rosaceae) (Piskunov,1990).
- 35448. *Aroga hulthemella* Kuznetsov,1960** (Gelechiidae) Synonym(s): hulthemella
Kuznetsov,1960 Range (in code): TM Kp
- 35449. *Aroga kurdistan* Derra,2011** (Gelechiidae) Synonym(s): kurdistan Derra,2011; #kurdistan
Derra,2011 Original Reference: *Aroga kurdistan* Derra,2011, *Esperiana* 16: 207-212. Holotype
♀: Türkiye, Hakkari Prov., 12km W Hakkari 12.ix.1985 leg. G.Derra (ZSM). Range (in code): TR
- 35450. *Aroga pascuicola* (Staudinger,1871)** (Gelechiidae) Synonym(s): pascuicola
Staudinger,1871; eremella Chrétien,1915 Original Reference: *Gelechia pascuicola* Staudinger,1871,
Berl. ent. Z. 14 (3/4): 301-302. Type: Spain, Sn. Ildefonso. Range (in code): PT ES Co Sa TN Gf TR
- 35451. *Aroga temporariella* Sattler,1960** (Gelechiidae) Synonym(s): temporariella Sattler,1960
Range (in code): FR
- 35452. *Aroga velocella* (Duponchel,1838)** (Gelechiidae) Synonym(s): velocella Duponchel,1838;
affiniella Zetterstedt,[1839]; tessarella Zetterstedt,[1839]; brunnea Schöyen,1882; aterrimella Rebel,1889; peperistis
Meyrick,1926; rupicolella Müller-Rutz,1934 Range (in code): ES FR Sa IT GB BE NL DE CH AT PL CZ
SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb Cc MD UA BY Bionomy: Larva on
Rumex acetosella (Polygonaceae) (Bradford & Sokoloff,1988).
- 35453. *Asapharcha crateropa* Meyrick,1930** (Gelechiidae) Synonym(s): crateropa Meyrick,1930
Range (in code): ZA
- 35454. *Asapharcha strigifera* Meyrick,1920** (Gelechiidae) Synonym(s): strigifera Meyrick,1920
Range (in code): ZA
- 35455. *Aspades armatovalva* (Janse,1963)** (Gelechiidae) Synonym(s): armatovalva Janse,1963
Range (in code): ZA
- 35456. *Aspades hutchinsonella* (Walsingham,1891)** (Gelechiidae) Synonym(s): hutchinsonella
Walsingham,1891 Range (in code): ZA
- 35457. *Athrips adumbratella* (Snellen,1884)** (Gelechiidae) Synonym(s): adumbratella
Snellen,1884 Range (in code): RU Am KR
- 35458. *Athrips amoenella* (Frey,1882)** (Gelechiidae) Synonym(s): amoenella Frey,1882;
#allgunnensis Svensson,1993 Range (in code): ES IT Co CH SE FI TR GR KK KG UA Cm RU Ur
- 35459. *Athrips asarinella* (Chrétien,1930)** (Gelechiidae) Synonym(s): asarinella Chrétien,1930
Range (in code): FR
- 35460. *Athrips autumnella* Falkovitsh & Bidzilya,2003** (Gelechiidae) Synonym(s):
autumnella Falkovitsh & Bidzilya,2003 Range (in code): TM Kp UZ TJ
- 35461. *Athrips bidilatata* Li & Zheng,1998** (Gelechiidae) Synonym(s): bidilatata Li & Zheng,1998
Range (in code): CN Gn
- 35462. *Athrips carinata* (Meyrick,1911)** (Gelechiidae) Synonym(s): carinata Meyrick,1911; emerita
Meyrick,1921 Range (in code): ZA Tva Mdt Gau Pre
- 35463. *Athrips carthaginella* (D.Lucas,1940)** (Gelechiidae) Synonym(s): carthaginella
D.Lucas,1940 Range (in code): TN
- 35464. *Athrips eugenii* Bidzilya,2005** (Gelechiidae) Synonym(s): eugenii Bidzilya,2005
Range (in code): KK UZ
- 35465. *Athrips extincta* (Meyrick,1911)** (Gelechiidae) Synonym(s): extincta Meyrick,1911;
#extincta Janse,1950 Range (in code): ZA Tva Gau Pre Mpu Wv
- 35466. *Athrips fagoniae* (Walsingham,1904)** (Gelechiidae) Synonym(s): fagoniae
Walsingham,1904; cervinella Turati,1934; rosinansella Lucas,1942 Original Reference: *Leobatus*
fagoniae Walsingham,1904, *Entomologist's mon. Mag.* 40: 221. Syntypes 12♂♀: Algeria, Biskra,
Hammam-es-Salahin. Range (in code): Cn TN Gf DZ Bsk Hes LY Bionomy: Larva on *Fagonia*
glutinosa, *F.sinaica* (Walsingham,1904).
- 35467. *Athrips falkovitshi* Piskunov,1990** (Gelechiidae) Synonym(s): falkovitshi Piskunov,1990
Range (in code): UZ TM
- 35468. *Athrips gansuensis* Bidzilya & Li,2009** (Gelechiidae) Synonym(s): gansuensis Bidzilya &
Li,2009 Range (in code): CN Gn
- 35469. *Athrips gerasimovi* Piskunov,1982** (Gelechiidae) Synonym(s): gerasimovi Piskunov,1982
Range (in code): MN
- 35470. *Athrips gussakovskii* (Gerasimov,1930)** (Gelechiidae) Synonym(s): gussakovskii
Gerasimov,1930; gobica Emelyanov & Piskunov,1982 Range (in code): MN UZ CN IMn

- 35471. *Athrips huangshana* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *huangshana* Bidzilya & Li, 2009 _ Range (in code): **CN**
- 35472. *Athrips kerzhneri* Piskunov, 1990** (Gelechiidae) Synonym(s): *kerzhneri* Piskunov, 1990
Range (in code): **MN RU Tv CN IMn**
- 35473. *Athrips kostjuki* Bidzilya, 2005** (Gelechiidae) Synonym(s): *kostjuki* Bidzilya, 2005
Range (in code): **RU Tv**
- 35474. *Athrips lacunosa* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *lacunosa* Meyrick, 1918
Range (in code): **ZA Tva Gau Pre Nkw**
- 35475. *Athrips maculata* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *maculata* Bidzilya & Li, 2009 _ Range (in code): **KG Aa CN Gn**
- 35476. *Athrips medjella* (Chrétien, 1900)** (Gelechiidae) Synonym(s): *medjella* Chrétien, 1900
Range (in code): **FR**
- 35477. *Athrips mongolorum* Piskunov, 1980** (Gelechiidae) Synonym(s): *mongolorum* Piskunov, 1980; *crassivalva* Li & Zheng, 1998 _ Range (in code): **CN IMn Ts Ui MN UZ TM KG Tk**
Bionomy: Larva on *Nitraria schoberi* (Nitrariaceae) (Falkovitch & Bidzilya, 2003).
- 35478. *Athrips montana* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *montana* Bidzilya & Li, 2009 _ Range (in code): **CN Gn**
- 35479. *Athrips mouffetella* (Linnaeus, 1758)** (Gelechiidae) Synonym(s): *mouffetella* Linnaeus, 1758; *pedisequella* [Denis & Schifferrmüller], 1775; *punctifera* Haworth, 1828 Original Reference: *Phalaena mouffetella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 540. Syntypes: [Sweden]. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Ur MD UA BY**
- 35480. *Athrips neimongolica* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *neimongolica* Bidzilya & Li, 2009 _ Range (in code): **CN IMn**
- 35481. *Athrips nigricostella* (Duponchel, 1842)** (Gelechiidae) Synonym(s): *nigricostella* Duponchel, 1842 _ Range (in code): **FR IT DE CH AT PL CZ SK HU RO GR TR UA Cm KG KK RU Ur**
Bionomy: Larva on *Medicago sativa*, *M. minima*, *Caragana* (Fabaceae) (Schütze, 1931; et seq.).
- 35482. *Athrips nigristriata* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *nigristriata* Bidzilya & Li, 2009 _ Range (in code): **CN**
- 35483. *Athrips nigrogrisea* (Kolmakova, 1958)** (Gelechiidae) Synonym(s): *nigrogrisea* Kolmakova, 1958 _ Range (in code): **RU**
- 35484. *Athrips nitrariella* (Chrétien, 1908)** (Gelechiidae) Synonym(s): *nitrariella* Chrétien, 1908
Original Reference: *Epithectis nitrariella* Chrétien, 1908, Bull. Soc. ent. Fr. 1908: 56. Syntypes: Algérie, Biskra. Range (in code): **DZ Bsk** Bionomy: Larva on *Nitraria tridentata* (Nitrariaceae) (Chrétien, 1908).
- 35485. *Athrips ochrocosma* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *ochrocosma* Meyrick, 1911; *#ochrocoma* Meyrick, 1921 _ Range (in code): **ZA Mdt Gau Pre Abc Hfo Wnn Nta Kzu Tva Lpo Blu ZW**
- 35486. *Athrips patockai* (Povolny, 1979)** (Gelechiidae) Synonym(s): *patockai* Povolny, 1979
Range (in code): **SK RO RU UA SS CN Mc**
- 35487. *Athrips peteri* Bidzilya, 2005** (Gelechiidae) Synonym(s): *peteri* Bidzilya, 2005 _ Range (in code): **KG Tk CN IMn**
- 35488. *Athrips polymaculella* Park, 1991** (Gelechiidae) Synonym(s): *polymaculella* Park, 1991
Range (in code): **RU Ur KR CN**
- 35489. *Athrips profusa* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *profusa* Meyrick, 1921
Range (in code): **ZW Hfo**
- 35490. *Athrips pruinosa* (Lienig & Zeller, 1846)** (Gelechiidae) Synonym(s): *pruinosa* Lienig & Zeller, 1846 _ Range (in code): **FR BE NL DE CH AT PL CZ RO DK NO SE FI EE LV LT RU MD UA BY Ur At Or Tv Am Us CA US**
- 35491. *Athrips ptychophora* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *ptychophora* Meyrick, 1914 _ Range (in code): **ZA Cto Wca Kaa Tva**
- 35492. *Athrips rancidella* (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *rancidella* Herrich-Schäffer, [1854]; *triatomaea* Mühlig, 1864; *vepretella* Zeller, 1870; *superfetella* Peyerimhoff, 1877; *cotoneastri* Busck, 1934; *cerasivorella* Kuznetsov, 1960. _ Range (in code): **ES FR Co IT GB DE CH AT PL CZ SK HU RO YU GR TR IL RU MD UA BY SY Dms IR Kh Gls TM TJ**
- 35493. *Athrips rancidella tadzhika* Bidzilya, 2005** (Gelechiidae) Synonym(s): *tadzhika* Bidzilya, 2005 _ Range (in code): **TJ**
- 35494. *Athrips ravida* Bidzilya & Li, 2009** (Gelechiidae) Synonym(s): *ravida* Bidzilya & Li, 2009
Range (in code): **CN**

- 35495. *Athrips rutjani* Bidzilya, 2005** (Gelechiidae) Synonym(s): *rutjani* Bidzilya, 2005 _ Range (in code): **KK Ik**
- 35496. *Athrips septempunctata* Li & Zheng, 1998** (Gelechiidae) Synonym(s): *septempunctata* Li & Zheng, 1998 _ Range (in code): **CN Gn**
- 35497. *Athrips sibirica* Bidzilya, 2005** (Gelechiidae) Synonym(s): *sibirica* Bidzilya, 2005
Range (in code): **RU Sb At Tv MN CN**
- 35498. *Athrips spiraeae* (Staudinger, 1871)** (Gelechiidae) Synonym(s): *spiraeae* Staudinger, 1871
Range (in code): **SK RU Sr KG**
- 35499. *Athrips stepposa* Bidzilya, 2005** (Gelechiidae) Synonym(s): *stepposa* Bidzilya, 2005
Range (in code): **UA RU Ur Or Tv KG KK**
- 35500. *Athrips syncopaula* (Meyrick, 1937)** (Gelechiidae) Synonym(s): *syncopaula* Meyrick, 1937
Range (in code): **ZA**
- 35501. *Athrips tcharyna* Bidzilya, 2005** (Gelechiidae) Synonym(s): *tcharyna* Bidzilya, 2005
Range (in code): **KG Tk**
- 35502. *Athrips tetrapunctella* (Thunberg, 1794)** (Gelechiidae) Synonym(s): *tetrapunctella* Thunberg, 1794; *lathyri* Stainton, 1865; *lathyrella* Doubleday, 1866 _ Range (in code): **FR GB DK NO SE FI EE LV RU**
- 35503. *Athrips thymifoliella* (Constant, 1893)** (Gelechiidae) Synonym(s): *thymifoliella* Constant, 1893; *glaucella* Chrétien, 1915 _ Original Reference: Lita thymifoliella Constant, 1893, *Annls Soc. ent. Fr.* 62: 394. Type: France: "l'Estérel". Range (in code): **ES FR TN Gf**
- 35504. *Athrips tigrina* (Christoph, 1877)** (Gelechiidae) Synonym(s): *tigrina* Christoph, 1877; *agnathos* Li & Zheng, 1998 _ Original Reference: Teleia tigrina Christoph, 1877, *Horae Soc. ent. ross.* 12: 296, pl. 8 fig. 68. Lectotype ♀: Turkmenistan: Krasnowodsk (BMNH), designated by Sattler (1978). Range (in code): **TM Krn UZ MN CN IMn Ui**
- 35505. *Athrips tsaidamica* Emelyanov & Piskunov, 1982** (Gelechiidae) Synonym(s): *tsaidamica* Emelyanov & Piskunov, 1982 _ Range (in code): **CN Ts IMn**
- 35506. *Atremaea lonchoptera* Staudinger, 1871** (Gelechiidae) Synonym(s): *lonchoptera* Staudinger, 1871 _ Range (in code): **FR IT NL DE AT PL SK HU RO BG TR RU Ur Sb** Bionomy: Larva on Typha (Typhaceae) (Elsner, Huemer & Tokar, 1999).
- 35507. *Aulidiotis phoxopterella* (Snellen, 1903)** (Gelechiidae) Synonym(s): *phoxopterella* Snellen, 1903 _ Range (in code): **ID Ja**
- 35508. *Aulidiotis phoxopterella* Snellen, 1903** (Gelechiidae) Synonym(s): *phoxopterella* Snellen, 1903 _ Range (in code): **TH IN MM MY BN Bor ID Ja**
- 35509. *Autodectis atelarga* Meyrick, 1937** (Gelechiidae) Synonym(s): *atelarga* Meyrick, 1937
Range (in code): **ZA**
- 35510. *Bagdadia claviformis* (Park, 1993)** (Gelechiidae) Synonym(s): *claviformis* Park, 1993
KP RU Us JP CN Gn Hn Ahw She Hnn
- 35511. *Bagdadia eucalla* (Li & Zheng, 1998)** (Gelechiidae) Synonym(s): *eucalla* Li & Zheng, 1998
Range (in code): **KR CN**
- 35512. *Bagdadia irakella* Amsel, 1949** (Gelechiidae) Synonym(s): *irakella* Amsel, 1949 _ Original Reference: Bagdadia irakella Amsel, 1949, *Bull. Soc. Fouad I Ent.* 33: 322, figs. Syntypes 2♂ 1♀: Iraq: Bagdad, Kerbela desert. Range (in code): **IQ Kbl**
- 35513. *Bagdadia khaoensis* (Park & Ponomarenko, 1999)** (Gelechiidae) Synonym(s): *khaoensis* Park & Ponomarenko, 1999 _ **CN Hn TH Chi**
- 35514. *Bagdadia salicicola* (Park, 1995)** (Gelechiidae) Synonym(s): *salicicola* Park, 1995 _ **CN Hn TW JP**
- 35515. *Bagdadia tricornis* M. Yang & Li, 2015** (Gelechiidae) Synonym(s): *tricornis* M. Yang & Li, 2015 _ **CN Hn**
- 35516. *Belovalva nigripuncta* Janse, 1963** (Gelechiidae) Synonym(s): *nigripuncta* Janse, 1963
Range (in code): **ZA**
- 35517. *Bilobata argosticha* (Janse, 1954)** (Gelechiidae) Synonym(s): *argosticha* Janse, 1954
Range (in code): **ZA Abc**
- 35518. *Bilobata subsecivella* (Zeller, 1852)** (Gelechiidae) Synonym(s): *subsecivella* Zeller, 1852; *modicella* Van Deventer, 1904 _ Range (in code): **ZA Tva Mpu Brb Ec Ron**
- 35519. *Bilobata torninotella* (Janse, 1954)** (Gelechiidae) Synonym(s): *torninotella* Janse, 1954
Range (in code): **ZA Pel Nta Kzu**
- 35520. *Blastovalva anisochroa* Janse, 1960** (Gelechiidae) Synonym(s): *anisochroa* Janse, 1960
Range (in code): **ZA**

- 35521. *Blastovalva haplotypa* Janse,1960** (Gelechiidae) Synonym(s): *haplotypa* Janse,1960
Range (in code): **ZA**
- 35522. *Blastovalva paltobola* (Meyrick,1921)** (Gelechiidae) Synonym(s): *paltobola* Meyrick,1921
Range (in code): **ZA Tva Gau Pre**
- 35523. *Brachmia apricata* Meyrick,1913** (Gelechiidae) Synonym(s): *apricata* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Wv**
- 35524. *Brachmia blandella* (Fabricius,1798)** (Gelechiidae) Synonym(s): *blandella* Fabricius,1798; *gerronella* Zeller,1850 _ Range (in code): **PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Mz DK NO SE FI LV LT RU Ur Cc MD UA BY**
- 35525. *Brachmia convolvuli* Walsingham,1907** (Gelechiidae) Synonym(s): *convolvuli* Walsingham,1907; *crapsilychna* Meyrick,1914; *effera* Meyrick,1918; *dryadopa* Meyrick,1918; *#crapsilychna* Janse,1954 _ Range (in code): **Cn ZA Nta Kzu Umk Dbn Pel MG ZW Vf YE**
- 35526. *Brachmia craticula* Meyrick,1921** (Gelechiidae) Synonym(s): *craticula* Meyrick,1921
Range (in code): **ZA Xn MZ Mag**
- 35527. *Brachmia dimidiella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *dimidiella* [Denis & Schiffermüller],1775; *costiguttella* Lienig & Zeller,1846; *kneri* Nowicki,1865 _ **Original Reference:** *Tinea dimidiella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 141. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 35528. *Brachmia fiscinata* Meyrick,1918** (Gelechiidae) Synonym(s): *fiscinata* Meyrick,1918; *#fiscinata* Janse,1954 _ Range (in code): **ZA Nta KZu Nkw**
- 35529. *Brachmia fuscogramma* Janse,1960** (Gelechiidae) Synonym(s): *fuscogramma* Janse,1960
Range (in code): **ZA**
- 35530. *Brachmia graphicodes* Meyrick,1914** (Gelechiidae) Synonym(s): *graphicodes* Meyrick,1914 _ Range (in code): **ZA Tva Nta Kzu Srn Nha Kkf Umk Esw Mpu ZA14 Imp**
- 35531. *Brachmia hemiopa* Meyrick,1921** (Gelechiidae) Synonym(s): *nesidias* Meyrick,1911; *hemiopa* Meyrick,1921 _ Range (in code): **ZA ZW Swm Uma Spb Wp Nyl Pot Tva Lpo Umk Mdp Nta Kzu**
- 35532. *Brachmia inornatella* (Douglas,1850)** (Gelechiidae) Synonym(s): *inornatella* Douglas,1850 _ Range (in code): **FR GB BE NL DE AT PL CZ SK HU RO DK SE FI EE LV RU MD UA BY**
- 35533. *Brachmia malacogramma* Meyrick,1909** (Gelechiidae) Synonym(s): *malacogramma* Meyrick,1909 _ Range (in code): **ZA Tva Gau Pre Buf Mhk ZW Har Nta Kzu Nha Umk Pnz Ec**
- 35534. *Brachmia musicopa* Meyrick,1908** (Gelechiidae) Synonym(s): *musicopa* Meyrick,1908
Range (in code): **ZA Gau Pre Wv Tva Bf**
- 35535. *Brachmia neurograpta* Meyrick,1921** (Gelechiidae) Synonym(s): *neurograpta* Meyrick,1921 _ Range (in code): **ZW Swm Uma**
- 35536. *Brachmia pantheropa* Meyrick,1913** (Gelechiidae) Synonym(s): *pantheropa* Meyrick,1913
Range (in code): **ZA Mpu Brb Tst Nta Kzu Ptw Tva Lpo Tz Gau Pre Mhk Kkf Nha Umk ZA14 MZ Mag**
- 35537. *Brachmia procursella* Rebel,1903** (Gelechiidae) Synonym(s): *procursella* Rebel,1903
Range (in code): **IT CH AT HU RU Ur IR Kh**
- 35538. *Brachmia septella* (Zeller,1852)** (Gelechiidae) Synonym(s): *septella* Zeller,1852; *digitata* Meyrick,1914 _ Range (in code): **ZA Tva Ec Stj Mpu Tst Srn Nta Kzu Ptw Dbn**
- 35539. *Brachmia spilopis* Meyrick,1927** (Gelechiidae) Synonym(s): *spilopis* Meyrick,1927
Range (in code): **ZW Har**
- 35540. *Brachmia velitalis* Meyrick,1913** (Gelechiidae) Synonym(s): *velitalis* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 35541. *Brachmia verberata* Meyrick,1911** (Gelechiidae) Synonym(s): *verberata* Meyrick,1911
Original Reference: *Brachmia verberata* Meyrick,1911, *Ann. Transv. Mus.* 3(1): 68. Syntypes ♂♀: [South Africa]: Haenertsburg and Woodbush Village (Swierstra) (coll. Meyrick & TMP). Range (in code): **ZA Tva Lpo Mpu ZA14 Pil Wo Brb Kkf Esw Dbn Nha Stj Umk**
- 35542. *Brachyaema palpigera* (Walsingham,1891)** (Gelechiidae) Synonym(s): *palpigera* Walsingham,1891; *adustipennis* Walsingham,1897; *ioloncha* Meyrick,1905; *crotalariella* Busck,1910; *epichorda* Turner,1919 _ Range (in code): **ZA TH MY ID Sum Ja PH PG**
- 35543. *Bryotropha affinis* (Haworth,1828)** (Gelechiidae) Synonym(s): *affinis* Haworth,1828; *tegulella* Herrich-Schäffer,1854; *affinella* Doubleday,1859; *affinitella* Bruand,1859 _ Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK GR IL Pa Hf DK NO SE FI EE LV LT RU MD UA Cm IR Mz**

- 35544. Bryotropha aliterrella (Rebel,1935)** (Gelechiidae) Synonym(s): *aliterrella* Rebel,1935
Range (in code): **ES**
- 35545. Bryotropha arabica Amsel,1952** (Gelechiidae) Synonym(s): *arabica* Amsel,1952
Original Reference: Bryotropha arabica Amsel,1952, [in] Hartig & Amsel, Fragm. ent. 1: 120.
Type: Palestine, Wadi-el-Kel, Georgskloster. Range (in code): **MA DZ Ges Hes TN Gf LY Cy ES Mu FR BG CY GR MK Cc AZ IQ Shq Mos TR SY Dms IR Fa Kd IL Pa Amm LB Bsa JO Pet TM**
- 35546. Bryotropha azovica Bidzilya,1996** (Gelechiidae) Synonym(s): *azovica* Bidzilya,1996
Range (in code): **UA CY TR MK BG GR**
- 35547. Bryotropha basaltinella (Zeller,1839)** (Gelechiidae) Synonym(s): *basaltinella* Zeller,1839
Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU AL BG LT RU MD UA BY IR Gl**
- 35548. Bryotropha boreella (Douglas,1851)** (Gelechiidae) Synonym(s): *boreella* Douglas,1851
Range (in code): **FR GB DE CH AT PL CZ DK NO SE FI LV RU MD UA BY**
- 35549. Bryotropha desertella (Douglas,1850)** (Gelechiidae) Synonym(s): *desertella* Douglas,1850; *decrepidella* Herrich-Schäffer,1854. Range (in code): **MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR AL Cr TR DK NO SE FI EE LV LT RU MD UA BY TM**
- 35550. Bryotropha domestica (Haworth,1828)** (Gelechiidae) Synonym(s): *domestica* Haworth,1828; *domesticella* Doubleday,1859; *domesticella* Bruand,1859; *salmonis* Walsingham,1908; *algoricella* Chrétien,1917 Range (in code): **MA DZ Cst Hes Bsk TN Gf LY Cy PT Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK HU HV YU AL GR Cr LB Bsa Bei Cc AM Eri CY TR IR Fa Gl Kh IL Pa Js JO Amm SA As YE Sna TM** Bionomy: Larva on Tortula muralis (Karsholt & Rutten,2005).
- 35551. Bryotropha dryadella (Zeller,1850)** (Gelechiidae) Synonym(s): *dryadella* Zeller,1850; *saralella* Amsel,1952 Range (in code): **DZ Elt GB PT ES FR Co Sa Si IT AL MK BG GR Cr TR**
- 35552. Bryotropha dufraneella (Joannis,1928)** (Gelechiidae) Synonym(s): *dufraneella* Joannis,1928 Range (in code): **FR BE**
- 35553. Bryotropha figulella (Staudinger,1859)** (Gelechiidae) Synonym(s): *figulella* Staudinger,1859; *capnella* Constant,1865 Range (in code): **MA DZ PT ES FR Si IT GR BG**
- 35554. Bryotropha galbanella (Zeller,1839)** (Gelechiidae) Synonym(s): *galbanella* Zeller,1839; *angustella* Heinemann,1870; ; *ilmatariella* Hoffmann,1893; *haareki* Strand,1893; *fusconigratella* Palm,1947
Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 35555. Bryotropha gallurella Amsel,1952** (Gelechiidae) Synonym(s): *gallurella* Amsel,1952
Range (in code): **PT ES FR Co Sa Si IT**
- 35556. Bryotropha hendrikseni Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hendrikseni* Karsholt & Rutten,2005 Range (in code): **CY BG Cr HV MK TR UA Cm TM Kp**
- 35557. Bryotropha horribilis Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *horribilis* Karsholt & Rutten,2005 Range (in code): **SY Dms Ltk LB Bsa JO Amm TR IR Ab Kd Snj**
- 35558. Bryotropha hulli Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *hulli* Karsholt & Rutten,2005 Range (in code): **CY HV GR TR BG MK SY**
- 35559. Bryotropha mulinoides Amsel,1952** (Gelechiidae) Synonym(s): *mulinoides* Amsel,1952
Range (in code): **Co Sa MT**
- 35560. Bryotropha mundella (Douglas,1850)** (Gelechiidae) Synonym(s): *mundella* Douglas,1850; *portlandicella* Richardson,1890 Range (in code): **FR IE GB NL DE DK NO SE**
- 35561. Bryotropha pallorella Amsel,1952** (Gelechiidae) Synonym(s): *pallorella* Amsel,1952; *mulinoides* Amsel,1952; *zannonicola* Hartig,1953 Range (in code): **PT ES FR Co Sa IT MA**
- 35562. Bryotropha plantariella (Tengström,1848)** (Gelechiidae) Synonym(s): *plantariella* Tengström,1848 Range (in code): **DE AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 35563. Bryotropha plebejella (Zeller,1847)** (Gelechiidae) Synonym(s): *plebejella* Zeller,1847; *ancillula* Walsingham,1908; *inexpectella* Nel,1999 Range (in code): **DZ PT ES FR Co Sa Si IT AT RO YU BG GR Cr TR LB Bsa**
- 35564. Bryotropha politella (Stainton,1851)** (Gelechiidae) Synonym(s): *politella* Stainton,1851; *expolitella* Doubleday,1859 Range (in code): **FR IE GB**
- 35565. Bryotropha purpurella (Zetterstedt,1839)** (Gelechiidae) Synonym(s): *purpurella* Zetterstedt,1839 Range (in code): **NO SE FI EE LV RU MD UA BY**
- 35566. Bryotropha rossica Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *rossica* Anikin & Piskunov,1996 Range (in code): **RU**
- 35567. Bryotropha sabulosella (Rebel,1905)** (Gelechiidae) Synonym(s): *sabulosella* Rebel,1905
Original Reference: Lita sabulosella Rebel,1905, Annln. naturh. Mus. Wien 20: 211-212. Type ♀: [Türkei]: Erdschias Geb. (Gereme) (NHMW). Range (in code): **Cc TR CY IR Elb Th Snj MK**

- 35568. Bryotropha senectella (Zeller,1839)** (Gelechiidae) Synonym(s): *senectella* Zeller,1839; *obs curella* Heinemann,1870; *phoebusella* Millière,1876; *larseni* Strand,1927 _ Range (in code): **FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG Uk CN**
- 35569. Bryotropha similis (Stainton,1854)** (Gelechiidae) Synonym(s): *similis* Stainton,1854; *thaleella* Zeller,1857; *similella* Doubleday,1859; *stolidella* Morris,1870; *confinis* Stainton,1871; *obscuricinerea* Nolcken,1871; *dufraneella* De Joannis,1928; *novisimilis* Li & Zheng,1997 _ Range (in code): **PT FR IT IS GB BE NL LU DE AT CZ SK BG TR DK NO SE FI EE LV LT RU MD UA BY CN**
- 35570. Bryotropha sutteri Karsholt & Rutten,2005** (Gelechiidae) Synonym(s): *sutteri* Karsholt & Rutten,2005 _ Range (in code): **GR TR Sa Si ES TN**
- 35571. Bryotropha tachyptilella (Rebel,1916)** (Gelechiidae) Synonym(s): *tachyptilella* Rebel,1916 Range (in code): **IT SK HU BG TR RU RO UA Cm**
- 35572. Bryotropha terrella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *terrella* [Denis & Schiffermüller],1775; *inulella* Hübner,[1825]; *pauperella* Hübner,[1825]; *latella* Herrich-Schäffer,1854; *lutescens* Constant,1865; *suspectella* Heinemann,1870; *alpicolella* Heinemann,1870; *tenebrosella* Teich,1886; *sardoterrella* Schawerda,1936 Original Reference: *Tinea terrella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk IR Mz Gls**
- 35573. Bryotropha umbrosella (Zeller,1839)** (Gelechiidae) Synonym(s): *umbrosella* Zeller,1839; *fuliginosella* Snellen,1882; *fulvipalpella* Joannis,1908; *anacampsoidella* Hering,1924 _ Range (in code): **PT ES FR IE GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 35574. Bucolarcha geodes Meyrick,1929** (Gelechiidae) Synonym(s): *geodes* Meyrick,1929 Range (in code): **ZA**
- 35575. Calliphylla retusa Janse,1963** (Gelechiidae) Synonym(s): *retusa* Janse,1963 _ Range (in code): **ZA**
- 35576. Capidentalia claviformis (Park,1993)** (Gelechiidae) Synonym(s): *claviformis* Park,1993 Range (in code): **RU Us KR**
- 35577. Capidentalia cymoptila (Meyrick,1929)** (Gelechiidae) Synonym(s): *cymoptila* Meyrick,1929 _ Range (in code): **IN**
- 35578. Capidentalia gnomia Ponomarenko,1995** (Gelechiidae) Synonym(s): *gnomia* Ponomarenko,1995 _ Range (in code): **RU Us**
- 35579. Capidentalia khaoensis Park,1999** (Gelechiidae) Synonym(s): *khaoensis* Park,1999 Range (in code): **TH Kao**
- 35580. Capidentalia paroctas (Meyrick,1913)** (Gelechiidae) Synonym(s): *paroctas* Meyrick,1913 Range (in code): **LK**
- 35581. Capidentalia salicicola Park,1995** (Gelechiidae) Synonym(s): *salicicola* Park,1995 Range (in code): **TW** Bionomy: Larva on Salix (Salicaceae) (Park,1995).
- 35582. Capidentalia salicicolella (Kuznetsov,1960)** (Gelechiidae) Synonym(s): *salicicolella* Kuznetsov,1960 _ Range (in code): **TM Kp** Bionomy: Larva on Salix (Salicaceae) (Kuznetsov,1960).
- 35583. Capidentalia sapindivora (Clarke,1958)** (Gelechiidae) Synonym(s): *sapindivora* Clarke,1958 _ Range (in code): **JP** Bionomy: Larva on Sapindus mukurossi (Sapindaceae) (Clarke,1958).
- 35584. Capidentalia tugaella Ponomarenko,1995** (Gelechiidae) Synonym(s): *tugaella* Ponomarenko,1995 _ Range (in code): **TJ**
- 35585. Capnosema celidota Janse,1958** (Gelechiidae) Synonym(s): *celidota* Janse,1958 Range (in code): **ZA**
- 35586. Carpatolechia aenigma Sattler,1983** (Gelechiidae) Synonym(s): *aenigma* Sattler,1983 Range (in code): **IT DE AT PL CZ SK HU RU Ur MD UA BY**
- 35587. Carpatolechia alburnella (Zeller,1839)** (Gelechiidae) Synonym(s): *alburnella* Zeller,1839; *seniculella* Eversmann,1844. _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 35588. Carpatolechia epomidella (Tengström,1869)** (Gelechiidae) Synonym(s): *epomidella* Tengström,1869 _ Range (in code): **SE FI LV RU MD UA BY**
- 35589. Carpatolechia fugacella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugacella* Zeller,1839 Range (in code): **ES FR IT NL DE CH AT PL CZ SK HU RO YU BG DK**
- 35590. Carpatolechia fugitivella (Zeller,1839)** (Gelechiidae) Synonym(s): *fugitivella* Zeller,1839; *#fugivitella* Noack,1960. _ Range (in code): **ES FR Sa? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Ur Cc Sb Us KP KR MN MD UA BY IR Gls**

- 35591. *Carpatolechchia humeralis* (Zeller,1839)** (Gelechiidae) Synonym(s): *decorella* Haworth,1812 nec Hübner,[1810]; *humeralis* Zeller,1839; *lyellella* Humpreys & Westwood,1845; *incretella* Duponchel,[1854]; *pisticella* Nowicki,1860; *scabra* Staudinger,1870; *erschoffii* Frey,1880; *buckwelli* Lucas,1956; *dumitrescui* Capuse,1964. Original Reference: *Gelechia humeralis* Zeller,1839, Isis Leipzig 1839: 200. Lectotype ♀: Poland: Slesia, Glogow, designated by Sattler (1982:20) (BMNH). Range (in code): **Cn ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE RU Ur MD UA BY CY KG** Bionomy: Larva on *Abies alba*, *Quercus ilex*, *Q. coccifera*, *Cotinus coggygria*, *Cornus mas*, *Swida sanguinea*, *Phillyrea*, *Pistacia vera*, *P. terebinthus*, *Rhus* (Anacardiaceae) (Russo,1930; Lhomme,[1846]; Balachowsky & Davatchi,1966; Sattler,1982).
- 35592. *Carpatolechchia intermediella* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *intermediella* Huemer & Karsholt,1999 Range (in code): **ES**
- 35593. *Carpatolechchia minor* (Kasy,1979)** (Gelechiidae) Synonym(s): *minor* Kasy,1979 Range (in code): **AT**
- 35594. *Carpatolechchia notatella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *notatella* Hübner,[1813]; *euratella* Herrich-Schäffer,1854 Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Ur Cc TR MD UA BY**
- 35595. *Carpatolechchia proximella* (Hübner,1796)** (Gelechiidae) Synonym(s): *proximella* Hübner,1796 Range (in code): **FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur Cc Sb MD UA BY**
- 35596. *Cartericella phthoneropa* (Meyrick,1922)** (Gelechiidae) Synonym(s): *phthoneropa* Meyrick,1922 Range (in code): **CN**
- 35597. *Caryocolum abhorrens* Huemer,1988** (Gelechiidae) Synonym(s): *abhorrens* Huemer,1988 Range (in code): **AF Kab**
- 35598. *Caryocolum afghanum* Huemer,1988** (Gelechiidae) Synonym(s): *afghanum* Huemer,1988 Range (in code): **AF Pag**
- 35599. *Caryocolum albifaciellum* (Heinemann,1870)** (Gelechiidae) Synonym(s): *albifaciellum* Heinemann,1870; *behenella* Constant,1890 Range (in code): **FR DE CH AT**
- 35600. *Caryocolum albithoracellum* Huemer,1989** (Gelechiidae) Synonym(s): *albithoracellum* Huemer,1989 Original Reference: *Caryocolum albithoracellum* Huemer,1989, Mitt. münch. ent. Ges. 79: 132, figs. Holotype ♂: Turkey, [Prov. Malatya]: "Prov. Sivas 10km nw Darende, 100km w. Malatya 1300m 19.7.1986" leg. M.Fibiger (ZMUC). Range (in code): **TR**
- 35601. *Caryocolum alsinellum* (Zeller,1868)** (Gelechiidae) Synonym(s): *alsinellum* Zeller,1868; *albifrontella* Heinemann,1870; *tristella* Heinemann,1870; *semidecandriella* Tutt,1887; *semidecandrella* Threlfall & Stainton,1887 Range (in code): **MA ES FR Co IT IE GB BE NL DE AT PL CZ SK HU YU GR Cr TR DK SE EE LV RU Am MD UA BY**
- 35602. *Caryocolum amaurellum* (M.Hering,1924)** (Gelechiidae) Synonym(s): *amaurellum* M.Hering,1924; *viscariae* Schütze,1926 Range (in code): **IT DE CH AT CZ SK HU GR DK NO SE FI LV RU Ur TR UA** Bionomy: Larva on *Lychnis viscaria*, *Silene otites*, *S.nutans* (Schütze,1931; Huemer,1989; Burmann,1990).
- 35603. *Caryocolum anatolicum* Huemer,1989** (Gelechiidae) Synonym(s): *anatolicum* Huemer,1989 Original Reference: *Caryocolum anatolicum* Huemer,1989, Mitt. münch. ent. Ges. 79: 127-128, figs. Holotype ♂: [Türkei]: Anatolien, Kizilcahamam 29 vi- 5 vii 70 leg. Pinker (LN). Range (in code): **TR**
- 35604. *Caryocolum arenbergeri* Huemer,1989** (Gelechiidae) Synonym(s): *arenbergeri* Huemer,1989 Range (in code): **ES**
- 35605. *Caryocolum baischi* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *baischi* Huemer & Karsholt,2010 Range (in code): **GR**
- 35606. *Caryocolum blandelloides* Karsholt,1981** (Gelechiidae) Synonym(s): *blandelloides* Karsholt,1981 Range (in code): **ES Co Sa IT GB AT DK NO SE FI EE RU MD UA BY**
- 35607. *Caryocolum blandellum* (Douglas,1852)** (Gelechiidae) Synonym(s): *blandellum* Douglas,1852 Range (in code): **FR IE GB BE NL DE CH AT PL CZ SK HU YU DK NO SE FI EE LV RU Ur Sb MD UA BY Ch GR TR AF BdA**
- 35608. *Caryocolum blandulellum* (Tutt,1887)** (Gelechiidae) Synonym(s): *blandulellum* Tutt,1887 Range (in code): **ES FR IT GB NL DE CZ SK YU HV GR TR DK SE** Bionomy: Larva on *Cerastium pumilum*, *C. semidecandrum* (Benander,1965; Huemer,1993).
- 35609. *Caryocolum bosalellum* (Rebel,1936)** (Gelechiidae) Synonym(s): *bosalellum* Rebel,1936 Range (in code): **Co Sa**
- 35610. *Caryocolum cassellum* (Walker,1864)** (Gelechiidae) Synonym(s): *cassellum* Walker,1864; *melanotephrella* Erschoff,1877; *albifasciella* Toll,1936; *subvicinella* Hackman,1946; *falellum*

- Piskunov,[1975] _ Range (in code): **FR DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY JP Hkk CA BCo US Ut**
- 35611. *Caryocolum cauligenellum* (Schmid,1863)** (Gelechiidae) Synonym(s): *cauligenellum* Schmid,1863 _ Range (in code): **PT ES FR Si? IT BE NL DE CH AT PL CZ SK HU YU GR DK SE FI EE LV IR**
- 35612. *Caryocolum confluens* Huemer,1988** (Gelechiidae) Synonym(s): *confluens* Huemer,1988 Range (in code): **GR**
- 35613. *Caryocolum delphinatellum* (Constant,1890)** (Gelechiidae) Synonym(s): *delphinatellum* Constant,1890; *fiorii* Klimesch,1953 _ Range (in code): **FR IT CH**
- 35614. *Caryocolum dilatatum* Huemer,1989** (Gelechiidae) Synonym(s): *dilatatum* Huemer,1989 Original Reference: *Caryocolum dilatatum* Huemer,1989, Mitt. münch. ent. Ges. 79: 129-130, figs. Holotype ♂: N-Iran, Elburs Geb., 12km v. Keredj 1650m 12 6 1969, H.G.Amsel leg. (LNK). Range (in code): **IR Kdj Th Km SY Dms**
- 35615. *Caryocolum divergens* Huemer,1989** (Gelechiidae) Synonym(s): *divergens* Huemer,1989 Range (in code): **AF Slg**
- 35616. *Caryocolum emarginatum* Huemer,1988** (Gelechiidae) Synonym(s): *emarginatum* Huemer,1988 _ Range (in code): **IT**
- 35617. *Caryocolum extremum* Huemer,1988** (Gelechiidae) Synonym(s): *extremum* Huemer,1988 _ Range (in code): **NP**
- 35618. *Caryocolum fibigerium* Huemer,1988** (Gelechiidae) Synonym(s): *fibigerium* Huemer,1988 _ Range (in code): **MA ES FR Si? IT BG GR TR** Bionomy: Larva on *Arenaria montana* (Corley,2002).
- 35619. *Caryocolum fischerellum* (Treitschke,1833)** (Gelechiidae) Synonym(s): *fischerellum* Treitschke,1833 _ Range (in code): **FR DE CH AT PL CZ SK HU RO YU BG DK SE FI LV LT RU MD UA BY**
- 35620. *Caryocolum fraternellum* (Douglas,1851)** (Gelechiidae) Synonym(s): *fraternellum* Douglas,1851; *intermediella* Hodgkinson,1897 _ Range (in code): **ES FR IE GB NL DE PL DK NO SE FI EE**
- 35621. *Caryocolum gallagenellum* Huemer,1989** (Gelechiidae) Synonym(s): *gallagenellum* Huemer,1989 _ Range (in code): **FR IT DE**
- 35622. *Caryocolum hispanicum* Huemer,1988** (Gelechiidae) Synonym(s): *hispanicum* Huemer,1988 _ Range (in code): **ES GR TR**
- 35623. *Caryocolum huebneri* (Haworth,[1828])** (Gelechiidae) Synonym(s): *huebneri* Haworth,[1828]; *huebnerella* Doubleday,1859; *knaggsiella* Stainton,1866 _ Range (in code): **FR IT GB BE DE CH AT PL CZ SK HU RO DK SE LV LT RU Ur MD UA BY**
- 35624. *Caryocolum immixtum* Huemer,1988** (Gelechiidae) Synonym(s): *immixtum* Huemer,1988 _ Range (in code): **AF Kab**
- 35625. *Caryocolum inflativorellum* (Klimesch,1938)** (Gelechiidae) Synonym(s): *inflativorellum* Klimesch,1938; *xuthella* Rebel,1940; *census* Gozmany,1954 _ Range (in code): **SK HU RO MK TR**
- 35626. *Caryocolum interalbicellum* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *quadrella* Fabricius,1794 nec [Denis & Schiff.],1775; *interalbicella* Herrich-Schäffer,1854 _ Range (in code): **FR IT DE CH AT**
- 35627. *Caryocolum iranikum* Huemer,1989** (Gelechiidae) Synonym(s): *iranikum* Huemer,1989 Original Reference: *Caryocolum iranikum* Huemer,1989, Mitt. münch. ent. Ges. 79: 128-129, figs. Holotype ♂: W-Iran, Kormanschahan, Dschahar Sabor, 43km SW Kormanschah 1650m 12 7 1975, Ebert & Falkner leg. (LNK). Range (in code): **TR IR Km Kd Mrv Lo**
- 35628. *Caryocolum jaspidellum* (Chrétien,1908)** (Gelechiidae) Synonym(s): *jaspidellum* Chrétien,1908 _ Range (in code): **DZ ES**
- 35629. *Caryocolum junctellum* (Douglas,1851)** (Gelechiidae) Synonym(s): *junctellum* Douglas,1851; *aganocarpa* Meyrick,1935 _ Range (in code): **ES FR IT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ur MD UA BY CN JP**
- 35630. *Caryocolum kasyi* Huemer,1988** (Gelechiidae) Synonym(s): *kasyi* Huemer,1988 Range (in code): **AF Pag**
- 35631. *Caryocolum klosi* (Rebel,1917)** (Gelechiidae) Synonym(s): *klosi* Rebel,1917 _ Range (in code): **FR DE AT RO**
- 35632. *Caryocolum kroesmanniellum* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *kroesmanniellum* Herrich-Schäffer,1854 _ Range (in code): **FR GB BE NL DE AT PL CZ SK DK SE FI EE LV RU Ur MD UA BY**

- 35633. Caryocolum laceratellum (Zeller,1868)** (Gelechiidae) **Synonym(s):** *laceratellum* Zeller,1868; *thurneri* Pinker,1953 _ Range (in code): **IT SS YU**
- 35634. Caryocolum leucofasciatum Huemer,1989** (Gelechiidae) **Synonym(s):** *leucofasciatum* Huemer,1989 _ Range (in code): **ES**
- 35635. Caryocolum leucomelanellum (Zeller,1839)** (Gelechiidae) **Synonym(s):** *leucomelanellum* Zeller,1839; *gypsophilae* Stainton,1869 _ Range (in code): **ES FR IT DE CH AT PL CZ SK HU YU AL GR TR Cc RU Ur Sb MD UA BY**
- 35636. Caryocolum leucothoracellum (Klimesch,1953)** (Gelechiidae) **Synonym(s):** *leucothoracellum* Klimesch,1953 _ Range (in code): **FR IT AT HU**
- 35637. Caryocolum longiusculum Huemer,1988** (Gelechiidae) **Synonym(s):** *longiusculum* Huemer,1988 _ Range (in code): **AF Pag**
- 35638. Caryocolum majus Huemer,1988** (Gelechiidae) **Synonym(s):** *majus* Huemer,1988 _ Range (in code): **AF Pag**
- 35639. Caryocolum marmoreum (Haworth,1828)** (Gelechiidae) **Synonym(s):** *marmoreum* Haworth,1828; *manniella* Zeller,1839; *marmorella* Herrich-Schäffer,1855 _ Range (in code): **MA Cn Md PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ HU YU AL GR Cr DK NO SE TR CY CA BCo**
- 35640. Caryocolum moehringiae (Klimesch,1954)** (Gelechiidae) **Synonym(s):** *moehringiae* Klimesch,1954 _ Range (in code): **DE CH AT GR**
- 35641. Caryocolum mucronatellum (Chrétien,1900)** (Gelechiidae) **Synonym(s):** *mucronatellum* Chrétien,1900; *poschiavensis* Rebel,1936 _ Range (in code): **PT ES FR IT DE CH AT YU GR TR EG Sn** Bionomy: Larva on *Minuartia mutabilis*, *M.setacea*, *M.verna*, *M.laricifolia* (Lhomme,1946; et seq.).
- 35642. Caryocolum oculatellum (Thomann,1930)** (Gelechiidae) **Synonym(s):** *oculatellum* Thomann,1930 _ Range (in code): **CH AT**
- 35643. Caryocolum paghmanum Huemer,1988** (Gelechiidae) **Synonym(s):** *paghmanum* Huemer,1988 _ Range (in code): **AF Pag**
- 35644. Caryocolum peregrinellum (Herrich-Schäffer,1854)** (Gelechiidae) **Synonym(s):** *peregrinellum* Herrich-Schäffer,1854; *melantypella* Mann,1877 _ Range (in code): **FR IT AT MK GR**
- 35645. Caryocolum petrophilum (Priessecker,1914)** (Gelechiidae) **Synonym(s):** *petrophilum* Priessecker,1914; *kemnerella* Palm,1947 _ Range (in code): **FR Si IT CH AT NO SE FI MK TR RU Ur At** Bionomy: Larva on *Cerastium arvense*, *Stellaria graminea* (Kaitila,1996).
- 35646. Caryocolum petryi (Hofmann,1899)** (Gelechiidae) **Synonym(s):** *petryi* Hofmann,1899; *rougemoti* Rebel,1907; *repentella* Chrétien,1908; *benanderi* M.Hering,1933 _ Range (in code): **FR DE CH AT HU YU SE FI LV LT RU Ur Sb MN MD UA BY**
- 35647. Caryocolum provinciellum (Stainton,1869)** (Gelechiidae) **Synonym(s):** *provinciellum* Stainton,1869 _ Range (in code): **PT ES FR**
- 35648. Caryocolum proximum (Haworth,[1828])** (Gelechiidae) **Synonym(s):** *proximum* Haworth,[1828]; *maculiferella* Douglas,1851; *maculivicinella* Bruand,1859; *horticolla* Peyerimhoff,1871. Original Reference: *Recurvaria proxima* Haworth,[1828], *Lep. Brit.* (4): 552. Type: Britain. Range (in code): **FR Co Sa IT GB DE CH AT PL CZ SK HU RO YU AL GR TR DK SE EE RU MD UA BY**
- 35649. Caryocolum pullatellum (Tengström,1848)** (Gelechiidae) **Synonym(s):** *pullatellum* Tengström,1848; *pulla* Tengström,1848; *subtracella* Walker,1864; *livoniella* Teich,1889; *agricolaris* Meyrick,1933 _ Range (in code): **AT PL DK NO SE FI LV RU Ur Sb MD UA BY JP CA**
- 35650. Caryocolum repentis Huemer & Luquet,1992** (Gelechiidae) **Synonym(s):** *repentis* Huemer & Luquet,1992 _ Range (in code): **ES FR IT CH AT RU Ur**
- 35651. Caryocolum saginellum (Zeller,1868)** (Gelechiidae) **Synonym(s):** *saginellum* Zeller,1868; *coussonella* Chrétien,1908 _ Range (in code): **FR IT CH AT MK GR**
- 35652. Caryocolum schleichi (Christoph,1872)** (Gelechiidae) **Synonym(s):** *schleichi* Christoph,1872; *syriacum* Povolny,1977 _ Range (in code): **MA DZ ES FR IT DE CH AT CZ SE FI EE LV RU Ur Sb TR MD UA BY SY Dms Hal AF Pag MN** Bionomy: Larva on *Dianthus scaber*, *D.deltoides*, *D.arenarius*, *D.sylvestris* (Caryophyllaceae) (Chrétien,1925; Benander,1936; Klimesch,1953).
- 35653. Caryocolum schleichi arenariella (Benander,1937)** (Gelechiidae) **Synonym(s):** *arenariella* Benander,1937 _ Range (in code): **SE RU**
- 35654. Caryocolum schleichi dianthella (Chrétien,1925)** (Gelechiidae) **Synonym(s):** *dianthella* Chrétien,1925; *hackeri* Derra,1985 _ Range (in code): **ES FR Py MA**
- 35655. Caryocolum schleichi schleichi (Christoph,1872)** (Gelechiidae) **Synonym(s):** *schleichi* Christoph,1872; *syriacum* Povolny,1977 _ Range (in code): **RU Sr TR SY Hal Dms AF Pag**

- 35656. *Caryocolum siculum* Bella,2008** (Gelechiidae) **Synonym(s):** *siculum* Bella,2008
Range (in code): **Si**
- 35657. *Caryocolum similellum* Huemer,1989** (Gelechiidae) **Synonym(s):** *similellum* Huemer,1989
Original Reference: *Caryocolum similellum* Huemer,1989, Mitt. münch. ent. Ges. 79: 132-133, figs. Holotype ♂: NW-Iran, 28km nördl. Samandaj [Sanandaj] 1600m 15.6.1975, H.G.Amsel leg. (LNK). **Range (in code):** **IR Kd Snj Elb Kdj**
- 35658. *Caryocolum simulans* Huemer,1988** (Gelechiidae) **Synonym(s):** *simulans* Huemer,1988
Range (in code): **SY Hal**
- 35659. *Caryocolum spinosum* Huemer,1989** (Gelechiidae) **Synonym(s):** *spinosum* Huemer,1989
Original Reference: *Caryocolum spinosum* Huemer,1989, Mitt. münch. ent. Ges. 79: 131, figs. Holotype ♂: NW-Iran, Samandaj [Sanandaj] 1600m 15 6 1975, H.G.Amsel leg. (LNK). **Range (in code):** **IR Kd Snj Elb Kdj Se**
- 35660. *Caryocolum splendens* Povolny,1977** (Gelechiidae) **Synonym(s):** *splendens* Povolny,1977
Original Reference: *Caryocolum splendens* Povolny,1977, Acta Univ. Agric. Brno 25 (4): 172, fig. Holotype: Iran. **Range (in code):** **IR Th Qm Kh**
- 35661. *Caryocolum stramentella* (Rebel,1935)** (Gelechiidae) **Synonym(s):** *stramentella* Rebel,1935; *emarginatum* Huemer,1988
Original Reference: *Bryotropha stramentella* Rebel,1935, Mitt. münch. ent. Ges. 25: 39-40. Lectotype ♂: [Türkei]: [Konya Pr.]: Aksehir, 1200-1500m. viii-16.ix.1934; designated by Huemer (1988). **Range (in code):** **IT Pmt TR**
- 35662. *Caryocolum tetrameris* (Meyrick,1926)** (Gelechiidae) **Synonym(s):** *tetrameris* Meyrick,1926
Original Reference: *Gelechia tetrameris* Meyrick,1926, Exot. Microlepid. 3: 277. Syntypes 2♂: [Turkey]: "Asia Minor: Marasch" (leg. Caradja). **Range (in code):** **TR IR Kh Fa AF BdA**
- 35663. *Caryocolum tischeriellum* (Zeller,1839)** (Gelechiidae) **Synonym(s):** *tischeriellum* Zeller,1839
Original Reference: *Gelechia tischeriella* Zeller,1839, Isis 1839: 199. Syntypes: Livland, Deutschland, Österreich, Schweiz, Ungarn. **Range (in code):** **ES FR IT DE CH AT CZ SK RO YU BG GR NO SE FI EE LV LT RU MD UA BY**
- 35664. *Caryocolum trauniellum* (Zeller,1868)** (Gelechiidae) **Synonym(s):** *trauniellum* Zeller,1868
Range (in code): **IT AT CZ HU**
- 35665. *Caryocolum tricolorellum* (Haworth,1812)** (Gelechiidae) **Synonym(s):** *tricolorellum* Haworth,1812; *contigua* Haworth,1828; *acernella* Herrich-Schäffer,1854
Range (in code): **FR IE GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY**
- 35666. *Caryocolum vartianorum* Huemer,1988** (Gelechiidae) **Synonym(s):** *vartianorum* Huemer,1988
Range (in code): **AF Pag**
- 35667. *Caryocolum vicinellum* (Douglas,1851)** (Gelechiidae) **Synonym(s):** *vicinellum* Douglas,1851
Range (in code): **ES FR IT IE GB DE CH AT CZ SK RO GR DK NO SE FI EE LV LT RU MD UA BY PL**
- 35668. *Caryocolum viscariellum* (Stainton,1855)** (Gelechiidae) **Synonym(s):** *viscariellum* Stainton,1855
Range (in code): **ES FR IT IE GB DE CH AT HU DK NO SE FI**
- 35669. *Catatinagma conchylidella* (Hofmann,[1898])** (Gelechiidae) **Synonym(s):** *conchylidella* Hofmann,[1898]
Original Reference: *Colopteryx conchylidella* Hofmann,[1898], Dt. ent. Z., Iris 10: 239-240, fig. Type ♂: [Türkei]: Angora [Ankara]. **Range (in code):** **PT ES TR**
- 35670. *Catatinagma kraterella* Junnilainen & K.Nupponen,2010** (Gelechiidae)
Synonym(s): *kraterella* Junnilainen & K.Nupponen,2010
Range (in code): **RU Ur**
- 35671. *Catatinagma stenoptera* Bidzilya,2014** (Gelechiidae) **Synonym(s):** *stenoptera* Bidzilya,2014
Range (in code): **TM Rpt**
- 35672. *Catatinagma trivittellum* Rebel,1903** (Gelechiidae) **Synonym(s):** *trivittellum* Rebel,1903
Range (in code): **HU MK BG GR FR RU**
- 35673. *Catelaphris torrefacta* (Meyrick,1914)** (Gelechiidae) **Synonym(s):** *torrefacto* Meyrick,1914; *torrefacta* Janse,1954
Range (in code): **ZA Tva Gau Pre Jh**
- 35674. *Caulastrocecis furfurella* (Staudinger,1871)** (Gelechiidae) **Synonym(s):** *furfurella* Staudinger,1871
Range (in code): **FR IT AT CZ SK HU RU Ur Sr KG UA Cm MD**
Bionomy: Larva on *Crinitaria linosyris* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 35675. *Caulastrocecis gypsella* (Constant,1893)** (Gelechiidae) **Synonym(s):** *gypsella* Constant,1893
Range (in code): **FR**
- 35676. *Caulastrocecis interstratella* (Christoph,1873)** (Gelechiidae) **Synonym(s):** *interstratella* Christoph,1873; *salinatrix* Meyrick,1926
Range (in code): **RU Ur Ao At TR**

- 35677. *Caulastrocecis perexigella* Junnilainen, 2010** (Gelechiidae) Synonym(s): *perexigella* Junnilainen, 2010 _ Range (in code): RU Ur
- 35678. *Cerofrontia griseotincta* Janse, 1951** (Gelechiidae) Synonym(s): *griseotincta* Janse, 1951 _ Range (in code): ZA NA Abc Tva Lpo Spb Slp
- 35679. *Chionodes apolectella* (Walsingham, 1900)** (Gelechiidae) Synonym(s): *apolectella* Walsingham, 1900 _ Range (in code): Co
- 35680. *Chionodes bastuliella* (Rebel, 1931)** (Gelechiidae) Synonym(s): *bastuliella* Rebel, 1931 _ Range (in code): ES
- 35681. *Chionodes continuella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *continuella* Zeller, 1839 _ Range (in code): FR IT BE NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY
- 35682. *Chionodes distinctella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *distinctella* Zeller, 1839; *striolatella* Heinemann, 1870; *tristella* Teich, 1889; *indistinctella* Rebel, 1901; *latiorella* Amsel, 1939; *unicolor* Toll, 1948; *deserticola* Piskunov, 1979. _ Original Reference: Gelechia distinctella Zeller, 1839, Isis Leipzig 1839: 199. Lectotype ♂: Poland: Zielona Gora (Glogau), designated by Huemer & Sattler, 1995, Beitr. Ent. 45: 42 (BMNH). _ Range (in code): MA DZ PT ES An FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR TR Cc SY DK NO SE FI EE LV LT RU MD UA BY KG Uk AF IR KK MN CN Ti _ Bionomy: Larva on Genista (Papilionaceae), Artemisia campestris (Asteraceae) (Meess, 1910; et seq.).
- 35683. *Chionodes electella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *electella* Zeller, 1839 _ Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY
- 35684. *Chionodes fumatella* (Douglas, 1850)** (Gelechiidae) Synonym(s): *fumatella* Douglas, 1850; *celerella* Stainton, 1851; *oppletella* Herrich-Schäffer, 1854; *reuttiella* Heinemann, 1870; *nigricans* Heinemann, 1870; *syrticola* Staudinger, 1871 _ Range (in code): ES FR IT IE GB NL BE DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY _ Bionomy: Larva on Calluna vulgaris (Valenne, 2000).
- 35685. *Chionodes hayreddini* Koçak, 1986** (Gelechiidae) Synonym(s): *ochripalpella* Frey, 1880 nec Zell., 1873; *hayreddini* Koçak, 1986. _ Original Reference: Chionodes hayreddini Koçak, 1986, Priamus 4: 57 (nomen novum pro *Gelechia ochripalpella* Frey, 1880 nec Zeller, 1873). Lectotype ♂: Italy: Südtirol, above Trafoi, road to Stelvio, 1500m, designated by Huemer & Sattler, 1995, Beitr. Ent. 45: 47 (BMNH). _ Range (in code): IT CH AT RO
- 35686. *Chionodes hinnella* (Rebel, 1935)** (Gelechiidae) Synonym(s): *hinnella* Rebel, 1935 _ Range (in code): ES
- 35687. *Chionodes holosericella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *holosericella* Herrich-Schäffer, 1854 _ Range (in code): IT CH AT NO SE FI LV
- 35688. *Chionodes ignorantella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *ignorantella* Herrich-Schäffer, 1854; *ochrisignella* Nolcken, 1871 _ Range (in code): DE AT PL CZ HU DK NO SE FI EE LV
- 35689. *Chionodes luctuella* (Hübner, 1793)** (Gelechiidae) Synonym(s): *luctuella* Hübner, 1793 _ Range (in code): IT CH AT PL CZ SK HU RO DK NO SE FI EE LV RU MD UA BY
- 35690. *Chionodes lugubrella* (Fabricius, 1794)** (Gelechiidae) Synonym(s): *lugubrella* Fabricius, 1794; *luctificella* Hübner, [1813]; *lunatella* Zetterstedt, 1839 _ Range (in code): ES FR IT DE CH AT PL CZ HU NO SE FI EE LV LT RU MD UA BY
- 35691. *Chionodes mongolica* Piskunov, 1979** (Gelechiidae) Synonym(s): *mongolica* Piskunov, 1979 _ Original Reference: Chionodes mongolica Piskunov, 1979, Nasekom. Mongol. 6: 395. _ Range (in code): UA RU Ur Tv Sb MN KP KR CN
- 35692. *Chionodes nebulosella* (Heinemann, 1870)** (Gelechiidae) Synonym(s): *nebulosella* Heinemann, 1870 _ Range (in code): IT DE CH AT YU
- 35693. *Chionodes nubilella* (Zetterstedt, 1839)** (Gelechiidae) Synonym(s): *nubilella* Zetterstedt, 1839 _ Range (in code): NO SE FI
- 35694. *Chionodes perpetuella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *perpetuella* Herrich-Schäffer, 1854 _ Range (in code): FR IT CH AT
- 35695. *Chionodes praeclarella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *praeclarella* Herrich-Schäffer, 1854 _ Range (in code): IT CH AT RU MD UA BY
- 35696. *Chionodes tragicella* (Heyden, 1865)** (Gelechiidae) Synonym(s): *tragicella* Heyden, 1865; *libidinosa* Staudinger, 1871 _ Range (in code): FR IT NL DE CH AT PL CZ SK HU DK SE LV LT

- 35697. Chionodes viduella (Fabricius,1794)** (Gelechiidae) Synonym(s): *viduella* Fabricius,1794; *leucomella* Quensel,1802; *luctiferella* Herrich-Schäffer,1854; *labradoriella* Clemens,1863 _ Range (in code): **FR IT DE CH AT PL CZ HU BG NO SE FI EE LV LT RU MD UA BY CA Lbr**
- 35698. Chionodes violacea (Tengström,1848)** (Gelechiidae) Synonym(s): *violacea* Tengström,1848 _ Range (in code): **SE FI**
- 35699. Chrysoesthia aletris (Walsingham,1919)** (Gelechiidae) Synonym(s): *aletris* Walsingham,1919 _ Range (in code): **Si**
- 35700. Chrysoesthia atriplicella (Amsel,1939)** (Gelechiidae) Synonym(s): *atriplicella* Amsel,1939 _ Range (in code): **FR Sa**
- 35701. Chrysoesthia candidella (Chrétien,1915)** (Gelechiidae) Synonym(s): *candidella* Chrétien,1915 _ Original Reference: Guebla candidella Chrétien,1915, *Annls Soc. ent. Fr.* 84: 325. Type: Sud Tunesien Range (in code): **TN**
- 35702. Chrysoesthia compositella (Chrétien,1915)** (Gelechiidae) Synonym(s): *compositella* Chrétien,1915 _ Original Reference: Guebla compositella Chrétien,1915, *Annls Soc. ent. Fr.* 84: 325. Syntypes: [Algérie]: Biskra; [Tunisien]: Gafsa. Range (in code): **DZ Bsk TN Gf**
- 35703. Chrysoesthia drurella (Fabricius,1775)** (Gelechiidae) Synonym(s): *drurella* Fabricius,1775; *myllerella* Fabricius,1794; *zinckeella* Hübner,[1813]; *zinckenella* Hübner,[1825]; *druryella* Zeller,1850; *hermannella* auct. _ Original Reference: *Tinea drurella* Fabricius,1775, *Syst. Ent.*: 666. Type(s): "Hafnia". Range (in code): **DZ Anna ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CA** _ Bionomy: Larva on *Atriplex patula*, *A.sagittata*, *Chenopodium album*, *C.bonus-henricus*, *C.hybridum*, *C.murale* (Chenopodiaceae), *Amaranthus* (Amaranthaceae), *Polygonum aviculare* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 35704. Chrysoesthia eppelsheimi (Staudinger,1885)** (Gelechiidae) Synonym(s): *eppelsheimi* Staudinger,1885 _ Range (in code): **FR Si DE CH PL CZ HU IT UA** _ Bionomy: Larva on *Silene nutans*, *S.vulgaris* (Caryophyllaceae) (Elsner, Huemer & Tokar,1999).
- 35705. Chrysoesthia falkovitshi Lvovsky & Piskunov,1989** (Gelechiidae) Synonym(s): *falkovitshi* Lvovsky & Piskunov,1989 _ Range (in code): **RU Ur MN UA Cm**
- 35706. Chrysoesthia gaditella (Staudinger,1859)** (Gelechiidae) Synonym(s): *gaditella* Staudinger,1859 _ Original Reference: *Gelechia gaditella* Staudinger,1859, *Stettin ent Ztg.* 20: 243. Syntypes: Spain, Cadix. Range (in code): **ES DZ Bsk TN Gf**
- 35707. Chrysoesthia isocharis (Vari,1963)** (Gelechiidae) Synonym(s): *isocharis* Vari,1963 _ Range (in code): **ZA**
- 35708. Chrysoesthia mimetis (Vari,1963)** (Gelechiidae) Synonym(s): *mimetis* Vari,1963 _ Range (in code): **ZA**
- 35709. Chrysoesthia sexguttella (Thunberg,1794)** (Gelechiidae) Synonym(s): *sexguttella* Thunberg,1794; *auropunctella* Thunberg,1794; *stipella* sensu Hübner,1796; *aurofasciella* Stephens,1834; *naeviferella* Duponchel,[1843]. _ Range (in code): **ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY JP CA** _ Bionomy: Larva on *Atriplex patula*, *A.sagittata*, *Chenopodium album*, *Kochia scoparia*, *Spinacia* (Chenopodiaceae), *Amaranthus* (Amaranthaceae) (Elsner, Huemer & Tokar,1999).
- 35710. Chrysoesthia stipelloides (Janse,1950)** (Gelechiidae) Synonym(s): *stipelloides* Janse,1950 _ Range (in code): **ZA Nta Kzu Dbn Esw**
- 35711. Chrysoesthia verrucosa Tokar,1999** (Gelechiidae) Synonym(s): *verrucosa* Tokar,1999 _ Original Reference: *Chrysoesthia verrucosa* Tokar,1999, *Die Palpenmotten Mitteleuropas*: 23-24, figs. Holotype ♂: Bohemia mer., Hodejovice (SMBB). Range (in code): **SK AT**
- 35712. Clepsimorpha inconspicua Janse,1960** (Gelechiidae) Synonym(s): *inconspicua* Janse,1960 _ Range (in code): **ZA**
- 35713. Coleotechnites piceaella (Kearfott,1903)** (Gelechiidae) Synonym(s): *piceaella* Kearfott,1903; *nigra* Kearfott,1903 nec Hw.,1828; *obscura* Kearfott,1907. _ Range (in code): **IT GB DE AT SK HU** _ Bionomy: Larva on *Picea pungens*, *P.mariana*, *P.abies* (Pinaceae) (Kearfott,1903; Hellrigl,1996; Huemer & Karsholt,1999).
- 35714. Coniogyra diluescens Meyrick,1921** (Gelechiidae) Synonym(s): *diluescens* Meyrick,1921 _ Range (in code): **ZW Swm**
- 35715. Cosmardia moritzella (Treitschke,1835)** (Gelechiidae) Synonym(s): *moritzella* Treitschke,1835; *moritzella* Geyer,[1836] _ Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU NO LV LT RU MD UA BY**

- 35716. Coudia strictella** Chrétien, 1915 (Gelechiidae) Synonym(s): *strictella* Chrétien, 1915
Original Reference: Coudia strictella Chrétien, 1915, Annls Soc. ent. Fr. 84: 326, fig.3. Type: [Algérie]: "Biskra, en Juin". Range (in code): **DZ Bsk**
- 35717. Curvisignella leucogaea** (Meyrick, 1921) (Gelechiidae) Synonym(s): *leucogaea* Meyrick, 1921 Range (in code): **ZW Ema**
- 35718. Cymatoplicella aestuosa** (Meyrick, 1913) (Gelechiidae) Synonym(s): *aestuosa* Meyrick, 1913 Range (in code): **ZA Tva Mpu Brb**
- 35719. Cymatoplicella aplectodes** (Janse, 1960) (Gelechiidae) Synonym(s): *aplectodes* Janse, 1960 Range (in code): **ZA**
- 35720. Dactylethrella candida** (Stainton, 1859) (Gelechiidae) Synonym(s): *candida* Stainton, 1859; *?plagiferella* Walker, 1863; *tetroctas* Meyrick, 1906 Range (in code): **IN LK**
- 35721. Dactylethrella chionitis** (Meyrick, 1910) (Gelechiidae) Synonym(s): *chionitis* Meyrick, 1910 Range (in code): **ZA Tva Nta Kzu Esw Stj Srn Mpu Nel Brb Wv Rtf Gau Pre ZA14**
- 35722. Dactylethrella globulata** (Meyrick, 1910) (Gelechiidae) Synonym(s): *globulata* Meyrick, 1910 Range (in code): **LK**
- 35723. Dactylethrella incondita** (Meyrick, 1913) (Gelechiidae) Synonym(s): *incondita* Meyrick, 1913 Range (in code): **LK**
- 35724. Dactylethrella siccifolii** (Walsingham, 1881) (Gelechiidae) Synonym(s): *siccifolii* Walsingham, 1881 Range (in code): **ZA Tva Nta Kzu Mpu Brb Mhk**
- 35725. Dactylethrella tetramera** (Meyrick, 1913) (Gelechiidae) Synonym(s): *tetramera* Meyrick, 1913 Range (in code): **ZA Tva Mpu Brb**
- 35726. Daemonarcha amblopiis** Janse, 1954 (Gelechiidae) Synonym(s): *amblopiis* Janse, 1954 Range (in code): **ZW Uma Hfo Maz Abc**
- 35727. Daemonarcha atactodes** Janse, 1954 (Gelechiidae) Synonym(s): *atactodes* Janse, 1954 Range (in code): **ZA Tva Mpu ZA14**
- 35728. Daemonarcha cyprophanes** Meyrick, 1918 (Gelechiidae) Synonym(s): *cyprophanes* Meyrick, 1918 Range (in code): **ZA Nta Kzu Umk Esw Ema ZW Ver Tva Lpo Spb Sdr Dui Pot Nbs**
- 35729. Daemonarcha hamata** Janse, 1954 (Gelechiidae) Synonym(s): *hamata* Janse, 1954 Range (in code): **ZA Tva Lpo Spb Wp MZ Mag**
- 35730. Daemonarcha heterobela** Janse, 1954 (Gelechiidae) Synonym(s): *heterobela* Janse, 1954 Range (in code): **ZA Tva Lpo Mdp**
- 35731. Daemonarcha oncera** Janse, 1954 (Gelechiidae) Synonym(s): *oncera* Janse, 1954 Range (in code): **ZA Sd**
- 35732. Deimnestræ thyrscicola** (Meyrick, 1913) (Gelechiidae) Synonym(s): *thyrscicola* Meyrick, 1913 Range (in code): **IN Meg Ass Khs**
- 35733. Deimophila psaphara** Meyrick, 1906 (Gelechiidae) Synonym(s): *psaphara* Meyrick, 1906 Range (in code): **LK**
- 35734. Deltolophos haplopa** Janse, 1960 (Gelechiidae) Synonym(s): *haplopa* Janse, 1960 Range (in code): **ZA**
- 35735. Deltophora angulella** Sattler, 1979 (Gelechiidae) Synonym(s): *angulella* Sattler, 1979 Range (in code): **KE**
- 35736. Deltophora beatrix** Sattler, 1979 (Gelechiidae) Synonym(s): *beatrix* Sattler, 1979 Range (in code): **IR Lo**
- 35737. Deltophora distinctella** Sattler, 1979 (Gelechiidae) Synonym(s): *distinctella* Sattler, 1979 Range (in code): **IN Bba**
- 35738. Deltophora diversella** Sattler, 1979 (Gelechiidae) Synonym(s): *diversella* Sattler, 1979 Range (in code): **ZA Tva Lpo MZ KE UG**
- 35739. Deltophora fasciella** Sattler, 1979 (Gelechiidae) Synonym(s): *fasciella* Sattler, 1979 Range (in code): **SD IL Pa JO SA IR Lo AF**
- 35740. Deltophora gielsia** Hull, 1995 (Gelechiidae) Synonym(s): *gielsia* Hull, 1995 Range (in code): **ES**
- 35741. Deltophora korbi** (Caradja, 1920) (Gelechiidae) Synonym(s): *korbi* Caradja, 1920 Range (in code): **RU**
- 35742. Deltophora maculata** (Staudinger, 1879) (Gelechiidae) Synonym(s): *maculata* Staudinger, 1879 Original Reference: Teleia maculata Staudinger, 1879, Horae Soc. ent. ross. 15: 314-316. Lectotype ♀: [Türkei]: Amasia (Kerasdere), selected by Sattler (1979: 283) (MNHU).

- Range (in code): **GR Cr TR SY Hal LB Bei IL Js Pa JO Cc AM Eri GG Bjo Tbl Len AZ YE IR Elb Th Kh AF Kab TM**
- 35743. *Deltophora pauperella* Sattler,1979** (Gelechiidae) Synonym(s): *pauperella* Sattler,1979
Range (in code): **IN Hp Drm**
- 35744. *Deltophora peltosema* (Lower,1900)** (Gelechiidae) Synonym(s): *peltosema* Lower,1900;
pyramidophora Turner,1919 Range (in code): **AU LK IN**
- 35745. *Deltophora sella* (Chambers,1874)** (Gelechiidae) Synonym(s): *sella* Chambers,1874
Range (in code): **US Tx Fl Cf**
- 35746. *Deltophora stictella* (Rebel,1927)** (Gelechiidae) Synonym(s): *stictella* Rebel,1927
Range (in code): **ES FR IT**
- 35747. *Deltophora typica* Sattler,1979** (Gelechiidae) Synonym(s): *typica* Sattler,1979 Range (in code): **ZA Nta Kzu Tva Gau NG MZ ZW**
- 35748. *Demiophila psaphara* Meyrick,1906** (Gelechiidae) Synonym(s): *psaphara* Meyrick,1906
Range (in code): **LK**
- 35749. *Dendrophilia* (*Microdendrophilia*) *petrinopis* (Meyrick,1935)** (Gelechiidae)
Synonym(s): *petrinopis* Meyrick,1935 Range (in code): **JP RU Us TW**
- 35750. *Dendrophilia* (s.str.) *acris* Park,1995** (Gelechiidae) Synonym(s): *acris* Park,1995
Range (in code): **TW**
- 35751. *Dendrophilia* (s.str.) *albidella* (Snellen,1884)** (Gelechiidae) Synonym(s): *albidella* Snellen,1884 Range (in code): **RU Sb**
- 35752. *Dendrophilia* (s.str.) *caraganella* Ponomarenko,1993** (Gelechiidae) Synonym(s): *caraganella* Ponomarenko,1993 Range (in code): **RU Us** Bionomy: Larva on Caragana ussuriensis (Fabaceae) (Ponomarenko,1993).
- 35753. *Dendrophilia* (s.str.) *hetaeropsis* (Meyrick,1935)** (Gelechiidae) Synonym(s): *hetaeropsis* Meyrick,1935 Range (in code): **ID Ja TH**
- 35754. *Dendrophilia* (s.str.) *leguminella* Ponomarenko,1993** (Gelechiidae) Synonym(s): *leguminella* Ponomarenko,1993 Range (in code): **RU Us** Bionomy: Larva on Lespedeza bicolor (Fabaceae) (Ponomarenko,1993).
- 35755. *Dendrophilia* (s.str.) *mediofasciana* (Park,1991)** (Gelechiidae) Synonym(s): *mediofasciana* Park,1991; *brunneofasciella* Ponomarenko,1993 Range (in code): **KR JP RU Us**
- 35756. *Dendrophilia* (s.str.) *neotaphronoma* Ponomarenko,1993** (Gelechiidae)
Synonym(s): *neotaphronoma* Ponomarenko,1993 Range (in code): **RU Us KR TW** Bionomy: Larva on Lespedeza bicolor (Fabaceae) (Ponomarenko,1997).
- 35757. *Dendrophilia* (s.str.) *saxigera* (Meyrick,1931)** (Gelechiidae) Synonym(s): *saxigera* Meyrick,1931 Range (in code): **CN Sz Hun**
- 35758. *Dendrophilia* (s.str.) *solitaria* Ponomarenko,1993** (Gelechiidae) Synonym(s): *solitaria* Ponomarenko,1993 Range (in code): **RU Us**
- 35759. *Dendrophilia* (s.str.) *stictocosma* (Meyrick,1920)** (Gelechiidae) Synonym(s): *stictocosma* Meyrick,1920; *levata* Meyrick,1920 Range (in code): **IN**
- 35760. *Dendrophilia* (s.str.) *taphronoma* (Meyrick,1932)** (Gelechiidae) Synonym(s): *taphronoma* Meyrick,1932 Range (in code): **IN**
- 35761. *Dendrophilia* (s.str.) *tetragama* (Meyrick,1935)** (Gelechiidae) Synonym(s): *tetragama* Meyrick,1935 Range (in code): **ID Ja**
- 35762. *Dendrophilia* (s.str.) *unicolorella* Ponomarenko,1993** (Gelechiidae) Synonym(s): *unicolorella* Ponomarenko,1993 Range (in code): **RU Us KR** Bionomy: Larva on Lespedeza bicolor (Fabaceae) (Ponomarenko,1997).
- 35763. *Deroxena conioleuca* Meyrick,1926** (Gelechiidae) Synonym(s): *conioleuca* Meyrick,1926
Range (in code): **KG Uk**
- 35764. *Dichomeris acmodeta* (Meyrick,1931)** (Gelechiidae) Synonym(s): *acmodeta* Meyrick,1931
Range (in code): **MM**
- 35765. *Dichomeris acritopa* Meyrick,1915** (Gelechiidae) Synonym(s): *acritopa* Meyrick,1915
Range (in code): **CN Hun**
- 35766. *Dichomeris acritopa* Meyrick,1935** (Gelechiidae) Synonym(s): *acritopa* Meyrick,1935
Range (in code): **CN Yu**
- 35767. *Dichomeris acrochlora* (Meyrick,1905)** (Gelechiidae) Synonym(s): *acrochlora* Meyrick,1905 Range (in code): **LK**

- 35768. *Dichomeris acrolyncha* Meyrick, 1922** (Gelechiidae) Synonym(s): *acrolyncha* Meyrick, 1922 Range (in code): **BR**
- 35769. *Dichomeris acuminata* (Staudinger, 1876)** (Gelechiidae) Synonym(s): *acuminata* Staudinger, 1876; *ianthes* Meyrick, 1887; *rusticus* Walsingham, 1892; *lotellus* Constant, 1893; *ammoxanthus* Meyrick, 1904; *ochrophanes* Meyrick, 1907; *agathopa* Meyrick, 1921; *#agathope* Janse, 1950 Original Reference: *Mesophleps acuminata* Staudinger, 1876, [in] Kalchberg, Stettin ent. Ztg. 37: 148. Type(s): Sicilia. Range (in code): **PT ES Mu FR Co Sa Si IT MT GR ZA Uma Tva Lpo Buf Mdp Gau Pre Nha Nta Kzu Elo RE SC KE Nai EG CN TW IN LK JP ID Clb AU Hw US** Bionomy: Larva on *Indigofera pseudotinctoria*, *Trifolium repens*, *T. pratense*, *Medicago sativa* (Fabaceae); *Cyamopsis*, *Desmodium gyroides*, *Cajanus cajan*, *Sesbania sericea*, *Tephrosia* (Ponomarenko, 1997).
- 35770. *Dichomeris adelocentra* Meyrick, 1920** (Gelechiidae) Synonym(s): *adelocentra* Meyrick, 1920 Range (in code): **ID Ja** Bionomy: Larva on *Bridelia tomentosa* (Euphorbiaceae) (Meyrick, 1920).
- 35771. *Dichomeris aequata* Meyrick, 1914** (Gelechiidae) Synonym(s): *aequata* Meyrick, 1914 Range (in code): **PG**
- 35772. *Dichomeris agorastis* (Meyrick, 1931)** (Gelechiidae) Synonym(s): *agorastis* Meyrick, 1931 Range (in code): **SI IN**
- 35773. *Dichomeris albiscripta* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *albiscripta* Meyrick, 1914 Range (in code): **IN**
- 35774. *Dichomeris albula* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *albula* Park & Hodges, 1995 Range (in code): **TW**
- 35775. *Dichomeris allantopa* Meyrick, 1934** (Gelechiidae) Synonym(s): *allantopa* Meyrick, 1934 Range (in code): **IN Mad** Bionomy: Larva on *Dalbergia sissooides* (Ponomarenko, 1997).
- 35776. *Dichomeris alogista* Meyrick, 1935** (Gelechiidae) Synonym(s): *alogista* Meyrick, 1935 Range (in code): **CN Hun**
- 35777. *Dichomeris amblychroa* Janse, 1954** (Gelechiidae) Synonym(s): *amblychroa* Janse, 1954 Range (in code): **ZA Abc**
- 35778. *Dichomeris amphichlora* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *amphichlora* Meyrick, 1923 Range (in code): **IN Ass Meg Slo**
- 35779. *Dichomeris ampliata* Meyrick, 1913** (Gelechiidae) Synonym(s): *ampliata* Meyrick, 1913 Range (in code): **IN Ass Meg Khs LK**
- 35780. *Dichomeris ampycota* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *ampycota* Meyrick, 1913 Range (in code): **LK**
- 35781. *Dichomeris angulata* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *angulata* Park & Hodges, 1995 Range (in code): **TW**
- 35782. *Dichomeris anisacuminata* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *anisacuminata* Li & Zheng, 1996 Range (in code): **CN**
- 35783. *Dichomeris anisospila* Meyrick, 1934** (Gelechiidae) Synonym(s): *anisospila* Meyrick, 1934 Range (in code): **CN**
- 35784. *Dichomeris antiloxa* (Meyrick, 1931)** (Gelechiidae) Synonym(s): *antiloxa* Meyrick, 1931 Range (in code): **CN Sz**
- 35785. *Dichomeris antisticha* Meyrick, 1926** (Gelechiidae) Synonym(s): *antisticha* Meyrick, 1926 Range (in code): **CR**
- 35786. *Dichomeris antisticta* (Meyrick, 1929)** (Gelechiidae) Synonym(s): *antisticta* Meyrick, 1929 Range (in code): **IN** Bionomy: Larva on *Terminalia tomentosa* (Ponomarenko, 1997).
- 35787. *Dichomeris antizyga* Meyrick, 1913** (Gelechiidae) Synonym(s): *antizyga* Meyrick, 1913 Range (in code): **ZA Tva Mpu Brb Gau Pre NA Abc Wnk**
- 35788. *Dichomeris aomoriensis* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *aomoriensis* Park & Hodges, 1995 Range (in code): **JP**
- 35789. *Dichomeris aphanopa* Meyrick, 1921** (Gelechiidae) Synonym(s): *aphanopa* Meyrick, 1921; *#aphanope* Janse, 1950 Range (in code): **ZW ZA Uma Buf Tva**
- 35790. *Dichomeris apicispina* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *apicispina* Li & Zheng, 1996 Range (in code): **CN**
- 35791. *Dichomeris apludella* (Lederer, 1869)** (Gelechiidae) Synonym(s): *apludella* Lederer, 1869 Original Reference: *Hypsolophus apludellus* Lederer, 1869, *Horae Soc. ent. ross.* 6: 92, pl. 5 fig. 14. Type ♂: North Iran: Astrabad [=Gorgan], leg. Haberhauer. Range (in code): **IR Gor**

- 35792. *Dichomeris aprica* (Meyrick,1913)** (Gelechiidae) Synonym(s): *aprica* Meyrick,1913
Range (in code): IN
- 35793. *Dichomeris aprica* (Meyrick,1913)** (Gelechiidae) Synonym(s): *aprica* Meyrick,1913
Range (in code): IN
- 35794. *Dichomeris arcuata* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *arcuata* Li, Zhen & Mey, 2013 Range (in code): MW
- 35795. *Dichomeris argentaria* Meyrick,1913** (Gelechiidae) Synonym(s): *argentaria* Meyrick,1913
Range (in code): ZA Tva Mpu Brb Nha
- 35796. *Dichomeris asodes* Meyrick,1939** (Gelechiidae) Synonym(s): *asodes* Meyrick,1939
Range (in code): ID Ja
- 35797. *Dichomeris asteropis* (Meyrick,1921)** (Gelechiidae) Synonym(s): *asteropis* Meyrick,1921
Range (in code): ZW Umv Uma Bul ZA Tva Lpo Kru
- 35798. *Dichomeris atomogypsa* (Meyrick,1932)** (Gelechiidae) Synonym(s): *atomogypsa* Meyrick,1932 Range (in code): KP KR JP Bionomy: Larva on *Quercus acutissima*, *Q. dentata*, *Q. serrata* (Fagaceae) (Ponomarenko,1997).
- 35799. *Dichomeris attenta* Meyrick,1921** (Gelechiidae) Synonym(s): *attenta* Meyrick,1921
Range (in code): ZW Umv ZA
- 35800. *Dichomeris autometra* (Meyrick,1934)** (Gelechiidae) Synonym(s): *autometra* Meyrick,1934 Range (in code): CN Sz TW Bionomy: Larva on *Lithospermum* (Ponomarenko,1997).
- 35801. *Dichomeris baccata* Meyrick,1923** (Gelechiidae) Synonym(s): *baccata* Meyrick,1923
Range (in code): BR
- 35802. *Dichomeris badiolineariella* Ponomarenko & Ueda,2004** (Gelechiidae)
Synonym(s): *badiolineariella* Ponomarenko & Ueda,2004 Range (in code): TH Loe
- 35803. *Dichomeris baliollella* Ponomarenko & Ueda,2004** (Gelechiidae) Synonym(s): *baliollella* Ponomarenko & Ueda,2004 Range (in code): TH Loe
- 35804. *Dichomeris barbella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *barbella* [Denis & Schiffermüller],1775 Original Reference: *Tinea barbella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 136. Type(s): [Austria]: Vienna district. Range (in code): IT DE AT CZ HU YU TR RU Ur Cc MD UA BY KG Uk Bionomy: Larva on *Prunus spinosa*, *P. domestica* (Rosaceae) (Ponomarenko,1997).
- 35805. *Dichomeris barymochla* (Meyrick,1935)** (Gelechiidae) Synonym(s): *barymochla* Meyrick,1935 Range (in code): IN
- 35806. *Dichomeris basistriata* (Walsingham,1897)** (Gelechiidae) Synonym(s): *basistriata* Walsingham,1897 Range (in code): ZW Bul BW Klh ZA NA Abc Tva Mag Gau Pre Elo Nta Kzu MZ
- 35807. *Dichomeris bifurca* Li & Zheng,1996** (Gelechiidae) Synonym(s): *bifurca* Li & Zheng,1996
Range (in code): CN Sz Fkn
- 35808. *Dichomeris bimaculata* Liu & Qian,1994** (Gelechiidae) Synonym(s): *bimaculata* Liu & Qian,1994 Range (in code): CN Sz Yu Fkn Hbe Kwa
- 35809. *Dichomeris bisignella* (Snellen,1885)** (Gelechiidae) Synonym(s): *bisignella* Snellen,1885; *deltaspis* Meyrick,1905 Range (in code): IN LK ID Clb KE
- 35810. *Dichomeris bodenheimeri* (Rebel,1926)** (Gelechiidae) Synonym(s): *bodenheimeri* Rebel,1926 Original Reference: *Rhinosia bodenheimeri* Rebel,1926, *Verh. zool.- bot. Ges.* 74/75: 203, fig. Type: Palaestina. Range (in code): IL Pa
- 35811. *Dichomeris bolize* Hodges,1986** (Gelechiidae) Synonym(s): *bolize* Hodges,1986
Range (in code): US Neb
- 35812. *Dichomeris bomiensis* Li & Zheng,1996** (Gelechiidae) Synonym(s): *bomiensis* Li & Zheng,1996 Range (in code): CN Ti
- 35813. *Dichomeris brachygrapha* Meyrick,1920** (Gelechiidae) Synonym(s): *brachygrapha* Meyrick,1920 Range (in code): IN Ass Meg KhS
- 35814. *Dichomeris brachymetra* Meyrick,1923** (Gelechiidae) Synonym(s): *brachymetra* Meyrick,1923 Range (in code): PE
- 35815. *Dichomeris brachyptila* Meyrick,1916** (Gelechiidae) Synonym(s): *brachyptila* Meyrick,1916 Range (in code): MM ID Ja
- 35816. *Dichomeris brevicornuta* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *brevicornuta* Li, Zhen & Mey, 2013 Range (in code): ZA Tva Lpo

- 35817. *Dichomeris bucinaria* Park,1996** (Gelechiidae) **Synonym(s):** *bucinarina* Park,1996
Range (in code): TW
- 35818. *Dichomeris bulawskii* Ponomarenko & Park,1996** (Gelechiidae) **Synonym(s):** *bulawskii* Ponomarenko & Park,1996 Range (in code): RU Us
- 35819. *Dichomeris byrsoxantha* (Meyrick,1918)** (Gelechiidae) **Synonym(s):** *byrsoxantha* Meyrick,1918 Range (in code): ZA Nta Kzu Umk Srn Kkf
- 35820. *Dichomeris cachrydias* Meyrick,1914** (Gelechiidae) **Synonym(s):** *cachrydias* Meyrick,1914
Range (in code): BR GY
- 35821. *Dichomeris caerulescens* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *caerulescens* Meyrick,1913 Original Reference: Trichotaphe caerulescens Meyrick,1913, J. Bombay nat. Hist. Soc. 22: 180. Type: India: Assam. Range (in code): LK IN Ass Meg Khs
- 35822. *Dichomeris caia* Hodges,1986** (Gelechiidae) **Synonym(s):** *caia* Hodges,1986 Range (in code): US Ilu
- 35823. *Dichomeris capillata* (Walsingham,1911)** (Gelechiidae) **Synonym(s):** *capillata* Walsingham,1911 Original Reference: Anorthosia capillata Walsingham,1911, Biol. Centr.-Amer. Lepid. Het. 4: 87, pl.3 fig.9. Type: Guatemala. Range (in code): GT
- 35824. *Dichomeris capnites* (Meyrick,1904)** (Gelechiidae) **Synonym(s):** *capnites* Meyrick,1904
Range (in code): AU QAU
- 35825. *Dichomeris carinella* Walsingham,1911** (Gelechiidae) **Synonym(s):** *carinella* Walsingham,1911 Range (in code): MX
- 35826. *Dichomeris carycina* (Meyrick,1914)** (Gelechiidae) **Synonym(s):** *carycina* Meyrick,1914
Range (in code): BR GY
- 35827. *Dichomeris castellana* (Schmidt,1941)** (Gelechiidae) **Synonym(s):** *castellana* Schmidt,1941 Range (in code): ES
- 35828. *Dichomeris cellaria* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *cellaria* Meyrick,1913
Range (in code): IN Ass Meg Khs
- 35829. *Dichomeris centracma* Meyrick,1923** (Gelechiidae) **Synonym(s):** *centracma* Meyrick,1923; *richteri* Amsel,1959 Original Reference: Trichotaphe centracma Meyrick,1923, Exor. Microlepid. 3: 4. Type ♀: India: Bombay, Gujarat: Kharaghoda (BMNH). Range (in code): IN Bba Mh IR Ke Ana PK Sd Krc
- 35830. *Dichomeris ceponoma* Meyrick,1918** (Gelechiidae) **Synonym(s):** *ceponoma* Meyrick,1918; *tetrascema* Meyrick,1931 Range (in code): IN LK ID Ja
- 35831. *Dichomeris chalcophaea* Meyrick,1921** (Gelechiidae) **Synonym(s):** *chalcophaea* Meyrick,1921 Range (in code): QAU AU Bri
- 35832. *Dichomeris charonea* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *charonea* Meyrick,1913
Range (in code): LK
- 35833. *Dichomeris chartaria* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *chartaria* Meyrick,1913
Range (in code): LK
- 35834. *Dichomeris chinganella* (Christoph,1882)** (Gelechiidae) **Synonym(s):** *chinganella* Christoph,1882 Range (in code): RU Us
- 35835. *Dichomeris chlanidota* (Meyrick,1927)** (Gelechiidae) **Synonym(s):** *chlanidota* Meyrick,1927 Range (in code): ID Sum
- 35836. *Dichomeris cinnabarina* (Meyrick,1923)** (Gelechiidae) **Synonym(s):** *cinnabarina* Meyrick,1923 Range (in code): LK
- 35837. *Dichomeris cisti* (Staudinger,1859)** (Gelechiidae) **Synonym(s):** *cisti* Staudinger,1859
Range (in code): ES
- 35838. *Dichomeris citharista* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *citharista* Meyrick,1913
Range (in code): IN
- 35839. *Dichomeris claviculata* Meyrick,1909** (Gelechiidae) **Synonym(s):** *claviculata* Meyrick,1909 Range (in code): ZA Tva Gau Pre MZ Mag
- 35840. *Dichomeris cocta* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *cocta* Meyrick,1913
Range (in code): IN Ass Meg Khs
- 35841. *Dichomeris coenulenta* (Meyrick,1927)** (Gelechiidae) **Synonym(s):** *coenulenta* Meyrick,1927 Range (in code): ZW Uma
- 35842. *Dichomeris condylodes* Meyrick,1921** (Gelechiidae) **Synonym(s):** *condylodes* Meyrick,1921 Range (in code): ZW Vf Swm

- 35843. *Dichomeris consertella* (Christoph,1882)** (Gelechiidae) Synonym(s): *consertella* Christoph,1882 _ Range (in code): RU Us Bionomy: Larva on *Corylus heterophylla* {[dry leaves] (Ponomarenko,1997)}.
- 35844. *Dichomeris contentella* (Walker,1864)** (Gelechiidae) Synonym(s): *contentella* Walker,1864 _ Range (in code): MY Sbh Swk Bor
- 35845. *Dichomeris corniculata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *corniculata* Meyrick,1913 _ Range (in code): IN Ass Meg Khs
- 35846. *Dichomeris cotifera* Meyrick,1913** (Gelechiidae) Synonym(s): *cotifera* Meyrick,1913 _ Range (in code): ZA Tva Mpu Brb
- 35847. *Dichomeris crambaleas* (Meyrick,1913)** (Gelechiidae) Synonym(s): *crambaleas* Meyrick,1913; *#crambaleas* Park & Hodges,1995 _ Range (in code): IN Ass Meg Khs TW
- 35848. *Dichomeris crepitatrix* Meyrick,1913** (Gelechiidae) Synonym(s): *crepitatrix* Meyrick,1913 _ Range (in code): IN LK
- 35849. *Dichomeris cuprea* Li & Zheng,1996** (Gelechiidae) Synonym(s): *cuprea* Li & Zheng,1996 _ Range (in code): CN
- 35850. *Dichomeris cuspis* Park,1994** (Gelechiidae) Synonym(s): *cuspis* Park,1994 _ Range (in code): RU Us KR CN Bionomy: Larva on *Quercus acuteserrata* (Fagaceae) (Ponomarenko,1997).
- 35851. *Dichomeris cymatodes* (Meyrick,1916)** (Gelechiidae) Synonym(s): *cymatodes* Meyrick,1916 _ Range (in code): IN Ass VN TW
- 35852. *Dichomeris davisii* Park & Hodges,1995** (Gelechiidae) Synonym(s): *davisii* Park & Hodges,1995 _ Range (in code): TW
- 35853. *Dichomeris deceptella* (Snellen,1903)** (Gelechiidae) Synonym(s): *deceptella* Snellen,1903 _ Range (in code): ID Ja
- 35854. *Dichomeris decusella* (Walker,1864)** (Gelechiidae) Synonym(s): *decusella* Walker,1864; *alternella* Walker,1864; *granti* Walsingham,1900; *thoracella* Walsingham,1900 _ Range (in code): IN Sk YE KE
- 35855. *Dichomeris deltoxyla* (Meyrick,1934)** (Gelechiidae) Synonym(s): *deltoxyla* Meyrick,1934 _ Range (in code): CN
- 35856. *Dichomeris dentata* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *dentata* Li, Zhen & Mey, 2013 _ Range (in code): MW
- 35857. *Dichomeris derasella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *derasella* [Denis & Schiffermüller],1775; *fasciella* Hübner,1796; *unguiculatus* Fabricius,1798; *coreana* Matsumura,1931; *paranthes* Meyrick,1936 _ Original Reference: *Tinea derasella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 140. Type(s): [Austria]: Vienna district. Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK LV LT RU MD UA BY KP KR Sb Cc CN Bionomy: Larva on *Crataegus*, *Malus*, *Cerasus*, *Rubus* (Rosaceae) (Ponomarenko,1997).
- 35858. *Dichomeris diacrita* (Diakonoff,[1968])** (Gelechiidae) Synonym(s): *diacrita* Diakonoff,[1968] _ Range (in code): PH Luz TW
- 35859. *Dichomeris dicausta* (Meyrick,1913)** (Gelechiidae) Synonym(s): *dicausta* Meyrick,1913 _ Range (in code): IN Ass Meg Khs
- 35860. *Dichomeris diffurca* Li & Zheng,1996** (Gelechiidae) Synonym(s): *diffurca* Li & Zheng,1996 _ Range (in code): CN Fkn
- 35861. *Dichomeris dolichaula* Meyrick,1931** (Gelechiidae) Synonym(s): *dolichaula* Meyrick,1931 _ Range (in code): CM
- 35862. *Dichomeris doxarcha* (Meyrick,1916)** (Gelechiidae) Synonym(s): *doxarcha* Meyrick,1916 _ Range (in code): MM Krh
- 35863. *Dichomeris dysnotata* Janse,1954** (Gelechiidae) Synonym(s): *dysnotata* Janse,1954 _ Range (in code): NA ZA Abc Tva Slpp Gau
- 35864. *Dichomeris enoptrias* (Meyrick,1911)** (Gelechiidae) Synonym(s): *enoptrias* Meyrick,1911 _ Range (in code): IN Ass Meg Khs
- 35865. *Dichomeris eridantis* (Meyrick,1907)** (Gelechiidae) Synonym(s): *eridantis* Meyrick,1907 _ Range (in code): IN Ben
- 35866. *Dichomeris erixantha* (Meyrick,1914)** (Gelechiidae) Synonym(s): *erixantha* Meyrick,1914 _ Range (in code): ZA
- 35867. *Dichomeris eucomopa* Meyrick,1939** (Gelechiidae) Synonym(s): *eucomopa* Meyrick,1939 _ Range (in code): ID Ja Bionomy: Larva on *Bauhinia* (Fabaceae) (Meyrick,1939).

- 35868. *Dichomeris eustacta* Meyrick, 1921** (Gelechiidae) **Synonym(s):** *eustacta* Meyrick, 1921
Range (in code): **ZW Uma**
- 35869. *Dichomeris excepta* (Meyrick, 1914)** (Gelechiidae) **Synonym(s):** *excepta* Meyrick, 1914
Range (in code): **ZW Maz**
- 35870. *Dichomeris excoriata* Meyrick, 1913** (Gelechiidae) **Synonym(s):** *excoriata* Meyrick, 1913
Range (in code): **IN Ass Meg Khs**
- 35871. *Dichomeris exsecta* Meyrick, 1927** (Gelechiidae) **Synonym(s):** *exsecta* Meyrick, 1927
Range (in code): **ZW**
- 35872. *Dichomeris externella* (Zeller, 1852)** (Gelechiidae) **Synonym(s):** *externella* Zeller, 1852
Range (in code): **ZA Tva Lpo Ec Stj Nta Kzu Mpu Tst Dbn Mal Pre Gau Buf ZW Maz**
- 35873. *Dichomeris famosa* Meyrick, 1914** (Gelechiidae) **Synonym(s):** *famosa* Meyrick, 1914
Range (in code): **ZW Umv**
- 35874. *Dichomeris fareasta* Park, 1994** (Gelechiidae) **Synonym(s):** *fareasta* Park, 1994 **Range (in code):** **KR RU Us**
- 35875. *Dichomeris ferrata* Meyrick, 1913** (Gelechiidae) **Synonym(s):** *ferrata* Meyrick, 1913
Range (in code): **IN Ass Meg Khs**
- 35876. *Dichomeris ferruginosa* Meyrick, 1913** (Gelechiidae) **Synonym(s):** *ferruginosa* Meyrick, 1913 **Range (in code):** **IN Ass Meg Khs CN TW ID Ja JP** **Bionomy:** Larva on *Sesbania grandiflora* (Ponomarenko, 1997).
- 35877. *Dichomeris fida* Meyrick, 1923** (Gelechiidae) **Synonym(s):** *fida* Meyrick, 1923 **Range (in code):** **BR**
- 35878. *Dichomeris fluitans* Meyrick, 1920** (Gelechiidae) **Synonym(s):** *fluitans* Meyrick, 1920
Range (in code): **ZA Nta Kzu Hwk**
- 35879. *Dichomeris frenigera* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *frenigera* Meyrick, 1913
Range (in code): **IN Ass Meg Khs**
- 35880. *Dichomeris fungifera* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *fungifera* Meyrick, 1913
Range (in code): **IN Ass Meg Khs CN Kig VN**
- 35881. *Dichomeris furvella* (Zeller, 1852)** (Gelechiidae) **Synonym(s):** *furvella* Zeller, 1852
Range (in code): **ZA Nta Kzu Esw Uma ZW**
- 35882. *Dichomeris fusca* Park & Hodges, 1995** (Gelechiidae) **Synonym(s):** *fusca* Park & Hodges, 1995 **Range (in code):** **TW**
- 35883. *Dichomeris fuscahopa* Li & Zheng, 1996** (Gelechiidae) **Synonym(s):** *fuscahopa* Li & Zheng, 1996 **Range (in code):** **CN She**
- 35884. *Dichomeris fuscalis* Park & Hodges, 1995** (Gelechiidae) **Synonym(s):** *fuscalis* Park & Hodges, 1995 **Range (in code):** **TW**
- 35885. *Dichomeris fuscanelle* (Caradja, 1920)** (Gelechiidae) **Synonym(s):** *fuscanelle* Caradja, 1920 **Range (in code):** **IN SI Djl**
- 35886. *Dichomeris fuscitis* Li & Zheng, 1996** (Gelechiidae) **Synonym(s):** *fuscitis* Li & Zheng, 1996 **Range (in code):** **CN Sz**
- 35887. *Dichomeris gansuensis* Li & Zheng, 1996** (Gelechiidae) **Synonym(s):** *gansuensis* Li & Zheng, 1996 **Range (in code):** **CN Gn**
- 35888. *Dichomeris geochrota* (Meyrick, 1914)** (Gelechiidae) **Synonym(s):** *geochrota* Meyrick, 1914 **Range (in code):** **IN Bba**
- 35889. *Dichomeris granti* Walsingham, 1900** (Gelechiidae) **Synonym(s):** *granti* Walsingham, 1900; *thoracella* Walsingham, 1900 **Range (in code):** **YE Sk**
- 35890. *Dichomeris harmonias* Meyrick, 1922** (Gelechiidae) **Synonym(s):** *harmonias* Meyrick, 1922 **Range (in code):** **RU Us CN Pkn KR JP**
- 35891. *Dichomeris helianthemii* (Walsingham, 1903)** (Gelechiidae) **Synonym(s):** *helianthemii* Walsingham, 1903 **Range (in code):** **ES FR Sa**
- 35892. *Dichomeris hercogramma* Meyrick, 1921** (Gelechiidae) **Synonym(s):** *hercogramma* Meyrick, 1921 **Range (in code):** **ZW Uma**
- 35893. *Dichomeris heteracma* Meyrick, 1923** (Gelechiidae) **Synonym(s):** *heteracma* Meyrick, 1923
Range (in code): **BR**
- 35894. *Dichomeris hodgesi* Li & Zheng, 1996** (Gelechiidae) **Synonym(s):** *hodgesi* Li & Zheng, 1996
Range (in code): **CN She Kig**
- 35895. *Dichomeris homaloxesta* Meyrick, 1921** (Gelechiidae) **Synonym(s):** *homaloxesta* Meyrick, 1921 **Range (in code):** **ZW Uma**

- 35896. *Dichomeris hoplocrates* (Meyrick,1932)** (Gelechiidae) **Synonym(s):** *hoplocrates* Meyrick,1932 _ **Range (in code):** **JP** **Bionomy:** Larva on *Duschesnea chrysantha*, *Rubus sieboldii*, *R. buergeri* (Ponomarenko,1997).
- 35897. *Dichomeris horiodes* Meyrick,1923** (Gelechiidae) **Synonym(s):** *horiodes* Meyrick,1923 **Range (in code):** **BR**
- 35898. *Dichomeris horoglypta* Meyrick,1932** (Gelechiidae) **Synonym(s):** *horoglypta* Meyrick,1932 _ **Range (in code):** **CN KP KR JP** **Bionomy:** Larva on *Indigofera pseudotinctoria* (Ponomarenko,1997).
- 35899. *Dichomeris hortulana* Meyrick,1918** (Gelechiidae) **Synonym(s):** *hortulana* Meyrick,1918 **Range (in code):** **ZA Tva Gau Pre**
- 35900. *Dichomeris hylurga* Meyrick,1921** (Gelechiidae) **Synonym(s):** *hylurga* Meyrick,1921 **Range (in code):** **ZW Har Uma**
- 35901. *Dichomeris ianthes* (Meyrick,1887)** (Gelechiidae) **Synonym(s):** *ianthes* Meyrick,1887; *ochrophanes* Meyrick,1907 _ **Range (in code):** **LK RE**
- 35902. *Dichomeris ignorata* Meyrick,1921** (Gelechiidae) **Synonym(s):** *ignorata* Meyrick,1921 **Range (in code):** **ID Ja**
- 35903. *Dichomeris illicita* (Meyrick,1929)** (Gelechiidae) **Synonym(s):** *illicita* Meyrick,1929 **Range (in code):** **IN Ass Meg Slo**
- 35904. *Dichomeris illucescens* (Meyrick,1918)** (Gelechiidae) **Synonym(s):** *illucescens* Meyrick,1918 _ **Range (in code):** **IN Ass Meg Khs**
- 35905. *Dichomeris imbricata* Meyrick,1913** (Gelechiidae) **Synonym(s):** *imbricata* Meyrick,1913; *umbricata* Meyrick,1934 _ **Range (in code):** **CN IN LK**
- 35906. *Dichomeris immerita* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *immerita* Meyrick,1913 **Range (in code):** **LK**
- 35907. *Dichomeris impigra* Meyrick,1913** (Gelechiidae) **Synonym(s):** *impigra* Meyrick,1913 **Range (in code):** **ZA Mpu Hae Tva Lpo Brb Tst Mhk Ltr Chp Spb Nta Kzu Umk Lds Mlm**
- 35908. *Dichomeris inclusa* (Meyrick,1927)** (Gelechiidae) **Synonym(s):** *inclusa* Meyrick,1927 **Range (in code):** **ZA Buf Tva Lpo**
- 35909. *Dichomeris indiserta* Meyrick,1926** (Gelechiidae) **Synonym(s):** *indiserta* Meyrick,1926 **Range (in code):** **MY Klu** **Bionomy:** Larva on *Nephelium lappaceum* (Meyrick,1926).
- 35910. *Dichomeris ingloria* Meyrick,1923** (Gelechiidae) **Synonym(s):** *ingloria* Meyrick,1923 **Range (in code):** **PE**
- 35911. *Dichomeris instans* Meyrick,1923** (Gelechiidae) **Synonym(s):** *instans* Meyrick,1923 **Range (in code):** **PE**
- 35912. *Dichomeris intensa* Meyrick,1913** (Gelechiidae) **Synonym(s):** *intensa* Meyrick,1913 **Range (in code):** **IN LK VN**
- 35913. *Dichomeris introspicieus* Meyrick,1926** (Gelechiidae) **Synonym(s):** *introspicieus* Meyrick,1926 _ **Range (in code):** **ZA Nta Kzu Wnn**
- 35914. *Dichomeris ironica* Meyrick,1909** (Gelechiidae) **Synonym(s):** *ironica* Meyrick,1909 **Range (in code):** **ZA Tva Lpo Spb Wmb**
- 35915. *Dichomeris isoclera* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *isoclera* Meyrick,1913 **Range (in code):** **LK**
- 35916. *Dichomeris issikii* (Okada,1961)** (Gelechiidae) **Synonym(s):** *issikii* Okada,1961 _ **Range (in code):** **KR JP**
- 35917. *Dichomeris jiangxiensis* Li & Zheng,1996** (Gelechiidae) **Synonym(s):** *jiangxiensis* Li & Zheng,1996 _ **Range (in code):** **CN Kig**
- 35918. *Dichomeris juniperella* (Linnaeus,1761)** (Gelechiidae) **Synonym(s):** *juniperella* Linnaeus,1761; *juniperi* Haworth,1828. _ **Range (in code):** **PT ES FR IT GB DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Juniperus communis* (Linnaeus,1761).
- 35919. *Dichomeris junisonis* Matsumura,1931** (Gelechiidae) **Synonym(s):** *junisonis* Matsumura,1931 _ **Range (in code):** **JP**
- 35920. *Dichomeris lamprostoma* (Zeller,1847)** (Gelechiidae) **Synonym(s):** *lamprostoma* Zeller,1847; *zulu* Walsingham,1881; *scutata* Meyrick,1894. **Original Reference:** *Gelechia lamprostoma* Zeller,1847, Isis 1847: 851. **Range (in code):** **Cn MA DZ Anna Ajj PT ES FR Sa Si MT TR IQ Mos Bgd ZA NA Abc Nta Kzu Umk Gau Pre Tva Lpo Nbs IN ID Ja**

- 35921. *Dichomeris latipennella* (Rebel,1937)** (Gelechiidae) Synonym(s): *latipennella* Rebel,1937
Range (in code): **IT DE CH AT CZ SK RO NO SE FI EE LV LT RU MD UA BY**
- 35922. *Dichomeris lativalvata* Li & Zheng,1996** (Gelechiidae) Synonym(s): *lativalvata* Li & Zheng,1996
Range (in code): **CN She Kig**
- 35923. *Dichomeris leptosaris* Meyrick,1932** (Gelechiidae) Synonym(s): *leptosaris* Meyrick,1932
Range (in code): **JP Hkk** Bionomy: Larva on *Corylus heterophylla* var. *thunbergi*, *C. sieboldiana*, *Quercus mongolica* (Fagaceae) (Ponomarenko,1997).
- 35924. *Dichomeris lespedezae* Park,1994** (Gelechiidae) Synonym(s): *lespedezae* Park,1994
Range (in code): **KR RU Us JP** Bionomy: Larva on *Lespedeza* (Park,1994).
- 35925. *Dichomeris leucothicta* Meyrick,1919** (Gelechiidae) Synonym(s): *leucothicta* Meyrick,1919
Range (in code): **IN Bba**
- 35926. *Dichomeris levigata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *levigata* Meyrick,1913
Range (in code): **LK**
- 35927. *Dichomeris ligulacea* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *ligulacea* Li, Zhen & Mey, 2013
Range (in code): **MW**
- 35928. *Dichomeris ligyra* Meyrick,1913** (Gelechiidae) Synonym(s): *ligyra* Meyrick,1913
Range (in code): **ZA Tva Gau Pre**
- 35929. *Dichomeris limbipunctella* (Staudinger,1859)** (Gelechiidae) Synonym(s): *limbipunctella* Staudinger,1859; *millierella* Stainton,1873.
Range (in code): **PT ES FR Co Sa IT GR CY**
- 35930. *Dichomeris limosella* (Schläger,1849)** (Gelechiidae) Synonym(s): *limosella* Schläger,1849; *deflectivella* Reutti,1853. Original Reference: *Hypsolophus limosellus* Schläger,1849, Thüring. Tauschber.: 43. Type(s): Europa. Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU TR SE FI EE LV LT RU MD UA BY Ur Sb Us MN CN** Bionomy: Larva on *Trifolium pratense*, *Medicago sativa* (Fabaceae) (Ponomarenko,1997).
- 35931. *Dichomeris linearis* Park & Hodges,1995** (Gelechiidae) Synonym(s): *linearis* Park & Hodges,1995
Range (in code): **TW**
- 35932. *Dichomeris lissota* (Meyrick,1913)** (Gelechiidae) Synonym(s): *lissota* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 35933. *Dichomeris litoxyla* Meyrick,1937** (Gelechiidae) Synonym(s): *litoxyla* Meyrick,1937
Range (in code): **RU Us KR**
- 35934. *Dichomeris lividula* Park & Hodges,1995** (Gelechiidae) Synonym(s): *lividula* Park & Hodges,1995
Range (in code): **TW**
- 35935. *Dichomeris loxophila* (Meyrick,1923)** (Gelechiidae) Synonym(s): *loxophila* Meyrick,1923
Range (in code): **CN TW**
- 35936. *Dichomeris lucrifuga* Meyrick,1923** (Gelechiidae) Synonym(s): *lucrifuga* Meyrick,1923
Range (in code): **BR**
- 35937. *Dichomeris lupata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *lupata* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 35938. *Dichomeris lushanae* Park & Hodges,1995** (Gelechiidae) Synonym(s): *lushanae* Park & Hodges,1995
Range (in code): **TW**
- 35939. *Dichomeris lutea* Park & Hodges,1995** (Gelechiidae) Synonym(s): *lutea* Park & Hodges,1995
Range (in code): **TW**
- 35940. *Dichomeris lutilinea* Ponomarenko & Park,1996** (Gelechiidae) Synonym(s): *lutilinea* Ponomarenko & Park,1996
Range (in code): **KR**
- 35941. *Dichomeris lutivittata* Meyrick,1921** (Gelechiidae) Synonym(s): *lutivittata* Meyrick,1921
Range (in code): **AU QAU Bri**
- 35942. *Dichomeris macroxyla* (Meyrick,1913)** (Gelechiidae) Synonym(s): *Dichomeris macroxyla* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 35943. *Dichomeris malachias* (Meyrick,1913)** (Gelechiidae) Synonym(s): *malachias* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 35944. *Dichomeris malacodes* (Meyrick,1910)** (Gelechiidae) Synonym(s): *malacodes* Meyrick,1910
Range (in code): **IN CN Yu TW LK ID**
- 35945. *Dichomeris mantipodina* Li & Zheng,1996** (Gelechiidae) Synonym(s): *mantipodina* Li & Zheng,1996
Range (in code): **CN She**
- 35946. *Dichomeris marginella* (Fabricius,1781)** (Gelechiidae) Synonym(s): *marginella* Fabricius,1781; *fimbriella* Thunberg,1788; *striatella* Hübner,1796 nec [Denis & Schiff.],1775; *marginata* Fabricius,1798; *clarella* Treitschke,1833.
Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL**

- CZ SK HU RO YU BG GR DK SE EE LV LT RU MD UA BY At Cc** Bionomy: Larva on *Juniperus communis*, *J. chinensis*, *J. horizontalis*, *J. recurva*, *J. virginiana* (Ponomarenko,1997).
- 35947. Dichomeris marmorata (Walsingham,1891)** (Gelechiidae) Synonym(s): *marmorata* Walsingham,1891 Range (in code): **GM ZA Tva NA Abc Gau Pre**
- 35948. Dichomeris matsumurai Ponomarenko & Ueda,2004** (Gelechiidae) Synonym(s): *matsumurai* Ponomarenko & Ueda,2004 Range (in code): **TH Loe CMa Nna**
- 35949. Dichomeris melanortha Meyrick,1929** (Gelechiidae) Synonym(s): *melanortha* Meyrick,1929 Range (in code): **IN Bba Poo**
- 35950. Dichomeris melitura (Meyrick,1916)** (Gelechiidae) Synonym(s): *melitura* Meyrick,1916 Range (in code): **IN**
- 35951. Dichomeris menglana Li & Zheng,1996** (Gelechiidae) Synonym(s): *menglana* Li & Zheng,1996 Range (in code): **CN Yu**
- 35952. Dichomeris meridionella (Walsingham,1881)** (Gelechiidae) Synonym(s): *meridionella* Walsingham,1881 Range (in code): **ES ZA Tva Nta Kzu Gau Pre Kkf ZA14**
- 35953. Dichomeris mesoctenis Meyrick,1921** (Gelechiidae) Synonym(s): *mesoctenis* Meyrick,1921 Range (in code): **AU QAU Bri** Bionomy: Larva on *Alchornea ilicifolia* (Euphorbiaceae) (Meyrick,1921).
- 35954. Dichomeris mesoglana Meyrick,1923** (Gelechiidae) Synonym(s): *mesoglana* Meyrick,1923 Range (in code): **IN LK**
- 35955. Dichomeris metatoxa (Meyrick,1935)** (Gelechiidae) Synonym(s): *metatoxa* Meyrick,1935 Range (in code): **IN Oi**
- 35956. Dichomeris metrodes Meyrick,1913** (Gelechiidae) Synonym(s): *metrodes* Meyrick,1913 Range (in code): **IN LK ZA Gau Pre Wv Mpu Buf Tva Lpo Mdp Nta Kzu Umk Abc Blu Mdt Rtb ZW Uma Swm Vf**
- 35957. Dichomeris metuens Meyrick,1932** (Gelechiidae) Synonym(s): *metuens* Meyrick,1932 Range (in code): **ID Ja**
- 35958. Dichomeris microdoxa (Meyrick,1933)** (Gelechiidae) Synonym(s): *microdoxa* Meyrick,1933 Range (in code): **ID Ja** Bionomy: Larva on *Macranga* (Ponomarenko,1997).
- 35959. Dichomeris microsphenha Meyrick,1921** (Gelechiidae) Synonym(s): *microsphenha* Meyrick,1921 Range (in code): **ID Ja TW IN** Bionomy: Larva on *Bridelia ovata* (Ponomarenko,1997).
- 35960. Dichomeris minutia Park,1994** (Gelechiidae) Synonym(s): *minutia* Park,1994 Range (in code): **KR**
- 35961. Dichomeris mitteri Park,1994** (Gelechiidae) Synonym(s): *mitteri* Park,1994 Range (in code): **CN KR JP**
- 35962. Dichomeris molybdea Janse,1954** (Gelechiidae) Synonym(s): *molybdea* Janse,1954 Range (in code): **ZA Tva Lpo Kru**
- 35963. Dichomeris monococca Meyrick,1921** (Gelechiidae) Synonym(s): *monococca* Meyrick,1921 Range (in code): **MZ Mpt**
- 35964. Dichomeris moriutii Ponomarenko & Ueda,2004** (Gelechiidae) Synonym(s): *moriutii* Ponomarenko & Ueda,2004 Range (in code): **TH Loe**
- 35965. Dichomeris neatodes Meyrick,1923** (Gelechiidae) Synonym(s): *neatodes* Meyrick,1923 Original Reference: *Dichomeris neatodes* Meyrick,1923, *Exot. Microlepid.* 3: 35. Type: Cyprus: Platres. Range (in code): **CY**
- 35966. Dichomeris nephanthes (Meyrick,1929)** (Gelechiidae) Synonym(s): *nephanthes* Meyrick,1929 Range (in code): **CA**
- 35967. Dichomeris ningshanensis Li & Zheng,1996** (Gelechiidae) Synonym(s): *ningshanensis* Li & Zheng,1996 Range (in code): **CN**
- 35968. Dichomeris nitiellus (Constantini,1923)** (Gelechiidae) Synonym(s): *nitiellus* Constantini,1923 Range (in code): **IT CH**
- 35969. Dichomeris nivalis Li & Zheng,1996** (Gelechiidae) Synonym(s): *nivalis* Li & Zheng,1996 Range (in code): **CN Kig**
- 35970. Dichomeris nyingchiensis Li & Zheng,1996** (Gelechiidae) Synonym(s): *nyingchiensis* Li & Zheng,1996 Range (in code): **CN Ti**
- 35971. Dichomeris obsepta (Meyrick,1935)** (Gelechiidae) Synonym(s): *obsepta* Meyrick,1935 Range (in code): **CN Kig**

- 35972. *Dichomeris oceanis* Meyrick, 1920** (Gelechiidae) Synonym(s): *oceanis* Meyrick, 1920; *limitellus* Caradja, 1920; *yanagawanus* Matsumura, 1931; *heriguronis* Matsumura, 1931. Range (in code): JP RU Us CN Mc Pkn Gn She TW KP KR Bionomy: Larva on *Wisteria floribunda*, *W. japonica*, *W. sinensis*, *W. brachybotrys*, *Milletia japonica*, *Quercus* (Fagaceae) (Ponomarenko, 1997).
- 35973. *Dichomeris ochreata* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *ochreata* Park & Hodges, 1995. Range (in code): TW
- 35974. *Dichomeris ochreoviridella* (Pagenstecher, 1900)** (Gelechiidae) Synonym(s): *ochreoviridella* Pagenstecher, 1900; *euchroa* Lower, 1900. Range (in code): AU QAU PH PG
- 35975. *Dichomeris ochroxesta* Meyrick, 1921** (Gelechiidae) Synonym(s): *ochroxesta* Meyrick, 1921. Range (in code): ZA Tva Lpo Wo
- 35976. *Dichomeris ochthophora* Meyrick, 1936** (Gelechiidae) Synonym(s): *ochthophora* Meyrick, 1936. Range (in code): TW JP Bionomy: Larva on *Eriobotrya japonica*, *Rhaphilepis umbellata* var. *mertensii*, *Photini lucida*, *P. taiwanensis* (Ponomarenko, 1997).
- 35977. *Dichomeris oenombra* Meyrick, 1921** (Gelechiidae) Synonym(s): *oenombra* Meyrick, 1921. Range (in code): ZA Tz Tva Lpo Spb Dui TZ
- 35978. *Dichomeris okadai* (Moriuti, 1982)** (Gelechiidae) Synonym(s): *okadai* Moriuti, 1982. Range (in code): JP RU Us CN She
- 35979. *Dichomeris oleata* Meyrick, 1913** (Gelechiidae) Synonym(s): *oleata* Meyrick, 1913. Range (in code): ZA Mpu Tst Brb Kkf Umk Nta Kzu Stj Ec Bf Tva
- 35980. *Dichomeris olivescens* Meyrick, 1913** (Gelechiidae) Synonym(s): *olivescens* Meyrick, 1913. Range (in code): LK
- 35981. *Dichomeris opsorrhhoa* Meyrick, 1929** (Gelechiidae) Synonym(s): *opsorrhhoa* Meyrick, 1929. Range (in code): ZA Tva Lpo Buf Blau
- 35982. *Dichomeris orientis* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *orientis* Park & Hodges, 1995. Range (in code): TW
- 35983. *Dichomeris ostracodes* Meyrick, 1916** (Gelechiidae) Synonym(s): *ostracodes* Meyrick, 1916. Range (in code): MM ID Ja
- 35984. *Dichomeris oxycarpa* (Meyrick, 1935)** (Gelechiidae) Synonym(s): *oxycarpa* Meyrick, 1935. Range (in code): TW PH
- 35985. *Dichomeris oxygrapha* Meyrick, 1913** (Gelechiidae) Synonym(s): *oxygrapha* Meyrick, 1913. Range (in code): ZA Tva Mpu Brb Gau Pre Slpp MZ Blv Mag Rik Nta Kzu Srn
- 35986. *Dichomeris parallelola* Park & Ponomarenko, 1998** (Gelechiidae) Synonym(s): *parallelola* Park & Ponomarenko, 1998. Original Reference: *Dichomeris parallelola* Park & Ponomarenko, 1998, Spec. Divers. 3: 163-164, figs. Holotype ♂: N. Thailand, Chiang Mai, Doi Suthep, leg. Kitching & Cotton (BMNH). Range (in code): TH CMA Dst
- 35987. *Dichomeris paranthès* Meyrick, 1936** (Gelechiidae) Synonym(s): *paranthès* Meyrick, 1936. Range (in code): CN
- 35988. *Dichomeris paulidigitata* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *paulidigitata* Li, Zhen & Mey, 2013. Range (in code): KE Nai
- 35989. *Dichomeris pelitis* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *pelitis* Meyrick, 1913. Range (in code): IN Ass Meg Khs
- 35990. *Dichomeris petalodes* Meyrick, 1934** (Gelechiidae) Synonym(s): *petalodes* Meyrick, 1934. Range (in code): IN Mad Bionomy: Larva on *Bridelia retusa* (Euphorbiaceae) (Meyrick, 1934).
- 35991. *Dichomeris physeta* Meyrick, 1913** (Gelechiidae) Synonym(s): *physeta* Meyrick, 1913. Range (in code): ZA Tva Mpu Brb Tst Srn Nta Kzu ZW Maz
- 35992. *Dichomeris physocoma* Meyrick, 1926** (Gelechiidae) Synonym(s): *physocoma* Meyrick, 1926. Range (in code): SL
- 35993. *Dichomeris picrocarpa* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *picrocarpa* Meyrick, 1913; *iothalle* Forbes, 1939. Range (in code): IN Ass Meg Khs RU Us TW KP KR JP Hkk US Bionomy: Larva on *Prunus yedoensis*, *P. persica*, *P. pseudocerasus*, *P. mume* (Ponomarenko, 1997).
- 35994. *Dichomeris pladarota* Meyrick, 1921** (Gelechiidae) Synonym(s): *pladarota* Meyrick, 1921. Range (in code): ZW Uma
- 35995. *Dichomeris planata* (Meyrick, 1910)** (Gelechiidae) Synonym(s): *planata* Meyrick, 1910. Range (in code): IN Pj
- 35996. *Dichomeris pleuropa* Meyrick, 1921** (Gelechiidae) Synonym(s): *pleuropa* Meyrick, 1921. Range (in code): ZA Nta Kzu Kkf

- 35997. *Dichomeris plumbosa* Meyrick, 1913** (Gelechiidae) Synonym(s): *plumbosa* Meyrick, 1913
Range (in code): **ZA Mpu Brb Tst Tva Lpo Mdp**
- 35998. *Dichomeris polyaema* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *polyaema* Meyrick, 1923
Range (in code): **LK**
- 35999. *Dichomeris polygona* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *polygona* Li & Zheng, 1996
Range (in code): **CN Sz Fkn**
- 36000. *Dichomeris polypunctata* Park, 1994** (Gelechiidae) Synonym(s): *polypunctata* Park, 1994; *polystigma* Park, 1994
Range (in code): **RU Us MN KR**
- 36001. *Dichomeris praevacua* Meyrick, 1922** (Gelechiidae) Synonym(s): *praevacua* Meyrick, 1922
Range (in code): **CN**
- 36002. *Dichomeris prensans* Meyrick, 1922** (Gelechiidae) Synonym(s): *prensans* Meyrick, 1922
Range (in code): **BR**
- 36003. *Dichomeris procrossa* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *procrossa* Meyrick, 1913
Range (in code): **IN**
- 36004. *Dichomeris pseudodeltaspis* Ponomarenko & Ueda, 2004** (Gelechiidae)
Synonym(s): *pseudodeltaspis* Ponomarenko & Ueda, 2004
Range (in code): **TH Cbi**
- 36005. *Dichomeris pseudometra* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *pseudometra* Meyrick, 1913
Range (in code): **IN**
- 36006. *Dichomeris ptychosema* Meyrick, 1913** (Gelechiidae) Synonym(s): *ptychosema* Meyrick, 1913
Range (in code): **IN Ass Meg Khs**
- 36007. *Dichomeris pudicella* (Mann, 1861)** (Gelechiidae) Synonym(s): *pudicella* Mann, 1861
Range (in code): **ES SK RO TR**
- 36008. *Dichomeris pyrrhitis* Meyrick, 1911** (Gelechiidae) Synonym(s): *pyrrhitis* Meyrick, 1911; *#pyrritus* Janse, 1954
Range (in code): **ZA Tva Lpo Buf Wo Pie ZW Bul Swm**
- 36009. *Dichomeris pyrrhoschista* (Meyrick, 1934)** (Gelechiidae) Synonym(s): *pyrrhoschista* Meyrick, 1934
Range (in code): **CN Sz TW**
- 36010. *Dichomeris qingchengshanensis* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *qingchengshanensis* Li & Zheng, 1996
Range (in code): **CN Sz**
- 36011. *Dichomeris quadrata* Park & Ponomarenko, 1998** (Gelechiidae) Synonym(s): *quadrata* Park & Ponomarenko, 1998
Original Reference: *Dichomeris quadrata* Park & Ponomarenko, 1998, Spec. Divers. 3: 164-167, figs. Holotype ♂: N. Thailand, Mae Hong Son, Pai dist. Doi Mae Ya 1240m leg. Kitching & Cotton (BMNH).
Range (in code): **TH Mae CMA**
- 36012. *Dichomeris quadratipalpa* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *quadratipalpa* Li & Zheng, 1996
Range (in code): **CN**
- 36013. *Dichomeris quadrifurca* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *quadrifurca* Li & Zheng, 1996
Range (in code): **CN Kig Fkn**
- 36014. *Dichomeris quadrifurcata* Janse, 1954** (Gelechiidae) Synonym(s): *quadrifurcata* Janse, 1954
Range (in code): **ZA Tva Lpo Spb Wp**
- 36015. *Dichomeris quercicola* Meyrick, 1921** (Gelechiidae) Synonym(s): *quercicola* Meyrick, 1921
Range (in code): **IN Pj Hp Kgr RU Sb MN CN Pkn She Hun Kig KP KR JP**
Bionomy: Larva on *Quercus* (Fagaceae) (Meyrick, 1921).
- 36016. *Dichomeris resignata* Meyrick, 1929** (Gelechiidae) Synonym(s): *resignata* Meyrick, 1929
Range (in code): **NH**
- 36017. *Dichomeris rubidula* Meyrick, 1913** (Gelechiidae) Synonym(s): *rubidula* Meyrick, 1913
Range (in code): **ZA Tva Mpu Brb**
- 36018. *Dichomeris rufusella* Ponomarenko & Ueda, 2004** (Gelechiidae) Synonym(s): *rufusella* Ponomarenko & Ueda, 2004
Range (in code): **TH Nna**
- 36019. *Dichomeris sandycitis* (Meyrick, 1907)** (Gelechiidae) Synonym(s): *sandycitis* Meyrick, 1907
Range (in code): **IN Ass Meg Khs**
- 36020. *Dichomeris saturata* Meyrick, 1923** (Gelechiidae) Synonym(s): *saturata* Meyrick, 1923
Range (in code): **BR**
- 36021. *Dichomeris sciadora* Meyrick, 1922** (Gelechiidae) Synonym(s): *sciadora* Meyrick, 1922
Range (in code): **IN Ass Meg Khs**
- 36022. *Dichomeris sciritis* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *sciritis* Meyrick, 1918
Range (in code): **IN**
- 36023. *Dichomeris sciritis* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *sciritis* Meyrick, 1918
Range (in code): **IN**

- 36024. *Dichomeris semnias* (Meyrick,1926)** (Gelechiidae) Synonym(s): *semnias* Meyrick,1926
Range (in code): **IN**
- 36025. *Dichomeris sexafurca* Li & Zheng,1996** (Gelechiidae) Synonym(s): *sexafurca* Li & Zheng,1996 _ Range (in code): **CN Kig**
- 36026. *Dichomeris shenae* Li & Zheng,1996** (Gelechiidae) Synonym(s): *shenae* Li & Zheng,1996
Range (in code): **CN Kig**
- 36027. *Dichomeris simplex* Walsingham,1900** (Gelechiidae) Synonym(s): *simplex* Walsingham,1900 _ Range (in code): **YE Sk**
- 36028. *Dichomeris siranta* (Meyrick,1913)** (Gelechiidae) Synonym(s): *siranta* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 36029. *Dichomeris skukuzae* Janse,1954** (Gelechiidae) Synonym(s): *skukuzae* Janse,1954
Range (in code): **ZA Tva Mpu Sbe**
- 36030. *Dichomeris sparsella* (Christoph,1882)** (Gelechiidae) Synonym(s): *sparsella* Christoph,1882 _ Range (in code): **RU Us Vv Am CN Mc KP KR JP** Bionomy: Larva on *Pterocarya rhoifolia*, *Juglans ailanthifolia*, *J. mandshurica*, *J. regia* (Juglandaceae) (Ponomarenko,1997).
- 36031. *Dichomeris spicans* Li & Zheng,1996** (Gelechiidae) Synonym(s): *spicans* Li & Zheng,1996
Range (in code): **CN Kig**
- 36032. *Dichomeris spuracuminata* Li & Zheng,1996** (Gelechiidae) Synonym(s): *spuracuminata* Li & Zheng,1996 _ Range (in code): **CN Yu**
- 36033. *Dichomeris stasimopa* Meyrick,1937** (Gelechiidae) Synonym(s): *stasimopa* Meyrick,1937
Range (in code): **ZA Tva Blu**
- 36034. *Dichomeris stratigera* Meyrick,1922** (Gelechiidae) Synonym(s): *stratigera* Meyrick,1922
Range (in code): **BR**
- 36035. *Dichomeris strictella* Park,1994** (Gelechiidae) Synonym(s): *strictella* Park,1994
Range (in code): **KR**
- 36036. *Dichomeris stromatias* Meyrick,1918** (Gelechiidae) Synonym(s): *stromatias* Meyrick,1918
Range (in code): **ZA Nkw**
- 36037. *Dichomeris subiridescens* Janse,1954** (Gelechiidae) Synonym(s): *subiridescens* Janse,1954 _ Range (in code): **NA ZA Tva Lpo Nbs Gau Slpp Pre Tva Lpo Nel Mes Abc SZ**
- 36038. *Dichomeris summata* Meyrick,1913** (Gelechiidae) Synonym(s): *summata* Meyrick,1913
Range (in code): **IN Ass Meg Khs CN Yu TW**
- 36039. *Dichomeris symmetrica* Park & Hodges,1995** (Gelechiidae) Synonym(s): *symmetrica* Park & Hodges,1995 _ Range (in code): **TW**
- 36040. *Dichomeris synclepta* (Meyrick,1938)** (Gelechiidae) Synonym(s): *synclepta* Meyrick,1938
Range (in code): **CN Yu**
- 36041. *Dichomeris syndyas* Meyrick,1926** (Gelechiidae) Synonym(s): *syndyas* Meyrick,1926
Original Reference: *Dichomeris syndyas* Meyrick,1926, Exot. Microlepid. 3: 286. Syntypes 2 ♂♀: "Asia Minor (Raddé)". Range (in code): **TR**
- 36042. *Dichomeris synergastis* Ponomarenko & Park,1996** (Gelechiidae) Synonym(s): *synergastis* Ponomarenko & Park,1996 _ Range (in code): **KR**
- 36043. *Dichomeris tactica* Meyrick,1918** (Gelechiidae) Synonym(s): *tactica* Meyrick,1918
Range (in code): **EC**
- 36044. *Dichomeris taiwana* Park & Hodges,1995** (Gelechiidae) Synonym(s): *taiwana* Park & Hodges,1995 _ Range (in code): **TW**
- 36045. *Dichomeris tapinostola* Janse,1954** (Gelechiidae) Synonym(s): *tapinostola* Janse,1954
Range (in code): **ZA Tva Gau Pre**
- 36046. *Dichomeris tenextrema* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *tenextrema* Li, Zhen & Mey, 2013 _ Range (in code): **KE Nai**
- 36047. *Dichomeris tephroxesta* (Meyrick,1931)** (Gelechiidae) Synonym(s): *tephroxesta* Meyrick,1931 _ Range (in code): **IN**
- 36048. *Dichomeris tersa* Li & Zheng,1996** (Gelechiidae) Synonym(s): *tersa* Li & Zheng,1996
Range (in code): **CN**
- 36049. *Dichomeris testudinata* Meyrick,1934** (Gelechiidae) Synonym(s): *testudinata* Meyrick,1934 _ Range (in code): **CN**
- 36050. *Dichomeris tetraschema* (Meyrick,1931)** (Gelechiidae) Synonym(s): *tetraschema* Meyrick,1931 _ Range (in code): **IN Bba**

- 36051. *Dichomeris thermodyras* Meyrick, 1923** (Gelechiidae) Synonym(s): *thermodyras* Meyrick, 1923 _ Range (in code): PE
- 36052. *Dichomeris thyriscola* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *thyriscola* Meyrick, 1913 _ Range (in code): IN Ass Meg Khs
- 36053. *Dichomeris tostella* Stringer, 1930** (Gelechiidae) Synonym(s): *tostella* Stringer, 1930; *kawamurai* Matsumura, 1931 _ Range (in code): JP KR Bionomy: Larva on *Malus pumila* var. *dulcissima*, *Prunus persica*, *P. mume* (Rosaceae) (Ponomarenko, 1997).
- 36054. *Dichomeris toxolyca* (Meyrick, 1934)** (Gelechiidae) Synonym(s): *toxolyca* Meyrick, 1934 _ Range (in code): CN
- 36055. *Dichomeris traumatias* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *traumatias* Meyrick, 1923 _ Range (in code): MY Bor Swk
- 36056. *Dichomeris tridentata* Janse, 1954** (Gelechiidae) Synonym(s): *tridentata* Janse, 1954 _ Range (in code): MZ Mag
- 36057. *Dichomeris trilobella* Park & Hodges, 1995** (Gelechiidae) Synonym(s): *trilobella* Park & Hodges, 1995 _ Range (in code): TW
- 36058. *Dichomeris uranopsis* (Meyrick, 1894)** (Gelechiidae) Synonym(s): *uranopsis* Meyrick, 1894 _ Range (in code): MM
- 36059. *Dichomeris ustalella* (Fabricius, 1794)** (Gelechiidae) Synonym(s): *ustalella* Fabricius, 1794; *capucinella* Hübner, 1796; *ustulatus* Fabricius, 1798; *cornatus* Fabricius, 1798; *burgundiellus* Bruand, 1859. Original Reference: *Tinea ustalella* Fabricius, 1794, Ent. Syst.: 307. Type(s): Italia. Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR DK LV LT RU MD UA BY Cc Us Am KP KR JP Hkk CN Kig Yu Bionomy: Larva on *Corylus heterophylla* var. *thunbergii*, *Betula*, *Carpinus*, *Acer*, *Fagus*, *Quercus* (Fagaceae) (Ponomarenko, 1997).
- 36060. *Dichomeris varifurca* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *varifurca* Li & Zheng, 1996 _ Range (in code): CN Kig
- 36061. *Dichomeris ventosa* Meyrick, 1913** (Gelechiidae) Synonym(s): *ventosa* Meyrick, 1913 _ Range (in code): ZA Mpu Tst Brb Kkf ZA14 Nta Kzu Tva Lpo Spb Ltr Wo
- 36062. *Dichomeris ventriprojecta* Li, Zhen & Mey, 2013** (Gelechiidae) Synonym(s): *ventriprojecta* Li, Zhen & Mey, 2013 _ Range (in code): NA
- 36063. *Dichomeris violacula* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *violacula* Li & Zheng, 1996 _ Range (in code): CN Gn
- 36064. *Dichomeris viridella* (Snellen, 1901)** (Gelechiidae) Synonym(s): *viridella* Snellen, 1901 _ Range (in code): ID Ja
- 36065. *Dichomeris viridescens* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *viridescens* Meyrick, 1918 _ Range (in code): IN Ass Meg Khs
- 36066. *Dichomeris wuyiensis* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *wuyiensis* Li & Zheng, 1996 _ Range (in code): CN Kig
- 36067. *Dichomeris xanthodeta* Meyrick, 1913** (Gelechiidae) Synonym(s): *xanthodeta* Meyrick, 1913 _ Range (in code): ZA Tva Mpu Tst ZA14 Kzu Nta Wo Nkw Umk Ec Ste Gin
- 36068. *Dichomeris xestobyrsa* Meyrick, 1921** (Gelechiidae) Synonym(s): *xestobyrsa* Meyrick, 1921 _ Range (in code): ZW Har
- 36069. *Dichomeris yuebana* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *yuebana* Li & Zheng, 1996 _ Range (in code): CN
- 36070. *Dichomeris yunnanensis* Li & Zheng, 1996** (Gelechiidae) Synonym(s): *yunnanensis* Li & Zheng, 1996 _ Range (in code): CN Yu
- 36071. *Dichomeris zomias* Meyrick, 1914** (Gelechiidae) Synonym(s): *zomias* Meyrick, 1914 _ Range (in code): GY
- 36072. *Dicranucha albicincta* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *albicincta* Meyrick, 1921 _ Range (in code): ZA Ec Stj
- 36073. *Dicranucha crateropis* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *crateropis* Meyrick, 1921 _ Range (in code): ZW Uma
- 36074. *Dicranucha dicksoni* Janse, 1963** (Gelechiidae) Synonym(s): *dicksoni* Janse, 1963 _ Range (in code): ZA
- 36075. *Dicranucha homochroma* Janse, 1954** (Gelechiidae) Synonym(s): *homochroma* Janse, 1954 _ Range (in code): ZA Abc Tva NA Gau Pre
- 36076. *Dicranucha legalis* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *legalis* Meyrick, 1921 _ Range (in code): MZ Rik

- 36077. *Dicranucha ochrostoma* (Meyrick,1913)** (Gelechiidae) Synonym(s): *ochrostoma* Meyrick,1913 _ Range (in code): ZA Tva Mpu Brb
- 36078. *Dicranucha serialis* (Meyrick,1908)** (Gelechiidae) Synonym(s): *serialis* Meyrick,1908; *ochyrota* Meyrick,1920 _ Range (in code): ZA Gau Pre Wv Mpu Brb Wp Spb Tva Lpo Ltr Nta Kzu Nha Srn Hwk Dbn Umk Ptw MZ Mag Naa
- 36079. *Dicranucha sterictis* (Meyrick,1908)** (Gelechiidae) Synonym(s): *sterictis* Meyrick,1908 Range (in code): ZA Gau Pre Nbs Rtb Rtf Hfo Tva Lpo Mdp Pot Mpu Brb Dbn Nkw Lds Nha MZ Mag Blv Abc ZW
- 36080. *Dicranucha strepsgramma* (Meyrick,1937)** (Gelechiidae) Synonym(s): *strepsgramma* Meyrick,1937 _ Range (in code): ZA Nta Kzu Kkf
- 36081. *Dirhinosisia arnoldiella* (Rebel,1905)** (Gelechiidae) Synonym(s): *arnoldiella* Rebel,1905 Original Reference: *Rhinosisia arnoldiella* Rebel,1905, Annln. naturh. Mus. 20: 212. Type: [Turkei; Kayseri Prov.]: Erdschias Gebiet, Penther leg. (NHMW). Range (in code): TR IL Pa Hf GR Rd
- 36082. *Dirhinosisia cervinella* (Eversmann,1844)** (Gelechiidae) Synonym(s): *cervinella* Eversmann,1844; *trifasciella* Rebel,1905 Original Reference: *Lita cervinella* Eversmann,1844, Fauna Volga-Ural.: 585. Lectotype ♂: [Russia]: [Orenburgskaya Obl.], Spasskoe (ZIAP), designated by Tokar & Gozmany,2004. Range (in code): RU Or Ur Cc At UA HU HV BG TR
- 36083. *Dirhinosisia nitidula* (Stainton,1867)** (Gelechiidae) Synonym(s): *nitidula* Stainton,1867 Original Reference: *Gelechia nitidula* Stainton,1867, Tineina Syria and Asia Minor: 44. Lectotype ♂: Palestine, designated by Tokar & Gozmany (2004: 71) (coll.TNHM). Range (in code): IL Pa TR SY Ltk LB Say
- 36084. *Dirhinosisia unifasciella* (Rebel,1929)** (Gelechiidae) Synonym(s): *unifasciella* Rebel,1929 Original Reference: *Rhinosisia unifasciella* Rebel,1929, Mitt. münch. ent. Ges. 19: 204. Type ♂: [Konya Pr.]: "Ak.-Ch. Tschiftlik" [Akşehir, Aiftlik] (NHMW). Range (in code): TR
- 36085. *Empedaula insipiens* Meyrick,1918** (Gelechiidae) Synonym(s): *insipiens* Meyrick,1918 Range (in code): IN Ben
- 36086. *Empedaula phanerozona* Meyrick,1922** (Gelechiidae) Synonym(s): *phanerozona* Meyrick,1922 _ Range (in code): BR
- 36087. *Empedaula rhodocosma* (Meyrick,1914)** (Gelechiidae) Synonym(s): *rhodocosma* Meyrick,1914 _ Range (in code): GY
- 36088. *Encentrotis catagrapha* Meyrick,1921** (Gelechiidae) Synonym(s): *catagrapha* Meyrick,1921 _ Range (in code): ZA Nta Kzu Kkf
- 36089. *Encolapta metorcha* Meyrick,1913** (Gelechiidae) Synonym(s): *metorcha* Meyrick,1913 Range (in code): LK
- 36090. *Encolpotis* Meyrick,1909** (Gelechiidae) Synonym(s): *Encolpotis* Meyrick,1909 _ Range (in code):
- 36091. *Encolpotis argyrophanes* Meyrick,1937** (Gelechiidae) Synonym(s): *argyrophanes* Meyrick,1937 _ Range (in code): ZA
- 36092. *Encolpotis xanthoria* Meyrick,1909** (Gelechiidae) Synonym(s): *xanthoria* Meyrick,1909 Range (in code): ZA Tva Gau Pre
- 36093. *Encrasima elaeopsis* Meyrick,1916** (Gelechiidae) Synonym(s): *elaepsis* Meyrick,1916 Range (in code): LK
- 36094. *Encrasima reversa* Meyrick,1916** (Gelechiidae) Synonym(s): *reversa* Meyrick,1916 Range (in code): LK
- 36095. *Encrasima xanthoclista* Meyrick,1923** (Gelechiidae) Synonym(s): *xanthoclista* Meyrick,1923 _ Range (in code): LK
- 36096. *Ephysteris* (Microcraspedus) *brachypogon* (Meyrick,1937)** (Gelechiidae) Synonym(s): *brachypogon* Meyrick,1937; *#braucypogon* Janse,1960; *#brachypodon* Povolny,1964 _ Range (in code): ZA
- 36097. *Ephysteris* (Microcraspedus) *deserticolella* (Staudinger,1871)** (Gelechiidae) Synonym(s): *deserticolella* Staudinger,1871; *albocapitella* Rebel,1928; *buvati* Povolny,1992 _ Range (in code): TR RU Ur IR Elb Th Ab Oru CY GR MT UA Cm AF
- 36098. *Ephysteris* (Microcraspedus) *diminutella* (Zeller,1847)** (Gelechiidae) Synonym(s): *diminutella* Zeller,1847 _ Range (in code): FR Si TR
- 36099. *Ephysteris* (Microcraspedus) *eremaula* (Janse,1960)** (Gelechiidae) Synonym(s): *eremaula* Janse,1960 _ Range (in code): ZA
- 36100. *Ephysteris* (Microcraspedus) *foulonsensis* Povolny,1981** (Gelechiidae) Synonym(s): *foulonsensis* Povolny,1981 _ Range (in code): FR

- 36101. Ephysteris (Microcraspedus) gallica (Povolny,1992)** (Gelechiidae) Synonym(s): *gallica* Povolny,1992 _ Range (in code): FR
- 36102. Ephysteris (Microcraspedus) hispanica Povolny,1981** (Gelechiidae) Synonym(s): *hispanica* Povolny,1981 _ Range (in code): ES FR
- 36103. Ephysteris (Microcraspedus) iberica Povolny,1977** (Gelechiidae) Synonym(s): *iberica* Povolny,1977 _ Range (in code): ES
- 36104. Ephysteris (Microcraspedus) insulella (Heinemann,1870)** (Gelechiidae) Synonym(s): *insulella* Heinemann,1870 _ Range (in code): DE CH CZ BG RU MD UA BY
- 36105. Ephysteris (Microcraspedus) inustella (Zeller,1847)** (Gelechiidae) Synonym(s): *inustella* Zeller,1847; *delminiella* Rebel,1904; *gredosensis* Rebel,1935 _ Range (in code): ES FR Si IT DE AT PL CZ SK HU YU EE LV LT RU MD UA BY
- 36106. Ephysteris (Microcraspedus) olympica Povolny,1968** (Gelechiidae) Synonym(s): *olympica* Povolny,1968 _ Range (in code): ES FR GR
- 36107. Ephysteris (Microcraspedus) photinopa (Meyrick,1925)** (Gelechiidae) Synonym(s): *photinopa* Meyrick,1925 _ Range (in code): ZA
- 36108. Ephysteris (Microcraspedus) treskensis Povolny,1966** (Gelechiidae) Synonym(s): *treskensis* Povolny,1966 _ Range (in code): MK GR
- 36109. Ephysteris (Ochrodia) subdiminutella (Stainton,1867)** (Gelechiidae) Synonym(s): *subdiminutella* Stainton,1867; *jamaicensis* Walsingham,1897; *bucolica* Meyrick,1904; *zygophyllella* Rebel,1912; *ericnista* Meyrick,1914; *ochrodeta* Meyrick,1923; *extorris* Meyrick,1923; *crocoleuca* Meyrick,1923; *unitella* Turati,1930; *tribulivora* Dumont,1931; *pulverea* Janse,1950; *turgida* Janse,1951; *pentamacula* Janse,1958; *infallax* Gozmany,1960; *tractatum* Gozmany,1960 _ Range (in code): AU IR Fa Hz B-A Kaz ES MT Cr IL Pa CY IT SA Bionomy: Larva on Zygothallum (Zygothallaceae) (Rebel,1912; et seq.).
- 36110. Ephysteris (Opacopsis) atalopis (Meyrick,1918)** (Gelechiidae) Synonym(s): *atalopis* Meyrick,1918 _ Range (in code): IN PK AF IR Hz B-A
- 36111. Ephysteris (Opacopsis) confusa Povolny,1968** (Gelechiidae) Synonym(s): *confusa* Povolny,1968 _ Range (in code): AF
- 36112. Ephysteris (Opacopsis) flavida Povolny,1969** (Gelechiidae) Synonym(s): *flavida* Povolny,1969 _ Range (in code): MN IR Fa
- 36113. Ephysteris (Opacopsis) ruth Povolny,1977** (Gelechiidae) Synonym(s): *ruth* Povolny,1977 _ Range (in code): IR Ss
- 36114. Ephysteris (Opacopsis) speciosa Povolny,1977** (Gelechiidae) Synonym(s): *speciosa* Povolny,1977 _ Range (in code): IR
- 36115. Ephysteris (s.str.) aellographa Janse,1960** (Gelechiidae) Synonym(s): *aellographa* Janse,1960 _ Range (in code): ZA
- 36116. Ephysteris (s.str.) arabiae Povolny,1968** (Gelechiidae) Synonym(s): *arabiae* Povolny,1968 _ Range (in code): SA SA63 BH
- 36117. Ephysteris (s.str.) brachyptera Karsholt & Sattler,1998** (Gelechiidae) Synonym(s): *brachyptera* Karsholt & Sattler,1998 _ Range (in code): Md
- 36118. Ephysteris (s.str.) chersaea Meyrick,1908** (Gelechiidae) Synonym(s): *chersaea* Meyrick,1908; *oschophora* Meyrick,1910 _ Range (in code): ZA Tva Gau Pre
- 36119. Ephysteris (s.str.) curtipennis (Zerny,1936)** (Gelechiidae) Synonym(s): *curtipennis* Zerny,1936 _ Range (in code): MA
- 36120. Ephysteris (s.str.) cyrenaica Povolny,1981** (Gelechiidae) Synonym(s): *cyrenaica* Povolny,1981 _ Range (in code): LY Cy Bionomy: Larva on Imperata (Poaceae) (Karsholt & Sattler,1998).
- 36121. Ephysteris (s.str.) fuscocrossa Janse,1960** (Gelechiidae) Synonym(s): *fuscocrossa* Janse,1960 _ Range (in code): ZA
- 36122. Ephysteris (s.str.) infirma (Meyrick,1912)** (Gelechiidae) Synonym(s): *infirma* Meyrick,1912 _ Range (in code): ZA Tva Lpo Nta Kzu ZW
- 36123. Ephysteris (s.str.) neosiota (Janse,1950)** (Gelechiidae) Synonym(s): *neosiota* Janse,1950 _ Range (in code): ZA Abc
- 36124. Ephysteris (s.str.) ornata (Janse,1950)** (Gelechiidae) Synonym(s): *ornata* Janse,1950 _ Range (in code): ZA Tva Gau Pre NA Abc Bionomy: Larva on Osteospermum (Asteraceae) (Karsholt & Sattler,1998).
- 36125. Ephysteris (s.str.) parasynecta Janse,1963** (Gelechiidae) Synonym(s): *parasynecta* Janse,1963 _ Range (in code): ZA

- 36126. *Ephysteris (s.str.) pentamacula* Janse, 1958** (Gelechiidae) Synonym(s): *pentamacula* Janse, 1958; #*pentamaculata* Povolny, 1966 _ Range (in code): ZA
- 36127. *Ephysteris (s.str.) promptella* (Staudinger, 1859)** (Gelechiidae) Synonym(s): *promptella* Staudinger, 1859; *despectella* Walker, 1863; *petiginella* Mann, 1867; *parvula* Staudinger, 1879; *cacomicra* Walsingham, 1907; *chersaea* Meyrick, 1908; *oschophora* Meyrick, 1910; *fanatica* Meyrick, 1921; *dispensata* Meyrick, 1921; *xanthorhabda* Gozmany, 1951 *australiae* Povolny, 1977; #*promptella* Sattler, 1978. Original Reference: *Gelechia promptella* Staudinger, 1859, Stettin net. Ztg. 20: 241. Syntypes: Spanien: Chiclana. Range (in code): ZW Vf PT ES FR Si IT SK HU YU GR TR IL SA IR Elb Th AF ZA Wca Ec Fs Tva Mpu Lpo Gau Pre Nta Kzu EG IN LK PG AU QAU Bionomy: Larva in stems of *Andropogon*, *Oryza*, *Panicum*, *Saccharum*, *Sorghum*, *Stipa*, *Triticum* (Poaceae) (Karsholt & Sattler, 1998).
- 36128. *Ephysteris (s.str.) riadensis* Povolny, 1968** (Gelechiidae) Synonym(s): *riadensis* Povolny, 1968 _ Range (in code): SA SA63
- 36129. *Ephysteris (s.str.) sirota* (Meyrick, 1908)** (Gelechiidae) Synonym(s): *sirota* Meyrick, 1908; *fluidescens* Meyrick, 1914 _ Range (in code): ZA Tva Gau Pre
- 36130. *Ephysteris (s.str.) subdiminutella* (Stainton, 1867)** (Gelechiidae) Synonym(s): *subdiminutella* Stainton, 1867; *bucolica* Meyrick, 1904; *ericanista* Meyrick, 1914; *ferritincta* Turner, 1919; *extorris* Meyrick, 1923; *crocoleuca* Meyrick, 1923; *pulverea* Janse, 1950; *turgida* Janse, 1951; #*ericanista* Janse, 1951. Range (in code): ZA NA Abc Wca Cto Upi Tva Gau Pre Nta Kzu Rie Bionomy: Larva on *Balanites*, *Tribulus*, *Zygophyllum* (Zygophyllaceae) (Karsholt & Sattler, 1998).
- 36131. *Ephysteris (s.str.) synecta* (Meyrick, 1909)** (Gelechiidae) Synonym(s): *synecta* Meyrick, 1909 _ Range (in code): ZA NA Abc Tva Gau Pre ZW Bul
- 36132. *Ephysteris tenuisaccus* Nupponen, 2010** (Gelechiidae) Synonym(s): *tenuisaccus* Nupponen, 2010 _ Range (in code): CY
- 36133. *Epicharta chlorophracta* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *chlorophracta* Meyrick, 1921 _ Range (in code): ZW Uma
- 36134. *Epicoenia chernetis* Meyrick, 1906** (Gelechiidae) Synonym(s): *chernetis* Meyrick, 1906 Range (in code): LK
- 36135. *Epidola barcinonella* Millière, 1867** (Gelechiidae) Synonym(s): *barcinonella* Millière, 1867 Range (in code): ES FR Si GR
- 36136. *Epidola lilyella* Lucas, 1945** (Gelechiidae) Synonym(s): *lilyella* Lucas, 1945 _ Range (in code): TN
- 36137. *Epidola melitensis* Amsel, 1955** (Gelechiidae) Synonym(s): *melitensis* Amsel, 1955 Range (in code): MT
- 36138. *Epidola nuraghella* Hartig, 1939** (Gelechiidae) Synonym(s): *nuraghella* Hartig, 1939 Range (in code): Sa Si
- 36139. *Epidola stigma* Staudinger, 1859** (Gelechiidae) Synonym(s): *stigma* Staudinger, 1859; *flava* Amsel, 1942 _ Range (in code): TN PT ES FR
- 36140. *Epimesophleps symmocella* Rebel, 1907** (Gelechiidae) Synonym(s): *symmocella* Rebel, 1907 _ Range (in code): YE Sk
- 36141. *Epimimastis emblematica* Meyrick, 1916** (Gelechiidae) Synonym(s): *emblematica* Meyrick, 1916 _ Range (in code): IN Ass Meg Khs
- 36142. *Epimimastis escharitis* Meyrick, 1916** (Gelechiidae) Synonym(s): *escharitis* Meyrick, 1916 Range (in code): LK
- 36143. *Epimimastis glaucodes* Meyrick, 1910** (Gelechiidae) Synonym(s): *glaucodes* Meyrick, 1910 Range (in code): LK
- 36144. *Epitectis altivola* Meyrick, 1929** (Gelechiidae) Synonym(s): *altivola* Meyrick, 1929 Range (in code): PE
- 36145. *Epitectis balsamopa* Meyrick, 1923** (Gelechiidae) Synonym(s): *balsamopa* Meyrick, 1923 Range (in code): BR
- 36146. *Epitectis barydelta* Meyrick, 1923** (Gelechiidae) Synonym(s): *barydelta* Meyrick, 1923 Range (in code): BR
- 36147. *Epitectis citranthes* Meyrick, 1923** (Gelechiidae) Synonym(s): *citranthes* Meyrick, 1923 Range (in code): BR
- 36148. *Epitectis consociata* Meyrick, 1914** (Gelechiidae) Synonym(s): *consociata* Meyrick, 1914 Range (in code): GY
- 36149. *Epitectis notospila* Meyrick, 1923** (Gelechiidae) Synonym(s): *notospila* Meyrick, 1923 Range (in code): BR

- 36150. *Epitheatia osteosema* Meyrick, 1929** (Gelechiidae) Synonym(s): *osteosema* Meyrick, 1929
Range (in code): **US Col**
- 36151. *Epitheatia sphecephila* Meyrick, 1936** (Gelechiidae) Synonym(s): *sphecephila* Meyrick, 1936
Range (in code): **TT**
- 36152. *Epitheatia studiosa* Meyrick, 1905** (Gelechiidae) Synonym(s): *studiosa* Meyrick, 1905
Range (in code): **LK**
- 36153. *Epitheatia xylochroa* Meyrick, 1926** (Gelechiidae) Synonym(s): *xylochroa* Meyrick, 1926
Range (in code): **BM**
- 36154. *Eporgastis conclusa* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *conclusa* Meyrick, 1918
Range (in code): **ZA Nta Kzu Umk**
- 36155. *Eporgastis maturata* Meyrick, 1921** (Gelechiidae) Synonym(s): *maturata* Meyrick, 1921
Range (in code): **ZA Umv Nta Kzu**
- 36156. *Eporgastis syngrapta* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *syngrapta* Meyrick, 1921
Range (in code): **ZA Umv Nta Kzu**
- 36157. *Eporgastis torrescens* Meyrick, 1921** (Gelechiidae) Synonym(s): *torrescens* Meyrick, 1921
Range (in code): **ZW Swm**
- 36158. *Ereboscaea amorphia* Meyrick, 1937** (Gelechiidae) Synonym(s): *amorphia* Meyrick, 1937
Range (in code): **ZA Ec Stj**
- 36159. *Erikssonella permagna* (Meyrick, 1920)** (Gelechiidae) Synonym(s): *permagna* Meyrick, 1920
Original Reference: *Compsolechia permagna* Meyrick, 1920, Ann. S. Afr. Mus. 17: 285. Monotype ♂: South Africa: Transvaal: Junction of Limpopo and Marico rivers (Eriksson leg.). Range (in code): **ZA Tva Lpo**
- 36160. *Ethmiopsis aganactes* (Meyrick, 1935)** (Gelechiidae) Synonym(s): *aganactes* Meyrick, 1935
Range (in code): **CN**
- 36161. *Ethmiopsis catarina* (Ponomarenko, 1994)** (Gelechiidae) Synonym(s): *catarina* Ponomarenko, 1994
Range (in code): **RU Us**
- 36162. *Ethmiopsis epichthonia* (Meyrick, 1935)** (Gelechiidae) Synonym(s): *epichthonia* Meyrick, 1935
Range (in code): **CN TW**
- 36163. *Ethmiopsis heppneri* (Park, 1995)** (Gelechiidae) Synonym(s): *heppneri* Park, 1995
Range (in code): **TW**
- 36164. *Ethmiopsis prosectrix* Meyrick, 1935** (Gelechiidae) Synonym(s): *prosectrix* Meyrick, 1935
Range (in code): **CN**
- 36165. *Ethmiopsis scriniata* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *scriniata* Meyrick, 1913
Range (in code): **LK VN TW**
- 36166. *Ethmiopsis subtegulifera* (Ponomarenko, 1994)** (Gelechiidae) Synonym(s): *subtegulifera* Ponomarenko, 1994
Range (in code): **RU Us JP**
- 36167. *Ethmiopsis tegulifera* (Meyrick, 1932)** (Gelechiidae) Synonym(s): *tegulifera* Meyrick, 1932
Range (in code): **RU Us KR JP** Bionomy: Larva on *Quercus mongolica*, *Q. serrata* (Fagaceae) (Ponomarenko, 1997).
- 36168. *Eulamprotes altaicella* Huemer & Karsholt, 2013** (Gelechiidae) Synonym(s): *altaicella* Huemer & Karsholt, 2013
Range (in code): **RU At**
- 36169. *Eulamprotes atrella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *atrella* [Denis & Schiffermüller], 1775; *quadripunctella* Fabricius, 1781; *umbriferella* Herrich-Schäffer, 1854; *aurimaculella* Höfner, 1896
Original Reference: *Tinea atrella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa** Bionomy: Larva on *Hypericum maculatum*, *H. perforatum* (Hypericaceae) (Elsner, Huemer & Tokar, 1999).
- 36170. *Eulamprotes atrifrontella* Karsholt & Huemer, 2013** (Gelechiidae) Synonym(s): *atrifrontella* Karsholt & Huemer, 2013
Original Reference: *Eulamprotes atrifrontella* Karsholt & Huemer, 2013, Zootaxa 90-92, figs. Holotype ♂: Turkey, Ankara Prov. Kızılcahamam 20km NW 1200m, leg. Fibiger (ZMUC). Range (in code): **TR**
- 36171. *Eulamprotes baldizzoni* Karsholt & Huemer, 2013** (Gelechiidae) Synonym(s): *baldizzoni* Karsholt & Huemer, 2013
Range (in code): **IT SS HV**
- 36172. *Eulamprotes gemerensis* Elsner, 2013** (Gelechiidae) Synonym(s): *gemerensis* Elsner, 2013
Range (in code): **SK**

- 36173. Eulamprotes helotella (Staudinger,1859)** (Gelechiidae) Synonym(s): *helotella* Staudinger,1859; *damonella* Millière,1876; *algeriella* Baker,1888; *doliodes* Meyrick,1891; *striatopunctella* Rebel,1891; *levisella* Chrétien,1922 _ Range (in code): **DZ Lbs PT ES FR Co Sa IT GR**
- 36174. Eulamprotes kailai Karsholt & Huemer,2013** (Gelechiidae) Synonym(s): *kailai* Karsholt & Huemer,2013 _ Range (in code): **KK KG TrA RU Tv Sb**
- 36175. Eulamprotes libertinella (Zeller,1872)** (Gelechiidae) Synonym(s): *libertinella* Zeller,1872 Range (in code): **ES FR IT AT**
- 36176. Eulamprotes mirusella Huemer & Karsholt,2013** (Gelechiidae) Synonym(s): *mirusella* Huemer & Karsholt,2013 _ Range (in code): **FR**
- 36177. Eulamprotes nigritlella (Zeller,1847)** (Gelechiidae) Synonym(s): *nigritlella* Zeller,1847 Range (in code): **Co? Sa Si IT MT**
- 36178. Eulamprotes occidentella Huemer & Karsholt,2011** (Gelechiidae) Synonym(s): *occidentella* Huemer & Karsholt,2011 _ Range (in code): **FR IT**
- 36179. Eulamprotes ochricapilla (Rebel,1903)** (Gelechiidae) Synonym(s): *ochricapilla* Rebel,1903; *buvati* Leraut,1991 _ Range (in code): **FR AT IT SK CZ RO DE BG**
- 36180. Eulamprotes parahelotella Nel,1995** (Gelechiidae) Synonym(s): *parahelotella* Nel,1995 Range (in code): **FR**
- 36181. Eulamprotes phaeella Heckford & Langmaid,1988** (Gelechiidae) Synonym(s): *phaeella* Heckford & Langmaid,1988 _ Range (in code): **IE GB**
- 36182. Eulamprotes plumbella (Heinemann,1870)** (Gelechiidae) Synonym(s): *plumbella* Heinemann,1870 _ Range (in code): **DE SE FI EE LV**
- 36183. Eulamprotes superbella (Zeller,1839)** (Gelechiidae) Synonym(s): *superbella* Zeller,1839 Original Reference: Gelechia (Brachmia) superbella Zeller,1839, Isis 1839: 202. Syntypes: Poland, Glogow. Range (in code): **DZ Anna Cst FR IT BE NL DE CH AT PL CZ SK HU RO YU GR TR DK SE FI EE LV RU Ur MD UA BY MN**
- 36184. Eulamprotes unicolorella (Duponchel,1843)** (Gelechiidae) Synonym(s): *unicorella* Duponchel,1843; *immaculatella* Douglas,1850; *lucentella* Peyerimhoff,1870 _ Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU MD UA BY**
- 36185. Eulamprotes wieseri Huemer & Karsholt,2013** (Gelechiidae) Synonym(s): *wieseri* Huemer & Karsholt,2013 _ Range (in code): **KK**
- 36186. Eulamprotes wilkella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *wilkella* Linnaeus,1758; *merianella* Linnaeus,1758; *pictella* Zeller,1839; *tarquiniella* Stainton,1862. Original Reference: Phalaena Tinea wilkella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 541. Type(s): Europa. Range (in code): **ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR DK NO SE FI EE LV LT RU Ur Sb Cc Tv Us Sh MD UA BY KG TrA KK** Bionomy: Larva on Cerastium fontanum, C.holosteoides (Caryophyllaceae) (Elsner, Huemer & Tokar,1999).
- 36187. Euryctista hobohmi Janse,1963** (Gelechiidae) Synonym(s): *hobohmi* Janse,1963 Range (in code): **ZA**
- 36188. Eustalodes achrasella (Bradley,1981)** (Gelechiidae) Synonym(s): *achrasella* Bradley,1981 Original Reference: Anarsia achrasella Bradley,1981, Bull. ent. Res. 71: 617, figs.1-5. Holotype: Pakistan: Mirpur Sakro. Range (in code): **PK IN** Bionomy: Larva on Achras sapota (Bradley,1981).
- 36189. Eustalodes anthivora Clarke,1954** (Gelechiidae) Synonym(s): *anthivora* Clarke,1954 Range (in code): **PH Luz** Bionomy: Larva on Achras sapota (Ponomarenko,1997).
- 36190. Excommatica compsotoma (Meyrick,1921)** (Gelechiidae) Synonym(s): *compsotoma* Meyrick,1921 _ Range (in code): **ZW Uma MZ Mag**
- 36191. Exoteleia dodecella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *dodecella* Linnaeus,1758; *punctulata* Fourcroy,1785; *dodecea* Haworth,1828; *annulicornis* Stephens,1834; *favillaticella* Zeller,1839; *reussiella* Ratzeburg,1840. Original Reference: Phalaena dodecella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 539. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Pinus sylvestris /Knospen. (Schütze,1931; Huemer & Karsholt,1999).
- 36192. Exoteleia succinctella (Zeller,1872)** (Gelechiidae) Synonym(s): *succinctella* Zeller,1872; *oribatella* Rebel,1918. _ Range (in code): **IT CH AT B-H BG** Bionomy: Larva on ?Pinus mugo pumilio (Pinaceae).
- 36193. Faristenia acerella Ponomarenko,1991** (Gelechiidae) Synonym(s): *acerella* Ponomarenko,1991 _ Range (in code): **RU Us KR** Bionomy: Larva on Acer ginnala (Ponomarenko,1991).

- 36194. *Faristenia atrimaculata* Park,1993** (Gelechiidae) Synonym(s): *atrimaculata* Park,1993
Range (in code): **KR**
- 36195. *Faristenia furtumella* Ponomarenko,1991** (Gelechiidae) Synonym(s): *furtumella* Ponomarenko,1991
Range (in code): **RU Us KR JP** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 36196. *Faristenia geminisignella* Ponomarenko,1991** (Gelechiidae) Synonym(s): *geminisignella* Ponomarenko,1991
Range (in code): **RU Us KR JP** Bionomy: Larva on *Acer mono* (Ponomarenko,1991).
- 36197. *Faristenia jumbongae* Park,1993** (Gelechiidae) Synonym(s): *jumbongae* Park,1993
Range (in code): **KR JP**
- 36198. *Faristenia maritimella* Ponomarenko,1991** (Gelechiidae) Synonym(s): *maritimella* Ponomarenko,1991
Range (in code): **RU Us**
- 36199. *Faristenia omelkoi* Ponomarenko,1991** (Gelechiidae) Synonym(s): *omelkoi* Ponomarenko,1991; *nigriella* Park,1993
Range (in code): **RU Us KR JP** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 36200. *Faristenia polemica* (Meyrick,1935)** (Gelechiidae) Synonym(s): *polemica* Meyrick,1935
Range (in code): **IN Ben TH**
- 36201. *Faristenia praemaculata* (Meyrick,1931)** (Gelechiidae) Synonym(s): *praemaculata* Meyrick,1931
Range (in code): **CN Sz**
- 36202. *Faristenia quercivora* Ponomarenko,1991** (Gelechiidae) Synonym(s): *quercivora* Ponomarenko,1991
Range (in code): **RU Us KR JP** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 36203. *Faristenia ussuriella* Ponomarenko,1991** (Gelechiidae) Synonym(s): *ussuriella* Ponomarenko,1991; *#ussurilla* Park,1993
Range (in code): **RU Us** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1991).
- 36204. *Ficulea blandulella* Walker,1864** (Gelechiidae) Synonym(s): *blandulella* Walker,1864
Range (in code): **TH IN LK CN**
- 36205. *Filatima albicostella* (Clarke,1942)** (Gelechiidae) Synonym(s): *albicostella* Clarke,1942; *angustipennis* Sattler,1961
Range (in code): **FR**
- 36206. *Filatima djakovica* Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *djakovica* Anikin & Piskunov,1996
Range (in code): **RU**
- 36207. *Filatima incompitella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *incompitella* Herrich-Schäffer,[1854]
Range (in code): **DE CH AT PL DK NO SE FI EE LV LT RU MD UA BY**
- 36208. *Filatima spurcella* (Duponchel,1843)** (Gelechiidae) Synonym(s): *spurcella* Duponchel,1843; *fuscantella* Heinemann,1870.
Range (in code): **PT ES FR IT BE DE CH AT PL CZ SK HU RO YU AL TR Cc AM RU Ur MD UA BY** Bionomy: Larva on *Crataegus*, *Prunus spinosa* (Rosaceae) (Piskunov,1990).
- 36209. *Filatima tephritidella* (Duponchel,1844)** (Gelechiidae) Synonym(s): *tephritidella* Duponchel,1844
Range (in code): **FR IT DE AT PL SK HU RO RU MD UA BY KG Uk**
- 36210. *Filatima textorella* (Chrétien,1908)** (Gelechiidae) Synonym(s): *textorella* Chrétien,1908
Range (in code): **ES FR**
- 36211. *Filatima ukrainica* Piskunov,1971** (Gelechiidae) Synonym(s): *ukrainica* Piskunov,1971
Range (in code): **SE LT UA**
- 36212. *Filatima zagulajevi* Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *zagulajevi* Anikin & Piskunov,1996
Range (in code): **RU**
- 36213. *Filisignella cirrhaea* (Meyrick,1914)** (Gelechiidae) Synonym(s): *cirrhaea* Meyrick,1914
Range (in code): **ZA Tva Gau Pre**
- 36214. *Flexiptera revoluta* (Meyrick,1918)** (Gelechiidae) Synonym(s): *revoluta* Meyrick,1918
Range (in code): **ZA Nta Kzu**
- 36215. *Frumenta nephelomicta* (Meyrick,1930)** (Gelechiidae) Synonym(s): *nephelomicta* Meyrick,1930
Range (in code): **ZA US NMx**
- 36216. *Furcaphora caelata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *caelata* Meyrick,1913; *triscelis* Meyrick,1917
Range (in code): **ZA Tva Mpu Tst**
- 36217. *Gambrostola imposita* Meyrick,1926** (Gelechiidae) Synonym(s): *imposita* Meyrick,1926
Range (in code): **ZA**

- 36218. Gelechia ? machinata (Meyrick,1929)** (Gelechiidae) Synonym(s): *machinata* Meyrick,1929 Original Reference: Telphusa machinata Meyrick,1929, Exot. Microlepid. 3: 488. Type: India: Assam. Range (in code): TH CMA Int IN Ass
- 36219. Gelechia abjunctella Walker,1864** (Gelechiidae) Synonym(s): *abjunctella* Walker,1864 Range (in code): ZA
- 36220. Gelechia aglossella Walker,1866** (Gelechiidae) Synonym(s): *aglossella* Walker,1866 Range (in code): ZA
- 36221. Gelechia anagramma Meyrick,1921** (Gelechiidae) Synonym(s): *anagramma* Meyrick,1921 Range (in code): ZA Ec
- 36222. Gelechia anarsiella Chrétien,1915** (Gelechiidae) Synonym(s): *anarsiella* Chrétien,1915 Original Reference: Gelechia anarsiella Chrétien,1915, Annls Soc. ent. Fr. 84: 316-317. Type: [Algeria]: "Frenda (Oran)". Range (in code): DZ Orn
- 36223. Gelechia arotrias Meyrick,1908** (Gelechiidae) Synonym(s): *arotrias* Meyrick,1908 Range (in code): ZA Nta Kzu Wnn
- 36224. Gelechia asinella (Hübner,1796)** (Gelechiidae) Synonym(s): *asinella* Hübner,1796 Range (in code): FR Co IT DE CH AT PL CZ SK HU RO
- 36225. Gelechia aspoecki Huemer,1992** (Gelechiidae) Synonym(s): *aspoecki* Huemer,1992 Range (in code): FR
- 36226. Gelechia basipunctella Herrich-Schäffer,[1854]** (Gelechiidae) Synonym(s): *basipunctella* Herrich-Schäffer,[1854]; *albicans* Heinemann,1870 Range (in code): FR IT DE CH AT PL CZ HU RO TR RU Ur Sb MN Bionomy: Larva on Salix (Salicaceae) (Schütze,1931).
- 36227. Gelechia chionomima Meyrick,1909** (Gelechiidae) Synonym(s): *chionomima* Meyrick,1909 Range (in code): ZA
- 36228. Gelechia cretulata Meyrick,1927** (Gelechiidae) Synonym(s): *cretulata* Meyrick,1927 Range (in code): ZA Ntz Kzu Wnn
- 36229. Gelechia cuneatella Douglas,1852** (Gelechiidae) Synonym(s): *cuneatella* Douglas,1852 Range (in code): GB DE CH AT PL CZ SK DK NO SE FI EE LV RU MD UA BY
- 36230. Gelechia dujardini Huemer,1991** (Gelechiidae) Synonym(s): *dujardini* Huemer,1991. Original Reference: Gelechia dujardini Huemer,1991, Nota lepid. 14 (2): 127-129, fig. Holotype ♂: [Croatia]: Yugoslavien, Insel Krk, Umg. Punat (TLMF). Range (in code): FR IT HV MK GR TR
- 36231. Gelechia epiphloea Meyrick,1913** (Gelechiidae) Synonym(s): *epiphloea* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 36232. Gelechia euprosopa Meyrick,1926** (Gelechiidae) Synonym(s): *euprosopa* Meyrick,1926 Range (in code): KG Uk
- 36233. Gelechia exoenota Meyrick,1918** (Gelechiidae) Synonym(s): *exoenota* Meyrick,1918 Range (in code): ZA Tva Gau Pre
- 36234. Gelechia fecunda Meyrick,1918** (Gelechiidae) Synonym(s): *fecunda* Meyrick,1918 Range (in code): ZA Nta Kzu Umk
- 36235. Gelechia flavipalpella Walsingham,1881** (Gelechiidae) Synonym(s): *flavipalpella* Walsingham,1881 Range (in code): ZA
- 36236. Gelechia galatea Meyrick,1926** (Gelechiidae) Synonym(s): *galatea* Meyrick,1926 Range (in code): ZA Nta Kzu Wnn
- 36237. Gelechia goniospila Meyrick,1931** (Gelechiidae) Synonym(s): *goniospila* Meyrick,1931 Range (in code): AR
- 36238. Gelechia gracula (Meyrick,1929)** (Gelechiidae) Synonym(s): *gracula* Meyrick,1929 Range (in code): US Tx
- 36239. Gelechia hippophaella (Schränk,1802)** (Gelechiidae) Synonym(s): *hippophaella* Schränk,1802; *basalis* Stainton,1854; *acupediella* Frey,1870 Range (in code): FR IT GB BE NL DE CH AT PL RO TR DK NO SE FI RU MD UA BY Bionomy: Larva on Hippophae rhamnoides (Eleagnaceae) (Schränk,1802).
- 36240. Gelechia horiaula Meyrick,1918** (Gelechiidae) Synonym(s): *horiaula* Meyrick,1918 Range (in code): PK Abb
- 36241. Gelechia invenustella Berg.,1875** (Gelechiidae) Synonym(s): *invenustella* Berg.,1875 Range (in code): TR
- 36242. Gelechia jakovlevi Krulikovsky,1905** (Gelechiidae) Synonym(s): *jakovlevi* Krulikovsky,1905 Range (in code): FI EE LV LT RU MD UA BY

- 36243. *Gelechia lactiflora* Meyrick, 1921** (Gelechiidae) Synonym(s): *lactiflora* Meyrick, 1921
Range (in code): **MZ Mag**
- 36244. *Gelechia liberata* Meyrick, 1910** (Gelechiidae) Synonym(s): *liberata* Meyrick, 1910
Range (in code): **ZA**
- 36245. *Gelechia luticoma* Meyrick, 1929** (Gelechiidae) Synonym(s): *luticoma* Meyrick, 1929
Range (in code): **IN Bba**
- 36246. *Gelechia mediterranea* Huemer, 1991** (Gelechiidae) Synonym(s): *mediterranea* Huemer, 1991. Original Reference: *Gelechia mediterranea* Huemer, 1991, *Nota lepid.* 14 (2): 125-126, fig. Holotype ♂: Greece: Hellas, Lakonia 7km SW Monemvasia (ZMUC). Range (in code): **Sa GR Cr**
- 36247. *Gelechia melitolicna* Meyrick, 1935** (Gelechiidae) Synonym(s): *melitolicna* Meyrick, 1935
Range (in code): **CN Kig**
- 36248. *Gelechia molitor* Walsingham, 1896** (Gelechiidae) Synonym(s): *molitor* Walsingham, 1896
Range (in code): **YE Ad**
- 36249. *Gelechia mundata* (Meyrick, 1929)** (Gelechiidae) Synonym(s): *mundata* Meyrick, 1929
Range (in code): **US NMx**
- 36250. *Gelechia muscosella* Zeller, 1839** (Gelechiidae) Synonym(s): *muscosella* Zeller, 1839
Range (in code): **FR GB NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV RU MD UA BY**
- 36251. *Gelechia nervosella* (Zerny, 1927)** (Gelechiidae) Synonym(s): *nervosella* Zerny, 1927
Range (in code): **MA ES FR**
- 36252. *Gelechia nigra* (Haworth, 1828)** (Gelechiidae) Synonym(s): *nigra* Haworth, 1828
Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY**
Bionomy: Larva on *Salix*, *Populus* (Salicaceae) (Disque, 1908).
- 36253. *Gelechia omphalopsis* Meyrick, 1926** (Gelechiidae) Synonym(s): *omphalopsis* Meyrick, 1926
Range (in code): **ZA**
- 36254. *Gelechia ophiaula* Meyrick, 1931** (Gelechiidae) Synonym(s): *ophiaula* Meyrick, 1931
Range (in code): **AR**
- 36255. *Gelechia ophiomorpha* Meyrick, 1935** (Gelechiidae) Synonym(s): *ophiomorpha* Meyrick, 1935
Range (in code): **AR**
- 36256. *Gelechia paroxynta* Meyrick, 1931** (Gelechiidae) Synonym(s): *paroxynta* Meyrick, 1931
Range (in code): **CN Ti**
- 36257. *Gelechia pistaciae* Filipjev, 1934** (Gelechiidae) Synonym(s): *pistaciae* Filipjev, 1934
Original Reference: *Gelechia pistaciae* Filipjev, 1934, *Trudy zool. Inst. Leningr.* 2: 17, figs. 6-9. Lectotype ♂: [Turkmenistan]: Kushka, designated by Sattler, 1982 (ZIANP). Range (in code): **TM IR Ke TR** Bionomy: Larva on *Pistacia vera* (Filipjev, 1934).
- 36258. *Gelechia repetitrix* Meyrick, 1931** (Gelechiidae) Synonym(s): *repetitrix* Meyrick, 1931
Original Reference: *Gelechia repetitrix* Meyrick, 1931, *Exot. Microlepid.* 4: 60. Syntypes 2♂: Turkey: "Angora" [Ankara] (Sureya Bey leg.) (BMNH). Range (in code): **TR**
- 36259. *Gelechia rescissella* Zeller, 1852** (Gelechiidae) Synonym(s): *rescissella* Zeller, 1852
Range (in code): **ZA**
- 36260. *Gelechia resecta* Meyrick, 1913** (Gelechiidae) Synonym(s): *resecta* Meyrick, 1913
Range (in code): **ZA Tva Gau Pre**
- 36261. *Gelechia rhombella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *rhombella* [Denis & Schiffermüller], 1775
Original Reference: *Tinea rhombella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 139. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 36262. *Gelechia rhombelliformis* Staudinger, 1871** (Gelechiidae) Synonym(s): *rhombelliformis* Staudinger, 1871
Range (in code): **BE NL DE AT PL CZ SK HU RO DK LV LT TR RU MD UA BY**
- 36263. *Gelechia sabinella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *sabinella* Zeller, 1839; *hoffmanniella* Strand, 1901; *kalevalella* Kanerva, 1936.
Range (in code): **PT ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV RU MD UA BY** Bionomy: Larva on *Juniperus communis* (Cupressaceae) (Kaitila, 1996).
- 36264. *Gelechia sarcochroma* Walsingham, 1900** (Gelechiidae) Synonym(s): *sarcochroma* Walsingham, 1900
Range (in code): **YE Sk**
- 36265. *Gelechia scotinella* Herrich-Schäffer, [1854]** (Gelechiidae) Synonym(s): *scotinella* Herrich-Schäffer, [1854]
Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK SE LV LT RU MD UA BY**

- 36266. Gelechia sematica (Meyrick,1913)** (Gelechiidae) Synonym(s): *sematica* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36267. Gelechia senticetella (Staudinger,1859)** (Gelechiidae) Synonym(s): *senticetella* Staudinger,1859; *obscuripennis* Frey,1880; *limitanella* Rebel,1904; *#senticella* Rebel,1932; *nigrostriatella* Zerny,1936. Range (in code): **MA ES FR Si IT GB NL CH AT SK HU YU GR TR IR Elb Mz**
- 36268. Gelechia sestertiella Herrich-Schäffer,1854** (Gelechiidae) Synonym(s): *#sestertiella* Herrich-Schäffer,1853; *sestertiella* Herrich-Schäffer,1854. Original Reference: *Gelechia sestertiella* Herrich-Schäffer,1854, Syst. Bearb. Schmett. Eur. 5: Taf.66 fig.487 [uninomial], 186. Range (in code): **FR DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on *Acer platanoides*, *Acer campestre* (Wörz,1954).
- 36269. Gelechia sirotina Omelko,1986** (Gelechiidae) Synonym(s): *sirotina* Omelko,1986
Range (in code): **RU MD UA BY**
- 36270. Gelechia sororculella (Hübner,[1817])** (Gelechiidae) Synonym(s): *sororculella* Hübner,[1817] Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 36271. Gelechia tetraleuca Meyrick,1918** (Gelechiidae) Synonym(s): *tetraleuca* Meyrick,1918
Range (in code): **ZA Nta Kzu Esw**
- 36272. Gelechia turpella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *turpella* [Denis & Schiffermüller],1775; *populella* Hübner,1796; *#nebulea* Haworth,1828; *pinguinella* Treitschke,1832; *kochiella* Herrich-Schäffer,1854 Original Reference: *Tinea turpella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY** Bionomy: *Populus nigra*, *P. pyramidalis* (Salicaceae) (Schütze,1931).
- 36273. Gelechia xylophaea Meyrick,1921** (Gelechiidae) Synonym(s): *xylophaea* Meyrick,1921
Range (in code): **ZW Umv**
- 36274. Gladiovalva aizpuruai Vives Moreno,1990** (Gelechiidae) Synonym(s): *aizpuruai* Vives Moreno,1990 Range (in code): **ES HU CZ** Bionomy: Larva on *Acetosa pratensis* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 36275. Gladiovalva badidorsella (Rebel,1935)** (Gelechiidae) Synonym(s): *badidorsella* Rebel,1935 Range (in code): **PT ES**
- 36276. Gladiovalva rumicivorella (Millière,1881)** (Gelechiidae) Synonym(s): *rumicivorella* Millière,1881 Range (in code): **ES FR IT DE CH** Bionomy: Larva on *Acetosa scutata* (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 36277. Gnorimoschema bodillum Karsholt & Nielsen,1974** (Gelechiidae) Synonym(s): *bodillum* Karsholt & Nielsen,1974 Range (in code): **DE DK**
- 36278. Gnorimoschema elbursicum Povolny,1984** (Gelechiidae) Synonym(s): *elbursicum* Povolny,1984 Range (in code): **IR Elb Th**
- 36279. Gnorimoschema epithymella (Staudinger,1859)** (Gelechiidae) Synonym(s): *epithymella* Staudinger,1859 Range (in code): **DZ Anna Bsk TN Gf ES FR Sa IT CH AT NO SE FI EE LV Cc** Bionomy: Larva on *Solanum nigrum*, *Hyocymus albus* (Chrétien,1917).
- 36280. Gnorimoschema herbichii (Nowicki,1864)** (Gelechiidae) Synonym(s): *herbichii* Nowicki,1864; *pusillella* Rebel,1893; *tengstroemiella* Joannis,1910; *pazsiczkyi* Rebel,1913; *parenthesella* Toll,1936; *tengstroemi* Hackman,1946 Range (in code): **PT ES FR NL DE PL SK HU RO YU DK NO SE FI EE LV LT RU Kmt Sb IQ TR MN CA On** Bionomy: Larva on *Equisetum arvense* (Equisetaceae), *Salix repens* (Salicaceae) (Huemer & Karsholt,2010).
- 36281. Gnorimoschema jalavai Povolny,1994** (Gelechiidae) Synonym(s): *jalavai* Povolny,1994
Range (in code): **RU Tch At Tv Bry Ir Irk CA Yuk**
- 36282. Gnorimoschema nilsi Huemer,1996** (Gelechiidae) Synonym(s): *nilsi* Huemer,1996
Range (in code): **AT**
- 36283. Gnorimoschema nordlandicolella (Strand,1902)** (Gelechiidae) Synonym(s): *nordlandicolella* Strand,1902; *cyceonodes* Meyrick,1926; *eucausta* Meyrick,1929; *fennicella* Hackman,1946
Range (in code): **NO SE FI RU MD UA BY UZ TM TR EE KK**
- 36284. Gnorimoschema robustella (Staudinger,1871)** (Gelechiidae) Synonym(s): *robustella* Staudinger,1871 Range (in code): **RU KG**
- 36285. Gnorimoschema soffneri Riedl,1965** (Gelechiidae) Synonym(s): *soffneri* Riedl,1965; *antiquum* Povolny,1966 Range (in code): **FR Co GR Cr ES Si IT HU BG IQ TR IR Elb AF**
- 36286. Gnorimoschema soffneri montanum Povolny,1966** (Gelechiidae) Synonym(s): *montanum* Povolny,1966 Original Reference: *Gnorimoschema antiquum* ssp. *montanum*

- Povolny, 1966, Ark. Zool. (2) 18 (15): 402. Syntypes ♀♂: N. Afghanistan, Nord-Iran, Elbursgebirge, Keredj. Range (in code): AF IR Elb
- 36287. Gnorimoschema steueri Povolny, 1975** (Gelechiidae) Synonym(s): steueri Povolny, 1975
Range (in code): FR IT DE AT SK
- 36288. Gnorimoschema streliciella (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): streliciella Herrich-Schäffer, 1854 Range (in code): FR IT GB BE NL DE AT YU? DK NO SE FI EE LV
- 36289. Gnorimoschema valesiella (Staudinger, 1877)** (Gelechiidae) Synonym(s): valesiella Staudinger, 1877; diabolicella Hering, 1924; charcoti Meyrick, 1934; hackmani Schantz, 1952; alaskense Povolny, 1967 [ssp.] Range (in code): ES FR IT IS CH AT NO SE FI LV RU Cc Als US
- 36290. Gnosimacha caterica Meyrick, 1927** (Gelechiidae) Synonym(s): caterica Meyrick, 1927
Range (in code): ZA
- 36291. Grandipalpa robusta Janse, 1951** (Gelechiidae) Synonym(s): robusta Janse, 1951
Range (in code): NA Lü
- 36292. Harpagidia magnetella (Staudinger, [1871])** (Gelechiidae) Synonym(s): magnetella Staudinger, [1871]; pallidibasella Ragonot, 1895; melitophanes Meyrick, 1931 Original Reference: Gelechia magnetella Staudinger, [1871], Berl. ent. Z. 14: 310-311. Type: [Türkei]: "Magnesia" [Manisa Prov.] (coll. Lederer). Range (in code): TR Cc AM IL Pa LB Bsa IR Elb IQ Dia
- 36293. Harpagidia mauricaudella (Oberthür, 1888)** (Gelechiidae) Synonym(s): mauricaudella Oberthür, 1888 Range (in code): DZ Lbs
- 36294. Helcystogramma albinervis (Gerasimov, 1929)** (Gelechiidae) Synonym(s): albinervis Gerasimov, 1929 Range (in code): IT AT PL SK HU RU Ur MD UA BY
- 36295. Helcystogramma amethystium (Meyrick, 1906)** (Gelechiidae) Synonym(s): amethystium Meyrick, 1906 Range (in code): IN LK
- 36296. Helcystogramma anthitis (Meyrick, 1929)** (Gelechiidae) Synonym(s): anthitis Meyrick, 1929 Range (in code): LK
- 36297. Helcystogramma armatum (Meyrick, 1911)** (Gelechiidae) Synonym(s): armatum Meyrick, 1911 Range (in code): IN Ass Meg Khs
- 36298. Helcystogramma arotraeum (Meyrick, 1894)** (Gelechiidae) Synonym(s): arotraeum Meyrick, 1894 Range (in code): JP TW MM TH IN LK MY ID Ja Bionomy: Larva on Zizania litifolia, Oriza sativa (Ponomarenko, 1997).
- 36299. Helcystogramma arulensis (Rebel, 1929)** (Gelechiidae) Synonym(s): arulensis Rebel, 1929 Range (in code): IT AT SK RU Ur Cc MD UA BY
- 36300. Helcystogramma aruritis (Meyrick, 1911)** (Gelechiidae) Synonym(s): aruritis Meyrick, 1911 Range (in code): LK
- 36301. Helcystogramma augusta (Meyrick, 1911)** (Gelechiidae) Synonym(s): augusta Meyrick, 1911 Range (in code): IN Ass Meg Khs
- 36302. Helcystogramma balteatum (Meyrick, 1911)** (Gelechiidae) Synonym(s): balteatum Meyrick, 1911 Range (in code): IN Ass Meg Khs
- 36303. Helcystogramma bicuneum (Meyrick, 1911)** (Gelechiidae) Synonym(s): bicuneum Meyrick, 1911 Range (in code): IN Ass Meg Khs
- 36304. Helcystogramma brabylitis (Meyrick, 1911)** (Gelechiidae) Synonym(s): brabylitis Meyrick, 1911 Range (in code): IN ID Ja
- 36305. Helcystogramma ceriochranthum (Meyrick, 1939)** (Gelechiidae) Synonym(s): ceriochranthum Meyrick, 1939 Range (in code): CN Sz
- 36306. Helcystogramma compositaepictum (N. Omelko & M. Omelko, 1993)** (Gelechiidae) Synonym(s): compositaepictum N. Omelko & M. Omelko, 1993 Range (in code): RU Us
- 36307. Helcystogramma convolvuli (Walsingham, 1908)** (Gelechiidae) Synonym(s): convolvuli Walsingham, 1908; crypsilychna Meyrick, 1914; effera Meyrick, 1918; emigrans Meyrick, 1921 Range (in code): Cn KM ID Ja Bionomy: Larva on Ipomoea batatas, Solanum tuberosum (Ponomarenko, 1997).
- 36308. Helcystogramma crypsinomum (Meyrick, 1929)** (Gelechiidae) Synonym(s): crypsinomum Meyrick, 1929 Original Reference: Brachmia crypsinoma Meyrick, 1929, Exot. Microlepid. 3: 527. Type: [Thailand]: Bangkok. Range (in code): TH
- 36309. Helcystogramma cyanozona (Meyrick, 1923)** (Gelechiidae) Synonym(s): cyanozona Meyrick, 1923 Range (in code): IN

- 36310. *Helcystogramma delocosma* (Meyrick,1936)** (Gelechiidae) Synonym(s): *delocosma* Meyrick,1936 _ Range (in code): **ID Ja** Bionomy: Larva on ? *Micromelum pubescens* (Ponomarenko,1997).
- 36311. *Helcystogramma engraptum* (Meyrick,1918)** (Gelechiidae) Synonym(s): *engraptum* Meyrick,1918 _ Range (in code): **PK Pj** Bionomy: Larva on *Ipomoea batatas* (Ponomarenko,1997).
- 36312. *Helcystogramma epicentra* (Meyrick,1911)** (Gelechiidae) Synonym(s): *epicentra* Meyrick,1911 _ Range (in code): **LK**
- 36313. *Helcystogramma fuscomarginatum* Ueda,1995** (Gelechiidae) Synonym(s): *fuscomarginatum* Ueda,1995 _ Range (in code): **JP** Bionomy: Larva on *Oplismenus undulatifolius* (Ponomarenko,1997).
- 36314. *Helcystogramma gradatum* (Meyrick,1910)** (Gelechiidae) Synonym(s): *gradatum* Meyrick,1910 _ Range (in code): **IN Ass Meg Slo**
- 36315. *Helcystogramma hapalyntis* (Meyrick,1911)** (Gelechiidae) Synonym(s): *hapalyntis* Meyrick,1911 _ Range (in code): **IN LK**
- 36316. *Helcystogramma hassenzanensis* (Park & Hodges,1995)** (Gelechiidae) Synonym(s): *hassenzanensis* Park & Hodges,1995 _ Range (in code): **TW**
- 36317. *Helcystogramma heterostigma* (Diakonoff,[1968])** (Gelechiidae) Synonym(s): *heterostigma* Diakonoff,[1968] _ Range (in code): **PH Luz**
- 36318. *Helcystogramma heterotoma* (Diakonoff,[1968])** (Gelechiidae) Synonym(s): *heterotoma* Diakonoff,[1968] _ Range (in code): **PH Luz**
- 36319. *Helcystogramma hibisci* (Stainton,1859)** (Gelechiidae) Synonym(s): *hibisci* Stainton,1859; *obseratella* Zeller,1877; *eudela* Turner,1919 _ Range (in code): **IN Clc CN Kig TW IN TH VN SL ID Sum Ja AU QAU** Bionomy: Larva on *Hibiscus*, *Abelmoschus* (Ponomarenko,1997).
- 36320. *Helcystogramma hoplophorum* Meyrick,1916** (Gelechiidae) Synonym(s): *hoplophorum* Meyrick,1916 _ Range (in code): **MM LK IN**
- 36321. *Helcystogramma idiastris* (Meyrick,1916)** (Gelechiidae) Synonym(s): *idiastris* Meyrick,1916 _ Range (in code): **IN** Bionomy: Larva on *Panicum* (Ponomarenko,1997).
- 36322. *Helcystogramma immeritellum* (Walker,1864)** (Gelechiidae) Synonym(s): *immeritellum* Walker,1864 _ Range (in code): **LK ID Ja**
- 36323. *Helcystogramma ineruditum* (Meyrick,1926)** (Gelechiidae) Synonym(s): *ineruditum* Meyrick,1926 _ Range (in code): **KR RU Us**
- 36324. *Helcystogramma infibulatum* Meyrick,1916** (Gelechiidae) Synonym(s): *infibulatum* Meyrick,1916 _ Range (in code): **LK IN**
- 36325. *Helcystogramma leucoplectum* (Meyrick,1911)** (Gelechiidae) Synonym(s): *leucoplectum* Meyrick,1911 _ Range (in code): **LK IN ID Ja**
- 36326. *Helcystogramma lineolella* (Zeller,1839)** (Gelechiidae) Synonym(s): *lineolella* Zeller,1839 _ Range (in code): **FR DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Cc Ur Sb MD UA BY**
- 36327. *Helcystogramma lithostrotum* Meyrick,1916** (Gelechiidae) Synonym(s): *lithostrotum* Meyrick,1916 _ Range (in code): **MY Prk**
- 36328. *Helcystogramma lochistis* (Meyrick,1911)** (Gelechiidae) Synonym(s): *lochistis* Meyrick,1911 _ Range (in code): **LK**
- 36329. *Helcystogramma lutatella* (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): *lutatella* Herrich-Schäffer,[1854] _ Range (in code): **PT FR Si IT GB BE NL LU DE CH AT PL CZ SK HU BG GR DK NO SE EE LV LT RU Ur Cc MD UA BY** Bionomy: Larva on *Calamagrostis epigeios*, *Agropyrum repens* (Ponomarenko,1997).
- 36330. *Helcystogramma melanocarpa* (Meyrick,1929)** (Gelechiidae) Synonym(s): *melanocarpa* Meyrick,1929 _ Range (in code): **US Tx**
- 36331. *Helcystogramma melanocarpum* (Meyrick,1929)** (Gelechiidae) Synonym(s): *trimaculella* Chambers,1874 nec Pack.,1867; *melanocarpum* Meyrick,1929; *evliyacelebii* Koçak,1986 _ Range (in code): **US Knt Tx**
- 36332. *Helcystogramma obscuratum* (Meyrick,1911)** (Gelechiidae) Synonym(s): *obscuratum* Meyrick,1911 _ Range (in code): **IN Ass Meg Khs**
- 36333. *Helcystogramma perelegans* (N.Omelko & M.Omelko,1993)** (Gelechiidae) Synonym(s): *perelegans* N.Omelko & M.Omelko,1993 _ Range (in code): **RU Us**

- 36334. Helcystogramma philomusum (Meyrick,1918)** (Gelechiidae) **Synonym(s):** *philomusum* Meyrick,1918 **Range (in code):** **LK IN**
- 36335. Helcystogramma phryganitis (Meyrick,1911)** (Gelechiidae) **Synonym(s):** *phryganitis* Meyrick,1911 **Range (in code):** **LK**
- 36336. Helcystogramma rhabduchum (Meyrick,1911)** (Gelechiidae) **Synonym(s):** *rhabduchum* Meyrick,1911 **Range (in code):** **LK**
- 36337. Helcystogramma rufescens (Haworth,1828)** (Gelechiidae) **Synonym(s):** *rufescens* Haworth,1828; *simplella* Eversmann,1844; *diaphanella* Lienig & Zeller,1846; *isabella* Stainton,1849; *rufescentella* Doubleday,1859. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY KG UK KP** **Bionomy:** Larva on Poa (Poaceae) (Ponomarenko,1997).
- 36338. Helcystogramma triannulella (Herrich-Schäffer,[1854])** (Gelechiidae) **Synonym(s):** *triannulella* Herrich-Schäffer,[1854]; *sepiella* Steudel,1866; *macroscopa* Meyrick,1932. **Range (in code):** **PT ES FR Sa IT DE CH AT PL CZ SK HU RO YU BG RU MD UA BY Cc Sb KG CN KP KR JP Hkk IN** **Bionomy:** Larva on Ipomoea batatas, Convolvulus aroensis (Convolvulaceae), Calystegia sepium, C. japonica (Ponomarenko,1997).
- 36339. Helcystogramma trijunctum (Meyrick,1934)** (Gelechiidae) **Synonym(s):** *trijunctum* Meyrick,1934 **Range (in code):** **CN Sz TW**
- 36340. Helcystogramma tristellum (Snellen,1901)** (Gelechiidae) **Synonym(s):** *tristellum* Snellen,1901 **Range (in code):** **ID Ja PH**
- 36341. Helcystogramma xerastis (Meyrick,1905)** (Gelechiidae) **Synonym(s):** *xerastis* Meyrick,1905 **Range (in code):** **PK Pj**
- 36342. Heterodermes oxylitha Meyrick,1929** (Gelechiidae) **Synonym(s):** *oxylitha* Meyrick,1929 **Range (in code):** **IN Ass Meg Khs**
- 36343. Holaxyra acuta (Meyrick,1927)** (Gelechiidae) **Synonym(s):** *acuta* Meyrick,1927 **Range (in code):** **ZA Nta Kzu Imp Ec**
- 36344. Holaxyra ithyaula (Meyrick,1926)** (Gelechiidae) **Synonym(s):** *ithyaula* Meyrick,1926 **Range (in code):** **ZA Wca Mui Wlg**
- 36345. Holaxyra picrophanes (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *picrophanes* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Brb**
- 36346. Holcophora statice Staudinger,1871** (Gelechiidae) **Synonym(s):** *statice* Staudinger,1871 **Range (in code):** **FR HU RU Ur RO Cc MD UA BY IR Mz KG UK CN Ui**
- 36347. Hoplovalva ametris (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *ametrus* Meyrick,1921 **Range (in code):** **ZA Nta Kzu Kkf**
- 36348. Horridivalva tenuiella Sattler,1967** (Gelechiidae) **Synonym(s):** *tenuiella* Sattler,1967 **Range (in code):** **DZ TN**
- 36349. Hyalochna allevata Meyrick,1918** (Gelechiidae) **Synonym(s):** *allevata* Meyrick,1918 **Range (in code):** **ZA**
- 36350. Hypatima acicula Park & Ponomarenko,1999** (Gelechiidae) **Synonym(s):** *acicula* Park & Ponomarenko,1999 **Range (in code):** **TH**
- 36351. Hypatima albogrisea (Walsingham,1881)** (Gelechiidae) **Synonym(s):** *albogrisea* Walsingham,1881; *#albeogrisea* Janse,1954 **Range (in code):** **ZA Tva Mpu Brb Nta Kzu Dbn Spr Esw**
- 36352. Hypatima anguinea (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *anguinea* Meyrick,1913 **Original Reference:** Chelaria anguinea Meyrick,1913, J. Bombay nat. Hist. Soc. 22: 161. Type: India: Assam. **Range (in code):** **IN Ass Meg Khs TH**
- 36353. Hypatima antiastis (Meyrick,1929)** (Gelechiidae) **Synonym(s):** *antiastis* Meyrick,1929 **Range (in code):** **IN Adm**
- 36354. Hypatima apparitrix (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *apparitrix* Meyrick,1921 **Range (in code):** **ID Ja**
- 36355. Hypatima aridella (Walker,1864)** (Gelechiidae) **Synonym(s):** *aridella* Walker,1864 **Range (in code):** **MY Bor Swk Sbh**
- 36356. Hypatima arignota (Meyrick,1916)** (Gelechiidae) **Synonym(s):** *arignota* Meyrick,1916 **Original Reference:** Chelaria arignota Meyrick,1916, Exot. Microlepid. 1: 579. Type: [Myanmar]: Maymyo. **Range (in code):** **MM ?TW TH**
- 36357. Hypatima binummulata (Meyrick,1929)** (Gelechiidae) **Synonym(s):** *binummulata* Meyrick,1929 **Range (in code):** **ZA Nta Kzu Wnn**
- 36358. Hypatima caryodora (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *caryodora* Meyrick,1913 **Range (in code):** **IN Ass Meg Khs**

- 36359. *Hypatima cirrhospila* (Meyrick,1920)** (Gelechiidae) **Synonym(s):** *cirrhospila* Meyrick,1920 **Range (in code):** **IN Ass Meg Khs**
- 36360. *Hypatima corynetis* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *corynetis* Meyrick,1913 **Range (in code):** **LK**
- 36361. *Hypatima disetosella* Park,1995** (Gelechiidae) **Synonym(s):** *disetosella* Park,1995 **Range (in code):** **TW**
- 36362. *Hypatima dissidens* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *dissidens* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Wv**
- 36363. *Hypatima ericta* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *ericta* Meyrick,1913 **Range (in code):** **LK**
- 36364. *Hypatima excellentella* Ponomarenko,1991** (Gelechiidae) **Synonym(s):** *excellentella* Ponomarenko,1991 **Range (in code):** **RU Us KR JP TW** **Bionomy:** Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1997).
- 36365. *Hypatima formidolosa* (Meyrick,1916)** (Gelechiidae) **Synonym(s):** *formidolosa* Meyrick,1916 **Range (in code):** **ZA Tva Nta Kzu Umk Nkw Mpu Brb Gau Pre Ptw**
- 36366. *Hypatima haligramma* (Meyrick,1926)** (Gelechiidae) **Synonym(s):** *haligramma* Meyrick,1926 **Original Reference:** *Chelaria haligramma* Meyrick,1926, *Exot. Microlepid.* 3: 282. **Type:** S.India: Anapapalli. **Range (in code):** **IN TH** **Bionomy:** Larva on *Anacardium occidentale* (Ponomarenko,1997).
- 36367. *Hypatima improba* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *improba* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Brb**
- 36368. *Hypatima indica* (Walshingham,1885)** (Gelechiidae) **Synonym(s):** *indica* Walshingham,1885 **Range (in code):** **IN Bba**
- 36369. *Hypatima instaurata* (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *instaurata* Meyrick,1921 **Range (in code):** **ID Ja**
- 36370. *Hypatima iophana* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *iophana* Meyrick,1913 **Original Reference:** *Chelaria iophana* Meyrick,1913, *J. Bombay nat. Hist. Soc.* 22: 162. **Type:** Sri Lanka: Ceylon. **Range (in code):** **LK TW VN Ton TH ID Ja**
- 36371. *Hypatima isopogon* (Meyrick,1929)** (Gelechiidae) **Synonym(s):** *isopogon* Meyrick,1929 **Range (in code):** **IN**
- 36372. *Hypatima isoptila* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *isoptila* Meyrick,1913 **Range (in code):** **LK IN**
- 36373. *Hypatima isosema* (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *isosema* Meyrick,1921 **Range (in code):** **ZW Uma**
- 36374. *Hypatima isotricha* (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *isotricha* Meyrick,1921 **Range (in code):** **ID Ja**
- 36375. *Hypatima issikiana* Park,1995** (Gelechiidae) **Synonym(s):** *issikiana* Park,1995 **Range (in code):** **TW**
- 36376. *Hypatima lactifera* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *lactifera* Meyrick,1913 **Range (in code):** **IN Ass Meg Khs**
- 36377. *Hypatima lecticata* (Meyrick,1926)** (Gelechiidae) **Synonym(s):** *lecticata* Meyrick,1926 **Range (in code):** **ZA Tva Mpu Pil**
- 36378. *Hypatima loxosaris* (Meyrick,1918)** (Gelechiidae) **Synonym(s):** *loxosaris* Meyrick,1918 **Range (in code):** **ZA MZ Blv Umk Nta Kzu**
- 36379. *Hypatima magniferae* Sattler & Stride,1989** (Gelechiidae) **Synonym(s):** *magniferae* Sattler & Stride,1989; *#mangiferae* Ponomarenko,1997 **Original Reference:** *Hypatima magniferae* Sattler & Stride,1989, *Bull. ent. Res.* 79: 412-420, figs. **Range (in code):** **Bionomy:** Larva on *Mangifera* (Sattler & Stride,1989).
- 36380. *Hypatima mancipata* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *mancipata* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Tst**
- 36381. *Hypatima manjakatempo* Viette,1956** (Gelechiidae) **Synonym(s):** *manjakatempo* Viette,1956 **Range (in code):** **MG**
- 36382. *Hypatima melanecta* (Meyrick,1914)** (Gelechiidae) **Synonym(s):** *melanecta* Meyrick,1914 **Range (in code):** **ZA Tva Gau Pre Jh**
- 36383. *Hypatima melanocharis* (Meyrick,1934)** (Gelechiidae) **Synonym(s):** *melanocharis* Meyrick,1934 **Range (in code):** **ID Ja**

- 36384. *Hypatima nigrogrisea* Janse,1949** (Gelechiidae) **Synonym(s):** *nigrogrisea* Janse,1949
Range (in code): **ZA Nta Kzu Umk ZW Bul Uma Tva Buf**
- 36385. *Hypatima nodifera* (Meyrick,1930)** (Gelechiidae) **Synonym(s):** *nodifera* Meyrick,1930
Range (in code): **VN Ton**
- 36386. *Hypatima obtruncata* (Meyrick,1923)** (Gelechiidae) **Synonym(s):** *obtruncata* Meyrick,1923
Range (in code): **IN Ass Meg Slo**
- 36387. *Hypatima orthomochla* (Meyrick,1932)** (Gelechiidae) **Synonym(s):** *orthomochla* Meyrick,1932
Range (in code): **ID Ja**
- 36388. *Hypatima ovata* Park & Ponomarenko,1999** (Gelechiidae) **Synonym(s):** *ovata* Park & Ponomarenko,1999
Range (in code): **TH**
- 36389. *Hypatima parichniota* (Meyrick,1938)** (Gelechiidae) **Synonym(s):** *parichniota* Meyrick,1938
Range (in code): **CN Yu Lik**
- 36390. *Hypatima particulata* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *particulata* Meyrick,1913
Range (in code): **LK ID Ja**
- 36391. *Hypatima pentagonia* Park & Ponomarenko,1999** (Gelechiidae) **Synonym(s):** *pentagonia* Park & Ponomarenko,1999
Range (in code): **TH**
- 36392. *Hypatima phacelota* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *phacelota* Meyrick,1913
Range (in code): **LK**
- 36393. *Hypatima pilosella* (Walker,1864)** (Gelechiidae) **Synonym(s):** *pilosella* Walker,1864
Range (in code): **MY Bor Sbh Swk**
- 36394. *Hypatima probolaea* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *probolaea* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36395. *Hypatima rhicnota* (Meyrick,1916)** (Gelechiidae) **Synonym(s):** *rhicnota* Meyrick,1916
Range (in code): **IN** **Bionomy:** Larva on Mangifera indica (Ponomarenko,1997).
- 36396. *Hypatima rhomboidella* (Linnaeus,1758)** (Gelechiidae) **Synonym(s):** *rhomboidella* Linnaeus,1758; *conscriptella* Hübner,[1805]; *huebnerella* Donovan,1806; *conscripta* Haworth,1828
Original Reference: Phalaena rhomboidella Linnaeus,1758, Syst. Nat. 10 (1): 538. **Type(s):** Europa. **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY Sb Us TW** **Bionomy:** Larva on Betula, Alnus, Corylus avellana, Carpinus betulus (Fagaceae); Populus (Salicaceae) (Ponomarenko,1997).
- 36397. *Hypatima silvestris* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *silvestris* Meyrick,1913
Range (in code): **CN IN Ass Meg Khs**
- 36398. *Hypatima solutrix* (Meyrick,1911)** (Gelechiidae) **Synonym(s):** *solutrix* Meyrick,1911
Range (in code): **ZA Wo Uma Tva Lpo**
- 36399. *Hypatima spathota* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *spathota* Meyrick,1913
Range (in code): **JP TW IN Bba VN AU**
- 36400. *Hypatima spathota* Meyrick,1913** (Gelechiidae) **Synonym(s):** *spathota* Meyrick,1913
Original Reference: Chelaria spathota Meyrick,1913, J. Bombay nat. Hist. Soc. 22: 165. **Range (in code):** **TH VN Ton NP IN LK MY BN Bor ID Ja AU QAU** **Bionomy:** Larva on Melia azedarach (Meliaceae), Odina wodier (Anacardiaceae), Mangifera indica (Anacardiaceae) (Robinson et al.,1994).
- 36401. *Hypatima stasimodes* (Meyrick,1931)** (Gelechiidae) **Synonym(s):** *stasimodes* Meyrick,1931
Range (in code): **ZA**
- 36402. *Hypatima stenosa* Park & Ponomarenko,1999** (Gelechiidae) **Synonym(s):** *stenosa* Park & Ponomarenko,1999
Range (in code): **TH**
- 36403. *Hypatima syncrypta* (Meyrick,1916)** (Gelechiidae) **Synonym(s):** *syncrypta* Meyrick,1916
Range (in code): **LK**
- 36404. *Hypatima tephroptila* (Meyrick,1931)** (Gelechiidae) **Synonym(s):** *tephroptila* Meyrick,1931
Range (in code): **IN Bba**
- 36405. *Hypatima tetraptila* (Meyrick,1909)** (Gelechiidae) **Synonym(s):** *tetraptila* Meyrick,1909
Range (in code): **ZA Gau Pre Tva Chp Kra**
- 36406. *Hypatima tonsa* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *tonsa* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 36407. *Hypatima triannulata* (Meyrick,1911)** (Gelechiidae) **Synonym(s):** *triannulata* Meyrick,1911
Range (in code): **MZ ZA Wo Mag Wv Mpu Brb Gau Pre Ec Grh Spb Tva Lpo Tsh**

- 36408. *Hypatima venefica* Ponomarenko,1991** (Gelechiidae) **Synonym(s):** *venefica* Ponomarenko,1991 **_ Range (in code):** **RU Us KR JP** **Bionomy:** Larva on *Quercus mongolica* (Fagaceae) (Ponomarenko,1997).
- 36409. *Hypatima verticosa* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *verticosa* Meyrick,1913 **Range (in code):** **IN**
- 36410. *Hypatima xerophanta* (Meyrick,1930)** (Gelechiidae) **Synonym(s):** *xerophanta* Meyrick,1930 **_ Range (in code):** **VN Ton**
- 36411. *Hypatima xeylotechna* (Meyrick,1932)** (Gelechiidae) **Synonym(s):** *xeylotechna* Meyrick,1932 **_ Range (in code):** **ID Ja**
- 36412. *Iochares festa* Meyrick,1921** (Gelechiidae) **Synonym(s):** *festa* Meyrick,1921 **_ Range (in code):** **ZA Tva Gau Pre**
- 36413. *Iochares straminis* (Walsingham,1881)** (Gelechiidae) **Synonym(s):** *straminis* Walsingham,1881 **_ Range (in code):** **ZA**
- 36414. *Ischnocraspedus peracuta* (Meyrick,1920)** (Gelechiidae) **Synonym(s):** *peracuta* Meyrick,1920 **_ Range (in code):** **ZA Ec Wth**
- 36415. *Ischnophylla similicolor* Janse,1963** (Gelechiidae) **Synonym(s):** *similicolor* Janse,1963 **Range (in code):** **ZA**
- 36416. *Isophrictis anthemidella* (Wocke,1871)** (Gelechiidae) **Synonym(s):** *anthemidella* Wocke,1871 **_ Range (in code):** **PT ES FR Co Sa Si IT LU DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa IL Pa Cc DK SE FI EE LV LT RU Ur MD UA BY IR Gls** **Bionomy:** Larva on *Achillea ptarmica*, *Anthemis tinctoria*, *Pyrethrum corymbosum* (Asteraceae) (Wocke,1871; Elsner, Huemer & Tokar,1999).
- 36417. *Isophrictis cerdanica* Nel,1995** (Gelechiidae) **Synonym(s):** *cerdanica* Nel,1995 **_ Range (in code):** **ES**
- 36418. *Isophrictis constantina* (Baker,1888)** (Gelechiidae) **Synonym(s):** *constantina* Baker,1888 **Range (in code):** **DZ Lbs TN Gf ES**
- 36419. *Isophrictis corsicella* Amsel,1936** (Gelechiidae) **Synonym(s):** *corsicella* Amsel,1936 **Range (in code):** **ES FR Co Sa**
- 36420. *Isophrictis impugnata* Gozmany,1957** (Gelechiidae) **Synonym(s):** *impugnata* Gozmany,1957 **_ Range (in code):** **ES**
- 36421. *Isophrictis invisella* (Constant,1885)** (Gelechiidae) **Synonym(s):** *invisella* Constant,1885 **Range (in code):** **Co Sa Si TR**
- 36422. *Isophrictis kefersteiniellus* (Zeller,1850)** (Gelechiidae) **Synonym(s):** *kefersteiniella* Zeller,1850; *senicula* Meyrick,1913; *leptidella* Turati,1924 **_ Range (in code):** **PT ES FR Sa Si IT MT YU GR Cr TR**
- 36423. *Isophrictis lineatellus* (Zeller,1850)** (Gelechiidae) **Synonym(s):** *lineatellus* Zeller,1850; *albilineella* Bruand,1859 **_ Range (in code):** **PT ES FR Co Sa Si IT GR TR**
- 36424. *Isophrictis meridionella* (Herrich-Schäffer,1854)** (Gelechiidae) **Synonym(s):** *meridionella* Herrich-Schäffer,1854 **_ Range (in code):** **ES FR Sa**
- 36425. *Isophrictis microlina* Meyrick,1935** (Gelechiidae) **Synonym(s):** *microlina* Meyrick,1935 **Range (in code):** **ES**
- 36426. *Isophrictis robinella* (Chrétien,1907)** (Gelechiidae) **Synonym(s):** *robinella* Chrétien,1907 **Range (in code):** **FR**
- 36427. *Isophrictis striatella* ([Denis & Schiffermüller],1775)** (Gelechiidae) **Synonym(s):** *striatella* [Denis & Schiffermüller],1775; *tanacetella* Schrank,1802 **Original Reference:** *Tinea striatella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. **Type(s):** [Austria]: Vienna district. **Range (in code):** **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd TR DK NO SE FI EE LV LT RU MD UA BY KG Uk** **Bionomy:** Larva on *Cota tinctoria*, *Pyrethrum corymbosum*, *Tanacetum vulgare* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36428. *Istrianis brucinella* (Mann,1872)** (Gelechiidae) **Synonym(s):** *brucinella* Mann,1872 **Original Reference:** *Gelechia brucinella* Mann,1872, *Verh. zool.- bot.- Ges. Wien* 22: 37. **Syntypes:** [Türkei]: Brussa, "aus Tamarix-Gallen". **Range (in code):** **Si TR EG IN PK** **Bionomy:** Larva on *Tamarix-Gallen* (Mann,1872).
- 36429. *Istrianis crauropa* Meyrick,1918** (Gelechiidae) **Synonym(s):** *crauropa* Meyrick,1918 **Original Reference:** *Istrianis* Meyrick,1918, *Exotic Microlepid.* 2: 130. **Type** ♂: India, Kanara, Dharwar. **_ IN Knr**

- 36430. Istrianis femoralis (Staudinger,1876)** (Gelechiidae) Synonym(s): *femoralis* Staudinger,1876; *comedonella* Staudinger,1879; *gravosensis* Rebel,1937; *angustipennis* Rebel,1941; *funebrella* Rebel,1941. _ Range (in code): ES Grn Snv IT GR Si HV MK CY Cm UA TR
- 36431. Istrianis myricariella (Frey,1870)** (Gelechiidae) Synonym(s): *myricariella* Frey,1870
_ Range (in code): ES FR IT DE CH GR
- 36432. Iwaruna biguttella (Duponchel,1843)** (Gelechiidae) Synonym(s): *biguttella* Duponchel,1843 _ Range (in code): PT ES FR Sa IT BE CH AT PL CZ SK RO? TR RU MD UA BY Cc
- 36433. Iwaruna klimeschi Wolff,1958** (Gelechiidae) Synonym(s): *klimeschi* Wolff,1958 _ Range (in code): IT AT SK HU
- 36434. Iwaruna psoralella (Millière,1865)** (Gelechiidae) Synonym(s): *psoralella* Millière,1865
_ Range (in code): ES FR IT
- 36435. Klimeschiopsis discontinuella (Rebel,1899)** (Gelechiidae) Synonym(s): *discontinuella* Rebel,1899 _ Range (in code): IT CH AT
- 36436. Klimeschiopsis kiningerella (Duponchel,1844)** (Gelechiidae) Synonym(s): *kiningerella* Duponchel,1844; *atralbella* Palm,1947 _ Range (in code): FR IT DE AT CZ HU RO YU GR TR NO SE FI LV
- 36437. Klimeschiopsis terroris (Hartig,1938)** (Gelechiidae) Synonym(s): *terroris* Hartig,1938
_ Range (in code): ES
- 36438. Lacharissa tanyzancla Meyrick,1937** (Gelechiidae) Synonym(s): *tanyzancla* Meyrick,1937; *#tanyzancla* Janse,1958 _ Range (in code): ZA
- 36439. Lachnostola amphizeucta Meyrick,1918** (Gelechiidae) Synonym(s): *amphizeucta* Meyrick,1918 _ Range (in code): ZA Nta Kzu Umk Nha
- 36440. Lacistodes brunneostola Janse,1960** (Gelechiidae) Synonym(s): *brunneostola* Janse,1960
_ Range (in code): ZA
- 36441. Lacistodes tauropis Meyrick,1921** (Gelechiidae) Synonym(s): *tauropis* Meyrick,1921
_ Range (in code): ZW Swm
- 36442. Lanceopenna pentastigma Janse,1960** (Gelechiidae) Synonym(s): *pentastigma* Janse,1960 _ Range (in code): ZA
- 36443. Lanceopenna prominula (Meyrick,1913)** (Gelechiidae) Synonym(s): *prominula* Meyrick,1913 _ Range (in code): ZA Tva Mpu Tst Brb Nta Kzu Umk Dbn Kkf Elo Ec Mdt Gau Pre
- 36444. Lanceopenna pseudogaleotis Janse,1950** (Gelechiidae) Synonym(s): *pseudogaleotis* Janse,1950 _ Range (in code): ZA Tva Gau Pre
- 36445. Lanceoptera panochra Janse,1960** (Gelechiidae) Synonym(s): *panochra* Janse,1960
_ Range (in code): ZA
- 36446. Lasiarchis hirsuta Janse,1958** (Gelechiidae) Synonym(s): *hirsuta* Janse,1958 _ Range (in code): ZA
- 36447. Lasiarchis pynodes (Meyrick,1909)** (Gelechiidae) Synonym(s): *pynodes* Meyrick,1909; *elaeoxyla* Meyrick,1937 _ Range (in code): ZA Tva Gau Pre
- 36448. Leucophylla nigribasis Janse,1960** (Gelechiidae) Synonym(s): *nigribasis* Janse,1960
_ Range (in code): ZA
- 36449. Leuronoma chlorotoma Meyrick,1918** (Gelechiidae) Synonym(s): *chlorotoma* Meyrick,1918 _ Range (in code): ZA Tva Gau Pre
- 36450. Leuronoma eodryas (Meyrick,1918)** (Gelechiidae) Synonym(s): *eodryas* Meyrick,1918
_ Range (in code): ZA Nta Kzu Tva Gau Pre
- 36451. Leuronoma magna Janse,1958** (Gelechiidae) Synonym(s): *magna* Janse,1958 _ Range (in code): ZA
- 36452. Leuronoma nigridorsis Meyrick,1921** (Gelechiidae) Synonym(s): *nigridorsis* Meyrick,1921 _ Range (in code): ZW Uma
- 36453. Leuronoma oenochyta (Meyrick,1921)** (Gelechiidae) Synonym(s): *oenochyta* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre
- 36454. Leuronoma textifera (Meyrick,1913)** (Gelechiidae) Synonym(s): *textifera* Meyrick,1913
_ Range (in code): ZA Tva Mpu Brb
- 36455. Leuronoma veterascens Meyrick,1918** (Gelechiidae) Synonym(s): *veterascens* Meyrick,1918 _ Range (in code): ZA Nta Kzu Umk
- 36456. Leuronoma zymotis (Meyrick,1909)** (Gelechiidae) Synonym(s): *zymotis* Meyrick,1909
_ Range (in code): ZA Tva Lpo Spb Wmb
- 36457. Leuopalpa reducta (Janse,1951)** (Gelechiidae) Synonym(s): *reducta* Janse,1951
_ Range (in code): ZA Nta Kzu Esw Umk

- 36458. *Lutilabria kaszabi* Povolny,1978** (Gelechiidae) Synonym(s): *kaszabi* Povolny,1978
Range (in code): **MN**
- 36459. *Lutilabria lutilabrella* (Mann,1857)** (Gelechiidae) Synonym(s): *lutilabrella* Mann,1857
Range (in code): **GR YU**
- 36460. *Lutilabria lutilabrella olympica* Huemer,1993** (Gelechiidae) Synonym(s): *olympica* Huemer,1993
Range (in code): **GR**
- 36461. *Lutilabria prolata* Junnilainen & K.Nupponen,2010** (Gelechiidae) Synonym(s): *prolata* Junnilainen & K.Nupponen,2010
Range (in code): **RU Ur RO**
- 36462. *Lutilabria volgensis* Anikin & Piskunov,1996** (Gelechiidae) Synonym(s): *volgensis* Anikin & Piskunov,1996
Range (in code): **RU**
- 36463. *Machlotricha griseostola* Janse,1960** (Gelechiidae) Synonym(s): *griseostola* Janse,1960
Range (in code): **ZA**
- 36464. *Machlotricha latipalpis* (Walsingham,1881)** (Gelechiidae) Synonym(s): *latipalpis* Walsingham,1881; *caeca* Meyrick,1912
Range (in code): **ZA Tva Kkf Esw Nta Kzu Nha Dmm Nkw Mpu Brb ZA14 Spb Ltr Tsh Ver Mf Mal**
- 36465. *Macrocalcara sporima* Janse,1960** (Gelechiidae) Synonym(s): *sporima* Janse,1960
Range (in code): **ZA**
- 36466. *Macrocalcara undina* (Meyrick,1921)** (Gelechiidae) Synonym(s): *undina* Meyrick,1921
Range (in code): **NA Abc ZW Vf**
- 36467. *Megacraspedus albovenata* Junnilainen,2010** (Gelechiidae) Synonym(s): *albovenata* Junnilainen,2010
Range (in code): **RU Ur**
- 36468. *Megacraspedus alfacarellus* Wehrli,1926** (Gelechiidae) Synonym(s): *alfacarellus* Wehrli,1926
Range (in code): **ES**
- 36469. *Megacraspedus argyroneurellus* Staudinger,1876** (Gelechiidae) Synonym(s): *argyroneurellus* Staudinger,1876
Range (in code): **AT? RU Ur Sr Or Gub MD UA Cm BY Cc TR KG Uk CN Ui Ku IR Elb Mz Plr**
- 36470. *Megacraspedus attritellus* Staudinger,1871** (Gelechiidae) Synonym(s): *attritellus* Staudinger,1871
Range (in code): **RU MD UA BY TR KG Uk**
- 36471. *Megacraspedus balneariellus* (Chrétien,1907)** (Gelechiidae) Synonym(s): *balneariellus* Chrétien,1907
Range (in code): **FR AT SK HU RU Ur MD UA BY**
- 36472. *Megacraspedus bilineatellus* Huemer & Karsholt,1996** (Gelechiidae) Synonym(s): *bilineatella* Huemer & Karsholt,1996
Range (in code): **IT**
- 36473. *Megacraspedus binotellus* (Duponchel,1843)** (Gelechiidae) Synonym(s): *binotella* Duponchel,1843
Range (in code): **PT ES IT DE AT CZ SK HU RO YU AL BG GR RU MD UA BY**
Bionomy: Larva on Poa (Poaceae) (Elsner, Huemer & Tokar,1999).
- 36474. *Megacraspedus cerussatellus* Rebel,1930** (Gelechiidae) Synonym(s): *cerussatellus* Rebel,1930
Range (in code): **BG GR**
- 36475. *Megacraspedus cuencellus* Caradja,1920** (Gelechiidae) Synonym(s): *cuencellus* Caradja,1920
Original Reference: *Megacraspedus cuencellus* Caradja,1920, Dt. ent. Z., Iris 34: 117. Type 1♂: [Spanien]: Cuenca. Range (in code): **ES FR**
- 36476. *Megacraspedus dolosellus* (Zeller,1839)** (Gelechiidae) Synonym(s): *dolosellus* Zeller,1839
Range (in code): **ES FR IT AT CZ SK HU RO YU AL BG RU**
Bionomy: Larva on Amorpha repens (Fabaceae), Cynodon dactylon, Lolium perenne, Poa annua, P. trivialis (Poaceae) (Elsner, Huemer & Tokar,1999).
- 36477. *Megacraspedus escalerellus* Schmidt,1941** (Gelechiidae) Synonym(s): *escalerellus* Schmidt,1941
Range (in code): **ES**
- 36478. *Megacraspedus fallax* (Mann,1867)** (Gelechiidae) Synonym(s): *fallax* Mann,1867; *neurophanes* Meyrick,1926
Range (in code): **ES FR HU RU Ur Sb Cc MD UA BY KG Uk CN Ui Ku**
Bionomy: Larva on Stipa (Poaceae) (Elsner, Huemer & Tokar,1999).
- 36479. *Megacraspedus grossisquammellus* Chrétien,1925** (Gelechiidae) Synonym(s): *grossisquammellus* Chrétien,1925
Range (in code): **ES**
- 36480. *Megacraspedus imparellus* (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *imparellus* Fischer v. Röslerstamm,1843
Range (in code): **IT DE AT CZ SK HU RO TR**
- 36481. *Megacraspedus incertellus* Rebel,1930** (Gelechiidae) Synonym(s): *incertellus* Rebel,1930
Range (in code): **BG GR TR**
- 36482. *Megacraspedus lagopellus* (Herrich-Schäffer,1860)** (Gelechiidae) Synonym(s): *lagopellus* Herrich-Schäffer,1860
Range (in code): **HU RU Or Gub Ur**

- 36483. *Megacraspedus lanceolellus* (Zeller,1850)** (Gelechiidae) Synonym(s): *lanceolellus* Zeller,1850 _ Range (in code): ES FR Co Si IT DE AT CZ SK UA
- 36484. *Megacraspedus lativalvellus* Amsel,1954** (Gelechiidae) Synonym(s): *lativalvellus* Amsel,1954 _ Range (in code): MT
- 36485. *Megacraspedus litovalvellus* Junnilainen,2010** (Gelechiidae) Synonym(s): *litovalvellus* Junnilainen,2010 _ Range (in code): RU Ur
- 36486. *Megacraspedus longipalpella* Junnilainen,2010** (Gelechiidae) Synonym(s): *longipalpella* Junnilainen,2010 _ Range (in code): RU Ao Ur Or Gub
- 36487. *Megacraspedus monolorellus* Rebel,1905** (Gelechiidae) Synonym(s): *monolorellus* Rebel,1905 _ Range (in code): TR
- 36488. *Megacraspedus multispinella* Junnilainen & K.Nupponen,2010** (Gelechiidae) Synonym(s): *multispinella* Junnilainen & K.Nupponen,2010 _ Range (in code): RU Ur
- 36489. *Megacraspedus niphorrhoea* (Meyrick,1926)** (Gelechiidae) Synonym(s): *niphorrhoea* Meyrick,1926 _ Range (in code): RU Ur KG Uk
- 36490. *Megacraspedus numidellus* (Chrétien,1915)** (Gelechiidae) Synonym(s): *numidellus* Chrétien,1915 _ Range (in code): TN Gf
- 36491. *Megacraspedus orenburgensis* Junnilainen & K.Nupponen,2010** (Gelechiidae) Synonym(s): *orenburgensis* Junnilainen & K.Nupponen,2010 _ Range (in code): RU Or
- 36492. *Megacraspedus pentheres* Walsingham,1920** (Gelechiidae) Synonym(s): *pentheres* Walsingham,1920 _ Range (in code): FR
- 36493. *Megacraspedus peyerimhoffi* Le Cerf,1925** (Gelechiidae) Synonym(s): *peyerimhoffi* Le Cerf,1925 Original Reference: Megacraspedus peyerimhoffi Le Cerf,1925, Ency. ent. (B) 1: 11. Range (in code): DZ
- 36494. *Megacraspedus pusillus* Walsingham,1903** (Gelechiidae) Synonym(s): *pusillus* Walsingham,1903 _ Range (in code): ES
- 36495. *Megacraspedus separatellus* (Fischer v. Röslerstamm,1843)** (Gelechiidae) Synonym(s): *separatellus* Fischer v. Röslerstamm,1843 _ Range (in code): ES FR Si AT CZ HU RO AL GR Cr RU Ur At Cc MD UA BY TR
- 36496. *Megacraspedus sericus* Meyrick,1909** (Gelechiidae) Synonym(s): *serica* Meyrick,1909 Range (in code): ZA
- 36497. *Megacraspedus squalidus* (Meyrick,1926)** (Gelechiidae) Synonym(s): *squalida* Meyrick,1926 _ Range (in code): ES
- 36498. *Megacraspedus subdolellus* Staudinger,1859** (Gelechiidae) Synonym(s): *subdolellus* Staudinger,1859 _ Range (in code): ES FR
- 36499. *Megacraspedus tristicus* Walsingham,1910** (Gelechiidae) Synonym(s): *tristicus* Walsingham,1910 _ Range (in code): FR IT
- 36500. *Megacraspedus tutti* Walsingham,1887** (Gelechiidae) Synonym(s): *tutti* Walsingham,1887 _ Range (in code): FR
- 36501. *Megacraspedus violacellum* (Chrétien,1915)** (Gelechiidae) Synonym(s): *violacellum* Chrétien,1915; *chretienella* Dumont,1928; *halfella* Dumont,1928; ? *arnaldi* Turati & Krüger,1930 Original Reference: Toxoceras violacellum Chrétien,1915, Annls Soc. ent. Fr. 84: 330. Type: [Tunisia]: "Gafsa, en November". Range (in code): DZ TN Gf LY
- 36502. *Melitoxestis centrotypa* Meyrick,1921** (Gelechiidae) Synonym(s): *centrotypa* Meyrick,1921 _ Range (in code): ZW Swm
- 36503. *Melitoxoides cophias* (Meyrick,1913)** (Gelechiidae) Synonym(s): *cophias* Meyrick,1913 Range (in code): ZA Tva Mpu Wv
- 36504. *Melitoxoides glauca* Janse,1960** (Gelechiidae) Synonym(s): *glauca* Janse,1960 _ Range (in code): ZA
- 36505. *Melitoxoides leucodoxa* (Meyrick,1920)** (Gelechiidae) Synonym(s): *leucodoxa* Meyrick,1920 _ Range (in code): ZA Wca Cto
- 36506. *Melitoxoides panaula* (Meyrick,1909)** (Gelechiidae) Synonym(s): *panaula* Meyrick,1909; *eusebasta* Meyrick,1926 _ Range (in code): ZA
- 36507. *Mesophleps acutunca* Li & Sattler,2012** (Gelechiidae) Synonym(s): *acutunca* Li & Sattler,2012 _ Range (in code): CN Hun Hnn
- 36508. *Mesophleps adustipennis* (Walsingham,1897)** (Gelechiidae) Synonym(s): *adustipennis* Walsingham,1897; *crotalariella* Busck,1910 _ Range (in code): MX CR CU JM PR TT VE EC PE BR HN PA

- 36509. Mesophleps albilinella (Park,1990)** (Gelechiidae) Synonym(s): *albilinella* Park,1990
Range (in code): **KR CN Hun Hnn Hph**
- 36510. Mesophleps apentheta (Turner,1919)** (Gelechiidae) Synonym(s): *apentheta* Turner,1919
Range (in code): **AU NSW**
- 36511. Mesophleps argonota (Lower,1901)** (Gelechiidae) Synonym(s): *argonota* Lower,1901
Range (in code): **AU NSW**
- 36512. Mesophleps aspina Li & Sattler,2012** (Gelechiidae) Synonym(s): *aspina* Li & Sattler,2012
Range (in code): **TH CMa MM**
- 36513. Mesophleps bifidella Li & Sattler,2012** (Gelechiidae) Synonym(s): *bifidella* Li & Sattler,2012
Range (in code): **JP PH Luz**
- 36514. Mesophleps catericta (Meyrick,1927)** (Gelechiidae) Synonym(s): *catericta* Meyrick,1927
Range (in code): **ZA Gau Tva Pre Mpu NA**
- 36515. Mesophleps chloranthes (Lower,1900)** (Gelechiidae) Synonym(s): *chloranthes* Lower,1900; *centrothetis* Meyrick,1904; *chloristis* Meyrick,1904
Range (in code): **AU NSW**
- 36516. Mesophleps coffeae Li & Sattler,2012** (Gelechiidae) Synonym(s): *coffeae* Li & Sattler,2012
Range (in code): **CN TH CMa MY ID Clb Tim**
- 36517. Mesophleps corsicella (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *corsicella* Herrich-Schäffer,[1856]
Range (in code): **ES FR Co Sa Si IT GR IL Pa Hf LB Bei**
- 36518. Mesophleps crocina (Meyrick,1904)** (Gelechiidae) Synonym(s): *crocina* Meyrick,1904
Range (in code): **AU**
- 36519. Mesophleps cynobathra (Lower,1898)** (Gelechiidae) Synonym(s): *cynobathra* Lower,1898
Range (in code): **AU NSW**
- 36520. Mesophleps epiochra (Meyrick,1886)** (Gelechiidae) Synonym(s): *epiochra* Meyrick,1886; *epichorda* Turner,1919
Range (in code): **AU QAU FJ TH Bnk PG SB NH NC TO CK**
- 36521. Mesophleps geodes (Meyrick,1929)** (Gelechiidae) Synonym(s): *geodes* Meyrick,1929
Range (in code): **ZA Nta Kzu Wnn MW KE PK IN**
- 36522. Mesophleps gigantella Li & Sattler,2012** (Gelechiidae) Synonym(s): *gigantella* Li & Sattler,2012
Range (in code): **KE Nai UG Rz**
- 36523. Mesophleps ioloncha (Meyrick,1905)** (Gelechiidae) Synonym(s): *ioloncha* Meyrick,1905; *longinqua* Meyrick,1923; *trychota* Meyrick,1929
Range (in code): **LK IN Ass TH CN Gn TW ID Clb Ja SB PH**
- 36524. Mesophleps lala Agenjo,1960** (Gelechiidae) Synonym(s): *lala* Agenjo,1960
Range (in code): **PT ES**
- 36525. Mesophleps macrosemus (Lower,1900)** (Gelechiidae) Synonym(s): *macrosemus* Lower,1900
Range (in code): **AU NSW**
- 36526. Mesophleps meliphanes (Lower,1894)** (Gelechiidae) Synonym(s): *meliphanes* Lower,1894
Range (in code): **AU SAU**
- 36527. Mesophleps mylicotis (Meyrick,1904)** (Gelechiidae) Synonym(s): *mylicotis* Meyrick,1904
Range (in code): **AU SAU**
- 36528. Mesophleps nairobiensis Li & Zheng,1995** (Gelechiidae) Synonym(s): *nairobiensis* Li & Zheng,1995
Range (in code): **KE Nai CI SL MZ UG**
- 36529. Mesophleps ochracella (Turati,1926)** (Gelechiidae) Synonym(s): *ochracella* Turati,1926; *orientella* Nel & Nel,2003; *gallicella* Varenne & Nel,2011
Range (in code): **LY Cy FR Cr ES MT MA DZ TM Krn**
- 36530. Mesophleps ochroloma (Lower,1901)** (Gelechiidae) Synonym(s): *ochroloma* Lower,1901
Range (in code): **AU NSW**
- 36531. Mesophleps oxycedrella (Millière,1871)** (Gelechiidae) Synonym(s): *oxycedrella* Millière,1871
Range (in code): **Cn PT ES FR Sa Si**
- 36532. Mesophleps palpigera (Walsingham,1891)** (Gelechiidae) Synonym(s): *palpigera* Walsingham,1891
Range (in code): **MZ CI NE NG ZR UG Rz KE Nai MW Mje MG ZA Mpu Brb Tva Nta Kzu**
- 36533. Mesophleps parvella Li & Sattler,2012** (Gelechiidae) Synonym(s): *parvella* Li & Sattler,2012
Range (in code): **PG AU QAU BN**
- 36534. Mesophleps safranella (Legrand,1965)** (Gelechiidae) Synonym(s): *safranella* Legrand,1965
Range (in code): **SC NE BJ KE MW MG**
- 36535. Mesophleps silacella (Hübner,1796)** (Gelechiidae) Synonym(s): *?pyropella* Hübner,1793; *silacella* Hübner,1796; *silacea* Haworth,1828
Range (in code): **DZ PT ES FR Sa Si IT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU MD UA BY**

- 36536. *Mesophleps sublutiana* (Park,1990)** (Gelechiidae) Synonym(s): *sublutiana* Park,1990
Range (in code): KR CN Yu TH CMa MY ID NP IN LK
- 36537. *Mesophleps tabellata* (Meyrick,1913)** (Gelechiidae) Synonym(s): *tabellata* Meyrick,1913
Range (in code): IN
- 36538. *Mesophleps tephrastris* (Meyrick,1904)** (Gelechiidae) Synonym(s): *tephrastris* Meyrick,1904
Range (in code): AU
- 36539. *Mesophleps trichombra* (Lower,1898)** (Gelechiidae) Synonym(s): *trichombra* Lower,1898
Range (in code): AU NSW
- 36540. *Mesophleps trinotella* Herrich-Schäffer,[1856]** (Gelechiidae) Synonym(s): *trinotella* Herrich-Schäffer,[1856]; *aurantiella* Rebel,1915; *barysphena* Meyrick,1923; *subtilipennis* Turati,1924
Original Reference: *Mesophleps trinotella* Herrich-Schäffer,[1856], Neue Schmett. Eur. angrenzenden Ländern 1: 6, fig.46. Range (in code): DZ MA LY Cy ES FR Co Sa Si IT MT CH AT CZ SK HU YU GR TR RU Ur Cc CY MD UA BY TM
- 36541. *Mesophleps truncatella* Li & Sattler,2012** (Gelechiidae) Synonym(s): *truncatella* Li & Sattler,2012
Range (in code): AU QAU NH
- 36542. *Mesophleps undulatella* Li & Sattler,2012** (Gelechiidae) Synonym(s): *undulatella* Li & Sattler,2012
Range (in code): PG
- 36543. *Mesophleps unguella* Li & Sattler,2012** (Gelechiidae) Synonym(s): *unguella* Li & Sattler,2012
Range (in code): KE
- 36544. *Metanarsia alphetodes* (Meyrick,1891)** (Gelechiidae) Synonym(s): *alphetodes* Meyrick,1891; *gobica* Lvovsky & Piskunov,1989
Original Reference: *Calyptrotis alphetodes* Meyrick,1891, Entomologist's mon. Mag. 27: 56-57. Syntypes ♂♀: Algeria, Biskra. Range (in code): DZ Bsk TN Gf KG UZ TM MN
- 36545. *Metanarsia amseli* Bidzilya,2008** (Gelechiidae) Synonym(s): *amseli* Bidzilya,2008
Original Reference: *Metanarsia amseli* Bidzilya,2008, Shilap Revta lepid. 36 (144): 534-535, figs. Holotype ♂: Iran, Strasse Bandar-Abbas-Sirjan km 70, 500m, H.G.Amsel leg. (LMK). Range (in code): IR B-A
- 36546. *Metanarsia dahurica* Bidzilya,2005** (Gelechiidae) Synonym(s): *dahurica* Bidzilya,2005
Range (in code): RU MN
- 36547. *Metanarsia guberlica* K.Nupponen,2010** (Gelechiidae) Synonym(s): *guberlica* K.Nupponen,2010
Range (in code): RU Or Gub
- 36548. *Metanarsia incertella* (Herrich-Schäffer,1861)** (Gelechiidae) Synonym(s): *incertella* Herrich-Schäffer,1861; *longivittella* Rebel,1914; *halmyropis* Meyrick,1926; *rhanniferella* Lucas,1940
Original Reference: *Anacampsis ? incertella* Herrich-Schäffer,1861, Neue Schmett. 3: 31, fig.156. Type ♀: [Russia]: Sarepta. Range (in code): DZ ES Grn Hue Zg MA TN KG Uk RU Sr Sb Ur TR UZ MN CN Ui Ku
- 36549. *Metanarsia junctivittella* Christoph,1885** (Gelechiidae) Synonym(s): *junctivittella* Christoph,1885
Range (in code): TM Kp KG UZ TJ AF PK
- 36550. *Metanarsia kosakewitshi* Piskunov,1990** (Gelechiidae) Synonym(s): *kosakewitshi* Piskunov,1990
Range (in code): KG
- 36551. *Metanarsia modesta* Staudinger,1871** (Gelechiidae) Synonym(s): *modesta* Staudinger,1871; *kurdistanella* Amsel,1959
Range (in code): IT RO RU Ur Sb MD UA BY KG Uk TR IQ Hjo Cc AM IR
- 36552. *Metanarsia monochroma* Bidzilya,2008** (Gelechiidae) Synonym(s): *monochroma* Bidzilya,2008
Original Reference: *Metanarsia monochroma* Bidzilya,2008, Shilap Revta lepid. 36 (144): 532, figs. Holotype ♂: Afghanistan, Herat 970m H.G.Amsel leg. (LMK) [in abstract this species is cited from Iran, Iraq erroneously]. Range (in code): AF Hr PK BI Qu
- 36553. *Metanarsia onzella* (Christoph,1887)** (Gelechiidae) Synonym(s): *onzella* Christoph,1887
Range (in code): RU Sr Ao TM Kp UZ KG
- 36554. *Metanarsia partilella* (Christoph,1887)** (Gelechiidae) Synonym(s): *partilella* Christoph,1887
Original Reference: *Teleia partilella* Christoph,1887, Stettin ent. Ztg. 48: 167. Type ♂: [Turkmenistan]: "Askhabat". Range (in code): UZ TM Kp
- 36555. *Metanarsia piskunovi* Bidzilya,2005** (Gelechiidae) Synonym(s): *piskunovi* Bidzilya,2005
Range (in code): MN CN Ts
- 36556. *Metanarsia scythiella* Ponomarenko,2000** (Gelechiidae) Synonym(s): *scythiella* Ponomarenko,2000
Range (in code): RU Tv

- 36557. *Metanarsia trisignella* Bidzilya, 2008** (Gelechiidae) Synonym(s): *trisignella* Bidzilya, 2008
Range (in code): **UZ TM Rpt KG**
- 36558. *Metatactis griseobrunnea* Janse, 1949** (Gelechiidae) Synonym(s): *griseobrunnea* Janse, 1949
Range (in code): **ZA Abc**
- 36559. *Metzneria acrena* (Meyrick, 1908)** (Gelechiidae) Synonym(s): *acrena* Meyrick, 1908
Range (in code): **ZA Pie Tva Lpo Abc Wmb**
- 36560. *Metzneria aestivella* (Zeller, 1839)** (Gelechiidae) Synonym(s): *aestivella* Zeller, 1839; *carlinella* Stainton, 1851; *selaginella* Mann, 1855; *torridella* Mann. Original Reference: *Metzneria aestivella* Zeller, 1839, Isis 1839: 202. Lectotype ♂: Schlesien: Glogau (Bradley, 1966). Range (in code): **Cn TN Gf LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV RU MD UA BY IL Pa SY LB Bsa Bmm** Bionomy: Larva on *Carlina acaule*, *C. vulgaris*, *C. corymbosa* (Englert, 1974).
- 36561. *Metzneria agraphella* (Ragonot, 1895)** (Gelechiidae) Synonym(s): *agrapella* Ragonot, 1895; *incognita* Walsingham, 1904. Original Reference: *Parasia agraphella* Ragonot, 1895, Anns Soc. ent. Fr. 64: 106. Type ♀: [Turquie]: Haute-Syrie, [Akbes] (MNHN). Range (in code): **MA DZ Bsk Hes Ktr TN Gf Sa Cr TR IL Pa**
- 36562. *Metzneria albiramosella* (Christoph, 1885)** (Gelechiidae) Synonym(s): *albiramosella* Christoph, 1885 Original Reference: *Parasia albiramosella* Christoph, 1885, [in] Romanoff, Mém. lépid. 2: 159. Lectotype ♂: Ashkabad (BMNH). Range (in code): **TM Kp AF**
- 36563. *Metzneria aprilella* (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *aprilella* Herrich-Schäffer, [1854] Original Reference: *Parasia aprilella* Herrich-Schäffer, [1854], Schmett. Eur. 5: 207. Type: [Türkei]: Brussa (verloren). Range (in code): **ES An FR Si IT GB NL DE BE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Ur Sb MD UA BY IL Pa LB Bsa IR KG UZ** Bionomy: Larva on *Centaurea* [*Colymbada*] *scabiosa*, *C. diffusa*, *C. paniculata*, *Calcitrapa solstitialis* (always one caterpillar per flower head) (Englert, 1974; Elsner, Huemer & Tokar, 1999; Valenne, 2000).
- 36564. *Metzneria artificella* (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): *artificella* Herrich-Schäffer, 1861; *litigiosella* Milliere, 1879. Original Reference: *Anacamptis artificella* Herrich-Schäffer, 1861, Neue Schmett. 3: 31, fig. 158. Type(s): [Russia]: Sarepta. Range (in code): **ES Cue Abr FR IT CH AT HU RO YU BG TR LB IR Elb Gls RU Sr**
- 36565. *Metzneria aspretella* (Lederer, 1869)** (Gelechiidae) Synonym(s): *aspretella* Lederer, 1869; *absoluta* Christoph, 1888 Original Reference: *Parasia aspretella* Lederer, 1869, Horae Soc. ent. ross. 6: 92, t. 5 fig. 12. Lectotype ♂: [Iran]: Astrabad [Gorgan], designated by Englert, 1974 (ZMB). Range (in code): **IR Elb Kdv Mz Dam Plr Gor Shh Kh AF**
- 36566. *Metzneria brandbergi* Janse, 1963** (Gelechiidae) Synonym(s): *brandbergi* Janse, 1963
Range (in code): **ZA**
- 36567. *Metzneria castiliella* (Möschler, 1866)** (Gelechiidae) Synonym(s): *castiliella* Möschler, 1866; *eatoni* Walsingham, 1899. Original Reference: *Parasia castiliella* Möschler, 1866, Berl. ent. Z. 10: 142. Lectotype ♀: Spanien: Andalusien, designated by Englert (1974: 396) (ZMB). Range (in code): **DZ Gha Bsk TN Gf PT ES Cn An MT Cr IL IR Fa IQ Njf** Bionomy: Larva on *Atractylis serratuleides*, *Kentrophyllum lanatum*, *Onopordum arenarium* (Chrétien, 1917; Englert, 1974).
- 36568. *Metzneria clitella* Rebel, 1903** (Gelechiidae) Synonym(s): *clitella* Rebel, 1903 Original Reference: *Metzneria clitella* Rebel, 1903, Verh. zool.- bot. Ges. Wien 53: 411-412. Syntypes 2♂: Algeria, "Ouargh. Ghard., Hammada". Range (in code): **DZ Ogl Gha TN Gf IR B-A IL Pa**
- 36569. *Metzneria diamondi* Amsel, 1949** (Gelechiidae) Synonym(s): *diamondi* Amsel, 1949 Original Reference: *Metzneria diamondi* Amsel, 1949, Bull. Soc. Fouad I Ent. 33: 321, t. 9 fig. 63. Lectotype ♂: Iraq: Kerbela Wüste, leg. Wiltshire (LNK). Range (in code): **IQ Kbl SA IR Kz Sde IL Pa AF**
- 36570. *Metzneria diffusella* Englert, 1974** (Gelechiidae) Synonym(s): *diffusella* Englert, 1974 Original Reference: *Metzneria diffusella* Englert, 1974, Z. angew. Ent. 75: 39-400, figs. Holotype ♂: Südfrankreich: Gallia mer., Esterel 200m, (coll. K. Burmann). Range (in code): **ES Ag Abr FR IT MK HV BG RU Ur SY Dms** Bionomy: Larva on *Centaurea diffusa*, *C. paniculata* (Englert, 1974).
- 36571. *Metzneria ehikeella* Gozmany, 1954** (Gelechiidae) Synonym(s): *ehikeella* Gozmany, 1954 Original Reference: *Metzneria ehikeella* Gozmany, 1954, Ann. hist. nat. Mus. hung. Budapest (n.f.) 5: 276. Holotype ♂: Hungary: Agaseghaza. Range (in code): **DZ Cst ES FR DE AT CZ SK HU**

- DK Cc TR SY Dms LB Bsa SE FI EE LV LT RU Ur MD UA BY** Bionomy: Larva on *Centaurea scabiosa*, *C. calcitrapa* (Englert,1974).
- 36572. Metzneria hastella Chrétien,1916** (Gelechiidae) Synonym(s): *hastella* Chrétien,1915
Original Reference: Metzneria hastella Chrétien,1916, Annls Soc. ent. Fr. 84: 315-316. Syntypes: Algeria, Biskra. Range (in code): DZ Bsk
- 36573. Metzneria heptacentra Meyrick,1911** (Gelechiidae) Synonym(s): *heptacentra* Meyrick,1911
Range (in code): ZA Gau Pre Mpu Brb Wo Tva Lpo ZW Bul Hfo Mdt Nyl Wv Sdr
- 36574. Metzneria hilarella Caradja,1920** (Gelechiidae) Synonym(s): *hilarella* Caradja,1920
Original Reference: Metzneria hilarella Caradja,1920, Dt. ent. Z., 34: 95. Lectotype ♂: Spanien: Cuenca (MGAB). Range (in code): ES Cue Abr FR Bionomy: Larva on *Centaurea aspera* (Englert,1974).
- 36575. Metzneria igneella Tengström,1859** (Gelechiidae) Synonym(s): *igneella* Tengström,1859.
Range (in code): TM KG Uk
- 36576. Metzneria inflamatella Christoph,1872** (Gelechiidae) Synonym(s): *inflamatella* Christoph,1872 RU Am Us CN Mc
- 36577. Metzneria intestinella (Mann,1864)** (Gelechiidae) Synonym(s): *intestinella* Mann,1864
Original Reference: Parasia intestinella Mann,1864, Wien. ent. Monatschr. 8: 187, Taf.4 fig.15. Lectotype ♂: Türkei: Bursa, designated by Sattler,1974 (NHMW). Range (in code): PT ES FR IT RO YU MK AL BG GR TR Cc AM KG Uk CN Ui Ku Bionomy: Larva on *Centaurea solstitialis* (Englert,1974).
- 36578. Metzneria lappella (Linnaeus,1758)** (Gelechiidae) Synonym(s): *lappella* Linnaeus,1758; *silacea* Haworth,1828; *silacella* Wood,1839. Original Reference: Phalaena lappella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 537. Lectotype (BMNH). Range (in code): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Or Gub MD UA BY LB Bsa Bmm Bionomy: Larva on *Arctium lappa*, *A. tomentosum*, *A. nemorosum*, *A. minus* (Englert,1974).
- 36579. Metzneria lepigrei Lucas,1935** (Gelechiidae) Synonym(s): *lepigrei* Lucas,1935 DZ Bsk Agi
- 36580. Metzneria litigiosella (Millière,1879)** (Gelechiidae) Synonym(s): *litigiosella* Millière,1879 FR HU ES AT TR IR Elb Kdj LB Bsa
- 36581. Metzneria littorella (Douglas,1850)** (Gelechiidae) Synonym(s): *littorella* Douglas,1850; *quinquepunctella* Herrich-Schäffer,1855. Original Reference: Gelechia littorella Douglas,1850, Trans. ent. Soc. London 1: 67. Lectotype ♂: Isle of Wight, designated by Sattler (1974: 397) (BMNH). Range (in code): DZ Bsk TN Gf ES FR Co Sa Si IT GB RU IL Bionomy: Larva on *Plantago* (Walsingham,1900; Englert,1974).
- 36582. Metzneria luqueti Nel,1995** (Gelechiidae) Synonym(s): *luqueti* Nel,1995 Range (in code): FR
- 36583. Metzneria metzneriella Stainton,1851** (Gelechiidae) Synonym(s): *paucipunctella* Douglas,1850 nec Zeller,1851; *metzneriella* Stainton,1851. Original Reference: Metzneria metzneriella Stainton,1851, Cat. Br. Tin. Suppl.: 5. Type(s):- (cf. Englert,1974: 403). Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk IL Bionomy: Larva on *Centaurea* [*Colymbada*] *scabiosa*, *C. [Cyanus] montana*, *C. jacea*, *Jacea nigra*, *J. phrygia*, *J. pratensis* (Schulze,1931; Englert,1974; Elsner, Huemer & Tokar,1999).
- 36584. Metzneria neuropterella Zeller,1839** (Gelechiidae) Synonym(s): *neuropterella* Zeller,1839; *#gigantella* Krulikowsky,1909. Original Reference: Metzneria neuropterella Zeller,1839, Isis 1839: 202. Holotype ♀: Ungarn (BMNH). Range (in code): PT ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU MK AL BG GR DK NO SE FI EE LV LT RU Ur Cc Sb MD UA BY KG Uk IR Elb Dam Bionomy: Larva on *Cirsium acaule*, *Carlina acaulis*, *Cirsium vulgare*?, *Centaurea nigra*?, *Colymbada scabiosa*, *Jacea nigra* (Asteraceae); *Dipsacus sylvestris*? (Dipsacaceae) (Englert,1974; Elsner, Huemer & Tokar,1999).
- 36585. Metzneria paucipunctella (Zeller,1839)** (Gelechiidae) Synonym(s): *paucipunctella* Zeller,1839; *zimmermanni* Hering,1940; *confusalis* Lucas,1955. Original Reference: Metzneria paucipunctella Zeller,1839, Isis 1839: 202. Lectotype ♂: Schlesien, Glogau (Englert, 1974:390). Range (in code): MA Ifr Rbt PT ES An FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR LT LB Bsa Cc AM Bionomy: Larva on *Acosta rhenana*, *Anthemis tinctoria*, *Centaurea maculosa* (Englert,1974; Elsner, Huemer & Tokar,1999).
- 36586. Metzneria portieri Viette,1948** (Gelechiidae) Synonym(s): *portieri* Viette,1948 ET

- 36587. Metzneria riadella Englert, 1974** (Gelechiidae) Synonym(s): *riadella* Englert, 1974
Original Reference: Metzneria riadella Englert, 1974, Z. angew. Ent. 75: 398, fig. Holotype ♂: [Saudi] Arabia, Riad, 700m (LNK). Range (in code): **CY SA ES Alm An**
- 36588. Metzneria santolinella (Amsel, 1936)** (Gelechiidae) Synonym(s): *santolinella* Amsel, 1936; *consimilella* Hackman, 1947. Range (in code): **PT FR Sa IT DE AT PL SK HU DK SE FI EE LV LT RU Ur Or Gub TR Cc** Bionomy: Larva on Anthemis tictoria (Asteraceae) (Elsner, Huemer & Tokar, 1999).
- 36589. Metzneria staehelinella Englert, 1974** (Gelechiidae) Synonym(s): *staehelinella* Englert, 1974 Original Reference: Metzneria staehelinella Englert, 1974, Z. angew. Ent. 75: 405, fig. Holotype ♂: Südfrankreich, St. Rémy (BMNH). Range (in code): **PT ES Mdr FR** Bionomy: Larva on Staehelina dubia (Englert, 1974).
- 36590. Metzneria subflavella Englert, 1974** (Gelechiidae) Synonym(s): *subflavella* Englert, 1974 Original Reference: Metzneria subflavella Englert, 1974, Z. angew. Ent. 75: 409-410, fig. Holotype ♂: SO-Frankreich: St. Crépin, Amsel leg. (LNK). Range (in code): **ES FR IT HU RU IR Elb**
- 36591. Metzneria tenuiella (Mann, 1864)** (Gelechiidae) Synonym(s): *tenuiella* Mann, 1864; *infelix* Walsingham, 1908; *insignificans* Walsingham, 1908. Original Reference: Gelechia tenuiella Mann, 1864, Wien. ent. Monatschr. 8: 186, Taf. 4 fig. 16. Lectotype ♂: Spalato, designated by Sattler, 1974, Z. angew. Ent. 75: 391 (NHMW). Range (in code): **PT ES Cn FR HV YU TR IL Pa Js**
- 36592. Metzneria torosulella Rebel, 1893** (Gelechiidae) Synonym(s): *torosulella* Rebel, 1893; *monochroa* Walsingham Original Reference: Metzneria torosulella Rebel, 1893, Stettin ent. Ztg. 54: 49. Holotype ♂: Spanien: Albarracin, coll. Siebold (Mus. Madrid). Range (in code): **TN PT ES Cn An Abr Sa HV**
- 36593. Metzneria tristella Rebel, 1901** (Gelechiidae) Synonym(s): *tristella* Rebel, 1901 Original Reference: Metzneria tristella Rebel, 1901, Dt. ent. Z., Iris 13: 164. Lectotype ♂: Spanien: Cuenca, Aragonien, designated by Englert, 1974 (NHMW). Range (in code): **TN Gf ES An Cue FR**
- 36594. Metzneria varennei Nel, 1997** (Gelechiidae) Synonym(s): *pannonicella* Rebel, 1915; *varennei* Nel, 1997. Original Reference: Metzneria varennei Nel, 1997, Bull. Soc. ent. Fr. 102: 188, figs. 1-4. Holotype: France. Range (in code): **FR Py TR IL Pa LB Bsa**
- 36595. Microlechia chretieni Turati, 1924** (Gelechiidae) Synonym(s): *microdelpha* Walsingham, 1900 nec Low., 1897; *chretieni* Turati, 1924; *microcasis* Meyrick, 1929; *abzacella* Dumont, 1932; *hyocyami* Amsel, 1935; *polioptera* Janse, 1960 Range (in code): **DZ Bsk Cn PT ES FR Sa ZA IR Ss Cr Md** Bionomy: Larva on Lycium europaeum (Walsingham, 1900).
- 36596. Microlechia iranica (Povolny, 1976)** (Gelechiidae) Synonym(s): *iranica* Povolny, 1976 Range (in code): **IR**
- 36597. Microlechia klimeschi Povolny, 1972** (Gelechiidae) Synonym(s): *klimeschi* Povolny, 1972 Range (in code):
- 36598. Microlechia lycia (Li, 2001)** (Gelechiidae) Synonym(s): *lycia* Li, 2001 Range (in code): **CN KP KR**
- 36599. Microlechia maculata Povolny, 1978** (Gelechiidae) Synonym(s): *maculata* Povolny, 1978 Range (in code): **ZA**
- 36600. Microlechia melongenae (Povolny & Bradley, 1980)** (Gelechiidae) Synonym(s): *melongenae* Povolny & Bradley, 1980 Range (in code): **IN**
- 36601. Microlechia rhamnifoliae (Amsel & M. Hering, 1931)** (Gelechiidae) Synonym(s): *rhamnifoliae* Amsel & M. Hering, 1931 Range (in code): **MA ZA IL Pa GR Cn SA CY**
- 36602. Mirificarma aflavella (Amsel, 1935)** (Gelechiidae) Synonym(s): *aflavella* Amsel, 1935 Range (in code): **GR Rd IL Hf Pa TR JO SY Hal** Bionomy: Larval foodplant unknown (Pitkin, 1984).
- 36603. Mirificarma burdonella (Rebel, 1930)** (Gelechiidae) Synonym(s): *burdonella* Rebel, 1930 Range (in code): **Co Sa**
- 36604. Mirificarma cabezella (Chrétien, 1925)** (Gelechiidae) Synonym(s): *cabezella* Chrétien, 1925 Original Reference: Gelechia maculatella f. cabezella Chrétien, 1925: 245. Lectotype ♂: Spain [Segovia], designated by Sattler, 1961 (MNHNP). Range (in code): **MA ES Seg** Bionomy: Larva on Adenocarpus hispanicus (Fabaceae) (Chrétien, 1925).
- 36605. Mirificarma constricta Pitkin, 1984** (Gelechiidae) Synonym(s): *constricta* Pitkin, 1984 Range (in code): **MA**
- 36606. Mirificarma cytisella (Treitschke, 1833)** (Gelechiidae) Synonym(s): *cytisella* Treitschke, 1833; *#roseella* Hauser, 1918 Range (in code): **PT ES FR Co IT DE CH AT PL CZ SK HU RO**

- YU AL GR GG Tbl Cc RU Ur** Bionomy: Larva on Cytisus nigricans, Genista, Laburnum anagyroides, Calicotome spinosa, Ononis spinosa (Fabaceae) (Treitschke,1833; Schütze,1931; Lhomme,[1946-1949]).
- 36607. Mirificarma denotata Pitkin,1984** (Gelechiidae) Synonym(s): *denotata* Pitkin,1984 Range (in code): **MA ES An Hv** Bionomy: Larva on Erophaca baetica (=Astragalus lusitanicus) (Pitkin,1984; Dionisio,2003).
- 36608. Mirificarma eburnella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *eburnella* [Denis & Schiffermüller],1775; *formosella* Hübner,1796 *nec* [Denis & Schiffermüller],1775; *flammella* Hübner,[1825]; *rufeoformosella* Bruand,1859. Original Reference: *Tinea eburnella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): [Austria]: Vienna district. Range (in code): **DZ Agi Orn Cst PT ES FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR Cr Rd TR SY IL Pa Hf LB Cc AM CY RU MD UA BY US Cf** Bionomy: Larva on Medicago sativa, M. lupulina, M. polymorpha, Trifolium repens, T. hirtum, Vicia amaricana, Hippocrepis comosa (Fabaceae) (Lhomme,[1948-1949]; Pitkin,1984).
- 36609. Mirificarma fasciata Pitkin,1984** (Gelechiidae) Synonym(s): *fasciata* Pitkin,1984 Range (in code): **ES Mlg**
- 36610. Mirificarma flavella (Duponchel,[1844])** (Gelechiidae) Synonym(s): *flavella* Duponchel,[1844]; *segetella* Zeller,1847. Range (in code): **DZ Agi Cst TN ES FR Co Sa Si BE RO GR Cr TR IL Pa Hf Js CY LB** Bionomy: Larva on Trifolium pratense, Lotus corniculatus (Lhomme,[1948-1949]).
- 36611. Mirificarma flavonigrella (Chrétien,1915)** (Gelechiidae) Synonym(s): *flavonigrella* Chrétien,1915 Original Reference: *Gelechia flavonigrella* Chrétien,1915, Annls Soc. ent. Fr. 84: 318. Lectotype ♂: [Algeria]: "Frenda (Oran)", designated by Pitkin (1984: 39; Sattler, in litt.) (MNHNP). Range (in code): **DZ Orn**
- 36612. Mirificarma interrupta (Curtis,1827)** (Gelechiidae) Synonym(s): *interruptella* Hübner,1793 *nec* *interruptella* De Vill.,1789; *interrupta* Curtis,1827 Original Reference: *Anacampsis interrupta* Curtis,1827, Brit. Ent.: no.189 folio [2] (emend. of *interruptella* Hbn.) Range (in code): **DZ MA TN PT ES Av Ter Grn FR IT BE NL LU DE CH AT PL CZ** Bionomy: Larva on Cytisus scoparius, C. purgans (Fabaceae) (Disque,1908; Lhomme,[1946-1949]).
- 36613. Mirificarma lentiginosella (Zeller,1839)** (Gelechiidae) Synonym(s): *lentiginosella* Zeller,1839 Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE EE KG Uk Cc AM RU Ur** Bionomy: Larva on Genista tinctoria, G. anglica, G. germanica, G. sagittalis, Laburnum anagyroides (Stainton,1865; Sorhagen,1886; Müller-Rutz,1913-1914).
- 36614. Mirificarma maculatella (Hübner,1796)** (Gelechiidae) Synonym(s): *maculatella* Hübner,1796 Range (in code): **PT ES FR IT DE CH AT PL CZ SK HU RO YU HV AL GR TR RU MD UA BY SY** Bionomy: Larva on Coronilla varia, C. emerus (Fabaceae) (Bruand,1858; Stainton,1865).
- 36615. Mirificarma minimella Huemer & Karsholt,2001** (Gelechiidae) Synonym(s): *minimella* Huemer & Karsholt,2001 Original Reference: *Mirificarma* (s.str. (s.str.)) *minimella* Huemer & Karsholt,2001, Nota lepid. 24 (3): 48-50, figs. Holotype ♀: Greece, Hellas, Lakonia (ZMC). Range (in code): **GR Rd Cr**
- 36616. Mirificarma monticolella (Rebel,1931)** (Gelechiidae) Synonym(s): *monticolella* Rebel,1931 Original Reference: *Lita acuminatella* f. *monticolella* Rebel,1931, 147,160. Lectotype ♂: Albania, designated by Pitkin, 1984: 37. Range (in code): **IT AL** Bionomy: Larval foodplant unknown (Pitkin,1984).
- 36617. Mirificarma montivaga (Walsingham,1904)** (Gelechiidae) Synonym(s): *montivaga* Walsingham,1904; *pulverosella* Zerny,1936. Original Reference: *Gelechia montivaga* Walsingham,1904, Entomologist's mon. Mag. 40: 221-222. Lectotype ♂: Algeria, El-Kantara, designated by Pitkin,1984. Range (in code): **DZ Ktr MA Ifr** Bionomy: Larval foodplant unknown (Pitkin,1984).
- 36618. Mirificarma mulinella (Zeller,1839)** (Gelechiidae) Synonym(s): *mulinella* Zeller,1839; *caminariella* Fuchs,1902; *nigraesilvae* Amsel,1950. Range (in code): **DZ Cst TN PT ES Gna FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU GR Cr CY DK NO SE RU MD UA BY** Bionomy: Larva on Ulex europaeus, Cytisus nigricans, Genista germanica, Calicotome spinosa (Fabaceae) (Stainton,1865; Sorhagen,1886; Lhomme,[1946-1949]; Hartig,1964).
- 36619. Mirificarma ocellinella (Chrétien,1915)** (Gelechiidae) Synonym(s): *ocellinella* Chrétien,1915; *aurantiella* Chrétien,1915; *retamaefoliella* Dumont,1931 Original Reference: *Gelechia*

- ocellinella Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 317. Type: Tunisia, Tozeur. Range (in code): **DZ Afl Orn Lbs MA Agd TN Gf LY JO Jt Zq** Bionomy: Larva on *Retama raetam* (Fabaceae) (Dumont, 1931).
- 36620. Mirificarma pallidipulchra (Walsingham, 1904)** (Gelechiidae) Synonym(s): *pallidipulchra* Walsingham, 1904; *striolella* Turati, 1924. Original Reference: *Rhinosia pallidipulchra* Walsingham, 1904, *Entomologist's mon. Mag.* 40: 269-270. Syntypes 23♂♂: Algeria, Hammames-Salahin, El-Kantara. Range (in code): **DZ Hes Ktr Hsb Khh TN Gf LY Cy** Bionomy: Larva on *Teucrium ? polium* (Lamiaceae) (Walsingham, 1904).
- 36621. Mirificarma pederskouii Huemer & Karsholt, 1999** (Gelechiidae) Synonym(s): *pederskouii* Huemer & Karsholt, 1999 Range (in code): **ES An**
- 36622. Mirificarma rhodoptera (Mann, 1866)** (Gelechiidae) Synonym(s): *rhodoptera* Mann, 1866 Original Reference: *Gelechia rhodoptera* Mann, 1866, *Verh. zool.- bot. Ges. Wien* 16: 353, pl. 1 fig. 10. Type ♂: Romania, "Tultscha" (NM). Range (in code): **RO Tlc GR TR LB Bsa**
- 36623. Mirificarma scissella (Chrétien, 1915)** (Gelechiidae) Synonym(s): *scissella* Chrétien, 1915 Original Reference: *Gelechia scissella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 391. Lectotype ♂: Algeria, Constantine Prov., Biskra, designated by Pitkin (1984: 20). (MNHN). Range (in code): **DZ Bsk Cst M'z Onc**
- 36624. Mirificarma ulicinella (Staudinger, 1859)** (Gelechiidae) Synonym(s): *ulicinella* Staudinger, 1859 Range (in code): **PT ES Grn FR IT** Bionomy: Larva on *Ulex parviflorus* (Fabaceae) (Staudinger, 1859).
- 36625. Mometa zemiodes Durrant, 1914** (Gelechiidae) Synonym(s): *zemiodes* Durrant, 1914 Range (in code): **ZA**
- 36626. Monochroa arundinetella (Stainton, 1858)** (Gelechiidae) Synonym(s): *arundinetella* Stainton, 1858 Range (in code): **FR GB NL DE PL SK HU DK SE FI LV TR UA** Bionomy: Larva on *Carex acutiformis*, *C. riparia* (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
- 36627. Monochroa conspersella (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *conspersella* Herrich-Schäffer, 1854; *quaestionella* Herrich-Schäffer, 1854; *morosa* Mühlig, 1864 Range (in code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU YU AL DK SE FI EE LV RU MD UA BY** Bionomy: Larva on *Lysimachia vulgaris* (Primulaceae) (Elsner, Huemer & Tokar, 1999).
- 36628. Monochroa cytisella (Curtis, 1837)** (Gelechiidae) Synonym(s): *cytisella* Curtis, 1837; *fuscipennis* Humpreys & Westwood, 1845; *walkeriella* Douglas, 1850; *coenulentella* Herrich-Schäffer, 1854; *clinosema* Meyrick, 1935; *griseocapitella* Benthinck, 1949 Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Pteridium aquilinum* (Pteridaceae) (Elsner, Huemer & Tokar, 1999).
- 36629. Monochroa dellabeffai (Rebel, 1932)** (Gelechiidae) Synonym(s): *dellabeffai* Rebel, 1932 Range (in code): **FR IT**
- 36630. Monochroa divisella (Douglas, 1850)** (Gelechiidae) Synonym(s): *divisella* Douglas, 1850 Range (in code): **GB NL DE CH HU DK LV UA** Bionomy: Larva on *Iris* (Iridaceae) (Elsner, Huemer & Tokar, 1999).
- 36631. Monochroa elongella (Heinemann, 1870)** (Gelechiidae) Synonym(s): *elongella* Heinemann, 1870; *micrometra* Meyrick, 1935 Range (in code): **FR IT GB DE AT CZ SK HU DK NO SE FI EE LV LT** Bionomy: Larva on ? *Potentilla* (Rosaceae) (Elsner, Huemer & Tokar, 1999).
- 36632. Monochroa ferrea (Frey, 1870)** (Gelechiidae) Synonym(s): *ferrea* Frey, 1870; *latiuscula* Heinemann, 1870; *alfkeni* Amsel, 1938 Range (in code): **FR IT DE CH PL DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Carex ericetorum* (Cyperaceae) (Elsner, Huemer & Tokar, 1999).
- 36633. Monochroa gracilella (Chrétien, 1908)** (Gelechiidae) Synonym(s): *gracilella* Chrétien, 1908 Original Reference: *Apodia gracilella* Chrétien, 1908, *Bull. Soc. ent. Fr.* 1908: 140-141. Syntypes: Algérie, Biskra. Range (in code): **DZ Bsk**
- 36634. Monochroa hornigi (Staudinger, 1883)** (Gelechiidae) Synonym(s): *hornigi* Staudinger, 1883; *nordmannella* Bruun, 1958 Range (in code): **PT FR Sa IT GB NL DE AT CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Persicaria hydropiper*, *Polygonum aviculare*, *P. lapathifolia*, *Rumex* ? (Polygonaceae) (Elsner, Huemer & Tokar, 1999).
- 36635. Monochroa inflexella Svensson, 1992** (Gelechiidae) Synonym(s): *inflexella* Svensson, 1992 Range (in code): **AT SK SE LT**
- 36636. Monochroa lucidella (Stephens, 1834)** (Gelechiidae) Synonym(s): *lucidella* Stephens, 1834; *scordiscella* Rebel, 1904; *unipunctella* Rebel, 1935 Range (in code): **FR Si IT IE GB BE NL**

- DE AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Juncus (Juncaceae), Scirpus sylvaticus (Cyperaceae) (Schütze,1931; Elsner, Huemer & Tokar,1999).
- 36637. Monochroa lutulentella (Zeller,1839)** (Gelechiidae) Synonym(s): *lutulentella* Zeller,1839; *brunickii* Rebel,1913 Range (in code): **FR IE GB NL DE CH AT PL CZ SK HU TR UA Cc AM DK NO SE FI EE LV LT** Bionomy: Larva on Filipendula ulmaria, Spiraea ? (Rosaceae) (Elsner, Huemer & Tokar,1999).
- 36638. Monochroa melagonella (Constant,1895)** (Gelechiidae) Synonym(s): *melagonella* Constant,1895 Range (in code): **ES FR IT TR** Bionomy: Larva on Rubia peregrina (Rubiaceae) (Elsner, Huemer & Tokar,1999).
- 36639. Monochroa moyses Uffen,1991** (Gelechiidae) Synonym(s): *moyses* Uffen,1991 Range (in code): **GB NL**
- 36640. Monochroa nigromaculella (Millière,1872)** (Gelechiidae) Synonym(s): *nigromaculella* Millière,1872; *punctatella* Staudinger,1879; *morphochroma* Walsingham,1900; *jacatrix* Meyrick,1926; *angustipennis* Rebel,1931; *craterotypa* Meyrick,1938 Range (in code): **ES FR Co Sa Si IT GR**
- 36641. Monochroa niphognatha (Gozmany,1953)** (Gelechiidae) Synonym(s): *niphognatha* Gozmany,1953 Range (in code): **GB DE SK HU DK SE LV** Bionomy: Larva on Polygonum amphibia (Polygonaceae) (Elsner, Huemer & Tokar,1999). (er, Huemer & Tokar,1999).
- 36642. Monochroa nomadella (Zeller,1868)** (Gelechiidae) Synonym(s): *nomadella* Zeller,1868 Range (in code): **ES IT CH AT SK HU YU RU MD UA BY**
- 36643. Monochroa palustrella (Douglas,1850)** (Gelechiidae) Synonym(s): *palustrella* Douglas,1850 Range (in code): **GB NL DE AT PL CZ SK HU RO DK SE FI LV LT RU MD UA BY** Bionomy: Larva on Rumex aquaticus, R.crispus, R.hydrolapatum (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 36644. Monochroa parvulata Gozmany,1957** (Gelechiidae) Synonym(s): *parvulata* Gozmany,1957; *mediterranea* Nel & Luquet,1997 Range (in code): **FR IT AT HU CZ SK PL EE UA** Bionomy: Larva on ? Galium (Rubiaceae) (Kasy,1978; Elsner, Huemer & Tokar,1999).
- 36645. Monochroa psamathias (Meyrick,1891)** (Gelechiidae) Synonym(s): *psamathias* Meyrick,1891 Original Reference: Apodia psamathias Meyrick,1891,, Entomologist's mon. Mag. 27: 56. Range (in code): **TN Gf**
- 36646. Monochroa rumicetella (Hofmann,1868)** (Gelechiidae) Synonym(s): *rumicetella* Hofmann,1868; *acutangulella* Heinemann,1870; *leptotechna* Meyrick,1937 Range (in code): **FR DE AT PL CZ SK HU RO YU BG GR DK NO SE FI LV** Bionomy: Larva on Acetosa, Acetosella vulgaris (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 36647. Monochroa saltella (Benander,1928)** (Gelechiidae) Synonym(s): *saltella* Benander,1928 Range (in code): **NO SE FI RU MD UA BY**
- 36648. Monochroa scutatella (Müller-Rutz,1920)** (Gelechiidae) Synonym(s): *scutatella* Müller-Rutz,1920 Range (in code): **IT CH** Bionomy: Larva on Acetosa scutata (Polygonaceae) (Müller-Rutz,1920; Elsner, Huemer & Tokar,1999).
- 36649. Monochroa sepicolella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *sepicolella* Herrich-Schäffer,1854 Range (in code): **IT DE CH AT PL CZ SK HU RO YU BG SE FI LT RU MD UA BY** Bionomy: Larva on Acetosa thyrsoflora, Fallopia dumetorum (Polygonaceae) (Elsner, Huemer & Tokar,1999).
- 36650. Monochroa servella (Zeller,1839)** (Gelechiidae) Synonym(s): *servella* Zeller,1839 Range (in code): **PT IT DE CH AT PL CZ SK HU BG TR DK SE FI EE LV** Bionomy: Larva on Primula farinosa, P.veris (Primulaceae) (Elsner, Huemer & Tokar,1999).
- 36651. Monochroa simplicella (Lienig & Zeller,1846)** (Gelechiidae) Synonym(s): *simplicella* Lienig & Zeller,1846 Range (in code): **IT DE SK HU EE LV LT RU MD UA BY** Bionomy: Larva on Juncus (Juncaceae), Eriophorum (Cyperaceae) (Elsner, Huemer & Tokar,1999).
- 36652. Monochroa suffusella (Douglas,1850)** (Gelechiidae) Synonym(s): *suffusella* Douglas,1850 Range (in code): **GB NL DE CH AT PL CZ DK SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Eriophorum angustifolium (Cyperaceae) (Elsner, Huemer & Tokar,1999).
- 36653. Monochroa tenebrella (Hübner,[1817])** (Gelechiidae) Synonym(s): *tenebrella* Hübner,[1817]; *fuscocuprea* Haworth,1828; *subcuprella* Stephens,1834; *tenebrosella* Zeller,1839; *parvella* Heydenreich,1851; *fuscocuprella* Doubleday,1859; *buffonella* Millière,1876 Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Acetosa pratensis, Acetosella vulgaris (Polygonaceae) (Elsner, Huemer & Tokar,1999).

- 36654. Monochroa tetragonella (Stainton,1885)** (Gelechiidae) Synonym(s): *tetragonella* Stainton,1885 Range (in code): **GB NL DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on Glaux (Primulaceae), Artemisia (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36655. Musurga turgida (Meyrick,1918)** (Gelechiidae) Synonym(s): *turgida* Meyrick,1918 Range (in code): **ZA Nta Kzu Esw**
- 36656. Myconita lipara Bradley,1953** (Gelechiidae) Synonym(s): *lipara* Bradley,1953 Range (in code): **FJ**
- 36657. Myconita plutelliformis (Snellen,1901)** (Gelechiidae) Synonym(s): *plutelliformis* Snellen,1901 Range (in code): **TH IN LK ID Ja Clb PG AU QAU** Bionomy: Larva are leaf-rollers on Ipomoea aquatica, I. batatas (Convolvulaceae) (Robinson et al.,1994).
- 36658. Nealyda panchromatica (Meyrick,1926)** (Gelechiidae) Synonym(s): *panchromatica* Meyrick,1926 Range (in code): **IN Ass Slo**
- 36659. Neofaculta confidella Rebel,1935** (Gelechiidae) Synonym(s): *confidella* Rebel,1935 Original Reference: Neofaculta confidella Rebel,1935, Mitt. münch. ent. Ges. 25: 73. Type: Türkei: Mardin. Range (in code): **TR IQ Ry**
- 36660. Neofaculta ericetella (Geyer,[1832])** (Gelechiidae) Synonym(s): *ericetella* Geyer,[1832]; *gallinella* Treitschke,1833; *lanceolella* Stephens,1834; *fuscella* Duponchel,1844; *atlanticella* Amsel,1938; *#amseli* Dufrane,1955 Original Reference: Tinea ericetella Geyer,[1832], [in] Hübner,J., Samml. eur. Schmett.: pl.70 fig.470. Type(s): Europa. Range (in code): **DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL TR DK NO SE FI EE LV LT RU Sb MD UA BY KG Uk** Bionomy: Larva on Erica cinerea, Calluna vulgaris, Rhododendron (Geyer,[1832]; Mann,1862; Ponomarenko,1997).
- 36661. Neofaculta infernella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *infernella* Herrich-Schäffer,1854 Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU Sb MD UA BY CA** Bionomy: Larva on Ledum palustre, Betula, Rhododendron (Ponomarenko,1997).
- 36662. Neofriseria baungaardiella Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *baungaardiella* Huemer & Karsholt,1999 Range (in code): **PT ES GR**
- 36663. Neofriseria caucasiella Sattler,1960** (Gelechiidae) Synonym(s): *caucasiella* Sattler,1960 Range (in code): **MD**
- 36664. Neofriseria kuznetzovae Bidzilya,2002** (Gelechiidae) Synonym(s): *kuznetzovae* Bidzilya,2002 Range (in code): **RU Ur Sb At To UA MD**
- 36665. Neofriseria mongolinella Piskunov,1987** (Gelechiidae) Synonym(s): *mongolinella* Piskunov,1987 Range (in code): **RU Ur Sb MN**
- 36666. Neofriseria peliella (Treitschke,1835)** (Gelechiidae) Synonym(s): *peliella* Treitschke,1835 Range (in code): **DZ PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU Ur MD UA BY**
- 36667. Neofriseria pseudoterrella (Rebel,1928)** (Gelechiidae) Synonym(s): *pseudoterrella* Rebel,1928 Range (in code): **ES**
- 36668. Neofriseria sceptrophora (Meyrick,1926)** (Gelechiidae) Synonym(s): *sceptrophora* Meyrick,1926 Original Reference: Gelechia sceptrophora Meyrick,1926, Exot. Microlepid. 3: 276. Type ♀: [Turkey]: "Asia Minor: Kasikoparan (leg. Korb)". Range (in code): **Cc TR AF**
- 36669. Neofriseria singula (Staudinger,1876)** (Gelechiidae) Synonym(s): *singula* Staudinger,1876 Original Reference: Lita singula Staudinger,1876, [in] Kalchberg,A.v., Stettin ent. Ztg. 36: 145-146. Type: Italia: Sicilia, "Valdesi, Anfangs October 1873 bei Licht gefangen". Range (in code): **ES FR Sa Si GB NL DE AT PL CZ SK HU TR DK SE LV IR Gl**
- 36670. Neopachnistis amblystola Janse,1954** (Gelechiidae) Synonym(s): *amblystola* Janse,1954 Range (in code): **ZA Tva Lpo Gau Pre Spb Wp**
- 36671. Neopachnistis autophanta (Meyrick,1921)** (Gelechiidae) Synonym(s): *autophanta* Meyrick,1921 Range (in code): **ZW Uma**
- 36672. Neopachnistis finitima (Meyrick,1921)** (Gelechiidae) Synonym(s): *finitima* Meyrick,1921 Range (in code): **ZW Vf**
- 36673. Neopachnistis microphanta (Meyrick,1921)** (Gelechiidae) Synonym(s): *microphanta* Meyrick,1921 Range (in code): **ZW Har**
- 36674. Neopachnistis parochroma Janse,1954** (Gelechiidae) Synonym(s): *parochroma* Janse,1954 Range (in code): **ZA Tva Lpo Blu**
- 36675. Neopachnistis pseudomorpha Janse,1954** (Gelechiidae) Synonym(s): *pseudomorpha* Janse,1954 Range (in code): **ZA Tva Lpo Blu**

- 36676. Neopachnistis tephrodes (Meyrick,1909)** (Gelechiidae) **Synonym(s):** *tephrodes* Meyrick,1909 - Range (in code): **ZA Gau Pre Tva Lpo Spb Wmb Wo**
- 36677. Neopatetris tenuis Janse,1960** (Gelechiidae) **Synonym(s):** *tenuis* Janse,1960 - Range (in code): **ZA**
- 36678. Neotelphusa anisogrisea Janse,1958** (Gelechiidae) **Synonym(s):** *anisogrisea* Janse,1958 Range (in code): **ZA**
- 36679. Neotelphusa bimaculata Janse,1958** (Gelechiidae) **Synonym(s):** *bimaculata* Janse,1958 Range (in code): **ZA**
- 36680. Neotelphusa castrigera (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *castrigera* Meyrick,1913 - Range (in code): **ZA Tva Mpu Brb**
- 36681. Neotelphusa cirrhomacula Janse,1958** (Gelechiidae) **Synonym(s):** *cirrhomacula* Janse,1958 - Range (in code): **ZA**
- 36682. Neotelphusa craterota (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *craterota* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 36683. Neotelphusa ferrugilinea Janse,1958** (Gelechiidae) **Synonym(s):** *ferrugilinea* Janse,1958 Range (in code): **ZA**
- 36684. Neotelphusa flavinotata Janse,1958** (Gelechiidae) **Synonym(s):** *flavinotata* Janse,1958 Range (in code): **ZA**
- 36685. Neotelphusa fuscisparsa Janse,1958** (Gelechiidae) **Synonym(s):** *fuscisparsa* Janse,1958 Range (in code): **ZA**
- 36686. Neotelphusa limenaea (Meyrick,1920)** (Gelechiidae) **Synonym(s):** *limenaea* Meyrick,1920 - Range (in code): **ZA Wca Cto**
- 36687. Neotelphusa melicentra (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *melicentra* Meyrick,1921 - Range (in code): **MZ Mag**
- 36688. Neotelphusa obliquifascia Janse,1960** (Gelechiidae) **Synonym(s):** *obliquifascia* Janse,1960 - Range (in code): **ZA**
- 36689. Neotelphusa pallidistola Janse,1958** (Gelechiidae) **Synonym(s):** *pallidistola* Janse,1958 Range (in code): **ZA**
- 36690. Neotelphusa phaeomacula Janse,1958** (Gelechiidae) **Synonym(s):** *phaeomacula* Janse,1958 - Range (in code): **ZA**
- 36691. Neotelphusa similella Janse,1958** (Gelechiidae) **Synonym(s):** *similella* Janse,1958 Range (in code): **ZA**
- 36692. Neotelphusa tapinota Janse,1958** (Gelechiidae) **Synonym(s):** *tapinota* Janse,1958 Range (in code): **ZA**
- 36693. Nothris congressariella (Bruand,1858)** (Gelechiidae) **Synonym(s):** *congressariella* Bruand,1858; *declaratella* Staudinger,1859 - Range (in code): **TN Gf ES FR Sa Si IT GB CH YU GR IL Pa Hf TR**
- 36694. Nothris hastata (Meyrick,1918)** (Gelechiidae) **Synonym(s):** *hastata* Meyrick,1918 Range (in code): **IN Ben Pus**
- 36695. Nothris lemniscella (Zeller,1839)** (Gelechiidae) **Synonym(s):** *lemniscella* Zeller,1839 Range (in code): **FR IT BE DE CH AT CZ SK HU RO SE FI EE RU At TR** Bionomy: Larva on *Globularia vulgaris* (Globulariaceae) (Schütze,1931).
- 36696. Nothris sabulosella Rebel,1935** (Gelechiidae) **Synonym(s):** *sabulosella* Rebel,1935 Original Reference: *Nothris sabulosella* Rebel,1935, Mitt. münch. ent. Ges. 25: 41. Syntypes ♂: [Türkei]: [Konya]: Akşehir, 1200m. Range (in code): **TR**
- 36697. Nothris sulcella Staudinger,1879** (Gelechiidae) **Synonym(s):** *sulcella* Staudinger,1879 Original Reference: *Nothris sulcella* Staudinger,1879, Horae Soc. ent. ross. 15: 328-330. Syntypes: [Türkei]: Amasia. Range (in code): **TR IL Pa**
- 36698. Nothris verbascella (Brahm,1791)** (Gelechiidae) **Synonym(s):** *#verbascella* [Denis & Schiffermüller],1775; *verbascella* Brahm,1791; *lutarea* Haworth,1828; *clarella* Amsel,1935 - Range (in code): **DZ Anna Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR LB Bsa DK NO SE FI EE LV RU Cc Sb MD UA BY KG Uk IR Elb Dam Shh IQ Dy Hjo IL Pa** Bionomy: Larva on *Verbascum lychnitis*, *V. thapsus*, *V. densiflorum*, *V. sinuatum* (Scrophulariaceae) ([Denis & Schiffermüller],1775; Staudinger,1879; Schutze,1931; Wiltshire,1957; Yurtcan & Okyar,2008).
- 36699. Octonodula binotella Janse,1951** (Gelechiidae) **Synonym(s):** *binotella* Janse,1951 Range (in code): **ZA Abc**
- 36700. Octonodula inumbrata (Meyrick,1914)** (Gelechiidae) **Synonym(s):** *inumbrata* Meyrick,1914 - Range (in code): **ZA Tva Gau Pre Mpu Tst**

- 36701. *Oecocecis guyonella* Guenée, 1870** (Gelechiidae) Synonym(s): *guyonella* Guenée, 1870
Range (in code): **DZ Bsk Eal Tou FR Si** Bionomy: Galls on *Limoniastrum guyonianum* [Plumbaginaceae] (Guenée, 1870; Rothschild, 1913).
- 36702. *Onebala adequata* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *adequata* Meyrick, 1914
Range (in code): **GY**
- 36703. *Onebala anisopa* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *anisopa* Meyrick, 1918
Range (in code): **CO**
- 36704. *Onebala archigrapha* (Meyrick, 1928)** (Gelechiidae) Synonym(s): *archigrapha* Meyrick, 1928
Range (in code): **CO**
- 36705. *Onebala armata* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *armata* Meyrick, 1911
Range (in code): **IN Ass Meg Khs**
- 36706. *Onebala balteata* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *balteata* Meyrick, 1911
Range (in code): **IN Ass Meg Khs**
- 36707. *Onebala brabylitis* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *brabylitis* Meyrick, 1911
Range (in code): **LK**
- 36708. *Onebala brunneotincta* Janse, 1954** (Gelechiidae) Synonym(s): *brunneotincta* Janse, 1954
Range (in code): **ZA Gau Pre BW Klh Nta Kzu Tva Lpo Wm**
- 36709. *Onebala carycastis* (Meyrick, 1922)** (Gelechiidae) Synonym(s): *carycastis* Meyrick, 1922
Range (in code): **BR**
- 36710. *Onebala cerinura* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *cerinura* Meyrick, 1923
Range (in code): **BR**
- 36711. *Onebala chalyburga* (Meyrick, 1922)** (Gelechiidae) Synonym(s): *chalyburga* Meyrick, 1922
Range (in code): **BR**
- 36712. *Onebala delocosma* Meyrick, 1936** (Gelechiidae) Synonym(s): *delocosma* Meyrick, 1936
Range (in code): **ID Ja**
- 36713. *Onebala hibisci* (Stainton, 1859)** (Gelechiidae) Synonym(s): *hibisci* Stainton, 1859
Original Reference: *Gelechia hibisci* Stainton, 1859, Trans. ent. Soc. London (2) 5: 117. Range (in code): **TH IN LK TW ID Sum Ja CN** Bionomy: Larva on *Hibiscus*, *Abelmoschus* (Malvaceae) (Robinson et al., 1994).
- 36714. *Onebala hoplophora* (Meyrick, 1916)** (Gelechiidae) Synonym(s): *hoplophora* Meyrick, 1916
Range (in code): **MM**
- 36715. *Onebala infibulata* (Meyrick, 1916)** (Gelechiidae) Synonym(s): *infibulata* Meyrick, 1916
Range (in code): **LK Mky IN**
- 36716. *Onebala leucoplecta* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *leucoplecta* Meyrick, 1911
Range (in code): **LK**
- 36717. *Onebala lithostrota* (Meyrick, 1916)** (Gelechiidae) Synonym(s): *lithostrota* Meyrick, 1916
Range (in code): **MY Prk**
- 36718. *Onebala meconitis* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *meconitis* Meyrick, 1913
Range (in code): **AR**
- 36719. *Onebala obscurata* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *obscurata* Meyrick, 1911
Range (in code): **IN Ass Meg Khs**
- 36720. *Onebala obsoleta* Janse, 1954** (Gelechiidae) Synonym(s): *obsoleta* Janse, 1954
Range (in code): **ZA NA Abc MZ Blv Tva Gau Pre Nkw** - Range
- 36721. *Onebala probolaspis* Meyrick, 1929** (Gelechiidae) Synonym(s): *probolaspis* Meyrick, 1929
Range (in code): **ZA Nta Kzu Nkw Tva Lpo Spb Sdr**
- 36722. *Onebala semiluna* Janse, 1954** (Gelechiidae) Synonym(s): *semiluna* Janse, 1954
Range (in code): **ZA Tva Lpo Nbs Gau Pre** - Range
- 36723. *Onebala septella* (Zeller, 1852)** (Gelechiidae) Synonym(s): *septella* Zeller, 1852; *digitata* Meyrick, 1914
Range (in code): **MW ZA**
- 36724. *Onebala sertigera* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *sertigera* Meyrick, 1923
Range (in code): **PE**
- 36725. *Onebala symbolica* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *symbolica* Meyrick, 1914
Range (in code): **GY**
- 36726. *Onebala thiestoma* Meyrick, 1929** (Gelechiidae) Synonym(s): *thiestoma* Meyrick, 1929
Range (in code): **IN Knr**
- 36727. *Onebala trichocyma* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *trichocyma* Meyrick, 1923
Range (in code): **BR**

- 36728. *Onebala victrix* (Meyrick,1911) (Gelechiidae)** Synonym(s): *victrix* Meyrick,1911 _ Range (in code): **LK**
- 36729. *Ornivalva acutivalva* Sattler,1976 (Gelechiidae)** Synonym(s): *acutivalva* Sattler,1976 Range (in code): **MN CN IMn**
- 36730. *Ornivalva afghana* Sattler,1967 (Gelechiidae)** Synonym(s): *afghana* Sattler,1967 Range (in code): **AF MN**
- 36731. *Ornivalva angulatella* (Chrétien,1915) (Gelechiidae)** Synonym(s): *angulatella* Chrétien,1915; *nigrosuvittatella* Lucas,1933. Original Reference: *Gelechia angulatella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 318-319. Type: Tunisie, Tozeur. Range (in code): **DZ Ges TN**
- 36732. *Ornivalva antipyramis* (Meyrick,1925) (Gelechiidae)** Synonym(s): *antipyramis* Meyrick,1925 _ Range (in code): **EG Cn MA DZ TN LY SD Sk SA AE PK JO IR** Bionomy: Larva on Tamarix (Sattler,1967).
- 36733. *Ornivalva arabica* Sattler,1967 (Gelechiidae)** Synonym(s): *arabica* Sattler,1967 Range (in code): **SA SA39 SD**
- 36734. *Ornivalva basistriga* Sattler,1976 (Gelechiidae)** Synonym(s): *basistriga* Sattler,1976 Range (in code): **CN Ui Pay IMn MN**
- 36735. *Ornivalva caecigena* (Meyrick,1918) (Gelechiidae)** Synonym(s): *caecigena* Meyrick,1918 Range (in code): **PK Qu Nwf Pes IR KW SA**
- 36736. *Ornivalva cerostomatella* (Walsingham,1904) (Gelechiidae)** Synonym(s): *cerostomatella* Walsingham,1904; *tripartitella* Mabilie,1907; *minutella* Turati,1929; *biclavata* Meyrick,1934. Original Reference: *Gelechia cerostomatella* Walsingham,1904, *Entomologist's mon. Mag.* 40: 266. Type ♂: Algeria, Biskra. Range (in code): **DZ Bsk TN Gf LY SA IN EG**
- 36737. *Ornivalva erubescens* (Walsingham,1904) (Gelechiidae)** Synonym(s): *erubescens* Walsingham,1904 Original Reference: *Gelechia erubescens* Walsingham,1904, *Entomologist's mon. Mag.* 40: 265-266. Lectotype ♀: Algeria: Biskra (Sattler,1976). Range (in code): **MA DZ Bsk TN SD LY EG Pa IL SA IR PK**
- 36738. *Ornivalva grisea* Sattler,1967 (Gelechiidae)** Synonym(s): *grisea* Sattler,1967 _ Range (in code): **AF CN Ui IMn**
- 36739. *Ornivalva heligmatodes* (Walsingham,1904) (Gelechiidae)** Synonym(s): *heligmatodes* Walsingham,1904 Original Reference: *Gelechia heligmatodes* Walsingham,1904, *Entomologist's mon. Mag.* 40: 267. Syntypes 4♂♀: Algeria, Biskra, El-Kantara (Mus. Walsh.). Range (in code): **DZ Bsk Ktr Tni Tis TN**
- 36740. *Ornivalva heluanensis* (Debski,1913) (Gelechiidae)** Synonym(s): *heluanensis* Debski,1913; *frankenivorella* Chrétien,1917; *oasicolella* Turati,1924; *siculella* Mariani,1937. Original Reference: *Teleia heluanensis* Debski,1913, *Bull. Soc. ent. Egypte* 1913: 111. Syntypes: Egypt: Heluan (NHMW). Range (in code): **DZ Bsk MA TN LY Cy SD EG EG34 ES Mu Si MT HV RU IL Pa SY SA IQ TR IR GlS AF PK UZ MN CN Ts NHu Ui** Bionomy: Larva on Frankenia, Tamarix (Debski,1913; Chrétien,1917; Sattler,1967).
- 36741. *Ornivalva ignota* Sattler,1967 (Gelechiidae)** Synonym(s): *ignota* Sattler,1967 Original Reference: *Ornivalva ignota* Sattler,1967, *Beitr. naturk. Forsch. Südwdtl* 26 (3): 52, figs. Holotype: Algeria, Hassi el Abiod. Range (in code): **DZ** Bionomy: Larva on Tamarix (Dumont ex Sattler,1967).
- 36742. *Ornivalva indica* Sattler,1967 (Gelechiidae)** Synonym(s): *indica* Sattler,1967 _ Range (in code): **PK IN**
- 36743. *Ornivalva kalahariensis* (Janse,1960) (Gelechiidae)** Synonym(s): *kalahariensis* Janse,1960 _ Range (in code): **ZA**
- 36744. *Ornivalva lilyella* (Lucas,1944) (Gelechiidae)** Synonym(s): *lilyella* Lucas,1944 Range (in code): **DZ**
- 36745. *Ornivalva longiductella* Sattler,1967 (Gelechiidae)** Synonym(s): *longiductella* Sattler,1967 Original Reference: *Ornivalva longiductella* Sattler,1967, *Beitr. naturk. Forsch. SWDtl.* 26(3): 40, figs. Holotype ♂: Algerien: Hammam-es-Salahin (BMNH). Range (in code): **DZ Hes TN IQ AF SD MN**
- 36746. *Ornivalva macrosignella* Sattler,1967 (Gelechiidae)** Synonym(s): *macrosignella* Sattler,1967 _ Range (in code): **DZ TN EG SD Pa IL IR** Bionomy: Larva on Tamarix (Debski ex Sattler,1967).
- 36747. *Ornivalva mixolitha* (Meyrick,1918) (Gelechiidae)** Synonym(s): *mixolitha* Meyrick,1918 Original Reference: *Phthorimaea mixolitha* Meyrick,1918, *Exot. microlepid.* 2: 135. Range (in code): **DZ MA TN TR RU IQ SD IN IR PK AF MN CN Ui Pay**

- 36748. *Ornativulva mixolitha bipunctella* Sattler, 1967** (Gelechiidae) Synonym(s): *bipunctella* Sattler, 1967. Range (in code): **DZ MA TN**
- 36749. *Ornativulva mongolica* Sattler, 1967** (Gelechiidae) Synonym(s): *mongolica* Sattler, 1967. Range (in code): **MN**
- 36750. *Ornativulva ochraceofusca* Sattler, 1967** (Gelechiidae) Synonym(s): *ochraceofusca* Sattler, 1967. Original Reference: *Ornativulva ochraceofusca* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 77, pl. 18 f. 74. Holotype ♂: Afghanistan: Kabul: W. Charikar. Range (in code): **TR AF**
- 36751. *Ornativulva ornatella* Sattler, 1967** (Gelechiidae) Synonym(s): *ornatella* Sattler, 1967. Original Reference: *Ornativulva ornatella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 78, pls., figs. Holotype ♂: Afghanistan: Herat, 970m. Range (in code): **RO RU TR AF IR MN CN Ui Pay IMn**
- 36752. *Ornativulva pharaonis* Sattler, 1967** (Gelechiidae) Synonym(s): *pharaonis* Sattler, 1967. Range (in code): **SD EG TN** Bionomy: Larva on Tamarix (Wiltshire ex Sattler, 1967).
- 36753. *Ornativulva plutelliformis* (Staudinger, 1859)** (Gelechiidae) Synonym(s): *plutelliformis* Staudinger, 1859; *olbiaella* Millière, [1861]; *siewersiellus* Christoph, 1867; *sinuatella* Walsingham, 1904. Original Reference: *Gelechia plutelliformis* Staudinger, 1859, Stettin ent. Ztg. 20: 239. Type: Spain, Cadiz, Chiclana. Range (in code): **Cn Md MA DZ Bsk Hes TN Gf LY PT ES An Hv FR Sa Si IT MT HU RO MK GR Cr TR RU MD UA BY KG Uk SD Pa IL Pa Hf LB Bei SA IQ Bgd KW IR Bmp Ana Ke Kh Gls AF PK CY CN IMn Ui** Bionomy: Larva on Tamarix africana, T. canariensis, T. gallica (Chrétien, 1917; Wiltshire, 1957; Elsner, Huemer & Tokar, 1999; Dionisio, 2003).
- 36754. *Ornativulva pseudotamaricella* Sattler, 1967** (Gelechiidae) Synonym(s): *tamariciella* auct.; *pseudotamaricella* Sattler, 1967. Range (in code): **PT ES An Hv Mu FR IT IL Pa Hf IR Kz Sde Ss Irs** Bionomy: Larva on Tamarix africana, T. canariensis (Constant ex Sattler, 1967; Dionisio, 2003).
- 36755. *Ornativulva roseosuffusella* Sattler, 1967** (Gelechiidae) Synonym(s): *roseosuffusella* Sattler, 1967. Original Reference: *Ornativulva roseosuffusella* Sattler, 1967, Beitr. naturk. Forsch. SWDtl. 26(3): 42, figs. Holotype ♂: Iran: Khuzistan: Shadegan (LNK). Range (in code): **IR**
- 36756. *Ornativulva serratisignella* Sattler, 1967** (Gelechiidae) Synonym(s): *serratisignella* Sattler, 1967. Range (in code): **SD IQ IR**
- 36757. *Ornativulva sesostrella* (Rebel, 1912)** (Gelechiidae) Synonym(s): *sesostrella* Rebel, 1912. Range (in code): **DZ TN SD EG SA** Bionomy: Larva on Tamarix (Debski, 1913).
- 36758. *Ornativulva sieversi* (Staudinger, 1871)** (Gelechiidae) Synonym(s): *sieversi* Staudinger, 1871. Range (in code): **RU KG Uk IR Gls AF TM** Bionomy: Larva on Tamarix (Staudinger, 1871).
- 36759. *Ornativulva singula* Sattler, 1967** (Gelechiidae) Synonym(s): *singula* Sattler, 1967. Range (in code): **AF MN**
- 36760. *Ornativulva sinica* Li, 1991** (Gelechiidae) Synonym(s): *sinica* Li, 1991. Range (in code): **CN She NHu IMn**
- 36761. *Ornativulva tamaricella* (Zeller, 1850)** (Gelechiidae) Synonym(s): *tamaricella* Zeller, 1850. Range (in code): **IT HV SA** Bionomy: Larva on Tamarix (Zeller, 1850).
- 36762. *Ornativulva triangulella* Sattler, 1967** (Gelechiidae) Synonym(s): *triangulella* Sattler, 1967. Range (in code): **DZ Bsk TN IQ AF KW IR**
- 36763. *Ornativulva xinjiangensis* Li, 1991** (Gelechiidae) Synonym(s): *xinjiangensis* Li, 1991. Original Reference: *Ornativulva xinjiangensis* Li, 1991, Entomotaxonomia 13 (2): 91-92, figs. Holotype ♂: Xinjiang, Uighur A.R., Yengisar 1320m leg. L. Houhun. Range (in code): **CN Ui Yh**
- 36764. *Ornativulva zangezurica* Piskunov, [1978]** (Gelechiidae) Synonym(s): *zangezurica* Piskunov, [1978]. Original Reference: *Ornativulva zangezurica* Piskunov, [1978], Doklady Akad. Nauk. armyan SSR 65 (4): 242. Range (in code): **AM Cc Zng**
- 36765. *Ornativulva zepuensis* Li & Zheng, 1995** (Gelechiidae) Synonym(s): *zepuensis* Li & Zheng, 1995. Range (in code): **CN NHu Ts Ui IMn**
- 36766. *Ornativulva zonella* (Chrétien, 1917)** (Gelechiidae) Synonym(s): *zonella* Chrétien, 1917; *cimelion* Amsel, 1935; *iranella* Sattler, 1967. Original Reference: *Teleia zonella* Chrétien, 1917, Annls Soc. ent. Fr. 85: 475-476. Type: Tunis, Gafsa. Range (in code): **Pa IL SA DZ TN Gf IR Kh Ke Ana AF CN Ui IMn** Bionomy: Larva on Tamarix (Chrétien, 1917).
- 36767. *Oxypteryx jordanella* Rebel, 1911** (Gelechiidae) Synonym(s): *jordanella* Rebel, 1911. Original Reference: *Oxypteryx jordanella* Rebel, 1911, Verh. zool.-bot. Ges. Wien 61: (151), fig. 2. Type: Jordan. Range (in code): **JO**

- 36768. *Palintropa hippica* Meyrick,1913** (Gelechiidae) Synonym(s): *hippica* Meyrick,1913
Range (in code): **LK Mky**
- 36769. *Palumbina guerinii* (Stainton,[1857])** (Gelechiidae) Synonym(s): *guerinii* Stainton,[1857]; *terebintella* Rondani,1876; *pistaciae* Anagnostopoulos,1935. Original Reference: Stathmopoda guerinii Stainton,[1857], Entomologist's Annu. 1858: 152, fig.5. Type: [France] (BMNH). Range (in code): **DZ Bsk PT ES FR Si IT MT YU HV GR TR CY LB IR IN** Bionomy: Larva on Pistacia terebinthus (Sattler,1982).
- 36770. *Panicotricha prographa* Meyrick,1913** (Gelechiidae) Synonym(s): *prographa* Meyrick,1913 Range (in code): **ZA Tva Mpu Tst**
- 36771. *Parabola butyraulula* (Meyrick,1913)** (Gelechiidae) Synonym(s): *butyraulula* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36772. *Parabrachmia anomala* Janse,1960** (Gelechiidae) Synonym(s): *anomala* Janse,1960
Range (in code): **ZA**
- 36773. *Parabrachmia trisignella* Janse,1960** (Gelechiidae) Synonym(s): *trisignella* Janse,1960
Range (in code): **ZA**
- 36774. *Parachronistis albiceps* (Zeller,1839)** (Gelechiidae) Synonym(s): *albiceps* Zeller,1839
Range (in code): **FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI LV LT RU MD UA BY**
- 36775. *Parachronistis destillans* (Meyrick,1918)** (Gelechiidae) Synonym(s): *destillans* Meyrick,1918 Original Reference: Telphusa destillans Meyrick,1918, Exot. Microlepid. 2: 133. Type: India: Assam. Range (in code): **TH CMa Int IN Ass NP**
- 36776. *Paralida balanaspis* (Meyrick,1930)** (Gelechiidae) Synonym(s): *balanaspis* Meyrick,1930
Original Reference: Chelaria balanaspis Meyrick,1930, Annls Soc. ent. Fr. 98 (suppl.): 723. Type: [Vietnam]: Tonkin. Range (in code): **VN Ton TH**
- 36777. *Paralida triannulata* Clarke,1958** (Gelechiidae) Synonym(s): *triannulata* Clarke,1958
Range (in code): **TH Fn JP TW** Bionomy: Larva on Melia azedarach var. japonica (Ponomarenko,1997).
- 36778. *Parallactis ochrobyrsa* (Meyrick,1921)** (Gelechiidae) Synonym(s): *ochrobyrsa* Meyrick,1921 Range (in code): **ZW Hfo Bul ZA Pot Tva Lpo**
- 36779. *Parallactis panchlora* (Meyrick,1911)** (Gelechiidae) Synonym(s): *panchlora* Meyrick,1911
Range (in code): **ZA Gau Pre Mdt Tva Lpo**
- 36780. *Parallactis plaesiodes* (Meyrick,1920)** (Gelechiidae) Synonym(s): *plaesiodes* Meyrick,1920; *derogata* Meyrick,1921 Range (in code): **TZ MZ Blv Mag**
- 36781. *Parallactis zorophanes* Janse,1954** (Gelechiidae) Synonym(s): *zorophanes* Janse,1954
Range (in code): **ZA Tva Mpu ZA14**
- 36782. *Paranarsia joannisiella* Ragonot,1895** (Gelechiidae) Synonym(s): *joannisiella* Ragonot,1895 Range (in code): **ES FR IT CH AT**
- 36783. *Parapodia sinaica* (Frauenfeld,1859)** (Gelechiidae) Synonym(s): *sinaica* Frauenfeld,1859; *tamaricicola* Joannis,1912; *tamariciella* Amsel,1958 Range (in code): **DZ Bsk TN Gf FR EG Sn SA IR Qm**
Bionomy: Larva on Tamarix (Chrétien,1917).
- 36784. *Parapsectris amseli* (Povolny,1981)** (Gelechiidae) Synonym(s): *amseli* Povolny,1981
Range (in code): **SA As**
- 36785. *Parapsectris bruneosparsa* Janse,1958** (Gelechiidae) Synonym(s): *bruneosparsa* Janse,1958 Range (in code): **ZA**
- 36786. *Parapsectris buettikeri* (Povolny,1986)** (Gelechiidae) Synonym(s): *buettikeri* Povolny,1986 Original Reference: Pseudathrips buettikeri Povolny,1986, Fauna Saudi Arabia 8: 253, figs. Holotype ♂: Saudi Arabia, Turabah 1200m (leg.W.Büttiker) (NMNB). Range (in code): **SA**
- 36787. *Parapsectris carinata* (Meyrick,1911)** (Gelechiidae) Synonym(s): *carinata* Meyrick,1911; *emerita* Meyrick,1921 Range (in code): **ZA Tva Gau Pre**
- 36788. *Parapsectris fastidiosa* Meyrick,1911** (Gelechiidae) Synonym(s): *fastidiosa* Meyrick,1911
Range (in code): **ZA Mdt Tva Lpo**
- 36789. *Parapsectris ferax* (Meyrick,1913)** (Gelechiidae) Synonym(s): *ferax* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Tst**
- 36790. *Parapsectris ferulata* Meyrick,1918** (Gelechiidae) Synonym(s): *ferulata* Meyrick,1918
Range (in code): **ZA Nta Kzu Umk**
- 36791. *Parapsectris infricta* Meyrick,1916** (Gelechiidae) Synonym(s): *infricta* Meyrick,1916
Range (in code): **MW Mje**

- 36792. *Parapsectris mappigera* Meyrick, 1914** (Gelechiidae) **Synonym(s):** *mappigera* Meyrick, 1914 **Range (in code):** **ZA Tva Gau Pre**
- 36793. *Parapsectris neograpta* Meyrick, 1914** (Gelechiidae) **Synonym(s):** *neograpta* Meyrick, 1914 **Range (in code):** **ZA Tva Gau Pre**
- 36794. *Parapsectris opaula* (Meyrick, 1911)** (Gelechiidae) **Synonym(s):** *opaula* Meyrick, 1911 **Range (in code):** **ZA Tva Lpo Wo**
- 36795. *Parapsectris phoenaula* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *phoenaula* Meyrick, 1913 **Range (in code):** **ZA Tva Mpu Tst**
- 36796. *Parapsectris similis* (Povolny, 1981)** (Gelechiidae) **Synonym(s):** *similis* Povolny, 1981 **Range (in code):** **SA As**
- 36797. *Parapsectris tholaea* Meyrick, 1911** (Gelechiidae) **Synonym(s):** *tholaea* Meyrick, 1911; *#tholea* Janse, 1958 **Range (in code):** **ZA Tva Gau Pre**
- 36798. *Parapsectris zetterstedtiella* (Zeller, 1852)** (Gelechiidae) **Synonym(s):** *zetterstedtiella* Zeller, 1852 **Range (in code):** **ZA**
- 36799. *Paraselotis pelochroa* Janse, 1960** (Gelechiidae) **Synonym(s):** *pelochroa* Janse, 1960 **Range (in code):** **ZA**
- 36800. *Parastenolechia acclivis* (Omelko, 1988)** (Gelechiidae) **Synonym(s):** *acclivis* Omelko, 1988 **Range (in code):** **VN Ton**
- 36801. *Parastenolechia albicapitella* Park, 2000** (Gelechiidae) **Synonym(s):** *albicapitella* Park, 2000 **Range (in code):** **KR**
- 36802. *Parastenolechia argobathra* (Meyrick, 1935)** (Gelechiidae) **Synonym(s):** *argobathra* Meyrick, 1935; *umbrosa* Omelko, 1988 **Range (in code):** **CN KR JP RU Us**
- 36803. *Parastenolechia asymmetrica* Kanazawa, 1985** (Gelechiidae) **Synonym(s):** *asymmetrica* Kanazawa, 1985 **Range (in code):** **TW KR**
- 36804. *Parastenolechia claustrifera* (Meyrick, 1935)** (Gelechiidae) **Synonym(s):** *claustrifera* Meyrick, 1935 **Range (in code):** **CN TW**
- 36805. *Parastenolechia formosana* Kanazawa, 1991** (Gelechiidae) **Synonym(s):** *formosana* Kanazawa, 1991 **Range (in code):** **TW**
- 36806. *Parastenolechia gracilis* Kanazawa, 1991** (Gelechiidae) **Synonym(s):** *gracilis* Kanazawa, 1991 **Range (in code):** **TW**
- 36807. *Parastenolechia issikiella* (Okada, 1961)** (Gelechiidae) **Synonym(s):** *issikiella* Okada, 1961; *cornisignella* Moriuti, 1977; *#cornisignella* Kanazawa, 1985 **Range (in code):** **KR JP**
- 36808. *Parastenolechia nigrinotella* (Zeller, 1847)** (Gelechiidae) **Synonym(s):** *nigrinotella* Zeller, 1847; *nigralbella* Herrich-Schäffer, [1854]. **Original Reference:** *Gelechia nigrinotella* Zeller, 1847, Isis 1847: 856. **Range (in code):** **ES FR Si IT AT PL CZ SK HU RO YU TR LB Bsa**
- 36809. *Parastenolechia superba* (Omelko, 1988)** (Gelechiidae) **Synonym(s):** *superba* Omelko, 1988 **Range (in code):** **RU Us KR**
- 36810. *Parastenolechia suriensis* Park & Ponomarenko, 2006** (Gelechiidae) **Synonym(s):** *suriensis* Park & Ponomarenko, 2006 **Range (in code):** **KR**
- 36811. *Paratheetis farinata* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *farinata* Meyrick, 1913 **Range (in code):** **ZA Mpu Brb Tst Tva Lpo Hae**
- 36812. *Paratheetis sordidula* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *sordidula* Meyrick, 1913 **Range (in code):** **ZA Tva Mpu Brb Wv**
- 36813. *Paristhmia barathrodes* Meyrick, 1909** (Gelechiidae) **Synonym(s):** *barathrodes* Meyrick, 1909 **Original Reference:** *Paristhmia barathrodes* Meyrick, 1909, Ann. Transv. Mus. 2(1): 13, pl. v fig. 1. Type ♂: South Africa: Transvaal: Pretoria. **Range (in code):** **ZA Gau Pre Hei Slpp Tva Lpo Nbs Nel ZW Har Bul MZ Mag Naa**
- 36814. *Pectinophora gossypiella* (Saunders, 1844)** (Gelechiidae) **Synonym(s):** *gossypiella* Saunders, 1844; *umbripennis* Walsingham, 1885 **Range (in code):** **ZA ES Si IT MT YU AL BG GR TR DK RU MD TH MM MY ID Ja PH IN SA** **Bionomy:** Larva on *Gossypium*, *Hibiscus* (Malvaceae) (Saunders, 1844; Robinson et al., 1994).
- 36815. *Pexicopia malvella* (Hübner, [1805])** (Gelechiidae) **Synonym(s):** *umbrella* auct.; *malvella* Hübner, [1805]; *lutarea* Haworth, 1828 **Range (in code):** **DZ PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IL DK NO SE FI EE LV LT RU Ur Sb MD UA BY IR Gls KG Uk** **Bionomy:** Larva on *Malva* (Hübner, [1805]; Staudinger, 1880).
- 36816. *Phanerophalla knysnaensis* Janse, 1960** (Gelechiidae) **Synonym(s):** *knysnaensis* Janse, 1960 **Range (in code):** **ZA Wca Kny**

- 36817. *Pharangitis spathias* Meyrick,1905** (Gelechiidae) **Synonym(s):** *spathias* Meyrick,1905
Range (in code): **LK Mky**
- 36818. *Phloeocecis cherregella* Chrétien,1908** (Gelechiidae) **Synonym(s):** *cherregella* Chrétien,1908; *cecidella* Chrétien,1915; *fagoniae* Meyrick,1925
Original Reference: *Phloeocecis cherregella* Chrétien,1908, Bull. Soc. ent. Fr. 1908: 92. Type: Algérie, Biskra. **Range (in code):** **DZ Bsk TN Gf**
- 36819. *Photodotis abachausi* Janse,1958** (Gelechiidae) **Synonym(s):** *abachausi* Janse,1958
Range (in code): **ZA**
- 36820. *Photodotis pellochroa* Janse,1960** (Gelechiidae) **Synonym(s):** *pellochroa* Janse,1960
Range (in code): **ZA**
- 36821. *Photodotis prochalina* Meyrick,1911** (Gelechiidae) **Synonym(s):** *prochalina* Meyrick,1911
Range (in code): **ZA Tva Gau Pre**
- 36822. *Photodotis spilodoma* Meyrick,1918** (Gelechiidae) **Synonym(s):** *spilodoma* Meyrick,1918
Range (in code): **ZA Nta Kzu Esw**
- 36823. *Phrixocrita aegidopis* Meyrick,1935** (Gelechiidae) **Synonym(s):** *aegidopis* Meyrick,1935
Range (in code): **TW**
- 36824. *Phthoracma blanda* Meyrick,1921** (Gelechiidae) **Synonym(s):** *blanda* Meyrick,1921
Range (in code): **ZA Tva Gau Pre NA Abc**
- 36825. *Phthorimaea operculella* (Zeller,1873)** (Gelechiidae) **Synonym(s):** *terrella* Walker,1864; *operculella* Zeller,1873; *piscipellis* Zeller,1873; *solanella* Boisduval,1874; *tabacella* Ragonot,1879; *sedata* Butler,1880; *#terrella* Pinhey,1975
Range (in code): **MA DZ TN PT ES FR Co Si IT MT GB BE NL DE HU RO YU BG GR Cr DK RU MD UA BY ZA Ec Wca Fs Nta Kzu Tva Lpo Gau Mpu Pre Pie SA YE IN TH US Tx**
Bionomy: Larva on Potatoes, Tobacco, Tomato, Solanum, Datura stramonium, Physalodes physalodes (Janse,1951).
- 36826. *Picroptera aulotoma* (Meyrick,1917)** (Gelechiidae) **Synonym(s):** *aulotoma* Meyrick,1917; *interamna* Meyrick,1926
Range (in code): **ZA Tva Ec Ron Mpu Brb**
- 36827. *Picroptera orthacma* (Meyrick,1926)** (Gelechiidae) **Synonym(s):** *orthacma* Meyrick,1926; *taphrites* Meyrick,1937; *#taphritis* Janse,1958
Range (in code): **ZA Nta Lds Kzu Wca Wlg**
- 36828. *Pithanurga chariphila* Meyrick,1921** (Gelechiidae) **Synonym(s):** *chariphila* Meyrick,1921
Range (in code): **ZA Tva Gau Pre**
- 36829. *Pitycona xeropis* Meyrick,1918** (Gelechiidae) **Synonym(s):** *xeropis* Meyrick,1918
Range (in code): **LK Mky IN Knr Ben Pus**
- 36830. *Platyedra bathrosticta* (Meyrick,1936)** (Gelechiidae) **Synonym(s):** *bathrosticta* Meyrick,1936
Original Reference: *Gelechia bathrosticta* Meyrick,1936, Exot. Microlepid. 5: 43. Type ♂: Iraq: Mosul desert, June, E.P.Wiltshire leg. **Range (in code):** **IQ Mos**
- 36831. *Platyedra subcinerea* (Haworth,[1828])** (Gelechiidae) **Synonym(s):** *subcinerea* Haworth,[1828]; *vilella* Zeller,1847.
Range (in code): **PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bei DK SE LV RU MD UA BY IR Gl Kh CN Ui Ku IL Pa Hf AF Hr**
- 36832. *Platyphalla ochrinotata* Janse,1951** (Gelechiidae) **Synonym(s):** *ochrinotata* Janse,1951
Range (in code): **ZA Tva Gau Pre**
- 36833. *Pogochaetia ocymoidella* Walsingham,1900** (Gelechiidae) **Synonym(s):** *ocymoidella* Walsingham,1900
Range (in code): **IR Elb Th Fa**
- 36834. *Pogochaetia solitaria* Staudinger,1879** (Gelechiidae) **Synonym(s):** *solitaria* Staudinger,1879
Original Reference: *Pogochaetia solitaria* Staudinger,1879, Horae Soc. ent. ross. 15: 310-311. Syntypes 2♂ 2♀: [Türkei]: Amasia (Caraman). **Range (in code):** **FR IT CH AT TR**
Bionomy: Larva on ? *Lychnis* (Staudinger,1879).
- 36835. *Polyhymno abaiella* Amsel,1974** (Gelechiidae) **Synonym(s):** *abaiella* Amsel,1974
Range (in code): **IR Ss**
- 36836. *Polyhymno blastophora* Janse,1950** (Gelechiidae) **Synonym(s):** *blastophora* Janse,1950
Range (in code): **ZA Abc**
- 36837. *Polyhymno centrophora* (Meyrick,1921)** (Gelechiidae) **Synonym(s):** *centrophora* Meyrick,1921
Range (in code): **ZA Tva Gau Pre**
- 36838. *Polyhymno chionarcha* Meyrick,1913** (Gelechiidae) **Synonym(s):** *chionarcha* Meyrick,1913
Range (in code): **ZA Tva NA Gau Pre Brb Mpu Uma Xn Kkf Umk Stj Abc ZW Bul**
- 36839. *Polyhymno deuteraula* Meyrick,1914** (Gelechiidae) **Synonym(s):** *deuteraula* Meyrick,1914
Range (in code): **MZ NA ZA Gau Pre Tva Lpo Wo Mag Xn Abc Slpp**

- 36840. Polyhymno erratica Janse,1950** (Gelechiidae) Synonym(s): *erratica* Janse,1950
Range (in code): **ZA Tva Mdp**
- 36841. Polyhymno eurydoxa Meyrick,1909** (Gelechiidae) Synonym(s): *eurydoxa* Meyrick,1909
Range (in code): **ZA Tva Gau Pre Nyl Mdt Mdp Nel Uma Buf Tva**
- 36842. Polyhymno furcatella Janse,1950** (Gelechiidae) Synonym(s): *furcatella* Janse,1950
Range (in code): **ZA Tva Wo Rtb**
- 36843. Polyhymno hieracitis Meyrick,1913** (Gelechiidae) Synonym(s): *hieracitis* Meyrick,1913
Range (in code): **ZA Tva Mpu Tst**
- 36844. Polyhymno hostilis Meyrick,1918** (Gelechiidae) Synonym(s): *hostilis* Meyrick,1918
Range (in code): **ZA Tva Gau Pre Mpu Tst ZW Bul Abc Ptb Nta Kzu**
- 36845. Polyhymno inermis Meyrick,1913** (Gelechiidae) Synonym(s): *inermis* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36846. Polyhymno intorta Meyrick,1918** (Gelechiidae) Synonym(s): *intorta* Meyrick,1918
Range (in code): **ZA Nta Kzu Umk**
- 36847. Polyhymno intortoides Janse,1950** (Gelechiidae) Synonym(s): *intortoides* Janse,1950
Range (in code): **ZA Tva Gau Pre Fs Rtf Uma Umk Naa**
- 36848. Polyhymno lignicolor Janse,1950** (Gelechiidae) Synonym(s): *lignicolor* Janse,1950
Range (in code): **ZA Tva Slpp Gau**
- 36849. Polyhymno multifida Meyrick,1917** (Gelechiidae) Synonym(s): *multifida* Meyrick,1917
Range (in code): **ZA Kzu Nta Mf**
- 36850. Polyhymno oxystola Meyrick,1913** (Gelechiidae) Synonym(s): *oxystola* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36851. Polyhymno palinorsa Meyrick,1909** (Gelechiidae) Synonym(s): *palinorsa* Meyrick,1909
Range (in code): **ZA Gau Pre Wo Tva Slpp Tst**
- 36852. Polyhymno paracma Meyrick,1909** (Gelechiidae) Synonym(s): *paracma* Meyrick,1909
Original Reference: Polyhymno paracma Meyrick,1909, Ann. Transv. Mus. 2(1): 15, pl.v fig.5.
Syntypes 2♀: South Africa: Transvaal: Pretoria. Range (in code): **NA MZ ZA Gau Pre Tz Tva Lpo Mag Mpu Brb Abc ZW Bul**
- 36853. Polyhymno pausimacha Meyrick,1909** (Gelechiidae) Synonym(s): *pausimacha* Meyrick,1909
Range (in code): **ZA Spb Tva Lpo Lek Gau Pre Mpu Brb Ec Grh**
- 36854. Polyhymno pernitida Janse,1950** (Gelechiidae) Synonym(s): *pernitida* Janse,1950
Range (in code): **ZA Abc**
- 36855. Polyhymno pleuracma Meyrick,1926** (Gelechiidae) Synonym(s): *pleuracma* Meyrick,1926
Range (in code): **ZA Nta Kzu Wnn**
- 36856. Polyhymno tetragrapha Meyrick,1913** (Gelechiidae) Synonym(s): *tetragrapha* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 36857. Polyhymno thinoclasta Meyrick,1926** (Gelechiidae) Synonym(s): *thinoclasta* Meyrick,1926
Range (in code): **ZW Bul**
- 36858. Polyhymno tropaea Meyrick,1908** (Gelechiidae) Synonym(s): *tropaea* Meyrick,1908
Range (in code): **ZA Tva Gau Pre Mpu ZA14 Sdr Abc**
- 36859. Polyhymno walsinghami Janse,1950** (Gelechiidae) Synonym(s): *walsinghami* Janse,1950
Range (in code): **ZA Mpu Wv Nta Kzu Gau Pre Mdt Umk Abc Lds Tva Nbs**
- 36860. Prolita sexpunctella (Fabricius,1794)** (Gelechiidae) Synonym(s): *sexpunctella* Fabricius,1794; *virgella* Thunberg,1784; *longicornis* Curtis,1827; *histrionella* Geyer,[1832]; *zebrella* Treitschke,1833; *alpicola* Frey,1867; *alternella* Keafott,1908; *petulans* Braun,1925. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG GR TR DK NO SE FI EE LV LT RU SA** Bionomy: Larva on Erica ? (Mann,1862).
- 36861. Prolita solutella (Zeller,1839)** (Gelechiidae) Synonym(s): *solutella* Zeller,1839; *fumosella* Douglas,1852; *pribitzeri* Rebel,1889; *nigrobipunctella* Lucas,1932. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Ur MD UA BY KG Uk** Bionomy: Larva on Genista tinctoria, Cytisus (Fabaceae) (Schütze,1931).
- 36862. Proselotis strictula (Meyrick,1937)** (Gelechiidae) Synonym(s): *strictula* Meyrick,1937
Range (in code): **ZA Stj Ec**
- 36863. Psamathocrita albidella (Rebel,1903)** (Gelechiidae) Synonym(s): *albidella* Rebel,1903
Original Reference: Ptocheuusa albidella Rebel,1903, Verh. zool.-bot. Ges. Wien 53: 412. Type ♂: Algeria, "Ouargl.Ghard., Ou.Nouemra". Range (in code): **DZ Gha**
- 36864. Psamathocrita argentella Pierce & Metcalfe,1942** (Gelechiidae) Synonym(s): *argentella* Pierce & Metcalfe,1942
Range (in code): **GB**

- 36865. *Psamathocrita dalmatinella* Huemer & Tokar, 2000** (Gelechiidae) **Synonym(s):** *dalmatinella* Huemer & Tokar, 2000 Range (in code):
- 36866. *Psamathocrita dejectella* (Staudinger, 1859)** (Gelechiidae) **Synonym(s):** *dejectella* Staudinger, 1859 Range (in code): PT ES
- 36867. *Psamathocrita doloma* Bradley, 1965** (Gelechiidae) **Synonym(s):** *doloma* Bradley, 1965 Range (in code): UG Rz
- 36868. *Psamathocrita innotatella* (Chrétien, 1915)** (Gelechiidae) **Synonym(s):** *innotatella* Chrétien, 1915 Range (in code): TN Gf
- 36869. *Psamathocrita osseella* (Stainton, 1861)** (Gelechiidae) **Synonym(s):** *osseella* Stainton, 1861 Original Reference: *Gelechia osseella* Stainton, 1861, Ent. Annu. 1861: 87. Type: Yedmandale, Forge vall., nr. Scarborough. Range (in code): FR Co? IT GB DE BG? SE RU RO UA Bionomy: Larva on *Origanum vulgare* ? (Lamiaceae) (Elsner, Huemer & Tokar, 1999).
- 36870. *Pseudosophronia catharurga* (Meyrick, 1923)** (Gelechiidae) **Synonym(s):** *catharurga* Meyrick, 1923 Range (in code): IL Pa
- 36871. *Pseudosophronia cosmella* (Constant, 1885)** (Gelechiidae) **Synonym(s):** *cosmella* Constant, 1885 Range (in code): Co
- 36872. *Pseudosophronia exustella* (Zeller, 1847)** (Gelechiidae) **Synonym(s):** *exustella* Zeller, 1847; *buvati* Nel, 1998; *?constanti* Nel, 1998 Range (in code): TN Gf PT ES FR Si IT
- 36873. *Pseudosymmoca angustipennis* Rebel, 1903** (Gelechiidae) **Synonym(s):** *angustipennis* Rebel, 1903 Original Reference: *Pseudosymmoca angustipennis* Rebel, 1903, Verh. zool.-bot. Ges. Wien 53: 413-414. Type ♂: Algeria, "Ouargl.Ghard., Ou.Nouemra". Range (in code): DZ Gha
- 36874. *Pseudoteleia nigrosquamella* Amsel, 1959** (Gelechiidae) **Synonym(s):** *nigrosquamella* Amsel, 1959 Range (in code): IR Kz Sde
- 36875. *Pseudotelphusa albisignata* Janse, 1960** (Gelechiidae) **Synonym(s):** *albisignata* Janse, 1960 Range (in code): ZA
- 36876. *Pseudotelphusa albopasta* Janse, 1960** (Gelechiidae) **Synonym(s):** *albopasta* Janse, 1960 Range (in code): ZA
- 36877. *Pseudotelphusa confixa* (Meyrick, 1918)** (Gelechiidae) **Synonym(s):** *confixa* Meyrick, 1918 Range (in code): ZA Tva Gau Pre
- 36878. *Pseudotelphusa devia* (Meyrick, 1913)** (Gelechiidae) **Synonym(s):** *devia* Meyrick, 1913 Range (in code): ZA Tva Mpu Brb Tst
- 36879. *Pseudotelphusa griseotincta* Janse, 1958** (Gelechiidae) **Synonym(s):** *griseotincta* Janse, 1958 Range (in code): ZA
- 36880. *Pseudotelphusa istrella* (Mann, 1866)** (Gelechiidae) **Synonym(s):** *istrella* Mann, 1866; *decuriella* Mann, 1872; *trifasciella* Rebel, 1916. Range (in code): IT RO YU GR TR UA Cm
- 36881. *Pseudotelphusa occidentella* Huemer & Karsholt, 1999** (Gelechiidae) **Synonym(s):** *occidentella* Huemer & Karsholt, 1999 Range (in code): MA PT ES An FR
- 36882. *Pseudotelphusa oxychasta* (Meyrick, 1929)** (Gelechiidae) **Synonym(s):** *oxychasta* Meyrick, 1929 Range (in code): ZA
- 36883. *Pseudotelphusa paracycota* Janse, 1958** (Gelechiidae) **Synonym(s):** *paracycota* Janse, 1958 Range (in code): ZA
- 36884. *Pseudotelphusa paripunctella* (Thunberg, 1794)** (Gelechiidae) **Synonym(s):** *paripunctella* Thunberg, 1794; *triparella* Zeller, 1839; *trijugella* Erschoff, 1877; *sultanella* Caradja, 1920; *arenicolella* Caradja, 1920 Range (in code): DZ Bsk PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Kdv Bionomy: Larva on *Quercus* ? (Mann, 1862).
- 36885. *Pseudotelphusa probata* (Meyrick, 1909)** (Gelechiidae) **Synonym(s):** *probata* Meyrick, 1909 Original Reference: *Telphusa probata* Meyrick, 1909, Ann. Transv. Mus. 2(1): 11, pl. iv fig. 4. Syntypes ♂♀: South Africa: Transvaal: Pretoria. Range (in code): ZA Tva Gau Pre
- 36886. *Pseudotelphusa scalella* (Scopoli, 1763)** (Gelechiidae) **Synonym(s):** *scalella* Scopoli, 1763; *alella* Fabricius, 1794; *alternella* Hübner, 1796 *nec* Den. & Schiff., 1775; *alterna* Haworth, 1828; *bicolorella* Treitschke, 1832 Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK SE FI EE LV LT RU Ur MD UA BY
- 36887. *Pseudotelphusa tessella* (Linnaeus, 1758)** (Gelechiidae) **Synonym(s):** *tessella* Linnaeus, 1758; *albinigrella* [Denis & Schiffermüller], 1775; *sturmella* Hübner, [1825]; *berberidella* Hübner, [1825]; *funestella* Geyer, [1832]; *alboquadrella* Bruand, 1859 Range (in code): ES FR IT DE CH AT CZ SK HU RO
- 36888. *Pseudotelphusa tornimacula* Janse, 1958** (Gelechiidae) **Synonym(s):** *tornimacula* Janse, 1958 Range (in code): ZA

- 36889. Pseudotelphusa trinephela (Meyrick,1929)** (Gelechiidae) Synonym(s): *trinephela* Meyrick,1929 Range (in code): **ZA**
- 36890. Psoricoptera gibbosella (Zeller,1839)** (Gelechiidae) Synonym(s): *gibbosella* Zeller,1839; *triorthias* Meyrick,1935; *lepigreella* Lucas,1946. Range (in code): **DZ PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU Ur Sb Us KP KR MD UA BY CN JP**
- 36891. Psoricoptera kawabei Park & Karsholt,1999** (Gelechiidae) Synonym(s): *kawabei* Park & Karsholt,1999 Range (in code):
- 36892. Psoricoptera latignathosa Park & Karsholt,1999** (Gelechiidae) Synonym(s): *latignathosa* Park & Karsholt,1999 Range (in code):
- 36893. Psoricoptera speciosella Teich,1893** (Gelechiidae) Synonym(s): *speciosella* Teich,1893 Range (in code): **IT BE DE PL NO SE FI EE LV RU Sb JP** Bionomy: Larva on *Salix caprea* (Valenne, 2000).
- 36894. Ptocheuusa abnormella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *abnormella* Herrich-Schäffer,1854 Range (in code): **ES Si IT DE AT CZ SK HU RO YU UA** Bionomy: Larva on *Inula ensifolia* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36895. Ptocheuusa albiramis (Meyrick,1923)** (Gelechiidae) Synonym(s): *albiramis* Meyrick,1923 Original Reference: *Apatetris albiramis* Meyrick,1923, *Exot. Microlepid.* 3 (1/2): 51. Type ♂: Egypt, Aswan (leg.Hayward). Range (in code): **EG**
- 36896. Ptocheuusa asterisci (Walsingham,1903)** (Gelechiidae) Synonym(s): *asterisci* Walsingham,1903 Range (in code): **ES**
- 36897. Ptocheuusa campicolella (Mann,1857)** (Gelechiidae) Synonym(s): *campicolella* Mann,1857 Range (in code): **PT Co Sa Si IT TR CY**
- 36898. Ptocheuusa cuprimarginella Chrétien,1915** (Gelechiidae) Synonym(s): *cuprimarginella* Chrétien,1915 Original Reference: *Ptocheuusa cuprimarginella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 326. Type: [Algérie]: "Biskra, en mars". Range (in code): **DZ Bsk**
- 36899. Ptocheuusa dresnayella Lucas,1945** (Gelechiidae) Synonym(s): *dresnayella* Lucas,1945 Original Reference: *Ptocheuusa dresnayella* Lucas,1945, *Bull. Soc. ent. Fr.* 50: 7. Range (in code): **TN**
- 36900. Ptocheuusa inopella (Zeller,1839)** (Gelechiidae) Synonym(s): *inopella* Zeller,1839; *amesella* Chrétien,1907 Range (in code): **DZ Bsk FR DE AT PL CZ HU GR TR DK SE EE LV LT RU MD UA BY IR Gl** Bionomy: Larva on *Helychrysum arenarium* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36901. Ptocheuusa minimella (Rebel,1936)** (Gelechiidae) Synonym(s): *minimella* Rebel,1936 Range (in code): **Sa IT CY**
- 36902. Ptocheuusa multistrigella Ragonot,1892** (Gelechiidae) Synonym(s): *multistrigella* Ragonot,1892 Original Reference: *Ptocheuusa multistrigella* Ragonot,1892, *Bull. Soc. ent. Fr.* 1892: lxxxii-lxxxiii. Type: Tunis, Gabes. Range (in code): **DZ Gha Bsk TN Gab** Bionomy: Larva on *Rhanterium adpressum* (Chrétien,1917).
- 36903. Ptocheuusa paupella (Zeller,1847)** (Gelechiidae) Synonym(s): *paupella* Zeller,1847 Original Reference: *Gelechia paupella* Zeller,1847, *Isis* 1847: 858-859. Type ♂: [Italia, Sicilia]: "Syracus, am 19.May". Range (in code): **PT ES An FR Co Sa Si IT MT IE GB BE NL AT HU YU GR TR IN RU Ur** Bionomy: Larva on *Inula conyza*, *I. montana*, *Pulicaria dysenterica* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36904. Ptocheuusa scholastica (Walsingham,1903)** (Gelechiidae) Synonym(s): *scholastica* Walsingham,1903 Range (in code): **ES**
- 36905. Ptocheuusa seminivora (Walsingham,1903)** (Gelechiidae) Synonym(s): *seminivora* Walsingham,1903 Range (in code): **ES**
- 36906. Ptychovalva obruta (Meyrick,1921)** (Gelechiidae) Synonym(s): *obruta* Meyrick,1921; *galatea* Meyrick,1926 Range (in code): **ZA Nta Kzu Kkf**
- 36907. Ptychovalva trigella (Zeller,1852)** (Gelechiidae) Synonym(s): *trigella* Zeller,1852 Range (in code): **ZA**
- 36908. Ptychovalva trimaculata Janse,1960** (Gelechiidae) Synonym(s): *trimaculata* Janse,1960 Range (in code): **ZA**
- 36909. Pycnodytis erebaula Meyrick,1918** (Gelechiidae) Synonym(s): *erebaula* Meyrick,1918 Range (in code): **ZA Nta Kzu Esw**
- 36910. Pyncostola abnormalis Janse,1950** (Gelechiidae) Synonym(s): *abnormalis* Janse,1950 Range (in code): **ZA Abc**

- 36911. *Pyncostola albicolorella* Janse,1950** (Gelechiidae) **Synonym(s):** *albicolorella* Janse,1950
Range (in code): **ZA Kkf Nta Kzu**
- 36912. *Pyncostola alloeae* Janse,1950** (Gelechiidae) **Synonym(s):** *alloeae* Janse,1950 - **Range (in code):** **ZA**
- 36913. *Pyncostola auturga* Meyrick,1921** (Gelechiidae) **Synonym(s):** *auturga* Meyrick,1921
Range (in code): **ZA Tva Nta Kzu Kkf Dmm Gau Pre Cto Wca Ec Pnz**
- 36914. *Pyncostola bohemiella* (Nickerl,1864)** (Gelechiidae) **Synonym(s):** *bohemiella* Nickerl,1864; *tunesiella* Chrétien,1915; *jablonkayi* Gozmany,1954 - **Range (in code):** **TN Gf ES FR IT CZ HU YU HV GR RU Ur MD UA** **Bionomy:** Larva on *Achillea millefolium* (Asteraceae) (Elsner, Huemer & Tokar,1999).
- 36915. *Pyncostola celeris* Meyrick,1920** (Gelechiidae) **Synonym(s):** *celeris* Meyrick,1920
Range (in code): **ZA Mat Wca**
- 36916. *Pyncostola crateraula* Meyrick,1918** (Gelechiidae) **Synonym(s):** *crateraula* Meyrick,1918
Range (in code): **ZA Tva Bet Std**
- 36917. *Pyncostola dicksoni* Janse,1950** (Gelechiidae) **Synonym(s):** *dicksoni* Janse,1950
Range (in code): **ZA**
- 36918. *Pyncostola flavostriga* Janse,1950** (Gelechiidae) **Synonym(s):** *flavostriga* Janse,1950
Range (in code): **ZA Nta Kzu Imp**
- 36919. *Pyncostola fusca* Janse,1950** (Gelechiidae) **Synonym(s):** *fusca* Janse,1950 - **Range (in code):** **ZA Ec Umt**
- 36920. *Pyncostola fuscofascia* Janse,1950** (Gelechiidae) **Synonym(s):** *fuscofascia* Janse,1950
Range (in code): **ZA Ec Sfo**
- 36921. *Pyncostola helicaula* (Meyrick,1912)** (Gelechiidae) **Synonym(s):** *helicaula* Meyrick,1912
Range (in code): **ZA Kim**
- 36922. *Pyncostola hiberna* (Meyrick,1912)** (Gelechiidae) **Synonym(s):** *hiberna* Meyrick,1912
Range (in code): **ZA Nta Kzu Mf**
- 36923. *Pyncostola illuminata* (Meyrick,1913)** (Gelechiidae) **Synonym(s):** *illuminata* Meyrick,1913
Range (in code): **ZA Mpu Brb Tst Dmm Wo Tva Lpo Gau Pre**
- 36924. *Pyncostola invida* (Meyrick,1911)** (Gelechiidae) **Synonym(s):** *invida* Meyrick,1911
Range (in code): **ZA Ngg Tra**
- 36925. *Pyncostola iospila* (Meyrick,1909)** (Gelechiidae) **Synonym(s):** *iospila* Meyrick,1909
Range (in code): **NA ZA Gau Pre Tva Lpo Spb Kim Abc**
- 36926. *Pyncostola lacteata* Janse,1950** (Gelechiidae) **Synonym(s):** *lacteata* Janse,1950 - **Range (in code):** **ZA**
- 36927. *Pyncostola magnanima* (Meyrick,1912)** (Gelechiidae) **Synonym(s):** *magnanima* Meyrick,1912 - **Range (in code):** **ZA Fs Sfe**
- 36928. *Pyncostola melanatracta* (Meyrick,1910)** (Gelechiidae) **Synonym(s):** *melanatracta* Meyrick,1910 - **Range (in code):** **ZA Gau Pre Pie Tva Lpo Mdd ZW Bul Hae Mdt Rtb**
- 36929. *Pyncostola merista* Meyrick,1918** (Gelechiidae) **Synonym(s):** *merista* Meyrick,1918
Range (in code): **ZA Tva Gau Pre Ec Ste**
- 36930. *Pyncostola monophanes* Janse,1960** (Gelechiidae) **Synonym(s):** *monophanes* Janse,1960
Range (in code): **ZA**
- 36931. *Pyncostola nigrinotata* Janse,1950** (Gelechiidae) **Synonym(s):** *nigrinotata* Janse,1950
Range (in code): **ZA Tva Mpu ZA14**
- 36932. *Pyncostola ochraula* Meyrick,1918** (Gelechiidae) **Synonym(s):** *ochraula* Meyrick,1918
Range (in code): **ZA Tva Gau Pre**
- 36933. *Pyncostola oeconomica* Meyrick,1920** (Gelechiidae) **Synonym(s):** *oeconomica* Meyrick,1920 - **Range (in code):** **ZA Nta Kzu Umk Mat Wca**
- 36934. *Pyncostola operosa* (Meyrick,1909)** (Gelechiidae) **Synonym(s):** *operosa* Meyrick,1909
Range (in code): **ZA Tva Gau Pre Kkf Esw Nta Kzu Nkw Mlm**
- 36935. *Pyncostola pachyacma* Meyrick,1926** (Gelechiidae) **Synonym(s):** *pachyacma* Meyrick,1926
Range (in code): **ZA**
- 36936. *Pyncostola pammacha* Meyrick,1913** (Gelechiidae) **Synonym(s):** *pammacha* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Gau Pre Ptb Nta Kzu Srn Nha Umk Umt Esw Nel**
- 36937. *Pyncostola pentacentra* (Meyrick,1912)** (Gelechiidae) **Synonym(s):** *pentacentra* Meyrick,1912 - **Range (in code):** **ZA Dmm Mf Nta Kzu**

- 36938. *Pyncostola perlustrata* Meyrick, 1920** (Gelechiidae) Synonym(s): *perlustrata* Meyrick, 1920. Range (in code): ZA Wca
- 36939. *Pyncostola powelli* Janse, 1950** (Gelechiidae) Synonym(s): *powelli* Janse, 1950. Range (in code): ZA Tva Los
- 36940. *Pyncostola semnochroa* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *semnochroa* Meyrick, 1913. Range (in code): ZA Tva Mpu Tst Drb Isp Nta Kzu
- 36941. *Pyncostola suffusella* (Walsingham, 1891)** (Gelechiidae) Synonym(s): *suffusella* Walsingham, 1891. Range (in code): ZA Tva Mpu Tst Kkf Srn Dmm Esw Umk Stj Ec Grh Cto Wca Nta Kzu
- 36942. *Pyncostola tanylopha* Janse, 1960** (Gelechiidae) Synonym(s): *tanylopha* Janse, 1960. Range (in code): ZA
- 36943. *Pyncostola variegata* Janse, 1950** (Gelechiidae) Synonym(s): *variegata* Janse, 1950. Range (in code): ZA Cto Wca
- 36944. *Pyncostola veronica* Janse, 1950** (Gelechiidae) Synonym(s): *veronica* Janse, 1950. Range (in code): ZA Mhk Wo Tva Lpo ZA14 Dmm Nta Kzu
- 36945. *Pyncostola xanthomacula* Janse, 1963** (Gelechiidae) Synonym(s): *xanthomacula* Janse, 1963. Range (in code): ZA
- 36946. *Radionerva collecta* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *collecta* Meyrick, 1921. Range (in code): ZW Swm NA ZA Abc Buf Abc Pot Tva Lpo
- 36947. *Recurvaria costimaculella* Huemer & Karsholt, 2001** (Gelechiidae) Synonym(s): *costimaculella* Huemer & Karsholt, 2001. Range (in code): Si
- 36948. *Recurvaria leucatella* (Linnaeus, 1761)** (Gelechiidae) Synonym(s): *#leucatella* Clerck, 1759; *leucatella* Linnaeus, 1761; *leucatea* Haworth, 1828. Original Reference: *Phalaena leucatella* Linnaeus, 1761, *Fauna Suecica*: 369. Range (in code): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Cc MD UA BY LB Bsa Bionomy: Larva on *Amelanchier ovalis*, *Crataegus monogyna*, *C. laevigata*, *Malus domestica*, *M. pumila*, *M. sylvestris*, *Prunus domestica*, *P. spinosa*, *P. triloba*, *Pyrus communis*, *Sorbus aucuparia*, *S. torminalis* (Rosaceae), ?*Betula*, ?*Acer*, ?*Fraxinus* (Huemer, 1988).
- 36949. *Recurvaria nanella* ([Denis & Schiffermüller], 1775)** (Gelechiidae) Synonym(s): *nanella* [Denis & Schiffermüller], 1775; *pumilella* [Denis & Schiffermüller], 1775; *nana* Haworth, 1828; *crataegella* Busck, 1903; *unicolor* Rebel, 1927. Original Reference: *Tinea nanella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 141. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa Bmm DK SE LV LT RU Ur Cc Sb KG MD UA BY US CA Bionomy: Larva on *Betula* (Betulaceae), *Corylus* (Fagaceae), *Amelanchier ovalis*, *Chaenomeles*, *Cotoneaster*, *Crataegus monogyna*, *C. laevigata*, *Cydonia*, *Malus*, *Prunus armeniaca*, *P. avium*, *P. cerasus*, *P. domestica*, *P. mahaleb*, *P. persica*, *P. spinosa*, *P. triloba*, *Pyrus communis*, *Sorbus* (Rosaceae) (Huemer, 1988; Huemer & Karsholt, 1999).
- 36950. *Recurvaria thomeriella* (Chrétien, 1901)** (Gelechiidae) Synonym(s): *thomeriella* Chrétien, 1901. Range (in code): ES FR Bionomy: Larva on *Prunus spinosa* (Chrétien, 1901).
- 36951. *Rotundivalva blanda* Janse, 1951** (Gelechiidae) Synonym(s): *blanda* Janse, 1951. Range (in code): NA ZA Tva Gau Pre Abc
- 36952. *Sattleria angustispina* Pitkin & Sattler, 1991** (Gelechiidae) Synonym(s): *angustispina* Pitkin & Sattler, 1991. Range (in code): FR
- 36953. *Sattleria arcuata* Pitkin & Sattler, 1991** (Gelechiidae) Synonym(s): *arcuata* Pitkin & Sattler, 1991. Range (in code): ES FR
- 36954. *Sattleria basistrigella* Huemer, 1997** (Gelechiidae) Synonym(s): *#basistrigella* Müller-Rutz, 1934; *#basistrigella* Pitkin & Sattler, 1991; *basistrigella* Huemer, 1997. Original Reference: *Sattleria triglavica* ssp. *basistrigella* Huemer, 1997, *Mitt. schweiz. ent. Ges.* 70: 286-287, figs. Holotype ♂: "Wallis Staudg 1872" (TLFI). Range (in code): FR IT CH YU
- 36955. *Sattleria breviramis* Pitkin & Sattler, 1991** (Gelechiidae) Synonym(s): *breviramis* Pitkin & Sattler, 1991. Range (in code): FR
- 36956. *Sattleria cottiella* Huemer & Hebert, 2011** (Gelechiidae) Synonym(s): *cottiella* Huemer & Hebert, 2011. Range (in code): IT
- 36957. *Sattleria dinarica* Huemer, 2014** (Gelechiidae) Synonym(s): *dinarica* Huemer, 2014. Range (in code): YU Mt
- 36958. *Sattleria dolomitica* Huemer, 2014** (Gelechiidae) Synonym(s): *dolomitica* Huemer, 2014. Range (in code): IT

- 36959. Sattleria dzieduszyckii (Nowicki,1864)** (Gelechiidae) Synonym(s): *dzieduszyckii* Nowicki,1864; *tatrica* Gregor & Povolny,1955 _ Range (in code): PL SK RO
- 36960. Sattleria graiaeella Huemer & Hebert,2011** (Gelechiidae) Synonym(s): *graeaeella* Huemer & Hebert,2011 _ Range (in code): FR IT
- 36961. Sattleria haemusi Huemer,2014** (Gelechiidae) Synonym(s): *haemusi* Huemer,2014 Range (in code): BG Rl MK Ttv Shp
- 36962. Sattleria izoardi Huemer & Sattler,1992** (Gelechiidae) Synonym(s): *izoardi* Huemer & Sattler,1992 _ Range (in code): FR IT
- 36963. Sattleria karsholti Huemer & Hebert,2011** (Gelechiidae) Synonym(s): *karsholti* Huemer & Hebert,2011 _ Range (in code): IT
- 36964. Sattleria marguareisi Huemer & Sattler,1992** (Gelechiidae) Synonym(s): *marguareisi* Huemer & Sattler,1992 _ Range (in code): FR
- 36965. Sattleria melaleucella (Constant,1865)** (Gelechiidae) Synonym(s): *melaleucella* Constant,1865; *#mariae* Frey,1867; *fusca* Burmann,1954 _ Range (in code): FR IT CH AT
- 36966. Sattleria pyrenaica (Petry,1904)** (Gelechiidae) Synonym(s): *pyrenaica* Petry,1904 Range (in code): ES FR
- 36967. Sattleria sophiae Timossi,2014** (Gelechiidae) Synonym(s): *sophiae* Timossi,2014 Range (in code): IT
- 36968. Sattleria styriaca Pitkin & Sattler,1991** (Gelechiidae) Synonym(s): *styriaca* Pitkin & Sattler,1991 _ Range (in code): AT
- 36969. Sattleria triglavica Povolny,1987** (Gelechiidae) Synonym(s): *triglavica* Povolny,1987 Range (in code): SS Tgv
- 36970. Schematistis analoxa Meyrick,1911** (Gelechiidae) Synonym(s): *analoxa* Meyrick,1911 Range (in code): ZA Tva Lpo Wo
- 36971. Schistophila laurocistella Chrétien,1899** (Gelechiidae) Synonym(s): *laurocistella* Chrétien,1899 _ Range (in code): PT ES FR
- 36972. Schizovalva trachyptera Janse,1960** (Gelechiidae) Synonym(s): *trachyptera* Janse,1960 Range (in code): ZA
- 36973. Schizovalva ablepta Janse,1951** (Gelechiidae) Synonym(s): *ablepta* Janse,1951 _ Range (in code): ZA
- 36974. Schizovalva adelosema Janse,1960** (Gelechiidae) Synonym(s): *adelosema* Janse,1960 Range (in code): ZA
- 36975. Schizovalva alaopis (Meyrick,1921)** (Gelechiidae) Synonym(s): *alaopis* Meyrick,1921 Range (in code): ZA Nta Kzu Klk
- 36976. Schizovalva anisofascia Janse,1960** (Gelechiidae) Synonym(s): *anisofascia* Janse,1960 Range (in code): ZA
- 36977. Schizovalva bistrigata Janse,1951** (Gelechiidae) Synonym(s): *bistrigata* Janse,1951 Range (in code): ZA Nca Vrp
- 36978. Schizovalva brunneotincta Janse,1951** (Gelechiidae) Synonym(s): *brunneotincta* Janse,1951 _ Range (in code): ZA Vrd
- 36979. Schizovalva brunneovesta Janse,1960** (Gelechiidae) Synonym(s): *brunneovesta* Janse,1960 _ Range (in code): ZA
- 36980. Schizovalva catharodes (Meyrick,1920)** (Gelechiidae) Synonym(s): *catharodes* Meyrick,1920 _ Range (in code): ZA Ec Tlb Wth
- 36981. Schizovalva celidota Janse,1960** (Gelechiidae) Synonym(s): *celidota* Janse,1960 Range (in code): ZA
- 36982. Schizovalva cyrtogramma Janse,1960** (Gelechiidae) Synonym(s): *cyrtogramma* Janse,1960 _ Range (in code): ZA
- 36983. Schizovalva ebenostriga Janse,1960** (Gelechiidae) Synonym(s): *ebenostriga* Janse,1960 Range (in code): ZA
- 36984. Schizovalva epicentra (Meyrick,1909)** (Gelechiidae) Synonym(s): *epicentra* Meyrick,1909; *dryadopis* Meyrick,1926 _ Range (in code): ZA Ec Ron Klk
- 36985. Schizovalva episema Janse,1960** (Gelechiidae) Synonym(s): *episema* Janse,1960 Range (in code): ZA
- 36986. Schizovalva exsulata (Meyrick,1918)** (Gelechiidae) Synonym(s): *exsulata* Meyrick,1918 Range (in code): MZ ZA Nta Kzu Esw Mag Gau Pre Sdr Tva Lpo Nbs

- 36987. Schizovalva guillarmodi Janse,1960** (Gelechiidae) Synonym(s): *guillarmodi Janse,1960*
Range (in code): **ZA**
- 36988. Schizovalva hyperythra (Meyrick,1921)** (Gelechiidae) Synonym(s): *hyperythra Meyrick,1921*
Range (in code): **ZA Tva Gau Pre**
- 36989. Schizovalva isochorda (Meyrick,1921)** (Gelechiidae) Synonym(s): *isochorda Meyrick,1921*
Range (in code): **ZA Tva Gau Pre**
- 36990. Schizovalva isophanes Janse,1960** (Gelechiidae) Synonym(s): *isophanes Janse,1960*
Range (in code): **ZA**
- 36991. Schizovalva leptochroa Janse,1960** (Gelechiidae) Synonym(s): *leptochroa Janse,1960*
Range (in code): **ZA**
- 36992. Schizovalva leucogrisea Janse,1951** (Gelechiidae) Synonym(s): *leucogrisea Janse,1951*
Range (in code): **ZA Nca Vrp**
- 36993. Schizovalva matutina (Meyrick,1913)** (Gelechiidae) Synonym(s): *matutina Meyrick,1913*
Range (in code): **ZA Tva Mpu Wv Gau Pre**
- 36994. Schizovalva mesacta (Meyrick,1909)** (Gelechiidae) Synonym(s): *mesacta Meyrick,1909*
Range (in code): **ZA Tva Gau Pre**
- 36995. Schizovalva naufraga (Meyrick,1911)** (Gelechiidae) Synonym(s): *naufraga Meyrick,1911*
Range (in code): **ZA Tva Lpo Mdt**
- 36996. Schizovalva nigrifasciata Janse,1951** (Gelechiidae) Synonym(s): *nigrifasciata Janse,1951*
Range (in code): **ZA Bfo Nca Sbf**
- 36997. Schizovalva nigrosema Janse,1960** (Gelechiidae) Synonym(s): *nigrosema Janse,1960*
Range (in code): **ZA**
- 36998. Schizovalva nubila Janse,1960** (Gelechiidae) Synonym(s): *nubila Janse,1960*
Range (in code): **ZA**
- 36999. Schizovalva ochnias (Meyrick,1913)** (Gelechiidae) Synonym(s): *ochnias Meyrick,1913*
Range (in code): **ZA Tva Mdd Gau Pre Nta Kzu Pel Don**
- 37000. Schizovalva ochrotincta Janse,1951** (Gelechiidae) Synonym(s): *ochrotincta Janse,1951*
Range (in code): **ZA Nca Sbf**
- 37001. Schizovalva ophitis (Meyrick,1913)** (Gelechiidae) Synonym(s): *ophitis Meyrick,1913*
Range (in code): **ZA Wca Uih**
- 37002. Schizovalva perirrorata Janse,1951** (Gelechiidae) Synonym(s): *perirrorata Janse,1951*
Range (in code): **ZA Vrp Nca**
- 37003. Schizovalva peronectis (Meyrick,1909)** (Gelechiidae) Synonym(s): *peronectis Meyrick,1909*
Range (in code): **MZ ZA Tva Lpo Spb Mag Elo Nta Kzu Res**
- 37004. Schizovalva polygramma (Meyrick,1914)** (Gelechiidae) Synonym(s): *polygramma Meyrick,1914*
Range (in code): **ZA Nta Kzu Srn Ec Umt Nbs Tva Lpo ZW Bul**
- 37005. Schizovalva prioleuca (Meyrick,1911)** (Gelechiidae) Synonym(s): *prioleuca Meyrick,1911*
Range (in code): **ZA Tva Lpo Wo**
- 37006. Schizovalva rhodochra (Meyrick,1913)** (Gelechiidae) Synonym(s): *rhodochra Meyrick,1913*
Range (in code): **ZA Mpu Brb Wv Tva Lpo Wo Gau Pre Jh Lds Ptw Umt Nta Kzu**
- 37007. Schizovalva rubigitincta Janse,1951** (Gelechiidae) Synonym(s): *rubigitincta Janse,1951*
Range (in code): **ZA Wca Cto**
- 37008. Schizovalva sarcographa (Meyrick,1917)** (Gelechiidae) Synonym(s): *sarcographa Meyrick,1917*
Range (in code): **ZA Ec Dun Res**
- 37009. Schizovalva sphenopis (Meyrick,1921)** (Gelechiidae) Synonym(s): *sphenopis Meyrick,1921*
Range (in code): **ZW Swm**
- 37010. Schizovalva stasiarcha (Meyrick,1913)** (Gelechiidae) Synonym(s): *stasiarcha Meyrick,1913*
Range (in code): **ZA Tva Mpu Brb**
- 37011. Schizovalva trachypalpella Janse,1960** (Gelechiidae) Synonym(s): *trachypalpella Janse,1960*
Range (in code): **ZA**
- 37012. Schizovalva triplacopis (Meyrick,1912)** (Gelechiidae) Synonym(s): *triplacopis Meyrick,1912*
Range (in code): **ZA Ec Tlb Mat Abh**
- 37013. Schizovalva trisignis (Meyrick,1908)** (Gelechiidae) Synonym(s): *trisignis Meyrick,1908*
Range (in code): **ZA Gau Pre Tva Lpo Nta Kzu Ec Wca ZW**
- 37014. Schizovalva unitincta Janse,1960** (Gelechiidae) Synonym(s): *unitincta Janse,1960*
Range (in code): **ZA**

- 37015. Schizovalva xerochroa Janse,1951** (Gelechiidae) Synonym(s): *xerochroa Janse,1951*
Range (in code): **ZA Wca Cto**
- 37016. Schizovalva xyloincta Janse,1951** (Gelechiidae) Synonym(s): *xyloincta Janse,1951*
Range (in code): **ZA Tva Wca Cto Mpu ZA14**
- 37017. Schneidereria pistacicola (Danilevsky,1955)** (Gelechiidae) Synonym(s): *pistacicola Danilevsky,1955* Original Reference: *Recurvaria pistaciicola Danilevsky,1955, Ent. Obozr. 34: 111, figs. Syntypes ♂♀: [Turkmenistan]: Kushka (ZIANP). Range (in code): TM UZ TJ KK IQ IR?*
Bionomy: Larva on Pistacia vera (Danilevsky,1955).
- 37018. Schneidereria pistaciella Weber,1957** (Gelechiidae) Synonym(s): *pistaciella Weber,1957*
Original Reference: *Schneidereria pistaciella Weber,1957, Mitt. schweiz. Ent. Ges. 30: 68. Holotype ♀: Syria: Ain et Tine, ca 40km NE of Damascus, larva on Pistacia vera (ETH,Zürich). Range (in code): SY IQ IR UA Cm GR Chi CY Bionomy: Larva on Pistacia vera (Weber,1957).*
- 37019. Sclerocecis pulverosella Chrétien,1908** (Gelechiidae) Synonym(s): *pulverosella Chrétien,1908* Original Reference: *Sclerocecis pulverosella Chrétien,1908, Bull. Soc. ent. Fr. 1908: 142-143, figs.1-4. Type: Algérie, Biskra. Range (in code): DZ Bsk Bionomy: Larva on Limoniastrum guyonanum (Chrétien,1908).*
- 37020. Scrobipalpa (Ergasiola) ergasima (Meyrick,1916)** (Gelechiidae) Synonym(s): *ergasima Meyrick,1916; intestina Meyrick,1921; mignatella Caradja,1920; mirabilis Gregor & Povolny,1955; perdava Clarke,1962* Range (in code): DZ Cn ES FR Co Sa Si GR TR IQ SA PK IN Ben Pus MM ID JP ZA Tva Gau Pre Bionomy: Larva on Hyoscyamus albus, Solanum nigrum, S.melongena (Huemer & Karsholt,2010).
- 37021. Scrobipalpa (Ilseopsis) acuminatella (Sircom,1850)** (Gelechiidae) Synonym(s): *acuminatella Sircom,1850; pulliginella Sircom,1850; cirsella Stainton,1851; porcella Heinemann,1870; ingloriella Heinemann,1870; gracilella Stainton,1871* Original Reference: *Gelechia acuminatella Sircom,1850, Zoolog. App.: 72. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY KG IR AF CN Ahw CA On Qb Bionomy: Larva on Cirsium, Centaurea jacea, C. pseudophrygia (Povolny,1967).*
- 37022. Scrobipalpa (Ilseopsis) algeriensis Povolny & Bradley,1965** (Gelechiidae) Synonym(s): *algeriensis Povolny & Bradley,1965* Original Reference: *Scrobipalpa algeriensis Povolny & Bradley,1965, Ann. Mag. nat. Hist. (13) 7: 553. Holotype: Algeria. Range (in code): MA TN DZ Hes ES CZ*
- 37023. Scrobipalpa (Ilseopsis) amseli Povolny,1966** (Gelechiidae) Synonym(s): *amseli Povolny,1966* Range (in code): FR
- 37024. Scrobipalpa (Ilseopsis) arenbergeri Povolny,1973** (Gelechiidae) Synonym(s): *arenbergeri Povolny,1973* Range (in code): AT HU SK HV UA RU Ur Or IT
- 37025. Scrobipalpa (Ilseopsis) argenteonigra Povolny,1972** (Gelechiidae) Synonym(s): *argenteonigra Povolny,1972* Range (in code): IR Th Gls
- 37026. Scrobipalpa (Ilseopsis) arogantella Povolny,1967** (Gelechiidae) Synonym(s): *arogantella Povolny,1967* Original Reference: *Scrobipalpa (Eusrobipalpa) arogantella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 213, figs. 7,8. Holotype ♂: NO.-Afghanistan: Khinch-e-Andarab, 3500-4000m leg. Ebert. Range (in code): AF*
- 37027. Scrobipalpa (Ilseopsis) artemisiella (Treitschke,1833)** (Gelechiidae) Synonym(s): *artemisiella Treitschke,1833; paniculatella Novickij,1924* Original Reference: *Lita artemisiella Treitschke,1833, Schmett. Eur. 9: 97. Range (in code): ES FR Co Sa Si IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR SY DK SE FI EE LV LT RU Ur Sb Cc MD UA BY KG Uk MN CN Ui KG Bionomy: Larva on Artemisia campestris, Thymus (Povolny,1967).*
- 37028. Scrobipalpa (Ilseopsis) artemisiella syriaca Povolny,1967** (Gelechiidae) Synonym(s): *syriaca Povolny,1967* Original Reference: *Scrobipalpa (Eusrobipalpa) artemisiella ssp. syriaca Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 214. Holotype ♂: Syria: 25km W. v. Damaskus. Range (in code): SY*
- 37029. Scrobipalpa (Ilseopsis) atriplicella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *atrella Thunberg,1788 nec [Den. & Schiff.],1775; atriplicella Fischer v. Röslerstamm,1841; deterrentella Clemens,1860 nec Z.,184; infumatella Fuchs,1901; brackenridgiella Busck,1903; chenopodiella Busck,1906; arogantella Povolny,1967; altajica Povolny,1969* Range (in code): PT ES FR Co Sa Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU At MD UA BY CN Hnn Mc IMn Jn Ts She Sz Ti Ui US Bionomy: Larva on Atriplex, Chenopodium (Fischer v. Röslerstamm, 1841; Povolny,1967).

- 37030. Scrobipalpa (Ilseopsis) bazae Povolny,1977** (Gelechiidae) Synonym(s): *bazae* Povolny,1977 _ Range (in code): **Cn ES FR**
- 37031. Scrobipalpa (Ilseopsis) bigoti Povolny,1973** (Gelechiidae) Synonym(s): *bigoti* Povolny,1973; *tunesica* Povolny,1979 [ssp.] _ Range (in code): **ES FR TN IT Si CY GR**
- 37032. Scrobipalpa (Ilseopsis) brahmiella (Heyden,1862)** (Gelechiidae) Synonym(s): *brahmiella* Heyden,1862 _ Original Reference: Gelechia brahmiella Heyden,1862, Stettin ent. Ztg. 23: 175. Range (in code): **FR BE DE AT CZ SK**
- 37033. Scrobipalpa (Ilseopsis) brandti Povolny,1972** (Gelechiidae) Synonym(s): *brandti* Povolny,1972 _ Range (in code): **IR Th**
- 37034. Scrobipalpa (Ilseopsis) bryophiloides Povolny,1966** (Gelechiidae) Synonym(s): *bryophiloides* Povolny,1966 _ Range (in code): **LV RU Ur MD UA BY TR FI MN CN IMn She Ui IR KG TM UZ** Bionomy: Larva on Suaeda confusa (Chenopodiaceae) (Falkovitsh & Bidzilya,2006).
- 37035. Scrobipalpa (Ilseopsis) chetitica Povolny,1974** (Gelechiidae) Synonym(s): *chetitica* Povolny,1974 _ Original Reference: Scrobipalpa (Eusrobipalpa) chetitica Povolny,1974, Acta ent. bohemoslov. 71(4): 246-248, figs. Holotype ♂: [Türkei]: [Ankara]: Tuzgölü N. Range (in code): **TR**
- 37036. Scrobipalpa (Ilseopsis) chrysanthemella (Hofmann,1867)** (Gelechiidae) Synonym(s): *chrysanthemella* Hofmann,1867 _ Range (in code): **IT DE CH AT CZ SK YU**
- 37037. Scrobipalpa (Ilseopsis) clintoni Povolny,1968** (Gelechiidae) Synonym(s): *clintoni* Povolny,1968; *linella* Piskunov,1975; *deleta* Povolny,1981 _ Range (in code): **GB DE DK NO SE EE LV RU Ur MD UA BY**
- 37038. Scrobipalpa (Ilseopsis) costella (Humphreys & Westwood,1845)** (Gelechiidae) Synonym(s): *costella* Humphreys & Westwood,1845 _ Range (in code): **FR IE GB NL AT CZ RO? DK**
- 37039. Scrobipalpa (Ilseopsis) dagmaris Povolny,1987** (Gelechiidae) Synonym(s): *dagmaris* Povolny,1987; *rezniki* Piskunov,1990; *turkmenica* Piskunov,1990 _ Range (in code): **IT UZ TM MN** Bionomy: Larva on Haloxylon persicum (Chenopodiaceae) (Falkovitsh & Bidzilya,2006).
- 37040. Scrobipalpa (Ilseopsis) deleta Povolny,1981** (Gelechiidae) Synonym(s): *deleta* Povolny,1981 _ Range (in code): **FR**
- 37041. Scrobipalpa (Ilseopsis) deluccae Povolny,1966** (Gelechiidae) Synonym(s): *deluccae* Povolny,1966; *#deluccae* Povolny,1996 _ Range (in code): **MT SY LB**
- 37042. Scrobipalpa (Ilseopsis) disjunctella (Staudinger,1859)** (Gelechiidae) Synonym(s): *disjunctella* Staudinger,1859; *tridentella* Chrétien,1917 _ Original Reference: Gelechia disjunctella Staudinger,1859, Stettin ent. Ztg. 20: 241. Lectotype ♂: Spanien: Granada (ZMB), designated by Povolny,1967. Range (in code): **DZ TN ES MK AL KK**
- 37043. Scrobipalpa (Ilseopsis) divisella (Rebel,1936)** (Gelechiidae) Synonym(s): *divisella* Rebel,1936 _ Original Reference: Lita divisella Rebel,1936, Mitt. münch. ent. Ges. 25: 74. Lectotype ♂: [Türkei]: Asia min.c., Akschehir, Tschiftlik (coll. Wagner) (NHMW), designated by Povolny,1967. Range (in code): **ES TR**
- 37044. Scrobipalpa (Ilseopsis) ebertiana Povolny,1967** (Gelechiidae) Synonym(s): *ebertiana* Povolny,1967 _ Original Reference: Scrobipalpa (Eusrobipalpa) ebertiana Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216, fig. 27. Holotype ♀: SW.-Afghanistan: Registan Wüste, Darweshan, 500m., leg. Ebert. Range (in code): **AF**
- 37045. Scrobipalpa (Ilseopsis) ephysteroides Povolny,1967** (Gelechiidae) Synonym(s): *ephysteroides* Povolny,1967 _ Original Reference: Scrobipalpa (Eusrobipalpa) ephysteroides Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 216-217, figs. 23,24. Holotype ♂: [Afghanistan]: Khurd-Kabul, leg. Kasy & Vartian. Range (in code): **AF**
- 37046. Scrobipalpa (Ilseopsis) eremica Povolny,1967** (Gelechiidae) Synonym(s): *eremica* Povolny,1967 _ Original Reference: Scrobipalpa (Eusrobipalpa) eremica Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 217, figs. 25,26. Holotype ♂: Iran: 70km N.v. Isfahan, 1700m, leg. Kasy & Vartian. Range (in code): **IR Es SY**
- 37047. Scrobipalpa (Ilseopsis) erichi Povolny,1964** (Gelechiidae) Synonym(s): *erichi* Povolny,1964 _ Range (in code): **AT SK HU RO MK TR RU IL Pa Jer CN IMn Ui IR MN** Bionomy: Larva on Lycium barbarum, Nicotiana tabacum, Solanum (Solanaceae) (Elsner et al.,1999).
- 37048. Scrobipalpa (Ilseopsis) feralella (Zeller,1872)** (Gelechiidae) Synonym(s): *feralella* Zeller,1872 _ Range (in code): **IT AT**
- 37049. Scrobipalpa (Ilseopsis) gallicella (Constant,1885)** (Gelechiidae) Synonym(s): *gallicella* Constant,1885 _ Range (in code): **ES FR IT HU**

- 37050. Scrobipalpa (Ilseopsis) gallincolella (Mann,1872)** (Gelechiidae) Synonym(s): *gallincolella* Mann,1872 Original Reference: Phthorimaea gallincolella Mann,1872, Verh. zool.-bot. Ges. Wien 22: 37. Type: Dalmatien. Range (in code): **MA DZ Kdr ES FR Sa Si IT YU TR**
- 37051. Scrobipalpa (Ilseopsis) gregori Povolny,1967** (Gelechiidae) Synonym(s): *gregori* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) gregori Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218, figs. 31,32. Holotype ♂: Afghanistan: Khurd-Kabul, 1900m, leg. Kasy & Vartian. Range (in code): **IT AF**
- 37052. Scrobipalpa (Ilseopsis) grisea Povolny,1969** (Gelechiidae) Synonym(s): *grisea* Povolny,1969 Range (in code): **RU Ur Tv No KR MN CN IMn**
- 37053. Scrobipalpa (Ilseopsis) halonella (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s): *halonella* Herrich-Schäffer,1854 Range (in code): **AT HU**
- 37054. Scrobipalpa (Ilseopsis) hannemanni Povolny,1966** (Gelechiidae) Synonym(s): *hannemanni* Povolny,1966 Range (in code): **YU**
- 37055. Scrobipalpa (Ilseopsis) heratella Povolny,1967** (Gelechiidae) Synonym(s): *heratella* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) heratella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 218-219, fig. 33. Holotype ♂: Afghanistan: Herat, 970m, leg. Amsel. Range (in code): **AF Hr EG JO IR Ss** Bionomy: Larva on Nitraria retusa ? (Povolny,1967).
- 37056. Scrobipalpa (Ilseopsis) hungariae (Staudinger,1871)** (Gelechiidae) Synonym(s): *hungariae* Staudinger,1871 Range (in code): **AT HU**
- 37057. Scrobipalpa (Ilseopsis) hyoscyamella (Stainton,1869)** (Gelechiidae) Synonym(s): *hyoscyamella* Stainton,1869 Range (in code): **PT ES FR** Bionomy: Larva on Hyoscyamus, Solanum dulcamara (Stainton,1869; Corley et al.,2007).
- 37058. Scrobipalpa (Ilseopsis) indignella (Staudinger,1879)** (Gelechiidae) Synonym(s): *indignella* Staudinger,1879; *hyocyamivora* Gerasimov,1930; *pseudobsoletum* Povolny & Gregor,1955; *grossa* Povolny,1966 Original Reference: Bryotropha indignella Staudinger,1879, Horae Soc. ent. ross. 15: 308-309. Syntypes 6 ex: [Türkei]: Amasia. Range (in code): **TR IR Ab Oru IL Pa RU IQ CN Ui AF TM SY AZ Cc UA**
- 37059. Scrobipalpa (Ilseopsis) instabilella (Douglas,1846)** (Gelechiidae) Synonym(s): *instabilella* Douglas,1846; *lagunella* Chrétien,1910; *strobilacella* Caradja,1920; *salsolella* Amsel,1933; *halymiphaga* Amsel,1952 Range (in code): **DZ PT ES FR Sa Si IT IE GB BE NL DE AT PL DK RU MD UA BY** Bionomy: Larva on Atriplex halimus, Lycium barbarum (Chenopodiaceae) (Huemer & Karsholt,2010).
- 37060. Scrobipalpa (Ilseopsis) karischi Povolny,1992** (Gelechiidae) Synonym(s): *karischi* Povolny,1992 Range (in code): **KG**
- 37061. Scrobipalpa (Ilseopsis) kasyi Povolny,1968** (Gelechiidae) Synonym(s): *kasyi* Povolny,1968 Range (in code): **MK GR BG**
- 37062. Scrobipalpa (Ilseopsis) kasyvartianella Povolny,1967** (Gelechiidae) Synonym(s): *kasyvartianella* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) kasyvartianella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 219-220, figs. 35,36. Holotype ♂: Nord-Iran: Berge östl. v. Semnan, leg. Kasy & Vartian. Range (in code): **IR Se**
- 37063. Scrobipalpa (Ilseopsis) klimeschi Povolny,1967** (Gelechiidae) Synonym(s): *klimeschi* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) klimeschi Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 220-221, figs. 37-39. Holotype ♂: [Austria]: Teriol sept., Innsbruck, leg. Burmann. Range (in code): **AT AF**
- 37064. Scrobipalpa (Ilseopsis) magnificella Povolny,1967** (Gelechiidae) Synonym(s): *magnificella* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) magnificella Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 221, figs. 42-45. Holotype ♂: Syria: Karjeten, NO.-Damaskus, leg. Kasy & Vartian. Range (in code): **SY IR Se CN Ui MN UA RU Ur UZ**
- 37065. Scrobipalpa (Ilseopsis) meyricki Povolny,1971** (Gelechiidae) Synonym(s): *meyricki* Povolny,1971 Range (in code): **DZ TN ES** Bionomy: Larva on Limonium vulgare (Huemer & Karsholt,2010).
- 37066. Scrobipalpa (Ilseopsis) monochromella (Constant,1895)** (Gelechiidae) Synonym(s): *monochromella* Constant,1895 Range (in code): **FR IT**
- 37067. Scrobipalpa (Ilseopsis) murinella (Duponchel,1843)** (Gelechiidae) Synonym(s): *murinella* Duponchel,1843; *excelsa* Frey,1880. Range (in code): **FR IT IE GB NL CH AT CZ SK HU RO NO SE FI LV LT** Bionomy: Larva on Antennaria dioica, Gnaphalium dioecum, G. supinum (Klimesch,1943; Mere, Bradley & Pelham-Clinton,1962).

- 37068. Scrobipalpa (Ilseopsis) nitentella (Fuchs,1902)** (Gelechiidae) Synonym(s): *nitentella* Fuchs,1902; *seminella* Pierce & Metcalfe,1935 _ Range (in code): **TN ES FR IE GB NL DE AT CZ SK HU RO DK NO SE FI EE LV RU Ur Sb MD UA BY TR MN AF CN Ts Ui KG No**
- 37069. Scrobipalpa (Ilseopsis) niveifacies Povolny,1977** (Gelechiidae) Synonym(s): *niveifacies* Povolny,1977; *milleri* Povolny,1977 _ Range (in code): **ES An Grn PT**
- 37070. Scrobipalpa (Ilseopsis) niveifacies Povolny,1977** (Gelechiidae) Synonym(s): *niveifacies* Povolny,1977 _ Range (in code): **ES**
- 37071. Scrobipalpa (Ilseopsis) obsoletella (Fischer v. Röslerstamm,1841)** (Gelechiidae) Synonym(s): *obsoletella* Fischer v. Röslerstamm,1841; *miscitella* Clarke,1932; *bipunctella* Hartig,1941; *calaritanella* Amsel,1951; *hospes* Povolny,1964 _ Range (in code): **ZA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AF DK NO SE FI EE LV LT RU Ur Sb Cc MN MD UA BY CN IMn Ui ZA US**
- 37072. Scrobipalpa (Ilseopsis) obsoletella hospes Povolny,1964** (Gelechiidae) Synonym(s): *hospes* Povolny,1964 _ Range (in code): **ZA**
- 37073. Scrobipalpa (Ilseopsis) ocellatella (Boyd,1858)** (Gelechiidae) Synonym(s): *ocellatella* Boyd,1858; *submissella* Stainton,1859; *horticolella* Rössler,1866. _ Range (in code): **DZ TN PT ES FR Co Sa Si IT MT IE GB BE DE CH AT CZ SK HU RO YU AL BG GR TR DK RU IR Th Elb Kdj Dam** Bionomy: Larva on Beta maritima (Chrétien,1917).
- 37074. Scrobipalpa (Ilseopsis) optima Povolny,1969** (Gelechiidae) Synonym(s): *optima* Povolny,1969 _ Range (in code): **IR Ss Gls Kh**
- 37075. Scrobipalpa (Ilseopsis) otregata Povolny,1972** (Gelechiidae) Synonym(s): *otregata* Povolny,1972 _ Range (in code): **IR Th Elb Kdj IL Jer Pa**
- 37076. Scrobipalpa (Ilseopsis) parvipulex (Walsingham,1911)** (Gelechiidae) Synonym(s): *parvipulex* Walsingham,1911 Original Reference: Lita parvipulex Walsingham,1911, Entomologist's mon. Mag. 47: 13-14. Holotype ♀: Algeria: El-Kantara; Hammam-es-Salahin, Biskra. Range (in code): **DZ Hes Bsk Ktr**
- 37077. Scrobipalpa (Ilseopsis) pauperella (Heinemann,1870)** (Gelechiidae) Synonym(s): *pauperella* Heinemann,1870; *klimeschi* Povolny,1967 _ Range (in code): **FR IT GB CH AT CZ SK HU FI LV RU AF CN Gn IMn**
- 37078. Scrobipalpa (Ilseopsis) perinoides Povolny,1967** (Gelechiidae) Synonym(s): *perinoides* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) perinoides Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 222, fig. 59. Holotype ♀: [Saudi Arabia]: Arabia centr., Riad, 700m, leg. E. Diehl. Range (in code): **SA SA63**
- 37079. Scrobipalpa (Ilseopsis) perinyi (Klimesch,1951)** (Gelechiidae) Synonym(s): *perinyi* Klimesch,1951 _ Range (in code): **IT MK YU** Bionomy: Larva on Centaurea scabiosa, Carduus (Povolny,1967).
- 37080. Scrobipalpa (Ilseopsis) phagnalella (Constant,1895)** (Gelechiidae) Synonym(s): *phagnalella* Constant,1895 _ Range (in code): **MA DZ TN Gf PT ES GR Cr FR Co Sa** Bionomy: Larva on Phagnalon saxatile, P.rupestre [Asteraceae] (Chrétien,1917).
- 37081. Scrobipalpa (Ilseopsis) proclivella (Fuchs,1886)** (Gelechiidae) Synonym(s): *proclivella* Fuchs,1886 _ Range (in code): **ES FR IT NL DE CH AT CZ SK HU RO GR DK LV**
- 37082. Scrobipalpa (Ilseopsis) pseudobsoletella (Gregor & Povolny,1955)** (Gelechiidae) Synonym(s): *pseudobsoletella* Gregor & Povolny,1955; *#pseudobsletella* Hacker,1999 _ Range (in code): **IL JO SA IQ IR**
- 37083. Scrobipalpa (Ilseopsis) pulchra Povolny,1967** (Gelechiidae) Synonym(s): *pulchra* Povolny,1967 Original Reference: Scrobipalpa (Eusrobipalpa) pulchra Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 223-224, figs. 64-68. Holotype ♀: Afghanistan: Bamian, leg. Kasy & Vartian. Range (in code): **TR SY IR Th Elb AF Bm IL Pa MN LT RU Ur UA MN CN Ui**
- 37084. Scrobipalpa (Ilseopsis) rebeli (Preissecker,1914)** (Gelechiidae) Synonym(s): *rebeli* Preissecker,1914 _ Range (in code): **IT AT**
- 37085. Scrobipalpa (Ilseopsis) rebeliella (Hauder,1917)** (Gelechiidae) Synonym(s): *rebeliella* Hauder,1917 _ Range (in code): **AT**
- 37086. Scrobipalpa (Ilseopsis) reiprichi Povolny,1984** (Gelechiidae) Synonym(s): *reiprichi* Povolny,1984 _ Range (in code): **SK NO**
- 37087. Scrobipalpa (Ilseopsis) remota Povolny,1972** (Gelechiidae) Synonym(s): *remota* Povolny,1972 _ Range (in code): **DZ ES TR JO IL Jer Pa IR Th**

- 37088. Scrobipalpa (Ilseopsis) salinella (Zeller,1847)** (Gelechiidae) Synonym(s): *salinella* Zeller,1847 _ Range (in code): **PT ES FR Co Sa Si IT GB BE NL DE AT PL CZ HU RO AL BG GR DK SE FI LV RU MD UA BY IR Mz**
- 37089. Scrobipalpa (Ilseopsis) samadensis (Pfaffenzeller,1870)** (Gelechiidae) Synonym(s): *samadensis* Pfaffenzeller,1870; *plantaginella* Stainton,1883; *brunhildae* Schawerda,1921; *mariae* Zimmermann,1926; *testacella* Rebel,1935; *echo* Meyrick,1937 _ Range (in code): **ES FR IT IS IE GB BE NL DE CH AT CZ SK HU YU DK NO SE FI LV RU Ur MD UA BY TR GR** Bionomy: Larva on *Plantago maritima*, *P.coronopus*, *P.lanceolata* (Plantaginaceae) (Stainton,1883; Jansen,1991).
- 37090. Scrobipalpa (Ilseopsis) scrobipalpulina Povolny,1967** (Gelechiidae) Synonym(s): *scrobipalpulina* Povolny,1967 Original Reference: *Scrobipalpa* (Eusrobipalpa) *scrobipalpulina* Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 226-227, fig. 80. Holotype ♂: Nord-Iran: Berge östl. v. Semnan, leg.Kasy & Vartian. Range (in code): **IR Se**
- 37091. Scrobipalpa (Ilseopsis) selectella (Caradja,1920)** (Gelechiidae) Synonym(s): *selectella* Caradja,1920; *fraterna* Povolny,1969 _ Range (in code): **RU UA GR KG Uk MN TR SA TN CN Hph IMn Ui** Bionomy: Larva on *Halostachys belangeriana*, *Halocnemum strobilaceum* (Chenopodiaceae) (Huemer & Karsholt,2010).
- 37092. Scrobipalpa (Ilseopsis) semnani Povolny,1967** (Gelechiidae) Synonym(s): *semnani* Povolny,1967 Original Reference: *Scrobipalpa* (Eusrobipalpa) *semnani* Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 227, fig. 81. Holotype ♀: Nord-Iran: Berge östl. v. Semnan, leg.Kasy & Vartian. Range (in code): **IR Se**
- 37093. Scrobipalpa (Ilseopsis) smithi Povolny & Bradley,1965** (Gelechiidae) Synonym(s): *smithi* Povolny & Bradley,1965 Original Reference: *Scrobipalpa* *smithi* Povolny & Bradley,1965, Ann. Mag. nat. Hist. (13) 7: 555. Range (in code): **DZ ES TR SY LB CN Ui MN UA**
- 37094. Scrobipalpa (Ilseopsis) soffneri Povolny,1964** (Gelechiidae) Synonym(s): *soffneri* Povolny,1964 _ Range (in code): **BG TM Rpt RU Ur Or**
- 37095. Scrobipalpa (Ilseopsis) stangei (Hering,1889)** (Gelechiidae) Synonym(s): *stangei* Hering,1889 _ Range (in code): **GB DE AT DK NO SE FI LV**
- 37096. Scrobipalpa (Ilseopsis) suaedella (Richardson,1893)** (Gelechiidae) Synonym(s): *suaedella* Richardson,1893; *flavidorsella* Amsel,1952; *hartigi* Povolny,1977 _ Range (in code): **PT ES FR Sa Co IT GB LY CY TR** Bionomy: Larva on *Suaeda vera*, *S.maritima* (Chenopodiaceae) (Richardson,1893).
- 37097. Scrobipalpa (Ilseopsis) suaedicola (Mabille,1906)** (Gelechiidae) Synonym(s): *suaedicola* Mabille,1906 _ Range (in code): **ES FR Sa YU**
- 37098. Scrobipalpa (Ilseopsis) suaedivorella (Chrétien,1915)** (Gelechiidae) Synonym(s): *suaedivorella* Chrétien,1915; *detersipunctella* Toll,1947. Original Reference: *Lita suaedivorella* Chrétien,1915, Anns Soc. ent. Fr. 84: 320-321. Syntypes: [Algeria]: "Biskra". Range (in code): **IR Th Elb Kz Mz Kh DZ Bsk TN RU TR** Bionomy: Larva on *Suaeda* [Amaranthaceae] (Chrétien,1915).
- 37099. Scrobipalpa (Ilseopsis) suasella (Constant,1895)** (Gelechiidae) Synonym(s): *suasella* Constant,1895 _ Range (in code): **FR**
- 37100. Scrobipalpa (Ilseopsis) substricta Povolny,1967** (Gelechiidae) Synonym(s): *substricta* Povolny,1967 Original Reference: *Scrobipalpa* (Eusrobipalpa) *substricta* Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 229-230, figs. 97,98. Holotype ♂: Iran: Derbend, 25km N. v. Teheran, 2000m, leg. Kasy & Vartian. Range (in code): **IR Th Elb Kdj Kh SY Dms**
- 37101. Scrobipalpa (Ilseopsis) superstes Povolny,1977** (Gelechiidae) Synonym(s): *superstes* Povolny,1977 _ Range (in code): **PT ES**
- 37102. Scrobipalpa (Ilseopsis) tineiformis Povolny,1967** (Gelechiidae) Synonym(s): *tineiformis* Povolny,1967 Original Reference: *Scrobipalpa* (Eusrobipalpa) *tineiformis* Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 230, fig. 99. Holotype ♀: Pakistan: Umgebung Flughafen v. Karachi, leg. E. & A.Vartian. Range (in code): **PK**
- 37103. Scrobipalpa (Ilseopsis) traganella (Chrétien,1915)** (Gelechiidae) Synonym(s): *traganella* Chrétien,1915 Original Reference: *Lita traganella* Chrétien,1915, Anns Soc. ent. Fr. 84: 321-322. Syntypes: [Tunisia]: "Gafsa", [Algeria]: "Biskra". Range (in code): **CV DZ Bsk MA TN Gf MT LY Cn PT ES FR IL Pa SY PK** Bionomy: Larva on *Echinops* *muricatus*, *Salsola vermiculata* *S. microphylla*, *Traganum nudatum* (Chrétien,1915).
- 37104. Scrobipalpa (Ilseopsis) trebujenae Povolny,1977** (Gelechiidae) Synonym(s): *trebujenae* Povolny,1977 _ Range (in code): **ES**

- 37105. Scrobipalpa (Ilseopsis) ustulatella (Staudinger,1871)** (Gelechiidae) Synonym(s): *ustulatella Staudinger,1871* _ Range (in code): **ES RU MD UA BY**
- 37106. Scrobipalpa (Ilseopsis) vartianorum Povolny,1968** (Gelechiidae) Synonym(s): *vartianorum Povolny,1968* _ Range (in code): **IR Se**
- 37107. Scrobipalpa (Ilseopsis) vasconiella (Rössler,1877)** (Gelechiidae) Synonym(s): *vasconiella Rössler,1877; drahomirae Povolny,1966* _ Original Reference: Lita vasconiella Rössler,1877, Stettin ent. Ztg. 38 (7-9): 377. Type: Spain, Bilbao. Range (in code): **Cn Md DZ PT ES Bq Bb FR Sa Si IT GR RU TR IR AF**
- 37108. Scrobipalpa (Ilseopsis) vladimiri Povolny,1966** (Gelechiidae) Synonym(s): *vladimiri Povolny,1966* _ Range (in code): **TR**
- 37109. Scrobipalpa (Ilseopsis) voltinella (Chrétien,1898)** (Gelechiidae) Synonym(s): *voltinella Chrétien,1898* _ Range (in code): **MA DZ ES FR IT HV UA YU TR**
- 37110. Scrobipalpa (Ilseopsis) voltinelloides Povolny,1967** (Gelechiidae) Synonym(s): *voltinelloides Povolny,1967* _ Original Reference: Scrobipalpa (Eusrobipalpa) voltinelloides Povolny,1967, Prirodov Pr. Cesk. Akad. Véd. (N.S.) 1: 231-232, figs. 111-113. Holotype ♂: [Israel]: Jericho, leg. Amsel. Range (in code): **IL Pa Jer**
- 37111. Scrobipalpa (Ilseopsis) wiltshirei Povolny,1966** (Gelechiidae) Synonym(s): *wiltshirei Povolny,1966* _ Range (in code): **PT ES IR Th Elb BH SA DZ Cn CY**
- 37112. Scrobipalpa (Ilseopsis) wiltshirei obrteliana Povolny,1971** (Gelechiidae) Synonym(s): *obrteliana Povolny,1971* _ Range (in code): **DZ Cn**
- 37113. Scrobipalpa (Ilseopsis) wiltshirei wiltshirei Povolny,1966** (Gelechiidae) Synonym(s): *wiltshirei Povolny,1966* _ Range (in code): **PT ES IR Th Elb BH SA**
- 37114. Scrobipalpa (Ilseopsis) zouhari Povolny,1984** (Gelechiidae) Synonym(s): *zouhari Povolny,1984* _ Range (in code): **CN Pkn**
- 37115. Scrobipalpa (s.str.) abai Povolny,1977** (Gelechiidae) Synonym(s): *abai Povolny,1977* _ Range (in code): **AF**
- 37116. Scrobipalpa (s.str.) albostrata Povolny,1977** (Gelechiidae) Synonym(s): *albostrata Povolny,1977* _ Range (in code): **IR Ab Oru**
- 37117. Scrobipalpa (s.str.) anatolica Povolny,1973** (Gelechiidae) Synonym(s): *anatolica Povolny,1973* _ Original Reference: Scrobipalpa anatolica Povolny,1973, Acta ent. bohemoslov. 70(2): 103-105, Abb. Holotype ♂: [Türkei]: [Konya]: Anatolien: Ereğli Salzsteppe. Range (in code): **TR**
- 37118. Scrobipalpa (s.str.) aptatella (Walker,1864)** (Gelechiidae) Synonym(s): *aptatella Walker,1864; heliopa Lower,1900* _ Range (in code): **FR IT YU TR IR Fa Shr AU ZA Nta Kzu Tva Lpo Ec IN LK ID Ja TH CN Ui** _ Bionomy: Larva on Nicotiana tabacum, N.rustica, Datura, Solanum dubium S.melongena, S.tuberosum (Solanaceae) (Janse,1951; Povolny,2002, et seq.).
- 37119. Scrobipalpa (s.str.) asiri Povolny,1980** (Gelechiidae) Synonym(s): *asiri Povolny,1980* _ Range (in code): **SA As**
- 37120. Scrobipalpa (s.str.) bahai Povolny,1977** (Gelechiidae) Synonym(s): *bahai Povolny,1977* _ Range (in code): **AF**
- 37121. Scrobipalpa (s.str.) bahrainica Povolny,1966** (Gelechiidae) Synonym(s): *bahrainica Povolny,1966* _ Range (in code): **BH**
- 37122. Scrobipalpa (s.str.) biljurshi Povolny,1980** (Gelechiidae) Synonym(s): *biljurshi Povolny,1980* _ Range (in code): **SA As**
- 37123. Scrobipalpa (s.str.) chersophila (Meyrick,1909)** (Gelechiidae) Synonym(s): *chersophila Meyrick,1909* _ Range (in code): **ZA**
- 37124. Scrobipalpa (s.str.) colasta (Meyrick,1921)** (Gelechiidae) Synonym(s): *colasta Meyrick,1921* _ Range (in code): **ZA Tva Gau Pre**
- 37125. Scrobipalpa (s.str.) concreta (Meyrick,1914)** (Gelechiidae) Synonym(s): *concreta Meyrick,1914* _ Range (in code): **ZA Tva Gau Pre Nta Kzu Ptw**
- 37126. Scrobipalpa (s.str.) costimacula Janse,1960** (Gelechiidae) Synonym(s): *costimacula Janse,1960* _ Range (in code): **ZA**
- 37127. Scrobipalpa (s.str.) cretigena (Meyrick,1914)** (Gelechiidae) Synonym(s): *cretigena Meyrick,1914* _ Range (in code): **ZA Tva Gau Pre**
- 37128. Scrobipalpa (s.str.) cryptica Povolny,1969** (Gelechiidae) Synonym(s): *cryptica Povolny,1969* _ Range (in code): **IR Th Elb**

- 37129. Scrobipalpa (s.str.) cultrata** Povolny,1971 (Gelechiidae) Synonym(s): *cultrata* Povolny,1971 _ Range (in code): DZ IR Th
- 37130. Scrobipalpa (s.str.) dispensata** (Meyrick,1921) (Gelechiidae) Synonym(s): *dispensata* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre MZ Blv
- 37131. Scrobipalpa (s.str.) filia** Povolny,1969 (Gelechiidae) Synonym(s): *filia* Povolny,1969 _ Range (in code): MN IR Th
- 37132. Scrobipalpa (s.str.) gecko** (Walsingham,1911) (Gelechiidae) Synonym(s): *gecko* Walsingham,1911 _ Original Reference: Lita gecko Walsingham,1911, Entomologist's mon. Mag. 47: 12-13. Syntypes 36♂♂: Algeria, Biskra, Hammam-es-Salahin (coll.Walsingham). Range (in code): DZ Bsk SA Hes Bsk TN GR _ Bionomy: Larva on Anabasis articulata (Chenopodiaceae) (Walsingham,1911).
- 37133. Scrobipalpa (s.str.) geomicta** (Meyrick,1918) (Gelechiidae) Synonym(s): *geomicta* Meyrick,1918 _ Range (in code): ZA Nha
- 37134. Scrobipalpa (s.str.) griseofusella** (Toll,1947) (Gelechiidae) Synonym(s): *griseofusella* Toll,1947 _ Range (in code): IR Kh
- 37135. Scrobipalpa (s.str.) halophila** Povolny,1973 (Gelechiidae) Synonym(s): *halophila* Povolny,1973 _ Original Reference: Scrobipalpa halophila Povolny,1973, Acat ent. bohemoslov. 70(2): 105-107, Abb. Holotype ♂: [Türkei]: [Ankara]: Anatolien: Tuzgölü N. Range (in code): TR
- 37136. Scrobipalpa (s.str.) halymella** (Millière,1864) [see Huemer & Karsholt,2010] (Gelechiidae) Synonym(s): *halymella* Millière,1864 _ Range (in code): DZ Bsk FR IT PT Cn Co MT MA TN IL Pa
- 37137. Scrobipalpa (s.str.) helmuti** Povolny,1977 (Gelechiidae) Synonym(s): *helmuti* Povolny,1977 _ Range (in code): IR Th Elb
- 37138. Scrobipalpa (s.str.) heretica** Povolny,1973 (Gelechiidae) Synonym(s): *heretica* Povolny,1973; *submagnificella* Povolny,1977 _ Original Reference: Scrobipalpa heretica Povolny,1973, Acta ent. bohemoslov. 70(2): 107-108, Abb. Holotype ♂: [Türkei]: [Ankara], Strasse Ankara-Kayseri, 1000m. Range (in code): TR IR Mak Ab RU Ur At KG ES AF CN Ui
- 37139. Scrobipalpa (s.str.) incola** (Meyrick,1912) (Gelechiidae) Synonym(s): *incola* Meyrick,1912; *bletrias* Meyrick,1913 _ Range (in code): ZA Mdd
- 37140. Scrobipalpa (s.str.) laisınca** Povolny,1976 (Gelechiidae) Synonym(s): *laisınca* Povolny,1976 _ Range (in code): IR
- 37141. Scrobipalpa (s.str.) lutea** Povolny,1977 (Gelechiidae) Synonym(s): *lutea* Povolny,1977 _ Range (in code): RU Ur Or TR
- 37142. Scrobipalpa (s.str.) meteorica** Povolny,1984 (Gelechiidae) Synonym(s): *meteorica* Povolny,1984 _ Original Reference: Scrobipalpa meteorica Povolny,1984, Nota lepid. 7(3): 268-270, figs. Holotype ♂: [Türkei]: Asia min. Anatolien: Tuz Gölü N. Ufer. Range (in code): TR
- 37143. Scrobipalpa (s.str.) nana** Povolny,1973 (Gelechiidae) Synonym(s): *nana* Povolny,1973 _ Original Reference: Scrobipalpa nana Povolny,1973, Acta ent. bohemoslov. 70(2): 108-111, Abb. Holotype ♂: [Türkei]: [Ankara]: Strasse Ankara-Kayseri, 1000m. Range (in code): TR IR Ab Mak
- 37144. Scrobipalpa (s.str.) nomias** (Meyrick,1921) (Gelechiidae) Synonym(s): *nomias* Meyrick,1921 _ Range (in code): ZA Nta Kzu Esw
- 37145. Scrobipalpa (s.str.) notata** (Povolny,2001) (Gelechiidae) Synonym(s): *notata* Povolny,2001 _ Range (in code): UA Cm RU Ur
- 37146. Scrobipalpa (s.str.) ocyphanes** (Meyrick,1937) (Gelechiidae) Synonym(s): *ocyphanes* Meyrick,1937 _ Range (in code): ZA
- 37147. Scrobipalpa (s.str.) omachella** (Oberthür,1888) (Gelechiidae) Synonym(s): *omachella* Oberthür,1888 _ Range (in code): DZ
- 37148. Scrobipalpa (s.str.) pendens** (Meyrick,1918) (Gelechiidae) Synonym(s): *pendens* Meyrick,1918 _ Range (in code): ZA Nta Kzu Mlm
- 37149. Scrobipalpa (s.str.) peterseni** Povolny,1965 (Gelechiidae) Synonym(s): *peterseni* Povolny,1965 _ Range (in code): DZ TN Si SA SA63
- 37150. Scrobipalpa (s.str.) phalacrodes** (Meyrick,1913) (Gelechiidae) Synonym(s): *phalacrodes* Meyrick,1913 _ Range (in code): ZA Tva Mpu Wv
- 37151. Scrobipalpa (s.str.) phelotris** (Meyrick,1909) (Gelechiidae) Synonym(s): *phelotris* Meyrick,1909 _ Range (in code): ZA
- 37152. Scrobipalpa (s.str.) portosanctana** (Stainton,1859) (Gelechiidae) Synonym(s): *portosanctana* Stainton,1859; *eremaula* Meyrick,1891; *lyciella* Walsingham,1900; *desertella* Rebel,1901;

bertramella D.Lucas,1940; *leroyella* D.Lucas,1950; *reisseri* Povolny & Gregor,1955; *philolycii* M.Hering,1957
Original Reference: *Gelechia portosanctana* Stainton,1859, Ann. Mag. nat. Hist. (3) 3: 212. Type: Porto Santo. Range (in code): **DZ Bsk FR Sa Md ES Co IT HV** Bionomy: Larva on *Lycium europaeum*, *L.barbarum* (Chrétien,1917; Huemer & Karsholt,2010).

- 37153. *Scrobipalpa* (s.str.) *richteri* Povolny,1968** (Gelechiidae) Synonym(s): *richteri* Povolny,1968 Range (in code): **DZ IR Ss**
- 37154. *Scrobipalpa* (s.str.) *richteri richteri* Povolny,1968** (Gelechiidae) Synonym(s): *richteri* Povolny,1968 Range (in code): **IR Ss**
- 37155. *Scrobipalpa* (s.str.) *richteri viettei* Povolny,1971** (Gelechiidae) Synonym(s): *viettei* Povolny,1971 Range (in code): **DZ**
- 37156. *Scrobipalpa* (s.str.) *sibila* (Meyrick,1921)** (Gelechiidae) Synonym(s): *sibila* Meyrick,1921 Range (in code): **Mag MZ Blv**
- 37157. *Scrobipalpa* (s.str.) *spumata* (Povolny,2001)** (Gelechiidae) Synonym(s): *spumata* Povolny,2001 Range (in code): **KR**
- 37158. *Scrobipalpa* (s.str.) *triloba* Janse,1960** (Gelechiidae) Synonym(s): *triloba* Janse,1960 Range (in code): **ZA**
- 37159. *Scrobipalpa* (s.str.) *trychnophylla* Janse,1960** (Gelechiidae) Synonym(s): *trychnophylla* Janse,1960 Range (in code): **ZA**
- 37160. *Scrobipalpa* (s.str.) *usingeri* Povolny,1969** (Gelechiidae) Synonym(s): *usingeri* Povolny,1969 Range (in code): **RU MN IL Pa SA**
- 37161. *Scrobipalpa* (s.str.) *vicaria* (Meyrick,1921)** (Gelechiidae) Synonym(s): *vicaria* Meyrick,1921; *tineiformis* Povolny,1967 Range (in code): **ES Cr Cn MT MA LY CY PK IR Fa ZA Gau Pre Tva Wo SA**
- 37162. *Scrobipalpa* (s.str.) *xylochroa* Janse,1963** (Gelechiidae) Synonym(s): *xylochroa* Janse,1963 Range (in code): **ZA**
- 37163. *Scrobipalpa* *abstrusa* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *abstrusa* Huemer & Karsholt,2010 Range (in code): **RU Ur Or**
- 37164. *Scrobipalpa* *acuta* (Povolny,2001)** (Gelechiidae) Synonym(s): *acuta* Povolny,2001 Range (in code): **UA RU Ur Or**
- 37165. *Scrobipalpa* *aganophthalma* (Meyrick,1931)** (Gelechiidae) Synonym(s): *aganophthalma* Meyrick,1931 Range (in code): **CN Ti**
- 37166. *Scrobipalpa* *albofusca* Povolny,1971** (Gelechiidae) Synonym(s): *albofusca* Povolny,1971 Range (in code): **DZ**
- 37167. *Scrobipalpa* *alterna* (Falkovitsh & Bidzilya,2006)** (Gelechiidae) Synonym(s): *alterna* Falkovitsh & Bidzilya,2006 Range (in code): **RU Ur Or KG**
- 37168. *Scrobipalpa* *artemisiella mongolensis* Povolny,1969** (Gelechiidae) Synonym(s): *mongolensis* Povolny,1969 Range (in code): **CN Ui KG**
- 37169. *Scrobipalpa* *audax* Povolny,1966** (Gelechiidae) Synonym(s): *audax* Povolny,1966 Range (in code): **DZ**
- 37170. *Scrobipalpa* *bidzilyai* (Povolny,2001)** (Gelechiidae) Synonym(s): *bidzilyai* Povolny,2001 Range (in code): **CN Hph RU Bry**
- 37171. *Scrobipalpa* *bifasciata* Povolny,1971** (Gelechiidae) Synonym(s): *bifasciata* Povolny,1971 Range (in code): **DZ**
- 37172. *Scrobipalpa* *biskrae* Povolny,1977** (Gelechiidae) Synonym(s): *biskrae* Povolny,1977 Range (in code): **DZ Bsk**
- 37173. *Scrobipalpa* *bradleyi* Povolny,1971** (Gelechiidae) Synonym(s): *bradleyi* Povolny,1971; *glaserorum* Povolny,1977 Range (in code): **DZ TN ES Si FR** Bionomy: Larva on *Arthrocnemum fruticosum* (Huemer & Karsholt,2010).
- 37174. *Scrobipalpa* *camphorosmella* Nel,1999** (Gelechiidae) Synonym(s): *camphorosmella* Nel,1999 Range (in code): **FR ES GR Cr IL Pa**
- 37175. *Scrobipalpa* *candicans* (Povolny,1996)** (Gelechiidae) Synonym(s): *candicans* Povolny,1996 Range (in code): **CN Ui KK KG**
- 37176. *Scrobipalpa* *caryocoloides* Povolny,1977** (Gelechiidae) Synonym(s): *caryocoloides* Povolny,1977 Range (in code): **CN She JP KP KR**
- 37177. *Scrobipalpa* *caucasica* (Povolny,2001)** (Gelechiidae) Synonym(s): *caucasica* Povolny,2001; *bezenzensis* Povolny,2001 Range (in code): **Cc RU**
- 37178. *Scrobipalpa* *chinensis* Povolny,1969** (Gelechiidae) Synonym(s): *chinensis* Povolny,1969 Range (in code): **CN Yu**

- 37179. *Scrobipalpa chitensis* (Povolny,2001)** (Gelechiidae) Synonym(s): *chitensis* Povolny,2001
Range (in code): **CN She RU**
- 37180. *Scrobipalpa coctans* Povolny,1969** (Gelechiidae) Synonym(s): *coctans* Povolny,1969
Range (in code): **CN She MN**
- 37181. *Scrobipalpa deutschii* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *deutschii* Huemer & Karsholt,2010
Range (in code): **DZ RU Ur**
- 37182. *Scrobipalpa distincta* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *distincta* Bidzilya & Li,2010
Range (in code): **CN Gn Hnn NHu**
- 37183. *Scrobipalpa divergens* (Povolny,2002)** (Gelechiidae) Synonym(s): *divergens* Povolny,2002
Range (in code): **CN Ui KI**
- 37184. *Scrobipalpa dorsoflava* (Povolny,1996)** (Gelechiidae) Synonym(s): *dorsoflava* Povolny,1996
Range (in code): **RU Ur Sb KK Ik**
- 37185. *Scrobipalpa erichiodes* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *erichiodes* Bidzilya & Li,2010
Range (in code): **CN Gn Hph Mc IMn She Ui Um NHu**
- 37186. *Scrobipalpa flavidinigra* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *flavidinigra* Bidzilya & Li,2010
Range (in code): **CN IMn NHu**
- 37187. *Scrobipalpa flavimaculata* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *flavimaculata* Bidzilya & Li,2010
Range (in code): **CN Ts**
- 37188. *Scrobipalpa flavinerva* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *flavinerva* Bidzilya & Li,2010
Range (in code): **CN IMn MN**
- 37189. *Scrobipalpa fusca* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *fusca* Bidzilya & Li,2010
Range (in code): **CN IMn Ui KG Aa TM UZ**
- 37190. *Scrobipalpa gobica* Povolny,1969** (Gelechiidae) Synonym(s): *gobica* Povolny,1969
Range (in code): **CN Ui MN**
- 37191. *Scrobipalpa gozmanyi* Povolny,1969** (Gelechiidae) Synonym(s): *gozmanyi* Povolny,1969
Range (in code): **CN IMn Ts Sz MN**
- 37192. *Scrobipalpa heimi* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *heimi* Huemer & Karsholt,2010
Range (in code): **RU Ur Or**
- 37193. *Scrobipalpa hendrikseni* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *hendrikseni* Huemer & Karsholt,2010
Range (in code): **GR**
- 37194. *Scrobipalpa hoenei* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *hoenei* Bidzilya & Li,2010
Range (in code): **CN Yu Lik**
- 37195. *Scrobipalpa hyoscyamivora* (Gerasimov,1940)** (Gelechiidae) Synonym(s): *hyoscyamivora* Gerasimov,1940
Range (in code): **RU Sb Sh Ce**
- 37196. *Scrobipalpa intima* (Povolny,2001)** (Gelechiidae) Synonym(s): *intima* Povolny,2001
Range (in code): **CN Hph RU**
- 37197. *Scrobipalpa japonica* Povolny,1977** (Gelechiidae) Synonym(s): *japonica* Povolny,1977
Range (in code): **CN She RU Tv JP UA**
- 37198. *Scrobipalpa jariorum* Huemer & Karsholt,2010** (Gelechiidae) Synonym(s): *jariorum* Huemer & Karsholt,2010
Range (in code): **BG**
- 37199. *Scrobipalpa karadaghi* (Povolny,2001)** (Gelechiidae) Synonym(s): *karadaghi* Povolny,2001
Range (in code): **UA Cm RU Ur Or**
- 37200. *Scrobipalpa kyrana* (Povolny,2001)** (Gelechiidae) Synonym(s): *kyrana* Povolny,2001
Range (in code): **CN Ui RU**
- 37201. *Scrobipalpa lagodes* (Meyrick,1926)** (Gelechiidae) Synonym(s): *lagodes* Meyrick,1926
Range (in code): **KG**
- 37202. *Scrobipalpa latiuncella* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *latiuncella* Bidzilya & Li,2010
Range (in code): **CN NHu**
- 37203. *Scrobipalpa maniaca* Povolny,1967** (Gelechiidae) Synonym(s): *maniaca* Povolny,1967
Range (in code): **CN Ui AF MN RU UZ TM**
- 37204. *Scrobipalpa mongolica* Povolny,1969** (Gelechiidae) Synonym(s): *mongolica* Povolny,1969
Range (in code): **CN IMn Ts Ui MN**
- 37205. *Scrobipalpa mongoloides* Povolny,1969** (Gelechiidae) Synonym(s): *mongoloides* Povolny,1969
Range (in code): **CN Gn Hph Hnn IMn Ts Ui MN KG KK PK UZ**
- 37206. *Scrobipalpa nigrigrisea* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *nigrigrisea* Bidzilya & Li,2010
Range (in code): **CN Ti**
- 37207. *Scrobipalpa nigripuncta* Bidzilya & Li,2010** (Gelechiidae) Synonym(s): *nigripuncta* Bidzilya & Li,2010
Range (in code): **CN Hnn**

- 37208. *Scrobipalpa nigrosparsa* Povolny, 1969** (Gelechiidae) **Synonym(s):** *nigrosparsa* Povolny, 1969 **Range (in code):** **CN IMn Ui MN**
- 37209. *Scrobipalpa occulta* (Povolny, 2002)** (Gelechiidae) **Synonym(s):** *occulta* Povolny, 2002; *sibirica* Bidzilya, 2009 **Range (in code):** **TR RU Sb At Sr Ur**
- 37210. *Scrobipalpa ochraceella* (Chrétien, 1915)** (Gelechiidae) **Synonym(s):** *ochraceellum* Chrétien, 1915 **Original Reference:** Lita ochraceella Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 320. **Syntypes:** [Algeria]: "Biskra", [Tunisia]: "Gafsa". **Range (in code):** **DZ Bsk TN Gf** **Bionomy:** Larva on *Echinops spinosus* [Asteraceae] (Chrétien, 1915).
- 37211. *Scrobipalpa ochrostigma* Bidzilya & Li, 2010** (Gelechiidae) **Synonym(s):** *ochrostigma* Bidzilya & Li, 2010 **Range (in code):** **CN Gn Ts**
- 37212. *Scrobipalpa paradoxa* Piskunov, 1990** (Gelechiidae) **Synonym(s):** *paradoxa* Piskunov, 1990 **Range (in code):** **CN Ui KG UZ**
- 37213. *Scrobipalpa parki* (Povolny, 1993)** (Gelechiidae) **Synonym(s):** *parki* Povolny, 1993 **Range (in code):** **CN Gn Hph NHu Ts She Ui KR**
- 37214. *Scrobipalpa perinii* (Klimesch, 1951)** (Gelechiidae) **Synonym(s):** *perinii* Klimesch, 1951 **IT MK GR FR**
- 37215. *Scrobipalpa plesiopicta* Povolny, 1969** (Gelechiidae) **Synonym(s):** *plesiopicta* Povolny, 1969 **Range (in code):** **RU Ur Or IR MN**
- 37216. *Scrobipalpa pseudolutea* Piskunov, 1990** (Gelechiidae) **Synonym(s):** *pseudolutea* Piskunov, 1990 **Range (in code):** **CN NHu MN**
- 37217. *Scrobipalpa punctata* (Povolny, 1996)** (Gelechiidae) **Synonym(s):** *punctata* Povolny, 1996 **RU Ur KK**
- 37218. *Scrobipalpa reiprichi* Povolny, 1984** (Gelechiidae) **Synonym(s):** *reiprichi* Povolny, 1984 **Range (in code):** **CN She RU Sh**
- 37219. *Scrobipalpa sattleri* Lvovsky & Piskunov, 1989** (Gelechiidae) **Synonym(s):** *sattleri* Lvovsky & Piskunov, 1989 **Range (in code):** **TM MN CN IMn**
- 37220. *Scrobipalpa sinica* Bidzilya & Li, 2010** (Gelechiidae) **Synonym(s):** *sinica* Bidzilya & Li, 2010 **Range (in code):** **CN IMn MN**
- 37221. *Scrobipalpa solitaria* Povolny, 1969** (Gelechiidae) **Synonym(s):** *solitaria* Povolny, 1969 **Range (in code):** **RU Ur Or UA CN Ui MN**
- 37222. *Scrobipalpa spumata* (Povolny, 2001)** (Gelechiidae) **Synonym(s):** *spumata* Povolny, 2001 **RU Ur Or Tv**
- 37223. *Scrobipalpa strictella* Bidzilya & Li, 2010** (Gelechiidae) **Synonym(s):** *strictella* Bidzilya & Li, 2010 **Range (in code):** **CN Hph**
- 37224. *Scrobipalpa tokari* Huemer & Karsholt, 2010** (Gelechiidae) **Synonym(s):** *tokari* Huemer & Karsholt, 2010 **Range (in code):** **HV**
- 37225. *Scrobipalpa vartianorum* Povolny, 1968** (Gelechiidae) **Synonym(s):** *vartianorum* Povolny, 1968 **Range (in code):** **CN Ui IR**
- 37226. *Scrobipalpa zouhari* Povolny, 1984** (Gelechiidae) **Synonym(s):** *zouhari* Povolny, 1984 **Range (in code):** **CN Pkn**
- 37227. *Scrobipalpopsis petasitis* (Pfaffenzeller, 1867)** (Gelechiidae) **Synonym(s):** *petasitis* Pfaffenzeller, 1867 **Range (in code):** **IT DE CH AT CZ NO SE FI**
- 37228. *Scrobipalpula psilella* (Herrich-Schäffer, [1854])** (Gelechiidae) **Synonym(s):** *psilella* Herrich-Schäffer, [1854]; *cacuminum* Frey, 1870. **Range (in code):** **ES FR Si? IT GB DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Th Elb Ab Mak Oru AF**
- 37229. *Scrobipalpula tussilaginina* (Frey, 1867)** (Gelechiidae) **Synonym(s):** *tussilaginina* Frey, 1867; *tussilaginella* Heinemann, 1870. **Range (in code):** **FR DE LV HU RO RU Sb BY KG Uk GR TR SE GB** **Bionomy:** Larva on *Tussilago farfara* (Asteraceae) (Stainton, 1867).
- 37230. *Sitotroga cerealella* (Olivier, 1789)** (Gelechiidae) **Synonym(s):** *cerealella* Olivier, 1789; *hordei* Kirby, 1815; *arctella* Walker, 1864; *melanartha* Lower, 1900; *palearis* Meyrick, 1913; *ochrescens* Meyrick, 1938 **Range (in code):** **PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LV LT RU MD UA BY ZA TH SA** **Bionomy:** Larva on *Agropyrum* (Schütze, 1931).
- 37231. *Sitotroga psacasta* (Meyrick, 1908)** (Gelechiidae) **Synonym(s):** *psacasta* Meyrick, 1908; *celyphodes* Meyrick, 1909; *nea* Walsingham, 1920 **Range (in code):** **FR Si GR ZA Tva Gau Pre**
- 37232. *Sitotroga pseudopsacasta* Ponomarenko & Park, 2007** (Gelechiidae) **Synonym(s):** *pseudopsacasta* Ponomarenko & Park, 2007 **Range (in code):** **KR**
- 37233. *Sophronia acaudella* Rebel, 1903** (Gelechiidae) **Synonym(s):** *acaudella* Rebel, 1903 **Range (in code):** **BG**

- 37234. *Sophronia alaicella* Caradja,1920** (Gelechiidae) Synonym(s): *alaicella* Caradja,1920
Range (in code): **KK**
- 37235. *Sophronia albomarginata* Li & Zhang,1998** (Gelechiidae) Synonym(s): *albomarginata* Li & Zhang,1998 - Range (in code): **CN**
- 37236. *Sophronia aquilex* Meyrick,1926** (Gelechiidae) Synonym(s): *aquilex* Meyrick,1926
Range (in code): **ZA**
- 37237. *Sophronia ascalis* Gozmany,1951** (Gelechiidae) Synonym(s): *ascalis* Gozmany,1951
Range (in code): **AT CZ SK HU YU**
- 37238. *Sophronia chilonella* (Treitschke,1833)** (Gelechiidae) Synonym(s): *chilonella* Treitschke,1833 - Range (in code): **ES FR IT DE AT PL CZ SK HU DK SE EE LV LT RU MD UA BY**
- 37239. *Sophronia consanguinella* Herrich-Schäffer,[1855]** (Gelechiidae) Synonym(s): *consanguinella* Herrich-Schäffer,[1855]; *marginella* Toll,1936 *nec marginella* Thunberg,1794 *non* Den. & Schiff.,1775 - Range (in code): **DZ DE AT CZ SK HU BG TR PL RU Ur**
- 37240. *Sophronia curonella* Standfuss,1884** (Gelechiidae) Synonym(s): *curonella* Standfuss,1884
Range (in code): **IT**
- 37241. *Sophronia finitimella* Rebel,1905** (Gelechiidae) Synonym(s): *finitimella* Rebel,1905
Range (in code): **TR**
- 37242. *Sophronia gelidella* Nordman,1941** (Gelechiidae) Synonym(s): *gelidella* Nordman,1941
Range (in code): **NO SE FI RU MD UA BY CA Yuk**
- 37243. *Sophronia grandii* Hering,1933** (Gelechiidae) Synonym(s): *grandii* Hering,1933
Range (in code): **ES IT**
- 37244. *Sophronia humerella* ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): *humerella* [Denis & Schiffermüller],1775 Original Reference: *Tinea humerella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU GR TR DK SE FI EE LV LT RU MD UA BY**
- 37245. *Sophronia illustrella* (Hübner,1796)** (Gelechiidae) Synonym(s): *illustrella* Hübner,1796
Range (in code): **IT AT CZ SK HU RO YU AL TR**
- 37246. *Sophronia mediatrix* Zeller,1877** (Gelechiidae) Synonym(s): *mediatrix* Zeller,1877
Range (in code):
- 37247. *Sophronia orientalis* Li & Zhang,1998** (Gelechiidae) Synonym(s): *orientalis* Li & Zhang,1998 - Range (in code): **CN**
- 37248. *Sophronia sagittans* Meyrick,1923** (Gelechiidae) Synonym(s): *sagittans* Meyrick,1923
Range (in code): **IL Hf Pa**
- 37249. *Sophronia santolinae* Staudinger,1863** (Gelechiidae) Synonym(s): *santolinae* Staudinger,1863 - Range (in code): **ES**
- 37250. *Sophronia semicostella* (Hübner,[1813])** (Gelechiidae) Synonym(s): *marginella* Thunberg,1794 *nec* Den. & Schiff.,1775; *semicostella* Hübner,[1813] - Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 37251. *Sophronia sicariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *sicariella* Zeller,1839
Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 37252. *Sophronia teretracma* Meyrick,1927** (Gelechiidae) Synonym(s): *teretracma* Meyrick,1927
Range (in code):
- 37253. *Spiniductellus atraphaxi* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *atraphaxi* Bidzilya & Karsholt,2008 - Range (in code): **TJ**
- 37254. *Spiniductellus desertus* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *desertus* Bidzilya & Karsholt,2008 - Range (in code): **UZ TM KG**
- 37255. *Spiniductellus flavonigrum* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *flavonigrum* Bidzilya & Karsholt,2008 - Range (in code): **KG**
- 37256. *Spiniphallellus desertus* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *desertus* Bidzilya & Karsholt,2008 - **UZ TM KG**
- 37257. *Spiniphallellus fuscescens* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *fuscescens* Bidzilya & Karsholt,2008 Original Reference: *Spiniphallellus fuscescens* Bidzilya & Karsholt,2008, Nota lepid. 31 (2): 208, figs. Holotype ♂: Ağrı Prov., 45km W Kağızman 1450m 24 vii 1989 leg. Fibiger & Esser (ZMUC). Range (in code): **TR**
- 37258. *Spiniphallellus stonisi* Bidzilya & Karsholt,2008** (Gelechiidae) Synonym(s): *stonisi* Bidzilya & Karsholt,2008 - Range (in code): **KG Tk**

- 37259. *Stegasta variana* Meyrick, 1904** (Gelechiidae) Synonym(s): *variana* Meyrick, 1904
Range (in code): **ZA TH MY ID Ja Bor BN PH FJ**
- 37260. *Stenolechia gemmella* (Linnaeus, 1758)** (Gelechiidae) Synonym(s): *gemmella* Linnaeus, 1758; *nivella* Fabricius, 1794; *nivea* Haworth, 1828; *lepidella* Zeller, 1839; *nigrovittella* Duponchel, [1839].
Original Reference: Phalaena Tinea gemmella Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 539. Type(s):
Habitat intra Quercus folia. Range (in code): **ES FR IT? GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Quercus robur, Q. pubescens (De Prins, 2000).
- 37261. *Stenolechia sagittella* Caradja, 1920** (Gelechiidae) Synonym(s): *sagittella* Caradja, 1920
Original Reference: Stenolechia sagittella Caradja, 1920, Dt. ent. Z., Iris 34: 110-111. Type ♂: [Türkei]: Marasch. Range (in code): **TR**
- 37262. *Stenolechiodes macrolepiellus* Huemer & Karsholt, 1999** (Gelechiidae)
Synonym(s): *macrolepiellus* Huemer & Karsholt, 1999 Range (in code): **GR Rd**
- 37263. *Stenolechiodes pseudogemmellus* Elsner, [1996]** (Gelechiidae) Synonym(s): *pseudogemmellus* Elsner, [1996] Original Reference: Stenolechiodes pseudogemmellus Elsner, [1996], Klapalekiana 31 (1995): 77. Range (in code): **FR BE DE GR IT CZ AT PL SK HV TR**
- 37264. *Stenovalva disclusa* (Meyrick, 1923)** (Gelechiidae) Synonym(s): *disclusa* Meyrick, 1923; *ghorella* Amsel, 1955. Original Reference: Telphusa disclusa Meyrick, 1923, Exot. Microlepid. 3: 16. Type ♀: [Israel]: Jerusalem (BMNH). Range (in code): **IL Je Pa JO** Bionomy: Larva on Rhus tripartita (Anacardiaceae) (Sattler, 1982).
- 37265. *Stomopteryx anxia* (Meyrick, 1917)** (Gelechiidae) Synonym(s): *anxia* Meyrick, 1917
Range (in code): **ZA Wca Pra**
- 37266. *Stomopteryx basalis* Staudinger, 1876** (Gelechiidae) Synonym(s): *basalis* Staudinger, 1876
Range (in code): **FR Si IT MT**
- 37267. *Stomopteryx bathracha* Meyrick, 1921** (Gelechiidae) Synonym(s): *bathracha* Meyrick, 1921
Range (in code): **ZW Swm Bul**
- 37268. *Stomopteryx biangulata* Meyrick, 1921** (Gelechiidae) Synonym(s): *biangulata* Meyrick, 1921 Range (in code): **MZ Blv**
- 37269. *Stomopteryx bivittella* (Chrétien, 1915)** (Gelechiidae) Synonym(s): *bivittella* Chrétien, 1915 Original Reference: Anacamptis bivittella Chrétien, 1915, Annls Soc. ent. Fr. 84: 324. Syntypes: Tunisie: Gafsa. Range (in code): **TN Gf**
- 37270. *Stomopteryx bolschewickiella* (Caradja, 1920)** (Gelechiidae) Synonym(s): *bolschewickiella* Caradja, 1920 Original Reference: Aristotelia bolschewickiella Caradja, 1920, Dt. ent. Z., Iris 34: 109-110. Syntypes 30♂♂: [Kazakhstan]: Uralsk. Range (in code): **RU KG UK**
- 37271. *Stomopteryx circaea* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *circaea* Meyrick, 1911
Range (in code): **ZA Tva Lpo Hae Wo Kkf Nta Kzu Wv**
- 37272. *Stomopteryx cirrhocoma* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *cirrhocoma* Meyrick, 1914 Range (in code): **ZA Nta Kzu Nha**
- 37273. *Stomopteryx credula* (Meyrick, 1927)** (Gelechiidae) Synonym(s): *credula* Meyrick, 1927
Range (in code): **ZW Sgi**
- 37274. *Stomopteryx deterrentella* (Zeller, 1847)** (Gelechiidae) Synonym(s): *detersella* Zeller, 1847
Range (in code): **MA PT ES FR Si IT SK HU RO YU AL BG GR Cr TR RU Cc AM**
- 37275. *Stomopteryx deverrae* (Walsingham, 1905)** (Gelechiidae) Synonym(s): *deverrae* Walsingham, 1905 Original Reference: Aproaerema deverrae Walsingham, 1905, Entomologist's mon. Mag. 41: 124. Syntypes 22♂♂: Algeria, El-Kantara, Hammam-es-Salahin. Range (in code): **DZ Bsk Ktr Hes TN Gf ES** Bionomy: Larva on Deverra scoparia [Apiaceae] (Walsingham, 1905).
- 37276. *Stomopteryx difficilis* Janse, 1951** (Gelechiidae) Synonym(s): *difficilis* Janse, 1951
Range (in code): **ZA Tva Gau Pre**
- 37277. *Stomopteryx elaeocoma* (Meyrick, 1918)** (Gelechiidae) Synonym(s): *elaecoma* Meyrick, 1918 Range (in code): **ZA Tva Gau Pre**
- 37278. *Stomopteryx eremopis* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *eremopis* Meyrick, 1921 Range (in code): **ZA Tva Gau Pre**
- 37279. *Stomopteryx flavipalpella* Jäckh, 1959** (Gelechiidae) Synonym(s): *flavipalpella* Jäckh, 1959 Range (in code): **FR IT AT**
- 37280. *Stomopteryx flavoclavella* Zerny, 1935** (Gelechiidae) Synonym(s): *flavoclavella* Zerny, 1935 Range (in code): **ES**

- 37281. *Stomopteryx frivola* Meyrick, 1926** (Gelechiidae) Synonym(s): *frivola* Meyrick, 1926
Range (in code): **ZA Wca Wlg**
- 37282. *Stomopteryx gaesata* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *gaesata* Meyrick, 1913
Original Reference: *Inotica gaesata* Meyrick, 1913, *Exot. microlepid.* 1: 66. Type ♂: [Turkey]: "Asia Minor, Taurus Mts." [illustrated by Clarke, 1969: 205, pl. 102 figs. 1a-d]. Range (in code): **TR IR Elb Mz**
- 37283. *Stomopteryx geryella* (Chrétien, 1915)** (Gelechiidae) Synonym(s): *geryella* Chrétien, 1915
Original Reference: *Anacampsis geryella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 323-324. Type: [Algérie]: "Géryville (Oran)". Range (in code): **DZ Orn**
- 37284. *Stomopteryx hungaricella* Gozmany, 1957** (Gelechiidae) Synonym(s): *hungaricella* Gozmany, 1957
Range (in code): **Sa CZ SK HU**
- 37285. *Stomopteryx kermella* Chrétien, 1915** (Gelechiidae) Synonym(s): *kermella* Chrétien, 1915
Original Reference: *Stomopteryx kermella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 328. Type: [Algérie]: "Ain-Kerma (Constantine), en mai". Range (in code): **DZ Cst**
- 37286. *Stomopteryx lineolella* (Eversmann, 1844)** (Gelechiidae) Synonym(s): *lineolella* Eversmann, 1844
Range (in code): **RU Or Ur MN**
- 37287. *Stomopteryx lineolella lineolella* (Eversmann, 1844)** (Gelechiidae) Synonym(s): *lineolella* Eversmann, 1844
Range (in code): **RU Or Ur**
- 37288. *Stomopteryx lineolella mongolica* Povolny, 1975** (Gelechiidae) Synonym(s): *mongolica* Povolny, 1975
Range (in code): **MN**
- 37289. *Stomopteryx maculatella* (Lucas, 1956)** (Gelechiidae) Synonym(s): *maculatella* Lucas, 1956
Range (in code): **MA**
- 37290. *Stomopteryx nigricella* (Chrétien, 1915)** (Gelechiidae) Synonym(s): *nigricella* Chrétien, 1915
Original Reference: *Bryotropha nigricella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 316. Syntypes: Algeria, Biskra; Tunisia, Gafsa. Range (in code): **DZ Bsk TN Gf**
- 37291. *Stomopteryx nugatricella* Rebel, 1893** (Gelechiidae) Synonym(s): *nugatricella* Rebel, 1893
Range (in code): **ES**
- 37292. *Stomopteryx ochrosema* Meyrick, 1932** (Gelechiidae) Synonym(s): *ochrosema* Meyrick, 1932
Original Reference: *Stomopteryx ochrosema* Meyrick, 1932, *Trans. R. ent. Soc. London* 80 (1): 113. Type ♂: [Ethiopia]: Addis Alam, 8000ft. (BMNH). Range (in code): **ET Sw ET10**
- 37293. *Stomopteryx officiosa* Janse, 1951** (Gelechiidae) Synonym(s): *officiosa* Janse, 1951
Range (in code): **ZA Tva Lpo Hae**
- 37294. *Stomopteryx oncodes* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *oncodes* Meyrick, 1913
Range (in code): **ZA Tva Mpu Tst Nta Kzu Esw Srn Kkf Dmm**
- 37295. *Stomopteryx orthogonella* (Staudinger, 1871)** (Gelechiidae) Synonym(s): *orthogonella* Staudinger, 1871
Range (in code): **RU MD UA BY**
- 37296. *Stomopteryx pallidella* Amsel, 1959** (Gelechiidae) Synonym(s): *pallidella* Amsel, 1959
Range (in code): **IR Th Elb**
- 37297. *Stomopteryx pallidipes* Janse, 1951** (Gelechiidae) Synonym(s): *pallidipes* Janse, 1951
Range (in code): **ZA Tva Gau Pre**
- 37298. *Stomopteryx quadripunctella* Chrétien, 1915** (Gelechiidae) Synonym(s): *quadripunctella* Chrétien, 1915
Original Reference: *Stomopteryx quadripunctella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 327. Type: [Algérie]: "Ain-Sefra (Oran), en mai". Range (in code): **DZ Sfr**
- 37299. *Stomopteryx rastrifera* Meyrick, 1918** (Gelechiidae) Synonym(s): *rastrifera* Meyrick, 1918
Original Reference: *Stomopteryx rastrifera* Meyrick, 1918, *Exot. microlepid.* 2: 137. Type ♂: Ceylon, Puttalam (BMNH). Range (in code): **LK Ptl**
- 37300. *Stomopteryx remissella* (Zeller, 1847)** (Gelechiidae) Synonym(s): *remissella* Zeller, 1847
Range (in code): **ES Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE IR Elb Dam Mz IL Pa LB Bsa Bmm**
- 37301. *Stomopteryx thoracica* (Meyrick, 1911)** (Gelechiidae) Synonym(s): *thoracica* Meyrick, 1911
Range (in code): **ZA Gau Pre Jh Tva Lpo Hae**
- 37302. *Stomopteryx trachyphylla* Janse, 1960** (Gelechiidae) Synonym(s): *trachyphylla* Janse, 1960
Range (in code): **ZA**
- 37303. *Stomopteryx yunusemrei* Koçak, 1986** (Gelechiidae) Synonym(s): *submissella* Frey, 1880 *nec* Stt., 1859; *yunusemrei* Koçak, 1986
Original Reference: *Stomopteryx yunusemrei* Koçak, 1986, *Priamus* 4 (1/2): 58 (nomen novum pro *submissella* Frey, 1880 *nec* Stt., 1859). Range (in code): **CH**

- 37304. *Streya anguinella* (Herrich-Schäffer, 1861)** (Gelechiidae) Synonym(s): *anguinella* Herrich-Schäffer, 1861; *ostentella* Zerny, 1934. Original Reference: *Gelechia anguinella* Herrich-Schäffer, 1861, Neue Schmett. 3: 31, fig. 159. Type(s): [Russia]: Sarepta. Range (in code): **DZ ES HV SS GR TR LB IQ RU Sr Ur**
- 37305. *Streya pallidigrisea* Janse, 1958** (Gelechiidae) Synonym(s): *pallidigrisea* Janse, 1958 Range (in code): **ZA**
- 37306. *Struempelia renatella* Amsel, 1977** (Gelechiidae) Synonym(s): *renatella* Amsel, 1977 Range (in code): **IR Th Elb**
- 37307. *Symbatica cryphias* Meyrick, 1910** (Gelechiidae) Synonym(s): *cryphias* Meyrick, 1910 Range (in code): **ZA**
- 37308. *Syncopacma acanthyllidis* (Walsingham, 1905)** (Gelechiidae) Synonym(s): *acanthyllidis* Walsingham, 1905 Original Reference: *Approaerema acanthyllidis* Walsingham, 1905, Entomologist's mon. Mag. 41: 40. Syntypes 41♂♂: Algeria, Biskra, El-Kantara, Hammam-es-Salahin. Range (in code): **DZ Bsk Ktr Hes TN Gf** Bionomy: Larva on *Acanthyllis tragacanthoides*, *Argyrolobium uniflorum* (Walsingham, 1905; Chrétien, 1917).
- 37309. *Syncopacma albifrontella* (Heinemann, 1870)** (Gelechiidae) Synonym(s): *albifrontella* Heinemann, 1870 Range (in code): **IT CH AT SK HU LV LT**
- 37310. *Syncopacma albipalpella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *albipalpella* Herrich-Schäffer, 1854; *ruptella* Constant, 1865 Range (in code): **ES FR Si IT GB BE NL DE AT PL CZ SK GR**
- 37311. *Syncopacma alfalfella* Amsel, 1958** (Gelechiidae) Synonym(s): *alfalfella* Amsel, 1958 Range (in code): **SA**
- 37312. *Syncopacma altaica* Bidzilya, 2005** (Gelechiidae) Synonym(s): *altaica* Bidzilya, 2005 Original Reference: *Syncopacma altaica* Bidzilya, 2005, Vestn. zool. 39 (1): 79-81, figs. 3, 6. Holotype ♂: Russia: Altai, near Aktash, 2600m (ZMKU). Range (in code): **RU At**
- 37313. *Syncopacma azosterella* (Herrich-Schäffer, 1854)** (Gelechiidae) Synonym(s): *azosterella* Herrich-Schäffer, 1854 Range (in code): **CH AT PL HU**
- 37314. *Syncopacma buvati* Nel, 1995** (Gelechiidae) Synonym(s): *buvati* Nel, 1995 Range (in code): **FR**
- 37315. *Syncopacma captivella* (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *captivella* Herrich-Schäffer, [1854] Range (in code): **PT ES FR IT BE NL DE PL CZ CH HU RO HV TR** Bionomy: Larva on *Cytisus scoparius*, *Genista legionensis* (Fabaceae) (Elsner et al., 1999; Heckford, 2011).
- 37316. *Syncopacma cinctella* (Clerck, 1759)** (Gelechiidae) Synonym(s): *cinctella* Clerck, 1759; *vorticella* Scopoli, 1763; *ligulella* [Denis & Schiffmüller], 1775; *vittata* Fourcroy, 1785; *vittatella* Villers, 1789; *albistrigella* Stephens, 1834; *cincticulella* Heydenreich, 1851 nec Br., 1850; *sircomella* Stainton, 1854; *finlandica* Gozmany, 1957 Range (in code): **DZ PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb Ur Us MD UA BY**
- 37317. *Syncopacma cincticulella* (Bruand, 1850)** (Gelechiidae) Synonym(s): *cincticulella* Bruand, 1850 Range (in code): **ES Grn FR IT DE CH AT PL CZ SK HU RO TR RU Ur At Sb MD UA BY**
- 37318. *Syncopacma consimilis* Janse, 1951** (Gelechiidae) Synonym(s): *consimilis* Janse, 1951 Range (in code): **ZA Tva Gau Pre Mpu Brb**
- 37319. *Syncopacma coronilella* (Treitschke, 1833)** (Gelechiidae) Synonym(s): *coronilella* Treitschke, 1833 Range (in code): **ES FR Si IT LU DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY IR Gl**
- 37320. *Syncopacma dolini* Bidzilya, 2005** (Gelechiidae) Synonym(s): *dolini* Bidzilya, 2005 Original Reference: *Syncopacma dolini* Bidzilya, 2005, Vestn. zool. 39 (1): 77-78, figs. 1, 4. Holotype ♂: Kirgizistan: Prov. Dzhahal-Abad, Tash Kumyr, prope Kyzyl Dzhar, 950m (ZMKU). Range (in code): **KK**
- 37321. *Syncopacma faceta* (Meyrick, 1914)** (Gelechiidae) Synonym(s): *faceta* Meyrick, 1914 Range (in code): **NA ZA Gau Pre Mdt Nel Abc Tva Lpo**
- 37322. *Syncopacma incognitana* Gozmany, 1957** (Gelechiidae) Synonym(s): *incognitana* Gozmany, 1957 Range (in code): **AT RO UA RU Ur**
- 37323. *Syncopacma karvoneni* (Hackman, 1950)** (Gelechiidae) Synonym(s): *karvoneni* Hackman, 1950 Range (in code): **NO SE FI RU Ur Us Cc MD UA BY KP KR JP**
- 37324. *Syncopacma larseniella* Gozmany, 1957** (Gelechiidae) Synonym(s): *larseniella* Gozmany, 1957 Range (in code): **PT ES FR GB BE NL LU DE CH AT PL CZ DK RU MD UA BY**

- 37325. Syncopacma linella (Chrétien,1904)** (Gelechiidae) Synonym(s): *linella* Chrétien,1904
Range (in code): **FR AT HU SL RO UA UZ Br RU**
- 37326. Syncopacma lutea Janse,1960** (Gelechiidae) Synonym(s): *lutea* Janse,1960 - Range (in code): **ZA**
- 37327. Syncopacma maraschella (Caradja,1920)** (Gelechiidae) Synonym(s): *maraschella* Caradja,1920 Original Reference: *Anacampsis maraschella* Caradja,1920, Dt. ent. Z., Iris 34: 107. Type ♂: [Türkei]: Marasch. Range (in code): **TR**
- 37328. Syncopacma mitrella (Walsingham,1905)** (Gelechiidae) Synonym(s): *mitrella* Walsingham,1905 Original Reference: *Aproaerema mitrella* Walsingham,1905, Entomologist's mon. Mag. 41: 39. Syntypes: Algeria, Biskra, El-Kantara, Hammam-es-Salahin. Range (in code): **DZ Bsk Ktr**
- 37329. Syncopacma monochromella Janse,1951** (Gelechiidae) Synonym(s): *monochromella* Janse,1951 - Range (in code): **ZA Abc**
- 37330. Syncopacma montanata Gozmany,1957** (Gelechiidae) Synonym(s): *montanata* Gozmany,1957 - Range (in code): **IT RO**
- 37331. Syncopacma ochrofasciella (Toll,1936)** (Gelechiidae) Synonym(s): *ochrofasciella* Toll,1936 - Range (in code): **DE PL CZ SK HU RO LV RU MD UA BY**
- 37332. Syncopacma oxyspila (Meyrick,1909)** (Gelechiidae) Synonym(s): *oxyspila* Meyrick,1909; *acrophylla* Meyrick,1911 - Range (in code): **ZA Ec Wca Fs Tva Lpo Mdt Nta Kzu Gau Mpu**
- 37333. Syncopacma patruella (Mann,1857)** (Gelechiidae) Synonym(s): *patruella* Mann,1857
Range (in code): **ES FR Co Si IT DE CH AT PL HU RO YU GR TR**
- 37334. Syncopacma perfusca Janse,1951** (Gelechiidae) Synonym(s): *perfusca* Janse,1951
Range (in code): **ZA Abc**
- 37335. Syncopacma polychromella (Rebel,1902)** (Gelechiidae) Synonym(s): *polychromella* Rebel,1902; *rebeliella* Caradja,1920; *argyrobiella* Caradja,1920 Original Reference: *Anacampsis polychromella* Rebel,1902, Dt. ent. Z., Iris 15: 109-110. Syntypes 3♂♂: [Israel]: Haifa (AMNH). Range (in code): **Cn GB PT ES Si IT MT GB YU TR IR Mz LB IL Pa Hf CY JO KW YE IN RU Ur MN**
- 37336. Syncopacma sangiella (Stainton,1863)** (Gelechiidae) Synonym(s): *sangiella* Stainton,1863 - Range (in code): **PT ES FR Sa IT IE GB DE CH AT PL CZ SK HU TR NO SE FI LV RU MD UA BY**
- 37337. Syncopacma schoenmanni (Gozmany,1957)** (Gelechiidae) Synonym(s): *schoenmanni* Gozmany,1957 - Range (in code): **AT HU**
- 37338. Syncopacma semicostella (Staudinger,1871)** (Gelechiidae) Synonym(s): *semicostella* Staudinger,1871; *albicapitella* Bidzilya,1996 Original Reference: *Gelechia semicostella* Staudinger,1871, Berl. ent. Z. 14: 311. Lectotype ♂: Russia: Sarepta [=Krasnoarmeysk], designated by Sattler,1986 (ZMHU). Range (in code): **RU Ur Sr UA Cm Da Cc AZ Tlh TR PK Abb**
- 37339. Syncopacma splendens (Staudinger,1881)** (Gelechiidae) Synonym(s): *splendens* Staudinger,1881 Original Reference: *Anacampsis splendens* Staudinger,1881, Horae Soc. ent. ross. 16: 90-91. Type ♀: [Türkei]: Amasia (leg. J. Manissadjian). Range (in code): **TR**
- 37340. Syncopacma steppicolella Junnilainen,2010** (Gelechiidae) Synonym(s): *steppicolella* Junnilainen,2010 - Range (in code): **RU Ur**
- 37341. Syncopacma suecicella (Wolff,1958)** (Gelechiidae) Synonym(s): *suecicella* Wolff,1958
Range (in code): **PT ES FR Sa IT GB DE AT CZ SK GR DK SE** Bionomy: Larva on *Genista florida*, *G. pilosa* (Fabaceae) (Corley et al.,2007).
- 37342. Syncopacma syncrita (Meyrick,1926)** (Gelechiidae) Synonym(s): *syncrita* Meyrick,1926. Original Reference: *Stomopteryx syncrita* Meyrick,1926, Exot. Microlepid. 3: 281. Syntypes 2♂: [Turkey]: "Asia Minor: Marasch" (leg. Caradja). Range (in code): **TR**
- 37343. Syncopacma tadzhika Bidzilya,2005** (Gelechiidae) Synonym(s): *tadzhika* Bidzilya,2005 Original Reference: *Syncopacma tadzhika* Bidzilya,2005, Vestn. zool. 39 (1): 78-79, figs. 2,5. Holotype ♂: Tadzhikistan: Kondara 28.8.1976 (ZISP). Range (in code): **TJ Pm**
- 37344. Syncopacma taeniolella (Zeller,1839)** (Gelechiidae) Synonym(s): *taeniolella* Zeller,1839
Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LT RU MD UA BY**
- 37345. Syncopacma telaviviella (Amsel,1933)** (Gelechiidae) Synonym(s): *telaviviella* Amsel,1933
Range (in code): **IL Pa**
- 37346. Syncopacma thumalea (Walsingham,1905)** (Gelechiidae) Synonym(s): *thumalea* Walsingham,1905 Original Reference: *Aproaerema thumalea* Walsingham,1905, Entomologist's

- mon. Mag. 41: 41. Syntypes: Algeria, Hammam-es-Salahin. Range (in code): DZ Bsk TN Gf
Bionomy: Larva on Astragalus gombo [Fabaceae] (Walsingham,1905).
- 37347. Syncopacma vinella (Bankes,1898)** (Gelechiidae) Synonym(s): vinella Bankes,1898
Range (in code): GB NL DE CH AT CZ SK HU DK RU Ur
- 37348. Syncopacma wormiella (Wolff,1958)** (Gelechiidae) Synonym(s): wormiella Wolff,1958
Range (in code): IT AT SK HU DK SE FI LV RU MD UA BY
- 37349. Syncopacma zonariella (Walsingham,1905)** (Gelechiidae) Synonym(s): zonariella Walsingham,1905 Original Reference: Aproaerema zonariella Walsingham,1905, Entomologist's mon. Mag. 41: 39. Type: Algeria, Batna. Range (in code): DZ Bt na
- 37350. Synelechia psimythota (Meyrick,1913)** (Gelechiidae) Synonym(s): psimythota Meyrick,1913; emphanista Meyrick,1921 Range (in code): ZA Tva Mpu Brb Nta Kzu Kkf
- 37351. Syrmadaula automorpha Meyrick,1918** (Gelechiidae) Synonym(s): automorpha Meyrick,1918 Range (in code): ZA Tva Gau Pre ZW Har NA Abc
- 37352. Teleiodes albiluculella Huemer & Karsholt,2001** (Gelechiidae) Synonym(s): albiluculella Huemer & Karsholt,2001 Range (in code): Cr
- 37353. Teleiodes brevivalva Huemer,1992** (Gelechiidae) Synonym(s): brevivalva Huemer,1992
Range (in code): IT
- 37354. Teleiodes cisti (Stainton,1869)** (Gelechiidae) Synonym(s): cisti Stainton,1869 Range (in code): Cn PT FR Co Sa IT BG GR TR
- 37355. Teleiodes flavimaculella (Herrich-Schäffer,[1854])** (Gelechiidae) Synonym(s): flavimaculella Herrich-Schäffer,[1854] Range (in code): IT NL DE CH AT PL CZ SK YU DK SE FI LV LT RU MD UA BY
- 37356. Teleiodes gallica Huemer,1992** (Gelechiidae) Synonym(s): gallica Huemer,1992
Range (in code): FR IT
- 37357. Teleiodes italica Huemer,1992** (Gelechiidae) Synonym(s): italica Huemer,1992 Range (in code): IT CH
- 37358. Teleiodes luculella (Hübner,[1813])** (Gelechiidae) Synonym(s): luculella Hübner,[1813]
Range (in code): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY
- 37359. Teleiodes murina (M.Omelko & N.Omelko,1998)** (Gelechiidae) Synonym(s): murina M.Omelko & N.Omelko,1998 Range (in code): KR RU Us
- 37360. Teleiodes saltuum (Zeller,1878)** (Gelechiidae) Synonym(s): saltuum Zeller,1878
Range (in code): FR IT BE NL LU DE CH AT PL CZ SK RO DK SE LV RU MD UA BY Bionomy: Larva on Larix / Nadeln (Schütze, 1931).
- 37361. Teleiodes sequax (Haworth,1828)** (Gelechiidae) Synonym(s): sequax Haworth,1828
Range (in code): ES FR IT GB BE DE CH AT PL CZ SK HU RO YU GR SE FI EE RU MD UA BY
- 37362. Teleiodes squamodorella (Amsel,1935)** (Gelechiidae) Synonym(s): squamodorella Amsel,1935 Range (in code): IL Pa Jer IQ Bgd IR Bionomy: Larva on Populus euphratica (Salicaceae) (Wiltshire,1957).
- 37363. Teleiodes squamulella (Peyerimhoff,1871)** (Gelechiidae) Synonym(s): squamulella Peyerimhoff,1871 Range (in code): FR
- 37364. Teleiodes thomeriella (Chrétien,1901)** (Gelechiidae) Synonym(s): thomeriella Chrétien,1901 Range (in code): FR
- 37365. Teleiodes traugotti Huemer & Karsholt,2001** (Gelechiidae) Synonym(s): traugotti Huemer & Karsholt,2001 Range (in code): ES An
- 37366. Teleiodes vovkella (Piskunov,1973)** (Gelechiidae) Synonym(s): vovkella Piskunov,1973
Range (in code): RU
- 37367. Teleiodes vulgella ([Denis & Schiffermüller],1775)** (Gelechiidae) Synonym(s): vulgella [Denis & Schiffermüller],1775; aspera Haworth,1828. Original Reference: Tinea vulgella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district. Range (in code): ES FR IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI LV LT RU MD UA BY Bionomy: Larva on Amelanchier, Pyrus, Malus, Sorbus aria, S. aucuparia, Crataegus, Prunus domestica, P. spinosa (Rosaceae) (Huemer,1988).
- 37368. Teleiodes wague (Nowicki,1860)** (Gelechiidae) Synonym(s): wague Nowicki,1860
Range (in code): ES FR IT IE GB NL DE CH AT PL SK HU RO DK SE FI EE LV RU MD UA BY
- 37369. Teleiopsis albifemorella (Hofmann,1867)** (Gelechiidae) Synonym(s): albifemorella Hofmann,1867 Range (in code): FR IT DE CH AT YU

- 37370. *Teleiopsis bagriotella* (Duponchel,1840)** (Gelechiidae) Synonym(s): *bagriotella* Duponchel,1840; *elatella* Herrich-Schäffer,1853 - Range (in code): **PT ES FR IT CH AT PL SK RO YU GR TR RU MD UA BY** Bionomy: Larva on *Oxyria digyna* (Polygonaceae) (Burmman,1977).
- 37371. *Teleiopsis diffinis* (Haworth,[1828])** (Gelechiidae) Synonym(s): *diffinis* Haworth,[1828]; *dissimilella* Treitschke,1833; *tristis* Staudinger,1879. Original Reference: *Recurvaria diffinis* Haworth,[1828], *Lepid. Br.*: 551. Type: Britain. Range (in code): **DZ PT ES An FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb MD UA BY** Bionomy: Larva on *Rumex acetosella* (Polygonaceae) (Robinson et al.) [access date: 19 7 2015]
- 37372. *Teleiopsis latisacculus* Pitkin,1988** (Gelechiidae) Synonym(s): *latisacculus* Pitkin,1988 Range (in code): **MK TR EG** Bionomy: Larva on *Rhus coriaria*, *Pistacia terebinthus* (Anacardiaceae) (Klimesch,1968).
- 37373. *Teleiopsis motleella* Ponomarenko & Park,2007** (Gelechiidae) Synonym(s): *motleella* Ponomarenko & Park,2007 - Range (in code): **KR**
- 37374. *Teleiopsis rosalbella* (Fologne,1862)** (Gelechiidae) Synonym(s): *rosalbella* Fologne,1862 Range (in code): **FR IT BE DE CH B-H TR** Bionomy: Larva on *Rumex scutatus* (Polygonaceae) (Klimesch,1950).
- 37375. *Teleiopsis sarcochroma* (Walsingham,1900)** (Gelechiidae) Synonym(s): *sarcochroma* Walsingham,1900; *nigrorosea* Walsingham,1904; *hessi* Amsel,1935. Original Reference: *Gelechia sarcochroma* Walsingham,1900, *Bull. Liverpool Mus.* 3 (1): 3. Type: Sokotra (Adho Dimellus). Range (in code): **Cn DZ Bsk Ktr TN Gf LY IL YE Sk** Bionomy: Larva on *Rhus dioica*, *R. tripartita*, *R. oxyacantha* (Anacardiaceae) (Walsingham,1904; Chrétien,1917; Sattler,1982).
- 37376. *Teleiopsis terebinthinella* (Herrich-Schäffer,[1856])** (Gelechiidae) Synonym(s): *terebinthinella* Herrich-Schäffer,[1856] Original Reference: *Gelechia terebinthinella* Herrich-Schäffer,[1856], *Syst. Bearb. Schmett. Eur.* 6: 40. Type(s): [Türkei]: Brussa [Bursa]. Range (in code): **IT RO YU AL BG GR Cr TR LB SY** Bionomy: Larva on *Pistacia terebinthus* [Anacardiaceae] (Herrich-Schäffer,[1856]; Mann,1862).
- 37377. *Telphusa accensa* Meyrick,1921** (Gelechiidae) Synonym(s): *accensa* Meyrick,1921 Range (in code): **ZW Vf**
- 37378. *Telphusa amphichroma* Meyrick,1913** (Gelechiidae) Synonym(s): *amphichroma* Meyrick,1913 - Range (in code): **ZA Tva Mpu Brb**
- 37379. *Telphusa calathaea* Meyrick,1913** (Gelechiidae) Synonym(s): *calathaea* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 37380. *Telphusa cistiflorella* (Constant,1890)** (Gelechiidae) Synonym(s): *cistiflorella* Constant,1890 - Range (in code): **PT ES FR Sa IT GR**
- 37381. *Telphusa comedonella* (Staudinger,1880)** (Gelechiidae) Synonym(s): *comendonella* Staudinger,1880 Original Reference: *Teleia comedonella* Staudinger,1880, *Horae Soc. ent. ross.* 15: 312-313. Syntypes 4♂: [Türkei]: Külek (Taurus) (coll. Lederer). Range (in code): **TR**
- 37382. *Telphusa iosticta* Meyrick,1937** (Gelechiidae) Synonym(s): *iosticta* Meyrick,1937 Range (in code): **ZA**
- 37383. *Telphusa iriditis* Meyrick,1920** (Gelechiidae) Synonym(s): *iriditis* Meyrick,1920 Range (in code): **ZA**
- 37384. *Telphusa objecta* Meyrick,1921** (Gelechiidae) Synonym(s): *objecta* Meyrick,1921 Range (in code): **ZW Har**
- 37385. *Telphusa ochlerodes* Meyrick,1926** (Gelechiidae) Synonym(s): *ochlerodes* Meyrick,1926 Range (in code): **ZA**
- 37386. *Telphusa pistaciae* Sattler,1982** (Gelechiidae) Synonym(s): *pistaciae* Sattler,1982 Original Reference: *Telphusa pistaciae* Sattler,1982, *Entomologist's Gaz.* 33: 17-20. Holotype ♂: Iran: Kerman Province, Rafsanjan (BMNH). Range (in code): **IR Ke Elb** Bionomy: Larva on *Pistacia vera* (Sattler,1982).
- 37387. *Telphusa praedicata* Meyrick,1923** (Gelechiidae) Synonym(s): *praedicata* Meyrick,1923 Range (in code): **TR**
- 37388. *Telphusa relecta* Meyrick,1921** (Gelechiidae) Synonym(s): *relecta* Meyrick,1921 Range (in code): **ZA Nta Kzu Kkf**
- 37389. *Telphusa syndelta* Meyrick,1921** (Gelechiidae) Synonym(s): *syndelta* Meyrick,1921; *deltocrates* Meyrick,1927 - Range (in code): **ZW Har**
- 37390. *Thaumaturgis craterocrossa* Meyrick,1934** (Gelechiidae) Synonym(s): *craterocrossa* Meyrick,1934 - Range (in code): **ZA**

- 37391. *Thiotricha acrantha* Meyrick, 1908** (Gelechiidae) Synonym(s): *acrantha* Meyrick, 1908
Original Reference: *Thiotricha acrantha* Meyrick, 1908, J. Bombay nat. Hist. Soc. 18: 440. Type: India: Assam. Range (in code): **IN Ass**
- 37392. *Thiotricha coleella* (Constant, 1885)** (Gelechiidae) Synonym(s): *coleella* Constant, 1885
Range (in code): **FR**
- 37393. *Thiotricha majorella* (Rebel, 1910)** (Gelechiidae) Synonym(s): *majorella* Rebel, 1910
Range (in code): **FR IT YU GR**
- 37394. *Thiotricha rhodopa* Meyrick, 1908** (Gelechiidae) Synonym(s): *rhodopa* Meyrick, 1908
Range (in code): **IN TH**
- 37395. *Thiotricha subocellea* (Stephens, 1834)** (Gelechiidae) Synonym(s): *subocellea* Stephens, 1834; *internella* Lienig & Zeller, 1846; *dissonella* Herrich-Schäffer, 1854; *subocellella* Doubleday, 1859
Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 37396. *Thiotricha tenuis* (Walsingham, 1891)** (Gelechiidae) Synonym(s): *tenuis* Walsingham, 1891
Range (in code): **ZA**
- 37397. *Thriophora ovulata* Meyrick, 1911** (Gelechiidae) Synonym(s): *ovulata* Meyrick, 1911
Range (in code): **ZA Tva Gau Pre**
- 37398. *Thymosopha antileuca* Meyrick, 1914** (Gelechiidae) Synonym(s): *antileuca* Meyrick, 1914
Range (in code): **ZA**
- 37399. *Tila capsophilella* (Chrétien, 1900)** (Gelechiidae) Synonym(s): *capsophilella* Chrétien, 1900
Range (in code): **FR DE CH AT**
- 37400. *Tila sequanda* Povolny, 1974** (Gelechiidae) Synonym(s): *sequanda* Povolny, 1974
Original Reference: *Tila sequanda* Povolny, 1974, Acta ent. bohemoslov. 71(4): 243-246, figs. Holotype ♂: [Türkei]: [Samsun]: Djanik. Range (in code): **TR**
- 37401. *Tiranimia epidolella* Chrétien, 1915** (Gelechiidae) Synonym(s): *epidolella* Chrétien, 1915
Range (in code): **TN Gf**
- 37402. *Tituacia deviella* Walker, 1864** (Gelechiidae) Synonym(s): *deviella* Walker, 1864; *erosella* Snellen, 1878
Range (in code): **TH IN Adm LK MY BN Bor Sbh Swk PH ID Clb AU QAU**
- 37403. *Tornodoxa leptopalta* (Meyrick, 1934)** (Gelechiidae) Synonym(s): *leptopalta* Meyrick, 1934
Range (in code): **TW**
- 37404. *Tornodoxa longiella* Park, 1993** (Gelechiidae) Synonym(s): *longiella* Park, 1993
Range (in code): **KR JP**
- 37405. *Tornodoxa tholochorda* Meyrick, 1921** (Gelechiidae) Synonym(s): *tholochorda* Meyrick, 1921
Range (in code): **KR JP CN**
- 37406. *Tricerophora commaculata* (Meyrick, 1921)** (Gelechiidae) Synonym(s): *commaculata* Meyrick, 1921
Range (in code): **MZ Mag**
- 37407. *Tricyanula metallica* (Walsingham, 1891)** (Gelechiidae) Synonym(s): *metallica* Walsingham, 1891
Range (in code): **GM ZA Tva Mpu Tst**
- 37408. *Trychnopalpa fornacaria* (Meyrick, 1913)** (Gelechiidae) Synonym(s): *fornacaria* Meyrick, 1913
Range (in code): **ZA Tva Mpu Wv**
- 37409. *Turcopalpa africana* (Povolny, 1968)** (Gelechiidae) Synonym(s): *africana* Povolny, 1968
Range (in code): **SD SA SA63 IR Ss**
- 37410. *Turcopalpa glaseri* Povolny, 1973** (Gelechiidae) Synonym(s): *glaseri* Povolny, 1973
Original Reference: *Turcopalpa glaseri* Povolny, 1973, Acta ent. bohemoslov. 70(2): 100-103, Abb. Holotype ♂: [Türkei]: [Konya]: Ereğli, Salzsteppe. Range (in code): **TR UA**
- 37411. *Tuta absoluta* (Meyrick, 1917)** (Gelechiidae) Synonym(s): *absoluta* Meyrick, 1917
Original Reference: *Phthorimaea absoluta* Meyrick, 1917, Trans. ent. Soc. London 1917 (1): 45. Type: Peru, Huancayo 10650ft. Range (in code): **Cn PT ES FR CH IT AL GR BG DE CY MT MA DZ TN LY SY IL Pa TR RU AR BO BR CL CO EC PY UY VE**
Bionomy: Larva on *Lycopersicon esculentum*, *L. hirsutum*, *Solanum lycopersicum*, *S. tuberosum*, *S. melongena*, *S. nigrum*, *S. muricatum*, *S. puberulum*, *S. elaeagnifolium*, *Datura stramonium*, *D. ferox*, *Nicotiana glauca*, *Lycium chilense* (Solanaceae) (Huemer & Karsholt, 2010).
- 37412. *Uliaria rasilella* (Herrich-Schäffer, [1854])** (Gelechiidae) Synonym(s): *rasilella* Herrich-Schäffer, [1854]; *insulella* Dumont, 1921; *occidentella* Zerny, 1927. Original Reference: *Anacampsis rasilella* Herrich-Schäffer, [1854], Syst. Bearb. Schmett. Eur. 5: 191, 202. Type(s): Europa; 1853, ibid. 5: pl. 63 fig. 459. Range (in code): **ES FR IT HU RO LV RU Ur MD UA BY Ur Sb Us Cc TR KP KR JP CN TW**
Bionomy: Larva on *Artemisia vulgaris*, *A. princeps* var. *orientalis*, *Centaurea* (Asteraceae) (Ponomarenko, 1997).

- 37413. *Vadenia ribbeella* (Caradja,1920)** (Gelechiidae) Synonym(s): *ribbeella* Caradja,1920
Original Reference: Nevadia ribbeella Caradja,1920, Dt. ent. Z., Iris 34: 118. Type ♂: [Spanien]:
Sierra Nevada. Range (in code): **ES**
- 37414. *Vladimirea (s.str.) amseli* Povolny,1967** (Gelechiidae) Synonym(s): *amseli*
Povolny,1967 Range (in code): **IR Ss Elb Th Kh**
- 37415. *Vladimirea (s.str.) glebicolorella* (Erschoff,1874)** (Gelechiidae) Synonym(s):
glebicolorella Erschoff,1874; *submaculata* Povolny,1967. Range (in code): **Cc AM UZ TM AF IR Elb Th Cm**
Bionomy: Larva on *Zygophyllum fabago* (Zygophyllaceae) (Piskunov,1988).
- 37416. *Vladimirea (s.str.) kahirica* Povolny,1969** (Gelechiidae) Synonym(s): *kahirica*
Povolny,1969 Range (in code): **IR Elb Kdj**
- 37417. *Vladimirea (s.str.) magna* Povolny,1969** (Gelechiidae) Synonym(s): *magna*
Povolny,1969 Range (in code): **IR Ss**
- 37418. *Vladimirea (s.str.) stepicola* Povolny,1976** (Gelechiidae) Synonym(s): *stepicola*
Povolny,1976 Range (in code): **IR**
- 37419. *Vladimirea (s.str.) wiltshirei* Povolny,1967** (Gelechiidae) Synonym(s): *wiltshirei*
Povolny,1967 Range (in code):
- 37420. *Vladimirea (s.str.) zygophylli* Kuznetsov,1960** (Gelechiidae) Synonym(s): *zygophylli*
Kuznetsov,1960 Range (in code): **TM K-K IR Kh Gls SA**
- 37421. *Vladimirea (s.str.) zygophyllivorella* Kuznetsov,1960** (Gelechiidae) Synonym(s):
zygophyllivorella Kuznetsov,1960 Range (in code): **TM IR Ss**
- 37422. *Xenolechia aethiops* (Humphreys & Westwood,1845)** (Gelechiidae) Synonym(s):
aethiops Humphreys & Westwood,1845; *aterrima* Edleston,1844; *aethiopella* Doubleday,1859; *squamulella*
Peyerimhoff,1871; *tristis* Staudinger,1879 Range (in code): **ES FR Co Sa IT IE GB NL DE YU TR DK RU MD UA BY**
Bionomy: Larva is a leaf-miner on *Erica cinerea* (Ericaceae) (Stainton,1856).
- 37423. *Xenolechia lindae* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s): *lindae* Huemer
& Karsholt,1999 Range (in code): **GR**
- 37424. *Xenolechia pseudovulgella* Huemer & Karsholt,1999** (Gelechiidae) Synonym(s):
pseudovulgella Huemer & Karsholt,1999 Original Reference: *Xenolechia pseudovulgella* Huemer &
Karsholt,1999, Microlepid. Europe 3: 97-98, figs. Holotype ♂: Greece: Hellas, Lakonia 5km S
(ZMUC). Range (in code): **GR TR**
- 37425. *Xystophora carchariella* (Zeller,1839)** (Gelechiidae) Synonym(s): *carchariella*
Zeller,1839 Range (in code): **PT FR IT DE AT PL CZ SK HU RO YU BG TR SE EE LT RU Us Ur MD UA BY CN**
Bionomy: Larva on *Astragalus*, *Vicia cracca*, *V.cassubica*, *V.pisiformis* (Fabaceae)
(Elsner, Huemer & Tokar,1999).
- 37426. *Xystophora flavicapitella* Chrétien,1915** (Gelechiidae) Synonym(s): *flavicapitella*
Chrétien,1915 Original Reference: *Xystophora flavicapitella* Chrétien,1915, Annls Soc. ent. Fr.
84: 323. Type: [Algérie]: "Biskra". Range (in code): **DZ Bsk**
- 37427. *Xystophora pulveratella* (Herrich-Schäffer,1854)** (Gelechiidae) Synonym(s):
pulveratella Herrich-Schäffer,1854 Range (in code): **FR IT GB DE CH AT PL CZ SK HU RO DK NO SE FI EE RU Ur Sb**
Bionomy: Larva on *Coronilla varia*, *Lathyrus pratensis*, *Lotus corniculatus*,
Medicago minima, *M.sativa*, *Onobrychis*, *Trifolium*, *Vicia cracca* (Fabaceae) (Elsner, Huemer &
Tokar,1999).
- 37428. *Zalithia deltophora* Janse,1954** (Gelechiidae) Synonym(s): *deltophora* Janse,1954
Range (in code): **ZA Abc**
- 37429. *Zalithia octophora* (Meyrick,1918)** (Gelechiidae) Synonym(s): *octophora* Meyrick,1918
Range (in code): **ZA Tva Lpo Spb Wp Nta kzu Dbn Srn Stj Ec Ste**
- 37430. *Zalithia xanthophylla* Janse,1963** (Gelechiidae) Synonym(s): *xanthophylla* Janse,1963
Range (in code): **ZA**
- 37431. "*Asthena*" *argentipuncta* W.Warren,1906** (Geometridae) Synonym(s): *argentipuncta*
W.Warren,1906 Range (in code): **PG**
- 37432. "*Asthena*" *argyrorrhyses* L.B.Prout,1916** (Geometridae) Synonym(s): *argyrorrhyses*
L.B.Prout,1916 Range (in code): **ID Ij**
- 37433. "*Asthena*" *aurantiaca* L.B.Prout,1926** (Geometridae) Synonym(s): *aurantiaca*
L.B.Prout,1926 Range (in code): **ID Ij**
- 37434. "*Asthena*" *distinctaria* (Leech,1897)** (Geometridae) Synonym(s): *distinctaria* Leech,1897
Range (in code): **CN**

- 37435. "Asthenia" eurychora L.B.Prout,1928** (Geometridae) **Synonym(s):** *eurychora* L.B.Prout,1928 **Range (in code):** **WS**
- 37436. "Asthenia" straminearia (Leech,1897)** (Geometridae) **Synonym(s):** *straminearia* Leech,1897 **Range (in code):**
- 37437. "Asthenia" subditaria W.Warren,1906** (Geometridae) **Synonym(s):** *subditaria* W.Warren,1906 **Range (in code):** **PG**
- 37438. "Asthenia" yargongaria Oberthür,1916** (Geometridae) **Synonym(s):** *yargongaria* Oberthür,1916 **Range (in code):** **CN**
- 37439. "Chloroclystis" consocer L.B.Prout,1937** (Geometridae) **Synonym(s):** *consocer* L.B.Prout,1937 **Range (in code):** **ZA**
- 37440. "Chloroclystis" dentatissima (W.Warren,1898)** (Geometridae) **Synonym(s):** *dentatissima* W.Warren,1898 **Range (in code):** **ZA Tva ZA13 Kzu ZA14 Mpu**
- 37441. "Chloroclystis" grisea (W.Warren,1897)** (Geometridae) **Synonym(s):** *grisea* W.Warren,1897 **Range (in code):** **ZA Tva Ktz ZA06 Kzu ZA14 Mpu**
- 37442. "Chloroclystis" gymnoscelides (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *gymnoscelides* L.B.Prout,1916 **Range (in code):** **ZA Tva ZA14 Mpu**
- 37443. "Chloroclystis" muscosa (W.Warren,1902)** (Geometridae) **Synonym(s):** *muscosa* W.Warren,1902 **Range (in code):** **KE Tva ZA Etm Ktz ZA04 ZA05 ZA06 Ksi ZA10 ZA11 ZA12 ZA14 Mpu ZA25 ZA27 Kzu**
- 37444. "Chloroclystis" muscosa tumefacta (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *tumefacta* L.B.Prout,1917 **Range (in code):** **ZA Tva Etm Ktz ZA04 ZA05 ZA06 Ksi ZA10 ZA11 ZA12 ZA14 Mpu ZA25 ZA27 Kzu** **Bionomy:** Larva on *Scutia myrtina*, *Ziziphus mucronata* (Rhamnaceae), *Clerodendron glabrum* (Verbenaceae) (Duke & Duke,1998).
- 37445. "Chloroclystis" palaeartica Brandt,1938** (Geometridae) **Synonym(s):** *palaeartica* Brandt,1938 **Range (in code):** **IR Fa**
- 37446. "Chloroclystis" rubicunda L.B.Prout,1934** (Geometridae) **Synonym(s):** *rubicunda* L.B.Prout,1934 **Original Reference:** *Chloroclystis rubicunda* L.B.Prout,1934, *Stylops* 3 (11): 255. Holotype ♂: Fiji: Vunidawa (BMNH). **Range (in code):** **FJ**
- 37447. "Chloroclystis" rubrinotata (W.Warren,1893)** (Geometridae) **Synonym(s):** *rubrinotata* W.Warren,1893 **Original Reference:** *Eupithecia rubrinotata* W.Warren,1893, *Proc. zool. Soc. Lond.* 1893: 384, pl.30 fig.22. Type ♀: India: Sikkim (BMNH). **Range (in code):** **IN SI**
- 37448. "Chloroclystis" ruptiscripta (W.Warren,1904)** (Geometridae) **Synonym(s):** *ruptiscripta* W.Warren,1904; *colorata* W.Warren,1906 **Original Reference:** *Rhinoprora ruptiscripta* W.Warren,1904, *Novit. zool.* 10: 267. Holotype ♂: [Philippines]: Luzon, 5000-6000ft (BMNH). **Range (in code):** **PG PH Luz**
- 37449. "Chloroclystis" tortuosa West,1929** (Geometridae) **Synonym(s):** *tortuosa* West,1929 **Original Reference:** *Chloroclystis tortuosa* West,1929, *Novit. zool.* 35: 129. Holotype ♂: Philippines: Luzon, Benguet, Pauai, Haight's Place, 7000ft (BMNH). **Range (in code):** **PH Luz**
- 37450. "Cidaria" multistrigata Rothschild,1914 [invalid name!]** (Geometridae) **Synonym(s):** *multistrigata* Rothschild,1914 **Original Reference:** "Cidaria" multistrigata Rothschild,1914, *Novit. zool.* 21: 345. Type ♂: Algeria, Guelt-es-Stel (V.Faroult) [the name is primary homonym of *C.multistriata* Butler,1889; therefore unavailable, A.Ö.K.]. **DZ Ges**
- 37451. "Cyclophora" inaequalis (W.Warren,1902)** (Geometridae) **Synonym(s):** *inaequalis* W.Warren,1902 **Range (in code):**
- 37452. "Cyclophora" lyciscaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *lyciscaria* Guenée,[1858]; *bitactata* Walker,1862; *deremptaria* Walker,1863 **Range (in code):** **ZA ZA05 Kzu Nta Wca Cto KE MG**
- 37453. "Cyclophora" sanguinata (W.Warren,1904)** (Geometridae) **Synonym(s):** *sanguinata* W.Warren,1904 **Range (in code):** **ZA**
- 37454. "Hydrelia" flavidula (W.Warren,1907)** (Geometridae) **Synonym(s):** *flavidula* W.Warren,1907 **Range (in code):** **PG**
- 37455. "Pachyodes" albapex Inoue,1988** (Geometridae) **Synonym(s):** *albapex* Inoue,1988 **Range (in code):** **ID Clb**
- 37456. "Pachyodes" costiflavens (Wehrli,1933)** (Geometridae) **Synonym(s):** *costiflavens* Wehrli,1933 **Range (in code):** **CN**
- 37457. "Pachyodes" ectoxantha (Wehrli,1933)** (Geometridae) **Synonym(s):** *ectoxantha* Wehrli,1933 **Range (in code):** **CN Yu**

- 37458. "Pachyodes" euclidiaria (Oberthür,1913)** (Geometridae) **Synonym(s):** *euclidiaria*
Oberthür,1913 _ Range (in code): **CN**
- 37459. "Pachyodes" iterans (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *iterans*
L.B.Prout,1926 _ Range (in code): **CN TW**
- 37460. "Pachyodes" leopardinata (Moore,1868)** (Geometridae) **Synonym(s):** *leopardinata*
Moore,1868 _ Range (in code): **IN Ben**
- 37461. "Pachyodes" moelleri (W.Warren,1893)** (Geometridae) **Synonym(s):** *moelleri*
W.Warren,1893 _ Range (in code): **IN SI**
- 37462. "Pachyodes" ornataria Moore,1888** (Geometridae) **Synonym(s):** *ornataria* *Moore,1888*
Range (in code): **IN SI Djl IN Ass Cpj Meg TH**
- 37463. "Pachyodes" pictaria Moore,1888** (Geometridae) **Synonym(s):** *pictaria* *Moore,1888*
Range (in code): **IN SI Djl**
- 37464. "Pachyodes" taiwana Wileman,1912** (Geometridae) **Synonym(s):** *taiwana* *Wileman,1912*
Range (in code): **TW**
- 37465. "Pachyodes" varicoloraria (Moore,1868)** (Geometridae) **Synonym(s):** *varicoloraria*
Moore,1868 _ Range (in code): **IN Ben**
- 37466. "Pachyodes" varicoloraria (Moore,1868)** (Geometridae) **Synonym(s):** *varicoloraria*
Moore,1868 _ Range (in code): **IN Ben TH**
- 37467. "Prasinocyma" bipuncta L.B.Prout,1913** (Geometridae) **Synonym(s):** *bipuncta*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37468. "Prasinocyma" debilis L.B.Prout,1913** (Geometridae) **Synonym(s):** *debilis* *L.B.Prout,1913*
Range (in code): **ID Ij Gth**
- 37469. "Prasinocyma" dentatilineata L.B.Prout,1913** (Geometridae) **Synonym(s):**
dentatilineata *L.B.Prout,1913* _ Range (in code): **ID Ij Gth**
- 37470. "Prasinocyma" deviata L.B.Prout,1913** (Geometridae) **Synonym(s):** *deviata*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37471. "Prasinocyma" dioscorodes L.B.Prout,1913** (Geometridae) **Synonym(s):** *dioscorodes*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37472. "Prasinocyma" discoprivata L.B.Prout,1913** (Geometridae) **Synonym(s):** *discoprivata*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37473. "Prasinocyma" geometrica L.B.Prout,1913** (Geometridae) **Synonym(s):** *geometrica*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37474. "Prasinocyma" infirma L.B.Prout,1913** (Geometridae) **Synonym(s):** *infirma*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37475. "Prasinocyma" intermedia (W.Warren,1907)** (Geometridae) **Synonym(s):** *intermedia*
W.Warren,1907 _ Range (in code): **PG ID Ij Gth**
- 37476. "Prasinocyma" intermedia approximata L.B.Prout,1913** (Geometridae)
Synonym(s): *approximata* *L.B.Prout,1913* _ Range (in code): **ID Ij Gth**
- 37477. "Prasinocyma" nictata L.B.Prout,1913** (Geometridae) **Synonym(s):** *nictata*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37478. "Prasinocyma" obsoleta (W.Warren,1906)** (Geometridae) **Synonym(s):** *obsoleta*
W.Warren,1906 _ Range (in code): **PG**
- 37479. "Prasinocyma" obsoleta subobsoleta L.B.Prout,1913** (Geometridae) **Synonym(s):**
subobsoleta *L.B.Prout,1913* _ Range (in code): **ID Ij Gth**
- 37480. "Prasinocyma" oxybeles L.B.Prout,1913** (Geometridae) **Synonym(s):** *oxybeles*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37481. "Prasinocyma" phoenicogramma L.B.Prout,1913** (Geometridae) **Synonym(s):**
phoenicogramma *L.B.Prout,1913* _ Range (in code): **ID Ij Gth**
- 37482. "Prasinocyma" ruficollis L.B.Prout,1913** (Geometridae) **Synonym(s):** *ruficollis*
L.B.Prout,1913 _ Range (in code): **ID Ij Gth**
- 37483. "Prasinocyma" scintillans (W.Warren,1906)** (Geometridae) **Synonym(s):** *scintillans*
W.Warren,1906 _ Range (in code): **PG ID Ij Gth**
- 37484. "Prasinocyma" scintillans isorrhopia L.B.Prout,1913** (Geometridae) **Synonym(s):**
isorrhopia *L.B.Prout,1913* _ Range (in code): **ID Ij Gth**
- 37485. "Prasinocyma" seminivea (W.Warren,1906)** (Geometridae) **Synonym(s):** *seminivea*
W.Warren,1906 _ Range (in code): **PG ID Ij Gth**

- 37486. "Prasinocyma" seminivea respersa L.B.Prout,1913** (Geometridae) **Synonym(s):** *respersa* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37487. "Prasinocyma" signifera (W.Warren,1903)** (Geometridae) **Synonym(s):** *signifera* W.Warren,1903 _ Range (in code): PG Aro ID Ij Gth
- 37488. "Prasinocyma" signifera superba L.B.Prout,1913** (Geometridae) **Synonym(s):** *superba* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37489. "Prasinocyma" tripuncta L.B.Prout,1913** (Geometridae) **Synonym(s):** *tripuncta* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37490. "Prasinocyma" vagrans L.B.Prout,1913** (Geometridae) **Synonym(s):** *vagrans* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37491. "Prasinocyma" venata L.B.Prout,1913** (Geometridae) **Synonym(s):** *venata* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37492. "Prasinocyma" votiva L.B.Prout,1913** (Geometridae) **Synonym(s):** *votiva* L.B.Prout,1913 _ Range (in code): ID Ij Gth
- 37493. "Venusia" distrigaria (Boisduval,1833)** (Geometridae) **Synonym(s):** *distrigaria* Boisduval,1833 _ Range (in code): MG
- 37494. Abaciscus adjuncta (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *adjuncta* L.B.Prout,1928; *ochripila* Wehrli,1939 _ Range (in code): ID Sum CN M Bor Pah Cmh TH CMA
- 37495. Abaciscus albipunctatus Inoue,1955** (Geometridae) **Synonym(s):** *albipunctata* Inoue,1955 _ Range (in code): JP Bionomy: Larva on *Fagus crenata* (Fagaceae) (Scoble et al.,1999).
- 37496. Abaciscus alishanensis Inoue,1978** (Geometridae) **Synonym(s):** *alishanensis* Inoue,1978 _ Range (in code): TW
- 37497. Abaciscus atmala (Swinhoe,1894)** (Geometridae) **Synonym(s):** *atmala* Swinhoe,1894; *subcinerea* W.Warren,1896 _ Range (in code): MY Bor Swk IN Meg Ass Khs ID Sbt Mw
- 37498. Abaciscus atmala atmala (Swinhoe,1894)** (Geometridae) **Synonym(s):** *atmala* Swinhoe,1894; *subcinerea* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 37499. Abaciscus atmala flavidus Holloway,[1994]** (Geometridae) **Synonym(s):** *flavida* Holloway,[1994] _ Range (in code): MY Bor Swk
- 37500. Abaciscus atmala smedleyi (L.B.Prout,1931)** (Geometridae) **Synonym(s):** *smedleyi* L.B.Prout,1931 _ Range (in code): ID Sbt Mw
- 37501. Abaciscus bifidus Sato,1997** (Geometridae) **Synonym(s):** *bifida* Sato,1997 _ Range (in code): VN Ton Tda
- 37502. Abaciscus changi Sato,1997** (Geometridae) **Synonym(s):** *changi* Sato,1997 _ Range (in code): TW
- 37503. Abaciscus consanguineus (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *consanguinea* L.B.Prout,1926 _ Range (in code): MM
- 37504. Abaciscus costimaculus (Wileman,1912)** (Geometridae) **Synonym(s):** *costimacula* Wileman,1912 _ Range (in code): TW
- 37505. Abaciscus intractabilis (Walker,1863)** (Geometridae) **Synonym(s):** *intractabilis* Walker,1863; *figlina* Swinhoe,1890 _ Range (in code): MY Bor Swk MM Krh CN Kwa TH
- 37506. Abaciscus intractabilis cantonensis (Wehrli,1943)** (Geometridae) **Synonym(s):** *cantonensis* Wehrli,1943 _ Range (in code): CN Kwa
- 37507. Abaciscus intractabilis intractabilis (Walker,1863)** (Geometridae) **Synonym(s):** *intractabilis* Walker,1863; *figlina* Swinhoe,1890 _ Range (in code): MY Bor Swk MM Krh
- 37508. Abaciscus karsholti Sato,1996** (Geometridae) **Synonym(s):** *karsholti* Sato,1996
Original Reference: *Abaciscus karsholti* Sato,1996, Trans. lepid. Soc. Japan 47 (4): 230, figs.6,22.
Holotype ♂: Thailand: Chiang Mai, Doi Inthanon National Park, 1600m (ZMUC). Range (in code): TH CMA Int VN Ton Fan
- 37509. Abaciscus kathmandensis Sato,1993** (Geometridae) **Synonym(s):** *kathmandensis* Sato,1993 _ Range (in code): NP
- 37510. Abaciscus lutosus Holloway,[1994]** (Geometridae) **Synonym(s):** *lutosus* Holloway,[1994] _ Range (in code): MY Bor Swk TH
- 37511. Abaciscus manoi Sato,2005** (Geometridae) **Synonym(s):** *manoi* Sato,2005 _ Range (in code): MM Chn TH CRa CMA Int Bnk VN
- 37512. Abaciscus paucisignatus (W.Warren,1899)** (Geometridae) **Synonym(s):** *paucisignatus* W.Warren,1899; *paraphiata* W.Warren,1900 _ Range (in code): MY Prk

- 37513. *Abaciscus sakuraii* Sato,1994** (Geometridae) Synonym(s): *sakuraii* Sato,1994 _ Range (in code): **NP**
- 37514. *Abaciscus scinus* Sato,1994** (Geometridae) Synonym(s): *scinus* Sato,1994 _ Range (in code): **NP**
- 37515. *Abaciscus shanae* Holloway,[1994]** (Geometridae) Synonym(s): *shanae* Holloway,[1994] _ Range (in code): **TH Ntt Hba MY Bor Swk**
- 37516. *Abaciscus stellifera* W.Warren,1896** (Geometridae) Synonym(s): *stellifera* W.Warren,1896 _ Range (in code): **IN Meg Ass Khs**
- 37517. *Abaciscus tristis* Butler,1889** (Geometridae) Synonym(s): *tristis* Butler,1889 _ Range (in code): **CN Tkg IN Hp Drm**
- 37518. *Abaciscus tristis tristis* Butler,1889** (Geometridae) Synonym(s): *tristis* Butler,1889 _ Range (in code): **IN Hp Drm**
- 37519. *Abaciscus tristis tschekiangus* (Wehrli,1943)** (Geometridae) Synonym(s): *tschekiangus* Wehrli,1943 _ Range (in code): **CN Tkg**
- 37520. *Abaciscus tsinlingensis* (Wehrli,1943)** (Geometridae) Synonym(s): *tsinlingensis* Wehrli,1943 _ Range (in code): **CN Yu She**
- 37521. *Abaciscus tsinlingensis cesa* Koçak & Kemal,2001** (Geometridae) Synonym(s): *yangtseina* Wehrli,1943 *nec* Wehrli,1943; *cesa* Koçak & Kemal,2001 _ Original Reference: *Abaciscus tsinlingensis* ssp. *cesa* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 1 (nomen novum pro *yangtseina* Wehrli,1943 *nec* Wehrli,1943). Syntypes: China: Yunnan: Li-kiang. Range (in code): **CN Yu**
- 37522. *Abaciscus tsinlingensis tsinlingensis* (Wehrli,1943)** (Geometridae) Synonym(s): *tsinlingensis* Wehrli,1943 _ Range (in code): **CN She**
- 37523. *Abaciscus tsinlingensis yangtseina* (Wehrli,1943)** (Geometridae) Synonym(s): *yangtseina* Wehrli,1943 _ Range (in code): **CN Yu**
- 37524. *Abraxaphantes perampla* (Swinhoe,1890)** (Geometridae) Synonym(s): *perampla* Swinhoe,1890 _ Original Reference: *Abraxas perampla* Swinhoe,1890, Trans. ent. Soc. Lond. 1890 (2): 211-212. Type ♂: Burma, Upper Tenasserim (coll. Swinhoe). Range (in code): **MM Tns TH CMa CDo Cz10 Cnz**
- 37525. *Abraxas (Calospilos) amacula* Wehrli,1935** (Geometridae) Synonym(s): *amicula* Wehrli,1935 _ Range (in code): **CN ?TH CMa Int CDo Pki**
- 37526. *Abraxas (Calospilos) breueri* Stüning & Hausmann,2002** (Geometridae) Synonym(s): *breueri* Stüning & Hausmann,2002 _ Range (in code): **PH**
- 37527. *Abraxas (Calospilos) formosilluminata* Inoue,1984** (Geometridae) Synonym(s): *formosilluminata* Inoue,1984 _ Range (in code): **TH CMa Int**
- 37528. *Abraxas (Calospilos) hoenei* Wehrli,1935** (Geometridae) Synonym(s): *hoenei* Wehrli,1935 _ Range (in code): **CN ?TH Nna Kao**
- 37529. *Abraxas (Calospilos) illuminata* W.Warren,1897** (Geometridae) Synonym(s): *illuminata* W.Warren,1897 _ Range (in code): **IN SI Djl TH Khn**
- 37530. *Abraxas (Calospilos) metallica* Inoue,1994** (Geometridae) Synonym(s): *metallica* Inoue,1994 _ Original Reference: *Abraxas (Calospilos) metallica* Inoue,1994, Tinea 14 (1): 21, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2571m. (BMNH). Range (in code): **TH CMa Int**
- 37531. *Abraxas (Calospilos) oblongostigma* Inoue,1994** (Geometridae) Synonym(s): *oblongostigma* Inoue,1994 _ Original Reference: *Abraxas (Calospilos) oblongostigma* Inoue,1994, Tinea 14 (1): 22, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, South Ridge, 1650m (BMNH). Range (in code): **TH CMa Int**
- 37532. *Abraxas (Calospilos) pantaria* (Linnaeus,1767)** (Geometridae) Synonym(s): *pantaria* Linnaeus,1767 _ Original Reference: *Phalaena pantaria* Linnaeus,1767, Syst. Nat. (Edn 12) 1 (2): 863. Range (in code): **MA Tgr PT ES FR Co Sa Si IT TR Cc AM** _ Bionomy: Larva on *Fraxinus* (Meyer,1919).
- 37533. *Abraxas (Calospilos) sp.*** (Geometridae) Synonym(s): _ Range (in code): **TH CMa CDo Pki**
- 37534. *Abraxas (Calospilos) sp.*** (Geometridae) Synonym(s): _ Range (in code): **TH Nna Kao**
- 37535. *Abraxas (Calospilos) sylvata* (Scopoli,1763)** (Geometridae) Synonym(s): *sylvata* Scopoli,1763 _ Original Reference: *Phalaena sylvata* Scopoli,1763, Entomologia Carniolica: 220. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc TR AZ DK NO SE FI EE LV LT RU MD UA BY JP** _ Bionomy: Larva on

- Betula pubescens* (Betulaceae); *Prunus padus* (Rosaceae); *Ulmus glabra*, *U. davidiana*, *U. laciniata* (Ulmaceae); *Camellia sinensis* (Theaceae) (Meyer,1919; et seq.).
- 37536. Abraxas (s.str.) aritai Inoue,1994** (Geometridae) Synonym(s): *aritai* Inoue,1994
Original Reference: *Abraxas aritai* Inoue,1994, *Tinea* 14 (1): 21, figs. 3,4,10,14,18. Holotype ♂:
Thailand: Chiang Mai, Doi Inthanon (BMNH). Range (in code): TH CMa Int
- 37537. Abraxas (s.str.) atrolivens Inoue,1994** (Geometridae) Synonym(s): *atrolivens* Inoue,1994
Original Reference: *Abraxas atrolivens* Inoue,1994, *Tinea* 14 (1): 20, figs. 1,2,9,13,17. Holotype ♂:
Thailand: Chiang Mai, Doi Inthanon, 2571m (BMNH). Range (in code): TH CMa Int
- 37538. Abraxas (s.str.) grossulariata (Linnaeus,1758)** (Geometridae) Synonym(s):
grossulariata Linnaeus,1758; *cuneifera* W.Warren,1895; *memorabilis* Inoue,1946 Original Reference:
Phalaena grossulariata Linnaeus,1758, *Syst. Nat.* (Edn.10)1: 525. Syntypes: [Europa], in *Ribes*,
Grossularia, *Amygdalus*. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU
RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Am Sj KG DsA KK CN Ts MD UA BY KP
KR JP Bionomy: Larva on *Abies homolepis* (Pinaceae), *Andromeda subsessilis*, *Calluna*,
Enkianthus campanulatus, *Menziesia multiflora*, *Vaccinium* (Ericaceae), *Corylus* (Corylaceae),
Crataegus, *Malus pumila*, *Prunus padus* (Rosaceae), *Euonymus alata*, *E.sieboldiana*
(Celastraceae), *Fagus japonica*, *Quercus mongolica* (Fagaceae), *Fraxinus lanuginosa*, *Ligustrum*
(Oleaceae), *Ribes alpinum*, *R. nigrum*, *R. rubrum*, *R. uva-crispa* (Grossulariaceae), *Salix vulpina*
(Salicaceae), *Sedum*, *Umbiculus* (Crassulaceae), *Ulmus* (Ulmaceae), *Viburnum dilatatum*
(Caprifoliaceae) (Robinson et al.,2005).
- 37539. Abraxas abrasata W.Warren,1888** (Geometridae) Synonym(s): *abrasata* W.Warren,1888
Range (in code): IN Ass Meg Khs
- 37540. Abraxas aequimargo Semper,1901** (Geometridae) Synonym(s): *aequimargo* Semper,1901
Range (in code): PH
- 37541. Abraxas aphorista L.B.Prout,1917** (Geometridae) Synonym(s): *aphorista* L.B.Prout,1917
Range (in code): MM
- 37542. Abraxas capitata W.Warren,1894** (Geometridae) Synonym(s): *intermedia* W.Warren,1894
nec 1888; *capitata* W.Warren,1894 Range (in code): IN Hp Sml
- 37543. Abraxas contrahens** (Geometridae) Synonym(s): Range (in code): ID Bionomy:
Larva on *Casuarina junghuhniana* (Casuarinaceae) (Robinson et al.,2005).
- 37544. Abraxas cyclobalia West,1929** (Geometridae) Synonym(s): *cyclobalia* West,1929
Range (in code): PH Luz
- 37545. Abraxas diastema L.B.Prout,1926** (Geometridae) Synonym(s): *diastema* L.B.Prout,1926
Range (in code): IN Ass Meg Cpj
- 37546. Abraxas dichostata L.B.Prout,1927** (Geometridae) Synonym(s): *dichostata* L.B.Prout,1927
Range (in code): MM Hta
- 37547. Abraxas discoparallela Wehrli,1931** (Geometridae) Synonym(s): *discoparallela*
Wehrli,1931 Range (in code): CN Sz
- 37548. Abraxas disrupta W.Warren,1894** (Geometridae) Synonym(s): *disrupta* W.Warren,1894
Range (in code): IN Ass Meg Khs
- 37549. Abraxas elaiodes Wehrli,1931** (Geometridae) Synonym(s): *elaiodes* Wehrli,1931
Range (in code): IN Pj Hp Sml
- 37550. Abraxas fulvobasalis W.Warren,1894** (Geometridae) Synonym(s): *fulvobasalis*
W.Warren,1894 Range (in code): JP CN RU Sb Bionomy: Larva on *Salix babylonica*, *S. integra*,
S. vulpina (Salicaceae) (Robinson et al.,2005).
- 37551. Abraxas fuscescens Butler,1886** (Geometridae) Synonym(s): *fuscescens* Butler,1886
Original Reference: *Abraxas fuscescens* Butler,1886, *Proc. zool. Soc. Lond.* 1886: 392, pl.xxxv
fig.10. Type: [Pakistan]: Kalabagh, 16th September 1885. Range (in code): PK Thu Kbg IN
Bionomy: Larva on *Abies pindrow* (Pinaceae) (Robinson et al.,2005).
- 37552. Abraxas gephyra West,1929** (Geometridae) Synonym(s): *gephyra* West,1929 Range
(in code): PH Luz
- 37553. Abraxas intermedia W.Warren,1888** (Geometridae) Synonym(s): *intermedia*
W.Warren,1888; *determinata* W.Warren,1894 Range (in code): PK Thu K-P Pj IN Ass Meg Khs
Bionomy: Larva on *Celastrus orbiculatus* (Celastraceae) (Robinson et al.,2005).
- 37554. Abraxas interpunctata W.Warren,1905** (Geometridae) Synonym(s): *interpunctata*
W.Warren,1905 Range (in code): PH Sul

- 37555. Abraxas intervacuata (W.Warren,1896)** (Geometridae) Synonym(s): *intervacuata* W.Warren,1896 _ Range (in code): **MY Bor Swk**
- 37556. Abraxas invasata W.Warren,1897** (Geometridae) Synonym(s): *invasata* W.Warren,1897 Range (in code): **MY Bor Sbh KBa**
- 37557. Abraxas irrorata Moore,1868** (Geometridae) Synonym(s): *irrorata* Moore,1868; *diaphana* W.Warren,1893 _ Range (in code): **IN SI Djl**
- 37558. Abraxas latifasciata W.Warren,1894** (Geometridae) Synonym(s): *latifasciata* W.Warren,1894; *japanibia* Wehrli,1939 _ Range (in code): **JP RU Sb CN** Bionomy: Larva on *Euonymus alata*, *E. macroptera*, *E. sieboldiana*, *Celastrus orbiculatus* (Celastraceae) (Robinson et al.,2005).
- 37559. Abraxas leucoloepa L.B.Prout,1928** (Geometridae) Synonym(s): *leucoloepa* L.B.Prout,1928 _ Range (in code): **ID Sum**
- 37560. Abraxas lugubris L.B.Prout,1925** (Geometridae) Synonym(s): *lugubris* L.B.Prout,1925 Range (in code): **MY** Bionomy: Larva on *Abies pindrow* (Pinaceae) (Robinson et al.,2005).
- 37561. Abraxas macroplaca De Joannis,1929** (Geometridae) Synonym(s): *macroplaca* De Joannis,1929 _ Range (in code): **VN Ton**
- 37562. Abraxas maculicincta Walker,1866** (Geometridae) Synonym(s): *maculicincta* Walker,1866 _ Range (in code): **ID Ja**
- 37563. Abraxas metabasis L.B.Prout,1927** (Geometridae) Synonym(s): *metabasis* L.B.Prout,1927 Range (in code): **MM Hpi**
- 37564. Abraxas miranda Butler,1878** (Geometridae) Synonym(s): *miranda* Butler,1878; *deminuta* W.Warren,1894 _ Range (in code): **JP** Bionomy: Larva on *Ulmus* (Ulmaceae); *Euonymus alata*, *E. fortunei*, *E. japonica* (Celastraceae); *Populus*, *Salix* (Salicaceae) (Robinson et al.,2005).
- 37565. Abraxas nephodes** (Geometridae) Synonym(s): _ Range (in code): **BT** Bionomy: Larva on *Abies spectabilis* (Pinaceae) (Robinson et al.,2005).
- 37566. Abraxas niponibia** (Geometridae) Synonym(s): _ Range (in code): **JP** Bionomy: Larva on *Celastrus orbiculatus* (Celastraceae) (Robinson et al.,2005).
- 37567. Abraxas pleniguttata W.Warren,1897** (Geometridae) Synonym(s): *pleniguttata* W.Warren,1897 _ Range (in code): **PH Luz**
- 37568. Abraxas polysticta Wehrli,1931** (Geometridae) Synonym(s): *polysticta* Wehrli,1931 Range (in code): **CN Sz**
- 37569. Abraxas praepiperata (Wehrli,1935)** (Geometridae) Synonym(s): *praepiperata* Wehrli,1935 _ Range (in code): **CN Sz**
- 37570. Abraxas propior Wehrli,1935** (Geometridae) Synonym(s): *propior* Wehrli,1935 _ Range (in code): **CN Sz**
- 37571. Abraxas rhusiocirra Wehrli,1931** (Geometridae) Synonym(s): *rhusiocirra* Wehrli,1931 Range (in code): **CN Sz**
- 37572. Abraxas satoi** (Geometridae) Synonym(s): _ Range (in code): **JP** Bionomy: Larva on *Ulmus davidiana* (Ulmaceae) (Robinson et al.,2005).
- 37573. Abraxas semilivens Wehrli,1935** (Geometridae) Synonym(s): *semilivens* Wehrli,1935 Range (in code): **CN Sz**
- 37574. Abraxas semiusta West,1929** (Geometridae) Synonym(s): *semiusta* West,1929 _ Range (in code): **PH Luz**
- 37575. Abraxas sinimartaria Wehrli,1935** (Geometridae) Synonym(s): *sinimartaria* Wehrli,1935 Range (in code): **MM Hta Hpi IN SI CN Mc**
- 37576. Abraxas subflava Wehrli,1935** (Geometridae) Synonym(s): *subflava* Wehrli,1935 Range (in code): **CN Sz**
- 37577. Abraxas subhyalinata Röber,1891** (Geometridae) Synonym(s): *subhyalinata* Röber,1891 Range (in code): **ID Flo Bor Klt**
- 37578. Abraxas suspecta (W.Warren,1894)** (Geometridae) Synonym(s): *suspecta* W.Warren,1894 _ Range (in code): **CN JP** Bionomy: Larva on *Buxus magistophylla* (Buxaceae) (Robinson et al.,2005).
- 37579. Abraxas symmetrica W.Warren,1894** (Geometridae) Synonym(s): *symmetrica* W.Warren,1894 _ Range (in code): **IN Ass Meg Khs**
- 37580. Abraxas taiwanensis Inoue,1984** (Geometridae) Synonym(s): *taiwanensis* Inoue,1984 Range (in code): **TW**

- 37581. Abraxas tenellula Inoue,1984** (Geometridae) Synonym(s): *tenellula* Inoue,1984 - Range (in code): **TW**
- 37582. Abraxas tenuisuffusa Inoue,1984** (Geometridae) Synonym(s): *tenuisuffusa* Inoue,1984 Range (in code): **TW**
- 37583. Abraxas todara Swinhoe,1890** (Geometridae) Synonym(s): *todara* Swinhoe,1890 Range (in code): **IN NI**
- 37584. Abraxas triseriaria Herrich-Schäffer,[1855]** (Geometridae) Synonym(s): *triseriaria* Herrich-Schäffer,[1855]; *marginata* Moore,1879; *triseriata* Hampson,1895 nec Wrr.,1893 - Range (in code): **ID Ja Sum MM Tns**
- 37585. Abraxas triseriata W.Warren,1893** (Geometridae) Synonym(s): *triseriata* W.Warren,1893; *flaveata* Hampson,1895 - Range (in code): **IN SI**
- 37586. Abraxas unisinuata W.Warren,1896** (Geometridae) Synonym(s): *unisinuata* W.Warren,1896 - Range (in code): **ID Ja**
- 37587. Abraxas virginalis Butler,1886** (Geometridae) Synonym(s): *virginalis* Butler,1886 Original Reference: *Abraxas virginalis* Butler,1886, Proc. zool. Soc. Lond. 1886: 392, pl.xxxv fig.11. Type: [Pakistan]: Murree, 13th August 1885. Range (in code): **PK Haz Mre Pj Nar**
- 37588. Abraxas wegneri L.B.Prout,1935** (Geometridae) Synonym(s): *wegneri* L.B.Prout,1935 Range (in code): **ID Ja**
- 37589. Abraxas wehrlii Bytinski-Salz & Brandt,1937** (Geometridae) Synonym(s): *wehrlii* Bytinski-Salz & Brandt,1937; *#assignata* Bytinski-Salz & Brandt,1937 Original Reference: *Abraxas wehrlii* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 14-15. Syntypes 5♂ 4♀: Iran: Keredj. Range (in code): **IR Elb Kdj Th Fa Sse**
- 37590. Abraxesis melaleucaria Hampson,1902** (Geometridae) Synonym(s): *melaleucaria* Hampson,1902; *#metaleucaria* Hampson,1902 - Range (in code): **IN Hp Sml**
- 37591. Absala dorcada Swinhoe,1893** (Geometridae) Synonym(s): *dorcada* Swinhoe,1893 Range (in code): **IN Ass Meg Khs CN TH VN**
- 37592. Acanthovalva bilineata (W.Warren,1895)** (Geometridae) Synonym(s): *bilineata* W.Warren,1895; *antennata* W.Warren,1897. - Range (in code): **ZA ZA17 Tva Lpo TZ Dss**
- 37593. Acanthovalva capensis M.Krüger,2001** (Geometridae) Synonym(s): *capensis* M.Krüger,2001 Original Reference: *Acanthovalva capensis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 36, figs.27, 502, 746, 970. Holotype ♂: [South Africa: Northern Cape]: Nababiep, 13-14.viii.1961, van Son & Vari leg. Range (in code): **ZA Wca**
- 37594. Acanthovalva focularia (Geyer,1837)** (Geometridae) Synonym(s): *focularia* Geyer,1837; *designata* Walker,1862; *perdecorata* Walker,[1863] - Range (in code): **ZA**
- 37595. Acanthovalva focularia focularia (Geyer,1837)** (Geometridae) Synonym(s): *focularia* Geyer,1837; *designata* Walker,1862; *perdecorata* Walker,[1863] - Range (in code): **ZA**
- 37596. Acanthovalva inconspicuaria (Hübner,[1819])** (Geometridae) Synonym(s): *inconspicuaria* Hübner,[1819]; *pumicaria* Lederer,1855; *osyraria* Guenée,[1858]; *cinerascens* Butler,1875; *perturbata* Bastelberger,1908; *cinnamomaria* Rothschild,1914. Original Reference: *Geometra inconspicuaria* Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.500. Type (s): Europa. Range (in code): **ZA ZA01 Tva Lpo Spb Bbg Mal ZA06 Nta Kzu ZA14 ZA16 Mpu ZA17 ZA21 ZA24 NWe ZA26 ZA28 Gau Fs Nca Wca Ec SZ NA BW AO ZW MW MZ ZM KE ET MA DZ Ges GR IL Pa Hf LB TR IR ES An YE Hd YE30** Bionomy: Larva on *Acacia nilotica* (Mimosaceae) (Staudte,1999).
- 37597. Acanthovalva itremo M.Krüger,2001** (Geometridae) Synonym(s): *itremo* M.Krüger,2001 Original Reference: *Acanthovalva itremo* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 36-37, figs.28, 503, 747. Holotype ♂: Madagascar: Centre, massif de l'itremo 1615m., 7/12.i.1973, P. Griveaud leg. (MNHN). Range (in code): **MG**
- 37598. Acanthovalva magna M.Krüger,2001** (Geometridae) Synonym(s): *magna* M.Krüger,2001 Original Reference: *Acanthovalva magna* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 35-36, figs.26, 501. Holotype ♂: Tanzania: Katesh, 5900 ft., 29.vi.1965 leg. Szunyoyghy (BMNH). Range (in code): **TZ**
- 37599. Acasis appensata (Eversmann,1842)** (Geometridae) Synonym(s): *appensata* Eversmann,1842; *appensaria* Herrich-Schäffer,1848; *baikalensis* Bang-Haas,1906; *callaina* Hausmann & Huemer,2011 - Range (in code): **FR DE IT CH AT PL CZ SK HU BG NO SE FI EE LV RU Sj MD TR** Bionomy: Larva on *Actaea spicata* (Meyer,1919).
- 37600. Acasis viretata (Hübner,[1799])** (Geometridae) Synonym(s): *viretata* Hübner,[1799]; *trinotata* Donovan,1810; *viretaria* Boisduval,1840 - Range (in code): **PT ES FR IT IE GB BE NL LU DE**

- CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Ligustrum vulgare* (Oleaceae), *Rhamnus* (Rhamnaceae) (Meyer,1919).
- 37601. Achrosis alienata (Walker,1862)** (Geometridae) Synonym(s): *alienata* Walker,1862
Range (in code): IN ID Ja
- 37602. Achrosis berytana (Rebel,1911)** (Geometridae) Synonym(s): *berytana* Rebel,1911
Original Reference: *Prionia berytana* Rebel,1911, Verh. zool.-bot. Ges. Wien 61 (7/8): (145).
Holotype ♂: [Lebanon]: Beirut. Range (in code): LB Bei
- 37603. Achrosis calcicola Holloway,[1994]** (Geometridae) Synonym(s): *calcicola* Holloway,[1994] Range (in code): MY Bor Swk
- 37604. Achrosis classeyi Holloway,[1994]** (Geometridae) Synonym(s): *classeyi* Holloway,[1994]
Range (in code): MY Bor Sbh KBa
- 37605. Achrosis costimaculata (Moore,1868)** (Geometridae) Synonym(s): *costimaculata* Moore,1868 Range (in code): IN Ben
- 37606. Achrosis elegans (West,1929)** (Geometridae) Synonym(s): *elegans* West,1929 Range (in code): PH Luz
- 37607. Achrosis euchroes (L.B.Prout,1917)** (Geometridae) Synonym(s): *euchroes* L.B.Prout,1917
Range (in code): IN NI
- 37608. Achrosis excitata (L.B.Prout,1928)** (Geometridae) Synonym(s): *excitata* L.B.Prout,1928
Range (in code): ID Sum
- 37609. Achrosis fulvifusa (W.Warren,1901)** (Geometridae) Synonym(s): *fulvifusa* W.Warren,1901 Range (in code): MY Bor
- 37610. Achrosis incitata (Walker,1862)** (Geometridae) Synonym(s): *incitata* Walker,1862;
miscella Swinhoe,1891 Range (in code): IN SI Djl NI TH CMa CDo
- 37611. Achrosis innotata (W.Warren,1897)** (Geometridae) Synonym(s): *innotata* W.Warren,1897 Range (in code): MY Pen
- 37612. Achrosis intexta (Swinhoe,1891)** (Geometridae) Synonym(s): *intexta* Swinhoe,1891
Range (in code): IN Knr
- 37613. Achrosis kerangatis Holloway,[1994]** (Geometridae) Synonym(s): *kerangatis* Holloway,[1994] Range (in code): MY Bor Swk
- 37614. Achrosis likianga (Wehrli,1940)** (Geometridae) Synonym(s): *likianga* Wehrli,1940
Range (in code): CN Yu
- 37615. Achrosis lithosiaria (Walker,1862)** (Geometridae) Synonym(s): *lithosiaria* Walker,1862
Original Reference: *Omiza lithosiaria* Walker,1862, List Specimens lepid. Insects Colln Br. Mus. 24: 1085. Syntypes: [Borneo]: Sarawak (OUM). Range (in code): MY Bor Swk TH
- 37616. Achrosis longifurca Holloway,[1994]** (Geometridae) Synonym(s): *longifurca* Holloway,[1994] Range (in code): MY Bor Swk
- 37617. Achrosis multidentata (W.Warren,1894)** (Geometridae) Synonym(s): *multidentata* W.Warren,1894; *excavata* W.Warren,1896 Range (in code): ID Mw Nia
- 37618. Achrosis obliquilineata (W.Warren,1893)** (Geometridae) Synonym(s): *obliquilineata* W.Warren,1893 Range (in code): IN Nag
- 37619. Achrosis pallida (Moore,1877)** (Geometridae) Synonym(s): *pallida* Moore,1877 Range (in code): IN Adm
- 37620. Achrosis paupera (Butler,1881)** (Geometridae) Synonym(s): *paupera* Butler,1881
Range (in code): JP
- 37621. Achrosis perfulvata (L.B.Prout,1924)** (Geometridae) Synonym(s): *perfulvata* L.B.Prout,1924 Range (in code): ID Ij
- 37622. Achrosis pulchra (Wileman,1914)** (Geometridae) Synonym(s): *pulchra* Wileman,1914
Range (in code): TW
- 37623. Achrosis pulchricolor (W.Warren,1906)** (Geometridae) Synonym(s): *pulchricolor* W.Warren,1906 Range (in code): PG
- 37624. Achrosis purpurascens (W.Warren,1894)** (Geometridae) Synonym(s): *purpurascens* W.Warren,1894 Range (in code): ID Egg
- 37625. Achrosis pyrrhularia Guenée,[1858]** (Geometridae) Synonym(s): *pyrrhularia* Guenée,[1858]; *instabilata* Walker,1862 Range (in code): BD Syl IN
- 37626. Achrosis quadraria W.Warren,1893** (Geometridae) Synonym(s): *quadraria* W.Warren,1893 Range (in code): BT

- 37627. Achrosis recitata Holloway,[1994]** (Geometridae) Synonym(s): *recitata* Holloway,[1994]
Original Reference: *Achrosis recitata* Holloway,[1994], Malay Nat. J. 47: 34, pl.2 figs.77,78.
Holotype ♂: [Borneo]: Sabah, Mt. Kinabalu, Power Station 1760m (BMNH). Range (in code): MY Bor Sbh KBa TH
- 37628. Achrosis rigorata (L.B.Prout,1932)** (Geometridae) Synonym(s): *rigorata* L.B.Prout,1932
Range (in code): MY Bor Sbh
- 37629. Achrosis rondelaria (Fabricius,1775)** (Geometridae) Synonym(s): *rondelaria* Fabricius,1775; *squalida* Geyer,[1832]; *squalidaria* Guenée,[1858]; *violacearia* Guenée,[1858]; *contractaria* Walker,1860; *cyclogonata* Walker,[1863]; *schistifusata* Walker,[1863] Range (in code): LK IN
- 37630. Achrosis rosearia (Leech,1891)** (Geometridae) Synonym(s): *rosearia* Leech,1891
Range (in code): CN Ti
- 37631. Achrosis rufipennis (W.Warren,1898)** (Geometridae) Synonym(s): *rufipennis* W.Warren,1898 Range (in code): ID
- 37632. Achrosis sandroi K.R.Beck & Karisch,2004** (Geometridae) Synonym(s): *sandroi* K.R.Beck & Karisch,2004 Original Reference: Achrosis sandroi K.R.Beck & Karisch,2004, Ent. Z., Stuttg. 114 (6): 259-261, figs. Holotype ♂: Philippines: Balabac, Busay 250m (leg. Jan Steen Petersen) (ZSM). Range (in code): PH Bal
- 37633. Achrosis semifulva (Pagenstecher,1886)** (Geometridae) Synonym(s): *semifulva* Pagenstecher,1886; *mediusta* Swinhoe,1902 Range (in code): PG ID Kai Mlc Bru
- 37634. Achrosis semirubra (W.Warren,1907)** (Geometridae) Synonym(s): *semirubra* W.Warren,1907 Range (in code): PG
- 37635. Achrosis serpentaria (Walker,1866)** (Geometridae) Synonym(s): *serpentaria* Walker,1866 Range (in code): LK
- 37636. Achrosis spurca (Swinhoe,1902)** (Geometridae) Synonym(s): *spurca* Swinhoe,1902
Range (in code): MY Bor Sbh Snk
- 37637. Achrosis transviridis Holloway,[1994]** (Geometridae) Synonym(s): *transviridis* Holloway,[1994] Range (in code): MY Bor BN
- 37638. Achrosis viridapex (Holloway,1976)** (Geometridae) Synonym(s): *viridapex* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 37639. Acidaliastis bicurvifera L.B.Prout,1916** (Geometridae) Synonym(s): *bicurvifera* L.B.Prout,1916 Range (in code): ZA ZA24 NWe Tva Gau Pre SD
- 37640. Acidaliastis curvilinea (L.B.Prout,1912)** (Geometridae) Synonym(s): *curvilinea* L.B.Prout,1912 Range (in code): ZA Gau Pre Wm ZA24 NWe Tva Wo
- 37641. Acidaliastis curvilinea curvilinea (L.B.Prout,1912)** (Geometridae) Synonym(s): *curvilinea* L.B.Prout,1912 Range (in code): ZA ZA24 NWe
- 37642. Acidaliastis curvilinea mixta L.B.Prout,1930** (Geometridae) Synonym(s): *mixta* L.B.Prout,1930 Range (in code): ZA Tva Wo Gau Pre Wm
- 37643. Acidaliastis micra Hampson,1896** (Geometridae) Synonym(s): *micra* Hampson,1896; *dissimilis* W.Warren & Rothschild,1905; *vinnularia* Rebel,1907; *desertoria* Rebel,1909 Range (in code): MA DZ Idl Ah LY YE Ad Hd EG Sn SD SDo8 Sk
- 37644. Acidaliastis micra galactea Rungs,1942** (Geometridae) Synonym(s): *galactea* Rungs,1942 Range (in code): MA
- 37645. Acidaliastis micra micra Hampson,1896** (Geometridae) Synonym(s): *micra* Hampson,1896; *dissimilis* W.Warren & Rothschild,1905; *vinnularia* Rebel,1907; *desertoria* Rebel,1909 Range (in code): YE Ad Hd EG Sn SD SDo8 Sk
- 37646. Acidaliastis porphyretica L.B.Prout,1925** (Geometridae) Synonym(s): *porphyretica* L.B.Prout,1925 Range (in code): MG
- 37647. Acidaliastis prophanes L.B.Prout,1922** (Geometridae) Synonym(s): *prophanes* L.B.Prout,1922 Range (in code): ZA Nta Kzu Nkw MZ
- 37648. Acidaliastis subbrunnescens (L.B.Prout,1916)** (Geometridae) Synonym(s): *subbrunnescens* L.B.Prout,1916 Range (in code): DZ Rhr SO
- 37649. Acidaliastis systema D.S.Fletcher,1978** (Geometridae) Synonym(s): *systema* D.S.Fletcher,1978 Range (in code): TZ
- 37650. Acidromodes muelleri Hausmann,1999** (Geometridae) Synonym(s): *muelleri* Hausmann,1999 Range (in code): YE YE33
- 37651. Acidromodes nilotica (Wiltshire,1985)** (Geometridae) Synonym(s): *nilotica* Wiltshire,1985 Range (in code): YE SD Wme

- 37652. Acidromodes nilotica legraini Hausmann,1999** (Geometridae) **Synonym(s):** *legraini* Hausmann,1999 **Range (in code):** **YE**
- 37653. Acidromodes saharae (Wiltshire,1985)** (Geometridae) **Synonym(s):** *saharae* Wiltshire,1985 **Original Reference:** *Acidaliastis saharae* Wiltshire,1985, Entomofauna 6 (2): 13, figs. Holotype ♂: Algeria: Sahara, Rharis (BMNH). **Range (in code):** **DZ Rhr**
- 37654. Acollesis fraudulenta W.Warren,1898** (Geometridae) **Synonym(s):** *fraudulenta* W.Warren,1898 **Range (in code):** **ZA ZA11 ZA12 ZA13 Nta Kzu ZA18 Ec ZA28 Tva Lpo Dmm Srn Rie Kkf Umk Mpu Brb Wv Jh Gau Pre Pot Tz Hae Mlm**
- 37655. Acollesis mimetica L.B.Prout,1915** (Geometridae) **Synonym(s):** *mimetica* L.B.Prout,1915 **Range (in code):** **MW Mje**
- 37656. Acollesis oxychora L.B.Prout,1930** (Geometridae) **Synonym(s):** *oxychora* L.B.Prout,1930 **Range (in code):** **TZ**
- 37657. Acollesis terminata L.B.Prout,1912** (Geometridae) **Synonym(s):** *terminata* L.B.Prout,1912 **Range (in code):** **ZA ZA07 Ksi ZA18 Ec ZA25 Kzu Nta Nha Umk Kkf**
- 37658. Acollesis umbrata W.Warren,1899** (Geometridae) **Synonym(s):** *umbrata* W.Warren,1899 **Range (in code):** **ZA AO UG**
- 37659. Acolutha flavivitta Holloway,1976** (Geometridae) **Synonym(s):** *flavivitta* Holloway,1976 **Range (in code):** **TH MY Cmh**
- 37660. Acolutha pictaria (Moore,1888)** (Geometridae) **Synonym(s):** *pictaria* Moore,1888; *imbecilla* W.Warren,1905; *canicosta* W.Warren,1906; *flavifascia* L.B.Prout,1935 **Range (in code):** **CN Hn IN SI Djl TH Cma ID Ja PG**
- 37661. Acolutha pulchella (Hampson,1895)** (Geometridae) **Synonym(s):** *pulchella* Hampson,1895; *interposita* L.B.Prout,1935 **Range (in code):** **CN Hn IN NI TH Cma ID Ja**
- 37662. Acrasia crinita R.Felder & Rogenhofer,1875** (Geometridae) **Synonym(s):** *crinita* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA Tva ZA14 ZA20 Mpu**
- 37663. Acrasia sp.** (Geometridae) **Synonym(s):** **Range (in code):** **ZA ZA11 Kzu Nta**
- 37664. Acrobiston aestivalis Wiltshire,1967** (Geometridae) **Synonym(s):** *aestivalis* Wiltshire,1967 **Range (in code):** **TJ Pm AF Bd Anj**
- 37665. Acrodontis aenigma (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *aenigma* L.B.Prout,1914 **Range (in code):** **TW**
- 37666. Acrodontis fumosa (L.B.Prout,1930)** (Geometridae) **Synonym(s):** *fumosa* L.B.Prout,1930; *nikkonis* Wehrli,1931 **Range (in code):** **JP**
- 37667. Acrodontis hunana Wehrli,1936** (Geometridae) **Synonym(s):** *hunana* Wehrli,1936 **Range (in code):** **CN Hun**
- 37668. Acrodontis insularis Holloway,[1994]** (Geometridae) **Synonym(s):** *insularis* Holloway,[1994] **Range (in code):** **MY Bor Swk**
- 37669. Acrodontis kotshubeji (Sheljuzhko,1944)** (Geometridae) **Synonym(s):** *kotshubeji* Sheljuzhko,1944; *ussurica* Djakonov,1955 **Range (in code):** **RU Us**
- 37670. Acrostatheusis apicitincta L.B.Prout,1915** (Geometridae) **Synonym(s):** *apicitincta* L.B.Prout,1915 **Range (in code):** **NG Caa**
- 37671. Acrostatheusis atomaria (W.Warren,1901)** (Geometridae) **Synonym(s):** *atomaria* W.Warren,1901 **Range (in code):** **UG**
- 37672. Acrostatheusis reducta Herbulot,1967** (Geometridae) **Synonym(s):** *reducta* Herbulot,1967 **Range (in code):** **GA**
- 37673. Acrostatheusis ruandana Herbulot,1991** (Geometridae) **Synonym(s):** *ruandana* Herbulot,1991 **Range (in code):** **RW**
- 37674. Acrostatheusis sanaga Herbulot,1991** (Geometridae) **Synonym(s):** *sanaga* Herbulot,1991 **Range (in code):** **CM**
- 37675. Actenochroma musicicoloraria (Walker,[1863])** (Geometridae) **Synonym(s):** *musicicoloraria* Walker,[1863]; *sphagnata* R.Felder & Rogenhofer,1875 **Original Reference:** *Hypochroma musicicoloraria* Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1543. Syntypes ♀♀: [India]: Darjeeling (BMNH). **Range (in code):** **NP IN SI Djl TH BN MY Bor CN ID Sum**
- 37676. Adactylotis contaminaria (Hübner,[1813])** (Geometridae) **Synonym(s):** *numerata* Fabricius,1798; *contaminaria* Hübner,[1813] **Original Reference:** *Geometra contaminaria* Hübner,[1813], Samml. eur. Schmett. 5: pl.68, fig.356. Type(s): Europa. **Range (in code):** **PT ES FR Si IT CH**
- 37677. Adactylotis gesticularia (Hübner,[1817])** (Geometridae) **Synonym(s):** *gesticularia* Hübner,[1817]; *graellsaria* Feisthamel,1835. **Original Reference:** *Geometra gesticularia*

- Hübner,[1817], Samml. eur. Schmett. 5: pl.92, figs.472,473. Syntypes: Europa. Range (in code): **MA DZ PT ES FR**
- 37678. *Adactylotis gesticularia gesticularia* (Hübner,[1817])** (Geometridae) Synonym(s): *gesticularia* Hübner,[1817]; *graellsaria* Feisthamel,1835. Range (in code): **FR**
- 37679. *Adactylotis gesticularia inquinataria* (Boisduval,1840)** (Geometridae) Synonym(s): *inquinataria* Boisduval,1840. Original Reference: Cabera *inquinataria* Boisduval,1840, Genera Index meth. eur. Lepid.: 219. Syntypes: Spain. Range (in code): **PT ES**
- 37680. *Adactylotis gesticularia ungemachi* (Lucas,1933)** (Geometridae) Synonym(s): *ungemachi* Lucas,1933. Original Reference: Itame *ungemachi* Lucas,1933, Bull. Soc. ent. Fr. 38 (13): 196. Syntypes: Morocco: Harcha (Zemmour); Ain Leuh. Range (in code): **MA**
- 37681. *Adalbertia castiliaria* (Staudinger,1900)** (Geometridae) Synonym(s): *castiliaria* Staudinger,1900; *dumonti* Mabille,1906. Original Reference: Numeria *castiliaria* Staudinger,1900, Dt. ent. Z., Iris 12: 392. Type ♂: [Spain]: [Castilla]: San Ildefonso. Range (in code): **ES Mu FR**
Bionomy: Larva on Pinus (Calle et al.,2000).
- 37682. *Adalbertia castiliaria castiliaria* (Staudinger,1900)** (Geometridae) Synonym(s): *castiliaria* Staudinger,1900; *dumonti* Mabille,1906. Original Reference: Numeria *castiliaria* Staudinger,1900, Dt. ent. Z., Iris 12: 392. Type ♂: [Spain]: [Castilla]: San Ildefonso. Range (in code): **ES**
- 37683. *Adalbertia castiliaria cazorlensis* Exposito,1984** (Geometridae) Synonym(s): *cazorlensis* Exposito,1984 Original Reference: *Adalbertia castiliaria* ssp. *cazorlensis* Exposito,1984, Revta Lepid. 12 (3): 204. Holotype ♂: [Spain]: [Castilla]: Sierra de Cazorla, Fuente del Oso. Range (in code): **ES**
- 37684. *Adeixis baeckae* Holloway,1979** (Geometridae) Synonym(s): *baeckae* Holloway,1979 Original Reference: *Adeixis baeckae* Holloway,1979, Lepidoptera New Caledonia: 261-262, figs. Holotype ♂, pupa: New Caledonia: Grand Lac 250m. Range (in code): **NC**
- 37685. *Adeixis griseata* (Hudson,1903)** (Geometridae) Synonym(s): *griseata* Hudson,1903 Range (in code): **NZ**
- 37686. *Adeixis inostentata* (Walker,1861)** (Geometridae) Synonym(s): *inostentata* Walker,1861; *insignata* W.Warren,1897 Original Reference: Panagra *inostentata* Walker,1861, List specimens lepid. Insects Colln Br. Mus 23: 1012. Range (in code): **AU NSw Syd NZ NC TA**
- 37687. *Adeixis major* Holloway,1979** (Geometridae) Synonym(s): *major* Holloway,1979 Original Reference: *Adeixis major* Holloway,1979, Lepidoptera New Caledonia: 262-264, figs. Holotype ♂: New Caledonia: Grand Lac 250m. Range (in code): **NC**
- 37688. *Adeixis montana* Holloway,1979** (Geometridae) Synonym(s): *montana* Holloway,1979 Original Reference: *Adeixis montana* Holloway,1979, Lepidoptera New Caledonia: 264, figs. Holotype ♂: New Caledonia: Mt. des Sources, 760m. Range (in code): **NC**
- 37689. *Adesmobathra ozoloides* L.B.Prout,1916** (Geometridae) Synonym(s): *ozoloides* L.B.Prout,1916 Range (in code): **TZ**
- 37690. *Adicocrita aciculata* Herbulot,1983** (Geometridae) Synonym(s): *aciculata* Herbulot,1983 Range (in code): **RW**
- 37691. *Adicocrita araria* (Guenée,[1858])** (Geometridae) Synonym(s): *araria* Guenée,[1858] Range (in code): **ZA**
- 37692. *Adicocrita discerpta* (Walker,1861)** (Geometridae) Synonym(s): *discerpta* Walker,1861 Range (in code): **ZA ZA28 Tva Lpo Wca Cto Ste Wm**
- 37693. *Adicocrita koranata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *koranata* R.Felder & Rogenhofer,1875 Range (in code): **ZA Tva ZA05 Ksi ZA12 ZA13 Kzu ZA14 Mpu ZA18 Ec Wca Cto Ste Nam Pel Umk Kkf Grh**
- 37694. *Aelochroma hypochromaria caledonica* Holloway,1979** (Geometridae) Synonym(s): *caledonica* Holloway,1979 Original Reference: *Aelochroma hypochromaria caledonica* Holloway,1979, Lepidoptera New Caledonia: 271, figs. Holotype ♂: New Caledonia: Mt.Koghis, 600m. Range (in code): **NC**
- 37695. *Aelochroma albifusaria* (Walker,1866)** (Geometridae) Synonym(s): *albifusaria* Walker,1866; *discolor* W.Warren,1896 Range (in code): **ID Ij PG Eco Fg**
- 37696. *Aelochroma hypochromaria* (Guenée,[1858])** (Geometridae) Synonym(s): *hypochromaria* Guenée,[1858]; *bryophanes* Turner,1904 Range (in code): **AU QAU Bri NC**
- 37697. *Aelochroma intima* L.B.Prout,1913** (Geometridae) Synonym(s): *intima* L.B.Prout,1913 Range (in code): **ID Ij Gth**

- 37698. *Aeolochroma prasina* (W.Warren,1896)** (Geometridae) Synonym(s): *prasina* W.Warren,1896 _ Range (in code): **PG Eca Fg Bsm Nlr NHa Ls Bia ID Dmp**
- 37699. *Aeolochroma quadrilinea* (Lucas,1892)** (Geometridae) Synonym(s): *quadrilinea* Lucas,1892; *ochrea* W.Warren,1896 _ Range (in code): **AU QAU Bri**
- 37700. *Aeolochroma saturataria* (Walker,1866)** (Geometridae) Synonym(s): *saturataria* Walker,1866; *caesia* W.Warren,1896; *perfulvata* W.Warren,1899 _ Range (in code): **PG ID Ij Eco Fg Mi**
- 37701. *Aethalura duplicata* (Wileman,1911)** (Geometridae) Synonym(s): *duplicata* Wileman,1911 _ Range (in code): **TW**
- 37702. *Aethalura ignobilis* (Butler,1878)** (Geometridae) Synonym(s): *ignobilis* Butler,1878; *fuijiamai* Inoue,1954 _ Range (in code): **JP Hdo**
- 37703. *Aethalura intertexta* (Walker,1860)** (Geometridae) Synonym(s): *intertexta* Walker,1860; *anticaria* Walker,1860; *submuraria* Walker,1860 _ Range (in code): **CA Nsc BCo**
- 37704. *Aethalura leucozona* (Hampson,1895)** (Geometridae) Synonym(s): *leucozona* Hampson,1895 _ Range (in code): **IN Nag**
- 37705. *Aethalura lushanalis* Sato,1987** (Geometridae) Synonym(s): *lushanalis* Sato,1987 _ Range (in code): **TW**
- 37706. *Aethalura nanaria* (Staudinger,1897)** (Geometridae) Synonym(s): *nanaria* Staudinger,1897; *shuotsuensis* Bryk,1949 _ Range (in code): **KP KR RU Am**
- 37707. *Aethalura punctulata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *punctulata* [Denis & Schiffermüller],1775; *tigris* Walchs,1779; *scopularia* Thunberg,1784; *punctularia* Hübner,[1823]; _ Original Reference: *Geometra punctulata* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 106. Type(s): [Austria]: Vienna district. _ Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU** _ Bionomy: Larva on *Betula*, *Alnus* (Betulaceae).
- 37708. *Aetheometra iconoclasia* L.B.Prout,1931** (Geometridae) Synonym(s): *iconoclasia* L.B.Prout,1931 _ Range (in code): **SO**
- 37709. *Afriberina haroldi* (Oberthür,1913)** (Geometridae) Synonym(s): *haroldi* Oberthür,1913 _ Range (in code): **DZ Afl Agi**
- 37710. *Afriberina nobilitaria* (Staudinger,1892)** (Geometridae) Synonym(s): *nobilitaria* Staudinger,1892 _ Range (in code): **UZ Fe Man**
- 37711. *Afriberina rungsi* (Albers & Warnecke,1941)** (Geometridae) Synonym(s): *rungsii* Albers & Warnecke,1941 _ Range (in code): **MA Rbt**
- 37712. *Afriberina tenietaria* (Staudinger,1900)** (Geometridae) Synonym(s): *tenietaria* Staudinger,1900; *punctata* Fernandez,1933 _ Original Reference: *Boarmia tenietaria* Staudinger,1900, *Dt. ent. Z., Iris* 12 (1899): 394-395, Taf.vi fig.1. Syntypes 2♂: "Teniet el Had (Ammi Mussa) (Algerien)" (leg.Vauloger). _ Range (in code): **DZ Tis Tni Hrh ES**
- 37713. *Afriberina tenietaria hammamrirha* Wehrli,1943** (Geometridae) Synonym(s): *hammamrirha* Wehrli,1943 _ Original Reference: *Afriberina tenietaria hammamrirha* Wehrli,1943, [in] Seitz, Gross.Schmett. *Erde* 4 (Suppl.): 475. Syntypes: [Algeria]: Hammam R'irha (ZFMK). _ Range (in code): **DZ Hrh**
- 37714. *Afriberina tenietaria tenietaria* (Staudinger,1900)** (Geometridae) Synonym(s): *tenietaria* Staudinger,1900; *punctata* Fernandez,1933 _ Original Reference: *Boarmia tenietaria* Staudinger,1900, *Dt. ent. Z., Iris* 12 (1899): 394-395, Taf.vi fig.1. Syntypes 2♂: "Teniet el Had (Ammi Mussa) (Algerien)" (leg.Vauloger). _ Range (in code): **DZ Tis Tni ES**
- 37715. *Afriberina terraria* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *terraria* A.Bang-Haas,1907 _ Range (in code): **DZ Orn Ges TN Gf PT ES** _ Bionomy: Larva on *Juniperus phoenicea* [Cupressaceae] (Chrétien,1917).
- 37716. *Afriberina terraria pallescens* (Rothschild,1914)** (Geometridae) Synonym(s): *pallescens* Rothschild,1914 _ Original Reference: *Calamodes pallescens* Rothschild,1914, Syntypes 53♂ 17♀: Algeria, Guelt-es-Stel (V.Faroult, W.Rothschild leg.). _ Range (in code): **DZ Ges**
- 37717. *Afriberina terraria terraria* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *terraria* A.Bang-Haas,1907 _ Range (in code): **DZ Orn TN Gf**
- 37718. *Afriberina zernyi* Wehrli,1943** (Geometridae) Synonym(s): *humaria* Zerny,1936 *nec* Gn.,[1858]; *zernyi* Wehrli,1943; *zernyaria* Rungs,1946 _ Range (in code): **MA**
- 37719. *Afrophyla vethi* (Snellen,1886)** (Geometridae) Synonym(s): *vethi* Snellen,1886; *dichordata* W.Warren,1895 _ Original Reference: *Panagra vethi* Snellen,1886, *Tijdschr. Ent.* 29 (3): 139, pl.6

- fig.1-9. Syntypes: Angola, Benguella (RMNH). Range (in code): ZA ZA01 Tva Lpo Mpu Brb ZW Vf Nta Kzu Nha Buf ZM AO UG KE MG YE YE33
- 37720. *Agaraeus discolor* (W.Warren,1893)** (Geometridae) Synonym(s): *discolor* W.Warren,1893; *nigrilineata* L.B.Prout,1915; *kiushiuana* Hori,1926; *notia* Wehrli,1940 Range (in code): IN Nag JP CN
- 37721. *Agaraeus luteus* (Wileman,1910)** (Geometridae) Synonym(s): *luteus* Wileman,1910 Range (in code): TW
- 37722. *Agaraeus parva* (Hedemann,1881)** (Geometridae) Synonym(s): *parva* Hedemann,1881 Range (in code): RU Am JP CN
- 37723. *Agathia abacta* L.B.Prout,1935** (Geometridae) Synonym(s): *abacta* L.B.Prout,1935 Range (in code): ID Ja
- 37724. *Agathia affluens* L.B.Prout,1937** (Geometridae) Synonym(s): *affluens* L.B.Prout,1937 Range (in code): ID Bli
- 37725. *Agathia albicurvatura* L.B.Prout,1916** (Geometridae) Synonym(s): *albicurvatura* L.B.Prout,1916 Range (in code): ID Clb
- 37726. *Agathia angustilimes* L.B.Prout,1926** (Geometridae) Synonym(s): *angustilimes* L.B.Prout,1926 Range (in code): IN Bi
- 37727. *Agathia arcuata* Moore,1868** (Geometridae) Synonym(s): *arcuata* Moore,1868 Range (in code): TH Ntt Hba IN Ben
- 37728. *Agathia beata* Butler,1880** (Geometridae) Synonym(s): *beata* Butler,1880; *subdeleta* W.Warren,1896 Range (in code): IN SI Djl
- 37729. *Agathia brevicula* Yazaki,1996** (Geometridae) Synonym(s): *brevicula* Yazaki,1996 Range (in code): PH Luz
- 37730. *Agathia cara* L.B.Prout,1916** (Geometridae) Synonym(s): *cara* L.B.Prout,1916 Range (in code): PH Pal
- 37731. *Agathia carissima* Butler,1878** (Geometridae) Synonym(s): *carissima* Butler,1878 Range (in code): IN Meg Ass Khs RU Am Ask Us JP
- 37732. *Agathia carissima carissima* Butler,1878** (Geometridae) Synonym(s): *carissima* Butler,1878; *lacunaria* Hedemann,1879 Range (in code): RU Am Ask Us JP
- 37733. *Agathia carissima prasina* Swinhoe,1893** (Geometridae) Synonym(s): *prasina* Swinhoe,1893 Range (in code): IN Meg Ass Khs
- 37734. *Agathia codina* Swinhoe,1892** (Geometridae) Synonym(s): *codina* Swinhoe,1892 Range (in code): IN Meg Khs Ass MY Bor Pen Sbh KBa TH
- 37735. *Agathia codina australis* L.B.Prout,1916** (Geometridae) Synonym(s): *australis* L.B.Prout,1916 Original Reference: *Agathia codina* ssp. *australis* Prout,1916, Novit. zool. 23: 200. Syntypes: [Malaysia]: Penang; N. Borneo, Kinabalu (BMNH). Range (in code): TH MY Pen Bor Sbh KBa
- 37736. *Agathia codina codina* Swinhoe,1892** (Geometridae) Synonym(s): *codina* Swinhoe,1892 Range (in code): IN Meg Ass Khs
- 37737. *Agathia cognata* Yazaki,1996** (Geometridae) Synonym(s): *cognata* Yazaki,1996 Range (in code): ID Clb
- 37738. *Agathia confusata* W.Warren,1897** (Geometridae) Synonym(s): *confusata* W.Warren,1897 Range (in code): SL
- 37739. *Agathia conjunctiva* W.Warren,1903** (Geometridae) Synonym(s): *conjunctiva* W.Warren,1903 Range (in code): PG
- 37740. *Agathia consobrina* Yazaki,1996** (Geometridae) Synonym(s): *consobrina* Yazaki,1996 Range (in code): ID Clb
- 37741. *Agathia conspecta* Yazaki,1996** (Geometridae) Synonym(s): *conspecta* Yazaki,1996 Range (in code): PH Neg
- 37742. *Agathia conviridaria* (Hübner,[1823])** (Geometridae) Synonym(s): *viridana* Stoll,1781 *nec* Linn.,1758; *conviridaria* Hübner,[1823]; *intercissa* Walker,1861 Range (in code): LK SR
- 37743. *Agathia cristifera* (Walker,1861)** (Geometridae) Synonym(s): *cristifera* Walker,1861 Range (in code): TH Ntt Hba MY Bor Swk
- 37744. *Agathia deliciosa* Holloway & Sommerer,1984** (Geometridae) Synonym(s): *deliciosa* Holloway & Sommerer,1984 Range (in code): ID Sum
- 37745. *Agathia dinagatensis* Yazaki,1996** (Geometridae) Synonym(s): *dinagatensis* Yazaki,1996 Range (in code): PH Din

- 37746. *Agathia diplochorda* L.B.Prout,1916** (Geometridae) **Synonym(s):** *diplochorda* L.B.Prout,1916 **Range (in code):** MY Bor Sbh KBa
- 37747. *Agathia disjuncta* Yazaki,1996** (Geometridae) **Synonym(s):** *disjuncta* Yazaki,1996 **Range (in code):** PH Neg
- 37748. *Agathia distributa* Lucas,1891** (Geometridae) **Synonym(s):** *distributa* Lucas,1891; *disconnecta* W.Warren,1896 **Range (in code):** AU QAU PG Adl Manu
- 37749. *Agathia diversiformis* W.Warren,1894** (Geometridae) **Synonym(s):** *diversiformis* W.Warren,1894 **Range (in code):** IN SI Djl
- 37750. *Agathia elenaria* Swinhoe,1904** (Geometridae) **Synonym(s):** *elenaria* Swinhoe,1904 **Range (in code):** NG
- 37751. *Agathia eromena* L.B.Prout,1916** (Geometridae) **Synonym(s):** *eromena* L.B.Prout,1916 **Range (in code):** ID Clb
- 37752. *Agathia eromenoides* Holloway,1996** (Geometridae) **Synonym(s):** *eromenoides* Holloway,1996 **Range (in code):** TH Ntt Hba MY Bor ID Klt
- 37753. *Agathia exquisita* W.Warren,1899** (Geometridae) **Synonym(s):** *exquisita* W.Warren,1899 **Range (in code):** ID Ob
- 37754. *Agathia furtiva* L.B.Prout,1916** (Geometridae) **Synonym(s):** *furtiva* L.B.Prout,1916 **Range (in code):** ID Dm Tnm
- 37755. *Agathia gaudens* L.B.Prout,1932** (Geometridae) **Synonym(s):** *gaudens* L.B.Prout,1932 **Range (in code):** IN Meg Khs Ass
- 37756. *Agathia gemma* Swinhoe,1892** (Geometridae) **Synonym(s):** *gemma* Swinhoe,1892 **Range (in code):** IN Meg Ass Khs
- 37757. *Agathia gigantea* Butler,1880** (Geometridae) **Synonym(s):** *gigantea* Butler,1880; *discisticta* L.B.Prout,1912 **Range (in code):** ID Ja BD Syl
- 37758. *Agathia hemithearia* Guenée,[1858]** (Geometridae) **Synonym(s):** *hemithearia* Guenée,[1858] **Range (in code):** IN
- 37759. *Agathia hilarata* Guenée,[1858]** (Geometridae) **Synonym(s):** *hilarata* Guenée,[1858] **Range (in code):** IN CN Hn
- 37760. *Agathia hilarata hainanensis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *hainanensis* L.B.Prout,1916 **Range (in code):** CN Hn
- 37761. *Agathia imbecilla* Yazaki,1996** (Geometridae) **Synonym(s):** *imbecilla* Yazaki,1996 **Range (in code):** ID Clb
- 37762. *Agathia incudaria* De Joannis,1929** (Geometridae) **Synonym(s):** *incudaria* De Joannis,1929 **Range (in code):** VN Ton IN SI
- 37763. *Agathia inouei* Yazaki,1996** (Geometridae) **Synonym(s):** *inouei* Yazaki,1996 **Range (in code):** PH Neg
- 37764. *Agathia jowettorum* Holloway,1977** (Geometridae) **Synonym(s):** *jowettorum* Holloway,1977 **Range (in code):** NF
- 37765. *Agathia kuehni* W.Warren,1898** (Geometridae) **Synonym(s):** *kuehni* W.Warren,1898; *defecta* L.B.Prout,1913 **Range (in code):** ID Kai Ij Gth
- 37766. *Agathia lactata* Herbulot,1977** (Geometridae) **Synonym(s):** *lactata* Herbulot,1977 **Range (in code):** CM
- 37767. *Agathia laetata* (Fabricius,1794)** (Geometridae) **Synonym(s):** *laetata* Fabricius,1794; *zonaria* Donovan,1799; *catenaria* Walker,1861; *isogyna* L.B.Prout,1916; *furcula* Matsumura,1931; *andamanensis* L.B.Prout,1932 **Original Reference:** Phalaena laetata Fabricius,1794, Ent. Syst. 3 (2): 164. Syntypes: India (ZMUC). **Range (in code):** TH CMA Ntt Hba IN Adm LK CN TW
- 37768. *Agathia laqueifera* L.B.Prout,1912** (Geometridae) **Synonym(s):** *laqueifera* L.B.Prout,1912 **Range (in code):** IN Ass
- 37769. *Agathia largita* Holloway,1996** (Geometridae) **Synonym(s):** *largita* Holloway,1996 **Range (in code):** TH Ntt Hba MY Bor Sbh KBa
- 37770. *Agathia luzonensis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *luzonensis* L.B.Prout,1916 **Range (in code):** PH Luz
- 37771. *Agathia lycaenaria* (Kollar,[1844])** (Geometridae) **Synonym(s):** *lycaenaria* Kollar,[1844]; *albiangularia* Herrich-Schäffer,[1855]; *discriminata* Walker,1861 **Original Reference:** Geometra lycaenaria Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 486. Type: [India], Himalayas Masuri [Mussooree]. **Range (in code):** IN Mus Mys Bel TH JP Ri AU QAU

- 37772. *Agathia lycaenaria impar* L.B.Prout,1916** (Geometridae) **Synonym(s):** *impar* L.B.Prout,1916 **_ Range (in code):** **IN Mys Bel**
- 37773. *Agathia lycaenaria reducta* Inoue,1961** (Geometridae) **Synonym(s):** *reducta* Inoue,1961 **_ Range (in code):** **JP**
- 37774. *Agathia lycaenaria samuelsoni* Inoue,1964** (Geometridae) **Synonym(s):** *samuelsoni* Inoue,1964 **_ Range (in code):** **JP Ri**
- 37775. *Agathia lycaenidia Bastelberger*,1911** (Geometridae) **Synonym(s):** *lycaenidia* Bastelberger,1911 **_ Range (in code):** **PG NBr ID Mlc Bch**
- 37776. *Agathia lycaenidia batjanensis* L.B.Prout,1932** (Geometridae) **Synonym(s):** *batjanensis* L.B.Prout,1932 **_ Range (in code):** **ID Mlc Bch**
- 37777. *Agathia lycaenidia lycaenidia* Bastelberger,1911** (Geometridae) **Synonym(s):** *lycaenidia* Bastelberger,1911 **_ Range (in code):** **PG NBr**
- 37778. *Agathia maculimargo* L.B.Prout,1912** (Geometridae) **Synonym(s):** *maculimargo* L.B.Prout,1912 **_ Range (in code):** **ID Crm Amb**
- 37779. *Agathia magnifica* Moore,1879** (Geometridae) **Synonym(s):** *magnifica* Moore,1879 **_ Range (in code):** **LK**
- 37780. *Agathia magnificentia* Inoue,1978** (Geometridae) **Synonym(s):** *magnificentia* Inoue,1978 **_ Range (in code):** **TW**
- 37781. *Agathia malgassa* Herbulot,1978** (Geometridae) **Synonym(s):** *malgassa* Herbulot,1978 **_ Range (in code):** **MG**
- 37782. *Agathia mediocris* Yazaki,1996** (Geometridae) **Synonym(s):** *mediocris* Yazaki,1996 **_ Range (in code):** **PH Neg**
- 37783. *Agathia multiscripta* W.Warren,1898** (Geometridae) **Synonym(s):** *multiscripta* W.Warren,1898; *minuta* Druce,1911 **_ Range (in code):** **NG**
- 37784. *Agathia muluensis* Holloway,1996** (Geometridae) **Synonym(s):** *muluensis* Holloway,1996 **_ Range (in code):** **MY Bor Swk**
- 37785. *Agathia obsoleta* W.Warren,1897** (Geometridae) **Synonym(s):** *obsoleta* W.Warren,1897 **_ Range (in code):** **ID Ja**
- 37786. *Agathia ochrotypa* Turner,1922** (Geometridae) **Synonym(s):** *ochrotypa* Turner,1922; *ochrofusa* L.B.Prout,1932 **_ Range (in code):** **AU QAU Kda**
- 37787. *Agathia par* L.B.Prout,1916** (Geometridae) **Synonym(s):** *par* L.B.Prout,1916 **_ Range (in code):** **ID Clb**
- 37788. *Agathia pisina* Butler,1887** (Geometridae) **Synonym(s):** *pisina* Butler,1887; *asterias* Meyrick,1888; *diversilinea* W.Warren,1896; *dimota* L.B.Prout,1911 **_ Range (in code):** **ID Kai Ij Fak FJ PG AU QAU NSw NH NC SB**
- 37789. *Agathia pisina ampla* L.B.Prout,1911** (Geometridae) **Synonym(s):** *ampla* L.B.Prout,1911 **_ Range (in code):** **ID Ij Fak**
- 37790. *Agathia pisina irregularis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *irregularis* L.B.Prout,1916 **_ Range (in code):** **ID Kai**
- 37791. *Agathia pisina pisina* Butler,1887** (Geometridae) **Synonym(s):** *pisina* Butler,1887; *asterias* Meyrick,1888; *diversilinea* W.Warren,1896; *dimota* L.B.Prout,1911 **_ Range (in code):** **FJ PG AU QAU NSw NH NC SB**
- 37792. *Agathia prasinaspis* Meyrick,1889** (Geometridae) **Synonym(s):** *prasinaspis* Meyrick,1889; *veneranda* Swinhoe,1902 **_ Range (in code):** **PG Bsm PMo ID Ij**
- 37793. *Agathia prasinaspis albipunctata* Bastelberger,1911** (Geometridae) **Synonym(s):** *albipunctata* Bastelberger,1911 **_ Range (in code):** **PG Bsm**
- 37794. *Agathia prasinaspis prasinaspis* Meyrick,1889** (Geometridae) **Synonym(s):** *prasinaspis* Meyrick,1889; *veneranda* Swinhoe,1902 **_ Range (in code):** **PG Bsm**
- 37795. *Agathia protrusa* Yazaki,1996** (Geometridae) **Synonym(s):** *protrusa* Yazaki,1996 **_ Range (in code):** **ID Clb**
- 37796. *Agathia punctata* W.Warren,1899** (Geometridae) **Synonym(s):** *punctata* W.Warren,1899 **_ Range (in code):** **ID Dm**
- 37797. *Agathia quinaria* Moore,1868** (Geometridae) **Synonym(s):** *quinaria* Moore,1868; *latilimes* L.B.Prout,1916 **_ Range (in code):** **IN BD TH ID Ja**
- 37798. *Agathia rectimargo* Yazaki,1996** (Geometridae) **Synonym(s):** *rectimargo* Yazaki,1996 **_ Range (in code):** **ID Clb**
- 37799. *Agathia rubrilineata* W.Warren,1896** (Geometridae) **Synonym(s):** *rubrilineata* W.Warren,1896; *ithearia* Swinhoe,1905; *klossi* L.B.Prout,1931 **_ Range (in code):** **ID Ja MY Bor Swk Sbt**

- 37800. *Agathia rubrilineata aequisecta* Swinhoe,1906** (Geometridae) **Synonym(s):** *aequisecta* Swinhoe,1906 _ Range (in code): **ID Ja**
- 37801. *Agathia rubrilineata rubrilineata* W.Warren,1896** (Geometridae) **Synonym(s):** *rubrilineata* W.Warren,1896; *ithearia* Swinhoe,1905; *klossi* L.B.Prout,1931 _ Range (in code): **MY Bor Swk ID Sbt**
- 37802. *Agathia rudis* Yazaki,1996** (Geometridae) **Synonym(s):** *rudis* Yazaki,1996 _ Range (in code): **ID Clb**
- 37803. *Agathia sinuifascia* L.B.Prout,1927** (Geometridae) **Synonym(s):** *sinuifascia* L.B.Prout,1927 _ Range (in code): **PG Bsm NHa**
- 37804. *Agathia siren* L.B.Prout,1932** (Geometridae) **Synonym(s):** *siren* L.B.Prout,1932 _ Range (in code): **CN Ti**
- 37805. *Agathia solaria* Swinhoe,1905** (Geometridae) **Synonym(s):** *solaria* Swinhoe,1905 _ Range (in code): **MY SG**
- 37806. *Agathia spadicea* Yazaki,1996** (Geometridae) **Synonym(s):** *spadicea* Yazaki,1996 _ Range (in code): **PH Mno**
- 37807. *Agathia spectabilis* Yazaki,1996** (Geometridae) **Synonym(s):** *spectabilis* Yazaki,1996 _ Range (in code): **PH Ley**
- 37808. *Agathia subcarnea* W.Warren,1896** (Geometridae) **Synonym(s):** *subcarnea* W.Warren,1896 _ Range (in code): **PG Fg Tro Eca**
- 37809. *Agathia succedanea* W.Warren,1897** (Geometridae) **Synonym(s):** *succedanea* W.Warren,1897 _ Range (in code): **TH Ntt Hba MY Bor Sbh KBa**
- 37810. *Agathia tetraplochorda* L.B.Prout,1932** (Geometridae) **Synonym(s):** *tetraplochorda* L.B.Prout,1932 _ Range (in code): **ID Sum**
- 37811. *Agathia torridula* Yazaki,1996** (Geometridae) **Synonym(s):** *torridula* Yazaki,1996 _ Range (in code): **ID Clb**
- 37812. *Agathia vicina* (Bastelberger,1911)** (Geometridae) **Synonym(s):** *vicina* Bastelberger,1911 _ Range (in code): **ID Sum**
- 37813. *Agathia visenda* Butler,1880** (Geometridae) **Synonym(s):** *visenda* Butler,1880 _ Range (in code): **IN SI Djl CN JP**
- 37814. *Agathia visenda curvifiniens* L.B.Prout,1917** (Geometridae) **Synonym(s):** *curvifiniens* L.B.Prout,1917 _ Range (in code): **CN**
- 37815. *Agathia visenda suzukii* Inoue,1963** (Geometridae) **Synonym(s):** *suzukii* Inoue,1963 _ Range (in code): **JP**
- 37816. *Agathia visenda visenda* Butler,1880** (Geometridae) **Synonym(s):** *visenda* Butler,1880 _ Range (in code): **IN SI Djl**
- 37817. *Agriopis bajaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#aerugaria* [Denis & Schiffermüller],1775; *bajaria* [Denis & Schiffermüller],1775; *vittaria* Sulzer,1776; *rubrostriata* Goetze,1781; *ligustriaria* Lang,1789; *sericearia* Borkhausen,1794; *cineraria* Esper,[1801]; *sorditaria* Hübner,[1809]; *legrasi* Dumont,1925 _ Original Reference: *Geometra bajaria* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 315*. Type(s): [Austria]: Vienna district. Range (in code): **MA PT ES FR Sa Si IT BE LU DE CH AT CZ SK HU RO YU BG GR Cr TR Cc GG RU MD UA BY IL Pa CY** _ Bionomy: Larva on *Crataegus*, *Ligustrum vulgare*, *Prunus spinosa*, *Vitex agnus-casti* (Lederer,1865; Staudinger,1879; Meyer,1919).
- 37818. *Agriopis beschkovi* Ganev,1987** (Geometridae) **Synonym(s):** *beschkovi* Ganev,1987 _ Range (in code): **BG**
- 37819. *Agriopis brumaria* (Borkhausen,1794)** (Geometridae) **Synonym(s):** *#leucophaearia* [Denis & Schiffermüller],1775; *brumaria* Borkhausen,1794; *nigricaria* Hübner,[1799]. _ Original Reference: *Phalaena brumaria* Borkhausen,1794, *Naturg. eur. Schmett. 5: 214*. Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE LV LT RU MD UA BY** _ Bionomy: Larva on *Populus tremula*, *Quercus* (Meyer,1919).
- 37820. *Agriopis budashkini* Kostyuk,2009** (Geometridae) **Synonym(s):** *budashkini* Kostyuk,2009 _ Original Reference: *Agriopis budashkini* Kostyuk,2009, *Proc. Zool. Mus. Kiev 5: 61-64*, figs. Holotype ♂: Ukraine, Crim. Range (in code): **UA Cm GR TR**
- 37821. *Agriopis transbaiklica* (Wehrli,1938)** (Geometridae) **Synonym(s):** *transbaiklica* Wehrli,1938 _ Range (in code): **RU TM**
- 37822. *Albinospila floresaria* (Walker,1866)** (Geometridae) **Synonym(s):** *floresaria* Walker,1866 _ Original Reference: *Geometra floresaria* Walker,1866, *List Specimens lepid. Insects Colln Br. Mus. 35: 1604*. Syntypes ♀♀: [Indonesia]: Flores (OUM). Range (in code): **ID Flo TH**

- 37823. *Alcis aagostigma* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *aagostigma* L.B.Prout,1927
Range (in code): **MM TH CMa CDo Pki Dst**
- 37824. *Alcis albifera* (Moore,1888)** (Geometridae) **Synonym(s):** *albifera* Moore,1888 **Range (in code):** **IN TH CMa Int**
- 37825. *Alcis andaraba* (Wehrli,1938)** (Geometridae) **Synonym(s):** *andaraba* Wehrli,1938
Range (in code): **AF Adr**
- 37826. *Alcis andaraba andaraba* (Wehrli,1938)** (Geometridae) **Synonym(s):** *andaraba* Wehrli,1938 **Range (in code):** **AF Adr**
- 37827. *Alcis andaraba fortior* Wiltshire** (Geometridae) **Synonym(s):** *fortior* Wiltshire **Range (in code):** **AF**
- 37828. *Alcis antincta* Sato,1996** (Geometridae) **Synonym(s):** *antincta* Sato,1996 **Range (in code):** **PH Mno**
- 37829. *Alcis bastelbergeri* (Hirschke,1908)** (Geometridae) **Synonym(s):** *bastelbergeri* Hirschke,1908 **Range (in code):** **FR IT BE NL LU DE CH AT PL CZ SK HU RO EE LV RU Am Us At MN KP KR JP CN Ts Kno Sh**
- 37830. *Alcis catachrysa* (Wehrli,1943)** (Geometridae) **Synonym(s):** *catachrysa* Wehrli,1943; *lidjangica* Wehrli,1943 **Range (in code):** **CN Yu**
- 37831. *Alcis catocirra* (Wehrli,1943)** (Geometridae) **Synonym(s):** *catocirra* Wehrli,1943
Range (in code): **CN Sz**
- 37832. *Alcis caucasica* (Wehrli,1928)** (Geometridae) **Synonym(s):** *caucasica* Wehrli,1928
Range (in code): **Cc GG Tbl**
- 37833. *Alcis changmaiensis* Sato,1991** (Geometridae) **Synonym(s):** *chiangmaiensis* Sato,1991; *#changmaiensis* Sato,1993 **Original Reference:** *Alcis changmaiensis* Sato,1991, Tyo to Ga 42 (4): 283, figs. 15,30. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS). **Range (in code):** **TH CMa CDo Pki Dst Int NP**
- 37834. *Alcis changmaiensis changmaiensis* Sato,1991** (Geometridae) **Synonym(s):** *chiangmaiensis* Sato,1991; *#changmaiensis* Sato,1993 **Original Reference:** *Alcis changmaiensis* Sato,1991, Tyo to Ga 42 (4): 283, figs. 15,30. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS). **Range (in code):** **TH CMa CDo Pki Dst Int**
- 37835. *Alcis changmaiensis nepalina* Sato,1993** (Geometridae) **Synonym(s):** *nepalina* Sato,1993 **Range (in code):** **NP**
- 37836. *Alcis colorifera* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *colorifera* L.B.Prout,1916
Range (in code): **MY Pen**
- 37837. *Alcis coniozona* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *coniozona* L.B.Prout,1927
Range (in code): **MM**
- 37838. *Alcis decussata* (Moore,1868)** (Geometridae) **Synonym(s):** *decussata* Moore,1868
Range (in code): **TH CMa CDo Pki Dst Int**
- 37839. *Alcis diadela* (West,1929)** (Geometridae) **Synonym(s):** *diadela* West,1929 **Range (in code):** **PH Luz**
- 37840. *Alcis eupithecioides* West,1929** (Geometridae) **Synonym(s):** *eupithecioides* West,1929
Range (in code): **PH Luz**
- 37841. *Alcis eutethis* (Wehrli,1943)** (Geometridae) **Synonym(s):** *eutethis* Wehrli,1943 **Range (in code):** **CN Sz**
- 37842. *Alcis evae* Wiltshire,1966** (Geometridae) **Synonym(s):** *evae* Wiltshire,1966 **Range (in code):** **AF Kab Pag Bm**
- 37843. *Alcis fredii* (Wehrli,1941)** (Geometridae) **Synonym(s):** *fredii* Wehrli,1941; *astragali* Wiltshire,1949 **Range (in code):** **IR Ss Fa**
- 37844. *Alcis granitaria* (Moore,1888)** (Geometridae) **Synonym(s):** *granitaria* Moore,1888
Range (in code): **AF Bm Kab Pag Ch**
- 37845. *Alcis granitaria granitaria* (Moore,1888)** (Geometridae) **Synonym(s):** *granitaria* Moore,1888 **Range (in code):** **Ch**
- 37846. *Alcis granitaria klapperichi* Wiltshire,1967** (Geometridae) **Synonym(s):** *klapperichi* Wiltshire,1967 **Range (in code):** **AF Bm Kab Pag**
- 37847. *Alcis hodeberti* Herbulot,1987** (Geometridae) **Synonym(s):** *hodeberti* Herbulot,1987
Range (in code): **TH CMa CDo Pki Dst Int**
- 37848. *Alcis holophaearia* (Hampson,1907)** (Geometridae) **Synonym(s):** *holophaearia* Hampson,1907 **Range (in code):** **Ch Pj PK IN**

- 37849. *Alcis hypopoeila* L.B.Prout,1928** (Geometridae) Synonym(s): *hypopoeila* L.B.Prout,1928
Range (in code): **ID Sum**
- 37850. *Alcis imbecilis* (Moore,1888)** (Geometridae) Synonym(s): *imbecilis* Moore,1888
Range (in code): **IN Djl SI TH CMa Int**
- 37851. *Alcis irrita* (L.B.Prout,1928)** (Geometridae) Synonym(s): *irrita* L.B.Prout,1928 - Range (in code): **ID Sum**
- 37852. *Alcis iterata* (Butler,1886)** (Geometridae) Synonym(s): *iterata* Butler,1886 Original Reference: *Boarmia iterata* Butler,1886, Proc. zool. Soc. Lond. 1886: 389. Syntypes: [Pakistan]: Murree, Kala Pani. Range (in code): **PK Thu Haz Mre K-P**
- 37853. *Alcis jubata* (Thunberg,1788)** (Geometridae) Synonym(s): *dilatata* Hufnagel,1767; *jubata* Thunberg,1788; *glabraria* Hübner,[1799]; *teneraria* Hübner,[1813]; *plancaria* Hübner,[1825]; *semiothisata* Lenz,1917 - Range (in code): **ES FR Co IT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY JP** Bionomy: Larva on tree lichens (*Usnea*) (Hofmann,1893).
- 37854. *Alcis kitangladensis* Sato,1996** (Geometridae) Synonym(s): *kitangladensis* Sato,1996
Range (in code): **PH Mno**
- 37855. *Alcis latifasciata* (W.Warren,1893)** (Geometridae) Synonym(s): *latifasciata* W.Warren,1893; *euryzona* Hampson,1895; *eurydiscaria* Hampson,1902 - Range (in code): **IN SI TH**
- 37856. *Alcis leechi* (Püngeler,1898)** (Geometridae) Synonym(s): *nigrofasciaria* Leech,1897 *nec* Lch.,1897; *leechi* Püngeler,1898 - Range (in code): **CN**
- 37857. *Alcis macroclarata* Sato,1993** (Geometridae) Synonym(s): *macroclaratus* Sato,1993
Original Reference: *Alcis macroclarata* Sato,1993, Tinea 13 (Suppl.3): 11, pl 35 figs. 11,12. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOS). Range (in code): **TH CMa Int**
- 37858. *Alcis maculata* (Moore,1868)** (Geometridae) Synonym(s): *maculata* Moore,1868; *plagiogramma* Hampson,1902; *#plagiogranna* Holloway,[1994] - Range (in code): **IN SI CN Ti MY Bor Sbh KBa TW ID Sum TH CMa Int**
- 37859. *Alcis maculata maculata* (Moore,1868)** (Geometridae) Synonym(s): *maculata* Moore,1868; *plagiogramma* Hampson,1902; *#plagiogranna* Holloway,[1994] - Range (in code): **IN SI CN Ti TH**
- 37860. *Alcis maculata negans* (L.B.Prout,1932)** (Geometridae) Synonym(s): *negans* L.B.Prout,1932 - Range (in code): **MY Bor Sbh KBa ID Sum**
- 37861. *Alcis maculata prodictyota* (Wehrli,1934)** (Geometridae) Synonym(s): *prodictyota* Wehrli,1934 - Range (in code): **CN TH CMa Int**
- 37862. *Alcis maculata taiwanica* (Bastelberger,1909)** (Geometridae) Synonym(s): *taiwanica* Bastelberger,1909 - Range (in code): **TW**
- 37863. *Alcis mindanalis* Sato,1996** (Geometridae) Synonym(s): *mindanalis* Sato,1996 - Range (in code): **PH Mno**
- 37864. *Alcis nigrolineata* (Wileman & South,1917)** (Geometridae) Synonym(s): *nigrolineata* Wileman & South,1917 - Range (in code): **PH Luz**
- 37865. *Alcis nudipennis* W.Warren,1888** (Geometridae) Synonym(s): *nudipennis* W.Warren,1888
Original Reference: *Alcis nudipennis* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 320-321. Syntypes 2♂: [Pakistan]: Thundiani, August & September,1886. Range (in code): **PK Thu Haz Mre NP**
- 37866. *Alcis nudipennis nepalensis* Inoue,1987** (Geometridae) Synonym(s): *nepalensis* Inoue,1987 - Range (in code): **NP**
- 37867. *Alcis nudipennis nudipennis* W.Warren,1888** (Geometridae) Synonym(s): *nudipennis* W.Warren,1888
Original Reference: *Alcis nudipennis* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 320-321. Syntypes 2♂: [Pakistan]: Thundiani, August & September,1886. Range (in code): **PK Thu Haz Mre**
- 37868. *Alcis nuristana* Wiltshire,1967** (Geometridae) Synonym(s): *nuristana* Wiltshire,1967
Range (in code): **AF Ng Nu**
- 37869. *Alcis opisagna* (Wehrli,1943)** (Geometridae) Synonym(s): *opisagna* Wehrli,1943
Range (in code): **CN Yu**
- 37870. *Alcis opisagna opisagna* (Wehrli,1943)** (Geometridae) Synonym(s): *opisagna* Wehrli,1943 - Range (in code): **CN Yu**
- 37871. *Alcis opisagna zelotina* (Wehrli,1943)** (Geometridae) Synonym(s): *zelotina* Wehrli,1943
Range (in code): **CN Yu**
- 37872. *Alcis orbifer* W.Warren,1896** (Geometridae) Synonym(s): *orbifer* W.Warren,1896
Range (in code): **IN Meg Ass Khs**

- 37873. *Alcis oxyrrina* (Wehrli,1943)** (Geometridae) **Synonym(s):** *oxyrrina* Wehrli,1943 - Range (in code): CN Yu
- 37874. *Alcis paghmana* Wiltshire,1967** (Geometridae) **Synonym(s):** *paghmana* Wiltshire,1967
Range (in code): AF Kab Pag Bm
- 37875. *Alcis pammicra* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *pammicra* L.B.Prout,1925
Original Reference: *Cleora pammicra* L.B.Prout,1925, Novit. zool. 32: 57. Range (in code): TH CMA Dst MY Cmh
- 37876. *Alcis paraclarata* Sato,1993** (Geometridae) **Synonym(s):** *paraclarata* Sato,1993 - Range (in code): TH CMA Int
- 37877. *Alcis periphracta* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *periphracta* L.B.Prout,1926 - Range (in code): MY Prk Bor Sbh KBa TH
- 37878. *Alcis perplexa* Sato,1996** (Geometridae) **Synonym(s):** *perplexa* Sato,1996 - Range (in code): PH Mno
- 37879. *Alcis perspicuata* Moore,1868** (Geometridae) **Synonym(s):** *perspicuata* Moore,1868
Range (in code): IN Ben SI Djl
- 37880. *Alcis perspicuata perspicuata* Moore,1868** (Geometridae) **Synonym(s):** *perspicuata* Moore,1868 - Range (in code): IN Ben
- 37881. *Alcis perspicuata vicina* Moore,1888** (Geometridae) **Synonym(s):** *vicina* Moore,1888
Range (in code): IN SI Djl
- 37882. *Alcis pissocneta* (West,1929)** (Geometridae) **Synonym(s):** *pissocneta* West,1929
Range (in code): PH Luz
- 37883. *Alcis prosoica* (Wehrli,1943)** (Geometridae) **Synonym(s):** *prosoica* Wehrli,1943 - Range (in code): CN Yu
- 37884. *Alcis quadrifera* (Walker,1866)** (Geometridae) **Synonym(s):** *quadrifera* Walker,1866
Range (in code): IN
- 37885. *Alcis repandata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *repandata* Linnaeus,1758; *consobrinaria* Scriba,1790; *repandaria* Borkhausen,1794; *bistortae* Vallot,1802; *destrigaria* Haworth,1809; *conversaria* Hübner,[1809]; *muraria* Curtis,1826; *dealbata* Turati & Verity,1911; *fasciata* Albers,1949 *nec Wrnk.*,1941
Original Reference: *Phalaena repandata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 524.
Type(s): Europa. Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY CN Ui Kön Bionomy: Larva on *Aesculus*, *Genista*, *Lonicera*, *Rubus*, *Salix*, *Sarothamnus scoparius*, *Vaccinium* (Meyer,1919).
- 37886. *Alcis semialba* (Moore,1888)** (Geometridae) **Synonym(s):** *semialba* Moore,1888
Range (in code): IN SI Djl Meg Ass Khs TH CMA Int
- 37887. *Alcis semiclarata* (Walker,1862)** (Geometridae) **Synonym(s):** *semiclarata* Walker,1862; *quadrifera* Walker,1866 - Range (in code): TH CMA Int
- 37888. *Alcis semiochrea* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *semiochrea* L.B.Prout,1917
Range (in code): PH Luz
- 37889. *Alcis semipullata* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *semipullata* L.B.Prout,1925 - Range (in code): MY
- 37890. *Alcis shivae* Wiltshire,1967** (Geometridae) **Synonym(s):** *shivae* Wiltshire,1967 - Range (in code): AF Bd Shv
- 37891. *Alcis sinadmissa* (Wehrli,1943)** (Geometridae) **Synonym(s):** *sinadmissa* Wehrli,1943; *juvenca* Wehrli,1943; *sinitrata* Wehrli,1943; *wassekoensis* Wehrli,1943 - Range (in code): CN Sz Ti
- 37892. *Alcis songarica* (Alpheraky,1883)** (Geometridae) **Synonym(s):** *songaricus* Alpheraky,1883; *subfuscarius* Staudinger,1892. Original Reference: *Boarmia songarica* Alpheraky,1883, Horae Soc. ent. ross. 17: 176-178, Tab. viii fig.73. Syntypes 2♂: [China: Uighur A.R.]: Archane (6500ft.).
Range (in code): UZ KK Ik CN Ui Arc
- 37893. *Alcis songarica songarica* (Alpheraky,1883)** (Geometridae) **Synonym(s):** *songarica* Alpheraky,1883; *subfuscarius* Staudinger,1892. Original Reference: *Boarmia songarica* Alpheraky,1883, Horae Soc. ent. ross. 17: 176-178, Tab. viii fig.73. Syntypes 2♂: [China: Uighur A.R.]: Archane (6500ft.). Range (in code): KK Ik CN Ui Arc
- 37894. *Alcis songarica variolaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *variolaria* Staudinger,1892 Original Reference: *Boarmia variolaria* Staudinger,1892, Dt. ent. Z., Iris 5: 174. Syntypes: Margelan? Alai. Range (in code): UZ KK
- 37895. *Alcis sorinaria* Wehrli,1943** (Geometridae) **Synonym(s):** *sorinaria* Wehrli,1943 - Range (in code): CN Sz

- 37896. *Alcis stictineura* (Hampson,1907)** (Geometridae) Synonym(s): *stictineura* Hampson,1907
Range (in code): Ch
- 37897. *Alcis sublimis* Butler,1889** (Geometridae) Synonym(s): *sublimis* Butler,1889 _ Range (in code): IN Hp Kgr Drm
- 37898. *Alcis subnitida* W.Warren,1893** (Geometridae) Synonym(s): *subnitida* W.Warren,1893; *hemiglaucaria* Hampson,1902 _ Range (in code): IN SI BT
- 37899. *Alcis subolivacea* (Hampson,1907)** (Geometridae) Synonym(s): *subolivacea* Hampson,1907 _ Range (in code): Ch
- 37900. *Alcis subrepandata* (Staudinger,1892)** (Geometridae) Synonym(s): *subrepandata* Staudinger,1892; *atschana* Wehrli,1943 _ Range (in code): UZ Smk CN Ui Au Ts Kno
- 37901. *Alcis subrepandata diffluens* (Albers,1949)** (Geometridae) Synonym(s): *diffluens* Albers,1949 _ Range (in code): TJ Pm
- 37902. *Alcis subrepandata shachdarensis* Viidalepp,1988** (Geometridae) Synonym(s): *shachdarensis* Viidalepp,1988 _ Range (in code): TJ Pm
- 37903. *Alcis subrepandata subrepandata* (Staudinger,1892)** (Geometridae) Synonym(s): *subrepandata* Staudinger,1892; *atschana* Wehrli,1943 _ Range (in code): UZ Smk CN Ui Au Ts Kno
- 37904. *Alcis subtineta* (W.Warren,1897)** (Geometridae) Synonym(s): *subtineta* W.Warren,1897
Range (in code): PH Luz
- 37905. *Alcis tenera* W.Warren,1893** (Geometridae) Synonym(s): *tenera* W.Warren,1893; *dasimaria* Swinhoe,1893 _ Range (in code): IN SI Djl
- 37906. *Alcis tindzinaria* (Oberthür,1893)** (Geometridae) Synonym(s): *tindzinaria* Oberthür,1893
Range (in code): CN Sz
- 37907. *Alcis trikotaria* (R.Felder & Rogenhofer,[1875])** (Geometridae) Synonym(s): *trikotaria* (R.Felder & Rogenhofer,[1875]) _ Range (in code): PK Thu AF Nu Ng
- 37908. *Alcis trikotaria limitropha* Wiltshire,1967** (Geometridae) Synonym(s): *limitropha* Wiltshire,1967 _ Range (in code): AF Nu Ng
- 37909. *Alcis trikotaria trikotaria* (R.Felder & Rogenhofer,[1875])** (Geometridae) Synonym(s): *trikotaria* R.Felder & Rogenhofer,[1875]; *sublanosa* Wehrli,1943 _ Range (in code): PK Thu
- 37910. *Alcis variegata* (Moore,1888)** (Geometridae) Synonym(s): *variegata* Moore,1888
Range (in code): IN SI Djl Meg Ass Khs TH CMa CDo Pki Int Dst ID Ja TW
- 37911. *Alcis variegata cesa* Koçak & Kemal,2001** (Geometridae) Synonym(s): *subochrearia* Wileman & South,1917 nec Leec.,1897; *cesa* Koçak & Kemal,2001 _ Original Reference: *Alcis variegata* ssp. *cesa* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 2 (nomen novum pro *subochrearia* Wileman & South,1917 nec Leech,1897). Type ♂: [Taiwan]: Formosa, Arizan (BMNH). Range (in code): TW
- 37912. *Alcis variegata convariata* (L.B.Prout,1935)** (Geometridae) Synonym(s): *convariata* L.B.Prout,1935 _ Range (in code): ID Ja
- 37913. *Alcis variegata nebulosa* (Swinhoe,1891)** (Geometridae) Synonym(s): *nebulosa* Swinhoe,1891 _ Range (in code): IN Meg Ass Khs
- 37914. *Alcis variegata variegata* (Moore,1888)** (Geometridae) Synonym(s): *variegata* Moore,1888 _ Range (in code): IN SI Djl TH CMa CDo Pki Int Dst
- 37915. *Alcis venustularia* (Walker,1866)** (Geometridae) Synonym(s): *venustularia* Walker,1866
Range (in code): IN
- 37916. *Aletis erici* Kirby,1896** (Geometridae) Synonym(s): *erici* Kirby,1896 _ Range (in code): UG CG
- 37917. *Aletis erici erici* Kirby,1896** (Geometridae) Synonym(s): *erici* Kirby,1896 _ Range (in code): UG
- 37918. *Aletis erici euparypha* (L.B.Prout,1913)** (Geometridae) Synonym(s): *euparypha* L.B.Prout,1913 _ Range (in code): CG
- 37919. *Aletis helcita* (Linnaeus,1763)** (Geometridae) Synonym(s): *helcita* Linnaeus,1763; *fascelis* Linnaeus,1764; *fuscofasciatus* Goeze,1779; *macularia* Fabricius,1781; *helcitaria* Turton,1802; *druryi* Butler,1878; *rubricaput* Swinhoe,1904 _ Range (in code): GH UG CM
- 37920. *Aletis helcita dissoluta* Gaede,1917** (Geometridae) Synonym(s): *dissoluta* Gaede,1917
Range (in code): CM
- 37921. *Aletis vicina* Gaede,1917** (Geometridae) Synonym(s): *vicina* Gaede,1917 _ Range (in code): NG

- 37922. *Aleucis distinctata* (Herrich-Schäffer,[1839])** (Geometridae) Synonym(s): *distinctata* Herrich-Schäffer,[1839]; *pictaria* auct. - Range (in code): **PT ES FR IT? GB BE NL LU DE CH CZ YU BG GR TR DK**
- 37923. *Aleucis kuznetsovi* (Viidalepp,1992)** (Geometridae) Synonym(s): *kuznetsovi* Viidalepp,1992 - Range (in code): **TM Kp**
- 37924. *Aleucis mimetes* (Wehrli,1932)** (Geometridae) Synonym(s): *mimetes* Wehrli,1932
Original Reference: Bapta mimetes Wehrli,1932, Mitt. münch. ent. Ges. 22: 7-8. Syntypes 133♂♀: [Türkei]: Syr. Taurus, Marasch [Kahramanmaraş]. Range (in code): **TR IQ** Bionomy: Larva on *Amygdalus*, *Crataegus*, *Prunus* (Wiltshire,1957).
- 37925. *Aleucis orientalis* (Staudinger,1892)** (Geometridae) Synonym(s): *orientalis* Staudinger,1892 Original Reference: *Hybernia* (*Anhibernia*) *orientalis* Staudinger,1892, Dt. ent. Z., Iris 5: 170-171. Syntypes 2♂: [Türkei]: Amasia; [Israel]: Jerusalem. Range (in code): **IL Pa Js TR**
- 37926. *Alex palparia* (Walker,1861)** (Geometridae) Synonym(s): *palparia* Walker,1861; *nigrozonata* Walker,[1863]; *rufolinearia* Pagenstecher,1890; *indica* W.Warren,1894 - Range (in code): **IN Meg Ass Khs MY Bor Swk PH Pal Luz ID Amb Nia TH**
- 37927. *Alex palparia nephodes* West,1930** (Geometridae) Synonym(s): *nephodes* West,1930
Range (in code): **PH Luz**
- 37928. *Alex palparia niasica* Swinhoe,1917** (Geometridae) Synonym(s): *niasica* Swinhoe,1917
Range (in code): **ID Nia**
- 37929. *Alex palparia palparia* (Walker,1861)** (Geometridae) Synonym(s): *palparia* Walker,1861; *nigrozonata* Walker,[1863]; *rufolinearia* Pagenstecher,1890; *indica* W.Warren,1894 - Range (in code): **IN Meg Ass Khs MY Bor Swk PH Pal TH ID Amb**
- 37930. *Allochlorodes elpis* L.B.Prout,1917** (Geometridae) Synonym(s): *elpis* L.B.Prout,1917
Range (in code): **ZA Wca Cto Klk**
- 37931. *Allochrostes biornata* L.B.Prout,1913** (Geometridae) Synonym(s): *biornata* L.B.Prout,1913 Original Reference: *Allochrostes biornata* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 196, pl.12 fig.38. Holotype ♂: [South Africa]: [Transvaal]: Waterberg district (TMP). Range (in code): **ZA ZA07 Nta Kzu Umk Nyl Pot Chp Wmb ZA17 Tva Lpo Spb Mdk ZA24 NWe Wb ZW MZ**
- 37932. *Allochrostes imperfecta* L.B.Prout,1916** (Geometridae) Synonym(s): *imperfecta* L.B.Prout,1916 - Range (in code): **ZA ZA08 ZA25 Kzu Nta Tva Wmb**
- 37933. *Allochrostes impunctata* (W.Warren,1897)** (Geometridae) Synonym(s): *impunctata* W.Warren,1897; *rubridentata* W.Warren,1897 - Range (in code): **ZA ZA07 Nta Kzu ZA21 Tva Lpo ZA24 NWe KE Mb Umk Gau Pre Wmb ZW Hfo Umv Nbs**
- 37934. *Allochrostes saliata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *saliata* R.Felder & Rogenhofer,1875 - Range (in code): **ZA ZA07 ZA08 Nta Kzu Mal Tva Lpo Umk Dbn Srn Tst Mpu TZ**
- 37935. *Allochrostes sp.*** (Geometridae) Synonym(s): - Range (in code): **ZA Tva ZA16 Mpu**
- 37936. *Allochrostes uniornata* L.B.Prout,1935** (Geometridae) Synonym(s): *uniornata* L.B.Prout,1935 - Range (in code): **ZA**
- 37937. *Almabiston brunnea* Djakonov,1952** (Geometridae) Synonym(s): *brunnea* Djakonov,1952
Original Reference: *Almabiston brunnea* Djakonov,1952, Ent. Obozr. 32: 273, figs. Syntypes 6♂: Kazakhstan: Alma Ata. Range (in code): **KG Aa T-S TrA**
- 37938. *Almeria kalischata* (Staudinger,1870)** (Geometridae) Synonym(s): *kalischata* Staudinger,1870; *dentata* Lucas,1907; *rubrotincta* Zerny,1934 - Range (in code): **MA DZ Orn Elt PT ES Mu** Bionomy: Larva on *Pinus* (Calle et al.,2000).
- 37939. *Alsophila aceraria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#aceraria* [Denis & Schiffermüller],1775; *quadripunctaria* Esper,1801 nec Pda.,1761 Original Reference: *Geometra aceraria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG AM RU MD UA Cm BY** Bionomy: Larva on *Acer campestre*, *A. pseudoplatanus* (Aceraceae), *Quercus*, *Fagus sylvatica* (Fagaceae), *Populus tremula* (Salicaceae) (Blaschke,1914; Meyer,1919 et seq.).
- 37940. *Alsophila beljaevi* Koçak & Kemal,2008** (Geometridae) Synonym(s): *murinaria* Beljaev,1996 nec Borkh.,1794; *beljaevi* Koçak & Kemal,2008 Original Reference: *Alsophila beljaevi* Koçak & Kemal,2008, Cent. ent. Stud., Priamus Suppl. 14: 2, 161 (nomen novum pro *murinaria* Beljaev,1996 nec Borkhausen,1794) Type: Russia: Vladivostok, Sad-Gorod. Range (in code): **RU Vv Us**

- 37941. *Alsophila hirsutaria* (Fabricius,1781)** (Geometridae) Synonym(s): *#aescularia* [Denis & Schiffermüller],1775; *hirtaria* Fabricius,[1776] *nec* Linn.,1761; *hirsutaria* Fabricius,1781; *murinaria* Borkhausen,1794. Original Reference: *hirsutaria* Fabricius,1781, Spec. Ins. 2: 508. Type(s): Europe [emend. *hirtaria* Fabricius,1776]. Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG AM TR DK NO SE EE LV LT RU MD UA BY TM Kp** Bionomy: Larva on *Acer campestre*, *A. pseudoplatanus* (Aceraceae), *Crataegus*, *Ligustrum*, *Quercus* (Fagaceae), *Prunus spinosa* (Rosaceae), *Ulmus* (Ulmaceae) (Blaschke,1914; Meyer,1919; Skou,1986).
- 37942. *Alsophila japonensis* W.Warren,1894** (Geometridae) Synonym(s): *japonensis* W.Warren,1894 Range (in code): **JP KP KR RU Prj Us**
- 37943. *Alsophila vladimiri* Viidalepp,1986** (Geometridae) Synonym(s): *vladimiri* Viidalepp,1986 Range (in code): **RU Prj Us**
- 37944. *Alsophila zabolne* Inoue,1941** (Geometridae) Synonym(s): *zabolne* Inoue,1941 Range (in code): **RU Prj Us KP KR**
- 37945. *Alsophiloides kurentzovi* Viidalepp,1986** (Geometridae) Synonym(s): *kurentzovi* Viidalepp,1986 Range (in code): **RU Prj Us**
- 37946. *Amblychia angeronia* Guenée,[1858]** (Geometridae) Synonym(s): *angeronia* Guenée,[1858]; *torrida* Moore,1877; *sinibia* Wehrli,1938 Range (in code): **IN CN Sz Adm TH Ntt Hba**
- 37947. *Amblychia cavimargo* (L.B.Prout,1925)** (Geometridae) Synonym(s): *cavimargo* L.B.Prout,1925 Range (in code): **MY Bor Sbh KBa TH Ntt Hba**
- 37948. *Amblychia hymenaria* Guenée,[1858]** (Geometridae) Synonym(s): *hymenaria* Guenée,[1858]; *brabanti* Thierry-Mieg,1893; *albifascia* W.Warren,1894; *procellosa* W.Warren,1894 Range (in code): **TH Ntt Hba Nna Kao Loe IN Ass NI LK MY Prk ID Clb Ja**
- 37949. *Amblychia lutulenta* (West,1929)** (Geometridae) Synonym(s): *lutulenta* West,1929 Range (in code): **PH Pal**
- 37950. *Amblychia praeumbrata* (W.Warren,1893)** (Geometridae) Synonym(s): *praeumbrata* W.Warren,1893; *moesta* W.Warren,1894 Range (in code): **TH Rng MY Prk**
- 37951. *Amblychia rotundata* Semper,1901** (Geometridae) Synonym(s): *rotundata* Semper,1901 Original Reference: *Amblychia rotundata* Semper,1901, Reisen Archipel. Philipp. (2) 6: 611, pl.64 figs.1,2. Syntypes ♂♀: Philippines: Luzon, Mindanao. Range (in code): **PH Luz Mno**
- 37952. *Amblychia sauteri* (L.B.Prout,1914)** (Geometridae) Synonym(s): *sauteri* L.B.Prout,1914 Range (in code): **TW**
- 37953. *Amblychia subrubrida* (W.Warren,1896)** (Geometridae) Synonym(s): *subrubrida* W.Warren,1896; *hypocallistis* Lower,1898 Range (in code): **NC PG Fg AU QAU**
- 37954. *Amblychia subrubrida aoupiniensis* (Holloway,1979)** (Geometridae) Synonym(s): *aoupiniensis* Holloway,1979 Range (in code): **NC**
- 37955. *Amorphogynia necessaria* (Zeller,1849)** (Geometridae) Synonym(s): *necessaria* Zeller,1849; *inversarius* Rebel,1903; *grupchei* Carnelutti,1986 Original Reference: *Boarmia necessaria* Zeller,1849, Stettin ent. Ztg. 10(7): 206 (nom nov. pro *B.hirtaria* var. Zeller,1847, Isis:18). Type ♂: [Türkei]: Ephesus. Range (in code): **BG Slv MK GR TR Cc GG AZ** Bionomy: Larva on *Tamarix smyrnense* (Staudinger,1879).
- 37956. *Amorphogynia necessaria necessaria* (Zeller,1849)** (Geometridae) Synonym(s): *necessaria* Zeller,1849; *inversarius* Rebel,1903; *grupchei* Carnelutti,1986 Original Reference: *Boarmia necessaria* Zeller,1849, Stettin ent. Ztg. 10(7): 206 (nom nov. pro *B.hirtaria* var. Zeller,1847, Isis:18). Type ♂: [Türkei]: Ephesus. Range (in code): **TR**
- 37957. *Amorphozancle discata* W.Warren,1893** (Geometridae) Synonym(s): *discata* W.Warren,1893 Range (in code): **IN Nag**
- 37958. *Amraica deprunescens* (L.B.Prout,1926)** (Geometridae) Synonym(s): *deprunescens* L.B.Prout,1926 Range (in code): **PG**
- 37959. *Amraica inouei* Sato,1993** (Geometridae) Synonym(s): *inouei* Sato,1993 Range (in code): **TH CMa Dst Fn Cbi Loe Phi Khn**
- 37960. *Amraica jaculatrix* Sato,1993** (Geometridae) Synonym(s): *jaculatrix* Sato,1993 Range (in code): **ID Clb**
- 37961. *Amraica recursaria* (Walker,1860)** (Geometridae) Synonym(s): *recursaria* Walker,1860; *ferrolavata* Walker,[1863]; *fortissima* Moore,1888; *asahinai* Inoue,1964 Range (in code): **JP TW TH Nna Kao Cbi Loe Nst MY Prk Cmh Bor Sbh VN IN Meg Ass Khs ID Klt Sum Clb Ja MM NP PH Mno Pal PG**

- 37962. Amraica solivagaria (Walker,1866)** (Geometridae) **Synonym(s):** *solivagaria* Walker,1866
Range (in code): **ID Ja**
- 37963. Amraica superans (Butler,1878)** (Geometridae) **Synonym(s):** *superans* Butler,1878;
decolorans Wehrli,1941; *subnigrans* Wehrli,1941 **Range (in code):** **JP CN Sz Hun RU Us KP KR TW**
- 37964. Amraica superans confusa (Staudinger,1897)** (Geometridae) **Synonym(s):** *confusa*
Staudinger,1897 **Range (in code):** **RU Us**
- 37965. Amraica superans koreaebia (Bryk,1949)** (Geometridae) **Synonym(s):** *koreaebia*
Bryk,1949 **Range (in code):** **KP KR**
- 37966. Amraica superans superans (Butler,1878)** (Geometridae) **Synonym(s):** *superans*
Butler,1878; *decolorans* Wehrli,1941; *subnigrans* Wehrli,1941 **Range (in code):** **JP CN Sz Hun**
- 37967. Amraica superans taiwana (Sato,1981)** (Geometridae) **Synonym(s):** *taiwana* Sato,1981
Range (in code): **TW**
- 37968. Amygdaloptera testaria (Fabricius,1794)** (Geometridae) **Synonym(s):** *testaria*
Fabricius,1794; *duponchellaria* Lucas,1849 **Original Reference:** *Phalaena testaria* Fabricius,1794,
Ent. Syst. 3 (2): 143. Syntypes: "Barbaria" [North Africa] (ZMUC). **Range (in code):** **PT ES An MA**
Orn DZ
- 37969. Anacleora diffusa (Walker,1869)** (Geometridae) **Synonym(s):** *diffusa* Walker,1869
Range (in code): **CG**
- 37970. Anacleora extremaria (Walker,1860)** (Geometridae) **Synonym(s):** *extremaria*
Walker,1860; *perfectaria* Walker,1866; *haploocnema* L.B.Prout,1922 **Range (in code):** **ZA ZA12 Ktz Nta**
Kzu Dbn
- 37971. Anacleora pulverosa (W.Warren,1904)** (Geometridae) **Synonym(s):** *pulverosa*
W.Warren,1904 **Range (in code):** **ZA Ktz ZA05 ZA08 Ksi ZA25 Kzu Nta Dbn**
- 37972. Anacleora sp.** (Geometridae) **Synonym(s):** **Range (in code):** **ZA ZA14 Mpu ZA16 Mpu**
Tva Lpo Spb Bbg
- 37973. Androzeugma mollior L.B.Prout,1922** (Geometridae) **Synonym(s):** *mollior*
L.B.Prout,1922 **Range (in code):** **ZA Tva Lpo Chp Buf ZW Uma**
- 37974. Androzeugma subacuta L.B.Prout,1935** (Geometridae) **Synonym(s):** *subacuta*
L.B.Prout,1935 **Range (in code):** **ZA**
- 37975. Androzeugma tenuis (W.Warren,1898)** (Geometridae) **Synonym(s):** *tenuis*
W.Warren,1898; *hapala* L.B.Prout,1913 **Range (in code):** **ZA ZA17 Tva Lpo NG**
- 37976. Angerona prunaria (Linnaeus,1758)** (Geometridae) **Synonym(s):** *prunaria* Linnaeus,1758
Original Reference: *Phalaena prunaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520. Type(s):
[Europa], in *Prunus spinosa*. **Range (in code):** **ES FR IT IE GB BE NL LU CH AT PL CZ SK HU RO**
YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Crataegus*, *Prunus*,
Rubus idaeus (Meyer,1919).
- 37977. Anizozyga caledonica (Thierry-Mieg,1915)** (Geometridae) **Synonym(s):** *caledonica*
Thierry-Mieg,1915 **Original Reference:** *Felicia caledonica* Thierry-Mieg,1915, *Miscnea* ent. 22:
40. **Range (in code):** **NC**
- 37978. Anoectomychus eutoeodes L.B.Prout,1934** (Geometridae) **Synonym(s):** *eutoeodes*
L.B.Prout,1934 **Range (in code):** **ZR**
- 37979. Anoectomychus lautipars L.B.Prout,1927** (Geometridae) **Synonym(s):** *lautipars*
L.B.Prout,1927 **Range (in code):** **ST**
- 37980. Anoectomychus pudens Swinhoe,1904** (Geometridae) **Synonym(s):** *pudens*
Swinhoe,1904 **Range (in code):** **NG**
- 37981. Anonychia rostrifera (W.Warren,1888)** (Geometridae) **Synonym(s):** *rostrifera*
W.Warren,1888 **Original Reference:** *Cidaria rostrifera* W.Warren,1888, *Proc. zool. Soc. Lond.*
1888: 330. Type ♂: [Pakistan]: Berham Gully, September 24 1885. **Range (in code):** **PK Mre Haz**
Swa Sgl Yek
- 37982. Ansorgia divergens W.Warren,1899** (Geometridae) **Synonym(s):** *divergens*
W.Warren,1899 **Range (in code):** **UG**
- 37983. Antharmostes alcaea L.B.Prout,1930** (Geometridae) **Synonym(s):** *alcaea* L.B.Prout,1930
Range (in code): **AO ZA**
- 37984. Antharmostes dargei Herbulot,1982** (Geometridae) **Synonym(s):** *dargei* Herbulot,1982
Range (in code): **CM**
- 37985. Antharmostes interalbicans W.Warren,1902** (Geometridae) **Synonym(s):**
interalbicans W.Warren,1902 **Range (in code):** **ZR**

- 37986. Antharmostes marginata (W.Warren,1897)** (Geometridae) *Synonym(s): marginata W.Warren,1897; fuscimargo W.Warren,1909; violetta Bastelberger,1909* Range (in code): NG ZR
- 37987. Antharmostes mesoleuca W.Warren,1899** (Geometridae) *Synonym(s): mesoleuca W.Warren,1899* Range (in code): NG
- 37988. Antharmostes orinophragma L.B.Prout,1930** (Geometridae) *Synonym(s): orinophragma L.B.Prout,1930* Range (in code): ZR
- 37989. Antharmostes papilio L.B.Prout,1912** (Geometridae) *Synonym(s): papilio L.B.Prout,1912* Range (in code): ZA Mal ZA17 Tva Lpo ZA24 NWe Mpu Brb Gau Pre ZW Vf TZ Bionomy: Larva on Combretum collinum (Combretaceae) (Scoble,1999).
- 37990. Antharmostes papilio papilio L.B.Prout,1912** (Geometridae) *Synonym(s): papilio L.B.Prout,1912* Range (in code): ZA Mal ZA17 Tva Lpo ZA24 NWe Mpu Brb ZW Vf TZ
- 37991. Antharmostes papilio patrizii (Berio,1937)** (Geometridae) *Synonym(s): patrizii Berio,1937* Range (in code):
- 37992. Antharmostes reducta Herbulot,1996** (Geometridae) *Synonym(s): reducta Herbulot,1996* Range (in code): CM
- 37993. Antharmostes simplicimargo L.B.Prout,1917** (Geometridae) *Synonym(s): simplicimargo L.B.Prout,1917* Range (in code): ZR
- 37994. Antharmostes sufflata Herbulot,1982** (Geometridae) *Synonym(s): sufflata Herbulot,1982* Range (in code): CM
- 37995. Antharmostes tutsiana Herbulot,1996** (Geometridae) *Synonym(s): tutsiana Herbulot,1996* Range (in code): RW
- 37996. Anthemoctena textilis (Wallengren,1872)** (Geometridae) *Synonym(s): textilis Wallengren,1872; lineata W.Warren,1897* Range (in code): ZA Tva Wca Cto
- 37997. Anthometra plumularia Boisduval,1840** (Geometridae) *Synonym(s): plumularia Boisduval,1840; concoloraria Lederer,1853; psychinaria Rosenhauer,1856* Range (in code): PT ES FR
- 37998. Anthyperythra caladsaota Hampson,1902** (Geometridae) *Synonym(s): caladsaota Hampson,1902* Range (in code): IN Hp Sml Ch
- 37999. Anthyperythra caladsaota caladsaota Hampson,1902** (Geometridae) *Synonym(s): caladsaota Hampson,1902* Range (in code): IN Hp Sml
- 38000. Anthyperythra caladsaota fulvipennis (W.Warren,1909)** (Geometridae) *Synonym(s): fulvipennis W.Warren,1909* Range (in code): Ch
- 38001. Anthyperythra hermearia Swinhoe,1891** (Geometridae) *Synonym(s): hermearia Swinhoe,1891* Range (in code): IN Ass Meg Khs
- 38002. Anthyperythra rhomalea L.B.Prout,1928** (Geometridae) *Synonym(s): rhomalea L.B.Prout,1928* Range (in code): ID Sum Kor
- 38003. Anticlea badiata (Lang,1789)** (Geometridae) *Synonym(s): #badiata [Denis & Schiffermüller],1775; badiata Lang,1789; radiata Spener & Spener,1843.* Original Reference: Phalaena badiata Lang,1789, Verz. Schmett.: 188. Range (in code): MA DZ ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LT RU MD UA Cm BY Cc AM AZ Ur At Bry KG Sp Tar MN Bionomy: Larva on Rosa acicularis, R. canina, R. pimpinellifolia (Rosaceae) (Meyer,1919; et seq.).
- 38004. Anticlea badiata tellensis Herbulot,1957** (Geometridae) *Synonym(s): tellensis Herbulot,1957* Original Reference: Anticlea badiata ssp. tellensis Herbulot,1957, Bull. mens. Soc. linn. Lyon 26: 190. Holotype ♂: Algérie, Cavallo (ZSM). Range (in code): DZ
- 38005. Anticlea beduina (Turati,1930)** (Geometridae) *Synonym(s): beduina Turati,1930* Range (in code): LY Cy
- 38006. Anticlea cabrerai (Pinker,1962)** (Geometridae) *Synonym(s): cabrerai Pinker,1962* Range (in code): Cn
- 38007. Anticlea correlata (W.Warren,1901)** (Geometridae) *Synonym(s): correlata W.Warren,1901* Range (in code): RU Us JP
- 38008. Anticlea derivata ([Denis & Schiffermüller],1775)** (Geometridae) *Synonym(s): derivata [Denis & Schiffermüller],1775; nigrofasciaria Goeze,1781; separata Thunberg,1788.* Original Reference: Geometra derivata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LV LT RU MD UA Cm BY Cc GG AZ Tbl Lag AM At Sb Ya Am Sh Us MN KG Sp Tar Tk DsA CN Ui Tlk
- 38009. Anticlea derivata derivata ([Denis & Schiffermüller],1775)** (Geometridae) *Synonym(s): derivata [Denis & Schiffermüller],1775; nigrofasciaria Goeze,1781; separata Thunberg,1788.*

- Original Reference: *Geometra derivata* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 113. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI LV LT RU MD UA Cm BY Cc GG AZ AM At Sb Ya Am Sh Us MN
- 38010. *Anticlea derivata insignis* (Sheljuzhko,1955)** (Geometridae) Synonym(s): insignis Sheljuzhko,1955 - Range (in code): KG Sp Tar Tk DsA CN Ui Tlk
- 38011. *Anticlea querulata* (Püngeler,1904)** (Geometridae) Synonym(s): querulata Püngeler,1904
Original Reference: *Larentia querulata* Püngeler,1904, *Dt. ent. Z., Iris* 16 (2): 294, pl.6 figs.12,12a. Syntypes 2♂ 1♀: [Uighur Ili]: N. of Korla. Range (in code): CN Ui Kl
- 38012. *Anticlea semna* (L.B.Prout,1929)** (Geometridae) Synonym(s): semna L.B.Prout,1929
Original Reference: *Earophila semna* L.B.Prout,1929, *Novit. zool.* 35: 142. Type ♀: Algeria, Hammam Meskoutine (BMNH). Range (in code): DZ Hmk
- 38013. *Anticollix sparsata* (Treitschke,1828)** (Geometridae) Synonym(s): sparsaria Hübner,[1813] nec Hbn.,[1809]; sparsata Treitschke,1828; lysimachiata Treitschke,1828; melanoparia Graslin,1848
Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Lysimachia* (Meyer,1919).
- 38014. *Antilurga alhambrata* (Staudinger,1859)** (Geometridae) Synonym(s): alhambrata Staudinger,1859 - Range (in code): MA Ouk DZ Ges TN ES An Grn Mu FR
- 38015. *Antilurga alhambrata altatlas* Herbulot,1981** (Geometridae) Synonym(s): altatlas Herbulot,1981 Original Reference: *Antilurga alhambrata* ssp. *altatlas* Herbulot,1981, *Alexanor* 12 (4): 182. Holotype ♂: Morocco, Oukalmeden (ZSM). Range (in code): MA Ouk DZ TN
- 38016. *Antilycauges pinguis* (Swinhoe,1902)** (Geometridae) Synonym(s): pinguis Swinhoe,1902
Range (in code): TW CN VN Ton
- 38017. *Antimimistis attenuata* (Moore,[1887])** (Geometridae) Synonym(s): attenuata Moore,[1887] - Range (in code): LK ID Clb
- 38018. *Antimimistis attenuata attenuata* (Moore,[1887])** (Geometridae) Synonym(s): attenuata Moore,[1887] - Range (in code): LK
- 38019. *Antimimistis attenuata melamphaes* L.B.Prout,1958** (Geometridae) Synonym(s): melamphaes L.B.Prout,1958 - Range (in code): ID Clb
- 38020. *Antimimistis curpina* L.B.Prout,1958** (Geometridae) Synonym(s): curpina L.B.Prout,1958 - Range (in code): LK
- 38021. *Antimimistis illaudata* Turner,1922** (Geometridae) Synonym(s): illaudata Turner,1922
Range (in code): AU QAU Kda Cai
- 38022. *Antimimistis subteracta* L.B.Prout,1925** (Geometridae) Synonym(s): subteracta L.B.Prout,1925 - Range (in code): IN Ass Meg Khs
- 38023. *Antipercnia belluaria* (Guenée,[1858])** (Geometridae) Synonym(s): belluaria Guenée,[1858] - Range (in code): TH CMA
- 38024. *Antitrygodes acinosa* L.B.Prout,1932** (Geometridae) Synonym(s): acinosa L.B.Prout,1932
Range (in code): ST
- 38025. *Antitrygodes agrata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): agrata R.Felder & Rogenhofer,1875 - Range (in code): ID Mlc IN Meg Ass Khs
- 38026. *Antitrygodes agrata agrata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): agrata R.Felder & Rogenhofer,1875 - Range (in code): ID Mlc
- 38027. *Antitrygodes agrata vicina* (Thierry-Mieg,1907)** (Geometridae) Synonym(s): vicina Thierry-Mieg,1907 - Range (in code): IN Meg Ass Khs
- 38028. *Antitrygodes callibotrys* L.B.Prout,1918** (Geometridae) Synonym(s): callibotrys L.B.Prout,1918 - Range (in code): ZA Mal ZA15 Tva Lpo ZA16 Mpu CF
- 38029. *Antitrygodes cuneilinea* (Walker,[1863])** (Geometridae) Synonym(s): cuneilinea Walker,[1863] Original Reference: *Geometra cuneilinea* Walker,[1863], *List Specimens lepid. Insects Colln Br. Mus.* 26: 1752. Syntypes ♂♂: "Hindostan" (OUM). Range (in code): IN TH
- 38030. *Antitrygodes dentilinea* W.Warren,1897** (Geometridae) Synonym(s): dentilinea W.Warren,1897 - Range (in code): SL ZA
- 38031. *Antitrygodes divisaria* (Walker,1861)** (Geometridae) Synonym(s): divisaria Walker,1861
Range (in code): IN ID Clb TW TH CMA
- 38032. *Antitrygodes dysmorpha* L.B.Prout,1915** (Geometridae) Synonym(s): dysmorpha L.B.Prout,1915 - Range (in code): NG
- 38033. *Antitrygodes herbuloti* Viette,1977** (Geometridae) Synonym(s): herbuloti Viette,1977
Range (in code): MG

- 38034. Antitrygodes malagasy Viette,1977** (Geometridae) Synonym(s): *malagasy* Viette,1977
Range (in code): **MG**
- 38035. Antitrygodes parvimacula W.Warren,1896** (Geometridae) Synonym(s): *parvimacula* W.Warren,1896
Range (in code): **PG Fs Bsm Nlr**
- 38036. Antitrygodes pirimacula L.B.Prout,1916** (Geometridae) Synonym(s): *pirimacula* L.B.Prout,1916
Range (in code): **ID Ij Fak**
- 38037. Antitrygodes subaequalis L.B.Prout,1917** (Geometridae) Synonym(s): *subaequalis* L.B.Prout,1917
Range (in code): **SB**
- 38038. Antozola dislocata Herbulot,1992** (Geometridae) Synonym(s): *dislocata* Herbulot,1992
Range (in code): **MW**
- 38039. Apeira syringaria (Linnaeus,1758)** (Geometridae) Synonym(s): *syringaria* Linnaeus,1758; *jaspoides* Fourcroy,1785; *circularia* Thunberg,1792
Original Reference: *Phalaena syringaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. Syntypes: [Europa], in *Syringa*, *Jasminum*. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Ligustrum vulgare*, *Lonicera nigra*, *Spiraea ulmifolia*, *Syringa vulgaris* (Meyer,1919; Wehrli,1940).
- 38040. Aphilopota alloecomorpha L.B.Prout,1938** (Geometridae) Synonym(s): *alloecomorpha* L.B.Prout,1938
Range (in code): **MG**
- 38041. Aphilopota aspera L.B.Prout,1938** (Geometridae) Synonym(s): *aspera* L.B.Prout,1938
Range (in code): **MG**
- 38042. Aphilopota aspera aspera L.B.Prout,1938** (Geometridae) Synonym(s): *aspera* L.B.Prout,1938
Range (in code): **MG**
- 38043. Aphilopota aspera occidentalis Viette,1973** (Geometridae) Synonym(s): *occidentalis* Viette,1973
Range (in code): **MG**
- 38044. Aphilopota calaria (Swinhoe,1904)** (Geometridae) Synonym(s): *calaria* Swinhoe,1904; *zonata* L.B.Prout,1954
Range (in code): **KE ET**
- 38045. Aphilopota cardinali L.B.Prout,1954** (Geometridae) Synonym(s): *cardinali* L.B.Prout,1954
Range (in code): **GH KE Kit**
- 38046. Aphilopota cardinali cardinali L.B.Prout,1954** (Geometridae) Synonym(s): *cardinali* L.B.Prout,1954
Range (in code): **GH**
- 38047. Aphilopota cardinali kitalensis L.B.Prout,1954** (Geometridae) Synonym(s): *kitalensis* L.B.Prout,1954
Range (in code): **KE Kit**
- 38048. Aphilopota confusata (W.Warren,1902)** (Geometridae) Synonym(s): *confusata* W.Warren,1902
Range (in code): **KE**
- 38049. Aphilopota conturbata (Walker,[1863])** (Geometridae) Synonym(s): *conturbata* Walker,[1863]
Range (in code): **ZA Ksi Nta Kzu**
- 38050. Aphilopota cydno L.B.Prout,1954** (Geometridae) Synonym(s): *cydno* L.B.Prout,1954
Range (in code): **KE Mb**
- 38051. Aphilopota decepta Janse,1932** (Geometridae) Synonym(s): *decepta* Janse,1932
Range (in code): **ZA ZA01 ZA17 Tva Lpo**
Bionomy: Larva on *Maytenus heterophylla* (Celastraceae) (Scoble,1999).
- 38052. Aphilopota dicampsis L.B.Prout,1934** (Geometridae) Synonym(s): *dicampsis* L.B.Prout,1934
Range (in code): **KE Kit**
- 38053. Aphilopota euodia L.B.Prout,1954** (Geometridae) Synonym(s): *euodia* L.B.Prout,1954
Original Reference: *Aphilopota euodia* L.B.Prout,1954, Entomologist 87: 186. Holotype ♂: [South Africa]: [Transvaal]: Northern Transvaal, Louis Trichardt (TMP). Range (in code): **ZA Tva ZA14 Mpu ZA18 Ec Lpo Spb Ltr**
- 38054. Aphilopota exterritorialis (Strand,1909)** (Geometridae) Synonym(s): *exterritorialis* Strand,1909
Range (in code): **TZ**
- 38055. Aphilopota fletcheri Carcasson,1965** (Geometridae) Synonym(s): *fletcheri* Carcasson,1965
Range (in code): **UG**
- 38056. Aphilopota fletcheriana Viette,1975** (Geometridae) Synonym(s): *fletcheri* Viette,1973 *nec* Carc.,1965; *fletcheriana* Viette,1975
Range (in code): **MG**
- 38057. Aphilopota foedata (Bastelberger,1907)** (Geometridae) Synonym(s): *foedata* Bastelberger,1907
Range (in code): **TZ Tnga Usa**
- 38058. Aphilopota immatura L.B.Prout,1938** (Geometridae) Synonym(s): *immatura* L.B.Prout,1938
Range (in code): **MG**

- 38059. *Aphilopota inspersaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *inspersaria* Guenée,[1858] **Range (in code):** **ZA**
- 38060. *Aphilopota interpellans* (Butler,1875)** (Geometridae) **Synonym(s):** *interpellans* Butler,1875; *angolaria* Bethune-Baker,1913 **Range (in code):** **AO ZA** **Bionomy:** Larva on *Rhynchosia totta* (Fabaceae) (Scoble,1999).
- 38061. *Aphilopota iphia* L.B.Prout,1954** (Geometridae) **Synonym(s):** *iphia* L.B.Prout,1954 **Range (in code):** **ZA Tra Ec**
- 38062. *Aphilopota mailaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *mailaria* Swinhoe,1904 **Range (in code):** **CG**
- 38063. *Aphilopota melanommata* L.B.Prout,1954** (Geometridae) **Synonym(s):** *melanommata* L.B.Prout,1954 **Range (in code):** **ZR**
- 38064. *Aphilopota melanostigma* W.Warren,1904** (Geometridae) **Synonym(s):** *melanostigma* W.Warren,1904 **Range (in code):** **AO**
- 38065. *Aphilopota nubilata* L.B.Prout,1954** (Geometridae) **Synonym(s):** *nubilata* L.B.Prout,1954 **Range (in code):** **ZR KE** **Bionomy:** Larva on *Maytenus buxifolia* (Celastraceae); *Flaucourtia* (Scoble,1999).
- 38066. *Aphilopota nubilata castaneata* Fletcher,1956** (Geometridae) **Synonym(s):** *castaneata* Fletcher,1956 **Range (in code):** **KE**
- 38067. *Aphilopota nubilata lapillata* Fletcher,1956** (Geometridae) **Synonym(s):** *lapillata* Fletcher,1956 **Range (in code):** **KE**
- 38068. *Aphilopota nubilata nubilata* L.B.Prout,1954** (Geometridae) **Synonym(s):** *nubilata* L.B.Prout,1954 **Range (in code):** **ZR**
- 38069. *Aphilopota ochrimacula* (W.Warren,1902)** (Geometridae) **Synonym(s):** *ochrimacula* W.Warren,1902 **Range (in code):** **KE**
- 38070. *Aphilopota otoessa* L.B.Prout,1954** (Geometridae) **Synonym(s):** *otoessa* L.B.Prout,1954 **Range (in code):** **GM**
- 38071. *Aphilopota patulata* (Walker,[1863])** (Geometridae) **Synonym(s):** *patulata* Walker,[1863] **Range (in code):** **ZA Mal Tva Lpo**
- 38072. *Aphilopota patulata mesotoecha* L.B.Prout,1938** (Geometridae) **Synonym(s):** *mesotoecha* L.B.Prout,1938 **Range (in code):** **ZA**
- 38073. *Aphilopota patulata patulata* (Walker,[1863])** (Geometridae) **Synonym(s):** *patulata* Walker,[1863] **Range (in code):** **ZA Mal Tva Lpo**
- 38074. *Aphilopota perscotia* L.B.Prout,1931** (Geometridae) **Synonym(s):** *perscotia* L.B.Prout,1931 **Range (in code):** **ZA ZA13 Nta Kzu**
- 38075. *Aphilopota phanerostigma* L.B.Prout,1917** (Geometridae) **Synonym(s):** *phanerostigma* L.B.Prout,1917 **Range (in code):** **ZA**
- 38076. *Aphilopota plethora* L.B.Prout,1938** (Geometridae) **Synonym(s):** *plethora* L.B.Prout,1938 **Range (in code):** **ZA**
- 38077. *Aphilopota reducta* Viette,1973** (Geometridae) **Synonym(s):** *reducta* Viette,1973 **Range (in code):** **MG**
- 38078. *Aphilopota rubidivenis* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *rubidivenis* L.B.Prout,1922 **Range (in code):** **ZA**
- 38079. *Aphilopota rufiplaga* (W.Warren,1902)** (Geometridae) **Synonym(s):** *rufiplaga* W.Warren,1902 **Range (in code):** **KE**
- 38080. *Aphilopota scapularia* (Snellen,1872)** (Geometridae) **Synonym(s):** *scapularia* Snellen,1872 **Range (in code):** **ZR**
- 38081. *Aphilopota semidentata* L.B.Prout,1931** (Geometridae) **Synonym(s):** *semidentata* L.B.Prout,1931 **Range (in code):** **MG**
- 38082. *Aphilopota semiusta* (Distant,1898)** (Geometridae) **Synonym(s):** *semiusta* Distant,1898; *spissata* W.Warren,1905 **Range (in code):** **ZA ZA24 NWe**
- 38083. *Aphilopota seyrigi* Viette,1973** (Geometridae) **Synonym(s):** *seyrigi* Viette,1973 **Range (in code):** **MG**
- 38084. *Aphilopota sinistra* L.B.Prout,1954** (Geometridae) **Synonym(s):** *sinistra* L.B.Prout,1954 **Range (in code):** **ZA Ec**
- 38085. *Aphilopota* sp.1** (Geometridae) **Synonym(s):** **Range (in code):** **ZA ZA12 Kzu**
- 38086. *Aphilopota* sp.2** (Geometridae) **Synonym(s):** **Range (in code):** **ZA Mal Tva Lpo ZA20 Mpu**

- 38087. *Aphilopota statuta* L.B.Prout,1954** (Geometridae) Synonym(s): *statuta* L.B.Prout,1954
Range (in code): **GH**
- 38088. *Aphilopota strigossisima* (Bastelberger,1909)** (Geometridae) Synonym(s): *strigossisima* Bastelberger,1909 Range (in code): **AO CG**
- 38089. *Aphilopota strigossisima castellana* L.B.Prout,1954** (Geometridae) Synonym(s): *castellana* L.B.Prout,1954 Range (in code): **CG**
- 38090. *Aphilopota strigossisima strigossisima* (Bastelberger,1909)** (Geometridae) Synonym(s): *strigossisima* Bastelberger,1909 Range (in code): **AO**
- 38091. *Aphilopota subalbata* (W.Warren,1905)** (Geometridae) Synonym(s): *subalbata* W.Warren,1905; *approximans* W.Warren,1914 Range (in code): **ZA ZA12 Nta Kzu Dbn** Bionomy: Larva on *Maytenus heterophylla*, *M. mossambicensis*, *Pterocelastrus echinatus* (Celastraceae) (Scoble,1999).
- 38092. *Aphilopota symphronima* L.B.Prout,1954** (Geometridae) Synonym(s): *symphronima* L.B.Prout,1954 Range (in code): **ZA**
- 38093. *Aphilopota triphasia* L.B.Prout,1954** (Geometridae) Synonym(s): *triphasia* L.B.Prout,1954 Range (in code): **TZ**
- 38094. *Aphilopota vicaria* (Walker,1860)** (Geometridae) Synonym(s): *vicaria* Walker,1860 Range (in code): **SL**
- 38095. *Aphilopota viriditincta* (W.Warren,1905)** (Geometridae) Synonym(s): *viriditincta* W.Warren,1905 Range (in code): **TZ Tnga Usa**
- 38096. *Apithecia viridata* (Moore,1868)** (Geometridae) Synonym(s): *viridata* Moore,1868 Range (in code): **IN SI Djl MM Hta TW**
- 38097. *Apithecia viridata reliquifascia* L.B.Prout,1926** (Geometridae) Synonym(s): *reliquifascia* L.B.Prout,1926 Range (in code): **IN SI MM Hta**
- 38098. *Apithecia viridata viridata* (Moore,1868)** (Geometridae) Synonym(s): *viridata* Moore,1868 Range (in code): **IN SI Djl**
- 38099. *Apithecia viridata wilemani* L.B.Prout,1931** (Geometridae) Synonym(s): *wilemani* L.B.Prout,1931 Range (in code): **TW**
- 38100. *Aplasta ononaria* (Fuessly,1783)** (Geometridae) Synonym(s): *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicapraria* Hübner,1793; *sudataria* Hübner,[1817]; *faecataria* Hübner,[1819]; *ononata* Bellier,1861 Original Reference: *Phalaena ononaria* Fuessly,1783, Arch. Insektengesch. 3: 1-2, pl.17 6 figs. 1-5. Syntypes: Schweiz. Range (in code): **PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IQ LB Bsa JO SY RU MD UA BY IL Pa He IR AM Cc** Bionomy: Larva on "*Ononis spinosa*" (Fabaceae) (Fuessly,1783; et seq.).
- 38101. *Aplocera annexata* (Freyer,[1830])** (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 Original Reference: *Larentia annexata* Freyer,[1830], Beitr. Gesch. eur. Schmett. 3: 122, Tab.132 Syntypes: [Ukraine]: Odessa. Range (in code): **GR UA TR Cc Arr GG Smt Akh AM IR**
- 38102. *Aplocera annexata annexata* (Freyer,[1830])** (Geometridae) Synonym(s): *annexata* Freyer,[1830]; *boisduvaliata* Duponchel,1831 Original Reference: *Larentia annexata* Freyer,[1830], Beitr. Gesch. eur. Schmett. 3: 122, Tab.132 Syntypes: [Ukraine]: Odessa. Range (in code): **GR UA TR Cc Arr GG Smt Akh AM**
- 38103. *Aplocera annexata iranica* (Schwingenschuss,1955)** (Geometridae) Synonym(s): *iranica* Schwingenschuss,1955 Original Reference: *Anaitis annexata iranica* Schwingenschuss,1955, Z. Wien. ent. Ges. 40 (8): 230. Syntypes: [Iran]: Persia. Range (in code): **IR**
- 38104. *Aplocera arenbergeri* Weisert,2004** (Geometridae) Synonym(s): *arenbergeri* Weisert,2004 Original Reference: *Aplocera arenbergeri* Weisert,2004, Z. ArbGem Öst. Ent. 56 (3/4): 107-109, figs. Holotype ♂: Tunesia: 20km s. Hammamet, Sebkha S.Kralifa, leg.Arenberger (coll.Weisert). Range (in code): **TN DhM**
- 38105. *Aplocera bohatschi* (Püngeler,1914)** (Geometridae) Synonym(s): *bohatschi* Püngeler,1914 Original Reference: *Anaitis bohatschi* Püngeler,1914, Dt. ent. Z., Iris 28: 50, Taf.iii fig.9. Syntypes ♂♀: [Spain]: "Andalusien, Algezares (Max Korb)". Range (in code): **ES An**
- 38106. *Aplocera columbata* (Metzner,1845)** (Geometridae) Synonym(s): *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 Original Reference: *Geom[etra] columbata* Metzner,1845, Stettin ent. Ztg. 6(6): 188-189. Type(s): [Türkei]: Turcia europaea. Range (in code): **BG GR TR RU Cc GG AZ AM Da**

- 38107. Aplocera corsalta (Schawerda,1928)** (Geometridae) Synonym(s): *corsalta* Schawerda,1928 Range (in code): Co Sa
- 38108. Aplocera cretica (Reisser,1974)** (Geometridae) Synonym(s): *cretica* Reisser,1974 Range (in code): Cr
- 38109. Aplocera dzungarica Vasilenko,1995** (Geometridae) Synonym(s): *dzungarica* Vasilenko,1995 Range (in code): KG T-S Aa TrA DsA KK
- 38110. Aplocera efformata (Guenée,[1858])** (Geometridae) Synonym(s): *efformata* Guenée,[1858]; *pallidata* Staudinger,1870 Original Reference: *Anaitis efformata* Guenée,[1858], [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 10: 500. Type ♂: Syria. Range (in code): MA PT ES FR Co Si? IT MT GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR Cr Rd TR DK NO SE LV LT RU MD UA BY PK Thu Bionomy: Larva on *Hypericum perforatum* (Clusiaceae) (Scoble, et al.,1999).
- 38111. Aplocera fraternata (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *fraternata* Herrich-Schäffer,1861 Original Reference: *Anaitis fraternata* Herrich-Schäffer,1861, Neue Schmett. 3: 27, fig.131. Type(s): [Türkei]: "Brussa und vom Olymp". Range (in code): TR
- 38112. Aplocera fraudulentata (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *fraudulentata* Herrich-Schäffer,1861 Original Reference: *Anaitis fraudulentata* Herrich-Schäffer,1861, Neue Schmett. 3: 26, fig.129-130. Syntypes: [Türkei]: Brussa; Balkan (Lederer leg.). Range (in code): TR
- 38113. Aplocera hissara Vasilenko,1995** (Geometridae) Synonym(s): *hissara* Vasilenko,1995 Range (in code): TJ
- 38114. Aplocera numidaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *numidaria* Herrich-Schäffer,[1852] Original Reference: *Larentia numidaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6 (55): 80; *ibid.* 1851, 3: pl.84 fig.514 [uninominal]. Syntypes: Türkiye: Amasia. Range (in code): TR Cc AM
- 38115. Aplocera obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937 Original Reference: *Anaitis obsitaria* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 264-265. Syntypes 2♀: [Türkei]: Diarbekir. Range (in code): TR Cc IQ IR Fa Shr Sse Th Elb Nss LB Bsa
- 38116. Aplocera obsitaria anatolica (Wehrli,1931)** (Geometridae) Synonym(s): *anatolica* Wehrli,1931. Original Reference: *Anaitis obsitaria* ssp. *anatolica* Wehrli,1931, Mitt. münch. ent. Ges. 21: 43. Syntypes 3♂ 3♀: [Türkei]: Akschehir, leg. F. Wagner (NHMW). Range (in code): TR
- 38117. Aplocera obsitaria evanescens (Wehrli,1931)** (Geometridae) Synonym(s): *evanescens* Wehrli,1931 Original Reference: *Anaitis obsitaria* ssp. *evanescens* Wehrli,1931, Mitt. münch. ent. Ges. 21: 43. Syntypes 48♂♀: [Türkei]: Durnalay bei Marasch, Bertiz Jaila, 1800m (ZSM). Range (in code): TR LB Bsa 46
- 38118. Aplocera obsitaria obsitaria (Lederer,1853)** (Geometridae) Synonym(s): *obsitaria* Lederer,1853; *pseudopallidata* Bytinski-Salz & Brandt,1937 Original Reference: *Anaitis obsitaria* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 264-265. Syntypes 2♀: [Türkei]: Diarbekir. Range (in code): TR Cc IQ IR Fa Shr Sse Th Nss Elb
- 38119. Aplocera opificata (Lederer,1870)** (Geometridae) Synonym(s): *opificata* Lederer,1870; *kawrigini* Christoph,1885. Original Reference: *Anaitis opificata* Lederer,1870, Annls Soc. ent. Belg. 13: 40, 49, pl.2 fig.3. Syntypes: [Azerbaidjan]: Elisabethpol [=Kirovabad]. Range (in code): TR Cc AZ Kir
- 38120. Aplocera plagiata (Linnaeus,1758)** (Geometridae) Synonym(s): *plagiata* Linnaeus,1758; *pallidata* Staudinger,1879. Original Reference: *Phalaena plagiata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa. Range (in code): DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IQ Rwz IR Ab Oru Fa Sse Com Kz Gls Kh CY DK NO SE FI EE LV LT RU Krl MD UA BY CN Ui Ju Kön IL Pa Js He LB Bsa Bionomy: Larva on *Hypericum hirsutum*, *H. maculatum*, *H. perforatum* (Clusiaceae) (Meyer,1919; Wiltshire,1957; et seq.).
- 38121. Aplocera plagiata cypria (L.B.Prout,1937)** (Geometridae) Synonym(s): *cypria* L.B.Prout,1937 Original Reference: *Anaitis plagiata* ssp. *cypria* L.B.Prout,1937, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 86 (9a). Type ♂: Cypern: Limassol (BMNH). Range (in code): CY
- 38122. Aplocera praeformata (Hübner,1826)** (Geometridae) Synonym(s): *praeformata* Hübner,1826; *cassata* Treitschke,1828 Range (in code): PT ES FR IT BE LU DE CH AT PL CZ SK HU

- RO YU AL BG GR Cc GG SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Hypericum maculatum, H. perforatum (Clusiaceae) (Meyer,1919; et seq.).
- 38123. Aplocera roddi Vasilenko,1995** (Geometridae) Synonym(s): *roddi* Vasilenko,1995 Range (in code): **RU At**
- 38124. Aplocera simpliciata (Treitschke,1835)** (Geometridae) Synonym(s): *simpliciata* Treitschke,1835 Range (in code): **FR IT AT RO YU AL BG GR TR** Bionomy: Larva on Hypericum (Clusiaceae) (Meyer,1919).
- 38125. Aplocera trajectata (Walker,[1863])** (Geometridae) Synonym(s): *trajectata* Walker,[1863] Range (in code): **ZA**
- 38126. Aplocera uniformata (Urbahn,1971)** (Geometridae) Synonym(s): *uniformata* Urbahn,1971 Range (in code): **TR Cc GG Smt Akh Abk Sok AM RU Kb Teb Kr Soc**
- 38127. Aplochlora costipicta (Wileman,1915)** (Geometridae) Synonym(s): *costipicta* Wileman,1915 Range (in code): **TW**
- 38128. Aplochlora dentisignata (Moore,1868)** (Geometridae) Synonym(s): *dentisignata* Moore,1868; *subbasalis* Wehrli,1940 Range (in code): **IN SI Djl Ass Meg Khs**
- 38129. Aplochlora eucosmeta L.B.Prout,1916** (Geometridae) Synonym(s): *eucosmeta* L.B.Prout,1916 Range (in code): **ID Ij Gth**
- 38130. Aplochlora grata (Butler,1880)** (Geometridae) Synonym(s): *grata* Butler,1880 Range (in code): **IN SI Djl**
- 38131. Aplochlora invisibilis W.Warren,1897** (Geometridae) Synonym(s): *invisibilis* W.Warren,1897 Range (in code): **NG**
- 38132. Aplochlora pisochroa (Turner,1906)** (Geometridae) Synonym(s): *pisochroa* Turner,1906 Range (in code): **AU QAU Kda**
- 38133. Aplochlora pseudossa L.B.Prout,1932** (Geometridae) Synonym(s): *pseudossa* L.B.Prout,1932 Range (in code): **KE**
- 38134. Aplochlora similis West,1929** (Geometridae) Synonym(s): *similis* West,1929 Range (in code): **PH Luz**
- 38135. Aplochlora subflava W.Warren,1896** (Geometridae) Synonym(s): *subflava* W.Warren,1896 Range (in code): **ID Ij**
- 38136. Aplochlora viridis W.Warren,1893** (Geometridae) Synonym(s): *viridis* W.Warren,1893 Range (in code): **IN SI**
- 38137. Aplochlora vivilaca (Walker,1861)** (Geometridae) Synonym(s): *vivilaca* Walker,1861 Range (in code): **NC LK**
- 38138. Apoaspilates tristrigaria (Bremer,1864)** (Geometridae) Synonym(s): *tristrigaria* Bremer,1864 Range (in code): **RU MN CN**
- 38139. Apocheima cinerarium (Erschoff,1874)** (Geometridae) Synonym(s): *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941; *pyri* Yang,1978; *pyricola* Chu,1979 Range (in code): **UZ Fe CN Ui Ku Pkn Mc Gn Sz Hbe MN TM KK KG TrA Aa RU Us**
- 38140. Apocheima cinerarium cinerarium (Erschoff,1874)** (Geometridae) Synonym(s): *cinerarium* Erschoff,1874; *isfacana* Wehrli,1941; *pyri* Yang,1978; *pyricola* Chu,1979 Range (in code): **UZ Fe CN Ui Ku Pkn Mc Gn Sz Hbe MN TM KK KG TrA Aa RU Us**
- 38141. Apocheima hispidarium ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833. Original Reference: Geometra hispidaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 99. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE LV LT RU MD UA BY** Bionomy: Larva on Betula (Betulaceae), Quercus (Fagaceae), Ulmus (Ulmaceae) (Meyer,1919).
- 38142. Apocheima hispidarium cottei (Oberthür,1913)** (Geometridae) Synonym(s): *cottei* Oberthür,1913 Range (in code): **FR**
- 38143. Apocheima hispidarium hispidarium ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *hispidaria* [Denis & Schiffermüller],1775; *ursularia* Donovan,1808; *tauaria* Newman,1833. Original Reference: Geometra hispidaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 99. Type(s): [Austria]: Vienna district. Range (in code): **ES IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK SE LV LT RU MD UA BY**
- 38144. Apocheima hispidarium orientis Wehrli,1941** (Geometridae) Synonym(s): *orientis* Wehrli,1941 Original Reference: Apocheima hispidarium orientis Wehrli,1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 418, pl.34f Syntypes 4♂: [Turkey]: Malatia [Malatya]. Range (in code): **TR**

- 38145. *Apocheima hispidarium popovi* Vojnits,1972** (Geometridae) Synonym(s): *popovi* Vojnits,1972 _ Range (in code): BG
- 38146. *Apochima diaphanaria* (Püngeler,1904)** (Geometridae) Synonym(s): *diaphanaria* Püngeler,1904 _ Original Reference: Zamacra diaphanaria Püngeler,1904, Dt. ent. Z., Iris 16: 295, pl.6 fig.14. Type ♀: [Iran]: Persia. Range (in code): MA TM Kp IR Elb TR AM Cc
- 38147. *Apochima diaphanaria rjabovi* (Wehrli,1936)** (Geometridae) Synonym(s): *rjabovi* Wehrli,1936 _ Original Reference: Zamacra diaphanaria ? an sp.n. rjabovi Wehrli,1936, Mitt. münch. ent. Ges. 26: 34, pl.2 figs.2,6. Syntypes 6♂: [Armenia]: Nefram; [Türkei]: Umg. Wan, 2500m. 24 Aug. Range (in code): Cc AM TR _ Bionomy: Larva on Prangos (Apiaceae) (Kemal, in litt.).
- 38148. *Apochima flabellaria* (Heeger,1838)** (Geometridae) Synonym(s): *flabellaria* Heeger,1838; *marmararia* Buresch,1915. _ Original Reference: Amphidasis flabellaria Heeger,1838, Beiträge zur Schmett.: 6, pl.1 figs. 6-11. Syntypes: [Italia]: Sicilia: Palermo. Range (in code): ES Sa Si IT MT MK BG GR Rd Cr TR Cc GG LB RU IQ Bgd Mj CY IL Pa Js Jf JO UA _ Bionomy: Larva on Euphorbia gerardiana (Euphorbiaceae); Galium (Rubiaceae); Rumex (Polygonaceae); Senecio, Chrysanthemum (Asteraceae) (Lederer,1865; Staudinger,1879; Romanoff,1885; Meyer,1919; Wehrli,1941).
- 38149. *Apocolotois almatensis* (Djakonov,1952)** (Geometridae) Synonym(s): *almatensis* Djakonov,1952 _ Original Reference: Neocolotois almatensis Djakonov,1952, Ent. Obozr. 32: 271, figs. Syntypes: [Kazachstan]: Alma-Ata, Zailisky Alatau, River Malaya, Almatinka (ZRAS). Range (in code): KG Aa T-S TrA
- 38150. *Apocolotois arnoldiaria* (Oberthür,1912)** (Geometridae) Synonym(s): *arnoldiaria* Oberthür,1912 _ Range (in code): RU Us
- 38151. *Apocolotois smirnovi* (Romanoff,1885)** (Geometridae) Synonym(s): *smirnovi* Romanoff,1885 _ Original Reference: Aspilates smirnovi Romanoff,1885, Mém. lépid. 2: 106-107, pl.5 fig.8. Type ♂: [Georgia]: environs de Tiflis (M.Smirnoff leg.). Range (in code): Cc GG Tbl
- 38152. *Aporandria specularia* (Guenée,[1858])** (Geometridae) Synonym(s): *specularia* Guenée,[1858]; *haplograptia* L.B.Prout,1922 _ Range (in code): LK IN TH CMa Ntt Hba VN Adm MY ID Sum Bor PH Clb _ Bionomy: Larva on Mangifera (Anacardiaceae), Terminalia (Combretaceae), Eugenia (Myrtaceae), Areca (Palmaceae), Rhizophora (Rhizophoraceae), Nephelium (Sapindaceae) (Singh,1953; Holloway,1996).
- 38153. *Apostates solitaria* (Christoph,1887)** (Geometridae) Synonym(s): *solitaria* Christoph,1887; *albichlatrata* W.Warren,1897 _ Range (in code): TM Krn Mrw
- 38154. *Apostegania crina* (Swinhoe,1892)** (Geometridae) Synonym(s): *crina* Swinhoe,1892 _ Range (in code): IN Meg Ass Khs
- 38155. *Apostegania rectilineata* (Swinhoe,1906)** (Geometridae) Synonym(s): *rectilineata* Swinhoe,1906 _ Original Reference: Ptochophyle rectilineata Swinhoe,1906, Ann. mag. Nat. Hist. (7) 17: 554. Holotype ♀: Sumatra, Padang (BMNH). Range (in code): TH ID Bli Sum
- 38156. *Apostegania rectilineata prosthesis* L.B.Prout,1938** (Geometridae) Synonym(s): *prosthesis* L.B.Prout,1938 _ Range (in code): ID Bli
- 38157. *Apostegania rectilineata rectilineata* (Swinhoe,1906)** (Geometridae) Synonym(s): *rectilineata* Swinhoe,1906 _ Original Reference: Ptochophyle rectilineata Swinhoe,1906, Ann. mag. Nat. Hist. (7) 17: 554. Holotype ♀: Sumatra, Padang (BMNH). Range (in code): TH ID Sum
- 38158. *Archichlora alophas* Herbulot,1954** (Geometridae) Synonym(s): *alophias* Herbulot,1954 _ Range (in code): MG
- 38159. *Archichlora altivagans* Herbulot,1960** (Geometridae) Synonym(s): *altivagans* Herbulot,1960 _ Range (in code): MG
- 38160. *Archichlora ambrimontis* Herbulot,1960** (Geometridae) Synonym(s): *ambrimontis* Herbulot,1960 _ Range (in code): MG
- 38161. *Archichlora andranobe* Viette,1978** (Geometridae) Synonym(s): *andranobe* Viette,1978 _ Range (in code): MG
- 38162. *Archichlora ankairano* Viette,1975** (Geometridae) Synonym(s): *ankairano* Viette,1975 _ Range (in code): MG
- 38163. *Archichlora ansorgei* (W.Warren,1901)** (Geometridae) Synonym(s): *ansorgei* W.Warren,1901 _ Range (in code): UG ZA
- 38164. *Archichlora antanosa* Herbulot,1960** (Geometridae) Synonym(s): *antanosa* Herbulot,1960 _ Range (in code): MG

- 38165. Archichlora bevilany Viette,1978** (Geometridae) Synonym(s): *bevilany* Viette,1978
Range (in code): **MG**
- 38166. Archichlora chariessa L.B.Prout,1925** (Geometridae) Synonym(s): *chariessa* L.B.Prout,1925 _ Range (in code): **MG**
- 38167. Archichlora devoluta (Walker,1861)** (Geometridae) Synonym(s): *devoluta* Walker,1861
Range (in code): **ZR**
- 38168. Archichlora engenes L.B.Prout,1922** (Geometridae) Synonym(s): *engenes* L.B.Prout,1922
Range (in code): **MG**
- 38169. Archichlora epicydra L.B.Prout,1938** (Geometridae) Synonym(s): *epicydra* L.B.Prout,1938 _ Range (in code): **CM**
- 38170. Archichlora florilimbata Herbulot,1960** (Geometridae) Synonym(s): *florilimbata* Herbulot,1960 _ Range (in code): **MG**
- 38171. Archichlora griveaudi Viette,1978** (Geometridae) Synonym(s): *griveaudi* Viette,1978
Range (in code): **MG**
- 38172. Archichlora hemistrigata (Mabille,1900)** (Geometridae) Synonym(s): *hemistrigata* Mabille,1900 _ Range (in code): **MG**
- 38173. Archichlora herbuloti Viette,1978** (Geometridae) Synonym(s): *herbuloti* Viette,1978
Range (in code): **MG**
- 38174. Archichlora ioannis Herbulot,1954** (Geometridae) Synonym(s): *ioannis* Herbulot,1954
Range (in code): **KM**
- 38175. Archichlora jacksoni Carcasson,1971** (Geometridae) Synonym(s): *jacksoni* Carcasson,1971; *crispa* Herbulot,1971 _ Range (in code): **KE CM**
- 38176. Archichlora majuscula Herbulot,1960** (Geometridae) Synonym(s): *majuscula* Herbulot,1960 _ Range (in code): **MG**
- 38177. Archichlora marcescens W.Warren,1904** (Geometridae) Synonym(s): *marcescens* W.Warren,1904 _ Range (in code): **NG**
- 38178. Archichlora marginata (W.Warren,1902)** (Geometridae) Synonym(s): *marginata* W.Warren,1902 _ Range (in code): **NE**
- 38179. Archichlora monodi Viette,1975** (Geometridae) Synonym(s): *monodi* Viette,1975
Range (in code): **MG**
- 38180. Archichlora nigricosta Herbulot,1960** (Geometridae) Synonym(s): *nigricosta* Herbulot,1960 _ Range (in code): **MG**
- 38181. Archichlora pavonina Herbulot,1960** (Geometridae) Synonym(s): *pavonina* Herbulot,1960 _ Range (in code): **MG**
- 38182. Archichlora petroselina Herbulot,1960** (Geometridae) Synonym(s): *petroselina* Herbulot,1960 _ Range (in code): **MG**
- 38183. Archichlora phyllobrota (Holland,1920)** (Geometridae) Synonym(s): *phyllobrota* Holland,1920 _ Range (in code): **ZR**
- 38184. Archichlora povolnyi Viette,1975** (Geometridae) Synonym(s): *povolnyi* Viette,1975
Range (in code): **MG**
- 38185. Archichlora pulveriplaga (W.Warren,1898)** (Geometridae) Synonym(s): *pulveriplaga* W.Warren,1898 _ Range (in code): **NG**
- 38186. Archichlora rectilineata Carcasson,1971** (Geometridae) Synonym(s): *rectilineata* Carcasson,1971 _ Range (in code): **ZA TZ**
- 38187. Archichlora sangoana Carcasson,1971** (Geometridae) Synonym(s): *sangoana* Carcasson,1971 _ Range (in code): **UG**
- 38188. Archichlora soa Viette,1971** (Geometridae) Synonym(s): *soa* Viette,1971 _ Range (in code): **MG**
- 38189. Archichlora sola Herbulot,1960** (Geometridae) Synonym(s): *sola* Herbulot,1960
Range (in code): **MG**
- 38190. Archichlora stellicincta Herbulot,1972** (Geometridae) Synonym(s): *stellicincta* Herbulot,1972 _ Range (in code): **MG**
- 38191. Archichlora subrubescens Herbulot,1960** (Geometridae) Synonym(s): *subrubescens* Herbulot,1960 _ Range (in code): **MG**
- 38192. Archichlora triangularia (Swinhoe,1904)** (Geometridae) Synonym(s): *triangularia* Swinhoe,1904 _ Range (in code): **MG**

- 38193. *Archichlora tricycla* Herbulot,1960** (Geometridae) Synonym(s): *tricycla* Herbulot,1960
Range (in code): **MG**
- 38194. *Archichlora trygodes* L.B.Prout,1922** (Geometridae) Synonym(s): *trygodes* L.B.Prout,1922
Range (in code): **MG**
- 38195. *Archichlora vieui* Herbulot,1960** (Geometridae) Synonym(s): *vieuui* Herbulot,1960
Range (in code): **MG**
- 38196. *Archichlora viridicrossa* Herbulot,1960** (Geometridae) Synonym(s): *viridicrossa* Herbulot,1960
Range (in code): **MG**
- 38197. *Archichlora viridimacula* W.Warren,1898** (Geometridae) Synonym(s): *viridimacula* W.Warren,1898
Range (in code): **ZA NG**
- 38198. *Archiearis notha* (Hübner,[1803])** (Geometridae) Synonym(s): *notha* Hübner,[1803]
Original Reference: Noctua notha Hübner,[1803], Samml. eur. Schmett. 4: pl.74, figs.343,344.
Syntypes: Europa. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Cc AZ DK NO SE FI EE LV LT RU MD UA BY Sb At Ur Prj Us CN** Bionomy: Larva on Populus tremula, Salix (Meyer,1919; Skou,1986; Koçak,1990).
- 38199. *Archiearis notha notha* (Hübner,[1803])** (Geometridae) Synonym(s): *notha* Hübner,[1803]
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Cc AZ DK NO SE FI EE LV LT RU MD UA BY Sb At Ur**
- 38200. *Archiearis notha suifunensis* Kardakoff,1928** (Geometridae) Synonym(s): *suifunensis* Kardakoff,1928
Range (in code): **CN RU Prj Us**
- 38201. *Archiearis parthenias* (Linnaeus,1761)** (Geometridae) Synonym(s): *parthenias* Linnaeus,1761
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU TR MD UA BY Sh Sj At Am Prj Us MN** Bionomy: Larva on Fagus, Betula (Meyer,1919; Skou,1986).
- 38202. *Archiearis parthenias hilara* Sawamoto,1937** (Geometridae) Synonym(s): *hilara* Sawamoto,1937
Range (in code): **Sh RU**
- 38203. *Archiearis parthenias parthenias* (Linnaeus,1761)** (Geometridae) Synonym(s): *parthenias* Linnaeus,1761
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU TR MD UA BY**
- 38204. *Archiearis parthenias sajana* L.B.Prout,1912** (Geometridae) Synonym(s): *sajana* L.B.Prout,1912
Range (in code): **RU Sj At Am Prj Us MN**
- 38205. *Archiearis puella* (Esper,1787)** (Geometridae) Synonym(s): *puella* Esper,1787
Range (in code): **IT DE CH AT CZ SK HU RO BG RU MD UA** Bionomy: Larva on Populus alba, P. tremula (Meyer,1919).
- 38206. *Archiearis puella puella* (Esper,1787)** (Geometridae) Synonym(s): *puella* Esper,1787
Range (in code): **IT DE CH AT CZ SK HU RO BG RU MD UA**
- 38207. *Archiplutodes prasina* (Swinhoe,1892)** (Geometridae) Synonym(s): *prasina* Swinhoe,1892
Original Reference: Asthena prasina Swinhoe,1892, Trans. ent. Soc. London 1892: 13, pl.1 fig.10. Syntypes 44♂: [India]: Khasi Hills (BMNH). Range (in code): **IN Ass Meg Khs**
- 38208. *Archirhoe associata* (McDunnough,1941)** (Geometridae) Synonym(s): *associata* McDunnough,1941
Range (in code): **US Cf**
- 38209. *Archirhoe indefinata* (Grossbeck,1907)** (Geometridae) Synonym(s): *indefinata* Grossbeck,1907
Range (in code): **US Cf**
- 38210. *Archirhoe multipunctata* (Taylor,1906)** (Geometridae) Synonym(s): *multipunctata* Taylor,1906
Range (in code): **US Cf**
- 38211. *Archirhoe neomexicana* (Hulst,1896)** (Geometridae) Synonym(s): *neomexicana* Hulst,1896; *elisata* Strecker,1899
Range (in code): **US Cf**
- 38212. *Arctoscelia celator* L.B.Prout,1931** (Geometridae) Synonym(s): *celator* L.B.Prout,1931
Range (in code): **PH Luz**
- 38213. *Arctoscelia onusta* W.Warren,1897** (Geometridae) Synonym(s): *onusta* W.Warren,1897
Range (in code): **PH Luz**
- 38214. *Argyrocosma inductaria* Guenée,[1858]** (Geometridae) Synonym(s): *inductaria* Guenée,[1858]
Range (in code): **TH**
- 38215. *Argyrographa moderata* (Walker,1862)** (Geometridae) Synonym(s): *moderata* Walker,1862; *eximiata* R.Felder & Rogenhofer,1875
Range (in code): **ZA ZA10 Kzu Nta Wca Cto Ste Dbn**
- 38216. *Argyrophora arcualis* (Duncan & Westwood,1841)** (Geometridae) Synonym(s): *arcualis* Duncan & Westwood,1841; *arcuaria* Guenée,[1858]
Range (in code): **ZA Wca Cto Wr Ec**

- 38217. *Argyrophora chrysophylax* M.Krüger,1999** (Geometridae) Synonym(s): *chrysophylax* M.Krüger,1999 Original Reference: *Argyrophora chrysophylax* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 434, figs. Holotype ♂: Tanzania: Iringa, Tanganyika Territory (TMP). Range (in code): TZ
- 38218. *Argyrophora confluens* M.Krüger,1999** (Geometridae) Synonym(s): *confluens* M.Krüger,1999 Original Reference: *Argyrophora confluens* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 433, figs. Holotype ♂: Zimbabwe: Inyanga (TMP). Range (in code): ZW
- 38219. *Argyrophora intervenata* (L.B.Prout,1917)** (Geometridae) Synonym(s): *intervenata* L.B.Prout,1917 Range (in code): ZA Tva Gau Pre Fs Ec
- 38220. *Argyrophora leucochrysa* M.Krüger,1999** (Geometridae) Synonym(s): *leucochrysa* M.Krüger,1999 Original Reference: *Argyrophora leucochrysa* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 436-438, figs. Holotype ♂: Lesotho: Pass of Guns 3100m (TMP). Range (in code): LS
- 38221. *Argyrophora retifera* M.Krüger,1999** (Geometridae) Synonym(s): *retifera* M.Krüger,1999 Original Reference: *Argyrophora retifera* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 441-442, figs. Holotype ♂: Lesotho: Sehlabathebe Park (TMP). Range (in code): LS
- 38222. *Argyrophora rhampsinitos* M.Krüger,1999** (Geometridae) Synonym(s): *rhampsinitos* M.Krüger,1999 Original Reference: *Argyrophora rhampsinitos* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 433-434, figs. Holotype ♂: Zimbabwe: S. Rhodesia: Vumba (TMP). Range (in code): ZW Vum
- 38223. *Argyrophora stramineata* M.Krüger,1999** (Geometridae) Synonym(s): *stramineata* M.Krüger,1999 Original Reference: *Argyrophora stramineata* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 442-443, figs. Holotype ♂: Zimbabwe: South Africa: Northern Cape: Studer's Pass, Garies (TMP). Range (in code): ZA Nca
- 38224. *Argyrophora trofonia* (Cramer,[1779])** (Geometridae) Synonym(s): *trofonia* Cramer,[1779]; *histrionalis* Duncan & Westwood,1841; *monetata* Guenée,[1858]; *trofoniata* Guenée,[1858] Range (in code): ZA ZA10 ZA12 Nta Kzu Ggh Fs NA SZ LS ZW Mpu Gau Tva Ec Wca Pre Mgl Plt Cld Grg Wr Jnk Cto Kny Pel Ggh Dbn Brb Pil Abc Wb
- 38225. *Argyrophora variabilis* M.Krüger,1999** (Geometridae) Synonym(s): *variabilis* M.Krüger,1999 Original Reference: *Argyrophora variabilis* M.Krüger,1999, Ann. Transv. Mus. 36 (32): 438-441, figs. Holotype ♂: South Africa: Gauteng: Suikerbosrand Nat. (TMP). Range (in code): ZA ZA10 Kzu Nta Gau Tva Pre Mgl Slpp Fs Wv Mpu Pil Mdd Ly Grk Kkf Nha Lds Tra Ec
- 38226. *Arichanna diversicolor* (W.Warren,1888)** (Geometridae) Synonym(s): *diversicolor* W.Warren,1888 Original Reference: *Abraxas diversicolor* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 325. Syntypes 1♂ 2♀: [Pakistan]: Thundiani August 15, 1886. Range (in code): PK Thu Haz Mre
- 38227. *Arichanna marginata* W.Warren,1893** (Geometridae) Synonym(s): *marginata* W.Warren,1893 Range (in code): BT TH CMa Int
- 38228. *Arichanna melanaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *melanaria* Linnaeus,1758 Range (in code): FR DE CH AT PL CZ SK DK NO SE FI EE LV LT RU Am Us MD UA BY KP KR MN JP
- 38229. *Arichanna peniculifera* Stüning,2000** (Geometridae) Synonym(s): *peniculifera* Stüning,2000 Range (in code): NP IN SI Djl Khs Meg Ass Slo MM TH Nan Pua Dpk CMa Php VN Ton
- 38230. *Arichanna tramesata* Moore,1868** (Geometridae) Synonym(s): *tramesata* Moore,1868 Range (in code): IN CMa Int
- 38231. *Arichanna transfasciata* W.Warren,1893** (Geometridae) Synonym(s): *transfasciata* W.Warren,1893 Range (in code): IN SI Nag TH CMa Dst
- 38232. *Artemidora alpherakyi* Wagner,1918** (Geometridae) Synonym(s): *alpherakyi* Wagner,1918; *symmetrica* Djakonov,1923; *aksua* Wehrli,1940. Original Reference: *Artemidora alpherakyi* Wagner,1918, Z. öst. EntVer. 3 (5): 45. Syntypes: [China: Uighur A.R.]: Juldus, Kounghesse. Range (in code): CN Ui Au Kun Ju UZ Fe Nmg
- 38233. *Artemidora maracandaria* (Erschoff,1874)** (Geometridae) Synonym(s): *maracandaria* Erschoff,1874 Range (in code): UZ CN Ui Kun
- 38234. *Artemidora metsaviiri* Viidalepp,1988** (Geometridae) Synonym(s): *metsaviiri* Viidalepp,1988 Range (in code): TJ Pm
- 38235. *Artiora evonymaria* (Hübner,[1799])** (Geometridae) Synonym(s): *#evonymaria* [Denis & Schiffermüller],1775; *evonymaria* Hübner,[1799]. Original Reference: *Geometra evonymaria*

- Hübner,[1799], Samml. eur. Schmett. 5: pl.6, fig.31. Type: Europa. Range (in code): IT DE AT PL CZ SK HU RO YU BG TR LT RU MD UA BY Bionomy: Larva on Evonymus (Meyer,1919).
- 38236. *Ascotis imparata* (Walker,1860)** (Geometridae) Synonym(s): *imparata* Walker,1860; *promptaria* Walker,1860 Original Reference: Boarmia *imparata* Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 21: 372. Type ♀: Nepal (BMNH). Range (in code): NP IN TH CMa Fn Agk Dst Bionomy: Larva on Tectona grandis (Verbenaceae).
- 38237. *Ascotis reciprocaria* (Walker,1860)** (Geometridae) Synonym(s): *reciprocaria* Walker,1860; *semifusca* W.Warren,1904; *nigristigma* W.Warren,1905 Range (in code): ZA Etm ZA07 ZA12 ZA13 ZA14 Mpu Mal Tva Lpo ZA16 ZA17 ZA25 ZA26 Kzu Nta
- 38238. *Ascotis selenaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#selenaria* [Denis & Schiffermüller],1775; *dianaria* Hübner,[1817]; *#seleneris* Okyar & Aytaç,1999 Original Reference: Geometra *selenaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Sa Si IT MT LU DE CH AT PL CZ SK HU RO SS YU AL BG GR Cr TR Cc AZ RU MD UA BY IL Pa Mer CY PK Swa Sgl Klm Sds Bionomy: Larva on Artemisia (Meyer,1919).
- 38239. *Asovia maeoticaria* (Alpheraky,1876)** (Geometridae) Synonym(s): *maeoticaria* Alpheraky,1876; *decoloraria* Alpheraky,1889 Original Reference: Boarmia *maeoticaria* Alpheraky,1876, Trudy russk. ent. Obshch. 10: 38. Syntypes ♂♀: [Ukraine]: Taganrog. Range (in code): RO BG GR RU MD UA BY TR
- 38240. *Aspilatopsis admiranda* (W.Warren,1905)** (Geometridae) Synonym(s): *admiranda* W.Warren,1905 Range (in code): ZA Nta Kzu Dbn Bionomy: Larva on Hemizygia foliosa (Lamiaceae) (Scoble,1999).
- 38241. *Aspilatopsis alicata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *alicata* R.Felder & Rogenhofer,1875 Range (in code): ZA Kny Ec Bionomy: Larva on Cassine aethiopica (Celastraceae) (Scoble,1999).
- 38242. *Aspilatopsis antennaria* (Guenée,[1858])** (Geometridae) Synonym(s): *antennaria* Guenée,[1858]; *imbellata* Walker,[1863]; *vilisaria* Walker,[1863] Range (in code): ZA Ec
- 38243. *Aspilatopsis carneata* (W.Warren,1904)** (Geometridae) Synonym(s): *carneata* W.Warren,1904 Range (in code): ZA
- 38244. *Aspilatopsis curvifascia* (L.B.Prout,1916)** (Geometridae) Synonym(s): *curvifascia* L.B.Prout,1916 Range (in code): ZA Ec Grh
- 38245. *Aspilatopsis gloriola* L.B.Prout,1913** (Geometridae) Synonym(s): *gloriola* L.B.Prout,1913 Range (in code): ZA Tva Wo
- 38246. *Aspilatopsis johnstonei* L.B.Prout,1938** (Geometridae) Synonym(s): *johnstonei* L.B.Prout,1938 Range (in code): TZ
- 38247. *Aspilatopsis lacuum* L.B.Prout,1938** (Geometridae) Synonym(s): *lacuum* L.B.Prout,1938 Range (in code): TZ
- 38248. *Aspilatopsis nipholibes* L.B.Prout,1938** (Geometridae) Synonym(s): *nipholibes* L.B.Prout,1938 Range (in code): ZA
- 38249. *Aspilatopsis orthobates* L.B.Prout,1917** (Geometridae) Synonym(s): *orthobates* L.B.Prout,1917 Range (in code): ZA Tva Mpu Pil
- 38250. *Aspilatopsis punctata* W.Warren,1897** (Geometridae) Synonym(s): *punctata* W.Warren,1897 Range (in code): ZA Wnn Nta Kzu
- 38251. *Aspilatopsis simonsi* L.B.Prout,1938** (Geometridae) Synonym(s): *simonsi* L.B.Prout,1938 Range (in code): ZA Pel Ec
- 38252. *Aspilatopsis somereni* L.B.Prout,1926** (Geometridae) Synonym(s): *somereni* L.B.Prout,1926 Range (in code): KE Nai
- 38253. *Aspilatopsis soni* L.B.Prout,1938** (Geometridae) Synonym(s): *soni* L.B.Prout,1938 Range (in code): ZA Vrd
- 38254. *Aspilatopsis tenoris* L.B.Prout,1934** (Geometridae) Synonym(s): *tenoris* L.B.Prout,1934 Range (in code): ZR
- 38255. *Aspilatopsis unilineata* (W.Warren,1897)** (Geometridae) Synonym(s): *unilineata* W.Warren,1897; *hemigrammata* Mabille,1898 Range (in code): KM MW Zom
- 38256. *Aspitates acuminaria* (Eversmann,1851)** (Geometridae) Synonym(s): *acuminaria* Eversmann,1851; *glessaria* Christoph,1877; *opulentaria* Staudinger,1877. Original Reference: Ennomos *acuminaria* Eversmann,1851, Bull. Soc. Nat. Moscou 24 (2): 636. Syntypes: [Kazakhstan]: Noor-Saisan. Range (in code): RU Da Kus Cc GG KG TrA Aa Ssn Tar KK CN Ui Ku

- 38257. *Aspitates collinaria* Holt-White, 1894** (Geometridae) Synonym(s): *collinaria* Holt-White, 1894; *canariaria* Rogenhofer, 1894; *hesperis* W. Warren, 1894 _ Range (in code): **Cn**
- 38258. *Aspitates illepidata* Walker, 1862** (Geometridae) Synonym(s): *illepidata* Walker, 1862 Original Reference: *Aspitates illepidata* Walker, 1862, List Specimens lepid. Insects Colln Br. Mus. 24: 1070. Type ♀: [South Africa]: Caffraria (BMNH). Range (in code): **ZA**
- 38259. *Aspitates inceptaria* Walker, [1863]** (Geometridae) Synonym(s): *inceptaria* Walker, [1863] Original Reference: *Aspitates inceptaria* Walker, [1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1763. Syntypes ♀♀: [South Africa]: Caffraria (BMNH). Range (in code): **ZA**
- 38260. *Aspitates quadripunctata* (Goeze, 1781)** (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller], 1775; *quadripunctata* Goeze, 1781. Original Reference: *Phalaena quadripunctata* Goeze, 1781, Ent. Beyr. 3(3): 388, nr. 94. Range (in code): **DZ Clo PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR FI EE LV LT RU MD UA BY CN Ui Chk Ts Kno MN KG Ssn** Bionomy: Larva on Thymus (Lamiaceae); *Potentilla* (Rosaceae); *Pastinaca sativa* (Apiaceae) (Scoble, 1999).
- 38261. *Aspitates quadripunctata kukunorensis* Wehrli, 1953** (Geometridae) Synonym(s): *kukunorensis* Wehrli, 1953 _ Range (in code): **CN Ts Kno**
- 38262. *Aspitates quadripunctata minimus* Vojnits, 1975** (Geometridae) Synonym(s): *minimus* Vojnits, 1975 _ Range (in code): **MN**
- 38263. *Aspitates quadripunctata orientaria* Alpheraky, 1883** (Geometridae) Synonym(s): *orientaria* Alpheraky, 1883 _ Range (in code): **CN Ui Chk KG Ssn**
- 38264. *Aspitates quadripunctata quadripunctata* (Goeze, 1781)** (Geometridae) Synonym(s): *#gilvaria* [Denis & Schiffermüller], 1775; *quadripunctata* Goeze, 1781. Original Reference: *Phalaena quadripunctata* Goeze, 1781, Ent. Beyr. 3(3): 388, nr. 94. Range (in code): **DZ Clo PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR FI EE LV LT RU MD UA BY**
- 38265. *Aspitates sabuliferata* Walker, [1863]** (Geometridae) Synonym(s): *sabuliferata* Walker, [1863] _ Range (in code): **ZA**
- 38266. *Aspitates stchurovskyi* (Erschoff, 1874)** (Geometridae) Synonym(s): *stchurovskyi* Erschoff, 1874; *gonarcha* L.B. Prout, 1928 _ Range (in code): **UZ AF KK TJ IN Pm**
- 38267. *Asthena albidaria* (Leech, 1897)** (Geometridae) Synonym(s): *albidaria* Leech, 1897 Range (in code): **CN**
- 38268. *Asthena albifera* (Walker, 1866)** (Geometridae) Synonym(s): *albifera* Walker, 1866; *albugilvaria* Morrison, 1874; *triseriata* Packard, 1874 _ Range (in code): **US**
- 38269. *Asthena albosignata* (Moore, 1888)** (Geometridae) Synonym(s): *albosignata* Moore, 1888 Range (in code): **IN CN Ch**
- 38270. *Asthena albulata* (Hufnagel, 1767)** (Geometridae) Synonym(s): *albulata* Hufnagel, 1767; *candidata* [Denis & Schiffermüller], 1775; *candidaria* Hübner, [1799]; *candidulata* Haworth, 1809; *albularia* Boisduval, 1840 Original Reference: *Phalaena albulata* Hufnagel, 1767, Berl. Mag. 4: Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl Bjo Lag Sok Len AZ AM** Bionomy: Larva on *Rhinanthus* (Meyer, 1919).
- 38271. *Asthena amurensis* (Staudinger, 1897)** (Geometridae) Synonym(s): *amurensis* Staudinger, 1897; *hamadryas* Inoue, 1976 _ Range (in code): **RU Am KP KR JP**
- 38272. *Asthena anseraria* (Herrich-Schäffer, 1855)** (Geometridae) Synonym(s): ? *asparagi* Fourcroy, 1785; *anseraria* Herrich-Schäffer, 1855; *soldaria* Turati, 1879 _ Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG DK EE LV LT RU MD UA BY CN JP** Bionomy: Larva on *Cornus sanguinea* (Meyer, 1919).
- 38273. *Asthena anseraria anseraria* (Herrich-Schäffer, 1855)** (Geometridae) Synonym(s): ? *asparagi* Fourcroy, 1785; *anseraria* Herrich-Schäffer, 1855; *soldaria* Turati, 1879 _ Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG DK EE LV LT RU MD UA BY**
- 38274. *Asthena anseraria corculina* Butler, 1878** (Geometridae) Synonym(s): *corculina* Butler, 1878 _ Range (in code): **CN JP**
- 38275. *Asthena brunneifasciata* (Packard, 1876)** (Geometridae) Synonym(s): *brunneifasciata* Packard, 1876 _ Range (in code): **CA**
- 38276. *Asthena chionata* (Lederer, 1870)** (Geometridae) Synonym(s): *chionata* Lederer, 1870; *quadripunctata* Bienert, [1871] _ Range (in code): **IR Kh Gor**
- 38277. *Asthena lacturaria* (Herrich-Schäffer, 1855)** (Geometridae) Synonym(s): *lacturaria* Herrich-Schäffer, 1855; *nymphulata* Guenée, [1858]; ? *albeolata* Rambur, 1866 _ Range (in code): **ES**

- 38278. *Asthena lassa* L.B.Prout,1926** (Geometridae) **Synonym(s):** *lassa* L.B.Prout,1926 **_ Range (in code):** **MM**
- 38279. *Asthena livida* (W.Warren,1896)** (Geometridae) **Synonym(s):** *livida* W.Warren,1896 **Range (in code):** **IN Meg Ass Khs**
- 38280. *Asthena melanosticta* Wehrli,1924** (Geometridae) **Synonym(s):** *melanosticta* Wehrli,1924 **Range (in code):** **CN**
- 38281. *Asthena nymphaeata* (Staudinger,1897)** (Geometridae) **Synonym(s):** *nymphaeata* Staudinger,1897 **_ Range (in code):** **JP KP KR CN**
- 38282. *Asthena ochrifasciaria* Leech,1897** (Geometridae) **Synonym(s):** *ochrifasciaria* Leech,1897 **Range (in code):** **JP**
- 38283. *Asthena octomacularia* (Leech,1897)** (Geometridae) **Synonym(s):** *octomacularia* Leech,1897 **_ Range (in code):** **CN JP**
- 38284. *Asthena opedogramma* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *opedogramma* L.B.Prout,1926 **_ Range (in code):** **MM CN**
- 38285. *Asthena percandidata* (Christoph,1893)** (Geometridae) **Synonym(s):** *percandidata* Christoph,1893; *candidissima* Staudinger,1897 **Original Reference:** *Cidaria percandidata* Christoph,1893, Dt. ent. Z., Iris 6: 96. Syntypes: [Georgia]: "Nucham, Lagodechi, Sakatala, Borshom". **Range (in code):** **Cc GG Akh Smt Lag Bjo**
- 38286. *Asthena plenaria* (Leech,1897)** (Geometridae) **Synonym(s):** *plenaria* Leech,1897 **Range (in code):** **CN**
- 38287. *Asthena sachaliensis* (Matsumura,1925)** (Geometridae) **Synonym(s):** *sachaliensis* Matsumura,1925 **_ Range (in code):** **JP RU Sh**
- 38288. *Asthena tchratraria* (Oberthür,1893)** (Geometridae) **Synonym(s):** *tchratraria* Oberthür,1893 **_ Range (in code):** **MM CN**
- 38289. *Asthena undulata* (Wileman,1915)** (Geometridae) **Synonym(s):** *undulata* Wileman,1915 **Range (in code):** **CN**
- 38290. *Asthenotricha amblycoma* L.B.Prout,1935** (Geometridae) **Synonym(s):** *amblycoma* L.B.Prout,1935 **_ Range (in code):** **GO**
- 38291. *Asthenotricha anisobapta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *anisobapta* L.B.Prout,1932 **_ Range (in code):** **KE UG**
- 38292. *Asthenotricha ansorgei* W.Warren,1899** (Geometridae) **Synonym(s):** *ansorgei* W.Warren,1899 **_ Range (in code):** **KE UG**
- 38293. *Asthenotricha argyridia* (Butler,1894)** (Geometridae) **Synonym(s):** *argyridia* Butler,1894; *?disparata* W.Warren,1897 **_ Range (in code):** **KE RW UG**
- 38294. *Asthenotricha barnsae* L.B.Prout,1935** (Geometridae) **Synonym(s):** *barnsae* L.B.Prout,1935 **_ Range (in code):** **KE UG**
- 38295. *Asthenotricha candace* (L.B.Prout,1929)** (Geometridae) **Synonym(s):** *candace* L.B.Prout,1929 **_ Range (in code):** **ET**
- 38296. *Asthenotricha comosissima* Herbulot,1970** (Geometridae) **Synonym(s):** *comosissima* Herbulot,1970 **_ Range (in code):** **MG**
- 38297. *Asthenotricha costalis* (Aurivillius,1910)** (Geometridae) **Synonym(s):** *costalis* Aurivillius,1910 **_ Range (in code):** **KE**
- 38298. *Asthenotricha deficiens* Herbulot,1954** (Geometridae) **Synonym(s):** *deficiens* Herbulot,1954 **_ Range (in code):** **MG**
- 38299. *Asthenotricha dentatissima* W.Warren,1899** (Geometridae) **Synonym(s):** *dentatissima* W.Warren,1899 **_ Range (in code):** **ZA TZ KE ZR UG**
- 38300. *Asthenotricha fernandi* L.B.Prout,1935** (Geometridae) **Synonym(s):** *fernandi* L.B.Prout,1935 **_ Range (in code):** **GO**
- 38301. *Asthenotricha flavicoma* W.Warren,1899** (Geometridae) **Synonym(s):** *flavicoma* W.Warren,1899 **_ Range (in code):** **CM UG ZR**
- 38302. *Asthenotricha furtiva* Herbulot,1960** (Geometridae) **Synonym(s):** *furtiva* Herbulot,1960 **Range (in code):** **MG**
- 38303. *Asthenotricha grandis* Herbulot,1997** (Geometridae) **Synonym(s):** *grandis* Herbulot,1997 **Range (in code):** **RW**
- 38304. *Asthenotricha inutilis* W.Warren,1901** (Geometridae) **Synonym(s):** *inutilis* W.Warren,1901 **_ Range (in code):** **ZA CM KE UG**

- 38305. *Asthenotricha lophopterata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *lophopterata* Guenée,[1858] _ Range (in code): MG RE
- 38306. *Asthenotricha malostigma* L.B.Prout,1921** (Geometridae) **Synonym(s):** *malostigma* L.B.Prout,1921 _ Range (in code): ZR
- 38307. *Asthenotricha meruana* (Aurivillius,1910)** (Geometridae) **Synonym(s):** *meruana* Aurivillius,1910 _ Range (in code): TZ
- 38308. *Asthenotricha nesiotes* Herbulot,1954** (Geometridae) **Synonym(s):** *nesiotes* Herbulot,1954 _ Range (in code): MG
- 38309. *Asthenotricha parabolica* Herbulot,1954** (Geometridae) **Synonym(s):** *parabolica* Herbulot,1954 _ Range (in code): MG
- 38310. *Asthenotricha polydora* Debauche,1938** (Geometridae) **Synonym(s):** *polydora* Debauche,1938 _ Range (in code): UG ZR
- 38311. *Asthenotricha proschora* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *proschora* D.S.Fletcher,1958 _ Range (in code): UG ZR
- 38312. *Asthenotricha psephotaenia* L.B.Prout,1935** (Geometridae) **Synonym(s):** *psephotaenia* L.B.Prout,1935 _ Range (in code): UG ZR
- 38313. *Asthenotricha pycnoconia* Janse,1933** (Geometridae) **Synonym(s):** *pycnoconia* Janse,1933 _ Range (in code): ZA Tva ZA14 Mpu UG
- 38314. *Asthenotricha pythia* Debauche,1938** (Geometridae) **Synonym(s):** *pythia* Debauche,1938 _ Range (in code): ZR
- 38315. *Asthenotricha quadrata* Herbulot,1960** (Geometridae) **Synonym(s):** *quadrata* Herbulot,1960 _ Range (in code): MG
- 38316. *Asthenotricha semidivisa* W.Warren,1901** (Geometridae) **Synonym(s):** *semidivisa* W.Warren,1901 _ Range (in code): CM UG ZR
- 38317. *Asthenotricha semidivisa euchroma* L.B.Prout,1921** (Geometridae) **Synonym(s):** *euchroma* L.B.Prout,1921 _ Range (in code): ZR
- 38318. *Asthenotricha semidivisa semidivisa* W.Warren,1901** (Geometridae) **Synonym(s):** *semidivisa* W.Warren,1901 _ Range (in code): CM UG
- 38319. *Asthenotricha serraticornis* W.Warren,1902** (Geometridae) **Synonym(s):** *serraticornis* W.Warren,1902 _ Range (in code): ZA KE TZ UG
- 38320. *Asthenotricha sjostedti* (Aurivillius,1910)** (Geometridae) **Synonym(s):** *sjostedti* Aurivillius,1910 _ Range (in code): RW ZR KE TZ
- 38321. *Asthenotricha sjostedti mionoseista* (L.B.Prout,1921)** (Geometridae) **Synonym(s):** *mionoseista* L.B.Prout,1921 _ Range (in code): RW ZR
- 38322. *Asthenotricha sjostedti sjostedti* (Aurivillius,1910)** (Geometridae) **Synonym(s):** *sjostedti* Aurivillius,1910 _ Range (in code): KE TZ
- 38323. *Asthenotricha* sp.** (Geometridae) **Synonym(s):** _ Range (in code): ZA ZA13 Nta Kzu
- 38324. *Asthenotricha straba* L.B.Prout,1921** (Geometridae) **Synonym(s):** *straba* L.B.Prout,1921 _ Range (in code): AO CM KE UG ZR
- 38325. *Asthenotricha strangulata* Herbulot,1953** (Geometridae) **Synonym(s):** *strangulata* Herbulot,1953 _ Range (in code): KE
- 38326. *Asthenotricha torata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *torata* L.B.Prout,1932 _ Range (in code): MG
- 38327. *Asthenotricha tripogonias* L.B.Prout,1936** (Geometridae) **Synonym(s):** *tripogonias* L.B.Prout,1936 _ Range (in code): RE
- 38328. *Asthenotricha unipecten* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *unipecten* L.B.Prout,1915 _ Range (in code): KE UG ZR ST
- 38329. *Astygisa chlororhodes* (Wehrli,1936)** (Geometridae) **Synonym(s):** *chlororhodes* Wehrli,1936 _ Range (in code): JP
- 38330. *Astygisa furva* (W.Warren,1897)** (Geometridae) **Synonym(s):** *furva* W.Warren,1897; *circularia* Swinhoe,1902 _ Range (in code): TH Ntt Hba MY Bor Sbh Snk ID Clb
- 38331. *Astygisa metaspila* Walker,1864** (Geometridae) **Synonym(s):** *metaspila* Walker,1864; *subaurata* L.B.Prout,1928 _ Range (in code): TH Ntt Hba MY Bor Swk ID Sum
- 38332. *Astygisa morosa* (Butler,1881)** (Geometridae) **Synonym(s):** *morosa* Butler,1881 _ Range (in code): JP CN
- 38333. *Astygisa stueningi* Holloway,[1994]** (Geometridae) **Synonym(s):** *stueningi* Holloway,[1994] _ Range (in code): MY Bor Swk

- 38334. *Astygisa theclaria* (Walker,1866)** (Geometridae) **Synonym(s):** *theclaria* Walker,1866
Range (in code):
- 38335. *Astygisa vexillaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *vexillaria* Guenée,[1858];
capitata Walker,1861; *larentiata* Walker,1864; *rubiginata* Walker,1866 - Range (in code): **IN TH CMa Ntt**
Hba MY Bor Swk
- 38336. *Astygisa waterstradti* Holloway,[1994]** (Geometridae) **Synonym(s):** *waterstradti*
Holloway,[1994] - Range (in code): **MY Bor Sbh KBa**
- 38337. *Athroolopha chrysitaria* (Geyer,[1831])** (Geometridae) **Synonym(s):** *chrysitaria*
Geyer,[1831] - Range (in code): **Si DZ Lbs**
- 38338. *Athroolopha pennigeraria* (Hübner,[1813])** (Geometridae) **Synonym(s):** *pennigeraria*
Hübner,[1813] Original Reference: *Geometra pennigeraria* Hübner,[1813], Samml. eur. Schmett.
5: pl.70, fig.363. Type(s): Europe. Range (in code): **DZ Cst Khb Blid Btma Clo Ges MA PT ES FR Si IT**
Bionomy: Larva on Lavandula, Santolina [*chamaecyparissus*] (Meyer,1919).
- 38339. *Athroolopha pennigeraria atlanticaria* Le Cerf,1913** (Geometridae) **Synonym(s):**
atlanticaria Le Cerf,1913; *maghrebina* Rothschild,1925 - Range (in code): **MA**
- 38340. *Athroolopha pennigeraria kabylaria* (Oberthür,1878)** (Geometridae) **Synonym(s):**
kabylaria Oberthür,1878 Original Reference: *Fidonia chrysitaria* var. *kabylaria* Oberthür,1878,
Etud. Ent. 3: 47, pl.5 figs.6a-b. Syntypes: Algérie, Collo. Range (in code): **DZ Clo**
- 38341. *Athroolopha pennigeraria latimargo* Rothschild,1914** (Geometridae) **Synonym(s):**
latimargo Rothschild,1914 Original Reference: *Athroolopha chrysitaria* ssp. *latimargo*
Rothschild,1914, Novit. zool. 21: 351. Syntypes 20♂♂: Algeria, Guelt-es-Stel (leg.W.Rothschild)
(BMNH). Range (in code): **DZ Ges**
- 38342. *Athroolopha pennigeraria orientalis* (Rothschild,1925)** (Geometridae)
Synonym(s): *orientalis* Rothschild,1925 Original Reference: *Fidonia pennigeraria* ssp. *orientalis*
Rothschild,1925, Bull. Soc. Sci. nat. Maroc 5 (4/5): 149. Syntypes ♂♀: Algeria: Constantine,
Batna, Khenchela. Range (in code): **DZ Cst Btma Khb**
- 38343. *Athroolopha pennigeraria pennigeraria* (Hübner,[1813])** (Geometridae)
Synonym(s): *pennigeraria* Hübner,[1813] Original Reference: *Geometra pennigeraria*
Hübner,[1813], Samml. eur. Schmett. 5: pl.70, fig.363. Type(s): Europe. Range (in code): **PT ES**
FR Si IT Bionomy: Larva on Lavandula, Santolina [*chamaecyparissus*] (Meyer,1919).
- 38344. *Atomorpha falsaria* (Alpheraky,1892)** (Geometridae) **Synonym(s):** *falsaria*
Alpheraky,1892 - Range (in code): **MN CN Gn**
- 38345. *Atomorpha hedemanni* (Christoph,1885)** (Geometridae) **Synonym(s):** *hedemanni*
Christoph,1885; *baloutschistana* Wehrli,1953 - Range (in code): **UZ TM Kp IR Ss Irs SA**
- 38346. *Atomorpha hedemanni hedemanni* (Christoph,1885)** (Geometridae) **Synonym(s):**
hedemanni Christoph,1885; *baloutschistana* Wehrli,1953 - Range (in code): **TM Kp IR Ss Irs**
- 38347. *Atomorpha hedemanni khalia* Wiltshire,1986** (Geometridae) **Synonym(s):** *khalia*
Wiltshire,1986 - Range (in code): **SA**
- 38348. *Atomorpha mabillearia* (D.Lucas,1907)** (Geometridae) **Synonym(s):** *mabillearia*
D.Lucas,1907; *marmorata* A.Bang-Haas,1907 - Range (in code): **MR MA DZ Eal Ah Ajj TN Gf**
Bionomy: Larva on Calligonum comosum (Polygonaceae) (Rungs,1981).
- 38349. *Atomorpha punctistrigaria* (Christoph,1893)** (Geometridae) **Synonym(s):**
punctistrigaria Christoph,1893 Original Reference: *Atomophora punctistrigaria* Christoph,1893,
Dt. ent. Z. Iris 6: 95. Lectotype ♂: [Turkmenistan]: Ashkhabad, designated by Trofimova (2009:
59) (ZISP). Range (in code): **RU Ur KG TM Kp**
- 38350. *Atopophysa candidula* Inoue,1986** (Geometridae) **Synonym(s):** *candidula* Inoue,1986
Range (in code): **TW**
- 38351. *Atopophysa indistincta* (Butler,1889)** (Geometridae) **Synonym(s):** *indistincta*
Butler,1889; *proximifascia* L.B.Prout,1926; *micans* Wehrli,1931; *orphnina* Wehrli,1931 - Range (in code): **IN**
Hp Drm Ass Khs Meg CN Sz
- 38352. *Atopophysa indistincta kunkalashana* Wehrli,1931** (Geometridae) **Synonym(s):**
kunkalashana Wehrli,1931 - Range (in code): **CN**
- 38353. *Atopophysa lividata* (Bastelberger,1909)** (Geometridae) **Synonym(s):** *lividata*
Bastelberger,1909 - Range (in code): **TW**
- 38354. *Atopophysa opulens* L.B.Prout,1914** (Geometridae) **Synonym(s):** *opulens* L.B.Prout,1914
Range (in code): **TW**

- 38355. Atopophysa sinotibetaria** Wehrli,1931 (Geometridae) Synonym(s): *sinotibetaria* Wehrli,1931 _ Range (in code): CN Sz
- 38356. Autotrichia heterogynoides** (Wehrli,1927) (Geometridae) Synonym(s): *heterogynoides* Wehrli,1927 _ Range (in code): RU Sj
- 38357. Autotrichia karanguica** (Vasilenko,2001) (Geometridae) Synonym(s): *karanguica* Vasilenko,2001 _ Range (in code): RU At
- 38358. Autotrichia lysimeles** (L.B.Prout,1924) (Geometridae) Synonym(s): *lysimeles* L.B.Prout,1924 _ Range (in code): RU At
- 38359. Autotrichia pellucida** (Staudinger,1900) (Geometridae) Synonym(s): *pellucida* Staudinger,1900 _ Range (in code): RU At
- 38360. Autotrichia pellucida impellucida** (Djakonov,1926) (Geometridae) Synonym(s): *impellucida* Djakonov,1926 _ Range (in code): RU At
- 38361. Autotrichia pellucida pellucida** (Staudinger,1900) (Geometridae) Synonym(s): *pellucida* Staudinger,1900 _ Range (in code): RU At
- 38362. Auzeodes angulata** Holloway,1997 (Geometridae) Synonym(s): *angulata* Holloway,1997 _ Range (in code): MY Bor Sbh
- 38363. Auzeodes chalybaeata** (Walker,1866) (Geometridae) Synonym(s): *chalybaeata* Walker,1866; *nigroseriata* W.Warren,1893; *uniformis* W.Warren,1901 _ Range (in code): ID Sum MM Peg MY Bor Swk
- 38364. Auzeodes sulawesica** Herbulot,1995 (Geometridae) Synonym(s): *sulawesica* Herbulot,1995 _ Range (in code): ID Clb
- 38365. Axinoptera albitornalis** (L.B.Prout,1958) (Geometridae) Synonym(s): *albitornalis* L.B.Prout,1958 _ Range (in code): IN
- 38366. Axinoptera curvicapulis** (L.B.Prout,1958) (Geometridae) Synonym(s): *curvicapulis* L.B.Prout,1958 _ Range (in code): IN SI Jdl
- 38367. Axinoptera errabunda** (L.B.Prout,1958) (Geometridae) Synonym(s): *errabunda* L.B.Prout,1958 _ Range (in code): TW
- 38368. Axinoptera exortiva** (L.B.Prout,1958) (Geometridae) Synonym(s): *exortiva* L.B.Prout,1958 _ Range (in code): PG Ls SB Rs
- 38369. Axinoptera fasciata** (W.Warren,1906) (Geometridae) Synonym(s): *fasciata* W.Warren,1906 _ Range (in code): PG
- 38370. Axinoptera infusata** (Walker,1866) (Geometridae) Synonym(s): *infusata* Walker,1866; *oedalea* L.B.Prout,1958 _ Range (in code): MY Bor Sbh KBa
- 38371. Axinoptera melampepla** (L.B.Prout,1958) (Geometridae) Synonym(s): *melampepla* L.B.Prout,1958 _ Range (in code): ID Clb
- 38372. Axinoptera orphnobathra** (L.B.Prout,1958) (Geometridae) Synonym(s): *orphnobathra* L.B.Prout,1958 _ Range (in code): MY Kdh
- 38373. Axinoptera penataran** Holloway,1997 (Geometridae) Synonym(s): *penataran* Holloway,1997 _ Range (in code): MY Bor Sbh KBa
- 38374. Axinoptera plicata** (Hampson,1912) (Geometridae) Synonym(s): *plicata* Hampson,1912 _ Range (in code): LK
- 38375. Axinoptera ruficosta** Holloway,1997 (Geometridae) Synonym(s): *ruficosta* Holloway,1997 _ Range (in code): MY Bor Swk
- 38376. Axinoptera subcostalis** Hampson,1893 (Geometridae) Synonym(s): *subcostalis* Hampson,1893 _ Range (in code): LK
- 38377. Axinoptera turgidata** (Walker,1866) (Geometridae) Synonym(s): *turgidata* Walker,1866 _ Range (in code): MY Bor
- 38378. Axiodes agrypna** L.B.Prout,1938 (Geometridae) Synonym(s): *agrypna* L.B.Prout,1938; *#acrypha* L.B.Prout,1938 _ Range (in code): ZA Ec
- 38379. Axiodes bifasciata** (Dewitz,1881) (Geometridae) Synonym(s): *bifasciata* Dewitz,1881 _ Range (in code): ZA Ec
- 38380. Axiodes bipartita** W.Warren,1914 (Geometridae) Synonym(s): *bipartita* W.Warren,1914 _ Range (in code): ZA Cto
- 38381. Axiodes carbolignea** L.B.Prout,1938 (Geometridae) Synonym(s): *carbolignea* L.B.Prout,1938 _ Range (in code): ZA Wca Vrd
- 38382. Axiodes cosmeta** L.B.Prout,1938 (Geometridae) Synonym(s): *cosmeta* L.B.Prout,1938 _ Range (in code): ZA

- 38383. Axiodes curvaria (Dewitz,1881)** (Geometridae) **Synonym(s):** *curvaria* Dewitz,1881
Range (in code): [ZA Cto](#)
- 38384. Axiodes dami L.B.Prout,1938** (Geometridae) **Synonym(s):** *dami* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 38385. Axiodes dochmoleuca L.B.Prout,1917** (Geometridae) **Synonym(s):** *dochmoleuca* L.B.Prout,1917 **Range (in code):** [ZA ZA10 ZA12 ZA13 Kzu](#)
- 38386. Axiodes ennomaria W.Warren,1917** (Geometridae) **Synonym(s):** *ennomaria* W.Warren,1917 **Range (in code):** [ZA Ec](#)
- 38387. Axiodes figurata W.Warren,1905** (Geometridae) **Synonym(s):** *figurata* W.Warren,1905
Range (in code): [ZA Ec](#)
- 38388. Axiodes figurata commutata L.B.Prout,1938** (Geometridae) **Synonym(s):** *commutata* L.B.Prout,1938 **Range (in code):** [ZA Nta Kzu](#)
- 38389. Axiodes fortilimbata L.B.Prout,1938** (Geometridae) **Synonym(s):** *fortilimbata* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 38390. Axiodes inaequalis L.B.Prout,1915** (Geometridae) **Synonym(s):** *inaequalis* L.B.Prout,1915
Range (in code): [ZA Ec](#)
- 38391. Axiodes inangulata W.Warren,1905** (Geometridae) **Synonym(s):** *inangulata* W.Warren,1905 **Range (in code):** [ZA Ec](#)
- 38392. Axiodes insciata (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *insciata* R.Felder & Rogenhofer,1875 **Range (in code):** [ZA](#)
- 38393. Axiodes interscripta L.B.Prout,1922** (Geometridae) **Synonym(s):** *interscripta* L.B.Prout,1922 **Range (in code):** [ZA Ec](#)
- 38394. Axiodes intricata W.Warren,1905** (Geometridae) **Synonym(s):** *intricata* W.Warren,1905
Range (in code): [ZA Ec](#)
- 38395. Axiodes irvingi (Janse,1932)** (Geometridae) **Synonym(s):** *irvingi* Janse,1932 **Range (in code):** [ZA Fs Blo](#)
- 38396. Axiodes praefidens L.B.Prout,1938** (Geometridae) **Synonym(s):** *praefidens* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 38397. Axiodes rhodampyx L.B.Prout,1938** (Geometridae) **Synonym(s):** *rhodampyx* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 38398. Axiodes rufigrisea W.Warren,1911** (Geometridae) **Synonym(s):** *rufigrisea* W.Warren,1911
Range (in code): [ZA Cto](#)
- 38399. Axiodes sectilis L.B.Prout,1938** (Geometridae) **Synonym(s):** *sectilis* L.B.Prout,1938
Range (in code): [ZA Wca Wr](#)
- 38400. Axiodes sinuata W.Warren,1905** (Geometridae) **Synonym(s):** *sinuata* W.Warren,1905
Range (in code): [ZA Ec](#)
- 38401. Axiodes synclinia L.B.Prout,1938** (Geometridae) **Synonym(s):** *synclinia* L.B.Prout,1938
Range (in code): [ZA Gau Tva Pre](#)
- 38402. Axiodes trachyacta L.B.Prout,1922** (Geometridae) **Synonym(s):** *trachyacta* L.B.Prout,1922
Range (in code): [ZA Ec](#)
- 38403. Axiodes tripartita L.B.Prout,1915** (Geometridae) **Synonym(s):** *tripartita* L.B.Prout,1915
Range (in code): [ZA Ec Ans](#)
- 38404. Azyx consocia (W.Warren,1899)** (Geometridae) **Synonym(s):** *consocia* W.Warren,1899
Range (in code): [UG NG](#)
- 38405. Baptria tibiale (Esper,1804)** (Geometridae) **Synonym(s):** *dimidiata* Hübner,1790; *tibialata* Hübner,[1799]; *tibiale* Esper,1804; *tibialaria* Hübner,[1825]; *moeroraria* Freyer,[1846]; *eversmannaria* Herrich-Schäffer,1852; *aethiopata* Heinemann,1859; *decisata* Walker,1862 **Range (in code):** [ES FR IT DE CH AT PL SK RO YU BG NO SE FI EE LV LT RU Ur Us Vv MD UA BY KP KR JP Hkk](#) **Bionomy:** Larva on *Actaea spicata*, *A. erythrocarpa* (Ranunculaceae) (Meyer,1919; et seq.).
- 38406. Barrama impunctata W.Warren,1897** (Geometridae) **Synonym(s):** *impunctata* W.Warren,1897 **Original Reference:** Barrama *impunctata* W.Warren,1897, Novit. zool. 4: 28. Syntypes 10♂ 2♀: [South Africa]: Natal, Weenen (BMNH). **Range (in code):** [ZA Tva Lpo Spb Ltr Wp Chp Mpu Brb Tst Nta Kzu Wnn Rie Nbs](#)
- 38407. Bathycolpodes acoelopa L.B.Prout,1912** (Geometridae) **Synonym(s):** *acoelopa* L.B.Prout,1912 **Range (in code):** [NG](#)
- 38408. Bathycolpodes acutissima Herbulot,1986** (Geometridae) **Synonym(s):** *acutissima* Herbulot,1986 **Range (in code):** [RW](#)

- 38409. Bathycolpodes anisotes** L.B.Prout,1912 (Geometridae) Synonym(s): *anisotes* L.B.Prout,1912 _ Range (in code): SL
- 38410. Bathycolpodes bassa** Herbulot,1986 (Geometridae) Synonym(s): *bassa* Herbulot,1986 _ Range (in code): CM
- 38411. Bathycolpodes chloronesis** L.B.Prout,1930 (Geometridae) Synonym(s): *chloronesis* L.B.Prout,1930 _ Range (in code): ZA ZA04 Kzu Nta Esw Imp Dbn
- 38412. Bathycolpodes excavata** (W.Warren,1898) (Geometridae) Synonym(s): *excavata* W.Warren,1898 _ Range (in code): NG ZR
- 38413. Bathycolpodes excavata overlaeti** Debauche,1941 (Geometridae) Synonym(s): *overlaeti* Debauche,1941 _ Range (in code): ZR
- 38414. Bathycolpodes explanata** Herbulot,1986 (Geometridae) Synonym(s): *explanata* Herbulot,1986 _ Range (in code): CI
- 38415. Bathycolpodes holochroa** L.B.Prout,1915 (Geometridae) Synonym(s): *holochroa* L.B.Prout,1915 _ Range (in code): CM Bit
- 38416. Bathycolpodes implumis** L.B.Prout,1930 (Geometridae) Synonym(s): *implumis* L.B.Prout,1930 _ Range (in code): ZR
- 38417. Bathycolpodes kabaria** (Swinhoe,1904) (Geometridae) Synonym(s): *kabaria* Swinhoe,1904 _ Range (in code): SL
- 38418. Bathycolpodes marginata** (W.Warren,1897) (Geometridae) Synonym(s): *marginata* W.Warren,1897 _ Range (in code): SL
- 38419. Bathycolpodes melancheuthes** L.B.Prout,1922 (Geometridae) Synonym(s): *melancheuthes* L.B.Prout,1922 _ Range (in code): CM Bit
- 38420. Bathycolpodes pectinata** Herbulot,1992 (Geometridae) Synonym(s): *pectinata* Herbulot,1992 _ Range (in code): CM
- 38421. Bathycolpodes semigrisea** (W.Warren,1897) (Geometridae) Synonym(s): *semigrisea* W.Warren,1897 _ Range (in code): ZR
- 38422. Bathycolpodes subfuscata** (W.Warren,1902) (Geometridae) Synonym(s): *subfuscata* W.Warren,1902 _ Range (in code): NG ST
- 38423. Bathycolpodes subfuscata subferrata** L.B.Prout,1930 (Geometridae) Synonym(s): *subferrata* L.B.Prout,1930 _ Range (in code): ST
- 38424. Bathycolpodes torniflorata** L.B.Prout,1917 (Geometridae) Synonym(s): *torniflorata* L.B.Prout,1917 _ Range (in code): CM Bit
- 38425. Bathycolpodes vegeta** L.B.Prout,1912 (Geometridae) Synonym(s): *vegeta* L.B.Prout,1912 _ Range (in code): NG
- 38426. Bathycolpodes vuattouxi** Herbulot,1972 (Geometridae) Synonym(s): *vuattouxi* Herbulot,1972 _ Range (in code): CI
- 38427. Berta acte** (Swinhoe,1892) (Geometridae) Synonym(s): *acte* Swinhoe,1892 _ Range (in code): IN Meg Ass Khs
- 38428. Berta albiplaga** W.Warren,1893 (Geometridae) Synonym(s): *albiplaga* W.Warren,1893; *discolor* W.Warren,1894; *olivescens* W.Warren,1896 _ Range (in code): IN Ass Nag MY PG Ent Fg
- 38429. Berta angustimedia** L.B.Prout,1918 (Geometridae) Synonym(s): *angustimedia* L.B.Prout,1918 _ Range (in code): IN Ass Khs TH
- 38430. Berta annulifera** (W.Warren,1896) (Geometridae) Synonym(s): *annulifera* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 38431. Berta anteplaga** L.B.Prout,1916 (Geometridae) Synonym(s): *anteplaga* L.B.Prout,1916 _ Range (in code): IN Meg Ass Khs
- 38432. Berta apopempta** L.B.Prout,1935 (Geometridae) Synonym(s): *apopempta* L.B.Prout,1935 _ Range (in code): CN Sz
- 38433. Berta cercifera** Holloway,1996 (Geometridae) Synonym(s): *cercifera* Holloway,1996 _ Range (in code): MY Bor Swk
- 38434. Berta chrysolineata** Walker,[1863] (Geometridae) Synonym(s): *chrysolineata* Walker,[1863]; *fenestrata* L.B.Prout,1913 _ Range (in code): LK IN SB PG Bsm Adl CN Hn AU QAU Kda
- 38435. Berta copiosa** L.B.Prout,1917 (Geometridae) Synonym(s): *copiosa* L.B.Prout,1917 _ Range (in code): IN Ass Nag TH
- 38436. Berta digitijuxta** Holloway,1996 (Geometridae) Synonym(s): *digitijuxta* Holloway,1996 _ Range (in code): ID Ja

- 38437. Berta persimilis (W.Warren,1897)** (Geometridae) Synonym(s): *persimilis* W.Warren,1897
Range (in code): **NG**
- 38438. Berta philippina L.B.Prout,1917** (Geometridae) Synonym(s): *philippina* L.B.Prout,1917
Range (in code): **PH Pal**
- 38439. Berta poppaea L.B.Prout,1917** (Geometridae) Synonym(s): *poppaea* L.B.Prout,1917
Range (in code): **CN Hn**
- 38440. Berta subrectistriga L.B.Prout,1917** (Geometridae) Synonym(s): *subrectistriga* L.B.Prout,1917
Range (in code): **PH Mdo**
- 38441. Berta tridentijuxta Holloway,1996** (Geometridae) Synonym(s): *tridentijuxta* Holloway,1996
Range (in code): **MY Bor Swk**
- 38442. Berta vaga (Walker,1861)** (Geometridae) Synonym(s): *vaga* Walker,1861
Range (in code): **MY Bor Swk**
- 38443. Berta zygophyxia L.B.Prout,1912** (Geometridae) Synonym(s): *zygophyxia* L.B.Prout,1912
Original Reference: Berta chrysolineata ssp. zygophyxia Prout,1912, [in] Wytzman, Genera Insect. 129: 234. Lectotype ♀: Singapore (BMNH). Range (in code): **SG MY TH CMa PG Adl**
- 38444. Berta zygophyxia hemisponsa L.B.Prout,1934** (Geometridae) Synonym(s): *hemisponsa* L.B.Prout,1934
Range (in code): **PG Adl**
- 38445. Berta zygophyxia zygophyxia L.B.Prout,1912** (Geometridae) Synonym(s): *zygophyxia* L.B.Prout,1912
Original Reference: Berta chrysolineata ssp. zygophyxia Prout,1912, [in] Wytzman, Genera Insect. 129: 234. Lectotype ♀: Singapore (BMNH). Range (in code): **SG MY TH CMa**
- 38446. Bichroma famula (Esper,[1787])** (Geometridae) Synonym(s): *famula* Esper,[1787]; *intricata* Villers,1789.
Range (in code): **PT ES Mu FR IT BE DE**
- 38447. Biclavigera deterior L.B.Prout,1916** (Geometridae) Synonym(s): *deterior* L.B.Prout,1916
Range (in code): **ZA Ec** Bionomy: Larva on Ursinia (Asteraceae) (Scoble,1999).
- 38448. Biclavigera fontis L.B.Prout,1938** (Geometridae) Synonym(s): *fontis* L.B.Prout,1938
Range (in code): **ZA Ec**
- 38449. Biclavigera praecanaria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *praecanaria* Herrich-Schäffer,1855; *#praecanaria* Staude,1997
Range (in code): **ZA Ec**
- 38450. Biclavigera rufivena (W.Warren,1911)** (Geometridae) Synonym(s): *rufivena* W.Warren,1911
Range (in code): **ZA Fs**
- 38451. Biclavigera uloprora L.B.Prout,1938** (Geometridae) Synonym(s): *uloprora* L.B.Prout,1938
Range (in code): **ZA Nta Kzu**
- 38452. Biston abruptarius (Walker,1869)** (Geometridae) Synonym(s): *abruptarius* Walker,1869
Original Reference: Boarmia abruptaria Walker,1869, [in] Chapman, Proc. nat. Hist. Soc. Glasgow 1(2): 374. Syntypes ♂♂: Congo (BMNH). Range (in code): **ZR KE UG TZ MW Zom CG**
Bionomy: Larva on Cupressus lusitanica (Cupressaceae); Albizia, Paraserianthes falcata (Fabaceae); Eucalyptus torrelliana (Myrtaceae); Pinus patula (Pinaceae); Maesopsis eminii (Rhamnaceae) (Scoble,1999).
- 38453. Biston abruptarius abruptarius (Walker,1869)** (Geometridae) Synonym(s): *abruptarius* Walker,1869
Original Reference: Boarmia abruptaria Walker,1869, [in] Chapman, Proc. nat. Hist. Soc. Glasgow 1(2): 374. Syntypes ♂♂: Congo (BMNH). Range (in code): **CG**
Bionomy: Larva on Cupressus lusitanica (Cupressaceae); Albizia, Paraserianthes falcata (Fabaceae); Eucalyptus torrelliana (Myrtaceae); Pinus patula (Pinaceae); Maesopsis eminii (Rhamnaceae) (Scoble,1999).
- 38454. Biston abruptarius maculatissimus Grünberg,1910** (Geometridae) Synonym(s): *maculatissimus* Grünberg,1910; *aequinoctialis* L.B.Prout,1938
Range (in code): **KE UG ZR**
- 38455. Biston abruptarius mpalarius (Oberthür,1913)** (Geometridae) Synonym(s): *mpalarius* Oberthür,1913
Range (in code): **TZ**
- 38456. Biston abruptarius stringeri (L.B.Prout,1938)** (Geometridae) Synonym(s): *stringeri* L.B.Prout,1938
Range (in code): **MW Zom**
- 38457. Biston achyrus Wehrli,1936** (Geometridae) Synonym(s): *achyra* Wehrli,1936; *engonia* Wehrli,1941
Original Reference: Biston achyra Wehrli,1936, Mitt. münch. ent. Ges. 26: 35-36, Taf.ii fig.3. Syntypes 3♂: [Türkei: Maraş Prov.]: Achyr Dag (Maras), Yüksek Dag, Amanus im April. Range (in code): **TR IL Pa JO**
- 38458. Biston annulatus (W.Warren,1897)** (Geometridae) Synonym(s): *annulata* W.Warren,1897
Range (in code): **ID Bli**

- 38459. *Biston bengaliarius* (Guenée,[1858])** (Geometridae) **Synonym(s):** *bengaliaria* Guenée,[1858] **Range (in code):** **IN Ben TH CMa Dst Mta Nna Kao CRa**
- 38460. *Biston betularius* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *betularia* Linnaeus,1758; *p-graecum* Poda,1761; *marmoraria* Sepp,1792; *ulmaria* Borkhausen,1794; *alexandrina* Wehrli,1941. **Original Reference:** *Phalaena betularia* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. **Syntypes:** [Europa], in *Betula*, *Ulmus*, *Rosa*. **Range (in code):** **DZ Anna PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY KK Ax Ik At Sb Am Prj Us JP NP CN Sz** **Bionomy:** Larva on *Betula*, *Robinia pseudacacia*, *Rosa*, *Salix caprea*, *Sarothamnus scoparius*, *Ulmus* (Linnaeus,1758; Meyer,1919).
- 38461. *Biston bistonarius* (Walker,1866)** (Geometridae) **Synonym(s):** *bistonaria* Walker,1866 **Range (in code):** **ID Clb**
- 38462. *Biston brevipennatus* Inoue,1982** (Geometridae) **Synonym(s):** *brevipennata* Inoue,1982 **Range (in code):** **NP**
- 38463. *Biston contectarius* (Walker,[1863])** (Geometridae) **Synonym(s):** *contectarius* Walker,[1863] **Range (in code):** **IN ?TH**
- 38464. *Biston dargei* (Herbulot,1973)** (Geometridae) **Synonym(s):** *dargei* Herbulot,1973 **Range (in code):** **CM**
- 38465. *Biston edwardsi* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *edwardsi* L.B.Prout,1938 **Range (in code):** **ZA UG**
- 38466. *Biston emarginarius* Leech,1897** (Geometridae) **Synonym(s):** *emarginaria* Leech,1897 **Range (in code):** **CN**
- 38467. *Biston erilda* (Oberthür,1910)** (Geometridae) **Synonym(s):** *erilda* Oberthür,1910 **Range (in code):** **CN**
- 38468. *Biston falcatus* (W.Warren,1893)** (Geometridae) **Synonym(s):** *falcata* W.Warren,1893 **Range (in code):** **IN SI CN**
- 38469. *Biston fasciarius* Motschulsky,1866** (Geometridae) **Synonym(s):** *fasciaria* Motschulsky,1866 **Range (in code):** **JP**
- 38470. *Biston fessus* (W.Warren,1896)** (Geometridae) **Synonym(s):** *fessa* W.Warren,1896 **Range (in code):** **ID**
- 38471. *Biston giganteus* Inoue,1985** (Geometridae) **Synonym(s):** *giganteus* Inoue,1985 **Range (in code):** **MY Cmh**
- 38472. *Biston homoclerus* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *homoclera* L.B.Prout,1938 **Range (in code):** **TZ**
- 38473. *Biston huberarius* (Ballion,1866)** (Geometridae) **Synonym(s):** *huberarius* Ballion,1866; *concinna* W.Warren,1899; *tienshana* Wehrli,1941. **Range (in code):** **RU Sb CN Ui Ii Um Ts Kno**
- 38474. *Biston hypoleucos* Kuznetsov,1901** (Geometridae) **Synonym(s):** *hypoleucos* Kuznetsov,1901; *prophaeos* Wehrli,1941 **Range (in code):** **RU Am Us**
- 38475. *Biston inouei* Holloway,[1994]** (Geometridae) **Synonym(s):** *inouei* Holloway,[1994] **Range (in code):** **TH MY Bor BN**
- 38476. *Biston insularis* (W.Warren,1894)** (Geometridae) **Synonym(s):** *insularis* W.Warren,1894; *arenosa* W.Warren,1904; *eximia* Swinhoe,1902 **Range (in code):** **TH Ntt Hba ID Mw Nia Ja Sum**
- 38477. *Biston johannarius* (Oberthür,1913)** (Geometridae) **Synonym(s):** *johannaria* Oberthür,1913; *antecreta* L.B.Prout,1938 **Range (in code):** **CM NG**
- 38478. *Biston leucocrossus* (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *leucocrossa* L.B.Prout,1928 **Range (in code):** **ID Sum**
- 38479. *Biston luculentus* Inoue,1992** (Geometridae) **Synonym(s):** *luculentus* Inoue,1992 **Original Reference:** *Biston luculentus* Inoue,1992, Bull. Fac. domest. Sci. Otsuma Won. Univ. 28: 171-176, figs. **Holotype** ♂: Thailand: Chanthaburi, Khao Soi Dao, 400m (UOS). **Range (in code):** **TH Cbi CMa Fn Cbi Nna Kao Cph**
- 38480. *Biston marginatus* Shiraki,1913** (Geometridae) **Synonym(s):** *marginata* Shiraki,1913; *fragilis* Inoue,1958 **Range (in code):** **TW JP**
- 38481. *Biston melacron* Wehrli,1941** (Geometridae) **Synonym(s):** *melacron* Wehrli,1941; *exotica* Inoue,1977 **Range (in code):** **CN JP**
- 38482. *Biston nephelistis* (Meyrick,1897)** (Geometridae) **Synonym(s):** *nephelistis* Meyrick,1897; *atomaria* W.Warren,1897 **Range (in code):** **ID Clb Tal Bru**
- 38483. *Biston panterinarius* (Bremer & Grey,1853)** (Geometridae) **Synonym(s):** *panterinarius* Bremer & Grey,1853 **Range (in code):** **CN Sz TH Chy IN SI Djl JP**

- 38484. *Biston panterinarius abraxatus* (Leech,1889)** (Geometridae) Synonym(s): *abraxata* Leech,1889 _ Range (in code): CN Sz
- 38485. *Biston panterinarius exanthematus* (Moore,1888)** (Geometridae) Synonym(s): *exanthemata* Moore,1888 _ Range (in code): IN SI Djl TH Chy
- 38486. *Biston panterinarius lienpingensis* (Wehrli,1939)** (Geometridae) Synonym(s): *lienpingensis* Wehrli,1939 _ Range (in code): CN
- 38487. *Biston panterinarius panterinarius* (Bremer & Grey,1853)** (Geometridae) Synonym(s): *panterinarius* Bremer & Grey,1853 _ Range (in code): CN
- 38488. *Biston panterinarius sychnospilas* (L.B.Prout,1930)** (Geometridae) Synonym(s): *sychnospilas* L.B.Prout,1930 _ Range (in code): JP
- 38489. *Biston panterinarius szechuanensis* (Wehrli,1939)** (Geometridae) Synonym(s): *szechuanensis* Wehrli,1939 _ Range (in code): CN Sz
- 38490. *Biston perclarus* (W.Warren,1899)** (Geometridae) Synonym(s): *perclara* W.Warren,1899; *cerea* Bastelberger,1909; *bilineata* Matsumura,1910 _ Range (in code): TW
- 38491. *Biston pljushtschi* Viidalepp,2003** (Geometridae) Synonym(s): *pljushtschi* Viidalepp,2003 _ Range (in code): TJ
- 38492. *Biston porphyrius* (Butler,1889)** (Geometridae) Synonym(s): *porphyria* Butler,1889 _ Range (in code): IN Hp Kgr
- 38493. *Biston praeparvus* (L.B.Prout,1937)** (Geometridae) Synonym(s): *praeparva* L.B.Prout,1937 _ Range (in code): ID Bli
- 38494. *Biston prinodes* (West,1929)** (Geometridae) Synonym(s): *prinodes* West,1929 _ Range (in code): PH Luz
- 38495. *Biston pteronyma* (L.B.Prout,1938)** (Geometridae) Synonym(s): *pteronyma* L.B.Prout,1938 _ Range (in code): KE
- 38496. *Biston pura* (W.Warren,1894)** (Geometridae) Synonym(s): *pura* W.Warren,1894 _ Range (in code): ID Clb
- 38497. *Biston pustulatus* (W.Warren,1896)** (Geometridae) Synonym(s): *pustulata* W.Warren,1896 _ Range (in code): MY Prk TH
- 38498. *Biston quercii* (Oberthür,1910)** (Geometridae) Synonym(s): *quercii* Oberthür,1910 _ Range (in code): CN
- 38499. *Biston regalis* Moore,1888** (Geometridae) Synonym(s): *regalis* Moore,1888 _ Original Reference: *Biston regalis* Moore,1888, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. Atkinson: 234. Range (in code): IN SI Djl PK Swa Sgl RU Am Prj Us JP ID Ja TH Nna Kao
- 38500. *Biston robustum* Butler,1879** (Geometridae) Synonym(s): *robustum* Butler,1879; *kiangsua* Wehrli,1941 _ Range (in code): JP Hdo CN RU Us Vv KP KR Ri TW
- 38501. *Biston sinuatus* Hampson,1895** (Geometridae) Synonym(s): *sinuatus* Hampson,1895 _ Range (in code): IN SI
- 38502. *Biston stratarius* (Hufnagel,1767)** (Geometridae) Synonym(s): *strataria* Hufnagel,1767; *prodromaria* [Denis & Schiffermüller],1775; *marmorata* Sulzer,1776; *vernalis* Fourcroy,1785; *nigricans* Oberthür,1913 _ Original Reference: *Phalaena strataria* Hufnagel,1767, Berl. Mag. 4: 514, 622. Type(s): Deutschland: Berlin. Range (in code): DZ Bsk PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Betula, Prunus, Pyrus, Quercus, Tilia, Ulmus (Meyer,1919).
- 38503. *Biston strigarius* (Moore,1879)** (Geometridae) Synonym(s): *strigarius* Moore,1879 _ Range (in code): LK
- 38504. *Biston stuningi* Viidalepp,2003** (Geometridae) Synonym(s): *stuningi* Viidalepp,2003 _ Range (in code): TJ Pm Chr UZ KK Na
- 38505. *Biston subflavus* Inoue,1985** (Geometridae) Synonym(s): *subflavus* Inoue,1985 _ Range (in code): PH Neg
- 38506. *Biston subocularis* (Mabille,1893)** (Geometridae) Synonym(s): *subocularis* Mabille,1893; *analiplaga* W.Warren,1897 _ Range (in code): NG
- 38507. *Biston subregalis* Inoue,1992** (Geometridae) Synonym(s): *subregalis* Inoue,1992 _ Range (in code): ID Clb
- 38508. *Biston suppressarius* (Guenée,[1858])** (Geometridae) Synonym(s): *suppressarius* Guenée,[1858]; *multipunctaria* Walker,[1863]; *benesparsa* Wehrli,1941 _ Range (in code): IN BD Syl CN MM TH

- 38509. *Biston suppressarius burmaensis* Hampson, 1902** (Geometridae) **Synonym(s):** *burmaensis* Hampson, 1902 _ Range (in code): **MM TH**
- 38510. *Biston suppressarius suppressarius* (Guenée, [1858])** (Geometridae) **Synonym(s):** *suppressarius* Guenée, [1858]; *multipunctaria* Walker, [1863]; *#benesparsa* Wehrli, 1941 _ Range (in code): **IN BD Syl CN**
- 38511. *Biston takeuchii* Matsumura, 1931** (Geometridae) **Synonym(s):** *takeuchii* Matsumura, 1931 Range (in code): **JP**
- 38512. *Biston thibetarius* (Oberthür, 1886)** (Geometridae) **Synonym(s):** *thibetaria* Oberthür, 1886 Range (in code): **CN Ti**
- 38513. *Biston thoracicarius* (Oberthür, 1884)** (Geometridae) **Synonym(s):** *thoracicarius* Oberthür, 1884; *tortuosa* Wileman, 1911 _ Range (in code): **RU Us CN Mc JP** Bionomy: Larva on *Platanus orientalis* (Platanaceae); *Malus pumila* (Rosaceae) (Scoble, 1999).
- 38514. *Bizia aexaria* Walker, 1860** (Geometridae) **Synonym(s):** *aexaria* Walker, 1860; *mibuaria* R. Felder & Rogenhofer, [1875] _ Range (in code): **CN JP** Bionomy: Larva on *Morus bombycis* (Moraceae) (Scoble, 1999).
- 38515. *Bizia altera* (Wehrli, 1954)** (Geometridae) **Synonym(s):** *altera* Wehrli, 1954 _ Range (in code): **KP KR CN Mc**
- 38516. *Blaboplutodes missilorum* L.B. Prout, 1934** (Geometridae) **Synonym(s):** *missilorum* L.B. Prout, 1934 _ Range (in code): **RW**
- 38517. *Blaboplutodes parvistictus* Carcasson, 1965** (Geometridae) **Synonym(s):** *parvistictus* Carcasson, 1965 _ Range (in code): **ZA UG**
- 38518. *Blechnoneromia ambinanitelo* Viette, 1978** (Geometridae) **Synonym(s):** *ambinanitelo* Viette, 1978 _ Range (in code): **MG**
- 38519. *Blechnoneromia anthosyne* L.B. Prout, 1925** (Geometridae) **Synonym(s):** *anthosyne* L.B. Prout, 1925 _ Range (in code): **MG**
- 38520. *Blechnoneromia eluta* L.B. Prout, 1925** (Geometridae) **Synonym(s):** *eluta* L.B. Prout, 1925 Range (in code): **MG**
- 38521. *Blechnoneromia griveaudi* Viette, 1976** (Geometridae) **Synonym(s):** *griveaudi* Viette, 1976 Range (in code): **MG**
- 38522. *Blechnoneromia gutierrezi* Viette, 1971** (Geometridae) **Synonym(s):** *gutierrezi* Viette, 1971 Range (in code): **MG**
- 38523. *Blechnoneromia herbuloti* Viette, 1976** (Geometridae) **Synonym(s):** *herbuloti* Viette, 1976 Range (in code): **MG**
- 38524. *Blechnoneromia malagasy* Viette, 1976** (Geometridae) **Synonym(s):** *malagasy* Viette, 1976 Range (in code): **MG**
- 38525. *Blechnoneromia meridionalis* Viette, 1976** (Geometridae) **Synonym(s):** *meridionalis* Viette, 1976 _ Range (in code): **MG**
- 38526. *Blechnoneromia mianta* L.B. Prout, 1925** (Geometridae) **Synonym(s):** *mianta* L.B. Prout, 1925 _ Range (in code): **MG**
- 38527. *Blechnoneromia pauliani* Viette, 1976** (Geometridae) **Synonym(s):** *pauliani* Viette, 1976 Range (in code): **MG**
- 38528. *Blechnoneromia perileuca* L.B. Prout, 1925** (Geometridae) **Synonym(s):** *perileuca* L.B. Prout, 1925 _ Range (in code): **MG**
- 38529. *Blechnoneromia peyrrierasi* Viette, 1976** (Geometridae) **Synonym(s):** *peyrrierasi* Viette, 1976 _ Range (in code): **MG**
- 38530. *Blechnoneromia pudica* Herbulot, 1972** (Geometridae) **Synonym(s):** *pudica* Herbulot, 1972 _ Range (in code): **MG**
- 38531. *Blechnoneromia sogai* Viette, 1976** (Geometridae) **Synonym(s):** *sogai* Viette, 1976 Range (in code): **MG**
- 38532. *Blechnoneromia toulgoeti* Viette, 1976** (Geometridae) **Synonym(s):** *toulgoeti* Viette, 1976 Range (in code): **MG**
- 38533. *Blepharoctenucha virescens* (Butler, 1880)** (Geometridae) **Synonym(s):** *virescens* Butler, 1880 Original Reference: *Hemerophila virescens* Butler, 1880, Ann. Mag. nat. Hist. (5) 6: 126. Range (in code): **SI IN Djl TW TH CMa Int**
- 38534. *Blepharoctenucha virescens kawabei* Inoue, 1986** (Geometridae) **Synonym(s):** *kawabei* Inoue, 1986 _ Range (in code): **TW**

- 38535. *Blepharoctenucha virescens virescens* (Butler,1880)** (Geometridae) **Synonym(s):** *virescens* Butler,1880 **Original Reference:** Hemerophila virescens Butler,1880, Ann. Mag. nat. Hist. (5) 6: 126. **Range (in code):** [SI IN Djl TH CMa Int](#)
- 38536. *Boarmacaria herbuloti* Holloway,[1994]** (Geometridae) **Synonym(s):** *herbuloti* Holloway,[1994] **Range (in code):** [MY Bor Swk](#)
- 38537. *Boarmacaria tenuilinea* (W.Warren,1900)** (Geometridae) **Synonym(s):** *tenuilinea* W.Warren,1900 **Range (in code):** [MY Pen](#)
- 38538. *Boarmioides colpias* (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *colpias* L.B.Prout,1928; *desertaria* Lucas,1932 **Range (in code):** [MA](#)
- 38539. *Bombia protuberans* W.Warren,1906** (Geometridae) **Synonym(s):** *protuberans* W.Warren,1906 **Range (in code):** [PE](#)
- 38540. *Bombycodes asplaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *asplaria* Guenée,[1858]; *obfuscata* W.Warren,1894 **Range (in code):** [CO](#)
- 38541. *Bombycodes fumosa* (W.Warren,1894)** (Geometridae) **Synonym(s):** *fumosa* W.Warren,1894 **Range (in code):** [PE](#)
- 38542. *Bonatea duciata* (Maassen,1890)** (Geometridae) **Synonym(s):** *duciata* Maassen,1890 **Range (in code):** [EC](#)
- 38543. *Bonatea flexilineata* Dognin,1918** (Geometridae) **Synonym(s):** *flexilineata* Dognin,1918 **Range (in code):** [CO](#)
- 38544. *Bonatea funerea* (W.Warren,1904)** (Geometridae) **Synonym(s):** *funerea* W.Warren,1904 **Range (in code):** [PE](#)
- 38545. *Bonatea funereoides* Dognin,1918** (Geometridae) **Synonym(s):** *funereoides* Dognin,1918 **Range (in code):** [CO](#)
- 38546. *Bonatea griseolata* Dyar,1918** (Geometridae) **Synonym(s):** *griseolata* Dyar,1918 **Range (in code):** [MX](#)
- 38547. *Bonatea indecisa* Dognin,1913** (Geometridae) **Synonym(s):** *indecisa* Dognin,1913 **Range (in code):** [CO](#)
- 38548. *Bonatea maculata* Dognin,1904** (Geometridae) **Synonym(s):** *maculata* Dognin,1904 **Range (in code):** [BO](#)
- 38549. *Bonatea praeclara* Schaus,1911** (Geometridae) **Synonym(s):** *praeclara* Schaus,1911 **Range (in code):** [CR](#)
- 38550. *Bonatea undilinea* Dognin,1902** (Geometridae) **Synonym(s):** *undilinea* Dognin,1902 **Range (in code):** [CO](#)
- 38551. *Bonatea viridilinea* W.Warren,1904** (Geometridae) **Synonym(s):** *viridilinea* W.Warren,1904 **Range (in code):** [PE](#)
- 38552. *Bonatea viridirufa* (W.Warren,1904)** (Geometridae) **Synonym(s):** *viridirufa* W.Warren,1904 **Range (in code):** [PE](#)
- 38553. *Boninnadagara crinomorpha* Inoue,1988** (Geometridae) **Synonym(s):** *crinomorpha* Inoue,1988 **Range (in code):** [JP](#)
- 38554. *Borbacha altipardaria* Holloway,1982** (Geometridae) **Synonym(s):** *altipardaria* Holloway,1982 **Range (in code):** [MY Bor Swk](#)
- 38555. *Borbacha bipardaria* Holloway,1982** (Geometridae) **Synonym(s):** *bipardaria* Holloway,1982 **Range (in code):** [MY Bor Swk TH Ntt Hba](#)
- 38556. *Borbacha carneata* W.Warren,1906** (Geometridae) **Synonym(s):** *carneata* W.Warren,1906 **Range (in code):** [ID Ij Snw PG](#)
- 38557. *Borbacha carneata carneata* W.Warren,1906** (Geometridae) **Synonym(s):** *carneata* W.Warren,1906 **Range (in code):** [PG](#)
- 38558. *Borbacha carneata fuscencentior* Rothschild,1915** (Geometridae) **Synonym(s):** *fuscencentior* Rothschild,1915 **Range (in code):** [ID Ij Snw](#)
- 38559. *Borbacha euchrysa* (Lower,1894)** (Geometridae) **Synonym(s):** *euchrysa* Lower,1894 **Range (in code):** [AU QAU Cai ID Ja](#)
- 38560. *Borbacha euchrysa euchrysa* (Lower,1894)** (Geometridae) **Synonym(s):** *euchrysa* Lower,1894 **Range (in code):** [AU QAU Cai](#)
- 38561. *Borbacha euchrysa parviscripta* W.Warren,1896** (Geometridae) **Synonym(s):** *parviscripta* W.Warren,1896 **Range (in code):** [ID Ja](#)
- 38562. *Borbacha monopardaria* Holloway,1982** (Geometridae) **Synonym(s):** *monopardaria* Holloway,1982 **Range (in code):** [MY Bor Swk](#)

- 38563. Borbacha pardalis (R.Felder & Rogenhofer,[1875])** (Geometridae) **Synonym(s):** *pardalis* R.Felder & Rogenhofer,[1875] Range (in code): ID Mlc
- 38564. Borbacha pardaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *pardaria* Guenée,[1858]; *sarawakaria* Guenée,[1858] Range (in code): MY Bor Swk
- 38565. Borbacha punctipardaria Holloway,1982** (Geometridae) **Synonym(s):** *punctipardaria* Holloway,1982 Range (in code): MY Bor Swk TH Ntt Hba
- 38566. Borbacha rubidaria Rothschild,1915** (Geometridae) **Synonym(s):** *rubidaria* Rothschild,1915 Range (in code): ID Ij Snw
- 38567. Bordeta quadriplagiata Walker,[1865]** (Geometridae) **Synonym(s):** *quadriplagiata* Walker,[1865]; *sexplagiata* Walker,[1865] Range (in code): ID Tim Mlc Bch
- 38568. Bornealcis derivata (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *derivata* L.B.Prout,1926 Range (in code): MY Bor Swk
- 38569. Bornealcis expleta (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *expleta* L.B.Prout,1932 Range (in code): MY Bor Sbh KBa
- 38570. Bornealcis versicolor (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *versicolor* L.B.Prout,1915 Range (in code): MY Bor Sbh KBa
- 38571. Bosara atypha (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *atypha* L.B.Prout,1958 Range (in code): ID Clb
- 38572. Bosara callinda (Holloway,1979)** (Geometridae) **Synonym(s):** *callinda* Holloway,1979 Range (in code): NC
- 38573. Bosara catabares (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *catabares* L.B.Prout,1958 Range (in code): ID Clb
- 38574. Bosara cuneativenis (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *cuneativenis* L.B.Prout,1958 Range (in code): ID Clb
- 38575. Bosara dilatata Walker,1866** (Geometridae) **Synonym(s):** *dilatata* Walker,1866 Range (in code): PG MY Bor ID Mlc
- 38576. Bosara dilatata dilatata Walker,1866** (Geometridae) **Synonym(s):** *dilatata* Walker,1866 Range (in code): MY Bor
- 38577. Bosara dilatata hydrographica (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *hydrographica* L.B.Prout,1958 Range (in code): PG
- 38578. Bosara dilatata pelopsaria Walker,1866** (Geometridae) **Synonym(s):** *pelopsaria* Walker,1866 Range (in code): ID Mlc
- 38579. Bosara emarginaria (Hampson,1893)** (Geometridae) **Synonym(s):** *emarginaria* Hampson,1893; *exilis* Bastelberger,1905 Range (in code): LK IN Ass
- 38580. Bosara epilopha (Turner,1907)** (Geometridae) **Synonym(s):** *epilopha* Turner,1907 Range (in code): AU QAU Kda
- 38581. Bosara festivata (W.Warren,1903)** (Geometridae) **Synonym(s):** *festivata* W.Warren,1903 Range (in code): ID Clb
- 38582. Bosara minima (W.Warren,1897)** (Geometridae) **Synonym(s):** *minima* W.Warren,1897 Range (in code): AU QAU Cai
- 38583. Bosara modesta (W.Warren,1893)** (Geometridae) **Synonym(s):** *modesta* W.Warren,1893 Range (in code): IN SI Djl
- 38584. Bosara refusaria (Walker,1861)** (Geometridae) **Synonym(s):** *refusaria* Walker,1861 Range (in code): Bor MY Swk
- 38585. Brabira apatopleura (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *apatopleura* L.B.Prout,1934 Range (in code): FJ
- 38586. Brabira artemidora (Oberthür,1884)** (Geometridae) **Synonym(s):** *artemidora* Oberthür,1884 Range (in code): IN SI Djl RU Us Vv Ask
- 38587. Brabira artemidora artemidora (Oberthür,1884)** (Geometridae) **Synonym(s):** *artemidora* Oberthür,1884 Range (in code): RU Us Vv Ask
- 38588. Brabira artemidora pallida Moore,1888** (Geometridae) **Synonym(s):** *pallida* Moore,1888 Range (in code): IN SI Djl
- 38589. Brabira atkinsonii Moore,1888** (Geometridae) **Synonym(s):** *atkinsonii* Moore,1888 Range (in code): IN SI Djl
- 38590. Brabira costumacula Wileman,1915** (Geometridae) **Synonym(s):** *costumacula* Wileman,1915 Range (in code): TW

- 38591. *Brabira emerita* L.B.Prout,1926** (Geometridae) **Synonym(s):** *emerita* L.B.Prout,1926
Range (in code): **MY Bor Swk**
- 38592. *Brabira kasaii* Sato,1986** (Geometridae) **Synonym(s):** *kasaii* Sato,1986 _ **Range (in code):** **JP**
- 38593. *Brabira mesoschides* L.B.Prout,1929** (Geometridae) **Synonym(s):** *mesoschides* L.B.Prout,1929 _ **Range (in code):** **ID Ij**
- 38594. *Brabira operosa* L.B.Prout,1958** (Geometridae) **Synonym(s):** *operosa* L.B.Prout,1958
Range (in code): **IN SI**
- 38595. *Brabira ruficorpus* W.Warren,1907** (Geometridae) **Synonym(s):** *ruficorpus* W.Warren,1907 _ **Range (in code):** **PG**
- 38596. *Brabirodes cerevia* (Druce,1893)** (Geometridae) **Synonym(s):** *cerevia* Druce,1893
Range (in code): **MX PE**
- 38597. *Brabirodes cerevia cerevia* (Druce,1893)** (Geometridae) **Synonym(s):** *cerevia* Druce,1893 _ **Range (in code):** **MX**
- 38598. *Brabirodes cerevia peruviana* W.Warren,1904** (Geometridae) **Synonym(s):** *peruviana* W.Warren,1904 _ **Range (in code):** **PE**
- 38599. *Brabirodes orthesia* (Druce,1893)** (Geometridae) **Synonym(s):** *orthesia* Druce,1893
Range (in code): **MX**
- 38600. *Bracca georgiata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *georgiata* Guenée,[1858]; *pervasata* Walker,1862; *subradiata* W.Warren,1899 _ **Range (in code):** **MY Bor ID Nat Ja Sgr PH Mdo TH Ntt Hba**
- 38601. *Bracca georgiata georgiata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *georgiata* Guenée,[1858]; *pervasata* Walker,1862; *subradiata* W.Warren,1899 _ **Range (in code):** **MY Bor ID Nat Ja PH Mdo TH Ntt Hba**
- 38602. *Bracca georgiata ptochopis* (Meyrick,1897)** (Geometridae) **Synonym(s):** *ptochopis* Meyrick,1897 _ **Range (in code):** **ID Sgr**
- 38603. *Bracca olafhenkeli* Stüning,2005** (Geometridae) **Synonym(s):** *olafhenkeli* Stüning,2005
Range (in code): **ID Clb**
- 38604. *Brachyglossina acidalaria* Wagner,1914** (Geometridae) **Synonym(s):** *acidalaria* Wagner,1914 _ **Range (in code):** **TN**
- 38605. *Brachyglossina chaspia* Brandt,1938** (Geometridae) **Synonym(s):** *chaspia* Brandt,1938
Range (in code): **IR Fa Shr Sse Com**
- 38606. *Brachyglossina culoti* Wehrli,1930** (Geometridae) **Synonym(s):** *culoti* Wehrli,1930; *pseudoranaria* Zerny,1936 _ **Range (in code):** **DZ MA**
- 38607. *Brachyglossina fulta* L.B.Prout,1938** (Geometridae) **Synonym(s):** *fulta* L.B.Prout,1938
Range (in code): **DZ**
- 38608. *Brachyglossina hassan* Herbulot,1974** (Geometridae) **Synonym(s):** *hassan* Herbulot,1974
Range (in code): **MA**
- 38609. *Brachyglossina hispanaria* (Püngeler,1913)** (Geometridae) **Synonym(s):** *hispanaria* Püngeler,1913 _ **Range (in code):** **PT ES**
- 38610. *Brachyglossina macracantha* L.B.Prout,1938** (Geometridae) **Synonym(s):** *macracantha* L.B.Prout,1938 _ **Range (in code):** **DZ**
- 38611. *Brachyglossina maroccana* Wehrli,1930** (Geometridae) **Synonym(s):** *maroccana* Wehrli,1930 _ **Range (in code):** **MA**
- 38612. *Brachyglossina mauritanica* (Baker,1885)** (Geometridae) **Synonym(s):** *mauritanica* Baker,1885 _ **Range (in code):** **DZ Gue**
- 38613. *Brachyglossina mzabensis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *mzabensis* L.B.Prout,1938 _ **Range (in code):** **DZ**
- 38614. *Brachyglossina ochrolutearia* (Turati,1934)** (Geometridae) **Synonym(s):** *ochrolutearia* Turati,1934 _ **Range (in code):** **LY Cy**
- 38615. *Brachyglossina paroranaria* Wehrli,1938** (Geometridae) **Synonym(s):** *paroranaria* Wehrli,1938 _ **Range (in code):** **DZ**
- 38616. *Brachyglossina paroranaria suboranaria* Wehrli,1938** (Geometridae) **Synonym(s):** *suboranaria* Wehrli,1938 _ **Range (in code):** **DZ**
- 38617. *Brachyglossina rowlandi* Wiltshire,1977** (Geometridae) **Synonym(s):** *rowlandi* Wiltshire,1977 _ **Range (in code):** **OM**
- 38618. *Brachyglossina sciasmatica* Brandt,1941** (Geometridae) **Synonym(s):** *sciasmatica* Brandt,1941 _ **Range (in code):** **IR Ss**

- 38619. *Brachyglossina seitzi* L.B.Prout,1938** (Geometridae) **Synonym(s):** *seitzi* L.B.Prout,1938
Range (in code): **DZ**
- 38620. *Brachyglossina sonyae* Wiltshire,1990** (Geometridae) **Synonym(s):** *sonyae* Wiltshire,1990
Range (in code): **SA YE Sna**
- 38621. *Brachyglossina staudingeri* L.B.Prout,1932** (Geometridae) **Synonym(s):** *uniformis* Staudinger,1897 nec W.Warr.,1897; *staudingeri* L.B.Prout,1932
Range (in code): **IL Pa**
- 38622. *Brachyglossina tantalis* Turati,1924** (Geometridae) **Synonym(s):** *tantalis* Turati,1924
Range (in code): **LY Cy**
- 38623. *Brachyglossina tibbuana* Herbulot,1965** (Geometridae) **Synonym(s):** *tibbuana* Herbulot,1965
Range (in code): **TD SA YE Sna**
- 38624. *Brachyglossina tibbuana erythra* Wiltshire,1990** (Geometridae) **Synonym(s):** *erythra* Wiltshire,1990; *cornutosa* Wiltshire,1986
Range (in code): **SA YE Sna**
- 38625. *Brachyglossina vindicata* L.B.Prout,1938** (Geometridae) **Synonym(s):** *vindicata* L.B.Prout,1938
Range (in code): **DZ**
- 38626. *Brachyglossina williamsi* Wiltshire,1949** (Geometridae) **Synonym(s):** *williamsi* Wiltshire,1949
Range (in code): **EG**
- 38627. *Brachytrita cervinaria* Swinhoe,1904** (Geometridae) **Synonym(s):** *cervinaria* Swinhoe,1904
Range (in code): **TZ Dss MG**
- 38628. *Braueriana fiorino* Bryk,1913** (Geometridae) **Synonym(s):** *fiorino* Bryk,1913
Range (in code): **CG**
- 38629. *Braueriana karischi* Herbulot,1996** (Geometridae) **Synonym(s):** *karischi* Herbulot,1996
Range (in code): **GO Bio**
- 38630. *Bundelia ochracea* Viidalepp,1988** (Geometridae) **Synonym(s):** *ochracea* Viidalepp,1988
Range (in code): **TJ Pm**
- 38631. *Bupalus cembraria* (Motschoulsky,1866)** (Geometridae) **Synonym(s):** *cembraria* Motschoulsky,1866
Range (in code): **RU Am**
- 38632. *Bupalus michaellarius* Rungs,1941** (Geometridae) **Synonym(s):** *michaellarius* Rungs,1941
Range (in code): **MA**
- 38633. *Bupalus piniarius* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *piniaria* Linnaeus,1758; *tiliaria* Linnaeus,1758; *iberaria* Kolenati,1846
Original Reference: *Phalaena piniaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520. Type(s): [Europa], in Pinus.
Range (in code): **PT ES Mu FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on Pinus sylvestris (Linnaeus,1758; Meyer,1919).
- 38634. *Bupalus vestalis* Staudinger,1897** (Geometridae) **Synonym(s):** *vestalis* Staudinger,1897; *kansuensis* Wehrli,1953; *shensicola* Wehrli,1953
Range (in code): **CN She Gn RU Am**
- 38635. *Bustilloxia saturata* (A.Bang-Haas,1906)** (Geometridae) **Synonym(s):** *saturata* A.Bang-Haas,1906; *crassilineata* Zerny,1936
Original Reference: *Eucrostes saturata* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 137, Taf.v fig.18. Syntypes 2♂: "Süd Oran (Algier)".
Range (in code): **PT ES Mu DZ Orn MA**
Bionomy: Larva on Bupleurum (Calle et al.,2000).
- 38636. *Bustilloxia saturata iberica* Hausmann,1994** (Geometridae) **Synonym(s):** *iberica* Hausmann,1994
Range (in code): **PT ES Mu**
- 38637. *Bustilloxia saturata saturata* (A.Bang-Haas,1906)** (Geometridae) **Synonym(s):** *saturata* A.Bang-Haas,1906; *crassilineata* Zerny,1936
Original Reference: *Eucrostes saturata* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 137, Taf.v fig.18. Syntypes 2♂: "Süd Oran (Algier)".
Range (in code): **DZ Orn MA**
- 38638. *Buttia noctuodes* W.Warren,1904** (Geometridae) **Synonym(s):** *noctuodes* W.Warren,1904
Range (in code): **ZA**
- 38639. *Bytharia uniformis* Swinhoe,1902** (Geometridae) **Synonym(s):** *uniformis* Swinhoe,1902; *balatensis* Schultze,1925.
Range (in code): **ID MY PH Luz Ja Sum Bor Clb**
- 38640. *Cabera andrica* L.B.Prout,1932** (Geometridae) **Synonym(s):** *andrica* L.B.Prout,1932
Range (in code): **KE**
- 38641. *Cabera aquaemontana* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *aquaemontana* L.B.Prout,1913
Range (in code): **ZA Tva Lpo Wb**
- 38642. *Cabera elatina* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *elatina* L.B.Prout,1913
Range (in code): **ZA ZA08 Ksi ZA16 Mpu ZA17 Tva Lpo ZA26 Kzu Nta Pt看**
- 38643. *Cabera exanthemata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935.
Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH**

- AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY CN Ui Kun Kml JP CA
Bionomy: Larva on *Alnus glutinosa*, *Fagus crenata*, *Populus tremula*, *Salix aurita*, *S. bakko*, *S. cinerea*, *S. phyllicifolia* (Meyer,1919; Scoble,1999).
- 38644. Cabera exanthemata bryantaria** (Taylor,1906) (Geometridae) Synonym(s): *bryantaria* Taylor,1906 _ Range (in code): CA
- 38645. Cabera exanthemata exanthemata** (Scopoli,1763) (Geometridae) Synonym(s): *exanthemata* Scopoli,1763; *exanthemaria* Borkhausen,1794; *striaria* Hübner,[1799]; *approximaria* Haworth,1809; *arenosaria* Haworth,1809; *suprapunctata* Wehrli,1935. _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY
- 38646. Cabera exanthemata hamica** Wehrli,1939 (Geometridae) Synonym(s): *hamica* Wehrli,1939 _ Range (in code): CN Ui Kun Kml
- 38647. Cabera exanthemata insulata** Inoue,1958 (Geometridae) Synonym(s): *insulata* Inoue,1958 _ Range (in code): JP
- 38648. Cabera fulgurata Debauche,1938** (Geometridae) Synonym(s): *fulgurata* Debauche,1938
Range (in code): ZR
- 38649. Cabera glabra** (W.Warren,1904) (Geometridae) Synonym(s): *glabra* W.Warren,1904
Range (in code): NG
- 38650. Cabera leptographa Wehrli,1936** (Geometridae) Synonym(s): *leptographa* Wehrli,1936
Original Reference: Cabera leptographa Wehrli,1936, Ent. Rdsch. 53 (40): 564. Syntypes 1♂ 1♀:
 Afghanistan: Southern Bucharas, Kuliab. Range (in code): DE AT EE LV LT RU MD UA BY AF
- 38651. Cabera limbata** (Herbulot,1954) (Geometridae) Synonym(s): *limbata* Herbulot,1954
Range (in code): GN
- 38652. Cabera monacaria Debauche,1938** (Geometridae) Synonym(s): *monacaria* Debauche,1938
Range (in code): ZR
- 38653. Cabera nathaliae Herbulot,1991** (Geometridae) Synonym(s): *nathaliae* Herbulot,1991
Range (in code): ST
- 38654. Cabera neodora** L.B.Prout,1922 (Geometridae) Synonym(s): *neodora* L.B.Prout,1922
Range (in code): ZA Ec Pel
- 38655. Cabera nevillei** M.Krüger,2000 (Geometridae) Synonym(s): *nevillei* M.Krüger,2000
Range (in code): ZA
- 38656. Cabera niveopicta** Inoue,1986 (Geometridae) Synonym(s): *niveopicta* Inoue,1986
Range (in code): TW
- 38657. Cabera pictilinea** (W.Warren,1902) (Geometridae) Synonym(s): *pictilinea* W.Warren,1902 _ Range (in code): KE
- 38658. Cabera pseudognophos** (L.B.Prout,1917) (Geometridae) Synonym(s): *pseudognophos* L.B.Prout,1917 _ Range (in code): ZA Ec Cto
- 38659. Cabera purus** (Butler,1878) (Geometridae) Synonym(s): *purus* Butler,1878 _ Range (in code): JP KP KR
- 38660. Cabera pusaria** (Linnaeus,1758) (Geometridae) Synonym(s): *pusaria* Linnaeus,1758; *strigata* Scopoli,1763; *rotundaria* Haworth,1809; *confinaria* Freyer,1832; *heyeraria* Herrich-Schäffer,1848
Original Reference: Phalaena pusaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Europa.
Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Alnus*, *Betula* (Meyer,1919).
- 38661. Cabera schaefferi** Bremer,1864 (Geometridae) Synonym(s): *schaefferi* Bremer,1864
Range (in code): RU Us
- 38662. Cabera sp.** (Geometridae) Synonym(s): _ Range (in code): ZA Mal Tva Lpo
- 38663. Cabera strigata** W.Warren,1897 (Geometridae) Synonym(s): *strigata* W.Warren,1897; *crassata* W.Warren,1904 _ Range (in code): ZA ZA08 ZA13 Nta Kzu Wnn
- 38664. Cacochloris ochrea** (W.Warren,1897) (Geometridae) Synonym(s): *ochrea* W.Warren,1897 _ Range (in code): TZ Dss
- 38665. Cacochloris uvidula** (Swinhoe,1886) (Geometridae) Synonym(s): *uvidula* Swinhoe,1886
Range (in code): IN Poo
- 38666. Cacostegania australis** W.Warren,1901 (Geometridae) Synonym(s): *australis* W.Warren,1901; *glaucichroa* Hampson,1910 _ Range (in code): AO ZM
- 38667. Cacostegania confusa** W.Warren,1901 (Geometridae) Synonym(s): *confusa* W.Warren,1901; *eurycraspis* Hampson,1910 _ Range (in code): AO ZM
- 38668. Cacostegania obscurata** (W.Warren,1905) (Geometridae) Synonym(s): *obscurata* W.Warren,1905 _ Range (in code): ZR

- 38669. Calamodes boursini (Albers & Warnecke,1941)** (Geometridae) **Synonym(s):** *boursini* Albers & Warnecke,1941 Range (in code): **MA**
- 38670. Calamodes melanaria Oberthür,1913** (Geometridae) **Synonym(s):** *melanaria* Oberthür,1913; *bistriata* Rothschild,1914; *sordidaria* Rothschild,1914 Range (in code): **DZ Ges**
- 38671. Calamodes occitanaria (Duponchel,1829)** (Geometridae) **Synonym(s):** *occitanaria* Duponchel,1829; *occidanaria* Freyer,1837; *bejaranaria* Fernandez,1931 Range (in code): **DZ Ges TN Gf PT ES Mu FR IT** Bionomy: Larva on *Thymus algeriensis numidicus* (Lamiaceae); *Quercus*, *Rosmarinus officinalis*, *Lavandula stoechas*, *Thymus* (Chrétien,1917; Culot,1920; Calle, et al.,2000).
- 38672. Calamodes subscudularia (Turati,1919)** (Geometridae) **Synonym(s):** *subscudularia* Turati,1919 Range (in code): **IT Si LY Cy IL Pa**
- 38673. Calcyopa difoveata (Wehrli,1943)** (Geometridae) **Synonym(s):** *difoveata* Wehrli,1943; *lushanalis* Sato,1987 Range (in code): **CN TW**
- 38674. Calcyopa prasina Stüning,2000** (Geometridae) **Synonym(s):** *prasina* Stüning,2000 Range (in code): **TH CMa Dst Nan Dpk VN Ton MY MM Krh IN SI Djl NP Up**
- 38675. Calcyopa rosearia (De Joannis,1929)** (Geometridae) **Synonym(s):** *rosearia* De Joannis,1929 Range (in code): **VN Ton CN Yu TH CMa Int CRa ID Sum**
- 38676. Caledasthena montana Holloway,1979** (Geometridae) **Synonym(s):** *montana* Holloway,1979 Range (in code): **NC**
- 38677. Caledophia pauli Holloway,1979** (Geometridae) **Synonym(s):** *pauli* Holloway,1979 Original Reference: *Caledophia pauli* Holloway,1979, *Lepidoptera New Caledonia*: 266, figs. Holotype ♂: New Caledonia: Plaine des Lacs, 240m. Range (in code): **NC**
- 38678. Calicha griseoviridata (Wileman,1911)** (Geometridae) **Synonym(s):** *griseoviridata* Wileman,1911 Range (in code): **TW**
- 38679. Calicha nooraria (Bremer,1864)** (Geometridae) **Synonym(s):** *nooraria* Bremer,1864; *nigrisignata* Wehrli,1927; *chosenicola* Bryk,1949 Range (in code): **KP KR RU Sb Us**
- 38680. Calicha ornataria (Leech,1891)** (Geometridae) **Synonym(s):** *ornataria* Leech,1891 Range (in code): **JP**
- 38681. Calicha retrahens Moore,1888** (Geometridae) **Synonym(s):** *retrahens* Moore,1888 Range (in code): **IN SI Djl**
- 38682. Calicha yangtseina (Wehrli,1943)** (Geometridae) **Synonym(s):** *yangtseina* Wehrli,1943 Range (in code): **CN Yu**
- 38683. Calichodes defervescens (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *defervescens* L.B.Prout,1927 Range (in code): **MM Hta**
- 38684. Calichodes difoveata (Wehrli,1943)** (Geometridae) **Synonym(s):** *difoveata* Wehrli,1943 Range (in code): **CN**
- 38685. Calichodes ochrifasciata (Moore,1888)** (Geometridae) **Synonym(s):** *ochrifasciata* Moore,1888 Range (in code): **IN SI Djl TH CMa Int**
- 38686. Calichodes subrugata (Walker,[1863])** (Geometridae) **Synonym(s):** *subrugata* Walker,[1863]; *foveata* W.Warren,1897; *microdoxa* Meyrick,1897 Range (in code): **MY Bor Klt Pen Swk ID Ij**
- 38687. Callabraxas amanda Butler,1880** (Geometridae) **Synonym(s):** *amanda* Butler,1880 Range (in code): **IN SI Djl** Bionomy: Larva on Saxifragaceae (Scoble et al.,1999).
- 38688. Callabraxas maculata (Swinhoe,1894)** (Geometridae) **Synonym(s):** *maculata* Swinhoe,1894 Range (in code): **JP**
- 38689. Calleremites subornata W.Warren,1894** (Geometridae) **Synonym(s):** *subornata* W.Warren,1894 Range (in code): **IN SI**
- 38690. Calletaera basipuncta Wileman,1916** (Geometridae) **Synonym(s):** *basipuncta* Wileman,1916 Range (in code): **TW**
- 38691. Calletaera digrammata Wehrli,1925** (Geometridae) **Synonym(s):** *digrammata* Wehrli,1925 Range (in code): **CN**
- 38692. Calletaera foveata Holloway,[1994]** (Geometridae) **Synonym(s):** *foveata* Holloway,[1994] Range (in code): **MY Bor BN TH**
- 38693. Calletaera jotaria (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *jotaria* R.Felder & Rogenhofer,1875; *gammara* Swinhoe,1901 Range (in code): **ID Ja TH Ntt Hba MY Bor Sbh Klt**

- 38694. Calletaera postvittata (Walker,1861)** (Geometridae) Synonym(s): *postvittata* Walker,1861; *honoraria* Walker,1861; *permotaria* Walker,1861 - Range (in code): **MY Bor Swk LK BD Syl IN TH**
- 38695. Calletaera sabulosa W.Warren,1895** (Geometridae) Synonym(s): *sabulosa* W.Warren,1895 - Range (in code): **ID Egg**
- 38696. Calletaera schistacea Swinhoe,1900** (Geometridae) Synonym(s): *schistacea* Swinhoe,1900 Range (in code): **MY Bor Swk**
- 38697. Calletaera subexpressa (Walker,1861)** (Geometridae) Synonym(s): *subexpressa* Walker,1861; *ruptaria* Walker,1861; *angulata* W.Warren,1896 - Range (in code): **MY Bor Swk IN Ass Meg Khs TH**
- 38698. Calletaera subgravata (L.B.Prout,1932)** (Geometridae) Synonym(s): *subgravata* L.B.Prout,1932 - Range (in code): **MY Bor Sbh KBa**
- 38699. Calleulype pseudolargetauhi Wehrli,1933** (Geometridae) Synonym(s): *pseudolargetauhi* Wehrli,1933 - Range (in code): **CN**
- 38700. Calleulype whitelyi (Butler,1878)** (Geometridae) Synonym(s): *whitelyi* Butler,1878; *leechi* Inoue,1955 - Range (in code): **JP KP KR**
- 38701. Callioratis abraxas R.Felder & Rogenhofer,1874** (Geometridae) Synonym(s): *abraxas* R.Felder & Rogenhofer,1874. - Range (in code): **ZA Tva Etm Ktz Nta Kzu Mpu Ec MW** Bionomy: Larva on *Encephalartos altensteinii* (Zamiaceae) (Duke & Duke,1988).
- 38702. Callioratis abraxas abraxas R.Felder & Rogenhofer,1874** (Geometridae) Synonym(s): *abraxas* R.Felder & Rogenhofer,1874. - Range (in code): **ZA Tva Etm Ktz Nta Kzu Mpu Ec**
- 38703. Callioratis abraxas grandis L.B.Prout,1922** (Geometridae) Synonym(s): *grandis* L.B.Prout,1922 - Range (in code): **MW**
- 38704. Callioratis apicisecta L.B.Prout,1915** (Geometridae) Synonym(s): *apicisecta* L.B.Prout,1915 - Range (in code): **SD KE** Bionomy: Larva on *Encephalartos tegulaneus* (Zamiaceae) (Scoble,2001).
- 38705. Callioratis curlei Staude,2001** (Geometridae) Synonym(s): *curlei* Staude,2001 - Range (in code): **ZA Ec** Bionomy: Larva on *Encephalartos friderici-guillielmi* (Zamiaceae) (Scoble,2001).
- 38706. Callioratis mayeri Staude,2001** (Geometridae) Synonym(s): *mayeri* Staude,2001 Range (in code): **ZA Ec** Bionomy: Larva on *Encephalartos friderici-guillielmi* (Zamiaceae) (Scoble,2001).
- 38707. Callioratis millari Hampson,1905** (Geometridae) Synonym(s): *millari* Hampson,1905. Range (in code): **ZA Etm Kzu Nta** Bionomy: Larva on *Stangeria eriopus* (Scoble,2001).
- 38708. Callocasta similis (Moore,1888)** (Geometridae) Synonym(s): *similis* Moore,1888; *persimilis* Moore,1888 - Range (in code): **TH IN SI Djl**
- 38709. Callocasta similis (Moore,1888)** (Geometridae) Synonym(s): *similis* Moore,1888; *persimilis* Moore,1888 - Range (in code): **IN SI Djl**
- 38710. Calluga costalis Moore,[1887]** (Geometridae) Synonym(s): *costalis* Moore,[1887]; *rufifascia* Hampson,1893; *cissocosma* Turner,1904; *albiiviridis* W.Warren,1907 - Range (in code): **IN LK TH AU Qau Bri PG** Bionomy: Larva on *Mangifera indica* (Anacardiaceae), *Citrus grandis* (Rutaceae) (Scoble et al.,1999).
- 38711. Calluga crassitibia (W.Warren,1901)** (Geometridae) Synonym(s): *crassitibia* W.Warren,1901 - Range (in code): **ID Dm**
- 38712. Calluga grammophora L.B.Prout,1958** (Geometridae) Synonym(s): *grammophora* L.B.Prout,1958 - Range (in code): **ID Ij Gth**
- 38713. Calluga longispinata (W.Warren,1907)** (Geometridae) Synonym(s): *longispinata* W.Warren,1907 - Range (in code): **PG Big**
- 38714. Calluga lophoceras (L.B.Prout,1931)** (Geometridae) Synonym(s): *lophoceras* L.B.Prout,1931 - Range (in code): **IN**
- 38715. Calluga miantosoma (W.Warren,1907)** (Geometridae) Synonym(s): *miantosoma* W.Warren,1907 - Range (in code): **PG Big**
- 38716. Calluga pallidipunctata (W.Warren,1907)** (Geometridae) Synonym(s): *pallidipunctata* W.Warren,1907 - Range (in code): **PG Big**
- 38717. Calluga psaphara (L.B.Prout,1929)** (Geometridae) Synonym(s): *psaphara* L.B.Prout,1929 Range (in code): **ID Bru**

- 38718. Calluga psaphara L.B.Prout,1929** (Geometridae) Synonym(s): *psaphara* L.B.Prout,1929
Range (in code): **ID Bru**
- 38719. Calluga punctinervis Holloway,1976** (Geometridae) Synonym(s): *punctinervis* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 38720. Calluga purpureoviridis (W.Warren,1903)** (Geometridae) Synonym(s): *purpureoviridis* W.Warren,1903
Range (in code): **PG Aro**
- 38721. Calluga semirasata (W.Warren,1903)** (Geometridae) Synonym(s): *semirasata* W.Warren,1903
Range (in code): **PG Aro**
- 38722. Calluga variotincta (W.Warren,1907)** (Geometridae) Synonym(s): *variotincta* W.Warren,1907
Range (in code): **PG Big**
- 38723. Callygris compositata (Guenée,[1858])** (Geometridae) Synonym(s): *compositata* Guenée,[1858]; *junctilineata* Walker,1862
Range (in code): **CN TW**
- 38724. Callygris compositata apothetica (L.B.Prout,1940)** (Geometridae) Synonym(s): *apothetica* L.B.Prout,1940
Range (in code): **CN**
- 38725. Callygris compositata basistrigaria (Wileman,1912)** (Geometridae) Synonym(s): *basistrigaria* Wileman,1912; *formosana* Okano,1960
Range (in code): **TW**
- 38726. Callygris intersectaria (Leech,1897)** (Geometridae) Synonym(s): *intersectaria* Leech,1897
Range (in code): **CN Sz**
- 38727. Calostigiodes uncinata (Püngeler,1900)** (Geometridae) Synonym(s): *uncinata* Püngeler,1900
Range (in code): **CN Ts Kno T-S KK**
- 38728. Campaea biseriata (Moore,1888)** (Geometridae) Synonym(s): *biseriata* Moore,1888
Range (in code): **IN SI Djl**
- 38729. Campaea honoraria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *honoraria* [Denis & Schiffermüller],1775; *ilicaria* Villers,1789; *adsociaria* Borkhausen,1794; *excisaria* Esper,[1801]; *honorifica* Esper,[1801]; *pictarorum* Oberthür,1910
Original Reference: Geometra hononaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district. Range (in code): **DZ Clo PT ES FR Co Sa Si IT BE NL LU DE CH AT CZ SK HU YU AL GR Cr**
Bionomy: Larva on Quercus (Fagaceae) (Meyer,1919).
- 38730. Campaea margaritaria (Linnaeus,1761)** (Geometridae) Synonym(s): *margaritaria* Linnaeus,1761; *margaritata* Linnaeus,1767; *vernaria* Hufnagel,1767; *sesquistriaria* Knoch,1781; *straminea* Retzius,1783; *nayas* Fourcroy,1785; *vitriolata* Cyrilli,1787; *straminearia* Villers,1789; *rubrociliata* Schawerda,1932
Original Reference: Phalaena margaritaria Linnaeus,1761, Fauna Suec. (2): 328. Syntypes: [Sweden: Stockholm]: Holmiae. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI LV LT RU MD UA BY**
Bionomy: Larva on Carpinus [betulus], Fagus, Quercus (Fagaceae) (Hofmann,1893; Meyer,1919).
- 38731. Campaea parallela (Wehrli,1936)** (Geometridae) Synonym(s): *parallela* Wehrli,1936
Range (in code): **CN**
- 38732. Campaea perlata (Guenée,[1858])** (Geometridae) Synonym(s): *perlata* Guenée,[1858]; *praegradaria* Guenée,[1858]; *viridoperlata* Packard,1873; *perlaria* Packard,1876
Range (in code): **CA US Cf**
- 38733. Camptogramma bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
Original Reference: Phalaena (Geometra) bilineata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 525. Type(s): "Habitat in Suecia". Range (in code): **MA TN DZ Orn Clo PT ES Mu FR Co Si IT MT IE GB Sc Sht BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR AZ IQ IR Ab Oru Msw Ak Jal Fa Sse Mz Gls Kh DK NO SE FI EE LV LT RU Ur At MD UA Cm BY AZ Kir Cc AM GG KG TM Kp IL Pa LB Bsa**
Bionomy: Larva on Digitalis (Plantaginaceae), Galium (Rubiaceae), Leontodon taraxacum (Asteraceae), Ononis (Fabaceae), Plantago, Potentilla, Rumex, Urtica, Verbascum (Scrophulariaceae), Veronica (Meyer,1919; Calle et al.,2000)).
- 38734. Camptogramma bilineatum araceneatum (Bryk,1940)** (Geometridae) Synonym(s): *araceneatum* Bryk,1940
Range (in code): **PT ES Mu**
- 38735. Camptogramma bilineatum atlanticum (Staudinger,1892)** (Geometridae) Synonym(s): *atlanticum* Staudinger,1892
Range (in code): **GB Sc Sht**
- 38736. Camptogramma bilineatum bilineatum (Linnaeus,1758)** (Geometridae) Synonym(s): *bilineata* Linnaeus,1758; *brocatella* Fourcroy,1785; *dumetata* Schrank,1802; *bilinearia* Boisduval,1840; *musauria* Freyer,1846; *testaceolata* Staudinger,1871
Original Reference: Phalaena (Geometra) bilineata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 525. Type(s): "Habitat in Suecia".

- Range (in code): **FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ IQ IR Fa Sse Mz Gls Kh DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc AZ AM GG KG TM Kp**
- 38737. *Camptogramma bilineatum hibernicum* Tutt,1902** (Geometridae) **Synonym(s):** *hibernicum* Tutt,1902 Range (in code): **IE**
- 38738. *Camptogramma bilineatum isolatum* Kane,1896** (Geometridae) **Synonym(s):** *isolatum* Kane,1896 Range (in code): **IE**
- 38739. *Camptogramma bilineatum numidicum* (Rothschild,1925)** (Geometridae) **Synonym(s):** *numidicum* Rothschild,1925 Range (in code): **MA TN DZ Orn**
- 38740. *Camptogramma bilineatum pallidum* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *pallidum* L.B.Prout,1914 Range (in code): **Cr**
- 38741. *Camptogramma bilineatum rhodoseatum* (Bryk,1940)** (Geometridae) **Synonym(s):** *rhodoseatum* Bryk,1940 Range (in code): **Rd**
- 38742. *Camptogramma bistrigatum* (Treitschke,1828)** (Geometridae) **Synonym(s):** *bistrigatum* Treitschke,1828 Range (in code): **Sa**
- 38743. *Camptogramma grisescens* (Staudinger,1892)** (Geometridae) **Synonym(s):** *grisescens* Staudinger,1892 **Original Reference:** *Cidaria bilineata* var.? *grisescens* Staudinger,1892, Dt. ent. Z., Iris 5: 246-248. Syntypes: [Türkei]: Amasia, Tokat; Griechenland. Range (in code): **GR Cr TR**
- 38744. *Camptolophia marmorata* W.Warren,1896** (Geometridae) **Synonym(s):** *marmorata* W.Warren,1896 Range (in code): **IN Ass Meg Khs**
- 38745. *Cancellalata fletcheri* Viette,1979** (Geometridae) **Synonym(s):** *fletcheri* Viette,1979 Range (in code): **MG**
- 38746. *Cancellalata subumbrata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *subumbrata* D.S.Fletcher,1956 Range (in code): **UG**
- 38747. *Caradrinopsis obscuraria* Swinhoe,1904** (Geometridae) **Synonym(s):** *obscuraria* Swinhoe,1904 Range (in code): **KE**
- 38748. *Carbia brunnefacta* Holloway,1997** (Geometridae) **Synonym(s):** *brunnefacta* Holloway,1997 Range (in code): **MY Bor Swk Kcg**
- 38749. *Carbia calefacta* L.B.Prout,1941** (Geometridae) **Synonym(s):** *calefacta* L.B.Prout,1941 Range (in code): **MY Bor Sbh KBa**
- 38750. *Carbia calescens* Walker,1866** (Geometridae) **Synonym(s):** *calescens* Walker,1866 Range (in code): **MY Bor**
- 38751. *Carbia moderata* (Walker,1866)** (Geometridae) **Synonym(s):** *moderata* Walker,1866 Range (in code): **MY Bor**
- 38752. *Carbia moderescens* Holloway,1997** (Geometridae) **Synonym(s):** *moderescens* Holloway,1997 Range (in code): **BN Bor**
- 38753. *Carbia nexilinea* (W.Warren,1898)** (Geometridae) **Synonym(s):** *nexilinea* W.Warren,1898 Range (in code): **IN Ass Meg Khs**
- 38754. *Carbia pulchrilinea* (Walker,1866)** (Geometridae) **Synonym(s):** *pulchrilinea* Walker,1866; *axis* Hampson,1893; *moniliata* W.Warren,1893 Range (in code): **MY Bor LK IN Ass Meg Khs**
- 38755. *Carige bicuspis* L.B.Prout,1931** (Geometridae) **Synonym(s):** *bicuspis* L.B.Prout,1931 Range (in code): **ID Sum Kor**
- 38756. *Carige combinata* W.Warren,1899** (Geometridae) **Synonym(s):** *combinata* W.Warren,1899 Range (in code): **ID Flo**
- 38757. *Carige cruciplaga* (Walker,1861)** (Geometridae) **Synonym(s):** *cruciplaga* Walker,1861 Range (in code): **MY Pen CN RU Sb**
- 38758. *Carige cruciplaga cruciplaga* (Walker,1861)** (Geometridae) **Synonym(s):** *cruciplaga* Walker,1861 Range (in code): **MY Pen**
- 38759. *Carige cruciplaga deprunneata* L.B.Prout,1929** (Geometridae) **Synonym(s):** *deprunneata* L.B.Prout,1929 Range (in code): **CN**
- 38760. *Carige cruciplaga duplicaria* Walker,[1863]** (Geometridae) **Synonym(s):** *duplicaria* Walker,[1863]; *nigronotaria* Bremer,1864 Range (in code): **CN RU Sb**
- 38761. *Carige extremaria* Leech,1897** (Geometridae) **Synonym(s):** *extremaria* Leech,1897 Range (in code): **CN MM Vp**
- 38762. *Carige extremaria coniochyta* L.B.Prout,1958** (Geometridae) **Synonym(s):** *coniochyta* L.B.Prout,1958 Range (in code): **MM Vp**
- 38763. *Carige extremaria extremaria* Leech,1897** (Geometridae) **Synonym(s):** *extremaria* Leech,1897 Range (in code): **CN**

- 38764. Carige flavidaria** Leech,1897 (Geometridae) Synonym(s): *flavidaria* Leech,1897 _ Range (in code): CN
- 38765. Carige irrorata** (Butler,1879) (Geometridae) Synonym(s): *irrorata* Butler,1879; *absorpta* W.Warren,1899 _ Range (in code): JP
- 38766. Carige lunulineata** Moore,1888 (Geometridae) Synonym(s): *lunulineata* Moore,1888 _ Range (in code): IN SI Djl
- 38767. Carige obsoleta** (Inoue,1971) (Geometridae) Synonym(s): *obsoleta* Inoue,1971 _ Range (in code): JP Ri
- 38768. Carige rachiaria** Swinhoe,1891 (Geometridae) Synonym(s): *rachiaria* Swinhoe,1891 _ Range (in code): IN Ass Meg Khs
- 38769. Carige scutimbata** L.B.Prout,1937 (Geometridae) Synonym(s): *scutimbata* L.B.Prout,1937 _ Range (in code): JP Bionomy: Larva on *Artemisia princeps* (Asteraceae) (Scoble,1999).
- 38770. Carsia emphracta** L.B.Prout,1941 (Geometridae) Synonym(s): *emphracta* L.B.Prout,1941 _ Range (in code): MM
- 38771. Carsia lythoxylata** (Hübner,[1799]) (Geometridae) Synonym(s): *lythoxylata* Hübner,[1799]; *lythoxylaria* Boisduval,1840. Original Reference: *Geometra lythoxylata* Hübner,[1799], Samml. eur. Schmett. 5: pl.42, fig.218. Type: Europa. Range (in code): FR IT CH YU AL BG TR Cc GG Mng Bionomy: Larva on *Vaccinium* (Prout,1937).
- 38772. Carsia lythoxylata christophi** (L.B.Prout,1937) (Geometridae) Synonym(s): *christophi* L.B.Prout,1937 Original Reference: *Anaitis lythoxylata* ssp. *christophi* L.B.Prout,1937, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 86. Syntypes 4♂: Transcaucasien: Manglis (coll. Christoph) (BMNH). Range (in code): GG Mng Cc TR
- 38773. Carsia perpetuata** (Lederer,1870) (Geometridae) Synonym(s): *perpetuata* Lederer,1870 Original Reference: *Anaitis perpetuata* Lederer,1870, Annls Soc. ent. belg. 13: 40, 50, pl. 11 fig.4. Syntypes 2♀: [Georgia]: Achalziche. Range (in code): Cc GG Smt Akh
- 38774. Carsia sororiata** (Hübner,[1813]) (Geometridae) Synonym(s): *paludata* Thunberg,1788 nec Linn.,1767; *sororiata* Hübner,[1813]; *imbutata* Hübner,[1813]; *imbutaria* Boisduval,1840; *pruinaria* Eversmann,1851 _ Range (in code): FR IT IE GB DE CH AT PL CZ DK NO SE FI EE LV LT RU Irk MD UA BY US Nh CA BCo Lbr Nfl
- 38775. Carsia sororiata alpinata** Packard,1873 (Geometridae) Synonym(s): *alpinata* Packard,1873; *boreata* Packard,1873 _ Range (in code): US Nh
- 38776. Carsia sororiata anglica** L.B.Prout,1937 (Geometridae) Synonym(s): *anglica* L.B.Prout,1937 _ Range (in code): GB
- 38777. Carsia sororiata columbiata** McDunnough,1939 (Geometridae) Synonym(s): *columbiata* McDunnough,1939 _ Range (in code): CA BCo
- 38778. Carsia sororiata labradoriensis** (Sommer,1898) (Geometridae) Synonym(s): *labradoriensis* Sommer,1898 _ Range (in code): CA Lbr
- 38779. Carsia sororiata sororiata** (Hübner,[1813]) (Geometridae) Synonym(s): *paludata* Thunberg,1788 nec Linn.,1767; *sororiata* Hübner,[1813]; *imbutata* Hübner,[1813]; *imbutaria* Boisduval,1840; *pruinaria* Eversmann,1851 _ Range (in code): FR IT IE GB DE CH AT PL CZ DK NO SE FI EE LV LT RU Irk MD UA BY
- 38780. Carsia sororiata thaxteri** Swett,1917 (Geometridae) Synonym(s): *thaxteri* Swett,1917 _ Range (in code): CA Nfl
- 38781. Cartaletis concolor** W.Warren,1905 (Geometridae) Synonym(s): *concolor* W.Warren,1905 _ Range (in code): ZA Nta Kzu
- 38782. Cartaletis forbesi** (Druce,1884) (Geometridae) Synonym(s): *forbesi* Druce,1884; *flexilimes* W.Warren,1897 _ Range (in code): NG NE CM
- 38783. Cartaletis gracilis** (Möschler,1887) (Geometridae) Synonym(s): *gracilis* Möschler,1887; *pallida* W.Warren,1894; *alba* Druce,1896 _ Range (in code): GH SL ZR CM
- 38784. Cartaletis gracilis gracilis** (Möschler,1887) (Geometridae) Synonym(s): *gracilis* Möschler,1887; *pallida* W.Warren,1894; *alba* Druce,1896 _ Range (in code): GH SL
- 38785. Cartaletis gracilis landbecki** L.B.Prout,1919 (Geometridae) Synonym(s): *landbecki* L.B.Prout,1919 _ Range (in code): ZR
- 38786. Cartaletis gracilis variegata** L.B.Prout,1916 (Geometridae) Synonym(s): *variegata* L.B.Prout,1916 _ Range (in code): CM
- 38787. Cartaletis libyssa** (Hopffer,1858) (Geometridae) Synonym(s): *libyssa* Hopffer,1858 _ Range (in code): MZ Del KE TZ ZA Tva Etm ZA05 Nta Kzu Dbn ZA14 Mpu Ec Gau Jh UG

- 38788. Cartaletis libyssa ethelinda (Kirby,1896)** (Geometridae) Synonym(s): *ethelinda* Kirby,1896; *latifasciata* Gaede,1917; *nigriventris* Gaede,1917 _ Range (in code): KE TZ
- 38789. Cartaletis libyssa libyssa (Hopffer,1858)** (Geometridae) Synonym(s): *libyssa* Hopffer,1858 _ Range (in code): MZ
- 38790. Cartaletis libyssa monteironis (Druce,1883)** (Geometridae) Synonym(s): *monteironis* Druce,1883; *entebbena* Strand,1921 _ Range (in code): UG MZ Del
- 38791. Cartaletis libyssa natalensis L.B.Prout,1917** (Geometridae) Synonym(s): *natalensis* L.B.Prout,1917; *fusciventris* Gaede,1917 _ Range (in code): ZA Tva Gau Jh Etm ZA05 Nta Kzu Dbn ZA14 Mpu Ec
- 38792. Cartaletis melanopis L.B.Prout,1929** (Geometridae) Synonym(s): *melanopis* L.B.Prout,1929 _ Range (in code): RW
- 38793. Cartaletis nigricosta L.B.Prout,1916** (Geometridae) Synonym(s): *nigricosta* L.B.Prout,1916 _ Range (in code): MW
- 38794. Cartaletis sapor (Druce,1910)** (Geometridae) Synonym(s): *sapor* Druce,1910 _ Range (in code): CM
- 38795. Cartaletis tenuimargo L.B.Prout,1916** (Geometridae) Synonym(s): *tenuimargo* L.B.Prout,1916 _ Range (in code): CG
- 38796. Cartaletis variabilis (Butler,1878)** (Geometridae) Synonym(s): *variabilis* Butler,1878; *agis* Druce,1910; *thetis* Druce,1910 _ Range (in code): AO UG ZR
- 38797. Casbia albinotata W.Warren,1903** (Geometridae) Synonym(s): *albinotata* W.Warren,1903 Range (in code): NC
- 38798. Casbia rectaria Walker,1866** (Geometridae) Synonym(s): *rectaria* Walker,1866 _ Range (in code): NC
- 38799. Casbia rectaria lilacina Holloway,1979** (Geometridae) Synonym(s): *lilacina* Holloway,1979 _ Range (in code): NC
- 38800. Casbia rectaria rosacea Holloway,1979** (Geometridae) Synonym(s): *rosacea* Holloway,1979 _ Range (in code): NC
- 38801. Casbia serpentina Holloway,1979** (Geometridae) Synonym(s): *serpentina* Holloway,1979 Range (in code): NC
- 38802. Casilda antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. Original Reference: Geometra antophilaria Hübner,[1813], Samml. eur. Schmett. 5: pl.84, fig.433. Type: Europa. Range (in code): DZ Ges Mri ES FR IT YU AL GR Rd Cr CY TR RU UA Cm Cc AM GG AZ IR IQ CN Ui Ku KG Bionomy: Larva on Alisma (Meyer,1919).
- 38803. Casilda antophilaria antophilaria (Hübner,[1813])** (Geometridae) Synonym(s): *antophilaria* Hübner,[1813]; *gegenaria* Alpheraky,1883; *#albipunctaria* Alpheraky,1883; *elvira* Thierry-Mieg,1911. Original Reference: Geometra antophilaria Hübner,[1813], Samml. eur. Schmett. 5: pl.84, fig.433. Type: Europa. Range (in code): ES FR GR Rd Cr TR RU UA Cm Cc AM GG AZ IR IQ CN Ui Ku KG
- 38804. Casilda antophilaria rosearia (Treitschke,1828)** (Geometridae) Synonym(s): *rosearia* Treitschke,1828 Original Reference: Aspilates rosearia Treitschke,1828, Schmett. Eur. 6(2): 298. Syntypes: [Griechenland]: Corfu. Range (in code): YU GR TR IT AL
- 38805. Casilda consecraria (Staudinger,1871)** (Geometridae) Synonym(s): *consecraria* Staudinger,1871; *intermediaria* Turati,1930 _ Range (in code): MA DZ Onç TN LY Cy ES An Mu FR Sa Si IL Pa Js Tbs Hf CY EG SA IR Fa TM KG UZ Bionomy: Larva on Polygonum (Calle et al.,2000).
- 38806. Casilda kikiae (Wiltshire,1982)** (Geometridae) Synonym(s): *kikiae* Wiltshire,1982 Range (in code): YE Sna
- 38807. Casilda lucidaria (Swinhoe,1904)** (Geometridae) Synonym(s): *lucidaria* Swinhoe,1904; *roseofimbriata* Thierry-Mieg,1911. _ Range (in code): KE TZ
- 38808. Cassephyra cyanosticta (Hampson,1907)** (Geometridae) Synonym(s): *cyanosticta* Hampson,1907 _ Range (in code): IN
- 38809. Cassephyra formosa (Debauche,1941)** (Geometridae) Synonym(s): *formosa* Debauche,1941 _ Range (in code): ID Clb
- 38810. Cassephyra lamprosticta (Hampson,1895)** (Geometridae) Synonym(s): *lamprosticta* Hampson,1895; *accreta* L.B.Prout,1928 _ Range (in code): IN Nag MM Tns TH ID Sum
- 38811. Cassephyra plenimargo (W.Warren,1903)** (Geometridae) Synonym(s): *plenimargo* W.Warren,1903 _ Range (in code): PG Aro

- 38812. Cassephyra triangulifera (W.Warren,1898)** (Geometridae) **Synonym(s):** *triangulifera* W.Warren,1898 - Range (in code): **ID Sba**
- 38813. Cassyma chrotadelpha Sommerer & Stüning,1992** (Geometridae) **Synonym(s):** *chrotadelpha Sommerer & Stüning,1992* - Range (in code): **ID Sum TH**
- 38814. Cassyma chrotodon (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *chrotodon* L.B.Prout,1925 - Range (in code): **MY Sgo**
- 38815. Cassyma electrodes Sommerer & Stüning,1992** (Geometridae) **Synonym(s):** *electrodes Sommerer & Stüning,1992* - Range (in code): **ID Sum**
- 38816. Cassyma erythron Sommerer & Stüning,1992** (Geometridae) **Synonym(s):** *erythron Sommerer & Stüning,1992* - Range (in code): **ID Sum**
- 38817. Cassyma quadrinata Guenée,[1858]** (Geometridae) **Synonym(s):** *quadrinata* Guenée,[1858]; *gammata* W.Warren,1901 - Range (in code): **MY Bor Swk**
- 38818. Cassyma sciticincta (Walker,[1863])** (Geometridae) **Synonym(s):** *sciticincta* Walker,[1863] - Range (in code): **MY Bor Swk**
- 38819. Cassyma undifasciata (Butler,1892)** (Geometridae) **Synonym(s):** *undifasciata* Butler,1892 - Range (in code): **MY Bor Sbh Snk**
- 38820. Casuariclystis latifascia (Walker,1866)** (Geometridae) **Synonym(s):** *latifascia* Walker,1866; *inexplicata* Walker,1866; *perceptata* Walker,1866; *nigella* Joannis,1906; *metallicata* Fletcher,1910; *scintillata* L.B.Prout,1932 - Range (in code): **MY Bor MU FJ**
- 38821. Cataclysmes dissimilata (Rambur,1833)** (Geometridae) **Synonym(s):** *dissimilata* Rambur,1833; *spissistrigaria* Turati,1913 - Range (in code): **Co Sa** Bionomy: Larva on *Gallium mollugo* (Rubiaceae) (Meyer,1919).
- 38822. Cataclysmes festinata (Staudinger,1893)** (Geometridae) **Synonym(s):** *festinata* Staudinger,1893 - Range (in code): **TM Kp TJ KK T-S KG Lps CN Ui Ku IR AF RU Am**
- 38823. Cataclysmes plurilinearia (Leech,1897)** (Geometridae) **Synonym(s):** *plurilinearia* Leech,1897; *murina* L.B.Prout,1916 - Range (in code): **CN Ti**
- 38824. Cataclysmes polygramma (Hampson,1907)** (Geometridae) **Synonym(s):** *polygramma* Hampson,1907 - Range (in code): **Ch Gs**
- 38825. Cataclysmes rigua (Hübner,[1813])** (Geometridae) **Synonym(s):** *rigua* Hübner,[1813] Original Reference: *Geometra rigua* Hübner,[1813], Samml. eur. Schmett. 5: pl.69, fig.358. Type: Europa. Range (in code): **PT ES FR Co Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM LT RU Tv MD UA BY IR Elb Mz Th AF TM Kp TJ KK T-S KG Lps At Ur Am Cm CN Ui Ku Cc GG Kir AZ AM** Bionomy: Larva on *Galium cynanchica* [=Asperula], *G. galioides* (Rubiaceae) (Meyer,1919).
- 38826. Cataclysmes shirniensis Ebert,1965** (Geometridae) **Synonym(s):** *shirniensis* Ebert,1965 - Range (in code): **AF Pm TJ**
- 38827. Cataclysmes subtilisparsata Wehrli,1932** (Geometridae) **Synonym(s):** *subtilisparsata* Wehrli,1932; *elbursica* Wagner,1937 Original Reference: *Cataclysmes rigua* var. *subtilisparsata* Wehrli,1932, Mitt. münch. ent. Ges. 22: 7. Lectotype ♀: [Turkey]: "Syr. sept., Marasch, Achyr Dag sept. Bertiz Jaila 1800m [Ağabeyli] [ZFMK]. Range (in code): **IR Elb Th Mz Cc AM AZ TR**
- 38828. Cataclysmes uniformata (Bellier,1862)** (Geometridae) **Synonym(s):** *uniformata* Bellier,1862 Original Reference: *Camptogramma uniformata* Bellier,1862, Annls Soc. ent. Dr. (2) 4: 128, pl.1 fig.3. Type: Spain, Catalonia, Barcelona. Range (in code): **PT ES FR Py DZ Orn**
- 38829. Catarhoe arachne Wiltshire,1967** (Geometridae) **Synonym(s):** *arachne* Wiltshire,1967 - Range (in code): **TJ AF Cc AM IR Elb TM Kp**
- 38830. Catarhoe arachne arachne Wiltshire,1967** (Geometridae) **Synonym(s):** *arachne* Wiltshire,1967 - Range (in code): **AF Cc AM IR Elb TM Kp**
- 38831. Catarhoe arachne hissarica Viidalepp,1988** (Geometridae) **Synonym(s):** *hissarica* Viidalepp,1988 - Range (in code): **TJ**
- 38832. Catarhoe basochesiata (Duponchel,1831)** (Geometridae) **Synonym(s):** *basochesiata* Duponchel,1831; *indecora* W.Warren,1899; *algiricata* Lucas,1907 - Range (in code): **MA TN DZ PT ES FR Co Sa Si IT MT GR? TR?** Bionomy: Larva on *Rubia tinctorum*, *Rubia olivieri* (Meyer,1919; Wiltshire,1939).
- 38833. Catarhoe basochesiata basochesiata (Duponchel,1831)** (Geometridae) **Synonym(s):** *basochesiata* Duponchel,1831; *indecora* W.Warren,1899; *algiricata* Lucas,1907 - Range (in code): **MA DZ TN PT ES FR Co Sa IT MT GR? TR?**
- 38834. Catarhoe crebrolineata Kusnetsov,1960** (Geometridae) **Synonym(s):** *crebrolineata* Kusnetsov,1960 - Range (in code): **TM Kp**

- 38835. *Catarhoe cuculata* (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933 Original Reference: *Phalaena cuculata* Hufnagel,1767, Berl. Mag. 4: 602. Type(s): Deutschland: Berlin. Range (in code): **DZ TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Hkd AM AZ DK NO SE FI EE LV LT RU Ur Sb Ya Am Sh MD UA BY CN Ui Kun Um KK Ik KG UZ MN** Bionomy: Larva on *Galium sylvaticum*, *G. verum* (Meyer,1919).
- 38836. *Catarhoe cuculata cuculata* (Hufnagel,1767)** (Geometridae) Synonym(s): *cuculata* Hufnagel,1767; *sinuata* [Denis & Schiffermüller],1775; *sabinata* Dannehl,1933 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG AM AZ DK NO SE FI EE LV LT RU Ur Sb Ya Am Sh MD UA BY**
- 38837. *Catarhoe cuculata decolor* (Schwingenschuss,1939)** (Geometridae) Synonym(s): *decolor* Schwingenschuss,1939 Range (in code): **TR**
- 38838. *Catarhoe cuculata lucasi* Herbulot,1984** (Geometridae) Synonym(s): *brunneata* Lucas,1932 nec Pack.,1867; *lucasi* Herbulot,1984 Range (in code): **DZ TN**
- 38839. *Catarhoe cuculata undulosa* (Warnecke,1934)** (Geometridae) Synonym(s): *undulosa* Warnecke,1934 Range (in code): **CN Ui Kun Um KK Ik KG UZ MN**
- 38840. *Catarhoe cupreata* (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *cupreata* Herrich-Schäffer,1839 Range (in code): **DZ Sa Si GR Rd Cr TR IL LB CY** Bionomy: Larva on *Rubia olivieri* (Prout,1938).
- 38841. *Catarhoe hortulanaria* (Staudinger,1879)** (Geometridae) Synonym(s): *hortulanaria* Staudinger,1879; *palaestinensis* Staudinger,1895 Original Reference: *Cidaria hortulanaria* Staudinger,1879, Horae Soc. ent. ross. 14: 470-471. Type ♂: [Türkei]: Amasia. Range (in code): **TR IL Pa CY GR Sms Cr LB**
- 38842. *Catarhoe mosulensis* (Schawerda,1924)** (Geometridae) Synonym(s): *mosulensis* Schawerda,1924; *cinneretharia* Amsel,1935. Original Reference: *Cidaria mosulensis* Schawerda,1924, Verh. zool.- bot. Ges. Wien 73: (160), fig.7. Syntypes: [Iraq]: Mosul. Range (in code): **IQ Mos TR IL Pa Tbg**
- 38843. *Catarhoe nyctichroa* (Hampson,1912)** (Geometridae) Synonym(s): *nyctichroa* Hampson,1912 Range (in code): **IN**
- 38844. *Catarhoe permixtaria* (Guenée,[1858])** (Geometridae) Synonym(s): *#permixtaria* Herrich-Schäffer,1851; *permixtaria* Guenée,[1858] Original Reference: *Melanippe permixtaria* Guenée,[1858], Spec. Gén. Lépid. 10(2): 404. Type(s): [Lebanon]: Beyrut. Range (in code): **IT RO YU MK BG GR TR LB AZ Nv Cc Kir Ord Tbl GG AM IR Gls TM Kp IL Pa Car Js JO**
- 38845. *Catarhoe putridaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *putridaria* Herrich-Schäffer,[1852]; *bulgariata* Millièrre,1868 Original Reference: *Larentia putridaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 78, fig.536. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad]. Range (in code): **ES FR Sa Si IT RO YU AL BG GR TR Cc GG Bjo Kir Ord AZ Nv AM IR Kh TM Kp LB Bsa IL Pa**
- 38846. *Catarhoe rubidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775 Original Reference: *Geometra rubidata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ur IR Fa Shr Sse Elb Th Kdj Cc GG Tbl Bjo Lag Kir Hkd AZ AM RU Ur KK KG UZ TJ TM Kp** Bionomy: Larva on *Galium odoratum*, *G. sylvaticum*, *G. verum* (Rubiaceae) (Meyer,1919).
- 38847. *Catarhoe rubidata bahrama* (Wiltshire,1952)** (Geometridae) Synonym(s): *bahrama* Wiltshire,1952 Range (in code): **IR Fa Shr Sse**
- 38848. *Catarhoe rubidata fumata* (Eversmann,1844)** (Geometridae) Synonym(s): *fumata* Eversmann,1844; *fumaria* Herrich-Schäffer,1848; *elbursica* Wiltshire,1952 Range (in code): **TR IR Elb Th Kdj Cc AZ AM RU Ur KK KG UZ TJ TM Kp**
- 38849. *Catarhoe rubidata rubidata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rubidata* [Denis & Schiffermüller],1775 Original Reference: *Geometra rubidata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ur**
- 38850. *Catarhoe semnana* Wiltshire,1970** (Geometridae) Synonym(s): *semnana* Wiltshire,1970 Range (in code): **IR Elb Th**
- 38851. *Catarhoe tangaba* (Wiltshire,1952)** (Geometridae) Synonym(s): *tangaba* Wiltshire,1952 Range (in code): **IR Fa**

- 38852. *Catarhoe turkmenaria* Shchetkin,1956** (Geometridae) **Synonym(s):** *turkmenaria* Shchetkin,1956 **_ Range (in code):** **TM Kp IR Fa**
- 38853. *Catarhoe yokohamae* (Butler,1881)** (Geometridae) **Synonym(s):** *yokohamae* Butler,1881; *rogenhoferi* Graeser,1889; *colorata* Bryk,1949 **_ Range (in code):** **JP RU Am Prj Us KP KR**
- 38854. *Catoria camelaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *camelaria* Guenée,[1858]; *velutinarum* Walker,1866 **_ Range (in code):** **NC AU QAU ID Ij LO Tim**
- 38855. *Catoria camelaria carbonata* W.Warren,1896** (Geometridae) **Synonym(s):** *carbonata* W.Warren,1896 **_ Range (in code):** **NC**
- 38856. *Catoria hemiprosopa* (Turner,1904)** (Geometridae) **Synonym(s):** *hemiprosopa* Turner,1904 **_ Range (in code):** **AU QAU Bri MY Pen**
- 38857. *Catoria hemiprosopa affinis* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *affinis* L.B.Prout,1925 **_ Range (in code):** **MY Pen**
- 38858. *Catoria kalisi* L.B.Prout,1937** (Geometridae) **Synonym(s):** *kalisi* L.B.Prout,1937 **_ Range (in code):** **ID Ja Bli**
- 38859. *Catoria lucidata* W.Warren,1905** (Geometridae) **Synonym(s):** *lucidata* W.Warren,1905 **_ Range (in code):** **SB**
- 38860. *Catoria misticia* L.B.Prout,1929** (Geometridae) **Synonym(s):** *misticia* L.B.Prout,1929 **_ Range (in code):** **SB**
- 38861. *Catoria olivescens* Moore,1888** (Geometridae) **Synonym(s):** *olivescens* Moore,1888 **_ Range (in code):** **IN SI Djl TH CMA Ntt Hba ID Bru Bli** **Bionomy:** Larva on *Pisum sativum* (Fabaceae), *Theobroma cacao* (Sterculiaceae) (Scoble,1999).
- 38862. *Catoria parva* (Butler,1887)** (Geometridae) **Synonym(s):** *parva* Butler,1887 **_ Range (in code):** **SB**
- 38863. *Catoria proicyrta* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *proicyrta* L.B.Prout,1932 **_ Range (in code):** **MY Bor Sbh TH**
- 38864. *Catoria subalbata* W.Warren,1905** (Geometridae) **Synonym(s):** *subalbata* W.Warren,1905 **_ Range (in code):** **ID Sum**
- 38865. *Catoria sublavarum* (Guenée,[1858])** (Geometridae) **Synonym(s):** *sublavarum* Guenée,[1858] **_ Range (in code):** **IN Adm Nk ID Ij Clb PG Nlr TH Ntt Hba CMA Phr Wgc Cbi Nna Kao**
- 38866. *Catoria sulawesensis* Sato,1995** (Geometridae) **Synonym(s):** *sulawesensis* Sato,1995 **_ Range (in code):** **ID Clb**
- 38867. *Catoria tamsi* L.B.Prout,1929** (Geometridae) **Synonym(s):** *tamsi* L.B.Prout,1929 **_ Range (in code):** **MY Prk TH Ntt Hba**
- 38868. *Celenna agalma* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *agalma* L.B.Prout,1922 **_ Range (in code):** **ID Crm**
- 38869. *Celenna brachygenyx* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *brachygenyx* L.B.Prout,1922 **_ Range (in code):** **ID Clb**
- 38870. *Celenna callopistes* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *callopistes* L.B.Prout,1932; *#callopista* Hutacharern & Tubtim,1995 **_ Range (in code):** **MY Bor Sbh KBa TH**
- 38871. *Celenna centraria* (Snellen,[1886])** (Geometridae) **Synonym(s):** *centraria* Snellen,[1886]; *mimaria* Swinhoe,1909 **_ Range (in code):** **ID Sum TH**
- 38872. *Celenna chlorophora* W.Warren,1897** (Geometridae) **Synonym(s):** *chlorophora* W.Warren,1897 **_ Range (in code):** **ID**
- 38873. *Celenna festivarum* (Fabricius,1794)** (Geometridae) **Synonym(s):** *festivarum* Fabricius,1794; *saturatarum* Walker,1861 **_ Range (in code):** **TH Ntt Hba IN LK TW JP PH Luz**
- 38874. *Celenna festivarum festivarum* (Fabricius,1794)** (Geometridae) **Synonym(s):** *festivarum* Fabricius,1794; *saturatarum* Walker,1861 **_ Range (in code):** **TH IN LK**
- 38875. *Celenna festivarum formosensis* (Inoue,1964)** (Geometridae) **Synonym(s):** *formosensis* Inoue,1964 **_ Range (in code):** **TW**
- 38876. *Celenna festivarum manifesta* (Inoue,1964)** (Geometridae) **Synonym(s):** *manifesta* Inoue,1964 **_ Range (in code):** **JP**
- 38877. *Celenna festivarum temperata* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *temperata* L.B.Prout,1925 **_ Range (in code):** **PH Luz**
- 38878. *Celenna imbutaria* (Walker,1866)** (Geometridae) **Synonym(s):** *imbutaria* Walker,1866 **_ Range (in code):** **ID Aru**

- 38879. Celenna muscicolor (W.Warren,1893)** (Geometridae) *Synonym(s): muscicolor W.Warren,1893; informis W.Warren,1897; xerophylla L.B.Prout,1926* _ Range (in code): TH MM Krh BD Syl MY Bor Swk
- 38880. Celenna pulchraria (Rothschild,1894)** (Geometridae) *Synonym(s): pulchraria Rothschild,1894* _ Range (in code): IN Ass Slo BD
- 38881. Celerena andamana R.Felder & Rogenhofer,1875** (Geometridae) *Synonym(s): andamana R.Felder & Rogenhofer,1875* _ Range (in code): IN Adm
- 38882. Celerena angustisignata L.B.Prout,1917** (Geometridae) *Synonym(s): angustisignata L.B.Prout,1917* _ Range (in code): PG Ls
- 38883. Celerena aurata W.Warren,1899** (Geometridae) *Synonym(s): aurata W.Warren,1899* _ Range (in code): PG Ls
- 38884. Celerena cana W.Warren,1896** (Geometridae) *Synonym(s): cana W.Warren,1896* _ Range (in code): PG ID Ij Fg Eca
- 38885. Celerena cana cana W.Warren,1896** (Geometridae) *Synonym(s): cana W.Warren,1896* _ Range (in code): PG Eca Fg
- 38886. Celerena cana fulvastra L.B.Prout,1916** (Geometridae) *Synonym(s): fulvastra L.B.Prout,1916* _ Range (in code): ID Ij
- 38887. Celerena cana nigrilinea L.B.Prout,1916** (Geometridae) *Synonym(s): nigrilinea L.B.Prout,1916* _ Range (in code): PG
- 38888. Celerena commutata Walker,1865** (Geometridae) *Synonym(s): commutata Walker,1865* _ Range (in code): ID Aru Mlc
- 38889. Celerena divisa Walker,1862** (Geometridae) *Synonym(s): divisa Walker,1862* _ Range (in code): TH BD Syl
- 38890. Celerena divisa divisa Walker,1862** (Geometridae) *Synonym(s): divisa Walker,1862* _ Range (in code): BD Syl
- 38891. Celerena divisa siamica Swinhoe,1903** (Geometridae) *Synonym(s): siamica Swinhoe,1903* _ Range (in code): TH
- 38892. Celerena exacta W.Warren,1899** (Geometridae) *Synonym(s): exacta W.Warren,1899* _ Range (in code): SB
- 38893. Celerena griseofusa W.Warren,1896** (Geometridae) *Synonym(s): griseofusa W.Warren,1896* _ Range (in code): PG Eca
- 38894. Celerena latiflava (W.Warren,1896)** (Geometridae) *Synonym(s): latiflava W.Warren,1896* _ Range (in code): PG ID Ij
- 38895. Celerena latiflava latiflava (W.Warren,1896)** (Geometridae) *Synonym(s): latiflava W.Warren,1896* _ Range (in code): ID Ij
- 38896. Celerena latiflava nigriceps W.Warren,1903** (Geometridae) *Synonym(s): nigriceps W.Warren,1903* _ Range (in code): PG
- 38897. Celerena lerne (Boisduval,1832)** (Geometridae) *Synonym(s): lerne Boisduval,1832* _ Range (in code): ID Mlc Amb Crm
- 38898. Celerena lerne amplimargo L.B.Prout,1916** (Geometridae) *Synonym(s): amplimargo L.B.Prout,1916* _ Range (in code): ID Ij
- 38899. Celerena lerne lerne (Boisduval,1832)** (Geometridae) *Synonym(s): lerne Boisduval,1832* _ Range (in code): ID Mlc Amb Crm
- 38900. Celerena mitis W.Warren,1899** (Geometridae) *Synonym(s): mitis W.Warren,1899* _ Range (in code): PG Ls SB NBr
- 38901. Celerena mitis evitans L.B.Prout,1916** (Geometridae) *Synonym(s): evitans L.B.Prout,1916* _ Range (in code): SB
- 38902. Celerena mitis melanoprora L.B.Prout,1926** (Geometridae) *Synonym(s): melanoprora L.B.Prout,1926* _ Range (in code): PG NBr
- 38903. Celerena mitis mitis W.Warren,1899** (Geometridae) *Synonym(s): mitis W.Warren,1899* _ Range (in code): PG Ls
- 38904. Celerena mutata Walker,1865** (Geometridae) *Synonym(s): mutata Walker,1865; eucnemis R.Felder & Rogenhofer,1875* _ Range (in code): ID Mi Clb
- 38905. Celerena mutatypes L.B.Prout,1916** (Geometridae) *Synonym(s): mutatypes L.B.Prout,1916* _ Range (in code): PG
- 38906. Celerena obiana L.B.Prout,1910** (Geometridae) *Synonym(s): obiana L.B.Prout,1910* _ Range (in code): ID Ob

- 38907. *Celerena palawanica* Pagenstecher, 1890** (Geometridae) Synonym(s): *palawanica* Pagenstecher, 1890 Original Reference: Celerena palawanica Pagenstecher, 1890, Dt. ent. Z., Iris 3: 31. Syntypes 1♂ 1♀: [Philippines]: Palawan. Range (in code): PH Pal
- 38908. *Celerena pallidicolor* W. Warren, 1894** (Geometridae) Synonym(s): *pallidicolor* W. Warren, 1894 Range (in code): ID Ij Wg PG
- 38909. *Celerena pallidicolor hirtipes* W. Warren, 1903** (Geometridae) Synonym(s): *hirtipes* W. Warren, 1903 Range (in code): PG
- 38910. *Celerena pallidicolor pallidicolor* W. Warren, 1894** (Geometridae) Synonym(s): *pallidicolor* W. Warren, 1894 Range (in code): ID Ij Wg
- 38911. *Celerena perithea* (Cramer, 1777)** (Geometridae) Synonym(s): *perithea* Cramer, 1777; *connexa* Walker, 1865; *stenospila* W. Warren, 1894 Range (in code): ID Kei Mlc Crm Ij Wg
- 38912. *Celerena perithea keiensis* L. B. Prout, 1916** (Geometridae) Synonym(s): *keiensis* L. B. Prout, 1916 Range (in code): ID Kei
- 38913. *Celerena perithea perithea* (Cramer, 1777)** (Geometridae) Synonym(s): *perithea* Cramer, 1777; *connexa* Walker, 1865; *stenospila* W. Warren, 1894 Range (in code): ID Mlc Crm Ij Wg
- 38914. *Celerena probola* L. B. Prout, 1916** (Geometridae) Synonym(s): *probola* L. B. Prout, 1916 Range (in code): ID Ij
- 38915. *Celerena prodroma* Meyrick, 1886** (Geometridae) Synonym(s): *prodroma* Meyrick, 1886 Range (in code): PG
- 38916. *Celerena prodroma prodroma* Meyrick, 1886** (Geometridae) Synonym(s): *prodroma* Meyrick, 1886 Range (in code): PG
- 38917. *Celerena prodroma remutata* L. B. Prout, 1913** (Geometridae) Synonym(s): *remutata* L. B. Prout, 1913 Range (in code): PG
- 38918. *Celerena proxima* Walker, 1865** (Geometridae) Synonym(s): *proxima* Walker, 1865 Range (in code): ID Clb
- 38919. *Celerena recurvata* (Walker, 1865)** (Geometridae) Synonym(s): *recurvata* Walker, 1865; *flavotogata* Pagenstecher, 1896 Range (in code): ID Mlc Bch Hm
- 38920. *Celerena reversa* (W. Warren, 1897)** (Geometridae) Synonym(s): *reversa* W. Warren, 1897 Range (in code): ID Ob
- 38921. *Celerena semperi* L. B. Prout, 1916** (Geometridae) Synonym(s): *semperi* L. B. Prout, 1916 Range (in code): PH Sam
- 38922. *Celerena signata* W. Warren, 1898** (Geometridae) Synonym(s): *signata* W. Warren, 1898; *nigripalpis* Swinhoe, 1902 Range (in code): TH Ntt Hba ID Bor Sum
- 38923. *Celerena spreta* Walker, 1865** (Geometridae) Synonym(s): *spretta* Walker, 1865; *chrysauge* R. Felder & Rogenhofer, 1875 Range (in code): ID Mlc Bch
- 38924. *Celerena substigmata* W. Warren, 1904** (Geometridae) Synonym(s): *substigmata* W. Warren, 1904 Range (in code): ID Ob
- 38925. *Celerena triflora* W. Warren, 1896** (Geometridae) Synonym(s): *triflora* W. Warren, 1896 Range (in code): ID Bia PG
- 38926. *Celerena vulgaris* Butler, 1877** (Geometridae) Synonym(s): *vulgaris* Butler, 1877 Range (in code): PG
- 38927. *Celerena waigeuensis* Joicey & Talbot, 1917** (Geometridae) Synonym(s): *waigeuensis* Joicey & Talbot, 1917 Range (in code): ID Ij Wg
- 38928. *Celidomphax analiplaga* (W. Warren, 1905)** (Geometridae) Synonym(s): *analiplaga* W. Warren, 1905 Original Reference: Agraptochlora analiplaga W. Warren, 1905, Novit. zool. 12: 384. Type ♀: Tanzania, Massasi (BMNH). Range (in code): ZW Swm TZ YE YE30 Sna
- 38929. *Celidomphax prolongata* L. B. Prout, 1915** (Geometridae) Synonym(s): *prolongata* L. B. Prout, 1915 Range (in code): SD
- 38930. *Celidomphax quadrimacula* Janse, 1935** (Geometridae) Synonym(s): *quadrimacula* Janse, 1935 Range (in code): ZA Mal ZA17 ZA22 Tva Lpo Nta Kzu Umk
- 38931. *Celidomphax rubrimaculata* (W. Warren, 1905)** (Geometridae) Synonym(s): *rubrimaculata* W. Warren, 1905 Range (in code): ZA Nta Kzu Dbn Nha Bionomy: Larva on Combretum glomatifolium (Janse, 1935).
- 38932. *Celonoptera mirificaria* Lederer, 1862** (Geometridae) Synonym(s): *mirificaria* Lederer, 1862; *paradoxaria* Staudinger, 1862 Range (in code): Si IT GR
- 38933. *Centrochria aphthona* (L. B. Prout, 1934)** (Geometridae) Synonym(s): *aphthona* L. B. Prout, 1934 Range (in code): UG

- 38934. Centrochria deprensa (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *deprensa* L.B.Prout,1913 **_ Range (in code):** **ZA ZA24 NWe Tva Nbs** **Bionomy:** Larva on Rhus leptodictya (Anacardiaceae) (Staude,1999).
- 38935. Centrochria unipunctata Gaede,1917** (Geometridae) **Synonym(s):** *unipunctata* Gaede,1917; *metis* Fawcett,1918 **_ Range (in code):** **KE**
- 38936. Cepphis advenaria (Hübner,[1799])** (Geometridae) **Synonym(s):** *advenaria* Hübner,[1799] **_ Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Prunus, Salix, Fragaria, Genista tinctoria, Melampyrum pratense, Vaccinium myrtillus (Blaschke,1914; Meyer,1919).
- 38937. Cerurographa bistonica (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *bistonica* L.B.Prout,1922 **_ Range (in code):** **ZA ZA26 Nta Kzu**
- 38938. Chalyboclydon flexilinea W.Warren,1898** (Geometridae) **Synonym(s):** *flexilinea* W.Warren,1898 **_ Range (in code):** **IN Meg Ass Khs**
- 38939. Chalyboclydon marginata W.Warren,1893** (Geometridae) **Synonym(s):** *marginata* W.Warren,1893; *apicata* Wileman,1916 **_ Range (in code):** **IN SI MM Mme TW**
- 38940. Chariaspilates formosaria (Eversmann,1837)** (Geometridae) **Synonym(s):** *formosaria* Eversmann,1837 **_ Range (in code):** **FR IT NL DE AT PL SK HU RO YU BG GR LT RU MD UA BY** **Bionomy:** Larva on Caltha [palustris], Lysimachia (Meyer,1919).
- 38941. Chartographa convexa (Wileman,1912)** (Geometridae) **Synonym(s):** *convexa* Wileman,1912 **_ Range (in code):** **TW**
- 38942. Chartographa fabiolaria (Oberthür,1884)** (Geometridae) **Synonym(s):** *fabiolaria* Oberthür,1884; *korelygrus* Bryk,1949 **_ Range (in code):** **CN KP KR TW**
- 38943. Chartographa fabiolaria candida Inoue,1989** (Geometridae) **Synonym(s):** *candida* Inoue,1989 **_ Range (in code):** **TW**
- 38944. Chartographa liva Xue,1990** (Geometridae) **Synonym(s):** *liva* Xue,1990 **_ Range (in code):** **CN Yu**
- 38945. Chartographa ludovicaria (Oberthür,1879)** (Geometridae) **Synonym(s):** *ludovicaria* Oberthür,1879; *tigrinata* Christoph,1881 **_ Range (in code):** **RU Us Ask Vv CN**
- 38946. Chartographa nigritlella Xue,1992** (Geometridae) **Synonym(s):** *nigritlella* Xue,1992 **_ Range (in code):** **CN Hun**
- 38947. Chartographa plurilineata (Walker,1862)** (Geometridae) **Synonym(s):** *plurilineata* Walker,1862 **_ Range (in code):** **CN**
- 38948. Chartographa trigoniplaga (Hampson,1895)** (Geometridae) **Synonym(s):** *trigoniplaga* Hampson,1895 **_ Range (in code):** **NP**
- 38949. Cheimoptena pennigera Danilevsky,1969** (Geometridae) **Synonym(s):** *pennigera* Danilevsky,1969 **_ Range (in code):** **TM Rpt**
- 38950. Chelotephrina acorema M.Krüger,1999** (Geometridae) **Synonym(s):** *acorema* M.Krüger,1999; *acorema* M.Krüger,2001 **Original Reference:** Chelotephrina acorema Krüger,1999, Metamorphosis 10 (3): 115, fig.113. Monotype ♂: South Africa: KwaZulu-Natal: Creighton, Hlabeni Forest Reserve, Mist Forest, 1500m, 19-21.12.1992 H.S.Staude leg. **_ Range (in code):** **ZA ZA13 Nta Kzu**
- 38951. Chelotephrina acorema M.Krüger,2001** (Geometridae) **Synonym(s):** *acorema* M.Krüger,2001 **_ Range (in code):** **ZA Ec Tra Nta Kzu Mpu ZW**
- 38952. Chelotephrina crypsispila (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *crypsispila* D.S.Fletcher,1958 **_ Range (in code):** **KE UG Rz CM**
- 38953. Chelotephrina crypsispila (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *crypsispila* D.S.Fletcher,1958. **_ Range (in code):**
- 38954. Chemerina caliginearia (Rambur,1833)** (Geometridae) **Synonym(s):** *caliginearia* Rambur,1833; *caliginata* Boisduval,1840; *ramburaria* Boisduval,1840; *andalusica* Ribbe,1912; *punctinervis* Rothschild,1914; *adriatica* Schwingenschuss & F.Wagner,1927 **Original Reference:** Ligia caliginearia Rambur,1833, Annls Soc. ent. Fr. 2: 35, pl.2 fig.34. Type: France, Corsica, Ajaccio, Hyères. **_ Range (in code):** **DZ Ges PT ES An Mu FR Co Sa Si IT YU GR TR** **Bionomy:** Larva on Cistus salvifolius (Meyer,1919).
- 38955. Cherbulois banakaria (Plötz,1880)** (Geometridae) **Synonym(s):** *banakaria* Plötz,1880; *tortuosa* W.Warren,1897 **_ Range (in code):** **CM ZR CG CF UG RW**
- 38956. Cherbulois marmorata Hausmann,2003** (Geometridae) **Synonym(s):** *marmorata* Hausmann,2003 **_ Range (in code):** **CM ZR**

- 38957. Cheroscelis oospila L.B.Prout,1912** (Geometridae) Synonym(s): *oospila* L.B.Prout,1912
Range (in code): **ZR**
- 38958. Chesias angeri Schawerda,1919** (Geometridae) Synonym(s): *angeri* Schawerda,1919
Range (in code): **B-H IT**
- 38959. Chesias isabella Schawerda,1915** (Geometridae) Synonym(s): *isabella* Schawerda,1915
Range (in code): **MA DZ PT ES FR**
- 38960. Chesias lecerfi Lucas,1937** (Geometridae) Synonym(s): *lecerfi* Lucas,1937 - Range (in code): **MA**
- 38961. Chesias legatella ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *legatella* [Denis & Schiffermüller],1775; *spartiana* Herbst,1782; *soubryana* Villers,1789; *capriata* L.B.Prout,1914; *scanica* Burrau,1950 Original Reference: *Tinea legatella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 319. Type(s): [Austria]: Vienna district. Range (in code): **DZ Orn PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG GR DK NO SE FI LV LT** Bionomy: Larva on *Sarothamnus scoparius* (Meyer,1919).
- 38962. Chesias leuconeura L.B.Prout,1931** (Geometridae) Synonym(s): *leuconeura* L.B.Prout,1931; *sureyata* Rebel,1933. Original Reference: *Chesias leuconeura* L.B.Prout,1931, *Ann. Mag. nat. Hist.* (10) 8: 554. Syntypes 2♂: [Turkey]: Angora [Ankara] (BMNH). Range (in code): **TR**
- 38963. Chesias pinkeri Schawerda,1939** (Geometridae) Synonym(s): *pinkeri* Schawerda,1939
Range (in code): **MK**
- 38964. Chesias plumbeata Staudinger,1901** (Geometridae) Synonym(s): *plumbeata* Staudinger,1901 - Range (in code): **MA DZ TN**
- 38965. Chesias rhegmatica L.B.Prout,1937** (Geometridae) Synonym(s): *rhegmatica* L.B.Prout,1937 Original Reference: *Chesias rhegmatica* L.B.Prout,1937, [in] Seitz,A., *Die Gross-Schmett. Erde* 4 (suppl.): 85. Type ♂: Cyprus: Limassol (Mavromoustakis leg.) (BMNH). Range (in code): **CY**
- 38966. Chesias rufata (Fabricius,1775)** (Geometridae) Synonym(s): *rufata* Fabricius,1775; *obliquaria* [Denis & Schiffermüller],1775; *bombycata* Donovan,1806; *occidentalis* Delahaye,1900; *cinereata* Staudinger,1901; *plumbeata* Staudinger,1901; *ornata* Heydemann,1933; *scotica* Richardson,1952 Original Reference: *Phalaena rufata* Fabricius,1775, *Syst. Ent.*: 633. Type(s): Anglia. Range (in code): **MA DZ PT ES FR Co Sa IT GB Sc BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GR DK SE LT RU MD UA BY** Bionomy: Larva on *Erica*, *Genista*, *Sarothamnus scoparius* (Staudinger,1879; Meyer,1919).
- 38967. Chesias zuellichi Schawerda,1939** (Geometridae) Synonym(s): *zuellichi* Schawerda,1939
Range (in code): **GR**
- 38968. Chesistege korbi (Bohatsch,1910)** (Geometridae) Synonym(s): *korbi* Bohatsch,1910 Original Reference: *Chesias korbi* Bohatsch,1910, *Jb. Wien. ent. Ver.* 20: 164. Syntypes: [Türkei]: Raupe auf *Cephalaria procera* über 2000m bei Takaltu oberhalb Kasikoparan (Russ. Armenien) [sic!]. Range (in code): **TR JO IQ TM Kp Cc AM**
- 38969. Chesistege korbi kopetdagica Viidalepp,1990** (Geometridae) Synonym(s): *kopetdagica* Viidalepp,1990 - Range (in code): **TM Kp**
- 38970. Chesistege korbi korbi (Bohatsch,1910)** (Geometridae) Synonym(s): *korbi* Bohatsch,1910 Original Reference: *Chesias korbi* Bohatsch,1910, *Jb. Wien. ent. Ver.* 20: 164. Syntypes: [Türkei]: Raupe auf *Cephalaria procera* über 2000m bei Takaltu oberhalb Kasikoparan (Russ. Armenien) [sic!]. Range (in code): **TR IQ Cc AM**
- 38971. Chesistege korbi taurica Wehrli,1938** (Geometridae) Synonym(s): *taurica* Wehrli,1938
Range (in code): **TR**
- 38972. Chiasmia (Godonela) aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. Original Reference: *Geometra aestimaria* Hübner,[1809], *Samml. eur. Schmett.* 5: pl.64 fig.333. Type(s): Europa. Range (in code): **DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Nv CY IQ Agh IR Mz Gls Fa Sse RU MD UA BY CN Ui Ku KK Ik IL Pa Jf Hf PK Nwf YE Hd YE68** Bionomy: Larva on *Tamarix gallica* (Tamaricaceae) (Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 38973. Chiasmia (Godonela) aestimaria aestimaria (Hübner,[1809])** (Geometridae) Synonym(s): *aestimaria* Hübner,[1809]; *contemptata* Guenée,[1858]; *aestimata* Herrich-Schäffer,1861; *tunesella* Lucas,1949. Original Reference: *Geometra aestimaria* Hübner,[1809], *Samml. eur. Schmett.* 5: pl.64 fig.333. Type(s): Europa. Range (in code): **DZ Clo TN PT ES Mu FR Sa Si IT MT RO YU AL BG GR TR Cc AZ AM GG Nv CY IQ IR Fa Sse RU MD UA BY PK Nwf** Bionomy: Larva on *Tamarix gallica* (Tamaricaceae) (Blaschke,1914; Meyer,1919; Wiltshire,1957).

- 38974. Chiasmia (Godonela) aestimaria kuldshana Scoble,1999** (Geometridae)
Synonym(s): *#kuldshana* Wehrli,1940; *kuldshana* Scoble,1999 Original Reference: *Semiothisa aestimaria* [aestimaria] var. *kuldshana* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 384 (31d). Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): CN Ui Ku KK Ik
- 38975. Chiasmia (Godonela) albipuncta (W.Warren,1894)** (Geometridae) Synonym(s): *albipuncta* W.Warren,1894 Range (in code): MY TH Ntt Hba
- 38976. Chiasmia (Godonela) albivia (L.B.Prout,1915)** (Geometridae) Synonym(s): *albivia* L.B.Prout,1915 Range (in code): CM Bit CI UG NG
- 38977. Chiasmia (Godonela) angolaria (Snellen,1872)** (Geometridae) Synonym(s): *angolaria* Snellen,1872 Range (in code): ZR
- 38978. Chiasmia (Godonela) avitusaria (Walker,1860)** (Geometridae) Synonym(s): *avitusaria* Walker,1860; *violavittata* Pagenstecher,1888; *odataria* Swinhoe,1893; *deformis* W.Warren,1896; *abbreviata* W.Warren,1897 Range (in code): ID Clb Bli TH Ntt Hba MY Bor Swk Bch IN Meg Ass Khs SI Djl
- 38979. Chiasmia (Godonela) bornusaria (Holloway,[1994])** (Geometridae) Synonym(s): *bornusaria* Holloway,[1994] Range (in code): MY Bor TH Ntt Hba
- 38980. Chiasmia (Godonela) buettikeri (Wiltshire,1980)** (Geometridae) Synonym(s): *buettikeri* Wiltshire,1980 Range (in code): SA YE Sna YE3o YE33 ET ER
- 38981. Chiasmia (Godonela) cacularia (Oberthür,1891)** (Geometridae) Synonym(s): *cacularia* Oberthür,1891 Range (in code): CN Sz T-T
- 38982. Chiasmia (Godonela) collaxata (Herbulot,1987)** (Geometridae) Synonym(s): *collaxata* Herbulot,1987 Range (in code): CM UG ZR
- 38983. Chiasmia (Godonela) eleonora (Cramer,[1780])** (Geometridae) Synonym(s): *fasciata* Fabricius,1775 nec Sc.,1763; *eleonora* Cramer,[1780]; *fasciosaria* Hübner,[1823]; *victorinata* Guenée,[1858]; *subalbataria* Swinhoe,1890 Original Reference: *Phalaena eleonora* Cramer,[1780], Utitl. Kapellen 3: 172, pl.288 figs.E,F. Syntypes: [India]: Cote de Coromandel. Range (in code): IN NI TH CMa Cmz Cz10 CDo Cbu Srr Phr Bionomy: Larva on leaf of *Acacia concinna* (Fabaceae) (Scoble,1999).
- 38984. Chiasmia (Godonela) eleonora paranora (Holloway,1982)** (Geometridae) Synonym(s): *paranora* Holloway,1982 Range (in code): MY
- 38985. Chiasmia (Godonela) fitzgeraldi (Carcasson,1964)** (Geometridae) Synonym(s): *fitzgeraldi* Carcasson,1964 Range (in code): ZM TZ ZR
- 38986. Chiasmia (Godonela) grandis M.Krüger,2001** (Geometridae) Synonym(s): *grandis* M.Krüger,2001 Original Reference: *Chiasmia grandis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 198-199, figs.347,348, 674, 895. Holotype ♂: [Zaire]: Go, Uelle District, Africa, Congo Belge, Coll. Micheli (NMKE). Range (in code): UG ZR
- 38987. Chiasmia (Godonela) herbuloti (Viette,1973)** (Geometridae) Synonym(s): *herbuloti* Viette,1973 Range (in code): MG
- 38988. Chiasmia (Godonela) hypactinia (L.B.Prout,1916)** (Geometridae) Synonym(s): *hypactinia* L.B.Prout,1916 Range (in code): MG
- 38989. Chiasmia (Godonela) impar (W.Warren,1897)** (Geometridae) Synonym(s): *impar* W.Warren,1897 Range (in code): CI NG CM UG TZ
- 38990. Chiasmia (Godonela) mutabilis (W.Warren,1897)** (Geometridae) Synonym(s): *mutabilis* W.Warren,1897 Range (in code): MY Bor TH Ntt Hba
- 38991. Chiasmia (Godonela) nora (Walker,1861)** (Geometridae) Synonym(s): *nora* Walker,1861 Range (in code): IN Pj SI Djl LK TH Ntt Hba CMa Dst
- 38992. Chiasmia (Godonela) ostentosaria (Möschler,1887)** (Geometridae) Synonym(s): *ostentosaria* Möschler,1887 Range (in code): UG KE SL TG CM AO NG ZR LR GH GA CF
- 38993. Chiasmia (Godonela) parastreniata M.Krüger,2001** (Geometridae) Synonym(s): *parastreniata* M.Krüger,2001 Original Reference: *Chiasmia parastreniata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 195, figs.333-336, 669. Holotype ♂: [Tanzania]: Tanganyika, Chulwe, iv.1966, 20.vii.1966; leg. J. Kielland (NMKE). Range (in code): TZ KE
- 38994. Chiasmia (Godonela) percnoptera (L.B.Prout,1915)** (Geometridae) Synonym(s): *percnoptera* L.B.Prout,1915 Range (in code): CM Bit UG RW ZR AO TZ
- 38995. Chiasmia (Godonela) perfusaria (Walker,1866)** (Geometridae) Synonym(s): *perfusaria* Walker,1866; *subfasciata* Hampson,1891 Range (in code): MY IN NI TH
- 38996. Chiasmia (Godonela) sareptanaria (Staudinger,1871)** (Geometridae) Synonym(s): *sareptanaria* Staudinger,1871 Range (in code): RU Sr KG TM SA SA39 Jh SN CY
- 38997. Chiasmia (Godonela) sp.** (Geometridae) Synonym(s): Range (in code): TR

- 38998. Chiasmia (Godonela) streniata (Guenée,[1858])** (Geometridae) **Synonym(s):** *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905. **Range (in code):** **ZA ZA12 ZA13 Mal Tva Lpo ZA25 Nta Kzu Gau Jh Pre Mag Rtb Mpu Wo Wv Mll Nel Brb Nbs Pin Nha Umk Ptb Dbn Lds Pto Kkf Wca Cto Pel Ec Elo Stj ZW Vf Vum Bul Har BW MZ AO MW ZM KE Nai TZ UG ZR CM NG SL DJ ET YE YE30 YE33 Sna MG**
- 38999. Chiasmia (Godonela) streniata arata (Saalmüller,1891)** (Geometridae) **Synonym(s):** *arata* Saalmüller,1891 **Range (in code):** **MG**
- 39000. Chiasmia (Godonela) streniata streniata (Guenée,[1858])** (Geometridae) **Synonym(s):** *streniata* Guenée,[1858]; *amandata* Walker,1861; *lunivallata* W.Warren,1905. **Range (in code):** **ZA ZA12 ZA13 Mal Tva Lpo ZA25 Nta Kzu Gau Jh Pre Mag Rtb Mpu Wo Wv Mll Nel Brb Nbs Pin Nha Umk Ptb Dbn Lds Pto Kkf Wca Cto Pel Ec Elo Stj ZW Vf Bul Har Vum BW MZ AO MW ZM KE Nai TZ UG ZR CM NG SL DJ ET YE**
- 39001. Chiasmia (Godonela) syriacaria (Staudinger,1871)** (Geometridae) **Synonym(s):** *syriacaria* Staudinger,1871; *venerata* Christoph,1887; *#syriacata* Wehrli,1934. **Original Reference:** *Macaria aestimaria* var. *syriacaria* Staudinger,1871, [in] Staudinger & Wock, Cat. lepid. eur. Faunengeb. (2): 160. Syntypes: Syria, Cyprus. **Range (in code):** **Cr TR Cc CY TM Kp IR Ahz Srd IQ Bgd Agh Mq Sbn Dk Amr IL Pa Hf Jf LB Bei BH** **Bionomy:** Larva on *Prosopis stephaniana*, *Glycyrrhiza* ? (Wiltshire,1939,1957).
- 39002. Chiasmia (Godonela) tenuiata (Staudinger,1901)** (Geometridae) **Synonym(s):** *tenuiata* Staudinger,1901 **Range (in code):** **LB Bei**
- 39003. Chiasmia (Godonela) tetragraphicata (Saalmüller,1880)** (Geometridae) **Synonym(s):** *tetragraphicata* Saalmüller,1880 **Range (in code):** **MG**
- 39004. Chiasmia (Godonela) translineata (Walker,1866)** (Geometridae) **Synonym(s):** *translineata* Walker,1866; *albidulata* W.Warren,1898; *albibrunnea* W.Warren,1902; *hollowayi* Bänziger & D.S.Fletcher,1988 **Range (in code):** **ID Sum Clb Tnm Sba TH CMa CDo Ntt Hba MY Bor** **Bionomy:** Larva on *Delonix* (Fabaceae) (Bänziger & Fletcher,1988).
- 39005. Chiasmia (Godonela) tricolorata (W.Warren,1895)** (Geometridae) **Synonym(s):** *tricolorata* W.Warren,1895 **Range (in code):** **ID Egg**
- 39006. Chiasmia (Godonela) tsaratanana (Viette,1980)** (Geometridae) **Synonym(s):** *tsaratanana* Viette,1980 **Range (in code):** **MG**
- 39007. Chiasmia (Godonela) xanthonora (Walker,1861)** (Geometridae) **Synonym(s):** *xanthonora* Walker,1861; *semilutea* W.Warren,1905 **Range (in code):** **MM Shn IN TH CMa CDo**
- 39008. Chiasmia abnormata (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *abnormata* L.B.Prout,1917 **Range (in code):** **ZA Nta Kzu Dbn Kkf Ec Elo Grh Pjo SZ ZW Uma**
- 39009. Chiasmia abydata (Guenée,[1858])** (Geometridae) **Synonym(s):** *abydata* Guenée,[1858]; *vagabunda* Inoue,1986 **Range (in code):** **JP Ri TW PH MY Bor GU** **Bionomy:** Larva on *Leucaena glauca* (Fabaceae) (Inoue,1994).
- 39010. Chiasmia abyssinica M.Krüger,2001** (Geometridae) **Synonym(s):** *abyssinica* M.Krüger,2001 **Original Reference:** *Chiasmia abyssinica* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 183, figs.311, 882. Holotype ♀: [Ethiopia]: Abyssinie, Harrar, 1934; leg. J. Maurel (Muséum Paris, MNHN). **Range (in code):** **ET**
- 39011. Chiasmia acutaria (Walker,1869)** (Geometridae) **Synonym(s):** *acutaria* Walker,1869 **Range (in code):** **TH CMa Dsk**
- 39012. Chiasmia acutiapex M.Krüger,2001** (Geometridae) **Synonym(s):** *acutiapex* M.Krüger,2001 **Original Reference:** *Chiasmia acutiapex* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 173, figs.276, 277, 643. Holotype ♂: Tanzania: Africa, Tanzania, Usa River, 3900ft., ix-ii.1965-66; leg. J.Szunyoghy (BMNH). **Range (in code):** **TZ KE Nai**
- 39013. Chiasmia adelpha M.Krüger,2001** (Geometridae) **Synonym(s):** *adelpha* M.Krüger,2001 **Original Reference:** *Chiasmia adelpha* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 150, figs.226, 619, 845. Holotype ♂: [Cameroon]: Forêt de Bafut Nguemba 7,5km S.E. de Bamenda, 2230m, 04.iv.1972; leg. C. Herbulot (C.Herbulot coll.). **Range (in code):** **CM**
- 39014. Chiasmia affinis (W.Warren,1902)** (Geometridae) **Synonym(s):** *affinis* W.Warren,1902 **Range (in code):** **UG SD AO GH ZR CM KE**
- 39015. Chiasmia alternata (W.Warren,1899)** (Geometridae) **Synonym(s):** *alternata* W.Warren,1899 **Range (in code):** **MZ Del ZA Ksi Nta Kzu Dbn**
- 39016. Chiasmia amarata (Guenée,[1858])** (Geometridae) **Synonym(s):** *amarata* Guenée,[1858]; *lataria* Walker,1861; *leighi* W.Warren,1904; *cataleucaria* Mabille,1897. **Range (in code):** **MZ Del KE TZ ZA ZA07 ZA08 Ksi Nta Kzu Dbn Umk Ec**

- 39017. Chiasmia amarata amarata (Guenée,[1858])** (Geometridae) Synonym(s): *amarata* Guenée,[1858]; *lataria* Walker,1861; *leighi* W.Warren,1904; *cataleucaria* Mabilie,1897. Range (in code): ZA ZAO7 ZAO8 Ksi Nta Kzu Dbn Umk Ec MZ
- 39018. Chiasmia amarata choica (L.B.Prout,1932)** (Geometridae) Synonym(s): *choica* L.B.Prout,1932 Range (in code): KE TZ
- 39019. Chiasmia ammodes (L.B.Prout,1922)** (Geometridae) Synonym(s): *ammodes* L.B.Prout,1922 Range (in code): BW Okw ZM ZW Vf ZM ZR CG MW MZ
- 39020. Chiasmia androphoba M.Krüger,2001** (Geometridae) Synonym(s): *androphoba* M.Krüger,2001 Range (in code): TZ
- 39021. Chiasmia angolae (Bethune-Baker,1913)** (Geometridae) Synonym(s): *angolae* Bethune-Baker,1913 Range (in code): AO CM GH
- 39022. Chiasmia anguifera (L.B.Prout,1934)** (Geometridae) Synonym(s): *anguifera* L.B.Prout,1934 Range (in code): UG ZR RW
- 39023. Chiasmia arenosa (Butler,1875)** (Geometridae) Synonym(s): *arenosa* Butler,1875; *sordidata* W.Warren,1897; *bitaeniata* W.Warren,1914. Range (in code): ZA ZA11 ZA12 Nta Kzu Tva Mpu Brb Wv Ltr Spb Tz Tst Esw Kkf Ec Elo Pjo ZW
- 39024. Chiasmia assimilis (W.Warren,1899)** (Geometridae) Synonym(s): *assimilis* W.Warren,1899; *instructaria* Swinhoe,1904. Range (in code): TZ ZA Tva Ktz Nta Kzu ZA14 ZA16 Mpu Esw Ptw Ec SZ MZ ZW Har TZ Dss ZR CM SO Bionomy: Larva on Acacia nilotica (Fabaceae) (Scoble,1999).
- 39025. Chiasmia ate (L.B.Prout,1926)** (Geometridae) Synonym(s): *ate* L.B.Prout,1926 Range (in code): SD TZ KE ET
- 39026. Chiasmia aureobrunnea M.Krüger,2001** (Geometridae) Synonym(s): *aureobrunnea* M.Krüger,2001 Original Reference: Chiasmia aureobrunnea Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 205-206, figs.364, 365, 682, 902. Holotype ♂: Uganda: Kayonza, Kigezi, iii.1967; leg. R.C. Otieno (BMNH). Range (in code): UG
- 39027. Chiasmia austera (L.B.Prout,1932)** (Geometridae) Synonym(s): *austera* L.B.Prout,1932 Range (in code): ZR
- 39028. Chiasmia avitusaria avitusaria (Walker,1860)** (Geometridae) Synonym(s): *avitusaria* Walker,1860; *violavittata* Pagenstecher,1888; *odataria* Swinhoe,1893; *deformis* W.Warren,1896; *abbreviata* W.Warren,1897 Range (in code): ID Bli MY Bor Swk Beh IN Ass Meg Khs SI Djl
- 39029. Chiasmia avitusaria stigmica (L.B.Prout,1932)** (Geometridae) Synonym(s): *stigmica* L.B.Prout,1932 Range (in code): ID Clb
- 39030. Chiasmia avitusarioides (Herbulot,1956)** (Geometridae) Synonym(s): *avitusarioides* Herbulot,1956 Range (in code): MG
- 39031. Chiasmia azataria (Swinhoe,1893)** (Geometridae) Synonym(s): *azataria* Swinhoe,1893 Range (in code): IN Meg Ass Khs
- 39032. Chiasmia banian (Viette,1981)** (Geometridae) Synonym(s): *banian* Viette,1981 Range (in code): MG
- 39033. Chiasmia basharica (Wehrli,1932)** (Geometridae) Synonym(s): *basharica* Wehrli,1932 Range (in code): IN
- 39034. Chiasmia boarmioides M.Krüger,2001** (Geometridae) Synonym(s): *boarmioides* M.Krüger,2001 Original Reference: Chiasmia boarmioides Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 223-224, figs.405-407, 698, 919, 1018. Holotype ♂: [Zimbabwe]: Buby river, 19.x.1990; leg. N.J. Duke (NMBZ). Range (in code): ZA Tva Lpo Mgl ZW Har Vf MZ ZM
- 39035. Chiasmia bomfordi M.Krüger,2001** (Geometridae) Synonym(s): *bomfordi* M.Krüger,2001 Original Reference: Chiasmia bomfordi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142-143, figs.206, 608, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Marandellas, i.1960; leg. P.Bomford (NMBZ). Range (in code): ZW
- 39036. Chiasmia brongusaria (Walker,1860)** (Geometridae) Synonym(s): *brongusaria* Walker,1860; ? *exsecutaria* Walker,1861; *incessaria* Walker,1861; *miliaria* R.Felder & Rogenhofer,1874; *sabulifera* W.Warren,1899; *uvidaria* Swinhoe,1904; *oleochroa* Hampson,1909. Range (in code): ZA ZAO8 Ksi ZA12 ZA13 ZA14 Mal Tva Lpo ZA16 Mpu ZA21 ZA24 NWe ZA25 ZA26 Kzu Nta Gau Jh Mgl Rtb Nyl Tst Wy Pot Ltr Inn Nbs Kru Brb Wv Ly Fs Blo Dbn Lds Ptb Tug Ady Ptw Esw Umk Ec Elo Grh Pel Pjo SZ NA BW ZW Har MZ TZ KE Nai UG ET
- 39037. Chiasmia brongusaria brongusaria (Walker,1860)** (Geometridae) Synonym(s): *brongusaria* Walker,1860; ? *exsecutaria* Walker,1861; *incessaria* Walker,1861; *miliaria* R.Felder & Rogenhofer,1874; *sabulifera* W.Warren,1899; *uvidaria* Swinhoe,1904; *oleochroa* Hampson,1909. Range (in code): ZA ZAO8 Ksi ZA12 ZA13 ZA14 Mal Tva Lpo ZA16 Mpu ZA21 ZA24 NWe ZA25 ZA26 Kzu Nta Gau

Jh Mgl Rtb Nyl Tst Wy Pot Ltr Inn Nbs Kru Brb Wv Ly Fs Blo Dbn Lds Ptb Tug Ady Ptw Esw Umk Ec
Elo Grh Pel Pjo SZ NA BW ZW Har MZ TZ KE Nai UG ET

- 39038. Chiasmia brongusaria exosciodes (L.B.Prout,1925)** (Geometridae) Synonym(s): *exosciodes* L.B.Prout,1925 _ Range (in code): NA ZA
- 39039. Chiasmia brunnescens M.Krüger,2001** (Geometridae) Synonym(s): *brunnescens* M.Krüger,2001 _ Original Reference: Chiasmia brunnescens Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 139-140, figs.196, 197, 604, 832, 991. Holotype ♂: [South Africa, Eastern Cape]: Cape, Aliwal North, 11.iv.1981; leg. G. van Son (Duke coll.). Range (in code): ZA Ec
- 39040. Chiasmia butaria (Swinhoe,1904)** (Geometridae) Synonym(s): *butaria* Swinhoe,1904 _ Range (in code): TZ KE CF ET RW SO
- 39041. Chiasmia calvifrons (L.B.Prout,1916)** (Geometridae) Synonym(s): *calvifrons* L.B.Prout,1916 _ Range (in code): SO
- 39042. Chiasmia cararia (Swinhoe,1904)** (Geometridae) Synonym(s): *cararia* Swinhoe,1904 _ Range (in code): KE
- 39043. Chiasmia castanea M.Krüger,2001** (Geometridae) Synonym(s): *castanea* M.Krüger,2001 _ Range (in code): ZA Nca Fs NA
- 39044. Chiasmia cessaria (Walker,1861)** (Geometridae) Synonym(s): *cessaria* Walker,1861 _ Range (in code): LK
- 39045. Chiasmia cinerearia (Bremer & Grey,1853)** (Geometridae) Synonym(s): *cinerearia* Bremer & Grey,1853; *elongaria* Leech,1897 _ Range (in code): CN Sz Mc
- 39046. Chiasmia cinerearia eurytaenia (Wehrli,1932)** (Geometridae) Synonym(s): *eurytaenia* Wehrli,1932 _ Range (in code): CN
- 39047. Chiasmia clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. _ Original Reference: Phalaena clathrata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa. Range (in code): MA DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju Kun li KG Ssn Lps _ Bionomy: Larva on Trifolium, Medicago sativa (Fabaceae) (Meyer,1919).
- 39048. Chiasmia clathrata azrouensis (Wehrli,1937)** (Geometridae) Synonym(s): *azrouensis* Wehrli,1937 _ Range (in code): MA Azr DZ
- 39049. Chiasmia clathrata clathrata (Linnaeus,1758)** (Geometridae) Synonym(s): *clathrata* Linnaeus,1758; *almacola* Wehrli,1934. _ Original Reference: Phalaena clathrata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY
- 39050. Chiasmia clathrata punctata (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *punctata* A.Bang-Haas,1910 _ Original Reference: Phasiane clathrata var. punctata A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 49. Syntypes: [China: Uighur A.R.]: Juldus. Range (in code): CN Ui Ju Kun li KG Ssn Lps
- 39051. Chiasmia confusata (W.Warren,1899)** (Geometridae) Synonym(s): *confusata* W.Warren,1899; *hypoleuca* L.B.Prout,1916. _ Range (in code): ZA Etm ZAO4 ZAO8 ZA12 ZA13 ZA14 Mal ZA16 Mpu ZA25 Nta Kzu ZA28 Tva Lpo Rtb Spb Wy Nyl Kru Pil Nel Brb Nha Ec Pjo Buf Ltr Bbg Rie ZA14 Grk Kwy Kkf Ptw Ptb Mgl SZ ZW Vum MZ KE Nai TZ UG
- 39052. Chiasmia contaminata (W.Warren,1902)** (Geometridae) Synonym(s): *contaminata* W.Warren,1902 _ Range (in code): KE Nai ZW Vum Uma MW Zom TZ
- 39053. Chiasmia conturbata (W.Warren,1898)** (Geometridae) Synonym(s): *conturbata* W.Warren,1898; *punctiversa* W.Warren,1905 _ Range (in code): SL NG CM GH CI CG
- 39054. Chiasmia coronoleucas (L.B.Prout,1915)** (Geometridae) Synonym(s): *coronoleucas* L.B.Prout,1915 _ Range (in code): MG
- 39055. Chiasmia costicommata (L.B.Prout,1922)** (Geometridae) Synonym(s): *costicommata* L.B.Prout,1922 _ Range (in code): KE ZW Har
- 39056. Chiasmia costiguttata (W.Warren,1899)** (Geometridae) Synonym(s): *costiguttata* W.Warren,1899; *triplaga* W.Warren,1899; *deuteria* L.B.Prout,1932 _ Range (in code): TZ KE ET RW
- 39057. Chiasmia crassata (W.Warren,1897)** (Geometridae) Synonym(s): *crassata* W.Warren,1897; *benguellae* L.B.Prout,1928 _ Range (in code): ZA Tva Spb Pma AO ZM MW TZ RW ZR ZW Har Uma
- 39058. Chiasmia crassilembaria (Mabille,1880)** (Geometridae) Synonym(s): *crassilembaria* Mabille,1880 _ Range (in code): MG
- 39059. Chiasmia crumenata (D.S.Fletcher,1963)** (Geometridae) Synonym(s): *crumenata* D.S.Fletcher,1963 _ Range (in code): CM Bit

- 39060. Chiasmia curvifascia (W.Warren,1897)** (Geometridae) Synonym(s): *curvifascia* W.Warren,1897; *pallidizona* Hampson,1910 _ Range (in code): **ZA Tva Lpo Nbs ZW ZM MZ MW**
- 39061. Chiasmia curvilineata (W.Warren,1899)** (Geometridae) Synonym(s): *curvilineata* W.Warren,1899 _ Range (in code): **TZ UG Rz KE Nai RW ZR CM**
- 39062. Chiasmia danmariae M.Krüger,2001** (Geometridae) Synonym(s): *danmariae* M.Krüger,2001 _ Range (in code): **NG**
- 39063. Chiasmia deceptrix M.Krüger,2001** (Geometridae) Synonym(s): *deceptrix* M.Krüger,2001
Original Reference: Chiasmia deceptrix Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 175-176, figs.283-285, 646, 871, 1005. Holotype ♂: [Zimbabwe]: S.Rhodesia, Harare (Salisbury), 24.iii.1968; leg. A.J. Duke (BMNH, ZSBS, NMBZ). Range (in code): **ZW Har ZA Tva Lpo Bbg Pma Spb Wy Mpu MZ TZ ZM**
- 39064. Chiasmia deleta M.Krüger,2001** (Geometridae) Synonym(s): *deleta* M.Krüger,2001
Original Reference: Chiasmia deleta Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 143-144, figs.209, 601, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Melfort Siding, Bromley, 07.v.1968; leg. C.Gibbis (NMBZ). Range (in code): **ZW**
- 39065. Chiasmia dentilineata (W.Warren,1899)** (Geometridae) Synonym(s): *dentilineata* W.Warren,1899 _ Range (in code): **UG ET TZ**
- 39066. Chiasmia diarmodia (L.B.Prout,1925)** (Geometridae) Synonym(s): *diarmodia* L.B.Prout,1925 _ Range (in code): **ZA Tva Fs Ec NA BW**
- 39067. Chiasmia diplotata (R.Felder & Rogenhofer,1874)** (Geometridae) Synonym(s): *diplotata* R.Felder & Rogenhofer,1874 _ Range (in code): **IN Ben TH CMa Fn CDo**
- 39068. Chiasmia dodoma M.Krüger,2001** (Geometridae) Synonym(s): *dodoma* M.Krüger,2001
Original Reference: Chiasmia dodoma Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 129, figs.176, 593. Holotype ♂: [Tanzania]: Dodoma, Tanganyika, 50 mil. S., 12.iii.1950; leg. N. Mitton. Range (in code): **TZ**
- 39069. Chiasmia duplicilinea (W.Warren,1897)** (Geometridae) Synonym(s): *duplicilinea* W.Warren,1897 _ Range (in code): **ZA ZA13 Nta Kzu Wnn Kkf Ec**
- 39070. Chiasmia effusata (Guenée,[1858])** (Geometridae) Synonym(s): *effusata* Guenée,[1858]
Range (in code): **IN** Bionomy: Larva on Bauhinia retusa (Fabaceae) (Scoble,1999).
- 39071. Chiasmia elephantedestructa Bänziger & D.S.Fletcher,1988** (Geometridae) Synonym(s): *elephantedestructa* Bänziger & D.S.Fletcher,1988 _ Range (in code): **TH CMa CDo**
- 39072. Chiasmia elvirata (Guenée,[1858])** (Geometridae) Synonym(s): *elvirata* Guenée,[1858]; *metagonaria* Walker,[1863] _ Range (in code): **LA IN SI Djl**
- 39073. Chiasmia emersaria (Walker,1861)** (Geometridae) Synonym(s): *emersaria* Walker,1861
Range (in code): **BD Syl TH Bnk CMa CDo**
- 39074. Chiasmia evansi M.Krüger,2001** (Geometridae) Synonym(s): *evansi* M.Krüger,2001
Original Reference: Chiasmia evansi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 173, figs.278, 868. Holotype ♀: [Kenya]: Marigat, Kenya, Colony, 4000ft., 14.viii.1950; Loruk, N. Lake Baringo 3500ft., 14.viii.1950; leg. R.T.Evans (NMKE). Range (in code): **KE**
- 39075. Chiasmia extrusilinea (L.B.Prout,1925)** (Geometridae) Synonym(s): *extrusilinea* L.B.Prout,1925 _ Range (in code): **ZA ZA26 Kzu Nta Tva Mpu MZ ZM ZW KE UG**
- 39076. Chiasmia featheri (L.B.Prout,1922)** (Geometridae) Synonym(s): *featheri* L.B.Prout,1922
Range (in code): **KE Nai**
- 39077. Chiasmia feraliata (Guenée,[1858])** (Geometridae) Synonym(s): *feraliata* Guenée,[1858]; *elata* L.B.Prout,1916. _ Range (in code): **ZA ZA08 Nta Kzu Mal Tva Lpo Dbn Mpu Ly ZW MZ AO KE Nai TZ UG CM NG LR CG CI**
- 39078. Chiasmia ferruginata (Moore,[1887])** (Geometridae) Synonym(s): *ferruginata* Moore,[1887] _ Range (in code): **LK**
- 39079. Chiasmia fidoniata (Guenée,[1858])** (Geometridae) Synonym(s): *fidoniata* Guenée,[1858]; *cacavena* Walker,1861; *arenaria* Swinhoe,1885; *lineata* W.Warren,1899 _ Range (in code): **IN Mhw Sml PK Krc Cp LK MY TH CMa CN**
- 39080. Chiasmia flavicuneata (Herbulot,1987)** (Geometridae) Synonym(s): *flavicuneata* Herbulot,1987 _ Range (in code): **RW UG**
- 39081. Chiasmia fontainei (D.S.Fletcher,1963)** (Geometridae) Synonym(s): *fontainei* D.S.Fletcher,1963 _ Range (in code): **CI CM NG TG GH CG UG**
- 39082. Chiasmia fragilis (W.Warren,1904)** (Geometridae) Synonym(s): *fragilis* W.Warren,1904
Range (in code): **PE**

- 39083. Chiasmia frontosa (Wiltshire,1980)** (Geometridae) Synonym(s): *frontosa* Wiltshire,1980
Range (in code): SA
- 39084. Chiasmia frugaliata (Guenée,[1858])** (Geometridae) Synonym(s): *frugaliata* Guenée,[1858]; *peremptaria* Walker,1861 Range (in code): IN Drm Bba LK PK Krc TH Cph
- 39085. Chiasmia fulvimargo (W.Warren,1899)** (Geometridae) Synonym(s): *fulvimargo* W.Warren,1899 Range (in code): UG KE Nai RW ZR
- 39086. Chiasmia fulvisparsa (W.Warren,1897)** (Geometridae) Synonym(s): *fulvisparsa* W.Warren,1897; *arularia* Oberthür,1923 Range (in code): NG CM Bit TZ UG KE ZR LR CI GH
- 39087. Chiasmia fumipennis (Hampson,1895)** (Geometridae) Synonym(s): *fumipennis* Hampson,1895 Range (in code): BT
- 39088. Chiasmia furcata (W.Warren,1897)** (Geometridae) Synonym(s): *furcata* W.Warren,1897
Original Reference: *Tephрина furcata* W.Warren,1897, Novit. zool. 4: 112. Syntypes 1♂ 1♀: [South Africa]: Natal, Weenen (BMNH). Range (in code): ZA ZA21 Tva Lpo Spb Mdk ZA24 NWe Kzu Nta Wnn Gau Jh Pre Mgl Mpu Rtb Bbg Chp Kru Pf Pma Slp Mes Ec BW NA AO MW ZW Vf ZM Bionomy: Larva on leaf of *Acacia nilotica* (Scoble,1999).
- 39089. Chiasmia fuscantaria (Möschler,1887)** (Geometridae) Synonym(s): *fuscantaria* Möschler,1887; *commixta* W.Warren,1897 Range (in code): ZW MZ KE GH RW UG GA ZR CM
- 39090. Chiasmia geminilinea (L.B.Prout,1932)** (Geometridae) Synonym(s): *geminilinea* L.B.Prout,1932 Range (in code): KE RW ZW Vum TZ
- 39091. Chiasmia getula (Wallengren,1872)** (Geometridae) Synonym(s): *getula* Wallengren,1872; *fuscirufa* L.B.Prout,1915 Range (in code): MW NA ZW Vum TZ UG KE Nai Bionomy: Larva on leaf of *Newtonia buchananii* (Scoble,1999).
- 39092. Chiasmia grimmia (Wallengren,1872)** (Geometridae) Synonym(s): *grimmia* Wallengren,1872; *illineata* W.Warren,1901. Range (in code): AO ZA ZA21 Tva Lpo Spb Slp Mpu Ec NA BW ZW
- 39093. Chiasmia grisescens (L.B.Prout,1916)** (Geometridae) Synonym(s): *grisescens* L.B.Prout,1916; *dolichostigma* L.B.Prout,1922. Range (in code): ZW Vum ZA ZA28 Tva Lpo Gau Pre Mpu Rtb Spb Ltr Inn MZ
- 39094. Chiasmia gyliura (L.B.Prout,1932)** (Geometridae) Synonym(s): *gyliura* L.B.Prout,1932
Range (in code): UG Rz RW TZ
- 39095. Chiasmia hebesata (Walker,1861)** (Geometridae) Synonym(s): *hebesata* Walker,1861; *sinicaria* Walker,[1863]; *proditaria* Bremer,1864; *maligna* Butler,1878; *flexilinea* W.Warren,1897 Range (in code): CN IN JP RU Sb
- 39096. Chiasmia humillima (Bastelberger,1908)** (Geometridae) Synonym(s): *humillima* Bastelberger,1908 Range (in code): US Tx
- 39097. Chiasmia hunyani M.Krüger,2001** (Geometridae) Synonym(s): *hunyani* M.Krüger,2001
Original Reference: *Chiasmia hunyani* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142, figs.202, 203, 607, 835, 992. Holotype ♂: [Zimbabwe]: S. Rhodesia, Hunyani River, 13.viii.1978; leg. N.J.Duke. Range (in code): ZW
- 39098. Chiasmia hygies (L.B.Prout,1932)** (Geometridae) Synonym(s): *hygies* L.B.Prout,1932; *#hygies* Hutacharern & Tubtim,1995 Range (in code): MY Bor Sbh KBa TH
- 39099. Chiasmia imitatrix M.Krüger,2001** (Geometridae) Synonym(s): *imitatrix* M.Krüger,2001
Range (in code): KE
- 39100. Chiasmia improcera (Herbulot,1987)** (Geometridae) Synonym(s): *improcera* Herbulot,1987 Range (in code): CM BF
- 39101. Chiasmia inaequilinea (W.Warren,1911)** (Geometridae) Synonym(s): *inaequilinea* W.Warren,1911; *birecta* L.B.Prout,1917. Range (in code): ZA ZA21 Tva Lpo Spb Slp Fs Blo Ec NA BW
- 39102. Chiasmia inaequilinea eremias (L.B.Prout,1935)** (Geometridae) Synonym(s): *eremias* L.B.Prout,1935 Range (in code): BW
- 39103. Chiasmia inaequilinea inaequilinea (W.Warren,1911)** (Geometridae) Synonym(s): *inaequilinea* W.Warren,1911; *birecta* L.B.Prout,1917. Range (in code): ZA ZA21 Tva Lpo Spb Slp Fs Blo Ec NA
- 39104. Chiasmia inconspicua (W.Warren,1897)** (Geometridae) Synonym(s): *inconspicua* W.Warren,1897 Range (in code): ZA Tva ZA16 Mpu ZA24 NWe Lpo Tz Nta Kzu Wnn Gau Pre Mgl Rtb Nbs Wo Bbg Kru Mpu Fs Ptb Lds NA BW AO ZW MZ KE TZ
- 39105. Chiasmia inconspicua inconspicua (W.Warren,1897)** (Geometridae) Synonym(s): *inconspicua* W.Warren,1897 Range (in code): KE ZA Tva ZA16 Mpu ZA24 NWe Lpo Tz Nta Kzu Wnn Gau Pre Mgl Rtb Nbs Wo Bbg Kru Mpu Fs Ptb Lds NA BW AO ZW MZ

- 39106. Chiasmia inconspicua pertaesa (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *pertaesa* L.B.Prout,1932 - Range (in code): KE TZ
- 39107. Chiasmia indeterminata (W.Warren,1906)** (Geometridae) **Synonym(s):** *indeterminata* W.Warren,1906 - Range (in code): MX
- 39108. Chiasmia infabricata (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *infabricata* L.B.Prout,1934 - Range (in code): MW ZW TZ UG RW KE
- 39109. Chiasmia infixaria (Walker,[1863])** (Geometridae) **Synonym(s):** *infixaria* Walker,[1863]; *johnstoni* Butler,1894 - Range (in code): ZA ZA05 Nta Kzu Ksi ZA14 Mal Tva Lpo ZA20 Mpu Gau Jh Pre Spb Ent Pot Ly Est Umk Dbn Nha SZ ZW MW ZM TZ KE RW CM
- 39110. Chiasmia inouei (Herbulot,1987)** (Geometridae) **Synonym(s):** *inouei* Herbulot,1987 - Range (in code): CM RW TZ
- 39111. Chiasmia inouei inouei (Herbulot,1987)** (Geometridae) **Synonym(s):** *inouei* Herbulot,1987 - Range (in code): RW TZ
- 39112. Chiasmia inouei ponentis (Herbulot,1987)** (Geometridae) **Synonym(s):** *ponentis* Herbulot,1987 - Range (in code): CM
- 39113. Chiasmia inquinata M.Krüger,1999** (Geometridae) **Synonym(s):** *inquinata* M.Krüger,1999; *inquinata* M.Krüger,2001 - Original Reference: Chiasmia inquinata Krüger,1999, [in] Staude,H., Metamorphosis 10 (3): 116, fig. 140. Monotype ♂: South Africa: KwaZulu-Natal: Maphelana, 7-14.12.1991. Range (in code): ZA ZA08 Nta Kzu Dbn Tva Lpo Spb Ec ZW Vum MZ CM KE TZ UG
- 39114. Chiasmia insulicola M.Krüger,2001** (Geometridae) **Synonym(s):** *insulicola* M.Krüger,2001 - Original Reference: Chiasmia insulicola Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 168, figs.266-268, 640, 865. Holotype ♂: [Madagascar]: Station Perinet, 149km E. Tananarivo, i.1933; leg. N.d'Olsouffieff; Rothschild Bequest (BMNH). Range (in code): MG
- 39115. Chiasmia interrupta (W.Warren,1897)** (Geometridae) **Synonym(s):** *interrupta* W.Warren,1897. - Range (in code): ZA ZA08 Nta Kzu Wnn Mal Tva Lpo Mpu Nel Brb Wv Rtb Umk Ptb est Ec Pjo SZ ZW Har - Bionomy: Larva on Acacia karroo, A. swazica (Fabaceae) (Scoble,1999).
- 39116. Chiasmia iringa M.Krüger,2001** (Geometridae) **Synonym(s):** *iringa* M.Krüger,2001 - Original Reference: Chiasmia iringa Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 145, figs.214, 613. Holotype ♂: [Tanzania]: Iringa, Tanganyika 40 miles S., 10.iii.1950; leg. N.Mitton. Range (in code): TZ
- 39117. Chiasmia kenyae M.Krüger,2001** (Geometridae) **Synonym(s):** *kenyae* M.Krüger,2001 - Original Reference: Chiasmia kenyae Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 179, figs.297-299, 651, 876. Holotype ♂: [Kenya]: Kenya Colony, Isiolo, iv-v.1951; leg. Mrs. Adamson (NMKE). Range (in code): KE Nai TZ
- 39118. Chiasmia khasiana (Moore,1888)** (Geometridae) **Synonym(s):** *khasiana* Moore,1888; *vehemens* L.B.Prout,1926 - Range (in code): IN Meg Ass Khs MY Prk
- 39119. Chiasmia kilifi M.Krüger,2001** (Geometridae) **Synonym(s):** *kilifi* M.Krüger,2001 - Original Reference: Chiasmia kilifi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 174, figs.279, 869. Holotype ♀: Kenya: Kilifi, vi.1949; (NMKE). Range (in code): KE
- 39120. Chiasmia kilimanjarensis (Holland,1892)** (Geometridae) **Synonym(s):** *kilimanjarensis* Holland,1892; *zombina* Butler,1893; *mundipennis* W.Warren,1901; *transvisata* W.Warren,1904; *#transvisata* D.S.Fletcher,1958 - Range (in code): TZ AO MW ZA Tva Lpo Spb Mpu SZ ZW Vum Har ZM NA BW MZ ZR CM BI
- 39121. Chiasmia kirbyi (Wallengren,1875)** (Geometridae) **Synonym(s):** *kirbyi* Wallengren,1875; *distinguenda* W.Warren,1897 - Range (in code): ZA Tva Lpo Gau Pre Mgl Wo Spb Pma Chp Nyl Pot Rtb Brb Wv Ly Fs Dbn Nha Cto Pjo SZ
- 39122. Chiasmia lachriphaga (Bänziger & D.S.Fletcher,1988)** (Geometridae) **Synonym(s):** *lachriphaga* Bänziger & D.S.Fletcher,1988 - Range (in code): TH CMa CDo
- 39123. Chiasmia lannaensis (Bänziger & D.S.Fletcher,1988)** (Geometridae) **Synonym(s):** *lannaensis* Bänziger & D.S.Fletcher,1988 - Range (in code): TH CMa
- 39124. Chiasmia latimarginaria (Rebel,1907)** (Geometridae) **Synonym(s):** *latimarginaria* Rebel,1907 - Original Reference: Osteodes latimarginaria Rebel,1907, Denkschr. Akad. Wiss. Wien 71 (2): 100. Lectotype ♂: Read Sea, designated by Krüger (2001) (NHMW). Range (in code): EG Sn IL Pa NE DZ Idl Ah Gtt TD YE Sna
- 39125. Chiasmia lautusaria (Swinhoe,1902)** (Geometridae) **Synonym(s):** *lautusaria* Swinhoe,1902 - Range (in code): ID Sum MY Pen

- 39126. Chiasmia lindemanna** (D.S.Fletcher,1958) (Geometridae) Synonym(s): *lindemanna* D.S.Fletcher,1958 _ Range (in code): **TZ**
- 39127. Chiasmia livorosa** (Herbulot,1964) (Geometridae) Synonym(s): *livorosa* Herbulot,1964 Range (in code): **MG**
- 39128. Chiasmia maculosa** (W.Warren,1899) (Geometridae) Synonym(s): *maculosa* W.Warren,1899; *tattaria* Swinhoe,1904 _ Range (in code): **KE UG CM NG TZ AO ET SD**
- 39129. Chiasmia majestica** (W.Warren,1901) (Geometridae) Synonym(s): *majestica* W.Warren,1901 _ Range (in code): **ZA AO ZW Vum ZM MZ MW ZR GH SN NG CM**
- 39130. Chiasmia majestica majestica** (W.Warren,1901) (Geometridae) Synonym(s): *majestica* W.Warren,1901 _ Range (in code): **ZA AO ZW Vum ZM MZ MW ZR**
- 39131. Chiasmia majestica tropica** (L.B.Prout,1915) (Geometridae) Synonym(s): *tropica* L.B.Prout,1915 _ Range (in code): **GH SN NG CM**
- 39132. Chiasmia malgassofusca** M.Krüger,2001 (Geometridae) Synonym(s): *malgassofusca* M.Krüger,2001 _ Original Reference: Chiasmia malgassofusca Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 157, figs.235, 236, 625, 850. Holotype ♂: Madagascar: Est, environs de Perinet, 910m, forêt d'Analamazoatra 24.xi.1954; leg. P. Viette (MNHN). Range (in code): **MG**
- 39133. Chiasmia marmorata** (W.Warren,1897) (Geometridae) Synonym(s): *marmorata* W.Warren,1897 _ Range (in code): **ZA Nta Kzu Wnn Tva Gau Pre Rtb Mpu Brb Ly Nyl Spb Ltr Chp Fs Blo Umk Ptb Est Nha Lds Nca NA Okw Abc BW ZW Har AO MZ** _ Bionomy: Larva on Acacia sieberiana (Fabaceae) (Scoble,1999).
- 39134. Chiasmia maronga** M.Krüger,2001 (Geometridae) Synonym(s): *maronga* M.Krüger,2001 _ Original Reference: Chiasmia maronga Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 195, figs.333-336, 669. Holotype ♂: Mozambique: Maronga forest 20°03'S33°09', 06-11.ix.1972; leg. R.H. Jones. Range (in code): **ZW MZ**
- 39135. Chiasmia megalesia** (Viette,1975) (Geometridae) Synonym(s): *megalesia* Viette,1975 Range (in code): **MG**
- 39136. Chiasmia melsetter** M.Krüger,2001 (Geometridae) Synonym(s): *melsetter* M.Krüger,2001 _ Original Reference: Chiasmia melsetter Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 142-143, figs.204, 205, 836, 992. Holotype ♀: [Zimbabwe]: S. Rhodesia, Melsetter, 21.xi.1968; leg. N.J.Duke. Range (in code): **ZW**
- 39137. Chiasmia monoepela** (L.B.Prout,1934) (Geometridae) Synonym(s): *monoepela* L.B.Prout,1934 _ Range (in code): **ZR**
- 39138. Chiasmia morogoro** M.Krüger,2001 (Geometridae) Synonym(s): *morogoro* M.Krüger,2001 _ Original Reference: Chiasmia morogoro Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 241, figs.433,434, 934. Holotype ♀: [Tanzania]: Deutsch Ost Afrika, Morogoro, leg. S.G. Reuss (ZMHB). Range (in code): **TZ**
- 39139. Chiasmia multistrigata** (W.Warren,1897) (Geometridae) Synonym(s): *multistrigata* W.Warren,1897. _ Range (in code): **ZA Mal ZA16 Mpu ZA17 ZA21 ZA22 Tva Lpo Gau Jh Pre Pot Nyl Tst Ltr Spb Chp Nbs Wo Rtb Brb Dbn Fs Grh Pjo Esw Lds ZW KE TZ NA BW**
- 39140. Chiasmia multistrigata liliput** M.Krüger,2001 (Geometridae) Synonym(s): *liliput* M.Krüger,2001 _ Original Reference: Chiasmia multistrigata ssp. liliput Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 220-221, figs.398, 1016. Holotype ♂: [Namibia]: Katima Mulilo, E. Caprivi, 20-28.x.1970; leg. A. Strydom (BMNH, NMBZ, SMWN). Range (in code): **NA BW ZA ZW**
- 39141. Chiasmia multistrigata multistrigata** (W.Warren,1897) (Geometridae) Synonym(s): *multistrigata* W.Warren,1897 _ Range (in code): **ZA Mal ZA16 Mpu ZA17 ZA21 ZA22 Tva Lpo Gau Jh Pre Pot Nyl Tst Ltr Spb Chp Nbs Wo Rtb Brb Dbn Fs Grh Pjo Esw Lds ZW KE TZ**
- 39142. Chiasmia murina** M.Krüger,2001 (Geometridae) Synonym(s): *murina* M.Krüger,2001 _ Original Reference: Chiasmia murina Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 141, figs.200, 201, 606, 834, 992. Holotype ♂: Zimbabwe: Laurenceville, Vumba, 18-22.x.1989; leg. N.J.Duke (NMBZ). Range (in code): **ZW Vum**
- 39143. Chiasmia nana** (W.Warren,1898) (Geometridae) Synonym(s): *nana* W.Warren,1898; *atriclathrata* Hampson,1909 _ Range (in code): **NG ZW Vum ZM MZ UG KE LR ZR CG CM NG Bit TG CI GH**
- 39144. Chiasmia nana nana** (W.Warren,1898) (Geometridae) Synonym(s): *nana* W.Warren,1898; *atriclathrata* Hampson,1909 _ Range (in code): **NG ZW Vum ZM MZ UG KE LR ZR CG CM NG Bit TG CI GH**
- 39145. Chiasmia natalensis** (W.Warren,1904) (Geometridae) Synonym(s): *natalensis* W.Warren,1904 _ Range (in code): **ZA ZA04 ZA05 ZA25 Kzu Nta Dbn Ptw MW ZW TZ KE Nai**

- 39146. Chiasmia nebulosa (West,1929)** (Geometridae) **Synonym(s):** *nebulosa* West,1929
Range (in code): **PH Luz**
- 39147. Chiasmia neolivorosa M.Krüger,2001** (Geometridae) **Synonym(s):** *neolivorosa* M.Krüger,2001
Original Reference: Chiasmia neolivorosa Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 160, figs.245, 629, 854. Holotype ♂: Madagascar: Sud-Ouest, Lambomakandro 50m, Tulear, 16.vii.1957; leg. P. Griveaud (MNHN). **Range (in code):** **MG**
- 39148. Chiasmia neonora (Walker,1861)** (Geometridae) **Synonym(s):** *neonora* Walker,1861
Range (in code): **PH**
- 39149. Chiasmia nevilledukei M.Krüger,2001** (Geometridae) **Synonym(s):** *nevilledukei* M.Krüger,2001
Original Reference: Chiasmia nevilledukei Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 150-151, figs.227, 620, 997. Holotype ♂: Zimbabwe: Laurenceville, Vumba, 10-15.x.1990; leg. N.J. Duke. **Range (in code):** **ZW Vum**
- 39150. Chiasmia ngami M.Krüger,2001** (Geometridae) **Synonym(s):** *ngami* M.Krüger,2001
Original Reference: Chiasmia ngami Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 135, figs.186, 827, 987. Holotype ♀: Botswana: Thamalakane River, Maun, Ngamiland, 15.xii.1968; leg. Pinhey & Falcon (NMBZ). **Range (in code):** **BW**
- 39151. Chiasmia nobilitata (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *nobilitata* L.B.Prout,1913
Range (in code): **ZA Tva ZA14 ZA20 Mpu Gau Pre Brb SZ** **Bionomy:** Larva on Chamaecrista mimosoides (Fabaceae) (Scoble,1999).
- 39152. Chiasmia normata (Walker,1861)** (Geometridae) **Synonym(s):** *normata* Walker,1861; *exfusaria* Walker,[1863]; *parallelaria* Walker,[1863]; *desiccata* Walker,1866; *malefidaria* Mabille,1880; congener W.Warren,1897; *minoa* Strand,1915.
Range (in code): **ZA Etm Ktz Ksi Nta Kzu ZA28 Tva Lpo Gau Pre Jh Mpu Pil Nel Tst Kkf Ptb Umk Nha Esw Ec Pjo SZ ZW Har Vum BW MW ZM TZ KE NG CM AU QAU PH Luz ID Ja MG KM CM LK**
- 39153. Chiasmia nubilata (W.Warren,1897)** (Geometridae) **Synonym(s):** *nubilata* W.Warren,1897.
Original Reference: Hyostomodes nubilata W.Warren,1897, Novit. zool. 4: 252, pl.5 fig.11. Syntypes 1♂ 1♀: British East Africa [Kenya]: [Ukamba] Muani (BMNH). **Range (in code):** **KE ZA ZA17 ZA22 Tva Lpo Spb Mdk ZW TZ**
- 39154. Chiasmia obliquilineata (W.Warren,1899)** (Geometridae) **Synonym(s):** *obliquilineata* W.Warren,1899
Range (in code): **KE SO UG RW TZ**
- 39155. Chiasmia observata (Walker,1861)** (Geometridae) **Synonym(s):** *observata* Walker,1861
Range (in code): **ZA Nta Kzu Fs Ec Blo Grh Elo**
- 39156. Chiasmia octolinearia (Swinhoe,1894)** (Geometridae) **Synonym(s):** *octolinearia* Swinhoe,1894
Range (in code): **IN Ass Meg Khs**
- 39157. Chiasmia olindaria (Swinhoe,1904)** (Geometridae) **Synonym(s):** *olindaria* Swinhoe,1904
Range (in code): **KE Nai**
- 39158. Chiasmia orientalis M.Krüger,2001** (Geometridae) **Synonym(s):** *orientalis* M.Krüger,2001
Original Reference: Chiasmia orientalis Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 179-180, figs.300-302, 652, 877, 1006. Holotype ♂: [Mozambique]: Portuguese East Africa, Dondo, 12.ix.1954; leg. H. Cookson (BMNH, NMKE). **Range (in code):** **ZW Vum MZ MW ZM TZ UG**
- 39159. Chiasmia orthostates (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *orthostates* L.B.Prout,1915
Range (in code): **MG**
- 39160. Chiasmia oxa (West,1929)** (Geometridae) **Synonym(s):** *oxa* West,1929
Range (in code): **PH Luz**
- 39161. Chiasmia ozaria (Walker,1860)** (Geometridae) **Synonym(s):** *ozaria* Walker,1860; *indica* Butler,1880
Range (in code): **Bor Swk MY IN SI Djl Ben ID Ja**
- 39162. Chiasmia ozaria ozaria (Walker,1860)** (Geometridae) **Synonym(s):** *ozaria* Walker,1860; *indica* Butler,1880
Range (in code): **Bor Swk MY IN SI Djl**
- 39163. Chiasmia ozaria perspicuaria (Moore,1868)** (Geometridae) **Synonym(s):** *perspicuaria* Moore,1868
Range (in code): **IN Ben**
- 39164. Chiasmia ozaria pleres (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *pleres* L.B.Prout,1935
Range (in code): **ID Ja**
- 39165. Chiasmia parallacta (W.Warren,1897)** (Geometridae) **Synonym(s):** *parallacta* W.Warren,1897; *apicepallens* W.Warren,1905; *stramineata* Bastelberger,1909
Range (in code): **AO TZ MW Zom ZW Har NG ZR ZM**
- 39166. Chiasmia paucimacula M.Krüger,2001** (Geometridae) **Synonym(s):** *paucimacula* M.Krüger,2001
Original Reference: Chiasmia paucimacula Krüger,2001, Bull. nat. Hist. Mus.

- Lond. (Ent.) 70 (1): 161-162, figs.247, 631, 856, 1003. Holotype ♂: [Zimbabwe]: S. Rhodesia, Mutare (Umtali) District, 19.iii.1933; leg. P.A. Sheppard (NMBZ), (ZSBS). Range (in code): ZW Har Uma ZA Tva Lpo Spb Pma CM MW TZ NG ZM MZ ZR UG
- 39167. Chiasmia peremarginata M.Krüger,2001** (Geometridae) Synonym(s): peremarginata M.Krüger,2001 Original Reference: Chiasmia peremarginata Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 202-203, figs.357, 679. Holotype ♂: Cameroon: Cameroon, Mont Kala, 18km W. de Yaounde 900-1100m, 30.iii.1975; leg. C. Herbulot (coll.). Range (in code): CM CI
- 39168. Chiasmia perfumata (Bastelberger,1907)** (Geometridae) Synonym(s): perfumata Bastelberger,1907 Range (in code): IN SI Djl
- 39169. Chiasmia pervittata (Hampson,1909)** (Geometridae) Synonym(s): pervittata Hampson,1909 Range (in code): UG TZ RW KE ZR
- 39170. Chiasmia phaeostigma (D.S.Fletcher,1958)** (Geometridae) Synonym(s): phaeostigma D.S.Fletcher,1958 Range (in code): RW UG Rz
- 39171. Chiasmia pinheyi M.Krüger,2001** (Geometridae) Synonym(s): pinheyi M.Krüger,2001 Original Reference: Chiasmia pinheyi Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 143, figs.207, 208, 609, 837, 993. Holotype ♂: [Zimbabwe]: S. Rhodesia, Marowe River, Brondesbury Park, Inyanga, 13.ii.1978; leg. E.Pinhey (NMBZ), (ZMHB). Range (in code): ZW
- 39172. Chiasmia plutocrypsis (Herbulot,1987)** (Geometridae) Synonym(s): plutocrypsis Herbulot,1987 Range (in code): CM CI LR UG
- 39173. Chiasmia pluviata (Fabricius,1798)** (Geometridae) Synonym(s): pluviata Fabricius,1798; sufflata Guenée,[1858]; brevisculata Walker,[1863]; diplotata R.Felder & Rogenhofer,1875; horridaria Moore,1888 Range (in code): IN CN Ben SI Djl Bba PK Cp Pj TH Bnk Phr
- 39174. Chiasmia pluviata fuscomarginata (W.Warren,1888)** (Geometridae) Synonym(s): fuscomarginata W.Warren,1888 Original Reference: Gonodela fuscomarginata W.Warren,1888, Proc. zool. Soc. Lond. 1888: 323. Type ♀: [Pakistan]: Campbellpore July 19, 1886. Range (in code): PK Cp Pj
- 39175. Chiasmia procidata (Guenée,[1858])** (Geometridae) Synonym(s): procidata Guenée,[1858] Range (in code): ZA ZA12 Nta Kzu Tva Lpo Gau Jh Pre Nyl Wo Spb Wy Ltr Brb Fs Est Wv Cto Grh Elo NA ZW MW Zom SA ET UG TZ RW KE ZR AO
- 39176. Chiasmia procidata fumida (Wiltshire,1980)** (Geometridae) Synonym(s): fumida Wiltshire,1980 Range (in code): SA
- 39177. Chiasmia procidata procidata (Guenée,[1858])** (Geometridae) Synonym(s): procidata Guenée,[1858] Range (in code): ET UG TZ RW KE ZR AO
- 39178. Chiasmia prodicata semispurcata (Walker,[1863])** (Geometridae) Synonym(s): semispurcata Walker,[1863] Range (in code): ZA ZA12 Nta Kzu Tva Lpo Gau Jh Pre Nyl Wo Spb Wy Ltr Brb Fs Est Wv Cto Grh Elo NA ZW MW Zom
- 39179. Chiasmia puerilis (L.B.Prout,1916)** (Geometridae) Synonym(s): puerilis L.B.Prout,1916 Range (in code): SO ET
- 39180. Chiasmia pumila (Kuznetsov,1929)** (Geometridae) Synonym(s): pumila Kuznetsov,1929 Range (in code): RU Sb
- 39181. Chiasmia punctilinea (L.B.Prout,1917)** (Geometridae) Synonym(s): punctilinea L.B.Prout,1917 Range (in code): BW Okw NA ZA Tva Mpu Brb Rtb Gau Pre Fs Blo AO ZW TZ
- 39182. Chiasmia quadraria (Moore,[1887])** (Geometridae) Synonym(s): quadraria Moore,[1887] Range (in code): LK
- 39183. Chiasmia rectilinea (W.Warren,1905)** (Geometridae) Synonym(s): separata W.Warren,1899 (praeocc.); rectilinea W.Warren,1905 Range (in code): ZA Tva Pf Pma Spb Wy ZA04 ZA05 ZA08 Nta Kzu ZA14 Mpu Ec Pjo ZW MW Vum MZ AO TZ KE Nai UG RW NG CI GO Bio CM MG
- 39184. Chiasmia rectilinea conjugata (Herbulot,1966)** (Geometridae) Synonym(s): conjugata Herbulot,1966 Range (in code): MG
- 39185. Chiasmia rectilinea rectilinea (W.Warren,1905)** (Geometridae) Synonym(s): separata W.Warren,1899 (praeocc.); rectilinea W.Warren,1905 Range (in code): ZA Tva Pf Pma Spb Wy ZA04 ZA05 ZA08 Nta Kzu ZA14 Mpu Ec Pjo ZW MW Vum MZ AO TZ KE Nai UG RW NG CI GO Bio CM
- 39186. Chiasmia rectistriaria (Herrich-Schäffer,1854)** (Geometridae) Synonym(s): rectistriaria Herrich-Schäffer,1854; monstraria Walker,1861; postvittata Walker,[1863] Range (in code): SL ZA ZA05 Ksi ZA25 ZA26 Kzu Nta Tva Gau Jh Ptw Dbn SZ Ec Pjo ZW Har ZM MZ TZ KE RW ET AO ZR NG CM GN GO Bio
- 39187. Chiasmia rhabdophora (Holland,1892)** (Geometridae) Synonym(s): rhabdophora Holland,1892; interlineata W.Warren,1904 Range (in code): AO ZW MW ZM MZ BI KE TZ ZR CF

- 39188. Chiasmia ruptifascia (W.Warren,1896)** (Geometridae) **Synonym(s):** *ruptifascia* W.Warren,1896 **Range (in code):** **IN Meg Ass Khs**
- 39189. Chiasmia saburraria (Eversmann,1851)** (Geometridae) **Synonym(s):** *saburraria* Eversmann,1851; *biparata* Lederer,1853; *intermaculata* Staudinger,1897 **Range (in code):** **RU At Sb CN Am MN**
- 39190. Chiasmia sangueresara M.Krüger,2001** (Geometridae) **Synonym(s):** *sangueresara* M.Krüger,2001 **Range (in code):** **CM**
- 39191. Chiasmia semialbida (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *semialbida* L.B.Prout,1915 **Range (in code):** **KE ET SO**
- 39192. Chiasmia semicolor (W.Warren,1899)** (Geometridae) **Synonym(s):** *semicolor* W.Warren,1899 **Range (in code):** **UG ZW MW KE**
- 39193. Chiasmia semiolivacea M.Krüger,2001** (Geometridae) **Synonym(s):** *semiolivacea* M.Krüger,2001 **Range (in code):** **ZW**
- 39194. Chiasmia semitecta (Walker,1861)** (Geometridae) **Synonym(s):** *semitecta* Walker,1861; *gnophosata* Walker,[1863] **Range (in code):** **ZA ZA12 Nta Kzu Ec Grh Cap Cto Fs Blo LS**
- 39195. Chiasmia senegambiensis M.Krüger,2001** (Geometridae) **Synonym(s):** *senegambiensis* M.Krüger,2001 **Range (in code):** **SN**
- 39196. Chiasmia simplex M.Krüger,2001** (Geometridae) **Synonym(s):** *simplex* M.Krüger,2001 **Original Reference:** *Chiasmia simplex* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 174-175, figs.280, 281, 644, 870. Holotype ♂: Tanzania: Tansania septentrionalis, Oldeani, 09.xii.1961; leg. J. Kiellad (ZSBS). **Range (in code):** **TZ KE**
- 39197. Chiasmia simplicilinea (W.Warren,1905)** (Geometridae) **Synonym(s):** *simplicilinea* W.Warren,1905. **Range (in code):** **MG KM ZA ZA04 ZA13 Kzu Nta Dbn Kkf Tva Gau Jh Pre Rie Grk Spb Pil Kwy Brb Mpu Fs Ec Cto Grh Pel Elo LS SZ ZW Vum Har MZ ZM MW TZ UG CI** **Bionomy:** Larva on *Acacia mearnsii* (Fabaceae) (Scoble,1999).
- 39198. Chiasmia simplicilinea pagenstecheri (Herbulot,1978)** (Geometridae) **Synonym(s):** *pagenstecheri* Herbulot,1978 **Range (in code):** **MG KM**
- 39199. Chiasmia somalica M.Krüger,2001** (Geometridae) **Synonym(s):** *somalica* M.Krüger,2001 **Original Reference:** *Chiasmia somalica* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 137, figs.192, 830. Holotype ♀: Somalia: Afgoi, iv-v.1978 (Simonetta) (MZF). **Range (in code):** **SO**
- 39200. Chiasmia sordidula (Bastelberger,1909)** (Geometridae) **Synonym(s):** *sordidula* Bastelberger,1909 **Range (in code):** **US Tx**
- 39201. Chiasmia soror M.Krüger,2001** (Geometridae) **Synonym(s):** *soror* M.Krüger,2001 **Range (in code):** **KE**
- 39202. Chiasmia sororcula (W.Warren,1897)** (Geometridae) **Synonym(s):** *sororcula* W.Warren,1897; *unicolor* W.Warren,1905. **Original Reference:** *Azata sororcula* W.Warren,1897, Novit. zool. 4: 105. Holotype ♀: [Malawi]: Upper Shire District, Zomba (BMNH). **Range (in code):** **ZA Etm ZA04 ZA05 ZA08 ZA25 Kzu Nta Dbn Ec Tva Lpo Spb Mdk Ent Pma ZW Har Vf Uma MW Zom**
- 39203. Chiasmia subcretata (W.Warren,1905)** (Geometridae) **Synonym(s):** *subcretata* W.Warren,1905; *nigricans* Aurivillius,1925 **Range (in code):** **UG CM Bit ZR KE TZ**
- 39204. Chiasmia subcurvaria (Mabille,1898)** (Geometridae) **Synonym(s):** *subcurvaria* Mabille,1898 **Original Reference:** *Tephрина subcurvaria* Mabille,1898, Annls Soc. ent. Fr. 66 (2/3): 228. Holotype ♀: Afrique occidentale (BMNH). **Range (in code):** **ZA Ksi ZA16 Mpu ZA21 Tva Lpo ZA25 ZA26 Kzu Nta Spb Mdk Gau Jh Pre Bbg Wy Tst Kru Pma Mpu Nel Brb Wv Ent Dbn Ptw Esw Fs Ec Pjo SZ NA BW ZW Vum Har ZM MW MZ KE TZ UG ZR ET SA**
- 39205. Chiasmia subcurvaria araps (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *araps* L.B.Prout,1926 **Range (in code):** **SA ET**
- 39206. Chiasmia subcurvaria subcurvaria (Mabille,1898)** (Geometridae) **Synonym(s):** *subcurvaria* Mabille,1898 **Original Reference:** *Tephрина subcurvaria* Mabille,1898, Annls Soc. ent. Fr. 66 (2/3): 228. Holotype ♀: Afrique occidentale (BMNH). **Range (in code):** **ZA Ksi ZA16 Mpu ZA21 Tva Lpo ZA25 ZA26 Kzu Nta Spb Mdk Gau Jh Pre Bbg Wy Tst Kru Pma Mpu Nel Brb Wv Ent Dbn Ptw Esw Fs Ec Pjo SZ NA BW ZW Vum Har ZM MW MZ KE TZ UG ZR ET**
- 39207. Chiasmia subvaria (Bastelberger,1907)** (Geometridae) **Synonym(s):** *subvaria* Bastelberger,1907; *cretiguttata* Bastelberger,1909 **Range (in code):** **TZ KE Nai RW AO ZW Vum CM CI**
- 39208. Chiasmia sudanata (W.Warren & Rothschild,1905)** (Geometridae) **Synonym(s):** *sudanata* W.Warren & Rothschild,1905 **Range (in code):** **SD MR TD NE NG SN GM CV DZ CM**

- 39209. Chiasmia sufflata (Guenée,[1858])** (Geometridae) Synonym(s): *sufflata* Guenée,[1858]
Range (in code): **PK Rw TH CMa CDo Dsk**
- 39210. Chiasmia suriens (Strand,1912)** (Geometridae) Synonym(s): *suriens* Strand,1912
Range (in code): **TZ ZA ZA01 ZA21 Tva Lpo Gau Mgl Pre Pma Kzu Nta BW ZW SZ**
- 39211. Chiasmia suthepensis (Bänziger & D.S.Fletcher,1988)** (Geometridae) Synonym(s): *suthepensis* Bänziger & D.S.Fletcher,1988 Original Reference: *Semiothisa suthepensis* Bänziger & D.S.Fletcher,1988, *Revue suisse Zool.* 95 (4): 938, figs. Holotype ♂: Thailand: Chiang Mai, Mae Nai, Doi Suthep-Pui, 1150m (BMNH). Range (in code): **TH CMa Dst**
- 39212. Chiasmia tecnium (L.B.Prout,1916)** (Geometridae) Synonym(s): *tecnium* L.B.Prout,1916; *ignava* L.B.Prout,1928 Range (in code): **ZA Tva Ksi ZA16 Mpu ZA24 NWe ZA26 Nta Kzu Gau Pre Mpu Rtb Nyl Spb Nel Fs MZ BW NA ZW MW TZ**
- 39213. Chiasmia threnopsis (D.S.Fletcher,1963)** (Geometridae) Synonym(s): *threnopsis* D.S.Fletcher,1963 Range (in code): **SL CI CM Bit GH ZR CG UG KE MZ MW**
- 39214. Chiasmia triangulata (Hampson,1891)** (Geometridae) Synonym(s): *triangulata* Hampson,1891; *psammodes* Bastelberger,1907; *apatetica* Tams,1924 Original Reference: *Gonodela* [sic!] *triangulata* Hampson,1891, *Illust. typical Specimens Lepid. Heterocera Colln Br. Mus.* 8: 29, 112, pl.151 figs.4,10. Lectotype ♂: [India]: Nilgiri distr.: N. slopes 3500ft (BMNH). Range (in code): **IN NI SI Djl TH Phr LA**
- 39215. Chiasmia trigonoleuca (Herbulot,1987)** (Geometridae) Synonym(s): *trigonoleuca* Herbulot,1987 Range (in code): **CM Bit CI UG KE GA CG**
- 39216. Chiasmia trilineararia (Moore,1888)** (Geometridae) Synonym(s): *trilineararia* Moore,1888
Range (in code): **SI IN Djl TH CMa CDo**
- 39217. Chiasmia trinotata (W.Warren,1902)** (Geometridae) Synonym(s): *trinotata* W.Warren,1902 Range (in code): **KE Nai TZ UG ET**
- 39218. Chiasmia trinotatula M.Krüger,2001** (Geometridae) Synonym(s): *trinotatula* M.Krüger,2001 Original Reference: *Chiasmia trinotatula* Krüger,2001, *Bull. nat. Hist. Mus. Lond. (Ent.)* 70 (1): 133, figs.184, 185, 599, 825. Holotype ♂: [Ethiopia]: Kabarutar, 50 mil. S. of Lake Tana, 6800ft., 20.iii.1926; leg. R.E.Cheeseman (BMNH) Range (in code): **ET**
- 39219. Chiasmia trirecurva (Saalmüller,1891)** (Geometridae) Synonym(s): *trirecurva* Saalmüller,1891 Range (in code): **MG**
- 39220. Chiasmia tristis M.Krüger,2001** (Geometridae) Synonym(s): *tristis* M.Krüger,2001
Range (in code): **ZA Wca Nca NA**
- 39221. Chiasmia triumbrata (W.Warren,1897)** (Geometridae) Synonym(s): *triumbrata* W.Warren,1897 Range (in code): **MY Pen**
- 39222. Chiasmia trizonaria (Hampson,1909)** (Geometridae) Synonym(s): *trizonaria* Hampson,1909; *converta* L.B.Prout,1913 Range (in code): **UG Rz ZA Ksi Nta Kzu Mal Tva Lpo Gau Pre Rtb Pma Wo Mpu Brb Nel Nca SZ NA Abc BW ZW Har MW KE Nai**
- 39223. Chiasmia turbulentata (Guenée,[1858])** (Geometridae) Synonym(s): *turbulentata* Guenée,[1858]; *exumbrata* Walker,[1863]; *eritreensis* L.B.Prout,1915. Range (in code): **YE YE33 Sna ET ER ZA ZA01 ZA24 NWe ZA28 Tva Lpo Gau Jh Pre Mgl Rtb Pot Mpu Brb Nyl Fs Est Ec Elo Grh Pel Cto Cap NA ZW MW**
- 39224. Chiasmia umbrata (W.Warren,1897)** (Geometridae) Synonym(s): *umbrata* W.Warren,1897; *sherrata* Swinhoe,1904 Range (in code): **ZR MG ZA Etm Ktz ZA04 Nta Kzu ZA14 Mpu Mal Tva Lpo Tst Ltr Spb Hgl Pil Ly Brb Nel Umk Dbn Ec Pjo SZ MZ TZ SN NG UG ZM**
- 39225. Chiasmia umbrata juvenilis (Herbulot,1964)** (Geometridae) Synonym(s): *juvenilis* Herbulot,1964 Range (in code): **MG**
- 39226. Chiasmia umbrata umbrata (W.Warren,1897)** (Geometridae) Synonym(s): *umbrata* W.Warren,1897; *sherrata* Swinhoe,1904 Range (in code): **ZR ZA Etm Ktz ZA04 Nta Kzu ZA14 Mpu Mal Tva Lpo Tst Ltr Spb Hgl Pil Ly Brb Nel Umk Dbn Ec Pjo SZ MZ TZ SN NG UG ZM**
- 39227. Chiasmia umbratilis (Butler,1875)** (Geometridae) Synonym(s): *umbratilis* Butler,1875; *arhoparia* Swinhoe,1904; *berengaria* Fawcett,1916; *novaria* Fawcett,1916 Range (in code): **KE ZA Nta Kzu Tva Lpo Pf Dbn Ec Pjo SZ NA Abc MZ TZ KE ET**
- 39228. Chiasmia unifilata (W.Warren,1899)** (Geometridae) Synonym(s): *unifilata* W.Warren,1899 Range (in code): **UG ET SD NG ZR ZW Har TZ ZM CM**
- 39229. Chiasmia uniformis M.Krüger,2001** (Geometridae) Synonym(s): *uniformis* M.Krüger,2001 Range (in code): **ZA**
- 39230. Chiasmia unigeminata (L.B.Prout,1923)** (Geometridae) Synonym(s): *unigeminata* L.B.Prout,1923 Range (in code): **CM Bit ZR GN UG**

- 39231. Chiasmia vau (L.B.Prout,1913)** (Geometridae) Synonym(s): *vau* L.B.Prout,1913
Original Reference: *Macaria vau* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 217, pl.12 fig.16.
Holotype ♀: [South Africa: Transvaal]: Soutpansberg District: Thabina (TMP). Range (in code):
ZA Tva Spb Lpo
- 39232. Chiasmia warreni (L.B.Prout,1915)** (Geometridae) Synonym(s): *warreni* L.B.Prout,1915
Range (in code): **KE TZ**
- 39233. Chiasmia yunnana (Wehrli,1932)** (Geometridae) Synonym(s): *yunnana* Wehrli,1932
Range (in code): **CN Yu**
- 39234. Chiasmia zelota (L.B.Prout,1922)** (Geometridae) Synonym(s): *zelota* L.B.Prout,1922
Range (in code): **KE SD TZ**
- 39235. Chiasmia zobrysi M.Krüger,2001** (Geometridae) Synonym(s): *zobrysi* M.Krüger,2001
Original Reference: *Chiasmia zobrysi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 221-222, figs.401, 402, 696, 917, 1017. Holotype ♂: [Namibia]: S.W.A. Windhoek District, Farm Valencia 42, 14-24.iv.1972; leg. Strydom & Jones (BMNH, SWMN). Range (in code): **NA**
- 39236. Chiasmiodes variolinea W.Warren,1896** (Geometridae) Synonym(s): *variolinea* W.Warren,1896
Range (in code): **IN Meg Ass Khs**
- 39237. Chionopora tarachodes L.B.Prout,1922** (Geometridae) Synonym(s): *tarachodes* L.B.Prout,1922
Range (in code): **ZA ZA07 ZA08 Ksi Kzu Nta**
- 39238. Chloeres boisensis Holloway,1979** (Geometridae) Synonym(s): *boisensis* Holloway,1979
Original Reference: *Chloeres boisensis* Holloway,1979, Lepidoptera New Caledonia: 273, figs.
Holotype ♂: New Caledonia: Port Boise, 20m. Range (in code): **NC**
- 39239. Chlorerythra rubriplaga W.Warren,1895** (Geometridae) Synonym(s): *rubriplaga* W.Warren,1895
Range (in code): **ZA KE TZ MR EG Sn YE**
- 39240. Chlorerythra rubriplaga extenuata L.B.Prout,1932** (Geometridae) Synonym(s): *extenuata* L.B.Prout,1932
Range (in code): **KE**
- 39241. Chlorerythra rubriplaga rubriplaga W.Warren,1895** (Geometridae) Synonym(s): *rubriplaga* W.Warren,1895
Range (in code): **ZA Mal ZA16 Mpu ZA17 Tva Lpo**
- 39242. Chlorerythra rubriplaga sinaica Wiltshire,1949** (Geometridae) Synonym(s): *sinaica* Wiltshire,1949
Range (in code): **EG Sn YE**
- 39243. Chlorissa afflictaria (Swinhoe,1904)** (Geometridae) Synonym(s): *afflictaria* Swinhoe,1904
Range (in code): **SL**
- 39244. Chlorissa albifasciata Pajni & Walia,1984** (Geometridae) Synonym(s): *albifasciata* Pajni & Walia,1984
Range (in code): **IN**
- 39245. Chlorissa albistrigulata (W.Warren,1897)** (Geometridae) Synonym(s): *albistrigulata* W.Warren,1897
Range (in code): **ZA**
- 39246. Chlorissa allochroma L.B.Prout,1920** (Geometridae) Synonym(s): *allochroma* L.B.Prout,1920
Range (in code): **CI**
- 39247. Chlorissa amphitritaria (Oberthür,1879)** (Geometridae) Synonym(s): *amphitritaria* Oberthür,1879; *mali* Matsumura,1917
Range (in code): **RU Prj Us Ask JP**
- 39248. Chlorissa anadema L.B.Prout,1930** (Geometridae) Synonym(s): *anadema* L.B.Prout,1930; *tyro* L.B.Prout,1935
Range (in code): **JP CN**
- 39249. Chlorissa annobonica Herbulot,1958** (Geometridae) Synonym(s): *annobonica* Herbulot,1958
Range (in code): **GO**
- 39250. Chlorissa apheles L.B.Prout,1933** (Geometridae) Synonym(s): *apheles* L.B.Prout,1933
Range (in code): **ID Ja**
- 39251. Chlorissa apographa L.B.Prout,1930** (Geometridae) Synonym(s): *apographa* L.B.Prout,1930
Range (in code): **KE**
- 39252. Chlorissa arcana Yazaki,1993** (Geometridae) Synonym(s): *arcana* Yazaki,1993
Range (in code): **TW**
- 39253. Chlorissa arkitensis Viidalepp,1986** (Geometridae) Synonym(s): *arkitensis* Viidalepp,1986
Range (in code): **KK**
- 39254. Chlorissa articulicornis (L.B.Prout,1916)** (Geometridae) Synonym(s): *articulicornis* L.B.Prout,1916
Range (in code): **ZA ZA14 Tva Mpu Brb ZA18 Ec ZA25 Kzu Nta Esw Wm Hfo ZW UG KE AO**
- 39255. Chlorissa asphaleia Wiltshire,1966** (Geometridae) Synonym(s): *asphaleia* Wiltshire,1966; *#esphaleia* Scoble,1999 [this incorrect spelling name was used by Scoble (1999: 139) as a valid name, as if it were a true species in the world].
Range (in code): **TR Cc IR Elb Th**

- 39256. Chlorissa attenuata (Walker,[1863])** (Geometridae) Synonym(s): *attenuata* Walker,[1863]; *reductata* Walker,1866 _ Range (in code): **ZA ZA16 Mpu ZA17 Tva Lpo Ec Esw Ver Nta Kzu Gau Pre SL NG CM ZR KE**
- 39257. Chlorissa cloraria (Hübner,[1813])** (Geometridae) Synonym(s): *cloraria* Hübner,[1813]; *porrinata* Zeller,1848; *porrinaria* Heydenreich,1851. _ Range (in code): **PT ES FR Co IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Smt LT RU MD UA BY CN Ui Kun**
- 39258. Chlorissa confusaria (Staudinger,1892)** (Geometridae) Synonym(s): *confusaria* Staudinger,1892 _ Range (in code): **RU Prj Us**
- 39259. Chlorissa decipiens (W.Warren,1909)** (Geometridae) Synonym(s): *decipiens* W.Warren,1909 _ Range (in code): **PE**
- 39260. Chlorissa dialeuca L.B.Prout,1930** (Geometridae) Synonym(s): *dialeuca* L.B.Prout,1930 Range (in code): **KE**
- 39261. Chlorissa distinctaria (Walker,1866)** (Geometridae) Synonym(s): *distinctaria* Walker,1866; *rubrifrons* W.Warren,1894 _ Range (in code): **IN Meg Ass Khs BT**
- 39262. Chlorissa distinctaria distinctaria (Walker,1866)** (Geometridae) Synonym(s): *distinctaria* Walker,1866; *rubrifrons* W.Warren,1894 _ Range (in code): **IN BT**
- 39263. Chlorissa distinctaria laeta (L.B.Prout,1917)** (Geometridae) Synonym(s): *laeta* L.B.Prout,1917 _ Range (in code): **IN Meg Ass Khs**
- 39264. Chlorissa dorsicristata (W.Warren,1905)** (Geometridae) Synonym(s): *dorsicristata* W.Warren,1905 _ Range (in code): **ZA Etm ZA06 ZA13 Kzu Nta Dbn Srn Umk KE**
- 39265. Chlorissa dorsicristata cremnobates L.B.Prout,1930** (Geometridae) Synonym(s): *cremnobates* L.B.Prout,1930 _ Range (in code): **KE**
- 39266. Chlorissa dorsicristata dorsicristata (W.Warren,1905)** (Geometridae) Synonym(s): *dorsicristata* W.Warren,1905 _ Range (in code): **ZA Etm ZA06 ZA13 Kzu Nta Dbn**
- 39267. Chlorissa gelida (Butler,1889)** (Geometridae) Synonym(s): *gelida* Butler,1889; *anomala* W.Warren,1896 _ Range (in code): **IN Drm Hp Klu AF Pag Nu PK Swa Sgl SdS Dara Cte Kkar Mdy Haz**
- 39268. Chlorissa gelida exsoluta (L.B.Prout,1935)** (Geometridae) Synonym(s): *exsoluta* L.B.Prout,1935 _ Range (in code): **IN Klu Hp**
- 39269. Chlorissa gelida gelida (Butler,1889)** (Geometridae) Synonym(s): *gelida* Butler,1889; *anomala* W.Warren,1896 _ Range (in code): **IN Drm Hp AF Pag Nu PK Swa Sgl SdS Dara Cte Kkar Mdy Haz**
- 39270. Chlorissa hyperymna L.B.Prout,1933** (Geometridae) Synonym(s): *hyperymna* L.B.Prout,1933 _ Range (in code): **CX**
- 39271. Chlorissa inornata L.B.Prout,1930** (Geometridae) Synonym(s): *inornata* L.B.Prout,1930 Range (in code): **ZA Tva Lpo Nta Kzu Dbn Ptb**
- 39272. Chlorissa macrotyro Inoue,1954** (Geometridae) Synonym(s): *macrotyro* Inoue,1954 Range (in code): **JP**
- 39273. Chlorissa malescripta (W.Warren,1897)** (Geometridae) Synonym(s): *malescripta* W.Warren,1897 _ Range (in code): **ZA ZA06 Kzu Nta Wnn ZA17 Tva Lpo**
- 39274. Chlorissa nigropunctata (W.Warren,1893)** (Geometridae) Synonym(s): *nigropunctata* W.Warren,1893 _ Range (in code): **MM**
- 39275. Chlorissa obliterated (Walker,1863)** (Geometridae) Synonym(s): *obliterated* Walker,1863 Range (in code): **CN**
- 39276. Chlorissa prasina Yazaki,1995** (Geometridae) Synonym(s): *prasina* Yazaki,1995 Range (in code): **NP**
- 39277. Chlorissa pretiosaria Staudinger,1877** (Geometridae) Synonym(s): *pretiosaria* Staudinger,1877 Original Reference: *Nemoria pretiosaria* Staudinger,1877, Stettin ent. Ztg. 38 (/6): 202. Type ♂: Kaukasus. Range (in code): **RU Ao Cc GG Akh TR IR KK**
- 39278. Chlorissa pretiosaria gigantaria Staudinger,1892** (Geometridae) Synonym(s): *gigantaria* Staudinger,1892 _ Range (in code): **KK**
- 39279. Chlorissa pretiosaria pretiosaria Staudinger,1877** (Geometridae) Synonym(s): *pretiosaria* Staudinger,1877 Original Reference: *Nemoria pretiosaria* Staudinger,1877, Stettin ent. Ztg. 38 (/6): 202. Type ♂: Kaukasus. Range (in code): **Cc GG Akh TR**
- 39280. Chlorissa prouti (Rothschild,1920)** (Geometridae) Synonym(s): *prouti* Rothschild,1920 Range (in code): **ID Sum**
- 39281. Chlorissa punctifimbria (W.Warren,1896)** (Geometridae) Synonym(s): *punctifimbria* W.Warren,1896 _ Range (in code): **PK IN Mh Bba**

- 39282. Chlorissa rubripicta (W.Warren,1893)** (Geometridae) Synonym(s): *rubripicta* W.Warren,1893 Range (in code): IN SI TH
- 39283. Chlorissa ruficristata (L.B.Prout,1916)** (Geometridae) Synonym(s): *ruficristata* L.B.Prout,1916 Range (in code): ZA Gau Tva Pre Nta Kzu Dbn
- 39284. Chlorissa sachaliensis (Matsumura,1925)** (Geometridae) Synonym(s): *sachaliensis* Matsumura,1925 Range (in code): RU Sh JP
- 39285. Chlorissa talvei Viidalepp,1988** (Geometridae) Synonym(s): *talvei* Viidalepp,1988 Range (in code): TJ Pm
- 39286. Chlorissa tanyptera L.B.Prout,1930** (Geometridae) Synonym(s): *tanyptera* L.B.Prout,1930 Range (in code): ST
- 39287. Chlorissa unilinea (W.Warren,1897)** (Geometridae) Synonym(s): *unilinea* W.Warren,1897 Range (in code): ZA Tva ZA12 Kzu Nta Wnn ZA16 Mpu
- 39288. Chlorissa unilineararia (Leech,1897)** (Geometridae) Synonym(s): *unilineararia* Leech,1897 Range (in code): CN
- 39289. Chlorissa viridata (Linnaeus,1758)** (Geometridae) Synonym(s): *viridata* Linnaeus,1758; *volutata* Fabricius,1775; *sirene* Villers,1789 Original Reference: Phalaena viridata Linnaeus,1758, Syst. Nat. (Edn.10)1: 523. Type(s): [Europa] in Quercus. Range (in code): DZ Ges PT ES FR Co Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Sok Kir Cc DK NO SE FI EE LV LT RU Ur MD UA BY CN Ui Tlk Kun UZ Fe KK Ik IR Ab Jal Bionomy: Larva on Betula, Calluna vulgaris, Crataegus, Salix (Meyer,1919; Skou,1986).
- 39290. Chlorissa viridata insignata (Staudinger,1901)** (Geometridae) Synonym(s): *insignata* Staudinger,1901 Range (in code): KK Ik UZ Fe
- 39291. Chlorissa viridata melinaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *melinaria* Herrich-Schäffer,1852 Range (in code): RU Ur
- 39292. Chlorissa viridescentaria Motschulsky,1861** (Geometridae) Synonym(s): *viridescentaria* Motschulsky,1861 Range (in code): JP
- 39293. Chloristola setosa Holloway,1996** (Geometridae) Synonym(s): *setosa* Holloway,1996 Range (in code): MY Bor Swk TH
- 39294. Chloroclysta cinereata (Moore,1868)** (Geometridae) Synonym(s): *cinereata* Moore,1868 Range (in code): IN JP
- 39295. Chloroclysta cinereata cesa (Koçak & Kemal,2001)** (Geometridae) Synonym(s): *japonica* Heydemann,1929 nec Hori,1926; *cesa* Koçak & Kemal,2001. Range (in code): JP
- 39296. Chloroclysta citrata (Linnaeus,1761)** (Geometridae) Synonym(s): *citrata* Linnaeus,1761; *variata* Thunberg,1784 nec [Denis & Schiff.],1775; *marmorata* Fabricius,1794; *strigulata* Fabricius,1794; *immanata* Haworth,1809; *amoenata* Stephens,1831; *immanaria* Doubleday,1849; *acutata* Guenée,1858; *pythonissata* Millière,1872 Range (in code): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 39297. Chloroclysta concinnata (Stephens,1831)** (Geometridae) Synonym(s): *concinnata* Stephens,1831 Range (in code): GB
- 39298. Chloroclysta guriata (Emich,1873)** (Geometridae) Synonym(s): *guriata* Emich,1873 Original Reference: Cidaria guriata Emich,1873, Horae Soc. ent. ross. 9: 43, pl.2B fig.2. Syntypes ♂: Transcaucasus, Dschri-Sattip-Thale, Surebia village. Range (in code): Cc GG TR
- 39299. Chloroclysta infuscata (Tengström,1869)** (Geometridae) Synonym(s): *infuscata* Tengström,1869 Range (in code): CZ NO SE FI EE LV LT RU MD UA BY
- 39300. Chloroclysta latefasciata (L.B.Prout,1914)** (Geometridae) Synonym(s): *latefasciata* L.B.Prout,1914 Range (in code): DK NO SE FI EE LV RU MD UA BY
- 39301. Chloroclysta miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 Original Reference: Phalaena miata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa. Range (in code): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Arr Cc GG DK NO SE FI EE LV LT RU MD UA BY IR Fa Sse Elb Th AF TJ Pm Bionomy: Larva on Alnus, Betula, Quercus, Salix (Meyer,1919).
- 39302. Chloroclysta miata buzurga Wiltshire,1970** (Geometridae) Synonym(s): *buzurga* Wiltshire,1970 Range (in code): IR Fa Sse Elb Th AF TJ Pm
- 39303. Chloroclysta miata miata (Linnaeus,1758)** (Geometridae) Synonym(s): *miata* Linnaeus,1758; *miaria* [Denis & Schiffermüller],1775; *viridifasciaria* Goeze,1781; *virgata* Fourcroy,1785 nec Hufn.,1767; *coraciata* Hübner,[1799]; *viridulata* Zetterstedt,1839; *coraciaria* La Harpe,1853 Original Reference: Phalaena miata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526. Type(s): Europa. Range (in

- code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY**
- 39304. Chloroclysta pseudimmanata Heydemann,1929** (Geometridae) **Synonym(s):** *pseudimmanata Heydemann,1929* **Range (in code): RU MD UA BY**
- 39305. Chloroclysta siterata (Hufnagel,1767)** (Geometridae) **Synonym(s):** *siterata Hufnagel,1767; psittacata [Denis & Schiffermüller],1775; rubroviridata Donovan,1810; psittacaria Boisduval,1840* **Original Reference:** Phalaena siterata Hufnagel,1767, Berl. Mag. 4: 522. **Type(s):** Deutschland: Berlin. **Range (in code): MA PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU Ur MD UA Cm BY** **Bionomy:** Larva on Acer, Pyrus malus, Prunus cerasus, Quercus, Rosa, Tilia, Vaccinium myrtillus (Meyer,1919).
- 39306. Chloroclysta truncata (Hufnagel,1767)** (Geometridae) **Synonym(s):** *truncata Hufnagel,1767; centumnotata Schulze,1775; russata [Denis & Schiffermüller],1775; perfusata Haworth,1809; commanotata Haworth,1809; saturata Stephens,1831; russaria Boisduval,1840; perfuscaria La Harpe,1853* **Original Reference:** Phalaena truncata Hufnagel,1767, Berl. Mag. 4: 602, 625. **Type(s):** Deutschland: Berlin. **Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR TR Cc GG Tbl Bjo Bku Kir AM AZ Da DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Betula (Betulaceae); Crataegus, Rubus (Rosaceae); Fragaria, Geranium robertianum (Geraniaceae); Lonicera xylosteum; Salix (Salicaceae); Vaccinium (Meyer,1919).
- 39307. Chloroclystis callinda Holloway,1979** (Geometridae) **Synonym(s):** *callinda Holloway,1979* **Range (in code): NC**
- 39308. Chloroclystis lunifera Holloway,1979** (Geometridae) **Synonym(s):** *lunifera Holloway,1979* **Range (in code): NC**
- 39309. Chloroclystis macroaedeagus Holloway,1979** (Geometridae) **Synonym(s):** *macroaedeagus Holloway,1979* **Range (in code): NC**
- 39310. Chloroclystis pyrsodonta Turner,1922** (Geometridae) **Synonym(s):** *pyrsodonta Turner,1922* **Range (in code): AU QAU NC**
- 39311. Chloroclystis scintillata L.B.Prout,1932** (Geometridae) **Synonym(s):** *scintillata L.B.Prout,1932* **Range (in code): NC**
- 39312. Chloroclystis v-ata (Haworth,1809)** (Geometridae) **Synonym(s):** *v-ata Haworth,1809; coronata Hübner,[1813]; coronaria Doubleday,1849* **Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl Lag Sok**
- 39313. Chlorocoma clopia L.B.Prout,1922** (Geometridae) **Synonym(s):** *clopia L.B.Prout,1922* **Range (in code): ZA ZA07 ZA26 Kzu Nta Tva Gau Pre Mpu Brb Tst Nkw Tug**
- 39314. Chlorocoma didita (Walker,1861)** (Geometridae) **Synonym(s):** *didita Walker,1861; chloe Thierry-Mieg,1915* **Range (in code): ZA Wca Ste Pel Ec Nta Kzu Dmm**
- 39315. Chlorocoma dilatata (Walker,1861)** (Geometridae) **Synonym(s):** *dilatata Walker,1861* **Range (in code): ZA**
- 39316. Chlorocoma eucela L.B.Prout,1922** (Geometridae) **Synonym(s):** *eucela L.B.Prout,1922* **Original Reference:** Chlorocoma eucela L.B.Prout,1922, Ann. Transv. Mus. 8 (3): 151. **Holotype** ♂: [South Africa: Gauteng]: Pretoria (TMP). **Range (in code): ZA ZA12 Nta Kzu ZA14 Tva Lpo Spb Bbg ZA20 Mpu Gau Pre** **Bionomy:** Larva on Acacia karroo (Scoble et al.,1999).
- 39317. Chlorocoma octoplagiata Holloway,1979** (Geometridae) **Synonym(s):** *octoplagiata Holloway,1979* **Original Reference:** Chlorocoma octoplagiata Holloway,1979, Lepidoptera New Caledonia: 273-275, figs. **Holotype** ♂: New Caledonia: Mt.Mou, 1100m. **Range (in code): NC**
- 39318. Chloroctenis conspersa W.Warren,1909** (Geometridae) **Synonym(s):** *conspersa W.Warren,1909* **Range (in code): ZA Etm Nta Kzu**
- 39319. Chloroglyphica devecisi (Herbulot,1992)** (Geometridae) **Synonym(s):** *devecisi Herbulot,1992* **Range (in code): MY**
- 39320. Chloroglyphica variegata (Butler,1889)** (Geometridae) **Synonym(s):** *variegata Butler,1889* **Range (in code): PK Haz Mre IN Hp Drm Kgr TH**
- 39321. Chloroglyphica xeromeris (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *xeromeris L.B.Prout,1932* **Range (in code): ID Sum TH**
- 39322. Chloromianta ferruginata W.Warren,1896** (Geometridae) **Synonym(s):** *ferruginata W.Warren,1896* **Range (in code): IN Ass Meg Khs**
- 39323. Chloromianta mianta (West,1930)** (Geometridae) **Synonym(s):** *mianta West,1930* **Range (in code): PH Luz**
- 39324. Chloromma mimica W.Warren,1896** (Geometridae) **Synonym(s):** *mimica W.Warren,1896* **Range (in code): IN Ass Meg Khs**

- 39325. *Chlorosterrha dichroma* (R.Felder & Rogenhofer,1875)** (Geometridae)
Synonym(s): *dichroma* R.Felder & Rogenhofer,1875; *albaniensis* L.B.Prout,1912 _ Range (in code): ZA
Wca Plt Cto
- 39326. *Chlorosterrha monochroma* L.B.Prout,1912** (Geometridae) Synonym(s): *monochroma*
L.B.Prout,1912 _ Range (in code): ZA Fs Blo Wca Cto
- 39327. *Chlorozancla falcatus* (Hampson,1895)** (Geometridae) Synonym(s): *falcatus*
Hampson,1895 _ Range (in code): IN SI TH
- 39328. *Chondrosoma fiduciaria* Anker,1854** (Geometridae) Synonym(s): *fiduciaria* Anker,1854
Range (in code): AT SK HU
- 39329. *Chorodna adumbrata* Moore,1888** (Geometridae) Synonym(s): *adumbrata* Moore,1888
Range (in code): IN SI Djl
- 39330. *Chorodna anespia* (Wehrli,1941)** (Geometridae) Synonym(s): *anespia* Wehrli,1941
Range (in code): CN Yu
- 39331. *Chorodna characta* (Wehrli,1941)** (Geometridae) Synonym(s): *characta* Wehrli,1941
Range (in code): CN Sz
- 39332. *Chorodna complicataria* (Walker,1860)** (Geometridae) Synonym(s): *complicataria*
Walker,1860 _ Range (in code): MY Bor Swk TH Ntt Hba Rng Nst
- 39333. *Chorodna creataria* (Guenée,[1858])** (Geometridae) Synonym(s): *creataria*
Guenée,[1858] _ Range (in code): TH CMa Dst Int CDo Pki Agk Fn Nna Kao
- 39334. *Chorodna erebusaria* Walker,1860** (Geometridae) Synonym(s): *erebusaria* Walker,1860
Range (in code): IN TH CMa CDo
- 39335. *Chorodna gleba* (Swinhoe,1886)** (Geometridae) Synonym(s): *gleba* Swinhoe,1886
Range (in code): IN Poo
- 39336. *Chorodna lasiochora* (L.B.Prout,1927)** (Geometridae) Synonym(s): *lasiochora*
L.B.Prout,1927 _ Range (in code): MM Hpi
- 39337. *Chorodna lignyodes* (Wehrli,1941)** (Geometridae) Synonym(s): *lignyodes* Wehrli,1941
Range (in code): CN Yu
- 39338. *Chorodna livida* (W.Warren,1893)** (Geometridae) Synonym(s): *livida* W.Warren,1893
Range (in code): IN SI
- 39339. *Chorodna mauraria* (Guenée,[1858])** (Geometridae) Synonym(s): *mauraria*
Guenée,[1858] _ Range (in code): TH CMa CDo Pki Int Dst
- 39340. *Chorodna metaphaearia* (Walker,[1863])** (Geometridae) Synonym(s): *metaphaearia*
Walker,[1863]; *semiclusaria* Walker,[1863]; *praetextaria* R.Felder & Rogenhofer,1875 _ Range (in code): IN
SI Djl TH CMa Dst Dso8 CDo Agk Fn Int Nna Kao
- 39341. *Chorodna mindanensis* Sato,1996** (Geometridae) Synonym(s): *mindanensis* Sato,1996
Range (in code): PH Mno
- 39342. *Chorodna obliterated* (Moore,1868)** (Geometridae) Synonym(s): *obliterated* Moore,1868
Range (in code): IN Ben TH
- 39343. *Chorodna pallidularia* Moore,1868** (Geometridae) Synonym(s): *pallidularia* Moore,1868
Range (in code): MY Bor Sbh ID Sum CN IN SI Djl TH Nna Kao
- 39344. *Chorodna pallidularia celanosticta* L.B.Prout,1928** (Geometridae) Synonym(s):
celanosticta L.B.Prout,1928 _ Range (in code): ID Sum MY Bor Sbh
- 39345. *Chorodna pallidularia pallidularia* Moore,1868** (Geometridae) Synonym(s):
pallidularia Moore,1868 _ Range (in code): IN SI Djl TH Nna Kao CN
- 39346. *Chorodna pulverulenta* (Hampson,1895)** (Geometridae) Synonym(s): *pulverulenta*
Hampson,1895 _ Range (in code): IN Hp Drm
- 39347. *Chorodna quadrinotata* (W.Warren,1893)** (Geometridae) Synonym(s): *quadrinotata*
W.Warren,1893 _ Range (in code): IN SI TH CMa Dst
- 39348. *Chorodna reticulata* (Hampson,1895)** (Geometridae) Synonym(s): *reticulata*
Hampson,1895; *intricata* W.Warren,1896 _ Range (in code): IN SI Ass Meg Khs
- 39349. *Chorodna scurobolima* Holloway,[1994]** (Geometridae) Synonym(s): *scurobolima*
Holloway,[1994] _ Range (in code): MY Bor Swk TH
- 39350. *Chorodna sikkima* (Moore,1888)** (Geometridae) Synonym(s): *sikkima* Moore,1888
Range (in code): IN SI Djl
- 39351. *Chorodna strixaria* (Guenée,[1858])** (Geometridae) Synonym(s): *strixaria*
Guenée,[1858]; *celebensis* L.B.Prout,1928 _ Range (in code): LK Pdy IN ID Ja Clb Ij TH Nna Kao Chi Loe
- 39352. *Chorodna strixaria ceylonensis* (L.B.Prout,1934)** (Geometridae) Synonym(s):
ceylonensis L.B.Prout,1934 _ Range (in code): LK Pdy

- 39353. Chorodna strixaria strixaria** (Guenée,[1858]) (Geometridae) Synonym(s): *strixaria* Guenée,[1858]; *celebensis* L.B.Prout,1928 _ Range (in code): IN ID Ja Clb Ij TH Nna Kao Cbi Loe
- 39354. Chorodna tephrosiaria** (W.Warren,1896) (Geometridae) Synonym(s): *tephrosiaria* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 39355. Chorodna testaceata** (Moore,1868) (Geometridae) Synonym(s): *testaceata* Moore,1868 _ Range (in code): IN Ben TH CMa Int Dst Mta
- 39356. Chorodna ugandaria** (Swinhoe,1904) (Geometridae) Synonym(s): *ugandaria* Swinhoe,1904 _ Range (in code): UG Etb
- 39357. Chorodna vagans** (Moore,1888) (Geometridae) Synonym(s): *vagans* Moore,1888; *interlata* W.Warren,1894 _ Range (in code): IN SI Djl
- 39358. Chorodna vulpinaria** Moore,1868 (Geometridae) Synonym(s): *vulpinaria* Moore,1868 _ Range (in code): IN SI Djl
- 39359. Chrioloba andrewesi** L.B.Prout,1958 (Geometridae) Synonym(s): *andrewesi* L.B.Prout,1958 _ Range (in code): IN NI
- 39360. Chrioloba apicata** (L.B.Prout,1914) (Geometridae) Synonym(s): *apicata* L.B.Prout,1914 _ Range (in code): CN
- 39361. Chrioloba bifasciata** (Hampson,1891) (Geometridae) Synonym(s): *bifasciata* Hampson,1891 _ Range (in code): IN NI Pln Tn
- 39362. Chrioloba cinerea** (Butler,1880) (Geometridae) Synonym(s): *cinerea* Butler,1880 _ Range (in code): IN Hp Drm SI Djl
- 39363. Chrioloba costimacula** (Wileman & South,1917) (Geometridae) Synonym(s): *costimacula* Wileman & South,1917 _ Range (in code): TW
- 39364. Chrioloba erubescens** (Wehrli,1924) (Geometridae) Synonym(s): *erubescens* Wehrli,1924 _ Range (in code): CN
- 39365. Chrioloba etaina** (Swinhoe,1900) (Geometridae) Synonym(s): *etaina* Swinhoe,1900 _ Range (in code): IN Ass Meg Khs
- 39366. Chrioloba inobtrusa** (Wileman & South,1917) (Geometridae) Synonym(s): *inobtrusa* Wileman & South,1917 _ Range (in code): TW
- 39367. Chrioloba olivaria** (Swinhoe,1897) (Geometridae) Synonym(s): *olivaria* Swinhoe,1897 _ Range (in code): IN Ass Slo
- 39368. Chrioloba olivescens** (Hampson,1902) (Geometridae) Synonym(s): *olivescens* Hampson,1902 _ Range (in code): IN SI
- 39369. Chrioloba togulata** (L.B.Prout,1926) (Geometridae) Synonym(s): *togulata* L.B.Prout,1926 _ Range (in code): MM Hpa
- 39370. Chrioloba trinotata** (W.Warren,1893) (Geometridae) Synonym(s): *trinotata* W.Warren,1893 _ Range (in code): IN SI
- 39371. Chrysoblephara chrysoteucta** (L.B.Prout,1926) (Geometridae) Synonym(s): *chrysoteucta* L.B.Prout,1926 _ Range (in code): MM Hta TH CMa Dst
- 39372. Chrysoclystis morbosa** L.B.Prout,1916 (Geometridae) Synonym(s): *morbosa* L.B.Prout,1916 _ Range (in code): MY Pen TH Ntt Hba
- 39373. Chrysoclystis perornata** W.Warren,1896 (Geometridae) Synonym(s): *perornata* W.Warren,1896 _ Range (in code): ID Ij
- 39374. Chrysocraspeda abdominalis** Herbulot,1984 (Geometridae) Synonym(s): *abdominalis* Herbulot,1984 _ Range (in code): CG
- 39375. Chrysocraspeda abhadraca** (Walker,1861) (Geometridae) Synonym(s): *abhadraca* Walker,1861 _ Range (in code): IN MM TH MY ID Sum Bor Kba BN
- 39376. Chrysocraspeda albidisca** (W.Warren,1907) (Geometridae) Synonym(s): *albidisca* W.Warren,1907 _ Range (in code): PG
- 39377. Chrysocraspeda altegradia** L.B.Prout,1931 (Geometridae) Synonym(s): *altegradia* L.B.Prout,1931 _ Range (in code): PH Luz
- 39378. Chrysocraspeda ambolosy** (Viette,1978) (Geometridae) Synonym(s): *ambolosy* Viette,1978 _ Range (in code): MG
- 39379. Chrysocraspeda ambrensis** (Viette,1970) (Geometridae) Synonym(s): *ambrensis* Viette,1970 _ Range (in code): MG
- 39380. Chrysocraspeda anala** (Viette,1970) (Geometridae) Synonym(s): *anala* Viette,1970 _ Range (in code): MG

- 39381. *Chrysocraspeda analiplaga* W.Warren,1907** (Geometridae) Synonym(s): *analiplaga* W.Warren,1907 _ Range (in code): PG
- 39382. *Chrysocraspeda anamale* (Viette,1970)** (Geometridae) Synonym(s): *anamale* Viette,1970 _ Range (in code): MG
- 39383. *Chrysocraspeda angulosa* (Herbulot,1970)** (Geometridae) Synonym(s): *angulosa* Herbulot,1970 _ Range (in code): MG
- 39384. *Chrysocraspeda anisocosma* (L.B.Prout,1918)** (Geometridae) Synonym(s): *anisocosma* L.B.Prout,1918 _ Range (in code): MY Bor BN
- 39385. *Chrysocraspeda apseogramma* (L.B.Prout,1932)** (Geometridae) Synonym(s): *apseogramma* L.B.Prout,1932 _ Range (in code): ZW
- 39386. *Chrysocraspeda argentimacula* Holloway,1997** (Geometridae) Synonym(s): *argentimacula* Holloway,1997 _ Range (in code): Bor Swk MY
- 39387. *Chrysocraspeda aurantibasis* (Herbulot,1970)** (Geometridae) Synonym(s): *aurantibasis* Herbulot,1970 _ Range (in code): MG
- 39388. *Chrysocraspeda aurimargo* W.Warren,1897** (Geometridae) Synonym(s): *aurimargo* W.Warren,1897; *inundata* W.Warren,1898 _ Range (in code): AU QAU PG
- 39389. *Chrysocraspeda autarces* L.B.Prout,1938** (Geometridae) Synonym(s): *autarces* L.B.Prout,1938 _ Range (in code): ID Clb
- 39390. *Chrysocraspeda baderi* Herbulot,1987** (Geometridae) Synonym(s): *baderi* Herbulot,1987 _ Range (in code): MY Bor Sbh KBa
- 39391. *Chrysocraspeda cambogiodes* L.B.Prout,1916** (Geometridae) Synonym(s): *cambogiodes* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 39392. *Chrysocraspeda charites* (Oberthür,1916)** (Geometridae) Synonym(s): *charites* Oberthür,1916 _ Original Reference: Hyria charites Oberthür,1916, Etud. lépid. comp. 12: 165, pl.398 figs.3392. Holotype: [Turkey: Hatay Prov.]: Akbes (ZFMK). Range (in code): TR
- 39393. *Chrysocraspeda comptaria* Swinhoe,1902** (Geometridae) Synonym(s): *comptaria* Swinhoe,1902 _ Range (in code): PG SG MY Bor ID PH Clb BN Kcg
- 39394. *Chrysocraspeda comptaria comptaria* Swinhoe,1902** (Geometridae) Synonym(s): *comptaria* Swinhoe,1902 _ Range (in code): SG MY Bor ID PH Clb BN Kcg
- 39395. *Chrysocraspeda comptaria pulverimargo* L.B.Prout,1917** (Geometridae) Synonym(s): *pulverimargo* L.B.Prout,1917 _ Range (in code): PG
- 39396. *Chrysocraspeda conspicuaria* Swinhoe,1905** (Geometridae) Synonym(s): *conspicuaria* Swinhoe,1905 _ Range (in code): IN Ass Meg Khs
- 39397. *Chrysocraspeda convergens* Holloway,1997** (Geometridae) Synonym(s): *convergens* Holloway,1997 _ Range (in code): BN Bor Sbh
- 39398. *Chrysocraspeda conversata* (Walker,1861)** (Geometridae) Synonym(s): *conversata* Walker,1861 _ Range (in code): Bor Sum BN Swk MY ID
- 39399. *Chrysocraspeda croceomarginata* W.Warren,1896** (Geometridae) Synonym(s): *croceomarginata* W.Warren,1896 _ Range (in code): ID Ja Sum Bor Sbh SG MY
- 39400. *Chrysocraspeda crypsaurea* Bastelberger,1908** (Geometridae) Synonym(s): *crypsaurea* Bastelberger,1908 _ Range (in code): MY Prk
- 39401. *Chrysocraspeda dargei* (Herbulot,1978)** (Geometridae) Synonym(s): *dargei* Herbulot,1978 _ Range (in code): RW
- 39402. *Chrysocraspeda deltalutea* Holloway,1997** (Geometridae) Synonym(s): *deltalutea* Holloway,1997 _ Range (in code): BN MY Bor Sbh Ja Clb ID MM
- 39403. *Chrysocraspeda dilucida* W.Warren,1897** (Geometridae) Synonym(s): *dilucida* W.Warren,1897 _ Range (in code): Bor Sbh Swk SG MY
- 39404. *Chrysocraspeda dipyrāmida* (L.B.Prout,1918)** (Geometridae) Synonym(s): *dipyrāmida* L.B.Prout,1918 _ Range (in code): MM Tns MY Bor Klt Pon
- 39405. *Chrysocraspeda dischista* (L.B.Prout,1938)** (Geometridae) Synonym(s): *dischista* L.B.Prout,1938 _ Range (in code): MY Sgo
- 39406. *Chrysocraspeda dollmani* (L.B.Prout,1932)** (Geometridae) Synonym(s): *dollmani* L.B.Prout,1932 _ Range (in code): ZW
- 39407. *Chrysocraspeda draconias* (Meyrick,1897)** (Geometridae) Synonym(s): *dracontias* Meyrick,1897 _ Range (in code): MY Bor Kcg
- 39408. *Chrysocraspeda dramaturgis* Holloway,1997** (Geometridae) Synonym(s): *dramaturgis* Holloway,1997 _ Range (in code): MY Bor Swk BN

- 39409. *Chrysocraspeda dubiefi* (Viette,1978)** (Geometridae) **Synonym(s):** *dubiefi* Viette,1978
Range (in code): **MG**
- 39410. *Chrysocraspeda dujardini* (Viette,1972)** (Geometridae) **Synonym(s):** *dujardini* Viette,1972
Range (in code): **MG**
- 39411. *Chrysocraspeda dysmothauma* L.B.Prout,1932** (Geometridae) **Synonym(s):** *dysmothauma* L.B.Prout,1932
Range (in code): **MY Bor Sbh KBa BN**
- 39412. *Chrysocraspeda eclipsis* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *eclipsis* L.B.Prout,1932
Range (in code): **MG**
- 39413. *Chrysocraspeda elaeophragma* L.B.Prout,1917** (Geometridae) **Synonym(s):** *elaeophragma* L.B.Prout,1917
Range (in code): **ID Ij Snw**
- 39414. *Chrysocraspeda erythraria* (Mabille,1893)** (Geometridae) **Synonym(s):** *erythraria* Mabille,1893; *rosacea* Pagenstecher,1907
Range (in code): **MG KM**
- 39415. *Chrysocraspeda eumeles* Turner,1936** (Geometridae) **Synonym(s):** *eumeles* Turner,1936
Range (in code): **AU QAU**
- 39416. *Chrysocraspeda euryodia* L.B.Prout,1918** (Geometridae) **Synonym(s):** *euryodia* L.B.Prout,1918
Range (in code): **ID Ij Afk**
- 39417. *Chrysocraspeda eutmeta* L.B.Prout,1916** (Geometridae) **Synonym(s):** *eutmeta* L.B.Prout,1916
Range (in code): **ID Ij Snw**
- 39418. *Chrysocraspeda exitela* (L.B.Prout,1918)** (Geometridae) **Synonym(s):** *exitela* L.B.Prout,1918
Range (in code): **ID Clb**
- 39419. *Chrysocraspeda faganaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *togata* Fabricius,1798 nec Esp.,1788; *faganaria* Guenée,[1858]; *deviaria* Walker,1861; *rhodinaria* Walker,1861; *amoenaria* Snellen,1890; *auricincta* Hampson,1893
Range (in code): **ID Ja LK IN**
- 39420. *Chrysocraspeda flavimacula* L.B.Prout,1916** (Geometridae) **Synonym(s):** *flavimacula* L.B.Prout,1916
Range (in code): **ID Ij Gth**
- 39421. *Chrysocraspeda flavimedia* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *flavimedia* L.B.Prout,1916
Range (in code): **ID Ij Snw PG Bsm Vu**
- 39422. *Chrysocraspeda flavipuncta* (W.Warren,1899)** (Geometridae) **Synonym(s):** *flavipuncta* W.Warren,1899; *westi* L.B.Prout,1938
Range (in code): **PH Sam Luz**
- 39423. *Chrysocraspeda flavisparsa* L.B.Prout,1916** (Geometridae) **Synonym(s):** *flavisparsa* L.B.Prout,1916
Range (in code): **ID Ij Gth**
- 39424. *Chrysocraspeda fruhstorferi* L.B.Prout,1938** (Geometridae) **Synonym(s):** *fruhstorferi* L.B.Prout,1938
Range (in code): **ID Ja**
- 39425. *Chrysocraspeda fulviplaga* Swinhoe,1905** (Geometridae) **Synonym(s):** *fulviplaga* Swinhoe,1905
Range (in code): **IN Ass Meg Khs**
- 39426. *Chrysocraspeda gibbosa* W.Warren,1896** (Geometridae) **Synonym(s):** *gibbosa* W.Warren,1896
Range (in code): **IN Ass**
- 39427. *Chrysocraspeda gnamptoloma* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *gnamptoloma* L.B.Prout,1925
Range (in code): **MG**
- 39428. *Chrysocraspeda herbuloti* (Viette,1970)** (Geometridae) **Synonym(s):** *herbuloti* Viette,1970
Range (in code): **MG**
- 39429. *Chrysocraspeda heringi* L.B.Prout,1932** (Geometridae) **Synonym(s):** *heringi* L.B.Prout,1932
Range (in code): **CM**
- 39430. *Chrysocraspeda hiaraka* (Viette,1978)** (Geometridae) **Synonym(s):** *hiaraka* Viette,1978
Range (in code): **MG**
- 39431. *Chrysocraspeda hilaris* (W.Warren,1898)** (Geometridae) **Synonym(s):** *hilaris* W.Warren,1898
Range (in code): **NG**
- 39432. *Chrysocraspeda hyalotypa* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *hyalotypa* L.B.Prout,1932
Range (in code): **RW**
- 39433. *Chrysocraspeda ignita* W.Warren,1907** (Geometridae) **Synonym(s):** *ignita* W.Warren,1907
Range (in code): **PG Big**
- 39434. *Chrysocraspeda indopurpurea* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *indopurpurea* L.B.Prout,1916
Range (in code): **ID Ij Snw**
- 39435. *Chrysocraspeda innotata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *innotata* W.Warren,1896
Range (in code): **PG Tro** Bionomy: Larva on *Terminalia calamansanai* (Combretaceae) (Scoble et al.,1999).

- 39436. *Chrysocraspeda inornata* (W.Warren,1896)** (Geometridae) Synonym(s): *inornata* W.Warren,1896; *sordida* W.Warren,1899 _ Range (in code): ID Tnm PG Ls Rs
- 39437. *Chrysocraspeda iole* (Swinhoe,1892)** (Geometridae) Synonym(s): *iole* Swinhoe,1892 _ Range (in code): IN Ass Meg Khs
- 39438. *Chrysocraspeda jabaina* (Viette,1978)** (Geometridae) Synonym(s): *jabaina* Viette,1978 _ Range (in code): MG
- 39439. *Chrysocraspeda juriae* Holloway,1997** (Geometridae) Synonym(s): *juriae* Holloway,1997 _ Range (in code): BN Swk MY Bor
- 39440. *Chrysocraspeda kenricki* (L.B.Prout,1925)** (Geometridae) Synonym(s): *kenricki* L.B.Prout,1925 _ Range (in code): MG
- 39441. *Chrysocraspeda lakato* (Viette,1978)** (Geometridae) Synonym(s): *lakato* Viette,1978 _ Range (in code): MG
- 39442. *Chrysocraspeda leighata* W.Warren,1904** (Geometridae) Synonym(s): *leighata* W.Warren,1904; *#dehonorata* L.B.Prout,1913 _ Range (in code): ZA Ktz Kzu Nta Dbn
- 39443. *Chrysocraspeda leucotoca* L.B.Prout,1938** (Geometridae) Synonym(s): *leucotoca* L.B.Prout,1938 _ Range (in code): AU QAU Kda
- 39444. *Chrysocraspeda lilacina* W.Warren,1903** (Geometridae) Synonym(s): *lilacina* W.Warren,1903 _ Range (in code): PG Aro
- 39445. *Chrysocraspeda lineata* (W.Warren,1896)** (Geometridae) Synonym(s): *lineata* W.Warren,1896 _ Range (in code): ID Tim
- 39446. *Chrysocraspeda lunulata* Swinhoe,1902** (Geometridae) Synonym(s): *lunulata* Swinhoe,1902 _ Range (in code): TH Ntt Hba MY Bor Snk Sbh Klt Pon ID BN
- 39447. *Chrysocraspeda madecassa* (Viette,1972)** (Geometridae) Synonym(s): *madecassa* Viette,1972 _ Range (in code): MG
- 39448. *Chrysocraspeda marginata* W.Warren,1897** (Geometridae) Synonym(s): *marginata* W.Warren,1897 _ Range (in code): IN Ass Meg Khs MM TH MY Bor
- 39449. *Chrysocraspeda medioplaga* Swinhoe,1902** (Geometridae) Synonym(s): *medioplaga* Swinhoe,1902 _ Range (in code): ID Pla
- 39450. *Chrysocraspeda miniosa* (W.Warren,1899)** (Geometridae) Synonym(s): *miniosa* W.Warren,1899 _ Range (in code): MY Pen
- 39451. *Chrysocraspeda mitigata* (Walker,1861)** (Geometridae) Synonym(s): *mitigata* Walker,1861 _ Range (in code): IN MM Krh Bor
- 39452. *Chrysocraspeda moramanga* (Viette,1978)** (Geometridae) Synonym(s): *moramanga* Viette,1978 _ Range (in code): MG
- 39453. *Chrysocraspeda nasuta* (L.B.Prout,1934)** (Geometridae) Synonym(s): *nasuta* L.B.Prout,1934 _ Range (in code): MG
- 39454. *Chrysocraspeda nebulifera* (L.B.Prout,1920)** (Geometridae) Synonym(s): *nebulifera* L.B.Prout,1920 _ Range (in code): PG
- 39455. *Chrysocraspeda neurina* (L.B.Prout,1934)** (Geometridae) Synonym(s): *neurina* L.B.Prout,1934 _ Range (in code): MG
- 39456. *Chrysocraspeda nigribasalis* W.Warren,1909** (Geometridae) Synonym(s): *nigribasalis* W.Warren,1909 _ Range (in code): ZA Nta Kzu Dbn
- 39457. *Chrysocraspeda niobe* (Viette,1970)** (Geometridae) Synonym(s): *niobe* Viette,1970 _ Range (in code): MG
- 39458. *Chrysocraspeda notata* (W.Warren,1896)** (Geometridae) Synonym(s): *notata* W.Warren,1896; *insolita* W.Warren,1899 _ Range (in code): PG Fg
- 39459. *Chrysocraspeda olearia* (Guenée,[1858])** (Geometridae) Synonym(s): *olearia* Guenée,[1858]; *cerasina* Swinhoe,1893 _ Range (in code): IN LK ID Sbw
- 39460. *Chrysocraspeda oophora* (L.B.Prout,1916)** (Geometridae) Synonym(s): *oophora* L.B.Prout,1916 _ Range (in code): Bor Swk
- 39461. *Chrysocraspeda ophthalmica* (Viette,1983)** (Geometridae) Synonym(s): *ophthalmica* Viette,1983 _ Range (in code): MG
- 39462. *Chrysocraspeda orana* (Viette,1978)** (Geometridae) Synonym(s): *orana* Viette,1978 _ Range (in code): MG
- 39463. *Chrysocraspeda orgalea* Meyrick,1897** (Geometridae) Synonym(s): *orgalea* Meyrick,1897 _ Range (in code): MY Bor Pla ID

- 39464. *Chrysocraspeda orthogramma* (L.B.Prout,1925)** (Geometridae) Synonym(s): *orthogramma* L.B.Prout,1925 _ Range (in code): MG
- 39465. *Chrysocraspeda ozophanes* (L.B.Prout,1918)** (Geometridae) Synonym(s): *ozophanes* L.B.Prout,1918 _ Range (in code): MY Prk Bor Swk Sbh
- 39466. *Chrysocraspeda pagon* Holloway,1997** (Geometridae) Synonym(s): *pagon* Holloway,1997 _ Range (in code): BN Sbh Bor
- 39467. *Chrysocraspeda peristoecha* (L.B.Prout,1925)** (Geometridae) Synonym(s): *peristoecha* L.B.Prout,1925 _ Range (in code): MG
- 39468. *Chrysocraspeda permutans* (Hampson,1891)** (Geometridae) Synonym(s): *permutans* Hampson,1891 _ Original Reference: Pseudasthena permutans Hampson,1891, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 8: 32, pl.123 figs.17-21. Syntypes ♂♀: [India]: Nilgiri (BMNH). Range (in code): IN NI
- 39469. *Chrysocraspeda perpicta* W.Warren,1896** (Geometridae) Synonym(s): *perpicta* W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 39470. *Chrysocraspeda philoterpes* L.B.Prout,1938** (Geometridae) Synonym(s): *philoterpes* L.B.Prout,1938 _ Range (in code): ID Clb
- 39471. *Chrysocraspeda phlogaea* (L.B.Prout,1938)** (Geometridae) Synonym(s): *phlogaea* L.B.Prout,1938 _ Range (in code): ID Bor Klt Pon
- 39472. *Chrysocraspeda planctogramma* (L.B.Prout,1938)** (Geometridae) Synonym(s): *planctogramma* L.B.Prout,1938 _ Range (in code): MY Bor ID Klt Pon Sbh Snk
- 39473. *Chrysocraspeda plumbeofusa* Swinhoe,1894** (Geometridae) Synonym(s): *plumbeofusa* Swinhoe,1894 _ Range (in code): MM IN Ass Meg Khs Cpj SG ID MY Sum Bor BN Sbh
- 39474. *Chrysocraspeda porphyrochlamys* (L.B.Prout,1931)** (Geometridae) Synonym(s): *porphyrochlamys* L.B.Prout,1931 _ Range (in code): MY Kdh Bor Swk BN
- 39475. *Chrysocraspeda prouti* (Bethune-Baker,1915)** (Geometridae) Synonym(s): *prouti* Bethune-Baker,1915 _ Range (in code): PG
- 39476. *Chrysocraspeda pryeri* Holloway,1997** (Geometridae) Synonym(s): *pryeri* Holloway,1997 _ Range (in code): BN Sbh Snk MY
- 39477. *Chrysocraspeda pulverulenta* (W.Warren,1897)** (Geometridae) Synonym(s): *pulverulenta* W.Warren,1897 _ Range (in code): MY Prk
- 39478. *Chrysocraspeda remutans* L.B.Prout,1938** (Geometridae) Synonym(s): *remutans* L.B.Prout,1938 _ Range (in code): MY Bor ID Klt
- 39479. *Chrysocraspeda rosina* W.Warren,1898** (Geometridae) Synonym(s): *rosina* W.Warren,1898 _ Range (in code): NG GN
- 39480. *Chrysocraspeda rothschildi* W.Warren,1903** (Geometridae) Synonym(s): *rothschildi* W.Warren,1903 _ Range (in code): PG Aro
- 39481. *Chrysocraspeda rubraspersa* Holloway,1997** (Geometridae) Synonym(s): *rubraspersa* Holloway,1997 _ Range (in code): BN Bor
- 39482. *Chrysocraspeda rubricata* Swinhoe,1903** (Geometridae) Synonym(s): *rubricata* Swinhoe,1903 _ Original Reference: Chrysocraspeda rubricata Swinhoe,1903, Fasc. malayenses (Zool.) 1: 94. Syntypes: [Thailand]: Siam, Bukit Besar, Nawngchik, 2000ft (BMNH). Range (in code): TH
- 39483. *Chrysocraspeda rubripennis* (W.Warren,1898)** (Geometridae) Synonym(s): *rubripennis* W.Warren,1898; *sanguinolenta* W.Warren,1898 _ Range (in code): CG NG
- 39484. *Chrysocraspeda sanguinea* W.Warren,1896** (Geometridae) Synonym(s): *sanguinea* W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 39485. *Chrysocraspeda sanguinipuncta* Swinhoe,1902** (Geometridae) Synonym(s): *sanguinipuncta* Swinhoe,1902 _ Range (in code): Bor MY
- 39486. *Chrysocraspeda saturniina* (Viette,1972)** (Geometridae) Synonym(s): *saturniina* Viette,1972 _ Range (in code): MG
- 39487. *Chrysocraspeda semiocellata* L.B.Prout,1916** (Geometridae) Synonym(s): *semiocellata* L.B.Prout,1916 _ Range (in code): ID Ij Snw
- 39488. *Chrysocraspeda silvatica* (Viette,1970)** (Geometridae) Synonym(s): *silvatica* Viette,1970 _ Range (in code): MG
- 39489. *Chrysocraspeda sogai* (Viette,1970)** (Geometridae) Synonym(s): *sogai* Viette,1970 _ Range (in code): MG

- 39490. *Chrysocraspeda sparsipuncta* (Viette,1970)** (Geometridae) **Synonym(s):** *sparsipuncta* Viette,1970 **Range (in code):** **MG**
- 39491. *Chrysocraspeda strigata* (W.Warren,1902)** (Geometridae) **Synonym(s):** *strigata* W.Warren,1902 **Range (in code):** **SB** **Bionomy:** Larva on Terminalia brassii (Combretaceae) (Scoble et al.,1999).
- 39492. *Chrysocraspeda subdefinita* (Viette,1970)** (Geometridae) **Synonym(s):** *subdefinita* Viette,1970 **Range (in code):** **MG**
- 39493. *Chrysocraspeda subminiosa* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *subminiosa* L.B.Prout,1932 **Range (in code):** **ZW ZA**
- 39494. *Chrysocraspeda tantale* (Viette,1970)** (Geometridae) **Synonym(s):** *tantale* Viette,1970 **Range (in code):** **MG**
- 39495. *Chrysocraspeda tigrina* (Meyrick,1897)** (Geometridae) **Synonym(s):** *tigrina* Meyrick,1897 **Range (in code):** **ID Pla**
- 39496. *Chrysocraspeda tristicula* Swinhoe,1885** (Geometridae) **Synonym(s):** *tristicula* Swinhoe,1885; *laeta* W.Warren,1899. **Range (in code):** **IN LK MM Sbh Bor PH ID Sbw**
- 39497. *Chrysocraspeda truncipennis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *truncipennis* L.B.Prout,1938 **Range (in code):** **Bor KBa Sbh MY**
- 39498. *Chrysocraspeda uncimargo* W.Warren,1907** (Geometridae) **Synonym(s):** *uncimargo* W.Warren,1907 **Range (in code):** **PG Big**
- 39499. *Chrysocraspeda vadoni* (Viette,1972)** (Geometridae) **Synonym(s):** *vadoni* Viette,1972 **Range (in code):** **MG**
- 39500. *Chrysocraspeda vinosa* (L.B.Prout,1918)** (Geometridae) **Synonym(s):** *vinosa* L.B.Prout,1918 **Range (in code):** **Bor Sbh Snk Sum ID MY**
- 39501. *Chrysocraspeda virgata* (West,1930)** (Geometridae) **Synonym(s):** *virgata* West,1930 **Range (in code):** **PH Luz**
- 39502. *Chrysocraspeda vitrata* (Herbulot,1965)** (Geometridae) **Synonym(s):** *vitrata* Herbulot,1965 **Range (in code):** **MG**
- 39503. *Chrysocraspeda vola* (Viette,1970)** (Geometridae) **Synonym(s):** *vola* Viette,1970 **Range (in code):** **MG**
- 39504. *Chrysocraspeda volutaria* (Swinhoe,1886)** (Geometridae) **Synonym(s):** *volutaria* Swinhoe,1886 **Range (in code):** **IN Bba**
- 39505. *Chrysocraspeda volutisignata* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *volutisignata* L.B.Prout,1925 **Range (in code):** **MG**
- 39506. *Chrysocraspeda zaphleges* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *zaphleges* L.B.Prout,1925 **Range (in code):** **MG**
- 39507. *Chrysocraspeda zearia* Swinhoe,1904** (Geometridae) **Synonym(s):** *zearia* Swinhoe,1904 **Range (in code):** **MG**
- 39508. *Chrysocraspeda zombensis* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *zombensis* L.B.Prout,1932 **Range (in code):** **ZA MW Zom**
- 39509. *Cidaria antauges* L.B.Prout,1938** (Geometridae) **Synonym(s):** *antauges* L.B.Prout,1938 **Range (in code):** **Ch**
- 39510. *Cidaria basharica* O.Bang-Haas,1927** (Geometridae) **Synonym(s):** *basharica* O.Bang-Haas,1927 **Range (in code):** **IN Ld**
- 39511. *Cidaria distinctata* Staudinger,1892** (Geometridae) **Synonym(s):** *distinctata* Staudinger,1892 **Range (in code):** **RU At**
- 39512. *Cidaria fulvata* (Forster,1771)** (Geometridae) **Synonym(s):** *fulvata* Forster,1771; *cuspidata* Thunberg,1784 **Original Reference:** Phalaena fulvata Forster,1771, Novae species Insectorum centuria I. 1: 76. Syntypes: England (ZMUC). **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Mng DK NO SE FI EE LV RU MD UA BY** **Bionomy:** Larva on Rosa (Meyer,1919).
- 39513. *Cidaria nugata* R.Felder & Rogenhofer,1875** (Geometridae) **Synonym(s):** *nugata* R.Felder & Rogenhofer,1875; *kashmirica* Moore,1888 **Range (in code):** **IN Ch**
- 39514. *Cidaria ochripennis* L.B.Prout,1914** (Geometridae) **Synonym(s):** *ochreatea* Staudinger,1896 nec Mr.,1888; *ochripennis* L.B.Prout,1914 **Range (in code):** **CN Ti Ts Kno**
- 39515. *Cinglis andalusiaria* Wagner,1935** (Geometridae) **Synonym(s):** *andalusiaria* Wagner,1935 **Original Reference:** Cinglis andalusiaria Wagner,1935, Z. öst. EntVer. 20 (3): 17, pl.1. Syntypes:

- 1♂ 1♀: [Spain]: Andalusia, Murcia. Range (in code): **MA DZ TN ES An Mu** Bionomy: Larva on Artemisia (Calle et al.,2000).
- 39516. Cinglis humifusaria (Eversmann,1837)** (Geometridae) Synonym(s): *humifusaria Eversmann,1837* Original Reference: Fidonia humifusaria Eversmann,1837, Bull. Soc. imp. Nat. Moscou 1837 (6): 57. Syntypes: Russia: Volga. Range (in code): **DZ Ges Bsk ES TR RU Cc AM GG AZ TM CN Ui Ku**
- 39517. Cleora acaciaria (Boisduval,1833)** (Geometridae) Synonym(s): *acaciaria Boisduval,1833* Range (in code): **RE**
- 39518. Cleora acaciaria acaciaria (Boisduval,1833)** (Geometridae) Synonym(s): *acaciaria Boisduval,1833* Range (in code): **RE**
- 39519. Cleora acacicola Holloway,1979** (Geometridae) Synonym(s): *acacicola Holloway,1979* Range (in code): **NC**
- 39520. Cleora acerata D.S.Fletcher,1967** (Geometridae) Synonym(s): *acerata D.S.Fletcher,1967* Range (in code): **CM**
- 39521. Cleora acerata acerata D.S.Fletcher,1967** (Geometridae) Synonym(s): *acerata D.S.Fletcher,1967* Range (in code): **CM**
- 39522. Cleora aculeata D.S.Fletcher,1967** (Geometridae) Synonym(s): *aculeata D.S.Fletcher,1967* Range (in code): **NG**
- 39523. Cleora aculeata aculeata D.S.Fletcher,1967** (Geometridae) Synonym(s): *aculeata D.S.Fletcher,1967* Range (in code): **NG**
- 39524. Cleora alienaria (Walker,1860)** (Geometridae) Synonym(s): *alienaria Walker,1860* Range (in code): **LK CX IN Adm TH CMa Fn CDo Pki Dst Int Loe Nna Kao Nst Knc Cbi Rng** Bionomy: Larva on Nephelium lappaceum (Sapindaceae), Camellia sinensis (Theaceae), Tectona grandis (Verbenaceae) (Scoble,1999).
- 39525. Cleora anacantha D.S.Fletcher,1967** (Geometridae) Synonym(s): *anacantha D.S.Fletcher,1967* Range (in code): **ZR**
- 39526. Cleora anacantha anacantha D.S.Fletcher,1967** (Geometridae) Synonym(s): *anacantha D.S.Fletcher,1967* Range (in code): **ZR**
- 39527. Cleora angustivalvis (Herbulot,1965)** (Geometridae) Synonym(s): *angustivalvis Herbulot,1965* Range (in code): **KM**
- 39528. Cleora angustivalvis angustivalvis (Herbulot,1965)** (Geometridae) Synonym(s): *angustivalvis Herbulot,1965* Range (in code): **KM**
- 39529. Cleora batillata (D.S.Fletcher,1953)** (Geometridae) Synonym(s): *batillata D.S.Fletcher,1953* Range (in code): **PH Luz**
- 39530. Cleora betularia (W.Warren,1897)** (Geometridae) Synonym(s): *betularia W.Warren,1897; funesta W.Warren,1905.* Original Reference: Chogada betularia W.Warren,1897, Novit. zool. 4: 93. Lectotype ♂: South Africa (BMNH). Range (in code): **ZA ZA12 ZA14 ZA20 Tva Lpo Spb Bbg Nta Kzu Dbn Mpu MW ZW Ca** Bionomy: Larva on Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
- 39531. Cleora betularia betularia (W.Warren,1897)** (Geometridae) Synonym(s): *betularia W.Warren,1897; funesta W.Warren,1905.* Original Reference: Chogada betularia W.Warren,1897, Novit. zool. 4: 93. Lectotype ♂: South Africa (BMNH). Range (in code): **ZA ZA12 ZA14 ZA20 Tva Lpo Spb Bbg Nta Kzu Dbn Mpu MW ZW Ca** Bionomy: Larva on Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
- 39532. Cleora biclavata (D.S.Fletcher,1953)** (Geometridae) Synonym(s): *biclavata D.S.Fletcher,1953* Range (in code): **TH Nst ID Sum**
- 39533. Cleora bicornis D.S.Fletcher,1967** (Geometridae) Synonym(s): *bicornis D.S.Fletcher,1967* Range (in code): **CI NG ZR**
- 39534. Cleora bicornis bicornis D.S.Fletcher,1967** (Geometridae) Synonym(s): *bicornis D.S.Fletcher,1967* Range (in code): **CI NG ZR**
- 39535. Cleora boetschi (Herbulot,1961)** (Geometridae) Synonym(s): *boetschi Herbulot,1961* Range (in code): **CM GN GH NG ZR UG**
- 39536. Cleora boetschi boetschi (Herbulot,1961)** (Geometridae) Synonym(s): *boetschi Herbulot,1961* Range (in code): **CM GN GH NG ZR UG**
- 39537. Cleora cancer D.S.Fletcher,1967** (Geometridae) Synonym(s): *cancer D.S.Fletcher,1967* Range (in code): **ET KE BI MW ZA Tva**

- 39538. Cleora cancer cancer** D.S.Fletcher,1967 (Geometridae) Synonym(s): *cancer* D.S.Fletcher,1967 _ Range (in code): ET KE BI MW ZA Tva
- 39539. Cleora carcassoni** D.S.Fletcher,1967 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1967 _ Range (in code): KE UG
- 39540. Cleora carcassoni carcassoni** D.S.Fletcher,1967 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1967 _ Range (in code): KE UG
- 39541. Cleora cinctaria** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *cinctaria* [Denis & Schiffermüller],1775; *pascuaria* Brahm,1791; *consimilaria* Duponchel,1829. Original Reference: Geometra cinctaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI LV LT RU MD UA BY CN Ui Tlk Bionomy: Larva on Artemisia, Prunus spinosa (Meyer,1919).
- 39542. Cleora concentraria** (Snellen,1877) (Geometridae) Synonym(s): *concentraria* Snellen,1877 Range (in code): TH CMa Dst Int Nna Kao Cbi Knc
- 39543. Cleora contiguata** (Moore,1868) (Geometridae) Synonym(s): *contiguata* Moore,1868 Range (in code): IN PH Luz MY Bor ID Ja TH CMa Dst CDo Pki Nna Kao Knc Cbi
- 39544. Cleora contiguata bigladiata** (D.S.Fletcher,1953) (Geometridae) Synonym(s): *bigladiata* D.S.Fletcher,1953 _ Range (in code): PH Luz
- 39545. Cleora contiguata brooksi** (D.S.Fletcher,1953) (Geometridae) Synonym(s): *brooksi* D.S.Fletcher,1953 _ Range (in code): TH Phu MY Bor
- 39546. Cleora contiguata contiguata** (Moore,1868) (Geometridae) Synonym(s): *contiguata* Moore,1868 _ Range (in code): IN TH CMa Dst CDo Pki Nna Kao Knc Cbi
- 39547. Cleora contiguata imparata** (D.S.Fletcher,1953) (Geometridae) Synonym(s): *imparata* D.S.Fletcher,1953 _ Range (in code): ID Ja
- 39548. Cleora copia** Sato,1997 (Geometridae) Synonym(s): *copia* Sato,1997 _ Range (in code): PH Neg
- 39549. Cleora cucullata** D.S.Fletcher,1953 (Geometridae) Synonym(s): *cucullata* D.S.Fletcher,1953 _ Range (in code): IN Ass Nag TH CMa Dst Nna Kao
- 39550. Cleora cucullata cucullata** D.S.Fletcher,1953 (Geometridae) Synonym(s): *cucullata* D.S.Fletcher,1953 _ Range (in code): IN Ass Nag
- 39551. Cleora cucullata fusconebulata** D.S.Fletcher,1953 (Geometridae) Synonym(s): *fusconebulata* D.S.Fletcher,1953 _ Range (in code): TH CMa Dst Nna Kao
- 39552. Cleora dacasini** Herbulot,1981 (Geometridae) Synonym(s): *dacasini* Herbulot,1981; *inopinata* Sato,1989 _ Range (in code): PH Luz
- 39553. Cleora dactylata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *dactylata* D.S.Fletcher,1967 _ Range (in code): ZR UG
- 39554. Cleora dactylata dactylata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *dactylata* D.S.Fletcher,1967 _ Range (in code): ZR UG
- 39555. Cleora dargei** (Herbulot,1961) (Geometridae) Synonym(s): *dargei* Herbulot,1961 Range (in code): SL CI GH NG CM GM AO ZR UG
- 39556. Cleora dargei dargei** (Herbulot,1961) (Geometridae) Synonym(s): *dargei* Herbulot,1961 Range (in code): SL CI GH NG CM GM AO ZR UG
- 39557. Cleora decisaria** (Walker,1866) (Geometridae) Synonym(s): *decisaria* Walker,1866; *callicrossa* Meyrick,1889; *gilva* Scott,1893; *psychastis* Scott,1893; *amphidoxa* L.B.Prout,1937; *nigristigma* L.B.Prout,1937 _ Range (in code): TH ID Crm MY Bor Sbh PG NBr Bsm PMo AU SB
- 39558. Cleora derogaria** (Snellen,1872) (Geometridae) Synonym(s): *derogaria* Snellen,1872; *obsitaria* Mabille,1890; *subspurcata* W.Warren,1898 _ Range (in code): GM SL CI NG AO ZR
- 39559. Cleora derogaria derogaria** (Snellen,1872) (Geometridae) Synonym(s): *derogaria* Snellen,1872; *obsitaria* Mabille,1890; *subspurcata* W.Warren,1898 _ Range (in code): GM SL CI NG AO ZR
- 39560. Cleora determinata** (Walker,1860) (Geometridae) Synonym(s): *determinata* Walker,1860 Range (in code): MY Bor Swk TH Ntt Hba CMa Dst Mth Bionomy: Larva on Aleurites montana (Euphorbiaceae), Derris malaccensis (Fabaceae) (Scoble,1999).
- 39561. Cleora dothionis** Holloway,1979 (Geometridae) Synonym(s): *dothionis* Holloway,1979 Range (in code): NC
- 39562. Cleora echinodes** D.S.Fletcher,1967 (Geometridae) Synonym(s): *echinodes* D.S.Fletcher,1967 _ Range (in code): GO Bio UG CM ZR MW ZA
- 39563. Cleora echinodes echinodes** D.S.Fletcher,1967 (Geometridae) Synonym(s): *echinodes* D.S.Fletcher,1967 _ Range (in code): GO Bio UG CM ZR MW ZA

- 39564. Cleora epiclithra** D.S.Fletcher,1967 (Geometridae) Synonym(s): *epiclithra* D.S.Fletcher,1967 Range (in code): ZR
- 39565. Cleora epiclithra epiclithra** D.S.Fletcher,1967 (Geometridae) Synonym(s): *epiclithra* D.S.Fletcher,1967 Range (in code): ZR
- 39566. Cleora flavivenata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *flavivenata* D.S.Fletcher,1967 Range (in code): ZA Ec
- 39567. Cleora flavivenata flavivenata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *flavivenata* D.S.Fletcher,1967 Range (in code): ZA Ec
- 39568. Cleora fraterna** (Moore,1888) (Geometridae) Synonym(s): *fraterna* Moore,1888 Range (in code): TH CMa Int CDo Pki Chy Cbi
- 39569. Cleora herbuloti** (D.S.Fletcher,1958) (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher,1958 Original Reference: Neocleora herbuloti D.S.Fletcher,1958, Ruwenzori Exped. 1952 1(6): 136, figs. 44,85,214. Holotype ♂: Uganda: Kigezi, 5500ft (BMNH). Range (in code): GO Bio AO CM NG ZR UG KE TZ MW ZW ZA ZA06 Nta Kzu ZA14 Mpu Mal Bbg Tva Lpo Spb Tva Ca Ent Bionomy: Larva on Xymalos monospora (Monimiaceae), Pinus patula (Pinaceae), Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
- 39570. Cleora herbuloti herbuloti** (D.S.Fletcher,1958) (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher,1958 Range (in code): GO Bio AO CM NG ZR UG KE TZ MW ZW ZA Tva Ca
- 39571. Cleora herbuloti phaea** D.S.Fletcher,1967 (Geometridae) Synonym(s): *phaea* D.S.Fletcher,1967 Original Reference: Cleora herbuloti ssp. phaea D.S.Fletcher,1967, Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 8: 40, pl.5 figs. 219-222. Holotype ♂: South Africa: [Limpopo]: Entabeni, nr. Louis Trichardt (BMNH). Range (in code): ZA ZA06 Nta Kzu ZA14 Mpu Mal Tva Lpo Spb Bbg Ent
- 39572. Cleora illustraria caledonica** Holloway,1979 (Geometridae) Synonym(s): *caledonica* Holloway,1979 Range (in code): NC
- 39573. Cleora immemorata** (Walker,1863) (Geometridae) Synonym(s): *immemorata* Walker,1863 Range (in code): NC
- 39574. Cleora injectaria** (Walker,1860) (Geometridae) Synonym(s): *injectaria* Walker,1860; *compactaria* Walker,[1863]; *sublectaria* Walker,[1863] Range (in code): NC MY Pen LK FJ ID Mlc Aru Egg PG Ls TH Cbi Nst Bionomy: Larva on Castanopsis fissa (Fagaceae), Sonneratia alba (Sonneratiaceae), Aegiceras corniculatum (Myrsinaceae), Bruguiera cylindrica, B.apiculata, Rhizophora candelaria, R.mucronata (Rhizophoraceae); Allophylus cobbe (Sapindaceae), Avicennia alba, A.lanata, A.marina, A.officinalis (Verbenaceae) (Scoble,1999).
- 39575. Cleora inoffensa** (Swinhoe,1902) (Geometridae) Synonym(s): *inoffensa* Swinhoe,1902 Range (in code): IN Meg Ass Khs TH Nna Kao Nst ID Sum Ja Clb PH Luz SB
- 39576. Cleora isabella** Herbulot,1985 (Geometridae) Synonym(s): *isabella* Herbulot,1985 Range (in code): PH Pal
- 39577. Cleora lacrymata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *lacrymata* D.S.Fletcher,1967 Range (in code): CI GH NG CM CF ZR KE
- 39578. Cleora lacrymata lacrymata** D.S.Fletcher,1967 (Geometridae) Synonym(s): *lacrymata* D.S.Fletcher,1967 Range (in code): CI GH NG CM CF ZR KE
- 39579. Cleora lacteata** (W.Warren,1897) (Geometridae) Synonym(s): *lacteata* W.Warren,1897 Range (in code): NC
- 39580. Cleora lacteata ecdees** L.B.Prout,1929 (Geometridae) Synonym(s): *ecdees* L.B.Prout,1929 Range (in code): NC
- 39581. Cleora lacteata hemiopa** L.B.Prout,1928 (Geometridae) Synonym(s): *hemiopa* L.B.Prout,1928 Range (in code): NC
- 39582. Cleora lacteata perbona** L.B.Prout,1937 (Geometridae) Synonym(s): *perbona* L.B.Prout,1937 Range (in code): NC
- 39583. Cleora lacteata quirosi** L.B.Prout,1929 (Geometridae) Synonym(s): *quirosi* L.B.Prout,1929 Range (in code): NC
- 39584. Cleora lamottei** (Herbulot,1954) (Geometridae) Synonym(s): *lamottei* Herbulot,1954 Range (in code): SL GN GH NG CM GM ZR ST
- 39585. Cleora lamottei lamottei** (Herbulot,1954) (Geometridae) Synonym(s): *lamottei* Herbulot,1954 Range (in code): SL GN GH NG CM GM ZR ST
- 39586. Cleora legrasi** (Herbulot,1955) (Geometridae) Synonym(s): *legrasi* Herbulot,1955 Range (in code): MG

- 39587. *Cleora legrasi legrasi* (Herbulot,1955)** (Geometridae) **Synonym(s):** *legrasi* Herbulot,1955
Range (in code): **MG**
- 39588. *Cleora lima* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *lima* D.S.Fletcher,1967
Range (in code): **ZR BI**
- 39589. *Cleora lima lima* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *lima* D.S.Fletcher,1967
Range (in code): **ZR BI**
- 39590. *Cleora lipotera* West,1929** (Geometridae) **Synonym(s):** *lipotera* West,1929 - **Range (in code):** **PH Luz**
- 39591. *Cleora macracantha* (Herbulot,1959)** (Geometridae) **Synonym(s):** *macracantha* Herbulot,1959 - **Range (in code):** **MG**
- 39592. *Cleora macracantha macracantha* (Herbulot,1959)** (Geometridae) **Synonym(s):** *macracantha* Herbulot,1959 - **Range (in code):** **MG**
- 39593. *Cleora melanochocha* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *melanochocha* D.S.Fletcher,1958 - **Range (in code):** **UG KE**
- 39594. *Cleora melanochocha melanochocha* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *melanochocha* D.S.Fletcher,1958 - **Range (in code):** **UG KE**
- 39595. *Cleora munda* (W.Warren,1899)** (Geometridae) **Synonym(s):** *munda* W.Warren,1899
Original Reference: Chogada munda W.Warren,1899, Novit. zool. 6: 52. Type ♀: [South Africa]: Zululand: Edukumbaan Hills (BMNH). **Range (in code):** **ZA Etm Ktz ZA05 ZA06 ZA07 ZA08 ZA14 Mpu Mal Tva Lpo ZA25 ZA27 Kzu Tva Nta Spb TZ KE MW ZW** **Bionomy:** Larva on *Acacia mearnsii* (Fabaceae), *Rosa* (Rosaceae), *Deinbollia* (Sapindaceae) (Scoble et al.,1999).
- 39596. *Cleora munda munda* (W.Warren,1899)** (Geometridae) **Synonym(s):** *munda* W.Warren,1899
Original Reference: Chogada munda W.Warren,1899, Novit. zool. 6: 52. Type ♀: [South Africa]: Zululand: Edukumbaan Hills (BMNH). **Range (in code):** **ZA Etm Ktz ZA05 ZA06 ZA07 ZA08 ZA14 Mpu Mal Tva Lpo ZA25 ZA27 Kzu Tva Nta Spb TZ KE MW ZW** **Bionomy:** Larva on *Acacia mearnsii* (Fabaceae), *Rosa* (Rosaceae), *Deinbollia* (Sapindaceae) (Scoble et al.,1999).
- 39597. *Cleora nigrisparsalis* (Janse,1932)** (Geometridae) **Synonym(s):** *nigrisparsalis* Janse,1932
Original Reference: Neocleora nigrisparsalis Janse,1932, The Moths of South Africa 1: 270, pl.8 fig.5, text-figs.100. Holotype ♂: [Zimbabwe]: South Rhodesia: Umtali (TMP). **Range (in code):** **ZA Etm Kzu ZA14 Mpu Mal Tva Lpo Nta Tva Spb MZ MW ZM ZW TZ KE BI ZR AO** **Bionomy:** Larva on *Schinus molle* (Anacardiaceae), *Cupressus arizonica* var. *glabra* (Cupressaceae), *Bridelia mollis* (Euphorbiaceae), *Quercus robur* (Fagaceae), *Acacia karroo*, *Senna singueana* (Fabaceae), *Plicosepalus curviflorus* (Loranthaceae), *Protea caffra* (Proteaceae), *Psydrax livida* (Rubiaceae), *Duranta erecta* (Verbenaceae) (Scoble et al.,1999).
- 39598. *Cleora nigrisparsalis nigrisparsalis* (Janse,1932)** (Geometridae) **Synonym(s):** *nigrisparsalis* Janse,1932
Original Reference: Neocleora nigrisparsalis Janse,1932, The Moths of South Africa 1: 270, pl.8 fig.5, text-figs.100. Holotype ♂: [Zimbabwe]: South Rhodesia: Umtali (TMP). **Range (in code):** **ZA Etm Kzu ZA14 Mpu Mal Tva Lpo Nta Tva Spb MZ MW ZM ZW TZ KE BI ZR AO** **Bionomy:** Larva on *Schinus molle* (Anacardiaceae), *Cupressus arizonica* var. *glabra* (Cupressaceae), *Bridelia mollis* (Euphorbiaceae), *Quercus robur* (Fagaceae), *Acacia karroo*, *Senna singueana* (Fabaceae), *Plicosepalus curviflorus* (Loranthaceae), *Protea caffra* (Proteaceae), *Psydrax livida* (Rubiaceae), *Duranta erecta* (Verbenaceae) (Scoble et al.,1999).
- 39599. *Cleora oculata* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *oculata* D.S.Fletcher,1967
Range (in code): **NG CM AO ZR UG**
- 39600. *Cleora oculata oculata* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *oculata* D.S.Fletcher,1967 - **Range (in code):** **NG CM AO ZR UG**
- 39601. *Cleora oligodranes* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *oligodranes* L.B.Prout,1922 - **Range (in code):** **ZA Fs Wca**
- 39602. *Cleora oligodranes oligodranes* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *oligodranes* L.B.Prout,1922 - **Range (in code):** **ZA Fs Wca**
- 39603. *Cleora olivata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *olivata* D.S.Fletcher,1953
Range (in code): **ID Clb**
- 39604. *Cleora olivomaculata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *olivomaculata* D.S.Fletcher,1953 - **Range (in code):** **ID Clb**
- 39605. *Cleora onycha* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *onycha* D.S.Fletcher,1953
Range (in code): **IN Ass Nag PG IN ID Shw Ja NBr PH Luz Clb TH Nna Kao**

- 39606. *Cleora onycha acuata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *acuata* D.S.Fletcher,1953 **Range (in code):** **PG**
- 39607. *Cleora onycha amplissima* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *amplissima* D.S.Fletcher,1953 **Range (in code):** **IN**
- 39608. *Cleora onycha cultrata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *cultrata* D.S.Fletcher,1953 **Range (in code):** **ID Sbw**
- 39609. *Cleora onycha hastata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *hastata* D.S.Fletcher,1953 **Range (in code):** **ID Ja**
- 39610. *Cleora onycha keravatensis* Herbulot,1981** (Geometridae) **Synonym(s):** *keravatensis* Herbulot,1981 **Range (in code):** **PG NBr**
- 39611. *Cleora onycha limitata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *limitata* D.S.Fletcher,1953 **Range (in code):** **PH Luz**
- 39612. *Cleora onycha onycha* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *onycha* D.S.Fletcher,1953 **Range (in code):** **IN Ass Nag TH Nna Kao**
- 39613. *Cleora onycha serrata* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *serrata* D.S.Fletcher,1953 **Range (in code):** **ID Clb**
- 39614. *Cleora paepalima* West,1932** (Geometridae) **Synonym(s):** *paepalima* West,1932 **Range (in code):** **PH Luz**
- 39615. *Cleora panarista* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *panarista* D.S.Fletcher,1967 **Range (in code):** **ZR ZW TZ MW ZA**
- 39616. *Cleora panarista panarista* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *panarista* D.S.Fletcher,1967 **Range (in code):** **ZR ZW TZ MW ZA**
- 39617. *Cleora papillifer* L.B.Prout,1934** (Geometridae) **Synonym(s):** *papillifer* L.B.Prout,1934 **Range (in code):** **ZR**
- 39618. *Cleora papillifer papillifer* L.B.Prout,1934** (Geometridae) **Synonym(s):** *papillifer* L.B.Prout,1934 **Range (in code):** **ZR**
- 39619. *Cleora pavlitzkia* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *pavlitzkia* D.S.Fletcher,1958 **Range (in code):** **ZA ZW MW TZ KE ET UG BI RW ZR CM**
- 39620. *Cleora pavlitzkia etesia* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *etesia* D.S.Fletcher,1967 **Range (in code):** **ET**
- 39621. *Cleora pavlitzkia lamella* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *lamella* D.S.Fletcher,1967 **Range (in code):** **KE TZ**
- 39622. *Cleora pavlitzkia oriadelpa* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *oriadelpa* D.S.Fletcher,1967 **Range (in code):** **KE**
- 39623. *Cleora pavlitzkia pavlitzkia* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *pavlitzkia* D.S.Fletcher,1958 **Range (in code):** **ZA ZW MW**
- 39624. *Cleora pavlitzkia saltuensis* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *saltuensis* D.S.Fletcher,1967 **Range (in code):** **BI RW ZR UG**
- 39625. *Cleora pendleburyi* L.B.Prout,1929** (Geometridae) **Synonym(s):** *pendleburyi* L.B.Prout,1929 **Original Reference:** *Cleora pendleburyi* L.B.Prout,1929, Novit. zool. 35: 70. Syntypes: [Malaysia]: Selangor, Bukit Kutu, 3500ft. (BMNH). **Range (in code):** **MY Sgo TH**
- 39626. *Cleora plax* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *plax* D.S.Fletcher,1967 **Range (in code):** **ZR UG**
- 39627. *Cleora plax plax* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *plax* D.S.Fletcher,1967 **Range (in code):** **ZR UG**
- 39628. *Cleora prosema* L.B.Prout,1927** (Geometridae) **Synonym(s):** *prosema* L.B.Prout,1927 **Range (in code):** **ST**
- 39629. *Cleora prosema prosema* L.B.Prout,1927** (Geometridae) **Synonym(s):** *prosema* L.B.Prout,1927 **Range (in code):** **ST**
- 39630. *Cleora pupillata* (Walker,1860)** (Geometridae) **Synonym(s):** *pupillata* Walker,1860 **Range (in code):** **TH Nna Kao Cbi Phu**
- 39631. *Cleora pupillata pupillata* (Walker,1860)** (Geometridae) **Synonym(s):** *pupillata* Walker,1860 **Range (in code):** **TH Nna Kao Cbi Phu**
- 39632. *Cleora quadrimaculata* (Janse,1932)** (Geometridae) **Synonym(s):** *quadrimaculata* Janse,1932 **Range (in code):** **ZA ZA04 ZA07 Ksi Kzu Nta MG**
- 39633. *Cleora quadrimaculata quadrimaculata* (Janse,1932)** (Geometridae) **Synonym(s):** *quadrimaculata* Janse,1932 **Range (in code):** **ZA ZA04 ZA07 Ksi Kzu Nta MG**

- 39634. *Cleora radula* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *radula* D.S.Fletcher,1967
Range (in code): GN GH NG GO Bio CM GM AO ZR UG KE
- 39635. *Cleora radula arenosa* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *arenosa* D.S.Fletcher,1967
Range (in code): UG
- 39636. *Cleora radula eumelana* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *eumelana* D.S.Fletcher,1967
Range (in code): KE
- 39637. *Cleora radula leptopasta* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *leptopasta* D.S.Fletcher,1967
Range (in code): GM AO
- 39638. *Cleora radula radula* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *radula* D.S.Fletcher,1967
Range (in code): GM ZR AO
- 39639. *Cleora raphis* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *raphis* D.S.Fletcher,1967
Range (in code): ZR
- 39640. *Cleora raphis raphis* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *raphis* D.S.Fletcher,1967
Range (in code): ZR
- 39641. *Cleora repulsaria* (Walker,1860)** (Geometridae) **Synonym(s):** *repulsaria* Walker,1860
Range (in code): TH CMa Dst
- 39642. *Cleora rostella* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *rostella* D.S.Fletcher,1967
Range (in code): ZW MW TZ UG SD ZR BI AO
- 39643. *Cleora rostella rostella* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *rostella* D.S.Fletcher,1967
Range (in code): ZW MW TZ UG SD ZR BI AO
- 39644. *Cleora rothkirchi* (Strand,1914)** (Geometridae) **Synonym(s):** *rothkirchi* Strand,1914
Range (in code): CI GH NG CM AO ZR RW BI UG KE TZ MZ ZW Sk KM MG ZA Ktz ZA04 ZA06 ZA07 ZA08 Ksi Kzu Nta
- 39645. *Cleora rothkirchi amydropa* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *amydropa* D.S.Fletcher,1967
Range (in code): Sk KE
- 39646. *Cleora rothkirchi insularum* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *insularum* D.S.Fletcher,1967
Range (in code): MG KM
- 39647. *Cleora rothkirchi rothkirchi* (Strand,1914)** (Geometridae) **Synonym(s):** *rothkirchi* Strand,1914
Range (in code): ZA Ktz ZA04 ZA06 ZA07 ZA08 Ksi Kzu CI GH NG CM AO ZR UG KE TZ MZ ZW
- 39648. *Cleora scobina* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *scobina* D.S.Fletcher,1967
Range (in code): UG BI ZR CI
- 39649. *Cleora scobina scobina* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *scobina* D.S.Fletcher,1967
Range (in code): UG BI ZR CI
- 39650. *Cleora serena* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *serena* D.S.Fletcher,1967
Range (in code): AO
- 39651. *Cleora serena serena* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *serena* D.S.Fletcher,1967
Range (in code): AO
- 39652. *Cleora subcincta* (W.Warren,1901)** (Geometridae) **Synonym(s):** *subcincta* W.Warren,1901
Range (in code): ST AO CM ZR UG KE TZ
- 39653. *Cleora subcincta longifibulata* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *longifibulata* D.S.Fletcher,1958
Range (in code): AO CM ZR UG KE TZ
- 39654. *Cleora subcincta subcincta* (W.Warren,1901)** (Geometridae) **Synonym(s):** *subcincta* W.Warren,1901
Range (in code): ST
- 39655. *Cleora tamsi* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *tamsi* D.S.Fletcher,1967
Range (in code): ST
- 39656. *Cleora tamsi tamsi* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *tamsi* D.S.Fletcher,1967
Range (in code): ST
- 39657. *Cleora tella* (West,1929)** (Geometridae) **Synonym(s):** *tella* West,1929
Range (in code): PH Mno Luz
- 39658. *Cleora tella mindana* Sato,1997** (Geometridae) **Synonym(s):** *mindana* Sato,1997
Range (in code): PH Mno
- 39659. *Cleora tella tella* (West,1929)** (Geometridae) **Synonym(s):** *tella* West,1929
Range (in code): PH Luz
- 39660. *Cleora telloides* Sato,1989** (Geometridae) **Synonym(s):** *telloides* Sato,1989
Range (in code): PH Mno
- 39661. *Cleora thyris* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *thyris* D.S.Fletcher,1967
Range (in code): ET KE ZR TZ MW

- 39662. *Cleora thyris thyris* D.S.Fletcher,1967** (Geometridae) **Synonym(s):** *thyris* D.S.Fletcher,1967 **Range (in code):** **ET KE ZR TZ MW**
- 39663. *Cleora toulgoetae* (Herbulot,1961)** (Geometridae) **Synonym(s):** *toulgoetae* Herbulot,1961 **Range (in code):** **GN SL CI GH NG GO Bio CM GM AO ZR BI**
- 39664. *Cleora toulgoetae toulgoetae* (Herbulot,1961)** (Geometridae) **Synonym(s):** *toulgoetae* Herbulot,1961 **Range (in code):** **GN SL CI GH NG GO Bio CM GM AO ZR BI**
- 39665. *Cleora transversaria* (Pagenstecher,1907)** (Geometridae) **Synonym(s):** *transversaria* Pagenstecher,1907 **Range (in code):** **KM**
- 39666. *Cleora transversaria transversaria* (Pagenstecher,1907)** (Geometridae) **Synonym(s):** *transversaria* Pagenstecher,1907 **Range (in code):** **KM**
- 39667. *Cleora trigrapta* L.B.Prout,1927** (Geometridae) **Synonym(s):** *trigrapta* L.B.Prout,1927 **Range (in code):** **MM**
- 39668. *Cleora tulbaghata* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *tulbaghata* R.Felder & Rogenhofer,1875; *#flavipeta* W.Warren,1904; *#fumata* W.Warren,1904. **Range (in code):** **ZA ZA04 ZA06 ZA08 Ksi ZA14 ZA16 Mpu ZA18 Ec ZA25 ZA26 Kzu KE ZM MZ Tva Nta**
- 39669. *Cleora tulbaghata tulbaghata* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *tulbaghata* R.Felder & Rogenhofer,1875; *#flavipeta* W.Warren,1904; *#fumata* W.Warren,1904. **Range (in code):** **ZA ZA04 ZA06 ZA08 Ksi ZA14 ZA16 Mpu ZA18 Ec ZA25 ZA26 Kzu KE ZM MZ Tva Nta**
- 39670. *Cleora vatia* L.B.Prout,1927** (Geometridae) **Synonym(s):** *vatia* L.B.Prout,1927 **Range (in code):** **MM**
- 39671. *Cleora venustaria* (Leech,1891)** (Geometridae) **Synonym(s):** *venustaria* Leech,1891 **Range (in code):** **TH CMa CDo Pki JP KP KR**
- 39672. *Cleora venustaria thaiensis* Sato,1991** (Geometridae) **Synonym(s):** *thaiensis* Sato,1991 **Original Reference:** *Cleora venustaria* ssp. *thaiensis* Sato,1991, Tyo to Ga 42 (4): 279, figs. **Holotype** ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS). **Range (in code):** **TH CMa CDo Pki**
- 39673. *Cleora venustaria venustaria* (Leech,1891)** (Geometridae) **Synonym(s):** *venustaria* Leech,1891 **Range (in code):** **JP KP KR**
- 39674. *Cleora viettei* (Herbulot,1958)** (Geometridae) **Synonym(s):** *viettei* Herbulot,1958 **Range (in code):** **ST**
- 39675. *Cleora viettei viettei* (Herbulot,1958)** (Geometridae) **Synonym(s):** *viettei* Herbulot,1958 **Range (in code):** **ST**
- 39676. *Cleorodes lichenarius* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *lichenaria* Hufnagel,1767 **Original Reference:** *Phalaena lichenaria* Hufnagel,1767, Berl. Mag. 4: 512. **Type(s):** Deutschland: Berlin. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on arboreous Lichens (Hofmann,1893).
- 39677. *Clepsimelia phryganeoides* W.Warren,1897** (Geometridae) **Synonym(s):** *phryganeoides* W.Warren,1897 **Range (in code):** **NC**
- 39678. *Cleta filacearia* (Herrich-Schäffer,[1847])** (Geometridae) **Synonym(s):** *filacearia* Herrich-Schäffer,[1847] **Range (in code):** **ES FR IT CH? YU AL BG GR TR Cc GG Tbl Bjo Smt Kir AZ Nv AM RU Da UA Cm Ur**
- 39679. *Cleta jacutica* Viidalepp,1976** (Geometridae) **Synonym(s):** *jacutica* Viidalepp,1976 **Range (in code):** **RU Ya**
- 39680. *Cleta perpusillaria* (Eversmann,1847)** (Geometridae) **Synonym(s):** *perpusillaria* Eversmann,1847 **Original Reference:** *Acidalia perpusillaria* Eversmann,1847, Bull. Soc. imp. Moscou 20 (2/3): 82, pl.6 fig.7. **Lectotype** ♂: Russia: Sarepta [Krasnoarmeysk] (ZISP). **Range (in code):** **PT ES RU UA Cm TR Cc AM TM**
- 39681. *Cleta ramosaria* (Villers,1789)** (Geometridae) **Synonym(s):** *ramosaria* Villers,1789; *vittaria* Hübner,[1813] **Range (in code):** **MA DZ Bsk PT ES**
- 39682. *Cleta transiens* L.B.Prout,1913** (Geometridae) **Synonym(s):** *transiens* L.B.Prout,1913 **Range (in code):** **DZ TN**
- 39683. *Coenina aurivena* Butler,1898** (Geometridae) **Synonym(s):** *aurivena* Butler,1898; *cervina* W.Warren,1899 **Range (in code):** **ZR KE TZ GH**
- 39684. *Coenina collenettei* L.B.Prout,1931** (Geometridae) **Synonym(s):** *collenettei* L.B.Prout,1931 **Original Reference:** *Coenina collenettei* L.B.Prout,1931, Ann. Mag. nat. Hist. (10) 7: 265. **Type:** Somaliland (BMNH). **Range (in code):** **SO SA YE Hd YE33 Sna TZ OM IR PK Swa Kkar**

- 39685. Coenina dentataria Swinhoe, 1904** (Geometridae) Synonym(s): *dentataria Swinhoe, 1904; aegyptiaca Rebel, 1906* _ Range (in code): **ML EG ZA ZA17 Tva Lpo ET IL Pa SA As YE Sna YE30 YE33**
- 39686. Coenina islamitica Amsel, 1935** (Geometridae) Synonym(s): *islamitica Amsel, 1935* _ Range (in code): **IL Pa Jer Tbg**
- 39687. Coenina paulusi (Rebel, 1906)** (Geometridae) Synonym(s): *paulusi Rebel, 1906* _ Range (in code): **Pa IL JO Jt SA IR**
- 39688. Coenina poecilaria (Herrich-Schäffer, [1854])** (Geometridae) Synonym(s): *poecilaria Herrich-Schäffer, [1854]* _ Range (in code): **ZA Ksi Nta Kzu Dbn** Bionomy: Larva on *Sphenostylis angustifolia* (Fabaceae) (Stauder, 1999).
- 39689. Coenina tergitaculata L.B. Prout, 1916** (Geometridae) Synonym(s): *tergitaculata L.B. Prout, 1916* _ Range (in code): **SO**
- 39690. Coenocalpe lapidata (Hübner, [1809])** (Geometridae) Synonym(s): *lapidata Hübner, [1809]; subrufata Haworth, 1809; lapidaria Boisduval, 1840* _ Range (in code): **ES FR IT MT IE GB CH AT CZ SK HU RO YU BG NO SE FI EE RU MD UA BY** Bionomy: Larva on *Clematis vitalba* (Meyer, 1919).
- 39691. Coenocalpe millierata (Staudinger, 1901)** (Geometridae) Synonym(s): *millierata Staudinger, 1901; zerhounaria Oberthür, 1921* _ Range (in code): **MA ES FR GR MT BG TR**
- 39692. Coenoteophria ablutaria (Boisduval, 1840)** (Geometridae) Synonym(s): *ablutaria Boisduval, 1840; probaria Herrich-Schäffer, 1852; ruficinctaria Guenée, [1858]; ochrearia Staudinger, 1901* _ Range (in code): **FR IT Co Sa Si SS HV B-H YU GR BG RO UA CY Rd Cr EG Sn IL Pa Car Js IR Kd Fa IQ Brs Dia Cc GG Bjo AM**
- 39693. Coenoteophria ablutaria hangayi Vojnits, 1986** (Geometridae) Synonym(s): *hangayi Vojnits, 1986* _ Range (in code): **GR Cr EG Sn TR IR Kd Fa IQ Brs Dia**
- 39694. Coenoteophria antonii Hausmann, 2011** (Geometridae) Synonym(s): *antonii Hausmann, 2011* _ Range (in code): **IT**
- 39695. Coenoteophria christlae Hausmann & Leipnitz, 2012** (Geometridae) Synonym(s): *christlae Hausmann & Leipnitz, 2012* _ Range (in code): **Cr**
- 39696. Coenoteophria florianii Hausmann, 2011** (Geometridae) Synonym(s): *florianii Hausmann, 2011* Original Reference: *Coenoteophria florianii Hausmann, 2011, Mitt. münch. ent. Ges. 101: 82-83, figs. Holotype ♂: Lebanon c., Laqlouq env. 1600m 4.10.2008 leg. I. & A. Floriani, A. Saldaitis (ZSM). Range (in code):* **LB Lkl TR**
- 39697. Coenoteophria salicata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *#salicata [Denis & Schiffermüller], 1775; salicaria Haworth, 1809; ferrata Herrich-Schäffer, 1839* Original Reference: *Geometra salicata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district. Range (in code):* **ES Py FR IT IE GB BE DE CH AT PL CZ SK HU RO RU** Bionomy: Larva on *Galium*, *Rubia olivieri*, *Salix viminalis* ([Denis & Schiffermüller], 1775; Meyer, 1919; Wiltshire, 1939, 1957).
- 39698. Coenoteophria schneideraria (Lederer, 1855)** (Geometridae) Synonym(s): *schneideraria Lederer, 1855; taurica Staudinger, 1901; eteocretica Rebel, 1906* Original Reference: *Cidaria schneideraria Lederer, 1855, Verh. zool.-bot. Ges. Wien 5: 214, Taf. 3 fig. 8. Syntypes: [Libanon]: Beirut. Range (in code):* **Cr Rd CY LB Bei Bsa TR**
- 39699. Coenoteophria tophaceata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *tophaceata [Denis & Schiffermüller], 1775* Original Reference: *Geometra tophaceata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. Range (in code):* **ES FR IT DE CH AT CZ SK RO YU BG TR GR** Bionomy: Larva on *Fragaria*, *Galium* (Meyer, 1919).
- 39700. Collesia fleximargo (W. Warren, 1909)** (Geometridae) Synonym(s): *fleximargo W. Warren, 1909* Original Reference: *Syndromodes fleximargo W. Warren, 1909, Novit. zool. 16: 112. Type ♀: Angola, Bihé, Ceramba (BMNH). Range (in code):* **AO**
- 39701. Collesia mimica W. Warren, 1897** (Geometridae) Synonym(s): *mimica W. Warren, 1897* Original Reference: *Collesia mimica W. Warren, 1897, Novit. zool. 4: 37. Type ♀: [Zambia]: Luangwa river, N. of Zambesi, Mpeta (BMNH). Range (in code):* **ZM ZA ZA11 ZA12 Kzu Nta ZW Uma Har MZ KE**
- 39702. Collix foraminata Guenée, [1858]** (Geometridae) Synonym(s): *foraminata Guenée, [1858]* Range (in code): **ZA Tva ZA04 Nta Kzu ZA14 ZA18 Ec ZA20 Mpu** Bionomy: Larva on *Rapanea melanophloeos*, *Maesa lanceolata* (Myrsinaceae) (Duke & Duke, 1998).
- 39703. Collix ghosha subligata W. Warren, 1896** (Geometridae) Synonym(s): *subligata W. Warren, 1896* _ Range (in code): **NC**

- 39704. Colocleora abdicata** Herbulot,1975 (Geometridae) Synonym(s): *abdicata* Herbulot,1975
Range (in code): **RW**
- 39705. Colocleora albicurvata** (Bastelberger,1909) (Geometridae) Synonym(s): *albicurvata* Bastelberger,1909 _ Range (in code): **ZR**
- 39706. Colocleora anisoscia** L.B.Prout,1938 (Geometridae) Synonym(s): *anisoscia* L.B.Prout,1938 _ Range (in code): **ZR**
- 39707. Colocleora ankoleensis** Carcasson,1965 (Geometridae) Synonym(s): *ankoleensis* Carcasson,1965 _ Range (in code): **UG**
- 39708. Colocleora ansorgei** (W.Warren,1901) (Geometridae) Synonym(s): *ansorgei* W.Warren,1901 _ Range (in code): **ZR ST**
- 39709. Colocleora bellula** L.B.Prout,1938 (Geometridae) Synonym(s): *bellula* L.B.Prout,1938
Range (in code): **ZR**
- 39710. Colocleora bergeri** Herbulot,1975 (Geometridae) Synonym(s): *bergeri* Herbulot,1975
Range (in code): **CM**
- 39711. Colocleora bilobata** Herbulot,1975 (Geometridae) Synonym(s): *bilobata* Herbulot,1975
Range (in code): **CM**
- 39712. Colocleora binoti** Herbulot,1983 (Geometridae) Synonym(s): *binoti* Herbulot,1983
Range (in code): **CG**
- 39713. Colocleora bipannosa** L.B.Prout,1938 (Geometridae) Synonym(s): *bipannosa* L.B.Prout,1938 _ Range (in code): **MW**
- 39714. Colocleora burgeoni** L.B.Prout,1934 (Geometridae) Synonym(s): *burgeoni* L.B.Prout,1934
Range (in code): **ZR**
- 39715. Colocleora cellularis** Herbulot,1973 (Geometridae) Synonym(s): *cellularis* Herbulot,1973
Range (in code): **CM**
- 39716. Colocleora clarivenata** (L.B.Prout,1918) (Geometridae) Synonym(s): *clarivenata* L.B.Prout,1918 _ Range (in code): **ZR**
- 39717. Colocleora collenettei** L.B.Prout,1938 (Geometridae) Synonym(s): *collenettei* L.B.Prout,1938 _ Range (in code): **GN**
- 39718. Colocleora derennei** Herbulot,1975 (Geometridae) Synonym(s): *derennei* Herbulot,1975
Range (in code): **CM**
- 39719. Colocleora dichroma** Herbulot,1987 (Geometridae) Synonym(s): *dichroma* Herbulot,1987
Range (in code): **CM**
- 39720. Colocleora divisaria** (Walker,1860) (Geometridae) Synonym(s): *divisaria* Walker,1860;
acutangula W.Warren,1905; *acygonia* Hampson,1910 _ Range (in code): **ZA ZA01 Tva Lpo Etm Ktz ZA04 ZA05 ZA06 ZA14 Mpu Brb Mal ZA18 Ec ZA25 Kzu Nta Dbn ZW AO GH NG**
- 39721. Colocleora ducleri** Herbulot,1983 (Geometridae) Synonym(s): *ducleri* Herbulot,1983
Range (in code): **CG**
- 39722. Colocleora expansa** (W.Warren,1899) (Geometridae) Synonym(s): *expansa* W.Warren,1899 _ Range (in code): **NG KE**
- 39723. Colocleora expansa kenyensis** L.B.Prout,1938 (Geometridae) Synonym(s): *kenyensis* L.B.Prout,1938 _ Range (in code): **KE**
- 39724. Colocleora faceta** (L.B.Prout,1934) (Geometridae) Synonym(s): *faceta* L.B.Prout,1934
Original Reference: Cerurographa faceta L.B.Prout,1934, Novit. zool. 34: 117. Holotype ♂: [South Africa]: Natal, National Park (BMNH). Range (in code): **ZA ZA14 Mpu Mal Nta Kzu Tva Lpo Spb Bbg**
- 39725. Colocleora grisea** Janse,1932 (Geometridae) Synonym(s): *grisea* Janse,1932 _ Range (in code): **ZW ZA**
- 39726. Colocleora hegemonica** (L.B.Prout,1932) (Geometridae) Synonym(s): *hegemonica* L.B.Prout,1932 _ Range (in code): **UG Rz**
- 39727. Colocleora herbuloti** Viette,1973 (Geometridae) Synonym(s): *herbuloti* Viette,1973
Range (in code): **MG**
- 39728. Colocleora inaequalis** Herbulot,1987 (Geometridae) Synonym(s): *inaequalis* Herbulot,1987 _ Range (in code): **CG**
- 39729. Colocleora ingloriosa** Herbulot,1987 (Geometridae) Synonym(s): *ingloriosa* Herbulot,1987 _ Range (in code): **CM**
- 39730. Colocleora lambillioni** Herbulot,1975 (Geometridae) Synonym(s): *lambillioni* Herbulot,1975 _ Range (in code): **RW**

- 39731. Colocleora leucostephana** L.B.Prout,1938 (Geometridae) Synonym(s): *leucostephana* L.B.Prout,1938 _ Range (in code): GH
- 39732. Colocleora linearis** Herbulot,1985 (Geometridae) Synonym(s): *linearis* Herbulot,1985 _ Range (in code): CG
- 39733. Colocleora malvina** Herbulot,1982 (Geometridae) Synonym(s): *malvina* Herbulot,1982 _ Range (in code): CM
- 39734. Colocleora melancheima** L.B.Prout,1938 (Geometridae) Synonym(s): *melancheima* L.B.Prout,1938 _ Range (in code): CI
- 39735. Colocleora monogrammaria** (Mabille,1890) (Geometridae) Synonym(s): *monogrammaria* Mabille,1890 _ Range (in code): TZ
- 39736. Colocleora poliophasma** D.S.Fletcher,1958 (Geometridae) Synonym(s): *poliophasma* D.S.Fletcher,1958 _ Range (in code): UG Rz
- 39737. Colocleora polyphanes** L.B.Prout,1938 (Geometridae) Synonym(s): *polyphanes* L.B.Prout,1938 _ Range (in code): RW
- 39738. Colocleora polysemna** L.B.Prout,1938 (Geometridae) Synonym(s): *polysemna* L.B.Prout,1938 _ Range (in code): ZR
- 39739. Colocleora potaenia** (L.B.Prout,1915) (Geometridae) Synonym(s): *potaenia* L.B.Prout,1915 _ Range (in code): CM Bit
- 39740. Colocleora prona** L.B.Prout,1938 (Geometridae) Synonym(s): *prona* L.B.Prout,1938 _ Range (in code): ZR
- 39741. Colocleora proximaria** (Walker,1860) (Geometridae) Synonym(s): *proximaria* Walker,1860; *sexorbata* L.B.Prout,1913 _ Range (in code): ZA ZA07 ZA08 Ksi ZA14 Mal ZA16 Mpu ZA17 ZA25 Kzu Nta ZA28 Tva Lpo KE
- 39742. Colocleora ramosa** Herbulot,1973 (Geometridae) Synonym(s): *ramosa* Herbulot,1973 _ Range (in code): CM
- 39743. Colocleora sciabola** L.B.Prout,1938 (Geometridae) Synonym(s): *sciabola* L.B.Prout,1938 _ Range (in code): RW
- 39744. Colocleora simulatrix** (W.Warren,1899) (Geometridae) Synonym(s): *simulatrix* W.Warren,1899; *remotata* W.Warren,1901; *ochriplaga* L.B.Prout,1916 _ Range (in code): UG Rz CF KE ZA
- 39745. Colocleora smithi** (W.Warren,1904) (Geometridae) Synonym(s): *smithi* W.Warren,1904 _ Range (in code): ZR
- 39746. Colocleora splendens** Herbulot,1954 (Geometridae) Synonym(s): *splendens* Herbulot,1954 _ Range (in code): GN
- 39747. Colocleora spuria** (L.B.Prout,1915) (Geometridae) Synonym(s): *spuria* L.B.Prout,1915 _ Range (in code): NG
- 39748. Colocleora suffumosa** L.B.Prout,1938 (Geometridae) Synonym(s): *suffumosa* L.B.Prout,1938 _ Range (in code): AO ZM
- 39749. Colocleora suffumosa dollmani** L.B.Prout,1938 (Geometridae) Synonym(s): *dollmani* L.B.Prout,1938 _ Range (in code): ZM
- 39750. Colocleora turlini** Herbulot,1982 (Geometridae) Synonym(s): *turlini* Herbulot,1982 _ Range (in code): RW
- 39751. Colocleora umbrata** L.B.Prout,1938 (Geometridae) Synonym(s): *umbrata* L.B.Prout,1938 _ Range (in code): MG
- 39752. Colostygia albigirata** (Kollar,[1844]) (Geometridae) Synonym(s): *albigirata* Kollar,[1844]; *serpentinata* Lederer,1853; *signata* Moore,1868; *thomasata* W.Warren,1888; *tunkinskata* Heydemann,1936; *korschunovi* Viidalepp,1976; *#thomassata* Ollenshaw,2011 _ Range (in code): AF Ch RU Sb PK Thu Haz Mre Swa Yek IN Mus SI DjI
- 39753. Colostygia aptata** (Hübner,[1813]) (Geometridae) Synonym(s): *aptata* Hübner,[1813]; *aptaria* Boisduval,1840; *suplata* Freyer,1840 _ Range (in code): ES FR Si IT DE CH AT PL CZ SK RO YU AL BG GR SE FI EE LV RU K-R Ur Sb At Sj Ya Bry Am Kmt Sh MD UA BY MN
- 39754. Colostygia aqueata** (Hübner,[1813]) (Geometridae) Synonym(s): *aqueata* Hübner,[1813]; *lotaria* Boisduval,1840; *aquearia* Bruand,1846 _ Range (in code): ES Mu FR IT DE CH AT SK YU AL BG GR UA Bionomy: Larva on *Cichorium intybus*, *Galium* (Meyer,1919).
- 39755. Colostygia austriacaria** (Herrich-Schäffer,1852) (Geometridae) Synonym(s): *austriacaria* Herrich-Schäffer,1852 _ Range (in code): IT DE CH AT SK YU BG Bionomy: Larva on *Vaccinium* (Meyer,1919).
- 39756. Colostygia cyrnea** (Wehrli,1925) (Geometridae) Synonym(s): *cyrnea* Wehrli,1925 _ Range (in code): Co

- 39757. *Colostygia fezae* Hausmann,2011** (Geometridae) **Synonym(s):** *fezae* Hausmann,2011
Original Reference: *Colostygia fezae* Hausmann,2011, Mitt. münch. ent. Ges. 101: 79-80, figs.
Holotype ♀: Turkey, Doğu Anadolu, Erzurum, İspir, Mescit Dağları 19 km SW İspir 1950m 24 vii 2011 J.Gelbrecht et al. leg. (coll.ZSM). **Range (in code):** **GG Teb Kc Cc TR**
- 39758. *Colostygia fitzi* (Schawerda,1914)** (Geometridae) **Synonym(s):** *fitzi* Schawerda,1914
Range (in code): **YU**
- 39759. *Colostygia kitschelti* (Rebel,1934)** (Geometridae) **Synonym(s):** *kitschelti* Rebel,1934
Range (in code): **IT**
- 39760. *Colostygia kollariaria* (Herrich-Schäffer,1848)** (Geometridae) **Synonym(s):** *kollariaria* Herrich-Schäffer,1848; *larentiaria* Bruand,1850; *kollararia* Guenée,1857; *larentiata* Millière,1859
Range (in code): **FR IT DE CH AT PL SK RO YU**
- 39761. *Colostygia laetaria* (La Harpe,1853)** (Geometridae) **Synonym(s):** *laetaria* La Harpe,1853; *viridicinctaria* Peyerimhoff,1863
Range (in code): **FR IT DE CH RO**
- 39762. *Colostygia multistrigaria* (Haworth,1809)** (Geometridae) **Synonym(s):** *multistrigaria* Haworth,1809
Range (in code): **ES FR IT IE GB BE NL DE CH YU** **Bionomy:** Larva on Galium (Meyer,1919).
- 39763. *Colostygia olivata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *olivata* [Denis & Schiffermüller],1775
Original Reference: *Geometra olivata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 112. Type(s): [Austria]: Vienna district. **Range (in code):** **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG AM AZ DK NO SE FI EE LV RU Ur At MD UA BY** **Bionomy:** Larva on Galium mollugo, G. verum (Meyer,1919).
- 39764. *Colostygia pectinataria* (Knoch,1781)** (Geometridae) **Synonym(s):** *viridaria* Fabricius,1775 nec Cl.,1759; *pectinataria* Knoch,1781
Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur At Sj K-R MD UA Cm BY Cc GG lag Bjo Bku**
- 39765. *Colostygia pragmatica* Viidalepp,1988** (Geometridae) **Synonym(s):** *pragmatica* Viidalepp,1988
Range (in code): **KK**
- 39766. *Colostygia puengeleri* (Stertz,1902)** (Geometridae) **Synonym(s):** *puengeleri* Stertz,1902
Range (in code): **DE CH AT**
- 39767. *Colostygia sericeata* (Schwingenschuss,1926)** (Geometridae) **Synonym(s):** *sericeata* Schwingenschuss,1926
Range (in code): **IT B-H SS YU GR DZ Blid Ges Lbs TN**
- 39768. *Colostygia sericeata holli* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *holli* L.B.Prout,1938
Range (in code): **IT DZ Blid Ges Lbs TN**
- 39769. *Colostygia stilpna* (L.B.Prout,1924)** (Geometridae) **Synonym(s):** *stilpna* L.B.Prout,1924
Range (in code): **FR**
- 39770. *Colostygia tempestaria* (Herrich-Schäffer,1852)** (Geometridae) **Synonym(s):** *tempestaria* Herrich-Schäffer,1852
Range (in code): **IT AT YU**
- 39771. *Colostygia turbata* (Hübner,[1799])** (Geometridae) **Synonym(s):** *lineolata* Fabricius,1794 nec Hbn.,1787; *turbata* Hübner,[1799]; *turbaria* Treitschke,1828; *lineolaria* Boisduval,1840
Range (in code): **ES FR IT DE CH AT PL SK RO YU BG NO SE FI RU Kol Ur At Sj Bry Kmt MD UA BY**
- 39772. *Colostygia turbata altaicata* (Djakonov,1926)** (Geometridae) **Synonym(s):** *altaicata* Djakonov,1926
Range (in code): **RU At Sj Bry Kmt**
- 39773. *Colostygia turbata fuscolumbata* (Tengström,1875)** (Geometridae) **Synonym(s):** *fuscolumbata* Tengström,1875
Range (in code): **NO SE FI RU Kol Ur**
- 39774. *Colostygia wolfschlaegerae* (Pinker,1953)** (Geometridae) **Synonym(s):** *wolfschlaegerae* Pinker,1953
Range (in code): **MK GR**
- 39775. *Colostygia zaprjagaevi* Viidalepp,1988** (Geometridae) **Synonym(s):** *zaprjagaevi* Viidalepp,1988
Range (in code): **TJ Pm**
- 39776. *Colotois furcata* Hausmann,1995** (Geometridae) **Synonym(s):** *furcata* Hausmann,1995
Range (in code): **IL Pa**
- 39777. *Colotois pennaria* (Linnaeus,1761)** (Geometridae) **Synonym(s):** *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809
Range (in code): **DZ Ges MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG DK NO SE FI EE LV LT RU Us MD UA BY CY** **Bionomy:** Larva on Betula, Crataegus monogyna, Corylus, Prunus spinosa, Pyrus, Quercus, Salix (Meyer,1919; Calle et al.,2000).
- 39778. *Colotois pennaria carbonii* Hartig,1976** (Geometridae) **Synonym(s):** *carbonii* Hartig,1976
Range (in code): **Sa**

- 39779. Colotois pennaria mauretanaria Stättermayer,1930** (Geometridae) Synonym(s): *mauretanaria Stättermayer,1930* - Range (in code): **MA DZ Ges**
- 39780. Colotois pennaria paupera Hausmann,1995** (Geometridae) Synonym(s): *paupera Hausmann,1995* - Range (in code): **CY**
- 39781. Colotois pennaria pennaria (Linnaeus,1761)** (Geometridae) Synonym(s): *pennaria Linnaeus,1761; cerasi Fabricius,1775; bifidaria Haworth,1809* - Range (in code): **PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG DK NO SE FI EE LV LT RU MD UA BY**
- 39782. Colotois pennaria ussuriensis O.Bang-Haas,1927** (Geometridae) Synonym(s): *ussuriensis O.Bang-Haas,1927* - Range (in code): **RU Us**
- 39783. Colotois pennaria zorella Capuse,1960** (Geometridae) Synonym(s): *zorella Capuse,1960* - Range (in code): **RO**
- 39784. Colotois robusta Bastelberger,1908** (Geometridae) Synonym(s): *robusta Bastelberger,1908* - Range (in code): **MX Jpa**
- 39785. Comibaena attenuata (W.Warren,1896)** (Geometridae) Synonym(s): *attenuata W.Warren,1896* - Range (in code): **TH MY Bor Swk ID Clb** - Bionomy: Larva on Nephelium lappaceum (Sapindaceae) (Scoble,1999).
- 39786. Comibaena bajularia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pustulata Hufnagel,1767 nec Müller,1764; bajularia [Denis & Schiffermüller],1775* - Original Reference: *Geometra bajularia [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 97. Type(s): [Austria]: Vienna district.* - Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Cc GG Mng MD UA BY** - Bionomy: Larva on Quercus (Skou,1986).
- 39787. Comibaena barnsi L.B.Prout,1930** (Geometridae) Synonym(s): *barnsi L.B.Prout,1930* - Range (in code): **ZA ZA05 Nta Kzu**
- 39788. Comibaena biplaga Walker,1861** (Geometridae) Synonym(s): *biplaga Walker,1861* - Range (in code): **MY Bor Swk TH CMa CDo**
- 39789. Comibaena cassidara (Guenée,[1858])** (Geometridae) Synonym(s): *cassidara Guenée,[1858]; detenta Walker,1861; discessa Walker,1861* - Range (in code): **IN NP Pj CN TH CMa Cu0 Cu01 Cu09 SG MY Bor** - Bionomy: Larva on Acacia nilotica (Fabaceae), Lagerstroemia indica (Lythraceae), Zizyphus jujuba (Rhamnaceae), Ixora (Rubiaceae), Glycosmis pentaphylla (Rutaceae) (Holloway,1996).
- 39790. Comibaena coryphata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *coryphata R.Felder & Rogenhofer,1875* - Range (in code): **ZA ZA21 Tva Lpo ZA25 Nta Kzu**
- 39791. Comibaena leucospilata (Walker,[1863])** (Geometridae) Synonym(s): *leucospilata Walker,[1863]; coryphata R.Felder & Rogenhofer,1875* - Range (in code): **ZA ZA04 Ksi Mal ZA17 ZA21 Tva Lpo ZA25 ZA26 Nta Kzu Gau Rie Kkf Umk Brb Pre Mpu**
- 39792. Comibaena mariae (Lucas,1888)** (Geometridae) Synonym(s): *mariae Lucas,1888* - Original Reference: *Iodis mariae Lucas,1888, Proc. Linn. Soc. N.S.Wales (2)3: 1266. Type(s): Australia: Queensland.* - Range (in code): **AU PG NC**
- 39793. Comibaena pseudoneriaria (Wehrli,1926)** (Geometridae) Synonym(s): *pseudoneriaria Wehrli,1926* - Range (in code): **ES**
- 39794. Comibaena quadrinotata Butler,1889** (Geometridae) Synonym(s): *quadrinotata Butler,1889* - Range (in code): **IN Hp Kgr Drm Meg Ass Khs TH ID Ja Tal**
- 39795. Comibaena quadrinotata fuscidorsata L.B.Prout,1912** (Geometridae) Synonym(s): *fuscidorsata L.B.Prout,1912* - Range (in code): **IN Meg Ass Khs TH**
- 39796. Comibaena quadrinotata pallidicincta (W.Warren,1897)** (Geometridae) Synonym(s): *pallidicincta W.Warren,1897* - Range (in code): **ID Ja Tal**
- 39797. Comibaena quadrinotata quadrinotata Butler,1889** (Geometridae) Synonym(s): *quadrinotata Butler,1889* - Range (in code): **IN Hp Kgr Drm**
- 39798. Comibaena rhodolopha L.B.Prout,1915** (Geometridae) Synonym(s): *rhodolopha L.B.Prout,1915* - Range (in code): **ZA Mal Tva Lpo ZW**
- 39799. Comibaena rufitornus (L.B.Prout,1916)** (Geometridae) Synonym(s): *rufitornus L.B.Prout,1916* - Range (in code): **YE YE30**
- 39800. Comibaena serrulata D.S.Fletcher,1963** (Geometridae) Synonym(s): *serrulata D.S.Fletcher,1963* - Range (in code): **IR Elb Mz Clu**
- 39801. Comostola caerulea W.Warren,1893** (Geometridae) Synonym(s): *caerulea W.Warren,1893* - Range (in code): **IN SI**

- 39802. *Comostola callista* West,1930** (Geometridae) **Synonym(s):** *callista* West,1930 _ **Range** (in code): **PH Mno**
- 39803. *Comostola cedilla* L.B.Prout,1917** (Geometridae) **Synonym(s):** *cedilla* L.B.Prout,1917 **Range** (in code): **TH PG**
- 39804. *Comostola inops* L.B.Prout,1912** (Geometridae) **Synonym(s):** *inops* L.B.Prout,1912 **Range** (in code): **Ch**
- 39805. *Comostola laesaria* (Walker,1861)** (Geometridae) **Synonym(s):** *laesaria* Walker,1861; *perlepidaria* Walker,1866 _ **Range** (in code): **LK TH AU QAU**
- 39806. *Comostola leucomerata* (Walker,1866)** (Geometridae) **Synonym(s):** *leucomerata* Walker,1866 _ **Range** (in code): **AU PG NBr NC**
- 39807. *Comostola leucomerata caledonica* Holloway,1979** (Geometridae) **Synonym(s):** *caledonica* Holloway,1979 **Original Reference:** *Comostola leucomerata* ssp. *caledonica* Holloway,1979, Lepidoptera New Caledonia: 275-276, figs. Holotype ♂: New Caledonia: R. Bleue, 180m. **Range** (in code): **NC**
- 39808. *Comostola leucosticta* Yazaki,1993** (Geometridae) **Synonym(s):** *leucosticta* Yazaki,1993 **Range** (in code): **NP TH**
- 39809. *Comostola pyrrhogona* (Walker,1866)** (Geometridae) **Synonym(s):** *pyrrhogona* Walker,1866; *cornuta* W.Warren,1896; *callicrossa* L.B.Prout,1934; *pisochlora* L.B.Prout,1934; *woodfordi* L.B.Prout,1934; *succornuta* L.B.Prout,1937; *exquisitata* D.S.Fletcher,1957; #*cornula* Hutacharern & Tubtim,1995 **Range** (in code): **NF AU QAU Bri LO NC PG Ent Fg Bsm NBr NHa Nlr SB Adl ID Bli IN TH**
- 39810. *Comostola pyrrhogona augustata* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *augustata* L.B.Prout,1917 _ **Range** (in code): **LO NC**
- 39811. *Comostola pyrrhogona marginata* (Lucas,1888)** (Geometridae) **Synonym(s):** *marginata* Lucas,1888 _ **Range** (in code): **AU QAU Bri**
- 39812. *Comostola pyrrhogona pyrrhogona* (Walker,1866)** (Geometridae) **Synonym(s):** *pyrrhogona* Walker,1866; *cornuta* W.Warren,1896; *callicrossa* L.B.Prout,1934; *pisochlora* L.B.Prout,1934; *woodfordi* L.B.Prout,1934; *succornuta* L.B.Prout,1937; *exquisitata* D.S.Fletcher,1957; #*cornula* Hutacharern & Tubtim,1995 _ **Range** (in code): **NC PG Ent Fg Bsm NBr NHa Nlr SB Adl ID Bli IN TH**
- 39813. *Comostola pyrrhogona subcrenulata* Holloway,1976** (Geometridae) **Synonym(s):** *subcrenulata* Holloway,1976 _ **Range** (in code): **NF**
- 39814. *Comostola quantula* (Swinhoe,1886)** (Geometridae) **Synonym(s):** *quantula* Swinhoe,1886; *glareosa* Swinhoe,1886; *dulcinata* Fuchs,1902 _ **Range** (in code): **IN Bba ID Sum**
- 39815. *Comostola simplex* (W.Warren,1899)** (Geometridae) **Synonym(s):** *simplex* W.Warren,1899 _ **Range** (in code): **ID Ja**
- 39816. *Comostola subtiliaria* (Bremer,1864)** (Geometridae) **Synonym(s):** *subtiliaria* Bremer,1864; *vapida* L.B.Prout,1934 _ **Range** (in code): **ID Sum RU Us IN Meg Khs Ass JP**
- 39817. *Comostola thalassias* Holloway,1979** (Geometridae) **Synonym(s):** *thalassias* Holloway,1979 **Original Reference:** *Comostola thalassias* Holloway,1979, Lepidoptera New Caledonia: 276, figs. Holotype ♂: New Caledonia: Sarraméa, 160m. **Range** (in code): **NC**
- 39818. *Comostola turgescens* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *turgescens* L.B.Prout,1917 _ **Range** (in code): **IN Meg Ass Khs TH**
- 39819. *Comostola variifrons* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *variifrons* L.B.Prout,1917; *acteana* West,1930 _ **Range** (in code): **PH Luz**
- 39820. *Comostola virago* L.B.Prout,1926** (Geometridae) **Synonym(s):** *virago* L.B.Prout,1926 **Range** (in code): **IN Meg Ass Khs CN Sz**
- 39821. *Comostola viridula* (W.Warren,1903)** (Geometridae) **Synonym(s):** *viridula* W.Warren,1903 _ **Range** (in code): **PG NC**
- 39822. *Comostolopsis apicata* (W.Warren,1898)** (Geometridae) **Synonym(s):** *apicata* W.Warren,1898; *fuscipuncta* W.Warren,1899 _ **Range** (in code): **ZA ZA04 Nta Kzu Mal Tva Lpo Wca Cto**
- 39823. *Comostolopsis atricosta* Herbulot,1992** (Geometridae) **Synonym(s):** *atricosta* Herbulot,1992 _ **Range** (in code): **MW Zom**
- 39824. *Comostolopsis capensis* (W.Warren,1899)** (Geometridae) **Synonym(s):** *capensis* W.Warren,1899 **Original Reference:** *Aplodes capensis* W.Warren,1899, Novit. zool. 6: 291. Holotype ♂: [South Africa]: Cape Town (BMNH). **Range** (in code): **ZA ZA12 Nta Kzu ZA14 Mpu Mal ZA28 Tva Lpo Spb Bbg Wca Cto Kkf Est**
- 39825. *Comostolopsis coerulea* W.Warren,1902** (Geometridae) **Synonym(s):** *coerulea* W.Warren,1902 _ **Range** (in code): **KE**

- 39826. Comostolopsis convallescens** Herbulot,1981 (Geometridae) Synonym(s): *convallescens* Herbulot,1981 Range (in code): **KM**
- 39827. Comostolopsis fluorita** L.B.Prout,1927 (Geometridae) Synonym(s): *fluorita* L.B.Prout,1927 Range (in code): **ST**
- 39828. Comostolopsis germana** L.B.Prout,1916 (Geometridae) Synonym(s): *germana* L.B.Prout,1916 Range (in code): **ZA Ksi Nta Kzu ZA18 Ec Pel Umk Srn Dbn**
- 39829. Comostolopsis glos** D.S.Fletcher,1978 (Geometridae) Synonym(s): *glos* D.S.Fletcher,1978 Range (in code): **TZ**
- 39830. Comostolopsis intensa** L.B.Prout,1915 (Geometridae) Synonym(s): *intensa* L.B.Prout,1915 Range (in code): **KM**
- 39831. Comostolopsis leuconeura** L.B.Prout,1930 (Geometridae) Synonym(s): *leuconeura* L.B.Prout,1930 Range (in code): **RE**
- 39832. Comostolopsis marginata** W.Warren,1899 (Geometridae) Synonym(s): *marginata* W.Warren,1899 Range (in code): **ID Kai**
- 39833. Comostolopsis regina** Thierry-Mieg,1915 (Geometridae) Synonym(s): *regina* Thierry-Mieg,1915 Range (in code): **CX**
- 39834. Comostolopsis rubristicta** (W.Warren,1899) (Geometridae) Synonym(s): *rubristicta* W.Warren,1899 Range (in code): **UG ZA**
- 39835. Comostolopsis rufocellata** (Mabille,1900) (Geometridae) Synonym(s): *rufocellata* Mabille,1900 Range (in code): **MG**
- 39836. Comostolopsis rufostellata** (Mabille,1900) (Geometridae) Synonym(s): *rufostellata* Mabille,1900 Range (in code): **MG**
- 39837. Comostolopsis simplex** W.Warren,1902 (Geometridae) Synonym(s): *simplex* W.Warren,1902 Range (in code): **KE UG Rz ZR TZ**
- 39838. Comostolopsis simplex rubropunctata** D.S.Fletcher,1958 (Geometridae) Synonym(s): *rubropunctata* D.S.Fletcher,1958 Range (in code): **UG Rz ZR**
- 39839. Comostolopsis simplex viridicilia** D.S.Fletcher,1978 (Geometridae) Synonym(s): *viridicilia* D.S.Fletcher,1978 Range (in code): **TZ**
- 39840. Comostolopsis sladeni** L.B.Prout,1915 (Geometridae) Synonym(s): *sladeni* L.B.Prout,1915 Range (in code): **SC**
- 39841. Comostolopsis stillata** (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *stillata* R.Felder & Rogenhofer,1875; *phylarcha* L.B.Prout,1920 Range (in code): **ZA ZA04 Nta Kzu ZA14 ZA16 Mpu ZA17 Tva Lpo Wca Cto Umk Dbn Srn Brb Tst Wv Gau Pre Mdp Nyl ZW Bul ST MG CI CM SC Ald YE Sna**
- 39842. Comostolopsis subsimplex** L.B.Prout,1913 (Geometridae) Synonym(s): *subsimplex* L.B.Prout,1913 Range (in code): **MG**
- 39843. Comostolopsis tmematica** L.B.Prout,1934 (Geometridae) Synonym(s): *tmematica* L.B.Prout,1934 Range (in code): **UG Bga**
- 39844. Comostolopsis viridellaria** (Mabille,1898) (Geometridae) Synonym(s): *viridellaria* Mabille,1898 Range (in code): **MU**
- 39845. Compsoptera aemiliorum** Raineri,1994 (Geometridae) Synonym(s): *aemiliorum* Raineri,1994 Range (in code): **ES**
- 39846. Compsoptera argentaria** (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *argentaria* Herrich-Schäffer,1839 Range (in code): **Si DZ Ges**
- 39847. Compsoptera argentaria yaminaria** (Oberthür,1881) (Geometridae) Synonym(s): *yaminaria* Oberthür,1881 Original Reference: *Ligia yaminaria* Oberthür,1881, *Etud. Ent.* 6: 84, pl.11 fig.4. Type: Algérie, Ben-Youb. DZ Ges
- 39848. Compsoptera caesaraugustanus** Redondo,1995 (Geometridae) Synonym(s): *caesaraugustanus* Redondo,1995 Original Reference: *Compsoptera caesaraugustanus* Redondo,1995, *Boln. Soc. ent. aragon.* 9: 14, figs. Holotype ♂: Spain: Aragon, Prov. Zaragoza, Alf Range (in code): **PT ES Mu FR Co Sa**
- 39849. Compsoptera jourdanaria** (Serres,1826) (Geometridae) Synonym(s): *jourdanaria* Serres,1826; *obscura* Baker,1885 Range (in code): **DZ Lbs Ges PT ES Mu FR Co Sa** Bionomy: Larva on Santolina, Thymus vulgaris (Culot,1920; Calle et al.,2000).
- 39850. Compsoptera opacaria** (Hübner,[1819]) (Geometridae) Synonym(s): *opacaria* Hübner,[1819] Range (in code): Bionomy: Larva on Cytisus, Dorycnium, Erica, Genista, Retama, Spartium (Calle et al.,2000).

- 39851. *Conchylia actena* L.B.Prout,1917** (Geometridae) **Synonym(s):** *actena* L.B.Prout,1917
Range (in code): **ZA Ec**
- 39852. *Conchylia albata* Janse,1934** (Geometridae) **Synonym(s):** *albata* Janse,1934 **Range (in code):** **ZA**
- 39853. *Conchylia alternata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *alternata* W.Warren,1901; *argenteofasciata* Weymer,1908 **Range (in code):** **AO**
- 39854. *Conchylia canescens* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *canescens* L.B.Prout,1925 **Range (in code):** **ZA NA**
- 39855. *Conchylia decorata* (W.Warren,1911)** (Geometridae) **Synonym(s):** *decorata* W.Warren,1911 **Range (in code):** **ZA Fs Sfe**
- 39856. *Conchylia ditissimaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *ditissimaria* Guenée,[1858] **Range (in code):** **ZA ZA27 Kzu Nta** **Bionomy:** Larva on Indigofera sp. (Fabaceae) (Duke & Duke,1998).
- 39857. *Conchylia frosinaria* (Stoll,[1790])** (Geometridae) **Synonym(s):** *frosinaria* Stoll,[1790] **Range (in code):** **ZA Cto Ec**
- 39858. *Conchylia gamma* L.B.Prout,1915** (Geometridae) **Synonym(s):** *gamma* L.B.Prout,1915 **Range (in code):** **ZA Cto Ec**
- 39859. *Conchylia irene* L.B.Prout,1915** (Geometridae) **Synonym(s):** *irene* L.B.Prout,1915 **Range (in code):** **ZA**
- 39860. *Conchylia lamellata* L.B.Prout,1917** (Geometridae) **Synonym(s):** *lamellata* L.B.Prout,1917 **Range (in code):** **ZA Pel**
- 39861. *Conchylia lapsicolumna* L.B.Prout,1916** (Geometridae) **Synonym(s):** *lapsicolumna* L.B.Prout,1916 **Range (in code):** **ZA Spb Wv Tva Lpo**
- 39862. *Conchylia nitidula* (Stoll,[1782])** (Geometridae) **Synonym(s):** *nitidula* Stoll,[1782]; *nitidularia* Guenée,[1858]; *lamellata* L.B.Prout,1917 **Range (in code):** **ZA Cto Ec**
- 39863. *Conchylia nymphula* Janse,1934** (Geometridae) **Synonym(s):** *nymphula* Janse,1934 **Range (in code):** **ZW Bul**
- 39864. *Conchylia pactolaria* Wallengren,1872** (Geometridae) **Synonym(s):** *pactolaria* Wallengren,1872 **Range (in code):** **ZA ZA17 Tva Lpo Ec**
- 39865. *Conchylia rhabdocampa* L.B.Prout,1935** (Geometridae) **Synonym(s):** *rhabdocampa* L.B.Prout,1935 **Range (in code):** **ZA Ec**
- 39866. *Conchylia sesquifascia* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *sesquifascia* L.B.Prout,1913; *#sesquifascia* Vari,1958 **Range (in code):** **ZA Tva Gau Pre**
- 39867. *Conchylodes distelitis* L.B.Prout,1930** (Geometridae) **Synonym(s):** *distelitis* L.B.Prout,1930 **Original Reference:** *Conchylodes distelitis* L.B.Prout,1930, [in] Seitz,A. Gross-Schmett. Erde 16: 36, pl.4c. Type: [Zimbabwe]: Bulawayo (BMNH). **Range (in code):** **BW ZA ZA21 ZA22 Tva Lpo Spb Slp ZW Bul**
- 39868. *Conolophia aemula* (W.Warren,1894)** (Geometridae) **Synonym(s):** *aemula* W.Warren,1894 **Range (in code):** **ZA Ksi ZA25 Kzu Nta Tva Gau Jh Pre**
- 39869. *Conolophia conscitaria* (Walker,1861)** (Geometridae) **Synonym(s):** *conscitaria* Walker,1861; *smilodontaria* Snellen,1872; *maculata* Bastelberger,1908; *rubrifusa* Bastelberger,1909 **Range (in code):** **MG AO TZ CG ZA Mal ZA17 Tva Lpo Gau Jh Pre Dbn Nta Kzu Tst Mpu ZW Vf YE YE30 YE33 Hd**
- 39870. *Conolophia helicola* (Swinhoe,1894)** (Geometridae) **Synonym(s):** *helicola* Swinhoe,1894 **Range (in code):** **IN Ass Meg Cpj Slo Khs**
- 39871. *Conolophia nigripuncta* (Hampson,1891)** (Geometridae) **Synonym(s):** *nigripuncta* Hampson,1891 **Range (in code):** **IN NI TH CMa MY Bor Swk**
- 39872. *Conolophia nigripuncta rudis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *rudis* L.B.Prout,1916 **Range (in code):** **MY Bor Swk**
- 39873. *Conolophia oreades* Herbulot,1989** (Geometridae) **Synonym(s):** *oreades* Herbulot,1989 **Range (in code):** **RW**
- 39874. *Conolophia persimilis* (W.Warren,1905)** (Geometridae) **Synonym(s):** *persimilis* W.Warren,1905 **Range (in code):** **KE**
- 39875. *Conolophia pungeleri* Bastelberger,1907** (Geometridae) **Synonym(s):** *pungeleri* Bastelberger,1907 **Range (in code):** **MG**
- 39876. *Conolophia rectistrigaria* (Rebel,1914)** (Geometridae) **Synonym(s):** *rectistrigaria* Rebel,1914; *melanothrix* L.B.Prout,1915 **Range (in code):** **ZR UG**

- 39877. Contropis tagana** Wiltshire,1967 (Geometridae) Synonym(s): *tagana* Wiltshire,1967
Range (in code): **AF**
- 39878. Coremecis incursaria** (Walker,1860) (Geometridae) Synonym(s): *incursaria* Walker,1860
Range (in code): **MY Bor Swk**
- 39879. Coremecis maculata** (W.Warren,1899) (Geometridae) Synonym(s): *maculata* W.Warren,1899
Range (in code): **MY Pen TH Nna Kao**
- 39880. Coremecis nigrovittata** (Moore,1868) (Geometridae) Synonym(s): *nigrovittata* Moore,1868; *fasciata* W.Warren,1894
Range (in code): **IN Ben SI TH CMA Dst Nna Kao Rng**
- 39881. Coremecis stueningi** Sato,1995 (Geometridae) Synonym(s): *stueningi* Sato,1995
Range (in code): **IN Nag Khs Meg Ass TH CMA Lmp**
- 39882. Corymica arnearia** Walker,1860 (Geometridae) Synonym(s): *arnearia* Walker,1860
Range (in code): **MY Bor Swk TH** Bionomy: Larva on Cinnamomum camphora (Lauraceae) (Scoble,1999).
- 39883. Corymica deducta** (Walker,1866) (Geometridae) Synonym(s): *deducta* Walker,1866; *caustolomaria* Moore,1888; *gensanaria* Leech,1891
Range (in code): **ID Clb IN SI Djl KP KR**
- 39884. Corymica exiguinota** Hampson,1891 (Geometridae) Synonym(s): *exiguinota* Hampson,1891
Range (in code): **IN NI**
- 39885. Corymica fulvimaculata** (W.Warren,1899) (Geometridae) Synonym(s): *fulvimaculata* W.Warren,1899
Range (in code): **MY Pen TH**
- 39886. Corymica immaculata** W.Warren,1897 (Geometridae) Synonym(s): *immaculata* W.Warren,1897
Range (in code): **IN SI**
- 39887. Corymica latimarginata** Swinhoe,1902 (Geometridae) Synonym(s): *latimarginata* Swinhoe,1902
Range (in code): **MY Bor Sbh**
- 39888. Corymica pardalota** L.B.Prout,1931 (Geometridae) Synonym(s): *pardalota* L.B.Prout,1931
Range (in code): **MY Bor Sbh**
- 39889. Corymica polysticta** L.B.Prout,1929 (Geometridae) Synonym(s): *polysticta* L.B.Prout,1929
Range (in code): **ID Bru**
- 39890. Corymica pryeri** (Butler,1878) (Geometridae) Synonym(s): *pryeri* Butler,1878
Range (in code): **IN Hp Kgr Drm JP Hdo TH ID Sum PG Eca Fg**
- 39891. Corymica spatiosa** L.B.Prout,1925 (Geometridae) Synonym(s): *spatiosa* L.B.Prout,1925
Range (in code): **IN SI Djl**
- 39892. Corymica specularia** (Moore,1868) (Geometridae) Synonym(s): *specularia* Moore,1868
Range (in code): **IN Meg Ass CN Sz**
- 39893. Corymica vesicularia** (Walker,1866) (Geometridae) Synonym(s): *vesicularia* Walker,1866
Range (in code): **ID Sum**
- 39894. Cosmorhoe ocellata** (Linnaeus,1758) (Geometridae) Synonym(s): *ocellata* Linnaeus,1758; *lynca* Fabricius,1775; *lynceata* Fabricius,1781; *ocellaria* Boisduval,1840
Original Reference: Phalaena ocellata Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): Europa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ IR GlS DK NO SE FI EE LV LT RU MD UA BY CN Ui Ku** Bionomy: Larva on Galium sylvaticum, Galium verum (Meyer,1919).
- 39895. Costaconvexa caespitaria** (Christoph,1881) (Geometridae) Synonym(s): *caespitaria* Christoph,1881
Range (in code): **RU Am Prj Us Krl JP**
- 39896. Costaconvexa polygrammata** (Borkhausen,1794) (Geometridae) Synonym(s): *polygrammata* Borkhausen,1794; *polygrammaria* Haworth,1809; *conjunctaria* Lederer,1853; *#rosea* Wiltshire,1946
Original Reference: Phalaena polygrammata Borkhausen,1794, Natur. eur. Schmett. 5: 560. Syntypes: Europa. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG Tbl Lag Kir Len AM LB IL Pa IQ IR Fa Shr Mz Kh AF DK SE FI LV LT RU Ur KK KG TJ UZ TM MD UA Cm BY CN Ui Ku** Bionomy: Larva on Galium mollugo, G. palustre, G. verum (Meyer,1919; Wiltshire,1957).
- 39897. Craspediopsis bimaculata** W.Warren,1895 (Geometridae) Synonym(s): *bimaculata* W.Warren,1895; *bipunctata* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 39898. Craspediopsis inaequata** W.Warren,1896 (Geometridae) Synonym(s): *inaequata* W.Warren,1896; *immaculata* L.B.Prout,1938
Original Reference: Craspediopsis inaequata W.Warren,1896, Novit. zool 3: 109. Type: N.India. Range (in code): **IN Ass Meg Khs**
- 39899. Craspediopsis necopina** L.B.Prout,1938 (Geometridae) Synonym(s): *necopina* L.B.Prout,1938
Range (in code): **CN**

- 39900. *Craspediopsis pallivittata* (Moore,1867)** (Geometridae) Synonym(s): *pallivittata* Moore,1867 Original Reference: *Anisodes pallivittata* Moore,1867, Proc. zool. Soc. Lond. 1867: 641. Range (in code): **IN Ass Ben**
- 39901. *Craspediopsis persimilis* (Moore,1888)** (Geometridae) Synonym(s): *persimilis* Moore,1888 Original Reference: *Craspedia persimilis* Moore,1888, Descr. lepid. Colln. Atkinson 3: 254. Type: N.W.India (BMNH). Range (in code): **IN PK K-P**
- 39902. *Crocallis (Dzhugesia) rjabovi* Wehrli,1936** (Geometridae) Synonym(s): *rjabovi* Wehrli,1936 Original Reference: *Crocallis rjabovi* Wehrli,1936, Ent. Rdsch. 145. Syntypes 1♂ 1♀: [Armenia]: Arax Fluss, Dzhuga. Range (in code): **Cc AZ Nv Dz**
- 39903. *Crocallis (s.str.) albarracina* Wehrli,1940** (Geometridae) Synonym(s): *albarracina* Wehrli,1940 Range (in code): **PT ES**
- 39904. *Crocallis (s.str.) auberti* Oberthür,1883** (Geometridae) Synonym(s): *auberti* Oberthür,1883 Range (in code): **DZ Agi ES Mu Si** Bionomy: Larva on *Cytisus scoparius*, *Retama sphaerocarpa* (Calle et al.,2000).
- 39905. *Crocallis (s.str.) boisduvaliaria* (Lucas,1849)** (Geometridae) Synonym(s): *boisduvaliaria* Lucas,1849 Range (in code): **DZ Ges Sbd Si IT**
- 39906. *Crocallis (s.str.) cypriaca* Fischer,2003** (Geometridae) Synonym(s): *cypriaca* Fischer,2003 Original Reference: *Crocallis (s.str.) cypriaca* Fischer,2003, Ent. Z., Frankf. a. M. 113: 372-374, Holotype: Cyprus. Range (in code): **CY**
- 39907. *Crocallis (s.str.) dardoinaria* Donzel,1840** (Geometridae) Synonym(s): *dardoinaria* Donzel,1840; *aglossaria* Boisduval,1840 Range (in code): **DZ Ges TN DhM PT ES Mu FR Co Sa Si** Bionomy: Larva on *Cytisus scoparius*, *Genista scoparius*, *Retama sphaerocarpa*, *Ulex* (Calle et al.,2000).
- 39908. *Crocallis (s.str.) dardoinaria atlantica* Herbulot,1958** (Geometridae) Synonym(s): *atlantica* Herbulot,1958 Range (in code): **FR**
- 39909. *Crocallis (s.str.) elinguarina* (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguarina* Linnaeus,1758; *trapezaria* Boisduval,1840 Original Reference: *Phalaena elinguarina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520-521. Type(s): [Europa], in *Pyrus*. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Corylus*, *Prunus domestica*, *P. spinosa*, *Pyrus*, *Quercus*, *Rubus*, *Salix*, *Sorbus* (Meyer,1919).
- 39910. *Crocallis (s.str.) elinguarina elinguarina* (Linnaeus,1758)** (Geometridae) Synonym(s): *elinguarina* Linnaeus,1758; *trapezaria* Boisduval,1840 Original Reference: *Phalaena elinguarina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 520-521. Type(s): [Europa], in *Pyrus*. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG DK NO SE FI EE LV LT RU MD UA BY**
- 39911. *Crocallis (s.str.) fuliginosa* Rothschild,1912** (Geometridae) Synonym(s): *fuliginosa* Rothschild,1912 Original Reference: *Crocallis fuliginosa* Rothschild,1912, Novit. zool. 19: 126. Type: Algeria, Batna. Range (in code): **DZ BtNa Ges**
- 39912. *Crocallis (s.str.) helenaria* Ruckdeschel,2006** (Geometridae) Synonym(s): *helenaria* Ruckdeschel,2006 Range (in code): **Cr GR**
- 39913. *Crocallis (s.str.) inexpectata* Warnecke,1940** (Geometridae) Synonym(s): *inexpectata* Warnecke,1940 Original Reference: *Crocallis inexpectata* Warnecke,1940, Mitt. münch. ent. Ges. 30 (3): 1054. Type ♂: [Türkei]: Amasya, 400m. Range (in code): **GR Sms Cc TR**
- 39914. *Crocallis (s.str.) klapperichi* Wiltshire,1961** (Geometridae) Synonym(s): *klapperichi* Wiltshire,1961 Range (in code): **AF Pag Bd**
- 39915. *Crocallis (s.str.) tusciaria* (Borkhausen,1793)** (Geometridae) Synonym(s): *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799] Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ AM RU MD UA BY** Bionomy: Larva on *Berberis*, *Cistus salvifolius*, *Clematis vitalba*, *Hippophae*, *Prunus*, *Rosmarinus [officinalis]* (Meyer, 1919; Wehrli,1934,1940).
- 39916. *Crocallis (s.str.) tusciaria taurica* Wehrli,1934** (Geometridae) Synonym(s): *taurica* Wehrli,1934 Original Reference: *Crocallis tusciaria* var. *taurica* Wehrli,1934, Mitt. münch. ent. Ges. 24: 40-41, fig.8. Syntypes 11♂ 1♀: [Türkei]: Marasch, Akbes. Range (in code): **TR** Bionomy: Larva on *Clematis vitalba* (Wehrli,1934).
- 39917. *Crocallis (s.str.) tusciaria transcaucasica* Wehrli,1940** (Geometridae) Synonym(s): *transcaucasica* Wehrli,1940 Original Reference: *Crocallis tusciaria* ssp. *transcaucasica* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 347 (27e). Syntypes: Armenia: Negram, am Flusse Arax (leg. Rjabov). Range (in code): **Cc GG AZ AM**

- 39918. *Crocallis (s.str.) tusciaria tusciaria* (Borkhausen,1793)** (Geometridae) **Synonym(s):** *tusciaria* Borkhausen,1793; *extimaria* Hübner,[1799] - Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR RU MD UA BY TR**
- 39919. *Crocota niveata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *niveata* Scopoli,1763; *niveata* Fabricius,1775; *illibata* [Denis & Schiffermüller],1775; *illibaria* Hübner,[1799] - Range (in code): **AT YU**
- 39920. *Crocota ostrogovichi* Caradja,1930** (Geometridae) **Synonym(s):** *ostrogovichi* Caradja,1930 - Range (in code): **RO**
- 39921. *Crocota peletieraria* (Duponchel,1830)** (Geometridae) **Synonym(s):** *peletieraria* Duponchel,1830 - Range (in code): **ES FR**
- 39922. *Crocota ricaria* Geyer,[1837]** (Geometridae) **Synonym(s):** *ricaria* Geyer,[1837] - Range (in code): **ZA**
- 39923. *Crocota tinctaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *lutearia* Fabricius,1794 nec Vill.,1789; *tinctaria* Hübner,[1799] - Range (in code): **FR IT CH AT**
- 39924. *Ctenaulis acutivalvis* Herbulot,1954** (Geometridae) **Synonym(s):** *acutivalvis* Herbulot,1954 Original Reference: *Ctenaulis acutivalvis* Herbulot,1954, Mém. Inst. fr. Afr. noire 40 (2): 308, pl.1 fig.1; p.308 fig.5. Holotype ♂: [Guinea]: Mt. Nimba (MNHNP). Range (in code): **GN Nim**
- 39925. *Ctenaulis albirupta* W.Warren,1902** (Geometridae) **Synonym(s):** *albirupta* W.Warren,1902 - Range (in code): **KE**
- 39926. *Ctenaulis peracuta* Herbulot,1988** (Geometridae) **Synonym(s):** *peracuta* Herbulot,1988 Range (in code): **CM**
- 39927. *Ctenoberta abanga* L.B.Prout,1915** (Geometridae) **Synonym(s):** *abanga* L.B.Prout,1915 Range (in code): **GA**
- 39928. *Ctenoberta dubia* (W.Warren,1899)** (Geometridae) **Synonym(s):** *dubia* W.Warren,1899 Range (in code): **NG Wrr**
- 39929. *Ctimene alboguttata* (Pagenstecher,1896)** (Geometridae) **Synonym(s):** *alboguttata* Pagenstecher,1896 - Range (in code): **ID Clb**
- 39930. *Ctimene aurinata* (Walker,[1865])** (Geometridae) **Synonym(s):** *aurinata* Walker,[1865]; *splendida* Walker,[1865]; *abasalis* Rothschild,1915 - Range (in code): **ID Clb Crm**
- 39931. *Ctimene basistriga* (Walker,[1865])** (Geometridae) **Synonym(s):** *basistriga* Walker,[1865]; *contracta* Walker,[1865]; *placens* Pagenstecher,1886; *trispilata* W.Warren,1897; *albicolor* W.Warren,1898; *radicata* W.Warren,1899 - Range (in code): **ID Ij PG Ec Ls Goo**
- 39932. *Ctimene colenda* (Swinhoe,1902)** (Geometridae) **Synonym(s):** *colenda* Swinhoe,1902 Range (in code): **PG Eca Fg**
- 39933. *Ctimene conjunctiva* (W.Warren,1905)** (Geometridae) **Synonym(s):** *conjunctiva* W.Warren,1905; *albilunata* W.Warren,1905 - Range (in code): **ID Ob**
- 39934. *Ctimene deceptrix* L.B.Prout,1931** (Geometridae) **Synonym(s):** *deceptrix* L.B.Prout,1931 Range (in code): **ID Ij Afk**
- 39935. *Ctimene fidonioides* (Walker,[1865])** (Geometridae) **Synonym(s):** *fidonioides* Walker,[1865]; *piepersiata* Snellen,1881 - Range (in code): **ID Clb**
- 39936. *Ctimene flavannulata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *flavannulata* W.Warren,1899 - Range (in code): **PG**
- 39937. *Ctimene fulvimacula* (W.Warren,1895)** (Geometridae) **Synonym(s):** *fulvimacula* W.Warren,1895 - Range (in code): **NC LO**
- 39938. *Ctimene hieroglyphica* (Walker,[1865])** (Geometridae) **Synonym(s):** *hieroglyphica* Walker,[1865]; *vestigiata* Snellen,1881 - Range (in code): **ID Clb PH**
- 39939. *Ctimene hysginospila* L.B.Prout,1916** (Geometridae) **Synonym(s):** *hysginospila* L.B.Prout,1916 - Range (in code): **ID Ij Gth**
- 39940. *Ctimene intercisa* (Walker,[1865])** (Geometridae) **Synonym(s):** *intercisa* Walker,[1865]; *wallacei* R.Felder,1874 - Range (in code): **ID Ij Mi PG**
- 39941. *Ctimene interspilata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *interspilata* W.Warren,1899 - Range (in code): **PG Ls**
- 39942. *Ctimene nocturnigris* Holloway,1979** (Geometridae) **Synonym(s):** *nocturnigris* Holloway,1979 - Range (in code): **NC**
- 39943. *Ctimene oblongata* (Swinhoe,1900)** (Geometridae) **Synonym(s):** *oblongata* Swinhoe,1900; *suspensa* Swinhoe,1902 - Range (in code): **ID Ij**
- 39944. *Ctimene obnubilata* (W.Warren,1898)** (Geometridae) **Synonym(s):** *obnubilata* W.Warren,1898 - Range (in code): **ID Bru**

- 39945. Ctimene ocreata** L.B.Prout,1922 (Geometridae) Synonym(s): *ocreata* L.B.Prout,1922
Range (in code): **ID Crm Bru**
- 39946. Ctimene oppositata** (W.Warren,1896) (Geometridae) Synonym(s): *oppositata* W.Warren,1896
Range (in code): **ID Ij**
- 39947. Ctimene plagiata** (Walker,[1865]) (Geometridae) Synonym(s): *plagiata* Walker,[1865]
Range (in code): **ID Trn**
- 39948. Ctimene quadripartita** (Walker,[1865]) (Geometridae) Synonym(s): *quadripartita* Walker,[1865]; *percurrans* W.Warren,1901
Range (in code): **ID Aru**
- 39949. Ctimene rubropicta** (Thierry-Mieg,1915) (Geometridae) Synonym(s): *rubropicta* Thierry-Mieg,1915
Range (in code): **NC**
- 39950. Ctimene salamandra** (Kirsch,1877) (Geometridae) Synonym(s): *salamandra* Kirsch,1877
Range (in code): **ID Ij PG**
- 39951. Ctimene spilognota** L.B.Prout,1931 (Geometridae) Synonym(s): *spilognota* L.B.Prout,1931
Range (in code): **PH Mno**
- 39952. Ctimene tricinctaria** (Linnaeus,1758) (Geometridae) Synonym(s): *tricinctaria* Linnaeus,1758; *perdica* Cramer,1777; *arybasa* Walker,1862; *truncata* Walker,[1865]
Range (in code): **IN Ben ID Crm**
- 39953. Ctimene unifascia** (W.Warren,1899) (Geometridae) Synonym(s): *unifascia* W.Warren,1899
Range (in code): **PG Ls Wd**
- 39954. Ctimene vacuata** (W.Warren,1898) (Geometridae) Synonym(s): *vacuata* W.Warren,1898
Range (in code): **ID Ij**
- 39955. Ctimene velata** (W.Warren,1906) (Geometridae) Synonym(s): *velata* W.Warren,1906
Range (in code): **PG**
- 39956. Ctimene xanthomelas** Boisduval,1832 (Geometridae) Synonym(s): *xanthomelas* Boisduval,1832
Range (in code): **PG SB**
- 39957. Culpinia prouti** (Thierry-Mieg,1913) (Geometridae) Synonym(s): *prouti* Thierry-Mieg,1913; *feroniaria* Oberthür,1916.
Original Reference: *Thalera prouti* Thierry-Mieg,1913, Feuille jeun Nat. (5) 43: 180. Syntypes 2♂: [Turkey]: "Syria: Akbes" (MNHN).
Range (in code): **TR CY IL Pa Hf Car LB Bsa**
- 39958. Cusiala boarmoides** Moore,[1887] (Geometridae) Synonym(s): *boarmoides* Moore,[1887]; *boarmioides* Moore,1888; *angulata* Hampson,1891; *griseifusa* Sonan,1938; *#bcarmoides* Watanasit et al.,2004
Original Reference: *Cusiala boarmoides* Moore,[1887], Lepid. Ceylon 3: 407.
Range (in code): **TW TH CMa Dst Fn CDo Cbi Nna Kao Ntt Hba MY Bor Swk LK IN SI Djl NI**
- 39959. Cusiala boarmoides acutijuxta** Holloway,[1994] (Geometridae) Synonym(s): *acutijuxta* Holloway,[1994]
Range (in code): **TH CMa Dst Fn CDo Cbi Nna Kao Ntt Hba MY Bor Swk**
- 39960. Cusiala raptaria** (Walker,1860) (Geometridae) Synonym(s): *raptaria* Walker,1860; *disterninata* Walker,1860; *suiasasa* Walker,1860; *rufifasciata* Hampson,1893
Range (in code): **LK TH**
- 39961. Cusiala stipitaria** (Oberthür,1880) (Geometridae) Synonym(s): *stipitaria* Oberthür,1880; *piperitaria* Oberthür,1880; *doerriesiaria* Christoph,1881
Range (in code): **RU Us Ask JP**
- 39962. Cusiala turpis** (W.Warren,1899) (Geometridae) Synonym(s): *turpis* W.Warren,1899
Range (in code): **ID Flo**
- 39963. Cyclophora ? sublunata** (Swinhoe,1904) (Geometridae) Synonym(s): *sublunata* Swinhoe,1904
Range (in code): **ZA ZA07 Ksi Kzu Nta**
- 39964. Cyclophora albicellaria** (Hübner,1789) (Geometridae) Synonym(s): *albicellaria* Hübner,1789; *ocellaria* Hübner,1799; *argusaria* Boisduval,1840
Range (in code): **PT ES FR Co Si IT DE CH AT CZ SK HU RO YU AL BG GR TR RU UA IR TM**
Bionomy: Larva on *Acer campestris*, *A. pseudoplatanus* (Blaschke,1914; Meyer,1919).
- 39965. Cyclophora albipunctata** (Hufnagel,1767) (Geometridae) Synonym(s): *albipunctata* Hufnagel,1767; *suspensa* Retzius,1783; *pupillaria* Brahm,1791; *circularia* Fabricius,1798; *vusarmana* Walker,1861; *ianthinarium* Stichel,1901; *subroseata* Woodforde,1902
Range (in code): **DZ Clo PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Ur Sb Am JP**
Bionomy: Larva on *Angelica sylvestris*, *Cicuta virosa*, *Heracleum spondylium*, *Laserpitium*, *Peucedanum officinale*, *Sambucus nigra* (Blaschke,1914); *Betula* (Skou,1986).
- 39966. Cyclophora annularia** (Fabricius,1775) (Geometridae) Synonym(s): *annularia* Fabricius,1775; *annulata* Schulze,1775
Original Reference: *Phalaena annularia* Fabricius,1775; Syst. Ent.: 625. Type(s): Germania.
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK SE FI EE LV LT RU MD UA BY**
- 39967. Cyclophora ariadne** Reisser,1939 (Geometridae) Synonym(s): *ariadne* Reisser,1939
Range (in code): **Cr**

- 39968. *Cyclophora carsoni* Holloway,1997** (Geometridae) **Synonym(s):** *carsoni* Holloway,1997
Range (in code): **TH MY Bor Sbh KBa**
- 39969. *Cyclophora conspicillaria* (Snellen,1874)** (Geometridae) **Synonym(s):** *acutaria* Walker,[1863] *nec* Roquette,1857; *conspicillaria* Snellen,1874
Range (in code): **VE CO**
- 39970. *Cyclophora frenaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *frenaria* Guenée,[1858]; *pulverulenta* Swinhoe,1892; *maculifera* Swinhoe,1900; *plumbeodisca* W.Warren,1903; *cyclophora* Turner,1908
Range (in code): **TH AU QAU PG Bor IN Ass Meg Khs**
- 39971. *Cyclophora hyponoea* (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *hyponoea* L.B.Prout,1935
Range (in code): **DZ Phv PT AD FR ES**
- 39972. *Cyclophora imbuta* (W.Warren,1897)** (Geometridae) **Synonym(s):** *imbuta* W.Warren,1897
Range (in code): **IN Ass Meg Khs TH**
- 39973. *Cyclophora inaequalis* W.Warren,1902** (Geometridae) **Synonym(s):** *inaequalis* W.Warren,1902
Range (in code): **ZA Mal Tva Lpo**
- 39974. *Cyclophora lateritica* (Holloway,1979)** (Geometridae) **Synonym(s):** *lateritica* Holloway,1979
Range (in code): **NC**
- 39975. *Cyclophora lautokensis* (L.B.Prout,1929)** (Geometridae) **Synonym(s):** *lautokensis* L.B.Prout,1929
Range (in code): **NC PG AU FJ**
- 39976. *Cyclophora lennigiaria* (Fuchs,1883)** (Geometridae) **Synonym(s):** *lennigiaria* Fuchs,1883
Range (in code): **MA DE FR ES MA PT**
- 39977. *Cyclophora linearia* (Hübner,[1799])** (Geometridae) **Synonym(s):** *zonata* Fourcroy,1785; *luteolaria* Villers,1789; *linearia* Hübner,[1799]; *strabonaria* Zeller,1851
Original Reference: *Geometra linearia* Hübner,[1799], Samml. eur. Schmett. 5: pl.13, fig.68. Type: Europa. **Range (in code):** **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR AZ GG DK NO SE LV LT RU MD UA Cm Cc GG AZ AM IR Elb**
Bionomy: Larva on *Fagus sylvatica*, *Quercus*, *Vaccinium myrtillus* (Meyer,1919; Skou,1986).
- 39978. *Cyclophora lowi* Holloway,1997** (Geometridae) **Synonym(s):** *lowi* Holloway,1997
Range (in code): **TH MY Bor Swk**
- 39979. *Cyclophora pendularia* (Clerck,1759)** (Geometridae) **Synonym(s):** *pendularia* Clerck,1759; *orbicularia* Hübner,1799
Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV RU MD UA BY CN Ui Kun**
Bionomy: Larva on *Alnus*, *Betula*, *Quercus*, *Salix cinerea* (Meyer,1919; Skou,1986).
- 39980. *Cyclophora pepira* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *pepira* L.B.Prout,1938
Range (in code): **MY CmH Pah TH**
- 39981. *Cyclophora porata* (Linnaeus,1767)** (Geometridae) **Synonym(s):** *porata* Linnaeus,1767; *huebneraria* Haworth,1809; *poraria* Latreille,1825
Range (in code): **PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK SE LT RU MD UA Cm BY IL Pa Hf Car IR Elb Mz**
Bionomy: Larva on *Betula*, *Quercus* (Meyer,1919; Skou,1986).
- 39982. *Cyclophora punctaria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
Original Reference: *Phalaena punctaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Finlandia. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Pja MD UA Cm BY IR Elb**
Bionomy: Larva on *Betula*, *Quercus* (Meyer,1919; Skou,1986).
- 39983. *Cyclophora punctaria fritzae* Hausmann,2003** (Geometridae) **Synonym(s):** *fritzae* Hausmann,2003
Range (in code): **RU St Pja UA Cm Cc GG AM AZ IR Elb TR**
- 39984. *Cyclophora punctaria punctaria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *punctaria* Linnaeus,1758; *amata* Linnaeus,1758; *teutonaria* Linnaeus,1758; *amataria* Linnaeus,1761; *fultaria* Villers,1789; *communifasciata* Donovan,1808; *unifasciata* Donovan,1808; *subangularia* Haworth,1809; *acutaria* Roquette,1857; *naevata* Bastelberger,1900
Original Reference: *Phalaena punctaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Finlandia. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 39985. *Cyclophora puppillaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *puppillaria* Hübner,[1799]; *nolaria* Hübner,1809; *gyrata* Hübner,[1813]; *gyraria* Treitschke,1827; *mirtalis* Costa,1834; *calaritana* Turati,1911; *asiae minoris* Amsel,1935; *granti* L.B.Prout,1935
Original Reference: *Geometra puppillaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.13, fig.69. Type: Europa. **Range (in code):** **MA DZ Ges TN Az PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT SK HU RO YU AL BG GR Cr Rd TR Cc GG DK SE RU MD UA BY IR Fa IL Pa Hf Car LB Bsa**
Bionomy: Larva on *Arbutus unedo*, *Cistus*, *Myrtus*, *Phillyrea*, *Quercus ilex* (South,1961; Skou,1986; Calle et al.,2000).

- 39986. Cyclophora quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999 Original Reference: Zonosoma quercimontaria Bastelberger,1897, Stettin ent. Ztg. 58: 120. Syntypes: Deutschland: Rheingau: Eichberg. Range (in code): **PT ES FR IT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG AM AZ IR Elb Mz** Bionomy: Larva on Quercus (Meyer,1919; Skou,1986).
- 39987. Cyclophora quercimontaria elbursica (L.B.Prout,1935)** (Geometridae) Synonym(s): *elbursica* L.B.Prout,1935 Range (in code): **IR Elb Mz**
- 39988. Cyclophora quercimontaria quercimontaria (Bastelberger,1897)** (Geometridae) Synonym(s): *quercimontaria* Bastelberger,1897; *nigrosparsaria* Scoble,1999; *privataria* Scoble,1999 Original Reference: Zonosoma quercimontaria Bastelberger,1897, Stettin ent. Ztg. 58: 120. Syntypes: Deutschland: Rheingau: Eichberg. Range (in code): **PT ES FR IT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG AM AZ**
- 39989. Cyclophora ruficiliaria (Herrich-Schäffer,[1855])** (Geometridae) Synonym(s): *ruficiliaria* Herrich-Schäffer,[1855] Range (in code): **PT ES FR Sa IT BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR IQ IR Gls RU MD UA BY** Bionomy: Larva on Quercus (Meyer,1919; Wiltshire,1957).
- 39990. Cyclophora serveti Redondo & Gaston,1999** (Geometridae) Synonym(s): *serveti* Redondo & Gaston,1999 Range (in code): **ES**
- 39991. Cyclophora staudei Hausmann,2006** (Geometridae) Synonym(s): *staudei* Hausmann,2006 Range (in code): **YE YE30**
- 39992. Cyclophora suppunctaria (Zeller,1847)** (Geometridae) Synonym(s): *suppunctaria* Zeller,1847 Range (in code): **TN ES FR Co Sa Si IT CH AT PL SK HU RO YU AL BG GR Cr TR IR Fa Lo SA** Bionomy: Larva on Quercus pubescens, Q.pyrenaica, Q. robur (Fagaceae) (Heidemann,1996).
- 39993. Cyclophora sympathica (Alpheraky,1883)** (Geometridae) Synonym(s): *sympathica* Alpheraky,1883 Original Reference: Timandra sympathica Alpheraky,1883, Horae Soc. ent. ross. 17: 166-168, Tab.viii fig.76. Type ♂: [China: Uighur A.R.]: Khorgosse. Range (in code): **CN Ui Khr**
- 39994. Cyclophora unocula (W.Warren,1897)** (Geometridae) Synonym(s): *unocula* W.Warren,1897 Range (in code): **ZA ZA07 Ksi ZA18 Ec ZA25 Kzu Nta TZ**
- 39995. Dalima acutaria Leech,1897** (Geometridae) Synonym(s): *acutaria* Leech,1897; *obliquaria* Leech,1897 Range (in code): **CN**
- 39996. Dalima apicata Moore,1868** (Geometridae) Synonym(s): *apicata* Moore,1868 Range (in code): **IN Ben CN**
- 39997. Dalima calamina (Butler,1880)** (Geometridae) Synonym(s): *calamina* Butler,1880 Range (in code): **IN SI Djl**
- 39998. Dalima columbinaria Leech,1897** (Geometridae) Synonym(s): *columbinaria* Leech,1897 Range (in code): **CN Sz**
- 39999. Dalima delineata (W.Warren,1894)** (Geometridae) Synonym(s): *delineata* W.Warren,1894 Range (in code): **MY Prk TH**
- 40000. Dalima gigantea Swinhoe,1897** (Geometridae) Synonym(s): *gigantea* Swinhoe,1897 Range (in code): **IN**
- 40001. Dalima herbuloti Orhant,1995** (Geometridae) Synonym(s): *herbuloti* Orhant,1995 Range (in code): **IN Ben**
- 40002. Dalima hoenei Wehrli,1923** (Geometridae) Synonym(s): *hoenei* Wehrli,1923 Range (in code): **CN Kig**
- 40003. Dalima intricata W.Warren,1893** (Geometridae) Synonym(s): *intricata* W.Warren,1893 Range (in code): **BT IN**
- 40004. Dalima latitans (W.Warren,1893)** (Geometridae) Synonym(s): *latitans* W.Warren,1893 Range (in code): **IN SI Djl**
- 40005. Dalima lucens (W.Warren,1893)** (Geometridae) Synonym(s): *lucens* W.Warren,1893 Range (in code): **IN SI CN Sz T-T**
- 40006. Dalima metachromata (Walker,1862)** (Geometridae) Synonym(s): *metachromata* Walker,1862 Range (in code): **TH CMa**
- 40007. Dalima mjobergi L.B.Prout,1926** (Geometridae) Synonym(s): *mjobergi* L.B.Prout,1926 Range (in code): **MY Bor Swk**

- 40008. *Dalima nubilata* Hampson, 1895** (Geometridae) Synonym(s): *nubilata* Hampson, 1895
Range (in code): **IN Ass Nag**
- 40009. *Dalima ochrearia* Leech, 1897** (Geometridae) Synonym(s): *ochrearia* Leech, 1897
Range (in code): **CN Sz**
- 40010. *Dalima patularia* (Walker, 1860)** (Geometridae) Synonym(s): *patularia* Walker, 1860
Range (in code): **IN CN TH MY Bor Sbh KBa ID Sum Clb**
- 40011. *Dalima schistacearia* Moore, 1868** (Geometridae) Synonym(s): *schistacearia* Moore, 1868;
patnaria R. Felder & Rogenhofer, [1875] Range (in code): **IN Ben SI Djl TH CMa**
- 40012. *Dalima subferrugineata* (Poujade, 1895)** (Geometridae) Synonym(s): *subferrugineata* Poujade, 1895 Range (in code): **CN Sz**
- 40013. *Dalima subflavata* (R. Felder & Rogenhofer, [1875])** (Geometridae) Synonym(s): *subflavata* R. Felder & Rogenhofer, [1875] Range (in code): **ID Ja TH Ntt Hba**
- 40014. *Dalima truncataria* (Moore, 1868)** (Geometridae) Synonym(s): *truncataria* Moore, 1868;
olivescens W. Warren, 1893 Range (in code): **IN Ben SI**
- 40015. *Dalima variaria* Leech, 1897** (Geometridae) Synonym(s): *variaria* Leech, 1897 Range (in code): **CN Sz T-T**
- 40016. *Dalima vulpinaria* (Moore, 1888)** (Geometridae) Synonym(s): *vulpinaria* Moore, 1888
Range (in code): **IN Djl SI**
- 40017. *Danielaparra viridis* (Parra, 1996)** (Geometridae) Synonym(s): *viridis* Parra, 1996
Range (in code): **CL**
- 40018. *Darisa firmilinea* (L. B. Prout, 1926)** (Geometridae) Synonym(s): *firmilinea* L. B. Prout, 1926
Range (in code): **IN Ass Meg Slo**
- 40019. *Darisa fratercula* (Moore, 1888)** (Geometridae) Synonym(s): *fratercula* Moore, 1888
Range (in code): **IN SI Djl**
- 40020. *Darisa lampasaria* (Hampson, 1895)** (Geometridae) Synonym(s): *lampasaria* Hampson, 1895 Range (in code): **IN Ass Meg Khs**
- 40021. *Darisa leledaria* (Swinhoe, 1905)** (Geometridae) Synonym(s): *leledaria* Swinhoe, 1905
Range (in code): **BT IN Ass Meg Khs**
- 40022. *Darisa maxima* Moore, 1888** (Geometridae) Synonym(s): *maxima* Moore, 1888 Range (in code): **IN SI Djl**
- 40023. *Darisa missionaria* (Wehrli, 1941)** (Geometridae) Synonym(s): *missionaria* Wehrli, 1941
Range (in code): **CN Sz**
- 40024. *Darisa mucidaria* (Walker, 1866)** (Geometridae) Synonym(s): *mucidaria* Walker, 1866;
plagiaria Walker, 1869 Range (in code): **IN**
- 40025. *Darisa parallela* (L. B. Prout, 1927)** (Geometridae) Synonym(s): *parallela* L. B. Prout, 1927
Range (in code): **MM**
- 40026. *Darisa peracuta* Sato, 1995** (Geometridae) Synonym(s): *peracuta* Sato, 1995 Range (in code): **NP**
- 40027. *Darisodes cuneata* Herbulot, 1972** (Geometridae) Synonym(s): *cuneata* Herbulot, 1972
Range (in code): **MG**
- 40028. *Darisodes oritropha* (D. S. Fletcher, 1958)** (Geometridae) Synonym(s): *oritropha* D. S. Fletcher, 1958 Range (in code): **UG Rz ZR**
- 40029. *Darisodes orygaria* (Guenée, 1862)** (Geometridae) Synonym(s): *orygaria* Guenée, 1862
Range (in code): **RE KM MU**
- 40030. *Darisodes orygaria brunneata* (W. Warren, 1902)** (Geometridae) Synonym(s): *brunneata* W. Warren, 1902 Range (in code): **KM**
- 40031. *Darisodes orygaria mauritiaria* (Mabille, 1893)** (Geometridae) Synonym(s): *mauritiaria* Mabille, 1893 Range (in code): **MU**
- 40032. *Darisodes orygaria orygaria* (Guenée, 1862)** (Geometridae) Synonym(s): *orygaria* Guenée, 1862 Range (in code): **RE**
- 40033. *Dasyboarmia canidorsata* (Walker, 1866)** (Geometridae) Synonym(s): *canidorsata* Walker, 1866 Range (in code): **LK**
- 40034. *Dasyboarmia delineata* (Walker, 1860)** (Geometridae) Synonym(s): *delineata* Walker, 1860 Range (in code): **MY Bor Sbh KBa Swk**
- 40035. *Dasyboarmia hyperdasys* L. B. Prout, 1928** (Geometridae) Synonym(s): *hyperdasys* L. B. Prout, 1928 Range (in code): **ID Sum**

- 40036. *Dasyboarmia inouei* (Sato,1987)** (Geometridae) Synonym(s): *inouei* Sato,1987 _ Range (in code): IN NI
- 40037. *Dasyboarmia isorrhopa* L.B.Prout,1932** (Geometridae) Synonym(s): *isorrhopa* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 40038. *Dasyboarmia nychia* (L.B.Prout,1935)** (Geometridae) Synonym(s): *nychia* L.B.Prout,1935 _ Range (in code): ID Ja
- 40039. *Dasyboarmia owadai* (Sato,1987)** (Geometridae) Synonym(s): *owadai* Sato,1987 _ Range (in code): PH Luz
- 40040. *Dasyboarmia pilosisima* Holloway,[1994]** (Geometridae) Synonym(s): *pilosisima* Holloway,[1994] _ Range (in code): MY Bor BN
- 40041. *Dasyboarmia subpilosa* (W.Warren,1894)** (Geometridae) Synonym(s): *subpilosa* W.Warren,1894; *instigata* L.B.Prout,1929 _ Range (in code): ID Bru Clb Sum NP IN TH CMa Dst CDo Pki Cbi Loe Nna Kao MY Bor Sbh KBa PH
- 40042. *Dasyboarmia sundana* (Sato,1987)** (Geometridae) Synonym(s): *sundana* Sato,1987 _ Range (in code): ID Sum
- 40043. *Dasycorsa modesta* (Staudinger,1879)** (Geometridae) Synonym(s): *modesta* Staudinger,1879 _ Original Reference: Dasycephala modesta Staudinger,1879, Horae Soc. ent. ross. 14: 445. Type ♀: [Türkei]: Taurus (Haberhauer leg.). Range (in code): RO YU BG GR CY TR LB Bsa IL Pa Tbs IQ IR _ Bionomy: Larva on Papilionaceae (Wiltshire,1935).
- 40044. *Dasylidonia avuncularia* (Guenée,[1858])** (Geometridae) Synonym(s): *avuncularia* Guenée,[1858] _ Range (in code): US Cf
- 40045. *Dasylidonia macdunnoughi* Guedet,1935** (Geometridae) Synonym(s): *macdunnoughi* Guedet,1935 _ Range (in code): US Cf
- 40046. *Dasymacaria ansorgei* W.Warren,1901** (Geometridae) Synonym(s): *ansorgei* W.Warren,1901 _ Original Reference: Dasymacaria ansorgei W.Warren,1901, Novit. zool. 8: 18-19. Type ♂: Congo Free State [Zaire]: "four day's march from Beni", May 8th,1899 (leg. Dr.Ansorge) (BMNH). Range (in code): ZR Bni
- 40047. *Dasymacaria plebeia* Carcasson,1964** (Geometridae) Synonym(s): *plebeia* Carcasson,1964 _ Range (in code): UG Kmp
- 40048. *Dasyleptoma thaumasias* Staudinger,1892** (Geometridae) Synonym(s): *thaumasias* Staudinger,1892; *oberthuri* Vazquez,1905 _ Original Reference: Dasyleptoma thaumasias Staudinger,1892, Dt. ent. Z., Iris 5: 168-170, Taf.ii fig.10. Syntypes 3♀: [Spain]: "San Ildefonso (Castilien)". Range (in code): ES PT Afl DZ
- 40049. *Dasyleptoma thaumasias powelli* (Oberthür,1914)** (Geometridae) Synonym(s): *powelli* Oberthür,1914 _ Range (in code): DZ
- 40050. *Dasyleptoma thaumasias thaumasias* Staudinger,1892** (Geometridae) Synonym(s): *thaumasias* Staudinger,1892; *oberthuri* Vazquez,1905 _ Original Reference: Dasyleptoma thaumasias Staudinger,1892, Dt. ent. Z., Iris 5: 168-170, Taf.ii fig.10. Syntypes 3♀: [Spain]: "San Ildefonso (Castilien)". Range (in code): ES DZ Afl PT
- 40051. *Deileptenia ribeata* (Clerck,1759)** (Geometridae) Synonym(s): *ribeata* Clerck,1759 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY _ Bionomy: Larva on Abies, Picea, Quercus, Taxus [baccata] (Meyer,1919).
- 40052. *Dentinalia diversa* Rindge,1973** (Geometridae) Synonym(s): *diversa* Rindge,1973 _ Range (in code): AR
- 40053. *Dentinalia forsteri* Heimlich,1960** (Geometridae) Synonym(s): *forsteri* Heimlich,1960 _ Range (in code): CL
- 40054. *Dentinalia latifascia* Rindge,1973** (Geometridae) Synonym(s): *latifascia* Rindge,1973 _ Range (in code): AR
- 40055. *Derambila adaucta* L.B.Prout,1910** (Geometridae) Synonym(s): *adaucta* L.B.Prout,1910 _ Range (in code): LK
- 40056. *Derambila aetherialis* (Butler,1887)** (Geometridae) Synonym(s): *aetherialis* Butler,1887 _ Range (in code): SB
- 40057. *Derambila alucitaria* (Snellen,1873)** (Geometridae) Synonym(s): *alucitaria* Snellen,1873 _ Range (in code): ST
- 40058. *Derambila candidissima* L.B.Prout,1916** (Geometridae) Synonym(s): *candidissima* L.B.Prout,1916 _ Range (in code): PG

- 40059. Derambila colorata** (W.Warren,1896) (Geometridae) Synonym(s): *colorata*
W.Warren,1896 _ Range (in code): ID Tnm
- 40060. Derambila costata** (W.Warren,1896) (Geometridae) Synonym(s): *costata*
W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 40061. Derambila costipunctata** W.Warren,1905 (Geometridae) Synonym(s): *costipunctata*
W.Warren,1905 _ Range (in code): SL
- 40062. Derambila delostigma** L.B.Prout,1915 (Geometridae) Synonym(s): *delostigma*
L.B.Prout,1915 _ Range (in code): MW
- 40063. Derambila dentifera** (Moore,1888) (Geometridae) Synonym(s): *dentifera* Moore,1888;
efila Swinhoe,1894 _ Range (in code): IN SI Djl Ass Meg Khs Cpj
- 40064. Derambila dentiscripta** (Bastelberger,1909) (Geometridae) Synonym(s): *dentiscripta*
Bastelberger,1909 _ Range (in code): ID Mlc Sgr
- 40065. Derambila dentiscripta sangirica** L.B.Prout,1921 (Geometridae) Synonym(s):
sangirica L.B.Prout,1921 _ Range (in code): ID Sgr
- 40066. Derambila fragilis** (Butler,1881) (Geometridae) Synonym(s): *fragilis* Butler,1881
Range (in code): TW
- 40067. Derambila gertraudae** Sommerer,1995 (Geometridae) Synonym(s): *gertraudae*
Sommerer,1995 _ Range (in code): ID Sum
- 40068. Derambila herbuloti** Holloway,1996 (Geometridae) Synonym(s): *herbuloti*
Holloway,1996 _ Range (in code): MY Bor Sbh Snk
- 40069. Derambila hyperphyles** (L.B.Prout,1911) (Geometridae) Synonym(s): *hyperphyles*
L.B.Prout,1911 _ Range (in code): MW
- 40070. Derambila infelix** (Swinhoe,1886) (Geometridae) Synonym(s): *infelix* Swinhoe,1886
Range (in code): IN Poo
- 40071. Derambila iridoptera** (L.B.Prout,1913) (Geometridae) Synonym(s): *iridoptera*
L.B.Prout,1913 _ Range (in code): KE
- 40072. Derambila jacksoni** L.B.Prout,1915 (Geometridae) Synonym(s): *jacksoni* L.B.Prout,1915
Range (in code): KE Nai
- 40073. Derambila macritibia** L.B.Prout,1929 (Geometridae) Synonym(s): *macritibia*
L.B.Prout,1929 _ Range (in code): ST GO Bio
- 40074. Derambila macritibia biokoensis** Herbulot,1998 (Geometridae) Synonym(s):
biokoensis Herbulot,1998 _ Range (in code): GO Bio
- 40075. Derambila manca** (Swinhoe,1902) (Geometridae) Synonym(s): *manca* Swinhoe,1902
Range (in code): MY Bor
- 40076. Derambila manfredi** Holloway,1996 (Geometridae) Synonym(s): *manfredi*
Holloway,1996 _ Range (in code): MY Bor Swk
- 40077. Derambila marginepunctata** Bastelberger,1909 (Geometridae) Synonym(s):
marginepunctata Bastelberger,1909 _ Range (in code): AO
- 40078. Derambila niphosphaeras** (L.B.Prout,1934) (Geometridae) Synonym(s):
niphosphaeras L.B.Prout,1934 _ Range (in code): TZ
- 40079. Derambila pellucida** Holloway,1979 (Geometridae) Synonym(s): *pellucida* Holloway,1979
Original Reference: Derambila pellucida Holloway,1979, Lepidoptera New Caledonia: 266-268,
figs. Holotype ♂: New Caledonia: R.Bleue, 180m. Range (in code): NC
- 40080. Derambila permensata** (Walker,[1863]) (Geometridae) Synonym(s): *permensata*
Walker,[1863]; *guttilinea* Walker,1866 _ Range (in code): AU ID Ja
- 40081. Derambila propages** L.B.Prout,1926 (Geometridae) Synonym(s): *propages*
L.B.Prout,1926 _ Range (in code): MY Bor Swk
- 40082. Derambila saponaria** (Guenée,[1858]) (Geometridae) Synonym(s): *saponaria*
Guenée,[1858] _ Range (in code): LK
- 40083. Derambila sjostedti** Aurivillius,1910 (Geometridae) Synonym(s): *sjostedti* Aurivillius,1910
Range (in code): TZ
- 40084. Derambila strigicosta** (W.Warren,1903) (Geometridae) Synonym(s): *strigicosta*
W.Warren,1903 _ Range (in code): PG Aro SB
- 40085. Derambila syllaria** (Swinhoe,1904) (Geometridae) Synonym(s): *syllaria* Swinhoe,1904
Range (in code): SL
- 40086. Derambila synecdema** L.B.Prout,1910 (Geometridae) Synonym(s): *synecdema*
L.B.Prout,1910 _ Range (in code): CM Bit MW

- 40087. Derambila thearia (Swinhoe,1904)** (Geometridae) Synonym(s): *thearia Swinhoe,1904*
Range (in code): **CM AO**
- 40088. Derambila thearia ansorgei L.B.Prout,1929** (Geometridae) Synonym(s): *ansorgei L.B.Prout,1929* _ Range (in code): **AO**
- 40089. Derambila zanclopterata (Walker,[1863])** (Geometridae) Synonym(s): *zanclopterata Walker,[1863]* _ Range (in code): **MY Bor Swk**
- 40090. Derambila zincaria (Guenée,[1858])** (Geometridae) Synonym(s): *zincaria Guenée,[1858]*
Range (in code): **MY Bor Swk**
- 40091. Derambila zincaria melagonata (Walker,[1863])** (Geometridae) Synonym(s): *melagonata Walker,[1863]; obiana Thierry-Mieg,1910* _ Range (in code): **ID Ob Crm**
- 40092. Derrioides cnephaeogramma L.B.Prout,1938** (Geometridae) Synonym(s): *cnephaeogramma L.B.Prout,1938* _ Range (in code): **ZA Cap Cto Ec**
- 40093. Derrioides hypenissa Butler,1875** (Geometridae) Synonym(s): *hypenissa Butler,1875*
Original Reference: Derrioides hypenissa Butler,1875, Ann. Mag. nat. Hist. (4) 16: 401. Syntypes ♂♂: [South Africa]: Natal (BMNH). Range (in code): **ZA Nta Kzu**
- 40094. Derrioides rufaria (W.Warren,1909)** (Geometridae) Synonym(s): *rufaria W.Warren,1909* _ Range (in code): **AO**
- 40095. Derrioides villaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *villaria R.Felder & Rogenhofer,1875* _ Range (in code): **ZA Tva ZA14 Mpu**
- 40096. Desertobia kozlovae Viidalepp,1989** (Geometridae) Synonym(s): *kozlovae Viidalepp,1989*
Range (in code): **CN IMn**
- 40097. Desertobia nocturna Viidalepp,1989** (Geometridae) Synonym(s): *nocturna Viidalepp,1989* _ Range (in code): **TM Rpt**
- 40098. Devenilia corearia (Leech,1891)** (Geometridae) Synonym(s): *corearia Leech,1891; disparata Staudinger,1897* _ Range (in code): **KP KR RU Am CN Pkn TW**
- 40099. Devenilia corearia corearia (Leech,1891)** (Geometridae) Synonym(s): *corearia Leech,1891; disparata Staudinger,1897* _ Range (in code): **KP KR RU Am CN Pkn**
- 40100. Devenilia corearia taivanensis (L.B.Prout,1914)** (Geometridae) Synonym(s): *taivanensis L.B.Prout,1914* _ Range (in code): **TW**
- 40101. Diaprepesilla flavomarginaria (Bremer,1864)** (Geometridae) Synonym(s): *flavomarginaria Bremer,1864* _ Range (in code): **CN Gn Sz RU Sb Us**
- 40102. Diaprepesilla flavomarginaria djakonovi Bryk,1949** (Geometridae) Synonym(s): *djakonovi Bryk,1949* _ Range (in code): **CN Gn Sz**
- 40103. Diaprepesilla flavomarginaria flavomarginaria (Bremer,1864)** (Geometridae) Synonym(s): *flavomarginaria Bremer,1864* _ Range (in code): **RU Sb Us**
- 40104. Diathera brunneata Choi,1999** (Geometridae) Synonym(s): *brunneata Choi,1999*
Range (in code): **CN She**
- 40105. Diathera fluctuata Choi,1999** (Geometridae) Synonym(s): *fluctuata Choi,1999* _ Range (in code): **CN Yu Lik**
- 40106. Diathera metacolorata Choi,1999** (Geometridae) Synonym(s): *metacolorata Choi,1999*
Range (in code): **CN She**
- 40107. Dichorda consequaria (Edwards,1884)** (Geometridae) Synonym(s): *consequaria Edwards,1884; perpendiculata W.Warren,1904* _ Range (in code): **MX Ver**
- 40108. Dichorda iridaria (Guenée,[1858])** (Geometridae) Synonym(s): *albolineata Martyn,1797; iridaria Guenée,[1858]* _ Range (in code): **US Fl**
- 40109. Dichorda iridaria remotaria Walker,1861** (Geometridae) Synonym(s): *remotaria Walker,1861; latipennis Hulst,1898* _ Range (in code): **US Fl**
- 40110. Dichorda iris (Butler,1881)** (Geometridae) Synonym(s): *iris Butler,1881* _ Range (in code): **BR**
- 40111. Dichorda obliquata W.Warren,1904** (Geometridae) Synonym(s): *obliquata W.Warren,1904* _ Range (in code): **MX Ver**
- 40112. Dichorda pireisi Koçak,1986** (Geometridae) Synonym(s): *illustraria Hulst,1886 nec Hübn.,[1799]; pireisi Koçak,1986* _ Range (in code): **US Cf** Bionomy: Larva on Rhus laurina, R. trilobata (Anacardiaceae); Ribes (Grossulariaceae) (Scoble,1999).
- 40113. Dichorda porphyropis L.B.Prout,1925** (Geometridae) Synonym(s): *porphyropis L.B.Prout,1925* _ Range (in code): **AR**

- 40114. *Dichorda rectaria* (Grote,1877)** (Geometridae) Synonym(s): *rectaria* Grote,1877
Range (in code): **US Tx Cf**
- 40115. *Dichorda rectaria cockerelli* Sperry,1939** (Geometridae) Synonym(s): *cockerelli* Sperry,1939
Range (in code): **US Cf**
- 40116. *Dichorda rhodocephala* L.B.Prout,1916** (Geometridae) Synonym(s): *rhodocephala* L.B.Prout,1916
Range (in code): **JM**
- 40117. *Dichorda uniformis* W.Warren,1909** (Geometridae) Synonym(s): *uniformis* W.Warren,1909
Range (in code): **TT**
- 40118. *Dichordophora aplagaria* (Dyar,1910)** (Geometridae) Synonym(s): *aplagaria* Dyar,1910
Range (in code): **MX**
- 40119. *Dichordophora phoenix* (L.B.Prout,1912)** (Geometridae) Synonym(s): *phoenix* L.B.Prout,1912
Range (in code): **US Arz**
- 40120. *Dichroma equestralis* Duncan [& Westwood],1841** (Geometridae) Synonym(s): *equestralis* Duncan [& Westwood],1841; *equestrinaria* Guenée,[1858]
Range (in code): **ZA Tva ZA18 Ec ZA20 Mpu Wca Cto**
- 40121. *Digrammia jordanaria* (Staudinger,1901)** (Geometridae) Synonym(s): *jordanaria* Staudinger,1901
Range (in code): **IL Pa EG Sn Js SA**
- 40122. *Digrammia ladakhensis* (Herbulot,1985)** (Geometridae) Synonym(s): *ladakhensis* Herbulot,1985
Original Reference: *Asmate ladakhensis* Herbulot,1985, Alexanor 13 (8): 354, fig.2. Holotype ♂: Ladakh, Kargil, 3000m, 9/19. vii.1982, J.Plante leg. (coll. Herbulot).
Range (in code): **Ld**
- 40123. *Digrammia rippertaria* (Duponchel,1830)** (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923.
Range (in code): **US CA ES FR Si? IT RO RU MD UA BY TR Cc CN Ui Au Khr Tlk Ku Kön**
Bionomy: Larva on Salix (Meyer,1919).
- 40124. *Digrammia rippertaria flavularia* (Püngeler,1902)** (Geometridae) Synonym(s): *flavularia* Püngeler,1902; *#analogaria* Püngeler,1902
Original Reference: *Phasiane rippertaria* var. *flavularia* Püngeler,1902, Dt. ent. Z., Iris 15: 158-159, Taf.vi fig.6,7. Syntypes: [Uighur A.R.]: "Aksu".
Range (in code): **CN Ui Au Khr Tlk Ku**
- 40125. *Digrammia rippertaria rippertaria* (Duponchel,1830)** (Geometridae) Synonym(s): *rippertaria* Duponchel,1830; *hebetata* Hulst,1881; *ponderosa* Barnes & McDunnough,1917; *demaculata* Barnes & McDunnough,1917; *tulareata* Cassino & Swett,1923.
Range (in code): **US CA ES FR Si? IT RO RU MD UA BY TR Cc**
- 40126. *Digrammia tancrearia* (Staudinger,1892)** (Geometridae) Synonym(s): *tancrearia* Staudinger,1892
Original Reference: *Phasiane tancrearia* Staudinger,1892, Dt.ent.Z., Iris 5: 201. Syntypes 7♂: [China: Uighur A.R.]: Kuldja; [Tadjikistan]: Transalai [Pamirs].
Range (in code): **CN Ui Ku TJ Pm**
- 40127. *Dindica alaopis* L.B.Prout,1932** (Geometridae) Synonym(s): *alaopis* L.B.Prout,1932; *#alaopsis* Hutacharern & Tuhtim,1995
Range (in code): **MY Bor**
- 40128. *Dindica olivacea* Inoue,1990** (Geometridae) Synonym(s): *olivacea* Inoue,1990
Range (in code): **TH Nna Kao Ntt Hba IN CN MM ID Sum MY PH Luz Neg**
- 40129. *Dindica para* Swinhoe,1891** (Geometridae) Synonym(s): *para* Swinhoe,1891; *erythropunctura* Chu,1981
Range (in code): **MY IN Meg Ass Khs SI Djl BT CN Hn Sz Fkn TH CMa Int**
- 40130. *Dindica para malayana* Inoue,1990** (Geometridae) Synonym(s): *malayana* Inoue,1990
Range (in code): **MY**
- 40131. *Dindica para para* Swinhoe,1891** (Geometridae) Synonym(s): *para* Swinhoe,1891; *erythropunctura* Chu,1981
Range (in code): **IN Meg Ass Khs SI Djl BT CN Hn Sz Fkn TH CMa Int**
- 40132. *Dindica polyphaenaria* (Guenée,[1858])** (Geometridae) Synonym(s): *polyphaenaria* Guenée,[1858]; *basiflavata* Moore,1868
Original Reference: *Hypochroma polyphaenaria* Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Lépid.) 9: 280. Type ♂: "Inde" (BMNH).
Range (in code): **SI Djl IN CN Sz TH Nna Kao MY ID Sum Bor Clb TW**
- 40133. *Dindica wytsmani* (L.B.Prout,1932)** (Geometridae) Synonym(s): *wytsmani* L.B.Prout,1932
Range (in code): **SI IN Djl BT**
- 40134. *Dioptrochasma ablegata* Herbulot,1996** (Geometridae) Synonym(s): *ablegata* Herbulot,1996
Range (in code): **GO Bio**
- 40135. *Dioptrochasma aino* Bryk,1913** (Geometridae) Synonym(s): *aino* Bryk,1913
Range (in code): **CM Lld**

- 40136. *Dioptrochasma calderae* Herbulot,1996** (Geometridae) Synonym(s): *calderae* Herbulot,1996 Original Reference: *Dioptrochasma calderae* Herbulot,1996, Lambillionea 100: 16, figs.3,4,7. Holotype ♂: Equatorial Guinea: Bioko, Gran Caldera volcanica de Luba u Ose, 1700m (coll. Herbulot). Range (in code): **GO Bio**
- 40137. *Dioptrochasma homochroa* (Holland,1893)** (Geometridae) Synonym(s): *homochroa* Holland,1893; *sphingata* Karsch,1895 Range (in code): **CM GA Ogo**
- 40138. *Dioptrochasma mercyi* Herbulot,1956** (Geometridae) Synonym(s): *mercyi* Herbulot,1956 Original Reference: *Dioptrochasma mercyi* Herbulot,1956, Bull. Soc. ent. Fr. 61 (3/4): 92 fig. Holotype ♂: French Equatorial Africa [Congo]: N. of mid Congo, M'baiki. Range (in code): **CG**
- 40139. *Dioptrochasma specularia* (Holland,1893)** (Geometridae) Synonym(s): *specularia* Holland,1893 Range (in code): **GA Ogo**
- 40140. *Diplodesma bischofi* Hausmann,1999** (Geometridae) Synonym(s): *bischofi* Hausmann,1999 Range (in code): **YE**
- 40141. *Diplodesma schreieri* Hausmann,1999** (Geometridae) Synonym(s): *schreieri* Hausmann,1999 Range (in code): **YE**
- 40142. *Diplurodes bifidisacculus* Sato,2006** (Geometridae) Synonym(s): *bifidisacculus* Sato,2006 Range (in code): **ID Sum**
- 40143. *Diplurodes celebensis* Debauche,1941** (Geometridae) Synonym(s): *celebensis* Debauche,1941 Range (in code): **ID Clb**
- 40144. *Diplurodes coremiaria* (Hampson,1896)** (Geometridae) Synonym(s): *coremiaria* Hampson,1896 Range (in code): **LK**
- 40145. *Diplurodes cristatus* Sato,2006** (Geometridae) Synonym(s): *cristatus* Sato,2006 Range (in code): **ID Sum**
- 40146. *Diplurodes decursaria* (Walker,[1863])** (Geometridae) Synonym(s): *decursaria* Walker,[1863] Range (in code): **MY Klt ID Bor Swk Sum**
- 40147. *Diplurodes diehli* Sato,2006** (Geometridae) Synonym(s): *diehli* Sato,2006 Range (in code): **ID Sum MY Bor VN TH CMa Dst CRa**
- 40148. *Diplurodes indentata* W.Warren,1897** (Geometridae) Synonym(s): *indentata* W.Warren,1897 Range (in code): **MY Bor ID Sum**
- 40149. *Diplurodes indentodes* Sato,2006** (Geometridae) Synonym(s): *indentodes* Sato,2006 Range (in code): **MY ID Sum**
- 40150. *Diplurodes inundata* L.B.Prout,1929** (Geometridae) Synonym(s): *inundata* L.B.Prout,1929 Range (in code): **MY Pen Bor ID Sum Ja TH CMa Dst CRa Nan PH Luz Neg Mno Pal**
- 40151. *Diplurodes kerangatis* Holloway,[1994]** (Geometridae) Synonym(s): *kerangatis* Holloway,[1994] Range (in code): **MY Bor BN TH ID Sum**
- 40152. *Diplurodes longisacculus* Sato,2005** (Geometridae) Synonym(s): *longisacculus* Sato,2005 Range (in code): **TH CMa Dst Int MY**
- 40153. *Diplurodes petras* (Meyrick,1897)** (Geometridae) Synonym(s): *petras* Meyrick,1897 Range (in code): **Bor MY ID Sum**
- 40154. *Diplurodes picta* (W.Warren,1896)** (Geometridae) Synonym(s): *picta* W.Warren,1896 Range (in code): **ID Ja**
- 40155. *Diplurodes sakuraii* Sato,2005** (Geometridae) Synonym(s): *sakuraii* Sato,2005 Range (in code): **TH CMa Dst Nan Int**
- 40156. *Diplurodes seinoi* Sato,2006** (Geometridae) Synonym(s): *seinoi* Sato,2006 Range (in code): **ID Sum**
- 40157. *Diplurodes semicircularis* Holloway,[1994]** (Geometridae) Synonym(s): *semicircularis* Holloway,[1994] Range (in code): **MY Bor BN ID Sum PH Pal Taw**
- 40158. *Diplurodes sinecoremata* Holloway,[1994]** (Geometridae) Synonym(s): *sinecoremata* Holloway,[1994] Range (in code): **MY Bor Swk Sum ID PH Luz Neg Pal Mno**
- 40159. *Diplurodes sommereri* Sato,2006** (Geometridae) Synonym(s): *sommereri* Sato,2006 Range (in code): **Bor ID Sum**
- 40160. *Diplurodes stueningi* Sato,2005** (Geometridae) Synonym(s): *stueningi* Sato,2005 Range (in code): **TH Nan**
- 40161. *Diplurodes submontana* Holloway,1976** (Geometridae) Synonym(s): *submontana* Holloway,1976 Range (in code): **MY Bor Sbh KBa ID Sum**
- 40162. *Diplurodes sugillata* L.B.Prout,1932** (Geometridae) Synonym(s): *sugillata* L.B.Prout,1932 Range (in code): **MY Bor Sbh KBa**

- 40163. *Diplurodes triangulata* Holloway,[1994]** (Geometridae) Synonym(s): *triangulata* Holloway,[1994] - Range (in code): MY Bor Swk ID Sum
- 40164. *Diplurodes vestita* W.Warren,1896** (Geometridae) Synonym(s): *vestita* W.Warren,1896 - Range (in code): JP IN Ass Meg Khs TH CMa Int Nan
- 40165. *Diptychis geometrina* R.Felder,1874** (Geometridae) Synonym(s): *geometrina* R.Felder,1874 - Range (in code): ZA SZ Nta Kzu Ec
- 40166. *Diptychis meraca* L.B.Prout,1928** (Geometridae) Synonym(s): *meraca* L.B.Prout,1928 - Range (in code):
- 40167. *Disclisioprocta natalata* (Walker,1862)** (Geometridae) Synonym(s): *natalata* Walker,1862; *constellata* W.Warren,1897; *polyacmaria* Mabille,1897; *rubritincta* Hampson,1899; *vorax* Strand,1910 - Range (in code): ZA Tva ZA08 Ksi ZA13 Nta Kzu ZA16 Mpu Ec ZW MU Sk YE MG Bionomy: Larva on Bougainvillea sp. (Nyctaginaceae) (Duke & Duke,1998).
- 40168. *Discoglypha aureifloris* W.Warren,1896** (Geometridae) Synonym(s): *aureifloris* W.Warren,1896 - Range (in code): IN Ass Meg Khs SI
- 40169. *Discoglypha fulvistriga* Bastelberger,1909** (Geometridae) Synonym(s): *fulvistriga* Bastelberger,1909 - Range (in code): TW
- 40170. *Discoglypha hampsoni* (Swinhoe,1892)** (Geometridae) Synonym(s): *hampsoni* Swinhoe,1892 - Range (in code): IN Ass Meg Khs
- 40171. *Discoglypha inflammata* W.Warren,1896** (Geometridae) Synonym(s): *inflammata* W.Warren,1896 - Range (in code): IN Ass Meg Khs
- 40172. *Discoglypha locupletata* L.B.Prout,1917** (Geometridae) Synonym(s): *locupletata* L.B.Prout,1917 - Range (in code): IN Ass Meg Khs
- 40173. *Discoglypha punctimargo* (Hampson,1895)** (Geometridae) Synonym(s): *punctimargo* Hampson,1895 - Range (in code): IN SI
- 40174. *Discoglypha sanguinata* (W.Warren,1896)** (Geometridae) Synonym(s): *sanguinata* W.Warren,1896 - Range (in code): IN Ass Meg Khs
- 40175. *Discoglypha variostigma* W.Warren,1896** (Geometridae) Synonym(s): *variostigma* W.Warren,1896 - Range (in code): IN Ass Meg Khs
- 40176. *Discomiosis anfractilinea* L.B.Prout,1915** (Geometridae) Synonym(s): *anfractilinea* L.B.Prout,1915 - Range (in code): KE Nai
- 40177. *Discomiosis arciocentra* L.B.Prout,1922** (Geometridae) Synonym(s): *arciocentra* L.B.Prout,1922 - Range (in code): ZA Etm ZA04 ZA12 Kzu Nta Wca Cto ZW Bionomy: Larva on Clutia pulchella (Euphorbiaceae) (Scoble et al.,1999).
- 40178. *Discomiosis crescentifera* (W.Warren,1902)** (Geometridae) Synonym(s): *crescentifera* W.Warren,1902 - Range (in code): ZA ZA17 Tva Lpo Bionomy: Larva on Grewia monticola (Tiliaceae) (Scoble et al.,1999).
- 40179. *Discomiosis protrusifrons* (L.B.Prout,1916)** (Geometridae) Synonym(s): *protrusifrons* L.B.Prout,1916 - Range (in code): SO YE Sna
- 40180. *Discomiosis synnephes* L.B.Prout,1915** (Geometridae) Synonym(s): *synnephes* L.B.Prout,1915 - Range (in code): KE
- 40181. *Dithecodes brunneifrons* (Hampson,1909)** (Geometridae) Synonym(s): *brunneifrons* Hampson,1909 - Range (in code): UG Rz
- 40182. *Dithecodes delicata* (W.Warren,1899)** (Geometridae) Synonym(s): *delicata* W.Warren,1899 - Range (in code): UG
- 40183. *Dithecodes dentatilinea* (W.Warren,1904)** (Geometridae) Synonym(s): *dentatilinea* W.Warren,1904 - Range (in code): VE
- 40184. *Dithecodes erasa* W.Warren,1900** (Geometridae) Synonym(s): *erasa* W.Warren,1900; *vacua* Swinhoe,1902 - Range (in code): JP
- 40185. *Dithecodes herbuloti* Sommerer,1994** (Geometridae) Synonym(s): *herbuloti* Sommerer,1994 - Range (in code): MY Cmh
- 40186. *Dithecodes idaea* (Swinhoe,1892)** (Geometridae) Synonym(s): *idaea* Swinhoe,1892 - Range (in code): IN Meg Ass Khs
- 40187. *Dithecodes inornata* (W.Warren,1896)** (Geometridae) Synonym(s): *inornata* W.Warren,1896 - Range (in code): ID Ja
- 40188. *Dithecodes monothea* L.B.Prout,1938** (Geometridae) Synonym(s): *monothea* L.B.Prout,1938 - Range (in code): ID Clb

- 40189. *Dithecodes ornithospila* (L.B.Prout,1911)** (Geometridae) **Synonym(s):** *ornithospila* L.B.Prout,1911 **Range (in code):** **CM Bit**
- 40190. *Dithecodes phaenomeris* L.B.Prout,1918** (Geometridae) **Synonym(s):** *phaenomeris* L.B.Prout,1918 **Range (in code):** **PG Big**
- 40191. *Dithecodes specialis* L.B.Prout,1915** (Geometridae) **Synonym(s):** *specialis* L.B.Prout,1915 **Range (in code):** **ID Ja**
- 40192. *Dithecodes tarmanni* Sommerer,1994** (Geometridae) **Synonym(s):** *tarmanni* Sommerer,1994 **Range (in code):** **ID Sum**
- 40193. *Dizuga recusataria* (Walker,[1863])** (Geometridae) **Synonym(s):** *recusataria* Walker,[1863]; *parva* W.Warren,1896 **Range (in code):** **AU QAU MY Bor Swk**
- 40194. *Docirava aequilineata* Walker,[1863]** (Geometridae) **Synonym(s):** *aequilineata* Walker,[1863] **Original Reference:** *Docirava aequilineata* Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1635. **Range (in code):** **PK Abb IN**
- 40195. *Docirava affinis* W.Warren,1894** (Geometridae) **Synonym(s):** *affinis* W.Warren,1894 **Range (in code):** **CN JP**
- 40196. *Docirava dervenaria* (Mentzer,1981)** (Geometridae) **Synonym(s):** *dervenaria* Mentzer,1981 **Original Reference:** *Aplocera dervenaria* Mentzer,1981, Ent. scand. 12 (1): 54, figs.5,6,15. Holotype ♂: Macedonia: Derven Pass (EMS). **Range (in code):** **MK BG GR Cr TR**
- 40197. *Docirava erubescens* (Staudinger,1892)** (Geometridae) **Synonym(s):** *erubescens* Staudinger,1892; *palumbata* Metzner,1981 **Original Reference:** *Anaitis mundata* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 5: 216. Syntypes: [Türkei]: Amasia. **Range (in code):** **TR IR Elb Th Nss**
- 40198. *Docirava mundata* (Staudinger,1892)** (Geometridae) **Synonym(s):** *mundata* Staudinger,1892 **Original Reference:** *Anaitis mundata* Staudinger,1892, Dt. ent. Z., Iris 5: 216-217. Syntypes: [Lebanon]: Beirut. **Range (in code):** **TR LB Bei** **Bionomy:** Larva on *Hypericum serpyllifolium* (Clusiaceae) (Wiltshire,1939).
- 40199. *Docirava mundulata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *mundulata* Guenée,[1858]; *submundulata* Staudinger,1892 **Original Reference:** *Anaitis mundulata* Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 10: 496. Syntypes 2♂ 1♀: [Lebanon]: Beyrouth. **Range (in code):** **LB Bei TR JO IL Pa Car Hf Js**
- 40200. *Docirava musculata* (Staudinger,1892)** (Geometridae) **Synonym(s):** *musculata* Staudinger,1892 **Original Reference:** *Anaitis musculata* Staudinger,1892, Dt. ent. Z., Iris 5: 218-219, Taf.2 f.19. Syntypes: [Türkei]: Amasia, Karahisar, Malatia, Kaisarie, Charput. **Range (in code):** **TR IQ**
- 40201. *Docirava pudicata* (Guenée,1858)** (Geometridae) **Synonym(s):** *pudicata* Guenée,1858; *uvaria* Walker,1863; *vastata* Walker,1866 **Range (in code):** **IN SI Djl**
- 40202. *Docirava vastata* (Walker,1866)** (Geometridae) **Synonym(s):** *vastata* Walker,1866 **Range (in code):** **IN SI Djl**
- 40203. *Dolosis illacerata* L.B.Prout,1912** (Geometridae) **Synonym(s):** *illacerata* L.B.Prout,1912 **Range (in code):** **ZA Etm ZA05 ZA12 Kzu Nta Dbn**
- 40204. *Dooabia alia* Yazaki,1997** (Geometridae) **Synonym(s):** *alia* Yazaki,1997 **Range (in code):** **TW**
- 40205. *Dooabia ambigua* Yazaki,1986** (Geometridae) **Synonym(s):** *ambigua* Yazaki,1986 **Range (in code):** **ID Clb**
- 40206. *Dooabia borealis* Yazaki,1997** (Geometridae) **Synonym(s):** *borealis* Yazaki,1997 **Range (in code):** **TH CMa Dst**
- 40207. *Dooabia myopa* L.B.Prout,1932** (Geometridae) **Synonym(s):** *myopa* L.B.Prout,1932 **Range (in code):** **ID Sum**
- 40208. *Dooabia owadai* Yazaki,1986** (Geometridae) **Synonym(s):** *owadai* Yazaki,1986 **Range (in code):** **PH Mno**
- 40209. *Dooabia puncticostata* L.B.Prout,1923** (Geometridae) **Synonym(s):** *puncticostata* L.B.Prout,1923 **Range (in code):** **ID Sbt MY TH Ntt Hba**
- 40210. *Dooabia tanakai* Yazaki,1997** (Geometridae) **Synonym(s):** *tanakai* Yazaki,1997 **Range (in code):** **VN**
- 40211. *Dorsifulcrum acutum* Herbulot,1979** (Geometridae) **Synonym(s):** *acutum* Herbulot,1979 **Range (in code):** **CM**

- 40212. Dorsifulcrum albescens** Herbulot,1979 (Geometridae) **Synonym(s):** *albescens* Herbulot,1979 **_ Range (in code):** **CM**
- 40213. Dorsifulcrum bicolor** Herbulot,1979 (Geometridae) **Synonym(s):** *bicolor* Herbulot,1979 **_ Range (in code):** **CM**
- 40214. Dorsifulcrum canui** Herbulot,1998 (Geometridae) **Synonym(s):** *canui* Herbulot,1998 **_ Range (in code):** **GO Bio**
- 40215. Dorsifulcrum cephalotes** (Walker,1869) (Geometridae) **Synonym(s):** *cephalotes* Walker,1869; *zebrina* W.Warren,1902; *chapinaria* Holland,1920 **_ Range (in code):** **ZR CG**
- 40216. Dorsifulcrum excavatum** Herbulot,1979 (Geometridae) **Synonym(s):** *excavatum* Herbulot,1979 **_ Range (in code):** **CM**
- 40217. Dorsifulcrum fuscum** Herbulot,1979 (Geometridae) **Synonym(s):** *fuscum* Herbulot,1979 **_ Range (in code):** **CM**
- 40218. Dorsifulcrum latum** Herbulot,1979 (Geometridae) **Synonym(s):** *latum* Herbulot,1979 **_ Range (in code):** **CM**
- 40219. Dorsifulcrum meloui** Herbulot,1979 (Geometridae) **Synonym(s):** *meloui* Herbulot,1979 **_ Range (in code):** **CI**
- 40220. Dorsifulcrum mus** Herbulot,1979 (Geometridae) **Synonym(s):** *mus* Herbulot,1979 **_ Range (in code):** **CM**
- 40221. Dorsifulcrum pinheyi** Herbulot,1979 (Geometridae) **Synonym(s):** *pinheyi* Herbulot,1979 **_ Range (in code):** **ZM**
- 40222. Dorsifulcrum reductum** Herbulot,1979 (Geometridae) **Synonym(s):** *reductum* Herbulot,1979 **_ Range (in code):** **CF**
- 40223. Dorsifulcrum reflexum** Herbulot,1979 (Geometridae) **Synonym(s):** *reflexum* Herbulot,1979 **_ Range (in code):** **UG**
- 40224. Dorsifulcrum rotundum** Herbulot,1979 (Geometridae) **Synonym(s):** *rotundum* Herbulot,1979 **_ Range (in code):** **CM**
- 40225. Dorsifulcrum xeron** Herbulot,1979 (Geometridae) **Synonym(s):** *xeron* Herbulot,1979 **_ Range (in code):** **ZA ZR RW**
- 40226. Dorsifulcrum xeron seydeli** Herbulot,1979 (Geometridae) **Synonym(s):** *seydeli* Herbulot,1979 **_ Range (in code):** **ZA ZR**
- 40227. Drepanogynis admiranda** (W.Warren,1905) (Geometridae) **Synonym(s):** *admiranda* W.Warren,1905 **_ Range (in code):** **ZA ZA12 Nta Kzu Tva Lpo Mal Ent Spb Ltr Hae**
- 40228. Drepanogynis agrypna** (L.B.Prout,1938) (Geometridae) **Synonym(s):** *agrypna* L.B.Prout,1938 **_ Range (in code):** **ZA**
- 40229. Drepanogynis albiflua** M.Krüger,2002 (Geometridae) **Synonym(s):** *albiflua* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40230. Drepanogynis albilinea** M.Krüger,2002 (Geometridae) **Synonym(s):** *albilinea* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40231. Drepanogynis albiordine** L.B.Prout,1938 (Geometridae) **Synonym(s):** *albiordine* L.B.Prout,1938 **_ Range (in code):** **ZA**
- 40232. Drepanogynis algoaria** (R.Felder & Rogenhofer,1875) (Geometridae) **Synonym(s):** *algoaria* R.Felder & Rogenhofer,1875; *alicata* R.Felder & Rogenhofer,1875 **_ Range (in code):** **ZA**
- 40233. Drepanogynis amydrogramma** M.Krüger,2002 (Geometridae) **Synonym(s):** *amydrogramma* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40234. Drepanogynis angulilinea** M.Krüger,2002 (Geometridae) **Synonym(s):** *angulilinea* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40235. Drepanogynis angustifascia** M.Krüger,2002 (Geometridae) **Synonym(s):** *angustifascia* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40236. Drepanogynis angustimargo** M.Krüger,2002 (Geometridae) **Synonym(s):** *angustimargo* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40237. Drepanogynis antennaria** (Guenée,[1858]) (Geometridae) **Synonym(s):** *antennaria* Guenée,[1858]; *imbellata* Walker,1863; *vilisaria* Walker,1863 **_ Range (in code):** **ZA**
- 40238. Drepanogynis anthracinata** M.Krüger,2002 (Geometridae) **Synonym(s):** *anthracinata* M.Krüger,2002 **_ Range (in code):** **ZA**
- 40239. Drepanogynis arcuatilinea** M.Krüger,2002 (Geometridae) **Synonym(s):** *arcuatilinea* M.Krüger,2002 **_ Range (in code):** **ZA**

- 40240. *Drepanogynis arcuifera* L.B.Prout,1934** (Geometridae) **Synonym(s):** *arcuifera* L.B.Prout,1934 **Original Reference:** *Drepanogynis arcuifera* L.B.Prout,1934, Novit. zool. 34: 115. Holotype ♂: South Africa: [Natal]: Natal National Park (BMNH). **Range (in code):** **ZA Tva ZA12 Kzu Nta ZA14 Mpu Lpo Spb Ltr Wo** **Bionomy:** Larva on *Halleria lucida* (Scrophulariaceae) (Scoble et al.,1999).
- 40241. *Drepanogynis argentinitens* M.Krüger,2002** (Geometridae) **Synonym(s):** *argentinitens* M.Krüger,2002 **Range (in code):** **ZA**
- 40242. *Drepanogynis aspitatifax* M.Krüger,2002** (Geometridae) **Synonym(s):** *aspitatifax* M.Krüger,2002 **Range (in code):** **ZA**
- 40243. *Drepanogynis aspitatoides* M.Krüger,2002** (Geometridae) **Synonym(s):** *aspitatoides* M.Krüger,2002 **Range (in code):** **ZA**
- 40244. *Drepanogynis athroopsegma* M.Krüger,2002** (Geometridae) **Synonym(s):** *athroopsegma* M.Krüger,2002 **Range (in code):** **ZA**
- 40245. *Drepanogynis aurifera* M.Krüger,2002** (Geometridae) **Synonym(s):** *aurifera* M.Krüger,2002 **Range (in code):** **ZA Tva Lpo Spb Ent Mal**
- 40246. *Drepanogynis auriferoides* M.Krüger,2002** (Geometridae) **Synonym(s):** *auriferoides* M.Krüger,2002 **Range (in code):** **ZA**
- 40247. *Drepanogynis aurifex* M.Krüger,2002** (Geometridae) **Synonym(s):** *aurifex* M.Krüger,2002 **Range (in code):** **ZA**
- 40248. *Drepanogynis auriflava* M.Krüger,2002** (Geometridae) **Synonym(s):** *auriflava* M.Krüger,2002 **Range (in code):** **ZA**
- 40249. *Drepanogynis bifasciata* (Dewitz,1881)** (Geometridae) **Synonym(s):** *bifasciata* Dewitz,1881 **Range (in code):** **ZA**
- 40250. *Drepanogynis bipartita* (W.Warren,1914)** (Geometridae) **Synonym(s):** *bipartita* W.Warren,1914 **Range (in code):** **ZA**
- 40251. *Drepanogynis biviaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *biviaria* Guenée,[1858]; *convexaria* Walker,1863; *coryi* Janse,1932 **Range (in code):** **ZA**
- 40252. *Drepanogynis brunneisparsa* M.Krüger,2002** (Geometridae) **Synonym(s):** *brunneisparsa* M.Krüger,2002 **Range (in code):** **ZA**
- 40253. *Drepanogynis calligrapha* M.Krüger,2002** (Geometridae) **Synonym(s):** *calligrapha* M.Krüger,2002 **Range (in code):** **ZA**
- 40254. *Drepanogynis cambogiaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *cambogiaria* Guenée,[1858]; *paucaria* Guenée,[1858]; *justaria* Walker,1862; *biferaria* Walker,1863; *inflectaria* Walker,1863; *tardaria* Walker,1863; *walkeri* Wallengren,1875; *limettaria* R.Felder & Rogenhofer,1875; **Range (in code):** **ZA**
- 40255. *Drepanogynis canilinea* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *canilinea* L.B.Prout,1925 **Range (in code):** **ZA**
- 40256. *Drepanogynis carneata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *carneata* W.Warren,1904 **Range (in code):** **ZA**
- 40257. *Drepanogynis chelicerata* M.Krüger,2002** (Geometridae) **Synonym(s):** *chelicerata* M.Krüger,2002 **Range (in code):** **ZA**
- 40258. *Drepanogynis chromatina* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *chromatina* L.B.Prout,1913 **Range (in code):** **ZA**
- 40259. *Drepanogynis chrysobates* M.Krüger,2002** (Geometridae) **Synonym(s):** *chrysobates* M.Krüger,2002 **Range (in code):** **ZA**
- 40260. *Drepanogynis climax* M.Krüger,2002** (Geometridae) **Synonym(s):** *climax* M.Krüger,2002 **Range (in code):** **ZA**
- 40261. *Drepanogynis cnephaeogramma* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *cnephaeogramma* L.B.Prout,1913 **Range (in code):** **ZA**
- 40262. *Drepanogynis commutata* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *commutata* L.B.Prout,1938 **Range (in code):** **ZA**
- 40263. *Drepanogynis confusa* M.Krüger,2002** (Geometridae) **Synonym(s):** *confusa* M.Krüger,2002 **Range (in code):** **ZA Tva Gau Pre**
- 40264. *Drepanogynis costipicta* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *costipicta* L.B.Prout,1932 **Original Reference:** *Sicyodes costipicta* L.B.Prout,1932, Revue Zool. Bot. afr. 21 (3): 244. Holotype ♂: Congo Belge [Zaire]: 311km from Kindu (MRAC). **Range (in code):** **ZR ZA Tva Lpo Spb Ltr Mpu Nel** **Bionomy:** Larva on *Pterocelastrus echinatus* (Celastraceae) (Scoble et al.,1999).

- 40265. *Drepanogynis costipicta olearis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *olearis* L.B.Prout,1938 **Original Reference:** *Sicyodes costipicta* ssp. *olearis* L.B.Prout,1938, [in] Seitz,A., Gross Schmett. Erde 16: 136, pl.13e. Holotype ♂: [South Africa]: Transvaal: Nelspruit (TMP). **Range (in code):** [ZA Tva Lpo Spb Ltr Mpu Nel](#)
- 40266. *Drepanogynis crassifurca* M.Krüger,2002** (Geometridae) **Synonym(s):** *crassifurca* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40267. *Drepanogynis crenilinea* M.Krüger,2002** (Geometridae) **Synonym(s):** *crenilinea* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40268. *Drepanogynis curvaria* (Dewitz,1881)** (Geometridae) **Synonym(s):** *curvaria* Dewitz,1881 **Range (in code):** [ZA](#)
- 40269. *Drepanogynis curvifascia* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *curvifascia* L.B.Prout,1916 **Range (in code):** [ZA](#)
- 40270. *Drepanogynis dami* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *dami* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 40271. *Drepanogynis dentalinea* M.Krüger,2002** (Geometridae) **Synonym(s):** *dentalinea* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40272. *Drepanogynis dentatimargo* M.Krüger,2002** (Geometridae) **Synonym(s):** *dentatimargo* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40273. *Drepanogynis determinata* (Walker,1860)** (Geometridae) **Synonym(s):** *determinata* Walker,1860; *aropisaria* Walker,1860; *commixtata* Walker,1863; *mosegata* Felder & Rogenhofe,1875 **Range (in code):** [ZA](#)
- 40274. *Drepanogynis devia* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *devia* L.B.Prout,1913 **Original Reference:** *Apleroneura devia* L.B.Prout,1913, Ann. Transv. Mus. 3 (4): 210, pl.12 fig.12. Holotype ♂: [South Africa: Transvaal]: Woodbush Village (BMNH). **Range (in code):** [ZA Tva Lpo Spb Ent Wo](#)
- 40275. *Drepanogynis dochmoleuca* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *dochmoleuca* L.B.Prout,1913 **Range (in code):** [ZA](#)
- 40276. *Drepanogynis dukei* M.Krüger,2002** (Geometridae) **Synonym(s):** *dukei* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40277. *Drepanogynis ecprepes* M.Krüger,2002** (Geometridae) **Synonym(s):** *ecprepes* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40278. *Drepanogynis ectoglauca* M.Krüger,2002** (Geometridae) **Synonym(s):** *ectoglauca* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40279. *Drepanogynis ennomaria* (W.Warren,1904)** (Geometridae) **Synonym(s):** *ennomaria* W.Warren,1904 **Range (in code):** [ZA](#)
- 40280. *Drepanogynis epione* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *epione* L.B.Prout,1917 **Original Reference:** *Apleroneura epione* L.B.Prout,1917, Ann. Transv. Mus. 3 (4): 213, pl.12 fig.5. Holotype: South Africa: [Mpumalanga]: Barberton (TMP). **Range (in code):** [ZA ZA12 ZA13 Kzu Nta Tva Lpo Spb Ltr Wo Hae Mal Wm Mpu Brb](#) **Bionomy:** Larva on *Asparagus cooperi* (Liliaceae) (Scoble et al.,1999).
- 40281. *Drepanogynis excurvata* M.Krüger,2002** (Geometridae) **Synonym(s):** *excurvata* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40282. *Drepanogynis figurata* (W.Warren,1905)** (Geometridae) **Synonym(s):** *figurata* W.Warren,1905 **Range (in code):** [ZA](#)
- 40283. *Drepanogynis fortilimbata* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *fortilimbata* L.B.Prout,1938 **Range (in code):** [ZA](#)
- 40284. *Drepanogynis fuscimargo* (W.Warren,1898)** (Geometridae) **Synonym(s):** *fuscimargo* W.Warren,1898 **Range (in code):** [ZA](#)
- 40285. *Drepanogynis glaucichorda* L.B.Prout,1916** (Geometridae) **Synonym(s):** *glaucichorda* L.B.Prout,1916 **Range (in code):** [ZA Tva ZA14 Mpu](#)
- 40286. *Drepanogynis gloriola* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *gloriola* L.B.Prout,1913 **Range (in code):** [ZA](#)
- 40287. *Drepanogynis griseisparsa* M.Krüger,2002** (Geometridae) **Synonym(s):** *griseisparsa* M.Krüger,2002 **Range (in code):** [ZA](#)
- 40288. *Drepanogynis gynoloxa* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *gynoloxa* L.B.Prout,1938 **Range (in code):** [ZA](#)

- 40289. Drepanogynis herbuloti Viette,1970** (Geometridae) Synonym(s): *herbuloti* Viette,1970
Range (in code): **MG**
- 40290. Drepanogynis hiliaris M.Krüger,2002** (Geometridae) Synonym(s): *hiliaris* M.Krüger,2002
Range (in code): **ZA**
- 40291. Drepanogynis hypenissa (Butler,1875)** (Geometridae) Synonym(s): *hypenissa* Butler,1875
Range (in code): **ZA Tva Lpo Mpu Pil Spb Ec Stj Dmm Nta Kzu Hae**
- 40292. Drepanogynis hypoplea L.B.Prout,1938** (Geometridae) Synonym(s): *hypoplea* L.B.Prout,1938
Range (in code): **ZA**
- 40293. Drepanogynis inaequalis (L.B.Prout,1915)** (Geometridae) Synonym(s): *inaequalis* L.B.Prout,1915
Range (in code): **ZA**
- 40294. Drepanogynis inangulata (W.Warren,1905)** (Geometridae) Synonym(s): *inangulata* W.Warren,1905
Range (in code): **ZA**
- 40295. Drepanogynis incondita (W.Warren,1904)** (Geometridae) Synonym(s): *incondita* W.Warren,1904; *renitens* W.Warren,1914; *unilineata* W.Warren,1914 nec Wrr.,1897
Range (in code): **ZA**
- 40296. Drepanogynis incurvata M.Krüger,2002** (Geometridae) Synonym(s): *incurvata* M.Krüger,2002
Range (in code): **ZA Tva Gau Pre**
- 40297. Drepanogynis insciata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *insciata* R.Felder & Rogenhofer,1875
Range (in code): **ZA**
- 40298. Drepanogynis interscripta (L.B.Prout,1912)** (Geometridae) Synonym(s): *interscripta* L.B.Prout,1912
Range (in code): **ZA**
- 40299. Drepanogynis intricata (W.Warren,1905)** (Geometridae) Synonym(s): *intricata* W.Warren,1905
Range (in code): **ZA**
- 40300. Drepanogynis intrusilinea M.Krüger,2002** (Geometridae) Synonym(s): *intrusilinea* M.Krüger,2002
Range (in code): **ZA**
- 40301. Drepanogynis irvingi M.Krüger,2002** (Geometridae) Synonym(s): *irvingi* M.Krüger,2002
Range (in code): **ZA**
- 40302. Drepanogynis kalahariensis M.Krüger,2002** (Geometridae) Synonym(s): *kalahariensis* M.Krüger,2002
Range (in code): **ZA**
- 40303. Drepanogynis lactimacula M.Krüger,2002** (Geometridae) Synonym(s): *lactimacula* M.Krüger,2002
Range (in code): **ZA**
- 40304. Drepanogynis latipennis M.Krüger,2002** (Geometridae) Synonym(s): *latipennis* M.Krüger,2002
Range (in code): **ZA**
- 40305. Drepanogynis lavata M.Krüger,2002** (Geometridae) Synonym(s): *lavata* M.Krüger,2002
Range (in code): **ZA**
- 40306. Drepanogynis leptodoma L.B.Prout,1917** (Geometridae) Synonym(s): *leptodoma* L.B.Prout,1917
Range (in code): **ZA**
- 40307. Drepanogynis miltophyris M.Krüger,2002** (Geometridae) Synonym(s): *miltophyris* M.Krüger,2002
Range (in code): **ZA**
- 40308. Drepanogynis mixtaria Guenée,[1858]** (Geometridae) Synonym(s): *mixtaria* Guenée,[1858]; *regularia* Guenée,[1858]; *inapplicata* Walker,[1863]; *exemptaria* Walker,[1863]; *dulcinaria* R.Felder & Rogenhofer,1875; *strigifera* W.Warren,1914
Original Reference: *Drepanogynis mixtaria* Guenée,[1858], [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gen. Lepid.) 9: 93. Lectotype ♂: [South Africa]: Cap de Bonne-Esperanc (MNHNP). Range (in code): **ZA Etm ZA12 ZA13 Nta Kzu ZA14 Mpu Mal ZA28 Tva Lpo Spb Ltr Kkf Dbn Umk Pil Ly Ggh Fs Mag Pre Wo Hae Gau Wca Cto Con Jnk Kgb Kny Ec Plt Elo Grh Pel Nca Rie LS ZW Vum**
Bionomy: Larva on Cassine aethiopica, Maytenus heterophylla (Celastraceae), Halleria lucida (Scrophulariaceae) (Scoble et al.,1999).
- 40309. Drepanogynis monas L.B.Prout,1916** (Geometridae) Synonym(s): *monas* L.B.Prout,1916
Range (in code): **ZA ZA18 Ec**
- 40310. Drepanogynis nebulosa M.Krüger,2002** (Geometridae) Synonym(s): *nebulosa* M.Krüger,2002
Range (in code): **ZA**
- 40311. Drepanogynis neopraefidens M.Krüger,2002** (Geometridae) Synonym(s): *neopraefidens* M.Krüger,2002
Range (in code): **ZA**
- 40312. Drepanogynis nigrapex (L.B.Prout,1913)** (Geometridae) Synonym(s): *nigrapex* L.B.Prout,1913
Range (in code): **ZA Tva ZA10 ZA11 ZA12 Kzu Mpu Wv**
- 40313. Drepanogynis nipholibes (L.B.Prout,1913)** (Geometridae) Synonym(s): *nipholibes* L.B.Prout,1913
Range (in code): **ZA**
- 40314. Drepanogynis niveata M.Krüger,2002** (Geometridae) Synonym(s): *niveata* M.Krüger,2002
Range (in code): **ZA**

- 40315. Drepanogynis obscurefascia M.Krüger,2002** (Geometridae) **Synonym(s):** *obscurefascia* M.Krüger,2002 Range (in code): ZA
- 40316. Drepanogynis ocellata W.Warren,1897** (Geometridae) **Synonym(s):** *ocellata* W.Warren,1897 Range (in code): ZA Tva Lpo Spb Ltr
- 40317. Drepanogynis oinophora M.Krüger,2002** (Geometridae) **Synonym(s):** *oinophora* M.Krüger,2002 Range (in code): ZA
- 40318. Drepanogynis olivescens (W.Warren,1898)** (Geometridae) **Synonym(s):** *olivescens* W.Warren,1898; *demissa* L.B.Prout,1938 Range (in code): ZA Tva Lpo Spb Vvo Ady Wp
- 40319. Drepanogynis orthobates (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *orthobates* L.B.Prout,1917 Range (in code): ZA ZA13 Nta Kzu Tva Lpo Spb Ltr Wp Hae
- 40320. Drepanogynis ostracina M.Krüger,2002** (Geometridae) **Synonym(s):** *ostracina* M.Krüger,2002 Range (in code): ZA Tva Lpo Spb Ltr
- 40321. Drepanogynis pallidimargo M.Krüger,2002** (Geometridae) **Synonym(s):** *pallidimargo* M.Krüger,2002 Range (in code): ZA
- 40322. Drepanogynis parapræfidens M.Krüger,2002** (Geometridae) **Synonym(s):** *parapræfidens* M.Krüger,2002 Range (in code): ZA
- 40323. Drepanogynis parva M.Krüger,2002** (Geometridae) **Synonym(s):** *parva* M.Krüger,2002 Range (in code): ZA
- 40324. Drepanogynis perirorata M.Krüger,2002** (Geometridae) **Synonym(s):** *perirorata* M.Krüger,2002 Range (in code): ZA
- 40325. Drepanogynis pero L.B.Prout,1917** (Geometridae) **Synonym(s):** *pero* L.B.Prout,1917 Range (in code): ZA
- 40326. Drepanogynis phaeoscia M.Krüger,2002** (Geometridae) **Synonym(s):** *phaeoscia* M.Krüger,2002 Range (in code): ZA
- 40327. Drepanogynis prouti M.Krüger,2002** (Geometridae) **Synonym(s):** *tripartita* L.B.Prout,1915 nec Warr.,1898; *prouti* M.Krüger,2002 Range (in code): ZA
- 40328. Drepanogynis pulla M.Krüger,2002** (Geometridae) **Synonym(s):** *pulla* M.Krüger,2002 Range (in code): ZA
- 40329. Drepanogynis pumila M.Krüger,2002** (Geometridae) **Synonym(s):** *pumila* M.Krüger,2002 Range (in code): ZA
- 40330. Drepanogynis punctata W.Warren,1897** (Geometridae) **Synonym(s):** *punctata* W.Warren,1897 Range (in code): ZA ZA10 ZA12 ZA13 Nta Kzu Tva Lpo Spb Ltr Mal Wo Pot
- 40331. Drepanogynis ravida M.Krüger,2002** (Geometridae) **Synonym(s):** *ravida* M.Krüger,2002 Range (in code): ZA
- 40332. Drepanogynis rhodampyx (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *rhodampyx* L.B.Prout,1938 Range (in code): ZA
- 40333. Drepanogynis robertsoni (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *robertsoni* L.B.Prout,1925 Range (in code): ZA
- 40334. Drepanogynis rosea M.Krüger,2002** (Geometridae) **Synonym(s):** *rosea* M.Krüger,2002 Range (in code): ZA
- 40335. Drepanogynis rufaria (W.Warren,1909)** (Geometridae) **Synonym(s):** *rufaria* W.Warren,1909 Range (in code): ZA
- 40336. Drepanogynis rufigrisea (W.Warren,1911)** (Geometridae) **Synonym(s):** *rufigrisea* W.Warren,1911 Range (in code): ZA
- 40337. Drepanogynis sectilis (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *sectilis* L.B.Prout,1938 Range (in code): ZA
- 40338. Drepanogynis serrifasciaria (Herrich-Schäffer,[1854])** (Geometridae) **Synonym(s):** *serrifasciaria* Herrich-Schäffer,[1854] Range (in code): ZA
- 40339. Drepanogynis simonsi (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *simonsi* L.B.Prout,1938; *fitsimonsi* L.B.Prout,1938 Range (in code): ZA
- 40340. Drepanogynis sinuata W.Warren,1905** (Geometridae) **Synonym(s):** *sinuata* W.Warren,1905 Range (in code): ZA
- 40341. Drepanogynis smaragdaria M.Krüger,2002** (Geometridae) **Synonym(s):** *smaragdaria* M.Krüger,2002 Range (in code): ZA
- 40342. Drepanogynis smaragdioides M.Krüger,2002** (Geometridae) **Synonym(s):** *smaragdioides* M.Krüger,2002 Range (in code): ZA

- 40343. Drepanogynis soni (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *soni* L.B.Prout,1938; *vansoni* L.B.Prout,1938 **Range (in code):** **ZA**
- 40344. Drepanogynis sp.1** (Geometridae) **Synonym(s):** **Range (in code):** **ZA Mal Tva Lpo**
- 40345. Drepanogynis sp.2** (Geometridae) **Synonym(s):** **Range (in code):** **ZA ZA23 Fs**
- 40346. Drepanogynis spatulifurca M.Krüger,2002** (Geometridae) **Synonym(s):** *spatulifurca* M.Krüger,2002 **Range (in code):** **ZA**
- 40347. Drepanogynis stepheni M.Krüger,2002** (Geometridae) **Synonym(s):** *stepheni* M.Krüger,2002 **Range (in code):** **ZA**
- 40348. Drepanogynis striata M.Krüger,2002** (Geometridae) **Synonym(s):** *striata* M.Krüger,2002 **Range (in code):** **ZA**
- 40349. Drepanogynis striata striata M.Krüger,2002** (Geometridae) **Synonym(s):** *striata* M.Krüger,2002 **Range (in code):** **ZA**
- 40350. Drepanogynis strigulosa L.B.Prout,1916** (Geometridae) **Synonym(s):** *strigulosa* L.B.Prout,1916 **Range (in code):** **ZA**
- 40351. Drepanogynis subochrea (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *subochrea* L.B.Prout,1917 **Range (in code):** **ZA**
- 40352. Drepanogynis subrosea M.Krüger,2002** (Geometridae) **Synonym(s):** *subrosea* M.Krüger,2002 **Range (in code):** **ZA**
- 40353. Drepanogynis synclinia (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *synclinia* L.B.Prout,1938 **Range (in code):** **ZA**
- 40354. Drepanogynis tabacicolor M.Krüger,2002** (Geometridae) **Synonym(s):** *tabacicolor* M.Krüger,2002 **Range (in code):** **ZA**
- 40355. Drepanogynis trachyacta (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *trachyacta* L.B.Prout,1922; *corbolignea* L.B.Prout,1938 **Range (in code):** **ZA**
- 40356. Drepanogynis tripartita (Walker,1898)** (Geometridae) **Synonym(s):** *tripartita* Walker,1898 **Range (in code):** **ZA ZA17 ZA28 Tva Lpo Spb Ent Pot Wp Hae**
- 40357. Drepanogynis unilineata (W.Warren,1897)** (Geometridae) **Synonym(s):** *unilineata* W.Warren,1897 **Range (in code):** **ZA**
- 40358. Drepanogynis valida (W.Warren,1914)** (Geometridae) **Synonym(s):** *valida* W.Warren,1914 **Range (in code):** **ZA**
- 40359. Drepanogynis vara L.B.Prout,1922** (Geometridae) **Synonym(s):** *vara* L.B.Prout,1922 **Range (in code):** **ZA ZA11 Kzu**
- 40360. Drepanogynis variciliata M.Krüger,2002** (Geometridae) **Synonym(s):** *variciliata* M.Krüger,2002 **Range (in code):** **ZA Tva Lpo Spb**
- 40361. Drepanogynis villaria (Felder & Rogenhoder,1875)** (Geometridae) **Synonym(s):** *villaria* Felder & Rogenhoder,1875 **Range (in code):** **ZA Tva Lpo Spb Ent Hae Mal**
- 40362. Drepanogynis viridipennis M.Krüger,2002** (Geometridae) **Synonym(s):** *viridipennis* M.Krüger,2002 **Range (in code):** **ZA**
- 40363. Drepanogynis xanthographa M.Krüger,2002** (Geometridae) **Synonym(s):** *xanthographa* M.Krüger,2002 **Range (in code):** **ZA**
- 40364. Drepanogynis xylophanes M.Krüger,2002** (Geometridae) **Synonym(s):** *xylophanes* M.Krüger,2002 **Range (in code):** **ZA**
- 40365. Drepanopterula limaria (Christoph,1885)** (Geometridae) **Synonym(s):** *limaria* Christoph,1885 **Original Reference:** Epione limaria Christoph,1885, [in] Romanoff, Mém. lepid. 2: 97, pl.5 fig.6. Type ♀: [Azerbaijan]: Ordubad. **Range (in code):** **TR Cc AZ Nv Ord**
- 40366. Drepanopterula zanoni (Turati,1919)** (Geometridae) **Synonym(s):** *zanoni* Turati,1919 **Range (in code):** **LY Cy**
- 40367. Durbana setinata (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *setinata* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA Ktz Nta Kzu Ec** **Bionomy:** Larva on *Stangeria eriopus* (Stangeriaceae) (Staudte,1999).
- 40368. Dyschlopsis impararia (Guenée,[1858])** (Geometridae) **Synonym(s):** *impararia* Guenée,[1858] **Range (in code):** **RU MD UA BY**
- 40369. Dyscia (Calodyscia) innocentaria (Christoph,1885)** (Geometridae) **Synonym(s):** *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006; *#hazroa* Koçak & Kemal,2015 **Original Reference:** *Aspilates innocentaria* Christoph,1885, Mém. lepid. 2: 125, pl.6 fig.5. Lectotype ♂: Turkmenia, Achal Tekke, Nuchur, designated by Trusch & Erlacher (2002: 535) (ZISP). **Range (in code):** **Co Sa Si IT YU HV AL MK**

BG GR RU MD UA Cm TR IQ Ama Shq IR Gl Kh TM JO Amm IL Pa Js SY Dms CY Cc Da GG Bjo Lag AZ Kir AM Eri AF KG

- 40370. Dyscia (Calodyscia) innocentaria innocentaria (Christoph,1885)** (Geometridae)
Synonym(s): *innocentaria* Christoph,1885; *sicanaria* Oberthür,1923; *sicula* Reisser,1940; *#innocentana* Pugaev & Zolotuhin,2006 Original Reference: *Aspilates innocentaria* Christoph,1885, Mém. lepid. 2: 125, pl.6 fig.5. Lectotype ♂: Turkmenia, Achal Tekke, Nuchur, designated by Trusch & Erlacher (2002: 535) (ZISP). Range (in code): **Co Sa Si IT YU HV AL MK BG GR RU MD UA Cm TM**
- 40371. Dyscia (Calodyscia) innocentaria osmanica (F.Wagner,1931)** (Geometridae)
Synonym(s): *osmanica* F.Wagner,1931 Original Reference: *Scodiona sicanaria* ssp. *osmanica* F.Wagner,1931, Int. ent. Z. 24 (47): 490. Syntypes: [Türkei]: Akschehir. Lectotype, designated by Trusch & Erlacher (2002: 535) (ZFMK). Range (in code): **TR IQ Ama Shq IR JO IL Pa CY Cc Da GG Bjo Lag AZ Kir AM Eri**
- 40372. Dyscia (Iberafrina) penulataria (Hübner,[1819])** (Geometridae) Synonym(s): *penulataria* Hübner,[1819]; *rubentaria* Rambur,1866; *hispanaria* Millière,1866; *combustaria* Oberthür,1923; *trabucaria* Oberthür,1923; *naevata* Wehrli,1953; *eisenbergeri* Hörhammer,1959 Original Reference: *Geometra penulataria* Hübner,[1819], Samml. eur. Schmett. 5: pl.98 figs.507-508. Syntypes: Europa. Range (in code): **DZ Ght PT ES Mu FR** Bionomy: Larva on *Dorycnium*, *Genista* (Calle et al.,2000).
- 40373. Dyscia (Iberafrina) rungsi Herbulot,1981** (Geometridae) Synonym(s): *rungsii* Herbulot,1981 Original Reference: *Dyscia rungsi* Herbulot,1981, Alexanor 12 (2): 95-96, fig. Holotype ♂: Maroc: Tuneliat, 25.2.1937, 1465m (coll. D.Lucas, in coll.Herbulot). Range (in code): **MA**
- 40374. Dyscia (Psednothrix) fagaria (Thunberg,1784)** (Geometridae) Synonym(s): *fagaria* Thunberg,1784; *belgaria* Hübner,[1790]; *belgiaria* Borkhausen,1794; *favillacearia* Hübner,[1799]; *mediopunctaria* Donovan,1808; *ilivolans* Wehrli,1953; *duanjiao* Yang,1978. Range (in code): **ES FR IE GB BE NL DE AT PL RO DK NO SE CN Ui Ku Khr Kl Au KG KK MN TM** Bionomy: Larva on *Globularia*, *Vaccinium* (Meyer,1919).
- 40375. Dyscia (Rjabovana) negrama Wehrli,1950** (Geometridae) Synonym(s): *negrama* Wehrli,1950; *rjabovi* Vardikjan,1957 Range (in code): **Cc AM IR Ak Tbz TR**
- 40376. Dyscia (Warneckeella) malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Wehrli,1934 Original Reference: *Dyscia malatyana* Werli,1934, Int. ent. Z. 27: 535-536, fig.19. Syntypes 3♂: [Türkei]: Malatya: Tecde (ZFMK). Range (in code): **TN LY TR Cc AZ AM Eri GG RU Ao Da IR Es Ss Elb Th Ke Se Kh IQ Rba TM Kp KG Kmk Tk Dj UZ Smk KK AF Kab PK Bl Qu CN T-S Kno**
- 40377. Dyscia (Warneckeella) malatyana albersaria Warnecke,1940** (Geometridae) Synonym(s): *albersaria* Warnecke,1940; *nachadira* Brandt,1941; *#theodoraria* Warnecke,1941. Original Reference: *Dyscia albersaria* Warnecke,1940, Mitt. münch. ent. Ges. 30: 1048-1049 fig.4. Type: [Turkmenistan]: Achal Tekke (leg.Christoph). Range (in code): **IR Es Ss Elb Th Ke Se Kh TM Kp KG Kmk Tk Dj RU Ao UZ Smk KK AF Kab PK Bl Qu CN T-S Kno**
- 40378. Dyscia (Warneckeella) malatyana clara Pugaev & Zolotuhin,2006** (Geometridae) Synonym(s): *clara* Pugaev & Zolotuhin,2006 Range (in code): **RU Ao**
- 40379. Dyscia (Warneckeella) malatyana dagestana Wehrli,1934** (Geometridae) Synonym(s): *dagestana* Wehrli,1934 Range (in code): **RU Cc Da**
- 40380. Dyscia (Warneckeella) malatyana malatyana (Wehrli,1934)** (Geometridae) Synonym(s): *malatyana* Werli,1934 Original Reference: *Dyscia malatyana* Werli,1934, Int. ent. Z. 27: 535-536, fig.19. Syntypes 3♂: [Türkei]: Malatya: Tecde (ZFMK). Range (in code): **TR Cc AM Eri**
- 40381. Dyscia (Warneckeella) malatyana senecai Wiltshire,1990** (Geometridae) Synonym(s): *senecai* Wiltshire,1990 Range (in code): **TN LY**
- 40382. Dyscia (Zuleika) nobiliaria (A.Bang-Haas,1906)** (Geometridae) Synonym(s): *nobiliaria* A.Bang-Haas,1906; *#nobiliaria* Rothschild,1915 Original Reference: *Scodiona nobiliaria* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 141-142, Taf.v fig.13. Syntypes 3♂ 1♀: Algeria: Algier (Süd Oran); Tunis: Gourine. Range (in code): **DZ Orn Heh Ogl Gle Onç Bsk Agi Gf TN** Bionomy: Larva on *Deverra chlorantha*, *D.tortuosa* [Apiaceae] (Chrétien,1917).
- 40383. Dyscia (Zuleika) plebejaria (Oberthür,1910)** (Geometridae) Synonym(s): *plebejaria* Oberthür,1910; *nelvaria* Oberthür,1914 Range (in code): **DZ Sbd Ges Btina**
- 40384. Dyscia (s.str.) conspersaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *conspersaria* [Denis & Schiffermüller],1775; *cuniculina* Hübner,1790; *cunicularia* Esper,1803; *turturaria* Boisduval,1840; *#conspersana* Pugaev & Zolotuhin,2006 Original Reference: *Geometra*

- consersaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Neotype ♂ designated by Trusch & Erlacher (2002: 531) (ZFMK). Range (in code): ES FR IT AT CZ SK HU RO GR Rd TR Cc GG AM Eri AZ RU MD UA BY Bionomy: Larva on Artemisia (Asteraceae), Salvia pratensis, S. officinalis, Lavandula, Dorycnium (Lamiaceae) (Meyer,1919; Lhomme, 1923-35, Warnecke,1941; Vojnits,1980).
- 40385. Dyscia (s.str.) consersaria sultanica Wehrli,1936** (Geometridae) Synonym(s): sultanica Wehrli,1936 Original Reference: *Dyscia consersaria* ssp. *sultanica* Wehrli,1936, Mitt. münch. ent. Ges. 26 (1): 36, pl.2 fig.5. Syntypes 11♂ [Türkei]: Anatolien: [Konya Prov.]: Sultan Dag. Range (in code): TR Cc
- 40386. Dyscia (s.str.) crassipunctaria (Rebel,1916)** (Geometridae) Synonym(s): crassipunctaria Rebel,1916 Range (in code): Cr
- 40387. Dyscia (s.str.) galactaria Turati,1934** (Geometridae) Synonym(s): galactaria Turati,1934; karsholti Wiltshire,1991. Range (in code): LY Cy TN
- 40388. Dyscia (s.str.) lentiscaria (Donzel,1837)** (Geometridae) Synonym(s): lentiscaria Donzel,1837; agacles Oberthür,1923 Original Reference: *Crocallis lentiscaria* Donzel,1837, Annls Soc. ent. Fr. 6: 13, pl.1 figs.1,2. Range (in code): DZ Ges PT ES Mu FR IT TR Cc AM Bionomy: Larva on Helianthemum (Meyer,1919; Calle et al.,2000).
- 40389. Dyscia (s.str.) raunaria (Freyer,1851)** (Geometridae) Synonym(s): raunaria Freyer,1851 Original Reference: *Cabera raunaria* Freyer,1851, Neuere Beitr. Schmett. 6 (97): 160, pl.582, fig.3,4. Syntypes: [Slovenia]: Laibach [Ljubljana]. Range (in code): IT SS HV AL GR
- 40390. Dyscia (s.str.) simplicaria Rebel,1939** (Geometridae) Synonym(s): simplicaria Rebel,1939 Original Reference: *Dyscia (Scodiona) simplicaria* Rebel,1939, Mitt. münch. ent. Ges. 29 (4): 539, pl.15 fig.5. Holotype ♂: Cyprus: Limassol. Range (in code): CY Bionomy: Larva on Thymus capitatus (Wiltshire,1948).
- 40391. Dyscia atlantica Reisser,1933** (Geometridae) Synonym(s): atlantica Reisser,1933 Range (in code): MA Ouk DZ
- 40392. Dyscia distinctaria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): distinctaria A.Bang-Haas,1910; perdistincta Herbulot,1957. Range (in code): ES Mu
- 40393. Dyscia dodonaeeti Wiltshire,1986** (Geometridae) Synonym(s): dodonaeeti Wiltshire,1986 Range (in code): SA As
- 40394. Dyscia holli (Oberthür,1910)** (Geometridae) Synonym(s): holli Oberthür,1910; duponti Thierry-Mieg,1910; albirosea Rothschild,1911; austauti Oberthür,1923 Range (in code): DZ BSa Ges MA
- 40395. Dyscia leucogrammaria (Püngeler,1900)** (Geometridae) Synonym(s): leucogrammaria Püngeler,1900 Original Reference: *Scodiona leucogrammaria* Püngeler,1900, Dt. ent. Z., Iris 13: 121, Taf.iv fig.6. Syntypes 2♂: [Turkmenistan]: "Ashabad". Range (in code): TM Kp AF Gz UZ
- 40396. Dysphania alloides L.B.Prout,1916** (Geometridae) Synonym(s): alloides L.B.Prout,1916 Range (in code): IN Adm
- 40397. Dysphania andamana (Moore,1877)** (Geometridae) Synonym(s): andamana Moore,1877 Range (in code): IN Adm
- 40398. Dysphania andersoni (Moore,1886)** (Geometridae) Synonym(s): andersoni Moore,1886 Range (in code): MM Mrg
- 40399. Dysphania azurea Bastelberger,1904** (Geometridae) Synonym(s): azurea Bastelberger,1904 Range (in code): MY Bor Sbh KBa
- 40400. Dysphania bivexillata L.B.Prout,1912** (Geometridae) Synonym(s): bivexillata L.B.Prout,1912 Range (in code): ID Sum
- 40401. Dysphania cancellata Bastelberger,1904** (Geometridae) Synonym(s): cancellata Bastelberger,1904 Range (in code): MY Bor Sbh KBa
- 40402. Dysphania centralis Rothschild,1901** (Geometridae) Synonym(s): centralis Rothschild,1901 Range (in code): PG
- 40403. Dysphania contraria (Walker,[1865])** (Geometridae) Synonym(s): contraria Walker,[1865]; bellicosa R.Felder & Rogenhofer,1874 Range (in code): ID Clb
- 40404. Dysphania cuprina (R.Felder & Rogenhofer,1874)** (Geometridae) Synonym(s): cuprina R.Felder & Rogenhofer,1874; fruhstorferi Röber,1895 Range (in code): ID Ja Ged
- 40405. Dysphania cyane (Cramer,[1780])** (Geometridae) Synonym(s): cyane Cramer,[1780]; spectabilis Walker,[1865] Range (in code): ID Amb
- 40406. Dysphania deflavata W.Warren,1904** (Geometridae) Synonym(s): deflavata W.Warren,1904; sericata Bastelberger,1905 Range (in code): ID Sum

- 40407. *Dysphania discalis* (Walker,1854)** (Geometridae) Synonym(s): *discalis* Walker,1854
Range (in code): **MY Pen**
- 40408. *Dysphania endoleuca* L.B.Prout,1917** (Geometridae) Synonym(s): *endoleuca* L.B.Prout,1917
Range (in code): **ID Ij Snw**
- 40409. *Dysphania flavidiscalis* W.Warren,1895** (Geometridae) Synonym(s): *flavidiscalis* W.Warren,1895
Range (in code): **MM**
- 40410. *Dysphania glaucescens* (Walker,1862)** (Geometridae) Synonym(s): *glaucescens* Walker,1862; *regalis* Butler,1880; *lyra* Druce,1891; *semiflava* W.Warren,1895
Range (in code): **ID Nia Sum Mw PH Pal MY Bor Swk**
- 40411. *Dysphania goramensis* Bastelberger,1905** (Geometridae) Synonym(s): *goramensis* Bastelberger,1905
Range (in code): **ID Grm**
- 40412. *Dysphania hyperedys* L.B.Prout,1916** (Geometridae) Synonym(s): *hyperedys* L.B.Prout,1916
Range (in code): **SB**
- 40413. *Dysphania imperialis* W.Warren,1902** (Geometridae) Synonym(s): *imperialis* W.Warren,1902
Range (in code): **ID Ij**
- 40414. *Dysphania interrupta* Bastelberger,1905** (Geometridae) Synonym(s): *interrupta* Bastelberger,1905; *sumatrensis* Fawcett,1910
Range (in code): **ID Sum**
- 40415. *Dysphania jessica* Swinhoe,1908** (Geometridae) Synonym(s): *jessica* Swinhoe,1908
Range (in code): **MM Bse ID Adm**
- 40416. *Dysphania latiplaga* W.Warren,1902** (Geometridae) Synonym(s): *latiplaga* W.Warren,1902
Range (in code): **ID Clb**
- 40417. *Dysphania malayanus* (Guérin-Ménéville,1843)** (Geometridae) Synonym(s): *malayanus* Guérin-Ménéville,1843
Range (in code): **MY IN SI Djl Bor Swk Prk**
- 40418. *Dysphania malayanus recessa* (Walker,1862)** (Geometridae) Synonym(s): *recessa* Walker,1862; *proba* Butler,1880; *supergressa* W.Warren,1895
Range (in code): **MY IN SI Djl Bor Swk Prk**
- 40419. *Dysphania melleata* W.Warren,1902** (Geometridae) Synonym(s): *melleata* W.Warren,1902
Range (in code): **ID Clb**
- 40420. *Dysphania militaris* (Linnaeus,1758)** (Geometridae) Synonym(s): *militaris* Linnaeus,1758; *abrupta* Walker,1862; *roepstorffii* Moore,1877; *lunulata* Butler,1882; *ludifica* Swinhoe,1890; *scylla* Swinhoe,1893; *caeruleoplaga* Bastelberger,1911
Original Reference: *Phalaena militaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 505. Range (in code): **IN Ass MM Mm Adm MM Rng Tns CN Hn HK MY Bor Sbh KBa TH CMa Sbu**
Bionomy: Larva on *Rhodomyrtus tomentosa* (Myrtaceae), *Carallia branchiata* [chiang phra nang ae], *Kandelia candel* (Rhizophoraceae) (Scoble,1999; Lewvanich,2001).
- 40421. *Dysphania militaris abnegata* L.B.Prout,1917** (Geometridae) Synonym(s): *abnegata* L.B.Prout,1917
Range (in code): **CN Hn**
- 40422. *Dysphania militaris bellona* (Walker,1854)** (Geometridae) Synonym(s): *bellona* Walker,1854
Range (in code): **IN Ass MM Mm**
- 40423. *Dysphania militaris militaris* (Linnaeus,1758)** (Geometridae) Synonym(s): *militaris* Linnaeus,1758; *abrupta* Walker,1862; *roepstorffii* Moore,1877; *lunulata* Butler,1882; *ludifica* Swinhoe,1890; *scylla* Swinhoe,1893; *caeruleoplaga* Bastelberger,1911
Original Reference: *Phalaena militaris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 505. Range (in code): **IN Ass Adm MM Rng Tns HK MY Bor Sbh KBa**
Bionomy: Larva on *Rhodomyrtus tomentosa* (Myrtaceae), *Carallia branchiata* [chiang phra nang ae], *Kandelia candel* (Rhizophoraceae) (Scoble,1999; Lewvanich,2001).
- 40424. *Dysphania minervaria* (Guenée,[1858])** (Geometridae) Synonym(s): *minervaria* Guenée,[1858]
Range (in code): **ID Ja**
- 40425. *Dysphania nelera* (Swinhoe,1891)** (Geometridae) Synonym(s): *nelera* Swinhoe,1891
Range (in code): **IN**
- 40426. *Dysphania numana* (Cramer,[1779])** (Geometridae) Synonym(s): *numana* Cramer,[1779]; *numenia* Hübner,[1819]; *fenestrata* Swainson,1833; *tasmaniae* Le Guillou,1841; *numanaria* Guenée,[1858]; *tasmanicaria* Guenée,[1858]; *velitaria* Guenée,[1858]; *helenetta* Walker,1856; *flavata* Walker,1865; *magnific* Swinhoe,1900; *arcuata* Bastelberger,1907
Range (in code): **ID Amb Crm Bru Ob AU QAU TS**
- 40427. *Dysphania palestraria* (Guenée,[1858])** (Geometridae) Synonym(s): *palestraria* Guenée,[1858] ID Tim
Range (in code):
- 40428. *Dysphania palmyra* (Stoll,[1790])** (Geometridae) Synonym(s): *palmyra* Stoll,[1790]; *transversa* Walker,1854; *palmyraria* Guenée,[1858] IN LK
Range (in code):

- 40429. Dysphania patula (Walker,[1865])** (Geometridae) **Synonym(s):** *patula* Walker,[1865]; *latigrisea* L.B.Prout,1916 **Range (in code):** **KH MY Pen**
- 40430. Dysphania percota (Swinhoe,1891)** (Geometridae) **Synonym(s):** *percota* Swinhoe,1891 **IN** **Range (in code):**
- 40431. Dysphania pilosa (Butler,1887)** (Geometridae) **Synonym(s):** *pilosa* Butler,1887 **SB** **Range (in code):**
- 40432. Dysphania plena (Walker,1856)** (Geometridae) **Synonym(s):** *plena* Walker,1856; *balistaria* Guenée,[1858]; *manillaria* Guenée,[1858] **PH Luz** **Range (in code):**
- 40433. Dysphania poeyi (Guérin-Méneville,1838)** (Geometridae) **Synonym(s):** *poeyi* Guérin-Méneville,1838; *mars* Boisduval,1832; *agorius* Boisduval,1832; *martiaria* Guenée,[1858]; *bernsteini* R.Felder & Rogenhofer,1874; *auriplena* Thierry-Mieg,1905; *decoloratula* Strand,1912; *flavifrons* Strand,1912 **ID Ij Wg Kai Crm Mi Aru** **Range (in code):**
- 40434. Dysphania porphyroides L.B.Prout,1917** (Geometridae) **Synonym(s):** *porphyroides* L.B.Prout,1917 **IN Adm** **Range (in code):**
- 40435. Dysphania prunicolor (Moore,1879)** (Geometridae) **Synonym(s):** *prunicolor* Moore,1879; *bellissima* Moore,1879 **LK** **Range (in code):**
- 40436. Dysphania sagana (Druce,1882)** (Geometridae) **Synonym(s):** *sagana* Druce,1882 **Range (in code):** **VN TH MY Prk ID Sum Bor** **Bionomy:** Larva on Carallia (Rhizophoraceae) (Scoble,1999).
- 40437. Dysphania sagana selangora (Swinhoe,1893)** (Geometridae) **Synonym(s):** *selangora* Swinhoe,1893 **Range (in code):** **MY Sgo TH**
- 40438. Dysphania snelleni (Pagenstecher,1886)** (Geometridae) **Synonym(s):** *snelleni* Pagenstecher,1886; *latiflava* W.Warren,1895 **Range (in code):** **ID Kai**
- 40439. Dysphania subrepleta (Walker,1854)** (Geometridae) **Synonym(s):** *subrepleta* Walker,1854; *bellonaria* Guenée,[1858] **Range (in code):** **CN Hn MY Bor LK MM Tvy Tns IN Meg Ass Khs TH CMA**
- 40440. Dysphania subrepleta excubitor (Moore,1879)** (Geometridae) **Synonym(s):** *excubitor* Moore,1879; *sodalis* Moore,1886; *conspicua* Bastelberger,1907 **Range (in code):** **MM Tvy Tns IN Meg Ass Khs CN Hn TH CMA**
- 40441. Dysphania subrepleta subrepleta (Walker,1854)** (Geometridae) **Synonym(s):** *subrepleta* Walker,1854; *bellonaria* Guenée,[1858] **Range (in code):** **MY Bor LK**
- 40442. Dysphania tentans (Walker,[1865])** (Geometridae) **Synonym(s):** *tentans* Walker,[1865]; *vulcanus* Thierry-Mieg,1907 **Range (in code):** **ID Ij Wg Mi PG**
- 40443. Dysphania transducta (Walker,1862)** (Geometridae) **Synonym(s):** *transducta* Walker,1862; *malayaria* Guenée,[1858]; *doubledayi* Snellen,1884; *chrysocraspedata* W.Warren,1904; *nigrostriata* Bastelberger,1905; *albescens* L.B.Prout,1912 **Range (in code):** **Bor MY Swk Sbh KBa ID Sum Prk MM Tns**
- 40444. Dysphania transducta aurilimbata (Moore,1879)** (Geometridae) **Synonym(s):** *aurilimbata* Moore,1879 **Range (in code):** **MM Tns**
- 40445. Dysphania transducta auriplaga W.Warren,1895** (Geometridae) **Synonym(s):** *auriplaga* W.Warren,1895 **Range (in code):** **MY Prk**
- 40446. Dysphania transducta transducta (Walker,1862)** (Geometridae) **Synonym(s):** *transducta* Walker,1862; *malayaria* Guenée,[1858]; *doubledayi* Snellen,1884; *chrysocraspedata* W.Warren,1904; *nigrostriata* Bastelberger,1905; *albescens* L.B.Prout,1912 **Range (in code):** **Bor MY Swk Sbh KBa ID Sum**
- 40447. Dysphania translucida (Montrouzier,1856)** (Geometridae) **Synonym(s):** *translucida* Montrouzier,1856; *xanthora* L.B.Prout,1916 **Range (in code):** **PG Ls Wd SB**
- 40448. Dysphania tyrianthina (Butler,1882)** (Geometridae) **Synonym(s):** *tyrianthina* Butler,1882 **Range (in code):** **PG Nlr Bsm SB**
- 40449. Dysrhoe olbia (L.B.Prout,1911)** (Geometridae) **Synonym(s):** *olbia* L.B.Prout,1911; *parvula* L.B.Prout,1932 **Range (in code):** **ZA**
- 40450. Eccymatoge melanoterma L.B.Prout,1913** (Geometridae) **Synonym(s):** *melanoterma* L.B.Prout,1913 **Range (in code):** **ZA Lpo Tva Hae ZA10 Nta Kzu ZA20 Mpu**
- 40451. Ecleora haroldaria (Oberthür,1913)** (Geometridae) **Synonym(s):** *haroldaria* Oberthür,1913 **Range (in code):** **DZ Sbd**
- 40452. Ecleora solieraria (Rambur,1834)** (Geometridae) **Synonym(s):** *solieraria* Rambur,1834 **Range (in code):** **DZ Eba ES Mu FR** **Bionomy:** Larva on Cupressus, Juniperus (Calle, et al.,2000).

- 40453. *Ecliptopera acalles* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *acalles* L.B.Prout,1938
Range (in code): **CN Sz**
- 40454. *Ecliptopera albogilva* L.B.Prout,1931** (Geometridae) **Synonym(s):** *albogilva* L.B.Prout,1931
Range (in code): **CN Sz**
- 40455. *Ecliptopera benigna* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *benigna* L.B.Prout,1914
Range (in code): **TW**
- 40456. *Ecliptopera capitata* (Herrich-Schäffer,1839)** (Geometridae) **Synonym(s):** *posticata* Fabricius,1794; *capitata* Herrich-Schäffer,1839; *capitaria* Boisduval,1840; *balsaminata* Freyer,1842
Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Am Us Vv JP Sh MD UA BY**
Bionomy: Larva on Impatiens (Meyer,1919).
- 40457. *Ecliptopera ctenoplia* L.B.Prout,1931** (Geometridae) **Synonym(s):** *ctenoplia* L.B.Prout,1931
Range (in code): **ID Ja Bli**
- 40458. *Ecliptopera delecta* (Butler,1880)** (Geometridae) **Synonym(s):** *delecta* Butler,1880
Range (in code): **IN SI**
- 40459. *Ecliptopera dentifera* (Moore,1888)** (Geometridae) **Synonym(s):** *dentifera* Moore,1888; *nivicincta* Butler,1889
Range (in code): **IN Meg Ass Cpj Kgr Hp Drm**
- 40460. *Ecliptopera dimita* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *dimita* L.B.Prout,1938
Range (in code): **CN Ts Kno**
- 40461. *Ecliptopera dissecta* (Moore,[1887])** (Geometridae) **Synonym(s):** *dissecta* Moore,[1887]
Range (in code): **LK**
- 40462. *Ecliptopera falsiloqua* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *falsiloqua* L.B.Prout,1938
Range (in code): **CN Sz**
- 40463. *Ecliptopera fastigata* (Püngeler,1909)** (Geometridae) **Synonym(s):** *fastigata* Püngeler,1909
Original Reference: *Larentia fastigata* Püngeler,1909, Dt. ent. Z., Iris 21 (4): 301, pl.4 fig.26. Syntypes ♂♀: [Uzbekistan]: Ferghana, [China: Uighur A.R.]: Kuldja, Togus-torau.
Range (in code): **UZ Fe CN Ui Ku**
- 40464. *Ecliptopera fervidaria* (Leech,1897)** (Geometridae) **Synonym(s):** *fervidaria* Leech,1897
Range (in code): **CN Sz**
- 40465. *Ecliptopera fulvidorsata* (Swinhoe,1894)** (Geometridae) **Synonym(s):** *fulvidorsata* Swinhoe,1894; *subcanescens* W.Warren,1896
Range (in code): **IN Meg Khs Cpj**
- 40466. *Ecliptopera fulvotincta* (Hampson,1895)** (Geometridae) **Synonym(s):** *fulvotincta* Hampson,1895
Range (in code): **IN Hp Sml**
- 40467. *Ecliptopera furva* (Swinhoe,1891)** (Geometridae) **Synonym(s):** *furva* Swinhoe,1891
Range (in code): **IN Ass Meg Khs**
- 40468. *Ecliptopera furvoides* (Thierry-Mieg,1915)** (Geometridae) **Synonym(s):** *furvoides* Thierry-Mieg,1915
Range (in code): **MY Bor Sbh KBa**
- 40469. *Ecliptopera haplocrossa* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *haplocrossa* L.B.Prout,1938
Range (in code): **CN Sz**
- 40470. *Ecliptopera leucoglyphica* (W.Warren,1898)** (Geometridae) **Synonym(s):** *leucoglyphica* W.Warren,1898
Range (in code): **IN Ass Meg Khs**
- 40471. *Ecliptopera litterata* (West,1929)** (Geometridae) **Synonym(s):** *litterata* West,1929
Range (in code): **PH Luz**
- 40472. *Ecliptopera lucrosa* L.B.Prout,1940** (Geometridae) **Synonym(s):** *lucrosa* L.B.Prout,1940
Range (in code): **IN Ass Meg Khs**
- 40473. *Ecliptopera macarthuri* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *macarthuri* L.B.Prout,1938
Range (in code): **Ch**
- 40474. *Ecliptopera mixtilineata* (Hampson,1895)** (Geometridae) **Synonym(s):** *mixtilineata* Hampson,1895
Range (in code): **IN SI**
- 40475. *Ecliptopera muscicolor* (Moore,1888)** (Geometridae) **Synonym(s):** *muscicolor* Moore,1888; *subapicalis* Swinhoe,1894 nec Hamps.,1891
Range (in code): **IN SI DjI Meg Khs Cpj TW**
- 40476. *Ecliptopera oblongata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *oblongata* Guenée,[1858]
Range (in code): **IN**
- 40477. *Ecliptopera obscurata* (Moore,1868)** (Geometridae) **Synonym(s):** *obscurata* Moore,1868; *monana* Swinhoe,1893
Range (in code): **IN Meg Slo Ben CN**
- 40478. *Ecliptopera odontoplia* L.B.Prout,1935** (Geometridae) **Synonym(s):** *odontoplia* L.B.Prout,1935
Range (in code): **ID Ja**

- 40479. Ecliptopera phaula** L.B.Prout,1933 (Geometridae) Synonym(s): *phaula* L.B.Prout,1933
Range (in code): **CX**
- 40480. Ecliptopera postpallida** (L.B.Prout,1938) (Geometridae) Synonym(s): *postpallida* L.B.Prout,1938
Range (in code): **AF Nu CN Sz Ch**
- 40481. Ecliptopera postpallida nuristana** Wiltshire,1967 (Geometridae) Synonym(s): *nuristana* Wiltshire,1967
Range (in code): **AF Nu**
- 40482. Ecliptopera postpallida postpallida** (L.B.Prout,1938) (Geometridae) Synonym(s): *postpallida* L.B.Prout,1938
Range (in code): **CN Sz Ch**
- 40483. Ecliptopera pryeri** (Butler,1881) (Geometridae) Synonym(s): *pryeri* Butler,1881
Range (in code): **JP Hdo**
- 40484. Ecliptopera recordans** L.B.Prout,1940 (Geometridae) Synonym(s): *recordans* L.B.Prout,1940
Range (in code): **TW**
- 40485. Ecliptopera rectilinea** W.Warren,1894 (Geometridae) Synonym(s): *rectilinea* W.Warren,1894
Range (in code): **TH IN Meg Khs ID Clb Bli TW**
- 40486. Ecliptopera relata** (Butler,1880) (Geometridae) Synonym(s): *relata* Butler,1880
Range (in code): **IN SI**
- 40487. Ecliptopera sagittatoides** (Pagenstecher,1900) (Geometridae) Synonym(s): *sagittatoides* Pagenstecher,1900; *intromissa* W.Warren,1906
Range (in code): **PG Bsm**
- 40488. Ecliptopera silaceata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *silaceata* [Denis & Schiffermüller],1775; *insulata* Haworth,1809; *cuneata* Donovan,1810; *silacearia* Boisdual,1840
Original Reference: Geometra silaceata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district.
Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc GG Bjo Bku Lag Kir AZ BG DK NO SE FI EE LV LT RU Kmt Sb MD UA BY US**
Bionomy: Larva on *Epilobium angustifolium*, *Impatiens* (Meyer,1919).
- 40489. Ecliptopera subapicalis** (Hampson,1891) (Geometridae) Synonym(s): *subapicalis* Hampson,1891
Range (in code): **IN NI**
- 40490. Ecliptopera subfalcata** (W.Warren,1893) (Geometridae) Synonym(s): *subfalcata* W.Warren,1893
Range (in code): **IN Hp Kul**
- 40491. Ecliptopera subnubila** L.B.Prout,1940 (Geometridae) Synonym(s): *subnubila* L.B.Prout,1940
Range (in code): **LK**
- 40492. Ecliptopera substituta** (Walker,1866) (Geometridae) Synonym(s): *substituta* Walker,1866
Range (in code): **IN**
- 40493. Ecliptopera thalycra** L.B.Prout,1928 (Geometridae) Synonym(s): *thalycra* L.B.Prout,1928
Range (in code): **ID Sum**
- 40494. Ecliptopera triangulifera** (Moore,1888) (Geometridae) Synonym(s): *triangulifera* Moore,1888; *phrice* West,1929
Range (in code): **IN SI Djl TW**
- 40495. Ecliptopera umbrosaria** (Motschulsky,1861) (Geometridae) Synonym(s): *umbrosaria* Motschulsky,1861; *hachijoensis* Inoue,1954
Range (in code): **RU Us KP KR JP TW**
- 40496. Ecliptopera zaes** L.B.Prout,1932 (Geometridae) Synonym(s): *zaes* L.B.Prout,1932
Range (in code): **MY Bor**
- 40497. Ecliptopera zophera** L.B.Prout,1931 (Geometridae) Synonym(s): *zophera* L.B.Prout,1931
Range (in code): **IN Meg Cpj**
- 40498. Ecpetala caesioplaga** (L.B.Prout,1935) (Geometridae) Synonym(s): *caesioplaga* L.B.Prout,1935
Range (in code): **ZA ZR**
- 40499. Ecpetala camerunica** Herbulot,1988 (Geometridae) Synonym(s): *camerunica* Herbulot,1988
Range (in code): **CM**
- 40500. Ecpetala carnifasciata** (W.Warren,1899) (Geometridae) Synonym(s): *carnifasciata* W.Warren,1899
Range (in code): **UG**
- 40501. Ecpetala euthypora** (L.B.Prout,1926) (Geometridae) Synonym(s): *euthypora* L.B.Prout,1926
Range (in code): **UG**
- 40502. Ecpetala indentata** (W.Warren,1902) (Geometridae) Synonym(s): *indentata* W.Warren,1902
Range (in code): **KE**
- 40503. Ecpetala obtusa** (W.Warren,1902) (Geometridae) Synonym(s): *obtusa* W.Warren,1902
Range (in code): **KE UG Rz TZ**
- 40504. Ecpetala obtusa celaena** (D.S.Fletcher,1958) (Geometridae) Synonym(s): *celaena* D.S.Fletcher,1958
Range (in code): **UG Rz**

- 40505. Ecpetala obtusa meruana (Aurivillius,1910)** (Geometridae) Synonym(s): *meruana Aurivillius,1910* Range (in code): TZ
- 40506. Ecpetala similata (Aurivillius,1910)** (Geometridae) Synonym(s): *similata Aurivillius,1910* Range (in code): TZ KE
- 40507. Ecpetala similata animosa (L.B.Prout,1915)** (Geometridae) Synonym(s): *animosa L.B.Prout,1915* Range (in code): KE
- 40508. Ecpetala similata similata (Aurivillius,1910)** (Geometridae) Synonym(s): *similata Aurivillius,1910* Range (in code): TZ
- 40509. Ecpetala unduligera (Aurivillius,1910)** (Geometridae) Synonym(s): *unduligera Aurivillius,1910* Range (in code): TZ
- 40510. Ectropidia altiprimata Holloway,[1994]** (Geometridae) Synonym(s): *altiprimata Holloway,[1994]* Range (in code): MY Bor BN
- 40511. Ectropidia exprimata (Walker,1861)** (Geometridae) Synonym(s): *exprimata Walker,1861* Range (in code): MY Bor Swk
- 40512. Ectropidia fimbripedata W.Warren,1900** (Geometridae) Synonym(s): *fimbripedata W.Warren,1900* Range (in code): MY Prk
- 40513. Ectropidia harmani Holloway,[1994]** (Geometridae) Synonym(s): *harmani Holloway,[1994]* Range (in code): MY Bor Bn
- 40514. Ectropidia hollowayi Sato,1995** (Geometridae) Synonym(s): *hollowayi Sato,1995* Range (in code): ID Clb
- 40515. Ectropidia illepidaria (Walker,1861)** (Geometridae) Synonym(s): *illepidaria Walker,1861; pustulata W.Warren,1900* Range (in code): MY Bor Swk Pen TH
- 40516. Ectropidia paraprimata Sato,1995** (Geometridae) Synonym(s): *paraprimata Sato,1995* Range (in code): ID Clb
- 40517. Ectropidia quasilepidaria Holloway,[1994]** (Geometridae) Synonym(s): *quasilepidaria Holloway,[1994]* Range (in code): MY Bor Swk TH
- 40518. Ectropidia saitoi Sato,1995** (Geometridae) Synonym(s): *saitoi Sato,1995* Range (in code): ID Clb
- 40519. Ectropidia semijubata (L.B.Prout,1929)** (Geometridae) Synonym(s): *semijubata L.B.Prout,1929* Range (in code): MY Sgo
- 40520. Ectropidia shoreae (L.B.Prout,1934)** (Geometridae) Synonym(s): *shoreae L.B.Prout,1934* Range (in code): IN Up Ddu TH CMa CDo Bionomy: Larva on Shorea robusta (Dipterocarpaceae) (L.B.Prout,1934).
- 40521. Ectropidia subprimata Sato,1995** (Geometridae) Synonym(s): *subprimata Sato,1995* Range (in code): ID Clb
- 40522. Ectropis atelomeres L.B.Prout,1922** (Geometridae) Synonym(s): *atelomeres L.B.Prout,1922* Range (in code): ZA Ec Cto
- 40523. Ectropis bhurmitra (Walker,1860)** (Geometridae) Synonym(s): *bhurmitra Walker,1860; diffusaria Walker,1860; sabulosa W.Warren,1897; semifascia W.Warren,1897; semifasciata W.Warren,1900; obrussata Holland,1900; brevifasciata Wileman,1912* Range (in code): LK TW IN Pj TH Ntt Hba ID Bru Crm Amb Ij Bionomy: Larva on Bombax anceps (Bombacaceae), Terminalia alata, T.complanata (Combretaceae), Artemisia vulgaris (Asteraceae), Aleurites moluccana, A.montana, Mallotus (Euphorbiaceae), Castanopsis fissa, Quercus myrsinaefolia (Fagaceae), Cinnamomum zeylanicum (Lauraceae), Albizia, Cassia, Leucaena leucocephala (Fabaceae), Melastoma normale (Melastomataceae), Azadirachta excelsa (Meliaceae), Maesa chisia (Myrsinaceae), Eugenia cumini (Myrtaceae), Piper nigrum (Piperaceae), Anthocephalus chinensis, Coffea arabica (Rubiaceae), Citrus maxima (Rutaceae), Schleicheria oleosa (Sapindaceae), Theobroma cacao (Sterculiaceae), Symplocos (Symplocaceae), Camellia sinensis (Theaceae), Gmelina arborea, Tectona grandis (Verbenaceae) (Scoble,1999).
- 40524. Ectropis bistortata (Goeze,1781)** (Geometridae) Synonym(s): *#crepuscularia [Denis & Schiffermüller],1775; virginaria Cramer,[1780]; bistortata Goeze,1781; biundulata Villers,1789; biundularia Borkhausen,1794; baeticaria Scharfenberg,1805; strigularia Stephens,1831; defessaria Freyer,1847;occiduaria Guenée,[1858]; divisaria Walker,1860 nec Wlk.,1860; intrataria Walker,1860; signaria Walker,1860; spatiosaria Walker,1860; abraxaria Walker,1860; cineraria Walker,1860; crepusculata Herrich-Schäffer,1863; fumataria Minot,1869; tristis Riesen,1897* Original Reference: Phalaena bistortata Goeze,1781, Ent. Beytr. 3 (3): 438. Range (in code): DZ Clo ES FR Co Si It IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Alnus glutinosa, Betula, Larix, Polygonum, Prunus domestica, Pyrus, Quercus robur, Rosa, Salix, Ulmus (Meyer,1919).

- 40525. *Ectropis delosaria* (Walker,[1863])** (Geometridae) **Synonym(s):** *delosaria* Walker,[1863]; *crassa* W.Warren,1899 **Original Reference:** *Tephrosia delosaria* Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1541. Type ♀: South Africa (BMNH). **Range (in code):** **ZA ZA10 ZA12 ZA13 Nta Kzu Tva Lpo Spb Bbg Ggh Fs**
- 40526. *Ectropis fraudulentula* Janse,1932** (Geometridae) **Synonym(s):** *fraudulenta* Janse,1932 **Range (in code):** **ZA ZA10 Nta Kzu ZA28 Tva Lpo**
- 40527. *Ectropis longiscapula* L.B.Prout,1926** (Geometridae) **Synonym(s):** *longiscapula* L.B.Prout,1926 **Range (in code):** **MY Bor Swk TH Ntt Hba**
- 40528. *Ectropis obliquilinea* L.B.Prout,1916** (Geometridae) **Synonym(s):** *obliquilinea* L.B.Prout,1916 **Range (in code):** **ZA ZA24 NWe**
- 40529. *Ectropis oleitincta* L.B.Prout,1931** (Geometridae) **Synonym(s):** *oleitincta* L.B.Prout,1931 **Range (in code):** **SO**
- 40530. *Ectropis pais* L.B.Prout,1931** (Geometridae) **Synonym(s):** *pais* L.B.Prout,1931; *ischnadelta* L.B.Prout,1932 **Range (in code):** **MY Kdh Bor Sbh KBa TH**
- 40531. *Ectropis paracopa* L.B.Prout,1925** (Geometridae) **Synonym(s):** *paracopa* L.B.Prout,1925 **Range (in code):** **ZA**
- 40532. *Ectropis simplex* (W.Warren,1916)** (Geometridae) **Synonym(s):** *simplex* W.Warren,1916 **Range (in code):** **ZA ZA10 Nta Kzu**
- 40533. *Ectropis spoliataria* (Walker,1860)** (Geometridae) **Synonym(s):** *spoliataria* Walker,1860; *fulvitincta* W.Warren,1904 **Range (in code):** **ZA Tva Etm Ktz ZA04 ZA05 ZA12 ZA13 ZA14 ZA20 Mpu ZA25 Kzu Dbn**
- 40534. *Ectropis sublimbata* (W.Warren,1911)** (Geometridae) **Synonym(s):** *sublimbata* W.Warren,1911 **Range (in code):** **ZA**
- 40535. *Eilicrinia cordiaria* (Hübner,1790)** (Geometridae) **Synonym(s):** *cordiaria* Hübner,1790 **Original Reference:** *Phalaena cordiaria* Hübner,1790, Beitr. Gesch. Schmett. 2(1): 31, Tab.4 fig.Z. **Range (in code):** **AT SK HU RO YU BG GR RU MD UA BY TR Cc AZ Nv AM GG IQ Dk IR FA Sse IN Kul Hp** **Bionomy:** Larva on *Salix caprea* (Salicaceae) (Meyer,1919; Wiltshire,1957).
- 40536. *Eilicrinia cordiaria signigera* Butler,1889** (Geometridae) **Synonym(s):** *signigera* Butler,1889 **Range (in code):** **IN Kul Hp**
- 40537. *Eilicrinia flava* (Moore,1888)** (Geometridae) **Synonym(s):** *flava* Moore,1888; *rufofasciata* Poujade,1891 **Range (in code):** **LA IN Djl TH**
- 40538. *Eilicrinia nuptaria* Bremer,1864** (Geometridae) **Synonym(s):** *nuptaria* Bremer,1864; *ophthalmicata* Wehrli,1927 **Range (in code):** **RU Sb Us**
- 40539. *Eilicrinia orias* Wehrli,1933** (Geometridae) **Synonym(s):** *orias* Wehrli,1933 **Range (in code):** **CN Ui Krm**
- 40540. *Eilicrinia parvula* Wehrli,1940** (Geometridae) **Synonym(s):** *parvula* Wehrli,1940 **Range (in code):** **CN**
- 40541. *Eilicrinia rosearia* A.Bang-Haas,1907** (Geometridae) **Synonym(s):** *rosearia* A.Bang-Haas,1907 **Original Reference:** *Eilicrinia rosearia* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 85, pl.3 fig.1. Syntypes: [China: Uighur A.R.]: Kaschgar. **Range (in code):** **CN Ui Ga**
- 40542. *Eilicrinia subcordaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *tritomata* Fischer de Waldheim,1840; *subcordaria* Herrich-Schäffer,[1852]; *anicularia* Eversmann,1852; *freitagaria* Möschler,1854; *subcordata* Herrich-Schäffer,1861. **Original Reference:** *Macaria subcordaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:71, fig.446. Type(s): Türkei. **Range (in code):** **TR IR Kz Fa Com RU Ur CN Ui Khr Ku Ga KK Ik KG Ssn UZ Fe**
- 40543. *Eilicrinia subcordaria acardia* Stichel,1911** (Geometridae) **Synonym(s):** *acardia* Stichel,1911 **Original Reference:** *Eilicrinia acardia* Stichel,1911, Z. Wiss. InsektBiol. 7: 162, fig.12. Type ♂: [Iran]: Sultanabad [=Arrak]. **Range (in code):** **TR IR Kz Fa Com**
- 40544. *Eilicrinia trinotata* (Metzner,1845)** (Geometridae) **Synonym(s):** *trinotata* Metzner,1845 **Original Reference:** *Geom[etra] trinotata* Metzner,1845, Stettin ent. Ztg. 6(6): 184-186. Syntypes: [Türkei]: Turcia europaea. **Range (in code):** **CH SK HU RO YU AL BG GR TR Cc AM RU** **Bionomy:** Larva on *Quercus coccifera*, *Ulmus campestris* (Lederer,1865; Staudinger,1879; Romanoff, 1885).
- 40545. *Eilicrinia unimaculata* Püngeler,1914** (Geometridae) **Synonym(s):** *unimaculata* Püngeler,1914 **Original Reference:** *Eilicrinia unimaculata* Püngeler,1914, Dt. ent. Z., Iris 28: 50-51, Taf.iii fig.8. Syntypes ♂♀: [Russia]: "Ussuri-Gebiet, Tjutjuje (W. Mau), etc.". **Range (in code):** **RU Us Sb**

- 40546. *Eilicrinia ursula* Thierry-Mieg,1910** (Geometridae) Synonym(s): *ursula* Thierry-Mieg,1910 _ Range (in code): BO
- 40547. *Eilicrinia wehrlii* Djakonov,1933** (Geometridae) Synonym(s): *wehrlii* Djakonov,1933 _ Range (in code): RU Mc CN
- 40548. *Eilicrinia wehrlii mandschuria* Wehrli,1940** (Geometridae) Synonym(s): *mandschuria* Wehrli,1940 _ Range (in code): RU CN Mc
- 40549. *Eilicrinia wehrlii wehrlii* Djakonov,1933** (Geometridae) Synonym(s): *wehrlii* Djakonov,1933 _ Range (in code):
- 40550. *Ekboarmia atlantica* (Staudinger,1859)** (Geometridae) Synonym(s): *atlantica* Staudinger,1859 _ Range (in code): DZ PT ES An Sa
- 40551. *Ekboarmia fasciataria* (Staudinger,1900)** (Geometridae) Synonym(s): *fasciataria* Staudinger,1900 _ Original Reference: Boarmia fasciataria Staudinger,1900, Dt. ent. Z., Iris 12 (1899): 395, Taf.vi fig.3. Type ♀: "Teniet el Had (Algerien)" (leg.Vauloger). Range (in code): DZ Tis Tni FR Bionomy: Larva on Juniperus (Berard,1996).
- 40552. *Ekboarmia sagnesi* Dufay,1979** (Geometridae) Synonym(s): *sagnesi* Dufay,1979 _ Range (in code): ES FR
- 40553. *Ekboarmia sagnesi herrerae* Exposito,2007** (Geometridae) Synonym(s): *herrerae* Exposito,2007 _ Range (in code): ES
- 40554. *Electrophaes corylata* (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU K-R Ur Ya Am US Sh Krl MD UA Cm BY KG MN JP Bionomy: Larva on Betula, Prunus spinosa, Tilia (Meyer,1919).
- 40555. *Electrophaes corylata albida* (Herz,1905)** (Geometridae) Synonym(s): *albida* Herz,1905 _ Range (in code): RU Ya
- 40556. *Electrophaes corylata corylata* (Thunberg,1792)** (Geometridae) Synonym(s): *corylata* Thunberg,1792; *ruptata* Hübner,[1799]; *albocrenata* Curtis,1836; *ruptaria* Boisduval,1840 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU K-R Ur MD UA Cm BY KG MN
- 40557. *Electrophaes corylata fabrefactaria* (Oberthür,1880)** (Geometridae) Synonym(s): *fabrefactaria* Oberthür,1880 _ Range (in code): RU Am Sb Us
- 40558. *Electrophaes corylata granitalis* (Butler,1881)** (Geometridae) Synonym(s): *granitalis* Butler,1881 _ Range (in code): RU Krl JP
- 40559. *Electrophaes corylata sachalinensis* (Viidalepp,1982)** (Geometridae) Synonym(s): *sachalinensis* Viidalepp,1982 _ Range (in code): RU Sh
- 40560. *Electrophaes fulgidaria* (Leach,1897)** (Geometridae) Synonym(s): *aurata* Moore,1868; *fulgidaria* Leach,1897 _ Range (in code): IN Drm Khs BT CN Ti PK Haz Mre
- 40561. *Electrophaes perpulchra* (Butler,1886)** (Geometridae) Synonym(s): *perpulchra* Butler,1886 _ Original Reference: Cidaria perpulchra Butler,1886, Proc. zool. Soc. Lond. 1886: 393. Type: [Pakistan]: Murree, 8th August 1885. Range (in code): PK Haz Mre
- 40562. *Electrophaes recens* Inoue,1982** (Geometridae) Synonym(s): *recens* Inoue,1982 _ Range (in code): RU Krl JP
- 40563. *Elophos (Elophos) andereggaria* (La Harpe,1853)** (Geometridae) Synonym(s): *andereggaria* La Harpe,1853 _ Range (in code): IT CH
- 40564. *Elophos (Elophos) barbarica* L.B.Prout,1915** (Geometridae) Synonym(s): *barbarica* L.B.Prout,1915 _ Range (in code): ZA
- 40565. *Elophos (Elophos) caelibaria* (Heydenreich,1851)** (Geometridae) Synonym(s): *caelibaria* Heydenreich,1851 _ Range (in code): ES FR IT DE CH AT YU
- 40566. *Elophos (Elophos) operaria* (Hübner,[1813])** (Geometridae) Synonym(s): *operaria* Hübner,[1813] _ Range (in code): IT CH AT PL CZ SK RO RU MD UA BY
- 40567. *Elophos (Elophos) unicoloraria* (Staudinger,1871)** (Geometridae) Synonym(s): *unicoloraria* Staudinger,1871 _ Range (in code): ES FR CH
- 40568. *Elophos (Elophos) zelleraria* (Freyer,1836)** (Geometridae) Synonym(s): *zelleraria* Freyer,1836 _ Range (in code): IT DE CH AT
- 40569. *Elophos (Elophos) zirbitzensis* (Pieszecek,1902)** (Geometridae) Synonym(s): *zirbitzensis* Pieszecek,1902 _ Range (in code): AT
- 40570. *Elophos (Parietaria) dilucidaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *dilucidaria* [Denis & Schiffermüller],1775 _ Original Reference: Geometra dilucidaria

- [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT BE DE CH AT PL CZ SK RO YU BG RU MD UA BY**
- 40571. Elophos (Parietaria) dognini (Thierry-Mieg,1910)** (Geometridae) Synonym(s): *dognini Thierry-Mieg,1910* Range (in code): **ES FR IT CH**
- 40572. Elophos (Parietaria) serotinaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *serotinaria [Denis & Schiffermüller],1775* Original Reference: Geometra serotinaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT SK**
- 40573. Elophos (Parietaria) sproengertsi (Püngeler,1914)** (Geometridae) Synonym(s): *sproengertsi Püngeler,1914* Range (in code): **FR**
- 40574. Elophos (Parietaria) vittaria (Thunberg,1788)** (Geometridae) Synonym(s): *vittaria Thunberg,1788* Range (in code): **FR IT DE CH AT PL CZ SK RO YU NO SE FI EE RU MD UA BY**
- 40575. Ematurga atomaria (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria Linnaeus,1758; isoscelata Scopoli,1763; pennata Scopoli,1763; aceraria Hufnagel,1767; artemisaria Herbst,1782; picta, microcosa Fourcroy,1785; glarearia Hübner,[1799]; obsoletaria Zett.,1839; minuta Heydemann,1925; arenaria Candeze,1926.* Original Reference: Phalaena atomaria Linnaeus,1758, Syst. Nat. (Edn.10): 521. Type(s): [Europa], in Tilia. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY CN Ui Ii Ku Gn KG Tk** Bionomy: Larva on Betula pendula, B.pubescens (Betulaceae); Arctium minus, Artemisia vulgaris, Centaurea, Chrysanthemum vulgare, Solidago virgaurea (Asteraceae); Carex (Cyperaceae); Calluna vulgaris, Erica, Ledum palustre, Vaccinium uliginosum (Ericaceae); Hypericum maculatum (Clusiaceae); Thymus serpyllum (Lamiaceae); Trifolium repens (Fabaceae); Sorbus aucuparia (Rosaceae); Salix aurita, S.lapponum, S.phylicifolia (Salicaceae) (Scoble,1999).
- 40576. Ematurga atomaria alpicolaria Vorbrodt & Müller-Rutz,1917** (Geometridae) Synonym(s): *alpicolaria Vorbrodt & Müller-Rutz,1917* Range (in code): **CH**
- 40577. Ematurga atomaria atomaria (Linnaeus,1758)** (Geometridae) Synonym(s): *atomaria Linnaeus,1758; isoscelata Scopoli,1763; pennata Scopoli,1763; aceraria Hufnagel,1767; artemisaria Herbst,1782; picta, microcosa Fourcroy,1785; glarearia Hübner,[1799]; obsoletaria Zett.,1839; minuta Heydemann,1925; arenaria Candeze,1926.* Original Reference: Phalaena atomaria Linnaeus,1758, Syst. Nat. (Edn.10): 521. Type(s): [Europa], in Tilia. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 40578. Ematurga atomaria iliaria Alpheraky,1883** (Geometridae) Synonym(s): *iliaria Alpheraky,1883* Original Reference: Ematurga atomaria var. iliaria Alpheraky,1883, Horae Soc. ent. ross. 17: 181-182. Syntypes: [China: Uighur A.R.]: "toute la vallée de l'Ili". Range (in code): **CN Ui Ii Ku**
- 40579. Ematurga atomaria krassnojarscenis Fuchs,1899** (Geometridae) Synonym(s): *krassnojarscenis Fuchs,1899* Range (in code): **RU Sb**
- 40580. Ematurga atomaria meinhardi Krulikovsky,1909** (Geometridae) Synonym(s): *meinhardi Krulikovsky,1909* Range (in code): **KG Tk**
- 40581. Ematurga atomaria ngana Wehrli,1953** (Geometridae) Synonym(s): *ngana Wehrli,1953* Range (in code): **CN Gn**
- 40582. Ematurga atomaria orientaria Staudinger,1861** (Geometridae) Synonym(s): *orientaria Staudinger,1861; transalpinaria Frings,1909.* Range (in code): **TR IT YU AL BG GR TR Cc GG AZ AM RO**
- 40583. Emmiltis pygmaearia (Hübner,[1809])** (Geometridae) Synonym(s): *minutaria Fabricius,1781; pygmaearia Hübner,[1809]; parvularia Hübner,[1825]; sirentina Dannehl,1925; teriolensis Dannehl,1925* Range (in code): **FR IT CH SS**
- 40584. Enanthyperythra legataria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria Herrich-Schäffer,[1852]* Original Reference: Hypoplectis legataria Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6 (55): 71. Syntypes: [Europe?]. Range (in code): **MK GR? TR Cc AZ Nv Ord**
- 40585. Enanthyperythra legataria legataria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *legataria Herrich-Schäffer,[1852]* Original Reference: Hypoplectis legataria Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6 (55): 71. Syntypes: [Europe?]. Range (in code): **MK GR? TR**
- 40586. Enanthyperythra legataria transcaucasica Wehrli,1937** (Geometridae) Synonym(s): *transcaucasica Wehrli,1937* Original Reference: Enanthyperythra legataria ssp.

- transcaucasica Wehrli, 1937, Ent. Z., Frankf. a. M. 51: 117. Syntypes 5♂ 2♀: [Azerbaijan]: Ordubad. Range (in code): Cc AZ Nv Ord
- 40587. Encoma inaccurata (L.B.Prout, 1913)** (Geometridae) Synonym(s): inaccurata L.B.Prout, 1913 Range (in code): ZA Tva Lpo Hae
- 40588. Encoma irisaria Swinhoe, 1904** (Geometridae) Synonym(s): irisaria Swinhoe, 1904; pulviscula L.B.Prout, 1932 Original Reference: Encoma irisaria Swinhoe, 1904, Trans. ent. Soc. London 1904: 523. Type: [Kenya: El Burgon], Mile 478, Uganda Railway. Range (in code): KE
- 40589. Encoma rectangulata D.S.Fletcher, 1958** (Geometridae) Synonym(s): rectangulata D.S.Fletcher, 1958 Range (in code): UG
- 40590. Enconista exustaria Staudinger, 1897** (Geometridae) Synonym(s): exustaria Staudinger, 1897 Range (in code): IL Pa JO
- 40591. Enconista miniosaria (Duponchel, 1829)** (Geometridae) Synonym(s): #perspersaria Hübner, [1826]; miniosaria Duponchel, 1829; perspersaria Duponchel, [1830] Original Reference: Boarmia miniosaria Duponchel, 1829, [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 7 (2): 368, pl. 160, fig. 4. Syntypes: [France]: near Valenciennes. Range (in code): DZ Orn PT ES Mu FR IT?
- 40592. Enconista rubrior Hausmann, 1990** (Geometridae) Synonym(s): rubrior Hausmann, 1990 Range (in code): MA
- 40593. Enconista tennoa Pinker, 1978** (Geometridae) Synonym(s): tennoa Pinker, 1978 Range (in code): Cn
- 40594. Encryphia frontisignata (Walker, [1863])** (Geometridae) Synonym(s): frontisignata Walker, [1863]; punctilineata Walker, 1866; paraptila Meyrick, 1890; argillina Turner, 1904; ceramopis Turner, 1919 Range (in code): AU QAU Bri Tw Too NC
- 40595. Encryphia frontisignata acornuta Holloway, 1979** (Geometridae) Synonym(s): acornuta Holloway, 1979 Original Reference: Encryphia frontisignata ssp. acornuta Holloway, 1979, Lepidoptera New Caledonia: 268, figs. Holotype ♂: New Caledonia: Grand Lac 250m. Range (in code): NC
- 40596. Encryphia pulverosa (W. Warren, 1906)** (Geometridae) Synonym(s): pulverosa W. Warren, 1906 Range (in code): PG
- 40597. Ennomos (Deuteronomos) alniarius (Linnaeus, 1758)** (Geometridae) Synonym(s): alniaria Linnaeus, 1758 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Alnus, Betula, Salix, Tilia (Meyer, 1919).
- 40598. Ennomos (Deuteronomos) erosarius (Hübner, 1790)** (Geometridae) Synonym(s): #erosaria [Denis & Schiffermüller], 1775; Hübner, 1790. Original Reference: Phalaena erosaria Hübner, 1790, Beitr. Gesch. Schmett. 2 (4): 100, 128, (4) 4: fig. Z. Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Betula, Carpinus betulus, Fagus, Quercus, Tilia (Meyer, 1919).
- 40599. Ennomos (Deuteronomos) fraxineti Wiltshire, 1947** (Geometridae) Synonym(s): fraxineti Wiltshire, 1947; #effuscaria Wiltshire, 1947 Original Reference: Ennomos ? effractaria ssp. fraxineti Wiltshire, 1947, Entomologist's Rec. J. Var. 59: 111, pl. v fig. 11. Holotype ♂: Tehran: Darband, 6000ft. Range (in code): TR IR Elb Th Gls IQ Slf Bionomy: Larva on Fraxinus (Wiltshire, 1957).
- 40600. Ennomos (Deuteronomos) freidbergi Hausmann, 1997** (Geometridae) Synonym(s): freidbergi Hausmann, 1997 Original Reference: Ennomos freidbergi Hausmann, 1997, Entomofauna 18 (1): 12, figs. Range (in code): TR IL Pa LB JO
- 40601. Ennomos (Deuteronomos) fuscantarius (Haworth, 1809)** (Geometridae) Synonym(s): fuscantaria Haworth, 1809 Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CY Bionomy: Larva on Fraxinus (Meyer, 1919).
- 40602. Ennomos (Deuteronomos) lissochilus L.B.Prout, 1929** (Geometridae) Synonym(s): lissochila L.B.Prout, 1929 Original Reference: Deuteronomos lissochila L.B.Prout, 1929, Novit. zool. 35: 149. Holotype ♂: Cyprus: Platres, 4000ft (BMNH). Range (in code): CY
- 40603. Ennomos (Deuteronomos) quercarius (Hübner, [1813])** (Geometridae) Synonym(s): quercaria Hübner, [1813] Original Reference: Geometra quercaria Hübner, [1813], Samml. eur. Schmett. 5: pl. 80, figs. 411, 412. Syntypes: Europa. Range (in code): PT ES FR Si IT CH AT PL SK HU RO YU AL BG GR Cr TR Cc GG IR Gls RU MD UA BY LB Bsa Bionomy: Larva on Betula (Betulaceae), Quercus (Fagaceae) (Staudinger, 1879; Meyer, 1919).

- 40604. Ennomos (Deuteronomos) quercarius dryadarius Rambur, 1866** (Geometridae)
Synonym(s): *dryadaria* Rambur, 1866 Original Reference: Ennomos dryadaria Rambur, 1866, Cat. syst. Lepid. Andalousie 2: pl. 17, fig. 1. Type ♂: Spain: Grenada (HERB). Range (in code): **ES An ES An Grn**
- 40605. Ennomos (Deuteronomos) quercarius olivarius Brandt, 1938** (Geometridae)
Synonym(s): *olivaria* Brandt, 1938 Original Reference: Ennomos olivaria Brandt, 1938, Ent. Rdsch. 55: 597, figs. 254-258. Syntypes: Iran: Fort Mian Kotal: Sine Sefid (NHRS). Range (in code): **IR Fa IQ** Bionomy: Larva on Quercus (Wiltshire, 1957).
- 40606. Ennomos (s.str.) autumnarius (Werneburg, 1859)** (Geometridae) Synonym(s): *autumnaria* Werneburg, 1859 Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Alnus, Betula, Quercus (Meyer, 1919).
- 40607. Ennomos (s.str.) duercki Reisser, 1958** (Geometridae) Synonym(s): *duercki* Reisser, 1958 Original Reference: Ennomos duercki Reisser, 1958, Z. Wien. ent. Ges. 43 (7): 114, pl. 3 figs. Holotype ♂: Crete: Silva Rouwa, Mons Ida, 1300m. Range (in code): **Cr**
- 40608. Ennomos (s.str.) effractarius Freyer, [1842]** (Geometridae) Synonym(s): *effractaria* Freyer, [1842] Original Reference: Ennomos effractaria Freyer, [1842], Neuere Beitr. Schmett. 4: 112, Taf. 353. Type(s): [Russland]: Sarepta. Range (in code): **RU TR**
- 40609. Ennomos (s.str.) quercinarius (Hufnagel, 1767)** (Geometridae) Synonym(s): *quercinaria* Hufnagel, 1767; *angularia* [Denis & Schiffermüller], 1775; *zona* Fourcroy, 1785; *carpinaria* Hübner, [1799] Original Reference: Phalaena quercinaria Hufnagel, 1767, Berl. Mag. 4: 520, 624. Type(s): Deutschland: Berlin. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ AM IR GlS DK NO SE LV LT RU MD UA BY** Bionomy: Larva on Betula, Fagus, Quercus, Tilia (Meyer, 1919).
- 40610. Ennomos (s.str.) zandi Wiltshire, 1947** (Geometridae) Synonym(s): *zandi* Wiltshire, 1947 Original Reference: Ennomos ? effractaria ssp. or f. zandi Wiltshire, 1947, Entomologist's Rec. J. Var. 59: 111, pl. v fig. 12. Holotype ♂: SW Iran: Shiraz, 5000ft. Range (in code): **IR Fa Shr**
- 40611. Entephria amplicosta Inoue, 1955** (Geometridae) Synonym(s): *amplicosta* Inoue, 1955 Range (in code): **JP Hkk**
- 40612. Entephria aurata (Packard, 1867)** (Geometridae) Synonym(s): *aurata* Packard, 1867 Range (in code): **CA Lbr**
- 40613. Entephria aurigutta (L.B. Prout, 1937)** (Geometridae) Synonym(s): *aurigutta* L.B. Prout, 1937 Range (in code): **CN Sz**
- 40614. Entephria bastelbergeri (Püngeler, 1902)** (Geometridae) Synonym(s): *bastelbergeri* Püngeler, 1902 Original Reference: Larentia bastelbergeri Püngeler, 1902, Dt. ent. Z., Iris 15: 155, pl. 5 figs. 25, 26. Syntypes: [Kirgisistan]: Issyk-Kul, Alexander Mts. Range (in code): **KK Ax Ik KG TJ Pm T-S**
- 40615. Entephria beringiana Troubridge, 1997** (Geometridae) Synonym(s): *beringiana* Troubridge, 1997 Range (in code): **CA Yuk**
- 40616. Entephria bradorata (Munroe, 1951)** (Geometridae) Synonym(s): *bradorata* Munroe, 1951; *aleutiata* Munroe, 1951 Range (in code): **CA Qb US Als**
- 40617. Entephria caeruleata (Guenée, 1858)** (Geometridae) Synonym(s): *caeruleata* Guenée, 1858 Range (in code): **PT ES**
- 40618. Entephria caesiata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *caesiata* [Denis & Schiffermüller], 1775 Original Reference: Geometra caesiata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 112. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co IT IS IE GB DE CH AT PL CZ SK HU RO YU BG TR Cc AM DK NO SE FI EE LV RU Kol K-R Ur Sb Kmt Sh MD UA BY MN JP CA** Bionomy: Larva on Vaccinium myrtillus, V. vitis-idaea (Meyer, 1919).
- 40619. Entephria calcephila Tikhonov, 1994** (Geometridae) Synonym(s): *calcephila* Tikhonov, 1994 Original Reference: Entephria calcephila Tikhonov, 1994, Atalanta 25 (1/2): 386, pl. 3 figs. Holotype ♂: [Russia]: Nordkaukasus: Kabardino-Balkaria, Fl. Karasu, 2000m (ZRAS). Range (in code): **RU Cc Kb**
- 40620. Entephria catochra (L.B. Prout, 1939)** (Geometridae) Synonym(s): *catochra* L.B. Prout, 1939 Original Reference: Cidaria (Entephria) catochra L.B. Prout, 1939, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 249 (18i). Syntypes 2♂ 2♀: Iran: Damavand, Hashtar, Kendevan Pass 2600-3100m (BMNH). Range (in code): **IR Elb Th**

- 40621. Entephria chlorotica** Herbulot,1984 (Geometridae) Synonym(s): *chlorotica* Herbulot,1984 Range (in code): **NP**
- 40622. Entephria chorogensis** Viidalepp,1988 (Geometridae) Synonym(s): *chorogensis* Viidalepp,1988 Original Reference: Entephria chorogensis Viidalepp,1988, Fauna pyadenits gor Srednei Azii: 69, pl.1 fig.8; text-pl. 11 figs.1,2. Holotype ♂: Tadjikistan: SW Pamir, Khorog, Botanical Garden. Range (in code): **TJ Pm Chr UZ T-S**
- 40623. Entephria clementia** Inoue,1982 (Geometridae) Synonym(s): *clementia* Inoue,1982 Range (in code): **NP**
- 40624. Entephria contestata** Vorbrodt & Müller-Rutz,1913 (Geometridae) Synonym(s): *contestata* Vorbrodt & Müller-Rutz,1913 Range (in code): **FR CH YU**
- 40625. Entephria cyanata** (Hübner,[1809]) (Geometridae) Synonym(s): *cyanata* Hübner,[1809]; *bubaceki* Reisser,1926; *altivolans* Wehrli,1926; *leucocyanata* Reisser,1935; *acyana* L.B.Prout,1938; *petronensis* Herbulot,1968; *gerennae* Gyulai,1984; *alanica* Tsveetkov,2012 Range (in code): **MA ES An FR Co IT NL DE CH AT PL SK HU RO YU AL BG GR RU Kus Da Kr Cc MD UA Cm TR** Bionomy: Larva on Arabis alpina, A. ciliata (Meyer,1919).
- 40626. Entephria desperata** (Staudinger,1892) (Geometridae) Synonym(s): *desperata* Staudinger,1892; *flexulata* L.B.Prout,1914. Range (in code): **KK**
- 40627. Entephria expiata** (Püngeler,1904) (Geometridae) Synonym(s): *expiata* Püngeler,1904 Original Reference: Larentia expiata Püngeler,1904, Dt. ent. Z., Iris 16: 292, pl.6 fig.9. Type ♂: [China: Uighur A.R.]: Aksu. Range (in code): **CN Ui Au KK T-S**
- 40628. Entephria flavata** (Osthelder,1929) (Geometridae) Synonym(s): *flavata* Osthelder,1929 Range (in code): **IT DE AT YU**
- 40629. Entephria flavicinctata** (Hübner,[1813]) (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934 Range (in code): **ES FR Co Si IT IS IE GB DE CH AT PL CZ SK RO YU AL BG GR NO SE FI RU K-R Cc Da Kc MD UA BY** Bionomy: Larva on Salix, Saxifraga (Meyer,1919).
- 40630. Entephria flavicinctata elbrusensis** Tikhonov,1994 (Geometridae) Synonym(s): *elbrusensis* Tikhonov,1994; *#elbursensis* Viidalepp,1996 Range (in code): **RU Kc Da Cc**
- 40631. Entephria flavicinctata flavicinctata** (Hübner,[1813]) (Geometridae) Synonym(s): *flavicinctata* Hübner,[1813]; *griseicinctata* Bruand,1850; *rubigicinctata* Bruand,1850; *ruficinctata* Guenée,[1858]; *obscurata* Staudinger,1901; *samnitaria* Sohn-Rethel,1929; *septentrionalis* Warnecke,1934 Range (in code): **ES FR Co Si IT IS IE GB DE CH AT PL CZ SK RO YU AL BG GR NO SE FI RU K-R Cc Da Kc MD UA BY**
- 40632. Entephria flavicinctata gabalorum** Herbulot,1962 (Geometridae) Synonym(s): *gabalorum* Herbulot,1962 Range (in code): **FR**
- 40633. Entephria ignorata** (Staudinger,1892) (Geometridae) Synonym(s): *ignorata* Staudinger,1892 Original Reference: Cidaria ignorata Staudinger,1892, Dt. ent. Z., Iris 5: 235-236. Type: [Russia]: [Daghestan]: Kurusch. Range (in code): **TR RU Da Kus Cc IR Elb Mz TM Kp**
- 40634. Entephria ignorata ignorata** (Staudinger,1892) (Geometridae) Synonym(s): *ignorata* Staudinger,1892 Original Reference: Cidaria ignorata Staudinger,1892, Dt. ent. Z., Iris 5: 235-236. Type: [Russia]: [Daghestan]: Kurusch. Range (in code): **RU Da Kus Cc**
- 40635. Entephria ignorata persicata** Aubert,1960 (Geometridae) Synonym(s): *persicata* Aubert,1960 Range (in code): **IR Elb Mz**
- 40636. Entephria ignorata vladimiri** Vasilenko,1993 (Geometridae) Synonym(s): *vladimiri* Vasilenko,1993 Range (in code): **TM Kp**
- 40637. Entephria infidaria** (La Harpe,1853) (Geometridae) Synonym(s): *infidaria* La Harpe,1853 Range (in code): **PT FR Si IT DE CH AT PL CZ RO** Bionomy: Larva on Alchemilla, Geranium robertianum (Geraniaceae); Juniperus communis, Lonicera xylosteum, Oxalis, Salix (Salicaceae); Saxifraga petraea, S. rotundifolia (Saxifragaceae) (Meyer,1919).
- 40638. Entephria intermediaria** (Alpheraky,1883) (Geometridae) Synonym(s): *intermediaria* Alpheraky,1883; *subravaria* L.B.Prout,1914. Original Reference: Cidaria intermediaria Alpheraky,1883, Horae Soc. ent. ross. 17: 211. Syntypes: [China: Uighur A.R.]: Archane 7000ft, Jouldousse 8000ft. Range (in code): **CN Ui Arc Ju Au KG KK T-S**
- 40639. Entephria inventariaia** (Grote,1882) (Geometridae) Synonym(s): *inventariaia* Grote,1882 Range (in code): **US Cf**
- 40640. Entephria kidluidata** (Munroe,1951) (Geometridae) Synonym(s): *kidluidata* Munroe,1951 Range (in code): **CA**

- 40641. Entephria kuznetsovi Viidalepp,1975** (Geometridae) Synonym(s): *kuznetsovi Viidalepp,1975* _ Range (in code): **RU Bry MN U-B**
- 40642. Entephria lagganata Taylor,1908** (Geometridae) Synonym(s): *lagganata Taylor,1908* _ Range (in code): **CA Abt**
- 40643. Entephria luteolata Aubert,1959** (Geometridae) Synonym(s): *luteolata Aubert,1959* _ Range (in code): **NP**
- 40644. Entephria lynda Troubridge,1997** (Geometridae) Synonym(s): *lynda Troubridge,1997* _ Range (in code): **CA Yuk**
- 40645. Entephria multicava L.B.Prout,1939** (Geometridae) Synonym(s): *multicava L.B.Prout,1939; albipunctata Aubert,1959* _ Range (in code): **MM CN Ti Yt**
- 40646. Entephria multivagata (Hulst,1881)** (Geometridae) Synonym(s): *multivagata Hulst,1881; nigrescens Hulst,1900* _ Range (in code): **US Col Org**
- 40647. Entephria muscosaria (Christoph,1893)** (Geometridae) Synonym(s): *muscosaria Christoph,1893* _ Original Reference: *Cidaria intermediaria* var. *muscosaria* Christoph,1893, Dt. ent. Z., Iris 6: 96. Syntypes ♂♂: [Russia]: Kasbek (ZIP). _ Range (in code): **RU Kc Teb Da Kus Cc**
- 40648. Entephria nobiliaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *nobiliaria Herrich-Schäffer,1852* _ Range (in code): **ES FR IT CH AT PL SK RO YU AL NO SE FI** _ Bionomy: Larva on *Saxifraga oppositifolia* (Meyer,1919).
- 40649. Entephria orientata Aubert,1959** (Geometridae) Synonym(s): *orientata Aubert,1959* _ Range (in code): **CN Sz T-T**
- 40650. Entephria polata (Duponchel,1830)** (Geometridae) Synonym(s): *polata Duponchel,1830; polaria Boisduval,1840; fumidotata Walker,[1863]; cineraria Schöyen,1880 nec Butl.,1878; ursata Munroe,1951* _ Range (in code): **NO SE FI RU Sb Kol MD UA BY CN Ui Kl CA**
- 40651. Entephria polata occata (Püngeler,1904)** (Geometridae) Synonym(s): *occata Püngeler,1904* _ Original Reference: *Larentia occata* Püngeler,1904, Dt. ent. Z., Iris 16: 294, pl.6 fig.11. Syntypes: [China: Uighur A.R.]: Korla. _ Range (in code): **CN Ui Kl RU Sb**
- 40652. Entephria polata transsibirica Vasilenko,1990** (Geometridae) Synonym(s): *transsibirica Vasilenko,1990* _ Range (in code): **RU Sb**
- 40653. Entephria polata tundraeata (Poppius,1906)** (Geometridae) Synonym(s): *tundraeata Poppius,1906* _ Range (in code): **RU**
- 40654. Entephria poliotaria (Hampson,1902)** (Geometridae) Synonym(s): *poliotaria Hampson,1902* _ Range (in code): **Ch BT CN Ti**
- 40655. Entephria poliotaria poliotaria (Hampson,1902)** (Geometridae) Synonym(s): *poliotaria Hampson,1902* _ Range (in code): **Ch**
- 40656. Entephria poliotaria tibetaria Aubert,1959** (Geometridae) Synonym(s): *tibetaria Aubert,1959* _ Range (in code): **BT CN Ti**
- 40657. Entephria punctatissima (W.Warren,1893)** (Geometridae) Synonym(s): *punctatissima W.Warren,1893* _ Range (in code): **IN SI**
- 40658. Entephria punctipes (Curtis,1835)** (Geometridae) Synonym(s): *punctipes Curtis,1835; brullei Lefebvre,1836; brulleata Duponchel,1842; byssata Aurivillius,1891* _ Range (in code): **NO SE FI RU Kol Sb Ya Mgd Kmt CA**
- 40659. Entephria ravaria (Lederer,1853)** (Geometridae) Synonym(s): *ravaria Lederer,1853* _ Range (in code): **KG KK T-S**
- 40660. Entephria relegata (Püngeler,1900)** (Geometridae) Synonym(s): *relegata Püngeler,1900* _ Range (in code): **CN Ts Kno**
- 40661. Entephria rjabovi Tikhonov,1994** (Geometridae) Synonym(s): *rjabovi Tikhonov,1994* _ Original Reference: *Entephria rjabovi* Tikhonov,1994, *Atalanta* 25 (1/2): 383-384, figs. Holotype ♂: Transcaucasus: Zangesur, Berg Yialgu-dara 3300m 26.vii.1939 leg. Rjabov (ZIP). _ Range (in code): **Cc AM Zng**
- 40662. Entephria sachaensis Vasilenko,1990** (Geometridae) Synonym(s): *sachaensis Vasilenko,1990* _ Range (in code): **RU Ya Mgd**
- 40663. Entephria separata Troubridge,1988** (Geometridae) Synonym(s): *separata Troubridge,1988* _ Range (in code): **CA Qb**
- 40664. Entephria takuata Taylor,1908** (Geometridae) Synonym(s): *takuata Taylor,1908* _ Range (in code): **CA BCo**
- 40665. Entephria tejmurovi Tikhonov,1994** (Geometridae) Synonym(s): *tejmurovi Tikhonov,1994* _ Original Reference: *Entephria tejmurovi* Tikhonov,1994, *Atalanta* 25 (1/2): 387-

- 388, figs. Holotype ♂: Russia: Daghestan: westl. Samurskiy Geb., leg. Tejmurov (ZIP). Range (in code): Cc RU Da
- 40666. Entephria tzygankoi Wehrli,1929** (Geometridae) Synonym(s): tzygankoi Wehrli,1929
Range (in code): MN RU Sj Sb Ya
- 40667. Entephria veletaria (Wehrli,1926)** (Geometridae) Synonym(s): veletaria Wehrli,1926
Range (in code): ES
- 40668. Eoasthena catharia L.B.Prout,1934** (Geometridae) Synonym(s): catharia L.B.Prout,1934
Range (in code): FJ
- 40669. Eoasthena extranea L.B.Prout,1934** (Geometridae) Synonym(s): extranea L.B.Prout,1934
Range (in code): FJ
- 40670. Eoasthena gnophobathra L.B.Prout,1934** (Geometridae) Synonym(s): gnophobathra L.B.Prout,1934
Range (in code): FJ
- 40671. Eoasthena quilla G.S.Robinson,1975** (Geometridae) Synonym(s): quilla G.S.Robinson,1975
Range (in code): FJ
- 40672. Eoasthena rowena G.S.Robinson,1975** (Geometridae) Synonym(s): rowena G.S.Robinson,1975
Range (in code): FJ
- 40673. Eoasthena sarramea Holloway,1979** (Geometridae) Synonym(s): sarramea Holloway,1979
Range (in code): NC
- 40674. Eoasthena stygna L.B.Prout,1934** (Geometridae) Synonym(s): stygna L.B.Prout,1934
Range (in code): FJ
- 40675. Eois amydroscia L.B.Prout,1922** (Geometridae) Synonym(s): amydroscia L.B.Prout,1922
Range (in code): CN Hn
- 40676. Eois ephyrata (Walker,[1863])** (Geometridae) Synonym(s): ephyrata Walker,[1863]
Range (in code): MY Bor Swk
- 40677. Eois flavata (W.Warren,1896)** (Geometridae) Synonym(s): flavata W.Warren,1896
Range (in code): ID Ja
- 40678. Eois grataria (Walker,1861)** (Geometridae) Synonym(s): grataria Walker,1861; pallicinctaria Walker,1863
Range (in code): ZA Tva Etm Ktz ZA04 Nta Kzu ZA14 Mpu ZA18 Ec NG AO UG KE LK
Bionomy: Larva on Englerophytum magaliesmontanum (Sapotaceae) (Duke & Duke,1998).
- 40679. Eois impletaria (Walker,1866)** (Geometridae) Synonym(s): impletaria Walker,1866; subrosea W.Warren,1897
Range (in code): ID Ij Mi Bli
- 40680. Eois ingrataria (W.Warren,1898)** (Geometridae) Synonym(s): ingrataria W.Warren,1898
Range (in code): IN Meg Khs ID Sbw
- 40681. Eois leucampyx L.B.Prout,1926** (Geometridae) Synonym(s): leucampyx L.B.Prout,1926
Range (in code): PG NBr
- 40682. Eois lunulosa (Moore,[1887])** (Geometridae) Synonym(s): lunulosa Moore,[1887]; ochracea W.Warren,1894
Range (in code): LK IN Meg Khs TH TW
- 40683. Eois memorata (Walker,1861)** (Geometridae) Synonym(s): memorata Walker,1861; rapistriaria Swinhoe,1890
Range (in code): IN MM Rgo TH Ntt Hba
- 40684. Eois mixosemia L.B.Prout,1926** (Geometridae) Synonym(s): mixosemia L.B.Prout,1926
Range (in code): MY Bor Swk
- 40685. Eois pallidula (W.Warren,1896)** (Geometridae) Synonym(s): pallidula W.Warren,1896
Range (in code): TH Ntt Hba ID Ja
- 40686. Eois phaneroscia L.B.Prout,1922** (Geometridae) Synonym(s): phaneroscia L.B.Prout,1922
Range (in code): IN Ass Meg Khs TH
- 40687. Eois planifimbria L.B.Prout,1922** (Geometridae) Synonym(s): planifimbria L.B.Prout,1922
Range (in code): SB
- 40688. Eois plicata (Moore,1888)** (Geometridae) Synonym(s): plicata Moore,1888
Range (in code): IN SI Djl
- 40689. Eois plumbacea (W.Warren,1894)** (Geometridae) Synonym(s): plumbacea W.Warren,1894; metriopis Meyrick,1897
Range (in code): MY Bor Klt ID
- 40690. Eois polycyma (West,1930)** (Geometridae) Synonym(s): polycyma West,1930
Range (in code): PH Mno
- 40691. Eois pyrauges L.B.Prout,1927** (Geometridae) Synonym(s): pyrauges L.B.Prout,1927
Range (in code): ST

- 40692. *Eois rectifasciata* D.S.Fletcher,1958** (Geometridae) Synonym(s): *rectifasciata* D.S.Fletcher,1958 _ Range (in code): UG Rz ZA
- 40693. *Eois sanguineata* (W.Warren,1901)** (Geometridae) Synonym(s): *sanguineata* W.Warren,1901 _ Range (in code): ID Ij Mi
- 40694. *Eois sp.1*** (Geometridae) Synonym(s): _ Range (in code): ZA ZA12 Kzu
- 40695. *Eois sp.2*** (Geometridae) Synonym(s): _ Range (in code): ZA Tva ZA20 Mpu
- 40696. *Eois sundasimilis* Holloway,1997** (Geometridae) Synonym(s): *sundasimilis* Holloway,1997
Range (in code): MY Sbh Bor
- 40697. *Eois tiebaghi* Holloway,1979** (Geometridae) Synonym(s): *tiebaghi* Holloway,1979
Range (in code): NC
- 40698. *Eois undulosaria* (W.Warren,1897)** (Geometridae) Synonym(s): *undulosaria* W.Warren,1897 _ Range (in code): ID Crm
- 40699. *Eois versata* (Walker,1861)** (Geometridae) Synonym(s): *versata* Walker,1861 _ Range (in code): MY Bor Swk
- 40700. *Eois willotti* Holloway,1997** (Geometridae) Synonym(s): *willotti* Holloway,1997 _ Range (in code): MY Bor Sbh
- 40701. *Ephemerophila lignata* (W.Warren,1894)** (Geometridae) Synonym(s): *lignata* W.Warren,1894 _ Range (in code): TH CMa Dst Int
- 40702. *Ephemerophila subterminalis* (L.B.Prout,1925)** (Geometridae) Synonym(s): *subterminalis* L.B.Prout,1925 _ Range (in code): MY Bor TH Nna Kao Loe
- 40703. *Ephemerophila torridaria* (Moore,1888)** (Geometridae) Synonym(s): *torridaria* Moore,1888 _ Range (in code): TH CMa Fn Agk
- 40704. *Epiclecta calidaria* L.B.Prout,1915** (Geometridae) Synonym(s): *calidaria* L.B.Prout,1915
Range (in code): ZA Ec Tra Stj
- 40705. *Epicosymbia dentisignata* (Walker,[1863])** (Geometridae) Synonym(s): *designata* Walker,[1863]; *perrufa* W.Warren,1897 _ Range (in code): ZA ZA07 Ksi Kzu Nta Dbn Tva
- 40706. *Epicosymbia nitidata* (W.Warren,1905)** (Geometridae) Synonym(s): *nitidata* W.Warren,1905; *albivertex* W.Warren,1900 _ Range (in code): ZA Tva Ktz ZA05 ZA07 ZA08 Ksi ZA14 Mpu ZA27 Kzu Nta
- 40707. *Epicosymbia nitidata* W.Warren,1905** (Geometridae) Synonym(s): *nitidata* W.Warren,1905 _ Range (in code): ZA Ksi Kzu Nta
- 40708. *Epicosymbia perstrigulata* (L.B.Prout,1913)** (Geometridae) Synonym(s): *perstrigulata* L.B.Prout,1913 _ Range (in code): ZA Tva Gau ZW Har Bionomy: Larva on *Pygmaeothamnus zeyheri* (Rubiaceae) (Staude,1999).
- 40709. *Epiglasma alba* Viette,1970** (Geometridae) Synonym(s): *alba* Viette,1970 _ Range (in code): MG
- 40710. *Epiglasma befasy* Viette,1981** (Geometridae) Synonym(s): *befasy* Viette,1981 _ Range (in code): MG
- 40711. *Epiglasma corrupta* Herbulot,1954** (Geometridae) Synonym(s): *corrupta* Herbulot,1954
Range (in code): MG
- 40712. *Epiglasma crenifera* Herbulot,1970** (Geometridae) Synonym(s): *crenifera* Herbulot,1970
Range (in code): MG
- 40713. *Epiglasma disjuncta* Herbulot,1972** (Geometridae) Synonym(s): *disjuncta* Herbulot,1972
Range (in code): MG
- 40714. *Epiglasma frigida* Herbulot,1972** (Geometridae) Synonym(s): *frigida* Herbulot,1972
Range (in code): MG
- 40715. *Epiglasma herbuloti* Viette,1980** (Geometridae) Synonym(s): *herbuloti* Viette,1980
Range (in code): MG
- 40716. *Epiglasma hispida* Herbulot,1972** (Geometridae) Synonym(s): *hispida* Herbulot,1972
Range (in code): MG
- 40717. *Epiglasma holochroa* Herbulot,1972** (Geometridae) Synonym(s): *holochroa* Herbulot,1972 _ Range (in code): MG
- 40718. *Epiglasma lutea* Viette,1970** (Geometridae) Synonym(s): *lutea* Viette,1970 _ Range (in code): MG
- 40719. *Epiglasma meloui* L.B.Prout,1930** (Geometridae) Synonym(s): *meloui* L.B.Prout,1930
Range (in code): MG

- 40720. *Epiglasma nobilis* Herbulot,1954** (Geometridae) Synonym(s): *nobilis* Herbulot,1954
Range (in code): MG
- 40721. *Epiglasma occidentalis* Herbulot,1972** (Geometridae) Synonym(s): *occidentalis* Herbulot,1972 Range (in code): MG
- 40722. *Epiglasma olsoufieffi* Herbulot,1972** (Geometridae) Synonym(s): *olsoufieffi* Herbulot,1972 Range (in code): MG
- 40723. *Epiglasma perineti* Herbulot,1972** (Geometridae) Synonym(s): *perineti* Herbulot,1972
Range (in code): MG
- 40724. *Epiglasma praenuntia* Herbulot,1972** (Geometridae) Synonym(s): *praenuntia* Herbulot,1972 Range (in code): MG
- 40725. *Epiglasma radiata* Herbulot,1972** (Geometridae) Synonym(s): *radiata* Herbulot,1972
Range (in code): MG
- 40726. *Epiglasma rhodostigma* Herbulot,1954** (Geometridae) Synonym(s): *rhodostigma* Herbulot,1954 Range (in code): MG
- 40727. *Epiglasma rufifrons* Herbulot,1972** (Geometridae) Synonym(s): *rufifrons* Herbulot,1972
Range (in code): MG
- 40728. *Epiglasma simplaria* Herbulot,1972** (Geometridae) Synonym(s): *simplaria* Herbulot,1972 Range (in code): MG
- 40729. *Epiglasma triplicifascia* (L.B.Prout,1912)** (Geometridae) Synonym(s): *triplicifascia* L.B.Prout,1912 Range (in code): MG
- 40730. *Epiglasma tulear* Herbulot,1972** (Geometridae) Synonym(s): *tulear* Herbulot,1972
Range (in code): MG
- 40731. *Epiglasma viridibasis* Herbulot,1972** (Geometridae) Synonym(s): *viridibasis* Herbulot,1972 Range (in code): MG
- 40732. *Epigynopteryx affirmata* Herbulot,1997** (Geometridae) Synonym(s): *affirmata* Herbulot,1997 Range (in code): CM
- 40733. *Epigynopteryx africana* (Aurivillius,1910)** (Geometridae) Synonym(s): *africana* Aurivillius,1910 Range (in code): TZ
- 40734. *Epigynopteryx altivagans* Herbulot,1993** (Geometridae) Synonym(s): *altivagans* Herbulot,1993 Range (in code): MG
- 40735. *Epigynopteryx ansorgei* (W.Warren,1901)** (Geometridae) Synonym(s): *ansorgei* W.Warren,1901; *barbaria* Oberthür,1911 Original Reference: Aeschropteryx ? ansorgei W.Warren,1901, Novit. zool. 8: 17-18. Type ♂: Congo Free State [Zaire]: "two days from Fort Beni", 6th May,1899 (Dr. Ansorge) (BMNH). Range (in code): ZR Bni CM
- 40736. *Epigynopteryx artemis* Viette,1973** (Geometridae) Synonym(s): *artemis* Viette,1973
Range (in code): MG
- 40737. *Epigynopteryx aurantiaca* Herbulot,1965** (Geometridae) Synonym(s): *aurantiaca* Herbulot,1965 Range (in code): MG
- 40738. *Epigynopteryx borgeaudi* (Herbulot,[1957])** (Geometridae) Synonym(s): *borgeaudi* Herbulot,[1957] Range (in code): MG
- 40739. *Epigynopteryx captiva* Herbulot,1997** (Geometridae) Synonym(s): *captiva* Herbulot,1997
Range (in code): RW
- 40740. *Epigynopteryx castanea* Viette,1977** (Geometridae) Synonym(s): *castanea* Viette,1977
Range (in code): MG
- 40741. *Epigynopteryx coffeae* L.B.Prout,1934** (Geometridae) Synonym(s): *coffeae* L.B.Prout,1934 Range (in code): KE
- 40742. *Epigynopteryx commixta* W.Warren,1934** (Geometridae) Synonym(s): *commixta* W.Warren,1934; *bipunctaria* Bastelberger,1909; *sabasaria* Oberthür,1911 Range (in code): UG ZR CM
- 40743. *Epigynopteryx curvimargo* (Hampson,1909)** (Geometridae) Synonym(s): *curvimargo* Hampson,1909 Range (in code): UG Rz
- 40744. *Epigynopteryx declinans* Herbulot,1965** (Geometridae) Synonym(s): *declinans* Herbulot,1965 Range (in code): MG
- 40745. *Epigynopteryx dia* Viette,1973** (Geometridae) Synonym(s): *dia* Viette,1973 Range (in code): MG
- 40746. *Epigynopteryx dorcas* L.B.Prout,1932** (Geometridae) Synonym(s): *dorcas* L.B.Prout,1932
Range (in code): ZR

- 40747. *Epigynopteryx duboisi* Herbulot,1981** (Geometridae) **Synonym(s):** *duboisi* Herbulot,1981
Range (in code): **KM**
- 40748. *Epigynopteryx eudallasta* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *eudallasta* D.S.Fletcher,1978
Range (in code): **KE**
- 40749. *Epigynopteryx eugonia* L.B.Prout,1935** (Geometridae) **Synonym(s):** *eugonia* L.B.Prout,1935
Range (in code): **BW**
- 40750. *Epigynopteryx fimosa* (W.Warren,1905)** (Geometridae) **Synonym(s):** *fimosa* W.Warren,1905
Range (in code): **SL**
- 40751. *Epigynopteryx flavedinaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *flavedinaria* Guenée,[1858]; *mollitaria* Guenée,[1858]; *xanthiaria* Guenée,[1858]
Range (in code): **ET**
- 40752. *Epigynopteryx flexa* L.B.Prout,1931** (Geometridae) **Synonym(s):** *flexa* L.B.Prout,1931
Range (in code): **CM Bit**
- 40753. *Epigynopteryx fulva* Janse,1932** (Geometridae) **Synonym(s):** *fulva* Janse,1932
Range (in code): **ZA Tva Mpu Brb**
- 40754. *Epigynopteryx glycera* L.B.Prout,1934** (Geometridae) **Synonym(s):** *glycera* L.B.Prout,1934
Range (in code): **MG**
- 40755. *Epigynopteryx glycera subbasalis* Herbulot,1965** (Geometridae) **Synonym(s):** *subbasalis* Herbulot,1965
Range (in code): **MG**
- 40756. *Epigynopteryx guichardi* Wiltshire,1982** (Geometridae) **Synonym(s):** *guichardi* Wiltshire,1982
Range (in code): **SA As YE YE33 Sna**
- 40757. *Epigynopteryx impunctata* (W.Warren,1898)** (Geometridae) **Synonym(s):** *impunctata* W.Warren,1898
Range (in code): **UG Kmp**
- 40758. *Epigynopteryx indiscretaria* (Mabille,1898)** (Geometridae) **Synonym(s):** *indiscretaria* Mabille,1898
Range (in code): **MG**
- 40759. *Epigynopteryx jacksoni* Carcasson,1964** (Geometridae) **Synonym(s):** *jacksoni* Carcasson,1964
Range (in code): **UG Kzi**
- 40760. *Epigynopteryx langaria* (Holland,1920)** (Geometridae) **Synonym(s):** *langaria* Holland,1920
Range (in code): **ZR**
- 40761. *Epigynopteryx lioloma* L.B.Prout,1931** (Geometridae) **Synonym(s):** *lioloma* L.B.Prout,1931
Range (in code): **SO**
- 40762. *Epigynopteryx maculosata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *maculosata* W.Warren,1901
Range (in code): **ZR**
- 40763. *Epigynopteryx maeviaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *maeviaria* Guenée,[1858]
Range (in code): **ZA ZA08 ZA12 ZA13 Nta Kzu ZA28 Tva Lpo**
- 40764. *Epigynopteryx metrocamparia* (Bastelberger,1908)** (Geometridae) **Synonym(s):** *metrocamparia* Bastelberger,1908
Range (in code): **CM**
- 40765. *Epigynopteryx modesta* (Butler,1880)** (Geometridae) **Synonym(s):** *modesta* Butler,1880; *sipariata* Saalmüller,1891
Range (in code): **MG**
- 40766. *Epigynopteryx molochina* Herbulot,1984** (Geometridae) **Synonym(s):** *molochina* Herbulot,1984
Range (in code): **CM**
- 40767. *Epigynopteryx mutabilis* (W.Warren,1903)** (Geometridae) **Synonym(s):** *mutabilis* W.Warren,1903
Range (in code): **KE**
- 40768. *Epigynopteryx nigricola* (W.Warren,1897)** (Geometridae) **Synonym(s):** *nigricola* W.Warren,1897; *abbreviata* W.Warren,1901; *epionata* W.Warren,1897
Range (in code): **NG Wrr**
- 40769. *Epigynopteryx ommatoclesia* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *ommatoclesia* L.B.Prout,1922
Range (in code): **ZA Etm ZA06 Ksi Nta Kzu ZA18 Ec Nha**
- 40770. *Epigynopteryx perviata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *perviata* W.Warren,1897
Range (in code): **MG**
- 40771. *Epigynopteryx piperata* (Saalmüller,1880)** (Geometridae) **Synonym(s):** *piperata* Saalmüller,1880
Range (in code): **MG**
- 40772. *Epigynopteryx piperata turlini* Viette,1973** (Geometridae) **Synonym(s):** *turlini* Viette,1973
Range (in code): **MG**
- 40773. *Epigynopteryx proluxa* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *proluxa* L.B.Prout,1915
Range (in code): **MG**
- 40774. *Epigynopteryx prophylacis* Herbulot,[1957]** (Geometridae) **Synonym(s):** *prophylacis* Herbulot,[1957]
Range (in code): **ZR**

- 40775. Epigynopteryx pygmaea** Herbulot,[1957] (Geometridae) Synonym(s): *pygmaea* Herbulot,[1957] Range (in code): **MG**
- 40776. Epigynopteryx rougeoti** Herbulot,1977 (Geometridae) Synonym(s): *rougeoti* Herbulot,1977 Range (in code): **ET**
- 40777. Epigynopteryx scotti** D.S.Fletcher,1959 (Geometridae) Synonym(s): *scotti* D.S.Fletcher,1959 Range (in code): **ET**
- 40778. Epigynopteryx silvestris** Herbulot,1954 (Geometridae) Synonym(s): *silvestris* Herbulot,1954 Range (in code): **MG**
- 40779. Epigynopteryx stictigrama** (Hampson,1909) (Geometridae) Synonym(s): *stictigrama* Hampson,1909 Range (in code): **UG Rz**
- 40780. Epigynopteryx straminea** (W.Warren,1897) (Geometridae) Synonym(s): *straminea* W.Warren,1897 Range (in code): **NG Wrr**
- 40781. Epigynopteryx subpersa** (W.Warren,1897) (Geometridae) Synonym(s): *subpersa* W.Warren,1897; *craspigonia* Hampson,1909 Range (in code): **ZA ZR UG Rz**
- 40782. Epigynopteryx tabitha** W.Warren,1901 (Geometridae) Synonym(s): *tabitha* W.Warren,1901 Range (in code): **UG**
- 40783. Epigynopteryx tenera** Herbulot,1954 (Geometridae) Synonym(s): *tenera* Herbulot,1954 Range (in code): **MG**
- 40784. Epigynopteryx tenera sogai** Viette,1973 (Geometridae) Synonym(s): *sogai* Viette,1973 Range (in code): **MG**
- 40785. Epigynopteryx termininota** L.B.Prout,1934 (Geometridae) Synonym(s): *termininota* L.B.Prout,1934 Range (in code): **GO Bio**
- 40786. Epigynopteryx townsendi** D.S.Fletcher,1958 (Geometridae) Synonym(s): *townsendi* D.S.Fletcher,1958 Range (in code): **ZA KE** Bionomy: Larva on *Podranea brycei*, *Tecoma stans* (Bignoniaceae) (Scoble,1999).
- 40787. Epigynopteryx variabile** Viette,1973 (Geometridae) Synonym(s): *variabile* Viette,1973 Range (in code): **MG**
- 40788. Epigynopteryx venosa** Herbulot,1984 (Geometridae) Synonym(s): *venosa* Herbulot,1984 Range (in code): **RW**
- 40789. Epigynopteryx xeres** Viette,1973 (Geometridae) Synonym(s): *xeres* Viette,1973 Range (in code): **MG**
- 40790. Epilobophora florianii** Gianti,2007 (Geometridae) Synonym(s): *florianii* Gianti,2007 Original Reference: *Epilobophora florianii* Gianti,2007, *Shilap Revta lepid.* 35 (138): 257-260, figs. Holotype ♂: China: Szechuan, 15km W. Daocheng, 3800-4100m (coll. M.Gianti). Range (in code): **CN Sz**
- 40791. Epilobophora sabinata** (Geyer,[1831]) (Geometridae) Synonym(s): *sabinata* Geyer,[1831] Original Reference: *Geometra sabinata* Geyer,[1831], [in] Hübner, Samml. eur. Schmett. 5: pl.106, figs.550,551. Syntypes: Europa. Range (in code): **ES FR IT CH AT RO TR** Bionomy: Larva on *Juniperus sabina* (Meyer,1919).
- 40792. Epilobophora sabinata sabinata** (Geyer,[1831]) (Geometridae) Synonym(s): *sabinata* Geyer,[1831] Original Reference: *Geometra sabinata* Geyer,[1831], [in] Hübner, Samml. eur. Schmett. 5: pl.106, figs.550,551. Syntypes: Europa. Range (in code): **ES FR IT CH RO TR**
- 40793. Epilobophora sabinata teriolensis** (Kitt,1932) (Geometridae) Synonym(s): *teriolensis* Kitt,1932 Original Reference: *Nothopteryx sabinata* var. *teriolensis* Kitt,1932, *Verh. zool.- bot. Ges.* 82: 99, fig.2. Syntypes: Österreich: Ötztal. Range (in code): **AT**
- 40794. Epione chalcospilata** Walker,[1863] (Geometridae) Synonym(s): *chalcospilata* Walker,[1863] Range (in code): **ZA**
- 40795. Epione repandaria** (Hufnagel,1767) (Geometridae) Synonym(s): *repandaria* Hufnagel,1767; *apiciaria* [Denis & Schiffermüller],1775; *marginaria* Villers,1789; *demarginaria* Wehrli,1940; *franziscaria* Müller,1962 Original Reference: *Phalaena repandaria* Hufnagel,1767, *Berl. Mag.* 4: Range (in code): **PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: a on *Salix phylicifolia* (Salicaceae) (Scoble,1999).
- 40796. Epione vespertaria** (Linnaeus,1767) (Geometridae) Synonym(s): *vespertaria* Linnaeus,1767; *paralellaria* [Denis & Schiffermüller],1775; *affiniaria* Borkhausen,1794; *amura* Wehrli,1940 Range (in code): **ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO BG TR Cc DK NO SE FI EE LV LT RU MD UA BY KP KR Am**
- 40797. Epipristis minimaria** Guenée,[1858] (Geometridae) Synonym(s): *minimaria* Guenée,[1858] Range (in code): **LK IN TH**

- 40798. *Epirristis nelearia* (Guenée,[1858])** (Geometridae) Synonym(s): *nelearia* Guenée,[1858]
Range (in code): **TH Ntt Hba MY Bor ID Bli**
- 40799. *Epirristis storthophora* L.B.Prout,1927** (Geometridae) Synonym(s): *storthophora* L.B.Prout,1927
Range (in code): **ID Bli**
- 40800. *Epirristis transiens* (Sterneck,1927)** (Geometridae) Synonym(s): *transiens* Sterneck,1927
Range (in code): **CN Pkn**
- 40801. *Epirristis truncataria* (Walker,1861)** (Geometridae) Synonym(s): *truncataria* Walker,1861
Range (in code): **MY Bor Swk TH**
- 40802. *Epirranthis diversata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *diversata* [Denis & Schiffermüller],1775
Original Reference: *Geometra diversata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 315. Type(s): [Austria]: Vienna district. Range (in code): **FR BE LU DE CH AT PL CZ SK HU NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Populus tremula* (Meyer,1919).
- 40803. *Epirrhoe achatina* L.B.Prout,1915** (Geometridae) Synonym(s): *achatina* L.B.Prout,1915
Range (in code): **ZA Ggh Fs LS**
- 40804. *Epirrhoe alternata* (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
Original Reference: *Phalaena alternata* Müller,1764, Fauna Insectorum Friedrichsdalina: 51. Type(s): [Denmark]: Friedrichsdal [Seeland]. Range (in code): **PT ES FR Co Si IT IS GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Ya Bry Sj Krl MD UA Cm BY TR CN Ui Kun KK KG UZ TJ Pm MN Ce GG Tbl Mng Lag Bjo Bku Kir AZ Da Kus AM**
- 40805. *Epirrhoe alternata albotaeniatula* (Bryk,1942)** (Geometridae) Synonym(s): *albotaeniatula* Bryk,1942
Range (in code): **RU Krl**
- 40806. *Epirrhoe alternata alternata* (Müller,1764)** (Geometridae) Synonym(s): *alternata* Müller,1764; *sociata* Borkhausen,1794; *degenerata* Haworth,1809; *subtristata* Haworth,1809; *contristata* Donovan,1811; *aparinata* Hübner,[1825].
Original Reference: *Phalaena alternata* Müller,1764, Fauna Insectorum Friedrichsdalina: 51. Type(s): [Denmark]: Friedrichsdal [Seeland]. Range (in code): **PT ES FR Co BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Ya Bry MD UA Cm BY TR Cc GG AZ AM MN**
- 40807. *Epirrhoe alternata dubiosata* (Alpheraky,1883)** (Geometridae) Synonym(s): *dubiosata* Alpheraky,1883
Original Reference: *Cidaria sociata* var. *dubiosata* Alpheraky,1883, Horae Soc. ent. ross. 17: 216-218. Syntypes 7♂ 1♀: [Uighur Ili]: Kounguesse. Range (in code): **CN Ui Kun KK KG UZ TJ Pm**
- 40808. *Epirrhoe alternata dynata* (L.B.Prout,1938)** (Geometridae) Synonym(s): *dynata* L.B.Prout,1938
Range (in code): **IT Si**
- 40809. *Epirrhoe alternata islandica* (L.B.Prout,1914)** (Geometridae) Synonym(s): *islandica* L.B.Prout,1914
Range (in code): **IS**
- 40810. *Epirrhoe alternata obscurata* (South,1888)** (Geometridae) Synonym(s): *obscurata* South,1888
Range (in code): **GB**
- 40811. *Epirrhoe alternata pseudotristata* (Heydemann,1936)** (Geometridae) Synonym(s): *pseudotristata* Heydemann,1936
Range (in code): **RU Sj**
- 40812. *Epirrhoe alternata ssp.*** (Geometridae) Synonym(s):
Range (in code): **TR Cc**
- 40813. *Epirrhoe alternata subgressa* (Bryk,1942)** (Geometridae) Synonym(s): *subgressa* Bryk,1942
Range (in code): **RU Krl**
- 40814. *Epirrhoe annulifera* (W.Warren,1902)** (Geometridae) Synonym(s): *annulifera* W.Warren,1902
Range (in code): **KE Kyu ZA Etm Nta Kzu**
- 40815. *Epirrhoe edelsteni* L.B.Prout,1916** (Geometridae) Synonym(s): *edelsteni* L.B.Prout,1916
Range (in code): **ZA Ec**
- 40816. *Epirrhoe excentricata* (Alpheraky,1892)** (Geometridae) Synonym(s): *excentricata* Alpheraky,1892
Range (in code): **CN Ts**
- 40817. *Epirrhoe fulminata* (Alpheraky,1883)** (Geometridae) Synonym(s): *fulminata* Alpheraky,1883
Original Reference: *Cidaria fulminata* Alpheraky,1883, Horae Soc. ent. ross. 17: 218-219, Tab.viii. fig.68. Syntypes: [China: Uighur A.R.]: Kounguesse. Range (in code): **CN Ui Kun T-S KK**
- 40818. *Epirrhoe galiata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *galiata* [Denis & Schiffermüller],1775; *quadriannulata* Haworth,1809; *unilobata* Haworth,1809; *chalybeata* Hübner,[1813]; *eophanata* Krulikowsky,1906; *emina* Schawerda,1912
Original Reference: *Geometra galiata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]:

- Vienna district. Range (in code): MA DZ PT ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG Bjo Lag AM AZ DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa
Bionomy: Larva on Galium sylvaticum, G. verum (Meyer, 1919; Calle et al., 2000).
- 40819. Epirrhoe galiata eophanata (Krulikowski,1906)** (Geometridae) Synonym(s): *eophanata* Krulikowski,1906 Range (in code): RU
- 40820. Epirrhoe galiata orientata (Staudinger,1901)** (Geometridae) Synonym(s): *orientata* Staudinger,1901 Range (in code): TR LB Bsa Cc AZ AM GG
- 40821. Epirrhoe hastulata (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799] Range (in code): FR IT BE LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU MD UA BY Cc GG Akh Kmt Sb Kol K-R Ur Us JP
- 40822. Epirrhoe hastulata echigoensis (Inoue,1982)** (Geometridae) Synonym(s): *echigoensis* Inoue,1982 Range (in code): JP
- 40823. Epirrhoe hastulata hastulata (Hübner,1790)** (Geometridae) Synonym(s): *hastulata* Hübner,1790; *luctuata* Hübner,[1799] Range (in code): FR IT BE LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU MD UA BY Cc GG
- 40824. Epirrhoe hastulata reducta (Djakonov,1929)** (Geometridae) Synonym(s): *reducta* Djakonov,1929 Range (in code): RU Kmt Sb JP
- 40825. Epirrhoe latevittata (Turati,1913)** (Geometridae) Synonym(s): *latevittata* Turati,1913 Range (in code): Sa
- 40826. Epirrhoe molluginata (Hübner,[1813])** (Geometridae) Synonym(s): *molluginata* Hübner,[1813] Original Reference: Geometra molluginata Hübner,[1813], Samml. eur. Schmett. 5: pl.71, fig.371. Type: Europa. Range (in code): ES FR IT BE LU DE CH AT PL CZ SK HU RO MD YU BG GR TR Cc GG Aba AM AZ RU Da Bionomy: Larva on Galium (Meyer,1919).
- 40827. Epirrhoe psyroides Herbulot,1988** (Geometridae) Synonym(s): *psyroides* Herbulot,1988 Range (in code): BO
- 40828. Epirrhoe pupillata (Thunberg,1788)** (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djak.,1929 [priority!]. Range (in code): FR DE CH AT CZ SK HU DK NO SE FI EE RU Ur Cc Sb MD UA BY KG KK CN Ui T-S Gn MN
- 40829. Epirrhoe pupillata djakonovana (Bryk,1942)** (Geometridae) Synonym(s): *djakonovana* Bryk,1942 Range (in code): CN Gn
- 40830. Epirrhoe pupillata orientalis (Osthelder,1913)** (Geometridae) Synonym(s): *orientalis* Osthelder,1913 Original Reference: Larentia pupillata var. orientalis Osthelder,1913, Mitt. münch. ent. Ges. 4 (9/10): 73. Syntypes: Thian Schan. Range (in code): KK KG CN Ui T-S
- 40831. Epirrhoe pupillata pupillata (Thunberg,1788)** (Geometridae) Synonym(s): *pupillata* Thunberg,1788; *funerata* Hübner,[1799]; *reducta* Osthelder,1929 nec Djak.,1929 [priority!]. Range (in code): FR DE CH AT CZ SK HU DK NO SE FI EE RU Ur Cc Sb MD UA BY MN
- 40832. Epirrhoe reductula (Bryk,1942)** (Geometridae) Synonym(s): *reductula* Bryk,1942 Range (in code): RU Krl
- 40833. Epirrhoe rivata (Hübner,[1813])** (Geometridae) Synonym(s): *rivata* Hübner,[1813] Original Reference: Geometra rivata Hübner,[1813], Samml. eur. Schmett. 5: pl.79, fig.409. Type: Europa. Range (in code): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ AM Bionomy: Larva on Galium verum (Meyer,1919).
- 40834. Epirrhoe rivatula (Bryk,1942)** (Geometridae) Synonym(s): *rivatula* Bryk,1942 Range (in code): RU Krl
- 40835. Epirrhoe sandosaria (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *sandosaria* Herrich-Schäffer,1852 Range (in code): MA DZ Ges Ktr TN PT ES An
- 40836. Epirrhoe sandosaria bertrandi (Rothschild,1912)** (Geometridae) Synonym(s): *bertrandi* Rothschild,1912 Range (in code): MA DZ Ktr TN
- 40837. Epirrhoe sandosaria lybicaria (Turati,1930)** (Geometridae) Synonym(s): *lybicaria* Turati,1930 Range (in code): LY
- 40838. Epirrhoe sperryi Herbulot,1951** (Geometridae) Synonym(s): *sperryi* Herbulot,1951 Range (in code): CA
- 40839. Epirrhoe supergressa (Butler,1879)** (Geometridae) Synonym(s): *supergressa* Butler,1879 Range (in code): CN KP KR JP RU Kmt Sb Sh Am Krl
- 40840. Epirrhoe supergressa albigrassa (L.B.Prout,1938)** (Geometridae) Synonym(s): *albigrassa* L.B.Prout,1938 Range (in code): RU Sb Kmt Am Us Sh

- 40841. *Epirrhoe supergressa subgressa* (Bryk,1942)** (Geometridae) Synonym(s): *subgressa* Bryk,1942 _ Range (in code): RU Krl
- 40842. *Epirrhoe supergressa xenos* (Bryk,1942)** (Geometridae) Synonym(s): *xenos* Bryk,1942
Range (in code): RU Krl
- 40843. *Epirrhoe tartuensis* Moels,1965** (Geometridae) Synonym(s): *tartuensis* Moels,1965
Range (in code): FI EE LV LT RU Sb
- 40844. *Epirrhoe timozzaria* (Constant,1884)** (Geometridae) Synonym(s): *timozzaria* Constant,1884 _ Range (in code): FR Co IT Sa
- 40845. *Epirrhoe trappa* (Schaus,1901)** (Geometridae) Synonym(s): *trappa* Schaus,1901
Range (in code): BR
- 40846. *Epirrhoe tristata* (Linnaeus,1758)** (Geometridae) Synonym(s): *tristata* Linnaeus,1758;
limbosignata Nolcken,1867 Original Reference: *Phalaena tristata* Linnaeus,1758, Syst. Nat.
(Edn.10): Type(s): Europa. Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU
RO YU BG TR Cc GG Akh AM AZ DK NO SE FI EE LV LT RU K-R Ur Sb Ya Am Us Sh MD UA BY KG KK
MN Bionomy: Larva on *Galium sylvaticum* (Meyer,1919).
- 40847. *Epirrhoe virginea* (L.B.Prout,1914)** (Geometridae) Synonym(s): *virginea* L.B.Prout,1914
Range (in code): CN Ts Kno
- 40848. *Epirrita autumnata* (Borkhausen,1794)** (Geometridae) Synonym(s): *autumnata*
Borkhausen,1794; autumnaria Doubleday,1849; *approximaria* Weaver,1852; *altivagata* Hartig,1938 _ Range
(in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY
Bionomy: Larva on *Salix* (Meyer,1919).
- 40849. *Epirrita christyi* (Allen,1906)** (Geometridae) Synonym(s): *christyi* Allen,1906 _ Range
(in code): DZ Elt TN ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV
LT RU Cc AM
- 40850. *Epirrita dilutata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s):
#dilutata [Denis & Schiffermüller],1775; *nebulata* Thunberg,1784; *impluviata* Borkhausen,1794; *fimbriata*
Haworth,1809; inscriptata Donovan,1811; *neglectata* Weaver,1852; *unicolorata* Lambillion,1905 Original
Reference: *Geometra dilutata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett.
Wienergegend: 109. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Co Sa Si IT IE
GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag AZ DK NO SE FI EE LV LT
RU MD UA BY Bionomy: Larva on *Quercus robur*, *Betula*, *Corylus*, *Crataegus*, *Prunus spinosa*,
Rosa, *Salix* ([Denis & Schiffermüller],1775; Meyer,1919).
- 40851. *Epirrita faenaria* (Bastelberger,1911)** (Geometridae) Synonym(s): *faenaria*
Bastelberger,1911 _ Range (in code): TW
- 40852. *Epirrita filigrammaria* (Herrich-Schäffer,1848)** (Geometridae) Synonym(s):
#filigrammaria Herrich-Schäffer,1846; *filigrammaria* Herrich-Schäffer,1848 _ Range (in code): IE GB
- 40853. *Epirrita terminassianae* (Vardikjan,1974)** (Geometridae) Synonym(s): *terminassianae*
Vardikjan,1974 Original Reference: *Oporinia terminassianae* Vardikjan,1974, Dokl. Akad. Nauk.
armyan.SSR 58 (1): 50, pl.1 figs.1,2. Holotype ♂: Armenia: Idzhevan region, Achadzhur. Range
(in code): AM Cc TR GR Sms Cr
- 40854. *Episothalma cognataria* Swinhoe,1903** (Geometridae) Synonym(s): *cognataria*
Swinhoe,1903 Original Reference: *Episothalma cognataria* Swinhoe,1903, Ann. Mag. nat. Hist.
(7) 11: 510. Syntypes ♂♂: Siam [Thailand]: Muok-Lek, 1000ft. (BMNH). Range (in code): TH CN
Yu
- 40855. *Episothalma cuspidata* Xue & Wang,2009** (Geometridae) Synonym(s): *cuspidata* Xue &
Wang,2009 _ Range (in code): CN Hn
- 40856. *Episothalma irrobustaria* Xue & Wang,2009** (Geometridae) Synonym(s): *irrobustaria*
Xue & Wang,2009 _ Range (in code): TH Nan
- 40857. *Episothalma robustaria* (Guenée,[1858])** (Geometridae) Synonym(s): *robustaria*
Guenée,[1858]; sisunaga Walker,1861; *macruraria* Walker,[1863]; *indeterminata* Walker,1869; *fimbriaria*
Walker,1869 _ Range (in code): IN Ass Meg Khs Djl SI NI CN Hn Yu NP BD TH Ntt Hba Mae VN MY
Bor Swk MM ID Sum Ja
- 40858. *Episteira confusidentata* (W.Warren,1897)** (Geometridae) Synonym(s): *confusidentata*
W.Warren,1897 _ Range (in code): ZA Tva ZA14 Mpu Ec Bionomy: Larva on *Pappea capensis*
(Sapindaceae), *Ochna arborea* (Ochnaceae) (Duke & Duke,1998).
- 40859. *Epitherina bahmana* (Wiltshire,1943)** (Geometridae) Synonym(s): *bahmana*
Wiltshire,1943 Original Reference: *Erannis bahmana* Wiltshire,1943, J. Bombay nat. Hist. Soc.
44 (2): 249. Holotype ♂: [Iran]: Fars: South of Shiraz, Muk Pass (Gir-i Bahman) . Range (in

- code): **IR Fa IQ** Bionomy: Larva on Pistacia khinjuk, Prunus and Amygdalus (Wiltshire,1943,1952).
- 40860. Epitherina ghirshimani (Wiltshire,1944)** (Geometridae) Synonym(s): *ghirshimani* Wiltshire,1944 Original Reference: Boarmia ghirshimani Wiltshire,1944, Entomologist's Rec. J. Var. 56: 98, fig. Holotype ♀: [Iran]: Fars: near Kazerun, Shapur Gorge (Tang-i-Chugan), 3000ft. Range (in code): **IR Fa IQ** Bionomy: Larva on Prunus and Amygdalus (Wiltshire,1952).
- 40861. Epitherina kuznetsovi Viidalepp,[1992]** (Geometridae) Synonym(s): *kuznetsovi* Viidalepp,[1992] Original Reference: Epitherina kuznetsovi Viidalepp,[1992], [in] Myartseva, Ecology and distribution of Insects in Turkmenistan: 125, fig.4. Holotype ♀: Turkmenistan (ZRAS). Range (in code): **TM**
- 40862. Epitherina rhodopoleos Wehrli,1938** (Geometridae) Synonym(s): *rhodopoleos* Wehrli,1938 Original Reference: Epitherina rhodopoleos Wehrli,1938, Ent. Rdsch. 55: 355. Holotype ♀: [Iran]: Persia: Shiraz, 1700m (BMNH). Range (in code): **IR Fa Shr**
- 40863. Erannis ankeraria (Staudinger,1861)** (Geometridae) Synonym(s): *ankeraria* Staudinger,1861 Range (in code): **IT AT FR DE DK SE PL HU RO BG SS HV TR** Bionomy: Larva on Quercus (Meyer,1919)
- 40864. Erannis ankeraria ankeraria (Staudinger,1861)** (Geometridae) Synonym(s): *ankeraria* Staudinger,1861 Range (in code): **IT AT FR DE DK SE PL HU RO BG SS HV** Bionomy: Larva on Quercus (Meyer,1919)
- 40865. Erannis ankeraria syriaca Wehrli,1934** (Geometridae) Synonym(s): *syriaca* Wehrli,1934 Original Reference: Erannis ankeraria ssp. syriaca Wehrli,1934, Mitt. münch. ent. Ges. 24: 41. Syntypes 2♂: [Türkei]: Akbes, Malatia (leg. Höfer). Range (in code): **TR**
- 40866. Erannis caspica Laszlo,2003** (Geometridae) Synonym(s): *caspica* Laszlo,2003 Original Reference: Erannis caspica Laszlo,2003, Acta zool. hung. 49: 156-159, figs. Holotype ♂: Iran: Ghilan, 15km sw Rasht, Disku 200m (HNHM). Range (in code): **IR Gh Cc AZ Tlh**
- 40867. Erannis declinans (Staudinger,1879)** (Geometridae) Synonym(s): *declinans* Staudinger,1879. Original Reference: Hybernica declinans Staudinger,1879, Horae Soc. ent. ross. 14: 448. Syntypes 8♂ 4♀: [Türkei]: Amasia, Taurus. Range (in code): **BG TR Cc RU Da** Bionomy: Larva on Paliurus (Meyer,1919).
- 40868. Erannis defoliaria (Linnaeus,1761)** (Geometridae) Synonym(s): *#defoliaria* Clerk,1759; *defoliaria* Linnaeus,1761 Range (in code): **ES Mu FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Betula, Crataegus monogyna, Fagus, Prunus spinosa, P. domestica, Pyrus, Quercus, Salix (Meyer,1919; Calle et al.,2000).
- 40869. Erannis erectaria (Püngeler,1902)** (Geometridae) Synonym(s): *erectaria* Püngeler,1902 Original Reference: Hybernica erectaria Püngeler,1902, Dt. ent. Z., Iris 15: 155-156, Taf.vi fig.1. Syntypes 4♂: [Uighur A.R.]: "Aksu". Range (in code): **CN Ui Au**
- 40870. Erannis kashmirensis Laszlo,2003** (Geometridae) Synonym(s): *kashmirensis* Laszlo,2003 Original Reference: Erannis kashmirensis Laszlo,2003, Acta zool. hung. 49: 154-156, figs. Holotype ♂: Pakistan, Kashmir, Deosai Mts. Bubin, 3150m (HNHM). Range (in code): **Ch Deo Bt PK**
- 40871. Erannis potopolskii Viidalepp,1988** (Geometridae) Synonym(s): *potopolskii* Viidalepp,1988 Range (in code): **UZ T-S TJ**
- 40872. Erastria leucicolor (Butler,1875)** (Geometridae) Synonym(s): *leucicolor* Butler,1875; *atrisignata* W.Warren,1914 Original Reference: Hyperythra leucicolor Butler,1875, Ann. Mag. nat. Hist. (4) 16: 417. Syntypes: [South Africa]: Natal (BMNH). Range (in code): **ZA ZA08 Mal Tva Lpo Spb Bbg ZA27 Nta Kzu** Bionomy: Larva on Rhamnus, Zizyphus mucronata (Rhamnaceae) (Scoble et al.,1999).
- 40873. Erastria madecassaria natalensis (W.Warren,1897)** (Geometridae) Synonym(s): *natalensis* W.Warren,1897 Range (in code): **ZA Ktz ZA04 ZA05 ZA12 ZA13 Kzu ZA14 Mal Nta Tva Lpo ZA16 Mpu**
- 40874. Ereboromorpha fulguraria Walker,1860** (Geometridae) Synonym(s): *fulguraria* Walker,1860 Original Reference: Ereboromorpha fulguraria Walker,1860, List Specimens lepid. Insects Colln Br. Mus. 21: 495. Range (in code): **TH CMa Int CDo**
- 40875. Eretmopus marinaria (Guenée,[1858])** (Geometridae) Synonym(s): *marinaria* Guenée,[1858]; *penicillata* Walker,1861; *retensa* L.B.Prout,1931 Range (in code): **MY Bor Swk PH Mno**

- IN Adm TH SG ID Bli Clb Mlc PG AU** Bionomy: Larva on Sonneratia (Sonneratiaceae) (Holloway,1996).
- 40876. *Euchoeca nebulata* (Scopoli,1763)** (Geometridae) Synonym(s): *nebulata* Scopoli,1763; *obliterata* Hufnagel,1767; *heparata* [Denis & Schiffermüller],1775; *strigata* Thunberg,1788 nec Sc.,1763; *hepararia* Hübner,[1799] Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo**
- 40877. *Eucrostes albicornaria* (Mabille,1880)** (Geometridae) Synonym(s): *albicornaria* Mabille,1880 Range (in code): **ZA Ksi Kzu Nta Tva Bfk**
- 40878. *Eucrostes disparata* (Walker,1861)** (Geometridae) Synonym(s): *disparata* Walker,1861 Range (in code): **ZA ZA18 Ec Wca Ste Nta Kzu Srn YE YE3o Sna TH**
- 40879. *Eucrostes indigenata* (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789; *fimbriolaria* Hübner,[1817]; *indigenaria* Treitschke,1827; *nudilimbaria* Mabille,1880 Original Reference: *Phalaena indigenata* Villers,1789, Linn. Ent. 2: 383, pl.6 fig.19. Type: Old Rhone valley. Range (in code): **DZ Ges ES Mu FR Co Sa Si IT MT HU YU AL BG GR Cr TR IL Pa Js CY** Bionomy: Larva on Euphorbia (Staudinger,1879; Meyer,1919).
- 40880. *Eucrostes indigenata indigenata* (Villers,1789)** (Geometridae) Synonym(s): *indigenata* Villers,1789; *fimbriolaria* Hübner,[1817]; *indigenaria* Treitschke,1827; *nudilimbaria* Mabille,1880 Original Reference: *Phalaena indigenata* Villers,1789, Linn. Ent. 2: 383, pl.6 fig.19. Type: Old Rhone valley. Range (in code): **ES Mu FR Co Sa Si DZ Lbs TN IT MT HU B-H YU HV AL BG GR Cr TR IL Pa Js JO CY**
- 40881. *Eucrostes indigenata lanjeronica* Hausmann,1996** (Geometridae) Synonym(s): *lanjeronica* Hausmann,1996 Original Reference: *Eucrostes indigenata* ssp. *lanjeronica* Hausmann,1996, Nota lepid. 19 (1/2): 43-44, fig.148. Holotype ♀: Hispania mer., Andalusia, Lanjeron, 11 vi 1895 leg. Korb (ZSM). Range (in code): **ES An**
- 40882. *Eucrostes pygmaea* Rebel,1907** (Geometridae) Synonym(s): *pygmaea* Rebel,1907 Range (in code): **Sk**
- 40883. *Eucrostes rhodophthama* L.B.Prout,1912** (Geometridae) Synonym(s): *rhodophthama* L.B.Prout,1912 Range (in code): **ZA ZA25 Nta Kzu Wca Cto Umk Ec Tra**
- 40884. *Eucrostes rufociliaria* Herrich-Schäffer,[1855]** (Geometridae) Synonym(s): *rufociliaria* Herrich-Schäffer,[1855] Range (in code): **ZA Wca Cto**
- 40885. *Eucrostes* sp.** (Geometridae) Synonym(s): Range (in code): **ZA ZA05 Nta Kzu**
- 40886. *Eucyclodes albifinita* (L.B.Prout,1913)** (Geometridae) Synonym(s): *albifinita* L.B.Prout,1913 Range (in code): **ID Ij Gth**
- 40887. *Eucyclodes albiradiata* (W.Warren,1893)** (Geometridae) Synonym(s): *albiradiata* W.Warren,1893 Range (in code): **IN Nag**
- 40888. *Eucyclodes albisparsa* (Walker,1861)** (Geometridae) Synonym(s): *albisparsa* Walker,1861 Range (in code): **MY Bor Swk TH CMA**
- 40889. *Eucyclodes albotermina* (Inoue,1978)** (Geometridae) Synonym(s): *albotermina* Inoue,1978 Range (in code): **TW**
- 40890. *Eucyclodes alboviridis* (Moore,1872)** (Geometridae) Synonym(s): *alboviridis* Moore,1872; *praeampla* W.Warren,1897 Range (in code): **IN Ass Meg Khs**
- 40891. *Eucyclodes aureofulva* (W.Warren,1897)** (Geometridae) Synonym(s): *aureofulva* W.Warren,1897 Range (in code): **IN Ass Meg Khs**
- 40892. *Eucyclodes beatrix* (L.B.Prout,1913)** (Geometridae) Synonym(s): *beatrix* L.B.Prout,1913 Range (in code): **ID Ij Gth**
- 40893. *Eucyclodes bifuscata* (L.B.Prout,1913)** (Geometridae) Synonym(s): *bifuscata* L.B.Prout,1913 Range (in code): **ID Ij Gth**
- 40894. *Eucyclodes charma* (L.B.Prout,1917)** (Geometridae) Synonym(s): *charma* L.B.Prout,1917 Range (in code): **MY Bor Swk**
- 40895. *Eucyclodes decorata* (W.Warren,1906)** (Geometridae) Synonym(s): *decorata* W.Warren,1906 Range (in code): **PG ID Ij Gth**
- 40896. *Eucyclodes delectabilis* (L.B.Prout,1913)** (Geometridae) Synonym(s): *delectabilis* L.B.Prout,1913 Range (in code): **ID Ij Gth**
- 40897. *Eucyclodes discata* (W.Warren,1897)** (Geometridae) Synonym(s): *discata* W.Warren,1897 Range (in code): **MY Bor Sbh KBA TH**
- 40898. *Eucyclodes discipennata* (Walker,1861)** (Geometridae) Synonym(s): *discipennata* Walker,1861 Range (in code): **MY Bor Swk**

- 40899. *Eucyclodes gavissima* (Walker,1861)** (Geometridae) **Synonym(s):** *gavissima* Walker,1861
Range (in code): **LK MY Bor CN Sz TW TH CMa**
- 40900. *Eucyclodes iridescens* (W.Warren,1906)** (Geometridae) **Synonym(s):** *iridescens* W.Warren,1906; *innuba* W.Warren,1907 **Range (in code):** **PG ID Ij Gth**
- 40901. *Eucyclodes isogamia* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *isogamia* L.B.Prout,1913 **Range (in code):** **ID Ij Gth**
- 40902. *Eucyclodes lepta* (West,1930)** (Geometridae) **Synonym(s):** *lepta* West,1930 **Range (in code):** **PH Luz**
- 40903. *Eucyclodes muscosa* (W.Warren,1897)** (Geometridae) **Synonym(s):** *muscosa* W.Warren,1897 **Range (in code):** **PG Eca Fg**
- 40904. *Eucyclodes orbimaculata* (W.Warren,1907)** (Geometridae) **Synonym(s):** *orbimaculata* W.Warren,1907 **Range (in code):** **PG ID Ij Gth**
- 40905. *Eucyclodes pagenstecheri* (Semper,1902)** (Geometridae) **Synonym(s):** *pagenstecheri* Semper,1902 **Range (in code):** **PH Luz**
- 40906. *Eucyclodes pastor* (Butler,1880)** (Geometridae) **Synonym(s):** *pastor* Butler,1880
Range (in code): **IN SI Djl**
- 40907. *Eucyclodes rufimargo* (W.Warren,1897)** (Geometridae) **Synonym(s):** *rufimargo* W.Warren,1897 **Range (in code):** **MY Bor Sbh**
- 40908. *Eucyclodes semialba* (Walker,1861)** (Geometridae) **Synonym(s):** *semialba* Walker,1861
Range (in code): **MY Bor Swk ID Clb LK TH CMa Cmz Cz10 Cz11**
- 40909. *Eucyclodes stellifera* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *stellifera* L.B.Prout,1913 **Range (in code):** **ID Ij Gth**
- 40910. *Eucyclodes textilis* (Butler,1880)** (Geometridae) **Synonym(s):** *textilis* Butler,1880
Range (in code): **IN SI Djl**
- 40911. *Eucyclodes textiloides* Holloway,1996** (Geometridae) **Synonym(s):** *textiloides* Holloway,1996 **Range (in code):** **MY Bor Swk**
- 40912. *Euexia percnopus* L.B.Prout,1915** (Geometridae) **Synonym(s):** *percnopus* L.B.Prout,1915
Range (in code): **ZA Tva ZA04 ZA07 ZA08 Ksi ZA14 Mpu ZA25 ZA26 Nta Kzu**
- 40913. *Eugnesia correspondens* W.Warren,1897** (Geometridae) **Synonym(s):** *correspondens* W.Warren,1897
Original Reference: *Eugnesia correspondens* W.Warren,1897, Novit. zool. 4: 76-77. Type ♂: Philippines: Luzon. **Range (in code):** **PH ID Mlc PG NC**
- 40914. *Eulithis mellinata* (Fabricius,1787)** (Geometridae) **Synonym(s):** *mellinata* Fabricius,1787; *associata* Borkhausen,1794; *marmorata* Hübner,[1799]; *spinaciata* Haworth,1809; *marmoraria* Boisduval,1840.
Original Reference: *Phalaena mellinata* Fabricius,1787, Mant. Ins. 2: 206. Type(s): Austria.
Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO Cc GG TR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Ribes alpinum*, *R. nigrum*, *R. rubrum*, *R. uva-crispa*.
- 40915. *Eulithis peloponnesiaca* (Rebel,1902)** (Geometridae) **Synonym(s):** *peloponnesiaca* Rebel,1902
Original Reference: *Lygris peloponnesiaca* Rebel,1902, Berl. ent. Z. 47 (1/2): 97, fig. Syntypes 2♂ 2♀: [Griechenland]: Taygetos, 1200m (NHMW). **Range (in code):** **GR** **Bionomy:** Larva on *Ribes* (Meyer,1919).
- 40916. *Eulithis populata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *populata* Linnaeus,1758; *dotata* Linnaeus,1758; *popularia* Boisduval,1840. **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Populus*, *Salix* (Salicaceae), *Vaccinium myrtillus* (Linnaeus,1758; Meyer,1919; et seq.).
- 40917. *Eulithis prunata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *prunata* Linnaeus,1758; *ribesaria* Boisduval,1840
Original Reference: *Phalaena prunata* Linnaeus,1758, Syst. Nat. (Edn.10): 526. Type(s): [Europa]. **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Prunus*, *Ribes* (Rosaceae) (Linnaeus,1758; Boisduval,1840; Meyer,1919; et seq.).
- 40918. *Eulithis pyraliata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#pyraliata* [Denis & Schiffermüller],1775; *?aurantiaca* Fourcroy,1785; *pyraliaria* Bosiudval,1840; *dotata* sensu Staudinger,1877
Original Reference: *Geometra pyraliata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Galium verum*, *G. aparine* (Rubiaceae) ([Denis & Schiffermüller],1775; et seq.).

- 40919. *Eulithis pyropata* (Hübner,[1809])** (Geometridae) Synonym(s): *pyropata* Hübner,[1809]
Range (in code): **DE PL RO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Ribes (Meyer,1919).
- 40920. *Eulithis roessleraria* (Staudinger,1871)** (Geometridae) Synonym(s): *roessleraria* Staudinger,1871; *pseudoledereri* Schwingenschuss,1939. Range (in code): **TR**
- 40921. *Eulithis testata* (Linnaeus,1761)** (Geometridae) Synonym(s): *testata* Linnaeus,1761
Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus tremula, Salix (Meyer,1919).
- 40922. *Eulycia extorris* (W.Warren,1904)** (Geometridae) Synonym(s): *extorris* W.Warren,1904
Range (in code): **ZA Mal Tva Lpo ZA25 Nta Kzu Dbn**
- 40923. *Eulycia grisea* (W.Warren,1897)** (Geometridae) Synonym(s): *grisea* W.Warren,1897
Original Reference: Eubyja grisea W.Warren,1897, Novit. zool. 4: 91. Type ♀: British Central Africa [Malawi]: Zomba. Range (in code): **ZA ZA14 Mpu Mal ZA17 Lpo Tva Spb Lj ZA26 Nta Kzu MW Zom ZW KE**
- 40924. *Eulycia grisea grisea* (W.Warren,1897)** (Geometridae) Synonym(s): *grisea* W.Warren,1897
Original Reference: Eubyja grisea W.Warren,1897, Novit. zool. 4: 91. Type ♀: British Central Africa [Malawi]: Zomba. Range (in code): **ZA ZA14 Mpu Mal ZA17 Lpo Tva Spb Lj ZA26 Nta Kzu MW Zom**
- 40925. *Eulycia subpunctata* (W.Warren,1897)** (Geometridae) Synonym(s): *subpunctata* W.Warren,1897
Original Reference: Eubyja subpunctata W.Warren,1897, Novit. zool. 4: 91. Type ♂: [South Africa]: Natal, Weenen (BMNH). Range (in code): **ZA ZA12 Nta Kzu Wnn Tva Lpo Spb Wb Chp**
- 40926. *Eumegethes tenuis* (Staudinger,1898)** (Geometridae) Synonym(s): *tenuis* Staudinger,1898; *petroffi* Andres & Seitz,1923; *picta* Turati,1934
Original Reference: Thalpochares (Eumegethes) tenuis Staudinger,1898, Dt. ent. Z., Iris 10: 268-269, pl.4 fig.6. Type: Tunisia, Sfax. Range (in code): **DZ Ges TN Sfx LY EG**
- 40927. *Eumelea djingga* Sommerer,1995** (Geometridae) Synonym(s): *djingga* Sommerer,1995
Range (in code): **ID Sum**
- 40928. *Eumelea florinata* Guenée,[1858]** (Geometridae) Synonym(s): *florinata* Guenée,[1858]
Range (in code): **ID Ja TH Ntt Hba**
- 40929. *Eumelea isozyges* L.B.Prout,1921** (Geometridae) Synonym(s): *isozyges* L.B.Prout,1921
Range (in code): **PH Mdo**
- 40930. *Eumelea lipara* West,1930** (Geometridae) Synonym(s): *lipara* West,1930 Range (in code): **PH Luz**
- 40931. *Eumelea ludovicata* Guenée,[1858]** (Geometridae) Synonym(s): *ludovicata* Guenée,[1858]; *aureliata* Guenée,[1858]; *vulgivaga* Sawamoto,1938 Range (in code): **LK TW SI IN TH Ntt Hba ID Tnm Clb PG Sip Mw Bsm Nlr SB Bgv**
- 40932. *Eumelea obesata* R.Felder & Rogenhofer,[1875]** (Geometridae) Synonym(s): *obesata* R.Felder & Rogenhofer,[1875] Range (in code): **PH Luz MY Bor Sbh KBa**
- 40933. *Eumelea obesata griseabasilis* Holloway,1976** (Geometridae) Synonym(s): *griseabasilis* Holloway,1976 Range (in code): **MY Bor Sbh KBa**
- 40934. *Eumelea obesata obesata* R.Felder & Rogenhofer,[1875]** (Geometridae) Synonym(s): *obesata* R.Felder & Rogenhofer,[1875] Range (in code): **PH Luz**
- 40935. *Eumelea parda* Sommerer,1995** (Geometridae) Synonym(s): *parda* Sommerer,1995
Range (in code): **ID Sum**
- 40936. *Eumelea polymita* L.B.Prout,1929** (Geometridae) Synonym(s): *polymita* L.B.Prout,1929
Range (in code): **ID Mlc Bru**
- 40937. *Eumelea rosalia* (Stoll,1781)** (Geometridae) Synonym(s): *rosalia* Stoll,1781 Range (in code): **LK IN NI TH CMa Mrm ID Crm Kai Clb Amb Lb Sbt NC LO Sgr SB AU QAU PG**
- 40938. *Eumelea rosalia degener* W.Warren,1894** (Geometridae) Synonym(s): *degener* W.Warren,1894
Original Reference: Eumelea degener Warren,1894, Novit. zool. 1: 375. Type : Loyalty Island: Lifu. Range (in code): **NC LO**
- 40939. *Eumelea rubrifusa* W.Warren,1896** (Geometridae) Synonym(s): *rubrifusa* W.Warren,1896 Range (in code): **MY Bor Sbh KBa TH Ntt Hba ID Clb**
- 40940. *Eumelea rubrifusa multiplagiata* L.B.Prout,1921** (Geometridae) Synonym(s): *multiplagiata* L.B.Prout,1921 Range (in code): **ID Clb**
- 40941. *Eumelea rubrifusa rubrifusa* W.Warren,1896** (Geometridae) Synonym(s): *rubrifusa* W.Warren,1896 Range (in code): **MY Bor Sbh KBa TH Ntt Hba**

- 40942. Eumelea unilineata W.Warren,1897** (Geometridae) **Synonym(s):** *unilineata* W.Warren,1897 **Range (in code):** **MY Bor Sbh**
- 40943. Eumera hoeferi Wehrli,1934** (Geometridae) **Synonym(s):** *#hoeferi Wehrli,1934; hoeferi Wehrli,1934; #hoeferi Wiltshire,1937.* **Original Reference:** Eumera hoeferi Wehrli,1934, Mitt. münch. ent. Ges. 24: 39-40. Syntypes 2♂: [Türkei]: "Malatia, Kurdistan", 20.ix. C.Höfer leg. (ZFMK). **Range (in code):** **TR IQ Brs Ry Rwz Dia Cc AZ Nv Dz IR Fa Sse**
- 40944. Eumera hoeferi hoeferi Wehrli,1934** (Geometridae) **Synonym(s):** *#hoeferi Wehrli,1934; hoeferi Wehrli,1934; #hoeferi Wiltshire,1937.* **Original Reference:** Eumera hoeferi Wehrli,1934, Mitt. münch. ent. Ges. 24: 39-40. Syntypes 2♂: [Türkei]: "Malatia, Kurdistan", 20.ix. C.Höfer leg. (ZFMK). **Range (in code):** **TR IQ Brs Ry Rwz Dia IR Fa Sse**
- 40945. Eumera hoeferi transcaucasica Wehrli,1940** (Geometridae) **Synonym(s):** *transcaucasica Wehrli,1940* **Original Reference:** Eumera hoeferi ssp. transcaucasica Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 326 (24i). Syntypes: [Armenia]: Dzhuga, Arax Fluss, leg. Rjabov. **Range (in code):** **Cc AZ Nv Dz**
- 40946. Eumera mulier L.B.Prout,1929** (Geometridae) **Synonym(s):** *mulier L.B.Prout,1929* **Original Reference:** Eumera mulier L.B.Prout,1929, Novit. zool. 35: 149. Holotype ♀: Cyprus: Nicosia (BMNH). **Range (in code):** **CY**
- 40947. Eumera regina Staudinger,1892** (Geometridae) **Synonym(s):** *regina Staudinger,1892* **Original Reference:** Eumera regina Staudinger,1892, Dt. ent. Z., Iris 5: 162-164, Taf.2 fig.8. Syntypes 3♂ 1♀: [Türkei]: Amasia; [Croatien]: Zara. **Range (in code):** **PL HV YU MK BG GR TR** **Bionomy:** Larva on Amygdalus communis, Quercus (Meyer,1919).
- 40948. Eumera turcosyrica Wehrli,1932** (Geometridae) **Synonym(s):** *turcosyrica Wehrli,1932; #turcosyriaca Wehrli,1934.* **Original Reference:** Eumera regina ssp. turcosyrica Wehrli,1932, Mitt. münch. ent. Ges. 22: 9. Syntypes 15♂ 5♀: [Türkei]: Marasch, Akbes, Akschehir (ZFMK). **Range (in code):** **TR IL Pa Js**
- 40949. Eunoumeana fletcheri (Viette,1949)** (Geometridae) **Synonym(s):** *fletcheri Viette,1949* **Range (in code):** **NC**
- 40950. Eupagia canilinea L.B.Prout,1925** (Geometridae) **Synonym(s):** *canilinea L.B.Prout,1925* **Range (in code):** **ZA Ec**
- 40951. Eupagia determinata Walker,1860** (Geometridae) **Synonym(s):** *determinata Walker,1860; aropisaria Walker,1860; commixtata Walker,[1863]; mosegata R.Felder & Rogenhofer,1875* **Range (in code):** **ZA Tva ZA20 Mpu Ggh Fs Nta Kzu Dbn** **Bionomy:** Larva on Tecomaria capensis (Bignoniaceae); Plumbago capensis (Plumbaginaceae); Halleria lucida (Scrophulariaceae) (Scoble,1999).
- 40952. Eupagia nigerrima Swinhoe,1904** (Geometridae) **Synonym(s):** *nigerrima Swinhoe,1904* **Range (in code):** **ET**
- 40953. Eupagia robertsoni L.B.Prout,1925** (Geometridae) **Synonym(s):** *robertsoni L.B.Prout,1925* **Range (in code):** **ZA Ec**
- 40954. Eupagia valida (W.Warren,1914)** (Geometridae) **Synonym(s):** *valida W.Warren,1914* **Range (in code):** **ZA Tva ZA05 ZA12 Kzu Nta ZA14 Mpu Brb**
- 40955. Euphyia adumbraria (Herrich-Schäffer,1852)** (Geometridae) **Synonym(s):** *adumbraria Herrich-Schäffer,1852; cretacea F.Wagner,1922* **Range (in code):** **IT DE AT YU Cc GG Kir AZ TR**
- 40956. Euphyia biangulata (Haworth,[1809])** (Geometridae) **Synonym(s):** *biangulata Haworth,[1809]; picata Hübner,[1813]* **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY Cc GG Bjo Bku AM AZ IR GlS**
- 40957. Euphyia chalusata Wiltshire,1970** (Geometridae) **Synonym(s):** *chalusata Wiltshire,1970* **Original Reference:** Euphyia chalusata Wiltshire,1970, Annln naturh. Mus. Wien 74: 374-375, Taf.2 fig.7. Holotype ♂: Iran: N.Iran, S.v.Chalus 2000m. **Range (in code):** **TR IR Elb Th GlS AZ Cc**
- 40958. Euphyia cineraria (Butler,1878)** (Geometridae) **Synonym(s):** *cineraria Butler,1878* **Range (in code):** **CN KP KR JP RU Am Us Sh Krl**
- 40959. Euphyia cineraria luctuosaria (Oberthür,1879)** (Geometridae) **Synonym(s):** *luctuosaria Oberthür,1879* **Range (in code):** **RU Am Us Sh Krl**
- 40960. Euphyia coangulata (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *coangulata L.B.Prout,1938* **Range (in code):** **RU Tv MN**
- 40961. Euphyia distinctata (Walker,1862)** (Geometridae) **Synonym(s):** *distinctata Walker,1862; scotosiata Walker,1863; discolorata W.Warren,1901* **Range (in code):** **ZA Wca Cto**

- 40962. Euphyia farsica Brandt,1941** (Geometridae) Synonym(s): *farsica* Brandt,1941 _ Range (in code): **IR Fa**
- 40963. Euphyia filaria (Eversmann,1848)** (Geometridae) Synonym(s): *filaria* Eversmann,1848 Range (in code): **KG Ssn**
- 40964. Euphyia frustata (Treitschke,1828)** (Geometridae) Synonym(s): *frustata* Treitschke,1828; *muscosata* Donzel,1837 Original Reference: *Acidalia frustata* Treitschke,1828, Schmett. Eur. 6 (2): 50. Syntypes: Hungary, Austria. Range (in code): **MA DZ PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir AZ AM IQ LB Bsa** Bionomy: Larva on *Galium verum*, *Cerastium*, *Minuartia*, *Stellaria* (Meyer,1919; Wiltshire,1957; Forster & Wohlfahrt,1971).
- 40965. Euphyia frustata fulvocinctata (Staudinger,1871)** (Geometridae) Synonym(s): *#fulvocinctata* Rambur,1866; *fulvocinctata* Staudinger,1871 _ Range (in code): **ES An PT MA DZ**
- 40966. Euphyia intersecta (Staudinger,1882)** (Geometridae) Synonym(s): *intersecta* Staudinger,1882; *desiderata* Staudinger,1897; *aksuensis* Wehrli,1928. Original Reference: *Cidaria intersecta* Staudinger,1882, Stettin ent. Ztg. 43: 71. Type ♂: [Kazachstan]: Saisan. Range (in code): **TM Kp CN Ui Au Ku KK Ik KG Ssn**
- 40967. Euphyia intersecta expansata (L.B.Prout,1914)** (Geometridae) Synonym(s): *expansata* L.B.Prout,1914 _ Range (in code): **TM Kp**
- 40968. Euphyia intersecta intersecta (Staudinger,1882)** (Geometridae) Synonym(s): *intersecta* Staudinger,1882; *desiderata* Staudinger,1897; *aksuensis* Wehrli,1928. Original Reference: *Cidaria intersecta* Staudinger,1882, Stettin ent. Ztg. 43: 71. Type ♂: [Kazachstan]: Saisan. Range (in code): **CN Ui Au Ku KK Ik KG Ssn**
- 40969. Euphyia mesembrina (Rebel,1927)** (Geometridae) Synonym(s): *griseata* Schwingenschuss,1918; *mesembrina* Rebel,1927 _ Range (in code): **IT AT YU**
- 40970. Euphyia obvallata (Lederer,1870)** (Geometridae) Synonym(s): *obvallata* Lederer,1870 Range (in code): **IR Elb Gor**
- 40971. Euphyia ochreatea (Moore,1888)** (Geometridae) Synonym(s): *ochreatea* Moore,1888; *picata* Leech,1897; *brunneimixta* Thierry-Mieg,1915 Original Reference: *Larentia ochreatea* Moore,1888, Lepid. Atkinson: 267. Type ♀: [SIKKIM]: Darjiling (coll.Staudinger). Range (in code): **SI IN Djl CN Yu AF PK Haz Nar Swa Sgl Yek**
- 40972. Euphyia perseverata Holloway,1979** (Geometridae) Synonym(s): *perseverata* Holloway,1979 _ Range (in code): **NC**
- 40973. Euphyia scopulata (Brandt,1938)** (Geometridae) Synonym(s): *scopulata* Brandt,1938 Original Reference: *Cidaria (Euphyia) scopulata* Brandt,1938, Ent. Rdsch. 55: 585-586, figs.319-323. Syntypes: Iran: Barm i Firus. Range (in code): **TR IR Kz B-F**
- 40974. Euphyia scripturata (Hübner,[1799])** (Geometridae) Synonym(s): *scripturata* Hübner,[1799]; *placidaria* Freyer,1852 _ Range (in code): **FR IT DE CH AT PL SK HU RO AL BG RU MD UA**
- 40975. Euphyia sintenisi (Staudinger,1892)** (Geometridae) Synonym(s): *sintenisi* Staudinger,1892; *sultania* Wehrli,1938. Original Reference: *Cidaria sintenisi* Staudinger,1892, Dt. ent. Z., Iris 5: 242-243. Type ♂: [Türkei]: [Elazığ]: Charput [=Harput] (M.Sintenisi leg.). Range (in code): **TR Cc GG AM IR Elb Th**
- 40976. Euphyia subangulata (Kollar,[1844])** (Geometridae) Synonym(s): *subangulata* Kollar,[1844]; *extraneata* Guenée,1858; *melidiata* R.Felder & Rogenhofer,1875; *antigonina* L.B.Prout,1939 Range (in code): **AF PK Haz Swa Sgl Yek Nar IN Mus Gl Ch**
- 40977. Euphyia submarginata (W.Warren,1909)** (Geometridae) Synonym(s): *submarginata* W.Warren,1909 _ Range (in code): **Ch**
- 40978. Euphyia unangulata (Haworth,1809)** (Geometridae) Synonym(s): *bicolorata* Borkhausen,1794; *unangulata* Haworth,1809; *amniculata* Hübner,[1813]; *amnicularia* Boisduval,1840; *gracilaria* A.Bang-Haas,1906; *tonnaichana* Matsumura,1925; *chinensis* Sterneck,1928; *regnelli* Bryk,1942; *renei* Bryk,1948 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Sj Kol K-R Ur Sb Cc AM MD UA BY CN Sz MN KP KR Am Us Sh JP Krl Kmt** Bionomy: Larva on *Minuartia hybrida* [tenuifolia], *M. media* (Meyer,1919).
- 40979. Euphyia vallantinaria (Oberthür,1890)** (Geometridae) Synonym(s): *vallantinaria* Oberthür,1890 _ Range (in code): **DZ Anna ES An**
- 40980. Eupithecia abbreviata Stephens,1831** (Geometridae) Synonym(s): *nebulata* Haworth,1809; *abbreviata* Stephens,1831 _ Range (in code): **MA TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE LT RU MD UA BY** Bionomy: Larva on *Quercus robur* (Fagaceae) (Blaschke,1914; Meyer,1919; Courtois,1987).

- 40981. *Eupithecia abdera* Herbulot,1987** (Geometridae) **Synonym(s):** *abdera* Herbulot,1987
Range (in code): **EC**
- 40982. *Eupithecia abietaria* (Goeze,1781)** (Geometridae) **Synonym(s):** *pini* Retzius,1783 *nec* Linn.,1758; *abietaria* Goeze,1781; *strobilata* Borkhausen,1794; *togata* Hübner,[1817]; *bilumulata* Zetterstedt,1839; *togaria* Boisduval,1840. **Original Reference:** *Phalaena abietaria* Goeze,1781, Ent. Beytr. 3 (3): 439. **Syntypes:** -. **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Am Prj Us MD UA BY** **Bionomy:** Larva on Abies, Picea, Pinus abies, Quercus (Blaschke,1914; Meyer,1919).
- 40983. *Eupithecia abietaria deprunneata* Staudinger,1897** (Geometridae) **Synonym(s):** *deprunneata* Staudinger,1897 **Range (in code):** **RU Am Prj Us**
- 40984. *Eupithecia abrepta* Vojnits,1979** (Geometridae) **Synonym(s):** *abrepta* Vojnits,1979
Range (in code): **CN She**
- 40985. *Eupithecia absinthiata* (Clerck,1759)** (Geometridae) **Synonym(s):** *#absinthiata* Clerck,1759; *minutata* [Denis & Schiffermüller],1775; *elongata* Haworth,1809; *notata* Stephens,1831; *minutaria* Boisduval,1840; *absinthiaria* Herrich-Schäffer,1848; *elongaria* Doubleday,1849; *callunae* Speyer,1867; *geminata* Packard,1873; *knautiana* Gregson,1874 **Range (in code):** **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo** **Bionomy:** Larva on Achillea millefolium, Artemisia absinthium, A. campestris, A. vulgaris, Aster, Chrysanthemum vulgare, Cirsium arvense, Eupatorium cannabinum, Senecio vulgaris, S. jacobaea, Solidago canadensis, S. puberula, S. virgaurea, Tanacetum vulgare, Pimpinella (Asteraceae), Salix (Salicaceae) (Blaschke,1914; Meyer,1919; Courtois,1987; Scoble,1999).
- 40986. *Eupithecia accurata* Staudinger,1892** (Geometridae) **Synonym(s):** *accurata* Staudinger,1892; *subsculptata* Schütze,1961 **Range (in code):** **UZ Fe Nmg IR Ss**
- 40987. *Eupithecia acerba* Vojnits,1984** (Geometridae) **Synonym(s):** *acerba* Vojnits,1984
Range (in code): **CN She**
- 40988. *Eupithecia achyrdaghica* Wehrli,1929** (Geometridae) **Synonym(s):** *achyrdaghica* Wehrli,1929 **Range (in code):** **TR IL Pa SY Dms**
- 40989. *Eupithecia acidalioides* Kaye,1901** (Geometridae) **Synonym(s):** *acidalioides* Kaye,1901
Range (in code): **TT**
- 40990. *Eupithecia acolpodes* L.B.Prout,1938** (Geometridae) **Synonym(s):** *acolpodes* L.B.Prout,1938 **Range (in code):** **Ch PK Swa Klm Bt Deo**
- 40991. *Eupithecia acosmos* Mironov,1989** (Geometridae) **Synonym(s):** *acosmos* Mironov,1989
Range (in code): **TJ Dsb**
- 40992. *Eupithecia acragas* Herbulot,1987** (Geometridae) **Synonym(s):** *acragas* Herbulot,1987
Range (in code): **BO**
- 40993. *Eupithecia actaeata* Walderdorff,1869** (Geometridae) **Synonym(s):** *actaeata* Walderdorff,1869; *bergunensis* Dietze,1875 **Range (in code):** **FR IT BE LU DE CH AT PL CZ SK HU RO TR AL DK NO SE FI EE LV LT RU Ur Sb Krl Kmt Sh MD UA BY JP TW** **Bionomy:** Larva on Actaea spicata, Thalictrum aquilegifolium, Viburnum opulus (Blaschke,1914; Meyer,1919).
- 40994. *Eupithecia actaeata prenubilata* Inoue,1958** (Geometridae) **Synonym(s):** *prenubilata* Inoue,1958 **Range (in code):** **JP TW**
- 40995. *Eupithecia acuminata* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *acuminata* Mironov & Galsworthy,2004 **Range (in code):** **CN Ti**
- 40996. *Eupithecia acutangula* Hampson,1895** (Geometridae) **Synonym(s):** *acutangula* Hampson,1895 **Range (in code):** **IN Hp Dlh PK Ch**
- 40997. *Eupithecia acutipapillata* Inoue,1958** (Geometridae) **Synonym(s):** *acutipapillata* Inoue,1958 **Range (in code):** **TW**
- 40998. *Eupithecia acutipennis* Hulst,1898** (Geometridae) **Synonym(s):** *acutipennis* Hulst,1898
Range (in code): **US Cf**
- 40999. *Eupithecia acutula* Turati & C.G.Krüger,1936** (Geometridae) **Synonym(s):** *acutula* Turati & C.G.Krüger,1936 **Range (in code):** **LY Cy**
- 41000. *Eupithecia acyrtoterna* L.B.Prout,1926** (Geometridae) **Synonym(s):** *acyrtoterna* L.B.Prout,1926 **Range (in code):** **MM**
- 41001. *Eupithecia addictata* Dietze,1908** (Geometridae) **Synonym(s):** *addictata* Dietze,1908; *danielata* Schütze,1959; *pseudoplumbeolata* Vojnits,1973; *rudniki* Vojnits,1973; *falkovishi* Viidalepp,1976; *koreaica* Vojnits & De Laeuer,1978 **Range (in code):** **IT AT SK GR MK RU Sj Sb Am Krl Prj Us KP KR CN JP**
- 41002. *Eupithecia adelpha* Vojnits,1975** (Geometridae) **Synonym(s):** *adelpha* Vojnits,1975
Range (in code): **Cc AZ Nv Ord**

- 41003. *Eupithecia adequata* Pearsall,1910** (Geometridae) **Synonym(s):** *adequata* Pearsall,1910
Range (in code): **US Ut**
- 41004. *Eupithecia adjemica* Brandt,1941** (Geometridae) **Synonym(s):** *adjemica* Brandt,1941
Range (in code): **IR Lo**
- 41005. *Eupithecia adoranda* Vojnits,1984** (Geometridae) **Synonym(s):** *adoranda* Vojnits,1984
Range (in code): **CN Shs**
- 41006. *Eupithecia adscriptaria* Staudinger,1871** (Geometridae) **Synonym(s):** *adscriptaria* Staudinger,1871
Range (in code): **MK BG GR TR Cc AM Arr**
- 41007. *Eupithecia adscriptaria macedoniata* Pinker,1976** (Geometridae) **Synonym(s):** *macedoniata* Pinker,1976
Original Reference: *Eupithecia adscriptaria* ssp. *macedoniata* Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 1. Holotype ♂: Macedonia: Ochrid, Treskaschlucht (coll. Pinker). **Range (in code):** **MK**
- 41008. *Eupithecia adpersata* Maassen,1890** (Geometridae) **Synonym(s):** *adpersata* Maassen,1890
Range (in code): **EC**
- 41009. *Eupithecia aduncata* Brandt,1938** (Geometridae) **Synonym(s):** *aduncata* Brandt,1938
Range (in code): **IR Fa Sse**
- 41010. *Eupithecia aegyptiaca* Dietze,1910** (Geometridae) **Synonym(s):** *aegyptiaca* Dietze,1910
Range (in code): **EG EG11**
- 41011. *Eupithecia aella* Herbulot,1987** (Geometridae) **Synonym(s):** *aella* Herbulot,1987
Range (in code): **EC**
- 41012. *Eupithecia aenigma* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *aenigma* Mironov & Galsworthy,2004
Range (in code): **CN Yu**
- 41013. *Eupithecia aequabila* Brandt,1938** (Geometridae) **Synonym(s):** *aequabila* Brandt,1938
Range (in code): **IR Fa**
- 41014. *Eupithecia affinata* Pearsall,1908** (Geometridae) **Synonym(s):** *affinata* Pearsall,1908
Range (in code): **US Pns**
- 41015. *Eupithecia affinitata* Maassen,1890** (Geometridae) **Synonym(s):** *affinitata* Maassen,1890
Range (in code): **CO**
- 41016. *Eupithecia aggregata* Guenée,[1858]** (Geometridae) **Synonym(s):** *aggregata* Guenée,[1858]
Range (in code): **RO RU At**
- 41017. *Eupithecia agnesata* Taylor,1908** (Geometridae) **Synonym(s):** *agnesata* Taylor,1908;
barnesi [Cassino & Swett],1922
Range (in code): **CA BCo US Cf**
- 41018. *Eupithecia albertiata* Schütze,1961** (Geometridae) **Synonym(s):** *albertiata* Schütze,1961
Range (in code): **IR**
- 41019. *Eupithecia albibaltea* L.B.Prout,1958** (Geometridae) **Synonym(s):** *albibaltea* L.B.Prout,1958
Range (in code): **IN Djl**
- 41020. *Eupithecia albibasalis* Schaus,1913** (Geometridae) **Synonym(s):** *albibasalis* Schaus,1913
Range (in code): **CR**
- 41021. *Eupithecia albibisecta* W.Warren,1906** (Geometridae) **Synonym(s):** *albibisecta* W.Warren,1906
Range (in code): **PG**
- 41022. *Eupithecia albicans* Vojnits,1981** (Geometridae) **Synonym(s):** *albicans* Vojnits,1981
Range (in code): **NP**
- 41023. *Eupithecia albicapitata* Packard,1876** (Geometridae) **Synonym(s):** *albicapitata* Packard,1876
Range (in code): **CA Qb US Mai**
- 41024. *Eupithecia albicarnea* W.Warren,1907** (Geometridae) **Synonym(s):** *albicarnea* W.Warren,1907
Range (in code): **PE**
- 41025. *Eupithecia albicentralis* Inoue,1987** (Geometridae) **Synonym(s):** *albicentralis* Inoue,1987
Range (in code): **NP**
- 41026. *Eupithecia albiceps* W.Warren,1905** (Geometridae) **Synonym(s):** *albiceps* W.Warren,1905
Range (in code): **PE**
- 41027. *Eupithecia albicristulata* L.B.Prout,1922** (Geometridae) **Synonym(s):** *albicristulata* L.B.Prout,1922
Range (in code): **ZA Nta Kzu**
- 41028. *Eupithecia albidulata* Staudinger,1892** (Geometridae) **Synonym(s):** *albidulata* Staudinger,1892; *centricaucasica* Alberti,1969; *postulata* Vojnits,1975
Range (in code): **RU Kc Teb Cc**
- 41029. *Eupithecia albifurva* Hampson,1907** (Geometridae) **Synonym(s):** *albifurva* Hampson,1907
Range (in code): **LK**

- 41030. *Eupithecia albifusca* (W.Warren,1907)** (Geometridae) **Synonym(s):** *albifusca* W.Warren,1907 **_ Range (in code):** **PE**
- 41031. *Eupithecia albigrisata* Pearsall,1909** (Geometridae) **Synonym(s):** *albigrisata* Pearsall,1909 **_ Range (in code):** **US Ge**
- 41032. *Eupithecia albigutta* L.B.Prout,1958** (Geometridae) **Synonym(s):** *albigutta* L.B.Prout,1958; *pulla* Vojnits,1988 **_ Range (in code):** **NP IN Hp Sml Ch PK Pj**
- 41033. *Eupithecia albimaculata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *albimaculata* D.S.Fletcher,1956 **_ Range (in code):** **KE Elg**
- 41034. *Eupithecia albimedia* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *albimedia* Mironov & Galsworthy,2004 **_ Range (in code):** **CN Yu Sz**
- 41035. *Eupithecia albimixta* Schaus,1913** (Geometridae) **Synonym(s):** *albimixta* Schaus,1913 **_ Range (in code):** **CR**
- 41036. *Eupithecia albimontanata* McDunnough,1940** (Geometridae) **Synonym(s):** *albimontanata* McDunnough,1940 **_ Range (in code):** **US Arz**
- 41037. *Eupithecia albirasa* W.Warren,1905** (Geometridae) **Synonym(s):** *albirasa* W.Warren,1905 **_ Range (in code):** **PE**
- 41038. *Eupithecia albirivata* W.Warren,1904** (Geometridae) **Synonym(s):** *albirivata* W.Warren,1904 **_ Range (in code):** **PE**
- 41039. *Eupithecia albisecta* L.B.Prout,1921** (Geometridae) **Synonym(s):** *albisecta* L.B.Prout,1921 **_ Range (in code):** **CO**
- 41040. *Eupithecia albispumata* W.Warren,1893** (Geometridae) **Synonym(s):** *albispumata* W.Warren,1893; *pengata* Schütze,1961; *aceszteri* Vojnits,1988 **_ Range (in code):** **IN Ass Meg Khs NP CN Yu Kma Hp Ch**
- 41041. *Eupithecia albistillata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *albistillata* L.B.Prout,1932 **_ Range (in code):** **KE**
- 41042. *Eupithecia albistrigata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *albistrigata* D.S.Fletcher,1958 **_ Range (in code):** **UG ZR**
- 41043. *Eupithecia albofasciata* Staudinger,1879** (Geometridae) **Synonym(s):** *albofasciata* Staudinger,1879 **_ Range (in code):** **TR Arr Cc GG AM**
- 41044. *Eupithecia aliena* Vojnits,1982** (Geometridae) **Synonym(s):** *aliena* Vojnits,1982 **_ Range (in code):** **Cc RU Da**
- 41045. *Eupithecia alishana* Inoue,1970** (Geometridae) **Synonym(s):** *alishana* Inoue,1970 **_ Range (in code):** **TW**
- 41046. *Eupithecia alliararia* Staudinger,1870** (Geometridae) **Synonym(s):** *alliararia* Staudinger,1870; *#notata* Dietze,1910 *nec* Sthph.,1831 **_ Original Reference:** *Eupithecia alliararia* Staudinger,1870, Berl. ent. Z. 14: 129. Syntypes: Ungarn: Umg. Ofens. **_ Range (in code):** **MA DZ PT ES FR IT CH AT PL CZ SK HU RO YU BG GR TR RU MD UA Cm AZ GG Cc** **_ Bionomy:** Larva on *Allium flavum* (Meyer,1919).
- 41047. *Eupithecia alliararia jehannedarc* Koçak & Kemal,2001** (Geometridae) **Synonym(s):** *notata* Dietze,1910 *nec* Sthph.,1831; *jehannedarc* Koçak & Kemal,2001. **_ Range (in code):** **FR**
- 41048. *Eupithecia alogista* Dyar,1918** (Geometridae) **Synonym(s):** *alogista* Dyar,1918 **_ Range (in code):** **MX**
- 41049. *Eupithecia alpinata* Cassino,1927** (Geometridae) **Synonym(s):** *alpinata* Cassino,1927 **_ Range (in code):** **US Tx**
- 41050. *Eupithecia alticomora* Herbulot,1981** (Geometridae) **Synonym(s):** *alticomora* Herbulot,1981 **_ Range (in code):** **KM**
- 41051. *Eupithecia altitudinis* M.Krüger,2000** (Geometridae) **Synonym(s):** *altitudinis* M.Krüger,2000 **_ Range (in code):** **ZA**
- 41052. *Eupithecia amasina* Bohatsch,1893** (Geometridae) **Synonym(s):** *#amasina* Bohatsch,1893; *dinaria* Vardikjan,1985. **_ Original Reference:** [*Eupithecia*] *amasina* Bohatsch,1893, Dt. ent. Z., Iris 6: 1-2. Syntypes: [Türkei]: Amasia [uninominal, unavailable name!]. **_ Range (in code):** **TR Cc AM Eri**
- 41053. *Eupithecia amathes* L.B.Prout,1926** (Geometridae) **Synonym(s):** *amathes* L.B.Prout,1926 **_ Range (in code):** **UG**
- 41054. *Eupithecia amicula* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *amicula* Mironov & Galsworthy,2004 **_ Range (in code):** **CN She Sz Yu**

- 41055. Eupithecia ammonata McDunnough,1929** (Geometridae) Synonym(s): *ammonata* McDunnough,1929 _ Range (in code): CA Abt
- 41056. Eupithecia ammorrhoea L.B.Prout,1910** (Geometridae) Synonym(s): *ammorrhoea* L.B.Prout,1910 _ Range (in code): AR
- 41057. Eupithecia amphiplex L.B.Prout,1932** (Geometridae) Synonym(s): *amphiplex* L.B.Prout,1932 _ Range (in code): KE
- 41058. Eupithecia amplexata Christoph,1881** (Geometridae) Synonym(s): *amplexata* Christoph,1881 _ Range (in code): RU Prj Us Vv JP
- 41059. Eupithecia amplexata pryeraria Leech,1897** (Geometridae) Synonym(s): *pryeraria* Leech,1897 _ Range (in code): JP
- 41060. Eupithecia amurensis Schwingenschuss,1954** (Geometridae) Synonym(s): *amurensis* Schwingenschuss,1954 _ Range (in code): RU Am
- 41061. Eupithecia anactoria Herbulot,1987** (Geometridae) Synonym(s): *anactoria* Herbulot,1987 _ Range (in code): EC
- 41062. Eupithecia analiscripta (W.Warren,1907)** (Geometridae) Synonym(s): *analiscripta* W.Warren,1907 _ Range (in code): PE
- 41063. Eupithecia analoga Djakonov,1926** (Geometridae) Synonym(s): *analoga* Djakonov,1926; *europaea* Lempke,1969. _ Range (in code): FR IT BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY
- 41064. Eupithecia anamnesa Herbulot,1994** (Geometridae) Synonym(s): *anamnesa* Herbulot,1994 _ Range (in code): PE
- 41065. Eupithecia anasticta L.B.Prout,1926** (Geometridae) Synonym(s): *anasticta* L.B.Prout,1926 _ Range (in code): MM
- 41066. Eupithecia ancillata Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *ancillata* Mironov & Galsworthy,2004 _ Range (in code): CN She KP
- 41067. Eupithecia andrasi Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *andrasi* Mironov & Galsworthy,2004 _ Range (in code): CN She
- 41068. Eupithecia anemica Viidalepp,1988** (Geometridae) Synonym(s): *anemica* Viidalepp,1988 _ Range (in code): TJ KG Aa TrA KK
- 41069. Eupithecia anemica anemica Viidalepp,1988** (Geometridae) Synonym(s): *anemica* Viidalepp,1988 _ Range (in code): TJ
- 41070. Eupithecia anemica illustrata Kaila & Viidalepp,1996** (Geometridae) Synonym(s): *illustrata* Kaila & Viidalepp,1996 _ Range (in code): KG Aa TrA
- 41071. Eupithecia anguinata (W.Warren,1902)** (Geometridae) Synonym(s): *anguinata* W.Warren,1902 _ Range (in code): KE
- 41072. Eupithecia angulata Fletcher,1951** (Geometridae) Synonym(s): *angulata* Fletcher,1951 _ Range (in code): ET
- 41073. Eupithecia angustiarum M.Krüger,2000** (Geometridae) Synonym(s): *angustiarum* M.Krüger,2000 _ Range (in code): ZA
- 41074. Eupithecia anita (W.Warren,1906)** (Geometridae) Synonym(s): *anita* W.Warren,1906 _ Range (in code): BR MX
- 41075. Eupithecia annulata Hulst,1896** (Geometridae) Synonym(s): *annulata* Hulst,1896; *filmata* Pearsall,1908; *limnata* Pearsall,1909; *usurpata* Pearsall,1909; *orfordata* Cassino,1927; *vinsullata* Mackay,1951 _ Range (in code): US Cf Ny CA BCo
- 41076. Eupithecia antaggregata Inoue,1977** (Geometridae) Synonym(s): *antaggregata* Inoue,1977 _ Range (in code): JP Hkk
- 41077. Eupithecia antalica Mironov,2001** (Geometridae) Synonym(s): *antalica* Mironov,2001 _ Range (in code): GR TR
- 41078. Eupithecia antaria (W.Warren,1906)** (Geometridae) Synonym(s): *antaria* W.Warren,1906 _ Range (in code): BR
- 41079. Eupithecia anteacta Vojnits,1984** (Geometridae) Synonym(s): *anteacta* Vojnits,1984 _ Range (in code): CN Yu
- 41080. Eupithecia anticaria Walker,1862** (Geometridae) Synonym(s): *anticaria* Walker,1862; *explanata* Walker,1862 _ Range (in code): CA Nsc
- 41081. Eupithecia anticura Rindge,1987** (Geometridae) Synonym(s): *anticura* Rindge,1987 _ Range (in code): CL
- 41082. Eupithecia antigraphata Mironov,2013** (Geometridae) Synonym(s): *antigraphata* Mironov,2013 _ Original Reference: Eupithecia antigraphata Mironov,2013, Zootaxa 3717: 45,

- figs. Holotype ♀: Turkey, Prov. Tokat, Çamlıbel geçidi 1400m, 8 vi 1994 leg. M.Hreblay & Kovacs (ZSM). Range (in code): TR
- 41083. *Eupithecia antiqua* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *antiqua* Mironov & Galsworthy, 2004 Range (in code): CN Yu
- 41084. *Eupithecia antivulgaria* Inoue, 1965** (Geometridae) Synonym(s): *antivulgaria* Inoue, 1965 Range (in code): JP
- 41085. *Eupithecia aphanes* Turner, 1941** (Geometridae) Synonym(s): *ophanes* Turner, 1941 Range (in code): AU QAU
- 41086. *Eupithecia apicistrigata* (Bastelberger, 1907)** (Geometridae) Synonym(s): *apicistrigata* Bastelberger, 1907 Range (in code): PE
- 41087. *Eupithecia aporia* Vojnits, 1975** (Geometridae) Synonym(s): *aporia* Vojnits, 1975 Range (in code): MN
- 41088. *Eupithecia apparatissima* Vojnits, 1988** (Geometridae) Synonym(s): *apparatissima* Vojnits, 1988 Range (in code): NP
- 41089. *Eupithecia appendiculata* McDunnough, 1945** (Geometridae) Synonym(s): *appendiculata* McDunnough, 1945 Range (in code): US Ut
- 41090. *Eupithecia apta* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *apta* Mironov & Galsworthy, 2004 Range (in code): CN Yu
- 41091. *Eupithecia aradjouna* Brandt, 1938** (Geometridae) Synonym(s): *aradjouna* Brandt, 1938 Range (in code): IR Fa Com Kz
- 41092. *Eupithecia aradjouna taftanica* Brandt, 1941** (Geometridae) Synonym(s): *taftanica* Brandt, 1941 Range (in code): IR Ss
- 41093. *Eupithecia arauca* Rindge, 1991** (Geometridae) Synonym(s): *arauca* Rindge, 1991 Range (in code): CL
- 41094. *Eupithecia arenaria* (W. Warren, 1897)** (Geometridae) Synonym(s): *arenaria* W. Warren, 1897 Range (in code): PE
- 41095. *Eupithecia arenbergeri* Pinker, 1976** (Geometridae) Synonym(s): *arenbergeri* Pinker, 1976 Original Reference: *Eupithecia arenbergeri* Pinker, 1976, Z. ArbGem. öst. Ent. 28 (1/3): 5. Holotype ♂: [Turkey]: Pontisches Gebirge, Ziganapaß, 1500m (F. Kasy leg) (coll. Pinker). Range (in code): TR
- 41096. *Eupithecia arenitincta* L.B. Prout, 1938** (Geometridae) Synonym(s): *arenitincta* L.B. Prout, 1938 Range (in code): DZ
- 41097. *Eupithecia arenosa* Vojnits, 1984** (Geometridae) Synonym(s): *arenosa* Vojnits, 1984 Range (in code): CN Yu
- 41098. *Eupithecia arenosissima* Vojnits, 1992** (Geometridae) Synonym(s): *arenosissima* Vojnits, 1992 Range (in code): AR
- 41099. *Eupithecia aritai* Inoue, 1977** (Geometridae) Synonym(s): *aritai* Inoue, 1977 Range (in code): JP
- 41100. *Eupithecia armeniaca* Wardikjan, 1970** (Geometridae) Synonym(s): *djakonovi* Wardikjan, 1961 nec Shch., 1956; *armeniaca* Wardikjan, 1970 Range (in code): AM Cc Eri TR
- 41101. *Eupithecia asema* Hampson, 1891** (Geometridae) Synonym(s): *asema* Hampson, 1891 Range (in code): IN NI
- 41102. *Eupithecia asepiterna* Inoue, 2000** (Geometridae) Synonym(s): *sempiterna* Vojnits, 1987 nec 1984; *asepiterna* Inoue, 2000; *himalaya* Koçak & Kemal, 2001 Range (in code): IN Hp NP
- 41103. *Eupithecia asperata* Brandt, 1938** (Geometridae) Synonym(s): *asperata* Brandt, 1938 Range (in code): IR Fa Kz Com
- 41104. *Eupithecia assa* Mironov, 1989** (Geometridae) Synonym(s): *assa* Mironov, 1989 Range (in code): RU At
- 41105. *Eupithecia assectata* Dietze, 1904** (Geometridae) Synonym(s): *assectata* Dietze, 1904 Range (in code): PK Sha UZ Smk KK Ik TJ Ch AF Pag Kab Sfk Slg Bd Kbb Wk
- 41106. *Eupithecia assimilata* Doubleday, 1856** (Geometridae) Synonym(s): *assimilata* Doubleday, 1856; *fumosa* Hulst, 1896; *grisescens* Dietze, 1910 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc AZ Lag DK NO SE FI EE LV LT RU MD UA BY TR TM Kp UZ US Msc Bionomy: Larva on *Humulus lupulus* (Cannabaceae), *Ribes rubrum* (Meyer, 1919; Courtois, 1987).
- 41107. *Eupithecia assimilis* (W. Warren, 1906)** (Geometridae) Synonym(s): *assimilis* W. Warren, 1906 Range (in code): GY

- 41108. Eupithecia assulata Bastelberger, 1911** (Geometridae) **Synonym(s):** *assulata* Bastelberger, 1911 **Range (in code):** **TW**
- 41109. Eupithecia astales D.S.Fletcher, 1978** (Geometridae) **Synonym(s):** *astales* D.S.Fletcher, 1978 **Range (in code):** **TZ**
- 41110. Eupithecia asteria Herbulot, 1987** (Geometridae) **Synonym(s):** *asteria* Herbulot, 1987 **Range (in code):** **EC**
- 41111. Eupithecia astricta Inoue, 1988** (Geometridae) **Synonym(s):** *astricta* Inoue, 1988 **Range (in code):** **TW**
- 41112. Eupithecia atacama Vojnits, 1985** (Geometridae) **Synonym(s):** *atacama* Vojnits, 1985 **Range (in code):** **CL**
- 41113. Eupithecia atacamaensis Rindge, 1987** (Geometridae) **Synonym(s):** *atacamaensis* Rindge, 1987 **Range (in code):** **CL**
- 41114. Eupithecia atlantica Pinker, 1971** (Geometridae) **Synonym(s):** *atlantica* Pinker, 1971 **Range (in code):** **ES Md**
- 41115. Eupithecia atlantica atlantica Pinker, 1971** (Geometridae) **Synonym(s):** *atlantica* Pinker, 1971 **Range (in code):** **Md**
- 41116. Eupithecia atlantica pinkeriata Moberg, 1983** (Geometridae) **Synonym(s):** *pinkeriata* Moberg, 1983 **Range (in code):** **ES**
- 41117. Eupithecia atomaria (W.Warren, 1902)** (Geometridae) **Synonym(s):** *atomaria* W.Warren, 1902 **Range (in code):** **KE**
- 41118. Eupithecia atricollaris (W.Warren, 1907)** (Geometridae) **Synonym(s):** *atricollaris* W.Warren, 1907 **Range (in code):** **PE**
- 41119. Eupithecia atrisignis Butler, 1889** (Geometridae) **Synonym(s):** *atrisignis* Butler, 1889; *circumacta* L.B.Prout, 1958; *forsteri* Vojnits, 1983; *profana* Vojnits, 1984 **Range (in code):** **IN Djl SI Hp Kgr Drm NP CN Yu**
- 41120. Eupithecia atromaculata (W.Warren, 1907)** (Geometridae) **Synonym(s):** *atromaculata* W.Warren, 1907 **Range (in code):** **PE**
- 41121. Eupithecia attali Herbulot, 1993** (Geometridae) **Synonym(s):** *attali* Herbulot, 1993 **Range (in code):** **EC**
- 41122. Eupithecia avara Vojnits, 1984** (Geometridae) **Synonym(s):** *avara* Vojnits, 1984 **Range (in code):** **CN Yu**
- 41123. Eupithecia aysenae Rindge, 1987** (Geometridae) **Synonym(s):** *aysenae* Rindge, 1987 **Range (in code):** **CL**
- 41124. Eupithecia balintzsolti Vojnits, 1987** (Geometridae) **Synonym(s):** *balintzsolti* Vojnits, 1987 **Range (in code):** **NP**
- 41125. Eupithecia balteata (W.Warren, 1906)** (Geometridae) **Synonym(s):** *balteata* W.Warren, 1906 **Range (in code):** **MX**
- 41126. Eupithecia bandurriasae Rindge, 1991** (Geometridae) **Synonym(s):** *bandurriasae* Rindge, 1991 **Range (in code):** **CL**
- 41127. Eupithecia bardiararia Turati, 1934** (Geometridae) **Synonym(s):** *bardiararia* Turati, 1934 **Range (in code):** **LY Cy**
- 41128. Eupithecia barteli Dietze, 1908** (Geometridae) **Synonym(s):** *barteli* Dietze, 1908; *artshae* Viidalepp, 1988 **Range (in code):** **TJ Pm Chr T-S Uk RU Sr Ur KK KG Sp Sau Tar Uk PG Gg Swa Ld IN Hp AF Kbb CN Yu NP**
- 41129. Eupithecia bastelbergeri Dietze, 1913** (Geometridae) **Synonym(s):** *bastelbergeri* Dietze, 1913 **Original Reference:** *Eupithecia bastelbergeri* Dietze, 1913, *Biologie der Eupitheciiden* 1: pl.73 fig.360. **Syntypes:** [Kirgizistan]: Turkestan, Naryn. **Range (in code):** **TR IQ IR Fa KK KG Na**
- 41130. Eupithecia bastelbergeri korvaci L.B.Prout, 1938** (Geometridae) **Synonym(s):** *korvaci* L.B.Prout, 1938 **Range (in code):** **TR IQ IR Fa**
- 41131. Eupithecia batida Dognin, 1899** (Geometridae) **Synonym(s):** *batida* Dognin, 1899 **Range (in code):** **CO**
- 41132. Eupithecia behrensata Packard, 1876** (Geometridae) **Synonym(s):** *behrensata* Packard, 1876; *perillata* Pearsall, 1912; *monterata* [Cassino & Swett], 1922 **Range (in code):** **US Cf**
- 41133. Eupithecia bella Staudinger, 1897** (Geometridae) **Synonym(s):** *bella* Staudinger, 1897 **Range (in code):** **RU Am**
- 41134. Eupithecia bellimargo (Bastelberger, 1907)** (Geometridae) **Synonym(s):** *bellimargo* Bastelberger, 1907 **Range (in code):** **AR**

- 41135. *Eupithecia benigna* Vojnits,1984** (Geometridae) **Synonym(s):** *benigna* Vojnits,1984
Range (in code): **CN Shs**
- 41136. *Eupithecia bialbata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *bialbata* W.Warren,1901
Range (in code): **BR**
- 41137. *Eupithecia bicubitata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *bicubitata* L.B.Prout,1916
Range (in code): **PE**
- 41138. *Eupithecia bicurvicera* Herbulot,1972** (Geometridae) **Synonym(s):** *bicurvicera* Herbulot,1972
Range (in code): **MG**
- 41139. *Eupithecia biedermanata* [Cassino & Swett],1922** (Geometridae) **Synonym(s):** *biedermanata* [Cassino & Swett],1922
Range (in code): **US Arz**
- 41140. *Eupithecia bifasciata* (W.Warren,1900)** (Geometridae) **Synonym(s):** *bifasciata* W.Warren,1900; *segnis* Schaus,1929
Range (in code): **BR**
- 41141. *Eupithecia bini* Vojnits,1981** (Geometridae) **Synonym(s):** *bini* Vojnits,1981
Range (in code): **NP**
- 41142. *Eupithecia biornata* Christoph,1867** (Geometridae) **Synonym(s):** *biornata* Christoph,1867
Range (in code): **RO GR BG RU Sr Da Cc MD TR UA Cm CN Ui Ku MN KG** **Bionomy:** Larva on Artemisia (Meyer,1919).
- 41143. *Eupithecia biumbrata* (W.Warren,1907)** (Geometridae) **Synonym(s):** *biumbrata* W.Warren,1907
Range (in code): **PE**
- 41144. *Eupithecia biviridata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *biviridata* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 41145. *Eupithecia bivittata* (Hulst,1896)** (Geometridae) **Synonym(s):** *bivittata* Hulst,1896
Range (in code): **US Cf**
- 41146. *Eupithecia bohatschi* Staudinger,1897** (Geometridae) **Synonym(s):** *bohatschi* Staudinger,1897; *kawakamiana* Matsumura,1925; *tuvinica* Viidalepp,1976
Range (in code): **RU Vv Prj Us JP**
- 41147. *Eupithecia bolephora* L.B.Prout,1937** (Geometridae) **Synonym(s):** *bolephora* L.B.Prout,1937
Range (in code): **KM**
- 41148. *Eupithecia bolterii* (Hulst,1900)** (Geometridae) **Synonym(s):** *bolterii* Hulst,1900
Range (in code): **US Tx**
- 41149. *Eupithecia borealis* (Hulst,1898)** (Geometridae) **Synonym(s):** *borealis* Hulst,1898
Range (in code): **CA Mnt**
- 41150. *Eupithecia boryata* (Rebel,1906)** (Geometridae) **Synonym(s):** *boryata* Rebel,1906
Range (in code): **Cn**
- 41151. *Eupithecia bowmani* Cassino & Swett,1923** (Geometridae) **Synonym(s):** *bowmani* Cassino & Swett,1923
Range (in code): **CA Abt**
- 41152. *Eupithecia brachyptera* L.B.Prout,1913** (Geometridae) **Synonym(s):** *brachyptera* L.B.Prout,1913
Range (in code): **ZA ZA12 Nta Kzu Tva Lpo Spb Bbg Gau Pre**
- 41153. *Eupithecia breviclava* Inoue,1988** (Geometridae) **Synonym(s):** *breviclava* Inoue,1988
Range (in code): **TW**
- 41154. *Eupithecia brevicula* Schaus,1913** (Geometridae) **Synonym(s):** *brevicula* Schaus,1913
Range (in code): **CR**
- 41155. *Eupithecia breviculata* (Donzel,1837)** (Geometridae) **Synonym(s):** *breviculata* Donzel,1837; *anatolica* Schwingenschuss,1939; *georgica* Vojnits,1977. **Original Reference:** *Melanthia breviculata* Donzel,1837, *Annls Soc. ent. Fr.* 6: 478, pl.18 fig.7. Type: France, Hyères. **Range (in code):** **MA DZ Onç TN PT ES FR Co Sa Si IT MT DE CH HU RO YU AL BG GR Cr Rd TR Cc AZ Lag Kir Len RU MD UA BY IL Pa CY JO IR Mz TM Kp Da** **Bionomy:** Larva on *Ptychotis* (Apiaceae) (Meyer,1919).
- 41156. *Eupithecia briseis* Schaus,1913** (Geometridae) **Synonym(s):** *briseis* Schaus,1913
Range (in code): **CR**
- 41157. *Eupithecia broteas* Schaus,1913** (Geometridae) **Synonym(s):** *broteas* Schaus,1913
Range (in code): **CR**
- 41158. *Eupithecia broui* Rindge,1985** (Geometridae) **Synonym(s):** *broui* Rindge,1985
Range (in code): **US Lou**
- 41159. *Eupithecia brunneata* Staudinger,1900** (Geometridae) **Synonym(s):** *brunneata* Staudinger,1900
Original Reference: *Eupithecia brunneata* Staudinger,1900, *Dt. ent. Z., Iris* 12: 400, pl.5 fig.11. Syntypes: [Türkei]: Mardin; [Israel]: Engeddi. **Range (in code):** **TR IL IQ**

- 41160. *Eupithecia brunneilutea* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *brunneilutea* Mironov & Galsworthy, 2004 _ Range (in code): NP CN Yu
- 41161. *Eupithecia brunneodorsata* (W. Warren, 1907)** (Geometridae) Synonym(s): *brunneodorsata* W. Warren, 1907 _ Range (in code): PE
- 41162. *Eupithecia bryanti* Taylor, 1906** (Geometridae) Synonym(s): *bryanti* Taylor, 1906; *modesta* Taylor, 1906 _ Range (in code): CA BCo
- 41163. *Eupithecia bullata* (W. Warren, 1895)** (Geometridae) Synonym(s): *bullata* W. Warren, 1895; *nudata* W. Warren, 1906 _ Range (in code): BR PE
- 41164. *Eupithecia burmata* Mironov, Glasworthy & Katsumi, 2009** (Geometridae) Synonym(s): *burmata* Mironov, Glasworthy & Katsumi, 2009 _ Range (in code): MM
- 41165. *Eupithecia burselongata* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *burselongata* Mironov & Galsworthy, 2004 _ Range (in code): CN Yu Ats
- 41166. *Eupithecia bytinskii* L.B. Prout, 1938** (Geometridae) Synonym(s): *prouti* Bytinski-Salz & Brandt, 1937 nec Zny., 1933; *bytinskii* L.B. Prout, 1938 _ Range (in code): IR Elb Kdj Th
- 41167. *Eupithecia cabrasae* Rindge, 1987** (Geometridae) Synonym(s): *cabrasae* Rindge, 1987 _ Range (in code): CL
- 41168. *Eupithecia cabreria* Vojnits, 1992** (Geometridae) Synonym(s): *cabreria* Vojnits, 1992 _ Range (in code): CL
- 41169. *Eupithecia caburgia* Rindge, 1987** (Geometridae) Synonym(s): *caburgia* Rindge, 1987 _ Range (in code): CL
- 41170. *Eupithecia cachina* Schaus, 1913** (Geometridae) Synonym(s): *cachina* Schaus, 1913 _ Range (in code): CR
- 41171. *Eupithecia caduca* Vojnits, 1984** (Geometridae) Synonym(s): *caduca* Vojnits, 1984 _ Range (in code): CN Yu
- 41172. *Eupithecia caeruleata* Favre, 1899** (Geometridae) Synonym(s): *caeruleata* Favre, 1899
Original Reference: *Eupithecia venosata* var. *caeruleata* Favre, 1899, Faune des Macro-Lepid du Valais: 305. Syntypes: Switzerland: Mt. Chemin, Mt. Ravoire, Sion. Range (in code): MA DZ PT ES FR Si Co IT CH AT SK RO YU BG GR Cr RU UA Cm IL Pa CY LB AZ Cc Bionomy: Larva on *Silene nemoralis*, *S. otites* (Meyer, 1919).
- 41173. *Eupithecia caeruleata caeruleata* Favre, 1899** (Geometridae) Synonym(s): *caeruleata* Favre, 1899
Original Reference: *Eupithecia venosata* var. *caeruleata* Favre, 1899, Faune des Macro-Lepid du Valais: 305. Syntypes: Switzerland: Mt. Chemin, Mt. Ravoire, Sion. Range (in code): CH
- 41174. *Eupithecia calientes* Vojnits, 1992** (Geometridae) Synonym(s): *calientes* Vojnits, 1992 _ Range (in code): CL
- 41175. *Eupithecia californiata* Gumpenberg, 1888** (Geometridae) Synonym(s): *californiata* Gumpenberg, 1888 _ Range (in code): US Cf
- 41176. *Eupithecia caliginea* Butler, 1878** (Geometridae) Synonym(s): *caliginea* Butler, 1878 _ Range (in code): JP RU Vv Prj Us
- 41177. *Eupithecia caliginea caliginea* Butler, 1878** (Geometridae) Synonym(s): *caliginea* Butler, 1878 _ Range (in code): JP
- 41178. *Eupithecia caliginea zibellinata* Christoph, 1881** (Geometridae) Synonym(s): *zibellinata* Christoph, 1881 _ Range (in code): RU Vv Prj Us
- 41179. *Eupithecia caliginosa* Schaus, 1913** (Geometridae) Synonym(s): *caliginosa* Schaus, 1913 _ Range (in code): CR
- 41180. *Eupithecia calligraphata* Wagner, 1929** (Geometridae) Synonym(s): *calligraphata* Wagner, 1929
Original Reference: *Eupithecia calligraphata* Wagner, 1929, Mitt. münch. ent. Ges. 19: 183-184, pl. 2. fig. 24, Type 1♀: [Türkei]: Tschiftlik [=Aiftlik] (Akşehir) (NHMW). Range (in code): TR
- 41181. *Eupithecia camilla* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *camilla* Mironov & Galsworthy, 2004 _ Range (in code): CN She
- 41182. *Eupithecia cana* Vojnits, 1994** (Geometridae) Synonym(s): *cana* Vojnits, 1994 _ Range (in code): CL
- 41183. *Eupithecia canchasae* Rindge, 1987** (Geometridae) Synonym(s): *canchasae* Rindge, 1987 _ Range (in code): CL
- 41184. *Eupithecia candicans* Herbulot, 1988** (Geometridae) Synonym(s): *candicans* Herbulot, 1988 _ Range (in code): CM

- 41185. *Eupithecia candida* (W.Warren,1907)** (Geometridae) Synonym(s): *candida* W.Warren,1907 _ Range (in code): PE
- 41186. *Eupithecia canisparsa* W.Warren,1904** (Geometridae) Synonym(s): *canisparsa* W.Warren,1904 _ Range (in code): EC
- 41187. *Eupithecia canonica* L.B.Prout,1916** (Geometridae) Synonym(s): *canonica* L.B.Prout,1916 _ Range (in code): PE
- 41188. *Eupithecia capitata* Dyar,1918** (Geometridae) Synonym(s): *capitata* Dyar,1918 _ Range (in code): MX
- 41189. *Eupithecia carneata* McDunnough,1945** (Geometridae) Synonym(s): *carneata* McDunnough,1945 _ Range (in code): US Arz
- 41190. *Eupithecia carpophagata* Staudinger,1871** (Geometridae) Synonym(s): *carpophagata* Staudinger,1871 _ Range (in code): ES FR IT CH AT YU BG GR Bionomy: Larva on *Silene saxifraga* (Meyer,1919).
- 41191. *Eupithecia carpophagata benacaria* (Dannehl,1933)** (Geometridae) Synonym(s): *benacaria* Dannehl,1933 _ Range (in code): IT
- 41192. *Eupithecia carpophagata carpophagata* Staudinger,1871** (Geometridae) Synonym(s): *carpophagata* Staudinger,1871 _ Range (in code): ES An CH AT YU BG GR
- 41193. *Eupithecia carpophagata cassandrata* Millière,1874** (Geometridae) Synonym(s): *cassandrata* Millière,1874 _ Range (in code): FR
- 41194. *Eupithecia carphilata* Staudinger,1897** (Geometridae) Synonym(s): *carphilata* Staudinger,1897; *collega* Dietze,1908; *kaszabi* Vojnits,1974. _ Range (in code): RU Ur Am MN CN Ui Au
- 41195. *Eupithecia carribeana* Herbulot,1986** (Geometridae) Synonym(s): *carribeana* Herbulot,1986 _ Range (in code): GP
- 41196. *Eupithecia casloata* (Dyar,1904)** (Geometridae) Synonym(s): *casloata* Dyar,1904; *kasloata* McDunnough,1929; *bradorata* McDunnough,1930 _ Range (in code): CA BCo Qb
- 41197. *Eupithecia casmena* Herbulot,1987** (Geometridae) Synonym(s): *casmena* Herbulot,1987 _ Range (in code): EC
- 41198. *Eupithecia casta* (W.Warren,1904)** (Geometridae) Synonym(s): *casta* W.Warren,1904 _ Range (in code): PE
- 41199. *Eupithecia castellata* McDunnough,1944** (Geometridae) Synonym(s): *castellata* McDunnough,1944 _ Range (in code): US Cf
- 41200. *Eupithecia catalinata* McDunnough,1944** (Geometridae) Synonym(s): *catalinata* McDunnough,1944 _ Range (in code): US Arz
- 41201. *Eupithecia catharinae* Vojnits,1969** (Geometridae) Synonym(s): *catharinae* Vojnits,1969 _ Range (in code): CH SK HU
- 41202. *Eupithecia cauchiata* (Duponchel,1831)** (Geometridae) Synonym(s): *cauchiata* Duponchel,1831; *griseimarginata* Harpe,1853; *majoraria* Harpe,1855 _ Range (in code): ES FR IT BE DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV RU MD UA BY Bionomy: Larva on *Solidago* (Meyer,1919).
- 41203. *Eupithecia cautin* Vojnits,1992** (Geometridae) Synonym(s): *cautin* Vojnits,1992 _ Range (in code): CL
- 41204. *Eupithecia cazieri* Kirkwood,1961** (Geometridae) Synonym(s): *cazieri* Kirkwood,1961 _ Range (in code): US Arz
- 41205. *Eupithecia celatisigna* (W.Warren,1902)** (Geometridae) Synonym(s): *celatisigna* W.Warren,1902; *lugubriaria* Swinhoe,1904 _ Range (in code): KE ZA
- 41206. *Eupithecia celatisigna celatisigna* (W.Warren,1902)** (Geometridae) Synonym(s): *celatisigna* W.Warren,1902; *lugubriaria* Swinhoe,1904 _ Range (in code): KE ZA
- 41207. *Eupithecia celatisigna tatoptera* L.B.Prout,1932** (Geometridae) Synonym(s): *tatoptera* L.B.Prout,1932 _ Range (in code): KE
- 41208. *Eupithecia cercina* Druce,1893** (Geometridae) Synonym(s): *cercina* Druce,1893 _ Range (in code): MX
- 41209. *Eupithecia cerussaria* (Lederer,1855)** (Geometridae) Synonym(s): *cerussaria* Lederer,1855 Original Reference: *Cidaria cerussaria* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 215, pl.3 fig.9. Syntypes: [Libanon]: Beirut. Range (in code): GR TR CY LB Bei IL Pa JO
- 41210. *Eupithecia cerynea* Druce,1893** (Geometridae) Synonym(s): *cerynea* Druce,1893 _ Range (in code): GT

- 41211. *Eupithecia cesa* Koçak & Kemal,2001** (Geometridae) **Synonym(s):** *tenebricosa* Schaus,1913 nec Dietz.,1910; *cesa* Koçak & Kemal,2001 **_ Range (in code): CR**
- 41212. *Eupithecia cestata* (Hulst,1896)** (Geometridae) **Synonym(s):** *cestata* Hulst,1896 **Range (in code): US Cf**
- 41213. *Eupithecia cestatoides* McDunnough,1949** (Geometridae) **Synonym(s):** *cestatoides* McDunnough,1949 **_ Range (in code): US Cf**
- 41214. *Eupithecia chalikophila* Wehrli,1926** (Geometridae) **Synonym(s):** *chalikophila* Wehrli,1926 **_ Range (in code): ES An MA**
- 41215. *Eupithecia chapo* Vojnits,1992** (Geometridae) **Synonym(s):** *chapo* Vojnits,1992 **_ Range (in code): CL**
- 41216. *Eupithecia cheituna* Brandt,1938** (Geometridae) **Synonym(s):** *cheituna* Brandt,1938 **Range (in code): IR Fa Sse**
- 41217. *Eupithecia chesiata* Dietze,1904** (Geometridae) **Synonym(s):** *chesiata* Dietze,1904 **Range (in code): CN Ui Au KI**
- 41218. *Eupithecia chilensis* Kemal & Koçak,2004** (Geometridae) **Synonym(s):** *rindgei* Vojnits,1992 nec McDunn.,1949; *chilensis* Kemal & Koçak,2004 **_ Range (in code): CL**
- 41219. *Eupithecia chimera* Dyar,1918** (Geometridae) **Synonym(s):** *chimera* Dyar,1918 **_ Range (in code): MX**
- 41220. *Eupithecia chinch* Dognin,1899** (Geometridae) **Synonym(s):** *chinch* Dognin,1899 **Range (in code): EC**
- 41221. *Eupithecia chiricahuata* McDunnough,1944** (Geometridae) **Synonym(s):** *chiricahuata* McDunnough,1944 **_ Range (in code): US Arz**
- 41222. *Eupithecia chlorofasciata* Dietze,1872** (Geometridae) **Synonym(s):** *chlorofasciata* Dietze,1872 **_ Range (in code): US Ge**
- 41223. *Eupithecia chlorophora* Swinhoe,1895** (Geometridae) **Synonym(s):** *chlorophora* Swinhoe,1895; *basichlora* W.Warren,1899 **_ Range (in code): IN PH Neg**
- 41224. *Eupithecia christophi* Mironov,1988** (Geometridae) **Synonym(s):** *christophi* Mironov,1988 **Original Reference:** *Eupithecia christophi* Mironov,1988, Ent. Obozr. 1988 (2): 369-371, figs. Holotype: [Azerbaijan]: Nakhichevan, Ordubad (leg. Christoph) (ZIAS). **Range (in code): Cc AZ Nv Ord**
- 41225. *Eupithecia chrodna* (Druce,1893)** (Geometridae) **Synonym(s):** *chrodna* Druce,1893 **Range (in code): MX**
- 41226. *Eupithecia chui* Inoue,1970** (Geometridae) **Synonym(s):** *chui* Inoue,1970 **_ Range (in code): TW**
- 41227. *Eupithecia cemicifugata* Pearsall,1908** (Geometridae) **Synonym(s):** *cemicifugata* Pearsall,1908; *grata* Taylor,1910 **_ Range (in code): US Mrl CA On**
- 41228. *Eupithecia cingulata* Christoph,1885** (Geometridae) **Synonym(s):** *cingulata* Christoph,1885 **_ Range (in code): TM Kp**
- 41229. *Eupithecia cinnamomata* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *cinnamomata* D.S.Fletcher,1951 **_ Range (in code): ZA Fs**
- 41230. *Eupithecia circumscriptix* Vojnits,1983** (Geometridae) **Synonym(s):** *circumscriptix* Vojnits,1983 **_ Range (in code): NP**
- 41231. *Eupithecia citraria* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *citraria* Mironov & Galsworthy,2004 **_ Range (in code): CN Yu**
- 41232. *Eupithecia classicata* Pearsall,1909** (Geometridae) **Synonym(s):** *classicata* Pearsall,1909 **Range (in code): US Arz**
- 41233. *Eupithecia claudei* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) **Synonym(s):** *claudei* Mironov, Galsworthy & Sakamaki,2010 **_ Range (in code):**
- 41234. *Eupithecia clavifera* Inoue,1955** (Geometridae) **Synonym(s):** *clavifera* Inoue,1955 **Range (in code): JP**
- 41235. *Eupithecia coaequalis* Janse,1933** (Geometridae) **Synonym(s):** *coaequalis* Janse,1933 **Range (in code): ZW Bul**
- 41236. *Eupithecia cocciferata* Millière,1864** (Geometridae) **Synonym(s):** *cocciferata* Millière,1864; *semitinctaria* Mabille,1867. **_ Range (in code): MA PT ES FR Co Sa IT** **Bionomy:** Larva on Quercus (Meyer,1919).
- 41237. *Eupithecia coccinea* Vojnits,1981** (Geometridae) **Synonym(s):** *coccinea* Vojnits,1981 **Range (in code): NP**

- 41238. *Eupithecia cocoata* Pearsall,1908** (Geometridae) **Synonym(s):** *cocoata* Pearsall,1908
Range (in code): **US MrI**
- 41239. *Eupithecia coetulata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *coetulata* L.B.Prout,1916
Range (in code): **PE**
- 41240. *Eupithecia cognizata* Pearsall,1910** (Geometridae) **Synonym(s):** *cognizata* Pearsall,1910
Range (in code): **US Cf**
- 41241. *Eupithecia cohabitans* Herbulot,1972** (Geometridae) **Synonym(s):** *cohabitans* Herbulot,1972
Range (in code): **MG**
- 41242. *Eupithecia cohortacula* Dietze,1910** (Geometridae) **Synonym(s):** *cohortacula* Dietze,1910
Range (in code): **KK Ik**
- 41243. *Eupithecia collineata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *collineata* W.Warren,1906; *argica* L.B.Prout,1910
Range (in code): **AR BR**
- 41244. *Eupithecia coloradensis* (Hulst,1896)** (Geometridae) **Synonym(s):** *coloradensis* Hulst,1896; *carolinensis* Grossbeck,1907; *spenceata* Cassino,1927
Range (in code): **US Col NMx NCa**
- 41245. *Eupithecia columbiata* (Dyar,1904)** (Geometridae) **Synonym(s):** *columbiata* Dyar,1904; *erpata* Pearsall,1908; *holbergata* Mackay,1951
Range (in code): **CA BCo US Ny**
- 41246. *Eupithecia columbrata* McDunnough,1940** (Geometridae) **Synonym(s):** *columbrata* McDunnough,1940
Range (in code): **CA BCo**
- 41247. *Eupithecia comes* Herbulot,1986** (Geometridae) **Synonym(s):** *comes* Herbulot,1986
Range (in code): **GP**
- 41248. *Eupithecia concepcion* Rindge,1991** (Geometridae) **Synonym(s):** *concepcion* Rindge,1991
Range (in code): **CL**
- 41249. *Eupithecia concinna* Vojnits,1983** (Geometridae) **Synonym(s):** *concinna* Vojnits,1983
Range (in code): **NP**
- 41250. *Eupithecia concremata* Dietze,1904** (Geometridae) **Synonym(s):** *concremata* Dietze,1904
Range (in code): **CN Sng**
- 41251. *Eupithecia conduplicata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *conduplicata* W.Warren,1906
Range (in code): **MX**
- 41252. *Eupithecia coniurata* Vojnits,1979** (Geometridae) **Synonym(s):** *coniurata* Vojnits,1979
Range (in code): **CN Yu**
- 41253. *Eupithecia conjunctiva* Hampson,1895** (Geometridae) **Synonym(s):** *conjunctiva* Hampson,1895
Range (in code): **IN Drm Hp PK Pj Mre Haz Ch AF Sfk SI NP**
- 41254. *Eupithecia connexa* (W.Warren,1909)** (Geometridae) **Synonym(s):** *connexa* W.Warren,1909
Range (in code): **UG**
- 41255. *Eupithecia consors* (W.Warren,1900)** (Geometridae) **Synonym(s):** *consors* W.Warren,1900
Range (in code): **MX**
- 41256. *Eupithecia consortaria* Leech,1897** (Geometridae) **Synonym(s):** *consortaria* Leech,1897
Range (in code): **CN Mou**
- 41257. *Eupithecia conterminata* (Lienig & Zeller,1846)** (Geometridae) **Synonym(s):** *conterminata* Lienig & Zeller,1846; *manniaria* Herrich-Schäffer,1848; *idiopusillata* Inoue,1979
Range (in code): **FR DE CH AT PL CZ SK DK NO SE FI EE LV LT RU Us Sb Cc GG MD UA BY JP**
Bionomy: Larva on Pinus (Meyer,1919).
- 41258. *Eupithecia contexta* Schaus,1913** (Geometridae) **Synonym(s):** *contexta* Schaus,1913
Range (in code): **CR**
- 41259. *Eupithecia contraria* Vojnits,1983** (Geometridae) **Synonym(s):** *contraria* Vojnits,1983; *fusciferruginea* Inoue,1987
Range (in code): **NP PK Haz Nar**
- 41260. *Eupithecia convallata* Brandt,1938** (Geometridae) **Synonym(s):** *convallata* Brandt,1938
Range (in code): **IR Fa AF Kab Srb TR**
- 41261. *Eupithecia convallata convallata* Brandt,1938** (Geometridae) **Synonym(s):** *convallata* Brandt,1938
Range (in code): **IR Fa TR**
- 41262. *Eupithecia convallata terricolor* Vojnits,1988** (Geometridae) **Synonym(s):** *terricolor* Vojnits,1988
Range (in code): **AF Kab Srb**
- 41263. *Eupithecia convexa* Inoue,1988** (Geometridae) **Synonym(s):** *convexa* Inoue,1988
Range (in code): **TW**
- 41264. *Eupithecia conviva* Dietze,1910** (Geometridae) **Synonym(s):** *conviva* Dietze,1910
Range (in code): **TM Kp**

- 41265. *Eupithecia cooptata* Dietze,1904** (Geometridae) **Synonym(s):** *cooptata* Dietze,1904
Range (in code): **ES FR**
- 41266. *Eupithecia coquimbo* Rindge,1991** (Geometridae) **Synonym(s):** *coquimbo* Rindge,1991
Range (in code): **CL**
- 41267. *Eupithecia cordata* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *cordata* Mironov & Galsworthy,2004
Range (in code): **CN Yu Ti**
- 41268. *Eupithecia corralensis* Butler,1882** (Geometridae) **Synonym(s):** *corralensis* Butler,1882
Range (in code): **CL**
- 41269. *Eupithecia correana* Rindge,1987** (Geometridae) **Synonym(s):** *correana* Rindge,1987
Range (in code): **CL**
- 41270. *Eupithecia corroborata* Dietze,1908** (Geometridae) **Synonym(s):** *corroborata* Dietze,1908
Range (in code): **KG Tk Dj CN Ui Ku**
- 41271. *Eupithecia corticata* D.S.Fletcher,1950** (Geometridae) **Synonym(s):** *corticata* D.S.Fletcher,1950
Range (in code): **ZR**
- 41272. *Eupithecia costalis* (Walker,1863)** (Geometridae) **Synonym(s):** *costalis* Walker,1863
Range (in code): **LK MY Bor**
- 41273. *Eupithecia costalis costalis* (Walker,1863)** (Geometridae) **Synonym(s):** *costalis* Walker,1863
Range (in code): **MY Bor**
- 41274. *Eupithecia costalis ferrisparsata* (Hampson,1893)** (Geometridae) **Synonym(s):** *ferrisparsata* Hampson,1893
Range (in code): **LK**
- 41275. *Eupithecia costarica* Koçak & Kemal,2001** (Geometridae) **Synonym(s):** *subtilis* Schaus,1913 nec Dietz.,1910; *costarica* Koçak & Kemal,2001
Range (in code): **CR**
- 41276. *Eupithecia costiconvexa* Inoue,1979** (Geometridae) **Synonym(s):** *costiconvexa* Inoue,1979
Range (in code): **JP**
- 41277. *Eupithecia costimacularia* Leech,1897** (Geometridae) **Synonym(s):** *costimacularia* Leech,1897
Range (in code): **JP**
- 41278. *Eupithecia costipicta* W.Warren,1893** (Geometridae) **Synonym(s):** *costipicta* W.Warren,1893
Range (in code): **IN SI PK Ch Bt Deo AF Sfk CN Hun NP**
- 41279. *Eupithecia costirufaria* (W.Warren,1907)** (Geometridae) **Synonym(s):** *costirufaria* W.Warren,1907
Range (in code): **PE**
- 41280. *Eupithecia costivallata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *costivallata* W.Warren,1904
Range (in code): **PE**
- 41281. *Eupithecia cotidiana* Vojnits,1979** (Geometridae) **Synonym(s):** *cotidiana* Vojnits,1979
Range (in code): **CN She**
- 41282. *Eupithecia craterias* (Meyrick,1899)** (Geometridae) **Synonym(s):** *craterias* Meyrick,1899
Range (in code): **Hw**
- 41283. *Eupithecia craterias craterias* (Meyrick,1899)** (Geometridae) **Synonym(s):** *craterias* Meyrick,1899
Range (in code): **Hw**
- 41284. *Eupithecia craterias ditrecta* (Meyrick,1899)** (Geometridae) **Synonym(s):** *ditrecta* Meyrick,1899
Range (in code): **Hw**
- 41285. *Eupithecia crenata* Vojnits,1975** (Geometridae) **Synonym(s):** *crenata* Vojnits,1975
Original Reference: *Eupithecia crenata* Vojnits,1975, Acta zool. hung. 21 (1/2): 238, fig.4.
Holotype ♀: [Azerbaijan]: Ordubad (TMB). **Range (in code):** **Cc AZ Nv Ord**
- 41286. *Eupithecia cretacea* (Packard,1874)** (Geometridae) **Synonym(s):** *cretacea* Packard,1874; *fenestrata* Millière,1874.
Original Reference: *Larentia cretacea* Packard,1874, 6th Ann. Rep. Trustees Peab. Acad. Sci.: 40. **Lectotype** ♀: [U.S.A.]: California, Sierra Nevada (MCZ).
Range (in code): **US Cf FR IT CH AT RO SS HV B-H AL BG GR**
- 41287. *Eupithecia cretata* (Hulst,1896)** (Geometridae) **Synonym(s):** *cretata* Hulst,1896
Range (in code): **US Col**
- 41288. *Eupithecia cretosa* Vojnits,1994** (Geometridae) **Synonym(s):** *cretosa* Vojnits,1994
Range (in code): **TZ**
- 41289. *Eupithecia cucullaria* (Rebel,1901)** (Geometridae) **Synonym(s):** *undata* Bohatsch,1893 nec Frr.,1840; *cucullaria* Rebel,1901
Range (in code): **IT SS HV B-H AL BG MK Cr GR TR**
- 41290. *Eupithecia cugiai* Turati,1927** (Geometridae) **Synonym(s):** *cugiai* Turati,1927
Range (in code): **LY Cy**
- 41291. *Eupithecia cuneata* Vojnits,1984** (Geometridae) **Synonym(s):** *cuneata* Vojnits,1984
Range (in code): **CN Yu**

- 41292. *Eupithecia cuneilineata* (W.Warren,1905)** (Geometridae) **Synonym(s):** *cuneilineata* W.Warren,1905 _ **Range (in code):** **PE**
- 41293. *Eupithecia cunina* (Druce,1893)** (Geometridae) **Synonym(s):** *cunina* Druce,1893 **Range (in code):** **GT**
- 41294. *Eupithecia cuprearia* Jones,1921** (Geometridae) **Synonym(s):** *cuprearia* Jones,1921 **Range (in code):** **BR**
- 41295. *Eupithecia cupreata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *cupreata* W.Warren,1904 _ **Range (in code):** **PE**
- 41296. *Eupithecia cupressata* Pearsall,1910** (Geometridae) **Synonym(s):** *cupressata* Pearsall,1910 _ **Range (in code):** **US Cf** **Bionomy:** Larva on Cupressus (Pearsall,1910).
- 41297. *Eupithecia curacautinae* Rindge,1987** (Geometridae) **Synonym(s):** *curacautinae* Rindge,1987 _ **Range (in code):** **CL**
- 41298. *Eupithecia curvifascia* (W.Warren,1904)** (Geometridae) **Synonym(s):** *curvifascia* W.Warren,1904 _ **Range (in code):** **JM**
- 41299. *Eupithecia daemionata* Dietze,1904** (Geometridae) **Synonym(s):** *daemionata* Dietze,1904; *accessata* Dietze,1910 _ **Range (in code):** **JP RU Vv Prj Us**
- 41300. *Eupithecia dalhousiensis* Mironov & Galsworthy,2008** (Geometridae) **Synonym(s):** *#dalhousiensis* Strand,1919; *dalhousiensis* Mironov & Galsworthy,2008 _ **Range (in code):** **IN Hp Sml Dlh Gs AF Sfk**
- 41301. *Eupithecia damnosa* Vojnits,1983** (Geometridae) **Synonym(s):** *damnosa* Vojnits,1983 **Range (in code):** **NP**
- 41302. *Eupithecia dargei* Herbulot,1988** (Geometridae) **Synonym(s):** *dargei* Herbulot,1988 **Range (in code):** **CM**
- 41303. *Eupithecia dayensis* Herbulot,1983** (Geometridae) **Synonym(s):** *dayensis* Herbulot,1983 **Range (in code):** **DJ**
- 41304. *Eupithecia dealbata* Inoue,1988** (Geometridae) **Synonym(s):** *dealbata* Inoue,1988 **Range (in code):** **TW**
- 41305. *Eupithecia dearmata* Dietze,[1904]** (Geometridae) **Synonym(s):** *dearmata* Dietze,[1904]; *harterti* Rothschild,1915 **Original Reference:** *Eup[ithecia]* *dearmata* Dietze,[1904], Dt. ent. Z., Iris 16 (1903): 358, pl. 3 fig. 35. Syntypes 7♂♂: [Türkei]: "Mesopotamien, Mardin (Manisadjian)". **Range (in code):** **TR DZ Ah Onç TD TN**
- 41306. *Eupithecia dechkanata* Mironov,1989** (Geometridae) **Synonym(s):** *dechkanata* Mironov,1989 _ **Range (in code):** **TJ**
- 41307. *Eupithecia decipiens* W.Petersen,1910** (Geometridae) **Synonym(s):** *decipiens* W.Petersen,1910 _ **Range (in code):** **IR Elb Shh AF Kbb UZ KK**
- 41308. *Eupithecia decorata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *decorata* W.Warren,1904 _ **Range (in code):** **PE**
- 41309. *Eupithecia decrepita* Vojnits,1982** (Geometridae) **Synonym(s):** *decrepita* Vojnits,1982 **Range (in code):** **Cc AM**
- 41310. *Eupithecia decussata* Herbulot,1997** (Geometridae) **Synonym(s):** *decussata* Herbulot,1997 _ **Range (in code):** **CM**
- 41311. *Eupithecia defimbriata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *defimbriata* W.Warren,1906 _ **Range (in code):** **BR**
- 41312. *Eupithecia deformis* Vojnits,1979** (Geometridae) **Synonym(s):** *deformis* Vojnits,1979 **Range (in code):** **CN She**
- 41313. *Eupithecia delicata* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *delicata* Mironov & Galsworthy,2004 _ **Range (in code):** **CN Sz**
- 41314. *Eupithecia delozona* L.B.Prout,1926** (Geometridae) **Synonym(s):** *delozona* L.B.Prout,1926 **Range (in code):** **MY Bor**
- 41315. *Eupithecia demetata* Christoph,1885** (Geometridae) **Synonym(s):** *demetata* Christoph,1885; *draudti* Dietze,1910 *nec* Dtz.,1913 _ **Range (in code):** **TM Kp IR Kh**
- 41316. *Eupithecia demissa* Vojnits,1994** (Geometridae) **Synonym(s):** *demissa* Vojnits,1994 **Range (in code):** **CL**
- 41317. *Eupithecia denotata* (Hübner,[1813])** (Geometridae) **Synonym(s):** *denotata* (Hübner,[1813]; *atraria* Herrich-Schäffer,[1848]; *campanulata* Herrich-Schäffer,1861; *primulata* Millière,1874; *jasioneata* Crewe,1881; *livida* Dietze,1910; *pseudocastigata* Pinker,1976 **Original Reference:** *Geometra denotata* Hübner,[1813], Samml. eur. Schmett. 5: pl.88, fig.455. Type: Europa. **Range (in code):**

- PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU
MD UA BY CN Ui Ju Bionomy: Larva on Campanula, Phyteuma (Meyer,1919).
- 41318. Eupithecia denotata hellenata Schütze,1959** (Geometridae) Synonym(s): hellenata Schütze,1959 - Range (in code): GR
- 41319. Eupithecia densicauda (W.Warren,1904)** (Geometridae) Synonym(s): densicauda W.Warren,1904 - Range (in code): PE
- 41320. Eupithecia denticulata (Treitschke,1828)** (Geometridae) Synonym(s): denticulata Treitschke,1828 Original Reference: Larentia denticulata Treitschke,1828, Die Schmett. Eur. 6 (2): 132. Lectotype ♂: Ungarn: Ofen (HNHM). Range (in code): ES FR DE CH SK HU RO BG TR Cc GG Bjo AM Bionomy: Larva on Campanula rotundifolia, Ononis repens (Meyer,1919).
- 41321. Eupithecia denticulata anatolicata Pinker,1976** (Geometridae) Synonym(s): anatolicata Pinker,1976 Original Reference: Eupithecia denticulata ssp. anatolicata Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 6. Holotype ♂: [Turkey]: Kizilcahamam, Anat., (coll. Pinker). Range (in code): Cc TR
- 41322. Eupithecia dentosa (W.Warren,1900)** (Geometridae) Synonym(s): dentosa W.Warren,1900 - Range (in code): EC
- 41323. Eupithecia depasta Vojnits,1994** (Geometridae) Synonym(s): depasta Vojnits,1994 Range (in code): GM
- 41324. Eupithecia depressa Vojnits,1984** (Geometridae) Synonym(s): depressa Vojnits,1984 Range (in code): CN Shs
- 41325. Eupithecia depressa depressa Vojnits,1984** (Geometridae) Synonym(s): depressa Vojnits,1984 - Range (in code): CN Shs Yu
- 41326. Eupithecia depressa disiuncta Vojnits,1984** (Geometridae) Synonym(s): disiuncta Vojnits,1984 - Range (in code): CN Yu
- 41327. Eupithecia derogata Schaus,1913** (Geometridae) Synonym(s): derogata Schaus,1913 Range (in code): CR
- 41328. Eupithecia descimoni Herbulot,1987** (Geometridae) Synonym(s): descimoni Herbulot,1987 - Range (in code): EC
- 41329. Eupithecia descimoni descimoni Herbulot,1987** (Geometridae) Synonym(s): descimoni Herbulot,1987 - Range (in code): EC
- 41330. Eupithecia descimoni ecuador Kemal & Koçak,2004** (Geometridae) Synonym(s): occidens Herbulot,1987 nec Wehrl.,1927; ecuador Kemal & Koçak,2004 - Range (in code): EC
- 41331. Eupithecia despectaria Lederer,1853** (Geometridae) Synonym(s): despectaria Lederer,1853 - Range (in code): RU At Sb KG CN Ui Ii KK TJ UZ TR
- 41332. Eupithecia detritata Staudinger,1897** (Geometridae) Synonym(s): detritata Staudinger,1897; kamedai Inoue,1987; amplicornuta Viidalepp & Mironov,1988 - Range (in code): RU Am Prj Us Vv Ask JP Hkk
- 41333. Eupithecia deverrata Dietze,1910** (Geometridae) Synonym(s): deverrata Dietze,1910 Range (in code): IN LB
- 41334. Eupithecia deverrata deverrata Dietze,1910** (Geometridae) Synonym(s): deverrata Dietze,1910 - Range (in code): TN
- 41335. Eupithecia deverrata prouti Zerny,1933** (Geometridae) Synonym(s): prouti Zerny,1933 Range (in code): LB Bsa
- 41336. Eupithecia devestita (W.Warren,1899)** (Geometridae) Synonym(s): devestita W.Warren,1899 - Range (in code): ZA UG
- 41337. Eupithecia devia Bastelberger,1911** (Geometridae) Synonym(s): devia Bastelberger,1911 Range (in code): PE
- 41338. Eupithecia deviridata (W.Warren,1907)** (Geometridae) Synonym(s): deviridata W.Warren,1907 - Range (in code): PG
- 41339. Eupithecia dichroma McDunnough,1946** (Geometridae) Synonym(s): dichroma McDunnough,1946 - Range (in code): US Ut
- 41340. Eupithecia dierli Vojnits,1983** (Geometridae) Synonym(s): dierli Vojnits,1983 - Range (in code): NP
- 41341. Eupithecia dilucida (W.Warren,1899)** (Geometridae) Synonym(s): dilucida W.Warren,1899 - Range (in code): UG ZA ZA04 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg YE
- 41342. Eupithecia dimidia Vojnits,1982** (Geometridae) Synonym(s): dimidia Vojnits,1982 Range (in code): Cc AM

- 41343. *Eupithecia dinshoensis* Herbulot,1983** (Geometridae) **Synonym(s):** *dinshoensis* Herbulot,1983 **_ Range (in code): ET ET86**
- 41344. *Eupithecia discipuncta* (W.Warren,1906)** (Geometridae) **Synonym(s):** *discipuncta* W.Warren,1906 **_ Range (in code): MX**
- 41345. *Eupithecia discolor* Vojnits,1983** (Geometridae) **Synonym(s):** *discolor* Vojnits,1983 **_ Range (in code): NP**
- 41346. *Eupithecia discordans* Schaus,1913** (Geometridae) **Synonym(s):** *discordans* Schaus,1913 **_ Range (in code): CR**
- 41347. *Eupithecia discrepans* (Herbulot,1983)** (Geometridae) **Synonym(s):** *discrepans* Herbulot,1983 **_ Range (in code): EC**
- 41348. *Eupithecia discretata* (W.Warren,1907)** (Geometridae) **Synonym(s):** *discretata* W.Warren,1907 **_ Range (in code): PE**
- 41349. *Eupithecia disformata* Dognin,1893** (Geometridae) **Synonym(s):** *disformata* Dognin,1893 **_ Range (in code): EC**
- 41350. *Eupithecia dissertata* (Püngeler,1905)** (Geometridae) **Synonym(s):** *dissertata* Püngeler,1905; *kaszabi* Vojnits,1974; *certa* Vojnits,1981 **_ Range (in code): IT FR CH SK MN CN Shs Ui At RU Sb Sj**
- 41351. *Eupithecia dissobapta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *dissobapta* L.B.Prout,1932 **_ Range (in code): MG**
- 41352. *Eupithecia dissonans* Herbulot,1954** (Geometridae) **Synonym(s):** *dissonans* Herbulot,1954 **_ Range (in code): MG**
- 41353. *Eupithecia dissors* Schaus,1913** (Geometridae) **Synonym(s):** *dissors* Schaus,1913 **_ Range (in code): CR**
- 41354. *Eupithecia distinctaria* Herrich-Schäffer,[1848]** (Geometridae) **Synonym(s):** *distinctaria* Herrich-Schäffer,[1848]; *constrictata* Guenée,[1858]; *sextiata* Dardoin & Millière,1867; *piemonticola* Schwingenschuss,1954 **_ Original Reference:** *Eupithecia distinctaria* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 121,131,f.162-163. Syntypes: [Deutschland]: Regensburg. **_ Range (in code): MA PT ES FR Co IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv Ord Cc GG SE LT RU UA Cm LB Bsa** **_ Bionomy:** Larva on *Galium sylvaticum*, *Hypericum*, *Thymus serpyllum*, *T. vulgaris* (Meyer,1919).
- 41355. *Eupithecia divina* Vojnits,1979** (Geometridae) **Synonym(s):** *divina* Vojnits,1979 **_ Range (in code): CN Tkg**
- 41356. *Eupithecia djakonovi* Shchetkin,1956** (Geometridae) **Synonym(s):** *djakonovi* Shchetkin,1956 **_ Range (in code): TJ**
- 41357. *Eupithecia dodoneata* Guenée,[1858]** (Geometridae) **Synonym(s):** *dodoneata* Guenée,[1858]; *quercifoliata* A.Bang-Haas,1874; *austrina* Herbulot,1962 **_ Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT RU MD UA BY** **_ Bionomy:** Larva on *Crataegus*, *Quercus* (Meyer,1919).
- 41358. *Eupithecia dohertyi* L.B.Prout,1935** (Geometridae) **Synonym(s):** *dohertyi* L.B.Prout,1935 **_ Range (in code): KE UG CM**
- 41359. *Eupithecia dohertyi dohertyi* L.B.Prout,1935** (Geometridae) **Synonym(s):** *dohertyi* L.B.Prout,1935 **_ Range (in code): KE**
- 41360. *Eupithecia dohertyi fletcher* Koçak & Kemal,2001** (Geometridae) **Synonym(s):** *fumata* D.S.Fletcher,1951 nec Tayl.,1910; *fletcher* Koçak & Kemal,2001. **_ Original Reference:** *Eupithecia dohertyi* ssp. *fletcher* Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *fumata* Fletcher,1951 nec Taylor,1910). Holotype ♂: Cameroon: Onyanga, 8100ft. **_ Range (in code): CM**
- 41361. *Eupithecia dohertyi fulvata* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *fulvata* D.S.Fletcher,1951 **_ Range (in code): UG**
- 41362. *Eupithecia dolia* West,1929** (Geometridae) **Synonym(s):** *dolia* West,1929 **_ Range (in code): PH Luz**
- 41363. *Eupithecia dolosa* Vojnits,1977** (Geometridae) **Synonym(s):** *dolosa* Vojnits,1977 **_ Range (in code): MN**
- 41364. *Eupithecia dominaria* Shchetkin,1956** (Geometridae) **Synonym(s):** *dominaria* Shchetkin,1956 **_ Range (in code): TJ**
- 41365. *Eupithecia domogledana* Vojnits & Szabó,1988** (Geometridae) **Synonym(s):** *domogledana* Vojnits & Szabó,1988 **_ Range (in code): RO**

- 41366. *Eupithecia dormita* (W.Warren,1906)** (Geometridae) **Synonym(s):** *dormita* W.Warren,1906 **_ Range (in code): BR**
- 41367. *Eupithecia drastica* Herbulot,1994** (Geometridae) **Synonym(s):** *drastica* Herbulot,1994 **_ Range (in code): EC**
- 41368. *Eupithecia druentiata* Dietze,1902** (Geometridae) **Synonym(s):** *druentiata* Dietze,1902 **_ Range (in code): FR IT AT YU AL BG GR**
- 41369. *Eupithecia dryinombra* Meyrick,1899** (Geometridae) **Synonym(s):** *dryinombra* Meyrick,1899 **_ Range (in code): Hw**
- 41370. *Eupithecia dubiosa* Dietze,1910** (Geometridae) **Synonym(s):** *dubiosa* Dietze,1910 **_ Original Reference:** *Eupithecia dodoneata* f. *dubiosa* Dietze,1910, *Biologie der Eupitheciën* 1: pl.78 fig. 769,770; *ibid.* (1913) 2: 141. **Lectotype** ♀: Libanon: Beirut. **_ Range (in code): LB Bei TR CY**
- 41371. *Eupithecia duena* Dognin,1899** (Geometridae) **Synonym(s):** *duena* Dognin,1899; *cabria* Dognin,1899; *trapezoida* Dognin,1899; *suffecta* W.Warren,1904; *biundulifera* Bastelberger,1908; *macrocyclata* Bastelberger,1908; *melaleucata* Bastelberger,1908 **_ Range (in code): EC BO PE**
- 41372. *Eupithecia duplex* Sterneck,1931** (Geometridae) **Synonym(s):** *duplex* Sterneck,1931 **_ Range (in code): CN**
- 41373. *Eupithecia dura* Vojnits,1981** (Geometridae) **Synonym(s):** *dura* Vojnits,1981 **_ Range (in code): CN Yu**
- 41374. *Eupithecia dustica* (Dyar,1922)** (Geometridae) **Synonym(s):** *dustica* Dyar,1922 **_ Range (in code): MX**
- 41375. *Eupithecia dzhirgatalensis* Viidalepp,1988** (Geometridae) **Synonym(s):** *dzhirgatalensis* Viidalepp,1988 **_ Range (in code): Ch PK Bt Deo TJ**
- 41376. *Eupithecia ebriosa* Vojnits,1979** (Geometridae) **Synonym(s):** *ebriosa* Vojnits,1979 **_ Range (in code): CN IN Up Ch**
- 41377. *Eupithecia ecplyta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *ecplyta* L.B.Prout,1932 **_ Range (in code): KE**
- 41378. *Eupithecia edaphopteryx* Vojnits,1988** (Geometridae) **Synonym(s):** *edaphopteryx* Vojnits,1988 **_ Range (in code): IR**
- 41379. *Eupithecia edna* (Hulst,1896)** (Geometridae) **Synonym(s):** *edna* Hulst,1896 **_ Range (in code): US Col**
- 41380. *Eupithecia edwardsi* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *edwardsi* D.S.Fletcher,1951 **_ Range (in code): UG**
- 41381. *Eupithecia egena* Vojnits,1984** (Geometridae) **Synonym(s):** *egena* Vojnits,1984 **_ Range (in code): CN Yu Ats**
- 41382. *Eupithecia egenaria* Herrich-Schäffer,[1848]** (Geometridae) **Synonym(s):** *egenaria* Herrich-Schäffer,[1848]; *undosata* Dietze,1875 **_ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY** **_ Bionomy:** Larva on *Scabiosa* (Meyer,1919).
- 41383. *Eupithecia egregiata* Mironov & Ratzel,2008** (Geometridae) **Synonym(s):** *egregiata* Mironov & Ratzel,2008 **_ Range (in code): PK Swa Klm AF Sfk**
- 41384. *Eupithecia elbursi* Vojnits,1988** (Geometridae) **Synonym(s):** *elbursi* Vojnits,1988 **_ Range (in code): IR Elb Th**
- 41385. *Eupithecia elbursiata* Schütze,1960** (Geometridae) **Synonym(s):** *elbursiata* Schütze,1960 **_ Range (in code): IR Elb Mz**
- 41386. *Eupithecia elbuta* Vojnits,1992** (Geometridae) **Synonym(s):** *elbuta* Vojnits,1992 **_ Range (in code): CL**
- 41387. *Eupithecia electreofasciata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *electreofasciata* D.S.Fletcher,1958 **_ Range (in code): UG ZR**
- 41388. *Eupithecia elimata* Dietze,1906** (Geometridae) **Synonym(s):** *elimata* Dietze,1906; *sebduensis* Dietze,1910 **_ Range (in code): DZ Sbd**
- 41389. *Eupithecia elissa* Dietze,1910** (Geometridae) **Synonym(s):** *elissa* Dietze,1910 **_ Range (in code): TN**
- 41390. *Eupithecia elquiensis* Rindge,1991** (Geometridae) **Synonym(s):** *elquiensis* Rindge,1991 **_ Range (in code): CL**
- 41391. *Eupithecia emanata* Dietze,1908** (Geometridae) **Synonym(s):** *emanata* Dietze,1908; *korbi* Dietze,1908; *sordidata* Wileman,1911; *subicterata* L.B.Prout,1930 **_ Range (in code): RU Am JP**

- 41392. *Eupithecia emendata* Vojnits,1983** (Geometridae) **Synonym(s):** *emendata* Vojnits,1983
Range (in code): **NP**
- 41393. *Eupithecia emittens* Inoue,1996** (Geometridae) **Synonym(s):** *mystica* Vojnits,1988 *nec* Dietz.,1910; *emittens* Inoue,1996; *schungqar* Koçak & Kemal,2001. **Range (in code):** **TJ Pm PK PK Bt Skd Gg IN Ld**
- 41394. *Eupithecia emporia* Herbulot,1987** (Geometridae) **Synonym(s):** *emporia* Herbulot,1987
Range (in code): **EC**
- 41395. *Eupithecia encoensis* Rindge,1987** (Geometridae) **Synonym(s):** *encoensis* Rindge,1987
Range (in code): **CL**
- 41396. *Eupithecia endonephelia* (Dyar,1918)** (Geometridae) **Synonym(s):** *endonephelia* Dyar,1918 **Range (in code):** **MX**
- 41397. *Eupithecia endotherma* (Dyar,1920)** (Geometridae) **Synonym(s):** *endotherma* Dyar,1920
Range (in code): **MX**
- 41398. *Eupithecia epileptica* Vojnits,1984** (Geometridae) **Synonym(s):** *epileptica* Vojnits,1984
Range (in code): **CN Yu Ats**
- 41399. *Eupithecia erecticoma* (W.Warren,1907)** (Geometridae) **Synonym(s):** *erecticoma* W.Warren,1907 **Range (in code):** **PE**
- 41400. *Eupithecia erectinota* (W.Warren,1904)** (Geometridae) **Synonym(s):** *erectinota* W.Warren,1904 **Range (in code):** **PE**
- 41401. *Eupithecia ericeata* (Rambur,1833)** (Geometridae) **Synonym(s):** *ericeata* Rambur,1833; *millierata* Staudinger,1871; *#euxinata* Bohatsch,1893 **Range (in code):** **ES FR Co Sa Si IT CH AT CZ SK HU YU AL BG GR Cr TR CY Rd UA Cm RU SY Ltk** **Bionomy:** Larva on *Erica arborea* (Rambur,1833); *Juniperus communis* (Rambur,1833; Meyer,1919).
- 41402. *Eupithecia ericeti* Herbulot,1970** (Geometridae) **Synonym(s):** *ericeti* Herbulot,1970
Range (in code): **MG KM**
- 41403. *Eupithecia ericeti abacta* Herbulot,1978** (Geometridae) **Synonym(s):** *abacta* Herbulot,1978 **Range (in code):** **KM**
- 41404. *Eupithecia ericeti ericeti* Herbulot,1970** (Geometridae) **Synonym(s):** *ericeti* Herbulot,1970 **Range (in code):** **MG**
- 41405. *Eupithecia eszterkae* Vojnits,1976** (Geometridae) **Synonym(s):** *eszterkae* Vojnits,1976
Range (in code): **CN She**
- 41406. *Eupithecia eupitheciata* (Walker,1863)** (Geometridae) **Synonym(s):** *eupitheciata* Walker,1863 **Range (in code):** **NC**
- 41407. *Eupithecia eupompa* Herbulot,1987** (Geometridae) **Synonym(s):** *eupompa* Herbulot,1987
Range (in code): **EC**
- 41408. *Eupithecia evacuata* (W.Warren,1907)** (Geometridae) **Synonym(s):** *evacuata* W.Warren,1907 **Range (in code):** **PE**
- 41409. *Eupithecia evansi* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *evansi* D.S.Fletcher,1958 **Range (in code):** **UG**
- 41410. *Eupithecia exacerbata* Vojnits,1984** (Geometridae) **Synonym(s):** *exacerbata* Vojnits,1984
Range (in code): **CN Yu Ats**
- 41411. *Eupithecia exactata* Staudinger,1882** (Geometridae) **Synonym(s):** *exactata* Staudinger,1882; *modesta* Dietze,1910 *nec* Tayl.,1906; *opulenta* Vojnits,1982; *subolivacea* Inoue,1996. **Range (in code):** **IR Elb CN Ui Au Kl NrK KG Tk T-S Mn Ssn PK Gg Ch IN Ld AF Bd Wk Kbb Anj**
- 41412. *Eupithecia excita* L.B.Prout,1958** (Geometridae) **Synonym(s):** *excita* L.B.Prout,1958
Range (in code): **ID Clb**
- 41413. *Eupithecia exheres* Herbulot,1954** (Geometridae) **Synonym(s):** *exheres* Herbulot,1954
Range (in code): **MG**
- 41414. *Eupithecia exicterata* Mironov & Ratzel,2008** (Geometridae) **Synonym(s):** *exicterata* Mironov & Ratzel,2008 **Range (in code):** **PK Gg Nlt Ch IN Up AF Sfk**
- 41415. *Eupithecia exiguata* (Hübner,[1813])** (Geometridae) **Synonym(s):** *trimaculata* Haworth,1809 *nec* Vill.,1789 ; *exiguata* Hübner,[1813]; *ochreata* Stephens,1831; *exiguaria* Boisduval,1840; *lanceolaria* Wood,1854; *muricolor* L.B.Prout,1938. **Range (in code):** **FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb Am Us MD UA BY** **Bionomy:** Larva on *Acer*, *Berberis*, *Crataegus*, *Fraxinus*, *Hippophae*, *Ribes*, *Salix*, *Sorbus* (Meyer,1919).
- 41416. *Eupithecia eximia* Vojnits & Laever,1978** (Geometridae) **Synonym(s):** *eximia* Vojnits & Laever,1978 **Range (in code):** **CN Yu Ats**

- 41417. *Eupithecia exophychra* (Dyar,1920)** (Geometridae) Synonym(s): *exophychra* Dyar,1920
Range (in code): **MX**
- 41418. *Eupithecia expallidata* Doubleday,1856** (Geometridae) Synonym(s): *expallidata* Doubleday,1856 - Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO TR FI EE RU MD UA BY** Bionomy: Larva on *Solidago virgaurea* (Meyer,1919).
- 41419. *Eupithecia exquisita* Vojnits,1979** (Geometridae) Synonym(s): *exquisita* Vojnits,1979
Range (in code): **CN She**
- 41420. *Eupithecia extrubicunda* Inoue,1988** (Geometridae) Synonym(s): *extrubicunda* Inoue,1988
Range (in code): **TW**
- 41421. *Eupithecia extensaria* (Freyer,1844)** (Geometridae) Synonym(s): *extensaria* Freyer,1844; *prolongata* Lienig,1846; *sydyi* Staudinger,1885; *leuca* Dietze,1910; *prolongata* Dietze,1910 nec Lien.,1846; *occidua* L.B.Prout,1914 - Range (in code): **ES GB RO LV LT RU Prj Us Da At Sb MD UA Cm BY Cc AZ Kir IR Ab TR CN Ui Ku Kun KK KG MN KP KR JP** Bionomy: Larva on *Arthemisia absinthium*, *A. maritima* (Meyer,1919).
- 41422. *Eupithecia extinctata* Dietze,1904** (Geometridae) Synonym(s): *extinctata* Dietze,1904
Range (in code): **CN Ts Kno**
- 41423. *Eupithecia extraversaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *extraversaria* Herrich-Schäffer,[1852]; *libanotidata* Guenée,[1858] Original Reference: *Eupithecia extraversaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 77, fig.543. Type(s):- Range (in code): **MA ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR LV RU MD UA BY** Bionomy: Larva on *Angelica sylvestris*, *Athamanta libanotis*, *Laserpitium latifolium*, *Peucedanum oreoselinum*, *Pimpinella* (Meyer,1919).
- 41424. *Eupithecia extremata* (Fabricius,1787)** (Geometridae) Synonym(s): *extremata* Fabricius,1787; *glaucomictata* Mann,1855; *hangayi* Vojnits,1977. Original Reference: *Phalaena extremata* Fabricius,1787, Mant. Ins. 2: 211, nr.118. Type(s): Austria. Range (in code): **LY PT ES FR Co Si DE AT SK HU RO YU AL BG GR TR IQ RU MD UA BY Cc AZ Kir IL Pa Tbs Car LB Bsa IR**
- 41425. *Eupithecia extrinseca* Vojnits & Laever,1978** (Geometridae) Synonym(s): *extrinseca* Vojnits & Laever,1978 - Range (in code): **CN She**
- 41426. *Eupithecia exudata* Pearsall,1909** (Geometridae) Synonym(s): *exudata* Pearsall,1909
Range (in code): **US Pns**
- 41427. *Eupithecia falkneri* Vojnits,1978** (Geometridae) Synonym(s): *falkneri* Vojnits,1978
Range (in code): **DZ**
- 41428. *Eupithecia famularia* Maassen,1890** (Geometridae) Synonym(s): *famularia* Maassen,1890 - Range (in code): **EC**
- 41429. *Eupithecia fastuosa* Herbulot,1994** (Geometridae) Synonym(s): *fastuosa* Herbulot,1994
Range (in code): **BO**
- 41430. *Eupithecia fatigata* Vojnits & Laever,1978** (Geometridae) Synonym(s): *fatigata* Vojnits & Laever,1978 - Range (in code): **CN Yu Ats**
- 41431. *Eupithecia fausta* Schaus,1913** (Geometridae) Synonym(s): *fausta* Schaus,1913 - Range (in code): **CR**
- 41432. *Eupithecia feliscaudata* D.S.Fletcher,1956** (Geometridae) Synonym(s): *feliscaudata* D.S.Fletcher,1956 - Range (in code): **TZ**
- 41433. *Eupithecia fenita* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *fenita* Mironov & Galsworthy,2004 - Range (in code): **CN Yu Ats**
- 41434. *Eupithecia fennoscandica* Knaben,1949** (Geometridae) Synonym(s): *fennoscandica* Knaben,1949 - Range (in code): **NO SE FI RU MD UA BY**
- 41435. *Eupithecia fervida* Vojnits,1984** (Geometridae) Synonym(s): *fervida* Vojnits,1984
Range (in code): **CN Yu Ats**
- 41436. *Eupithecia fessa* Mironov & Galsworthy,2010** (Geometridae) Synonym(s): *pallescens* Inoue,2000 nec Dietz.,1910; *fessa* Mironov & Galsworthy,2010 - Range (in code):
- 41437. *Eupithecia festiva* L.B.Prout,1916** (Geometridae) Synonym(s): *festiva* L.B.Prout,1916
Range (in code): **ZA Tva Mpu Brb**
- 41438. *Eupithecia fibigeri* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) Synonym(s): *fibigeri* Mironov, Galsworthy & Sakamaki,2010 - Range (in code):
- 41439. *Eupithecia ficta* Vojnits,1984** (Geometridae) Synonym(s): *ficta* Vojnits,1984 - Range (in code): **CN Ti Btn**
- 41440. *Eupithecia filia* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) Synonym(s): *filia* Mironov, Galsworthy & Sakamaki,2010 - Range (in code):

- 41441. *Eupithecia finitima* Vojnits,1979** (Geometridae) Synonym(s): *finitima* Vojnits,1979
Range (in code): **CN She**
- 41442. *Eupithecia fiorata* Schütze,1959** (Geometridae) Synonym(s): *fiorata* Schütze,1959
Range (in code): **LY**
- 41443. *Eupithecia flavigutta* (Hulst,1896)** (Geometridae) Synonym(s): *flavigutta* Hulst,1896
Range (in code): **US Col**
- 41444. *Eupithecia flavoapicaria* Inoue,1979** (Geometridae) Synonym(s): *flavoapicaria* Inoue,1979 _ Range (in code): **JP**
- 41445. *Eupithecia fletcherata* Taylor,1907** (Geometridae) Synonym(s): *fletcherata* Taylor,1907;
promulgata Pearsall,1909; *dolorosata* Pearsall,1910 _ Range (in code): **CA On US Ny Pns**
- 41446. *Eupithecia fletcheri* L.B.Prout,1926** (Geometridae) Synonym(s): *fletcheri* L.B.Prout,1926;
hypognampta L.B.Prout,1938 _ Range (in code): **IN Kma Hp Dlh PK Nwf Haz Mre Pj Ch**
- 41447. *Eupithecia flexicornuta* Inoue,1988** (Geometridae) Synonym(s): *flexicornuta* Inoue,1988
Range (in code): **TW**
- 41448. *Eupithecia foedatipennis* (W.Warren,1901)** (Geometridae) Synonym(s): *foedatipennis* W.Warren,1901 _ Range (in code): **MY**
- 41449. *Eupithecia formosa* (Vojnits & Laever,1973)** (Geometridae) Synonym(s): *formosa* Vojnits & Laever,1973 _ Range (in code): **CN Yu Ats Ti Btn**
- 41450. *Eupithecia formosa formosa* (Vojnits & Laever,1973)** (Geometridae) Synonym(s): *formosa* Vojnits & Laever,1973 _ Range (in code): **CN Yu Ats**
- 41451. *Eupithecia formosa nova* (Vojnits & Laever,1973)** (Geometridae) Synonym(s): *nova* Vojnits & Laever,1973 _ Range (in code): **CN Ti Btn**
- 41452. *Eupithecia forsterata* Schütze,1960** (Geometridae) Synonym(s): *forsterata* Schütze,1960
Range (in code): **IR Elb Mz**
- 41453. *Eupithecia fortis* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *fortis* Mironov & Galsworthy,2004 _ Range (in code): **CN Yu**
- 41454. *Eupithecia fragmentaria* Vojnits,1984** (Geometridae) Synonym(s): *fragmentaria* Vojnits,1984 _ Range (in code): **CN Yu Ats**
- 41455. *Eupithecia fraxinata* Crewe,1863** (Geometridae) Synonym(s): *fraxinata* Crewe,1863
Range (in code): **IE GB Cc AZ Kir**
- 41456. *Eupithecia fredericki* Blanchard & Knudson,1985** (Geometridae) Synonym(s): *fredericki* Blanchard & Knudson,1985 _ Range (in code): **US Tx**
- 41457. *Eupithecia fredii* Mironov & Ratzel,2012** (Geometridae) Synonym(s): *fredii* Mironov & Ratzel,2012 _ Range (in code): **AF Pag Kab Sfk**
- 41458. *Eupithecia frequens* Butler,1882** (Geometridae) Synonym(s): *frequens* Butler,1882
Range (in code): **CL FK**
- 41459. *Eupithecia frequens anguligera* Butler,1893** (Geometridae) Synonym(s): *anguligera* Butler,1893 _ Range (in code): **FK**
- 41460. *Eupithecia frequens frequens* Butler,1882** (Geometridae) Synonym(s): *frequens* Butler,1882; *antarctica* Staudinger,1899 _ Range (in code): **CL**
- 41461. *Eupithecia frontosa* Brandt,1941** (Geometridae) Synonym(s): *frontosa* Brandt,1941
Range (in code): **IR Ss**
- 41462. *Eupithecia fujisana* Inoue,1980** (Geometridae) Synonym(s): *fujisana* Inoue,1980
Range (in code): **JP**
- 41463. *Eupithecia fulcrata* L.B.Prout,1958** (Geometridae) Synonym(s): *fulcrata* L.B.Prout,1958
Range (in code): **MM**
- 41464. *Eupithecia fulgurata* Vojnits,1982** (Geometridae) Synonym(s): *fulgurata* Vojnits,1982
Range (in code): **CN Ui Ju**
- 41465. *Eupithecia fulvipennis* Butler,1889** (Geometridae) Synonym(s): *fulvipennis* Butler,1889;
uniformis Inoue,2000 _ Range (in code): **IN Drm Hp Kma Up**
- 41466. *Eupithecia fulviplagiata* (Bastelberger,1907)** (Geometridae) Synonym(s): *fulviplagiata* Bastelberger,1907 _ Range (in code): **MX**
- 41467. *Eupithecia fulvistriga* (W.Warren,1904)** (Geometridae) Synonym(s): *fulvistriga* W.Warren,1904 _ Range (in code): **BO**
- 41468. *Eupithecia fumifascia* (W.Warren,1905)** (Geometridae) Synonym(s): *fumifascia* W.Warren,1905 _ Range (in code): **PE**

- 41469. *Eupithecia fumimixta* (W.Warren,1900)** (Geometridae) **Synonym(s):** *fumimixta* W.Warren,1900; *cariosa* Schaus,1913 **Range (in code):** **CR**
- 41470. *Eupithecia funerea* Inoue,1988** (Geometridae) **Synonym(s):** *funerea* Inoue,1988 **Range (in code):** **TW**
- 41471. *Eupithecia furcata* Staudinger,1879** (Geometridae) **Synonym(s):** *furcata* Staudinger,1879 **Original Reference:** *Eupithecia furcata* Staudinger,1879, Horae Soc. ent. ross. 14: 479. Type: [Türkei]: "Amasia: Caraman, Jenikeui-Hochebene". **Range (in code):** **TR**
- 41472. *Eupithecia furvipennis* (Dognin,1906)** (Geometridae) **Synonym(s):** *furvipennis* Dognin,1906 **Range (in code):** **AR**
- 41473. *Eupithecia fusca* Vojnits,1981** (Geometridae) **Synonym(s):** *fusca* Vojnits,1981 **Range (in code):** **NP**
- 41474. *Eupithecia fuscata* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *fuscata* D.S.Fletcher,1951 **Range (in code):** **UG**
- 41475. *Eupithecia fuscicostata* Christoph,1887** (Geometridae) **Synonym(s):** *fuscicostata* Christoph,1887; *fuscostigma* Alpheraky,1892; *salami* Brandt,1938; *domogledana* Vojnits & Szabo,1988 **Original Reference:** *Eupithecia fuscicostata* Christoph,1887, [in] Romanoff, Mem. lepid. 3: 11, pl.1 fig.6. Type ♂: Azerbaidzhan: Gueroussi [Karabagh] (ZISP). **Range (in code):** **Cc AZ IR Fa Sse RO GR MK TR GG AM RU**
- 41476. *Eupithecia fuscopunctata* Brandt,1938** (Geometridae) **Synonym(s):** *fuscopunctata* Brandt,1938 **Range (in code):** **IR Fa Kz Com Elb**
- 41477. *Eupithecia fuscopunctata fuscopunctata* Brandt,1938** (Geometridae) **Synonym(s):** *fuscopunctata* Brandt,1938 **Range (in code):** **IR Fa Kz Com**
- 41478. *Eupithecia fuscopunctata nigrobrunneopunctata* Schwingenschuss,1939** (Geometridae) **Synonym(s):** *nigrobrunneopunctata* Schwingenschuss,1939 **Range (in code):** **IR Elb**
- 41479. *Eupithecia galapagosata* Landry & Rindge,1995** (Geometridae) **Synonym(s):** *galapagosata* Landry & Rindge,1995 **Range (in code):** **GS**
- 41480. *Eupithecia galepsa* Herbulot,1987** (Geometridae) **Synonym(s):** *galepsa* Herbulot,1987 **Range (in code):** **BO**
- 41481. *Eupithecia garrula* Vojnits,1984** (Geometridae) **Synonym(s):** *garrula* Vojnits,1984 **Range (in code):** **CN Yu Ats**
- 41482. *Eupithecia gaumaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *gaumaria* W.Warren,1906 **Range (in code):** **BR**
- 41483. *Eupithecia gelbrechti* Mironov,2013** (Geometridae) **Synonym(s):** *gelbrechti* Mironov,2013 **Original Reference:** *Eupithecia gelbrechti* Mironov,2013, Zootaxa 3717: 40, figs. Holotype ♀: S-Türkei, Taurus, Sertavu[]-Pass bei Karaman, 1550m 15 vi 1996 leg.J. Gelbrecht et al. (coll. Gelbrecht). **Range (in code):** **TR**
- 41484. *Eupithecia gelidata* Möschler,1860** (Geometridae) **Synonym(s):** *gelidata* Möschler,1860; *hyperboreata* Staudinger,1861; *flebilis* Hulst,1900; *compactata* Taylor,1910; *lagganata* Taylor,1910; *nordeggensis* Cassino & Swett,1922. **Range (in code):** **DE PL CZ NO SE FI EE LV LT RU MD UA BY CA BCo US Als Lbr Abt NMx**
- 41485. *Eupithecia gemellata* Herrich-Schäffer,1861** (Geometridae) **Synonym(s):** *gemellata* Herrich-Schäffer,1861 **Range (in code):** **ES FR Co Si IT CH AT HU RO YU AL BG GR TR LB Bsa** **Bionomy:** Larva on *Petrorhagia saxifraga* (Meyer,1919).
- 41486. *Eupithecia gigantea* Staudinger,1897** (Geometridae) **Synonym(s):** *gigantea* Staudinger,1897; *karafutonis* Matsumura,1925 **Range (in code):** **RU Prj Us Am JP**
- 41487. *Eupithecia gilata* Cassino,1925** (Geometridae) **Synonym(s):** *gilata* Cassino,1925 **Range (in code):** **US Arz**
- 41488. *Eupithecia gilvipennata* Cassino & Swett,1922** (Geometridae) **Synonym(s):** *gilvipennata* Cassino & Swett,1922 **Range (in code):** **CA BCo**
- 41489. *Eupithecia glaisi* Lucas,1937** (Geometridae) **Synonym(s):** *glaisi* Lucas,1937 **Range (in code):** **DZ**
- 41490. *Eupithecia glaucotincta* (Dyar,1913)** (Geometridae) **Synonym(s):** *glaucotincta* Dyar,1913 **Range (in code):** **MX**
- 41491. *Eupithecia golearia* Lucas,1939** (Geometridae) **Synonym(s):** *golearia* Lucas,1939 **Range (in code):** **DZ**
- 41492. *Eupithecia gomerensis* (Rebel,1917)** (Geometridae) **Synonym(s):** *gomerensis* Rebel,1917 **Range (in code):** **Cn**

- 41493. *Eupithecia gomerensis gomerensis* (Rebel,1917)** (Geometridae) Synonym(s): *gomerensis* Rebel,1917 _ Range (in code): Cn
- 41494. *Eupithecia gomerensis leucophaeata* Pinker,1969** (Geometridae) Synonym(s): *leucophaeata* Pinker,1969 _ Range (in code): Cn _ O
- 41495. *Eupithecia goossensiata* Mabille,1869** (Geometridae) Synonym(s): *goossensiata* Mabille,1869 _ Range (in code): ES FR IT IE GB BE NL DE CH? AT PL CZ SK RO BG DK SE FI EE LV RU MD UA BY
- 41496. *Eupithecia goslina* (W.Warren,1906)** (Geometridae) Synonym(s): *goslina* W.Warren,1906 _ Range (in code): MX
- 41497. *Eupithecia graciliata* Dietze,1906** (Geometridae) Synonym(s): *graciliata* Dietze,1906 _ Range (in code): TJ
- 41498. *Eupithecia gradatilinea* L.B.Prout,1916** (Geometridae) Synonym(s): *gradatilinea* L.B.Prout,1916; *rubidimixta* L.B.Prout,1916 _ Range (in code): ZA ZA28 Tva Lpo Mpu Wv Gau Pre ZW Bionomy: Larva on *Acacia karroo* (Mimosaceae) (Duke & Duke,1998).
- 41499. *Eupithecia graefii* (Hulst,1896)** (Geometridae) Synonym(s): *graefii* Hulst,1896 _ Range (in code): US Ws Cf CA BCo
- 41500. *Eupithecia graefii graefii* (Hulst,1896)** (Geometridae) Synonym(s): *graefii* Hulst,1896; *vancouverata* Taylor,1906; *vancouverensis* Pearsall,1910; *stikineata* Cassino & Swett,1922 _ Range (in code): US Ws
- 41501. *Eupithecia graefii tulareata* [Cassino & Swett],1922** (Geometridae) Synonym(s): *tulareata* [Cassino & Swett],1922 _ Range (in code): US Cf
- 41502. *Eupithecia granata* Vojnits,1979** (Geometridae) Synonym(s): *granata* Vojnits,1979 _ Range (in code): CN Yu
- 41503. *Eupithecia graphata* (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] _ Original Reference: *Cidaria graphata* Treitschke,1828, Schmett. Eur. 6 (2): 144. Lectotype ♂: Hungary, Budapest. Range (in code): ES FR IT CH AT SK HU YU BG GR TR Arr Cc GG Bjo AM RU Ur MD Bionomy: Larva on *Gypsophila fastigiata*, *Minuartia setacea* (Meyer,1919).
- 41504. *Eupithecia graphata graeciata* Schütze,1958** (Geometridae) Synonym(s): *graeciata* Schütze,1958 _ Range (in code): GR
- 41505. *Eupithecia graphata graphata* (Treitschke,1828)** (Geometridae) Synonym(s): *graphata* Treitschke,1828; *corticulata* Freyer,1840; *italicata* Guenée,[1858] _ Range (in code): SK HU YU BG GR RU Ur MD
- 41506. *Eupithecia graphata hesperia* Wehrli,1927** (Geometridae) Synonym(s): *hesperia* Wehrli,1927 _ Range (in code): ES
- 41507. *Eupithecia graphata mayeri* Mann,1853** (Geometridae) Synonym(s): *mayeri* Mann,1853; *mayerata* Guenée,[1858] _ Range (in code): CH AT
- 41508. *Eupithecia graphata setacea* Dietze,1904** (Geometridae) Synonym(s): *setacea* Dietze,1904 _ Range (in code): FR
- 41509. *Eupithecia graphata sproengertsi* Dietze,1910** (Geometridae) Synonym(s): *sproengertsi* Dietze,1910 _ Range (in code): IT
- 41510. *Eupithecia graphata tikonovi* Mironov,2001** (Geometridae) Synonym(s): *tkonovi* Mironov,2001 _ Range (in code): Cc
- 41511. *Eupithecia graphiticata* Joannis,1932** (Geometridae) Synonym(s): *graphiticata* Joannis,1932; *adunata* L.B.Prout,1935 _ Range (in code): RE
- 41512. *Eupithecia grappleri* Rindge,1987** (Geometridae) Synonym(s): *grappleri* Rindge,1987 _ Range (in code): CL
- 41513. *Eupithecia gratiosata* Herrich-Schäffer,1861** (Geometridae) Synonym(s): *gratiosata* Herrich-Schäffer,1861; *subseparata* Christoph,1885 _ Original Reference: *Eupithecia gratiosata* Herrich-Schäffer,1861, Neue Schmett. 3: 27, fig.135. Type(s): *Patria incognita*. Range (in code): MA DZ TN PT ES FR Sa Si IT PL RO YU AL BG GR TR IQ LB Bsa Cc GG AZ IR Bionomy: Larva on *Ferulago galbanifera*, *Heracleum sphondylium* (Apiaceae) (Meyer,1919).
- 41514. *Eupithecia griveaudi* Herbulot,1972** (Geometridae) Synonym(s): *griveaudi* Herbulot,1972 _ Range (in code): MG
- 41515. *Eupithecia groenblomi* Urbahn,1969** (Geometridae) Synonym(s): *groenblomi* Urbahn,1969 _ Range (in code): FI
- 41516. *Eupithecia guamanica* Herbulot,1993** (Geometridae) Synonym(s): *guamanica* Herbulot,1993 _ Range (in code): EC

- 41517. *Eupithecia guayacanae* Rindge,1991** (Geometridae) **Synonym(s):** *guayacanae* Rindge,1991
Range (in code): **CL**
- 41518. *Eupithecia gueneata* Millière,1862** (Geometridae) **Synonym(s):** *gueneata* Millière,1862;
busambraria Ragusa,1889 **Range (in code):** **MA ES FR Si IT CH AT PL CZ SK HU RO YU AL GR TR**
Cc AZ Lag TM Kp IR AM **Bionomy:** Larva on *Pimpinella saxifraga* (Meyer,1919).
- 41519. *Eupithecia gueneata gueneata* Millière,1862** (Geometridae) **Synonym(s):** *gueneata*
Millière,1862; *busambraria* Ragusa,1889 **Range (in code):** **ES FR Si IT CH AT PL CZ SK HU RO YU AL**
GR TR AZ Cc
- 41520. *Eupithecia gueneata plantei* Herbulot,1981** (Geometridae) **Synonym(s):** *plantei*
Herbulot,1981 **Range (in code):** **MA**
- 41521. *Eupithecia gummaensis* Inoue,1980** (Geometridae) **Synonym(s):** *gummaensis* Inoue,1980
Range (in code): **JP**
- 41522. *Eupithecia habermani* Viidalepp & Mironov,1988** (Geometridae) **Synonym(s):**
habermani Viidalepp & Mironov,1988 **Range (in code):** **RU Sh**
- 41523. *Eupithecia hainanensis* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):**
hainanensis Mironov & Galsworthy,2004 **Range (in code):** **CN Hn**
- 41524. *Eupithecia halosydne* L.B.Prout,1922** (Geometridae) **Synonym(s):** *halosydne*
L.B.Prout,1922 **Range (in code):** **CL**
- 41525. *Eupithecia hamleti* Vardikjan,1985** (Geometridae) **Synonym(s):** *hamleti* Vardikjan,1985
Range (in code): **Cc AM Eri TJ**
- 41526. *Eupithecia hannemanni* Vojnits & Laever,1973** (Geometridae) **Synonym(s):**
hannemanni Vojnits & Laever,1973; *manca* Vojnits,1979 **Range (in code):** **IR Fa Kz Com PK Swa CN She**
- 41527. *Eupithecia harenosa* Brandt,1938** (Geometridae) **Synonym(s):** *harenosa* Brandt,1938
Range (in code): **IR Fa Kz Com**
- 41528. *Eupithecia harrisonata* Mackay,1951** (Geometridae) **Synonym(s):** *harrisonata*
Mackay,1951 **Range (in code):** **TW**
- 41529. *Eupithecia hasimotoi* Inoue,1988** (Geometridae) **Synonym(s):** *hasimotoi* Inoue,1988
Range (in code): **TW**
- 41530. *Eupithecia hastaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *hastaria*
W.Warren,1906 **Range (in code):** **AR BR**
- 41531. *Eupithecia hastaria hastaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *hastaria*
W.Warren,1906 **Range (in code):** **BR**
- 41532. *Eupithecia hastaria tango* Kemal & Koçak,2004** (Geometridae) **Synonym(s):**
nebulata D.S.Fletcher,1953 nec Hw.,1809; *tango* Kemal & Koçak,2004. **Range (in code):** **AR**
- 41533. *Eupithecia haworthiata* Doubleday,1856** (Geometridae) **Synonym(s):** *haworthiata*
Doubleday,1856; *gozmanyi* Vojnits,1972 **Range (in code):** **ES FR IE GB NL BE DE PL DK SE SS CZ HU**
AT IT CH Sa Co BG HV YU GR AL MK RO GG Cc AZ TR UA Cm
- 41534. *Eupithecia haywardi* D.S.Fletcher,1953** (Geometridae) **Synonym(s):** *haywardi*
D.S.Fletcher,1953 **Range (in code):** **AR**
- 41535. *Eupithecia hebes* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *hebes*
Mironov & Galsworthy,2004 **Range (in code):** **CN**
- 41536. *Eupithecia hebes* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *hebes*
Mironov & Galsworthy,2004 **Range (in code):** **CN**
- 41537. *Eupithecia helena* Taylor,1906** (Geometridae) **Synonym(s):** *helena* Taylor,1906
Range (in code): **US Arz**
- 41538. *Eupithecia helenaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *helenaria*
W.Warren,1906 **Range (in code):** **BR**
- 41539. *Eupithecia hemileuca* Hampson,1895** (Geometridae) **Synonym(s):** *hemileuca*
Hampson,1895 **Range (in code):** **ID Dlh Hp**
- 41540. *Eupithecia hemileucaria* Mabille,1880** (Geometridae) **Synonym(s):** *hemileucaria*
Mabille,1880 **Range (in code):** **MG**
- 41541. *Eupithecia hemiochra* L.B.Prout,1932** (Geometridae) **Synonym(s):** *hemiochra*
L.B.Prout,1932 **Range (in code):** **KE**
- 41542. *Eupithecia herbulot* Koçak & Kemal,2001** (Geometridae) **Synonym(s):** *decussata*
Herbulot,1997 nec Don.,1799; *herbulot* Koçak & Kemal,2001 **Original Reference:** *Eupithecia herbulot*
Koçak & Kemal,2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *decussata*
Herbulot,1997 nec Donovan,1799). Holotype ♀: Cameroon: Kumbo prefecture, 5km E of Oku,
2120m. **Range (in code):** **CM**

- 41543. *Eupithecia herczigi* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *herczigi* Mironov, Glasworthy & Katsumi,2009 _ Range (in code): TH CMa CDo
- 41544. *Eupithecia herefordaria* Cassino & Swett,1923** (Geometridae) Synonym(s):
herefordaria Cassino & Swett,1923 _ Range (in code): US Arz
- 41545. *Eupithecia herrenschmidtii* Mentzer & Moberg,1992** (Geometridae) Synonym(s):
herrenschmidtii Mentzer & Moberg,1992 _ Range (in code): ES An
- 41546. *Eupithecia hesperina* Mironov & Galsworthy,2004** (Geometridae) Synonym(s):
hesperina Mironov & Galsworthy,2004 _ Range (in code): CN Yu
- 41547. *Eupithecia higa* Dognin,1899** (Geometridae) Synonym(s): *higa* Dognin,1899 _ Range (in code): EC
- 41548. *Eupithecia hilacha* Dognin,1899** (Geometridae) Synonym(s): *hilacha* Dognin,1899
Range (in code): EC
- 41549. *Eupithecia hilariata* Dietze,1908** (Geometridae) Synonym(s): *hilariata* Dietze,1908
Range (in code): CN Ui Ju TJ Pm KK AF Pag Kab TM
- 41550. *Eupithecia hilaris* (L.B.Prout,1910)** (Geometridae) Synonym(s): *hilaris* L.B.Prout,1910
Range (in code): CO
- 41551. *Eupithecia himalayata* Mironov, Galsworthy & Sakamaki,2010** (Geometridae)
Synonym(s): *himalayata* Mironov, Galsworthy & Sakamaki,2010 _ Range (in code):
- 41552. *Eupithecia hippolyte* Herbulot,1987** (Geometridae) Synonym(s): *hippolyte* Herbulot,1987
Range (in code): EC
- 41553. *Eupithecia hodeberti* Herbulot,1993** (Geometridae) Synonym(s): *hodeberti* Herbulot,1993
Range (in code): EC
- 41554. *Eupithecia hoenei* Vojnits,1976** (Geometridae) Synonym(s): *hoenei* Vojnits,1976
Range (in code): CN She
- 41555. *Eupithecia hohokamae* Rindge,1963** (Geometridae) Synonym(s): *hohokamae*
Rindge,1963 _ Range (in code): US Arz
- 41556. *Eupithecia holti* Viidalepp,1973** (Geometridae) Synonym(s): *holti* Viidalepp,1973
Range (in code): MN
- 41557. *Eupithecia hombrilla* Dognin,1899** (Geometridae) Synonym(s): *hombrilla* Dognin,1899
Range (in code): EC
- 41558. *Eupithecia homographata* Dietze,1908** (Geometridae) Synonym(s): *homographata*
Dietze,1908; meszarosi Vojnits,1973; bicornuta Oh,1992 _ Range (in code): RU Am KP KR Prj Us Kmt
- 41559. *Eupithecia homographata homographata* Dietze,1908** (Geometridae) Synonym(s):
homographata Dietze,1908; *meszarosi Vojnits,1973; bicornuta Oh,1992* _ Range (in code): RU Am KP KR Prj Us
- 41560. *Eupithecia homographata kamtschatica* Viidalepp & Mironov,1988**
(Geometridae) Synonym(s): *kamtschatica* Viidalepp & Mironov,1988 _ Range (in code): RU Kmt
- 41561. *Eupithecia honesta* Mironov & Galsworthy,2004** (Geometridae) Synonym(s):
honesta Mironov & Galsworthy,2004 _ Range (in code): CN Ti Ats
- 41562. *Eupithecia horismoides* Rindge,1987** (Geometridae) Synonym(s): *horismoides*
Rindge,1987 _ Range (in code): CL
- 41563. *Eupithecia hormiga* Dognin,1899** (Geometridae) Synonym(s): *hormiga* Dognin,1899;
conigera Bastelberger,1908 _ Range (in code): BO EC
- 41564. *Eupithecia horrida* Vojnits,1980** (Geometridae) Synonym(s): *horrida* Vojnits,1980
Range (in code): CN Yu
- 41565. *Eupithecia hreblai* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *hreblai* Mironov, Glasworthy & Katsumi,2009 _ Range (in code): TH CMa Int
- 41566. *Eupithecia huachuca* Grossbeck,1908** (Geometridae) Synonym(s): *huachuca*
Grossbeck,1908 _ Range (in code): US Arz
- 41567. *Eupithecia hundamoi* Vojnits & Laever,1978** (Geometridae) Synonym(s): *hundamoi*
Vojnits & Laever,1978 _ Range (in code): KP KR
- 41568. *Eupithecia husseini* Brandt,1938** (Geometridae) Synonym(s): *husseini* Brandt,1938
Range (in code): IR Fa
- 41569. *Eupithecia hydrargyrea* Herbulot,1954** (Geometridae) Synonym(s): *hydrargyrea*
Herbulot,1954 _ Range (in code): MG
- 41570. *Eupithecia hypophasma* L.B.Prout,1913** (Geometridae) Synonym(s): *hypophasma*
L.B.Prout,1913 _ Range (in code): ZA ZA11 ZA13 Kzu Nta Tva Lpo Hae

- 41571. *Eupithecia hystérica* Vojnits,1988** (Geometridae) **Synonym(s):** *hystérica* Vojnits,1988
Range (in code): **TJ**
- 41572. *Eupithecia icterata* (Villers,1789)** (Geometridae) **Synonym(s):** *icterata* Villers,1789;
oxydata Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842; *#ligusticata*
Dietze,1910 **Original Reference:** *Phalaena icterata* Villers,1789, Carol. Linn. ent. 2: 382.
Syntypes: France: Gallia. **Range (in code):** **MA ES FR SI IT IE GB BE NL LU DE CH AT PL CZ SK HU**
RO YU AL BG GR TR Cc Arr GG Bjo Mng Lag Da DK NO SE FI EE LV LT RU MD UA Cm IQ IR Elb Mz
KG
- 41573. *Eupithecia icterata icterata* (Villers,1789)** (Geometridae) **Synonym(s):** *icterata*
Villers,1789; *oxydata* Treitschke,1828; *cognata* Stephens,1831; *ligustigata* Donzel,1838; *ferrugata* Duponchel,1842;
#ligusticata Dietze,1910 **Range (in code):** **ES FR SI IT IE BE NL LU DE CH AT PL CZ SK HU RO YU**
AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA Cm IQ
- 41574. *Eupithecia icterata iranata* Schütze,1960** (Geometridae) **Synonym(s):** *iranata*
Schütze,1960 **Range (in code):** **IR Elb Mz**
- 41575. *Eupithecia icterata subfulvata* (Haworth,1809)** (Geometridae) **Synonym(s):**
subfulvata Haworth,1809 **Range (in code):** **GB**
- 41576. *Eupithecia idaeoides* Mironov, Galsworthy & Sakamaki,2010** (Geometridae)
Synonym(s): *idaeoides* Mironov, Galsworthy & Sakamaki,2010 **Range (in code):**
- 41577. *Eupithecia idalia* Dognin,1890** (Geometridae) **Synonym(s):** *idalia* Dognin,1890
Range (in code): **EC**
- 41578. *Eupithecia illaborata* Dietze,1904** (Geometridae) **Synonym(s):** *illaborata* Dietze,1904
Range (in code): **CN Ui Au**
- 41579. *Eupithecia illepidus* Vojnits,1992** (Geometridae) **Synonym(s):** *illepidus* Vojnits,1992
Range (in code): **AR**
- 41580. *Eupithecia immensa* (W.Warren,1902)** (Geometridae) **Synonym(s):** *imensa*
W.Warren,1902 **Range (in code):** **KE**
- 41581. *Eupithecia immodica* L.B.Prout,1926** (Geometridae) **Synonym(s):** *immodica*
L.B.Prout,1926 **Range (in code):** **UG**
- 41582. *Eupithecia immundata* (Lienig & Zeller,1846)** (Geometridae) **Synonym(s):**
immundata Lienig & Zeller,1846; *argillacearia* Herrich-Schäffer,1848; *reikjavikaria* Staudinger,1871 **Range**
(in code): **ES FR IT IS DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Actaea spicata* (Meyer,1919).
- 41583. *Eupithecia impavida* Vojnits,1979** (Geometridae) **Synonym(s):** *impavida* Vojnits,1979;
secura Vojnits,1979; *commiserenda* Vojnits,1983 **Range (in code):** **CN She Yu NP PK Gg Haz Mre Pj**
- 41584. *Eupithecia implorata* (Hulst,1896)** (Geometridae) **Synonym(s):** *implorata* Hulst,1896
Range (in code): **US Cf**
- 41585. *Eupithecia impolita* Vojnits,1980** (Geometridae) **Synonym(s):** *impolita* Vojnits,1980
Range (in code): **CN Shs**
- 41586. *Eupithecia importuna* Vojnits,1981** (Geometridae) **Synonym(s):** *importuna* Vojnits,1981
Range (in code): **CN Shs**
- 41587. *Eupithecia improba* Vojnits,1983** (Geometridae) **Synonym(s):** *improba* Vojnits,1983
Range (in code): **NP**
- 41588. *Eupithecia impurata* (Hübner,[1813])** (Geometridae) **Synonym(s):** *impurata*
Hübner,[1813]; *modicata* Hübner,[1813]; *proluaria* Freyer,1852; *badeniana* Schütze,1952; *germanicata*
Schütze,1952; *gremmingerata* Schütze,1952; *langeata* Schütze,1952; *franconiata* Schütze,1956; *thuringiata*
Schütze,1956; *westfalicata* Weigt,1982 **Original Reference:** *Geometra impurata* Hübner,[1813],
Samml. eur. Schmett. 5: pl.67, fig.347. Type: Europa. Range (in code): **FR SI IT BE NL LU DE Bw**
CH AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY **Bionomy:** Larva on *Campanula*
cochleariifolia, *C. rotundifolia* (Meyer,1919).
- 41589. *Eupithecia ina* Vojnits,1994** (Geometridae) **Synonym(s):** *ina* Vojnits,1994 **Range (in**
code): **CO**
- 41590. *Eupithecia inassignata* Herbulot,1988** (Geometridae) **Synonym(s):** *inassignata*
Herbulot,1988 **Range (in code):** **CM**
- 41591. *Eupithecia incohata* Vojnits,1979** (Geometridae) **Synonym(s):** *incohata* Vojnits,1979
Range (in code): **CN She**
- 41592. *Eupithecia incommoda* Herbulot,1983** (Geometridae) **Synonym(s):** *incommoda*
Herbulot,1983 **Range (in code):** **ET**
- 41593. *Eupithecia inconclusaria* Walker,1862** (Geometridae) **Synonym(s):** *inconclusaria*
Walker,1862; *macropterata* Walker,1866 **Range (in code):** **ZA Wca Cto**

- 41594. *Eupithecia inconspicuata* Bohatsch, 1893** (Geometridae) **Synonym(s):** *#inconspicuata* Bohatsch, 1893; *thurnerata* Schütze, 1958 **Original Reference:** [*Eupithecia*] *inconspicuata* Bohatsch, 1893, Dt. ent. Z., Iris 6: 12-13. Syntypes: [Türkei]: Amasia, Hadjin [=Saimbeyli]; [Aserbaidjan]: Ordubad [uninominal, unavailable name!]. **Range (in code):** **MK BG GR Cr TR Cc AZ Nv Ord**
- 41595. *Eupithecia incorrupta* Vojnits, 1984** (Geometridae) **Synonym(s):** *incorrupta* Vojnits, 1984 **Range (in code):** **CN Yu Ats**
- 41596. *Eupithecia inculta* Vojnits, 1975** (Geometridae) **Synonym(s):** *inculta* Vojnits, 1975 **Range (in code):** **MN**
- 41597. *Eupithecia incurvaria* Hampson, 1903** (Geometridae) **Synonym(s):** *incurvaria* Hampson, 1903; *propoxydata* Schütze, 1961 **Range (in code):** **PK Swa Klm IN Gs SI NP Ch AF Sfk Nu**
- 41598. *Eupithecia indecisa* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *indecisa* W. Warren, 1906 **Range (in code):** **MX**
- 41599. *Eupithecia indecora* Vojnits, 1981** (Geometridae) **Synonym(s):** *indecora* Vojnits, 1981 **Range (in code):** **CN Shs**
- 41600. *Eupithecia indefinata* Snellen, 1874** (Geometridae) **Synonym(s):** *indefinata* Snellen, 1874 **Range (in code):** **CO** **Bionomy:** Larva on Pinus (Meyer, 1919).
- 41601. *Eupithecia indigata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *indigata* Hübner, [1813]; *turfosata* Draudt, 1903; *pliniata* Stauder, 1929 **Original Reference:** *Geometra indigata* Hübner, [1813], Samml. eur. Schmett. 5: pl. 77, fig. 399. Type: Europa. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR BG DK NO SE FI EE LV LT RU MD UA Cm Da Cc BY** **Bionomy:** Larva on Pinus (Meyer, 1919).
- 41602. *Eupithecia indigata hamamata* Pinker, 1976** (Geometridae) **Synonym(s):** *hamamata* Pinker, 1976 **Original Reference:** *Eupithecia indigata* ssp. *hamamata* Pinker, 1976, Z. Arb. Gem. öst. Ent. 28 (1/3): 2, figs. Holotype ♂: [Turkey]: Anatolien: "Kizilcahamam, Soug-Su" (coll. Pinker). **Range (in code):** **TR**
- 41603. *Eupithecia indigata indigata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *indigata* Hübner, [1813]; *turfosata* Draudt, 1903 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 41604. *Eupithecia indissolubilis* Vojnits, 1979** (Geometridae) **Synonym(s):** *indissolubilis* Vojnits, 1979 **Range (in code):** **CN She**
- 41605. *Eupithecia indistincta* Taylor, 1910** (Geometridae) **Synonym(s):** *indistincta* Taylor, 1910 **Range (in code):** **US Ny**
- 41606. *Eupithecia inepta* L.B. Prout, 1922** (Geometridae) **Synonym(s):** *inepta* L.B. Prout, 1922 **Range (in code):** **CL**
- 41607. *Eupithecia inexcita* Vojnits, 1982** (Geometridae) **Synonym(s):** *inexcita* Vojnits, 1982 **Range (in code):** **IR Elb Dam**
- 41608. *Eupithecia inexhausta* Vojnits, 1984** (Geometridae) **Synonym(s):** *inexhausta* Vojnits, 1984 **Range (in code):** **CN Yu Ats**
- 41609. *Eupithecia inexplata* Walker, [1863]** (Geometridae) **Synonym(s):** *inexplata* Walker, [1863] **Range (in code):** **NZ?**
- 41610. *Eupithecia inexplicabilis* Vojnits, 1982** (Geometridae) **Synonym(s):** *inexplicabilis* Vojnits, 1982 **Range (in code):** **KK Ik**
- 41611. *Eupithecia infausta* L.B. Prout, 1922** (Geometridae) **Synonym(s):** *infausta* L.B. Prout, 1922 **Range (in code):** **ZA Wca Cto**
- 41612. *Eupithecia infecta* Vojnits, 1981** (Geometridae) **Synonym(s):** *infecta* Vojnits, 1981 **Range (in code):** **CN She**
- 41613. *Eupithecia infectaria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *infectaria* Guenée, [1858] **Range (in code):** **ZA ZA20 Mpu ZA28 Ec Tva Lpo** **Bionomy:** Larva on *Buddleja salviifolia* (Buddlejaceae) (Duke & Duke, 1998).
- 41614. *Eupithecia infecunda* Vojnits, 1981** (Geometridae) **Synonym(s):** *infecunda* Vojnits, 1981 **Range (in code):** **PK Klm Swa AF Sfk**
- 41615. *Eupithecia infelix* L.B. Prout, 1917** (Geometridae) **Synonym(s):** *infelix* L.B. Prout, 1917 **Range (in code):** **ZA Tva ZA04 ZA12 ZA13 Kzu ZA14 ZA18 Ec ZA20 Mpu SZ** **Bionomy:** Larva on *Delairea odorata* (Asteraceae), *Grewia occidentalis* (Tiliaceae), *Bauhinia variegata* (Caesalpiniaceae) (Duke & Duke, 1998).
- 41616. *Eupithecia infensa* Vojnits, 1979** (Geometridae) **Synonym(s):** *infensa* Vojnits, 1979 **Range (in code):** **CN She**

- 41617. *Eupithecia infestata* Swinhoe,1890** (Geometridae) Synonym(s): *infestata* Swinhoe,1890
Range (in code): **IN Poo NI Mhw**
- 41618. *Eupithecia infimbriata* (Dognin,1907)** (Geometridae) Synonym(s): *infimbriata* Dognin,1907
Range (in code): **PE**
- 41619. *Eupithecia infortunata* Vojnits,1984** (Geometridae) Synonym(s): *infortunata* Vojnits,1984
Range (in code): **CN Yu Ats**
- 41620. *Eupithecia innotata* (Hufnagel,1767)** (Geometridae) Synonym(s): *innotata* Hufnagel,1767; *tamarisciata* Freyer,1836; *suspectata* Dietze,1871; *uliated* Staudinger,1897; *ulicada* Dietze,1910; *alexandriana* Vardikjan,1972; *sergiana* Vardikjan,1972.
Original Reference: *Phalaena innotata* Hufnagel,1767, Berl. Mag. 4: 616. Type(s): Deutschland: Berlin. Range (in code): **MA DZ Ges TN PT ES FR Co Sa IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Kir Lag AZ AM Eri DK NO SE FI EE LV LT RU Sb MD UA BY MN CN Ui Ku Kun AF Kab** Bionomy: Larva on *Artemisia absinthium*, *A. campestris*, *A. vulgaris*, *Crataegus*, *Myricaria germanica*, *Prunus spinosa*, *Rosa*, *Fraxinus*, *Tamarix chinensis* (Freyer,1836; Mann,1862; Romanoff,1887; Meyer,1919; Scoble,1999).
- 41621. *Eupithecia inopinata* Vojnits,1984** (Geometridae) Synonym(s): *inopinata* Vojnits,1984
Range (in code): **CN Yu**
- 41622. *Eupithecia inquinata* D.S.Fletcher,1950** (Geometridae) Synonym(s): *inquinata* D.S.Fletcher,1950
Range (in code): **ET**
- 41623. *Eupithecia insana* Vojnits,1984** (Geometridae) Synonym(s): *insana* Vojnits,1984
Range (in code): **CN Ti Btn**
- 41624. *Eupithecia inscitata* Walker,1863** (Geometridae) Synonym(s): *inscitata* Walker,1863
Range (in code): **ZA Wca Cto**
- 41625. *Eupithecia insigniata* (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
Range (in code): **FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR DK SE LV LT RU MD UA BY CN Ui Ga Kgs** Bionomy: Larva on *Crataegus*, *Pyrus malus*, *Prunus cerasus*, *Prunus spinosa* (Meyer,1919).
- 41626. *Eupithecia insigniata insigniata* (Hübner,1790)** (Geometridae) Synonym(s): *insigniata* Hübner,1790; *consignata* Borkhausen,1794.
Range (in code): **FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR DK SE LV LT RU MD UA BY CN Ui Ga**
- 41627. *Eupithecia insigniata insignioides* Wehrli,1923** (Geometridae) Synonym(s): *insignioides* Wehrli,1923
Range (in code): **CN Kgs**
- 41628. *Eupithecia insignifica* (Rothschild,1914)** (Geometridae) Synonym(s): *insignifica* Rothschild,1914
Original Reference: *Tephroclystia insignifica* Rothschild,1914, Novit. zool. 21: 347. Type ♂: Algeria, Guelt-es-Stel (V.Faroult). Range (in code): **DZ Ges**
- 41629. *Eupithecia insolabilis* (Hulst,1900)** (Geometridae) Synonym(s): *insolabilis* Hulst,1900
Range (in code): **US Arz**
- 41630. *Eupithecia insolita* Vojnits & Laever,1973** (Geometridae) Synonym(s): *insolita* Vojnits & Laever,1973
Range (in code): **CN Sz**
- 41631. *Eupithecia interpunctaria* Inoue,1979** (Geometridae) Synonym(s): *interpunctaria* Inoue,1979
Range (in code): **JP**
- 41632. *Eupithecia interrubescens* (Hampson,1902)** (Geometridae) Synonym(s): *interrubescens* Hampson,1902
Range (in code): **CN Ti Ch PK Haz Mre Pj IN Dlh Hp SI**
- 41633. *Eupithecia interruptofasciata* Packard,1873** (Geometridae) Synonym(s): *interruptofasciata* Packard,1873
Range (in code): **US Ny Tx Msc**
- 41634. *Eupithecia intolerabilis* Vojnits,1981** (Geometridae) Synonym(s): *intolerabilis* Vojnits,1981
Range (in code): **CN Yu**
- 41635. *Eupithecia intricata* Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840; *pfeifferi* Wehrli,1929
Range (in code): **ES FR IT IE GB BE NL LU DE Bv CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CA On Qb US Msc Mai**
- 41636. *Eupithecia intricata archeutata* (Freyer,1841)** (Geometridae) Synonym(s): *archeutata* Freyer,1841
Range (in code): **DE Bv**
- 41637. *Eupithecia intricata hibernica* Mere,1964** (Geometridae) Synonym(s): *hibernica* Mere,1964
Range (in code): **IE**
- 41638. *Eupithecia intricata intricata* Zetterstedt,[1839]** (Geometridae) Synonym(s): *intricata* Zetterstedt,[1839]; *helveticaria* Boisduval,1840
Range (in code): **ES FR IT BE NL LU CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY**

- 41639. *Eupithecia intricata millieraria* Wnukowsky, 1929** (Geometridae) **Synonym(s):** *anglicata* Millière, 1870 *nec*; *millieraria* Wnukowsky, 1929 **Range (in code):** **GB**
- 41640. *Eupithecia intricata taylorata* Swett, 1907** (Geometridae) **Synonym(s):** *taylorata* Swett, 1907; *gibsonata* Taylor, 1910; *chagnoni* Swett, 1911 **Range (in code):** **CA On Qb US Msc Mai**
- 41641. *Eupithecia inturbata* (Hübner, [1817])** (Geometridae) **Synonym(s):** *inturbata* Hübner, [1817]; *neglectata* Herrich-Schäffer, 1848; *subciliata* Doubleday, 1856 **Range (in code):** **ES FR IT GB BE DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR** **Bionomy:** Larva on *Acer campestre* (Meyer, 1919).
- 41642. *Eupithecia inveterata* Vojnits, 1987** (Geometridae) **Synonym(s):** *trita* Vojnits, 1977 *nec* Tur., 1926; *inveterata* Vojnits, 1987 **Range (in code):** **MN**
- 41643. *Eupithecia invicta* Vojnits, 1981** (Geometridae) **Synonym(s):** *invicta* Vojnits, 1981; *acuta* Vojnits, 1983 **Range (in code):** **IN Kma Hp Drm NP**
- 41644. *Eupithecia iphiona* Herbulot, 1987** (Geometridae) **Synonym(s):** *iphiona* Herbulot, 1987 **Range (in code):** **BO**
- 41645. *Eupithecia irambata* (W. Warren, 1893)** (Geometridae) **Synonym(s):** *irambata* W. Warren, 1893 **Range (in code):** **IN SI**
- 41646. *Eupithecia iranica* Koçak & Kemal, 2001** (Geometridae) **Synonym(s):** *inquinata* Schütze, 1961 *nec* Flet., 1950; *iranica* Koçak & Kemal, 2001 **Original Reference:** *Eupithecia iranica* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *inquinata* Schütze, 1961 *nec* Fletcher, 1950). Holotype ♂: Iran: Belutschistan: Iranshar. **Range (in code):** **IR Ss Irs Mkr Kz**
- 41647. *Eupithecia irenica* L.B. Prout, 1937** (Geometridae) **Synonym(s):** *irenica* L.B. Prout, 1937 **Range (in code):** **ZA ZA14 ZA20 Mpu ZA28 Tva Lpo**
- 41648. *Eupithecia irreperta* Vojnits & Laever, 1978** (Geometridae) **Synonym(s):** *irreperta* Vojnits & Laever, 1978 **Range (in code):** **CN Yu Ats**
- 41649. *Eupithecia irriguata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *variegata* Haworth, 1809 *nec* Scop., 1763; *irriguata* Hübner, [1813] **Original Reference:** *Geometra irriguata* Hübner, [1813], Samml. eur. Schmett. 5: pl. 77, fig. 397. Type: Europa. **Range (in code):** **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL SK HU RO YU BG GR Cr TR IL Pa DK NO SE FI RU MD UA BY** **Bionomy:** Larva on *Fagus*, *Quercus* (Meyer, 1919).
- 41650. *Eupithecia irriguata eriguata* Staudinger, 1871** (Geometridae) **Synonym(s):** *eriguata* Staudinger, 1871 **Range (in code):** **PT ES An**
- 41651. *Eupithecia irriguata irriguata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *variegata* Haworth, 1809 *nec* Scop., 1763; *irriguata* Hübner, [1813] **Range (in code):** **FR Co Sa Si IT GB BE NL LU DE CH AT PL SK HU RO YU BG GR Cr TR IL Pa DK NO SE FI RU MD UA BY**
- 41652. *Eupithecia irriguata kurdica* L.B. Prout, 1939** (Geometridae) **Synonym(s):** *kurdica* L.B. Prout, 1939 **Original Reference:** *Eupithecia irriguata* ssp. *kurdica* L.B. Prout, 1939, [in] Seitz, A., Die Gross-Schmett. Erde 4 (suppl.): 186 Taf. 14f. Syntypes 8♂ 3♀: [Türkei]: "Kurdistan: Malatya", 6-10. April 1932, Prof. de Ajtai Korvac leg. (BMNH). **Range (in code):** **TR**
- 41653. *Eupithecia irriguata staudingeri* (Staudinger & Rebel, 1901)** (Geometridae) **Synonym(s):** *#staudingeri* Bohatsch, 1893; *staudingeri* Staudinger & Rebel, 1901 **Original Reference:** *Tephroclystia staudingeri* Staudinger & Rebel, 1901, Cat. Lepid. Palaearct. Faunengeb. 3 (1): 309, nr. 3534. Type: Syria [Libanon: Beirut]. **Range (in code):** **LB Bei TR JO**
- 41654. *Eupithecia isabellina* Herbulot, 1993** (Geometridae) **Synonym(s):** *isabellina* Herbulot, 1993 **Range (in code):** **EC**
- 41655. *Eupithecia isopsaliodes* D.S. Fletcher, 1978** (Geometridae) **Synonym(s):** *isopsaliodes* D.S. Fletcher, 1978 **Range (in code):** **TZ**
- 41656. *Eupithecia isotenes* L.B. Prout, 1932** (Geometridae) **Synonym(s):** *isotenes* L.B. Prout, 1932 **Range (in code):** **KE**
- 41657. *Eupithecia iterata* Vojnits, 1980** (Geometridae) **Synonym(s):** *iterata* Vojnits, 1980 **Range (in code):** **CN Ti Btn**
- 41658. *Eupithecia jacksoni* D.S. Fletcher, 1956** (Geometridae) **Synonym(s):** *jacksoni* D.S. Fletcher, 1956 **Range (in code):** **KE Elg**
- 41659. *Eupithecia jeanneli* Herbulot, 1953** (Geometridae) **Synonym(s):** *jeanneli* Herbulot, 1953 **Range (in code):** **KE Elg UG ZR**
- 41660. *Eupithecia jeanneli fuliginata* D.S. Fletcher, 1958** (Geometridae) **Synonym(s):** *fuliginata* D.S. Fletcher, 1958 **Range (in code):** **UG ZR**
- 41661. *Eupithecia jeanneli jeanneli* Herbulot, 1953** (Geometridae) **Synonym(s):** *jeanneli* Herbulot, 1953 **Range (in code):** **KE Elg**

- 41662. *Eupithecia jefrenata* Schütze,1959** (Geometridae) **Synonym(s):** *jefrenata* Schütze,1959
Range (in code): **LY**
- 41663. *Eupithecia jejuna* McDunnough,1949** (Geometridae) **Synonym(s):** *jejuna* McDunnough,1949
Range (in code): **US Tx**
- 41664. *Eupithecia jermyi* Vojnits,1976** (Geometridae) **Synonym(s):** *jermyi* Vojnits,1976
Range (in code): **CN**
- 41665. *Eupithecia jezonica* Matsumura,1927** (Geometridae) **Synonym(s):** *jezonica* Matsumura,1927; *viidaleppi* Vojnits,1981; *catosophia* Inoue,1988
Range (in code): **JP Hkk PK Rw Pj IN Hp Kma Ld CN Yu TW RU Us**
- 41666. *Eupithecia jinboi* Inoue,1976** (Geometridae) **Synonym(s):** *jinboi* Inoue,1976
Range (in code): **JP**
- 41667. *Eupithecia jizlensis* Wiltshire,1986** (Geometridae) **Synonym(s):** *jizlensis* Wiltshire,1986
Range (in code): **SA JO Jt**
- 41668. *Eupithecia jizlensis jizlensis* Wiltshire,1986** (Geometridae) **Synonym(s):** *jizlensis* Wiltshire,1986
Range (in code): **SA**
- 41669. *Eupithecia joanata* Cassino & Swett,1922** (Geometridae) **Synonym(s):** *joanata* Cassino & Swett,1922; *balboata* Cassino & Swett,1925
Range (in code): **US Cf**
- 41670. *Eupithecia johnstoni* McDunnough,1945** (Geometridae) **Synonym(s):** *johnstoni* McDunnough,1945
Range (in code): **US Cf**
- 41671. *Eupithecia jorge* Vojnits,1992** (Geometridae) **Synonym(s):** *jorge* Vojnits,1992
Range (in code): **CL**
- 41672. *Eupithecia josefina* Schaus,1913** (Geometridae) **Synonym(s):** *josefina* Schaus,1913
Range (in code): **CR**
- 41673. *Eupithecia julia* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *julia* Mironov & Galsworthy,2004
Range (in code): **CN Sz**
- 41674. *Eupithecia juncalensis* Rindge,1987** (Geometridae) **Synonym(s):** *juncalensis* Rindge,1987
Range (in code): **CL**
- 41675. *Eupithecia junctifascia* (Bastelberger,1907)** (Geometridae) **Synonym(s):** *junctifascia* Bastelberger,1907; *venusta* Schaus,1913
Range (in code): **MX CR**
- 41676. *Eupithecia juntasae* Rindge,1991** (Geometridae) **Synonym(s):** *juntasae* Rindge,1991
Range (in code): **CL**
- 41677. *Eupithecia kama* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) **Synonym(s):** *kama* Mironov, Galsworthy & Sakamaki,2010
Range (in code):
- 41678. *Eupithecia kamburonga* Holloway,1976** (Geometridae) **Synonym(s):** *kamburonga* Holloway,1976
Range (in code): **MY Bor KBa**
- 41679. *Eupithecia karadaghensis* Mironov,1988** (Geometridae) **Synonym(s):** *karadaghensis* Mironov,1988
Original Reference: *Eupithecia karadaghensis* Mironov,1988, Vestnik zool. 1988 (4): 19. Holotype ♀: Ukraine: Crimea: Karadagh (ZISP). **Range (in code):** **UA Cm Cc AZ TR**
- 41680. *Eupithecia karakasykensis* Viidalepp,1988** (Geometridae) **Synonym(s):** *karakasykensis* Viidalepp,1988
Range (in code): **KK**
- 41681. *Eupithecia karapinensis* Wileman & South,1917** (Geometridae) **Synonym(s):** *karapinensis* Wileman & South,1917
Range (in code): **TW**
- 41682. *Eupithecia karenae* Leuschner,1966** (Geometridae) **Synonym(s):** *karenae* Leuschner,1966
Range (in code): **US Cf**
- 41683. *Eupithecia karnaliensis* Inoue,2000** (Geometridae) **Synonym(s):** *emikoe* Inoue,1996 (p.p.); *karnaliensis* Inoue,2000
Range (in code): **NP IN Ch PK Ld AF Nu**
- 41684. *Eupithecia keredjana* Brandt,1938** (Geometridae) **Synonym(s):** *keredjana* Brandt,1938
Original Reference: *Eupithecia keredjana* Brandt,1938, Ent. Rdsch. 55: 701-702, figs. 429-430. Syntypes: Iran: Keredj, im Oktober. **Range (in code):** **IR Elb Kdj Th**
- 41685. *Eupithecia kibatiata* Debauche,1938** (Geometridae) **Synonym(s):** *kibatiata* Debauche,1938
Range (in code): **ZR**
- 41686. *Eupithecia kinga* Vojnits,1992** (Geometridae) **Synonym(s):** *kinga* Vojnits,1992
Range (in code): **PE**
- 41687. *Eupithecia kobayashii* Inoue,1958** (Geometridae) **Synonym(s):** *kobayashii* Inoue,1958
Range (in code): **JP**
- 41688. *Eupithecia kondarana* Viidalepp,1988** (Geometridae) **Synonym(s):** *kondarana* Viidalepp,1988
Range (in code): **TJ**

- 41689. *Eupithecia konradi* Vojnits,1976** (Geometridae) **Synonym(s):** *konradi* Vojnits,1976
Range (in code): **CN Yu Ats**
- 41690. *Eupithecia kopetdagica* Mironov,1989** (Geometridae) **Synonym(s):** *kopetdagica* Mironov,1989
Range (in code): **TM Kp**
- 41691. *Eupithecia kostjuki* Mironov,1989** (Geometridae) **Synonym(s):** *kostjuki* Mironov,1989
Range (in code): **KK Tls KG Db**
- 41692. *Eupithecia kozhantschikovi* Wehrli,1929** (Geometridae) **Synonym(s):** *kozantschikovi* Wehrli,1929
Range (in code): **RU Kj Mnu**
- 41693. *Eupithecia kozlovi* Viidalepp,1973** (Geometridae) **Synonym(s):** *kozlovi* Viidalepp,1973
Range (in code): **MN**
- 41694. *Eupithecia krampli* Vojnits,1979** (Geometridae) **Synonym(s):** *krampli* Vojnits,1979
Range (in code): **MN**
- 41695. *Eupithecia kruusi* Viidalepp,1988** (Geometridae) **Synonym(s):** *kruusi* Viidalepp,1988
Range (in code): **TJ**
- 41696. *Eupithecia kudoi* Inoue,1983** (Geometridae) **Synonym(s):** *kudoi* Inoue,1983
Range (in code): **TW**
- 41697. *Eupithecia kuldschaensis* Staudinger,1892** (Geometridae) **Synonym(s):** *kuldschaensis* Staudinger,1892
Range (in code): **CN Ui Ku**
- 41698. *Eupithecia kuni* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *kuni* Mironov, Glasworthy & Katsumi,2009
Range (in code): **VN Ton Fan**
- 41699. *Eupithecia kurilensis* Bryk,1942** (Geometridae) **Synonym(s):** *kurilensis* Bryk,1942;
angustipunctaria Inoue,1979
Range (in code): **RU Krl JP Hkk**
- 41700. *Eupithecia kuroshio* Inoue,1980** (Geometridae) **Synonym(s):** *kuroshio* Inoue,1980
Range (in code): **JP**
- 41701. *Eupithecia kurtia* (W.Warren,1906)** (Geometridae) **Synonym(s):** *kurtia* W.Warren,1906
Range (in code): **MX**
- 41702. *Eupithecia laboriosa* Vojnits,1977** (Geometridae) **Synonym(s):** *laboriosa* Vojnits,1977
Range (in code): **MN**
- 41703. *Eupithecia lachaumei* Herbulot,1987** (Geometridae) **Synonym(s):** *lachaumei* Herbulot,1987
Range (in code): **BO**
- 41704. *Eupithecia lachrymosa* (Hulst,1900)** (Geometridae) **Synonym(s):** *lachrymosa* Hulst,1900; *georgii* McDunnough,1929; *kananaskata* Mackay,1951
Range (in code): **US Org CA Abt BCo**
- 41705. *Eupithecia lactevirens* (Dognin,1908)** (Geometridae) **Synonym(s):** *lactevirens* Dognin,1908
Range (in code): **AR**
- 41706. *Eupithecia lafontaineata* Bolte,1990** (Geometridae) **Synonym(s):** *lafontaineata* Bolte,1990
Range (in code): **CA BCo**
- 41707. *Eupithecia lamata* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *lamata* Mironov & Galsworthy,2004
Range (in code): **CN Qz**
- 41708. *Eupithecia lanceata* (Hübner,[1825])** (Geometridae) **Synonym(s):** *lanceata* Hübner,[1825]; *hospitata* Treitschke,1828
Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT**
Bionomy: Larva on Abies, Larix, Picea (Meyer,1919).
- 41709. *Eupithecia laoica* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *laoica* Mironov, Glasworthy & Katsumi,2009
Range (in code): **LA**
- 41710. *Eupithecia laquaearia* Herrich-Schäffer,[1848]** (Geometridae) **Synonym(s):** *laquaearia* Herrich-Schäffer,[1848]; *merinata* Guenée,[1858]
Original Reference: *Eupithecia laquaearia* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 124, f.181-182. Syntypes: [Deutschland]: Regensburg.
Range (in code): **MA TN PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG TR LB IR LT RU MD UA BY**
Bionomy: Larva on Euphrasia lutea, E. officinalis, Hypericum, Rhinanthus (Meyer,1919).
- 41711. *Eupithecia larentimima* Vojnits,1974** (Geometridae) **Synonym(s):** *larentimima* Vojnits,1974
Range (in code): **CN Tkg**
- 41712. *Eupithecia lariciata* (Freyer,1841)** (Geometridae) **Synonym(s):** *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catskillata* Pearsall,1908; *fasciata* Taylor,1910 nec Hamps.,1891
Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL Cc AZ Kir DK NO SE FI EE LV LT RU Sb MD UA BY Ch CN JP CA BCo Nfl Arz US**
Bionomy: Larva on Juniperus, Larix (Meyer,1919).
- 41713. *Eupithecia lariciata lariciata* (Freyer,1841)** (Geometridae) **Synonym(s):** *residuata* Hübner,[1817]; *lariciata* Freyer,1841; *luteata* Packard,1867; *bifasciata* Dyar,1904 nec Warr.,1900; *catskillata*

- Pearsall, 1908; fasciata Taylor, 1910 nec Hamps., 1891* - Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL Cc AZ DK NO SE FI EE LV LT RU Sb MD UA BY CN JP CA BCo Nfl Arz US
- 41714. *Eupithecia lasciva* Vojnits, 1980** (Geometridae) *lasciva Vojnits, 1980*
Range (in code): CN She
- 41715. *Eupithecia laszloi* Mironov, Galsworthy & Sakamaki, 2010** (Geometridae)
laszloi Mironov, Galsworthy & Sakamaki, 2010 - Range (in code):
- 41716. *Eupithecia lata* Vojnits, 1981** (Geometridae) *lata Vojnits, 1981* - Range (in code): NP
- 41717. *Eupithecia laterata* Dietze, 1904** (Geometridae) *laterata Dietze, 1904*
Range (in code): IR Elb Shh
- 41718. *Eupithecia laticallis* L.B. Prout, 1922** (Geometridae) *laticallis L.B. Prout, 1922*
Range (in code): ZA ZA13 Nta Kzu Ggh Fs Wca Cto
- 41719. *Eupithecia latifurcata* Walker, [1863]** (Geometridae) *latifurcata Walker, [1863]* - Range (in code): VE
- 41720. *Eupithecia latimedia* Hampson, 1895** (Geometridae) *latimedia Hampson, 1895* - Range (in code): IN Kma Dlh Hp
- 41721. *Eupithecia latipennata* L.B. Prout, 1914** (Geometridae) *latipennis W. Warren, 1905 nec Huls., 1898; latipennata L.B. Prout, 1914* - Range (in code): Md
- 41722. *Eupithecia latitans* (W. Warren, 1905)** (Geometridae) *latitans W. Warren, 1905* - Range (in code): PE
- 41723. *Eupithecia laudabilis* Vojnits, 1984** (Geometridae) *laudabilis Vojnits, 1984*
Range (in code): CN Yu Ats
- 41724. *Eupithecia laudenda* Vojnits, 1984** (Geometridae) *laudenda Vojnits, 1984*
Range (in code): CN Ti Btn
- 41725. *Eupithecia lavicaria* Fuchs, 1902** (Geometridae) *lavicaria Fuchs, 1902*
Range (in code): NO
- 41726. *Eupithecia lecerfi* L.B. Prout, 1928** (Geometridae) *lecerfi L.B. Prout, 1928*
Range (in code): MA DZ
- 41727. *Eupithecia lecerfiata* Herbulot, 1984** (Geometridae) *lecerfiata Herbulot, 1984*
Range (in code):
- 41728. *Eupithecia lechriotorna* (Dyar, 1922)** (Geometridae) *lechriotorna Dyar, 1922*
Range (in code): MX
- 41729. *Eupithecia leleupi* Herbulot, 1970** (Geometridae) *leleupi Herbulot, 1970*
Range (in code): GS
- 41730. *Eupithecia lentiscata* Mabille, 1869** (Geometridae) *lentiscata Mabille, 1869*
Range (in code): Co Bionomy: Larva on Pistacia lentiscus (Meyer, 1919).
- 41731. *Eupithecia leptogrammata* Staudinger, 1882** (Geometridae) *leptogrammata Staudinger, 1882; melanochoa Wehrli, 1927* - Range (in code): RU Sj
- 41732. *Eupithecia leucenthes* L.B. Prout, 1926** (Geometridae) *leucenthes L.B. Prout, 1926* - Range (in code): MM
- 41733. *Eupithecia leucographata* (W. Warren, 1906)** (Geometridae) *leucographata W. Warren, 1906* - Range (in code): MX
- 41734. *Eupithecia leucoprora* L.B. Prout, 1958** (Geometridae) *leucoprora L.B. Prout, 1958* - Range (in code): PG
- 41735. *Eupithecia leucospila* Swinhoe, 1906** (Geometridae) *leucospila Swinhoe, 1906* - Range (in code): IN Ass Meg Khs
- 41736. *Eupithecia leucostaxis* L.B. Prout, 1926** (Geometridae) *leucostaxis L.B. Prout, 1926; deprima Vojnits, 1974* - Range (in code): MM PK Pj Rw Thu IN Up Hp Sml CN Yu
- 41737. *Eupithecia levata* Mironov & Galsworthy, 2004** (Geometridae) *levata Mironov & Galsworthy, 2004* - Range (in code): CN Yu
- 41738. *Eupithecia licita* L.B. Prout, 1917** (Geometridae) *licita L.B. Prout, 1917; vepallida L.B. Prout, 1925* - Range (in code): ZA Wca Ec Kny
- 41739. *Eupithecia liguriata* Millière, 1884** (Geometridae) *liguriata Millière, 1884; roderaria Standfuss, 1888; bordigherata Dietze, 1913* - Range (in code): MA PT ES FR Si IT Bionomy: Larva on Sedum dasyphyllum (Meyer, 1919).
- 41740. *Eupithecia liguriata ketama* Herbulot, 1981** (Geometridae) *ketama Herbulot, 1981* - Range (in code): MA

- 41741. *Eupithecia liguriata liguriata* Millière, 1884** (Geometridae) Synonym(s): *liguriata* Millière, 1884; *roderaria* Standfuss, 1888; *bordigherata* Dietze, 1913 _ Range (in code): **PT ES FR Si IT**
- 41742. *Eupithecia likiangi* Vojnits, 1976** (Geometridae) Synonym(s): *likiangi* Vojnits, 1976 _ Range (in code): **CN Yu**
- 41743. *Eupithecia limbata* Staudinger, 1879** (Geometridae) Synonym(s): *limbata* Staudinger, 1879; *irritaria* Staudinger, 1892; *kueppersi* Vojnits, 1973 _ Original Reference: *Eupithecia limbata* Staudinger, 1879, Horae Soc. ent. ross. 14:476. Syntypes: [Türkei]: Amasia (Kerasdere). _ Range (in code): **PT ES IT SS MK BG GR Cr TR Ksp IQ AM Nv Cc AZ LB**
- 41744. *Eupithecia limbata tomillata* Chrétien, 1904** (Geometridae) Synonym(s): *tomillata* Chrétien, 1904; *occidens* Wehrli, 1927 _ Range (in code): **ES PT**
- 41745. *Eupithecia linariata* (Fabricius, 1787)** (Geometridae) Synonym(s): *#linariata* [Denis & Schiffermüller], 1775; *linariata* Fabricius, 1787 _ Original Reference: *Phalaena linariata* Fabricius, 1787, Mant. Ins. 2: 207, nr.185. Type(s): [Wien]. _ Range (in code): **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY** _ Bionomy: Larva on *Linaria vulgaris* (Scrophulariaceae) (Meyer, 1919; Courtois, 1987).
- 41746. *Eupithecia linda* Dognin, 1899** (Geometridae) Synonym(s): *linda* Dognin, 1899 _ Range (in code): **EC**
- 41747. *Eupithecia lindti* Viidalepp, 1988** (Geometridae) Synonym(s): *lindti* Viidalepp, 1988; *hangayorum* Vojnits, 1988 _ Range (in code): **UZ TJ IN Ld PK Gg AF Pag Kab Kbb Slg Nu**
- 41748. *Eupithecia lineidistincta* Vojnits, 1981** (Geometridae) Synonym(s): *lineidistincta* Vojnits, 1981 _ Range (in code): **NP**
- 41749. *Eupithecia lineosa* Moore, 1888** (Geometridae) Synonym(s): *lineosa* Moore, 1888; *gulmargensis* L.B.Prout, 1938 _ Range (in code): **IN Djl Ch GI**
- 41750. *Eupithecia liqalaneng* M.Krüger, 2000** (Geometridae) Synonym(s): *liqalaneng* M.Krüger, 2000 _ Range (in code): **ZA**
- 41751. *Eupithecia lissopis* L.B.Prout, 1958** (Geometridae) Synonym(s): *lissopis* L.B.Prout, 1958 _ Range (in code): **PG**
- 41752. *Eupithecia lithographata* Christoph, 1887** (Geometridae) Synonym(s): *lithographata* Christoph, 1887 _ Original Reference: *Eupithecia lithographata* Christoph, 1887, [in] Romanoff, Mém. lépid. 3: 9-11, pl.1 fig.5. Type ♀: [Azerbaidzhan]: Ordoubad. _ Range (in code): **ES Co Sa Cc AZ Nv Ord**
- 41753. *Eupithecia litoris* McDunnough, 1945** (Geometridae) Synonym(s): *litoris* McDunnough, 1945 _ Range (in code): **MX**
- 41754. *Eupithecia lobbichlerata* Schütze, 1961** (Geometridae) Synonym(s): *lobbichlerata* Schütze, 1961 _ Range (in code): **NP**
- 41755. *Eupithecia longibasalis* L.B.Prout, 1910** (Geometridae) Synonym(s): *longibasalis* L.B.Prout, 1910 _ Range (in code): **CO**
- 41756. *Eupithecia longidens* (Hulst, 1896)** (Geometridae) Synonym(s): *longidens* Hulst, 1896 _ Range (in code): **US Col Tx**
- 41757. *Eupithecia longidens kerrvillaria* Cassino & Swett, 1924** (Geometridae) Synonym(s): *kerrvillaria* Cassino & Swett, 1924 _ Range (in code): **US Tx**
- 41758. *Eupithecia longidens longidens* (Hulst, 1896)** (Geometridae) Synonym(s): *longidens* Hulst, 1896 _ Range (in code): **US Col**
- 41759. *Eupithecia longifimbria* (W.Warren, 1897)** (Geometridae) Synonym(s): *longifimbria* W.Warren, 1897 _ Range (in code): **BR**
- 41760. *Eupithecia longipalpata* Packard, 1876** (Geometridae) Synonym(s): *longipalpata* Packard, 1876 _ Range (in code): **US Cf**
- 41761. *Eupithecia longipennata* Inoue, 1988** (Geometridae) Synonym(s): *longipennata* Inoue, 1988 _ Range (in code): **TW**
- 41762. *Eupithecia lucigera* Butler, 1889** (Geometridae) Synonym(s): *lucigera* Butler, 1889 _ Range (in code): **IN Hp Kgr Drm CN**
- 41763. *Eupithecia luctuosa* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *luctuosa* Mironov & Galsworthy, 2004 _ Range (in code): **CN Fkn**
- 41764. *Eupithecia lugubris* (W.Warren, 1907)** (Geometridae) Synonym(s): *lugubris* W.Warren, 1907 _ Range (in code): **PE**
- 41765. *Eupithecia lunata* Dietze, 1910** (Geometridae) Synonym(s): *lunata* Dietze, 1910 _ Range (in code): **CN Ui li Ju**

- 41766. *Eupithecia lunatica* Vojnits,1984** (Geometridae) **Synonym(s):** *lunatica* Vojnits,1984
Range (in code): **CN Yu Ats**
- 41767. *Eupithecia lusoria* Mironov, Galsworthy & Sakamaki,2010** (Geometridae)
Synonym(s): *lusoria* Mironov, Galsworthy & Sakamaki,2010 **Range (in code):**
- 41768. *Eupithecia luteonigra* (W.Warren,1907)** (Geometridae) **Synonym(s):** *luteonigra* W.Warren,1907 **Range (in code):** **PE**
- 41769. *Eupithecia lutosaria* Bohatsch,1893** (Geometridae) **Synonym(s):** *#lutosaria* Bohatsch,1893 **Original Reference:** [*Eupithecia*] *plumbeolata* var. *lutosaria* Bohatsch,1893, Dt. ent. Z., Iris 6:29. Syntypes: [Georgia]: Achalzich [uninominal, unavailable name!]. **Range (in code):** **TR Cc GG Smt Akh**
- 41770. *Eupithecia lvoyskyi* Mironov,1988** (Geometridae) **Synonym(s):** *lvovskyi* Mironov,1988
Range (in code): **RU Kmt**
- 41771. *Eupithecia macdunnoughi* Rindge,1952** (Geometridae) **Synonym(s):** *macdunnoughi* Rindge,1952 **Range (in code):** **US Cf**
- 41772. *Eupithecia macreus* Schaus,1913** (Geometridae) **Synonym(s):** *macreus* Schaus,1913
Range (in code): **CR**
- 41773. *Eupithecia macrocarpata* McDunnough,1944** (Geometridae) **Synonym(s):** *macrocarpata* McDunnough,1944 **Range (in code):** **US Cf**
- 41774. *Eupithecia macrodisca* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *macrodisca* Mironov, Glasworthy & Katsumi,2009 **Range (in code):** **TH CMA**
- 41775. *Eupithecia maculosa* Vojnits,1981** (Geometridae) **Synonym(s):** *maculosa* Vojnits,1981;
flavitorinata Herbulot,1984 **Range (in code):** **NP Ch PK**
- 41776. *Eupithecia madura* Dognin,1899** (Geometridae) **Synonym(s):** *madura* Dognin,1899
Range (in code): **CO**
- 41777. *Eupithecia maenamiella* Inoue,1980** (Geometridae) **Synonym(s):** *maenamiella* Inoue,1980 **Range (in code):** **JP**
- 41778. *Eupithecia maerkerata* Schütze,1961** (Geometridae) **Synonym(s):** *maerkerata* Schütze,1961 **Range (in code):** **SA SA63**
- 41779. *Eupithecia maestosa* (Hulst,1896)** (Geometridae) **Synonym(s):** *maestosa* Hulst,1896;
harlequinaria Dyar,1905; *dyarata* Taylor,1906 **Range (in code):** **US Col CA BCo**
- 41780. *Eupithecia magnifacta* (Dyar,1914)** (Geometridae) **Synonym(s):** *magnifacta* Dyar,1914
Range (in code): **MX**
- 41781. *Eupithecia magnipuncta* (W.Warren,1904)** (Geometridae) **Synonym(s):** *magnipuncta* W.Warren,1904 **Range (in code):** **BO**
- 41782. *Eupithecia mahomedana* Brandt,1938** (Geometridae) **Synonym(s):** *mahomedana* Brandt,1938 **Range (in code):** **IR Fa Com Kz**
- 41783. *Eupithecia malchoensis* Rindge,1987** (Geometridae) **Synonym(s):** *malchoensis* Rindge,1987 **Range (in code):** **CL**
- 41784. *Eupithecia maleformata* (W.Warren,1895)** (Geometridae) **Synonym(s):** *maleformata* W.Warren,1895; *humerala* W.Warren,1906 **Range (in code):** **BR**
- 41785. *Eupithecia mallecoensis* Rindge,1987** (Geometridae) **Synonym(s):** *mallecoensis* Rindge,1987 **Range (in code):** **CL**
- 41786. *Eupithecia maloti* M.Krüger,2000** (Geometridae) **Synonym(s):** *maloti* M.Krüger,2000
Range (in code): **ZA**
- 41787. *Eupithecia mandschurica* Staudinger,1897** (Geometridae) **Synonym(s):** *mandschurica* Staudinger,1897; *korbi* Dietze,1910 nec Dietz.,1908 **Range (in code):** **RU Am Prj Us JP**
- 41788. *Eupithecia mandschurica japonica* Inoue,1979** (Geometridae) **Synonym(s):** *japonica* Inoue,1979 **Range (in code):** **JP**
- 41789. *Eupithecia mandschurica mandschurica* Staudinger,1897** (Geometridae)
Synonym(s): *mandschurica* Staudinger,1897; *korbi* Dietze,1910 nec Dietz.,1908 **Range (in code):** **RU Am Prj Us**
- 41790. *Eupithecia mantissa* Inoue,1988** (Geometridae) **Synonym(s):** *mantissa* Inoue,1988
Range (in code): **TW**
- 41791. *Eupithecia marasa* Wehrli,1932** (Geometridae) **Synonym(s):** *marasa* Wehrli,1932
Original Reference: *Eupithecia marasa* Wehrli,1932, Mitt. münch. ent. Ges. 22: 6-7. Syntypes 3♂
1♀: [Türkei]: Syr. Taurus, Marasch [Kahramanmaraş], 600-900m. **Range (in code):** **TR**

- 41792. *Eupithecia marginata* Staudinger, 1892** (Geometridae) Synonym(s): *marginata* Staudinger, 1892 Original Reference: *Eupithecia marginata* Staudinger, 1892, Dt. ent. Z., Iris 5: 257-258. Syntypes: [China]: Kuldja. Range (in code): **AM AZ Cc TR CY CN Ui Ku Ld KK KG UZ TJ PK Gg AF Pag Kab Sfk**
- 41793. *Eupithecia marmaricata* Turati, 1922** (Geometridae) Synonym(s): *marmaricata* Turati, 1922 Range (in code): **LY Cy**
- 41794. *Eupithecia marmorea* Vojnits, 1983** (Geometridae) Synonym(s): *marmorea* Vojnits, 1983 Range (in code): **NP**
- 41795. *Eupithecia marnoti* Viidalepp, 1988** (Geometridae) Synonym(s): *marnoti* Viidalepp, 1988 Range (in code): **UZ**
- 41796. *Eupithecia marpessa* Herbulot, 1987** (Geometridae) Synonym(s): *marpessa* Herbulot, 1987 Range (in code): **EC**
- 41797. *Eupithecia masculina* Inoue, 1988** (Geometridae) Synonym(s): *masculina* Inoue, 1988 Range (in code): **TW**
- 41798. *Eupithecia maspalomae* Pinker, 1961** (Geometridae) Synonym(s): *maspalomae* Pinker, 1961 Range (in code): **Cn**
- 41799. *Eupithecia massiliata* Millière, 1865** (Geometridae) Synonym(s): *massiliata* Millière, 1865; *peyerimhoffata* Millière, 1870; *atlantica* Pinker, 1969; *pinkeriata* Moberg, 1983 Range (in code): **Cn MA DZ TN PT ES FR IT** Bionomy: Larva on Quercus (Meyer, 1919).
- 41800. *Eupithecia masuii* Inoue, 1980** (Geometridae) Synonym(s): *masuii* Inoue, 1980 Range (in code): **JP**
- 41801. *Eupithecia matheri* Rindge, 1985** (Geometridae) Synonym(s): *matheri* Rindge, 1985 Range (in code): **US Mss**
- 41802. *Eupithecia matura* Vojnits, 1981** (Geometridae) Synonym(s): *matura* Vojnits, 1981 Range (in code): **NP**
- 41803. *Eupithecia maule* Rindge, 1987** (Geometridae) Synonym(s): *maule* Rindge, 1987 Range (in code): **CL**
- 41804. *Eupithecia mauvaria* Jones, 1921** (Geometridae) Synonym(s): *mauvaria* Jones, 1921 Range (in code): **BR**
- 41805. *Eupithecia meandrata* Turati, 1924** (Geometridae) Synonym(s): *meandrata* Turati, 1924 Range (in code): **LY Cy**
- 41806. *Eupithecia mecodaedala* L.B.Prout, 1932** (Geometridae) Synonym(s): *mecodaedala* L.B.Prout, 1932 Range (in code): **KE**
- 41807. *Eupithecia mecodaedala holmi* D.S.Fletcher, 1958** (Geometridae) Synonym(s): *holmi* D.S.Fletcher, 1958 Range (in code): **KE**
- 41808. *Eupithecia mecodaedala mecodaedala* L.B.Prout, 1932** (Geometridae) Synonym(s): *mecodaedala* L.B.Prout, 1932 Range (in code): **KE**
- 41809. *Eupithecia mediargentata* Inoue, 1987** (Geometridae) Synonym(s): *mediargentata* Inoue, 1987 Range (in code): **NP**
- 41810. *Eupithecia medilunata* L.B.Prout, 1932** (Geometridae) Synonym(s): *medilunata* L.B.Prout, 1932 Range (in code): **KE**
- 41811. *Eupithecia medilunata crassior* D.S.Fletcher, 1958** (Geometridae) Synonym(s): *crassior* D.S.Fletcher, 1958 Range (in code): **TZ**
- 41812. *Eupithecia medilunata medilunata* L.B.Prout, 1932** (Geometridae) Synonym(s): *medilunata* L.B.Prout, 1932 Range (in code): **KE**
- 41813. *Eupithecia mediobrunnea* W.Warren, 1906** (Geometridae) Synonym(s): *mediobrunnea* W.Warren, 1906 Range (in code): **MX**
- 41814. *Eupithecia mediotincta* Mironov & Galsworthy, 2004** (Geometridae) Synonym(s): *mediotincta* Mironov & Galsworthy, 2004 Range (in code): **CN Sz Gn**
- 41815. *Eupithecia megaproterva* Inoue, 1988** (Geometridae) Synonym(s): *megaproterva* Inoue, 1988 Range (in code): **TW**
- 41816. *Eupithecia mejala* Dognin, 1899** (Geometridae) Synonym(s): *mejala* Dognin, 1899; *infrequens* W.Warren, 1906; *cymaenata* Bastelberger, 1908; *producta* Bastelberger, 1911 Range (in code): **EC BO PE**
- 41817. *Eupithecia mekrana* Brandt, 1941** (Geometridae) Synonym(s): *mekrana* Brandt, 1941; *khorrassana* Brandt, 1941; *commenticia* Vojnits, 1982; *idonea* Vojnits, 1982; *stulta* Vojnits, 1982; *amiralis* Wiltshire, 1986 Range (in code): **IR Kh Hz AM Cc AZ Nv AE KK Ik RU Or Ur TR AF Srb**

- 41818. Eupithecia mekrana peridonea Mironov,1989** (Geometridae) **Synonym(s):** *peridonea Mironov,1989* _ Range (in code): **KK Ik**
- 41819. Eupithecia melanograptia (W.Warren,1907)** (Geometridae) **Synonym(s):** *melanograptia W.Warren,1907* _ Range (in code): **PE**
- 41820. Eupithecia melanolopha Swinhoe,1895** (Geometridae) **Synonym(s):** *melanolopha Swinhoe,1895* _ Range (in code): **IN**
- 41821. Eupithecia memorata Mironov,1988** (Geometridae) **Synonym(s):** *memorata Mironov,1988* _ Range (in code): **RU Prj Us**
- 41822. Eupithecia mendosaria (Swinhoe,1904)** (Geometridae) **Synonym(s):** *mendosaria Swinhoe,1904* _ Range (in code): **KE YE**
- 41823. Eupithecia mentavoni Herbulot,1990** (Geometridae) **Synonym(s):** *mentavoni Herbulot,1990* _ Range (in code): **MW**
- 41824. Eupithecia mentita Vojnits,1984** (Geometridae) **Synonym(s):** *mentita Vojnits,1984* _ Range (in code): **CN Ti Btn**
- 41825. Eupithecia meridiana Vojnits,1994** (Geometridae) **Synonym(s):** *meridiana Vojnits,1994* _ Range (in code): **CL**
- 41826. Eupithecia mesodeicta L.B.Prout,1938** (Geometridae) **Synonym(s):** *mesodeicta L.B.Prout,1938; aspectabilis Inoue,1996* _ Range (in code): **Ch IN PK**
- 41827. Eupithecia mesogrammata Dietze,1908** (Geometridae) **Synonym(s):** *mesogrammata Dietze,1908; #nesogrammata L.B.Prout,1914; kunzi Pinker,1976* _ Original Reference: *Eupithecia mesogrammata Dietze,1908, Dt. ent. Z., Iris 21: pl.2 fig.26. Syntypes: [Iran: Schahkuh (Prout,1914: 278)].* _ Range (in code): **IR Cc AM TR**
- 41828. Eupithecia miamata Cassino,1925** (Geometridae) **Synonym(s):** *miamata Cassino,1925* _ Range (in code): **US Arz**
- 41829. Eupithecia microleuca Dyar,1918** (Geometridae) **Synonym(s):** *microleuca Dyar,1918* _ Range (in code): **MX**
- 41830. Eupithecia microptilota W.Warren,1904** (Geometridae) **Synonym(s):** *microptilota W.Warren,1904* _ Range (in code): **PE**
- 41831. Eupithecia millefoliata Roesler,1866** (Geometridae) **Synonym(s):** *millefoliata Roesler,1866; achilleata Mabille,1869; #maeoticaria Bohatsch,1893* _ Range (in code): **MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO BG MK TR Cc GG DK NO SE FI EE LV LT RU UA Cm BY KK KG TJ UZ At Sb Ya** _ Bionomy: *Larva on Achillea (Meyer,1919).*
- 41832. Eupithecia millesima Vojnits,1994** (Geometridae) **Synonym(s):** *millesima Vojnits,1994* _ Range (in code): **KE**
- 41833. Eupithecia mima Mironov,1989** (Geometridae) **Synonym(s):** *mima Mironov,1989* _ Range (in code): **MN UZ KG PK Gg Pj Rw TR**
- 41834. Eupithecia minimaria Turati,1927** (Geometridae) **Synonym(s):** *minimaria Turati,1927* _ Range (in code): **LY Cy**
- 41835. Eupithecia minucia Dognin,1899** (Geometridae) **Synonym(s):** *minucia Dognin,1899; filiola Bastelberger,1908; multicia Bastelberger,1911* _ Range (in code): **EC CO BO**
- 41836. Eupithecia minusculata Alpheraky,1883** (Geometridae) **Synonym(s):** *minusculata Alpheraky,1883; inversaria Turati,1930; penultimaria Wiltshire,1985.* _ Original Reference: *Eupithecia minusculata Alpheraky,1883, Horae Soc. ent. ross. 17: 225-227, Tab. ix fig. 91. Type ♀: [China: Uighur A.R.]: Kuldja.* _ Range (in code): **ES DZ TN UA Cm RU CN Ui Ku LY Cy IQ Bgd TR AM Cc AZ Da SY IL Pa JO KG TM UZ TJ AF Nu MN**
- 41837. Eupithecia minutula Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *minutula Mironov & Galsworthy,2004* _ Range (in code): **CN Yu Ti**
- 41838. Eupithecia mira Vojnits,1987** (Geometridae) **Synonym(s):** *mira Vojnits,1987* _ Range (in code): **NP**
- 41839. Eupithecia mirei Herbulot,1965** (Geometridae) **Synonym(s):** *mirei Herbulot,1965* _ Range (in code): **TD**
- 41840. Eupithecia mirificata Brandt,1938** (Geometridae) **Synonym(s):** *mirificata Brandt,1938; linariatoides Mironov,1989* _ Range (in code): **IR Fa Kz Com TJ Pm Chr AF Kab Pag Bd Slg**
- 41841. Eupithecia miserulata Grote,1863** (Geometridae) **Synonym(s):** *miserulata Grote,1863; nebuloa Hulst,1896; plumbaria Hulst,1900; grossbeckiata Swett,1907* _ Range (in code): **US Ny Msc Dc Vi Cf CR**

- 41842. *Eupithecia miserulata miserulata* Grote, 1863** (Geometridae) **Synonym(s):** *miserulata* Grote, 1863; *nebulosa* Hulst, 1896; *plumbaria* Hulst, 1900; *grossbeckiata* Swett, 1907 **Range (in code):** **US Ny Msc De Vi**
- 41843. *Eupithecia miserulata vitans* Schaus, 1913** (Geometridae) **Synonym(s):** *vitans* Schaus, 1913 **Range (in code):** **CR**
- 41844. *Eupithecia miserulata zela* Swett & Cassino, 1919** (Geometridae) **Synonym(s):** *zela* Swett & Cassino, 1919 **Range (in code):** **US Cf**
- 41845. *Eupithecia misturata* (Hulst, 1896)** (Geometridae) **Synonym(s):** *misturata* Hulst, 1896; *subfoveata* Dyar, 1904; *sublineata* Taylor, 1906; *insignificata* Taylor, 1906; *frostiata* Swett, 1907; *minorata* Taylor, 1907; *conformata* Pearsall, 1908; *scelestata* Taylor, 1908 **Range (in code):** **US Cf Ny CA BCo**
- 41846. *Eupithecia misturata delzurata* [Cassino & Swett], 1922** (Geometridae) **Synonym(s):** *delzurata* [Cassino & Swett], 1922 **Range (in code):** **US Cf**
- 41847. *Eupithecia misturata misturata* (Hulst, 1896)** (Geometridae) **Synonym(s):** *misturata* Hulst, 1896; *subfoveata* Dyar, 1904; *sublineata* Taylor, 1906; *insignificata* Taylor, 1906; *frostiata* Swett, 1907; *minorata* Taylor, 1907; *conformata* Pearsall, 1908; *scelestata* Taylor, 1908 **Range (in code):** **US Cf Ny CA BCo**
- 41848. *Eupithecia mitigata* Dietze, 1906** (Geometridae) **Synonym(s):** *mitigata* Dietze, 1906 **Original Reference:** *Eupithecia mitigata* Dietze, 1906, Dt. ent. Z., Iris 19: pl.2 figs.18,19. **Lectotype:** China: Uighur A.R.: Lob Noor. **Range (in code):** **CN Ui Ln Ld TJ KK KG AF Pkt Wk Sfk**
- 41849. *Eupithecia moecha* Dietze, 1904** (Geometridae) **Synonym(s):** *moecha* Dietze, 1904; *magnifica* Vojnits & Laever, 1973 **Range (in code):** **RU Sr Ur KG Uk**
- 41850. *Eupithecia molestissima* Vojnits, 1981** (Geometridae) **Synonym(s):** *molestissima* Vojnits, 1981 **Range (in code):** **CN Yu**
- 41851. *Eupithecia molliaria* (Dyar, 1913)** (Geometridae) **Synonym(s):** *molliaria* Dyar, 1913 **Range (in code):** **MX**
- 41852. *Eupithecia mollita* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *mollita* W. Warren, 1906 **Range (in code):** **MX**
- 41853. *Eupithecia molybdaena* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):** *molybdaena* Mironov & Galsworthy, 2004 **Range (in code):** **CN She**
- 41854. *Eupithecia monacheata* [Cassino & Swett], 1922** (Geometridae) **Synonym(s):** *monacheata* [Cassino & Swett], 1922; *carolata* McDunnough, 1944 **Range (in code):** **US Cf Ne**
- 41855. *Eupithecia mongolica* Vojnits, 1974** (Geometridae) **Synonym(s):** *mongolica* Vojnits, 1974 **Range (in code):** **MN**
- 41856. *Eupithecia montana* Schaus, 1913** (Geometridae) **Synonym(s):** *montana* Schaus, 1913 **Range (in code):** **CR**
- 41857. *Eupithecia montanata* Brandt, 1938** (Geometridae) **Synonym(s):** *montanata* Brandt, 1938 **Range (in code):** **IR Fa**
- 41858. *Eupithecia monticola* M. Krüger, 2000** (Geometridae) **Synonym(s):** *monticola* M. Krüger, 2000 **Range (in code):** **ZA**
- 41859. *Eupithecia monticolens* Butler, 1881** (Geometridae) **Synonym(s):** *monticolens* Butler, 1881 **Range (in code):** **Hw**
- 41860. *Eupithecia moricandiata* Lucas, 1938** (Geometridae) **Synonym(s):** *moricandiata* Lucas, 1938 **Range (in code):** **DZ**
- 41861. *Eupithecia morosa* Vojnits, 1976** (Geometridae) **Synonym(s):** *morosa* Vojnits, 1976 **Range (in code):** **KG Tk**
- 41862. *Eupithecia mortua* Vojnits, 1984** (Geometridae) **Synonym(s):** *mortua* Vojnits, 1984 **Range (in code):** **CN Yu Ats**
- 41863. *Eupithecia multa* Vojnits, 1981** (Geometridae) **Synonym(s):** *multa* Vojnits, 1981 **Range (in code):** **NP**
- 41864. *Eupithecia multiplex* Herbulot, 1954** (Geometridae) **Synonym(s):** *multiplex* Herbulot, 1954 **Range (in code):** **MG**
- 41865. *Eupithecia multiscripta* (Hulst, 1896)** (Geometridae) **Synonym(s):** *multiscripta* Hulst, 1896 **Range (in code):** **US Col**
- 41866. *Eupithecia multispinata* D.S. Fletcher, 1951** (Geometridae) **Synonym(s):** *multispinata* D.S. Fletcher, 1951 **Range (in code):** **CM**
- 41867. *Eupithecia multistrigata* (Hulst, 1896)** (Geometridae) **Synonym(s):** *multistrigata* Hulst, 1896; *spaldingi* Taylor, 1910 **Range (in code):** **US Ut Col**

- 41868. *Eupithecia mundiscripta* (W.Warren,1907)** (Geometridae) Synonym(s): *mundiscripta* W.Warren,1907 _ Range (in code): PG MY Bor KBa Prk
- 41869. *Eupithecia mundiscripta commundata* L.B.Prout,1958** (Geometridae) Synonym(s): *commundata* L.B.Prout,1958 _ Range (in code): MY Bor KBa
- 41870. *Eupithecia mundiscripta larutensis* L.B.Prout,1958** (Geometridae) Synonym(s): *larutensis* L.B.Prout,1958 _ Range (in code): MY Prk
- 41871. *Eupithecia mundiscripta mundiscripta* (W.Warren,1907)** (Geometridae) Synonym(s): *mundiscripta* W.Warren,1907 _ Range (in code): PG
- 41872. *Eupithecia muralla* Dognin,1899** (Geometridae) Synonym(s): *muralla* Dognin,1899 Range (in code): CO
- 41873. *Eupithecia muscistrigata* (W.Warren,1906)** (Geometridae) Synonym(s): *muscistrigata* W.Warren,1906 _ Range (in code): BR
- 41874. *Eupithecia muscula* (Bastelberger,1907)** (Geometridae) Synonym(s): *muscula* Bastelberger,1907 _ Range (in code): MX
- 41875. *Eupithecia mustangata* Schütze,1961** (Geometridae) Synonym(s): *mustangata* Schütze,1961; *emikoeae* Inoue,1996 _ Range (in code): IN Ch NP PK Swa Bt Deo Ld AF Bd Nu Wk
- 41876. *Eupithecia mutata* Pearsall,1908** (Geometridae) Synonym(s): *mutata* Pearsall,1908 Range (in code): CA BCo US Ny
- 41877. *Eupithecia mutata columbrata* McDunnough,1940** (Geometridae) Synonym(s): *columbrata* McDunnough,1940 _ Range (in code): CA BCo
- 41878. *Eupithecia mutata mutata* Pearsall,1908** (Geometridae) Synonym(s): *mutata* Pearsall,1908 _ Range (in code): US Ny
- 41879. *Eupithecia myoma* Vojnits,1988** (Geometridae) Synonym(s): *myoma* Vojnits,1988 Range (in code): KK
- 41880. *Eupithecia mystiata* Cassino,1925** (Geometridae) Synonym(s): *mystiata* Cassino,1925 Range (in code): US Arz
- 41881. *Eupithecia mystica* Dietze,1910** (Geometridae) Synonym(s): *mystica* Dietze,1910; *wehrlüi* F.Wagner,1931 _ Range (in code): MK GR RO UA Cm Cc AZ TR LB Bsa
- 41882. *Eupithecia nabagulensis* L.B.Prout,1935** (Geometridae) Synonym(s): *nabagulensis* L.B.Prout,1935 _ Range (in code): UG
- 41883. *Eupithecia nabokovi* McDunnough,1946** (Geometridae) Synonym(s): *nabokovi* McDunnough,1946 _ Range (in code): US Ut
- 41884. *Eupithecia nachadira* Brandt,1941** (Geometridae) Synonym(s): *nachadira* Brandt,1941; *mandarinca* Mironov,2001 _ Range (in code): UA Cm IR Elb Th Ss AF Kbb
- 41885. *Eupithecia nadiae* Herbulot,1993** (Geometridae) Synonym(s): *nadiae* Herbulot,1993 Range (in code): EC
- 41886. *Eupithecia nagaii* Inoue,1963** (Geometridae) Synonym(s): *nagaii* Inoue,1963 _ Range (in code): JP
- 41887. *Eupithecia nahuelbuta* Rindge,1987** (Geometridae) Synonym(s): *nahuelbuta* Rindge,1987 Range (in code): CL
- 41888. *Eupithecia nanata* (Hübner,[1813])** (Geometridae) Synonym(s): *angustata* Haworth,1809; *nanata* Hübner,[1813]; *angusta* L.B.Prout,1938; *gelidatoides* Warnecke,1951 _ Range (in code): PT ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 41889. *Eupithecia natalica* Vojnits,1994** (Geometridae) Synonym(s): *natalica* Vojnits,1994 Range (in code): EC
- 41890. *Eupithecia naumanni* Mironov & Ratzel,2012** (Geometridae) Synonym(s): *naumanni* Mironov & Ratzel,2012 _ Range (in code): AF Nu Bd
- 41891. *Eupithecia necessaria* Vojnits,1977** (Geometridae) Synonym(s): *necessaria* Vojnits,1977 Range (in code): MN
- 41892. *Eupithecia nemoralis* Schaus,1913** (Geometridae) Synonym(s): *nemoralis* Schaus,1913 Range (in code): CR
- 41893. *Eupithecia neomexicana* McDunnough,1945** (Geometridae) Synonym(s): *neomexicana* McDunnough,1945 _ Range (in code): US NMx
- 41894. *Eupithecia neosatyrate* Inoue,1979** (Geometridae) Synonym(s): *neosatyrate* Inoue,1979 Range (in code): JP

- 41895. *Eupithecia nepalata* Schütze, 1961** (Geometridae) Synonym(s): *nepalata* Schütze, 1961; *abundeli* Vojnits, 1988; *petrensis* Mironov, 1989 _ Range (in code): **NP TJ Pm Chr PK Sha IN Ch Bt Deo AF Bd Nu Wk**
- 41896. *Eupithecia nepalica* Koçak & Kemal, 2001** (Geometridae) Synonym(s): *tenebricosa* Vojnits, 1983 nec Schs., 1913 non Dietz., 1910; *nepalica* Koçak & Kemal, 2001 _ Original Reference: *Eupithecia nepalica* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 6 (replacement name for *tenebricosa* Vojnits, 1983 nec Schaus, 1913). Syntypes ♂♀: Nepal: Junbesi, 2750m. Range (in code): **NP**
- 41897. *Eupithecia nephelata* Staudinger, 1897** (Geometridae) Synonym(s): *nephelata* Staudinger, 1897 _ Range (in code): **MN CN Ui KI PK Gg Sst Ld IN AF Wk**
- 41898. *Eupithecia nervosa* Mironov, Galsworthy & Sakamaki, 2010** (Geometridae) Synonym(s): *nervosa* Mironov, Galsworthy & Sakamaki, 2010 _ Range (in code):
- 41899. *Eupithecia nevadata* Packard, 1871** (Geometridae) Synonym(s): *nevadata* Packard, 1871; *moirata* Swett & Cassino, 1919; *probata* Swett & Cassino, 1919 _ Range (in code): **US Ne Ut CA BCo Vc**
- 41900. *Eupithecia nevadata geneura* Swett & Cassino, 1919** (Geometridae) Synonym(s): *geneura* Swett & Cassino, 1919 _ Range (in code): **US Ut**
- 41901. *Eupithecia nevadata nevadata* Packard, 1871** (Geometridae) Synonym(s): *nevadata* Packard, 1871; *moirata* Swett & Cassino, 1919; *probata* Swett & Cassino, 1919 _ Range (in code): **US Ne CA BCo Vc**
- 41902. *Eupithecia nigrataenia* D.S.Fletcher, 1978** (Geometridae) Synonym(s): *nigrataenia* D.S.Fletcher, 1978 _ Range (in code): **TZ**
- 41903. *Eupithecia nigribasis* (W.Warren, 1902)** (Geometridae) Synonym(s): *nigribasis* W.Warren, 1902 _ Range (in code): **ZA Tva ZA14 Mpu**
- 41904. *Eupithecia nigrilinea* (W.Warren, 1896)** (Geometridae) Synonym(s): *nigrilinea* W.Warren, 1896; *ingrata* Vojnits, 1981; *talvei* Viidalepp, 1988 _ Range (in code): **PK Klm Swa IN Ld Ch TJ AF Pag Kab Sfk Bd Kbb Slg Wk Pkt**
- 41905. *Eupithecia nigrinotata* Swinhoe, 1895** (Geometridae) Synonym(s): *nigrinotata* Swinhoe, 1895 _ Range (in code): **IN Ass Slo**
- 41906. *Eupithecia nigripennis* (W.Warren, 1907)** (Geometridae) Synonym(s): *nigripennis* W.Warren, 1907 _ Range (in code): **PE**
- 41907. *Eupithecia nigritaria* Staudinger, 1879** (Geometridae) Synonym(s): *nigritaria* Staudinger, 1879 _ Original Reference: *Eupithecia nigritaria* Staudinger, 1879, Horae Soc. ent. ross. 14: 480-481. Type: [Türkei]: Taurus. Range (in code): **TR**
- 41908. *Eupithecia nigrithorax* (W.Warren, 1904)** (Geometridae) Synonym(s): *nigrithorax* W.Warren, 1904 _ Range (in code): **PE**
- 41909. *Eupithecia nigrodiscata* Herbulot, 1987** (Geometridae) Synonym(s): *nigrodiscata* Herbulot, 1987 _ Range (in code): **BO**
- 41910. *Eupithecia nigropolata* D.S.Fletcher, 1951** (Geometridae) Synonym(s): *nigropolata* D.S.Fletcher, 1951 _ Range (in code): **UG**
- 41911. *Eupithecia nimbicolor* (Hulst, 1896)** (Geometridae) Synonym(s): *nimbicolor* Hulst, 1896; *obscurior* Hulst, 1896; *adornata* Taylor, 1906; *incresata* Pearsall, 1910; *inclarata* Cassino & Swett, 1924 _ Range (in code): **CA Abt**
- 41912. *Eupithecia nimbose* (Hulst, 1896)** (Geometridae) Synonym(s): *nimbose* Hulst, 1896; *plenoscripta* Hulst, 1900 _ Range (in code): **US Wy Arz Cf Ws**
- 41913. *Eupithecia nimbose bindata* Pearsall, 1910** (Geometridae) Synonym(s): *bindata* Pearsall, 1910 _ Range (in code): **US Ws**
- 41914. *Eupithecia nimbose nimbose* (Hulst, 1896)** (Geometridae) Synonym(s): *nimbose* Hulst, 1896; *plenoscripta* Hulst, 1900 _ Range (in code): **US Wy Arz Cf**
- 41915. *Eupithecia niphadophilata* Dyar, 1904** (Geometridae) Synonym(s): *niphadophilata* Dyar, 1904 _ Range (in code): **CA BCo**
- 41916. *Eupithecia niphonaria* Leech, 1897** (Geometridae) Synonym(s): *niphonaria* Leech, 1897; *draudti* Dietze, 1913; *corticosa* L.B.Prout, 1914; *maenamii* Inoue, 1965 _ Range (in code): **JP**
- 41917. *Eupithecia niphoreas* Meyrick, 1899** (Geometridae) Synonym(s): *niphoreas* Meyrick, 1899 _ Range (in code): **Hw**
- 41918. *Eupithecia niveata* Mironov, 2013** (Geometridae) Synonym(s): *niveata* Mironov, 2013 _ Original Reference: *Eupithecia niveata* Mironov, 2013, Zootaxa 3717: 40-44, figs. Holotype ♂: Turkey, Prov. Ağrı, 5 km E of Sarıcan 1800m 12-15 vi 1991 leg. M.Hreblay (ZSM). Range (in code): **TR**

- 41919. *Eupithecia niveifascia* (Hulst,1898)** (Geometridae) Synonym(s): *niveifascia* Hulst,1898; *perbrunneata* Taylor,1906; *analis* Dyar,1918 _ Range (in code): **MX CA BCo US NMx**
- 41920. *Eupithecia niveivena* L.B.Prout,1926** (Geometridae) Synonym(s): *niveivena* L.B.Prout,1926 _ Range (in code): **LK**
- 41921. *Eupithecia nobilitata* Staudinger,1882** (Geometridae) Synonym(s): *nobilitata* Staudinger,1882; *medionotata* W.Warren,1899 _ Range (in code): **KG DsA Lps CN Ts Kno**
- 41922. *Eupithecia nodosa* Vojnits,1984** (Geometridae) Synonym(s): *nodosa* Vojnits,1984 _ Range (in code): **CN Yu Ats**
- 41923. *Eupithecia noncoacta* Vojnits,1988** (Geometridae) Synonym(s): *noncoacta* Vojnits,1988 _ Range (in code): **NP**
- 41924. *Eupithecia nonferenda* Vojnits,1981** (Geometridae) Synonym(s): *nonferenda* Vojnits,1981 _ Range (in code): **CN Shs**
- 41925. *Eupithecia nonpurgata* Vojnits,1979** (Geometridae) Synonym(s): *nonpurgata* Vojnits,1979 _ Range (in code): **CN Yu**
- 41926. *Eupithecia norquinco* Vojnits,1992** (Geometridae) Synonym(s): *norquinco* Vojnits,1992 _ Range (in code): **AR**
- 41927. *Eupithecia novata* Dietze,1903** (Geometridae) Synonym(s): *novata* Dietze,1903 _ Original Reference: *Eupithecia novata* Dietze,1903, Dt. ent. Z., Iris 16: 348, pl.3 fig. 22. Syntypes: [Türkei]: Taurus. Range (in code): **TR**
- 41928. *Eupithecia noxia* Vojnits,1979** (Geometridae) Synonym(s): *noxia* Vojnits,1979 _ Range (in code): **CN Yu**
- 41929. *Eupithecia nubilaria* Maassen,1890** (Geometridae) Synonym(s): *nubilaria* Maassen,1890 _ Range (in code): **EC**
- 41930. *Eupithecia nublae* Rindge,1987** (Geometridae) Synonym(s): *nublae* Rindge,1987 _ Range (in code): **CL**
- 41931. *Eupithecia nuceistrigata* Bastelberger,1911** (Geometridae) Synonym(s): *nuceistrigata* Bastelberger,1911 _ Range (in code): **TW**
- 41932. *Eupithecia nusret* Kemal & Koçak,2004** (Geometridae) Synonym(s): *placens* Schaus,1913 nec Warr.,1906; *nusret* Kemal & Koçak,2004 _ Range (in code): **CR**
- 41933. *Eupithecia obliquiplaga* (Dyar,1927)** (Geometridae) Synonym(s): *obliquiplaga* Dyar,1927 _ Range (in code): **MX**
- 41934. *Eupithecia oblongata* (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977. _ Original Reference: *Geometra oblongata* Thunberg,1784, Diss. ent. sistens Insecta Suecica 1: 14. Lectotype ♂ (UZIÜ). Range (in code): **MA DZ Ges TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG Tbl Kir Lag AM AZ DK NO SE FI EE LV LT RU Da Us MD UA BY KG Ssn Tk CN Ui Ku Stg Kwa IL Pa Car Jf LB Bsa PK Ch IN Ld Gg KK Ax UZ Smk AF Nu Bd TW** _ Bionomy: Larva on *Pimpinella saxifraga* (Apiaceae) (Courtois,1987).
- 41935. *Eupithecia oblongata dagestani* Vojnits,1977** (Geometridae) Synonym(s): *dagestani* Vojnits,1977 _ Range (in code): **RU Da Cc**
- 41936. *Eupithecia oblongata dsharkendi* Vojnits,1977** (Geometridae) Synonym(s): *dsharkendi* Vojnits,1977 _ Range (in code): **KG Tk CN Ui Ku**
- 41937. *Eupithecia oblongata oblongata* (Thunberg,1784)** (Geometridae) Synonym(s): *#centaureata* [Denis & Schiffermüller],1775; *oblongata* Thunberg,1784; *boloniensis* Fourcroy,1875; *centralisata* Staudinger,1892; *chinae* Vojnits,1977. _ Original Reference: *Geometra oblongata* Thunberg,1784, Diss. ent. sistens Insecta Suecica 1: 14. Lectotype ♂ (UZIÜ). Range (in code): **MA DZ Ges TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ DK NO SE FI EE LV LT RU Da Us MD UA BY KG Ssn Tk CN Ui Ku Stg Kwa IL Pa Car Jf LB Bsa PK Ch IN Ld Gg KK Ax UZ Smk AF Nu Bd TW**
- 41938. *Eupithecia oblongipennis* (W.Warren,1902)** (Geometridae) Synonym(s): *oblongipennis* W.Warren,1902 _ Range (in code): **KE**
- 41939. *Eupithecia obnitens* Brandt,1941** (Geometridae) Synonym(s): *obnitens* Brandt,1941; *eberti* Vojnits,1978 _ Original Reference: *Eupithecia obnitens* Brandt,1941, Mitt. münch. ent. Ges. 31 (3): 875, pl.29 fig.28. Holotype ♂: Iran: Kouh i Binaloud, 2500-3000m (NHRS). Range (in code): **IR Kh AF Kbb**
- 41940. *Eupithecia obscurata* (W.Warren,1906)** (Geometridae) Synonym(s): *obscurata* W.Warren,1906 _ Range (in code): **GY**
- 41941. *Eupithecia obtinens* Brandt,1941** (Geometridae) Synonym(s): *obtinens* Brandt,1941 _ Range (in code): **IR Kh**

- 41942. *Eupithecia obtinens obtinens* Brandt,1941** (Geometridae) **Synonym(s):** *obtinens* Brandt,1941 **_ Range (in code):** **IR Kh**
- 41943. *Eupithecia ochracea* (W.Warren,1888)** (Geometridae) **Synonym(s):** *ochracea* W.Warren,1888; *nova Vojnits,1974 nec Vojn. & Delaev.,1973; babur Koçak & Kemal,2001.* **Original Reference:** *Asthena ochracea* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 321-322. Syntypes 2 ♀: [Pakistan]: Thundiani, August 17, 1886 [cf. Syntypes: [Pakistan], [India] Khasi hills, Shillong (BMNH)]. **_ Range (in code):** **PK Pj Thu Rw IN Meg Khs Ass Slo Hp Kma CN Yu**
- 41944. *Eupithecia ochralba* Herbulot,1983** (Geometridae) **Synonym(s):** *ochralba* Herbulot,1983 **_ Range (in code):** **ET**
- 41945. *Eupithecia ochrata* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *ochrata* D.S.Fletcher,1951 **_ Range (in code):** **UG**
- 41946. *Eupithecia ochridata* Schütze & Pinker,1968** (Geometridae) **Synonym(s):** *ochridata* Schütze & Pinker,1968; *szelenyii Vojnits,1969.* **_ Range (in code):** **IT DE CH CZ SK HU YU BG MK TR DK SE FI EE LV RU MD Cr UA BY KG Uk**
- 41947. *Eupithecia ochroriguata* C.G.Krüger,1939** (Geometridae) **Synonym(s):** *ochroriguata* C.G.Krüger,1939 **_ Range (in code):** **LY**
- 41948. *Eupithecia ochrosoma* W.Warren,1904** (Geometridae) **Synonym(s):** *ochrosoma* W.Warren,1904 **_ Range (in code):** **PE**
- 41949. *Eupithecia ochrovittata* Christoph,1887** (Geometridae) **Synonym(s):** *ochrovittata* Christoph,1887 **Original Reference:** *Eupithecia ochrovittata* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 7-9, pl.1 fig.3. Syntypes 2♀: [Armenia]: Erivan. **_ Range (in code):** **AM Eri Ce TR AF Kab**
- 41950. *Eupithecia oculata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *oculata* D.S.Fletcher,1956 **_ Range (in code):** **CM**
- 41951. *Eupithecia oenone* Butler,1882** (Geometridae) **Synonym(s):** *oenone* Butler,1882 **_ Range (in code):** **CL**
- 41952. *Eupithecia ogilviata* (W.Warren,1905)** (Geometridae) **Synonym(s):** *ogilviata* W.Warren,1905 **_ Range (in code):** **Az**
- 41953. *Eupithecia okadai* Inoue,1958** (Geometridae) **Synonym(s):** *okadai* Inoue,1958 **_ Range (in code):** **JP**
- 41954. *Eupithecia olgae* Mironov,1986** (Geometridae) **Synonym(s):** *olgae* Mironov,1986 **_ Range (in code):** **KK Na UZ TJ KG Ld IN AF Ch PK CN Ti Gn MN**
- 41955. *Eupithecia olivacea* Taylor,1906** (Geometridae) **Synonym(s):** *olivacea* Taylor,1906 **_ Range (in code):** **CA BCo**
- 41956. *Eupithecia olivaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *olivaria* W.Warren,1906 **_ Range (in code):** **EC**
- 41957. *Eupithecia olivocostata* Schaus,1913** (Geometridae) **Synonym(s):** *olivocostata* Schaus,1913 **_ Range (in code):** **CR**
- 41958. *Eupithecia olympica* Tuleschkov,1951** (Geometridae) **Synonym(s):** *olympica* Tuleschkov,1951 **_ Range (in code):** **GR**
- 41959. *Eupithecia omissa* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *omissa* Mironov & Galsworthy,2004 **_ Range (in code):** **CN She Gn**
- 41960. *Eupithecia omnigera* Vojnits,1982** (Geometridae) **Synonym(s):** *omnigera* Vojnits,1982; *recentissima Vojnits,1982.* **_ Range (in code):** **CN Ui Kl Ju**
- 41961. *Eupithecia omniparens* Dietze,1908** (Geometridae) **Synonym(s):** *omniparens* Dietze,1908 **_ Range (in code):** **UZ KK Ik KG Ssn CN Ui M-A Yk**
- 41962. *Eupithecia opistographata* Dietze,1906** (Geometridae) **Synonym(s):** *opistographata* Dietze,1906; *arenicola Rothschild,1913; #opisthographata Schütze,1961* **Original Reference:** *Eupithecia ultimaria* f. *opistographata* Dietze,1906, Dt. ent. Z., Iris 19: 66. Syntypes 3♂: [China: Uighur A.R.]: Aksu (MNHU). **_ Range (in code):** **DZ Ogl Gle Omy JO IL Pa IQ Amr Mos Ahz IR CN Ui Au YE**
- 41963. *Eupithecia oppidana* Vojnits,1994** (Geometridae) **Synonym(s):** *oppidana* Vojnits,1994 **_ Range (in code):** **EC**
- 41964. *Eupithecia orana* (Dietze,1910)** (Geometridae) **Synonym(s):** *orana* Dietze,1910; *pseudoscriptoria Rothschild,1914; soricella Lucas,1938; maspalomae Pinker,1961* **_ Range (in code):** **MA DZ Ges Orn ES**
- 41965. *Eupithecia orbaria* Swinhoe,1904** (Geometridae) **Synonym(s):** *orbaria* Swinhoe,1904 **_ Range (in code):** **UG**

- 41966. *Eupithecia orichloris* Meyrick, 1899** (Geometridae) **Synonym(s):** *orichloris* Meyrick, 1899
Range (in code): **Hw**
- 41967. *Eupithecia ornata* (Hulst, 1896)** (Geometridae) **Synonym(s):** *ornata* Hulst, 1896; *exornata* Barnes & McDunnough, 1912
Range (in code): **US Col**
- 41968. *Eupithecia ornea* Druce, 1893** (Geometridae) **Synonym(s):** *ornea* Druce, 1893
Range (in code): **PA**
- 41969. *Eupithecia oroba* Druce, 1893** (Geometridae) **Synonym(s):** *oroba* Druce, 1893
Range (in code): **MX GT PA**
- 41970. *Eupithecia orphnata* W. Petersen, 1909** (Geometridae) **Synonym(s):** *#orphnata* Bohatsch, 1883; *orphnata* W. Petersen, 1909
Original Reference: *Eupithecia orphnata* W. Petersen, 1909, Dt. ent. Z., Iris 22 (4): 257, pl. 16 fig. 67. Syntypes: Austro-Hungary.
Range (in code): **ES FR DE CH AT PL CZ SK HU RO AL BG SE FI UZ Fe CN Ui Ku AZ Nv Cc AM TR**
- 41971. *Eupithecia orphnata ferghanata* Schütze, 1956** (Geometridae) **Synonym(s):** *ferghanata* Schütze, 1956
Range (in code): **UZ Fe CN Ui Ku**
- 41972. *Eupithecia orphnata orphnata* W. Petersen, 1909** (Geometridae) **Synonym(s):** *orphnata* W. Petersen, 1909
Range (in code): **ES FR DE CH AT PL CZ SK HU RO AL BG SE FI**
- 41973. *Eupithecia orsetilla* Druce, 1893** (Geometridae) **Synonym(s):** *orsetilla* Druce, 1893
Range (in code): **CR**
- 41974. *Eupithecia osornoensis* Rindge, 1987** (Geometridae) **Synonym(s):** *osornoensis* Rindge, 1987
Range (in code): **CL**
- 41975. *Eupithecia otiosa* Vojnits, 1981** (Geometridae) **Synonym(s):** *otiosa* Vojnits, 1981
Range (in code): **CN Ti Btn**
- 41976. *Eupithecia ovalle* Vojnits, 1992** (Geometridae) **Synonym(s):** *ovalle* Vojnits, 1992
Range (in code): **CL**
- 41977. *Eupithecia owadai* Vojnits, 1988** (Geometridae) **Synonym(s):** *owadai* Vojnits, 1988
Range (in code): **NP**
- 41978. *Eupithecia owenata* McDunnough, 1944** (Geometridae) **Synonym(s):** *owenata* McDunnough, 1944
Range (in code): **US Arz**
- 41979. *Eupithecia oxycedrata* (Rambur, 1833)** (Geometridae) **Synonym(s):** *oxycedrata* Rambur, 1833; *oxycedrararia* Boisduval, 1840; *provinciata* Millière, 1872
Original Reference: *Larentia oxycedrata* Rambur, 1833, Annls Soc. ent. Fr. 2: 47, pl. 2. fig. 12.
Range (in code): **MA DZ Ges TN PT ES FR Co Sa IT GR Cr B-H HV SS MK RO TR UA Cm**
Bionomy: Larva on *Juniperus oxycedrus* (Rambur, 1833; Meyer, 1919).
- 41980. *Eupithecia pacifica* Inoue, 1980** (Geometridae) **Synonym(s):** *pacifica* Inoue, 1980
Range (in code): **JP**
- 41981. *Eupithecia pactia* Druce, 1893** (Geometridae) **Synonym(s):** *pactia* Druce, 1893
Range (in code): **MX**
- 41982. *Eupithecia pallidicosta* W. Warren, 1904** (Geometridae) **Synonym(s):** *pallidicosta* W. Warren, 1904
Range (in code): **PE**
- 41983. *Eupithecia pallidistriga* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *pallidistriga* W. Warren, 1906
Range (in code): **MX**
- 41984. *Eupithecia palmata* [Cassino & Swett], 1922** (Geometridae) **Synonym(s):** *palmata* [Cassino & Swett], 1922
Range (in code): **US Cf**
- 41985. *Eupithecia palpata* Packard, 1873** (Geometridae) **Synonym(s):** *palpata* Packard, 1873
Range (in code): **US Mai**
- 41986. *Eupithecia pamirica* Viidalepp, 1988** (Geometridae) **Synonym(s):** *pamirica* Viidalepp, 1988
Range (in code): **TJ Pm KK PK Gg Deo Bt AF Slg Sfk Kbb**
- 41987. *Eupithecia panda* Druce, 1893** (Geometridae) **Synonym(s):** *panda* Druce, 1893; *brunneicosta* W. Warren, 1904
Range (in code): **CR**
- 41988. *Eupithecia pantellata* Millière, 1875** (Geometridae) **Synonym(s):** *pantellata* Millière, 1875; *luteostrigata* Staudinger, 1876; *illuminata* Joannis, 1891; *tedaldia* Fuchs, 1901
Range (in code): **Cn MA DZ Phv PT ES An Si**
Bionomy: Larva on *Cotyledon umblicus* (Culot, 1919).
- 41989. *Eupithecia pantellata andalusica* Wehrli, 1926** (Geometridae) **Synonym(s):** *andalusica* Wehrli, 1926
Range (in code): **ES An**
- 41990. *Eupithecia pantellata canariata* Pinker, 1965** (Geometridae) **Synonym(s):** *canariensis* Pinker, 1962 nec Dietz, 1910; *canariata* Pinker, 1965
Range (in code): **Cn**

- 41991. *Eupithecia parallaxis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *parallaxis* L.B.Prout,1916 **Range (in code):** **CO**
- 41992. *Eupithecia parallelaria* Bohatsch,1893** (Geometridae) **Synonym(s):** *parallelaria* Bohatsch,1893 **Original Reference:** [*Eupithecia*] *unedonata* var. *parallelaria* Bohatsch,1893, Dt. ent. Z., Iris 6: 22. Lectotype: Corsica (TMP) [uninominal, unavailable name!]. **Range (in code):** **ES FR Co LB Bei TR TM Kp UZ CN Ui Kl Ch PK Gg AF Nu Srb**
- 41993. *Eupithecia parcirufa* (W.Warren,1906)** (Geometridae) **Synonym(s):** *parcirufa* W.Warren,1906 **Range (in code):** **BO**
- 41994. *Eupithecia particeps* Vojnits,1988** (Geometridae) **Synonym(s):** *particeps* Vojnits,1988 **Range (in code):** **NP PK Ch**
- 41995. *Eupithecia paryphata* Bastelberger,1908** (Geometridae) **Synonym(s):** *paryphata* Bastelberger,1908 **Range (in code):** **BO**
- 41996. *Eupithecia pauliani* Herbulot,1957** (Geometridae) **Synonym(s):** *pauliani* Herbulot,1957 **Range (in code):** **MG**
- 41997. *Eupithecia paupera* Vojnits,1982** (Geometridae) **Synonym(s):** *paupera* Vojnits,1982 **Original Reference:** *Eupithecia paupera* Vojnits,1982, Anls hist.-nat. Mus. natn. hung. 74: 221, figs.3,5. Holotype ♂: China: [Uighur A.R.]: Sinkiang: Kuldja (MNHU). **Range (in code):** **CN Ui Ku Ju**
- 41998. *Eupithecia pauxillaria* Boisduval,1840** (Geometridae) **Synonym(s):** *pauxillaria* Boisduval,1840; *euphrasiata* Herrich-Schäffer,1861; *vellicata* Dietze,1906 **Range (in code):** **ES FR Co Sa Si IT DE CH AT PL CZ SK RO GR CN Ui Um RU MD UA Cm BY**
- 41999. *Eupithecia peckorum* Heitzman & Enns,1977** (Geometridae) **Synonym(s):** *peckorum* Heitzman & Enns,1977 **Range (in code):** **US Mis**
- 42000. *Eupithecia pediba* Vojnits,1981** (Geometridae) **Synonym(s):** *pediba* Vojnits,1981 **Range (in code):** **CN Ti Btn**
- 42001. *Eupithecia peguensis* L.B.Prout,1958** (Geometridae) **Synonym(s):** *peguensis* L.B.Prout,1958 **Range (in code):** **MM**
- 42002. *Eupithecia pekingiana* Vojnits,1973** (Geometridae) **Synonym(s):** *pekingiana* Vojnits,1973 **Range (in code):** **CN Pkn**
- 42003. *Eupithecia penicilla* Dognin,1901** (Geometridae) **Synonym(s):** *penicilla* Dognin,1901 **Range (in code):** **EC**
- 42004. *Eupithecia penumbrata* Pearsall,1912** (Geometridae) **Synonym(s):** *penumbrata* Pearsall,1912 **Range (in code):** **US Arz**
- 42005. *Eupithecia perciliata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *perciliata* W.Warren,1901 **Range (in code):** **VE**
- 42006. *Eupithecia perculsaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *perculsaria* Swinhoe,1904 **Range (in code):** **KE ZA**
- 42007. *Eupithecia perculsaria influa* L.B.Prout,1932** (Geometridae) **Synonym(s):** *influa* L.B.Prout,1932 **Range (in code):** **KE**
- 42008. *Eupithecia perculsaria perculsaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *perculsaria* Swinhoe,1904 **Range (in code):** **KE**
- 42009. *Eupithecia percuriosa* Vojnits,1994** (Geometridae) **Synonym(s):** *percuriosa* Vojnits,1994 **Range (in code):** **EC**
- 42010. *Eupithecia peregovitsi* Mironov, Glasworthy & Katsumi,2009** (Geometridae) **Synonym(s):** *peregovitsi* Mironov, Glasworthy & Katsumi,2009 **Range (in code):** **VN Ton Fan**
- 42011. *Eupithecia peregrina* (W.Warren,1904)** (Geometridae) **Synonym(s):** *peregrina* W.Warren,1904 **Range (in code):** **PE**
- 42012. *Eupithecia perendina* Vojnits,1980** (Geometridae) **Synonym(s):** *perendina* Vojnits,1980 **Range (in code):** **CN Yu Ats**
- 42013. *Eupithecia perfica* Schaus,1929** (Geometridae) **Synonym(s):** *perfica* Schaus,1929 **Range (in code):** **BR**
- 42014. *Eupithecia perfusca* (Hulst,1898)** (Geometridae) **Synonym(s):** *perfusca* Hulst,1898; *cootenaiata* Dyar,1904; *alberta* Taylor,1906; *hanhami* Taylor,1906; *youngata* Taylor,1906; **Range (in code):** **US Ws Ut CA Abt BCo On Qb**
- 42015. *Eupithecia perfusca* Vojnits,1975** (Geometridae) **Synonym(s):** *perfusca* Vojnits,1975 **Range (in code):** **MN**
- 42016. *Eupithecia perigraphata* Mironov,2013** (Geometridae) **Synonym(s):** *perigraphata* Mironov,2013 **Original Reference:** *Eupithecia perigraphata* Mironov,2013, Zootaxa 3717: 45-46,

- figs. Holotype ♀: Turkey, Prov. Antalya, 20km W, 28 iv 1996, leg. K.Nupponen & J.Junnilainen (ZISP). Range (in code): TR
- 42017. *Eupithecia perigrapta* Janse, 1933** (Geometridae) Synonym(s): *perigrapta* Janse, 1933
Range (in code): ZA ZA10 Nta Kzu ZA28 Tva Lpo Spb Bbg
- 42018. *Eupithecia pernotata* Guenée, [1858]** (Geometridae) Synonym(s): *pernotata* Guenée, [1858]; *enictata* Pellmyr & Mikkola, 1984 Range (in code): CH AT FI RU Cc AZ AM
- 42019. *Eupithecia perolivata* (W. Warren, 1906)** (Geometridae) Synonym(s): *perolivata* W. Warren, 1906; *lutulenta* W. Warren, 1907 Range (in code): PE
- 42020. *Eupithecia perpetua* Vojnits, 1984** (Geometridae) Synonym(s): *perpetua* Vojnits, 1984
Range (in code): CN Yu Ats
- 42021. *Eupithecia perryvriesi* Herbulot, 1971** (Geometridae) Synonym(s): *perryvriesi* Herbulot, 1971 Range (in code): GS
- 42022. *Eupithecia persimulata* McDunnough, 1938** (Geometridae) Synonym(s): *persimulata* McDunnough, 1938 Range (in code): US Tx
- 42023. *Eupithecia personata* D.S. Fletcher, 1951** (Geometridae) Synonym(s): *personata* D.S. Fletcher, 1951 Range (in code): MG
- 42024. *Eupithecia persuastrix* Mironov, 1990** (Geometridae) Synonym(s): *persuastrix* Mironov, 1990 Range (in code): RU Prj Us
- 42025. *Eupithecia pertacta* (Dyar, 1918)** (Geometridae) Synonym(s): *pertacta* Dyar, 1918
Range (in code): MX
- 42026. *Eupithecia pertusata* McDunnough, 1938** (Geometridae) Synonym(s): *pertusata* McDunnough, 1938 Range (in code): US Tx
- 42027. *Eupithecia petersi* D.S. Fletcher, 1956** (Geometridae) Synonym(s): *petersi* D.S. Fletcher, 1956 Range (in code): TZ
- 42028. *Eupithecia petrohue* Rindge, 1987** (Geometridae) Synonym(s): *petrohue* Rindge, 1987
Range (in code): CL
- 42029. *Eupithecia pettyi* L.B. Prout, 1935** (Geometridae) Synonym(s): *parallelaria* Janse, 1933 *nec* Bohat., 1893; *pettyi* L.B. Prout, 1935 Range (in code): ZA Etm ZA11 Kzu Nta Wca
- 42030. *Eupithecia pettyioides* M. Krüger, 2000** (Geometridae) Synonym(s): *pettyioides* M. Krüger, 2000 Range (in code): ZA
- 42031. *Eupithecia pfeifferata* Schütze, 1960** (Geometridae) Synonym(s): *pfeifferata* Schütze, 1960
Range (in code): IR Elb Mz
- 42032. *Eupithecia phaeocausta* Meyrick, 1899** (Geometridae) Synonym(s): *phaeocausta* Meyrick, 1899 Range (in code): Hw
- 42033. *Eupithecia phaiosata* D.S. Fletcher, 1978** (Geometridae) Synonym(s): *phaiosata* D.S. Fletcher, 1978 Range (in code): TZ
- 42034. *Eupithecia philippis* Herbulot, 1987** (Geometridae) Synonym(s): *philippis* Herbulot, 1987
Range (in code): BO
- 42035. *Eupithecia phoebe* Herbulot, 1987** (Geometridae) Synonym(s): *phoebe* Herbulot, 1987
Range (in code): BO
- 42036. *Eupithecia phoeniceata* (Rambur, 1834)** (Geometridae) Synonym(s): *phoeniceata* Rambur, 1834; *mnemosynata* Millière, [1876] Range (in code): MA DZ Ges PT ES FR Co Si IT MT IE GB YU HV AL GR Bionomy: Larva on *Juniperus phoenicea* (Meyer, 1919).
- 42037. *Eupithecia phulchokiana* Herbulot, 1984** (Geometridae) Synonym(s): *phulchokiana* Herbulot, 1984 Range (in code): NP
- 42038. *Eupithecia phyllisae* Rindge, 1963** (Geometridae) Synonym(s): *phyllisae* Rindge, 1963
Range (in code): US NMx
- 42039. *Eupithecia physocleora* L.B. Prout, 1922** (Geometridae) Synonym(s): *physocleora* L.B. Prout, 1922 Range (in code): CL
- 42040. *Eupithecia picada* Rindge, 1987** (Geometridae) Synonym(s): *picada* Rindge, 1987
Range (in code): CL
- 42041. *Eupithecia piccata* Pearsall, 1910** (Geometridae) Synonym(s): *piccata* Pearsall, 1910
Range (in code): US NMx
- 42042. *Eupithecia pictimargo* (W. Warren, 1906)** (Geometridae) Synonym(s): *pictimargo* W. Warren, 1906 Range (in code): MX
- 42043. *Eupithecia picturata* (W. Warren, 1902)** (Geometridae) Synonym(s): *picturata* W. Warren, 1902 Range (in code): KE ZA

- 42044. *Eupithecia pieria* Druce, 1893** (Geometridae) **Synonym(s):** *pieria* Druce, 1893 **_ Range (in code):** **MX**
- 42045. *Eupithecia pilosa* W. Warren, 1897** (Geometridae) **Synonym(s):** *pilosa* W. Warren, 1897 **Range (in code):** **CR**
- 42046. *Eupithecia pimpinellata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *pimpinellata* Hübner, [1813]; *altaicata* Guenée, [1858]; *lantoscata* Millière, 1873; *cinerascens* Tengström, 1875; *limbosignata* Dietze, 1910; *elongata* Dietze, 1913 *nec* Hw, 1809; *retheli* L.B. Prout, 1938; *variata* Schwingenschuss, 1936. **Original Reference:** *Geometra pimpinellata* Hübner, [1813], Samml. eur. Schmett. 5: pl. 86 figs. 443, 444. **Syntypes:** Europa. **Range (in code):** **MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb At MD UA BY LB MN CN Ui Ku KG Tk** **Bionomy:** Larva on *Achillea*, *Senecio* (Asteraceae), *Bupleurum*, *Pimpinella saxifraga* (Apiaceae) (Meyer, 1919; Courtois, 1987).
- 42047. *Eupithecia pinata* Cassino, 1925** (Geometridae) **Synonym(s):** *pinata* Cassino, 1925 **Range (in code):** **US Arz**
- 42048. *Eupithecia pinkeri* Mironov, 1991** (Geometridae) **Synonym(s):** *pinkeri* Mironov, 1991 **Original Reference:** *Eupithecia pinkeri* Mironov, 1991, Beitr. Ent. 41 (2): 371, figs. 1-9. **Holotype** ♂: [Turkey]: East Anatolia: Gürün (NHMW). **Range (in code):** **TR AZ Cc**
- 42049. *Eupithecia pippa* L.B. Prout, 1916** (Geometridae) **Synonym(s):** *pippa* L.B. Prout, 1916 **Range (in code):** **PE**
- 42050. *Eupithecia pippoides* Herbulot, 1994** (Geometridae) **Synonym(s):** *pippoides* Herbulot, 1994 **_ Range (in code):** **EC**
- 42051. *Eupithecia placida* Vojnits, 1984** (Geometridae) **Synonym(s):** *placida* Vojnits, 1984 **Range (in code):** **CN Ti Btn Ats**
- 42052. *Eupithecia placida batangi* Vojnits, 1984** (Geometridae) **Synonym(s):** *batangi* Vojnits, 1984 **_ Range (in code):** **CN Ti Btn**
- 42053. *Eupithecia placidata* Taylor, 1908** (Geometridae) **Synonym(s):** *placidata* Taylor, 1908 **Range (in code):** **CA BCo**
- 42054. *Eupithecia planipennis* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *planipennis* W. Warren, 1906 **_ Range (in code):** **MX**
- 42055. *Eupithecia planiscripta* (W. Warren, 1902)** (Geometridae) **Synonym(s):** *planiscripta* W. Warren, 1902 **_ Range (in code):** **AU**
- 42056. *Eupithecia platymesa* (Dyar, 1918)** (Geometridae) **Synonym(s):** *platymesa* Dyar, 1918 **Range (in code):** **MX**
- 42057. *Eupithecia pliniata* Stauder, 1929** (Geometridae) **Synonym(s):** *pliniata* Stauder, 1929 **Range (in code):** **IT**
- 42058. *Eupithecia plumasata* McDunnough, 1946** (Geometridae) **Synonym(s):** *plumasata* McDunnough, 1946 **_ Range (in code):** **US Cf**
- 42059. *Eupithecia plumbeolata* (Haworth, [1809])** (Geometridae) **Synonym(s):** *plumbeolata* Haworth, [1809]; *isogrammata* Treitschke, 1828; *begrandaria* Boisduval, 1840; *singularia* Herrich-Schäffer, 1848; *plumbeolaria* Doubleday, 1849; *begrandata* Bruand, 1850; *dshungarica* Viidalepp, 1988. **_ Range (in code):** **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY KG DsA** **Bionomy:** Larva on *Melampyrum sylvaticum*, *M. pratense* (Meyer, 1919).
- 42060. *Eupithecia pluripunctaria* Turati, 1934** (Geometridae) **Synonym(s):** *pluripunctaria* Turati, 1934 **_ Range (in code):** **LY Cy**
- 42061. *Eupithecia poecilata* Püngeler, 1888** (Geometridae) **Synonym(s):** *poecilata* Püngeler, 1888 **Range (in code):** **Co Sa**
- 42062. *Eupithecia pollens* Vojnits, 1981** (Geometridae) **Synonym(s):** *pollens* Vojnits, 1981 **Range (in code):** **CN Yu**
- 42063. *Eupithecia polylibades* L.B. Prout, 1916** (Geometridae) **Synonym(s):** *polylibades* L.B. Prout, 1916 **_ Range (in code):** **ZA Tva ZA14 Mpu Gau Pre**
- 42064. *Eupithecia ponderata* Dietze, 1906** (Geometridae) **Synonym(s):** *ponderata* Dietze, 1906 **Range (in code):** **Cc AZ Nv Ord**
- 42065. *Eupithecia praealta* Wehrli, 1926** (Geometridae) **Synonym(s):** *praealta* Wehrli, 1926 **Range (in code):** **MA ES An**
- 42066. *Eupithecia praecipitata* Vojnits, 1979** (Geometridae) **Synonym(s):** *praecipitata* Vojnits, 1979 **_ Range (in code):** **CN She**

- 42067. *Eupithecia praepupillata* Wehrli,1927** (Geometridae) Synonym(s): *praepupillata* Wehrli,1927 _ Range (in code): **RU Prj Us**
- 42068. *Eupithecia praesignata* Bohatsch,1893** (Geometridae) Synonym(s): *insignata* Bohatsch,1893 nec Hbn.,1789; *praesignata* Bohatsch,1893 _ Original Reference: [*Eupithecia*] *praesignata* Bohatsch,1893, Dt. ent. Z., Iris 6: 21. Syntypes 5 ex.: Transalai, Achal Tekke, Osch, Margelan; [uninominal, unavailable name!]. _ Range (in code): **TJ T-A KK Ik Osh TM Kp Fe UZ CN Ui Kml AF Wk**
- 42069. *Eupithecia prasinombra* Meyrick,1899** (Geometridae) Synonym(s): *prasinombra* Meyrick,1899 _ Range (in code): **Hw**
- 42070. *Eupithecia pretansata* Grossbeck,1908** (Geometridae) Synonym(s): *pretansata* Grossbeck,1908 _ Range (in code): **US Arz**
- 42071. *Eupithecia pretoriana* (L.B.Prout,1922)** (Geometridae) Synonym(s): *pretoriana* L.B.Prout,1922 _ Range (in code): **ZA Gau Pre Tva**
- 42072. *Eupithecia proba* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *proba* Mironov & Galsworthy,2004 _ Range (in code): **CN Yu**
- 42073. *Eupithecia problematicata* Schütze,1960** (Geometridae) Synonym(s): *problematicata* Schütze,1960 _ Range (in code): **IR Elb Mz**
- 42074. *Eupithecia procera* Vojnits,1982** (Geometridae) Synonym(s): *procera* Vojnits,1982 _ Range (in code): **KG Tk Nrk**
- 42075. *Eupithecia procerissima* Vojnits,1994** (Geometridae) Synonym(s): *procerissima* Vojnits,1994 _ Range (in code): **CL**
- 42076. *Eupithecia proflua* L.B.Prout,1932** (Geometridae) Synonym(s): *proflua* L.B.Prout,1932 _ Range (in code): **TZ KE**
- 42077. *Eupithecia proflua proflua* L.B.Prout,1932** (Geometridae) Synonym(s): *proflua* L.B.Prout,1932 _ Range (in code): **TZ**
- 42078. *Eupithecia proflua subvineta* L.B.Prout,1932** (Geometridae) Synonym(s): *subvineta* L.B.Prout,1932 _ Range (in code): **KE**
- 42079. *Eupithecia profuga* L.B.Prout,1931** (Geometridae) Synonym(s): *profuga* L.B.Prout,1931 _ Range (in code): **SO**
- 42080. *Eupithecia proinsignata* Inoue,1987** (Geometridae) Synonym(s): *proinsignata* Inoue,1987 _ Range (in code): **NP**
- 42081. *Eupithecia propagata* L.B.Prout,1926** (Geometridae) Synonym(s): *propagata* L.B.Prout,1926; *iracunda* Vojnits,1988; *beneficiaria* Vojnits,1988 _ Range (in code): **IN Kma Hp Pj Ch NP**
- 42082. *Eupithecia propria* Vojnits,1977** (Geometridae) Synonym(s): *propria* Vojnits,1977 _ Range (in code): **MN**
- 42083. *Eupithecia proprivata* Vojnits,1982** (Geometridae) Synonym(s): *?privata* Dietze,1910; *proprivata* Vojnits,1982 _ Range (in code): **UZ TM**
- 42084. *Eupithecia prostrata* McDunnough,1938** (Geometridae) Synonym(s): *prostrata* McDunnough,1938 _ Range (in code): **US Tx**
- 42085. *Eupithecia proterva* Butler,1878** (Geometridae) Synonym(s): *proterva* Butler,1878; *?inconstans* Dietze,1910 _ Range (in code): **JP**
- 42086. *Eupithecia pseudassimilata* Viidalepp & Mironov,1988** (Geometridae) Synonym(s): *pseudassimilata* Viidalepp & Mironov,1988 _ Range (in code): **RU Prj Us**
- 42087. *Eupithecia pseudexheres* Herbulot,1972** (Geometridae) Synonym(s): *pseudexheres* Herbulot,1972 _ Range (in code): **MG**
- 42088. *Eupithecia pseudoabbreviata* D.S.Fletcher,1951** (Geometridae) Synonym(s): *pseudoabbreviata* D.S.Fletcher,1951 _ Range (in code): **ET**
- 42089. *Eupithecia pseudoicterata* Schütze,1960** (Geometridae) Synonym(s): *pseudoicterata* Schütze,1960 _ Range (in code): **IR Elb Mz**
- 42090. *Eupithecia pseudosatyrate* Djakonov,1929** (Geometridae) Synonym(s): *pseudosatyrate* Djakonov,1929 _ Range (in code): **RU Kmt**
- 42091. *Eupithecia pseudotsugata* Mackay,1951** (Geometridae) Synonym(s): *pseudotsugata* Mackay,1951 _ Range (in code): **CA BCo**
- 42092. *Eupithecia psiadiata* Townsend,1952** (Geometridae) Synonym(s): *psiadiata* Townsend,1952 _ Range (in code): **KE**
- 42093. *Eupithecia ptychospila* L.B.Prout,1937** (Geometridae) Synonym(s): *ptychospila* L.B.Prout,1937 _ Range (in code): **MG**

- 42094. Eupithecia pucatrachue Rindge,1987** (Geometridae) Synonym(s): *pucatrachue Rindge,1987* - Range (in code): CL
- 42095. Eupithecia pucon Vojnits,1992** (Geometridae) Synonym(s): *pucon Vojnits,1992* - Range (in code): CL
- 42096. Eupithecia puella Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *puella Mironov & Galsworthy,2004* - Range (in code): CN Yu
- 42097. Eupithecia puengeleri Dietze,1913** (Geometridae) Synonym(s): *puengeleri Dietze,1913* - Range (in code): TR
- 42098. Eupithecia pulchellata Stephens,1831** (Geometridae) Synonym(s): *pulchellata Stephens,1831* - Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL DK NO TR IR Kh
Bionomy: Larva on Digitalis purpurea (Plantaginaceae) (Meyer,1919).
- 42099. Eupithecia pulchellata grisearia Schwingenschuss,1939** (Geometridae) Synonym(s): *grisearia Schwingenschuss,1939* - Range (in code): TR
- 42100. Eupithecia pulchellata pulchellata Stephens,1831** (Geometridae) Synonym(s): *pulchellata Stephens,1831; hebudium Sheldon,1899* - Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL DK NO
- 42101. Eupithecia pulgata Dognin,1899** (Geometridae) Synonym(s): *pulgata Dognin,1899* - Range (in code): EC
- 42102. Eupithecia pupila Dognin,1899** (Geometridae) Synonym(s): *pupila Dognin,1899* - Range (in code): VE
- 42103. Eupithecia purpureoviridis (W.Warren,1900)** (Geometridae) Synonym(s): *purpureoviridis W.Warren,1900* - Range (in code): EC
- 42104. Eupithecia purpurissata Grossbeck,1908** (Geometridae) Synonym(s): *purpurissata Grossbeck,1908* - Range (in code): US Cf
- 42105. Eupithecia purpurissata purpurissata Grossbeck,1908** (Geometridae) Synonym(s): *purpurissata Grossbeck,1908* - Range (in code): US Cf
- 42106. Eupithecia purpurissata valariata Pearsall,1910** (Geometridae) Synonym(s): *valariata Pearsall,1910* - Range (in code): US Cf
- 42107. Eupithecia pusillata (Fabricius,1787)** (Geometridae) Synonym(s): *#pusillata [Denis & Schiffermüller],1775; pusillata Fabricius,1787; sobrinata Hübner,[1817]; pusillaria Hübner,[1825]; sobrinaria Boisduval,1840; expressaria Herrich-Schäffer,1848; anglicata Herrich-Schäffer,1863; latoniata Millière,1882; stevensata Webb,1896; scotica Dietze,1910* - Original Reference: Phalaena pusillata Fabricius,1787, Mant. Ins. 2: 212, nr.224. Type(s): Austria. Range (in code): ES FR Co IT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo DK NO SE FI EE LV LT RU MD UA BY Ch PK Bt Deo
Bionomy: Larva on Juniperus communis, Larix, Pinus (Meyer,1919).
- 42108. Eupithecia pusillata kashmirica Mironov & Ratzel,2008** (Geometridae) Synonym(s): *kashmirica Mironov & Ratzel,2008* - Range (in code): PK Bt Deo
- 42109. Eupithecia pusillata pusillata (Fabricius,1787)** (Geometridae) Synonym(s): *#pusillata [Denis & Schiffermüller],1775; pusillata Fabricius,1787; sobrinata Hübner,[1817]; pusillaria Hübner,[1825]; sobrinaria Boisduval,1840; expressaria Herrich-Schäffer,1848; anglicata Herrich-Schäffer,1863; latoniata Millière,1882; stevensata Webb,1896; scotica Dietze,1910* - Original Reference: Phalaena pusillata Fabricius,1787, Mant. Ins. 2: 212, nr.224. Type(s): Austria. Range (in code): ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY
- 42110. Eupithecia pusillata scoriata Staudinger,1857** (Geometridae) Synonym(s): *scoriata Staudinger,1857* - Range (in code): IE
- 42111. Eupithecia pygmaeata (Hübner,[1799])** (Geometridae) Synonym(s): *pygmaeata Hübner,[1799]; pygmearia Boisduval,1840; palustraria Doubleday,1850; sidemii Vojnits,1973* - Range (in code): ES FR IT IE GB BE NL DE AT PL CZ SK RO DK NO SE FI EE LV LT RU Prj Us Ask MD UA BY CN Mc US Col CA BCo - Bionomy: Larva on Cerastium triviale, Stellaria aquatica, S. holostea (Meyer,1919).
- 42112. Eupithecia pygmaeata obumbrata Taylor,1906** (Geometridae) Synonym(s): *obumbrata Taylor,1906; fortunata Pearsall,1909* - Range (in code): US Col CA BCo
- 42113. Eupithecia pygmaeata pygmaeata (Hübner,[1799])** (Geometridae) Synonym(s): *pygmaeata Hübner,[1799]; pygmearia Boisduval,1840; palustraria Doubleday,1850; sidemii Vojnits,1973* - Range (in code): ES FR IT IE GB BE NL DE AT PL CZ SK RO DK NO SE FI EE LV LT Prj RU Us Ask MD UA BY CN Mc
- 42114. Eupithecia pyreneata Mabille,1871** (Geometridae) Synonym(s): *pyreneata Mabille,1871; digitaliaria Dietze,1872; granadensis Bubacek,1926* - Range (in code): ES Py FR IT DE AT CZ SK HU YU

- AL BG MK GR TR LV LT RU MD UA BY KG** Bionomy: Larva on *Digitalis grandiflora* [=ambigua] (Plantaginaceae) (Meyer,1919).
- 42115. *Eupithecia pyricoetes* L.B.Prout,1958** (Geometridae) Synonym(s): *pyricoetes* L.B.Prout,1958 Range (in code): **IN SI**
- 42116. *Eupithecia quadripunctata* W.Warren,1888** (Geometridae) Synonym(s): *quadripunctata* W.Warren,1888; *tricornuta* Inoue,1980; *abjecta* Vojnits,1980 Original Reference: *Eupithecia quadripunctata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 331. Type ♀: [Pakistan]: Thundiani, April 30 1887. Range (in code): **PK Thu Pj RU Us KP KR JP CN She Mc TW PK Pj Thu Ch NP**
- 42117. *Eupithecia quakerata* Pearsall,1909** (Geometridae) Synonym(s): *quakerata* Pearsall,1909; *apacheata* Cassino,1927; *conglomerata* McDunnough,1945 Range (in code): **US Col Arz**
- 42118. *Eupithecia quercetica* L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938 Original Reference: *Eupithecia quercetica* L.B.Prout,1938, [in] Seitz, Gross-Schmett. Erde 3(suppl.): 204 (14i). Syntypes 2♀: Libanon: Arayah. Range (in code): **MK BG GR Cr TR UA Cm LB IQ CY IL Pa JO SA** Bionomy: Larva on *Quercus* (Wiltshire, 1936; Wiltshire, 1939).
- 42119. *Eupithecia quercetica buxata* Pinker,1958** (Geometridae) Synonym(s): *buxata* Pinker,1958 Range (in code): **MK BG GR TR**
- 42120. *Eupithecia quercetica quercetica* L.B.Prout,1938** (Geometridae) Synonym(s): *quercetica* L.B.Prout,1938 Original Reference: *Eupithecia quercetica* L.B.Prout,1938, [in] Seitz, Gross-Schmett. Erde 3(suppl.): 204 (14i). Syntypes 2♀: Libanon: Arayah. Range (in code): **TR LB IQ CY**
- 42121. *Eupithecia rajata* Guenée,[1858]** (Geometridae) Synonym(s): *rajata* Guenée,[1858]; *apparticeps* Inoue,2000 Range (in code): **IN Ld Hp CN Yu PK Swa**
- 42122. *Eupithecia ravocostaliata* Packard,1876** (Geometridae) Synonym(s): *ravocostaliata* Packard,1876 Range (in code): **US Mai NO**
- 42123. *Eupithecia rebeli* Bohatsch,1893** (Geometridae) Synonym(s): *rebeli* Bohatsch,1893 Original Reference: [*Eupithecia*] *rebeli* Bohatsch,1893, Dt. ent. Z., Iris 6: 23-25. Syntypes: Samarkand, Namangan, Kuldja, Alai. [uninominal, unavailable name!]. Range (in code): **UZ Fe KK CN Ui Ku**
- 42124. *Eupithecia recens* Dietze,1904** (Geometridae) Synonym(s): *recens* Dietze,1904; *creta* Dietze,1908. Range (in code): **CN Ui Ku Ts Kno KK Ik**
- 42125. *Eupithecia recintoensis* Rindge,1987** (Geometridae) Synonym(s): *recintoensis* Rindge,1987 Range (in code): **CL**
- 42126. *Eupithecia rectilinea* Schaus,1913** (Geometridae) Synonym(s): *rectilinea* Schaus,1913 Range (in code): **CR**
- 42127. *Eupithecia redingtonia* McDunnough,1949** (Geometridae) Synonym(s): *redingtonia* McDunnough,1949 Range (in code): **US Arz**
- 42128. *Eupithecia rediviva* L.B.Prout,1917** (Geometridae) Synonym(s): *rediviva* L.B.Prout,1917 Range (in code): **ZA Mpu Tva Pil**
- 42129. *Eupithecia refertissima* Vojnits,1984** (Geometridae) Synonym(s): *refertissima* Vojnits,1984 Range (in code): **CN Ti Btn**
- 42130. *Eupithecia regina* Taylor,1906** (Geometridae) Synonym(s): *regina* Taylor,1906 Range (in code): **CA Ssk**
- 42131. *Eupithecia reginamontium* M.Krüger,2000** (Geometridae) Synonym(s): *reginamontium* M.Krüger,2000; *#reginamontanum* M.Krüger,2000 Range (in code): **ZA**
- 42132. *Eupithecia regulella* (Warren,1907)** (Geometridae) Synonym(s): *regulella* (Warren,1907) Range (in code): **PE**
- 42133. *Eupithecia regulosa* (W.Warren,1902)** (Geometridae) Synonym(s): *regulosa* W.Warren,1902 Range (in code): **KE ZA**
- 42134. *Eupithecia reisserata* Pinker,1976** (Geometridae) Synonym(s): *reisserata* Pinker,1976 Original Reference: *Eupithecia reisserata* Pinker,1976, Z. ArbGem. öst. Ent. 28 (1/3): 2-3, figs. Holotype ♂: [Turkey]: Anatolien: Kizilcahamam (coll. Pinker). Range (in code): **GR Cr CY Cc AZ Nv TR JO SY Dms**
- 42135. *Eupithecia reisserata levari* Hausmann,1991** (Geometridae) Synonym(s): *levari* Hausmann,1991 Range (in code): **JO**
- 42136. *Eupithecia reisserata reisserata* Pinker,1976** (Geometridae) Synonym(s): *reisserata* Pinker,1976 Range (in code): **GR Cr CY Cc AZ Nv TR**

- 42137. *Eupithecia relativa* Vojnits,1982** (Geometridae) Synonym(s): *relativa* Vojnits,1982
Range (in code): **IR Elb Mz**
- 42138. *Eupithecia relaxata* Dietze,1904** (Geometridae) Synonym(s): *relaxata* Dietze,1904;
vicariata Dietze,1904; *adjunctata* Dietze,1904; *costisignata* Dietze,1904; *pamiri* Vojnits,1988
Range (in code): **IR Elb Shh TM Kp UZ CN Ui Kl MN TJ Pm PK Bt Skd AF Kbb Slg Nu Sfk Wk**
- 42139. *Eupithecia relictata* Dietze,1904** (Geometridae) Synonym(s): *relictata* Dietze,1904;
relinquata Dietze,1910. Range (in code): **KK Ax**
- 42140. *Eupithecia remmi* Viidalepp,1988** (Geometridae) Synonym(s): *remmi* Viidalepp,1988
Range (in code): **TJ**
- 42141. *Eupithecia repentina* Vojnits & Laever,1978** (Geometridae) Synonym(s): *repentina*
Vojnits & Laever,1978 Range (in code): **CN Hun RU Am Us JP**
- 42142. *Eupithecia repetita* Vojnits,1981** (Geometridae) Synonym(s): *repetita* Vojnits,1981
Range (in code): **PK Klm Swa Ch AF Sfk**
- 42143. *Eupithecia resarta* L.B.Prout,1932** (Geometridae) Synonym(s): *resarta* L.B.Prout,1932
Range (in code): **KE**
- 42144. *Eupithecia retusa* C.G.Krüger,1939** (Geometridae) Synonym(s): *retusa* C.G.Krüger,1939
Range (in code): **LY**
- 42145. *Eupithecia rhodopyra* (Meyrick,1899)** (Geometridae) Synonym(s): *rhodopyra*
Meyrick,1899 Range (in code): **Hw**
- 42146. *Eupithecia rhoisata* (Chrétien,1917)** (Geometridae) Synonym(s): *rhoisata* Chrétien,1917
Original Reference: *Tephroclystia rhoisata* Chrétien,1917, Anns Soc. ent. Fr. 85: 398. Syntypes:
[Algérie]: Biskra; [Tunisia]: Gafsa. Range (in code): **DZ Bsk TN Gf**
- 42147. *Eupithecia rhombipennis* (L.B.Prout,1911)** (Geometridae) Synonym(s): *rhombipennis*
L.B.Prout,1911 Range (in code): **CO**
- 42148. *Eupithecia ridiculata* Brandt,1938** (Geometridae) Synonym(s): *ridiculata* Brandt,1938
Range (in code): **IR Fa Com Kz**
- 42149. *Eupithecia rigida* Swinhoe,1892** (Geometridae) Synonym(s): *rigida* Swinhoe,1892
Range (in code): **IN Ass Meg Khs KE ZA ZA14 Mpu Mal Tva Lpo NC**
- 42150. *Eupithecia rigida rigida* Swinhoe,1892** (Geometridae) Synonym(s): *rigida* Swinhoe,1892
Range (in code): **Meg Ass N Khs**
- 42151. *Eupithecia rigida sporadica* L.B.Prout,1932** (Geometridae) Synonym(s): *sporadica*
L.B.Prout,1932 Range (in code): **KE ZA ZA14 Mpu Mal Tva Lpo**
- 42152. *Eupithecia rigouti* Herbulot,1994** (Geometridae) Synonym(s): *rigouti* Herbulot,1994
Range (in code): **EC**
- 42153. *Eupithecia riparia* Herrich-Schäffer,1852** (Geometridae) Synonym(s): *riparia* Herrich-
Schäffer,1852; *drupisaria* W.Petersen,1909 Range (in code): **HV IT GR**
- 42154. *Eupithecia robertata* Rougemont,1903** (Geometridae) Synonym(s): *robertata*
Rougemont,1903 Range (in code): **FR**
- 42155. *Eupithecia robiginascens* L.B.Prout,1926** (Geometridae) Synonym(s): *robiginascens*
L.B.Prout,1926; *captiosa* Vojnits,1984 Range (in code): **IN SI MM Ass Meg Khs BT PK CN Yu**
- 42156. *Eupithecia robusta* Dietze,1910** (Geometridae) Synonym(s): *robusta* Dietze,1910
Range (in code): **RU Am**
- 42157. *Eupithecia ronkayi* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *ronkayi* Mironov, Glasworthy & Katsumi,2009 Range (in code): **TH CMa**
- 42158. *Eupithecia rosai* Pinker,1962** (Geometridae) Synonym(s): *rosai* Pinker,1962 Range
(in code): **Cn**
- 42159. *Eupithecia rosalia* Butler,1882** (Geometridae) Synonym(s): *rosalia* Butler,1882; *kristenseni*
Vojnits,1985 Range (in code): **CL**
- 42160. *Eupithecia rosmarinata* Dardoin & Millièrè,1865** (Geometridae) Synonym(s):
rosmarinata Dardoin & Millièrè,1865 Range (in code): **MA DZ Ges ES FR** Bionomy: Larva on
Rosmarinus officinalis (Meyer,1919).
- 42161. *Eupithecia rotundopuncta* Packard,1871** (Geometridae) Synonym(s): *rotundopuncta*
Packard,1871; *rotundopunctata* Packard,1876 Range (in code): **US Cf**
- 42162. *Eupithecia rougeoti* Herbulot,1983** (Geometridae) Synonym(s): *rougeoti* Herbulot,1983
Range (in code): **ET**

- 42163. *Eupithecia rubellata* Dietze,1904** (Geometridae) **Synonym(s):** *rubellata* Dietze,1904; *deserticola* Dietze,1910; *scotaeata* Dietze,1910; *invenusta* Vojnits,1977. **Range (in code):** **CN Ui Ti Kl Au Ku Ju Alt MN Ld IN**
- 42164. *Eupithecia rubellicincta* (W.Warren,1904)** (Geometridae) **Synonym(s):** *rubellicincta* W.Warren,1904 **Range (in code):** **PE**
- 42165. *Eupithecia rubidimixta* L.B.Prout,1916** (Geometridae) **Synonym(s):** *rubidimixta* L.B.Prout,1916 **Range (in code):** **ZA ZA14 Tva Lpo Spb Bbg ZA20 Mpu**
- 42166. *Eupithecia rubigata* Snellen,1874** (Geometridae) **Synonym(s):** *rubigata* Snellen,1874 **Range (in code):** **CO**
- 42167. *Eupithecia rubiginifera* L.B.Prout,1913** (Geometridae) **Synonym(s):** *rubiginifera* L.B.Prout,1913 **Range (in code):** **ZA ZA10 Nta Kzu ZA28 Tva Lpo Hae**
- 42168. *Eupithecia rubridorsata* Hampson,1895** (Geometridae) **Synonym(s):** *rubridorsata* Hampson,1895 **Range (in code):** **IN SI**
- 42169. *Eupithecia rubristigma* L.B.Prout,1932** (Geometridae) **Synonym(s):** *rubristigma* L.B.Prout,1932 **Range (in code):** **KE**
- 42170. *Eupithecia rufa* Schaus,1913** (Geometridae) **Synonym(s):** *rufa* Schaus,1913 **Range (in code):** **CR**
- 42171. *Eupithecia rufescens* Butler,1878** (Geometridae) **Synonym(s):** *rufescens* Butler,1878 **Range (in code):** **JP**
- 42172. *Eupithecia ruficorporis* (W.Warren,1897)** (Geometridae) **Synonym(s):** *ruficorporis* W.Warren,1897 **Range (in code):** **PK Pj Rw IN Ass Meg Khs**
- 42173. *Eupithecia rufipalpata* (Dognin,1902)** (Geometridae) **Synonym(s):** *rufipalpata* Dognin,1902 **Range (in code):** **CO**
- 42174. *Eupithecia rufivenata* (W.Warren,1907)** (Geometridae) **Synonym(s):** *rufivenata* W.Warren,1907 **Range (in code):** **PE**
- 42175. *Eupithecia rulena* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) **Synonym(s):** *rulena* Mironov, Galsworthy & Sakamaki,2010 **Range (in code):**
- 42176. *Eupithecia rusicadaria* Dietze,1910** (Geometridae) **Synonym(s):** *rusicadaria* Dietze,1910 **Range (in code):** **MA DZ TN**
- 42177. *Eupithecia russeliata* Swett,1908** (Geometridae) **Synonym(s):** *russeliata* Swett,1908 **Range (in code):** **US Msc Vi**
- 42178. *Eupithecia russeliata brauneata* Swett,1908** (Geometridae) **Synonym(s):** *brauneata* Swett,1908 **Range (in code):** **US Vi**
- 42179. *Eupithecia russeliata russeliata* Swett,1908** (Geometridae) **Synonym(s):** *russeliata* Swett,1908 **Range (in code):** **US Msc**
- 42180. *Eupithecia russeola* L.B.Prout,1926** (Geometridae) **Synonym(s):** *russeola* L.B.Prout,1926 **Range (in code):** **MM**
- 42181. *Eupithecia russula* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *russula* Mironov & Galsworthy,2004 **Range (in code):** **CN Ti**
- 42182. *Eupithecia ryukyuensis* Inoue,1971** (Geometridae) **Synonym(s):** *ryukyuensis* Inoue,1971 **Range (in code):** **JP Ri**
- 42183. *Eupithecia sabulosata* McDunnough,1944** (Geometridae) **Synonym(s):** *sabulosata* McDunnough,1944 **Range (in code):** **US Cf**
- 42184. *Eupithecia sachalini* Vojnits,1981** (Geometridae) **Synonym(s):** *sachalini* Vojnits,1981 **Range (in code):** **US Sh**
- 42185. *Eupithecia sacrimontis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *sacrimontis* L.B.Prout,1938 **Range (in code):**
- 42186. *Eupithecia sacrivicae* Mironov & Galsworthy,2004** (Geometridae) **Synonym(s):** *sacrivicae* Mironov & Galsworthy,2004 **Range (in code):** **CN**
- 42187. *Eupithecia sacrosancta* Vojnits,1979** (Geometridae) **Synonym(s):** *sacrosancta* Vojnits,1979 **Range (in code):** **CN She**
- 42188. *Eupithecia sagittata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *sagittata* W.Warren,1897 **Range (in code):** **ZA ZA13 Kzu Nta Wnn**
- 42189. *Eupithecia saisanaria* Staudinger,1882** (Geometridae) **Synonym(s):** *saisanaria* Staudinger,1882 **Range (in code):** **KG Ssn CN Ui Kml**
- 42190. *Eupithecia salti* D.S.Fletcher,1951** (Geometridae) **Synonym(s):** *salti* D.S.Fletcher,1951 **Range (in code):** **TZ**

- 42191. *Eupithecia salubris* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):** *salubris* Mironov & Galsworthy, 2004 **_ Range (in code):** **CN She**
- 42192. *Eupithecia santolinata* Mabille, 1871** (Geometridae) **Synonym(s):** *santolinata* Mabille, 1871 **_ Range (in code):** **ES FR Sa** **Bionomy:** Larva on Santolina [*chamaecyparissus*] (Meyer, 1919).
- 42193. *Eupithecia saphenes* L.B. Prout, 1916** (Geometridae) **Synonym(s):** *saphenes* L.B. Prout, 1916 **_ Range (in code):** **VE**
- 42194. *Eupithecia sardoa* Dietze, 1910** (Geometridae) **Synonym(s):** *sardoa* Dietze, 1910 **_ Range (in code):** **TN Co Sa**
- 42195. *Eupithecia sardoa peterseni* Wagner, 1914** (Geometridae) **Synonym(s):** *peterseni* Wagner, 1914 **_ Range (in code):** **TN**
- 42196. *Eupithecia satyrata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *satyrata* Hübner, [1813]; *satyraria* Boisduval, 1840; *italicata* Guenée, 1858; *submelanochroa* Vojnits, 1973 **_ Range (in code):** **ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU TR MD UA BY KG Tk Nr At CN Ui Ju US NCa CA Abt On BCo** **Bionomy:** Larva on Centaurea, Galium, Hypochaeris, Polygonum, Scabiosa, Senecio, Thymus (Meyer, 1919).
- 42197. *Eupithecia satyrata callunaria* Doubleday, 1850** (Geometridae) **Synonym(s):** *callunaria* Doubleday, 1850 **_ Range (in code):** **GB**
- 42198. *Eupithecia satyrata dodata* Taylor, 1906** (Geometridae) **Synonym(s):** *dodata* Taylor, 1906; *slocanata* Taylor, 1908; *terminata* Taylor, 1908; *fumata* Taylor, 1910; *divinula* Cassino & Swett, 1924; *mackieata* Cassino & Swett, 1925 **_ Range (in code):** **CA Abt On BCo**
- 42199. *Eupithecia satyrata intimata* Pearsall, 1908** (Geometridae) **Synonym(s):** *intimata* Pearsall, 1908 **_ Range (in code):** **US NCa**
- 42200. *Eupithecia satyrata juldusi* Dietze, 1910** (Geometridae) **Synonym(s):** *juldusi* Dietze, 1910; *concolor* Dietze, 1913. **_ Range (in code):** **CN Ui Ju**
- 42201. *Eupithecia satyrata rivosulata* Dietze, 1875** (Geometridae) **Synonym(s):** *rivosulata* Dietze, 1875 **_ Range (in code):** **RU At**
- 42202. *Eupithecia satyrata satyrata* (Hübner, [1813])** (Geometridae) **Synonym(s):** *satyrata* Hübner, [1813]; *satyraria* Boisduval, 1840 **_ Range (in code):** **ES FR Co IT IS IE BE NL LU DE AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY KG Tk At CN Ui Ju US**
- 42203. *Eupithecia satyrata subatrata* Staudinger, 1871** (Geometridae) **Synonym(s):** *subatrata* Staudinger, 1871; *submelanochroa* Vojnits, 1973. **_ Range (in code):** **KG Tk Nr**
- 42204. *Eupithecia satyrata zermattensis* Wehrli, 1928** (Geometridae) **Synonym(s):** *zermattensis* Wehrli, 1928 **_ Range (in code):** **CH**
- 42205. *Eupithecia scabrogata* Pearsall, 1912** (Geometridae) **Synonym(s):** *scabrogata* Pearsall, 1912 **_ Range (in code):** **US Cf**
- 42206. *Eupithecia scalptata* Christoph, 1885** (Geometridae) **Synonym(s):** *scalptata* Christoph, 1885 **Original Reference:** *Eupithecia scalptata* Christoph, 1885, [in] Romanoff, Mém. Lépid. 2: 134, pl. 7 fig. 4. Syntypes ♂: [Turkmenistan]: Ashkabad; [Azerbaijan]: Ordubad. **_ Range (in code):** **AL GR TR RU Cc AZ Nv Ord Kir JO TM Kp SY Dms**
- 42207. *Eupithecia scaphiata* Herbulot, 1993** (Geometridae) **Synonym(s):** *scaphiata* Herbulot, 1993 **_ Range (in code):** **EC**
- 42208. *Eupithecia schiefereri* Dietze, 1904** (Geometridae) **Synonym(s):** *#schiefereri* Bohatsch, 1893; *schiefereri* Dietze, 1904; *#confluens* Dietze, 1910; *#schiefererie* Pinker, 1958; *#schieferi* Arnscheid, 2000 **_ Range (in code):** **PT ES FR Si Co IT AT SK RO YU BG GR Cr TR RU UA Cm IL Pa CY LB AZ Cc**
- 42209. *Eupithecia schnitzleri* Mironov, Glasworthy & Katsumi, 2009** (Geometridae) **Synonym(s):** *schnitzleri* Mironov, Glasworthy & Katsumi, 2009 **_ Range (in code):** **TH CMa Dst**
- 42210. *Eupithecia schuetzeana* Pinker, 1961** (Geometridae) **Synonym(s):** *schuetzeana* Pinker, 1961 **_ Range (in code):** **Cn**
- 42211. *Eupithecia schwingenschussi* Zerny, 1934** (Geometridae) **Synonym(s):** *schwingenschussi* Zerny, 1934 **_ Range (in code):** **MA**
- 42212. *Eupithecia scione* Herbulot, 1987** (Geometridae) **Synonym(s):** *scione* Herbulot, 1987 **_ Range (in code):** **EC**
- 42213. *Eupithecia sclerata* Vojnits, 1982** (Geometridae) **Synonym(s):** *sclerata* Vojnits, 1982 **_ Range (in code):** **CN Ui Ln**
- 42214. *Eupithecia scopariata* (Rambur, 1833)** (Geometridae) **Synonym(s):** *scopariata* Rambur, 1833; *scoparia* Boisduval, 1840; *tenebrosaria* Herrich-Schäffer, 1848; *multiflora* Millière, 1866 **_ Range (in code):** **DZ Ges Ght PT ES FR Co Sa IT AT YU GR TR**

- 42215. *Eupithecia scopariata guinardiaria* Boisduval,1840** (Geometridae) **Synonym(s):** *guinardiaria* Boisduval,1840; *graslinaria* Staudinger,1871 - Range (in code): FR Co
- 42216. *Eupithecia scopariata scopariata* (Rambur,1833)** (Geometridae) **Synonym(s):** *scopariata* Rambur,1833; *scoparia* Boisduval,1840; *tenebrosaria* Herrich-Schäffer,1848; *multiflorata* Millière,1866
Range (in code): DZ Ght PT ES FR Sa IT YU GR TR
- 42217. *Eupithecia scoriodes* (Meyrick,1899)** (Geometridae) **Synonym(s):** *scoriodes* Meyrick,1899 - Range (in code): Hw
- 42218. *Eupithecia scortillata* Dietze,1904** (Geometridae) **Synonym(s):** *scortillata* Dietze,1904; *subscortillata* Viidalepp,1988 - Range (in code): KK TeA TJ Pm
- 42219. *Eupithecia scribai* L.B.Prout,1938** (Geometridae) **Synonym(s):** *scribai* L.B.Prout,1938
Range (in code): RU Sh
- 42220. *Eupithecia seatacama* Rindge,1987** (Geometridae) **Synonym(s):** *seatacama* Rindge,1987
Range (in code): CL
- 42221. *Eupithecia sectila* Brandt,1938** (Geometridae) **Synonym(s):** *sectila* Brandt,1938
Range (in code): IR Fa Sse
- 42222. *Eupithecia sectilinea* Herbulot,1988** (Geometridae) **Synonym(s):** *sectilinea* Herbulot,1988
Range (in code): CM
- 42223. *Eupithecia seditiosa* Vojnits,1981** (Geometridae) **Synonym(s):** *seditiosa* Vojnits,1981
Range (in code): NP
- 42224. *Eupithecia segregata* Pearsall,1910** (Geometridae) **Synonym(s):** *segregata* Pearsall,1910; *bonita* Cassino & Swett,1925 - Range (in code): US Org Cf
- 42225. *Eupithecia selinata* Herrich-Schäffer,1861** (Geometridae) **Synonym(s):** *selinata* Herrich-Schäffer,1861; *divina* Vojnits,1981 - Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO BG MK DK SE FI EE LV LT RU Ur Am MD UA BY CN T-S JP
- 42226. *Eupithecia selinata fusei* Inoue,1980** (Geometridae) **Synonym(s):** *fusei* Inoue,1980
Range (in code): JP
- 42227. *Eupithecia selinata selinata* Herrich-Schäffer,1861** (Geometridae) **Synonym(s):** *selinata* Herrich-Schäffer,1861 - Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO BG DK SE FI EE LV LT RU MD UA BY
- 42228. *Eupithecia selinata tenebricosa* Dietze,1910** (Geometridae) **Synonym(s):** *tenebricosa* Dietze,1910 - Range (in code): RU Am
- 42229. *Eupithecia sellia* (W.Warren,1906)** (Geometridae) **Synonym(s):** *sellia* W.Warren,1906
Range (in code): MX
- 42230. *Eupithecia sellimima* (Dyar,1927)** (Geometridae) **Synonym(s):** *sellimima* Dyar,1927
Range (in code): MX
- 42231. *Eupithecia selva* Vojnits,1992** (Geometridae) **Synonym(s):** *selva* Vojnits,1992 - Range (in code): CL
- 42232. *Eupithecia semicalva* Vojnits,1979** (Geometridae) **Synonym(s):** *semicalva* Vojnits,1979
Range (in code): CN Sz
- 42233. *Eupithecia semiflavata* (W.Warren,1902)** (Geometridae) **Synonym(s):** *semiflavata* W.Warren,1902 - Range (in code): KE
- 42234. *Eupithecia semigraphata* Bruand,[1847]** (Geometridae) **Synonym(s):** *semigraphata* Bruand,[1847] - Range (in code): MA Cn ES FR Si Co IT MT BE DE CH AT PL CZ SK HU RO YU HV MK AL BG GR Cr TR RU MD UA Cm BY IR Elb Th Kdv Cc Lag GG AM Bionomy: Larva on *Calamintha nepetoides*, *Nepeta*, *Thymus serpyllum* (Meyer,1919).
- 42235. *Eupithecia semigraphata arida* Dietze,1910** (Geometridae) **Synonym(s):** *arida* Dietze,1910 Original Reference: *Eupithecia semigraphata* f. *arida* Dietze,1910, Biol. Eupitheciens 1: pl.76 figs.603-605; ibidem 1913, 2: 105. Syntypes: 9♂♂: Türkei: Taurus, Zeitun,... Range (in code): TR
- 42236. *Eupithecia semigraphata canariensis* Dietze,1910** (Geometridae) **Synonym(s):** *canariensis* Dietze,1910 - Range (in code): Cn
- 42237. *Eupithecia semigraphata gravosata* Schütze,1956** (Geometridae) **Synonym(s):** *gravosata* Schütze,1956 - Range (in code): HV
- 42238. *Eupithecia semigraphata lutulentaria* Schwingenschuss,1939** (Geometridae) **Synonym(s):** *lutulentaria* Schwingenschuss,1939 - Range (in code): IR Elb Th Kdv
- 42239. *Eupithecia semigraphata nepetata* Mabille,1869** (Geometridae) **Synonym(s):** *nepetata* Mabille,1869 - Range (in code): Co

- 42240. *Eupithecia semigraphata porphyrata* Zerny,1934** (Geometridae) **Synonym(s):** *porphyrata* Zerny,1934 _ Range (in code): **MA**
- 42241. *Eupithecia semigraphata semigraphata* Bruand,[1847]** (Geometridae) **Synonym(s):** *semigraphata* Bruand,[1847] _ Range (in code): **ES FR Si IT MT BE DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr RU MD UA BY**
- 42242. *Eupithecia semilignata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *semilignata* W.Warren,1906 _ Range (in code): **BR**
- 42243. *Eupithecia semilotaria* (Mabille,1885)** (Geometridae) **Synonym(s):** *semilotaria* Mabille,1885 _ Range (in code):
- 42244. *Eupithecia semilugens* (Dognin,1906)** (Geometridae) **Synonym(s):** *semilugens* Dognin,1906 _ Range (in code): **AR**
- 42245. *Eupithecia seminigra* (W.Warren,1904)** (Geometridae) **Synonym(s):** *seminigra* W.Warren,1904 _ Range (in code): **PE**
- 42246. *Eupithecia seminuda* Vojnits,1984** (Geometridae) **Synonym(s):** *seminuda* Vojnits,1984 _ Range (in code): **CN Ti Btn**
- 42247. *Eupithecia semipallida* Janse,1933** (Geometridae) **Synonym(s):** *semipallida* Janse,1933 _ Range (in code): **ZW Bul**
- 42248. *Eupithecia semirufescens* (W.Warren,1906)** (Geometridae) **Synonym(s):** *semirufescens* W.Warren,1906 _ Range (in code): **BR**
- 42249. *Eupithecia semivacua* (Dognin,1908)** (Geometridae) **Synonym(s):** *semivacua* Dognin,1908 _ Range (in code): **PE**
- 42250. *Eupithecia sempiterna* Vojnits,1984** (Geometridae) **Synonym(s):** *sempiterna* Vojnits,1984 _ Range (in code): **CN Yu**
- 42251. *Eupithecia seniorita* Mironov,2003** (Geometridae) **Synonym(s):** *seniorita* Mironov,2003 _ Range (in code): **ES**
- 42252. *Eupithecia separata* Staudinger,1879** (Geometridae) **Synonym(s):** *separata* Staudinger,1879; *saueri* Vojnits,1978. Original Reference: *Eupithecia separata* Staudinger,1879, Horae Soc. ent. ross. 14: 476-478. Type: [Türkei]: Amasia. Range (in code): **AM Eri TR Da Cc AZ Nv**
- 42253. *Eupithecia serenata* Staudinger,1896** (Geometridae) **Synonym(s):** *serenata* Staudinger,1896 _ Range (in code): **RU At CN Ti**
- 42254. *Eupithecia sewardata* Bolte,1977** (Geometridae) **Synonym(s):** *sewardata* Bolte,1977 _ Range (in code): **US Als**
- 42255. *Eupithecia sexpunctata* (Dognin,1902)** (Geometridae) **Synonym(s):** *sexpunctata* Dognin,1902 _ Range (in code): **EC**
- 42256. *Eupithecia shachdarensis* Viidalepp,1988** (Geometridae) **Synonym(s):** *shachdarensis* Viidalepp,1988 _ Range (in code): **TJ Pm**
- 42257. *Eupithecia sharronata* Bolte,1990** (Geometridae) **Synonym(s):** *sharronata* Bolte,1990 _ Range (in code): **CA BCo**
- 42258. *Eupithecia sheppardata* Mcdunnough,1938** (Geometridae) **Synonym(s):** *sheppardata* Mcdunnough,1938 _ Range (in code): **CA Qb**
- 42259. *Eupithecia shikokuensis* Inoue,1980** (Geometridae) **Synonym(s):** *shikokuensis* Inoue,1980 _ Range (in code): **JP**
- 42260. *Eupithecia shirleyata* Cassino & Swett,1922** (Geometridae) **Synonym(s):** *shirleyata* Cassino & Swett,1922 _ Range (in code): **US Cf**
- 42261. *Eupithecia siata* Brandt,1938** (Geometridae) **Synonym(s):** *siata* Brandt,1938 Original Reference: *Eupithecia siata* Brandt,1938, Ent. Rdsch. 55: 701, figs. 427-428. Syntypes: Iran: Comee, im August. Range (in code): **IR Fa Com Kz TR**
- 42262. *Eupithecia sibylla* Butler,1882** (Geometridae) **Synonym(s):** *sibylla* Butler,1882; *praelongata* W.Warren,1900; *davisi* Vojnits,1985 _ Range (in code): **CL**
- 42263. *Eupithecia sierrae* (Hulst,1896)** (Geometridae) **Synonym(s):** *sierrae* Hulst,1896; *conceptata* Pearsall,1909; *joymaketa* Cassino,1925 _ Range (in code): **US Arz Col**
- 42264. *Eupithecia signigera* Butler,1879** (Geometridae) **Synonym(s):** *signigera* Butler,1879; *carearia* Leech,1897 _ Range (in code): **JP**
- 42265. *Eupithecia silenata* Assmann,1848** (Geometridae) **Synonym(s):** *silenata* Assmann,1848; *silenaria* Herich-Schäffer,1852. _ Range (in code): **ES FR IT BE DE CH AT PL CZ SK RO YU AL BG TR RU MD UA BY** Bionomy: Larva on *Peucedanum*, *Silene* (Meyer,1919).

- 42266. *Eupithecia silenicolata* Mabille, 1867** (Geometridae) **Synonym(s):** *silenicolata* Mabille, 1867 **Original Reference:** *Eupithecia silenicolata* Mabille, 1867, *Annls Soc. ent. Fr.* (4) 6: 562, pl. 8 figs. Lectotype ♀: Corsica: Bastia (ZSM). **Range (in code):** **MA FR Co IT CH? AT SK HU RO YU BG GR TR LB Bei Bsa IR Lo Ab PK Sha Ld** **Bionomy:** Larva on *Silene nemoralis*, *S. paradoxa* (Meyer, 1919).
- 42267. *Eupithecia silenicolata perdistincta* Wehrli, 1933** (Geometridae) **Synonym(s):** *perdistincta* Wehrli, 1933 **Original Reference:** *Eupithecia silenicolata perdistincta* Wehrli, 1933, [in] Zerny, Dt. ent. Z., *Iris* 47 (2): 95, pl. 1 fig. 21. Syntypes: Libanon: Beyrouth (ZFMK, NHMW). **Range (in code):** **TR LB Bsa Bei IR Ab Cc AM**
- 42268. *Eupithecia silenicolata silenicolata* Mabille, 1867** (Geometridae) **Synonym(s):** *silenicolata* Mabille, 1867 **Original Reference:** *Eupithecia silenicolata* Mabille, 1867, *Annls Soc. ent. Fr.* (4) 6: 562, pl. 8 figs. Lectotype ♀: Corsica: Bastia (ZSM). **Range (in code):** **FR Co IT CH? AT SK RO YU BG GR**
- 42269. *Eupithecia silenicolata soultanabadi* Brandt, 1941** (Geometridae) **Synonym(s):** *soultanabadi* Brandt, 1941 **Original Reference:** *Eupithecia silenicolata* ssp. *soultanabadi* Brandt, 1941, *Mitt. münch. ent. Ges.* 31: 875, pl. 29 fig. 27. Type ♀: Iran: Soultanabad (NHRS). **Range (in code):** **IR Lo**
- 42270. *Eupithecia silenicolata zengoensis* Fazekas, 1979** (Geometridae) **Synonym(s):** *zengoensis* Fazekas, 1979 **Range (in code):** **HU**
- 42271. *Eupithecia simpliciatata* Haworth, [1809]** (Geometridae) **Synonym(s):** *simpliciatata* Haworth, [1809]; *subnotata* Hübner, [1813]; *subnotaria* Boisduval, 1840; *subnotataria* Herrich-Schäffer, 1848. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Da Cc AZ Kir IR Ab CN Ui Arc KK AF Wk Bkt** **Bionomy:** Larva on *Atriplex patula*, *Chenopodium* (Meyer, 1919).
- 42272. *Eupithecia singhalensis* Mironov, Galsworthy & Sakamaki, 2010** (Geometridae) **Synonym(s):** *singhalensis* Mironov, Galsworthy & Sakamaki, 2010 **Range (in code):**
- 42273. *Eupithecia sinuosaria* (Eversmann, 1848)** (Geometridae) **Synonym(s):** *sinuosaria* Eversmann, 1848 **Range (in code):** **IT GB NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb MD Am Sh UA BY UZ Fe MN CN Ui Kl Shs Kml KK Osh**
- 42274. *Eupithecia sinuosaria obliquaria* Leech, 1897** (Geometridae) **Synonym(s):** *obliquaria* Leech, 1897 **Range (in code):** **CN**
- 42275. *Eupithecia sinuosaria sinuosaria* (Eversmann, 1848)** (Geometridae) **Synonym(s):** *sinuosaria* Eversmann, 1848 **Range (in code):** **IT GB NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb MD UA BY UZ Fe MN CN Ui Kl Kml KK Osh**
- 42276. *Eupithecia sinuosaria tenella* Vojnits, 1976** (Geometridae) **Synonym(s):** *tenella* Vojnits, 1976 **Range (in code):** **CN Shs**
- 42277. *Eupithecia skoui* Mironov, Glasworthy & Katsumi, 2009** (Geometridae) **Synonym(s):** *skoui* Mironov, Glasworthy & Katsumi, 2009 **Range (in code):** **TH CMa**
- 42278. *Eupithecia slossonata* McDunnough, 1949** (Geometridae) **Synonym(s):** *slossonata* McDunnough, 1949 **Range (in code):** **US FI**
- 42279. *Eupithecia sobria* (L.B. Prout, 1910)** (Geometridae) **Synonym(s):** *sobria* L.B. Prout, 1910 **Range (in code):** **PE**
- 42280. *Eupithecia sodalis* L.B. Prout, 1937** (Geometridae) **Synonym(s):** *sodalis* L.B. Prout, 1937 **Range (in code):** **GO Bio**
- 42281. *Eupithecia sogai* Herbulot, 1970** (Geometridae) **Synonym(s):** *sogai* Herbulot, 1970 **Range (in code):** **MG**
- 42282. *Eupithecia sola* Vojnits, 1983** (Geometridae) **Synonym(s):** *sola* Vojnits, 1983 **Range (in code):** **NP**
- 42283. *Eupithecia solianikovi* Viidalepp, 1988** (Geometridae) **Synonym(s):** *solianikovi* Viidalepp, 1988 **Range (in code):** **TJ Pm**
- 42284. *Eupithecia somereni* L.B. Prout, 1935** (Geometridae) **Synonym(s):** *somereni* L.B. Prout, 1935 **Range (in code):** **KE Nai**
- 42285. *Eupithecia sophia* Butler, 1878** (Geometridae) **Synonym(s):** *sophia* Butler, 1878 **Range (in code):** **JP**
- 42286. *Eupithecia sorda* Dognin, 1899** (Geometridae) **Synonym(s):** *sorda* Dognin, 1899 **Range (in code):** **EC**
- 42287. *Eupithecia soricella* Lucas, 1938** (Geometridae) **Synonym(s):** *soricella* Lucas, 1938 **Range (in code):** **DZ**

- 42288. *Eupithecia* sp.1** (Geometridae) Synonym(s): Range (in code): ZA Ksi Kzu Nta
- 42289. *Eupithecia* sp.2** (Geometridae) Synonym(s): Range (in code): ZA ZA06 Kzu
- 42290. *Eupithecia* sp.3** (Geometridae) Synonym(s): Range (in code): ZA Tva ZA16 Mpu
- 42291. *Eupithecia* sp.4** (Geometridae) Synonym(s): Range (in code): ZA ZA18 Ec
- 42292. *Eupithecia spadiceata* Zerny,1933** (Geometridae) Synonym(s): *spadiceata* Zerny,1933
Original Reference: *Eupithecia spadiceata* Zerny,1933, Dt. ent. Z., Iris 47: 95-96, Taf.1 fig.22.
Syntypes ♂♂♀♀: Libanon: Bscharre (NHMW). Range (in code): TR LB Bei Bsa KG Uk Cc AZ AM IR SY RU IT HU BG
- 42293. *Eupithecia spadix* Inoue,1955** (Geometridae) Synonym(s): *spadix* Inoue,1955 Range (in code): JP
- 42294. *Eupithecia specialis* Schultze,1920** (Geometridae) Synonym(s): *specialis* Schultze,1920
Range (in code):
- 42295. *Eupithecia spermaphaga* (Dyar,1917)** (Geometridae) Synonym(s): *spermaphaga* Dyar,1917 Range (in code): US Org
- 42296. *Eupithecia sperryi* Mcdunnough,1939** (Geometridae) Synonym(s): *sperryi* Mcdunnough,1939 Range (in code): US Arz
- 42297. *Eupithecia spilocyma* L.B.Prout,1931** (Geometridae) Synonym(s): *spilocyma* L.B.Prout,1931 Range (in code): PH Luz
- 42298. *Eupithecia spilosata* Walker,[1863]** (Geometridae) Synonym(s): *spilosata* Walker,[1863]; *hispida* Bastelberger,1908 Range (in code): BO HN
- 42299. *Eupithecia spinibarbata* Mironov, Galsworthy & Sakamaki,2010** (Geometridae) Synonym(s): *spinibarbata* Mironov, Galsworthy & Sakamaki,2010 Range (in code):
- 42300. *Eupithecia spissilineata* (Metzner,1846)** (Geometridae) Synonym(s): *spissilineata* Metzner,1846; *multilineata* Mann,1866. Original Reference: *Larentia (Eupithecia) spissilineata* Metzner,1846, Stettin ent. Ztg. 7:241-242 Type(s): [Türkei]: Turcia, europäische Türkei. Range (in code): FR IT RO YU AL MK BG GR Cr TR LB Bsa IL Pa RU UA Cm Cc AZ Kir GG Bjo
- 42301. *Eupithecia sporobola* Herbulot,1988** (Geometridae) Synonym(s): *sporobola* Herbulot,1988 Range (in code): MG
- 42302. *Eupithecia spurcata* (W.Warren,1904)** (Geometridae) Synonym(s): *spurcata* W.Warren,1904; *akerbergisi* Vojnits,1985 Range (in code): CL
- 42303. *Eupithecia stagira* Herbulot,1987** (Geometridae) Synonym(s): *stagira* Herbulot,1987
Range (in code): EC
- 42304. *Eupithecia stataria* Inoue,1988** (Geometridae) Synonym(s): *stataria* Inoue,1988
Range (in code): TW
- 42305. *Eupithecia staurophragma* (Meyrick,1899)** (Geometridae) Synonym(s): *staurophragma* Meyrick,1899 Range (in code): Hw
- 42306. *Eupithecia steeleae* D.S.Fletcher,1951** (Geometridae) Synonym(s): *steeleae* D.S.Fletcher,1951 Range (in code): CM
- 42307. *Eupithecia stellata* (Hulst,1896)** (Geometridae) Synonym(s): *stellata* Hulst,1896
Range (in code): US Col
- 42308. *Eupithecia stertzi* (Rebel,1911)** (Geometridae) Synonym(s): *stertzi* Rebel,1911 Range (in code): Cn
- 42309. *Eupithecia sticticata* (W.Warren,1907)** (Geometridae) Synonym(s): *sticticata* W.Warren,1907 Range (in code): PE
- 42310. *Eupithecia stigmaticata* Christoph,1885** (Geometridae) Synonym(s): *stigmaticata* Christoph,1885 Range (in code): TM Kp CN Ui Ii
- 42311. *Eupithecia stigmatophora* (Dognin,1914)** (Geometridae) Synonym(s): *stigmatophora* Dognin,1914 Range (in code): CO
- 42312. *Eupithecia stomachosa* Vojnits,1980** (Geometridae) Synonym(s): *stomachosa* Vojnits,1980 Range (in code): CN She
- 42313. *Eupithecia strattonata* Packard,1873** (Geometridae) Synonym(s): *strattonata* Packard,1873 Range (in code): US Msc
- 42314. *Eupithecia streptozona* L.B.Prout,1932** (Geometridae) Synonym(s): *streptozona* L.B.Prout,1932 Range (in code): MG
- 42315. *Eupithecia strigatissima* Turati,1927** (Geometridae) Synonym(s): *strigatissima* Turati,1927 Range (in code): LY Cy

- 42316. *Eupithecia studiosa* Vojnits,1979** (Geometridae) **Synonym(s):** *studiosa* Vojnits,1979
Range (in code): **CN She**
- 42317. *Eupithecia stueningi* Mironov, Glasworthy & Katsumi,2009** (Geometridae)
Synonym(s): *stueningi* Mironov, Glasworthy & Katsumi,2009 **Range (in code):** **TH CMa**
- 42318. *Eupithecia stypheliae* (Swezey,1938)** (Geometridae) **Synonym(s):** *stypheliae* Swezey,1938
Range (in code): **Hw**
- 42319. *Eupithecia subalba* (W.Warren,1906)** (Geometridae) **Synonym(s):** *subalba* W.Warren,1906 **Range (in code):** **MX**
- 42320. *Eupithecia subanis* (Dyar,1918)** (Geometridae) **Synonym(s):** *subanis* Dyar,1918
Range (in code): **MX**
- 42321. *Eupithecia subapicata* Guenée,[1858]** (Geometridae) **Synonym(s):** *subapicata* Guenée,[1858]; *occidentaliata* Packard,1871 **Range (in code):** **US Cf**
- 42322. *Eupithecia subbreviata* Staudinger,1897** (Geometridae) **Synonym(s):** *subbreviata* Staudinger,1897 **Range (in code):** **RU Am Ask Vv**
- 42323. *Eupithecia subbrunneata* Dietze,1904** (Geometridae) **Synonym(s):** *subbrunneata* Dietze,1904; *amita* Dietze,1910; *carissima* Vojnits & Laever,1973 **Range (in code):** **CN Sz Ts Kno Ui Kl Au**
- 42324. *Eupithecia subcanipars* L.B.Prout,1917** (Geometridae) **Synonym(s):** *subcanipars* L.B.Prout,1917 **Range (in code):** **ZA Mpu Pil Tva**
- 42325. *Eupithecia subcolorata* (Hulst,1898)** (Geometridae) **Synonym(s):** *subcolorata* Hulst,1898
Range (in code): **US Arz**
- 42326. *Eupithecia subconclusaria* L.B.Prout,1917** (Geometridae) **Synonym(s):** *subconclusaria* L.B.Prout,1917 **Range (in code):** **ZA Ec Klk**
- 42327. *Eupithecia subdeverrata* Vojnits,1975** (Geometridae) **Synonym(s):** *subdeverrata* Vojnits,1975 **Range (in code):** **RU Da Cc**
- 42328. *Eupithecia subexiguata* Vojnits,1974** (Geometridae) **Synonym(s):** *subexiguata* Vojnits,1974 **Range (in code):** **CN She**
- 42329. *Eupithecia subextremata* Schütze,1959** (Geometridae) **Synonym(s):** *subextremata* Schütze,1959 **Range (in code):** **LY**
- 42330. *Eupithecia subfenestrata* Staudinger,1892** (Geometridae) **Synonym(s):** *subfenestrata* Staudinger,1892
Original Reference: *Eupithecia subfenestrata* Staudinger,1892, Dt. ent. Z., Iris 5:259-260. Syntypes: [Georgia]: Achalzich. **Range (in code):** **TR Cc GG Akh Aj Abk RU Kb**
- 42331. *Eupithecia subflavolineata* Lucas,1938** (Geometridae) **Synonym(s):** *subflavolineata* Lucas,1938 **Range (in code):** **DZ**
- 42332. *Eupithecia subfumosa* Inoue,1965** (Geometridae) **Synonym(s):** *subfumosa* Inoue,1965
Range (in code): **JP**
- 42333. *Eupithecia subfuscata* (Haworth,[1809])** (Geometridae) **Synonym(s):** *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898 **Original Reference:** *Phalaena subfuscata* Haworth,[1809], Lepid. Brit.: 360. Syntypes: Britannia. **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc GG Bjo DK NO SE FI EE LV LT MD UA BY CA Qb Nsc RU Prj Js Sh JP**
- 42334. *Eupithecia subfuscata subfuscata* (Haworth,[1809])** (Geometridae) **Synonym(s):** *subfuscata* Haworth,[1809]; *castigata* Hübner,[1813]; *castigaria* Boisduval,1840; *compressata* Guenée,[1858]; *implicata* Walker,1862; *blancheata* Cooke,1881; *latipennis* Hulst,1898 **Original Reference:** *Phalaena subfuscata* Haworth,[1809], Lepid. Brit.: 360. Syntypes: Britannia. **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc DK NO SE FI EE LV LT RU MD UA BY CA Qb Nsc**
- 42335. *Eupithecia subfuscata ussuriensis* Dietze,1910** (Geometridae) **Synonym(s):** *ussuriensis* Dietze,1910; *ichinosawana* Matsumura,1925; *latimarginata* Matsumura,1925 **Range (in code):** **RU Us Prj Sh JP**
- 42336. *Eupithecia subinduta* L.B.Prout,1923** (Geometridae) **Synonym(s):** *subinduta* L.B.Prout,1923 **Range (in code):** **EC**
- 42337. *Eupithecia subita* Vojnits,1979** (Geometridae) **Synonym(s):** *subita* Vojnits,1979 **Range (in code):** **CN She**
- 42338. *Eupithecia sublasciva* Vojnits,1984** (Geometridae) **Synonym(s):** *sublasciva* Vojnits,1984
Range (in code): **CN Yu Ats**
- 42339. *Eupithecia sublata* Vojnits,1994** (Geometridae) **Synonym(s):** *sublata* Vojnits,1994
Range (in code): **TZ**

- 42340. Eupithecia submiranda (W.Warren,1906)** (Geometridae) Synonym(s): *submiranda* W.Warren,1906 Range (in code): **SR**
- 42341. Eupithecia subnixa Vojnits,1994** (Geometridae) Synonym(s): *subnixa* Vojnits,1994 Range (in code): **CO**
- 42342. Eupithecia suboxydata Staudinger,1897** (Geometridae) Synonym(s): *suboxydata* Staudinger,1897 Range (in code): **RU Ur Am Vv Ask Us MN KK KG CN JP Hkk**
- 42343. Eupithecia subplacida Vojnits,1984** (Geometridae) Synonym(s): *subplacida* Vojnits,1984 Range (in code): **CN Yu Ats**
- 42344. Eupithecia subpulchrata Alpheraky,1883** (Geometridae) Synonym(s): *subpulchrata* Alpheraky,1883 Original Reference: *Eupithecia subpulchrata* Alpheraky,1883, Horae Soc. ent. ross. 17: 221-223, Tab.viii fig.75. Type ♂: [China: Uighur A.R.]: Kuldja. Range (in code): **UZ KK CN Ui Ku AF Slg Bd TM**
- 42345. Eupithecia subregulosa Wiltshire,1990** (Geometridae) Synonym(s): *subregulosa* Wiltshire,1990 Range (in code): **SA**
- 42346. Eupithecia subrubescens (W.Warren,1888)** (Geometridae) Synonym(s): *subrubescens* W.Warren,1888; *despicienda* Butler,1889 Original Reference: *Cidaria subrubescens* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 329. Type ♂: [Pakistan]: Berham Gully, September 24 1886. Range (in code): **PK Swa Haz Mre Pj IN Sml Kgr Drm Hp**
- 42347. Eupithecia subscriptaria L.B.Prout,1917** (Geometridae) Synonym(s): *subscriptaria* L.B.Prout,1917 Range (in code): **ZA Tva Lpo**
- 42348. Eupithecia subsequaria Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *subsequaria* Herrich-Schäffer,[1852]; *dubiosa* Wagner,1929; *dubiosata* Wagner,1929; *richteri* Vardikjan,1954 Original Reference: *Eupithecia subsequaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 76,77, f. 520, 521, 543. Syntypes: [Türkei]: Amasia. Range (in code): **TR Cc AZ Nv Ord**
- 42349. Eupithecia subtacincta Hampson,1895** (Geometridae) Synonym(s): *subtacincta* Hampson,1895; *tabidaria* Inoue,1955; *ussurii* Vojnits,1972; *minibursae* Vojnits,1973 Range (in code): **IN Drm Hp Ch Ld RU Us Prj Vv JP**
- 42350. Eupithecia subtilis Dietze,1910** (Geometridae) Synonym(s): *subtilis* Dietze,1910; *tonu* Viidalepp,1988 Range (in code): **IR Elb Shh UZ TJ KK PK Sha AF Pag Kab Nu**
- 42351. Eupithecia subumbrata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831, *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855. Original Reference: *Geometra subumbrata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district. Range (in code): **NO DK SE FI EE LV LT PL CZ SK DE NL GB IE BE LU FR ES Si IT CH AT HU RO BG AL YU MK TR Cc GG Akh RU Mnu CN Ui Ku Ju Arc UZ Fe KK Ax IR Ab Oru** Bionomy: Larva on *Bupleurum*, *Globularia*, *Pimpinella saxifraga*, *Scabiosa*, *Solidago* (Meyer,1919).
- 42352. Eupithecia subumbrata iliata Schütze,1956** (Geometridae) Synonym(s): *iliata* Schütze,1956; *limbofasciata* Schütze,1956 Original Reference: *Eupithecia subumbrata* ssp. *iliata* Schütze,1956, Z. Wien. ent. Ges. 41: 318. Holotype ♂: Ferghana: Gouldscha leg. Korb. Range (in code): **CN Ui Ku Fe UZ Ju KK Ax**
- 42353. Eupithecia subumbrata lacteolata Dietze,1906** (Geometridae) Synonym(s): *lacteolata* Dietze,1906 Original Reference: *Eupithecia lacteolata* Dietze,1906, Dt. ent. Z., Iris 19: 56, pl.1 fig.1. Syntypes: [Türkei]: Kasikoparan. Range (in code): **TR Cc RU Mnu**
- 42354. Eupithecia subumbrata sublacteolata Werhli,1929** (Geometridae) Synonym(s): *sublacteolata* Werhli,1929 Range (in code): **RU Mnu**
- 42355. Eupithecia subumbrata subumbrata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *subumbrata* [Denis & Schiffermüller],1775; *scabiosata* Borkhausen,1794; *piperata* Stephens,1831, *subumbraria* Boisduval,1840; *obrutaria* Doubleday,1849; *majoraria* De La Harpe,1855. Original Reference: *Geometra subumbrata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district. Range (in code): **NO DK SE FI EE LV LT PL CZ SK DE NL GB IE BE LU FR ES Si IT CH AT HU RO BG AL YU MK TR CN Ui Ku Ju Arc UZ Fe**
- 42356. Eupithecia subvaticina Vojnits,1982** (Geometridae) Synonym(s): *subvaticina* Vojnits,1982 Range (in code): **IR Elb Kdv Th**
- 42357. Eupithecia subvirens Dietze,1875** (Geometridae) Synonym(s): *subvirens* Dietze,1875; *laisata* Strecker,1899; *diegata* McDunnugh,1940 Range (in code): **US Cf**

- 42358. *Eupithecia subviridis* Vojnits, 1983** (Geometridae) **Synonym(s):** *subviridis* Vojnits, 1983
Range (in code): **NP**
- 42359. *Eupithecia subvulgata* Vojnits, 1982** (Geometridae) **Synonym(s):** *subvulgata* Vojnits, 1982
Range (in code): **IR Elb Shh**
- 42360. *Eupithecia succenturiata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *succenturiata* Linnaeus, 1758; *disparata* Hübner, [1799] **Original Reference:** *Phalaena succenturiata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa. **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY Cc GG KK Ik At DsA CN Ui Ku Da Ur Sb Am Kmt T-S UZ Fe** **Bionomy:** Larva on Achillea, Artemisia, Rubus, Tanacetum, Verbascum (Meyer, 1919).
- 42361. *Eupithecia succenturiata artvinata* Mironov, 2001** (Geometridae) **Synonym(s):** *artvinata* Mironov, 2001 **Range (in code):** **Cc TR**
- 42362. *Eupithecia succenturiata daghestanica* Mironov, 2001** (Geometridae) **Synonym(s):** *daghestanica* Mironov, 2001 **Range (in code):** **RU Da Cc GG**
- 42363. *Eupithecia succenturiata exalbidata* Staudinger, 1901** (Geometridae) **Synonym(s):** *exalbidata* Staudinger, 1901 **Range (in code):** **RU KK Ik At DsA Da Cc Ur Sb Am Kmt T-S UZ Fe**
- 42364. *Eupithecia succenturiata extrema* Dietze, 1913** (Geometridae) **Synonym(s):** *extrema* Dietze, 1913 **Range (in code):** **CN Ui Ku**
- 42365. *Eupithecia succenturiata succenturiata* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *succenturiata* Linnaeus, 1758; *disparata* Hübner, [1799] **Original Reference:** *Phalaena succenturiata* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 528. Type(s): Europa. **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA Cm BY**
- 42366. *Eupithecia succernata* Möschler, 1886** (Geometridae) **Synonym(s):** *succernata* Möschler, 1886 **Range (in code):** **JM**
- 42367. *Eupithecia summissa* Schaus, 1913** (Geometridae) **Synonym(s):** *summissa* Schaus, 1913
Range (in code): **CR**
- 42368. *Eupithecia superata* Mironov, Galsworthy & Sakamaki, 2010** (Geometridae) **Synonym(s):** *superata* Mironov, Galsworthy & Sakamaki, 2010 **Range (in code):**
- 42369. *Eupithecia supercastigata* Inoue, 1958** (Geometridae) **Synonym(s):** *supercastigata* Inoue, 1958 **Range (in code):** **JP**
- 42370. *Eupithecia supersophia* Inoue, 1987** (Geometridae) **Synonym(s):** *supersophia* Inoue, 1987
Range (in code): **JP**
- 42371. *Eupithecia supporta* (Dyar, 1918)** (Geometridae) **Synonym(s):** *supporta* Dyar, 1918
Range (in code): **MX**
- 42372. *Eupithecia suspiciosa* Vojnits, 1983** (Geometridae) **Synonym(s):** *suspiciosa* Vojnits, 1983
Range (in code): **NP**
- 42373. *Eupithecia sutiliata* Christoph, 1877** (Geometridae) **Synonym(s):** *sutiliata* Christoph, 1877; *aequata* Staudinger, 1892; *orientata* Staudinger, 1901; *diffisata* Dietze, 1903; *rjabovi* Vojnits, 1975; *kasachstanica* Viidalepp, 1988. **Range (in code):** **GR IR Kh Elb Se AM Cc AZ Nv TM KG Tk UZ Fe RU Da CN Ui Ii TJ**
- 42374. *Eupithecia swanni* Mironov, Glasworthy & Katsumi, 2009** (Geometridae) **Synonym(s):** *swanni* Mironov, Glasworthy & Katsumi, 2009 **Range (in code):** **MM**
- 42375. *Eupithecia swettii* Grossbeck, 1907** (Geometridae) **Synonym(s):** *swettii* Grossbeck, 1907; *ritaria* Cassino, 1927 **Range (in code):** **US Msc Ny**
- 42376. *Eupithecia sylpharia* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *sylpharia* W. Warren, 1906 **Range (in code):** **BR**
- 42377. *Eupithecia syriacata* Staudinger, 1879** (Geometridae) **Synonym(s):** *syriacata* Staudinger, 1879; *semicaesia* W. Warren, 1900. **Original Reference:** *Eupithecia syriacata* Staudinger, 1879, Horae Soc. ent. ross. 14: 478. Syntypes 2♀: [Lebanon]: Beirut. **Range (in code):** **LB Bei Bsa TR Cc AM**
- 42378. *Eupithecia szaboi* Mironov, Glasworthy & Katsumi, 2009** (Geometridae) **Synonym(s):** *szaboi* Mironov, Glasworthy & Katsumi, 2009 **Range (in code):** **TH CMA**
- 42379. *Eupithecia szelenyica* Vojnits & Laever, 1974** (Geometridae) **Synonym(s):** *szelenyica* Vojnits & Laever, 1974 **Range (in code):** **CN Yu**
- 42380. *Eupithecia tabacata* D.S. Fletcher, 1951** (Geometridae) **Synonym(s):** *tabacata* D.S. Fletcher, 1951 **Range (in code):** **KE**
- 42381. *Eupithecia tabestana* Mironov & Ratzel, 2012** (Geometridae) **Synonym(s):** *anemica* sensu Mironov (nec Viidal.); *tabestana* Mironov & Ratzel, 2012 **Range (in code):** **AF Wk Pkt Sfk PK Ch NP**

- 42382. *Eupithecia taiwana* Wileman & South,1917** (Geometridae) Synonym(s): *taiwana* Wileman & South,1917 _ Range (in code): TW
- 42383. *Eupithecia takao* Inoue,1955** (Geometridae) Synonym(s): *takao* Inoue,1955 _ Range (in code): JP
- 42384. *Eupithecia tantillaria* Boisduval,1840** (Geometridae) Synonym(s): *tantillaria* Boisduval,1840; *laricis* Speyer,1873; *calabrica* Dietze,1910; *piceata* L.B.Prout,1915 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG
- 42385. *Eupithecia tantilloides* Inoue,1958** (Geometridae) Synonym(s): *tantilloides* Inoue,1958 _ Range (in code): JP
- 42386. *Eupithecia tarapaca* Rindge,1987** (Geometridae) Synonym(s): *tarapaca* Rindge,1987 _ Range (in code): CL
- 42387. *Eupithecia tarensis* Schwingenschuss,1939** (Geometridae) Synonym(s): *tarensis* Schwingenschuss,1939 _ Range (in code): IR Elb Th
- 42388. *Eupithecia tarfata* (Lucas,1907)** (Geometridae) Synonym(s): *tarfata* Lucas,1907 _ Range (in code): DZ Elt
- 42389. *Eupithecia tempestuosa* Vojnits,1984** (Geometridae) Synonym(s): *tempestuosa* Vojnits,1984 _ Range (in code): CN Ti Btn
- 42390. *Eupithecia tenellata* Dietze,1906** (Geometridae) Synonym(s): *tenellata* Dietze,1906; *gelinaria* Lucas,1907; *deserticola* Turati,1934 _ Original Reference: Eupithecia tenellata Dietze,1906, Dt. ent. Z., Iris 19 (1906): Taf.2 figs.5,6.; ibid. 21 (1908): 165-166. Syntypes 3♀: Tunis, Gafsa. Range (in code): MA DZ Ah Ajj TN Gf LY Cy SA
- 42391. *Eupithecia tenellata perspicuata* Schütze,1961** (Geometridae) Synonym(s): *perspicuata* Schütze,1961 _ Range (in code): SA
- 42392. *Eupithecia tenellata tenellata* Dietze,1906** (Geometridae) Synonym(s): *tenellata* Dietze,1906; *gelinaria* Lucas,1907; *deserticola* Turati,1934 _ Original Reference: Eupithecia tenellata Dietze,1906, Dt. ent. Z., Iris 19 (1906): Taf.2 figs.5,6.; ibid. 21 (1908): 165-166. Syntypes 3♀: Tunis, Gafsa. Range (in code): MA DZ Ah Ajj TN Gf LY Cy
- 42393. *Eupithecia tenera* Schaus,1913** (Geometridae) Synonym(s): *tenera* Schaus,1913 _ Range (in code): CR
- 42394. *Eupithecia tenerifensis* (Rebel,1906)** (Geometridae) Synonym(s): *tenerifensis* Rebel,1906 _ Range (in code): Cn
- 42395. *Eupithecia tenoensis* Rindge,1987** (Geometridae) Synonym(s): *tenoensis* Rindge,1987 _ Range (in code): CL
- 42396. *Eupithecia tenuata* Hulst,1880** (Geometridae) Synonym(s): *tenuata* Hulst,1880 _ Range (in code): US Arz
- 42397. *Eupithecia tenuiata* (Hübner,[1813])** (Geometridae) Synonym(s): *tenuiata* Hübner,[1813]; *macellata* Fischer v. Roeslerstamm,1827 _ Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR MK DK NO SE FI EE LV LT RU MD UA BY TR Cc GG Bjo AZ AM IR Elb Th _ Bionomy: Larva on Salix caprea (Salicaceae) (Meyer,1919; Courtois,1987).
- 42398. *Eupithecia tenuiscripta* (W.Warren,1907)** (Geometridae) Synonym(s): *tenuiscripta* W.Warren,1907 _ Range (in code): PG
- 42399. *Eupithecia tenuisquama* (W.Warren,1896)** (Geometridae) Synonym(s): *tenuisquama* W.Warren,1896; *toshimai* Inoue,1980 _ Range (in code): IN Djl SI JP
- 42400. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): *tepida* Mironov & Galsworthy,2004 _ Range (in code): CN She
- 42401. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):
- 42402. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):
- 42403. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):
- 42404. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):
- 42405. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):
- 42406. *Eupithecia tepida* Mironov & Galsworthy,2004** (Geometridae) Synonym(s): Range (in code):

- 42407. *Eupithecia tepida* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):**
Range (in code):
- 42408. *Eupithecia tepida* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):**
Range (in code):
- 42409. *Eupithecia tepida* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):**
Range (in code):
- 42410. *Eupithecia terrenata* Dietze, 1904** (Geometridae) **Synonym(s):** *terrenata* Dietze, 1904
Range (in code): **TR TM Kp**
- 42411. *Eupithecia terrestrata* McDunnough, 1944** (Geometridae) **Synonym(s):** *terrestrata* McDunnough, 1944
Range (in code): **US Arz**
- 42412. *Eupithecia tesserata* Brandt, 1938** (Geometridae) **Synonym(s):** *tesserata* Brandt, 1938
Range (in code): **IR Fa Shr Ahz**
- 42413. *Eupithecia testacea* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):**
testacea Mironov & Galsworthy, 2004
Range (in code): **CN Yu**
- 42414. *Eupithecia tetraglena* L.B.Prout, 1932** (Geometridae) **Synonym(s):** *tetraglena* L.B.Prout, 1932
Range (in code): **KE TZ**
- 42415. *Eupithecia tetraglena amplior* D.S.Fletcher, 1958** (Geometridae) **Synonym(s):**
amplior D.S.Fletcher, 1958
Range (in code): **TZ**
- 42416. *Eupithecia tetraglena tetraglena* L.B.Prout, 1932** (Geometridae) **Synonym(s):**
tetraglena L.B.Prout, 1932
Range (in code): **KE**
- 42417. *Eupithecia thaica* Mironov, Glasworthy & Katsumi, 2009** (Geometridae)
Synonym(s): *thaica* Mironov, Glasworthy & Katsumi, 2009
Range (in code): **TH CMa Int**
- 42418. *Eupithecia thalictрата* (Püngeler, 1902)** (Geometridae) **Synonym(s):** *thalictрата* Püngeler, 1902
Range (in code): **IT CH AT PL LT JP Hkk** Bionomy: Larva on *Thalictrum foetidum* (Meyer, 1919).
- 42419. *Eupithecia thalictрата ijimai* Inoue, 1963** (Geometridae) **Synonym(s):** *ijimai* Inoue, 1963
Range (in code): **JP Hkk**
- 42420. *Eupithecia thalictрата thalictрата* (Püngeler, 1902)** (Geometridae) **Synonym(s):**
thalictрата Püngeler, 1902
Range (in code): **IT CH AT PL LT**
- 42421. *Eupithecia theobromina* Herbulot, 1954** (Geometridae) **Synonym(s):** *theobromina* Herbulot, 1954
Range (in code): **MG**
- 42422. *Eupithecia thermosaria* Hampson, 1903** (Geometridae) **Synonym(s):** *thermosaria* Hampson, 1903; *jaani* Mironov, 1989
Range (in code): **Ch TJ IN Hp Up Ld AF Kbb Nu Wk**
- 42423. *Eupithecia thessa* L.B.Prout, 1935** (Geometridae) **Synonym(s):** *thessa* L.B.Prout, 1935
Range (in code): **ZA**
- 42424. *Eupithecia thiaucorti* Herbulot, 1987** (Geometridae) **Synonym(s):** *thiaucorti* Herbulot, 1987
Range (in code): **EC**
- 42425. *Eupithecia thomasina* L.B.Prout, 1927** (Geometridae) **Synonym(s):** *thomasina* L.B.Prout, 1927
Range (in code): **ST**
- 42426. *Eupithecia tibetana* Mironov & Galsworthy, 2004** (Geometridae) **Synonym(s):**
tibetana Mironov & Galsworthy, 2004
Range (in code): **CN Ti**
- 42427. *Eupithecia tonu* Viidalepp, 1988** (Geometridae) **Synonym(s):** *tonu* Viidalepp, 1988
Range (in code): **TJ**
- 42428. *Eupithecia tornolopha* (Turner, 1942)** (Geometridae) **Synonym(s):** *tornolopha* Turner, 1942
Range (in code): **AU QAU**
- 42429. *Eupithecia torva* Vojnits, 1983** (Geometridae) **Synonym(s):** *torva* Vojnits, 1983
Range (in code): **NP**
- 42430. *Eupithecia toulgoeti* Herbulot, 1993** (Geometridae) **Synonym(s):** *toulgoeti* Herbulot, 1993
Range (in code): **EC**
- 42431. *Eupithecia trampa* Dognin, 1899** (Geometridae) **Synonym(s):** *trampa* Dognin, 1899
Range (in code): **EC**
- 42432. *Eupithecia tranquilla* Herbulot, 1988** (Geometridae) **Synonym(s):** *tranquilla* Herbulot, 1988
Range (in code): **MG**
- 42433. *Eupithecia transacta* Vojnits, 1982** (Geometridae) **Synonym(s):** *transacta* Vojnits, 1982
Range (in code): **Cc AZ Nv Ord**
- 42434. *Eupithecia transalaiensis* Viidalepp, 1988** (Geometridae) **Synonym(s):** *transalaiensis* Viidalepp, 1988
Range (in code): **KK**

- 42435. *Eupithecia transcanadata* Mackay,1951** (Geometridae) Synonym(s): *palpata* Dognin,1901 nec Pack.; *transcanadata* Mackay,1951 _ Range (in code): CA BCo EC
- 42436. *Eupithecia transcassae* Rindge,1987** (Geometridae) Synonym(s): *transcassae* Rindge,1987 _ Range (in code): CL
- 42437. *Eupithecia transexpiata* Rindge,1987** (Geometridae) Synonym(s): *transexpiata* Rindge,1987 _ Range (in code): CL
- 42438. *Eupithecia tremula* Schaus,1913** (Geometridae) Synonym(s): *tremula* Schaus,1913 _ Range (in code): CR
- 42439. *Eupithecia triangulifera* (W.Warren,1904)** (Geometridae) Synonym(s): *triangulifera* W.Warren,1904 _ Range (in code): PE
- 42440. *Eupithecia tribunaria* Herrich-Schäffer,1852** (Geometridae) Synonym(s): *tribunaria* Herrich-Schäffer,1852 _ Range (in code): Cc AZ Kir
- 42441. *Eupithecia tricerata* Wiltshire,1990** (Geometridae) Synonym(s): *tricerata* Wiltshire,1990 _ Range (in code): SA JO
- 42442. *Eupithecia tricerata sperlich* Hausmann,1991** (Geometridae) Synonym(s): *tricerata sperlich* Hausmann,1991 _ Range (in code): JO
- 42443. *Eupithecia tricerata tricerata* Wiltshire,1990** (Geometridae) Synonym(s): *tricerata* Wiltshire,1990 _ Range (in code): SA
- 42444. *Eupithecia tricolorata* Cassino,1927** (Geometridae) Synonym(s): *tricolorata* Cassino,1927 _ Range (in code): US Arz
- 42445. *Eupithecia tricrossa* L.B.Prout,1926** (Geometridae) Synonym(s): *tricrossa* L.B.Prout,1926 _ Range (in code): MM
- 42446. *Eupithecia tricuspis* L.B.Prout,1932** (Geometridae) Synonym(s): *tricuspis* L.B.Prout,1932; *gonypetes* L.B.Prout,1934 _ Range (in code): TZ ZR
- 42447. *Eupithecia trigenuata* (W.Warren,1904)** (Geometridae) Synonym(s): *trigenuata* W.Warren,1904 _ Range (in code): PE
- 42448. *Eupithecia tripolitaniata* Schütze,1959** (Geometridae) Synonym(s): *tripolitaniata* Schütze,1959 _ Range (in code): LY
- 42449. *Eupithecia tripunctaria* Herrich-Schäffer,[1852]** (Geometridae) Synonym(s): *albipunctata* Haworth,1809 nec Hfn.,1767; *tripunctaria* Herrich-Schäffer,[1852]; *angelicata* Barrett,1877; *promulgata* Pearsall,1909; *#privata* Dietze,1913 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb MD UA BY CA Lbr US Cf Ny
- 42450. *Eupithecia trisignaria* Herrich-Schäffer,1848** (Geometridae) Synonym(s): *trisignaria* Herrich-Schäffer,1848; *#trisignata* Herrich-Schäffer,1861 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag AZ DK NO SE FI EE LV LT RU Sb UA Cm BY
Bionomy: Larva on *Angelica sylvestris*, *Heracleum sphondylium*, *Pastinaca* [sativa], *Peucedanum*, *Pimpinella* (Meyer,1919).
- 42451. *Eupithecia trita* (Turati,1926)** (Geometridae) Synonym(s): *trita* Turati,1926 _ Range (in code): LY Cy
- 42452. *Eupithecia tritaria* Walker,[1863]** (Geometridae) Synonym(s): *tritaria* Walker,[1863] _ Range (in code): VE
- 42453. *Eupithecia tropicata* Mironov, Glasworthy & Katsumi,2009** (Geometridae) Synonym(s): *tropicata* Mironov, Glasworthy & Katsumi,2009 _ Range (in code): TH CMa
- 42454. *Eupithecia truncatipennis* (W.Warren,1897)** (Geometridae) Synonym(s): *truncatipennis* W.Warren,1897 _ Range (in code): BR
- 42455. *Eupithecia tshimganica* Viidalepp,1988** (Geometridae) Synonym(s): *tshimganica* Viidalepp,1988; *subomnigera* Vojnits,1988 _ Range (in code): TJ Pm Dsb AF Bd UZ
- 42456. *Eupithecia tshimkentensis* Viidalepp,1988** (Geometridae) Synonym(s): *tshimkentensis* Viidalepp,1988; *kunashiriensis* Viidalepp & Mironov,1988 _ Range (in code): TJ RU Krl
- 42457. *Eupithecia tsushimensis* Inoue,1980** (Geometridae) Synonym(s): *tsushimensis* Inoue,1980 _ Range (in code): JP
- 42458. *Eupithecia turbanta* Dognin,1899** (Geometridae) Synonym(s): *turbanta* Dognin,1899 _ Range (in code): EC
- 42459. *Eupithecia turkmena* Mironov,1989** (Geometridae) Synonym(s): *turkmena* Mironov,1989 _ Range (in code): TM BdZ
- 42460. *Eupithecia turpicula* Schaus,1913** (Geometridae) Synonym(s): *turpicula* Schaus,1913 _ Range (in code): CR

- 42461. *Eupithecia turpis* Vojnits,1981** (Geometridae) **Synonym(s):** *turpis* Vojnits,1981 _ **Range (in code):** **CN Yu Ats**
- 42462. *Eupithecia uighurica* Kemal & Koçak,2004** (Geometridae) **Synonym(s):** *lutulenta* Dietze,1913 nec *lutulenta* Warr.,1907; *uighurica* Kemal & Koçak,2004 _ **Range (in code):** **CN Ui Yk M-A**
- 42463. *Eupithecia uinta* Rindge,1956** (Geometridae) **Synonym(s):** *uinta* Rindge,1956 _ **Range (in code):** **US Ut**
- 42464. *Eupithecia ultimaria* Boisduval,1840** (Geometridae) **Synonym(s):** *ultimaria* Boisduval,1840; *tornifascia* Rothschild,1913 _ **Range (in code):** **MA DZ Ges Ah Ogl Gle TN LY ES FR IT GB Cc AZ Nv Ord Lag LB Bei EG EG11 SA As TR IQ Kq Mos Bgd Amr PK Krc IR Ss Kz IL Pa Jf LB SY** **Bionomy:** Larva on Tamarix (Meyer,1919; Wiltshire,1948, 1957, 1985).
- 42465. *Eupithecia undata* (Freyer,[1840])** (Geometridae) **Synonym(s):** *undata* Freyer,[1840]; *scriptaria* Herrich-Schäffer,1848; *puengeleri* Dietze. **Original Reference:** *Larentia undata* Freyer,[1840], Neuere Beitr. Schmett. 4: 54, Taf. 323. **Range (in code):** **FR IT DE CH AT PL SK RO BG TR** **Bionomy:** Larva on *Silene alpestris* (Meyer,1919).
- 42466. *Eupithecia undiculata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *vermiculata* W.Warren,1901 nec *Snell*.,1874; *undiculata* L.B.Prout,1932 _ **Range (in code):** **KE Nai UG ZR ZA**
- 42467. *Eupithecia undiculata glaucata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *glaucata* D.S.Fletcher,1956 _ **Range (in code):** **KE Nai**
- 42468. *Eupithecia undiculata undiculata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *vermiculata* W.Warren,1901 nec *Snell*.,1874; *undiculata* L.B.Prout,1932 _ **Range (in code):** **UG ZR ZA**
- 42469. *Eupithecia undulifera* Schwingenschuss,1939** (Geometridae) **Synonym(s):** *undulifera* Schwingenschuss,1939 _ **Range (in code):** **IR Elb Dam Plr**
- 42470. *Eupithecia unedonata* (Mabille,1868)** (Geometridae) **Synonym(s):** *unedonata* Mabille,1868 _ **Range (in code):** **MA DZ TN Gf ES FR Co Sa Si IT HU YU GR Rd Cr TR LB Bsa IL Pa Js EG AM Cc AZ** **Bionomy:** Larva on *Arbutus unedo* (Mabille,1868; Meyer,1919).
- 42471. *Eupithecia unicolor* (Hulst,1896)** (Geometridae) **Synonym(s):** *unicolor* Hulst,1896; *cenataria* Cassino & Swett,1922 _ **Range (in code):** **US Cf CA BCo**
- 42472. *Eupithecia unitaeniata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *unitaeniata* W.Warren,1906 _ **Range (in code):** **PG**
- 42473. *Eupithecia unitaria* Herrich-Schäffer,1852** (Geometridae) **Synonym(s):** *unitaria* Herrich-Schäffer,1852; *roseocinnamomaria* Rothschild,1913 _ **Range (in code):** **ES MA DZ Ges Ah TN Gf** **Bionomy:** Larva on *Diplotaxis* (Brassicaceae) (Prout,1914).
- 42474. *Eupithecia unitaria desertorum* Dietze,1910** (Geometridae) **Synonym(s):** *desertorum* Dietze,1910 _ **Range (in code):** **DZ Ah TN Gf** **Bionomy:** Larva on *Diplotaxis* (Brassicaceae) (Prout,1914).
- 42475. *Eupithecia unitaria unitaria* Herrich-Schäffer,1852** (Geometridae) **Synonym(s):** *unitaria* Herrich-Schäffer,1852; *roseocinnamomaria* Rothschild,1913 _ **Range (in code):** **ES DZ Ges Ah**
- 42476. *Eupithecia urbanata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *urbanata* D.S.Fletcher,1956 _ **Range (in code):** **ET YE o**
- 42477. *Eupithecia usbeca* Viidalepp,1988** (Geometridae) **Synonym(s):** *usbeca* Viidalepp,1988 **Range (in code):** **TM UZ TM KG RU**
- 42478. *Eupithecia usta* Butler,1882** (Geometridae) **Synonym(s):** *usta* Butler,1882 _ **Range (in code):** **CL o**
- 42479. *Eupithecia ustata* Moore,1888** (Geometridae) **Synonym(s):** *ustata* Moore,1888; *delaeveri* Vojnits,1976 _ **Range (in code):** **IN Hp Sml Ch Pj CN Yu Ats**
- 42480. *Eupithecia uvaria* (W.Warren,1906)** (Geometridae) **Synonym(s):** *uvaria* W.Warren,1906 **Range (in code):** **BR o**
- 42481. *Eupithecia vacuata* Dietze,1904** (Geometridae) **Synonym(s):** *vacuata* Dietze,1904 **Range (in code):** **KK Ik o**
- 42482. *Eupithecia valdivia* Rindge,1987** (Geometridae) **Synonym(s):** *valdivia* Rindge,1987 **Range (in code):** **CL**
- 42483. *Eupithecia valeria* Schaus,1913** (Geometridae) **Synonym(s):** *valeria* Schaus,1913 **Range (in code):** **CR**
- 42484. *Eupithecia valerianata* (Hübner,[1813])** (Geometridae) **Synonym(s):** *valerianata* Hübner,[1813]; *laevilignata* Bruand,1850 _ **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Valeriana officinalis* (Meyer,1919).

- 42485. *Eupithecia vallenarensis* Rindge,1987** (Geometridae) Synonym(s): *vallenarensis* Rindge,1987 Range (in code): **CL**
- 42486. *Eupithecia vana* Vojnits,1979** (Geometridae) Synonym(s): *vana* Vojnits,1979 Range (in code): **CN She**
- 42487. *Eupithecia variostrigata* Alpheraky,1876** (Geometridae) Synonym(s): *variostrigata* Alpheraky,1876; *littorata* Constant,1884; *artemesiata* Constant,1884; *albosparsata* Joannis,1891 Range (in code): **DZ Lbs ES FR HV TR RU UA Cm Cc AZ Kir Nv Ord JO SY Dms IR TM Kp UZ TJ Pm AF Nu** Bionomy: Larva on *Artemisia gallica*, *Camphorosma monspeliacum*, *Solidago nudiflora* (Meyer,1919).
- 42488. *Eupithecia variostrigata constantina* Baker,1885** (Geometridae) Synonym(s): *constantina* Baker,1885 Original Reference: *Eupithecia artemesiata* var. *constantina* Baker,1885, *Entomologist's mon. Mag.* 21: 244-245. Syntypes: Algeria, Lambessa. Range (in code): **DZ Lbs**
- 42489. *Eupithecia variostrigata variostrigata* Alpheraky,1878** (Geometridae) Synonym(s): *variostrigata* Alpheraky,1876; *littorata* Constant,1884; *artemesiata* Constant,1884; *albosparsata* Joannis,1891 Range (in code): **ES FR YU TR RU MD UA Cc AZ Nv Ord AF Nu**
- 42490. *Eupithecia vasta* Vojnits,1979** (Geometridae) Synonym(s): *vasta* Vojnits,1979 Range (in code): **CN Yu**
- 42491. *Eupithecia vaticina* Vojnits,1982** (Geometridae) Synonym(s): *vaticina* Vojnits,1982 Range (in code): **Cc RU Da**
- 42492. *Eupithecia veleta* Dognin,1899** (Geometridae) Synonym(s): *veleta* Dognin,1899 Range (in code): **EC**
- 42493. *Eupithecia velutipennis* Herbulot,1986** (Geometridae) Synonym(s): *velutipennis* Herbulot,1986 Range (in code): **GP**
- 42494. *Eupithecia venedictoffae* Herbulot,1987** (Geometridae) Synonym(s): *venedictoffae* Herbulot,1987 Range (in code): **EC**
- 42495. *Eupithecia venezuela* Koçak & Kemal,2001** (Geometridae) Synonym(s): *fumosa* W.Warren,1906 nec Hlst.,1896; *venezuela* Koçak & Kemal,2001. Original Reference: *Eupithecia venezuela* Koçak & Kemal,2001, *Misc. Pap., Cent. ent. Stud.* 77: 6 (replacement name for *fumosa* Warren,1906 nec Hlst,1896). Syntypes ♂♀: Venezuela: Aroa. Range (in code): **VE** Bionomy: Larva on *Picea glauca* (Scoble,1999).
- 42496. *Eupithecia venosata* (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799; *comparanda* Vojnits,1981 Original Reference: *Phalaena venosata* Fabricius,1787, *Mant. Ins.* 2: 209, nr.205. Type(s): Austria: [Wien]. Range (in code): **MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Mng Lag AZ DK NO SE FI EE LV LT RU Sb MD UA BY PK Swa Klm Sha Ch AF Nu** Bionomy: Larva on *Lychnis dioeca*, *Silene vulgaris* [=inflata], *Silene maritima* (Meyer,1919; South,1961).
- 42497. *Eupithecia venosata fumosae* Gregson,1887** (Geometridae) Synonym(s): *fumosae* Gregson,1887; *#nubilata* Bohatsch,1893; *grisea* Dietze,1913 Range (in code): **GB**
- 42498. *Eupithecia venosata hebridensis* Curtis,1944** (Geometridae) Synonym(s): *hebridensis* Curtis,1944 Range (in code): **GB**
- 42499. *Eupithecia venosata ochraceae* Gregson,1886** (Geometridae) Synonym(s): *ochraceae* Gregson,1886 Range (in code): **GB**
- 42500. *Eupithecia venosata plumbea* Huggins,1962** (Geometridae) Synonym(s): *plumbea* Huggins,1962 Range (in code): **IE**
- 42501. *Eupithecia venosata venosata* (Fabricius,1787)** (Geometridae) Synonym(s): *venosata* Fabricius,1787; *insignata* Hübner,1789; *decussata* Donovan,1799 Original Reference: *Phalaena venosata* Fabricius,1787, *Mant. Ins.* 2: 209, nr.205. Type(s): Austria: [Wien]. Range (in code): **PT ES FR Co Sa Si IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY**
- 42502. *Eupithecia venulata* (W.Warren,1907)** (Geometridae) Synonym(s): *venulata* W.Warren,1907 Range (in code): **PE**
- 42503. *Eupithecia veratraria* Herrich-Schäffer,1848** (Geometridae) Synonym(s): *veratraria* Herrich-Schäffer,1848; *eynensata* Graslin,1863; *magnata* Millièrè,1873; *homophaea* Djakonov,1926; *perpaupera* Inoue,1965; *arctica* Viidalepp,1974; *geiserata* Mironov,1988 Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU BG NO RU Ur Sj At Us Kmt Kj Mnu JP** Bionomy: Larva on *Veratrum* [album] (Meyer,1919).

- 42504. *Eupithecia verecunda* Vojnits, 1980** (Geometridae) **Synonym(s):** *verecunda* Vojnits, 1980
Range (in code): **CN She**
- 42505. *Eupithecia vermiculata* Snellen, 1874** (Geometridae) **Synonym(s):** *vermiculata* Snellen, 1874
Range (in code): **CO**
- 42506. *Eupithecia versiplaga* (W. Warren, 1905)** (Geometridae) **Synonym(s):** *versiplaga* W. Warren, 1905
Range (in code): **PE**
- 42507. *Eupithecia vesiculata* Herbulot, 1954** (Geometridae) **Synonym(s):** *vesiculata* Herbulot, 1954
Range (in code): **MG**
- 42508. *Eupithecia vetula* Mironov & Ratzel, 2008** (Geometridae) **Synonym(s):** *vetula* Mironov & Ratzel, 2008
Range (in code): **PK Ch IN Up Bhi AF Sfk Srb**
- 42509. *Eupithecia vicina* Mironov, 1989** (Geometridae) **Synonym(s):** *vicina* Mironov, 1989
Range (in code): **MN**
- 42510. *Eupithecia vicksburgi* Rindge, 1985** (Geometridae) **Synonym(s):** *vicksburgi* Rindge, 1985
Range (in code): **US Mss**
- 42511. *Eupithecia viduata* (W. Warren, 1907)** (Geometridae) **Synonym(s):** *viduata* W. Warren, 1907
Range (in code): **PE**
- 42512. *Eupithecia vilis* Schaus, 1913** (Geometridae) **Synonym(s):** *vilis* Schaus, 1913
Range (in code): **CR**
- 42513. *Eupithecia vinacea* D.S. Fletcher, 1956** (Geometridae) **Synonym(s):** *vinacea* D.S. Fletcher, 1956
Range (in code): **KE**
- 42514. *Eupithecia violacea* Vojnits, 1981** (Geometridae) **Synonym(s):** *violacea* Vojnits, 1981
Range (in code): **NP**
- 42515. *Eupithecia violetta* (W. Warren, 1906)** (Geometridae) **Synonym(s):** *violetta* W. Warren, 1906
Range (in code): **MX**
- 42516. *Eupithecia viperea* Schaus, 1913** (Geometridae) **Synonym(s):** *viperea* Schaus, 1913
Range (in code): **CR**
- 42517. *Eupithecia virescens* (W. Warren, 1900)** (Geometridae) **Synonym(s):** *virescens* W. Warren, 1900
Range (in code): **BR**
- 42518. *Eupithecia virgaureata* Doubleday, 1861** (Geometridae) **Synonym(s):** *virgaureata* Doubleday, 1861; *altenaria* Staudinger, 1861; *offirmata* Speyer, 1869; *invisa* Butler, 1878; *wettsteini* Vojnits, 1974
Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR GG DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG Bjo JP** **Bionomy:** Larva on Anthriscus, Gentiana, Heracleum sphondylium, Prunus, Senecio jacobaea, S. palustris Solidago (Meyer, 1919).
- 42519. *Eupithecia vitreolata* Cassino, 1927** (Geometridae) **Synonym(s):** *vitreolata* Cassino, 1927
Range (in code): **US Col**
- 42520. *Eupithecia vivida* Vojnits & Laever, 1978** (Geometridae) **Synonym(s):** *vivida* Vojnits & Laever, 1978; *producta* Vojnits, 1981 nec Bastel., 1911; *wolffi* Vojnits, 1985
Range (in code): **CN Yu Lik Ti IN Hp Bhi Kma Ch Up PK AF Nu**
- 42521. *Eupithecia vojnitzi* Koçak & Kemal, 2001** (Geometridae) **Synonym(s):** *depressa* Vojnits, 1984 nec 1979; *vojnitzi* Koçak & Kemal, 2001
Original Reference: *Eupithecia vojnitzi* Koçak & Kemal, 2001, Misc. Pap., Cent. ent. Stud. 77: 5 (replacement name for *depressa* Vojnits, 1984 nec 1979). Holotype ♂: [China]: North Yunnan, A-tun-tse, 4500m (TMB).
Range (in code): **CN Yu**
- 42522. *Eupithecia vojnitzi* Inoue, 2000** (Geometridae) **Synonym(s):** *vojnitzi* Inoue, 2000
Range (in code): **NP**
- 42523. *Eupithecia vulgata* (Haworth, [1809])** (Geometridae) **Synonym(s):** *vulgata* Haworth, [1809]; *pygmaeata* Borkhausen, 1794; *clusterata* Hübner, [1813]; *austeraria* Herrich-Schäffer, 1848; *atropicta* Dietze, 1910; *cyrneata* Schawerda, 1933
Range (in code): **MA PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY KG Lps CN Ui Arc LB Bsa AF Pag Kab Sfk Kbb Wk** **Bionomy:** Larva on Rubus, Sedum, Silene (Meyer, 1919).
- 42524. *Eupithecia vulgata lepsaria* Staudinger, 1882** (Geometridae) **Synonym(s):** *lepsaria* Staudinger, 1882
Range (in code): **KG Lps CN Ui Arc**
- 42525. *Eupithecia vulgata vulgata* (Haworth, [1809])** (Geometridae) **Synonym(s):** *vulgata* Haworth, [1809]; *pygmaeata* Borkhausen, 1794; *clusterata* Hübner, [1813]; *austeraria* Herrich-Schäffer, 1848; *atropicta* Dietze, 1910; *cyrneata* Schawerda, 1933
Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Us MD UA BY LB Bsa AF Pag Kab Sfk Kbb Wk**
- 42526. *Eupithecia wardi* L.B. Prout, 1958** (Geometridae) **Synonym(s):** *wardi* L.B. Prout, 1958
Range (in code): **CN Ti**

- 42527. *Eupithecia weigti* Mironov & Ratzel, 2012** (Geometridae) Synonym(s): *weigti* Mironov & Ratzel, 2012 _ Range (in code): SY Dms
- 42528. *Eupithecia weissii* L.B.Prout, 1938** (Geometridae) Synonym(s): *weissii* L.B.Prout, 1938; *barbaria* Schwingenschuss, 1955 _ Range (in code): MA DZ PT ES FR
- 42529. *Eupithecia wernerii* Vojnits, 1985** (Geometridae) Synonym(s): *inepta* Vojnits, 1979 nec Prt., 1922; *wernerii* Vojnits, 1985; *ronkayi* Vojnits, 1994 _ Range (in code): CN Yu
- 42530. *Eupithecia westonaria* (W.Warren, 1906)** (Geometridae) Synonym(s): *westonaria* W.Warren, 1906 _ Range (in code): MX
- 42531. *Eupithecia wettsteini* Vojnits, 1974** (Geometridae) Synonym(s): *wettsteini* Vojnits, 1974 _ Range (in code): HU
- 42532. *Eupithecia wilemani* L.B.Prout, 1931** (Geometridae) Synonym(s): *wilemani* L.B.Prout, 1931 _ Range (in code): PH Luz
- 42533. *Eupithecia wittmeri* Wiltshire, 1980** (Geometridae) Synonym(s): *wittmeri* Wiltshire, 1980 _ Range (in code): SA
- 42534. *Eupithecia woodgatata* Cassino & Swett, 1923** (Geometridae) Synonym(s): *woodgatata* Cassino & Swett, 1923 _ Range (in code): US NMx
- 42535. *Eupithecia xanthomixta* Vojnits, 1988** (Geometridae) Synonym(s): *xanthomixta* Vojnits, 1988 _ Range (in code): AF Slg Kab IR Elb Th
- 42536. *Eupithecia xanthomixta derbendi* Vojnits, 1988** (Geometridae) Synonym(s): *derbendi* Vojnits, 1988 _ Range (in code): IR Elb Th
- 42537. *Eupithecia xanthomixta xanthomixta* Vojnits, 1988** (Geometridae) Synonym(s): *xanthomixta* Vojnits, 1988 _ Range (in code): AF Slg Kab
- 42538. *Eupithecia xerophila* Inoue, 2000** (Geometridae) Synonym(s): *xerophila* Inoue, 2000 _ Range (in code): NP
- 42539. *Eupithecia xylopsi* Herbulot, 1954** (Geometridae) Synonym(s): *xylopsi* Herbulot, 1954 _ Range (in code): MG
- 42540. *Eupithecia yakushimensis* Inoue, 1980** (Geometridae) Synonym(s): *yakushimensis* Inoue, 1980 _ Range (in code): MG
- 42541. *Eupithecia yangana* Dognin, 1899** (Geometridae) Synonym(s): *yangana* Dognin, 1899; *galenaria* W.Warren, 1907 _ Range (in code): EC
- 42542. *Eupithecia yasudai* Inoue, 1987** (Geometridae) Synonym(s): *yasudai* Inoue, 1987 _ Range (in code): NP
- 42543. *Eupithecia yathomi* Hausmann, 1991** (Geometridae) Synonym(s): *yathomi* Hausmann, 1991 _ Range (in code): JO
- 42544. *Eupithecia yazakii* Inoue, 1988** (Geometridae) Synonym(s): *yazakii* Inoue, 1988 _ Range (in code): TW
- 42545. *Eupithecia yelchoensis* Rindge, 1987** (Geometridae) Synonym(s): *yelchoensis* Rindge, 1987 _ Range (in code): CL
- 42546. *Eupithecia yoshimotoi* Inoue, 1988** (Geometridae) Synonym(s): *yoshimotoi* Inoue, 1988 _ Range (in code): TW
- 42547. *Eupithecia yunnani* Vojnits, 1976** (Geometridae) Synonym(s): *yunnani* Vojnits, 1976 _ Range (in code): CN Yu Ats
- 42548. *Eupithecia zebrata* Wolff, 1937** (Geometridae) Synonym(s): *zebrata* Wolff, 1937 _ Range (in code):
- 42549. *Eupithecia zekiyae* Koçak, 1986** (Geometridae) Synonym(s): *deserticola* McDunnough, 1946 nec Diet., 1910 non Tur., 1934; *zekiyae* Koçak, 1986; *jamesi* Ferris & Mironov, 2007. Original Reference: *Eupithecia zekiyae* Koçak, 1986, Cent. ent. Stud., Priamus 4 (1/2): 59 (nomen novum pro *Eupithecia deserticola* McDunn., 1946, Can. ent. 78: 88 nec *Eupithecia rubellata deserticola* Dietze, 1910, Biol. Eupitheci.: fig. 372). Type: U.S.A.: California. Range (in code): US Cf
- 42550. *Eupithecia zelmira* Swett & Cassino, 1920** (Geometridae) Synonym(s): *zelmira* Swett & Cassino, 1920 _ Range (in code): US Cf
- 42551. *Eupithecia zingiberiana* D.S.Fletcher, 1956** (Geometridae) Synonym(s): *zingiberiana* D.S.Fletcher, 1956 _ Range (in code): KE Nai
- 42552. *Eupithecia zombensis* Herbulot, 1990** (Geometridae) Synonym(s): *zombensis* Herbulot, 1990 _ Range (in code): MW
- 42553. *Eupithecia zygaeniata* Packard, 1876** (Geometridae) Synonym(s): *zygaeniata* Packard, 1876; *tenebescens* Hulst, 1900 _ Range (in code): US Tx

- 42554. Eupithecia hampsoni Kemal & Koçak, 2005** (Geometridae) Synonym(s): *variegata* Hampson, 1891 nec Mre., 1887; *hampsoni* Kemal & Koçak, 2005 Range (in code): **IN NI**
- 42555. Euproutia aggravaria (Guenée, [1858])** (Geometridae) Synonym(s): *aggravaria* Guenée, [1858]; *rubella* W. Warren, 1904; *rhodosticta* Hampson, 1910; *semialbifrons* L.B. Prout, 1915 Range (in code): **ZW Har Bul Hfo ZA Tva Lpo**
- 42556. Euproutia rufomarginata (Pagenstecher, 1893)** (Geometridae) Synonym(s): *rufomarginata* Pagenstecher, 1893 Range (in code): **ZA**
- 42557. Eurranthis plummistaria (Villers, 1789)** (Geometridae) Synonym(s): *plummistaria* Villers, 1789; *auritaria* Hübner, [1813]. Range (in code): **MA Azr DZ Btina PT ES Mu FR IT** Bionomy: Larva on *Dorycnium suffruticosum* (Meyer, 1919).
- 42558. Eurranthis plummistaria algeriensis (Rothschild, 1925)** (Geometridae) Synonym(s): *algeriensis* Rothschild, 1925 Original Reference: *Fidonia plummistaria* ssp. *algeriensis* Rothschild, 1925, Bull. Soc. Sci. nat. Maroc 5: 150. Syntypes: 66♂♂: Algeria, Batna, Djebel Mahmel. Range (in code): **DZ Btina**
- 42559. Eurranthis plummistaria atlanticaria (D. Lucas, 1920)** (Geometridae) Synonym(s): *atlanticaria* D. Lucas, 1920 Range (in code): **MA Azr**
- 42560. Eurranthis plummistaria plummistaria (Villers, 1789)** (Geometridae) Synonym(s): *plummistaria* Villers, 1789; *auritaria* Hübner, [1813] Range (in code): **PT ES Mu FR IT**
- 42561. Eustroma mardinata (Staudinger, [1895])** (Geometridae) Synonym(s): *mardinata* Staudinger, [1895] Original Reference: *Lygris mardinata* Staudinger, [1895], Dt. ent. Z., Iris 7: 293-294, pl. 9 fig. 19. Syntypes 2♂ 1♀: [Türkei]: Mardin. Range (in code): **TR**
- 42562. Eustroma reticulata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *reticulata* [Denis & Schiffermüller], 1775 Original Reference: *Geometra reticulata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Impatiens* (Meyer, 1919).
- 42563. Exeliopsis amygdala L.B. Prout, 1938** (Geometridae) Synonym(s): *amygdala* L.B. Prout, 1938 Range (in code): **SN**
- 42564. Exeliopsis ansorgei (W. Warren, 1905)** (Geometridae) Synonym(s): *ansorgei* W. Warren, 1905 Range (in code): **NG**
- 42565. Exeliopsis brunnea Viette, 1977** (Geometridae) Synonym(s): *brunnea* Viette, 1977 Range (in code): **MG**
- 42566. Exeliopsis discipuncta Holloway, [1994]** (Geometridae) Synonym(s): *discipuncta* Holloway, [1994] Range (in code): **MY Bor Swk**
- 42567. Exeliopsis exelisia (Semper, 1901)** (Geometridae) Synonym(s): *exelisia* Semper, 1901 Range (in code): **PH Luz**
- 42568. Exeliopsis hibernaria (Swinhoe, 1886)** (Geometridae) Synonym(s): *hibernaria* Swinhoe, 1886 Range (in code): **IN Bba TH Cma Lop** Bionomy: Larva on leaf of *Combretum quadrangulare* [sakaena] (Combretaceae) (Lewvanich, 2001).
- 42569. Exeliopsis insulanus L.B. Prout, 1938** (Geometridae) Synonym(s): *insulanus* L.B. Prout, 1938 Range (in code): **MG**
- 42570. Exeliopsis macruncus Holloway, [1994]** (Geometridae) Synonym(s): *macruncus* Holloway, [1994] Range (in code): **MY Bor BN TH**
- 42571. Exeliopsis perse (Fawcett, 1916)** (Geometridae) Synonym(s): *perse* Fawcett, 1916 Range (in code): **KE**
- 42572. Exeliopsis postfasciata Holloway, [1994]** (Geometridae) Synonym(s): *postfasciata* Holloway, [1994] Range (in code): **MY Bor Swk**
- 42573. Exeliopsis tholera (L.B. Prout, 1932)** (Geometridae) Synonym(s): *tholera* L.B. Prout, 1932 Range (in code): **KE**
- 42574. Exodezia albifusa (Swinhoe, 1904)** (Geometridae) Synonym(s): *albifusa* Swinhoe, 1904 Range (in code): **PH**
- 42575. Fagivorina arenaria (Hufnagel, 1767)** (Geometridae) Synonym(s): *arenaria* Hufnagel, 1767 Range (in code): **FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE RU MD UA BY**
- 42576. Fascellina albicordis L.B. Prout, 1932** (Geometridae) Synonym(s): *albicordis* L.B. Prout, 1932 Range (in code): **MY Bor Sbh KBa TH**

- 42577. *Fascellina altiplagiata* Holloway, 1976** (Geometridae) **Synonym(s):** *altiplagiata* Holloway, 1976 **Range (in code):** **MY Bor Sbh KBa**
- 42578. *Fascellina arcipotens* L.B.Prout, 1931** (Geometridae) **Synonym(s):** *arcipotens* L.B.Prout, 1931 **Range (in code):** **PH Mno**
- 42579. *Fascellina aua* L.B.Prout, 1928** (Geometridae) **Synonym(s):** *aua* L.B.Prout, 1928 **Range (in code):** **ID Sum TH CMa CDo**
- 42580. *Fascellina aurifera* W.Warren, 1897** (Geometridae) **Synonym(s):** *aurifera* W.Warren, 1897 **Range (in code):** **MY TH ID Sum Bor Swk**
- 42581. *Fascellina castanea* Moore, 1877** (Geometridae) **Synonym(s):** *castanea* Moore, 1877; *albidiscata* W.Warren, 1894; *hypochryseis* Swinhoe, 1894; *hypocausta* L.B.Prout, 1931 **Range (in code):** **IN Adm TH MY PH Mno IN Ass Khs Meg Cpj**
- 42582. *Fascellina cervinaria* Snellen, 1881** (Geometridae) **Synonym(s):** *cervinaria* Snellen, 1881 **Range (in code):** **ID Clb**
- 42583. *Fascellina chromataria* Walker, 1860** (Geometridae) **Synonym(s):** *chromataria* Walker, 1860; *usta* Walker, 1866; *ceylonica* Moore, [1887]; *subchromaria* Wehrli, 1936; *nigrochromaria* Inoue, 1955 **Range (in code):** **IN LK CN JP**
- 42584. *Fascellina clausaria* Walker, 1866** (Geometridae) **Synonym(s):** *clausaria* Walker, 1866; *deflavata* W.Warren, 1897 **Range (in code):** **ID Sum MY Sgo**
- 42585. *Fascellina cydra* L.B.Prout, 1925** (Geometridae) **Synonym(s):** *cydra* L.B.Prout, 1925 **Range (in code):** **ID Clb**
- 42586. *Fascellina dacoda* Swinhoe, 1893** (Geometridae) **Synonym(s):** *dacoda* Swinhoe, 1893 **Range (in code):** **IN Meg Ass Khs Slo TH**
- 42587. *Fascellina glaucifulgurea* L.B.Prout, 1916** (Geometridae) **Synonym(s):** *glaucifulgurea* L.B.Prout, 1916 **Range (in code):** **ID Ij Gth**
- 42588. *Fascellina inconspicua* W.Warren, 1894** (Geometridae) **Synonym(s):** *inconspicua* W.Warren, 1894 **Range (in code):** **MY**
- 42589. *Fascellina inornata* W.Warren, 1893** (Geometridae) **Synonym(s):** *inornata* W.Warren, 1893; *fuscoviridis* W.Warren, 1896 **Range (in code):** **IN SI Meg Ass Cpj**
- 42590. *Fascellina meligerys* L.B.Prout, 1925** (Geometridae) **Synonym(s):** *meligerys* L.B.Prout, 1925 **Range (in code):** **MY Sgo Klu**
- 42591. *Fascellina olivataria* Walker, 1866** (Geometridae) **Synonym(s):** *olivataria* Walker, 1866 **Range (in code):** **ID Clb**
- 42592. *Fascellina papuensis* W.Warren, 1898** (Geometridae) **Synonym(s):** *papuensis* W.Warren, 1898; *tropaeosema* L.B.Prout, 1916 **Range (in code):** **PG Eca Goo**
- 42593. *Fascellina pinratanai* Inoue, 1992** (Geometridae) **Synonym(s):** *pinratanai* Inoue, 1992 **Original Reference:** *Fascellina pinratanai* Inoue, 1992, Bull. Fac. domest. Sci. Otsuma Wom. Univ. 28: 181-183, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 15 ii 1986 A Pinratana leg. (coll. Inoue). **Range (in code):** **TH CMa Int**
- 42594. *Fascellina plagiata* (Walker, 1866)** (Geometridae) **Synonym(s):** *plagiata* Walker, 1866; *viridis* Moore, 1867; *kankozana* Matsumura, 1931; *icteria* Wehrli, 1936; *subvirens* Wehrli, 1936 **Range (in code):** **IN Ben CN Sz MM TH CMa JP**
- 42595. *Fascellina porphyreofusa* Hampson, 1895** (Geometridae) **Synonym(s):** *porphyreofusa* Hampson, 1895 **Range (in code):** **IN SI TH CMa CDo**
- 42596. *Fascellina pulchrachoda* Holloway, [1994]** (Geometridae) **Synonym(s):** *pulchrachoda* Holloway, [1994] **Range (in code):** **MY Bor Swk**
- 42597. *Fascellina punctata* W.Warren, 1898** (Geometridae) **Synonym(s):** *punctata* W.Warren, 1898 **Range (in code):** **IN Ass Meg Khs TH**
- 42598. *Fascellina quadrata* Holloway, [1994]** (Geometridae) **Synonym(s):** *quadrata* Holloway, [1994] **Range (in code):** **MY Bor Swk**
- 42599. *Fascellina rectimarginata* W.Warren, 1894** (Geometridae) **Synonym(s):** *rectimarginata* W.Warren, 1894; *cyanifera* Swinhoe, 1894; *hypochlora* Swinhoe, 1894 **Range (in code):** **IN Ass Meg Khs Cpj TH**
- 42600. *Fascellina subsignata* W.Warren, 1893** (Geometridae) **Synonym(s):** *subsignata* W.Warren, 1893; *curtaca* Swinhoe, 1893 **Range (in code):** **IN SI Ass Meg Khs TH CMa CDo**
- 42601. *Fascellina vinosa* (W.Warren, 1893)** (Geometridae) **Synonym(s):** *vinosa* W.Warren, 1893 **Range (in code):** **IN SI**
- 42602. *Fascellina viridicosta* Holloway, [1994]** (Geometridae) **Synonym(s):** *viridicosta* Holloway, [1994] **Range (in code):** **MY Bor Swk**

- 42603. Foveabathra venusta (W.Warren,1899)** (Geometridae) Synonym(s): *venusta* W.Warren,1899 Range (in code): MY Bor
- 42604. Garaeus albipunctatus Hampson,1895** (Geometridae) Synonym(s): *albipunctatus* Hampson,1895 Range (in code): IN Drm PK Haz Mre
- 42605. Garaeus apicatus Moore,[1868]** (Geometridae) Synonym(s): *apicata* Moore,[1868] Range (in code): IN MM TW MY Bor ID Sum
- 42606. Garaeus ferrugatus (W.Warren,1896)** (Geometridae) Synonym(s): *ferrugatus* W.Warren,1896 Range (in code): IN Ass Kha Meg
- 42607. Garaeus signatus (Butler,1886)** (Geometridae) Synonym(s): *signata* Butler,1886 Original Reference: Epifidonia signata Butler,1886, Proc. zool. Soc. Lond. 1886: 392, pl.xxxv fig.9. Syntypes: [Pakistan]: Murree. Range (in code): PK Thu Haz Mre Dir Ch
- 42608. Garaeus specularis Moore,[1868]** (Geometridae) Synonym(s): *specularis* Moore,[1868] Range (in code): SI Djl
- 42609. Gasterocome pannosaria (Moore,1868)** (Geometridae) Synonym(s): *pannosaria* Moore,1868 Range (in code): IN Ben TH ID Ja MY Bor Sbh KBa TW CN Sz
- 42610. Geodena brunneomarginata Karisch,2003** (Geometridae) Synonym(s): *brunneomarginata* Karisch,2003 Original Reference: Geodena brunneomarginata Karisch,2003, Nachr. ent. Ver., Apollo 24 (1/2): 77-78, figs. Holotype ♂: Aethiopien: Shoa, 50km W Adis Abeba, iv.1998, leg. Rautenstrauch (MNVD). Range (in code): ET Shw
- 42611. Geometra papilionaria (Linnaeus,1758)** (Geometridae) Synonym(s): *papilionaria* Linnaeus,1758; *prasinaria* Hufnagel,1767; *albopunctata* Mattuschka,1805. Original Reference: Phalaena papilionaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): [Europa] in Thymus ? Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo Lag AZ DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Alnus, Betula, Corylus avellana, Fagus, Thymus, Salix (Linnaeus,1758; Meyer,1919; Skou,1986).
- 42612. Geometra purissima Wiltshire,1966** (Geometridae) Synonym(s): *purissima* Wiltshire,1966 Original Reference: Geometra purissima Wiltshire,1966, Z. Wien. ent. Ges. 51 (1/2): 28, pl. 2 fig.1. Holotype ♂: Afghanistan: Nuristan: 25km NW Barikot, 1800m. Range (in code): AF Nu Bkt PK Nwf Mdy Haz Cte Swa Sgl
- 42613. Glossotrophia (Bicalcarella) terminata Wiltshire,1966** (Geometridae) Synonym(s): *terminata* Wiltshire,1966 Original Reference: Glossotrophia terminata Wiltshire,1966, Z. Wien. ent. Ges. 51 (9/11): 130, figs. Holotype ♀: Afghanistan: Nuristan, Barikot, 25km N. v. Barikot 1800m 12-17.vii.1963 leg. Kasy & Vartian (BMNH). Range (in code): AF IR PK Ch Gg
- 42614. Glossotrophia (Bicalcarella) terminata machadoi Hausmann,1993** (Geometridae) Synonym(s): *machadoi* Hausmann,1993 Range (in code): PK Gg Ch
- 42615. Glossotrophia (Libanonia) rufotinctata (L.B.Prout,1913)** (Geometridae) Synonym(s): *rufotinctata* L.B.Prout,1913 Original Reference: Glossotrophia rufotinctata L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde :83. Syntypes 2♂: [China: Uighur A.R.]: "Aksu, Ost-Turkestan" (coll. Püngeler). Range (in code): CN Ui Au UZ KK TJ
- 42616. Glossotrophia (Libanonia) sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910 Range (in code): GR Rd LB Bei TR CY JO IL Pa IQ AF Srb Kab Bm PK TJ Pm IR Shr Fa Sse Com Kz KG Uk
- 42617. Glossotrophia (Libanonia) sacraria ariana Ebert,1965** (Geometridae) Synonym(s): *ariana* Ebert,1965; *tangii* Ebert,1965; *ghirshmani* Wiltshire,1966 Range (in code): AF Srb Kab Bm PK TJ Pm
- 42618. Glossotrophia (Libanonia) sacraria fumata Hausmann,1993** (Geometridae) Synonym(s): *fumata* Hausmann,1993 Range (in code): CY
- 42619. Glossotrophia (Libanonia) sacraria sacraria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *sacraria* A.Bang-Haas,1910 Range (in code): KG Uk
- 42620. Glossotrophia (Libanonia) sacraria semitata (L.B.Prout,1913)** (Geometridae) Synonym(s): *semitata* L.B.Prout,1913 Original Reference: Glossotrophia romanaria ssp. semitata L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. 4: 84. Type ♂: [Libanon]: Baalbek (BMNH). Range (in code): GR Rd LB Bei Baa CY JO IL Pa IQ IR Shr Fa Sse Com Kz
- 42621. Glossotrophia (Libanonia) sacraria taurica Wehrli,1930** (Geometridae) Synonym(s): *taurica* Wehrli,1930 Range (in code): TR

- 42622. Glossotrophia (Parenzanella) asellaria (Herrich-Schäffer,1847)** (Geometridae)
Synonym(s): *asellaria* Herrich-Schäffer,1847 _ Range (in code): Cn MA DZ Sbd Phv Ajj LY PT ES Mu FR Co Sa Si IT MT GR Bionomy: Larva on Alyssum (Calle et al.,2000).
- 42623. Glossotrophia (Parenzanella) asellaria lenzi Hausmann,1993** (Geometridae)
Synonym(s): *lenzi* Hausmann,1993 _ Range (in code): MA
- 42624. Glossotrophia (Parenzanella) asellaria philipparia L.B.Prout,1913** (Geometridae)
Synonym(s): *philipparia* L.B.Prout,1913 _ Range (in code): DZ Phv TN
- 42625. Glossotrophia (Parenzanella) asellaria tripolitana Turati,1929** (Geometridae)
Synonym(s): *tripolitana* Turati,1929 _ Range (in code): LY DZ TN
- 42626. Glossotrophia (s.str.) adenensis Wiltshire,1986** (Geometridae) Synonym(s): *adenensis* Wiltshire,1986 _ Range (in code): YE Ad
- 42627. Glossotrophia (s.str.) alba Hausmann,1993** (Geometridae) Synonym(s): *alba* Hausmann,1993 _ Range (in code): Si IT TN
- 42628. Glossotrophia (s.str.) alba africana Hausmann,1993** (Geometridae) Synonym(s): *africana* Hausmann,1993 _ Range (in code): TN
- 42629. Glossotrophia (s.str.) alba alba Hausmann,1993** (Geometridae) Synonym(s): *alba* Hausmann,1993 _ Range (in code): IT
- 42630. Glossotrophia (s.str.) alba bronellii Hausmann,1993** (Geometridae) Synonym(s): *bronellii* Hausmann,1993 _ Range (in code): IT
- 42631. Glossotrophia (s.str.) alba capriata Hausmann,1993** (Geometridae) Synonym(s): *capriata* Hausmann,1993 _ Range (in code): IT
- 42632. Glossotrophia (s.str.) alba zahmi Hausmann,1993** (Geometridae) Synonym(s): *zahmi* Hausmann,1993 _ Range (in code): IT
- 42633. Glossotrophia (s.str.) alfierii Wiltshire,1949** (Geometridae) Synonym(s): *alfierii* Wiltshire,1949 _ Range (in code): DZ Ajj EG YE YE3o Hd
- 42634. Glossotrophia (s.str.) asiatica Brandt,1938** (Geometridae) Synonym(s): *asiatica* Brandt,1938 _ Range (in code): IR Fa Com Kz
- 42635. Glossotrophia (s.str.) bullata Vojnits,1986** (Geometridae) Synonym(s): *bullata* Vojnits,1986 _ Range (in code): IR Ss
- 42636. Glossotrophia (s.str.) buraimana Wiltshire,1949** (Geometridae) Synonym(s): *buraimana* Wiltshire,1949; *montana* Wiltshire,1980 _ Range (in code): SA
- 42637. Glossotrophia (s.str.) chalcographata Brandt,1938** (Geometridae) Synonym(s): *chalcographata* Brandt,1938 _ Range (in code): JO IL Pa EG Sn IR Fa
- 42638. Glossotrophia (s.str.) chalcographata sinaica Rebel,1948** (Geometridae)
Synonym(s): *sinaica* Rebel,1948 _ Range (in code): EG Sn JO IL Pa OM
- 42639. Glossotrophia (s.str.) confinaria (Herrich-Schäffer,[1847])** (Geometridae)
Synonym(s): *confinaria* Herrich-Schäffer,[1847] Original Reference: Acidalia confinaria Herrich-Schäffer,[1847], Syst. Bearb. Schmiett. Eur. 3: 21, pl.51 figs.315-317. Range (in code): ES FR Co Sa Si IT CH AT RO YU AL BG GR Cr TR RU MD UA KG Uk LB Bsa
- 42640. Glossotrophia (s.str.) confinaria aetnaea L.B.Prout,1935** (Geometridae)
Synonym(s): *aetnaea* L.B.Prout,1935 _ Range (in code): Si
- 42641. Glossotrophia (s.str.) confinaria confinaria (Herrich-Schäffer,[1847])** (Geometridae) Synonym(s): *confinaria* Herrich-Schäffer,[1847] Original Reference: Acidalia confinaria Herrich-Schäffer,[1847], Syst. Bearb. Schmiett. Eur. 3: 21, pl.51 figs.315-317. Range (in code): ES FR Co Sa Si IT CH AT RO YU AL BG GR Cr TR RU
- 42642. Glossotrophia (s.str.) confinaria prouti Hausmann,1993** (Geometridae)
Synonym(s): *prouti* Hausmann,1993 _ Range (in code): IT
- 42643. Glossotrophia (s.str.) confinaria scoblei Hausmann,1993** (Geometridae)
Synonym(s): *scoblei* Hausmann,1993 _ Range (in code): Si
- 42644. Glossotrophia (s.str.) confinaria uberaria Zerny,1933** (Geometridae) Synonym(s): *uberaria* Zerny,1933 _ Range (in code): LB Bsa
- 42645. Glossotrophia (s.str.) diffinaria L.B.Prout,1913** (Geometridae) Synonym(s): *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913 Original Reference: Glossotrophia diffinaria L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmiett. Erde 4: 83 (nomen novum pro luridata Staudinger nec Zeller). Range (in code): GR Rd TR Cc
- 42646. Glossotrophia (s.str.) diffinaria diffinaria L.B.Prout,1913** (Geometridae)
Synonym(s): *luridata* Staudinger,1871 nec Zell.; *diffinaria* L.B.Prout,1913 Original Reference:

- Glossotrophia diffinaria* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83 (nomen novum pro luridata Staudinger nec Zeller). Range (in code): GR Cc TR
- 42647. *Glossotrophia* (s.str.) *disparata* (Hampson,1903)** (Geometridae) Synonym(s): *disparata* Hampson,1903 Range (in code): YE Sk SO Ad IN
- 42648. *Glossotrophia* (s.str.) *disparata somaliata* L.B.Prout,1916** (Geometridae) Synonym(s): *somaliata* L.B.Prout,1916 Range (in code): SO
- 42649. *Glossotrophia* (s.str.) *eurata* L.B.Prout,1913** (Geometridae) Synonym(s): *eurata* L.B.Prout,1913 Original Reference: *Glossotrophia eurata* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83. Syntypes 1♂ 1♀: [Turkmenistan]: "Arwas bei Askhabad"; [Iran]: "Schahkuh". Range (in code): TM Kp IR Elb
- 42650. *Glossotrophia* (s.str.) *eurata eurata* L.B.Prout,1913** (Geometridae) Synonym(s): *eurata* L.B.Prout,1913 Original Reference: *Glossotrophia eurata* L.B.Prout,1913, [in] Seitz,A., Die Gross-Schmett. Erde 4: 83. Syntypes 1♂ 1♀: [Turkmenistan]: "Arwas bei Askhabad"; [Iran]: "Schahkuh". Range (in code): TM Kp IR Elb
- 42651. *Glossotrophia* (s.str.) *falsaria* (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *falsaria* Herrich-Schäffer,1852 Range (in code): Cc AZ Kir
- 42652. *Glossotrophia* (s.str.) *gracilis* Brandt,1941** (Geometridae) Synonym(s): *gracilis* Brandt,1941 Range (in code): IR Ss
- 42653. *Glossotrophia* (s.str.) *jacta* (Swinhoe,1885)** (Geometridae) Synonym(s): *jacta* Swinhoe,1885 Range (in code): PK Krc Sd
- 42654. *Glossotrophia* (s.str.) *natalensis* L.B.Prout,1915** (Geometridae) Synonym(s): *natalensis* L.B.Prout,1915 Range (in code): ZA Nta Kzu
- 42655. *Glossotrophia* (s.str.) *orbeorum* Hausmann,1996** (Geometridae) Synonym(s): *orbeorum* Hausmann,1996 Range (in code): IR Elb Mz
- 42656. *Glossotrophia* (s.str.) *origalis* Brandt,1941** (Geometridae) Synonym(s): *origalis* Brandt,1941 Range (in code): IR Ss
- 42657. *Glossotrophia* (s.str.) *romanaria* (Millière,1870)** (Geometridae) Synonym(s): *romanaria* Millière,1870 Range (in code): DZ Bsk TN Gf Bionomy: Larva on *Fagonia cretica*, *Anarrhinum brevifolium*, *Salvia aegyptiaca* (Chrétien,1917).
- 42658. *Glossotrophia* (s.str.) *romanarioides* (Rothschild,1913)** (Geometridae) Synonym(s): *romanarioides* Rothschild,1913 Original Reference: *Acidalia romanarioides* Rothschild,1913, Novit. zool. 20: 131-132. Syntypes ♂♀: Algeria, South Oued Mya, Ain Guettara. Range (in code): DZ Gtt Omy Onç Ges
- 42659. *Glossotrophia* (s.str.) *rufomixtaria* (Graslin,1863)** (Geometridae) Synonym(s): *rufomixtaria* Graslin,1863; *rufomixtata* Staudinger,1871; *annae* Mentzer,1990 Range (in code): PT ES Mu FR DZ Ges MA Bionomy: Larva on *Dianthus*, *Thymus* (Calle et al.,2000).
- 42660. *Glossotrophia* (s.str.) *rufomixtaria saharensis* Hausmann,1993** (Geometridae) Synonym(s): *saharensis* Hausmann,1993 Range (in code): DZ Ges
- 42661. *Glossotrophia* (s.str.) *similata* Le Cerf,1924** (Geometridae) Synonym(s): *similata* Le Cerf,1924 Range (in code): ER ET
- 42662. *Glossotrophia* (s.str.) *uvarovi* Wiltshire,1952** (Geometridae) Synonym(s): *uvarovi* Wiltshire,1952 Range (in code): YE SA
- 42663. *Gnamptoloma rubra* Holloway,1979** (Geometridae) Synonym(s): *rubra* Holloway,1979 Range (in code): NC
- 42664. *Gnopharmia cocandaria* (Erschoff,1874)** (Geometridae) Synonym(s): *cocandaria* Erschoff,1874; *maculifera* Staudinger,1892; *subrubraria* Staudinger,1892 Range (in code): UZ Fe Smk Nmg Man CN Ui Ku AF Pli KK
- 42665. *Gnopharmia cocandaria afghanistana* Wiltshire,1967** (Geometridae) Synonym(s): *afghanistana* Wiltshire,1967 Range (in code): AF Pli
- 42666. *Gnopharmia cocandaria cocandaria* (Erschoff,1874)** (Geometridae) Synonym(s): *cocandaria* Erschoff,1874; *maculifera* Staudinger,1892; *subrubraria* Staudinger,1892 Range (in code): UZ Fe Smk Nmg Man CN Ui Ku KK
- 42667. *Gnopharmia colchidaria* (Lederer,1870)** (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938 Original Reference: *Gnophos colchidaria* Lederer,1870, Annls Soc. ent. Belg. 13: 39,48-49, pl.2 fig.1. Type ♀: [Georgia]: Achalziche (MNHU) (Azerbaijan: Helenendorf [Göygöl] (see Rajaei et al.,2012)). Range (in code): TR Cc GG Akh IL Pa TM Kp IQ AZ Kir Nv Dz AM IR Fa Sse PK

- 42668. *Gnopharmia colchidaria colchidaria* (Lederer,1870)** (Geometridae) Synonym(s): *colchidaria* Lederer,1870; *melanotaenia* Wehrli,1938 Original Reference: *Gnophos colchidaria* Lederer,1870, Annls Soc. ent. Belg. 13: 39,48-49, pl.2 fig.1. Type: [Georgia]: Achalziche. Range (in code): **TR Cc GG Akh AZ Kir IL Pa**
- 42669. *Gnopharmia colchidaria melanotaenia* Wehrli,1938** (Geometridae) Synonym(s): *melanotaenia* Wehrli,1938 Original Reference: *Gnopharmia colchidaria* ssp. *melanotaenia* Wehrli,1938, Ent. Rdsch. 55: 434. Syntypes 8♂ 9♀: [Armenia]: russisch-Armenien: Migry & Dzhuga, Aralfluss, leg. Rjabov (ZML). Range (in code): **Cc AM AZ Nv Dz IQ**
- 42670. *Gnopharmia colchidaria objectaria* Staudinger,1892** (Geometridae) Synonym(s): *objectaria* Staudinger,1892; *degeneraria* Staudinger,1892; *inermis* Wiltshire,1967; *eberti* Wiltshire,1967; *vartianae* Wiltshire,1970; *kasyi* Wiltshire,1970 Range (in code): **TM Kp AF Ca Hr IR Kh Msh PK**
- 42671. *Gnopharmia colchidaria sinesefida* Wehrli,1941** (Geometridae) Synonym(s): *sinesefida* Wehrli,1941 Range (in code): **IR Fa Sse**
- 42672. *Gnopharmia erema* Wehrli,1939** (Geometridae) Synonym(s): *erema* Wehrli,1939 Original Reference: *Gnopharmia erema* Wehrli,1939, Mitt. münch. ent. Ges. 29 (1): 71. Holotype ♂: Irak: Kербela Wüste. Range (in code): **IQ Kbl Mnf**
- 42673. *Gnopharmia irakensis* Wehrli,1938** (Geometridae) Synonym(s): *irakensis* Wehrli,1938 Original Reference: *Gnopharmia irakensis* Wehrli,1938, Ent. Rdsch. 55 (37): 433. Syntypes 1♂ 2♀: [Iraq]: Rowanduz. Range (in code): **TR IQ Rwz Er Ry PK**
- 42674. *Gnopharmia kasrunensis* Wehrli,1939** (Geometridae) Synonym(s): *kasrunensis* Wehrli,1939; *#musandamensis* Wiltshire & Legrain,1998 Original Reference: *Gnopharmia kasrunensis* Wehrli,1939, Mitt. münch. ent. Ges. 39: 70-71. Holotype ♂: Iran: Südwest Iran: Kasrun, 900-1240m. Range (in code): **IR OM**
- 42675. *Gnopharmia rubraria* Staudinger,1892** (Geometridae) Synonym(s): *rubraria* Staudinger,1892 Original Reference: *Gnopharmia rubraria* Staudinger,1892, Dt. ent. Z., Iris 5: 184-185, Taf.2 f.12. Syntypes: [Türkei]: Maraş, Aintab; [Israel]: Jerusalem. Range (in code): **TR IL Pa Js**
- 42676. *Gnopharmia sarobiana* Ebert,1965** (Geometridae) Synonym(s): *sarobiana* Ebert,1965; *luxuriosa* Wiltshire,1967 Range (in code): **AF Srb Bm Nu PK**
- 42677. *Gnophos* (?) *siculus* Wehrli,1931** (Geometridae) Synonym(s): *sicula* Wehrli,1931 Original Reference: *Gnophos variegata* ssp. *sicula* Wehrli,1931, Mitt. münch. ent. Ges. 21: 45. Syntypes 4♂: [Italy]: Sizilien; Catania (coll. Wehrli). Range (in code): **IT Si**
- 42678. *Gnophos* (*Acrognophos*) *iveni* Erschoff,1874** (Geometridae) Synonym(s): *iveni* Erschoff,1874; *clarior* Staudinger,1892; *boarmioides* Wiltshire,1967 Range (in code): **AF Bd KG KK TJ Pm UZ Fe CN Ui**
- 42679. *Gnophos* (*Chelegnophos*) *badakhshanus* Wiltshire,1967** (Geometridae) Synonym(s): *badakhshanus* Wiltshire,1967 Range (in code): **AF Bd**
- 42680. *Gnophos* (*Cnestrognophos*) *adjectarius* Staudinger,1898** (Geometridae) Synonym(s): *adjectaria* Staudinger,1898 Range (in code): **TM UZ IL Pa**
- 42681. *Gnophos* (*Cnestrognophos*) *ali* Brandt,1938** (Geometridae) Synonym(s): *ali* Brandt,1938 Original Reference: *Gnophos ali* Brandt,1938, Ent. Rdsch. 55: 621, figs. 387-391. Syntypes: Iran: [Fars]: Com×e. Range (in code): **IR Fa Kz Com**
- 42682. *Gnophos* (*Cnestrognophos*) *anthina* Wehrli,1953** (Geometridae) Synonym(s): *anthina* Wehrli,1953 Range (in code): **TR Cc AZ Nv Ord**
- 42683. *Gnophos* (*Cnestrognophos*) *bundeli* Shchetkin & Viidalepp,1980** (Geometridae) Synonym(s): *bundeli* Shchetkin & Viidalepp,1980 Range (in code): **TJ Pm**
- 42684. *Gnophos* (*Cnestrognophos*) *evanidarius* Püngeler,1901** (Geometridae) Synonym(s): *evanidaria* Püngeler,1901 Range (in code): **CN Ui Au**
- 42685. *Gnophos* (*Cnestrognophos*) *hissariensis* Shchetkin & Viidalepp,1980** (Geometridae) Synonym(s): *hissariensis* Shchetkin & Viidalepp,1980 Range (in code): **TJ**
- 42686. *Gnophos* (*Cnestrognophos*) *libanoticus* Wehrli,1931** (Geometridae) Synonym(s): *libanotica* Wehrli,1931 Original Reference: *Gnophos libanotica* Wehrli,1931, Mitt. münch. ent. Ges. 21: 45. Syntypes 10♂: Libanon: Bscharre, leg. E. Pfeiffer (ZSM). Range (in code): **LB Bsa TR**
- 42687. *Gnophos* (*Cnestrognophos*) *luticiliatus* Christoph,1887** (Geometridae) Synonym(s): *luticiliatus* Christoph,1887 Range (in code): **TM Kp EG**
- 42688. *Gnophos* (*Cnestrognophos*) *maracandicus* Viidalepp,[1992]** (Geometridae) Synonym(s): *maracandicus* Viidalepp,[1992] Range (in code): **TM**

- 42689. Gnophos (Cnestrognophos) praeacutarius Wehrli, 1922** (Geometridae)
Synonym(s): *praeacutarius* Wehrli, 1922 Original Reference: Gnophos praeacutaria Wehrli, 1922, Dt. ent. Z., Iris 36: 25, pl.1 fig.21, pl.2 figs.32, 48. Syntypes: [Kirgizistan]: Naryn, Togus Torau. Range (in code): **KK Na**
- 42690. Gnophos (Cnestrognophos) rjabovi Wehrli, 1929** (Geometridae) Synonym(s): *rjabovi* Wehrli, 1929 Original Reference: Gnophos rjabovi Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 77. Holotype 1♂: [Azarbaidjan]: Ordubad, 1600-1700m. Range (in code): **TR IR Ha Avd Cc AZ Nv Ord AM**
- 42691. Gnophos (Cnestrognophos) rjabovi alvandicus Wehrli, 1939** (Geometridae)
Synonym(s): *alvandica* Wehrli, 1939. Original Reference: Gnophos [rjabovi] ssp. alvandica Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 77. Holotype ♂: [Iran]: Irak (sic!), [Hamadan]: Alvand, 3000m. Range (in code): **IR Ha Avd**
- 42692. Gnophos (Cnestrognophos) rjabovi rjabovi Wehrli, 1939** (Geometridae)
Synonym(s): *rjabovi* Wehrli, 1939 Original Reference: Gnophos rjabovi Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 77. Holotype 1♂: [Azarbayejan]: Ordubad, 1600-1700m. Range (in code): **IR Cc AZ Nv Ord AM**
- 42693. Gnophos (Cnestrognophos) stachyphorus Wehrli, 1936** (Geometridae)
Synonym(s): *stachyphorus* Wehrli, 1936 Range (in code): **IR Ha Avd Elb Dam IQ Rwz**
- 42694. Gnophos (Cnestrognophos) stachyphorus hamadanus Wehrli, 1939** (Geometridae) Synonym(s): *hamadana* Wehrli, 1939. Original Reference: Gnophos stachyphora ssp. hamadana Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 75. Holotype ♂: [Iran]: Hamadan: Alvand, 2000m; Paratype: [Irak]: Rowanduz. Range (in code): **IR Ha Avd IQ Rwz**
- 42695. Gnophos (Cnestrognophos) subtilus Brandt, 1938** (Geometridae) Synonym(s): *subtila* Brandt, 1938 Original Reference: Gnophos subtila Brandt, 1938, Ent. Rdsch. 55: 632, figs. 392-398. Syntypes: Iran: Keredj. Range (in code): **IR Elb Th Kdj**
- 42696. Gnophos (Cnestrognophos) taftanus Brandt, 1941** (Geometridae) Synonym(s): *taftana* Brandt, 1941 Range (in code): **IR Ss**
- 42697. Gnophos (Cnestrognophos) talvei Viidalepp, 1980** (Geometridae) Synonym(s): *talvei* Viidalepp, 1980 Range (in code): **TJ T-A**
- 42698. Gnophos (Cnestrognophos) zaprjagaevi Viidalepp, 1988** (Geometridae)
Synonym(s): *zaprjagaevi* Viidalepp, 1988 Range (in code): **TJ Pm Chr**
- 42699. Gnophos (Ctenognophos) eolarius Guenée, [1858]** (Geometridae) Synonym(s): *eolarius* Guenée, [1858] Range (in code): **AF Nu BdA PK Sgl IN KK TJ Pm**
- 42700. Gnophos (Ctenognophos) eolarius anax (Wiltshire, 1966)** (Geometridae)
Synonym(s): *anax* Wiltshire, 1966 Range (in code): **AF Nu BdA**
- 42701. Gnophos (Ctenognophos) eolarius eolarius Guenée, [1858]** (Geometridae)
Synonym(s): *eolarius* Guenée, [1858] Range (in code): **PK Sgl IN KK TJ Pm**
- 42702. Gnophos (Ctenognophos) obtectarius Walker, 1866** (Geometridae) Synonym(s): *obtectaria* Walker, 1866 Range (in code): **Ch Snm PK Haz Mre Thu Abb**
- 42703. Gnophos (Ctenognophos) perlitis Butler, 1886** (Geometridae) Synonym(s): *perlita* Butler, 1886; #*paerlita* L.B. Prout, 1915 Original Reference: Gnophos ? perlita Butler, 1886, Proc. zool. Soc. Lond. 1886: 389. Syntypes: [Pakistan]: Kala Pani, 24th September 1885. Range (in code): **PK K-P Abb**
- 42704. Gnophos (Ctenognophos) solianikovi (Viidalepp, 1988)** (Geometridae)
Synonym(s): *solianikovi* Viidalepp, 1988 Range (in code): **TJ**
- 42705. Gnophos (Dicrognophos) amanensis Wehrli, 1934** (Geometridae) Synonym(s): *amanensis* Wehrli, 1934 Original Reference: Gnophos snelleni ssp. amanensis Wehrli, 1934, Mitt. münch. ent. Ges. 24: 50. Syntypes 2♂: [Türkei]: Marasch: DülDül Dag. Range (in code): **TR**
- 42706. Gnophos (Dicrognophos) anophaeus Wehrli, 1939** (Geometridae) Synonym(s): *anophaea* Wehrli, 1939 Original Reference: Gnophos anophaea Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 76-77. Monotype 1♀: [Iran]: [Hamadan]: Alvand, 3300m. Range (in code): **TR IR Ha Avd**
- 42707. Gnophos (Dicrognophos) brandtorum Wehrli, 1941** (Geometridae) Synonym(s): *brandtorum* Wehrli, 1941 Range (in code): **IR Es Ss**
- 42708. Gnophos (Dicrognophos) choristus Wehrli, 1939** (Geometridae) Synonym(s): *chorista* Wehrli, 1939 Original Reference: Gnophos chorista Wehrli, 1939, Mitt. münch. ent. Ges. 29(1): 75-76. Monotype 1♀: Irak: Rowanduz. Range (in code): **IR IQ Rwz TR**

- 42709. Gnophos (Dicrognophos) culminatus Brandt,1938** (Geometridae) Synonym(s): *culminata Brandt,1938* Original Reference: Gnophos culminata Brandt,1938, Ent. Rdsch. 55: 620, figs. 413-414. Syntypes: Iran: [Fars]: Barm i Firus. Range (in code): **IR Fa Com Kz**
- 42710. Gnophos (Dicrognophos) elahi Brandt,1938** (Geometridae) Synonym(s): *elahi Brandt,1938* Original Reference: Gnophos elahi Brandt,1938, Ent. Rdsch. 55: 620, figs. 409-412. Syntypes: Iran: [Fars]: Com×e. Range (in code): **IR Fa Com Kz Es Kh**
- 42711. Gnophos (Dicrognophos) eurytiches Brandt,1941** (Geometridae) Synonym(s): *eurytiches Brandt,1941* Range (in code): **IR Lo**
- 42712. Gnophos (Dicrognophos) gorgatus Brandt,1938** (Geometridae) Synonym(s): *gorgata Brandt,1938* Original Reference: Gnophos gorgata Brandt,1938, Ent. Rdsch. 55: 617-620, figs. 404-408. Syntypes: Iran: [Fars]: Com×e, Sine-Sefid. Range (in code): **IR Fa Sse Com Kz**
- 42713. Gnophos (Dicrognophos) orthogonius Wehrli,1939** (Geometridae) Synonym(s): *orthogonia Wehrli,1939* Original Reference: Gnophos orthogonia Wehrli,1939, Mitt. münch. ent. Ges. 29 (1): 72. Monotype ♂: [Iran]: Schiras: Tschteba. Range (in code): **TR IR Fa Shr**
- 42714. Gnophos (Dicrognophos) pseudosnelleni Rjabov,1964** (Geometridae) Synonym(s): *pseudosnelleni Rjabov,1964* Original Reference: Gnophos pseudosnelleni Rjabov,1964, [in] Rjabov & Vardikjan, Zool. Sb. Erevan 13: 108, pls. Holotype ♂: Armenia: River Arpa, Daralagez. Range (in code): **Cc AM Dar AZ TR TM Kp IR**
- 42715. Gnophos (Dicrognophos) sartatus (Treitschke,1827)** (Geometridae) Synonym(s): *sartata Treitschke,1827; syriaca Thierry-Mieg,1916.* Range (in code): **Co Sa Si IT YU AL BG GR Cr Rd TR Cc GG AZ AM LB Bsa RU MD UA Cm BY SY IR Fa Sse IL Pa Mer Car Hf Js CY** Bionomy: Larva on Polygonum; Rhamnus alaternus (Rhamnaceae) (Meyer,1919).
- 42716. Gnophos (Dicrognophos) snelleni Christoph,1887** (Geometridae) Synonym(s): *snelleni Christoph,1887* Range (in code): **TM Kp IR Elb Srd IQ TR**
- 42717. Gnophos (Dicrognophos) wiltshirei Wehrli,1938** (Geometridae) Synonym(s): *wiltshirei Wehrli,1938* Original Reference: Gnophos wiltshire Wehrli,1938, Ent. Rdsch. 55: 356. Syntypes 1♂ 1♀: [Iraq]: Rowanduz, Rayat, leg. coll. Wiltshire Range (in code): **IQ Ry Er Rwz**
- 42718. Gnophos (Dysgnophos) bidentatus Shchetkin & Viidalepp,1980** (Geometridae) Synonym(s): *bidentatus Shchetkin & Viidalepp,1980* Range (in code): **TJ Pm Chr**
- 42719. Gnophos (Dysgnophos) difficilis Alpheraky,1883** (Geometridae) Synonym(s): *difficilis Alpheraky,1883; finitimaria Fuchs,1899; desparataria Fuchs,1900; luteopicta Thierry-Mieg,1916.* Original Reference: Gnophos difficilis Alpheraky,1883, Horae Soc. ent. ross. 17 (3/4): 178-180, pl.9 fig.86. Syntypes ♂♀: [Uighur A.R.]: "Kounguesse". Range (in code): **CN Ui Ju Au Kun Kl Ga Ts Kno Kml KG Lps KK Ik NrK RU Sb Teb Kc Cc**
- 42720. Gnophos (Dysgnophos) difficilis difficilis Alpheraky,1883** (Geometridae) Synonym(s): *difficilis Alpheraky,1883; finitimaria Fuchs,1899; desparataria Fuchs,1900; luteopicta Thierry-Mieg,1916.* Original Reference: Gnophos difficilis Alpheraky,1883, Horae Soc. ent. ross. 17 (3/4): 178-180, pl.9 fig.86. Syntypes ♂♀: [Uighur A.R.]: "Kounguesse". Range (in code): **CN Ui Ju Kun Au Ga Ts Kno KK Ik KG NrK RU Sb**
- 42721. Gnophos (Dysgnophos) difficilis korlatus Fuchs,1903** (Geometridae) Synonym(s): *korlata Fuchs,1903* Range (in code): **CN Ui Kl**
- 42722. Gnophos (Dysgnophos) difficilis teberdensis Müller,1978** (Geometridae) Synonym(s): *teberdensis Müller,1978* Range (in code): **RU Kc Teb Cc**
- 42723. Gnophos (Dysgnophos) difficilis uniformis Staudinger,1892** (Geometridae) Synonym(s): *uniformis Staudinger,1892* Range (in code): **KG Lps CN Ui Kml**
- 42724. Gnophos (Dysgnophos) difficillimus Wiltshire,1967** (Geometridae) Synonym(s): *difficillimus Wiltshire,1967; #difficillimus Scoble,1999* Range (in code): **AF Pag Kab**
- 42725. Gnophos (Dysgnophos) gozmanyi Vojnits,1975** (Geometridae) Synonym(s): *gozmanyi Vojnits,1975* Range (in code): **MN**
- 42726. Gnophos (Dysgnophos) longipenis Shchetkin & Viidalepp,1980** (Geometridae) Synonym(s): *longipenis Shchetkin & Viidalepp,1980* Range (in code): **TJ Pm Chr**
- 42727. Gnophos (Dysgnophos) lutipennarius Fuchs,1900** (Geometridae) Synonym(s): *lutipennarius Fuchs,1900* Range (in code): **CN Sz T-T Ts Kno**
- 42728. Gnophos (Dysgnophos) mcguffini (Smiles,1980)** (Geometridae) Synonym(s): *mcguffini Smiles,1980* Range (in code): **RU**
- 42729. Gnophos (Dysgnophos) subsplendidarius Wehrli,1922** (Geometridae) Synonym(s): *subsplendidarius Wehrli,1922; exilis Wehrli,1922* Range (in code): **MN**

- 42730. Gnophos (Dysgnophos) turfosarius Wehrli, 1922** (Geometridae) Synonym(s): *turfosarius* Wehrli, 1922; *glaciata* Wehrli, 1922; *benepunctaria* Wehrli, 1922 _ Range (in code): MN
- 42731. Gnophos (Dysgnophos) urmensis Wehrli, 1953** (Geometridae) Synonym(s): *urmensis* Wehrli, 1953 _ Range (in code): AM Cc RU Da
- 42732. Gnophos (Euchrognophos) amseli Ebert, 1965** (Geometridae) Synonym(s): *amseli* Ebert, 1965 _ Range (in code): AF Srb Bm
- 42733. Gnophos (Euchrognophos) symmictus Wehrli, 1953** (Geometridae) Synonym(s): *symmicta* Wehrli, 1953 _ Original Reference: Gnophos symmicta Wehrli, 1953, [in] Seitz, A., Die Gross-Schmett. Erde 4 (Suppl.): 604. Syntypes 1♂ 1♀: [Russia]: North Caucasus: Mashuk, River Zeja (ZFMK). Range (in code): RU Kb TR
- 42734. Gnophos (Organognophos) asymmetrus Wehrli, 1936** (Geometridae) Synonym(s): *asymmetrus* Wehrli, 1936 _ Range (in code): TR AM AZ GG Cc IR Elb Dam
- 42735. Gnophos (Organognophos) sibiriatu Guenée, [1858]** (Geometridae) Synonym(s): *sibiriatu* Guenée, [1858] _ Range (in code): RU At CN Ui Kl Kno Ts KK Ik KG TJ Pm MN AF IR
- 42736. Gnophos (Organognophos) sibiriatu plumbeatus Wehrli, 1922** (Geometridae) Synonym(s): *plumbeatus* Wehrli, 1922 _ Range (in code): CN Ui Kl Kno Ts
- 42737. Gnophos (Organognophos) sibiriatu sibiriatu Guenée, [1858]** (Geometridae) Synonym(s): *sibiriatu* Guenée, [1858] _ Range (in code): RU At
- 42738. Gnophos (Organognophos) sibiriatu subclarilimbatus Wehrli, 1922** (Geometridae) Synonym(s): *subclarilimbata* Wehrli, 1922 _ Range (in code): KK Ik
- 42739. Gnophos (Organognophos) wanensis Wehrli, 1936** (Geometridae) Synonym(s): *wanensis* Wehrli, 1936 _ Original Reference: Gnophos wanensis Wehrli, 1936, Mitt. münch. ent. Ges. 26: 36, Taf.ii. Syntypes 4♂ 3♀: [Türkei]: "Umg. Wan, Kurdistan, 2400m Ende August, Anf. September". Range (in code): IQ TR
- 42740. Gnophos (Pterygnophos) dorkadiarius Wehrli, 1922** (Geometridae) Synonym(s): *dorkadiaria* Wehrli, 1922 _ Range (in code): KK Ik CN Ts Kno
- 42741. Gnophos (Pterygnophos) ochrofasciatus Staudinger, 1896** (Geometridae) Synonym(s): *ochrofasciatus* Staudinger, 1896 _ Range (in code): RU Sj
- 42742. Gnophos (Rhinognophos) similarius Rothschild, 1914** (Geometridae) Synonym(s): *similaria* Rothschild, 1914; *culminans* Turati, 1930 _ Original Reference: Gnophos similaria Rothschild, 1914, Novit. zool. 21: 351. Syntypes 47♂♂: Algeria, Guelt-es-Stel (V. Faroult). Range (in code): DZ Ges LY Cy
- 42743. Gnophos (Rhipignophos) lineolarius Püngeler, 1901** (Geometridae) Synonym(s): *lineolaria* Püngeler, 1901 _ Range (in code): KK Ax KG Tk CN Ui
- 42744. Gnophos (Rhipignophos) lineolarius arkitensis Viidalepp, 1988** (Geometridae) Synonym(s): *arkitensis* Viidalepp, 1988 _ Range (in code): KK
- 42745. Gnophos (Rhipignophos) lineolarius lineolarius Püngeler, 1901** (Geometridae) Synonym(s): *lineolaria* Püngeler, 1901 _ Range (in code): KK Ax
- 42746. Gnophos (Rhipignophos) lineolarius narynus Wehrli, 1953** (Geometridae) Synonym(s): *naryna* Wehrli, 1953 _ Range (in code): KG Tk
- 42747. Gnophos (Rhipignophos) lineolarius plumbeolatus Djakonov, 1936** (Geometridae) Synonym(s): *plumbeolata* Djakonov, 1936 _ Range (in code): CN Ui
- 42748. Gnophos (Rhipignophos) lineolarius sufikurganensis Viidalepp, 1988** (Geometridae) Synonym(s): *sufikurganensis* Viidalepp, 1988 _ Range (in code): KK
- 42749. Gnophos (Rhipignophos) maledictus Wiltshire, 1967** (Geometridae) Synonym(s): *maledictus* Wiltshire, 1967 _ Range (in code): AF Slg
- 42750. Gnophos (Rhipignophos) praestigiarius Püngeler, 1902** (Geometridae) Synonym(s): *praestigiaria* Püngeler, 1902 _ Range (in code): CN Ui Au
- 42751. Gnophos (Rhipignophos) rubefactarius Püngeler, 1902** (Geometridae) Synonym(s): *rubefactaria* Püngeler, 1902; *pervicinaria* Wehrli, 1922; *stshetkini* Viidalepp, 1988. _ Range (in code): KK CN Ui M-A Kl
- 42752. Gnophos (Rhipignophos) tadzhikistanicus Viidalepp, 1988** (Geometridae) Synonym(s): *tadzhikistanica* Viidalepp, 1988 _ Range (in code): TJ
- 42753. Gnophos (Rhipignophos) vastarius Staudinger, 1892** (Geometridae) Synonym(s): *vastaria* Staudinger, 1892 _ Original Reference: Gnophos vastaria Staudinger, 1892, Dt. ent. Z., Iris 5: 189-190. Syntypes 2♂ 3♀: [Kirgizistan]: "Issyk Kul (Centralasien)". Range (in code): IR AF PK KK Ik TJ Pm CN Ui Ga

- 42754. Gnophos (Sacrognophos) sacrarius Staudinger,[1895]** (Geometridae) **Synonym(s):** *sacraria Staudinger,[1895]*. Original Reference: Gnophos sacraria Staudinger,[1895], Dt. ent. Z., Iris 7: 292-293. Syntypes 3♂ 8♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): **IL Js Pa**
- 42755. Gnophos (Trilobignophos) pollinarius Christoph,1887** (Geometridae) **Synonym(s):** *pollinaria Christoph,1887* - Range (in code): **TM Kp IR Kh Ha Avd Fa Com Kz Cc Tlh AZ**
- 42756. Gnophos (Trilobignophos) pollinarius ardekanus Brandt,1938** (Geometridae) **Synonym(s):** *ardekana Brandt,1938* - Range (in code): **IR Fa Com Kz**
- 42757. Gnophos (Trilobignophos) pollinarius binaloudi Brandt,1941** (Geometridae) **Synonym(s):** *binaloudi Brandt,1941* - Range (in code): **IR Kh**
- 42758. Gnophos (Trilobignophos) pollinarius hypotaenius Wehrli,1939** (Geometridae) **Synonym(s):** *hypotaenia Wehrli,1939* Original Reference: Gnophos pollinaria ssp. hypotaenia Wehrli,1939, Mitt. münch. ent. Ges. 29(1): 74-75. Type ♂: [Iran]: [Hamadan]: Mt.Alvand, 3000m. Range (in code): **IR Ha Avd**
- 42759. Gnophos (Trilobignophos) pollinarius pollinarius Christoph,1887** (Geometridae) **Synonym(s):** *pollinaria Christoph,1887* - Range (in code): **TM Kp**
- 42760. Gnophos (Trilobignophos) pollinarius talyshensis Wehrli,1936** (Geometridae) **Synonym(s):** *talyshensis Wehrli,1936* - Range (in code): **Cc Tlh AZ**
- 42761. Gnophos (Zystrognophos) bipartitus Vojnits,1975** (Geometridae) **Synonym(s):** *bipartitus Vojnits,1975* - Range (in code): **MN**
- 42762. Gnophos (Zystrognophos) kansuensis Djakonov,1936** (Geometridae) **Synonym(s):** *kansuensis Djakonov,1936* - Range (in code): **CN Gn**
- 42763. Gnophos (Zystrognophos) kuldjanus Wehrli,1953** (Geometridae) **Synonym(s):** *kuldjana Wehrli,1953* - Range (in code): **CN Ui Ku**
- 42764. Gnophos (Zystrognophos) nimbatus Alpheraky,1888** (Geometridae) **Synonym(s):** *nimbata Alpheraky,1888; alexandra Wehrli,1953* Original Reference: Gnophos nimbata Alpheraky,1888, Stettin ent. Ztg. 49: 68. Type ♂: "Schahimardan (Turkestan)", leg. Gr.-Grshimailo, on 8 June 1884. Range (in code): **CN Ui li Ga KG TJ Pm KK Ax Ik UZ Fe AF Hk IR**
- 42765. Gnophos (Zystrognophos) nimbatus hindukushi Ebert,1965** (Geometridae) **Synonym(s):** *hindukushi Ebert,1965* - Range (in code): **AF Hk**
- 42766. Gnophos (Zystrognophos) sericarius Alpheraky,1883** (Geometridae) **Synonym(s):** *sericaria Alpheraky,1883* Original Reference: Gnophos sericaria Alpheraky,1883, Horae Soc. ent. ross. 17: 180-181, Tab.viii fig.80. Syntypes 1♂ 1♀: [China: Uighur A.R.]: Archane. Range (in code): **KG CN Ui Arc**
- 42767. Gnophos (s.str.) argillatus Brandt,1938** (Geometridae) **Synonym(s):** *argillata Brandt,1938* Original Reference: Gnophos argillata Brandt,1938, Ent. Rdsch. 55: 620-621, fig. 415. Syntypes: Iran: [Fars]: Com×e. Range (in code): **IR Kz Com Fa**
- 42768. Gnophos (s.str.) brachyphorus Wiltshire,1966** (Geometridae) **Synonym(s):** *brachyphora Wiltshire,1966* - Range (in code): **AF Pag Kab**
- 42769. Gnophos (s.str.) canitiarius Guenée,[1858]** (Geometridae) **Synonym(s):** *canitiarius Guenée,[1858]* - Range (in code): **FR**
- 42770. Gnophos (s.str.) ciscaucasius Rjabov,1964** (Geometridae) **Synonym(s):** *ciscaucasius Rjabov,1964* - Range (in code): **RU Da Cc AM TR IR**
- 42771. Gnophos (s.str.) crosi Thierry-Mieg,1910** (Geometridae) **Synonym(s):** *crosi Thierry-Mieg,1910; omararia Oberthür,1913* - Range (in code): **DZ Orn Ges**
- 42772. Gnophos (s.str.) farinosatus Christoph,1887** (Geometridae) **Synonym(s):** *farinosatus Christoph,1887* - Range (in code): **TM Kp**
- 42773. Gnophos (s.str.) furvatus ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#furvata [Denis & Schiffermüller],1775; meridionalis Wehrli,1924* Original Reference: Geometra furvata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR RU MD UA BY** Bionomy: Larva on Viburnum lantanum, Cotoneaster, Plantago, Prunus spinosa ([Denis & Schiffermüller],1775; Meyer,1919, et seq.).
- 42774. Gnophos (s.str.) idrisarius Zerny,1934** (Geometridae) **Synonym(s):** *idrisarius Zerny,1934* - Range (in code): **MA**
- 42775. Gnophos (s.str.) klapperichi Wiltshire,1967** (Geometridae) **Synonym(s):** *klapperichi Wiltshire,1967* - Range (in code): **AF Ng Nu**

- 42776. Gnophos (s.str.) liliputarius Turati,1934** (Geometridae) **Synonym(s):** *liliputarius Turati,1934* _ **Range (in code):** **LY Cy**
- 42777. Gnophos (s.str.) obfuscatus ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#obfuscata [Denis & Schiffermüller],1775* _ **Original Reference:** *Geometra obfuscata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR IT IE GB LU DE CH AT RO YU B-H AL BG GR TR NO SE FI EE LV RU MD UA BY* _ **Bionomy:** Larva on Betula ([Denis & Schiffermüller],1775).
- 42778. Gnophos canariensis Rebel,1911** (Geometridae) **Synonym(s):** *canariensis Rebel,1911* _ **Range (in code):** **Cn**
- 42779. Gnophos delagardei L.B.Prout,1915** (Geometridae) **Synonym(s):** *delagardei L.B.Prout,1915* _ **Range (in code):** **ZA Tva ZA10 Kzu ZA14 Mpu Ggh Fs Wca**
- 42780. Gnophos dispunctatus Walker,1868** (Geometridae) **Synonym(s):** *dispunctatus Walker,1868* _ **Range (in code):** **PK Thu Haz Mre**
- 42781. Gnophos himalayanus Wehrli,1928** (Geometridae) **Synonym(s):** *himalayanus Wehrli,1928* _ **Range (in code):** **IN Bhr**
- 42782. Gnophos mendolensis Dannehl,1928** (Geometridae) **Synonym(s):** *mendolensis Dannehl,1928* _ **Range (in code):** **AT**
- 42783. Gnophos pagranitus Wiltshire,1966** (Geometridae) **Synonym(s):** *pagranitus Wiltshire,1966* _ **Range (in code):** **AF Bm Pag**
- 42784. Gnophos pallescens Rjabov,1964** (Geometridae) **Synonym(s):** *pallescens Rjabov,1964* _ **Range (in code):** **Cc RU Da**
- 42785. Gnophos pelengi Brandt,1938** (Geometridae) **Synonym(s):** *pelengi Brandt,1938* _ **Original Reference:** *Gnophos pelengi Brandt,1938, Ent. Rdsch. 55: 620, figs. 416-417. Syntypes: Iran: [Fars]: Barm i Firus. Range (in code): IR Fa*
- 42786. Gnophos porphyreus Zerny,1936** (Geometridae) **Synonym(s):** *porphyreus Zerny,1936* _ **Range (in code):** **MA**
- 42787. Gnophos quadrimaculatus Chrétien,1913** (Geometridae) **Synonym(s):** *quadrimaculata Chrétien,1913* _ **Range (in code):** **DZ**
- 42788. Gnophos recticostarius Turati,1926** (Geometridae) **Synonym(s):** *recticostaria Turati,1926* _ **Range (in code):** **LY Cy**
- 42789. Gnophos rubricimixtus L.B.Prout,1915** (Geometridae) **Synonym(s):** *rubricimixta L.B.Prout,1915* _ **Range (in code):** **ZA ZA12 Kzu Nta Wca**
- 42790. Gnophos stemmatarius (Eversmann,1848)** (Geometridae) **Synonym(s):** *stemataria Eversmann,1848* _ **Range (in code):** **KG Ssn**
- 42791. Gnophos stoliczkarius Moore,1878** (Geometridae) **Synonym(s):** *stoliczkaria Moore,1878* _ **Range (in code):** **CN Ui Yk**
- 42792. Gnophos subsignarius Staudinger,1892** (Geometridae) **Synonym(s):** *subsignaria Staudinger,1892* _ **Original Reference:** *Gnophos mucidaria var.? subsignaria Staudinger,1892, Dt. ent. Z., Iris 5: 190-191. Syntypes: [Spain]: Malaga; Frankreich: Digne, Montpellier. Range (in code): FR ES*
- 42793. Gnophos tephrosiarius Moore,1888** (Geometridae) **Synonym(s):** *tephrosiaria Moore,1888; senicaria Hampson,1907* _ **Range (in code):** **IN SI Djl TH**
- 42794. Gnophos tholerarius Püngeler,1901** (Geometridae) **Synonym(s):** *tholeraria Püngeler,1901* _ **Range (in code):** **CN Ui Au**
- 42795. Gnophosema isometra (W.Warren,1888)** (Geometridae) **Synonym(s):** *isometra W.Warren,1888* _ **Original Reference:** *Gnophos isometra W.Warren,1888, Proc. Zool. Soc. Lond. 1888: 321. Type ♂: [Pakistan]: Akhor April 22, 1886. Range (in code): PK AF Bm Srb OM IR Ss Chh*
- 42796. Gnophosema isometra hansonii Ebert,1965** (Geometridae) **Synonym(s):** *hansonii Ebert,1965; minima Ebert,1965* _ **Range (in code):** **AF Bm Srb OM**
- 42797. Gnophosema isometra isometra (W.Warren,1888)** (Geometridae) **Synonym(s):** *isometra W.Warren,1888* _ **Original Reference:** *Gnophos isometra W.Warren,1888, Proc. Zool. Soc. Lond. 1888: 321. Type ♂: [Pakistan]: Akhor April 22, 1886. Range (in code): PK*
- 42798. Gnophosema isometra leucites Wiltshire,1981** (Geometridae) **Synonym(s):** *leucites Wiltshire,1981* _ **Range (in code):** **OM**
- 42799. Gnophosema isometra maleki Brandt,1941** (Geometridae) **Synonym(s):** *maleki Brandt,1941* _ **Range (in code):** **IR**

- 42800. Gnophosema isometra mekrana Brandt,1941** (Geometridae) Synonym(s): *mekrana* Brandt,1941 _ Range (in code): IR Ss Chh
- 42801. Gnophosema palumba Brandt,1938** (Geometridae) Synonym(s): *palumba* Brandt,1938 _ Range (in code): IQ Er Shq IR Ss Sse Fa
- 42802. Gnophosema palumba kurdistan Ebert,1968** (Geometridae) Synonym(s): *kurdistan* Ebert,1968 _ Original Reference: Gnophosema palumba ssp. kurdistan Ebert,1968, Ark. zool. 22 (6): 193-195, figs. Holotype ♂: Irak: Shaqlawa, 2500ft. 7 Juli 1953 E.P.Wiltshire (coll. Wiltshire). _ Range (in code): IQ Er Shq
- 42803. Gnophosema palumba palumba Brandt,1938** (Geometridae) Synonym(s): *palumba* Brandt,1938 _ Range (in code): IR Fa Sse
- 42804. Gnophosema palumba taftana Ebert,1968** (Geometridae) Synonym(s): *taftana* Ebert,1968 _ Original Reference: Gnophosema palumba ssp. taftana Ebert,1968, Ark. zool. 22 (6): 193, figs. Holotype ♂: SO-Iran: Fort Sengan ca.1800m, F. Brandt leg. (NRS). _ Range (in code): IR Ss
- 42805. Gonanticlea meridionata (Walker,1862)** (Geometridae) Synonym(s): *meridionata* Walker,1862; *aspersata* Walker,1862 _ Range (in code): ZA ZA12 ZA13 Kzu Mal Tva Lpo
- 42806. Gonanticlea pulcherrima Holloway,1979** (Geometridae) Synonym(s): *pulcherrima* Holloway,1979 _ Range (in code): NC
- 42807. Gonodontis clelia (Cramer,[1780])** (Geometridae) Synonym(s): *clelia* Cramer,[1780]; *rajaca* Walker,1860; *hyperbolica* Swinhoe,1885. _ Range (in code): IN SI Khs Bba NI PK Krc LK CN ID Sum Ja MY Bor PG SB AU QAU FJ NC WS
- 42808. Gonodontis clelia clelia (Cramer,[1780])** (Geometridae) Synonym(s): *clelia* Cramer,[1780]; *rajaca* Walker,1860; *hyperbolica* Swinhoe,1885. _ Range (in code): IN SI Khs Bba NI PK Krc LK CN ID Sum Ja MY Bor PG SB AU QAU FJ NC WS
- 42809. Grammochesias hippocastanarioides (Rothschild,1914)** (Geometridae) Synonym(s): *hippocastanarioides* Rothschild,1914 _ Original Reference: Chesias hippocastanarioides Rothschild,1914, Novit. zool. 21: 345. Syntypes ♂♀: Algeria, Guelte-es-Stel (V.Faroult). _ DZ Ges
- 42810. Gymnoscelis chlorobapta Turner,1907** (Geometridae) Synonym(s): *chlorobapta* Turner,1907 _ Range (in code): NC
- 42811. Gymnoscelis imparatalis (Walker,[1866])** (Geometridae) Synonym(s): *imparatalis* Walker,[1866]; *indicata* Walker,1866; *semivinosa* W.Warren,1896; *perangusta* W.Warren,1897; *imperviata* Swinhoe,1900 _ Range (in code): MY Bor Swk ID Ja TH Knc Nkh Cbi Bnk _ Bionomy: Larva on young leaf of Litchi chinensis [litchi], Dimocarpus longan [longan] (Sapindaceae), Mangifera indica [mango], Bouea macrophylla [plum mango] (Anacardiaceae), Citrus maxima [pomelo] (Rutaceae) (Lewvanich,2001).
- 42812. Gymnoscelis olsoufieffae L.B.Prout,1937** (Geometridae) Synonym(s): *olsoufieffae* L.B.Prout,1937 _ Range (in code): ZA Ec Sto MZ
- 42813. Gymnoscelis oribiensis Herbulot,1981** (Geometridae) Synonym(s): *oribiensis* Herbulot,1981 _ Range (in code): ZA Nta Kzu
- 42814. Gymnoscelis rufifasciata (Haworth,[1809])** (Geometridae) Synonym(s): *rufifasciata* Haworth,[1809]; *pumilata* Hübner,[1813]. _ Range (in code): Cn MA DZ Clo PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc GG Tbl Kir Hkd Arr AZ IQ DK NO SE FI EE LV LT RU MD UA BY IR Mz Gls UZ Fe KK Ik LB Bsa IL Pa Car _ Bionomy: Larva on Digitalis (Plantaginaceae) (Wagner,1931).
- 42815. Gymnoscelis sara Robinson,1975** (Geometridae) Synonym(s): *sara* Robinson,1975 _ Range (in code): FJ NC
- 42816. Gymnoscelis sara hamata Holloway,1979** (Geometridae) Synonym(s): *hamata* Holloway,1979 _ Range (in code): NC
- 42817. Gymnoscelis tenera W.Warren,1901** (Geometridae) Synonym(s): *tenera* W.Warren,1901 _ Range (in code): ZA NG
- 42818. Gymnoscelis tristrigosa (Butler,1880)** (Geometridae) Synonym(s): *tristrigosa* Butler,1880 _ Range (in code): NC
- 42819. Gypsochroa renitidata (Hübner,[1817])** (Geometridae) Synonym(s): *renitidata* Hübner,[1817]. _ Original Reference: Geometra renitidata Hübner,[1817], Samml. eur. Schm. 5: pl.94, figs.485,486. Syntypes: Europa. _ Range (in code): FR BG GR TR RU Cc GG AZ Nv KG _ Bionomy: Larva on Linaria striata (ex Chrétien, L.B.Prout,1912; Cult,1919)
- 42820. Habermania oxygenaria (Püngeler,1900)** (Geometridae) Synonym(s): *oxygenaria* Püngeler,1900 _ Range (in code): TM Mrw

- 42821. Haplolabida coaequata** L.B.Prout,1935 (Geometridae) Synonym(s): *coaequata* L.B.Prout,1935 _ Range (in code): **ZA Tva ZA14 Mpu**
- 42822. Haplolabida inaequata** (Walker,1861) (Geometridae) Synonym(s): *inaequata* Walker,1861 _ Range (in code): **ZA ZA10 ZA11 Kzu** Bionomy: Larva on Erica (Ericaceae) (Scoble,1999).
- 42823. Haplolabida lacrimans** Herbulot,1970 (Geometridae) Synonym(s): *lacrimans* Herbulot,1970 _ Range (in code): **MG**
- 42824. Haplolabida marojezensis** Herbulot,1963 (Geometridae) Synonym(s): *marojezensis* Herbulot,1963 _ Range (in code): **MG**
- 42825. Haplolabida monticolata** (Aurivillius,1910) (Geometridae) Synonym(s): *monticolata* Aurivillius,1910 _ Range (in code): **KE UG Rz**
- 42826. Haplolabida monticolata diplodonta** D.S.Fletcher,1958 (Geometridae) Synonym(s): *diplodonta* D.S.Fletcher,1958 _ Range (in code): **UG Rz**
- 42827. Haplolabida monticolata monticolata** (Aurivillius,1910) (Geometridae) Synonym(s): *monticolata* Aurivillius,1910 _ Range (in code): **KE**
- 42828. Haplolabida pauliani** Viette,1975 (Geometridae) Synonym(s): *pauliani* Viette,1975 Range (in code): **MG**
- 42829. Haplolabida sjostedti** (Aurivillius,1910) (Geometridae) Synonym(s): *sjostedti* Aurivillius,1910 _ Range (in code): **KE UG Rz**
- 42830. Haplolabida viettei** Herbulot,1970 (Geometridae) Synonym(s): *viettei* Herbulot,1970 Range (in code): **MG**
- 42831. Harutalcis atrostipata** (Walker,1862) (Geometridae) Synonym(s): *atrostipata* Walker,1862 _ Range (in code): **IN**
- 42832. Harutalcis glaucodisca** (Swinhoe,1894) (Geometridae) Synonym(s): *glaucodisca* Swinhoe,1894 _ Range (in code): **IN Ass Cpj**
- 42833. Harutalcis godavariensis** Sato,1993 (Geometridae) Synonym(s): *godavariensis* Sato,1993 Range (in code): **NP**
- 42834. Harutalcis megaspilaria** (Moore,1868) (Geometridae) Synonym(s): *megaspilaria* Moore,1868 _ Range (in code): **IN Ben**
- 42835. Harutalcis vialis** (Moore,1888) (Geometridae) Synonym(s): *vialis* Moore,1888; *deceptrix* W.Warren,1896 _ Range (in code): **IN SI Djl**
- 42836. Heliomata glarearia** (Brahm,1791) (Geometridae) Synonym(s): *#glarearia* [Denis & Schiffermüller],1775; *glarearia* Brahm,1791. Original Reference: Phalaena glarearia Brahm,1791, Ins. Kal. 2 (1): 320, nr.205. Range (in code): **FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IR Gls RU MD UA BY CN Ui Ku** Bionomy: Larva on Trifolium (Meyer,1919).
- 42837. Heliothea (Apetovia) iliensis** Alpheraky,1883 (Geometridae) Synonym(s): *iliensis* Alpheraky,1883; *christophi* Alpheraky,1883. Original Reference: Heliothea iliensis Alpheraky,1883, Horae Soc. ent. ross. 17: 189-191, Tab. ix fig.88. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse 4500ft. Range (in code): **CN Ui Ku Kun UZ**
- 42838. Heliothea (Apetovia) iliensis herzi** Staudinger,1901 (Geometridae) Synonym(s): *herzi* Staudinger,1901. _ Range (in code): **UZ**
- 42839. Heliothea (Apetovia) iliensis iliensis** Alpheraky,1883 (Geometridae) Synonym(s): *iliensis* Alpheraky,1883; *christophi* Alpheraky,1883. Original Reference: Heliothea iliensis Alpheraky,1883, Horae Soc. ent. ross. 17: 189-191, Tab. ix fig.88. Syntypes ♂♀: [China: Uighur A.R.]: Kounguesse 4500ft. Range (in code): **CN Ui Kun Ku**
- 42840. Heliothea (s.str.) discoidaria** Boisduval,1840 (Geometridae) Synonym(s): *discoidaria* Boisduval,1840 _ Range (in code): **ES** Bionomy: Larva on Santolina (Prout,1912).
- 42841. Heliothea (s.str.) discoidaria discoidaria** Boisduval,1840 (Geometridae) Synonym(s): *discoidaria* Boisduval,1840 _ Range (in code): **ES**
- 42842. Hemidromodes affinis** Rothschild,1915 (Geometridae) Synonym(s): *affinis* Rothschild,1915 Original Reference: Hemidromodes affinis Rothschild,1915, Ann. Mag. nat. Hist. (8) 16: 392. Type ♂: [Algeria]: Amgid; also from Tahihout. Range (in code): **DZ Thh Ah LY EG TD Tbt**
- 42843. Hemidromodes kossnerae** Hausmann,1996 (Geometridae) Synonym(s): *kossnerae* Hausmann,1996 _ Range (in code): **ET KE**

- 42844. Hemidromodes robusta (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *robusta* L.B.Prout,1913; *debonoi* Krüger,1939; *galala* Wiltshire,1949 **_ Range (in code):** **DZ Ah TD EG NE SO SD EH**
- 42845. Hemidromodes sabulifera L.B.Prout,1922** (Geometridae) **Synonym(s):** *sabulifera* L.B.Prout,1922 **_ Range (in code):** **EG SA AE YE IL Pa**
- 42846. Hemidromodes sabulifera hessa L.B.Prout,1935** (Geometridae) **Synonym(s):** *hessa* L.B.Prout,1935 **_ Range (in code):** **IL Pa**
- 42847. Hemidromodes sabulifera triforma Wiltshire,1949** (Geometridae) **Synonym(s):** *triforma* Wiltshire,1949 **_ Range (in code):** **SA YE**
- 42848. Hemidromodes unicolorata Hausmann,1996** (Geometridae) **Synonym(s):** *unicolorata* Hausmann,1996 **_ Range (in code):** **ET KE**
- 42849. Hemioplisis amoenaria Pagenstecher,1890** (Geometridae) **Synonym(s):** *amoenaria* Pagenstecher,1890 **Original Reference:** *Hemioplisis amoenaria* Pagenstecher,1890, Dt. ent. Z., Iris 3: 28-29. Type ♂: [Philippines]: Palawan. **_ Range (in code):** **PH Pal**
- 42850. Hemistola chrysoprasaria (Esper,[1794])** (Geometridae) **Synonym(s):** *nayas* Fourcroy,1785; *pomona* Fourcroy,1785; *lucidata* Donovan,1794; *chrysoprasaria* Esper,[1794]; **_ Range (in code):** **DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY**
- 42851. Hemistola detracta Walker,1861** (Geometridae) **Synonym(s):** *detracta* Walker,1861 **_ Range (in code):** **PK Cp Haz Mre IN Sml Kul Hp**
- 42852. Hemistola directa Wiltshire,1966** (Geometridae) **Synonym(s):** *directa* Wiltshire,1966 **_ Range (in code):** **AF Nu Bkt**
- 42853. Hemistola ereuthopeza L.B.Prout,1925** (Geometridae) **Synonym(s):** *ereuthopeza* L.B.Prout,1925 **_ Range (in code):** **ZA Fs**
- 42854. Hemistola fletcheri L.B.Prout,1934** (Geometridae) **Synonym(s):** *fletcheri* L.B.Prout,1934; *subcaerulea* L.B.Prout,1934 **_ Range (in code):** **Ch AF Pag**
- 42855. Hemistola incommoda L.B.Prout,1912** (Geometridae) **Synonym(s):** *incommoda* L.B.Prout,1912 **_ Range (in code):** **ZA Rie Nta Kzu Ec Tra**
- 42856. Hemistola loxiaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *loxiaria* Guenée,[1858]; *dispartita* Walker,1861; *cymiaria* Hampson,1903 **_ Range (in code):** **IN Sml PK Haz Mre**
- 42857. Hemistola rubrimargo W.Warren,1893** (Geometridae) **Synonym(s):** *rubrimargo* W.Warren,1893 **_ Range (in code):** **IN SI Djl TH**
- 42858. Hemistola semialbida L.B.Prout,1912** (Geometridae) **Synonym(s):** *semialbida* L.B.Prout,1912 **_ Range (in code):** **ZA Ec Pel**
- 42859. Hemithea acaudata Holloway,1979** (Geometridae) **Synonym(s):** *acaudata* Holloway,1979 **Original Reference:** *Hemithea acaudata* Holloway,1979, Lepidoptera New Caledonia: 276, figs. Holotype ♂: New Caledonia: Tiebaghi, 330m. **_ Range (in code):** **NC**
- 42860. Hemithea aestivaria (Hübner,1789)** (Geometridae) **Synonym(s):** *strigata* Müller,1764 *nec* Sc.,1763; *herbacea* Fourcroy,1785; *aestivaria* Hübner,[1799]; *alboundulata* Hedemann,1879 **_ Range (in code):** **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag Kir AZ Len DK NO SE FI EE LV LT RU Am MD UA BY IR Elb Mz Clu JP** **Bionomy:** Larva on Betula, Quercus, Prunus spinosa, Rosa (Skou,1986).
- 42861. Hemithea antigrapha L.B.Prout,1917** (Geometridae) **Synonym(s):** *antigrapha* L.B.Prout,1917 **_ Range (in code):** **IN Ass Meg Khs MY Pen**
- 42862. Hemithea evanescens Inoue,1992** (Geometridae) **Synonym(s):** *evanescens* Inoue,1992 **_ Range (in code):** **TH CMa Dst**
- 42863. Hemithea krakenaria Holloway,1996** (Geometridae) **Synonym(s):** *krakenaria* Holloway,1996 **_ Range (in code):** **MY Bor Sbh**
- 42864. Hemithea marina (Butler,1878)** (Geometridae) **Synonym(s):** *costipunctata* Moore,[1867]; *marina* Butler,1878; *simplex* W.Warren,1897; *pariciliata* Fuchs,1902 **_ Range (in code):** **JP Hdo AF Nu Bkt LK ID Sum Ja TH** **Bionomy:** Larva on Castanopsis fissa (Fagaceae), Lespedeza bicolor (Fabaceae) (Scoble,1999).
- 42865. Hemithea melalopha L.B.Prout,1931** (Geometridae) **Synonym(s):** *melalopha* L.B.Prout,1931; *profecta* L.B.Prout,1935 **_ Range (in code):** **PH Luz IN Ass cMeg Khs**
- 42866. Hemithea neptunaria Holloway,1996** (Geometridae) **Synonym(s):** *neptunaria* Holloway,1996 **_ Range (in code):** **MY Bor Swk TH**
- 42867. Hemithea nigriparmata L.B.Prout,1935** (Geometridae) **Synonym(s):** *nigriparmata* L.B.Prout,1935 **_ Range (in code):** **ID Ja**

- 42868. *Hemithea notospila* L.B.Prout,1917** (Geometridae) **Synonym(s):** *notospila* L.B.Prout,1917
Range (in code): **MY Bor TH**
- 42869. *Hemithea ochralauta* (W.Warren,1894)** (Geometridae) **Synonym(s):** *ochralauta* W.Warren,1894
Range (in code): **BT TH**
- 42870. *Hemithea perfida* L.B.Prout,1935** (Geometridae) **Synonym(s):** *perfida* L.B.Prout,1935
Range (in code): **ID Ja**
- 42871. *Hemithea poseidonaria* Holloway,1996** (Geometridae) **Synonym(s):** *poseidonaria* Holloway,1996
Range (in code): **MY Bor Swk**
- 42872. *Hemithea tritonaria* (Walker,[1863])** (Geometridae) **Synonym(s):** *tritonaria* Walker,[1863]; *vivida* Inoue,1961
Range (in code): **JP CN HK TH CMa**
- 42873. *Hemithea undifera* (Walker,1861)** (Geometridae) **Synonym(s):** *undifera* Walker,1861
Range (in code): **MY Bor Swk**
- 42874. *Hemithea vesta* L.B.Prout,1935** (Geometridae) **Synonym(s):** *vesta* L.B.Prout,1935
Range (in code): **ID Ja**
- 42875. *Hemithea wuka* (Pagenstecher,1886)** (Geometridae) **Synonym(s):** *wuka* Pagenstecher,1886; *iosoma* Meyrick,1889; *graminea* Hampson,1891; *pictifimbria* W.Warren,1896; *isabella* L.B.Prout,1917; *mapsaurica* L.B.Prout,1933; *australis* L.B.Prout,1933; *doddi* L.B.Prout,1933; *vulcanensis* L.B.Prout,1933; *tranquilla* L.B.Prout,1935
Range (in code): **ID Kai Ja AU QAU Kda IN NI PG PMo SB Bsm Nlr Eca Fg Vu**
- 42876. *Herbulotia agitata* (Christoph,1881)** (Geometridae) **Synonym(s):** *agitata* Christoph,1881
Range (in code): **RU Am Us**
- 42877. *Herbulotides amphion* Viette,1971** (Geometridae) **Synonym(s):** *amphion* Viette,1971
Range (in code): **MG**
- 42878. *Herbulotides griveaudi* Viette,1975** (Geometridae) **Synonym(s):** *griveaudi* Viette,1975
Range (in code): **MG**
- 42879. *Herbulotides ino* Viette,1971** (Geometridae) **Synonym(s):** *ino* Viette,1971
Range (in code): **MG**
- 42880. *Herbulotides lymantrina* (Herbulot,1970)** (Geometridae) **Synonym(s):** *lymantrina* Herbulot,1970
Range (in code): **MG**
- 42881. *Herbulotides sao* Viette,1971** (Geometridae) **Synonym(s):** *sao* Viette,1971
Range (in code): **MG**
- 42882. *Herbulotides sao bongolava* Viette,1971** (Geometridae) **Synonym(s):** *bongolava* Viette,1971
Range (in code): **MG**
- 42883. *Herbulotina grandis* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *grandis* L.B.Prout,1914
Range (in code): **Cn**
- 42884. *Herbulotina grandis grandcanariae* (Pinker,1963)** (Geometridae) **Synonym(s):** *grandcanariae* Pinker,1963
Range (in code): **Cn**
- 42885. *Herbulotina grandis grandis* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *grandis* L.B.Prout,1914
Range (in code): **Cn**
- 42886. *Herbulotina grandis lapalmae* (Pinker,1963)** (Geometridae) **Synonym(s):** *lapalmae* Pinker,1963
Range (in code): **Cn**
- 42887. *Herbulotina maderae* Pinker,1971** (Geometridae) **Synonym(s):** *maderae* Pinker,1971
Range (in code): **Ma**
- 42888. *Herochroma aethalia* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *aethalia* L.B.Prout,1917
Range (in code): **ID Sum**
- 42889. *Herochroma baba* Swinhoe,1893** (Geometridae) **Synonym(s):** *baba* Swinhoe,1893
Original Reference: *Herochroma baba* Swinhoe,1893, Ann. Mag. nat. Hist. (6) 12: 148. Syntypes: [India], Khasia Hills (BMNH). **Range (in code):** **IN Ass Meg Khs CN Hbe Hun Kwa NP VN MY**
- 42890. *Herochroma baibarana* (Matsumura,1931)** (Geometridae) **Synonym(s):** *baibarana* Matsumura,1931; *orientalis* Holloway,1982
Range (in code): **TW CN IN LK MY ID**
- 42891. *Herochroma chloriscripta* Holloway,1996** (Geometridae) **Synonym(s):** *chloriscripta* Holloway,1996
Range (in code): **Bor MY Swk**
- 42892. *Herochroma crassipunctata* Alpheraky,1888** (Geometridae) **Synonym(s):** *crassipunctata* Alpheraky,1888
Range (in code): **CN Ui**
- 42893. *Herochroma cristata* (W.Warren,1894)** (Geometridae) **Synonym(s):** *cristata* W.Warren,1894; *subopalina* W.Warren,1894
Range (in code): **IN Ass Meg Khs BT SI ID Clb NI CN TW Hn Sz NP TH VN**

- 42894. *Herochroma cristata cristata* (W.Warren,1894)** (Geometridae) Synonym(s): *cristata* W.Warren,1894; *subopalina* W.Warren,1894 _ Range (in code): **IN Ass Meg Khs BT SI ID Clb**
- 42895. *Herochroma cristata subpoliata* (L.B.Prout,1916)** (Geometridae) Synonym(s): *subpoliata* L.B.Prout,1916 _ Range (in code): **IN NI**
- 42896. *Herochroma curvata* Han & Xue,2003** (Geometridae) Synonym(s): *curvata* Han & Xue,2003 _ Range (in code): **CN Hn**
- 42897. *Herochroma elaearia* (Hampson,1903)** (Geometridae) Synonym(s): *elaearia* Hampson,1903 _ Range (in code): **SI Ass Meg Khs IN**
- 42898. *Herochroma farinosa* (W.Warren,1893)** (Geometridae) Synonym(s): *farinosa* W.Warren,1893 _ Range (in code): **IN Lho AF Pag PK**
- 42899. *Herochroma flavibasalis* (W.Warren,1894)** (Geometridae) Synonym(s): *flavibasalis* W.Warren,1894; *bipunctata* Thierry-Mieg,1915 _ Range (in code): **TH Ntt Hba ID Ja MY Bor Sbh KBa**
- 42900. *Herochroma flavibasalis flavibasalis* (W.Warren,1894)** (Geometridae) Synonym(s): *flavibasalis* W.Warren,1894; *bipunctata* Thierry-Mieg,1915 _ Range (in code): **TH Ntt Hba ID Ja MY Bor Sbh KBa**
- 42901. *Herochroma flavitincta* (W.Warren,1897)** (Geometridae) Synonym(s): *flavitincta* W.Warren,1897 _ Range (in code): **IN Ass Meg Khs**
- 42902. *Herochroma hemiticheres* (L.B.Prout,1935)** (Geometridae) Synonym(s): *hemiticheres* L.B.Prout,1935 _ Range (in code): **IN Ja**
- 42903. *Herochroma holelaica* (L.B.Prout,1935)** (Geometridae) Synonym(s): *holelaica* L.B.Prout,1935 _ Range (in code): **IN Ja**
- 42904. *Herochroma liliana* (Swinhoe,1892)** (Geometridae) Synonym(s): *liliana* Swinhoe,1892 _ Range (in code): **IN Ass Meg Khs**
- 42905. *Herochroma mansfieldi* (L.B.Prout,1939)** (Geometridae) Synonym(s): *mansfieldi* L.B.Prout,1939 _ Range (in code): **CN Yu**
- 42906. *Herochroma nigrescentipalpis* (L.B.Prout,1916)** (Geometridae) Synonym(s): *nigrescentipalpis* L.B.Prout,1916 _ Range (in code): **ID Clb**
- 42907. *Herochroma ochreipicta* (Swinhoe,1905)** (Geometridae) Synonym(s): *ochreipicta* Swinhoe,1905 _ Range (in code): **IN Ass Khs TW CN Fkn Yu NP VN**
- 42908. *Herochroma ochreipicta montana* (Bastelberger,1911)** (Geometridae) Synonym(s): *montana* Bastelberger,1911 _ Range (in code): **TW**
- 42909. *Herochroma ochreipicta ochreipicta* (Swinhoe,1905)** (Geometridae) Synonym(s): *ochreipicta* Swinhoe,1905 _ Range (in code): **IN Meg Khs Ass**
- 42910. *Herochroma orientalis* (Holloway,1982)** (Geometridae) Synonym(s): *orientalis* Holloway,1982 _ Range (in code): **MY Bor Sbh KBa TH**
- 42911. *Herochroma pallensia* Han & Xue,2003** (Geometridae) Synonym(s): *pallensia* Han & Xue,2003v _ Range (in code): **CN Hun Fkn**
- 42912. *Herochroma peperata* (Herbulot,1989)** (Geometridae) Synonym(s): *peperata* Herbulot,1989 _ Range (in code): **MY Cmh**
- 42913. *Herochroma perspicillata* Han & Xue,2003** (Geometridae) Synonym(s): *perspicillata* Han & Xue,2003 _ Range (in code): **CN Yu**
- 42914. *Herochroma rosulata* Han & Xue,2003** (Geometridae) Synonym(s): *rosulata* Han & Xue,2003 _ Range (in code): **CN Hn**
- 42915. *Herochroma scoblei* (Inoue,1992)** (Geometridae) Synonym(s): *scoblei* Inoue,1992 _ Range (in code): **ID Clb**
- 42916. *Herochroma serratalva* (Holloway,1982)** (Geometridae) Synonym(s): *serratalva* Holloway,1982 _ Range (in code): **MY**
- 42917. *Herochroma sinapiaria* (Poujade,1895)** (Geometridae) Synonym(s): *sinapiaria* Poujade,1895 _ Range (in code): **CN Hun Ti Sz Yu**
- 42918. *Herochroma sordida* (Wehrli,1928)** (Geometridae) Synonym(s): *sordida* Wehrli,1928 _ Range (in code): **CN Ui Yk M-A**
- 42919. *Herochroma subtepes* (Walker,1860)** (Geometridae) Synonym(s): *subtepes* Walker,1860; *formosicola* Matsumura,1931 _ Range (in code): **TW MY Bor Swk TH**
- 42920. *Herochroma subviridaria* (Yazaki,1994)** (Geometridae) Synonym(s): *subviridaria* Yazaki,1994 _ Range (in code): **NP**
- 42921. *Herochroma thaiensis* (Inoue,1992)** (Geometridae) Synonym(s): *thaiensis* Inoue,1992
Original Reference: *Archaeobalbis flavibasalis* ssp. *thaiensis* Inoue,1992, Bull. Fac. domest. Sci.

- Otsuma Wom. Univ. 28: 156, fig.13. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH).
Range (in code): TH CMa Dst
- 42922. *Herochroma urapteraria* (Walker,1860)** (Geometridae) Synonym(s): *urapteraria* Walker,1860 Range (in code): ID Ja MY Bor Swk
- 42923. *Herochroma urapteraria eudicheres* (L.B.Prout,1916)** (Geometridae) Synonym(s): *eudicheres* L.B.Prout,1916 Range (in code): ID Ja
- 42924. *Herochroma urapteraria urapteraria* (Walker,1860)** (Geometridae) Synonym(s): *urapteraria* Walker,1860 Range (in code): MY Bor Swk
- 42925. *Herochroma usneata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *usneata* R.Felder & Rogenhofer,1875; *hypoglaucia* Hampson,1895. Range (in code): CN IN Hp Dlh
- 42926. *Herochroma viridaria* (Moore,1868)** (Geometridae) Synonym(s): *viridaria* Moore,1868; *subochracea* W.Warren,1894 Range (in code): IN Ass Meg Khs Ben MY CN Fkn Hn Sz TH VN NP
- 42927. *Herochroma xuthopletes* (L.B.Prout,1934)** (Geometridae) Synonym(s): *xuthopletes* L.B.Prout,1934 Range (in code): ID Sum
- 42928. *Herochroma yazakii* Inoue,1999** (Geometridae) Synonym(s): *yazakii* Inoue,1999 Range (in code): NP CN Sz Yu IN TH
- 42929. *Heteralex aspersa* W.Warren,1894** (Geometridae) Synonym(s): *aspersa* W.Warren,1894 Range (in code): MY Prk TW CN Hn
- 42930. *Heteralex aspersa aspersa* W.Warren,1894** (Geometridae) Synonym(s): *aspersa* W.Warren,1894 Range (in code): MY Prk
- 42931. *Heteralex aspersa formosana* (Matsumura,1911)** (Geometridae) Synonym(s): *formosana* Matsumura,1911; *albescens* L.B.Prout,1916 Range (in code): TW CN Hn
- 42932. *Heteralex rectilineata* (Guenée,[1858])** (Geometridae) Synonym(s): *rectilineata* Guenée,[1858]; *microneata* Walker,1862; *rarata* Walker,[1863]; *aspilatataria* Pagenstecher,1890 Original Reference: *Idiodes aspilataria* Pagenstecher,1890, Dt. ent. Z., Iris 3: 25. Type 1 ex: [Philippines]: Palawan. Range (in code): TH Ntt Hba MY Bor Swk PH Pal
- 42933. *Heteralex unilinea* (Swinhoe,1902)** (Geometridae) Synonym(s): *unilinea* Swinhoe,1902 Range (in code): CN HK
- 42934. *Heterobapta ejana* Wiltshire,1961** (Geometridae) Synonym(s): *ejana* Wiltshire,1961 Range (in code): AF Slg
- 42935. *Heterobapta plumellata* Wiltshire,1943** (Geometridae) Synonym(s): *plumellata* Wiltshire,1943 Original Reference: *Heterobapta plumellata* Wiltshire,1943, J. Bombay nat. Hist. Soc. 44: 249, figs. 4,5,11. Holotype: Iran, Fars, Pir-i-Zan. Range (in code): IR Fa Sse
- 42936. *Heterobapta tadzhikistanica* Viidalepp,1988** (Geometridae) Synonym(s): *tadzhikistanica* Viidalepp,1988 Range (in code): TJ
- 42937. *Heteroculpinia pasargades* (Brandt,1938)** (Geometridae) Synonym(s): *pasargades* Brandt,1938 Range (in code): IR Fa Sse Com Kz
- 42938. *Heteroculpinia prouti* (Brandt,1938)** (Geometridae) Synonym(s): *prouti* Brandt,1938 Range (in code): IR Fa Shr Sse Com Kz
- 42939. *Heterolocha arizana* Wileman,1910** (Geometridae) Synonym(s): *arizana* Wileman,1910 Range (in code): TW
- 42940. *Heterolocha atrivalva* Wehrli,1937** (Geometridae) Synonym(s): *atrivalva* Wehrli,1937 Range (in code): CN Hun
- 42941. *Heterolocha biplagiata* Bastelberger,1909** (Geometridae) Synonym(s): *biplagiata* Bastelberger,1909 Range (in code): TW
- 42942. *Heterolocha cinerea* (W.Warren,1896)** (Geometridae) Synonym(s): *cinerea* W.Warren,1896 Range (in code): IN Meg Ass Slo
- 42943. *Heterolocha declinata* L.B.Prout,1928** (Geometridae) Synonym(s): *declinata* L.B.Prout,1928 Range (in code): ID Sum
- 42944. *Heterolocha decoloraria* Hampson,1902** (Geometridae) Synonym(s): *decoloraria* Hampson,1902 Range (in code): Ch
- 42945. *Heterolocha disistaria* (Walker,1862)** (Geometridae) Synonym(s): *disistaria* Walker,1862 Range (in code): IN
- 42946. *Heterolocha falconaria* (Walker,1866)** (Geometridae) Synonym(s): *falconaria* Walker,1866 Range (in code): IN
- 42947. *Heterolocha hypoleuca* (Hampson,1907)** (Geometridae) Synonym(s): *hypoleuca* Hampson,1907 Range (in code): IN Tn Pln

- 42948. *Heterolocha laminaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *laminaria* Herrich-Schäffer,[1852] **Range (in code):** **TR Cc AM RU Am CN Tk IR**
- 42949. *Heterolocha lilacina* (Bastelberger,1909)** (Geometridae) **Synonym(s):** *lilacina* Bastelberger,1909 **Range (in code):** **TW**
- 42950. *Heterolocha lonicerae* L.B.Prout,1926** (Geometridae) **Synonym(s):** *lonicerae* L.B.Prout,1926 **Range (in code):** **IN Meg Slo Ass**
- 42951. *Heterolocha marginata* Wileman,1910** (Geometridae) **Synonym(s):** *marginata* Wileman,1910 **Range (in code):** **TW**
- 42952. *Heterolocha notata* Leech,1897** (Geometridae) **Synonym(s):** *notata* Leech,1897 **Range (in code):** **CN**
- 42953. *Heterolocha obliquaria* Hampson,1902** (Geometridae) **Synonym(s):** *obliquaria* Hampson,1902 **Range (in code):** **Ch**
- 42954. *Heterolocha patalata* R.Felder & Rogenhofer,1875** (Geometridae) **Synonym(s):** *patalata* R.Felder & Rogenhofer,1875; *varians* Swinhoe,1891 **Range (in code):** **IN Ass Meg Khs**
- 42955. *Heterolocha phaeocelis* Wehrli,1937** (Geometridae) **Synonym(s):** *phaeocelis* Wehrli,1937 **Range (in code):** **CN Ti NP**
- 42956. *Heterolocha phoenicotaeniata* (Kollar,[1844])** (Geometridae) **Synonym(s):** *phoenicotaeniata* Kollar,[1844] **Original Reference:** *Aspilates phoenico-taeniata* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 487. Type: Kaschmir. **Range (in code):** **Ch PK Haz Mre K-P Thu Nar**
- 42957. *Heterolocha polymorpha* West,1929** (Geometridae) **Synonym(s):** *polymorpha* West,1929 **Range (in code):** **PH Luz**
- 42958. *Heterolocha polymorphoides* Holloway,[1994]** (Geometridae) **Synonym(s):** *polymorphoides* Holloway,[1994] **Range (in code):** **MY Bor Sbh KBa TH**
- 42959. *Heterolocha pyreniata* (Walker,1866)** (Geometridae) **Synonym(s):** *pyreniata* Walker,1866 **Range (in code):** **MY SG**
- 42960. *Heterolocha rosearia* Leech,1897** (Geometridae) **Synonym(s):** *rosearia* Leech,1897 **Range (in code):** **CN**
- 42961. *Heterolocha rubrifusa* Hampson,1902** (Geometridae) **Synonym(s):** *rubrifusa* Hampson,1902 **Range (in code):** **CN Ti Yt**
- 42962. *Heterolocha sabulosa* (Bastelberger,1909)** (Geometridae) **Synonym(s):** *sabulosa* Bastelberger,1909 **Range (in code):** **TW**
- 42963. *Heterolocha subroseata* W.Warren,1894** (Geometridae) **Synonym(s):** *subroseata* W.Warren,1894 **Range (in code):** **JP**
- 42964. *Heterolocha symmetrica* Djakonov,1936** (Geometridae) **Synonym(s):** *symmetrica* Djakonov,1936 **Range (in code):** **CN Gn**
- 42965. *Heterolocha taiwana* Wileman,1910** (Geometridae) **Synonym(s):** *taiwana* Wileman,1910 **Range (in code):** **TW**
- 42966. *Heterorachis despoliata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *despoliata* L.B.Prout,1916 **Range (in code):** **ZA ZA11 Nta Kzu Tva Gau Pre Kkf Rie Nha** **Bionomy:** Larva on *Cathium mundianum* (Rubiaceae) (Staude,1999).
- 42967. *Heterorachis devocata* (Walker,1861)** (Geometridae) **Synonym(s):** *devocata* Walker,1861 **Range (in code):** **ZA Etm ZA05 ZA18 Ec ZA25 ZA27 Nta Kzu ZA07 Ksi ZA12 Mal Tva Lpo Spb Mdk ZA16 Mpu ZA21 Ggh Fs Dbn Umk Esw Nkw Srn Brb Rie Pil Jh Mpu Gau**
- 42968. *Heterorachis devocata mozambica* L.B.Prout,1928** (Geometridae) **Synonym(s):** *mozambica* L.B.Prout,1928 **Range (in code):** **ZA ZA07 Ksi Kzu Nta** **Bionomy:** Larva on *Pygmaeothamnus zeyheri* (Rubiaceae) (Staude,1999).
- 42969. *Heterorachis devocata roseifimbria* L.B.Prout,1930** (Geometridae) **Synonym(s):** *roseifimbria* L.B.Prout,1930 **Range (in code):** **ZA ZA12 Kzu Mal Tva Lpo Spb Mdk ZA16 Mpu ZA21 Ggh Fs** **Bionomy:** Larva on *Pygmaeothamnus zeyheri* (Rubiaceae) (Staude,1999).
- 42970. *Heterorachis disconotata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *disconotata* L.B.Prout,1916 **Range (in code):** **ZA ZA25 Nta Kzu Umk Dbn Tva Mpu Brb**
- 42971. *Heterorachis fuscoterminata* L.B.Prout,1915** (Geometridae) **Synonym(s):** *fuscoterminata* L.B.Prout,1915 **Range (in code):** **ZA Nta Kzu**
- 42972. *Heterorachis fuscoterminata* L.B.Prout,1915** (Geometridae) **Synonym(s):** *fuscoterminata* L.B.Prout,1915 **Range (in code):** **ZA Nta Kzu Dbn**
- 42973. *Heterorachis gloriola* Thierry-Mieg,1915** (Geometridae) **Synonym(s):** *gloriola* Thierry-Mieg,1915 **Range (in code):** **MZ Del**

- 42974. Heterorachis haploa (L.B.Prout,1912)** (Geometridae) **Synonym(s):** *simplex* W.Warren,1902 (*praeocc.*); *haploa* L.B.Prout,1912 **Range (in code):** **ZW Swm Vf MW KE**
- 42975. Heterorachis insolens (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *insolens* L.B.Prout,1917 **Range (in code):** **ZW Vf Hfo**
- 42976. Heterorachis perviridis L.B.Prout,1912** (Geometridae) **Synonym(s):** *perviridis* L.B.Prout,1912 **Range (in code):** **ZA Ksi ZA11 Nta Kzu Tva Gau Pre Lpo Spb Ltr** **Bionomy:** Larva on *Cathium mundianum* (Rubiaceae) (Staudé,1999).
- 42977. Heterorachis platti Janse,1935** (Geometridae) **Synonym(s):** *platti* Janse,1935 **Range (in code):** **ZA Nta Kzu Dbn**
- 42978. Heterorachis prouti Bethune-Baker,1913** (Geometridae) **Synonym(s):** *prouti* Bethune-Baker,1913 **Range (in code):** **ZA Tva Lpo Tz ZW Swm Vf AO SD CI KE**
- 42979. Heterorachis simplicissima (L.B.Prout,1912)** (Geometridae) **Synonym(s):** *simplicissima* L.B.Prout,1912 **Range (in code):** **ZA Tva Gau Pre ZA11 ZA13 Nta Kzu ZA14 Mpu**
- 42980. Heterostegane amputata Herbulot,1993** (Geometridae) **Synonym(s):** *amputata* Herbulot,1993 **Range (in code):** **CM**
- 42981. Heterostegane arcuata (West,1929)** (Geometridae) **Synonym(s):** *arcuata* West,1929 **Range (in code):** **PH Luz**
- 42982. Heterostegane aurantiaca W.Warren,1894** (Geometridae) **Synonym(s):** *aurantiaca* W.Warren,1894 **Range (in code):** **IN Meg Ass Khs**
- 42983. Heterostegane auranticollis L.B.Prout,1922** (Geometridae) **Synonym(s):** *auranticollis* L.B.Prout,1922 **Range (in code):** **ZA ZA17 Tva Lpo**
- 42984. Heterostegane bifasciata (W.Warren,1914)** (Geometridae) **Synonym(s):** *bifasciata* W.Warren,1914 **Range (in code):** **ZA Tva ZA14 Mpu Brb**
- 42985. Heterostegane bilineata (Butler,1883)** (Geometridae) **Synonym(s):** *bilineata* Butler,1883 **Range (in code):** **IN**
- 42986. Heterostegane boghensis Wiltshire,1985** (Geometridae) **Synonym(s):** *boghensis* Wiltshire,1985 **Range (in code):** **MR**
- 42987. Heterostegane circumrubrata (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *circumrubrata* L.B.Prout,1926 **Range (in code):** **MG**
- 42988. Heterostegane contessellata (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *contessellata* L.B.Prout,1926 **Original Reference:** *Lomographa contessellata* L.B.Prout,1926, Novit. zool. 33: 32. Holotype ♀: Malaysia: Borneo: Penungah (BMNH). **Range (in code):** **MY Bor TH Ntt Hba**
- 42989. Heterostegane elephantina Herbulot,1992** (Geometridae) **Synonym(s):** *elephantina* Herbulot,1992 **Range (in code):** **KE**
- 42990. Heterostegane felix (Herbulot,1974)** (Geometridae) **Synonym(s):** *felix* Herbulot,1974 **Range (in code):** **CI**
- 42991. Heterostegane flavata (W.Warren,1905)** (Geometridae) **Synonym(s):** *flavata* W.Warren,1905 **Range (in code):** **NG**
- 42992. Heterostegane hoenei (Wehrli,1925)** (Geometridae) **Synonym(s):** *hoenei* Wehrli,1925 **Range (in code):** **CN**
- 42993. Heterostegane hyriaria W.Warren,1894** (Geometridae) **Synonym(s):** *hyriaria* W.Warren,1894; *irroraria* Leech,1897 **Range (in code):** **JP** **Bionomy:** Larva on *Prunus yedoensis* (Rosaceae) (Scoble,1999).
- 42994. Heterostegane incognita L.B.Prout,1915** (Geometridae) **Synonym(s):** *incognita* L.B.Prout,1915 **Range (in code):** **MG**
- 42995. Heterostegane infusca (Herbulot,1973)** (Geometridae) **Synonym(s):** *infusca* Herbulot,1973 **Range (in code):** **CM**
- 42996. Heterostegane insulata W.Warren,1898** (Geometridae) **Synonym(s):** *insulata* W.Warren,1898; *kuehni* W.Warren,1902; *galinaria* Swinhoe,1902; *deludens* W.Warren,1907; *retessellata* West,1929 **Range (in code):** **ID Ja Kai MY Bor Clb Crm PG Ij Tnm PH Mno**
- 42997. Heterostegane lala (Swinhoe,1892)** (Geometridae) **Synonym(s):** *lala* Swinhoe,1892 **Range (in code):** **IN Ass Meg Khs**
- 42998. Heterostegane luteorubens (Mabille,1900)** (Geometridae) **Synonym(s):** *luteorubens* Mabille,1900; *vetula* L.B.Prout,1916 **Range (in code):** **MG**
- 42999. Heterostegane maculifascia (Hampson,1891)** (Geometridae) **Synonym(s):** *maculifascia* Hampson,1891 **Range (in code):** **IN NI**

- 43000. Heterostegane maxima (Herbulot,1957)** (Geometridae) Synonym(s): *maxima*
Herbulot,1957 _ Range (in code): MG
- 43001. Heterostegane mediosecta Herbulot,1993** (Geometridae) Synonym(s): *mediosecta*
Herbulot,1993 _ Range (in code): RW
- 43002. Heterostegane minax (L.B.Prout,1931)** (Geometridae) Synonym(s): *minax*
L.B.Prout,1931 _ Range (in code): CN Sz
- 43003. Heterostegane minuscula Herbulot,1995** (Geometridae) Synonym(s): *minuscula*
Herbulot,1995 _ Range (in code): CG
- 43004. Heterostegane minutissima (Swinhoe,1904)** (Geometridae) Synonym(s): *minutissima*
Swinhoe,1904; sennarensis Rebel,1917 _ Range (in code): SD KE
- 43005. Heterostegane monilifera L.B.Prout,1915** (Geometridae) Synonym(s): *monilifera*
L.B.Prout,1915 _ Range (in code): GH
- 43006. Heterostegane nyassa Herbulot,1993** (Geometridae) Synonym(s): *nyassa* *Herbulot,1993*
Range (in code): MW
- 43007. Heterostegane pachyspila (D.S.Fletcher,1958)** (Geometridae) Synonym(s): *pachyspila* *D.S.Fletcher,1958* _ Range (in code): AO
- 43008. Heterostegane pleniotata W.Warren,1901** (Geometridae) Synonym(s): *pleniotata*
W.Warren,1901 _ Range (in code): SL
- 43009. Heterostegane pulchra Hausmann,1999** (Geometridae) Synonym(s): *pulchra*
Hausmann,1999 _ Range (in code): YE YE30 YE33 Sna
- 43010. Heterostegane rectifascia Hampson,1893** (Geometridae) Synonym(s): *rectifascia*
Hampson,1893 _ Range (in code): LK
- 43011. Heterostegane rectistriga L.B.Prout,1917** (Geometridae) Synonym(s): *rectistriga*
L.B.Prout,1917 _ Range (in code): ZA Tva Gau Pre
- 43012. Heterostegane robinsoni (Herbulot,1957)** (Geometridae) Synonym(s): *robinsoni*
Herbulot,1957 _ Range (in code): MG
- 43013. Heterostegane ruberata (Mabille,1900)** (Geometridae) Synonym(s): *ruberata*
Mabille,1900; synclides L.B.Prout,1932 _ Range (in code): MG
- 43014. Heterostegane sennarensis (Rebel,1917)** (Geometridae) Synonym(s): *sennarensis*
Rebel,1917; serrata D.S.Fletcher,1958 _ Range (in code): ET ET87 Hrr SD YE YE33 Sna
- 43015. Heterostegane subfasciata W.Warren,1899** (Geometridae) Synonym(s): *subfasciata*
W.Warren,1899 _ Range (in code): MY Bor
- 43016. Heterostegane subtessellata (Walker,[1863])** (Geometridae) Synonym(s): *subtessellata* *Walker,[1863]; quadrilineata Snellen,1886* _ Range (in code): TH CMa CDo CD2 IN ID Sum
Bionomy: Larva on Acacia catechu, Mimosa rubicaulis (Fabaceae) (Scoble,1999).
- 43017. Heterostegane tenebrimedia (L.B.Prout,1926)** (Geometridae) Synonym(s): *tenebrimedia* *L.B.Prout,1926* _ Range (in code): MM
- 43018. Heterostegane thibetaria Wehrli,1931** (Geometridae) Synonym(s): *thibetaria*
Wehrli,1931 _ Range (in code): CN Ti
- 43019. Heterostegane thieli Herbulot,1995** (Geometridae) Synonym(s): *thieli* *Herbulot,1995*
Range (in code): MG
- 43020. Heterostegane tritocampis classeyi Holloway,[1994]** (Geometridae) Synonym(s): *classeyi* *Holloway,[1994]* _ Range (in code): MY Bor Swk
- 43021. Heterostegane tritocampis macrographa (Debauche,1941)** (Geometridae)
Synonym(s): *macrographa* *Debauche,1941* _ Range (in code): ID Clb
- 43022. Heterostegane tritocampsis (L.B.Prout,1934)** (Geometridae) Synonym(s): *tritocampsis* *L.B.Prout,1934* _ Range (in code): LK IN Ass Meg Khs TH MY Bor Swk ID Clb PH
- 43023. Heterostegane urbica (Swinhoe,1885)** (Geometridae) Synonym(s): *urbica* *Swinhoe,1885*
Original Reference: *Asthena urbica* *Swinhoe,1885, Proc. zool. Soc. Lond. 1885: 859.* Range (in code): LK MM IN Bba TH MY Bor Sbh ID Sum
- 43024. Heterostegane urbica guichardi Holloway,[1994]** (Geometridae) Synonym(s): *guichardi* *Holloway,[1994]* _ Range (in code): MY Bor Sbh
- 43025. Heterostegane warreni (L.B.Prout,1932)** (Geometridae) Synonym(s): *quadrilineata*
W.Warren,1894 nec Snn.,1886; warreni L.B.Prout,1932 _ Range (in code): MY Bor TH CMa Cnz Cz10
- 43026. Heterostegania lunulosa (Moore,1888)** (Geometridae) Synonym(s): *lunulosa*
Moore,1888; nigrofusa W.Warren,1893 _ Range (in code): IN SI

- 43027. *Heterostegania thamia* L.B.Prout,1926** (Geometridae) Synonym(s): *thamia* L.B.Prout,1926 Original Reference: *Heterostegania thamia* L.B.Prout,1926, J. Bombay nat. Hist. Soc. 31 (3): 788, pl.1 fig.10. Syntypes: [Myanmar]: Burma, Htawgaw (BMNH). Range (in code): **MM Hta TH**
- 43028. *Heterothera comitabilis* (L.B.Prout,1923)** (Geometridae) Synonym(s): *comitabilis* L.B.Prout,1923 Range (in code): **IN SI**
- 43029. *Heterothera consimilis* (W.Warren,1888)** (Geometridae) Synonym(s): *consimilis* W.Warren,1888 Original Reference: *Thera consimilis* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 326. Syntypes 5♂ 1♀: [Pakistan]: Thundiani and Nandar. Range (in code): **IN Pj PK Thu Alp Swa Sgl Mdy Yek** Bionomy: Larva on *Cedrus deodara* (Pinaceae) (Scoble,1999).
- 43030. *Heterothera dentifasciata* (Hampson,1895)** (Geometridae) Synonym(s): *dentifasciata* Hampson,1895; #*dentifascia* L.B.Prout,1914 Range (in code): **PK Haz Mre IN Hp Dlh**
- 43031. *Heterothera etes* (L.B.Prout,1926)** (Geometridae) Synonym(s): *etes* L.B.Prout,1926 Range (in code): **IN Ass Slo**
- 43032. *Heterothera incerta* (Inoue,1986)** (Geometridae) Synonym(s): *incerta* Inoue,1986 Range (in code): **TW**
- 43033. *Heterothera postalbida* (Wileman,1911)** (Geometridae) Synonym(s): *postalbida* Wileman,1911 Range (in code): **JP KP KR**
- 43034. *Heterothera quadrifulta* (L.B.Prout,1938)** (Geometridae) Synonym(s): *quadrifulta* L.B.Prout,1938 Range (in code): **JP**
- 43035. *Heterothera serraria* (Lienig,1846)** (Geometridae) Synonym(s): *serraria* Lienig,1846; *lienigiaria* Lederer,1853 Range (in code): **RU**
- 43036. *Heterothera serrataria* (L.B.Prout,1914)** (Geometridae) Synonym(s): *serrataria* L.B.Prout,1914 Range (in code): **RU Us**
- 43037. *Heterothera sororcula* (Bastelberger,1909)** (Geometridae) Synonym(s): *sororcula* Bastelberger,1909 Range (in code): **TW**
- 43038. *Heterothera taigana* (Djakonov,1926)** (Geometridae) Synonym(s): *taigana* Djakonov,1926 Range (in code): **RU Sb JP Hkk**
- 43039. *Heterothera tephroptilus* (D.S.Fletcher,1961)** (Geometridae) Synonym(s): *tephroptilus* D.S.Fletcher,1961 Range (in code): **NP**
- 43040. *Heterothera undulata* (W.Warren,1888)** (Geometridae) Synonym(s): *undulata* W.Warren,1888 Original Reference: *Ypsiletes undulata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 326. Syntypes 3♂ 1♀: [Pakistan]: Thundiani. Range (in code): **PK Pj Thu**
- 43041. *Hierochthonia alexandraria* L.B.Prout,1912** (Geometridae) Synonym(s): *alexandraria* L.B.Prout,1912 Original Reference: *Hierochthonia* ? *alexandraria* L.B.Prout,1912, [in] Wytsman, Genera Insect. 129: 205, pl.5 fig.7. Holotype ♀: [Kirgizistan]: Alexander Mountains. Range (in code): **KK Ax**
- 43042. *Hierochthonia debonii* C.G.Krüger,1939** (Geometridae) Synonym(s): *debonii* C.G.Krüger,1939 Original Reference: *Hierochthonia debonii* Krüger,1939, Ann. Mus. libico Stor. nat. 1: 352, pl. 16 figs. 109, 110. Holotype ♂: [Libya]: West Sirtica. Range (in code): **LY**
- 43043. *Hierochthonia featheri* L.B.Prout,1916** (Geometridae) Synonym(s): *featheri* L.B.Prout,1916 Range (in code): **SO**
- 43044. *Hierochthonia migrata* L.B.Prout,1930** (Geometridae) Synonym(s): *migrata* L.B.Prout,1930 Range (in code): **KE**
- 43045. *Hierochthonia pulverata* (W.Warren,1901)** (Geometridae) Synonym(s): *pulverata* W.Warren,1901. Original Reference: *Microloxia pulverata* W.Warren,1901, Novit. zool. 8: 193. Syntypes 2♂: [Lebanon]: Syria: Beirut (BMNH). Range (in code): **LB Bei Bsa IL Pa TR**
- 43046. *Hierochthonia semitaria* (Püngeler,1902)** (Geometridae) Synonym(s): *semitaria* Püngeler,1902 Original Reference: *Eucrostes semitaria* Püngeler,1902, Dt. ent. Z., Iris 14: 333. Syntypes ♂♀: Palestine (MNHU). Range (in code): **IL Pa Js Car JO**
- 43047. *Hirasa austeraria* (Leech,1897)** (Geometridae) Synonym(s): *austeraria* Leech,1897; *grisea* Sterneck,1928 Range (in code): **CN Sz T-T MY SG**
- 43048. *Hirasa contubernalis* Moore,1888** (Geometridae) Synonym(s): *contubernalis* Moore,1888; *deminuta* Sterneck,1928 Range (in code): **IN Meg Ass Khs Slo CN Sz T-T MY SG**
- 43049. *Hirasa pauperodes* Wehrli,1953** (Geometridae) Synonym(s): *pauperodes* Wehrli,1953 Range (in code): **CN Yu**

- 43050. Hirasa plagiochorda** L.B.Prout,1927 (Geometridae) Synonym(s): *plagiochorda* L.B.Prout,1927 Range (in code): **MM**
- 43051. Hirasa vitreata** (Moore,1868) (Geometridae) Synonym(s): *vitreata* Moore,1868 Original Reference: Scotosia vitreata Moore,1868, Proc. zool. Soc. Lond. 1867: 656. Range (in code): **PK K-P**
- 43052. Holarctias rufinaria** (Staudinger,1861) (Geometridae) Synonym(s): *rufinaria* Staudinger,1861 Range (in code): **RU MD UA BY**
- 43053. Holoterpna diagrapharia** Püngeler,1900 (Geometridae) Synonym(s): *diagrapharia* Püngeler,1900 Original Reference: Holoterpna diagrapharia Püngeler,1900, Dt. ent. Z., Iris 12: 296, pl.9 fig.14. Type: [Turkmenistan]: Ashkhabad. Range (in code): **TM Kp IR Kh Msh**
- 43054. Holoterpna errata** L.B.Prout,1917 (Geometridae) Synonym(s): *errata* L.B.Prout,1917 Range (in code): **ZW Swm BW ZA Tva ZA22 Lpo Gau Pre**
- 43055. Holoterpna errata errata** L.B.Prout,1917 (Geometridae) Synonym(s): *errata* L.B.Prout,1917 Range (in code): **ZW ZA Tva ZA22 Lpo**
- 43056. Holoterpna errata segnis** L.B.Prout,1930 (Geometridae) Synonym(s): *segnis* L.B.Prout,1930 Range (in code): **ZW**
- 43057. Holoterpna pruinosa** (Staudinger,1898) (Geometridae) Synonym(s): *pruinosa* Staudinger,1898 Original Reference: Eucrostis pruinosa Staudinger,1898, Dt. ent. Z., Iris 10: 303. Lectotype ♂: [Israel]: Jerusalem (MNHU). Range (in code): **IT TR SS MK LB Bsa IL Js Pa** Bionomy: Larva on Ferulago galbanifera (Prout,1935).
- 43058. Horisme aemulata** (Hübner,[1813]) (Geometridae) Synonym(s): *aemulata* Hübner,[1813] Range (in code): **ES FR IT DE CH AT PL SK RO YU SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Clematis vitalba (Blaschke,1914; Meyer,1919).
- 43059. Horisme aquata** (Hübner,[1813]) (Geometridae) Synonym(s): *aquata* Hübner,[1813] Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK RO DK SE LV LT RU MD UA BY CN Ui Ga Ur At Sb Am** Bionomy: Larva on Anemone ranunculoides, Clematis vitalba, Pulsatilla (Meyer,1919).
- 43060. Horisme calligraphata** (Herrich-Schäffer,1839) (Geometridae) Synonym(s): *calligraphata* Herrich-Schäffer,1839 Range (in code): **ES FR IT DE CH AT RO YU AL BG GR Cc AZ RU UA Cm TR** Bionomy: Larva on Thalictrum foetidum (Meyer,1919).
- 43061. Horisme corticata** (Treitschke,1835) (Geometridae) Synonym(s): *corticata* Treitschke,1835 Range (in code): **Si IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK RU MD UA BY** Bionomy: Larva on Clematis vitalba (Meyer,1919).
- 43062. Horisme corticata pfeifferi** Wehrli,1931 (Geometridae) Synonym(s): *pfeifferi* Wehrli,1931 Original Reference: Horisme corticata ssp. pfeifferi Wehrli,1931, Mitt. münch. ent. Ges. 21: 43-44. Syntypes >100♂♀: [Türkei]: Marasch, 600-1000m (ZSM). Range (in code): **TR**
- 43063. Horisme exoletata** (Herrich-Schäffer,1838) (Geometridae) Synonym(s): *exoletata* Herrich-Schäffer,1838 Range (in code): **Si MT**
- 43064. Horisme filia** L.B.Prout,1913 (Geometridae) Synonym(s): *filia* L.B.Prout,1913 Range (in code): **ZA Nta Kzu Dbn**
- 43065. Horisme grisearia** Holloway,1979 (Geometridae) Synonym(s): *grisearia* Holloway,1979 Range (in code): **NC**
- 43066. Horisme intricata** (Staudinger,1882) (Geometridae) Synonym(s): *intricata* Staudinger,1882 Range (in code): **KG Ssn**
- 43067. Horisme jansei** D.S.Fletcher,1956 (Geometridae) Synonym(s): *jansei* D.S.Fletcher,1956 Range (in code): **ZA Ec Tra**
- 43068. Horisme laurinata** Schawerda,1919 (Geometridae) Synonym(s): *laurinata* Schawerda,1919 Range (in code): **ES FR CH IT DE AT HU RO BG Co Si**
- 43069. Horisme milvaria** (Christoph,1893) (Geometridae) Synonym(s): *milvaria* Christoph,1893 Original Reference: Cidaria milvaria Christoph,1893, Dt. ent. Z., Iris 6: 95-96. Syntypes ♂♀: [Azerbaidjan]: "Ordubad". Range (in code): **Cc AZ Nv Ord**
- 43070. Horisme minuata** (Walker,1860) (Geometridae) Synonym(s): *minuata* Walker,1860; *emarginata* Walker,1863; *brunniceps* R.Felder & Rogenhofer,1875 Range (in code): **ZA Tva ZA12 ZA13 Kzu Nta ZA14 ZA20 Mpu**
- 43071. Horisme nigrovittata** (W.Warren,1888) (Geometridae) Synonym(s): *nigrovittata* W.Warren,1888; *nigripunctata* W.Warren,1888 Original Reference: Phibalapteryx nigrovittata W.Warren,1888, Proc. zool. Soc. Lond. 1888: 327-328. Syntypes 2♀: [Pakistan]: Thundiani, August 17 1886. Range (in code): **PK Thu**

- 43072. Horisme obscurata L.B.Prout,1913** (Geometridae) Synonym(s): *obscurata* L.B.Prout,1913
Range (in code): **ZA ZA12 ZA13 Nta Kzu Tva Lpo Spb Bbg Mpu Brb Gau Pre Tra Ec AO**
- 43073. Horisme pallidimacula L.B.Prout,1925** (Geometridae) Synonym(s): *pallidimacula* L.B.Prout,1925
Range (in code): **ZA Mal Tva Lpo**
- 43074. Horisme predotai Bytinski-Salz,1937** (Geometridae) Synonym(s): *predotai* Bytinski-Salz,1937
Range (in code): **Sa**
- 43075. Horisme punctiscripta (L.B.Prout,1917)** (Geometridae) Synonym(s): *punctiscripta* L.B.Prout,1917
Range (in code): **ZA**
- 43076. Horisme radicularia (La Harpe,1855)** (Geometridae) Synonym(s): *radicularia* La Harpe,1855
Range (in code): **ES FR Sa Si IT DE CH AT CZ SK HU RO YU BG GR**
- 43077. Horisme scorteata (Staudinger,1901)** (Geometridae) Synonym(s): *scorteata* Staudinger,1901
Range (in code): **MA DZ TN PT ES An MT**
- 43078. Horisme scotosiata (Guenée,[1858])** (Geometridae) Synonym(s): *scotosiata* Guenée,[1858]
Range (in code): **KG Ssn RU At MN CN Ui Kml**
- 43079. Horisme suppressaria (Walker,1863)** (Geometridae) Synonym(s): *suppressaria* Walker,1863
Range (in code): **NC**
- 43080. Horisme tersata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *tersata* [Denis & Schiffermüller],1775; *singulariata* Villers,1789; *testacea* Hübner,[1809]; *tersaria* Boisduval,1840; *testacearia* Boisduval,1840; *tersulata* Staudinger,1871
Original Reference: *Geometra tersata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Cc GG Bjo Lag DK NO SE FI EE LV LT RU MD UA BY RU At Sb Am Prj Us KG Ssn CN KP KR JP**
Bionomy: Larva on *Clematis vitalba* (Meyer,1919).
- 43081. Horisme tersata tetricata (Guenée,[1858])** (Geometridae) Synonym(s): *tetricata* Guenée,[1858]; *koreisme* Bryk,1949.
Range (in code): **RU At Sb Am Prj Us KG Ssn KP KR JP**
- 43082. Horisme vitalbata (Hübner,[1799])** (Geometridae) Synonym(s): *#vitalbata* [Denis & Schiffermüller],1775; *nebulata* Villers,1789 nec Thunb.,1784; *vitalbata* Hübner,[1799]; *vitalbaria* Boisduval,1840; *detersata* Püngeler,1900; *repedata* L.B.Prout,1938
Original Reference: *Geometra vitalbata* Hübner,[1799], Samml. eur. Schmett. 5: pl.52, fig.269. Type: Europa. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY MN CN Ui Ku Kön KK Ik UZ Fe Sb Am Prj Us JP**
Bionomy: Larva on *Clematis vitalba* (Hübner,1799; Meyer,1919).
- 43083. Horisme xylinata orientalis Holloway,1979** (Geometridae) Synonym(s): *orientalis* Holloway,1979
Range (in code): **NC**
- 43084. Hospitalia flavolineata (Staudinger,1883)** (Geometridae) Synonym(s): *flavolineata* Staudinger,1883; *oberthuri* Rothschild,1914; *hispanata* Fernandez,1931; *martaeludovivatae* Lucas,1940
Range (in code): **MA DZ Ges PT ES Mu FR**
- 43085. Hydatocapnia demensa L.B.Prout,1935** (Geometridae) Synonym(s): *demensa* L.B.Prout,1935
Range (in code): **ID Ja**
- 43086. Hydatocapnia fimbriata Yazaki,1987** (Geometridae) Synonym(s): *fimbriata* Yazaki,1987
Range (in code): **PH Mno**
- 43087. Hydatocapnia gemina Yazaki,1990** (Geometridae) Synonym(s): *gemina* Yazaki,1990
Range (in code): **TW**
- 43088. Hydatocapnia marginata (W.Warren,1893)** (Geometridae) Synonym(s): *marginata* W.Warren,1893
Range (in code): **TH IN Nag**
- 43089. Hydatocapnia nebulosa Yazaki,1992** (Geometridae) Synonym(s): *nebulosa* Yazaki,1992
Range (in code): **NP**
- 43090. Hydatocapnia sororia Yazaki,1987** (Geometridae) Synonym(s): *sororia* Yazaki,1987
Range (in code): **ID Clb**
- 43091. Hydrelia aggerata L.B.Prout,1938** (Geometridae) Synonym(s): *aggerata* L.B.Prout,1938
Range (in code): **CN**
- 43092. Hydrelia arizana (Wileman,1911)** (Geometridae) Synonym(s): *arizana* Wileman,1911
Range (in code): **CN**
- 43093. Hydrelia aurantiaca Hampson,1903** (Geometridae) Synonym(s): *aurantiaca* Hampson,1903
Range (in code): **CN NP**
- 43094. Hydrelia bella (Wileman,1916)** (Geometridae) Synonym(s): *bella* Wileman,1916
Range (in code): **CN**

- 43095. *Hydrelia bicauliata* L.B.Prout,1914** (Geometridae) **Synonym(s):** *bicauliata* L.B.Prout,1914
Range (in code): **JP CN**
- 43096. *Hydrelia bicolorata* (Moore,1868)** (Geometridae) **Synonym(s):** *bicolorata* Moore,1868
Range (in code): **CN IN SI**
- 43097. *Hydrelia binotata* Inoue,1987** (Geometridae) **Synonym(s):** *binotata* Inoue,1987 - **Range (in code):** **CN NP**
- 43098. *Hydrelia castaria* (Leech,1897)** (Geometridae) **Synonym(s):** *castaria* Leech,1897
Range (in code): **CN**
- 43099. *Hydrelia cingulata* Hampson,1896** (Geometridae) **Synonym(s):** *cingulata* Hampson,1896
Range (in code): **CN**
- 43100. *Hydrelia condensata* (Walker,1862)** (Geometridae) **Synonym(s):** *condensata* Walker,1862
Range (in code): **US**
- 43101. *Hydrelia conspicuaria* (Leech,1897)** (Geometridae) **Synonym(s):** *conspicuaria* Leech,1897
Range (in code): **CN**
- 43102. *Hydrelia controversa* Inoue,1982** (Geometridae) **Synonym(s):** *controversa* Inoue,1982
Range (in code): **NP**
- 43103. *Hydrelia crocearia* Hampson,1896** (Geometridae) **Synonym(s):** *crocearia* Hampson,1896
Range (in code): **CN**
- 43104. *Hydrelia elegans* (Inoue,1982)** (Geometridae) **Synonym(s):** *elegans* Inoue,1982 - **Range (in code):** **NP**
- 43105. *Hydrelia enisaria* L.B.Prout,1926** (Geometridae) **Synonym(s):** *enisaria* L.B.Prout,1926
Range (in code): **MM**
- 43106. *Hydrelia flammeolaria* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *flammeolaria* Hufnagel,1767; *luteata* [Denis & Schiffermüller],1775; *centrata* Fabricius,[1776]; *flavicata* Thunberg,1784; *sinuosata* Girona,1791; *flavostrigata* Donovan,1806; *chibiana* Matsumura,1925 - **Range (in code):** **ES FR SI IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 43107. *Hydrelia flammulata* (Bastelberger,1911)** (Geometridae) **Synonym(s):** *flammulata* Bastelberger,1911 - **Range (in code):** **CN**
- 43108. *Hydrelia flavilinea* (W.Warren,1893)** (Geometridae) **Synonym(s):** *flavilinea* W.Warren,1893 - **Range (in code):** **SI CN**
- 43109. *Hydrelia fuscocastanea* Inoue,1982** (Geometridae) **Synonym(s):** *fuscocastanea* Inoue,1982 - **Range (in code):** **NP**
- 43110. *Hydrelia gracilipennis* Inoue,1982** (Geometridae) **Synonym(s):** *gracilipennis* Inoue,1982
Range (in code): **JP**
- 43111. *Hydrelia impleta* L.B.Prout,1938** (Geometridae) **Synonym(s):** *impleta* L.B.Prout,1938
Range (in code): **CN**
- 43112. *Hydrelia inornata* (Hulst,1896)** (Geometridae) **Synonym(s):** *inornata* Hulst,1896; *exhumata* Pearsall,1906 - **Range (in code):** **US**
- 43113. *Hydrelia laetivirga* L.B.Prout,1934** (Geometridae) **Synonym(s):** *laetivirga* L.B.Prout,1934
Range (in code): **CN**
- 43114. *Hydrelia latsaria* (Oberthür,1893)** (Geometridae) **Synonym(s):** *latsaria* Oberthür,1893
Range (in code): **CN**
- 43115. *Hydrelia leucogramma* Wehrli,1931** (Geometridae) **Synonym(s):** *leucogramma* Wehrli,1931 - **Range (in code):** **CN**
- 43116. *Hydrelia lineata* (W.Warren,1893)** (Geometridae) **Synonym(s):** *lineata* W.Warren,1893
Range (in code): **SI CN NP IN**
- 43117. *Hydrelia lucata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *lucata* Guenée,[1858]
Range (in code): **CA**
- 43118. *Hydrelia luteosparsata* Sterneck,1928** (Geometridae) **Synonym(s):** *luteosparsata* Sterneck,1928 - **Range (in code):** **CN**
- 43119. *Hydrelia marginepunctata* W.Warren,1893** (Geometridae) **Synonym(s):** *marginepunctata* W.Warren,1893 - **Range (in code):** **SI CN NP IN**
- 43120. *Hydrelia microptera* Inoue,1987** (Geometridae) **Synonym(s):** *microptera* Inoue,1987
Range (in code): **NP CN**
- 43121. *Hydrelia musculata* (Staudinger,1897)** (Geometridae) **Synonym(s):** *musculata* Staudinger,1897 - **Range (in code):** **RU**
- 43122. *Hydrelia nepalensis* Inoue,1987** (Geometridae) **Synonym(s):** *nepalensis* Inoue,1987
Range (in code): **NP CN**

- 43123. *Hydrelia nisaria* (Christoph,1881)** (Geometridae) **Synonym(s):** *nisaria* Christoph,1881
Range (in code): **RU CN JP KP KR**
- 43124. *Hydrelia ochrearia* Leech,1897** (Geometridae) **Synonym(s):** *ochrearia* Leech,1897
Range (in code): **CN**
- 43125. *Hydrelia ornata* (Moore,1868)** (Geometridae) **Synonym(s):** *ornata* Moore,1868
Range (in code): **IN SI NP CN**
- 43126. *Hydrelia parvularia* (Leech,1897)** (Geometridae) **Synonym(s):** *parvularia* Leech,1897
Range (in code): **CN**
- 43127. *Hydrelia parvulata* (Staudinger,1897)** (Geometridae) **Synonym(s):** *parvulata* Staudinger,1897
Range (in code): **RU**
- 43128. *Hydrelia pavonica* Xue,1999** (Geometridae) **Synonym(s):** *pavonica* Xue,1999
Range (in code): **CN**
- 43129. *Hydrelia rhodoptera* Hampson,1895** (Geometridae) **Synonym(s):** *rhodoptera* Hampson,1895
Range (in code): **SI IN CN**
- 43130. *Hydrelia rubraria* Hampson,1903** (Geometridae) **Synonym(s):** *rubraria* Hampson,1903
Range (in code): **CN Ti**
- 43131. *Hydrelia rubricosta* Inoue,1892** (Geometridae) **Synonym(s):** *rubricosta* Inoue,1892
Range (in code): **NP CN**
- 43132. *Hydrelia rubrilinea* Inoue,1987** (Geometridae) **Synonym(s):** *rubrilinea* Inoue,1987
Range (in code): **NP CN**
- 43133. *Hydrelia rubrivena* Wileman,1911** (Geometridae) **Synonym(s):** *rubrivena* Wileman,1911
Range (in code): **TW**
- 43134. *Hydrelia rufigrisea* (W.Warren,1893)** (Geometridae) **Synonym(s):** *rufigrisea* W.Warren,1893
Range (in code): **SI IN CN**
- 43135. *Hydrelia rufinota* Hampson,1896** (Geometridae) **Synonym(s):** *rufinota* Hampson,1896
Range (in code): **IN CN**
- 43136. *Hydrelia sanguiflua* Hampson,1896** (Geometridae) **Synonym(s):** *sanguiflua* Hampson,1896
Range (in code): **CN**
- 43137. *Hydrelia sanguinipaga* Swinhoe,1902** (Geometridae) **Synonym(s):** *sanguinipaga* Swinhoe,1902
Range (in code): **CN MM**
- 43138. *Hydrelia scotozona* Yazaki,1995** (Geometridae) **Synonym(s):** *scotozona* Yazaki,1995
Range (in code): **NP**
- 43139. *Hydrelia sericea* (Butler,1880)** (Geometridae) **Synonym(s):** *sericea* Butler,1880
Range (in code): **CN NP Ch**
- 43140. *Hydrelia sericea pampesia* L.B.Prout,1938** (Geometridae) **Synonym(s):** *pampesia* L.B.Prout,1938
Range (in code): **Ch**
- 43141. *Hydrelia shioyana* (Matsumura,1927)** (Geometridae) **Synonym(s):** *shioyana* Matsumura,1927; *adesma* L.B.Prout,1930
Range (in code): **JP**
- 43142. *Hydrelia speciosa* Inoue,1992** (Geometridae) **Synonym(s):** *speciosa* Inoue,1992
Range (in code): **NP**
- 43143. *Hydrelia subcingulata* Inoue,1987** (Geometridae) **Synonym(s):** *subcingulata* Inoue,1987
Range (in code): **NP CN**
- 43144. *Hydrelia sublatsaria* Wehrli,1938** (Geometridae) **Synonym(s):** *sublatsaria* Wehrli,1938
Range (in code): **CN**
- 43145. *Hydrelia subobliquaria* (Moore,1868)** (Geometridae) **Synonym(s):** *subobliquaria* Moore,1868
Range (in code): **IN CN NP SI**
- 43146. *Hydrelia subtestacea* Inoue,1982** (Geometridae) **Synonym(s):** *subtestacea* Inoue,1982
Range (in code): **NP CN**
- 43147. *Hydrelia sylvata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *#sylvata* [Denis & Schiffermüller],1775; *testacea* Donovan,1810; *sachalinensis* Matsumura,1925
Original Reference: *Geometra sylvata* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 109. Type(s): [Austria]: Vienna district.
Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY JP Sh**
Bionomy: Larva on Pinus, Picea ([Denis & Schiffermüller],1775).
- 43148. *Hydrelia tenera* (Staudinger,1897)** (Geometridae) **Synonym(s):** *tenera* Staudinger,1897
Range (in code): **RU**

- 43149. *Hydrelia terranova* (Krogerus,1954)** (Geometridae) **Synonym(s):** *terranova* Krogerus,1954 **Range (in code):** CA
- 43150. *Hydrelia ulula* Bastelberger,1911** (Geometridae) **Synonym(s):** *ulula* Bastelberger,1911 **Range (in code):** TW
- 43151. *Hydrelia undularia* (Leech,1897)** (Geometridae) **Synonym(s):** *undularia* Leech,1897 **Range (in code):** CN NP
- 43152. *Hydrelia undulosata* (Moore,1888)** (Geometridae) **Synonym(s):** *undulosata* Moore,1888 **Range (in code):** IN
- 43153. *Hydria cervinalis* (Scopoli,1763)** (Geometridae) **Synonym(s):** *cervinalis* Scopoli,1763; *cervinata* [Denis & Schiffermüller],1775; *fasciaria* Goeze,1781; *fasciata* Retzius,1783; *cervinaria* Treitschke,1825; *certata* Hübner,[1825]; *certaria* Boisduval,1840. **Original Reference:** *Phalaena cervinalis* Scopoli,1763, Entomologia Carniolica: 216. **Type(s):** [Slovenien]: Carniolia [Krain]. **Range (in code):** DZ Clö ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on Malva (Meyer,1919).
- 43154. *Hydria undulata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *undulata* Linnaeus,1758; *serrata* Hufnagel,1767; *limbata* Goeze,1781; *fuscata* Fourcroy,1785 nec Hufn.,1767; *undularia* Boisduval,1840 **Original Reference:** *Phalaena undulata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. **Type(s):** [Europa], in *Salix caprea*. **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Salix*, *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919).
- 43155. *Hydriomena coerulata* (Fabricius,1777)** (Geometridae) **Synonym(s):** *#impluviata* [Denis & Schiffermüller],1775; *coerulata* Fabricius,1777; *autumnalis* Ström,1783; *trifasciata* Borkhausen,1794; *bicommata* Schrank,1802; *literata* Donovan,1810; *relictata* Zetterstedt,1839; *impluviaria* Boisduval,1840; *insulicolata* Schawerda,1933 **Original Reference:** *Phalaena coerulata* Fabricius,1777, Genera Ins.: 288. **Type(s):** Hamburg. **Range (in code):** PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR Cc IR DK NO SE FI EE LV LT RU Kol K-R Ur Sb Mgd Am Us Kmt Sh Krl MD UA BY KG KP KR CN Ui Tlk JP CA
- 43156. *Hydriomena furcata* (Thunberg,1784)** (Geometridae) **Synonym(s):** *furcata* Thunberg,1784; *sordidata* Fabricius,1794; *elutata* Hübner,[1799]; *fuscoundata* Donovan,1806; *elutaria* Boisduval,1840; *shibuyae* Matsumura,1925. **Original Reference:** *Geometra furcata* Thunberg,1784, Dissertatio Ent. sistens Insecta Svecica 1: 13. Lectotype ♀: Sweden: Upsala (Karsholt & Nielsen, 1985: 4446) **Range (in code):** PT ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU Kol K-R Ur Sb Am Us Kmt Sh Krl MD UA BY MN KP KR GG Bjo AM KG T-S KK CN Ui Ju JP CA
- 43157. *Hydriomena ruberata* (Freyer,[1831])** (Geometridae) **Synonym(s):** *ruberata* Freyer,[1831]; *ruberaria* Herrich-Schäffer,1848 **Original Reference:** *Acidalia ruberata* Freyer,[1831], Neuere Beitr. Schmett. 1: 67, Taf.36. **Range (in code):** PT ES FR IT IE GB BE DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV RU Cc Kol K-R Kmt MD UA BY AM **Bionomy:** Larva on *Salix* (Salicaceae) (Meyer,1919).
- 43158. *Hyelosia aglaura* (Cramer,[1780])** (Geometridae) **Synonym(s):** *aglaura* Cramer,[1780] **Range (in code):** SR
- 43159. *Hylaea bada* (Druce,1892)** (Geometridae) **Synonym(s):** *bada* Druce,1892 **Range (in code):** GT
- 43160. *Hylaea compararia* (Staudinger,[1895])** (Geometridae) **Synonym(s):** *compararia* Staudinger,[1895] **Original Reference:** *Ellopiopsis* (?) *compararia* Staudinger,[1895], Dt. ent. Z., Iris 7 (1894): 289-290. Syntypes: Tenied el Had (Algerien) (leg. Vauloger). **Range (in code):** DZ Tni Tis
- 43161. *Hylaea fasciaria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *fasciaria* Linnaeus,1758; *prosapiaria* Linnaeus,1758; *neustriaria* Hufnagel,1767; *prasinaria* [Denis & Schiffermüller],1775; *biliosata* Villers,1789; *viridifasciosa* Esper,1794; *cleui* Leraut,1993 **Original Reference:** *Phalaena fasciaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 521. **Type(s):** [Europa]. **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG GR TR AM Cc DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Picea abies*, *Pinus sylvestris*, *Pseudostuga menziesii* (Pinaceae) (Scoble,1999).
- 43162. *Hylaea fasciaria cedricola* (Wehrli,1929)** (Geometridae) **Synonym(s):** *cedricola* Wehrli,1929 **Range (in code):** TR
- 43163. *Hylaea fasciaria flavella* Wehrli,1940** (Geometridae) **Synonym(s):** *flavella* Wehrli,1940 **Range (in code):** AM Cc

- 43164. *Hylaea messene* (Druce,1892)** (Geometridae) **Synonym(s):** *messene* Druce,1892
Range (in code): **MX Jpa**
- 43165. *Hylaea munda* (Druce,1892)** (Geometridae) **Synonym(s):** *munda* Druce,1892 **Range (in code):** **MX**
- 43166. *Hylaea myandaria* (Walker,1860)** (Geometridae) **Synonym(s):** *myandaria* Walker,1860
Range (in code): **MX**
- 43167. *Hylaea pardiria* (Schaus,1901)** (Geometridae) **Synonym(s):** *pardiria* Schaus,1901
Range (in code): **PA Cq**
- 43168. *Hylaea pinicolaria* (Bellier,1861)** (Geometridae) **Synonym(s):** *pinicolaria* Bellier,1861
Range (in code): **Co TR**
- 43169. *Hylaea punctillaria* (Schaus,1901)** (Geometridae) **Synonym(s):** *punctillaria* Schaus,1901
Range (in code): **MX**
- 43170. *Hylaea silanaria* (Schaus,1912)** (Geometridae) **Synonym(s):** *silanaria* Schaus,1912
Range (in code): **CR**
- 43171. *Hylaea squalidaria* (Costa,[1848])** (Geometridae) **Synonym(s):** *squalidaria* Costa,[1848]
Range (in code): **IT**
- 43172. *Hylaea templadaria* (Schaus,1901)** (Geometridae) **Synonym(s):** *templadaria* Schaus,1901
Range (in code): **MX Jpa**
- 43173. *Hylasia clio* Hübner,[1819]** (Geometridae) **Synonym(s):** *tiresias* Stoll,1782 (homonym); *clio* Hübner,[1819] **Range (in code):** **SR**
- 43174. *Hylemera butleri* Viette,1970** (Geometridae) **Synonym(s):** *butleri* Viette,1970 **Range (in code):** **MG**
- 43175. *Hylemera fletcheri* Viette,1970** (Geometridae) **Synonym(s):** *fletcheri* Viette,1970
Range (in code): **MG**
- 43176. *Hylemera griveaudi* Viette,1970** (Geometridae) **Synonym(s):** *griveaudi* Viette,1970
Range (in code): **MG**
- 43177. *Hylemera herbuloti* Viette,1970** (Geometridae) **Synonym(s):** *herbuloti* Viette,1970
Range (in code): **MG**
- 43178. *Hylemera mabiliei* Viette,1970** (Geometridae) **Synonym(s):** *mabiliei* Viette,1970
Range (in code): **MG**
- 43179. *Hylemera prouti* Viette,1970** (Geometridae) **Synonym(s):** *prouti* Viette,1970 **Range (in code):** **MG**
- 43180. *Hylemera puella* Butler,1879** (Geometridae) **Synonym(s):** *puella* Butler,1879 **Range (in code):** **MG**
- 43181. *Hylemera rebuti* (Poujade,1889)** (Geometridae) **Synonym(s):** *rebuti* Poujade,1889
Range (in code): **MG**
- 43182. *Hylemera roseidaria* Viette,1970** (Geometridae) **Synonym(s):** *roseidaria* Viette,1970
Range (in code): **MG**
- 43183. *Hylemera sogai* Viette,1970** (Geometridae) **Synonym(s):** *sogai* Viette,1970 **Range (in code):** **MG**
- 43184. *Hyperythra bocki* Oberthür,1912** (Geometridae) **Synonym(s):** *bocki* Oberthür,1912
Range (in code): **CN Yu**
- 43185. *Hyperythra flavaria* (Fabricius,1787)** (Geometridae) **Synonym(s):** *lutea* Stoll,1781 *nec* Hufn.,1766; *flavaria* Fabricius,1787; *flavata* Fabricius,1794; *limbolaria* Guenée,[1858]; *ennomaria* Guenée,[1858]; *luteata* Guenée,[1858]; *penicillaria* Guenée,[1858]; *lutearia* Herrich-Schäffer,1856; *rufifimbria* W.Warren,1896
Original Reference: *Phalaena flavaria* Fabricius,1787, Ins. Mant. 2: 187. Syntypes: India orientali.
Range (in code): **ID Ja PK Kba Cp IN Meg Ass LK Khs MY Bor Sbh KBa TH Ntt Hba**
- 43186. *Hyperythra obliqua* (W.Warren,1894)** (Geometridae) **Synonym(s):** *obliqua* W.Warren,1894 **Range (in code):** **JP**
- 43187. *Hyperythra obliqua lungtanensis* (Wehrli,1939)** (Geometridae) **Synonym(s):** *lungtanensis* Wehrli,1939 **Range (in code):** **JP**
- 43188. *Hyperythra obliqua obliqua* (W.Warren,1894)** (Geometridae) **Synonym(s):** *obliqua* W.Warren,1894 **Range (in code):** **JP**
- 43189. *Hyperythra obliqua pallens* (Wehrli,1939)** (Geometridae) **Synonym(s):** *pallens* Wehrli,1939 **Range (in code):** **JP**
- 43190. *Hyperythra phoenix* Swinhoe,1891** (Geometridae) **Synonym(s):** *phoenix* Swinhoe,1891; *khasiana* Swinhoe,1893 **Range (in code):** **IN Meg Ass Khs TH**

- 43191. *Hyperythra rubricata* W.Warren,1898** (Geometridae) Synonym(s): *rubricata* W.Warren,1898; *simplex* W.Warren,1899; *metabolis* Turner,1904; *campylogramma* L.B.Prout,1926; *sumbensis* L.B.Prout,1926; *lysima* L.B.Prout,1926; *vindex* L.B.Prout,1933 - Range (in code): AU QAU Tw CX ID Dm Sba Slb PG Ls
- 43192. *Hyperythra susceptaria* (Walker,1866)** (Geometridae) Synonym(s): *susceptaria* Walker,1866; *lala* Swinhoe,1890 - Range (in code): IN Pj Bba Up Ddu MM
- 43193. *Hyperythra swinhoei* Butler,1880** (Geometridae) Synonym(s): *swinhoei* Butler,1880; *phantasma* Butler,1881; *muselmana* Brandt,1938 Original Reference: *Hyperythra swinhoei* Butler,1880, Ann. Mag. nat. Hist. (5) 5: 223. Holotype ♂: [Pakistan]: Kurrachee [Karachi] (BMNH). Range (in code): IR Fa Mia PK Krc Sd Cp IN Mhw
- 43194. *Hypochrosis abstractaria* (Walker,1862)** (Geometridae) Synonym(s): *abstractaria* Walker,1862; *tinctaria* Walker,[1863]; *irrorata* Moore,1888 - Range (in code): IN SI Djl MM TH
- 43195. *Hypochrosis albodecorata* Swinhoe,1902** (Geometridae) Synonym(s): *albodecorata* Swinhoe,1902 - Range (in code): MY Bor
- 43196. *Hypochrosis amaurospila* Yazaki,1995** (Geometridae) Synonym(s): *amaurospila* Yazaki,1995 - Range (in code): NP
- 43197. *Hypochrosis ancylotoxa* L.B.Prout,1926** (Geometridae) Synonym(s): *ancylotoxa* L.B.Prout,1926 - Range (in code): MM Kch Hta
- 43198. *Hypochrosis arnecornelii* Hausmann,2003** (Geometridae) Synonym(s): *arnecornelii* Hausmann,2003 - Range (in code): TZ
- 43199. *Hypochrosis baenzigeri* Inoue,1982** (Geometridae) Synonym(s): *baenzigeri* Inoue,1982 Original Reference: *Hypochrosis baenzigeri* Inoue,1982, Tyo to Ga 32 (3/4): 164, figs. 1-4. Holotype ♂: Thailand: Khao Yai National Park, 19-20 vii.1966 H.Inoue leg. (BMNH). Range (in code): TH Nrt Kao
- 43200. *Hypochrosis bifurcata* (W.Warren,1903)** (Geometridae) Synonym(s): *bifurcata* W.Warren,1903; *pratti* Bethune-Baker,1915 - Range (in code): PG Aro
- 43201. *Hypochrosis binexata* (Walker,[1863])** (Geometridae) Synonym(s): *binexata* Walker,[1863]; *glaucaria* Snellen,1880; *ocellata* Swinhoe,1902 - Range (in code): MY Bor Swk ID Sum TH Ntt Hba Bionomy: Larva on *Theobroma cacao* (Sterculiaceae) (Holloway,[1994]).
- 43202. *Hypochrosis cadmica* Herbulot,1995** (Geometridae) Synonym(s): *cadmica* Herbulot,1995 Range (in code): PH Pal
- 43203. *Hypochrosis chiarinii* (Oberthür,1883)** (Geometridae) Synonym(s): *chiarinii* Oberthür,1883 - Range (in code): ET Sw TZ BI
- 43204. *Hypochrosis colettae* Hausmann,2003** (Geometridae) Synonym(s): *colettae* Hausmann,2003 - Range (in code): CM
- 43205. *Hypochrosis dierli* Hausmann,2003** (Geometridae) Synonym(s): *dierli* Hausmann,2003 Range (in code): TZ
- 43206. *Hypochrosis euphyes* L.B.Prout,1915** (Geometridae) Synonym(s): *euphyes* L.B.Prout,1915 Range (in code): CM
- 43207. *Hypochrosis eurynota* L.B.Prout,1926** (Geometridae) Synonym(s): *eurynota* L.B.Prout,1926 - Range (in code): MM Hta
- 43208. *Hypochrosis flagrans* West,1929** (Geometridae) Synonym(s): *flagrans* West,1929 Range (in code): PH Mno
- 43209. *Hypochrosis flavifusata* (Moore,1888)** (Geometridae) Synonym(s): *flavifusata* Moore,1888 - Range (in code): IN SI Djl TH CMa Qs15 Mta
- 43210. *Hypochrosis haderleini* Hausmann,2003** (Geometridae) Synonym(s): *haderleini* Hausmann,2003 - Range (in code): TZ
- 43211. *Hypochrosis hampsoni* Hausmann,2003** (Geometridae) Synonym(s): *glaucaria* Hampson,1909 nec Snell.,1880; *hampsoni* Hausmann,2003 - Range (in code): UG ZR RW
- 43212. *Hypochrosis hausmanni* Koçak & Kemal,2008** (Geometridae) Synonym(s): *prouti* West,1929 nec B.-B.,1915; *hausmanni* Koçak & Kemal,2008 Original Reference: *Hypochrosis hausmanni* Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 138: 9 (nomen novum pro *prouti* West,1929 nec Bethune-Baker,1915 Range (in code): PH Luz
- 43213. *Hypochrosis haxairei* Herbulot,1992** (Geometridae) Synonym(s): *haxairei* Herbulot,1992 Range (in code): MY
- 43214. *Hypochrosis herbuloti* Hausmann,2003** (Geometridae) Synonym(s): *herbuloti* Hausmann,2003 - Range (in code): TZ

- 43215. Hypochrosis hyadaria Guenée,[1858]** (Geometridae) Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888 _ Range (in code): IN SI Djl MY Bor Sbh KBa ID Sum Ja Bli Flo Sbw Tim PH Clb TH
- 43216. Hypochrosis hyadaria annulata Pagenstecher,1896** (Geometridae) Synonym(s): *annulata* Pagenstecher,1896 _ Range (in code): ID Clb PH
- 43217. Hypochrosis hyadaria bebaea L.B.Prout,1932** (Geometridae) Synonym(s): *bebaea* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 43218. Hypochrosis hyadaria hyadaria Guenée,[1858]** (Geometridae) Synonym(s): *hyadaria* Guenée,[1858]; *ignivorata* Walker,[1863]; *obliquaria* Moore,1888 _ Range (in code): IN SI Djl TH
- 43219. Hypochrosis hyadaria korndorfferi (Snellen,1877)** (Geometridae) Synonym(s): *korndorfferi* Snellen,1877; *columbaris* W.Warren,1896 _ Range (in code): ID Sum Ja Bli
- 43220. Hypochrosis hyadaria lubricata (W.Warren,1899)** (Geometridae) Synonym(s): *lubricata* W.Warren,1899; *hiresia* Swinhoe,1901 _ Range (in code): ID Sbw Flo
- 43221. Hypochrosis hyadaria subaurantiaca (W.Warren,1896)** (Geometridae) Synonym(s): *subaurantiaca* W.Warren,1896 _ Range (in code): ID Tim
- 43222. Hypochrosis insularis (Bastelberger,1909)** (Geometridae) Synonym(s): *insularis* Bastelberger,1909 _ Range (in code): TW
- 43223. Hypochrosis iris (Butler,1880)** (Geometridae) Synonym(s): *iris* Butler,1880 _ Range (in code): IN SI Djl TH CMa Dsk
- 43224. Hypochrosis maculifera Hampson,1909** (Geometridae) Synonym(s): *maculifera* Hampson,1909 _ Range (in code): UG Rz ZT
- 43225. Hypochrosis manfredi Hausmann,2003** (Geometridae) Synonym(s): *manfredi* Hausmann,2003 _ Range (in code): TZ
- 43226. Hypochrosis martini L.B.Prout,1917** (Geometridae) Synonym(s): *martini* L.B.Prout,1917 _ Range (in code): ID Clb
- 43227. Hypochrosis meridionalis Hausmann,2003** (Geometridae) Synonym(s): *meridionalis* Hausmann,2003 _ Range (in code): ZW
- 43228. Hypochrosis mixticolor L.B.Prout,1915** (Geometridae) Synonym(s): *mixticolor* L.B.Prout,1915 _ Range (in code): CN Sz
- 43229. Hypochrosis nundata (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *nundata* R.Felder & Rogenhofer,1875 _ Range (in code): ID Mlc
- 43230. Hypochrosis obscura Hausmann,2003** (Geometridae) Synonym(s): *obscura* Hausmann,2003 _ Range (in code): RW
- 43231. Hypochrosis olivacea Rothschild,1915** (Geometridae) Synonym(s): *olivacea* Rothschild,1915 _ Range (in code): ID Ij Snw
- 43232. Hypochrosis permeata L.B.Prout,1925** (Geometridae) Synonym(s): *permeata* L.B.Prout,1925 _ Range (in code): ID Ij
- 43233. Hypochrosis polioctola D.S.Fletcher,1958** (Geometridae) Synonym(s): *polioctola* D.S.Fletcher,1958 _ Range (in code): UG
- 43234. Hypochrosis praeaurata L.B.Prout,1928** (Geometridae) Synonym(s): *praeaurata* L.B.Prout,1928 _ Range (in code): ID Sum
- 43235. Hypochrosis pseudoincensata Rothschild,1915** (Geometridae) Synonym(s): *pseudoincensata* Rothschild,1915 _ Range (in code): ID Ij Snw
- 43236. Hypochrosis pustulata Hausmann,2003** (Geometridae) Synonym(s): *pustulata* Hausmann,2003 _ Range (in code): TZ
- 43237. Hypochrosis pyrrhophaeata (Walker,[1863])** (Geometridae) Synonym(s): *pyrrhophaeata* Walker,[1863] _ Range (in code): TH Ntt Hba
- 43238. Hypochrosis pyrrhularia (Guenée,[1858])** (Geometridae) Synonym(s): *pyrrhularia* Guenée,[1858]; *instabilata* Walker,1862 _ Range (in code): IN TH CMa CDo
- 43239. Hypochrosis roberti Hausmann,2003** (Geometridae) Synonym(s): *roberti* Hausmann,2003 _ Range (in code): TZ
- 43240. Hypochrosis rufescens (Butler,1880)** (Geometridae) Synonym(s): *rufescens* Butler,1880 _ Range (in code): TH IN SI Djl
- 43241. Hypochrosis ruptifascia L.B.Prout,1929** (Geometridae) Synonym(s): *ruptifascia* L.B.Prout,1929 _ Range (in code): ID Ij
- 43242. Hypochrosis simplex Hausmann,2003** (Geometridae) Synonym(s): *simplex* Hausmann,2003 _ Range (in code): TZ

- 43243. Hypochrosis sonjae Hausmann,2003** (Geometridae) Synonym(s): *sonjae* Hausmann,2003 _ Range (in code): ZR
- 43244. Hypochrosis spodographa L.B.Prout,1937** (Geometridae) Synonym(s): *spodographa* L.B.Prout,1937 _ Range (in code): ID Bli
- 43245. Hypochrosis sternaria Guenée,[1858]** (Geometridae) Synonym(s): *sternaria* Guenée,[1858]; *schistacea* Moore,1879 _ Range (in code): IN MM Tns TH
- 43246. Hypochrosis sublutea Hausmann,2003** (Geometridae) Synonym(s): *sublutea* Hausmann,2003 _ Range (in code): TZ
- 43247. Hypochrosis submarginata Hausmann,2003** (Geometridae) Synonym(s): *submarginata* Hausmann,2003 _ Range (in code): TZ
- 43248. Hypochrosis subrufa (Bastelberger,1909)** (Geometridae) Synonym(s): *subrufa* Bastelberger,1909; *sanguiniscrita* Herbulot,1985 _ Range (in code): TH Ntt Hba MY Bor PH Pal
- 43249. Hypochrosis turlini Herbulot,1979** (Geometridae) Synonym(s): *turlini* Herbulot,1979 _ Range (in code): RW ZR
- 43250. Hypochrosis uniformis Hausmann,2003** (Geometridae) Synonym(s): *uniformis* Hausmann,2003 _ Range (in code): KE ZR ET
- 43251. Hypochrosis urania Herbulot,1979** (Geometridae) Synonym(s): *urania* Herbulot,1979 _ Range (in code): RW
- 43252. Hypochrosis venusa Swinhoe,1894** (Geometridae) Synonym(s): *venusa* Swinhoe,1894 _ Range (in code): IN Ass Meg Khs Cpj
- 43253. Hypochrosis viridifascia (W.Warren,1896)** (Geometridae) Synonym(s): *viridifascia* W.Warren,1896; *prouti* Bethune-Baker,1915; *latentifascia* L.B.Prout,1915 _ Range (in code): PG Ls ID Ij
- 43254. Hypochrosis viridiflava Hausmann,2003** (Geometridae) Synonym(s): *viridiflava* Hausmann,2003 _ Range (in code): TZ
- 43255. Hypochrosis viridimaculata (Pagenstecher,1895)** (Geometridae) Synonym(s): *viridimaculata* Pagenstecher,1895 _ Range (in code): ID Nia
- 43256. Hypochrosis waterstradti Holloway,1976** (Geometridae) Synonym(s): *waterstradti* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 43257. Hypochrosis wittei Debauche,1938** (Geometridae) Synonym(s): *wittei* Debauche,1938 _ Range (in code): ZR UG Rz
- 43258. Hypochrosis zoota West,1929** (Geometridae) Synonym(s): *zoota* West,1929 _ Range (in code): PH Mno
- 43259. Hypocoela herbuloti Viette,1971** (Geometridae) Synonym(s): *herbuloti* Viette,1971 _ Range (in code): MG
- 43260. Hypocoela sogai Viette,1978** (Geometridae) Synonym(s): *sogai* Viette,1978 _ Range (in code): MG
- 43261. Hypocometa auxostira (L.B.Prout,1925)** (Geometridae) Synonym(s): *auxostira* L.B.Prout,1925 _ Range (in code): ID
- 43262. Hypocometa bathylima (L.B.Prout,1923)** (Geometridae) Synonym(s): *bathylima* L.B.Prout,1923 _ Range (in code):
- 43263. Hypocometa benguetana Schultze,1910** (Geometridae) Synonym(s): *benguetana* Schultze,1910 _ Range (in code): PH Luz
- 43264. Hypocometa clauda W.Warren,1896** (Geometridae) Synonym(s): *clauda* W.Warren,1896 _ Range (in code): SI IN Ass Meg Khs MM TH CMA CDo Pki TW
- 43265. Hypomecis arcearia (Hampson,1902)** (Geometridae) Synonym(s): *arcearia* Hampson,1902 _ Range (in code): Ch
- 43266. Hypomecis barretti (L.B.Prout,1915)** (Geometridae) Synonym(s): *barretti* L.B.Prout,1915 _ Range (in code): ZA Tra
- 43267. Hypomecis cineracea (Moore,1888)** (Geometridae) Synonym(s): *cineracea* Moore,1888 _ Range (in code): TW TH CMA Dst Nna Kao Chi NP IN SI DjI
- 43268. Hypomecis cineracea cineracea (Moore,1888)** (Geometridae) Synonym(s): *cineracea* Moore,1888 _ Range (in code): TH CMA Dst Nna Kao Chi NP IN SI DjI
- 43269. Hypomecis cineracea decrepitata (Wileman,1911)** (Geometridae) Synonym(s): *decrepitata* Wileman,1911 _ Range (in code): TW
- 43270. Hypomecis costaria (Guenée,[1858])** (Geometridae) Synonym(s): *costaria* Guenée,[1858]; *xyloperata* Snellen,1895; *spissata* W.Warren,1899 _ Range (in code): MY Bor Swk ID Nia Ja Sum TH Ntt Hba Nna Kao Phe Srt

- 43271. *Hypomecis danieli* (Wehrli,1932)** (Geometridae) Synonym(s): *danieli* Wehrli,1932
Range (in code): **AT HU**
- 43272. *Hypomecis delatina* (Swinhoe,1900)** (Geometridae) Synonym(s): *delatina* Swinhoe,1900
Original Reference: Boarmia delatina Swinhoe,1900, Ann. Mag. nat. Hist. (7) 6: 308. Type ♀:
[Myanmar]: Shan States, Koni (BMNH). Range (in code): **MM Shn**
- 43273. *Hypomecis ectropodes* (L.B.Prout,1913)** (Geometridae) Synonym(s): *ectropodes* L.B.Prout,1913
Original Reference: Boarmia ectropodes L.B.Prout,1913, Ann. Transv. Mus. 3(4): 221, pl.12 fig.39. Holotype ♂: [South Africa]: Three Sisters (TMP). Range (in code): **ZA Wca Mal ZA16 Mpu ZA17 Tva Lpo Spb Bbg Tst**
Bionomy: Larva on Maytenus undatus (Celastraceae) (Scoble,1999).
- 43274. *Hypomecis exilis* (W.Warren,1900)** (Geometridae) Synonym(s): *exilis* W.Warren,1900
Range (in code): **VE**
- 43275. *Hypomecis fasciata* (Swinhoe,1894)** (Geometridae) Synonym(s): *fasciata* Swinhoe,1894
Range (in code): **IN Meg Ass Khs**
- 43276. *Hypomecis formosana* (Wileman,1912)** (Geometridae) Synonym(s): *formosana* Wileman,1912
Range (in code): **TW**
- 43277. *Hypomecis fulvipicta* (Wileman,1915)** (Geometridae) Synonym(s): *fulvipicta* Wileman,1915
Range (in code): **TW**
- 43278. *Hypomecis fulvosparsa* (Hampson,1895)** (Geometridae) Synonym(s): *fulvosparsa* Hampson,1895
Range (in code): **IN SI**
- 43279. *Hypomecis gladstonei* (L.B.Prout,1922)** (Geometridae) Synonym(s): *gladstonei* L.B.Prout,1922
Range (in code): **ZA Wca Cto**
- 43280. *Hypomecis glaucocincta* (Hampson,1907)** (Geometridae) Synonym(s): *glaucocincta* Hampson,1907
Range (in code): **Ch**
- 43281. *Hypomecis gonophora* (L.B.Prout,1916)** (Geometridae) Synonym(s): *gonophora* L.B.Prout,1916
Range (in code): **ZA Tva Brb Mpu**
- 43282. *Hypomecis gorbatschevi* (Kardakoff,1928)** (Geometridae) Synonym(s): *gorbatschevi* Kardakoff,1928
Range (in code): **RU Us**
- 43283. *Hypomecis hemiprasina* (L.B.Prout,1928)** (Geometridae) Synonym(s): *hemiprasina* L.B.Prout,1928
Range (in code): **ID Sum**
- 43284. *Hypomecis humanitas* Sato,1988** (Geometridae) Synonym(s): *humanitas* Sato,1988
Original Reference: *Hypomecis humanitas* Sato,1988; Heteroc. Sumatr. 2 (6): 130, fig. Holotype ♂: [Indonesia]: North Sumatra, Holzweg II, nr.Prapat 1050m E.W.Diehl leg. (BMNH). Range (in code): **ID Sum**
- 43285. *Hypomecis ichnochroma* (L.B.Prout,1928)** (Geometridae) Synonym(s): *ichnochroma* L.B.Prout,1928
Range (in code): **ID Sum**
- 43286. *Hypomecis infaustaria* (Walker,1866)** (Geometridae) Synonym(s): *infaustaria* Walker,1866; *dentata* Walker,1866; *lutea* Pagenstecher,1884
Range (in code): **ID Mlc Crm Amb**
- 43287. *Hypomecis infixaria* (Walker,1860)** (Geometridae) Synonym(s): *infixaria* Walker,1860
Range (in code): **IN TH CMa Dst Loe Knc**
- 43288. *Hypomecis intrusilinea* (L.B.Prout,1915)** (Geometridae) Synonym(s): *intrusilinea* L.B.Prout,1915
Range (in code): **ZA Mal Tva Lpo ZA16 Mpu**
- 43289. *Hypomecis irrelata* (Herbulot,1989)** (Geometridae) Synonym(s): *irrelata* Herbulot,1989
Range (in code): **MG**
- 43290. *Hypomecis junctilinea* (Hampson,1907)** (Geometridae) Synonym(s): *junctilinea* Hampson,1907; *plumulata* Inoue,1987
Range (in code): **CN Ti NP**
- 43291. *Hypomecis kemal* Koçak,2006** (Geometridae) Synonym(s): *exilis* Sato,1990 nec Wrr.,1900; *kemal* Koçak,2006
Original Reference: *Hypomecis kemal* Koçak,2006, Cent. ent. Stud., Misc. Pap. 102/103: 16 (nomen novum pro *exilis* Sato,1990 nec Warren,1900). Range (in code): **ID Clb**
- 43292. *Hypomecis latifascia* (Hampson,1891)** (Geometridae) Synonym(s): *latifascia* Hampson,1891
Range (in code): **IN NI**
- 43293. *Hypomecis leucocyma* (Hampson,1907)** (Geometridae) Synonym(s): *leucocyma* Hampson,1907
Range (in code): **Ch**
- 43294. *Hypomecis lioptilaria* (Swinhoe,1903)** (Geometridae) Synonym(s): *lioptilaria* Swinhoe,1903
Range (in code): **MY Bor Sbh KBa TH Ntt Hba CMa Dst Int Chy Nna Kao Phe Cbi**
- 43295. *Hypomecis momaria* (Guenée,[1858])** (Geometridae) Synonym(s): *momaria* Guenée,[1858]
Range (in code): **IR Ss**

- 43296. *Hypomecis momaria mekrana* Wehrli, 1943** (Geometridae) **Synonym(s):** *mekrana* Wehrli, 1943 **Range (in code):** **IR Ss**
- 43297. *Hypomecis moriutii* Sato, 1991** (Geometridae) **Synonym(s):** *moriutii* Sato, 1991 **Original Reference:** *Hypomecis moriutii* Sato, 1991, Tyo to Ga 42 (4): 275, figs. 7-9, 25-27. Holotype ♂: Thailand: Petchabun, Lom Sak, Nam Nao, 800m (NSMT). **Range (in code):** **TH Phe CMa Int CDo Pki**
- 43298. *Hypomecis muhabbet* Koçak, 2006** (Geometridae) **Synonym(s):** *diffusaria* Albers, 1949 nec Wlk., 1860; *muhabbet* Koçak, 2006 **Original Reference:** *Hypomecis muhabbet* Koçak, 2006, Cent. ent. Stud., Misc. Pap. 102/103: 16 (nomen novum pro *diffusaria* Albers, 1949 nec Walker, 1860). **Range (in code):** **IN Bhr**
- 43299. *Hypomecis nepalensis* (Hampson, 1902)** (Geometridae) **Synonym(s):** *#subalbida* W. Warren, 1896; *nepalensis* Hampson, 1902 **Range (in code):** **IN Meg Ass Khs NP TH CMa Int**
- 43300. *Hypomecis oblivia* (L.B. Prout, 1925)** (Geometridae) **Synonym(s):** *oblivia* L.B. Prout, 1925 **Range (in code):** **BD Slo IN Ass TH CMa Int**
- 43301. *Hypomecis paradetractaria* Sato, 1990** (Geometridae) **Synonym(s):** *paradetractaria* Sato, 1990 **Range (in code):** **ID Clb**
- 43302. *Hypomecis philippinensis* Sato, 1996** (Geometridae) **Synonym(s):** *philippinensis* Sato, 1996 **Original Reference:** *Hypomecis philippinensis* Sato, 1996, Tinea 14 (4): 256, figs. 1, 2, 6. Holotype ♂: Philippines: Leyte (NSMT). **Range (in code):** **PH Ley**
- 43303. *Hypomecis polystrota* (Hampson, 1907)** (Geometridae) **Synonym(s):** *polystrota* Hampson, 1907 **Range (in code):** **Ch**
- 43304. *Hypomecis praeclarata* (Püngeler, 1900)** (Geometridae) **Synonym(s):** *praeclarata* Püngeler, 1900 **Original Reference:** *Boarmia praeclarata* Püngeler, 1900, Dt. ent. Z., Iris 12: 297, pl. 9 fig. 18. Syntypes 2♂ 1♀: Central Asia: Kuku Noor. **Range (in code):** **CN Ts Kno**
- 43305. *Hypomecis primitiaria* (Walker, 1860)** (Geometridae) **Synonym(s):** *primitiaria* Walker, 1860 **Range (in code):** **VE**
- 43306. *Hypomecis procursaria* (Walker, 1860)** (Geometridae) **Synonym(s):** *procursaria* Walker, 1860 **Range (in code):** **TH Knc**
- 43307. *Hypomecis punctinalis* (Scopoli, 1763)** (Geometridae) **Synonym(s):** *punctinalis* Scopoli, 1763; *urticaria* Hufnagel, 1767; *turcaria* Fabricius, 1775; *griseonigra* Goeze, 1781; *bandevillaea* Fourcroy, 1785; *consortaria* Fabricius, 1787; *convexata* Villers, 1789; *leucopheataria* Villers, 1789 **Original Reference:** *Phalaena punctinalis* Scopoli, 1763, Entomologia Carniolica: 217. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **PT ES FR Co IT IE GB BE NL LU DE CH AT SS Mrb PL CZ SK HU RO YU AL BG GR TR CY DK SE FI EE LV LT RU Uf Sb MD UA BY KP KR JP TW**
- 43308. *Hypomecis punctinalis conferenda* Butler, 1878** (Geometridae) **Synonym(s):** *conferenda* Butler, 1878; *submarginata* Bryk, 1949 **Range (in code):** **JP KP KR**
- 43309. *Hypomecis punctinalis glos* L.B. Prout, 1914** (Geometridae) **Synonym(s):** *glos* L.B. Prout, 1914 **Range (in code):** **TW**
- 43310. *Hypomecis punctinalis kerstinae* Fischer & Lewandowski, 2004** (Geometridae) **Synonym(s):** *kerstinae* Fischer & Lewandowski, 2004 **Range (in code):** **CY TR**
- 43311. *Hypomecis punctinalis punctinalis* (Scopoli, 1763)** (Geometridae) **Synonym(s):** *punctinalis* Scopoli, 1763; *urticaria* Hufnagel, 1767; *turcaria* Fabricius, 1775; *griseonigra* Goeze, 1781; *bandevillaea* Fourcroy, 1785; *consortaria* Fabricius, 1787; *convexata* Villers, 1789; *leucopheataria* Villers, 1789 **Original Reference:** *Phalaena punctinalis* Scopoli, 1763, Entomologia Carniolica: 217. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO SS Mrb YU AL BG GR TR CY DK SE FI EE LV LT RU MD UA BY**
- 43312. *Hypomecis ratotaria* (Swinhoe, 1894)** (Geometridae) **Synonym(s):** *ratotaria* Swinhoe, 1894 **Range (in code):** **IN Ass Meg Khs Cpj Slo**
- 43313. *Hypomecis reparata* (Walker, 1860)** (Geometridae) **Synonym(s):** *reparata* Walker, 1860; *glochiphora* L.B. Prout, 1925 **Range (in code):** **BD Syl IN Ass Meg Khs TH**
- 43314. *Hypomecis roboraria* (Fabricius, 1787)** (Geometridae) **Synonym(s):** *#roboraria* [Denis & Schiffermüller], 1775; *roboraria* Fabricius, 1787; *consobrinaria* Hübner, [1799] nec Borkh., 1790; *grandaria* Haworth, 1809; *piperitaria* Stephens, 1831; *isabellae* Fernandez, 1931 **Original Reference:** *Phalaena roboraria* Fabricius, 1787, Mant. Ins. 2: 187, nr. 23. Type(s): [Wien]. **Range (in code):** **PT ES FR Co Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ DK SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Pyrus malus*; *Quercus* (Fagaceae) (Meyer, 1919).

- 43315. *Hypomecis separata* (Walker,1860)** (Geometridae) **Synonym(s):** *separata* Walker,1860; *retractaria* Walker,1860 _ **Range (in code):** **LK IN MY Bor Swk TH Ntt Hba Chy Nna Kao Cbi Phi Phu Nst Srt** **Bionomy:** Larva on *Coffea liberica* (Rubiaceae) (Scoble,1999).
- 43316. *Hypomecis sommereri* Sato,1990** (Geometridae) **Synonym(s):** *sommereri* Sato,1990 **Range (in code):** **ID Sum TH Ntt Hba**
- 43317. *Hypomecis* sp.1** (Geometridae) **Synonym(s):** _ **Range (in code):** **ZA ZA06 ZA07 ZA08 Ksi Kzu Nta**
- 43318. *Hypomecis* sp.2** (Geometridae) **Synonym(s):** _ **Range (in code):** **ZA Ktz Nta Kzu ZA12 Mal Tva Lpo**
- 43319. *Hypomecis stueningi* Sato,1991** (Geometridae) **Synonym(s):** *stueningi* Sato,1991 **Original Reference:** *Hypomecis stueningi* Sato,1991, Tyo to Ga 42 (4): 274, figs. 5,6,2324. **Holotype** ♂: Thailand: Chiang Mai, Doi Inthanon NP, 1600m (ZMUC). **Range (in code):** **TH CMa Int**
- 43320. *Hypomecis subdetractaria* (L.B.Prout,1923)** (Geometridae) **Synonym(s):** *detractaria* Walker,1860 nec Wlk.,1860; *subdetractaria* L.B.Prout,1923; #*subdetracta* Hutacharern & Tubtim,1995 _ **Range (in code):** **TH Rng Ntt Hba ID Clb**
- 43321. *Hypomecis subdetractaria sulawesensis* Sato,1990** (Geometridae) **Synonym(s):** *sulawesensis* Sato,1990 _ **Range (in code):** **ID Clb**
- 43322. *Hypomecis tetragonata* (Walker,[1863])** (Geometridae) **Synonym(s):** *tetragonata* Walker,[1863]; *deficiens* Moore,1888; *pallidiplaga* W.Warren,1899 _ **Range (in code):** **TH Ntt Hba MY Bor Swk IN SI Djl TH PG Ls**
- 43323. *Hypomecis transcissa* (Walker,1860)** (Geometridae) **Synonym(s):** *transcissa* Walker,1860; *lineataria* Walker,1866; *latipennis* Butler,1881; #*transissa* Hutacharern & Tubtim,1995 _ **Range (in code):** **TH CMa Cuo Cuo1 Ntt Hba Chy Nna Kao Phi BD Syl IN Hp Kgr Drm ID Ja**
- 43324. *Hypomecis transponenda* (Herbulot,1989)** (Geometridae) **Synonym(s):** *transponenda* Herbulot,1989 _ **Range (in code):** **RW**
- 43325. *Hypomecis valens* Inoue,1988** (Geometridae) **Synonym(s):** *valens* Inoue,1988 _ **Range (in code):** **ID Clb**
- 43326. *Hypomecis virguncula* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *virguncula* L.B.Prout,1927 _ **Range (in code):** **MM Hta**
- 43327. *Hypomecis xenobia* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *xenobia* Wiltshire,1966 **Range (in code):** **AF Pag**
- 43328. *Hypomecis yuwanina* Sato,1981** (Geometridae) **Synonym(s):** *yuwanina* Sato,1981 **Range (in code):** **JP**
- 43329. *Hypomecis zaragoza* (Beutelspacher,1984)** (Geometridae) **Synonym(s):** *zaragoza* Beutelspacher,1984 _ **Range (in code):** **MX**
- 43330. *Hypomecis zernyaria* (Rungs,1946)** (Geometridae) **Synonym(s):** *zernyaria* Rungs,1946 **Range (in code):** **MA**
- 43331. *Hyposcotis* (?) *armenia* (Wehrli,1953)** (Geometridae) **Synonym(s):** *armenia* Wehrli,1953 **Original Reference:** Gnophos (*Cnestrognophos*) *adjectaria* ssp. *armenia* Wehrli,1953, [in] Seitz, Gross-Schmett. Erde 4 (suppl.): 610 (50e). **Syntypes:** Armenia; [Turkmenistan]: Ashkabad (ZFMK). **Range (in code):** **Cc AM**
- 43332. *Hyposcotis* (?) *assoi* Redondo & Gaston,1997** (Geometridae) **Synonym(s):** *assoi* Redondo & Gaston,1997 **Original Reference:** Gnophos *assoi* Redondo & Gaston,1997, Revta aragon. ent. 6: 156, figs. 1-4, 9-11. **Holotype** ♂: Spain: Prov. Zaragoza (Aragon), Torralba de los Frailes, 1050m. **Range (in code):** **ES**
- 43333. *Hyposcotis* (?) *mutilata* (Staudinger,1879)** (Geometridae) **Synonym(s):** *mutilata* Staudinger,1879 **Original Reference:** Gnophos *mutilata* Staudinger,1879, Horae Soc. ent. ross. 14: 457. **Type** ♂: [Türkei]: Amasia (Johann leg.). **Range (in code):** **GR TR Cc AM**
- 43334. *Hyposcotis* (?) *pentheri* (Rebel,1904)** (Geometridae) **Synonym(s):** *pentheri* Rebel,1904; *petrina* Thurner,1936. _ **Range (in code):** **B-H MK**
- 43335. *Hyposcotis* (Charissa) *bellieri* (Oberthür,1913)** (Geometridae) **Synonym(s):** *bellieri* Oberthür,1913 _ **Range (in code):** **Co Sa**
- 43336. *Hyposcotis* (Charissa) *certhiata* (Rebel & Zerny,1931)** (Geometridae) **Synonym(s):** *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953. _ **Range (in code):** **B-H YU AL BG GR TR Cc GG**

- 43337. *Hyposcotis (Charissa) certhiata certhiata* (Rebel & Zerny,1931)** (Geometridae)
Synonym(s): *certhiatus* Rebel & Zerny,1931; *bezengius* Niesiolowski,1953. _ Range (in code): **B-H YU AL BG GR**
- 43338. *Hyposcotis (Charissa) certhiata minorasiatica* (Wehrli,1936)** (Geometridae)
Synonym(s): *minorasiaticus* Wehrli,1936 _ Original Reference: Gnophos *certhiatus* ssp. *minorasiaticus* Wehrli,1936, Am. Papillons 1936: 154. Syntypes: [Turquie]: Anatolie, Akshehir, Sultan Dag, 1700-2200m (ZFMK). Range (in code): **TR**
- 43339. *Hyposcotis (Charissa) obscurata* ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): *#obscurata* [Denis & Schiffermüller],1775; *lividata* Fabricius,1787 *nec* Cl.,1759; *obscuraria* Hübner,1799; *anthracinaria* Esper,1801; *quadripustulata* Donovan,1808 _ Original Reference: Geometra *obscurata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district. Range (in code): **DZ Mage PT ES Mu FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc GG AM MD UA BY** Bionomy: Larva on *Armeria vulgaris*, *Artemisia*, *Plantago*, *Rumex*, *Sedum album*, *Vaccinium*, *Rubus* ([Denis & Schiffermüller],1775; Meyer,1919; Calle et al.,2000)).
- 43340. *Hyposcotis (Charissa) zejae* (Wehrli,1953)** (Geometridae) Synonym(s): *zejae* Wehrli,1953 _ Range (in code): **Cc AM GG RU Da**
- 43341. *Hyposcotis (Costignophos) avilaria* (Reisser,1936)** (Geometridae) Synonym(s): *avilarius* Reisser,1936 _ Range (in code): **ES**
- 43342. *Hyposcotis (Costignophos) crenulata* (Staudinger,1871)** (Geometridae)
Synonym(s): *crenulata* Staudinger,1871 _ Range (in code): **ES FR**
- 43343. *Hyposcotis (Costignophos) italohelveticus* (Rezbanyai-Reser,1986)** (Geometridae)
Synonym(s): *italohelveticus* Rezbanyai-Reser,1986 _ Range (in code): **FR IT CH**
- 43344. *Hyposcotis (Costignophos) pullata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *pullata* [Denis & Schiffermüller],1775 _ Original Reference: Geometra *pullata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 108. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR** Bionomy: Larva on *Origanum vulgare*, *Sedum*, *Thymus* (Meyer,1919).
- 43345. *Hyposcotis (Euchrognophos) annubilata* Christoph,1885** (Geometridae)
Synonym(s): *annubilata* Christoph,1885. _ Range (in code): **Cc AZ Nv Ord IR Th Elb Mz Fa Shr Com Kz**
- 43346. *Hyposcotis (Euchrognophos) corsica* (Oberthür,1913)** (Geometridae) Synonym(s): *corsica* Oberthür,1913 _ Range (in code): **Co Sa**
- 43347. *Hyposcotis (Euchrognophos) dubitaria* (Staudinger,1892)** (Geometridae)
Synonym(s): *dubitaria* Staudinger,1892 _ Original Reference: Gnophos ? *dubitaria* Staudinger,1892, Dt. ent. Z., Iris 5: 192-193. Syntypes: [Iran]: Schahrud; [Türkei]: Mardin. Range (in code): **GR Cr TR LB Bsa Cc AM IR Fa Sse Com Kz**
- 43348. *Hyposcotis (Euchrognophos) dubitaria staudingeri* (Wnukowsky,1929)** (Geometridae) Synonym(s): *graecaria* Staudinger,1892 *nec* Stgr.,1871; *staudingeri* Wnukowsky,1929 Range (in code): **GR**
- 43349. *Hyposcotis (Euchrognophos) effendii Viidalepp & Piriev,1993*** (Geometridae)
Synonym(s): *effendii* Viidalepp & Piriev,1993 _ Range (in code): **Cc AZ**
- 43350. *Hyposcotis (Euchrognophos) nannodes* (Wehrli,1936)** (Geometridae) Synonym(s): *nannodes* Wehrli,1936 _ Original Reference: Gnophos *nannodes* Wehrli,1936, Am. Papillons 1936: 151-152. Syntypes 9♂ 1♀: [Turquie]: "Wan Umgebung Kurdistan", 1900-2200m (ZSM). Range (in code): **TR**
- 43351. *Hyposcotis (Euchrognophos) subtaurica* (Wehrli,1934)** (Geometridae)
Synonym(s): *#subtaurica* Wehrli,1932; *subtaurica* Wehrli,1934 _ Original Reference: Gnophos *variegata* var. *subtaurica* Wehrli,1934, Mitt. münch. ent. Ges. 24 (2): 54, pl.1 figs. 25,26. Syntypes ♂♂: [Türkei]: Marasch, Akbes; [Lebanon]: Beirut (ZFMK). Range (in code): **TR LB Bei Bsa IL Pa Js CY**
- 43352. *Hyposcotis (Euchrognophos) variegata* (Duponchel,1830)** (Geometridae)
Synonym(s): *variegatus* Duponchel,1830; *rothschildi* L.B.Prout,1929; *#subtaurica* Wehrli,1932. _ Range (in code): **MA Mzg PT ES FR Si IT MT CH AT HU RO YU AL BG GR Rd TR AZ Nv Cc GG IQ RU MD UA BY** Bionomy: Larva on *Asplenium* (Pterid.) (Meyer,1919).
- 43353. *Hyposcotis (Kemtroglyphos) ambiguata* (Duponchel,1830)** (Geometridae)
Synonym(s): *ambiguata* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853 _ Range (in

- code): **ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR GG Cc AZ AM EE LV LT RU MD UA BY Sb CN MN** Bionomy: Larva on Sedum (Meyer,1919).
- 43354. Hyposcotis (Kemtrognophos) ambigua ambigua (Duponchel,1830)** (Geometridae) Synonym(s): *ambigua* Duponchel,1830; *meyeraria* Harpe,1853; *ophthalmicata* Lederer,1853 Range (in code): **FR CH RU Sb**
- 43355. Hyposcotis (Kemtrognophos) ambigua graecaria (Staudinger,1871)** (Geometridae) Synonym(s): *graecaria* Staudinger,1871 Range (in code): **GR**
- 43356. Hyposcotis (Kemtrognophos) ambigua pullularia (Herrich-Schäffer,1852)** (Geometridae) Synonym(s): *pullularia* Herrich-Schäffer,1852; *vepretaria* Speyer,1867 Range (in code): **DE**
- 43357. Hyposcotis (Kemtrognophos) ambigua tatrensis (Vojnits,1969)** (Geometridae) Synonym(s): *tatrensis* Vojnits,1969 Range (in code): **HU**
- 43358. Hyposcotis (Kemtrognophos) ambigua viidaleppi (Vojnits,1975)** (Geometridae) Synonym(s): *viidaleppi* Vojnits,1975 Range (in code): **CN MN**
- 43359. Hyposcotis (Kemtrognophos) fractifasciaria (Püngeler,1901)** (Geometridae) Synonym(s): *fractifasciaria* Püngeler,1901 Range (in code): **CN Ui Kl KK Ax**
- 43360. Hyposcotis (Kemtrognophos) mardinaria Staudinger,1901** (Geometridae) Synonym(s): *mardinaria* Staudinger,1901 Original Reference: Gnophos obscuraria var. *mardinaria* Staudinger,1901, Cat. Lep. palaearkt. Faunengeb. 3(1): 345, nr.3931d. Type(s): [Türkei]: Mardin. Range (in code): **TR IQ Dk IR Kd**
- 43361. Hyposcotis (Kemtrognophos) onustaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *onustaria* Herrich-Schäffer,[1852]; *oneraria* Guenée,[1858] Original Reference: *Scodiona onustaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6:73, figs. 496-497. Syntypes: [Türkei]: Amasia. Range (in code): **ES FR Co Sa Si IT RO YU AL BG GR TR GG Cc AZ AM IQ IL Pa JO IR Gl Kh**
- 43362. Hyposcotis (Kemtrognophos) onustaria eugonia (Wehrli,1953)** (Geometridae) Synonym(s): *eugonia* Wehrli,1953 Range (in code): **AM Cc IR Gl Kh**
- 43363. Hyposcotis (Kemtrognophos) onustaria serraria (Guenée,[1858])** (Geometridae) Synonym(s): *serraria* Guenée,[1858] Range (in code): **FR ES**
- 43364. Hyposcotis (Kemtrognophos) orbicularia (Püngeler,1904)** (Geometridae) Synonym(s): *orbicularia* Püngeler,1904; *pungeleri* Bohatsch,1910. Range (in code): **UZ Fe KK Ik CN Ui Au Ju**
- 43365. Hyposcotis (Kemtrognophos) predotae (Schawerda,1929)** (Geometridae) Synonym(s): *predotae* Schawerda,1929 Range (in code): **PT ES IT Si**
- 43366. Hyposcotis (Kemtrognophos) remmi Viidalepp,1988** (Geometridae) Synonym(s): *remmi* Viidalepp,1988 Range (in code): **RU Ya**
- 43367. Hyposcotis (Kemtrognophos) sheljuzhkoii (Schawerda,1924)** (Geometridae) Synonym(s): *sheljuzhkoii* Schawerda,1924 Range (in code): **RU**
- 43368. Hyposcotis (Kemtrognophos) zeitunaria (Staudinger,1901)** (Geometridae) Synonym(s): *zeitunaria* Staudinger,1901 Original Reference: Gnophos obscuraria var. *zeitunaria* Staudinger,1901, Cat. Lep. palaearkt. Faunengeb. 3(1):344,nr.3931c. Type(s): [Türkei]: Taur.m.or. [=Zeitun]. Range (in code): **TR Cr**
- 43369. Hyposcotis (Neognophina) intermedia (Wehrli,1917)** (Geometridae) Synonym(s): *intermedia* Wehrli,1917 Range (in code): **DE CH AT PL CZ SK HU RO YU BG GR**
- 43370. Hyposcotis (Neognophina) pfeifferi Wehrli,1926** (Geometridae) Synonym(s): *pfeifferi* Wehrli,1926 Range (in code): **GR TR LB Bsa**
- 43371. Hyposcotis (Neognophina) supinaria (Mann,1854)** (Geometridae) Synonym(s): *supinaria* Mann,1854; *supinata* Guenée,[1858]; *hypophana* Wehrli,1953 Original Reference: Boarmia *supinaria* Mann,1854, Verh. zool.-bot. Ver. Wien 4: 566. Syntypes: Croatia: Fiume; Istria. Range (in code): **IT MK Ohr HV AL GR**
- 43372. Hyposcotis (Rhopalognophos) glaucinaria (Hübner,[1799])** (Geometridae) Synonym(s): *glaucinaria* Hübner,[1799]; *glaucinata* Treitschke,1827; *falconaria* Freyer,1842; *supinata* Bruand,[1852]; *supinaria* Mann,1854; *perstrigata* Wehrli,1924 Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG UA** Bionomy: Larva on Sedum, Teucrium, Thymus (Meyer,1919).
- 43373. Hyposcotis (s.str.) mucidaria (Hübner,[1799])** (Geometridae) Synonym(s): *mucidaria* Hübner,[1799]; *herrichi* Oberthür,1913; *nubilarius* Reisser,1936 Original Reference: Geometra *mucidaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.28 fig.148. Type: Europe. Range (in code):

- MR DZ Orn PT ES Mu FR Co Sa Si IT MT CH BG GR Cr Cc AM GG TR** Bionomy: Larva on Anagallis, Polygonum (Meyer,1919).
- 43374. Hyposcotis (s.str.) mucidaria grisearia (L.B.Prout,1915)** (Geometridae)
Synonym(s): *grisearia* L.B.Prout,1915 Range (in code): ES
- 43375. Hyposcotis (s.str.) mucidaria lusitanica (Mendes,1903)** (Geometridae)
Synonym(s): *lusitanica* Mendes,1903; *lusitana* Mendes,1909 Range (in code): PT
- 43376. Hyposcotis (s.str.) mucidaria ochracearia (Staudinger,1901)** (Geometridae)
Synonym(s): *ochracearia* Staudinger,1901 Range (in code): MR DZ Ges ES Mu
- 43377. Hyposcotis alaianus (Viidalepp,1988)** (Geometridae) Synonym(s): *alaianus* Viidalepp,1988 Range (in code): KK
- 43378. Hyposcotis lequatrei (Herbulot,1988)** (Geometridae) Synonym(s): *lequatrei* Herbulot,1988 Range (in code): YE
- 43379. Hyposcotis uzbekistanica (Viidalepp,1988)** (Geometridae) Synonym(s): *uzbekistanica* Viidalepp,1988 Range (in code): UZ
- 43380. Hyposidra afflictaria (Walker,1866)** (Geometridae) Synonym(s): *afflictaria* Walker,1866; *albomaculata* Snellen,1881 Range (in code): ID Clb
- 43381. Hyposidra albifera (Moore,1879)** (Geometridae) Synonym(s): *albifera* Moore,1879 Range (in code): IN Kul
- 43382. Hyposidra altiviolescens Holloway,[1994]** (Geometridae) Synonym(s): *altiviolescens* Holloway,[1994] Range (in code): MY Bor Swk Sbh KBa TH
- 43383. Hyposidra apioleuca L.B.Prout,1916** (Geometridae) Synonym(s): *apioleuca* L.B.Prout,1916 Range (in code): ID Sum
- 43384. Hyposidra aquilaria (Walker,1862)** (Geometridae) Synonym(s): *aquilaria* Walker,1862; *albipunctata* W.Warren,1893; *kala Swinhoe*,1893; *dauidaria* Poujade,1895 Range (in code): IN SI CN Sz TH
- 43385. Hyposidra gracilis (Herbulot,1954)** (Geometridae) Synonym(s): *gracilis* Herbulot,1954 Range (in code): CM
- 43386. Hyposidra incomptaria (Walker,1866)** (Geometridae) Synonym(s): *incomptaria* Walker,1866; *corticata* Walker,1866; *lutosaria* Pagenstecher,1884; *alfuraria* Pagenstecher,1886; *maculipennis* W.Warren,1896; *prunicolor* W.Warren,1897 Range (in code): SB PG Ent Fg ID Aru Amb ID Snw Crm TH Ntt Hba Bionomy: Larva on *Camptosperma brevipetiolatum* (Anacardiaceae), *Terminalia brassii*, *T.calamansanai* (Combretaceae), *Merremia pacifica*, *M.peltata* (Convolvulaceae), *Calophyllum kajewskii* (Clusiaceae), *Eucalyptus deglupta* (Myrtaceae), *Palaquium gutta* (Sapotaceae) (Scoble,1999).
- 43387. Hyposidra infixaria (Walker,1860)** (Geometridae) Synonym(s): *infixaria* Walker,1860; *aquilaria* Walker,[1863] *nec* Wlk.,1862; *umbrosa* Swinhoe,1890; *virgata* Wileman,1910 Range (in code): TH Ntt Hba TW MY Bor Swk MM Rgo
- 43388. Hyposidra janiaria Guenée,[1858]** (Geometridae) Synonym(s): *janiaria* Guenée,[1858]; *agrealesaria* Walker,1860; *diffusata* Walker,1866; *infusata* Walker,1866; *subfasciata* Walker,1866 Range (in code): ID Ja Flo Bionomy: Larva on *Glycine* (Fabaceae), *Citrus* (Rutaceae) (Scoble,1999).
- 43389. Hyposidra leucomela (Walker,1866)** (Geometridae) Synonym(s): *leucomela* Walker,1866; *leptosoma* R.Felder & Rogenhofer,1875; *lactemaculata* W.Warren,1898; *nigrivincula* Schultze,1907 Range (in code): PH Mno Mdo Luz
- 43390. Hyposidra murina (Swinhoe,1891)** (Geometridae) Synonym(s): *murina* Swinhoe,1891 Range (in code): IN Ass Meg Khs TH
- 43391. Hyposidra neglecta Carcasson,1964** (Geometridae) Synonym(s): *neglecta* Carcasson,1964 Range (in code): UG
- 43392. Hyposidra nigricosta W.Warren,1896** (Geometridae) Synonym(s): *nigricosta* W.Warren,1896 Range (in code): ID Mlc
- 43393. Hyposidra nivitacta W.Warren,1897** (Geometridae) Synonym(s): *nivitacta* W.Warren,1897 Range (in code): ID Clb
- 43394. Hyposidra picaria (Walker,1866)** (Geometridae) Synonym(s): *picaria* Walker,1866; *caesia* W.Warren,1897; *ruptifascia* W.Warren,1901; *lactiflua* L.B.Prout,1931 Range (in code): TH Ntt Hba MY Pen Bor Sbh KBa PH Bas Cag Bionomy: Larva on *Coffea liberica* (Rubiaceae) (Scoble,1999).
- 43395. Hyposidra rauca W.Warren,1905** (Geometridae) Synonym(s): *rauca* W.Warren,1905 Range (in code): PH Cag
- 43396. Hyposidra rufosarcuata Holloway,[1994]** (Geometridae) Synonym(s): *rufosarcuata* Holloway,[1994] Range (in code): MY Bor Swk

- 43397. *Hyposidra salebrata* L.B.Prout,1937** (Geometridae) **Synonym(s):** *salebrata* L.B.Prout,1937
Range (in code): **ID Bli**
- 43398. *Hyposidra talaca* (Walker,1860)** (Geometridae) **Synonym(s):** *talaca* Walker,1860; *deceptatura* Walker,1860; *decipiens* Walker,1860; *rigusaria* Walker,[1863]; *bombycaria* Walker,1866; *vampyraria* Snellen,1881; *myceterna* Druce,1889; *flaccida* Lucas,1894
Range (in code): **ID Crm Clb LK IN PH AU QAu SB TH CMa Cuo Cnz Cz10 Knc Cbi Phe Ntt Hba MY Bor** **Bionomy:** Larva on leaf of *Nephelium lappaceum* [rambutan], *Citrus maxima* [pomelo] (Rutaceae), *Plumeria rubra* [frangipani] (Apocynaceae), *Lagerstroemia indica* [crape myrtle] (Lythraceae), *Datura metel* [thorn apple] (Solanaceae) (Lewvanich,2001).
- 43399. *Hyposidra unimacula* W.Warren,1907** (Geometridae) **Synonym(s):** *unimacula* W.Warren,1907
Range (in code): **PH Pal**
- 43400. *Hyposidra violescens* Hampson,1895** (Geometridae) **Synonym(s):** *violescens* Hampson,1895
Range (in code): **IN SI TH CMa Cnz Cz10**
- 43401. *Hypotephrina exmotaria* (Walker,1861)** (Geometridae) **Synonym(s):** *exmotaria* Walker,1861
Range (in code): **ZA Tva ZA12 Kzu ZA14 Mpu**
- 43402. *Hypoxystis pluviana* (Fabricius,1787)** (Geometridae) **Synonym(s):** *pluviana* Fabricius,1787; *adpersaria* Hübner,1790 *nec* Fabricius,1787; *jacobaearia* Borkhausen,1794; *inspersaria* Hübner,[1823]. **Original Reference:** *Phalaena pluviana* Fabricius,1787, Mant. Ins. 2: 192, nr.65. **Type(s):** *Halae Saxonum*. **Range (in code):** **FR IT BE DE CH AT CZ SK HU RO YU BG SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Genista germanica*, *Sarothamnus scoparius*, *Senecio jacobaea* (Blaschke,1914; Meyer,1919).
- 43403. *Hypsometra ericinellae* Aurivillius,1910** (Geometridae) **Synonym(s):** *ericinellae* Aurivillius,1910
Range (in code): **TZ**
- 43404. *Hypulia continua* (Walker,1861)** (Geometridae) **Synonym(s):** *continua* Walker,1861; *impervisata* Walker,[1863]
Range (in code): **MY Bor Swk**
- 43405. *Hypulia convoluta* Holloway,[1994]** (Geometridae) **Synonym(s):** *convoluta* Holloway,[1994]
Range (in code): **MY Bor Swk TH**
- 43406. *Hypulia dirempta* (Walker,1861)** (Geometridae) **Synonym(s):** *dirempta* Walker,1861
Range (in code): **IN**
- 43407. *Hypulia eleuthera* Holloway,[1994]** (Geometridae) **Synonym(s):** *eleuthera* Holloway,[1994]
Range (in code): **MY Sgo**
- 43408. *Hypulia strictiva* L.B.Prout,1932** (Geometridae) **Synonym(s):** *strictiva* L.B.Prout,1932
Range (in code): **MY Bor Sbh KBa**
- 43409. *Hysterura cervinaria* (Moore,1868)** (Geometridae) **Synonym(s):** *cervinaria* Moore,1868
Range (in code): **IN Ben**
- 43410. *Hysterura declinans* (Staudinger,1897)** (Geometridae) **Synonym(s):** *declinans* Staudinger,1897
Range (in code): **RU Am KP KR**
- 43411. *Hysterura hypischyra* L.B.Prout,1937** (Geometridae) **Synonym(s):** *hypischyra* L.B.Prout,1937
Range (in code): **CN Sz T-T**
- 43412. *Hysterura literataria* (Leech,1897)** (Geometridae) **Synonym(s):** *literataria* Leech,1897
Range (in code): **CN**
- 43413. *Hysterura multifaria* (Swinhoe,1890)** (Geometridae) **Synonym(s):** *multifaria* Swinhoe,1890
Range (in code): **IN SI Djl**
- 43414. *Hysterura protagma* (L.B.Prout,1940)** (Geometridae) **Synonym(s):** *protagma* L.B.Prout,1940
Range (in code): **IN Meg Cpj TW**
- 43415. *Hysterura vacillans* L.B.Prout,1940** (Geometridae) **Synonym(s):** *vacillans* L.B.Prout,1940
Range (in code): **CN Sz T-T**
- 43416. *Idaea abnorma* (Pinker,1960)** (Geometridae) **Synonym(s):** *abnorma* Pinker,1960
Range (in code): **Cn**
- 43417. *Idaea actiosaria* (Walker,1861)** (Geometridae) **Synonym(s):** *actiosaria* Walker,1861
Range (in code): **LK**
- 43418. *Idaea acuminata* (Moore,1888)** (Geometridae) **Synonym(s):** *acuminata* Moore,1888
Range (in code): **IN SI Djl**
- 43419. *Idaea adherbariata* (Staudinger,1898)** (Geometridae) **Synonym(s):** *adherbariata* Staudinger,1898
Range (in code): **IL Pa**
- 43420. *Idaea adipata* (Schaus,1913)** (Geometridae) **Synonym(s):** *adipata* Schaus,1913
Range (in code): **CR**

- 43421. *Idaea admiranda* Hausmann,2004** (Geometridae) Synonym(s): *litigiosaria sensu Okyar & Aktaç,1999 nec Bsd.,1840; admiranda Hausmann,2004* Original Reference: *Idaea admiranda* Hausmann,2004, The Geometrid Moths of Europe 2: 66-67, figs. Holotype ♂: SO Türki: Urfa 8km W Siverek 700m, 9-10.vi.1974, leg. Gross (EMEM). Range (in code): TR Cc RU Da Der
- 43422. *Idaea aequisinuata* (W.Warren,1898)** (Geometridae) Synonym(s): *aequisinuata W.Warren,1898* Range (in code): IN Ass Meg Khs
- 43423. *Idaea affinitata* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *affinitata A.Bang-Haas,1907* Original Reference: *Acidalia affinitata* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 82. Syntypes 2♂ 3♀: Libanon: Syrien; Lectotype ♂: Lebanon (MNHU), Hausmann,2006. Range (in code): LB Bsa TR IL Pa
- 43424. *Idaea afflata* (Fuchs,1902)** (Geometridae) Synonym(s): *afflata Fuchs,1902* Range (in code): ID Sum
- 43425. *Idaea africarabica* (Wiltshire,1949)** (Geometridae) Synonym(s): *africarabica Wiltshire,1949* Range (in code): YE SA As
- 43426. *Idaea ajmerensis* Wiltshire,1983** (Geometridae) Synonym(s): *ajmerensis Wiltshire,1983* Range (in code): IN Rj
- 43427. *Idaea albarracina* (Reisser,1933)** (Geometridae) Synonym(s): *albarracina Reisser,1933* Range (in code): ES FR
- 43428. *Idaea albitorquata* (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata Püngeler,1909* Original Reference: *Acidalia albitorquata* Püngeler,1909, Dt. ent. Z., Iris 21 (4): 293, pl.4 fig.10. Syntypes: [Griechenland]: Pelponnees: Tirnys; Kalavryta; [Türki]: Aidin [Aydın]; Amasia [Amasya]; [Italia]: Sicilia, Ficuzza. Range (in code): Si IT YU AL BG GR Rd Cr TR CY
- 43429. *Idaea albitorquata albitorquata* (Püngeler,1909)** (Geometridae) Synonym(s): *albitorquata Püngeler,1909* Original Reference: *Acidalia albitorquata* Püngeler,1909, Dt. ent. Z., Iris 21 (4): 293, pl.4 fig.10. Syntypes: [Griechenland]: Pelponnees: Tirnys; Kalavryta; [Türki]: Aidin [Aydın]; Amasia [Amasya]; [Italia]: Sicilia, Ficuzza. Range (in code): YU AL BG GR Rd Cr TR
- 43430. *Idaea albitorquata maculifera* Hausmann,1994** (Geometridae) Synonym(s): *maculifera Hausmann,1994* Original Reference: *Idaea albitorquata ssp. maculifera* Hausmann,1994, Z. ArbGem. öst. Ent. 46: 86, figs. 2,12. Holotype ♀: Cyprus: Paphos (ZSBS). Range (in code): CY
- 43431. *Idaea albitorquata madoniensis* Hausmann,1993** (Geometridae) Synonym(s): *madoniensis Hausmann,1993* Original Reference: *Idaea albitorquata ssp. madoniensis* Hausmann,1993, Naturalista sicil. (4) 17 (1/2): 87. Holotype ♂: Sicily Madonie, 1200m (ZSBS). Range (in code): IT Si
- 43432. *Idaea algeriensis* (Bethune-Baker,1888)** (Geometridae) Synonym(s): *algeriensis Bethune-Baker,1888* Original Reference: *Acidalia algeriensis* Bethune-Baker,1888, Trans. ent. Soc. London 1888 (1): 118-119. Type ♂: Algeria, Sebdou (coll. B.-B.). Range (in code): DZ Sbd
- 43433. *Idaea alicantaria* (Reisser,1963)** (Geometridae) Synonym(s): *allicantaria Reisser,1963* Original Reference: *Sterrha alicantaria* Reisser,1963, Z. wien. ent. Ges. 48 (3): 45, pl.13 figs. 2,4. Holotype ♀: [Spain]: Alicante. Range (in code): ES
- 43434. *Idaea allardiata* (Mabille,1869)** (Geometridae) Synonym(s): *allardiata Mabille,1869* Range (in code): DZ Orn Lbs Ges TN LY
- 43435. *Idaea allongata* (Staudinger,1898)** (Geometridae) Synonym(s): *allongata Staudinger,1898; allongaria Staudinger,1900; paulusi L.B.Prout,1935.* Original Reference: *Acidalia allongata* Staudinger,1898, Dt. ent. Z., Iris 10: 308, pl.4 fig.32. Type ♀: [Israel]: Jerusalem. Range (in code): TR LB IL Pa Car IQ IR Fa Com Kz Sse Bionomy: Larva on *Malus pumila*.
- 43436. *Idaea alutacea* (Rungs,1945)** (Geometridae) Synonym(s): *alutacea Rungs,1945* Range (in code): MA
- 43437. *Idaea alyssumata* (Himmlinghoffen & Millière,1871)** (Geometridae) Synonym(s): *alyssumata Himmlinghoffen & Millière,1871; alyssata Zerny,1927.* Range (in code): PT ES Mu FR Bionomy: Larva on *Alyssum* (Millière,1871).
- 43438. *Idaea amnesta* (L.B.Prout,1922)** (Geometridae) Synonym(s): *amnesta L.B.Prout,1922* Range (in code): CU
- 43439. *Idaea amplipennis* (Butler,1889)** (Geometridae) Synonym(s): *amplipennis Butler,1889* Range (in code): IN Hp Kgr Drm

- 43440. *Idaea amputata* (W.Warren,1899)** (Geometridae) Synonym(s): *amputata* W.Warren,1899
Range (in code): **UG YE YE3o**
- 43441. *Idaea amputata tigrata* Hausmann,2006** (Geometridae) Synonym(s): *tigrata* Hausmann,2006
Range (in code): **YE YE3o**
- 43442. *Idaea andamanica* (L.B.Prout,1938)** (Geometridae) Synonym(s): *andamanica* L.B.Prout,1938
Range (in code): **IN Adm**
- 43443. *Idaea angusta* (Butler,1897)** (Geometridae) Synonym(s): *angusta* Butler,1897
Range (in code): **MW**
- 43444. *Idaea angustifrons* (Wiltshire,1966)** (Geometridae) Synonym(s): *angustifrons* Wiltshire,1966
Range (in code): **AF Pag Kab**
- 43445. *Idaea antiquaria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *#macilentaria* Herrich-Schäffer,1846; *antiquaria* Herrich-Schäffer,1847; *macilentaria* Herrich-Schäffer,1847
Range (in code): **PT ES FR Co IT BE DE CH**
- 43446. *Idaea aperta* (L.B.Prout,1916)** (Geometridae) Synonym(s): *aperta* L.B.Prout,1916
Range (in code): **SO**
- 43447. *Idaea apoa* (D.S.Fletcher,1958)** (Geometridae) Synonym(s): *apoa* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 43448. *Idaea arcuata* (D.S.Fletcher,1958)** (Geometridae) Synonym(s): *arcuata* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 43449. *Idaea arenophana* (Wiltshire,1966)** (Geometridae) Synonym(s): *arenophana* Wiltshire,1966
Range (in code): **AF Kab**
- 43450. *Idaea arhostiodes* (W.Warren,1905)** (Geometridae) Synonym(s): *arhostiodes* W.Warren,1905
Range (in code): **PE**
- 43451. *Idaea ascepta* (L.B.Prout,1915)** (Geometridae) Synonym(s): *ascepta* L.B.Prout,1915
Range (in code): **ZA Wca Cto Fs**
- 43452. *Idaea asceta* (L.B.Prout,1910)** (Geometridae) Synonym(s): *asceta* L.B.Prout,1910
Range (in code): **AR**
- 43453. *Idaea associata* (W.Warren,1897)** (Geometridae) Synonym(s): *associata* W.Warren,1897; *exilnota* W.Warren,1897
Range (in code): **ZA Nta Kzu MZ ZR UG**
- 43454. *Idaea assyria* Holloway,1997** (Geometridae) Synonym(s): *assyria* Holloway,1997
Range (in code): **MY Bor BN**
- 43455. *Idaea atlantica* (Stainton,1859)** (Geometridae) Synonym(s): *atlantica* Stainton,1859
Range (in code): **MD**
- 43456. *Idaea attenuaria* (Rambur,1833)** (Geometridae) Synonym(s): *attenuaria* Rambur,1833
Range (in code): **MA DZ TN ES An Mu FR Co Sa Si IT MT**
- 43457. *Idaea aureolaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *trilineata* Scopoli,1772 nec Hufn.,1767; *aureolaria* [Denis & Schiffermüller],1775; *bicincta* Fourcroy,1875; *trilineararia* Hübner,[1787].
Original Reference: Geometra aureolaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
Range (in code): **ES FR IT LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng AZ AM LT RU Sb Ya MD UA Cm MN CN Ui Ku**
- 43458. *Idaea auricruda* (Butler,1879)** (Geometridae) Synonym(s): *auricruda* Butler,1879; *plumboscriptaria* Christoph,1881
Range (in code): **JP Hdo RU Vv Us**
- 43459. *Idaea auriflua* (W.Warren,1902)** (Geometridae) Synonym(s): *auriflua* W.Warren,1902
Range (in code): **ZA ZA08 Ksi Kzu Nta AO ZW TZ Dss**
- 43460. *Idaea auriflua auriflua* (W.Warren,1902)** (Geometridae) Synonym(s): *auriflua* W.Warren,1902
Range (in code): **ZA ZA08 Ksi Kzu Nta AO ZW TZ Dss**
- 43461. *Idaea auriflua oenozonata* (W.Warren,1902)** (Geometridae) Synonym(s): *oenozonata* W.Warren,1902
Range (in code): **TZ**
- 43462. *Idaea aversata* (Linnaeus,1758)** (Geometridae) Synonym(s): *aversata* Linnaeus,1758; *remutata* Linnaeus,1758; *lividata* Clerck,1759; *trilineata* Hufnagel,1767; *grisata* Fabricius,[1776]; *murinata* Fabricius,1794; *aversaria* Hübner,[1799]; *fuliginata* Haworth,1809; *latifasciaria* Heydenreich,1851.
Original Reference: Phalaena aversata Linnaeus,1758, Syst. Nat. (Edn.10) 1: 526. Type(s): Finlandia.
Range (in code): **DZ Hrh DhM TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU MD UA BY JP**
Bionomy: Larva on Betula (Meyer,1919).
- 43463. *Idaea aversata indeviata* (L.B.Prout,1929)** (Geometridae) Synonym(s): *indeviata* L.B.Prout,1929
Original Reference: Sterrha aversata ssp. indeviata L.B.Prout,1929, Novit. zool.

- 35: 142. Syntypes 3♂: Algeria: Hammam Rirha; Tunis: Ain Draham (V.Faroult). Range (in code): DZ Hrh DhM TN
- 43464. *Idaea aversata japonica* (Inoue,1955)** (Geometridae) Synonym(s): japonica Inoue,1955
Range (in code): JP Hkk
- 43465. *Idaea bacalladoi* (Pinker,1974)** (Geometridae) Synonym(s): bacalladoi Pinker,1974
Range (in code): Cn
- 43466. *Idaea barcearia* (Turati & C.G.Krüger,1936)** (Geometridae) Synonym(s): barcearia Turati & C.G.Krüger,1936
Range (in code): LY Cy
- 43467. *Idaea barikotensis* (Wiltshire,1966)** (Geometridae) Synonym(s): barikotensis Wiltshire,1966
Range (in code): AF Nu Bkt
- 43468. *Idaea basicostalis* (W.Warren,1900)** (Geometridae) Synonym(s): basicostalis W.Warren,1900
Range (in code): ZA ZA08 Ksi ZA25 Kzu Nta Tva Ec
- 43469. *Idaea basinta* (Schaus,1901)** (Geometridae) Synonym(s): basinta Schaus,1901; pallimedia Grossbeck,1908
Range (in code): MX Ox US Arz
- 43470. *Idaea bathromyses* (L.B.Prout,1934)** (Geometridae) Synonym(s): bathromyses L.B.Prout,1934
Range (in code): FJ
- 43471. *Idaea belemiata* (Millière,1868)** (Geometridae) Synonym(s): belemiata Millière,1868; helianthemata Millière,1870; euphorbiata Balestre,1906; oberthuriata Balestre,1907; substraminata L.B.Prout,1913; cavenacata Chrétien,1929
Range (in code): MA DZ PT ES FR Si IT
- 43472. *Idaea benestrigata* (L.B.Prout,1913)** (Geometridae) Synonym(s): benestrigata L.B.Prout,1913
Range (in code): AF
- 43473. *Idaea bengasiaria* (Turati,1926)** (Geometridae) Synonym(s): bengasiaria Turati,1926
Range (in code): LY Cy
- 43474. *Idaea bicertaria* (Staudinger,1892)** (Geometridae) Synonym(s): bicertaria Staudinger,1892
Range (in code): TN
- 43475. *Idaea bigladiata* Herbulot,1975** (Geometridae) Synonym(s): bigladiata Herbulot,1975
Range (in code): MA DZ DhM Elt Tun Gf Agi TN PT ES An
- 43476. *Idaea bigladiata alberti* Hausmann,2004** (Geometridae) Synonym(s): alberti Hausmann,2004
Range (in code): TN DhM Elt Tun Gf Agi DZ
- 43477. *Idaea bilinea* (Swinhoe,1886)** (Geometridae) Synonym(s): bilinea Swinhoe,1886
Range (in code): IN Poo
- 43478. *Idaea bilinearia* (Fuchs,1889)** (Geometridae) Synonym(s): bilinearia Fuchs,1889; rubraria Staudinger,1901
Range (in code): PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR TR
- 43479. *Idaea bimaculata* (Turati & C.G.Krüger,1936)** (Geometridae) Synonym(s): bimaculata Turati & C.G.Krüger,1936
Range (in code): LY Cy
- 43480. *Idaea biselata* (Hufnagel,1767)** (Geometridae) Synonym(s): biselata Hufnagel,1767; fimbriata [Denis & Schiffmüller],1775; fimbriolata Stephens,1831; plumipedata Walker,1861; shimizuensis Matsumura,1925.
Original Reference: Phalaena biselata Hufnagel,1767, Berlin. Mag. 4 (6): 618.
Syntypes: [Deutschland]: Berlin.
Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY JP
Bionomy: Larva on Taraxacum, Quercus glauca, Plantago, Polygonum, Rubus (Scoble,1999).
- 43481. *Idaea blaesii* Lenz & Hausmann,1992** (Geometridae) Synonym(s): blaesii Lenz & Hausmann,1992
Original Reference: Idaea blaesii Lenz & Hausmann,1992, Mitt. münch. ent. Ges. 82: 47, figs.1-10. Holotype ♂: Portugal: SE Algarve, 15km N of Vilamoura (ZSBS).
Range (in code): MA PT ES An
- 43482. *Idaea bonifata* (Hulst,1887)** (Geometridae) Synonym(s): bonifata Hulst,1887; ptelearia Riley,1891; delicata Hulst,1896
Range (in code): US Arz NMx MX
- 43483. *Idaea brauneata* (Swett,1913)** (Geometridae) Synonym(s): brauneata Swett,1913
Range (in code): US Oh
- 43484. *Idaea brazilia* Koçak & Kemal,2006** (Geometridae) Synonym(s): ochraria Schaus,1901 nec Fisch.-Rösl.,1836; brazilia Koçak & Kemal,2006
Original Reference: Idaea brazilia Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro ochraria Schaus,1901 nec Fisch.-Rösl.,1836).
Range (in code): BR Pran
- 43485. *Idaea brevissimipes* (Herbulot,[1956])** (Geometridae) Synonym(s): brevissimipes (Herbulot,[1956])
Range (in code): MG
- 43486. *Idaea brevitarsata* Hausmann,1991** (Geometridae) Synonym(s): brevitarsata Hausmann,1991
Range (in code): JO

- 43487. *Idaea bucephalaria* (Chrétien,1909)** (Geometridae) **Synonym(s):** *bucephalaria* Chrétien,1909 **Range (in code):** **DZ**
- 43488. *Idaea buchanani* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *buchanani* L.B.Prout,1932 **Range (in code):** **SN**
- 43489. *Idaea bundeli* Viidalepp,1988** (Geometridae) **Synonym(s):** *bundeli* Viidalepp,1988 **Range (in code):** **KK**
- 43490. *Idaea bura* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *bura* L.B.Prout,1932 **Range (in code):** **KE Tet**
- 43491. *Idaea burtti* (D.S.Fletcher,1958)** (Geometridae) **Synonym(s):** *burtti* D.S.Fletcher,1958 **Range (in code):** **TZ**
- 43492. *Idaea bustilloi* (Agenjo,1967)** (Geometridae) **Synonym(s):** *bustilloi* Agenjo,1967 **Original Reference:** *Sterrha bustilloi* Agenjo,1967, Eos 42 (3/4): 299, figs. Holotype ♂: Spain: Provincia Madrid: Vaciamadrid, 540m (MNM). **Range (in code):** **ES FR**
- 43493. *Idaea callipepla* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *callipepla* L.B.Prout,1917 **Range (in code):** **JM**
- 43494. *Idaea calunetaria* (Staudinger,1859)** (Geometridae) **Synonym(s):** *calunetaria* Staudinger,1859; *doryeniata* Bellier,1862; *callunata* Rambur,1866. **Original Reference:** *Acidalia calunetaria* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 217. Syntypes: [Spanien]: Andalusia: Chiclana (MNHU). **Range (in code):** **MA Agi DZ TN PT ES Mu FR Si IT CH** **Bionomy:** Larva on *Doryenium* (Calle et al.,2000).
- 43495. *Idaea calunetaria episticta* (Wehrli,1930)** (Geometridae) **Synonym(s):** *episticta* Wehrli,1930 **Range (in code):** **DZ Agi MA**
- 43496. *Idaea calunetaria fuscularia* (Turati,1930)** (Geometridae) **Synonym(s):** *fuscularia* Turati,1930 **Range (in code):** **LY Cy**
- 43497. *Idaea camparia* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. **Original Reference:** *Acidalia camparia* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type(s): [Türkei]: Smyrna [=Izmir]. **Range (in code):** **DZ Orn PT ES FR Si IT RO YU HV AL BG GR Cr CY TR LB Bsa Cc AZ Nv AM GG IQ RU MD UA BY IR Fa Com Kz Gls IL Pa JO TM**
- 43498. *Idaea camparia camparia* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *#camparia* Herrich-Schäffer,[1851]; *camparia* Herrich-Schäffer,[1852]; *europaea* Wehrli,1934. **Original Reference:** *Acidalia camparia* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type(s): [Türkei]: Smyrna [=Izmir]. **Range (in code):** **IT RO YU AL BG GR Cr TR LB Cc AZ Nv AM GG IQ RU MD UA BY IR Fa Com Kz**
- 43499. *Idaea camparia cossurata* (Millière,[1875])** (Geometridae) **Synonym(s):** *cossurata* Millière,[1875]; *boecklini* Mentzer,[1990]. **Original Reference:** *Eupithecia cossurata* Millière,[1875], [in] Ragusa, Boll. Soc. ent. ital. 7 (4): 254. Syntypes: [France]: Cannes. **Range (in code):** **PT ES FR Si**
- 43500. *Idaea capnaria* (Püngeler,1909)** (Geometridae) **Synonym(s):** *cineraria* A.Bang-Haas,1907 *nec* Leec.,1897; *capnaria* Püngeler,1909. **Original Reference:** *Acidalia capnaria* Püngeler,1909, Dt. ent. Z., Iris 21: 292, pl.4 fig.9. Holotype ♂: [Lebanon]: Beirut (MNHU). **Range (in code):** **LB Bei**
- 43501. *Idaea capnaria capnaria* (Püngeler,1909)** (Geometridae) **Synonym(s):** *cineraria* A.Bang-Haas,1907 *nec* Leec.,1897; *capnaria* Püngeler,1909. **Original Reference:** *Acidalia capnaria* Püngeler,1909, Dt. ent. Z., Iris 21: 292, pl.4 fig.9. Holotype ♂: [Lebanon]: Beirut (MNHU). **Range (in code):** **LB Bei**
- 43502. *Idaea carnearia* (W.Warren,1897)** (Geometridae) **Synonym(s):** *carnearia* W.Warren,1897; *carneola* W.Warren,1897 **Range (in code):** **MY Bor Sbh Pen**
- 43503. *Idaea carneilinea* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *carneilinea* L.B.Prout,1922 **Range (in code):** **ZA Wca Cto**
- 43504. *Idaea carpheraria* (Hampson,1903)** (Geometridae) **Synonym(s):** *carpheraria* Hampson,1903; *unipuncta* Swinhoe,1905 **Range (in code):** **Ch**
- 43505. *Idaea carvalhoi* Herbulot,1979** (Geometridae) **Synonym(s):** *carvalhoi* Herbulot,1979 **Original Reference:** *Idaea carvalhoi* Herbulot,1979, Alexanor 11 (4): 178, fig.3. Holotype ♀: France: Baume, Var, les Arcs (HERB). **Range (in code):** **PT ES Mu FR**
- 43506. *Idaea castelli* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *castelli* L.B.Prout,1926 **Range (in code):** **MM Hpi IN SI**
- 43507. *Idaea caudata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *caudata* W.Warren,1904; *brunneofasciata* W.Warren,1904 **Range (in code):** **VE**

- 43508. *Idaea celativestis* (L.B.Prout,1931)** (Geometridae) **Synonym(s):** *celativestis* L.B.Prout,1931
Range (in code): **MY Sgo**
- 43509. *Idaea celtima* (Schaus,1901)** (Geometridae) **Synonym(s):** *celtima* Schaus,1901 **Range (in code):** **MX Oz**
- 43510. *Idaea cervantaria* (Millière,1869)** (Geometridae) **Synonym(s):** *cervantaria* Millière,1869
Range (in code): **MA DZ Clo TN PT ES Mu FR TR** **Bionomy:** Larva on Alyssum (Meyer,1919).
- 43511. *Idaea cervantaria carneotincta* (Zerny,1936)** (Geometridae) **Synonym(s):** *cervantaria* Zerny,1936 **Range (in code):** **MA**
- 43512. *Idaea cervantaria depressaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *depressaria* Staudinger,1892 **Range (in code):** **DZ TN ES An Grn**
- 43513. *Idaea charitata* (Rebel,1914)** (Geometridae) **Synonym(s):** *charitata* Rebel,1914 **Range (in code):** **Cn**
- 43514. *Idaea charitotes* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *charitotes* L.B.Prout,1922
Range (in code): **IN Ass Meg Khs**
- 43515. *Idaea chlorosata* (Snellen,1874)** (Geometridae) **Synonym(s):** *chlorosata* Snellen,1874
Range (in code): **CO Bgt**
- 43516. *Idaea chotaria* Swinhoe,1886** (Geometridae) **Synonym(s):** *chotaria* Swinhoe,1886;
pallidivestis W.Warren,1896; *remissata* Fuchs,1902 **Range (in code):** **IN Poo Bba ID Ja Sum**
- 43517. *Idaea chrysocilia* (Hampson,1891)** (Geometridae) **Synonym(s):** *chrysocilia* Hampson,1891
Range (in code): **IN NI**
- 43518. *Idaea circuitaria* (Hübner,[1819])** (Geometridae) **Synonym(s):** *circuitaria* Hübner,[1819];
chimaeraria Millière,1869 **Original Reference:** Geometra circuitaria Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.499. Neotype ♂: [Italy]: Abruzzi, Mt. Sirente (ZSM). **Range (in code):** **PT ES FR Co Sa Si IT YU BG GR Cr TR** **Bionomy:** Larva on Clematis vitalba (Ranunculaceae), Osyris (Santalaceae), Rubus idaeus (Rosaceae), Astragalus (Fabaceae), Dorycnium (Rebel,1910; et seq.).
- 43519. *Idaea completa* (Staudinger,1892)** (Geometridae) **Synonym(s):** *completa* Staudinger,1892
Range (in code): **DZ Cst TN Gf ES MA Si MT CY**
- 43520. *Idaea completa apostolica* Hausmann,1994** (Geometridae) **Synonym(s):** *apostolica* Hausmann,1994 **Range (in code):** **CY**
- 43521. *Idaea complexaria* (Schaus,1901)** (Geometridae) **Synonym(s):** *complexaria* Schaus,1901
Range (in code): **PE Ams BR**
- 43522. *Idaea conioptera* (Hampson,1903)** (Geometridae) **Synonym(s):** *conioptera* Hampson,1903
Range (in code): **Ch**
- 43523. *Idaea consanguiberica* Rezbanyai-Reser & Expósito,1992** (Geometridae)
Synonym(s): *consanguiberica* Rezbanyai-Reser & Expósito,1992 **Range (in code):** **PT ES**
- 43524. *Idaea consanguinaria* (Lederer,1853)** (Geometridae) **Synonym(s):** *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
Original Reference: Acidalia consanguinaria Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 256-257. Syntypes: Spalato; [Türkei]: Brussa [=Bursa]. **Range (in code):** **Si IT RO YU AL BG GR Cr TR RU IL Pa LB Bsa CY IR Cc AZ Nv GG** **Bionomy:** Larva on Taraxacum officinale, Achillea millefolium (Asteraceae), Vicia (Fabaceae) (Rebel,1910; et seq.).
- 43525. *Idaea consanguinaria consanguinaria* (Lederer,1853)** (Geometridae) **Synonym(s):** *consanguinaria* Lederer,1853; *consanguinata* Bellier,1861; *faillata* Fuchs,1901; *taurica* A.Bang-Haas,1906; *turatii* Sohn-Rethel,1929
Original Reference: Acidalia consanguinaria Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 256-257. Syntypes: Spalato; [Türkei]: Brussa [=Bursa]. **Range (in code):** **Si IT RO YU AL BG GR Cr TR RU LB Bsa CY IR Cc AZ Nv GG**
- 43526. *Idaea consanguinaria consecrata* (Staudinger,1897)** (Geometridae) **Synonym(s):** *consecrata* Staudinger,1897 **Range (in code):** **IL Pa Js LB Bsa TR**
- 43527. *Idaea consericeata* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *consericeata* L.B.Prout,1913 **Range (in code):** **ZA Tva Fs Gau Pre**
- 43528. *Idaea consociata* (Staudinger,1900)** (Geometridae) **Synonym(s):** *consociata* Staudinger,1900. **Original Reference:** Acidalia consociata Staudinger,1900, Dt. ent. Z., Iris 12: 390, pl.6 fig.10. Lectotype ♀: [Türkei]: Mardin (MNHU). **Range (in code):** **TR**
- 43529. *Idaea consolidata* (Lederer,1853)** (Geometridae) **Synonym(s):** *consolidata* Lederer,1853
Original Reference: Acidalia consolidata Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 257. Syntypes: [Türkei]: Brussa [=Bursa]. **Range (in code):** **Sa Si SS HV YU AL MK BG GR Rd Cr CY TR LB Bsa IR?**

- 43530. *Idaea contiguaria* (Hübner,[1799])** (Geometridae) Synonym(s): *contiguaria* Hübner,[1799] _ Range (in code): **PT ES FR Co IT GB BE DE CH AT PL CZ SK YU BG** Bionomy: Larva on Minuartia, Sedum album (Meyer,1919).
- 43531. *Idaea contrasta* Hausmann,2006** (Geometridae) Synonym(s): *contrasta* Hausmann,2006
Range (in code): **YE**
- 43532. *Idaea contravalida* Inoue,1982** (Geometridae) Synonym(s): *contravalida* Inoue,1982
Range (in code): **JP**
- 43533. *Idaea controversata* (L.B.Prout,1922)** (Geometridae) Synonym(s): *controversata* L.B.Prout,1922 _ Range (in code): **ZW Har**
- 43534. *Idaea coronata* Hausmann,2006** (Geometridae) Synonym(s): *coronata* Hausmann,2006
Range (in code): **YE**
- 43535. *Idaea costiguttata* (W.Warren,1896)** (Geometridae) Synonym(s): *costiguttata* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs**
- 43536. *Idaea coulioniata* (Balestre,1907)** (Geometridae) Synonym(s): *coulioniata* Balestre,1907
Range (in code): **FR**
- 43537. *Idaea craspedota* (L.B.Prout,1934)** (Geometridae) Synonym(s): *marginata* Swinhoe,1894 nec Wlk.; *craspedota* L.B.Prout,1934 _ Range (in code): **IN Ass Meg Khs Cpj TH**
- 43538. *Idaea crassipuncta* (Inoue,1971)** (Geometridae) Synonym(s): *crassipuncta* Inoue,1971
Range (in code): **JP Ri**
- 43539. *Idaea crassisquama* (W.Warren & Rothschild,1905)** (Geometridae) Synonym(s): *crassisquama* W.Warren & Rothschild,1905 _ Range (in code): **SD SDo8**
- 43540. *Idaea cubitata* (W.Warren,1897)** (Geometridae) Synonym(s): *cubitata* W.Warren,1897
Range (in code): **VE**
- 43541. *Idaea curtopedata* (Ebert,1965)** (Geometridae) Synonym(s): *curtopedata* Ebert,1965
Range (in code): **AF Bd Adr**
- 43542. *Idaea damadensis* Wiltshire,1986** (Geometridae) Synonym(s): *damadensis* Wiltshire,1986
Range (in code): **SA YE Sna**
- 43543. *Idaea damnata* (Walker,1861)** (Geometridae) Synonym(s): *damnata* Walker,1861; *indotaria* Walker,1861; *mimica* W.Warren,1900 _ Range (in code): **MY Bor Swk**
- 43544. *Idaea darvasica* Viidalepp,1988** (Geometridae) Synonym(s): *darvasica* Viidalepp,1988
Range (in code): **TJ Drw**
- 43545. *Idaea dasypus* (Turner,1908)** (Geometridae) Synonym(s): *dasypus* Turner,1908
Range (in code): **AU QAU Kda**
- 43546. *Idaea daucina* Herbulot,1978** (Geometridae) Synonym(s): *daucina* Herbulot,1978
Range (in code): **MG**
- 43547. *Idaea debiliata* (Sterneck,1934)** (Geometridae) Synonym(s): *debiliata* Sterneck,1934
Range (in code): **MA**
- 43548. *Idaea decidua* (W.Warren,1900)** (Geometridae) Synonym(s): *decidua* W.Warren,1900
Range (in code): **IN**
- 43549. *Idaea degeneraria* (Hübner,[1799])** (Geometridae) Synonym(s): *degeneraria* Hübner,[1799]; *degenerata* Treitschke,1828; *floridaria* Turati,1913 Original Reference: *Geometra degeneraria* Hübner,[1799], Samml. eur. Schmett. 5: pl.11, fig.57. Type: Europa. Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR IL Pa LB Bsa Cc AZ GG IQ RU MD UA BY IR Elb Fa Gl**
- 43550. *Idaea degeneraria erschoffi* (Christoph,1872)** (Geometridae) Synonym(s): *erschoffi* Christoph,1872 _ Range (in code): **IR Elb Gl Fa**
- 43551. *Idaea deitanaria* Reisser & Weisert,1977** (Geometridae) Synonym(s): *deitanaria* Reisser & Weisert,1977 _ Range (in code): **ES**
- 43552. *Idaea deleta* (Wileman & South,1917)** (Geometridae) Synonym(s): *deleta* Wileman & South,1917 _ Range (in code): **TW**
- 43553. *Idaea delibata* (L.B.Prout,1926)** (Geometridae) Synonym(s): *delibata* L.B.Prout,1926
Range (in code): **Ch**
- 43554. *Idaea delicatula* (W.Warren,1901)** (Geometridae) Synonym(s): *delicatula* W.Warren,1901
Range (in code): **IN Hp Dlh**
- 43555. *Idaea deliloides* (L.B.Prout,1918)** (Geometridae) Synonym(s): *deliloides* L.B.Prout,1918
Range (in code): **PE**
- 43556. *Idaea delosticta* (Turner,1922)** (Geometridae) Synonym(s): *delosticta* Turner,1922
Range (in code): **AU QAU Kda**

- 43557. *Idaea denudaria* (L.B.Prout,1913)** (Geometridae) Synonym(s): *denudaria* L.B.Prout,1913
Range (in code): **CN**
- 43558. *Idaea descitaria* (Christoph,1893)** (Geometridae) Synonym(s): *descitaria* Christoph,1893;
velitchkovskyi Rebel,1907; *favillata* L.B.Prout,1935. Original Reference: *Acidalia descitaria*
Christoph,1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Russia]: Sarepta, Guberli, Ural, Taganrog;
[Turkmenistan]: Ashkhabad]: [China Uighur A.R.]: Kuldsha. Range (in code): **RU Ur Sr Ro Tgn**
TM Kp CN Ui Ku UA Cm
- 43559. *Idaea determinata* (Staudinger,1876)** (Geometridae) Synonym(s): *determinata*
Staudinger,1876; *fasciata* Staudinger,1892; *geministrigata* Fuchs,1901. Original Reference: *Acidalia*
determinata Staudinger,1876, [in] Kalchberg, Stettin ent. Ztg. 37(4/6): 141-142. Syntypes:
[Italia]: Sicilien. Range (in code): **FR Sa Si IT MT YU MK AL BG GR TR**
- 43560. *Idaea detritaria* (Staudinger,1897)** (Geometridae) Synonym(s): *detritaria* Staudinger,1897
Original Reference: *Acidalia detritaria* Staudinger,1897, Dt. ent. Z., Iris 10: 180, Pl.4 fig.4.
Lectotype ♂: Palestina: Haifa (MNHU). Range (in code): **IL Pa Hf**
- 43561. *Idaea dicenea* (L.B.Prout,1934)** (Geometridae) Synonym(s): *dicenea* L.B.Prout,1934
Range (in code): **FJ**
- 43562. *Idaea dilutaria* (Hübner,[1799])** (Geometridae) Synonym(s): *dilutaria* Hübner,[1799];
holosericata Duponchel,1842; *holosericaria* Bruand,1846; *holosericearia* De La Harpe,1853; *praeustaria* De La
Harpe,1853. Original Reference: *Geometra dilutaria* Hübner,[1799], Samml. eur. Schmett. 5:
pl.19, fig.100. Type: Europa. Range (in code): **MA PT ES FR Co Sa Si IT GB BE LU DE CH AT PL CZ**
SK HU RO YU MK AL BG GR TR Cc AM GG UA RU SE Bionomy: Larva on Bryophita (Meyer,1919).
- 43563. *Idaea dimidiata* (Hufnagel,1767)** (Geometridae) Synonym(s): *dimidiata* Hufnagel,1767;
scutulata [Denis & Schiffermüller],1775; *antitaurica* Wehrli,1931 *nec* Wehrli,1931; *tauricola* Wehrli,1934.
Original Reference: *Phalaena dimidiata* Hufnagel,1767, Berl. Mag. 4: 602. Type(s): Deutschland:
Berlin. Range (in code): **PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL**
BG GR Cr TR Cc GG AZ AM IR Mz IL Pa LB Bsa TM DK NO SE FI EE LV LT RU MD UA Cm BY CA US
Bionomy: Larva on *Anthriscus sylvestris*, *Pimpinella* (South,1961).
- 43564. *Idaea diphyes* (L.B.Prout,1931)** (Geometridae) Synonym(s): *diphyes* L.B.Prout,1931
Range (in code): **PH Luz**
- 43565. *Idaea distinctaria* (Boisduval,1840)** (Geometridae) Synonym(s): *distinctaria*
Boisduval,1840; *ruficostata* Zeller,1849; *incarnaria* Herrich-Schäffer,1852 Range (in code): **FR Co Sa Si**
IT CH SS HV YU AL BG GR Cr Rd CY TR IL Pa JO
- 43566. *Idaea draconigena* Herbulot,1981** (Geometridae) Synonym(s): *draconigena* Herbulot,1981
Range (in code): **ZA Nta Kzu**
- 43567. *Idaea dromikos* Hausmann,2004** (Geometridae) Synonym(s): *#emarginata sensu*
Lhomme,1935 *nec* Linn.,1758; *dromikos* Hausmann,2004 Original Reference: *Idaea dromikos*
Hausmann,2004, The Geometrid Moths of Europe 2: 220-222. Holotype ♂: Southern France:
Aude, coll. P.Mabille (ZSM/Herbulot coll.) [The name is dedicated to C.Herbulot]. Range (in
code): **ES FR**
- 43568. *Idaea echo* (L.B.Prout,1916)** (Geometridae) Synonym(s): *echo* L.B.Prout,1916; *#echc*
L.B.Prout,1933 Range (in code): **ZA Tva Mpu Brb**
- 43569. *Idaea effeminata* (Staudinger,1892)** (Geometridae) Synonym(s): *effeminata*
Staudinger,1892 Range (in code): **UZ Fe Man**
- 43570. *Idaea efflorata* Zeller,1849** (Geometridae) Synonym(s): *efflorata* Zeller,1849; *extersaria*
Herrich-Schäffer,1852; *inesata* Millière,1868; *atromarginata* Mabille,1869 Original Reference: *Idaea*
efflorata Zeller,1849, Stettin ent. Ztg. 10: 218-219. Range (in code): **MA DZ TN PT ES FR Co Sa Si**
IT
- 43571. *Idaea effusaria* (Christoph,1881)** (Geometridae) Synonym(s): *effusaria* Christoph,1881;
obtectaria Leech,1897 Range (in code): **JP RU Us Vv**
- 43572. *Idaea egenaria* (Walker,1861)** (Geometridae) Synonym(s): *egenaria* Walker,1861
Range (in code): **MY Bor Swk**
- 43573. *Idaea elaphrodes* (Turner,1908)** (Geometridae) Synonym(s): *elaphrodes* Turner,1908
Range (in code): **AU QAU Kda**
- 43574. *Idaea elata* (W.Warren,1900)** (Geometridae) Synonym(s): *elata* W.Warren,1900
Range (in code): **EC**
- 43575. *Idaea elongaria* (Rambur,1833)** (Geometridae) Synonym(s): *elongaria* Rambur,1833;
aridata Zeller,1847; *aridaria* Heydenreich,1851; *monadaria* Guenée,[1858]; *confusaria* Lederer,1863; *infernata*
Staudinger,1871; *zephyrata* Millière,1872; *marialudovicata* Lucas,1942. Original Reference: *Acidalia*

- elongaria Rambur, 1833, *Annls. Soc. ent. Fr.* 2 (1): 38, pl. 2 fig. 20. Syntypes: [France]: Corsica: Ajaccio. Range (in code): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT SK HU RO YU AL BG GR Cr CY TR Cc AZ GG LB Bsa AZ Nv IQ Akr RU UZ CN Ui li Ku Khr KG Tk
- 43576. *Idaea elongaria antitaurica* (Wehrli, 1932)** (Geometridae) *Synonym(s): antitaurica Wehrli, 1932* Original Reference: *Ptychopoda elongaria* ssp. *antitaurica* Wehrli, 1932, *Mitt. münch. ent. Ges.* 22: 4. Syntypes: [Türkei]: [Kahramanmaraş]: Seitun [Süleymanlı]; Libanon: Bscharre (ZSM). Range (in code): TR LB Bsa
- 43577. *Idaea elongaria pecharia* (Staudinger, 1863)** (Geometridae) *Synonym(s): pecharia Staudinger, 1863* Range (in code): HU RU UZ CN Ui li Ku Khr KG Tk
- 43578. *Idaea emargianata* (Linnaeus, 1758)** (Geometridae) *Synonym(s): emarginata Linnaeus, 1758* Original Reference: *Phalaena emarginata* Linnaeus, 1758, *Syst. Nat.* (Edn. 10) 1: 524. Type(s): Europa. Range (in code): PT ES FR Sa? Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 43579. *Idaea epaphrodita* (Wehrli, 1934)** (Geometridae) *Synonym(s): epaphrodita Wehrli, 1934; serrataria Sterneck, 1934.* Original Reference: *Sterrha epaphrodita* Wehrli, 1934, *Ent. Z., Frankf. a. M.* 47(20): 167, figs. 4, 8. Syntypes 1♂ 5♀: [Libanon]: Syrien: Beirut (coll. Wehrli). Range (in code): TR LB Bei IL Pa Js EG Sn
- 43580. *Idaea epaphrodita eremita* (Wiltshire, 1949)** (Geometridae) *Synonym(s): eremita Wiltshire, 1949* Range (in code): EG Sn
- 43581. *Idaea eremica* (Brandt, 1941)** (Geometridae) *Synonym(s): eremica Brandt, 1941* Range (in code): IR Ss
- 43582. *Idaea erlacheri* Hausmann, 2003** (Geometridae) *Synonym(s): erlacheri Hausmann, 2003* Range (in code): TN
- 43583. *Idaea erubescens* Hausmann, 2003** (Geometridae) *Synonym(s): erubescens Hausmann, 2003* Range (in code): DZ TN
- 43584. *Idaea eugeniata* (Millière, 1870)** (Geometridae) *Synonym(s): eugeniata Millière, 1870; seeboldiata Rössler, 1877; algeriaca Culot, 1917* Range (in code): MA TN DZ PT ES FR Co IT
- 43585. *Idaea eugeniata algeriaca* (Culot, 1917)** (Geometridae) *Synonym(s): algeriaca Culot, 1917* Range (in code): DZ
- 43586. *Idaea euphorbiata* (Balestre, 1906)** (Geometridae) *Synonym(s): euphorbiata Balestre, 1906* Range (in code): ES Si
- 43587. *Idaea exilaria* (Guenée, [1858])** (Geometridae) *Synonym(s): exilaria Guenée, [1858]; transmutata Staudinger, 1871; esterelata Millière, 1879* Range (in code): ES FR
- 43588. *Idaea falcipennis* W. Warren, 1893** (Geometridae) *Synonym(s): falcipennis W. Warren, 1893* Range (in code): IN SI
- 43589. *Idaea falckii* (Hedemann, 1879)** (Geometridae) *Synonym(s): falckii Hedemann, 1879* Range (in code): RU Am
- 43590. *Idaea fathmaria* (Oberthür, 1876)** (Geometridae) *Synonym(s): fathmaria Oberthür, 1876; millieri Rothschild, 1914.* Range (in code): MA DZ Ges Orn
- 43591. *Idaea fatimata* (Staudinger, 1895)** (Geometridae) *Synonym(s): fatimata Staudinger, 1895* Range (in code): DZ ES MT
- 43592. *Idaea figuraria* (A. Bang-Haas, 1907)** (Geometridae) *Synonym(s): figuraria A. Bang-Haas, 1907* Original Reference: *Acidalia figuraria* A. Bang-Haas, 1907, *Dt. ent., Iris* 20: 80, Taf. iii fig. 21. Syntypes 3♀: Algeria: Süd-Oran. Range (in code): MA DZ ES
- 43593. *Idaea filicata* (Hübner, [1799])** (Geometridae) *Synonym(s): filicata Hübner, [1799]; filicaria Duponchel, 1830; levequei Leraut, 2003* Original Reference: *Geometra filicata* Hübner, [1799], *Samml. eur. Schmett.* 5: pl. 46, fig. 238. Type: Europa. Range (in code): ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IQ Rwz Agh IL Pa CY LB IR Bionomy: Larva on *Anagallis*, *Dianthus*, *Prunus spinosa*, *Veronica* (Meyer, 1919).
- 43594. *Idaea fittkaui* Hausmann, 1992** (Geometridae) *Synonym(s): fittkaui Hausmann, 1992* Original Reference: *Idaea fittkaui* Hausmann, 1992, *NachrBl. bayer. Ent.* 41 (2): 48-49, figs. Holotype ♂: O.-Afghanistan: Sarobi 1100m 6 viii-27 ix 1961 leg. G. Ebert (ZSM). Range (in code): AF Bm Srb
- 43595. *Idaea flamingo* (W. Warren, 1901)** (Geometridae) *Synonym(s): flamingo W. Warren, 1901* Range (in code): ZW Har AO
- 43596. *Idaea flaveolaria* (Hübner, [1809])** (Geometridae) *Synonym(s): brunnearia Fabricius, 1794; flaveolaria Hübner, [1809]* Original Reference: *Geometra flaveolaria* Hübner, [1809],

- Samml. eur. Schmett. 5: pl.66, fig.341. Type: Europa. Range (in code): ES FR IT CH AT TR Cc AM Dar AZ Len
- 43597. *Idaea flavisinuata* (W.Warren,1896)** (Geometridae) Synonym(s): flavisinuata W.Warren,1896 Range (in code): IN Ass Meg Khs
- 43598. *Idaea foedata* (Butler,1879)** (Geometridae) Synonym(s): foedata Butler,1879 Range (in code): JP Hdo
- 43599. *Idaea forsteri* (Wiltshire,1966)** (Geometridae) Synonym(s): forsteri Wiltshire,1966 Range (in code): AF Nu Pag
- 43600. *Idaea fortificata* (L.B.Prout,1916)** (Geometridae) Synonym(s): fortificata L.B.Prout,1916 Range (in code): ZA Tva Mpu Brb
- 43601. *Idaea fractilineata* (Zeller,1847)** (Geometridae) Synonym(s): fractilineata Zeller,1847; fractilineararia Herrich-Schäffer,1852 Range (in code): MA DZ TN PT ES Si IT MT CY IL Pa
- 43602. *Idaea fractilineata subrufaria* (Staudinger,1900)** (Geometridae) Synonym(s): subrufaria Staudinger,1900; fusaria Chrétien,1917; parallelolineatella D.Lucas,1948 Range (in code): MA DZ TN Gf PT ES
- 43603. *Idaea fruticeti* Holloway,1979** (Geometridae) Synonym(s): fruticeti Holloway,1979 Range (in code): NC
- 43604. *Idaea fumigata* Hausmann,2006** (Geometridae) Synonym(s): fumigata Hausmann,2006 Range (in code): YE Ad
- 43605. *Idaea fumilinea* (W.Warren,1903)** (Geometridae) Synonym(s): fumilinea W.Warren,1903 Range (in code): ZA Tva Ec Wca Nta Kzu
- 43606. *Idaea fumilinea confracta* (L.B.Prout,1925)** (Geometridae) Synonym(s): confracta L.B.Prout,1925 Range (in code): ZA Ec Wca Nta Kzu
- 43607. *Idaea furciferata* (Packard,1873)** (Geometridae) Synonym(s): furciferata Packard,1873; parvularia Hulst,1888 Range (in code): US Tx
- 43608. *Idaea fuscifasciata* Walia,1995** (Geometridae) Synonym(s): fuscifasciata Walia,1995 Range (in code): IN Hp
- 43609. *Idaea fuscolineata* Walia,1995** (Geometridae) Synonym(s): fuscolineata Walia,1995 Range (in code): IN
- 43610. *Idaea fuscovenosa* (Goeze,1781)** (Geometridae) Synonym(s): fuscovenosa Goeze,1781; plebeia Fourcroy,1785; interjectaria Boisduval,1840 Range (in code): DZ Lbs Saia PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY
- 43611. *Idaea fylloidaria* (Swinhoe,1904)** (Geometridae) Synonym(s): fylloidaria Swinhoe,1904 Range (in code): KE
- 43612. *Idaea gallagheri* Wiltshire,1983** (Geometridae) Synonym(s): gallagheri Wiltshire,1983 Range (in code): OM
- 43613. *Idaea galsworthyi* Holloway,1997** (Geometridae) Synonym(s): galsworthyi Holloway,1997 Range (in code): MY Bor Sbh KBa TH
- 43614. *Idaea gemma* (Schaus,1901)** (Geometridae) Synonym(s): gemma Schaus,1901 Range (in code): MX Oz
- 43615. *Idaea gemmaria* (Hampson,1896)** (Geometridae) Synonym(s): gemmaria Hampson,1896 Range (in code): LK
- 43616. *Idaea gemmata* (Packard,1876)** (Geometridae) Synonym(s): gemmata Packard,1876 Range (in code): US Tx
- 43617. *Idaea glomerata* (L.B.Prout,1917)** (Geometridae) Synonym(s): glomerata L.B.Prout,1917 Range (in code): ET ET88
- 43618. *Idaea gracilipennis* (W.Warren,1901)** (Geometridae) Synonym(s): gracilipennis W.Warren,1901; #rubrolineata Schwingenschuss,1933 Range (in code): LB Bei Bmm Bsa TR
- 43619. *Idaea granulosa* (W.Warren & Rothschild,1905)** (Geometridae) Synonym(s): granulosa W.Warren & Rothschild,1905 Range (in code): SD SD08 YE OM
- 43620. *Idaea grisescens* (W.Warren,1896)** (Geometridae) Synonym(s): grisescens W.Warren,1896 Range (in code): IN Ass Meg Khs
- 43621. *Idaea griveaudi* Herbulot,1978** (Geometridae) Synonym(s): griveaudi Herbulot,1978 Range (in code): KM
- 43622. *Idaea halmaea* (Meyrick,1888)** (Geometridae) Synonym(s): halmaea Meyrick,1888 Range (in code): AU NSw Syd TA Hbt
- 43623. *Idaea hardenbergi* Janse,1935** (Geometridae) Synonym(s): hardenbergi Janse,1935 Range (in code): ZA Nta Kzu Nha

- 43624. *Idaea hathor* (Wiltshire,1949)** (Geometridae) **Synonym(s):** *hathor* Wiltshire,1949
Range (in code): **EG Sn YE Sna YE30 SA AF IN**
- 43625. *Idaea hathor ajmerensis* Wiltshire,1983** (Geometridae) **Synonym(s):** *ajmerensis* Wiltshire,1983
Range (in code): **IN**
- 43626. *Idaea helianthemata* (Millière,1870)** (Geometridae) **Synonym(s):** *helianthemata* Millière,1870
Range (in code): **FR**
- 43627. *Idaea heres* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *heres* L.B.Prout,1932
Range (in code): **ZW**
- 43628. *Idaea hesuata* Wiltshire,1983** (Geometridae) **Synonym(s):** *hesuata* Wiltshire,1983
Original Reference: *Idaea hesuata* Wiltshire,1983, Fauna of Saudi Arabia 5: 297-298, pl.1 fig.2.
Holotype ♂: Saudi Arabia: Hesua, 1930m (NHMB). **Range (in code):** **SA YE Sna YE30**
- 43629. *Idaea hispanaria* (Püngeler,1913)** (Geometridae) **Synonym(s):** *hispanaria* Püngeler,1913
Range (in code): **PT ES Mu**
- 43630. *Idaea hispidata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *hispidata* W.Warren,1904
Range (in code): **AO**
- 43631. *Idaea holliata* (Homberg,1909)** (Geometridae) **Synonym(s):** *holliata* Homberg,1909
Original Reference: *Acidalia holliata* Homberg,1909, Bull. Soc. ent. Fr. 1909 (13): 229. **Lectotype** ♂: [Turquie]: Akbes (ZSM) (Hausmann,2006). **Range (in code):** **TR LB Bsa IL Pa JO Amm**
- 43632. *Idaea homalorrhoe* (L.B.Prout,1931)** (Geometridae) **Synonym(s):** *homalorrhoe* L.B.Prout,1931
Range (in code): **MY Prk Kdh**
- 43633. *Idaea humeraria* (Walker,[1863])** (Geometridae) **Synonym(s):** *humeraria* Walker,[1863];
cerussina Butler,1889
Range (in code): **IN Hp Kgr Drm**
- 43634. *Idaea humiliata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *humiliata* Hufnagel,1767;
osseata [Denis & Schiffermüller],1775; *ossearia* Hübner,[1799]
Original Reference: *Phalaena humiliata* Hufnagel,1767, Berl. Mag. 4: 614. **Type(s):** Deutschland: Berlin. **Range (in code):** **DZ Sbd PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ Nv DK NO SE FI EE LV LT RU MD UA Cm BY**
Bionomy: Larva on *Hippocrepis* [comosa], *Ononis repens*, *O. spinosa* (Fabaceae); *Taraxacum* (Asteraceae); *Rumex* (Polygonaceae) (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 43635. *Idaea hypophautis* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *hypophautis* L.B.Prout,1922
Range (in code): **ZR**
- 43636. *Idaea ibericata* (Wehrli,1927)** (Geometridae) **Synonym(s):** *ibericata* Wehrli,1927
Range (in code): **ES**
- 43637. *Idaea ibizaria* Mentzer,1980** (Geometridae) **Synonym(s):** *ibizaria* Mentzer,1980
Range (in code): **ES**
- 43638. *Idaea illuminata* (L.B.Prout,1939)** (Geometridae) **Synonym(s):** *illuminata* L.B.Prout,1939
Range (in code): **MD**
- 43639. *Idaea illustrior* (Wiltshire,1952)** (Geometridae) **Synonym(s):** *illustrior* Wiltshire,1952
Range (in code): **SA YE Hd YE30 YE68**
- 43640. *Idaea illustris* (Brandt,1941)** (Geometridae) **Synonym(s):** *illustris* Brandt,1941
Range (in code): **IR Fa Ss IQ Bsr**
- 43641. *Idaea imbecilla* (Inoue,1955)** (Geometridae) **Synonym(s):** *imbecilla* Inoue,1955
Range (in code): **JP**
- 43642. *Idaea impexa* (Butler,1879)** (Geometridae) **Synonym(s):** *impexa* Butler,1879; *usumona* Imaizumi,1942
Range (in code): **JP Hdo**
- 43643. *Idaea improbata* (Staudinger,1898)** (Geometridae) **Synonym(s):** *improbata* Staudinger,1898
Range (in code): **TN Gf JO Jt IR Fa Sse Com Kz**
- 43644. *Idaea improvisa* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *improvisa* L.B.Prout,1938
Range (in code): **IN Ass Meg Khs**
- 43645. *Idaea inaudax* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *inaudax* L.B.Prout,1926
Range (in code): **IN Hp Kma**
- 43646. *Idaea incalcarata* (Chrétien,1919)** (Geometridae) **Synonym(s):** *disjunctaria* Staudinger,1870 nec Wlk.,1861; *incalcarata* Chrétien,1919
Range (in code): **ES FR**
- 43647. *Idaea incanata* (Schaus,1901)** (Geometridae) **Synonym(s):** *incanata* Schaus,1901; *macoaria* Schaus,1913
Range (in code): **PE CR**
- 43648. *Idaea incisaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *incisaria* Staudinger,1892; *praecisa* Reisser,1933 [ssp.]; *pulverulenta* Reisser,1933 [ssp.]; *incisarioides* Wehrli,1934
Range (in code): **MA Rf DZ Phv TN PT ES**

- 43649. *Idaea inclinata* (Lederer,1855)** (Geometridae) **Synonym(s):** *inclinata* Lederer,1855
Range (in code): **LB Bei IL Pa Js TR CY EG LY**
- 43650. *Idaea indecorata* (W.Warren,1900)** (Geometridae) **Synonym(s):** *indecorata* W.Warren,1900
Range (in code): **IN Hp Sml**
- 43651. *Idaea indepressa* (L.B.Prout,1925)** (Geometridae) **Synonym(s):** *indepressa* L.B.Prout,1925
Range (in code): **IN SI Djl**
- 43652. *Idaea indeterminata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *indeterminata* W.Warren,1901
Range (in code): **IN Hp Sml**
- 43653. *Idaea indigata* (Wileman,1915)** (Geometridae) **Synonym(s):** *indigata* Wileman,1915
Range (in code): **TW**
- 43654. *Idaea infantilaria* (Fuchs,1902)** (Geometridae) **Synonym(s):** *infantilaria* Fuchs,1902
Range (in code): **ID Sum**
- 43655. *Idaea infirmaria* (Rambur,1833)** (Geometridae) **Synonym(s):** *infirmaria* Rambur,1833; *carnearia* Mann,1855; *ledererata* Guenée,[1858]; *nigrobarbata* Staudinger,1859; *aquitana* Constant,1865
Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT YU AL GR Cr TR**
- 43656. *Idaea infirmaria mitescens* (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *mitescens* L.B.Prout,1935
Range (in code): **DZ**
- 43657. *Idaea infortunata* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *infortunata* L.B.Prout,1938
Range (in code): **Ch Gs**
- 43658. *Idaea ingloria* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *ingloria* L.B.Prout,1926
Range (in code): **MM Hpi**
- 43659. *Idaea inquinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *inquinata* Scopoli,1763; *herbariata* Fabricius,1798; *pusillaria* Hübner,[1799]; *microsaria* Boisduval,1840; *incomptaria* Boisduval,1840
Original Reference: *Phalaena inquinata* Scopoli,1763, *Entomologia Carniolica*: 230. **Syntype(s):** [Slovenien]: Carniolia [Krain] [lost] (Hausmann,2006). **Range (in code):** **MA DZ TN EG LY Cy PT ES FR Co Sa Si IT MT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY AZ Cc AM GG IR DK SE FI LV RU UA Cm**
- 43660. *Idaea inquinata adherbariata* (Staudinger,1898)** (Geometridae) **Synonym(s):** *subherbariata* Staudinger,1897 *nec* Rössl.,1877; *adherbariata* Staudinger,1898
Range (in code): **IL Pa Js EG LY Cy**
- 43661. *Idaea inquinata banghaasi* (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *fimbriata* A.Bang-Haas,1910 *nec* [Den. & Schiff.],1775; *banghaasi* L.B.Prout,1934
Range (in code): **SY LB Bsa Bei**
- 43662. *Idaea inspiculata* Hausmann,2006** (Geometridae) **Synonym(s):** *inspiculata* Hausmann,2006
Range (in code): **YE Hd**
- 43663. *Idaea insuavis* Butler,1889** (Geometridae) **Synonym(s):** *insuavis* Butler,1889
Range (in code): **IN Hp Kgr Dm**
- 43664. *Idaea insularum* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *rufulata* W.Warren,1901 *nec* Wrn.,1900; *insularum* L.B.Prout,1927
Range (in code): **ST**
- 43665. *Idaea insulensis* (Rindge,1958)** (Geometridae) **Synonym(s):** *insulensis* Rindge,1958
Range (in code): **US FI**
- 43666. *Idaea intermedia* (Staudinger,1879)** (Geometridae) **Synonym(s):** *intermedia* Staudinger,1879
Original Reference: *Acidalia intermedia* Staudinger,1879, *Horae Soc. ent. ross.* 14: 436. **Syntypes** 2♂♂: [Türkei]: Amasia (Kerasdere). **Range (in code):** **GR Cr RD CY TR LB Bei Bsa IL Pa Hf**
- 43667. *Idaea invalida* (Butler,1879)** (Geometridae) **Synonym(s):** *invalida* Butler,1879; *punctivalida* Inoue,1943
Range (in code): **JP Hdo**
- 43668. *Idaea iodesma* (Meyrick,1897)** (Geometridae) **Synonym(s):** *iodesma* Meyrick,1897; *perdulcis* Turner,1926
Range (in code): **AU QAU Bri**
- 43669. *Idaea iridaria* (Schaus,1901)** (Geometridae) **Synonym(s):** *iridaria* Schaus,1901
Range (in code): **MX Oz Jpa**
- 43670. *Idaea jacobii* Hausmann,1991** (Geometridae) **Synonym(s):** *jacobii* Hausmann,1991
Range (in code): **JO JRA**
- 43671. *Idaea jakima* (Butler,1878)** (Geometridae) **Synonym(s):** *jakima* Butler,1878
Range (in code): **JP Hdo**
- 43672. *Idaea jalapata* (Schaus,1901)** (Geometridae) **Synonym(s):** *jalapata* Schaus,1901
Range (in code): **MX Jpa**
- 43673. *Idaea jarata* (Schaus,1901)** (Geometridae) **Synonym(s):** *jarata* Schaus,1901
Range (in code): **BR Rja**

- 43674. *Idaea joannisiata* (Homberg,1911)** (Geometridae) Synonym(s): *joannisiata* Homberg,1911
Range (in code): ES FR
- 43675. *Idaea jonesi* (L.B.Prout,1922)** (Geometridae) Synonym(s): *jonesi* L.B.Prout,1922
Range (in code): BR Pran
- 43676. *Idaea jugaria* (Schaus,1901)** (Geometridae) Synonym(s): *jugaria* Schaus,1901 - Range (in code): MX Jpa
- 43677. *Idaea karafutonis* (Matsumura,1925)** (Geometridae) Synonym(s): *karafutonis* Matsumura,1925 - Range (in code): JP Sh
- 43678. *Idaea korbi* (Püngeler,1917)** (Geometridae) Synonym(s): *korbi* Püngeler,1917; *korbiae* Arnold,1921 - Range (in code): ES
- 43679. *Idaea krasilnikovae* Viidalepp,[1992]** (Geometridae) Synonym(s): *krasilnikovae* Viidalepp,[1992] - Range (in code): TM
- 43680. *Idaea kyushuensis* Sato,1994** (Geometridae) Synonym(s): *kyushuensis* Sato,1994
Range (in code): JP
- 43681. *Idaea laciniata* (W.Warren,1902)** (Geometridae) Synonym(s): *laciniata* W.Warren,1902; *nitescens* W.Warren,1902 - Range (in code): KE
- 43682. *Idaea lacteipennis* (Butler,1889)** (Geometridae) Synonym(s): *lacteipennis* Butler,1889
Range (in code): IN Hp Kgr Drm
- 43683. *Idaea laevigata* (Scopoli,1763)** (Geometridae) Synonym(s): *laevigata* Scopoli,1763; *laevigaria* Hübner,[1799]; *renularia* Hübner,[1809]; *lividellaria* Peyerimhoff,1863; *renulata* Rambur,1866; *couloniata* Balestre,1907; *storiae* Andreas,1928 Original Reference: *Phalaena laevigata* Scopoli,1763, *Entomologia Carniolica*: 230. Type(s): Carniolia. Range (in code): MA DZ Bsk TN PT ES FR Co Sa Si IT MT BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU UA Cm Cc GG AZ AM IR
- 43684. *Idaea lalasaria* (Swinhoe,1904)** (Geometridae) Synonym(s): *lalasaria* Swinhoe,1904
Range (in code): KE
- 43685. *Idaea lambessata* (Oberthür,1887)** (Geometridae) Synonym(s): *lambessata* Oberthür,1887
Original Reference: *Acidalia lambessata* Oberthür,1887, *Annls Soc. ent. Fr.* 1887 (Bull.): lxvii-lxviii. Type: Algérie, Lambèze (Allard leg.). Range (in code): MR DZ Lbs
- 43686. *Idaea lamprotis* (L.B.Prout,1926)** (Geometridae) Synonym(s): *lamprotis* L.B.Prout,1926
Range (in code): MM Hta
- 43687. *Idaea laszloi* Hausmann,1999** (Geometridae) Synonym(s): *laszloi* Hausmann,1999
Range (in code): TM Cc ?GG AM?
- 43688. *Idaea lateritica* Holloway,1979** (Geometridae) Synonym(s): *lateritica* Holloway,1979
Range (in code): NC
- 43689. *Idaea laticlavata* (L.B.Prout,1922)** (Geometridae) Synonym(s): *laticlavata* L.B.Prout,1922
Range (in code): ZA ZA13 Kzu Nta ZW
- 43690. *Idaea latiferaria* (Walker,1861)** (Geometridae) Synonym(s): *latiferaria* Walker,1861
Range (in code): HN MX
- 43691. *Idaea leipnitzii* Hausmann,2004** (Geometridae) Synonym(s): *leipnitzii* Hausmann,2004
Range (in code): HV GR IT Si TR
- 43692. *Idaea leptatibia* D.S.Fletcher,1978** (Geometridae) Synonym(s): *leptatibia* D.S.Fletcher,1978 - Range (in code): TZ
- 43693. *Idaea leucorrheuma* (L.B.Prout,1932)** (Geometridae) Synonym(s): *leucorrheuma* L.B.Prout,1932 - Range (in code): ZA Wca
- 43694. *Idaea leucozona* (Hampson,1895)** (Geometridae) Synonym(s): *leucozona* Hampson,1895
Range (in code): MM Bmy IN Ass Meg Khs
- 43695. *Idaea libycata* (Bartel,1906)** (Geometridae) Synonym(s): *libycata* Bartel,1906 - Range (in code): FR DZ Agi LY
- 43696. *Idaea liliputaria* (W.Warren,1902)** (Geometridae) Synonym(s): *liliputaria* W.Warren,1902; *#liliputaria* L.B.Prout,1933 - Range (in code): ZA Tva AO TZ
- 43697. *Idaea lilliana* (Schaus,1901)** (Geometridae) Synonym(s): *lilliana* Schaus,1901 - Range (in code): MX Jpa
- 43698. *Idaea limbata* (Bastelberger,1908)** (Geometridae) Synonym(s): *limbata* Bastelberger,1908
Range (in code): MX Jpa
- 43699. *Idaea lineata* (Hampson,1893)** (Geometridae) Synonym(s): *lineata* Hampson,1893
Range (in code): LK
- 43700. *Idaea lipara* (L.B.Prout,1917)** (Geometridae) Synonym(s): *lipara* L.B.Prout,1917
Range (in code): ZA Nta Kzu Dbn

- 43701. *Idaea litigiosaria* (Boisduval,1840)** (Geometridae) **Synonym(s):** *litigiosaria* Boisduval,1840; *morosaria* Herrich-Schäffer,1852; *dissidiata* Guenée,1858; *agraria* De Joannis,1891 **Range (in code):** **MA DZ Sbd TN LY PT ES FR Co Si IT**
- 43702. *Idaea lobaria* (Chrétien,1909)** (Geometridae) **Synonym(s):** *lobaria* Chrétien,1909; *balestraria* Lucas,1909 **Range (in code):** **DZ TN**
- 43703. *Idaea longaria* (Herrich-Schäffer,1852)** (Geometridae) **Synonym(s):** *longaria* Herrich-Schäffer,1852; *prolongata* Rambur,1866 **Range (in code):** **MA DZ Ges TN PT ES Sa Si IT GR Rd Cr TR JO**
- 43704. *Idaea longaria faroulti* (Rothschild,1914)** (Geometridae) **Synonym(s):** *faroulti* Rothschild,1914 **Original Reference:** Ptychopoda faroulti Rothschild,1914, Novit. zool. 21: 344. Syntypes 3♂ 3♀: Algeria, Guellet-es-Stel (V.Faroult). **DZ Ges**
- 43705. *Idaea lucellata* (Püngeler,1902)** (Geometridae) **Synonym(s):** *lucellata* Püngeler,1902 **Range (in code):** **KK**
- 43706. *Idaea lucida* (Turner,1942)** (Geometridae) **Synonym(s):** *lucida* Turner,1942 **Range (in code):** **AU QAU**
- 43707. *Idaea ludovicaria* (Culot,1918)** (Geometridae) **Synonym(s):** *ludovicaria* Culot,1918 **Range (in code):** **DZ**
- 43708. *Idaea lusohispanica* Herbulot,1991** (Geometridae) **Synonym(s):** *#granadaria* Staudinger,1901; *lusohispanica* Herbulot,1991 **Range (in code):** **PT ES An**
- 43709. *Idaea luteolaria* (Constant,1863)** (Geometridae) **Synonym(s):** *luteolaria* Constant,1863 **Range (in code):** **ES FR**
- 43710. *Idaea lutulentaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *lutulentaria* Staudinger,1892; *aurata* Mendez,1912 **Range (in code):** **MA PT ES**
- 43711. *Idaea macropaga* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *macropaga* Wiltshire,1966 **Range (in code):** **AF Kab Pag**
- 43712. *Idaea macrospila* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *macrospila* L.B.Prout,1926 **Range (in code):** **IN Bba TH CMA**
- 43713. *Idaea macrospinata* Hausmann,2006** (Geometridae) **Synonym(s):** *macrospinata* Hausmann,2006 **Range (in code):** **YE**
- 43714. *Idaea macrostyla* (W.Warren,1900)** (Geometridae) **Synonym(s):** *macrostyla* W.Warren,1900; *minimaria* W.Warren,1904 **Range (in code):** **KE Mb**
- 43715. *Idaea maculata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *maculata* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 43716. *Idaea maderae* (Bethune-Baker,1891)** (Geometridae) **Synonym(s):** *maderae* Bethune-Baker,1891; *unostrigata* Bethune-Baker,1891 **Range (in code):** **Md**
- 43717. *Idaea maisongrossei* Herbulot,1978** (Geometridae) **Synonym(s):** *maisongrossei* Herbulot,1978 **Range (in code):** **MG**
- 43718. *Idaea malescripta* (W.Warren,1897)** (Geometridae) **Synonym(s):** *malescripta* W.Warren,1897 **Range (in code):** **ZA ZA04 Ksi Kzu Nta MZ**
- 43719. *Idaea mancipiata* (Staudinger,1871)** (Geometridae) **Synonym(s):** *mancipiata* Staudinger,1871; *bustilloi* Agenjo,1967 **Range (in code):** **ES FR UA Cm Cc GG AM AZ Nv IR Kh RU**
- 43720. *Idaea mancipiata repagulata* L.B.Prout,1934** (Geometridae) **Synonym(s):** *#repagulata* L.B.Prout,1913; *repagulata* L.B.Prout,1934 **Range (in code):** **UA Cm Cc GG AM AZ Nv IR Kh RU**
- 43721. *Idaea manicaria* (Herrich-Schäffer,1851)** (Geometridae) **Synonym(s):** *manicaria* Herrich-Schäffer,1851; *volitaria* De Joannis,1891 **Range (in code):** **MA DZ TN ES Sa MT**
- 43722. *Idaea marcidaria* (Walker,1861)** (Geometridae) **Synonym(s):** *marcidaria* Walker,1861; *swinhoei* L.B.Prout,1932 **Range (in code):** **LK**
- 43723. *Idaea mareotica* (Draudt,1912)** (Geometridae) **Synonym(s):** *mareotica* Draudt,1912 **Range (in code):** **EG IL Pa**
- 43724. *Idaea margarita* (W.Warren,1897)** (Geometridae) **Synonym(s):** *margarita* W.Warren,1897 **Range (in code):** **VE**
- 43725. *Idaea margaritacea* (Turati & C.G.Krüger,1936)** (Geometridae) **Synonym(s):** *margaritacea* Turati & C.G.Krüger,1936 **Range (in code):** **LY Cy**
- 43726. *Idaea maritimaria* (Bruand,1846)** (Geometridae) **Synonym(s):** *maritimaria* Bruand,1846; *deversaria* Herrich-Schäffer,[1847]; *hyalinata* Christoph,1885 **Range (in code):** **MA PT ES FR Co Sa Si IT LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Bjo AM AZ Nv DK NO SE FI EE LV LT RU MD UA Cm BY IR Gls Kh** **Bionomy:** Larva on *Lysimachia*, *Ononis*, *Rumex* (Meyer,1919).

- 43727. *Idaea marjahensis* (Wiltshire,1990)** (Geometridae) **Synonym(s):** *marjahensis* Wiltshire,1990 **Range (in code): SA**
- 43728. *Idaea marmorata* (Hampson,1903)** (Geometridae) **Synonym(s):** *marmorata* Hampson,1903 **Range (in code): IN**
- 43729. *Idaea maronitaria* (Zerny,1933)** (Geometridae) **Synonym(s):** *maronitaria* Zerny,1933 **Range (in code): LB Bsa**
- 43730. *Idaea maskina* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *maskina* Wiltshire,1966 **Range (in code): AF Pag Kab**
- 43731. *Idaea mathetica* (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *mathetica* L.B.Prout,1934 **Range (in code): ZR**
- 43732. *Idaea maurusia* (Turati,1924)** (Geometridae) **Synonym(s):** *maurusia* Turati,1924 **Range (in code): LY Cy**
- 43733. *Idaea maxima* (Wehrli,1934)** (Geometridae) **Synonym(s):** *maxima* Wehrli,1934 **Range (in code): MA DZ**
- 43734. *Idaea mediaria* (Hübner,[1819])** (Geometridae) **Synonym(s):** *mediaria* Hübner,[1819] **Original Reference:** Geometra mediaria Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.502. **Type:** Europa. **Range (in code): MA DZ Ges PT ES Mu FR Co Sa IT** **Bionomy:** Larva on Euphorbia, Genista, Ulex (Meyer,1919; Calle et al.,2000).
- 43735. *Idaea mediaria flavidior* (Rothschild,1914)** (Geometridae) **Synonym(s):** *flavidior* Rothschild,1914 **Original Reference:** Ptychopoda mediaria ssp. flavidior Rothschild,1914, Novit. zool. 21: 343. **Syntypes** 19♂♂: Algeria, Guelte-es-Stel (V.Faroult). **Range (in code): MA DZ Ges**
- 43736. *Idaea medioumbraria* (Turati,1930)** (Geometridae) **Synonym(s):** *medioumbraria* Turati,1930 **Range (in code): LY Cy**
- 43737. *Idaea merklaria* (Oberthür,1885)** (Geometridae) **Synonym(s):** *merklaria* Oberthür,1885; *terentius* Baker,1885 **Range (in code): DZ Ges Lbs**
- 43738. *Idaea mesodela* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *mesodela* L.B.Prout,1926 **Range (in code): Ch**
- 43739. *Idaea methaemaria* (Hampson,1903)** (Geometridae) **Synonym(s):** *methaemaria* Hampson,1903 **Range (in code): IN SI**
- 43740. *Idaea metohiensis* (Rebel,1900)** (Geometridae) **Synonym(s):** *metohiensis* Rebel,1900; *anatolica* Schwingenschuss,1938. **Original Reference:** Acidalia metohiensis Rebel,1900, Verh. zool.-bot. Ges. Wien 50: 451-452. **Syntypes** 2♂♂: [Bosnia-Herzegovina]: Hercegovina: Metohia: Gacko. **Range (in code): HV SS B-H MK AL BG GR TR Cc**
- 43741. *Idaea micra* (Hampson,1893)** (Geometridae) **Synonym(s):** *micra* Hampson,1893 **Range (in code): LK**
- 43742. *Idaea microphaga* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *microphaga* Wiltshire,1966 **Range (in code): AF Kab**
- 43743. *Idaea microptera* (W.Warren & Rothschild,1905)** (Geometridae) **Synonym(s):** *microptera* W.Warren & Rothschild,1905 **Range (in code): SD SDo8 JO YE Sn**
- 43744. *Idaea mimetes* (Brandt,1941)** (Geometridae) **Synonym(s):** *mimetes* Brandt,1941 **Range (in code): IR Ss**
- 43745. *Idaea mimosaria* (Herrich-Schäffer,1852)** (Geometridae) **Synonym(s):** *mimosaria* Herrich-Schäffer,1852 **Range (in code): TR CY IL Pa Hf**
- 43746. *Idaea mimosaria wimmeri* Hausmann,1994** (Geometridae) **Synonym(s):** *wimmeri* Hausmann,1994 **Range (in code): CY**
- 43747. *Idaea minuscularia* (Ribbe,1912)** (Geometridae) **Synonym(s):** *minuscularia* Ribbe,1912; *herbuloti* Agenjo,1952 **Range (in code): MA DZ PT ES Mu**
- 43748. *Idaea minuta* (Schaus,1901)** (Geometridae) **Synonym(s):** *minuta* Schaus,1901 **Range (in code): US Fl**
- 43749. *Idaea miranda* (Hulst,1896)** (Geometridae) **Synonym(s):** *miranda* Hulst,1896 **Range (in code): US Fl**
- 43750. *Idaea miserrima* (Turati,1930)** (Geometridae) **Synonym(s):** *miserrima* Turati,1930 **Range (in code): LY Cy**
- 43751. *Idaea mixta* (W.Warren,1907)** (Geometridae) **Synonym(s):** *mixta* W.Warren,1907 **Range (in code): PE**
- 43752. *Idaea moniliata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *moniliata* [Denis & Schiffermüller],1775; *?pentalineata* De Villiers,1789; *omicata* Fabricius,1794; *#moniliaria*

- Hübner*,[1799]; *pluripunctata* *Scharfenberg*,1805 Original Reference: *Geometra moniliata* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 117. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ AM GG Tbl Mng Bjo Smt Da Der RU MD UA Cm BY IR Gls TM** Bionomy: Larva on *Myosotis*, *Vicia* (Meyer,1919).
- 43753. *Idaea monticola* Hausmann,2006** (Geometridae) Synonym(s): *monticola* Hausmann,2006
Range (in code): **YE Sna**
- 43754. *Idaea mundaria* (Walker,1861)** (Geometridae) Synonym(s): *mundaria* Walker,1861;
sextinotata W.Warren,1900 Range (in code): **MY Pen Bor Swk**
- 43755. *Idaea muricata* (Hufnagel,1767)** (Geometridae) Synonym(s): *muricata* Hufnagel,1767;
auroralis [Denis & Schiffermüller],1775; *variegata* Fabricius,1777 nec Sc.,1763; *aureopolita* Goeze,1783; *sanguinaria* Hübner,1787; *auroraria* Borkhausen,1794 Original Reference: *Phalaena muricata* Hufnagel,1767,
Berl. Mag. 4:606,625. Type(s): Deutschland: Berlin. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR GG Lag Cc AZ DK NO SE FI EE LV LT RU MD UA BY Krl CN**
- 43756. *Idaea muricolor* (W.Warren,1904)** (Geometridae) Synonym(s): *muricolor* W.Warren,1904 Range (in code): **VN Ton**
- 43757. *Idaea mustelata* (Gumpfenberg,1892)** (Geometridae) Synonym(s): *mustelata* Gumpfenberg,1892; *#algorica* L.B.Prout,1935 Range (in code): **DZ Orn MA ES An PT FR**
- 43758. *Idaea mutanda* W.Warren,1888** (Geometridae) Synonym(s): *inductata* Walker,1861 nec Gn.,[1858]; *mutanda* W.Warren,1888 Original Reference: *Idaea mutanda* W.Warren,1888, *Proc. zool. Soc. Lond.* 1888: 322 (nomen novum pro *Acidalia inductata* Walker,1861 nec *Acidalia inductata* Guenée,[1858] from N.America). Range (in code): **PK Cp LK**
- 43759. *Idaea mutilata* (Staudinger,1876)** (Geometridae) Synonym(s): *mutilata* Staudinger,1876
Range (in code): **Si**
- 43760. *Idaea nanata* (W.Warren,1897)** (Geometridae) Synonym(s): *nanata* W.Warren,1897;
incolorata W.Warren,1898 Range (in code): **ID Kai Tnm AU QAU**
- 43761. *Idaea nasifera* (L.B.Prout,1916)** (Geometridae) Synonym(s): *nasifera* L.B.Prout,1916
Range (in code): **ZA Tva Lpo Chp**
- 43762. *Idaea neovalida* (Inoue,1958)** (Geometridae) Synonym(s): *neovalida* Inoue,1958
Range (in code): **JP**
- 43763. *Idaea nevadata* (Wehrli,1926)** (Geometridae) Synonym(s): *nevadata* Wehrli,1926;
salmaticensis Mendes,1918; *subcompleta* Fernandez,1931 Range (in code): **ES An**
- 43764. *Idaea nexata* (Hübner,[1813])** (Geometridae) Synonym(s): *nexata* Hübner,[1813]; *#nexaria* Hübner,[1825]; *cirtanaria* H.Lucas,1849; *marambaudista* D.Lucas,1924 Range (in code): **MA DZ Cst Ges Ght TN PT ES FR** Bionomy: Larva on *Linaria organifolia* (Meyer,1919).
- 43765. *Idaea nielsenii* (Hedemann,1879)** (Geometridae) Synonym(s): *nielsenii* Hedemann,1879;
latimarginata W.Warren,1895 Range (in code): **RU Am JP Hdo**
- 43766. *Idaea nigrella* (Wiltshire,1966)** (Geometridae) Synonym(s): *nigrella* Wiltshire,1966
Range (in code): **AF Bkt Nu**
- 43767. *Idaea nigrolineata* (Chrétien,1911)** (Geometridae) Synonym(s): *nigrolineata* Chrétien,1911
Range (in code): **TN Gf MA DZ PT ES**
- 43768. *Idaea nigrosticta* (W.Warren,1897)** (Geometridae) Synonym(s): *nigrosticta* W.Warren,1897 Range (in code): **ZA Kzu Nta Wnn**
- 43769. *Idaea nitidata* (Herrich-Schäffer,1861)** (Geometridae) Synonym(s): *nitidata* Herrich-Schäffer,1861; *tectaria* Leech,1897. Original Reference: *Acidalia nitidata* Herrich-Schäffer,1861, *Neue Schmett.* 3: 28, fig.142. Syntypes: [Romania]: Mehadia. Range (in code): **ES FR IT CH AT CZ SK HU RO YU TR RU MD UA BY CN KP KR**
- 43770. *Idaea nocturna* (Staudinger,1892)** (Geometridae) Synonym(s): *nocturna* Staudinger,1892
Range (in code): **UZ Fe Nmg**
- 43771. *Idaea nudaria* (Christoph,1881)** (Geometridae) Synonym(s): *nudaria* Christoph,1881
Range (in code): **RU Am JP CN**
- 43772. *Idaea numidaria* (Lucas,1849)** (Geometridae) Synonym(s): *numidaria* Lucas,1849
Range (in code): **DZ Clo Saia**
- 43773. *Idaea oberthuri* (Lucas,1917)** (Geometridae) Synonym(s): *oberthuri* Lucas,1917 Range (in code): **TN**
- 43774. *Idaea oberthuriata* (Balestre,1907)** (Geometridae) Synonym(s): *obfusaria* Walker,1861;
punctofimbriata Packard,1873; *oberthuriata* Balestre,1907; *pimacoata* Cassino,1931 Range (in code): **FR US Fl Arz Tx**

- 43775. *Idaea obfuscaria* (Leech,1897)** (Geometridae) **Synonym(s):** *obfuscaria* Leech,1897
Range (in code):
- 43776. *Idaea obliquaria* (Turati,1913)** (Geometridae) **Synonym(s):** *obliquaria* Turati,1913;
napoleon L.B.Prout,1913 **Range (in code):** **Co Sa IT**
- 43777. *Idaea obliquilinea* (W.Warren,1896)** (Geometridae) **Synonym(s):** *obliquilinea*
W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 43778. *Idaea obsoletaria* (Rambur,1833)** (Geometridae) **Synonym(s):** *obsoletaria* Rambur,1833;
violacearia Staudinger,1901; *algeriensis* Baker,1888; *distans* Hausmann,1991; *violacearia* Hausmann,1991 *nec*
Wlk.,1861 **Range (in code):** **MA DZ Ges Clo Sbd ES Mu FR Co Sa Si IT CH AT CZ SK HU RO YU AL**
BG GR Cr TR Cc GG AZ Nv RU MD UA BY IQ IR Fa LB Bsa
- 43779. *Idaea ochrata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *ochrata* Scopoli,1763; *#ochreatea*
[Denis & Schiffermüller],1775; *corrigata* Fabricius,1781; *ochrearia* Schrank,1802 *nec* Ross.,1794; *sicula* Zeller,1847;
accretata Fuchs,1901 **Original Reference:** *Phalaena ochrata* Scopoli,1763, *Entomologia*
Carniolica: 227. Type(s): Carniolia. **Range (in code):** **MA DZ Sbd TN PT ES Mu FR Co Sa Si IT MT**
GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag Da Der Kir AZ AM
Ksp CY LB DK SE RU MD UA BY IR **Bionomy:** Larva on *Minuartia* (Meyer,1919).
- 43780. *Idaea ocnera* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *ocnera* L.B.Prout,1926
Range (in code): **MM Hta**
- 43781. *Idaea okbaria* (Chrétien,1911)** (Geometridae) **Synonym(s):** *okbaria* Chrétien,1911
Range (in code): **DZ Ges TN Gf**
- 43782. *Idaea okinawaensis* Inoue,1982** (Geometridae) **Synonym(s):** *okinawaensis* Inoue,1982
Range (in code): **JP Oki**
- 43783. *Idaea onchnophora* (L.B.Prout,1939)** (Geometridae) **Synonym(s):** *onchnophora*
L.B.Prout,1939 **Range (in code):** **IN Pus**
- 43784. *Idaea opsitela* (L.B.Prout,1931)** (Geometridae) **Synonym(s):** *opsitela* L.B.Prout,1931
Range (in code): **MY Kdh Prk MM Peg**
- 43785. *Idaea opsitela monodia* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *monodia*
L.B.Prout,1938 **Range (in code):** **MM Peg**
- 43786. *Idaea oranaria* (A.Bang-Haas,1907)** (Geometridae) **Synonym(s):** *oranaria* A.Bang-
Haas,1907 **Range (in code):** **DZ Orn**
- 43787. *Idaea ortalii* Hausmann,1991** (Geometridae) **Synonym(s):** *ortalii* Hausmann,1991
Range (in code): **JO**
- 43788. *Idaea ossicolor* (Janse,1935)** (Geometridae) **Synonym(s):** *ossicolor* Janse,1935 **Range**
(in code): **ZA Tva ZA16 Mpu ZW Vf**
- 43789. *Idaea ossiculata* (Lederer,1871)** (Geometridae) **Synonym(s):** *ossiculata* Lederer,1871
Original Reference: *Acidalia ossiculata* Lederer,1871, *Horae Soc. ent. ross.* 8: 18, pl.2 fig.5.
Syntypes: [Türkei]: Külek; [Iran]: Astrabad [Gorgan]. **Range (in code):** **MK GR TR Cc AM AZ Nv**
Ord GG RU Da UA Cm IR Ab Gor Kh LB
- 43790. *Idaea ostrinaria* (Hübner,[1813])** (Geometridae) **Synonym(s):** *ostrinaria* Hübner,[1813];
demarginata Schwingenschuss,1938. **Original Reference:** *Geometra ostrinaria* Hübner,[1813],
Samml. eur. Schmett. 5: pl.83, fig.430. Type: Europa. **Range (in code):** **MA DZ Ges Lbs TN PT ES**
Mu FR Co Sa Si IT YU AL BG GR Cr Rd TR CY **Bionomy:** Larva on *Campanula*, *Heliotropium*,
Polygonum, *Salix* (Meyer,1919; Calle et al., 2000).
- 43791. *Idaea palaestinensis* (Sterneck,1933)** (Geometridae) **Synonym(s):** *antitaurica*
Wehrli,1932 *nec* Whrl.,1931; *palaestinensis* Sterneck,1933; *seitunensis* L.B.Prout,1934. **Original Reference:**
Ptychopoda palaestinensis Sterneck,1933, *Z. öst. EntVer.* 18: 65-66, figs. Syntypes: [Israel]:
Haifa, Jerusalem, Jericho., Libanon. **Range (in code):** **LB Shw Bei IL Pa GR Cr Rd CY TR IQ Agh**
Bgd IR Fa
- 43792. *Idaea pallidata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *pallidata*
[Denis & Schiffermüller],1775; *pallidaria* Treitschke,1825; *byssinata* Treitschke,1828; *byssinaria* Boisduval,1840
Original Reference: *Geometra pallidata* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes*
Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district. **Range (in code):** **FR Co Si IT BE**
LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG DK NO SE FI EE LV LT RU Sb MD UA BY
CN Ui Kun MN KK Am
- 43793. *Idaea palmata* (Staudinger,1901)** (Geometridae) **Synonym(s):** *palmata* Staudinger,1901
Range (in code): **Cn**
- 43794. *Idaea palniensis* (L.B.Prout,1920)** (Geometridae) **Synonym(s):** *palniensis* L.B.Prout,1920
Range (in code): **IN Tn Pln**

- 43795. *Idaea paniensis* Holloway,1979** (Geometridae) Synonym(s): *paniensis* Holloway,1979
Range (in code): **NC**
- 43796. *Idaea parallelaria* (W.Warren,1902)** (Geometridae) Synonym(s): *parallelaria* W.Warren,1902; *paraplesia* L.B.Prout,1916 - Range (in code): **ZA Tva Lpo Wv KE ZW TZ**
- 43797. *Idaea paranaria* (Schaus,1901)** (Geometridae) Synonym(s): *paranaria* Schaus,1901
Range (in code): **BR Pran**
- 43798. *Idaea paraula* (L.B.Prout,1914)** (Geometridae) Synonym(s): *paraula* L.B.Prout,1914
Range (in code): **TW**
- 43799. *Idaea paravalida* Sato,1988** (Geometridae) Synonym(s): *paravalida* Sato,1988 - Range (in code): **JP**
- 43800. *Idaea pareupithex* (L.B.Prout,1922)** (Geometridae) Synonym(s): *pareupithex* L.B.Prout,1922 - Range (in code): **PE**
- 43801. *Idaea pectinata* (Sterneck,1933)** (Geometridae) Synonym(s): *pectinata* Sterneck,1933
Original Reference: Ptychopoda pectinata Sterneck,1933, Z. öst. EntVer. 18: 66-68, figs. Syntypes 2♂ 12♀: [Israel]: Jericho, Jordanbrücke. Range (in code): **TR IL Pa Jer**
- 43802. *Idaea pediculata* (D.S.Fletcher,1958)** (Geometridae) Synonym(s): *pediculata* D.S.Fletcher,1958 - Range (in code): **UG Rz**
- 43803. *Idaea peluraria* (Reisser,1939)** (Geometridae) Synonym(s): *peluraria* Reisser,1939
Original Reference: Sterrha palaestinensis peluraria Reisser,1939, Z. öst. EntVer. 24: 26. Lectotype ♂: Iran, Elburs, Pelur. Range (in code): **TR CY IR Elb**
- 43804. *Idaea pericalles* (L.B.Prout,1913)** (Geometridae) Synonym(s): *pericalles* L.B.Prout,1913
Range (in code): **ZA Tva Gau Pre Fs ZW**
- 43805. *Idaea perpulverea* (Hampson,1903)** (Geometridae) Synonym(s): *perpulverea* Hampson,1903 - Range (in code): **Ch Gs**
- 43806. *Idaea persica* (Brandt,1941)** (Geometridae) Synonym(s): *persica* Brandt,1941 - Range (in code): **IR Ss**
- 43807. *Idaea persidis* (Wiltshire,1966)** (Geometridae) Synonym(s): *persidis* Wiltshire,1966
Range (in code): **TR? IR Fa Gl**
- 43808. *Idaea persimilis* (W.Warren,1896)** (Geometridae) Synonym(s): *persimilis* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 43809. *Idaea perspersata* (W.Warren,1897)** (Geometridae) Synonym(s): *perspersata* W.Warren,1897 - Range (in code): **ID Tim**
- 43810. *Idaea perversata* (Bastelberger,1908)** (Geometridae) Synonym(s): *perversata* Bastelberger,1908 - Range (in code): **MX Jpa**
- 43811. *Idaea phaeocrossa* (L.B.Prout,1931)** (Geometridae) Synonym(s): *phaeocrossa* L.B.Prout,1931 - Range (in code): **MY Pen**
- 43812. *Idaea phoenicoglaucia* (Hampson,1907)** (Geometridae) Synonym(s): *phoenicoglaucia* Hampson,1907 - Range (in code): **LK**
- 43813. *Idaea plesioscotia* (L.B.Prout,1925)** (Geometridae) Synonym(s): *plesioscotia* L.B.Prout,1925 - Range (in code): **ZA Ec**
- 43814. *Idaea politaria* (Hübner,[1799])** (Geometridae) Synonym(s): *politata* Hübner,1793 nec Fabr.,1781; *politaria* Hübner,[1799]; #*abmarginata* Bohatsch,1885; *mundipennis* W.Warren,1898; *abmarginata* Staudinger,1901 Original Reference: Geometra politaria Hübner,[1799], Samml. eur. Schmett. 5: pl.12, fig.61. Type: Europa. Range (in code): **DZ Sbd PT ES FR Co Sa Si IT CH CZ SK HU RO SS YU AL BG GR TR IQ LB Bsa RU MD UA Cm CY Cc GG AZ AM IR Mz Gl**
- 43815. *Idaea praetineata* Hausmann,1994** (Geometridae) Synonym(s): *praetineata* Hausmann,1994 Original Reference: *Idaea praetineata* Hausmann,1994, Bonn. zool. Beitr. 45: 68-72, figs.2,3. Holotype ♂: N-Jordan, Wadi Sir b. Amman 600m leg. J.Klapperich (ZSM). Range (in code): **JO Amm**
- 43816. *Idaea predotaria* (Hartig,1951)** (Geometridae) Synonym(s): *predotaria* Hartig,1951; *griseanova* Rezbanayi-Reser,1987 - Range (in code): **DZ Anna PT ES FR Sa IT**
- 43817. *Idaea prionodonta* (L.B.Prout,1932)** (Geometridae) Synonym(s): *prionodonta* L.B.Prout,1932 - Range (in code): **SN**
- 43818. *Idaea proclivata* (Fuchs,1902)** (Geometridae) Synonym(s): *proclivata* Fuchs,1902; *osthelderi* Wehrli,1932. Original Reference: *Acidalia proclivata* Fuchs,1902, Stettin ent. Ztg. 63: 317. Syntypes: Armenien. Range (in code): **AM Cc TR IR Fa Com Kz Sse IL Pa**

- 43819. *Idaea procrossa* (Meyrick,1887)** (Geometridae) Synonym(s): *procrossa* Meyrick,1887
Range (in code): **ID Sbw**
- 43820. *Idaea productata* (Packard,1876)** (Geometridae) Synonym(s): *productata* Packard,1876;
subochreata Hulst,1887; *australis* Hulst,1896 nec Zell.,1847 _ Range (in code): **US Fl Pns**
- 43821. *Idaea profanaria* (Walker,1861)** (Geometridae) Synonym(s): *profanaria* Walker,1861
Range (in code): **IN**
- 43822. *Idaea promiscuaria* (Leech,1897)** (Geometridae) Synonym(s): *promiscuaria* Leech,1897
Range (in code): **KP KR**
- 43823. *Idaea prosartema* (Herbulot,[1956])** (Geometridae) Synonym(s): *prosartema* Herbulot,[1956] _ Range (in code): **MG ZA**
- 43824. *Idaea protensa* (Butler,1889)** (Geometridae) Synonym(s): *protensa* Butler,1889
Range (in code): **IN Hp Kgr Drm**
- 43825. *Idaea protrusa* (Turati,1926)** (Geometridae) Synonym(s): *protrusa* Turati,1926 _ Range (in code): **LY Cy**
- 43826. *Idaea proximaria* (Leech,1897)** (Geometridae) Synonym(s): *proximaria* Leech,1897
Range (in code): **CN**
- 43827. *Idaea prucholoma* (L.B.Prout,1932)** (Geometridae) Synonym(s): *prucholoma* L.B.Prout,1932 _ Range (in code): **UG**
- 43828. *Idaea ptyonopoda* (Hampson,1895)** (Geometridae) Synonym(s): *ptyonopoda* Hampson,1895 _ Range (in code): **BT**
- 43829. *Idaea pulchrifascia* (Hampson,1903)** (Geometridae) Synonym(s): *pulchrifascia* Hampson,1903 _ Range (in code): **IN SI**
- 43830. *Idaea pulveraria* (Snellen,1872)** (Geometridae) Synonym(s): *pulveraria* Snellen,1872;
inobtrusa W.Warren,1898 _ Range (in code): **MG NE NG ZR ZA Ktz ZA05 Mal Tva Lpo ZA25 Kzu Nta Mpu Brb YE YE68 Sna**
- 43831. *Idaea pulveraria subculta* (L.B.Prout,1916)** (Geometridae) Synonym(s): *subculta* L.B.Prout,1916 _ Range (in code): **ZA Ktz ZA05 Mal Tva Lpo ZA25 Kzu Nta Mpu Brb**
- 43832. *Idaea punctigera* (Janse,1935)** (Geometridae) Synonym(s): *punctigera* Janse,1935
Range (in code): **ZA Tva Gau Pre**
- 43833. *Idaea purpurariata* (Pinker,1974)** (Geometridae) Synonym(s): *purpurariata* Pinker,1974
Range (in code): **Cn**
- 43834. *Idaea purpurascens* (L.B.Prout,1916)** (Geometridae) Synonym(s): *purpurascens* L.B.Prout,1916 _ Range (in code): **ZA Tva ZA16 Mpu ZA25 Kzu Nta Umk MZ**
- 43835. *Idaea purpureomarginata* (Bohatsch,1880)** (Geometridae) Synonym(s): *purpureomarginata* Bohatsch,1880 _ Original Reference: *Geometra sylvestraria* Hübner,[1799], Samml. eur. Schmett. 5: pl.18, fig.94. Type: Europa. Range (in code): **TR JO Amm IL Pa**
- 43836. *Idaea purpureomarginata stefani* Hausmann,1991** (Geometridae) Synonym(s): *stefani* Hausmann,1991 _ Range (in code): **JO Amm**
- 43837. *Idaea rainerii* Hausmann,1994** (Geometridae) Synonym(s): *rainerii* Hausmann,1994
Range (in code): **ES Sa Si IT DZ TN LY?**
- 43838. *Idaea remanei* Wiltshire,1985** (Geometridae) Synonym(s): *remanei* Wiltshire,1985
Range (in code): **SD Ksl Erk**
- 43839. *Idaea remissa* (Wileman,1911)** (Geometridae) Synonym(s): *remissa* Wileman,1911
Range (in code): **JP**
- 43840. *Idaea renataria* (Oberthür,1876)** (Geometridae) Synonym(s): *renataria* Oberthür,1876
Range (in code): **DZ Ges**
- 43841. *Idaea renunciata* (Walker,1861)** (Geometridae) Synonym(s): *renunciata* Walker,1861
Range (in code): **MY Bor Swk**
- 43842. *Idaea retractaria* (Walker,1861)** (Geometridae) Synonym(s): *retractaria* Walker,1861;
pallida Hulst,1896 _ Range (in code): **US Tx Fl**
- 43843. *Idaea rhipidura* (Meyrick,1889)** (Geometridae) Synonym(s): *rhipidura* Meyrick,1889
Range (in code): **PG PMo**
- 43844. *Idaea rhipistis* (Meyrick,1886)** (Geometridae) Synonym(s): *rhipistis* Meyrick,1886
Range (in code): **FJ**
- 43845. *Idaea rhodogrammaria* (Püngeler,1913)** (Geometridae) Synonym(s): *rhodogrammaria* Püngeler,1913 _ Range (in code): **PT ES Mu Sa Co**

- 43846. *Idaea robiginata* (Staudinger,1863)** (Geometridae) **Synonym(s):** *robiginata* Staudinger,1863; *rubiginaria* Fuchs,1904 **Range (in code):** **PT ES**
- 43847. *Idaea robusta* (W.Warren,1900)** (Geometridae) **Synonym(s):** *robusta* W.Warren,1900 **Range (in code):** **PH Neg**
- 43848. *Idaea romeii* (Turati,1930)** (Geometridae) **Synonym(s):** *romeii* Turati,1930 **Range (in code):** **LY Cy**
- 43849. *Idaea ronkayi* (Vojnits,1986)** (Geometridae) **Synonym(s):** *ronkayi* Vojnits,1986 **Range (in code):** **IR Ss**
- 43850. *Idaea roseofasciata* (Christoph,1882)** (Geometridae) **Synonym(s):** *roseofasciata* Christoph,1882 **Original Reference:** *Acidalia roseofasciata* Christoph,1882, Horae Soc. ent. ross. 17: 114. Syntypes: [Azerbaijan]: Ordubad. **Range (in code):** **TR Cc Nv Ord AZ**
- 43851. *Idaea roseolimbata* (Poujade,1895)** (Geometridae) **Synonym(s):** *roseolimbata* Poujade,1895 **Range (in code):** **CN Sz**
- 43852. *Idaea roseomarginaria* (Inoue,1958)** (Geometridae) **Synonym(s):** *roseomarginaria* Inoue,1958 **Range (in code):** **JP**
- 43853. *Idaea rubellata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *rubellata* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 43854. *Idaea rubridentata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *rubridentata* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 43855. *Idaea rufaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *rufaria* Hübner,[1799]; *ochridana* Silbernagel,1944 **Original Reference:** *Geometra rufaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.21, fig.112. Type: Europa. **Range (in code):** **MA PT ES Mu FR Co Si IT BE DE CH AT PL CZ SK HU RO YU B-H MK HV AL BG Vrn GR Rd TR Cc GG Tbl Bjo Mng Kir Bku Smt Da Der Nv Ord AZ AM Ksp IQ RU MD UA BY IR Fa Com Kz Kh AF Pag Kab MN**
- 43856. *Idaea rufaria imami* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *imami* Wiltshire,1966 **Range (in code):** **AF Pag Kab MN**
- 43857. *Idaea ruficostata* Zeller,1847** (Geometridae) **Synonym(s):** *ruficostata* Zeller,1847; *incarnaria* Herrich-Schäffer,1852. **Original Reference:** *Idaea ruficostata* Zeller,1847, Stettin ent. Ztg. 10: 215-216. **Range (in code):** **GR Rd CY Cc TR LB Bsa** **Bionomy:** Larva on Genista, Trifolium (Fabaceae); Geranium (Geraniaceae) (Meyer,1919).
- 43858. *Idaea rufifascia* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *rufifascia* L.B.Prout,1916 **Range (in code):** **ZA Nta Kzu Umk**
- 43859. *Idaea rupicolaria* (Reisser,1927)** (Geometridae) **Synonym(s):** *rupicolaria* Reisser,1927; *reisseri* L.B.Prout,1935 **Range (in code):** **ES**
- 43860. *Idaea ruptifascia* (W.Warren,1896)** (Geometridae) **Synonym(s):** *ruptifascia* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 43861. *Idaea rusticata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. **Original Reference:** *Geometra rusticata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. **Range (in code):** **DZ FR Co Sa Si IT MT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv RU MD UA Cm IL Pa IR Gl Kh AF MN TM KK** **Bionomy:** Larva on Bryophyta (Meyer,1919).
- 43862. *Idaea sabulosa* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *sabulosa* L.B.Prout,1913 **Range (in code):** **Ch Dra IN**
- 43863. *Idaea saida* (Wiltshire,1968)** (Geometridae) **Synonym(s):** *saida* Wiltshire,1968 **Original Reference:** *Scopula saida* Wiltshire,1968, Entomologist 101: 166-167, fig. Holotype ♂: Lebanon: Shweir, 4000ft, 1.vii.33, leg. Wiltshire (BMNH). **Range (in code):** **LB Shw IL Pa He**
- 43864. *Idaea sakuraii* (Inoue,1963)** (Geometridae) **Synonym(s):** *sakuraii* Inoue,1963 **Range (in code):** **JP**
- 43865. *Idaea salebrosaria* (Fuchs,1902)** (Geometridae) **Synonym(s):** *salebrosaria* Fuchs,1902 **Range (in code):** **ID Sum**
- 43866. *Idaea saleri* Domínguez & Baixeras,1992** (Geometridae) **Synonym(s):** *saleri* Domínguez & Baixeras,1992 **Range (in code):** **ES**
- 43867. *Idaea salubraria* (Staudinger,1897)** (Geometridae) **Synonym(s):** *salubraria* Staudinger,1897 **Range (in code):** **RU Sb**
- 43868. *Idaea salutaria* (Christoph,1881)** (Geometridae) **Synonym(s):** *salutaria* Christoph,1881 **Range (in code):** **RU Am**

- 43869. *Idaea sanctaria* (Staudinger,1900)** (Geometridae) Synonym(s): *sanctaria* Staudinger,1900
Original Reference: *Acidalia sanctaria* Staudinger,1900, Dt. ent. Z., Iris 12: 387-388, Taf.v fig.6.
Syntypes 2♂ 1♀: "Jordanthal (Bacher)". Range (in code): **DZ Rhr Thh Out Ah LY YE Sna AE OM JO IR**
- 43870. *Idaea sanctaria crassisquama* (W.Warren & Rothschild,1905)** (Geometridae)
Synonym(s): *crassisquama* W.Warren & Rothschild,1905 - **AE YE Sna OM**
- 43871. *Idaea sanctaria outayana* (Wehrli,1931)** (Geometridae) Synonym(s): *outayana* Wehrli,1931
Original Reference: *Ptychopoda sanctaria* ssp. *outayana* Wehrli,1931, Mitt. münch. ent. Ges. 21 (2): 41. Syntypes 2♂: Algerien, El-Outaya, Constantine (coll.Wehrli). **DZ Out**
- 43872. *Idaea sanctaria sanctaria* (Staudinger,1900)** (Geometridae) Synonym(s): *sanctaria* Staudinger,1900
Original Reference: *Acidalia sanctaria* Staudinger,1900, Dt. ent. Z., Iris 12: 387-388, Taf.v fig.6. Syntypes 2♂ 1♀: "Jordanthal (Bacher)". **JO IR**
- 43873. *Idaea sanctaria transcatenulata* (Rothschild,1915)** (Geometridae) Synonym(s): *transcattenulata* Rothschild,1915
Original Reference: *Ptychopoda transcattenulata* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16: 393. Type ♀: [Algeria]: Rharis; also from Ti-n-Tabarik, Tahihout. **DZ Rhr Thh**
- 43874. *Idaea sarcozona* (L.B.Prout,1938)** (Geometridae) Synonym(s): *sarcozona* L.B.Prout,1938
Range (in code): **ID Ij Gth**
- 43875. *Idaea sardonata* (Homberg,1912)** (Geometridae) Synonym(s): *sardonata* Homberg,1912; *concordaria* Püngeler,1913
Range (in code): **PT ES Mu FR IT?**
- 43876. *Idaea sartharia* (Staudinger,1892)** (Geometridae) Synonym(s): *sartharia* Staudinger,1892
Range (in code): **UZ Fe Man Nmg KK**
- 43877. *Idaea scabraria* (Chrétien,1909)** (Geometridae) Synonym(s): *scabraria* Chrétien,1909
Range (in code): **DZ**
- 43878. *Idaea scelisca* (L.B.Prout,1926)** (Geometridae) Synonym(s): *scelisca* L.B.Prout,1926
Range (in code): **IN Kma**
- 43879. *Idaea scintillans flavior* Holloway,1979** (Geometridae) Synonym(s): *flavior* Holloway,1979
Range (in code): **NC**
- 43880. *Idaea semilinea* (W.Warren,1896)** (Geometridae) Synonym(s): *semilinea* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 43881. *Idaea semisericea* (W.Warren,1897)** (Geometridae) Synonym(s): *semisericea* W.Warren,1897; *comparanda* W.Warren,1900; *neanica* L.B.Prout,1938; *trittesensis* L.B.Prout,1938
Range (in code): **IN Ass Meg Khs LK ID Bor Ja**
- 43882. *Idaea seriata* (Schränk,1802)** (Geometridae) Synonym(s): *albulata* Hufnagel,1767; *seriata* Schränk,1802; *cubicularia* Peyerimhoff,1862
Original Reference: *Phalaena seriata* Schränk,1802, Fauna boica 2 (2): 57. Syntypes: Deutschland: Bayern: Ingolstadt. Range (in code): **DZ Ges TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 43883. *Idaea sericeata* (Hübner,[1813])** (Geometridae) Synonym(s): *sericeata* Hübner,[1813]; *altivolaria* Bubacek,1923;
Original Reference: *Geometra sericeata* Hübner,[1813], Samml. eur. Schmett. 5: pl.78, fig.404. Type: Europa. Range (in code): **MA PT ES Mu FR Co Sa IT LU CH AT SK HU TR Cc GG Smt Bjo Da Der AM RU MD UA BY CN Ui Ku**
- 43884. *Idaea sericeata calvaria* (Wehrli,1927)** (Geometridae) Synonym(s): *calvaria* Wehrli,1927; *wehrlii* L.B.Prout,1934; *subrecta* L.B.Prout,1935
Range (in code): **MA PT ES**
- 43885. *Idaea serpentata* (Hufnagel,1767)** (Geometridae) Synonym(s): *serpentata* Hufnagel,1767; *trifasciata* Scopoli,1772; *similata* Thunberg,1784; *perochraria* Fischer von Rösslerstamm,1836.
Original Reference: *Phalaena serpentata* Hufnagel,1767, Berl. Mag. Range (in code): **PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Sb Ya MN UA Cm BY Da Cc GG Mng Bku Smt Da Kus AM**
- 43886. *Idaea shaatensis* Wiltshire,1986** (Geometridae) Synonym(s): *shaatensis* Wiltshire,1986
Range (in code): **OM Dh YE Sna**
- 43887. *Idaea sillemi* (Wehrli,1933)** (Geometridae) Synonym(s): *sillemi* Wehrli,1933
Range (in code): **Ch**
- 43888. *Idaea simonsi* (L.B.Prout,1932)** (Geometridae) Synonym(s): *marginata* W.Warren,1904 *nec* Wlk.,1870; *simonsi* L.B.Prout,1932
Range (in code): **BO**
- 43889. *Idaea simplicior* (L.B.Prout,1934)** (Geometridae) Synonym(s): *simplicior* L.B.Prout,1934
Range (in code): **ES An MA Rf**

- 43890. *Idaea sinica* (Yang,1978)** (Geometridae) Synonym(s): *sinica* Yang,1978 _ Range (in code): CN
- 43891. *Idaea sinicata* (Walker,1861)** (Geometridae) Synonym(s): *sinicata* Walker,1861 _ Range (in code): CN
- 43892. *Idaea sinuilinea* (L.B.Prout,1913)** (Geometridae) Synonym(s): *sinuilinea* L.B.Prout,1913
Range (in code): ZA Tva ZA16 Mpu ZA18 Ec Fs MZ ZW
- 43893. *Idaea sodaliaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *sodaliaria* Herrich-Schäffer,[1852] Original Reference: *Acidalia sodaliaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Range (in code): CY TR Cc GG AZ AM Nv
- 43894. *Idaea soldaitisi* Herbulot,1994** (Geometridae) Synonym(s): *soldaitisi* Herbulot,1994
Range (in code): KG
- 43895. *Idaea sordida* (Rothschild,1913)** (Geometridae) Synonym(s): *sordida* Rothschild,1913
Original Reference: *Ptychopoda sordida* Rothschild,1913, Novit. zool. 20: 133. Syntypes: 1♂ 2♀: Algeria, El-Golea, Oued Nça. Range (in code): DZ Gle Onç OM Dh EG IR Fa YE
- 43896. *Idaea sordida horus* Lewandowski & Tober,2011** (Geometridae) Synonym(s): *horus* Lewandowski & Tober,2011 _ Range (in code): EG
- 43897. *Idaea sordidior* (Wiltshire,1949)** (Geometridae) Synonym(s): *sordidior* Wiltshire,1949
Range (in code): SA As EG
- 43898. *Idaea spissilimbaria* (Mabille,1888)** (Geometridae) Synonym(s): *spissilimbaria* Mabille,1888 _ Range (in code): DZ FR Co BG RO
- 43899. *Idaea squalidaria* (Staudinger,1882)** (Geometridae) Synonym(s): *squalidaria* Staudinger,1882 _ Range (in code): ES FR
- 43900. *Idaea squamipunctata* (W.Warren,1900)** (Geometridae) Synonym(s): *squamipunctata* W.Warren,1900 _ Range (in code): ID Ja
- 43901. *Idaea squamulata* (W.Warren,1900)** (Geometridae) Synonym(s): *squamulata* W.Warren,1900 _ Range (in code): ZA Mal Tva Lpo ZA16 Mpu Nta Kzu Wnn
- 43902. *Idaea straminata* (Borkhausen,1794)** (Geometridae) Synonym(s): *straminata* Borkhausen,1794; *inornata* Haworth,1809; *suffusaria* Boisduval,1840; *inornaria* Doubleday,1849; *agrostemmata* Guenée,[1858] _ Range (in code): MA DZ Ges TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY LB Bsa IR AF Sb At MN CN KP KR Sh Krl Bionomy: Larva on *Chenopodium*, Lichens, *Thymus serpyllum* (Meyer,1919).
- 43903. *Idaea striolata* (Staudinger,1892)** (Geometridae) Synonym(s): *striolata* Staudinger,1892
Range (in code): LB Bei IL Pa
- 43904. *Idaea sublimbaria* (W.Warren,1900)** (Geometridae) Synonym(s): *sublimbaria* W.Warren,1900 _ Range (in code): ZA Ktz ZA05 ZA06 ZA08 Ksi ZA25 Kzu Nta Ec
- 43905. *Idaea submaculata* (W.Warren,1898)** (Geometridae) Synonym(s): *submaculata* W.Warren,1898 _ Range (in code): NG
- 43906. *Idaea subochraria* (Staudinger,1892)** (Geometridae) Synonym(s): *subochraria* Staudinger,1892 _ Range (in code): UZ Nmg
- 43907. *Idaea subpolitata* Mironov,1986** (Geometridae) Synonym(s): *subpolitata* Mironov,1986
Range (in code): KK
- 43908. *Idaea subpurpurata* (Staudinger,1900)** (Geometridae) Synonym(s): *subpurpurata* Staudinger,1900 Original Reference: *Acidalia subpurpurata* Staudinger,1900, Dt. ent. Z., Iris 12: 387, pl.6 fig.19. Syntypes: [Turkey]: Mardin, Karacadağ, Akbes; Lebanon. Range (in code): TR LB IL Pa
- 43909. *Idaea subsaturata* (Guenée,[1858])** (Geometridae) Synonym(s): *subsaturata* Guenée,[1858]; *miserata* Staudinger,1859; *subherbariata* Rössler,1877 _ Range (in code): DZ TN LY PT ES An FR CY?
- 43910. *Idaea subscutulata* (W.Warren,1899)** (Geometridae) Synonym(s): *subscutulata* W.Warren,1899 _ Range (in code): UG
- 43911. *Idaea subsericeata* (Haworth,[1809])** (Geometridae) Synonym(s): *subsericeata* Haworth,[1809]; *perfluaria* Boisduval,1840; *pinguedinata* Zeller,1847; *asbestaria* Zeller,1849; *puraria* Heydenreich,1851; *pinguedinaria* Herrich-Schäffer,1852; *oloraria* Rössler,1857; *mancuniata* Knaggs,1865; *veterata* Gregson,1866; *diaphanaria* A.Bang-Haas,1910; *zernyi* D.Lucas,1934 _ Range (in code): MA DZ Ges TN PT ES Mu FR Co Sa Si IT IE GB BE NL DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc AZ Nv IR DK RU MD UA BY IL Pa Bionomy: Larva on *Anagallis arvensis*, *Plantago*, *Polygonum*, *Stellaria*, *Taraxacum* (Meyer,1919; Calle et al.,2000).
- 43912. *Idaea substriata* (Turati,1930)** (Geometridae) Synonym(s): *substriata* Turati,1930
Range (in code): LY Cy

- 43913. *Idaea subterfundata* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *subterfundata* L.B.Prout,1922 **Range (in code):** **ZW Umv**
- 43914. *Idaea subtorrida* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *subtorrida* L.B.Prout,1916 **Range (in code):** **SO**
- 43915. *Idaea sugillata* (Bastelberger,1911)** (Geometridae) **Synonym(s):** *sugillata* Bastelberger,1911; *parallela* Wileman & South,1917 **Range (in code):** **TW**
- 43916. *Idaea sundapilosata* Holloway,1997** (Geometridae) **Synonym(s):** *rufula* Swinhoe,1903 *nec* W.Warr.,1899; *sundapilosata* Holloway,1997 **Range (in code):** **MY Bor Swk**
- 43917. *Idaea sylvestraria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *sylvestraria* Hübner,[1799]; *marginipunctata* Stephens,1831 *nec* Gz.,1781; *straminata* Treitschke,1835 *nec* Bkh.,1794; *grammicaria* Boisduval,1840; *circellata* Guenée,1858; *folognearia* Staudinger,1863; *graciliata* Mann,1867; *shiskensis* Matsumura,1925; *minuta* Heydemann,1933 **Range (in code):** **ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Sb Sh**
- 43918. *Idaea sympractor* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *sympractor* L.B.Prout,1922 **Range (in code):** **MG**
- 43919. *Idaea tahamae* Wiltshire,1983** (Geometridae) **Synonym(s):** *tahamae* Wiltshire,1983 **Original Reference:** *Idaea tahamae* Wiltshire,1983, Fauna Saudi Arabia 5: 299, pl.1 fig.3. **Holotype** ♀: Saudi Arabia: Tihama of Hejaz, Buraiman (BMNH). **Range (in code):** **SA Hj YE Ad YE30**
- 43920. *Idaea taiwana* (Wileman & South,1917)** (Geometridae) **Synonym(s):** *taiwana* Wileman & South,1917 **Range (in code):** **TW**
- 43921. *Idaea talvei* Viidalepp,1988** (Geometridae) **Synonym(s):** *talvei* Viidalepp,1988 **Range (in code):** **TJ TM**
- 43922. *Idaea talvei turkmenica* Viidalepp,1988** (Geometridae) **Synonym(s):** *turkmenica* Viidalepp,1988 **Range (in code):** **TM**
- 43923. *Idaea tanakai* Sato,1994** (Geometridae) **Synonym(s):** *tanakai* Sato,1994 **Range (in code):** **JP**
- 43924. *Idaea taurica* (A.Bang-Haas,1907)** (Geometridae) **Synonym(s):** *taurica* A.Bang-Haas,1907 **Range (in code):** **TR**
- 43925. *Idaea terminolineata* (Rothschild,1933)** (Geometridae) **Synonym(s):** *terminolineata* Rothschild,1933 **Range (in code):** **MA**
- 43926. *Idaea terpnaria* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *amoenaria* Staudinger,1897 *nec* Snell.,1890; *terpnaria* L.B.Prout,1913 **Range (in code):** **RU Us Vv Ask**
- 43927. *Idaea testacea* (Swinhoe,1886)** (Geometridae) **Synonym(s):** *testacea* Swinhoe,1886 **Range (in code):** **IN Poo YE? Sk?**
- 43928. *Idaea textaria* (Lederer,1861)** (Geometridae) **Synonym(s):** *textaria* Lederer,1861 **Original Reference:** *Acidalia textaria* Lederer,1861, Wien. ent. Monatschr. 5: 153, pl.2, fig.3. **Type:** [Turkey]: Antiochia [=Antakya]. **Range (in code):** **GR Ae Sms TR CY IQ Sbn Agh**
- 43929. *Idaea themeropsis* (West,1930)** (Geometridae) **Synonym(s):** *themeropsis* West,1930 **Range (in code):** **PH Luz MY Bor Sbh KBa**
- 43930. *Idaea thricophora* (Hampson,1895)** (Geometridae) **Synonym(s):** *thricophora* Hampson,1895 **Range (in code):** **MM Bmy**
- 43931. *Idaea tineata* (Thierry-Mieg,1911)** (Geometridae) **Synonym(s):** *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. **Original Reference:** *Acidalia tineata* Thierry-Mieg,1911, Annls Soc. ent. Belg. 54 (1910): 468. **Syntypes** 5♂: [Turquie]: Akbes, leg. Delagrange. **Range (in code):** **GR TR IL Pa LB Bmm CY**
- 43932. *Idaea tineata tineata* (Thierry-Mieg,1911)** (Geometridae) **Synonym(s):** *tineata* Thierry-Mieg,1911; *antennata* Wehrli,1931. **Original Reference:** *Acidalia tineata* Thierry-Mieg,1911, Annls Soc. ent. belg. 54: 468. **Syntypes:** [Turkey]: Akbes. **Range (in code):** **GR TR IL Pa LB Bmm CY**
- 43933. *Idaea tineigidiata* Hausmann,2006** (Geometridae) **Synonym(s):** *tineigidiata* Hausmann,2006 **Range (in code):** **YE YE30 Sna**
- 43934. *Idaea tornipunctaria* (Wiltshire,1967)** (Geometridae) **Synonym(s):** *tornipunctaria* Wiltshire,1967 **Range (in code):** **AF Srb Bm**
- 43935. *Idaea tornivestis* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *tornivestis* L.B.Prout,1932 **Range (in code):** **KE Nai**
- 43936. *Idaea torrida* (W.Warren,1904)** (Geometridae) **Synonym(s):** *torrida* W.Warren,1904 **Range (in code):** **AO**

- 43937. *Idaea trigeminata* (Haworth,[1809])** (Geometridae) Synonym(s): *trigeminata* Haworth,[1809]; *reversata* Treitschke,1828; *reversaria* Duponchel,1830. _ Range (in code): ES Co Sa Si IT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR LB Bsa TR CY GG AZ SE RU MD UA Cm Cc AM IR Gls Bionomy: Larva on Polygonum aviculare (Meyer,1919).
- 43938. *Idaea trigeminata tenuirussata* (Zerny,1933)** (Geometridae) Synonym(s): *tenuirussata* Zerny,1933 _ Original Reference: Ptychopoda trigeminata ssp. tenuirussata Zerny,1933, Dt. ent. Z., Iris 47: 91. Syntypes 3♂: Lebanon: Bscharre (NMHW). Range (in code): LB Bsa TR
- 43939. *Idaea trisetata* (L.B.Prout,1922)** (Geometridae) Synonym(s): *trisetata* L.B.Prout,1922; *galeata* Sterneck,1940 _ Range (in code): JP
- 43940. *Idaea trissosemia* (L.B.Prout,1922)** (Geometridae) Synonym(s): *trissosemia* L.B.Prout,1922 _ Range (in code): ZA Etm ZAO8 ZA25 Nta Kzu
- 43941. *Idaea tristega* (L.B.Prout,1932)** (Geometridae) Synonym(s): *tristega* L.B.Prout,1932 Range (in code): MG
- 43942. *Idaea tristriata* (Staudinger,1892)** (Geometridae) Synonym(s): *tristriata* Staudinger,1892 Range (in code): UZ Fe Man
- 43943. *Idaea troglodytaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *troglodytaria* Herrich-Schäffer,[1852]; *albonitens* Sterneck,1939 _ Range (in code): IL Pa Js JO Rd Cr GR CY TR
- 43944. *Idaea truschi* Hausmann,2003** (Geometridae) Synonym(s): *truschi* Hausmann,2003 Range (in code): MA
- 43945. *Idaea trypheropha* (Meyrick,1889)** (Geometridae) Synonym(s): *trypheropha* Meyrick,1889; *angustipennis* W.Warren,1897; *floccosa* Pagenstecher,1900 _ Range (in code): NC PG Bsm AU QAu
- 43946. *Idaea typicata* (Guenée,1858)** (Geometridae) Synonym(s): *typicata* Guenée,1858; *hornigaria* Staudinger,1901 _ Range (in code): DZ TN ES FR Co Si IT CH
- 43947. *Idaea umbricosta* (L.B.Prout,1913)** (Geometridae) Synonym(s): *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922 _ Range (in code): ZA Tva Wca MG KE Gau Tva Pre
- 43948. *Idaea umbricosta depleticosta* (L.B.Prout,1916)** (Geometridae) Synonym(s): *depleticosta* L.B.Prout,1916 _ Range (in code): MG KE
- 43949. *Idaea umbricosta umbricosta* (L.B.Prout,1913)** (Geometridae) Synonym(s): *umbricosta* L.B.Prout,1913; *omoscotia* L.B.Prout,1922 _ Range (in code): ZA Tva Wca Gau Tva Pre
- 43950. *Idaea unicalcarata* (L.B.Prout,1922)** (Geometridae) Synonym(s): *unicalcarata* L.B.Prout,1922 _ Range (in code): DZ
- 43951. *Idaea urcitana* (Agenjo,1952)** (Geometridae) Synonym(s): *urcitana* Agenjo,1952 Range (in code): ES
- 43952. *Idaea vacillata* (Walker,[1863])** (Geometridae) Synonym(s): *vacillata* Walker,[1863]; *phaenicozona* Hampson,1895 _ Range (in code): MY Bor Swk IN SI TH CMa
- 43953. *Idaea variabilis* Hausmann,2006** (Geometridae) Synonym(s): *variabilis* Hausmann,2006 Range (in code): YE Sna
- 43954. *Idaea vartianae* (Wiltshire,1966)** (Geometridae) Synonym(s): *vartianae* Wiltshire,1966 Range (in code): AF Nu Bkt
- 43955. *Idaea velutina* (W.Warren,1897)** (Geometridae) Synonym(s): *velutina* W.Warren,1897 Range (in code): ID Mlc PG Bsm Vu
- 43956. *Idaea vesubiata* (Millière,1873)** (Geometridae) Synonym(s): *vesubiata* Millière,1873 Range (in code): FR IT CH
- 43957. *Idaea vilaflorensis* (Rebel,1911)** (Geometridae) Synonym(s): *vilaflorensis* Rebel,1911 Range (in code): Cn
- 43958. *Idaea villitibia* (L.B.Prout,1932)** (Geometridae) Synonym(s): *villitibia* L.B.Prout,1932 Range (in code): CN Sz
- 43959. *Idaea violacea* (Hampson,1891)** (Geometridae) Synonym(s): *violacea* Hampson,1891; *carneofasciata* W.Warren,1900 _ Range (in code): IN NI ID Ja
- 43960. *Idaea violacearia* (Walker,1861)** (Geometridae) Synonym(s): *violacearia* Walker,1861; *lacteola* Lintner,1878; *floridaria* Hulst,1888; *nimbicolor* Hulst,1896; *benubia* Cassino,1931 _ Range (in code): US FI Tx
- 43961. *Idaea vivacolombia* Kemal & Koçak,2004** (Geometridae) Synonym(s): *purpureomarginata* Dognin,1912 nec Boh.,1880; *vivacolombia* Kemal & Koçak,2004 _ Range (in code): CO
- 43962. *Idaea vivaecuador* Koçak & Kemal,2006** (Geometridae) Synonym(s): *fimbriata* W.Warren,1900 nec [Den. & Schiff.],1775; *vivaecuador* Kemal & Koçak,2006 Original Reference: *Idaea*

- vivaecuador Koçak & Kemal, 2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro fimbriata W. Warren, 1900 nec [Denis & Schiffermüller], 1775). Range (in code): EC
- 43963. *Idaea volloni* (D. Lucas & De Joannis, 1907)** (Geometridae) Synonym(s): *volloni* D. Lucas & De Joannis, 1907; *plumbearia* A. Bang-Haas, 1907; *numidica* Turati, 1924 Range (in code): TN LY Cy Gf DZ
- 43964. *Idaea wiltshirei* (Brandt, 1938)** (Geometridae) Synonym(s): *wiltshirei* Brandt, 1938 Range (in code): IR Fa Com Kz Sse
- 43965. *Idaea wittmeri* Wiltshire, 1982** (Geometridae) Synonym(s): *wittmeri* Wiltshire, 1982 Range (in code): SA JO YE
- 43966. *Idaea wittmeri mienisi* Hausmann, 1991** (Geometridae) Synonym(s): *mienisi* Hausmann, 1991 Range (in code): JO
- 43967. *Idaea zargi* (Bethune-Baker, 1891)** (Geometridae) Synonym(s): *zargi* Bethune-Baker, 1891 Range (in code): Md
- 43968. *Idaea zernyi* (Lucas, 1934)** (Geometridae) Synonym(s): *zernyi* Lucas, 1934 Range (in code): MA
- 43969. *Idaea ziczacata* (W. Warren, 1903)** (Geometridae) Synonym(s): *ziczacata* W. Warren, 1903 Range (in code): SB Isa
- 43970. *Idaea zoferata* Kaila & Viidalepp, 1996** (Geometridae) Synonym(s): *zoferata* Kaila & Viidalepp, 1996 Range (in code): KG Db
- 43971. *Idaea zonata* (L.B. Prout, 1922)** (Geometridae) Synonym(s): *faasciata* W. Warren, 1898 nec Stgr., 1892; *zonata* L.B. Prout, 1922 Range (in code): AU QAU
- 43972. *Idiochlora androcnes* (L.B. Prout, 1937)** (Geometridae) Synonym(s): *androcnes* L.B. Prout, 1937 Range (in code): ID Bli
- 43973. *Idiochlora approximans* (W. Warren, 1897)** (Geometridae) Synonym(s): *approximans* W. Warren, 1897; *inornata* L.B. Prout, 1916 Range (in code): ZA Nta Kzu Wnn Umk Srn Kkf Nkw Brb Mpu Mhk Wv Gau Pre Pot Hfo Uma Wca Cto ZW ET KM
- 43974. *Idiochlora berwicki* (Holloway, 1976)** (Geometridae) Synonym(s): *berwicki* Holloway, 1976 Range (in code): MY Bor Sbh KBa
- 43975. *Idiochlora contracta* W. Warren, 1896** (Geometridae) Synonym(s): *contracta* W. Warren, 1896 Range (in code): IN Ass Meg Khs
- 43976. *Idiochlora eborilitoris* (L.B. Prout, 1930)** (Geometridae) Synonym(s): *eborilitoris* L.B. Prout, 1930 Range (in code): CI SL NG ZR
- 43977. *Idiochlora innotata* (Walker, 1861)** (Geometridae) Synonym(s): *innotata* Walker, 1861 Range (in code): MY Bor Swk
- 43978. *Idiochlora minuscula* (Inoue, 1986)** (Geometridae) Synonym(s): *minuscula* Inoue, 1986 Range (in code): JP
- 43979. *Idiochlora olivata* (W. Warren, 1897)** (Geometridae) Synonym(s): *olivata* W. Warren, 1897 Range (in code): MY Bor Sbh Snk
- 43980. *Idiochlora planata* (L.B. Prout, 1917)** (Geometridae) Synonym(s): *planata* L.B. Prout, 1917 Range (in code): IN Hp Sml Ass Meg Khs
- 43981. *Idiochlora pudentifimbria* (L.B. Prout, 1912)** (Geometridae) Synonym(s): *pudentifimbria* L.B. Prout, 1912 Range (in code): IN Ass Meg Slo
- 43982. *Idiochlora stictogramma* (L.B. Prout, 1932)** (Geometridae) Synonym(s): *stictogramma* L.B. Prout, 1932 Range (in code): MY Bor Sbh KBa
- 43983. *Idiochlora stictogrammoides* (Holloway, 1976)** (Geometridae) Synonym(s): *stictogrammoides* Holloway, 1976 Range (in code): MY Bor Swk
- 43984. *Idiochlora subexpressa* (Walker, 1861)** (Geometridae) Synonym(s): *subexpressa* Walker, 1861 Range (in code): MY Bor Swk
- 43985. *Idiochlora subrufibasis* (L.B. Prout, 1930)** (Geometridae) Synonym(s): *subrufibasis* L.B. Prout, 1930 Range (in code): KE Nai
- 43986. *Idiochlora subtusumbrata* (Fuchs, 1902)** (Geometridae) Synonym(s): *subtusumbrata* Fuchs, 1902 Range (in code): ID Sum
- 43987. *Idiochlora takahashii* (Inoue, 1982)** (Geometridae) Synonym(s): *takahashii* Inoue, 1982 Range (in code): JP
- 43988. *Idiochlora ussuriaria* (Bremer, 1864)** (Geometridae) Synonym(s): *ussuriaria* Bremer, 1864; *eluta* Wileman, 1911 Range (in code): JP RU Us CN Sz T-T
- 43989. *Idiochlora xanthochlora* (Swinhoe, 1894)** (Geometridae) Synonym(s): *xanthochlora* Swinhoe, 1894 Range (in code): IN Meg Cpj ID Tim

- 43990. *Idiodes noctuoides* (West,1929)** (Geometridae) Synonym(s): *noctuoides* West,1929
Range (in code): **PH Luz**
- 43991. *Idiodes serpentina* (Holloway,1979)** (Geometridae) Synonym(s): *serpentina* Holloway,1979
Range (in code): **NC**
- 43992. *Idiodes simplaria* Pagenstecher,1890** (Geometridae) Synonym(s): *simplaria* Pagenstecher,1890
Range (in code): **PH Pal**
- 43993. *Idiodes unilinea* (W.Warren,1897)** (Geometridae) Synonym(s): *unilinea* W.Warren,1897
Range (in code): **ID Clb**
- 43994. *Idiotephra hondensis* M.Krüger,2000** (Geometridae) Synonym(s): *hondensis* M.Krüger,2000
Range (in code): **ZA**
- 43995. *Idiotephra ngomensis* M.Krüger,2000** (Geometridae) Synonym(s): *ngomensis* M.Krüger,2000
Range (in code): **ZA Tva ZAO4 Kzu ZA14 Mpu**
- 43996. *Idiotephria amelia* (Butler,1878)** (Geometridae) Synonym(s): *amelia* Butler,1878
Range (in code): **RU Us KP KR JP**
- 43997. *Idiotephria debilitata* (Leech,1891)** (Geometridae) Synonym(s): *debilitata* Leech,1891
Range (in code): **RU Us JP**
- 43998. *Idiotephria evanescens* (Staudinger,1897)** (Geometridae) Synonym(s): *evanescens* Staudinger,1897
Range (in code): **RU Us JP**
- 43999. *Ignobilia urnaria* (Guenée,[1858])** (Geometridae) Synonym(s): *urnaria* Guenée,[1858]
Range (in code): **MY Bor**
- 44000. *Illa nefanda* W.Warren,1914** (Geometridae) Synonym(s): *nefanda* W.Warren,1914
Range (in code): **ZA**
- 44001. *Inurois brunneus* Viidalepp,1986** (Geometridae) Synonym(s): *brunneus* Viidalepp,1986
Range (in code): **RU Prj Us**
- 44002. *Inurois fletcheri* Inoue,1954** (Geometridae) Synonym(s): *fletcheri* Inoue,1954
Range (in code): **RU Prj Us CN JP**
- 44003. *Inurois fumosa* Inoue,1944** (Geometridae) Synonym(s): *fumosa* Inoue,1944
Range (in code): **RU Prj Us JP**
- 44004. *Inurois membranaria* (Christoph,1881)** (Geometridae) Synonym(s): *membranaria* Christoph,1881; *punctigera* L.B.Prout,1912
Range (in code): **RU Am Prj Us JP**
- 44005. *Inurois tenuis* Butler,1879** (Geometridae) Synonym(s): *tenuis* Butler,1879
Range (in code): **EU Am Prj Us**
- 44006. *Inurois ussuriensis* Viidalepp,1986** (Geometridae) Synonym(s): *ussuriensis* Viidalepp,1986
Range (in code): **Prj Us RU**
- 44007. *Iotaphora admirabilis* (Oberthür,1883)** (Geometridae) Synonym(s): *admirabilis* Oberthür,1883
Range (in code): **CN Mc**
- 44008. *Iotaphora iridicolor* (Butler,1880)** (Geometridae) Synonym(s): *iridicolor* Butler,1880
Range (in code): **IN SI Djl TH CMa**
- 44009. *Iridoplecta differens* Bastelberger,1909** (Geometridae) Synonym(s): *differens* Bastelberger,1909
Range (in code): **TW**
- 44010. *Iridoplecta ferrifera* (Moore,1888)** (Geometridae) Synonym(s): *ferrifera* Moore,1888
Range (in code): **IN SI Djl TH CMa**
- 44011. *Iridoplecta ochrias* West,1929** (Geometridae) Synonym(s): *ochrias* West,1929
Range (in code): **PH Luz**
- 44012. *Iridopsis lobos* Koçak & Kemal,2009** (Geometridae) Synonym(s): *nigraria* Jones,1921 nec R.Felder & Rogenhofer,1875; *lobos* Koçak & Kemal,2009
Range (in code): **BR**
- 44013. *Isoloba bifasciata* W.Warren,1893** (Geometridae) Synonym(s): *bifasciata* W.Warren,1893
Range (in code): **IN SI TW**
- 44014. *Isoloba bifasciata sphagnata* (Bastelberger,1911)** (Geometridae) Synonym(s): *sphagnata* Bastelberger,1911
Range (in code): **TW**
- 44015. *Isopenia trisinuata* W.Warren,1897** (Geometridae) Synonym(s): *trisinuata* W.Warren,1897
Original Reference: *Isopenia trisinuata* W.Warren,1897, Novit. Zool. 4: 56. Syntypes 3♂ 2♀ [South Africa]: Natal: Weenen (BMNH).
Range (in code): **ZA Tva Lpo Spb Mdk Nta Kzu Wnn Wca Cto CI AO TZ**
- 44016. *Isturgia albogrisea* M.Krüger,2001** (Geometridae) Synonym(s): *albogrisea* M.Krüger,2001
Range (in code): **TZ KE**
- 44017. *Isturgia arenacearia* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *arenacearia* [Denis & Schiffermüller],1775; *flavidaria* Eversmann,1852; *discriminaria* Walker,1862; *irradiata*

- Walker, 1862; impreviata Walker, 1863; stena Wehrli, 1940* Original Reference: *Geometra arenacearia* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: Type(s): [Austria]: Vienna district. Range (in code): **Co Sa IT MT CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AZ AM Nv IR LT RU MD UA BY KG Tks CN Ui Ku Kgs MN** Bionomy: Larva on *Coronilla varia* (Meyer, 1919).
- 44018. Isturgia arizela (D.S.Fletcher, 1978)** (Geometridae) Synonym(s): *arizela D.S.Fletcher, 1978* Range (in code): **KE TZ**
- 44019. Isturgia arizeloides M.Krüger, 1999** (Geometridae) Synonym(s): *arizeloides M.Krüger, 1999; arizeloides M.Krüger, 2001* Original Reference: *Isturgia arizeloides* Krüger, 1999, [in] Staude, H., *Metamorphosis* 10 (3): 115, fig. 115. Monotype ♀: South Africa: North West Province: Pilanesberg National Park, Bophuthatswana, 1200m, 17.9.1993 H.S. Staude leg. Range (in code): **ZA ZA24 NWe Tva Kru Pf Spb Kzu Nta NA ZW MZ**
- 44020. Isturgia assimilaria (Rambur, 1833)** (Geometridae) Synonym(s): *assimilaria Rambur, 1833* Range (in code): **Co Sa FR** Bionomy: Larva on *Genista*, *Sarothamnus scoparius* (Meyer, 1919).
- 44021. Isturgia averyi (Viette, 1980)** (Geometridae) Synonym(s): *averyi Viette, 1980* Range (in code): **MG**
- 44022. Isturgia berytaria (Staudinger, 1892)** (Geometridae) Synonym(s): *berytaria Staudinger, 1892* Original Reference: *Halia berytaria* Staudinger, 1892, *Dt. ent. Z., Iris* 5: 200. Syntypes 9♂ 2♀: [Lebanon]: Beirut. Range (in code): **GR Cr LB Bei TR CY IL Pa** Bionomy: Larva on *Calycotome villosa* (Wiltshire, 1939).
- 44023. Isturgia catalaunaria (Guenée, [1858])** (Geometridae) Synonym(s): *catalaunaria Guenée, [1858]; dataria Walker, 1861; defectaria Walker, 1861; occupata Walker, 1862; proxantharia Walker, [1863]; cogitata Walker, [1863]; largificaria Möschler, 1887.* Range (in code): **ZA Ktz ZA07 Ksi ZA14 ZA18 Ec ZA21 ZA25 Kzu ZA28 Tva Lpo Gau Jh Spb Pma Wp Nyl Pf Kru Mpu Brb Nel Mll Fs Blo Est Umk Kzu Nta Lds Pie Pth Wca Cto Ste Ec Pel Kwi Stj MZ BW ZW Har Vf ZM ZR AO NG CM KE UG TZ SD SA ES Mu** Bionomy: Larva on *Indigofera daleoides* (Fabaceae) (Staude, 1999).
- 44024. Isturgia comorensis M.Krüger, 2001** (Geometridae) Synonym(s): *comorensis M.Krüger, 2001* Range (in code): **KM**
- 44025. Isturgia contexta (Saalmüller, 1891)** (Geometridae) Synonym(s): *contexta Saalmüller, 1891; caeca Saalmüller, 1891* Range (in code): **MG KM**
- 44026. Isturgia cretacea (Staudinger, 1892)** (Geometridae) Synonym(s): *cretacea Staudinger, 1892* Range (in code): **TM Kp**
- 44027. Isturgia deerraria (Walker, 1861)** (Geometridae) Synonym(s): *deerraria Walker, 1861; nemorivaga Wallengren, 1872; dissocia W. Warren, 1897.* Range (in code): **ZA ZA13 Kzu Mal ZA17 ZA20 Mpu ZA21 Tva Lpo Spb Mdk Kru Ltr Nyl Ggh Gau Jh Rth Nwe Fs Ec SZ BW NA AO MZ MW ZM TZ UG MG KM ZR CV GH SN GM MA DZ ES PT SA YE Ad SD SD95 SO** Bionomy: Larva on *Acacia karroo* (Mimosaceae) (Staude, 1999).
- 44028. Isturgia devecta (Herbulot, 1966)** (Geometridae) Synonym(s): *devecta Herbulot, 1966* Range (in code): **MG**
- 44029. Isturgia dislocaria (Packard, 1876)** (Geometridae) Synonym(s): *dislocaria Packard, 1876* Range (in code): **US Tx Arz**
- 44030. Isturgia dislocaria dislocaria (Packard, 1876)** (Geometridae) Synonym(s): *dislocaria Packard, 1876* Range (in code): **US Tx**
- 44031. Isturgia dislocaria malefactaria (Barnes & McDunnough, 1917)** (Geometridae) Synonym(s): *malefactaria Barnes & McDunnough, 1917* Range (in code): **US Arz**
- 44032. Isturgia disputaria (Guenée, [1858])** (Geometridae) Synonym(s): *disputaria Guenée, [1858]; indodata Walker, 1863; strenuata Walker, 1863; curvifera Walker, 1870; gazella Blackmore, 1872; martiniaria Oberthür, 1876; granitalis Butler, 1883; lithina Butler, 1883; zebrina Butler, 1883; infrictaria Swinhoe, 1886; subocellata Warren, 1896; trilineata Krüger, 1939* Range (in code): **MA DZ Rhr Ah Ajj Bsk MA TN EG EG11 ET NG CM KE IN Pj Mp Poo Mhw PK Sd Krc YE Ad LY**
- 44033. Isturgia dukuduku M.Krüger, 2001** (Geometridae) Synonym(s): *dukuduku M.Krüger, 2001* Range (in code): **ZA Kzu Nta**
- 44034. Isturgia exerraria (L.B.Prout, 1925)** (Geometridae) Synonym(s): *exerraria L.B.Prout, 1925* Range (in code): **ZA Wca Nta Kzu**
- 44035. Isturgia exospilata (Walker, 1861)** (Geometridae) Synonym(s): *exospilata Walker, 1861; ansorgei W. Warren, 1898* Range (in code): **ZA Etm Kzu Nta ZA11 Tva Lpo Spb Bbg Ec Pjo UG ZW ZM TZ KE Nai ET CM AO ZR**

- 44036. Isturgia exustaria (Staudinger,1898)** (Geometridae) Synonym(s): *exustaria* Staudinger,1898 _ Range (in code): IL Pa
- 44037. Isturgia focularia (Geyer,1837)** (Geometridae) Synonym(s): *focularia* Geyer,1837; *designata* Walker,1862; *perdecorata* Walker,[1863] _ Range (in code): ZA
- 44038. Isturgia geminata (Walker,1861)** (Geometridae) Synonym(s): *geminata* Walker,1861; *bilineata* W.Warren,1898. _ Range (in code): ZA Etm Nta Kzu Wnn Mpu Brb Tva Lpo Tst Spb Wp Ltr Fs Ec Pjo
- 44039. Isturgia griveaudi M.Krüger,2001** (Geometridae) Synonym(s): *griveaudi* M.Krüger,2001 Range (in code): MG
- 44040. Isturgia halituaria (Guenée,[1858])** (Geometridae) Synonym(s): *halituaria* Guenée,[1858] Range (in code): TJ Pm RU At
- 44041. Isturgia halituaria halituaria (Guenée,[1858])** (Geometridae) Synonym(s): *halituaria* Guenée,[1858] _ Range (in code): RU At
- 44042. Isturgia halituaria pamirica (Viidalepp,1988)** (Geometridae) Synonym(s): *pamirica* Viidalepp,1988 _ Range (in code): TJ Pm
- 44043. Isturgia hausmanni M.Krüger,2001** (Geometridae) Synonym(s): *hausmanni* M.Krüger,2001 _ Range (in code): TN
- 44044. Isturgia hopfferaria (Staudinger,1879)** (Geometridae) Synonym(s): *hopfferaria* Staudinger,1879 Original Reference: *Eubolia hopfferaria* Staudinger,1879, Horae Soc. ent. ross. 14: 458-460. Syntypes: [Türkei]: Amasia (Caraman) (Emil & Johann leg.). Range (in code): TR Bionomy: Larva on Quercus (Meyer,1919).
- 44045. Isturgia inaequivirgaria (Mabille,1890)** (Geometridae) Synonym(s): *inaequivirgaria* Mabille,1890 _ Range (in code): SN
- 44046. Isturgia inconspicuarua (Hübner,[1819])** (Geometridae) Synonym(s): *inconspicuarua* Hübner,[1819] _ Range (in code): PT ES Mu Cr GR
- 44047. Isturgia kiellandi M.Krüger,2001** (Geometridae) Synonym(s): *kiellandi* M.Krüger,2001 Range (in code): TZ
- 44048. Isturgia limbaria (Fabricius,1775)** (Geometridae) Synonym(s): *limbaria* Fabricius,1775; *conspicuata* [Denis & Schiffermüller],1775; *auroraria* Hübner,[1787]; *circumdata* Villers,1789; *conspicuarua* Borkhausen,1794. Original Reference: *Phalaena limbaria* Fabricius,1775, Syst. Ent.: 624. Syntypes: England (BMNH). Range (in code): ES FR Co IT GB BE NL LU DE CH AT
- 44049. Isturgia megasaccus M.Krüger,2001** (Geometridae) Synonym(s): *megasaccus* M.Krüger,2001 _ Range (in code): KE TZ
- 44050. Isturgia modestaria (Pagenstecher,1907)** (Geometridae) Synonym(s): *modestaria* Pagenstecher,1907 _ Range (in code): MG
- 44051. Isturgia murinaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *murinaria* [Denis & Schiffermüller],1775; *nubecularia* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855 Original Reference: *Geometra murinaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Si IT BE DE CH AT PL CZ SK HU RO BG TR AZ AM Cc GG RU Ur MD UA BY KK Ik IR Ab Oru CN Ui Tlk Kun Bionomy: Larva on Medicago sativa, Trifolium, Vicia (Meyer,1919).
- 44052. Isturgia netta Holland,1897** (Geometridae) Synonym(s): *netta* Holland,1897 _ Range (in code): SO ET
- 44053. Isturgia ossea (Swinhoe,1885)** (Geometridae) Synonym(s): *ossea* Swinhoe,1885 Original Reference: *Tephрина ossea* Swinhoe,1885, Trans. ent. Soc. Lond. 1885: 353, p.9 fig.9. Syntypes ♂♀: [Pakistan]: Quetta (BMNH). Range (in code): PK BI Qu
- 44054. Isturgia perplexa M.Krüger,2001** (Geometridae) Synonym(s): *perplexa* M.Krüger,2001 Range (in code): ZW
- 44055. Isturgia perviaria (Lederer,1855)** (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885 _ Range (in code): IL Pa Hf SA SA63 BH LB Bei PK Sd Krc IQ Agh ID Sba
- 44056. Isturgia perviaria delostina (L.B.Prout,1926)** (Geometridae) Synonym(s): *delostina* L.B.Prout,1926 _ Range (in code): ID Sba
- 44057. Isturgia perviaria perviaria (Lederer,1855)** (Geometridae) Synonym(s): *perviaria* Lederer,1855; *albofascia* Swinhoe,1885 _ Range (in code): IL Pa Hf SA SA63 BH LB Bei PK Sd Krc IQ Agh
- 44058. Isturgia philbyi (Wiltshire,1980)** (Geometridae) Synonym(s): *philbyi* Wiltshire,1980 Range (in code): SA

- 44059. Isturgia plumbarioides (Sterneck,1928)** (Geometridae) Synonym(s): *plumbarioides* Sterneck,1928 - Range (in code): CN Sz T-T
- 44060. Isturgia presbitaria (Swinhoe,1904)** (Geometridae) Synonym(s): *presbitaria* Swinhoe,1904 - Range (in code): KE AO TZ UG ET
- 44061. Isturgia prionogyna (L.B.Prout,1916)** (Geometridae) Synonym(s): *prionogyna* L.B.Prout,1916 - Range (in code): SO
- 44062. Isturgia pulinda (Walker,1860)** (Geometridae) Synonym(s): *pulinda* Walker,1860; *deeraria* Walker,1861 - Range (in code): MA DZ Orn Ajj ZA SA LK PT ES
- 44063. Isturgia pygmaeata M.Krüger,2001** (Geometridae) Synonym(s): *pygmaeata* M.Krüger,2001 - Range (in code): TZ
- 44064. Isturgia quadriplaga (Rothschild,1921)** (Geometridae) Synonym(s): *quadriplaga* Rothschild,1921; *pallidaria* Le Cerf,1924 - Range (in code): ER ET NG SO DJ TZ YE Ad SA As
- 44065. Isturgia roraria (Fabricius,[1776])** (Geometridae) Synonym(s): *roraria* Fabricius,[1776]; *adpersaria* Fabricius,1787; *spartariaria* Hübner,[1799]; *conspicuararia* Esper,[1801]; *spartariaria* Treitschke,1827. Original Reference: Phalaena roraria Fabricius,[1776], Genera Insect.: 285. Syntypes: Europe. Range (in code): ES FR DE AT PL CZ SK HU RO YU AL BG RU MD UA BY
- 44066. Isturgia rubrior (Hausmann,1990)** (Geometridae) Synonym(s): *rubrior* Hausmann,1990 Range (in code): MA
- 44067. Isturgia sakalava (Herbulot,1954)** (Geometridae) Synonym(s): *sakalava* Herbulot,1954 Range (in code): MG
- 44068. Isturgia spissata (Walker,1862)** (Geometridae) Synonym(s): *spissata* Walker,1862. Range (in code): ZA Tva ZA07 ZA08 Nel Pil Ksi Kzu ZA16 Mpu Nta Brb Fs Ec MZ NA ZW TZ
- 44069. Isturgia spodiaria (Lefèbvre,1832)** (Geometridae) Synonym(s): *spodiaria* Lefèbvre,1832; *semicanaria* Freyer,[1832]; *cerataria* Guenée,[1858]. Original Reference: Fidonia spodiaria Lefèbvre,1832, Magasin Zool. Paris Class 9: unpaginaed, pl. 8. Syntypes 2♂ 2♀: Italia: Sicilia: Val di Noto. Range (in code): MR MA DZ Ght Sbd Clo TN ES IT Si
- 44070. Isturgia spodiaria mizanensis (Wehrli,1940)** (Geometridae) Synonym(s): *mizanensis* Wehrli,1940 - Range (in code): MR MA DZ TN
- 44071. Isturgia sublimbata (Butler,1885)** (Geometridae) Synonym(s): *sublimbata* Butler,1885 Range (in code): YE Ad ET TZ SA As IL Pa
- 44072. Isturgia suleiman (Wehrli,1936)** (Geometridae) Synonym(s): *suleiman* Wehrli,1936 Range (in code): IR Mz Elb
- 44073. Isturgia supergressa (L.B.Prout,1913)** (Geometridae) Synonym(s): *supergressa* L.B.Prout,1913 - Range (in code): ZA Mal Tva Lpo Gau Pre Jh Mpu Nyl Kru Pma Spb Wp Tst Kzu Nta SZ NA ZW BW MZ TZ KE
- 44074. Isturgia tengistanica (Brandt,1938)** (Geometridae) Synonym(s): *tengistanica* Brandt,1938 Original Reference: Euconista tengistanica Brandt,1938, Ent. Rdsch. 55: 634. Type ♀: Iran: Kemaredj. Range (in code): IR
- 44075. Isturgia tennoa (Pinker,1978)** (Geometridae) Synonym(s): *tennoa* Pinker,1978 - Range (in code): Cn
- 44076. Isturgia terminipuncta M.Krüger,2001** (Geometridae) Synonym(s): *terminipuncta* M.Krüger,2001 - Range (in code): TN
- 44077. Isturgia triseriata (L.B.Prout,1926)** (Geometridae) Synonym(s): *triseriata* L.B.Prout,1926 Range (in code): TZ
- 44078. Isturgia univirgaria (Mabille,1890)** (Geometridae) Synonym(s): *univirgaria* Mabille,1890 Range (in code): MG
- 44079. Isturgia vapulata (Butler,1879)** (Geometridae) Synonym(s): *vapulata* Butler,1879 Range (in code): JP
- 44080. Isturgia virescens M.Krüger,2001** (Geometridae) Synonym(s): *virescens* M.Krüger,2001 Range (in code): RW
- 44081. Itame brunneata (Thunberg,1784)** (Geometridae) Synonym(s): *brunneata* Thunberg,1784; *fulvaria* Villers,1789; *myosaria* Esper,[1806]; *cineraria* Duponchel,1829; *buffonaria* Millière,1855 - Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 44082. Itame loricaria (Eversmann,1837)** (Geometridae) Synonym(s): *loricaria* Eversmann,1837 Range (in code): DK NO SE FI EE LV LT RU MD UA BY
- 44083. Itame messapiaria Sohn-Rethel,1929** (Geometridae) Synonym(s): *messapiaria* Sohn-Rethel,1929 - Range (in code): IT

- 44084. Itame sparsaria (Hübner,[1809])** (Geometridae) Synonym(s): *sparsaria* Hübner,[1809]
Range (in code): **IT**
- 44085. Itame vincularia (Hübner,[1813])** (Geometridae) Synonym(s): *vincularia* Hübner,[1813]
Range (in code): **MA DZ Ges TN Gf PT ES Mu FR TR**
- 44086. Itame vincularia latefasciata Rothschild,1914** (Geometridae) Synonym(s): *latefasciata* Rothschild,1914
Original Reference: *Itame vincularia* ssp. *latefasciata* Rothschild,1914, Novit. zool. 21: 352. Syntypes 23♂♂ 8♀♀: Algeria, Guelte-es-Stel (V.Faroult). **DZ Ges**
- 44087. Ithysia pravata (Hübner,[1813])** (Geometridae) Synonym(s): *pravata* Hübner,[1813]; *pravaria* Hübner,[1825]
Range (in code): **RU MD UA BY**
- 44088. Iulotrichia buzurata W.Warren,1894** (Geometridae) Synonym(s): *buzurata* W.Warren,1894; *malescripta* W.Warren,1897
Range (in code): **ID Tim Clb**
- 44089. Iulotrichia muhabbet Koçak,2006** (Geometridae) Synonym(s): *decursaria* Walker,1860 nec Wlk.,1860; *muhabbet* Koçak,2006
Original Reference: *Iulotrichia muhabbet* Koçak,2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro *decursaria* Walker,1860 nec Wlk.,1860).
Range (in code): **MY Bor Swk TH Ntt Hba**
- 44090. Iulotrichia semialbida (W.Warren,1896)** (Geometridae) Synonym(s): *semialbida* W.Warren,1896
Range (in code): **ID Mlc**
- 44091. Iulotrichia semiumbrata (W.Warren,1896)** (Geometridae) Synonym(s): *semiumbrata* W.Warren,1896
Range (in code): **PG Eca Fg**
- 44092. Jankowskia fuscaria (Leech,1891)** (Geometridae) Synonym(s): *fuscaria* Leech,1891
Range (in code): **TH CMa Dst**
- 44093. Jankowskia fuscaria fuscaria (Leech,1891)** (Geometridae) Synonym(s): *fuscaria* Leech,1891
Range (in code): **TH CMa Dst**
- 44094. Jodis albipuncta W.Warren,1898** (Geometridae) Synonym(s): *albipuncta* W.Warren,1898
Range (in code): **IN Ass Meg Khs**
- 44095. Jodis amamiensis Inoue,1982** (Geometridae) Synonym(s): *amamiensis* Inoue,1982
Range (in code): **JP**
- 44096. Jodis angulata Inoue,1961** (Geometridae) Synonym(s): *angulata* Inoue,1961
Range (in code): **JP**
- 44097. Jodis api Holloway,1996** (Geometridae) Synonym(s): *api* Holloway,1996
Range (in code): **MY Bor Swk**
- 44098. Jodis argentilineata (Wileman,1916)** (Geometridae) Synonym(s): *argentilineata* Wileman,1916
Range (in code): **TW**
- 44099. Jodis argutaria (Walker,1866)** (Geometridae) Synonym(s): *argutaria* Walker,1866; *concolor* W.Warren,1893; *sinuosaria* Leech,1897
Range (in code): **IN SI CN Sz T-T**
- 44100. Jodis coeruleata W.Warren,1896** (Geometridae) Synonym(s): *coeruleata* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 44101. Jodis colpostrophia L.B.Prout,1917** (Geometridae) Synonym(s): *colpostrophia* L.B.Prout,1917
Range (in code): **ID Ja**
- 44102. Jodis ctila L.B.Prout,1926** (Geometridae) Synonym(s): *ctila* L.B.Prout,1926
Range (in code): **MM Hta Hpi**
- 44103. Jodis delicatula W.Warren,1896** (Geometridae) Synonym(s): *delicatula* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 44104. Jodis dentifascia W.Warren,1897** (Geometridae) Synonym(s): *dentifascia* W.Warren,1897
Range (in code): **JP**
- 44105. Jodis fulgurata (Debauche,1941)** (Geometridae) Synonym(s): *fulgurata* Debauche,1941
Range (in code): **ID Clb**
- 44106. Jodis inumbrata W.Warren,1896** (Geometridae) Synonym(s): *inumbrata* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 44107. Jodis irregularis (W.Warren,1894)** (Geometridae) Synonym(s): *irregularis* W.Warren,1894
Range (in code): **BT**
- 44108. Jodis kojii Yazaki,1995** (Geometridae) Synonym(s): *kojii* Yazaki,1995
Range (in code): **NP**
- 44109. Jodis lactearia (Linnaeus,1758)** (Geometridae) Synonym(s): *lactearia* Linnaeus,1758; *vernaria* Linnaeus,1761; *aeruginaria* [Denis & Schiffmüller],1775; *semipectinata* Retzius,1783; *syrene* Fourcroy,1785; *syrene* Villers,1789; *syrena* Geoffroy,1799
Original Reference: *Phalaena lactearia* Linnaeus,1758, Syst. Nat. (Edn.10)1: 519. Type(s): Europa. Range (in code): **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Mng DK NO SE FI EE LV LT RU MD UA BY**

- CN Ui ii** Bionomy: Larva on Alnus, Betula, Corylus avellana, Populus, Quercus, Salix, Vaccinium (Meyer,1919; Skou,1986).
- 44110. Jodis lara L.B.Prout,1926** (Geometridae) Synonym(s): *lara* L.B.Prout,1926 - Range (in code): **MM Lkh**
- 44111. Jodis nanda (Walker,1861)** (Geometridae) Synonym(s): *nanda* Walker,1861; *micra* W.Warren,1897 - Range (in code): **LK ID Bli**
- 44112. Jodis nepalica Inoue,1987** (Geometridae) Synonym(s): *nepalica* Inoue,1987 - Range (in code): **NP**
- 44113. Jodis niveovenata Oberthür,1916** (Geometridae) Synonym(s): *niveovenata* Oberthür,1916 - Range (in code): **CN**
- 44114. Jodis pallescens (Hampson,1891)** (Geometridae) Synonym(s): *pallescens* Hampson,1891 - Range (in code): **IN NI**
- 44115. Jodis placida Inoue,1986** (Geometridae) Synonym(s): *placida* Inoue,1986 - Range (in code): **JP**
- 44116. Jodis praerupta (Butler,1878)** (Geometridae) Synonym(s): *praerupta* Butler,1878; *steroparia* Püngeler,1908 - Range (in code): **RU Am JP Hdo**
- 44117. Jodis putata (Linnaeus,1758)** (Geometridae) Synonym(s): *putata* Linnaeus,1758; *putataria* Linnaeus,1761; *undulosa* Fourcroy,1785; *micantaria* Esper,1795 - Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY Ce GG Lag Sok** Bionomy: Larva on Vaccinium myrtillus, V. uliginosum (Meyer,1919; Skou,1986).
- 44118. Jodis rectisecta Herbulot,1985** (Geometridae) Synonym(s): *rectisecta* Herbulot,1985 - Range (in code): **PH Pal**
- 44119. Jodis rhabdota L.B.Prout,1917** (Geometridae) Synonym(s): *rhabdota* L.B.Prout,1917 - Range (in code): **IN Ass Meg Khs**
- 44120. Jodis spumifera W.Warren,1898** (Geometridae) Synonym(s): *spumifera* W.Warren,1898 - Range (in code): **MY Pen**
- 44121. Jodis subtractata (Walker,[1863])** (Geometridae) Synonym(s): *subtractata* Walker,[1863] - Range (in code): **IN ID Bli TH** Bionomy: Larva on Eugenia aquea (Myrtaceae); Dimocarpus longan (Sapindaceae); Nephelium lappaceum, N.mutabile (Sapindaceae) (Scoble,1999).
- 44122. Jodis undularia Hampson,1891** (Geometridae) Synonym(s): *undularia* Hampson,1891 - Range (in code): **IN NI**
- 44123. Jodis vicaria Herbulot,1985** (Geometridae) Synonym(s): *vicaria* Herbulot,1985 - Range (in code): **PH Pal**
- 44124. Jodis xynia L.B.Prout,1917** (Geometridae) Synonym(s): *xynia* L.B.Prout,1917 - Range (in code): **IN Ass Meg Khs**
- 44125. Jordanisca tenuisaria (Staudinger,1900)** (Geometridae) Synonym(s): *tenuisaria* Staudinger,1900 - Original Reference: Boarmia tenuisaria Staudinger,1900, Dt. ent. Z., Iris 12: 394, pl.5 fig.3. Syntypes ♂: [Transjordan]: Lower Jordan valley. - Range (in code): **JO IQ SA BH** Bionomy: Larva on Lycium barbarum (Wiltshire, 1944,1957).
- 44126. Juxtephria consentaria (Freyer,1846)** (Geometridae) Synonym(s): *consentaria* Freyer,1846; *fluidata* Lederer,1853; *russariaria* Herrich-Schäffer,1855 - Range (in code): **RU Ur Sb At Am KG MN**
- 44127. Krananda diversa W.Warren,1894** (Geometridae) Synonym(s): *diversa* W.Warren,1894 - Range (in code): **IN SI**
- 44128. Krananda extranotata L.B.Prout,1926** (Geometridae) Synonym(s): *extranotata* L.B.Prout,1926 - Range (in code): **PG Ij Afk**
- 44129. Krananda latimarginaria Leech,1891** (Geometridae) Synonym(s): *latimarginaria* Leech,1891; *orthogrammaria* Longstaff,1905 - Range (in code): **JP KP KR CN HK**
- 44130. Krananda lucidaria Leech,1897** (Geometridae) Synonym(s): *lucidaria* Leech,1897 - Range (in code): **CN Yu TH MY Bor Sbh ID Sum**
- 44131. Krananda nepalensis Yazaki,1992** (Geometridae) Synonym(s): *nepalensis* Yazaki,1992 - Range (in code): **NP TH CMa**
- 44132. Krananda oliveomarginata Swinhoe,1894** (Geometridae) Synonym(s): *oliveomarginata* Swinhoe,1894; *nicolasi* Herbulot,1987 - Range (in code): **IN Meg Ass Khs MY Bor Sbh KBa CN TW VN TH ID Sum**
- 44133. Krananda orthotmeta L.B.Prout,1926** (Geometridae) Synonym(s): *orthotmeta* L..Prout,1926 - Range (in code): **MM**

- 44134. Krananda peristena Wehrli,1938** (Geometridae) Synonym(s): *peristena Wehrli,1938*
Range (in code): **CN Ti**
- 44135. Krananda postexcisa (Wehrli,1924)** (Geometridae) Synonym(s): *postexcisa Wehrli,1924*
Range (in code): **CN**
- 44136. Krananda semihyalina Moore,1868** (Geometridae) Synonym(s): *semihyalina Moore,1868; vitraria R.Felder & Rogenhofer,1875* Range (in code): **IN ID Ja Mlc JP MY Bor TH**
- 44137. Kuchleria gisisi Hausmann,1995** (Geometridae) Synonym(s): *gisisi Hausmann,1995*
Range (in code): **IL Pa Jf**
- 44138. Kuchleria insignata Hausmann,1995** (Geometridae) Synonym(s): *insignata Hausmann,1995* Range (in code): **ES MA DZ TN**
- 44139. Kuchleria menadiara (Thierry-Mieg,1893)** (Geometridae) Synonym(s): *menadiara Thierry-Mieg,1893* Range (in code): **DZ Sa MA**
- 44140. Kuchleria therapaena (L.B.Prout,1924)** (Geometridae) Synonym(s): *therapaena L.B.Prout,1924* Range (in code): **TN Gf**
- 44141. Kuldscha albescens Warnecke,1934** (Geometridae) Synonym(s): *albescens Warnecke,1934* Range (in code): **CN Ui Au**
- 44142. Kuldscha arcanna Xue,1991** (Geometridae) Synonym(s): *arcanna Xue,1991* Range (in code): **CN Yu**
- 44143. Kuldscha bioerraia Püngeler,1925** (Geometridae) Synonym(s): *bioerraia Püngeler,1925*
Range (in code): **CN Ui Kl Alt**
- 44144. Kuldscha brevivalvata Xue,1991** (Geometridae) Synonym(s): *brevivalvata Xue,1991*
Range (in code): **CN**
- 44145. Kuldscha curvata Xue,1991** (Geometridae) Synonym(s): *curvata Xue,1991* Range (in code): **CN**
- 44146. Kuldscha fluctuata Xue,1993** (Geometridae) Synonym(s): *fluctuata Xue,1993* Range (in code): **CN Ts**
- 44147. Kuldscha lakearia (Oberthür,1883)** (Geometridae) Synonym(s): *lakearia Oberthür,1883*
Range (in code): **CN Sz**
- 44148. Kuldscha lobbichleri D.S.Fletcher,1961** (Geometridae) Synonym(s): *lobbichleri D.S.Fletcher,1961* Range (in code): **NP**
- 44149. Kuldscha loxobathra L.B.Prout,1937** (Geometridae) Synonym(s): *loxobathra L.B.Prout,1937* Range (in code): **CN Ti Sz**
- 44150. Kuldscha oberthuri Alpheraky,1892** (Geometridae) Synonym(s): *oberthuri Alpheraky,1892* Range (in code): **CN Ti**
- 44151. Kuldscha productaria (Leech,1897)** (Geometridae) Synonym(s): *productaria Leech,1897*
Range (in code): **CN**
- 44152. Kuldscha simplicata Xue,1991** (Geometridae) Synonym(s): *simplicata Xue,1991*
Range (in code): **CN**
- 44153. Kuldscha staudingeri Alpheraky,1883** (Geometridae) Synonym(s): *staudingeri Alpheraky,1883; brunneofasciata Warnecke,1934.* Original Reference: *Kuldscha staudingeri Alpheraky,1883, Horae Soc. ent. ross. 17: 207-209, Tab. ix fig.94. Syntypes ♂♀: [Uighur Ili]: Kuldja, Kounguesse. Range (in code):* **CN Ui Ku Kun KK Ik KG UZ Fe**
- 44154. Kuldscha staudingeri alaicola L.B.Prout,1937** (Geometridae) Synonym(s): *alaicola L.B.Prout,1937* Range (in code): **KK UZ Fe**
- 44155. Kuldscha staudingeri staudingeri Alpheraky,1883** (Geometridae) Synonym(s): *staudingeri Alpheraky,1883; brunneofasciata Warnecke,1934.* Original Reference: *Kuldscha staudingeri Alpheraky,1883, Horae Soc. ent. ross. 17: 207-209, Tab. ix fig.94. Syntypes ♂♀: [Uighur Ili]: Kuldja, Kounguesse. Range (in code):* **CN Ui Ku Kun KK Ik KG UZ Fe**
- 44156. Kuldscha striphnosa Xue,1991** (Geometridae) Synonym(s): *striphnosa Xue,1991*
Range (in code): **CN**
- 44157. Kuldscha vicinalis Xue & Meng,1995** (Geometridae) Synonym(s): *vicinalis Xue & Meng,1995* Original Reference: *Kuldscha vicinalis Xue & Meng,1995, Acta ent. sinica 38 (2): 222, figs. Holotype ♂: China, Gansu, Tulugou, Yongdeng 2280m. Range (in code):* **CN Gn Ts**
- 44158. Kutlugia grisolaria (Eversmann,1848)** (Geometridae) Synonym(s): *grisolaria Eversmann,1848* Range (in code): **RU Ur**

- 44159. *Kutlugia piperatum* (Alpheraky,1892)** (Geometridae) Synonym(s): *piperatum* Alpheraky,1892 Original Reference: Megametopon piperatum Alpheraky,1892, [in] Romanoff, Mém. Lépid. 6: 58, pl.3 fig.3. Type: [China]: Kansu, Tchín-Tassy. Range (in code): **CN Gn**
- 44160. *Kyrtolitha avulsa* L.B.Prout,1937** (Geometridae) Synonym(s): *avulsa* L.B.Prout,1937 Range (in code): **CN Ti Sz**
- 44161. *Kyrtolitha fuscata* Xue,1991** (Geometridae) Synonym(s): *fuscata* Xue,1991 Range (in code): **CN Ti**
- 44162. *Kyrtolitha obstinata* Staudinger,1892** (Geometridae) Synonym(s): *obstinata* Staudinger,1892; *cinerata* Staudinger,1892. Original Reference: *Kyrtolitha obstinata* Staudinger,1892, Dt. ent. Z., Iris 5: 213, pl.2 fig.18. Syntypes: Kirgizistan, Kazakhstan. Range (in code): **KG Tar Tk DsA TrA Mn Ssn UZ Fe KK Ik CN Ui Ga**
- 44163. *Kyrtolitha pantophrica* L.B.Prout,1937** (Geometridae) Synonym(s): *pantophrica* L.B.Prout,1937 Range (in code): **CN Sz**
- 44164. *Kyrtolitha purpureotincta* Sterneck,1928** (Geometridae) Synonym(s): *purpureotincta* Sterneck,1928 Range (in code): **CN Sz**
- 44165. *Laciniodes angustaria* Xue,1992** (Geometridae) Synonym(s): *angustaria* Xue,1992 Range (in code): **CN Hun**
- 44166. *Laciniodes conditaria* (Leech,1897)** (Geometridae) Synonym(s): *conditaria* Leech,1897 Range (in code): **CN Sz T-T**
- 44167. *Laciniodes denigrata* W.Warren,1896** (Geometridae) Synonym(s): *denigrata* W.Warren,1896 Range (in code): **IN Ass Slo RU Us CN**
- 44168. *Laciniodes denigrata abiens* L.B.Prout,1938** (Geometridae) Synonym(s): *abiens* L.B.Prout,1938 Range (in code): **CN**
- 44169. *Laciniodes denigrata denigrata* W.Warren,1896** (Geometridae) Synonym(s): *denigrata* W.Warren,1896 Range (in code): **IN Ass Slo**
- 44170. *Laciniodes denigrata ussuriensis* L.B.Prout,1938** (Geometridae) Synonym(s): *ussuriensis* L.B.Prout,1938 Range (in code): **RU Us**
- 44171. *Laciniodes electaria* (Leech,1897)** (Geometridae) Synonym(s): *electaria* Leech,1897 Range (in code): **CN**
- 44172. *Laciniodes plurilinearia* (Moore,1868)** (Geometridae) Synonym(s): *plurilinearia* Moore,1868 Range (in code): **IN SI Djl**
- 44173. *Laciniodes pseudoconditaria* (Sterneck,1928)** (Geometridae) Synonym(s): *pseudoconditaria* Sterneck,1928 Range (in code): **CN Sz T-T**
- 44174. *Laciniodes stenorhabda* Wehrli,1931** (Geometridae) Synonym(s): *stenorhabda* Wehrli,1931 Range (in code): **CN Sz T-T**
- 44175. *Laciniodes umbrosus* Inoue,1993** (Geometridae) Synonym(s): *umbrosus* Inoue,1993 Range (in code): **TW**
- 44176. *Laciniodes unistirpis* (Butler,1878)** (Geometridae) Synonym(s): *unistirpis* Butler,1878 Range (in code): **JP**
- 44177. *Lampropteryx argentilineata* (Moore,1868)** (Geometridae) Synonym(s): *argentilineata* Moore,1868 Range (in code): **IN SI Djl CN**
- 44178. *Lampropteryx argentilineata argentilineata* (Moore,1868)** (Geometridae) Synonym(s): *argentilineata* Moore,1868 Range (in code): **IN SI Djl**
- 44179. *Lampropteryx argentilineata nitidaria* (Leech,1897)** (Geometridae) Synonym(s): *nitidaria* Leech,1897 Range (in code): **CN**
- 44180. *Lampropteryx chalybearia* (Moore,1868)** (Geometridae) Synonym(s): *chalybearia* Moore,1868; *incola* Bastelberger,1911 Range (in code): **TW IN Ass Cpj Djl**
- 44181. *Lampropteryx jameza* (Butler,1898)** (Geometridae) Synonym(s): *jameza* Butler,1898; *askoldaria* Oberthür,1880 Range (in code): **RU Us Ask JP PK Haz Mre**
- 44182. *Lampropteryx minna* (Butler,1881)** (Geometridae) Synonym(s): *minna* Butler,1881; *otregimima* Bryk,1949; *minor* Staudinger,1892 Range (in code): **MN KP KR JP**
- 44183. *Lampropteryx moroessa* (L.B.Prout,1932)** (Geometridae) Synonym(s): *moroessa* L.B.Prout,1932 Range (in code): **MY Bor Sbh KBa**
- 44184. *Lampropteryx nishizawai* Sato,1990** (Geometridae) Synonym(s): *nishizawai* Sato,1990 Range (in code): **TW**

- 44185. *Lampropteryx otregiata* (Metcalfe,1917)** (Geometridae) Synonym(s): *otregiata* Metcalfe,1917; *dubitatrix* Bryk,1942 Range (in code): **FR GB DE AT PL CZ SK NO SE FI EE LV LT RU MD UA BY Krl** Bionomy: Larva on *Asperula*, *Galium palustre* (Rubiaceae) (Scoble,1999).
- 44186. *Lampropteryx siderifera* (Moore,1888)** (Geometridae) Synonym(s): *siderifera* Moore,1888; *postulata* W.Warren,1893 Range (in code): **IN SI Djl**
- 44187. *Lampropteryx suffumata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *suffumata* [Denis & Schiffermüller],1775; *piceata* Stephens,1831 Original Reference: *Geometra suffumata* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 316. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Galium verum*, *G.mollugo* (Rubiaceae) (Meyer,1919).
- 44188. *Lampropteryx synthetica* L.B.Prout,1922** (Geometridae) Synonym(s): *synthetica* L.B.Prout,1922 Range (in code): **TW**
- 44189. *Larentia attenuata* Walker,1862** (Geometridae) Synonym(s): *attenuata* Walker,1862 Range (in code): **ZA Wca Cto**
- 44190. *Larentia berberina* Herbulot,1981** (Geometridae) Synonym(s): *berberina* Herbulot,1981 Range (in code): **MA**
- 44191. *Larentia bitrita* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *bitrita* R.Felder & Rogenhofer,1875 Range (in code): **ZA ZA10 ZA12 Nta Kzu ZA18 Ec ZA28 Tva Lpo**
- 44192. *Larentia clavaria* Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 Original Reference: *Geometra clavaria* Haworth,[1809], *Lepid. Br.*: 32. Type: Britain (BMNH). Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd CY TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js KG Mn Ssn UZ TJ** Bionomy: Larva on *Althaea* (Wiltshire,1957).
- 44193. *Larentia clavaria clavaria* Haworth,[1809]** (Geometridae) Synonym(s): *clavaria* Haworth,[1809]; *pallidata* Staudinger,1901 Original Reference: *Geometra clavaria* Haworth,[1809], *Lepid. Br.*: 32. Type: Britain (BMNH). Range (in code): **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr Rd TR IQ LB DK NO SE FI EE LV LT RU Ur At MD UA Cm BY Cc GG AZ AM IL Pa Js**
- 44194. *Larentia clavaria datinaria* (Oberthür,1890)** (Geometridae) Synonym(s): *datinaria* Oberthür,1890 Original Reference: *Eubolia datinaria* Oberthür,1890, *Etud. Ent.* 13: 32, pl.6 fig.44. Syntypes: Algérie. Range (in code): **MA DZ TN**
- 44195. *Larentia clavaria saisanica* L.B.Prout,1937** (Geometridae) Synonym(s): *saisanica* L.B.Prout,1937 Range (in code): **KG Ssn Mn UZ TJ**
- 44196. *Larentia diplocampa* L.B.Prout,1917** (Geometridae) Synonym(s): *diplocampa* L.B.Prout,1917 Range (in code): **ZA Wca Cto**
- 44197. *Larentia indiscriminata* Walker,1863** (Geometridae) Synonym(s): *indiscriminata* Walker,1863 Range (in code): **ZA**
- 44198. *Larentia malvata* (Rambur,1833)** (Geometridae) Synonym(s): *malvata* Rambur,1833; *malvaria* Herrich-Schäffer,1848 Range (in code): **MA DZ Clo TN PT ES An FR Co Sa Si IT MT HV B-H GR Cr** Bionomy: Larva on *Lavatera*, *Malva* spp. (Malvaceae) (Rambur,1833; Meyer,1919; et seq.).
- 44199. *Larentioides cacothemom* L.B.Prout,1917** (Geometridae) Synonym(s): *cacothemom* L.B.Prout,1917 Range (in code): **ZA ZA14 Mpu Tva Lpo Spb Bbg Ec**
- 44200. *Larerannis aurantiaria* (Hübner,[1799])** (Geometridae) Synonym(s): *aurantiaria* Hübner,[1799]; *incompletaria* Haworth,1809 Range (in code): **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Betula*, *Carpinus betulus*, *Corylus*, *Quercus* (Meyer,1919).
- 44201. *Larerannis marginaria* (Fabricius,1777)** (Geometridae) Synonym(s): *marginaria* Fabricius,1777; *testacea* Retzius,1783; *testacearia* Villers,1789; *progemmaria* Hübner,[1799]; *capreolaria* Esper,1801 nec [Den. & Schiff.],1775; *luctuaria* Haworth,1809; *connectaria* Haworth,1809; *stictaria* Haworth,1809 Original Reference: *Phalaena marginaria* Fabricius,1777, *Genera Ins.*: 286. Type(s): Hamburg. Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Betula*, *Carpinus betulus*, *Populus*, *Quercus* (Meyer,1919).
- 44202. *Lasioclora bicolor* (Thierry-Mieg,1907)** (Geometridae) Synonym(s): *bicolor* Thierry-Mieg,1907 Range (in code): **ZA ZA08 Kzu Nta Ec Pel Dbn MZ KE Nai** Bionomy: Larva on *Scutia myrtina* (Rhamnaceae) (Scoble,1999).

- 44203. Lasiochlora diducta (Walker,1861)** (Geometridae) Synonym(s): *diducta* Walker,1861; *lunigera* R.Felder & Rogenhofer,1875 _ Range (in code): **ZA ZA07 ZA08 Ksi Kzu Nta Wca Cto Dbn** Bionomy: Larva on Dahlbergia obovata (Fabaceae) (Scoble,1999).
- 44204. Lassaba acribomena (L.B.Prout,1928)** (Geometridae) Synonym(s): *acribomena* L.B.Prout,1928 _ Range (in code): **ID Sum**
- 44205. Lassaba albidaria (Walker,1866)** (Geometridae) Synonym(s): *albidaria* Walker,1866 Range (in code): **IN CN She**
- 44206. Lassaba albidaria albidaria (Walker,1866)** (Geometridae) Synonym(s): *albidaria* Walker,1866 _ Range (in code): **IN**
- 44207. Lassaba albidaria tapaica (Wehrli,1941)** (Geometridae) Synonym(s): *tapaica* Wehrli,1941 _ Range (in code): **CN She**
- 44208. Lassaba contaminata Moore,1888** (Geometridae) Synonym(s): *contaminata* Moore,1888 Range (in code): **CN Yu Lik IN SI Djl**
- 44209. Lassaba contaminata amelina (Wehrli,1941)** (Geometridae) Synonym(s): *amelina* Wehrli,1941 _ Range (in code): **CN Yu Lik**
- 44210. Lassaba contaminata contaminata Moore,1888** (Geometridae) Synonym(s): *contaminata* Moore,1888 _ Range (in code): **IN SI Djl**
- 44211. Lassaba fuliginosa (Inoue & Sato,1986)** (Geometridae) Synonym(s): *fuliginosa* Inoue & Sato,1986 _ Range (in code): **JP**
- 44212. Lassaba indentata W.Warren,1896** (Geometridae) Synonym(s): *indentata* W.Warren,1896 _ Range (in code): **ID Ja**
- 44213. Lassaba nikkonis (Butler,1881)** (Geometridae) Synonym(s): *nikkonis* Butler,1881 Range (in code): **JP**
- 44214. Lassaba parvalbidaria (Inoue,1978)** (Geometridae) Synonym(s): *parvalbidaria* Inoue,1978 _ Range (in code): **NP God TW**
- 44215. Lassaba parvalbidaria nepalensis (Sato,1993)** (Geometridae) Synonym(s): *nepalensis* Sato,1993 _ Range (in code): **NP God**
- 44216. Lassaba parvalbidaria parvalbidaria (Inoue,1978)** (Geometridae) Synonym(s): *parvalbidaria* Inoue,1978 _ Range (in code): **TW**
- 44217. Lassaba vinacea (L.B.Prout,1926)** (Geometridae) Synonym(s): *vinacea* L.B.Prout,1926 Range (in code): **MY Bor Swk**
- 44218. Lathochlora inornata W.Warren,1900** (Geometridae) Synonym(s): *inornata* W.Warren,1900 _ Range (in code): **NG**
- 44219. Lathochlora magna Herbulot,1996** (Geometridae) Synonym(s): *magna* Herbulot,1996 Range (in code): **RW**
- 44220. Lathochlora perversa L.B.Prout,1915** (Geometridae) Synonym(s): *perversa* L.B.Prout,1915 _ Range (in code): **CI**
- 44221. Lehmannodes guneyi (Riemis,1992)** (Geometridae) Synonym(s): *guneyi* Riemis,1992 Original Reference: Aplocera guneyi Riemis,1992, Phegea 20 (2): 75, figs. Holotype ♂: Turkey: Bitlis: Kuzgunkiran Geçidi, 2200-2300m (ITZA). Range (in code): **TR IR Kd Bne**
- 44222. Leptepistomion concinna (W.Warren,1894)** (Geometridae) Synonym(s): *concinna* W.Warren,1894 _ Range (in code): **CN Ti**
- 44223. Leptomiza bilinearia (Leech,1897)** (Geometridae) Synonym(s): *bilinearia* Leech,1897 Range (in code): **RU Am CN**
- 44224. Leptomiza bilinearia bilinearia (Leech,1897)** (Geometridae) Synonym(s): *bilinearia* Leech,1897 _ Range (in code): **CN**
- 44225. Leptomiza bilinearia hedemanni (Staudinger,1897)** (Geometridae) Synonym(s): *hedemanni* Staudinger,1897 _ Range (in code): **RU Am**
- 44226. Leptomiza calcearia (Walker,1860)** (Geometridae) Synonym(s): *calcearia* Walker,1860; *dentilineata* Moore,1888; *mediolimbata* Poujade,1895 _ Range (in code): **CN Sz T-T IN SI Djl** Bionomy: Larva on Rubus (Rosaceae) (Scoble,1999).
- 44227. Leptomiza calcearia apoleuca Wehrli,1940** (Geometridae) Synonym(s): *apoleuca* Wehrli,1940 _ Range (in code): **CN Sz T-T**
- 44228. Leptomiza calcearia calcearia (Walker,1860)** (Geometridae) Synonym(s): *calcearia* Walker,1860; *dentilineata* Moore,1888; *mediolimbata* Poujade,1895 _ Range (in code): **CN IN SI Djl** Bionomy: Larva on Rubus (Rosaceae) (Scoble,1999).

- 44229. *Leptomiza hepaticata* (Swinhoe,1900)** (Geometridae) **Synonym(s):** *hepaticata* Swinhoe,1900 **_ Range (in code):** **CN**
- 44230. *Leptomiza hepaticata hepaticata* (Swinhoe,1900)** (Geometridae) **Synonym(s):** *hepaticata* Swinhoe,1900 **_ Range (in code):** **CN**
- 44231. *Leptomiza hepaticata vicina* Wehrli,1936** (Geometridae) **Synonym(s):** *vicina* Wehrli,1936 **_ Range (in code):** **CN**
- 44232. *Leptomiza parableta* L.B.Prout,1926** (Geometridae) **Synonym(s):** *parableta* L.B.Prout,1926 **_ Range (in code):** **IN**
- 44233. *Leptomiza prochlora* Wehrli,1936** (Geometridae) **Synonym(s):** *prochlora* Wehrli,1936 **_ Range (in code):** **CN Sz T-T**
- 44234. *Leptomiza rufitinctaria* Hampson,1902** (Geometridae) **Synonym(s):** *rufitinctaria* Hampson,1902 **_ Range (in code):** **IN Hp Sml**
- 44235. *Leucaniodes periconia* L.B.Prout,1922** (Geometridae) **Synonym(s):** *periconia* L.B.Prout,1922 **_ Range (in code):** **NA**
- 44236. *Leucobrephos middendorffii* (Ménétriés,1858)** (Geometridae) **Synonym(s):** *middendorffii* Ménétriés,1858 **_ Range (in code):** **RU Am Prj Us Kmt Sj**
- 44237. *Leucobrephos middendorffii middendorffii* (Ménétriés,1858)** (Geometridae) **Synonym(s):** *middendorffii* Ménétriés,1858 **_ Range (in code):** **RU Am Kmt**
- 44238. *Leucobrephos middendorffii nivea* Kozhantshikov,1924** (Geometridae) **Synonym(s):** *nivea* Kozhantshikov,1924 **_ Range (in code):** **RU Sj**
- 44239. *Leucobrephos middendorffii ussuriensis* Moltrecht,1914** (Geometridae) **Synonym(s):** *ussuriensis* Moltrecht,1914 **_ Range (in code):** **RU Prj Us**
- 44240. *Leucobrephos mongolicum* Vojnits,1977** (Geometridae) **Synonym(s):** *mongolicum* Vojnits,1977 **_ Range (in code):** **MN**
- 44241. *Leucobrephos mongolicum mongolicum* Vojnits,1977** (Geometridae) **Synonym(s):** *mongolicum* Vojnits,1977 **_ Range (in code):** **MN**
- 44242. *Lhommeia aediphebia* (Hampson,1899)** (Geometridae) **Synonym(s):** *aediphebia* Hampson,1899 **_ Range (in code):** **Sk**
- 44243. *Lhommeia biskraria* (Oberthür,1885)** (Geometridae) **Synonym(s):** *biskraria* Oberthür,1885; *viridaria* Rothschild,1914 **_ Range (in code):** **ZA ZA21 Tva Lpo ZA24 NWe DZ Bsk Btina Ges Ah TN Gf** **Bionomy:** Larva on *Ziziphus mucronata* (Rhamnaceae) (Staude,1999).
- 44244. *Lhommeia subapicata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *subapicata* W.Warren,1899 **_ Range (in code):** **ZA ZA16 Mpu ZA17 Tva Lpo ZA26 Kzu Nta** **Bionomy:** Larva on *Ziziphus mucronata* (Rhamnaceae) (Scoble,1999).
- 44245. *Ligdia adustata* (Fabricius,1787)** (Geometridae) **Synonym(s):** *#adustata* [Denis & Schiffermüller],1775; *adustata* Fabricius,1787; *adustaria* Boisduval,1840 **Original Reference:** *Phalaena adustata* Fabricius,1787, Mant. Ins. 2: 205, nr.172. Type(s): Austria: [Wien]. **_ Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE EE LV LT RU MD UA BY** **Bionomy:** Larva on *Evonymus europaeus* (Blaschke,1914; Meyer,1919).
- 44246. *Ligdia batesii* (Wallengren,1875)** (Geometridae) **Synonym(s):** *batesii* Wallengren,1875; *casta* W.Warren,1905 **_ Range (in code):** **ZA01 ZA17 Tva Lpo**
- 44247. *Ligdia coctata* Guenée,[1858]** (Geometridae) **Synonym(s):** *coctata* Guenée,[1858]; *efferata* Walker,1862; *restitutata* Walker,1862; *inspersata* Staudinger,1879; *restituta* Butler,1886 **_ Range (in code):** **IN PK K-P Haz Mre Cp Pj Swa Sgl Kkar TR CN Ui Kön**
- 44248. *Ligdia interrupta* W.Warren,1897** (Geometridae) **Synonym(s):** *interrupta* W.Warren,1897 **_ Range (in code):** **ZA Nta Kzu**
- 44249. *Ligdia lassulata* (Rogenhofer,1873)** (Geometridae) **Synonym(s):** *lassulata* Rogenhofer,1873 **_ Range (in code):** **TR**
- 44250. *Ligdia pectinicornis* L.B.Prout,1913** (Geometridae) **Synonym(s):** *pectinicornis* L.B.Prout,1913 **_ Range (in code):** **ZA14 Mpu Mal Tva Lpo Wo**
- 44251. *Lignyopectera fumidaria* (Hübner,[1825])** (Geometridae) **Synonym(s):** *fumidaria* Hübner,[1825] **_ Range (in code):** **AT HU BG RU MD UA BY** **Bionomy:** Larva on *Achillea* (Meyer,1919).
- 44252. *Lignyopectera thaumastaria* (Rebel,1901)** (Geometridae) **Synonym(s):** *thaumastaria* Rebel,1901 **_ Range (in code):** **B-H**
- 44253. *Limbatochlamys pararosthorni* Han & Xue,2005** (Geometridae) **Synonym(s):** *pararosthorni* Han & Xue,2005 **_ Range (in code):** **CN Gn Sz She**

- 44254. Limbatochlamys parvisis Han & Xue,2005** (Geometridae) Synonym(s): *parvisis* Han & Xue,2005 Range (in code): **CN Yu Lji Tse**
- 44255. Limbatochlamys rosthorni Rothschild,1894** (Geometridae) Synonym(s): *rosthorni* Rothschild,1894 Range (in code): **CN Kgs Kig Sz Mou Hpe Hun Tkg Fkn Gn She Yu**
- 44256. Limeria macraria Staudinger,1892** (Geometridae) Synonym(s): *macraria* Staudinger,1892 Original Reference: *Limeria macraria* Staudinger,1892, Dt. ent. Z., Iris 5: 195, pl.2 fig.14. Syntypes 4♂ 2♀: Russia: Sarepta [Krasnoarmeysk]. Range (in code): **RU Sr Ur TM KG Sb**
- 44257. Liodesina homochromata (Mabille,1869)** (Geometridae) Synonym(s): *homochromata* Mabille,1869 Range (in code): **DZ Ges Co**
- 44258. Liodesina mesatlantis Wehrli,1938** (Geometridae) Synonym(s): *mesatlantis* Wehrli,1938 Range (in code): **DZ**
- 44259. Lipomelia subusta W.Warren,1893** (Geometridae) Synonym(s): *subusta* W.Warren,1893; *ustata* Swinhoe,1893 Range (in code): **IN SI Nag Ass Meg Khs TH CMa**
- 44260. Lissoblemma hamularia (Snellen,1872)** (Geometridae) Synonym(s): *hamularia* Snellen,1872; *viridifua* W.Warren,1902 Range (in code): **ZR**
- 44261. Lissoblemma lunuliferata (Walker,[1863])** (Geometridae) Synonym(s): *lunuliferata* Walker,[1863] Range (in code): **IN**
- 44262. Lithostege amoenata Christoph,1885** (Geometridae) Synonym(s): *amoenata* Christoph,1885; *amseli* Wiltshire,1967 Range (in code): **TM Kp IR Kh Elb Th Dam AF Gz Hr Ha Avd PK Nwf**
- 44263. Lithostege ancyrana L.B.Prout,1938** (Geometridae) Synonym(s): *ancyrana* L.B.Prout,1938 Original Reference: *Lithostege ancyrana* L.B.Prout,1938, [in] Seitz,A., Die Gross Schmett. Erde 4 (suppl.): 239. Taf.6(i). Holotype ♂: [Türkei]: Angora [=Ankara] (BMNH). Range (in code): **TR**
- 44264. Lithostege angelicata Dyar,1923** (Geometridae) Synonym(s): *angelicata* Dyar,1923 Range (in code): **US Cf**
- 44265. Lithostege apicata L.B.Prout,1938** (Geometridae) Synonym(s): *apicata* L.B.Prout,1938 Range (in code): **MA DZ**
- 44266. Lithostege biermis L.B.Prout,1922** (Geometridae) Synonym(s): *biermis* L.B.Prout,1922 Range (in code): **MA**
- 44267. Lithostege bosporaria (Herrich-Schäffer,[1848])** (Geometridae) Synonym(s): *bosporaria* Herrich-Schäffer,[1848]; *porcataria* Boisduval,1848; *latestrigata* Rebel,1933. Original Reference: *Chesias bosporaria* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 182, fig. 327. Type(s): [Türkei]: Constantinopel [=Istanbul]. Range (in code): **Ode UA TR Cc GG AZ AM Nv**
- 44268. Lithostege buxtoni L.B.Prout,1920** (Geometridae) Synonym(s): *buxtoni* L.B.Prout,1920 Original Reference: *Lithostege buxtoni* L.B.Prout,1920, Novit. zool. 27: 312. Syntypes ♂♂: [Iran]: Persia: Hamadan, Kangavar, 5000ft. (BMNH). Range (in code): **TR IQ Bji Su IR Ha Fa Shr Km Kd Km SA**
- 44269. Lithostege castiliaria Staudinger,1877** (Geometridae) Synonym(s): *castiliaria* Staudinger,1877; *duroata* Thierry-Mieg,1894 Range (in code): **ES**
- 44270. Lithostege chaoticaria (Alpheraky,1897)** (Geometridae) Synonym(s): *chaoticaria* Alpheraky,1897 Original Reference: *Anisopteryx chaoticaria* Alpheraky,1897, [in] Romanoff, Mem. lepid. 9: 55, pl.4 figs.20,21. Type ♂: [Uighur Ili]: Nan-Chan Mts. Range (in code): **CN Ui**
- 44271. Lithostege cinerata Turati,1924** (Geometridae) Synonym(s): *cinerata* Turati,1924; *cyrenaica* Amsel,1935 Range (in code): **DZ TN LY Cy**
- 44272. Lithostege coassata (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840. Range (in code): **RU Ur Or MD UA Ode BY CN Ui Ku MN Cc GG AZ AM TM Kp Rpt TR IR Gor Mz Elb Ak Ab Mak Mrd KG**
- 44273. Lithostege coassata coassata (Hübner,[1825])** (Geometridae) Synonym(s): *duplicata* Hübner,[1817] (junior homonym); *coassata* Hübner,[1825]; *assinata* Freyer,1830; *coassaria* Boisduval,1840. Range (in code): **RU MD UA BY**
- 44274. Lithostege coassata mongolica Vojnits,1978** (Geometridae) Synonym(s): *mongolica* Vojnits,1978 Range (in code): **MN**
- 44275. Lithostege coassata multiplicata Staudinger,1869** (Geometridae) Synonym(s): *multiplicata* Staudinger,1869 Range (in code):

- 44276. Lithostege coassata ochraceata Staudinger, 1897** (Geometridae) **Synonym(s):** *ochraceata Staudinger, 1897* - Range (in code): **TR Cc GG AZ AM TM Kp**
- 44277. Lithostege coassata stepparia (Boisduval, 1848)** (Geometridae) **Synonym(s):** *stepparia Boisduval, 1848* - Original Reference: *Larentia stepparia Boisduval, 1848, Bull. Soc. ent. Fr. 6 (2): 30. Syntypes: [Ukraine]: Odessa. Range (in code): UA Ode*
- 44278. Lithostege deserticola Barnes & McDunnough, 1916** (Geometridae) **Synonym(s):** *deserticola Barnes & McDunnough, 1916* - Range (in code): **US Cf**
- 44279. Lithostege dissocyma L.B. Prout, 1938** (Geometridae) **Synonym(s):** *dissocyma L.B. Prout, 1938* - Original Reference: *Lithostege dissocyma L.B. Prout, 1938, [in] Seitz, A., Die Gross-Schmett. Erde 4 (suppl.): 241, Taf. 17(b). Type ♀: [Iraq]: NE of Baghdad: Dyala Gorge (BMNH). Range (in code): IQ Dy IR Ss Hz Fa Kaz*
- 44280. Lithostege distinctata Christoph, 1887** (Geometridae) **Synonym(s):** *distinctata Christoph, 1887* - Range (in code): **TM Kp Rpt UZ TJ**
- 44281. Lithostege duponcheli L.B. Prout, 1938** (Geometridae) **Synonym(s):** *duponcheli L.B. Prout, 1938* - Range (in code): **FR Si IT**
- 44282. Lithostege elegans (Grossbeck, 1909)** (Geometridae) **Synonym(s):** *elegans Grossbeck, 1909* - Range (in code): **US Arz**
- 44283. Lithostege excelsata Erschoff, 1874** (Geometridae) **Synonym(s):** *excelsata Erschoff, 1874* - Range (in code): **TM Kp Rpt TJ UZ**
- 44284. Lithostege farinata (Hufnagel, 1767)** (Geometridae) **Synonym(s):** *farinata Hufnagel, 1767; illibata [Denis & Schiffermüller], 1775; nivearia Hübner, [1799]; albaria Turton, 1802; bachmutensis L.B. Prout, 1938* - Original Reference: *Phalaena farinata Hufnagel, 1767, Berl. Mag. 4: 610. Type(s): Deutschland: Berlin. Range (in code): DZ Ght Lbs Bsk TN Gf ES FR IT DE AT PL CZ SK HU RO YU BG GR TR Cc GG AZ Nv DK SE LV LT RU Sb At T-S MD UA Cm BY CN Ui Ku* - Bionomy: Larva on *Sisymbrium officinale*, *Descurainia sophia*, *Berteroa incana*, *Sinapis arvensis*, *Alliaria petiolata*, *Raphanus raphanistrum* (Brassicaceae) (auct.).
- 44285. Lithostege fissurata Mabille, 1888** (Geometridae) **Synonym(s):** *fissurata Mabille, 1888; inanis L.B. Prout, 1941; fitzgeraldi Wiltshire, 1947* - Original Reference: *Lithostege fissurata Mabille, 1888, Bull. Soc. ent. Fr. 1888: 58. Type: Tunisia, Gabés. Range (in code): DZ Eal Ear Bsk Kdr Ceg Gha Gf Gab TN MT DZ LY EG IL Pa SA IR Ss IQ YE*
- 44286. Lithostege flavicornata (Zeller, 1847)** (Geometridae) **Synonym(s):** *flavicornata Zeller, 1847* - Original Reference: *Minoa flavicornata Zeller, 1847, Isis 1847: 20. Syntypes: [Türkei]: Makri [=Fethiye]. Range (in code): TR AM Cc IR Th AZ CN Ui Ku*
- 44287. Lithostege fuscata (Grossbeck, 1906)** (Geometridae) **Synonym(s):** *fuscata Grossbeck, 1906* - Range (in code): **US Cf**
- 44288. Lithostege giacomellii L.B. Prout, 1910** (Geometridae) **Synonym(s):** *giacomellii L.B. Prout, 1910* - Range (in code): **AR**
- 44289. Lithostege griseata ([Denis & Schiffermüller], 1775)** (Geometridae) **Synonym(s):** *incanata Hufnagel, 1767; griseata [Denis & Schiffermüller], 1775; asinata Fabricius, 1794; duplicaria Hübner, [1799]; grisearia Hübner, [1799]; clarkiata Stephens, 1850; gigantea Bytinski-Salz & Brandt, 1937; #transversaria Bytinski-Salz & Brandt, 1937* - Original Reference: *Geometra griseata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 116. Type(s): [Austria]: Vienna district. Range (in code): MA DZ Abe PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc GG AZ Nv IR Elb Th Kdj BG DK SE LT RU MD UA Cm BY KK KG TM Kp* - Bionomy: Larva on *Descurainia sophia*, *erysimum cheiranthoides* (Brassicaceae) (Meyer, 1919 et seq.).
- 44290. Lithostege herbuloti Sperry, 1954** (Geometridae) **Synonym(s):** *herbuloti Sperry, 1954* - Range (in code): **BO**
- 44291. Lithostege hreblayi Rajaei & Viidalepp, 2011** (Geometridae) **Synonym(s):** *hreblayi Rajaei & Viidalepp, 2011* - Range (in code): **PK Ch**
- 44292. Lithostege infuscata Eversmann, 1837** (Geometridae) **Synonym(s):** *infuscata Eversmann, 1837* - Range (in code): **RU Sr TR Cc Arr GG AZ Lag Nv Ord AM Eri IR Elb Th Kdj Ak Ab Mak Ar Mrd Khy TJ UZ**
- 44293. Lithostege luigi Viidalepp, [1992]** (Geometridae) **Synonym(s):** *luigi Viidalepp, [1992]* - Range (in code): **TM**
- 44294. Lithostege luminosata Christoph, 1885** (Geometridae) **Synonym(s):** *luminosata Christoph, 1885* - Range (in code): **TM Kp TJ**
- 44295. Lithostege marcata Barnes & McDunnough, 1916** (Geometridae) **Synonym(s):** *marcata Barnes & McDunnough, 1916* - Range (in code): **US NMx**

- 44296. *Lithostege mesoleucata* Püngeler, 1899** (Geometridae) Synonym(s): *mesoleucata* Püngeler, 1899 Original Reference: *Lithostege mesoleucata* Püngeler, 1899, Dt. ent. Z., Iris 12: 105. Syntypes 2♀: [China: Uighur A.R.]: Ili-Gebiet. Range (in code): **CN Ui Ii**
- 44297. *Lithostege narynensis* L.B.Prout, 1938** (Geometridae) Synonym(s): *narynensis* L.B.Prout, 1938 Range (in code): **KG Aa Tk T-S Sem Nrk KK**
- 44298. *Lithostege notata* A.Bang-Haas, 1906** (Geometridae) Synonym(s): *notata* A.Bang-Haas, 1906; *bifissana* Rebel, 1911 Original Reference: *Lithostege notata* A.Bang-Haas, 1906, Dt. ent. Z., Iris 19: 138, pl.5 fig.16. Syntypes ♂♀: Tunisia: Gafsa, Dehibat. Range (in code): **DZ Bsk BSa Ceg TN Gf IQ Agh Dy IR SA IL Pa JO Jt**
- 44299. *Lithostege obliquata* Urbahn, 1971** (Geometridae) Synonym(s): *obliquata* Urbahn, 1971; *repeteki* Tsvetajev, 1971 Range (in code): **UZ TM Rpt**
- 44300. *Lithostege odessaria* (Boisduval, 1848)** (Geometridae) Synonym(s): *odessaria* Boisduval, 1848 Original Reference: *Siona odessaria* Boisduval, 1848, Bull. ent. Soc. Fr. 6 (2): 30. Syntypes: [Ukraine]: Odessa. Range (in code): **MD UA Ode TR**
- 44301. *Lithostege palaestinensis* Amsel, 1935** (Geometridae) Synonym(s): *palaestinensis* Amsel, 1935; *ali* Wiltshire, 1941. Range (in code): **GR CY TR SY Hal IL Pa JO IQ Kbl Fat Njf Agh SA SA63 IR Fa Zj Ss Bu Kz Mz Th Elb Dam**
- 44302. *Lithostege pallescens* Staudinger, 1897** (Geometridae) Synonym(s): *pallescens* Staudinger, 1897 Range (in code): **MN Uli**
- 44303. *Lithostege parva* Shchetkin, 1965** (Geometridae) Synonym(s): *parva* Shchetkin, 1965 Range (in code): **TJ Dsb UZ Smk TM Ger Rpt Kp BaA**
- 44304. *Lithostege pax* L.B.Prout, 1910** (Geometridae) Synonym(s): *pax* L.B.Prout, 1910 Range (in code): **AR**
- 44305. *Lithostege samandooki* Rajaei, 2011** (Geometridae) Synonym(s): *samandooki* Rajaei, 2011 Range (in code): **IR Ke**
- 44306. *Lithostege scoliogramma* L.B.Prout, 1922** (Geometridae) Synonym(s): *scoliogramma* L.B.Prout, 1922 Range (in code): **AR**
- 44307. *Lithostege senata* Christoph, 1887** (Geometridae) Synonym(s): *senata* Christoph, 1887; *lenata* Christoph, 1889 Original Reference: *Lithostege senata* Christoph, 1887, Stettin ent. Ztg. 48: 166. Type ♀: [Turkmenistan]: "Ashkhabat". Range (in code): **TM Kp Rpt UZ**
- 44308. *Lithostege stadiei* Lehmann, 2011** (Geometridae) Synonym(s): *stadiei* Lehmann, 2011 Original Reference: *Lithostege stadiei* Lehmann, 2011, Nota lepid. 33 (2): 249-251, figs. Holotype ♂: Iran, NE Zanzan (ZMHB). Range (in code): **IR Zj**
- 44309. *Lithostege staudingeri* Erschoff, 1872** (Geometridae) Synonym(s): *staudingeri* Erschoff, 1872 Range (in code): **UZ Fe TJ CN Ui Ku**
- 44310. *Lithostege turkmenica* Tsvetajev, 1971** (Geometridae) Synonym(s): *turkmenica* Tsvetajev, 1971 Range (in code): **TM Rpt UZ**
- 44311. *Lithostege tzaddi* L.B.Prout, 1910** (Geometridae) Synonym(s): *tzaddi* L.B.Prout, 1910 Range (in code): **AR**
- 44312. *Lithostege usgentaria* Christoph, 1885** (Geometridae) Synonym(s): *usgentaria* Christoph, 1885 Range (in code): **UZ Fe Br TM Krn TJ AF Hr KG**
- 44313. *Lithostege usgentaria ignorata* Staudinger, 1901** (Geometridae) Synonym(s): *ignorata* Staudinger, 1901 Range (in code): **US Fe**
- 44314. *Lithostege verbosaria* Xue, 1994** (Geometridae) Synonym(s): *verbosaria* Xue, 1994 Range (in code): **CN Gn**
- 44315. *Lithostege witzenmanni* Standfuss, 1892** (Geometridae) Synonym(s): *witzenmanni* Standfuss, 1892 Original Reference: *Lithostege witzenmanni* Standfuss, 1892, [in] Romanoff, Mém. l'ép. 6: 668-669, Pl.xv fig.8. Syntypes ♂♂: [Türkei]: Mardin (P.Sintenis). Range (in code): **AZ Nv Cc Ord IR Ha Ak Ab Oru Khy Qo TR**
- 44316. *Lobidiopteryx antithetica* L.B.Prout, 1935** (Geometridae) Synonym(s): *antithetica* L.B.Prout, 1935 Range (in code): **ZR Kvu**
- 44317. *Lobidiopteryx aurivilliusi* L.B.Prout, 1935** (Geometridae) Synonym(s): *veninotata* Aurivillius, 1910 nec Warr., 1902; *aurivilliusi* L.B.Prout, 1935 Range (in code): **KE Kmj**
- 44318. *Lobidiopteryx ecrinita* Herbulot, 1963** (Geometridae) Synonym(s): *ecrinita* Herbulot, 1963 Range (in code): **MG**
- 44319. *Lobidiopteryx elgonica* Herbulot, 1953** (Geometridae) Synonym(s): *elgonica* Herbulot, 1953 Range (in code): **KE Elg**

- 44320. Lobidiopteryx eumares L.B.Prout,1935** (Geometridae) Synonym(s): *eumares* L.B.Prout,1935 Range (in code): **ZA Tva ZA10 Nta Kzu ZA14 Mpu**
- 44321. Lobidiopteryx letouzeyi Herbulot,1978** (Geometridae) Synonym(s): *letouzeyi* Herbulot,1978 Range (in code): **CM**
- 44322. Lobidiopteryx sp.** (Geometridae) Synonym(s): Range (in code): **ZA ZA12 Nta Kzu**
- 44323. Lobidiopteryx stulta L.B.Prout,1921** (Geometridae) Synonym(s): *stulta* L.B.Prout,1921; *thomae* L.B.Prout,1927 Range (in code): **ZR Itu ST**
- 44324. Lobidiopteryx veninotata W.Warren,1902** (Geometridae) Synonym(s): *veninotata* W.Warren,1902 Range (in code): **KE Kky**
- 44325. Lobidiopteryx xanthosoma Debauche,1938** (Geometridae) Synonym(s): *xanthosoma* Debauche,1938 Range (in code): **ZR Kvu**
- 44326. Lobogonodes multistriata (Butler,1889)** (Geometridae) Synonym(s): *multistriata* Butler,1889 Original Reference: *Cidaria multistriata* Butler,1889, Illustr. typical Spec. Lep. Het. Colln Br. Mus. 7: 119, pl.137 fig.21. Type: India, Dharmshala. IN Hp Drm RU Us KP KR JP
- 44327. Lobophora halterata (Hufnagel,1767)** (Geometridae) Synonym(s): *halterata* Hufnagel,1767 Original Reference: *Phalaena halterata* Hufnagel,1767, Berl. Mag. 4: 608, 626. Type(s): Deutschland: Berlin. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Populus tremula*, *Salix* (Salicaceae) (Meyer,1919).
- 44328. Lomaspilis bithynica Wehrli,1954** (Geometridae) Synonym(s): *bithynica* Wehrli,1954 Range (in code): **GR TR Cc AM** Bionomy: Larva on *Populus tremula* (Salicaceae) (Gelbrecht et al.,2004).
- 44329. Lomaspilis bithynica igisizilim Kemal & Koçak,2002** (Geometridae) Synonym(s): *bithynica* Riemis,1992 nec Wehr.,1954; *igisizilim* Kemal & Koçak,2002 Range (in code): **TR Cc**
- 44330. Lomaspilis marginata (Linnaeus,1758)** (Geometridae) Synonym(s): *marginata* Linnaeus,1758 Original Reference: *Phalaena marginata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): [Europa], in *Corylus*. Range (in code): **PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Corylus*, *Populus tremula*, *Salix* (Meyer,1919).
- 44331. Lomaspilis opis (Butler,1878)** (Geometridae) Synonym(s): *opis* Butler,1878 Range (in code): **PL SK FI EE LV LT RU** Bionomy: Larva on *Betula* (Fagaceae) (Gelbrecht et al.,2004).
- 44332. Lomographa alba (Moore,1888)** (Geometridae) Synonym(s): *alba* Moore,1888 Range (in code): **IN SI Djl**
- 44333. Lomographa albipuncta (Swinhoe,1902)** (Geometridae) Synonym(s): *albipuncta* Swinhoe,1902 Range (in code): **MM**
- 44334. Lomographa aluta (L.B.Prout,1921)** (Geometridae) Synonym(s): *aluta* L.B.Prout,1921 Range (in code): **MM Hta**
- 44335. Lomographa anoxys (Wehrli,1936)** (Geometridae) Synonym(s): *anoxys* Wehrli,1936 Range (in code): **CN Hun TW PH TH IN NP MY**
- 44336. Lomographa araeophragma (L.B.Prout,1934)** (Geometridae) Synonym(s): *araeophragma* L.B.Prout,1934 Range (in code): **MY Bor Swk TH**
- 44337. Lomographa aridata (W.Warren,1897)** (Geometridae) Synonym(s): *aridata* W.Warren,1897 Range (in code): **ZA Nta Kzu Wnn**
- 44338. Lomographa bimaculata (Fabricius,1775)** (Geometridae) Synonym(s): *bimaculata* Fabricius,1775; *taminata* [Denis & Schiffermüller],1775; *taminaria* Hübner,1799 Original Reference: *Phalaena bimaculata* Fabricius,1775, Syst. Ent.: 635. Type(s): Lipsia. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Prunus avium* (Meyer,1919).
- 44339. Lomographa distans (W.Warren,1894)** (Geometridae) Synonym(s): *distans* W.Warren,1894; *ochrilinea* W.Warren,1894 Range (in code): **JP CN TH**
- 44340. Lomographa ectiptica (L.B.Prout,1926)** (Geometridae) Synonym(s): *ectiptica* L.B.Prout,1926 Range (in code): **MM Hta**
- 44341. Lomographa griseola (W.Warren,1893)** (Geometridae) Synonym(s): *griseola* W.Warren,1893; *perichrysa* Wehrli,1924 Range (in code): **IN SI Djl CN**
- 44342. Lomographa guttulata Yazaki,1994** (Geometridae) Synonym(s): *guttulata* Yazaki,1994 Range (in code): **TW**

- 44343. *Lomographa indularia* (Guenée,[1858])** (Geometridae) **Synonym(s):** *indularia* Guenée,[1858] Range (in code): **ZA ZA08 Kzu ZA16 Mpu ZA17 Tva Lpo Spb Mdk ZA24 NWe ET**
- 44344. *Lomographa longipennis* (W.Warren,1907)** (Geometridae) **Synonym(s):** *longipennis* W.Warren,1907 Range (in code): **IN Ass Meg Khs**
- 44345. *Lomographa lucens* (W.Warren,1896)** (Geometridae) **Synonym(s):** *lucens* W.Warren,1896 Range (in code): **ID Ja**
- 44346. *Lomographa luciferata* (Walker,1862)** (Geometridae) **Synonym(s):** *luciferata* Walker,1862 Range (in code): **MY Bor Swk BD Syl**
- 44347. *Lomographa sectinota* (Hampson,1895)** (Geometridae) **Synonym(s):** *sectinota* Hampson,1895 Range (in code): **MM Peg**
- 44348. *Lomographa temerata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *punctata* Fabricius,1775 nec Cl.,1759; *temerata* [Denis & Schiffermüller],1775; *nitidula* Fourcroy,1785; *sylvestrata* Hübner,1786; *nitidularia* Villers,1789; *temeraria* Hübner,1799; *nubeculata* Haworth,1809 **Original Reference:** *Geometra temerata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 116. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc AZ DK NO SE FI EE LV LT RU MD UA BY TR** **Bionomy:** Larva on Prunus, Quercus (Meyer,1919).
- 44349. *Lophophelma calaurops* (L.B.Prout,1912)** (Geometridae) **Synonym(s):** *calaurops* L.B.Prout,1912 Range (in code): **CN HK**
- 44350. *Lophophelma erionoma* (Swinhoe,1893)** (Geometridae) **Synonym(s):** *erionoma* Swinhoe,1893; *furvirubens* L.B.Prout,1934 Range (in code): **MY Bor Sbh KBa TH IN Meg Khs Ass CN Sz T-T ID Sum**
- 44351. *Lophophelma eucryphes* (West,1930)** (Geometridae) **Synonym(s):** *eucryphes* West,1930 Range (in code): **PH Luz**
- 44352. *Lophophelma eupines* (West,1930)** (Geometridae) **Synonym(s):** *eupines* West,1930 Range (in code): **PH Mno**
- 44353. *Lophophelma funebrosa* (W.Warren,1896)** (Geometridae) **Synonym(s):** *funebrosa* W.Warren,1896 Range (in code): **IN Ass Meg Khs ID Snd**
- 44354. *Lophophelma loncheres* (L.B.Prout,1931)** (Geometridae) **Synonym(s):** *loncheres* L.B.Prout,1931 Range (in code): **MY Bor Sbh Snk TH**
- 44355. *Lophophelma luteipes* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *luteipes* R.Felder & Rogenhofer,1875; *similis* Moore,1888; *enthusiastes* L.B.Prout,1927 Range (in code): **TH CMa IN SI Djl ID Sum VN Coc**
- 44356. *Lophophelma neonoma* (Hampson,1907)** (Geometridae) **Synonym(s):** *neonoma* Hampson,1907 Range (in code): **LK**
- 44357. *Lophophelma niveata* (Debauche,1941)** (Geometridae) **Synonym(s):** *niveata* Debauche,1941 Range (in code): **ID Clb**
- 44358. *Lophophelma oblecta* (Debauche,1941)** (Geometridae) **Synonym(s):** *oblecta* Debauche,1941 Range (in code): **ID Clb**
- 44359. *Lophophelma rubroviridata* (W.Warren,1898)** (Geometridae) **Synonym(s):** *rubroviridata* W.Warren,1898 Range (in code): **MY Pen**
- 44360. *Lophophelma ruficosta* (Hampson,1891)** (Geometridae) **Synonym(s):** *ruficosta* Hampson,1891 Range (in code): **IN NI**
- 44361. *Lophophelma vigen* (Butler,1880)** (Geometridae) **Synonym(s):** *vigen* Butler,1880 Range (in code): **IN SI Djl MY Bor Sbh KBa**
- 44362. *Lophophleps informis* (W.Warren,1897)** (Geometridae) **Synonym(s):** *informis* W.Warren,1897; *sinuata* Wileman & South,1917 Range (in code): **IN Ass Meg Khs TW**
- 44363. *Lophophleps phoenicoptera* (Hampson,1896)** (Geometridae) **Synonym(s):** *phoenicoptera* Hampson,1896 Range (in code): **MY Klu LK**
- 44364. *Lophophleps phoenicoptera phoenicoptera* (Hampson,1896)** (Geometridae) **Synonym(s):** *phoenicoptera* Hampson,1896 Range (in code): **LK**
- 44365. *Lophophleps phoenicoptera tuita* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *tuita* L.B.Prout,1938 Range (in code): **MY Klu**
- 44366. *Lophophleps purpurea* Hampson,1891** (Geometridae) **Synonym(s):** *purpurea* Hampson,1891 Range (in code): **IN NI TH**
- 44367. *Lophophleps triangularis* (Hampson,1895)** (Geometridae) **Synonym(s):** *triangularis* Hampson,1895 Range (in code): **IN Nag MY Pen ID Ja**

- 44368. Lophorrhachia aciculata (Herbulot,1983)** (Geometridae) **Synonym(s):** *aciculata* Herbulot,1983 **_ Range (in code):** **RW**
- 44369. Lophorrhachia aenospila (Bethune-Baker,1913)** (Geometridae) **Synonym(s):** *aenospila* Bethune-Baker,1913 **_ Range (in code):** **AO**
- 44370. Lophorrhachia atricristata L.B.Prout,1930** (Geometridae) **Synonym(s):** *atricristata* L.B.Prout,1930 **_ Range (in code):** **MW Zom**
- 44371. Lophorrhachia burdoni Townsend,1958** (Geometridae) **Synonym(s):** *burdoni* Townsend,1958 **_ Range (in code):** **TZ Muf**
- 44372. Lophorrhachia insulsa Herbulot,1991** (Geometridae) **Synonym(s):** *insulsa* Herbulot,1991 **_ Range (in code):** **ST**
- 44373. Lophorrhachia mutanda Herbulot,1983** (Geometridae) **Synonym(s):** *mutanda* Herbulot,1983 **_ Range (in code):** **CM**
- 44374. Lophorrhachia oeorhoda L.B.Prout,1938** (Geometridae) **Synonym(s):** *oeorhoda* L.B.Prout,1938 **_ Range (in code):** **TZ MW**
- 44375. Lophorrhachia palliata (W.Warren,1898)** (Geometridae) **Synonym(s):** *palliata* W.Warren,1898; *ustipennis* W.Warren,1898 **_ Range (in code):** **NG**
- 44376. Lophorrhachia restricta Herbulot,1991** (Geometridae) **Synonym(s):** *restricta* Herbulot,1991 **_ Range (in code):** **ST**
- 44377. Lophorrhachia rathyma L.B.Prout,1938** (Geometridae) **Synonym(s):** *rathyma* L.B.Prout,1938 **_ Range (in code):** **GN**
- 44378. Lophorrhachia rubricorpus (W.Warren,1898)** (Geometridae) **Synonym(s):** *rubricorpus* W.Warren,1898; *plagiata* Aurivillius,1910; *niveicristata* L.B.Prout,1916; *#rubricornis* Janse,1935 **_ Range (in code):** **ST SL CI CM NG TZ Kmj MG ZA Etm Ktz ZA04 ZA05 ZA07 Nta Kzu ZA14 Mpu Mal ZA16 ZA18 Ec Tva Lpo Spb Bbg Umk Dbn** **Bionomy:** Larva on Schinus molle (Anacardiaceae) (Scoble,1999).
- 44379. Lophorrhachia rubricorpus omorrhodia L.B.Prout,1930** (Geometridae) **Synonym(s):** *omorrhodia* L.B.Prout,1930 **_ Range (in code):** **ST**
- 44380. Lophorrhachia usiura L.B.Prout,1938** (Geometridae) **Synonym(s):** *usiura* L.B.Prout,1938 **_ Range (in code):** **CM**
- 44381. Lophostola annuligera Swinhoe,1909** (Geometridae) **Synonym(s):** *annuligera* Swinhoe,1909 **_ Range (in code):** **UG Etb**
- 44382. Lophostola atridisca (W.Warren,1897)** (Geometridae) **Synonym(s):** *atridisca* W.Warren,1897 **_ Range (in code):** **ZA ZA04 Nta Kzu Mal Umk Tva Lpo ZA16 Mpu ZA18 Ec MZ MG KE Nai UG** **Bionomy:** Larva on Acacia karroo (Fabaceae) (Scoble,1999).
- 44383. Lophostola cara L.B.Prout,1913** (Geometridae) **Synonym(s):** *cara* L.B.Prout,1913 **_ Range (in code):** **GH UG Jin MW Mje MG**
- 44384. Lophostola cara cumatilis L.B.Prout,1922** (Geometridae) **Synonym(s):** *cumatilis* L.B.Prout,1922 **_ Range (in code):** **MG**
- 44385. Lophostola cara dummeri L.B.Prout,1930** (Geometridae) **Synonym(s):** *dummeri* L.B.Prout,1930 **_ Range (in code):** **UG Jin MW Mje**
- 44386. Lophostola sp.** (Geometridae) **Synonym(s):** **_ Range (in code):** **ZA ZA04 Kzu**
- 44387. Louisproutia pallescens Wehrli,1932** (Geometridae) **Synonym(s):** *pallescens* Wehrli,1932 **_ Range (in code):** **CN Sz**
- 44388. Loxaspilates dispar W.Warren,1893** (Geometridae) **Synonym(s):** *dispar* W.Warren,1893 **_ Range (in code):** **IN SI**
- 44389. Loxaspilates duplicata Sterneck,1928** (Geometridae) **Synonym(s):** *duplicata* Sterneck,1928; *diluta* Wehrli,1953 **_ Range (in code):** **CN Yu Lik**
- 44390. Loxaspilates hastigera (Butler,1889)** (Geometridae) **Synonym(s):** *hastigera* Butler,1889; *punctigera* L.B.Prout,1915 **_ Range (in code):** **SI IN Drm Ch Snm AF**
- 44391. Loxaspilates obliquaria (Moore,1867)** (Geometridae) **Synonym(s):** *obliquaria* Moore,1867; *subfalcata* Poujade,1895; *lutea* Thierry-Mieg,1916 **_ Original Reference:** *Aspilates obliquaria* Moore,1867, Proc. zool. Soc. Lond. 1867: 649. Syntypes ♂♂: [India], Bengal, coll. A.E.Russell (BMNH). **_ Range (in code):** **AF IN Ben SI CN Ti**
- 44392. Loxaspilates tenuipicta Wehrli,1953** (Geometridae) **Synonym(s):** *tenuipicta* Wehrli,1953 **_ Range (in code):** **CN Yu Lik**
- 44393. Loxaspilates triumbrata (W.Warren,1895)** (Geometridae) **Synonym(s):** *triumbrata* W.Warren,1895 **_ Range (in code):** **Ch**

- 44394. Loxofidonia acidaliata (Packard,1874)** (Geometridae) Synonym(s): *acidaliata* Packard,1874 - Range (in code): US Col
- 44395. Loxofidonia bareconia (Swinhoe,1894)** (Geometridae) Synonym(s): *bareconia* Swinhoe,1894 - Range (in code): IN Meg Ass Khs Cpj ID Bli
- 44396. Loxofidonia bareconia bareconia (Swinhoe,1894)** (Geometridae) Synonym(s): *bareconia* Swinhoe,1894 - Range (in code): IN Meg Ass Khs Cpj
- 44397. Loxofidonia bareconia pallidistriga L.B.Prout,1937** (Geometridae) Synonym(s): *pallidistriga* L.B.Prout,1937 - Range (in code): ID Bli
- 44398. Loxofidonia buda (Swinhoe,1895)** (Geometridae) Synonym(s): *buda* Swinhoe,1895; *subbrunnescens* W.Warren,1896 - Range (in code): IN Ass Cpj Meg Khs
- 44399. Loxofidonia cingala (Moore,[1887])** (Geometridae) Synonym(s): *cingala* Moore,[1887] - Range (in code): LK
- 44400. Loxofidonia hexasticha L.B.Prout,1941** (Geometridae) Synonym(s): *hexasticha* L.B.Prout,1941 - Range (in code): ID Clb
- 44401. Loxofidonia obfuscata (W.Warren,1893)** (Geometridae) Synonym(s): *obfuscata* W.Warren,1893; *plumbeotincta* Swinhoe,1895; *rubridisca* W.Warren,1896 - Range (in code): IN Ass Slo SI Nag Bionomy: Larva on Impatiens (Balsaminaceae) (Scoble,1999).
- 44402. Loxofidonia plumbilinea (W.Warren,1896)** (Geometridae) Synonym(s): *plumbilinea* W.Warren,1896 - Range (in code): PG
- 44403. Loxofidonia sigmata L.B.Prout,1941** (Geometridae) Synonym(s): *sigmata* L.B.Prout,1941 - Range (in code): ID Clb Ij Fak
- 44404. Loxomiza herberti Holloway,[1994]** (Geometridae) Synonym(s): *herberti* Holloway,[1994] - Range (in code): MY Bor Swk
- 44405. Loxopora dentilineata W.Warren,1914** (Geometridae) Synonym(s): *dentilineata* W.Warren,1914 - Range (in code): ZA Cap Cto
- 44406. Loxorhombia W.Warren,1894** (Geometridae) Synonym(s): *Loxorhombia* W.Warren,1894 - Range (in code):
- 44407. Loxorhombia idea (Swinhoe,1890)** (Geometridae) Synonym(s): *idea* Swinhoe,1890 - Range (in code): MM Bse
- 44408. Loxotephria bornea Holloway,[1994]** (Geometridae) Synonym(s): *bornea* Holloway,[1994] - Range (in code): MY Bor Sbh KBa
- 44409. Loxotephria convercens (W.Warren,1899)** (Geometridae) Synonym(s): *convercens* W.Warren,1899 - Range (in code): CN
- 44410. Loxotephria elaiodes Wehrli,1937** (Geometridae) Synonym(s): *elaiodes* Wehrli,1937 - Range (in code): CN
- 44411. Loxotephria olivacea W.Warren,1905** (Geometridae) Synonym(s): *olivacea* W.Warren,1905; *taiwana* Wileman,1915 - Range (in code): CN Hn TW
- 44412. Loxotephria padanga Swinhoe,1909** (Geometridae) Synonym(s): *padanga* Swinhoe,1909 - Range (in code): ID Sum
- 44413. Loxotephria perileuca L.B.Prout,1926** (Geometridae) Synonym(s): *perileuca* L.B.Prout,1926 - Range (in code): MM Hpi
- 44414. Luashia zonata (Walker,[1863])** (Geometridae) Synonym(s): *zonata* Walker,[1863] - Range (in code): ZA ZA07 Nta Kzu Ec ZW
- 44415. Lulavia multipunctata (Staudinger,1898)** (Geometridae) Synonym(s): *multipunctata* Staudinger,1898 Original Reference: *Cidaria multipunctata* Staudinger,1898, Dt. ent. Z., Iris 10: 316. Syntypes 2♂: [Israel]: Jerusalem. Range (in code): IL Pa Js JO Amm IR Hz Bu
- 44416. Luxiaria acutaria (Snellen,1877)** (Geometridae) Synonym(s): *acutaria* Snellen,1877; *intensata* Moore,1888 - Range (in code): ID Sum IN SI Djl
- 44417. Luxiaria amasa (Butler,1878)** (Geometridae) Synonym(s): *amasa* Butler,1878; *fasciosa* Moore,1888; *fulvifascia* W.Warren,1894 - Range (in code): TH JP IN SI Djl ID Sum Clb MY Cmh
- 44418. Luxiaria amasa perochrea Herbulot,1993** (Geometridae) Synonym(s): *perochrea* Herbulot,1993 - Range (in code): MY Cmh
- 44419. Luxiaria biafaria Plötz,1880** (Geometridae) Synonym(s): *biafaria* Plötz,1880; *taeniata* W.Warren,1897 - Range (in code): UG NG
- 44420. Luxiaria calida W.Warren,1896** (Geometridae) Synonym(s): *calida* W.Warren,1896; *punctata* W.Warren,1896 - Range (in code): ID Ja

- 44421. *Luxiaria celebensis* L.B.Prout,1929** (Geometridae) **Synonym(s):** *celebensis* L.B.Prout,1929
Range (in code): **ID Clb**
- 44422. *Luxiaria celebese* Debauche,1941** (Geometridae) **Synonym(s):** *celebesa* Debauche,1941
Range (in code): **ID Clb**
- 44423. *Luxiaria consimilaria* Leech,1897** (Geometridae) **Synonym(s):** *consimilaria* Leech,1897
Range (in code): **Cn Sz**
- 44424. *Luxiaria costinota* Inoue,1978** (Geometridae) **Synonym(s):** *costinota* Inoue,1978
Range (in code): **TW**
- 44425. *Luxiaria curvivena* (W.Warren,1899)** (Geometridae) **Synonym(s):** *curvivena* W.Warren,1899; *distorta* Swinhoe,1909
Range (in code): **NG UG**
- 44426. *Luxiaria dargei* Herbulot,1986** (Geometridae) **Synonym(s):** *dargei* Herbulot,1986
Range (in code): **CM**
- 44427. *Luxiaria despicata* L.B.Prout,1929** (Geometridae) **Synonym(s):** *despicata* L.B.Prout,1929
Range (in code): **IN Meg**
- 44428. *Luxiaria emphatica* L.B.Prout,1925** (Geometridae) **Synonym(s):** *emphatica* L.B.Prout,1925; *versiformis* L.B.Prout,1925
Range (in code): **IN Meg Khs MY TH**
- 44429. *Luxiaria epinephela* L.B.Prout,1927** (Geometridae) **Synonym(s):** *epinephela* L.B.Prout,1927
Range (in code): **ST**
- 44430. *Luxiaria fictaria* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *fictaria* L.B.Prout,1926
Range (in code): **MY Bor Swk**
- 44431. *Luxiaria grisea* (W.Warren,1895)** (Geometridae) **Synonym(s):** *grisea* W.Warren,1895
Range (in code): **ID Nia**
- 44432. *Luxiaria hapala* West,1929** (Geometridae) **Synonym(s):** *hapala* West,1929
Range (in code): **PH Luz**
- 44433. *Luxiaria hyalodela* L.B.Prout,1928** (Geometridae) **Synonym(s):** *hyalodela* L.B.Prout,1928; *molesta* L.B.Prout,1928
Range (in code): **TH ID Sum Clb**
- 44434. *Luxiaria hypaphanes* Hampson,1891** (Geometridae) **Synonym(s):** *hypaphanes* Hampson,1891
Range (in code): **IN NI**
- 44435. *Luxiaria lioptera* L.B.Prout,1928** (Geometridae) **Synonym(s):** *lioptera* L.B.Prout,1928
Range (in code): **ID Sum**
- 44436. *Luxiaria mitorrhaphes* L.B.Prout,1925** (Geometridae) **Synonym(s):** *mitorrhaphes* L.B.Prout,1925
Range (in code): **TH IN Nag**
- 44437. *Luxiaria muluensis* Holloway,[1994]** (Geometridae) **Synonym(s):** *muluensis* Holloway,[1994]
Range (in code): **MY Bor Swk**
- 44438. *Luxiaria obliquata* Moore,1888** (Geometridae) **Synonym(s):** *obliquata* Moore,1888
Range (in code): **IN SI Djl**
- 44439. *Luxiaria paganata* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *paganata* R.Felder & Rogenhofer,1875; *leithra* Debauche,1941
Range (in code): **ID Clb**
- 44440. *Luxiaria phalarota* (Meyrick,1886)** (Geometridae) **Synonym(s):** *phalarota* Meyrick,1886
Range (in code): **SB**
- 44441. *Luxiaria phyllosaria* (Walker,1860)** (Geometridae) **Synonym(s):** *phyllosaria* Walker,1860; *alfenusaria* Walker,1860
Range (in code): **TH MY Bor Swk**
- 44442. *Luxiaria postlunata* L.B.Prout,1928** (Geometridae) **Synonym(s):** *postlunata* L.B.Prout,1928
Range (in code): **ID Sum**
- 44443. *Luxiaria pratti* L.B.Prout,1925** (Geometridae) **Synonym(s):** *pratti* L.B.Prout,1925
Range (in code): **MG**
- 44444. *Luxiaria prouti* Debauche,1941** (Geometridae) **Synonym(s):** *prouti* Debauche,1941
Range (in code): **ID Clb**
- 44445. *Luxiaria rectimargo* Debauche,1941** (Geometridae) **Synonym(s):** *rectimargo* Debauche,1941
Range (in code): **ID Clb**
- 44446. *Luxiaria submonstrata* (Walker,1861)** (Geometridae) **Synonym(s):** *submonstrata* Walker,1861; *nigripalparia* Walker,[1863]
Range (in code): **TH MY Bor Swk PG**
- 44447. *Luxiaria subnubila* (Swinhoe,1902)** (Geometridae) **Synonym(s):** *subnubila* Swinhoe,1902
Range (in code): **PG**
- 44448. *Luxiaria subrasata* (Walker,1861)** (Geometridae) **Synonym(s):** *subrasata* Walker,1861; *turpisaria* Walker,1861
Range (in code): **MY Bor Swk PG**

- 44449. *Luxiaria tarpobana* Herbulot,1986** (Geometridae) Synonym(s): *tarpobana* Herbulot,1986
Range (in code): **LK**
- 44450. *Luxiaria tenella* Herbulot,1986** (Geometridae) Synonym(s): *tenella* Herbulot,1986
Range (in code): **RW**
- 44451. *Luxiaria tephrosaria* (Moore,1868)** (Geometridae) Synonym(s): *tephrosaria* Moore,1868
Range (in code): **IN Ben MY Bor Sbh KBa**
- 44452. *Luxiaria turlini* Herbulot,1993** (Geometridae) Synonym(s): *turlini* Herbulot,1993
Range (in code): **ID Clb**
- 44453. *Luxiaria undulataria* (Pagenstecher,1886)** (Geometridae) Synonym(s): *undulataria* Pagenstecher,1886; *euchlorata* Holland,1900 _ Range (in code): **ID Aru Bru PG Nlr**
- 44454. *Lycaugidia albata* (Swinhoe,1895)** (Geometridae) Synonym(s): *albata* Swinhoe,1895; *albida* Hampson,1895 _ Range (in code): **ZA Tva KE IN Poo**
- 44455. *Lycaugidia lithostegeata* Hausmann,2006** (Geometridae) Synonym(s): *lithostegeata* Hausmann,2006 _ Range (in code): **YE Sna**
- 44456. *Lycia alpina* (Sulzer,1776)** (Geometridae) Synonym(s): *alpina* Sulzer,1776; *alpinaria* Roemer,1789; *bombycaria* Boisduval,1840 _ Range (in code): **FR IT DE CH AT** Bionomy: Larva on *Bellis perennis*, *Salix* (Meyer,1919).
- 44457. *Lycia borealis* Rangnow,1935** (Geometridae) Synonym(s): *borealis* Rangnow,1935
Range (in code): **FI**
- 44458. *Lycia bulgariensis* Vojnits & Meszaros,1973** (Geometridae) Synonym(s): *bulgariensis* Vojnits & Meszaros,1973 _ Range (in code): **BG**
- 44459. *Lycia degtjarevae* Viidalepp,1986** (Geometridae) Synonym(s): *degtjarevae* Viidalepp,1986
Range (in code): **KG**
- 44460. *Lycia flavantennata* (Wehrli,1933)** (Geometridae) Synonym(s): *flavantennata* Wehrli,1933
Range (in code): **Ch CN Ui**
- 44461. *Lycia florentina* (Stefanelli,1882)** (Geometridae) Synonym(s): *florentina* Stefanelli,1882
Range (in code): **IT YU**
- 44462. *Lycia graecarius* (Staudinger,1861)** (Geometridae) Synonym(s): *graecarius* Staudinger,1861 _ Range (in code): **IT HV YU AL BG GR TR IR Ab Oru**
- 44463. *Lycia graecarius odrinarius* (Buresch,1915)** (Geometridae) Synonym(s): *odrinarius* Buresch,1915 _ Range (in code): **BG TR**
- 44464. *Lycia hirtaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#hirtaria* Clerck,1759; *hirtaria* Linnaeus,1761; *eremita* Scopoli,1763; *atomaria* Hufnagel,1767 nec Linn.,1758; *hirtipennis* Retzius,1783; *congeneraria* Hübner,1799; *fumaria* Haworth,1809; *hanoviensis* Heymons,1891 _ Range (in code): **MA PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Betula*, *Fagus*, *Prunus*, *Pyrus*, *Quercus*, *Tilia*, *Ulmus* (Meyer,1919).
- 44465. *Lycia incisarius* (Lederer,1870)** (Geometridae) Synonym(s): *incisarius* Lederer,1870
Range (in code): **GG Cc Smt Akh**
- 44466. *Lycia isabellae* (Harrison,1914)** (Geometridae) Synonym(s): *isabellae* Harrison,1914; *stroniboi* Dujardin,1965 _ Range (in code): **FR IT DE CH AT PL CZ SK**
- 44467. *Lycia lapponaria* (Boisduval,1840)** (Geometridae) Synonym(s): *lapponaria* Boisduval,1840 _ Range (in code): **GB NO SE FI EE LV RU**
- 44468. *Lycia pomonaria* (Hübner,1790)** (Geometridae) Synonym(s): *grisea* Thunberg,1784; *pomonaria* Hübner,1790; *stigmatella* Zetterstedt,1839 _ Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO TR NO SE FI EE LV LT RU Us** Bionomy: Larva on *Prunus*, *Pyrus*, *Quercus* (Meyer,1919).
- 44469. *Lycia pomonaria nigricans* Beljaev,1996** (Geometridae) Synonym(s): *nigricans* Beljaev,1996 _ Range (in code): **RU Us**
- 44470. *Lycia rachelae* (Hulst,1896)** (Geometridae) Synonym(s): *rachelae* Hulst,1896 _ Range (in code): **US Col**
- 44471. *Lycia suleimania* (Wehrli,1938)** (Geometridae) Synonym(s): *suleimania* Wehrli,1938
Original Reference: *Apocheima* (*Hypapocheima*) *suleimania* Wehrli,1938, Ent. Rdsch. 55: 355-356. Type 1♂: [Iraq]: Suleimanije, leg. Wiltshire. Range (in code): **SY IQ Su**
- 44472. *Lycia ypsilon* (Forbes,1885)** (Geometridae) Synonym(s): *ypsilon* Forbes,1885 _ Range (in code): **US FI**
- 44473. *Lycia zonaria* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *zonaria* [Denis & Schiffermüller],1775; *zona* Fabricius,1787 Original Reference: *Geometra zonaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 100. Type(s): [Austria]:

- Vienna district. Range (in code): **ES FR IE GB BE NL LU DE CH AT PL CZ SK HU RO TR Cc GG DK SE RU MD UA BY**
- 44474. *Lythria cruentaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *purpurata* Linnaeus,1761 nec Linn.,1758; *cruentaria* Hufnagel,1767; *rotaria* Fabricius,1798; *sordidaria* Zetterstedt,1839. Original Reference: Phalaena cruentaria Hufnagel,1767, Berlin Mag. 4 (5): 516. Syntypes: Sweden (LSL). Range (in code): **PT ES FR Sa IT BE NL DE AT PL CZ SK RO YU AL BG TR DK NO SE FI LV RU Ur UR MD UA Cm BY IR Ak Shf KG CN Ui Ii Ku**
- 44475. *Lythria plumularia* (Freyer,1831)** (Geometridae) Synonym(s): *plumularia* Freyer,1831; *rheticaria* De La Harpe,1853. Range (in code): **FR IT DE CH AT** Bionomy: Larva on Rumex acetosa (Meyer,1919).
- 44476. *Lythria purpuraria* (Linnaeus,1758)** (Geometridae) Synonym(s): *purpuraria* Linnaeus,1758; *cruentata* Hufnagel,1767 nec Sc.,1763; *sanguinolenta* Fourcroy,1785 nec Linn.,1767 Original Reference: Phalaena purpuraria Linnaeus,1758, Syst. Nat. (Edn.10)1: Syntypes: [Europa], Quercus, Prunus spinosa. Range (in code): **ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM IQ IR Gls Kh EE LV RU Ur Sb MD UA BY KG KK TJ TM UZ CN Ui Ii Ku** Bionomy: Larva on Polygonum, Prunus, Rumex (Meyer,1919; Wiltshire,1957).
- 44477. *Lythria venustata* Staudinger,1882** (Geometridae) Synonym(s): *venustata* Staudinger,1882 Original Reference: *Lythria venustata* Staudinger,1882, Stettin ent. Ztg. 43: 64. Type ♂: [Kazakhstan]: Saisan. Range (in code): **KG Tar Sp Ssn**
- 44478. *Macaria alternata* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *alternata* [Denis & Schiffermüller],1775; *alternaria* Hübner,[1805]; *praenotata* Haworth,1809 Original Reference: Geometra alternata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 106. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR DK NO SE FI EE LV LT RU MD UA BY Am KK Ik CN Ui Ii KG Tk** Bionomy: Larva on Prunus, Quercus, Salix caprea (Meyer,1919).
- 44479. *Macaria binazira* Koçak & Kemal,2008** (Geometridae) Synonym(s): *acutaria* Walker,1869 nec Wlk.,[1863]; *binazira* Koçak & Kemal,2008 Original Reference: *Macaria binazira* Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 138: 8 (nomen novum pro acutaria Walker,1869 nec Walker,[1863]). Range (in code): **IN**
- 44480. *Macaria carbonaria* (Clerck,1759)** (Geometridae) Synonym(s): *carbonaria* Clerck,1759; *picearia* Geyer,[1831] Range (in code): **FR IT GB DE CH AT PL DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Salix caprea, Vaccinium (Meyer,1919).
- 44481. *Macaria liturata* (Linnaeus,1761)** (Geometridae) Synonym(s): *#liturata* Clerck,1759; *liturata* Linnaeus,1761; *igneata* Hufnagel,1767; *fuscata* Thunberg,1788; *liturataria* Esper,[1801]; *lituraria* Hübner,[1823] Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Juniperus, Picea, Pinus sylvestris (Pinaceae) (Meyer,1919).
- 44482. *Macaria notata* (Linnaeus,1758)** (Geometridae) Synonym(s): *notata* Linnaeus,1758; *notataria* [Denis & Schiffermüller],1775; *hieroglyphica* Fourcroy,1785; *notaria* Morris,1861 Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR GR Cc GG AZ AM Nv DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Alnus, Betula, Quercus, Salix (Meyer,1919).
- 44483. *Macaria saburraria* (Eversmann,1851)** (Geometridae) Synonym(s): *saburraria* Eversmann,1851 Range (in code): **RU Sb At Am Prj Us MN KK Ik CN**
- 44484. *Macaria saburraria saburraria* (Eversmann,1851)** (Geometridae) Synonym(s): *saburraria* Eversmann,1851 Range (in code): **RU Sb At Am Prj Us MN KK Ik CN**
- 44485. *Macaria signaria* (Hübner,[1809])** (Geometridae) Synonym(s): *signaria* Hübner,[1809] Original Reference: Geometra signaria Hübner,[1809], Samml. eur. Schmett. 5: pl.61, fig.313. Type: Europa. Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Picea (Pinaceae) (Meyer,1919).
- 44486. *Macaria wauaria* (Linnaeus,1758)** (Geometridae) Synonym(s): *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Vill.,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809. Original Reference: Phalaena wauaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Syntypes: [Europa], in Grossularia, Ribes rubrum. Range (in code): **MA DZ ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG DK NO SE FI EE LV LT RU At Am MD UA BY KP KR CN** Bionomy: Larva on Ribes alpinum, R.nigrum, R.rubrum, R.uva-crispa (Grossulariaceae) (Robinson et al.,2007).
- 44487. *Macaria wauaria africana* (Zerny,1934)** (Geometridae) Synonym(s): *africana* Zerny,1934; *carolata* Lucas,1938 Range (in code): **MA DZ**

- 44488. *Macaria wauaria chinensis* (Sterneck,1928)** (Geometridae) **Synonym(s):** *chinensis* Sterneck,1928 **Range (in code):** **CN**
- 44489. *Macaria wauaria koraebia* (Bryk,1949)** (Geometridae) **Synonym(s):** *koraebia* Bryk,1949 **Original Reference:** KP KR **Range (in code):**
- 44490. *Macaria wauaria wauaria* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *wauaria* Linnaeus,1758; *fuscaria* Thunberg,1792 nec Villers,1789; *vauaria* Haworth,1809; *v-nigraria* Haworth,1809. **Original Reference:** Phalaena wauaria Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. **Syntypes:** [Europa], in *Grossularia*, *Ribes rubrum*. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY**
- 44491. *Macrohastina azela* (Butler,1878)** (Geometridae) **Synonym(s):** *azela* Butler,1878 **Range (in code):** **MM Hpi JP**
- 44492. *Macrohastina azela azela* (Butler,1878)** (Geometridae) **Synonym(s):** *azela* Butler,1878 **Range (in code):** **JP**
- 44493. *Macrohastina azela stenozone* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *stenozone* L.B.Prout,1926 **Range (in code):** **MM Hpi**
- 44494. *Macrohastina gemmifera* (Moore,1868)** (Geometridae) **Synonym(s):** *gemmifera* Moore,1868 **Range (in code):** **IN Ben TH CMa**
- 44495. *Malacodea regelaria* Tengström,1869** (Geometridae) **Synonym(s):** *regelaria* Tengström,1869 **Range (in code):** **NO SE FI EE RU MD UA BY**
- 44496. *Marobia dairiensis* Sato,1998** (Geometridae) **Synonym(s):** *dairiensis* Sato,1998 **Range (in code):** **ID Sum**
- 44497. *Marobia dentigerata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *dentigerata* W.Warren,1899 **Range (in code):** **MY Pen TH**
- 44498. *Marobia philippinica* Sato,1998** (Geometridae) **Synonym(s):** *philippinica* Sato,1998 **Range (in code):** **PH Neg**
- 44499. *Martania taeniata* (Stephens,1831)** (Geometridae) **Synonym(s):** *taeniata* Stephens,1831; *intrusata* Herrich-Schäffer,1841; *arctata* Lienig,1846; *arctaria* Herrich-Schäffer,1848; *albimaculata* Freyer,1849; *obsoleta* Djakonov,1929 **Range (in code):** **FR IT IE GB DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU Kmt MD UA BY** **Bionomy:** Larva on *Minuartia* (Meyer,1919).
- 44500. *Mattia callidaria* (De Joannis,1891)** (Geometridae) **Synonym(s):** *callidaria* De Joannis,1891; *adlata* Staudinger,[1895] **Original Reference:** *Cidaria callidaria* De Joannis,1891, Bull. Soc. ent. Fr. 1891:lxxxii. **Holotype** ♂: Lebanon, Beirut (MNHN). **Range (in code):** **GR Cr TR CY IL Pa Jt Js LB Bei** **Bionomy:** Larva on *Sarcopoterium spinosum* (Rosaceae) (Ellison & Wiltshire,1939); *Sanguisorba* (Hausmann & Viidalepp,2012).
- 44501. *Mauna ardescens* L.B.Prout,1916** (Geometridae) **Synonym(s):** *ardescens* L.B.Prout,1916 **Range (in code):** **ZA ZA12 Nta Kzu Brb Mpu ZA24 NWe**
- 44502. *Mauna ava* L.B.Prout,1938** (Geometridae) **Synonym(s):** *ava* L.B.Prout,1938 **Range (in code):** **ZA ZA12 Kzu ZA28 Tva Lpo Gau Jh Ec Cto** **Bionomy:** Larva on *Protea caffra* (Proteaceae) (Scoble,1999).
- 44503. *Mauna disporas* L.B.Prout,1932** (Geometridae) **Synonym(s):** *disporas* L.B.Prout,1932 **Range (in code):** **UG Rz**
- 44504. *Mauna drakensbergensis* Herbulot,1992** (Geometridae) **Synonym(s):** *drakensbergensis* Herbulot,1992 **Range (in code):** **ZA Nta Kzu Drb**
- 44505. *Mauna electa* L.B.Prout,1917** (Geometridae) **Synonym(s):** *electa* L.B.Prout,1917 **Range (in code):** **MW Mje**
- 44506. *Mauna filia* (Cramer,[1780])** (Geometridae) **Synonym(s):** *filia* Cramer,[1780]; *acuminata* Walker,1865; *hemixantharia* R.Felder,1874; *scelestaria* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA Ktz Nta Kzu ZA18 Ec Ste**
- 44507. *Mauna homales* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *homales* L.B.Prout,1922 **Range (in code):** **ZA ZA12 Kzu** **Bionomy:** Larva on *Protea caffra* (Proteaceae) (Staude,1999).
- 44508. *Mauna pictifimbria* L.B.Prout,1938** (Geometridae) **Synonym(s):** *pictifimbria* L.B.Prout,1938 **Range (in code):** **ZA ZA10 Kzu ZA14 Mal Tva Lpo ZA20 Mpu**
- 44509. *Mauna sematurga* L.B.Prout,1938** (Geometridae) **Synonym(s):** *sematurga* L.B.Prout,1938 **Range (in code):** **ZW**
- 44510. *Mauna zomba* Herbulot,1997** (Geometridae) **Synonym(s):** *zomba* Herbulot,1997 **Range (in code):** **MW Zom**
- 44511. *Maxates acutigoniata* (Inoue,1989)** (Geometridae) **Synonym(s):** *acutigoniata* Inoue,1989 **Range (in code):** **TW**

- 44512. Maxates acutissima (Walker,1861)** (Geometridae) **Synonym(s):** *acutissima* Walker,1861
Range (in code): **LK CN Hn**
- 44513. Maxates adaptaria (L.B.Prout,1933)** (Geometridae) **Synonym(s):** *adaptaria* L.B.Prout,1933
Range (in code): **IN Ass Meg Khs**
- 44514. Maxates albifulgens (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *albifulgens* L.B.Prout,1913
Range (in code): **FJ**
- 44515. Maxates auspicata (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *auspicata* L.B.Prout,1917
Range (in code): **IN Ass Meg Khs**
- 44516. Maxates brachysoma (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *brachysoma* L.B.Prout,1935
Range (in code): **CN Sz**
- 44517. Maxates chromatocrossa (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *chromatocrossa* L.B.Prout,1926
Range (in code): **MM Hta Hpi**
- 44518. Maxates coelataria (Walker,1861)** (Geometridae) **Synonym(s):** *coelataria* Walker,1861
Original Reference: *Thalassodes coelataria* Walker,1861, List Specimens lepid. Insects Colln Br. Mus. 22: 552. Type: Ceylon. **Range (in code):** **LK IN Meg Khs Ass TH CMa Cmz Cz11 Ntt Hba MY Bor**
- 44519. Maxates coelataria coelataria (Walker,1861)** (Geometridae) **Synonym(s):** *coelataria* Walker,1861
Original Reference: *Thalassodes coelataria* Walker,1861, List Specimens lepid. Insects Colln Br. Mus. 22: 552. Type: Ceylon. **Range (in code):** **LK TH Ntt Hba MY Bor**
- 44520. Maxates coelataria trychera L.B.Prout,1933** (Geometridae) **Synonym(s):** *trychera* L.B.Prout,1933
Original Reference: *Maxates coelataria* ssp. *trychera* L.B.Prout,1933, [in] Seitz, Gross-Schmett. Erde 12: 111, pl.13f. N.India. **Range (in code):** **IN Meg Khs Ass TH CMa Cmz Cz11**
- 44521. Maxates convallata (W.Warren,1906)** (Geometridae) **Synonym(s):** *convallata* W.Warren,1906
Range (in code): **IN Ass Meg Khs**
- 44522. Maxates disides L.B.Prout,1922** (Geometridae) **Synonym(s):** *disides* L.B.Prout,1922
Range (in code): **ID Sum**
- 44523. Maxates fuscifimbria (L.B.Prout,1911)** (Geometridae) **Synonym(s):** *fuscifimbria* L.B.Prout,1911
Range (in code): **IN Ass Meg Khs**
- 44524. Maxates goniaria (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *goniaria* R.Felder & Rogenhofer,1875; *aculeata* Hampson,1891
Range (in code): **IN Ben NI**
- 44525. Maxates grandificaria (Graeser,1890)** (Geometridae) **Synonym(s):** *grandificaria* Graeser,1890; *colataria* Leech,1897
Range (in code): **CN Sz JP RU Us Am**
- 44526. Maxates griseoviridis (W.Warren,1893)** (Geometridae) **Synonym(s):** *griseoviridis* W.Warren,1893
Range (in code): **IN Nag**
- 44527. Maxates habra (L.B.Prout,1933)** (Geometridae) **Synonym(s):** *habra* L.B.Prout,1933
Range (in code): **CN Sz**
- 44528. Maxates hemitheoides (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *hemitheoides* L.B.Prout,1916
Range (in code): **IN Ass Meg Syl Khs**
- 44529. Maxates insignipecten (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *insignipecten* L.B.Prout,1928
Range (in code): **IN Ass Meg Khs**
- 44530. Maxates insulsata (W.Warren,1897)** (Geometridae) **Synonym(s):** *insulsata* W.Warren,1897
Range (in code): **PH Luz**
- 44531. Maxates iridescens (W.Warren,1896)** (Geometridae) **Synonym(s):** *iridescens* W.Warren,1896
Range (in code): **IN Meg Khs TH**
- 44532. Maxates korintjiensis (L.B.Prout,1933)** (Geometridae) **Synonym(s):** *korintjiensis* L.B.Prout,1933
Range (in code): **ID Sum**
- 44533. Maxates lugubriosa Holloway,1996** (Geometridae) **Synonym(s):** *lugubriosa* Holloway,1996
Range (in code): **MY Bor Swk**
- 44534. Maxates macariata (Walker,[1863])** (Geometridae) **Synonym(s):** *macariata* Walker,[1863]
Range (in code): **BD Syl**
- 44535. Maxates magnipuncta (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *magnipuncta* L.B.Prout,1916
Range (in code): **MY Bor Swk**
- 44536. Maxates melancholica (L.B.Prout,1912)** (Geometridae) **Synonym(s):** *melancholica* L.B.Prout,1912
Range (in code): **MY Bor Swk**
- 44537. Maxates melinau Holloway,1996** (Geometridae) **Synonym(s):** *melinau* Holloway,1996
Range (in code): **MY Bor Swk**
- 44538. Maxates mutatilinea (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *mutatilinea* L.B.Prout,1916
Range (in code): **IN Ass Meg Khs**

- 44539. Maxates obliterata Holloway,1996** (Geometridae) **Synonym(s):** *obliterata* Holloway,1996
Range (in code): **MY Bor Swk**
- 44540. Maxates panterpna (West,1930)** (Geometridae) **Synonym(s):** *panterpna* West,1930
Range (in code): **PH Luz**
- 44541. Maxates quadrizona (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *quadrizona* L.B.Prout,1934
Range (in code): **FJ**
- 44542. Maxates saturior (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *saturior* L.B.Prout,1935
Range (in code): **CN Sz**
- 44543. Maxates submontana Holloway,1996** (Geometridae) **Synonym(s):** *submontana* Holloway,1996
Range (in code): **TH MY Bor Swk**
- 44544. Maxates thetydaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *thetydaria* Guenée,[1858]; *bifasciata* Walker,[1863]
Range (in code): **TH IN BD Syl**
- 44545. Maxates tristis Holloway,1996** (Geometridae) **Synonym(s):** *tristis* Holloway,1996
Range (in code): **MY Bor Swk**
- 44546. Maxates unicolor (W.Warren,1899)** (Geometridae) **Synonym(s):** *unicolor* W.Warren,1899
Range (in code): **ID Flo**
- 44547. Maxates variegata Holloway,1996** (Geometridae) **Synonym(s):** *variegata* Holloway,1996
Range (in code): **MY Bor Swk**
- 44548. Maxates vasistriga (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *vasistriga* L.B.Prout,1938
Range (in code): **CM**
- 44549. Maxates veninotata (W.Warren,1894)** (Geometridae) **Synonym(s):** *veninotata* W.Warren,1894
Range (in code): **IN Ass Meg Khs**
- 44550. Maxates waterstradti (L.B.Prout,1933)** (Geometridae) **Synonym(s):** *waterstradti* L.B.Prout,1933
Range (in code): **TH MY Bor Sbh KBa**
- 44551. Mebepia raphis (Rindge,1986)** (Geometridae) **Synonym(s):** *raphis* Rindge,1986
Range (in code): **CL**
- 44552. Medasina acribomena (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *acribomena* L.B.Prout,1928
Range (in code): **ID Sum TH**
- 44553. Medasina albidaria (Walker,1866)** (Geometridae) **Synonym(s):** *albidaria* Walker,1866
Range (in code): **IN CN TH CMa Int**
- 44554. Medasina basistrigaria (Moore,1868)** (Geometridae) **Synonym(s):** *basistrigaria* Moore,1868
Range (in code): **TH CMa Int**
- 44555. Medasina lampasaria (Hampson,1895)** (Geometridae) **Synonym(s):** *lampasaria* Hampson,1895
Range (in code): **TH CMa Int**
- 44556. Medasina maxima Moore,1888** (Geometridae) **Synonym(s):** *maxima* Moore,1888
Range (in code): **TH CMa Int Dst IN SI DjI**
- 44557. Medasina missionaria (Wehrli,1941)** (Geometridae) **Synonym(s):** *missionaria* Wehrli,1941
Range (in code): **CN Sz T-T TH CMa Int CDo Pki**
- 44558. Medasina mucidaria (Walker,1866)** (Geometridae) **Synonym(s):** *mucidaria* Walker,1866
Range (in code): **TH CMa Int NP IN SI DjI**
- 44559. Medasina parallela (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *parallela* L.B.Prout,1927
Range (in code): **MM Hpi**
- 44560. Medasina peracuta (Sato,1995)** (Geometridae) **Synonym(s):** *peracuta* Sato,1995
Range (in code): **IN Hp Up Bhi NP**
- 44561. Megadrepana cinerea Holland,1893** (Geometridae) **Synonym(s):** *cinerea* Holland,1893
Range (in code): **GA Ogo GO UG Etb**
- 44562. Megadrepana cinerea cinerea Holland,1893** (Geometridae) **Synonym(s):** *cinerea* Holland,1893; *brunneata* Strand,1912
Range (in code): **GA Ogo GO**
- 44563. Megadrepana cinerea leprosata (W.Warren,1905)** (Geometridae) **Synonym(s):** *leprosata* W.Warren,1905
Range (in code): **UG Etb**
- 44564. Megalycinia engys Wehrli,1939** (Geometridae) **Synonym(s):** *engys* Wehrli,1939
Original Reference: Hemerophila (Megalycinia) engys Wehrli,1939, Mitt. mu1ch. ent. Ges. 29 (1): 73-74. Monotype ♂: Irak: Berserini, 1000m. **Range (in code):** **TR IQ Brs**
- 44565. Megalycinia scalaria (Christoph,1893)** (Geometridae) **Synonym(s):** *scalaria* Christoph,1893
Original Reference: Hemerophila scalaria Christoph,1893, Dt. ent. Z., Iris 6: 95. Syntypes 2♂♂: [Azerbaijan]: "Helenendorf". **Range (in code):** **Cc AZ Kir TR**

- 44566. Megalycinia serraria (Costa,1882)** (Geometridae) Synonym(s): *serraria* Costa,1882
Range (in code): **Si IT**
- 44567. Megalycinia strictaria (Lederer,1853)** (Geometridae) Synonym(s): *strictaria* Lederer,1853 Range (in code): **RU Ur At Am Prj Us MN CN Ts Gn KG Ssn**
- 44568. Megalycinia strictaria strictaria (Lederer,1853)** (Geometridae) Synonym(s): *strictaria* Lederer,1853 Range (in code): **RU Ur At Am Prj Us MN CN Ts KG Ssn**
- 44569. Megalycinia strictaria variegata (Djakonov,1936)** (Geometridae) Synonym(s): *variegata* Djakonov,1936 Range (in code): **CN Gn**
- 44570. Megaspilates mundataria (Stoll,1782)** (Geometridae) Synonym(s): *mundataria* Stoll,1782
Range (in code): **RO RU At Cc AZ AM CN Ui li KG Lps Ssn KK Ik**
- 44571. Melanthia alaudaria (Freyer,1846)** (Geometridae) Synonym(s): *alaudaria* Freyer,1846; *culmaria* Herrich-Schäffer,1848; *bicuspidaria* Ghiliani,1852 Range (in code): **FR IT DE CH AT SK RO YU BG RU MD UA BY** Bionomy: Larva on Atragene alpina (Blaschke,1914).
- 44572. Melanthia procellata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *procellata* [Denis & Schiffermüller],1775; ? *areolata* Fourcroy,1785; *procellaria* Boisduval,1840 Original Reference: Geometra procellata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Sok AZ DK SE RU MD UA BY** Bionomy: Larva on Clematis vitalba (Meyer,1919).
- 44573. Melanthia ustiplaga (W.Warren,1899)** (Geometridae) Synonym(s): *ustiplaga* W.Warren,1899 Range (in code): **ZA Tva ZA05 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu**
- 44574. Melinoessa aemonia (Swinhoe,1904)** (Geometridae) Synonym(s): *aemonia* Swinhoe,1904
Range (in code): **UG Kmp CM Bit**
- 44575. Melinoessa aemonia aemonia (Swinhoe,1904)** (Geometridae) Synonym(s): *aemonia* Swinhoe,1904 Range (in code): **UG Kmp**
- 44576. Melinoessa aemonia restrictiflava L.B.Prout,1922** (Geometridae) Synonym(s): *restrictiflava* L.B.Prout,1922 Range (in code): **CM Bit**
- 44577. Melinoessa amplissimata (Walker,[1863])** (Geometridae) Synonym(s): *amplissimata* Walker,[1863]; *vulgaria* Plötz,1880 Range (in code): **CM**
- 44578. Melinoessa argenteomaculata (Strand,1918)** (Geometridae) Synonym(s): *argenteomaculata* Strand,1918 Range (in code): **ZR Kasa**
- 44579. Melinoessa asteria L.B.Prout,1934** (Geometridae) Synonym(s): *asteria* L.B.Prout,1934
Range (in code): **CM Bit**
- 44580. Melinoessa aureola L.B.Prout,1934** (Geometridae) Synonym(s): *aureola* L.B.Prout,1934
Range (in code): **SL**
- 44581. Melinoessa catenata (Saalmüller,1891)** (Geometridae) Synonym(s): *catenata* Saalmüller,1891 Range (in code): **MG**
- 44582. Melinoessa eurycrossa L.B.Prout,1934** (Geometridae) Synonym(s): *eurycrossa* L.B.Prout,1934 Range (in code): **CM Yau**
- 44583. Melinoessa fulvescens L.B.Prout,1916** (Geometridae) Synonym(s): *fulva* Drury,1782 *nec* Fost.,1771; *fulvescens* L.B.Prout,1916 Range (in code):
- 44584. Melinoessa guenoti Herbulot,1981** (Geometridae) Synonym(s): *guenoti* Herbulot,1981
Range (in code): **MG**
- 44585. Melinoessa horni L.B.Prout,1922** (Geometridae) Synonym(s): *horni* L.B.Prout,1922
Range (in code): **CM Bit**
- 44586. Melinoessa midas L.B.Prout,1922** (Geometridae) Synonym(s): *midas* L.B.Prout,1922
Range (in code): **CM Bit**
- 44587. Melinoessa molybdauges L.B.Prout,1927** (Geometridae) Synonym(s): *molybdauges* L.B.Prout,1927 Range (in code): **ST**
- 44588. Melinoessa palumbata (W.Warren,1894)** (Geometridae) Synonym(s): *palumbata* W.Warren,1894 Range (in code): **NG**
- 44589. Melinoessa pauper W.Warren,1901** (Geometridae) Synonym(s): *pauper* W.Warren,1901
Range (in code): **UG**
- 44590. Melinoessa perlimbata (Guenée,[1858])** (Geometridae) Synonym(s): *perlimbata* Guenée,[1858] Range (in code): **NG KE**
- 44591. Melinoessa pieridaria (Holland,1920)** (Geometridae) Synonym(s): *pieridaria* Holland,1920 Range (in code): **ZR Mdj**

- 44592. *Melinoessa sodaliata* (Walker,[1863])** (Geometridae) Synonym(s): *sodaliata* Walker,[1863]; *costalis* Walker,1869 _ Range (in code): **SL ZR UG Kmp**
- 44593. *Melinoessa sodaliata lepturges* L.B.Prout,1928** (Geometridae) Synonym(s): *lepturges* L.B.Prout,1928 _ Range (in code): **UG Kmp**
- 44594. *Melinoessa stellata* (Butler,1878)** (Geometridae) Synonym(s): *stellata* Butler,1878 _ Range (in code): **NG Caa**
- 44595. *Melinoessa stramineata* (Walker,1869)** (Geometridae) Synonym(s): *stramineata* Walker,1869 _ Range (in code): **CG**
- 44596. *Melinoessa subalbida* W.Warren,1905** (Geometridae) Synonym(s): *subalbida* W.Warren,1905 _ Range (in code): **UG Etb**
- 44597. *Melinoessa tanyglochis* L.B.Prout,1928** (Geometridae) Synonym(s): *tanyglochis* L.B.Prout,1928 _ Range (in code): **UG Kmp**
- 44598. *Melinoessa tessmanni* (Gaede,1917)** (Geometridae) Synonym(s): *tessmanni* Gaede,1917 _ Range (in code): **GO**
- 44599. *Melinoessa torquilinea* L.B.Prout,1916** (Geometridae) Synonym(s): *torquilinea* L.B.Prout,1916 _ Range (in code): **CM Bit**
- 44600. *Menophra aborta* (W.Warren,1898)** (Geometridae) Synonym(s): *aborta* W.Warren,1898 _ Range (in code): **UG Kmp**
- 44601. *Menophra aborta aborta* (W.Warren,1898)** (Geometridae) Synonym(s): *aborta* W.Warren,1898 _ Range (in code): **UG Kmp**
- 44602. *Menophra aborta rotifera* (L.B.Prout,1915)** (Geometridae) Synonym(s): *rotifera* L.B.Prout,1915 _ Range (in code): **UG**
- 44603. *Menophra abruptaria* (Thunberg,1792)** (Geometridae) Synonym(s): *abruptaria* Thunberg,1792; *strigata* Fabricius,1794; *petrificata* Hübner,[1799]; *suberaria* Donovan,1808; *petrificaria* Duponchel,1829; *barcinonaria* Bellier,1862; *theobromaria* Turati,1909 _ Original Reference: *Phalaena abruptaria* Thunberg,1792, Dissertatio Ent. sistens Insect Svevica 4: 59. Lectotype ♂: Sweden (Karsholt & Nielsen, 1985: 439). _ Range (in code): **Cn TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH YU AL BG GR TR** _ Bionomy: Larva on *Cytisus capitans*, *Fraxinus*, *Genista germanica*, *G. tinctoria*, *Ligustrum vulgare*, *Rosa* (Blaschke,1914; Meyer,1919).
- 44604. *Menophra abruptaria canariensis* (Rebel,1917)** (Geometridae) Synonym(s): *canariensis* Rebel,1917 _ Range (in code): **Cn**
- 44605. *Menophra abruptaria maura* (Oberthür,1913)** (Geometridae) Synonym(s): *maura* Oberthür,1913 _ Range (in code): **TN**
- 44606. *Menophra absurda* (L.B.Prout,1917)** (Geometridae) Synonym(s): *absurda* L.B.Prout,1917 _ Range (in code): **ZA**
- 44607. *Menophra alticamerunis* Herbulot,1992** (Geometridae) Synonym(s): *alticamerunis* Herbulot,1992 _ Range (in code): **CM**
- 44608. *Menophra anaplagiata* Sato,1984** (Geometridae) Synonym(s): *anaplagiata* Sato,1984 _ Range (in code): **TW**
- 44609. *Menophra angustipennis* (Dognin,1907)** (Geometridae) Synonym(s): *angustipennis* Dognin,1907 _ Range (in code): **PE**
- 44610. *Menophra arabica* Wiltshire,1980** (Geometridae) Synonym(s): *arabica* Wiltshire,1980 _ Range (in code): **SA**
- 44611. *Menophra berenicidaria* (Turati,1924)** (Geometridae) Synonym(s): *berenicidaria* Turati,1924; *trypanaria* Wiltshire,1948; *cretacaria* Reisser,1948 _ Range (in code): **TN LY Cy TR CY GR Cr**
- 44612. *Menophra bicornuta* Inoue,1990** (Geometridae) Synonym(s): *bicornuta* Inoue,1990 _ Range (in code): **IN SI Djl**
- 44613. *Menophra bilobata* Herbulot,1995** (Geometridae) Synonym(s): *bilobata* Herbulot,1995 _ Range (in code): **CM**
- 44614. *Menophra bitoi* Sato,1992** (Geometridae) Synonym(s): *bitoi* Sato,1992 _ Range (in code): **MY**
- 44615. *Menophra caeca* (L.B.Prout,1913)** (Geometridae) Synonym(s): *caeca* L.B.Prout,1913 _ Range (in code): **ZA Nta Kzu Wnn**
- 44616. *Menophra chionodes* (Wehrli,1941)** (Geometridae) Synonym(s): *chionodes* Wehrli,1941 _ Range (in code): **CN Sz T-T**
- 44617. *Menophra codra* (Swinhoe,1891)** (Geometridae) Synonym(s): *codra* Swinhoe,1891 _ Range (in code): **IN Ass Meg Khs**

- 44618. *Menophra conjunctaria* (Leech,1897)** (Geometridae) **Synonym(s):** *conjunctaria* Leech,1897 - Range (in code): **CN**
- 44619. *Menophra contemptaria* (Walker,1860)** (Geometridae) **Synonym(s):** *contemptaria* Walker,1860 - Range (in code): **ZA** Bionomy: Larva on Maytenus heterophylla, M.undatus, Putterlickia pyracantha (Celastraceae) (Scoble,1999).
- 44620. *Menophra costistrigata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *costistrigata* W.Warren,1896 - Range (in code): **IN Ass Meg Khs**
- 44621. *Menophra decorata* (Moore,1868)** (Geometridae) **Synonym(s):** *decorata* Moore,1868 - Range (in code): **IN Ben**
- 44622. *Menophra dioxypages* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *dioxypages* L.B.Prout,1916 - Range (in code): **CN Ti**
- 44623. *Menophra dnophera* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *dnophera* L.B.Prout,1915 - Range (in code): **CM Bit AO**
- 44624. *Menophra dnophera dnophera* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *dnophera* L.B.Prout,1915 - Range (in code): **CM Bit**
- 44625. *Menophra dnophera leptophema* (L.B.Prout,1954)** (Geometridae) **Synonym(s):** *leptophema* L.B.Prout,1954 - Range (in code): **AO**
- 44626. *Menophra erebaria* (Oberthür,1883)** (Geometridae) **Synonym(s):** *erebaria* Oberthür,1883; *postdentaria* Rothschild,1914; *grisearia* Rothschild,1914 - Range (in code): **DZ Ges**
- 44627. *Menophra fulvistrigata* Herbulot,1996** (Geometridae) **Synonym(s):** *fulvistrigata* Herbulot,1996 - Range (in code): **RW**
- 44628. *Menophra grummi* (Alpheraky,1888)** (Geometridae) **Synonym(s):** *grummi* Alpheraky,1888 - Range (in code): **KK Ax CN Ui**
- 44629. *Menophra grummi altaicola* (Wehrli,1941)** (Geometridae) **Synonym(s):** *altaicola* Wehrli,1941 - Range (in code): **KK Ax**
- 44630. *Menophra grummi grummi* (Alpheraky,1888)** (Geometridae) **Synonym(s):** *grummi* Alpheraky,1888. - Range (in code): **CN Ui**
- 44631. *Menophra harterti* (Rothschild,1912)** (Geometridae) **Synonym(s):** *harterti* Rothschild,1912; *powelli* Oberthür,1913; *thuriferaria* Zerny,1927; *dresnayi* Lucas,1932; *dubiosa* Albers & Warnecke,1941; *undulosa* Albers & Warnecke,1941 - Range (in code): **MA DZ Ktr Ges Eba ES Mu FR Sa** Bionomy: Larva on Juniperus (Calle, et al.,2000).
- 44632. *Menophra harutai* (Inoue,1954)** (Geometridae) **Synonym(s):** *harutai* Inoue,1954 - Range (in code): **JP**
- 44633. *Menophra humeraria* (Moore,1868)** (Geometridae) **Synonym(s):** *humeraria* Moore,1868 - Range (in code): **IN Ben**
- 44634. *Menophra jansei* Herbulot,1997** (Geometridae) **Synonym(s):** *jansei* Herbulot,1997 - Range (in code): **ZA Gau Tva Jh**
- 44635. *Menophra japygiaria* (Costa,1849)** (Geometridae) **Synonym(s):** *japygiaria* Costa,1849; *fractaria* Staudinger,1859; *rhizolitharia* Rambur,1866; *sagarraria* Turati,1924 - Range (in code): **DZ Ges TN Gf PT ES Mu FR Sa Si IT MT GR Cr** Bionomy: Larva on Helianthemum (Meyer,1919).
- 44636. *Menophra jobaphes* (Wehrli,1941)** (Geometridae) **Synonym(s):** *jobaphes* Wehrli,1941 - Range (in code): **CN Yu**
- 44637. *Menophra jugorum* (R.Felder & Rogenhofer,[1875])** (Geometridae) **Synonym(s):** *jugorum* R.Felder & Rogenhofer,[1875] - Range (in code): **IN**
- 44638. *Menophra lignata* (W.Warren,1894)** (Geometridae) **Synonym(s):** *lignata* W.Warren,1894 - Range (in code): **IN Ass Meg Khs**
- 44639. *Menophra luteifasciata* Herbulot,1996** (Geometridae) **Synonym(s):** *luteifasciata* Herbulot,1996 - Range (in code): **CM**
- 44640. *Menophra lyta* (Wehrli,1941)** (Geometridae) **Synonym(s):** *lyta* Wehrli,1941 - Range (in code): **CN Tkg**
- 44641. *Menophra maderae* (Bethune-Baker,1891)** (Geometridae) **Synonym(s):** *maderae* Bethune-Baker,1891 - Range (in code): **Md**
- 44642. *Menophra mitsundoi* Sato,1984** (Geometridae) **Synonym(s):** *mitsundoi* Sato,1984 - Range (in code): **TW**
- 44643. *Menophra nakajimai* Sato,1984** (Geometridae) **Synonym(s):** *nakajimai* Sato,1984 - Range (in code): **TW**

- 44644. *Menophra nathaliae* Herbulot,1998** (Geometridae) Synonym(s): *nathaliae* Herbulot,1998
Range (in code): **GO Bio**
- 44645. *Menophra nigrifasciata* Hampson,1891** (Geometridae) Synonym(s): *nigrifasciata* Hampson,1891 _ Range (in code): **IN NI**
- 44646. *Menophra nitidaria* (Sterneck,1928)** (Geometridae) Synonym(s): *nitidaria* Sterneck,1928
Range (in code): **CN Sz T-T**
- 44647. *Menophra nycthemeraria* (Geyer,1831)** (Geometridae) Synonym(s): *nycthemeraria* Geyer,1831 _ Range (in code): **PT ES Mu FR Si IT? CH** Bionomy: Larva on *Cytisus*, *Genista*, *Retama* (Meyer,1919; Calle, et al.,2000).
- 44648. *Menophra obtusata* (W.Warren,1902)** (Geometridae) Synonym(s): *obtusata* W.Warren,1902 _ Range (in code): **ZA ZA12 Kzu Nta ZA14 Mpu Mal Tva Lpo Spb Bbg KE**
- 44649. *Menophra olginaria* (Swinhoe,1904)** (Geometridae) Synonym(s): *olginaria* Swinhoe,1904
Range (in code): **KE**
- 44650. *Menophra oviceps* (L.B.Prout,1954)** (Geometridae) Synonym(s): *oviceps* L.B.Prout,1954
Range (in code): **RW ZR**
- 44651. *Menophra pallescens* Inoue,1990** (Geometridae) Synonym(s): *pallescens* Inoue,1990
Range (in code): **BT**
- 44652. *Menophra perserrata* (Walker,1862)** (Geometridae) Synonym(s): *perserrata* Walker,1862 _ Range (in code): **IN**
- 44653. *Menophra plantei* Inoue,1993** (Geometridae) Synonym(s): *plantei* Inoue,1993 Original Reference: *Menophra plantei* Inoue,1993, Jap. J. Ent. 61 (4): 832-834, fig. Holotype ♂: Pakistan: Punjab: Mrree Hills, Nathia Gali, 2350m (BMNH). Range (in code): **PK Pj Haz Mrc**
- 44654. *Menophra praestantaria* (Püngeler,1902)** (Geometridae) Synonym(s): *praestantaria* Püngeler,1902 _ Range (in code): **KK TeA**
- 44655. *Menophra retractaria* (Moore,1868)** (Geometridae) Synonym(s): *retractaria* Moore,1868
Range (in code): **IN SI Djl**
- 44656. *Menophra senilis* (Butler,1878)** (Geometridae) Synonym(s): *senilis* Butler,1878
Range (in code): **JP**
- 44657. *Menophra serpentinaria* (W.Warren,1896)** (Geometridae) Synonym(s): *serpentinaria* W.Warren,1896 _ Range (in code): **IN Ass Khs Meg**
- 44658. *Menophra serrata* D.S.Fletcher,1953** (Geometridae) Synonym(s): *serrata* D.S.Fletcher,1953 _ Range (in code): **ZR**
- 44659. *Menophra serrataria* (Walker,1860)** (Geometridae) Synonym(s): *serrataria* Walker,1860
Range (in code): **ZA Etm Ktz ZA04 ZA05 ZA08 ZA13 ZA14 Mpu Mal Tva Lpo ZA18 Ec Nta Kzu Dbn**
- 44660. *Menophra subpilosa* (W.Warren,1894)** (Geometridae) Synonym(s): *subpilosa* W.Warren,1894; *instigata* L.B.Prout,1929 _ Range (in code): **ID Bru Clb Sum PH Pal Luz Mno IN Ass Meg Khs TH CMA Dst MY Bor Sbh KBa**
- 44661. *Menophra subplagiata* (Walker,1860)** (Geometridae) Synonym(s): *subplagiata* Walker,1860; *petrificaria* Kollar,[1844]; *ningwuana* Wehrli,1941 _ Range (in code): **PK Haz Mrc Thu IN CN Sz**
- 44662. *Menophra subsenilis* Sato,1993** (Geometridae) Synonym(s): *subsenilis* Sato,1993
Range (in code): **NP God**
- 44663. *Menophra subterminalis* (L.B.Prout,1925)** (Geometridae) Synonym(s): *subterminalis* L.B.Prout,1925 _ Range (in code): **IN Khs Ass Meg**
- 44664. *Menophra taiwana* (Wileman,1910)** (Geometridae) Synonym(s): *taiwana* Wileman,1910
Range (in code): **TW**
- 44665. *Menophra tienmuensis* (Wehrli,1941)** (Geometridae) Synonym(s): *tienmuensis* Wehrli,1941; *fortis* Wehrli,1941 _ Range (in code): **CN Kwa**
- 44666. *Menophra torridaria* Moore,1888** (Geometridae) Synonym(s): *torridaria* Moore,1888
Range (in code): **IN SI Djl**
- 44667. *Menophra translineata* (Walker,1869)** (Geometridae) Synonym(s): *translineata* Walker,1869; *nemea* Swinhoe,1891 _ Range (in code): **IN Ass Meg Khs TH**
- 44668. *Menophra trilineata* (W.Warren,1896)** (Geometridae) Synonym(s): *trilineata* W.Warren,1896 _ Range (in code): **IN Meg Khs Ass**
- 44669. *Menophra trypanaria* (Wiltshire,1948)** (Geometridae) Synonym(s): *trypanaria* Wiltshire,1948 _ Range (in code): **CY Cr**
- 44670. *Menophra trypanaria cretacearia* (Reisser,1958)** (Geometridae) Synonym(s): *cretacearia* Reisser,1958 _ Range (in code): **Cr**

- 44671. Menophra trypanaria trypanaria (Wiltshire,1948)** (Geometridae) **Synonym(s):** *trypanaria* Wiltshire,1948 _ **Range (in code):** **CY**
- 44672. Menophra tsinlinga (Wehrli,1941)** (Geometridae) **Synonym(s):** *tsinlinga* Wehrli,1941
Range (in code): **CN She**
- 44673. Mesaster albidiscata W.Warren,1895** (Geometridae) **Synonym(s):** *albidiscata* W.Warren,1895
Original Reference: Mesaster albidiscata W.Warren,1895, Novit. zool. 2: 145.
Syntypes 2♂: [Indonesia]: Sumatra: Padang. **Range (in code):** **ID Sum Pad TH Ntt Hba**
- 44674. Mesocoela obscura W.Warren,1902** (Geometridae) **Synonym(s):** *obscura* W.Warren,1902; *swinhoei* Bastelberger,1907 _ **Range (in code):** **KE TZ Tnga Usa**
- 44675. Mesocolpia consobrina (W.Warren,1901)** (Geometridae) **Synonym(s):** *consobrina* W.Warren,1901 _ **Range (in code):** **ST SL ZA ZA10 ZA18 Ec ZA25 Kzu** **Bionomy:** Larva on Macadamia (Proteaceae), Hermannia (Sterculiaceae) (Scoble,1999).
- 44676. Mesocolpia dexiphyma (L.B.Prout,1937)** (Geometridae) **Synonym(s):** *dexiphyma* L.B.Prout,1937 _ **Range (in code):** **ST**
- 44677. Mesocolpia lita (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *lita* L.B.Prout,1916
Range (in code): **ZA ZA08 Mal ZA16 Mpu ZA21 Tva Lpo ZA25 Kzu Nta Est**
- 44678. Mesocolpia nanula (Mabille,1900)** (Geometridae) **Synonym(s):** *nanula* Mabille,1900
Range (in code): **MG ZA**
- 44679. Mesocolpia peremptata (Walker,1862)** (Geometridae) **Synonym(s):** *peremptata* Walker,1862 _ **Range (in code):** **SL**
- 44680. Mesocolpia protrusata (W.Warren,1902)** (Geometridae) **Synonym(s):** *protrusata* W.Warren,1902 _ **Range (in code):** **KE Kky**
- 44681. Mesocolpia subcomosa W.Warren,1901** (Geometridae) **Synonym(s):** *subcomosa* W.Warren,1901 _ **Range (in code):** **ST**
- 44682. Mesoleuca albicillata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *albicillata* Linnaeus,1758 _ **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU K-R MD UA Cm BY Ur KG At MN RU Sb Sj Bry Am Sh Us Krl KP KR JP**
Bionomy: Larva on Rubus fruticosus, R. idaeus (Blaschke,1914; Meyer,1919).
- 44683. Mesoleuca albicillata albicillata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *albicillata* Linnaeus,1758 _ **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU K-R MD UA Cm BY Ur KG At Sb**
- 44684. Mesoleuca albicillata casta (Butler,1878)** (Geometridae) **Synonym(s):** *casta* Butler,1878
Range (in code): **RU Am Sh Us Krl KP KR JP**
- 44685. Mesoleuca albicillata nigromarginata (Heydemann,1936)** (Geometridae) **Synonym(s):** *nigromarginata* Heydemann,1936 _ **Range (in code):** **MN RU Sb Sj Bry**
- 44686. Mesoleuca mandschuricata (Bremer,1864)** (Geometridae) **Synonym(s):** *mandschuricata* Bremer,1864 _ **Range (in code):** **RU Ya Sb Am Us Krl KP KR JP**
- 44687. Mesoleuca mandschuricata borealis (Herz,1905)** (Geometridae) **Synonym(s):** *borealis* Herz,1905 _ **Range (in code):** **RU Ya Sb**
- 44688. Mesoleuca mandschuricata mandschuricata (Bremer,1864)** (Geometridae) **Synonym(s):** *mandschuricata* Bremer,1864 _ **Range (in code):** **RU Am Us Krl KP KR JP**
- 44689. Mesomima jacksoni Carcasson,1962** (Geometridae) **Synonym(s):** *jacksoni* Carcasson,1962 _ **Range (in code):** **NG**
- 44690. Mesomima tenuifascia (Holland,1893)** (Geometridae) **Synonym(s):** *tenuifascia* Holland,1893; *albifrons* W.Warren,1897; *pulchra* Strand,1911 _ **Range (in code):** **NG CG GA Ogo**
- 44691. Mesomima tmetoleuca L.B.Prout,1934** (Geometridae) **Synonym(s):** *tmetoleuca* L.B.Prout,1934 _ **Range (in code):** **ZR**
- 44692. Mesothisa cinnamonea Carcasson,1964** (Geometridae) **Synonym(s):** *cinnamonea* Carcasson,1964 _ **Range (in code):** **UG**
- 44693. Mesothisa crassilinea Carcasson,1962** (Geometridae) **Synonym(s):** *crassilinea* Carcasson,1962 _ **Range (in code):** **UG Kzi**
- 44694. Mesothisa dubiefi Viette,1977** (Geometridae) **Synonym(s):** *dubiefi* Viette,1977 _ **Range (in code):** **MG**
- 44695. Mesothisa flaccida W.Warren,1905** (Geometridae) **Synonym(s):** *flaccida* W.Warren,1905
Range (in code): **SL**
- 44696. Mesothisa gracililinea W.Warren,1905** (Geometridae) **Synonym(s):** *gracililinea* W.Warren,1905; *conradtaria* Oberthür,1911 _ **Range (in code):** **CI CM**

- 44697. Mesothisa misanga Herbulot,1997** (Geometridae) Synonym(s): *misanga Herbulot,1997*
Range (in code): **ZR**
- 44698. Mesothisa ozola L.B.Prout,1926** (Geometridae) Synonym(s): *ozola L.B.Prout,1926*
Range (in code): **MG**
- 44699. Mesothisa pulverata Carcasson,1964** (Geometridae) Synonym(s): *pulverata Carcasson,1964* - Range (in code): **UG Kzi**
- 44700. Mesothisa royi Herbulot,1954** (Geometridae) Synonym(s): *royi Herbulot,1954* - Range (in code): **GN**
- 44701. Mesothisa substigmata Carcasson,1964** (Geometridae) Synonym(s): *substigmata Carcasson,1964* - Range (in code): **UG**
- 44702. Mesothisa tanala Herbulot,1968** (Geometridae) Synonym(s): *tanala Herbulot,1968*
Range (in code): **MG**
- 44703. Mesotrophe curtisi (L.B.Prout,1920)** (Geometridae) Synonym(s): *curtisi L.B.Prout,1920*
Range (in code): **MY Pen**
- 44704. Mesotrophe harrietae (G.S.Robinson,1975)** (Geometridae) Synonym(s): *harrietae G.S.Robinson,1975* - Range (in code): **FJ**
- 44705. Mesotrophe impavida (L.B.Prout,1938)** (Geometridae) Synonym(s): *impavida L.B.Prout,1938* - Range (in code): **MY Bor**
- 44706. Mesotrophe intortaria (Guenée,[1858])** (Geometridae) Synonym(s): *intortaria Guenée,[1858]; expunctaria Walker,1859; responsaria Walker,1861; ovisignata Moore,[1887]* - Range (in code): **MY Bor Swk SG LK**
- 44707. Mesotrophe maximaria (Guenée,[1858])** (Geometridae) Synonym(s): *maximaria Guenée,[1858]; immonstrata Walker,[1863]; erubescens W.Warren,1896* - Range (in code): **MY Bor Swk Snk**
- 44708. Mesotrophe nephelospila (Meyrick,1889)** (Geometridae) Synonym(s): *nephelospila Meyrick,1889* - Range (in code): **PG PMo**
- 44709. Mesotrophe rudis (L.B.Prout,1920)** (Geometridae) Synonym(s): *rudis L.B.Prout,1920*
Range (in code): **ID Ij Snw**
- 44710. Mesurodes erichlora (Meyrick,1886)** (Geometridae) Synonym(s): *erichlora Meyrick,1886*
Range (in code): **FJ**
- 44711. Metabraxas atrogrisea Inoue,1992** (Geometridae) Synonym(s): *atrogrisea Inoue,1992*
Range (in code): **TH CMA Dst Dsk CRa Loe MM Tns IN Djl SI**
- 44712. Metabraxas clerica Butler,1881** (Geometridae) Synonym(s): *clerica Butler,1881*
Range (in code): **JP Hdo**
- 44713. Metabraxas coryneta (Swinhoe,1894)** (Geometridae) Synonym(s): *coryneta Swinhoe,1894* - Range (in code): **IN Ass Meg Khs Slo**
- 44714. Metabraxas incompositaria Leech,1897** (Geometridae) Synonym(s): *incompositaria Leech,1897* - Range (in code): **CN**
- 44715. Metabraxas inconfusa W.Warren,1894** (Geometridae) Synonym(s): *inconfusa W.Warren,1894* - Range (in code): **CN Ti**
- 44716. Metabraxas nigromarginaria Leech,1897** (Geometridae) Synonym(s): *nigromarginaria Leech,1897* - Range (in code): **CN**
- 44717. Metabraxas parvula Wehrli,1934** (Geometridae) Synonym(s): *parvula Wehrli,1934*
Range (in code): **CN Sz**
- 44718. Metabraxas paucimaculata Inoue,1955** (Geometridae) Synonym(s): *paucimaculata Inoue,1955* - Range (in code): **JP**
- 44719. Metabraxas phidola L.B.Prout,1928** (Geometridae) Synonym(s): *phidola L.B.Prout,1928*
Range (in code): **ID Sum**
- 44720. Metabraxas regularis W.Warren,1893** (Geometridae) Synonym(s): *regularis W.Warren,1893* - Range (in code): **IN Nag TH CMA**
- 44721. Metabraxas rubrotincta Inoue,1986** (Geometridae) Synonym(s): *rubrotincta Inoue,1986*
Range (in code): **TW**
- 44722. Metabraxas rufonotaria Leech,1897** (Geometridae) Synonym(s): *rufonotaria Leech,1897*
Range (in code): **CN Sz**
- 44723. Metabraxas tincta (Hampson,1895)** (Geometridae) Synonym(s): *tincta Hampson,1895*
Range (in code): **IN SI**

- 44724. Metacrocallis vernalis Beljaev,1997** (Geometridae) Synonym(s): *vernalis Beljaev,1997*
Range (in code): **RU Us**
- 44725. Metallaxis ? sp.1** (Geometridae) Synonym(s): _ Range (in code): **ZA Ksi Kzu Nta**
- 44726. Metallaxis ? sp.2** (Geometridae) Synonym(s): _ Range (in code): **ZA Ksi Kzu Nta**
- 44727. Metallaxis amandae Holloway,1997** (Geometridae) Synonym(s): *amandae Holloway,1997*
Range (in code): **MY Bor Swk**
- 44728. Metallaxis herbuloti Viette,1978** (Geometridae) Synonym(s): *herbuloti Viette,1978*
Range (in code): **MG**
- 44729. Metallaxis semiustus (Swinhoe,1894)** (Geometridae) Synonym(s): *semiustus Swinhoe,1894* _ Range (in code): **IN Ass Meg Khs Cpj TH CMa**
- 44730. Metallaxis sogai Viette,1979** (Geometridae) Synonym(s): *sogai Viette,1979* _ Range (in code): **MG**
- 44731. Metallaxis teledapa L.B.Prout,1932** (Geometridae) Synonym(s): *teledapa L.B.Prout,1932*
Range (in code): **MG**
- 44732. Metallochlora albicinctaria (Walker,1866)** (Geometridae) Synonym(s): *albicinctaria Walker,1866* _ Range (in code): **ID Flo**
- 44733. Metallochlora camerunica Herbulot,1982** (Geometridae) Synonym(s): *camerunica Herbulot,1982* _ Range (in code): **CM**
- 44734. Metallochlora dyscheres L.B.Prout,1922** (Geometridae) Synonym(s): *dyscheres L.B.Prout,1922* _ Range (in code): **ZA MZ**
- 44735. Metallochlora exorista L.B.Prout,1917** (Geometridae) Synonym(s): *exorista L.B.Prout,1917* _ Range (in code): **PG Aro**
- 44736. Metallochlora glacialis (Butler,1880)** (Geometridae) Synonym(s): *glacialis Butler,1880; zebraea Saalmüller,1891* _ Range (in code): **MG**
- 44737. Metallochlora glauca Herbulot,1977** (Geometridae) Synonym(s): *glauca Herbulot,1977*
Range (in code): **CM**
- 44738. Metallochlora grisea L.B.Prout,1915** (Geometridae) Synonym(s): *grisea L.B.Prout,1915*
Range (in code): **ZA ZA04 ZA05 ZA07 Kzu Nta Dbn** Bionomy: Larva on *Adenopolia spicata* (Fabaceae) (Scoble,1999).
- 44739. Metallochlora melanopis L.B.Prout,1915** (Geometridae) Synonym(s): *melanopis L.B.Prout,1915* _ Range (in code): **CM Bit**
- 44740. Metallochlora misera L.B.Prout,1920** (Geometridae) Synonym(s): *misera L.B.Prout,1920*
Range (in code): **CI**
- 44741. Metallochlora proximata W.Warren,1899** (Geometridae) Synonym(s): *proximata W.Warren,1899; circumscripta W.Warren,1904* _ Range (in code): **SB**
- 44742. Metallochlora roseifimbria L.B.Prout,1913** (Geometridae) Synonym(s): *roseifimbria L.B.Prout,1913* _ Range (in code): **SB**
- 44743. Metallochlora rubripuncta W.Warren,1902** (Geometridae) Synonym(s): *rubripuncta W.Warren,1902* _ Range (in code): **SB**
- 44744. Metallochlora venusta (W.Warren,1896)** (Geometridae) Synonym(s): *venusta W.Warren,1896; pudica Pagenstecher,1900* _ Range (in code): **AU QAU PG**
- 44745. Metallolophia albescens Inoue,1992** (Geometridae) Synonym(s): *albescens Inoue,1992; ostrumaria Xue,1992* _ Range (in code): **CN Tkg Hun Yu Kwa VN**
- 44746. Metallolophia arenaria (Leech,1889)** (Geometridae) Synonym(s): *arenaria Leech,1889; danielaria Oberthür,1913* _ Range (in code): **CN Sz Yu Hun Fkn TW**
- 44747. Metallolophia assamensis Orhant,2000** (Geometridae) Synonym(s): *assamensis Orhant,2000* _ Range (in code): **IN Ass**
- 44748. Metallolophia cineracea Holloway,1996** (Geometridae) Synonym(s): *cineracea Holloway,1996* _ Range (in code): **MY Bor BN**
- 44749. Metallolophia cuneataria Han & Xue,[2004]** (Geometridae) Synonym(s): *cuneataria Han & Xue,[2004]* _ Range (in code): **CN**
- 44750. Metallolophia devecisi Herbulot,1989** (Geometridae) Synonym(s): *devecisi Herbulot,1989* _ Range (in code): **MY Cmh ID Sum TH CMa Int**
- 44751. Metallolophia flavomaculata Han & Xue,[2004]** (Geometridae) Synonym(s): *flavomaculata Han & Xue,[2004]* _ Range (in code): **CN Fkn**
- 44752. Metallolophia inanularia Han & Xue,[2004]** (Geometridae) Synonym(s): *inanularia Han & Xue,[2004]* _ Range (in code): **CN**

- 44753. *Metallolophia medullosa* Inoue,1988** (Geometridae) Synonym(s): *medullosa* Inoue,1988
Range (in code): **PH Mno Luz Neg**
- 44754. *Metallolophia ocellata* (W.Warren,1897)** (Geometridae) Synonym(s): *ocellata* W.Warren,1897
Range (in code): **IN Ass Meg Khs VN**
- 44755. *Metallolophia opalina* (W.Warren,1893)** (Geometridae) Synonym(s): *opalina* W.Warren,1893
Range (in code): **IN SI CN Ti**
- 44756. *Metallolophia purpurivenata* Han & Xue,[2004]** (Geometridae) Synonym(s): *purpurivenata* Han & Xue,[2004]
Range (in code): **CN VN Fan Ton**
- 44757. *Metallolophia stueningi* Han & Xue,[2004]** (Geometridae) Synonym(s): *stueningi* Han & Xue,[2004]
Range (in code): **VN Ton Fan**
- 44758. *Metallolophia subradiata* (W.Warren,1897)** (Geometridae) Synonym(s): *subradiata* W.Warren,1897
Range (in code): **MY Pen TH Bor Swk ID Sum Clb**
- 44759. *Metallolophia variegata* Holloway,1996** (Geometridae) Synonym(s): *variegata* Holloway,1996
Range (in code): **MY Bor Swk**
- 44760. *Metallolophia vitticosta* (Walker,1860)** (Geometridae) Synonym(s): *vitticosta* Walker,1860
Range (in code): **TH Ntt Hba MY Bor Swk VN ID Sum**
- 44761. *Metallospora bicornuta* Herbulot,1995** (Geometridae) Synonym(s): *bicornuta* Herbulot,1995
Range (in code): **CG**
- 44762. *Metallospora catori* W.Warren,1905** (Geometridae) Synonym(s): *catori* W.Warren,1905
Range (in code): **SL**
- 44763. *Metaperenia ductaria* (Walker,1862)** (Geometridae) Synonym(s): *ductaria* Walker,1862
Range (in code): **TH CMa IN**
- 44764. *Metaterpna differens* (W.Warren,1909)** (Geometridae) Synonym(s): *differens* W.Warren,1909
Range (in code): **IN Hp Kul**
- 44765. *Metaterpna thyatiraria* (Oberthür,1913)** (Geometridae) Synonym(s): *thyatiraria* Oberthür,1913; *thyatiroides* Sterneck,1928
Range (in code): **CN Sz T-T**
- 44766. *Meteima mediorufa* (Bastelberger,1911)** (Geometridae) Synonym(s): *mediorufa* Bastelberger,1911
Range (in code): **RU Us TW**
- 44767. *Meteima mediorufa gilva* Djakonov,1952** (Geometridae) Synonym(s): *gilva* Djakonov,1952
Range (in code): **RU Us**
- 44768. *Meteima mediorufa mediorufa* (Bastelberger,1911)** (Geometridae) Synonym(s): *mediorufa* Bastelberger,1911
Range (in code): **TW**
- 44769. *Methydata auster* (L.B.Prout,1912)** (Geometridae) Synonym(s): *auster* L.B.Prout,1912
Range (in code): **BR**
- 44770. *Miantochora discalis* Herbulot,1954** (Geometridae) Synonym(s): *discalis* Herbulot,1954
Range (in code): **GN**
- 44771. *Miantochora fletcheri* Herbulot,1954** (Geometridae) Synonym(s): *fletcheri* Herbulot,1954
Range (in code): **GN**
- 44772. *Miantochora fontainei* Herbulot,1966** (Geometridae) Synonym(s): *fontainei* Herbulot,1966
Range (in code): **CG**
- 44773. *Miantochora griseata* Carcasson,1964** (Geometridae) Synonym(s): *griseata* Carcasson,1964
Range (in code): **UG**
- 44774. *Miantochora gumpfenbergi* (Möschler,1887)** (Geometridae) Synonym(s): *gumpfenbergi* Möschler,1887
Range (in code): **GH ZA Etm ZA04 ZA05 ZA07 Nta Kzu**
- 44775. *Miantochora incolorata* W.Warren,1899** (Geometridae) Synonym(s): *incolorata* W.Warren,1899
Range (in code): **NG**
- 44776. *Miantochora interrupta* (Bastelberger,1907)** (Geometridae) Synonym(s): *interrupta* Bastelberger,1907
Range (in code):
- 44777. *Miantochora lisa* Herbulot,1954** (Geometridae) Synonym(s): *lisa* Herbulot,1954
Range (in code): **GN**
- 44778. *Miantochora picturata* Herbulot,1985** (Geometridae) Synonym(s): *picturata* Herbulot,1985
Range (in code): **CG**
- 44779. *Miantochora polychroaria* (Mabille,1890)** (Geometridae) Synonym(s): *polychroaria* Mabille,1890; *cassualala* Bethune-Baker,1913
Range (in code): **AO**
- 44780. *Miantochora punctiligera* (Mabille,1879)** (Geometridae) Synonym(s): *punctiligera* Mabille,1879
Range (in code): **AO**

- 44781. Miantochora restricta** Herbulot,1997 (Geometridae) Synonym(s): *restricta* Herbulot,1997
Range (in code): **RW**
- 44782. Miantochora rufaria** (Swinhoe,1904) (Geometridae) Synonym(s): *rufaria* Swinhoe,1904
Range (in code): **NG Caa**
- 44783. Miantochora subcaudata** Herbulot,1981 (Geometridae) Synonym(s): *subcaudata* Herbulot,1981
Range (in code): **CF**
- 44784. Miantochora venerata** (Mabille,1879) (Geometridae) Synonym(s): *venerata* Mabille,1879; *inaequilinea* W.Warren,1895; *ochreomaculata* W.Warren,1899
Range (in code): **AO ZR**
- 44785. Micrabraxas abraxidia** Inoue,1982 (Geometridae) Synonym(s): *abraxia* Inoue,1982
Range (in code): **NP**
- 44786. Micrabraxas anisonoma** L.B.Prout,1927 (Geometridae) Synonym(s): *anisonoma* L.B.Prout,1927
Range (in code): **MM Hpi**
- 44787. Micrabraxas cupriscotia** (Hampson,1902) (Geometridae) Synonym(s): *cupriscotia* Hampson,1902
Range (in code): **IN SI CN Ti Yt**
- 44788. Micrabraxas grandis** Yazaki,1995 (Geometridae) Synonym(s): *grandis* Yazaki,1995
Range (in code): **NP**
- 44789. Micrabraxas incolorata** W.Warren,1893 (Geometridae) Synonym(s): *incolorata* W.Warren,1893
Range (in code): **IN SI**
- 44790. Micrabraxas lenis** Yazaki,1995 (Geometridae) Synonym(s): *lenis* Yazaki,1995
Range (in code): **NP**
- 44791. Micrabraxas melanodonta** (Hampson,1907) (Geometridae) Synonym(s): *melanodonta* Hampson,1907
Range (in code): **IN SI CN Ti Yt**
- 44792. Micrabraxas nigromacularia** (Leech,1897) (Geometridae) Synonym(s): *nigromacularia* Leech,1897
Range (in code): **CN**
- 44793. Micrabraxas pongaria** (Oberthür,1893) (Geometridae) Synonym(s): *pongaria* Oberthür,1893
Range (in code): **CN Sz T-T**
- 44794. Micrabraxas punctigera** Butler,1889 (Geometridae) Synonym(s): *punctigera* Butler,1889
Range (in code): **IN Hp Drm CN**
- 44795. Micrabraxas punctigera nigropunctaria** (Leech,1897) (Geometridae) Synonym(s): *nigropunctaria* Leech,1897
Range (in code): **CN**
- 44796. Micrabraxas punctigera punctigera** Butler,1889 (Geometridae) Synonym(s): *punctigera* Butler,1889
Range (in code): **IN Hp Drm**
- 44797. Micrabraxas rotundata** Inoue,1982 (Geometridae) Synonym(s): *rotundata* Inoue,1982
Range (in code): **NP**
- 44798. Micrabraxas seriopuncta** (Hampson,1902) (Geometridae) Synonym(s): *seriopuncta* Hampson,1902
Range (in code): **CN Ti Yt**
- 44799. Micrabraxas tenuis** (W.Warren,1897) (Geometridae) Synonym(s): *tenuis* W.Warren,1897
Range (in code): **IN**
- 44800. Microbaena pulchra** (Staudinger,1898) (Geometridae) Synonym(s): *pulchra* Staudinger,1898
Original Reference: *Phorodesma pulchra* Staudinger,1898, Dt. ent. Z., Iris 10: 302, pl. 4 fig.27. Type ♂: [Palestina/Israel]: Jerusalem (MNHU). Range (in code): **IL Pa Js SD Ksl Erk ZA ZA17 ZA21 Tva Lpo YE**
- 44801. Microbaena pulchra minor** Hausmann,1996 (Geometridae) Synonym(s): *minor* Hausmann,1996
Original Reference: *Microbaena pulchra* ssp. *minor* Hausmann,1996, Nota lepid. 19 (1/2): 23, fig.146. Holotype ♂: Sudan: Kassala Prov., Erkowit, 1000-1300m (ZSBS).
Range (in code): **ZA ZA17 ZA21 Tva Lpo SD Ksl Erk YE**
- 44802. Microbaena pulchra pulchra** (Staudinger,1898) (Geometridae) Synonym(s): *pulchra* Staudinger,1898
Original Reference: *Phorodesma pulchra* Staudinger,1898, Dt. ent. Z., Iris 10: 302, pl. 4 fig.27. Type ♂: [Palestina/Israel]: Jerusalem (MNHU). Range (in code): **IL Pa Js**
- 44803. Microbiston lanaria** (Eversmann,1852) (Geometridae) Synonym(s): *lanaria* Eversmann,1852; *tataricus* Staudinger,1882
Range (in code): **RU Ur KG Ssn Lps CN Ui KI**
- 44804. Microbiston phaeothorax** Wehrli,1941 (Geometridae) Synonym(s): *phaeothorax* Wehrli,1941
Original Reference: *Microbiston phaeothorax* Wehrli,1941, [in] Seitz, Die Gross-Schmett. Erde 4 (suppl.): 427 (35f). Syntypes: [Russia]: Daghestan: Petrovsk-port; [Armenia]: Erivan, Para-Kar. Range (in code): **RU Da Cc AM Eri** Bionomy: Larva on Artemisia (Wehrli,1941).

- 44805. Microbiston turanicus Staudinger,1900** (Geometridae) **Synonym(s):** *turanicus Staudinger,1900* - Range (in code): TM Kp
- 44806. Microcalicha delika (Swinhoe,1902)** (Geometridae) **Synonym(s):** *delika Swinhoe,1902* - Range (in code): MY Bor Sbh ID Sum TH Ntt Hba
- 44807. Microligia confinis M.Krüger,1999** (Geometridae) **Synonym(s):** *confinis M.Krüger,1999* - Range (in code): SZ ZA Nta Kzu Fs
- 44808. Microligia dolosa W.Warren,1897** (Geometridae) **Synonym(s):** *dolosa W.Warren,1897* - Range (in code): TZ Kmj ZA Ktz ZA18 ZA03 Wca Cto Cld Kbo Sas Kow Sdg Ec Grh Pel Elo Stj Sth ZA25 Nta Kzu Ptw Mlm Dmm Evt Srn Dbn Esw Umk
- 44809. Microligia dolosa orioles L.B.Prout,1932** (Geometridae) **Synonym(s):** *orioles L.B.Prout,1932* - Range (in code): TZ Kmj
- 44810. Microligia luteicincta L.B.Prout,1916** (Geometridae) **Synonym(s):** *luteicincta L.B.Prout,1916* - Range (in code): ZA ZA10 Nta Kzu Tva Gau Pre Mag Wca Grh Jnk Est ZW Har
- 44811. Microligia paradolosa M.Krüger,1999** (Geometridae) **Synonym(s):** *paradolosa M.Krüger,1999* - Range (in code): ZA ZA11 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo
- 44812. Microligia pseudodolosa M.Krüger,1999** (Geometridae) **Synonym(s):** *pseudodolosa M.Krüger,1999* - Range (in code): ZA Lpo Tva Spb Ltr Gau Pre Mpu Brb Wv Grk Pil Ent Wo ZA14
- 44813. Microligia septentrionalis M.Krüger,1999** (Geometridae) **Synonym(s):** *septentrionalis M.Krüger,1999* - Range (in code): ZW Vum
- 44814. Microloxia herbaria (Hübner,[1813])** (Geometridae) **Synonym(s):** *herbaria Hübner,[1813]; advolata Eversmann,1837; graminaria Zeller,1849; bruandaria Millière,1860.* Original Reference: Geometra herbaria Hübner,[1813], Samml. eur. Schmett. 5: pl.79 fig.407. Type(s): Europa. Range (in code): DZ Ges PT ES FR Co Sa Si IT HU RO YU AL BG GR Cr TR GG Lag Kir Ord Len Da Der Cc AZ Nv CY IQ Kbl RU MD UA BY CN Ui Ku IR Fa Com Kz OM IL Pa Hf Bionomy: Larva on Lavandula, Teucrium capitatum (Staudinger,1879; Prout,1912; Meyer,1919; Wiltshire,1957).
- 44815. Microloxia indecretata (Walker,[1863])** (Geometridae) **Synonym(s):** *indecretata Walker,[1863]; pruinosa Butler,1880; aperta Swinhoe,1886.* - Range (in code): IN Bba PK Krc AF Pag
- 44816. Microloxia ruficornis W.Warren,1897** (Geometridae) **Synonym(s):** *ruficornis W.Warren,1897; innotata W.Warren,1901; halimaria Chrétien,1909; stenopteraria Turati,1930* - Range (in code): CV DZ Bsk TN Sfx ZA ZA13 ZA25 Kzu Nta Wnn Tva Lpo Spb Mdk Umk Srn Ver Wmb Nyl Blo Fs Gau Pre Tst Hwk DZ AO LY Cy Wca EG IL Pa JO AE YE Sna Hd KE SD ZW Bul Bionomy: Larva on Helichrysum acutatum (Asteraceae) (Staude,1999).
- 44817. Microloxia schmitzi Hausmann,1994** (Geometridae) **Synonym(s):** *schmitzi Hausmann,1994* - Range (in code): Cn
- 44818. Microloxia simonyi (Rebel,1894)** (Geometridae) **Synonym(s):** *simonyi Rebel,1894* - Range (in code): Cn MA
- 44819. Microloxia simonyi assetata Hausmann,1994** (Geometridae) **Synonym(s):** *assetata Hausmann,1994* - Range (in code): MA
- 44820. Microlyces bassa Herbulot,1981** (Geometridae) **Synonym(s):** *bassa Herbulot,1981* - Range (in code): CM
- 44821. Micronidia intermedia Yazaki,1992** (Geometridae) **Synonym(s):** *intermedia Yazaki,1992* - Range (in code): TW
- 44822. Micronidia simplicata (Moore,1868)** (Geometridae) **Synonym(s):** *simplicata Moore,1868* - Range (in code): IN Ben
- 44823. Micronidia subpunctata W.Warren,1893** (Geometridae) **Synonym(s):** *subpunctata W.Warren,1893* - Range (in code): IN SI
- 44824. Micronidia unipuncta W.Warren,1893** (Geometridae) **Synonym(s):** *unipuncta W.Warren,1893* - Range (in code): IN SI Djl
- 44825. Micronissa delphinaria Swinhoe,1891** (Geometridae) **Synonym(s):** *delphinaria Swinhoe,1891* - Range (in code): IN Ass Meg Khs TH CMA
- 44826. Micronissa delphinaria Swinhoe,1893** (Geometridae) **Synonym(s):** *margaritata sensu Swinhoe,1891 nec Mr.,1868; delphinaria Swinhoe,1893* - Range (in code): IN Ass Meg Khs
- 44827. Microplutodes hilaropa (Meyrick,1897)** (Geometridae) **Synonym(s):** *hilaropa Meyrick,1897* - Range (in code): ID Bor Klt
- 44828. Microplutodes iridaria (Debauche,1941)** (Geometridae) **Synonym(s):** *iridaria Debauche,1941* - Range (in code): ID Clb

- 44829. *Microplutodes tristis* (Swinhoe,1902)** (Geometridae) **Synonym(s):** *tristis* Swinhoe,1902
Range (in code): **PH Luz**
- 44830. *Micrulia catocalaria* (Snellen,1881)** (Geometridae) **Synonym(s):** *catocalaria* Snellen,1881;
purpurea W.Warren,1897; *lobata* Hampson,1912 **Range (in code):** **ID Clb LK MY Pen**
- 44831. *Micrulia pacifica* Holloway,1979** (Geometridae) **Synonym(s):** *pacifica* Holloway,1979
Range (in code): **NC**
- 44832. *Micrulia tenuilinea* W.Warren,1896** (Geometridae) **Synonym(s):** *tenuilinea*
W.Warren,1896; *dentosa* W.Warren,1901 **Range (in code):** **AU QAU NC IN Ass Meg Khs**
- 44833. *Mictoschema swierstrai* L.B.Prout,1917** (Geometridae) **Synonym(s):** *swierstrai*
L.B.Prout,1917 **Range (in code):** **ZA ZA17 Tva Lpo Gau Pre BW**
- 44834. *Mictoschema tuckeri* L.B.Prout,1925** (Geometridae) **Synonym(s):** *tuckeri* L.B.Prout,1925
Range (in code): **NA**
- 44835. *Milionia basalis* Walker,1854** (Geometridae) **Synonym(s):** *basalis* Walker,1854; *latifasciata*
Butler,1881 **Range (in code):** **TH MY ID Sum JP Ri MM Tns IN Bor**
- 44836. *Milionia basalis butleri* Druce,1883** (Geometridae) **Synonym(s):** *butleri* Druce,1883
Range (in code): **ID Sum**
- 44837. *Milionia basalis guentheri* Butler,1881** (Geometridae) **Synonym(s):** *guentheri*
Butler,1881 **Range (in code):** **ID Sum**
- 44838. *Milionia basalis pryri* Druce,1888** (Geometridae) **Synonym(s):** *pryeri* Druce,1888;
#pyeri Hutacharern & Tuhtim,1995 **Range (in code):** **JP Ri**
- 44839. *Milionia basalis pyrozonis* Butler,1882** (Geometridae) **Synonym(s):** *pyrozonis*
Butler,1882 **Range (in code):** **MM Tns TH**
- 44840. *Milionia basalis sharpei* Butler,1886** (Geometridae) **Synonym(s):** *sharpei* Butler,1886
Range (in code): **IN MY Bor**
- 44841. *Milionia basalis zonea* Moore,1872** (Geometridae) **Synonym(s):** *zonea* Moore,1872
Range (in code): **IN Ben**
- 44842. *Milionia coalescens* Semper,1901** (Geometridae) **Synonym(s):** *coalescens* Semper,1901
Range (in code): **PH Mno**
- 44843. *Milionia coronifera* Semper,1901** (Geometridae) **Synonym(s):** *coronifera* Semper,1901;
stellata Semper,1901; *pretiosa* Schultze,1908 **Range (in code):** **PH Luz**
- 44844. *Milionia dulitana* Rothschild,1917** (Geometridae) **Synonym(s):** *dulitana* Rothschild,1917
Range (in code): **MY Bor Swk**
- 44845. *Milionia lamprobasis* Inoue,1992** (Geometridae) **Synonym(s):** *lamprobasis* Inoue,1992
Range (in code): **PH Mno**
- 44846. *Milionia lativitta* Moore,1872** (Geometridae) **Synonym(s):** *lativitta* Moore,1872;
pulchrinervis R.Felder,1874 **Range (in code):** **BD Syl IN SI**
- 44847. *Milionia luculenta* Swinhoe,1890** (Geometridae) **Synonym(s):** *luculenta* Swinhoe,1890
Range (in code): **ID Adm**
- 44848. *Milionia philippinensis* Rothschild,1895** (Geometridae) **Synonym(s):** *philippinensis*
Rothschild,1895 **Range (in code):** **PH Luz**
- 44849. *Milionia rubrifascia* Joicey & Talbot,1915** (Geometridae) **Synonym(s):** *rubrifascia*
Joicey & Talbot,1915 **Range (in code):** **ID Ij Afl**
- 44850. *Milocera* (?) *falcula* L.B.Prout,1934** (Geometridae) **Synonym(s):** *falcula* L.B.Prout,1934
Range (in code): **ZR**
- 44851. *Milocera* (Meiocera) *arcifera* (Hampson,1910)** (Geometridae) **Synonym(s):** *arcifera*
Hampson,1910 **Range (in code):** **ZM AO MW TZ**
- 44852. *Milocera* (Meiocera) *atreus* M.Krüger,2001** (Geometridae) **Synonym(s):** *atreus*
M.Krüger,2001 **Range (in code):** **CM**
- 44853. *Milocera* (Meiocera) *aureolitoralis* M.Krüger,2001** (Geometridae) **Synonym(s):**
aureolitoralis M.Krüger,2001 **Range (in code):** **GH**
- 44854. *Milocera* (Meiocera) *divorsa* L.B.Prout,1922** (Geometridae) **Synonym(s):** *divorsa*
L.B.Prout,1922 **Range (in code):** **CM Bit NG**
- 44855. *Milocera* (Meiocera) *dubia* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *dubia*
L.B.Prout,1917 **Range (in code):** **ZA NA AO ZW UG AM ZR**
- 44856. *Milocera* (Meiocera) *hypamycha* M.Krüger,2001** (Geometridae) **Synonym(s):**
hypamycha M.Krüger,2001 **Range (in code):** **RW UG**

- 44857. Milocera (Meiocera) pelops** M.Krüger,2001 (Geometridae) Synonym(s): *pelops* M.Krüger,2001 _ Range (in code): **ZR CG CM UG KE**
- 44858. Milocera (Meiocera) tantalus** M.Krüger,2001 (Geometridae) Synonym(s): *tantalus* M.Krüger,2001 _ Range (in code): **UG ZR LR**
- 44859. Milocera (Meiocera) thyestes** M.Krüger,2001 (Geometridae) Synonym(s): *thyestes* M.Krüger,2001 _ Range (in code): **GN CM**
- 44860. Milocera (s.str.) aurora** M.Krüger,2001 (Geometridae) Synonym(s): *aurora* M.Krüger,2001 _ Range (in code): **ZW AO MW ZR KE TZ ZM**
- 44861. Milocera (s.str.) depauperata** M.Krüger,2001 (Geometridae) Synonym(s): *depauperata* M.Krüger,2001 _ Range (in code): **CI**
- 44862. Milocera (s.str.) diffusata** (W.Warren,1902) (Geometridae) Synonym(s): *diffusata* W.Warren,1902 _ Range (in code): **ZR CM UG KE**
- 44863. Milocera (s.str.) eugompha** M.Krüger,2001 (Geometridae) Synonym(s): *eugompha* M.Krüger,2001 _ Range (in code): **RW TZ**
- 44864. Milocera (s.str.) herbuloti** M.Krüger,2001 (Geometridae) Synonym(s): *herbuloti* M.Krüger,2001 _ Range (in code): **KE Nai TZ**
- 44865. Milocera (s.str.) horaria** Swinhoe,1904 (Geometridae) Synonym(s): *horaria* Swinhoe,1904 _ Range (in code): **MG**
- 44866. Milocera (s.str.) ja** M.Krüger,2001 (Geometridae) Synonym(s): *ja* M.Krüger,2001 _ Range (in code): **CM**
- 44867. Milocera (s.str.) obfuscata** M.Krüger,2001 (Geometridae) Synonym(s): *obfuscata* M.Krüger,2001 _ Range (in code): **CM**
- 44868. Milocera (s.str.) podocarpus** L.B.Prout,1932 (Geometridae) Synonym(s): *podocarpus* L.B.Prout,1932 _ Range (in code): **KE**
- 44869. Milocera (s.str.) pyrinia** L.B.Prout,1934 (Geometridae) Synonym(s): *pyrinia* L.B.Prout,1934 _ Range (in code): **ZR**
- 44870. Milocera (s.str.) scoblei** M.Krüger,2001 (Geometridae) Synonym(s): *scoblei* M.Krüger,2001 _ Range (in code): **CM AO**
- 44871. Milocera (s.str.) sexcornuta** M.Krüger,2001 (Geometridae) Synonym(s): *sexcornuta* M.Krüger,2001 _ Range (in code): **RW UG CM**
- 44872. Milocera (s.str.) umbrosa** Herbulot,1989 (Geometridae) Synonym(s): *umbrosa* Herbulot,1989 _ Range (in code): **RW UG**
- 44873. Milocera (s.str.) ustatoides** M.Krüger,2001 (Geometridae) Synonym(s): *ustatoides* M.Krüger,2001 _ Range (in code): **TZ UG**
- 44874. Milocera (s.str.) zika** M.Krüger,2001 (Geometridae) Synonym(s): *zika* M.Krüger,2001 _ Range (in code): **UG**
- 44875. Milocera ustata** Herbulot,1973 (Geometridae) Synonym(s): *ustata* Herbulot,1973 _ Range (in code): **CM**
- 44876. Mimaletis albipennis** W.Warren,1894 (Geometridae) Synonym(s): *albipennis* W.Warren,1894 _ Range (in code): **SL**
- 44877. Mimaletis humilis** W.Warren,1894 (Geometridae) Synonym(s): *humilis* W.Warren,1894 _ Range (in code): **GA**
- 44878. Mimaletis landbecki** (Druce,1910) (Geometridae) Synonym(s): *landbecki* Druce,1910 _ Range (in code): **CG**
- 44879. Mimaletis paucialbata** L.B.Prout,1918 (Geometridae) Synonym(s): *paucialbata* L.B.Prout,1918 _ Range (in code): **ZM**
- 44880. Mimaletis postica** (Walker,1869) (Geometridae) Synonym(s): *postica* Walker,1869 _ Range (in code): **CG**
- 44881. Mimaletis reducta** L.B.Prout,1915 (Geometridae) Synonym(s): *reducta* L.B.Prout,1915 _ Range (in code): **UG**
- 44882. Mimaletis verecunda** L.B.Prout,1934 (Geometridae) Synonym(s): *verecunda* L.B.Prout,1934 _ Range (in code): **ZR**
- 44883. Mimaletis watulekii** Carcasson,1962 (Geometridae) Synonym(s): *watulekii* Carcasson,1962 _ Range (in code): **NG**
- 44884. Mimandria cataractae** L.B.Prout,1917 (Geometridae) Synonym(s): *cataractae* L.B.Prout,1917 _ Range (in code): **ZW Vf ZA ZA17 Tva Lpo Gau Pre KE**

- 44885. *Mimaplasta canui* Herbulot,1993** (Geometridae) **Synonym(s):** *canui* Herbulot,1993
Range (in code): **Sk**
- 44886. *Mimochroa albifrons* (Moore,1888)** (Geometridae) **Synonym(s):** *albifrons* Moore,1888
Range (in code): **IN SI Djl**
- 44887. *Mimochroa angulifascia* Moore,1879** (Geometridae) **Synonym(s):** *angulifascia* Moore,1879
Range (in code): **MM Tns TH ID Ja**
- 44888. *Mimochroa hypoxantha* (Kollar,[1844])** (Geometridae) **Synonym(s):** *hypoxantha* Kollar,[1844]; *lugens* Butler,1880
Range (in code): **Ch IN SI Djl**
- 44889. *Mimochroa olivescens* (Wileman,1914)** (Geometridae) **Synonym(s):** *olivescens* Wileman,1914
Range (in code): **TW**
- 44890. *Mimochroa pyricoetes* L.B.Prout,1928** (Geometridae) **Synonym(s):** *pyricoetes* L.B.Prout,1928
Range (in code): **ID Sum**
- 44891. *Mimoclystia acme* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *acme* L.B.Prout,1922
Range (in code): **MG**
- 44892. *Mimoclystia andringitra* Herbulot,1963** (Geometridae) **Synonym(s):** *andringitra* Herbulot,1963
Range (in code): **MG**
- 44893. *Mimoclystia bambusarum* Herbulot,1988** (Geometridae) **Synonym(s):** *bambusarum* Herbulot,1988
Range (in code): **CM**
- 44894. *Mimoclystia bergeri* (Gaede,1915)** (Geometridae) **Synonym(s):** *bergeri* Gaede,1915
Range (in code): **UG KE**
- 44895. *Mimoclystia cancellata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *cancellata* W.Warren,1899
Range (in code): **UG**
- 44896. *Mimoclystia corticearia* (Aurivillius,1910)** (Geometridae) **Synonym(s):** *corticearia* Aurivillius,1910
Range (in code): **ZA TZ Kmj**
- 44897. *Mimoclystia deplanata* (De Joannis,1913)** (Geometridae) **Synonym(s):** *deplanata* De Joannis,1913
Range (in code): **ER**
- 44898. *Mimoclystia dimorpha* Herbulot,1966** (Geometridae) **Synonym(s):** *dimorpha* Herbulot,1966
Range (in code): **KM**
- 44899. *Mimoclystia eucesta* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *eucesta* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 44900. *Mimoclystia euthygramma* (L.B.Prout,1921)** (Geometridae) **Synonym(s):** *euthygramma* L.B.Prout,1921
Range (in code): **ZR Kvu**
- 44901. *Mimoclystia explanata* (Walker,1862)** (Geometridae) **Synonym(s):** *explanata* Walker,1862; *coarctata* Walker,1862; *pallidata* Walker,1862; *euboliata* Walker,[1863]; *sylvicultrix* Wallengren,1872
Range (in code): **ZA ZA08 ZA11 ZA12 Nta Kzu ZA14 ZA18 Ec ZA20 Mpu ZA28 Tva Lpo Spb Bbg**
- 44902. *Mimoclystia griveaudi* Herbulot,1970** (Geometridae) **Synonym(s):** *griveaudi* Herbulot,1970
Range (in code): **MG**
- 44903. *Mimoclystia lichenarum* Herbulot,1963** (Geometridae) **Synonym(s):** *lichenarum* Herbulot,1963
Range (in code): **MG**
- 44904. *Mimoclystia limonias* (L.B.Prout,1933)** (Geometridae) **Synonym(s):** *limonias* L.B.Prout,1933
Range (in code): **TZ Aus**
- 44905. *Mimoclystia mermera* (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *mermera* L.B.Prout,1935
Range (in code): **ZA Tva Gau Pre**
- 44906. *Mimoclystia mimetica* (Debauche,1938)** (Geometridae) **Synonym(s):** *mimetica* Debauche,1938
Range (in code): **ZR Kvu**
- 44907. *Mimoclystia pudicata* (Walker,1862)** (Geometridae) **Synonym(s):** *pudicata* Walker,1862
Range (in code): **ZA ZA10 ZA11 ZA12 ZA13 Nta Kzu ZA18 Ec Ksi ZA28 Tva Lpo Brb ET Shw KE**
- 44908. *Mimoclystia pudicata cecchii* (Oberthür,1883)** (Geometridae) **Synonym(s):** *cecchii* Oberthür,1883
Range (in code): **ET Shw**
- 44909. *Mimoclystia pudicata quaggaria* (Wallengren,1872)** (Geometridae) **Synonym(s):** *quaggaria* Wallengren,1872; *semiflava* W.Warren,1898
Range (in code): **ZA Ksi Kzu ZA28 Tva Lpo Nta Brb**
- 44910. *Mimoclystia sylvicultrix* (Wallengren,1872)** (Geometridae) **Synonym(s):** *sylvicultrix* Wallengren,1872
Range (in code): **ZA Ec**
- 44911. *Mimoclystia tepescens* L.B.Prout,1922** (Geometridae) **Synonym(s):** *tepescens* L.B.Prout,1922
Range (in code): **ZA**

- 44912. *Mimoclystia tepescens* L.B.Prout,1922** (Geometridae) **Synonym(s):** *tepescens* L.B.Prout,1922 **_ Range (in code):** **ZW**
- 44913. *Mimoclystia thermochroa* (Hampson,1909)** (Geometridae) **Synonym(s):** *thermochroa* Hampson,1909 **_ Range (in code):** **UG Rz ZR**
- 44914. *Mimoclystia thorenaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *thorenaria* Swinhoe,1904 **_ Range (in code):** **MG**
- 44915. *Mimoclystia toxeres* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *toxeres* D.S.Fletcher,1978 **_ Range (in code):** **TZ Mru**
- 44916. *Mimoclystia undulosata* W.Warren,1901** (Geometridae) **Synonym(s):** *undulosata* W.Warren,1901 **_ Range (in code):** **ZA ZA10 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo**
- 44917. *Mimomiza creuntaria* (Moore,1868)** (Geometridae) **Synonym(s):** *creuntaria* Moore,1868 **_ Range (in code):** **IN Ben Meg Ass Khs TH CMa CDo**
- 44918. *Mimomiza creuntaria creuntaria* (Moore,1868)** (Geometridae) **Synonym(s):** *creuntaria* Moore,1868 **_ Range (in code):** **IN Ben**
- 44919. *Mimomiza creuntaria flavescens* Swinhoe,1906** (Geometridae) **Synonym(s):** *flavescens* Swinhoe,1906; *lyciscaria* Oberthür,1912; *serinaria* Thierry-Mieg,1915 **_ Range (in code):** **IN Meg Ass Khs TH CMa CDo**
- 44920. *Minoa murinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799 **_ Original Reference:** *Phalaena murinata* Scopoli,1763, *Entomologia Carniolica*: 229. **Type(s):** [Slovenien]: Carniolia [Krain]. **_ Range (in code):** **DZ Cst PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ GG AM RU Kr Tua MD UA BY CN Ui Kun** **_ Bionomy:** Larva on *Euphorbia cyparissias* (Meyer,1919); *Euphorbia amygdaloides* (Xue & Scoble,2002).
- 44921. *Minoa murinata amylaria* L.B.Prout,1914** (Geometridae) **Synonym(s):** *amylaria* L.B.Prout,1914 **_ Range (in code):** **IT**
- 44922. *Minoa murinata limburgia* Lempke,1969** (Geometridae) **Synonym(s):** *limburgia* Lempke,1969 **_ Range (in code):** **NL**
- 44923. *Minoa murinata lutea* Schwingenschuss,1954** (Geometridae) **Synonym(s):** *lutea* Schwingenschuss,1954 **_ Range (in code):** **RU Kr Tua**
- 44924. *Minoa murinata murinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *murinata* Scopoli,1763; *sordata* Linnaeus,1767; *fuscata* Hufnagel,1767; *euphorbiata* [Denis & Schiffermüller],1775; *unicolorata* Hübner,1787; *euphorbiaria* Hübner,1799 **_ Original Reference:** *Phalaena murinata* Scopoli,1763, *Entomologia Carniolica*: 229. **Type(s):** [Slovenien]: Carniolia [Krain]. **_ Range (in code):** **PT ES FR Co Si GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Cc GG AM RU MD UA BY CN Ui Kun**
- 44925. *Mirifica variata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *variata* D.S.Fletcher,1956 **_ Range (in code):** **KE**
- 44926. *Mixocera albilineata* Walia & Pajni,1985** (Geometridae) **Synonym(s):** *albilineata* Walia & Pajni,1985 **_ Range (in code):** **IN Hp**
- 44927. *Mixocera albimargo* W.Warren,1901** (Geometridae) **Synonym(s):** *albimargo* W.Warren,1901 **_ Range (in code):** **NG**
- 44928. *Mixocera albistrigata* (Pagenstecher,1893)** (Geometridae) **Synonym(s):** *albistrigata* Pagenstecher,1893; *oleagina* W.Warren,1897; *serraticornis* W.Warren,1897 **_ Range (in code):** **MZ ZA ZA17 Tva Lpo ZA25 Kzu Nta Wnn Mpu Brb Gau Pre Wv Rie Mdp Nyl ZW Bul Swm Har TZ RW KE NG CI YE**
- 44929. *Mixocera albistrigata bittermanni* Hausmann,1999** (Geometridae) **Synonym(s):** *bittermanni* Hausmann,1999 **_ Range (in code):** **YE**
- 44930. *Mixocera albistrigata politzari* Hausmann,1997** (Geometridae) **Synonym(s):** *politzari* Hausmann,1997 **_ Range (in code):** **NG CI**
- 44931. *Mixocera frustratoria* (Wallengren,1863)** (Geometridae) **Synonym(s):** *frustratoria* Wallengren,1863; *#frustatoria* Walker,1863 **_ Range (in code):** **ZA ZA25 Kzu Nta Umk Dbn Ver Esw Nha Ptb Gau Pre Nyl ZW Swm**
- 44932. *Mixocera katharinae* Hausmann,1997** (Geometridae) **Synonym(s):** *katharinae* Hausmann,1997 **_ Range (in code):** **ZR TZ MZ KE ZA**
- 44933. *Mixocera latilineata* (Walker,1866)** (Geometridae) **Synonym(s):** *latilineata* Walker,1866 **_ Range (in code):** **AU QAU**
- 44934. *Mixocera ledermanni* Hausmann,1997** (Geometridae) **Synonym(s):** *ledermanni* Hausmann,1997 **_ Range (in code):** **NG**

- 44935. *Mixocera obliqua* Bethune-Baker, 1913** (Geometridae) **Synonym(s):** *obliqua* Bethune-Baker, 1913 _ **Range (in code):** **AO**
- 44936. *Mixocera parvulata* (Walker, [1863])** (Geometridae) **Synonym(s):** *parvulata* Walker, [1863]; *rectifasciata* Hampson, 1896 _ **Range (in code):** **IN LK**
- 44937. *Mixocera sudanica* Herbulot, 1954** (Geometridae) **Synonym(s):** *sudanica* Herbulot, 1954 _ **Range (in code):** **SD**
- 44938. *Mixocera viridans* L.B. Prout, 1912** (Geometridae) **Synonym(s):** *viridans* L.B. Prout, 1912 _ **Range (in code):** **ZA Nta Kzu Umk Dbn Esw Nkw Srn ZW Har Swm GA**
- 44939. *Mixocera wiedenorum* Hausmann, 1997** (Geometridae) **Synonym(s):** *wiedenorum* Hausmann, 1997 _ **Range (in code):** **MG**
- 44940. *Mixocera xanthostephana* L.B. Prout, 1912** (Geometridae) **Synonym(s):** *xanthostephana* L.B. Prout, 1912 _ **Range (in code):** **ZA ZA07 Nta Kzu Ksi ZA17 Tva Lpo Nkw Ver Ptw Mpu Brb Wv Gau Pre UG KE**
- 44941. *Mixochlora alternata* W. Warren, 1897** (Geometridae) **Synonym(s):** *alternata* W. Warren, 1897 _ **Range (in code):** **PH Luz**
- 44942. *Mixochlora argentifusa* (Walker, 1861)** (Geometridae) **Synonym(s):** *argentifusa* Walker, 1861 _ **Range (in code):** **MY Bor Swk**
- 44943. *Mixochlora prasinus* (Butler, 1879)** (Geometridae) **Synonym(s):** *prasinus* Butler, 1879 _ **Range (in code):** **IN Ben TH ID Ja Sum JP Hdo**
- 44944. *Mixochlora prasinus kalisi* (L.B. Prout, 1935)** (Geometridae) **Synonym(s):** *kalisi* L.B. Prout, 1935 _ **Range (in code):** **ID Ja**
- 44945. *Mixochlora prasinus nopporn* Koçak & Kemal, 2006** (Geometridae) **Synonym(s):** *vittata* Moore, 1868 *nec* Thunb., 1784; *nopporn* Koçak & Kemal, 2006 _ **Original Reference:** *Mixochlora prasinus* ssp. *nopporn* Koçak & Kemal, 2006, Cent. ent. Stud., Misc. Pap. 102/103: 15 (nomen novum pro *vittata* Moore, 1868 *nec* Thunberg, 1784). _ **Range (in code):** **IN Ben TH**
- 44946. *Mixochlora prasinus prasinus* (Butler, 1879)** (Geometridae) **Synonym(s):** *prasinus* Butler, 1879 _ **Range (in code):** **JP Hdo**
- 44947. *Mixochlora prasinus sumatrensis* (L.B. Prout, 1933)** (Geometridae) **Synonym(s):** *sumatrensis* L.B. Prout, 1933 _ **Range (in code):** **ID Sum**
- 44948. *Mixochlora radiata* W. Warren, 1912** (Geometridae) **Synonym(s):** *radiata* W. Warren, 1912 _ **Range (in code):** **ID Ij Afk**
- 44949. *Monocerotesa abraxides* (L.B. Prout, 1914)** (Geometridae) **Synonym(s):** *abraxides* L.B. Prout, 1914 _ **Range (in code):** **TW**
- 44950. *Monocerotesa coalescens* (Bastelberger, 1909)** (Geometridae) **Synonym(s):** *coalescens* Bastelberger, 1909; *flavipicta* Wileman, 1911 _ **Range (in code):** **TW**
- 44951. *Monocerotesa conjuncta* (Wileman, 1912)** (Geometridae) **Synonym(s):** *conjuncta* Wileman, 1912 _ **Range (in code):** **TW**
- 44952. *Monocerotesa flavescens* Inoue, 1998** (Geometridae) **Synonym(s):** *flavescens* Inoue, 1998 _ **Range (in code):** **TW**
- 44953. *Monocerotesa hypomesta* (L.B. Prout, 1937)** (Geometridae) **Synonym(s):** *hypomesta* L.B. Prout, 1937 _ **Range (in code):** **ID Bli**
- 44954. *Monocerotesa leptogramma* Wehrli, 1937** (Geometridae) **Synonym(s):** *leptogramma* Wehrli, 1937 _ **Range (in code):** **CN Kwa**
- 44955. *Monocerotesa levata* (L.B. Prout, 1926)** (Geometridae) **Synonym(s):** *levata* L.B. Prout, 1926 _ **Range (in code):** **MM Hta**
- 44956. *Monocerotesa locoscripta* Holloway, [1994]** (Geometridae) **Synonym(s):** *locoscripta* Holloway, [1994] _ **Range (in code):** **MY Bor Swk TH Ntt Hba**
- 44957. *Monocerotesa lutearia* (Leech, 1891)** (Geometridae) **Synonym(s):** *lutearia* Leech, 1891 _ **Range (in code):** **JP KP KR**
- 44958. *Monocerotesa maculilinea* (W. Warren, 1905)** (Geometridae) **Synonym(s):** *maculilinea* W. Warren, 1905 _ **Range (in code):** **ID Clb**
- 44959. *Monocerotesa minuta* (W. Warren, 1905)** (Geometridae) **Synonym(s):** *minuta* W. Warren, 1905 _ **Range (in code):** **MY Bor Sbh**
- 44960. *Monocerotesa papuensis* (W. Warren, 1907)** (Geometridae) **Synonym(s):** *papuensis* W. Warren, 1907 _ **Range (in code):** **PG**
- 44961. *Monocerotesa phoebea* (L.B. Prout, 1916)** (Geometridae) **Synonym(s):** *phoebea* L.B. Prout, 1916 _ **Range (in code):** **ID Ij Gth**

- 44962. *Monocerotesa proximesta* Holloway,[1994]** (Geometridae) Synonym(s): *proximesta* Holloway,[1994] - Range (in code): MY Bor Swk
- 44963. *Monocerotesa pygmaearia* (Leech,1897)** (Geometridae) Synonym(s): *pygmaearia* Leech,1897 - Range (in code): CN
- 44964. *Monocerotesa radiata* (W.Warren,1897)** (Geometridae) Synonym(s): *radiata* W.Warren,1897 - Range (in code): IN Ass Meg Khs
- 44965. *Monocerotesa seriepunctata* (L.B.Prout,1929)** (Geometridae) Synonym(s): *seriepunctata* L.B.Prout,1929 - Range (in code): ID Crm
- 44966. *Monocerotesa strigata* (W.Warren,1893)** (Geometridae) Synonym(s): *strigata* W.Warren,1893; *maculata* W.Warren,1896 - Range (in code): IN Ass Meg Khs Nag MY Bor Sbh KBa
- 44967. *Monocerotesa strigata commissa* (L.B.Prout,1932)** (Geometridae) Synonym(s): *commissa* L.B.Prout,1932 - Range (in code): MY Bor Sbh KBa
- 44968. *Monocerotesa strigata connexa* (W.Warren,1901)** (Geometridae) Synonym(s): *connexa* W.Warren,1901 - Range (in code): IN Ass Khs Meg
- 44969. *Monocerotesa subcostistriga* (L.B.Prout,1916)** (Geometridae) Synonym(s): *subcostistriga* L.B.Prout,1916 - Range (in code): PG
- 44970. *Monocerotesa trichoma* Wehrli,1937** (Geometridae) Synonym(s): *trichoma* Wehrli,1937 - Range (in code): CN
- 44971. *Monocerotesa unifasciata* Inoue,1998** (Geometridae) Synonym(s): *unifasciata* Inoue,1998 - Range (in code): TW
- 44972. *Monocerotesa virgata* (Wileman,1912)** (Geometridae) Synonym(s): *virgata* Wileman,1912 - Range (in code): TW
- 44973. *Monocerotesa viridochrea* (W.Warren,1907)** (Geometridae) Synonym(s): *viridochrea* W.Warren,1907 - Range (in code): PG
- 44974. *Myinodes constantina* Hausmann,1994** (Geometridae) Synonym(s): *constantina* Hausmann,1994 - Original Reference: Myinodes constantina Hausmann,1994, Nota lepid. 17 (1/2): 37, figs. Holotype ♂: Algeria: Lambese, Sari Lakdhar ben Laoues (ZFMK). Range (in code): DZ Ges Lbs ES
- 44975. *Myinodes interpunctaria* (Herrich-Schäffer,1839)** (Geometridae) Synonym(s): *interpunctaria* Herrich-Schäffer,1839 - Original Reference: Sterrha interpunctaria Herrich-Schäffer,1839, [in] Panzer, Faunae Insect. German. initia (165): pl.6. Syntypes: Sicilia. Range (in code): TN PT ES An Snv Mu Si IT
- 44976. *Myinodes interpunctaria atlantica* Hausmann,1994** (Geometridae) Synonym(s): *atlantica* Hausmann,1994 - Original Reference: Myinodes interpunctaria ssp. atlantica Hausmann,1994, Nota lepid. 17 (1/2): 36, figs. 2,3, 11a,15. Holotype ♂: Spain: Sierra Nevada, Alcolea (ZSBS). Range (in code): ES An Snv
- 44977. *Myinodes shohami* Hausmann,1994** (Geometridae) Synonym(s): *shohami* Hausmann,1994 - Original Reference: Myinodes shohami Hausmann,1994, Nota lepid. 17 (1/2): 38, figs. Holotype ♂: Jordan (north-east): Quasr el Hallabad, 500m (ZSBS). Range (in code): Rd TR LB CY IL Pa JO IQ IR Fa Shr
- 44978. *Myrioblephara adumbrata* W.Warren,1906** (Geometridae) Synonym(s): *adumbrata* W.Warren,1906 - Range (in code): PG
- 44979. *Myrioblephara albibasis* (Hampson,1895)** (Geometridae) Synonym(s): *albibasis* Hampson,1895 - Range (in code): IN SI
- 44980. *Myrioblephara albipunctata* W.Warren,1893** (Geometridae) Synonym(s): *albipunctata* W.Warren,1893 - Range (in code): SI
- 44981. *Myrioblephara benefica* Sato,1993** (Geometridae) Synonym(s): *benefica* Sato,1993 - Range (in code): NP
- 44982. *Myrioblephara bifida* Holloway,[1994]** (Geometridae) Synonym(s): *bifida* Holloway,[1994] - Range (in code): MY Bor Swk
- 44983. *Myrioblephara callichlora* W.Warren,1903** (Geometridae) Synonym(s): *callichlora* W.Warren,1903 - Range (in code): PG Aro
- 44984. *Myrioblephara chogadoides* Rothschild,1915** (Geometridae) Synonym(s): *chogadoides* Rothschild,1915 - Range (in code): ID Ij Snn
- 44985. *Myrioblephara cneobathra* L.B.Prout,1916** (Geometridae) Synonym(s): *cneobathra* L.B.Prout,1916 - Range (in code): ID Ij Snn

- 44986. *Myrioblephara confusa* W.Warren,1903** (Geometridae) Synonym(s): *confusa* W.Warren,1903 _ Range (in code): PG Aro
- 44987. *Myrioblephara conifera* (Moore,1888)** (Geometridae) Synonym(s): *conifera* Moore,1888 _ Range (in code): IN SI Djl TH CMa Int
- 44988. *Myrioblephara dinawana* Bethune-Baker,1915** (Geometridae) Synonym(s): *dinawana* Bethune-Baker,1915 _ Range (in code): PG
- 44989. *Myrioblephara duplexa* (Moore,1888)** (Geometridae) Synonym(s): *duplexa* Moore,1888; *nigrilinearis* Leech,1897; *eoduplexa* Wehrli,1943 _ Range (in code): CN IN SI Djl
- 44990. *Myrioblephara duplexodes* Sato,1994** (Geometridae) Synonym(s): *duplexodes* Sato,1994 _ Range (in code): IN SI
- 44991. *Myrioblephara embolochroma* (L.B.Prout,1927)** (Geometridae) Synonym(s): *embolochroma* L.B.Prout,1927 _ Original Reference: Ectropis embolochroma L.B.Prout,1927, J. Bombay nat. Hist. Soc. 31: 935. Type ♂: Burma. Range (in code): MM TH CMa Int
- 44992. *Myrioblephara enormis* W.Warren,1893** (Geometridae) Synonym(s): *enormis* W.Warren,1893 _ Range (in code): IN Ass Nag
- 44993. *Myrioblephara fasciata* Rothschild,1915** (Geometridae) Synonym(s): *fasciata* Rothschild,1915 _ Range (in code): ID Ij Snw
- 44994. *Myrioblephara finitima* L.B.Prout,1928** (Geometridae) Synonym(s): *finitima* L.B.Prout,1928 _ Range (in code): ID Ij Gth
- 44995. *Myrioblephara flexilinea* W.Warren,1903** (Geometridae) Synonym(s): *flexilinea* W.Warren,1903 _ Range (in code): PG Aro
- 44996. *Myrioblephara fulvivena* W.Warren,1906** (Geometridae) Synonym(s): *fulvivena* W.Warren,1906 _ Range (in code): PG
- 44997. *Myrioblephara gandakiensis* Sato,1998** (Geometridae) Synonym(s): *gandakiensis* Sato,1998 _ Range (in code): NP
- 44998. *Myrioblephara geniculata* (L.B.Prout,1932)** (Geometridae) Synonym(s): *geniculata* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 44999. *Myrioblephara harutai* Sato,1994** (Geometridae) Synonym(s): *harutai* Sato,1994 _ Range (in code): NP
- 45000. *Myrioblephara idaeoides* (Moore,1888)** (Geometridae) Synonym(s): *idaeoides* Moore,1888 _ Range (in code): CN IN SI Djl TH CMa Dst
- 45001. *Myrioblephara irrorata* (Moore,1888)** (Geometridae) Synonym(s): *irrorata* Moore,1888 _ Range (in code): IN SI Djl TH CMa Int
- 45002. *Myrioblephara ligdiodes* W.Warren,1903** (Geometridae) Synonym(s): *ligdiodes* W.Warren,1903 _ Range (in code): PG Aro ID Ij Gth
- 45003. *Myrioblephara ligdiodes contradicta* L.B.Prout,1916** (Geometridae) Synonym(s): *contradicta* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45004. *Myrioblephara microduplexa* Sato,1995** (Geometridae) Synonym(s): *microduplexa* Sato,1995 _ Range (in code): NP
- 45005. *Myrioblephara minima* W.Warren,1903** (Geometridae) Synonym(s): *minima* W.Warren,1903 _ Range (in code): PG Aro
- 45006. *Myrioblephara mixticolor* L.B.Prout,1916** (Geometridae) Synonym(s): *mixticolor* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45007. *Myrioblephara mollis* W.Warren,1907** (Geometridae) Synonym(s): *mollis* W.Warren,1907 _ Range (in code): PG
- 45008. *Myrioblephara muscosa* W.Warren,1903** (Geometridae) Synonym(s): *muscosa* W.Warren,1903 _ Range (in code): PG Aro
- 45009. *Myrioblephara olivacea* W.Warren,1906** (Geometridae) Synonym(s): *olivacea* W.Warren,1906 _ Range (in code): PG ID Ij Gth
- 45010. *Myrioblephara pallibasis* Holloway,[1994]** (Geometridae) Synonym(s): *pallibasis* Holloway,[1994] _ Range (in code): MY Bor Swk
- 45011. *Myrioblephara pallidipars* L.B.Prout,1916** (Geometridae) Synonym(s): *pallidipars* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45012. *Myrioblephara pergrisea* W.Warren,1903** (Geometridae) Synonym(s): *pergrisea* W.Warren,1903 _ Range (in code): PG Aro
- 45013. *Myrioblephara pingasoides* (W.Warren,1893)** (Geometridae) Synonym(s): *pingasoides* W.Warren,1893 _ Range (in code): IN Ass Nag

- 45014. Myrioblephara planaria (Swinhoe,1894)** (Geometridae) Synonym(s): *planaria* Swinhoe,1894 _ Range (in code): IN Meg Ass Khs Slo
- 45015. Myrioblephara polytrochia L.B.Prout,1916** (Geometridae) Synonym(s): *polytrochia* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45016. Myrioblephara repleta (L.B.Prout,1926)** (Geometridae) Synonym(s): *repleta* L.B.Prout,1926 _ Range (in code): PK Haz Mre
- 45017. Myrioblephara rubrifusa W.Warren,1893** (Geometridae) Synonym(s): *rubrifusa* W.Warren,1893 _ Range (in code): IN SI
- 45018. Myrioblephara servina (Hampson,1895)** (Geometridae) Synonym(s): *servina* Hampson,1895 _ Range (in code): IN SI
- 45019. Myrioblephara simplaria (Swinhoe,1894)** (Geometridae) Synonym(s): *simplaria* Swinhoe,1894 _ Range (in code): IN Meg Ass Khs TH Loc CMa Dst ID Mlc Crm Ja MY Bor Swk PH Luz PG
- 45020. Myrioblephara simplaria boarmioides (Rothschils,1915)** (Geometridae) Synonym(s): *boarmioides* Rothschilds,1915 _ Range (in code): ID Mlc Crm
- 45021. Myrioblephara simplaria cucullata Holloway,[1994]** (Geometridae) Synonym(s): *cucullata* Holloway,[1994] _ Range (in code): MY Bor Swk
- 45022. Myrioblephara simplaria meseres (L.B.Prout,1935)** (Geometridae) Synonym(s): *meseres* L.B.Prout,1935 _ Range (in code): ID Ja
- 45023. Myrioblephara simplaria simplaria (Swinhoe,1894)** (Geometridae) Synonym(s): *simplaria* Swinhoe,1894 _ Range (in code): IN Meg Ass Khs TH
- 45024. Myrioblephara simplaria submarginata W.Warren,1906** (Geometridae) Synonym(s): *submarginata* W.Warren,1906 _ Range (in code): PG
- 45025. Myrioblephara simplaria tranostigma (L.B.Prout,1931)** (Geometridae) Synonym(s): *tranostigma* L.B.Prout,1931 _ Range (in code): PH Luz
- 45026. Myrioblephara subtrita W.Warren,1903** (Geometridae) Synonym(s): *subtrita* W.Warren,1903 _ Range (in code): PG Aro
- 45027. Myrioblephara transcendens L.B.Prout,1916** (Geometridae) Synonym(s): *transcendens* L.B.Prout,1916 _ Range (in code): ID Ij Afk
- 45028. Myrioblephara trifaria L.B.Prout,1916** (Geometridae) Synonym(s): *trifaria* L.B.Prout,1916 _ Range (in code): ID Ij Snw
- 45029. Myrioblephara vivida W.Warren,1903** (Geometridae) Synonym(s): *vivida* W.Warren,1903 _ Range (in code): PG ID Ij Gth
- 45030. Myrioblephara vivida signata L.B.Prout,1916** (Geometridae) Synonym(s): *signata* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45031. Myrioblephara xanthozonea (Hampson,1907)** (Geometridae) Synonym(s): *xanthozonea* Hampson,1907 _ Range (in code): IN SI CN Ti
- 45032. Myrteta angelica Butler,1881** (Geometridae) Synonym(s): *angelica* Butler,1881 _ Range (in code): JP
- 45033. Myrteta argentaria Leech,1897** (Geometridae) Synonym(s): *argentaria* Leech,1897 _ Range (in code): CN
- 45034. Myrteta interferenda Wehrli,1939** (Geometridae) Synonym(s): *interferenda* Wehrli,1939 _ Range (in code): CN
- 45035. Myrteta leroyi (D.S.Fletcher,1958)** (Geometridae) Synonym(s): *leroyi* D.S.Fletcher,1958 _ Range (in code): UG Rz ZR
- 45036. Myrteta parallelaria (W.Warren,1902)** (Geometridae) Synonym(s): *parallelaria* W.Warren,1902 _ Range (in code): KE
- 45037. Myrteta planaria Walker,1861** (Geometridae) Synonym(s): *planaria* Walker,1861 _ Range (in code): IN
- 45038. Myrteta punctata (W.Warren,1894)** (Geometridae) Synonym(s): *punctata* W.Warren,1894; *conspersaria* Leech,1897 _ Range (in code): JP
- 45039. Myrteta sinensaria Leech,1897** (Geometridae) Synonym(s): *sinensaria* Leech,1897 _ Range (in code): CN
- 45040. Myrteta tripunctaria Leech,1897** (Geometridae) Synonym(s): *tripunctaria* Leech,1897 _ Range (in code): CN
- 45041. Nadagara comprehensata Walker,1862** (Geometridae) Synonym(s): *comprehensata* Walker,1862 _ Range (in code): MY Bor Swk

- 45042. Nadagara cryptospila L.B.Prout,1929** (Geometridae) Synonym(s): *cryptospila* L.B.Prout,1929 _ Range (in code): MY Cmh
- 45043. Nadagara epopsioneura L.B.Prout,1926** (Geometridae) Synonym(s): *epopsioneura* L.B.Prout,1926 _ Range (in code): MM
- 45044. Nadagara grisea Butler,1883** (Geometridae) Synonym(s): *grisea* Butler,1883 Original Reference: *Nadagara grisea* Butler,1883, Proc. zool. Soc. Lond. 1883: 172. Range (in code): PK Haz Mre
- 45045. Nadagara intractata Walker,1862** (Geometridae) Synonym(s): *intractata* Walker,1862 Range (in code): MY Bor Swk
- 45046. Nadagara odontias L.B.Prout,1923** (Geometridae) Synonym(s): *odontias* L.B.Prout,1923 Range (in code): MY
- 45047. Nadagara orbipuncta L.B.Prout,1925** (Geometridae) Synonym(s): *orbipuncta* L.B.Prout,1925 _ Range (in code): IN Hp Dlh
- 45048. Nadagara reprensata L.B.Prout,1916** (Geometridae) Synonym(s): *reprensata* L.B.Prout,1916; *vindevogheli* Herbulot,1988 _ Range (in code): MY Bor Sbh ID Ja
- 45049. Nadagara scitilineata Walker,1862** (Geometridae) Synonym(s): *scitilineata* Walker,1862 Range (in code): MY Bor Swk
- 45050. Nadagara synocha L.B.Prout,1923** (Geometridae) Synonym(s): *synocha* L.B.Prout,1923 Range (in code): MY
- 45051. Nadagara synodoneura L.B.Prout,1923** (Geometridae) Synonym(s): *synodoneura* L.B.Prout,1923 _ Range (in code): ID Ij Snw
- 45052. Nadagara vigaia Walker,1862** (Geometridae) Synonym(s): *vigaia* Walker,1862; *inordinata* Walker,1862 _ Range (in code): LK MY Bor Swk
- 45053. Napuca albaria (Bartel,1903)** (Geometridae) Synonym(s): *albaria* Bartel,1903 Original Reference: *Aspilates albaria* Bartel,1903, Dt. ent. Z., Iris 15 (2): 221. Syntypes: Russia: Ural Mts. Range (in code): RU Ur
- 45054. Napuca conspersaria (Staudinger,1901)** (Geometridae) Synonym(s): *conspersaria* Staudinger,1901 _ Range (in code): CA Lbr RU At MN CN
- 45055. Napuca curvaria (Eversmann,1852)** (Geometridae) Synonym(s): *curvaria* Eversmann,1852; *sterrharia* Staudinger,1896 _ Range (in code): RU Irk MN U-B
- 45056. Napuca insignis (Alpheraky,1883)** (Geometridae) Synonym(s): *insignis* Alpheraky,1883 Original Reference: *Aspilates insignis* Alpheraky,1883, Horae Soc. ent. ross. 17: 185-186, Tab.viii fig.72. Type ♂: [Uighur Ili]: Archane (7000ft.). Range (in code): KG MN CN Ui Arc
- 45057. Napuca kozhantchikovi (Munroe,1963)** (Geometridae) Synonym(s): *kozantchikovi* Munroe,1963 Original Reference: *Aspilates kozhantchikovi* Munroe,1963, Can. Ent. 95 (3): 264, figs. Holotype ♂: Russia: Siberia: Minusinsk (BMNH). Range (in code): RU Ya Sb
- 45058. Napuca mongolica (Vojnits,1975)** (Geometridae) Synonym(s): *mongolicus* Vojnits,1975 Range (in code): RU MN
- 45059. Napuca obscurata (Wehrli,1953)** (Geometridae) Synonym(s): *obscurata* Wehrli,1953; *elwesi* Munroe,1963 _ Range (in code): RU Ir At MN
- 45060. Napuca ochrearia (Rossi,1794)** (Geometridae) Synonym(s): *ochrearia* Rossi,1794; *sulphuraria* Fabricius,1794; *trifoliaria* Haworth,1809; *citraria* Hübner,[1826]; *laetula* Hulst,1896; *parvularia* Lempke,1953 Original Reference: *Phalaena ochrearia* Rossi,1794, Fauna Etrusca 2: 33, pl.7N. Syntypes: Italy: Etrusca. Range (in code): DZ Ges Anna PT ES Mu FR Co Sa Si IT MT GB BE NL RO YU AL BG GR Rd TR CY IQ Dia RU MD UA Cm BY IL Pa Car US Bionomy: Larva on *Cistus salvifolius* (Cistaceae); *Lotus corniculatus* (Fabaceae); *Crepis vesicaria* (Asteraceae); *Plantago coronopus* (Plantaginaceae); *Daucus carota* (Apiaceae) (Meyer,1919; et seq.).
- 45061. Napuca staudingeri (Vojnits,1975)** (Geometridae) Synonym(s): *staudingeri* Vojnits,1975 Range (in code): MN
- 45062. Napuca taylori (Butler,1893)** (Geometridae) Synonym(s): *taylori* Butler,1893 _ Range (in code): CA RU Sb
- 45063. Napuca taylori sibirica (Djakonov,1955)** (Geometridae) Synonym(s): *sibirica* Djakonov,1955 _ Range (in code): RU Sb
- 45064. Napuca taylori taylori (Butler,1893)** (Geometridae) Synonym(s): *taylori* Butler,1893 Range (in code): CA

- 45065. Narraga cappadocica Herbulot,1943** (Geometridae) Synonym(s): *cappadocica* Herbulot,1943 Original Reference: Narraga cappadocica Herbulot,1943, Bull. Soc. ent. Fr. 48 (6): 84. Holotype ♂: [Turkey]: [Kayseri Pr.]: Caesarea. Range (in code): **TR**
- 45066. Narraga fasciolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. Original Reference: Phalaena fasciolaria Hufnagel,1767, Berl. Mag. 4: Range (in code): **DE AT PL CZ SK HU RO BG TR DK FI EE LV LT RU At Am MD UA BY KG Tk Aa CN Ui Um Ii** Bionomy: Larva on Artemisia campestris (Meyer,1919).
- 45067. Narraga fasciolaria danubialis Moucha & Povolny,1957** (Geometridae) Synonym(s): *danubialis* Moucha & Povolny,1957 Range (in code): **HU**
- 45068. Narraga fasciolaria fasciolaria (Hufnagel,1767)** (Geometridae) Synonym(s): *fasciolaria* Hufnagel,1767; *cebraria* Hübner,[1799]; *zebraria* Duponchel,1829. Original Reference: Phalaena fasciolaria Hufnagel,1767, Berl. Mag. 4: Range (in code): **DE AT PL CZ SK RO BG TR DK FI EE LV LT RU At Am MD UA BY**
- 45069. Narraga fasciolaria fumipennis L.B.Prout,1915** (Geometridae) Synonym(s): *fumipennis* L.B.Prout,1915 Range (in code): **CN**
- 45070. Narraga fasciolaria turkestanica Moucha & Povolny,1957** (Geometridae) Synonym(s): *turkestanica* Moucha & Povolny,1957 Range (in code): **CN Ui Um Ii KG Tk Aa**
- 45071. Narraga isabel Agenjo,1956** (Geometridae) Synonym(s): *isabel* Agenjo,1956 Range (in code): **ES**
- 45072. Narraga nelvae Rothschild,1912** (Geometridae) Synonym(s): *nelvae* Rothschild,1912 Original Reference: Fidonia nelvae Rothschild,1912, Novit. zool. 191: 126. Type: Algeria, Batna. Range (in code): **DZ Ges Btne ES Mu**
- 45073. Narraga tessularia (Metzner,1845)** (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronaculalia* Herrich-Schäffer,1848. Original Reference: Geometra tessularia Metzner,1845, Stettin ent. Ztg. 6(6): 186. Syntypes ♂♀: Russia. Range (in code): **AT SK HU RO BG RU Or Ur MD UA BY KG Tk Lps CN Ui Ku**
- 45074. Narraga tessularia ilia Wehrli,1940** (Geometridae) Synonym(s): *ilia* Wehrli,1940 Original Reference: Narraga fasciolaria var. *ilia* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 394 (32a). Syntypes: [China: Uighur A.R.]: Kuldja; Ili Gebiet. Range (in code): **KG Tk Lps CN Ui Ku**
- 45075. Narraga tessularia kasyi Moucha & Povolny,1957** (Geometridae) Synonym(s): *kasyi* Moucha & Povolny,1957 Range (in code): **AT**
- 45076. Narraga tessularia pannonica Vojnits,1977** (Geometridae) Synonym(s): *pannonica* Vojnits,1977 Range (in code): **HU**
- 45077. Narraga tessularia tessularia (Metzner,1845)** (Geometridae) Synonym(s): *tessularia* Metzner,1845; *baltearia* Freyer,1845; *atronaculalia* Herrich-Schäffer,1848. Original Reference: Geometra tessularia Metzner,1845, Stettin ent. Ztg. 6(6): 186. Syntypes ♂♀: Russia. Range (in code): **SK RO BG RU Or Ur**
- 45078. Narthecusa perplexata Walker,1862** (Geometridae) Synonym(s): *perplexata* Walker,1862; *packardii* Dewitz,1881 Range (in code): **GH UG**
- 45079. Narthecusa perplexata ugandensis L.B.Prout,1926** (Geometridae) Synonym(s): *ugandensis* L.B.Prout,1926 Range (in code): **UG**
- 45080. Narthecusa tenuiorata Walker,1862** (Geometridae) Synonym(s): *tenuiorata* Walker,1862; *nachtigalii* Dewitz,1881 Range (in code): **GH AO CG NG ZR Itu**
- 45081. Narthecusa tenuiorata melanthiata (Mabille,1891)** (Geometridae) Synonym(s): *melanthiata* Mabille,1891; *iturina* Bethune-Baker,1909 Range (in code): **GA ZR Itu**
- 45082. Narthecusa tenuiorata nudella (Bethune-Baker,1913)** (Geometridae) Synonym(s): *nudella* Bethune-Baker,1913 Range (in code): **AO**
- 45083. Narthecusa tenuiorata perspersa L.B.Prout,1931** (Geometridae) Synonym(s): *perspersa* L.B.Prout,1931 Range (in code): **NG**
- 45084. Narthecusa tenuiorata zerenaria (Mabille,1879)** (Geometridae) Synonym(s): *zerenaria* Mabille,1879 Range (in code): **AO**
- 45085. Nassinia aurantiaca (L.B.Prout,1928)** (Geometridae) Synonym(s): *aurantiaca* L.B.Prout,1928 Range (in code): **MZ ZA Ksi Kzu Nta**
- 45086. Nassinia cafraria (Linnaeus,1767)** (Geometridae) Synonym(s): *cafraria* Linnaeus,1767; *petavia* Stoll,1781; *petaviaria* Hübner,[1823]; *bupaliata* Walker,1862 Range (in code): **ZA ZA08 Nta Dbn Kzu ZA18 Ec NA**

- 45087. *Nassinia caffraria caffraria* (Linnaeus,1767)** (Geometridae) **Synonym(s):** *caffraria* Linnaeus,1767; *petavia* Stoll,1781; *petaviaria* Hübner,[1823]; *bupaliata* Walker,1862 **Range (in code):** **ZA ZA08 Nta Dbn Kzu ZA18 Ec**
- 45088. *Nassinia pretoria* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *pretoria* L.B.Prout,1916 **Range (in code):** **ZA ZA24 NWe ZA28 Tva Lpo Gau Pre**
- 45089. *Naxa cuneicincta* Herbulot,1989** (Geometridae) **Synonym(s):** *cuneicincta* Herbulot,1989 **Range (in code):** **MY Cmh**
- 45090. *Naxa guttulata* W.Warren,1894** (Geometridae) **Synonym(s):** *guttulata* W.Warren,1894 **Range (in code):** **MY Bor**
- 45091. *Naxa kerangatis* Holloway,1996** (Geometridae) **Synonym(s):** *kerangatis* Holloway,1996 **Range (in code):** **MY Bor Swk**
- 45092. *Naxa obliterata* W.Warren,1893** (Geometridae) **Synonym(s):** *obliterata* W.Warren,1893 **Range (in code):** **BT IN Ass Nag**
- 45093. *Naxa textilis* Walker,1856** (Geometridae) **Synonym(s):** *textilis* Walker,1856; *cypraria* Guenée,[1858]; *hugeli* R.Felder & Rogenhofer,1875 **Original Reference:** *Naxa textilis* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1743. Type: Sylhet. **Range (in code):** **BD Syl TH Ch IN NI**
- 45094. *Nebula achromaria* (La Harpe,1853)** (Geometridae) **Synonym(s):** *achromaria* La Harpe,1853; *saxicolata* Lederer,1853; *hispalata* Rambur,1866; *fasciata* Wehrli,1920; *tenebrata* Dannehl,1933. **Range (in code):** **ES FR IT DE CH AT PL CZ SK RO YU AL BG GR TR RU MD UA BY** **Bionomy:** Larva on *Galium mollugo* (Blaschke,1914; Meyer,1919).
- 45095. *Nebula apiciata* (Staudinger,1892)** (Geometridae) **Synonym(s):** *apiciata* Staudinger,1892 **Original Reference:** *Cidaria apiciata* Staudinger,1892, Dt. ent. Z., Iris 5: 227-229. Syntypes: [Turkmenistan]: Achal-Tekke. **Range (in code):** **TR TM Kp IR TJ Pm**
- 45096. *Nebula approximata* (Staudinger,1879)** (Geometridae) **Synonym(s):** *approximata* Staudinger,1879 **Original Reference:** *Cidaria approximata* Staudinger,1879, Horae Soc. ent. ross. 14: 466-469. Syntypes: [Türkei]: Amasia, Kerasdere. **Range (in code):** **TR**
- 45097. *Nebula brevifasciata* (W.Warren,1888)** (Geometridae) **Synonym(s):** *brevifasciata* W.Warren,1888 **Original Reference:** *Cidaria brevifasciata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 330. Type ♂: [Pakistan]: Thundiani, August 19 1886. **Range (in code):** **PK Thu**
- 45098. *Nebula carlae* Hausmann,2011** (Geometridae) **Synonym(s):** *carlae* Hausmann,2011 **Range (in code):** **IT**
- 45099. *Nebula flavistrigata* (W.Warren,1888)** (Geometridae) **Synonym(s):** *flavistrigata* W.Warren,1888 **Original Reference:** *Melanippe flavistrigata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 329. Type ♂: [Pakistan]: Kala Pani, September 1 1886. **Range (in code):** **PK K-P PJ**
- 45100. *Nebula fortificaria* A.Bang-Haas,1910** (Geometridae) **Synonym(s):** *fortificaria* A.Bang-Haas,1910 **Original Reference:** *Larentia fortificaria* A.Bang-Haas,1910, Dt. ent. Z.,Iris 24:44, pl.4 fig.6. Type ♂: [Uighur |li]: Juldus. **Range (in code):** **CN Ui Ju**
- 45101. *Nebula homophana* (Hampson,1895)** (Geometridae) **Synonym(s):** *homophana* Hampson,1895 **Range (in code):** **IN Sml Hp Dlh TJ UZ Br CN**
- 45102. *Nebula homophana homophana* (Hampson,1895)** (Geometridae) **Synonym(s):** *homophana* Hampson,1895 **Range (in code):** **IN Sml Hp Dlh**
- 45103. *Nebula homophana petri* (L.B.Prout,1924)** (Geometridae) **Synonym(s):** *petri* L.B.Prout,1924 **Range (in code):** **TJ UZ Br**
- 45104. *Nebula homophana sustenta* (L.B.Prout,1937)** (Geometridae) **Synonym(s):** *sustenta* L.B.Prout,1937 **Range (in code):** **CN**
- 45105. *Nebula homophoeta* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *homophoeta* L.B.Prout,1926 **Range (in code):** **Ch**
- 45106. *Nebula ibericata* (Staudinger,1871)** (Geometridae) **Synonym(s):** *ibericata* Staudinger,1871 **Range (in code):** **TN Gf PT ES An Mu FR Si IL**
- 45107. *Nebula impunctata* (Staudinger,1879)** (Geometridae) **Synonym(s):** *impunctata* Staudinger,1879 **Original Reference:** *Cidaria impunctata* Staudinger,1879, Horae Soc. ent. ross. 14: 469. Type ♀: [Türkei]: Amasia. **Range (in code):** **TR**
- 45108. *Nebula juvenilata* (Zerny,1933)** (Geometridae) **Synonym(s):** *juvenilata* Zerny,1933 **Original Reference:** *Cidaria* (*Coenoteophria*) *juvenilata* Zerny,1933, Dt. ent. Z., Iris 47: 93-94, Taf.1 fig.36. Syntypes 12♂♂: Libnon: Zedar, Mitte June (coll. Schwingenschuss) (NMHW). **Range (in code):** **IL Pa LB Bsa**

- 45109. Nebula khorassana (Brandt,1941)** (Geometridae) Synonym(s): *khorassana* Brandt,1941
Range (in code): **IR Kh KuB TM Kp**
- 45110. Nebula lamata (Staudinger,1897)** (Geometridae) Synonym(s): *lamata* Staudinger,1897
Range (in code): **MN Uli**
- 45111. Nebula longipennis (Brandt,1941)** (Geometridae) Synonym(s): *longipennis* Brandt,1941
Original Reference: Coenoteophria longipennis Brandt,1941, Mitt. münch. ent. Ges. 31 (3): 874, pl.29 fig.17. Syntypes: Iran: Kuh-i-Binaloud (NHRS). Range (in code): **IR Kh KuB**
- 45112. Nebula mantelorum Hausmann,1997** (Geometridae) Synonym(s): *mantelorum* Hausmann,1997
Range (in code): **EG Sn YE OM**
- 45113. Nebula mongoliata (Staudinger,1897)** (Geometridae) Synonym(s): *mongoliata* Staudinger,1897
Range (in code): **MN Uli**
- 45114. Nebula nebulata (Treitschke,1828)** (Geometridae) Synonym(s): *nebulata* Treitschke,1828; *nebularia* Boisduval,1840; *vallesaria* Le Harpe,1853; *mixtata* Staudinger,1877; *albicans* Sohn-Rethel,1929
Range (in code): **ES FR IT LU DE CH AT PL SK RO**
- 45115. Nebula neogamata (Püngeler,1909)** (Geometridae) Synonym(s): *neogamata* Püngeler,1909
Range (in code): **UZ Fe CN Ui li KK**
- 45116. Nebula numidiata (Staudinger,1892)** (Geometridae) Synonym(s): *numidiata* Staudinger,1892
Original Reference: Cidaria numidiata Staudinger,1892, Dt. ent. Z., Iris 5: 239, Taf.ii fig.22. Syntypes: [Algeria]: Prov. Constantine: Bone. Range (in code): **MA DZ Ges Anna Cst TN Cn ES Mu**
- 45117. Nebula pirinica (Reisser,1936)** (Geometridae) Synonym(s): *pirinica* Reisser,1936
Range (in code): **YU MK AL GR BG TR**
- 45118. Nebula propagata (Christoph,1893)** (Geometridae) Synonym(s): *propagata* Christoph,1893
Original Reference: Cidaria propagata Christoph,1893, Dt. ent. Z., Iris 6: 95. Syntypes ♂♀: [Georgia]: Lagodechi; [Turkmenistan]: Nuchur, Tekke. Range (in code): **Cc AZ Kir GG Lag TM Kp**
- 45119. Nebula reclamata (L.B.Prout,1914)** (Geometridae) Synonym(s): *reclamata* L.B.Prout,1914
Original Reference: Cidaria reclamata L.B.Prout,1914, [in] Seitz,A., Die Gross-Schmett. Erde 4: 240, Taf. 13(a). Holotype ♂: [Iran]: Schahkuh, E. Persien (E.Funke leg.) (coll. Püngeler). Range (in code): **TR IR Elb Th Fa Com Kz LB Bsa**
- 45120. Nebula rejectaria (Staudinger,1892)** (Geometridae) Synonym(s): *rejectaria* Staudinger,1892; *interrogata* Alpheraky,1897. Range (in code): **CN Ui KK Ik**
- 45121. Nebula rogata (Staudinger,1892)** (Geometridae) Synonym(s): *rogata* Staudinger,1892
Range (in code): **KK Osh**
- 45122. Nebula saidabadi (Brandt,1941)** (Geometridae) Synonym(s): *saidabadi* Brandt,1941
Range (in code): **IR Lo**
- 45123. Nebula senectaria (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *senectaria* Herrich-Schäffer,[1852]; *ludificata* Staudinger,1870; *decipiata* Staudinger,1901; *sultana* Schwingenschuss,1939
Range (in code): **IT YU B-H HV SS AL MK BG GR Cr UA Cm TR Cc AZ Kir GG AM IL Pa IQ LB Bsa**
- 45124. Nebula triciliata (Wiltshire,1967)** (Geometridae) Synonym(s): *triciliata* Wiltshire,1967
Range (in code): **AF Slg**
- 45125. Nebula tshatkalisensis Viidalepp,1988** (Geometridae) Synonym(s): *tshatkalisensis* Viidalepp,1988
Range (in code): **KK**
- 45126. Nebula vartianata (Wiltshire,1970)** (Geometridae) Synonym(s): *vartianata* Wiltshire,1970
Range (in code): **IR Elb Th**
- 45127. Nebula viduata (Staudinger,1892)** (Geometridae) Synonym(s): *viduata* Staudinger,1892
Range (in code): **KK Ik CN Ui li**
- 45128. Necyopa chloana (L.B.Prout,1926)** (Geometridae) Synonym(s): *chloana* L.B.Prout,1926; *refrenata* L.B.Prout,1932
Range (in code): **MY Bor Swk Sbh KBa**
- 45129. Necyopa flatipennata Walker,1862** (Geometridae) Synonym(s): *flatipennata* Walker,1862; *recticommata* Swinhoe,1903
Range (in code): **TH Nna Kao Nst MY Bor Swk Sbh ID Sum**
- 45130. Necyopa ioge L.B.Prout,1932** (Geometridae) Synonym(s): *ioge* L.B.Prout,1932
Range (in code): **MY Bor Sbh TH CMa Int**
- 45131. Necyopa subtriangula L.B.Prout,1932** (Geometridae) Synonym(s): *subtriangula* L.B.Prout,1932
Range (in code): **MY Bor Sbh KBa**
- 45132. Necyopa triangularis (W.Warren,1896)** (Geometridae) Synonym(s): *triangularis* W.Warren,1896; *anetotasis* L.B.Prout,1935
Range (in code): **ID Ja**

- 45133. *Nemoria albilineata* W.Warren,1909** (Geometridae) Synonym(s): *albilineata* W.Warren,1909 Original Reference: *Lissochlora albilineata* W.Warren,1909, Novit. zool. 16: 79. Type: Peru [senior secondary homonym of *albilineata* Cassino,1927; cf. Pitkin (1993, Bull. Br. Mus. nat. Hist. (Ent.) 62: 107)]. PE
- 45134. *Nemoria yellowrosea* Koçak & Kemal,2008** (Geometridae) Synonym(s): *albilineata* Cassino,1927 nec Warr.,1909; *yellowrosea* Koçak & Kemal,2008 Original Reference: *Nemoria yellowrosea* Koçak & Kemal,2008, Cent. ent. Stud., Misc. Pap. 138: 8 (nomen novum pro *albilineata* Cassino,1927 nec Warren,1909) [secondary homonym; cf. Pitkin (1993, Bull. Br. Mus. nat. Hist. (Ent.) 62: 107)]. Range (in code): US Tx
- 45135. *Neognopharmia cataleucaria* (Staudinger,1901)** (Geometridae) Synonym(s): *cataleucaria* Staudinger,1901 Range (in code): TR
- 45136. *Neognopharmia hoerhammeri* (Brandt,1938)** (Geometridae) Synonym(s): *hoerhammeri* Brandt,1938; *#horhammeri* Scoble,1999 Original Reference: *Gnophos hörhammeri* Brandt,1938, Ent. Rdsch. 55: 616, figs. 338-342. Syntypes: Iran: Fort Mian Kotal, Sine-Sefid (NHRS). Range (in code): IR Fa Sse IQ Dk
- 45137. *Neognopharmia hoerhammeri hoerhammeri* (Brandt,1938)** (Geometridae) Synonym(s): *hoerhammeri* Brandt,1938; *#horhammeri* Scoble,1999 Original Reference: *Gnophos hörhammeri* Brandt,1938, Ent. Rdsch. 55: 616, figs. 338-342. Syntypes: Iran: Fort Mian Kotal, Sine-Sefid (NHRS). Range (in code): IR Fa Sse IQ Dk
- 45138. *Neognopharmia stevenaria* (Boisduval,1840)** (Geometridae) Synonym(s): *stevenaria* Boisduval,1840; *lapidisaria* Freyer,1841 Range (in code): PT ES Mu FR IT RO YU MK AL BG GR Cr TR AZ Cc AM GG IQ IR Fa Sse Com Kz RU Sr IL Pa Car Hf LB Bsa CY Bionomy: Larva on *Prunus spinosa* (Rosaceae) (Kasy,1954).
- 45139. *Neogyne elongata* W.Warren,1898** (Geometridae) Synonym(s): *elongata* W.Warren,1898 Range (in code): NC
- 45140. *Neohipparchus hypoleuca* (Hampson,1903)** (Geometridae) Synonym(s): *hypoleuca* Hampson,1903; *flaminiaria* Oberthür,1916 Range (in code): CN MM
- 45141. *Neohipparchus vallata* (Butler,1878)** (Geometridae) Synonym(s): *vallata* Butler,1878 Range (in code): JP TH
- 45142. *Neostega cornuta* Herbulot,1993** (Geometridae) Synonym(s): *cornuta* Herbulot,1993 Range (in code): CM
- 45143. *Neostega flaviguttata* W.Warren,1903** (Geometridae) Synonym(s): *flaviguttata* W.Warren,1903 Range (in code): NG
- 45144. *Neostega prouti* Debauche,1938** (Geometridae) Synonym(s): *prouti* Debauche,1938 Range (in code): ZR
- 45145. *Neotephria anteletaria* (Staudinger,1892)** (Geometridae) Synonym(s): *anteletaria* Staudinger,1892 Range (in code): KK KG TJ Pm T-S
- 45146. *Neromia activa* L.B.Prout,1930** (Geometridae) Synonym(s): *activa* L.B.Prout,1930 Range (in code): ZW Umv
- 45147. *Neromia barretti* L.B.Prout,1912** (Geometridae) Synonym(s): *barretti* L.B.Prout,1912 Range (in code): ZA Ec Ans
- 45148. *Neromia carnifrons* Butler,1883** (Geometridae) Synonym(s): *carnifrons* Butler,1883 Range (in code): CN IN Mhw
- 45149. *Neromia carnifrons carnifrons* Butler,1883** (Geometridae) Synonym(s): *carnifrons* Butler,1883 Range (in code): IN Mhw
- 45150. *Neromia carnifrons rectilineararia* Leech,1897** (Geometridae) Synonym(s): *rectilineararia* Leech,1897 Range (in code): CN
- 45151. *Neromia chlorosticta* L.B.Prout,1912** (Geometridae) Synonym(s): *chlorosticta* L.B.Prout,1912 Range (in code): TZ
- 45152. *Neromia clavicornis* L.B.Prout,1915** (Geometridae) Synonym(s): *clavicornis* L.B.Prout,1915 Range (in code): ZW Har
- 45153. *Neromia cohaerens* L.B.Prout,1916** (Geometridae) Synonym(s): *cohaerens* L.B.Prout,1916 Range (in code): ZA Gau Tva Pre Wv Mpu Nta Kzu
- 45154. *Neromia impostura* L.B.Prout,1915** (Geometridae) Synonym(s): *impostura* L.B.Prout,1915 Range (in code): ZA Etm ZA04 ZA05 ZA13 ZA14 Mpu Mal Tva Lpo Spb Bbg ZA27 Kzu Nta Dbn Umk Kkf

- 45155. *Neromia manderensis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *manderensis* L.B.Prout,1916 **_ Range (in code):** **SO**
- 45156. *Neromia phoenicosticta* L.B.Prout,1912** (Geometridae) **Synonym(s):** *phoenicosticta* L.B.Prout,1912; *miltosticta* L.B.Prout,1912 **_ Range (in code):** **ZW ZM**
- 45157. *Neromia picticosta* L.B.Prout,1913** (Geometridae) **Synonym(s):** *picticosta* L.B.Prout,1913 **_ Range (in code):** **MG**
- 45158. *Neromia propinquilinea* L.B.Prout,1920** (Geometridae) **Synonym(s):** *propinquilinea* L.B.Prout,1920 **_ Range (in code):** **SN**
- 45159. *Neromia pulvereisparsa* Hampson,1896** (Geometridae) **Synonym(s):** *pulvereisparsa* Hampson,1896; *jodisata* Staudinger,1898; *draudti* Andres & Seitz,1923 **_ Range (in code):** **EG IL Pa JO YE Ad IR Fa Nfs OM**
- 45160. *Neromia quieta* L.B.Prout,1912** (Geometridae) **Synonym(s):** *quieta* L.B.Prout,1912 **_ Range (in code):** **KE**
- 45161. *Neromia rhodomadia* L.B.Prout,1922** (Geometridae) **Synonym(s):** *rhodomadia* L.B.Prout,1922 **_ Range (in code):** **ZA ZA21 Tva Lpo Spb Mdk MZ**
- 45162. *Neromia rubripunctilla* L.B.Prout,1912** (Geometridae) **Synonym(s):** *rubripunctilla* L.B.Prout,1912 **_ Range (in code):** **ZA ZA14 ZA16 Mpu Brb ZA24 NWe Tva Gau Pre Umk Nha Tst Wm Bul Uma ZW**
- 45163. *Neromia simplex* Brandt,1938** (Geometridae) **Synonym(s):** *simplexa* Brandt,1938 **_ Range (in code):** **IR Fa IQ Agh Bgd OM AF**
- 45164. *Neromia* sp.** (Geometridae) **Synonym(s):** **_ Range (in code):** **ZA ZA17 Tva Lpo**
- 45165. *Neromia strigulosa* L.B.Prout,1925** (Geometridae) **Synonym(s):** *strigulosa* L.B.Prout,1925 **_ Range (in code):** **ZA ZA17 ZA22 Tva Lpo Fs Blo NA**
- 45166. *Neurotoca endorhoda* Hampson,1910** (Geometridae) **Synonym(s):** *endorhoda* Hampson,1910 **_ Range (in code):** **ZA**
- 45167. *Neurotoca notata* W.Warren,1897** (Geometridae) **Synonym(s):** *notata* W.Warren,1897 **_ Range (in code):** **ZA Tva Mpu Tst Tz ZW**
- 45168. *Nomenia duodecimlineata* (Packard,1873)** (Geometridae) **Synonym(s):** *duodecimlineata* Packard,1873; *unipecta* Pearsall,1906 **_ Range (in code):** **US Col Cf**
- 45169. *Nomenia duodecimlineata duodecimlineata* (Packard,1873)** (Geometridae) **Synonym(s):** *duodecimlineata* Packard,1873; *unipecta* Pearsall,1906 **_ Range (in code):** **US Cf**
- 45170. *Nomenia duodecimlineata secunda* Pearsall,1906** (Geometridae) **Synonym(s):** *secunda* Pearsall,1906 **_ Range (in code):** **US Col**
- 45171. *Nomenia obsoleta* Swett,1916** (Geometridae) **Synonym(s):** *obsoleta* Swett,1916 **_ Range (in code):** **CA**
- 45172. *Nothocasis sertata* (Hübner,[1817])** (Geometridae) **Synonym(s):** *sertata* Hübner,[1817]; *appendiculata* Boisduval,1840; *fumidata* Turati & Verity,1912; *nigrofasciata* Osthelder,1929 **_ Range (in code):** **FR IT BE LU DE CH AT PL CZ SK HU RO YU BG DK SE RU UA Cm GG Cc TR** **Bionomy:** Larva on *Acer pseudoplatanus* (Meyer,1919).
- 45173. *Nothofidonia ansorgei* (W.Warren,1901)** (Geometridae) **Synonym(s):** *ansorgei* W.Warren,1901 **_ Range (in code):** **UG Rz KE**
- 45174. *Nothofidonia ansorgei ansorgei* (W.Warren,1901)** (Geometridae) **Synonym(s):** *ansorgei* W.Warren,1901 **_ Range (in code):** **UG Rz**
- 45175. *Nothofidonia ansorgei saphromeris* L.B.Prout,1934** (Geometridae) **Synonym(s):** *saphromeris* L.B.Prout,1934 **_ Range (in code):** **KE**
- 45176. *Nothofidonia bicolor* L.B.Prout,1915** (Geometridae) **Synonym(s):** *bicolor* L.B.Prout,1915 **_ Range (in code):** **KE Kky**
- 45177. *Nothofidonia irregularis* L.B.Prout,1915** (Geometridae) **Synonym(s):** *irregularis* L.B.Prout,1915 **_ Range (in code):** **MW Mje**
- 45178. *Nothofidonia xenoleuca* L.B.Prout,1928** (Geometridae) **Synonym(s):** *xenoleuca* L.B.Prout,1928 **_ Range (in code):** **ET**
- 45179. *Nothomiza achromaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *achromaria* Guenée,[1858] **_ Range (in code):** **IN**
- 45180. *Nothomiza aegriviridis* L.B.Prout,1926** (Geometridae) **Synonym(s):** *aegriviridis* L.B.Prout,1926 **_ Range (in code):** **MM Hta**
- 45181. *Nothomiza aquata* L.B.Prout,1929** (Geometridae) **Synonym(s):** *aquata* L.B.Prout,1929 **_ Range (in code):** **ID Bru**

- 45182. Nothomiza ateles Wehrli,1935** (Geometridae) Synonym(s): *ateles Wehrli,1935* _ Range (in code): CN Hun
- 45183. Nothomiza aureolaria Inoue,1982** (Geometridae) Synonym(s): *aureolaria Inoue,1982* _ Range (in code): JP
- 45184. Nothomiza binotata W.Warren,1897** (Geometridae) Synonym(s): *binotata W.Warren,1897* _ Range (in code): IN Meg Khs Ass
- 45185. Nothomiza cinerascens (Moore,1888)** (Geometridae) Synonym(s): *cinerascens Moore,1888* _ Range (in code): IN SI Djl TH
- 45186. Nothomiza costalis (Moore,1868)** (Geometridae) Synonym(s): *costalis Moore,1868; pulchra Butler,1880* _ Range (in code): IN Ben
- 45187. Nothomiza costinotata (W.Warren,1893)** (Geometridae) Synonym(s): *costinotata W.Warren,1893* _ Range (in code): BT
- 45188. Nothomiza flavicosta (L.B.Prout,1914)** (Geometridae) Synonym(s): *flavicosta L.B.Prout,1914* _ Range (in code): TW
- 45189. Nothomiza flaviordinata L.B.Prout,1925** (Geometridae) Synonym(s): *flaviordinata L.B.Prout,1925* _ Range (in code): CN Hn
- 45190. Nothomiza formosana (Butler,1878)** (Geometridae) Synonym(s): *formosana Butler,1878; triangulifera Imaizumi,1938* _ Range (in code): TW JP
- 45191. Nothomiza formosana formosana (Butler,1878)** (Geometridae) Synonym(s): *formosana Butler,1878; triangulifera Imaizumi,1938* _ Range (in code): TW
- 45192. Nothomiza formosana oxygoniodes Wehrli,1939** (Geometridae) Synonym(s): *oxygoniodes Wehrli,1939* _ Range (in code): JP
- 45193. Nothomiza ithyterma L.B.Prout,1926** (Geometridae) Synonym(s): *ithyterma L.B.Prout,1926* _ Range (in code): MM Hta
- 45194. Nothomiza lycauges L.B.Prout,1924** (Geometridae) Synonym(s): *lycauges L.B.Prout,1924* _ Range (in code): CN Sz
- 45195. Nothomiza melanographa Wehrli,1936** (Geometridae) Synonym(s): *melanographa Wehrli,1936* _ Range (in code): CN Sz T-T
- 45196. Nothomiza nana W.Warren,1897** (Geometridae) Synonym(s): *nana W.Warren,1897* _ Range (in code): IN Ass Meg Khs
- 45197. Nothomiza peralba (Swinhoe,1894)** (Geometridae) Synonym(s): *peralba Swinhoe,1894* _ Range (in code): IN Meg Khs Ass
- 45198. Nothomiza peralba (Swinhoe,1894)** (Geometridae) Synonym(s): *peralba Swinhoe,1894* _ Range (in code): IN Ass Meg Khs
- 45199. Nothomiza perichora Wehrli,1940** (Geometridae) Synonym(s): *perichora Wehrli,1940* _ Range (in code): CN Hun
- 45200. Nothomiza rectangula L.B.Prout,1925** (Geometridae) Synonym(s): *rectangula L.B.Prout,1925* _ Range (in code): CN HK
- 45201. Nothomiza submediostrigata Wehrli,1939** (Geometridae) Synonym(s): *submediostrigata Wehrli,1939* _ Range (in code): RU Sb
- 45202. Nothomiza xanthocolona (Meyrick,1897)** (Geometridae) Synonym(s): *xanthocolona Meyrick,1897* _ Range (in code): ID Bor Klt
- 45203. Nothoterpna crassisquama W.Warren,1909** (Geometridae) Synonym(s): *crassisquama W.Warren,1909* _ Range (in code): AO
- 45204. Nothoterpna pallida (W.Warren,1904)** (Geometridae) Synonym(s): *pallida W.Warren,1904* _ Range (in code): AO
- 45205. Nothylemera neaera (Druce,1888)** (Geometridae) Synonym(s): *neaera Druce,1888* _ Range (in code): CM
- 45206. Nothylemera vinolibata L.B.Prout,1932** (Geometridae) Synonym(s): *vinolibata L.B.Prout,1932* _ Range (in code): ZR Kga
- 45207. Nychiodes (Comeesia) admirabila Brandt,1938** (Geometridae) Synonym(s): *admirabila Brandt,1938* _ Original Reference: Nychiodes admirabila Brandt,1938, Ent. Rdsch. 55: 598, figs.361-364. Syntypes: Iran: Fars: Fort Sine Sefid, Com×e. Range (in code): IR Fa Sse Com Kz
- 45208. Nychiodes (Comeesia) admirabila safidaria Wiltshire,1943** (Geometridae) Synonym(s): *safidaria Wiltshire,1943* _ Range (in code): IR Fa Sse

- 45209. Nychiodes (Eunychiodes) agatcha Brandt, 1938** (Geometridae) Synonym(s): *agatcha Brandt, 1938* Original Reference: Nychiodes agatcha Brandt, 1938, Ent. Rdsch. 55: 599, figs. 329, 330. Syntypes: Iran: Fars: Fort Sine Sefid. Range (in code): **IR Fa Sse**
- 45210. Nychiodes (Eunychiodes) amygdalaria (Herrich-Schäffer, [1848])** (Geometridae) Synonym(s): *amygdalaria Herrich-Schäffer, [1848]* Original Reference: Gnophos amygdalaria Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 3: 82, fig. 432. Type(s): [Griechenland]: Creta. Range (in code): **IT YU BG GR Cr TR LB Bsa IL Pa Js Hf JO Cc AM IR**
- 45211. Nychiodes (Eunychiodes) amygdalaria almensis Wehrli, 1941** (Geometridae) Synonym(s): *almensis Wehrli, 1941* Range (in code): **TR**
- 45212. Nychiodes (Eunychiodes) amygdalaria amygdalaria (Herrich-Schäffer, [1848])** (Geometridae) Synonym(s): *amygdalaria Herrich-Schäffer, [1848]* Original Reference: Gnophos amygdalaria Herrich-Schäffer, [1848], Syst. Bearb. Schmett. Eur. 3: 82, fig. 432. Type(s): [Griechenland]: Creta. Range (in code): **IT YU BG GR Cr TR LB Bsa IL Pa Js**
- 45213. Nychiodes (Eunychiodes) amygdalaria malatyaca Wehrli, 1941** (Geometridae) Synonym(s): *malatyaca Wehrli, 1941* Original Reference: Nychiodes amygdalaria ssp. malatyaca Wehrli, 1941, [in] Seitz, Gross-Schmett. Erde 4 (Suppl.): 441, pl. 38d. Syntypes: [Türkei]: Malatya, Tecde. Range (in code): **TR**
- 45214. Nychiodes (Eunychiodes) antiquaria Staudinger, 1892** (Geometridae) Synonym(s): *antiquaria Staudinger, 1892*. Original Reference: Nychiodes lividaria var. antiquaria Staudinger, 1892, Dt. ent. Z., Iris 5: 171-172. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand. Range (in code): **IR AF TJ Pm UZ Fe Ch PK Nwf Ci KK Ax Ik CN Ui**
- 45215. Nychiodes (Eunychiodes) antiquaria antiquaria Staudinger, 1892** (Geometridae) Synonym(s): *antiquaria Staudinger, 1892* Original Reference: Nychiodes lividaria var. antiquaria Staudinger, 1892, Dt. ent. Z., Iris 5: 171-172. Syntypes: [Uzbekistan]: Margelan, Namangan, Samarkand. Range (in code): **UZ Fe KK Ax Ik CN Ui**
- 45216. Nychiodes (Eunychiodes) antiquaria confusa (W. Warren, 1902)** (Geometridae) Synonym(s): *confusa W. Warren, 1902* Original Reference: Phthonandria confusa W. Warren, 1902, Novit. zool. 9: 367. Type ♀: [Pakistan]: Chitral. Range (in code): **PK Nwf Ci**
- 45217. Nychiodes (Eunychiodes) antiquaria languescens L.B. Prout, 1926** (Geometridae) Synonym(s): *languescens L.B. Prout, 1926* Range (in code): **Ch**
- 45218. Nychiodes (Eunychiodes) divergaria (Staudinger, 1892)** (Geometridae) Synonym(s): *divergaria Staudinger, 1892* Original Reference: Nychiodes lividaria var. divergaria Staudinger, 1892, Dt. ent. Z., Iris 5: 171. Syntypes: [Türkei]: Mardin, Diarbekir. Range (in code): **TR LB Bei Bsa IL Pa Js RU Da Cc IR Elb IQ Brs Ry Rwz Dia**
- 45219. Nychiodes (Eunychiodes) divergaria achtyca Wehrli, 1939** (Geometridae) Synonym(s): *achtyca Wehrli, 1939* Original Reference: Nychiodes divergaria ssp. achtyca Wehrli, 1939, Ent. Rdsch. 56: 365-366. Syntypes 3♂: [Russia]: Daghestan: Achty, Samur, leg. Rjabov (ZFMK). Range (in code): **Cc RU Da**
- 45220. Nychiodes (Eunychiodes) divergaria divergaria (Staudinger, 1892)** (Geometridae) Synonym(s): *divergaria Staudinger, 1892* Original Reference: Nychiodes lividaria var. divergaria Staudinger, 1892, Dt. ent. Z., Iris 5: 171. Syntypes: [Türkei]: Mardin, Diarbekir. Range (in code): **TR LB Bsa Pa IL**
- 45221. Nychiodes (Eunychiodes) divergaria elbursica Wehrli, 1937** (Geometridae) Synonym(s): *elbursica Wehrli, 1937* Original Reference: Nychiodes divergaria var. elbursica Wehrli, 1937, Lambillionea 37 (8/9): 187. Syntypes 11♂ 4♀: [Iran]: Elburs Mts. (NHRS). Range (in code): **IR Elb**
- 45222. Nychiodes (Eunychiodes) divergaria fallax Wehrli, 1939** (Geometridae) Synonym(s): *fallax Wehrli, 1939* Original Reference: Nychiodes divergaria var. fallax Wehrli, 1939, Ent. Rdsch. 56: 366. Type ♂: Transcaucasus (coll. Wehrli) (ZFMK). Range (in code): **Cc**
- 45223. Nychiodes (Eunychiodes) farinosa Brandt, 1938** (Geometridae) Synonym(s): *farinosa Brandt, 1938* Original Reference: Nychiodes farinosa Brandt, 1938, Ent. Rdsch. 55: 599, figs. 374-377. Syntypes: Iran: Fars: Com×e. Range (in code): **IR Fa Com Kz**
- 45224. Nychiodes (Eunychiodes) leviata Brandt, 1938** (Geometridae) Synonym(s): *laeviata Brandt, 1938* Original Reference: Nychiodes variabila ssp.? leviata Brandt, 1938, Ent. Rdsch. 55: 599, figs. 378-382. Syntypes: Iran: Fars: Sine Sefid. Range (in code): **IR Fa Sse**

- 45225. Nychiodes (Eunychiodes) subfusca Brandt, 1938** (Geometridae) Synonym(s): *subfusca* Brandt, 1938 Original Reference: Nychiodes subfusca Brandt, 1938, Ent. Rdsch. 55: 598, figs. 370-373. Syntypes: Iran: Fars: Fort Sine Sefid, Comée. Range (in code): **IR Fa Com Sse Kz**
- 45226. Nychiodes (Eunychiodes) subvirida Brandt, 1938** (Geometridae) Synonym(s): *subvirida* Brandt, 1938 Original Reference: Nychiodes subvirida Brandt, 1938, Ent. Rdsch. 55: 598, figs. 365-369. Syntypes: Iran: Fars: Tschurum, Chiraz, Fort Mian Kotal. Range (in code): **IR Kd Fa Shr**
- 45227. Nychiodes (Eunychiodes) subvirida disjuncta Wehrli, 1941** (Geometridae) Synonym(s): *disjuncta* Wehrli, 1941 Range (in code): **IR**
- 45228. Nychiodes (Eunychiodes) subvirida subvirida Brandt, 1938** (Geometridae) Synonym(s): *subvirida* Brandt, 1938 Original Reference: Nychiodes subvirida Brandt, 1938, Ent. Rdsch. 55: 598, figs. 365-369. Syntypes: Iran: Fars: Tschurum, Chiraz, Fort Mian Kotal. Range (in code): **IR Fa Shr**
- 45229. Nychiodes (Eunychiodes) subvirida taftana Brandt, 1941** (Geometridae) Synonym(s): *taftana* Brandt, 1941 Range (in code): **IR**
- 45230. Nychiodes (Eunychiodes) variabila Brandt, 1938** (Geometridae) Synonym(s): *variabila* Brandt, 1938; *#variabilis* auct. Original Reference: Nychiodes variabila Brandt, 1938, Ent. Rdsch. 55: 599, figs. 383-386. Holotype ♂: Iran: Fars: Fort Sine-Sefid 2200m 25. Mai 1937, coll. Brandt; Paratype: dto., Fort Mian Kotal, Comée (NRM). Range (in code): **TR IR Km Ksh Fa Sse Com Mia Kz Ss Kuh IQ Bgd Agh Dk** Bionomy: Larva on Prunus, Amygdalus (Rosaceae) (Wiltshire, 1943, 1957).
- 45231. Nychiodes (Eunychiodes) variabila opulenta Brandt, 1941** (Geometridae) Synonym(s): *opulenta* Brandt, 1941 Original Reference: Nychiodes variabila ssp. opulenta Brandt, 1941, Mitt. münch. ent. Ges. 31: 878, fig. 33. Holotype ♂: Iran: Sengan, Kuh i Taftan (Khach) 2500m coll. Brandt (NRM). Range (in code): **IR Ss Kuh**
- 45232. Nychiodes (Eunychiodes) variabila variabila Brandt, 1938** (Geometridae) Synonym(s): *variabila* Brandt, 1938; *#variabilis* auct. Original Reference: Nychiodes variabila Brandt, 1938, Ent. Rdsch. 55: 599, figs. 383-386. Holotype ♂: Iran: Fars: Fort Sine-Sefid 2200m 25. Mai 1937, coll. Brandt; Paratype: dto., Fort Mian Kotal, Comée (NRM). Range (in code): **IQ Bgd Agh Dk IR Km Ksh Fa Sse Com Mia Kz**
- 45233. Nychiodes (Fritzwagneria) dalmatina F. Wagner, 1909** (Geometridae) Synonym(s): *dalmatina* F. Wagner, 1909 Original Reference: Nychiodes dalmatina F. Wagner, 1909, Ent. Z., Stuttgart 23: 18. Type(s): [Croatia]: Zadar (Zaras). Range (in code): **CH HU RO HV YU AL BG GR TR**
- 45234. Nychiodes (Fritzwagneria) dalmatina andreasaria Warnecke, 1925** (Geometridae) Synonym(s): *andreasaria* Warnecke, 1925 Range (in code): **MK**
- 45235. Nychiodes (Fritzwagneria) palaestinensis F. Wagner, 1919** (Geometridae) Synonym(s): *palaestinensis* F. Wagner, 1919 Range (in code): **IL Js Pa LB Bei Bsa**
- 45236. Nychiodes (Fritzwagneria) palaestinensis libanotica Zerny, 1933** (Geometridae) Synonym(s): *libanotica* Zerny, 1933 Range (in code): **LB Bsa**
- 45237. Nychiodes (Fritzwagneria) palaestinensis palaestinensis F. Wagner, 1919** (Geometridae) Synonym(s): *palaestinensis* F. Wagner, 1919 Range (in code): **IL Js Pa LB Bei**
- 45238. Nychiodes (Fritzwagneria) persuavis Wehrli, 1929** (Geometridae) Synonym(s): *persuavis* Wehrli, 1929 Original Reference: Nychiodes persuavis Wehrli, 1929, Int. ent. Z. 22 (42): 385-386. Syntypes ♂♀: [Libanon]: Beirut (coll. Wehrli). Range (in code): **IL Pa He LB Bei**
- 45239. Nychiodes (Fritzwagneria) rayatica Wiltshire, 1957** (Geometridae) Synonym(s): *rayatica* Wiltshire, 1957 Original Reference: Nychiodes rayatica Wiltshire, 1957, Lepidoptera of Iraq: 111-112, pl. iii fig. 10, text-fig. 6. Holotype ♂: Iraq: Rayat, Haj Omran (coll. Wiltshire). Range (in code): **AM Cc IQ Ry Hjo Er IR TR** Bionomy: Larva on Amygdalus (Wiltshire, 1957).
- 45240. Nychiodes (Fritzwagneria) waltheri F. Wagner, 1919** (Geometridae) Synonym(s): *waltheri* F. Wagner, 1919. Original Reference: Nychiodes obscuraria var. waltheri F. Wagner, 1919, Dt. ent. Z., Iris 33: 110. Syntypes: Türkei: Haidar-Pascha, Konstantinopel [Istanbul]. Range (in code): **BG GR Rd TR IR Elb Mz TM Kp**
- 45241. Nychiodes (Fritzwagneria) waltheri osthelderi Wehrli, 1929** (Geometridae) Synonym(s): *osthelderi* Wehrli, 1929 Original Reference: Nychiodes waltheri ssp. osthelderi Wehrli, 1929, Mitt. münch. ent. Ges. 19: 42, pl. 3 fig. 6. Type ♂: [Türkei]: Marasch [Kahramanmaraş] (ZSBS). Range (in code): **TR**

- 45242. Nychiodes (Fritzwagneria) waltheri saerdabica Wehrli, 1938** (Geometridae)
Synonym(s): *saerdabica* Wehrli, 1938 Original Reference: Nychiodes waltheri ssp. saerdabica Wehrli, 1938, Ent. Rdsch. 55: 356. Syntypes 2♂ 1♀: [Iran]: Nordpersien: Tacht i Suleiman, Sârdab Tal, leg. Pfeiffer & Forster. Range (in code): **IR Elb Mz**
- 45243. Nychiodes (Fritzwagneria) waltheri syriaca Wehrli, 1929** (Geometridae)
Synonym(s): *syriaca* Wehrli, 1929 Original Reference: Nychiodes waltheri ssp. syriaca Wehrli, 1929, Mitt. münch. ent. Ges. 19: 41. Syntypes: [Türkei]: Akbes. Range (in code): **TR**
- 45244. Nychiodes (Fritzwagneria) waltheri transcaspia Wehrli, 1929** (Geometridae)
Synonym(s): *transcaspia* Wehrli, 1929 Original Reference: Nychiodes waltheri var. transcaspia Wehrli, 1929, Int. ent. Z. 22 (42): 386. Syntypes: [Turkmenistan]: "Aschabat, Transcaspien" (ZFMK). Range (in code): **TM Kp**
- 45245. Nychiodes (Fritzwagneria) waltheri waltheri F. Wagner, 1919** (Geometridae)
Synonym(s): *waltheri* F. Wagner, 1919 Original Reference: Nychiodes obscuraria var. waltheri F. Wagner, 1919, Dt. ent. Z., Iris 33: 110. Syntypes: Türkei: Haidar-Pascha, Konstantinopel [Istanbul]. Range (in code): **BG GR Rd TR**
- 45246. Nychiodes (s.str.) andalusiaria Staudinger, 1892** (Geometridae) Synonym(s): *andalusiaria* Staudinger, 1892 Original Reference: Nychiodes lividaria var. andalusiaria Staudinger, 1892, Dt. ent. Z., Iris 5: 173. Syntypes: [Spain]: Castilien. Range (in code): **PT ES Si**
- 45247. Nychiodes (s.str.) hispanica Wehrli, 1927** (Geometridae) Synonym(s): *hispanica* Wehrli, 1927 Original Reference: Nychiodes obscuraria var. hispanica Wehrli, 1927, Dt. ent. Z., Iris 1927: 78. Range (in code): **ES**
- 45248. Nychiodes (s.str.) mauretanica Wehrli, 1929** (Geometridae) Synonym(s): *mauretanica* Wehrli, 1929 Original Reference: Nychiodes mauretanica Wehrli, 1929, Int. ent. Z. 22 (42): 386-387. Syntypes: Tunis, Ain Drahan; Algier, Lambese, Yakouren, Selo el Ghelem (coll. Wehrli). Range (in code): **TN DZ**
- 45249. Nychiodes (s.str.) obscuraria (Villers, 1789)** (Geometridae) Synonym(s): *obscuraria* Villers, 1789; *obscurata* Borkhausen, 1794; *lividaria* Hübner, [1799] Original Reference: Phalaena obscuraria Villers, 1789, Linn. ent. 2: 325. Syntypes: [France]: Gallia. Range (in code): **MA DZ Clo PT FR Si IT CH AT GR TR**
- 45250. Nychiodes (s.str.) obscuraria atlantica Schwingenschuss, 1936** (Geometridae)
Synonym(s): *atlantica* Schwingenschuss, 1936 Range (in code): **MA DZ Clo**
- 45251. Nychiodes (s.str.) obscuraria coloxaria Constantini, 1916** (Geometridae)
Synonym(s): *coloxaria* Constantini, 1916 Range (in code): **IT**
- 45252. Nychiodes (s.str.) obscuraria estrellae Wehrli, 1934** (Geometridae) Synonym(s): *estrellae* Wehrli, 1934 Range (in code): **PT**
- 45253. Nychiodes (s.str.) obscuraria obscuraria (Villers, 1789)** (Geometridae)
Synonym(s): *obscuraria* Villers, 1789; *obscurata* Borkhausen, 1794; *lividaria* Hübner, [1799] Original Reference: Phalaena obscuraria Villers, 1789, Linn. ent. 2: 325. Syntypes: [France]: Gallia. Range (in code): **FR**
- 45254. Nychiodes (s.str.) obscuraria teriolensis F. Wagner, 1927** (Geometridae)
Synonym(s): *teriolensis* F. Wagner, 1927 Range (in code): **AT**
- 45255. Nychiodes (s.str.) obscuraria ticina Wehrli, 1941** (Geometridae) Synonym(s): *ticina* Wehrli, 1941 Range (in code): **CH**
- 45256. Nychiodes (s.str.) ragusaria Millièrè, 1884** (Geometridae) Synonym(s): *ragusaria* Millièrè, 1884 Range (in code): **Si IT**
- 45257. Nychiodes aphrodite Hausmann & Wimmer, 1994** (Geometridae) Synonym(s): *aphrodite* Hausmann & Wimmer, 1994 Range (in code): **CY**
- 45258. Nychiodes muelleri Hausmann, 1991** (Geometridae) Synonym(s): *muelleri* Hausmann, 1991 Range (in code): **JO**
- 45259. Nychiodes princeps Wiltshire, 1966** (Geometridae) Synonym(s): *princeps* Wiltshire, 1966 Range (in code): **AF**
- 45260. Nychiodes quettensis Wiltshire, 1966** (Geometridae) Synonym(s): *quettensis* Wiltshire, 1966 Range (in code): **PK Qu Bl**
- 45261. Nychiodes torrevinagensis Expósito, 1984** (Geometridae) Synonym(s): *torrevinagensis* Expósito, 1984 Range (in code): **ES Mu** Bionomy: Larva on Erica, Prunus (Calle et al., 2000).

- 45262. Nychiodes tyttha L.B.Prout,1915** (Geometridae) Synonym(s): *tyttha* L.B.Prout,1915
Range (in code): **ER**
- 45263. Nyssiodes koreanus Kemal & Koçak,2004** (Geometridae) Synonym(s): *ochraceus* Kim & Shin,1995 *nec* Whli,1923; *koreanus* Kemal & Koçak,2004 Range (in code): **KP KR**
- 45264. Nyssiodes lefuarius (Erschoff,1872)** (Geometridae) Synonym(s): *lefuarius* Erschoff,1872; *olgaria* Oberthür,1880; *maturaria* Christoph,1881 Range (in code): **RU Us Vv Ask**
- 45265. Nyssiodes ochraceus Wehrli,1923** (Geometridae) Synonym(s): *ochraceus* Wehrli,1923; *perochrea* Wehrli,1941 Range (in code): **CN Kgs**
- 45266. Nyssiodes rhodopolitis Wehrli,1939** (Geometridae) Synonym(s): *rhodopolitis* Wehrli,1939
Range (in code): **IR Fa Shr**
- 45267. Oar pratana (Fabricius,1794)** (Geometridae) Synonym(s): *pratana* Fabricius,1794; *pratana* Turton,1802; *megearia* Oberthür,1881; *ectypata* Mabilie,1888 Original Reference: Phalaena *pratana* Fabricius,1794, Ent. Syst. 3(2): 161. Neotype ♂: Eastern Algeria (ZSM). Range (in code): **Cn DZ Tlm Bsk Gf TN MA SD ES Mu FR IL Pa JO Jt YE Ad EG EGo5** Bionomy: Larva on Suaeda vera, Zizyphus lotus (Calle et al.,2000).
- 45268. Oar pratana baezi Hausmann,2004** (Geometridae) Synonym(s): *baezi* Hausmann,2004
Range (in code): **MA Cn**
- 45269. Oar pratana mortuaria (Staudinger,1898)** (Geometridae) Synonym(s): *mortuaria* Staudinger,1898 Range (in code): **IL Pa JO Jt**
- 45270. Oar pratana occidens L.B.Prout,1935** (Geometridae) Synonym(s): *occidens* L.B.Prout,1935 Range (in code): **DZ**
- 45271. Oar pratana oppressa (Walker,1870)** (Geometridae) Synonym(s): *oppressa* Walker,1870; *obscuraria* Bethune-Baker,1894; *nigrescens* Hampson,1896 Range (in code): **SD YE Ad EG EGo5**
- 45272. Oar pratana pratana (Fabricius,1794)** (Geometridae) Synonym(s): *pratana* Fabricius,1794; *pratana* Turton,1802; *reamuraria* Milière,1864; *megearia* Oberthür,1881; *ectypata* Mabilie,1888
Original Reference: Phalaena *pratana* Fabricius,1794, Ent. Syst. 3(2): 161. Neotype ♂: Eastern Algeria (ZSM). Range (in code): **DZ Tlm Bsk ES Mu FR**
- 45273. Oar reamuraria (Milière,1864)** (Geometridae) Synonym(s): *reamuraria* Milière,1864; *megearia* Oberthür,1881; *occidens* L.B.Prout,1935 Range (in code): **ES MA DZ TN**
- 45274. Oaracta auricincta (Walker,1862)** (Geometridae) Synonym(s): *auricincta* Walker,1862; *sofalaria* R.Felder & Rogenhofer,1875 Range (in code): **ZA Kny Ec**
- 45275. Oaracta maculata (W.Warren,1897)** (Geometridae) Synonym(s): *maculata* W.Warren,1897; *perobliqua* L.B.Prout,1915 Range (in code): **ZA Tva ZA14 Mpu KE Mb TZ Dss**
Bionomy: Larva on Flacourtia indica (Flacourtiaceae) (Scoble,1999).
- 45276. Oaracta neophronaria (Oberthür,1912)** (Geometridae) Synonym(s): *neophronaria* Oberthür,1912 Range (in code): **ZA Tva ZA13 Kzu ZA14 ZA20 Mpu** Bionomy: Larva on Dovyalis rotundifolia, Trimeria grandifolia (Flacourtiaceae) (Scoble,1999).
- 45277. Oaracta sp.** (Geometridae) Synonym(s): Range (in code): **ZA Ksi Nta Kzu Mal Tva Lpo**
- 45278. Obolcola decisa (W.Warren,1914)** (Geometridae) Synonym(s): *decisa* W.Warren,1914
Range (in code): **ZA11 ZA13 ZA27 Kzu Nta**
- 45279. Obolcola deocellata (L.B.Prout,1913)** (Geometridae) Synonym(s): *deocellata* L.B.Prout,1913 Range (in code): **ZA ZA12 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
- 45280. Obolcola petronaria (Guenée,[1858])** (Geometridae) Synonym(s): *petronaria* Guenée,[1858] Range (in code): **ZA14 Mpu ZA17 Tva Lpo ZA18 Ec**
- 45281. Obolcola sp.** (Geometridae) Synonym(s): Range (in code): **ZA ZA07 Ksi Kzu Nta**
- 45282. Ochodontia adustaria Fischer de Waldheim,1840** (Geometridae) Synonym(s): *adustaria* Fischer de Waldheim,1840; *sareptanaria* Freyer,1841; *#sareptaria* Eversmann,1844 Original Reference: Ennomos *adustaria* Fischer de Waldheim,1840, Bull. Soc. imp. Nat. Moscou 1840 (1): 88. Syntypes ♂♀: Russia: lower Volga. Range (in code): **RU Sr TR IR Ab Elb Ak Shf AM Cc AZ Nv AF MN CN Ui KI KK Ik** Bionomy: Larva on Evonymus europaeus (Celastraceae), Atraphaxis (Polygonaceae) (Meyer,1919; Hausmann,2004 ex Mironov).
- 45283. Ochroplutodes bifurcata D.S.Fletcher,1958** (Geometridae) Synonym(s): *bifurcata* D.S.Fletcher,1958 Range (in code): **UG ZR Rz**
- 45284. Ochroplutodes bisecta (W.Warren,1904)** (Geometridae) Synonym(s): *bisecta* W.Warren,1904 Range (in code): **AO**
- 45285. Ochroplutodes haturata (Walker,1860)** (Geometridae) Synonym(s): *haturata* Walker,1860; *sordida* W.Warren,1895; *crocea* W.Warren,1905 Range (in code): **ZA ZA06 Nta Kzu Dbn**

- 45286. Ochroplutodes hova Herbulot,1954** (Geometridae) Synonym(s): *hova Herbulot,1954*
Range (in code): **MG**
- 45287. Ocoelophora agana L.B.Prout,1926** (Geometridae) Synonym(s): *agana L.B.Prout,1926*
Range (in code): **MM Hpi**
- 45288. Ocoelophora basipuncta (Moore,1868)** (Geometridae) Synonym(s): *basipuncta Moore,1868*
Range (in code): **IN Ben**
- 45289. Ocoelophora crenularia (Leech,1897)** (Geometridae) Synonym(s): *crenularia Leech,1897; ouvardi Oberthür,1912*
Range (in code): **CN Sz**
- 45290. Ocoelophora lentiginosaria (Leech,1891)** (Geometridae) Synonym(s): *lentiginosaria Leech,1891*
Range (in code): **JP KP KR TW**
- 45291. Ocoelophora maculifera W.Warren,1896** (Geometridae) Synonym(s): *maculifera W.Warren,1896*
Range (in code): **IN Ass Meg Khs**
- 45292. Ocoelophora ochreifusca (Hampson,1895)** (Geometridae) Synonym(s): *ochreifusca Hampson,1895*
Range (in code): **BT**
- 45293. Odezia atrata (Linnaeus,1758)** (Geometridae) Synonym(s): *atrata Linnaeus,1758; chaerophyllata Linnaeus,1767; chaerophyllaria Boisduval,1840; pyrenaica Gumpfenberg,1887; meridionalis Reisser,1935*
Original Reference: Phalaena atrata Linnaeus,1758, Syst. Nat. (Edn.10)1: 524.
Type(s): Europa. Range (in code): **PT ES FR Py IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Angelica, Anthriscus, Chaerophyllum, Conopodium denudatum (Bunium flexuosum) (Apiaceae) (Prout,1912; Meyer,1919).
- 45294. Odontognophos dumetatus (Treitschke,1827)** (Geometridae) Synonym(s): *dumetatus Treitschke,1827; temperata Eversmann,1846; saturata Fuchs,1902*
Original Reference: Gnophos dumetata Treitschke,1827, [in] Ochsenheimer, Schmett. Eur. 6 (1): 163. Syntypes: Dalmatia, S.France. Range (in code): **DZ Ges ES FR Co IT IE DE AT CZ SK HU RO YU GR BG Cc GG RU MD UA BY** Bionomy: Larva on Rhamnus alaternus (Rhamnaceae) (Meyer,1919).
- 45295. Odontognophos dumetatus faroulti (Rothschild,1914)** (Geometridae) Synonym(s): *faroulti Rothschild,1914*
Original Reference: Gnophos faroulti Rothschild,1914, Novit. zool. 21: 351. Syntypes 7♂ 2♀: Algeria, Guelt-es-Stel (V.Faroult) **DZ Ges**
- 45296. Odontognophos perspersatus (Treitschke, 1827)** (Geometridae) Synonym(s): *respersaria Hübner,[1813]; perspersatus Treitschke, 1827*
Range (in code): **PT ES Mu** Bionomy: Larva on Plantago (Calle et al.,2000).
- 45297. Odontognophos zacharius (Staudinger,1879)** (Geometridae) Synonym(s): *zacharia Staudinger,1879*
Original Reference: Gnophos zacharia Staudinger,1879, Horae Soc. ent. ross. 14: 454-455. Type ♀: [Türkei]: Amasia. Range (in code): **Cr TR Cc RU Da**
- 45298. Odontognophos zacharius dagestanensis Wehrli,1953** (Geometridae) Synonym(s): *dagestanensis Wehrli,1953*
Range (in code): **Cc RU Da**
- 45299. Odontognophos zacharius zacharius (Staudinger,1879)** (Geometridae) Synonym(s): *zacharia Staudinger,1879*
Original Reference: Gnophos zacharia Staudinger,1879, Horae Soc. ent. ross. 14: 454-455. Type ♀: [Türkei]: Amasia. Range (in code): **TR**
- 45300. Odontopera acutaria (Leech,1897)** (Geometridae) Synonym(s): *acutaria Leech,1897*
Range (in code): **IN Hp Drm CN**
- 45301. Odontopera acutaria acutaria (Leech,1897)** (Geometridae) Synonym(s): *acutaria Leech,1897*
Range (in code): **CN**
- 45302. Odontopera acutaria contaminata (L.B.Prout,1915)** (Geometridae) Synonym(s): *contaminata L.B.Prout,1915*
Range (in code): **IN Hp Drm**
- 45303. Odontopera acutaria epiphana (Wehrli,1940)** (Geometridae) Synonym(s): *epiphana Wehrli,1940*
Range (in code): **CN**
- 45304. Odontopera acyrthoria (L.B.Prout,1938)** (Geometridae) Synonym(s): *acyrthoria L.B.Prout,1938*
Range (in code): **CM ZR**
- 45305. Odontopera acyrthoria acyrthoria (L.B.Prout,1938)** (Geometridae) Synonym(s): *acyrthoria L.B.Prout,1938*
Range (in code): **ZR**
- 45306. Odontopera acyrthoria camerunica (L.B.Prout,1938)** (Geometridae) Synonym(s): *camerunica L.B.Prout,1938*
Range (in code): **CM**
- 45307. Odontopera aemoniaria (Swinhoe,1904)** (Geometridae) Synonym(s): *aemoniaria Swinhoe,1904*
Range (in code): **UG ZR Kvu**

- 45308. *Odontopera aemoniaria aemoniaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *aemoniaria Swinhoe,1904* _ **Range (in code):** **UG**
- 45309. *Odontopera aemoniaria eupages* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *eupages L.B.Prout,1938* _ **Range (in code):** **ZR**
- 45310. *Odontopera aemula* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *aemula L.B.Prout,1938* _ **Range (in code):** **ZM Swz**
- 45311. *Odontopera albiguttata* Bastelberger,1909** (Geometridae) **Synonym(s):** *albiguttata Bastelberger,1909* _ **Range (in code):** **TW**
- 45312. *Odontopera alienata* Staudinger,1892** (Geometridae) **Synonym(s):** *alienata Staudinger,1892* _ **Original Reference:** *Odontopera muscularia* var. *alienata* Staudinger,1892, Dt. ent. Z., Iris 5: 164. Syntypes ♂♀: [Uzbekistan]: Margelan, Samarkand; [Kirgizistan]: Osch, Transalai. **Range (in code):** **UZ Fe Man Smk CN Ui Ga Ii Ts Kno KK Osh**
- 45313. *Odontopera ambigua* (W.Warren,1898)** (Geometridae) **Synonym(s):** *ambigua W.Warren,1898* _ **Range (in code):** **MY Pen**
- 45314. *Odontopera angularia* (Moore,1868)** (Geometridae) **Synonym(s):** *angularia Moore,1868* _ **Range (in code):** **IN Ben**
- 45315. *Odontopera arida* (Butler,1878)** (Geometridae) **Synonym(s):** *arida Butler,1878* _ **Original Reference:** *Nipponissa arida* Butler,1878, Ann. Mag. nat. Hist. 1878: 394. Type: Japan, Yokohama (BMNH). **Range (in code):** **JP PK Thu**
- 45316. *Odontopera arida arida* (Butler,1878)** (Geometridae) **Synonym(s):** *arida Butler,1878* _ **Original Reference:** *Nipponissa arida* Butler,1878, Ann. Mag. nat. Hist. 1878: 394. Type: Japan, Yokohama (BMNH). **Range (in code):** **JP PK Thu**
- 45317. *Odontopera arida melancholica* (Inoue,1963)** (Geometridae) **Synonym(s):** *melancholica Inoue,1963* _ **Range (in code):** **JP**
- 45318. *Odontopera aurata* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *aurata L.B.Prout,1915; nubiferaria Wehrli,1940; urupina Bryk,1942; yeterefunia Bryk,1942* _ **Range (in code):** **JP Krl**
- 45319. *Odontopera azelinaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *azelinaria Swinhoe,1904* _ **Range (in code):** **TZ Kmj**
- 45320. *Odontopera belli* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *belli L.B.Prout,1938* _ **Range (in code):** **AO**
- 45321. *Odontopera bidentata* (Linnaeus,1761)** (Geometridae) **Synonym(s):** *#bidentata Clerck,1759; bidentata Linnaeus,1761; bidentaria Fabricius,1794; dentaria Hübner,[1799].* _ **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY RU Sj Am KG Ssn MN JP Krl** _ **Bionomy:** Larva on *Alnus incana*, *Betula ermani*, *B. pubescens* (Betulaceae); *Arctium minus*, *Artemisia vulgaris*, *Cirsium arvense* (Asteraceae); *Ledum palustre*, *Vaccinium myrtillus* (Ericaceae); *Fagus crenata*, *Quercus dentata*, *Q. robur* (Fagaceae); *Ribes nigrum*, *R. uva-crispa* (Grossulariaceae); *Trifolium pratense* (Fabaceae); *Fraxinus excelsior* (Oleaceae); *Larix decidua*, *L. sibirica*, *Picea abies*, *Pinus sylvestris* (Pinaceae); *Malus domestica*, *Prunus padus*, *Sorbus aucuparia* (Rosaceae); *Populus alba*, *Populus nigra*, *Salix* (Salicaceae); *Tilia platyphylla* (Tiliaceae) (Meyer,1919 et seq.).
- 45322. *Odontopera bidentata exsul* (Tchetverikov,1905)** (Geometridae) **Synonym(s):** *exsul Tchetverikov,1905; asiatica A.Bang-Haas,1907.* _ **Range (in code):** **RU Sj Am KG Ssn**
- 45323. *Odontopera bidentata harutai* (Inoue,1953)** (Geometridae) **Synonym(s):** *harutai Inoue,1953* _ **Range (in code):** **JP**
- 45324. *Odontopera bidentata kurilana* (Bryk,1942)** (Geometridae) **Synonym(s):** *kurilana Bryk,1942* _ **Range (in code):** **JP Krl**
- 45325. *Odontopera bidentata rava* (Vojnits,1975)** (Geometridae) **Synonym(s):** *rava Vojnits,1975* _ **Range (in code):** **MN**
- 45326. *Odontopera bilinearia* (Swinhoe,1890)** (Geometridae) **Synonym(s):** *bilinearia Swinhoe,1890* _ **Range (in code):** **IN Kul Hp CN Tkg TW**
- 45327. *Odontopera bilinearia bilinearia* (Swinhoe,1890)** (Geometridae) **Synonym(s):** *bilinearia Swinhoe,1890* _ **Range (in code):** **IN Hp Kul**
- 45328. *Odontopera bilinearia coryphodes* (Wehrli,1940)** (Geometridae) **Synonym(s):** *coryphodes Wehrli,1940* _ **Range (in code):** **CN**
- 45329. *Odontopera bilinearia nephela* (Wehrli,1940)** (Geometridae) **Synonym(s):** *nephela Wehrli,1940* _ **Range (in code):** **CN Tkg**

- 45330. *Odontopera bilinearia subarida* Inoue,1986** (Geometridae) **Synonym(s):** *subarida* Inoue,1986 _ Range (in code): **TW**
- 45331. *Odontopera bivittaria* (Moore,1868)** (Geometridae) **Synonym(s):** *bivittaria* Moore,1868 _ Range (in code): **IN Ben**
- 45332. *Odontopera blaisa* (Wehrli,1936)** (Geometridae) **Synonym(s):** *blaisa* Wehrli,1936
Original Reference: Gonodontis blaisa Wehrli,1936, Ent. Rdsch. 54 (11): 128. Holotype ♂: [Pakistan]: Punjab, Rawalpindi (BMNH). Range (in code): **PK Rw Pj**
- 45333. *Odontopera breviata* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *breviata* L.B.Prout,1922 _ Range (in code): **KE Kib**
- 45334. *Odontopera briela* (Debauche,1937)** (Geometridae) **Synonym(s):** *briela* Debauche,1937
Range (in code): **ET ET7o Sdm**
- 45335. *Odontopera cervinaria* (Moore,1868)** (Geometridae) **Synonym(s):** *cervinaria* Moore,1868 _ Range (in code): **IN SI Djl**
- 45336. *Odontopera crocalliaria* (Wehrli,1931)** (Geometridae) **Synonym(s):** _ Range (in code): **CN Sz T-T Yu Lik**
- 45337. *Odontopera crocalliaria crocalliaria* (Wehrli,1931)** (Geometridae) **Synonym(s):** *crocalliaria* Wehrli,1931 _ Range (in code): **CN Sz T-T**
- 45338. *Odontopera crocalliaria yangstea* (Wehrli,1940)** (Geometridae) **Synonym(s):** *yangstea* Wehrli,1940 _ Range (in code): **CN Yu Lik**
- 45339. *Odontopera curticosta* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *curticosta* L.B.Prout,1932 _ Range (in code): **KE TZ**
- 45340. *Odontopera curticosta craterias* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *craterias* L.B.Prout,1938 _ Range (in code): **TZ Aus**
- 45341. *Odontopera curticosta curticosta* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *curticosta* L.B.Prout,1932 _ Range (in code): **KE**
- 45342. *Odontopera dargei* Herbulot,1982** (Geometridae) **Synonym(s):** *dargei* Herbulot,1982
Range (in code): **CM**
- 45343. *Odontopera elaborans* (Dyar,1914)** (Geometridae) **Synonym(s):** *elaborans* Dyar,1914
Range (in code): **DM**
- 45344. *Odontopera erebaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *erebaria* Guenée,[1858]; *indecornaria* Walker,1866 _ Range (in code): **ZA Cto Ec**
- 45345. *Odontopera exoglypha* Herbulot,1982** (Geometridae) **Synonym(s):** *exoglypha* Herbulot,1982 _ Range (in code): **RW**
- 45346. *Odontopera fragilis* Butler,1882** (Geometridae) **Synonym(s):** *fragilis* Butler,1882
Range (in code): **CL**
- 45347. *Odontopera fuscilinea* (Hampson,1907)** (Geometridae) **Synonym(s):** *fuscilinea* Hampson,1907 _ Range (in code): **Ch**
- 45348. *Odontopera graecarius* (A.Bang-Haas,1910)** (Geometridae) **Synonym(s):** *graecarius* A.Bang-Haas,1910 _ Range (in code): **BG GR**
- 45349. *Odontopera heydena* (Swinhoe,1894)** (Geometridae) **Synonym(s):** *heydena* Swinhoe,1894 _ Range (in code): **IN Ass Meg Khs Slo**
- 45350. *Odontopera homales* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *homales* L.B.Prout,1922 _ Range (in code): **ZA Tva**
- 45351. *Odontopera hypopolia* (Wehrli,1936)** (Geometridae) **Synonym(s):** *hypopolia* Wehrli,1936
Range (in code): **CN Sz**
- 45352. *Odontopera imitata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *imitata* W.Warren,1897 _ Range (in code): **IN Ass Meg Khs**
- 45353. *Odontopera insulata* Bastelberger,1909** (Geometridae) **Synonym(s):** *insulata* Bastelberger,1909; *variegata* Wileman,1910 _ Range (in code): **TW CN Ti**
- 45354. *Odontopera insulata insulata* Bastelberger,1909** (Geometridae) **Synonym(s):** *insulata* Bastelberger,1909; *variegata* Wileman,1910 _ Range (in code): **TW**
- 45355. *Odontopera insulata tsekua* (Wehrli,1931)** (Geometridae) **Synonym(s):** *tsekua* Wehrli,1931 _ Range (in code): **CN Ti**
- 45356. *Odontopera integraria* Guenée,[1858]** (Geometridae) **Synonym(s):** *integraria* Guenée,[1858] _ Range (in code): **YE Sna YE33 YE68 ET**
- 45357. *Odontopera justa* (L.B.Prout,1928)** (Geometridae) **Synonym(s):** *justa* L.B.Prout,1928
Range (in code): **IN Ass Meg Khs**

- 45358. *Odontopera kametaria* (R.Felder & Rogenhofer,[1875])** (Geometridae)
Synonym(s): *kametaria* R.Felder & Rogenhofer,[1875] _ Range (in code): AF Gz PK Haz Mre Swa Sgl Yek Dara Alp Cte IN
- 45359. *Odontopera kanchai* Yazaki,1994** (Geometridae) Synonym(s): *kanchai* Yazaki,1994
Range (in code): NP
- 45360. *Odontopera lentiginosaria* (Moore,1868)** (Geometridae) Synonym(s): *lentiginosaria* Moore,1868 _ Range (in code): IN Ben
- 45361. *Odontopera luzonensis* (Wileman & South,1917)** (Geometridae) Synonym(s): *luzonensis* Wileman & South,1917; *umbrina* West,1929 _ Range (in code): PH Luz
- 45362. *Odontopera mediochrea* (Wehrli,1931)** (Geometridae) Synonym(s): *mediochrea* Wehrli,1931 _ Range (in code): CN Ti
- 45363. *Odontopera muscularia* Staudinger,1892** (Geometridae) Synonym(s): *muscularia* Staudinger,1892 _ Original Reference: *Odontopera muscularia* Staudinger,1892, Dt. ent. Z., Iris 5: 164. Syntypes: [Uzbekistan]: Margelan, Samarkand; [Kirgizistan]: Osch, Alai, Transalai. Range (in code): UZ Fe Man Smk KK Osh Ik CN Ui Ii Kl Ts Kno
- 45364. *Odontopera nubigosa* (L.B.Prout,1928)** (Geometridae) Synonym(s): *nubigosa* L.B.Prout,1928 _ Range (in code): CN Sz
- 45365. *Odontopera obliquaria* (Moore,1868)** (Geometridae) Synonym(s): *obliquaria* Moore,1868 _ Range (in code): PK Thu IN Ben
- 45366. *Odontopera obvelata* Inoue,1987** (Geometridae) Synonym(s): *obvelata* Inoue,1987
Range (in code): NP
- 45367. *Odontopera ochroneura* (L.B.Prout,1938)** (Geometridae) Synonym(s): *ochroneura* L.B.Prout,1938 _ Range (in code): ZR Kvu KE Kky UG Kmp
- 45368. *Odontopera ochroneura aidna* (L.B.Prout,1938)** (Geometridae) Synonym(s): *aidna* L.B.Prout,1938 _ Range (in code): UG Kmp
- 45369. *Odontopera ochroneura dicyrta* (L.B.Prout,1938)** (Geometridae) Synonym(s): *dicyrta* L.B.Prout,1938 _ Range (in code): KE Kky
- 45370. *Odontopera ochroneura ochroneura* (L.B.Prout,1938)** (Geometridae) Synonym(s): *ochroneura* L.B.Prout,1938 _ Range (in code): ZR Kvu
- 45371. *Odontopera orographica* (L.B.Prout,1938)** (Geometridae) Synonym(s): *orographica* L.B.Prout,1938 _ Range (in code): UG
- 45372. *Odontopera paliscia* (L.B.Prout,1922)** (Geometridae) Synonym(s): *paliscia* L.B.Prout,1922 _ Range (in code): ZA Cto Ec
- 45373. *Odontopera paraplesia* (Wehrli,1940)** (Geometridae) Synonym(s): *paraplesia* Wehrli,1940 _ Range (in code): CN
- 45374. *Odontopera perplexa* Yazaki,1992** (Geometridae) Synonym(s): *perplexa* Yazaki,1992
Range (in code): NP
- 45375. *Odontopera perplexata* (W.Warren,1904)** (Geometridae) Synonym(s): *perplexata* W.Warren,1904 _ Range (in code): ZA
- 45376. *Odontopera postobscura* (Wehrli,1936)** (Geometridae) Synonym(s): *postobscura* Wehrli,1936 _ Range (in code): CN Yu Lik
- 45377. *Odontopera prolita* (Wehrli,1936)** (Geometridae) Synonym(s): *prolita* Wehrli,1936
Range (in code): CN Sz T-T
- 45378. *Odontopera protecta* Herbulot,1983** (Geometridae) Synonym(s): *protecta* Herbulot,1983
Range (in code): ET Ble ET86
- 45379. *Odontopera pulveraria* (De Joannis,1929)** (Geometridae) Synonym(s): *pulveraria* De Joannis,1929 _ Range (in code): VN Ton
- 45380. *Odontopera rubescens* Inoue,1987** (Geometridae) Synonym(s): *rubescens* Inoue,1987
Range (in code): NP
- 45381. *Odontopera similaria* (Moore,1888)** (Geometridae) Synonym(s): *similaria* Moore,1888
Range (in code): CN Ti IN SI Djl
- 45382. *Odontopera similaria similaria* (Moore,1888)** (Geometridae) Synonym(s): *similaria* Moore,1888 _ Range (in code): IN SI Djl
- 45383. *Odontopera similaria tahoa* (Wehrli,1940)** (Geometridae) Synonym(s): *tahoa* Wehrli,1940 _ Range (in code): CN Ti
- 45384. *Odontopera stictoneura* (L.B.Prout,1917)** (Geometridae) Synonym(s): *stictoneura* L.B.Prout,1917 _ Range (in code): ZA Cto Ec

- 45385. *Odontopera urania* (Wehrli,1933)** (Geometridae) Synonym(s): *urania* Wehrli,1933
Range (in code): **PK Ch**
- 45386. *Odontopera veneris* Inoue,1987** (Geometridae) Synonym(s): *veneris* Inoue,1987
Range (in code): **NP**
- 45387. *Odontopera xera* (L.B.Prout,1922)** (Geometridae) Synonym(s): *xera* L.B.Prout,1922
Range (in code): **KE Kib YE YE33 YE68**
- 45388. *Oedicentra albipennis* W.Warren,1902** (Geometridae) Synonym(s): *albipennis* W.Warren,1902 _ Range (in code): **ZA ZA12 Nta Kzu ZA13 ZA14 Mal Tva Lpo Spb Bbg ZA20 Mpu KE**
Bionomy: Larva on *Podranea brycei* (Bignoniaceae); *Ligustrum lucidum* (Oleaceae); *Pinus radiata* (Pinaceae); *Halleria lucida* (Scrophulariaceae); *Nicotiana tabacum* (Solanaceae); *Lantana camara* (Verbenaceae) (Scoble,1999).
- 45389. *Oedicentra gerydaria* Swinhoe,1904** (Geometridae) Synonym(s): *gerydaria* Swinhoe,1904
Range (in code): **GH**
- 45390. *Oedicentra volcanica* Herbulot,1997** (Geometridae) Synonym(s): *volcanica* Herbulot,1997
Range (in code): **CM**
- 45391. *Oenochlora imperialis* W.Warren,1896** (Geometridae) Synonym(s): *imperialis* W.Warren,1896; *nobilitans* Lucas,1900; *patrocinatus* Lucas,1900 _ Range (in code): **AU QAU Bri ID Ij Snw**
- 45392. *Oenochlora imperialis majestica* L.B.Prout,1913** (Geometridae) Synonym(s): *majestica* L.B.Prout,1913 _ Range (in code): **ID Ij Snw**
- 45393. *Oenochroma unifasciata* Holloway,1979** (Geometridae) Synonym(s): *unifasciata* Holloway,1979 Original Reference: *Oenochroma unifasciata* Holloway,1979, *Lepidoptera New Caledonia*: 269, figs. Holotype ♂: New Caledonia: Pic du Pin, 250m. Range (in code): **NC**
- 45394. *Oenospila altistrix* Holloway,1996** (Geometridae) Synonym(s): *altistrix* Holloway,1996
Range (in code): **MY Bor Swk**
- 45395. *Oenospila flavifusata* (Walker,1861)** (Geometridae) Synonym(s): *flavifusata* Walker,1861; *sinuata* Moore,1868 _ Range (in code): **LK IN Ben**
- 45396. *Oenospila gemmans* L.B.Prout,1935** (Geometridae) Synonym(s): *gemmans* L.B.Prout,1935 _ Range (in code): **ID Ja**
- 45397. *Oenospila microstrix* Holloway,1996** (Geometridae) Synonym(s): *microstrix* Holloway,1996 _ Range (in code): **ID Sum**
- 45398. *Oenospila strix* (Butler,1889)** (Geometridae) Synonym(s): *strix* Butler,1889 _ Range (in code): **IN Hp Kgr Drm**
- 45399. *Omiza herois* (L.B.Prout,1932)** (Geometridae) Synonym(s): *herois* L.B.Prout,1932
Range (in code): **MY Bor KBa Shh**
- 45400. *Omiza lycoraria* (Guenée,[1858])** (Geometridae) Synonym(s): *lycoraria* Guenée,[1858]; *hypopyrata* Snellen,1895; *languidata* Swinhoe,1902 _ Range (in code): **TH Ntt Hba ID Sum MY Bor Prk IN**
- 45401. *Omiza miliaria* Swinhoe,1890** (Geometridae) Synonym(s): *miliaria* Swinhoe,1890
Range (in code): **IN TH ID Crm**
- 45402. *Omizodes complanata* L.B.Prout,1922** (Geometridae) Synonym(s): *complanata* L.B.Prout,1922 _ Range (in code): **ZA ZA28 Tva Lpo Spb Bbg Gau Pre** Bionomy: Larva on *Rothmannia capensis* (Rubiaceae) (Staude,1999).
- 45403. *Omizodes ocellata* W.Warren,1894** (Geometridae) Synonym(s): *ocellata* W.Warren,1894
Range (in code): **ZA Etm ZA13 ZA25 Nta Kzu** Bionomy: Larva on *Burchellia bubalina* (Rubiaceae) (Scoble,1999).
- 45404. *Omizodes rubrifasciata* (Butler,1896)** (Geometridae) Synonym(s): *rubrifasciata* Butler,1896 _ Range (in code): **MW**
- 45405. *Omphacodes delicata* (W.Warren,1905)** (Geometridae) Synonym(s): *delicata* W.Warren,1905 _ Range (in code): **ZA Nta Kzu Dbn Umk MZ KE**
- 45406. *Omphacodes directa* (Walker,1861)** (Geometridae) Synonym(s): *directa* Walker,1861; *gracilis* Butler,1889 _ Range (in code): **IN Hp Kgr** Bionomy: Larva on *Mimosa rubicaulis* (Fabaceae) (Scoble,1999).
- 45407. *Omphacodes divergens* (W.Warren,1899)** (Geometridae) Synonym(s): *divergens* W.Warren,1899 _ Range (in code): **UG**
- 45408. *Omphacodes minima* L.B.Prout,1913** (Geometridae) Synonym(s): *minima* L.B.Prout,1913
Range (in code): **NG**

- 45409. Omphacodes pulchrifimbria (W.Warren,1902)** (Geometridae) **Synonym(s):** *pulchrifimbria* W.Warren,1902 **Range (in code):** YE YE33 YE47 Sna KE ET
- 45410. Omphacodes pulchrifimbria pulchrifimbria (W.Warren,1902)** (Geometridae) **Synonym(s):** *pulchrifimbria* W.Warren,1902 **Range (in code):** KE
- 45411. Omphacodes pulchrifimbria purifimbria L.B.Prout,1930** (Geometridae) **Synonym(s):** *purifimbria* L.B.Prout,1930 **Range (in code):** KE
- 45412. Omphacodes pulchritacta L.B.Prout,1912** (Geometridae) **Synonym(s):** *pulchritacta* L.B.Prout,1912 **Range (in code):** ET
- 45413. Omphacodes punctilineata (W.Warren,1897)** (Geometridae) **Synonym(s):** *punctilineata* W.Warren,1897 **Range (in code):** ZW Hfo ZA ZA12 Nta Kzu Mal Tva Lpo Gau Pre Mpu Brb Nyl Wca Cto **Bionomy:** Larva on Acacia karroo, A. sieberiana (Fabaceae) (Scoble,1999).
- 45414. Omphacodes vivida (W.Warren,1899)** (Geometridae) **Synonym(s):** *vivida* W.Warren,1899 **Range (in code):** ZA Nta Kzu Ec Elo
- 45415. Omphalucha albosignata Janse,1932** (Geometridae) **Synonym(s):** *albosignata* Janse,1932 **Range (in code):** ZA ZA24 NWe Tva Nbs **Bionomy:** Larva on Rhus leptodictya (Anacardiaceae) (Staude,1999).
- 45416. Omphalucha angulilinea (Janse,1932)** (Geometridae) **Synonym(s):** *angulilinea* Janse,1932 **Range (in code):** ZA Nta Kzu
- 45417. Omphalucha apira L.B.Prout,1938** (Geometridae) **Synonym(s):** *apira* L.B.Prout,1938 **Range (in code):** AO
- 45418. Omphalucha brunnea (W.Warren,1899)** (Geometridae) **Synonym(s):** *brunnea* W.Warren,1899 **Range (in code):** NG AO UG
- 45419. Omphalucha brunnea brunnea (W.Warren,1899)** (Geometridae) **Synonym(s):** *brunnea* W.Warren,1899 **Range (in code):** UG
- 45420. Omphalucha brunnea lignaria (W.Warren,1903)** (Geometridae) **Synonym(s):** *lignaria* W.Warren,1903; *ambusta* W.Warren,1904 **Range (in code):** AO
- 45421. Omphalucha brunnea unimoda L.B.Prout,1938** (Geometridae) **Synonym(s):** *unimoda* L.B.Prout,1938 **Range (in code):** NG
- 45422. Omphalucha crenulata (W.Warren,1897)** (Geometridae) **Synonym(s):** *crenulata* W.Warren,1897 **Range (in code):** ZA ZA10 ZA11 ZA12 Kzu Nta Ggh Fs Dbn
- 45423. Omphalucha crenulata hirta W.Warren,1905** (Geometridae) **Synonym(s):** *hirta* W.Warren,1905 **Range (in code):** ZA Nta Kzu Dbn
- 45424. Omphalucha ditriba L.B.Prout,1938** (Geometridae) **Synonym(s):** *ditriba* L.B.Prout,1938 **Range (in code):** ZA ZA16 Mpu ZA21 Tva Lpo Spb ZW Bul
- 45425. Omphalucha ditriba zautpanensis L.B.Prout,1938** (Geometridae) **Synonym(s):** *zautpanensis* L.B.Prout,1938 **Range (in code):** ZA Tva Lpo Spb
- 45426. Omphalucha epixyna L.B.Prout,1938** (Geometridae) **Synonym(s):** *epixyna* L.B.Prout,1938 **Range (in code):**
- 45427. Omphalucha exocholoxa L.B.Prout,1938** (Geometridae) **Synonym(s):** *exocholoxa* L.B.Prout,1938 **Range (in code):** NA
- 45428. Omphalucha indeflexa L.B.Prout,1922** (Geometridae) **Synonym(s):** *indeflexa* L.B.Prout,1922 **Range (in code):** ZA ZA24 NWe Tva Gau Pre **Bionomy:** Larva on Combretum collinum (Combretaceae) (Scoble,1999).
- 45429. Omphalucha indigna (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *indigna* L.B.Prout,1915 **Range (in code):** AO
- 45430. Omphalucha katangae L.B.Prout,1934** (Geometridae) **Synonym(s):** *katangae* L.B.Prout,1934 **Range (in code):** ZR Kga
- 45431. Omphalucha maturnaria (Möschler,1884)** (Geometridae) **Synonym(s):** *maturnaria* Möschler,1884 **Range (in code):** ZA Tva Lpo Spb Bbg **Bionomy:** Larva on Rhus gueinzii, R. pyroides (Anacardiaceae); Combretum caffrum (Combretaceae) (Staude,1999; Scoble,1999).
- 45432. Omphalucha natalensis Herbulot,1995** (Geometridae) **Synonym(s):** *natalensis* Herbulot,1995 **Range (in code):** ZA Nta Kzu Drb
- 45433. Omphalucha nubimedia L.B.Prout,1938** (Geometridae) **Synonym(s):** *nubimedia* L.B.Prout,1938 **Range (in code):** ZR TZ
- 45434. Omphalucha praeses L.B.Prout,1938** (Geometridae) **Synonym(s):** *praeses* L.B.Prout,1938 **Range (in code):** ZA ZA26 Nta Kzu ZW Bul

- 45435. Omphalucha prosciodes (L.B.Prout,1934)** (Geometridae) **Synonym(s):** *prosciodes* L.B.Prout,1934 **_ Range (in code): ZR**
- 45436. Omphalucha ruandana Herbulot,1997** (Geometridae) **Synonym(s):** *ruandana* Herbulot,1997 **_ Range (in code): RW**
- 45437. Omphalucha rufinubes W.Warren,1905** (Geometridae) **Synonym(s):** *rufinubes* W.Warren,1905 **_ Range (in code): AO**
- 45438. Omphalucha sp.** (Geometridae) **Synonym(s):** **_ Range (in code): ZA ZA22 Tva Lpo**
- 45439. Omphax bacoti L.B.Prout,1912** (Geometridae) **Synonym(s):** *bacoti* L.B.Prout,1912 **_ Range (in code): ZA Ksi Nta Kzu Dbn Dmm Esw Mpu Brb Gau Pre Rtf Buf Jh Mdp Fs**
- 45440. Omphax bara Herbulot,1972** (Geometridae) **Synonym(s):** *bara* Herbulot,1972 **_ Range (in code): MG**
- 45441. Omphax bilobata Janse,1935** (Geometridae) **Synonym(s):** *bilobata* Janse,1935 **_ Range (in code): ZA ZA12 Nta Kzu ZA14 Mpu ZA17 Tva Lpo ZA18 Ec Nha Umv Kkf ZW**
- 45442. Omphax idonea L.B.Prout,1916** (Geometridae) **Synonym(s):** *idonea* L.B.Prout,1916 **_ Range (in code): ZA Mal Tva Lpo Ly Gau Jh** **Bionomy:** Larva on Vangueria infausta (Rubiaceae) (Staude,1999).
- 45443. Omphax interfulgens Herbulot,1954** (Geometridae) **Synonym(s):** *interfulgens* Herbulot,1954 **_ Range (in code): MG**
- 45444. Omphax leucocraspeda L.B.Prout,1916** (Geometridae) **Synonym(s):** *leucocraspeda* L.B.Prout,1916 **_ Range (in code): ZA ZA28 Tva Lpo Gau Pre Kra Buf Mdp Rtf**
- 45445. Omphax modesta (W.Warren,1897)** (Geometridae) **Synonym(s):** *modesta* W.Warren,1897 **_ Range (in code): ZA**
- 45446. Omphax neglecta Herbulot,1977** (Geometridae) **Synonym(s):** *neglecta* Herbulot,1977 **_ Range (in code): MG**
- 45447. Omphax nigricornis (W.Warren,1897)** (Geometridae) **Synonym(s):** *nigricornis* W.Warren,1897 **_ Range (in code): KE Mb**
- 45448. Omphax particeps L.B.Prout,1932** (Geometridae) **Synonym(s):** *particeps* L.B.Prout,1932 **_ Range (in code): ZR**
- 45449. Omphax plantaria Guenée,[1858]** (Geometridae) **Synonym(s):** *plantaria* Guenée,[1858]; *marginata* W.Warren,1894; *subaspera* W.Warren,1894; *rubriplaga* W.Warren,1897; *apicata* W.Warren,1901 **_ Range (in code): ZA Tva Ksi Kzu Nta Esw Dbn Srn Nha ZA16 ZA18 Mpu Brb Wv Gau Pre Ec ZW Uma TZ ET** **Bionomy:** Larva on Vangueria infausta (Janse,1935).
- 45450. Omphax plantaria rhodampyx L.B.Prout,1930** (Geometridae) **Synonym(s):** *rhodampyx* L.B.Prout,1930 **_ Range (in code): ET**
- 45451. Omphax rhodocera (Hampson,1910)** (Geometridae) **Synonym(s):** *rhodocera* Hampson,1910 **_ Range (in code): ZM ZW Har**
- 45452. Omphax rigua L.B.Prout,1930** (Geometridae) **Synonym(s):** *rigua* L.B.Prout,1930 **_ Range (in code): AO**
- 45453. Omphax rubriceps (W.Warren,1904)** (Geometridae) **Synonym(s):** *rubriceps* W.Warren,1904; *monophyes* Swinhoe,1906; *ornatimargo* L.B.Prout,1913 **_ Range (in code): AO NG**
- 45454. Omphax shorti L.B.Prout,1912** (Geometridae) **Synonym(s):** *shorti* L.B.Prout,1912; *homalotis* L.B.Prout,1930 **_ Range (in code): ZW Hfo MW**
- 45455. Omphax trilobata Janse,1935** (Geometridae) **Synonym(s):** *trilobata* Janse,1935 **_ Range (in code): ZA Nta Kzu Dbn**
- 45456. Omphax vicinitaria (Wallengren,1863)** (Geometridae) **Synonym(s):** *vicinitaria* Wallengren,1863 **_ Range (in code): ZA Ec Nta Kzu Kkf**
- 45457. Onagrodes barbarula L.B.Prout,1958** (Geometridae) **Synonym(s):** *barbarula* L.B.Prout,1958 **_ Range (in code): PG Nir**
- 45458. Onagrodes eucineta L.B.Prout,1958** (Geometridae) **Synonym(s):** *eucineta* L.B.Prout,1958 **_ Range (in code): MY Sgo**
- 45459. Onagrodes obscurata W.Warren,1896** (Geometridae) **Synonym(s):** *obscurata* W.Warren,1896 **_ Range (in code): IN Ass Meg Khs**
- 45460. Onagrodes oosyndica L.B.Prout,1958** (Geometridae) **Synonym(s):** *oosyndica* L.B.Prout,1958 **_ Range (in code): MY Pah Cmh**
- 45461. Onagrodes recurva W.Warren,1907** (Geometridae) **Synonym(s):** *recurva* W.Warren,1907; *viridis* W.Warren,1907 **_ Range (in code): PG**

- 45462. Onagrodes victoria L.B.Prout,1958** (Geometridae) **Synonym(s):** *victoria* L.B.Prout,1958
Range (in code): **MM Tns Vp**
- 45463. Oneiliana multifera L.B.Prout,1922** (Geometridae) **Synonym(s):** *multifera* L.B.Prout,1922
Range (in code): **ZW**
- 45464. Onychora agaritharia (Dardoin,1842)** (Geometridae) **Synonym(s):** *agaritharia* Dardoin,1842
Range (in code): **PT ES Mu FR IT** **Bionomy:** Larva on Genista (Calle et al.,2000).
- 45465. Onychora mauretanica (Staudinger,1901)** (Geometridae) **Synonym(s):** *mauretanica* Staudinger,1901
Range (in code): **MR**
- 45466. Onycodes leptoctenopsis L.B.Prout,1913** (Geometridae) **Synonym(s):** *leptoctenopsis* L.B.Prout,1913
Range (in code): **ID Ij**
- 45467. Onycodes rubra (Lucas,1892)** (Geometridae) **Synonym(s):** *rubra* Lucas,1892; *illidgei* Lucas,1894
Range (in code): **AU QAU Bri VAU Mel**
- 45468. Onycodes traumataria Guenée,[1858]** (Geometridae) **Synonym(s):** *traumataria* Guenée,[1858]; *flagrantaria* Walker,[1863]
Range (in code): **AU ZA Nam**
- 45469. Operophtera brumata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *brumata* Linnaeus,1758; *hyemata* Hufnagel,1767; *hyemalis* Retzius,1783; *brumaria* Esper,1801; *vulgaris* Stephens,1829; *phryganea* Rambur,1870; *myricaria* Cooke,1882; *robineaui* Leraut,1997
Original Reference: Phalaena brumata Linnaeus,1758, Syst. Nat. (Edn.10)1: 529. Type(s): [Europa]. **Range (in code):** **MA DZ TN Elt PT ES FR Sa Si IT IS IE GB BE NL LU DE NO IS CH AT PL CZ SK HU RO YU BG TR Cc AZ AM GG DK NO SE FI EE LV LT RU Am Sb Ur MD UA BY IR Nos JP CA US** **Bionomy:** Larva on Carpinus [betulus], Fagus, Malus, Prunus, Pyrus, Vaccinium myrtillus (Meyer,1919).
- 45470. Operophtera fagata (Scharfenberg,1805)** (Geometridae) **Synonym(s):** *fagata* Scharfenberg,1805; *boreata* Hübner,[1813]; *borearia* Boisduval,1840
Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 45471. Ophthalmitis albosignaria (Bremer & Grey,1853)** (Geometridae) **Synonym(s):** *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
Range (in code): **RU Us Vv CN Hun Mc TW**
- 45472. Ophthalmitis albosignaria albosignaria (Bremer & Grey,1853)** (Geometridae) **Synonym(s):** *albosignaria* Bremer & Grey,1853; *ocellata* Leech,1889; *saturniaria* Graeser,1889
Range (in code): **RU Us Vv CN**
- 45473. Ophthalmitis albosignaria juglandaria (Oberthür,1913)** (Geometridae) **Synonym(s):** *juglandaria* Oberthür,1913
Range (in code): **RU CN Mc**
- 45474. Ophthalmitis albosignaria viridans Sato,1992** (Geometridae) **Synonym(s):** *viridans* Sato,1992
Range (in code): **TW**
- 45475. Ophthalmitis basiscripta Holloway,[1994]** (Geometridae) **Synonym(s):** *basiscripta* Holloway,[1994]
Range (in code): **MY Bor Swk TH Ntt Hba**
- 45476. Ophthalmitis clararia (Walker,1866)** (Geometridae) **Synonym(s):** *clararia* Walker,1866; *fasciata* W.Warren,1900
Range (in code): **ID Ja MY Pen TH Nst**
- 45477. Ophthalmitis cordularia (Swinhoe,1893)** (Geometridae) **Synonym(s):** *cordularia* Swinhoe,1893
Range (in code): **IN Meg Ass Khs**
- 45478. Ophthalmitis cordularioides Holloway,[1994]** (Geometridae) **Synonym(s):** *cordularioides* Holloway,[1994]
Range (in code): **MY Bor Swk**
- 45479. Ophthalmitis diurnaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *diurnaria* Guenée,[1858]; *infusaria* Walker,1860; *mundata* Walker,1869
Range (in code): **IN BD Syl**
- 45480. Ophthalmitis exemptaria (Walker,1860)** (Geometridae) **Synonym(s):** *exemptaria* Walker,1860; *suppressaria* Walker,1866
Range (in code): **SG MY Bor Swk TH Nst**
- 45481. Ophthalmitis herbidaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *herbidaria* Guenée,[1858]; *pulsaria* Swinhoe,1891
Range (in code): **IN Ass Khs TH Cma**
- 45482. Ophthalmitis kageri Sommerer & Stünig,1994** (Geometridae) **Synonym(s):** *kageri* Sommerer & Stünig,1994
Range (in code): **ID Sum**
- 45483. Ophthalmitis lectularia (Swinhoe,1891)** (Geometridae) **Synonym(s):** *lectularia* Swinhoe,1891
Range (in code): **IN Meg Ass Khs CN**
- 45484. Ophthalmitis lectularia lectularia (Swinhoe,1891)** (Geometridae) **Synonym(s):** *lectularia* Swinhoe,1891
Range (in code): **IN Meg Ass Khs**
- 45485. Ophthalmitis lectularia siniherbida (Wehrli,1943)** (Geometridae) **Synonym(s):** *siniherbida* Wehrli,1943
Range (in code): **CN**

- 45486. Ophthalmitis lushanaria Sato,1992** (Geometridae) Synonym(s): *lushanaria Sato,1992*
Range (in code): **TW**
- 45487. Ophthalmitis ogatai Sato,2005** (Geometridae) Synonym(s): *ogatai Sato,2005* _ Range (in code): **TH Nst MY Prk ID Sum**
- 45488. Ophthalmitis pertusaria (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *pertusaria R.Felder & Rogenhofer,1875* _ Range (in code): **IN SI Djl TH CMA Int Dst Loe Phe**
- 45489. Ophthalmitis poliaria (Hampson,1902)** (Geometridae) Synonym(s): *poliaria Hampson,1902* _ Range (in code): **MM**
- 45490. Ophthalmitis punctifascia Holloway,1976** (Geometridae) Synonym(s): *punctifascia Holloway,1976* _ Range (in code): **MY Bor Sbh KBa**
- 45491. Ophthalmitis ruficornis (W.Warren,1897)** (Geometridae) Synonym(s): *ruficornis W.Warren,1897* _ Range (in code): **ID Clb**
- 45492. Ophthalmitis rufilauta (L.B.Prout,1925)** (Geometridae) Synonym(s): *rufilauta L.B.Prout,1925* _ Range (in code): **TH Ntt Hba MY Bor Swk**
- 45493. Ophthalmitis satoi Holloway,[1994]** (Geometridae) Synonym(s): *satoi Holloway,[1994]*
Range (in code): **TH Ntt Hba MY Bor Swk**
- 45494. Ophthalmitis variegata Holloway,[1994]** (Geometridae) Synonym(s): *variegata Holloway,[1994]* _ Range (in code): **MY Bor Swk TH**
- 45495. Ophthalmitis viridior Holloway,[1994]** (Geometridae) Synonym(s): *viridior Holloway,[1994]; #virdior Watanasit et al.,2004* _ Range (in code): **TH Ntt Hba MY Bor Swk**
- 45496. Opisthograptis irrorata (Hampson,1895)** (Geometridae) Synonym(s): *irrorata Hampson,1895* _ Range (in code): **IN Dlh Hp**
- 45497. Opisthograptis luteolata (Linnaeus,1758)** (Geometridae) Synonym(s): *luteolata Linnaeus,1758; crataegata Linnaeus,1761; crataegaria Hübner,[1823]; #emaculata Graeser,1892; impunctata Osthelder,1931.* Original Reference: *Phalaena luteolata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 525. Type(s): [Europa], in *Oxyacanthus*. Range (in code): **DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY LB Bsa CN Ui Ku Kön KK Ik KG Ssn PK Swa Sgl** Bionomy: Larva on *Betula pubescens* (Betulaceae); *Ribes nigrum* (Grossulariaceae), *Amelanchier confusa*, *Crataegus laevigata*, *Malus domestica*, *Prunus domestica*, *P. padus*, *Sorbus aucuparia* (Rosaceae); *Salix* (Salicaceae) (Meyer,1919 et seq.).
- 45498. Opisthograptis mimulina (Butler,1886)** (Geometridae) Synonym(s): *mimulina Butler,1886* Original Reference: *Rumia mimulina* Butler,1886, Proc. zool. Soc. Lond. 1886: 388. Syntypes: [Pakistan]: Murree. Range (in code): **PK Thu Haz Mre**
- 45499. Opisthograptis moelleri W.Warren,1893** (Geometridae) Synonym(s): *moelleri W.Warren,1893* _ Range (in code): **TW TH NP IN SI**
- 45500. Opisthograptis niko (Christoph,1893)** (Geometridae) Synonym(s): *niko Christoph,1893* Original Reference: *Rumia niko* Christoph,1893, Dt. ent. Z., Iris 6:95. Type: [Georgia]: Swanetia. Range (in code): **TR GG Cc**
- 45501. Opisthograptis punctilineata Wileman,1910** (Geometridae) Synonym(s): *punctilineata Wileman,1910* _ Range (in code): **TW**
- 45502. Opisthograptis sulphurea (Butler,1880)** (Geometridae) Synonym(s): *sulphurea Butler,1880* _ Range (in code): **IN SI Djl**
- 45503. Opisthograptis swanni L.B.Prout,1923** (Geometridae) Synonym(s): *swanni L.B.Prout,1923* _ Range (in code): **MM**
- 45504. Opisthograptis tridentifera (Moore,1888)** (Geometridae) Synonym(s): *tridentifera Moore,1888* _ Range (in code): **IN SI Djl**
- 45505. Opisthograptis tsekuna Wehrli,1940** (Geometridae) Synonym(s): *tsekuna Wehrli,1940*
Range (in code): **CN Yu**
- 45506. Opisthotia tumidilinea (Moore,1888)** (Geometridae) Synonym(s): *tumidilinea Moore,1888* _ Range (in code): **IN SI Djl**
- 45507. Orbania becki Hausmann,2006** (Geometridae) Synonym(s): *becki Hausmann,2006*
Range (in code): **YE YE3o**
- 45508. Orbania octomaculata (Wallengren,1872)** (Geometridae) Synonym(s): *octomaculata Wallengren,1872; ocellata W.Warren,1897* _ Range (in code): **ZA Mal ZA16 Mpu ZA17 ZA21 Tva Lpo Sbp Mdk ZA24 NWe ZM**
- 45509. Orbania pauperata Herbulot,1966** (Geometridae) Synonym(s): *pauperata Herbulot,1966*
Range (in code): **MG**

- 45510. *Orbamia renimacula* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *renimacula* L.B.Prout,1926 **_ Range (in code):** **SN**
- 45511. *Orbamia* sp.** (Geometridae) **Synonym(s):** **_ Range (in code):** **ZA Ktz Kzu Nta**
- 45512. *Orbamia subaurata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *subaurata* W.Warren,1899 **_ Range (in code):** **ZM**
- 45513. *Oreometra fifae* Wiltshire,1986** (Geometridae) **Synonym(s):** *fifae* Wiltshire,1986 **_ Range (in code):** **SA**
- 45514. *Oreometra ras* Herbulot,1983** (Geometridae) **Synonym(s):** *ras* Herbulot,1983 **_ Range (in code):** **ET**
- 45515. *Oreometra vittata* Aurivillius,1910** (Geometridae) **Synonym(s):** *vittata* Aurivillius,1910 **_ Range (in code):** **TZ**
- 45516. *Organopoda acerbata* L.B.Prout,1938** (Geometridae) **Synonym(s):** *acerbata* L.B.Prout,1938 **_ Range (in code):** **MY Pah**
- 45517. *Organopoda acmaea* L.B.Prout,1938** (Geometridae) **Synonym(s):** *acmaea* L.B.Prout,1938 **_ Range (in code):** **MY Sgo**
- 45518. *Organopoda annulifera* (Butler,1889)** (Geometridae) **Synonym(s):** *annulifera* Butler,1889 **_ Range (in code):** **IN Hp Kgr Drm Ass Khs Meg**
- 45519. *Organopoda annulifera annulifera* (Butler,1889)** (Geometridae) **Synonym(s):** *annulifera* Butler,1889 **_ Range (in code):** **IN Hp Kgr Drm**
- 45520. *Organopoda annulifera signifera* L.B.Prout,1938** (Geometridae) **Synonym(s):** *signifera* L.B.Prout,1938 **_ Range (in code):** **IN Ass Khs Meg**
- 45521. *Organopoda brevipalpis* L.B.Prout,1926** (Geometridae) **Synonym(s):** *brevipalpis* L.B.Prout,1926 **_ Range (in code):** **MM Hta**
- 45522. *Organopoda carnearia* (Walker,1861)** (Geometridae) **Synonym(s):** *carnearia* Walker,1861 **_ Range (in code):** **LK IN Ass Khs Meg**
- 45523. *Organopoda carnearia himalaica* L.B.Prout,1938** (Geometridae) **Synonym(s):** *himalaica* L.B.Prout,1938 **_ Range (in code):** **IN Ass Khs Meg**
- 45524. *Organopoda cnecosticta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *cnecosticta* L.B.Prout,1932 **_ Range (in code):** **MY Bor Sbh KBa**
- 45525. *Organopoda subbrunnea* W.Warren,1897** (Geometridae) **Synonym(s):** *subbrunnea* W.Warren,1897 **_ Range (in code):** **ID Clb**
- 45526. *Orgyiodes caparia* (Walker,1862)** (Geometridae) **Synonym(s):** *caparia* Walker,1862; *capicolaria* R.Felder & Rogenhofer,1874 **_ Range (in code):** **ZA Wca**
- 45527. *Ornithospila avicularia* Guenée,[1858]** (Geometridae) **Synonym(s):** *avicularia* Guenée,[1858]; *pennisignata* Walker,1861 **_ Range (in code):** **TH Ntt Hba NP ID Sum MY Bor**
- 45528. *Ornithospila bipunctata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *bipunctata* L.B.Prout,1916 **_ Range (in code):** **TH Ntt Hba ID Nat Sum MY Pen Bor Clb PH**
- 45529. *Ornithospila carteronae* L.B.Prout,1916** (Geometridae) **Synonym(s):** *carteronae* L.B.Prout,1916 **_ Range (in code):** **ID Ob Mlc**
- 45530. *Ornithospila cincta* (Walker,1861)** (Geometridae) **Synonym(s):** *cincta* Walker,1861 **_ Range (in code):** **MY Bor Swk**
- 45531. *Ornithospila esmeralda* (Hampson,1895)** (Geometridae) **Synonym(s):** *esmeralda* Hampson,1895 **_ Range (in code):** **MM Tns TH CMa Cuo Cuo7 MY Bor**
- 45532. *Ornithospila lineata* (Moore,1872)** (Geometridae) **Synonym(s):** *lineata* Moore,1872 **_ Range (in code):** **LK IN SI TH CMa Cmz Cz10 Cz11 VN MM ID Sum MY Bor**
- 45533. *Ornithospila odontogramma* L.B.Prout,1916** (Geometridae) **Synonym(s):** *odontogramma* L.B.Prout,1916 **_ Range (in code):** **ID Mlc Ob Bch Amb Bru Kai**
- 45534. *Ornithospila psittacina* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *psittacina* R.Felder & Rogenhofer,1875 **_ Range (in code):** **ID Mlc**
- 45535. *Ornithospila submonstrans* (Walker,1861)** (Geometridae) **Synonym(s):** *submonstrans* Walker,1861; *circumflexaria* Snellen,[1886] **_ Range (in code):** **ID Mlc Bch Ob MY Bor Swk ID Sum TH Ntt Hba** **Bionomy:** Larva on *Shorea parvifolia* (Dipterocarpaceae) (Scoble,1999).
- 45536. *Ornithospila submonstrans moluccensis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *moluccensis* L.B.Prout,1916 **_ Range (in code):** **ID Mlc Bch Ob**
- 45537. *Ornithospila submonstrans submonstrans* (Walker,1861)** (Geometridae) **Synonym(s):** *submonstrans* Walker,1861; *circumflexaria* Snellen,[1886] **_ Range (in code):** **MY Bor Swk ID Sum TH Ntt Hba**

- 45538. *Ornithospila succincta* L.B.Prout,1917** (Geometridae) Synonym(s): *succincta* L.B.Prout,1917 _ Range (in code): TH Ntt Hba MY Pen Bor ID Sum PH PG
- 45539. *Ornithospila sundaensis* Holloway,1976** (Geometridae) Synonym(s): *sundaensis* Holloway,1976 _ Range (in code): MY Bor Sbh
- 45540. *Ornithospila viridimargo* L.B.Prout,1916** (Geometridae) Synonym(s): *viridimargo* L.B.Prout,1916 _ Range (in code):
- 45541. *Orothalassodes absimilis* (W.Warren,1901)** (Geometridae) Synonym(s): *absimilis* W.Warren,1901 _ Range (in code): ID Ij PG Bsm Nlr
- 45542. *Orothalassodes aptifimbria* (L.B.Prout,1916)** (Geometridae) Synonym(s): *aptifimbria* L.B.Prout,1916 _ Range (in code): IN SI Djl
- 45543. *Orothalassodes falsaria* (L.B.Prout,1912)** (Geometridae) Synonym(s): *falsaria* L.B.Prout,1912; *griseifimbria* L.B.Prout,1937 _ Range (in code): IN Meg Ass Khs SI Djl ID Bli TH Nrt CMa Pbu CN Hn Yu BT MY Bor KBa Ja Bionomy: Larva on leaf of Litchi chinensis [litchi], *Dimocarpus longan* [longan] (Sapindaceae) (Lewvanich,2001).
- 45544. *Orothalassodes floccosa* (L.B.Prout,1917)** (Geometridae) Synonym(s): *floccosa* L.B.Prout,1917 _ Range (in code): CN Hn PH ID MY
- 45545. *Orothalassodes glabrosa* Holloway,1996** (Geometridae) Synonym(s): *glabrosa* Holloway,1996 _ Range (in code): MY Bor Swk
- 45546. *Orothalassodes hypocrites* (L.B.Prout,1912)** (Geometridae) Synonym(s): *hypocrites* L.B.Prout,1912 _ Range (in code): IN ID CN Hn Yu VN MY SG TH
- 45547. *Orothalassodes leucoceraea* (L.B.Prout,1925)** (Geometridae) Synonym(s): *leucoceraea* L.B.Prout,1925 _ Range (in code): MY Kdh
- 45548. *Orothalassodes leucospilota* (Moore,[1887])** (Geometridae) Synonym(s): *leucospilota* Moore,[1887]; *albomaculata* Hampson,1893 _ Range (in code): LK
- 45549. *Orothalassodes pervulgata* Inoue,2005** (Geometridae) Synonym(s): *pervulgata* Inoue,2005 _ Range (in code): CN Hn Sz Yu Ti IN NP PK TH VN PH Luz
- 45550. *Orothalassodes retaka* Holloway,1996** (Geometridae) Synonym(s): *retaka* Holloway,1996 _ Range (in code): TH Ntt Hba MY Bor BN
- 45551. *Orothalassodes simplex* (W.Warren,1912)** (Geometridae) Synonym(s): *simplex* W.Warren,1912; *reversa* W.Warren,1912 _ Range (in code): ID Ij Snw Afk
- 45552. *Orothalassodes vivida* (L.B.Prout,1922)** (Geometridae) Synonym(s): *vivida* L.B.Prout,1922 _ Range (in code): ID Crm
- 45553. *Ortaliella gruneraria* (Staudinger,1862)** (Geometridae) Synonym(s): *gruneraria* Staudinger,1862 _ Range (in code): GR
- 45554. *Ortaliella palaestinensis* (Calberla,1891)** (Geometridae) Synonym(s): *palaestinensis* Calberla,1891 Original Reference: *Gnophos palaestinensis* Calberla,1891, Dt. ent. Z., Iris 4: 51-52. Syntypes: Palaestina, zw. jerusalem, Jericho und Nazareth. Range (in code): IL Pa Js Jer Nzt JO
- 45555. *Ortaliella stonei* (Hausmann,1991)** (Geometridae) Synonym(s): *stonei* Hausmann,1991 Original Reference: *Ecodonia* [sic] *stonei* Hausmann,1991, Mitt. münch. ent. Ges. 81: 143, figs. Holotype ♂: Jordan: Petra (LNK). Range (in code): JO Pet
- 45556. *Orthobrachia flavidior* (Hampson,1898)** (Geometridae) Synonym(s): *flavidior* Hampson,1898 _ Range (in code): IN Ass Meg Khs
- 45557. *Orthobrachia latifasciata* (Moore,1888)** (Geometridae) Synonym(s): *latifasciata* Moore,1888 _ Range (in code): IN SI Djl
- 45558. *Orthobrachia owadai* Yazaki,1992** (Geometridae) Synonym(s): *owadai* Yazaki,1992 Range (in code): IN SI
- 45559. *Orthobrachia tenebrosa* Yazaki,1992** (Geometridae) Synonym(s): *tenebrosa* Yazaki,1992 Range (in code): NP
- 45560. *Orthocabera cymodegma* (L.B.Prout,1929)** (Geometridae) Synonym(s): *cymodegma* L.B.Prout,1929 _ Range (in code): ID Crm Bru
- 45561. *Orthocabera fuscolineata* (Swinhoe,1894)** (Geometridae) Synonym(s): *fuscolineata* Swinhoe,1894 _ Range (in code): IN Ass Meg Khs
- 45562. *Orthocabera luteifrons* (Swinhoe,1894)** (Geometridae) Synonym(s): *luteifrons* Swinhoe,1894 _ Range (in code): IN Ass Meg Khs
- 45563. *Orthocabera minor* (West,1929)** (Geometridae) Synonym(s): *minor* West,1929 Range (in code): PH Luz

- 45564. Orthocabera moupinaria (Oberthür,1911)** (Geometridae) Synonym(s): *moupinaria* Oberthür,1911 _ Range (in code): **CN Sz**
- 45565. Orthocabera obliqua (Hampson,1893)** (Geometridae) Synonym(s): *obliqua* Hampson,1893 _ Range (in code): **LK**
- 45566. Orthocabera ocernaria (Swinhoe,1893)** (Geometridae) Synonym(s): *ocernaria* Swinhoe,1893; *conspicua* W.Warren,1897; *eumytha* L.B.Prout,1928 _ Range (in code): **IN Ass Meg Khs TH ID Clb**
- 45567. Orthocabera opalescens (West,1929)** (Geometridae) Synonym(s): *opalescens* West,1929 _ Range (in code): **PH Luz**
- 45568. Orthocabera sericea Butler,1879** (Geometridae) Synonym(s): *sericea* Butler,1879 _ Range (in code): **IN SI JP**
- 45569. Orthocabera similaria (Swinhoe,1915)** (Geometridae) Synonym(s): *similaria* Swinhoe,1915 _ Range (in code): **ID Sum**
- 45570. Orthocabera sublavata (L.B.Prout,1929)** (Geometridae) Synonym(s): *sublavata* L.B.Prout,1929 _ Range (in code): **ID Ij**
- 45571. Orthocabera subvitrea (Hampson,1895)** (Geometridae) Synonym(s): *subvitrea* Hampson,1895 _ Range (in code): **IN SI**
- 45572. Orthocabera tinagmaria (Guenée,[1858])** (Geometridae) Synonym(s): *tinagmaria* Guenée,[1858] _ Range (in code): **CN**
- 45573. Orthonama obstipata (Fabricius,1794)** (Geometridae) Synonym(s): *obstipata* Fabricius,1794; *fluviata* Hübner,[1799]; *gemmata* Hübner,1799; *albicinctata* Haworth,1809; *angustata* Haworth,1809; *quaerendaria* Costa,1850; *baccata* Guenée,[1858]; *lapillata* Guenée,[1858]; *contrariata* Walker,1862; *exagitata* Walker,1862; *intrusata* Walker,1862; *peracutata* Walker,1862; *signataria* Walker,1863; *obruptata* Walker,1863; *pigrata* Walker,1866; *plemyrata* R.Felder & Rogenhofer,1875; *inconspicua* Warren,1896; *brunneipennis* Hulst,1896; *discata* Warren,1905 _ Original Reference: Phalaena obstipata Fabricius,1794, Ent. Syst. 3 (1): 199. Type: Barbaria. Range (in code): **PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR IQ Agh GG AM Cc AZ IR Sse Fa AF DK NO SE FI EE LV RU Ur Sb Am Sh MD UA Cm BY KG KK UZ TJ TM CN MN KP KR JP ZA ZA10 ZA12 Kzu Nta IL Pa Jf Mtl LB Bsa MY Bor Sbh KBa Kh CY PK Swa Dara Sgl Yek YE Tbl Mng Kir Lag Hkd ZR EG ET KE TZ MA DZ Ges Bsk Nbr Gf TN** _ Bionomy: Larva on Mentha pulegium, Polygonum equisetiforme, Galium mollugo, Nasturtium officinale (Chrétien,1917; Calle et al.,2000).
- 45574. Orthonama vittata (Borkhausen,1794)** (Geometridae) Synonym(s): *vittata* Borkhausen,1794; *lignata* Hübner,[1799]; *areolaria* Haworth,1809; *lineataria* Donovan,1810; *lignaria* Boisduval,1840 _ Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU Ur Sb Tv Ya MD UA BY KG** _ Bionomy: Larva on Galium palustre, Menyanthes trifoliata (Meyer,1919).
- 45575. Orthorisma netunaria (Guenée,[1858])** (Geometridae) Synonym(s): *netunaria* Guenée,[1858]; *crassistriga* W.Warren,1896; *unicolor* W.Warren,1899 _ Range (in code): **MY Bor ID Nat TH Ntt Hba**
- 45576. Orthoserica rufigrisea W.Warren,1896** (Geometridae) Synonym(s): *rufigrisea* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs CN**
- 45577. Orthostixis calcularia Lederer,1853** (Geometridae) Synonym(s): *calcularia* Lederer,1853 _ Original Reference: Orthostixis calcularia Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 260-261. Syntypes: [Aserbaidjan]: Elisabethpol; [Türkei]: Amasia. Range (in code): **Cc AZ Kir TR**
- 45578. Orthostixis cinerea Rebel,1916** (Geometridae) Synonym(s): *cinerea* Rebel,1916; *impura* L.B.Prout,1916. _ Original Reference: Orthostixis cinerea Rebel,1916, Jb. Wien. ent. Ver. 26: 108. Lectotype ♂: Zypern: Nicosia (NHMW). Range (in code): **CY**
- 45579. Orthostixis cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799]. _ Original Reference: Geometra cribraria Hübner,[1799], Samml. eur. Schmett. 5: pl.16, fig.83. Type: Europa. Range (in code): **Si IT HU RO YU AL BG GR TR RU Cc GG AZ AM LB IR Elb Clu** _ Bionomy: Larva on Scutellaria peregrina (Meyer,1919).
- 45580. Orthostixis cribraria amanensis Wehrli,1932** (Geometridae) Synonym(s): *amanensis* Wehrli,1932 _ Original Reference: Orthostixis cribraria ssp. amanensis Wehrli,1932, Mitt. münch. ent. Ges. 22: 3. Syntypes 2♂: [Türkei]: Amanus, Döldül Dagh, viii-ix. Range (in code): **TR SY LB**
- 45581. Orthostixis cribraria cribraria (Hübner,[1799])** (Geometridae) Synonym(s): *cribraria* Hübner,[1799]. _ Original Reference: Geometra cribraria Hübner,[1799], Samml. eur. Schmett. 5: pl.16, fig.83. Type: Europa. Range (in code): **Si IT HU RO YU AL BG GR TR RU Cc GG AZ AM IR Elb Clu**

- 45582. *Oulobophora externata* Freyer, 1846** (Geometridae) **Synonym(s):** *#externata* Herrich-Schäffer, 1843; *externata* Freyer, 1846; *turcosyrica* Wehrli, 1934. **Range (in code):** **GR BG CY TR IQ IR Fa Sse IL Pa** **Bionomy:** Larva on Pistacia (Anacardiaceae) (Wiltshire, 1935).
- 45583. *Oulobophora internata* (Püngeler, 1888)** (Geometridae) **Synonym(s):** *internata* Püngeler, 1888; *macedonica* Staudinger, 1892 **Range (in code):** **MK BG GR Rd TR**
- 45584. *Ourapteryx abbreviata* Inoue, 1995** (Geometridae) **Synonym(s):** *abbreviata* Inoue, 1995 **Range (in code):** **NP**
- 45585. *Ourapteryx adonidaria* Oberthür, 1911** (Geometridae) **Synonym(s):** *adonidaria* Oberthür, 1911 **Range (in code):** **CN**
- 45586. *Ourapteryx astrigera* Inoue, 1993** (Geometridae) **Synonym(s):** *astrigera* Inoue, 1993 **Range (in code):** **TH CMa Int**
- 45587. *Ourapteryx caecata* (Bastelberger, 1911)** (Geometridae) **Synonym(s):** *caecata* Bastelberger, 1911 **Range (in code):** **TW**
- 45588. *Ourapteryx cashmirensis* Bastelberger, 1911** (Geometridae) **Synonym(s):** *cashmirensis* Bastelberger, 1911 **Range (in code):** **Ch**
- 45589. *Ourapteryx changi* Inoue, 1985** (Geometridae) **Synonym(s):** *changi* Inoue, 1985 **Range (in code):** **TW**
- 45590. *Ourapteryx clara* Butler, 1880** (Geometridae) **Synonym(s):** *clara* Butler, 1880 **Range (in code):** **TW BT IN TH Nna Kao CMa Dst CRa**
- 45591. *Ourapteryx claretta* Holloway, 1982** (Geometridae) **Synonym(s):** *claretta* Holloway, 1982 **Range (in code):** **MY TH**
- 45592. *Ourapteryx consociata* Inoue, 1993** (Geometridae) **Synonym(s):** *consociata* Inoue, 1993 **Range (in code):** **SI IN Ben NP TH CMa Int**
- 45593. *Ourapteryx contronivea* Inoue, 1993** (Geometridae) **Synonym(s):** *contronivea* Inoue, 1993 **Range (in code):** **IN SI Djl TH CMa Loe**
- 45594. *Ourapteryx diminuta* Inoue, 1993** (Geometridae) **Synonym(s):** *diminuta* Inoue, 1993 **Original Reference:** *Ourapteryx diminuta* Inoue, 1993, Tinea 13 (26): 270, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH). **Range (in code):** **TH CMa Dst CDo Pki Int VN**
- 45595. *Ourapteryx ebuleata* Guenée, [1858]** (Geometridae) **Synonym(s):** *ebuleata* Guenée, [1858] **Range (in code):** **IN Ch CN Sz NP PK Haz Nar**
- 45596. *Ourapteryx excellens* Butler, 1889** (Geometridae) **Synonym(s):** *excellens* Butler, 1889 **Range (in code):** **Ch**
- 45597. *Ourapteryx falciformis* Inoue, 1993** (Geometridae) **Synonym(s):** *falciformis* Inoue, 1993 **Original Reference:** *Ourapteryx falciformis* Inoue, 1993, Tyo to Ga 44 (2): 83-86, figs. 3, 4. Holotype ♂: Iran, Persia sept. Elburs mts. c.s. Tacht i Suleiman (Vandarban) 19-2200m (ZSM). **Range (in code):** **IR Elb Mz Cc AZ Kir RU Teb GG**
- 45598. *Ourapteryx flavovirens* Inoue, 1985** (Geometridae) **Synonym(s):** *flavovirens* Inoue, 1985 **Range (in code):** **TW**
- 45599. *Ourapteryx fulvinervis* W. Warren, 1894** (Geometridae) **Synonym(s):** *fulvinervis* W. Warren, 1894 **Range (in code):** **ID Sum TH Nan**
- 45600. *Ourapteryx incaudata* W. Warren, 1897** (Geometridae) **Synonym(s):** *incaudata* W. Warren, 1897 **Range (in code):** **MY Bor Sbh KBa**
- 45601. *Ourapteryx inspersa* Wileman, 1912** (Geometridae) **Synonym(s):** *inspersa* Wileman, 1912 **Range (in code):** **TW**
- 45602. *Ourapteryx javana* Thierry-Mieg, 1903** (Geometridae) **Synonym(s):** *javana* Thierry-Mieg, 1903 **Range (in code):** **ID Ja Ged**
- 45603. *Ourapteryx karsholti* Inoue, 1993** (Geometridae) **Synonym(s):** *karsholti* Inoue, 1993 **Original Reference:** *Ourapteryx karsholti* Inoue, 1993, Tinea 13 (26): 268, figs. Holotype ♂: Thailand: Loei, Phu Luang, 400-1500m (ZMUC). **Range (in code):** **TH Loe**
- 45604. *Ourapteryx leucadelpha* (L.B. Prout, 1928)** (Geometridae) **Synonym(s):** *leucadelpha* L.B. Prout, 1928 **Range (in code):** **ID Sum**
- 45605. *Ourapteryx malatyensis* Wehrli, 1936** (Geometridae) **Synonym(s):** *malatyensis* Wehrli, 1936; *#malatyana* Wehrli, 1936 [Tafel II]. **Original Reference:** *Ourapteryx malatyensis* Wehrli, 1936, Mitt. münch. ent. Ges. 26 (1): 33-34, pl. 2 fig. 1. Syntypes 12♂ 2♀: [Türkei]: Boli, 800m; Malatya- Tecde. **Range (in code):** **TR**
- 45606. *Ourapteryx margaritata* Moore, 1868** (Geometridae) **Synonym(s):** *margaritata* Moore, 1868 **Range (in code):** **IN Ben TH CMa Int Nan**

- 45607. Ourapteryx modesta** W.Warren,1896 (Geometridae) Synonym(s): *modesta* W.Warren,1896; *gisela* Thierry-Mieg,1905 Range (in code): **ID Ja Ged**
- 45608. Ourapteryx monticola** Inoue,1985 (Geometridae) Synonym(s): *monticola* Inoue,1985 Range (in code): **TW**
- 45609. Ourapteryx nigrifimbria** L.B.Prout,1928 (Geometridae) Synonym(s): *nigrifimbria* L.B.Prout,1928 Range (in code): **ID Sum**
- 45610. Ourapteryx nigrociliaris** Leech,1891 (Geometridae) Synonym(s): *nigrociliaris* Leech,1891 Range (in code): **CN TW JP**
- 45611. Ourapteryx nigrociliaris magnifica** Inoue,1985 (Geometridae) Synonym(s): *magnifica* Inoue,1985 Range (in code): **TW**
- 45612. Ourapteryx nigrociliaris nigrociliaris** Leech,1891 (Geometridae) Synonym(s): *nigrociliaris* Leech,1891 Range (in code): **CN JP**
- 45613. Ourapteryx nivea** Butler,1883 (Geometridae) Synonym(s): *nivea* Butler,1883 Range (in code): **JP TH**
- 45614. Ourapteryx pallidula** Inoue,1985 (Geometridae) Synonym(s): *pallidula* Inoue,1985 Range (in code): **TW CN IN TH**
- 45615. Ourapteryx persica** Ménétriés,1832 (Geometridae) Synonym(s): *persica* Ménétriés,1832 Original Reference: *Urapteryx* [sic] *persica* Ménétriés,1832, Cat. zool. voyage Caucase: 267. Type ♂: [Azerbaijan]: Lenkoran. Range (in code): **TR IR Cc AM AZ Len CN Ui Um Adu**
- 45616. Ourapteryx picticaudata** Walker,1860 (Geometridae) Synonym(s): *picticaudata* Walker,1860 Range (in code): **MY Bor Swk TH Nna Kao Nan CMA Dst**
- 45617. Ourapteryx pluristrigata** (W.Warren,1888) (Geometridae) Synonym(s): *pluristrigata* W.Warren,1888; *thibetaria* Bastelberger,1911. Original Reference: *Urapteryx* *pluristrigata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 318. Syntypes 3♂: [Pakistan]: Thundiani, August 1886. Range (in code): **PK Thu CN Ti**
- 45618. Ourapteryx podaliriata** Guenée,[1858] (Geometridae) Synonym(s): *podaliriata* Guenée,[1858] Range (in code): **IN Ben Ch TH Ntt Hba**
- 45619. Ourapteryx primularis** Butler,1886 (Geometridae) Synonym(s): *primularis* Butler,1886 Range (in code): **IN SI NP TH**
- 45620. Ourapteryx purissima** Thierry-Mieg,1905 (Geometridae) Synonym(s): *purissima* Thierry-Mieg,1905 Original Reference: *Ourapteryx* *multistrigaria* var. *purissima* Thierry-Mieg,1905, Naturaliste 29: 181. Syntypes 2♂ 2♀. [Kirghizistan]: Alexander Mts. (USNM). Range (in code): **RU Am Prj Us UZ Fe KK Ax Ik KG Tk CN Ui**
- 45621. Ourapteryx ramosa** (Wileman,1910) (Geometridae) Synonym(s): *ramosa* Wileman,1910 Range (in code): **TW**
- 45622. Ourapteryx ravida** Inoue,1995 (Geometridae) Synonym(s): *ravida* Inoue,1995 Range (in code): **NP**
- 45623. Ourapteryx sambucaria** (Linnaeus,1758) (Geometridae) Synonym(s): *sambucaria* Linnaeus,1758. Original Reference: *Phalaena sambucaria* Linnaeus,1758, Syst. Nat. (Edn.10)1: 519. Type(s): [Europa], in *Sambucus*. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Hedera helix*, *Lonicera*, *Sambucus niger* (Linnaeus,1758; Lederer, 1865; Staudinger,1879; Meyer,1919).
- 45624. Ourapteryx sciticaudaria** Walker,1862 (Geometridae) Synonym(s): *sciticaudaria* Walker,1862 Range (in code): **CN TW IN NP TH CMA Int BT**
- 45625. Ourapteryx similaria** Leech,1897 (Geometridae) Synonym(s): *similaria* Leech,1897 Range (in code): **CN TW**
- 45626. Ourapteryx stueningi** Inoue,1993 (Geometridae) Synonym(s): *stueningi* Inoue,1993 Original Reference: *Ourapteryx* *stueningi* Inoue,1993, Tinea 13 (26): 268, figs. Holotype ♂: Chiang Mai, Doi Inthanon (ZFMK). Range (in code): **TH CMA Int**
- 45627. Ourapteryx taiwana** Wileman,1910 (Geometridae) Synonym(s): *taiwana* Wileman,1910; *imitans* Bastelberger,1911 Range (in code): **TW**
- 45628. Ourapteryx ussurica** Inoue,1993 (Geometridae) Synonym(s): *ussurica* Inoue,1993 Range (in code): **RU Us Sb**
- 45629. Ourapteryx variolaria** Inoue,1985 (Geometridae) Synonym(s): *variolaria* Inoue,1985 Range (in code): **TW**
- 45630. Ourapteryx venusta** Inoue,1985 (Geometridae) Synonym(s): *venusta* Inoue,1985 Range (in code): **TW**

- 45631. Ourapteryx versuta L.B.Prout,1928** (Geometridae) **Synonym(s):** *versuta* L.B.Prout,1928
Range (in code): [ID Clb](#)
- 45632. Ourapteryx virescens Matsumura,1910** (Geometridae) **Synonym(s):** *virescens* Matsumura,1910
Range (in code): [TW](#)
- 45633. Ourapteryx yerburii (Butler,1886)** (Geometridae) **Synonym(s):** *yerburii* Butler,1886; *sinata* Wehrli,1940. **Original Reference:** *Urapteryx yerburii* Butler,1886, Proc. zool. Soc. Lond. 1886: 388. Type: [Pakistan]: Murree 2nd October,1885. **Range (in code):** [PK Haz Mre CN Sz TW](#)
- 45634. Ourapteryx yerburii virescens Matsumura,1910** (Geometridae) **Synonym(s):** *virescens* Matsumura,1910
Range (in code): [TW](#)
- 45635. Oxymacaria ceylonica Hampson,1902** (Geometridae) **Synonym(s):** *ceylonica* Hampson,1902
Range (in code): [LK](#)
- 45636. Oxymacaria deformis (Inoue,1986)** (Geometridae) **Synonym(s):** *deformis* Inoue,1986
Range (in code): [TW](#)
- 45637. Oxymacaria ekeikei (Bethune-Baker,1915)** (Geometridae) **Synonym(s):** *ekeikei* Bethune-Baker,1915
Range (in code): [PG](#)
- 45638. Oxymacaria hepaticata (Swinhoe,1894)** (Geometridae) **Synonym(s):** *hepaticata* Swinhoe,1894
Range (in code): [IN Ass Meg Khs Cpj](#)
- 45639. Oxymacaria insularis (W.Warren,1896)** (Geometridae) **Synonym(s):** *insularis* W.Warren,1896
Range (in code): [NC](#)
- 45640. Oxymacaria maculosata (W.Warren,1896)** (Geometridae) **Synonym(s):** *maculosata* W.Warren,1896
Range (in code): [IN Ass Meg Khs](#)
- 45641. Oxymacaria maculosata brunneata (W.Warren,1896)** (Geometridae) **Synonym(s):** *brunneata* W.Warren,1896
Range (in code): [IN Ass Meg Khs](#)
- 45642. Oxymacaria ochreata (W.Warren,1902)** (Geometridae) **Synonym(s):** *ochreata* W.Warren,1902
Range (in code): [SB](#)
- 45643. Oxymacaria oliva (Swinhoe,1894)** (Geometridae) **Synonym(s):** *oliva* Swinhoe,1894
Range (in code): [IN Ass Meg Cpj](#)
- 45644. Oxymacaria palliata (Hampson,1891)** (Geometridae) **Synonym(s):** *palliata* Hampson,1891
Range (in code): [IN NI](#)
- 45645. Oxymacaria pectinata Hampson,1902** (Geometridae) **Synonym(s):** *pectinata* Hampson,1902
Range (in code): [IN Pln Tn](#)
- 45646. Oxymacaria pryeri (Butler,1879)** (Geometridae) **Synonym(s):** *pryeri* Butler,1879
Range (in code): [JP](#)
- 45647. Oxymacaria psilotes (West,1929)** (Geometridae) **Synonym(s):** *psilotes* West,1929
Range (in code): [PH Mno](#)
- 45648. Oxymacaria temeraria (Swinhoe,1891)** (Geometridae) **Synonym(s):** *temeraria* Swinhoe,1891
Range (in code): [IN Ass Meg Khs ID Ja](#)
- 45649. Oxymacaria temeraria cruda (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *cruda* L.B.Prout,1935
Range (in code): [ID Ja](#)
- 45650. Oxymacaria temeraria temeraria (Swinhoe,1891)** (Geometridae) **Synonym(s):** *temeraria* Swinhoe,1891
Range (in code): [IN Ass Meg Khs](#)
- 45651. Oxymacaria truncaria (Leech,1897)** (Geometridae) **Synonym(s):** *truncaria* Leech,1897
Range (in code): [CN Yu Lik Sz](#)
- 45652. Oxymacaria truncaria likiangensis (Wehrli,1940)** (Geometridae) **Synonym(s):** *likiangensis* Wehrli,1940
Range (in code): [CN Yu Lik](#)
- 45653. Oxymacaria truncaria truncaria (Leech,1897)** (Geometridae) **Synonym(s):** *truncaria* Leech,1897
Range (in code): [CN Sz](#)
- 45654. Ozola acrophaea (Meyrick,1886)** (Geometridae) **Synonym(s):** *acrophaea* Meyrick,1886
Range (in code): [NH](#)
- 45655. Ozola acutata (Walker,1862)** (Geometridae) **Synonym(s):** *acutata* Walker,1862
Range (in code): [LK](#)
- 45656. Ozola apparata L.B.Prout,1928** (Geometridae) **Synonym(s):** *apparata* L.B.Prout,1928
Range (in code): [ID Sum Ja MY Bor Sbh KBa](#)
- 45657. Ozola auranticeps L.B.Prout,1916** (Geometridae) **Synonym(s):** *auranticeps* L.B.Prout,1916
Range (in code): [ID Clb](#)
- 45658. Ozola basisparsata (Walker,[1863])** (Geometridae) **Synonym(s):** *basisparsata* Walker,[1863]
Range (in code): [MY Bor Swk TH](#)

- 45659. *Ozola biangulifera* (Moore,1888)** (Geometridae) **Synonym(s):** *biangulifera* Moore,1888
Range (in code): **IN SI Djl**
- 45660. *Ozola concreta* L.B.Prout,1931** (Geometridae) **Synonym(s):** *concreta* L.B.Prout,1931
Range (in code): **MY Lkw Kdh**
- 45661. *Ozola convergens* W.Warren,1905** (Geometridae) **Synonym(s):** *convergens* W.Warren,1905
Range (in code): **LK**
- 45662. *Ozola decolorata* W.Warren,1897** (Geometridae) **Synonym(s):** *decolorata* W.Warren,1897
Range (in code): **ID Bli Flo**
- 45663. *Ozola defectata* Inoue,1971** (Geometridae) **Synonym(s):** *defectata* Inoue,1971
Range (in code): **JP Ri**
- 45664. *Ozola edui* Sommerer,1995** (Geometridae) **Synonym(s):** *edui* Sommerer,1995
Range (in code): **TH Ntt Hba ID Sum**
- 45665. *Ozola falcipennis* (Moore,1888)** (Geometridae) **Synonym(s):** *falcipennis* Moore,1888
Range (in code): **IN SI Djl TH MY Bor Sbh KBa**
- 45666. *Ozola hesperias* (Meyrick,1886)** (Geometridae) **Synonym(s):** *hesperias* Meyrick,1886
Range (in code): **NH**
- 45667. *Ozola hollowayi* Scoble & Sommerer,1988** (Geometridae) **Synonym(s):** *hollowayi* Scoble & Sommerer,1988
Range (in code): **TH Ntt Hba ID Sum Nia MY Bor Clb PH Ja Mlc PG Bsm AU QAu**
- 45668. *Ozola impedita* (Walker,1861)** (Geometridae) **Synonym(s):** *impedita* Walker,1861
Range (in code): **MY Bor Swk**
- 45669. *Ozola inexcisata* Fryer,1912** (Geometridae) **Synonym(s):** *inexcisata* Fryer,1912
Range (in code): **SC**
- 45670. *Ozola intransilis* L.B.Prout,1928** (Geometridae) **Synonym(s):** *intransilis* L.B.Prout,1928
Range (in code): **ID Sum**
- 45671. *Ozola liwana* Sommerer,1995** (Geometridae) **Synonym(s):** *liwana* Sommerer,1995
Range (in code): **ID Sum MY Bor**
- 45672. *Ozola microniaria* Walker,1862** (Geometridae) **Synonym(s):** *microniaria* Walker,1862;
blitearia Walker,[1863]
Range (in code): **LK**
- 45673. *Ozola minor* (Moore,1888)** (Geometridae) **Synonym(s):** *minor* Moore,1888; *leptogonia* Hampson,1902
Range (in code): **IN Clc Nag Ass Adm LK ID Sum Bor MY Clb PH** **Bionomy:** Larva on Premna, Gmelina arborea (Verbenaceae) (Chey,1994; Holloway,1996).
- 45674. *Ozola minuta* Wiltshire,1990** (Geometridae) **Synonym(s):** *minuta* Wiltshire,1990
Range (in code): **YE YE3o Sna Hd SA**
- 45675. *Ozola niphoplaca* (Meyrick,1886)** (Geometridae) **Synonym(s):** *niphoplaca* Meyrick,1886
Range (in code): **SB**
- 45676. *Ozola pannosa* Holloway,1976** (Geometridae) **Synonym(s):** *pannosa* Holloway,1976
Range (in code): **MY Bor ID Sum**
- 45677. *Ozola pica* Wileman & South,1921** (Geometridae) **Synonym(s):** *pica* Wileman & South,1921
Range (in code): **PH Luz**
- 45678. *Ozola picaria* (Swinhoe,1892)** (Geometridae) **Synonym(s):** *picaria* Swinhoe,1892
Range (in code): **IN Ass Meg Khs**
- 45679. *Ozola plana* (W.Warren,1894)** (Geometridae) **Synonym(s):** *plana* W.Warren,1894
Original Reference: *Desmobathra plana* W.Warren,1894, Novit. zool. 1: 380. Type : Loyalty Island: Lifu. **Range (in code):** **NC LO**
- 45680. *Ozola prouti* Holloway,1976** (Geometridae) **Synonym(s):** *prouti* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 45681. *Ozola pulverulenta* W.Warren,1897** (Geometridae) **Synonym(s):** *pulverulenta* W.Warren,1897
Range (in code): **ZA Tva ZA07 Kzu Nta ZA14 ZA16 Mpu Brb Kkf Wnn ZW**
- 45682. *Ozola pyraloides* West,1930** (Geometridae) **Synonym(s):** *pyraloides* West,1930
Range (in code): **PH Luz**
- 45683. *Ozola sinuicosta* L.B.Prout,1910** (Geometridae) **Synonym(s):** *sinuicosta* L.B.Prout,1910
Range (in code): **IN SI Ass Meg Khs TH**
- 45684. *Ozola submontana* Holloway,1976** (Geometridae) **Synonym(s):** *submontana* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 45685. *Ozola turlini* Herbulot,1985** (Geometridae) **Synonym(s):** *turlini* Herbulot,1985
Range (in code): **TH Ntt Hba PH Pal ID Clb MY Bor**

- 45686. *Ozola violacea* W.Warren,1912** (Geometridae) **Synonym(s):** *violacea* W.Warren,1912
Range (in code): **ID Ij Snw**
- 45687. *Pachynemia benesignata* (Bellier,1861)** (Geometridae) **Synonym(s):** *benesignata* Bellier,1861
Range (in code): **Co Sa FR IT**
- 45688. *Pachynemia hippocastanaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *hippocastanaria* Hübner,[1799]; *anomalata* Haworth,1812; *degenerata* Hübner,[1813]; *difformaria* Hübner,[1825]; *hippocastanata* Treitschke,1827; *modestaria* Lempke,1970
Original Reference: *Geometra hippocastanaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.36, fig.186. Type: Europa. **Range (in code):** **DZ Clo PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU YU AL GR Cr TR DK NO SE LV RU MD UA BY** **Bionomy:** Larva on *Vaccinium*; *Calluna* (Ericaceae) (Meyer,1919; et seq.).
- 45689. *Pachynemia tibiaria* (Rambur,1829)** (Geometridae) **Synonym(s):** *tibiaria* Rambur,1829; *uniformis* Bytinski-Salz,1937
Range (in code): **TN PT ES FR IT YU GR Cr** **Bionomy:** Larva on *Vaccinium scoparia* (Meyer,1919).
- 45690. *Pachynemia tibiaria aindrahamaria* (Oberthür,1923)** (Geometridae) **Synonym(s):** *aindrahamaria* Oberthür,1923
Range (in code): **TN**
- 45691. *Pachyodes albodavidaria* Xue,1992** (Geometridae) **Synonym(s):** *albodavidaria* Xue,1992
Range (in code): **CN Hun**
- 45692. *Pachyodes amplificata* (Walker,1862)** (Geometridae) **Synonym(s):** *amplificata* Walker,1862; *abraxas* Oberthür,1913
Range (in code): **CN**
- 45693. *Pachyodes apicalis* (Moore,1888)** (Geometridae) **Synonym(s):** *apicalis* Moore,1888
Range (in code): **CN Hun IN SI Djl**
- 45694. *Pachyodes davidaria* (Poujade,1895)** (Geometridae) **Synonym(s):** *davidaria* Poujade,1895
Range (in code): **CN**
- 45695. *Pachyodes ectoxantha* (Wehrli,1933)** (Geometridae) **Synonym(s):** *ectoxantha* Wehrli,1933
Range (in code): **CN Yu**
- 45696. *Pachyodes haemataria* (Herrich-Schäffer,[1854])** (Geometridae) **Synonym(s):** *haemataria* Herrich-Schäffer,[1854]; *almaria* Guenée,[1858]
Range (in code): **IN**
- 45697. *Pachyodes harutai* Yazaki,1992** (Geometridae) **Synonym(s):** *harutai* Yazaki,1992
Original Reference: *Pachyodes harutai* Yazaki,1992, *Tinea* 13 (Suppl.2): 7, pl.3 fig.4. Holotype ♂: Nepal: Mt. Phulchouki (NSMT). **Range (in code):** **NP TH CMa Int**
- 45698. *Pachyodes harutai harutai* Yazaki,1992** (Geometridae) **Synonym(s):** *harutai* Yazaki,1992
Original Reference: *Pachyodes harutai* Yazaki,1992, *Tinea* 13 (Suppl.2): 7, pl.3 fig.4. Holotype ♂: Nepal: Mt. Phulchouki (NSMT). **Range (in code):** **NP**
- 45699. *Pachyodes harutai infuscatus* Yazaki,1992** (Geometridae) **Synonym(s):** *infuscatus* Yazaki,1992
Original Reference: *Pachyodes harutai* ssp. *infuscatus* Yazaki,1992, *Tinea* 13 (Suppl.2): 7, pl.3 fig.5. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2500m (NSMT). **Range (in code):** **TH CMa Int**
- 45700. *Pachyodes leucomelanaria* (Poujade,1895)** (Geometridae) **Synonym(s):** *leucomelanaria* Poujade,1895
Range (in code): **CN**
- 45701. *Pachyodes ornataria* Moore,1888** (Geometridae) **Synonym(s):** *ornataria* Moore,1888
Range (in code): **IN Meg SI Djl Cpj Ass**
- 45702. *Pachyodes pictaria* Moore,1888** (Geometridae) **Synonym(s):** *pictaria* Moore,1888
Range (in code): **IN SI Djl**
- 45703. *Pachyodes pratti* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *pratti* L.B.Prout,1927
Range (in code): **ID Sum**
- 45704. *Pachyodes subtrita* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *subtrita* L.B.Prout,1914
Range (in code): **TW VN Ton**
- 45705. *Pachyodes subtrita simplicior* (De Joannis,1929)** (Geometridae) **Synonym(s):** *simplicior* De Joannis,1929
Range (in code): **VN Ton**
- 45706. *Pachyodes vigil* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *vigil* L.B.Prout,1926
Original Reference: *Terpna vigil* L.B.Prout,1926, *J. Bombay nat. Hist. Soc.* 31 (1): 131, pl.1 fig.12. Type ♂: [Myanmar]: Upper Burma, Hpimaw Fort (BMNH). **Range (in code):** **MM Hpi**
- 45707. *Pachypalpella subalbata* (W.Warren,1900)** (Geometridae) **Synonym(s):** *subalbata* W.Warren,1900
Range (in code): **KE**
- 45708. *Palaeaspilates carnea* (W.Warren,1914)** (Geometridae) **Synonym(s):** *carnea* W.Warren,1914; *mansueta* L.B.Prout,1917
Range (in code): **ZA**

- 45709. *Palaeaspilates inoffensa* W.Warren,1894** (Geometridae) **Synonym(s):** *inoffensa* W.Warren,1894 **_ Range (in code):** **ZA Tva ZA14 Mpu**
- 45710. *Palaeaspilates reducta* (Wiltshire,[1981])** (Geometridae) **Synonym(s):** *reducta* Wiltshire,[1981] **_ Range (in code):** **OM Dh**
- 45711. *Palaeaspilates rufaria* (W.Warren,1896)** (Geometridae) **Synonym(s):** *rufaria* W.Warren,1896 **_ Range (in code):** **IN Rjp**
- 45712. *Palaeaspilates sublutearia* (Wiltshire,1977)** (Geometridae) **Synonym(s):** *sublutearia* Wiltshire,1977 **_ Range (in code):** **OM**
- 45713. *Palaeonyssia trisecta* (W.Warren,1897)** (Geometridae) **Synonym(s):** *trisecta* W.Warren,1897; *fuliginosa* W.Warren,1905 **_ Range (in code):** **ZA Tva ZA14 Mpu Nta Kzu Dbn**
Bionomy: Larva on *Acacia davyi* (Fabaceae) (Scoble,1999).
- 45714. *Palpoctenidia phoenicosoma* (Swinhoe,1895)** (Geometridae) **Synonym(s):** *phoenicosoma* Swinhoe,1895 **_ Range (in code):** **IN Meg Cpj TH CMa JP**
- 45715. *Panagropis equitaria* (Walker,1861)** (Geometridae) **Synonym(s):** *equitaria* Walker,1861; *suberrata* Walker,1861; *humerala* Walker,1862; *secretata* Walker,[1863]; *platyrhynchata* Wallengren,1872 **_ Range (in code):** **ZA ZA08 Ksi Kzu Nta Ec Pel**
- 45716. *Panagropis muricolor* (W.Warren,1897)** (Geometridae) **Synonym(s):** *muricolor* W.Warren,1897 **_ Range (in code):** **ZA ZA18 Ec Tva Lpo Spb Bbg Gau Pre Kzu Nta**
- 45717. *Papuanticlea horia* (L.B.Prout,1939)** (Geometridae) **Synonym(s):** *horia* L.B.Prout,1939 **_ Range (in code):** **NC AU QAU Kda**
- 45718. *Papuanticlea ochroria* Holloway,1979** (Geometridae) **Synonym(s):** *ochroria* Holloway,1979 **_ Range (in code):** **NC**
- 45719. *Papuanticlea onaea* (L.B.Prout,1939)** (Geometridae) **Synonym(s):** *onaea* L.B.Prout,1939 **_ Range (in code):** **NC ID Ij Gth**
- 45720. *Papuanticlea semiflava* (W.Warren,1906)** (Geometridae) **Synonym(s):** *semiflava* W.Warren,1906 **_ Range (in code):** **NC PG**
- 45721. *Papuanticlea subcaesia* (W.Warren,1903)** (Geometridae) **Synonym(s):** *subcaesia* W.Warren,1903; *neutralis* L.B.Prout,1922 **_ Range (in code):** **NC PG Aro ID Crm**
- 45722. *Papuarisme aeolotis* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *aeolotis* L.B.Prout,1916 **_ Range (in code):** **ID Ij Gth**
- 45723. *Papuarisme albicristata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *albicristata* W.Warren,1906 **_ Range (in code):** **PG**
- 45724. *Papuarisme albimedia* (W.Warren,1906)** (Geometridae) **Synonym(s):** *albimedia* W.Warren,1906 **_ Range (in code):** **PG**
- 45725. *Papuarisme brunneata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *brunneata* W.Warren,1906 **_ Range (in code):** **PG**
- 45726. *Papuarisme contaminata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *contaminata* W.Warren,1906 **_ Range (in code):** **PG**
- 45727. *Papuarisme deviaria* (L.B.Prout,1941)** (Geometridae) **Synonym(s):** *deviaria* L.B.Prout,1941 **_ Range (in code):** **PG**
- 45728. *Papuarisme disrupta* (W.Warren,1906)** (Geometridae) **Synonym(s):** *disrupta* W.Warren,1906 **_ Range (in code):** **PG**
- 45729. *Papuarisme genuflexa* (L.B.Prout,1923)** (Geometridae) **Synonym(s):** *genuflexa* L.B.Prout,1923 **_ Range (in code):** **ID Ij Gth**
- 45730. *Papuarisme illustris* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *illustris* L.B.Prout,1916 **_ Range (in code):** **ID Ij Gth**
- 45731. *Papuarisme lagadani* (Holloway,1977)** (Geometridae) **Synonym(s):** *lagadani* Holloway,1977 **_ Range (in code):** **MY Bor Sbh KBa**
- 45732. *Papuarisme leucotmeta* (L.B.Prout,1923)** (Geometridae) **Synonym(s):** *leucotmeta* L.B.Prout,1923 **_ Range (in code):** **ID Ij Gth**
- 45733. *Papuarisme maerens* (Holloway,1976)** (Geometridae) **Synonym(s):** *maerens* Holloway,1976 **_ Range (in code):** **MY Bor Sbh KBa**
- 45734. *Papuarisme murudensis* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *murudensis* L.B.Prout,1926; *labeculata* L.B.Prout,1932 **_ Range (in code):** **MY Bor Sbh KBa**
- 45735. *Papuarisme notata* (Rothschild,1915)** (Geometridae) **Synonym(s):** *notata* Rothschild,1915 **_ Range (in code):** **ID Ij Snw**

- 45736. Papuarisme submontanata (Holloway,1976)** (Geometridae) **Synonym(s):** *submontanata Holloway,1976* - Range (in code): MY Bor Sbh KBa
- 45737. Papuarisme symmetrozona (L.B.Prout,1923)** (Geometridae) **Synonym(s):** *symmetrozona L.B.Prout,1923* - Range (in code): ID Ij Gth
- 45738. Paracalicha hoenei Sato,1992** (Geometridae) **Synonym(s):** *hoenei Sato,1992* - Range (in code): CN Yu Sz
- 45739. Paracalicha olivacearia (Leech,1897)** (Geometridae) **Synonym(s):** *olivacearia Leech,1897* - Range (in code): CN
- 45740. Paracalicha prasinaria Sato,1992** (Geometridae) **Synonym(s):** *prasinaria Sato,1992* Original Reference: *Paracalicha prasinaria Sato,1992, Jap. J. Ent. 60 (2): 372, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2500m (NSMT). Range (in code): TH CMa Int*
- 45741. Paracalicha psittacata (Bastelberger,1909)** (Geometridae) **Synonym(s):** *psittacata Bastelberger,1909; divisaria Wileman,1911* - Range (in code): TW
- 45742. Paradarisa azyx L.B.Prout,1927** (Geometridae) **Synonym(s):** *azyx L.B.Prout,1927* - Range (in code): MM Hta
- 45743. Paradarisa chloauges L.B.Prout,1927** (Geometridae) **Synonym(s):** *chloauges L.B.Prout,1927* - Range (in code): MM Hpa JP
- 45744. Paradarisa comparataria (Walker,1866)** (Geometridae) **Synonym(s):** *exclusaria Walker,1860; comparataria Walker,1866* - Range (in code): IN LK TW
- 45745. Paradarisa consonaria (Hübner,[1799])** (Geometridae) **Synonym(s):** *consonaria Hübner,[1799]; tetragonaria Curtis,1829* Original Reference: *Geometra consonaria Hübner,[1799], Samml. eur. Schmett. 5: pl.30, fig.157. Type: Europa. Range (in code): PT FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY* Bionomy: Larva on *Betula* (Betulaceae), *Fagus* (Fagaceae), *Tilia* (Tiliaceae) (Meyer,1919).
- 45746. Paradarisa heledaria (Swinhoe,1893)** (Geometridae) **Synonym(s):** *heledaria Swinhoe,1893* - Range (in code): IN NI
- 45747. Paradromulia ambigua W.Warren,1896** (Geometridae) **Synonym(s):** *ambigua W.Warren,1896; rufibrunnea W.Warren,1899; leucodesma Turner,1904* - Range (in code): PG AU Qau Kda
- 45748. Paradromulia anomala W.Warren,1898** (Geometridae) **Synonym(s):** *anomala W.Warren,1898* - Range (in code): ID Ij
- 45749. Paradromulia fuscimedia W.Warren,1903** (Geometridae) **Synonym(s):** *fuscimedia W.Warren,1903* - Range (in code): PG Aro
- 45750. Paradromulia laeta W.Warren,1903** (Geometridae) **Synonym(s):** *laeta W.Warren,1903* - Range (in code): PG Aro
- 45751. Paradromulia lignifascia (W.Warren,1902)** (Geometridae) **Synonym(s):** *lignifascia W.Warren,1902* - Range (in code): SB
- 45752. Paradromulia nigrocellata (W.Warren,1899)** (Geometridae) **Synonym(s):** *nigrocellata W.Warren,1899* - Range (in code): ID Ij
- 45753. Paradromulia polyploca L.B.Prout,1916** (Geometridae) **Synonym(s):** *polyploca L.B.Prout,1916* - Range (in code): ID Ij Gth
- 45754. Paradromulia purpurea W.Warren,1903** (Geometridae) **Synonym(s):** *purpurea W.Warren,1903* - Range (in code): PG Aro
- 45755. Paradromulia subdivisa (W.Warren,1903)** (Geometridae) **Synonym(s):** *subdivisa W.Warren,1903* - Range (in code): PG Aro
- 45756. Paradromulia umbrilinea (W.Warren,1903)** (Geometridae) **Synonym(s):** *umbrilinea W.Warren,1903* - Range (in code): PG Aro
- 45757. Paradromulia xylinoxa (Meyrick,1889)** (Geometridae) **Synonym(s):** *xylinoxa Meyrick,1889; hypochromaria W.Warren,1899* - Range (in code): PG
- 45758. Paragathia albimarginata W.Warren,1902** (Geometridae) **Synonym(s):** *albimarginata W.Warren,1902; delicia Thierry-Mieg,1907* - Range (in code): ZA ZA24 NWe Tva Gau Pre ZW Bul SN GA CI ZR KE MZ Del CG
- 45759. Paralcidia albistrigula W.Warren,1907** (Geometridae) **Synonym(s):** *albistrigula W.Warren,1907* - Range (in code): PG
- 45760. Paralcidia colpochlaena L.B.Prout,1926** (Geometridae) **Synonym(s):** *colpochlaena L.B.Prout,1926* - Range (in code): ID Ij Gth
- 45761. Paralcidia errabunda W.Warren,1906** (Geometridae) **Synonym(s):** *errabunda W.Warren,1906* - Range (in code): PG

- 45762. *Paralcidia marginata* W.Warren,1906** (Geometridae) Synonym(s): *marginata* W.Warren,1906 _ Range (in code): PG
- 45763. *Paralcidia rufitincta* W.Warren,1907** (Geometridae) Synonym(s): *rufitincta* W.Warren,1907 _ Range (in code): PG
- 45764. *Paralcidia rufivenata* W.Warren,1906** (Geometridae) Synonym(s): *rufivenata* W.Warren,1906 _ Range (in code): PG
- 45765. *Paralcidia subvinosa* L.B.Prout,1916** (Geometridae) Synonym(s): *subvinosa* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 45766. *Paramaxates hainana* Chu,1981** (Geometridae) Synonym(s): *hainana* Chu,1981 _ Range (in code): CN Hn
- 45767. *Paramaxates inornata* Yazaki,1988** (Geometridae) Synonym(s): *inornata* Yazaki,1988 _ Range (in code): PH Luz
- 45768. *Paramaxates khasiana* (W.Warren,1894)** (Geometridae) Synonym(s): *khasiana* W.Warren,1894; *minuscule* Yazaki,1988 _ Range (in code): IN Ass Meg Khs TH CMA Dst
- 45769. *Paramaxates macrocerata* Yazaki,1988** (Geometridae) Synonym(s): *macrocerata* Yazaki,1988 _ Range (in code): ID Sum
- 45770. *Paramaxates polygrapharia* (Walker,1860)** (Geometridae) Synonym(s): *polygrapharia* Walker,1860 _ Range (in code): MY Bor Swk ID Clb
- 45771. *Paramaxates posterecta* Holloway,1976** (Geometridae) Synonym(s): *posterecta* Holloway,1976 _ Range (in code): MY Bor Sbh KBa TH
- 45772. *Paramaxates spinivesica* Holloway,1996** (Geometridae) Synonym(s): *spinivesica* Holloway,1996 _ Range (in code): TH Ntt Hba MY Bor Sbh KBa
- 45773. *Paramaxates taiwana* Yazaki,1988** (Geometridae) Synonym(s): *taiwana* Yazaki,1988 _ Range (in code): TW
- 45774. *Paramaxates taiwana* Yazaki,1988** (Geometridae) Synonym(s): *taiwana* Yazaki,1988 _ Range (in code): TW TH
- 45775. *Paramaxates vagata* (Walker,1861)** (Geometridae) Synonym(s): *vagata* Walker,1861 _ Range (in code): BD Syl IN
- 45776. *Paramaxates yazakii* Holloway,1996** (Geometridae) Synonym(s): *yazakii* Holloway,1996 _ Range (in code): MY Bor Sbh KBa
- 45777. *Parapalta aurifera* (W.Warren,1903)** (Geometridae) Synonym(s): *aurifera* W.Warren,1903 _ Range (in code): PG Aro Id Ij Gth
- 45778. *Parapalta aurifera circumfumata* (L.B.Prout,1916)** (Geometridae) Synonym(s): *circumfumata* L.B.Prout,1916 _ Range (in code): Id Ij Gth
- 45779. *Parapalta semiviridis* (Joicey & Talbot,1917)** (Geometridae) Synonym(s): *semiviridis* Joicey & Talbot,1917 _ Range (in code): ID Ij
- 45780. *Paraperania chionoepela* Inoue,1992** (Geometridae) Synonym(s): *chionoepela* Inoue,1992 _ Range (in code): TH CMA Int Dst
- 45781. *Paraperania giraffata* (Guenée,[1858])** (Geometridae) Synonym(s): *giraffata* Guenée,[1858]; *grandaria* R.Felder & C.Felder,1862; *lienpingensis* Wehrli,1939 _ Range (in code): IN CN Kwa HK Bionomy: Larva on leaf of weed (Lewvanich,2001).
- 45782. *Paraplaneta conturbata* (Walker,[1863])** (Geometridae) Synonym(s): *conturbata* Walker,[1863] _ Original Reference: Larentia conturbata Walker,[1863], List spec. lepid. Ins. Colln. Br. Mus. 26: 1703. Type ♂: N. Hindostan (BMNH). _ Range (in code): IN PK Thu CN Pkn
- 45783. *Paraplaneta hreblayi* Choi & Stüning,2011** (Geometridae) Synonym(s): *hreblayi* Choi & Stüning,2011 _ Range (in code): PK
- 45784. *Paraplaneta obliquilineata* (Hampson,1895)** (Geometridae) Synonym(s): *obliquilineata* Hampson,1895 _ Range (in code): PK Swa Sgl IN Hp DlH
- 45785. *Paraprasina discolor* W.Warren,1897** (Geometridae) Synonym(s): *discolor* W.Warren,1897 _ Range (in code): ZA Wca Cto Tva Gau Pre ZW Har Bionomy: Larva on *Cussonia digitata* (Janse,1935).
- 45786. *Parptychodes costimaculata* L.B.Prout,1913** (Geometridae) Synonym(s): *costimaculata* L.B.Prout,1913 _ Range (in code): KE TZ Bionomy: Larva on *Encephalartos hildebrandtii* (Zamiaceae) (Scoble,2001).
- 45787. *Parptychodes kedar* (Druce,1896)** (Geometridae) Synonym(s): *kedar* Druce,1896 _ Range (in code): TZ

- 45788. Parptychodes sp.** (Geometridae) **Synonym(s):** _ Range (in code): **MZ** **Bionomy:** Larva on Encephalartos ferox (Zamiaceae) (Scoble,2001).
- 45789. Parptychodes tenuis (Butler,1878)** (Geometridae) **Synonym(s):** *tenuis* Butler,1878. Range (in code): **KE Mb TZ Dss**
- 45790. Parasynergia atomaria (W.Warren,1896)** (Geometridae) **Synonym(s):** *atomaria* W.Warren,1896; *convergens* W.Warren,1897 _ Range (in code): **IN Ass Meg Khs**
- 45791. Parasynergia borbachodes W.Warren,1896** (Geometridae) **Synonym(s):** *borbachodes* W.Warren,1896 _ Range (in code): **ID Ja**
- 45792. Parasynergia complicata W.Warren,1893** (Geometridae) **Synonym(s):** *complicata* W.Warren,1893 _ Range (in code): **IN Nag**
- 45793. Parasynergia defixaria (West,1929)** (Geometridae) **Synonym(s):** *defixaria* West,1929 Range (in code): **PH Luz**
- 45794. Parasynergia diffusaria (Moore,1868)** (Geometridae) **Synonym(s):** *diffusaria* Moore,1868; *punctifera* Butler,1880 _ Range (in code): **IN Ben SI Djl**
- 45795. Parasynergia fortilineata Holloway,[1994]** (Geometridae) **Synonym(s):** *fortilineata* Holloway,[1994] _ Range (in code): **TH Ntt Hba MY Bor Swk**
- 45796. Parasynergia lidderdalii (Butler,1880)** (Geometridae) **Synonym(s):** *lidderdalii* Butler,1880 _ Range (in code): **IN SI Djl**
- 45797. Parasynergia lineata (W.Warren,1896)** (Geometridae) **Synonym(s):** *lineata* W.Warren,1896; *parumnotata* W.Warren,1899 _ Range (in code): **ID Nia Ja MY Bor Sbh**
- 45798. Parasynergia macularia W.Warren,1894** (Geometridae) **Synonym(s):** *macularia* W.Warren,1894 _ Range (in code): **IN SI**
- 45799. Parasynergia nigriclavata W.Warren,1897** (Geometridae) **Synonym(s):** *nigriclavata* W.Warren,1897 _ Range (in code): **IN Ass Meg Khs**
- 45800. Parasynergia pluristriaria (Walker,[1863])** (Geometridae) **Synonym(s):** *pluristriaria* Walker,[1863] _ Range (in code): **TH IN**
- 45801. Parasynergia rufinervis W.Warren,1896** (Geometridae) **Synonym(s):** *rufinervis* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs**
- 45802. Parasynergia sundastriaria Holloway,[1994]** (Geometridae) **Synonym(s):** *sundastriaria* Holloway,[1994] _ Range (in code): **MY Bor Swk**
- 45803. Parazoma ferax L.B.Prout,1926** (Geometridae) **Synonym(s):** *ferax* L.B.Prout,1926 Range (in code): **MM Hpi**
- 45804. Parazoma hypobasis L.B.Prout,1931** (Geometridae) **Synonym(s):** *hypobasis* L.B.Prout,1931 _ Range (in code): **MM Hta**
- 45805. Parazoma semifusca (W.Warren,1896)** (Geometridae) **Synonym(s):** *semifusca* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs MM Hta**
- 45806. Parazoma semifusca semifusca (W.Warren,1896)** (Geometridae) **Synonym(s):** *semifusca* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs**
- 45807. Parazoma semifusca swanni L.B.Prout,1941** (Geometridae) **Synonym(s):** *swanni* L.B.Prout,1941 _ Range (in code): **MM Hta**
- 45808. Pareclipsis incerta L.B.Prout,1916** (Geometridae) **Synonym(s):** *incerta* L.B.Prout,1916 Range (in code): **ZA Nta Kzu Dbn**
- 45809. Pareclipsis leptophyes L.B.Prout,1916** (Geometridae) **Synonym(s):** *leptophyes* L.B.Prout,1916 _ Range (in code): **ZA Cap Cto**
- 45810. Pareclipsis ochrea (W.Warren,1905)** (Geometridae) **Synonym(s):** *ochrea* W.Warren,1905 Range (in code): **ZA ZA10 Kzu Nta**
- 45811. Pareclipsis onus L.B.Prout,1917** (Geometridae) **Synonym(s):** *onus* L.B.Prout,1917 Range (in code): **ZA Cto Cap**
- 45812. Pareclipsis oxyptera L.B.Prout,1916** (Geometridae) **Synonym(s):** *oxyptera* L.B.Prout,1916 Range (in code): **ZA Tva ZA05 Kzu ZA20 Mpu**
- 45813. Pareclipsis phaeopis L.B.Prout,1922** (Geometridae) **Synonym(s):** *phaeopis* L.B.Prout,1922 _ Range (in code): **ZA Cto Cap**
- 45814. Pareclipsis punctata W.Warren,1900** (Geometridae) **Synonym(s):** *punctata* W.Warren,1900 _ Range (in code): **ZA Tva ZA04 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu**
- 45815. Pareclipsis sp.1** (Geometridae) **Synonym(s):** _ Range (in code): **ZA ZA28 Tva Lpo**
- 45816. Pareclipsis sp.2** (Geometridae) **Synonym(s):** _ Range (in code): **ZA Tva ZA11 Kzu ZA14 ZA20 Mpu**

- 45817. Pareclipsis sp.3** (Geometridae) Synonym(s): Range (in code): **ZA ZA18 Ec**
- 45818. Pareclipsis umbrata** (W.Warren,1893) (Geometridae) Synonym(s): *umbrata* W.Warren,1893; *kwantungensis* Wehrli,1940 Range (in code): **IN Ass CN Kwa**
- 45819. Parectropis ignota** Sato,1995 (Geometridae) Synonym(s): *ignota* Sato,1995 Range (in code): **NP**
- 45820. Parectropis nepalensis** Sato,1994 (Geometridae) Synonym(s): *nepalensis* Sato,1994 Range (in code): **NP**
- 45821. Parectropis nigrosparsa** (Wileman & South,1917) (Geometridae) Synonym(s): *nigrosparsa* Wileman & South,1917; *eubostryx* Wehrli,1953; *macroluridata* Viidalepp,1979 Range (in code): **TW CN RU Us**
- 45822. Parectropis siamensis** Sato,1996 (Geometridae) Synonym(s): *siamensis* Sato,1996 Original Reference: *Parectropis siamensis* Sato,1996, Trans. lepid. Soc. Japan 47 (4): 231, figs.9,10. Holotype ♂: Thailand: Chiang Mai, Doi Pakia, 1500m (UOS). Range (in code): **TH CMa CDo Pki**
- 45823. Parectropis similaria** (Hufnagel,1767) (Geometridae) Synonym(s): *similaria* Hufnagel,1767; *corticaria* [Denis & Schiffermüller],1775; *extersaria* Hübner,[1799]; *luridata* Borkhausen,1794 Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK RO YU BG TR DK SE LV LT RU MD UA BY Am Sb Us Ask Sj JP**
- 45824. Parectropis subflava** (Bastelberger,1909) (Geometridae) Synonym(s): *subflava* Bastelberger,1909; *leucosema* L.B.Prout,1914 Range (in code): **TW**
- 45825. Pareulype berberata** (Fabricius,1787) (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 Original Reference: *Phalaena berberata* Fabricius,1787, Mant. Ins. 2: 203, nr.154. Type(s): Austria. Range (in code): **MA ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU YU CY TR Cc AZ Kir DK SE LV LT RU MD UA BY CN Ui Kun** Bionomy: Larva on *Berberis vulgaris* (Meyer,1919).
- 45826. Pareulype berberata berberata** (Fabricius,1787) (Geometridae) Synonym(s): *#berberata* [Denis & Schiffermüller],1775; *berberata* Fabricius,1787; *berberaria* Boisduval,1840 Original Reference: *Phalaena berberata* Fabricius,1787, Mant. Ins. 2: 203, nr.154. Type(s): Austria. Range (in code): **ES IT GB BE NL LU DE CH AT PL CZ SK HU YU CY TR Cc AZ DK SE LV LT RU MD UA BY CN Ui Kun**
- 45827. Pareulype berberata griseata** (Oberthür,1917) (Geometridae) Synonym(s): *griseata* Oberthür,1917; *cinerea* Herbulot,1977 Range (in code): **FR**
- 45828. Pareulype berberata maindroni** Herbulot,1977 (Geometridae) Synonym(s): *maindroni* Herbulot,1977 Range (in code): **Co**
- 45829. Pareulype berberata mauretana** (Reisser,1934) (Geometridae) Synonym(s): *mauretana* Reisser,1934 Range (in code): **MA**
- 45830. Pareulype casearia** (Constant,1884) (Geometridae) Synonym(s): *casearia* Constant,1884 Range (in code): **Co**
- 45831. Pareumelea eugeniata** (Guenée,[1858]) (Geometridae) Synonym(s): *fimbriata* Stoll,[1782] *nec* Schr.,1759; *eugeniata* Guenée,[1858]; *flagrata* R.Felder & Rogenhofer,1875 Range (in code): **TH Ntt Hba SG MY ID Crm Amb**
- 45832. Pareumelea hortensiata** (Guenée,[1858]) (Geometridae) Synonym(s): *hortensiata* Guenée,[1858]; *fervidaria* Walker,1866; *marginipennis* Butler,1879 Range (in code): **MY SG ID Sum TH Sip Clb**
- 45833. Pareumelea hortensiata exstinguens** L.B.Prout,1931 (Geometridae) Synonym(s): *exstinguens* L.B.Prout,1931 Range (in code): **ID Sip**
- 45834. Pareumelea hortensiata hortensiata** (Guenée,[1858]) (Geometridae) Synonym(s): *hortensiata* Guenée,[1858]; *fervidaria* Walker,1866; *marginipennis* Butler,1879 Range (in code): **MY SG ID Sum TH**
- 45835. Pareumelea hortensiata rostrata** Swinhoe,1900 (Geometridae) Synonym(s): *rostrata* Swinhoe,1900 Range (in code): **ID Clb**
- 45836. Parortholitha moerdyki** Herbulot,1980 (Geometridae) Synonym(s): *moerdyki* Herbulot,1980 Original Reference: *Parortholitha moerdyki* Herbulot,1960 Range (in code): **ZA Nta Kzu**
- 45837. Parortholitha subrectiaria** (Walker,1861) (Geometridae) Synonym(s): *subrectiaria* Walker,1861; *cidariata* Walker,1862 Range (in code): **ZA Wca**
- 45838. Parosteodes fictiliaria** (Guenée,[1858]) (Geometridae) Synonym(s): *fictiliaria* Guenée,[1858]; *ferritinctaria* Walker,1861; *procurata* Walker,1861; *dissutata* Walker,1862; *plana* W.Warren,1898 Range (in code): **AU TA NSw Syd**

- 45839. Parosteodes grisea Holloway,1979** (Geometridae) Synonym(s): *grisea* Holloway,1979
Range (in code): **NC**
- 45840. Pasiphila chloerata (Mabille,1870)** (Geometridae) Synonym(s): *chloerata* Mabille,1870;
consueta Butler,1879; *horticolaria* Fuchs,1892 Original Reference: *Eupithecia chloerata* Mabille,1870,
Petit. Nouv. 1870: 96. Type: Russland. Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK**
HU RO YU GR BG TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Prunus spinosa*
(Meyer,1919).
- 45841. Pasiphila debiliata (Hübner,[1817])** (Geometridae) Synonym(s): *debiliata* Hübner,[1817];
nigropunctata Chant,1833; *debiliaria* Boisduval,1840; *clerci* Krulikovsky,1891; *suspiciosa* Inoue,1982 Range
(in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU**
Vj MD UA BY JP
- 45842. Pasiphila derasata (Bastelberger,1905)** (Geometridae) Synonym(s): *derasata*
Bastelberger,1905; *chlamydata* Joannis,1906 Original Reference: *Gullaca derasata*
Bastelberger,1905, Ent. Z., Frankf. a. M. 19 (14): 77. Holotype ♂: Madagascar: Nosy Be (SMF).
Range (in code): **MG MU YE ZA Ktz ZA10 ZA12 Kzu Nta Bbg ZA28 Tva Lpo Spb Mpu Brb**
- 45843. Pasiphila derasata jansei (L.B.Prout,1937)** (Geometridae) Synonym(s): *jansei*
L.B.Prout,1937 Original Reference: *Chloroclystis jansei* L.B.Prout,1937, [in] Seitz,A., The
Macrolepid. World 16: 109, pl.11i. Holotype ♂: [South Africa]: Transvaal: Barberton (BMNH).
Range (in code): **ZA Ktz ZA10 ZA12 Kzu Nta Bbg ZA28 Tva Lpo Spb Mpu Brb** Bionomy: Larva on
Celtis africana (Ulmaceae) (Duke & Duke,1998).
- 45844. Pasiphila hyrcanica Viidalepp & Mironov,2006** (Geometridae) Synonym(s):
hyrcanica Viidalepp & Mironov,2006 Range (in code): **Cc AZ IR**
- 45845. Pasiphila palpata (Walker,1862)** (Geometridae) Synonym(s): *palpata* Walker,1862;
variegata Moore,[1887]; *virescens* Moore,[1887] Range (in code): **LK IN Ass Meg Khs ID Ja MY Bor**
Sbh KBa
- 45846. Pasiphila rectangulata (Linnaeus,1758)** (Geometridae) Synonym(s): *rectangulata*
Linnaeus,1758; *viridulata* Hufnagel,1767; *cydoniata* Borkhausen,1794; *mediana* Panzer,1804; *nigrocerciceata*
Haworth,1809; *sericeata* Haworth,1809; *subaerata* Hübner,[1817]; *rectangularia* Boisduval,1840 Original
Reference: *Phalaena rectangulata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa.
Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR**
Cc GG Bjo Lag Len AZ IR GlS DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Prunus*
padus, *Pyrus* (Meyer,1919).
- 45847. Pasiphila socotrensis (Herbulot,1994)** (Geometridae) Synonym(s): *socotrensis*
Herbulot,1994 Original Reference: *Chloroclystis socotrensis* Herbulot,1994, Lambilliona 94
(3): 391, fig.4. Holotype ♂: [Yemen]: Sokotra, massif cristallin central, 300-1000m (coll.
Herbulot). Range (in code): **Sk**
- 45848. Pasiphilodes chlorocampsis (L.B.Prout,1926)** (Geometridae) Synonym(s):
chlorocampsis L.B.Prout,1926 Range (in code): **MY Bor Swk**
- 45849. Pasiphilodes eurystalides (L.B.Prout,1932)** (Geometridae) Synonym(s): *eurystalides*
L.B.Prout,1932 Range (in code): **MY Bor Sbh KBa**
- 45850. Pasiphilodes fractiscripta (L.B.Prout,1958)** (Geometridae) Synonym(s): *fractiscripta*
L.B.Prout,1958 Range (in code): **PH Luz**
- 45851. Pasiphilodes luteata Holloway,1996** (Geometridae) Synonym(s): *luteata* Holloway,1996
Range (in code): **MY Bor Sbh KBa**
- 45852. Pasiphilodes nina (G.S.Robinson,1975)** (Geometridae) Synonym(s): *nina*
G.S.Robinson,1975 Range (in code): **FJ**
- 45853. Pasiphilodes oribates (L.B.Prout,1925)** (Geometridae) Synonym(s): *oribates*
L.B.Prout,1925 Range (in code): **ID Ja**
- 45854. Pasiphilodes regularis (W.Warren,1895)** (Geometridae) Synonym(s): *regularis*
W.Warren,1895 Range (in code): **MY Prk**
- 45855. Pasiphilodes rubrifusa (W.Warren,1895)** (Geometridae) Synonym(s): *rubrifusa*
W.Warren,1895 Range (in code): **MY Prk**
- 45856. Pasiphilodes rufogrisea Holloway,1976** (Geometridae) Synonym(s): *rufogrisea*
Holloway,1976 Range (in code): **MY Bor Sbh KBa**
- 45857. Pasiphilodes sayata Holloway,1976** (Geometridae) Synonym(s): *sayata* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 45858. Pasiphilodes subpalpata (L.B.Prout,1958)** (Geometridae) Synonym(s): *subpalpata*
L.B.Prout,1958 Range (in code): **MY Sgo**

- 45859. *Pasiphilodes subtrita* (Walker,1866)** (Geometridae) Synonym(s): *subtrita* Walker,1866; *lepta* Meyrick,1886; *mempta* L.B.Prout,1928; *fluctuosa* L.B.Prout,1934; *aeneta* L.B.Prout,1958; *woodjonesi* L.B.Prout,1958; *oceanica* Herbulot,1962; *aucta* Herbulot,1963; *rotumensis* G.S.Robinson,1975 _ Range (in code):
- 45860. *Pasiphilodes viridescens* (W.Warren,1895)** (Geometridae) Synonym(s): *viridescens* W.Warren,1895 _ Range (in code): **MY Prk**
- 45861. *Pectula exanthemata* Moore,1888** (Geometridae) Synonym(s): *exanthemata* Moore,1888 Range (in code): **IN SI Djl**
- 45862. *Pectula stramineata* (W.Warren,1888)** (Geometridae) Synonym(s): *stramineata* W.Warren,1888 Original Reference: Angerona stramineata W.Warren,1888, Proc. zool. Soc. Lond. 1888: 319. Syntypes 4♂: [Pakistan]: Thundiani, September 1886. Range (in code): **PK Thu Haz Mre**
- 45863. *Pelagodes antiquadraria* (Inoue,1976)** (Geometridae) Synonym(s): *antiquadraria* Inoue,1976 _ Range (in code): **JP CN Hun Fkn Hn Yu Ti BT IN SI Djl Ass Meg TH**
- 45864. *Pelagodes aucta* (L.B.Prout,1912)** (Geometridae) Synonym(s): *aucta* L.B.Prout,1912 Range (in code): **IN Meg Ass**
- 45865. *Pelagodes bellula* Han & Xue,2011** (Geometridae) Synonym(s): *bellula* Han & Xue,2011 Range (in code): **CN Ti**
- 45866. *Pelagodes clarifimbria* (L.B.Prout,1919)** (Geometridae) Synonym(s): *clarifimbria* L.B.Prout,1919 _ Range (in code): **CN Hn LK MY ID Bor**
- 45867. *Pelagodes cochlearis* Holloway,1996** (Geometridae) Synonym(s): *cochlearis* Holloway,1996 _ Range (in code): **ID Sum**
- 45868. *Pelagodes forceps* Holloway,1996** (Geometridae) Synonym(s): *forceps* Holloway,1996 Range (in code): **MY Bor Swk**
- 45869. *Pelagodes paraveraria* Han & Xue,2011** (Geometridae) Synonym(s): *paraveraria* Han & Xue,2011 _ Range (in code): **CN Yu**
- 45870. *Pelagodes rana* Holloway,1996** (Geometridae) Synonym(s): *rana* Holloway,1996 Range (in code): **MY Bor**
- 45871. *Pelagodes semengok* Holloway,1996** (Geometridae) Synonym(s): *semengok* Holloway,1996 _ Range (in code): **MY Bor Swk CN Hn Yu Ti TW ID PH**
- 45872. *Pelagodes semihyalina* (Walker,1861)** (Geometridae) Synonym(s): *semihyalina* Walker,1861 _ Range (in code): **MY Bor Swk**
- 45873. *Pelagodes simplvalvae* Han & Xue,2011** (Geometridae) Synonym(s): *simplvalvae* Han & Xue,2011 _ Range (in code): **CN Hn**
- 45874. *Pelagodes sinuspinae* Han & Xue,2011** (Geometridae) Synonym(s): *sinuspinae* Han & Xue,2011 _ Range (in code): **CN Yu**
- 45875. *Pelagodes spiniseparati* Holloway,1996** (Geometridae) Synonym(s): *spiniseparati* Holloway,1996 _ Range (in code): **MY Bor Swk**
- 45876. *Pelagodes subquadraria* (Inoue,1976)** (Geometridae) Synonym(s): *subquadraria* Inoue,1976 _ Range (in code): **JP CN Hun Fkn TW**
- 45877. *Pelagodes tridens* Holloway,1996** (Geometridae) Synonym(s): *tridens* Holloway,1996 Range (in code): **TH Ntt Hba MY Bor Sbh**
- 45878. *Pelagodes viridicaput* (W.Warren,1897)** (Geometridae) Synonym(s): *viridicaput* W.Warren,1897 _ Range (in code): **ID Clb**
- 45879. *Pelagodes waterstradti* Holloway,1996** (Geometridae) Synonym(s): *waterstradti* Holloway,1996 _ Range (in code): **MY Bor Sbh KBa**
- 45880. *Pellonia serraginararia* (Kaila & Viidalepp,1996)** (Geometridae) Synonym(s): *serraginararia* Kaila & Viidalepp,1996 _ Range (in code): **KG Aa TrA**
- 45881. *Pellonia vibicaria* (Linnaeus,1761)** (Geometridae) Synonym(s): *#vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. Original Reference: Phalaena vibicaria Linnaeus,1761, Fauna Suecica (2): 323. Type(s): Sweden. Range (in code): **MA DZ ES Mu FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AZ Cc AM GG DK NO SE FI EE LV LT RU MD UA BY IR CN Ui Ku KG Sj At Bionomy**: Larva on *Calluna vulgaris* (Ericaceae); *Cytisus*, *Genista*, *Sarothamnus scoparius*; *Lychnis vulgaris* (Caryophyllaceae) (Meyer,1919; et seq.).
- 45882. *Pellonia vibicaria strigata* Staudinger,1871** (Geometridae) Synonym(s): *strigata* Staudinger,1871 _ Range (in code): **MA DZ IR CN Ui Ku**

- 45883. Pellonia vibicaria unicolorata Staudinger,1871** (Geometridae) **Synonym(s):** *unicolorata Staudinger,1871* _ **Range (in code): KG At RU Sj**
- 45884. Pellonia vibicaria vibicaria (Linnaeus,1761)** (Geometridae) **Synonym(s):** *#vibicaria Clerck,1759; vibicaria Linnaeus,1761; cruentata Scopoli,1763; rubrofasciata Hufnagel,1767; artriosa Fourcroy,1785; cruentaria Villers,1789.* **Original Reference:** *Phalaena vibicaria Linnaeus,1761, Fauna Suecica (2): 323.* **Type(s):** Sweden. **Range (in code): ES Mu FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr Cc AZ AM GG DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Calluna vulgaris* (Ericaceae); *Cytisus*, *Genista*, *Sarothamnus scoparius*; *Lychnis vulgaris* (Caryophyllaceae) (Meyer,1919; et seq.).
- 45885. Pelurga comitata (Linnaeus,1758)** (Geometridae) **Synonym(s):** *comitata Linnaeus,1758* **Original Reference:** *Phalaena comitata Linnaeus,1758, Syst. Nat. (Edn.10)1: 526.* **Type(s):** Europa. **Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc AZ Kir DK NO SE FI EE LV LT RU K-R Ur Am Us Sh Sb MD UA Cm BY Cc AZ CN Ui Ku MN KP KR JP** **Bionomy:** Larva on *Atriplex*, *Chenopodium* (Meyer,1919).
- 45886. Peratophyga alluvialis Holloway,[1994]** (Geometridae) **Synonym(s):** *alluvialis Holloway,[1994]* _ **Range (in code): MY Bor Swk**
- 45887. Peratophyga beta Holloway,[1994]** (Geometridae) **Synonym(s):** *beta Holloway,[1994]* **Range (in code): TH Ntt Hba MY Bor Swk**
- 45888. Peratophyga bifasciata W.Warren,1905** (Geometridae) **Synonym(s):** *bifasciata W.Warren,1905* _ **Range (in code): CN Hn**
- 45889. Peratophyga flavomaculata Swinhoe,1902** (Geometridae) **Synonym(s):** *flavomaculata Swinhoe,1902* _ **Range (in code): ID Bor Klt TH CMa Cnz Cz10 Cu01**
- 45890. Peratophyga hyalinata (Kollar,[1844])** (Geometridae) **Synonym(s):** *hyalinata Kollar,[1844]; aerata Moore,1868; ionephela Wiltshire,1966* **Original Reference:** *Idaea hyalinata Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 491.* **Type:** India, Massuri [Mussooree]. **Range (in code): IN Mus SI Djl AF Nu Bkt PK Swa Haz Cte Sgl**
- 45891. Peratophyga hypsicyma (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *hypsicyma L.B.Prout,1916* _ **Range (in code): MY Bor Swk**
- 45892. Peratophyga hypsidesma Holloway,[1994]** (Geometridae) **Synonym(s):** *hypsidesma Holloway,[1994]* _ **Range (in code): TH Ntt Hba MY Bor Swk**
- 45893. Peratophyga oblectata L.B.Prout,1929** (Geometridae) **Synonym(s):** *oblectata L.B.Prout,1929* _ **Range (in code): ID Crm**
- 45894. Peratophyga sobrina (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *sobrina L.B.Prout,1932* _ **Range (in code): MY Bor Sbh KBa**
- 45895. Peratophyga spilodesma L.B.Prout,1934** (Geometridae) **Synonym(s):** *spilodesma L.B.Prout,1934* _ **Range (in code): TH MY Bor Swk**
- 45896. Peratophyga trigonata (Walker,1861)** (Geometridae) **Synonym(s):** *trigonata Walker,1861* **Range (in code): MY Bor Swk**
- 45897. Peratophyga venetia Swinhoe,1902** (Geometridae) **Synonym(s):** *venetia Swinhoe,1902* **Range (in code): MY Prk Bor Swk SG TH CMa CDo**
- 45898. Peratophyga xanthyla (Hampson,1896)** (Geometridae) **Synonym(s):** *xanthyla Hampson,1896* _ **Range (in code): IN SI MY Bor Sbh**
- 45899. Peratophyga zamaradina Herbulot,1993** (Geometridae) **Synonym(s):** *zamaradina Herbulot,1993* _ **Range (in code): ID Clb**
- 45900. Peratostega coctata W.Warren,1897** (Geometridae) **Synonym(s):** *coctata W.Warren,1897; rufa W.Warren,1897* _ **Range (in code): ID Sum MY Pen Bor**
- 45901. Peratostega deletaria (Moore,1888)** (Geometridae) **Synonym(s):** *deletaria Moore,1888* **Range (in code): IN SI Djl JP**
- 45902. Peratostega indistincta (Moore,1888)** (Geometridae) **Synonym(s):** *indistincta Moore,1888* _ **Range (in code): IN Ass Meg Khs**
- 45903. Peratostega punctapex Holloway,[1994]** (Geometridae) **Synonym(s):** *punctapex Holloway,[1994]* _ **Range (in code): MY Bor Sbh KBa**
- 45904. Percnia felinaria Guenée,[1858]** (Geometridae) **Synonym(s):** *felinaria Guenée,[1858]* **Range (in code): IN**
- 45905. Percnia interfusa W.Warren,1893** (Geometridae) **Synonym(s):** *interfusa W.Warren,1893* **Range (in code): IN Nag**
- 45906. Percnia longitermen L.B.Prout,1914** (Geometridae) **Synonym(s):** *longitermen L.B.Prout,1914* _ **Range (in code): TW**

- 45907. *Percnia luridaria* (Leech,1897)** (Geometridae) Synonym(s): *luridaria* Leech,1897
Range (in code): **CN Sz TW**
- 45908. *Percnia prouti* (Wehrli,1925)** (Geometridae) Synonym(s): *prouti* Wehrli,1925 Range (in code): **CN Kig**
- 45909. *Percnia suffusa* Wileman,1914** (Geometridae) Synonym(s): *suffusa* Wileman,1914
Range (in code): **TW**
- 45910. *Perconia baeticaria* (Rambur,1866)** (Geometridae) Synonym(s): *baeticaria* Rambur,1866; *baeticaria* Staudinger,1871 Range (in code): **PT ES**
- 45911. *Perconia strigillaria* (Hübner,1787)** (Geometridae) Synonym(s): *strigillaria* Hübner,1787; *respersaria* Hübner,[1799]; *inaequaria* Haworth,1809; *herpetitaria* Rambur,1866; *grisearia* Lempke,1952; *fuscognaria* Lempke,1953 Original Reference: *Phalaena strigillaria* Hübner,1787, Beitr. Gesch. Schmett. 1 (2): 13, pl.2 fig.1. Syntypes ♂: Deutschland: Ausburg. Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG IR GlS DK NO SE FI EE LV LT RU Ur MD UA BY** Bionomy: Larva on Genista, Sarothamnus scoparius, Vaccinium (Meyer,1919).
- 45912. *Peribatodes abstersarius* (Boisduval,1840)** (Geometridae) Synonym(s): *abstersarius* Boisduval,1840 Range (in code): **ES FR**
- 45913. *Peribatodes buxicolarius* (Mabille,1873)** (Geometridae) Synonym(s): *buxicolarius* Mabille,1873 Range (in code): **FR**
- 45914. *Peribatodes correptarius* (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847 Original Reference: *Boarmia correptaria* Zeller,1847, Isis 1847: 18-19. Syntypes: [Turkey]: Pera [Istanbul], Smyrna [=Izmir] (BMNH). Range (in code): **YU AL BG GR Cr Rd CY TR RU LB Bsa**
- 45915. *Peribatodes correptarius correptarius* (Zeller,1847)** (Geometridae) Synonym(s): *correptaria* Zeller,1847. Original Reference: *Boarmia correptaria* Zeller,1847, Isis 1847: 18-19. Syntypes: [Turkey]: Pera [Istanbul], Smyrna [=Izmir] (BMNH). Range (in code): **YU AL BG GR Cr Rd CY TR RU**
- 45916. *Peribatodes correptarius syrilibanoni* (Wehrli,1931)** (Geometridae) Synonym(s): *syrilibanoni* Wehrli,1931; *syrilibani* Wehrli,1933 Original Reference: *Boarmia syrilibanoni* Wehrli,1931, Mitt. münch. ent. Ges. 21: 46. Type ♀: Libanon: Bscharre, leg. E. Pfeiffer (ZSM). Range (in code): **TR LB Bsa** Bionomy: Larva on Cupressus (Wehrli,1933).
- 45917. *Peribatodes dragone* Laever & Parenzan,1985** (Geometridae) Synonym(s): *dragone* Laever & Parenzan,1985 Range (in code): **IT**
- 45918. *Peribatodes ilicarius* (Geyer,1833)** (Geometridae) Synonym(s): *ilicaria* Geyer,1833; *manuelarius* Herrich-Schäffer,1852; *maghrebica* Le Cerf,1923; *jacobaria* Fernandez,1931 Range (in code): **MA PT ES Mu FR IT GB DE PL SK GR TR Cc AZ DK** Bionomy: Larva on Clematis vitalba, Juniperus, Ligustrum, Malus, Pinus, Quercus ilex, Q. robur (Meyer,1919; Calle et al.,2000).
- 45919. *Peribatodes jugurthinus* (Turati & Krüger,1936)** (Geometridae) Synonym(s): *jugurthinus* Turati & Krüger,1936 Range (in code): **LY Cy**
- 45920. *Peribatodes marcentarius* (Püngeler,1902)** (Geometridae) Synonym(s): *marcentaria* Püngeler,1902 Original Reference: *Boarmia marcentaria* Püngeler,1902, Dt. ent. Z., Iris 15: 157, Taf.v figs.14,15. Syntypes ♂♀: [Uighur A.R.]: "Nia-Flusse". Range (in code): **CN UI**
- 45921. *Peribatodes perversarius* (Boisduval,1840)** (Geometridae) Synonym(s): *perversarius* Boisduval,1840 Range (in code): **ES FR IT CH**
- 45922. *Peribatodes powelli* (Oberthür,1913)** (Geometridae) Synonym(s): *powelli* Oberthür,1913 Range (in code): **DZ Afl ES**
- 45923. *Peribatodes psoralarius* (Millière,1885)** (Geometridae) Synonym(s): *psoralarius* Millière,1885 Range (in code): **FR**
- 45924. *Peribatodes rhomboidarius* [Denis & Schiffermüller],1775** (Geometridae) Synonym(s): *#rhomboidaria* [Denis & Schiffermüller],1775; *inaequalis* Goeze,1781; *gemma* Brahm,1791; *ichnusaria* Ghiliani,1852; *corsicaria* Schawerda,1931; *saerdabensis* Wehrli,1943 Range (in code): **MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AZ GG IQ IR Mz GlS Fa Sse DK SE FI RU MD UA BY IL Pa LB Bsa Bmm Zah CY** Bionomy: Larva on Clematis vitalba (Ranunculaceae), Crataegus, Ligustrum, Nerium oleander, Prunus domestica, P. spinosa, Pyrus, Quercus (Fagaceae), Rubus (Rosaceae) (Meyer,1919; Calle, et al.,2000).
- 45925. *Peribatodes rhomboidarius syritauricus* (Wehrli,1931)** (Geometridae) Synonym(s): *syritauricus* Wehrli,1931 Original Reference: *Boarmia rhomboidaria* ssp. *syritaurica* Wehrli,1931, Mitt. münch. ent. Ges. 21: 44-45. Syntypes ♂♀: [Türkei]: "Marasch, Akbès"; Libanon: Zahle (coll. Wehrli). Range (in code): **TR Cc SY IL Pa LB Bsa Bmm Zah**

- 45926. Peribatodes secundarius ([Denis & Schiffermüller],1775)** (Geometridae)
Synonym(s): #secundaria [Denis & Schiffermüller],1775; fallentaria Staudinger,1879; druentiaria Cleu,1928; syrisca Wehrli,1933; francosuevica Schneider,1942; rometschi Schneider,1942; occidentaria Lempke,1953
Original Reference: Geometra secundaria [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 101. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LB Bionomy: Larva on Cedrus, Juniperus, Picea, Pinus ([Denis & Schiffermüller],1775; Meyer,1919; Wehrli,1933,1934).
- 45927. Peribatodes subflavarius (Millière,1876)** (Geometridae) Synonym(s): subflavarius Millière,1876 Range (in code): ES FR
- 45928. Peribatodes umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916 Original Reference: Geometra umbraria Hübner,[1809], Samml. eur. Schmett. 5: pl.65, fig.340. Type: Europa. Range (in code): MA DZ PT ES Mu FR Co Sa Si IT CH SK HU RO YU AL BG GR Cr TR IQ Brs IR Mz Gl Kh Fa Sse RU MD UA BY IL Pa Js LB Bsa CY Bionomy: Larva on Acer (Aceraceae), Olea europaea (Oleaceae), Quercus (Fagaceae) (Meyer,1919; Wiltshire,1957; Calle, et al.,2000).
- 45929. Peribatodes umbrarius khenchelae (Wehrli,1943)** (Geometridae) Synonym(s): powelli Oberthür,1913 nec Obth.,1913; khenchelae Wehrli,1943 Range (in code): DZ Khh
- 45930. Peribatodes umbrarius mimeuri (Rungs,1950)** (Geometridae) Synonym(s): mimeuri Rungs,1950 Range (in code): MA
- 45931. Peribatodes umbrarius panorma (Wehrli,1943)** (Geometridae) Synonym(s): panorma Wehrli,1943 Range (in code): Si Sa IT
- 45932. Peribatodes umbrarius syriranus (Wehrli,1943)** (Geometridae) Synonym(s): syriranus Wehrli,1943; #syrianus Hausmann,1997 Original Reference: Peribatodes umbraria ssp. syrirana Wehrli,1943, [in] Seitz, Die Gorss-Schmett. Erde 4 (Suppl.): 483, pl.43 (a,b). Syntypes 6♂ 1♀: Iran: Kasrun. Range (in code): IL Pa Js TR IQ Brs IR Fa Sse
- 45933. Peribatodes umbrarius umbrarius (Hübner,[1809])** (Geometridae) Synonym(s): umbraria Hübner,[1809]; vaucheri Thierry-Mieg,1916 Original Reference: Geometra umbraria Hübner,[1809], Samml. eur. Schmett. 5: pl.65, fig.340. Type: Europa. Range (in code): PT ES Mu FR Co IT CH SK HU RO YU AL BG GR Cr TR RU MD UA BY
- 45934. Perithalera oblongata (W.Warren,1898)** (Geometridae) Synonym(s): oblongata W.Warren,1898 Range (in code): NG
- 45935. Perithalera oblongula L.B.Prout,1922** (Geometridae) Synonym(s): oblongula L.B.Prout,1922 Range (in code): MG
- 45936. Perixera absconditaria (Walker,1863)** (Geometridae) Synonym(s): absconditaria Walker,1863 Range (in code): IN BT SI Ass Meg Khs MM CN
- 45937. Perixera absconditaria assamica (L.B.Prout,1938)** (Geometridae) Synonym(s): assamica L.B.Prout,1938 Range (in code): IN Meg Ass Khs SI BT MM
- 45938. Perixera argentosa (L.B.Prout,1920)** (Geometridae) Synonym(s): argentosa L.B.Prout,1920 Range (in code): ID Clb IN Ass Meg Khs MY Pen SG Bor
- 45939. Perixera argyromma (W.Warren,1896)** (Geometridae) Synonym(s): argyromma W.Warren,1896 Range (in code): IN Ass Meg Khs
- 45940. Perixera celebensis (L.B.Prout,1938)** (Geometridae) Synonym(s): celebensis L.B.Prout,1938 Range (in code): ID Clb
- 45941. Perixera clandestina (L.B.Prout,1918)** (Geometridae) Synonym(s): clandestina L.B.Prout,1918 Range (in code): IN Ass Meg Khs
- 45942. Perixera contrariata (Walker,1861)** (Geometridae) Synonym(s): contrariata Walker,1861; variospila W.Warren,1901; falsareolaria Oberthür,1916 Range (in code): IN Ass Adm TH TW CN HK MY Bor Swk Bionomy: Larva on Dahlbergia (Fabaceae) (Holloway,1996).
- 45943. Perixera dalmatensis (Holloway,1979)** (Geometridae) Synonym(s): dalmatensis Holloway,1979 Range (in code): NC
- 45944. Perixera decretaria (Walker,1861)** (Geometridae) Synonym(s): decretaria Walker,1861; privata Walker,1861 Range (in code): TH Ntt Hba MY Bor Swk
- 45945. Perixera denticulata (Hampson,1895)** (Geometridae) Synonym(s): denticulata Hampson,1895; mediusta W.Warren,1895 Range (in code): IN Nag Ass Meg Khs PG
- 45946. Perixera dotilla (Swinhoe,1894)** (Geometridae) Synonym(s): dotilla Swinhoe,1894 Range (in code): IN Ass Meg Khs

- 45947. Perixera flavirubra** W.Warren,1896 (Geometridae) Synonym(s): *flavirubra* W.Warren,1896; *transversata* W.Warren,1897 _ Range (in code): AU QAU ID Clb MY Pen
- 45948. Perixera flavirubra flavareata** (W.Warren,1897) (Geometridae) Synonym(s): *flavareata* W.Warren,1897 _ Range (in code): MY Pen
- 45949. Perixera flavirubra hyperpheres** (L.B.Prout,1938) (Geometridae) Synonym(s): *hyperpheres* L.B.Prout,1938 _ Range (in code): ID Clb
- 45950. Perixera gaeta** (Swinhoe,1902) (Geometridae) Synonym(s): *gaeta* Swinhoe,1902 _ Range (in code): MY Bor
- 45951. Perixera gloria** (G.S.Robinson,1975) (Geometridae) Synonym(s): *gloria* G.S.Robinson,1975 _ Range (in code): FJ
- 45952. Perixera illepidaria** (Guenée,[1858]) (Geometridae) Synonym(s): *illepidaria* Guenée,[1858]; *semicompleta* Walker,1861; *immemoraria* Walker,1866; *strictaria* Snellen,1881 _ Range (in code): ID Clb Ja Bor Swk MY Bionomy: Larva on *Mangifera indica* (Anacardiaceae); *Litchi chinensis* (Sapindaceae) (Scoble,1999).
- 45953. Perixera insitiva** (L.B.Prout,1920) (Geometridae) Synonym(s): *insitiva* L.B.Prout,1920 _ Range (in code): IN Tn Pln
- 45954. Perixera javensis** (W.Warren,1897) (Geometridae) Synonym(s): *javensis* W.Warren,1897 _ Range (in code): ID Ja
- 45955. Perixera jocosa** (W.Warren,1896) (Geometridae) Synonym(s): *jocosa* W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 45956. Perixera kohensis** (Holloway,1979) (Geometridae) Synonym(s): *kohensis* Holloway,1979 _ Range (in code): NC
- 45957. Perixera melantroches** (L.B.Prout,1938) (Geometridae) Synonym(s): *melantroches* L.B.Prout,1938 _ Range (in code): MY Bor Sbh KBa
- 45958. Perixera monetaria** (Guenée,[1858]) (Geometridae) Synonym(s): *monetaria* Guenée,[1858]; *areolaria* Guenée,[1858]; *argentispila* W.Warren,1893; *hyperythra* Swinhoe,1894; *pleniluna* W.Warren,1897 _ Range (in code): LK IN Ass Meg Khs Cpj Nag MY Bor Pen PG AU SB FJ TH
- 45959. Perixera nesidica** (L.B.Prout,1931) (Geometridae) Synonym(s): *nesidica* L.B.Prout,1931 _ Original Reference: *Anisodes nesidica* L.B.Prout,1931, Novit. zool. 37: 7. Holotype: Indonesia: Mentawai Archipelago: Siberut (BMNH). _ Range (in code): ID Mw Sbt TH
- 45960. Perixera niveopuncta** (W.Warren,1897) (Geometridae) Synonym(s): *niveopuncta* W.Warren,1897; *decolorata* W.Warren,1897; *paucinotata* W.Warren,1901; *indigens* W.Warren,1906 _ Range (in code): AU QAU LO NC PG ID Clb
- 45961. Perixera obliivaria** (Walker,1861) (Geometridae) Synonym(s): *obliivaria* Walker,1861; *suspiciaria* Snellen,1881; *rufidorsata* W.Warren,1896; *rufannularia* W.Warren,1897 _ Range (in code): LK IN Ass Meg Khs ID Clb PG AU FJ WS SB NH
- 45962. Perixera obrinaria** (Guenée,[1858]) (Geometridae) Synonym(s): *obrinaria* Guenée,[1858]; *caligata* Walker,[1863]; *contractata* Walker,[1863]; *similaria* Walker,[1863]; *rubrisecta* W.Warren,1898 _ Range (in code): LK MY Bor Swk ID Kai IN Bionomy: Larva on *Cassytha* (Lauraceae) (Scoble,1999).
- 45963. Perixera ochraria** (Swinhoe,1902) (Geometridae) Synonym(s): *ochraria* Swinhoe,1902 _ Range (in code): TH Ntt Hba MY SG
- 45964. Perixera ochreofusa** Holloway,1997 (Geometridae) Synonym(s): *ochreofusa* Holloway,1997 _ Range (in code): TH Ntt Hba MY Bor Swk
- 45965. Perixera paragloria** (Holloway,1979) (Geometridae) Synonym(s): *paragloria* Holloway,1979 _ Range (in code): NC
- 45966. Perixera penumbrata** (W.Warren,1895) (Geometridae) Synonym(s): *penumbrata* W.Warren,1895 _ Range (in code): ID Clb Crm PH Luz
- 45967. Perixera perscripta** (L.B.Prout,1938) (Geometridae) Synonym(s): *perscripta* L.B.Prout,1938 _ Range (in code): IN Ass Meg Khs ID Clb
- 45968. Perixera pictimaculis** (L.B.Prout,1929) (Geometridae) Synonym(s): *pictimaculis* L.B.Prout,1929 _ Range (in code): ID Ja
- 45969. Perixera prionodes** (Meyrick,1886) (Geometridae) Synonym(s): *prionodes* Meyrick,1886 _ Range (in code): FJ
- 45970. Perixera punctata** (W.Warren,1897) (Geometridae) Synonym(s): *punctata* W.Warren,1897 _ Range (in code): AU QAU MY Bor Swk ID Clb
- 45971. Perixera pyrrhocrica** (L.B.Prout,1926) (Geometridae) Synonym(s): *pyrrhocrica* L.B.Prout,1926 _ Range (in code): MY Bor Swk

- 45972. Perixera roseofusa** W.Warren,1896 (Geometridae) Synonym(s): *roseofusa* W.Warren,1896 _ Range (in code): MY Bor Swk
- 45973. Perixera sabulosa** (W.Warren,1895) (Geometridae) Synonym(s): *sabulosa* W.Warren,1895 _ Range (in code): PH Pal
- 45974. Perixera samoana** (W.Warren,1897) (Geometridae) Synonym(s): *samoana* W.Warren,1897 _ Range (in code): WS NH FJ NC
- 45975. Perixera sarawackaria** (Guenée,[1858]) (Geometridae) Synonym(s): *sarawackaria* Guenée,[1858]; *lichenaria* Swinhoe,1892; *obscurata* W.Warren,1893 _ Range (in code): MY Bor Swk IN Ass Meg Khs SI PG NBr
- 45976. Perixera sordidata** (W.Warren,1896) (Geometridae) Synonym(s): *sordidata* W.Warren,1896; *grisea* W.Warren,1898; *odontota* Turner,1908 _ Range (in code): ID Kai Ij AU QAU Kda
- 45977. Perixera subsimilis** W.Warren,1897 (Geometridae) Synonym(s): *subsimilis* W.Warren,1897 _ Range (in code): ID Clb
- 45978. Perixera thermosaria** (Walker,[1863]) (Geometridae) Synonym(s): *thermosaria* Walker,[1863] _ Range (in code): MY Bor Swk
- 45979. Perizoma affinis** (Moore,1888) (Geometridae) Synonym(s): *affinis* Moore,1888 _ Range (in code): IN SI Djl
- 45980. Perizoma affinitata** (Stephens,1831) (Geometridae) Synonym(s): *affinitata* Stephens,1831 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Lychnis alba*, *L. diurna*, *L. dioica*, *L. flosculi*, *L. sylvestris*, *L. vespertina* (Blaschke,1914; Meyer,1919; South,1961).
- 45981. Perizoma africana** (W.Warren,1911) (Geometridae) Synonym(s): *africana* W.Warren,1911 _ Range (in code): ZA Wca Cto
- 45982. Perizoma albidivisa** W.Warren,1893 (Geometridae) Synonym(s): *albidivisa* W.Warren,1893 _ Range (in code): IN Nag
- 45983. Perizoma albofasciata** (Moore,1888) (Geometridae) Synonym(s): *albofasciata* Moore,1888; *mixtifascia* L.B.Prout,1938 _ Range (in code): MM Kch Hta IN SI Djl
- 45984. Perizoma albulata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *albulata* [Denis & Schiffermüller],1775; *dissoluta* Strand,1902 _ Original Reference: Geometra albulata [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 109. Type(s): [Austria]: Vienna district. _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY KG Sb
- 45985. Perizoma alchemillata** (Linnaeus,1758) (Geometridae) Synonym(s): *alchemillata* Linnaeus,1758; *rivulata* [Denis & Schiffermüller],1775; *nassata* Fabricius,1794; *alchemillaria* Borkhausen,1794; *aparinata* Hübner,[1825]; *silenata* Stephens,1850; *fennica* Reuter,1893 _ Original Reference: Phalaena alchemillata Linnaeus,1758, *Syst. Nat. (Edn.10)*1: 526. Type(s): [Europa], in *Achemillium*. _ Range (in code): ES FR Co Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Kir Lag Aba AZ DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Alchemilla*, *Galeopsis*, *Stachys alpina*, *S. sylvatica* (Linnaeus,1758; Meyer,1919).
- 45986. Perizoma alumna** (L.B.Prout,1925) (Geometridae) Synonym(s): *alumna* L.B.Prout,1925 _ Range (in code): ZA Tva ZA14 Mpu
- 45987. Perizoma antisticta** (L.B.Prout,1938) (Geometridae) Synonym(s): *antisticta* L.B.Prout,1938 _ Range (in code): PK Pj NP Ch
- 45988. Perizoma apicistrigata** W.Warren,1893 (Geometridae) Synonym(s): *apicistrigata* W.Warren,1893 _ Range (in code): IN SI
- 45989. Perizoma artifex** L.B.Prout,1925 (Geometridae) Synonym(s): *artifex* L.B.Prout,1925 _ Range (in code): ZA Wca Cto LS Tva ZA14 Mpu
- 45990. Perizoma artifex artifex** L.B.Prout,1925 (Geometridae) Synonym(s): *artifex* L.B.Prout,1925 _ Range (in code): ZA Tva ZA14 Mpu
- 45991. Perizoma artifex basutensis** L.B.Prout,1925 (Geometridae) Synonym(s): *basutensis* L.B.Prout,1925 _ Range (in code): LS ZA
- 45992. Perizoma bicolor** W.Warren,1893 (Geometridae) Synonym(s): *bicolor* W.Warren,1893 _ Range (in code): IN SI
- 45993. Perizoma bifaciata** (Haworth,1809) (Geometridae) Synonym(s): *bifaciata* Haworth,1809; *unifasciata* Haworth,1809; *aquilaria* Herrich-Schäffer,1848; *linulata* Guenée,[1858]; *odontata* Millière,1870; #*bifasciata* Rebel,1939 _ Original Reference: Phalaena bifaciata Haworth,1809, *Lepid. Br. (2)*: 334. Syntypes: Britain (BMNH). _ Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ KG

- 45994. *Perizoma blandiata* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *blandiata* [Denis & Schiffermüller],1775; *adaequata* Borkhausen,1794; *derasata* Schrank,1802; *trigonata* Haworth,1809; *dilacerata* Zetterstedt,1839; *blandiaria* Boisduval,1840; *jucundaria* Boisduval,1840; *albidata* Eversmann,1842. **Original Reference:** *Geometra blandiata* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 316. **Type(s):** [Austria]: Vienna district. **Range (in code):** ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Euphrasia officinalis* (Blaschke,1914; Meyer,1919).
- 45995. *Perizoma cesa* Kemal & Koçak,2004** (Geometridae) **Synonym(s):** *interrupta* Grossbeck,1910 nec Wrr.,1893; *cesa* Kemal & Koçak,2004 **Range (in code):** US Arz
- 45996. *Perizoma conjuncta* W.Warren,1893** (Geometridae) **Synonym(s):** *conjuncta* W.Warren,1893 **Range (in code):** MM Peg
- 45997. *Perizoma constricta* W.Warren,1901** (Geometridae) **Synonym(s):** *constricta* W.Warren,1901 **Range (in code):** IN Hp Dlh
- 45998. *Perizoma contrita* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *contrita* L.B.Prout,1914 **Range (in code):** RU Am
- 45999. *Perizoma decorata* (Moore,1888)** (Geometridae) **Synonym(s):** *decorata* Moore,1888; *quadrinotata* W.Warren,1896 **Range (in code):** IN Ass Meg Khs IN SI Djl
- 46000. *Perizoma didymata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *didymata* Linnaeus,1758; *inundaria* [Denis & Schiffermüller],1775; *scabrata* Hübner,[1799]; *alpestrata* Hübner,[1809]; *scabraria* Hübner,[1825]; *attenuata* Culot,1919; *pyraeneata* Bubacek,1926; *trifasciata* Warnecke,1936; *koehni* Warnecke,1936; *gedrensis* Prout,1937 **Range (in code):** PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Anthriscus*, *Cerastium*, *Vaccinium* (Meyer,1919).
- 46001. *Perizoma epipercna* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *epipercna* L.B.Prout,1913 **Range (in code):** ZA ZA11 Nta Kzu ZA14 ZA20 Mpu Ggh Fs ZA28 Tva Lpo
- 46002. *Perizoma eviscerata* W.Warren,1914** (Geometridae) **Synonym(s):** *eviscerata* W.Warren,1914 **Range (in code):** ZA Wca
- 46003. *Perizoma fasciata* W.Warren,1893** (Geometridae) **Synonym(s):** *fasciata* W.Warren,1893 **Range (in code):** IN SI
- 46004. *Perizoma fasciata* W.Warren,1893** (Geometridae) **Synonym(s):** *fasciata* W.Warren,1893 **Range (in code):** IN SI
- 46005. *Perizoma flavofasciata* (Thunberg,1792)** (Geometridae) **Synonym(s):** *flavofasciata* Thunberg,1792; *decolorata* Thunberg,[1799] nec Viller,1789. **Original Reference:** *Phalaena flavofasciata* Thunberg,1792, *Dissertatio Ent. sistens Insecta Svecica* 4: 62. **Lectotype** 1 ex: [Sweden] (Karsholt & Nielsen,1985: 445) **Range (in code):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Lychnis diurna*, *L. vespertina* (Meyer,1919).
- 46006. *Perizoma flavofasciata romieuxi* Wiltshire,1964** (Geometridae) **Synonym(s):** *romieuxi* Wiltshire,1964 **Original Reference:** *Perizoma flavofasciata* ssp. *romieuxi* Wiltshire,1964, *Mitt. ent. Ges. Basel (N.F.)* 14 (6): 152, fig. **Holotype** ♀: Turkey: Ankara: Dikmen Deresi. **Range (in code):** TR
- 46007. *Perizoma flavosparsata* (Wagner,1926)** (Geometridae) **Synonym(s):** *flavosparsata* Wagner,1926; *perpusillata* Fernandez,1931 **Range (in code):** DZ ES GR MK
- 46008. *Perizoma gigas* Wiltshire,1976** (Geometridae) **Synonym(s):** *gigas* Wiltshire,1976 **Original Reference:** *Perizoma gigas* Wiltshire,1976, *Z. ArbGem. öst. Ent.* 27 (3/4): 80-81, pl.1 fig.7, pl.II fig.4. **Holotype** ♂: Turkey: Pontic Mts., north of Zigana Pass, 1500m, 9.vi.69 (F.Kasy leg) (NHMW). **Range (in code):** TR
- 46009. *Perizoma haasi* (Hedemann,1881)** (Geometridae) **Synonym(s):** *haasi* Hedemann,1881 **Range (in code):** RU Am
- 46010. *Perizoma hockingii* (Butler,1889)** (Geometridae) **Synonym(s):** *hockingii* Butler,1889 **Range (in code):** IN Hp Kgr Drm
- 46011. *Perizoma hydrata* (Treitschke,1829)** (Geometridae) **Synonym(s):** *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852 **Original Reference:** *Acidalia hydrata* Treitschke,1829, *Die Schmett. Eur.* 7: 217. **Syntypes** ♂♀: Bohemia & Saxonia (HNHM?) **Range (in code):** ES FR Co IT BE LU DE CH AT PL CZ SK HU RO YU BG Cc GG TR DK NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Silene nutans* (Meyer,1919).

- 46012. *Perizoma hydrata hydrata* (Treitschke,1829)** (Geometridae) Synonym(s): *hydrata* Treitschke,1829; *flexuosaria* Boheman,1852 _ Range (in code): ES FR Co IT BE LU DE CH AT PL CZ SK HU RO YU BG Cc GG DK NO SE FI EE LV LT RU MD UA BY
- 46013. *Perizoma hydrata masal* Kemal & Koçak,2004** (Geometridae) Synonym(s): *fasciata* Turati & Verity,1912 nec Wrr.,1893; *masal* Kemal & Koçak,2004 _ Range (in code): IT
- 46014. *Perizoma incultaria* (Herrich-Schäffer,1848)** (Geometridae) Synonym(s): *incultaria* Herrich-Schäffer,1848 _ Range (in code): ES FR IT DE CH AT PL SK RO YU AL Bionomy: Larva on *Bartschia alpina*, *Primula latifolia*, *Saxifraga bryoides* (Meyer,1919).
- 46015. *Perizoma interrupta* W.Warren,1893** (Geometridae) Synonym(s): *interrupta* W.Warren,1893 _ Range (in code): IN SI
- 46016. *Perizoma lacernigera* (Butler,1889)** (Geometridae) Synonym(s): *lacernigera* Butler,1889 Range (in code): IN Hp Kgr Drm
- 46017. *Perizoma lacteiguttata* W.Warren,1893** (Geometridae) Synonym(s): *lacteiguttata* W.Warren,1893 _ Range (in code): IN SI
- 46018. *Perizoma lamprammodes* (L.B.Prout,1911)** (Geometridae) Synonym(s): *lamprammodes* L.B.Prout,1911 _ Range (in code): ZA Tva Gau Jh
- 46019. *Perizoma lineola* Bastelberger,1911** (Geometridae) Synonym(s): *lineola* Bastelberger,1911 Range (in code): TW
- 46020. *Perizoma lucifrons* L.B.Prout,1926** (Geometridae) Synonym(s): *lucifrons* L.B.Prout,1926; *lychnobia* L.B.Prout,1938 _ Range (in code): CN Sz MM Hta
- 46021. *Perizoma lugdunaria* (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *lugdunaria* Herrich-Schäffer,1855 Original Reference: *Larentia lugdunaria* Herrich-Schäffer,1855, Syst. Bearb. Schmett. Eur. 6(68): 139; *ibid.* 1856: pl.91 fig.565. Syntypes: France (Lyon). Range (in code): ES FR IT DE CH AT PL CZ SK HU RO BG LV LT RU MD UA BY TR Cc
- 46022. *Perizoma maculata* (Moore,1888)** (Geometridae) Synonym(s): *maculata* Moore,1888 Range (in code): IN SI Djl
- 46023. *Perizoma maerens* (Staudinger,1892)** (Geometridae) Synonym(s): *maerens* Staudinger,1892 _ Range (in code): UZ Smk
- 46024. *Perizoma mediangularis* (L.B.Prout,1914)** (Geometridae) Synonym(s): *mediangularis* L.B.Prout,1914 _ Range (in code): CN Sz
- 46025. *Perizoma minimata* (Staudinger,1897)** (Geometridae) Synonym(s): *minimata* Staudinger,1897 _ Range (in code): RU Am Vv
- 46026. *Perizoma minorata* (Treitschke,1828)** (Geometridae) Synonym(s): *minorata* Treitschke,1828 _ Range (in code): PT ES FR IT IE GB DE CH AT PL CZ SK HU RO YU BG GR NO SE FI LV LT RU MD UA BY Cc AM Bionomy: Larva on *Euphrasia lutea* (Meyer,1919).
- 46027. *Perizoma mordax* L.B.Prout,1939** (Geometridae) Synonym(s): *mordax* L.B.Prout,1939 Range (in code): CN Ti
- 46028. *Perizoma niveiplaga* Bastelberger,1909** (Geometridae) Synonym(s): *niveiplaga* Bastelberger,1909 _ Range (in code): TW
- 46029. *Perizoma obscurata* Bastelberger,1909** (Geometridae) Synonym(s): *obscurata* Bastelberger,1909 _ Range (in code): TW
- 46030. *Perizoma obsoletata* (Herrich-Schäffer,1838)** (Geometridae) Synonym(s): *obsoletata* Herrich-Schäffer,1838; *alpicolaria* Herrich-Schäffer,1848; *gentianata* Millière,1873; *juracolaria* Wehrli,1939 Range (in code): PT ES FR Co IT DE CH AT PL CZ SK RO YU AL BG
- 46031. *Perizoma ochreotincta* Wileman,1915** (Geometridae) Synonym(s): *ochreotincta* Wileman,1915 _ Range (in code): TW
- 46032. *Perizoma olivacea* (W.Warren,1893)** (Geometridae) Synonym(s): *olivacea* W.Warren,1893 _ Range (in code): IN SI
- 46033. *Perizoma omnifasciaria* Inoue,1998** (Geometridae) Synonym(s): *omnifasciaria* Inoue,1998 _ Range (in code): TW
- 46034. *Perizoma onurcani* Can & Mironov,2006** (Geometridae) Synonym(s): *onurcani* Can & Mironov,2006 Original Reference: *Perizoma onurcani* Can & Mironov,2006, Nota lepid. 28 (3/4): 163-166, fig. Range (in code): TR
- 46035. *Perizoma parahydrata* Alberti,1969** (Geometridae) Synonym(s): *parahydrata* Alberti,1969 _ Range (in code): TR Cc GG
- 46036. *Perizoma parallelolineata* (Retzius,1783)** (Geometridae) Synonym(s): *parallelolineata* Retzius,1783; *pralellaria* Villers,1789; *subduplicaria* Costa,[1849] Original Reference: *Phalaena parallelo-lineata* Retzius,1783, Genera et Species Insectorum: 42. Type(s): [Europe]. Range (in

- code): **ES FR IT BE DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Leontodon taraxacum*, *Prunus spinosa* (Meyer,1919).
- 46037. *Perizoma parvaria* (Leech,1891)** (Geometridae) Synonym(s): *parvaria* Leech,1891;
ablegata Staudinger,1897 _ Range (in code): JP RU Am
- 46038. *Perizoma petrogenes* (L.B.Prout,1922)** (Geometridae) Synonym(s): *petrogenes*
L.B.Prout,1922 _ Range (in code): ZA Wca Cto
- 46039. *Perizoma phidola* (L.B.Prout,1938)** (Geometridae) Synonym(s): *phidola* L.B.Prout,1938
Range (in code): CN Sz
- 46040. *Perizoma poliosana* Rebel,1948** (Geometridae) Synonym(s): *poliosana* Rebel,1948
Range (in code): EG JE
- 46041. *Perizoma promptata* (Püngeler,1909)** (Geometridae) Synonym(s): *promptata*
Püngeler,1909 _ Range (in code): CN Ts Kno
- 46042. *Perizoma prouti* (Schawerda,1934)** (Geometridae) Synonym(s): *prouti* Schawerda,1934
Range (in code): CN Sz
- 46043. *Perizoma puerilis* L.B.Prout,1926** (Geometridae) Synonym(s): *puerilis* L.B.Prout,1926
Range (in code): MM Hta
- 46044. *Perizoma rantaizanensis* Wileman,1915** (Geometridae) Synonym(s): *rantaizanensis*
Wileman,1915 _ Range (in code): TW
- 46045. *Perizoma rectifasciata* (Hampson,1902)** (Geometridae) Synonym(s): *rectifasciata*
Hampson,1902 _ Range (in code): IN SI
- 46046. *Perizoma reisseri* (Schawerda,1932)** (Geometridae) Synonym(s): *reisseri*
Schawerda,1932 _ Range (in code): Co
- 46047. *Perizoma sagittata* (Fabricius,1787)** (Geometridae) Synonym(s): *bidentata* Hufnagel,1767
(*praeocc.*); *sagittata* Fabricius,1787; *comitata* Hübner,[1800] _ Original Reference: Phalaena sagittata
Fabricius,1787, Mant. Ins. 2: 210. Type(s): Austria. Range (in code): ES FR IT GB BE NL DE CH AT
PL CZ SK HU RO GR DK SE FI EE LV LT RU MD UA BY _ Bionomy: Larva on *Thalictrum*
angustifolium (Meyer,1919).
- 46048. *Perizoma schistacea* (Moore,1888)** (Geometridae) Synonym(s): *schistacea* Moore,1888
Range (in code): IN SI Djl
- 46049. *Perizoma seriata* (Moore,1888)** (Geometridae) Synonym(s): *seriata* Moore,1888;
niveiplaga Bastelberger,1909 _ Original Reference: Cidaria seriata Moore,1888, Descr. Ind. Lepid.
Atkinson: 278. Syntypes ♂♀: [Sikkim]: Darjiling (BMNH). Range (in code): IN SI Djl TW AF Kab
PK Swa Sgl
- 46050. *Perizoma simulatum* Wileman,1911** (Geometridae) Synonym(s): *simulatum* Wileman,1911
Range (in code): TW
- 46051. *Perizoma* sp.** (Geometridae) Synonym(s): _ Range (in code): ZA ZA12 Kzu
- 46052. *Perizoma subviridis* (Hampson,1902)** (Geometridae) Synonym(s): *subviridis*
Hampson,1902 _ Range (in code): CN Ti Yt
- 46053. *Perizoma sugii* Inoue,1998** (Geometridae) Synonym(s): *sugii* Inoue,1998 _ Range (in
code): TW
- 46054. *Perizoma taiwana* Wileman,1911** (Geometridae) Synonym(s): *taiwana* Wileman,1911;
arizanensis Wileman,1915 _ Range (in code): TW
- 46055. *Perizoma tenuifascia* W.Warren,1896** (Geometridae) Synonym(s): *tenuifascia*
W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 46056. *Perizoma triplagiata* W.Warren,1896** (Geometridae) Synonym(s): *triplagiata*
W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 46057. *Perizoma variabilis* W.Warren,1893** (Geometridae) Synonym(s): *variabilis*
W.Warren,1893 _ Range (in code): IN SI Hp Drm
- 46058. *Perizoma verberata* (Scopoli,1763)** (Geometridae) Synonym(s): *verberata* Scopoli,1763;
rupestrata [Denis & Schiffermüller],1775; *bassaria* Feisthamel,1835; *vogesaria* Peyerimhoff,1880; *pawlitscheki*
Hormuzaki,1899 _ Original Reference: Phalaena verberata Scopoli,1763, Entomologia Carniolica:
223. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR IT NL DE CH AT PL CZ SK RO
YU AL BG TR Cc GG Bku Kus RU Da _ Bionomy: Larva on *Pinus* (Meyer,1919).
- 46059. *Perizoma vinculata* (Staudinger,1896)** (Geometridae) Synonym(s): *vinculata*
Staudinger,1896 _ Range (in code): CN Ti
- 46060. *Petelia aesyla* L.B.Prout,1930** (Geometridae) Synonym(s): *aesyla* L.B.Prout,1930
Range (in code): FJ

- 46061. *Petelia albopunctata* (Swinhoe,1891)** (Geometridae) **Synonym(s):** *albopunctata* Swinhoe,1891 **_ Range (in code):** **IN Ass Meg Khs**
- 46062. *Petelia delostigma* L.B.Prout,1932** (Geometridae) **Synonym(s):** *delostigma* L.B.Prout,1932 **_ Range (in code):** **TH Ntt Hba MY Bor**
- 46063. *Petelia distracta* (Walker,1860)** (Geometridae) **Synonym(s):** *distracta* Walker,1860; *strigularia* Walker,[1863] **_ Range (in code):** **IN Pj**
- 46064. *Petelia erythroides* (Wehrli,1936)** (Geometridae) **Synonym(s):** *erythroides* Wehrli,1936 **_ Range (in code):** **CN**
- 46065. *Petelia fasciata* (Moore,1868)** (Geometridae) **Synonym(s):** *fasciata* Moore,1868 **_ Range (in code):** **IN Ben**
- 46066. *Petelia immaculata* Hampson,1893** (Geometridae) **Synonym(s):** *immaculata* Hampson,1893 **_ Range (in code):** **LK**
- 46067. *Petelia medardaria* (Herrich-Schäffer,[1856])** (Geometridae) **Synonym(s):** *medardaria* Herrich-Schäffer,[1856]; *chacoraca* Walker,1860; *chandubija* Walker,1860 **_ Range (in code):** **LK TH Ntt Hba**
- 46068. *Petelia orbapicalis* Herbulot,1993** (Geometridae) **Synonym(s):** *orbapicalis* Herbulot,1993 **_ Range (in code):** **MY Cmh**
- 46069. *Petelia paroobathra* L.B.Prout,1932** (Geometridae) **Synonym(s):** *paroobathra* L.B.Prout,1932 **_ Range (in code):** **TH Ntt Hba MY Bor Sbh KBa**
- 46070. *Petelia rioberaia* (Walker,1860)** (Geometridae) **Synonym(s):** *rioberaia* Walker,1860 **_ Range (in code):** **NP**
- 46071. *Petelia rivulosa* (Butler,1881)** (Geometridae) **Synonym(s):** *rivulosa* Butler,1881 **_ Range (in code):** **JP**
- 46072. *Petelia trifascia* Holloway,1979** (Geometridae) **Synonym(s):** *trifascia* Holloway,1979 **_ Range (in code):** **NC**
- 46073. *Petelia tuhana* Holloway,1976** (Geometridae) **Synonym(s):** *tuhana* Holloway,1976 **_ Range (in code):** **TH Ntt Hba MY Bor Sbh**
- 46074. *Petovia marginata* (Walker,1854)** (Geometridae) **Synonym(s):** *marginata* Walker,1854; *dichroaria* Herrich-Schäffer,[1854]; *incertaria* Guenée,1858; *amatonga* Vuillot,1892; *perversaria* Gaede,1917 **_ Range (in code):** **ZA Ksi Kzu Nta Gau Pre Dbn Nha Tva**
- 46075. *Petrophora binaevata* (Mabille,1869)** (Geometridae) **Synonym(s):** *binaevata* Mabille,1869 **_ Range (in code):** **DZ Ges Mage Orn Sbd ES Co Sa FR** **Bionomy:** Larva on *Rosmarinus* [officinalis] (Meyer,1919).
- 46076. *Petrophora binaevata austautaria* (Oberthür,1881)** (Geometridae) **Synonym(s):** *austautaria* Oberthür,1881; *unicoloraria* Oberthür,1881 **Original Reference:** *Tephрина austautaria* Oberthür,1881, Etud. Ent. 6: 83, pl.3 fig.11. Type: Algérie, environs d'Oran (E.Austaut leg., septembre 1880). **_ Range (in code):** **DZ Mage Orn**
- 46077. *Petrophora binaevata fraternaria* (Rothschild,1914)** (Geometridae) **Synonym(s):** *fraternaria* Rothschild,1914 **Original Reference:** *Tephрина fraternaria* Rothschild,1914, Novit. zool. 21: 352. Syntypes 68♂♂: Algeria, Guelte-el-Stel (V.Faroult). **_ Range (in code):** **DZ Ges**
- 46078. *Petrophora chlorosata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *chlorosata* Scopoli,1763; *innata* Fabricius,1794; *virgaria* Borkhausen,1794; *petraria* Hübner,[1799]; *petrata* Haworth,1809. **Original Reference:** *Phalaena chlorosata* Scopoli,1763, Entomologia Carniolica: 222. Type(s): [Slovenien]: Carniolia [Krain]. **_ Range (in code):** **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Pteridium* (Meyer,1919).
- 46079. *Petrophora convergata* (Villers,1789)** (Geometridae) **Synonym(s):** *convergata* Villers,1789; *scutularia* Duponchel,1830; *permutaria* Freyer,[1836]; *peltaria* Bosidival,1840 **_ Range (in code):** **DZ Sbd Abe Bsk PT ES Mu FR IT** **Bionomy:** Larva on *Rosmarinus officinalis*, *Lavandula*, *Thymus* (Culot,1920; Calle et al.,2000).
- 46080. *Petrophora feliciaria* (Lucas & Joannis,1907)** (Geometridae) **Synonym(s):** *feliciaria* Lucas & Joannis,1907; *nisseni* Rothschild,1914 **_ MA DZ Ges**
- 46081. *Petrophora feliciaria hebes* (Rungs,1950)** (Geometridae) **Synonym(s):** *hebes* Rungs,1950 **_ MA**
- 46082. *Petrophora kaszabi* (Vojnits,1978)** (Geometridae) **Synonym(s):** *kaszabi* Vojnits,1978 **_ Range (in code):** **MN**

- 46083. *Petrophora narbonea* (Linnaeus,1767)** (Geometridae) Synonym(s): *narbonea* Linnaeus,1767; *partitaria* Hübner,[1813] _ Range (in code): **DZ Ges PT ES Mu FR IT** Bionomy: Larva on Teucrium (Calle et al.,2000).
- 46084. *Phaiogramma discessa* (Walker,1861)** (Geometridae) Synonym(s): *discessa* Walker,1861; *lataria* Walker,[1863]; *frequens* Butler,1881 _ Range (in code): **IN PK Krc Sd**
- 46085. *Phaiogramma etruscaria* (Zeller,1849)** (Geometridae) Synonym(s): *etruscaria* Zeller,1849; *pulmentaria* Guenée,[1858]; *palaestinensis* Fuchs,1903. Original Reference: *Geometra etruscaria* Zeller,1849, Stettin ent. Ztg. 10 (7): 203. Syntypes 1♂ 3♀: [Italia]: Tuscany (BMNH). Range (in code): **DZ Clo Anna Bsk TN Gf PT ES Mu FR Co Sa Si IT MT BE CH AT PL CZ SK RO YU AL BG GR Cr Rd TR IQ RU CY SY IR Kd Elb Th Fa Sse Com Kz AZ AM GG Smt Bjo Lag Kir Nv Ord Da Der Cc LB Bsa IL Pa Jf Mtl CN Ui Ii** Bionomy: Larva on *Acacia farnesiana* (Fabaceae); *Rhus oxyacantha*, *Periploca laevigata*, *Thymelaea hirsuta* (Chrétien,1917); *Althaea* (Malvaceae), *Bupleurum* (Apiaceae), *Quercus* (Fagaceae), *Peucedanum alsaticum* (Staudinger,1879; Meyer,1919; Wiltshire,1957).
- 46086. *Phaiogramma faustinata* (Millière,1868)** (Geometridae) Synonym(s): *faustinata* Millière,1868; *rhoisaria* Chrétien,1909. Original Reference: *Nemoria faustinata* Millière,1868, Iconogr. Descr. Chenilles Lépid. inédits 2 (21): 436, pl.96 figs.2-8. Syntypes: [Spain]: [Catalonia]: Barcelona. Range (in code): **NG CM DZ PT ES Mu FR Si MT GR Cr IL Pa Jf Hf Ngv CY OM YE** Bionomy: Larva on *Rosmarinus officinalis* (Meyer, 1919; Calle et al.,2000).
- 46087. *Phaiogramma patialensis* Rose & Devinder,1986** (Geometridae) Synonym(s): *patialensis* Rose & Devinder,1986 _ Range (in code): **IN Pj**
- 46088. *Phaiogramma polemia* (L.B.Prout,1920)** (Geometridae) Synonym(s): *polemia* L.B.Prout,1920 Original Reference: *Microloxia polemia* Prout,1920, Novit. zool. 27: 300. Type ♀: [Iraq]: Kut-el-Amara (BMNH). Range (in code): **IQ**
- 46089. *Phaiogramma stibolepida* (Butler,1879)** (Geometridae) Synonym(s): *stibolepida* Butler,1879; *pallidularia* Mabille,1880 Original Reference: *Comibaena stibolepida* Butler,1879, Cistula ent. 2 (21): 394. Syntypes: Madagascar (BMNH). Range (in code): **MG ZA ZA06 ZA08 Nta Kzu ZA16 Mpu ZA17 ZA21 Tva Lpo ZA25 Umk Dbn Nha Tst Wmb**
- 46090. *Phaselia algiricaria* Oberthür,1913** (Geometridae) Synonym(s): *algiricaria* Oberthür,1913 Original Reference: *Phaselia algiricaria* Oberthür,1913, Etud lépid. comp. 7: 260, pl.clxvi fig.1619. Type: Algérie, Géryville. Range (in code): **DZ Eba MA LY ES Mu**
- 46091. *Phaselia algiricaria algiricaria* Oberthür,1913** (Geometridae) Synonym(s): *algiricaria* Oberthür,1913 Original Reference: *Phaselia algiricaria* Oberthür,1913, Etud lépid. comp. 7: 260, pl.clxvi fig.1619. Type: Algérie, Géryville. Range (in code): **DZ Eba**
- 46092. *Phaselia algiricaria aragona* Wehrli,1941** (Geometridae) Synonym(s): *aragona* Wehrli,1941 _ Range (in code): **ES Mu**
- 46093. *Phaselia algiricaria gigantaria* Schwingenschuss,1936** (Geometridae) Synonym(s): *gigantaria* Schwingenschuss,1936 _ Range (in code): **MA**
- 46094. *Phaselia algiricaria relictata* (Turati,1930)** (Geometridae) Synonym(s): *relictata* Turati,1930 _ Range (in code): **LY Cy**
- 46095. *Phaselia deliciosaria* (Lederer,1855)** (Geometridae) Synonym(s): *deliciosaria* Lederer,1855 Original Reference: *Synopsia deliciosaria* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 211-212, Taf.3 fig.4. Type ♂: [Libanon]: "Beirut" (leg.Zach). Range (in code): **DZ Onç LB Bei IL Pa IR Fa Sse SA SA63 OM**
- 46096. *Phaselia erika* Ebert,1965** (Geometridae) Synonym(s): *erika* Ebert,1965 _ Range (in code): **TJ Pm AF Srb**
- 46097. *Phaselia joestleinae* Hausmann,1996** (Geometridae) Synonym(s): *joestleinae* Hausmann,1996 Original Reference: *Phaselia joestleinae* Hausmann,1996, Spixiana (Suppl. 22): 6-8, Abb. 3,4. Holotype ♂: Turkey: Adana 5.55, leg. Friedel (ZSBS). Range (in code): **TR**
- 46098. *Phaselia kasyi* Wiltshire,1966** (Geometridae) Synonym(s): *kasyi* Wiltshire,1966 _ Range (in code): **TM Kp IR Kh AF**
- 46099. *Phaselia naryna* Oberthür,1913** (Geometridae) Synonym(s): *naryna* Oberthür,1913 Range (in code): **KG Tk CN Ui Ii Ts Kno KK Ik**
- 46100. *Phaselia phoeniciaria* (Turati & C.G.Krüger,1936)** (Geometridae) Synonym(s): *phoeniciaria* Turati & C.G.Krüger,1936 _ Range (in code): **LY Cy**
- 46101. *Phaselia serrularia* (Eversmann,1847)** (Geometridae) Synonym(s): *serrularia* Eversmann,1847; *phaeoleucaria* Lederer,1855. Original Reference: *Fidonia serrularia*

- Eversmann, 1847, Bull. Soc. imp. Nat. Moscou 20 (3): 81-82, pl.vi fig.6. Type ♂: [Kazachstan]: "Noor-Saisan". Range (in code): RU MD UA BY TR AM Cc AZ KG Mn Ssn Sb At Aa IR Kh Bionomy: Larva on Ephedra distachya, Sarothamnus scoparius (Staudinger, 1879; Meyer, 1919).
- 46102. Phaselia serrularia catharia Wehrli, 1941** (Geometridae) Synonym(s): catharia Wehrli, 1941 Range (in code): Cc AM
- 46103. Phaselia serrularia pithana Wehrli, 1941** (Geometridae) Synonym(s): pithana Wehrli, 1941 Range (in code): IR Kh
- 46104. Phaselia serrularia serrularia (Eversmann, 1847)** (Geometridae) Synonym(s): serrularia Eversmann, 1847; phaeoleucaria Lederer, 1855 Original Reference: Fidonia serrularia Eversmann, 1847, Bull. Soc. imp. Nat. Moscou 20 (3): 81-82, pl.vi fig.6. Type ♂: [Kazachstan]: "Noor-Saisan". Range (in code): RU MD UA BY TR AM AZ Cc KG Sb At KG Mn Ssn
- 46105. Phaselia serrularia shurensis Wehrli, 1941** (Geometridae) Synonym(s): shurensis Wehrli, 1941 Original Reference: Phaselia serrularia ssp. shurensis Wehrli, 1941, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 466-467 (41c). Holotype ♂: [Kazachstan]: Kaptshugaj, Temir-Chan Shura Distrikt. Range (in code): KG Aa CN Ui Ii Ts Kno KK Ik
- 46106. Phibalapteryx virgata (Hufnagel, 1767)** (Geometridae) Synonym(s): virgata Hufnagel, 1767; lineolata [Denis & Schiffermüller], 1775; obliquata Thunberg, 1784; lineolaria Boisdual, 1840 Original Reference: Phalaena virgata Hufnagel, 1767, Berl. Mag. 4: Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AM AZ Ur KG Sb At Am Prj Us MN Bionomy: Larva on Galium (Meyer, 1919).
- 46107. Phigalia armeniaca (Djakonov, 1949)** (Geometridae) Synonym(s): armeniaca Djakonov, 1949 Original Reference: Pterocera [sic!] (Metriocera) armeniaca Djakonov, 1949, Ent. Obozr. 30 (3/4): 377, figs. 2b, 4. Syntypes 4♂ 3♀: [Armenia]: "Bidimo, Tashkete". Range (in code): Cc AM
- 46108. Phigalia buckwelli Rungs, 1952** (Geometridae) Synonym(s): buckwelli Rungs, 1952 Range (in code): MA
- 46109. Phigalia declinata (Staudinger, 1882)** (Geometridae) Synonym(s): declinata Staudinger, 1882; suidunaria Alpheraky, 1883; #suidanaria Scoble, 1999. Original Reference: Pterocera declinata Staudinger, 1882, Stettin ent. Ztg. 43: 59. Type ♂: [Kazachstan]: Saisan. Range (in code): KG Ssn CN Ui Ku Sjd
- 46110. Phigalia djakonovi Moltrecht, 1933** (Geometridae) Synonym(s): djakonovi Moltrecht, 1933 Range (in code): RU Vv Us
- 46111. Phigalia pedaria (Fabricius, 1787)** (Geometridae) Synonym(s): #pilosaria [Denis & Schiffermüller], 1775; pedaria Fabricius, 1787; hyemaria Borkhausen, 1794; extinctaria Standfuss, 1847. Original Reference: Phalaena pedaria Fabricius, 1787, Mant. Ins. 2: 191. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Fagus, Prunus spinosa, Quercus (Meyer, 1919).
- 46112. Phigalia ussurica Djakonov, 1949** (Geometridae) Synonym(s): ussurica Djakonov, 1949 Range (in code): RU Us
- 46113. Phigalia viridularia Beljaev, 1996** (Geometridae) Synonym(s): viridularia Beljaev, 1996 Range (in code): RU Us
- 46114. Philereme instabilis (Alpheraky, 1883)** (Geometridae) Synonym(s): instabilis Alpheraky, 1883 Original Reference: Scotosia instabilis Alpheraky, 1883, Horae Soc. ent. ross. 17: 201-203, Tab.ix fig.92. Syntypes ♂♀: [China: Uighur A.R.]: Khorgosse, Talki, Kounguesse. Range (in code): CN Ui Khr Tlk Kun
- 46115. Philereme senescens (Staudinger, 1892)** (Geometridae) Synonym(s): senescens Staudinger, 1892 Original Reference: Scotosia senescens Staudinger, 1892, Dt. ent. Z., Iris 5: 223-224. Syntypes: [Iran]: Schahrud, Schahkuh, Tasch; [Türkei]: Malatia. Range (in code): TR IR Shh Srd
- 46116. Philereme transversata (Hufnagel, 1767)** (Geometridae) Synonym(s): transversata Hufnagel, 1767; rhamnata [Denis & Schiffermüller], 1775. Original Reference: Phalaena transversata Hufnagel, 1767, Berl. Mag. 4: Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK SE FI EE LV LT RU MD UA BY IL Pa IR Mz Gls Kh Bionomy: Larva on Epilobium angustifolium, E. montanum; Rhamnus (Rhamnaceae) (Denis & Schiffermüller, 1775; Meyer, 1919).
- 46117. Philereme vetulata ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): undulataria Hufnagel, 1767; vetulata [Denis & Schiffermüller], 1775; affectata Eversmann, 1842; subductata Walker, 1862 Original Reference: Geometra vetulata [Denis & Schiffermüller], 1775, Ankündigung

- syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Sb Am Sr Bionomy: Larva on Rhamnus catharticus (Rhamnaceae) (Meyer,1919).
- 46118. *Phoenicocampa terinata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *terinata* R.Felder & Rogenhofer,1875 Range (in code): ZA ZA07 Ksi ZA26 Kzu Nta
- 46119. *Pholodes fuliginea* (Hampson,1891)** (Geometridae) Synonym(s): *fuliginea* Hampson,1891; *atrifasciata* W.Warren,1893; *indigna* W.Warren,1899 Range (in code): IN SI NI MY Pen TH CMa Bionomy: Larva on Coffea liberica (Rubiaceae), *Tectona grandis* (Verbenaceae) (Scoble,1999).
- 46120. *Pholodes nigrescens* (W.Warren,1893)** (Geometridae) Synonym(s): *nigrescens* W.Warren,1893 Range (in code): IN Ass
- 46121. *Pholodes squamosa* (W.Warren,1896)** (Geometridae) Synonym(s): *squamosa* W.Warren,1896 Range (in code): IN Meg Khs Ass
- 46122. *Photoscotosia achrolopha* (Püngeler,1900)** (Geometridae) Synonym(s): *achrolopha* Püngeler,1900 Range (in code): CN Ts Kno
- 46123. *Photoscotosia albapex* (Hampson,1895)** (Geometridae) Synonym(s): *albapex* Hampson,1895 Range (in code): IN SI
- 46124. *Photoscotosia albomacularia* Leech,1897** (Geometridae) Synonym(s): *albomacularia* Leech,1897 Range (in code): CN Sz
- 46125. *Photoscotosia amplicata* (Walker,1862)** (Geometridae) Synonym(s): *amplicata* Walker,1862; *tresignata* Moore,1868; *dejeani* Oberthür,1893 Range (in code): PK Thu IN SI DjI Ben CN Sz T-T
- 46126. *Photoscotosia annubilata* L.B.Prout,1940** (Geometridae) Synonym(s): *annubilata* L.B.Prout,1940 Range (in code): IN SI
- 46127. *Photoscotosia antitypa* Brandt,1941** (Geometridae) Synonym(s): *antitypa* Brandt,1941 Range (in code): IR Kh
- 46128. *Photoscotosia apicinotaria* Leech,1897** (Geometridae) Synonym(s): *apicinotaria* Leech,1897 Range (in code): CN Sz
- 46129. *Photoscotosia atromarginata* W.Warren,1893** (Geometridae) Synonym(s): *atromarginata* W.Warren,1893 Range (in code): IN SI
- 46130. *Photoscotosia atrophicata* Xue,1988** (Geometridae) Synonym(s): *atrophicata* Xue,1988 Range (in code): CN Ti
- 46131. *Photoscotosia atrostrigata* (Bremer,1864)** (Geometridae) Synonym(s): *atrostrigata* Bremer,1864 Range (in code): RU Sb Am Us Sh Krl KP KR JP CN
- 46132. *Photoscotosia chlorochrota* Hampson,1902** (Geometridae) Synonym(s): *chlorochrota* Hampson,1902 Range (in code): CN Ti Yt
- 46133. *Photoscotosia dejuncta* L.B.Prout,1937** (Geometridae) Synonym(s): *dejuncta* L.B.Prout,1937 Range (in code): Ch IN GI
- 46134. *Photoscotosia dejuta* L.B.Prout,1937** (Geometridae) Synonym(s): *dejuta* L.B.Prout,1937 Range (in code): CN
- 46135. *Photoscotosia diochoticha* Xue,1988** (Geometridae) Synonym(s): *diochoticha* Xue,1988 Range (in code): CN Yu
- 46136. *Photoscotosia dipaegae* L.B.Prout,1940** (Geometridae) Synonym(s): *dipaegae* L.B.Prout,1940 Range (in code): CN Yu
- 46137. *Photoscotosia elegantissima* Inoue,1988** (Geometridae) Synonym(s): *elegantissima* Inoue,1988 Range (in code): IN SI DjI
- 46138. *Photoscotosia eudiosa* Xue,1988** (Geometridae) Synonym(s): *eudiosa* Xue,1988 Range (in code): CN Yu
- 46139. *Photoscotosia eutheria* Xue,1988** (Geometridae) Synonym(s): *eutheria* Xue,1988 Range (in code): CN Ti
- 46140. *Photoscotosia fasciaria* Leech,1897** (Geometridae) Synonym(s): *fasciaria* Leech,1897 Range (in code): CN Ti
- 46141. *Photoscotosia ferrearia* Xue,1988** (Geometridae) Synonym(s): *ferrearia* Xue,1988 Range (in code): CN Ti
- 46142. *Photoscotosia fulguritis* W.Warren,1893** (Geometridae) Synonym(s): *fulguritis* W.Warren,1893; *keraria* Swinhoe,1893 Range (in code): IN SI DjI
- 46143. *Photoscotosia funebris* W.Warren,1895** (Geometridae) Synonym(s): *funebris* W.Warren,1895 Range (in code): CN

- 46144. Photoscotosia gracilescens Xue & Meng,1992** (Geometridae) **Synonym(s):** *gracilescens Xue & Meng,1992* _ Range (in code): **CN Gn**
- 46145. Photoscotosia indecora L.B.Prout,1940** (Geometridae) **Synonym(s):** *indecora L.B.Prout,1940* _ Range (in code): **CN Ti**
- 46146. Photoscotosia insularis Bastelberger,1909** (Geometridae) **Synonym(s):** *insularis Bastelberger,1909* _ Range (in code): **TW**
- 46147. Photoscotosia isosticta L.B.Prout,1940** (Geometridae) **Synonym(s):** *isosticta L.B.Prout,1940* _ Range (in code): **CN**
- 46148. Photoscotosia leechi (Alpheraky,1892)** (Geometridae) **Synonym(s):** *leechi Alpheraky,1892* _ Range (in code): **CN Ti**
- 46149. Photoscotosia leuconia Xue,1988** (Geometridae) **Synonym(s):** *leuconia Xue,1988* _ Range (in code): **CN Ti**
- 46150. Photoscotosia lucicolens (Butler,1878)** (Geometridae) **Synonym(s):** *lucicolens Butler,1878* _ Range (in code): **JP**
- 46151. Photoscotosia metachryseis Hampson,1896** (Geometridae) **Synonym(s):** *metachryseis Hampson,1896* _ Range (in code): **IN SI**
- 46152. Photoscotosia mimetica Xue,1988** (Geometridae) **Synonym(s):** *mimetica Xue,1988* _ Range (in code): **CN Ti**
- 46153. Photoscotosia miniosata (Walker,1862)** (Geometridae) **Synonym(s):** *miniosata Walker,1862* _ Range (in code): **PK Thu Swa Sgl BD Syl BT IN PH Luz**
- 46154. Photoscotosia miniosata cupha L.B.Prout,1931** (Geometridae) **Synonym(s):** *cupha L.B.Prout,1931* _ Range (in code): **PH Luz**
- 46155. Photoscotosia miniosata miniosata (Walker,1862)** (Geometridae) **Synonym(s):** *miniosata Walker,1862* _ Range (in code): **PK Thu Swa Sgl BD Syl BT IN**
- 46156. Photoscotosia multilinea W.Warren,1893** (Geometridae) **Synonym(s):** *multilinea W.Warren,1893* _ Range (in code): **IN SI**
- 46157. Photoscotosia multiplicata W.Warren,1898** (Geometridae) **Synonym(s):** *multiplicata W.Warren,1898; erebenna L.B.Prout,1935* _ Range (in code): **ID Ja**
- 46158. Photoscotosia nitida Inoue,1982** (Geometridae) **Synonym(s):** *nitida Inoue,1982* _ Range (in code): **NP**
- 46159. Photoscotosia nubilata (Moore,1888)** (Geometridae) **Synonym(s):** *nubilata Moore,1888* _ Range (in code): **IN SI Djl**
- 46160. Photoscotosia obliquisignata (Moore,1888)** (Geometridae) **Synonym(s):** *obliquisignata Moore,1888; stigmatica W.Warren,1894* _ Range (in code): **IN SI Djl**
- 46161. Photoscotosia palaeartica (Staudinger,1882)** (Geometridae) **Synonym(s):** *palaeartica Staudinger,1882; fusca Staudinger,1901* _ Original Reference: *Trichopleura palaeartica Staudinger,1882, Stettin ent. Ztg. 43: 68. Syntypes 6♂: [Kazachstan]: Saisan (Tarbagatai), Lepsa (Ala Tau); [Uzbekistan]: Margelan.* _ Range (in code): **KG Tar Ssn Lps UZ Man Fe CN Ui Kl Ga KK T-S TJ Pm**
- 46162. Photoscotosia pallidimaculata Yazaki,1995** (Geometridae) **Synonym(s):** *pallidimaculata Yazaki,1995* _ Range (in code): **NP**
- 46163. Photoscotosia pallifasciaria Leech,1897** (Geometridae) **Synonym(s):** *pallifasciaria Leech,1897* _ Range (in code): **CN**
- 46164. Photoscotosia pamirica (Viidalepp,1988)** (Geometridae) **Synonym(s):** *pamirica Viidalepp,1988* _ Range (in code): **TJ Pm KK**
- 46165. Photoscotosia penguionaria (Oberthür,1893)** (Geometridae) **Synonym(s):** *penguionaria Oberthür,1893* _ Range (in code): **CN Sz T-T**
- 46166. Photoscotosia polysticha L.B.Prout,1940** (Geometridae) **Synonym(s):** *polysticha L.B.Prout,1940* _ Range (in code): **IN SI**
- 46167. Photoscotosia portentosaria Xue & Meng,1995** (Geometridae) **Synonym(s):** *portentosaria Xue & Meng,1995* _ Range (in code): **CN**
- 46168. Photoscotosia postmutata L.B.Prout,1914** (Geometridae) **Synonym(s):** *postmutata L.B.Prout,1914* _ Range (in code): **CN Sz**
- 46169. Photoscotosia prasinotmeta L.B.Prout,1940** (Geometridae) **Synonym(s):** *prasinotmeta L.B.Prout,1940* _ Range (in code): **CN Sz T-T**
- 46170. Photoscotosia propugnataria Leech,1897** (Geometridae) **Synonym(s):** *propugnataria Leech,1897* _ Range (in code): **CN**

- 46171. Photoscotosia prosenes** L.B.Prout,1940 (Geometridae) Synonym(s): *prosenes* L.B.Prout,1940 _ Range (in code): CN Ti
- 46172. Photoscotosia prosphorosticha** Xue,1988 (Geometridae) Synonym(s): *prosphorosticha* Xue,1988 _ Range (in code): CN Ti
- 46173. Photoscotosia rectilineararia** Leech,1897 (Geometridae) Synonym(s): *rectilineararia* Leech,1897 _ Range (in code): CN Sz
- 46174. Photoscotosia reperta** Xue,1988 (Geometridae) Synonym(s): *reperta* Xue,1988 _ Range (in code): CN Ti
- 46175. Photoscotosia rivularia** Leech,1897 (Geometridae) Synonym(s): *rivularia* Leech,1897 _ Range (in code): CN Sz
- 46176. Photoscotosia scrobifasciaria** Xue & Meng,1992 (Geometridae) Synonym(s): *scrobifasciaria* Xue & Meng,1992 _ Range (in code): CN Gn
- 46177. Photoscotosia sericata** Xue,1988 (Geometridae) Synonym(s): *sericata* Xue,1988 _ Range (in code): CN Yu
- 46178. Photoscotosia strostrigata** (Bremer,1864) (Geometridae) Synonym(s): *strostrigata* Bremer,1864 _ Range (in code): RU Sb
- 46179. Photoscotosia tonchignearia** (Oberthür,1893) (Geometridae) Synonym(s): *tonchignearia* Oberthür,1893 _ Range (in code): CN Sz T-T
- 46180. Photoscotosia undulosa** (Alpheraky,1888) (Geometridae) Synonym(s): *undulosa* Alpheraky,1888 _ Range (in code): CN
- 46181. Photoscotosia velutina** W.Warren,1895 (Geometridae) Synonym(s): *velutina* W.Warren,1895 _ Range (in code): CN
- 46182. Phrissogonus laticostata** (Walker,1862) (Geometridae) Synonym(s): *laticostata* Walker,1862; *canata* Walker,1862; *laticostatus* Meyrick,1891 _ Range (in code): NC AU NSW
- 46183. Phthonandria atrilineata** (Butler,1881) (Geometridae) Synonym(s): *atrilineata* Butler,1881; *brunnearia* Herz,1905; *emarioides* Wehrli,1941; *epistygna* Wehrli,1941 _ Range (in code): IN SI Djl KP KR JP CN TW TH
- 46184. Phthonandria atrilineata atrilineata** (Butler,1881) (Geometridae) Synonym(s): *atrilineata* Butler,1881; *brunnearia* Herz,1905; *emarioides* Wehrli,1941; *epistygna* Wehrli,1941 _ Range (in code): KP KR JP CN
- 46185. Phthonandria atrilineata cuneilineararia** (Wileman,1911) (Geometridae) Synonym(s): *cuneilineararia* Wileman,1911; *cuneilineata* Wehrli,1941 _ Range (in code): TW
- 46186. Phthonandria atrilineata indica** Inoue,1990 (Geometridae) Synonym(s): *indica* Inoue,1990 _ Range (in code): IN SI Djl TH
- 46187. Phthonandria brandti** (Wehrli,1941) (Geometridae) Synonym(s): *brandti* Wehrli,1941 _ Range (in code): TM IR
- 46188. Phthonandria conjunctiva** W.Warren,1896 (Geometridae) Synonym(s): *conjunctiva* W.Warren,1896 _ Range (in code): IN Meg Khs Ass
- 46189. Phthonandria emaria** (Bremer,1861) (Geometridae) Synonym(s): *emaria* Bremer,1861 _ Range (in code): RU Sb Us CN Mc
- 46190. Phthonandria emaria emaria** (Bremer,1861) (Geometridae) Synonym(s): *emaria* Bremer,1861 _ Range (in code): RU Sb Us
- 46191. Phthonandria emaria periyangtsea** (Wehrli,1941) (Geometridae) Synonym(s): *periyangtsea* Wehrli,1941 _ Range (in code): CN Mc
- 46192. Phthonandria lederi** (Christoph,1887) (Geometridae) Synonym(s): *lederi* Christoph,1887
Original Reference: Hemerophila lederi Christoph,1887, Stettin ent. Ztg. 48: 166. Type ♂: [Turkmenistan]: "Germob". Range (in code): TM Ger UZ TJ IR
- 46193. Phthonandria lederi syrdarjana** (Wehrli,1941) (Geometridae) Synonym(s): *syrdarjana* Wehrli,1941 _ Range (in code): UZ
- 46194. Phthonandria mollis** (De Joannis,1929) (Geometridae) Synonym(s): *mollis* De Joannis,1929 _ Range (in code): VN Ton
- 46195. Phthonandria pinguis** (W.Warren,1904) (Geometridae) Synonym(s): *pinguis* W.Warren,1904 _ Range (in code): ZA Mal Lpo Tva ZA16 Mpu AO
- 46196. Phthonandria potopolskii** (Viidalepp,1988) (Geometridae) Synonym(s): *potopolskii* Viidalepp,1988 _ Range (in code): TJ
- 46197. Phthonandria viertlii** (Bohatsch,1883) (Geometridae) Synonym(s): *viertlii* Bohatsch,1883
Original Reference: Boarmia viertlii Bohatsch,1883, Wien. ent. Ztg. 2: 111.

- Syntypes ♂♀: Ungarn. Range (in code): FR IT CH? CZ SK HU RO YU BG GR TR Cc GG Bionomy:
Larva on Quercus (Fagaceae) (Bohatsch,1883).
- 46198. Phthonoloba acrolophites (L.B.Prout,1926)** (Geometridae) Synonym(s): acrolophites
L.B.Prout,1926 Range (in code): ID Ja Ged
- 46199. Phthonoloba altissima Holloway,1976** (Geometridae) Synonym(s): altissima
Holloway,1976 Range (in code): MY Bor Sbh KBa
- 46200. Phthonoloba altitudinum (L.B.Prout,1931)** (Geometridae) Synonym(s): altitudinum
L.B.Prout,1931 Range (in code): ID Sum
- 46201. Phthonoloba auranisquama (W.Warren,1897)** (Geometridae) Synonym(s):
auranisquama W.Warren,1897 Range (in code): ID Ja
- 46202. Phthonoloba bracteola Holloway,1976** (Geometridae) Synonym(s): bracteola
Holloway,1976 Range (in code): MY Bor Sbh KBa
- 46203. Phthonoloba brevipalpis (W.Warren,1899)** (Geometridae) Synonym(s): brevipalpis
W.Warren,1899 Range (in code): ID Flo
- 46204. Phthonoloba caliginosa Holloway,1976** (Geometridae) Synonym(s): caliginosa
Holloway,1976 Range (in code): MY Bor Sbh KBa
- 46205. Phthonoloba fasciata (Moore,1888)** (Geometridae) Synonym(s): fasciata Moore,1888;
olivacea W.Warren,1893 Range (in code): IN SI Djl Ass Cpj
- 46206. Phthonoloba graphica (L.B.Prout,1916)** (Geometridae) Synonym(s): graphica
L.B.Prout,1916 Range (in code): ID Ij Gth
- 46207. Phthonoloba lutosa Holloway,1976** (Geometridae) Synonym(s): lutosa Holloway,1976
Range (in code): MY Bor Sbh KBa
- 46208. Phthonoloba micans (L.B.Prout,1929)** (Geometridae) Synonym(s): micans
L.B.Prout,1929 Range (in code): ID Crm
- 46209. Phthonoloba permista (L.B.Prout,1958)** (Geometridae) Synonym(s): permista
L.B.Prout,1958 Range (in code): PH Luz
- 46210. Phthonoloba punctatissima (W.Warren,1897)** (Geometridae) Synonym(s):
punctatissima W.Warren,1897 Range (in code): ID Clb
- 46211. Phthonoloba stigmatophora (L.B.Prout,1932)** (Geometridae) Synonym(s):
stigmatophora L.B.Prout,1932 Range (in code): MY Bor Sbh KBa
- 46212. Phthonoloba violacea (W.Warren,1906)** (Geometridae) Synonym(s): violacea
W.Warren,1906 Range (in code): PG
- 46213. Phthonoloba viridifasciata Inoue,1963** (Geometridae) Synonym(s): viridifasciata
Inoue,1963 Range (in code): JP
- 46214. Phthorarcha ishkovi Viidalepp,1986** (Geometridae) Synonym(s): ishkovi Viidalepp,1986
Range (in code): KG T-S Aa
- 46215. Phthorarcha primigena Staudinger,1895** (Geometridae) Synonym(s): primigena
Staudinger,1895 Range (in code): UZ Smk KK KG TJ
- 46216. Phyle herbuloti Rindge,1990** (Geometridae) Synonym(s): herbuloti Rindge,1990
Range (in code): EC
- 46217. Phyllometra argentaria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): argentaria
A.Bang-Haas,1910 Original Reference: Egea argentaria A.Bang-Haas,1910, Dt. ent. Z., Iris 24:
48. Syntypes ♂♂: Tunis: Forum- Tatahouine. Range (in code): TN
- 46218. Phyllometra culminaria (Eversmann,1843)** (Geometridae) Synonym(s): culminaria
Eversmann,1843; desertaria Freyer,1844. Original Reference: Idaea culminaria Eversmann,1843,
Bull. Soc. imp. Nat. Moscou 16 (3): 552. Syntypes: [Russia]: Urals: Majo. Range (in code): HU RU
Ur MD UA TR TM
- 46219. Phyllometra gracilaria Boisduval,1840** (Geometridae) Synonym(s): gracilaria
Boisduval,1840; cacuminaria Rambur,1866. Original Reference: Phyllometra gracilaria
Boisduval,1840, Genera Index meth. eur. lepid.: 193. Syntypes: Spain. Range (in code): DZ Ges
PT ES An Ag
- 46220. Phyllometra planaria (Chrétien,1911)** (Geometridae) Synonym(s): planaria Chrétien,1911
Original Reference: Egea planaria Chrétien,1911, Annls Soc. ent. Fr. 79 (4): 509. Holotype ♂:
[Tunis]: Gafsa. Range (in code): TN Gf
- 46221. Phyllometra proutiana Turati,1936** (Geometridae) Synonym(s): proutiana Turati,1936
Original Reference: Phyllometra proutiana Turati,1936, Atti. Soc. ital. Sci. nat. 75: 395, figs. 7,8.
Syntypes: [Spain]: Aragon: Cuenca de Albarracin. Range (in code): ES Ag Abr

- 46222. *Phyllometra teneraria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *teneraria* Staudinger,1892; *coelestinaria* Alpheraky,1892. **Original Reference:** *Egea teneraria* Staudinger,1892, Dt. ent. Z., Iris 5: 196. [China: Uighur A.R.]: Kuldja. **Range (in code):** **CN Ui Ku**
- 46223. *Physetobasis annulata* (Hampson,1891)** (Geometridae) **Synonym(s):** *annulata* Hampson,1891 **Range (in code):** **IN NI**
- 46224. *Physetobasis dentifascia* Hampson,1895** (Geometridae) **Synonym(s):** *dentifascia* Hampson,1895 **Range (in code):** **MM Kch Hta CN IN Hp Drm JP**
- 46225. *Physetobasis dentifascia dentifascia* Hampson,1895** (Geometridae) **Synonym(s):** *dentifascia* Hampson,1895 **Range (in code):** **IN Hp Drm**
- 46226. *Physetobasis dentifascia kachinica* L.B.Prout,1958** (Geometridae) **Synonym(s):** *kachinica* L.B.Prout,1958 **Range (in code):** **MM Kch Hta**
- 46227. *Physetobasis dentifascia kiunkiangana* L.B.Prout,1958** (Geometridae) **Synonym(s):** *kiunkiangana* L.B.Prout,1958 **Range (in code):** **CN**
- 46228. *Physetobasis dentifascia mandarinaria* (Leech,1897)** (Geometridae) **Synonym(s):** *mandarinaria* Leech,1897 **Range (in code):** **CN**
- 46229. *Physetobasis dentifascia rectipendens* L.B.Prout,1958** (Geometridae) **Synonym(s):** *rectipendens* L.B.Prout,1958 **Range (in code):** **MM**
- 46230. *Physetobasis dentifascia triangulifera* Inoue,1954** (Geometridae) **Synonym(s):** *triangulifera* Inoue,1954 **Range (in code):** **JP**
- 46231. *Physetobasis griseipennis* (Moore,1888)** (Geometridae) **Synonym(s):** *griseipennis* Moore,1888 **Range (in code):** **IN Ass**
- 46232. *Physetobasis heliocomma* Meyrick,1897** (Geometridae) **Synonym(s):** *heliocomma* Meyrick,1897 **Range (in code):** **ID Sbw**
- 46233. *Piercia albifilata* L.B.Prout,1938** (Geometridae) **Synonym(s):** *albifilata* L.B.Prout,1938 **Range (in code):** **CN Ti**
- 46234. *Piercia albivirgulata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *albivirgulata* D.S.Fletcher,1958 **Range (in code):** **UG Rz**
- 46235. *Piercia ansorgei* (Bethune-Baker,1913)** (Geometridae) **Synonym(s):** *ansorgei* Bethune-Baker,1913 **Range (in code):** **AO**
- 46236. *Piercia bamendana* Herbulot,1974** (Geometridae) **Synonym(s):** *bamendana* Herbulot,1974 **Range (in code):** **CM**
- 46237. *Piercia bipartaria* (Leech,1897)** (Geometridae) **Synonym(s):** *bipartaria* Leech,1897 **Range (in code):** **CN**
- 46238. *Piercia bryophilaria* (W.Warren,1903)** (Geometridae) **Synonym(s):** *bryophilaria* W.Warren,1903 **Range (in code):** **KE ZA ZA10 ZA12 ZA13 Kzu ZA14 ZA20 Mpu ZA21 ZA28 Tva Lpo**
- 46239. *Piercia chlorostola* (Hampson,1909)** (Geometridae) **Synonym(s):** *chlorostola* Hampson,1909 **Range (in code):** **UG Rz**
- 46240. *Piercia cidariata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *cidariata* Guenée,[1858] **Range (in code):** **ZA Wca Cto Tva ZA14 Mpu**
- 46241. *Piercia ciliata* Janse,1933** (Geometridae) **Synonym(s):** *ciliata* Janse,1933 **Range (in code):** **ZA ZA12 Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
- 46242. *Piercia cognata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *cognata* D.S.Fletcher,1958 **Range (in code):** **UG Rz**
- 46243. *Piercia deceptata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *deceptata* D.S.Fletcher,1958 **Range (in code):** **KE**
- 46244. *Piercia detracta* Herbulot,1988** (Geometridae) **Synonym(s):** *detracta* Herbulot,1988 **Range (in code):** **CM**
- 46245. *Piercia dibola* L.B.Prout,1935** (Geometridae) **Synonym(s):** *dibola* L.B.Prout,1935 **Range (in code):** **ZA Wca Wr**
- 46246. *Piercia divergens* (Butler,1889)** (Geometridae) **Synonym(s):** *divergens* Butler,1889 **Range (in code):** **IN Hp Drm**
- 46247. *Piercia dryas* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *dryas* L.B.Prout,1915 **Range (in code):** **ZA ZA04 ZA05 ZA12 ZA13 Ec Tra Nta Kzu ZA14 Mpu Tva Lpo Spb Bbg**
- 46248. *Piercia edwardsi* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *edwardsi* D.S.Fletcher,1958 **Range (in code):** **UG Rz**
- 46249. *Piercia emmeles* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *emmeles* L.B.Prout,1922 **Range (in code):** **ZA Nta Kzu Est**

- 46250. *Piercia excisa* Herbulot,1974** (Geometridae) Synonym(s): *excisa* Herbulot,1974 _ Range (in code): CM
- 46251. *Piercia fumataria* (Leech,1897)** (Geometridae) Synonym(s): *fumataria* Leech,1897; *verticata* W.Warren,1901 _ Range (in code): CN
- 46252. *Piercia funitacta* (W.Warren,1903)** (Geometridae) Synonym(s): *funitacta* W.Warren,1903 _ Range (in code): KE
- 46253. *Piercia hargreavesi* L.B.Prout,1935** (Geometridae) Synonym(s): *hargreavesi* L.B.Prout,1935 _ Range (in code): UG
- 46254. *Piercia imbrata* (Guenée,[1858])** (Geometridae) Synonym(s): *imbrata* Guenée,[1858] _ Range (in code): IN
- 46255. *Piercia jacksoni* D.S.Fletcher,1956** (Geometridae) Synonym(s): *jacksoni* D.S.Fletcher,1956 _ Range (in code): UG
- 46256. *Piercia kennedyi* D.S.Fletcher,1958** (Geometridae) Synonym(s): *kennedyi* D.S.Fletcher,1958 _ Range (in code): UG Rz
- 46257. *Piercia leptopyphes* L.B.Prout,1935** (Geometridae) Synonym(s): *leptopyphes* L.B.Prout,1935 _ Range (in code): LS ZA
- 46258. *Piercia lichenaria* D.S.Fletcher,1958** (Geometridae) Synonym(s): *lichenaria* D.S.Fletcher,1958 _ Range (in code): UG Rz
- 46259. *Piercia lightfooti* (L.B.Prout,1925)** (Geometridae) Synonym(s): *lightfooti* L.B.Prout,1925 _ Range (in code): ZA Wca Cto Tva ZA14 Mpu Cer
- 46260. *Piercia lightfooti ceres* L.B.Prout,1935** (Geometridae) Synonym(s): *ceres* L.B.Prout,1935 _ Range (in code): ZA Wca Cer
- 46261. *Piercia lightfooti lightfooti* (L.B.Prout,1925)** (Geometridae) Synonym(s): *lightfooti* L.B.Prout,1925 _ Range (in code): ZA Wca Cto Tva ZA14 Mpu
- 46262. *Piercia lypra* L.B.Prout,1938** (Geometridae) Synonym(s): *lypra* L.B.Prout,1938 _ Range (in code): CN Sz
- 46263. *Piercia manegouba* Herbulot,1974** (Geometridae) Synonym(s): *manegouba* Herbulot,1974 _ Range (in code): CM
- 46264. *Piercia mononyssa* (L.B.Prout,1926)** (Geometridae) Synonym(s): *mononyssa* L.B.Prout,1926 _ Range (in code): MM CN
- 46265. *Piercia myopteryx* L.B.Prout,1935** (Geometridae) Synonym(s): *myopteryx* L.B.Prout,1935; *atilis* L.B.Prout,1935 _ Range (in code): GN CM Bje
- 46266. *Piercia nimipunctata* Janse,1933** (Geometridae) Synonym(s): *nimipunctata* Janse,1933 _ Range (in code): ZA Tva ZA14 ZA20 Mpu
- 46267. *Piercia occidentalis* Herbulot,1954** (Geometridae) Synonym(s): *occidentalis* Herbulot,1954 _ Range (in code): GN
- 46268. *Piercia olivata* Janse,1933** (Geometridae) Synonym(s): *olivata* Janse,1933 _ Range (in code): ZA Tva ZA12 Kzu ZA14 Mpu Wo
- 46269. *Piercia perizomoides* (L.B.Prout,1916)** (Geometridae) Synonym(s): *perizomoides* L.B.Prout,1916 _ Range (in code): ZA ZA12 Kzu ZA28 Tva Lpo Mpu Wv
- 46270. *Piercia prasinaria* (W.Warren,1901)** (Geometridae) Synonym(s): *prasinaria* W.Warren,1901 _ Range (in code): TZ ZA Ktz ZA14 Mpu Mal Tva Lpo ZA25 Nta Kzu
- 46271. *Piercia rufimaculata* D.S.Fletcher,1958** (Geometridae) Synonym(s): *rufimaculata* D.S.Fletcher,1958 _ Range (in code): UG Rz
- 46272. *Piercia serena* Herbulot,1990** (Geometridae) Synonym(s): *serena* Herbulot,1990 _ Range (in code): MW Zom
- 46273. *Piercia smaragdinata* (Walker,1862)** (Geometridae) Synonym(s): *smaragdinata* Walker,1862; *tenella* W.Warren,1911 _ Range (in code): ZA Ktz Nta Kzu Wca Cto
- 46274. *Piercia* sp.1** (Geometridae) Synonym(s): _ Range (in code): ZA ZA10 Nta Kzu Ggh Fs
- 46275. *Piercia* sp.2** (Geometridae) Synonym(s): _ Range (in code): ZA Ggh Fs
- 46276. *Piercia spatiosata* (Walker,1862)** (Geometridae) Synonym(s): *spatiosata* Walker,1862; *priscata* Walker,1862; *despectata* Walker,1862 _ Range (in code): ZA Tva ZA12 Nta Kzu ZA20 Mpu
- 46277. *Piercia squamata* Herbulot,1974** (Geometridae) Synonym(s): *squamata* Herbulot,1974 _ Range (in code): CM
- 46278. *Piercia stevensi* L.B.Prout,1938** (Geometridae) Synonym(s): *stevensi* L.B.Prout,1938 _ Range (in code): CN

- 46279. *Piercia suavata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *suavata* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 46280. *Piercia subconcava* L.B.Prout,1935** (Geometridae) **Synonym(s):** *subconcava* L.B.Prout,1935
Range (in code): **ZR**
- 46281. *Piercia subrecta* W.Warren,1903** (Geometridae) **Synonym(s):** *subrecta* W.Warren,1903
Range (in code): **CM**
- 46282. *Piercia subrufaria* (W.Warren,1903)** (Geometridae) **Synonym(s):** *subrufaria* W.Warren,1903
Range (in code): **KE**
- 46283. *Piercia subterlimbata* (L.B.Prout,1917)** (Geometridae) **Synonym(s):** *subterlimbata* L.B.Prout,1917
Range (in code): **ZA Tva Lpo Spb Bbg Nta Kzu Dbn**
- 46284. *Piercia subtrunca* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *subtrunca* L.B.Prout,1932
Range (in code): **KE**
- 46285. *Piercia viettei* Herbulot,1954** (Geometridae) **Synonym(s):** *viettei* Herbulot,1954
Range (in code): **MG**
- 46286. *Piercia viridiplana* (Bastelberger,1911)** (Geometridae) **Synonym(s):** *viridiplana* Bastelberger,1911
Range (in code): **TW**
- 46287. *Piercia vittata* Janse,1933** (Geometridae) **Synonym(s):** *vittata* Janse,1933
Range (in code): **ZA Tva ZA14 Mpu Nta Kzu Dbn**
- 46288. *Piercia yui* Inoue,1970** (Geometridae) **Synonym(s):** *yui* Inoue,1970
Range (in code): **TW**
- 46289. *Piercia zoarces* L.B.Prout,1938** (Geometridae) **Synonym(s):** *zoarces* L.B.Prout,1938
Range (in code): **CN Sz**
- 46290. *Piercia zukwalensis* Debauche,1937** (Geometridae) **Synonym(s):** *zukwalensis* Debauche,1937
Range (in code): **ET**
- 46291. *Pigiopsis acuta* Herbulot,1986** (Geometridae) **Synonym(s):** *acuta* Herbulot,1986
Range (in code): **CI**
- 46292. *Pigiopsis aurantiaca* Carcasson,1964** (Geometridae) **Synonym(s):** *aurantiaca* Carcasson,1964
Range (in code): **KE Mb**
- 46293. *Pigiopsis convergens* W.Warren,1899** (Geometridae) **Synonym(s):** *convergens* W.Warren,1899; *artemisiaria* Oberthür,1923
Range (in code): **UG**
- 46294. *Pigiopsis epigynopteryx* Herbulot,1986** (Geometridae) **Synonym(s):** *epigynopteryx* Herbulot,1986
Range (in code): **CM**
- 46295. *Pigiopsis fuscimargo* Herbulot,1986** (Geometridae) **Synonym(s):** *fuscimargo* Herbulot,1986
Range (in code): **CM**
- 46296. *Pigiopsis hyposcotia* L.B.Prout,1915** (Geometridae) **Synonym(s):** *hyposcotia* L.B.Prout,1915
Range (in code): **CM**
- 46297. *Pigiopsis irrufata* Herbulot,1986** (Geometridae) **Synonym(s):** *irrufata* Herbulot,1986
Range (in code): **CG**
- 46298. *Pigiopsis pallens* Herbulot,1986** (Geometridae) **Synonym(s):** *pallens* Herbulot,1986
Range (in code): **CM**
- 46299. *Pigiopsis scotoides* L.B.Prout,1915** (Geometridae) **Synonym(s):** *scotoides* L.B.Prout,1915
Range (in code): **CM**
- 46300. *Pigiopsis truncativalvis* Herbulot,1986** (Geometridae) **Synonym(s):** *truncativalvis* Herbulot,1986
Range (in code): **CM**
- 46301. *Pigiopsis ugandana* Carcasson,1964** (Geometridae) **Synonym(s):** *ugandana* Carcasson,1964
Range (in code): **UG**
- 46302. *Pingasa abyssinaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *abyssinaria* Guenée,[1858]
Range (in code): **ET KE ZA Lpo Tva Spb Lj Wca Cto Ec Kny Gau Pre Nta Kzu Srn Rie Ste**
- 46303. *Pingasa abyssinaria abyssinaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *abyssinaria* Guenée,[1858]
Range (in code): **ET**
- 46304. *Pingasa abyssinaria rufata* D.S.Fletcher,1956** (Geometridae) **Synonym(s):** *rufata* D.S.Fletcher,1956
Range (in code): **KE ZA Lpo Tva Spb Lj Wca Cto Ec Kny Gau Pre Nta Kzu Srn Rie Ste**
- 46305. *Pingasa alba* Swinhoe,1891** (Geometridae) **Synonym(s):** *alba* Swinhoe,1891
Range (in code): **IN Ass Meg Khs CN**
- 46306. *Pingasa atropa* L.B.Prout,1935** (Geometridae) **Synonym(s):** *atropa* L.B.Prout,1935
Range (in code): **ID Ja**

- 46307. *Pingasa chlora* (Stoll,[1782])** (Geometridae) **Synonym(s):** *chlora* Stoll,[1782]; *ecchloraria* Hübner,[1823]; *chloraria* Guenée,[1858]; *paulinaria* Pagenstecher,1885; *latifascia* W.Warren,1894 **Original Reference:** *Phalaena chlora* Stoll,[1782], [in] Cramer, Utitl. Kapellen 4: 233, 248, pl.398 fig.C. **Syntypes:** [Indonesia]: Amboina. **Range (in code):** **ID Amb Mw Nia Clb TH Knc Cbu Pbu AU** **Bionomy:** Larva on leaf of *Nephelium lappaceum* [rambutan], *Litchi chinensis* [litchi], *Dimocarpus longan* [longan] (Sapindaceae), *Ziziphus mauritiana* [jujube] (Rhamnaceae), *Senna occidentalis* [coffea senna] (Fabaceae) (Lewvanich,2001).
- 46308. *Pingasa cinerea* W.Warren,1894** (Geometridae) **Synonym(s):** *cinerea* W.Warren,1894; *singularis* Kershaw,1897; *undascripta* Lucas,1900 **Range (in code):** **AU VAu QAU Bri**
- 46309. *Pingasa cornivalva* Wiltshire,1982** (Geometridae) **Synonym(s):** *cornivalva* Wiltshire,1982 **Range (in code):** **SA As YE YE3o Sna**
- 46310. *Pingasa decristata* W.Warren,1902** (Geometridae) **Synonym(s):** *decristata* W.Warren,1902 **Range (in code):** **ST**
- 46311. *Pingasa distensaria* (Walker,1860)** (Geometridae) **Synonym(s):** *distensaria* Walker,1860 **Range (in code):** **ZA ZA13 Kzu ZA14 Mpu Tva Lpo Spb Bbg**
- 46312. *Pingasa distensaria distensaria* (Walker,1860)** (Geometridae) **Synonym(s):** *distensaria* Walker,1860 **Range (in code):**
- 46313. *Pingasa distensaria respondens* (Walker,1860)** (Geometridae) **Synonym(s):** *respondens* Walker,1860 **Range (in code):** **ZA ZA13 Kzu ZA14 Mpu Tva Lpo Spb Bbg**
- 46314. *Pingasa elutriata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *elutriata* L.B.Prout,1916 **Range (in code):** **IN SI Djl**
- 46315. *Pingasa floridivenis* L.B.Prout,1920** (Geometridae) **Synonym(s):** *floridivenis* L.B.Prout,1920 **Range (in code):** **GH**
- 46316. *Pingasa grandidieri* (Butler,1879)** (Geometridae) **Synonym(s):** *grandidieri* Butler,1879; *eugrapharia* Mabille,1880 **Range (in code):** **MG**
- 46317. *Pingasa griveaudi* Herbulot,1966** (Geometridae) **Synonym(s):** *griveaudi* Herbulot,1966 **Range (in code):** **KM**
- 46318. *Pingasa herbuloti* Viette,1971** (Geometridae) **Synonym(s):** *herbuloti* Viette,1971 **Range (in code):** **MG**
- 46319. *Pingasa hypoxantha* L.B.Prout,1916** (Geometridae) **Synonym(s):** *hypoxantha* L.B.Prout,1916; *holochroa* L.B.Prout,1916 **Range (in code):** **UG ZR**
- 46320. *Pingasa javensis* W.Warren,1894** (Geometridae) **Synonym(s):** *javensis* W.Warren,1894; *lombokensis* L.B.Prout,1927 **Range (in code):** **ID Ja Lb**
- 46321. *Pingasa lahayei* (Oberthür,1887)** (Geometridae) **Synonym(s):** *lahayei* Oberthür,1887 **Original Reference:** *Hypochroma lahayei* Oberthür,1887, Bull. Soc. ent. Fr. (6) 7: lix. Type ♂: Algérie, Ain-Sefra (leg. lieutenant M.Lahaye, d'avril 1886). **Range (in code):** **MA DZ Ges Sfr Bsk Omy TN Gf LY Cy ES IR Fa Bu Ahz OM ZA ZA17 Tva Lpo GM NG ZW SZ YE Sna** **Bionomy:** Larva on *Rhus oxyacantha* [Anacardiaceae], *Zizyphus lotus* [Rhamnaceae] (Chrétien,1917; L.B.Prout,1934).
- 46322. *Pingasa lahayei austrina* L.B.Prout,1917** (Geometridae) **Synonym(s):** *austrina* L.B.Prout,1917 **Range (in code):** **ZA ZA17 Tva Lpo GM NG ZW SZ**
- 46323. *Pingasa lahayei lahayei* (Oberthür,1887)** (Geometridae) **Synonym(s):** *lahayei* Oberthür,1887 **Original Reference:** *Hypochroma lahayei* Oberthür,1887, Bull. Soc. ent. Fr. (6) 7: lix. Type ♂: Algérie, Ain-Sefra (leg. lieutenant M.Lahaye, d'avril 1886). **Range (in code):** **MA DZ Ges Sfr Bsk Omy TN Gf LY Cy ES IR Fa Ahz Bu OM** **Bionomy:** Larva on *Rhus oxyacantha* [Anacardiaceae], *Zizyphus lotus* [Rhamnaceae] (Chrétien,1917; L.B.Prout,1934).
- 46324. *Pingasa laria* (Walker,1860)** (Geometridae) **Synonym(s):** *laria* Walker,1860; *irrorataria* Moore,1868 **Range (in code):** **TH MY Bor Swk IN Ben**
- 46325. *Pingasa manilensis* L.B.Prout,1916** (Geometridae) **Synonym(s):** *manilensis* L.B.Prout,1916 **Range (in code):** **PH Luz**
- 46326. *Pingasa multispurcata* L.B.Prout,1913** (Geometridae) **Synonym(s):** *multispurcata* L.B.Prout,1913 **Original Reference:** *Pingasa multispurcata* L.B.Prout,1913, Novit. zool. 20: 397. Type ♀: [Pakistan]: Rawal Pindi; Campbellpur (BMNH). **Range (in code):** **PK Pj Rw Cp Swa Kkar IQ Agh** **Bionomy:** Larva on *Zizyphus spina-christi* (Wiltshire,1957).
- 46327. *Pingasa murphyi* Herbulot,1994** (Geometridae) **Synonym(s):** *murphyi* Herbulot,1994 **Range (in code):** **MW**

- 46328. Pingasa nigrolineata** Karisch, 2006 (Geometridae) Synonym(s): *nigrolineata* Karisch, 2006 - Range (in code): CM
- 46329. Pingasa pallidata** (De Joannis, 1912) (Geometridae) Synonym(s): *pallidata* De Joannis, 1912 - Range (in code): ER ET
- 46330. Pingasa pauciflavata** L.B.Prout, 1927 (Geometridae) Synonym(s): *pauciflavata* L.B.Prout, 1927 - Range (in code): ID Sum
- 46331. Pingasa porphyrochrostes** L.B.Prout, 1922 (Geometridae) Synonym(s): *porphyrochrostes* L.B.Prout, 1922 - Range (in code): ID Crm
- 46332. Pingasa pseudoterpnaria** (Guenée, [1858]) (Geometridae) Synonym(s): *pseudoterpnaria* Guenée, [1858]; *pryeri* Butler, 1878 - Range (in code): CN JP IN Meg Ass Khs
- 46333. Pingasa pseudoterpnaria gracilis** L.B.Prout, 1916 (Geometridae) Synonym(s): *gracilis* L.B.Prout, 1916 - Range (in code): IN Khs Meg Ass
- 46334. Pingasa pseudoterpnaria pseudoterpnaria** (Guenée, [1858]) (Geometridae) Synonym(s): *pseudoterpnaria* Guenée, [1858]; *pryeri* Butler, 1878 - Range (in code): CN JP
- 46335. Pingasa pseudoterpnaria tephrosiaria** (Guenée, [1858]) (Geometridae) Synonym(s): *tephrosiaria* Guenée, [1858] - Range (in code): IN
- 46336. Pingasa rhadamaria** (Guenée, [1858]) (Geometridae) Synonym(s): *rhadamaria* Guenée, [1858] - Range (in code): MG ZW Vf SL KM ZA ZA05 ZA06 ZA18 Ec ZA25 Kzu Nta Dbn Tva Mpu Brb Pil KE YE YE30 Sna
- 46337. Pingasa rhadamaria alterata** (Walker, 1860) (Geometridae) Synonym(s): *alterata* Walker, 1860 - Range (in code): KE ZA ZA05 ZA06 ZA18 Ec ZA25 Kzu Nta Dbn
- 46338. Pingasa rhadamaria attenuans** (Walker, 1860) (Geometridae) Synonym(s): *attenuans* Walker, 1860 - Range (in code): SL
- 46339. Pingasa rhadamaria rhadamaria** (Guenée, [1858]) (Geometridae) Synonym(s): *rhadamaria* Guenée, [1858] - Range (in code): MG
- 46340. Pingasa rhadamaria signifrontaria** (Mabille, 1893) (Geometridae) Synonym(s): *signifrontaria* Mabille, 1893 - Range (in code): KM YE YE30 Sna
- 46341. Pingasa rhadamaria victoria** L.B.Prout, 1913 (Geometridae) Synonym(s): *victoria* L.B.Prout, 1913 - Original Reference: Pingasa victoria L.B.Prout, 1913, Novit. zool. 20: 398. Type ♀: [Zimbabwe]: Rhodesia: Victoria Falls; [South Africa]: Transvaal: Barberton. Range (in code): ZW Vf ZA Tva Mpu Tva Brb Pil
- 46342. Pingasa rubicunda** W.Warren, 1894 (Geometridae) Synonym(s): *rubicunda* W.Warren, 1894 - Range (in code): IN Khs Meg Ass TH
- 46343. Pingasa rubimontana** Holloway & Sommerer, 1984 (Geometridae) Synonym(s): *rubimontana* Holloway & Sommerer, 1984 - Range (in code): TH Ntt Hba ID Sum
- 46344. Pingasa rufofasciata** Moore, 1888 (Geometridae) Synonym(s): *rufofasciata* Moore, 1888 - Range (in code): IN SI Djl
- 46345. Pingasa ruginaria** (Guenée, [1858]) (Geometridae) Synonym(s): *ruginaria* Guenée, [1858]; *nyctemerata* Walker, 1860; *perfectaria* Walker, 1860 - Range (in code): ZA ZA04 ZA05 Ksi Kzu Nta Dbn Mal Tva Lpo IN Adm UG SL JP Ri TH Ntt Hba
- 46346. Pingasa ruginaria andamanica** L.B.Prout, 1916 (Geometridae) Synonym(s): *andamanica* L.B.Prout, 1916 - Range (in code): IN Adm
- 46347. Pingasa ruginaria communicans** (Walker, 1860) (Geometridae) Synonym(s): *communicans* Walker, 1860 - Range (in code): ZA ZA04 ZA05 Ksi Kzu Nta Dbn Mal Tva Lpo
- 46348. Pingasa ruginaria commutata** (Walker, 1860) (Geometridae) Synonym(s): *commutata* Walker, 1860; *batiaria* Plötz, 1880 - Range (in code): SL
- 46349. Pingasa ruginaria interrupta** W.Warren, 1901 (Geometridae) Synonym(s): *interrupta* W.Warren, 1901 - Range (in code): UG
- 46350. Pingasa ruginaria pacifica** Inoue, 1964 (Geometridae) Synonym(s): *pacifica* Inoue, 1964 - Range (in code): JP Ri
- 46351. Pingasa ruginaria ruginaria** (Guenée, [1858]) (Geometridae) Synonym(s): *ruginaria* Guenée, [1858]; *nyctemerata* Walker, 1860; *perfectaria* Walker, 1860 - Range (in code): IN TH
- 46352. Pingasa secreta** Inoue, 1986 (Geometridae) Synonym(s): *secreta* Inoue, 1986 - Range (in code): TW
- 46353. Pingasa subpurpurea** W.Warren, 1897 (Geometridae) Synonym(s): *subpurpurea* W.Warren, 1897 - Range (in code): MY Bor Sbh Snk
- 46354. Pingasa subviridis** W.Warren, 1896 (Geometridae) Synonym(s): *subviridis* W.Warren, 1896 - Range (in code): TH IN Ass

- 46355. *Pingasa venusta* W.Warren,1894** (Geometridae) **Synonym(s):** *venusta* W.Warren,1894
Range (in code): **IN SI**
- 46356. *Pitthea agenoria* Druce,1890** (Geometridae) **Synonym(s):** *agenoria* Druce,1890
Original Reference: *Pitthea agenoria* Druce,1890, [in] Jameson, Story of the Rear Column of the Emin Pasha Relief Expedition: 451. **Syntypes:** Congo?. **Range (in code):** **CG**
- 46357. *Pitthea argentiplaga* (W.Warren,1897)** (Geometridae) **Synonym(s):** *argentiplaga* W.Warren,1897
Range (in code): **AO**
- 46358. *Pitthea caesarea* Rebel,1914** (Geometridae) **Synonym(s):** *caesarea* Rebel,1914
Range (in code): **CF**
- 46359. *Pitthea catadela* D.S.Fletcher,1963** (Geometridae) **Synonym(s):** *catadela* D.S.Fletcher,1963
Range (in code): **ZR**
- 46360. *Pitthea continua* Walker,1864** (Geometridae) **Synonym(s):** *continua* Walker,1864; *abbreviata* W.Warren,1899
Range (in code): **GH SL NG**
- 46361. *Pitthea cyanomeris* L.B.Prout,1915** (Geometridae) **Synonym(s):** *cyanomeris* L.B.Prout,1915; *famulita* Holland,1920
Range (in code): **UG ZR**
- 46362. *Pitthea cyanomeris* L.B.Prout,1915** (Geometridae) **Synonym(s):** *cyanomeris* L.B.Prout,1915; *famulita* Holland,1920
Range (in code): **UG CG**
- 46363. *Pitthea eximia* Druce,1910** (Geometridae) **Synonym(s):** *eximia* Druce,1910
Range (in code): **CM Bit**
- 46364. *Pitthea famula* (Drury,1773)** (Geometridae) **Synonym(s):** *famula* Drury,1773; *expandens* Walker,1854; *decisa* Walker,1869
Range (in code): **CG**
- 46365. *Pitthea flavimargo* Druce,1910** (Geometridae) **Synonym(s):** *flavimargo* Druce,1910
Range (in code): **CM Bit**
- 46366. *Pitthea fractimacula* W.Warren,1897** (Geometridae) **Synonym(s):** *fractimacula* W.Warren,1897; *sanguiflua* Aurivillius,1925
Range (in code): **CM**
- 46367. *Pitthea fuliginosa* Druce,1910** (Geometridae) **Synonym(s):** *fuliginosa* Druce,1910
Range (in code): **ZR**
- 46368. *Pitthea hypomima* L.B.Prout,1922** (Geometridae) **Synonym(s):** *hypomima* L.B.Prout,1922
Range (in code): **CM Bit**
- 46369. *Pitthea mungi* (Plötz,1880)** (Geometridae) **Synonym(s):** *mungi* Plötz,1880
Range (in code): **CM Bit**
- 46370. *Pitthea neavei* L.B.Prout,1915** (Geometridae) **Synonym(s):** *neavei* L.B.Prout,1915
Range (in code): **ZA Mal Tva Lpo Spb Lj Hgl MW TZ**
- 46371. *Pitthea neavei aurantifascia* L.B.Prout,1921** (Geometridae) **Synonym(s):** *aurantifascia* L.B.Prout,1921
Range (in code): **TZ**
- 46372. *Pitthea neavei neavei* L.B.Prout,1915** (Geometridae) **Synonym(s):** *neavei* L.B.Prout,1915
Range (in code): **ZA Mal Tva Lpo Spb Lj Hgl MW** **Bionomy:** Larva on *Clausena anisata* (Rutaceae) (Staude,1999).
- 46373. *Pitthea perspicua* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *perspicua* Linnaeus,1758; *cryptochroma* Walker,1869; *lynckerii* Dewitz,1881
Range (in code): **CM Bit AO CG**
- 46374. *Pitthea perspicua tamsi* Bethune-Baker,1927** (Geometridae) **Synonym(s):** *tamsi* Bethune-Baker,1927
Range (in code): **CM Bit**
- 46375. *Pitthea rubriplaga* (W.Warren,1897)** (Geometridae) **Synonym(s):** *rubriplaga* W.Warren,1897
Range (in code): **SL**
- 46376. *Pitthea sospes* L.B.Prout,1921** (Geometridae) **Synonym(s):** *sospes* L.B.Prout,1921
Range (in code): **ZM**
- 46377. *Pitthea subflaveola* Bethune-Baker,1911** (Geometridae) **Synonym(s):** *subflaveola* Bethune-Baker,1911
Range (in code): **AO**
- 46378. *Pitthea syndroma* L.B.Prout,1932** (Geometridae) **Synonym(s):** *syndroma* L.B.Prout,1932
Range (in code): **ZR**
- 46379. *Pitthea trifasciata* Dewitz,1881** (Geometridae) **Synonym(s):** *trifasciata* Dewitz,1881; *triplagiata* W.Warren,1897
Range (in code): **TZ Dss Zz**
- 46380. *Pityeja histrionaria* (Herrich-Schäffer,[1853])** (Geometridae) **Synonym(s):** *histrionaria* Herrich-Schäffer,[1853]; *bellaria* Walker,1861; *pura* W.Warren,1894; *fulvida* W.Warren,1909; *tigridata* W.Warren,1909; *magnifica* Bastelberger,1909
Range (in code): **VE PE**
- 46381. *Pityeja nazada* (Druce,1892)** (Geometridae) **Synonym(s):** *nazada* Druce,1892; *plusia* L.B.Prout,1933
Range (in code): **CU MX**

- 46382. *Pityeja ornata* Rindge, 1958** (Geometridae) **Synonym(s):** *ornata* Rindge, 1958 _ **Range (in code):** **US Arz**
- 46383. *Pityeja picta* Schaus, 1898** (Geometridae) **Synonym(s):** *picta* Schaus, 1898 _ **Range (in code):** **MX**
- 46384. *Plagodis dolabraria* (Linnaeus, 1767)** (Geometridae) **Synonym(s):** *dolabraria* Linnaeus, 1767; *ustulataria* Hufnagel, 1767; *fulvicans* Fourcroy, 1785. _ **Range (in code):** **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Quercus, Tilia (Meyer, 1919).
- 46385. *Plagodis inustaria* (Moore, 1868)** (Geometridae) **Synonym(s):** *inustaria* Moore, 1868 **Range (in code):** **IN Ben**
- 46386. *Plagodis niveivertex* Wehrli, 1938** (Geometridae) **Synonym(s):** *niveivertex* Wehrli, 1938 **Range (in code):** **CN Yu**
- 46387. *Plagodis ochraceata* Viidalepp, 1988** (Geometridae) **Synonym(s):** *ochraceata* Viidalepp, 1988 _ **Range (in code):** **TJ**
- 46388. *Plagodis ouvrardi* (Oberthür, 1911)** (Geometridae) **Synonym(s):** *ouvrardi* Oberthür, 1911 **Range (in code):** **CN Ti**
- 46389. *Plagodis porphyrea* Wehrli, 1937** (Geometridae) **Synonym(s):** *porphyrea* Wehrli, 1937 **Range (in code):** **CN Yu**
- 46390. *Plagodis propoecila* Wehrli, 1938** (Geometridae) **Synonym(s):** *propoecila* Wehrli, 1938 **Range (in code):** **CN Yu**
- 46391. *Plagodis pulveraria* (Linnaeus, 1758)** (Geometridae) **Synonym(s):** *pulveraria* Linnaeus, 1758; *diffusaria* Walker, 1862 _ **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY MN JP US Cf Ny** **Bionomy:** Larva on Betula, Lonicera, Quercus, Salix (Meyer, 1919).
- 46392. *Plagodis reticulata* W. Warren, 1893** (Geometridae) **Synonym(s):** *reticulata* W. Warren, 1893 _ **Range (in code):** **IN SI**
- 46393. *Plagodis subpurpuraria* (Leech, 1897)** (Geometridae) **Synonym(s):** *subpurpuraria* Leech, 1897 _ **Range (in code):** **CN Sz**
- 46394. *Plateoplia acrobelia* (Wallengren, 1875)** (Geometridae) **Synonym(s):** *acrobelia* Wallengren, 1875; *flavata* W. Warren, 1897; *ochriciliata* W. Warren, 1901. _ **Range (in code):** **ZA Etm ZAO7 ZAO8 Kzu Nta Wnn Mal ZA16 Mpu ZA17 ZA21 Tva Lpo Gau Pre Rtb Mpu Brb Nel Tst Nbs Spb Nyl Wy Kru Pma Dbn Nha ZA24 NWe AO SZ NA Abc Okw BW ZW Har Uma Vum Vf MZ ZM UG TZ KE** **Bionomy:** Larva on Ximenia americana (Oleaceae) (Staude, 1999).
- 46395. *Platycerota balia* (L.B. Prout, 1932)** (Geometridae) **Synonym(s):** *balia* L.B. Prout, 1932 **Range (in code):** **MY Bor**
- 46396. *Platycerota crinita* W. Warren, 1897** (Geometridae) **Synonym(s):** *crinita* W. Warren, 1897 **Range (in code):** **PH Luz**
- 46397. *Platycerota olivata* Hampson, 1902** (Geometridae) **Synonym(s):** *olivata* Hampson, 1902 **Range (in code):** **IN Tn Pln**
- 46398. *Platycerota percrinita* L.B. Prout, 1932** (Geometridae) **Synonym(s):** *percrinita* L.B. Prout, 1932 _ **Range (in code):** **MY Bor**
- 46399. *Platycerota spilotelaria* (Walker, [1863])** (Geometridae) **Synonym(s):** *spilotelaria* Walker, [1863]; *inapertaria* Walker, [1863] _ **Range (in code):** **IN**
- 46400. *Platycerota subroseata* (Walker, 1866)** (Geometridae) **Synonym(s):** *subroseata* Walker, 1866 _ **Range (in code):** **ID Crm**
- 46401. *Platycerota vitticostata* (Walker, [1863])** (Geometridae) **Synonym(s):** *vitticostata* Walker, [1863]; *infixaria* Walker, [1863] _ **Range (in code):** **IN SI Djl VE**
- 46402. *Platycerota vitticostoides* Holloway, [1994]** (Geometridae) **Synonym(s):** *vitticostoides* Holloway, [1994] _ **Range (in code):** **TH MY Bor Swk**
- 46403. *Platypepla arabella* Wiltshire, 1983** (Geometridae) **Synonym(s):** *arabella* Wiltshire, 1983 **Range (in code):** **SA YE Hd Sna**
- 46404. *Platypepla bifida* Herbulot, 1984** (Geometridae) **Synonym(s):** *bifida* Herbulot, 1984 **Range (in code):** **ET Sdm Gm ET29**
- 46405. *Platypepla bullifera* M. Krüger, 2001** (Geometridae) **Synonym(s):** *bullifera* M. Krüger, 2001 **Original Reference:** *Platypepla bullifera* Krüger, 2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 68-69, figs. 77, 770. Holotype ♂: [Kenya]: Langata/Nairobi, vi. 1961; leg. D. Minter (NMKE). **Range (in code):** **KE**

- 46406. *Platypepla curvigliadiata* M.Krüger,2001** (Geometridae) Synonym(s): *curvigliadiata* M.Krüger,2001 Original Reference: *Platypepla curvigliadiata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 81, figs.81, 544. Holotype ♂: Nigeria: Kajela, Kogin Kano Game reserve iv.1974; leg. H.Polizar (NMKE). Range (in code): NG
- 46407. *Platypepla curvigliadiata curvigliadiata* M.Krüger,2001** (Geometridae) Synonym(s): *curvigliadiata* M.Krüger,2001 Original Reference: *Platypepla curvigliadiata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 81, figs.81, 544. Holotype ♂: Nigeria: Kajela, Kogin Kano Game reserve iv.1974; leg. H.Polizar (NMKE). Range (in code): NG
- 46408. *Platypepla flava* M.Krüger,2001** (Geometridae) Synonym(s): *flava* M.Krüger,2001 Original Reference: *Platypepla flava* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 66-67, figs.73, 74, 539, 768, 976. Holotype ♂: [Namibia]: Valencia Farm, Rehoboth District, S.W.Africa, 7-17.v.1965; leg. J.H.Potgieter. Range (in code): ZA Tva Lpo Nyl NA
- 46409. *Platypepla griseobrunnea* M.Krüger,2001** (Geometridae) Synonym(s): *griseobrunnea* M.Krüger,2001 Original Reference: *Platypepla griseobrunnea* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 65, figs.71, 537, 767, 976. Holotype ♂: South Africa, [Noerthern Cape]: Nababiep, C[ape], 13.-14.viii.; leg. Vári & van Son (BMNH). Range (in code): ZA Ec Cto Fs NA
- 46410. *Platypepla jordani* M.Krüger,2001** (Geometridae) Synonym(s): *jordani* M.Krüger,2001 Original Reference: *Platypepla jordani* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 64, figs.67, 534, 974. Holotype ♂: [Namibia]: Sissekab, N.W. of Otavi, 1300m., 14.xi.1933; leg. K. Jordan (BMNH). Range (in code): NA
- 46411. *Platypepla loranthiphaga* M.Krüger,2001** (Geometridae) Synonym(s): *loranthiphaga* M.Krüger,2001 Original Reference: *Platypepla loranthiphaga* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 66, figs.72, 538, 975. Holotype ♂: [Namibia]: Abachaus, S.W. A[frica], iv.[19]44, 26.ii.44; leg. G. Hobohm. Range (in code): NA
- 46412. *Platypepla macilenta* M.Krüger,2001** (Geometridae) Synonym(s): *macilenta* M.Krüger,2001 Original Reference: *Platypepla macilenta* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 65, figs.69, 70; 536, 76, 975. Holotype ♂: [South Africa]: [Eastern Cape]: Transkei, Umtata, 24.xii.[19]89; leg. N.J.Duke. Range (in code): ZA Ec Tra Pel Nta Kzu
- 46413. *Platypepla mackayi* M.Krüger,2001** (Geometridae) Synonym(s): *mackayi* M.Krüger,2001 Original Reference: *Platypepla mackayi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69-70, figs.79, 542, 975. Holotype ♂: South Africa: [Eastren Cape]: Kirkwood, xii.1966; leg. D.MacKay (NMKE). Range (in code): ZA Ec
- 46414. *Platypepla mackayi mackayi* M.Krüger,2001** (Geometridae) Synonym(s): *mackayi* M.Krüger,2001 Original Reference: *Platypepla mackayi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69-70, figs.79, 542, 975. Holotype ♂: South Africa: [Eastren Cape]: Kirkwood, xii.1966; leg. D.MacKay (NMKE). Range (in code): ZA Ec
- 46415. *Platypepla persubtilis* M.Krüger,2001** (Geometridae) Synonym(s): *persubtilis* M.Krüger,2001 Original Reference: *Platypepla persubtilis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 67-68, figs.75, 76, 540, 769, 975. Holotype ♂: [South Africa, Transvaal]: [Mpumalanga]: Skukuza, 23.iii.1952; leg. Janse & Vári (BMNH). Range (in code): ZA Tva Mpu Ko8 Gau Rtb Nta Kzu Wnn Fs SZ ZW BW NA KE Nai
- 46416. *Platypepla pseudospurcata* M.Krüger,2001** (Geometridae) Synonym(s): *pseudospurcata* M.Krüger,2001 Original Reference: *Platypepla pseudospurcata* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 69, figs.78, 541, 976. Holotype ♂: [South Africa, KwaZulu-Natal]: Mudén, Natal, xii.1953; leg. H.Cookson (NMKE). Range (in code): ZA Nta Kzu
- 46417. *Platypepla schistopenis* M.Krüger,2001** (Geometridae) Synonym(s): *schistopenis* M.Krüger,2001 Original Reference: *Platypepla schistopenis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 70, figs.80, 543. Holotype ♂: [Kenya]: Nairobi, iv.1958; leg. R. Carcasson (NMKE). Range (in code): KE Nai
- 46418. *Platypepla schistopenis schistopenis* M.Krüger,2001** (Geometridae) Synonym(s): *schistopenis* M.Krüger,2001 Original Reference: *Platypepla schistopenis* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 70, figs.80, 543. Holotype ♂: [Kenya]: Nairobi, iv.1958; leg. R. Carcasson (NMKE). Range (in code):
- 46419. *Platypepla spurcata* (W.Warren,1897)** (Geometridae) Synonym(s): *spurcata* W.Warren,1897; *nudaria* W.Warren,1900; *deformis* W.Warren,1909. Range (in code): ZA ZA04 Ksi ZA25 Kzu Nta Dbn Wnn Tva Lpo Gau Pre ZW MZ

- 46420. Platypepla uhlenhuthi M.Krüger,2001** (Geometridae) Synonym(s): *uhlenhuthi* M.Krüger,2001 Original Reference: *Platypepla uhlenhuthi* Krüger,2001, Bull. nat. Hist. Mus. Lond. (Ent.) 70 (1): 64, figs.68, 535. Holotype ♂: [Ethiopia]: Dire Daoua, Abyssinia, iv.1936; leg. H. Uhlenhut (BMNH). Range (in code): **ET**
- 46421. Plegapteryx anomalus Herrich-Schäffer,[1856]** (Geometridae) Synonym(s): *anomalus* Herrich-Schäffer,[1856]; *partita* Holland,1893; *titia* Druce,1899; *segmentata* W.Warren,1902; *grotesca* Bryk,1913; *primoti* Viette,1954 Range (in code): **SL GA Ogo NG Caa ZA ZA07 Ksi Kzu Nta Dbn** Bionomy: Larva on Terminalia ivorensis (Combretaceae) (Scoble,1999).
- 46422. Plegapteryx anomalus viridis W.Warren,1909** (Geometridae) Synonym(s): *viridis* W.Warren,1909 Range (in code): **ZA ZA07 Ksi Kzu Nta Dbn**
- 46423. Plegapteryx hellinsi (Carcasson,1962)** (Geometridae) Synonym(s): *hellinsi* Carcasson,1962 Range (in code): **UG**
- 46424. Plegapteryx obscura Holland,1893** (Geometridae) Synonym(s): *obscura* Holland,1893 Range (in code): **GA Ogo**
- 46425. Plegapteryx peregrinus (Carcasson,1962)** (Geometridae) Synonym(s): *peregrinus* Carcasson,1962 Range (in code): **UG**
- 46426. Plegapteryx prouti (Bethune-Baker,1927)** (Geometridae) Synonym(s): *prouti* Bethune-Baker,1927 Range (in code): **CM Bit**
- 46427. Plegapteryx purpurascens Holland,1893** (Geometridae) Synonym(s): *purpurascens* Holland,1893 Range (in code): **GA Ogo**
- 46428. Plegapteryx sphingata (W.Warren,1895)** (Geometridae) Synonym(s): *sphingata* W.Warren,1895 Range (in code): **NG Caa**
- 46429. Plegapteryx subsplendens Holland,1893** (Geometridae) Synonym(s): *subsplendens* Holland,1893 Range (in code): **GA Ogo**
- 46430. Plemymia rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 nec Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. Original Reference: *Geometra rubiginata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY JP** Bionomy: Larva on Alnus glutinosa, Betula (Betulaceae); Ribes rubrum (Grossulariaceae); Malus, Prunus padus, P. spinosa (Rosaceae) (Scoble,1999).
- 46431. Plemymia rubiginata japonica Inoue,1955** (Geometridae) Synonym(s): *japonica* Inoue,1955 Range (in code): **JP**
- 46432. Plemymia rubiginata rubiginata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *bicolorata* Hufnagel,1767 nec Hufn.,1766; *rubiginata* [Denis & Schiffermüller],1775. Original Reference: *Geometra rubiginata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY JP CA BC0** Bionomy: Larva on Alnus glutinosa, Betula (Betulaceae); Ribes rubrum (Grossulariaceae); Malus, Prunus padus, P. spinosa (Rosaceae) (Scoble,1999).
- 46433. Pleogynopteryx bituminaria (Lederer,1853)** (Geometridae) Synonym(s): *bituminaria* Lederer,1853; *tenebricosa* Djakonov,1926; *amurensis* Wehrli,1929 nec Stgr.,1892; *raddensis* Wehrli,1941 Range (in code): **RU Sb Am Us At**
- 46434. Plesiomorpha flaviceps (Butler,1881)** (Geometridae) Synonym(s): *flaviceps* Butler,1881 Range (in code): **IN Ass Meg Khs JP**
- 46435. Plesiomorpha flaviceps divesilineata (W.Warren,1896)** (Geometridae) Synonym(s): *divesilineata* W.Warren,1896 Range (in code): **IN Meg Ass Khs**
- 46436. Plesiomorpha flaviceps flaviceps (Butler,1881)** (Geometridae) Synonym(s): *flaviceps* Butler,1881 Range (in code): **JP**
- 46437. Plesiomorpha punctilinearia (Leech,1891)** (Geometridae) Synonym(s): *punctilinearia* Leech,1891; *vulpecula* W.Warren,1898 Range (in code): **IN Ass Meg Khs JP** Bionomy: Larva on Ilex crenata (Aquifoliaceae) (Scoble,1999).
- 46438. Plesioscotosia pulchrata (Alpheraky,1883)** (Geometridae) Synonym(s): *pulchrata* Alpheraky,1883; *cometifera* W.Warren,1901. Original Reference: *Scotosia ? pulchrata* Alpheraky,1883, Horae Soc. ent. ross. 17: 204-206, Tab. ix fig.97. Syntypes ♂♀: [China: Uighur A.R.]: Archane 6500ft, At-Ounkure Pass 10500ft. Range (in code): **CN Ui Arc Ku Kl Ga RU Am KK Ik KG T-S**

- 46439. *Plutodes argentilauta* L.B.Prout,1929** (Geometridae) **Synonym(s):** *argentilauta* L.B.Prout,1929 **Range (in code):** **ID Mlc Bru**
- 46440. *Plutodes costatus* (Butler,1886)** (Geometridae) **Synonym(s):** *costatus* Butler,1886; *triangularis* W.Warren,1893 **Range (in code):** **IN SI Djl Nag Ass TH Cma Dst Dso8**
- 46441. *Plutodes cyclaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *cyclaria* Guenée,[1858] **Range (in code):** **TH Ntt Hba MY Bor Swk**
- 46442. *Plutodes discigera* Butler,1880** (Geometridae) **Synonym(s):** *discigera* Butler,1880 **Range (in code):** **IN**
- 46443. *Plutodes evaginata* Holloway,[1994]** (Geometridae) **Synonym(s):** *evaginata* Holloway,[1994] **Range (in code):** **TH Ntt Hba MY Bor Swk**
- 46444. *Plutodes exquisita* Butler,1880** (Geometridae) **Synonym(s):** *exquisita* Butler,1880 **Range (in code):** **TH Cma IN SI Djl**
- 46445. *Plutodes flavescens* Butler,1880** (Geometridae) **Synonym(s):** *flavescens* Butler,1880 **Range (in code):** **TH Cma IN**
- 46446. *Plutodes hermanowskii* Stüning,2005** (Geometridae) **Synonym(s):** *hermanowskii* Stüning,2005 **Range (in code):** **PH**
- 46447. *Plutodes joiceyi* L.B.Prout,1928** (Geometridae) **Synonym(s):** *joiceyi* L.B.Prout,1928 **Range (in code):** **ID Sum**
- 46448. *Plutodes korintjiensis* L.B.Prout,1929** (Geometridae) **Synonym(s):** *korintjiensis* L.B.Prout,1929 **Range (in code):** **ID Sum**
- 46449. *Plutodes lamisca* Swinhoe,1894** (Geometridae) **Synonym(s):** *lamisca* Swinhoe,1894 **Range (in code):** **IN Meg Ass Khs**
- 46450. *Plutodes magdelinae* Stüning,2010** (Geometridae) **Synonym(s):** *magdelinae* Stüning,2010 **Range (in code):** **PH Mno**
- 46451. *Plutodes malaysiana* Holloway,1982** (Geometridae) **Synonym(s):** *malaysiana* Holloway,1982 **Range (in code):** **MY TH Ntt Hba**
- 46452. *Plutodes moultoni* L.B.Prout,1923** (Geometridae) **Synonym(s):** *moultoni* L.B.Prout,1923 **Original Reference:** *Plutodes moultoni* L.B.Prout,1923, Ann. Mag. nat. Hist. (9) 11: 321. Holotype ♂: Malaysia, Selangor [illustr. in Bonner. zool. Beitr. 57 (1): 78, figs.16-18 (BMNH)]. **Range (in code):** **MY ID Sum TH Cma Int Bor VN CN Yu**
- 46453. *Plutodes philornis* L.B.Prout,1926** (Geometridae) **Synonym(s):** *philornis* L.B.Prout,1926 **Range (in code):** **IN Meg Ass Khs**
- 46454. *Plutodes pulcherrima* West,1929** (Geometridae) **Synonym(s):** *pulcherrima* West,1929 **Range (in code):** **PH Luz**
- 46455. *Plutodes subcaudata* Butler,1880** (Geometridae) **Synonym(s):** *subcaudata* Butler,1880 **Range (in code):** **IN SI Djl**
- 46456. *Plutodes thorbeni* Stüning,2010** (Geometridae) **Synonym(s):** *thorbeni* Stüning,2010 **Range (in code):** **ID Clb**
- 46457. *Plutodes transmutata* Walker,1861** (Geometridae) **Synonym(s):** *transmutata* Walker,1861; *gavisata* Walker,[1863] **Range (in code):** **IN TH Cma**
- 46458. *Plutodes unidentata* Holloway,1976** (Geometridae) **Synonym(s):** *unidentata* Holloway,1976 **Range (in code):** **MY Bor Sbh KBa**
- 46459. *Plutodes warreni* L.B.Prout,1923** (Geometridae) **Synonym(s):** *warreni* L.B.Prout,1923 **Range (in code):** **IN**
- 46460. *Poeciasthena burmensis* L.B.Prout,1926** (Geometridae) **Synonym(s):** *burmensis* L.B.Prout,1926 **Range (in code):** **MM Hta**
- 46461. *Poeciasthena dimorpha* Holloway,1979** (Geometridae) **Synonym(s):** *dimorpha* Holloway,1979 **Range (in code):** **NC**
- 46462. *Poeciasthena inhaesa* L.B.Prout,1934** (Geometridae) **Synonym(s):** *inhaesa* L.B.Prout,1934 **Range (in code):** **FJ**
- 46463. *Poeciasthena leucydra* L.B.Prout,1934** (Geometridae) **Synonym(s):** *leucydra* L.B.Prout,1934 **Range (in code):** **FJ NC**
- 46464. *Poeciasthena nubivaga* L.B.Prout,1932** (Geometridae) **Synonym(s):** *nubivaga* L.B.Prout,1932 **Range (in code):** **MY Bor**
- 46465. *Poeciasthena prouti* West,1929** (Geometridae) **Synonym(s):** *prouti* West,1929 **Range (in code):** **PH Luz**

- 46466. Poeciasthena pulchraria (Doubleday,1843)** (Geometridae) Synonym(s): *pulchraria* Doubleday,1843; *ondinata* Guenée,[1858]; *plurilineata* Walker,1861; *decolor* Turner,1904 _ Range (in code): **NZ TA AU**
- 46467. Pogonopygia nigralbata W.Warren,1897** (Geometridae) Synonym(s): *nigralbata* W.Warren,1897; *conspicuaris* Leech,1897 _ Range (in code): **JP CN IN Meg Ass Khs MY Sgo**
- 46468. Pogonopygia nigralbata attenuata W.Warren,1897** (Geometridae) Synonym(s): *attenuata* W.Warren,1897 _ Range (in code): **MY Sgo**
- 46469. Pogonopygia nigralbata nigralbata W.Warren,1897** (Geometridae) Synonym(s): *nigralbata* W.Warren,1897; *conspicuaris* Leech,1897 _ Range (in code): **JP CN IN Ass Khs Meg**
- 46470. Pogonopygia pavida (Bastelberger,1911)** (Geometridae) Synonym(s): *pavida* Bastelberger,1911 _ Range (in code): **JP Ri TW TH MY Bor Sbh ID Sum**
- 46471. Pogonopygia pavida baria (L.B.Prout,1932)** (Geometridae) Synonym(s): *baria* L.B.Prout,1932 _ Range (in code): **MY Bor Sbh**
- 46472. Pogonopygia pavida contaminata (Inoue,1971)** (Geometridae) Synonym(s): *contaminata* Inoue,1971 _ Range (in code): **JP Ri**
- 46473. Pogonopygia pavida pavida (Bastelberger,1911)** (Geometridae) Synonym(s): *pavida* Bastelberger,1911 _ Range (in code): **TW**
- 46474. Pogonopygia pavida xanthura (L.B.Prout,1928)** (Geometridae) Synonym(s): *xanthura* L.B.Prout,1928 _ Range (in code): **TH ID Sum**
- 46475. Polyacme dentata W.Warren,1896** (Geometridae) Synonym(s): *dentata* W.Warren,1896 _ Range (in code): **NC**
- 46476. Polymixinia appositaria (Leech,1891)** (Geometridae) Synonym(s): *appositaria* Leech,1891; *koreana* Alpheraky,1897 _ Range (in code): **KP KR** Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Scoble,1999).
- 46477. Polymixinia lidjangina (Wehrli,1943)** (Geometridae) Synonym(s): *lidjangina* Wehrli,1943 _ Range (in code): **CN Yu Lik Sz T-T**
- 46478. Polymixinia lidjangina lidjangina (Wehrli,1943)** (Geometridae) Synonym(s): *lidjangina* Wehrli,1943 _ Range (in code): **CN Yu Lik**
- 46479. Polymixinia lidjangina muhabbet Koçak,2007** (Geometridae) Synonym(s): *decoloraria* Leech,1897 *nec* Alph.1889; *muhabbet* Koçak,2007 Original Reference: *Polymixinia lidjangina* ssp. *muhabbet* Koçak,2007, Cent. ent. Stud., Misc. Pap. 136: 2 (nomen novum pro *decoloraria* Leech,1897 *nec* Alph.1889). Syntypes: China: central and western provinces (BMNH). Range (in code): **CN Sz T-T**
- 46480. Polynesia curtibia L.B.Prout,1922** (Geometridae) Synonym(s): *curtibia* L.B.Prout,1922 _ Range (in code): **IN Meg Ass Khs TH MY Bor Sbh**
- 46481. Polynesia sunandava (Walker,1861)** (Geometridae) Synonym(s): *sunandava* Walker,1861; *aeriferata* Walker,[1863] _ Range (in code): **LK IN MY ID CN PG**
- 46482. Polynesia truncapex Swinhoe,1892** (Geometridae) Synonym(s): *truncapex* Swinhoe,1892 _ Range (in code): **IN Meg Ass Khs CN MY ID**
- 46483. Polyscia ochrilinea W.Warren,1896** (Geometridae) Synonym(s): *ochrilinea* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs**
- 46484. Polyscia viridisporca L.B.Prout,1927** (Geometridae) Synonym(s): *viridisporca* L.B.Prout,1927 _ Range (in code): **MY Bor Swk TH**
- 46485. Polystroma adumbrata (Kollar,[1844])** (Geometridae) Synonym(s): *adumbrata* Kollar,[1844]; *fuscigrisea* Hampson,1895 _ Range (in code): **IN Hp Sml Mus**
- 46486. Polystroma steelae (L.B.Prout,1934)** (Geometridae) Synonym(s): *steelae* L.B.Prout,1934 Original Reference: *Xanthorhoe steelae* L.B.Prout,1934, Novit. zool. 39: 107. Holotype ♂: [Sudan]: Darfur, Djebel Murra, Deriba lakes, 8000ft. (BMNH). Range (in code): **SD YE Sna**
- 46487. Polystroma subspissata W.Warren,1897** (Geometridae) Synonym(s): *subspissata* W.Warren,1897; *brunneitrimes* L.B.Prout,1916 _ Range (in code): **ZA ZA10 ZA11 ZA12 ZA13 Nta Kzu** Bionomy: Larva on *Crotalaria capensis* (Fabaceae) (Scoble,1999).
- 46488. Polythrena coloraria (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *coloraria* Herrich-Schäffer,1855; *melanicretata* Lederer,1855 _ Range (in code): **RU**
- 46489. Pomasia denticlathrata W.Warren,1893** (Geometridae) Synonym(s): *denticlathrata* W.Warren,1893 _ Range (in code): **IN Ass Nag**

- 46490. *Pomasia euryopis* Meyrick, 1897** (Geometridae) Synonym(s): *euryopis* Meyrick, 1897
Range (in code): ID Bor Klt
- 46491. *Pomasia galastis* Meyrick, 1897** (Geometridae) Synonym(s): *galastis* Meyrick, 1897
Range (in code): ID Bor Klt
- 46492. *Pomasia lacunaria* Holloway, 1997** (Geometridae) Synonym(s): *lacunaria* Holloway, 1997
Range (in code): MY Bor Swk
- 46493. *Pomasia lamunin* Holloway, 1997** (Geometridae) Synonym(s): *lamunin* Holloway, 1997
Range (in code): MY BN Bor
- 46494. *Pomasia luteata* Holloway, 1997** (Geometridae) Synonym(s): *luteata* Holloway, 1997
Range (in code): MY Bor Swk
- 46495. *Pomasia nuriae* Holloway, 1997** (Geometridae) Synonym(s): *nuriae* Holloway, 1997
Range (in code): MY Bor Swk
- 46496. *Pomasia oblitterata* (Walker, 1866)** (Geometridae) Synonym(s): *oblitterata* Walker, 1866;
conferta Swinhoe, 1902 Range (in code): MY Bor ID Klt
- 46497. *Pomasia parerga* L.B.Prout, 1941** (Geometridae) Synonym(s): *parerga* L.B.Prout, 1941
Range (in code): IN Meg Ass Khs
- 46498. *Pomasia psylaria* Guenée, [1858]** (Geometridae) Synonym(s): *psylaria* Guenée, [1858]
Range (in code): LK
- 46499. *Pomasia reticulata* Hampson, 1895** (Geometridae) Synonym(s): *reticulata* Hampson, 1895
Original Reference: *Pomasia reticulata* Hampson, 1895, Fauna Br. India (Moths) 3: 387. Syntypes
♀♀: [Myanmar]: Mergui, leg. Doherty (coll. Druce) (BMNH). Range (in code): MM Mrg
- 46500. *Pomasia salutaris* L.B.Prout, 1929** (Geometridae) Synonym(s): *salutaris* L.B.Prout, 1929
Range (in code): ID Sum
- 46501. *Pomasia vernacularia* Guenée, [1858]** (Geometridae) Synonym(s): *vernacularia*
Guenée, [1858] Range (in code): MY Bor Swk
- 46502. *Povilasia kashghara* (Moore, 1878)** (Geometridae) Synonym(s): *kashghara* Moore, 1878
Original Reference: Thera kashghara Moore, 1878, Ann. Mag. nat. Hist. (5) 1: 236. Type(s):
[China: Uighur A.R.]: Yarkund, Chiklik, 14480ft (BMNH). Range (in code): CN Ui Ga Yk
- 46503. *Praegnophosema dryepes* (L.B.Prout, 1938)** (Geometridae) Synonym(s): *dryepes*
L.B.Prout, 1938 Range (in code): Ch PK Pj
- 46504. *Prasinocyma acutipennis* Wiltshire, 1994** (Geometridae) Synonym(s): *acutipennis*
Wiltshire, 1994 Range (in code): SA SA74
- 46505. *Prasinocyma aetheraea* (Debauche, 1937)** (Geometridae) Synonym(s): *aetheraea*
Debauche, 1937 Original Reference: Hemistola ? aetheraea Debauche, 1937, Ann. Mag. nat. Hist.
(10) 20: 327, pl. 7 fig. 4. Holotype ♀: [Ethiopia]: Abyssinia: Addis Ababa, 8000ft (BMNH). Range
(in code): ET ET09 Sw
- 46506. *Prasinocyma aff. ocytera* (Meyrick, 1888)** (Geometridae) Synonym(s): *ocytera*
Meyrick, 1888 Range (in code): NC
- 46507. *Prasinocyma albicosta* (Walker, 1861)** (Geometridae) Synonym(s): *albicosta* Walker, 1861
Range (in code): LO NC AU QAU
- 46508. *Prasinocyma albicosta rufitincta* W.Warren, 1897** (Geometridae) Synonym(s):
rufitincta W.Warren, 1897 Original Reference: *Prasinocyma rufitincta* W.Warren, 1897, Novit.
zool. 4: 44. Type(s): Loyalty Is.: Lifu. Range (in code): LO NC
- 46509. *Prasinocyma albisticta* (W.Warren, 1901)** (Geometridae) Synonym(s): *albisticta*
W.Warren, 1901 Range (in code): ZW Har CI UG
- 46510. *Prasinocyma albivenata* Herbulot, 1983** (Geometridae) Synonym(s): *albivenata*
Herbulot, 1983 Range (in code): ET ET86
- 46511. *Prasinocyma angolica* L.B.Prout, 1930** (Geometridae) Synonym(s): *angolica*
L.B.Prout, 1930 Range (in code): AO
- 46512. *Prasinocyma arabica* Wiltshire, 1982** (Geometridae) Synonym(s): *arabica* Wiltshire, 1982
Range (in code): SA As YE YE30
- 46513. *Prasinocyma bamenda* Herbulot, 1982** (Geometridae) Synonym(s): *bamenda*
Herbulot, 1982 Range (in code): CM
- 46514. *Prasinocyma batesi* L.B.Prout, 1930** (Geometridae) Synonym(s): *batesi* L.B.Prout, 1930
Range (in code): CM

- 46515. *Prasinocyma bifimbriata* L.B.Prout,1912** (Geometridae) **Synonym(s):** *bifimbriata* L.B.Prout,1912 **_ Range (in code):** **ZA Tva ZA07 Kzu ZA14 Nta ZA16 Mpu Tst ET** **Bionomy:** Larva on *Acacia nilotica* (Fabaceae) (Scoble,1999).
- 46516. *Prasinocyma bilobata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *bilobata* D.S.Fletcher,1958 **_ Range (in code):** **ZA Tva ZA14 Mpu MW**
- 46517. *Prasinocyma caecata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *caecata* D.S.Fletcher,1958 **_ Range (in code):** **UG Rz**
- 46518. *Prasinocyma candida* L.B.Prout,1923** (Geometridae) **Synonym(s):** *candida* L.B.Prout,1923 **_ Range (in code):** **MG**
- 46519. *Prasinocyma cellularia* (Guenée,1862)** (Geometridae) **Synonym(s):** *cellularia* Guenée,1862 **_ Range (in code):** **RE**
- 46520. *Prasinocyma centralis* L.B.Prout,1915** (Geometridae) **Synonym(s):** *centralis* L.B.Prout,1915 **_ Range (in code):** **UG Rz**
- 46521. *Prasinocyma chloroprosopa* L.B.Prout,1913** (Geometridae) **Synonym(s):** *chloroprosopa* L.B.Prout,1913 **_ Range (in code):** **ZA Tva Gau Jh Fs Wca Cto Ste**
- 46522. *Prasinocyma congrua* (Walker,1869)** (Geometridae) **Synonym(s):** *congrua* Walker,1869 **_ Range (in code):** **CG**
- 46523. *Prasinocyma corrugata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *corrugata* D.S.Fletcher,1958 **_ Range (in code):** **KE**
- 46524. *Prasinocyma crenulata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *crenulata* D.S.Fletcher,1958 **_ Range (in code):** **UG Rz**
- 46525. *Prasinocyma croca* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *croca* D.S.Fletcher,1978 **_ Range (in code):** **TZ**
- 46526. *Prasinocyma delicataria* (Möschler,1887)** (Geometridae) **Synonym(s):** *delicataria* Möschler,1887 **_ Range (in code):** **GH**
- 46527. *Prasinocyma differens* (W.Warren,1902)** (Geometridae) **Synonym(s):** *differens* W.Warren,1902 **_ Range (in code):** **KE**
- 46528. *Prasinocyma dohertyi* W.Warren,1903** (Geometridae) **Synonym(s):** *dohertyi* W.Warren,1903 **_ Range (in code):** **KE**
- 46529. *Prasinocyma dorsipunctata* W.Warren,1911** (Geometridae) **Synonym(s):** *dorsipunctata* W.Warren,1911 **_ Range (in code):** **ZA ZA05 ZA08 Kzu Nta Ptw Tva Mpu Tst**
- 46530. *Prasinocyma edwardsi* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *edwardsi* D.S.Fletcher,1958 **_ Range (in code):** **KE Elg**
- 46531. *Prasinocyma eremica* Wiltshire,1980** (Geometridae) **Synonym(s):** *eremica* Wiltshire,1980 **_ Range (in code):** **SA**
- 46532. *Prasinocyma furcata* D.S.Fletcher,1963** (Geometridae) **Synonym(s):** *furcata* D.S.Fletcher,1963 **_ Range (in code):** **TZ**
- 46533. *Prasinocyma gajdacsii* L.B.Prout,1930** (Geometridae) **Synonym(s):** *gajdacsii* L.B.Prout,1930 **_ Range (in code):** **ET ET09**
- 46534. *Prasinocyma geminata* L.B.Prout,1913** (Geometridae) **Synonym(s):** *geminata* L.B.Prout,1913 **_ Range (in code):** **KE Nai**
- 46535. *Prasinocyma gemmatimargo* L.B.Prout,1915** (Geometridae) **Synonym(s):** *gemmatimargo* L.B.Prout,1915 **_ Range (in code):** **CM Bit ZR**
- 46536. *Prasinocyma gemmatimargo prouti* Debauche,1941** (Geometridae) **Synonym(s):** *prouti* Debauche,1941 **_ Range (in code):** **ZR**
- 46537. *Prasinocyma germinaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *germinaria* Guenée,[1858] **_ Range (in code):** **ZA ZA16 Mpu ZA17 Tva Lpo ZA25 Nta Kzu Hwk ET NG UG** **Bionomy:** Larva on *Rhus pyroides* (Anacardiaceae) (Staude,1999).
- 46538. *Prasinocyma hadrata* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *hadrata* R.Felder & Rogenhofer,1875 **_ Range (in code):** **ZA Wca Kny**
- 46539. *Prasinocyma hailei* Debauche,1937** (Geometridae) **Synonym(s):** *hailei* Debauche,1937 **Original Reference:** *Prasinocyma hailei* Debauche,1937, Ann. Mag. nat. Hist. (10) 20: 323, pl.7 fig.5. Holotype ♂: [Ethiopia]: Abyssinia: Addis Ababa, 8000ft (BMNH). **_ Range (in code):** **ET ET09**
- 46540. *Prasinocyma hiaraka* Viette,1981** (Geometridae) **Synonym(s):** *hiaraka* Viette,1981 **_ Range (in code):** **MG**

- 46541. *Prasinocyma ibandana* Debauche, 1941** (Geometridae) **Synonym(s):** *ibandana* Debauche, 1941 **Range (in code):** **ZR Kvu**
- 46542. *Prasinocyma idiotica* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *idiotica* L.B.Prout, 1930 **Range (in code):** **ZR Kvu**
- 46543. *Prasinocyma immaculata* (Thunberg, 1784)** (Geometridae) **Synonym(s):** *immaculata* Thunberg, 1784; *scissaria* R.Felder & Rogenhofer, 1875 **Range (in code):** **ZA ZA08 ZA12 ZA13 ZA14 Mpu ZA18 Ec Tva Lpo Spb Bbg Mdk Wp ZA25 ZA27 Kzu Nta Wca Ste Umk Nha Ver Nkw Brb Wv Gau Pre Jh Wm Grh UG Rz** **Bionomy:** Larva on *Rhus dentata* (Anacardiaceae) (Staudte, 1999).
- 46544. *Prasinocyma immaculata degenerata* L.B.Prout, 1913** (Geometridae) **Synonym(s):** *degenerata* L.B.Prout, 1913 **Range (in code):** **UG Rz**
- 46545. *Prasinocyma inconspicuata* D.S.Fletcher, 1958** (Geometridae) **Synonym(s):** *inconspicuata* D.S.Fletcher, 1958 **Range (in code):** **UG Rz**
- 46546. *Prasinocyma inornata* D.S.Fletcher, 1958** (Geometridae) **Synonym(s):** *inornata* D.S.Fletcher, 1958 **Range (in code):** **UG Rz**
- 46547. *Prasinocyma inversicaulis* L.B.Prout, 1913** (Geometridae) **Synonym(s):** *inversicaulis* L.B.Prout, 1913 **Range (in code):** **ZA ZA08 ZA12 Kzu Nta ZA14 Mpu Pt看 ZA18 Ec Tva Lpo Spb Bbg Gau Pre**
- 46548. *Prasinocyma jefferyi* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *jefferyi* L.B.Prout, 1930 **Range (in code):** **KE**
- 46549. *Prasinocyma leucocycla* Herbulot, 1982** (Geometridae) **Synonym(s):** *leucocycla* Herbulot, 1982 **Range (in code):** **RW**
- 46550. *Prasinocyma leucophracta* L.B.Prout, 1932** (Geometridae) **Synonym(s):** *leucophracta* L.B.Prout, 1932 **Range (in code):** **KE**
- 46551. *Prasinocyma leucopis* L.B.Prout, 1922** (Geometridae) **Synonym(s):** *leucopis* L.B.Prout, 1922 **Range (in code):** **MW Zom TZ Kmj**
- 46552. *Prasinocyma leucopis exilior* D.S.Fletcher, 1958** (Geometridae) **Synonym(s):** *exilior* D.S.Fletcher, 1958 **Range (in code):** **TZ Kmj**
- 46553. *Prasinocyma lindemanna* D.S.Fletcher, 1958** (Geometridae) **Synonym(s):** *lindemanna* D.S.Fletcher, 1958 **Range (in code):** **TZ Kmj**
- 46554. *Prasinocyma loveridgei* L.B.Prout, 1926** (Geometridae) **Synonym(s):** *loveridgei* L.B.Prout, 1926 **Range (in code):** **TZ**
- 46555. *Prasinocyma megacydes* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *megacydes* L.B.Prout, 1930 **Range (in code):** **ZR Kvu**
- 46556. *Prasinocyma melanostigma* Herbulot, 1996** (Geometridae) **Synonym(s):** *melanostigma* Herbulot, 1996 **Range (in code):** **RW**
- 46557. *Prasinocyma nandiensis* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *nandiensis* L.B.Prout, 1930 **Range (in code):** **UG**
- 46558. *Prasinocyma neavei* L.B.Prout, 1912** (Geometridae) **Synonym(s):** *neavei* L.B.Prout, 1912 **Range (in code):** **MW**
- 46559. *Prasinocyma neglecta* L.B.Prout, 1921** (Geometridae) **Synonym(s):** *neglecta* L.B.Prout, 1921 **Range (in code):** **ZA TZ**
- 46560. *Prasinocyma nigrimacula* L.B.Prout, 1915** (Geometridae) **Synonym(s):** *nigrimacula* L.B.Prout, 1915 **Range (in code):** **UG Etb**
- 46561. *Prasinocyma nigripunctata* (W.Warren, 1897)** (Geometridae) **Synonym(s):** *nigripunctata* W.Warren, 1897 **Range (in code):** **CM**
- 46562. *Prasinocyma niphobola* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *niphobola* L.B.Prout, 1930 **Range (in code):** **ZR Kvu**
- 46563. *Prasinocyma niphosporas* L.B.Prout, 1930** (Geometridae) **Synonym(s):** *niphosporas* L.B.Prout, 1930 **Range (in code):** **ZR Kvu**
- 46564. *Prasinocyma niveisticta* L.B.Prout, 1912** (Geometridae) **Synonym(s):** *niveisticta* L.B.Prout, 1912 **Range (in code):** **ZA ZA06 ZA08 Ksi Nta Kzu Dbn CI GH**
- 46565. *Prasinocyma niveisticta adornata* L.B.Prout, 1915** (Geometridae) **Synonym(s):** *adornata* L.B.Prout, 1915 **Range (in code):** **GH**
- 46566. *Prasinocyma oblita* L.B.Prout, 1915** (Geometridae) **Synonym(s):** *oblita* L.B.Prout, 1915 **Range (in code):** **CI**
- 46567. *Prasinocyma oculata* L.B.Prout, 1915** (Geometridae) **Synonym(s):** *oculata* L.B.Prout, 1915 **Range (in code):** **UG ZA ZA04 ZA05 ZA07 Ksi ZA25 ZA27 Nta Kzu**

- 46568. *Prasinocyma pallidulata* (Mabille,1880)** (Geometridae) Synonym(s): *pallidulata* Mabille,1880 _ Range (in code): MG
- 46569. *Prasinocyma panchlora* L.B.Prout,1913** (Geometridae) Synonym(s): *panchlora* L.B.Prout,1913 _ Original Reference: Prasinocyma panchlora L.B.Prout,1913, Novit. zool. 20: 420. Type ♂: [South Africa]: Simonstown, Cape Colony (BMNH). Range (in code): ZA ZA12 Nta Kzu ZA14 Mpu Mal ZA17 ZA18 Ec Ggh Fs ZA28 Tva Lpo Wca Cto
- 46570. *Prasinocyma pavlitzkiae* D.S.Fletcher,1958** (Geometridae) Synonym(s): *pavlitzkiae* D.S.Fletcher,1958 _ Range (in code): TZ Tnga Usa
- 46571. *Prasinocyma pedicata* D.S.Fletcher,1956** (Geometridae) Synonym(s): *pedicata* D.S.Fletcher,1956 _ Range (in code): CI
- 46572. *Prasinocyma perineti* Viette,1981** (Geometridae) Synonym(s): *perineti* Viette,1981 _ Range (in code): MG
- 46573. *Prasinocyma peristicta* West,1930** (Geometridae) Synonym(s): *peristicta* West,1930 _ Range (in code): PH Pal
- 46574. *Prasinocyma permagna* Herbulot,1982** (Geometridae) Synonym(s): *permagna* Herbulot,1982 _ Range (in code): CM
- 46575. *Prasinocyma permitis* L.B.Prout,1932** (Geometridae) Synonym(s): *permitis* L.B.Prout,1932 _ Range (in code): TZ Kmj
- 46576. *Prasinocyma perpulverata* L.B.Prout,1916** (Geometridae) Synonym(s): *perpulverata* L.B.Prout,1916 _ Range (in code): SO
- 46577. *Prasinocyma pictifimbria* W.Warren,1904** (Geometridae) Synonym(s): *pictifimbria* W.Warren,1904 _ Range (in code): ZA Mal Tva Lpo CG
- 46578. *Prasinocyma pulchraria* Swinhoe,1904** (Geometridae) Synonym(s): *pulchraria* Swinhoe,1904 _ Range (in code): ZA Tva TZ KE
- 46579. *Prasinocyma pumilata* D.S.Fletcher,1956** (Geometridae) Synonym(s): *pumilata* D.S.Fletcher,1956 _ Range (in code): KE
- 46580. *Prasinocyma pupillata* (W.Warren,1902)** (Geometridae) Synonym(s): *pupillata* W.Warren,1902 _ Range (in code): ZA Nta Kzu Esw KE
- 46581. *Prasinocyma rhodocycla* L.B.Prout,1917** (Geometridae) Synonym(s): *rhodocycla* L.B.Prout,1917 _ Range (in code): CI
- 46582. *Prasinocyma rubrimacula* (W.Warren,1899)** (Geometridae) Synonym(s): *rubrimacula* W.Warren,1899 _ Range (in code): UG
- 46583. *Prasinocyma rugistrigula* L.B.Prout,1912** (Geometridae) Synonym(s): *rugistrigula* L.B.Prout,1912 _ Range (in code): GH
- 46584. *Prasinocyma salutaria* (Swinhoe,1904)** (Geometridae) Synonym(s): *salutaria* Swinhoe,1904 _ Range (in code): ZA Etm ZA04 Nta Kzu UG
- 46585. *Prasinocyma sanguinicosta* L.B.Prout,1912** (Geometridae) Synonym(s): *sanguinicosta* L.B.Prout,1912 _ Range (in code): SD
- 46586. *Prasinocyma semicineta* Herbulot,1982** (Geometridae) Synonym(s): *semicineta* Herbulot,1982 _ Range (in code): RW
- 46587. *Prasinocyma shoa* Herbulot,1993** (Geometridae) Synonym(s): *shoa* Herbulot,1993 _ Original Reference: Prasinocyma shoa Herbulot,1993, Bull. Soc. ent. Mulhouse 1993: 50. Holotype ♂: Ethiopia: Debre Zeit,1800m (coll.Herbulot). Range (in code): ET
- 46588. *Prasinocyma simiaria* (Guenée,[1858])** (Geometridae) Synonym(s): *simiaria* Guenée,[1858] _ Range (in code): SN
- 46589. *Prasinocyma simplicata* D.S.Fletcher,1958** (Geometridae) Synonym(s): *simplicata* D.S.Fletcher,1958 _ Range (in code): UG Kzi
- 46590. *Prasinocyma stictimargo* (W.Warren,1902)** (Geometridae) Synonym(s): *stictimargo* W.Warren,1902 _ Range (in code): KE Kky
- 46591. *Prasinocyma stictoloma* L.B.Prout,1928** (Geometridae) Synonym(s): *stictoloma* L.B.Prout,1928 _ Range (in code): UG Etb
- 46592. *Prasinocyma tandi* Bethune-Baker,1913** (Geometridae) Synonym(s): *tandi* Bethune-Baker,1913 _ Range (in code): AO
- 46593. *Prasinocyma tetracosmia* L.B.Prout,1930** (Geometridae) Synonym(s): *tetracosmia* L.B.Prout,1930 _ Range (in code): ZR Kvu
- 46594. *Prasinocyma thiaucourti* Herbulot,1993** (Geometridae) Synonym(s): *thiaucourti* Herbulot,1993 _ Original Reference: Prasinocyma thiaucourti Herbulot,1993, Bull. Soc. ent.

- Mulhouse 1993: 50. Holotype ♂: Ethiopia: Debre Zeit, 1800m (coll. Herbulot). Range (in code): ET
- 46595. *Prasinocyma transita* L.B. Prout, 1930** (Geometridae) Synonym(s): *transita* L.B. Prout, 1930 Range (in code): ZR Kvu
- 46596. *Prasinocyma transquilla* L.B. Prout, 1917** (Geometridae) Synonym(s): *transquilla* L.B. Prout, 1917 Range (in code): ET ET87 Hrr
- 46597. *Prasinocyma triangulata* D.S. Fletcher, 1958** (Geometridae) Synonym(s): *triangulata* D.S. Fletcher, 1958 Range (in code): ZA Mal Tva Lpo UG Rz
- 46598. *Prasinocyma triangulata* D.S. Fletcher, 1958** (Geometridae) Synonym(s): *triangulata* D.S. Fletcher, 1958 Range (in code): UG Rz
- 46599. *Prasinocyma tricolorifrons* (L.B. Prout, 1913)** (Geometridae) Synonym(s): *tricolorifrons* L.B. Prout, 1913 Range (in code): KE
- 46600. *Prasinocyma trifilifimbria* L.B. Prout, 1915** (Geometridae) Synonym(s): *trifilifimbria* L.B. Prout, 1915 Range (in code): KE CM Bit
- 46601. *Prasinocyma trifilifimbria uniformata* D.S. Fletcher, 1958** (Geometridae) Synonym(s): *uniformata* D.S. Fletcher, 1958 Range (in code): KE
- 46602. *Prasinocyma triglena* L.B. Prout, 1930** (Geometridae) Synonym(s): *triglena* L.B. Prout, 1930 Range (in code): TZ Usa
- 46603. *Prasinocyma turlini* Herbulot, 1982** (Geometridae) Synonym(s): *turlini* Herbulot, 1982 Range (in code): RW
- 46604. *Prasinocyma unipuncta* W. Warren, 1897** (Geometridae) Synonym(s): *unipuncta* W. Warren, 1897 Range (in code): ZA Nta Kzu Wnn
- 46605. *Prasinocyma vermicularia* (Guenée, [1858])** (Geometridae) Synonym(s): *vermicularia* Guenée, [1858]; *dilucida* Walker, 1861 Range (in code): ZA ZA06 Ksi Nta Kzu Bionomy: Larva on *Schinus molle* (Anacardiaceae), *Ricinus communis* (Euphorbiaceae) (Scoble, 1999).
- 46606. *Probithia exclusa* (Walker, 1860)** (Geometridae) Synonym(s): *exclusa* Walker, 1860; *praetereuns* Walker, 1860; *frenata* R. Felder & Rogenhofer, [1875]; *lignaria* Walker, 1866 Range (in code): TH Ntt Hba ID Mlc Ja LK IN
- 46607. *Probithia imprimata* (Walker, 1861)** (Geometridae) Synonym(s): *imprimata* Walker, 1861 Range (in code): MY Bor Swk TH
- 46608. *Probithia obstataria* (Walker, 1861)** (Geometridae) Synonym(s): *obstataria* Walker, 1861; *turpis* W. Warren, 1897 Range (in code): LK ID Bli
- 46609. *Probithia perichila* (L.B. Prout, 1929)** (Geometridae) Synonym(s): *perichila* L.B. Prout, 1929 Range (in code): ID Mlc Bru
- 46610. *Probithia sesquilinea* (L.B. Prout, 1930)** (Geometridae) Synonym(s): *sesquilinea* L.B. Prout, 1930 Range (in code): FJ
- 46611. *Probithia subferruginea* Bastelberger, 1907** (Geometridae) Synonym(s): *subferruginea* Bastelberger, 1907 Range (in code): TZ Usa
- 46612. *Problepsis achlyobathra* L.B. Prout, 1928** (Geometridae) Synonym(s): *achlyobathra* L.B. Prout, 1928 Range (in code): ID Sum Ja Clb
- 46613. *Problepsis aegretta* R. Felder & Rogenhofer, 1875** (Geometridae) Synonym(s): *aegretta* R. Felder & Rogenhofer, 1875 Range (in code): ZA Tva Etm ZA04 ZA05 ZA07 Ksi Nta Kzu ZA14 Mpu Wca Cto UG KE Bionomy: Larva on *Ligustrum lucidum* (Oleaceae) (Scoble, 1999).
- 46614. *Problepsis apollinaria* (Guenée, [1858])** (Geometridae) Synonym(s): *apollinaria* Guenée, [1858] Range (in code): MY Bor PG Bsm IN ID Kai PH Luz TH
- 46615. *Problepsis apollinaria aphyllacta* L.B. Prout, 1938** (Geometridae) Synonym(s): *aphyllacta* L.B. Prout, 1938 Range (in code): PG Bsm
- 46616. *Problepsis apollinaria apollinaria* (Guenée, [1858])** (Geometridae) Synonym(s): *apollinaria* Guenée, [1858] Range (in code): MY Bor
- 46617. *Problepsis apollinaria candidior* L.B. Prout, 1917** (Geometridae) Synonym(s): *candidior* L.B. Prout, 1917 Range (in code): IN
- 46618. *Problepsis apollinaria deparcata* L.B. Prout, 1925** (Geometridae) Synonym(s): *deparcata* L.B. Prout, 1925 Range (in code): PG Bsm
- 46619. *Problepsis apollinaria hemicyclata* W. Warren, 1897** (Geometridae) Synonym(s): *hemicyclata* W. Warren, 1897 Range (in code): ID Kai
- 46620. *Problepsis apollinaria wilemani* West, 1930** (Geometridae) Synonym(s): *wilemani* West, 1930 Range (in code): PH Luz

- 46621. *Problepsis asira* Wiltshire,1982** (Geometridae) **Synonym(s):** *asira* Wiltshire,1982
Range (in code): SA As YE YE30
- 46622. *Problepsis conjunctiva* W.Warren,1893** (Geometridae) **Synonym(s):** *conjunctiva* W.Warren,1893
Range (in code): IN SI CN Hn ID Kai Ij
- 46623. *Problepsis conjunctiva conjunctiva* W.Warren,1893** (Geometridae) **Synonym(s):** *conjunctiva* W.Warren,1893
Range (in code): IN SI
- 46624. *Problepsis conjunctiva subconjunctiva* L.B.Prout,1917** (Geometridae) **Synonym(s):** *subconjunctiva* L.B.Prout,1917
Range (in code): CN Hn
- 46625. *Problepsis crassinotata* L.B.Prout,1917** (Geometridae) **Synonym(s):** *crassinotata* L.B.Prout,1917
Range (in code): IN Meg Ass Khs
- 46626. *Problepsis deliaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *deliaria* Guenée,[1858]
Range (in code): LK
- 46627. *Problepsis delphiaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *delphiaria* Guenée,[1858]
Range (in code): MY SG Pen IN MM TH ID Sum Bor
- 46628. *Problepsis delphiaria auriculifera* W.Warren,1897** (Geometridae) **Synonym(s):** *auriculifera* W.Warren,1897; *argentsquama* W.Warren,1899
Range (in code): MY SG Pen IN MM TH ID Sum Bor
- 46629. *Problepsis delphiaria delphiaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *delphiaria* Guenée,[1858]
Range (in code): IN
- 46630. *Problepsis digammata* Kirby,1896** (Geometridae) **Synonym(s):** *digammata* Kirby,1896; *digammata* W.Warren,1897
Range (in code): ZA Nta Kzu Dbn SL KE UG
- 46631. *Problepsis erythra* Wiltshire,1982** (Geometridae) **Synonym(s):** *erythra* Wiltshire,1982
Range (in code): ER
- 46632. *Problepsis flavistigma* Swinhoe,1904** (Geometridae) **Synonym(s):** *flavistigma* Swinhoe,1904
Range (in code): SL KE
- 46633. *Problepsis flavistigma dilatistigma* L.B.Prout,1917** (Geometridae) **Synonym(s):** *dilatistigma* L.B.Prout,1917
Range (in code): KE
- 46634. *Problepsis herbuloti* Viette,1968** (Geometridae) **Synonym(s):** *herbuloti* Viette,1968
Range (in code): MG
- 46635. *Problepsis latonaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *latonaria* Guenée,[1858]
Range (in code): ZA Tva Etm ZA05 Kzu ZA14 ZA20 Mpu
- 46636. *Problepsis longipennis* L.B.Prout,1917** (Geometridae) **Synonym(s):** *longipennis* L.B.Prout,1917
Range (in code): IN Meg Ass Khs
- 46637. *Problepsis neumanni* L.B.Prout,1932** (Geometridae) **Synonym(s):** *neumanni* L.B.Prout,1932
Range (in code): ET
- 46638. *Problepsis ocellata* (Frivaldszky,1845)** (Geometridae) **Synonym(s):** *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
Original Reference: Caloptera ocellata Frivaldszky,1845, Evr. Kiral. Magy. Term. Tars. 1: 185, pl.3 fig.1. Syntypes: Greece: Crete, [Turkey]: Smyrna [İzmir]. **Range (in code):** TR GR Cr CY LB Bei IL Pa Js Tbs PK Cp Pj Swa Kkar Mdy
Bionomy: Larva on Arbutus andrachne? (Holtz,1897).
- 46639. *Problepsis ocellata cinerea* (Butler,1886)** (Geometridae) **Synonym(s):** *cinerea* Butler,1886
Original Reference: Argyria cinerea Butler,1886, Proc. zool. Soc. London 1886 (3): 387-388, pl.35 fig. 8. Syntypes: [Pakistan]: Campbellpore, 40 miles from Rawal Pindee (BMNH).
Range (in code): PK Cp Pj Swa Kkar Mdy
- 46640. *Problepsis ocellata ocellata* (Frivaldszky,1845)** (Geometridae) **Synonym(s):** *ocellata* Frivaldszky,1845; *ommatophoraria* Guenée,[1858]
Original Reference: Caloptera ocellata Frivaldszky,1845, Evr. Kiral. Magy. Term. Tars. 1: 185, pl.3 fig.1. Syntypes: Greece: Crete, [Turkey]: Smyrna [İzmir]. **Range (in code):** TR GR Cr LB Bei IL Pa Js Tbs
- 46641. *Problepsis ochripicta* W.Warren,1901** (Geometridae) **Synonym(s):** *ochripicta* W.Warren,1901
Range (in code): ST
- 46642. *Problepsis paredra* L.B.Prout,1917** (Geometridae) **Synonym(s):** *paredra* L.B.Prout,1917
Range (in code): CN Sz
- 46643. *Problepsis plenorbis* L.B.Prout,1917** (Geometridae) **Synonym(s):** *plenorbis* L.B.Prout,1917
Range (in code): ID Sum MY Bor
- 46644. *Problepsis rorida* L.B.Prout,1932** (Geometridae) **Synonym(s):** *rorida* L.B.Prout,1932
Range (in code): MW Mje

- 46645. Problepsis shirozui Inoue,1986** (Geometridae) **Synonym(s):** *shirozui Inoue,1986*
Range (in code): **TW**
- 46646. Problepsis similinotata L.B.Prout,1917** (Geometridae) **Synonym(s):** *similinotata L.B.Prout,1917* _ Range (in code): **ZR**
- 46647. Problepsis superans Butler,1885** (Geometridae) **Synonym(s):** *superans Butler,1885*
Range (in code): **JP CN Ti**
- 46648. Problepsis transposita W.Warren,1903** (Geometridae) **Synonym(s):** *transposita W.Warren,1903* _ Range (in code): **PG Aro**
- 46649. Problepsis vulgaris Butler,1889** (Geometridae) **Synonym(s):** *vulgaris Butler,1889; attenuata W.Warren,1909* _ Range (in code): **IN Hp Kgr TH**
- 46650. Prochasma albimonilis L.B.Prout,1927** (Geometridae) **Synonym(s):** *albimonilis L.B.Prout,1927* _ Range (in code): **MM Hta TH CMa CDo Pki**
- 46651. Prochasma dentilinea (W.Warren,1893)** (Geometridae) **Synonym(s):** *dentilinea W.Warren,1893; squalida Wileman,1915* _ Range (in code): **TH CMa CDo Pki IN SI Ass Nag TW**
- 46652. Prochasma mimica W.Warren,1897** (Geometridae) **Synonym(s):** *mimica W.Warren,1897*
Range (in code): **IN Meg Ass Khs**
- 46653. Prochasma scissivestis L.B.Prout,1926** (Geometridae) **Synonym(s):** *scissivestis L.B.Prout,1926* _ Range (in code): **MY Bor Swk**
- 46654. Prometopidia arenosa Wiltshire,1961** (Geometridae) **Synonym(s):** *arenosa Wiltshire,1961* _ Range (in code): **AF Nu Bsg**
- 46655. Prometopidia conisaria Hampson,1902** (Geometridae) **Synonym(s):** *conisaria Hampson,1902* _ Range (in code): **Ch**
- 46656. Prosomphax callista W.Warren,1911** (Geometridae) **Synonym(s):** *callista W.Warren,1911*
Range (in code): **ZA Wca Cto**
- 46657. Prosomphax deuterurga L.B.Prout,1922** (Geometridae) **Synonym(s):** *deuterurga L.B.Prout,1922* _ Range (in code): **ZA Nta Kzu Fs Ktz**
- 46658. Proteuchloris neriaria (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *neriaria Herrich-Schäffer,[1852]*. Original Reference: Geometra neriaria Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 62, fig.435. Type(s): [Griechenland]: Creta. Range (in code): **YU BG GR Cr TR Cc GG Smt Bjo IL Pa LB Bsa CY**
- 46659. Protonebula altera (Bastelberger,1911)** (Geometridae) **Synonym(s):** *altera Bastelberger,1911* _ Range (in code): **TW**
- 46660. Protonebula combusta (Swinhoe,1894)** (Geometridae) **Synonym(s):** *combusta Swinhoe,1894* _ Range (in code): **IN Ass Cpj**
- 46661. Protonebula cupreata (Moore,1868)** (Geometridae) **Synonym(s):** *cupreata Moore,1868*
Range (in code): **IN Ben**
- 46662. Protonebula egregia (Inoue,1986)** (Geometridae) **Synonym(s):** *egregia Inoue,1986*
Range (in code): **TW**
- 46663. Protonebula tripunctaria (Leech,1897)** (Geometridae) **Synonym(s):** *tripunctaria Leech,1897* _ Range (in code): **CN**
- 46664. Protonebula umbrifera (Butler,1879)** (Geometridae) **Synonym(s):** *umbrifera Butler,1879*
Range (in code): **JP**
- 46665. Protorhoe avetianae (Vardikjan,1974)** (Geometridae) **Synonym(s):** *avetianae Vardikjan,1974* Original Reference: Cidaria avetianae Vardikjan,1974, Dokl. Akad. Nauk. armyan.SSR 58 (1): 48, pl. 1 figs. 1-3. Holotype ♂: Armenia: Megrin Region: Nyubadi. Range (in code): **Cc AM**
- 46666. Protorhoe corollaria (Herrich-Schäffer,[1848])** (Geometridae) **Synonym(s):** *corollaria Herrich-Schäffer,[1848]; noacki Draudt,1935.* Original Reference: Larentia corollaria Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3: 152, fig. 335. Type(s): -. Range (in code): **ES FR YU AL BG GR Cr Rd TR RU MD UA Cm** Bionomy: Larva on Galium verum (Prout,1938).
- 46667. Protorhoe crebrolineata (Kuznetsov,1960)** (Geometridae) **Synonym(s):** *crebrolineata Kuznetsov,1960* _ Range (in code): **TM Kp IR Kd**
- 46668. Protorhoe renodata (Püngeler,1909)** (Geometridae) **Synonym(s):** *renodata Püngeler,1909* Original Reference: Larentia renodata Püngeler,1909, Dt. ent. Z., Iris 21: 300, pl. 4 fig. 25. Syntypes ♂♀: [Turkmenistan]: Ashkabad. Range (in code): **TR TM Kp IR Gls**
- 46669. Protorhoe tadzhikaria (Stshetkin,1956)** (Geometridae) **Synonym(s):** *tadzhikaria Stshetkin,1956* _ Range (in code): **TJ**

- 46670. *Protorhoe unicata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *unicata* Guenée,[1858]
Range (in code): **Si YU MK AL BG GR TR RU IQ IR Fa Shr Sse Com Kz KG KK UZ TJ Fe UA Cm AZ Nv AM Cc GG Lag Kir Ord**
- 46671. *Protorhoe unicata centralisata* (Staudinger,1892)** (Geometridae) **Synonym(s):** *centralisata* Staudinger,1892
Range (in code): **KG KK UZ TJ IR**
- 46672. *Protorhoe unicata unicata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *unicata* Guenée,[1858]
Range (in code): **Si YU MK AL BG GR TR RU IQ IR Fa Shr Sse Com Kz KG KK UZ TJ Fe UA Cm AZ Nv AM Cc GG Lag Kir Ord**
- 46673. *Protosteira achroa* L.B.Prout,1935** (Geometridae) **Synonym(s):** *achroa* L.B.Prout,1935
Range (in code): **Bio GO**
- 46674. *Protosteira decolorata* Herbulot,1984** (Geometridae) **Synonym(s):** *decolorata* Herbulot,1984
Original Reference: *Protosteira decolorata* Herbulot,1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 11, pl.1 figs.7,9. Holotype ♂: Ethiopie: Semyen, Sankaber 3200m 13.xi.1981 (coll. Rougeot).
Range (in code): **ET ET248**
- 46675. *Protosteira spectabilis* (W.Warren,1899)** (Geometridae) **Synonym(s):** *spectabilis* W.Warren,1899
Range (in code): **ZA Tva ZA12 ZA13 Nta Kzu ZA20 Mpu**
- 46676. *Protosteira turlini* Herbulot,1988** (Geometridae) **Synonym(s):** *turlini* Herbulot,1988
Range (in code): **RW**
- 46677. *Protuliocnemis biplagiata* (Moore,[1887])** (Geometridae) **Synonym(s):** *biplagiata* Moore,[1887]
Range (in code): **LK TH Ntt Hba PG Ls Bsm NC ID Crm Mlc**
- 46678. *Protuliocnemis biplagiata biplagiata* (Moore,[1887])** (Geometridae) **Synonym(s):** *biplagiata* Moore,[1887]
Range (in code): **LK TH Ntt Hba**
- 46679. *Protuliocnemis biplagiata reducta* (Holloway,1979)** (Geometridae) **Synonym(s):** *reducta* Holloway,1979
Range (in code): **NC**
- 46680. *Protuliocnemis castalaria* (Oberthür,1916)** (Geometridae) **Synonym(s):** *castalaria* Oberthür,1916
Range (in code): **IN Ass Meg Khs AU QAU Kda ID Bli**
- 46681. *Protuliocnemis helpsi* Holloway,1996** (Geometridae) **Synonym(s):** *helpsi* Holloway,1996
Range (in code): **MY Bor BN**
- 46682. *Protuliocnemis helpsi* Holoway,1996** (Geometridae) **Synonym(s):** *helpsi* Holoway,1996
Range (in code): **MY Bor BN**
- 46683. *Protuliocnemis partita* (Walker,1861)** (Geometridae) **Synonym(s):** *partita* Walker,1861; *concisiplaga* Walker,1861; *felicitata* Walker,1861; *calliptera* Meyrick,1889; *doddaria* Oberthür,1916
Range (in code): **PG PMo IN MY Bor Swk AU QAU Kda**
- 46684. *Protuliocnemis partita* (Walker,1861)** (Geometridae) **Synonym(s):** *partita* Walker,1861; *felicitata* Walker,1861; *concisiplaga* Walker,1861; *calliptera* Meyrick,1889; *doddaria* Oberthür,1916
Range (in code): **TH AU QAU Kda MY Bor Swk BN PG PMo**
- 46685. *Protuliocnemis woodfordi* (W.Warren,1899)** (Geometridae) **Synonym(s):** *woodfordi* W.Warren,1899
Range (in code): **SB**
- 46686. *Proutiana ferrorubrata* (Walker,[1863])** (Geometridae) **Synonym(s):** *ferrorubrata* Walker,[1863]; *rubellata* R.Felder & Rogenhofer,1875; *cacocenes* L.B.Prout,1917
Range (in code): **ZA Cap Wca Wyn**
- 46687. *Proutiana perconsersa* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *perconsersa* L.B.Prout,1915
Range (in code): **AO**
- 46688. *Proutictis artesiaria* ([Denis & Schiffermüller],1775)** (Geometridae) **Synonym(s):** *artesiaria* [Denis & Schiffermüller],1775
Original Reference: *Geometra artesiaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district.
Range (in code): **PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ SE FI EE LV LT RU MD UA BY IR Fa Com Kz**
Bionomy: Larva on Salix (Meyer,1919).
- 46689. *Psaliodes albifascia* (Dognin,1911)** (Geometridae) **Synonym(s):** *albifascia* Dognin,1911
Range (in code): **CO**
- 46690. *Psaliodes albifulva* W.Warren,1909** (Geometridae) **Synonym(s):** *albifulva* W.Warren,1909
Range (in code): **PE**
- 46691. *Psaliodes albistriga* W.Warren,1904** (Geometridae) **Synonym(s):** *albistriga* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46692. *Psaliodes aliena* Dognin,1911** (Geometridae) **Synonym(s):** *aliena* Dognin,1911
Range (in code): **CO**
- 46693. *Psaliodes analiplaga* W.Warren,1904** (Geometridae) **Synonym(s):** *analiplaga* W.Warren,1904
Range (in code): **PE Pun Crb**

- 46694. Psaliodes angustata Bastelberger,1907** (Geometridae) Synonym(s): *angustata* Bastelberger,1907 _ Range (in code): PE
- 46695. Psaliodes annuligera Dognin,1911** (Geometridae) Synonym(s): *annuligera* Dognin,1911 _ Range (in code): CO
- 46696. Psaliodes antesignata L.B.Prout,1934** (Geometridae) Synonym(s): *antesignata* L.B.Prout,1934 _ Range (in code): CO
- 46697. Psaliodes aparallela L.B.Prout,1934** (Geometridae) Synonym(s): *aparallela* L.B.Prout,1934 _ Range (in code): CO
- 46698. Psaliodes apicenotata Dognin,1910** (Geometridae) Synonym(s): *apicenotata* Dognin,1910 _ Range (in code): CO
- 46699. Psaliodes apostata Dognin,1910** (Geometridae) Synonym(s): *apostata* Dognin,1910 _ Range (in code): CO
- 46700. Psaliodes aquila Dognin,1911** (Geometridae) Synonym(s): *aquila* Dognin,1911 _ Range (in code): CO
- 46701. Psaliodes aurativena W.Warren,1904** (Geometridae) Synonym(s): *aurativena* W.Warren,1904 _ Range (in code): PE Pun Crb
- 46702. Psaliodes bella (Jones,1921)** (Geometridae) Synonym(s): *bella* Jones,1921 _ Range (in code): BR
- 46703. Psaliodes bicolor L.B.Prout,1910** (Geometridae) Synonym(s): *bicolor* L.B.Prout,1910 _ Range (in code): CO
- 46704. Psaliodes biconalis (Walker,1859)** (Geometridae) Synonym(s): *biconalis* Walker,1859 _ Range (in code): BR
- 46705. Psaliodes bifurcata Bastelberger,1907** (Geometridae) Synonym(s): *bifurcata* Bastelberger,1907 _ Range (in code): PE
- 46706. Psaliodes bilineata Dognin,1913** (Geometridae) Synonym(s): *bilineata* Dognin,1913 _ Range (in code): CO
- 46707. Psaliodes bistrigata Dognin,1913** (Geometridae) Synonym(s): *bistrigata* Dognin,1913 _ Range (in code): CO
- 46708. Psaliodes brachiata Dognin,1906** (Geometridae) Synonym(s): *brachiata* Dognin,1906 _ Range (in code): PE Pun Crb
- 46709. Psaliodes castanea (W.Warren,1904)** (Geometridae) Synonym(s): *castanea* W.Warren,1904; *brunneata* W.Warren,1904 _ Range (in code): PE Pun Crb
- 46710. Psaliodes catenifera W.Warren,1907** (Geometridae) Synonym(s): *catenifera* W.Warren,1907 _ Range (in code): PE Pun Crb
- 46711. Psaliodes cedaza Dognin,1899** (Geometridae) Synonym(s): *cedaza* Dognin,1899 _ Range (in code): EC
- 46712. Psaliodes choma (Druce,1893)** (Geometridae) Synonym(s): *choma* Druce,1893 _ Range (in code): MX
- 46713. Psaliodes cidariata (Maassen,1890)** (Geometridae) Synonym(s): *cidariata* Maassen,1890 _ Range (in code): CO
- 46714. Psaliodes citrinata W.Warren,1904** (Geometridae) Synonym(s): *citrinata* W.Warren,1904 _ Range (in code): PE Pun Crb
- 46715. Psaliodes clathrata W.Warren,1904** (Geometridae) Synonym(s): *clathrata* W.Warren,1904 _ Range (in code): PE Pun Crb
- 46716. Psaliodes claudiaria Schaus,1912** (Geometridae) Synonym(s): *claudiaria* Schaus,1912 _ Range (in code): CR
- 46717. Psaliodes coacta Dognin,1911** (Geometridae) Synonym(s): *coacta* Dognin,1911 _ Range (in code): CO
- 46718. Psaliodes completa (W.Warren,1904)** (Geometridae) Synonym(s): *completa* W.Warren,1904 _ Range (in code): PE Pun Crb
- 46719. Psaliodes composita Dognin,1911** (Geometridae) Synonym(s): *composita* Dognin,1911 _ Range (in code): CO
- 46720. Psaliodes concinna Bastelberger,1907** (Geometridae) Synonym(s): *concinna* Bastelberger,1907 _ Range (in code): PE
- 46721. Psaliodes confusa W.Warren,1897** (Geometridae) Synonym(s): *confusa* W.Warren,1897 _ Range (in code): JM

- 46722. *Psaliodes conimaculata* Dognin,1910** (Geometridae) Synonym(s): *conimaculata* Dognin,1910 - Range (in code): CO
- 46723. *Psaliodes conspersata* W.Warren,1904** (Geometridae) Synonym(s): *conspersata* W.Warren,1904 - Range (in code): PE Pun Crb
- 46724. *Psaliodes crassinota* (Dognin,1911)** (Geometridae) Synonym(s): *crassinota* Dognin,1911 - Range (in code): CO
- 46725. *Psaliodes crispata* Schaus,1912** (Geometridae) Synonym(s): *crispata* Schaus,1912 - Range (in code): CR
- 46726. *Psaliodes cronia* Druce,1893** (Geometridae) Synonym(s): *cronia* Druce,1893; *acutangula* W.Warren,1904 - Range (in code): PE Pun Crb CR Ira
- 46727. *Psaliodes crotona* Druce,1893** (Geometridae) Synonym(s): *crotona* Druce,1893 - Range (in code): MX Jpa GT
- 46728. *Psaliodes cupreipennis* Dognin,1914** (Geometridae) Synonym(s): *cupreipennis* Dognin,1914 - Range (in code): PE Pun Crb
- 46729. *Psaliodes cydna* Druce,1893** (Geometridae) Synonym(s): *cydna* Druce,1893 - Range (in code): MX GT CR Ira
- 46730. *Psaliodes cynthia* Druce,1893** (Geometridae) Synonym(s): *cynthia* Druce,1893 - Range (in code): GT CR
- 46731. *Psaliodes daedala* Druce,1893** (Geometridae) Synonym(s): *daedala* Druce,1893 - Range (in code): MX GT
- 46732. *Psaliodes damia* Druce,1893** (Geometridae) Synonym(s): *damia* Druce,1893 - Range (in code): GT
- 46733. *Psaliodes damophila* Druce,1893** (Geometridae) Synonym(s): *damophila* Druce,1893 - Range (in code): MX
- 46734. *Psaliodes demasaria* Schaus,1912** (Geometridae) Synonym(s): *demasaria* Schaus,1912 - Range (in code): CR Tur
- 46735. *Psaliodes detractata* Walker,1862** (Geometridae) Synonym(s): *detractata* Walker,1862; *effrenata* Walker,[1863] - Range (in code): VE BR
- 46736. *Psaliodes disrupta* Dognin,1913** (Geometridae) Synonym(s): *disrupta* Dognin,1913 - Range (in code): CO
- 46737. *Psaliodes duplicilinea* W.Warren,1907** (Geometridae) Synonym(s): *duplicilinea* W.Warren,1907 - Range (in code): PE Pun Crb
- 46738. *Psaliodes electa* Schaus,1912** (Geometridae) Synonym(s): *electa* Schaus,1912 - Range (in code): CR Tur
- 46739. *Psaliodes endotrichiata* (Snellen,1874)** (Geometridae) Synonym(s): *endotrichiata* Snellen,1874 - Range (in code): CO
- 46740. *Psaliodes euplaneta* Dyar,1916** (Geometridae) Synonym(s): *euplaneta* Dyar,1916 - Range (in code): MX
- 46741. *Psaliodes exilis* W.Warren,1907** (Geometridae) Synonym(s): *exilis* W.Warren,1907 - Range (in code): PE Pun Crb
- 46742. *Psaliodes exuberans* Dognin,1911** (Geometridae) Synonym(s): *exuberans* Dognin,1911 - Range (in code): CO
- 46743. *Psaliodes fervescens* Dyar,1920** (Geometridae) Synonym(s): *fervescens* Dyar,1920 - Range (in code): MX
- 46744. *Psaliodes flavagata* Guenée,[1858]** (Geometridae) Synonym(s): *flavagata* Guenée,[1858] - Range (in code): BR
- 46745. *Psaliodes flavivena* Dognin,1903** (Geometridae) Synonym(s): *flavivena* Dognin,1903 - Range (in code): EC
- 46746. *Psaliodes fractifascia* Dognin,1903** (Geometridae) Synonym(s): *fractifascia* Dognin,1903 - Range (in code): EC
- 46747. *Psaliodes fulva* (W.Warren,1905)** (Geometridae) Synonym(s): *fulva* W.Warren,1905 - Range (in code): PE Pun Crb
- 46748. *Psaliodes fuscata* (W.Warren,1905)** (Geometridae) Synonym(s): *fuscata* W.Warren,1905 - Range (in code): PE
- 46749. *Psaliodes geminisigna* Dognin,1918** (Geometridae) Synonym(s): *geminisigna* Dognin,1918 - Range (in code): CO

- 46750. *Psaliodes grandis* Dognin,1913** (Geometridae) Synonym(s): *grandis* Dognin,1913
Range (in code): **CO**
- 46751. *Psaliodes hieroglyphica* Schaus,1901** (Geometridae) Synonym(s): *hieroglyphica* Schaus,1901 - Range (in code): **MX**
- 46752. *Psaliodes infantula* W.Warren,1900** (Geometridae) Synonym(s): *infantula* W.Warren,1900; *lilacina* W.Warren,1904 - Range (in code): **EC PE Pun Crb**
- 46753. *Psaliodes inferna* W.Warren,1904** (Geometridae) Synonym(s): *inferna* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46754. *Psaliodes infulata* Schaus,1912** (Geometridae) Synonym(s): *infulata* Schaus,1912
Range (in code): **CR**
- 46755. *Psaliodes interrupta* (Dognin,1913)** (Geometridae) Synonym(s): *interrupta* Dognin,1913
Range (in code): **CO**
- 46756. *Psaliodes intersecta* (Dognin,1911)** (Geometridae) Synonym(s): *intersecta* Dognin,1911
Range (in code): **CO**
- 46757. *Psaliodes interstrata* Schaus,1912** (Geometridae) Synonym(s): *interstrata* Schaus,1912
Range (in code): **CR**
- 46758. *Psaliodes inundulata* Guenée,[1858]** (Geometridae) Synonym(s): *inundulata* Guenée,[1858] - Range (in code): **CO**
- 46759. *Psaliodes jabata* Dognin,1899** (Geometridae) Synonym(s): *jabata* Dognin,1899 - Range (in code): **EC**
- 46760. *Psaliodes laticlara* Dognin,1904** (Geometridae) Synonym(s): *laticlara* Dognin,1904
Range (in code): **PE Pun Crb**
- 46761. *Psaliodes liebra* Dognin,1899** (Geometridae) Synonym(s): *liebra* Dognin,1899 - Range (in code): **EC**
- 46762. *Psaliodes lignosata* (Walker,1862)** (Geometridae) Synonym(s): *lignosata* Walker,1862; *purpurea* Schaus,1901 - Range (in code): **BR**
- 46763. *Psaliodes limbata* Dognin,1913** (Geometridae) Synonym(s): *limbata* Dognin,1913
Range (in code): **CO**
- 46764. *Psaliodes lisera* Dognin,1899** (Geometridae) Synonym(s): *lisera* Dognin,1899 - Range (in code): **EC**
- 46765. *Psaliodes lucida* Dognin,1913** (Geometridae) Synonym(s): *lucida* Dognin,1913 - Range (in code): **CO**
- 46766. *Psaliodes magnipalpata* (Dognin,1913)** (Geometridae) Synonym(s): *magnipalpata* Dognin,1913 - Range (in code): **EC**
- 46767. *Psaliodes marmorata* W.Warren,1905** (Geometridae) Synonym(s): *marmorata* W.Warren,1905 - Range (in code): **PE Pun Crb**
- 46768. *Psaliodes miniata* W.Warren,1904** (Geometridae) Synonym(s): *miniata* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46769. *Psaliodes monapo* Dyar,1916** (Geometridae) Synonym(s): *monapo* Dyar,1916 - Range (in code): **MX**
- 46770. *Psaliodes multilinea* Schaus,1901** (Geometridae) Synonym(s): *multilinea* Schaus,1901
Range (in code): **BR**
- 46771. *Psaliodes myxa* Druce,1899** (Geometridae) Synonym(s): *myxa* Druce,1899 - Range (in code): **CR**
- 46772. *Psaliodes nexilinea* W.Warren,1904** (Geometridae) Synonym(s): *nexilinea* W.Warren,1904 - Range (in code): **PE Pun Crb**
- 46773. *Psaliodes nictitans* W.Warren,1904** (Geometridae) Synonym(s): *nictitans* W.Warren,1904 - Range (in code): **PE Pun Crb**
- 46774. *Psaliodes nigrifusa* Bastelberger,1907** (Geometridae) Synonym(s): *nigrifusa* Bastelberger,1907 - Range (in code): **PE**
- 46775. *Psaliodes nivestrota* W.Warren,1907** (Geometridae) Synonym(s): *nivestrota* W.Warren,1907 - Range (in code): **PE Pun Crb**
- 46776. *Psaliodes nodosa* W.Warren,1904** (Geometridae) Synonym(s): *nodosa* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46777. *Psaliodes nucleata* Guenée,[1858]** (Geometridae) Synonym(s): *nucleata* Guenée,[1858]
Range (in code): **BR**

- 46778. *Psaliodes ochreata* Snellen, 1874** (Geometridae) Synonym(s): *ochreata* Snellen, 1874; *adhaesiata* R. Felder & Rogenhofer, 1875 - Range (in code): CO
- 46779. *Psaliodes oleagina* Dognin, 1911** (Geometridae) Synonym(s): *oleagina* Dognin, 1911 - Range (in code): CO
- 46780. *Psaliodes olivaria* W. Warren, 1908** (Geometridae) Synonym(s): *olivaria* W. Warren, 1908 - Range (in code): BR
- 46781. *Psaliodes olivescens* Dognin, 1911** (Geometridae) Synonym(s): *olivescens* Dognin, 1911 - Range (in code): CO
- 46782. *Psaliodes onopria* Dyar, 1927** (Geometridae) Synonym(s): *onopria* Dyar, 1927 - Range (in code): MX
- 46783. *Psaliodes orozcoa* Dyar, 1914** (Geometridae) Synonym(s): *orozcoa* Dyar, 1914 - Range (in code): MX
- 46784. *Psaliodes ossicolor* W. Warren, 1904** (Geometridae) Synonym(s): *ossicolor* W. Warren, 1904 - Range (in code): PE Pun Crb
- 46785. *Psaliodes paleata* Guenée, [1858]** (Geometridae) Synonym(s): *paleata* Guenée, [1858] - Range (in code): CO
- 46786. *Psaliodes pallida* Schaus, 1901** (Geometridae) Synonym(s): *pallida* Schaus, 1901 - Range (in code): BR
- 46787. *Psaliodes perfusca* Bastelberger, 1907** (Geometridae) Synonym(s): *perfusca* Bastelberger, 1907 - Range (in code): PE
- 46788. *Psaliodes pervasata* W. Warren, 1904** (Geometridae) Synonym(s): *pervasata* W. Warren, 1904; *dislocata* W. Warren, 1905 - Range (in code): PE Pun Crb
- 46789. *Psaliodes philetus* Schaus, 1912** (Geometridae) Synonym(s): *philetus* Schaus, 1912 - Range (in code): CR Tur
- 46790. *Psaliodes picta* W. Warren, 1904** (Geometridae) Synonym(s): *picta* W. Warren, 1904 - Range (in code): PE Pun Crb
- 46791. *Psaliodes planiplaga* W. Warren, 1904** (Geometridae) Synonym(s): *planiplaga* W. Warren, 1904 - Range (in code): CR
- 46792. *Psaliodes plumbescens* (W. Warren, 1904)** (Geometridae) Synonym(s): *plumbescens* W. Warren, 1904 - Range (in code): PE Pun Crb
- 46793. *Psaliodes pomona* Druce, 1893** (Geometridae) Synonym(s): *pomona* Druce, 1893 - Range (in code): MX GT PA
- 46794. *Psaliodes porcia* Druce, 1893** (Geometridae) Synonym(s): *porcia* Druce, 1893 - Range (in code): GT
- 46795. *Psaliodes posides* Druce, 1893** (Geometridae) Synonym(s): *posides* Druce, 1893 - Range (in code): GT
- 46796. *Psaliodes potina* Druce, 1893** (Geometridae) Synonym(s): *potina* Druce, 1893 - Range (in code): MX
- 46797. *Psaliodes prionogramma* (L. B. Prout, 1910)** (Geometridae) Synonym(s): *prionogramma* L. B. Prout, 1910 - Range (in code): AR
- 46798. *Psaliodes prunicolor* (W. Warren, 1904)** (Geometridae) Synonym(s): *prunicolor* W. Warren, 1904 - Range (in code): PE Pun Crb
- 46799. *Psaliodes quinquelatera* L. B. Prout, 1916** (Geometridae) Synonym(s): *quinquelatera* L. B. Prout, 1916 - Range (in code): AR
- 46800. *Psaliodes repertita* Dognin, 1913** (Geometridae) Synonym(s): *repertita* Dognin, 1913 - Range (in code): CO
- 46801. *Psaliodes rica* Dognin, 1899** (Geometridae) Synonym(s): *rica* Dognin, 1899; *ignivenata* W. Warren, 1904 - Range (in code): PE Pun Crb
- 46802. *Psaliodes saja* (Dognin, 1893)** (Geometridae) Synonym(s): *saja* Dognin, 1893 - Range (in code): EC
- 46803. *Psaliodes samaniegoi* (Dognin, 1891)** (Geometridae) Synonym(s): *samaniegoi* Dognin, 1891 - Range (in code): EC
- 46804. *Psaliodes seitzii* Bastelberger, 1907** (Geometridae) Synonym(s): *seitzii* Bastelberger, 1907 - Range (in code): PY
- 46805. *Psaliodes semirasa* W. Warren, 1904** (Geometridae) Synonym(s): *semirasa* W. Warren, 1904 - Range (in code): PE Pun Crb

- 46806. *Psaliodes semisecta* L.B.Prout,1916** (Geometridae) **Synonym(s):** *semisecta* L.B.Prout,1916
Range (in code): **PE**
- 46807. *Psaliodes serratilinea* W.Warren,1904** (Geometridae) **Synonym(s):** *serratilinea* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46808. *Psaliodes siennata* W.Warren,1904** (Geometridae) **Synonym(s):** *siennata* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46809. *Psaliodes simplex* Schaus,1912** (Geometridae) **Synonym(s):** *simplex* Schaus,1912
Range (in code): **CR**
- 46810. *Psaliodes sordida* (W.Warren,1904)** (Geometridae) **Synonym(s):** *sordida* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46811. *Psaliodes stimulata* Dognin,1911** (Geometridae) **Synonym(s):** *stimulata* Dognin,1911
Range (in code):
- 46812. *Psaliodes strigosa* (W.Warren,1904)** (Geometridae) **Synonym(s):** *strigosa* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46813. *Psaliodes subfulvescens* W.Warren,1904** (Geometridae) **Synonym(s):** *subfulvescens* W.Warren,1904
Range (in code): **EC**
- 46814. *Psaliodes subocellata* Dognin,1913** (Geometridae) **Synonym(s):** *subocellata* Dognin,1913
Range (in code): **CO**
- 46815. *Psaliodes subochreofusa* Herbulot,1988** (Geometridae) **Synonym(s):** *subochreofusa* Herbulot,1988
Range (in code): **GP**
- 46816. *Psaliodes sutum* Schaus,1912** (Geometridae) **Synonym(s):** *sutum* Schaus,1912
Range (in code): **CR**
- 46817. *Psaliodes tenuinota* (Dognin,1911)** (Geometridae) **Synonym(s):** *tenuinota* Dognin,1911
Range (in code): **CO**
- 46818. *Psaliodes tolimata* Dognin,1913** (Geometridae) **Synonym(s):** *tolimata* Dognin,1913
Range (in code): **CO**
- 46819. *Psaliodes torsilinea* Dognin,1914** (Geometridae) **Synonym(s):** *torsilinea* Dognin,1914
Range (in code): **PA**
- 46820. *Psaliodes trilunata* W.Warren,1904** (Geometridae) **Synonym(s):** *trilunata* W.Warren,1904
Range (in code): **BO**
- 46821. *Psaliodes tripartita* W.Warren,1904** (Geometridae) **Synonym(s):** *tripartita* W.Warren,1904
Range (in code):
- 46822. *Psaliodes tripita* Dognin,1899** (Geometridae) **Synonym(s):** *tripita* Dognin,1899
Range (in code): **EC**
- 46823. *Psaliodes variegata* Schaus,1901** (Geometridae) **Synonym(s):** *variegata* Schaus,1901
Range (in code): **BR**
- 46824. *Psaliodes vernifera* L.B.Prout,1929** (Geometridae) **Synonym(s):** *vernifera* L.B.Prout,1929
Range (in code): **JM**
- 46825. *Psaliodes vinosata* W.Warren,1904** (Geometridae) **Synonym(s):** *vinosata* W.Warren,1904
Range (in code): **PE**
- 46826. *Psaliodes vulpina* W.Warren,1904** (Geometridae) **Synonym(s):** *vulpina* W.Warren,1904
Range (in code): **PE Pun Crb**
- 46827. *Pseudabraxas taiwana* Inoue,1986** (Geometridae) **Synonym(s):** *taiwana* Inoue,1986
Range (in code): **TW**
- 46828. *Pseudalcis albata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *albata* W.Warren,1904
Range (in code): **ID Sum**
- 46829. *Pseudalcis catoriata* W.Warren,1897** (Geometridae) **Synonym(s):** *catoriata* W.Warren,1897
Range (in code): **ID Bor Klt**
- 46830. *Pseudalcis cinerascens* W.Warren,1897** (Geometridae) **Synonym(s):** *cinerascens* W.Warren,1897
Range (in code): **ID Bor Klt TH**
- 46831. *Pseudalcis trispinaria* (Walker,1860)** (Geometridae) **Synonym(s):** *trispinaria* Walker,1860
Range (in code): **IN TH CMa Dst Int**
- 46832. *Pseudentephria lamata* (Staudinger,1897)** (Geometridae) **Synonym(s):** *lamata* Staudinger,1897; *altaica* Djakonov,1955; *remmi* Viidalepp,1976
Range (in code): **RU Tv KG T-S At Bry MN**
- 46833. *Pseudepisothalma* Han,2009** (Geometridae) **Synonym(s):** *Pseudepisothalma* Han,2009
Range (in code):

- 46834. *Pseudepisothalma ocellata* (Swinhoe,1903)** (Geometridae) **Synonym(s):** *ocellata Swinhoe,1903* Original Reference: *Episothalma ocellata* Swinhoe,1903, Ann. Mag. nat. Hist. (6) 12: 218. Lectotype ♂: [India]: Khasi Hills (BMNH), designated by Xue et al.,2009, Zootaxa 2033: 24. Range (in code): **IN Ass Meg Khs CN Yu**
- 46835. *Pseuderythrolophus bipunctatus* (W.Warren,1899)** (Geometridae) **Synonym(s):** *bipunctatus W.Warren,1899* Range (in code): **FJ PG**
- 46836. *Pseuderythrolophus bipunctatus idmon* L.B.Prout,1930** (Geometridae) **Synonym(s):** *idmon L.B.Prout,1930* Range (in code): **FJ**
- 46837. *Pseudeuchlora kafebera* (Swinhoe,1894)** (Geometridae) **Synonym(s):** *kafebera Swinhoe,1894* Range (in code): **IN Ass Meg Khs**
- 46838. *Pseudeuchromia ampliflava* (Semper,1901)** (Geometridae) **Synonym(s):** *ampliflava Semper,1901* Range (in code): **PH Luz**
- 46839. *Pseudeuchromia maculifera* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *maculifera R.Felder & Rogenhofer,1875; adaucta W.Warren,1897; septemnotata W.Warren,1897; curzola Swinhoe,1902; catachroma Schultze,1907; chrysaugina Bastelberger,1907* Range (in code): **ID Mlc Clb PH Mno Luz MY Bor Sbh KBa**
- 46840. *Pseudhemitheia detrita* Bastelberger,1909** (Geometridae) **Synonym(s):** *detrita Bastelberger,1909* Range (in code): **AO**
- 46841. *Pseudhemitheia euopla* L.B.Prout,1930** (Geometridae) **Synonym(s):** *euopla L.B.Prout,1930* Range (in code): **KE**
- 46842. *Pseudhemitheia exomila* L.B.Prout,1917** (Geometridae) **Synonym(s):** *exomila L.B.Prout,1917* Range (in code): **CM**
- 46843. *Pseudhemitheia saturata* L.B.Prout,1912** (Geometridae) **Synonym(s):** *saturata L.B.Prout,1912* Range (in code): **NG**
- 46844. *Pseudidiochlora temburong* Holloway,1996** (Geometridae) **Synonym(s):** *temburong Holloway,1996* Range (in code): **MY Bor BN**
- 46845. *Pseudiodis albidentula* (Hampson,1907)** (Geometridae) **Synonym(s):** *albidentula Hampson,1907* Range (in code): **LK**
- 46846. *Pseudiodis unifascia* (Hampson,1891)** (Geometridae) **Synonym(s):** *unifascia Hampson,1891* Range (in code): **IN NI**
- 46847. *Pseudobaptria corydalaria* (Graeser,1889)** (Geometridae) **Synonym(s):** *corydalaria Graeser,1889* Range (in code): **AL RU To JP**
- 46848. *Pseudobiston pinratanai* Inoue,1994** (Geometridae) **Synonym(s):** *pinratanai Inoue,1994* Original Reference: *Pseudobiston pinratanai* Inoue,1994, Tinea 14 (1): 6, figs.1,2,5,8. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (BMNH). Range (in code): **TH CMa Int**
- 46849. *Pseudobracca biplagiata* (Semper,1901)** (Geometridae) **Synonym(s):** *biplagiata Semper,1901* Range (in code): **PH Mno**
- 46850. *Pseudobracca imitatrix* W.Warren,1895** (Geometridae) **Synonym(s):** *imitatrix W.Warren,1895; latimargo Semper,1901* Range (in code): **PH Mno**
- 46851. *Pseudobracca rotundimacula* (W.Warren,1897)** (Geometridae) **Synonym(s):** *rotundimacula W.Warren,1897* Range (in code): **PH Luz**
- 46852. *Pseudobrephos baynei* L.B.Prout,1910** (Geometridae) **Synonym(s):** *baynei L.B.Prout,1910* Range (in code): **AR Bue**
- 46853. *Pseudobrephos costiplaga* (Jones,1921)** (Geometridae) **Synonym(s):** *costiplaga Jones,1921* Range (in code): **BR Pran**
- 46854. *Pseudocassyma retaka* Holloway,[1994]** (Geometridae) **Synonym(s):** *retaka Holloway,[1994]* Range (in code): **MY BN Bor**
- 46855. *Pseudocassyma sundagraphoides* Holloway,[1994]** (Geometridae) **Synonym(s):** *sundagraphoides Holloway,[1994]* Range (in code): **MY Bor Swk**
- 46856. *Pseudocassyma uniformis* Holloway,1997** (Geometridae) **Synonym(s):** *uniformis Holloway,1997* Range (in code): **MY Bor Sbh**
- 46857. *Pseudochesias neddaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *neddaria Swinhoe,1904* Range (in code): **KE**
- 46858. *Pseudocinglis benigna* (Brandt,1941)** (Geometridae) **Synonym(s):** *benigna Brandt,1941* Range (in code): **IR Fa Ss Elb Th**
- 46859. *Pseudocinglis benigna* (Brandt,1941)** (Geometridae) **Synonym(s):** *benigna Brandt,1941* Range (in code): **IR Fa Ss**

- 46860. *Pseudocinglis benigna nigromaculata* Hausmann,1994** (Geometridae)
Synonym(s): *nigromaculata* Hausmann,1994 _ Range (in code): IR Elb Th
- 46861. *Pseudocinglis eurata* (L.B.Prout,1913)** (Geometridae) Synonym(s): *eurata* L.B.Prout,1913 _ Range (in code): TM Kp Arw
- 46862. *Pseudocollix hyperythra* (Hampson,1895)** (Geometridae) Synonym(s): *hyperythra* Hampson,1895 _ Range (in code): IN Ass Meg Khs NI TW
- 46863. *Pseudocollix hyperythra catalalia* L.B.Prout,1941** (Geometridae) Synonym(s): *catalalia* L.B.Prout,1941 _ Range (in code): TW
- 46864. *Pseudocollix hyperythra hyperythra* (Hampson,1895)** (Geometridae) Synonym(s): *hyperythra* Hampson,1895 _ Range (in code): IN Ass Meg Khs NI
- 46865. *Pseudocollix kawamurai* (Inoue,1972)** (Geometridae) Synonym(s): *kawamurai* Inoue,1972 _ Range (in code): JP
- 46866. *Pseudocomostola comestocraspeda* (L.B.Prout,1916)** (Geometridae) Synonym(s): *comestocraspeda* L.B.Prout,1916 _ Range (in code): IN Ass
- 46867. *Pseudodysstroma albovenosata* (Heydemann,1932)** (Geometridae) Synonym(s): *albovenosata* Heydemann,1932 _ Range (in code): CN Ti
- 46868. *Pseudodysstroma dentatum* Choi,1998** (Geometridae) Synonym(s): *dentatum* Choi,1998
Range (in code): CN Yu Ats
- 46869. *Pseudodysstroma nepalensis* Heydemann,1961** (Geometridae) Synonym(s): *nepalensis* Heydemann,1961 _ Range (in code): NP
- 46870. *Pseudolarentia arenaria* (W.Warren,1902)** (Geometridae) Synonym(s): *arenaria* W.Warren,1902 _ Range (in code): KE
- 46871. *Pseudolarentia dulcis* (Butler,1879)** (Geometridae) Synonym(s): *dulcis* Butler,1879
Range (in code):
- 46872. *Pseudolarentia megalaria* (Guenée,[1858])** (Geometridae) Synonym(s): *megalaria* Guenée,[1858]; *atroclarata* Walker,1863 _ Range (in code): ZA ZA10 ZA12 Nta Kzu
- 46873. *Pseudolarentia monosticta* (Butler,1894)** (Geometridae) Synonym(s): *monosticta* Butler,1894; *nigrocellata* W.Warren,1897; *montecta* Fawcett,1916 _ Range (in code): KE TZ UG
- 46874. *Pseudolarentia rejecta* Herbulot,1997** (Geometridae) Synonym(s): *rejecta* Herbulot,1997
Range (in code): CM
- 46875. *Pseudolarentia sambirana* Herbulot,1965** (Geometridae) Synonym(s): *sambirana* Herbulot,1965 _ Range (in code): MG
- 46876. *Pseudomaenas alcidata* (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *alcidata* R.Felder & Rogenhofer,1875 _ Range (in code): LS ZA Wca Cto ZA10 ZA11 Nta Kzu ZA14 Mpu ZA28 Tva Lpo Spb Bbg Con Bty Wmm Kgb Vrp Sww Jnk Paa Plt Kny Ww Stj Pil ZA14 Kwy Nel
- 46877. *Pseudomaenas anguinata* (R.Felder & Rogenhofer,1875)** (Geometridae)
Synonym(s): *anguinata* R.Felder & Rogenhofer,1875 _ Range (in code): ZA Wca Kny Ec Mpu Tva ZA14 Sbe ZW Vm Uma
- 46878. *Pseudomaenas arcuata* M.Krüger,1999** (Geometridae) Synonym(s): *arcuata* M.Krüger,1999 _ Range (in code): ZA Wca
- 46879. *Pseudomaenas bivirgata* (R.Felder & Rogenhofer,1875)** (Geometridae)
Synonym(s): *bivirgata* R.Felder & Rogenhofer,1875 _ Range (in code): ZA Wca Kny Cto Jnk Kgb Ste
- 46880. *Pseudomaenas callistege* (R.Felder & Rogenhofer,1875)** (Geometridae)
Synonym(s): *callistege* R.Felder & Rogenhofer,1875 _ Range (in code): ZA Wca
- 46881. *Pseudomaenas complicata* M.Krüger,1999** (Geometridae) Synonym(s): *complicata* M.Krüger,1999 _ Range (in code): ZA Wca Ste
- 46882. *Pseudomaenas directa* M.Krüger,1999** (Geometridae) Synonym(s): *directa* M.Krüger,1999 _ Range (in code): ZA Wca Wr
- 46883. *Pseudomaenas dukei* M.Krüger,1999** (Geometridae) Synonym(s): *dukei* M.Krüger,1999
Range (in code): LS
- 46884. *Pseudomaenas eumetrorrhabda* L.B.Prout,1938** (Geometridae) Synonym(s): *eumetrorrhabda* L.B.Prout,1938 _ Range (in code): ZA Ec
- 46885. *Pseudomaenas euzonaria* M.Krüger,1999** (Geometridae) Synonym(s): *euzonaria* M.Krüger,1999 _ Range (in code): ZA Ec
- 46886. *Pseudomaenas honiballi* M.Krüger,1999** (Geometridae) Synonym(s): *honiballi* M.Krüger,1999 _ Range (in code): ZA Wca
- 46887. *Pseudomaenas intricata* (Walker,[1858])** (Geometridae) Synonym(s): *intricata* Walker,[1858] _ Range (in code): ZA Wca Cto Wr

- 46888. Pseudomaenas krooni** M.Krüger,1999 (Geometridae) Synonym(s): *krooni*
M.Krüger,1999 _ Range (in code): **ZA Wca Kgb Cal**
- 46889. Pseudomaenas leucograpt** (W.Warren,1911) (Geometridae) Synonym(s): *leucograpt* W.Warren,1911 _ Range (in code): **ZA Wca Wr Jnk Cer Paa Sww Kgb Wmm Bty Vrp**
- 46890. Pseudomaenas margarita** (W.Warren,1914) (Geometridae) Synonym(s): *margarita*
W.Warren,1914 _ Range (in code): **ZA Fs Blo Gau Pre Ire Jh Mag Kzu Nta Ec Wca LS**
- 46891. Pseudomaenas maulipennis** (Wallengren,1865) (Geometridae) Synonym(s): *maulipennis* Wallengren,1865 _ Range (in code): **ZA Wca Cto**
- 46892. Pseudomaenas oncodogramma** L.B.Prout,1917 (Geometridae) Synonym(s): *oncodogramma* L.B.Prout,1917 _ Range (in code): **ZA Tva Mpu Pil Nta Kzu Ric Dbn Blw Mpu Grk SZ LS**
- 46893. Pseudomaenas orophila** M.Krüger,1999 (Geometridae) Synonym(s): *orophila*
M.Krüger,1999 _ Range (in code): **LS**
- 46894. Pseudomaenas prominens** M.Krüger,1999 (Geometridae) Synonym(s): *prominens*
M.Krüger,1999 _ Range (in code): **ZA Wca Jnk Ste**
- 46895. Pseudomaenas sinulata** M.Krüger,1999 (Geometridae) Synonym(s): *sinulata*
M.Krüger,1999 _ Range (in code): **ZA Ec**
- 46896. Pseudomaenas staudei** M.Krüger,1999 (Geometridae) Synonym(s): *staudei*
M.Krüger,1999 _ Range (in code): **LS**
- 46897. Pseudomaenas tricolor** (W.Warren,1897) (Geometridae) Synonym(s): *tricolor*
W.Warren,1897 _ Range (in code): **ZA ZA10 ZA11 Kkf Ric Blw Nta Kzu Wnn**
- 46898. Pseudomaenas turneri** L.B.Prout,1938 (Geometridae) Synonym(s): *turneri*
L.B.Prout,1938 _ Range (in code): **ZA Wca Cer**
- 46899. Pseudomiza annulata** (W.Warren,1899) (Geometridae) Synonym(s): *annulata*
W.Warren,1899 _ Range (in code): **ID Flo**
- 46900. Pseudomiza argentilinea** (Moore,1868) (Geometridae) Synonym(s): *argentilinea*
Moore,1868 _ Range (in code): **IN Ben MM Hta**
- 46901. Pseudomiza argentilinea argentilinea** (Moore,1868) (Geometridae) Synonym(s): *argentilinea* Moore,1868 _ Range (in code): **IN Ben**
- 46902. Pseudomiza argentilinea eugraphes** L.B.Prout,1923 (Geometridae) Synonym(s): *eugraphes* L.B.Prout,1923 _ Range (in code): **MM Hta**
- 46903. Pseudomiza castanearia** (Moore,1868) (Geometridae) Synonym(s): *castanearia*
Moore,1868; *cervina* W.Warren,1893 _ Range (in code): **IN SI Djl**
- 46904. Pseudomiza leucogonia** (Hampson,1895) (Geometridae) Synonym(s): *leucogonia*
Hampson,1895 _ Range (in code): **IN Ass Meg Khs**
- 46905. Pseudomiza obliquaria** (Leech,1897) (Geometridae) Synonym(s): *obliquaria* Leech,1897
Range (in code): **CN TH**
- 46906. Pseudomiza punctinalis** Beyer,1958 (Geometridae) Synonym(s): *punctinalis* Beyer,1958
Range (in code): **CN Yu Ats**
- 46907. Pseudomiza uniformis** Inoue,1992 (Geometridae) Synonym(s): *uniformis* Inoue,1992
Range (in code): **TH CMa Int**
- 46908. Pseudopanthera chrysoteryx** Wehrli,1937 (Geometridae) Synonym(s): *chrysoteryx*
Wehrli,1937 _ Range (in code): **CN Sz Ti**
- 46909. Pseudopanthera flavaria** (Leech,1897) (Geometridae) Synonym(s): *flavaria* Leech,1897
Range (in code): **CN**
- 46910. Pseudopanthera himaleyica** (Kollar,[1844]) (Geometridae) Synonym(s): *himaleyica*
Kollar,[1844]; *himalayata* Guenée,[1858]; *ennomosaria* Walker,[1863] _ Range (in code): **IN**
- 46911. Pseudopanthera invenustaria** (Leech,1897) (Geometridae) Synonym(s): *invenustaria*
Leech,1897 _ Range (in code): **KP KR**
- 46912. Pseudopanthera lozonaria** (Oberthür,1893) (Geometridae) Synonym(s): *lozonaria*
Oberthür,1893 _ Range (in code): **CN Sz**
- 46913. Pseudopanthera macularia** (Linnaeus,1758) (Geometridae) Synonym(s): *macularia*
Linnaeus,1758; *maculata* Scopoli,1763; *panthera* Fourcroy,1785; *quadrimaculata* Haworth,1809; *meridionalis*
Galvagni,1908 _ Original Reference: *Phalaena macularia* Linnaeus,1758, Syst. Nat. (Edn.10)1:
521. Type(s): Germania. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU
RO YU AL BG GR TR Cc GG DK NO SE FI EE LV LT RU MD UA BY** _ Bionomy: Larva on *Lamium*,
Stachys, *Teucrium* (Meyer,1919).

- 46914. *Pseudopanthera oberthuri* (Alpheraky,1895)** (Geometridae) **Synonym(s):** *oberthuri* Alpheraky,1895 _ **Range (in code):** **CN Sz**
- 46915. *Pseudopanthera syriacata* (Guenée,1852)** (Geometridae) **Synonym(s):** *syriacata* Guenée,1852; *#syriacaria* Wiltshire,1958 _ **Range (in code):** **TR LB Bsa Bei IL Pa Car Js IQ Dia Ry Rwz Brs** **Bionomy:** Larva on *Teucrium* (Lamiaceae) (Wiltshire,1939).
- 46916. *Pseudopanthera triangulum* (Oberthür,1886)** (Geometridae) **Synonym(s):** *triangulum* Oberthür,1886 _ **Range (in code):** **CN Sz**
- 46917. *Pseudopolynesia amplificata* (Walker,1861)** (Geometridae) **Synonym(s):** *amplificata* Walker,1861 _ **Range (in code):** **ID Bor Swk**
- 46918. *Pseudopolynesia amplificata* (Walker,1861)** (Geometridae) **Synonym(s):** *amplificata* Walker,1861 _ **Range (in code):** **MY Bor PH Luz**
- 46919. *Pseudopolynesia hebe* (Bethune-Baker,1915)** (Geometridae) **Synonym(s):** *hebe* Bethune-Baker,1915; *interrupta* L.B.Prout,1916; *praelustris* L.B.Prout,1933; *phanoides* Debauche,1941 _ **Range (in code):** **PG ID Clb Bru**
- 46920. *Pseudosoloe thalassina* (W.Warren,1909)** (Geometridae) **Synonym(s):** *thalassina* W.Warren,1909; *monosticta* Hampson,1910; *simplex* Aurivillius,1910; *ntebi* Bethune-Baker,1911 _ **Range (in code):** **UG TZ**
- 46921. *Pseudostegania defectata* (Christoph,1881)** (Geometridae) **Synonym(s):** *defectata* Christoph,1881 _ **Range (in code):** **RU Us Vv JP**
- 46922. *Pseudosterrha colletae* Hausmann,2006** (Geometridae) **Synonym(s):** *colletae* Hausmann,2006 _ **Range (in code):** **YE Sna**
- 46923. *Pseudosterrha paulula* (Swinhoe,1886)** (Geometridae) **Synonym(s):** *paulula* Swinhoe,1886; *ochrea* W.Warren,1888; *philaearia* Brabant,1896; *gayneri* Rothschild,1901; *#paulula* Rothschild,1915 **Original Reference:** *Sterrha paulula* Swinhoe,1886, Proc. zool. Soc. London 1886: 456, plxli fig.7. Type: India, Mhow. **Range (in code):** **DZ Rhr Ah EG YE YE3o SD SA KE MR SO TD SN TZ IR AE PK Pj Cp Lh Hyd Sd IN Mhw** **Bionomy:** Larva on *Acacia hydespica*, *A. nilotica* (Fabaceae) (Scoble,1999).
- 46924. *Pseudosterrha paulula philaearia* (Brabant,1896)** (Geometridae) **Synonym(s):** *philaearia* Brabant,1896 _ **Range (in code):** **DZ Ah SD SA EG IR** **Bionomy:** Larva on *Acacia hydespica*, *A. nilotica* (Fabaceae) (Scoble,1999).
- 46925. *Pseudosterrha rufistrigata* (Hampson,1896)** (Geometridae) **Synonym(s):** *rufistrigata* Hampson,1896; *xerophilaria* Püngeler,1902; *marcida* W.Warren & Rothschild,1905; *elbaensis* Rebel,1948. **Range (in code):** **EG JE YE Ad YE3o Hd IL Pa SD JO IR Ss SA SA63**
- 46926. *Pseudoterpna coronillaria* (Hübner,[1817])** (Geometridae) **Synonym(s):** *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847; *#coronillaria* Rebel,1939 **Original Reference:** *Geometra coronillaria* Hübner,[1817], Samml. eur. Schmett. 5: pl. 93, figs.479-482. Syntypes: Europa. **Range (in code):** **DZ Clo PT ES Mu FR Co Sa Si IT TR IL Pa Hf LB Bei Bsa CY** **Bionomy:** Larva on *Cytisus laniger*, *C. supinus*, *Retama*, *Ulex* (Meyer,1919; Calle et al.,2000).
- 46927. *Pseudoterpna coronillaria algerica* Wehrli,1930** (Geometridae) **Synonym(s):** *algerica* Wehrli,1930 _ **Range (in code):** **DZ Clo**
- 46928. *Pseudoterpna coronillaria axillaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *axillaria* Guenée,[1858] _ **Range (in code):** **LB Bei Bsa CY**
- 46929. *Pseudoterpna coronillaria cinerascens* (Zeller,1847)** (Geometridae) **Synonym(s):** *cinerascens* Zeller,1847 **Original Reference:** *Geometra cytisaria* var. *cinerascens* Zeller,1847, Isis 1947 (1): 18. Type ♂: [Turkey]: [Muğla Prov.]: "Mermeriza" (=Marmaris). **Range (in code):** **TR**
- 46930. *Pseudoterpna coronillaria coronillaria* (Hübner,[1817])** (Geometridae) **Synonym(s):** *coronillaria* Hübner,[1817]; *cinerascens* Koch,1854 nec Z.,1847 **Original Reference:** *Geometra coronillaria* Hübner,[1817], Samml. eur. Schmett. 5: pl. 93, figs.479-482. Syntypes: Europa. **Range (in code):** **PT ES Mu FR Co Sa Si IT**
- 46931. *Pseudoterpna coronillaria flamignii* Hausmann,1997** (Geometridae) **Synonym(s):** *flamignii* Hausmann,1997 _ **Range (in code):** **IT**
- 46932. *Pseudoterpna coronillaria halperini* Hausmann,1997** (Geometridae) **Synonym(s):** *halperini* Hausmann,1997 _ **Range (in code):** **IL Pa Hf**
- 46933. *Pseudoterpna corsicaria* (Rambur,1833)** (Geometridae) **Synonym(s):** *corsicaria* Rambur,1833; *ramburaria* Oberthür,1916 _ **Range (in code):** **Co Sa** **Bionomy:** Larva on *Cytisus laniger*, *C. supinus* (Meyer,1919).
- 46934. *Pseudoterpna lesuraria* Lucas,1933** (Geometridae) **Synonym(s):** *lesuraria* Lucas,1933; *stiparia* Rungs,1950 _ **Range (in code):** **MA**

- 46935. *Pseudoterpna pruinata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *pruinata* Hufnagel,1767; *prasinaria* Fabricius,1775 *nec* Hufnagel,1767; *cythisaria* [Denis & Schiffmüller],1775; *genistaria* Villers,1789. **Original Reference:** *Phalaena pruinata* Hufnagel,1767, Berl. Mag. 4: 520, 625. **Type(s):** Deutschland: Berlin. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Smt Bjo DK SE LT RU MD UA BY** **Bionomy:** Larva on *Cytisus*, *Genista*, *Sarothamnus scoparius* (Meyer,1919; Skou,1986).
- 46936. *Pseudoterpna rectistrigaria* Wiltshire,1948** (Geometridae) **Synonym(s):** *rectistrigaria* Rebel,1939; *rectistrigaria* Wiltshire,1948 **Original Reference:** *Pseudoterpna rectistrigaria* Wiltshire,1948, Entomologist's Rec. J. Var. 51: 81, fig. **Range (in code):** **CY**
- 46937. *Pseudoterpna simplex* Alpheraky,1892** (Geometridae) **Synonym(s):** *simplex* Alpheraky,1892 **Original Reference:** *Pseudoterpna pruinata* var. *simplex* Alpheraky,1892, [in] Romanoff, Mém. lépid. 6: 54. Type ♀: NW. China. **Range (in code):** **UZ Smk Fe CN UI**
- 46938. *Psilalcis albistigma* Joicey & Talbot,1917** (Geometridae) **Synonym(s):** *albistigma* Joicey & Talbot,1917 **Range (in code):** **ID Ij Afk**
- 46939. *Psilalcis aurantifascia* L.B.Prout,1916** (Geometridae) **Synonym(s):** *aurantifascia* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46940. *Psilalcis bani* Sato,1998** (Geometridae) **Synonym(s):** *bani* Sato,1998 **Range (in code):** **PH Neg**
- 46941. *Psilalcis bisinuata* (Hampson,1895)** (Geometridae) **Synonym(s):** *bisinuata* Hampson,1895 **Range (in code):** **IN SI TH Nna Kao CMA Int MY Cmh ID Sum**
- 46942. *Psilalcis breta* (Swinhoe,1890)** (Geometridae) **Synonym(s):** *breta* Swinhoe,1890 **Range (in code):** **IN NI JP TW TH CMA Cu02**
- 46943. *Psilalcis calcicola* Holloway,[1994]** (Geometridae) **Synonym(s):** *calcicola* Holloway,[1994] **Range (in code):** **MY Bor Swk**
- 46944. *Psilalcis conceptaria* Holloway,[1994]** (Geometridae) **Synonym(s):** *conceptaria* Holloway,[1994] **Range (in code):** **MY Bor Sbh**
- 46945. *Psilalcis conspicuata* (Moore,1888)** (Geometridae) **Synonym(s):** *conspicuata* Moore,1888 **Range (in code):** **IN SI Djl**
- 46946. *Psilalcis dierli* Sato,1995** (Geometridae) **Synonym(s):** *dierli* Sato,1995 **Range (in code):** **NP**
- 46947. *Psilalcis dignampta* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *dignampta* L.B.Prout,1927 **Range (in code):** **MM Hta TH Loe VN Ton Tda**
- 46948. *Psilalcis diniphas* (Wehrli,1953)** (Geometridae) **Synonym(s):** *diniphas* Wehrli,1953 **Range (in code):** **CN Yu**
- 46949. *Psilalcis diorthogonia* (Wehrli,1925)** (Geometridae) **Synonym(s):** *diorthogonia* Wehrli,1925 **Range (in code):** **CN**
- 46950. *Psilalcis distanticlara* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *distanticlara* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46951. *Psilalcis dochmioscia* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *dochmioscia* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46952. *Psilalcis ectocampe* (Wehrli,1953)** (Geometridae) **Synonym(s):** *ectocampe* Wehrli,1953 **Range (in code):** **CN Yu**
- 46953. *Psilalcis eupinara* (Wehrli,1953)** (Geometridae) **Synonym(s):** *eupinara* Wehrli,1953 **Range (in code):** **CN Sz T-T**
- 46954. *Psilalcis floresana* Sato,1996** (Geometridae) **Synonym(s):** *floresana* Sato,1996 **Range (in code):** **ID Flo**
- 46955. *Psilalcis galsworthyi* Sato,1996** (Geometridae) **Synonym(s):** *galsworthyi* Sato,1996 **Range (in code):** **CN HK**
- 46956. *Psilalcis impos* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *impos* L.B.Prout,1927 **Range (in code):** **MM Hta**
- 46957. *Psilalcis inceptaria* (Walker,1866)** (Geometridae) **Synonym(s):** *inceptaria* Walker,1866; *hoengshana* Wehrli,1953 **Range (in code):** **ID Flo CN Hun**
- 46958. *Psilalcis indistincta* Hampson,1891** (Geometridae) **Synonym(s):** *indistincta* Hampson,1891 **Range (in code):** **IN NI**
- 46959. *Psilalcis insecurea* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *insecurea* L.B.Prout,1927 **Range (in code):** **MM Hta NP SI IN Ben Djl**
- 46960. *Psilalcis intermedia* W.Warren,1899** (Geometridae) **Synonym(s):** *intermedia* W.Warren,1899 **Range (in code):** **ID Ja Sum TH CMA Fn Knc**

- 46961. *Psilalcis latimedia* (W.Warren,1906)** (Geometridae) **Synonym(s):** *latimedia* W.Warren,1906; *extrema* L.B.Prout,1916 **Range (in code):** **PG ID Ij Gth**
- 46962. *Psilalcis lophomeris* (L.B.Prout,1927)** (Geometridae) **Synonym(s):** *lophomeris* L.B.Prout,1927 **Range (in code):** **MM Hta**
- 46963. *Psilalcis luzonica* Sato,1998** (Geometridae) **Synonym(s):** *luzonica* Sato,1998 **Range (in code):** **PH Luz**
- 46964. *Psilalcis ochroneura* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *ochroneura* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46965. *Psilalcis owadai* Sato,1996** (Geometridae) **Synonym(s):** *owadai* Sato,1996 **Range (in code):** **VN Ton Tda NP**
- 46966. *Psilalcis pallidaria* (Moore,1888)** (Geometridae) **Synonym(s):** *pallidaria* Moore,1888; *dendrellaria* Swinhoe,1893 **Range (in code):** **IN Ass Meg Khs SI Djl**
- 46967. *Psilalcis pallidimargo* (W.Warren,1906)** (Geometridae) **Synonym(s):** *pallidimargo* W.Warren,1906; *gigas* L.B.Prout,1916 **Range (in code):** **ID Ij Gth PG**
- 46968. *Psilalcis paraceptaria* Sato,1996** (Geometridae) **Synonym(s):** *paraceptaria* Sato,1996 **Original Reference:** *Psilalcis paraceptaria* Sato,1996, *Tinea* 15 (1): 66, figs.47-50. Holotype ♂: Thailand: Nakhon Sri Thammarat, Tha Sala, Kra Raw, Kan Leong, 650m; Khao Luang NP (NSMT). **Range (in code):** **TH Nst CMa Int**
- 46969. *Psilalcis polycnema* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *polycnema* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46970. *Psilalcis postochrea* Sato,1996** (Geometridae) **Synonym(s):** *postochrea* Sato,1996 **Original Reference:** *Psilalcis postochrea* Sato,1996, *Tinea* 15 (1): 59, figs.29-32. Holotype ♂: Thailand: Nakhon Nayok, Khao yai, 800m (UOS). **Range (in code):** **TH Nna Kao CMa Dst NP**
- 46971. *Psilalcis prionophora* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *prionophora* L.B.Prout,1916 **Range (in code):** **ID Ij Gth**
- 46972. *Psilalcis pulveraria* (Wileman,1912)** (Geometridae) **Synonym(s):** *pulveraria* Wileman,1912; *nigriflexa* L.B.Prout,1914 **Range (in code):** **TW**
- 46973. *Psilalcis rotundata* Inoue,1998** (Geometridae) **Synonym(s):** *rotundata* Inoue,1998 **Range (in code):** **TW**
- 46974. *Psilalcis rufaria* (W.Warren,1896)** (Geometridae) **Synonym(s):** *rufaria* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 46975. *Psilalcis stueningi* Orhant,2001** (Geometridae) **Synonym(s):** *stueningi* Orhant,2001 **Original Reference:** *Psilalcis stueningi* Orhant,2001, *Bonn. zool. Beitr.* 50 (1/2): 75-76, figs. Holotype ♂: Thailande, Doi Inthanon, Chiang Mai 20 iv 1999 (MNHN de Paris). **Range (in code):** **TH CMa Int VN Fan**
- 46976. *Psilalcis subfasciata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *subfasciata* W.Warren,1899; *discolor* Swinhoe,1909 **Range (in code):** **ID Sum MY Pen**
- 46977. *Psilalcis subochrea* (W.Warren,1896)** (Geometridae) **Synonym(s):** *subochrea* W.Warren,1896 **Range (in code):** **IN Ass Meg Khs**
- 46978. *Psilalcis subtochracea* (Hampson,1902)** (Geometridae) **Synonym(s):** *subtochracea* Hampson,1902 **Range (in code):** **IN NI**
- 46979. *Psilalcis thricophora* (Hampson,1895)** (Geometridae) **Synonym(s):** *thricophora* Hampson,1895 **Range (in code):** **IN SI**
- 46980. *Psilalcis tmetoloba* L.B.Prout,1924** (Geometridae) **Synonym(s):** *tmetoloba* L.B.Prout,1924 **Range (in code):** **ID Ij**
- 46981. *Psilalcis venusta* W.Warren,1906** (Geometridae) **Synonym(s):** *venusta* W.Warren,1906 **Range (in code):** **PG**
- 46982. *Psilalcis vietnamensis* Sato,1996** (Geometridae) **Synonym(s):** *vietnamensis* Sato,1996 **Range (in code):** **VN Ton Tda**
- 46983. *Psilocerea acerata* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *acerata* D.S.Fletcher,1978 **Range (in code):** **KE**
- 46984. *Psilocerea albivertex* Herbulot,1992** (Geometridae) **Synonym(s):** *albivertex* Herbulot,1992 **Range (in code):** **RW**
- 46985. *Psilocerea anearia* Swinhoe,1904** (Geometridae) **Synonym(s):** *anearia* Swinhoe,1904 **Range (in code):** **MG**
- 46986. *Psilocerea apicata* W.Warren,1897** (Geometridae) **Synonym(s):** *apicata* W.Warren,1897 **Range (in code):** **ZA Nta Kzu**

- 46987. *Psilocerea arabica* Wiltshire,1983** (Geometridae) **Synonym(s):** *arabica* Wiltshire,1983
Range (in code): SA YE YE33
- 46988. *Psilocerea aspilates* Herbulot,1954** (Geometridae) **Synonym(s):** *aspilates* Herbulot,1954
Range (in code): MG
- 46989. *Psilocerea cneca* L.B.Prout,1932** (Geometridae) **Synonym(s):** *cneca* L.B.Prout,1932
Range (in code): KE
- 46990. *Psilocerea gratiosa* L.B.Prout,1927** (Geometridae) **Synonym(s):** *gratiosa* L.B.Prout,1927
Range (in code): ST
- 46991. *Psilocerea gratiosa* L.B.Prout,1927** (Geometridae) **Synonym(s):** *gratiosa* L.B.Prout,1927
Range (in code): ST
- 46992. *Psilocerea griveaudi* Herbulot,1959** (Geometridae) **Synonym(s):** *griveaudi* Herbulot,1959
Range (in code): MG
- 46993. *Psilocerea hypermetra* L.B.Prout,1931** (Geometridae) **Synonym(s):** *hypermetra* L.B.Prout,1931
Range (in code): SO
- 46994. *Psilocerea icterias* Herbulot,1973** (Geometridae) **Synonym(s):** *icterias* Herbulot,1973
Range (in code): CM
- 46995. *Psilocerea immitata* Janse,1932** (Geometridae) **Synonym(s):** *immitata* Janse,1932
Range (in code): ZA ZA04 ZA05 ZA12 ZA13 ZA14 Mpu Tva Lpo Spb Ltr Bbg ZA27 Kzu **Bionomy:** Larva on Clutia pulchella (Euphorbiaceae) (Scoble,1999).
- 46996. *Psilocerea leptosyne* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *leptosyne* D.S.Fletcher,1978
Range (in code): KE Nai
- 46997. *Psilocerea melanops* Carcasson,1965** (Geometridae) **Synonym(s):** *melanops* Carcasson,1965
Range (in code): UG
- 46998. *Psilocerea praecoca* Herbulot,1981** (Geometridae) **Synonym(s):** *praecoca* Herbulot,1981
Range (in code): RW
- 46999. *Psilocerea pulverosa* (W.Warren,1894)** (Geometridae) **Synonym(s):** *pulverosa* W.Warren,1894; *apiciata* W.Warren,1897; *transversa* Bethune-Baker,1913
Range (in code): ZA Ktz ZA05 ZA12 ZA13 ZA14 Mpu Mal ZA28 Tva Lpo Spb Bbg AO
- 47000. *Psilocerea semifacta* L.B.Prout,1926** (Geometridae) **Synonym(s):** *semifacta* L.B.Prout,1926
Range (in code): UG
- 47001. *Psilocerea semirufa* (W.Warren,1901)** (Geometridae) **Synonym(s):** *semirufa* W.Warren,1901; *hageni* Bastelberger,1907
Original Reference: Paracrocota *semirufa* W.Warren,1901, Novit. zool. 8: 20. Type ♂: Congo Free State [Zaire]: "three days from Fort Beni", May 7th,1899 (leg. Dr.Ansorge) (BMNH). **Range (in code):** ZR Bni TZ Usa
- 47002. *Psilocerea swinhoei* Herbulot,1959** (Geometridae) **Synonym(s):** *swinhoei* Herbulot,1959
Range (in code): MG
- 47003. *Psilocerea szunyoghyi* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *szunyoghyi* D.S.Fletcher,1978
Range (in code): TZ
- 47004. *Psilocerea toulgoeti* Herbulot,1959** (Geometridae) **Synonym(s):** *toulgoeti* Herbulot,1959
Range (in code): MG
- 47005. *Psilocerea turpis* W.Warren,1902** (Geometridae) **Synonym(s):** *turpis* W.Warren,1902
Range (in code): KE Kky UG Rz
- 47006. *Psilocerea viettei* Herbulot,1954** (Geometridae) **Synonym(s):** *viettei* Herbulot,1954
Range (in code): MG
- 47007. *Psilocerea wintrebti* Herbulot,1970** (Geometridae) **Synonym(s):** *wintrebti* Herbulot,1970
Range (in code): MG
- 47008. *Psilocladia diaereta* L.B.Prout,1923** (Geometridae) **Synonym(s):** *diaereta* L.B.Prout,1923
Range (in code): KE Nai
- 47009. *Psilocladia loxostigma* L.B.Prout,1915** (Geometridae) **Synonym(s):** *loxostigma* L.B.Prout,1915
Range (in code): CG
- 47010. *Psilocladia obliquata* W.Warren,1898** (Geometridae) **Synonym(s):** *obliquata* W.Warren,1898
Range (in code): ZA Ktz ZA04 ZA12 Nta Kzu ZA14 Mpu Mal Tva Lpo Spb Bbg Lj
- 47011. *Psilocladia repudiosa* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *repudiosa* L.B.Prout,1915
Range (in code): CM Bit
- 47012. *Psilosetia pura* W.Warren,1900** (Geometridae) **Synonym(s):** *pura* W.Warren,1900
Range (in code): VE Mra

- 47013. *Psilotagma decorata* W.Warren,1894** (Geometridae) **Synonym(s):** *decorata* W.Warren,1894; *dorsocritata* Poujade,1895 - **Range (in code):** **CN Sz BT**
- 47014. *Psodos alpinata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *alpinata* Scopoli,1763; *horridaria* [Denis & Schiffermüller],1775; *carbonata* Schrank,1802; *horridata* Duponchel,1830 - **Range (in code):** **FR IT DE CH AT PL CZ SK**
- 47015. *Psodos alticola* (Mann,1853)** (Geometridae) **Synonym(s):** *alticola* Mann,1853; *chalybaeus* Zerny,1916 - **Range (in code):** **FR IT CH AT**
- 47016. *Psodos baldensis* (Wolfsberger,1966)** (Geometridae) **Synonym(s):** *baldensis* Wolfsberger,1966 - **Range (in code):** **IT**
- 47017. *Psodos bentelii* (Rätzer,1890)** (Geometridae) **Synonym(s):** *bentelii* Rätzer,1890 - **Range (in code):** **ES FR IT CH RO**
- 47018. *Psodos bentelii perlinii* Turati,1914** (Geometridae) **Synonym(s):** *perlinii* Turati,1915 - **Range (in code):** **IT**
- 47019. *Psodos burmanni* (Tarmann,1984)** (Geometridae) **Synonym(s):** *burmanni* Tarmann,1984 - **Range (in code):** **AT**
- 47020. *Psodos canaliculata* (Hochenwarth,1785)** (Geometridae) **Synonym(s):** *canaliculata* Hochenwarth,1785; *trepidaria* Hübner,[1809]; *trepidata* Duponchel,1830; *pyrenaica* Schawerda,1919 - **Range (in code):** **ES FR IT DE CH AT PL SK RO YU**
- 47021. *Psodos coracina* (Esper,1805)** (Geometridae) **Synonym(s):** *hirtata* Fabricius,1794; *coracina* Esper,1805; *chaonaria* Freyer,1828 - **Range (in code):** **ES FR IT GB DE CH AT PL RO YU BG NO SE FI RU MD UA BY** **Bionomy:** Larva on Polygonum (Meyer,1919).
- 47022. *Psodos noricana* (Wagner,1898)** (Geometridae) **Synonym(s):** *noricana* Wagner,1898; *belzebuth* Praviel,1938 - **Range (in code):** **FR IT DE AT SK RO** **Bionomy:** Larva on Polygonum (Meyer,1919).
- 47023. *Psodos quadrifaria* (Sulzer,1776)** (Geometridae) **Synonym(s):** *quadrifaria* Sulzer,1776; *alpinata* [Denis & Schiffermüller],1775 *nec* Sc.,1763; *equestrata* Fabricius,1777; *equestraria* Esper,[1806] *nec* Fabr.,1794; *pyrenaica* Oberthür,1913 - **Range (in code):** **ES FR IT DE CH AT CZ SK YU AL**
- 47024. *Psodos spitzi* (Rebel,1906)** (Geometridae) **Synonym(s):** *spitzi* Rebel,1906 - **Range (in code):** **AT YU**
- 47025. *Psodos wehrlii* (Vorbodt,1918)** (Geometridae) **Synonym(s):** *wehrlii* Vorbodt,1918 - **Range (in code):** **CH**
- 47026. *Psychophora sabini* Kirby,1824** (Geometridae) **Synonym(s):** *sabini* Kirby,1824 - **Range (in code):** **NO SE FI**
- 47027. *Psyra angulifera* (Walker,1866)** (Geometridae) **Synonym(s):** *angulifera* Walker,1866 - **Range (in code):** **IN**
- 47028. *Psyra bluethgeni* (Püngeler,1904)** (Geometridae) **Synonym(s):** *bluethgeni* Püngeler,1904 - **Range (in code):** **JP**
- 47029. *Psyra boarmiata* (Graeser,1892)** (Geometridae) **Synonym(s):** *boarmiata* Graeser,1892 - **Range (in code):** **RU Us Am JP**
- 47030. *Psyra conferta* Inoue,1983** (Geometridae) **Synonym(s):** *conferta* Inoue,1983 - **Range (in code):** **TW**
- 47031. *Psyra crypta* Yazaki,1994** (Geometridae) **Synonym(s):** *crypta* Yazaki,1994 - **Range (in code):** **NP**
- 47032. *Psyra cuneata* Walker,1860** (Geometridae) **Synonym(s):** *cuneata* Walker,1860; *dsagara* Wehrli,1953; *lidjangica* Wehrli,1953; *szetschwana* Wehrli,1953 - **Range (in code):** **IN TW CN Ti Sz Yu Lik TH CMa Int**
- 47033. *Psyra cuneata matsumurai* Bastelberger,1909** (Geometridae) **Synonym(s):** *matsumurai* Bastelberger,1909 - **Range (in code):** **TW**
- 47034. *Psyra debilis* W.Warren,1888** (Geometridae) **Synonym(s):** *debilis* W.Warren,1888 **Original Reference:** *Psyra debilis* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 319. Syntypes 3♂: [Pakistan]: Thundiani. **Range (in code):** **PK Thu Haz Nar IN Hp Kgr Drm**
- 47035. *Psyra debilis debilis* W.Warren,1888** (Geometridae) **Synonym(s):** *debilis* W.Warren,1888 **Original Reference:** *Psyra debilis* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 319. Syntypes 3♂: [Pakistan]: Thundiani. **Range (in code):** **PK Thu Haz Nar**
- 47036. *Psyra debilis indica* (Butler,1889)** (Geometridae) **Synonym(s):** *indica* Butler,1889 - **Range (in code):** **IN Hp Kgr Drm**
- 47037. *Psyra falcipennis* Yazaki,1994** (Geometridae) **Synonym(s):** *falcipennis* Yazaki,1994 - **Range (in code):** **NP**

- 47038. *Psyra fulvaria* Yazaki,1992** (Geometridae) Synonym(s): *fulvaria* Yazaki,1992 _ Range (in code): **IN SI**
- 47039. *Psyra gracilis* Yazaki,1992** (Geometridae) Synonym(s): *gracilis* Yazaki,1992 _ Range (in code): **NP**
- 47040. *Psyra moderata* Inoue,1982** (Geometridae) Synonym(s): *moderata* Inoue,1982 _ Range (in code): **IN NI NP**
- 47041. *Psyra similaria* Moore,1868** (Geometridae) Synonym(s): *similaria* Moore,1868 _ Range (in code): **IN SI Djl**
- 47042. *Psyra spurcataria* (Walker,[1863])** (Geometridae) Synonym(s): *spurcataria* Walker,[1863]; *florida* Bastelberger,1911 _ Range (in code): **IN SI Djl TW**
- 47043. *Psyra trilineata* (Moore,1868)** (Geometridae) Synonym(s): *trilineata* Moore,1868 _ Range (in code): **IN Ben**
- 47044. *Psyroides flavivertex* Wehrli,1931** (Geometridae) Synonym(s): *flavivertex* Wehrli,1931 _ Range (in code):
- 47045. *Psyroides pentagramma* Wehrli,1954** (Geometridae) Synonym(s): *pentagramma* Wehrli,1954 _ Range (in code): **CN Yu**
- 47046. *Psyroides ramphodes* Wehrli,1954** (Geometridae) Synonym(s): *ramphodes* Wehrli,1954 _ Range (in code): **CN Yu**
- 47047. *Pterapherapteryx sexalata* (Retzius,1783)** (Geometridae) Synonym(s): *sexalata* Retzius,1783; *sexalisata* Hübner,[1788]; *sezalata* Hübner,1799; *hexaptera* Latreille,1805 _ Original Reference: *Phalaena sexalata* Retzius,1783, *Genera et Species Insectorum*: 50. Type(s): [Europe]. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Salix* (Meyer,1919).
- 47048. *Ptomophyle inflexa* Herbulot,1998** (Geometridae) Synonym(s): *inflexa* Herbulot,1998 _ Range (in code): **GO Bio**
- 47049. *Ptomophyle subcarnea* (W.Waren,1902)** (Geometridae) Synonym(s): *subcarnea* W.Waren,1902 _ Range (in code): **ZR**
- 47050. *Ptygmatorphora staudingeri* (Christoph,1881)** (Geometridae) Synonym(s): *staudingeri* Christoph,1881 _ Range (in code): **RU Am**
- 47051. *Pulchralata fowleri* D.S.Fletcher,1956** (Geometridae) Synonym(s): *fowleri* D.S.Fletcher,1956 _ Range (in code): **KE Nai**
- 47052. *Pullichroma pullicosta* (L.B.Prout,1931)** (Geometridae) Synonym(s): *pullicosta* L.B.Prout,1931 _ Range (in code): **PH Mno**
- 47053. *Pungeleria capreolaria* (Fabricius,1787)** (Geometridae) Synonym(s): *capreolaria* Fabricius,1787; *donzelaria* Duponchel,1829; *valesiaria* Vorbrodt & Müller-Rutz,1913 _ Original Reference: *Phalaena capreolaria* Fabricius,1787, *Mant. Ins.* 2: 190, nr.54. Type(s): [Wien]. Range (in code): **ES FR Co IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY** Bionomy: Larva on *Abies*, *Picea* (Meyer,1919).
- 47054. *Pungeleria poeymirai* (Oberthür,1922)** (Geometridae) Synonym(s): *poeymirai* Oberthür,1922 _ Range (in code): **MA** Bionomy: Larva on needles of *Cedrus* (Rungs, 1979-1981).
- 47055. *Pycnostega areta* L.B.Prout,1934** (Geometridae) Synonym(s): *areta* L.B.Prout,1934 _ Range (in code): **ZR**
- 47056. *Pycnostega areta* L.B.Prout,1934** (Geometridae) Synonym(s): *areta* L.B.Prout,1934 _ Range (in code): **ZR Kvu**
- 47057. *Pycnostega bassa* Herbulot,1992** (Geometridae) Synonym(s): *bassa* Herbulot,1992 _ Range (in code): **CM**
- 47058. *Pycnostega bassa* Herbulot,1992** (Geometridae) Synonym(s): *bassa* Herbulot,1992 _ Range (in code): **CM**
- 47059. *Pycnostega clarapicata* Herbulot,1992** (Geometridae) Synonym(s): *clarapicata* Herbulot,1992 _ Range (in code): **GA**
- 47060. *Pycnostega clarapicata* Herbulot,1992** (Geometridae) Synonym(s): *clarapicata* Herbulot,1992 _ Range (in code): **GA**
- 47061. *Pycnostega fasciata* Herbulot,1992** (Geometridae) Synonym(s): *fasciata* Herbulot,1992 _ Range (in code): **CM**
- 47062. *Pycnostega fasciata* Herbulot,1992** (Geometridae) Synonym(s): *fasciata* Herbulot,1992 _ Range (in code): **CM**

- 47063. *Pycnostega fumosa* (W.Warren,1897)** (Geometridae) Synonym(s): *fumosa*
W.Warren,1897 - Range (in code): NG
- 47064. *Pycnostega fumosa* (W.Warren,1897)** (Geometridae) Synonym(s): *fumosa*
W.Warren,1897 - Range (in code): NG
- 47065. *Pycnostega ghesquierei* (L.B.Prout,1934)** (Geometridae) Synonym(s): *ghesquierei*
L.B.Prout,1934 - Range (in code): ZR
- 47066. *Pycnostega ghesquierei* (L.B.Prout,1934)** (Geometridae) Synonym(s): *ghesquierei*
L.B.Prout,1934 - Range (in code): ZR
- 47067. *Pycnostega infrequens* Herbulot,1992** (Geometridae) Synonym(s): *infrequens*
Herbulot,1992 - Range (in code): CM
- 47068. *Pycnostega infrequens* Herbulot,1992** (Geometridae) Synonym(s): *infrequens*
Herbulot,1992 - Range (in code): CM
- 47069. *Pycnostega insipida* Herbulot,1992** (Geometridae) Synonym(s): *insipida* Herbulot,1992
Range (in code): GA
- 47070. *Pycnostega insipida* Herbulot,1992** (Geometridae) Synonym(s): *insipida* Herbulot,1992
Range (in code): GA
- 47071. *Pycnostega leucochora* L.B.Prout,1922** (Geometridae) Synonym(s): *leucochora*
L.B.Prout,1922 - Range (in code): GA
- 47072. *Pycnostega leucochora* L.B.Prout,1922** (Geometridae) Synonym(s): *leucochora*
L.B.Prout,1922 - Range (in code): GA
- 47073. *Pycnostega obscura* W.Warren,1905** (Geometridae) Synonym(s): *obscura*
W.Warren,1905 - Range (in code): NG
- 47074. *Pycnostega obscura* W.Warren,1905** (Geometridae) Synonym(s): *obscura*
W.Warren,1905 - Range (in code): NE
- 47075. *Pycnostega ramificata* Herbulot,1992** (Geometridae) Synonym(s): *ramificata*
Herbulot,1992 - Range (in code): CM
- 47076. *Pycnostega ramificata* Herbulot,1992** (Geometridae) Synonym(s): *ramificata*
Herbulot,1992 - Range (in code): CM
- 47077. *Pycnostega stilbia* L.B.Prout,1922** (Geometridae) Synonym(s): *stilbia* L.B.Prout,1922
Range (in code): CM Bit
- 47078. *Pycnostega stilbia* L.B.Prout,1922** (Geometridae) Synonym(s): *stilbia* L.B.Prout,1922
Range (in code): CM Bit
- 47079. *Pycnostega subtilis* Herbulot,1992** (Geometridae) Synonym(s): *subtilis* Herbulot,1992
Range (in code): CI
- 47080. *Pycnostega umbrina* Herbulot,1992** (Geometridae) Synonym(s): *umbrina* Herbulot,1992
Range (in code): CM
- 47081. *Pydna badiaria* (Freyer,[1841])** (Geometridae) Synonym(s): *badiaria* Freyer,[1841]; *telaria* Herrich-Schäffer,[1847]; *cervinaria* Herrich-Schäffer,[1847]; *praecanaria* Eversmann,1847; *pollenaria* Freyer,1854. Original Reference: *Fidonia badiaria* Freyer,[1841], *Neuere Beitr. Schmiett.* 4: 115, Taf.354 fig.2. Type(s): [Russland]: Sarepta. Range (in code): MK RU Sr UA TR Cc AM Da IR Elb IQ
- 47082. *Pydna bahara* (Brandt,1938)** (Geometridae) Synonym(s): *bahara* Brandt,1938 Original Reference: *Rhodostrophia bahara* Brandt,1938, *Ent. Rdsch.* 55: 573, figs. 249-251. Syntypes: Iran: Chiraz & Fort Sine-Sefid. Range (in code): IR Shr Fa Sse Kd TR AZ Cc IQ SY Dms
- 47083. *Pydna iranica* (Schwingenschuss,1939)** (Geometridae) Synonym(s): *iranica* Schwingenschuss,1939 Original Reference: *Rhodostrophia badiaria* ssp. *iranica* Schwingenschuss,1939, *Ent. Z., Frankf. a. M.* 53 (25): 202. Syntypes 2♂ 3♀: Iran: Kendevan, Demavend, 3000m. Range (in code): IR Elb Th Kdv Dam
- 47084. *Pygmaena fusca* (Thunberg,1792)** (Geometridae) Synonym(s): *fusca* Thunberg,1792; *venetaria* Hübner,[1809]; *canitaria* Freyer,1830; *fuscantaria* Zetterstedt,1839 nec Thunb.,1792 - Range (in code): FR IT DE CH AT YU NO SE FI RU MD UA BY Bionomy: Larva on *Draba* (Brassicaceae) (Meyer,1919).
- 47085. *Pynthanosis henricaria* (Oberthür,1881)** (Geometridae) Synonym(s): *henricaria* Oberthür,1881; *macronata* Staudinger,1894 Original Reference: *Stegania henricaria* Oberthür,1881, *Etud. Lépid.* 6: 82, Pl.11 figs.16,17. Syntypes ♂♀: Algérie, Sebdu (Henri Codet leg.). Range (in code): DZ Ges Sbd Agi
- 47086. *Racotis anaglyptica* L.B.Prout,1935** (Geometridae) Synonym(s): *anaglyptica* L.B.Prout,1935 - Range (in code): ID Ja

- 47087. *Racotis apodosima* L.B.Prout,1931** (Geometridae) **Synonym(s):** *apodosima* L.B.Prout,1931
Original Reference: *Racotis apodosima* L.B.Prout,1931, Novit. zool. 36 (2): 171. Holotype ♂:
Delagoa Bay (BMNH). Range (in code): **MZ Del ZA Tva Etm ZA07 ZA08 ZA14 Mpu ZA25 Nta Kzu**
- 47088. *Racotis boarmiaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *boarmiaria*
Guenée,[1858] Range (in code): **IN SI Djl BT Meg Ass Khs JP ID**
- 47089. *Racotis boarmiaria boarmiaria* (Guenée,[1858])** (Geometridae) **Synonym(s):**
boarmiaria *Guenée,[1858]* Range (in code): **IN**
- 47090. *Racotis boarmiaria japonica* Inoue,1953** (Geometridae) **Synonym(s):** *japonica*
Inoue,1953 Range (in code): **JP**
- 47091. *Racotis boarmiaria oblitterata* W.Warren,1894** (Geometridae) **Synonym(s):** *oblitterata*
W.Warren,1894 Range (in code): **IN BT Meg Ass Khs**
- 47092. *Racotis boarmiaria plenifasciata* W.Warren,1894** (Geometridae) **Synonym(s):**
plenifasciata *W.Warren,1894* Range (in code): **IN SI Djl BT Meg Ass Khs**
- 47093. *Racotis breijeri* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *breijeri* L.B.Prout,1922
Original Reference: *Boarmia breijeri* L.B.Prout,1922, Ann. Transv. Mus. 8 (3): 171, pl.1 fig.14.
Holotype ♂: [South Africa]: Transvaal, Nelspruit (BMNH). Range (in code): **ZA Mal Tva Lpo ZA16 Mpu Nel**
- 47094. *Racotis canui* Herbulot,1991** (Geometridae) **Synonym(s):** *canui* Herbulot,1991 Range
(in code): **ST**
- 47095. *Racotis cedrici* Herbulot,1998** (Geometridae) **Synonym(s):** *cedrici* Herbulot,1998
Range (in code): **GO Bio**
- 47096. *Racotis cogens* L.B.Prout,1929** (Geometridae) **Synonym(s):** *cogens* L.B.Prout,1929
Range (in code): **ID Mlc Bru**
- 47097. *Racotis deportata* Herbulot,1970** (Geometridae) **Synonym(s):** *deportata* Herbulot,1970
Range (in code): **MG**
- 47098. *Racotis discistigmara* (Hampson,1902)** (Geometridae) **Synonym(s):** *discistigmara*
Hampson,1902 Range (in code): **IN Meg Ass Khs**
- 47099. *Racotis fortijuxta* Sato,1995** (Geometridae) **Synonym(s):** *fortijuxta* Sato,1995 Range
(in code): **PH Luz**
- 47100. *Racotis incauta* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *incauta* L.B.Prout,1916
Original Reference: *Alcis incauta* Prout,1916, Ann. Transv. Mus. 5 (3): 176, pl.25 fig.35. Holotype
♂: [South Africa]: Transvaal, Barberton (BMNH). Range (in code): **ZA Mpu Brb ZA05 Ksi Kzu Nta**
- 47101. *Racotis inconclusa* (Walker,1860)** (Geometridae) **Synonym(s):** *inconclusa* Walker,1860;
illustrata W.Warren,1899 Range (in code): **MY Pen BD Syl**
- 47102. *Racotis luzonensis* Sato,1995** (Geometridae) **Synonym(s):** *luzonensis* Sato,1995 Range
(in code): **PH Luz**
- 47103. *Racotis neonephria* L.B.Prout,1935** (Geometridae) **Synonym(s):** *neonephria*
L.B.Prout,1935 Range (in code): **ID Ja**
- 47104. *Racotis quadripunctata* Holloway,[1994]** (Geometridae) **Synonym(s):** *quadripunctata*
Holloway,[1994] Range (in code): **MY Bor Swk**
- 47105. *Ramitia kuhitangiensis* Beljaev & Vasilenko,1998** (Geometridae) **Synonym(s):**
kuhitangiensis Beljaev & Vasilenko,1998 TM
- 47106. *Ramitia obliquelineata* Viidalepp,1988** (Geometridae) **Synonym(s):** *obliquelineata*
Viidalepp,1988 Original Reference: *Ramitia obliquelineata* Viidalepp,1988, Geometridae fauna
of the Central Asian Mountains: 138-139, figs. Holotype ♂: Tadjikistan, Hissar Mts. Range (in
code): **TJ His**
- 47107. *Ramitia* sp** (Geometridae) **Synonym(s):** TR
- 47108. *Ramobia basifuscaria* (Leech,1891)** (Geometridae) **Synonym(s):** *basifuscaria* Leech,1891
Range (in code): **JP**
- 47109. *Ramobia mediodivisa* Inoue,1953** (Geometridae) **Synonym(s):** *mediodivisa* Inoue,1953
Range (in code): **JP**
- 47110. *Ramobia moriutii* Sato,2005** (Geometridae) **Synonym(s):** *moriutii* Sato,2005 Range
(in code): **TH CMa Int**
- 47111. *Rhadinomphax divincta* (Walker,1861)** (Geometridae) **Synonym(s):** *divincta*
Walker,1861 Range (in code): **ZA ZA10 Nta Kzu Dbn Srn ZA14 Mpu ZA18 Ec Tva Lpo Spb Bbg Wca Cto**
- 47112. *Rhadinomphax pudicata* (Walker,1866)** (Geometridae) **Synonym(s):** *pudicata*
Walker,1866; frondinata R.Felder & Rogenhofer,1875 Range (in code): **ZA Wca Kny Ste**

- 47113. Rhadinomphax sanguinipuncta (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *sanguinipuncta* R.Felder & Rogenhofer,1875 _ Range (in code): ZA Wca Cto Ste Pel Ec
- 47114. Rhadinomphax trimeni (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *trimeni* R.Felder & Rogenhofer,1875 _ Range (in code): ZA Wca Cto Kny Ec
- 47115. Rhanidopsis alleni Holloway,1996** (Geometridae) Synonym(s): *alleni* Holloway,1996 _ Range (in code): MY Bor Swk BN ID Sum
- 47116. Rhanidopsis neophantes West,1930** (Geometridae) Synonym(s): *neophantes* West,1930 _ Range (in code): PH Luz
- 47117. Rheumaptera abraxidia (Hampson,1895)** (Geometridae) Synonym(s): *abraxidia* Hampson,1895 _ Range (in code): IN SI
- 47118. Rheumaptera acis (D.S.Fletcher,1961)** (Geometridae) Synonym(s): *acis* D.S.Fletcher,1961 _ Range (in code): NP
- 47119. Rheumaptera acutata Xue & Meng,1992** (Geometridae) Synonym(s): *acutata* Xue & Meng,1992 _ Range (in code): CN Gn
- 47120. Rheumaptera affinis Xue & Meng,1992** (Geometridae) Synonym(s): *affinis* Xue & Meng,1992 _ Range (in code): CN Gn
- 47121. Rheumaptera albidia Xue,1995** (Geometridae) Synonym(s): *albidia* Xue,1995 _ Range (in code): CN Yu
- 47122. Rheumaptera albiplaga (Oberthür,1886)** (Geometridae) Synonym(s): *albiplaga* Oberthür,1886 _ Range (in code): CN Sz T-T JP
- 47123. Rheumaptera albofasciata Inoue,1986** (Geometridae) Synonym(s): *albofasciata* Inoue,1986 _ Range (in code): TW
- 47124. Rheumaptera alternata (Staudinger,1896)** (Geometridae) Synonym(s): *alternata* Staudinger,1896; *nudaria* Leech,1897 _ Range (in code): NP CN Ti Sz T-T
- 47125. Rheumaptera anestha (L.B.Prout,1941)** (Geometridae) Synonym(s): *anestha* L.B.Prout,1941 _ Range (in code): IN Ass Meg Khs
- 47126. Rheumaptera chimu (Dognin,1904)** (Geometridae) Synonym(s): *chimu* Dognin,1904 _ Range (in code): PE
- 47127. Rheumaptera chinensis (Leech,1897)** (Geometridae) Synonym(s): *chinensis* Leech,1897; *moerens* Alpheraky,1897 _ Range (in code): CN Sz T-T
- 47128. Rheumaptera cinerea Yazaki,1995** (Geometridae) Synonym(s): *cinerea* Yazaki,1995 _ Range (in code): NP
- 47129. Rheumaptera confusaria (Leach,1897)** (Geometridae) Synonym(s): *confusaria* Leach,1897 _ Range (in code): CN NP IN SI
- 47130. Rheumaptera corporaali (Wehrli,1933)** (Geometridae) Synonym(s): *corporaali* Wehrli,1933 _ Range (in code): Ch
- 47131. Rheumaptera cupreipennis (Dognin,1908)** (Geometridae) Synonym(s): *cupreipennis* Dognin,1908 _ Range (in code): PE
- 47132. Rheumaptera desolata Yazaki,1995** (Geometridae) Synonym(s): *desolata* Yazaki,1995 _ Range (in code): NP
- 47133. Rheumaptera empodia (L.B.Prout,1941)** (Geometridae) Synonym(s): *empodia* L.B.Prout,1941 _ Range (in code): IN SI
- 47134. Rheumaptera fasciaria (Leach,1897)** (Geometridae) Synonym(s): *fasciaria* Leach,1897 _ Range (in code): CN
- 47135. Rheumaptera flavipes (Ménétriés,1858)** (Geometridae) Synonym(s): *flavipes* Ménétriés,1858; *flavipedaria* Ménétriés,1859; *sachalinensis* Matsumura,1911 _ Range (in code): RU Sh Sb Am CN
- 47136. Rheumaptera fuscaria (Leach,1897)** (Geometridae) Synonym(s): *fuscaria* Leach,1897 _ Range (in code): CN Sz
- 47137. Rheumaptera grisearia (Leach,1897)** (Geometridae) Synonym(s): *grisearia* Leach,1897 _ Range (in code): CN Sz
- 47138. Rheumaptera gudarica (Dufay,1983)** (Geometridae) Synonym(s): *gudarica* Dufay,1983 _ Range (in code): MA ES
- 47139. Rheumaptera hastata (Linnaeus,1758)** (Geometridae) Synonym(s): *hastata* Linnaeus,1758; *heraclitaea* Fourcroy,1785; *hastaria* Boisduval,1840 _ Original Reference: Phalaena hastata Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): Suecia. Range (in code): ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR Cc GG Bjo Akh DK NO SE FI EE LV LT RU MD UA BY CN Sz JP Hkk Bionomy: Larva on Betula, Salix, Vaccinium uliginosum (Meyer,1919).

- 47140. Rheumaptera hecate (Butler,1878)** (Geometridae) Synonym(s): *hecate* Butler,1878
Range (in code): **JP**
- 47141. Rheumaptera hecate matsumurai Inoue,1977** (Geometridae) Synonym(s):
sachalinensis Matsumura,1925 nec Mats.,1911; *matsumurai* Inoue,1977 _ Range (in code): **JP**
- 47142. Rheumaptera hedemannaria (Oberthür,1880)** (Geometridae) Synonym(s):
hedemannaria Oberthür,1880; *excultata* Christoph,1881; *varia* Hedemann,1881 _ Range (in code): **RU Us Ask**
- 47143. Rheumaptera hydatoplex (L.B.Prout,1938)** (Geometridae) Synonym(s): *hydatoplex*
L.B.Prout,1938 _ Range (in code): **CN Sz T-T Ts Kno**
- 47144. Rheumaptera hypolopha (Hampson,1895)** (Geometridae) Synonym(s): *hypolopha*
Hampson,1895 _ Range (in code): **IN SI**
- 47145. Rheumaptera inanata (Christoph,1881)** (Geometridae) Synonym(s): *inanata*
Christoph,1881; *costipunctaria* Leach,1897 _ Range (in code): **RU Am CN Ti Sz**
- 47146. Rheumaptera inanata (Christoph,1881)** (Geometridae) Synonym(s): *inanata*
Christoph,1881; *costipunctaria* Leach,1897 _ Range (in code): **RU CN Ti Sz T-T**
- 47147. Rheumaptera incertata (Staudinger,1882)** (Geometridae) Synonym(s): *incertata*
Staudinger,1882 _ Range (in code): **KG Ssn Mn Sp Tar**
- 47148. Rheumaptera inepta (Dognin,1900)** (Geometridae) Synonym(s): *inepta* Dognin,1900
Range (in code): **EC**
- 47149. Rheumaptera interrupta (Dognin,1900)** (Geometridae) Synonym(s): *interrupta*
Dognin,1900 _ Range (in code): **EC**
- 47150. Rheumaptera ithys (L.B.Prout,1937)** (Geometridae) Synonym(s): *ithys* L.B.Prout,1937
Range (in code): **DZ**
- 47151. Rheumaptera latifasciaria (Leach,1891)** (Geometridae) Synonym(s): *latifasciaria*
Leach,1891 _ Range (in code): **JP**
- 47152. Rheumaptera lugens (Oberthür,1886)** (Geometridae) Synonym(s): *lugens*
Oberthür,1886 _ Range (in code): **CN Ts Kno Yu Sz T-T**
- 47153. Rheumaptera luteimedia (L.B.Prout,1941)** (Geometridae) Synonym(s): *luteimedia*
L.B.Prout,1941 _ Range (in code): **CN Sz T-T**
- 47154. Rheumaptera mochica (Dognin,1904)** (Geometridae) Synonym(s): *mochica* Dognin,1904
Range (in code): **PE**
- 47155. Rheumaptera moniliferaria (Oberthür,1893)** (Geometridae) Synonym(s):
moniliferaria Oberthür,1893 _ Range (in code): **CN Sz T-T**
- 47156. Rheumaptera montivagata Duponchel,1830** (Geometridae) Synonym(s): *montivagata*
Duponchel,1830; *montivagaria* Boisduval,1840; *andalusica* Ribbe,1912 _ Range (in code): **MA DZ ES An FR IT CH TR Cc AZ Nv IR** Bionomy: Larva on Berberis (Meyer,1919).
- 47157. Rheumaptera moscardonica Laever,1983** (Geometridae) Synonym(s): *moscardonica*
Laever,1983 _ Range (in code): **ES**
- 47158. Rheumaptera naseraria (Oberthür,1893)** (Geometridae) Synonym(s): *naseraria*
Oberthür,1893 _ Range (in code): **CN Sz T-T**
- 47159. Rheumaptera nengkaoensis Inoue,1986** (Geometridae) Synonym(s): *nengkaoensis*
Inoue,1986 _ Range (in code): **TW**
- 47160. Rheumaptera neocervinalis Inoue,1982** (Geometridae) Synonym(s): *neocervinalis*
Inoue,1982 _ Range (in code): **JP**
- 47161. Rheumaptera nigralbata (W.Warren,1888)** (Geometridae) Synonym(s): *nigralbata*
W.Warren,1888 Original Reference: *Scotosia nigralbata* W.Warren,1888, Proc. zool. Soc. Lond.
1888: 327. Syntypes: 3♂ 2♀: [Pakistan]: Thundiani, August 1886. Range (in code): **PK Pj Thu SI**
- 47162. Rheumaptera nigrifasciaria (Leach,1897)** (Geometridae) Synonym(s): *nigrifasciaria*
Leach,1897 _ Range (in code): **CN**
- 47163. Rheumaptera pharcis Xue,1995** (Geometridae) Synonym(s): *pharcis* Xue,1995 _ Range
(in code): **CN Yu**
- 47164. Rheumaptera relictata (Herbulot,1953)** (Geometridae) Synonym(s): *relictata* Herbulot,1953
Range (in code): **KE**
- 47165. Rheumaptera scotaria (Hampson,1907)** (Geometridae) Synonym(s): *scotaria*
Hampson,1907 _ Range (in code): **LK**
- 47166. Rheumaptera sideritaria (Oberthür,1884)** (Geometridae) Synonym(s): *sideritaria*
Oberthür,1884 _ Range (in code): **CN Sz T-T**

- 47167. Rheumaptera subhastata (Nolcken,1870)** (Geometridae) Synonym(s): *subhastata* Nolcken,1870; *sagittifera* Gumpenberg,1890 _ Range (in code): **FR BE DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 47168. Rheumaptera titubata (L.B.Prout,1941)** (Geometridae) Synonym(s): *itubata* L.B.Prout,1941 _ Range (in code): **IN SI CN Ti Yt**
- 47169. Rheumaptera tremodes (L.B.Prout,1941)** (Geometridae) Synonym(s): *tremodes* L.B.Prout,1941 _ Range (in code): **IN SI**
- 47170. Rheumaptera tremulata (Guenée,[1858])** (Geometridae) Synonym(s): *tremulata* Guenée,[1858] _ Range (in code): **IN Hp Kma CN**
- 47171. Rheumaptera valentula (L.B.Prout,1941)** (Geometridae) Synonym(s): *valentula* L.B.Prout,1941 _ Range (in code): **CN Sz T-T**
- 47172. Rheumaptera veterinata (Christoph,1881)** (Geometridae) Synonym(s): *veterinata* Christoph,1881 _ Range (in code): **RU Us Ask**
- 47173. Rhodesia albiviridata (Saalmüller,1880)** (Geometridae) Synonym(s): *albiviridata* Saalmüller,1880 _ Range (in code): **ZA Tva Lpo Ly ZW Umv MG SN AO KE ZW MW**
- 47174. Rhodesia depompata L.B.Prout,1913** (Geometridae) Synonym(s): *depompata* L.B.Prout,1913 _ Original Reference: Rhodesia depompata L.B.Prout,1913, Novit. zool. 20: 434-435. Type ♂: [South Africa]: "Johannesburg (J.P.Cregoe)" (BMNH). Range (in code): **ZA Tva Gau Jh**
- 47175. Rhodesia viridalbata W.Warren,1905** (Geometridae) Synonym(s): *viridalbata* W.Warren,1905 _ Range (in code): **ZA Tva ZA05 Nta Kzu Dbn ZA14 ZA20 Mpu**
- 47176. Rhodometra angasmarca Dognin,1917** (Geometridae) Synonym(s): *angasmarca* Dognin,1917 _ Range (in code): **PE**
- 47177. Rhodometra audeoudi L.B.Prout,1928** (Geometridae) Synonym(s): *audeoudi* L.B.Prout,1928 _ Range (in code): **ZA MZ Del**
- 47178. Rhodometra debiliaria Rothschild,1914** (Geometridae) Synonym(s): *debiliaria* Rothschild,1914 _ Original Reference: Rhodometra plectaria ssp. debiliaria Rothschild,1914, Novit. zool. 21: 345. Type ♂: Algeria, Guelte-es-Stel (V.Faroult). Range (in code): **DZ Ges**
- 47179. Rhodometra intervenata (W.Warren,1902)** (Geometridae) Synonym(s): *intervenata* W.Warren,1902 _ Range (in code): **KE**
- 47180. Rhodometra labdoides Herbulot,1997** (Geometridae) Synonym(s): *labdoides* Herbulot,1997 _ Range (in code): **ET**
- 47181. Rhodometra participata (Walker,1862)** (Geometridae) Synonym(s): *participata* Walker,1862; *peculiata* Walker,1862 _ Range (in code): **ZA Nta Kzu**
- 47182. Rhodometra plectaria (Guenée,[1858])** (Geometridae) Synonym(s): *plectaria* Guenée,[1858] _ Range (in code): **ET**
- 47183. Rhodometra sacraria (Linnaeus,1767)** (Geometridae) Synonym(s): *sacraria* Linnaeus,1767; *labda* Cramer,1777; *sacralis* Thunberg,1784; *fulvaria* Fabricius,1794; *sanguinaria* Esper,1801; *minervae* Gistl,1856; *labdaria* Guenée,[1858]; _ Original Reference: Phalaena sacraria Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 863. Syntypes: [Algeria]: Barbaria (LSL). Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr Rd TR IL Pa Car Jf Js Hf LB Bsa CY IQ Agh TH IR Shr Fa Sse Ahz DK NO SE EE LV RU MD UA BY AF Ca PK Bl Cp Qu ZA ZA04 ZA05 ZA06 ZA27 Kzu Nta Lpo Tva Spb Mdk SH MG MN CN Mre Cp Haz Cls Cn Md Az IN AZ Nv AM Cm SY Hal YE Bea Clo Orn Ges** _ Bionomy: Larva on Beta, Polygonum, Rumex (Meyer,1919; Wiltshire,1941,1957; Calle et al.,2000).
- 47184. Rhodometra satura L.B.Prout,1916** (Geometridae) Synonym(s): *satura* L.B.Prout,1916 _ Range (in code): **ZA Tva Nta Kzu Dbn MZ Del**
- 47185. Rhodometra sevastopuloi Carcasson,1964** (Geometridae) Synonym(s): *sevastopuloi* Carcasson,1964 _ Range (in code): **KE Mb**
- 47186. Rhodometra virgenpampa (Dognin,1892)** (Geometridae) Synonym(s): *virgenpampa* Dognin,1892 _ Range (in code): **EC**
- 47187. Rhodophthitus anamesa (L.B.Prout,1915)** (Geometridae) Synonym(s): *anamesa* L.B.Prout,1915 _ Range (in code): **TZ**
- 47188. Rhodophthitus arichannaria D.S.Fletcher,1978** (Geometridae) Synonym(s): *arichannaria* D.S.Fletcher,1978 _ Range (in code): **TZ**
- 47189. Rhodophthitus atacta L.B.Prout,1922** (Geometridae) Synonym(s): *atacta* L.B.Prout,1922 _ Range (in code): **ZA**

- 47190. *Rhodophthitus barlowi* (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *barlowi* L.B.Prout,1922 **Range (in code):** **MW**
- 47191. *Rhodophthitus betsileanus* Herbulot,1965** (Geometridae) **Synonym(s):** *betsileanus* Herbulot,1965 **Range (in code):** **MG**
- 47192. *Rhodophthitus castus* W.Warren,1904** (Geometridae) **Synonym(s):** *castus* W.Warren,1904 **Range (in code):** **AO**
- 47193. *Rhodophthitus commaculata* (L.B.Prout,1897)** (Geometridae) **Synonym(s):** *commaculata* L.B.Prout,1897 **Range (in code):** **TZ ZA Mal ZA28 Tva Lpo**
- 47194. *Rhodophthitus formosus* Butler,1880** (Geometridae) **Synonym(s):** *formosus* Butler,1880 **Range (in code):** **MG**
- 47195. *Rhodophthitus myriostictus* L.B.Prout,1915** (Geometridae) **Synonym(s):** *myriostictus* L.B.Prout,1915 **Range (in code):** **NG**
- 47196. *Rhodophthitus procellosa* W.Warren,1905** (Geometridae) **Synonym(s):** *procellosa* W.Warren,1905 **Range (in code):** **AO**
- 47197. *Rhodophthitus pseudabraxas* Carcasson,1964** (Geometridae) **Synonym(s):** *pseudabraxas* Carcasson,1964 **Range (in code):** **ZR**
- 47198. *Rhodophthitus roseovittata* (Butler,1896)** (Geometridae) **Synonym(s):** *roseovittata* Butler,1896 **Range (in code):** **UG**
- 47199. *Rhodophthitus rudicornis* (Butler,1898)** (Geometridae) **Synonym(s):** *rudicornis* Butler,1898 **Range (in code):** **KE**
- 47200. *Rhodophthitus simplex* W.Warren,1897** (Geometridae) **Synonym(s):** *simplex* W.Warren,1897; *roseus* W.Warren,1899; *rhodonaria* Oberthür,1916 **Range (in code):** **MW ZR ZW**
- 47201. *Rhodophthitus thapsinus* L.B.Prout,1931** (Geometridae) **Synonym(s):** *thapsinus* L.B.Prout,1931 **Range (in code):** **AO**
- 47202. *Rhodophthitus tricoloraria* (Mabille,1890)** (Geometridae) **Synonym(s):** *tricoloraria* Mabille,1890; *imperialis* Bastelberger,1907 **Range (in code):** **TZ Zz**
- 47203. *Rhodophthitus unca* (Le Cerf,1922)** (Geometridae) **Synonym(s):** *unca* Le Cerf,1922 **Range (in code):** **KE**
- 47204. *Rhodostrophia abscisaria* Brandt,1941** (Geometridae) **Synonym(s):** *abscisaria* Brandt,1941 **Range (in code):** **AF IR**
- 47205. *Rhodostrophia abscisaria abscisaria* Brandt,1941** (Geometridae) **Synonym(s):** *abscisaria* Brandt,1941 **Range (in code):** **IR**
- 47206. *Rhodostrophia abscisaria chlorotica* Wiltshire,1967** (Geometridae) **Synonym(s):** *chlorotica* Wiltshire,1967 **Range (in code):** **AF**
- 47207. *Rhodostrophia adauctata* (Staudinger,1892)** (Geometridae) **Synonym(s):** *adauctata* Staudinger,1892 **Range (in code):** **UZ Smk Fe KK Osh Ax Ik KG Tk CN Ui Ii**
- 47208. *Rhodostrophia adauctata alexandraria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *alexandraria* Staudinger,1892 **Range (in code):** **KK Ax**
- 47209. *Rhodostrophia adauctata grisearia* (Staudinger,1892)** (Geometridae) **Synonym(s):** *grisearia* Staudinger,1892 **Range (in code):** **KK**
- 47210. *Rhodostrophia anchotera* L.B.Prout,1935** (Geometridae) **Synonym(s):** *anchotera* L.B.Prout,1935 **Range (in code):** **CN Sz**
- 47211. *Rhodostrophia anjumana* Wiltshire,1967** (Geometridae) **Synonym(s):** *anjumana* Wiltshire,1967 **Range (in code):** **AF Bd Anj**
- 47212. *Rhodostrophia anomala* W.Warren,1895** (Geometridae) **Synonym(s):** *anomala* W.Warren,1895; *araearia* Hampson,1903 **Range (in code):** **Ch**
- 47213. *Rhodostrophia aquila* Yazaki,1998** (Geometridae) **Synonym(s):** *aquila* Yazaki,1998 **Range (in code):** **NP**
- 47214. *Rhodostrophia auctata* (Staudinger,1879)** (Geometridae) **Synonym(s):** *auctata* Staudinger,1879 **Original Reference:** Pellonia auctata Staudinger,1879, Horae Soc. ent. ross. 14: 441-443. Syntypes ♂♀: [Türkei]: Amasia (Maidan). **Range (in code):** **TR Cc Arr Ksp IQ IR Fa Com Kz**
- 47215. *Rhodostrophia bicolor* W.Warren,1895** (Geometridae) **Synonym(s):** *bicolor* W.Warren,1895 **Range (in code):** **IN**
- 47216. *Rhodostrophia bisinuata* W.Warren,1895** (Geometridae) **Synonym(s):** *bisinuata* W.Warren,1895; *sinensis* L.B.Prout,1913 **Range (in code):** **CN TW**

- 47217. *Rhodostrophia bisinuata bisinuata* W.Warren,1895** (Geometridae) **Synonym(s):** *bisinuata* W.Warren,1895; *sinensis* L.B.Prout,1913 **Range (in code):** **CN**
- 47218. *Rhodostrophia bisinuata wilemani* L.B.Prout,1938** (Geometridae) **Synonym(s):** *wilemani* L.B.Prout,1938 **Range (in code):** **TW**
- 47219. *Rhodostrophia calabra* (Petagna,1786)** (Geometridae) **Synonym(s):** *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790. **Original Reference:** *Geometra calabra* Petagna,1786, Specimen Insectorum ulterionis Calabriae: 38, fig.32. Type (s): Italia: Calabria. **Range (in code):** **DZ Clo MA PT ES Mu FR Si IT DE CH RO YU AL BG GR Rd TR Cc GG Bjo AZ AM RU Da** **Bionomy:** Larva on Cytisus, Genista, Retama, Spartium, Sarothamnus scoparius (Meyer,1919; Calle et al.,2000).
- 47220. *Rhodostrophia calabra calabra* (Petagna,1786)** (Geometridae) **Synonym(s):** *calabra* Petagna,1786; *trifasciata* Cyrillo,1787; *calabraria* Hübner,1790. **Original Reference:** *Geometra calabra* Petagna,1786, Specimen Insectorum ulterionis Calabriae: 38, fig.32. Type (s): Italia: Calabria. **Range (in code):** **MA DZ Clo PT ES Mu Si IT CH RO YU AL BG GR Rd TR**
- 47221. *Rhodostrophia calabra separata* L.B.Prout,1935** (Geometridae) **Synonym(s):** *separata* L.B.Prout,1935; *muscosa* Bastelberger,1908. **Range (in code):** **FR DE**
- 47222. *Rhodostrophia calabra transcaucasica* L.B.Prout,1920** (Geometridae) **Synonym(s):** *transcaucasica* L.B.Prout,1920 **Original Reference:** *Rhodostrophia calabra* ssp. *transcaucasica* L.B.Prout,1920, Novit. Zool. 27: 268. Syntypes 6♂: [Georgia]: Transcaucasus: Borjom. **Range (in code):** **TR Cc GG Bjo AZ AM RU Da**
- 47223. *Rhodostrophia cinerascens* (Moore,1888)** (Geometridae) **Synonym(s):** *cinerascens* Moore,1888; *subflavida* W.Warren,1893 **Range (in code):** **AF Ch PK Nwf Ci IN Hp Kul**
- 47224. *Rhodostrophia cinerascens borealis* (Swinhoe,1890)** (Geometridae) **Synonym(s):** *borealis* Swinhoe,1890; *rhoda* L.B.Prout,1913 **Range (in code):** **AF PK Nwf Ci IN Hp Kul**
- 47225. *Rhodostrophia cinerascens cinerascens* (Moore,1888)** (Geometridae) **Synonym(s):** *cinerascens* Moore,1888; *subflavida* W.Warren,1893 **Range (in code):**
- 47226. *Rhodostrophia cretacearia* Rebel,1916** (Geometridae) **Synonym(s):** *cretacearia* Rebel,1916 **Range (in code):** **GR Cr**
- 47227. *Rhodostrophia cuprinaria* (Christoph,1876)** (Geometridae) **Synonym(s):** *cuprinaria* Christoph,1876; *phaenicearia* Hampson,1907. **Original Reference:** *Eusarca cuprinaria* Christoph,1876, Horae Soc. ent. ross. 12: 261, pl.7 fig.33. Syntypes ♂♀: [Iran]: Persia: Schahrud. **Range (in code):** **TR IR Elb Srd Cc GG Fa AZ Nv AF**
- 47228. *Rhodostrophia discopunctata* Amsel,1935** (Geometridae) **Synonym(s):** *tabidaria* auct. nec Zell.,1847; *discopunctata* Amsel,1935 **Original Reference:** *Rhodostrophia discopunctata* Amsel,1935, Veröff. Dt. Kolon. u. □bersee-Mus. Bremen 1 (2): 243. Lectotype ♂: Israel: Kiriath Anavim nr. Jerusalem (coll. Püngeler, MNHU). **Range (in code):** **RO YU AL MK BG GR IL Pa Car Js Mer LB Bei Bsa JO TR Cc GG AM IQ** **Bionomy:** Larva on Coronilla (Fabaceae) (Zerny,1933).
- 47229. *Rhodostrophia dispar* (Staudinger,1892)** (Geometridae) **Synonym(s):** *dispar* Staudinger,1892 **Range (in code):** **UZ Smk**
- 47230. *Rhodostrophia dissoluta* L.B.Prout,1938** (Geometridae) **Synonym(s):** *dissoluta* L.B.Prout,1938 **Range (in code):** **AF Bd Nks**
- 47231. *Rhodostrophia erythema* L.B.Prout,1924** (Geometridae) **Synonym(s):** *erythema* L.B.Prout,1924 **Range (in code):** **UZ Br**
- 47232. *Rhodostrophia froitzheimi* Wiltshire,1966** (Geometridae) **Synonym(s):** *froitzeimi* Wiltshire,1966 **Range (in code):** **AF Anj Bd Slg**
- 47233. *Rhodostrophia froitzheimi froitzheimi* Wiltshire,1966** (Geometridae) **Synonym(s):** *froitzeimi* Wiltshire,1966 **Range (in code):** **AF Anj Bd**
- 47234. *Rhodostrophia froitzheimi salangensis* Wiltshire,1966** (Geometridae) **Synonym(s):** *salangensis* Wiltshire,1966 **Range (in code):** **AF Slg**
- 47235. *Rhodostrophia furialis* Brandt,1941** (Geometridae) **Synonym(s):** *furialis* Brandt,1941 **Range (in code):** **IR Kh KuB**
- 47236. *Rhodostrophia glaucofusa* (Hampson,1907)** (Geometridae) **Synonym(s):** *glaucofusa* Hampson,1907 **Range (in code):** **PK Bl Qu**
- 47237. *Rhodostrophia grumaria* (Alpheraky,1892)** (Geometridae) **Synonym(s):** *grumaria* Alpheraky,1892 **Range (in code):** **CN Ts Amd**
- 47238. *Rhodostrophia haematozona* Hampson,1895** (Geometridae) **Synonym(s):** *haematozona* Hampson,1895 **Range (in code):** **IN SI**

- 47239. *Rhodostrophia herbicolens* (Butler,1883)** (Geometridae) Synonym(s): *herbicolens* Butler,1883 Original Reference: Delocharis herbicolens Butler,1883, Proc. zool. Soc. Lond. 1883: 173. Range (in code): **PK Haz Mre IN**
- 47240. *Rhodostrophia inaeffectata* L.B.Prout,1938** (Geometridae) Synonym(s): *inaeffectata* L.B.Prout,1938 Range (in code): **IN SI Djl**
- 47241. *Rhodostrophia inconspicua* (Butler,1886)** (Geometridae) Synonym(s): *inconspicua* Butler,1886 Original Reference: Phyletis inconspicua Butler,1886, Proc. zool. Soc. Lond. 1886: 391. Type ♂: [Pakistan]: Murree, 30th August 1885. Range (in code): **AF Ch Gs PK Nwf Ci Haz Mre Thu K-P Pj**
- 47242. *Rhodostrophia inconspicua inconspicua* (Butler,1886)** (Geometridae) Synonym(s): *inconspicua* Butler,1886 Original Reference: Phyletis inconspicua Butler,1886, Proc. zool. Soc. Lond. 1886: 391. Type ♂: [Pakistan]: Murree, 30th August 1885. Range (in code): **PK Haz Mre Pj**
- 47243. *Rhodostrophia inconspicua subconspicua* L.B.Prout,1913** (Geometridae) Synonym(s): *subconspicua* L.B.Prout,1913 Range (in code): **AF Ch Gs PK Nwf Ci**
- 47244. *Rhodostrophia jacularia* (Hübner,[1813])** (Geometridae) Synonym(s): *jacularia* Hübner,[1813]; *minor* Alpheraky,1892; *tyugui* Vasilenko,1998 Original Reference: Geometra jacularia Hübner,[1813], Samml. eur. Schmett. 5: pl.84 fig.431 Type(s): Europa [? Southern Ural] (Hausmann,2004); Neotype ♂, designated by Sihvonen & Nupponen (2005: 116), "Sarepta" (FMNH). Range (in code): **TR RU Ur At Tv UA Cm KG T-S CN Ui Kml MN**
- 47245. *Rhodostrophia kabulensis* Wiltshire,1970** (Geometridae) Synonym(s): *kabulensis* Wiltshire,1970 Range (in code): **AF Bm Kab**
- 47246. *Rhodostrophia lanceolata* Kaila & Viidalepp,1996** (Geometridae) Synonym(s): *lanceolata* Kaila & Viidalepp,1996 Range (in code): **KK Na**
- 47247. *Rhodostrophia lenis* Wiltshire,1966** (Geometridae) Synonym(s): *lenis* Wiltshire,1966 Range (in code): **AF Bm Kab**
- 47248. *Rhodostrophia linguata* Wiltshire,1966** (Geometridae) Synonym(s): *linguata* Wiltshire,1966 Range (in code): **AF Pag Bm**
- 47249. *Rhodostrophia lyubechanskii* Vasilenko,2003** (Geometridae) Synonym(s): *lyubechanskii* Vasilenko,2003 Range (in code): **KG**
- 47250. *Rhodostrophia meonaria* (Guenée,[1858])** (Geometridae) Synonym(s): *meonaria* Guenée,[1858] Range (in code): **AF Kab Bm PK IN**
- 47251. *Rhodostrophia meonaria meonaria* (Guenée,[1858])** (Geometridae) Synonym(s): *meonaria* Guenée,[1858] Range (in code): **PK IN**
- 47252. *Rhodostrophia meonaria pallidior* Wiltshire,1966** (Geometridae) Synonym(s): *pallidior* Wiltshire,1966 Range (in code): **AF Kab Bm**
- 47253. *Rhodostrophia muricolor* W.Warren,1897** (Geometridae) Synonym(s): *muricolor* W.Warren,1897 Range (in code): **IN Hp Sml**
- 47254. *Rhodostrophia nesam* Brandt,1938** (Geometridae) Synonym(s): *nesam* Brandt,1938 Range (in code): **IR Fa Shr Se**
- 47255. *Rhodostrophia nesam fuscata* Brandt,1941** (Geometridae) Synonym(s): *fuscata* Brandt,1941 Range (in code): **IR Se**
- 47256. *Rhodostrophia nubifera* Brandt,1941** (Geometridae) Synonym(s): *nubifera* Brandt,1941 Original Reference: Rhodostrophia nubifera Brandt,1941, Mitt. münch. ent. Ges. 31: 866, fig.1. Holotype ♂: Iran: Khorassan: Binaloud-Gebirge bei Meched, 1800m 18. Aug. 1938 coll. Brandt; Paratypes: Sengan (Kouh i Taftan-Gebiet) (NRM). Range (in code): **IR Kh KuB Msh Ss Kuh AF Bm Kab**
- 47257. *Rhodostrophia nubifera klapperichi* Wiltshire,1966** (Geometridae) Synonym(s): *klapperichi* Wiltshire,1966 Range (in code): **AF Bm Kab**
- 47258. *Rhodostrophia nubifera nubifera* Brandt,1941** (Geometridae) Synonym(s): *nubifera* Brandt,1941 Original Reference: Rhodostrophia nubifera Brandt,1941, Mitt. münch. ent. Ges. 31: 866, fig.1. Holotype ♂: Iran: Khorassan: Binaloud-Gebirge bei Meched, 1800m 18. Aug. 1938 coll. Brandt; Paratypes: Sengan (Kouh i Taftan-Gebiet) (NRM). Range (in code): **IR Kh KuB Msh Ss Kuh**
- 47259. *Rhodostrophia olivacea* W.Warren,1895** (Geometridae) Synonym(s): *olivacea* W.Warren,1895 Range (in code): **IN SI Djl**
- 47260. *Rhodostrophia olivopallens* Wiltshire,1966** (Geometridae) Synonym(s): *olivopallens* Wiltshire,1966 Range (in code): **AF BdA**

- 47261. *Rhodostrophia oxyntis* L.B.Prout,1935** (Geometridae) **Synonym(s):** *oxyntis* L.B.Prout,1935 **_ Range (in code):** **AF Log**
- 47262. *Rhodostrophia pelliaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *pelloniaria* Guenée,[1858]; *meonodes* L.B.Prout,1935 **_ Range (in code):** **PK Haz Mre Thu IN Hp Kul Ass Meg Khs**
- 47263. *Rhodostrophia pelliaria khasiana* (Moore,1888)** (Geometridae) **Synonym(s):** *khasiana* Moore,1888 **_ Range (in code):** **IN Ass Meg Khs**
- 47264. *Rhodostrophia pelliaria pelliaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *pelloniaria* Guenée,[1858]; *meonodes* L.B.Prout,1935 **_ Range (in code):** **PK Haz Mre Thu IN Hp Kul**
- 47265. *Rhodostrophia peregrina* (Kollar,[1844])** (Geometridae) **Synonym(s):** *peregrina* Kollar,[1844]; *rara* Butler,1889 **_ Range (in code):** **IN Hp Kgr Mus**
- 47266. *Rhodostrophia peripheres* L.B.Prout,1938** (Geometridae) **Synonym(s):** *peripheres* L.B.Prout,1938 **_ Range (in code):** **IR Fa Sse Th Dam**
- 47267. *Rhodostrophia peripheres debilis* Wiltshire,1949** (Geometridae) **Synonym(s):** *debilis* Wiltshire,1949 **_ Range (in code):** **IR Fa Sse**
- 47268. *Rhodostrophia peripheres peripheres* L.B.Prout,1938** (Geometridae) **Synonym(s):** *peripheres* L.B.Prout,1938 **_ Range (in code):** **IR Th Dam**
- 47269. *Rhodostrophia philolaches* (Oberthür,1891)** (Geometridae) **Synonym(s):** *philolaches* Oberthür,1891; *farinosa* W.Warren,1897 **_ Range (in code):** **CN Sz T-T Ts Kno Ti**
- 47270. *Rhodostrophia philolaches philolaches* (Oberthür,1891)** (Geometridae) **Synonym(s):** *philolaches* Oberthür,1891; *farinosa* W.Warren,1897 **_ Range (in code):** **CN Sz T-T Ts Kno**
- 47271. *Rhodostrophia philolaches tibetaria* (Staudinger,1896)** (Geometridae) **Synonym(s):** *tibetaria* Staudinger,1896 **_ Range (in code):** **CN Ti**
- 47272. *Rhodostrophia pleonasma* Wiltshire,1967** (Geometridae) **Synonym(s):** *pleonasma* Wiltshire,1967 **_ Range (in code):** **AF Bd**
- 47273. *Rhodostrophia plesiochora* L.B.Prout,1917** (Geometridae) **Synonym(s):** *plesiochora* L.B.Prout,1917 **_ Range (in code):** **CN**
- 47274. *Rhodostrophia poliaria* Hampson,1903** (Geometridae) **Synonym(s):** *poliaria* Hampson,1903 **_ Range (in code):** **Ch Gs AF Hk Bd Nks**
- 47275. *Rhodostrophia poliaria excellens* L.B.Prout,1938** (Geometridae) **Synonym(s):** *excellens* L.B.Prout,1938 **_ Range (in code):** **AF Hk Bd Nks**
- 47276. *Rhodostrophia poliaria poliaria* Hampson,1903** (Geometridae) **Synonym(s):** *poliaria* Hampson,1903 **_ Range (in code):** **Ch Gs**
- 47277. *Rhodostrophia praecisaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *praecisaria* Staudinger,1892 **_ Range (in code):** **AF Bd Adr UZ Fe KK Ik**
- 47278. *Rhodostrophia praecisaria badakhschana* Ebert,1965** (Geometridae) **Synonym(s):** *badakhschana* Ebert,1965 **_ Range (in code):** **AF Bd Adr**
- 47279. *Rhodostrophia praecisaria praecisaria* (Staudinger,1892)** (Geometridae) **Synonym(s):** *praecisaria* Staudinger,1892 **_ Range (in code):** **UZ Fe KK Ik**
- 47280. *Rhodostrophia pudorata* (Fabricius,1794)** (Geometridae) **Synonym(s):** *pudorata* Fabricius,1794; *sicanaria* Zeller,1852; *quadricalcarata* L.B.Prout,1913 **_ Range (in code):** **MA DZ Ges Lbs TN ES An Mu Si IT** **Bionomy:** Larva on *Cytisus*, *Genista*, *Retama*, *Spartium* (Calle et al.,2000).
- 47281. *Rhodostrophia pulveraria* Hampson,1903** (Geometridae) **Synonym(s):** *pulveraria* Hampson,1903 **_ Range (in code):** **IN Hp Sml**
- 47282. *Rhodostrophia rhodospania* L.B.Prout,1935** (Geometridae) **Synonym(s):** *rhodospania* L.B.Prout,1935 **_ Range (in code):** **PK Bl Mtz**
- 47283. *Rhodostrophia rueckbeili* Sheljuzhko,1955** (Geometridae) **Synonym(s):** *rueckbeili* Sheljuzhko,1955 **Original Reference:** *Rhodostrophia rueckbeili* Sheljuzhko,1955, Mitt. münch. ent. Ges. 44/45: 284, Taf.v figs.4,8. Syntypes: [Kazakhstan]: Semiretshje or.: Dzharkent, circ. Dorf Tyshkan, Sary-saj (ca. 40km nördl. der Stadt); Dorf Burchan (ca.3-4km westl. der Stadt). **_ Range (in code):** **KG Tk Sem**
- 47284. *Rhodostrophia sieversi* (Christoph,1882)** (Geometridae) **Synonym(s):** *sieversi* Christoph,1882 **Original Reference:** *Aspilates sieversi* Christoph,1882, Horae Soc. ent. ross. 17: 115. Syntypes ♂♀: [Azerbaidzhan: Nachtchivan]: Ordoubad. **_ Range (in code):** **TR Cc AZ Nv Ord IQ IR Ab Jal Elb Mz**
- 47285. *Rhodostrophia similata* (Moore,1888)** (Geometridae) **Synonym(s):** *similata* Moore,1888 **_ Range (in code):** **IN Ass Meg Khs**

- 47286. *Rhodostrophia skulei* Hausmann,1998** (Geometridae) Synonym(s): *skulei* Hausmann,1998 _ Range (in code): OM
- 47287. *Rhodostrophia staudingeri* (Alpheraky,1883)** (Geometridae) Synonym(s): *staudingeri* Alpheraky,1883 _ Original Reference: *Eusarca staudingeri* Alpheraky,1883, Horae Soc. ent. ross. 17: 186-188, Tab.viii fig.82. Syntypes ♂♀: [China: Uighur A.R.]: Tian-Chian (3500ft.) [Kuldja]. _ Range (in code): CN Ui Ku UZ Fe
- 47288. *Rhodostrophia stigmatica* Butler,1889** (Geometridae) Synonym(s): *stigmatica* Butler,1889 _ Range (in code): IN Hp Kgr Drm
- 47289. *Rhodostrophia subrufa* W.Warren,1897** (Geometridae) Synonym(s): *subrufa* W.Warren,1897 _ Range (in code): IN Hp Sml
- 47290. *Rhodostrophia tabestana* Trusch & Hausmann,2007** (Geometridae) Synonym(s): *tabestana* Trusch & Hausmann,2007 _ Original Reference: *Rhodostrophia tabestana* Trusch & Hausmann,2007, Nota lepid. 30 (1): 8-14, figs. Holotype ♂: South Iran, Fars Kazerun Mian-Kotal 1900m 11 6 1972 leg. Ebert & Falkner (SMNK). _ Range (in code): IR Fa Es Lo By Bk Kz Yas
- 47291. *Rhodostrophia tabidaria* (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria* Zeller,1847 _ Original Reference: *Geometra tabidaria* Zeller,1847, Isis 1847 (7): 506. Syntypes 6♂♀: Griechenland; Türkei (BMNH). _ Range (in code): CY TR GR Rd Chi Sms Ae
- 47292. *Rhodostrophia tabidaria cypriaria* Rebel,1916** (Geometridae) Synonym(s): *cypriaria* Rebel,1916; *cypria* L.B.Prout,1920 _ Range (in code): CY
- 47293. *Rhodostrophia tabidaria tabidaria* (Zeller,1847)** (Geometridae) Synonym(s): *tabidaria* Zeller,1847 _ Original Reference: *Geometra tabidaria* Zeller,1847, Isis 1847 (7): 506. Syntypes 6♂♀: Griechenland; Türkei (BMNH). _ Range (in code): TR GR Rd Chi Sms Ae
- 47294. *Rhodostrophia terrestraria* (Lederer,1869)** (Geometridae) Synonym(s): *terrestraria* Lederer,1869 _ Original Reference: *Eusarca terrestraria* Lederer,1869, Horae Soc. ent. ross. 6: 90, Taf.v fig.9. Syntypes 2♂: Iran: Astrabad (Gorgan) leg. Haberhauer. _ Range (in code): TR TM Kp IR Elb Mz Dam Gor Kh KK Ax
- 47295. *Rhodostrophia terrestraria pellationaria* (Christoph,1885)** (Geometridae) Synonym(s): *pellationaria* Christoph,1885 _ Range (in code): TM Kp
- 47296. *Rhodostrophia terrestraria terrestraria* (Lederer,1869)** (Geometridae) Synonym(s): *terrestraria* Lederer,1869 _ Original Reference: *Eusarca terrestraria* Lederer,1869, Horae Soc. ent. ross. 6: 90, Taf.v fig.9. Syntypes 2♂: Iran: Astrabad (Gorgan) leg. Haberhauer. _ Range (in code): TR IR Elb Mz Dam Gor Kh
- 47297. *Rhodostrophia tremiscens* L.B.Prout,1918** (Geometridae) Synonym(s): *tremiscens* L.B.Prout,1918 _ Range (in code): CN Sz
- 47298. *Rhodostrophia tristrigalis* Butler,1889** (Geometridae) Synonym(s): *tristrigalis* Butler,1889 _ Range (in code): IN Hp Drm Kgr
- 47299. *Rhodostrophia tumulosa* Brandt,1938** (Geometridae) Synonym(s): *tumulosa* Brandt,1938 _ Range (in code): IR Fa Sse Com Kz
- 47300. *Rhodostrophia ustyuzhanini* Vasilenko,2006** (Geometridae) Synonym(s): *ustyuzhanini* Vasilenko,2006 _ Range (in code): MN
- 47301. *Rhodostrophia vartianae* Wiltshire,1966** (Geometridae) Synonym(s): *vartianae* Wiltshire,1966 _ Range (in code): AF BdA
- 47302. *Rhodostrophia vastaria* (Christoph,1877)** (Geometridae) Synonym(s): *vastaria* Christoph,1877 _ Original Reference: *Eusarca vastaria* Christoph,1877, 261, pl.7 figs.31-32. Lectotype ♀: Turkmenistan: Krasnowodsk, designated by Trusch & Hausmann (2007) (ZIN). _ Range (in code): KG TM Krn
- 47303. *Rhodostrophia vinacearia* (Moore,1868)** (Geometridae) Synonym(s): *vinacearia* Moore,1868 _ Range (in code): IN Ben SI Drm PK Haz Mre
- 47304. *Rhodostrophia xesta* L.B.Prout,1935** (Geometridae) Synonym(s): *xesta* L.B.Prout,1935 _ Range (in code): AF Log RU
- 47305. *Rhodostrophia xesta badhyzicola* Viidalepp,1988** (Geometridae) Synonym(s): *badhyzicola* Viidalepp,1988 _ Range (in code): RU
- 47306. *Rhodostrophia xesta xesta* L.B.Prout,1935** (Geometridae) Synonym(s): *xesta* L.B.Prout,1935 _ Range (in code): AF Log
- 47307. *Rhodostrophia yunnanaria* (Oberthür,1923)** (Geometridae) Synonym(s): *yunnanaria* Oberthür,1923 _ Range (in code): CN Yu

- 47308. Rhombocentra semipurpurea (W.Warren,1897)** (Geometridae) **Synonym(s):** *semipurpurea* W.Warren,1897 **Range (in code):** **BD Cta TH Ntt Hba**
- 47309. Rhoptria asperaria (Hübner,[1817])** (Geometridae) **Synonym(s):** *asperaria* Hübner,[1817]; *collata* Hübner,[1826]; *pityata* Rambur,1829; *esteparentis* Agenjo,1933; *#aspersaria* Zukowsky,1941. **Original Reference:** *Geometra asperaria* Hübner,[1817], Samml. eur. Schmett. 5: pl.94, fig.484. Type(s): Europa. **Range (in code):** **DZ Clo PT ES Mu FR Co Sa Si IT CH YU AL BG GR Cr TR CY**
- 47310. Rhoptria dolosaria (Herrich-Schäffer,[1848])** (Geometridae) **Synonym(s):** *dolosaria* Herrich-Schäffer,[1848] **Original Reference:** *Gnophos dolosaria* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 3:75, fig.430. Type(s): [Griechenland]: Creta. **Range (in code):** **GR Cr MK TR**
- 47311. Rhoptria erebata (W.Warren,1897)** (Geometridae) **Synonym(s):** *erebata* W.Warren,1897 **Range (in code):** **BR**
- 47312. Rhoptria mardinata (Staudinger,1900)** (Geometridae) **Synonym(s):** *mardinata* Staudinger,1900; *pistaciae* Wiltshire,1943 **Original Reference:** *Pseudognophos mardinata* Staudinger,1900, Dt. ent. Z., Iris 12: 395-396, pl.6 fig.12. Syntypes: [Türkei]: Mardin. **Range (in code):** **TR IR Fa** **Bionomy:** Larva on Pistacia (Anacardiaceae) (Wiltshire,1943).
- 47313. Rhynchobapta cervinaria (Moore,1888)** (Geometridae) **Synonym(s):** *cervinaria* Moore,1888 **Range (in code):** **JP IN SI Djl** **Bionomy:** Larva on Ilex macropoda, I. nipponica (Aquifoliaceae); *Symplocos coreana* (Symplocaceae) (Scoble,1999).
- 47314. Rhynchobapta cervinaria bilineata (Leech,1891)** (Geometridae) **Synonym(s):** *bilineata* Leech,1891 **Range (in code):** **JP**
- 47315. Rhynchobapta cervinaria cervinaria (Moore,1888)** (Geometridae) **Synonym(s):** *cervinaria* Moore,1888 **Range (in code):** **IN SI Djl**
- 47316. Rhynchobapta eburnivea (W.Warren,1896)** (Geometridae) **Synonym(s):** *eburnivea* W.Warren,1896; *albovenaria* Leech,1897 **Range (in code):** **IN Ass Meg Khs TH JP**
- 47317. Rhynchobapta flavicostaria Leech,1897** (Geometridae) **Synonym(s):** *flavicostaria* Leech,1897 **Range (in code):** **CN**
- 47318. Rhynchobapta irrorata Hampson,1902** (Geometridae) **Synonym(s):** *irrorata* Hampson,1902 **Range (in code):** **IN NI**
- 47319. Rhynchobapta pernitens Wehrli,1924** (Geometridae) **Synonym(s):** *pernitens* Wehrli,1924 **Range (in code):** **CN**
- 47320. Rikiosatoa bhutanica Inoue,1992** (Geometridae) **Synonym(s):** *bhutanica* Inoue,1992 **Range (in code):** **BT**
- 47321. Rikiosatoa euphiles (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *euphiles* L.B.Prout,1916 **Range (in code):** **CN Ti TH CMa Int Dst MM Hta**
- 47322. Rikiosatoa fucataria (Wileman,1911)** (Geometridae) **Synonym(s):** *fucataria* Wileman,1911; *aperta* Bastelberger,1911 **Range (in code):** **TW**
- 47323. Rikiosatoa fucatariodes Sato,1992** (Geometridae) **Synonym(s):** *fucatariodes* Sato,1992 **Original Reference:** *Rikiosatoa fucatariodes* Sato,1992, Jap. J. Ent. 60 (3): 560, figs.5,6,9. Holotype ♂: Thailand: Petchaburi, Lom Sak, Nam Nao 800m (NSMT). **Range (in code):** **TH Pht**
- 47324. Rikiosatoa grisea (Butler,1878)** (Geometridae) **Synonym(s):** *grisea* Butler,1878 **Range (in code):** **JP** **Bionomy:** Larva on Pinus densiflora (Pinaceae) (Scoble,1999).
- 47325. Rikiosatoa hoenensis (Wehrli,1943)** (Geometridae) **Synonym(s):** *hoenensis* Wehrli,1943 **Range (in code):** **CN**
- 47326. Rikiosatoa mavi (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *mavi* L.B.Prout,1915; *opiseura* Wehrli,1943; *shibatani* Inoue,1978 **Range (in code):** **CN TW Kwa**
- 47327. Rikiosatoa transversa Inoue,1998** (Geometridae) **Synonym(s):** *transversa* Inoue,1998 **Range (in code):** **TW**
- 47328. Rikiosatoa vandervoordeni (L.B.Prout,1923)** (Geometridae) **Synonym(s):** *vandervoordeni* L.B.Prout,1923 **Range (in code):** **CN**
- 47329. Rougeotiella pseudonoctua (Herbulot,1983)** (Geometridae) **Synonym(s):** *pseudonoctua* Herbulot,1983 **Range (in code):** **ET ET204**
- 47330. Ruttellerona cessaria (Walker,1860)** (Geometridae) **Synonym(s):** *cessaria* Walker,1860; *praeclararia* Walker,[1863] **Range (in code):** **LK IN Knr**
- 47331. Ruttellerona harmonica (Hampson,1898)** (Geometridae) **Synonym(s):** *harmonica* Hampson,1898 **Range (in code):** **LK**
- 47332. Ruttellerona kalisi L.B.Prout,1935** (Geometridae) **Synonym(s):** *kalisi* L.B.Prout,1935 **Range (in code):** **ID Ja**

- 47333. Ruttellerona lithina (W.Warren,1903)** (Geometridae) Synonym(s): *lithina* W.Warren,1903; *indiligens* L.B.Prout,1925 _ Range (in code): PG MY Bor Sbh KBa
- 47334. Ruttellerona lithina kinabalensis (L.B.Prout,1935)** (Geometridae) Synonym(s): *kinabalensis* L.B.Prout,1935 _ Range (in code): MY Bor Sbh KBa
- 47335. Ruttellerona lithina lithina (W.Warren,1903)** (Geometridae) Synonym(s): *lithina* W.Warren,1903; *indiligens* L.B.Prout,1925 _ Range (in code): PG
- 47336. Ruttellerona obsequens (L.B.Prout,1929)** (Geometridae) Synonym(s): *obsequens* L.B.Prout,1929 _ Range (in code): ID Crm
- 47337. Ruttellerona pallicostaria (Moore,1868)** (Geometridae) Synonym(s): *pallicostaria* Moore,1868 _ Range (in code): IN Ben TH Ntt Hba CMa Cu01 Fn Nna Kao Cbi Knc Nst
- 47338. Ruttellerona presbytica G.S.Robinson,1975** (Geometridae) Synonym(s): *presbytica* G.S.Robinson,1975 _ Range (in code): FJ
- 47339. Ruttellerona pseudocessaria Holloway,[1994]** (Geometridae) Synonym(s): *pseudocessaria* Holloway,[1994] _ Range (in code): MY Bor Swk
- 47340. Ruttellerona pulverulenta (W.Warren,1897)** (Geometridae) Synonym(s): *pulverulenta* W.Warren,1897 _ Range (in code): PH
- 47341. Ruttellerona scotozonea (Hampson,1900)** (Geometridae) Synonym(s): *scotozonea* Hampson,1900 _ Range (in code): CX
- 47342. Ruttellerona stigmaticosta (L.B.Prout,1928)** (Geometridae) Synonym(s): *stigmaticosta* L.B.Prout,1928 _ Range (in code): ID Sum
- 47343. Sabulodes convergens (Bastelberger,1911)** (Geometridae) Synonym(s): *convergens* Bastelberger,1911 _ Range (in code): PE
- 47344. Sarcinodes aequilinearius (Walker,1860)** (Geometridae) Synonym(s): *aequilinearia* Walker,1860; *trilineata* Walker,1866 _ Range (in code): BD Syl IN SI Djl
- 47345. Sarcinodes carnearius Guenée,[1858]** (Geometridae) Synonym(s): *carnearia* Guenée,[1858] _ Range (in code): TH CMa CDo IN
- 47346. Sarcinodes debitarius (Walker,[1863])** (Geometridae) Synonym(s): *debitaria* Walker,[1863] _ Range (in code): IN SI Djl TH CMa CDo
- 47347. Sarcinodes flavicans Yazaki,1988** (Geometridae) Synonym(s): *flavicans* Yazaki,1988 _ Range (in code): PH Mno
- 47348. Sarcinodes fortis Yazaki,1988** (Geometridae) Synonym(s): *fortis* Yazaki,1988 Original Reference: *Sarcinodes fortis* Yazaki,1988, Tyo to Ga 39 (4): 249, figs. Holotype ♂: Thailand: Loei: Phu Rua National Park, 1200m (NSMT). Range (in code): TH Loe
- 47349. Sarcinodes holzi (Pagenstecher,1884)** (Geometridae) Synonym(s): *holzi* Pagenstecher,1884; *compacta* W.Warren,1896 _ Range (in code): ID Crm Amb Ij PG
- 47350. Sarcinodes lilacina Moore,1888** (Geometridae) Synonym(s): *lilacina* Moore,1888 _ Range (in code): IN Ass
- 47351. Sarcinodes luzonensis Wileman & South,1917** (Geometridae) Synonym(s): *luzonensis* Wileman & South,1917 _ Range (in code): PH Luz
- 47352. Sarcinodes perakaria Swinhoe,1899** (Geometridae) Synonym(s): *perakaria* Swinhoe,1899 Original Reference: *Sarcinodes perakaria* Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 110. Type ♀: [Malaysia]: "Perak". Range (in code): MY Prk
- 47353. Sarcinodes prouti Inoue,1992** (Geometridae) Synonym(s): *prouti* Inoue,1992 _ Range (in code): ID Clb
- 47354. Sarcinodes reductatus Inoue,1992** (Geometridae) Synonym(s): *reductatus* Inoue,1992 _ Range (in code): ID Sum MY Bor Sbh KBa
- 47355. Sarcinodes repurgatus Inoue,1992** (Geometridae) Synonym(s): *repurgatus* Inoue,1992 _ Range (in code): ID Clb
- 47356. Sarcinodes restituaris (Walker,[1863])** (Geometridae) Synonym(s): *restituaria* Walker,[1863] _ Range (in code): IN SI Djl
- 47357. Sarcinodes sumatrarius (Walker,1866)** (Geometridae) Synonym(s): *sumatraria* Walker,1866 _ Range (in code): ID Sum MY Bor TH PH Pal
- 47358. Sarcinodes susana Swinhoe,1891** (Geometridae) Synonym(s): *susana* Swinhoe,1891 _ Range (in code): IN Meg Ass Khs
- 47359. Sarcinodes tornubilatus Sommerer,1995** (Geometridae) Synonym(s): *tornubilatus* Sommerer,1995 _ Range (in code): ID Sum Ja MY Bor

- 47360. *Sarcinodes variabilis* Yazaki,1988** (Geometridae) **Synonym(s):** *variabilis* Yazaki,1988
Range (in code): **PH Mno**
- 47361. *Sarcinodes vultuarius* Guenée,[1858]** (Geometridae) **Synonym(s):** *vultuaria* Guenée,[1858]; *bilineata* Moore,1868; *punctata* W.Warren,1894
Range (in code): **IN MY Bor ID Clb Sum TH**
- 47362. *Sarcinodes yaeyamana* Inoue,1976** (Geometridae) **Synonym(s):** *yaeyamana* Inoue,1976
Range (in code): **JP Ri**
- 47363. *Sarcinodes yazakii* Inoue,1992** (Geometridae) **Synonym(s):** *yazakii* Inoue,1992
Original Reference: *Sarcinodes yazakii* Inoue,1992, Bull. Fac. domest. Sci. Otsuma Women's Univ. 28: 153, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep, 8-10 vii 1966 leg. H.Inoue (BMNH). **Range (in code):** **TH CMa Dst Int**
- 47364. *Sarcinodes yeni* Sommerer,1996** (Geometridae) **Synonym(s):** *yeni* Sommerer,1996
Range (in code): **TW**
- 47365. *Sardocyrnia bastelicaria* (Bellier,1862)** (Geometridae) **Synonym(s):** *bastelicaria* Bellier,1862
Range (in code): **ES Mu Co Sa**
- 47366. *Satoblephara faircloughi* Holloway,[1994]** (Geometridae) **Synonym(s):** *faircloughi* Holloway,[1994]
Range (in code): **MY Bor BN**
- 47367. *Satoblephara hollowayi* Sato,1990** (Geometridae) **Synonym(s):** *hollowayi* Sato,1990
Range (in code): **ID Sum**
- 47368. *Satoblephara karsholti* Sato,1990** (Geometridae) **Synonym(s):** *karsholti* Sato,1990
Range (in code): **PH Pal**
- 47369. *Satoblephara luzonensis* Sato,1990** (Geometridae) **Synonym(s):** *luzonensis* Sato,1990
Range (in code): **PH Luz**
- 47370. *Satoblephara nepalensis* Sato,1993** (Geometridae) **Synonym(s):** *nepalensis* Sato,1993
Range (in code): **NP**
- 47371. *Satoblephara parvularia* (Leech,1891)** (Geometridae) **Synonym(s):** *parvularia* Leech,1891
Range (in code): **JP TW**
- 47372. *Satoracotis melagrapharia* (Hampson,[1907])** (Geometridae) **Synonym(s):** *melagrapharia* Hampson,[1907]
Range (in code): **CN She MM Chn**
- 47373. *Satoracotis melagrapharia melagrapharia* (Hampson,[1907])** (Geometridae)
Synonym(s): *melagrapharia* Hampson,[1907]
Range (in code): **MM Chn**
- 47374. *Satoracotis melagrapharia tapaica* Stüning,1995** (Geometridae) **Synonym(s):** *tapaica* Stüning,1995
Range (in code): **CN She**
- 47375. *Sauris abnormis* (Moore,1888)** (Geometridae) **Synonym(s):** *abnormis* Moore,1888; *melanocera* Hampson,1891; *nitidula* W.Warren,1899
Range (in code): **IN Ass NI PG**
- 47376. *Sauris acanthina* L.B.Prout,1930** (Geometridae) **Synonym(s):** *acanthina* L.B.Prout,1930
Range (in code): **FJ**
- 47377. *Sauris angulosa* (W.Warren,1896)** (Geometridae) **Synonym(s):** *angulosa* W.Warren,1896
Range (in code): **ID Amb Crm**
- 47378. *Sauris angusta* W.Warren,1905** (Geometridae) **Synonym(s):** *angusta* W.Warren,1905
Range (in code): **SB**
- 47379. *Sauris angustifasciata* Inoue,1976** (Geometridae) **Synonym(s):** *angustifasciata* Inoue,1976
Range (in code): **JP Ri**
- 47380. *Sauris aroensis* (W.Warren,1903)** (Geometridae) **Synonym(s):** *aroensis* W.Warren,1903
Range (in code): **PG**
- 47381. *Sauris aspricosta* L.B.Prout,1925** (Geometridae) **Synonym(s):** *aspricosta* L.B.Prout,1925
Range (in code): **PG Nlr**
- 47382. *Sauris atrilineata* W.Warren,1906** (Geometridae) **Synonym(s):** *atrilineata* W.Warren,1906
Range (in code): **PG**
- 47383. *Sauris auricula* (W.Warren,1895)** (Geometridae) **Synonym(s):** *auricula* W.Warren,1895
Range (in code): **MY Prk**
- 47384. *Sauris basilia* L.B.Prout,1958** (Geometridae) **Synonym(s):** *basilia* L.B.Prout,1958
Range (in code): **ID Clb**
- 47385. *Sauris bicolor* (W.Warren,1896)** (Geometridae) **Synonym(s):** *bicolor* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 47386. *Sauris bigriseata* W.Warren,1907** (Geometridae) **Synonym(s):** *bigriseata* W.Warren,1907
Range (in code): **PG**

- 47387. *Sauris brevipalpis* Dugdale, 1980** (Geometridae) **Synonym(s):** *brevipalpis* Dugdale, 1980
Range (in code): **AU QAU**
- 47388. *Sauris brunnescens* (W. Warren, 1896)** (Geometridae) **Synonym(s):** *brunnescens* W. Warren, 1896
Range (in code): **PG Eca Fg**
- 47389. *Sauris buruensis* L.B. Prout, 1929** (Geometridae) **Synonym(s):** *buruensis* L.B. Prout, 1929
Range (in code): **ID Bru**
- 47390. *Sauris cirrhigera* (W. Warren, 1897)** (Geometridae) **Synonym(s):** *cirrhigera* W. Warren, 1897; *nusta* Swinhoe, 1902; *subnigrata* W. Warren, 1905
Range (in code): **SB PG Wd Ls NGe3**
- 47391. *Sauris coalita* L.B. Prout, 1931** (Geometridae) **Synonym(s):** *coalita* L.B. Prout, 1931
Range (in code): **MY Prk**
- 47392. *Sauris comuni* Dugdale, 1980** (Geometridae) **Synonym(s):** *comuni* Dugdale, 1980
Range (in code): **AU QAU Bri**
- 47393. *Sauris contorta* (W. Warren, 1897)** (Geometridae) **Synonym(s):** *contorta* W. Warren, 1897
Range (in code): **MY Pen**
- 47394. *Sauris curticornis* (W. Warren, 1897)** (Geometridae) **Synonym(s):** *curticornis* W. Warren, 1897
Range (in code): **MY Bor**
- 47395. *Sauris curvicosta* L.B. Prout, 1928** (Geometridae) **Synonym(s):** *curvicosta* L.B. Prout, 1928
Range (in code): **NC LO**
- 47396. *Sauris denigrata* (W. Warren, 1897)** (Geometridae) **Synonym(s):** *denigrata* W. Warren, 1897
Range (in code): **MY Prk**
- 47397. *Sauris dentatilinea* (W. Warren, 1905)** (Geometridae) **Synonym(s):** *dentatilinea* W. Warren, 1905
Range (in code): **PG Bgv**
- 47398. *Sauris elaica* (Meyrick, 1886)** (Geometridae) **Synonym(s):** *elaica* Meyrick, 1886
Range (in code): **FJ**
- 47399. *Sauris erigens* L.B. Prout, 1925** (Geometridae) **Synonym(s):** *erigens* L.B. Prout, 1925
Range (in code): **PG Wd Ls**
- 47400. *Sauris eupitheciata* (Snellen, 1881)** (Geometridae) **Synonym(s):** *eupitheciata* Snellen, 1881; *postalba* Hampson, 1895; *viridata* W. Warren, 1907
Range (in code): **PG Bsm Vu IN Bba ID Clb**
- 47401. *Sauris fuscomarginata* Hashimoto, 1995** (Geometridae) **Synonym(s):** *fuscomarginata* Hashimoto, 1995
Original Reference: *Sauris fuscomarginata* Hashimoto, 1995, Trans. lepid. Soc. Japan 46 (3): 129, figs. 1, 6-10. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOS).
Range (in code): **TH CMa Dst**
- 47402. *Sauris griseolauta* W. Warren, 1906** (Geometridae) **Synonym(s):** *griseolauta* W. Warren, 1906
Range (in code): **PG**
- 47403. *Sauris hirudinata* Guenée, [1858]** (Geometridae) **Synonym(s):** *hirudinata* Guenée, [1858]; *remodesaria* Walker, 1862; *lobta* W. Warren, 1895
Range (in code): **LK MY Bor AU NSw Syd**
- 47404. *Sauris ignobilis* Butler, 1880** (Geometridae) **Synonym(s):** *ignobilis* Butler, 1880
Range (in code): **IN SI Djl**
- 47405. *Sauris imbecilla* (Swinhoe, 1902)** (Geometridae) **Synonym(s):** *imbecilla* Swinhoe, 1902
Range (in code): **ID Ij**
- 47406. *Sauris improspira* L.B. Prout, 1931** (Geometridae) **Synonym(s):** *improspira* L.B. Prout, 1931
Range (in code): **IN Ass Meg Khs**
- 47407. *Sauris inscissa* L.B. Prout, 1958** (Geometridae) **Synonym(s):** *inscissa* L.B. Prout, 1958
Range (in code): **IN Ass Meg Khs**
- 47408. *Sauris inscissoides* Holloway, 1997** (Geometridae) **Synonym(s):** *inscissoides* Holloway, 1997
Range (in code): **MY Bor Swk**
- 47409. *Sauris interruptata* (Moore, 1888)** (Geometridae) **Synonym(s):** *interruptata* Moore, 1888; *cinerosa* W. Warren, 1894; *mirabilis* Hampson, 1895
Range (in code): **MM Peg IN NI SI Djl Ass Meg Khs**
- 47410. *Sauris lichenias* (Meyrick, 1891)** (Geometridae) **Synonym(s):** *lichenias* Meyrick, 1891
Range (in code): **AU NSw Syd**
- 47411. *Sauris lineosa* (Moore, 1888)** (Geometridae) **Synonym(s):** *lineosa* Moore, 1888; *normis* Hampson, 1895
Range (in code): **IN SI Djl**
- 47412. *Sauris lucens* (W. Warren, 1899)** (Geometridae) **Synonym(s):** *lucens* W. Warren, 1899
Range (in code): **PG Ls Wd Bsm Nlr**
- 47413. *Sauris malaca* (Meyrick, 1891)** (Geometridae) **Synonym(s):** *malaca* Meyrick, 1891
Range (in code): **AU QAU**

- 47414. Sauris marginepunctata (W.Warren,1899)** (Geometridae) **Synonym(s):** *marginepunctata* W.Warren,1899; *plagulata* Bastelberger,1911 **_ Range (in code): TW PH Neg**
- 47415. Sauris melanoceros (Meyrick,1889)** (Geometridae) **Synonym(s):** *melanoceros* Meyrick,1889 **_ Range (in code): PG PMo AU QAU**
- 47416. Sauris melanosterna Dugdale,1980** (Geometridae) **Synonym(s):** *melanosterna* Dugdale,1980 **_ Range (in code): AU QAU Bri**
- 47417. Sauris mellita L.B.Prout,1928** (Geometridae) **Synonym(s):** *mellita* L.B.Prout,1928 **_ Range (in code): WS**
- 47418. Sauris mesilauensis Holloway,1976** (Geometridae) **Synonym(s):** *mesilauensis* Holloway,1976 **_ Range (in code): MY Bor Sbh KBa**
- 47419. Sauris muscosa Rothschild,1915** (Geometridae) **Synonym(s):** *muscosa* Rothschild,1915 **_ Range (in code): ID Ij Snw Clb**
- 47420. Sauris nanaria Leech,1897** (Geometridae) **Synonym(s):** *nanaria* Leech,1897 **_ Range (in code): JP**
- 47421. Sauris nebulosa Dugdale,1980** (Geometridae) **Synonym(s):** *nebulosa* Dugdale,1980 **_ Range (in code): AU QAU**
- 47422. Sauris nigricincta W.Warren,1896** (Geometridae) **Synonym(s):** *nigricincta* W.Warren,1896 **_ Range (in code): PG Fs Eca**
- 47423. Sauris nigrifusalis (W.Warren,1896)** (Geometridae) **Synonym(s):** *nigrifusalis* W.Warren,1896 **_ Range (in code): IN Ass Meg Khs**
- 47424. Sauris nigripalpata Walker,1862** (Geometridae) **Synonym(s):** *nigripalpata* Walker,1862 **_ Range (in code): LK**
- 47425. Sauris oetakwana L.B.Prout,1958** (Geometridae) **Synonym(s):** *oetakwana* L.B.Prout,1958 **_ Range (in code): ID Ij**
- 47426. Sauris othnia L.B.Prout,1958** (Geometridae) **Synonym(s):** *othnia* L.B.Prout,1958 **_ Range (in code): ID Mlc**
- 47427. Sauris pallidipalpis (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *pallidipalpis* L.B.Prout,1916 **_ Range (in code): ID Ij**
- 47428. Sauris pallidiplaga (W.Warren,1897)** (Geometridae) **Synonym(s):** *pallidiplaga* W.Warren,1897 **_ Range (in code): ID Ja Ged**
- 47429. Sauris parviplaga (W.Warren,1906)** (Geometridae) **Synonym(s):** *parviplaga* W.Warren,1906 **_ Range (in code): PG**
- 47430. Sauris pelagitis L.B.Prout,1933** (Geometridae) **Synonym(s):** *pelagitis* L.B.Prout,1933 **_ Range (in code): CX**
- 47431. Sauris perfasciata Hampson,1895** (Geometridae) **Synonym(s):** *perfasciata* Hampson,1895 **_ Range (in code): LK**
- 47432. Sauris plumipes Dugdale,1980** (Geometridae) **Synonym(s):** *plumipes* Dugdale,1980 **_ Range (in code): AU QAU**
- 47433. Sauris preptochaetes L.B.Prout,1929** (Geometridae) **Synonym(s):** *preptochaetes* L.B.Prout,1929 **_ Range (in code): ID Crm**
- 47434. Sauris priva L.B.Prout,1930** (Geometridae) **Synonym(s):** *priva* L.B.Prout,1930 **_ Range (in code): FJ**
- 47435. Sauris proboscitaria Walker,1862** (Geometridae) **Synonym(s):** *proboscitaria* Walker,1862; *metaphaea* Hampson,1907 **_ Range (in code): LK ZA**
- 47436. Sauris quassa L.B.Prout,1932** (Geometridae) **Synonym(s):** *quassa* L.B.Prout,1932 **_ Range (in code): MY Bor Sbh KBa**
- 47437. Sauris rectilineata Dugdale,1980** (Geometridae) **Synonym(s):** *rectilineata* Dugdale,1980 **_ Range (in code): AU NAU**
- 47438. Sauris rhododactyla (W.Warren,1906)** (Geometridae) **Synonym(s):** *rhododactyla* W.Warren,1906 **_ Range (in code): PG**
- 47439. Sauris rubriplaga (W.Warren,1899)** (Geometridae) **Synonym(s):** *rubriplaga* W.Warren,1899 **_ Range (in code): ID Obi**
- 47440. Sauris seminigra (W.Warren,1903)** (Geometridae) **Synonym(s):** *seminigra* W.Warren,1903 **_ Range (in code): PG**
- 47441. Sauris septa L.B.Prout,1929** (Geometridae) **Synonym(s):** *septa* L.B.Prout,1929 **_ Range (in code): PG Bsm Nlr**

- 47442. *Sauris sinuaticornis* (W.Warren,1896)** (Geometridae) Synonym(s): *sinuaticornis* W.Warren,1896 _ Range (in code): ID Ij
- 47443. *Sauris subfulva* (W.Warren,1905)** (Geometridae) Synonym(s): *subfulva* W.Warren,1905 _ Range (in code): SB NGe3
- 47444. *Sauris triseriata* (Moore,[1887])** (Geometridae) Synonym(s): *triseriata* Moore,[1887] _ Range (in code): LK
- 47445. *Sauris turpipennis* (W.Warren,1896)** (Geometridae) Synonym(s): *turpipennis* W.Warren,1896 _ Range (in code): ID Mlc
- 47446. *Sauris ursula* G.S.Robinson,1975** (Geometridae) Synonym(s): *ursula* G.S.Robinson,1975 _ Range (in code): FJ
- 47447. *Sauris usta* (W.Warren,1895)** (Geometridae) Synonym(s): *usta* W.Warren,1895 _ Range (in code): MY Prk ID Ja Bor Sbh KBa
- 47448. *Sauris vetustata* Walker,1866** (Geometridae) Synonym(s): *vetustata* Walker,1866 _ Range (in code): AU QAu
- 47449. *Sauris victoria* G.S.Robinson,1975** (Geometridae) Synonym(s): *victoria* G.S.Robinson,1975 _ Range (in code): FJ
- 47450. *Sauris volcanica* (Butler,1887)** (Geometridae) Synonym(s): *volcanica* Butler,1887; *erebata* W.Warren,1903 _ Range (in code): SB Isa PG Bgv3
- 47451. *Sauris wanda* G.S.Robinson,1975** (Geometridae) Synonym(s): *wanda* G.S.Robinson,1975 _ Range (in code): FJ
- 47452. *Sauris xissa* G.S.Robinson,1975** (Geometridae) Synonym(s): *xissa* G.S.Robinson,1975 _ Range (in code): FJ
- 47453. *Scardamia aetha* L.B.Prout,1926** (Geometridae) Synonym(s): *aetha* L.B.Prout,1926 _ Range (in code): PG
- 47454. *Scardamia aurantiacaria* Bremer,1864** (Geometridae) Synonym(s): *aurantiacaria* Bremer,1864 _ Range (in code): RU Sb Us
- 47455. *Scardamia bractearia* (Walker,1860)** (Geometridae) Synonym(s): *bractearia* Walker,1860 _ Range (in code): LK
- 47456. *Scardamia chrysolina* Meyrick,1892** (Geometridae) Synonym(s): *chrysolina* Meyrick,1892 _ Range (in code): AU NSw
- 47457. *Scardamia easwarammae* Walia,1994** (Geometridae) Synonym(s): *easwarammae* Walia,1994 _ Range (in code): IN Up
- 47458. *Scardamia eucampta* L.B.Prout,1930** (Geometridae) Synonym(s): *eucampta* L.B.Prout,1930 _ Range (in code): NC FJ
- 47459. *Scardamia iographa* L.B.Prout,1932** (Geometridae) Synonym(s): *iographa* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 47460. *Scardamia ithyzona* L.B.Prout,1932** (Geometridae) Synonym(s): *ithyzona* L.B.Prout,1932 _ Range (in code): AU QAu
- 47461. *Scardamia klossi* Rothschild,1915** (Geometridae) Synonym(s): *klossi* Rothschild,1915 _ Range (in code): ID Ij Snw Crm
- 47462. *Scardamia metallaria* Guenée,[1858]** (Geometridae) Synonym(s): *metallaria* Guenée,[1858] _ Range (in code): IN
- 47463. *Scardamia neeraria* Oberthür,1912** (Geometridae) Synonym(s): *neeraria* Oberthür,1912 _ Range (in code): MG
- 47464. *Scardamia nubilicosta* L.B.Prout,1932** (Geometridae) Synonym(s): *nubilicosta* L.B.Prout,1932 _ Range (in code): ZR
- 47465. *Scardamia obliquaria* Leech,1897** (Geometridae) Synonym(s): *obliquaria* Leech,1897 _ Range (in code): KP KR
- 47466. *Scardamia percitraria* Fryer,1912** (Geometridae) Synonym(s): *percitraria* Fryer,1912 _ Range (in code): SC
- 47467. *Scardamia rectilinea* W.Warren,1896** (Geometridae) Synonym(s): *rectilinea* W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 47468. *Scardamia rectistrigata* Wehrli,1924** (Geometridae) Synonym(s): *rectistrigata* Wehrli,1924 _ Range (in code): CN
- 47469. *Scardamia seminigra* L.B.Prout,1925** (Geometridae) Synonym(s): *seminigra* L.B.Prout,1925 _ Range (in code): IN Ass Meg Cpj

- 47470. Schistophyle falcifera** W.Warren,1896 (Geometridae) Synonym(s): *falcifera* W.Warren,1896 Range (in code): **IN Ass Meg Khs**
- 47471. Schistophyle horishana** (Matsumura,1931) (Geometridae) Synonym(s): *horishana* Matsumura,1931 Range (in code): **TW**
- 47472. Schistostege decussata** ([Denis & Schiffermüller],1775) (Geometridae) Synonym(s): *decussata* [Denis & Schiffermüller],1775; *treitschkei* Kovacs,1957 Original Reference: *Geometra decussata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 107. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT HU RO YU AL BG GR**
- 47473. Schistostege nubilaria** (Hübner,[1799]) (Geometridae) Synonym(s): *nubilaria* Hübner,[1799]; *exalbata* Hübner,[1817]; *knuppferi* Hoyningen-Huene,1904 Original Reference: *Geometra nubilaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.41, fig.215. Type: Europa. Range (in code): **RO RU Cc IR TR AZ**
- 47474. Sciadia tenebraria** (Esper,[1806]) (Geometridae) Synonym(s): *tenebraria* Esper,[1806]; *torvaria* Hübner,[1813]; *olivacea* W.Warren,1895 Range (in code): **ES FR IT DE CH AT YU AL IN**
- 47475. Scintillithex glaucisparsa** (L.B.Prout,1932) (Geometridae) Synonym(s): *glaucisparsa* L.B.Prout,1932 Range (in code): **MY Sgo Bor**
- 47476. Scintillithex glaucisparsa scintillulata** (L.B.Prout,1941) (Geometridae) Synonym(s): *scintillulata* L.B.Prout,1941 Range (in code): **MY Sgo**
- 47477. Scodiomima afghana** Wiltshire,1961 (Geometridae) Synonym(s): *afghana* Wiltshire,1961 Range (in code): **AF Pag**
- 47478. Scodiomima aspersaria** Staudinger,1896 (Geometridae) Synonym(s): *aspersaria* Staudinger,1896 Range (in code): **KK Ik TJ UZ**
- 47479. Scodiomima crocallaria** Staudinger,1892 (Geometridae) Synonym(s): *crocallaria* Staudinger,1892; *pamiricola* Shchetkin & Viidalepp,1988 Range (in code): **TM Kp IR Kh TJ Pm AF Sfk**
- 47480. Scodiomima gyulai** Weisert,2009 (Geometridae) Synonym(s): *gyulai* Weisert,2009 Range (in code): **IR Kh**
- 47481. Scodiomima tadzhikistanica** Shchetkin & Viidalepp,1988 (Geometridae) Synonym(s): *tadzhikistanica* Shchetkin & Viidalepp,1988 Range (in code): **TJ**
- 47482. Scodionista amoritaria** (Püngeler,1902) (Geometridae) Synonym(s): *amoritaria* Püngeler,1902; *autumnata* Brandt,1938; *abdulhamidi* Wiltshire,1949 Original Reference: *Enconista amoritaria* Püngeler,1902, Dt. ent. Z., Iris 15: 145, pl.6 figs. 26,27. Syntypes 4♂ 2♀: Palestina, Jordan valley. Range (in code): **AZ Cc SA EG IL Pa Jt IR Elb Th Kdj AF**
- 47483. Scodionista amoritaria amoritaria** (Püngeler,1902) (Geometridae) Synonym(s): *amoritaria* Püngeler,1902; *autumnata* Brandt,1938; *abdulhamidi* Wiltshire,1949 Original Reference: *Enconista amoritaria* Püngeler,1902, Dt. ent. Z., Iris 15: 145, pl.6 figs. 26,27. Syntypes 4♂ 2♀: Palestina, Jordan valley. Range (in code): **AZ Cc AF EG IL Pa Jt IR Elb Th Kdj**
- 47484. Scodionista amoritaria irrorata** Wiltshire,1990 (Geometridae) Synonym(s): *irrorata* Wiltshire,1990 Range (in code): **SA**
- 47485. Scodionista mischii** Turati & C.G.Krüger,1936 (Geometridae) Synonym(s): *mischii* Turati & C.G.Krüger,1936 Range (in code): **LY Cy**
- 47486. Scopula ablative** (Dognin,1911) (Geometridae) Synonym(s): *ablative* Dognin,1911 Range (in code): **AR**
- 47487. Scopula abolita** Herbulot,[1956] (Geometridae) Synonym(s): *abolita* Herbulot,[1956] Range (in code): **MG**
- 47488. Scopula abornata** (Guenée,[1858]) (Geometridae) Synonym(s): *abornata* Guenée,[1858] Range (in code): **BR**
- 47489. Scopula accentuata** (Guenée,[1858]) (Geometridae) Synonym(s): *accentuata* Guenée,[1858]; *exiguaria* Walker,1860; *rudisaria* Walker,1861; *dentigerata* Walker,1863 Range (in code): **ZA ZA08 Ksi Kzu Nta Wca Cto Ec Kny Tva KE**
- 47490. Scopula acentra** (W.Warren,1897) (Geometridae) Synonym(s): *acentra* W.Warren,1897 Range (in code): **ZA ZA28 Tva Lpo Nta Kzu**
- 47491. Scopula acharis** L.B.Prout,1938 (Geometridae) Synonym(s): *acharis* L.B.Prout,1938 Range (in code): **IN**
- 47492. Scopula achrosta** L.B.Prout,1935 (Geometridae) Synonym(s): *achrosta* L.B.Prout,1935 Range (in code): **Ch**

- 47493. *Scopula actuarial* (Walker,1861)** (Geometridae) Synonym(s): *actuarial* Walker,1861
Range (in code): **AF Nu LK IN TW ID Wt Tim Ja** Bionomy: Larva on Striga (Scrophulariaceae),
Theobroma cacao (Sterculiaceae) (Scoble,2000).
- 47494. *Scopula actuarial actuarial* (Walker,1861)** (Geometridae) Synonym(s): *actuarial*
Walker,1861 _ Range (in code): **LK IN TW** Bionomy: Larva on Striga (Scrophulariaceae),
Theobroma cacao (Sterculiaceae) (Scoble,2000).
- 47495. *Scopula actuarial nigranal* (W.Warren,1896)** (Geometridae) Synonym(s): *nigranal*
W.Warren,1896; *parumnotata* W.Warren,1898 _ Range (in code): **ID Wt Tim Ja**
- 47496. *Scopula actuarial sheljuzhko* Wiltshire,1967** (Geometridae) Synonym(s): *sheljuzhko*
Wiltshire,1967 _ Range (in code): **AF Nu**
- 47497. *Scopula acutanellus* Herbulot,1992** (Geometridae) Synonym(s): *acutanellus*
Herbulot,1992 _ Range (in code): **CM**
- 47498. *Scopula acyma* L.B.Prout,1932** (Geometridae) Synonym(s): *acyma* L.B.Prout,1932
Range (in code): **KE**
- 47499. *Scopula addictaria* (Walker,1861)** (Geometridae) Synonym(s): *addictaria* Walker,1861;
rufinubes W.Warren,1900 [ssp.] _ Range (in code): **YE LK KE MV**
- 47500. *Scopula adelpharia* (Püngeler,1894)** (Geometridae) Synonym(s): *adelpharia*
Püngeler,1894 _ Range (in code): **SN GA AO EG EG11 IL Pa Jer YE Sna Sk**
- 47501. *Scopula adelpharia adelpharia* (Püngeler,1894)** (Geometridae) Synonym(s):
adelpharia Püngeler,1894 _ Range (in code): **IL Pa Jer**
- 47502. *Scopula adelpharia pharaonis* Sterneck,1933** (Geometridae) Synonym(s): *pharaonis*
Sterneck,1933 _ Range (in code): **SN GA AO EG EG11**
- 47503. *Scopula adeptaria* (Walker,1861)** (Geometridae) Synonym(s): *adeptaria* Walker,1861;
eximia W.Warren,1898; *tenuipes* Turner,1914; *tainanensis* Wileman & South,1917 _ Range (in code): **LK IN**
TW CN Hn MM MY Bor Sba ID PH AU
- 47504. *Scopula aegrefasciata* Sihvonen,2001** (Geometridae) Synonym(s): *aegrefasciata*
Sihvonen,2001 _ Range (in code): **CN**
- 47505. *Scopula aemulata* (Hulst,1896)** (Geometridae) Synonym(s): *aemulata* Hulst,1896;
tawneata Cassino,1931 _ Range (in code): **US FI**
- 47506. *Scopula aequidistans* (W.Warren,1896)** (Geometridae) Synonym(s): *aequidistans*
W.Warren,1896 _ Range (in code): **ID Tim**
- 47507. *Scopula aequifasciata* (Christoph,1881)** (Geometridae) Synonym(s): *aequifasciata*
Christoph,1881; *aequifasciaria* Hedemann,1881 _ Range (in code): **RU Am**
- 47508. *Scopula aetheomorpha* L.B.Prout,1917** (Geometridae) Synonym(s): *aetheomorpha*
L.B.Prout,1917 _ Range (in code): **PG**
- 47509. *Scopula afghana* Ebert,1965** (Geometridae) Synonym(s): *afghana* Ebert,1965 _ Range
(in code): **AF Bd Adr**
- 47510. *Scopula africana* Berio,1937** (Geometridae) Synonym(s): *africana* Berio,1937 Original
Reference: *Scopula africana* Berio,1937, Annali, Mus. civ. Stor. nat. Giacomo Doria 58: 180, fig.
Holotype: [Somalia]: Belet Amin (MSNG). Range (in code): **SO**
- 47511. *Scopula agglomerata* Herbulot,1992** (Geometridae) Synonym(s): *agglomerata*
Herbulot,1992 _ Range (in code): **CM**
- 47512. *Scopula agnes* (Butler,1886)** (Geometridae) Synonym(s): *agnes* Butler,1886 _ Range
(in code): **AU QAU**
- 47513. *Scopula agrapta* (W.Warren,1902)** (Geometridae) Synonym(s): *agrapta* W.Warren,1902
Range (in code): **KE Kyu TZ ZA Nta Kzu**
- 47514. *Scopula alargata* (Dognin,1901)** (Geometridae) Synonym(s): *alargata* Dognin,1901
Range (in code): **EC**
- 47515. *Scopula albiceraria* (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *albiceraria*
Herrich-Schäffer,1847; *sulphuraria* Freyer,1847; *vitellinaria* Eversmann,1851 _ Range (in code): **RU Sr Sb**
Am Ya MN TM KG IR? Cc GG? AM?
- 47516. *Scopula albida* (W.Warren,1899)** (Geometridae) Synonym(s): *albida* W.Warren,1899;
pura Swinhoe,1909 _ Range (in code): **UG Etb**
- 47517. *Scopula albidaria* (Staudinger,1901)** (Geometridae) Synonym(s): *albidaria*
Staudinger,1901 _ Range (in code): **KK Ik UZ Fe Man T-S**
- 47518. *Scopula albidaria albidaria* (Staudinger,1901)** (Geometridae) Synonym(s): *albidaria*
Staudinger,1901 _ Range (in code): **KK Ik UZ Fe Man**

- 47519. Scopula albidaria sankana L.B.Prout,1938** (Geometridae) Synonym(s): *sankana* L.B.Prout,1938 _ Range (in code): T-S
- 47520. Scopula albidulata (W.Warren,1897)** (Geometridae) Synonym(s): *albidulata* W.Warren,1897 _ Range (in code): BR
- 47521. Scopula albiflava (W.Warren,1896)** (Geometridae) Synonym(s): *albiflava* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 47522. Scopula albilarvata (W.Warren,1899)** (Geometridae) Synonym(s): *albilarvata* W.Warren,1899 _ Range (in code): CN TW
- 47523. Scopula albomaculata (Moore,1888)** (Geometridae) Synonym(s): *albomaculata* Moore,1888 _ Range (in code): IN SI Djl
- 47524. Scopula alboverticata (W.Warren,1895)** (Geometridae) Synonym(s): *alboverticata* W.Warren,1895 _ Range (in code): IN Tim
- 47525. Scopula alma L.B.Prout,1920** (Geometridae) Synonym(s): *alma* L.B.Prout,1920 _ Range (in code): ZA KE Nai
- 47526. Scopula alstoni L.B.Prout,1919** (Geometridae) Synonym(s): *alstoni* L.B.Prout,1919 _ Range (in code): LK
- 47527. Scopula amala (Meyrick,1886)** (Geometridae) Synonym(s): *amala* Meyrick,1886; *parasira* Meyrick,1889; *lacteisabulosa* Rothschild,1915 _ Range (in code): PG ID Ij
- 47528. Scopula amazonata (Guenée,[1858])** (Geometridae) Synonym(s): *amazonata* Guenée,[1858] _ Range (in code): BR
- 47529. Scopula ambigua L.B.Prout,1935** (Geometridae) Synonym(s): *ambigua* L.B.Prout,1935 _ Range (in code): CN
- 47530. Scopula amphiphracta L.B.Prout,1938** (Geometridae) Synonym(s): *amphiphracta* L.B.Prout,1938 _ Range (in code): ID Clb
- 47531. Scopula amseli Wiltshire,1967** (Geometridae) Synonym(s): *amseli* Wiltshire,1967 _ Range (in code): IR Fa
- 47532. Scopula anaitisaria (Walker,1861)** (Geometridae) Synonym(s): *anaitisaria* Walker,1861 _ Range (in code): IN
- 47533. Scopula anatreces L.B.Prout,1920** (Geometridae) Synonym(s): *anatreces* L.B.Prout,1920 _ Range (in code): TW
- 47534. Scopula andresi (Draudt,1912)** (Geometridae) Synonym(s): *andresi* Draudt,1912 _ Range (in code): EG
- 47535. Scopula aniara L.B.Prout,1934** (Geometridae) Synonym(s): *aniara* L.B.Prout,1934 _ Range (in code): CR
- 47536. Scopula anisopleura Inoue,1982** (Geometridae) Synonym(s): *anisopleura* Inoue,1982 _ Range (in code): JP
- 47537. Scopula annexata L.B.Prout,1938** (Geometridae) Synonym(s): *annexata* L.B.Prout,1938 _ Range (in code): IN Oi NI
- 47538. Scopula annubiata (Staudinger,1892)** (Geometridae) Synonym(s): *annubiata* Staudinger,1892 _ Range (in code): UZ Smk
- 47539. Scopula annularia (Swinhoe,1890)** (Geometridae) Synonym(s): *nigropunctata* Guenée,[1858] *nec* Hfn.,1767; *annularia* Swinhoe,1890; *reducta* Rothschild,1920 _ Range (in code): IN CN HK MM Rng ID Sum MY Bor Ja Clb Crm PH
- 47540. Scopula anoista (L.B.Prout,1915)** (Geometridae) Synonym(s): *anoista* L.B.Prout,1915 _ Range (in code): CM
- 47541. Scopula ansorgei (W.Warren,1899)** (Geometridae) Synonym(s): *ansorgei* W.Warren,1899 _ Range (in code): UG
- 47542. Scopula ansulata (Lederer,1871)** (Geometridae) Synonym(s): *ansulata* Lederer,1871 _ Range (in code): CN Ui Tlk Ku UZ TM IR Elb Gor AF Srb KG TJ
- 47543. Scopula ansulata adulteraria (Erschoff,1874)** (Geometridae) Synonym(s): *adulteraria* Erschoff,1874 _ Range (in code): UZ TM TJ KG
- 47544. Scopula ansulata ansulata (Lederer,1871)** (Geometridae) Synonym(s): *ansulata* Lederer,1871 _ Range (in code): IR Elb Gor
- 47545. Scopula ansulata charakteristica (Alpheraky,1883)** (Geometridae) Synonym(s): *characteristica* Alpheraky,1883 _ Original Reference: Acidalia charakteristica Alpheraky,1883, Horae Soc. ent. ross. 17: 62-163, Tab.ix fig.87. Syntypes ♂♂: [China: Uighur A.R.]: Talki, 3-4000ft. Range (in code): CN Ui Tlk Ku

- 47546. *Scopula ansulata eberti* Wiltshire, 1967** (Geometridae) Synonym(s): *eberti* Wiltshire, 1967
Range (in code): **AF Srb**
- 47547. *Scopula antiloparia* (Wallengren, 1863)** (Geometridae) Synonym(s): *antiloparia* Wallengren, 1863 _ Range (in code): **ZA Tva**
- 47548. *Scopula anysima* L.B.Prout, 1938** (Geometridae) Synonym(s): *anysima* L.B.Prout, 1938
Range (in code): **GT**
- 47549. *Scopula aphercta* L.B.Prout, 1932** (Geometridae) Synonym(s): *aphercta* L.B.Prout, 1932
Range (in code): **NE**
- 47550. *Scopula apicipunctata* (Christoph, 1881)** (Geometridae) Synonym(s): *apicipunctata* Christoph, 1881; *arenaria* Leech, 1897 _ Range (in code): **CN Mc RU Us Vv KP KR JP**
- 47551. *Scopula apparitaria* (Walker, 1861)** (Geometridae) Synonym(s): *apparitaria* Walker, 1861; *responsaria* Walker, 1861; *atomaria* W.Warren, 1897; *approbata* W.Warren, 1900; *trias* W.Warren, 1904
Range (in code): **CU HN BR VE JM BO**
- 47552. *Scopula arenosaria* (Staudinger, 1879)** (Geometridae) Synonym(s): *arenosaria* Staudinger, 1879 _ Range (in code): **RU Ur KG Nrk T-S**
- 47553. *Scopula argentidisca* (W.Warren, 1902)** (Geometridae) Synonym(s): *argentidisca* W.Warren, 1902; *naias* W.Warren, 1903 _ Range (in code): **KE**
- 47554. *Scopula argyroleuca* (Hampson, 1910)** (Geometridae) Synonym(s): *argyroleuca* Hampson, 1910 _ Range (in code): **ZW KE UG**
- 47555. *Scopula asparta* L.B.Prout, 1938** (Geometridae) Synonym(s): *asparta* L.B.Prout, 1938
Range (in code): **IN Ass Meg Khs**
- 47556. *Scopula aspiciens* L.B.Prout, 1926** (Geometridae) Synonym(s): *aspiciens* L.B.Prout, 1926
Range (in code): **MG**
- 47557. *Scopula aspilataria* (Walker, 1861)** (Geometridae) Synonym(s): *aspilataria* Walker, 1861
Range (in code): **LK**
- 47558. *Scopula asthena* Inoue, 1943** (Geometridae) Synonym(s): *asthena* Inoue, 1943 _ Range (in code): **CN RU JP**
- 47559. *Scopula astrabes* L.B.Prout, 1932** (Geometridae) Synonym(s): *astrabes* L.B.Prout, 1932
Range (in code): **ZA Nta Kzu Est**
- 47560. *Scopula asymmetrica* Holloway, 1997** (Geometridae) Synonym(s): *asymmetrica* Holloway, 1997 _ Range (in code): **MY Bor Swk**
- 47561. *Scopula atramentaria* (Bastelberger, 1909)** (Geometridae) Synonym(s): *atramentaria* Bastelberger, 1909 _ Range (in code): **TZ**
- 47562. *Scopula atricapilla* L.B.Prout, 1934** (Geometridae) Synonym(s): *atricapilla* L.B.Prout, 1934
Range (in code): **KE SA YE Sna**
- 47563. *Scopula atricapilla atricapilla* L.B.Prout, 1934** (Geometridae) Synonym(s): *atricapilla* L.B.Prout, 1934 _ Range (in code): **KE**
- 47564. *Scopula atricapilla harithensis* Wiltshire, 1990** (Geometridae) Synonym(s): *harithensis* Wiltshire, 1990 _ Range (in code): **SA**
- 47565. *Scopula atriceps* (Hampson, 1895)** (Geometridae) Synonym(s): *atriceps* Hampson, 1895
Range (in code): **IN Hp Sml**
- 47566. *Scopula atridiscata* (W.Warren, 1897)** (Geometridae) Synonym(s): *atridiscata* W.Warren, 1897 _ Range (in code): **IN Meg Ass Khs**
- 47567. *Scopula attentata* (Walker, 1861)** (Geometridae) Synonym(s): *attentata* Walker, 1861
Range (in code): **CN TW PH ID MM IN Nk**
- 47568. *Scopula attentata nicobarica* L.B.Prout, 1938** (Geometridae) Synonym(s): *nicobarica* L.B.Prout, 1938 _ Range (in code): **IN Nk**
- 47569. *Scopula axiata* (Püngeler, 1909)** (Geometridae) Synonym(s): *axiata* Püngeler, 1909
Range (in code): **RU Am**
- 47570. *Scopula batesi* L.B.Prout, 1932** (Geometridae) Synonym(s): *batesi* L.B.Prout, 1932
Range (in code): **CM**
- 47571. *Scopula beccarii* (L.B.Prout, 1915)** (Geometridae) Synonym(s): *beccarii* L.B.Prout, 1915
Range (in code): **ET ER**
- 47572. *Scopula beckeraria* (Lederer, 1853)** (Geometridae) Synonym(s): *beckeraria* Lederer, 1853
Original Reference: *Acidalia beckeraria* Lederer, 1853, Verh. zool.-bot. Ver. Wien 3: 258.
Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad]; [Russland]: Sarepta. Range (in code): **IT RO SS MK BG GR TR AZ Nv Kir RU Da Sj GG Cc IL Pa He LB Bsa UZ Fe CN Ui Ku MN IR Fa Sse Com Kz Shr Ahz Ke**

- 47573. *Scopula beckeraria amataria* (Wehrli,1927)** (Geometridae) Synonym(s): *amataria* Wehrli,1927 - Range (in code): RU Sj
- 47574. *Scopula beckeraria assimilaria* L.B.Prout,1913** (Geometridae) Synonym(s): *assimilaria* L.B.Prout,1913 - Range (in code): UZ Fe CN Ui Ku
- 47575. *Scopula beckeraria beckeraria* (Lederer,1853)** (Geometridae) Synonym(s): *beckeraria* Lederer,1853 - Original Reference: *Acidalia beckeraria* Lederer,1853, Verh. zool.-bot Ver. Wien 3: 258. Syntypes: [Aserbaidjan]: Elisabethpol [=Kirovabad]; [Russland]: Sarepta. Range (in code): RU Da GG AZ Kir Cc AM IR TR
- 47576. *Scopula beckeraria hermonicola* Hausmann,1997** (Geometridae) Synonym(s): *hermonicola* Hausmann,1997 - Original Reference: *Scopula beckeraria* ssp. *hermonicola* Hausmann,1997, Entomofauna 18 (1): 6, fig.3. Holotype ♂: N.Israel, Sede Nehamya 23.iv.1969 leg.Z.Shoham (coll.TAU). Range (in code): IQ Kq IL Pa He LB Bsa
- 47577. *Scopula beckeraria rebeli* (L.B.Prout,1913)** (Geometridae) Synonym(s): *agraria* Rebel,1908 nec Joann.,1891; *rebeli* L.B.Prout,1913 - Range (in code): IT RO YU BG GR TR MK BG GR TR
- 47578. *Scopula benguetensis* L.B.Prout,1931** (Geometridae) Synonym(s): *benguetensis* L.B.Prout,1931 - Range (in code): PH Luz
- 47579. *Scopula bifalsaria* (L.B.Prout,1913)** (Geometridae) Synonym(s): *bifalsaria* L.B.Prout,1913; *falsificata* L.B.Prout,1924 - Range (in code): CN Ti
- 47580. *Scopula bigeminata* (W.Warren,1897)** (Geometridae) Synonym(s): *bigeminata* W.Warren,1897; *fumosaria* Swinhoe,1904 - Range (in code): KE Nai ZA Mal Tva Lpo Nta Kzu Wca AO UG SD ET
- 47581. *Scopula bimacularia* (Leech,1897)** (Geometridae) Synonym(s): *bimacularia* Leech,1897 Range (in code): CN
- 47582. *Scopula bispurcata* (W.Warren,1898)** (Geometridae) Synonym(s): *bispurcata* W.Warren,1898 - Range (in code): IN Meg Ass Khs
- 47583. *Scopula brachypus* L.B.Prout,1926** (Geometridae) Synonym(s): *brachypus* L.B.Prout,1926 Range (in code): MM Hpi
- 47584. *Scopula butleri* (L.B.Prout,1913)** (Geometridae) Synonym(s): *insolata* Butler,1889 nec Feld. & Rog.,1875; *satsumaria* Leech,1897; *butleri* L.B.Prout,1913 - Range (in code): CN IN ID MY Bor JP
- 47585. *Scopula caberaria* Herbulot,1992** (Geometridae) Synonym(s): *caberaria* Herbulot,1992 Range (in code): CM
- 47586. *Scopula caeria* L.B.Prout,1938** (Geometridae) Synonym(s): *caeria* L.B.Prout,1938 Range (in code): PH Luz
- 47587. *Scopula caesaria* (Walker,1861)** (Geometridae) Synonym(s): *caesaria* Walker,1861; *obturbata* Walker,1861; *faeculentaria* Mabilie,1880; *rufimixtaria* W.Warren,1900 - Range (in code): GA NG ZR TZ KM MG PG AU ZA Wca Cto YE Sna
- 47588. *Scopula caesaria walkeros* Wiltshire,1980** (Geometridae) Synonym(s): *walkeros* Wiltshire,1980 - Range (in code): YE Sna
- 47589. *Scopula cajanderi* (Herz,1904)** (Geometridae) Synonym(s): *cajanderi* Herz,1904; *anaitaria* Herz,1904 - Range (in code): RU Ur Sb At MN CA Als US
- 47590. *Scopula calcarata* D.S.Fletcher,1958** (Geometridae) Synonym(s): *calcarata* D.S.Fletcher,1958 - Range (in code): UG RZ
- 47591. *Scopula caledonica* Holloway,1979** (Geometridae) Synonym(s): *caledonica* Holloway,1979 Range (in code): NC
- 47592. *Scopula campbelli* L.B.Prout,1920** (Geometridae) Synonym(s): *campbelli* L.B.Prout,1920 Range (in code): IN Tn Pln
- 47593. *Scopula candida* L.B.Prout,1934** (Geometridae) Synonym(s): *candida* L.B.Prout,1934 Range (in code): CR
- 47594. *Scopula candidaria* (W.Warren,1902)** (Geometridae) Synonym(s): *candidaria* W.Warren,1902 - Range (in code): ZA
- 47595. *Scopula caricaria* (Reutti,1853)** (Geometridae) Synonym(s): *caricaria* Reutti,1853 Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU EE LV LT RU MD UA BY Bionomy: Larva on *Artemisia vulgaris*, *Centaurea jacea* (Meyer,1919).
- 47596. *Scopula carnosia* L.B.Prout,1925** (Geometridae) Synonym(s): *carnosia* L.B.Prout,1925 Range (in code): ZA Tva Lpo Pot
- 47597. *Scopula cassiaria* (Swinhoe,1904)** (Geometridae) Synonym(s): *cassiaria* Swinhoe,1904 Range (in code): KE

- 47598. Scopula cassioides L.B.Prout,1932** (Geometridae) Synonym(s): *cassioides* L.B.Prout,1932
Range (in code): KE
- 47599. Scopula cesa Kemal & Koçak,2004** (Geometridae) Synonym(s): *convergens* Bryk,1949 nec Warr.,1904; *cesa* Kemal & Koçak,2004 Range (in code): KP KR
- 47600. Scopula cf. hectata (Guenée,[1858])** (Geometridae) Synonym(s): *hectata* Guenée,[1858]
Range (in code): ZA ZA10 ZA11 ZA12 Nta Kzu Ggh Fs ZA28 Tva Lpo
- 47601. Scopula cineraria (Leech,1897)** (Geometridae) Synonym(s): *cineraria* Leech,1897
Range (in code): CN KP KR JP
- 47602. Scopula cinnamomata D.S.Fletcher,1955** (Geometridae) Synonym(s): *cinnamomata* D.S.Fletcher,1955 Range (in code): ZR
- 47603. Scopula circumpunctata (W.Warren,1898)** (Geometridae) Synonym(s): *circumpunctata* W.Warren,1898 Range (in code): ZA Tva Mpu Brb
- 47604. Scopula clandestina Herbulot,[1956]** (Geometridae) Synonym(s): *clandestina* Herbulot,[1956] Range (in code): MG
- 47605. Scopula clarivialis L.B.Prout,1931** (Geometridae) Synonym(s): *clarivialis* L.B.Prout,1931
Range (in code): ID Sum Kor
- 47606. Scopula cleoraria (Walker,1861)** (Geometridae) Synonym(s): *cleoraria* Walker,1861
Range (in code): IN BT Bionomy: Larva on Lantana sellowiana (Verbenaceae) (Scoble,1999).
- 47607. Scopula coagulata L.B.Prout,1920** (Geometridae) Synonym(s): *coagulata* L.B.Prout,1920 Range (in code): IN Meg Ass Khs
- 47608. Scopula colymbas Herbulot,1994** (Geometridae) Synonym(s): *colymbas* Herbulot,1994
Range (in code): YE Sk
- 47609. Scopula commaria (Swinhoe,1904)** (Geometridae) Synonym(s): *commaria* Swinhoe,1904
Range (in code): UG
- 47610. Scopula complanata (W.Warren,1896)** (Geometridae) Synonym(s): *complanata* W.Warren,1896 Range (in code): IN Ass Meg Khs SI Djl
- 47611. Scopula concinnaria (Duponchel,1842)** (Geometridae) Synonym(s): *concinnaria* Duponchel,1842; *concinnata* Guenée,[1858]; *hesperidata* Staudinger,1871; *universaria* Zerny,1927 Range (in code): ES
- 47612. Scopula concurrens (W.Warren,1897)** (Geometridae) Synonym(s): *concurrrens* W.Warren,1897 Range (in code): ZM
- 47613. Scopula confusa (Butler,1878)** (Geometridae) Synonym(s): *confusa* Butler,1878
Range (in code): JP
- 47614. Scopula congruata (Zeller,1847)** (Geometridae) Synonym(s): *congruata* Zeller,1847; *leukiberica* Wehrli,1927; *ablutata* Dannehl,1927. Original Reference: *Idaea decorata* var. *congruata* Zeller,1847, Isis 1847 (7): 508. Syntypes: Sicilia: Cyrcus. Range (in code): DZ Ges Si TR
- 47615. Scopula coniargyris L.B.Prout,1932** (Geometridae) Synonym(s): *coniargyris* L.B.Prout,1932 Range (in code): ZR
- 47616. Scopula coniararia (L.B.Prout,1913)** (Geometridae) Synonym(s): *pulveraria* Leech,1897 nec Sn.,1872; *coniararia* L.B.Prout,1913 Range (in code): JP
- 47617. Scopula consimilata (W.Warren,1896)** (Geometridae) Synonym(s): *consimilata* W.Warren,1896; *aggravata* W.Warren,1897; *perfilata* L.B.Prout,1920; *seductilis* L.B.Prout,1931 Range (in code): IN Ass Meg Khs ID Sum Kor Ja
- 47618. Scopula contramutata L.B.Prout,1920** (Geometridae) Synonym(s): *contramutata* L.B.Prout,1920 Range (in code): RU Us
- 47619. Scopula corivalaria (Kretschmar,1862)** (Geometridae) Synonym(s): *corivalaria* Kretschmar,1862; *#limburgensis* L.B.Prout,1935; *limburgensis* Scoble,1999 Range (in code): FR IT BE NL DE CH AT PL SK HU RO DK FI EE LV LT RU Da Sb Cc GG MD UA BY JP
- 47620. Scopula corrupta L.B.Prout,1931** (Geometridae) Synonym(s): *corrupta* L.B.Prout,1931
Range (in code): ID Sum Kor
- 47621. Scopula costata (Moore,[1887])** (Geometridae) Synonym(s): *costata* Moore,[1887]
Range (in code): LK
- 47622. Scopula coudularia (W.Warren,1898)** (Geometridae) Synonym(s): *coudularia* W.Warren,1898 Range (in code): ID Sba
- 47623. Scopula crassipuncta (W.Warren,1901)** (Geometridae) Synonym(s): *crassipuncta* W.Warren,1901 Range (in code): AO

- 47624. Scopula crawshayi L.B.Prout,1932** (Geometridae) Synonym(s): *crawshayi* L.B.Prout,1932
Range (in code): **KE**
- 47625. Scopula cumulata (Alpheraky,1883)** (Geometridae) Synonym(s): *cumulata* Alpheraky,1883; *cretaria* Staudinger,1892. Original Reference: *Acidalia cumulata* Alpheraky,1883, Horae Soc. ent. ross. 17: 160-161, Tab.viii fig.69. Type ♂: [China: Uighur A.R.]: Kuldja: Archane, 7000ft. Range (in code): **CN Ui Ku Arc KK Ax TJ KG**
- 47626. Scopula cumulata alaiana Viidalepp,1988** (Geometridae) Synonym(s): *alaiana* Viidalepp,1988 Range (in code): **KK**
- 47627. Scopula cumulata cumulata (Alpheraky,1883)** (Geometridae) Synonym(s): *cumulata* Alpheraky,1883; *cretaria* Staudinger,1892. Original Reference: *Acidalia cumulata* Alpheraky,1883, Horae Soc. ent. ross. 17: 160-161, Tab.viii fig.69. Type ♂: [China: Uighur A.R.]: Kuldja: Archane, 7000ft. Range (in code): **CN Ui Ku Arc KK Ax TJ KG**
- 47628. Scopula curvimargo (W.Warren,1900)** (Geometridae) Synonym(s): *curvimargo* W.Warren,1900; *bilineata* Bastelberger,1909; *nubicincta* Hampson,1910 Range (in code): **ZA ZA17 Tva Lpo KE TZ ZW**
- 47629. Scopula dapharia (Swinhoe,1904)** (Geometridae) Synonym(s): *dapharia* Swinhoe,1904
Range (in code): **KE**
- 47630. Scopula dargei Herbulot,1992** (Geometridae) Synonym(s): *dargei* Herbulot,1992
Range (in code): **CM**
- 47631. Scopula declinata Herbulot,1972** (Geometridae) Synonym(s): *declinata* Herbulot,1972
Range (in code): **MG**
- 47632. Scopula decolor (Staudinger,1898)** (Geometridae) Synonym(s): *decolor* Staudinger,1898; *languidata* L.B.Prout,1913 Range (in code): **DZ Bsk BSa TN Gf Sfx LY Cy PT ES Sa IT IL Pa CY JO Jt**
- 47633. Scopula decolor flaccata (Staudinger,1898)** (Geometridae) Synonym(s): *flaccata* Staudinger,1898 Range (in code): **DZ Bsk BSa TN Gf Sfx IL Pa JO Jt CY**
- 47634. Scopula decorata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *decorata* [Denis & Schiffermüller],1775; *cinerata* Fabricius,1781; *violata* Thunberg,1784; *caerulata* Gmelin,1790; *decoraria* Hübner,[1799]; *ornataria* Esper,[1806]. Original Reference: *Geometra decorata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ Ges TN PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc AZ Arr Ksp IR Elb Mz DK SE FI EE LV LT RU MD UA BY CN MN KK KG** Bionomy: Larva on Calamintha, Thymus (Lamiaceae) (Meyer,1919; Calle et al.,2000).
- 47635. Scopula decorata aequata (Staudinger,1879)** (Geometridae) Synonym(s): *aequata* Staudinger,1879; *armeniaca* Thierry-Mieg,1916 Original Reference: *Acidalia ornata* var.? *aequata* Staudinger,1879, Horae Soc. ent. ross. 14: 440. Type ♂: [Türkei]: Amasia (MNHU). Range (in code): **Cc AM TR IR Elb Mz**
- 47636. Scopula deflavaría (W.Warren,1896)** (Geometridae) Synonym(s): *deflavaría* W.Warren,1896 Range (in code): **ID Bli Clb Tnm**
- 47637. Scopula deflavorioides Holloway,1997** (Geometridae) Synonym(s): *deflavorioides* Holloway,1997 Range (in code): **MY Bor Swk**
- 47638. Scopula delitata (L.B.Prout,1913)** (Geometridae) Synonym(s): *delitata* L.B.Prout,1913
Range (in code): **CN**
- 47639. Scopula demissaria (Walker,[1863])** (Geometridae) Synonym(s): *demissaria* Walker,[1863] Range (in code): **ZA Wca Cto**
- 47640. Scopula derasata (Walker,[1863])** (Geometridae) Synonym(s): *derasata* Walker,[1863]
Range (in code): **ZA**
- 47641. Scopula deserta (W.Warren,1897)** (Geometridae) Synonym(s): *deserta* W.Warren,1897
Range (in code): **ZA ZA12 Nta Kzu Wnn Tva Wca**
- 47642. Scopula desita (Walker,1861)** (Geometridae) Synonym(s): *desita* Walker,1861; *vibrata* Lucas,1900 Range (in code): **NC AU QAU Bri PH Luz**
- 47643. Scopula desita desita (Walker,1861)** (Geometridae) Synonym(s): *desita* Walker,1861; *vibrata* Lucas,1900 Range (in code): **AU QAU Bri NC**
- 47644. Scopula desita luzonica L.B.Prout,1931** (Geometridae) Synonym(s): *luzonica* L.B.Prout,1931 Range (in code): **PH Luz**
- 47645. Scopula detentata L.B.Prout,1926** (Geometridae) Synonym(s): *detentata* L.B.Prout,1926
Range (in code): **MM**
- 47646. Scopula dhofarata Wiltshire,1986** (Geometridae) Synonym(s): *dhofarata* Wiltshire,1986
Range (in code): **OM Dh YE Sna**

- 47647. *Scopula dimorphata* (Snellen,1881)** (Geometridae) **Synonym(s):** *dimorphata* Snellen,1881
Range (in code): **CN Hn MY ID**
- 47648. *Scopula dimorphata hainanica* L.B.Prout,1938** (Geometridae) **Synonym(s):** *hainanica* L.B.Prout,1938 **Range (in code):** **CN Hn**
- 47649. *Scopula dissonans* (W.Warren,1897)** (Geometridae) **Synonym(s):** *dissonans* W.Warren,1897 **Range (in code):** **ZA Tva ZA16 Mpu ZA24 NWe ZA25 Kzu Nta Wnn KE YE**
- 47650. *Scopula divisaria* (Christoph,1893)** (Geometridae) **Synonym(s):** *divisaria* Christoph,1893
Range (in code): **KG RU Ur**
- 47651. *Scopula dohertyi* (W.Warren,1897)** (Geometridae) **Synonym(s):** *dohertyi* W.Warren,1897
Range (in code): **ID Clb**
- 47652. *Scopula donovani* (Distant,1892)** (Geometridae) **Synonym(s):** *donovani* Distant,1892; *extraordinaria* Staudinger,1892; *extremata* W.Warren,1897 **Original Reference:** *Lycauges donovani* Distant,1892, A naturalist in the Transvaal: 240, pl.2 fig.4. **Range (in code):** **ZA ZA07 ZA08 Ksi Kzu Nta Tva Lpo LB Bei MG MA EG NG UG IL Pa YE**
- 47653. *Scopula drenowskii* Sterneck,1941** (Geometridae) **Synonym(s):** *drenowskii* Sterneck,1941
Range (in code): **BG TR**
- 47654. *Scopula dubernardi* (Oberthür,1923)** (Geometridae) **Synonym(s):** *dubernardi* Oberthür,1923 **Range (in code):** **CN Yu**
- 47655. *Scopula duplicipuncta* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *duplicipuncta* L.B.Prout,1913 **Range (in code):** **ZA Gau Tva Pre**
- 47656. *Scopula dux* L.B.Prout,1927** (Geometridae) **Synonym(s):** *dux* L.B.Prout,1927 **Range (in code):** **ST**
- 47657. *Scopula elegans* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *elegans* L.B.Prout,1915
Range (in code): **UG Etb**
- 47658. *Scopula elegantula* Herbulot,1978** (Geometridae) **Synonym(s):** *elegantula* Herbulot,1978
Range (in code): **CM**
- 47659. *Scopula eleina* L.B.Prout,1938** (Geometridae) **Synonym(s):** *eleina* L.B.Prout,1938
Range (in code): **ID Clb**
- 47660. *Scopula elisabethae* L.B.Prout,1934** (Geometridae) **Synonym(s):** *elisabethae* L.B.Prout,1934 **Range (in code):** **ZR**
- 47661. *Scopula elwesi* L.B.Prout,1922** (Geometridae) **Synonym(s):** *elwesi* L.B.Prout,1922
Range (in code): **RU At Sj MN**
- 47662. *Scopula emissaria* (Walker,1861)** (Geometridae) **Synonym(s):** *emissaria* Walker,1861; *defamataria* Walker,1861; *mollis* W.Warren,1896 **Range (in code):** **CN TW KP KR MM LK IN AU**
- 47663. *Scopula emma* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *emma* L.B.Prout,1913. **Original Reference:** *Acidalia emma* L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 75. Holotype ♂: [China]: Szechuan, Chungking (BMNH). **Range (in code):** **CN Sz TW**
- 47664. *Scopula emma emma* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *emma* L.B.Prout,1913. **Original Reference:** *Acidalia emma* L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 75. Holotype ♂: [China]: Szechuan, Chungking (BMNH). **Range (in code):** **CN Sz**
- 47665. *Scopula emma jordani* West,1930** (Geometridae) **Synonym(s):** *jordani* West,1930 **Original Reference:** *Idaea jordani* West,1930, Novit. zool. 35: 255. Holotype ♀: [Taiwan]: Formosa: Kanshirei, 1000ft. **Range (in code):** **TW**
- 47666. *Scopula emutaria* (Hübner,[1809])** (Geometridae) **Synonym(s):** *emutaria* Hübner,[1809]; *subroseata* Haworth,1809 **Original Reference:** *Geometra emutaria* Hübner,[1809], Samml. eur. Schmett. 5: pl.63, fig.323. Type(s): Europa. **Range (in code):** **MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL DE AT PL GR DK** **Bionomy:** Larva on *Convolvulus sepium*, *Beta vulgaris*, *Statice limonium*, *Taraxacum* (Meyer,1919; Scoble,1999).
- 47667. *Scopula emutaria emutaria* (Hübner,[1809])** (Geometridae) **Synonym(s):** *emutaria* Hübner,[1809]. **Original Reference:** *Geometra emutaria* Hübner,[1809], Samml. eur. Schmett. 5: pl.63, fig.323. Type(s): Europa. **Range (in code):** **PT ES FR Co Sa Si IT MT BE NL DE AT PL GR Cr DK LT**
- 47668. *Scopula emutaria subroseata* (Haworth,1809)** (Geometridae) **Synonym(s):** *subroseata* Haworth,1809. **Original Reference:** *Phalaena subroseata* Haworth,1809, Lepid. Br. (2): 351. Syntypes: [United Kingdom]: Norfolkia [Norfolk]. **Range (in code):** **GB**
- 47669. *Scopula epigypsa* (Meyrick,1886)** (Geometridae) **Synonym(s):** *epigypsa* Meyrick,1886; *nivipennis* Butler,1886; *cernea* Druce,1888. **Original Reference:** *Trichoclada epigypsa* Meyrick,1886,

- Trans. ent. Soc. London 1886 (3): 208. Holotype ♂: Fiji. Range (in code): FJ Bionomy: Larva on *Ficus obliqua* (Moraceae) (Scoble,1999).
- 47670. Scopula epigypsa epigypsa (Meyrick,1886)** (Geometridae) Synonym(s): *epigypsa* Meyrick,1886; *nivipennis* Butler,1886; *cernea* Druce,1888. Original Reference: *Trichoclada epigypsa* Meyrick,1886, Trans. ent. Soc. London 1886 (3): 208. Holotype ♂: Fiji. Range (in code): FJ
- 47671. Scopula erinaria (Swinhoe,1904)** (Geometridae) Synonym(s): *erinaria* Swinhoe,1904 Range (in code): ZA ZA12 Kzu Nta Tra Wca Cto KE
- 47672. Scopula erinaria erinaria (Swinhoe,1904)** (Geometridae) Synonym(s): *erinaria* Swinhoe,1904 Range (in code): KE
- 47673. Scopula erinaria isolata L.B.Prout,1920** (Geometridae) Synonym(s): *isolata* L.B.Prout,1920 Range (in code): ZA ZA12 Kzu Nta Tra Wca Cto
- 47674. Scopula erubescens (W.Warren,1895)** (Geometridae) Synonym(s): *erubescens* W.Warren,1895 Range (in code): IN Ass Meg Khs
- 47675. Scopula erymna L.B.Prout,1928** (Geometridae) Synonym(s): *erymna* L.B.Prout,1928 Range (in code): ET
- 47676. Scopula euchroa L.B.Prout,1925** (Geometridae) Synonym(s): *euchroa* L.B.Prout,1925 Range (in code): ZA Wca Cto Wlg
- 47677. Scopula farinaria (Leech,1897)** (Geometridae) Synonym(s): *farinaria* Leech,1897 Range (in code): CN
- 47678. Scopula ferrilineata (Moore,1888)** (Geometridae) Synonym(s): *ferrilineata* Moore,1888 Range (in code): CN IN NP MM
- 47679. Scopula fibulata (Guenée,[1858])** (Geometridae) Synonym(s): *fibulata* Guenée,[1858] Range (in code): CN LK IN MM
- 47680. Scopula fimbrilineata (W.Warren,1902)** (Geometridae) Synonym(s): *fimbrilineata* W.Warren,1902; *protuberans* W.Warren,1909; *niobe* Fawcett,1916 Range (in code): UG AO KE Tva CI ZA ZAO5 Ksi ZA14 ZA16 Mpu ZA25 Kzu Nta Dbn MG YE
- 47681. Scopula flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852 Original Reference: *Acidalia flaccidaria* Zeller,1852, Stettin ent. Ztg. 13 (6): 184. Syntypes: Kleinasien. Range (in code): AT CZ SK HU RO YU AL BG GR Cr TR GG Cc AZ AM IQ RU MD UA BY CN Ui Ku IR IL Pa CY TM
- 47682. Scopula flaccidaria flaccidaria (Zeller,1852)** (Geometridae) Synonym(s): *flaccidaria* Zeller,1852 Original Reference: *Acidalia flaccidaria* Zeller,1852, Stettin ent. Ztg. 13 (6): 184. Syntypes: Kleinasien. Range (in code): AT CZ SK HU RO YU AL BG GR TR Cc GG AZ IQ RU MD UA BY CN Ui Ku
- 47683. Scopula flexio L.B.Prout,1917** (Geometridae) Synonym(s): *flexio* L.B.Prout,1917 Range (in code): ZA Wca Cto
- 47684. Scopula floslactata (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951. Original Reference: *Phalaena floslactata* Haworth,1809, Lepid. Br. (2): 351. Type(s): [United Kingdom]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY JP KP KR CN Bionomy: Larva on *Galium verum*, *Polygonum*, *Rumex acetosa*, *Taraxacum vulgare* (Scoble,1999).
- 47685. Scopula floslactata claudata (L.B.Prout,1913)** (Geometridae) Synonym(s): *claudata* L.B.Prout,1913 Original Reference: *Acidalia floslactata* ssp. *claudata* L.B.Prout,1913, [in] Seitz, Gross-Schmett. Erde 4: 67. Syntypes: Japan (BMNH). Range (in code): JP
- 47686. Scopula floslactata floslactata (Haworth,1809)** (Geometridae) Synonym(s): *spataceata* Scopoli,1763; *concanetata* Hufnagel,1767; *brunneata* Goeze,1781; *fulvostriata* Goeze,1781; *fulvicans*, *strigata* Fourcroy,1785; *dentilineata* Borkhausen,1794; *remutata* Hübner,1799; *floslactata* Haworth,1809; *lactata* Haworth,1809; *scotica* Cockayne,1951. Original Reference: *Phalaena floslactata* Haworth,1809, Lepid. Br. (2): 351. Type(s): [United Kingdom]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 47687. Scopula fluidaria (Swinhoe,1886)** (Geometridae) Synonym(s): *fluidaria* Swinhoe,1885 Original Reference: *Ephyra fluidaria* Swinhoe,1885, Proc. zool. Soc. London 1885: 856, pl.lvi fig.10. Syntypes: India: Poona, Bombay (BMNH). Range (in code): PK Krc IN Poo Bba
- 47688. Scopula formosana L.B.Prout,1934** (Geometridae) Synonym(s): *orientalis* L.B.Prout,1914 *nec* Alph.,1875; *formosana* L.B.Prout,1934 Range (in code): TW
- 47689. Scopula formosana formosana L.B.Prout,1934** (Geometridae) Synonym(s): *orientalis* L.B.Prout,1914 *nec* Alph.,1875; *formosana* L.B.Prout,1934 Range (in code): TW

- 47690. Scopula fragilis (W.Warren,1903)** (Geometridae) Synonym(s): *fragilis* W.Warren,1903
Range (in code): **KE**
- 47691. Scopula frigidaria (Möschler,1860)** (Geometridae) Synonym(s): *frigidaria* Möschler,1860
Range (in code): **NO FI**
- 47692. Scopula froitzheimi Wiltshire,1967** (Geometridae) Synonym(s): *froitzeimi* Wiltshire,1967
Range (in code): **AF Bd**
- 47693. Scopula fulminataria (Turati,1927)** (Geometridae) Synonym(s): *fulminataria* Turati,1927
Range (in code): **LY Cy**
- 47694. Scopula fulvicolor Hampson,1899** (Geometridae) Synonym(s): *fulvicolor* Hampson,1899
Range (in code): **Sk**
- 47695. Scopula fumosaria (L.B.Prout,1913)** (Geometridae) Synonym(s): *fumosaria* L.B.Prout,1913
Range (in code): **RU Sb**
- 47696. Scopula furfurata (W.Warren,1897)** (Geometridae) Synonym(s): *furfurata* W.Warren,1897
Range (in code): **IN Sml**
- 47697. Scopula fuscata (Hulst,1887)** (Geometridae) Synonym(s): *fuscata* Hulst,1887
Range (in code): **US Cf**
- 47698. Scopula fuscescens L.B.Prout,1934** (Geometridae) Synonym(s): *fuscescens* L.B.Prout,1934
Range (in code): **BO**
- 47699. Scopula fuscobrunnea (W.Warren,1901)** (Geometridae) Synonym(s): *fuscobrunnea* W.Warren,1901; *fuscifusa* L.B.Prout,1911
Range (in code): **UG CM Bit**
- 47700. Scopula galactina D.S.Fletcher,1978** (Geometridae) Synonym(s): *galactina* D.S.Fletcher,1978
Range (in code): **KE**
- 47701. Scopula gastonaria (Oberthür,1876)** (Geometridae) Synonym(s): *gastonaria* Oberthür,1876; *obscuraria* A.Bang-Haas,1910; *candicans* L.B.Prout,1913
Range (in code): **DZ Onç**
- 47702. Scopula gastonaria gastonaria (Oberthür,1876)** (Geometridae) Synonym(s): *gastonaria* Oberthür,1876; *obscuraria* A.Bang-Haas,1910; *candicans* L.B.Prout,1913
Range (in code): **DZ**
- 47703. Scopula gastonaria luteofasciata (Rothschild,1913)** (Geometridae) Synonym(s): *luteofasciata* Rothschild,1913
Original Reference: *Acidalia luteofasciata* Rothschild,1913, Novit. zool. 20: 132. Syntypes 6♂: Algeria, Oued Nça, Guerrara, El-Arich, SW of Touggourt
Range (in code): **DZ Onç Gue Ear Tou**
- 47704. Scopula gazellaria (Wallengren,1863)** (Geometridae) Synonym(s): *gazellaria* Wallengren,1863; *gazella* Distant,1892; *griseolineata* W.Warren,1900
Range (in code): **ZA Ggh Fs Nta Kzu Hwk Tva**
- 47705. Scopula gnou Herbulot,1985** (Geometridae) Synonym(s): *gnou* Herbulot,1985
Range (in code): **ZA Nta Kzu**
- 47706. Scopula graphidata L.B.Prout,1920** (Geometridae) Synonym(s): *graphidata* L.B.Prout,1920
Range (in code): **ID Clb**
- 47707. Scopula grisescens (Staudinger,1892)** (Geometridae) Synonym(s): *grisescens* Staudinger,1892
Range (in code): **KK Ax UZ Fe Man Nmg Osh**
- 47708. Scopula guancharia (Alpheraky,1889)** (Geometridae) Synonym(s): *guancharia* Alpheraky,1889
Range (in code): **Cn**
- 47709. Scopula habilis (W.Warren,1899)** (Geometridae) Synonym(s): *habilis* W.Warren,1899
Range (in code): **NG**
- 47710. Scopula hackeri Hausmann,1999** (Geometridae) Synonym(s): *hackeri* Hausmann,1999
Range (in code): **YE YE3o Sna**
- 47711. Scopula haemaleata (W.Warren,1898)** (Geometridae) Synonym(s): *haemaleata* W.Warren,1898
Range (in code): **NG**
- 47712. Scopula haematophaga Bänziger & D.S.Fletcher,1985** (Geometridae) Synonym(s): *haematophaga* Bänziger & D.S.Fletcher,1985
Original Reference: *Scopula haematophaga* Bänziger & D.S.Fletcher,1985, J. nat. Hist. 19: 856-857, figs. Holotype ♂: Thailand Chiang Mai Prov.: forest place near road Chiangmai- Chiangdao km 55, 380m 2.i.1982, leg.Bänziger (DEFACU).
Range (in code): **TH CMa CDo CN Yu MY Prk ID Sum**
- 47713. Scopula halimodendrata Erschoff,1874** (Geometridae) Synonym(s): *halimodendrata* Erschoff,1874
Range (in code): **KG CN Ui H TM UZ TJ KK**
- 47714. Scopula hanna (Butler,1878)** (Geometridae) Synonym(s): *hanna* Butler,1878
Range (in code): **CN KP KR JP**

- 47715. *Scopula hectata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *hectata* Guenée,[1858]
Range (in code): **ZA Wca Cto**
- 47716. *Scopula heidra* Debauche,1938** (Geometridae) **Synonym(s):** *heidra* Debauche,1938
Range (in code): **ZR Kvu**
- 47717. *Scopula herbuloti* Karisch,2001** (Geometridae) **Synonym(s):** *herbuloti* Karisch,2001
Range (in code): **GO Bio**
- 47718. *Scopula hesycha* L.B.Prout,1919** (Geometridae) **Synonym(s):** *hesycha* L.B.Prout,1919
Range (in code): **CN**
- 47719. *Scopula hoerhammeri* Brandt,1941** (Geometridae) **Synonym(s):** *hoerhammeri* Brandt,1941
Range (in code): **IR Fa**
- 47720. *Scopula homodoxa* (Meyrick,1886)** (Geometridae) **Synonym(s):** *homodoxa* Meyrick,1886
Range (in code): **NC PG PMo FJ**
- 47721. *Scopula honestata* (Mabille,1869)** (Geometridae) **Synonym(s):** *honestata* Mabille,1869
Range (in code): **FR Co**
- 47722. *Scopula horichroea* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *horichroea* L.B.Prout,1916
Range (in code): **SO**
- 47723. *Scopula idearia* (Swinhoe,1886)** (Geometridae) **Synonym(s):** *idearia* Swinhoe,1886
Range (in code): **IN Poo Bba**
- 47724. *Scopula ignobilis* (W.Warren,1901)** (Geometridae) **Synonym(s):** *ignobilis* W.Warren,1901
Range (in code): **CN TW KP KR JP**
- 47725. *Scopula imitaria* (Hübner,[1799])** (Geometridae) **Synonym(s):** *fimbriata* Fourcroy,1785 nec Schreb.,1759; *imitaria* Hübner,[1799]
Original Reference: *Geometra imitaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.10, fig.51. Type: Europa. **Range (in code):** **MA Tgr DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL CH RO YU AL BG GR Cr Rd CY TR Cc GG AZ DK RU MD UA BY SY IL Pa LB Bei**
Bionomy: Larva on *Artemisia campestris*, *Crataegus*, *Galium*, *Lotus angustissimus*, *Rubia tinctorum*, *Rubus* (Meyer,1919; Calle et al.,2000).
- 47726. *Scopula imitaria syriacaria* (Culot,1919)** (Geometridae) **Synonym(s):** *syriacaria* Culot,1919
Range (in code): **CY TR SY IL Pa LB Bei**
- 47727. *Scopula immistaria* (Herrich-Schäffer,[1852])** (Geometridae) **Synonym(s):** *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
Original Reference: *Acidalia immistaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 68. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad]. **Range (in code):** **BG Vrn TR Cc AZ Kir GG Ksp IQ IR Fa Sse Com Ke Kz TM RU UA**
Bionomy: Larva on *Silene tatarica*, *S.vulgaris*, *Gypsophila fastigiata*, *G.paniculata* (Caryophyllaceae) (Gelbrecht & Hausmann,1997).
- 47728. *Scopula immistaria beshkovi* Gelbrecht & Hausmann,1997** (Geometridae)
Synonym(s): *beshkovi* Gelbrecht & Hausmann,1997
Original Reference: *Scopula immistaria* ssp. *beshkovi* Gelbrecht & Hausmann,1997, Linzer biol. Beitr. 29 (2): 984-985, figs. Holotype ♂: NO Bulgarien, Pobitide Karmani bei Varna 21 viii 1989, leg.Gelbrecht & Schwabe (ZSM). **Range (in code):** **BG Vrn**
- 47729. *Scopula immistaria immistaria* (Herrich-Schäffer,[1852])** (Geometridae)
Synonym(s): *#elisabetharia* Heydenreich,1851; *immistaria* Herrich-Schäffer,[1852]
Original Reference: *Acidalia immistaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 68. Type(s): [Aserbaidjan]: Elisabethpol [=Kirovabad]. **Range (in code):** **TR Cc AZ Kir GG Ksp IQ IR Fa Sse Com Kz Ke TM RU UA**
- 47730. *Scopula immorata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata* Fabricius,1794 nec Hfn.,1767; *immoraria* Hübner,[1799]; *serenata* Turati,1905; *myrtillata* Dadd,1911
Original Reference: *Phalaena immorata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa. **Range (in code):** **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG AZ AM DK NO SE FI EE LV LT RU Sb Am MD UA BY IR Ab**
Bionomy: Larva on *Achillea millefolium*, *Artemisia campestris*, *Hieracium*, *Lychnis vulgaris*, *Origanum* [vulgare], *Plantago major*, *Polygonum*, *Thymus* (Meyer,1919; Skou,1986; Scoble,1999).
- 47731. *Scopula immorata duercki* Sheljuzhko,1955** (Geometridae) **Synonym(s):** *duercki* Sheljuzhko,1955
Original Reference: *Scopula immorata* ssp. *duercki* Sheljuzhko,1955, Mitt. münch. ent. Ges. 45: 289. Holotype ♂: Spain: Castilia: Sierra de Gredos, Gredostal,1600m (ZSBS). **Range (in code):** **ES**
- 47732. *Scopula immorata immorata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *immorata* Linnaeus,1758; *contaminata* Scopoli,1763; *graminata* Hufnagel,1767; *festucaria* Brahm,1791 nec Hbn.,1790; *fuscata*

- Fabricius,1794 nec Hfn.,1767; immoraria Hübner,[1799]; serenata Turati,1905; myrtillata Dadd,1911* Original Reference: Phalaena immorata Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa. Range (in code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG AZ AM DK NO SE FI EE LV LT RU Sb Am MD UA BY IR Ab**
- 47733. Scopula immutata (Linnaeus,1758)** (Geometridae) Synonym(s): *immutata* Linnaeus,1758; *pallidata* Borkhausen,1794. Original Reference: Phalaena immutata Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Filipendula ulmaria*, *Plantago major*, *Valeriana officinalis*, *Viola canina* (Scoble,1999).
- 47734. Scopula impersonata (Walker,1861)** (Geometridae) Synonym(s): *impersonata* Walker,1861; *muscularia* Staudinger,1897 Range (in code): **CN TW KP KR RU Am JP**
- 47735. Scopula impicta L.B.Prout,1922** (Geometridae) Synonym(s): *impicta* L.B.Prout,1922 Range (in code): **ZA Tva Gau Pre Wca Cto**
- 47736. Scopula improba (W.Warren,1899)** (Geometridae) Synonym(s): *improba* W.Warren,1899 Range (in code): **UG**
- 47737. Scopula impropriaria (Walker,1861)** (Geometridae) Synonym(s): *impropriaria* Walker,1861; *tricincta* W.Warren,1906 Range (in code): **VE BR**
- 47738. Scopula inangulata (W.Warren,1896)** (Geometridae) Synonym(s): *inangulata* W.Warren,1896 Range (in code): **IN Ass Meg Khs**
- 47739. Scopula incalcarata D.S.Fletcher,1958** (Geometridae) Synonym(s): *incalcarata* D.S.Fletcher,1958 Range (in code): **UG Rz**
- 47740. Scopula incanata (Linnaeus,1758)** (Geometridae) Synonym(s): *incanata* Linnaeus,1758; *variegata* Scopoli,1763; *mediata* Fabricius,1777; *planata* Villers,1789; *incanaria* Hübner,[1825]; *mutata* Treitschke,1828; *mutataria* Duponchel,1830; *adjunctaria* Boisduval,1840; *demutaria* Bruand,1846 Original Reference: Phalaena incanata Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa. Range (in code): **DZ Sbd Clo PT ES Mu FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM Ksp Arr DK NO SE FI EE LV LT RU MD UA Cm BY IR KG At Sb Ya MN** Bionomy: Larva on *Lychnis*, *Polygonum*, *Thymus* (Lamiaceae) (Meyer,1919; Calle et al.,2000).
- 47741. Scopula indensata (Moore,[1887])** (Geometridae) Synonym(s): *indensata* Moore,[1887] Range (in code): **LK IN NI**
- 47742. Scopula indensata ochriata L.B.Prout,1938** (Geometridae) Synonym(s): *ochriata* L.B.Prout,1938 Range (in code): **IN NI**
- 47743. Scopula indicataria (Walker,1861)** (Geometridae) Synonym(s): *indicataria* Walker,1861 Range (in code): **CN KP KR JP RU Am Us**
- 47744. Scopula inficita (Walker,1861)** (Geometridae) Synonym(s): *inficita* Walker,1861 Range (in code): **ID Flo PH Luz**
- 47745. Scopula inficita philippina L.B.Prout,1931** (Geometridae) Synonym(s): *philippina* L.B.Prout,1931 Range (in code): **PH Luz**
- 47746. Scopula inflexibilis L.B.Prout,1931** (Geometridae) Synonym(s): *inflexibilis* L.B.Prout,1931 Range (in code): **IN Adm**
- 47747. Scopula infota (W.Warren,1897)** (Geometridae) Synonym(s): *infota* W.Warren,1897 Range (in code): **BO PE**
- 47748. Scopula infota perfumosa (W.Warren,1904)** (Geometridae) Synonym(s): *perfumosa* W.Warren,1904 Range (in code): **PE**
- 47749. Scopula inscriptata (Walker,[1863])** (Geometridae) Synonym(s): *inscriptata* Walker,[1863]; *acentra* W.Warren,1911 Range (in code): **ZA Tva Ktz Nta Kzu ZA14 Mpu Wca**
- 47750. Scopula insincera L.B.Prout,1920** (Geometridae) Synonym(s): *insincera* L.B.Prout,1920 Range (in code): **ZA Tva Gau Jh Ec Tra**
- 47751. Scopula instructata (Walker,[1863])** (Geometridae) Synonym(s): *instructata* Walker,[1863] Range (in code): **ZA Wca Cto Ec Kny**
- 47752. Scopula internata (Guenée,[1858])** (Geometridae) Synonym(s): *internata* Guenée,[1858]; *strigulifera* Walker,1861; *illitirata* Walker,1863; *pulverosaria* Walker,1863; *pu dens* W.Warren,1905 Range (in code): **KE TZ ZA Etm ZA05 ZA08 ZA25 Kzu Nta Dbn Mpu Brn Tva Wca**
- 47753. Scopula internataria (Walker,1861)** (Geometridae) Synonym(s): *internataria* Walker,1861; *tremula* Bastelberger,1909 Range (in code): **MG MZ ZR ZA ZA01 Tva Lpo ZA04 ZA05 Ksi ZA13 Mal ZA25 Kzu Nta CI AO UG SD KE YE YE30**
- 47754. Scopula inustaria (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *inustaria* Herrich-Schäffer,1847 Range (in code): **IT**

- 47755. *Scopula iranaria* Bytinski-Salz & Brandt, 1937** (Geometridae) Synonym(s): *iranaria* Bytinski-Salz & Brandt, 1937; *#depuncta* Bytinski-Salz & Brandt, 1937 Original Reference: *Scopula iranaria* Bytinski-Salz & Brandt, 1937, Entomologist's Rec. J. Var. 49: 11-12. Syntypes 4♂ 2♀: Iran: Keredj. Range (in code): IR Elb Kdj Th
- 47756. *Scopula irrufata* (W. Warren, 1905)** (Geometridae) Synonym(s): *irrufata* W. Warren, 1905 Range (in code): ZA Wca
- 47757. *Scopula isomala* L.B. Prout, 1932** (Geometridae) Synonym(s): *isomala* L.B. Prout, 1932 Range (in code): KE Nai
- 47758. *Scopula isomerica* L.B. Prout, 1922** (Geometridae) Synonym(s): *isomerica* L.B. Prout, 1922 Range (in code): TW
- 47759. *Scopula iterata* Herbulot, 1978** (Geometridae) Synonym(s): *iterata* Herbulot, 1978 Range (in code): RW
- 47760. *Scopula jejuna* L.B. Prout, 1932** (Geometridae) Synonym(s): *jejuna* L.B. Prout, 1932 Range (in code): NG
- 47761. *Scopula johnsoni* D.S. Fletcher, 1958** (Geometridae) Synonym(s): *johnsoni* D.S. Fletcher, 1958 Range (in code): UG Rz
- 47762. *Scopula julietae* Robinson, 1975** (Geometridae) Synonym(s): *julietae* Robinson, 1975 Range (in code): FJ
- 47763. *Scopula kashmirensis* (Moore, 1888)** (Geometridae) Synonym(s): *kashmirensis* Moore, 1888; *gooraisensis* L.B. Prout, 1935; *quetensis* L.B. Prout, 1935 Range (in code): AF Ca Ch PK Bl Qu IN
- 47764. *Scopula kawabei* Inoue, 1982** (Geometridae) Synonym(s): *kawabei* Inoue, 1982 Range (in code): JP
- 47765. *Scopula klaphecki* L.B. Prout, 1922** (Geometridae) Synonym(s): *klaphecki* L.B. Prout, 1922 Range (in code): CN
- 47766. *Scopula kohor* Herbulot & Viette, 1952** (Geometridae) Synonym(s): *kohor* Herbulot & Viette, 1952 Range (in code): TD
- 47767. *Scopula kouden* Herbulot, 1992** (Geometridae) Synonym(s): *kouden* Herbulot, 1992 Range (in code): CM
- 47768. *Scopula lacriphaga* Bänziger & D.S. Fletcher, 1985** (Geometridae) Synonym(s): *lacriphaga* Bänziger & D.S. Fletcher, 1985 Original Reference: *Scopula lacriphaga* Bänziger & D.S. Fletcher, 1985, J. nat. Hist. 19: 852-856, figs. Holotype ♂: Thailand Chiang Mai Prov.: forest place near road Chiangmai- Chiangdao km 55, 380m 4.vii.1981, leg. Bänziger (DEFACU). Range (in code): TH CMa CDo Dst Dsk CN Yu
- 47769. *Scopula lactaria* (Walker, 1861)** (Geometridae) Synonym(s): *lactaria* Walker, 1861; *intervulsata* Walker, 1861; *tectaria* Walker, 1866 Range (in code): ZA SL ZR Sk
- 47770. *Scopula lactarioides* Brandt, 1941** (Geometridae) Synonym(s): *lactarioides* Brandt, 1941 Range (in code): IR Ss
- 47771. *Scopula laevipennis* (W. Warren, 1897)** (Geometridae) Synonym(s): *laevipennis* W. Warren, 1897; *uninotata* W. Warren, 1897 Range (in code): ZA CM SL
- 47772. *Scopula laesaria* Schaus, 1940** (Geometridae) Synonym(s): *laesaria* Schaus, 1940 Range (in code): PR
- 47773. *Scopula latelineata* (L.B. Prout, 1934)** (Geometridae) Synonym(s): *latelineata* L.B. Prout, 1934 Range (in code): TM KK Ax
- 47774. *Scopula lathraea* L.B. Prout, 1922** (Geometridae) Synonym(s): *lathraea* L.B. Prout, 1922 Range (in code): MW
- 47775. *Scopula latifera* (Walker, 1869)** (Geometridae) Synonym(s): *latifera* Walker, 1869 Range (in code): CG
- 47776. *Scopula latimediata* D.S. Fletcher, 1958** (Geometridae) Synonym(s): *latimediata* D.S. Fletcher, 1958 Range (in code): UG Rz
- 47777. *Scopula latitans* (L.B. Prout, 1920)** (Geometridae) Synonym(s): *reconditaria* Snellen, 1872 *nec* Walk., 1861; *latitans* L.B. Prout, 1920 Range (in code): ZR Tva ZA ZA13 ZA14 Mpu ZA20 ZA25 Kzu Nta Wca AO KE Sk
- 47778. *Scopula legrandi* Herbulot, [1863]** (Geometridae) Synonym(s): *legrandi* Herbulot, [1863] Range (in code): SC
- 47779. *Scopula lehmanni* Hausmann, 1991** (Geometridae) Synonym(s): *lehmanni* Hausmann, 1991 Range (in code): SY Dms JO IL Pa

- 47780. *Scopula leuraria* (L.B.Prout,1913)** (Geometridae) **Synonym(s):** *leuraria* L.B.Prout,1913
Range (in code): **CN KP KR**
- 47781. *Scopula limbata* (Wileman,1915)** (Geometridae) **Synonym(s):** *limbata* Wileman,1915
Range (in code): **CN TW JP**
- 47782. *Scopula limosata* D.S.Fletcher,1963** (Geometridae) **Synonym(s):** *limosata* D.S.Fletcher,1963
Range (in code): **UG Rz**
- 47783. *Scopula longitarsata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *longitarsata* L.B.Prout,1932
Range (in code): **KE**
- 47784. *Scopula lubricata* (W.Warren,1895)** (Geometridae) **Synonym(s):** *lubricata* W.Warren,1895
Range (in code): **AO ZA SL KE KM**
- 47785. *Scopula ludibunda* (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *ludibunda* L.B.Prout,1915
Range (in code): **ZW ZA ZA12 ZA25 Kzu Nta Wca**
- 47786. *Scopula lugubriata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *lugubriata* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 47787. *Scopula luridata* (Zeller,1847)** (Geometridae) **Synonym(s):** *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855
Original Reference: *Idaea luridata* Zeller,1847, *Isis* 1847: 20-21. Type: [Griechenland]: Rhodus.
Range (in code): **DZ Orn GR Cr Rd TR LB Bei Cc GG AZ Nv PK Krc CY KP KR CN IL Pa Jf SA YE Sna YE30 SO**
Bionomy: Larva on *Linaria cymbalaria*, *Silene*, *Solanum* (Meyer,1919).
- 47788. *Scopula luridata distracta* (Butler,1881)** (Geometridae) **Synonym(s):** *distracta* Butler,1881
Range (in code): **PK Krc**
- 47789. *Scopula luridata luridata* (Zeller,1847)** (Geometridae) **Synonym(s):** *luridata* Zeller,1847; *formosaria* Herrich-Schäffer,1852; *coenosaria* Lederer,1855.
Original Reference: *Idaea luridata* Zeller,1847, *Isis* 1847: 20-21. Type: [Griechenland]: Rhodus.
Range (in code): **Si IT GR Cr Rd TR LB Bei Cc GG AZ Nv CY**
- 47790. *Scopula luridata sternecki* L.B.Prout,1935** (Geometridae) **Synonym(s):** *chinensis* Sterneck,1931 nec Stern.,1931; *sternecki* L.B.Prout,1935.
Range (in code): **KP KR CN**
- 47791. *Scopula lutearia* (Leech,1897)** (Geometridae) **Synonym(s):** *lutearia* Leech,1897
Range (in code): **CN**
- 47792. *Scopula luteicollis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *luteicollis* L.B.Prout,1938
Range (in code): **CN Ti**
- 47793. *Scopula luxipuncta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *luxipuncta* L.B.Prout,1932
Range (in code): **ZR Kvu**
- 47794. *Scopula macrocelis* L.B.Prout,1915** (Geometridae) **Synonym(s):** *macrocelis* L.B.Prout,1915
Range (in code): **CM Bit**
- 47795. *Scopula macronephes* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *macronephes* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 47796. *Scopula magnidiscata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *magnidiscata* W.Warren,1904
Range (in code): **AO**
- 47797. *Scopula magnipunctata* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *magnipunctata* D.S.Fletcher,1958
Range (in code): **UG Rz**
- 47798. *Scopula malayana* Bänziger & D.S.Fletcher,1985** (Geometridae) **Synonym(s):** *malayana* Bänziger & D.S.Fletcher,1985
Original Reference: *Scopula malayana* Bänziger & D.S.Fletcher,1985, *J. nat. Hist.* 19: 858-860, figs. Holotype ♂: Malaysia: Perak: Padang Rengas 25.iii.1972, leg.Bänziger (BMNH).
Range (in code): **MY Prk TH CMa**
- 47799. *Scopula manengouba* Herbulot,1992** (Geometridae) **Synonym(s):** *manengouba* Herbulot,1992
Range (in code): **CM**
- 47800. *Scopula manes* (Djakonov,1936)** (Geometridae) **Synonym(s):** *manes* Djakonov,1936
Range (in code): **CN Sz Gn**
- 47801. *Scopula manifesta* (L.B.Prout,1911)** (Geometridae) **Synonym(s):** *manifesta* L.B.Prout,1911
Range (in code): **CN**
- 47802. *Scopula mappata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *mappata* Guenée,[1858]
Range (in code): **BR**
- 47803. *Scopula marcidaria* (Leech,1897)** (Geometridae) **Synonym(s):** *marcidaria* Leech,1897
Range (in code): **CN**
- 47804. *Scopula margaritaria* (W.Warren,1900)** (Geometridae) **Synonym(s):** *margaritaria* W.Warren,1900
Range (in code): **ID Clb**

- 47805. Scopula marginepunctata (Goeze,1781)** (Geometridae) Synonym(s): *marginepunctata* Goeze,1781; *conjugata* Borkhausen,1794; *aniculosata* Rambur,1829; *puellaria* Boisduval,1840; *mutaria* Heydenreich,1851; *promutata* Guenée,[1858]; *promutaria* Morris,1861; *apertaria* Walker,[1863]; *madoniata* Fuchs,1901; *pastoraria* Joannis,1891; *#marginipunctata* Rothschild,1914 Original Reference: *Phalaena marginepunctata* Goeze,1781, Ent. Beytr. 3(3): 385. Range (in code): **MA DZ Ges TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc AM GG AZ Nv Arr IQ IR Ab Oru Elb Th Fa DK SE LV LT RU Da MD UA Cm BY CN Ui Ku Ju LB Bsa IL Pa Jf MN** Bionomy: Larva on *Artemisia* (Asteraceae), *Galium* (Rubiaceae), *Hippocrepis* [comosa] (Fabaceae), *Minuartia media*, *Origanum* [vulgare], *Sedum*, *Teucrium* (Lamiaceae), *Thymus* (Meyer,1919; Skou,1986; Calle et al.,2000).
- 47806. Scopula marginepunctata terrigena L.B.Prout,1935** (Geometridae) Synonym(s): *terrigena* L.B.Prout,1935 Range (in code): **IR Elb Th**
- 47807. Scopula mecysma (Swinhoe,1894)** (Geometridae) Synonym(s): *mecysma* Swinhoe,1894 Range (in code): **IN Ass Meg Cpj CN TW TH ID Ja Bli PG**
- 47808. Scopula mecysma mecysma (Swinhoe,1894)** (Geometridae) Synonym(s): *mecysma* Swinhoe,1894 Range (in code): **IN Ass Meg Cpj**
- 47809. Scopula mecysma mesites L.B.Prout,1935** (Geometridae) Synonym(s): *mesites* L.B.Prout,1935 Range (in code): **ID Ja Bli PG CN TW TH**
- 47810. Scopula melanstigma L.B.Prout,1938** (Geometridae) Synonym(s): *melanstigma* L.B.Prout,1938 Range (in code): **IN Ass Meg Khs**
- 47811. Scopula mendicaria (Leech,1897)** (Geometridae) Synonym(s): *mendicaria* Leech,1897; *virginaria* Imaizumi,1941 Range (in code): **CN**
- 47812. Scopula mesophaena L.B.Prout,1923** (Geometridae) Synonym(s): *mesophaena* L.B.Prout,1923 Range (in code): **KE Kib**
- 47813. Scopula metacosmia L.B.Prout,1932** (Geometridae) Synonym(s): *metacosmia* L.B.Prout,1932 Range (in code): **KE**
- 47814. Scopula minoa (L.B.Prout,1916)** (Geometridae) Synonym(s): *minoa* L.B.Prout,1916 Range (in code): **SO**
- 47815. Scopula minorata (Boisduval,1833)** (Geometridae) Synonym(s): *minorata* Boisduval,1833; *#ochroleucata* Herrich-Schäffer,1844; *ochroleucaria* Herrich-Schäffer,[1847]; *luculata* Guenée,[1858]; *mauritiata* Guenée,[1858]; *consentanea* Walker,1861; *holobapharia* Mabilie,1900; *mombasae* W.Warren,1904; *dresnayi* D.Lucas,1937. Original Reference: *Geometra minorata* Boisduval,1833, Nouv. Ann. Mus. Hist. nat. Paris 2: 263. Syntypes: Mauritius. Range (in code): **ET KE Mb MG RE MU MA DZ Bsk Gf TN PT Cn ES Mu FR Sa Si IT MT AL BG GR Cr TR IQ Mos Bgd Ktz ZA Ksi Kzu ZA16 Mpu ZA21 Tva Lpo IL Pa Js CY SA MG CV AF PK ID Sum YE YE47 Sna** Bionomy: Larva on Acanthaceae, Convolvulaceae, Fabaceae, Plumbago, Petunia, Tamarix indica (Scoble,1999).
- 47816. Scopula mishmica L.B.Prout,1938** (Geometridae) Synonym(s): *mishmica* L.B.Prout,1938 Range (in code): **MM Msm**
- 47817. Scopula molaris L.B.Prout,1922** (Geometridae) Synonym(s): *molaris* L.B.Prout,1922 Range (in code): **ZA**
- 47818. Scopula monosema L.B.Prout,1923** (Geometridae) Synonym(s): *monosema* L.B.Prout,1923 Range (in code): **Ch**
- 47819. Scopula monotropa L.B.Prout,1925** (Geometridae) Synonym(s): *monotropa* L.B.Prout,1925 Range (in code): **NA ZA**
- 47820. Scopula moralesi (Rungs,1945)** (Geometridae) Synonym(s): *moralesi* Rungs,1945 Range (in code): **MA**
- 47821. Scopula natalica (Butler,1875)** (Geometridae) Synonym(s): *natalica* Butler,1875; *diffisizana* Hampson,1910 Range (in code): **ZA ZA05 ZA06 Kzu Nta ZA18 Ec ZW SL SD**
- 47822. Scopula nemoraria (Hübner,[1799])** (Geometridae) Synonym(s): *nemoraria* Hübner,[1799]; *aliata* Herrich-Schäffer,1847. Original Reference: *Geometra nemoraria* Hübner,[1799], Samml. eur. Schmett. 5: pl.17, fig.89. Type(s): Europa. Range (in code): **FR IT DE CH AT PL CZ SK RO LV LT RU MD UA BY CN**
- 47823. Scopula nemorivagata (Wallengren,1863)** (Geometridae) Synonym(s): *nemorivagata* Wallengren,1863; *bonaventura* W.Warren,1897 Range (in code): **ZA Ksi ZA25 Kzu Nta Tva Lpo NG ET**
- 47824. Scopula neophyta (L.B.Prout,1922)** (Geometridae) Synonym(s): *neophyta* L.B.Prout,1922 Range (in code): **CO**
- 47825. Scopula nepheloperas (L.B.Prout,1916)** (Geometridae) Synonym(s): *nepheloperas* L.B.Prout,1916 Original Reference: *Acidalia* (Pylarge) *nepheloperas* L.B.Prout,1916, Proc. zool.

- Soc. Lond. 1916: 150. Holotype ♂: [Somalia]: Somaliland: Sugli, Al Hills, 4700ft (BMNH). Range (in code): SO YE EG Sn OM
- 47826. Scopula nephotropa** L.B.Prout,1931 (Geometridae) Synonym(s): nephotropa L.B.Prout,1931 Range (in code): SO
- 47827. Scopula nesciaria** (Walker,1861) (Geometridae) Synonym(s): nesciaria Walker,1861; negataria Walker,1861 Range (in code): CN LK TW ID
- 47828. Scopula nigralba** Herbulot,1978 (Geometridae) Synonym(s): nigralba Herbulot,1978 Range (in code): CM
- 47829. Scopula nigricornis** Herbulot,1992 (Geometridae) Synonym(s): nigricornis Herbulot,1992 Range (in code): ZA Nta Kzu
- 47830. Scopula nigridentata** (W.Warren,1896) (Geometridae) Synonym(s): nigridentata W.Warren,1896 Range (in code): IN Meg Ass Khs
- 47831. Scopula nigrinotata** (W.Warren,1897) (Geometridae) Synonym(s): nigrinotata W.Warren,1897 Range (in code): MW ZA ZA10 Kzu Nta Tva ZA20 Mpu Ggh Fs Wca TD TZ SL NG ET KE YE Sna
- 47832. Scopula nigrinotata nachtigali** Herbulot,1965 (Geometridae) Synonym(s): nachtigali Herbulot,1965 Range (in code): TD YE YE30 Sna
- 47833. Scopula nigrociliata** Ebert,1965 (Geometridae) Synonym(s): nigrociliata Ebert,1965 Range (in code): AF Bd Adr
- 47834. Scopula nigropunctata** (Hufnagel,1767) (Geometridae) Synonym(s): nigropunctata Hufnagel,1767; nemorata Borkhausen,1794; tristriaria Fabricius,1794; inspersata Schrank,1802; exemptaria Hübner,[1823] Original Reference: Phalaena nigropunctata Hufnagel,1767, Berl. Mag. 4: Range (in code): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE EE LV LT RU Sb MD UA BY MN CN JP KP KR Bionomy: Larva on Clematis vitalba, Lonicera periclymenum (Skou,1986).
- 47835. Scopula nipha** D.S.Fletcher,1955 (Geometridae) Synonym(s): nipha D.S.Fletcher,1955 Range (in code): ZR
- 47836. Scopula nitidissima** L.B.Prout,1920 (Geometridae) Synonym(s): nitidissima L.B.Prout,1920 Range (in code): Ch
- 47837. Scopula nivellearia** (Oberthür,1922) (Geometridae) Synonym(s): nivellearia Oberthür,1922 Range (in code): PT ES
- 47838. Scopula obliquiscripta** (W.Warren,1897) (Geometridae) Synonym(s): obliquiscripta W.Warren,1897 Range (in code): ZA Nta Kzu Wnn
- 47839. Scopula ocellicincta** (W.Warren,1901) (Geometridae) Synonym(s): ocellicincta W.Warren,1901 Range (in code): KE
- 47840. Scopula ocheracea** (Hampson,1891) (Geometridae) Synonym(s): ocheracea Hampson,1891 Range (in code): IN NI
- 47841. Scopula ochraceata** (Staudinger,1901) (Geometridae) Synonym(s): ochraceata Staudinger,1901 Original Reference: Acidalia rubiginata var. ochraceata Staudinger,1901, Cat. Lepid. Palaearkt. Faunengeb. 3(1): 273. nr. 3053a. Lectotype ♂: Russia: Sarepta (MNHU). Range (in code): MK BG GR Cr TR Cc GG AM UA Cm RU Sr
- 47842. Scopula ochreofusa** (W.Warren,1899) (Geometridae) Synonym(s): ochreofusa W.Warren,1899 Range (in code): UG
- 47843. Scopula ochreolata** (W.Warren,1905) (Geometridae) Synonym(s): ochreolata W.Warren,1905 Range (in code): PE
- 47844. Scopula ochricrinita** L.B.Prout,1920 (Geometridae) Synonym(s): ochricrinita L.B.Prout,1920 Range (in code): IN Ass Meg Khs
- 47845. Scopula ochrifrons** L.B.Prout,1920 (Geometridae) Synonym(s): ochrifrons L.B.Prout,1920 Range (in code): PE
- 47846. Scopula oenoloma** L.B.Prout,1932 (Geometridae) Synonym(s): oenoloma L.B.Prout,1932 Range (in code): MW Mje
- 47847. Scopula omana** Wiltshire,1977 (Geometridae) Synonym(s): omana Wiltshire,1977 Range (in code): OM
- 47848. Scopula omissa** (W.Warren,1906) (Geometridae) Synonym(s): omissa W.Warren,1906 Range (in code): BO
- 47849. Scopula opicata** (Fabricius,1798) (Geometridae) Synonym(s): opicata Fabricius,1798; infantularia Guenée,[1858]; vanaria Walker,1861 Range (in code): ZA CN LK IN MM PH PG

- 47850. *Scopula opperta* L.B.Prout,1920** (Geometridae) Synonym(s): *opperta* L.B.Prout,1920
Range (in code): **ZA Tva Spb Lpo Mdk Etm ZA04 ZA12 Kzu Nta Dbn ZA14 Mpu**
- 47851. *Scopula oppilata* (Walker,1861)** (Geometridae) Synonym(s): *oppilata* Walker,1861;
stipataria Walker,1861; *crossophragma* Meyrick,1886 _ Range (in code): **AU QAU PG NC**
- 47852. *Scopula orientalis* (Alpheraky,1876)** (Geometridae) Synonym(s): *orientalis* Alpheraky,1876
Original Reference: *Acidalia decorata* var. *orientalis* Alpheraky,1876, Trudy russk. ent. Obshch. 8: 197. Syntypes: Russia: Taganrog. Range (in code): **TR RU Ro Tgn Cc AM GG IR Fa Com Kz UA Cm**
- 47853. *Scopula ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. Original Reference: *Phalaena ornata* Scopoli,1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **MA DZ Ges Lbs Clo TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun AF Ca PK Bl Qu Haz Mre** Bionomy: Larva on *Achillea*, *Taraxacum*, *Centaurea jacea*, *Origanum* [vulgare], *Mentha*, *Thymus praecox*, *Rumex*, *Veronica* (Meyer,1919; Scoble,1999; Calle et al.,2000).
- 47854. *Scopula ornata enzela* L.B.Prout,1935** (Geometridae) Synonym(s): *enzela* L.B.Prout,1935
Range (in code): **IR Elb Gh Shr Fa Com Kz Sse**
- 47855. *Scopula ornata ornata* (Scopoli,1763)** (Geometridae) Synonym(s): *ornata* Scopoli,1763; *instilata* Hufnagel,1767; *paludata* Linnaeus,1767; *institata* Rottemburg,1777; *interrupta* Goeze,1781; *intersecta* Fourcroy,1785. Original Reference: *Phalaena ornata* Scopoli,1763, Entomologia Carniolica: 219. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AZ AM Nv IQ DK SE FI EE LV LT RU MD UA BY CN Ui Kun**
- 47856. *Scopula oryx* Herbulot,1985** (Geometridae) Synonym(s): *oryx* Herbulot,1985 _ Range (in code): **ZA Tva ZA07 Ksi ZA14 Mpu Nta Kzu YE YE33**
- 47857. *Scopula ossicolor* (W.Warren,1897)** (Geometridae) Synonym(s): *ossicolor* W.Warren,1897; *submarginata* W.Warren,1898 _ Range (in code): **SL NE**
- 47858. *Scopula ourebi* Herbulot,1985** (Geometridae) Synonym(s): *ourebi* Herbulot,1985
Range (in code): **ZA Nta Kzu**
- 47859. *Scopula oxysticha* L.B.Prout,1938** (Geometridae) Synonym(s): *oxysticha* L.B.Prout,1938
Range (in code): **CN Yu**
- 47860. *Scopula paetula* (L.B.Prout,1919)** (Geometridae) Synonym(s): *paetula* L.B.Prout,1919
Range (in code): **CO**
- 47861. *Scopula palleuca* L.B.Prout,1925** (Geometridae) Synonym(s): *palleuca* L.B.Prout,1925
Range (in code): **ZA**
- 47862. *Scopula pallida* (W.Warren,1888)** (Geometridae) Synonym(s): *pallida* W.Warren,1888; *peralba* Swinhoe,1893 Original Reference: *Idaea pallida* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 322. Type ♂: [Pakistan]: Thundiani, August 1 1886. Range (in code): **PK Pj Thu Haz Mre MM Shn**
- 47863. *Scopula pallidilinea* (W.Warren,1897)** (Geometridae) Synonym(s): *pallidilinea* W.Warren,1897 _ Range (in code): **ID Ja**
- 47864. *Scopula palpifera* L.B.Prout,1925** (Geometridae) Synonym(s): *palpifera* L.B.Prout,1925
Range (in code): **ZA**
- 47865. *Scopula paradelpharia* L.B.Prout,1920** (Geometridae) Synonym(s): *paradelpharia* L.B.Prout,1920 _ Range (in code): **CI**
- 47866. *Scopula parallelaria* (W.Warren,1901)** (Geometridae) Synonym(s): *parallelaria* W.Warren,1901 _ Range (in code): **CN**
- 47867. *Scopula parodites* L.B.Prout,1931** (Geometridae) Synonym(s): *parodites* L.B.Prout,1931
Range (in code): **MY Sgo MM Mrg**
- 47868. *Scopula pellioides* L.B.Prout,1922** (Geometridae) Synonym(s): *pelloniodes* L.B.Prout,1922 _ Range (in code): **ZA Fs**
- 47869. *Scopula penricei* L.B.Prout,1920** (Geometridae) Synonym(s): *penricei* L.B.Prout,1920
Range (in code): **AO Tva ZA ZA16 Mpu ZW**
- 47870. *Scopula penultima* Herbulot,1992** (Geometridae) Synonym(s): *penultima* Herbulot,1992
Range (in code): **MW**
- 47871. *Scopula permutata* (Staudinger,1897)** (Geometridae) Synonym(s): *permutata* Staudinger,1897 _ Range (in code): **CN Ti MN RU Tv**

- 47872. Scopula perornata (Thierry-Mieg,1905)** (Geometridae) Synonym(s): *perornata* Thierry-Mieg,1905 _ Range (in code): MZ
- 47873. Scopula perpunctata Herbulot,1992** (Geometridae) Synonym(s): *perpunctata* Herbulot,1992 _ Range (in code): CG
- 47874. Scopula personata (L.B.Prout,1913)** (Geometridae) Synonym(s): *personata* L.B.Prout,1913 _ Range (in code): CN TW VN
- 47875. Scopula pertinax (L.B.Prout,1916)** (Geometridae) Synonym(s): *pertinax* L.B.Prout,1916 _ Range (in code): ZA Etm Kzu ZA18 Ec Nta Umk
- 47876. Scopula phyletis (L.B.Prout,1913)** (Geometridae) Synonym(s): *phyletis* L.B.Prout,1913 _ Range (in code): ZA Tva Lpo
- 47877. Scopula picta (W.Warren,1897)** (Geometridae) Synonym(s): *picta* W.Warren,1897; *fulvilinea* W.Warren,1914 _ Range (in code): ZA ZA24 NWe Nta Kzu Wnn Tva Wca Cto
- 47878. Scopula pinguis (Swinhoe,1902)** (Geometridae) Synonym(s): *pinguis* Swinhoe,1902 _ Range (in code): CN TW VN
- 47879. Scopula planidisca (Bastelberger,1908)** (Geometridae) Synonym(s): *planidisca* Bastelberger,1908 _ Range (in code): MY Prk
- 47880. Scopula planipennis (W.Warren,1900)** (Geometridae) Synonym(s): *planipennis* W.Warren,1900 _ Range (in code): SL
- 47881. Scopula plionocentra L.B.Prout,1920** (Geometridae) Synonym(s): *plionocentra* L.B.Prout,1920 _ Range (in code): NE
- 47882. Scopula plumbearia (Leech,1891)** (Geometridae) Synonym(s): *plumbearia* Leech,1891 _ Range (in code): CN JP
- 47883. Scopula polystigmata (Hampson,1903)** (Geometridae) Synonym(s): *polystigmata* Hampson,1903; *elyra* Swinhoe,1905 _ Range (in code): Ch
- 47884. Scopula polyterpes L.B.Prout,1920** (Geometridae) Synonym(s): *polyterpes* L.B.Prout,1920 _ Range (in code): CN Hn
- 47885. Scopula praecanata (Staudinger,1896)** (Geometridae) Synonym(s): *praecanata* Staudinger,1896 _ Range (in code): CN Sz Ti
- 47886. Scopula preumes L.B.Prout,1938** (Geometridae) Synonym(s): *preumes* L.B.Prout,1938 _ Range (in code): CN Ti
- 47887. Scopula privata (Walker,1861)** (Geometridae) Synonym(s): *privata* Walker,1861; *semicostata* W.Warren,1904 _ Range (in code): VE PE
- 47888. Scopula promethes L.B.Prout,1928** (Geometridae) Synonym(s): *promethes* L.B.Prout,1928 _ Range (in code): LS ZA Tva Wca Cto
- 47889. Scopula propinquaria (Leech,1897)** (Geometridae) Synonym(s): *propinquaria* Leech,1897 _ Range (in code): CN JP KP KR TW
- 47890. Scopula proterocelis L.B.Prout,1920** (Geometridae) Synonym(s): *proterocelis* L.B.Prout,1920 _ Range (in code): NG
- 47891. Scopula prouti Djakonov,1935** (Geometridae) Synonym(s): *prouti* Djakonov,1935; *kurilula* Bryk,1942 _ Range (in code): CN KP KR RU Am Krl JP
- 47892. Scopula proximaria (Leech,1897)** (Geometridae) Synonym(s): *proximaria* Leech,1897 _ Range (in code): CN TW
- 47893. Scopula pruinata D.S.Fletcher,1958** (Geometridae) Synonym(s): *pruinata* D.S.Fletcher,1958 _ Range (in code): UG
- 47894. Scopula pseudoafghana Ebert,1965** (Geometridae) Synonym(s): *pseudoafghana* Ebert,1965 _ Range (in code): AF Bm
- 47895. Scopula pseudocorrivalaria (Wehrli,1932)** (Geometridae) Synonym(s): *pseudocorrivalaria* Wehrli,1932 _ Range (in code): CN
- 47896. Scopula pseudohonestata (Wehrli,1926)** (Geometridae) Synonym(s): *pseudohonestata* Wehrli,1926 _ Range (in code): ES Mu TR Bionomy: Larva on Thymus (Calle et al.,2000).
- 47897. Scopula pseudophema L.B.Prout,1920** (Geometridae) Synonym(s): *pseudophema* L.B.Prout,1920 _ Range (in code): SD
- 47898. Scopula pudicaria (Motschulsky,1861)** (Geometridae) Synonym(s): *pudicaria* Motschulsky,1861 _ Range (in code): CN RU KP KR JP
- 47899. Scopula pulchellata (Fabricius,1794)** (Geometridae) Synonym(s): *pulchellata* Fabricius,1794; *nictata* Guenée,[1858]; *metaspilaria* Walker,1861; *ligataria* Walker,1861; *spatiosaria* Walker,1866; *grandicularia* Swinhoe,1886; *spilodorsata* W.Warren,1895; *discata* W.Warren,1897; *obdiscata* L.B.Prout,1938;

- spilotis* L.B.Prout,1938; *cosmeta* L.B.Prout,1938 _ Range (in code): PK Swa Kkar IN Mh Poo LK ID Crm Tnm Tim MM TW CN Hn PG Nlr PH Luz Pal TW ZA UG
- 47900. Scopula pulchellata pulchellata (Fabricius,1794)** (Geometridae) Synonym(s): *pulchellata* Fabricius,1794; *nictata* Guenée,[1858]; *metaspilaria* Walker,1861; *ligataria* Walker,1861; *spatiosaria* Walker,1866; *grandicularia* Swinhoe,1886; *spilodorsata* W.Warren,1895; *discata* W.Warren,1897; *obdiscata* L.B.Prout,1938; *spilotis* L.B.Prout,1938; *cosmeta* L.B.Prout,1938 _ Range (in code): PK Swa Kkar IN Mh Poo LK ID Crm Tnm Tim MM TW CN Hn PG Nlr
- 47901. Scopula pulchellata rufinubes (W.Warren,1900)** (Geometridae) Synonym(s): *rufinubes* W.Warren,1900 _ Range (in code): UG ZA
- 47902. Scopula pulchellata semperi L.B.Prout,1938** (Geometridae) Synonym(s): *semperi* L.B.Prout,1938 _ Range (in code): PH Luz Pal
- 47903. Scopula pulchellata takowensis L.B.Prout,1938** (Geometridae) Synonym(s): *takowensis* L.B.Prout,1938 _ Range (in code): TW
- 47904. Scopula pulverosa L.B.Prout,1934** (Geometridae) Synonym(s): *straminea* L.B.Prout,1926 *nec* Feld. & Rog.,1874; *pulverosa* L.B.Prout,1934 _ Range (in code): IN Ass Slo Meg Khs MM
- 47905. Scopula punctilineata (W.Warren,1897)** (Geometridae) Synonym(s): *punctilineata* W.Warren,1897 _ Range (in code): ZA ZA12 Kzu Nta Wnn Tva Wca Cto
- 47906. Scopula pyraliata (W.Warren,1898)** (Geometridae) Synonym(s): *pyraliata* W.Warren,1898 _ Range (in code): NE
- 47907. Scopula pyrrhochra (L.B.Prout,1916)** (Geometridae) Synonym(s): *pyrrhochra* L.B.Prout,1916 _ Range (in code): SO
- 47908. Scopula quadrifasciata (Bastelberger,1909)** (Geometridae) Synonym(s): *quadrifasciata* Bastelberger,1909; *glaucozyma* Hampson,1910 _ Range (in code): TZ ZW Har ZA Ggh Fs
- 47909. Scopula quinquefasciata Holloway,1979** (Geometridae) Synonym(s): *quinquefasciata* Holloway,1979 _ Range (in code): NC
- 47910. Scopula quinquestriata (W.Warren,1916)** (Geometridae) Synonym(s): *quinquestriata* W.Warren,1916 _ Range (in code): IN Ass Meg Khs
- 47911. Scopula quintaria (L.B.Prout,1916)** (Geometridae) Synonym(s): *quintaria* L.B.Prout,1916 _ Range (in code): AO UG TZ ZA Ktz ZA04 ZA05 ZA06 Ksi Kzu Nta Srn
- 47912. Scopula radiata (W.Warren,1897)** (Geometridae) Synonym(s): *radiata* W.Warren,1897 _ Range (in code): BO
- 47913. Scopula rectisecta L.B.Prout,1920** (Geometridae) Synonym(s): *rectisecta* L.B.Prout,1920 _ Range (in code): CM Bit
- 47914. Scopula recurvata Herbulot,1992** (Geometridae) Synonym(s): *recurvata* Herbulot,1992 _ Range (in code): CM
- 47915. Scopula recurvinota (W.Warren,1902)** (Geometridae) Synonym(s): *recurvinota* W.Warren,1902 _ Range (in code): KE Kky
- 47916. Scopula remotata (Guenée,1858)** (Geometridae) Synonym(s): *remotata* Guenée,1858 _ Range (in code): Si IN
- 47917. Scopula rhodinaria (Rebel,1907)** (Geometridae) Synonym(s): *rhodinaria* Rebel,1907 _ Range (in code): YE Sk
- 47918. Scopula riedeli Hausmann,2006** (Geometridae) Synonym(s): *riedeli* Hausmann,2006 _ Range (in code): YE Sna YE68
- 47919. Scopula risa Wiltshire,1982** (Geometridae) Synonym(s): *risa* Wiltshire,1982 _ Range (in code): SA As YE Sna
- 47920. Scopula rivularia (Leech,1897)** (Geometridae) Synonym(s): *rivularia* Leech,1897 _ Range (in code): CN
- 47921. Scopula rossi (L.B.Prout,1913)** (Geometridae) Synonym(s): *rossi* L.B.Prout,1913 _ Range (in code): ZA Tva ZA08 Kzu ZA14 Mpu Nta Dbn
- 47922. Scopula rubellata (Staudinger,1871)** (Geometridae) Synonym(s): *rubellata* Staudinger,1871 _ Range (in code): PT ES Mu FR
- 47923. Scopula rubiginata (Hufnagel,1767)** (Geometridae) Synonym(s): *rubiginata* Hufnagel,1767; *rubricata* [Denis & Schiffermüller],1775; *vittata* Thunberg,1784; *domialla* Fourcroy,1785; *variata* Villers,1789; *#rubricaria* Hübner,[1799]; *subangularia* Herrich-Schäffer,1839 _ Original Reference: Phalaena rubiginata Hufnagel,1767, Berl. Mag. 3:610. Type(s): Deutschland: Berlin. Range (in code): MA PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Cc AZ AM DK SE FI EE LV LT RU Sb MD UA BY CN Ui Ku Tek Kty IMn IR Ab MN Bionomy: Larva on

Convolvulus, Lotus corniculatus, Medicago sativa, Polygonum, Thymus, Trifolium, Vicia (Meyer,1919; Skou,1986).

- 47924. Scopula rubraria (Doubleday,1843)** (Geometridae) Synonym(s): *rubraria* Doubleday,1843; *figlinaria* Guenée,[1858]; *attributa* Walker,1861; *repletaria* Walker,1861; *acidaliaria* Walker,1862 - Range (in code): NC NZ AU NSw Syd TZ
- 47925. Scopula rubriceps (W.Warren,1905)** (Geometridae) Synonym(s): *rubriceps* W.Warren,1905 - Range (in code): AO
- 47926. Scopula ruficolor (L.B.Prout,1916)** (Geometridae) Synonym(s): *ruficolor* L.B.Prout,1916 - Range (in code): ZA Gau Tva Jh
- 47927. Scopula rufigrisea L.B.Prout,1913** (Geometridae) Synonym(s): *rufigrisea* L.B.Prout,1913 - Range (in code): CN
- 47928. Scopula rufinubes (W.Warren,1900)** (Geometridae) Synonym(s): *rufinubes* W.Warren,1900 - Range (in code): TZ Dss CI UG ET SO ZA ZA17 Tva Lpo Spb Mdk
- 47929. Scopula rufisalsa (W.Warren,1897)** (Geometridae) Synonym(s): *rufisalsa* W.Warren,1897 - Range (in code): ZA ZA01 ZA17 Tva Lpo ZA24 NWe Nta Kzu Wnn ZW KE
- 47930. Scopula rufistigma (W.Warren,1895)** (Geometridae) Synonym(s): *rufistigma* W.Warren,1895 - Original Reference: Craspedia rufistigma W.Warren,1895, Novit. zool. 2: 93. Type(s): India: Khasi Hills (BMNH). Range (in code): CN IN Meg Ass Khs TH CMa CDo MY VN Ton
- 47931. Scopula sagittilinea (W.Warren,1897)** (Geometridae) Synonym(s): *sagittilinea* W.Warren,1897 - Range (in code): KE Mb
- 47932. Scopula sanguinisecta (W.Warren,1897)** (Geometridae) Synonym(s): *sanguinisecta* W.Warren,1897; *muscosaria* W.Warren,1902 - Range (in code): ZA ZA24 NWe Tva Lpo Spb Mdk Nta Kzu Wnn Wca KE MG
- 47933. Scopula sarcodes L.B.Prout,1935** (Geometridae) Synonym(s): *sarcodes* L.B.Prout,1935 - Range (in code): ZA
- 47934. Scopula sarfaitensis Wiltshire,1982** (Geometridae) Synonym(s): *sarfaitensis* Wiltshire,1982 - Range (in code): SA YE Sna
- 47935. Scopula sauteri L.B.Prout,1922** (Geometridae) Synonym(s): *sauteri* L.B.Prout,1922 - Range (in code): CN TW ID
- 47936. Scopula scalercii Hausmann,2003** (Geometridae) Synonym(s): *scalercii* Hausmann,2003 - Range (in code): IT
- 47937. Scopula scialophia L.B.Prout,1919** (Geometridae) Synonym(s): *scialophia* L.B.Prout,1919 - Range (in code): IN Ass Meg Khs
- 47938. Scopula scotti Debauche,1937** (Geometridae) Synonym(s): *scotti* Debauche,1937 - Range (in code): RW ET Sw ET09
- 47939. Scopula scotti turlini Herbulot,1978** (Geometridae) Synonym(s): *turlini* Herbulot,1978 - Range (in code): RW
- 47940. Scopula sebata D.S.Fletcher,1958** (Geometridae) Synonym(s): *sebata* D.S.Fletcher,1958 - Range (in code): UG Rz
- 47941. Scopula seclusoides Herbulot,1978** (Geometridae) Synonym(s): *seclusoides* Herbulot,1978 - Range (in code): CM
- 47942. Scopula sedataria (Leech,1897)** (Geometridae) Synonym(s): *sedataria* Leech,1897 - Range (in code): CN
- 47943. Scopula segregata L.B.Prout,1919** (Geometridae) Synonym(s): *segregata* L.B.Prout,1919 - Range (in code): CN Yu MM IN
- 47944. Scopula serena (L.B.Prout,1920)** (Geometridae) Synonym(s): *serena* L.B.Prout,1920 - Range (in code): ZA Ktz ZA08 ZA13 Nta Kzu ZA18 Ec Ggh Fs ZA28 Tva Lpo SL AO MG
- 47945. Scopula silonaria (Guenée,[1858])** (Geometridae) Synonym(s): *silonaria* Guenée,[1858]; *sticticata* W.Warren,1901 - Range (in code): ET UG
- 47946. Scopula simplicata L.B.Prout,1928** (Geometridae) Synonym(s): *simplicata* L.B.Prout,1928 - Range (in code): ET
- 47947. Scopula sincera (W.Warren,1901)** (Geometridae) Synonym(s): *sincera* W.Warren,1901 - Range (in code): ZA Tva ZW AO
- 47948. Scopula sinnaria (Swinhoe,1904)** (Geometridae) Synonym(s): *sinnaria* Swinhoe,1904 - Range (in code): ZA ZA17 ZA28 Tva Lpo Wca AO KE
- 47949. Scopula sinnaria bisinuata (W.Warren,1905)** (Geometridae) Synonym(s): *bisinuata* W.Warren,1905 - Range (in code): ZA Wca AO

- 47950. Scopula sinopersonata (Wehrli,1932)** (Geometridae) Synonym(s): *sinopersonata* Wehrli,1932 _ Range (in code): CN
- 47951. Scopula sjostedti Djakonov,1936** (Geometridae) Synonym(s): *sjostedti* Djakonov,1936 _ Range (in code): CN Gn
- 47952. Scopula sp.1** (Geometridae) Synonym(s): _ Range (in code): ZA Ktz Nta Kzu
- 47953. Scopula sp.2** (Geometridae) Synonym(s): _ Range (in code): ZA ZA12 Kzu
- 47954. Scopula spinosicrista Herbulot,1992** (Geometridae) Synonym(s): *spinosicrista* Herbulot,1992 _ Range (in code): CM
- 47955. Scopula spoliata (Walker,1861)** (Geometridae) Synonym(s): *spoliata* Walker,1861; *pygarata* Wallengren,1863 _ Range (in code): ZA ZA10 ZA11 ZA12 ZA13 ZA04 ZA05 Kzu Nta Fs ZA18 Ec Ggh ZA26 ZA27 UG
- 47956. Scopula stephanitis L.B.Prout,1932** (Geometridae) Synonym(s): *stephanitis* L.B.Prout,1932 _ Range (in code): ZR
- 47957. Scopula straminea (R.Felder & Rogenhofer,1875)** (Geometridae) Synonym(s): *straminea* R.Felder & Rogenhofer,1875; *melliflua* W.Warren,1897 _ Range (in code): ZA Ktz ZA05 Kzu Nta Wca Kny
- 47958. Scopula subcarnea L.B.Prout,1934** (Geometridae) Synonym(s): *subcarnea* L.B.Prout,1934 _ Range (in code): IN Ass Slo Meg Khs
- 47959. Scopula subgastonaria Wiltshire,1982** (Geometridae) Synonym(s): *subgastonaria* Wiltshire,1982 _ Range (in code): SA
- 47960. Scopula sublobata (W.Warren,1898)** (Geometridae) Synonym(s): *sublobata* W.Warren,1898; *khakiata* W.Warren,1905 _ Range (in code): ZA ZA25 Kzu Nta Mpu Tva Brb Dbn TZ AO
- 47961. Scopula sublutescens L.B.Prout,1920** (Geometridae) Synonym(s): *sublutescens* L.B.Prout,1920 _ Range (in code): IN Ass Meg Khs
- 47962. Scopula submutata (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 _ Original Reference: Idaea submutata Treitschke,1828, Schmett. Eur. 6 (2): 277. Syntypes: Croatia. Range (in code): MA DZ PT ES FR Co Si IT CH RO YU HV MK B-H AL BG GR Cr TR LB Bei Bsa Cc GG AZ Nv IQ Kad IR GlS Kh TM Kp IL Pa Bionomy: Larva on Dorycnium, Thymus (Meyer,1919).
- 47963. Scopula submutata nivellaria (Oberthür,1922)** (Geometridae) Synonym(s): *nivellaria* Oberthür,1922 _ Range (in code): MA DZ
- 47964. Scopula submutata submutata (Treitschke,1828)** (Geometridae) Synonym(s): *submutata* Treitschke,1828; *submutaria* Boisduval,1840; *submutulata* Rebel,1902 _ Original Reference: Idaea submutata Treitschke,1828, Schmett. Eur. 6 (2): 277. Syntypes: Croatia. Range (in code): IT SS HV YU MK GR BG TR RO Cr
- 47965. Scopula submutata taurilibanotica (Wehrli,1932)** (Geometridae) Synonym(s): *taurilibanotica* Wehrli,1932; *syrlibanotica* Wehrli,1933 _ Range (in code): TR CY LB Bsa
- 47966. Scopula subobliquata (L.B.Prout,1913)** (Geometridae) Synonym(s): *subobliquata* L.B.Prout,1913 _ Range (in code): ZA Tva Lpo Hae
- 47967. Scopula subpartita L.B.Prout,1919** (Geometridae) Synonym(s): *subpartita* L.B.Prout,1919 _ Range (in code): IN Ass Meg Khs
- 47968. Scopula subpectinata (L.B.Prout,1915)** (Geometridae) Synonym(s): *subpectinata* L.B.Prout,1915 _ Range (in code): UG Etb
- 47969. Scopula subperlaria (W.Warren,1897)** (Geometridae) Synonym(s): *subperlaria* W.Warren,1897; *sufficines* W.Warren,1897; *displicata* Kheil,1909 _ Range (in code): UG Etb NG CM
- 47970. Scopula subpulchellata L.B.Prout,1920** (Geometridae) Synonym(s): *subpulchellata* L.B.Prout,1920 _ Range (in code): CN Hn
- 47971. Scopula subpunctaria (Herrich-Schäffer,1847)** (Geometridae) Synonym(s): *punctata* Scopoli,1763 *nec* Cl.,1759; *punctaria* Duponchel,1830; *subpunctaria* Herrich-Schäffer,1847; *cerusaria* La Harpe,1850; *depunctata* Guenée,[1858] _ Range (in code): ES FR Co IT DE CH AT CZ SK HU RO YU BG RU Ur Sb At UA Cm Cc GG AM CN JP
- 47972. Scopula subrubellata Sterneck,1941** (Geometridae) Synonym(s): *subrubellata* Sterneck,1941 _ Original Reference: Scopula subrubellata Sterneck,1941, Z. wien. EntVer. 26(3): 93. Syntypes: Turkestan. Range (in code): CN Ui
- 47973. Scopula subserena Wiltshire,1990** (Geometridae) Synonym(s): *subserena* Wiltshire,1990 _ Range (in code): SA
- 47974. Scopula subtilata (Christoph,1867)** (Geometridae) Synonym(s): *subtilata* Christoph,1867 _ Original Reference: Acidalia subtilata Christoph,1867, Stettin ent. Ztg. 28 (4/6): 236. Syntypes

- ♂♀: [Russia]: Sarepta. Range (in code): RU Sr Sb Ur UA Cc GG? KG TM IR Bionomy: Larva on Thymus (Meyer,1919).
- 47975. Scopula subtracta L.B.Prout,1935** (Geometridae) Synonym(s): subtracta L.B.Prout,1935
Range (in code): IN Hp Sml
- 47976. Scopula succrassula L.B.Prout,1931** (Geometridae) Synonym(s): succrassula L.B.Prout,1931 Range (in code): PH Mno
- 47977. Scopula suda L.B.Prout,1932** (Geometridae) Synonym(s): suda L.B.Prout,1932 Range (in code): RW
- 47978. Scopula suna L.B.Prout,1934** (Geometridae) Synonym(s): suna L.B.Prout,1934 Range (in code): CG
- 47979. Scopula superior (Butler,1878)** (Geometridae) Synonym(s): superior Butler,1878; sancta Butler,1881 Range (in code): CN KP KR JP RU Sb
- 47980. Scopula supina L.B.Prout,1920** (Geometridae) Synonym(s): supina L.B.Prout,1920
Range (in code): UG
- 47981. Scopula sybillaria (Swinhoe,1902)** (Geometridae) Synonym(s): sybillaria Swinhoe,1902
Range (in code): CN TW
- 47982. Scopula szechuanensis L.B.Prout,1913** (Geometridae) Synonym(s): szechuanensis L.B.Prout,1913 Range (in code): CN Sz
- 47983. Scopula taifica Wiltshire,1982** (Geometridae) Synonym(s): taifica Wiltshire,1982
Range (in code): SA SA74 YE Sna
- 47984. Scopula technessa L.B.Prout,1932** (Geometridae) Synonym(s): technessa L.B.Prout,1932
Range (in code): KE
- 47985. Scopula tenera (W.Warren,1899)** (Geometridae) Synonym(s): tenera W.Warren,1899
Range (in code): UG
- 47986. Scopula tensipallida L.B.Prout,1938** (Geometridae) Synonym(s): tensipallida L.B.Prout,1938 Range (in code): MM CN Yu
- 47987. Scopula tenuimedia L.B.Prout,1938** (Geometridae) Synonym(s): tenuimedia L.B.Prout,1938 Range (in code): IN Ass Meg Khs Cpj
- 47988. Scopula tenuiscripta L.B.Prout,1917** (Geometridae) Synonym(s): tenuiscripta L.B.Prout,1917 Range (in code): ZA Tva Lpo Spb Bbg Mpu Brb
- 47989. Scopula tenuispersata (Fuchs,1902)** (Geometridae) Synonym(s): tenuispersata Fuchs,1902 Range (in code): ID Sum
- 47990. Scopula ternata Schrank,1802** (Geometridae) Synonym(s): ternata Schrank,1802; fumata Stephens,1831; commutata Freyer,1832; saltuata Speyer,1839; commutaria Boisduval,1840; nitidaria Boisduval,1840; gypsaria Boisduval,1840; simplaria Freyer,1852; duplexaria La Harpe,1855; perfumata L.B.Prout,1934; aequicerata Traff,1965 Original Reference: Scopula ternata Schrank,1802, Fauna boica 2 (2): 57. Syntypes: [Germania]: [Bayern]: Burghausen. Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK RO YU BG At Sj Sb DK NO SE FI EE LV LT RU MD UA BY MN Bionomy: Larva on Calluna vulgaris, Vaccinium myrtillus, V. uliginosum (Skou,1986; Scoble,1999).
- 47991. Scopula tessellaria (Boisduval,1840)** (Geometridae) Synonym(s): tessellaria Boisduval,1840; pulverulentaria Selys-Longchamps,1844; tabianaria Turati,1905; proutiana Sheljuzhko,1955
Range (in code): ES FR Si IT BE LU RO YU AL BG GR TR Cc GG AM RU MD UA BY CN Ui Kun IR Elb KG Tk
- 47992. Scopula timia (L.B.Prout,1916)** (Geometridae) Synonym(s): timia L.B.Prout,1916
Range (in code): SO
- 47993. Scopula tosariensis L.B.Prout,1923** (Geometridae) Synonym(s): tosariensis L.B.Prout,1923 Range (in code): ID Ja
- 47994. Scopula traducta L.B.Prout,1938** (Geometridae) Synonym(s): traducta L.B.Prout,1938
Range (in code): MM Msm
- 47995. Scopula transcaspica L.B.Prout,1935** (Geometridae) Synonym(s): transcaspica L.B.Prout,1935 Original Reference: Scopula submutata ssp.? transcaspica L.B.Prout,1935, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 40 (5a). Syntypes 2♂: [Turkmenistan]: Ashkhabad. Range (in code): Cc GG AM AZ Nv TR TM Kp Fyz Ger IR Fa Sse Com Kz Shr Lo AF PK
- 47996. Scopula transcaspica taftanica (Brandt,1941)** (Geometridae) Synonym(s): taftanica Brandt,1941 Range (in code): IR Fa Sse Com Kz Shr AF PK
- 47997. Scopula transcaspica transcaspica L.B.Prout,1935** (Geometridae) Synonym(s): transcaspica L.B.Prout,1935 Original Reference: Scopula submutata ssp.? transcaspica

- L.B.Prout,1935, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 40 (5a). Syntypes 2♀: [Turkmenistan]: Askhabad. Range (in code): Cc GG AM AZ Nv TR TM Kp Fyz Ger IR Lo
- 47998. Scopula transecta (W.Warren,1898)** (Geometridae) Synonym(s): transecta W.Warren,1898; dissimulans W.Warren,1899 Range (in code): NE
- 47999. Scopula tricommatata (W.Warren,1899)** (Geometridae) Synonym(s): tricommatata W.Warren,1899 Range (in code): UG
- 48000. Scopula tsekuensis L.B.Prout,1935** (Geometridae) Synonym(s): tsekuensis L.B.Prout,1935 Range (in code): CN
- 48001. Scopula turbidaria (Hübner,[1819])** (Geometridae) Synonym(s): turbidaria Hübner,[1819]; macraria Guenée,[1858]; lutosata Rambur,1866 Original Reference: Geometra turbidaria Hübner,[1819], Samml. eur. Schmett. 5: pl.97, fig.501. Type: Europa. Range (in code): MA PT ES FR IR Gl
- 48002. Scopula turbulentaria (Staudinger,1870)** (Geometridae) Synonym(s): turbulentaria Staudinger,1870; collata W.Warren,1901; habenata W.Warren,1901; syriacata Neuburger,1904; syriturcica Wehrli,1934 Range (in code): TN Si IT GR Cr Rd CY TR RO BG RU Cc AM IR Elb Mz Kd LB Bei IL Pa Js TM SA CN
- 48003. Scopula turbulentaria steinbacheri L.B.Prout,1935** (Geometridae) Synonym(s): steinbacheri L.B.Prout,1935 Range (in code): IR Elb Mz TM
- 48004. Scopula turbulentaria turbulentaria (Staudinger,1870)** (Geometridae) Synonym(s): turbulentaria Staudinger,1870; collata W.Warren,1901; habenata W.Warren,1901; syriacata Neuburger,1904; syriturcica Wehrli,1934 Range (in code): TN Si IT GR Cr Rd CY TR RO BG RU Cc AM IR Elb Mz Kd LB Bei IL Pa Js TM SA CN
- 48005. Scopula umbelaria (Hübner,[1813])** (Geometridae) Synonym(s): sylvestrata Borkhausen,1794; umbelaria Hübner,[1813]; compararia Herrich-Schäffer,[1847]. Original Reference: Geometra umbelaria Hübner,[1813], Samml. eur. Schmett. 5: pl.85, figs. 437, 438. Syntypes: Europa. Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU RO YU RU Am MD UA BY JP MN KP KR CN
- 48006. Scopula undilinea (W.Warren,1900)** (Geometridae) Synonym(s): undilinea W.Warren,1900 Range (in code): NC
- 48007. Scopula undulataria (Moore,1888)** (Geometridae) Synonym(s): undulataria Moore,1888 Range (in code): IN SI DjI
- 48008. Scopula unilineata (W.Warren,1896)** (Geometridae) Synonym(s): unilineata W.Warren,1896 Range (in code): IN Ass Meg Khs
- 48009. Scopula unisignata L.B.Prout,1926** (Geometridae) Synonym(s): unisignata L.B.Prout,1926 Range (in code): MM
- 48010. Scopula vacuata (Guenée,1858)** (Geometridae) Synonym(s): vacuata Guenée,1858 Range (in code): TH
- 48011. Scopula vigilata (Wagner,1926)** (Geometridae) Synonym(s): #submutulata Rebel,1902; #vigilata L.B.Prout,1913; vigilata Wagner,1926; turatii Wagner,1926; submutulata Wagner,1926 Original Reference: Acidalia submutata var. vigilata Wagner,1926, Z. öster. Ent. Ver. 11 (9): 84, 86, fig. Lectotype ♂: Sicilia: Palermo (BMNH). Range (in code): Si IT MT GR TR CY
- 48012. Scopula violacea (W.Warren,1897)** (Geometridae) Synonym(s): violacea W.Warren,1897 Range (in code): IN SI
- 48013. Scopula virgulata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): virgulata [Denis & Schiffermüller],1775; strigaria Hübner,[1799]; virgularia Hübner,[1825]; sulcaria Hübner,[1825]; afra Baker,1885 Original Reference: Geometra virgulata [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 117. Type(s): [Austria]: Vienna district. Range (in code): DZ Gue PT ES FR IT BE DE CH AT PL CZ SK HU RO YU TR SE FI EE LV LT RU MD UA BY JP MN CN Bionomy: Larva on Sedum album, Vaccinium myrtillus (Meyer,1919; Scoble,1999).
- 48014. Scopula vitellina Herbulot,1978** (Geometridae) Synonym(s): vitellina Herbulot,1978 Range (in code): CM
- 48015. Scopula vojitsi Inoue,1992** (Geometridae) Synonym(s): vojitsi Inoue,1992 Range (in code): KR
- 48016. Scopula voluptaria L.B.Prout,1938** (Geometridae) Synonym(s): voluptaria L.B.Prout,1938 Range (in code): ID Sum
- 48017. Scopula walkerii (Butler,1883)** (Geometridae) Synonym(s): extimaria Walker,1861 nec Wlk.,1861; walkerii Butler,1883; rufilinea W.Warren,1895 Range (in code): LK

- 48018. *Scopula wegneri* L.B.Prout,1935** (Geometridae) **Synonym(s):** *wegneri* L.B.Prout,1935
Range (in code): **ID Ja**
- 48019. *Scopula wittei* Debauche,1938** (Geometridae) **Synonym(s):** *wittei* Debauche,1938
Range (in code): **ZR**
- 48020. *Scopula yamanei* Inoue,1978** (Geometridae) **Synonym(s):** *yamanei* Inoue,1978 - **Range (in code):** **TW**
- 48021. *Scopula yihe* Yang,1978** (Geometridae) **Synonym(s):** *yihe* Yang,1978 - **Range (in code):** **CN Pkn**
- 48022. *Scopula yihe* Yang,1978** (Geometridae) **Synonym(s):** *yihe* Yang,1978 - **Range (in code):** **CN**
- 48023. *Scopula zophodes* L.B.Prout,1935** (Geometridae) **Synonym(s):** *zophodes* L.B.Prout,1935
Range (in code): **BW**
- 48024. *Scopuloides fucata* (Püngeler,1909)** (Geometridae) **Synonym(s):** *fucata* Püngeler,1909;
kirghisica Viidalepp,1988 - **Range (in code):** **KK Ax**
- 48025. *Scopuloides origalis* (Brandt,1941)** (Geometridae) **Synonym(s):** *origalis* Brandt,1941
Range (in code): **IR Ss AF Nu TJ Pm**
- 48026. *Scopuloides origalis danieli* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *danieli* Wiltshire,1966 - **Range (in code):** **AF Nu**
- 48027. *Scopuloides origalis origalis* (Brandt,1941)** (Geometridae) **Synonym(s):** *origalis* Brandt,1941 - **Range (in code):** **IR Ss**
- 48028. *Scopuloides origalis safida* (Wiltshire,1966)** (Geometridae) **Synonym(s):** *safida* Wiltshire,1966 - **Range (in code):** **AF Nu**
- 48029. *Scopuloides origalis vantshica* (Viidalepp,1988)** (Geometridae) **Synonym(s):** *vantshica* Viidalepp,1988 - **Range (in code):** **TJ Pm**
- 48030. *Scordyliodes liturata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *liturata* W.Warren,1904 - **Range (in code):** **EC**
- 48031. *Scordyliodes preciosa* (Maassen,1890)** (Geometridae) **Synonym(s):** *preciosa* Maassen,1890 - **Range (in code):** **PE**
- 48032. *Scordyliodes subtessellata* (Dognin,1906)** (Geometridae) **Synonym(s):** *subtessellata* Dognin,1906 - **Range (in code):** **PE**
- 48033. *Scordyliodes tessellata* (W.Warren,1904)** (Geometridae) **Synonym(s):** *tessellata* W.Warren,1904 - **Range (in code):** **PE**
- 48034. *Scotocyma albinotata* (Walker,1864)** (Geometridae) **Synonym(s):** *albinotata* Walker,1864; *platydesma* Lower,1894; *eurychra* Turner,1922; *idioschema* Turner,1922; *transfixa* Turner,1931; *ischnophrica* Turner,1932 - **Range (in code):** **AU QAU Kda Syd NSw PG Bsm Adl Bgv SB PMo**
Bionomy: Larva on *Caprosma repens* (Rubiaceae) (Schmidt,2005).
- 48035. *Scotocyma asiatica* Holloway,1997** (Geometridae) **Synonym(s):** *asiatica* Holloway,1997
Range (in code): **MY Bor BN ID Clb**
- 48036. *Scotocyma legalis* (W.Warren,1896)** (Geometridae) **Synonym(s):** *legalis* W.Warren,1896
Range (in code): **NC LO**
- 48037. *Scotocyma longiuncus* O.Schmidt,2005** (Geometridae) **Synonym(s):** *longiuncus* O.Schmidt,2005 - **Range (in code):** **PG**
- 48038. *Scotocyma manusensis* L.B.Prout,1940** (Geometridae) **Synonym(s):** *manusensis* L.B.Prout,1940 - **Range (in code):** **PG**
- 48039. *Scotocyma mimula* (W.Warren,1905)** (Geometridae) **Synonym(s):** *mimula* W.Warren,1905 - **Range (in code):** **PG**
- 48040. *Scotocyma miscix* L.B.Prout,1934** (Geometridae) **Synonym(s):** *miscix* L.B.Prout,1934
Range (in code): **FJ**
- 48041. *Scotocyma rutilimixta* O.Schmidt,2005** (Geometridae) **Synonym(s):** *rutilimixta* O.Schmidt,2005 - **Range (in code):** **AU QAU Cai**
- 48042. *Scotocyma samoensis* O.Schmidt,2005** (Geometridae) **Synonym(s):** *samoensis* O.Schmidt,2005 - **Range (in code):** **WS**
- 48043. *Scotocyma scotopepla* L.B.Prout,1940** (Geometridae) **Synonym(s):** *scotopepla* L.B.Prout,1940 - **Range (in code):** **PG**
- 48044. *Scotocyma sumatrensis* O.Schmidt,2005** (Geometridae) **Synonym(s):** *sumatrensis* O.Schmidt,2005 - **Range (in code):** **ID Sum**
- 48045. *Scotopteryx aelptes* (L.B.Prout,1937)** (Geometridae) **Synonym(s):** *aelptes* L.B.Prout,1937
Original Reference: *Ortholitha octodurensis* ssp. *aelptes* L.B.Prout,1937, [in] Seitz, Gross-

- Schmett. Erde 4 (Suppl.) 78, pl.7k. Holotype ♂: [Russia]: Daghestan, Chodzalmachi. Range (in code): RU Da Cc GG AM TR
- 48046. Scotopteryx albiclausa (W.Warren,1897)** (Geometridae) Synonym(s): albiclausa W.Warren,1897 Range (in code): ZA ZA18 Ec Nta Kzu
- 48047. Scotopteryx alfacaria (Staudinger,1859)** (Geometridae) Synonym(s): alfacaria Staudinger,1859; nevadaria Rambur,1866. Original Reference: Cidaria alfacaria Staudinger,1859, Stettin ent. Ztg. 20: 219. Syntypes: [Spain]: Andalusia: Sierra de Alfacar. Range (in code): MA DZ ES An Mu Bionomy: Larva on Genista, Retama, Spartium (Calle et al.,2000).
- 48048. Scotopteryx alfacaria albarracina (Zerny,1927)** (Geometridae) Synonym(s): albarracina Zerny,1927. Original Reference: Ortholitha alfacaria albarracina Zerny,1927, Eos 3 (3): 408. Syntypes: [Spain]: Sierra Nevada. Range (in code): ES
- 48049. Scotopteryx alfacaria alfacaria (Staudinger,1859)** (Geometridae) Synonym(s): alfacaria Staudinger,1859; nevadaria Rambur,1866. Original Reference: Cidaria alfacaria Staudinger,1859, Stettin ent. Ztg. 20: 219. Syntypes: [Spain]: Andalusia: Sierra de Alfacar. Range (in code): ES An Mu
- 48050. Scotopteryx alfacaria transmarina (Zerny,1934)** (Geometridae) Synonym(s): transmarina Zerny,1934 Original Reference: Ortholitha alfacaria transmarina Zerny,1934, Z. öst. EntVer. 19 (6): 47. Syntypes: Morocco: Great Atlas: Tachdirt; Tizi n'Tachdirt, 2300-3100m. Range (in code): MA DZ
- 48051. Scotopteryx alpherakii (Erschoff,1877)** (Geometridae) Synonym(s): alpherakii Erschoff,1877 Original Reference: Ortholitha alpherakii Erschoff,1877, Horae Soc. ent. ross. 12: 338. Syntypes: Armenia. Range (in code): AM TR Cc GG AZ
- 48052. Scotopteryx angularia (Villers,1789)** (Geometridae) Synonym(s): angularia Villers,1789; diniensis Neuburger,1906; lantoscana Wehrli,1924 Range (in code): ES FR IT CH
- 48053. Scotopteryx appropinquaria (Staudinger,1892)** (Geometridae) Synonym(s): appropinquaria Staudinger,1892 Range (in code): KK
- 48054. Scotopteryx arthuri (L.B.Prout,1939)** (Geometridae) Synonym(s): arthuri L.B.Prout,1939 Range (in code): Ch
- 48055. Scotopteryx atrosigillata (Walker,[1863])** (Geometridae) Synonym(s): atrosigillata Walker,[1863] Range (in code): ZA ZA10 ZA11 Nta Kzu Ggh Fs
- 48056. Scotopteryx bipunctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): bipunctaria [Denis & Schiffermüller],1775; undulata Scopoli,1763 nec Linn.,1758; geminataria Villers,1789; gachtaria Freyer,1851 Original Reference: Geometra bipunctaria [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 111. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AM AZ Da Cc LV LT RU MD UA BY Bionomy: Larva on Hippocrepis comosa, Melilotus, Teucrium (Meyer,1919).
- 48057. Scotopteryx burgaria (Eversmann,1843)** (Geometridae) Synonym(s): burgaria Eversmann,1843 Range (in code): RU Ur At
- 48058. Scotopteryx caucasica (Niesiolowski,1937)** (Geometridae) Synonym(s): caucasica Niesiolowski,1937 Range (in code): RU
- 48059. Scotopteryx chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): chenopodiata Linnaeus,1758; limitata Scopoli,1763; zonata Hufnagel,1767; olivaceofasciata Retzius,1783; chenopodiaria Haworth,1809; mensuraria sensu Duponchel,1829 Original Reference: Phalaena chenopodiata Linnaeus,1758, Syst. Nat. (Edn.10)1: Type(s): [Europa], in Chenopodium. Range (in code): PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Ur Sb At Ya Am Us Prj Sh Ir Krl Mgd KG MN MD UA Cm BY Bionomy: Larva on Chenopodium, Lathyrus pratensis, Lotus corniculatus (Linnaeus,1758; Meyer,1919).
- 48060. Scotopteryx chenopodiata chenopodiata (Linnaeus,1758)** (Geometridae) Synonym(s): chenopodiata Linnaeus,1758; limitata Scopoli,1763; zonata Hufnagel,1767; olivaceofasciata Retzius,1783; chenopodiaria Haworth,1809; mensuraria sensu Duponchel,1829 Original Reference: Phalaena chenopodiata Linnaeus,1758, Syst. Nat. (Edn.10)1: Type(s): [Europa], in Chenopodium. Range (in code): PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ AM DK NO SE FI EE LV LT RU Ur KG MN MD UA Cm BY
- 48061. Scotopteryx chenopodiata sibirica (A.Bang-Haas,1907)** (Geometridae) Synonym(s): sibirica A.Bang-Haas,1907 Range (in code): RU Sb At Ya Am Us Prj Sh Ir Krl Mgd
- 48062. Scotopteryx coarctaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): coarctaria [Denis & Schiffermüller],1775; coarctata Fabricius,1794; tenebraria Hübner,[1809]

- Original Reference: *Geometra coarctaria* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes* Schmett. Wienergegend: 102. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK RU MD UA Cm Ur BY Bionomy: Larva on *Cytisus nigricans* (Meyer, 1919).
- 48063. *Scotopteryx coelinaria* Graslin, 1863** (Geometridae) Synonym(s): *coelinaria* Graslin, 1863; *vernetaria* Oberthür, 1896; *gerardini* Oberthür, 1907 Range (in code): ES FR
- 48064. *Scotopteryx crenulimargo* (L.B.Prout, 1925)** (Geometridae) Synonym(s): *crenulimargo* L.B.Prout, 1925 Range (in code): ZA Wca
- 48065. *Scotopteryx crypsichroma* (W.Warren, 1907)** (Geometridae) Synonym(s): *crypsichroma* W.Warren, 1907 Range (in code): PE
- 48066. *Scotopteryx cryptocycla* (L.B.Prout, 1913)** (Geometridae) Synonym(s): *cryptocycla* L.B.Prout, 1913 Range (in code): ZA Tva Mpu Wv
- 48067. *Scotopteryx cryptospilata* (Walker, 1863)** (Geometridae) Synonym(s): *cryptospilata* Walker, 1863 Range (in code): ZA
- 48068. *Scotopteryx dentilinea* (Dognin, 1914)** (Geometridae) Synonym(s): *dentilinea* Dognin, 1914 Range (in code): CO Bgt
- 48069. *Scotopteryx deversa* (L.B.Prout, 1913)** (Geometridae) Synonym(s): *deversa* L.B.Prout, 1913 Range (in code): ZA ZA10 Kzu Nta Gau Pre Tva Hae
- 48070. *Scotopteryx diana* Riemis, 1997** (Geometridae) Synonym(s): *diana* Riemis, 1997 Original Reference: *Scotopteryx diana* Riemis, 1997, *Phegea* 25(): 31, figs. Holotype ♂: Turkey: Bayburt Pr.: Kop Dağı Geçidi (West), 2400-2600m (ZMUA). Range (in code): TR
- 48071. *Scotopteryx dorytata* Xue, 1993** (Geometridae) Synonym(s): *dorytata* Xue, 1993 Range (in code): CN Ts
- 48072. *Scotopteryx duplicata* (W.Warren, 1893)** (Geometridae) Synonym(s): *duplicata* W.Warren, 1893 Range (in code): IN CN
- 48073. *Scotopteryx duplicata duplicata* (W.Warren, 1893)** (Geometridae) Synonym(s): *duplicata* W.Warren, 1893 Range (in code): IN
- 48074. *Scotopteryx duplicata subfimbriata* (L.B.Prout, 1937)** (Geometridae) Synonym(s): *subfimbriata* L.B.Prout, 1937 Range (in code): CN
- 48075. *Scotopteryx elbursica* (Bytinski-Salz & Brandt, 1937)** (Geometridae) Synonym(s): *elbursica* Bytinski-Salz & Brandt, 1937 Original Reference: *Ortholitha elbursica* Bytinski-Salz & Brandt, 1937, *Entomologist's Rec. J. Var.* 49: 12-13. Holotype ♀: Iran: Nissa. Range (in code): IR Elb Nss Th IQ Cc AM AZ
- 48076. *Scotopteryx elongata* (Dognin, 1904)** (Geometridae) Synonym(s): *elongata* Dognin, 1904 Range (in code): PE
- 48077. *Scotopteryx emanata* (Dognin, 1893)** (Geometridae) Synonym(s): *emanata* Dognin, 1893 Range (in code): EC
- 48078. *Scotopteryx euboliata* (W.Warren, 1905)** (Geometridae) Synonym(s): *euboliata* W.Warren, 1905 Range (in code): PE
- 48079. *Scotopteryx euryveda* (L.B.Prout, 1937)** (Geometridae) Synonym(s): *euryveda* L.B.Prout, 1937 Range (in code): CN GN Hc
- 48080. *Scotopteryx ferridotata* (Walker, [1863])** (Geometridae) Synonym(s): *ferridotata* Walker, [1863] Range (in code): ZA Wca Cto
- 48081. *Scotopteryx fissiferata* (Walker, 1862)** (Geometridae) Synonym(s): *fissiferata* Walker, 1862; *intermixta* Walker, 1862 Range (in code): IN
- 48082. *Scotopteryx flavophasgania* Xue, 1993** (Geometridae) Synonym(s): *flavophasgania* Xue, 1993 Range (in code): CN
- 48083. *Scotopteryx fulminata* (Dognin, 1893)** (Geometridae) Synonym(s): *fulminata* Dognin, 1893 Range (in code): EC
- 48084. *Scotopteryx fuscifasciata* (Brandt, 1938)** (Geometridae) Synonym(s): *fuscifasciata* Brandt, 1938 Range (in code): IR Fa Ha Yz
- 48085. *Scotopteryx fuscifasciata fuscifasciata* (Brandt, 1938)** (Geometridae) Synonym(s): *fuscifasciata* Brandt, 1938 Range (in code): IR Fa
- 48086. *Scotopteryx fuscifasciata subardua* (Wiltshire, 1949)** (Geometridae) Synonym(s): *subardua* Wiltshire, 1949 Range (in code): IR Ha
- 48087. *Scotopteryx fuscifasciata zoroaster* (Wiltshire, 1949)** (Geometridae) Synonym(s): *zoroaster* Wiltshire, 1949 Range (in code): IR Yz

- 48088. *Scotopteryx golovushkini* Kostjuk,1991** (Geometridae) Synonym(s): *golovushkini* Kostjuk,1991 _ Range (in code): RU Sb MN
- 48089. *Scotopteryx horismodes* (L.B.Prout,1913)** (Geometridae) Synonym(s): *horismodes* L.B.Prout,1913 _ Range (in code): ZA ZA10 ZA11 ZA12 Kzu Nta Tra Ec Wo Lpo
- 48090. *Scotopteryx ignorata* Hausmann,1998** (Geometridae) Synonym(s): *ignorata* Hausmann,1998 _ Range (in code): AT RO GR BG SS
- 48091. *Scotopteryx inflexa* (Dognin,1914)** (Geometridae) Synonym(s): *inflexa* Dognin,1914 _ Range (in code): CO Bgt
- 48092. *Scotopteryx integraria* (Staudinger,1892)** (Geometridae) Synonym(s): *integraria* Staudinger,1892 _ Range (in code): UZ Smk
- 48093. *Scotopteryx junctata* (Staudinger,1882)** (Geometridae) Synonym(s): *junctata* Staudinger,1882 _ Range (in code): KK KG DsA CN Ui Ju Ga Kl AF TJ Pm Drw Ch
- 48094. *Scotopteryx junctata badahshanica* Viidalepp,1988** (Geometridae) Synonym(s): *badahshanica* Viidalepp,1988 _ Range (in code): AF TJ Pm Drw
- 48095. *Scotopteryx junctata junctata* (Staudinger,1882)** (Geometridae) Synonym(s): *junctata* Staudinger,1882 _ Range (in code): KK KG DsA CN Ui Ju Ga Kl
- 48096. *Scotopteryx junctata microgynaria* (Hampson,1902)** (Geometridae) Synonym(s): *microgynaria* Hampson,1902 _ Range (in code): Ch
- 48097. *Scotopteryx junctata pamirica* Viidalepp,1988** (Geometridae) Synonym(s): *pamirica* Viidalepp,1988 _ Range (in code): TJ Pm
- 48098. *Scotopteryx kashgara* (Moore,1878)** (Geometridae) Synonym(s): *kashgara* Moore,1878 _ Range (in code): CN Ui Ga Kml UZ Fe KK Ik
- 48099. *Scotopteryx kiminaiana* (Matsumura,1925)** (Geometridae) Synonym(s): *kiminaiana* Matsumura,1925 _ Range (in code): JP Sh
- 48100. *Scotopteryx kurmanjiana* Rajaei & Laszlo,2014** (Geometridae) Synonym(s): *kurmanjiana* Rajaei & Laszlo,2014 _ Range (in code): TM Kp IR Kh Qh
- 48101. *Scotopteryx kuznecovi* Herbulot,1996** (Geometridae) Synonym(s): *kuznecovi* Herbulot,1996 _ Range (in code): RU Prj Vv
- 48102. *Scotopteryx kuznetzovi* (Vardikjan,1957)** (Geometridae) Synonym(s): *kuznetzovi* Vardikjan,1957 _ Range (in code): Cc Eri AM GG Tbl TR IR Ak Ab Es
- 48103. *Scotopteryx langi* (Christoph,1885)** (Geometridae) Synonym(s): *langi* Christoph,1885
Original Reference: Ortholitha langi Christoph,1885, [in] Romanoff, Mém. lépid. 2: 108-110, pl.5 figs. 9a-b. Syntypes: [Turquie]: Kasikoparan. Range (in code): TR Cc GG RU Kb
- 48104. *Scotopteryx leucocypta* (Hampson,1902)** (Geometridae) Synonym(s): *leucocypta* Hampson,1902 _ Range (in code):
- 48105. *Scotopteryx luridata* (Hufnagel,1767)** (Geometridae) Synonym(s): *luridata* Hufnagel,1767; *plumbaria* Fabricius,1775; *palumbaria* [Denis & Schiffermüller],1775; *marginaria* Goeze,1781; *quadrifasciaria* Thunberg,1784; *luridaria* Brahm,1791; *palumbata* Hübner,[1825] Original Reference: Phalaena luridata Hufnagel,1767, Berl. Mag. 4: Range (in code): ES Mu FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE Cc GG AZ AM RU Ur Bionomy: Larva on Cytisus, Genista, Lathyrus pratensis, Sarothamnus scoparius (Meyer,1919; Calle et al.,2000).
- 48106. *Scotopteryx moeniata* (Scopoli,1763)** (Geometridae) Synonym(s): *moeniata* Scopoli,1763; *moeniaria* [Denis & Schiffermüller],1775; *fimbriata* Fabricius,1777 nec Schr.,1759; *angulata* Rottemburg,1777 nec Hufn.,1767; *moeniataria* Villers,1789; *modesta* Lempke,1967 Original Reference: Phalaena moeniata Scopoli,1763, Entomologia Carniolica: 226. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG DK RU MD UA BY Bionomy: Larva on Genista, Sarothamnus scoparius (Meyer,1919).
- 48107. *Scotopteryx mucronata* (Scopoli,1763)** (Geometridae) Synonym(s): *mucronata* Scopoli,1763; *virgaria* Esper,[1801]; *turturia* Treitschke,1827 Original Reference: Phalaena mucronata Scopoli,1763, Entomologia Carniolica: 222. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE RU Ur MD UA Cm BY Cc GG AZ AM
- 48108. *Scotopteryx mucronata scotica* Cockayne,1940** (Geometridae) Synonym(s): *scotica* Cockayne,1940 _ Range (in code): GB
- 48109. *Scotopteryx nasifera* (W.Warren,1888)** (Geometridae) Synonym(s): *nasifera* W.Warren,1888 Original Reference: Eubolia nasifera W.Warren,1888, Proc. zool. Soc. Lond. 1888: 331. Type ♂: [Pakistan]: Thundiani, August 19 1886. Range (in code): PK Thu Pj

- 48110. *Scotopteryx nebulata* (A.Bang-Haas,1907)** (Geometridae) Synonym(s): *nebulata* A.Bang-Haas,1907 Original Reference: Ortholitha nebulata A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 82-83, Taf.iii fig.4. Type 1♂: [Türkei: Gaziantep]: "Aintab (Klein-Asien)". Range (in code): **TR**
- 48111. *Scotopteryx nictitaria* (Herrich-Schäffer,1855)** (Geometridae) Synonym(s): *nictitaria* Herrich-Schäffer,1855 Range (in code): **ZA ZA10 ZA11 ZA12 Nta Kzu ZA14 Mpu Ggh Fs ZA28 Tva Lpo**
- 48112. *Scotopteryx obvallaria* (Mabille,1867)** (Geometridae) Synonym(s): *obvallaria* Mabille,1867 Range (in code): **Co Sa**
- 48113. *Scotopteryx octodurensis* (Favre,1903)** (Geometridae) Synonym(s): *octodurensis* Favre,1903; *nevadina* Wehrli,1927 Range (in code): **ES Abr Mu An FR CH AT YU AL TR IR Elb** Bionomy: Larva on Genista, Retama, Spartium (Calle et al.,2000).
- 48114. *Scotopteryx octodurensis decolor* (Schwingenschuss,1939)** (Geometridae) Synonym(s): *decolor* Schwingenschuss,1939 Range (in code): **IR Elb Th**
- 48115. *Scotopteryx octodurensis ibera* (L.B.Prout,1937)** (Geometridae) Synonym(s): *ibera* L.B.Prout,1937 Range (in code): **ES Abr**
- 48116. *Scotopteryx octodurensis lozeræ* (Herbulot,1957)** (Geometridae) Synonym(s): *lozeræ* Herbulot,1957 Range (in code): **FR**
- 48117. *Scotopteryx octodurensis octodurensis* (Favre,1903)** (Geometridae) Synonym(s): *octodurensis* Favre,1903; *nevadina* Wehrli,1927 Range (in code): **ES Mu An CH AT YU AL TR**
- 48118. *Scotopteryx olympia* Rezbanyai-Reser,2003** (Geometridae) Synonym(s): *olympia* Rezbanyai-Reser,2003 Range (in code): **GR**
- 48119. *Scotopteryx peribolata* (Hübner,[1817])** (Geometridae) Synonym(s): *peribolata* Hübner,[1817] Range (in code): **DZ Orn PT ES Mu FR GB CH** Bionomy: Larva on Genista, Retama, Spartium, Ulex (Meyer, 1919; Calle et al.,2000).
- 48120. *Scotopteryx peribolata chouika* (Oberthür,1909)** (Geometridae) Synonym(s): *chouika* Oberthür,1909; *magna* L.B.Prout,1914 Range (in code): **DZ**
- 48121. *Scotopteryx peribolata culoti* (Schawerda,1932)** (Geometridae) Synonym(s): *culoti* Schawerda,1932 Range (in code): **FR**
- 48122. *Scotopteryx peringueyi* (L.B.Prout,1917)** (Geometridae) Synonym(s): *peringueyi* L.B.Prout,1917 Range (in code): **ZA Tva ZA14 ZA20 Mpu Wca Cto**
- 48123. *Scotopteryx perplexaria* (Staudinger,1892)** (Geometridae) Synonym(s): *perplexaria* Staudinger,1892 Original Reference: Ortholitha perplexaria Staudinger,1892, Dt. ent. Z., Iris 5: 212-213, Taf.ii fig.17. Syntypes 2♂: Südwest. Transkaukasien: Lischk, Gedschen (?). Range (in code): **Cc GG AM AZ**
- 48124. *Scotopteryx pinnaria* (Christoph,1888)** (Geometridae) Synonym(s): *pinnaria* Christoph,1888 Range (in code): **Cc AZ RU Da GG AM**
- 48125. *Scotopteryx pinnaria miljanovskii* Viidalepp,1977** (Geometridae) Synonym(s): *caucasica* Dijkonov,1955 nec Niesiol.,1937; *miljanovskii* Viidalepp,1977 Range (in code): **RU**
- 48126. *Scotopteryx pinnaria pinnaria* (Christoph,1888)** (Geometridae) Synonym(s): *pinnaria* Christoph,1888 Range (in code): **Cc AZ RU Da GG AM**
- 48127. *Scotopteryx proximaria* (Rambur,1833)** (Geometridae) Synonym(s): *proximaria* Rambur,1833 Range (in code): **FR Co IT Sa** Bionomy: Larva on Genista, Ulex (Meyer,1919).
- 48128. *Scotopteryx ratona* (Dognin,1896)** (Geometridae) Synonym(s): *ratona* Dognin,1896 Range (in code): **EC**
- 48129. *Scotopteryx roseicilia* (Hampson,1895)** (Geometridae) Synonym(s): *roseicilia* Hampson,1895 Range (in code): **BT**
- 48130. *Scotopteryx roseifascia* (Hampson,1895)** (Geometridae) Synonym(s): *roseifascia* Hampson,1895 Range (in code): **IN SI**
- 48131. *Scotopteryx sartata* (Alpheraky,1883)** (Geometridae) Synonym(s): *sartata* Alpheraky,1883 Original Reference: Ortholitha sartata Alpheraky,1883, Horae Soc. ent. ross. 17: 198-199, Tab. ix fig.99. Syntypes ♂♀: [China: Uighur A.R.]: Archane. Range (in code): **CN Ui Arc T-S KG KK TJ Pm**
- 48132. *Scotopteryx scotophasgania* Xue,1993** (Geometridae) Synonym(s): *scotophasgania* Xue,1993 Range (in code): **CN**
- 48133. *Scotopteryx semenovi* (Alpheraky,1892)** (Geometridae) Synonym(s): *semenovi* Alpheraky,1892; *ouanguemetaria* Oberthür,1893 Range (in code): **CN Ti Ts Kno**

- 48134. *Scotopteryx similaria* (Leech,1897)** (Geometridae) Synonym(s): *similaria* Leech,1897; *erschoffii* Alpheraky,1897 _ Range (in code): CN
- 48135. *Scotopteryx sinensis* (Alpheraky,1883)** (Geometridae) Synonym(s): *sinensis* Alpheraky,1883 _ Original Reference: Ortholitha sinensis Alpheraky,1883, Horae Soc. ent. ross. 17: 196-198, Tab. viii fig.74. Syntypes ♂♀: [China: Uighur A.R.]: Archane. Range (in code): CN Ui Arc Kl KK Ik UZ Fe KG TJ Drw
- 48136. *Scotopteryx sinuosa* (Wiltshire,1970)** (Geometridae) Synonym(s): *sinuosa* Wiltshire,1970 _ Range (in code): AF
- 48137. *Scotopteryx* sp.** (Geometridae) Synonym(s): _ Range (in code): ZA Ggh Fs
- 48138. *Scotopteryx sterilis* (L.B.Prout,1938)** (Geometridae) Synonym(s): *sterilis* L.B.Prout,1938 _ Range (in code): IR Elb Th Dam
- 48139. *Scotopteryx subvicinaria* (Staudinger,1892)** (Geometridae) Synonym(s): *subvicinaria* Staudinger,1892 _ Original Reference: Ortholitha subvicinaria Staudinger,1892, Dt. ent. Z., Iris 5: 211. Syntypes ♂♀: "Caucasus, 1868" (ex coll. Lederer). Range (in code): LB Cc GG AZ AM TR IR
- 48140. *Scotopteryx subvicinaria libanaria* (L.B.Prout,1914)** (Geometridae) Synonym(s): *libanaria* L.B.Prout,1914 _ Range (in code): LB
- 48141. *Scotopteryx subvicinaria subvicinaria* (Staudinger,1892)** (Geometridae) Synonym(s): *subvicinaria* Staudinger,1892 _ Original Reference: Ortholitha subvicinaria Staudinger,1892, Dt. ent. Z., Iris 5: 211. Syntypes ♂♀: "Caucasus, 1868" (ex coll. Lederer). Range (in code): Cc GG AZ AM TR IR
- 48142. *Scotopteryx superjecta* L.B.Prout,1910** (Geometridae) Synonym(s): *superjecta* L.B.Prout,1910 _ Range (in code): AR Bue
- 48143. *Scotopteryx supproximaria* (Staudinger,1892)** (Geometridae) Synonym(s): *supproximaria* Staudinger,1892 _ Range (in code): UZ Fe KK Ax T-S KG
- 48144. *Scotopteryx transbaicalica* (Djakonov,1955)** (Geometridae) Synonym(s): *transbaicalica* Djakonov,1955 _ Range (in code): RU Sb Sj Ya Am MN
- 48145. *Scotopteryx vicaria* (Walker,[1863])** (Geometridae) Synonym(s): *vicaria* Walker,[1863] _ Range (in code): BR Rja
- 48146. *Scotopteryx vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919; *roesleri* Vojnits,1973 _ Original Reference: Eubolia vicinaria Duponchel,1830, [in] Godart & Duponchel, Hist. nat. lépid. Papillons Fr. 8 81): 188, pl.182 fig.4. Syntypes ♀♀: France, Digne. Range (in code): FR IT CH RO YU HV BG Sof GR TR Cc GG AZ AM MD UA BY LB IR Elb Th KG Ssn
- 48147. *Scotopteryx vicinaria brunnescens* (L.B.Prout,1914)** (Geometridae) Synonym(s): *brunnescens* L.B.Prout,1914 _ Range (in code): LB
- 48148. *Scotopteryx vicinaria hyrcanaria* (Staudinger,1892)** (Geometridae) Synonym(s): *hyrcanaria* Staudinger,1892 _ Original Reference: Ortholitha hyrcanaria Staudinger,1892, Dt. ent. Z., Iris 5: 212. Syntypes 6♂♀: "Nord-Persien" (MNHU). Range (in code): IR Elb Th Cc GG AZ AM TR
- 48149. *Scotopteryx vicinaria vicinaria* (Duponchel,1830)** (Geometridae) Synonym(s): *vicinaria* Duponchel,1830; *zumsteinaria* Harpe,1862; *illyriacaria* Schawerda,1919; *roesleri* Vojnits,1973 _ Original Reference: Eubolia vicinaria Duponchel,1830, [in] Godart & Duponchel, Hist. nat. lépid. Papillons Fr. 8 81): 188, pl.182 fig.4. Syntypes ♀♀: France, Digne. Range (in code): FR IT CH RO HV YU BG Sof GR TR
- 48150. *Scotopteryx vittistrigata* (L.B.Prout,1910)** (Geometridae) Synonym(s): *vittistrigata* L.B.Prout,1910 _ Range (in code): BR
- 48151. *Selenia dentaria* (Fabricius,1775)** (Geometridae) Synonym(s): *dentaria* Fabricius,1775; *gagathes* Goeze,1781; *achataea* Fourcroy,1785; *ustularia* Donovan,1794; *illunaria* Hübner,[1799]; *bilunaria* Esper,[1801]; *juliaria* Haworth,1809; *minor* Boisduval,1840 _ Original Reference: Phalaena dentaria Fabricius,1775; Syst. Ent.: 623. Type(s): Anglia. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU MD UA BY
- 48152. *Selenia forsteri* Wehrli,1941** (Geometridae) Synonym(s): *forsteri* Wehrli,1941 _ Range (in code): IR Elb Mz
- 48153. *Selenia lunularia* (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831 _ Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Gls CN Ui Ku _ Bionomy: Larva on Alnus, Prunus spinosa, Rosa, Tilia (Meyer,1919).

- 48154. *Selenia lunularia kuldjana* (Wehrli,1940)** (Geometridae) Synonym(s): *kuldjana* Wehrli,1940 Original Reference: *Selenia lunaria* ssp. *kuldjana* Wehrli,1940, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 327 (25b). Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): **CN Ui Ku**
- 48155. *Selenia lunularia lunularia* (Hübner,1788)** (Geometridae) Synonym(s): *lunaria* [Denis & Schiffermüller],1775 nec Fabr.,1775; *lunularia* Hübner,1788; *delunaria* Hübner,[1799]; *sublunaria* Stephens,1831. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 48156. *Selenia tetralunaria* (Hufnagel,1767)** (Geometridae) Synonym(s): *tetralunaria* Hufnagel,1767 Original Reference: *Phalaena tetralunaria* Hufnagel,1767, Berl. Mag. 4: 506. Type(s): Deutschland: Berlin. Range (in code): **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG Cc GG AZ AM DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Alnus, Betula, Corylus, Prunus, Rubus idaeus, Salix (Meyer,1919).
- 48157. *Selidosema ambustarium* (Geyer,1831)** (Geometridae) Synonym(s): *ambustarium* Geyer,1831; *duponcheliaria* Lefebvre,1831; *mauretania* Wehrli,1953 Range (in code): **DZ Orn Si IT** Bionomy: Larva on Hypericum (Meyer,1919).
- 48158. *Selidosema atrarium* Powell,1941** (Geometridae) Synonym(s): *atrarium* Powell,1941 Range (in code): **MA**
- 48159. *Selidosema brunnearium* (Villers,1789)** (Geometridae) Synonym(s): *brunnearia* Villers,1789; *ericetaria* Villers,1789; *subfimbriata* Haworth,1812; *oelandica* Wahlgren,1913. Range (in code): **PT ES FR Si IT IE GB BE NL DE CH AT PL CZ HU AL GR TR Cc GG AZ DK NO SE RU MD UA BY** Bionomy: Larva on Calluna, Genista, Lotus corniculatus (Fabaceae), Rumex (Polygonaceae), Vaccinium (Meyer,1919).
- 48160. *Selidosema brunnearium syriacarium* Staudinger,1901** (Geometridae) Synonym(s): *syriacaria* Staudinger,1901 Original Reference: *Selidosema ericetaria* var. *syriacaria* Staudinger,1901, Cat. Lepid. palaearkt. Faunengeb. 3(1): 351. Syntypes: Syria, [Türkei]: Pontus [Amasya]. Range (in code): **TR**
- 48161. *Selidosema combustarium* Püngeler,1904** (Geometridae) Synonym(s): *combustaria* Püngeler,1904 Original Reference: *Selidosema combustaria* Püngeler,1904, Dt. ent. Z., Iris 16: 298, pl.6 fig.18. Holotype ♂: Palestine: Jordan Tal. Range (in code): **IL JO**
- 48162. *Selidosema herbuloti* Rungs,1975** (Geometridae) Synonym(s): *herbuloti* Rungs,1975 Range (in code): **MA**
- 48163. *Selidosema jowzakensis* Weisert,2009** (Geometridae) Synonym(s): *jowzakensis* Weisert,2009 Range (in code): **IR Kh**
- 48164. *Selidosema modestarium* Püngeler,1914** (Geometridae) Synonym(s): *modestaria* Püngeler,1914 Original Reference: *Selidosema modestaria* Püngeler,1914, Dt. ent. Z., Iris 28: 52, pl.3 fig.16. Holotype ♂: [Kazachstan]: "Syr-Daria, Baigacum". Range (in code): **KG Bai**
- 48165. *Selidosema parenzani* Hausmann,1993** (Geometridae) Synonym(s): *parenzani* Hausmann,1993 Range (in code): **IT Si**
- 48166. *Selidosema picturatum* Rothschild,1914** (Geometridae) Synonym(s): *picturatum* Rothschild,1914 Original Reference: *Selidosema picturata* Rothschild,1914, Novit. zool. 21: 351-352. Syntypes 63♂♂ 60♀♀: Algeria, Guelte-es-Stel (V.Faroult). Range (in code): **DZ Ges**
- 48167. *Selidosema plumarium* ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *#plumaria* [Denis & Schiffermüller],1775; *limbata* Rambur,1829. Original Reference: *Geometra plumaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 106. Type(s): [Austria]: Vienna district. Range (in code): **ES Si IT CH AT CZ SK HU RO YU AL GR TR FI EE RU MD UA BY IR Kh** Bionomy: Larva on Calluna, Genista, Lathyrus, Lotus, Dorycnium ([Denis & Schiffermüller],1775 et seq.).
- 48168. *Selidosema plumarium amani* Wehrli,1932** (Geometridae) Synonym(s): *amani* Wehrli,1932 Original Reference: *Selidosema plumaria* ssp. *amani* Wehrli,1932, Mitt. münch. ent. Ges. 22: 10. Syntypes 5♂: [Türkei]: Amanus, Döldül Dagh. Range (in code): **TR**
- 48169. *Selidosema plumarium khorasana* Weisert,2009** (Geometridae) Synonym(s): *khorasana* Weisert,2009 Range (in code): **IR Kh**
- 48170. *Selidosema rorarium* (Fabricius,1777)** (Geometridae) Synonym(s): *roraria* Fabricius,1777 Original Reference: *Phalaena roraria* Fabricius,1777, Genera Ins.: 285. Type(s): Europa. Range (in code):

- 48171. *Selidosema taeniolarium* (Hübner,[1813])** (Geometridae) **Synonym(s):** *taeniolarium* Hübner,[1813] **Range (in code):** **PT ES Mu FR IT Si CH** **Bionomy:** Larva on *Genista*, *Prunus spinosa*, *Retama*, *Ulex* (Meyer,1919; Calle et al.,2000).
- 48172. *Selidosema tamsi* Rebel,1939** (Geometridae) **Synonym(s):** *tamsi* Rebel,1939 **Original Reference:** *Selidosema tamsi* Rebel,1939, Mitt. münch. ent. Ges. 29: 539. Holotype ♂: Zypern: Platres (BMNH). **Range (in code):** **CY** **Bionomy:** Larva on *Sarcopoterium spinosum* (Wiltshire,1952).
- 48173. *Semiothisa erevanica* Vardikjan,1985** (Geometridae) **Synonym(s):** *erevanica* Vardikjan,1985 **Original Reference:** *Semiothisa erevanica* Vardikjan,1985, Dokl. Akad. Nauk. SSSR 81 (2): 94, figs.1,2. Holotype ♂: Armenia: Erivan (IZA). **Range (in code):** **AM Eri Cc**
- 48174. *Semiothisa kaszabi* (Vojnits,1974)** (Geometridae) **Synonym(s):** *kaszabi* Vojnits,1974 **Range (in code):** **MN**
- 48175. *Semiothisa kuhitangensis* Vasilenko,1996** (Geometridae) **Synonym(s):** *kuhitangensis* Vasilenko,1996 **Original Reference:** *Semiothisa kuhitangensis* Vasilenko,1996, Zool. Zh. 76 (10): 1592-1959. Holotype ♂: Kuhitang Mts. Airi-baba, 14.vii.1991 (Dubatolov leg.) **Range (in code):** **TM**
- 48176. *Semiothisa sengana* (Brandt,1940)** (Geometridae) **Synonym(s):** *sengana* Brandt,1940 **Range (in code):** **IR Ss**
- 48177. *Semiothisa streniataria* (Walker,1861)** (Geometridae) **Synonym(s):** *streniataria* Walker,1861; *fidoniata* Hampson,1895; *olivescens* W.Warren,1896 **Range (in code):** **IN PK Cp Sd Krc LK**
- 48178. *Semiothisa testacea* (Walker,[1863])** (Geometridae) **Synonym(s):** *testacea* Walker,[1863] **Range (in code):** **CG**
- 48179. *Semiothisa wehrlii* (Brandt,1940)** (Geometridae) **Synonym(s):** *wehrlii* Brandt,1940 **Range (in code):** **IR Ss**
- 48180. *Serratophyga sterrhoticha* (L.B.Prout,1937)** (Geometridae) **Synonym(s):** *sterrhoticha* L.B.Prout,1937 **Original Reference:** *Hypephyra sterrhoticha* L.B.Prout,1937, Novit. zool. 40: 188. **Range (in code):** **ID Bli MY Bor Clb**
- 48181. *Serratophyga subangulata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *subangulata* W.Warren,1896; *micans* Hampson,1896 **Range (in code):** **IN Ass Meg Khs BT SI**
- 48182. *Serratophyga xanthospilaria* (Wehrli,1925)** (Geometridae) **Synonym(s):** *xanthospilaria* Wehrli,1925 **Range (in code):** **CN**
- 48183. *Sesquialtera audens* L.B.Prout,1931** (Geometridae) **Synonym(s):** *audens* L.B.Prout,1931 **Range (in code):** **SO**
- 48184. *Sesquialtera lonchota* L.B.Prout,1931** (Geometridae) **Synonym(s):** *lonchota* L.B.Prout,1931 **Range (in code):** **ET ET168 ET87**
- 48185. *Sesquialtera ramecourtii* Herbulot,1967** (Geometridae) **Synonym(s):** *ramecourtii* Herbulot,1967 **Range (in code):** **NA Dmr**
- 48186. *Sesquialtera ridicula* L.B.Prout,1916** (Geometridae) **Synonym(s):** *ridicula* L.B.Prout,1916 **Range (in code):** **SO ZA ZA21 Tva Lpo**
- 48187. *Shangrilana paradisea* Inoue,1994** (Geometridae) **Synonym(s):** *paradisea* Inoue,1994 **Original Reference:** *Shangrilana paradisea* Inoue,1994, Tinea 14 (1): 9. figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP (BMNH). **Range (in code):** **TH CMa Int**
- 48188. *Sicyodes algoaria* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *algoaria* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA**
- 48189. *Sicyodes algoaria limettaria* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *limettaria* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA**
- 48190. *Sicyodes alicata* (R.Felder & Rogenhofer,1875)** (Geometridae) **Synonym(s):** *alicata* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA Tva ZA14 Mpu**
- 48191. *Sicyodes bivaria* (Gueneé,[1858])** (Geometridae) **Synonym(s):** *bivaria* Gueneé,[1858]; *justaria* Walker,1862; *biferaria* Walker,[1863]; *inflectaria* Walker,[1863] **Range (in code):** **ZA**
- 48192. *Sicyodes cambogiaria* (Gueneé,[1858])** (Geometridae) **Synonym(s):** *cambogiaria* Gueneé,[1858]; *paucaria* Gueneé,[1858]; *tardaria* Walker,[1863]; *walkeri* Wallengren,1875 **Range (in code):** **ZA ZA04 Ksi ZA12 ZA13 ZA14 Mpu Mal ZA17 ZA21 Tva Lpo Spb Bbg ZA24 NWe** **Bionomy:** Larva on *Maytenus heterophylla* (Celastraceae) (Staude,1999).
- 48193. *Sicyodes coryi* (Janse,1932)** (Geometridae) **Synonym(s):** *coryi* Janse,1932 **Range (in code):** **ZA Nta Kzu**

- 48194. *Sicyodes costipicta* L.B.Prout,1932** (Geometridae) **Synonym(s):** *costipicta* L.B.Prout,1932
Range (in code): **ZA ZA14 Mpu ZA17 Tva Lpo ZR**
- 48195. *Sicyodes costipicta olearis* L.B.Prout,1938** (Geometridae) **Synonym(s):** *olearis* L.B.Prout,1938
Range (in code): **ZA ZA14 Mpu ZA17 Tva Lpo**
- 48196. *Sicyodes gynoloxa* L.B.Prout,1938** (Geometridae) **Synonym(s):** *gynoloxa* L.B.Prout,1938
Range (in code): **NA**
- 48197. *Sicyodes ocellata* W.Warren,1897** (Geometridae) **Synonym(s):** *ocellata* W.Warren,1897
Range (in code): **ZA ZA26 Kzu Nta**
- 48198. *Sicyodes ocellata intuens* L.B.Prout,1916** (Geometridae) **Synonym(s):** *intuens* L.B.Prout,1916
Range (in code): **ZA Nta Kzu**
- 48199. *Sicyodes olivescens* (W.Warren,1898)** (Geometridae) **Synonym(s):** *olivescens* W.Warren,1898
Range (in code): **ZA ZA16 Mpu ZA21 Tva Lpo ZA24 NWe Brb**
- 48200. *Sicyodes pulverea* L.B.Prout,1937** (Geometridae) **Synonym(s):** *pulverea* L.B.Prout,1937
Range (in code): **ZA**
- 48201. *Sicyodes pulverea scotozona* Vari & Kroon,1986** (Geometridae) **Synonym(s):** *scotozona* Vari & Kroon,1986
Range (in code): **ZA**
- 48202. *Sicyodes* sp.** (Geometridae) **Synonym(s):** **Range (in code):** **ZA Tva ZA14 ZA20 Mpu**
- 48203. *Sicyodes subochrea* L.B.Prout,1917** (Geometridae) **Synonym(s):** *subochrea* L.B.Prout,1917
Range (in code): **ZA Fs**
- 48204. *Sicyodes tanzanica* Herbulot,1992** (Geometridae) **Synonym(s):** *tanzanica* Herbulot,1992
Range (in code): **TZ**
- 48205. *Sicyodes warreni* L.B.Prout,1938** (Geometridae) **Synonym(s):** *warreni* L.B.Prout,1938
Range (in code): **KE**
- 48206. *Siona galactica* L.B.Prout,1929** (Geometridae) **Synonym(s):** *galactica* L.B.Prout,1929
Range (in code): **DZ**
- 48207. *Siona lineata* (Scopoli,1763)** (Geometridae) **Synonym(s):** *lineata* Scopoli,1763; *dealbata* Linnaeus,1767; *duplicata* Fourcroy,1785 nec Fabr.,1775; *dealbaria* Hübner,[1799]
Original Reference: *Phalaena lineata* Scopoli,1763, *Entomologia Carniolica*: 218. **Type(s):** [Slovenien]: Carniolia [Krain]. **Range (in code):** **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE FI EE LV LT RU MD UA BY KG TrA Aa CN Ui Ii Ku**
Bionomy: Larva on *Viburnum opulus* (Caprifoliaceae); *Achillea millefolium*, *Chrysanthemum vulgare*, *Solidago virgaurea* (Asteraceae); *Dactylis glomerata* (Poaceae); *Hypericum maculatum* (Clusiaceae); *Vicia* (Fabaceae); *Galium verum* (Rubiaceae); *Salix aurita* (Salicaceae) (Scoble,1999).
- 48208. *Sirinopteryx ablunata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *ablunata* Guenée,[1858]; *pangiararia* R.Felder & Rogenhofer,1875; *kashmirica* W.Warren,1899
Range (in code): **Ch Gs IN PK Swa Sgl**
- 48209. *Sirinopteryx duplicilinea* (Hampson,1895)** (Geometridae) **Synonym(s):** *duplicilinea* Hampson,1895
Range (in code): **IN Hp Dlh**
- 48210. *Sirinopteryx harutai* Yazaki,1998** (Geometridae) **Synonym(s):** *harutai* Yazaki,1998
Range (in code): **NP**
- 48211. *Sirinopteryx longipennis* (W.Warren,1893)** (Geometridae) **Synonym(s):** *longipennis* W.Warren,1893
Range (in code): **IN SI**
- 48212. *Sirinopteryx nepalensis* Inoue,1992** (Geometridae) **Synonym(s):** *nepalensis* Inoue,1992
Range (in code): **NP**
- 48213. *Sirinopteryx parallela* Wehrli,1937** (Geometridae) **Synonym(s):** *parallela* Wehrli,1937
Range (in code): **CN**
- 48214. *Sirinopteryx punctifera* Wehrli,1937** (Geometridae) **Synonym(s):** *punctifera* Wehrli,1937
Range (in code): **CN**
- 48215. *Sirinopteryx quadripunctata* (Moore,1868)** (Geometridae) **Synonym(s):** *quadripunctata* Moore,1868
Range (in code): **IN Ben**
- 48216. *Sirinopteryx rosinaria* Oberthür,1911** (Geometridae) **Synonym(s):** *rosinaria* Oberthür,1911
Range (in code): **NP CN**
- 48217. *Sirinopteryx rufilineata* W.Warren,1893** (Geometridae) **Synonym(s):** *rufilineata* W.Warren,1893
Range (in code): **IN Ass Meg Khs**
- 48218. *Sirinopteryx rufivinctata* (Walker,[1863])** (Geometridae) **Synonym(s):** *rufivinctata* Walker,[1863]
Range (in code): **IN Djl SI**

- 48219. *Sirinopteryx undulifera* W.Warren,1893** (Geometridae) **Synonym(s):** *undulifera* W.Warren,1893 **Range (in code):** **IN SI**
- 48220. *Solitanea mariae* (Stauder,1921)** (Geometridae) **Synonym(s):** *mariae* Stauder,1921 **Range (in code):** **Co IT**
- 48221. *Somatina accraria* Swinhoe,1904** (Geometridae) **Synonym(s):** *accraria* Swinhoe,1904 **Range (in code):** **GH Acc**
- 48222. *Somatina anthophilata* Guenée,[1858]** (Geometridae) **Synonym(s):** *anthophilata* Guenée,[1858] **Range (in code):** **PK Cp Abb TH CMA CDo IN Bba** **Bionomy:** Larva on Rosa (Rosaceae); Gardenia jasminoides (Rubiaceae) (Scoble,1999).
- 48223. *Somatina apicipuncta* L.B.Prout,1915** (Geometridae) **Synonym(s):** *apicipuncta* L.B.Prout,1915 **Range (in code):** **ZA GH**
- 48224. *Somatina centrofasciaria* (Leech,1897)** (Geometridae) **Synonym(s):** *centrofasciaria* Leech,1897 **Range (in code):** **CN**
- 48225. *Somatina centrophora* L.B.Prout,1915** (Geometridae) **Synonym(s):** *centrophora* L.B.Prout,1915 **Range (in code):** **ZA Ktz Nta Kzu Ec Grh** **Bionomy:** Larva on Olea europaea (Oleaceae) (Scoble,1999).
- 48226. *Somatina chalyboeata* (Walker,1869)** (Geometridae) **Synonym(s):** *chalyboeata* Walker,1869 **Range (in code):** **CG**
- 48227. *Somatina ctenophora* L.B.Prout,1915** (Geometridae) **Synonym(s):** *ctenophora* L.B.Prout,1915 **Range (in code):** **ZA ZA17 Tva Lpo KE Nai**
- 48228. *Somatina dentifasciaria* Inoue,1992** (Geometridae) **Synonym(s):** *dentifasciaria* Inoue,1992 **Original Reference:** *Somatina dentifasciaria* Inoue,1992, Bull. Fac. domest. Sci. Otsu Univ. 28: 185, figs.87-91. Holotype ♂: Thailand: Chiang Mai, Doi Suthep (BMNH). **Range (in code):** **TH CMA Dst MM Tns Krh**
- 48229. *Somatina discata* W.Warren,1909** (Geometridae) **Synonym(s):** *discata* W.Warren,1909 **Range (in code):** **CN Hn**
- 48230. *Somatina eurymitra* Turner,1926** (Geometridae) **Synonym(s):** *eurymitra* Turner,1926 **Range (in code):** **AU QAU**
- 48231. *Somatina figurata* W.Warren,1897** (Geometridae) **Synonym(s):** *figurata* W.Warren,1897; *rufitacta* W.Warren,1905 **Range (in code):** **UG MG ZA ZA21 Tva Lpo Wnn Dbn Nta Kzu Wca Cto**
- 48232. *Somatina fletcheri* Herbulot,1958** (Geometridae) **Synonym(s):** *fletcheri* Herbulot,1958 **Range (in code):** **ST**
- 48233. *Somatina fraus* L.B.Prout,1916** (Geometridae) **Synonym(s):** *fraus* L.B.Prout,1916 **Range (in code):** **CF**
- 48234. *Somatina fungifera* W.Warren,1909** (Geometridae) **Synonym(s):** *fungifera* W.Warren,1909 **Range (in code):** **ZR**
- 48235. *Somatina hombergi* Herbulot,1967** (Geometridae) **Synonym(s):** *hombergi* Herbulot,1967 **Range (in code):** **CG**
- 48236. *Somatina impunctulata* (W.Warren,1901)** (Geometridae) **Synonym(s):** *impunctulata* W.Warren,1901 **Range (in code):** **SL**
- 48237. *Somatina indicataria* (Walker,1861)** (Geometridae) **Synonym(s):** *indicataria* Walker,1861 **Range (in code):** **CN JP RU Us**
- 48238. *Somatina ioscia* L.B.Prout,1932** (Geometridae) **Synonym(s):** *ioscia* L.B.Prout,1932 **Range (in code):** **ZA ZA21 Tva Lpo ZW Bul**
- 48239. *Somatina irregularis* (W.Warren,1898)** (Geometridae) **Synonym(s):** *irregularis* W.Warren,1898 **Range (in code):** **NG**
- 48240. *Somatina lemairei* Herbulot,1978** (Geometridae) **Synonym(s):** *lemairei* Herbulot,1978 **Range (in code):** **CM**
- 48241. *Somatina lia* L.B.Prout,1915** (Geometridae) **Synonym(s):** *lia* L.B.Prout,1915 **Range (in code):** **KM**
- 48242. *Somatina macroanthophilata* Xue,1992** (Geometridae) **Synonym(s):** *macroanthophilata* Xue,1992 **Range (in code):** **CN Hun**
- 48243. *Somatina maeandrata* L.B.Prout,1925** (Geometridae) **Synonym(s):** *maeandrata* L.B.Prout,1925 **Range (in code):** **MY Kdh**
- 48244. *Somatina mendicaria* (Leech,1897)** (Geometridae) **Synonym(s):** *mendicaria* Leech,1897 **Range (in code):** **CN Sz**

- 48245. *Somatina microphylla* (Meyrick,1889)** (Geometridae) Synonym(s): *microphylla* Meyrick,1889; *catacissa* Turner,1908 - Range (in code): PG PMo AU QAU Kda
- 48246. *Somatina mozambica* (Thierry-Mieg,1905)** (Geometridae) Synonym(s): *mozambica* Thierry-Mieg,1905 - Range (in code): MZ ZA
- 48247. *Somatina nigridiscata* W.Warren,1896** (Geometridae) Synonym(s): *nigridiscata* W.Warren,1896 - Range (in code): ID Ja
- 48248. *Somatina nucleata* W.Warren,1905** (Geometridae) Synonym(s): *nucleata* W.Warren,1905 - Range (in code): SL
- 48249. *Somatina obscuriciliata* Wehrli,1924** (Geometridae) Synonym(s): *obscuriciliata* Wehrli,1924 - Range (in code): CN
- 48250. *Somatina omicraria* (Fabricius,1798)** (Geometridae) Synonym(s): *omicraria* Fabricius,1798; *extrucata* Walker,1861; *cana* Hampson,1895 - Range (in code): IN LK Pj AU
- 48251. *Somatina ossicolor* W.Warren,1898** (Geometridae) Synonym(s): *ossicolor* W.Warren,1898 - Range (in code): ID Sba
- 48252. *Somatina plynusaria* (Walker,[1863])** (Geometridae) Synonym(s): *plynusaria* Walker,[1863]; *congruaria* Walker,1869 - Range (in code): IN BD Syl
- 48253. *Somatina postlineata* (W.Warren,1899)** (Geometridae) Synonym(s): *postlineata* W.Warren,1899 - Range (in code): IN
- 48254. *Somatina probleptica* L.B.Prout,1917** (Geometridae) Synonym(s): *probleptica* L.B.Prout,1917 - Range (in code): NG ZA
- 48255. *Somatina prouti* Janse,1934** (Geometridae) Synonym(s): *prouti* Janse,1934 - Range (in code): ZA Ec Grh
- 48256. *Somatina purpurascens* Moore,[1887]** (Geometridae) Synonym(s): *purpurascens* Moore,[1887] - Range (in code): LK
- 48257. *Somatina pythiaria* (Guenée,[1858])** (Geometridae) Synonym(s): *pythiaria* Guenée,[1858] - Range (in code): ET YE YE3o Sna
- 48258. *Somatina rhodochila* L.B.Prout,1932** (Geometridae) Synonym(s): *rhodochila* L.B.Prout,1932 - Range (in code): ZR
- 48259. *Somatina rosacea* Swinhoe,1894** (Geometridae) Synonym(s): *rosacea* Swinhoe,1894 - Range (in code): IN Ass Meg Khs TW
- 48260. *Somatina rufifascia* W.Warren,1896** (Geometridae) Synonym(s): *rufifascia* W.Warren,1896; *maculata* W.Warren,1898; *sordida* W.Warren,1898; *rubridisca* Swinhoe,1900 - Range (in code): AU QAU
- 48261. *Somatina sanctithomae* Herbulot,1958** (Geometridae) Synonym(s): *sanctithomae* Herbulot,1958 - Range (in code): ST
- 48262. *Somatina sedata* L.B.Prout,1922** (Geometridae) Synonym(s): *sedata* L.B.Prout,1922 - Range (in code): ZA Ktz ZA14 Mpu ZA17 Tva Lpo ZA18 Ec ZA26 Nta Kzu Umk MG
- 48263. *Somatina* sp.1** (Geometridae) Synonym(s): - Range (in code): ZA Tva ZA16 Mpu
- 48264. *Somatina* sp.2** (Geometridae) Synonym(s): - Range (in code): ZA ZA17 Tva Lpo
- 48265. *Somatina sublucens* (W.Warren,1907)** (Geometridae) Synonym(s): *sublucens* W.Warren,1907 - Range (in code): PG
- 48266. *Somatina subviridata* (W.Warren,1901)** (Geometridae) Synonym(s): *subviridata* W.Warren,1901 - Range (in code): SL
- 48267. *Somatina syneorus* L.B.Prout,1915** (Geometridae) Synonym(s): *syneorus* L.B.Prout,1915 - Range (in code): GA
- 48268. *Somatina transvehens* L.B.Prout,1918** (Geometridae) Synonym(s): *transvehens* L.B.Prout,1918 - Range (in code): CN Hn
- 48269. *Somatina triocellata* (Bastelberger,1908)** (Geometridae) Synonym(s): *triocellata* Bastelberger,1908 - Range (in code): AU KY ID Clb
- 48270. *Somatina vestalis* (Butler,1875)** (Geometridae) Synonym(s): *vestalis* Butler,1875 - Range (in code): ZA ZA17 Tva Lpo Spb Mdk Hgl ZA25 Kzu Nta Wca Cto MZ
- 48271. *Somatina virginalis* L.B.Prout,1917** (Geometridae) Synonym(s): *virginalis* L.B.Prout,1917 - Range (in code): ZA UG YE Sna Bionomy: Larva on Jasminum (Oleaceae) (Scoble,1999).
- 48272. *Somatina wiltshirei* L.B.Prout,1938** (Geometridae) Synonym(s): *wiltshirei* L.B.Prout,1938 - Original Reference: *Somatina wiltshirei* Prout,1938, [in] Seitz,A., Die Gross-Schmett. Erde 4 (suppl.): 220, Taf. 17(c). Syntypes ♂♂: [Iraq]: Rowanduz, Berserini Gorge; Iran: Fars: Ardekan-Talochosroe, 2600m (BMNH). Range (in code): IQ Rwz Brs IR Fa Sse Com Kz

- 48273. Songarica mollicularia (Eversmann,1848)** (Geometridae) Synonym(s): *mollicularia* Eversmann,1848 _ Range (in code): **KG Ssn**
- 48274. Spaniocentra agathoides L.B.Prout,1931** (Geometridae) Synonym(s): *agathoides* L.B.Prout,1931 _ Range (in code): **PH Mno**
- 48275. Spaniocentra apatella West,1930** (Geometridae) Synonym(s): *apatella* West,1930 _ Range (in code): **PH Luz**
- 48276. Spaniocentra apatelloides Holloway,1996** (Geometridae) Synonym(s): *apatelloides* Holloway,1996 _ Range (in code): **MY Bor Swk**
- 48277. Spaniocentra bulbosa Holloway,1982** (Geometridae) Synonym(s): *bulbosa* Holloway,1982 _ Range (in code): **ID Ja**
- 48278. Spaniocentra clavata Holloway,1982** (Geometridae) Synonym(s): *clavata* Holloway,1982 _ Range (in code): **ID Ja**
- 48279. Spaniocentra hollowayi Inoue,1986** (Geometridae) Synonym(s): *hollowayi* Inoue,1986 _ Range (in code): **JP TH CMa**
- 48280. Spaniocentra isopania L.B.Prout,1917** (Geometridae) Synonym(s): *isopania* L.B.Prout,1917 _ Range (in code): **IN Bba Mh**
- 48281. Spaniocentra lobata Holloway,1982** (Geometridae) Synonym(s): *lobata* Holloway,1982 _ Range (in code): **ID Bor Klt TH Ntt Hba**
- 48282. Spaniocentra lyra (Swinhoe,1892)** (Geometridae) Synonym(s): *lyra* Swinhoe,1892 _ Range (in code): **IN Meg Ass Khs**
- 48283. Spaniocentra megaspilaria (Guenée,[1858])** (Geometridae) Synonym(s): *megaspilaria* Guenée,[1858]; *uniplaga* Walker,1861 _ Range (in code): **MY Bor Swk TH Ntt Hba**
- 48284. Spaniocentra pannosa (Moore,[1887])** (Geometridae) Synonym(s): *pannosa* Moore,[1887] _ Range (in code): **LK**
- 48285. Spaniocentra spicata Holloway,1982** (Geometridae) Synonym(s): *spicata* Holloway,1982 _ Range (in code): **MY**
- 48286. Spaniocentra tridens Holloway,1982** (Geometridae) Synonym(s): *tridens* Holloway,1982 _ Range (in code): **MM**
- 48287. Spargania luctuata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 *nec* Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930 _ Original Reference: *Geometra luctuata* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 316. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG Bjo DK NO SE FI EE LV LT RU Kol K-R Ur Sb Am Us Sh MD UA BY JP US Als Kod CA Lbr** _ Bionomy: Larva on *Galium* (Meyer,1919).
- 48288. Spargania luctuata albidior (Alpheraky,1897)** (Geometridae) Synonym(s): *albidior* Alpheraky,1897 _ Range (in code): **RU Sb Kmt**
- 48289. Spargania luctuata borealis (Petersen,1924)** (Geometridae) Synonym(s): *borealis* Petersen,1924 _ Range (in code): **RU Kol K-R Ur Sb**
- 48290. Spargania luctuata ichinosawana (Matsumura,1925)** (Geometridae) Synonym(s): *ichinosawana* Matsumura,1925 _ Range (in code): **RU Am Us Sh JP**
- 48291. Spargania luctuata luctuata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *luctuata* [Denis & Schiffermüller],1775; *transversata* Thunberg,1788 *nec* Hfn.,1767; *kodiakata* Packard,1873; *lugubrata* Müller,1930 _ Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Cc GG DK NO SE FI EE LV LT RU K-R MD UA BY US Als Kod**
- 48292. Spargania magnoliata Guenée,[1858]** (Geometridae) Synonym(s): *magnoliata* Guenée,[1858]; *incommodata* Walker,1862; *placidata* Walker,1862; *ziczacata* Walker,1862; *cumatilis* Grote & Robinson,1867 _ Range (in code): **CA Nsc Nfl US Ny Cf Als Ne** _ Bionomy: Larva on *Geranium*, *Pelargonium* (Geraniaceae), *Epilobium angustifolium*, *Fuchsia*, *Oenothera biennis* (Onagraceae) (Scoble et al.,1999).
- 48293. Spargania magnoliata magnoliata Guenée,[1858]** (Geometridae) Synonym(s): *magnoliata* Guenée,[1858]; *incommodata* Walker,1862; *placidata* Walker,1862; *ziczacata* Walker,1862; *cumatilis* Grote & Robinson,1867 _ Range (in code): **CA Nsc Nfl US Ny**
- 48294. Spargania magnoliata pernotata (Hulst,1898)** (Geometridae) Synonym(s): *pernotata* Hulst,1898 _ Range (in code): **US Als**
- 48295. Spargania magnoliata ruptata Barnes & McDunnough,1917** (Geometridae) Synonym(s): *ruptata* Barnes & McDunnough,1917 _ Range (in code): **US Ne**

- 48296. *Spargania magnoliata yuroka* Koçak & Kemal, 2008** (Geometridae) **Synonym(s):** *quadripunctata* Packard, 1871 nec Wlk., [1863]; *yuroka* Koçak & Kemal, 2008 _ **Range (in code):** **US Cf**
- 48297. *Spargania malacata* (Dognin, 1893)** (Geometridae) **Synonym(s):** *malacata* Dognin, 1893
Range (in code): **EC**
- 48298. *Spargania quadripunctata* (Walker, [1863])** (Geometridae) **Synonym(s):** *quadripunctata* Walker, [1863]; *olivata* W. Warren, 1900; *subrosea* Schaus, 1901 _ **Range (in code):** **VE JM MX**
- 48299. *Spargania radiosa* (Dognin, 1893)** (Geometridae) **Synonym(s):** *radiosa* Dognin, 1893; *miniata* W. Warren, 1907 _ **Range (in code):** **EC PE**
- 48300. *Spargania randallae* Sperry, 1951** (Geometridae) **Synonym(s):** *randallae* Sperry, 1951
Range (in code): **CL**
- 48301. *Spargania satanica* (Thierry-Mieg, 1894)** (Geometridae) **Synonym(s):** *satanica* Thierry-Mieg, 1894; *sublactea* W. Warren, 1904 _ **Range (in code):** **BO PE**
- 48302. *Spargania schistacea* W. Warren, 1904** (Geometridae) **Synonym(s):** *schistacea* W. Warren, 1904 _ **Range (in code):** **PE**
- 48303. *Spargania selika* (Thierry-Mieg, 1905)** (Geometridae) **Synonym(s):** *selika* Thierry-Mieg, 1905; *angulifascia* Dognin, 1907 _ **Range (in code):** **PE**
- 48304. *Spargania subchlorata* (R. Felder & Rogenhofer, 1875)** (Geometridae) **Synonym(s):** *subchlorata* R. Felder & Rogenhofer, 1875 _ **Range (in code):** **VE**
- 48305. *Spargania subcuprea* W. Warren, 1901** (Geometridae) **Synonym(s):** *subcuprea* W. Warren, 1901 _ **Range (in code):** **PA**
- 48306. *Spargania subdecorata* Dognin, 1911** (Geometridae) **Synonym(s):** *subdecorata* Dognin, 1911 _ **Range (in code):** **CO**
- 48307. *Spargania subignea* (Dognin, 1904)** (Geometridae) **Synonym(s):** *subignea* Dognin, 1904
Range (in code): **PE**
- 48308. *Spargania subrubescens* (W. Warren, 1905)** (Geometridae) **Synonym(s):** *subrubescens* W. Warren, 1905 _ **Range (in code):** **PE**
- 48309. *Spargania subtilisecta* L. B. Prout, 1931** (Geometridae) **Synonym(s):** *subtilisecta* L. B. Prout, 1931 _ **Range (in code):** **PE**
- 48310. *Spargania veronica* (Dognin, 1900)** (Geometridae) **Synonym(s):** *veronica* Dognin, 1900; *engelkei* W. Warren, 1904 _ **Range (in code):** **EC CO**
- 48311. *Spargania viridescens* (Grossbeck, 1910)** (Geometridae) **Synonym(s):** *viridescens* Grossbeck, 1910 _ **Range (in code):** **US Ut Arz**
- 48312. *Spartopteryx kindermannaria* (Staudinger, 1871)** (Geometridae) **Synonym(s):** *kindermannaria* Staudinger, 1871 _ **Range (in code):** **RU At KG Tar Ssn KK Ik MN CN Ui Um Ts Kno**
- 48313. *Sphyrocosta madecassa* (Viette, 1973)** (Geometridae) **Synonym(s):** *madecassa* Viette, 1973
Range (in code): **MG**
- 48314. *Spilopera anomala* (W. Warren, 1893)** (Geometridae) **Synonym(s):** *anomala* W. Warren, 1893 _ **Range (in code):** **MM Peg**
- 48315. *Spilopera chui* Stüning, 1987** (Geometridae) **Synonym(s):** *chui* Stüning, 1987 _ **Range (in code):** **CN She**
- 48316. *Spilopera crenularia* Leech, 1897** (Geometridae) **Synonym(s):** *crenularia* Leech, 1897
Range (in code): **CN**
- 48317. *Spilopera debilis* (Butler, 1878)** (Geometridae) **Synonym(s):** *debilis* Butler, 1878 _ **Range (in code):** **KP KR JP**
- 48318. *Spilopera roseimarginaria* Leech, 1897** (Geometridae) **Synonym(s):** *roseimarginaria* Leech, 1897 _ **Range (in code):** **CN Sz**
- 48319. *Spiralisigna acidna* (Turner, 1904)** (Geometridae) **Synonym(s):** *acidna* Turner, 1904
Range (in code): **NC**
- 48320. *Spiralisigna minutissima* (Swinhoe, 1902)** (Geometridae) **Synonym(s):** *minutissima* Swinhoe, 1902 _ **Range (in code):** **ID SbW**
- 48321. *Spiralisigna pseudofluctuosa* (Holloway, 1979)** (Geometridae) **Synonym(s):** *pseudofluctuosa* Holloway, 1979 _ **Range (in code):** **NC**
- 48322. *Stalagmia guttaria* (Gray, 1832)** (Geometridae) **Synonym(s):** *guttaria* Gray, 1832; *tenera* Walker, 1865 _ **Range (in code):** **ID Sum JP**
- 48323. *Stannodes danilovi* Erschoff, 1877** (Geometridae) **Synonym(s):** *danilovi* Erschoff, 1877
Range (in code): **RU Sb At Sj KK Ik CN Ui Ts KG T-S MN KP KR**

- 48324. *Stamnodes danilovi danilovi* Erschoff, 1877** (Geometridae) **Synonym(s):** *danilovi* Erschoff, 1877 **Range (in code):** **RU Sj Sb At KK Ik Ui CN Ts KG T-S MN KP KR**
- 48325. *Stamnodes danilovi djakonovi* Alpheraky, 1916** (Geometridae) **Synonym(s):** *djakonovi* Alpheraky, 1916 **Range (in code):** **CN Ts**
- 48326. *Stamnodes depeculata* (Lederer, 1870)** (Geometridae) **Synonym(s):** *depeculata* Lederer, 1870 **Original Reference:** *Cidaria depeculata* Lederer, 1870, *Annls Soc. ent. Belg.* 13: 40, 50-51, pl. 2 fig. 6. Syntypes: [Georgia]: Transcaucasie. **Range (in code):** **GR Prn TR Cc GG Da RU Kc Teb Kb IR Lo AZ CN Ts Kno Sz T-T Ti IR Elb Kdv Nss Vdb Dam Mz**
- 48327. *Stamnodes depeculata brachynesis* L.B. Prout, 1938** (Geometridae) **Synonym(s):** *brachynesis* L.B. Prout, 1938 **Range (in code):** **CN Sz**
- 48328. *Stamnodes depeculata depeculata* (Lederer, 1870)** (Geometridae) **Synonym(s):** *depeculata* Lederer, 1870 **Original Reference:** *Cidaria depeculata* Lederer, 1870, *Annls Soc. ent. Belg.* 13: 40, 50-51, pl. 2 fig. 6. Syntypes: [Georgia]: Transcaucasie. **Range (in code):** **Cc GG Da RU AZ**
- 48329. *Stamnodes depeculata discreta* L.B. Prout, 1938** (Geometridae) **Synonym(s):** *discreta* L.B. Prout, 1938 **Range (in code):** **CN Ts Kno**
- 48330. *Stamnodes depeculata lamarum* L.B. Prout, 1941** (Geometridae) **Synonym(s):** *lamarum* L.B. Prout, 1941 **Range (in code):** **CN Ti**
- 48331. *Stamnodes depeculata narzanica* Alpheraky, 1877** (Geometridae) **Synonym(s):** *narzanica* Alpheraky, 1877 **Range (in code):** **GR Prn RU Da Kc Teb Kb Cc IR Lo**
- 48332. *Stamnodes depeculata symmora* L.B. Prout, 1938** (Geometridae) **Synonym(s):** *symmora* L.B. Prout, 1938; *progressiva* Schwingenschuss, 1939 **Original Reference:** *Stamnodes depeculata* ssp. *symmora* L.B. Prout, 1938, [in] Seitz, A., *Gross Schmett. Erde* 4 (Suppl.): 236. Type ♀: Iran: Haschtar, Demavend 2600-3600m (Tring Mus.). **Range (in code):** **TR IR Elb Kdv Nss Vdb Dam Mz**
- 48333. *Stamnodes depeculata thibetaria* Oberthür, 1887** (Geometridae) **Synonym(s):** *thibetaria* Oberthür, 1887 **Original Reference:** *Stamnodes depeculata* var. *thibetaria* Oberthür, 1887, *Etüd. ent.* 11: 35, pl. vi fig. 44. Type: China, Ta-Tsien-Lou (Biet leg.). **Range (in code):** **CN Sz T-T**
- 48334. *Stamnodes pauperaria* (Eversmann, 1848)** (Geometridae) **Synonym(s):** *pauperaria* Eversmann, 1848 **Range (in code):** **RU At KG Tar Ssn KK Ik CN Ui Kml T-S UZ Fe TJ Pm IN PK Thu**
- 48335. *Stamnodes pauperaria divitaria* (Staudinger, 1882)** (Geometridae) **Synonym(s):** *pamira* Djakonov, 1916; *divitaria* Staudinger, 1882 **Range (in code):** **TJ Pm T-S KG KK UZ CN Ui Kml**
- 48336. *Stamnodes pauperaria pamphilata* R. Felder & Rogenhofer, 1875** (Geometridae) **Synonym(s):** *pamphilata* R. Felder & Rogenhofer, 1875 **Range (in code):** **PK Thu IN**
- 48337. *Stamnodes pauperaria pauperaria* (Eversmann, 1848)** (Geometridae) **Synonym(s):** *pauperaria* Eversmann, 1848 **Range (in code):** **RU At KG Tar Ssn KK Ik UZ Fe**
- 48338. *Stegania cararia* (Hübner, 1790)** (Geometridae) **Synonym(s):** *cararia* Hübner, 1790 **Range (in code):** **ES FR IT BE DE CH AT PL CZ SK HU RO LV LT RU MD UA BY CN** **Bionomy:** Larva on *Populus* (Meyer, 1919).
- 48339. *Stegania dalmataria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *dalmataria* Guenée, [1858] **Range (in code):** **TR YU HV Cc GG AZ KK Ik CN Ui Khr Ku KG Tk RU At**
- 48340. *Stegania dalmataria altaica* (Wehrli, 1939)** (Geometridae) **Synonym(s):** *altaica* Wehrli, 1939 **Range (in code):** **RU At**
- 48341. *Stegania dalmataria arenaria* Staudinger, 1892** (Geometridae) **Synonym(s):** *arenaria* Staudinger, 1892 **Range (in code):** **KK Ik CN Ui Khr Ku KG Tk**
- 48342. *Stegania dalmataria dalmataria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *dalmataria* Guenée, [1858] **Range (in code):** **TR YU HV Cc GG AZ**
- 48343. *Stegania dilectaria* (Hübner, 1790)** (Geometridae) **Synonym(s):** *dilectaria* Hübner, 1790; *commutataria* Hübner, [1819]; *commutata* Freyer, [1832] **Original Reference:** *Phalaena dilectaria* Hübner, 1790, *Beitr. Gesch. Schmett.* 2(3): 76, Taf. 4 fig. W. **Range (in code):** **DE AT CZ SK HU RO YU BG GR TR Cc AZ RU MD UA BY CN Ui Ju** **Bionomy:** Larva on *Populus nigra* (Meyer, 1919).
- 48344. *Stegania dilectaria trimaculoides* (Wehrli, 1931)** (Geometridae) **Synonym(s):** *trimaculoides* Wehrli, 1931 **Original Reference:** *Lomographa dilectaria* ssp. *trimaculoides* Wehrli, 1931, *Mitt. münch. ent. Ges.* 21: 44. Syntypes 70♂♀: [Türkei]: Marasch (ZSM). **Range (in code):** **TR**
- 48345. *Stegania frixa* (L.B. Prout, 1937)** (Geometridae) **Synonym(s):** *frixia* L.B. Prout, 1937 **Range (in code):** **ID Bli**

- 48346. *Stegania mesonephele* (Wiltshire,1967)** (Geometridae) Synonym(s): *mesonephele* Wiltshire,1967 _ Range (in code): AF Nu Bsg UZ PK
- 48347. *Stegania mesonephele mesonephele* (Wiltshire,1967)** (Geometridae) Synonym(s): *mesonephele* Wiltshire,1967 _ Range (in code): AF Nu Bsg
- 48348. *Stegania mesonephele tugaiana* Viidalepp,1988** (Geometridae) Synonym(s): *tugaiana* Viidalepp,1988 _ Range (in code): UZ
- 48349. *Stegania ochrearia* A.Bang-Haas,1910** (Geometridae) Synonym(s): *ochrearia* A.Bang-Haas,1910; *xanthinaria* Oberthür,1923 _ Range (in code): TN
- 48350. *Stegania oranaria* (Wehrli,1930)** (Geometridae) Synonym(s): *oranaria* Wehrli,1930 _ Range (in code): DZ Orn
- 48351. *Stegania postrecta* (Wehrli,1930)** (Geometridae) Synonym(s): *postrecta* Wehrli,1930 _ Range (in code): DZ
- 48352. *Stegania trimaculata* (Villers,1789)** (Geometridae) Synonym(s): *trimaculata* Villers,1789; *permutataria* Hübner,[1799]; *albicaria* Bruand,1846; *cognataria* Lederer,1853 _ Original Reference: Phalaena trimaculata Villers,1789, Linnaei Entomologia 2: 384. Range (in code): DZ Ges PT ES FR Co Sa Si IT GB BE NL DE CH AT TR _ Bionomy: Larva on Populus tremula (Meyer,1919).
- 48353. *Stegania wiltshirei* (Ebert,1965)** (Geometridae) Synonym(s): *wiltshirei* Ebert,1965 _ Range (in code): AF Bd Fz
- 48354. *Stigma kuldschaensis* Alpheraky,1883** (Geometridae) Synonym(s): *kuldschaensis* Alpheraky,1883 _ Original Reference: Stigma kuldschaensis Alpheraky,1883, Horae Soc. ent. ross. 17: 164-166,Tab.viii-ix, figs.83,98. Syntypes ♂♂: [China: Uighur A.R.]: Kuldja, 3500-12000ft. Range (in code): CN Ui Ku KK Ik Ax
- 48355. *Stigma kuldschaensis kuldschaensis* Alpheraky,1883** (Geometridae) Synonym(s): *kuldschaensis* Alpheraky,1883 _ Original Reference: Stigma kuldschaensis Alpheraky,1883, Horae Soc. ent. ross. 17: 164-166,Tab.viii-ix, figs.83,98. Syntypes ♂♂: [China: Uighur A.R.]: Kuldja, 3500-12000ft. Range (in code): CN Ui Ku
- 48356. *Stigma kuldschaensis negrita* Thierry-Mieg,1905** (Geometridae) Synonym(s): *negrita* Thierry-Mieg,1905; *atraria* A.Bang-Haas,1906. _ Range (in code): KK Ik Ax
- 48357. *Stueningia poggearia* (Lederer,1855)** (Geometridae) Synonym(s): *poggearia* Lederer,1855 _ Original Reference: Gnophos poggearia Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 212, t.3 fig.5. Type: [Lebanon]: Beirut. Range (in code): LB Bsa Bei SY Dms IL Hf Pa JO TR
- 48358. *Stueningia poggearia meyi* Hausmann,1993** (Geometridae) Synonym(s): *meyi* Hausmann,1993 _ Original Reference: Stueningia poggearia ssp. meyi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230, Abb.4. Holotype ♂: Syria: 25km W Damascus, 2-3.vi.61, leg. Kasy & Vartian (ZSM). Range (in code): SY Dms LB IL Pa JO
- 48359. *Stueningia poggearia poggearia* (Lederer,1855)** (Geometridae) Synonym(s): *poggearia* Lederer,1855 _ Original Reference: Gnophos poggearia Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 212, t.3 fig.5. Type: [Lebanon]: Beirut. Range (in code): LB Bei IL Hf Pa
- 48360. *Stueningia wolfi* Hausmann,1993** (Geometridae) Synonym(s): *wolfi* Hausmann,1993 _ Original Reference: Stueningia wolfi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230-232, Abb.1. Holotype ♂: Türkei: S. Anatolien, Karapinar, 995m, 12.vi.69, leg. G. Friedel (ZSM). Range (in code): TR
- 48361. *Stueningia wolfi taurica* Hausmann,1993** (Geometridae) Synonym(s): *taurica* Hausmann,1993 _ Original Reference: Stueningia wolfi ssp. taurica Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 232, Abb.2. Holotype ♂: [Türkei]: [Maraş Prov.]: "Taurus Marasch" (ZSM). Range (in code): TR
- 48362. *Stueningia wolfi wolfi* Hausmann,1993** (Geometridae) Synonym(s): *wolfi* Hausmann,1993 _ Original Reference: Stueningia wolfi Hausmann,1993, Bonn. zool. Beitr. 44 (3/4): 230-232, Abb.1. Holotype ♂: Türkei: S. Anatolien, Karapinar, 995m, 12.vi.69, leg. G. Friedel (ZSM). Range (in code): TR
- 48363. *Sundadoxa multidentata* (L.B.Prout,1916)** (Geometridae) Synonym(s): *multidentata* L.B.Prout,1916 _ Range (in code): MY
- 48364. *Sundagrapha lepidota* (L.B.Prout,1916)** (Geometridae) Synonym(s): *lepidota* L.B.Prout,1916 _ Range (in code): MY Bor Swk
- 48365. *Sundagrapha tenebrosa* (Swinhoe,1902)** (Geometridae) Synonym(s): *tenebrosa* Swinhoe,1902 _ Range (in code): MY SG TH

- 48366. Sundascelia epelys (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *epelys* L.B.Prout,1932
Range (in code): **MY Bor Sbh KBa**
- 48367. Swannia marmarea L.B.Prout,1926** (Geometridae) **Synonym(s):** *marmarea* L.B.Prout,1926
Range (in code): **MM Hta**
- 48368. Symmacra genuflexus (Hampson,1895)** (Geometridae) **Synonym(s):** *genuflexus* Hampson,1895
Range (in code): **IN SI**
- 48369. Symmacra inobtrusa (W.Warren,1897)** (Geometridae) **Synonym(s):** *inobtrusa* W.Warren,1897
Range (in code): **ID Clb**
- 48370. Symmacra regularis W.Warren,1896** (Geometridae) **Synonym(s):** *regularis* W.Warren,1896
Range (in code): **IN Ass Meg Khs**
- 48371. Symmacra solidaria (Guenée,[1858])** (Geometridae) **Synonym(s):** *solidaria* Guenée,[1858]; *quadraequata* Walker,1861; *thalassica* Moore,[1887]; *rufifrontaria* Hampson,1907; *hyporrhoda* L.B.Prout,1938
Range (in code): **ET LK PK Krc IN Adm Poo Mhw WS PG Ls Wd CN ID Clb**
- 48372. Symmetroctena fumosa W.Warren,1895** (Geometridae) **Synonym(s):** *fumosa* W.Warren,1895; *pachydesma* Turner,1947
Range (in code): **AU QAU**
- 48373. Symmetroctena variegata Holloway,1979** (Geometridae) **Synonym(s):** *variegata* Holloway,1979
Range (in code): **NC**
- 48374. Symmimetis confusa (W.Warren,1906)** (Geometridae) **Synonym(s):** *confusa* W.Warren,1906
Range (in code): **PG**
- 48375. Symmimetis cristata (W.Warren,1897)** (Geometridae) **Synonym(s):** *cristata* W.Warren,1897; *rivula* Hampson,1903
Range (in code): **IN LK**
- 48376. Symmimetis heveli Holloway,1997** (Geometridae) **Synonym(s):** *heveli* Holloway,1997
Range (in code): **MY Sbh Bor**
- 48377. Symmimetis merceri G.S.Robinson,1975** (Geometridae) **Synonym(s):** *merceri* G.S.Robinson,1975
Range (in code): **FJ**
- 48378. Symmimetis muscosa Turner,1907** (Geometridae) **Synonym(s):** *muscosa* Turner,1907
Range (in code): **AU QAU Kda**
- 48379. Symmimetis thorectes L.B.Prout,1934** (Geometridae) **Synonym(s):** *thorectes* L.B.Prout,1934
Range (in code): **FJ**
- 48380. Syncollesis trilineata (Hampson,1910)** (Geometridae) **Synonym(s):** *trilineata* Hampson,1910
Range (in code): **ZW Har ZR AO**
- 48381. Syncosmia craspedozona (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *craspedozona* L.B.Prout,1958
Range (in code): **ID Bli PH Luz Mlc Crm**
- 48382. Syncosmia craspedozona venata (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *venata* L.B.Prout,1958
Range (in code): **PH Luz**
- 48383. Syncosmia discisuffusa (Holloway,1976)** (Geometridae) **Synonym(s):** *discisuffusa* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 48384. Syncosmia dissographa (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *dissographa* L.B.Prout,1958
Range (in code): **ID Clb**
- 48385. Syncosmia eugerys (L.B.Prout,1929)** (Geometridae) **Synonym(s):** *eugerys* L.B.Prout,1929
Range (in code): **ID Mlc Crm**
- 48386. Syncosmia eurymesa (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *eurymesa* L.B.Prout,1926
Range (in code): **MY Bor Swk**
- 48387. Syncosmia layanga (Holloway,1976)** (Geometridae) **Synonym(s):** *layanga* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 48388. Syncosmia patinata W.Warren,1897** (Geometridae) **Synonym(s):** *patinata* W.Warren,1897
Range (in code): **IN Ass Meg Khs**
- 48389. Syncosmia seminotata (W.Warren,1898)** (Geometridae) **Synonym(s):** *seminotata* W.Warren,1898
Range (in code): **PG**
- 48390. Syncosmia trichophora (Hampson,1895)** (Geometridae) **Synonym(s):** *trichophora* Hampson,1895
Range (in code): **IN NI**
- 48391. Syncosmia xanthocomes (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *xanthocomes* L.B.Prout,1926
Range (in code): **MM Hta**
- 48392. Syndromodes cellulata W.Warren,1898** (Geometridae) **Synonym(s):** *cellulata* W.Warren,1898
Range (in code): **ZA Tva ZA21 Lpo Spb Bbg Fs Nta Kzu Srn Umk Mpu Brb Wv Wm Gau Pre Fs Hei ZW** **Bionomy:** Larva on Acacia karroo (Mimosaceae) (Staude,1999).

- 48393. *Syndromodes dimensa* (Walker,1861)** (Geometridae) **Synonym(s):** *dimensa* Walker,1861
Range (in code): **ZA Wca Cto**
- 48394. *Syndromodes invenusta* (Wallengren,1863)** (Geometridae) **Synonym(s):** *invenusta* Wallengren,1863; *unicolor* W.Warren,1897 **Range (in code):** **ZW ZA Mal Tva Lpo ZA16 Mpu ZA17 ZA21 Ec Nta Kzu Umk Srn Ver Fs Blo Brb Gau Pre Wm Tz**
- 48395. *Syndromodes oedocnemis* L.B.Prout,1922** (Geometridae) **Synonym(s):** *oedocnemis* L.B.Prout,1922 **Range (in code):** **ZW Hfo Bul**
- 48396. *Syndromodes prasinops* L.B.Prout,1930** (Geometridae) **Synonym(s):** *prasinops* L.B.Prout,1930 **Range (in code):** **ZA Mal Tva Lpo Spb Wp ZA16 Mpu ZA24 NWe ZA26 Kzu Nta ZW Bul**
- 48397. *Syndromodes* sp.** (Geometridae) **Synonym(s):** **Range (in code):** **ZA ZA08 Kzu**
- 48398. *Synegia albibasis* (W.Warren,1906)** (Geometridae) **Synonym(s):** *albibasis* W.Warren,1906 **Range (in code):** **PG**
- 48399. *Synegia angusta* L.B.Prout,1924** (Geometridae) **Synonym(s):** *angusta* L.B.Prout,1924
Range (in code): **CN Sz Kig**
- 48400. *Synegia assimilis* (West,1929)** (Geometridae) **Synonym(s):** *assimilis* West,1929 **Range (in code):** **PH Luz**
- 48401. *Synegia asymbates* L.B.Prout,1932** (Geometridae) **Synonym(s):** *asymbates* L.B.Prout,1932
Range (in code): **MY Bor Sbh**
- 48402. *Synegia aurantiaca* (W.Warren,1897)** (Geometridae) **Synonym(s):** *aurantiaca* W.Warren,1897 **Range (in code):** **AU QAU**
- 48403. *Synegia balteata* (W.Warren,1902)** (Geometridae) **Synonym(s):** *balteata* W.Warren,1902
Range (in code): **ID Clb**
- 48404. *Synegia botydaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *botydaria* Guenée,[1858]; *sericearia* Walker,1866 **Range (in code):** **MY SG Bor ID Sum**
- 48405. *Synegia camptogrammaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *camptogrammaria* Guenée,[1858]; *maculosata* W.Warren,1896 **Range (in code):** **MY Bor Swk IN Ass Meg Khs**
- 48406. *Synegia clathrata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *clathrata* W.Warren,1896 **Range (in code):** **PG**
- 48407. *Synegia correspondens* (W.Warren,1897)** (Geometridae) **Synonym(s):** *correspondens* W.Warren,1897 **Range (in code):** **PH Luz**
- 48408. *Synegia cristobalensis* Herbulot,1991** (Geometridae) **Synonym(s):** *cristobalensis* Herbulot,1991 **Range (in code):** **SB Cri**
- 48409. *Synegia decolorata* (W.Warren,1903)** (Geometridae) **Synonym(s):** *decolorata* W.Warren,1903; *nigritibiata* West,1929 **Range (in code):** **PG PH Luz**
- 48410. *Synegia dentifascia* Holloway,[1994]** (Geometridae) **Synonym(s):** *dentifascia* Holloway,[1994] **Range (in code):** **MY Bor BN**
- 48411. *Synegia echmatica* (L.B.Prout,1929)** (Geometridae) **Synonym(s):** *echmatica* L.B.Prout,1929 **Range (in code):** **ID Ij Snw**
- 48412. *Synegia esther* Butler,1881** (Geometridae) **Synonym(s):** *esther* Butler,1881; *inconspicua* Butler,1881; *suffusa* L.B.Prout,1915; *uniformis* Inoue,1954 **Range (in code):** **JP**
- 48413. *Synegia estherodes* Sato,1990** (Geometridae) **Synonym(s):** *estherodes* Sato,1990
Range (in code): **TW**
- 48414. *Synegia eumeleata* (Walker,1861)** (Geometridae) **Synonym(s):** *eumeleata* Walker,1861; *secunda* Swinhoe,1909; *tertia* West,1929 **Range (in code):** **MY Bor Swk ID Sum TH TW**
- 48415. *Synegia fasciata* (W.Warren,1899)** (Geometridae) **Synonym(s):** *fasciata* W.Warren,1899
Range (in code): **PG Ls**
- 48416. *Synegia frenaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *frenaria* Guenée,[1858]
Range (in code): **MY Bor**
- 48417. *Synegia fulvata* (W.Warren,1906)** (Geometridae) **Synonym(s):** *fulvata* W.Warren,1906
Range (in code): **PG**
- 48418. *Synegia hadassa* (Butler,1878)** (Geometridae) **Synonym(s):** *hadassa* Butler,1878; *omissa* W.Warren,1894 **Range (in code):** **JP Krl**
- 48419. *Synegia hormosticta* L.B.Prout,1925** (Geometridae) **Synonym(s):** *hormosticta* L.B.Prout,1925 **Range (in code):** **CN Hn**
- 48420. *Synegia ichinosawana* (Matsumura,1925)** (Geometridae) **Synonym(s):** *ichinosawana* Matsumura,1925; *minima* Wehrli,1939 **Range (in code):** **JP**

- 48421. *Synegia imitaria* (Walker,1861)** (Geometridae) **Synonym(s):** *imitaria* Walker,1861;
obrimaria Walker,1861; *aemula* W.Warren,1894 - Range (in code): LK MY Pen
- 48422. *Synegia imitaria malayana* L.B.Prout,1925** (Geometridae) **Synonym(s):** *malayana*
L.B.Prout,1925 - Range (in code): MY Pen
- 48423. *Synegia intensa* (W.Warren,1897)** (Geometridae) **Synonym(s):** *intensa* W.Warren,1897
Range (in code): ID Clb
- 48424. *Synegia limitata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *limitata* W.Warren,1897
Range (in code): CN Sz
- 48425. *Synegia limitatoides* Inoue,1982** (Geometridae) **Synonym(s):** *limitatoides* Inoue,1982
Range (in code): JP
- 48426. *Synegia lineata* Swinhoe,1902** (Geometridae) **Synonym(s):** *lineata* Swinhoe,1902
Range (in code): MY Prk
- 48427. *Synegia liparampyx* (L.B.Prout,1929)** (Geometridae) **Synonym(s):** *liparampyx*
L.B.Prout,1929 - Range (in code): ID Ij Gth
- 48428. *Synegia luteolata* (Snellen,[1886])** (Geometridae) **Synonym(s):** *luteolata* Snellen,[1886]
Range (in code): ID Sum
- 48429. *Synegia masuii* Sato,1990** (Geometridae) **Synonym(s):** *masuii* Sato,1990 - Range (in code): JP
- 48430. *Synegia medioxima* L.B.Prout,1928** (Geometridae) **Synonym(s):** *medioxima*
L.B.Prout,1928 - Range (in code): ID Sum
- 48431. *Synegia nephelotis* L.B.Prout,1929** (Geometridae) **Synonym(s):** *nephelotis* L.B.Prout,1929
Range (in code): ID Bru Mlc
- 48432. *Synegia nigrellata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *nigrellata*
W.Warren,1896 - Range (in code): PG
- 48433. *Synegia obliquifasciata* Wehrli,1936** (Geometridae) **Synonym(s):** *obliquifasciata*
Wehrli,1936 - Range (in code): CN Sz T-T
- 48434. *Synegia obscura* (W.Warren,1894)** (Geometridae) **Synonym(s):** *obscura* W.Warren,1894
Range (in code): IN NI
- 48435. *Synegia ocellata* (W.Warren,1894)** (Geometridae) **Synonym(s):** *ocellata* W.Warren,1894
Range (in code): MY Prk
- 48436. *Synegia ohtsukai* Sato,1990** (Geometridae) **Synonym(s):** *ohtsukai* Sato,1990 - Range (in code): JP
- 48437. *Synegia pallens* Inoue,1982** (Geometridae) **Synonym(s):** *pallens* Inoue,1982 - Range (in code): JP
- 48438. *Synegia parallelaria* (W.Warren,1902)** (Geometridae) **Synonym(s):** *parallelaria*
W.Warren,1902 - Range (in code): PG
- 48439. *Synegia phaiotaeniata* Wehrli,1936** (Geometridae) **Synonym(s):** *phaiotaeniata*
Wehrli,1936 - Range (in code): CN Sz
- 48440. *Synegia polita* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *polita* L.B.Prout,1916
Range (in code): ID Ij Gth
- 48441. *Synegia polynesia* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *polynesia* L.B.Prout,1916
Range (in code): ID Ij Gth
- 48442. *Synegia potenza* Holloway,1976** (Geometridae) **Synonym(s):** *potenza* Holloway,1976
Range (in code): MY Bor Sbh KBa
- 48443. *Synegia prospera* L.B.Prout,1929** (Geometridae) **Synonym(s):** *prospera* L.B.Prout,1929
Range (in code): ID Bru
- 48444. *Synegia punctinervis* Holloway,1976** (Geometridae) **Synonym(s):** *punctinervis*
Holloway,1976 - Range (in code): MY Bor Sbh KBa
- 48445. *Synegia sanguinata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *sanguinata*
W.Warren,1897 - Range (in code): ID Ij
- 48446. *Synegia saturata* (West,1929)** (Geometridae) **Synonym(s):** *saturata* West,1929 - Range (in code): PH Luz
- 48447. *Synegia sciagraphica* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *sciagraphica*
L.B.Prout,1916 - Range (in code): ID Ij Gth
- 48448. *Synegia semipectinata* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *semipectinata*
L.B.Prout,1916 - Range (in code): ID Ij Gth

- 48449. *Synegia sordidata* (W.Warren,1907)** (Geometridae) Synonym(s): *sordidata* W.Warren,1907; *papuensis* L.B.Prout,1916 _ Range (in code): **PG ID Ij Gth**
- 48450. *Synegia subapicata* (L.B.Prout,1916)** (Geometridae) Synonym(s): *subapicata* L.B.Prout,1916 _ Range (in code): **ID Ij Gth**
- 48451. *Synegia subomissa* Wehrli,1939** (Geometridae) Synonym(s): *subomissa* Wehrli,1939 _ Range (in code): **CN**
- 48452. *Synegia thamiosticta* L.B.Prout,1931** (Geometridae) Synonym(s): *thamiosticta* L.B.Prout,1931 _ Range (in code): **ID Sib Mw**
- 48453. *Synegia transgrisea* Holloway,1976** (Geometridae) Synonym(s): *transgrisea* Holloway,1976 _ Range (in code): **MY Bor Sbh KBa**
- 48454. *Synegia varians* (W.Warren,1894)** (Geometridae) Synonym(s): *variens* W.Warren,1894 _ Range (in code): **MY Prk**
- 48455. *Synegiodes diffusifascia* Swinhoe,1892** (Geometridae) Synonym(s): *diffusifascia* Swinhoe,1892 _ Range (in code): **MM TH MY Bor**
- 48456. *Synegiodes diffusifascia diffusifascia* Swinhoe,1892** (Geometridae) Synonym(s): *diffusifascia* Swinhoe,1892 _ Range (in code): **MM TH MY Bor**
- 48457. *Syneora strixoides* Holloway,1979** (Geometridae) Synonym(s): *strixoides* Holloway,1979 _ Range (in code): **NC**
- 48458. *Syngonorthus subpunctatus* Butler,1892** (Geometridae) Synonym(s): *subpunctatus* Butler,1892 _ Range (in code): **MY Bor Sbh Snk**
- 48459. *Synopsia sociaria* (Hübner,[1799])** (Geometridae) Synonym(s): *sociaria* Hübner,[1799]; *staudingeraria* Martorell,1874; *acuta* Wehrli,1926 _ Original Reference: *Geometra sociaria* Hübner,[1799], Samml. eur. Schmett. 5: pl.29, fig.155. Type: Europa. Range (in code): **PT ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ AM IR GLs RU Ur At MD UA BY CN Ui Ku** _ Bionomy: Larva on *Artemisia*, *Genista* (Fabaceae), *Hippophae* [rhamnoides], *Sarothamnus scoparius*; *Tamarix* (Tamaricaceae) (Meyer,1919; et seq.).
- 48460. *Synopsidia phasidaria* (Rogenhofer,1873)** (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873 _ Original Reference: *Nychiodes phasidaria* Rogenhofer,1873, Verh. zool.- bot. Ges. Wien 23 (Abh.): 572. Type ♀: [Georgia]: "Im sommer bei Achalzik". Range (in code): **Cc GG Smt Akh AF Kab IR Ha Avd Es Fa Com Kz Shr Elb Th Dam Kh TM Noc AZ Nv Ord TR**
- 48461. *Synopsidia phasidaria afghana* Wiltshire,1966** (Geometridae) Synonym(s): *afghana* Wiltshire,1966 _ Original Reference: *Synopsidia phasidaria* ssp. *afghana* Wiltshire,1966, Z. Wien. ent. Ges. 51: 145-146. Holotype ♂: Afghanistan, 40km SW Kabul leg. Kasy & Vartian. Range (in code): **AF Kab**
- 48462. *Synopsidia phasidaria alvandi* Wiltshire,1966** (Geometridae) Synonym(s): *alvandi* Wiltshire,1966 _ Original Reference: *Synopsidia phasidaria* ssp. *alvandi* Wiltshire,1966, Z. Wien. ent. Ges. 51: 146. Holotype ♂: Iran, Mt.Alvand nr. Hamadan 8000ft. 27 7 1938, leg. & coll. Wiltshire. Range (in code): **IR Ha Avd Es**
- 48463. *Synopsidia phasidaria ardschira* Brandt,1938** (Geometridae) Synonym(s): *ardschira* Brandt,1938 _ Range (in code): **IR Fa Com Kz**
- 48464. *Synopsidia phasidaria centralis* Wiltshire,1966** (Geometridae) Synonym(s): *centralis* Wiltshire,1966 _ Original Reference: *Synopsidia phasidaria* ssp. *centralis* Wiltshire,1966, Z. Wien. ent. Ges. 51: 146. Holotype ♂: S-Iran, N.E.Fars, Kuh Taj Kirmani nr. Bavanat 7 8 1950 leg. & coll. Wiltshire. Range (in code): **IR Fa**
- 48465. *Synopsidia phasidaria chiraza* Brandt,1938** (Geometridae) Synonym(s): *chiraza* Brandt,1938 _ Range (in code): **IR Fa Shr**
- 48466. *Synopsidia phasidaria jodes* (Wehrli,1936)** (Geometridae) Synonym(s): *jodes* Wehrli,1936 _ Range (in code): **IR Elb Th Dam Kh**
- 48467. *Synopsidia phasidaria phasidaria* (Rogenhofer,1873)** (Geometridae) Synonym(s): *phasidaria* Rogenhofer,1873 _ Original Reference: *Nychiodes phasidaria* Rogenhofer,1873, Verh. zool.- bot. Ges. Wien 23 (Abh.): 572. Type ♀: [Georgia]: "Im sommer bei Achalzik". Range (in code): **Cc GG Smt Akh**
- 48468. *Synopsidia phasidaria tekkearia* (Christoph,1883)** (Geometridae) Synonym(s): *tekkearia* Christoph,1883 _ Range (in code): **TM Noc**
- 48469. *Synopsidia phasidaria znojko* (Djakonov,1935)** (Geometridae) Synonym(s): *znojko* Djakonov,1935 _ Original Reference: *Synopsia znojko* Djakonov,1935, Lambillionea 35 (7): 142-

- 147, figs. Synatypes 4♂: [Azerbaijan]: Paraga, N.W.Ordubad, 27 Juin 1933 leg. M.D.V.Znojko.
Range (in code): Cc AZ Nv Ord TR?
- 48470. Sysstema albipicta (W.Warren,1893)** (Geometridae) Synonym(s): albipicta W.Warren,1893 - Range (in code): IN SI
- 48471. Sysstema aulotis L.B.Prout,1927** (Geometridae) Synonym(s): aulotis L.B.Prout,1927
Range (in code): MM Hpa Kgf
- 48472. Sysstema longiplaga L.B.Prout,1923** (Geometridae) Synonym(s): longiplaga L.B.Prout,1923 - Range (in code): IN SI
- 48473. Sysstema pauxilla L.B.Prout,1927** (Geometridae) Synonym(s): pauxilla L.B.Prout,1927
Range (in code): MM Hta
- 48474. Sysstema pauxilloides Holloway,[1994]** (Geometridae) Synonym(s): pauxilloides Holloway,[1994] - Range (in code): MY Bor Swk
- 48475. Sysstema projectaria (Leech,1897)** (Geometridae) Synonym(s): projectaria Leech,1897
Range (in code): CN
- 48476. Sysstema semicirculata (Moore,1868)** (Geometridae) Synonym(s): semicirculata Moore,1868; concinna W.Warren,1893 - Range (in code): IN SI Djl
- 48477. Syzeuxis heteromeces L.B.Prout,1926** (Geometridae) Synonym(s): heteromeces L.B.Prout,1926 - Range (in code): IN SI Djl
- 48478. Syzeuxis magnidica L.B.Prout,1926** (Geometridae) Synonym(s): magnidica L.B.Prout,1926 - Range (in code): IN Ass Meg Khs
- 48479. Syzeuxis nigrinotata (W.Warren,1896)** (Geometridae) Synonym(s): nigrinotata W.Warren,1896 - Range (in code): IN Ass Meg Khs
- 48480. Syzeuxis seminanis L.B.Prout,1926** (Geometridae) Synonym(s): seminanis L.B.Prout,1926
Range (in code): IN Ass Meg Khs
- 48481. Syzeuxis subfasciaria (Wehrli,1924)** (Geometridae) Synonym(s): subfasciaria Wehrli,1924 - Range (in code): CN
- 48482. Syzeuxis tessellifimbria L.B.Prout,1926** (Geometridae) Synonym(s): tessellifimbria L.B.Prout,1926 - Range (in code): IN SI
- 48483. Syzeuxis trinotaria (Moore,1868)** (Geometridae) Synonym(s): trinotaria Moore,1868
Range (in code): IN Ben
- 48484. Tanaorhinus kina Swinhoe,1893** (Geometridae) Synonym(s): kina Swinhoe,1893
Range (in code): TH CMa IN Meg Ass Khs SI TW
- 48485. Tanaorhinus malayanus Inoue,1992** (Geometridae) Synonym(s): malayanus Inoue,1992
Range (in code): MY Cmh TH
- 48486. Tanaorhinus philippinensis Yazaki,1995** (Geometridae) Synonym(s): philippinensis Yazaki,1995 - Range (in code): PH Luz
- 48487. Tanaorhinus rafflesii (Moore,[1860])** (Geometridae) Synonym(s): rafflesii Moore,[1860]; luteoviridata Walker,1861; subignita Walker,1861; basaliata Walker,1866; #rafflesii Hutacharern & Tubtim,1995 Original Reference: Drepana rafflesii Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 369, pl.11a fig.1 Type ♂: [Indonesia]: Sumatra (BMNH). Range (in code): MY SG Bor Swk ID Sum Ja MM TH CMa Dst Dso8 Ntt Hba
- 48488. Tanaorhinus viridiluteata (Walker,1861)** (Geometridae) Synonym(s): viridiluteata Walker,1861 - Range (in code): CN TW MY Bor ID Sum TH CMa CDo IN SI Djl
- 48489. Tanaorhinus waterstradti L.B.Prout,1933** (Geometridae) Synonym(s): waterstradti L.B.Prout,1933 - Range (in code): PH Mno
- 48490. Tanaotrichia curvata (W.Warren,1895)** (Geometridae) Synonym(s): curvata W.Warren,1895 - Range (in code): BT
- 48491. Tanaotrichia orientis L.B.Prout,1913** (Geometridae) Synonym(s): orientis L.B.Prout,1913
Range (in code): CN
- 48492. Tanaotrichia prasonaria (Swinhoe,1892)** (Geometridae) Synonym(s): prasonaria Swinhoe,1892 - Range (in code): SI IN Ass Meg Khs
- 48493. Tango unica (Rindge,1971)** (Geometridae) Synonym(s): unica Rindge,1971 - Range (in code): CL
- 48494. Tango variata (Rindge,1973)** (Geometridae) Synonym(s): variata Rindge,1973 - Range (in code): AR
- 48495. Tasta acornutata Holloway,[1994]** (Geometridae) Synonym(s): acornutata Holloway,[1994] - Range (in code): MY Bor Swk

- 48496. Tasta apluta L.B.Prout,1928** (Geometridae) Synonym(s): *apluta* L.B.Prout,1928 _ Range (in code): ID Sum
- 48497. Tasta argozana L.B.Prout,1926** (Geometridae) Synonym(s): *argozana* L.B.Prout,1926 Range (in code): MM Hta Hpi
- 48498. Tasta chalybeata W.Warren,1897** (Geometridae) Synonym(s): *chalybeata* W.Warren,1897 Range (in code): ID Clb
- 48499. Tasta chalybeatoides Holloway,[1994]** (Geometridae) Synonym(s): *chalybeatoides* Holloway,[1994] _ Range (in code): MY Bor Swk
- 48500. Tasta disciscura Holloway,1976** (Geometridae) Synonym(s): *disciscura* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 48501. Tasta elliptica Holloway,[1994]** (Geometridae) Synonym(s): *elliptica* Holloway,[1994] Range (in code): MY Bor Sbh KBa
- 48502. Tasta epargyra Wehrli,1936** (Geometridae) Synonym(s): *epargyra* Wehrli,1936 _ Range (in code): CN
- 48503. Tasta micaceata Walker,[1863]** (Geometridae) Synonym(s): *micaceata* Walker,[1863]; *iridis* Butler,1880 _ Range (in code): MY Bor Swk TH ID Sum
- 48504. Tasta montana Holloway,[1994]** (Geometridae) Synonym(s): *montana* Holloway,[1994] Range (in code): MY Bor Sbh KBa
- 48505. Tasta reflexa Swinhoe,1902** (Geometridae) Synonym(s): *reflexa* Swinhoe,1902 _ Range (in code): IN Ass Meg Khs BT MY Bor Swk SG
- 48506. Tasta reflexoides Holloway,[1994]** (Geometridae) Synonym(s): *reflexoides* Holloway,[1994] _ Range (in code): MY Bor Swk
- 48507. Telletrurona amnicosta Sato,1996** (Geometridae) Synonym(s): *amnicosta* Sato,1996 Range (in code): IN Mpr TH CMa Dst VN
- 48508. Tephronia arenbergeri (Hausmann,1995)** (Geometridae) Synonym(s): *arenbergeri* Hausmann,1995 Original Reference: Eumannia arenbergeri Hausmann,1995, Mitt. münch. ent. Ges. 85: 107. Holotype ♂: Cyprus. Range (in code): CY
- 48509. Tephronia bytinskii (Wehrli,1939)** (Geometridae) Synonym(s): *bytinskii* Wehrli,1939 Range (in code): Cn
- 48510. Tephronia codetaria Oberthür,1881** (Geometridae) Synonym(s): *codetaria* Oberthür,1881 Original Reference: Tephronia codetaria Oberthür,1881, Etud. Lépid. 6: 80, pl.11 fig.3. Type ♀: Algérie, Sebdou. Range (in code): MA DZ Sbd PT ES Mu FR Co Sa Si
- 48511. Tephronia cremiaria (Freyer,1837)** (Geometridae) Synonym(s): *cremiaria* Freyer,1837 Range (in code): ES FR IT DE GR
- 48512. Tephronia cyrnea (Schawerda,1932)** (Geometridae) Synonym(s): *cyrnea* Schawerda,1932 Range (in code): Co Sa
- 48513. Tephronia duercki Reisser,1933** (Geometridae) Synonym(s): *duercki* Reisser,1933 Range (in code): MA
- 48514. Tephronia espaniola Schawerda,1931** (Geometridae) Synonym(s): *espaniola* Schawerda,1931; *melaleucaria* Schwingenschuss,1932 _ Range (in code): ES
- 48515. Tephronia ethiopica Herbulot,1983** (Geometridae) Synonym(s): *ethiopica* Herbulot,1983 Range (in code): ET
- 48516. Tephronia fatimaria A.Bang-Haas,1906** (Geometridae) Synonym(s): *fatimaria* A.Bang-Haas,1906; *ismailaria* Oberthür,1913; *lactearia* Wehrli,1953 Original Reference: Tephronia fatimaria A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 140, Taf.v fig.14. Syntypes 3♀: "Algier (Süd Oran)". Range (in code): DZ Orn Afl
- 48517. Tephronia fumosata (Hausmann,1995)** (Geometridae) Synonym(s): *fumosata* Hausmann,1995; *#fumosaria* Hausmann,1997 Original Reference: Eumannia fumosata Hausmann,1995, Mitt. münch. ent. Ges. 85: 74, figs. Holotype ♀: N. Jordanien: Wadi Sir, nr. Amman (BMNH). Range (in code): IL Pa JO Amm
- 48518. Tephronia lepraria (Rebel,1909)** (Geometridae) Synonym(s): *lepraria* Rebel,1909 Range (in code): HU RU MD UA BY
- 48519. Tephronia minutaria Turati,1934** (Geometridae) Synonym(s): *minutaria* Turati,1934 Range (in code): LY Cy
- 48520. Tephronia nigrolineata Zerny,1934** (Geometridae) Synonym(s): *nigrolineata* Zerny,1934 Range (in code): MA

- 48521. *Tephronia nuragica* Fiumi, Flamingi, Zilli & Hausmann, 2013** (Geometridae)
Synonym(s): *nuragica* Fiumi, Flamingi, Zilli & Hausmann, 2013 - Range (in code): Co Sa
- 48522. *Tephronia oppositaria* Mann, 1864** (Geometridae) Synonym(s): *oppositaria* Mann, 1864
Original Reference: *Tephronia oppositaria* Mann, 1864, Wien. ent. Monatschr. 8: 178-179, Taf. 4 fig. 4. Syntypes ♂♂: [Türkei]: Brussa [Bursa]. Range (in code): MK AL BG GR TR Cc AZ RU IR Elb Gls SY Bionomy: Larva on Thymus (Meyer, 1919).
- 48523. *Tephronia oppositaria obscuraria* Staudinger, 1901** (Geometridae) Synonym(s): *obscuraria* Staudinger, 1901 - Range (in code): Cc AZ IR Elb Gls
- 48524. *Tephronia oppositaria oppositaria* Mann, 1864** (Geometridae) Synonym(s): *oppositaria* Mann, 1864
Original Reference: *Tephronia oppositaria* Mann, 1864, Wien. ent. Monatschr. 8: 178-179, Taf. 4 fig. 4. Syntypes ♂♂: [Türkei]: Brussa [Bursa]. Range (in code): MK AL BG GR TR RU
- 48525. *Tephronia oppositaria syriaca* (L.B. Prout, 1915)** (Geometridae) Synonym(s): *syriaca* L.B. Prout, 1915 - Range (in code): SY
- 48526. *Tephronia oranaria* Staudinger, 1892** (Geometridae) Synonym(s): *oranaria* Staudinger, 1892
Original Reference: *Tephronia oranaria* Staudinger, 1892, Dt. ent. Z., Iris 5: 179-180. Syntypes 3♂ 2♀: [Algeria]: Provinz Oran. Range (in code): DZ Lbs Orn PT ES FR IT BG
- 48527. *Tephronia praerecta* Wehrli, 1933** (Geometridae) Synonym(s): *praerecta* Wehrli, 1933
Range (in code): DZ
- 48528. *Tephronia psyloritaria* (Reisser, 1958)** (Geometridae) Synonym(s): *psyloritaria* Reisser, 1958 - Range (in code): Cr
- 48529. *Tephronia sepiaria* (Hufnagel, 1767)** (Geometridae) Synonym(s): *sepiaria* Hufnagel, 1767; *cineraria* [Denis & Schiffermüller], 1775; *carieraria* Herrich-Schäffer, 1848; *destituta* Walker, 1870; *figalata* Millière, 1873
Original Reference: *Phalaena sepiaria* Hufnagel, 1767, Berl. Mag. 4: 516, 624. Type(s): Deutschland: Berlin. Range (in code): PT ES FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG AZ LT RU MD UA BY EG EG11 Bionomy: Larva on arboreous Lichens (Hofmann, 1893).
- 48530. *Terina charmione* (Fabricius, 1793)** (Geometridae) Synonym(s): *charmione* Fabricius, 1793
Range (in code): ZR
- 48531. *Terina chrysoptera* Hampson, 1909** (Geometridae) Synonym(s): *chrysoptera* Hampson, 1909 - Range (in code): UG ZR
- 48532. *Terina circumcincta* L.B. Prout, 1915** (Geometridae) Synonym(s): *circumcincta* L.B. Prout, 1915 - Range (in code): MW
- 48533. *Terina circumdata* (Walker, [1865])** (Geometridae) Synonym(s): *circumdata* Walker, [1865] - Range (in code): CG
- 48534. *Terina doleris* (Plötz, 1880)** (Geometridae) Synonym(s): *doleris* Plötz, 1880; *accra* Swinhoe, 1904 - Range (in code): GH Acc NG
- 48535. *Terina internata* (W. Warren, 1909)** (Geometridae) Synonym(s): *internata* W. Warren, 1909 - Range (in code): AO
- 48536. *Terina maculifera* Strand, 1911** (Geometridae) Synonym(s): *maculifera* Strand, 1911
Range (in code): GA
- 48537. *Terina niphanda* Druce, 1888** (Geometridae) Synonym(s): *niphanda* Druce, 1888
Range (in code): CG AO
- 48538. *Terina octogesa* (Druce, 1888)** (Geometridae) Synonym(s): *octogesa* Druce, 1888; *incisa* Holland, 1893; *flavibasis* W. Warren, 1897; *meliorata* L.B. Prout, 1915 - Range (in code): GA NG CM
- 48539. *Terina renifera* (W. Warren, 1897)** (Geometridae) Synonym(s): *renifera* W. Warren, 1897
Range (in code): SL
- 48540. *Terina rogersi* L.B. Prout, 1915** (Geometridae) Synonym(s): *rogersi* L.B. Prout, 1915
Range (in code): KE
- 48541. *Terina sanguinaria* Bethune-Baker, 1911** (Geometridae) Synonym(s): *sanguinaria* Bethune-Baker, 1911 - Range (in code): AO
- 48542. *Thalassodes acutipennis* L.B. Prout, 1916** (Geometridae) Synonym(s): *acutipennis* L.B. Prout, 1916 - Range (in code): Cro
- 48543. *Thalassodes albifimbria* W. Warren, 1897** (Geometridae) Synonym(s): *albifimbria* W. Warren, 1897; *ostracites* Karsch, 1900 - Range (in code): MW MG
- 48544. *Thalassodes antithetica* Herbulot, [1963]** (Geometridae) Synonym(s): *antithetica* Herbulot, [1963] - Range (in code): SC

- 48545. *Thalassodes baladensis* Holloway,1977** (Geometridae) **Synonym(s):** *baladensis* Holloway,1977 **_ Range (in code):** **NC**
- 48546. *Thalassodes byrsopis* Meyrick,1886** (Geometridae) **Synonym(s):** *byrsopis* Meyrick,1886 **_ Range (in code):** **AU QAU Roc PG**
- 48547. *Thalassodes camerunalta* Herbulot,1986** (Geometridae) **Synonym(s):** *camerunalta* Herbulot,1986 **_ Range (in code):** **CM**
- 48548. *Thalassodes caprifolia* Herbulot,1986** (Geometridae) **Synonym(s):** *caprifolia* Herbulot,1986 **_ Range (in code):** **CM**
- 48549. *Thalassodes charops* L.B.Prout,1928** (Geometridae) **Synonym(s):** *charops* L.B.Prout,1928 **_ Range (in code):** **WS**
- 48550. *Thalassodes chloropis* Meyrick,1886** (Geometridae) **Synonym(s):** *chloropis* Meyrick,1886; *timoclea* Druce,1888 **_ Range (in code):** **FJ** **Bionomy:** Larva on Anacardiaceae: *Anacardium occidentale*, *Mangifera indica*; Euphorbiaceae: *Ricinus communis*; Lecythidaceae: *Barringtonia racemosa*; Fabaceae: *Inocarpus fagiferus*; Myrtaceae: *Eugenia jambos*, *Syzygium seemannianum*; Rosaceae: *Rosa damascena* (Scoble,1999).
- 48551. *Thalassodes curiosa* Swinhoe,1902** (Geometridae) **Synonym(s):** *curiosa* Swinhoe,1902 **_ Range (in code):** **MY**
- 48552. *Thalassodes deloloma* L.B.Prout,1925** (Geometridae) **Synonym(s):** *deloloma* L.B.Prout,1925 **_ Range (in code):** **ID Sum**
- 48553. *Thalassodes dentatilinea* L.B.Prout,1912** (Geometridae) **Synonym(s):** *dentatilinea* L.B.Prout,1912 **_ Range (in code):** **NG**
- 48554. *Thalassodes depulsata* Walker,1861** (Geometridae) **Synonym(s):** *depulsata* Walker,1861 **_ Range (in code):** **ID Clb** **Bionomy:** Larva on Anacardiaceae: *Mangifera indica*; Myrtaceae: *Eugenia aquea*, Sapindaceae: *Nephelium lappaceum* (Scoble,1999).
- 48555. *Thalassodes diaphana* Debauche,1941** (Geometridae) **Synonym(s):** *diaphana* Debauche,1941 **_ Range (in code):** **ID Clb**
- 48556. *Thalassodes dissepta* Walker,1861** (Geometridae) **Synonym(s):** *dissepta* Walker,1861 **_ Range (in code):** **IN**
- 48557. *Thalassodes dissita* (Walker,1861)** (Geometridae) **Synonym(s):** *dissita* Walker,1861 **_ Range (in code):** **IN**
- 48558. *Thalassodes dissitoides* Holloway,1996** (Geometridae) **Synonym(s):** *dissitoides* Holloway,1996 **_ Range (in code):** **TH Ntt Hba MY Bor Swk**
- 48559. *Thalassodes dorsilinea* W.Warren,1903** (Geometridae) **Synonym(s):** *dorsilinea* W.Warren,1903 **_ Range (in code):** **PG**
- 48560. *Thalassodes dorsipunctata* W.Warren,1903** (Geometridae) **Synonym(s):** *dorsipunctata* W.Warren,1903 **_ Range (in code):** **PG**
- 48561. *Thalassodes effata* L.B.Prout,1916** (Geometridae) **Synonym(s):** *effata* L.B.Prout,1916 **_ Range (in code):** **ID Beh**
- 48562. *Thalassodes figurata* Robinson,1968** (Geometridae) **Synonym(s):** *figurata* Robinson,1968 **_ Range (in code):** **FJ**
- 48563. *Thalassodes fiona* Robinson,1975** (Geometridae) **Synonym(s):** *fiona* Robinson,1975 **_ Range (in code):** **FJ**
- 48564. *Thalassodes gigas* W.Warren,1899** (Geometridae) **Synonym(s):** *gigas* W.Warren,1899 **_ Range (in code):** **SB** **Bionomy:** Larva on Combretaceae: *Terminalia brassii*, *T. calamansanai* (Scoble,1999).
- 48565. *Thalassodes grammonota* L.B.Prout,1916** (Geometridae) **Synonym(s):** *grammonota* L.B.Prout,1916 **_ Range (in code):** **PG** **Bionomy:** Larva on Sapindaceae: *Pometia pinnata* (Scoble,1999).
- 48566. *Thalassodes halioscia* W.Warren,1912** (Geometridae) **Synonym(s):** *halioscia* W.Warren,1912 **_ Range (in code):** **SB**
- 48567. *Thalassodes hypoxantha* D.S.Fletcher,1957** (Geometridae) **Synonym(s):** *hypoxantha* D.S.Fletcher,1957 **_ Range (in code):** **SB Re**
- 48568. *Thalassodes hyraria* Guenée,[1858]** (Geometridae) **Synonym(s):** *hyraria* Guenée,[1858] **_ Range (in code):** **RE**
- 48569. *Thalassodes immistaria* Walker,1861** (Geometridae) **Synonym(s):** *immistaria* Walker,1861 **_ Range (in code):** **LK CN Hun Hn Yu ID MY Bor Swk** **Bionomy:** Larva on

- Anacardiaceae: *Mangifera indica*, Myrtaceae: *Eucalyptus camaldulensis*, Sapindaceae: *Dimocarpus longan* (Scoble,1999).
- 48570. *Thalassodes immistaria immistaria* Walker,1861** (Geometridae) **Synonym(s):** *immistaria* Walker,1861 **_ Range (in code):** **LK**
- 48571. *Thalassodes inconclusaria* Walker,1861** (Geometridae) **Synonym(s):** *inconclusaria* Walker,1861 **_ Range (in code):**
- 48572. *Thalassodes intaminata* Inoue,1971** (Geometridae) **Synonym(s):** *intaminata* Inoue,1971 **_ Range (in code):** **JP TH CN Fkn TW ID Sum PH**
- 48573. *Thalassodes interalbata* L.B.Prout,1911** (Geometridae) **Synonym(s):** *interalbata* L.B.Prout,1911 **_ Range (in code):** **ID Ij Fak**
- 48574. *Thalassodes javensis* L.B.Prout,1925** (Geometridae) **Synonym(s):** *javensis* L.B.Prout,1925 **_ Range (in code):** **ID Ja**
- 48575. *Thalassodes linguissita* Holloway,1996** (Geometridae) **Synonym(s):** *linguissita* Holloway,1996 **_ Range (in code):** **MY Bor Sbh**
- 48576. *Thalassodes liquescens* L.B.Prout,1934** (Geometridae) **Synonym(s):** *liquescens* L.B.Prout,1934 **_ Range (in code):** **FJ**
- 48577. *Thalassodes maipoensis* Galsworthy,1997** (Geometridae) **Synonym(s):** *maipoensis* Galsworthy,1997 **_ Range (in code):** **HK**
- 48578. *Thalassodes maipoensis* Galsworthy,1997** (Geometridae) **Synonym(s):** *maipoensis* Galsworthy,1997 **_ Range (in code):** **CN HK TH CMA**
- 48579. *Thalassodes microchloropis* Holloway,1979** (Geometridae) **Synonym(s):** *microchloropis* Holloway,1979 **_ Range (in code):** **NC**
- 48580. *Thalassodes minor* L.B.Prout,1903** (Geometridae) **Synonym(s):** *minor* L.B.Prout,1903 **_ Range (in code):** **PG**
- 48581. *Thalassodes mohrae* Sommerer,1997** (Geometridae) **Synonym(s):** *mohrae* Sommerer,1997 **_ Range (in code):** **ID Sum**
- 48582. *Thalassodes nivestrota* W.Warren,1903** (Geometridae) **Synonym(s):** *nivestrota* W.Warren,1903 **_ Range (in code):** **PG**
- 48583. *Thalassodes opaca* W.Warren,1898** (Geometridae) **Synonym(s):** *opaca* W.Warren,1898 **_ Range (in code):** **NG ZA** **Bionomy:** Larva on *Maesa lanceolata* (Scoble,1999).
- 48584. *Thalassodes opalina* Butler,1880** (Geometridae) **Synonym(s):** *opalina* Butler,1880 **_ Original Reference:** *Thalassodes opalina* Butler,1880, Ann. Mag. nat. Hist. (5) 6: 214. **_ Range (in code):** **PK Haz Mre IN Djl SI CN Hn Pj Yu**
- 48585. *Thalassodes opalinoides* Holloway,1996** (Geometridae) **Synonym(s):** *opalinoides* Holloway,1996 **_ Range (in code):** **MY Bor Swk**
- 48586. *Thalassodes pantascia* West,1930** (Geometridae) **Synonym(s):** *pantascia* West,1930 **_ Range (in code):** **PH Luz**
- 48587. *Thalassodes pilaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *pilaria* Guenée,[1858] **_ Range (in code):** **NC Tah** **Bionomy:** Larva on Anacardiaceae: *Anacardium occidentale*, *Camptosperma brevipetiolatum*, *Mangifera indica*, Euphorbiaceae: *Ricinus communis*, Guttiferae (Clusiaceae): *Calophyllum inophyllum*, Lecythidaceae: *Barringtonia racemosa*, Fabaceae: *Inocarpus fagiferus*, *Intsia bijuga*, Myrtaceae: *Eugenia jambos*, *E. malaccensis*, *Syzygium seemannianum*, Rosaceae: *Rosa damascena*, Sapindaceae: *Litchi chinensis*, *Nephelium lappaceum* (Scoble,1999).
- 48588. *Thalassodes progressa* L.B.Prout,1926** (Geometridae) **Synonym(s):** *progressa* L.B.Prout,1926 **_ Range (in code):** **MG**
- 48589. *Thalassodes pseudochloropis* Holloway,1979** (Geometridae) **Synonym(s):** *pseudochloropis* Holloway,1979 **_ Range (in code):** **NC**
- 48590. *Thalassodes quadraria* Guenée,[1858]** (Geometridae) **Synonym(s):** *quadraria* Guenée,[1858]; *digressa* Walker,1861; *ricinaria* Guenée,1862; *aequaria* Mabilie,1898; *chlorinaria* Mabilie,1898; *subreticulata* Mabilie,1900; *sapoliaria* Swinhoe,1904, #*quadrasis* Hutacharern & Tubtim,1995 **_ Range (in code):** **ZA Ktz ZA04 ZA05 ZA06 ZA07 ZA08 Ksi ZA14 Mal Tva Lpo Spb Mdk ZA16 Mpu ZA18 Ec Nta ZA25 Kzu Umk Dbn Srn KM MG SA As YE RE MU TH** **Bionomy:** Larva on *Ricinus communis* (Euphorbiaceae); *Mangifera indica*, *Schinus molle* (Anacardiaceae); *Polyalthia longifolia* (Annonaceae); *Barringtonia* (Lecythidaceae); *Rosa* (Rosaceae); *Coffea arabica* (Rubiaceae) (Guenée,1862, Scoble,1999).

- 48591. *Thalassodes regressa* Herbulot,1958** (Geometridae) **Synonym(s):** *regressa* Herbulot,1958
Range (in code): **ST**
- 48592. *Thalassodes rhytiphorus* Lower,1893** (Geometridae) **Synonym(s):** *rhytiphorus* Lower,1893
Range (in code): **AU NAU**
- 48593. *Thalassodes saturata* Snellen,1881** (Geometridae) **Synonym(s):** *saturata* Snellen,1881
Range (in code): **ID Clb**
- 48594. *Thalassodes scrutata* Herbulot,1972** (Geometridae) **Synonym(s):** *scrutata* Herbulot,1972
Range (in code): **CI**
- 48595. *Thalassodes subracutipennis* Inoue,1994** (Geometridae) **Synonym(s):** *subracutipennis* Inoue,1994
Range (in code): **JP**
- 48596. *Thalassodes sundissepta* Holloway,1996** (Geometridae) **Synonym(s):** *sundissepta* Holloway,1996
Range (in code): **MY Bor Swk**
- 48597. *Thalassodes tanymelea* L.B.Prout,1916** (Geometridae) **Synonym(s):** *tanymelea* L.B.Prout,1916
Range (in code): **PG Bsm**
- 48598. *Thalassodes umbrimedia* W.Warren,1903** (Geometridae) **Synonym(s):** *umbrimedia* W.Warren,1903
Range (in code): **PG**
- 48599. *Thalassodes unicolor* W.Warren,1902** (Geometridae) **Synonym(s):** *unicolor* W.Warren,1902
Range (in code): **NE**
- 48600. *Thalassodes viridifascia* Swinhoe,1908** (Geometridae) **Synonym(s):** *viridifascia* Swinhoe,1908
Range (in code): **MY Bor**
- 48601. *Thalassodes viridimargo* Holloway,1979** (Geometridae) **Synonym(s):** *viridimargo* Holloway,1979
Range (in code): **NC**
- 48602. *Thalassodes zebrata* W.Warren,1906** (Geometridae) **Synonym(s):** *zebrata* W.Warren,1906
Range (in code): **PG**
- 48603. *Thalassodes zothalmia* L.B.Prout,1933** (Geometridae) **Synonym(s):** *zothalmia* L.B.Prout,1933
Range (in code): **PG Nir**
- 48604. *Thalera aeruginata* (W.Warren,1893)** (Geometridae) **Synonym(s):** *aeruginata* W.Warren,1893
Range (in code): **IN Nag**
- 48605. *Thalera fimbrialis* (Scopoli,1763)** (Geometridae) **Synonym(s):** *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller]1,775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
Original Reference: Phalaena fimbrialis Scopoli,1763, Entomologia Carniolica: 216. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Lag Kir Hkd Cc DK NO SE FI EE LV LT RU MD UA BY KK Ik Ax CN Ui Kun Au IR Elb Th Fa Com Kz** Bionomy: Larva on Achillea, Artemisia campestris, Solidago, Thymus serpyllum (Meyer,1919; Skou,1986).
- 48606. *Thalera fimbrialis fimbrialis* (Scopoli,1763)** (Geometridae) **Synonym(s):** *fimbrialis* Scopoli,1763; *thymiaria* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller]1,775; *albaria* Esper,[1801]; *magnata* Fuchs,1903
Original Reference: Phalaena fimbrialis Scopoli,1763, Entomologia Carniolica: 216. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ GG Lag Kir Hkd DK NO SE FI EE LV LT RU MD UA BY KK Ik Ax CN Ui Kun Au IR Elb Th Fa Com Kz**
- 48607. *Thalera fimbrialis magnata* Fuchs,1903** (Geometridae) **Synonym(s):** *magnata* Fuchs,1903
Range (in code): **KK Ik Ax Tv RU**
- 48608. *Thalera suavis* (Swinhoe,1902)** (Geometridae) **Synonym(s):** *suavis* Swinhoe,1902
Range (in code): **CN Yu**
- 48609. *Thelycera hemithales* L.B.Prout,1912** (Geometridae) **Synonym(s):** *hemithales* L.B.Prout,1912
Range (in code): **ZA**
- 48610. *Thenopa bidens* Herbulot,1989** (Geometridae) **Synonym(s):** *bidens* Herbulot,1989
Range (in code): **CM**
- 48611. *Thenopa diversa* Walker,1855** (Geometridae) **Synonym(s):** *diversa* Walker,1855; *viridifascia* Holland,1893
Range (in code): **GA Ogo**
- 48612. *Thenopa nigraria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *nigraria* Swinhoe,1904
Range (in code): **SL**
- 48613. *Thenopa pseudonigraria* Carcasson,1964** (Geometridae) **Synonym(s):** *pseudonigraria* Carcasson,1964
Range (in code): **UG**
- 48614. *Thera* (Pennithera) *firmata* (Hübner,[1822])** (Geometridae) **Synonym(s):** *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835
Original Reference: Geometra firmata Hübner,[1822], Samml. eur. Schmett. 5: pl.100, fig.515. Type: Europa. Range (in code):

- PT ES Mu FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Pinus (Meyer,1919; Calle et al.,2000).
- 48615. Thera (Pennithera) firmata firmata (Hübner,[1822])** (Geometridae) Synonym(s): *firmata* Hübner,[1822]; *consobrinata* Curtis,1834; *firmaria* Treitschke,1835 Original Reference: *Geometra firmata* Hübner,[1822], Samml. eur. Schmett. 5: pl.100, fig.515. Type: Europa. Range (in code): **PT ES Mu FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 48616. Thera (Pennithera) firmata ulicata (Rambur,1834)** (Geometridae) Synonym(s): *ulicata* Rambur,1834; *ulicaria* Boisduval,1840 Range (in code): **FR**
- 48617. Thera (s.str.) atrinotata (De Joannis,1929)** (Geometridae) Synonym(s): *atrinotata* De Joannis,1929 Range (in code): **VN Ton**
- 48618. Thera (s.str.) britannica (Turner,1925)** (Geometridae) Synonym(s): *britannica* Turner,1925; *albonigrata* Gornik,1942 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT CZ SK HU RO GR TR DK NO SE**
- 48619. Thera (s.str.) cembrae (Kitt,1912)** (Geometridae) Synonym(s): *cembrae* Kitt,1912 Range (in code): **IT CH AT**
- 48620. Thera (s.str.) cognata (Thunberg,1792)** (Geometridae) Synonym(s): *cognata* Thunberg,1792; *simulata* Hübner,[1809]; *coniferata* Curtis,1834; *geneata* Feisthamel,1835; *simularia* Boisduval,1840; *genearia* Boisduval,1840 Original Reference: *Phalaena cognata* Thunberg,1792, Dissertatio Ent. sistens Insecta Svecica 4: 60. Lectotype ♀: Sweden (Karsholt & Nielsen, 1985: 441). Range (in code): **ES FR IT IE GB BE DE CH AT PL CZ SK HU YU AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Juniperus (Meyer,1919).
- 48621. Thera (s.str.) cupressata (Geyer,[1831])** (Geometridae) Synonym(s): *cupressata* (Geyer,[1831]; *cupressaria* Boisduval,1840 Original Reference: *Chesias cupressata* Freyer,[1830], Beitr. Gesch. eur. Schmett. 3: 49, Tab.108. Range (in code): **ES FR Co Sa Si IT GB DE CH YU GR TR** Bionomy: Larva on Cupressus sabina (Meyer,1919).
- 48622. Thera (s.str.) cyphoschema L.B.Prout,1926** (Geometridae) Synonym(s): *cyphoschema* L.B.Prout,1926 Range (in code): **MM Hta**
- 48623. Thera (s.str.) dilectaria (A.Bang-Haas,1910)** (Geometridae) Synonym(s): *dilectaria* A.Bang-Haas,1910 Range (in code): **CN Ui Ju**
- 48624. Thera (s.str.) djakonovi (Kurentzov,1950)** (Geometridae) Synonym(s): *djakonovi* Kurentzov,1950 Range (in code): **RU Us**
- 48625. Thera (s.str.) exangulata (W.Warren,1909)** (Geometridae) Synonym(s): *exangulata* W.Warren,1909 Range (in code): **Ch**
- 48626. Thera (s.str.) fedtschenkoi (Erschoff,1874)** (Geometridae) Synonym(s): *fedtschenkoi* Erschoff,1874 Range (in code): **UZ**
- 48627. Thera (s.str.) hospes (Djakonov,1955)** (Geometridae) Synonym(s): *hospes* Djakonov,1955 Range (in code): **RU Sh**
- 48628. Thera (s.str.) juniperata (Linnaeus,1758)** (Geometridae) Synonym(s): *juniperata* Linnaeus,1758; *juniperaria* Boisduval,1840 Original Reference: *Phalaena juniperata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): [Europa], in Juniperus. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Juniperus communis (Linnaeus,1758; Meyer,1919).
- 48629. Thera (s.str.) juniperata loeberbaueri Friedel,1969** (Geometridae) Synonym(s): *loeberbaueri* Friedel,1969 Range (in code): **TR**
- 48630. Thera (s.str.) obeliscata (Hübner,1787)** (Geometridae) Synonym(s): *obeliscata* Hübner,1787; *tristrigaria* Donovan,1808; *scotica* Staudinger,1901; *diniensis* Heinrich,1923 Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU MD UA BY**
- 48631. Thera (s.str.) serraria (Lienig & Zeller,1846)** (Geometridae) Synonym(s): *serraria* Lienig & Zeller,1846 Range (in code): **DK NO SE FI EE LV RU MD UA BY**
- 48632. Thera (s.str.) tabulata (Püngeler,1909)** (Geometridae) Synonym(s): *tabulata* Püngeler,1909 Range (in code): **CN Ts Kno**
- 48633. Thera (s.str.) variata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *variata* [Denis & Schiffermüller],1775; *adumbrata* Villers,1789; *variaria* Boisduval,1840; *subtaurica* Wehrli,1932; *balcanicola* de Lattin,1951 Original Reference: *Geometra variata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 110. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AM AZ DK NO SE**

- FI EE LV LT RU MD UA BY CN Ui Ku Kl LB Bionomy: Larva on Picea, Pinus sylvestris (Meyer,1919).
- 48634. Thera (s.str.) variata subtaurica (Wehrli,1932)** (Geometridae) Synonym(s): *subtaurica* Wehrli,1932 Range (in code): **TR LB**
- 48635. Thera (s.str.) variolata (Staudinger,1900)** (Geometridae) Synonym(s): *variolata* Staudinger,1900 Original Reference: *Cidaria variolata* Staudinger,1900, Dt. ent. Z., Iris 12 (1899): 399-400, Taf.vi fig.2. Syntypes: "Teniet el Had, Mont Ouarsenis (westl. Algerien)" (leg.Vauloger). Range (in code): **MA DZ Tni Tis**
- 48636. Thera (s.str.) vetustata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *vetustata* [Denis & Schiffermüller],1775; *stragulata* Hübner,[1809]; *vitiosata* Freyer,1832; *stragularia* Boisduval,1840 Original Reference: *Geometra vetustata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 114. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG GR**
- 48637. Therapis flavicaria ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *flavicaria* [Denis & Schiffermüller],1775 Original Reference: *Geometra flavicaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **AT CZ SK HU RO BG RU MD UA TR Cc GG AZ AM IR Kh Gls**
- 48638. Theria primaria (Haworth,1809)** (Geometridae) Synonym(s): *primaria* Haworth,1809; *ibicaria* Herrich-Schäffer,1851 Range (in code): **ES FR IT IE GB BE NL DE CH AT DK**
- 48639. Theria rupicaprararia ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *rupicaprararia* [Denis & Schiffermüller],1775 Original Reference: *Geometra rupicaprararia* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 105. Type(s): [Austria]: Vienna district. Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE RU MD UA BY** Bionomy: Larva on "Escallonia serrata" [sic!] (Staudinger,1879); vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7); *Crataegus*, *Prunus spinosa* (Meyer,1919).
- 48640. Thetidia albosagittata (Ebert,1965)** (Geometridae) Synonym(s): *albosagittata* Ebert,1965 Range (in code): **AF Ca**
- 48641. Thetidia bilineata Hausmann,1991** (Geometridae) Synonym(s): *bilineata* Hausmann,1991 Range (in code): **JO**
- 48642. Thetidia correspondens (Alpheraky,1883)** (Geometridae) Synonym(s): *correspondens* Alpheraky,1883 Original Reference: *Phorodesma fulminaria* var. *correspondens* Alpheraky,1883, Horae Soc. ent. ross. 17: 157, Tab.ix fig.85. Syntypes: [China: Uighur A.R.]: Kuldja: vallée de l'Ili (2000'). Range (in code): **CN Ui Ku**
- 48643. Thetidia crucigerata (Christoph,1887)** (Geometridae) Synonym(s): *crucigerata* Christoph,1887 Original Reference: *Phorodesma crucigerata* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 93, pl.4 fig.11. Syntypes 1♂ 2♀: [Turkmenistan]: Ashkhabad; [Iran]: Scharud. Range (in code): **TM Kp IR Elb Se Fa TR**
- 48644. Thetidia crucigerata crucigerata (Christoph,1887)** (Geometridae) Synonym(s): *crucigerata* Christoph,1887 Original Reference: *Phorodesma crucigerata* Christoph,1887, [in] Romanoff, Mém. lépid. 3: 93, pl.4 fig.11. Syntypes 1♂ 2♀: [Turkmenistan]: Ashkhabad; [Iran]: Scharud. Range (in code): **TM Kp IR Elb Se Fa**
- 48645. Thetidia crucigerata ssp.** (Geometridae) Synonym(s): Range (in code): **TR**
- 48646. Thetidia euryrithra (L.B.Prout,1935)** (Geometridae) Synonym(s): *euryrithra* L.B.Prout,1935 Original Reference: *Aglossochloris crucigerata* ssp. *euryrithra* Prout,1935, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 18 (3c). Type ♀: Transjordan: Amman (BMNH). Range (in code): **JO Amm**
- 48647. Thetidia fulminaria (Lederer,1870)** (Geometridae) Synonym(s): *fulminaria* Lederer,1870 Original Reference: *Phorodesma fulminaria* Lederer,1870, Horae Soc. ent. ross. 8 (1): 17, pl.2 fig.4. Syntypes 3♂ 2♀: [Iran]: Persia: Astrabad [Gorgan]. Range (in code): **IR Se Gor**
- 48648. Thetidia hammeri (Ebert,1965)** (Geometridae) Synonym(s): *hammeri* Ebert,1965 Range (in code): **AF Srb Bm**
- 48649. Thetidia hazara (Ebert,1965)** (Geometridae) Synonym(s): *hazara* Ebert,1965 Range (in code): **AF Hzr**
- 48650. Thetidia persica Hausmann,1996** (Geometridae) Synonym(s): *persica* Hausmann,1996 Original Reference: *Thetidia (Antonechloris) persica* Hausmann,1996, Nota lepid. 19 (1/2): 27-29, figs. Holotype ♀: Iran: Elburs mts.c.s., Tacht i Suleiman, Sardab Tal (Vandarbad), 2500-2700m, leg. Pfeiffer & Forster (ZSM). Range (in code): **IR Elb Mz Ak Ab TR**

- 48651. Thetidia plusiaria Boisduval,1840** (Geometridae) Synonym(s): *plusiaria* Boisduval,1840
Original Reference: Thetidia plusiaria Boisduval,1840, Genera Index meth. eur. Lepid.: 189.
Syntypes: Spain, Algeria. Range (in code): **DZ Dja Lbs ES Mu FR** Bionomy: Larva on Artemisia (Calle et al.,2000).
- 48652. Thetidia prasinaria (Eversmann,1837)** (Geometridae) Synonym(s): *prasinaria* Eversmann,1837; *volgaria* Guenée,[1858]; *mongolica* Staudinger,1897 Original Reference: Geometra prasinaria Eversmann,1837, Bull. Soc. imp. Nat. Moscou 1837 (6): 52. Syntypes: [Russia]: Orenburg, Volga, Kasan. Range (in code): **RU Or Cc GG Bjo Smt Lag Bku AZ Kir Nv Ord AM Da Der Kus TR IQ IR Fa Com Se MN CN Ui Ku Tlk** Bionomy: Larva on Artemisia (Romanoff,1885).
- 48653. Thetidia radiata Walker,[1863]** (Geometridae) Synonym(s): *radiata* Walker,[1863]
Original Reference: Thetidea ? radiata Walker,[1863], List Specimens lepid. Insects Colln Br. Mus. 26: 1567. Type ♂: [India]: North Hindostan (BMNH). Range (in code): **AF Kab Pag IN PK**
- 48654. Thetidia recta (Brandt,1941)** (Geometridae) Synonym(s): *recta* Brandt,1941 Original Reference: Aglossochloris recta Brandt,1941, Mitt. münch. ent. Ges. 31 (3): 865, pl.28 fig.14. Syntypes ♂♂: Iran: Fort Sengan. Range (in code): **IR Fa**
- 48655. Thetidia sardinica (Schawerda,1934)** (Geometridae) Synonym(s): *sardinica* Schawerda,1934 Range (in code): **Sa**
- 48656. Thetidia serraria (Staudinger,1892)** (Geometridae) Synonym(s): *serraria* Staudinger,1892. Original Reference: Phorodesma smaragdaria var. ? serrataria Staudinger,1892, Dt. ent. Z., Iris 5: 141-142. Type ♀: [Kirgisistan]: "Transalai (Centralasien)". Range (in code): **KK T-A**
- 48657. Thetidia silvia Hausmann,1991** (Geometridae) Synonym(s): *silvia* Hausmann,1991
Range (in code): **JO**
- 48658. Thetidia smaragdaria (Fabricius,1787)** (Geometridae) Synonym(s): *smaragdaria* Fabricius,1787 Original Reference: Phalaena smaragdaria Fabricius,1787, Mant. Ins. 2: 192, nr.67. Type (s): Austria. Range (in code): **ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc IR NO FI EE LV LT RU MD UA BY KK Ax Ik CN Ui Ku Ju Tlk** Bionomy: Larva on Achillea millefolium, Artemisia, Tanacetum (Asteraceae) (Meyer,1919; Skou,1986).
- 48659. Thetidia smaragdaria anomica (L.B.Prout,1935)** (Geometridae) Synonym(s): *anomica* L.B.Prout,1935 Original Reference: Euchloris smaragdaria subsp. (?sp) anomica Prout,1935, [in] Seitz, Die Gross-Schmett. Erde 4 (Suppl.): 17 (3b). Type: [Kirgizistan]: Issyk-Kul (Bir-Basch) (Tring Mus.). Range (in code): **KK Ik Ax CN Ui Ku Ju Tlk KG Tk Nrk**
- 48660. Thetidia smaragdaria gigantea (Millière,1874)** (Geometridae) Synonym(s): *gigantea* Millière,1874; *castiliaria* Staudinger,1892. Range (in code): **ES FR**
- 48661. Thetidia smaragdularia (Staudinger,1892)** (Geometridae) Synonym(s): *smaragdularia* Staudinger,1892; *viridifrons* W.Warren,1897. Original Reference: Phorodesma smaragdularia Staudinger,1892, Dt. ent. Z., Iris 5: 142-143. Syntypes 10♂: [Uzbekistan]: "Margelan"; [Kirgizistan]: "Transalai". Range (in code): **UZ Fe T-A KK**
- 48662. Thetidia undulilinea (W.Warren,1905)** (Geometridae) Synonym(s): *undulilinea* W.Warren,1905 Range (in code): **SL ZA ZA05 ZA07 Nta Kzu**
- 48663. Thinopteryx citrina W.Warren,1894** (Geometridae) Synonym(s): *citrina* W.Warren,1894
Range (in code): **IN SI**
- 48664. Thinopteryx crocoptera (Kollar,[1844])** (Geometridae) Synonym(s): *crocoptera* Kollar,[1844]; *crocoptera* Guenée,[1858]; *erythrosticta* Wehrli,1939 Range (in code): **KP KR JP ID Sum IN SI Ass Mus CN Yu TH CMa**
- 48665. Thinopteryx crocoptera assamensis Swinhoe,1916** (Geometridae) Synonym(s): *assamensis* Swinhoe,1916 Range (in code): **IN SI Ass**
- 48666. Thinopteryx delectans (Butler,1878)** (Geometridae) Synonym(s): *delectans* Butler,1878; *marginata* W.Warren,1899 Range (in code): **JP CN**
- 48667. Thinopteryx nebulosa Butler,1883** (Geometridae) Synonym(s): *nebulosa* Butler,1883
Range (in code): **BD Syl**
- 48668. Thinopteryx praetoraria (R.Felder & Rogenhofer,1875)** (Geometridae)
Synonym(s): *praetoraria* R.Felder & Rogenhofer,1875 Range (in code): **IN**
- 48669. Thinopteryx stenoleuca L.B.Prout,1928** (Geometridae) Synonym(s): *stenoleuca* L.B.Prout,1928 Range (in code): **ID Sum**

- 48670. Thoyowpongia nigrodiscus Holloway,[1994]** (Geometridae) Synonym(s): *nigrodiscus Holloway,[1994]* - Range (in code): **MY Bor BN**
- 48671. Timandra comae Schmidt,1931** (Geometridae) Synonym(s): *angulata Fourcroy,1785 nec Hfn.,1767; comae Schmidt,1931; brykaria Nordström,1943; comai Kaila & Albrecht,1994* - Original Reference: *Timandra amata* f. (spec.n?) *comae* Schmidt,1931, Int. ent. Z. 25 (6): 57. Type ♂: Spain: Murcia, Alberca (TMB). Range (in code): **MA PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Cc GG AM AZ IR TM KG Tks Sb MN**
- 48672. Timandra comae palmonii Hausmann,1997** (Geometridae) Synonym(s): *palmonii Hausmann,1997* - Range (in code): **IL Pa**
- 48673. Timandra commixta W.Warren,1895** (Geometridae) Synonym(s): *commixta W.Warren,1895* - Range (in code): **ID Ja Lb**
- 48674. Timandra convectaria Walker,1861** (Geometridae) Synonym(s): *convectaria Walker,1861* - Range (in code): **BD Syl PH Luz**
- 48675. Timandra convectaria baguionis (L.B.Prout,1938)** (Geometridae) Synonym(s): *baguionis L.B.Prout,1938* - Range (in code): **PH Luz**
- 48676. Timandra correspondens Hampson,1895** (Geometridae) Synonym(s): *correspondens Hampson,1895* - Range (in code): **IN Hp Drm**
- 48677. Timandra griseata W.Petersen,1902** (Geometridae) Synonym(s): *griseata W.Petersen,1902* - Range (in code): **DK NO SE FI RU TR Cc** - Bionomy: Larva on Atriplex, Polygonum, Rumex (Meyer,1919; Skou,1986).
- 48678. Timandra obsoleta W.Warren,1897** (Geometridae) Synonym(s): *obsoleta W.Warren,1897* - Range (in code): **IN Ass Meg Khs**
- 48679. Timandra punctinervis L.B.Prout,1916** (Geometridae) Synonym(s): *punctinervis L.B.Prout,1916; rigida L.B.Prout,1937.* - Range (in code): **Bor MY ID Ja Bli**
- 48680. Timandra punctinervis fastosa L.B.Prout,1938** (Geometridae) Synonym(s): *fastosa L.B.Prout,1938* - Range (in code): **Bor MY**
- 48681. Timandra punctinervis punctinervis L.B.Prout,1916** (Geometridae) Synonym(s): *punctinervis L.B.Prout,1916; rigida L.B.Prout,1937* - Range (in code): **ID Ja**
- 48682. Timandra rectistrigaria (Eversmann,1851)** (Geometridae) Synonym(s): *rectistrigaria Eversmann,1851; puziloi Erschoff,1870* - Range (in code): **RU Ur Sb Am Kmt**
- 48683. Timandra responsaria Moore,1888** (Geometridae) Synonym(s): *responsaria Moore,1888; strigulata W.Warren,1896* - Range (in code): **IN Meg Khs Ass**
- 48684. Timandra rutilinea W.Warren,1897** (Geometridae) Synonym(s): *rutilinea W.Warren,1897; flavisponsaria Hampson,1912* - Range (in code): **IN Ass Meg Khs NI MM Kath**
- 48685. Timandromorpha discolor (W.Warren,1896)** (Geometridae) Synonym(s): *discolor W.Warren,1896* - Range (in code): **IN Meg Ass Khs**
- 48686. Timandromorpha energes (L.B.Prout,1933)** (Geometridae) Synonym(s): *energes L.B.Prout,1933* - Range (in code): **MY Bor ID Sum TH CMa CDo**
- 48687. Timandromorpha enervata Inoue,1944** (Geometridae) Synonym(s): *enervata Inoue,1944* - Range (in code): **JP**
- 48688. Toulgoetia cauteriata (Staudinger,1859)** (Geometridae) Synonym(s): *cauteriata Staudinger,1859* - Original Reference: *Elicrina cauteriata* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 217-218. Syntypes ♂♀: Spain, Granada, Chiclana (März-April). Range (in code): **DZ Sbd PT ES An Grn Mu** - Bionomy: Larva on Quercus coccifera (Fabaceae) (Staudinger,1859).
- 48689. Traminda acuta (W.Warren,1897)** (Geometridae) Synonym(s): *acuta W.Warren,1897; pallida W.Warren,1899; anandaria Swinhoe,1904* - Range (in code): **ZA Nta Kzu Har ZW KE**
- 48690. Traminda atroviridata (Saalmüller,1880)** (Geometridae) Synonym(s): *atroviridata Saalmüller,1880* - Range (in code): **MG**
- 48691. Traminda aventiaria (Guenée,[1858])** (Geometridae) Synonym(s): *aventiaria Guenée,[1858]; molybdias Meyrick,1889.* - Range (in code): **IN LK MM MY TH CMa CDo CD2 VN Bor PG PMo AU GU**
- 48692. Traminda aventiaria aventiaria (Guenée,[1858])** (Geometridae) Synonym(s): *aventiaria Guenée,[1858]; molybdias Meyrick,1889.* - Range (in code): **IN LK MM MY TH CMa VN Bor PG PMo AU GU**
- 48693. Traminda falcata W.Warren,1897** (Geometridae) Synonym(s): *falcata W.Warren,1897* - Range (in code): **ZA ZA16 Mpu ZA17 ZA21 Tva Lpo ZA26 Nta Kzu**

- 48694. *Traminda graciliata* Rebel,1948** (Geometridae) Synonym(s): *graciliata* Rebel,1948
Range (in code): **EG JE**
- 48695. *Traminda mundissima* (Walker,1861)** (Geometridae) Synonym(s): *mundissima* Walker,1861; *diatomata* Walker,[1863]; *semicompleta* Walker,[1863]; *burmana* Swinhoe,1890; *malacopis* Lower,1902 _ Range (in code): **BH AE OM Sk YE Hd SA PG PMo ID Sba Sbw Bli AU NC MM Rgo TH CMa Cuo Cu05** Bionomy: Larva on *Acacia catechu*, *A. hydespica*, *A. nilotica*, *Pithecellobium dulce* (Fabaceae) (Scoble,1999).
- 48696. *Traminda neptunaria* (Guenée,[1858])** (Geometridae) Synonym(s): *neptunaria* Guenée,[1858]; *viridipennaria* Guenée,[1858] _ Range (in code): **ZA ZA08 Ksi Kzu Nta ZA14 Mpu Mal Tva Lpo Spb Mdk ET SO YE Sna YE30 YE68 SA OM SN GA**
- 48697. *Traminda observata* (Walker,1861)** (Geometridae) Synonym(s): *observata* Walker,1861; *glauca* W.Warren,1897; *striata* W.Warren,1897 _ Range (in code): **ZA ZA05 ZA17 Tva Lpo ZA25 Kzu Nta SL AO ZW**
- 48698. *Traminda ocellata* W.Warren,1895** (Geometridae) Synonym(s): *ocellata* W.Warren,1895; *rufa* W.Warren,1897 _ Range (in code): **ZA ZA01 ZA13 Kzu Nta Wnn ZA21 Tva Lpo Spb Mdk**
- 48699. *Traminda prasodes* (Meyrick,1888)** (Geometridae) Synonym(s): *prasodes* Meyrick,1888; *viridaria* Swinhoe,1902 _ Range (in code): **ID Bli AU QAU**
- 48700. *Traminda vividaria* (Walker,1861)** (Geometridae) Synonym(s): *vividaria* Walker,1861; *ledereri* Wallengren,1863; *nigripuncta* W.Warren,1897; *variegata* Swinhoe,1904 _ Range (in code): **ZA ZA08 Ksi Kzu Nta LR KE SA YE YE30**
- 48701. *Trichodezia albofasciata* (Grote,1863)** (Geometridae) Synonym(s): *albofasciata* Grote,1863 _ Range (in code): **US**
- 48702. *Trichodezia albovittata* (Guenée,[1858])** (Geometridae) Synonym(s): *albovittata* Guenée,[1858]; *propriaria* Walker,1861; *reciprocata* Walker,1862 _ Range (in code): **CA Qb Nsc US Ny**
- 48703. *Trichodezia californiata* (Packard,1871)** (Geometridae) Synonym(s): *californiata* Packard,1871 _ Range (in code): **US Cf**
- 48704. *Trichodezia haberhaueri* (Lederer,1864)** (Geometridae) Synonym(s): *haberhaueri* Lederer,1864; *ledereri* Staudinger,1901 _ Range (in code): **TR Cc GG Bjo AM**
- 48705. *Trichodezia kindermanni* (Bremer,1864)** (Geometridae) Synonym(s): *kindermanni* Bremer,1864 _ Range (in code): **RU Us Sb JP CN Sz T-T Krl**
- 48706. *Trichodezia kindermanni kindermanni* (Bremer,1864)** (Geometridae) Synonym(s): *kindermanni* Bremer,1864 _ Range (in code): **RU Us Sb**
- 48707. *Trichodezia kindermanni latifasciaria* Matsumura,1925** (Geometridae) Synonym(s): *latifasciaria* Matsumura,1925 _ Range (in code): **JP**
- 48708. *Trichodezia kindermanni leechi* Inoue,1946** (Geometridae) Synonym(s): *leechi* Inoue,1946 _ Range (in code): **JP RU Us**
- 48709. *Trichodezia kindermanni leucocratia* L.B.Prout,1937** (Geometridae) Synonym(s): *leucocratia* L.B.Prout,1937 _ Range (in code): **CN Sz T-T**
- 48710. *Trichodezia kindermanni mirabilis* Bryk,1942** (Geometridae) Synonym(s): *mirabilis* Bryk,1942 _ Range (in code): **RU Krl**
- 48711. *Trichoplites albimaculosa* Inoue,1978** (Geometridae) Synonym(s): *albimaculosa* Inoue,1978 _ Range (in code): **TW**
- 48712. *Trichoplites cuprearia* (Moore,1868)** (Geometridae) Synonym(s): *cuprearia* Moore,1868
Range (in code): **IN SI Djl Ass Nag**
- 48713. *Trichoplites lateritiata* (Moore,1888)** (Geometridae) Synonym(s): *lateritiata* Moore,1888
Range (in code): **IN SI Djl**
- 48714. *Trichoplites tryphema* L.B.Prout,1934** (Geometridae) Synonym(s): *tryphema* L.B.Prout,1934 _ Range (in code): **MM**
- 48715. *Trichopterigia adiopa* L.B.Prout,1958** (Geometridae) Synonym(s): *adiopa* L.B.Prout,1958
Range (in code): **IN SI Djl**
- 48716. *Trichopterigia atrofasciata* Hashimoto,1995** (Geometridae) Synonym(s): *atrofasciata* Hashimoto,1995 _ Range (in code): **TH CMa CDo Pki**
- 48717. *Trichopterigia decorata* (Moore,1888)** (Geometridae) Synonym(s): *decorata* Moore,1888
Range (in code): **IN SI Djl TH**
- 48718. *Trichopterigia dejeani* L.B.Prout,1958** (Geometridae) Synonym(s): *dejeani* L.B.Prout,1958 _ Range (in code): **CN Sz T-T**
- 48719. *Trichopterigia hagna* L.B.Prout,1958** (Geometridae) Synonym(s): *hagna* L.B.Prout,1958
Range (in code): **MM Msm**

- 48720. Trichopterigia macularia (Moore,1868)** (Geometridae) Synonym(s): *macularia* Moore,1868; *multipunctata* Hampson,1903 _ Range (in code): IN SI Ben
- 48721. Trichopterigia minuta Inoue,1992** (Geometridae) Synonym(s): *minuta* Inoue,1992 _ Range (in code): TH CMA Dst
- 48722. Trichopterigia nigrisculpta W.Warren,1897** (Geometridae) Synonym(s): *nigrisculpta* W.Warren,1897 _ Range (in code): IN SI Djl
- 48723. Trichopterigia nigronotata W.Warren,1893** (Geometridae) Synonym(s): *nigronotata* W.Warren,1893 _ Range (in code): IN SI Djl
- 48724. Trichopterigia pilcheri L.B.Prout,1958** (Geometridae) Synonym(s): *pilcheri* L.B.Prout,1958 _ Range (in code): IN SI Djl
- 48725. Trichopterigia placida Yazaki,1993** (Geometridae) Synonym(s): *placida* Yazaki,1993 _ Range (in code): NP
- 48726. Trichopterigia rivularis (W.Warren,1893)** (Geometridae) Synonym(s): *rivularis* W.Warren,1893 _ Range (in code): IN SI Djl CN
- 48727. Trichopterigia sanguinipunctata (W.Warren,1893)** (Geometridae) Synonym(s): *sanguinipunctata* W.Warren,1893; *pulcherrima* Swinhoe,1893; *exsanguis* L.B.Prout,1958 _ Range (in code): IN SI Ass Khs Meg NP MM PH Luz TH CMA CDo Pki TW
- 48728. Trichopterigia sphenorrhyma L.B.Prout,1926** (Geometridae) Synonym(s): *sphenorrhyma* L.B.Prout,1926 _ Range (in code): Ch
- 48729. Trichopterigia superba Yazaki,1993** (Geometridae) Synonym(s): *superba* Yazaki,1993 _ Range (in code): IN SI
- 48730. Trichopterigia teligera L.B.Prout,1958** (Geometridae) Synonym(s): *teligera* L.B.Prout,1958 _ Range (in code): Ch
- 48731. Trichopterigia ustimargo W.Warren,1896** (Geometridae) Synonym(s): *ustimargo* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 48732. Trichopterigia viridilineata Hashimoto,1995** (Geometridae) Synonym(s): *viridilineata* Hashimoto,1995 _ Original Reference: Trichopterigia viridilineata Hashimoto,1995, Trans. lepid. Soc. Japan 46 (3): 134-135. Holotype ♀: Thailand: Chiang Mai, Doi Inthanon, 2571m. Range (in code): TH CMA Int
- 48733. Trichopterigia yoshimotoi Yazaki,1987** (Geometridae) Synonym(s): *yoshimotoi* Yazaki,1987 _ Range (in code): TW
- 48734. Trichopteryx carpinata (Borkhausen,1794)** (Geometridae) Synonym(s): *carpinata* Borkhausen,1794; *costaestrigata* Haworth,1809; *dentistrigata* Haworth,1809; *lobulata* Hübner,[1813] _ Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY TR? CN Ui Tlk _ Bionomy: Larva on Lonicera, Populus, Salix caprea (Meyer,1919).
- 48735. Trichopteryx polycommata ([Denis & Schiffermüller],1775)** (Geometridae) Synonym(s): *polycommata* [Denis & Schiffermüller],1775; *solata* Schrank,1802; *grisea* Djakonov,1926 _ Original Reference: Geometra polycommata [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 109. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG NO SE FI EE LV LT RU MD UA BY Sb _ Bionomy: Larva on Fraxinus, Ligustrum vulgare, Lonicera (Meyer,1919).
- 48736. Trimetopia aetheraria Guenée,[1858]** (Geometridae) Synonym(s): *aetheraria* Guenée,[1858] _ Range (in code): ET KE ZA ZA17 Tva Lpo
- 48737. Trimetopia aetheraria aetheraria Guenée,[1858]** (Geometridae) Synonym(s): *aetheraria* Guenée,[1858] _ Range (in code): ET ZA ZA17 Tva Lpo
- 48738. Trimetopia aetheraria coerulea W.Warren,1898** (Geometridae) Synonym(s): *coerulea* W.Warren,1898 _ Range (in code): KE
- 48739. Triphosa acutipennis W.Warren,1896** (Geometridae) Synonym(s): *acutipennis* W.Warren,1896 _ Range (in code): IN Hp Kma
- 48740. Triphosa acyrota L.B.Prout,1941** (Geometridae) Synonym(s): *acyrota* L.B.Prout,1941 _ Range (in code): PH Luz
- 48741. Triphosa aequivalens L.B.Prout,1937** (Geometridae) Synonym(s): *aequivalens* L.B.Prout,1937 _ Range (in code): PK Pj
- 48742. Triphosa affirmata (Guenée,[1858])** (Geometridae) Synonym(s): *affirmata* (Guenée,[1858]); *congoata* Walker,1862; *dubiferata* Walker,1862; *metagrammata* Walker,1862; *progressata* Walker,1862; *subcertaria* Herrich-Schäffer,1870; *rosenbergi* W.Warren,1900; *furva* W.Warren,1907 _ Range (in code): BR CG CO PY VE EC CU

- 48743. *Triphosa agnata* Le Cerf,1918** (Geometridae) **Synonym(s):** *agnata* Le Cerf,1918; *oberthueri* Le Cerf,1918. **Original Reference:** *Triphosa agnata* Le Cerf,1918, Bull. Mus. natn. Hist. nat. Paris 1918: 412. Holotype ♂: [Turquie]: "Césarée (Cappadoce)" (MNHNP). **Range (in code):** **TR**
- 48744. *Triphosa albirama* L.B.Prout,1938** (Geometridae) **Synonym(s):** *albirama* L.B.Prout,1938 **Range (in code):** **CN Sz T-T**
- 48745. *Triphosa californiata* (Packard,1871)** (Geometridae) **Synonym(s):** *californiata* Packard,1871; *packardata* Grossbeck,1907 **Range (in code):** **US Cf**
- 48746. *Triphosa consona* L.B.Prout,1926** (Geometridae) **Synonym(s):** *consona* L.B.Prout,1926 **Range (in code):** **MM Hta**
- 48747. *Triphosa corrasata* W.Warren,1897** (Geometridae) **Synonym(s):** *corrasata* W.Warren,1897 **Range (in code):** **IN Ass Meg Khs**
- 48748. *Triphosa dubiosata* (Walker,1862)** (Geometridae) **Synonym(s):** *dubiosata* Walker,1862 **Original Reference:** *Scotosia dubiosata* Walker,1862, List Spec. lepid. Ins. Colln. Br. Mus. 25: 1352. **Range (in code):** **AF IN SI NI Pj Thu Mre Haz PK**
- 48749. *Triphosa dubitata* (Linnaeus,1758)** (Geometridae) **Synonym(s):** *dubitata* Linnaeus,1758 **Original Reference:** *Phalaena dubitata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 524. Type(s): Europa. **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Prunus spinosa* (Rosaceae); *Rhamnus* (Rhamnaceae) (Meyer,1919).
- 48750. *Triphosa dyriata* Powell,1941** (Geometridae) **Synonym(s):** *dyriata* Powell,1941 **Range (in code):** **MA DZ**
- 48751. *Triphosa expansa* (Moore,1888)** (Geometridae) **Synonym(s):** *expansa* Moore,1888 **Original Reference:** *Scotosia expansa* Moore,1888, Descr. lepid. Colln. Atkinson 3: 274. **Range (in code):** **PK Thu IN SI DjI**
- 48752. *Triphosa incertata* Staudinger,1882** (Geometridae) **Synonym(s):** *incertata* Staudinger,1882 **Range (in code):** **KG Tar Ssn CN Ui Arc**
- 48753. *Triphosa lugens* Bastelberger,1909** (Geometridae) **Synonym(s):** *lugens* Bastelberger,1909; *arizanensis* Wileman,1915 **Range (in code):** **TW**
- 48754. *Triphosa macroprora* L.B.Prout,1941** (Geometridae) **Synonym(s):** *macroprora* L.B.Prout,1941 **Range (in code):** **PH Luz**
- 48755. *Triphosa melanoplaga* (Hampson,1902)** (Geometridae) **Synonym(s):** *melanoplaga* Hampson,1902 **Range (in code):** **CN Ti SI Yt**
- 48756. *Triphosa mnestira* L.B.Prout,1938** (Geometridae) **Synonym(s):** *mnestira* L.B.Prout,1938 **Range (in code):** **Ch IN Hp Sml**
- 48757. *Triphosa oenozona* L.B.Prout,1923** (Geometridae) **Synonym(s):** *oenozona* L.B.Prout,1923 **Range (in code):** **IN Ass Meg Khs**
- 48758. *Triphosa pallescens* W.Warren,1896** (Geometridae) **Synonym(s):** *pallescens* W.Warren,1896 **Range (in code):** **IN Hp Kma**
- 48759. *Triphosa petronata* (Le Cerf,1918)** (Geometridae) **Synonym(s):** *petronata* Le Cerf,1918 **Range (in code):** **Co**
- 48760. *Triphosa ravulata* Staudinger,1892** (Geometridae) **Synonym(s):** *ravulata* Staudinger,1892 **Original Reference:** *Triphosa ravulata* Staudinger,1892, Dt. ent. Z., Iris 5: 221-223. Syntypes 1♂ 4♀: [Kirgizistan]: "südl. Issyk Kul" (leg. Rückbeil). **Range (in code):** **KK Ik**
- 48761. *Triphosa sabaudiata* (Duponchel,1830)** (Geometridae) **Synonym(s):** *sabaudiata* Duponchel,1830; *millierata* Bruand,1855 **Range (in code):** **MA ES FR IT DE CH AT RO YU AL BG GR TR LB Bsa** **Bionomy:** Larva on *Geum* (Rosaceae); *Rhamnus alpinus* (Rhamnaceae) (Meyer,1919).
- 48762. *Triphosa seseraria* (Oberthür,1893)** (Geometridae) **Synonym(s):** *seseraria* Oberthür,1893 **Range (in code):** **CN Sz T-T**
- 48763. *Triphosa taochata* Lederer,1870** (Geometridae) **Synonym(s):** *taochata* Lederer,1870 **Original Reference:** *Triphosa taochata* Lederer,1870, Annls. Soc. ent. Belg. 13: 40, pl.2 fig.5. Syntypes: [Georgia]: Achalziche, Hankynda. **Range (in code):** **RU Cc GG Smt Akh TR AZ Nv IQ IR Fa Kh** **Bionomy:** Larva on *Zizyphus vulgaris*; *Rhamnus* (Rhamnaceae) (Staudinger,1879; Wiltshire,1943, 1957).
- 48764. *Triphosa tauteli* Leraut,2008** (Geometridae) **Synonym(s):** *tauteli* Leraut,2008 **Range (in code):** **ES FR IT**

- 48765. *Triphosa tremulata* (Guenée,[1858])** (Geometridae) Synonym(s): *tremulata* Guenée,[1858]; *multilinearis* Leach,1897 _ Range (in code): CN PK Abb SI IN
- 48766. *Triphosa venimaculata* (Moore,1868)** (Geometridae) Synonym(s): *venimaculata* Moore,1868 _ Range (in code): IN Ben PK Thu SI Djl
- 48767. *Tripteridia conquadrata* (L.B.Prout,1958)** (Geometridae) Synonym(s): *conquadrata* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48768. *Tripteridia dilopha* (L.B.Prout,1958)** (Geometridae) Synonym(s): *dilopha* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48769. *Tripteridia dinosia* (L.B.Prout,1926)** (Geometridae) Synonym(s): *dinosia* L.B.Prout,1926; *chlaenistes* L.B.Prout,1932 _ Range (in code): MY Bor Swk Sbh KBa
- 48770. *Tripteridia dymrna* (L.B.Prout,1958)** (Geometridae) Synonym(s): *dymrna* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48771. *Tripteridia ectocosma* (L.B.Prout,1958)** (Geometridae) Synonym(s): *ectocosma* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48772. *Tripteridia eusemozona* (L.B.Prout,1916)** (Geometridae) Synonym(s): *eusemozona* L.B.Prout,1916 _ Range (in code): ID Ij Gth
- 48773. *Tripteridia euthynsis* (L.B.Prout,1958)** (Geometridae) Synonym(s): *euthynsis* L.B.Prout,1958 _ Range (in code): PG ID Ij Gth
- 48774. *Tripteridia fletcheri* (Holloway,1976)** (Geometridae) Synonym(s): *fletcheri* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 48775. *Tripteridia latistriga* (W.Warren,1906)** (Geometridae) Synonym(s): *latistriga* W.Warren,1906; *cophogona* L.B.Prout,1932 _ Range (in code): PG MY Bor Sbh KBa
- 48776. *Tripteridia monochasma* (L.B.Prout,1958)** (Geometridae) Synonym(s): *monochasma* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48777. *Tripteridia ni* (L.B.Prout,1958)** (Geometridae) Synonym(s): *ni* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48778. *Tripteridia novenaria* (L.B.Prout,1958)** (Geometridae) Synonym(s): *novenaria* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48779. *Tripteridia scotochlaena* (L.B.Prout,1931)** (Geometridae) Synonym(s): *scotochlaena* L.B.Prout,1931 _ Range (in code): ID Ij Gth
- 48780. *Tripteridia subcomosa* W.Warren,1907** (Geometridae) Synonym(s): *subcomosa* W.Warren,1907; *animata* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa PG
- 48781. *Tripteridia thaumasia* (L.B.Prout,1958)** (Geometridae) Synonym(s): *thaumasia* L.B.Prout,1958 _ Range (in code): ID Ij Gth
- 48782. *Tristeirometa bathylima* (L.B.Prout,1932)** (Geometridae) Synonym(s): *bathylima* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 48783. *Tristeirometa benguetana* (Schultze,1910)** (Geometridae) Synonym(s): *benguetana* Schultze,1910 _ Range (in code): PH Luz
- 48784. *Tristeirometa bostryx* (L.B.Prout,1932)** (Geometridae) Synonym(s): *bostryx* L.B.Prout,1932 _ Range (in code): MY Bor Sbh KBa
- 48785. *Tristeirometa curvistriga* (W.Warren,1894)** (Geometridae) Synonym(s): *curvistriga* W.Warren,1894 _ Range (in code): MY Prk
- 48786. *Tristeirometa decussata* (Moore,1868)** (Geometridae) Synonym(s): *decussata* Moore,1868 _ Range (in code): IN Ben TW
- 48787. *Tristeirometa mesogrammata* (Walker,[1861])** (Geometridae) Synonym(s): *mesogrammata* Walker,[1861] _ Range (in code): MY Bor Swk
- 48788. *Tshinganitia sheljuzhkoi* Wehrli,1935** (Geometridae) Synonym(s): *sheljuzhkoi* Wehrli,1935 _ Range (in code): UZ
- 48789. *Tyloptera bella* (Butler,1878)** (Geometridae) Synonym(s): *bella* Butler,1878; *eburneata* Christoph,1881 _ Range (in code): RU Vv JP MM Hpi
- 48790. *Tyloptera bella amamiensis* Sato,1986** (Geometridae) Synonym(s): *amamiensis* Sato,1986 _ Range (in code): JP
- 48791. *Tyloptera bella bella* (Butler,1878)** (Geometridae) Synonym(s): *bella* Butler,1878; *eburneata* Christoph,1881 _ Range (in code):
- 48792. *Tyloptera bella diacena* (L.B.Prout,1926)** (Geometridae) Synonym(s): *diacena* L.B.Prout,1926 _ Range (in code): MM Hpi

- 48793. *Tyloptera bella ogatai* (Inoue,1995)** (Geometridae) **Synonym(s):** *ogatai* Inoue,1995
Range (in code): **TW**
- 48794. *Tyloptera bella taracta* (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *taracta* L.B.Prout,1958
Range (in code): **IN SI**
- 48795. *Tympanota arfakensis* (Joicey & Talbot,1917)** (Geometridae) **Synonym(s):** *arfakensis* Joicey & Talbot,1917
Range (in code): **ID Ij Afk Bru MY Kdh**
- 48796. *Tympanota ceramica* (Rothschild,1915)** (Geometridae) **Synonym(s):** *ceramica* Rothschild,1915
Range (in code): **ID Crm**
- 48797. *Tympanota crypsipyrha* (L.B.Prout,1916)** (Geometridae) **Synonym(s):** *crypsipyrha* L.B.Prout,1916
Range (in code): **ID Ij Gth**
- 48798. *Tympanota erecta* W.Warren,1895** (Geometridae) **Synonym(s):** *erecta* W.Warren,1895
Range (in code): **MY Bor Kba Sbh ID Crm mlc**
- 48799. *Tympanota gyiarcas* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *gyiarcas* L.B.Prout,1932
Range (in code): **MY Bor Sbh KBa**
- 48800. *Tympanota loxobasma* (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *loxobasma* L.B.Prout,1958
Range (in code): **ID Ij Gth**
- 48801. *Tympanota olearia* (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *olearia* L.B.Prout,1958
Range (in code): **ID Clb**
- 48802. *Tympanota patefacta* (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *patefacta* L.B.Prout,1958
Range (in code): **MY Pah**
- 48803. *Tympanota postrubidaria* (Rothschild,1915)** (Geometridae) **Synonym(s):** *postrubidaria* Rothschild,1915
Range (in code): **ID Ij Snw**
- 48804. *Tympanota ptychosyrma* (L.B.Prout,1958)** (Geometridae) **Synonym(s):** *ptychosyrma* L.B.Prout,1958
Range (in code): **ID Clb**
- 48805. *Uliura albidentata* (Moore,1868)** (Geometridae) **Synonym(s):** *albidentata* Moore,1868;
pallidimargo W.Warren,1904
Range (in code): **IN Ben VN Ton**
- 48806. *Uliura combustaria* (Walker,1866)** (Geometridae) **Synonym(s):** *combustaria* Walker,1866
Range (in code): **IN TH CMa Int**
- 48807. *Uliura dierli* Stüning,2000** (Geometridae) **Synonym(s):** *dierli* Stüning,2000
Range (in code): **TH CMa Int NP**
- 48808. *Uliura gratiosa* Sato,1995** (Geometridae) **Synonym(s):** *gratiosa* Sato,1995
Range (in code): **NP TH CMa Int**
- 48809. *Uliura infausta* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *infausta* L.B.Prout,1914;
tetraspilaria Wehrli,1924
Range (in code): **TW CN**
- 48810. *Uliura kurokoi* Sato,1995** (Geometridae) **Synonym(s):** *kurokoi* Sato,1995
Range (in code): **TH CMa Int Dst IN Ass Nag**
- 48811. *Urolitha bipunctifera* (Walker,1861)** (Geometridae) **Synonym(s):** *bipunctifera* Walker,1861
Range (in code): **NC**
- 48812. *Vaena dubitata* (Bryk,1913)** (Geometridae) **Synonym(s):** *dubitata* Bryk,1913
Range (in code): **CM**
- 48813. *Vaena eacleoides* Walker,1869** (Geometridae) **Synonym(s):** *eacleoides* Walker,1869;
ochreata Holland,1893
Range (in code): **ZR NG**
- 48814. *Vaena filigranata* (Bryk,1913)** (Geometridae) **Synonym(s):** *filigranata* Bryk,1913
Range (in code): **CM**
- 48815. *Veniliodes inflammata* W.Warren,1894** (Geometridae) **Synonym(s):** *inflammata* W.Warren,1894
Range (in code): **ZA Etm ZAO4 Nta Kzu** **Bionomy:** Larva on *Encephalartos villosus* (Zamiaceae) (Staude,2001).
- 48816. *Veniliodes pantheraria* (R.Felder & Rogenhofer,1874)** (Geometridae) **Synonym(s):** *pantheraria* R.Felder & Rogenhofer,1874
Range (in code): **ZA ZAO5 Kzu** **Bionomy:** Larva on *Encephalartos villosus* (Zamiaceae) (Staude,1999).
- 48817. *Veniliodes* sp.** (Geometridae) **Synonym(s):** **Range (in code):** **ZA Ktz Nta Kzu**
Bionomy: Larva on *Encephalartos villosus*, *E. ngoyanus* (Zamiaceae) (Staude,2001).
- 48818. *Venusia accentuata* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *accentuata* L.B.Prout,1914
Range (in code): **CN**
- 48819. *Venusia albinea* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *albinea* L.B.Prout,1938
Range (in code): **PK Pj Rw**

- 48820. *Venusia apicistrigaria* (Djakonoff,1936)** (Geometridae) **Synonym(s):** *apicistrigaria* Djakonoff,1936 - Range (in code): **CN Gn**
- 48821. *Venusia balausta* Xue,1999** (Geometridae) **Synonym(s):** *balausta* Xue,1999 - Range (in code): **CN**
- 48822. *Venusia biangulata* (Sterneck,1938)** (Geometridae) **Synonym(s):** *biangulata* Sterneck,1938 - Range (in code): **CN Sz T-T**
- 48823. *Venusia blomeri* (Curtis,1832)** (Geometridae) **Synonym(s):** *blomeri* Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931 Original Reference: *Melanippe blomeri* Curtis,1832, Br. Ent. 9: folio 416, pl.416. **Syntypes:** Britain: Durham, Castle Eden Dene. Range (in code): **FR GB BE DE CH AT PL CZ SK HU RO BG TR NO SE FI EE LV LT RU MD UA BY JP CN US KP KR Sz** Bionomy: Larva on *Ulmus glabra* (Ulmaceae) (Meyer,1919).
- 48824. *Venusia blomeri blomeri* (Curtis,1832)** (Geometridae) **Synonym(s):** *blomeri* Curtis,1832; *pulchraria* Eversmann,1842; *szechuanensis* Wehrli,1931 Original Reference: *Melanippe blomeri* Curtis,1832, Br. Ent. 9: folio 416, pl.416. **Syntypes:** Britain: Durham, Castle Eden Dene. Range (in code): **FR GB BE DE CH AT PL CZ SK HU RO BG TR NO SE FI EE LV LT RU MD UA BY JP CN US** Bionomy: Larva on *Ulmus glabra* (Ulmaceae) (Meyer,1919).
- 48825. *Venusia blomeri euchloe* (Bryk,1949)** (Geometridae) **Synonym(s):** *euchloe* Bryk,1949 Range (in code): **KP KR**
- 48826. *Venusia brevipectinata* L.B.Prout,1938** (Geometridae) **Synonym(s):** *brevipectinata* L.B.Prout,1938 - Range (in code): **IN Hp Dlh**
- 48827. *Venusia cambrica* Curtis,1839** (Geometridae) **Synonym(s):** *cambrica* Curtis,1839; *erutaria* Boisduval,1840; *nebulosaria* Freyer,1850; *scitularia* Walker,1860. - Range (in code): **ES FR IT IE GB BE LU DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU Kr-I MD UA BY** Bionomy: Larva on *Sorbus aucuparia*, *Alnus incana tenuifolia*, *A. rubra*, *Betula*, *Vaccinium*, *Amelanchier*, *Malus*, *Populus trichocarpa*, *Salix* (Meyer,1919; Xue & Scoble,2002).
- 48828. *Venusia cambrica aphrodite* Bryk,1942** (Geometridae) **Synonym(s):** *aphrodite* Bryk,1942 - Range (in code): **RU Kr-I**
- 48829. *Venusia comptaria* (Walker,1860)** (Geometridae) **Synonym(s):** *comptaria* Walker,1860; *salienta* Pearsall,1905; *perlineata* Packard,1873; *palumbes* Franclemont,1938 - Range (in code): **CA US Ny BCo**
- 48830. *Venusia conisaria* Hampson,1903** (Geometridae) **Synonym(s):** *conisaria* Hampson,1903 Range (in code): **Ch CN Ts Kno NP SI IN**
- 48831. *Venusia conisaria conisaria* Hampson,1903** (Geometridae) **Synonym(s):** *conisaria* Hampson,1903 - Range (in code): **CN Ts Kno NP SI IN**
- 48832. *Venusia conisaria hypoconia* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *hypoconia* L.B.Prout,1938 - Range (in code): **Ch**
- 48833. *Venusia crassisigna* Inoue,1987** (Geometridae) **Synonym(s):** *crassisigna* Inoue,1987 Range (in code): **NP CN**
- 48834. *Venusia dilecta* Yazaki,1995** (Geometridae) **Synonym(s):** *dilecta* Yazaki,1995 - Range (in code): **NP**
- 48835. *Venusia eucosma* (L.B.Prout,1914)** (Geometridae) **Synonym(s):** *eucosma* L.B.Prout,1914 Range (in code): **CN Ti**
- 48836. *Venusia inefficax* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *inefficax* L.B.Prout,1938 Range (in code): **CN Ts Kno**
- 48837. *Venusia kasyata* Wiltshire,1966** (Geometridae) **Synonym(s):** *kasyata* Wiltshire,1966 Range (in code): **AF Bm Kab Pag PK Haz Nar Swa Sgl Klm**
- 48838. *Venusia kioudjrouaria* Oberthür,1893** (Geometridae) **Synonym(s):** *kioudjrouaria* Oberthür,1893 - Range (in code): **CN Sz**
- 48839. *Venusia laria* Oberthür,1893** (Geometridae) **Synonym(s):** *laria* Oberthür,1893 - Range (in code): **CN Sz JP**
- 48840. *Venusia laria ilara* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *ilara* L.B.Prout,1938 Range (in code): **JP**
- 48841. *Venusia laria laria* Oberthür,1893** (Geometridae) **Synonym(s):** *laria* Oberthür,1893 Range (in code): **CN Sz**
- 48842. *Venusia lilacina* (W.Warren,1893)** (Geometridae) **Synonym(s):** *lilacina* W.Warren,1893 Range (in code): **SI IN NP CN Sz Ch**
- 48843. *Venusia lilacina lilacina* (W.Warren,1893)** (Geometridae) **Synonym(s):** *lilacina* W.Warren,1893 - Range (in code): **SI IN NP**

- 48844. *Venusia lilacina melanogramma* Wehrli,1931** (Geometridae) **Synonym(s):** *melanogramma* Wehrli,1931 - Range (in code): CN Sz
- 48845. *Venusia lilacina rala* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *rala* L.B.Prout,1938 - Range (in code): Ch
- 48846. *Venusia limata* Inoue,1982** (Geometridae) **Synonym(s):** *limata* Inoue,1982 - Range (in code): NP
- 48847. *Venusia lineata* Wileman,1916** (Geometridae) **Synonym(s):** *lineata* Wileman,1916 - Range (in code): TW
- 48848. *Venusia maniata* Xue,1999** (Geometridae) **Synonym(s):** *maniata* Xue,1999 - Range (in code): CN
- 48849. *Venusia marmoraria* (Leech,1897)** (Geometridae) **Synonym(s):** *marmoraria* Leech,1897 - Range (in code): CN
- 48850. *Venusia megaspilata* (W.Warren,1895)** (Geometridae) **Synonym(s):** *megaspilata* W.Warren,1895 - Range (in code): JP
- 48851. *Venusia naparia* Oberthür,1893** (Geometridae) **Synonym(s):** *naparia* Oberthür,1893 - Range (in code): CN Sz
- 48852. *Venusia nigrifurca* (L.B.Prout,1926)** (Geometridae) **Synonym(s):** *nigrifurca* L.B.Prout,1926 - Range (in code): MM Hpi CN
- 48853. *Venusia obliquisigna* (Moore,1888)** (Geometridae) **Synonym(s):** *obliquisigna* Moore,1888 - Range (in code): IN SI Djl NP CN
- 48854. *Venusia ochrota* Hampson,1903** (Geometridae) **Synonym(s):** *ochrota* Hampson,1903; *roseicosta* Yazaki,1994 - Range (in code): CN Ti NP
- 48855. *Venusia pallidaria* Hampson,1903** (Geometridae) **Synonym(s):** *pallidaria* Hampson,1903
Original Reference: *Venusia pallidaria* Hampson,1903, J. Bombay nat. Hist. Soc. 14: 647. Type: [Pakistan]: Thundiani (Yerbury) (BMNH). Range (in code): PK Pj Haz Mre
- 48856. *Venusia paradoxa* Xue,1999** (Geometridae) **Synonym(s):** *paradoxa* Xue,1999 - Range (in code): CN
- 48857. *Venusia participata* (Sauter,1869)** (Geometridae) **Synonym(s):** *participata* Sauter,1869 - Range (in code): DE
- 48858. *Venusia pearsalli* (Dyar,1906)** (Geometridae) **Synonym(s):** *pearsalli* Dyar,1906 - Range (in code): CA BCo US Arz
- 48859. *Venusia phasma* (Butler,1879)** (Geometridae) **Synonym(s):** *phasma* Butler,1879 - Range (in code): JP
- 48860. *Venusia planicaput* Inoue,1987** (Geometridae) **Synonym(s):** *planicaput* Inoue,1987 - Range (in code): NP CN
- 48861. *Venusia punctiuncula* L.B.Prout,1938** (Geometridae) **Synonym(s):** *punctiuncula* L.B.Prout,1938 - Range (in code): CN
- 48862. *Venusia purpuraria* (Hampson,1895)** (Geometridae) **Synonym(s):** *purpuraria* Hampson,1895 - Range (in code): IN Ass Nag
- 48863. *Venusia scitula* Xue,1999** (Geometridae) **Synonym(s):** *scitula* Xue,1999 - Range (in code): CN
- 48864. *Venusia semistrigata* (Christoph,1881)** (Geometridae) **Synonym(s):** *semistrigata* Christoph,1881 - Range (in code): RU JP
- 48865. *Venusia semistrigata expressa* Inoue,1963** (Geometridae) **Synonym(s):** *expressa* Inoue,1963 - Range (in code): JP
- 48866. *Venusia semistrigata semistrigata* (Christoph,1881)** (Geometridae) **Synonym(s):** *semistrigata* Christoph,1881 - Range (in code): RU
- 48867. *Venusia sikkimensis* (W.Warren,1893)** (Geometridae) **Synonym(s):** *sikkimensis* W.Warren,1893 - Range (in code): SI BT IN NP CN
- 48868. *Venusia syngenes* (Wehrli,1931)** (Geometridae) **Synonym(s):** *syngenes* Wehrli,1931 - Range (in code): CN Ti
- 48869. *Venusia tchrraria* Oberthür,1893** (Geometridae) **Synonym(s):** *tchrraria* Oberthür,1893 - Range (in code): CN Sz
- 48870. *Venusia violettaria* Wehrli,1931** (Geometridae) **Synonym(s):** *violettaria* Wehrli,1931; *kukunoora* Wehrli,1931 - Range (in code): CN Kno Ts Sz
- 48871. *Venusia yasudai* Inoue,1987** (Geometridae) **Synonym(s):** *yasudai* Inoue,1987 - Range (in code): NP

- 48872. *Victoria albipicta* W.Warren,1897** (Geometridae) Synonym(s): *albipicta* W.Warren,1897
Range (in code): **ZA Wca Ec Grh Nta Kzu Fs Blo**
- 48873. *Victoria altimontaria* Herbulot,1971** (Geometridae) Synonym(s): *altimontaria* Herbulot,1971
Range (in code): **CM**
- 48874. *Victoria argopastea* L.B.Prout,1938** (Geometridae) Synonym(s): *argopastea* L.B.Prout,1938
Range (in code): **TZ**
- 48875. *Victoria barlowi* L.B.Prout,1922** (Geometridae) Synonym(s): *barlowi* L.B.Prout,1922
Range (in code): **MW**
- 48876. *Victoria compsa* L.B.Prout,1932** (Geometridae) Synonym(s): *compsa* L.B.Prout,1932
Range (in code): **ZR**
- 48877. *Victoria eremita* Hausmann,1993** (Geometridae) Synonym(s): *eremita* Hausmann,1993
Range (in code): **IL Pa**
- 48878. *Victoria fifensis* Wiltshire,1994** (Geometridae) Synonym(s): *fifensis* Wiltshire,1994
Range (in code): **SA YE YE3o Hd**
- 48879. *Victoria fuscithorax* W.Warren,1905** (Geometridae) Synonym(s): *fuscithorax* W.Warren,1905; *mirabilis* W.Warren,1911
Range (in code): **UG ZA ZA04 ZA07 ZA27 ZA17 Tva Lpo Spb Bbg ZA26 Nta Kzu Dbn** Bionomy: Larva on *Agelanthus natalitius* (Loranthaceae) (Staudé,1999).
- 48880. *Victoria gordonii* L.B.Prout,1912** (Geometridae) Synonym(s): *gordonii* L.B.Prout,1912
Range (in code): **NG Caa**
- 48881. *Victoria immunifica* L.B.Prout,1912** (Geometridae) Synonym(s): *immunifica* L.B.Prout,1912
Range (in code): **SL RW**
- 48882. *Victoria immunifica ruandana* Herbulot,1989** (Geometridae) Synonym(s): *ruandana* Herbulot,1989
Range (in code): **RW**
- 48883. *Victoria melanochlora* Carcasson,1962** (Geometridae) Synonym(s): *melanochlora* Carcasson,1962
Range (in code): **UG**
- 48884. *Victoria omanensis* Wiltshire,[1981]** (Geometridae) Synonym(s): *omanensis* Wiltshire,[1981]
Range (in code): **OM**
- 48885. *Victoria perornata* W.Warren,1898** (Geometridae) Synonym(s): *perornata* W.Warren,1898
Range (in code): **NG**
- 48886. *Victoria plantei* Herbulot,[1977]** (Geometridae) Synonym(s): *plantei* Herbulot,[1977]
Range (in code): **IL Pa**
- 48887. *Victoria rhodoblema* L.B.Prout,1938** (Geometridae) Synonym(s): *rhodoblema* L.B.Prout,1938
Range (in code): **ZA MW Zom**
- 48888. *Victoria sematoperas* L.B.Prout,1916** (Geometridae) Synonym(s): *sematoperas* L.B.Prout,1916
Range (in code): **SO KE**
- 48889. *Victoria subhyalina* Herbulot,1982** (Geometridae) Synonym(s): *subhyalina* Herbulot,1982
Range (in code): **RW**
- 48890. *Victoria taminata* Herbulot,1982** (Geometridae) Synonym(s): *taminata* Herbulot,1982
Range (in code): **CM**
- 48891. *Victoria triplaga* L.B.Prout,1915** (Geometridae) Synonym(s): *triplaga* L.B.Prout,1915
Range (in code): **TZ ZW Bul MW**
- 48892. *Victoria triplaga sphrigan* L.B.Prout,1930** (Geometridae) Synonym(s): *sphrigan* L.B.Prout,1930
Range (in code): **ZW MW**
- 48893. *Victoria watsonae* Carcasson,1971** (Geometridae) Synonym(s): *watsonae* Carcasson,1971; *nimbosa* Herbulot,1972
Range (in code): **LR CI**
- 48894. *Victoria wiltshirei* Hausmann,1996** (Geometridae) Synonym(s): *wiltshirei* Hausmann,1996
Range (in code): **SD**
- 48895. *Vindusara moorei* (Thierry-Mieg,1899)** (Geometridae) Synonym(s): *moorei* Thierry-Mieg,1899
Original Reference: *Erebomorpha moorei* Thierry-Mieg,1899, Annls Soc. ent. Belg. 43: 20. Range (in code): **IN TH CMa VN**
- 48896. *Visiana sordidata* (Moore,1888)** (Geometridae) Synonym(s): *sordidata* Moore,1888; *inimica* L.B.Prout,1937; *hyperctenista* L.B.Prout,1939; *robinsoni* L.B.Prout,1939; *tamborica* L.B.Prout,1939
Range (in code): **PG Bsm Vu IN SI Djl ID Bli Sum Shw**
- 48897. *Visiana vinosa* (W.Warren,1907)** (Geometridae) Synonym(s): *vinosa* W.Warren,1907
Range (in code): **PG ID Bru**

- 48898. Wehrliola revocaria (Staudinger,1892)** (Geometridae) **Synonym(s):** *revocaria* Staudinger,1892; *#fasciata* Wagner,1931. **Original Reference:** *Aspilates revocaria* Staudinger,1892, Dt. ent. Z., Iris 5: 203-204, Taf.2 f.16. Type: [Lebanon]: Beirut. **Range (in code):** **TR LB Bei**
- 48899. Xandrames albofasciata Moore,1868** (Geometridae) **Synonym(s):** *albofasciata* Moore,1868 **Original Reference:** *Xandrames albofasciata* Moore,1868, Proc. zool. Soc. London 1867: 635. **Range (in code):** **IN SI Djl CN Sz T-T Ti TH CMa Int**
- 48900. Xandrames dholaria Moore,1868** (Geometridae) **Synonym(s):** *dholaria* Moore,1868; *sericea* Butler,1881 **Range (in code):** **TH CMa IN SI Djl JP**
- 48901. Xandrames latiferaria (Walker,1860)** (Geometridae) **Synonym(s):** *latiferaria* Walker,1860; *cnecozona* L.B.Prout,1926 **Range (in code):** **MY Bor Sbh KBa TH Nna Kao Chy IN Ass Meg Khs ID Ja JP**
- 48902. Xandrames opisthochroma L.B.Prout,1928** (Geometridae) **Synonym(s):** *opisthochroma* L.B.Prout,1928 **Range (in code):** **ID Sum**
- 48903. Xandrames postmarginata Wileman & South,1917** (Geometridae) **Synonym(s):** *postmarginata* Wileman & South,1917 **Range (in code):** **PH Luz**
- 48904. Xandrames xanthomelanaria Poujade,1895** (Geometridae) **Synonym(s):** *xanthomelanaria* Poujade,1895 **Range (in code):** **CN Sz**
- 48905. Xandrames xanthos Sato,1996** (Geometridae) **Synonym(s):** *xanthos* Sato,1996 **Original Reference:** *Xandrames xanthos* Sato,1996, Trans. lepid. Soc. Japan 47(4): 227, figs.3,4. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP 1600m 22-24.x.1984 (ZMC). **Range (in code):** **TH CMa Int VN Ton Fan**
- 48906. Xanthisthisa brunnea (W.Warren,1899)** (Geometridae) **Synonym(s):** *brunnea* W.Warren,1899 **Range (in code):** **NG**
- 48907. Xanthisthisa copta Herbulot,1977** (Geometridae) **Synonym(s):** *copta* Herbulot,1977 **Range (in code):** **ET**
- 48908. Xanthisthisa fulva (W.Warren,1902)** (Geometridae) **Synonym(s):** *fulva* W.Warren,1902 **Range (in code):** **KE**
- 48909. Xanthisthisa holmi D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *holmi* D.S.Fletcher,1958 **Range (in code):** **UG ZR**
- 48910. Xanthisthisa lemairei Herbulot,1973** (Geometridae) **Synonym(s):** *lemairei* Herbulot,1973 **Range (in code):** **CM**
- 48911. Xanthisthisa nigricumulata (W.Warren,1902)** (Geometridae) **Synonym(s):** *nigricumulata* W.Warren,1902 **Range (in code):** **KE**
- 48912. Xanthisthisa niveifrons (L.B.Prout,1922)** (Geometridae) **Synonym(s):** *niveifrons* L.B.Prout,1922 **Range (in code):** **ZA Gau Tva Pre**
- 48913. Xanthisthisa tarsispina (W.Warren,1901)** (Geometridae) **Synonym(s):** *tarsispina* W.Warren,1901 **Range (in code):** **KE**
- 48914. Xanthisthisa tergorinota L.B.Prout,1928** (Geometridae) **Synonym(s):** *tergorinota* L.B.Prout,1928 **Range (in code):** **MZ**
- 48915. Xanthisthisa terna Herbulot,1984** (Geometridae) **Synonym(s):** *terna* Herbulot,1984 **Original Reference:** *Xanthisthisa terna* Herbulot,1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 11, pl.1 figs.4,10. Holotype ♂: Ethiopie: Shoa, Menagesha 3000m 4.xi.1981 (coll. Rougeot). **Range (in code):** **ET Sw ET225 Sdm ET281 Ble ET86**
- 48916. Xanthisthisa tumida (W.Warren,1902)** (Geometridae) **Synonym(s):** *tumida* W.Warren,1902 **Range (in code):** **KE**
- 48917. Xanthorhoe (Odontorhoe) postpositaria (Staudinger,1892>** (Geometridae) **Synonym(s):** *postpositaria* Staudinger,1892; *superpositaria* L.B.Prout,1914 **Range (in code):** **KK UZ T-S**
- 48918. Xanthorhoe (Odontorhoe) praepositaria (Staudinger,1892>** (Geometridae) **Synonym(s):** *praepositaria* Staudinger,1892 **Range (in code):** **KK UZ Fe Osh T-S**
- 48919. Xanthorhoe (Odontorhoe) tauaria (Staudinger,1882)** (Geometridae) **Synonym(s):** *tauaria* Staudinger,1882 **Range (in code):** **KG DsA KK T-S CN Ui**
- 48920. Xanthorhoe (Odontorhoe) tauaria grisearia (Aubert,1962)** (Geometridae) **Synonym(s):** *grisearia* Aubert,1962 **Range (in code):**
- 48921. Xanthorhoe (Odontorhoe) tauaria tauaria (Staudinger,1882)** (Geometridae) **Synonym(s):** *tauaria* Staudinger,1882 **Range (in code):** **KG DsA KK T-S CN Ui**
- 48922. Xanthorhoe (Odontorhoe) tianschanica (Alpheraky,1883)** (Geometridae) **Synonym(s):** *tianschanica* Alpheraky,1883 **Original Reference:** *Cidaria tianschanica*

- Alpheraky, 1883, Horae Soc. ent. ross. 17: 213-215, Tab.viii figs.70-71. Syntypes ♂♀: [China: Uighur A.R.]: Archane, Joudousse. Range (in code): **CN Ui Au Arc Ju T-S KG KK TJ Pm UZ Fe**
- 48923. Xanthorhoe (Odontorhoe) tianschanica aksuaria (Aubert, 1962)** (Geometridae)
Synonym(s): *aksuaria* Aubert, 1962 Range (in code): **CN Ui Au T-S**
- 48924. Xanthorhoe (Odontorhoe) tianschanica tianschanica (Alpheraky, 1883)** (Geometridae)
Synonym(s): *tianschanica* Alpheraky, 1883 Range (in code): **CN Ui Arc Ju T-S UZ Fe KG KK TJ Pm**
- 48925. Xanthorhoe (Parodontorhoe) altitudinum (Staudinger, 1882)** (Geometridae)
Synonym(s): *altitudinum* Staudinger, 1882 Range (in code): **T-S CN Ui Arc**
- 48926. Xanthorhoe (s.str.) montanata ([Denis & Schiffermüller], 1775)** (Geometridae)
Synonym(s): *montanata* [Denis & Schiffermüller], 1775; *implicata* Villers, 1789; *implicaria* Haworth, 1809; *montanaria* Treitschke, 1828 Original Reference: *Geometra montanata* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Lag Bku AZ AM DK NO SE FI EE LV LT RU Kol Ur Sb MD UA BY MN KG**
Bionomy: Larva on Primula, Veronica (Meyer, 1919).
- 48927. Xanthorhoe ablechra D.S.Fletcher, 1958** (Geometridae) Synonym(s): *ablechra* D.S.Fletcher, 1958 Range (in code): **UG**
- 48928. Xanthorhoe abrasaria (Herrich-Schäffer, 1855)** (Geometridae) Synonym(s): *abrasaria* Herrich-Schäffer, 1855; *ligularia* Guenée, [1858]; *baicalata* Bremer, 1864 Range (in code): **NO SE FI RU Kol K-R Ur Sb Ya Mgd Am CA BCo Nfl JP Hkk US Col**
- 48929. Xanthorhoe abraxina (Butler, 1879)** (Geometridae) Synonym(s): *abraxina* Butler, 1879; *pudivata* Christoph, 1881 Range (in code): **RU Vv Am Us Krl Sh KP KR JP**
- 48930. Xanthorhoe abyssinica Herbulot, 1983** (Geometridae) Synonym(s): *abyssinica* Herbulot, 1983 Range (in code): **ET**
- 48931. Xanthorhoe acutangulata (Christoph, 1887)** (Geometridae) Synonym(s): *acutangulata* Christoph, 1887 Original Reference: *Cidaria fluctuata* v. *acutangulata* Christoph, 1887, [in] Romanoff, Mém. lépid. 3: 2-3, Pl.1 figs.1a,b. Type(s): "Transcaucasie". Range (in code): **Cc AM GG Tbl Bjo Kir Mng AZ IR GlS TM Kp**
- 48932. Xanthorhoe aemyla (L.B.Prout, 1938)** (Geometridae) Synonym(s): *aemyla* L.B.Prout, 1938 Range (in code): **CN Ti**
- 48933. Xanthorhoe albodivisaria (Aurivillius, 1910)** (Geometridae) Synonym(s): *albodivisaria* Aurivillius, 1910 Range (in code): **KE TZ ZA**
- 48934. Xanthorhoe alexandraria (Staudinger, 1892)** (Geometridae) Synonym(s): *alexandraria* Staudinger, 1892 Range (in code): **KK Ax**
- 48935. Xanthorhoe algidata (Möschler, 1874)** (Geometridae) Synonym(s): *algidata* Möschler, 1874 Range (in code): **CA Lbr**
- 48936. Xanthorhoe alluaudi (L.B.Prout, 1932)** (Geometridae) Synonym(s): *alluaudi* L.B.Prout, 1932 Range (in code): **TZ UG ZR**
- 48937. Xanthorhoe alta Debauche, 1937** (Geometridae) Synonym(s): *alta* Debauche, 1937 Range (in code): **ET**
- 48938. Xanthorhoe altaica Djakonov, 1955** (Geometridae) Synonym(s): *altaica* Djakonov, 1955 Range (in code): **RU At**
- 48939. Xanthorhoe alticolata Barnes & McDunnough, 1916** (Geometridae) Synonym(s): *alticolata* Barnes & McDunnough, 1916 Range (in code): **US Col**
- 48940. Xanthorhoe altispex (L.B.Prout, 1921)** (Geometridae) Synonym(s): *altispex* L.B.Prout, 1921 Range (in code): **ZR**
- 48941. Xanthorhoe annotinata (Zetterstedt, 1839)** (Geometridae) Synonym(s): *annotinata* Zetterstedt, 1839; *decrepitata* Zetterstedt, 1839; *polygrapharia* Boisduval, 1840; *monticolaria* Herrich-Schäffer, 1852; *septentrionalis* Dannehl, 1933 Range (in code): **NO SE FI EE LV RU Kol Ur K-R BY**
- 48942. Xanthorhoe argentina (L.B.Prout, 1910)** (Geometridae) Synonym(s): *argentina* L.B.Prout, 1910 Range (in code): **AR Bue**
- 48943. Xanthorhoe aridela (L.B.Prout, 1936)** (Geometridae) Synonym(s): *aridela* L.B.Prout, 1936 Range (in code): **RU Sb Am Sh MN**
- 48944. Xanthorhoe asiatica (Staudinger, 1882)** (Geometridae) Synonym(s): *asiatica* Staudinger, 1882 Range (in code): **KG Tar Ssn Lps KK CN Ui Arc**
- 48945. Xanthorhoe belgarum Herbulot, 1981** (Geometridae) Synonym(s): *belgarum* Herbulot, 1981 Range (in code): **TZ**

- 48946. *Xanthorhoe bigeminata* (Christoph,1885)** (Geometridae) **Synonym(s):** *bigeminata* Christoph,1885 **_ Range (in code):** **TM Kp GG AM AZ Cc AF**
- 48947. *Xanthorhoe biriviata* (Borkhausen,1794)** (Geometridae) **Synonym(s):** *biriviata* Borkhausen,1794; *pomoeraria* Eversmann,1844 **_ Range (in code):** **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Ur K-R Cc GG Bjo Lag AM KG Kmt Am Sh Krl JP**
- 48948. *Xanthorhoe borbonicata* (Guenée,[1858])** (Geometridae) **Synonym(s):** *borbonicata* Guenée,[1858] **_ Range (in code):** **RE ZA**
- 48949. *Xanthorhoe borealis* Hulst,1896** (Geometridae) **Synonym(s):** *borealis* Hulst,1896 **_ Range (in code):** **US Als**
- 48950. *Xanthorhoe brachytoma* L.B.Prout,1933** (Geometridae) **Synonym(s):** *brachytoma* L.B.Prout,1933 **_ Range (in code):** **ZR**
- 48951. *Xanthorhoe braunsi* Janse,1933** (Geometridae) **Synonym(s):** *braunsi* Janse,1933 **_ Range (in code):** **ZA Ec Ww**
- 48952. *Xanthorhoe cadra* (Debauche,1937)** (Geometridae) **Synonym(s):** *cadra* Debauche,1937 **_ Range (in code):** **ET**
- 48953. *Xanthorhoe callisthenes* L.B.Prout,1922** (Geometridae) **Synonym(s):** *callisthenes* L.B.Prout,1922 **_ Range (in code):** **ID Crm**
- 48954. *Xanthorhoe calycopis* L.B.Prout,1933** (Geometridae) **Synonym(s):** *calycopis* L.B.Prout,1933 **_ Range (in code):** **ZR**
- 48955. *Xanthorhoe castanea* W.Warren,1901** (Geometridae) **Synonym(s):** *castanea* W.Warren,1901 **_ Range (in code):** **Ch**
- 48956. *Xanthorhoe columella* (Druce,1893)** (Geometridae) **Synonym(s):** *columella* Druce,1893 **_ Range (in code):** **MX**
- 48957. *Xanthorhoe conchulata* (L.B.Prout,1921)** (Geometridae) **Synonym(s):** *conchulata* L.B.Prout,1921 **_ Range (in code):** **TZ**
- 48958. *Xanthorhoe consors* (L.B.Prout,1935)** (Geometridae) **Synonym(s):** *consors* L.B.Prout,1935 **_ Range (in code):** **KE Nai**
- 48959. *Xanthorhoe conspectaria* (Mann,1859)** (Geometridae) **Synonym(s):** *conspectaria* Mann,1859 **_ Range (in code):** **Si**
- 48960. *Xanthorhoe cuneosignata* Debauche,1937** (Geometridae) **Synonym(s):** *cuneosignata* Debauche,1937 **_ Range (in code):** **ET**
- 48961. *Xanthorhoe curcumata* (Moore,1888)** (Geometridae) **Synonym(s):** *curcumata* Moore,1888; *formosicola* Bastelberger,1909; *viridilineata* Bastelberger,1909; *viriditincta* Wileman,1915 **_ Range (in code):** **IN SI Djl TW**
- 48962. *Xanthorhoe curcumoides* L.B.Prout,1923** (Geometridae) **Synonym(s):** *curcumoides* L.B.Prout,1923 **_ Range (in code):** **IN Ass Meg Cpj**
- 48963. *Xanthorhoe cybele* L.B.Prout,1931** (Geometridae) **Synonym(s):** *cybele* L.B.Prout,1931 **_ Range (in code):** **TW**
- 48964. *Xanthorhoe cyllene* (Druce,1893)** (Geometridae) **Synonym(s):** *cyllene* Druce,1893 **_ Range (in code):** **MX**
- 48965. *Xanthorhoe decoloraria* (Esper,[1806])** (Geometridae) **Synonym(s):** *decoloraria* Esper,[1806]; *munitata* Hübner,[1809]; *munitaria* Boisduval,1840; *collinaria* Metzner,1840; *pauperrimata* Christoph,1888 **_ Range (in code):** **ES FR IT IS IE GB DE CH AT DK TR NO SE FI EE LV RU Da Ur Cc Sb Ya Sh Us Am Kmt AM MD UA BY US Cf**
- 48966. *Xanthorhoe deflorata* (Erschoff,1877)** (Geometridae) **Synonym(s):** *deflorata* Erschoff,1877; *lepidaria* Christoph,1881 **_ Range (in code):** **RU Sb Ir Irk Ya Am MN**
- 48967. *Xanthorhoe derzhavini* (Djakonov,1931)** (Geometridae) **Synonym(s):** *derzhavini* Djakonov,1931 **_ Range (in code):** **RU Ur Sb Kmt JP Hkk**
- 48968. *Xanthorhoe designata* (Hufnagel,1767)** (Geometridae) **Synonym(s):** *designata* Hufnagel,1767; *propugnata* [Denis & Schiffermüller],1775; *fuscofasciata* Retzius,1783; *fuscaria* Villers,1789; *propugnaria* Treitschke,1825 **_ Original Reference:** *Phalaena designata* Hufnagel,1767, Berl. Mag. 4: **_ Range (in code):** **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Lag Kir AM AZ DK NO SE FI EE LV LT RU Sb Us Kol K-R Ur MD UA Cm BY KG** **_ Bionomy:** Larva on Brassica (Meyer,1919).
- 48969. *Xanthorhoe disjunctaria* (La Harpe,1860)** (Geometridae) **Synonym(s):** *disjunctaria* La Harpe,1860; *griphodeata* Rambur,1866; *iberaria* Rambur,1866; *scoriaria* Turati,1910 **_ Range (in code):** **Sa Si IT MT Cr**

- 48970. Xanthorhoe dissociata** W.Warren,1897 (Geometridae) Synonym(s): *dissociata* W.Warren,1897 _ Range (in code): PH Luz
- 48971. Xanthorhoe dodata** Swett & Casino,1920 (Geometridae) Synonym(s): *dodata* Swett & Casino,1920 _ Range (in code): CA Abt
- 48972. Xanthorhoe edmondsii** (Butler,1882) (Geometridae) Synonym(s): *edmondsii* Butler,1882 _ Range (in code): CL
- 48973. Xanthorhoe elusa** L.B.Prout,1939 (Geometridae) Synonym(s): *elusa* L.B.Prout,1939 _ Range (in code): CN Ti
- 48974. Xanthorhoe eugraphata** (De Joannis,1915) (Geometridae) Synonym(s): *eugraphata* De Joannis,1915 _ Range (in code): MU
- 48975. Xanthorhoe euthytoma** L.B.Prout,1926 (Geometridae) Synonym(s): *euthytoma* L.B.Prout,1926 _ Range (in code): NG
- 48976. Xanthorhoe evae** Viidalepp & Remm,1982 (Geometridae) Synonym(s): *evae* Viidalepp & Remm,1982 _ Range (in code): RU Us Sh
- 48977. Xanthorhoe everetti** W.Warren,1897 (Geometridae) Synonym(s): *everetti* W.Warren,1897; *roseopicta* W.Warren,1903 _ Range (in code): ID Clb
- 48978. Xanthorhoe excelsissima** Herbulot,1977 (Geometridae) Synonym(s): *excelsissima* Herbulot,1977 _ Range (in code): ET
- 48979. Xanthorhoe exorista** L.B.Prout,1922 (Geometridae) Synonym(s): *exorista* L.B.Prout,1922 _ Range (in code): ZA Wca Tva Etm ZA04 ZA06 ZA20 Mpu ZA25 Kzu Nta Dbn ET UG CM
- 48980. Xanthorhoe ferrugata** (Clerck,1759) (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809 _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG AZ DK NO SE FI EE LV LT RU Kol K-R Ur Cc Sb Am Kmt MD UA Cm BY KG KK TM Kp KP KR Bionomy: Larva on *Daucus*, *Galium*, *Glechoma*, *Minuartia* (Meyer,1919).
- 48981. Xanthorhoe ferrugata ferrugata** (Clerck,1759) (Geometridae) Synonym(s): *#ferrugata* Clerck,1759; *corculata* Hufnagel,1767; *ferrugaria* [Denis & Schiffermüller],1775; *littorea* Fourcroy,1785; *lictorea* Geoffroy,1800; *unidentaria* Haworth,1809 _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG AZ DK NO SE FI EE LV LT RU Kol K-R Ur Cc Sb Am MD UA Cm BY KG KK TM Kp KP KR
- 48982. Xanthorhoe ferrugata malaisei** (Djakonov,1929) (Geometridae) Synonym(s): *malaisei* Djakonov,1929 _ Range (in code): RU Kmt
- 48983. Xanthorhoe fidonaria** (Staudinger,1892) (Geometridae) Synonym(s): *fidonaria* Staudinger,1892; *icterica* Djakonov,1908. Original Reference: *Cidaria fidonaria* Staudinger,1892, Dt. ent. Z., Iris 5: 229. Syntypes: [Uighur Ili]: Kuldja. Range (in code): CN Ui Ku Ii Tek KK Ik KG Tar TrA Aa DsA Tk
- 48984. Xanthorhoe fidonaria fidonaria** (Staudinger,1892) (Geometridae) Synonym(s): *fidonaria* Staudinger,1892; *icterica* Djakonov,1908. Original Reference: *Cidaria fidonaria* Staudinger,1892, Dt. ent. Z., Iris 5: 229. Syntypes: [Uighur Ili]: Kuldja. Range (in code): CN Ui Ku KG TrA Aa Tar DsA Tk
- 48985. Xanthorhoe fidonaria infernaria** (A.Bang-Haas,1910) (Geometridae) Synonym(s): *infernaria* A.Bang-Haas,1910 _ Range (in code): KK
- 48986. Xanthorhoe fidonaria satanaria** (Aubert,1962) (Geometridae) Synonym(s): *satanaria* Aubert,1962 Original Reference: *Odontorhoe fidonaria* ssp. *satanaria* Aubert,1962, Z. wien. ent. Ges. 47 (3): 50, pl.2 figs.59-60. Syntypes ♂♀: [Kirgizistan]: Issyk Kul, [Uighur Ili]: Kuldja, Ili, Tekes (ZSBS). Range (in code): KK Ik CN Ui Ku Ii Tek
- 48987. Xanthorhoe finitima** (Walker,1862) (Geometridae) Synonym(s): *finitima* Walker,1862 _ Range (in code): NC
- 48988. Xanthorhoe fissiferula** L.B.Prout,1939 (Geometridae) Synonym(s): *fissiferula* L.B.Prout,1939 _ Range (in code): ID Sum
- 48989. Xanthorhoe fluctuata** (Linnaeus,1758) (Geometridae) Synonym(s): *fluctuata* Linnaeus,1758; *fibulata* Hufnagel,1767; *cinerata* Fourcroy,1785 nec Fabr.,1781; *costovata* Haworth,1809; *fluctuaria* Boisduval,1840; *multistriga* Oberthür,1910 Original Reference: *Phalaena fluctuata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 527. Type(s): [Europa]. Range (in code): MA DZ Clo Cst TN ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR Cc GG AM AZ IQ IR Fa DK NO SE FI EE LV LT RU Kol K-R Sb Am Kmt Sh MD UA Cm BY IL Pa Jf LB Bsa KK KG CN Ui Kön KP KR JP Bionomy: Larva on *Alliaria*, *Brassica*, *Cakile maritima*, *Cochlearia*, *Sisymbrium* (Meyer, 1919; Calle et al., 2000).

- 48990. Xanthorhoe fluctuata herculeana (Zerny,1934)** (Geometridae) **Synonym(s):** *herculeana* Zerny,1934 _ Range (in code): **DZ TN**
- 48991. Xanthorhoe fossaria Taylor,1906** (Geometridae) **Synonym(s):** *fossaria* Taylor,1906
Range (in code): **CA BC**
- 48992. Xanthorhoe fumipennis (Hampson,1891)** (Geometridae) **Synonym(s):** *fumipennis* Hampson,1891 _ Range (in code): **IN NI**
- 48993. Xanthorhoe gata (Dognin,1893)** (Geometridae) **Synonym(s):** *gata* Dognin,1893
Range (in code): **EC**
- 48994. Xanthorhoe gigantis L.B.Prout,1939** (Geometridae) **Synonym(s):** *gigantis* L.B.Prout,1939
Range (in code): **ID Ij Gth**
- 48995. Xanthorhoe greeni L.B.Prout,1939** (Geometridae) **Synonym(s):** *greeni* L.B.Prout,1939
Range (in code): **LK**
- 48996. Xanthorhoe griseiviridis (Hampson,1895)** (Geometridae) **Synonym(s):** *griseiviridis* (Hampson,1895 _ Range (in code): **BT**
- 48997. Xanthorhoe hampsoni L.B.Prout,1925** (Geometridae) **Synonym(s):** *hampsoni* L.B.Prout,1925; *placida* L.B.Prout,1925 _ Range (in code): **IN Hp Sml BT**
- 48998. Xanthorhoe hedyphaes L.B.Prout,1922** (Geometridae) **Synonym(s):** *hedyphaes* L.B.Prout,1922 _ Range (in code): **ID Crm**
- 48999. Xanthorhoe holophaea (Hampson,1899)** (Geometridae) **Synonym(s):** *holophaea* Hampson,1899 _ Range (in code): **Sk**
- 49000. Xanthorhoe hortensiararia (Graeser,1890)** (Geometridae) **Synonym(s):** *hortulanaria* Graeser,1889 nec Stgr.,1879; *hortensiararia* Graeser,1890 _ Range (in code): **RU Am Us Vv KP KR CN JP**
- 49001. Xanthorhoe hyphagna L.B.Prout,1923** (Geometridae) **Synonym(s):** *hyphagna* L.B.Prout,1923 _ Range (in code): **ID Ja**
- 49002. Xanthorhoe inaequata W.Warren,1905** (Geometridae) **Synonym(s):** *inaequata* W.Warren,1905 _ Range (in code): **Az**
- 49003. Xanthorhoe inconsiderata (Staudinger,1892)** (Geometridae) **Synonym(s):** *inconsiderata* Staudinger,1892 Original Reference: *Cidaria inconsiderata* Staudinger,1892, Dt. ent. Z., Iris 5: 226. Syntypes 2♂: [Türkei]: Amasia. Range (in code): **TR**
- 49004. Xanthorhoe incursata (Hübner,[1813])** (Geometridae) **Synonym(s):** *incursata* Hübner,[1813]; *disceptaria* Fischer v. Röslerstamm,1837; *polygrapharia* Boisduval,1840; *incursaria* Boisduval,1840
Range (in code): **FR IT DE CH AT PL CZ SK RO YU CA Abt UA** Bionomy: Larva on *Vaccinium myrtillus*, *V. uliginosum* (Meyer,1919).
- 49005. Xanthorhoe insperata (Djakonov,1926)** (Geometridae) **Synonym(s):** *insperata* Djakonov,1926 _ Range (in code): **Ru Sb Sj Mnu Kj**
- 49006. Xanthorhoe interpositaria (Staudinger,1892)** (Geometridae) **Synonym(s):** *interpositaria* Staudinger,1892 _ Range (in code): **KK Ax RU Tv Osh KG UZ**
- 49007. Xanthorhoe kamtshatica (Djakonov,1929)** (Geometridae) **Synonym(s):** *kamtshatica* Djakonov,1929; *paramushira* Bryk,1942 _ Range (in code): **RU Krl Kmt**
- 49008. Xanthorhoe labradorensis (Packard,1867)** (Geometridae) **Synonym(s):** *labradorensis* Packard,1867 _ Range (in code): **CA Lbr**
- 49009. Xanthorhoe latigrisea (W.Warren,1897)** (Geometridae) **Synonym(s):** *latigrisea* W.Warren,1897 _ Range (in code): **MW**
- 49010. Xanthorhoe liwagu Holloway,1997** (Geometridae) **Synonym(s):** *liwagu* Holloway,1997
Range (in code): **MY Bor Sbh KBa**
- 49011. Xanthorhoe lophogramma Meyrick,1897** (Geometridae) **Synonym(s):** *lophogramma* Meyrick,1897 _ Range (in code): **NZ**
- 49012. Xanthorhoe lucasaria (Schaus,1912)** (Geometridae) **Synonym(s):** *lucasaria* Schaus,1912
Range (in code): **CR**
- 49013. Xanthorhoe ludifica W.Warren,1898** (Geometridae) **Synonym(s):** *ludifica* W.Warren,1898 _ Range (in code): **ID Ja**
- 49014. Xanthorhoe luminosa Inoue,1982** (Geometridae) **Synonym(s):** *luminosa* Inoue,1982
Range (in code): **NP**
- 49015. Xanthorhoe magnata Herbulot,1957** (Geometridae) **Synonym(s):** *magnata* Herbulot,1957
Range (in code): **RE**
- 49016. Xanthorhoe magnificata (Walker,1862)** (Geometridae) **Synonym(s):** *magnificata* Walker,1862; *inspurcata* Walker,1862; *subseparata* Walker,1862; *albilinea* Hampson,1891 _ Range (in code): **IN NI**

- 49017. Xanthorhoe majorata Heydemann,1936** (Geometridae) Synonym(s): *majorata* Heydemann,1936 _ Range (in code): RU Ur Sb Bry
- 49018. Xanthorhoe malgassa Herbulot,1954** (Geometridae) Synonym(s): *malgassa* Herbulot,1954 _ Range (in code): MG
- 49019. Xanthorhoe mecoterma (L.B.Prout,1938)** (Geometridae) Synonym(s): *mecoterma* L.B.Prout,1938 _ Range (in code): Ch
- 49020. Xanthorhoe melissaria (Guenée,[1858])** (Geometridae) Synonym(s): *melissaria* Guenée,[1858] _ Range (in code): ZA Wca ZW ZR UG
- 49021. Xanthorhoe mesilauensis Holloway,1976** (Geometridae) Synonym(s): *mesilauensis* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 49022. Xanthorhoe mimica Janse,1933** (Geometridae) Synonym(s): *mimica* Janse,1933 _ Range (in code): ZA Nta Kzu Ktz
- 49023. Xanthorhoe mollicula (Eversmann,1848)** (Geometridae) Synonym(s): *mollicula* Eversmann,1848 _ Range (in code): KG CN Ui
- 49024. Xanthorhoe muscipata (Christoph,1881)** (Geometridae) Synonym(s): *muscipata* Christoph,1881 _ Range (in code): RU Am Us Sh Krl KP KR JP
- 49025. Xanthorhoe nubilosa W.Warren,1898** (Geometridae) Synonym(s): *nubilosa* W.Warren,1898 _ Range (in code): ID Ja Sum
- 49026. Xanthorhoe oxybiata (Millière,1872)** (Geometridae) Synonym(s): *oxybiata* Millière,1872 _ Range (in code): ES FR Sa Si IT YU GR TR CY
- 49027. Xanthorhoe pallida Rothschild,1915** (Geometridae) Synonym(s): *pallida* Rothschild,1915 _ Range (in code): ID Ij Snw
- 49028. Xanthorhoe pederi Hausmann & Friedrich,2011** (Geometridae) Synonym(s): *pederi* Hausmann & Friedrich,2011 _ Range (in code): CY
- 49029. Xanthorhoe peribleta (Brandt,1941)** (Geometridae) Synonym(s): *peribleta* Brandt,1941 _ Range (in code): IR Ss
- 49030. Xanthorhoe poseata (Geyer,[1836])** (Geometridae) Synonym(s): *poseata* Geyer,[1836]; *viridicinctata* Guenée,[1858]; *penetrata* Walker,1862; *rudisaria* Walker,1862; *vivadata* Walker,1862; *colorata* Walker,[1863] _ Range (in code): ZA Tva ZA10 ZA11 ZA12 ZA13 Nta Kzu ZA14 Mpu Ggh Fs Wca Ec
- 49031. Xanthorhoe pratti L.B.Prout,1922** (Geometridae) Synonym(s): *pratti* L.B.Prout,1922 _ Range (in code): ID Crm
- 49032. Xanthorhoe praxilla (Druce,1893)** (Geometridae) Synonym(s): *praxilla* Druce,1893 _ Range (in code): GT
- 49033. Xanthorhoe procilla (Druce,1893)** (Geometridae) Synonym(s): *procilla* Druce,1893 _ Range (in code): GT
- 49034. Xanthorhoe procne (Fawcett,1916)** (Geometridae) Synonym(s): *procne* Fawcett,1916 _ Range (in code): KE
- 49035. Xanthorhoe pseudogaliata (Staudinger,1898)** (Geometridae) Synonym(s): *pseudogaliata* Staudinger,1898 _ Range (in code): IL Pa Jf Js
- 49036. Xanthorhoe purpureofascia Inoue,1982** (Geometridae) Synonym(s): *purpureofascia* Inoue,1982 _ Range (in code): RU Krl JP
- 49037. Xanthorhoe quadrifasciata (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996 _ Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Da Cc AZ Kir DK NO SE FI EE LV LT RU Am Sh Us MD UA Cm BY CN JP Bionomy: Larva on Lamium, Primula, Urtica (Meyer,1919).
- 49038. Xanthorhoe quadrifasciata ignobilis (Butler,1880)** (Geometridae) Synonym(s): *ignobilis* Butler,1880 _ Range (in code): RU Am Us Sh CN JP
- 49039. Xanthorhoe quadrifasciata quadrifasciata (Linnaeus,1761)** (Geometridae) Synonym(s): *#quadrifasciaria* Clerck,1759; *quadrifasciata* Linnaeus,1761; *ligustrata* [Denis & Schiffermüller],1775; *undulataria* Villers,1789; *badiata* Borkhausen,1794; *ligustraria* Treitschke,1825; *#quadrifasciata* Viidalepp,1996 _ Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Da Cc AZ Kir DK NO SE FI EE LV LT RU MD UA Cm BY
- 49040. Xanthorhoe rectantemediana (Wehrli,1927)** (Geometridae) Synonym(s): *rectantemediana* Wehrli,1927 _ Range (in code): RU Am Us Kmt Sh Krl CN
- 49041. Xanthorhoe rectifasciaria (Lederer,1853)** (Geometridae) Synonym(s): *rectifasciaria* Lederer,1853; *orthogrammaria* Guenée,[1858] _ Original Reference: Cidaria rectifasciaria

- Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 265-266. Type ♂: [Aserbaidjan]: Elisabethpol [=Kirovabad]. Range (in code): **TR Cc AZ GG Mng Bjo Kir Lag Len Akh AM IR Elb Th**
- 49042. Xanthorhoe rectifasciaria rector Wiltshire, 1976** (Geometridae) Synonym(s): *rector Wiltshire, 1976* Original Reference: *Xanthorhoe rectifasciaria* ssp. *rector* Wiltshire, 1976, Z. ArbGem. öst. Ent. 27 (3/4): 80, pl.I figs. 8a, b, pl.II fig. 3. Holotype ♂: Turkey: Pontic Mts., north of Zigana Pass, 1500m 9.vi.69 (F. Kasy leg.) (NHMW). Range (in code): **TR**
- 49043. Xanthorhoe rhodoides (Brandt, 1941)** (Geometridae) Synonym(s): *rhodoides* Brandt, 1941 Range (in code): **IR Ss**
- 49044. Xanthorhoe rupicola (Wollaston, 1858)** (Geometridae) Synonym(s): *rupicola* Wollaston, 1858; *insulariata* Wallengren, 1860 Range (in code): **Md**
- 49045. Xanthorhoe sajanaria (L.B. Prout, 1914)** (Geometridae) Synonym(s): *sajanaria* L.B. Prout, 1914 Range (in code): **RU Sb Sj At MN**
- 49046. Xanthorhoe saturata Guenée, 1857** (Geometridae) Synonym(s): *saturata* Guenée, 1857; *exlaturata* Walker, 1862; *livida* Butler, 1878; *inamoena* Butler, 1879; *granitalis* Butler, 1889 Range (in code): **PK Cp IN Hp Drm JP**
- 49047. Xanthorhoe sp.?** (Geometridae) Synonym(s): Range (in code): **ZA Tva ZA14 ZA20 Mpu**
- 49048. Xanthorhoe spadicearia ([Denis & Schiffermüller], 1775)** (Geometridae) Synonym(s): *spadicearia* [Denis & Schiffermüller], 1775; *alchemillaria* Esper, 1801; *livinaria* LaHarpe, 1855 Original Reference: *Geometra spadicearia* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 113. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kol K-R Ur Sj Bry Kmt MD UA BY MN**
- 49049. Xanthorhoe spatuluncis Wiltshire, 1982** (Geometridae) Synonym(s): *spatuluncis* Wiltshire, 1982 Range (in code): **SA YE Sna**
- 49050. Xanthorhoe stupida (Alpheraky, 1897)** (Geometridae) Synonym(s): *stupida* Alpheraky, 1897 Range (in code): **RU Us KK CN Ti Ui KP KR**
- 49051. Xanthorhoe tamsi D.S. Fletcher, 1963** (Geometridae) Synonym(s): *tamsi* D.S. Fletcher, 1963 Range (in code): **ST**
- 49052. Xanthorhoe transjugata L.B. Prout, 1923** (Geometridae) Synonym(s): *transjugata* L.B. Prout, 1923; *mikenaria* Debauche, 1938 Range (in code): **ZA Tva ZA11 ZA13 Nta Kzu ZA14 Mpu KE**
- 49053. Xanthorhoe transpositaria (Aubert, 1962)** (Geometridae) Synonym(s): *transpositaria* Aubert, 1962 Range (in code): **TM KK KG UZ T-S**
- 49054. Xanthorhoe trusa L.B. Prout, 1939** (Geometridae) Synonym(s): *trusa* L.B. Prout, 1939 Range (in code): **IN Pln Tn**
- 49055. Xanthorhoe vidanoi Parenzan & Hausmann, 1994** (Geometridae) Synonym(s): *vidanoi* Parenzan & Hausmann, 1994 Range (in code): **Si IT**
- 49056. Xanthorhoe vulgaris Rothschild, 1915** (Geometridae) Synonym(s): *vulgaris* Rothschild, 1915 Range (in code): **ID Ij Snw**
- 49057. Xanthorhoe wiltshirei (Brandt, 1941)** (Geometridae) Synonym(s): *wiltshirei* Brandt, 1941 Original Reference: *Cidaria (Epirrhoe) wiltshirei* Brandt, 1941, Mitt. münch. ent. Ges. 31 (3): 872, pl. 29 fig. 21. Range (in code): **IR Ss SA SA63 AE OM**
- 49058. Xenimpia albicaput D.S. Fletcher, 1956** (Geometridae) Synonym(s): *albicaput* D.S. Fletcher, 1956 Range (in code): **CM**
- 49059. Xenimpia angusta L.B. Prout, 1915** (Geometridae) Synonym(s): *angusta* L.B. Prout, 1915 Range (in code): **KE**
- 49060. Xenimpia burgessi Carcasson, 1964** (Geometridae) Synonym(s): *burgessi* Carcasson, 1964 Range (in code): **UG**
- 49061. Xenimpia chalepa L.B. Prout, 1915** (Geometridae) Synonym(s): *chalepa* L.B. Prout, 1915 Range (in code): **CM**
- 49062. Xenimpia clenchi Viette, 1980** (Geometridae) Synonym(s): *clenchi* Viette, 1980 Range (in code): **MG**
- 49063. Xenimpia conformis (W. Warren, 1898)** (Geometridae) Synonym(s): *conformis* W. Warren, 1898 Range (in code): **NG**
- 49064. Xenimpia crassimedia Herbulot, 1996** (Geometridae) Synonym(s): *crassimedia* Herbulot, 1996 Range (in code): **RW**
- 49065. Xenimpia crassipecten Herbulot, 1961** (Geometridae) Synonym(s): *crassipecten* Herbulot, 1961 Range (in code): **MG**

- 49066. *Xenimpia dohertyi* Herbulot,1961** (Geometridae) **Synonym(s):** *dohertyi* Herbulot,1961
Range (in code): **KE**
- 49067. *Xenimpia erosa* W.Warren,1895** (Geometridae) **Synonym(s):** *erosa* W.Warren,1895
Range (in code): **ZA Etm ZA04 Ksi Mal Tva Lpo ZA18 Ec ZA25 ZA26 ZA27 Nta Kzu ZR** **Bionomy:**
Larva on Ipomoea batatas (Convolvulaceae); Ricinus communis (Euphorbiaceae); Apodytes dimidiata (Icacinaceae); Eucalyptus grandis (Myrtaceae); Ligustrum lucidum (Oleaceae); Coffea arabica (Rubiaceae); Citrus (Rutaceae) (Scoble,1999).
- 49068. *Xenimpia erosa linearis* W.Warren,1897** (Geometridae) **Synonym(s):** *linearis* W.Warren,1897
Range (in code): **ZA Etm ZA04 Ksi Mal Tva Lpo ZA18 Ec ZA25 ZA26 ZA27 Nta Kzu**
- 49069. *Xenimpia fletcheri* Herbulot,1954** (Geometridae) **Synonym(s):** *fletcheri* Herbulot,1954
Range (in code): **MG**
- 49070. *Xenimpia flexuosa* Herbulot,1996** (Geometridae) **Synonym(s):** *flexuosa* Herbulot,1996
Range (in code): **CM**
- 49071. *Xenimpia hecqi* Herbulot,1996** (Geometridae) **Synonym(s):** *hecqi* Herbulot,1996
Range (in code): **RW**
- 49072. *Xenimpia informis* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *informis* Swinhoe,1904
Range (in code): **NG**
- 49073. *Xenimpia kala* Herbulot,1973** (Geometridae) **Synonym(s):** *kala* Herbulot,1973
Range (in code): **CM**
- 49074. *Xenimpia karischi* Herbulot,1996** (Geometridae) **Synonym(s):** *karischi* Herbulot,1996
Range (in code): **GO Bio**
- 49075. *Xenimpia lactesignata* (W.Warren,1914)** (Geometridae) **Synonym(s):** *lactesignata* W.Warren,1914
Range (in code): **ZA Ec Cto Cap**
- 49076. *Xenimpia loile* Carcasson,1964** (Geometridae) **Synonym(s):** *loile* Carcasson,1964
Range (in code): **CG**
- 49077. *Xenimpia luxuriosa* Herbulot,1961** (Geometridae) **Synonym(s):** *luxuriosa* Herbulot,1961
Range (in code): **KM**
- 49078. *Xenimpia maculosata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *maculosata* W.Warren,1897
Range (in code): **ZA Ec Cap**
- 49079. *Xenimpia misogyna* Carcasson,1962** (Geometridae) **Synonym(s):** *misogyna* Carcasson,1962
Range (in code): **KE Nai**
- 49080. *Xenimpia opala* Carcasson,1964** (Geometridae) **Synonym(s):** *opala* Carcasson,1964
Range (in code): **CG**
- 49081. *Xenimpia sabae* Hausmann,2006** (Geometridae) **Synonym(s):** *sabae* Hausmann,2006
Range (in code): **ET ET29 Gm YE YE30 YE33**
- 49082. *Xenimpia sabae amarei* Hausmann,2006** (Geometridae) **Synonym(s):** *amarei* Hausmann,2006
Range (in code): **ET ET29 Gm**
- 49083. *Xenimpia sabae sabae* Hausmann,2006** (Geometridae) **Synonym(s):** *sabae* Hausmann,2006
Range (in code): **YE YE30 YE33**
- 49084. *Xenimpia sillaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *sillaria* Swinhoe,1904
Range (in code): **GH Acc**
- 49085. *Xenimpia soricina* Herbulot,1973** (Geometridae) **Synonym(s):** *soricina* Herbulot,1973
Range (in code): **CM**
- 49086. *Xenimpia spinosivalis* Herbulot,1996** (Geometridae) **Synonym(s):** *spinosivalis* Herbulot,1996
Range (in code): **CM**
- 49087. *Xenimpia tetracantha* Herbulot,1973** (Geometridae) **Synonym(s):** *tetracantha* Herbulot,1973
Range (in code): **CM**
- 49088. *Xenimpia transmarina* Herbulot,1961** (Geometridae) **Synonym(s):** *transmarina* Herbulot,1961
Range (in code): **MG**
- 49089. *Xenimpia trizonata* (Saalmüller,1891)** (Geometridae) **Synonym(s):** *trizonata* Saalmüller,1891; *trivittata* Mabille,1900
Range (in code): **MG**
- 49090. *Xenimpia vastata* Herbulot,1996** (Geometridae) **Synonym(s):** *vastata* Herbulot,1996
Range (in code): **RW**
- 49091. *Xenochlorodes albicostaria* Brandt,1938** (Geometridae) **Synonym(s):** *albicostaria* Brandt,1938
Range (in code): **IR Fa Com Kz**

- 49092. *Xenochlorodes beryllaria* (Mann,1853)** (Geometridae) Synonym(s): *beryllaria* Mann,1853; *aureliaria* Millière,1863 _ Range (in code): **DZ Ges PT ES FR Co Sa Si IT YU AL GR Cr TR**
Bionomy: Larva on *Phillyrea angustifolia*, *P. media* (Meyer,1919).
- 49093. *Xenochlorodes gilvescens* Wiltshire,1966** (Geometridae) Synonym(s): *gilvescens* Wiltshire,1966 _ Range (in code): **AF Gz**
- 49094. *Xenochlorodes graminaria* (Kollar,[1849])** (Geometridae) Synonym(s): *graminaria* Kollar,[1849] _ Range (in code): **IR Fa**
- 49095. *Xenochlorodes magna* Wolff,1977** (Geometridae) Synonym(s): *magna* Wolff,1977
Range (in code): **Md**
- 49096. *Xenochlorodes nubigena* (Wollaston,1858)** (Geometridae) Synonym(s): *nubigena* Wollaston,1858 _ Range (in code): **Md**
- 49097. *Xenochlorodes olympiaria* (Herrich-Schäffer,[1852])** (Geometridae) Synonym(s): *olympiaria* Herrich-Schäffer,[1852]; *cremonaria* Staudinger,1897; *pallida* W.Warren,1897. Original Reference: *Geometra olympiaria* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 63, fig. 539. Type(s): [Türkei]: Brussa [Bursa: Uludağ]. Range (in code): **TR LB Bei Bsa IL Pa Js Hf CY**
- 49098. *Xenochlorodes petitaria* (Christoph,1887)** (Geometridae) Synonym(s): *petitaria* Christoph,1887 _ Range (in code): **TM Kp**
- 49099. *Xenochlorodes postalbida* (Viidalepp,1988)** (Geometridae) Synonym(s): *postalbida* Viidalepp,1988 _ Range (in code): **TJ**
- 49100. *Xenochlorodes xina* L.B.Prout,1916** (Geometridae) Synonym(s): *xina* L.B.Prout,1916
Range (in code): **TZ ZA Ktz ZA05 ZA06 ZA07 ZA08 Ksi Nta Kzu ZA14 ZA16 Mpu Brb ZA17 ZA21 Tva Lpo Umk**
- 49101. *Xenochroma aetherea* Debauche,1941** (Geometridae) Synonym(s): *aetherea* Debauche,1941 _ Range (in code): **CG**
- 49102. *Xenochroma angulosa* Herbulot,1984** (Geometridae) Synonym(s): *angulosa* Herbulot,1984 _ Range (in code): **CM**
- 49103. *Xenochroma candidata* W.Warren,1902** (Geometridae) Synonym(s): *candidata* W.Warren,1902 _ Range (in code): **ZA ZA16 Mpu ZA17 Tva Lpo Ec Elo MZ Del MW NG**
- 49104. *Xenochroma dyscholorata* (W.Warren,1914)** (Geometridae) Synonym(s): *dyscholorata* W.Warren,1914 _ Range (in code): **ZA Nta Kzu ZW MW**
- 49105. *Xenochroma palimpais* L.B.Prout,1934** (Geometridae) Synonym(s): *palimpais* L.B.Prout,1934 _ Range (in code): **NG**
- 49106. *Xenochroma planimargo* L.B.Prout,1912** (Geometridae) Synonym(s): *planimargo* L.B.Prout,1912 _ Range (in code): **ZW Umv MW**
- 49107. *Xenochroma roseimargo* Janse,1935** (Geometridae) Synonym(s): *roseimargo* Janse,1935
Range (in code): **ZW Har**
- 49108. *Xenochroma salsa* (W.Warren,1897)** (Geometridae) Synonym(s): *salsa* W.Warren,1897
Range (in code): **SL**
- 49109. *Xenochroma silvatica* Herbulot,1984** (Geometridae) Synonym(s): *silvatica* Herbulot,1984 _ Range (in code): **CG**
- 49110. *Xenoclystia delectans* W.Warren,1906** (Geometridae) Synonym(s): *delectans* W.Warren,1906 _ Range (in code): **PG**
- 49111. *Xenoclystia delicata* W.Warren,1906** (Geometridae) Synonym(s): *delicata* W.Warren,1906 _ Range (in code): **PG**
- 49112. *Xenoclystia nigroviridata* (W.Warren,1896)** (Geometridae) Synonym(s): *nigroviridata* W.Warren,1896 _ Range (in code): **IN Ass Meg Khs**
- 49113. *Xenoclystia phaeoloma* L.B.Prout,1926** (Geometridae) Synonym(s): *phaeoloma* L.B.Prout,1926 _ Range (in code): **MM Hta**
- 49114. *Xenoclystia unijuga* L.B.Prout,1926** (Geometridae) Synonym(s): *unijuga* L.B.Prout,1926
Range (in code): **MM Hta**
- 49115. *Xenographia adustata* (Moore,1888)** (Geometridae) Synonym(s): *adustata* Moore,1888
Range (in code): **IN Ass Meg Khs**
- 49116. *Xenographia lignataria* W.Warren,1893** (Geometridae) Synonym(s): *lignataria* W.Warren,1893 _ Range (in code): **IN SI**
- 49117. *Xenographia manifesta* W.Warren,1897** (Geometridae) Synonym(s): *manifesta* W.Warren,1897 _ Range (in code): **IN Ass Meg Khs**

- 49118. Xenographia omorhusia** L.B.Prout,1929 (Geometridae) Synonym(s): *omorhusia* L.B.Prout,1929 _ Range (in code): ID Bru
- 49119. Xenographia semifusa** Hampson,1895 (Geometridae) Synonym(s): *semifusa* Hampson,1895; *denticulosa* W.Warren,1896 _ Range (in code): IN Nag Ass Meg Khs
- 49120. Xenoplia contrasqualida** Inoue,1992 (Geometridae) Synonym(s): *contrasqualida* Inoue,1992 _ Range (in code): NP
- 49121. Xenoplia foraria** (Guenée,[1858]) (Geometridae) Synonym(s): *foraria* Guenée,[1858]; *submissa* W.Warren,1893 _ Range (in code): ID Sum TH IN SI
- 49122. Xenoplia foraria foraria** (Guenée,[1858]) (Geometridae) Synonym(s): *foraria* Guenée,[1858]; *submissa* W.Warren,1893 _ Range (in code): TH IN SI
- 49123. Xenoplia foraria terminata** (L.B.Prout,1928) (Geometridae) Synonym(s): *terminata* L.B.Prout,1928 _ Range (in code): ID Sum
- 49124. Xenoplia maculata** (Moore,1868) (Geometridae) Synonym(s): *maculata* Moore,1868; *subfumida* W.Warren,1894 _ Range (in code): IN Ben Ass Meg Khs SI Djl CN Ti
- 49125. Xenoplia maculata punctimaculata** (L.B.Prout,1917) (Geometridae) Synonym(s): *punctimaculata* L.B.Prout,1917 _ Range (in code): CN Ti
- 49126. Xenoplia trivialis** (Yazaki,1987) (Geometridae) Synonym(s): *trivialis* Yazaki,1987 _ Range (in code): TW
- 49127. Xenortholitha corioidea** (Bastelberger,1911) (Geometridae) Synonym(s): *corioidea* Bastelberger,1911 _ Range (in code): TW
- 49128. Xenortholitha dicaea** (L.B.Prout,1911) (Geometridae) Synonym(s): *dicaea* L.B.Prout,1911 _ Range (in code): CN
- 49129. Xenortholitha eutygramma** (Wehrli,1924) (Geometridae) Synonym(s): *eutygramma* Wehrli,1924 _ Range (in code): CN
- 49130. Xenortholitha exacra** (Wehrli,1931) (Geometridae) Synonym(s): *exacra* Wehrli,1931 _ Range (in code): CN
- 49131. Xenortholitha extrastrenua** (Wehrli,1931) (Geometridae) Synonym(s): *extrastrenua* Wehrli,1931 _ Range (in code): CN
- 49132. Xenortholitha falcata** Yazaki,1993 (Geometridae) Synonym(s): *falcata* Yazaki,1993 _ Range (in code): NP
- 49133. Xenortholitha latifusata** (Walker,1862) (Geometridae) Synonym(s): *latifusata* Walker,1862; *naemata* R.Felder & Rogenhofer,1875; *ignorata* Staudinger,1896 *nec* Stgr.,1892; *ignotata* Staudinger,1897 _ Range (in code): CN Ts Kno Ti Sz MM Hpi IN Dlh PK Haz Mre Swa Sgl
- 49134. Xenortholitha latifusata indecisa** (L.B.Prout,1937) (Geometridae) Synonym(s): *indecisa* L.B.Prout,1937 _ Range (in code): CN Sz MM Hpi
- 49135. Xenortholitha propinguata** (Kollar,[1844]) (Geometridae) Synonym(s): *propinguata* Kollar,[1844] _ Range (in code): IN Mus SI Djl RU Us Vv PH Luz JP
- 49136. Xenortholitha propinguata epigrypa** (L.B.Prout,1939) (Geometridae) Synonym(s): *epigrypa* L.B.Prout,1939 _ Range (in code): IN SI Djl
- 49137. Xenortholitha propinguata niponica** (Butler,1878) (Geometridae) Synonym(s): *niponica* Butler,1878 _ Range (in code): JP
- 49138. Xenortholitha propinguata propinguata** (Kollar,[1844]) (Geometridae) Synonym(s): *propinguata* Kollar,[1844] _ Range (in code): IN Mus
- 49139. Xenortholitha propinguata suavata** (Christoph,1881) (Geometridae) Synonym(s): *suavata* Christoph,1881 _ Range (in code): RU Us Vv
- 49140. Xenortholitha propinguata superlata** (L.B.Prout,1922) (Geometridae) Synonym(s): *superlata* L.B.Prout,1922; *euchora* West,1929 _ Range (in code): PH Luz
- 49141. Xenozancla versicolor** W.Warren,1893 (Geometridae) Synonym(s): *versicolor* W.Warren,1893 _ Range (in code): IN Nag
- 49142. Xerodes albisparsa** (W.Warren,1896) (Geometridae) Synonym(s): *albisparsa* W.Warren,1896; *singularis* Swinhoe,1902 _ Range (in code): PG Eca Fg
- 49143. Xerodes albonotaria** (Bremer,1864) (Geometridae) Synonym(s): *albonotaria* Bremer,1864; *didyma* Wehrli,1940; *nesiotis* Wehrli,1940 _ Range (in code): RU Sb Us JP CN Ri KP KR
- 49144. Xerodes cinerosa** (W.Warren,1895) (Geometridae) Synonym(s): *cinerosa* W.Warren,1895 _ Range (in code): ID Snd
- 49145. Xerodes crenulata** (Wileman,1915) (Geometridae) Synonym(s): *crenulata* Wileman,1915 _ Range (in code): TW

- 49146. *Xerodes inaccepta* (L.B.Prout,1910)** (Geometridae) **Synonym(s):** *inaccepta* L.B.Prout,1910
Range (in code): **CN Sz**
- 49147. *Xerodes lignicolor* (W.Warren,1897)** (Geometridae) **Synonym(s):** *lignicolor* W.Warren,1897
Range (in code): **MY Bor**
- 49148. *Xerodes pilosa* Holloway,[1994]** (Geometridae) **Synonym(s):** *pilosa* Holloway,[1994]
Range (in code): **MY Bor BN**
- 49149. *Xerodes ypsaria* Guenée,[1858]** (Geometridae) **Synonym(s):** *ypsaria* Guenée,[1858]; *testacearia* Moore,1868
Range (in code): **IN SI Djl MY Bor TH CMa**
- 49150. *Xeropteryx colombicola* ((Walker,1860)** (Geometridae) **Synonym(s):** *colombicola* (Walker,1860
Range (in code): **IN MY Bor Swk ID Btu**
- 49151. *Xylinophylla hypocausta* (W.Warren,1899)** (Geometridae) **Synonym(s):** *hypocausta* W.Warren,1899
Range (in code): **MY Pen TH Ntt Hba**
- 49152. *Xylinophylla maculata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *maculata* W.Warren,1897; *ochrea* W.Warren,1898
Range (in code): **ID Kai SB**
- 49153. *Xylopteryx amieti* Herbulot,1973** (Geometridae) **Synonym(s):** *amieti* Herbulot,1973
Range (in code): **CM**
- 49154. *Xylopteryx anodina* Herbulot,1984** (Geometridae) **Synonym(s):** *anodina* Herbulot,1984
Range (in code): **RW**
- 49155. *Xylopteryx arcuata* (Walker,1862)** (Geometridae) **Synonym(s):** *arcuata* Walker,1862; *laticinctata* Walker,1862; *sublectata* Walker,1862; *albimaculata* Hampson,1902
Range (in code): **ZA ZA13 Kzu Nta Ec Cap KE**
- 49156. *Xylopteryx aucilla* L.B.Prout,1926** (Geometridae) **Synonym(s):** *aucilla* L.B.Prout,1926
Range (in code): **KE**
- 49157. *Xylopteryx bifida* Herbulot,1984** (Geometridae) **Synonym(s):** *bifida* Herbulot,1984
Range (in code): **RW**
- 49158. *Xylopteryx clathrata* Herbulot,1984** (Geometridae) **Synonym(s):** *clathrata* Herbulot,1984
Range (in code): **RW**
- 49159. *Xylopteryx cowani* Viette,1972** (Geometridae) **Synonym(s):** *cowani* Viette,1972
Range (in code): **MG**
- 49160. *Xylopteryx dargei* Herbulot,1984** (Geometridae) **Synonym(s):** *dargei* Herbulot,1984
Range (in code): **CM**
- 49161. *Xylopteryx doto* L.B.Prout,1925** (Geometridae) **Synonym(s):** *doto* L.B.Prout,1925
Range (in code): **MG KM**
- 49162. *Xylopteryx elongata* Herbulot,1985** (Geometridae) **Synonym(s):** *elongata* Herbulot,1985
Range (in code): **CM**
- 49163. *Xylopteryx emunctaria* (Guenée,[1858])** (Geometridae) **Synonym(s):** *emunctaria* Guenée,[1858]; *interposita* W.Warren,1902
Range (in code): **ET KE**
- 49164. *Xylopteryx gibbosa* Herbulot,1973** (Geometridae) **Synonym(s):** *gibbosa* Herbulot,1973
Range (in code): **CM**
- 49165. *Xylopteryx guichardi* Wiltshire,1982** (Geometridae) **Synonym(s):** *guichardi* Wiltshire,1982
Range (in code): **SA**
- 49166. *Xylopteryx lemairei* Herbulot,1984** (Geometridae) **Synonym(s):** *lemairei* Herbulot,1984
Range (in code): **CM**
- 49167. *Xylopteryx leroyae* D.S.Fletcher,1963** (Geometridae) **Synonym(s):** *leroyae* D.S.Fletcher,1963
Range (in code): **ZR Kvu**
- 49168. *Xylopteryx nacaria* (Swinhoe,1904)** (Geometridae) **Synonym(s):** *nacaria* Swinhoe,1904
Range (in code): **GH**
- 49169. *Xylopteryx nebulata* D.S.Fletcher,1963** (Geometridae) **Synonym(s):** *nebulata* D.S.Fletcher,1963
Range (in code): **ZR Kvu**
- 49170. *Xylopteryx oneili* L.B.Prout,1932** (Geometridae) **Synonym(s):** *oneili* L.B.Prout,1932
Range (in code): **ZW Bul**
- 49171. *Xylopteryx phaeochyta* D.S.Fletcher,1958** (Geometridae) **Synonym(s):** *phaeochyta* D.S.Fletcher,1958
Range (in code): **UG ZR Rz**
- 49172. *Xylopteryx prasinaria* Hampson,1909** (Geometridae) **Synonym(s):** *prasinaria* Hampson,1909
Range (in code): **ZA ZA01 Tva Lpo Ksi Mal ZA16 Mpu ZA25 Kzu Nta**
- 49173. *Xylopteryx protearia* Guenée,[1858]** (Geometridae) **Synonym(s):** *protearia* Guenée,[1858]
Range (in code): **ZA Etm Nta Kzu ZA04 ZA05 ZA11 ZA13 ZA14 Mpu Mal Tva Lpo**

- 49174. *Xylopteryx protearia* Guenée,[1858]** (Geometridae) Synonym(s): *protearia* Guenée,[1858]; *lucidiscata* Walker,[1863]; *africana* W.Warren,1911 _ Range (in code): ZA Ec Cap
- 49175. *Xylopteryx prouti* Carcasson,1965** (Geometridae) Synonym(s): *prouti* Carcasson,1965 _ Range (in code): UG
- 49176. *Xylopteryx raphaelaria* (Oberthür,1890)** (Geometridae) Synonym(s): *raphaelaria* Oberthür,1890 _ Range (in code): ET
- 49177. *Xylopteryx sima* L.B.Prout,1926** (Geometridae) Synonym(s): *sima* L.B.Prout,1926 _ Range (in code): KE
- 49178. *Xylopteryx triphaenata* Herbulot,1984** (Geometridae) Synonym(s): *triphaenata* Herbulot,1984 _ Range (in code): CG
- 49179. *Xylopteryx turlini* Herbulot,1984** (Geometridae) Synonym(s): *turlini* Herbulot,1984 _ Range (in code): RW
- 49180. *Xylopteryx versicolor* (W.Warren,1902)** (Geometridae) Synonym(s): *versicolor* W.Warren,1902 _ Range (in code): KE
- 49181. *Yashmakia bigrisea* Holloway,[1994]** (Geometridae) Synonym(s): *bigrisea* Holloway,[1994] _ Range (in code): MY Bor BN
- 49182. *Yashmakia conflagrata* (Hampson,1912)** (Geometridae) Synonym(s): *conflagrata* Hampson,1912 _ Range (in code): IN NI
- 49183. *Yashmakia erythra* (Hampson,1891)** (Geometridae) Synonym(s): *erythra* Hampson,1891 _ Range (in code): IN NI
- 49184. *Yashmakia loxozygia* Holloway,[1994]** (Geometridae) Synonym(s): *loxozygia* Holloway,[1994] _ Range (in code): MY Bor Swk
- 49185. *Yashmakia medionubis* (L.B.Prout,1925)** (Geometridae) Synonym(s): *medionubis* L.B.Prout,1925 _ Range (in code): IN Meg Ass Nag
- 49186. *Yashmakia orsinephes* (L.B.Prout,1928)** (Geometridae) Synonym(s): *orsinephes* L.B.Prout,1928 _ Range (in code): TH Ntt Hba ID Sum
- 49187. *Yashmakia purpurascens* (W.Warren,1894)** (Geometridae) Synonym(s): *purpurascens* W.Warren,1894; *rosearia* Leech,1897 _ Range (in code): CN Sz
- 49188. *Yashmakia submissa* (W.Warren,1894)** (Geometridae) Synonym(s): *submissa* W.Warren,1894 _ Range (in code): IN Ass Meg Khs
- 49189. *Yashmakia suffusa* (W.Warren,1893)** (Geometridae) Synonym(s): *suffusa* W.Warren,1893; *gopterana* Swinhoe,1894 _ Range (in code): IN Nag Ass Meg Khs Cpj
- 49190. *Yashmakia vanbraeckeli* Debauche,1941** (Geometridae) Synonym(s): *vanbraeckeli* Debauche,1941 _ Range (in code): ID Clb
- 49191. *Yashmakia veneris* W.Warren,1901** (Geometridae) Synonym(s): *veneris* W.Warren,1901 _ Range (in code): MY Bor Swk
- 49192. *Yucelaskinia castanea* (W.Warren,1906)** (Geometridae) Synonym(s): *castanea* W.Warren,1906 _ Range (in code): PG
- 49193. *Yucelaskinia flammea* (W.Warren,1907)** (Geometridae) Synonym(s): *flammea* W.Warren,1907 _ Range (in code): PG ID Ij Gth
- 49194. *Yucelaskinia flammea chionosticta* (L.B.Prout,1926)** (Geometridae) Synonym(s): *chionosticta* L.B.Prout,1926 _ Range (in code): ID Ij Gth
- 49195. *Yucelaskinia flammea flammea* (W.Warren,1907)** (Geometridae) Synonym(s): *flammea* W.Warren,1907 _ Range (in code): PG
- 49196. *Yucelaskinia ignea* (W.Warren,1903)** (Geometridae) Synonym(s): *ignea* W.Warren,1903 _ Range (in code): PG Aro
- 49197. *Yucelaskinia scardamiata* (W.Warren,1896)** (Geometridae) Synonym(s): *scardamiata* W.Warren,1896 _ Range (in code): ID Ij Mlc
- 49198. *Yucelaskinia scardamiata flavimacula* (L.B.Prout,1929)** (Geometridae) Synonym(s): *flavimacula* L.B.Prout,1929 _ Range (in code): ID Mlc
- 49199. *Yucelaskinia scardamiata scardamiata* (W.Warren,1896)** (Geometridae) Synonym(s): *scardamiata* W.Warren,1896 _ Range (in code): ID Ij
- 49200. *Zamarada* ? *chrysallophana* Mabilie,1900** (Geometridae) Synonym(s): *chrysallophana* Mabilie,1900 _ Range (in code): ZA ZA07 Kzu Nta
- 49201. *Zamarada acerata* Pierre-Baltus,1983** (Geometridae) Synonym(s): *acerata* Pierre-Baltus,1983 _ Range (in code): GA

- 49202. Zamarada achrochra** L.B.Prout,1928 (Geometridae) Synonym(s): *achrochra* L.B.Prout,1928 _ Range (in code): SN
- 49203. Zamarada aclea** L.B.Prout,1912 (Geometridae) Synonym(s): *aclea* L.B.Prout,1912 _ Range (in code): ZW
- 49204. Zamarada aclys** D.S.Fletcher,1974 (Geometridae) Synonym(s): *aclys* D.S.Fletcher,1974 _ Range (in code): CM GA
- 49205. Zamarada acosmeta** L.B.Prout,1921 (Geometridae) Synonym(s): *acosmeta* L.B.Prout,1921 _ Range (in code): BI MW ZM AO ZR UG
- 49206. Zamarada adiposata** (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *adiposata* R.Felder & Rogenhofer,1875 _ Range (in code): MZ ZA ZA14 Mpu ZA17 Tva Lpo ZA26 Kzu Nta Spb Inn Wp Pot Kru Pma Mll Ec
- 49207. Zamarada adiposata adiposata** (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *adiposata* R.Felder & Rogenhofer,1875 _ Range (in code): MZ ZA ZA14 Mpu ZA17 Tva Lpo ZA26 Kzu Nta Spb Inn Pot Kru Pma Mll
- 49208. Zamarada adumbrata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *adumbrata* D.S.Fletcher,1974 _ Range (in code): GN SL CI NG CM AO CF UG
- 49209. Zamarada aegrotans** Herbulot,1979 (Geometridae) Synonym(s): *aegrotans* Herbulot,1979 _ Range (in code): CM
- 49210. Zamarada aequilumata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *aequilumata* D.S.Fletcher,1974 _ Range (in code): ZM TZ ZR MW
- 49211. Zamarada aerata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *aerata* D.S.Fletcher,1974 _ Range (in code): GA CM
- 49212. Zamarada aglae** Oberthür,1912 (Geometridae) Synonym(s): *aglae* Oberthür,1912 _ Range (in code): CM GA
- 49213. Zamarada amelga** D.S.Fletcher,1974 (Geometridae) Synonym(s): *amelga* D.S.Fletcher,1974 _ Range (in code): TZ
- 49214. Zamarada amicta** L.B.Prout,1915 (Geometridae) Synonym(s): *amicta* L.B.Prout,1915 _ Range (in code): KE UG BI ZR
- 49215. Zamarada amymone** L.B.Prout,1934 (Geometridae) Synonym(s): *amymone* L.B.Prout,1934 _ Range (in code): ZR GN SL CI UG
- 49216. Zamarada anacantha** D.S.Fletcher,1974 (Geometridae) Synonym(s): *anacantha* D.S.Fletcher,1974 _ Range (in code): SD Kht YE Sna YE30 YE33 EG SN GH NG
- 49217. Zamarada angustimargo** W.Warren,1901 (Geometridae) Synonym(s): *angustimargo* W.Warren,1901 _ Range (in code): AO
- 49218. Zamarada anna** D.S.Fletcher,1974 (Geometridae) Synonym(s): *anna* D.S.Fletcher,1974 _ Range (in code): LR
- 49219. Zamarada annamensis** Herbulot,1998 (Geometridae) Synonym(s): *annamensis* Herbulot,1998 _ Original Reference: Zamarada annamensis Herbulot,1998, Bull. Soc. ent. Mulhouse 1998: 26. Holotype: Vietnam: Annam. Range (in code): VN Ann
- 49220. Zamarada ansorgei** W.Warren,1897 (Geometridae) Synonym(s): *ansorgei* W.Warren,1897 _ Range (in code): KE TZ
- 49221. Zamarada antimima** D.S.Fletcher,1974 (Geometridae) Synonym(s): *antimima* D.S.Fletcher,1974 _ Range (in code): CM LR CI NG GA ZR
- 49222. Zamarada apicata** Herbulot,1983 (Geometridae) Synonym(s): *apicata* Herbulot,1983 _ Range (in code): CM
- 49223. Zamarada arguta** D.S.Fletcher,1974 (Geometridae) Synonym(s): *arguta* D.S.Fletcher,1974 _ Range (in code): ZR ZM
- 49224. Zamarada ariste** D.S.Fletcher,1974 (Geometridae) Synonym(s): *ariste* D.S.Fletcher,1974 _ Range (in code): CM UG
- 49225. Zamarada ascaphes** L.B.Prout,1925 (Geometridae) Synonym(s): *ascaphes* L.B.Prout,1925 _ Range (in code): NA Abc BW ZW ZA Ec
- 49226. Zamarada ascaphes ascaphes** L.B.Prout,1925 (Geometridae) Synonym(s): *ascaphes* L.B.Prout,1925 _ Range (in code): NA Abc BW ZW ZA Ec
- 49227. Zamarada astales** D.S.Fletcher,1974 (Geometridae) Synonym(s): *astales* D.S.Fletcher,1974 _ Range (in code): CM UG
- 49228. Zamarada astypshela** D.S.Fletcher,1974 (Geometridae) Synonym(s): *astypshela* D.S.Fletcher,1974 _ Range (in code): AO GA ZR

- 49229. Zamarada auratisquama** W.Warren,1897 (Geometridae) Synonym(s): *auratisquama* W.Warren,1897 _ Range (in code): NG CM GA ZR
- 49230. Zamarada aureomarginata** Pagenstecher,1907 (Geometridae) Synonym(s): *aureomarginata* Pagenstecher,1907 _ Range (in code): MG
- 49231. Zamarada aurolineata** Gaede,1915 (Geometridae) Synonym(s): *aurolineata* Gaede,1915 _ Range (in code): CM GA GO Bio
- 49232. Zamarada azona** Herbulot,1983 (Geometridae) Synonym(s): *azona* Herbulot,1983 _ Range (in code): CM
- 49233. Zamarada baliata** (R.Felder & Rogenhofer,1875) (Geometridae) Synonym(s): *baliata* R.Felder & Rogenhofer,1875; *translucida* Moore,[1887] _ Range (in code): ID Ja MY SG Sum Bor Swk Sbh Prk
- 49234. Zamarada bamenda** Herbulot,1975 (Geometridae) Synonym(s): *bamenda* Herbulot,1975 _ Range (in code): CM
- 49235. Zamarada bamenda lemairei** Herbulot,1979 (Geometridae) Synonym(s): *lemairei* Herbulot,1979 _ Range (in code): CM
- 49236. Zamarada bastelbergeri** Gaede,1915 (Geometridae) Synonym(s): *bastelbergeri* Gaede,1915; *acichemena* L.B.Prout,1934 _ Range (in code): CM ZR RW GN NG GA UG
- 49237. Zamarada bastelbergeri bastelbergeri** Gaede,1915 (Geometridae) Synonym(s): *bastelbergeri* Gaede,1915; *acichemena* L.B.Prout,1934 _ Range (in code): CM ZR
- 49238. Zamarada bastelbergeri trifida** Herbulot,1983 (Geometridae) Synonym(s): *trifida* Herbulot,1983 _ Range (in code): RW
- 49239. Zamarada bathyscaphes** L.B.Prout,1912 (Geometridae) Synonym(s): *bathyscaphes* L.B.Prout,1912; *perplexa* Janse,1932 _ Range (in code): ZW Uma Umv TZ BI ZR ZM MW MZ
- 49240. Zamarada bernardii** D.S.Fletcher,1974 (Geometridae) Synonym(s): *bernardii* D.S.Fletcher,1974 _ Range (in code): GA CM
- 49241. Zamarada bicuspidata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *bicuspidata* D.S.Fletcher,1974 _ Range (in code): CI SN GO Bio LR SL NG CM CF GA ZR
- 49242. Zamarada bilobata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *bilobata* D.S.Fletcher,1974 _ Range (in code): GA
- 49243. Zamarada bonaberiensis** Strand,1915 (Geometridae) Synonym(s): *bonaberiensis* Strand,1915 _ Range (in code): CM CI ZR UG KE
- 49244. Zamarada brevidens** Pierre-Baltus,1983 (Geometridae) Synonym(s): *brevidens* Pierre-Baltus,1983 _ Range (in code): GA
- 49245. Zamarada calypso** L.B.Prout,1926 (Geometridae) Synonym(s): *calypso* L.B.Prout,1926 _ Range (in code): MG KE ET Hrr ET87 YE YE30 Sna
- 49246. Zamarada candelabra** D.S.Fletcher,1974 (Geometridae) Synonym(s): *candelabra* D.S.Fletcher,1974 _ Range (in code): TZ UG ZR
- 49247. Zamarada candelabra candelabra** D.S.Fletcher,1974 (Geometridae) Synonym(s): *candelabra* D.S.Fletcher,1974 _ Range (in code): TZ
- 49248. Zamarada candelabra flexura** D.S.Fletcher,1974 (Geometridae) Synonym(s): *flexura* D.S.Fletcher,1974 _ Range (in code): UG ZR
- 49249. Zamarada canina** Herbulot,1983 (Geometridae) Synonym(s): *canina* Herbulot,1983 _ Range (in code): RW
- 49250. Zamarada carcassoni** D.S.Fletcher,1974 (Geometridae) Synonym(s): *carcassoni* D.S.Fletcher,1974 _ Range (in code): UG ZR
- 49251. Zamarada cathetus** D.S.Fletcher,1974 (Geometridae) Synonym(s): *cathetus* D.S.Fletcher,1974 _ Range (in code): CM GA
- 49252. Zamarada catori** Bethune-Baker,1913 (Geometridae) Synonym(s): *catori* Bethune-Baker,1913 _ Range (in code): NG CM
- 49253. Zamarada cautela** D.S.Fletcher,1974 (Geometridae) Synonym(s): *cautela* D.S.Fletcher,1974 _ Range (in code): GA
- 49254. Zamarada cepa** D.S.Fletcher,1974 (Geometridae) Synonym(s): *cepa* D.S.Fletcher,1974 _ Range (in code): GA
- 49255. Zamarada characteristicata** Orhant,1995 (Geometridae) Synonym(s): *characteristica* Orhant,1995 _ Range (in code): IN
- 49256. Zamarada chrysopa** D.S.Fletcher,1974 (Geometridae) Synonym(s): *chrysopa* D.S.Fletcher,1974 _ Range (in code): ZR KE

- 49257. Zamarada chrysothyra Hampson,1909** (Geometridae) Synonym(s): *chrysothyra*
Hampson,1909 _ Range (in code): UG NG
- 49258. Zamarada cinereata D.S.Fletcher,1974** (Geometridae) Synonym(s): *cinereata*
D.S.Fletcher,1974 _ Range (in code): GA ZR
- 49259. Zamarada cinnamomata D.S.Fletcher,1978** (Geometridae) Synonym(s): *cinnamomata*
D.S.Fletcher,1978 _ Range (in code): TZ
- 49260. Zamarada clavigera D.S.Fletcher,1974** (Geometridae) Synonym(s): *clavigera*
D.S.Fletcher,1974 _ Range (in code): CM GA GM
- 49261. Zamarada clementi Herbulot,1975** (Geometridae) Synonym(s): *clementi Herbulot,1975*
Range (in code): CM
- 49262. Zamarada clenchi D.S.Fletcher,1974** (Geometridae) Synonym(s): *clenchi*
D.S.Fletcher,1974 _ Range (in code): CM GA ZR UG
- 49263. Zamarada clio Oberthür,1912** (Geometridae) Synonym(s): *clio Oberthür,1912* _ Range (in code): CM GA
- 49264. Zamarada collarti Debauche,1938** (Geometridae) Synonym(s): *collarti Debauche,1938*
Range (in code): ZR UG TZ KE
- 49265. Zamarada consecuta L.B.Prout,1922** (Geometridae) Synonym(s): *consecuta*
L.B.Prout,1922 _ Range (in code): ZW ZA ZA17 Gau Pre Jh Mpu Brb Tva Lpo Pot Wb
- 49266. Zamarada consecuta consecuta L.B.Prout,1922** (Geometridae) Synonym(s): *consecuta L.B.Prout,1922* _ Range (in code): ZW ZA ZA17 Gau Pre Jh Mpu Brb Tva Lpo Pot Wb
- 49267. Zamarada consummata D.S.Fletcher,1974** (Geometridae) Synonym(s): *consummata*
D.S.Fletcher,1974 _ Range (in code): ZR UG CM
- 49268. Zamarada corroborata Herbulot,1954** (Geometridae) Synonym(s): *corroborata*
Herbulot,1954 _ Range (in code): GN CM ZR SL LR GH NG
- 49269. Zamarada corymbophora D.S.Fletcher,1974** (Geometridae) Synonym(s): *corymbophora D.S.Fletcher,1974* _ Range (in code): CM ZR
- 49270. Zamarada crenulata D.S.Fletcher,1974** (Geometridae) Synonym(s): *crenulata*
D.S.Fletcher,1974 _ Range (in code): CM
- 49271. Zamarada crystallophana Mabille,1900** (Geometridae) Synonym(s): *crystallophana*
Mabille,1900 _ Range (in code): SN CI GH NG CM ZR ZM UG KE TZ MZ MW ZW Vum
- 49272. Zamarada cucharita D.S.Fletcher,1974** (Geometridae) Synonym(s): *cucharita*
D.S.Fletcher,1974 _ Range (in code): TZ KE UG CM NG GH CI LR GN
- 49273. Zamarada cydippe Herbulot,1954** (Geometridae) Synonym(s): *cydippe Herbulot,1954*
Range (in code): GN GA ZR UG TZ SL GH
- 49274. Zamarada dargei D.S.Fletcher,1974** (Geometridae) Synonym(s): *dargei D.S.Fletcher,1974*
Range (in code): GA
- 49275. Zamarada dasyceles D.S.Fletcher,1974** (Geometridae) Synonym(s): *dasyceles*
D.S.Fletcher,1974 _ Range (in code): ZR
- 49276. Zamarada dearmata Herbulot,1997** (Geometridae) Synonym(s): *dearmata Herbulot,1997*
Range (in code): ZR
- 49277. Zamarada decepatrix W.Warren,1914** (Geometridae) Synonym(s): *decepatrix*
W.Warren,1914 _ Range (in code): ET UG KE MZ ZM ZW BW ZA ZA04 ZA16 Mpu ZA26 Kzu Ec Tva Lpo Kru Pf Spb Mdk Mll Pot Pma Dbn
- 49278. Zamarada decepatrix decepatrix W.Warren,1914** (Geometridae) Synonym(s): *decepatrix*
W.Warren,1914 _ Range (in code): ET UG KE MZ ZM ZW BW ZA ZA04 ZA16 Mpu ZA26 Kzu Ec Tva Lpo Kru Pf Spb Mdk Mll Pot Pma
- 49279. Zamarada deformata D.S.Fletcher,1974** (Geometridae) Synonym(s): *deformata*
D.S.Fletcher,1974 _ Range (in code): ZR
- 49280. Zamarada delosis D.S.Fletcher,1974** (Geometridae) Synonym(s): *delosis*
D.S.Fletcher,1974 _ Range (in code): TZ KE MZ
- 49281. Zamarada delta D.S.Fletcher,1974** (Geometridae) Synonym(s): *delta D.S.Fletcher,1974*
Range (in code): KE Nai ET SD TZ UG BI RW ZR
- 49282. Zamarada densisparsa L.B.Prout,1922** (Geometridae) Synonym(s): *densisparsa*
L.B.Prout,1922 _ Range (in code): ZW Har
- 49283. Zamarada dentata D.S.Fletcher,1958** (Geometridae) Synonym(s): *dentata*
D.S.Fletcher,1958 _ Range (in code): UG RW ZR
- 49284. Zamarada denticatella L.B.Prout,1922** (Geometridae) Synonym(s): *denticatella*
L.B.Prout,1922 _ Range (in code): ZW Har TZ MW ZM ZR AO

- 49285. Zamarada denticulata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *denticulata* D.S.Fletcher,1974 _ Range (in code): ID MY Bor Sum
- 49286. Zamarada dentigera** W.Warren,1909 (Geometridae) Synonym(s): *dentigera* W.Warren,1909 _ Range (in code): GN CI GH NG CM GA AO ZR UG KE MW MZ ZA ZA07 Ksi Nta Kzu Tva Lpo Spb Mdk TZ
- 49287. Zamarada dentigera dentigera** W.Warren,1909 (Geometridae) Synonym(s): *dentigera* W.Warren,1909 _ Range (in code): GN CI GH NG CM GA AO ZR UG KE MW MZ ZA ZA07 Ksi Nta Kzu Tva Lpo Spb Mdk
- 49288. Zamarada dentigera stenotes** D.S.Fletcher,1974 (Geometridae) Synonym(s): *stenotes* D.S.Fletcher,1974 _ Range (in code): TZ
- 49289. Zamarada dialitha** D.S.Fletcher,1974 (Geometridae) Synonym(s): *dialitha* D.S.Fletcher,1974 _ Range (in code): CM GA ZR
- 49290. Zamarada differens** Bastelberger,1907 (Geometridae) Synonym(s): *differens* Bastelberger,1907 _ Range (in code): CF UG KE TZ ZM ZW MZ KM ZA Mal ZA16 Mpu ZA17 Tva Lpo Kru Prt Dbn Gau Pre Nta Kzu
- 49291. Zamarada differens differens** Bastelberger,1907 (Geometridae) Synonym(s): *differens* Bastelberger,1907 _ Range (in code): CF UG KE TZ ZM ZW MZ KM ZA Mal ZA16 Mpu ZA17 Tva Lpo Kru Prt Drb Gau Pre Nta Kzu
- 49292. Zamarada dilata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *dilata* D.S.Fletcher,1974 _ Range (in code): CM GA ZR
- 49293. Zamarada dilucida** W.Warren,1909 (Geometridae) Synonym(s): *dilucida* W.Warren,1909 _ Range (in code): SN GA GN SL GH NG NE CM
- 49294. Zamarada dione** D.S.Fletcher,1974 (Geometridae) Synonym(s): *dione* D.S.Fletcher,1974 _ Range (in code): ZR GA
- 49295. Zamarada disparata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *disparata* D.S.Fletcher,1974 _ Range (in code): GA
- 49296. Zamarada dolorosa** D.S.Fletcher,1974 (Geometridae) Synonym(s): *dolorosa* D.S.Fletcher,1974 _ Range (in code): GN LR GH CM GA AO ZR
- 49297. Zamarada dorsiplaga** L.B.Prout,1922 (Geometridae) Synonym(s): *dorsiplaga* L.B.Prout,1922 _ Range (in code): ZW Har ZM ZR
- 49298. Zamarada dyscapna** D.S.Fletcher,1974 (Geometridae) Synonym(s): *dyscapna* D.S.Fletcher,1974 _ Range (in code): LR GN CI GH CM ZR GA AO
- 49299. Zamarada ekphysis** D.S.Fletcher,1974 (Geometridae) Synonym(s): *ekphysis* D.S.Fletcher,1974 _ Range (in code): KE
- 49300. Zamarada elonga** Pierre-Baltus,1983 (Geometridae) Synonym(s): *elonga* Pierre-Baltus,1983 _ Range (in code): GA
- 49301. Zamarada emaciata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *emaciata* D.S.Fletcher,1974 _ Range (in code): CM
- 49302. Zamarada enippe** L.B.Prout,1921 (Geometridae) Synonym(s): *enippe* L.B.Prout,1921 _ Range (in code): ZR
- 49303. Zamarada eogenaria** (Snellen,1881) (Geometridae) Synonym(s): *eogenaria* Snellen,1881 _ Range (in code): MM Slo Tns Nag Mpr IN Meg Ass Khs ID Clb Bor Ja Sum SG MY TH Ntt Hba
- 49304. Zamarada eogenaria cosmiaria** Swinhoe,1893 (Geometridae) Synonym(s): *cosmiaria* Swinhoe,1893; *tenuimargo* Swinhoe,1906 _ Range (in code): IN Meg Ass Khs MM Slo Tns Nag Mpr
- 49305. Zamarada eogenaria eogenaria** (Snellen,1881) (Geometridae) Synonym(s): *eogenaria* Snellen,1881 _ Range (in code): ID Clb Bor Ja Sum MY SG
- 49306. Zamarada episema** D.S.Fletcher,1974 (Geometridae) Synonym(s): *episema* D.S.Fletcher,1974 _ Range (in code): CM NG ZR GA
- 49307. Zamarada erato** Oberthür,1912 (Geometridae) Synonym(s): *erato* Oberthür,1912 _ Range (in code): CM
- 49308. Zamarada eroessa** L.B.Prout,1915 (Geometridae) Synonym(s): *eroessa* L.B.Prout,1915 _ Range (in code): ZW
- 49309. Zamarada erosa** D.S.Fletcher,1974 (Geometridae) Synonym(s): *erosa* D.S.Fletcher,1974 _ Range (in code): KE UG CM
- 49310. Zamarada erugata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *erugata* D.S.Fletcher,1974 _ Range (in code): ET ET09 KE MZ ZW ZA ZA08 Ksi Kzu Nta Umk Stj Dbn Tva Lpo Ec Kru Pf

- 49311. *Zamarada erugata erugata* D.S.Fletcher,1974** (Geometridae) Synonym(s): *erugata* D.S.Fletcher,1974 _ Range (in code): ET ET09 KE MZ ZW ZA ZA08 Ksi Kzu Nta Umk Stj Dbn Tva Lpo Ec Kru Pf
- 49312. *Zamarada eryma* D.S.Fletcher,1974** (Geometridae) Synonym(s): *eryma* D.S.Fletcher,1974
Range (in code): CM GA
- 49313. *Zamarada eucharis* (Drury,1782)** (Geometridae) Synonym(s): *eucharis* Drury,1782
Range (in code): SL LR GN CI NG
- 49314. *Zamarada euerces* (L.B.Prout,1928)** (Geometridae) Synonym(s): *euerces* L.B.Prout,1928; *phygas* L.B.Prout,1928 _ Range (in code): SL TZ Dss GA ZR UG KE MZ
- 49315. *Zamarada euphrosyne* Oberthür,1912** (Geometridae) Synonym(s): *euphrosyne* Oberthür,1912 _ Range (in code): CM GN SL LR CI GH NG AO UG ZR KE TZ MW
- 49316. *Zamarada eurygnathus* D.S.Fletcher,1974** (Geometridae) Synonym(s): *eurygnathus* D.S.Fletcher,1974 _ Range (in code): KE Nai
- 49317. *Zamarada euryscapes* L.B.Prout,1915** (Geometridae) Synonym(s): *euryscapes* L.B.Prout,1915 _ Range (in code): ER ER04
- 49318. *Zamarada euterpina* Oberthür,1912** (Geometridae) Synonym(s): *euterpina* Oberthür,1912
Range (in code): TZ ZR
- 49319. *Zamarada excavata* Bethune-Baker,1913** (Geometridae) Synonym(s): *excavata* Bethune-Baker,1913 _ Range (in code): MG AO ET CM NG GN CF ZR UG KE TZ ZM MW
- 49320. *Zamarada excavata acis* D.S.Fletcher,1974** (Geometridae) Synonym(s): *acis* D.S.Fletcher,1974 _ Range (in code): MG
- 49321. *Zamarada excavata excavata* Bethune-Baker,1913** (Geometridae) Synonym(s): *excavata* Bethune-Baker,1913 _ Range (in code): AO CM NG GN CF ZR UG KE TZ ZM MW
- 49322. *Zamarada excavata pollex* D.S.Fletcher,1974** (Geometridae) Synonym(s): *pollex* D.S.Fletcher,1974 _ Range (in code): ET
- 49323. *Zamarada excisa* Hampson,1891** (Geometridae) Synonym(s): *excisa* Hampson,1891
Range (in code): IN NI MM Rng LK Bba Nag Mys Bel TH CDo
- 49324. *Zamarada exigua* D.S.Fletcher,1974** (Geometridae) Synonym(s): *exigua* D.S.Fletcher,1974
Range (in code): UG ZR
- 49325. *Zamarada fallaciosa* Herbulot,1979** (Geometridae) Synonym(s): *fallaciosa* Herbulot,1979
Range (in code): GA
- 49326. *Zamarada ferruginata* D.S.Fletcher,1974** (Geometridae) Synonym(s): *ferruginata* D.S.Fletcher,1974 _ Range (in code): GA CM
- 49327. *Zamarada fessa* L.B.Prout,1912** (Geometridae) Synonym(s): *fessa* L.B.Prout,1912
Range (in code): ZW
- 49328. *Zamarada fibulata* D.S.Fletcher,1974** (Geometridae) Synonym(s): *fibulata* D.S.Fletcher,1974 _ Range (in code): AO ZR
- 49329. *Zamarada flavicaput* W.Warren,1901** (Geometridae) Synonym(s): *flavicaput* W.Warren,1901; *pyrocincta* Hampson,1910 _ Range (in code): AO ZR TZ MZ MW ZW ZM
- 49330. *Zamarada flavicosta* W.Warren,1897** (Geometridae) Synonym(s): *flavicosta* W.Warren,1897 _ Range (in code): NE NG CM GA ZR UG
- 49331. *Zamarada fletcheri* Herbulot,1975** (Geometridae) Synonym(s): *fletcheri* Herbulot,1975
Range (in code): CM
- 49332. *Zamarada fontaineae* Herbulot,1997** (Geometridae) Synonym(s): *fontaineae* Herbulot,1997 _ Range (in code): ZR
- 49333. *Zamarada fugax* W.Warren,1902** (Geometridae) Synonym(s): *fugax* W.Warren,1902
Range (in code): ID Tnm
- 49334. *Zamarada fumosa* Gaede,1915** (Geometridae) Synonym(s): *fumosa* Gaede,1915 _ Range (in code): CM ZR NG
- 49335. *Zamarada fusticula* D.S.Fletcher,1974** (Geometridae) Synonym(s): *fusticula* D.S.Fletcher,1974 _ Range (in code): CM
- 49336. *Zamarada gaedei* D.S.Fletcher,1974** (Geometridae) Synonym(s): *gaedei* D.S.Fletcher,1974
Range (in code): CM GA
- 49337. *Zamarada gamma* D.S.Fletcher,1958** (Geometridae) Synonym(s): *gamma* D.S.Fletcher,1958 _ Range (in code): MW ZM ZR BI TZ UG
- 49338. *Zamarada geitaina* D.S.Fletcher,1974** (Geometridae) Synonym(s): *geitaina* D.S.Fletcher,1974 _ Range (in code): CI

- 49339. Zamarada glareosa** Bastelberger, 1909 (Geometridae) Synonym(s): *glareosa* Bastelberger, 1909
Tva Spb Mdk
_ Range (in code): **TZ BI MW MZ ZM ZW Har Vf Vum Uma AO ZA Nta Kzu Lpo**
- 49340. Zamarada glareosa glareosa** Bastelberger, 1909 (Geometridae) Synonym(s): *glareosa* Bastelberger, 1909
_ Range (in code): **TZ BI MW MZ ZM ZW AO ZA Nta Kzu Lpo Tva Spb Mdk**
- 49341. Zamarada gracilata** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *gracilata* D.S.Fletcher, 1974
_ Range (in code): **ZM AO**
- 49342. Zamarada griseola** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *griseola* D.S.Fletcher, 1974
_ Range (in code): **NG CM GO Bio**
- 49343. Zamarada griveaudi** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *griveaudi* D.S.Fletcher, 1974
_ Range (in code): **MG**
- 49344. Zamarada herbuloti** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *herbuloti* D.S.Fletcher, 1974
_ Range (in code): **GA CM**
- 49345. Zamarada hero** L.B.Prout, 1921 (Geometridae) Synonym(s): *hero* L.B.Prout, 1921
_ Range (in code): **ZR NG CM GA AO**
- 49346. Zamarada hildebrandi** Herbulot, 1979 (Geometridae) Synonym(s): *hildebrandi* Herbulot, 1979
_ Range (in code): **KH PH Pal**
- 49347. Zamarada hildebrandi hildebrandi** Herbulot, 1979 (Geometridae) Synonym(s): *hildebrandi* Herbulot, 1979
_ Range (in code): **KH**
- 49348. Zamarada hildebrandi moderata** Herbulot, 1985 (Geometridae) Synonym(s): *moderata* Herbulot, 1985
_ Range (in code): **PH Pal**
- 49349. Zamarada hombergi** Herbulot, 1981 (Geometridae) Synonym(s): *hombergi* Herbulot, 1981
_ Range (in code): **AO**
- 49350. Zamarada hyalinaria** (Guenée, [1858]) (Geometridae) Synonym(s): *hyalinaria* Guenée, [1858]
_ Range (in code): **YE YE33 Sna ET KE DZ Idl**
- 49351. Zamarada ignicosta** L.B.Prout, 1912 (Geometridae) Synonym(s): *ignicosta* L.B.Prout, 1912
_ Range (in code): **ZW Vf CI AO MW GH CM UG ZR TZ MZ**
- 49352. Zamarada ignicosta hamulata** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *hamulata* D.S.Fletcher, 1974
_ Range (in code): **CI GH CM UG**
- 49353. Zamarada ignicosta ignicosta** L.B.Prout, 1912 (Geometridae) Synonym(s): *ignicosta* L.B.Prout, 1912
_ Range (in code): **ZW Vf ZM**
- 49354. Zamarada ignicosta pyrilampes** L.B.Prout, 1915 (Geometridae) Synonym(s): *pyrilampes* L.B.Prout, 1915; *hemimeres* L.B.Prout, 1915
_ Range (in code): **AO MW TZ MZ ZW ZM**
- 49355. Zamarada ilaria** Swinhoe, 1904 (Geometridae) Synonym(s): *ilaria* Swinhoe, 1904
_ Range (in code): **SL GN LR NG CM**
- 49356. Zamarada ilma** L.B.Prout, 1922 (Geometridae) Synonym(s): *ilma* L.B.Prout, 1922
_ Range (in code): **MZ ZW Vf BW NA ZA Tva Lpo Spb Bbg Kru Pf Wo Wp Mes Gau Pre Nta Kzu Rth Wnn Nyl**
- 49357. Zamarada ilma ilma** L.B.Prout, 1922 (Geometridae) Synonym(s): *ilma* L.B.Prout, 1922
_ Range (in code): **MZ ZW Vf BW NA ZA Tva Lpo Spb Bbg Kru Pf Wo Wp Mes Gau Pre Nta Kzu Rth Wnn Nyl**
- 49358. Zamarada incompta** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *incompta* D.S.Fletcher, 1974
_ Range (in code): **CM ZR**
- 49359. Zamarada indacta** Herbulot, 1979 (Geometridae) Synonym(s): *indacta* Herbulot, 1979
_ Range (in code): **CM**
- 49360. Zamarada indicata** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *indicata* D.S.Fletcher, 1974
_ Range (in code): **CI GN SL LR GH**
- 49361. Zamarada inermis** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *inermis* D.S.Fletcher, 1974
_ Range (in code): **ZA MZ Ec Elo Nta Kzu ZW Bul**
- 49362. Zamarada inermis inermis** D.S.Fletcher, 1974 (Geometridae) Synonym(s): *inermis* D.S.Fletcher, 1974
_ Range (in code): **ZA MZ Ec Nta Kzu**
- 49363. Zamarada iobathra** L.B.Prout, 1932 (Geometridae) Synonym(s): *iobathra* L.B.Prout, 1932
_ Range (in code): **KE Nai TZ ZA Ktz Ksi Nta Kzu**
- 49364. Zamarada iobathra iobathra** L.B.Prout, 1913 (Geometridae) Synonym(s): *iobathra* L.B.Prout, 1932
_ Range (in code): **KE TZ ZA Ktz Ksi Kzu Nta**
- 49365. Zamarada ioura** Pierre-Baltus, 1983 (Geometridae) Synonym(s): *ioura* Pierre-Baltus, 1983
_ Range (in code): **GA**

- 49366. Zamarada ixiaria Swinhoe,1904** (Geometridae) Synonym(s): *ixiaria Swinhoe,1904*
Range (in code): **SL GN GA GO Bio LR CI NG CM ZR**
- 49367. Zamarada janata D.S.Fletcher,1974** (Geometridae) Synonym(s): *janata D.S.Fletcher,1974*
Range (in code): **ZR ZM**
- 49368. Zamarada jansei D.S.Fletcher,1974** (Geometridae) Synonym(s): *jansei D.S.Fletcher,1974*
Range (in code): **ZW ZA ZA21 Tva Lpo**
- 49369. Zamarada jansei jansei D.S.Fletcher,1974** (Geometridae) Synonym(s): *jansei D.S.Fletcher,1974*
Range (in code): **ZW ZA ZA21 Tva Lpo**
- 49370. Zamarada justa Herbulot,1979** (Geometridae) Synonym(s): *justa Herbulot,1979*
Range (in code): **CM**
- 49371. Zamarada ka Pierre-Baltus,1983** (Geometridae) Synonym(s): *ka Pierre-Baltus,1983*
Range (in code): **GA**
- 49372. Zamarada kala Herbulot,1975** (Geometridae) Synonym(s): *kala Herbulot,1975*
Range (in code): **CM**
- 49373. Zamarada keraia D.S.Fletcher,1974** (Geometridae) Synonym(s): *keraia D.S.Fletcher,1974*
Range (in code): **KE**
- 49374. Zamarada kiellandi Aarvik & Bjornstad,2007** (Geometridae) Synonym(s): *kiellandi Aarvik & Bjornstad,2007*
Range (in code): **TZ**
- 49375. Zamarada kompsotes D.S.Fletcher,1974** (Geometridae) Synonym(s): *kompsotes D.S.Fletcher,1974*
Range (in code): **GA ZR**
- 49376. Zamarada labifera L.B.Prout,1915** (Geometridae) Synonym(s): *labifera L.B.Prout,1915*
Range (in code): **CM TZ GN SL CI NG ZR ZM**
- 49377. Zamarada labifera discata D.S.Fletcher,1974** (Geometridae) Synonym(s): *discata D.S.Fletcher,1974*
Range (in code): **TZ**
- 49378. Zamarada labifera labifera L.B.Prout,1915** (Geometridae) Synonym(s): *labifera L.B.Prout,1915*
Range (in code): **CM TZ GN SL CI NG ZR ZM**
- 49379. Zamarada labrys D.S.Fletcher,1974** (Geometridae) Synonym(s): *labrys D.S.Fletcher,1974*
Range (in code): **KE Nai**
- 49380. Zamarada laciniata D.S.Fletcher,1974** (Geometridae) Synonym(s): *laciniata D.S.Fletcher,1974*
Range (in code): **GA**
- 49381. Zamarada latilimbata Rebel,1948** (Geometridae) Synonym(s): *latilimbata Rebel,1948*
Range (in code): **EG JE YE Sna YE33 SA KE Nai Trk**
- 49382. Zamarada latimargo W.Warren,1897** (Geometridae) Synonym(s): *latimargo W.Warren,1897; funebris Gaede,1915*
Range (in code): **ZR CM NG CF UG**
- 49383. Zamarada leona Gaede,1915** (Geometridae) Synonym(s): *leona Gaede,1915*
Range (in code): **SL LR CI GH**
- 49384. Zamarada leptta D.S.Fletcher,1974** (Geometridae) Synonym(s): *leptta D.S.Fletcher,1974*
Range (in code): **SL LR CI GH NG CM AO UG**
- 49385. Zamarada lequeuxi Herbulot,1983** (Geometridae) Synonym(s): *lequeuxi Herbulot,1983; granti Herbulot,1990*
Range (in code): **TZ**
- 49386. Zamarada lima D.S.Fletcher,1974** (Geometridae) Synonym(s): *lima D.S.Fletcher,1974*
Range (in code): **TZ**
- 49387. Zamarada loleza Aarvik & Bjornstad,2007** (Geometridae) Synonym(s): *loleza Aarvik & Bjornstad,2007*
Range (in code): **TZ**
- 49388. Zamarada longides D.S.Fletcher,1963** (Geometridae) Synonym(s): *longides D.S.Fletcher,1963*
Range (in code): **UG ZR KE**
- 49389. Zamarada lophobela D.S.Fletcher,1974** (Geometridae) Synonym(s): *lophobela D.S.Fletcher,1974*
Range (in code): **GA**
- 49390. Zamarada manifesta D.S.Fletcher,1974** (Geometridae) Synonym(s): *manifesta D.S.Fletcher,1974*
Range (in code): **GA**
- 49391. Zamarada mashariki Aarvik & Bjornstad,2007** (Geometridae) Synonym(s): *mashariki Aarvik & Bjornstad,2007*
Range (in code): **TZ**
- 49392. Zamarada mckameyi Aarvik & Bjornstad,2007** (Geometridae) Synonym(s): *mckameyi Aarvik & Bjornstad,2007*
Range (in code): **TZ**
- 49393. Zamarada melanopyga Herbulot,1954** (Geometridae) Synonym(s): *melanopyga Herbulot,1954*
Range (in code): **GN AO ZR UG SL NG GA**

- 49394. Zamarada melasma** D.S.Fletcher,1974 (Geometridae) *Synonym(s): melasma*
D.S.Fletcher,1974 _ Range (in code): ET SD KE TZ
- 49395. Zamarada melpomene** Oberthür,1912 (Geometridae) *Synonym(s): melpomene*
Oberthür,1912; *tragodica* L.B.Prout,1934 _ Range (in code): CM TZ SL AO ZR UG ET KE ZW GH GO Bio
NG CI GN
- 49396. Zamarada merga** D.S.Fletcher,1974 (Geometridae) *Synonym(s): merga* D.S.Fletcher,1974
Range (in code): GA
- 49397. Zamarada mesotaenia** L.B.Prout,1931 (Geometridae) *Synonym(s): mesotaenia*
L.B.Prout,1931 _ Range (in code): SO KE
- 49398. Zamarada metallicata** W.Warren,1914 (Geometridae) *Synonym(s): metallicata*
W.Warren,1914 _ Range (in code): ZW Har NA ZA ZA16 Mpu Brb ZA17 Nta Kzu Dbn Tva Lpo Spb
Mdk Tz Gau Pre Stj Wr Btw Wp
- 49399. Zamarada metallicata metallicata** W.Warren,1914 (Geometridae) *Synonym(s):*
metallicata W.Warren,1914 _ Range (in code): ZW Har NA ZA ZA16 Mpu Brb ZA17 Nta Kzu Dbn Tva
Lpo Spb Mdk Tz Gau Pre Stj Wr Btw Wp
- 49400. Zamarada metrioscaphes** L.B.Prout,1912 (Geometridae) *Synonym(s): metrioscaphes*
L.B.Prout,1912 _ Range (in code): KE Mb AO UG TZ BI ZR MW MZ ZM ZW Vum Har ZA Kzu Nta
- 49401. Zamarada metrioscaphes metrioscaphes** L.B.Prout,1912 (Geometridae)
Synonym(s): metrioscaphes L.B.Prout,1912 _ Range (in code): KE AO UG TZ BI ZR MW MZ ZM ZW
ZA Kzu Nta
- 49402. Zamarada micropomene** Aarvik & Bjornstad,2007 (Geometridae) *Synonym(s):*
micropomene Aarvik & Bjornstad,2007 _ Range (in code): TZ
- 49403. Zamarada mimesis** D.S.Fletcher,1974 (Geometridae) *Synonym(s): mimesis*
D.S.Fletcher,1974 _ Range (in code): CM GN GA ZR SL NG CI
- 49404. Zamarada minimaria** Swinhoe,1895 (Geometridae) *Synonym(s): minimaria*
Swinhoe,1895; *iranica* Brandt,1941 _ Range (in code): DZ Ah NE Air TD Tbt LY EG SD Wme NSD SDo8
PK Sd Krc IR Ss Chh SA SA39 SA50 Hj As YE YE30 Sna
- 49405. Zamarada minimaria arenosa** D.S.Fletcher,1974 (Geometridae) *Synonym(s):*
arenosa D.S.Fletcher,1974 _ Range (in code): DZ Ah NE Air LY EG SD Wme NSD SDo8 TD Tbt
- 49406. Zamarada minimaria minimaria** Swinhoe,1895 (Geometridae) *Synonym(s):*
minimaria Swinhoe,1895; *iranica* Brandt,1941 _ Range (in code): PK Sd Krc IR Ss Chh SA As SA50 YE
YE30 Sna
- 49407. Zamarada miranda** D.S.Fletcher,1974 (Geometridae) *Synonym(s): miranda*
D.S.Fletcher,1974 _ Range (in code): GA
- 49408. Zamarada modesta** Herbulot,1985 (Geometridae) *Synonym(s): modesta* Herbulot,1985
Range (in code): CG
- 49409. Zamarada montana** Herbulot,1979 (Geometridae) *Synonym(s): montana* Herbulot,1979
Range (in code): CM RW
- 49410. Zamarada montana montana** Herbulot,1979 (Geometridae) *Synonym(s): montana*
Herbulot,1979 _ Range (in code): CM
- 49411. Zamarada montana turlini** Herbulot,1979 (Geometridae) *Synonym(s): turlini*
Herbulot,1979 _ Range (in code): RW
- 49412. Zamarada mpassae** Pierre-Baltus,1985 (Geometridae) *Synonym(s): mpassae* Pierre-
Baltus,1985 _ Range (in code): GA
- 49413. Zamarada musomae** Aarvik & Bjornstad,2007 (Geometridae) *Synonym(s): musomae*
Aarvik & Bjornstad,2007 _ Range (in code): TZ
- 49414. Zamarada nasuta** W.Warren,1897 (Geometridae) *Synonym(s): nasuta* W.Warren,1897
Range (in code): NG SN CM NE SD UG GA SL CI ML CF
- 49415. Zamarada ndogo** Aarvik & Bjornstad,2007 (Geometridae) *Synonym(s): ndogo* Aarvik
& Bjornstad,2007 _ Range (in code): TZ
- 49416. Zamarada nesiotica** D.S.Fletcher,1974 (Geometridae) *Synonym(s): nesiotica*
D.S.Fletcher,1974 _ Range (in code): PH Luz Pal
- 49417. Zamarada nigrapex** Herbulot,1981 (Geometridae) *Synonym(s): nigrapex* Herbulot,1981
Range (in code): CM
- 49418. Zamarada ochrata** W.Warren,1902 (Geometridae) *Synonym(s): ochrata* W.Warren,1902
Range (in code): KE Mb Nai TZ
- 49419. Zamarada odontophora** D.S.Fletcher,1974 (Geometridae) *Synonym(s): odontophora*
D.S.Fletcher,1974 _ Range (in code): ZW

- 49420. Zamarada onycha** D.S.Fletcher,1974 (Geometridae) *Synonym(s): onycha*
D.S.Fletcher,1974 - Range (in code): ZR
- 49421. Zamarada opala** Carcasson,1964 (Geometridae) *Synonym(s): opala* Carcasson,1964
Range (in code): ZR CM
- 49422. Zamarada ordinaria** Bethune-Baker,1913 (Geometridae) *Synonym(s): ordinaria*
Bethune-Baker,1913; medianata L.B.Prout,1915. - Range (in code): ZW Har ZR AO ZA Nta Kzu Umk Tva
Lpo Spb Ltr Prt
- 49423. Zamarada ordinaria ordinaria** Bethune-Baker,1913 (Geometridae) *Synonym(s):*
ordinaria Bethune-Baker,1913; medianata L.B.Prout,1915. - Range (in code): ZW ZR AO ZA Nta Kzu Tva
Lpo Spb Ltr Prt
- 49424. Zamarada ostracodes** D.S.Fletcher,1974 (Geometridae) *Synonym(s): ostracodes*
D.S.Fletcher,1974 - Range (in code): UG CM GA
- 49425. Zamarada oxybeles** D.S.Fletcher,1974 (Geometridae) *Synonym(s): oxybeles*
D.S.Fletcher,1974 - Range (in code): MG
- 49426. Zamarada paxilla** D.S.Fletcher,1974 (Geometridae) *Synonym(s): paxilla* D.S.Fletcher,1974
Range (in code): CI GN LR GH NG CM GA ZR UG
- 49427. Zamarada pelobasis** D.S.Fletcher,1974 (Geometridae) *Synonym(s): pelobasis*
D.S.Fletcher,1974 - Range (in code): CM GA ZR UG
- 49428. Zamarada penthesis** D.S.Fletcher,1974 (Geometridae) *Synonym(s): penthesis*
D.S.Fletcher,1974 - Range (in code): GA ZR
- 49429. Zamarada perlepidata** (Walker,[1863]) (Geometridae) *Synonym(s): perlepidata*
Walker,[1863]; exquisita W.Warren,1909 - Range (in code): SL GN GH LR CI
- 49430. Zamarada phaeozona** Hampson,1909 (Geometridae) *Synonym(s): phaeozona*
Hampson,1909 - Range (in code): ET UG KE Elg TZ MZ AO NA ZA ZA17 Tva Lpo Kru Pma Spb ZA24
NWe NA Abc
- 49431. Zamarada phoenopasta** D.S.Fletcher,1974 (Geometridae) *Synonym(s): phoenopasta*
D.S.Fletcher,1974 - Range (in code): UG NG
- 49432. Zamarada phratra** D.S.Fletcher,1978 (Geometridae) *Synonym(s): phratra*
D.S.Fletcher,1978 - Range (in code): TZ
- 49433. Zamarada phrontisaria** Swinhoe,1904 (Geometridae) *Synonym(s): phrontisaria*
Swinhoe,1904 - Range (in code): NG GA NG CM
- 49434. Zamarada pinheyi** D.S.Fletcher,1956 (Geometridae) *Synonym(s): pinheyi*
D.S.Fletcher,1956 - Range (in code): TZ
- 49435. Zamarada plana** Bastelberger,1909 (Geometridae) *Synonym(s): plana* Bastelberger,1909
Range (in code): TZ RW BI KE ZR MW MZ ZM ZW ZA ZA14 Mpu ZA16 ZA17 Tva Lpo Nta Kzu Ec Elo
Umk Spb Slp Kru Pma Mll ZA14 Prt
- 49436. Zamarada plana denticincta** Hampson,1910 (Geometridae) *Synonym(s): denticincta*
Hampson,1910 - Range (in code): KE ZR MW MZ ZM ZW ZA ZA14 Mpu ZA16 ZA17 Tva Lpo Nta Kzu
Ec Elo Umk Wnn Spb Slp Kru Pma Mll ZA14 Prt
- 49437. Zamarada plana plana** Bastelberger,1909 (Geometridae) *Synonym(s):* - Range
(in code): TZ MW RW BI ZR
- 49438. Zamarada platycephala** D.S.Fletcher,1974 (Geometridae) *Synonym(s): platycephala*
D.S.Fletcher,1974 - Range (in code): CM GO Bio SL LR CI TZ
- 49439. Zamarada platycephala orientalis** Aarvik & Bjornstad,2007 (Geometridae)
Synonym(s): orientalis Aarvik & Bjornstad,2007 - Range (in code): TZ
- 49440. Zamarada polycitemon** L.B.Prout,1932 (Geometridae) *Synonym(s): polycitemon*
L.B.Prout,1932 - Range (in code): ZR TZ ZM ZW AO NG CM
- 49441. Zamarada principis** Herbulot,1958 (Geometridae) *Synonym(s): principis* Herbulot,1958
Range (in code): ST
- 49442. Zamarada pringlei** D.S.Fletcher,1974 (Geometridae) *Synonym(s): pringlei*
D.S.Fletcher,1974 - Range (in code): TZ KE TZ ZW
- 49443. Zamarada prionotos** D.S.Fletcher,1974 (Geometridae) *Synonym(s): prionotos*
D.S.Fletcher,1974 - Range (in code): ZW
- 49444. Zamarada prionotos prionotos** D.S.Fletcher,1974 (Geometridae) *Synonym(s):*
prionotos D.S.Fletcher,1974 - Range (in code): ZW
- 49445. Zamarada pristis** D.S.Fletcher,1974 (Geometridae) *Synonym(s): pristis* D.S.Fletcher,1974
Range (in code): CM

- 49446. Zamarada prolata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *prolata*
D.S.Fletcher,1974 - Range (in code): UG MW BI
- 49447. Zamarada protrusa** W.Warren,1897 (Geometridae) Synonym(s): *protrusa*
W.Warren,1897 - Range (in code): CM NG GN CI SL CF GH GA ZR
- 49448. Zamarada protrusa protrusa** W.Warren,1897 (Geometridae) Synonym(s): *protrusa*
W.Warren,1897 - Range (in code): CM NG GN CI SL CF GH
- 49449. Zamarada protrusa serrula** D.S.Fletcher,1974 (Geometridae) Synonym(s): *serrula*
D.S.Fletcher,1974 - Range (in code): CM GA ZR
- 49450. Zamarada psammites** D.S.Fletcher,1958 (Geometridae) Synonym(s): *psammites*
D.S.Fletcher,1958 - Range (in code): KE ZR TZ ZW MZ
- 49451. Zamarada psectra** D.S.Fletcher,1974 (Geometridae) Synonym(s): *psectra*
D.S.Fletcher,1974 - Range (in code): TZ KE MZ ZW
- 49452. Zamarada psi** D.S.Fletcher,1974 (Geometridae) Synonym(s): *psi* D.S.Fletcher,1974
Range (in code): ZW
- 49453. Zamarada pulverosa** W.Warren,1895 (Geometridae) Synonym(s): *pulverosa*
W.Warren,1895 - Range (in code): MZ ZW BW NA ZA Ksi Mal Tva Lpo Spb Mdk Slpp Wo Mal Pie Gau Pre ZA16 Mpu Brb ZA17 ZA24 NWe ZA26 ZA27 Nta Fs Blo Tra Ec Kzu Rtb Lds Wnn Elo Pel Tra Grh Abc Qt Wdh
- 49454. Zamarada pulverosa pulverosa** W.Warren,1895 (Geometridae) Synonym(s): *pulverosa* W.Warren,1895 - Range (in code): MZ ZW BW NA ZA Ksi Mal Tva Lpo Spb Mdk Slpp Wo Mal Pie Gau Pre ZA16 Mpu Brb ZA17 ZA24 NWe ZA26 ZA27 Nta Fs Blo Tra Ec Kzu Rtb Lds Wnn Elo Pel Tra Grh Abc Qt Wdh
- 49455. Zamarada purimargo** L.B.Prout,1912 (Geometridae) Synonym(s): *purimargo*
L.B.Prout,1912; *viridiceps* L.B.Prout,1934 - Range (in code): ZW Vum ZR TZ ZM MW MZ AO
- 49456. Zamarada radula** D.S.Fletcher,1974 (Geometridae) Synonym(s): *radula* D.S.Fletcher,1974
Range (in code): UG ZR GA
- 49457. Zamarada reflexaria** (Walker,1863) (Geometridae) Synonym(s): *reflexaria* Walker,1863
Range (in code): SL KE UG ZR SL GN AO CI NG CM
- 49458. Zamarada reflexaria aphis** D.S.Fletcher,1974 (Geometridae) Synonym(s): *aphis*
D.S.Fletcher,1974 - Range (in code): KE UG ZR
- 49459. Zamarada reflexaria reflexaria** (Walker,1863) (Geometridae) Synonym(s): *reflexaria*
Walker,1863 - Range (in code): SL GN AO CI NG CM ZR
- 49460. Zamarada regularis** D.S.Fletcher,1974 (Geometridae) Synonym(s): *regularis*
D.S.Fletcher,1974 - Range (in code): GH NG GN SL LR CI
- 49461. Zamarada regularis arcuata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *arcuata*
D.S.Fletcher,1974 - Range (in code): NG
- 49462. Zamarada regularis regularis** D.S.Fletcher,1974 (Geometridae) Synonym(s): *regularis* D.S.Fletcher,1974 - Range (in code): GH NG GN SL LR CI
- 49463. Zamarada rhamphis** D.S.Fletcher,1974 (Geometridae) Synonym(s): *rhamphis*
D.S.Fletcher,1974 - Range (in code): TZ
- 49464. Zamarada rhodina** Pierre-Baltus,1983 (Geometridae) Synonym(s): *rhodina* Pierre-Baltus,1983 - Range (in code): GA
- 49465. Zamarada ruandana** Herbulot,1983 (Geometridae) Synonym(s): *ruandana* Herbulot,1983
Range (in code): RW
- 49466. Zamarada rubrifascia** Pinhey,1962 (Geometridae) Synonym(s): *rubrifascia* Pinhey,1962
Range (in code): ZM
- 49467. Zamarada rufilinearia** Swinhoe,1904 (Geometridae) Synonym(s): *rufilinearia*
Swinhoe,1904; *calliope* Oberthür,1912 - Range (in code): TZ Dss UG KE Mb ZR ZM MW MZ
- 49468. Zamarada rupta** D.S.Fletcher,1974 (Geometridae) Synonym(s): *rupta* D.S.Fletcher,1974
Range (in code): CM GA
- 49469. Zamarada saburra** D.S.Fletcher,1974 (Geometridae) Synonym(s): *saburra*
D.S.Fletcher,1974 - Range (in code): TM
- 49470. Zamarada sagitta** D.S.Fletcher,1974 (Geometridae) Synonym(s): *sagitta* D.S.Fletcher,1974
Range (in code): NG CM GA
- 49471. Zamarada sahelica** Herbulot,1989 (Geometridae) Synonym(s): *sahelica* Herbulot,1989
Range (in code): CM
- 49472. Zamarada schalida** D.S.Fletcher,1974 (Geometridae) Synonym(s): *schalida*
D.S.Fletcher,1974 - Range (in code): CM GA ZR

- 49473. Zamarada scintillans Bastelberger,1909** (Geometridae) Synonym(s): *scintillans* Bastelberger,1909; *flavicincta* Hampson,1910 - Range (in code): TZ ZM KE MZ MW ZR
- 49474. Zamarada scriptifasciata (Walker,[1863])** (Geometridae) Synonym(s): *scriptifasciata* Walker,[1863] - Range (in code): MY Bor Swk
- 49475. Zamarada secutaria (Guenée,[1858])** (Geometridae) Synonym(s): *secutaria* Guenée,[1858] - Range (in code): DZ Rhr ET
- 49476. Zamarada setosa D.S.Fletcher,1974** (Geometridae) Synonym(s): *setosa* D.S.Fletcher,1974 - Range (in code): UG ZR
- 49477. Zamarada seydeli D.S.Fletcher,1974** (Geometridae) Synonym(s): *seydeli* D.S.Fletcher,1974 - Range (in code): ZR TZ BI MW MZ ZM ZW Vum Uma Har AO
- 49478. Zamarada sricula D.S.Fletcher,1974** (Geometridae) Synonym(s): *sricula* D.S.Fletcher,1974 - Range (in code): UG SL CI NG CM GA ZR
- 49479. Zamarada similis D.S.Fletcher,1974** (Geometridae) Synonym(s): *similis* D.S.Fletcher,1974 - Range (in code): CM ZR
- 49480. Zamarada sinecalcarata D.S.Fletcher,1974** (Geometridae) Synonym(s): *sinecalcarata* D.S.Fletcher,1974 - Range (in code): NG
- 49481. Zamarada strigilecula D.S.Fletcher,1974** (Geometridae) Synonym(s): *strigilecula* D.S.Fletcher,1974 - Range (in code): ZR
- 49482. Zamarada subincoloris Gaede,1915** (Geometridae) Synonym(s): *subincoloris* Gaede,1915 - Range (in code): NG CM GA
- 49483. Zamarada subinterrupta Gaede,1915** (Geometridae) Synonym(s): *subinterrupta* Gaede,1915 - Range (in code): NG LR SL CI ZR
- 49484. Zamarada suda D.S.Fletcher,1974** (Geometridae) Synonym(s): *suda* D.S.Fletcher,1974 - Range (in code): CI NG CM GA ZR
- 49485. Zamarada symmetra D.S.Fletcher,1974** (Geometridae) Synonym(s): *symmetra* D.S.Fletcher,1974 - Range (in code): IN Meg Khs Ass Slo
- 49486. Zamarada terpsicore Oberthür,1912** (Geometridae) Synonym(s): *terpsicore* Oberthür,1912 - Range (in code): CM UG NG AO ZR
- 49487. Zamarada terpsicore aprica D.S.Fletcher,1974** (Geometridae) Synonym(s): *aprica* D.S.Fletcher,1974 - Range (in code): UG ZR AO
- 49488. Zamarada terpsicore compacta D.S.Fletcher,1974** (Geometridae) Synonym(s): *compacta* D.S.Fletcher,1974 - Range (in code): NG
- 49489. Zamarada terpsicore terpsicore Oberthür,1912** (Geometridae) Synonym(s): *terpsicore* Oberthür,1912 - Range (in code): CM
- 49490. Zamarada thalia Oberthür,1912** (Geometridae) Synonym(s): *thalia* Oberthür,1912 - Range (in code): CM GA ZR
- 49491. Zamarada tomensis Pierre-Baltus,2004** (Geometridae) Synonym(s): *tomensis* Pierre-Baltus,2004 - Original Reference: Zamarada tomensis Pierre-Baltus,2004, Bull. Soc. ent. Fr. 109 (5): 471. Range (in code): ST
- 49492. Zamarada torrida D.S.Fletcher,1974** (Geometridae) Synonym(s): *torrida* D.S.Fletcher,1974 - Range (in code): ET ER JO IL Pa SA Hj SA39 SA50 SA74 YE Sna YE30 YE68 EG Sn DZ Ah NE Air SD Ksl Erk SO KE Nai TZ
- 49493. Zamarada tortura D.S.Fletcher,1974** (Geometridae) Synonym(s): *tortura* D.S.Fletcher,1974 - Range (in code): CM GA AO
- 49494. Zamarada tosta D.S.Fletcher,1974** (Geometridae) Synonym(s): *tosta* D.S.Fletcher,1974 - Range (in code): NA Abc
- 49495. Zamarada toulgoeti Herbulot,1979** (Geometridae) Synonym(s): *toulgoeti* Herbulot,1979 - Range (in code): GN
- 49496. Zamarada townsendi D.S.Fletcher,1974** (Geometridae) Synonym(s): *townsendi* D.S.Fletcher,1974 - Range (in code): KE UG
- 49497. Zamarada transvisaria (Guenée,[1858])** (Geometridae) Synonym(s): *transvisaria* Guenée,[1858] - Range (in code): ZW Vum ZA Etm Ktz ZA04 Nta Ec Kzu Dbn Tra ZA14 Mpu Mal Tva Lpo ZA14 Pil Kkf Kny Grg
- 49498. Zamarada transvisaria transvisaria (Guenée,[1858])** (Geometridae) Synonym(s): *transvisaria* Guenée,[1858] - Range (in code): ZW ZA Etm Ktz ZA04 Nta Ec Kzu Dbn Tra ZA14 Mpu Mal Tva Lpo ZA14 Pil
- 49499. Zamarada triangularis Gaede,1915** (Geometridae) Synonym(s): *triangularis* Gaede,1915 - Range (in code): CM CI GA

- 49500. Zamarada tricuspidata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *tricuspidata* D.S.Fletcher,1974 _ Range (in code): ZR CM
- 49501. Zamarada tristriga** Aarvik & Bjornstad,2007 (Geometridae) Synonym(s): *tristriga* Aarvik & Bjornstad,2007 _ Range (in code): TZ
- 49502. Zamarada tristrigoides** Aarvik & Bjornstad,2007 (Geometridae) Synonym(s): *tristrigoides* Aarvik & Bjornstad,2007 _ Range (in code): TZ
- 49503. Zamarada tullia** Oberthür,1913 (Geometridae) Synonym(s): *thalia* Oberthür,1912 nec Obth.,1912; *tullia* Oberthür,1913; *thalsia* Gaede,1915 _ Range (in code): CM GA
- 49504. Zamarada ucata** D.S.Fletcher,1974 (Geometridae) Synonym(s): *ucata* D.S.Fletcher,1974 _ Range (in code): MY Pen Prk SG ID Sum Ja Bor Swk
- 49505. Zamarada ucatoides** Holloway,1994 (Geometridae) Synonym(s): *ucatoides* Holloway,1994 _ Range (in code): MY Bor
- 49506. Zamarada undimarginata** W.Warren,1897 (Geometridae) Synonym(s): *undimarginata* W.Warren,1897 _ Range (in code): NG CM GA
- 49507. Zamarada unisona** D.S.Fletcher,1974 (Geometridae) Synonym(s): *unisona* D.S.Fletcher,1974 _ Range (in code): ZR ZM AO
- 49508. Zamarada urania** Oberthür,1912 (Geometridae) Synonym(s): *urania* Oberthür,1912 _ Range (in code): CM GA
- 49509. Zamarada usambarae** Aarvik & Bjornstad,2007 (Geometridae) Synonym(s): *usambarae* Aarvik & Bjornstad,2007 _ Range (in code): TZ Tnga Usa
- 49510. Zamarada usondo** Aarvik & Bjornstad,2007 (Geometridae) Synonym(s): *usondo* Aarvik & Bjornstad,2007 _ Range (in code): TZ
- 49511. Zamarada uzungwae** Aarvik & Bjornstad,2007 (Geometridae) Synonym(s): *uzungwae* Aarvik & Bjornstad,2007 _ Range (in code): TZ Uzu
- 49512. Zamarada varii** D.S.Fletcher,1974 (Geometridae) Synonym(s): *varii* D.S.Fletcher,1974 _ Range (in code): KE Mb TZ MZ Del ZM ZW VF ZA Ksi Nta Kzu ZA16 Mpu Tva Lpo
- 49513. Zamarada varii varii** D.S.Fletcher,1974 (Geometridae) Synonym(s): *varii* D.S.Fletcher,1974 _ Range (in code): KE TZ MZ ZM ZW ZA Ksi Nta Kzu ZA16 Mpu Tva Lpo
- 49514. Zamarada variola** D.S.Fletcher,1974 (Geometridae) Synonym(s): *variola* D.S.Fletcher,1974 _ Range (in code): CM GA ZR UG
- 49515. Zamarada vidua** Herbulot,1979 (Geometridae) Synonym(s): *vidua* Herbulot,1979 _ Range (in code): CM
- 49516. Zamarada viettei** D.S.Fletcher,1974 (Geometridae) Synonym(s): *viettei* D.S.Fletcher,1974 _ Range (in code): MG
- 49517. Zamarada vigilans** L.B.Prout,1915 (Geometridae) Synonym(s): *vigilans* L.B.Prout,1915 _ Range (in code): GH GN CM AO ZR UG KE
- 49518. Zamarada vintejouxi** Herbulot,1989 (Geometridae) Synonym(s): *vintejouxi* Herbulot,1989 _ Range (in code): RW
- 49519. Zamarada volsella** D.S.Fletcher,1974 (Geometridae) Synonym(s): *volsella* D.S.Fletcher,1974 _ Range (in code): CM GA ZR
- 49520. Zamarada vulpina** W.Warren,1897 (Geometridae) Synonym(s): *vulpina* W.Warren,1897; *erna* Strand,1915 _ Range (in code): CM NG GN CI SL ZR UG KE TZ ZW MZ MW BJ
- 49521. Zamarada weberi** D.S.Fletcher,1974 (Geometridae) Synonym(s): *weberi* D.S.Fletcher,1974 _ Range (in code): CM
- 49522. Zamarada xyele** D.S.Fletcher,1974 (Geometridae) Synonym(s): *xyele* D.S.Fletcher,1974 _ Range (in code): CI NG
- 49523. Zamarada xystra** D.S.Fletcher,1974 (Geometridae) Synonym(s): *xystra* D.S.Fletcher,1974 _ Range (in code): CM
- 49524. Zanclophenophra subusta** (W.Warren,1901) (Geometridae) Synonym(s): *subusta* W.Warren,1901 _ Range (in code): TH Nna Kao
- 49525. Zanclopera falcata** W.Warren,1894 (Geometridae) Synonym(s): *falcata* W.Warren,1894; *calidata* W.Warren,1905 _ Range (in code): IN Ass Meg Khs TH CN Hn
- 49526. Zanclopera fulva** Yazaki,1994 (Geometridae) Synonym(s): *fulva* Yazaki,1994 _ Range (in code): NP
- 49527. Zanclopera straminearia** Leech,1897 (Geometridae) Synonym(s): *straminearia* Leech,1897 _ Range (in code): CN

- 49528. Zeheba aureata Moore,[1887]** (Geometridae) **Synonym(s):** *aureata* Moore,[1887]
Range (in code): **IN SI Djl TH Cma**
- 49529. Zeheba aureatoides Holloway,[1994]** (Geometridae) **Synonym(s):** *aureatoides* Holloway,[1994] **Range (in code):** **MY Bor Swk**
- 49530. Zeheba dystactocrossa L.B.Prout,1929** (Geometridae) **Synonym(s):** *dystactocrossa* L.B.Prout,1929 **Range (in code):** **ID Bru**
- 49531. Zeheba lucidata (Walker,[1863])** (Geometridae) **Synonym(s):** *lucidata* Walker,[1863]
Range (in code): **MY Bor Swk TH Nst ID Sum**
- 49532. Zeheba marginata (Walker,1866)** (Geometridae) **Synonym(s):** *marginata* Walker,1866
Range (in code): **ID Ja**
- 49533. Zeheba respectabilis L.B.Prout,1926** (Geometridae) **Synonym(s):** *respectabilis* L.B.Prout,1926 **Range (in code):** **SB**
- 49534. Zeheba spectabilis (Butler,1877)** (Geometridae) **Synonym(s):** *spectabilis* Butler,1877
Range (in code): **KY**
- 49535. Zerenopsis leopardina R.Felder,1874** (Geometridae) **Synonym(s):** *leopardina* Felder,1874
Original Reference: *Zerenopsis leopardina* R.Felder,1874, [in] R.Felder & Rogenhofer,1874, Reise österr. Fregatte Novara (Zool.) 2 (Abt.2): 10, pl.100 fig.19. Syntypes ♂: [South Africa]: Natal (BMNH). **Range (in code):** **ZA Etm Ktz ZA05 Ksi ZA12 Nta Kzu ZA18 Ec**
Bionomy: Larva on *Encephalartos altensteinii* (Zamiaceae) (Scoble,1999).
- 49536. Zerenopsis lepida (Walker,1854)** (Geometridae) **Synonym(s):** *lepida* Walker,1854
Original Reference: *Deiopeia lepida* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 571. Type: [South Africa]: Port Natal (BMNH). **Range (in code):** **ZA Ec Kzu Nta Dbn Mpu Tva Lpo SZ MZ**
Bionomy: Larva on Cycads (Platt,1921).
- 49537. Zernyia algericaria Lucas,1940** (Geometridae) **Synonym(s):** *algericaria* Lucas,1940
Range (in code): **DZ**
- 49538. Zernyia annularis L.B.Prout,1929** (Geometridae) **Synonym(s):** *annularis* L.B.Prout,1929
Range (in code): **DZ Mii Lgt**
- 49539. Zernyia gnophoides L.B.Prout,1929** (Geometridae) **Synonym(s):** *gnophoides* L.B.Prout,1929 **Range (in code):** **DZ Afl Eba**
- 49540. Zernyia granataria (Staudinger,1871)** (Geometridae) **Synonym(s):** *granataria* Staudinger,1871; *euconistoides* Zerny,1927 **Range (in code):** **ES**
- 49541. Zernyia maroccana Reisser,1933** (Geometridae) **Synonym(s):** *maroccana* Reisser,1933
Range (in code): **MA**
- 49542. Zernyia nelvai L.B.Prout,1929** (Geometridae) **Synonym(s):** *nelvai* L.B.Prout,1929
Range (in code): **DZ BtNa**
- 49543. Zernyia selidosema L.B.Prout,1929** (Geometridae) **Synonym(s):** *selidosema* L.B.Prout,1929 **Range (in code):** **DZ Blid**
- 49544. Zeuctoboarmia albella Herbulot,1981** (Geometridae) **Synonym(s):** *albella* Herbulot,1981
Range (in code): **CM**
- 49545. Zeuctoboarmia amieti Herbulot,1973** (Geometridae) **Synonym(s):** *amieti* Herbulot,1973
Range (in code): **CM**
- 49546. Zeuctoboarmia bipandata (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *bipandata* L.B.Prout,1915 **Range (in code):** **CG**
- 49547. Zeuctoboarmia cataimena (L.B.Prout,1915)** (Geometridae) **Synonym(s):** *cataimena* L.B.Prout,1915 **Range (in code):** **ZA ZA01 ZA17 Tva Lpo Nta Kzu Dbn**
- 49548. Zeuctoboarmia contortilinea (W.Warren,1897)** (Geometridae) **Synonym(s):** *contortilinea* W.Warren,1897 **Range (in code):** **ZR**
- 49549. Zeuctoboarmia corolla Herbulot,1981** (Geometridae) **Synonym(s):** *corolla* Herbulot,1981
Range (in code): **CM**
- 49550. Zeuctoboarmia dargei Herbulot,1981** (Geometridae) **Synonym(s):** *dargei* Herbulot,1981
Range (in code): **CM**
- 49551. Zeuctoboarmia hyrax (Townsend,1952)** (Geometridae) **Synonym(s):** *hyrax* Townsend,1952 **Range (in code):** **ZA Mal Tva Lpo ZA16 Mpu KE**
- 49552. Zeuctoboarmia ingens Herbulot,1973** (Geometridae) **Synonym(s):** *ingens* Herbulot,1973
Range (in code): **CM**
- 49553. Zeuctoboarmia lemairei Herbulot,1981** (Geometridae) **Synonym(s):** *lemairei* Herbulot,1981 **Range (in code):** **CM**

- 49554. Zeuctoboarmia ochracea** Herbulot,1985 (Geometridae) Synonym(s): *ochracea* Herbulot,1985 Range (in code): **CG**
- 49555. Zeuctoboarmia pectinata** (W.Warren,1897) (Geometridae) Synonym(s): *pectinata* W.Warren,1897 Range (in code): **NG**
- 49556. Zeuctoboarmia phantasma** Herbulot,1981 (Geometridae) Synonym(s): *phantasma* Herbulot,1981 Range (in code): **RW**
- 49557. Zeuctoboarmia plantei** Herbulot,1981 (Geometridae) Synonym(s): *plantei* Herbulot,1981 Range (in code): **CF**
- 49558. Zeuctoboarmia ruandana** Herbulot,1981 (Geometridae) Synonym(s): *ruandana* Herbulot,1981 Range (in code): **RW**
- 49559. Zeuctoboarmia sabinei** (L.B.Prout,1915) (Geometridae) Synonym(s): *sabinei* L.B.Prout,1915 Range (in code): **ZW vf**
- 49560. Zeuctoboarmia severa** Herbulot,1973 (Geometridae) Synonym(s): *severa* Herbulot,1973 Range (in code): **CM**
- 49561. Zeuctoboarmia seydeli** (L.B.Prout,1934) (Geometridae) Synonym(s): *seydeli* L.B.Prout,1934 Range (in code): **CG**
- 49562. Zeuctoboarmia simplex** (L.B.Prout,1915) (Geometridae) Synonym(s): *simplex* L.B.Prout,1915 Range (in code): **CG**
- 49563. Zeuctoboarmia smithi** (W.Warren,1902) (Geometridae) Synonym(s): *smithi* W.Warren,1902 Range (in code): **ZR**
- 49564. Zeuctoboarmia syntropha** (L.B.Prout,1931) (Geometridae) Synonym(s): *syntropha* L.B.Prout,1931 Range (in code): **SO**
- 49565. Zeuctoboarmia translata** L.B.Prout,1915 (Geometridae) Synonym(s): *translata* L.B.Prout,1915 Range (in code): **KE**
- 49566. Zeuctoboarmia viverra** Herbulot,1981 (Geometridae) Synonym(s): *viverra* Herbulot,1981 Range (in code): **CM**
- 49567. Zeuctoboarmia wernerii** (Rebel,1917) (Geometridae) Synonym(s): *wernerii* Rebel,1917 Range (in code): **SD**
- 49568. Ziridava asterota** L.B.Prout,1958 (Geometridae) Synonym(s): *asterota* L.B.Prout,1958 Range (in code): **MY Bor Sbh KBa**
- 49569. Ziridava baliensis** L.B.Prout,1958 (Geometridae) Synonym(s): *baliensis* L.B.Prout,1958; *florensis* L.B.Prout,1958 Range (in code): **ID Bli Flo**
- 49570. Ziridava dysorga** L.B.Prout,1928 (Geometridae) Synonym(s): *dysorga* L.B.Prout,1928 Range (in code): **WS**
- 49571. Ziridava gemmata** (W.Warren,1899) (Geometridae) Synonym(s): *gemma* W.Warren,1899; *admirabilis* W.Warren,1903 Range (in code): **SB Isa**
- 49572. Ziridava kanshireiensis** L.B.Prout,1958 (Geometridae) Synonym(s): *kanshireiensis* L.B.Prout,1958 Range (in code): **TW**
- 49573. Ziridava khasiensis** L.B.Prout,1958 (Geometridae) Synonym(s): *khasiensis* L.B.Prout,1958 Range (in code): **IN Ass Meg Khs**
- 49574. Ziridava rubridisca** (Hampson,1891) (Geometridae) Synonym(s): *rubridisca* Hampson,1891 Range (in code): **IN NI**
- 49575. Ziridava rufinigra** (Swinhoe,1895) (Geometridae) Synonym(s): *rufinigra* Swinhoe,1895 Range (in code): **IN Meg Cpj PG Eca AU QAU**
- 49576. Ziridava xylinaria** (Walker,[1863]) (Geometridae) Synonym(s): *xylinaria* Walker,[1863]; *subrubrida* W.Warren,1897; *leptomita* Turner,1907; *subaequata* L.B.Prout,1929 Range (in code): **MY Bor Swk AU QAU Kda ID Crm Clb**
- 49577. Zola terranea** (Butler,1879) (Geometridae) Synonym(s): *terranea* Butler,1879 Range (in code): **RU Am JP**
- 49578. Zygophyxia consensa** (Swinhoe,1886) (Geometridae) Synonym(s): *consensa* Swinhoe,1886 Range (in code): **IN Poo**
- 49579. Zygophyxia erlangeri** L.B.Prout,1932 (Geometridae) Synonym(s): *erlangeri* L.B.Prout,1932 Range (in code): **ET SO**
- 49580. Zygophyxia larseni** Wiltshire,1982 (Geometridae) Synonym(s): *larseni* Wiltshire,1982 Range (in code): **SA YE YE3o Sna**
- 49581. Zygophyxia ochrea** Hausmann,2006 (Geometridae) Synonym(s): *ochrea* Hausmann,2006 Range (in code): **YE YE68 YE3o**

- 49582. *Zygophyxia palpata* L.B.Prout,1932** (Geometridae) **Synonym(s):** *palpata* L.B.Prout,1932
Range (in code): **KE**
- 49583. *Zygophyxia relictata* (Walker,1866)** (Geometridae) **Synonym(s):** *relictata* Walker,1866;
demissus Swinhoe,1887; *ooptera* Turner,1922 **Original Reference:** *Acidalia relictata* Walker,1866, List
spec. lepid. Ins. Colln. Br. Mus. 35: 1629. Type ♂: India. **Range (in code):** **IN Mhw NI PK Krc Cp AU**
QAU
- 49584. *Zygophyxia retracta* Hausmann,2006** (Geometridae) **Synonym(s):** *retracta*
Hausmann,2006 **Range (in code):** **YE Sna**
- 49585. *Zygophyxia roseocincta* (W.Warren,1899)** (Geometridae) **Synonym(s):** *roseocincta*
W.Warren,1899 **Range (in code):** **TZ Dss**
- 49586. *Zygophyxia stenoptila* L.B.Prout,1916** (Geometridae) **Synonym(s):** *stenoptila*
L.B.Prout,1916 **Range (in code):** **ZA Tva Gau Pre**
- 49587. *Zygophyxia toquilla* D.S.Fletcher,1978** (Geometridae) **Synonym(s):** *toquilla*
D.S.Fletcher,1978 **Range (in code):** **TZ**
- 49588. *Zygophyxia tornisecta* L.B.Prout,1916** (Geometridae) **Synonym(s):** *tornisecta*
L.B.Prout,1916 **Range (in code):** **SO**
- 49589. *Zygophyxia transmeata* L.B.Prout,1931** (Geometridae) **Synonym(s):** *transmeata*
L.B.Prout,1931 **Range (in code):** **SO**
- 49590. *Zythos aphrodite* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *aphrodite* L.B.Prout,1932
Range (in code): **PG Bsm**
- 49591. *Zythos avellanea* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *avellanea* L.B.Prout,1932
Range (in code): **IN Meg Cpj**
- 49592. *Zythos clypeata* Yazaki,1996** (Geometridae) **Synonym(s):** *clypeata* Yazaki,1996 **Range**
(in code): **PH Ley**
- 49593. *Zythos cupreata* (Pagenstecher,1888)** (Geometridae) **Synonym(s):** *cupreata*
Pagenstecher,1888; *nebulosa* W.Warren,1897 **Range (in code):** **ID Amb Crm**
- 49594. *Zythos erotica* (L.B.Prout,1932)** (Geometridae) **Synonym(s):** *erotica* L.B.Prout,1932
Range (in code): **ID Clb**
- 49595. *Zythos fastigata* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *fastigata* L.B.Prout,1938
Range (in code): **ID Clb**
- 49596. *Zythos modesta* Yazaki,1996** (Geometridae) **Synonym(s):** *modesta* Yazaki,1996 **Range**
(in code): **PH Boh**
- 49597. *Zythos molybdina* (L.B.Prout,1938)** (Geometridae) **Synonym(s):** *molybdina*
L.B.Prout,1938 **Range (in code):** **PG Bsm Nir**
- 49598. *Zythos oblitterata* (W.Warren,1897)** (Geometridae) **Synonym(s):** *oblitterata*
W.Warren,1897; *simplaria* Snellen,1899 **Range (in code):** **TH Ntt Hba MY Bor ID Sum Ja**
- 49599. *Zythos strigata* (W.Warren,1896)** (Geometridae) **Synonym(s):** *strigata* W.Warren,1896
Range (in code): **TH Ntt Hba MY Bor ID Bli**
- 49600. *Zythos turbata* (Walker,1862)** (Geometridae) **Synonym(s):** *turbata* Walker,1862; *strigularia*
Snellen,1886 **Range (in code):** **TH Ntt Hba MY Bor Swk ID Sum**
- 49601. *Chrysocentris chrysozona* (Meyrick,1921)** (Glyphipterygidae) **Synonym(s):** *chrysozona*
Meyrick,1921 **Range (in code):** **ZA Nta Kzu Kkf**
- 49602. *Chrysocentris ditiorana* (Walker,1863)** (Glyphipterygidae) **Synonym(s):** *ditiorana*
Walker,1863 **Range (in code):** **MY Bor ID Ja MU ZA CN Tkg Yu IN LK TH JP**
- 49603. *Chrysocentris urania* Meyrick,1920** (Glyphipterygidae) **Synonym(s):** *urania*
Meyrick,1920 **Range (in code):** **ZA**
- 49604. *Electrographa argentifasciata* (Arita,1985)** (Glyphipterygidae) **Synonym(s):**
argentifasciata Arita,1985 **Original Reference:** *Carmentina argentifasciata* Arita,1985, Tyo to Ga
36: 87-90, figs. **Range (in code):** **TH**
- 49605. *Electrographa chrysosema* (Meyrick,1933)** (Glyphipterygidae) **Synonym(s):**
chrysosema Meyrick,1933 **Range (in code):** **SB**
- 49606. *Electrographa iridesma* Meyrick,1930** (Glyphipterygidae) **Synonym(s):** *iridesma*
Meyrick,1930 **Range (in code):** **PG Bgv**
- 49607. *Electrographa molybdotoma* (Diakonoff & Arita,1979)** (Glyphipterygidae)
Synonym(s): *molybdotoma* Diakonoff & Arita,1979 **Range (in code):** **JP TW**
- 49608. *Electrographa moriutii* (Arita,1987)** (Glyphipterygidae) **Synonym(s):** *moriutii* Arita,1987
Range (in code): **TH Nna Kao**

- 49609. *Electrographa perculata* (Diakonoff,1979)** (Glyphipterygidae) Synonym(s): *perculata* Diakonoff,1979 _ Range (in code): TW
- 49610. *Electrographa polychrysa* (Meyrick,1934)** (Glyphipterygidae) Synonym(s): *polychrysa* Meyrick,1934 _ Range (in code): MY ID Ja
- 49611. *Electrographa thiolychna* Meyrick,1912** (Glyphipterygidae) Synonym(s): *thiolychna* Meyrick,1912 _ Original Reference: *Electrographa thiolychna* Meyrick,1912, Exot. Microlepid. 1: 63. Syntypes: [Myanmar]: Burma. Range (in code): MM
- 49612. *Glyphipterix alpha* Moriuti & Saito,1964** (Glyphipterygidae) Synonym(s): *alpha* Moriuti & Saito,1964 _ Range (in code): JP
- 49613. *Glyphipterix ametrus* Diakonoff,1979** (Glyphipterygidae) Synonym(s): *ametrus* Diakonoff,1979 _ Range (in code): TW
- 49614. *Glyphipterix amphipeda* Meyrick,1920** (Glyphipterygidae) Synonym(s): *amphipeda* Meyrick,1920 _ Range (in code): ZA
- 49615. *Glyphipterix amseli* Diakonoff,1978** (Glyphipterygidae) Synonym(s): *amseli* Diakonoff,1978 _ Range (in code): CN Tkg
- 49616. *Glyphipterix antidoxa* Meyrick,1909** (Glyphipterygidae) Synonym(s): *antidoxa* Meyrick,1909 _ Range (in code): TH IN LK CN HK
- 49617. *Glyphipterix archimedica* Meyrick,1926** (Glyphipterygidae) Synonym(s): *archimedica* Meyrick,1926 _ Range (in code): ZA
- 49618. *Glyphipterix argophracta* Meyrick,1926** (Glyphipterygidae) Synonym(s): *argophracta* Meyrick,1926 _ Range (in code): ZA
- 49619. *Glyphipterix argyroguttella* Ragonot,1885** (Glyphipterygidae) Synonym(s): *argyroguttella* Ragonot,1885 _ Range (in code): FR IT RU Da Cc
- 49620. *Glyphipterix argyromis* Meyrick,1907** (Glyphipterygidae) Synonym(s): *argyromis* Meyrick,1907 _ Range (in code): TH IN LK MY Bor BN ?FJ Bionomy: Larva on Cyperaceae (stem or seeds) (Robinson et al.,1994).
- 49621. *Glyphipterix basifasciata* Issiki,1930** (Glyphipterygidae) Synonym(s): *basifasciata* Issiki,1930; *jezonica* Matsumura,1931 _ Range (in code): JP Hkk Krl Sh RU
- 49622. *Glyphipterix bergstraesserella* (Fabricius,1781)** (Glyphipterygidae) Synonym(s): *bergstraesserella* Fabricius,1781; *linneana* Hübner,[1825]; *linneella* Hübner,[1825]; *treitschkeana* Frölich,1828; *pietruskii* Novicki,1864; *altiorella* Bauer,1923 _ Range (in code): FR IT BE LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Luzula luzuloides* (Juncaceae) (Parenti,2000).
- 49623. *Glyphipterix beta* Moriuti & Saito,1964** (Glyphipterygidae) Synonym(s): *beta* Moriuti & Saito,1964 _ Range (in code): JP Hkk Sh Krl RU
- 49624. *Glyphipterix bifasciella* Amsel,1959** (Glyphipterygidae) Synonym(s): *bifasciella* Amsel,1959 _ Range (in code): IQ Hjo
- 49625. *Glyphipterix bohemani* (Zeller,1852)** (Glyphipterygidae) Synonym(s): *bohemani* Zeller,1852 _ Range (in code): ZA
- 49626. *Glyphipterix callithea* Meyrick,1921** (Glyphipterygidae) Synonym(s): *callithea* Meyrick,1921 _ Range (in code): ZA Nta Kzu Kkf
- 49627. *Glyphipterix carenota* Meyrick,1909** (Glyphipterygidae) Synonym(s): *carenota* Meyrick,1909 _ Range (in code): IN Meg Ass Khs CN Tkg
- 49628. *Glyphipterix chionosoma* Diakonoff,1978** (Glyphipterygidae) Synonym(s): *chionosoma* Diakonoff,1978 _ Range (in code): CN Kig
- 49629. *Glyphipterix climacaspis* Meyrick,1920** (Glyphipterygidae) Synonym(s): *climacaspis* Meyrick,1920 _ Range (in code): ZA
- 49630. *Glyphipterix danilevskii* Diakonoff,1978** (Glyphipterygidae) Synonym(s): *danilevskii* Diakonoff,1978 _ Range (in code): RO KG
- 49631. *Glyphipterix decachrysa* Meyrick,1918** (Glyphipterygidae) Synonym(s): *decachrysa* Meyrick,1918 _ Range (in code): ZA Nta Kzu Dbn
- 49632. *Glyphipterix deliciosa* Diakonoff,1978** (Glyphipterygidae) Synonym(s): *deliciosa* Diakonoff,1978 _ Range (in code): CN Tkg
- 49633. *Glyphipterix delta* Moriuti & Saito,1964** (Glyphipterygidae) Synonym(s): *delta* Moriuti & Saito,1964 _ Range (in code): JP
- 49634. *Glyphipterix diaphora* Walsingham,1910** (Glyphipterygidae) Synonym(s): *diaphora* Walsingham,1910 _ Range (in code): Md Az

- 49635. Glyphipterix diplotoxa** Meyrick, 1920 (Glyphipterygidae) Synonym(s): *diplotoxa* Meyrick, 1920 _ Range (in code): ZA
- 49636. Glyphipterix dolichophyes** Diakonoff, 1978 (Glyphipterygidae) Synonym(s): *dolichophyes* Diakonoff, 1978; *xyridota* Meyrick, 1935; *oxydonta* Diakonoff, 1978 _ Range (in code): CN Tk
- 49637. Glyphipterix equitella** (Scopoli, 1763) (Glyphipterygidae) Synonym(s): *equitella* Scopoli, 1763; *majorella* Heinemann & Wocke, [1876]; *minorella* Snellen, 1882; *crassilunella* Rebel, 1916; *zermattensis* Amsel, 1933; *sexguttella* Toll, 1936 _ Range (in code): ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG MK GR Cr TR DK NO SE FI EE LV LT Cc RU Da MD UA BY
- 49638. Glyphipterix euleucotoma** Diakonoff & Arita, 1976 (Glyphipterygidae) Synonym(s): *euleucotoma* Diakonoff & Arita, 1976 _ Range (in code): JP
- 49639. Glyphipterix forsterella** (Fabricius, 1781) (Glyphipterygidae) Synonym(s): *forsterella* Fabricius, 1781; *lucasella* Duponchel, 1838; *variella* Zeller, 1839; *oculatella* Zeller, 1850; *albimaculella* Heimenann, 1877 _ Range (in code): ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE FI EE LV LT RU MD UA BY JP Hkk
- 49640. Glyphipterix fortunatella** Walsingham, 1908 (Glyphipterygidae) Synonym(s): *fortunatella* Walsingham, 1908 _ Range (in code): Cn
- 49641. Glyphipterix funditrix** Diakonoff & Arita, 1976 (Glyphipterygidae) Synonym(s): *funditrix* Diakonoff & Arita, 1976 _ Range (in code): JP Hkk
- 49642. Glyphipterix fuscoviridella** (Haworth, [1828]) (Glyphipterygidae) Synonym(s): *fuscoviridella* Haworth, [1828]; *albicostella* Duponchel, [1839]; *aereinitidella* Millière, 1854 _ Range (in code): PT ES FR IT GB CH YU BG
- 49643. Glyphipterix gamma** Moriuti & Saito, 1964 (Glyphipterygidae) Synonym(s): *gamma* Moriuti & Saito, 1964 _ Range (in code): JP
- 49644. Glyphipterix gaudialis** Diakonoff & Arita, 1979 (Glyphipterygidae) Synonym(s): *gaudialis* Diakonoff & Arita, 1979 _ Range (in code): JP
- 49645. Glyphipterix gemmula** Diakonoff & Arita, 1979 (Glyphipterygidae) Synonym(s): *gemma* Diakonoff & Arita, 1979 _ Range (in code): JP TW
- 49646. Glyphipterix gianelliella** Ragonot, 1885 (Glyphipterygidae) Synonym(s): *gianelliella* Ragonot, 1885 _ Range (in code): ES FR IT CH AT Cc RU Da Bionomy: Larva on Sedum (Crassulaceae) (Parenti, 2000).
- 49647. Glyphipterix grapholithoides** (Walsingham, 1891) (Glyphipterygidae) Synonym(s): *grapholithoides* Walsingham, 1891 _ Range (in code): ZA
- 49648. Glyphipterix haworthana** (Stephens, 1834) (Glyphipterygidae) Synonym(s): *haworthana* Stephens, 1834 _ Range (in code): ES FR Si? IE GB BE DE CH PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 49649. Glyphipterix heptaglyphella** Le Marchand, 1925 (Glyphipterygidae) Synonym(s): *heptaglyphella* Le Marchand, 1925 _ Range (in code): FR IT BE
- 49650. Glyphipterix idiomorpha** Meyrick, 1917 (Glyphipterygidae) Synonym(s): *idiomorpha* Meyrick, 1917 _ Range (in code): ZA
- 49651. Glyphipterix imparfasciata** Arita, 1979 (Glyphipterygidae) Synonym(s): *imparfasciata* Arita, 1979 _ Range (in code): JP Ri
- 49652. Glyphipterix japonicella** Zeller, 1877 (Glyphipterygidae) Synonym(s): *japonicella* Zeller, 1877 _ Range (in code): JP Krl
- 49653. Glyphipterix loricatella** (Treitschke, 1833) (Glyphipterygidae) Synonym(s): *loricatella* Treitschke, 1833 _ Range (in code): HU AL RU
- 49654. Glyphipterix luteomaculata** Arita, 1979 (Glyphipterygidae) Synonym(s): *luteomaculata* Arita, 1979 _ Range (in code): JP Ri TW
- 49655. Glyphipterix macrodrachma** Diakonoff, 1979 (Glyphipterygidae) Synonym(s): *macrodrachma* Diakonoff, 1979 _ Range (in code): CN Tk
- 49656. Glyphipterix magnatella** Erschoff, 1877 (Glyphipterygidae) Synonym(s): *magnatella* Erschoff, 1877 _ Range (in code): RU Sb UZ Fe Man CN Ui Ku KG DsA Ket At TrA
- 49657. Glyphipterix maritima** Diakonoff, 1979 (Glyphipterygidae) Synonym(s): *maritima* Diakonoff, 1979 _ Range (in code): RU Us
- 49658. Glyphipterix medianella** Turati, 1930 (Glyphipterygidae) Synonym(s): *medianella* Turati, 1930 _ Range (in code): Rd
- 49659. Glyphipterix medica** Meyrick, 1911 (Glyphipterygidae) Synonym(s): *medica* Meyrick, 1911 _ Range (in code): ZA

- 49660. Glyphipterix melania Diakonoff & Arita,1976** (Glyphipterygidae) Synonym(s): *melania* Diakonoff & Arita,1976 _ Range (in code): JP
- 49661. Glyphipterix nicaeella Möschler,1866** (Glyphipterygidae) Synonym(s): *nicaeella* Möschler,1866 _ Range (in code): FR CH
- 49662. Glyphipterix nigromarginata Issiki,1930** (Glyphipterygidae) Synonym(s): *nigromarginata* Issiki,1930; *suzukii* Matsumura,1931 _ Range (in code): JP RU Sh Krl
- 49663. Glyphipterix octatoma Diakonoff,1978** (Glyphipterygidae) Synonym(s): *octatoma* Diakonoff,1978 _ Range (in code): CN Tk
- 49664. Glyphipterix okui Diakonoff & Arita,1976** (Glyphipterygidae) Synonym(s): *okui* Diakonoff & Arita,1976 _ Range (in code): JP Hkk
- 49665. Glyphipterix ortholeuca Meyrick,1921** (Glyphipterygidae) Synonym(s): *ortholeuca* Meyrick,1921 _ Range (in code): ZA Nta Kzu Kkf
- 49666. Glyphipterix oxytricha Meyrick,1928** (Glyphipterygidae) Synonym(s): *oxytricha* Meyrick,1928 _ Range (in code): ZA
- 49667. Glyphipterix persica Diakonoff,1979** (Glyphipterygidae) Synonym(s): *persica* Diakonoff,1979 _ Original Reference: Glyphipterix persica Diakonoff,1979, Zool. Meded. 54 (21): 309-311, fig. Holotype ♂: Iran: Fars: 80km wetl. Shiraz (NHMW). Range (in code): IR Fa Shr
- 49668. Glyphipterix pertenuis Diakonoff,1979** (Glyphipterygidae) Synonym(s): *pertenuis* Diakonoff,1979 _ Original Reference: Glyphipterix pertenuis Diakonoff,1979, Zool. Meded. 54 (21): 306-307, fig. Holotype ♂: Tunesia: El Ariana (RMNH). Range (in code): TN
- 49669. Glyphipterix pygmaeella Rebel,1896** (Glyphipterygidae) Synonym(s): *pygmaeella* Rebel,1896 _ Range (in code): Cn HU
- 49670. Glyphipterix pygmaeella Rebel,1896** (Glyphipterygidae) Synonym(s): *pygmaeella* Rebel,1896 _ Range (in code): HU RO
- 49671. Glyphipterix regula Diakonoff & Arita,1976** (Glyphipterygidae) Synonym(s): *regula* Diakonoff & Arita,1976 _ Range (in code): RU Krl Sh JP Hkk
- 49672. Glyphipterix rhinocerope Meyrick,1935** (Glyphipterygidae) Synonym(s): *rhinocerope* Meyrick,1935 _ Range (in code): CN Tk Kig
- 49673. Glyphipterix schoenicolella Boyd,1859** (Glyphipterygidae) Synonym(s): *schoenicolella* Boyd,1859 _ Range (in code): TN PT ES FR IE GB BE NL DE CZ SK BG GR DK SE EE LV Bionomy: Larva on Schoenus nigricans (in seeds), Cyperus longus (Diakonoff,1986).
- 49674. Glyphipterix semiflavana Issiki,1930** (Glyphipterygidae) Synonym(s): *semiflavana* Issiki,1930 _ Range (in code): JP Hkk
- 49675. Glyphipterix semilunaris Wollaston,1879** (Glyphipterygidae) Synonym(s): *semilunaris* Wollaston,1879 _ Range (in code): SH
- 49676. Glyphipterix simplicella Christoph,1882** (Glyphipterygidae) Synonym(s): *simplicella* Christoph,1882 _ Range (in code): RU Us Vv
- 49677. Glyphipterix simpliciella (Stephens,1834)** (Glyphipterygidae) Synonym(s): *simpliciella* Stephens,1834; *cognatella* Stephens,1834; *conjunctella* Costa,1834; *colluripennella* Costa,1834; *aechmiella* Duponchel,1838; *fischeriella* Zeller,1839; *desideratella* Duponchel,1842; *roeslerstammella* Fischer v. Roeslerstamm,1843; *?nattani* Gozmany,1954 _ Range (in code): PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GR Rd Cr LB DK NO SE FI EE LV LT Bionomy: Larva on Dactylis glomerata, Festuca (Poaceae) (Parenti,2000).
- 49678. Glyphipterix speculiferella Christoph,1882** (Glyphipterygidae) Synonym(s): *speculiferella* Christoph,1882 _ Range (in code): RU Us Vv UZ Fe Man
- 49679. Glyphipterix stelucha Meyrick,1909** (Glyphipterygidae) Synonym(s): *stelucha* Meyrick,1909 _ Range (in code): ZA
- 49680. Glyphipterix sulcosa Diakonoff,1978** (Glyphipterygidae) Synonym(s): *sulcosa* Diakonoff,1978 _ Range (in code): Sa
- 49681. Glyphipterix thrasonella (Scopoli,1763)** (Glyphipterygidae) Synonym(s): *thrasonella* Scopoli,1763; *klemannella* Fabricius,1781; *fuesella* Fabricius,1787; *fyesella* Fabricius,1794; *ahornerella* Hübner,1796; *seppella* Hübner,1796; *aillyella* Hübner,1796; *triguttella* Donovan,1806; *fuesslii* Haworth,1828; *equitella* Treitschke,1833; *poeyella* Duponchel,1838; *cladiella* Stainton,1859; *eyndhoveniella* Snellen,1882; *albardella* Snellen,1882; *?nitens* Bankes,1907; *struvei* Amsel,1938 _ Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GR DK NO SE FI EE LV LT RU MD UA BY GG Cc Abk Bionomy: Larva on Juncus (Juncaceae) (Parenti,2000).
- 49682. Glyphipterix trigonodes Arita,1979** (Glyphipterygidae) Synonym(s): *trigonodes* Arita,1979 _ Range (in code): JP Ri

- 49683. Glyphipterix umbilici Hering,1927** (Glyphipterygidae) **Synonym(s):** *umbilici* Hering,1927; *talhouki* Diakonoff,1978 - Range (in code): **Cn PT Sa LB Ale**
- 49684. Lepidotarphius perornatellus (Walker,1864)** (Glyphipterygidae) **Synonym(s):** *perornatellus* Walker,1864; *splendens* Pryer,1877 - Range (in code): **CN Tkg Yu Kwa Hn Kig Hun RU Am Us**
- 49685. Lepidotarphius perornatellus fulgens Erschoff,1877** (Glyphipterygidae) **Synonym(s):** *fulgens* Erschoff,1877 - Range (in code): **RU Am Us**
- 49686. Lepidotarphius perornatellus perornatellus (Walker,1864)** (Glyphipterygidae) **Synonym(s):** *perornatellus* Walker,1864; *splendens* Pryer,1877 - Range (in code): **CN Tkg Yu Kwa Hn Kig Hun**
- 49687. Metapodistis chrysosema Meyrick,1933** (Glyphipterygidae) **Synonym(s):** *chrysosema* Meyrick,1933 - Range (in code): **MM**
- 49688. Metapodistis molybdotoma Diakonoff & Arita,1979** (Glyphipterygidae) **Synonym(s):** *molybdotoma* Diakonoff & Arita,1979 - Range (in code): **JP Ri TW**
- 49689. Orthotelia sparganella (Thunberg,1788)** (Glyphipterygidae) **Synonym(s):** *sparganella* Thunberg,1788; *venosa* Haworth,1811; *tostella* Hübner,[1824]; *sparganiella* Treitschke,1832 - Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY KG Uk** **Bionomy:** Larva on *Glyceria spectabilis* (Poaceae), *Iris pseudacorus* [root] (Iridaceae), *Scirpus lacustris* (Cyperaceae), *Sparganium ramosum*, *S. simplex* (Sparganiaceae); *Typha angustifolia* (Typhaceae) (Schütze,1931).
- 49690. Tetracmanthes astrocosma Meyrick,1925** (Glyphipterygidae) **Synonym(s):** *astrocosma* Meyrick,1925 - Range (in code): **ZA**
- 49691. Ussara polyastra Meyrick,1937** (Glyphipterygidae) **Synonym(s):** *polyastra* Meyrick,1937 Range (in code): **ZA**
- 49692. Acrocercops acanthidias Meyrick,1934** (Gracillariidae) **Synonym(s):** *acanthidias* Meyrick,1934 - Range (in code): **ID Ja**
- 49693. Acrocercops achnodes Meyrick,1915** (Gracillariidae) **Synonym(s):** *achnodes* Meyrick,1915 Range (in code): **EC**
- 49694. Acrocercops aeglophanes (Turner,1913)** (Gracillariidae) **Synonym(s):** *aeglophanes* Turner,1913 - Range (in code): **AU QAU**
- 49695. Acrocercops aellomacha (Meyrick,1880)** (Gracillariidae) **Synonym(s):** *aellomacha* Meyrick,1880 - Range (in code): **NZ**
- 49696. Acrocercops aemulk Meyrick,1916** (Gracillariidae) **Synonym(s):** *aemulk* Meyrick,1916 Range (in code): **IN**
- 49697. Acrocercops aeolella (Meyrick,1880)** (Gracillariidae) **Synonym(s):** *aeolella* Meyrick,1880 **Original Reference:** *Coriscium aeolellum* Meyrick,1880, Proc. linn. Soc. N.S.Wales 5: 167. Range (in code): **AU NSw**
- 49698. Acrocercops affinis Braun,1918** (Gracillariidae) **Synonym(s):** *affinis* Braun,1918 Range (in code): **US Cf**
- 49699. Acrocercops albida Turner,1947** (Gracillariidae) **Synonym(s):** *albida* Turner,1947 Range (in code): **AU QAU**
- 49700. Acrocercops albidorsella Bradley,1957** (Gracillariidae) **Synonym(s):** *albidorsella* Bradley,1957 - Range (in code): **SB Re**
- 49701. Acrocercops albinatella (Chambers,1872)** (Gracillariidae) **Synonym(s):** *albinatella* Chambers,1872; *albinotella* Meyrick,1912 - Range (in code): **CA Qb US Fl Ge Mai Mis Mrl Knt Ny Oh Tx**
- 49702. Acrocercops albofasciella Yazaki,1926** (Gracillariidae) **Synonym(s):** *albofasciella* Yazaki,1926 - Range (in code): **JP Kyu**
- 49703. Acrocercops albomaculella (Turner,1894)** (Gracillariidae) **Synonym(s):** *albomaculella* Turner,1894; *#albimaculella* Turner,1896 - Range (in code): **AU QAU**
- 49704. Acrocercops albomarginatum (Walsingham,1897)** (Gracillariidae) **Synonym(s):** *albomarginatum* Walsingham,1897 - Range (in code): **CU PR VG**
- 49705. Acrocercops allactopa Meyrick,1916** (Gracillariidae) **Synonym(s):** *allactopa* Meyrick,1916 Range (in code): **IN Knr**
- 49706. Acrocercops alysidota (Meyrick,1880)** (Gracillariidae) **Synonym(s):** *alysidota* Meyrick,1880; *citharoda* Meyrick,1916 - Range (in code): **AU NSw NZ**
- 49707. Acrocercops amethystopa Meyrick,1916** (Gracillariidae) **Synonym(s):** *amethystopa* Meyrick,1916 - Range (in code): **IN Co**

- 49708. *Acrocercops amurensis* Kuznetsov, 1960** (Gracillariidae) Synonym(s): *amurensis* Kuznetsov, 1960 _ Range (in code): RU Am
- 49709. *Acrocercops angelica* Meyrick, 1919** (Gracillariidae) Synonym(s): *angelica* Meyrick, 1919 _ Range (in code): SC
- 49710. *Acrocercops anthogramma* Meyrick, 1921** (Gracillariidae) Synonym(s): *anthogramma* Meyrick, 1921 _ Range (in code): BR
- 49711. *Acrocercops anthracuris* Meyrick, 1926** (Gracillariidae) Synonym(s): *anthracuris* Meyrick, 1926 _ Range (in code): IN Bba Poo Bionomy: Larva on *Pongamia pinnata* (Fabaceae) (Meyrick, 1926; et seq.).
- 49712. *Acrocercops antigrapha* Turner, 1926** (Gracillariidae) Synonym(s): *antigrapha* Turner, 1926 _ Range (in code): AU QAU
- 49713. *Acrocercops antimima* Turner, 1940** (Gracillariidae) Synonym(s): *antimima* Turner, 1940 _ Range (in code): AU NSW
- 49714. *Acrocercops apicella* Bradley, 1957** (Gracillariidae) Synonym(s): *apicella* Bradley, 1957 _ Range (in code): SB Re
- 49715. *Acrocercops apicepunctella* (Walsingham, 1891)** (Gracillariidae) Synonym(s): *apicepunctella* Walsingham, 1891; *apicipunctella* Meyrick, 1912 _ Range (in code): VC
- 49716. *Acrocercops apoblepta* Turner, 1913** (Gracillariidae) Synonym(s): *apoblepta* Turner, 1913 _ Range (in code): AU QAU
- 49717. *Acrocercops arbutella* Braun, 1925** (Gracillariidae) Synonym(s): *arbutella* Braun, 1925 _ Range (in code): US Arz Bionomy: Larva on *Arbutus arizona* (Ericaceae) (Braun, 1925).
- 49718. *Acrocercops archepolis* (Meyrick, 1907)** (Gracillariidae) Synonym(s): *archepolis* Meyrick, 1907 _ Range (in code): AU SAU
- 49719. *Acrocercops argentigera* Diakonoff, 1955** (Gracillariidae) Synonym(s): *argentigera* Diakonoff, 1955 _ Range (in code): PG
- 49720. *Acrocercops argocosma* Meyrick, 1915** (Gracillariidae) Synonym(s): *argocosma* Meyrick, 1915 _ Range (in code): EC
- 49721. *Acrocercops argodesma* Meyrick, 1936** (Gracillariidae) Synonym(s): *argodesma* Meyrick, 1936 _ Range (in code): ID Ja
- 49722. *Acrocercops argyraspis* Meyrick, 1908** (Gracillariidae) Synonym(s): *argyraspis* Meyrick, 1908 _ Range (in code): IN Ass Meg Khs
- 49723. *Acrocercops argyrodesma* (Meyrick, 1882)** (Gracillariidae) Synonym(s): *argyrodesma* Meyrick, 1882 _ Range (in code): AU
- 49724. *Acrocercops argyrosema* Turner, 1947** (Gracillariidae) Synonym(s): *argyrosema* Turner, 1947 _ Range (in code): AU QAU
- 49725. *Acrocercops asaphogramma* Meyrick, 1920** (Gracillariidae) Synonym(s): *asaphogramma* Meyrick, 1920 _ Range (in code): BR
- 49726. *Acrocercops astericola* (Frey & Boll, 1873)** (Gracillariidae) Synonym(s): *astericola* Frey & Boll, 1873 _ Range (in code): CA Nsc Qb US Knt Mai Ny Msc Mch Pns Vr
- 49727. *Acrocercops astiopa* Meyrick, 1930** (Gracillariidae) Synonym(s): *astiopa* Meyrick, 1930 _ Range (in code): IN Bi Pus Bionomy: Larva on *Polyalthia longifolia* (Annonaceae) (Meyrick, 1930).
- 49728. *Acrocercops atlantis* Meyrick, 1924** (Gracillariidae) Synonym(s): *atlantis* Meyrick, 1924 _ Range (in code): CR
- 49729. *Acrocercops attenuatum* (Walsingham, 1897)** (Gracillariidae) Synonym(s): *attenuatum* Walsingham, 1897 _ Range (in code): VG Bionomy: Larva on *Croton flavens* (Euphorbiaceae) (Walsingham, 1897).
- 49730. *Acrocercops auricilla* (Stainton, 1859)** (Gracillariidae) Synonym(s): *auricilla* Stainton, 1859 _ Range (in code): IN Clc Bionomy: Larva on *Swietenia mahagoni* (Meliaceae) (Fletcher, 1921 et seq.).
- 49731. *Acrocercops autadelpha* (Meyrick, 1880)** (Gracillariidae) Synonym(s): *autadelpha* Meyrick, 1880; *symphyletes* Turner, 1913 _ Range (in code): AU QAU NSW Kda
- 49732. *Acrocercops autarithma* Meyrick, 1934** (Gracillariidae) Synonym(s): *autarithma* Meyrick, 1934 _ Range (in code): ID Ja Ged
- 49733. *Acrocercops axinophora* Turner, 1940** (Gracillariidae) Synonym(s): *axinophora* Turner, 1940 _ Range (in code): AU WAU

- 49734. *Acrocercops barringtoniella* (Van Deventer,1904)** (Gracillariidae) Synonym(s): *barringtoniella* Van Deventer,1904 _ Range (in code): **ID Ja** Bionomy: Larva on *Barringtonia spicata*, *B. acutangula*, *Careya arborea*, *Planchonia careya* (Lecythidaceae) (Van Deventer,1904; et seq.).
- 49735. *Acrocercops bifasciata* (Wallengren,1891)** (Gracillariidae) Synonym(s): *bifasciata* Wallengren,1891 _ Range (in code): **ZA CM CG GM MW NG SO TZ Zz UG IN**
- 49736. *Acrocercops bifrenis* Meyrick,1918** (Gracillariidae) Synonym(s): *bifrenis* Meyrick,1918 Range (in code): **IN Bba** Bionomy: Larva on *Calycopteris floribunda*, *Terminalia* (Combretaceae) (Meyrick,1932; et seq.).
- 49737. *Acrocercops bisinuata* Meyrick,1921** (Gracillariidae) Synonym(s): *bisinuata* Meyrick,1921 Range (in code): **LK** Bionomy: Larva on *Eugenia malaccensis* (Myrtaceae) (Meyrick,1921).
- 49738. *Acrocercops brachyglypta* Meyrick,1931** (Gracillariidae) Synonym(s): *brachyglypta* Meyrick,1931 _ Range (in code): **ID Ja WS SB Re Be Hon**
- 49739. *Acrocercops breyeri* Bourquin,1962** (Gracillariidae) Synonym(s): *breyeri* Bourquin,1962 Range (in code): **AR Bue** Bionomy: Larva on *Senecio bonariensis* (Asteraceae) (Bourquin,1962).
- 49740. *Acrocercops brochogramma* Meyrick,1914** (Gracillariidae) Synonym(s): *brochogramma* Meyrick,1914 _ Range (in code): **LK SB Hon** Bionomy: Larva on *Hibiscus* (Malvaceae) (Meyrick,1914).
- 49741. *Acrocercops brongniardella* (Fabricius,1798)** (Gracillariidae) Synonym(s): *brongniardella* Fabricius,1798; *substriga* Haworth,1828; *quercetella* Zeller,1838; *curtisella* Duponchel,[1840] Range (in code): **ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK GR TR IL DK NO SE FI LV LT RU MD UA BY KG** Bionomy: Larva on *Quercus ithaburensis*, *Q. robur*, *Q. petraea*, *Q. ilex*, *Q. coccifera*, *Q. pubescens*, *Castanea sativa* (Fagaceae) (Staudinger,1880; et seq.).
- 49742. *Acrocercops caementosa* Meyrick,1915** (Gracillariidae) Synonym(s): *caementosa* Meyrick,1915 _ Range (in code): **PE**
- 49743. *Acrocercops caenotheta* (Meyrick,1880)** (Gracillariidae) Synonym(s): *caenotheta* Meyrick,1880 _ Range (in code): **AU NSW**
- 49744. *Acrocercops calicella* (Stainton,1862)** (Gracillariidae) Synonym(s): *calicella* Stainton,1862 _ Range (in code): **AU**
- 49745. *Acrocercops calycophthalma* Meyrick,1926** (Gracillariidae) Synonym(s): *calycophthalma* Meyrick,1926 _ Range (in code): **IN Bba** Bionomy: Larva on *Terminalia bellirica* (Combretaceae) (Meyrick,1926).
- 49746. *Acrocercops camptochrysa* Meyrick,1921** (Gracillariidae) Synonym(s): *camptochrysa* Meyrick,1921 _ Range (in code): **BR**
- 49747. *Acrocercops candida* Turner,1947** (Gracillariidae) Synonym(s): *candida* Turner,1947 Range (in code): **AU QAU**
- 49748. *Acrocercops castellata* Meyrick,1908** (Gracillariidae) Synonym(s): *castellata* Meyrick,1908 _ Range (in code): **LK**
- 49749. *Acrocercops chalcea* Turner,1926** (Gracillariidae) Synonym(s): *chalcea* Turner,1926 Range (in code): **AU QAU**
- 49750. *Acrocercops chalceopla* (Turner,1913)** (Gracillariidae) Synonym(s): *chalceopla* Turner,1913 _ Range (in code): **AU QAU**
- 49751. *Acrocercops chalinosema* Meyrick,1936** (Gracillariidae) Synonym(s): *chalinosema* Meyrick,1936 _ Range (in code): **ID Ja** Bionomy: Larva on *Bridelia* (Euphorbiaceae) (Meyrick,1936).
- 49752. *Acrocercops chalybophanes* Meyrick,1937** (Gracillariidae) Synonym(s): *chalybophanes* Meyrick,1937 _ Range (in code): **TZ**
- 49753. *Acrocercops charitopis* Meyrick,1915** (Gracillariidae) Synonym(s): *charitopis* Meyrick,1915 _ Range (in code): **GY**
- 49754. *Acrocercops chenopa* Meyrick,1932** (Gracillariidae) Synonym(s): *chenopa* Meyrick,1932 Range (in code): **UG Rz**
- 49755. *Acrocercops cherimoliae* Ghesquière,1940** (Gracillariidae) Synonym(s): *cherimoliae* Ghesquière,1940 _ Range (in code): **CG** Bionomy: Larva on *Annona cherimolia* (Annonaceae) (Ghesquière,1940).
- 49756. *Acrocercops chionoplecta* (Meyrick,1883)** (Gracillariidae) Synonym(s): *chionoplecta* Meyrick,1883 _ Range (in code): **AU NSW**

- 49757. *Acrocercops chionosema* Turner,1940** (Gracillariidae) Synonym(s): *chionosema* Turner,1940 _ Range (in code): AU QAU
- 49758. *Acrocercops chloronympha* Meyrick,1921** (Gracillariidae) Synonym(s): *chloronympha* Meyrick,1921 _ Range (in code): BR
- 49759. *Acrocercops chretiae* Vari,1961** (Gracillariidae) Synonym(s): *chretiae* Vari,1961 _ Range (in code): ZA
- 49760. *Acrocercops chrysargyra* Meyrick,1908** (Gracillariidae) Synonym(s): *chrysargyra* Meyrick,1908 _ Range (in code): IN Ass Meg Khs
- 49761. *Acrocercops chrysocosma* Meyrick,1915** (Gracillariidae) Synonym(s): *chrysocosma* Meyrick,1915 _ Range (in code): GY
- 49762. *Acrocercops chrysophila* Meyrick,1937** (Gracillariidae) Synonym(s): *chrysophila* Meyrick,1937 _ Range (in code): IN Up Ddu Bionomy: Larva on *Eugenia jambolana*, *E. cumini* (Myrtaceae) (Meyrick,1937; et seq.).
- 49763. *Acrocercops chrysophylli* Vari,1961** (Gracillariidae) Synonym(s): *chrysophylli* Vari,1961 _ Range (in code): ZW ZA Ec Stj Bionomy: Larva on *Chrysophyllum gorungosanum* (Sapotaceae) (Vari,1961).
- 49764. *Acrocercops chrysoplitis* Meyrick,1937** (Gracillariidae) Synonym(s): *chrysoplitis* Meyrick,1937 _ Range (in code): IN Up Ddu Bionomy: Larva on *Shorea robusta* (Dipterocarpaceae) (Robinson et al.,2001).
- 49765. *Acrocercops cirrhantha* Meyrick,1915** (Gracillariidae) Synonym(s): *cirrhantha* Meyrick,1915 _ Range (in code): GY
- 49766. *Acrocercops cissiella* Busck,1934** (Gracillariidae) Synonym(s): *cissiella* Busck,1934 _ Range (in code): CU Bionomy: Larva on *Cissus verticillata*, *Vitis* (Vitaceae); *Hibiscus* (Malvaceae) (Busck 1934; et seq.).
- 49767. *Acrocercops citrodora* Meyrick,1914** (Gracillariidae) Synonym(s): *citrodora* Meyrick,1914 _ Range (in code): IN Co
- 49768. *Acrocercops clepsinoma* Meyrick,1916** (Gracillariidae) Synonym(s): *clepsinoma* Meyrick,1916 _ Range (in code): IN
- 49769. *Acrocercops clinogramma* Meyrick,1930** (Gracillariidae) Synonym(s): *clinogramma* Meyrick,1930 _ Range (in code): VN Ton
- 49770. *Acrocercops clinozona* Meyrick,1920** (Gracillariidae) Synonym(s): *clinozona* Meyrick,1920 _ Range (in code): AU QAU Bri
- 49771. *Acrocercops clisiopa* Meyrick,1935** (Gracillariidae) Synonym(s): *clisiopa* Meyrick,1935 _ Range (in code): TW Bionomy: Larva on *Macaranga tanarius* (Euphorbiaceae) (Meyrick,1936).
- 49772. *Acrocercops clisiophora* Turner,1940** (Gracillariidae) Synonym(s): *clisiophora* Turner,1940 _ Range (in code): AU QAU Kda
- 49773. *Acrocercops clitoriella* Busck,1934** (Gracillariidae) Synonym(s): *clitoriella* Busck,1934 _ Range (in code): CU Bionomy: Larva on *Clitoria ternatea* (Fabaceae) (Busck,1934).
- 49774. *Acrocercops clytosema* Meyrick,1920** (Gracillariidae) Synonym(s): *clytosema* Meyrick,1920 _ Range (in code): BR
- 49775. *Acrocercops cocciferella* (Chrétien,1910)** (Gracillariidae) Synonym(s): *cocciferella* Chrétien,1910 _ Range (in code): ES FR GR TN IL Bionomy: Larva on *Quercus calliprinos*, *Q. coccifera* (Fagaceae) (Chrétien,1910; Sternlicht,1968).
- 49776. *Acrocercops coffeifoliella* (Motschulsky,1859)** (Gracillariidae) Synonym(s): *coffeifoliella* Motschulsky,1859 _ Range (in code): LK RE IN ID Ja Bionomy: Larva on *Coffea* (Rubiaceae) (Motschulsky,1859).
- 49777. *Acrocercops coloptila* Meyrick,1937** (Gracillariidae) Synonym(s): *coloptila* Meyrick,1937 _ Range (in code): UG Bionomy: Larva on *Annona squamosa* (Annonaceae) (Meyrick,1937).
- 49778. *Acrocercops combreticola* Vari,1961** (Gracillariidae) Synonym(s): *combreticola* Vari,1961 _ Range (in code): ZA Gau Tva Pre Slpp Nta Kzu Dbn Bionomy: Larva on *Combretum apiculatum* (Combretaceae) (Vari,1961).
- 49779. *Acrocercops contorta* Meyrick,1920** (Gracillariidae) Synonym(s): *contorta* Meyrick,1920 _ Range (in code): BR Para
- 49780. *Acrocercops convoluta* Meyrick,1908** (Gracillariidae) Synonym(s): *convoluta* Meyrick,1908 _ Range (in code): IN LK VN
- 49781. *Acrocercops cordiella* Busck,1934** (Gracillariidae) Synonym(s): *cordiella* Busck,1934 _ Range (in code): CU Bionomy: Larva on *Cordia alba* (Boraginaceae) (Busck,1934).

- 49782. *Acrocercops cornicina* Meyrick, 1908** (Gracillariidae) Synonym(s): *cornicina* Meyrick, 1908 _ Range (in code): IN Ass Meg Khs
- 49783. *Acrocercops crotalistis* Meyrick, 1915** (Gracillariidae) Synonym(s): *crotalistis* Meyrick, 1915 _ Range (in code): PE Lma
- 49784. *Acrocercops crucigera* Meyrick, 1920** (Gracillariidae) Synonym(s): *crucigera* Meyrick, 1920 _ Range (in code): AU QAU
- 49785. *Acrocercops crypsigrapha* Meyrick, 1930** (Gracillariidae) Synonym(s): *crypsigrapha* Meyrick, 1930 _ Range (in code): MM Thn
- 49786. *Acrocercops crystallopa* Meyrick, 1916** (Gracillariidae) Synonym(s): *crystallopa* Meyrick, 1916 _ Range (in code): IN Knr Bionomy: Larva on Memecylon amplexicaule, M. edule (Melastomataceae) (Meyrick, 1916).
- 49787. *Acrocercops cyanodeta* Meyrick, 1918** (Gracillariidae) Synonym(s): *cyanodeta* Meyrick, 1918 _ Range (in code): IN Co
- 49788. *Acrocercops cyclogramma* Meyrick, 1921** (Gracillariidae) Synonym(s): *cyclogramma* Meyrick, 1921 _ Range (in code): PE
- 49789. *Acrocercops cylicota* Meyrick, 1914** (Gracillariidae) Synonym(s): *cylicota* Meyrick, 1914 Range (in code): IN Knr Bionomy: Larva on Colebrookea oppositifolia, Elsholtzia fruticosa (Lamiaceae) (Meyrick, 1914; et seq.).
- 49790. *Acrocercops cyma* Bradley, 1957** (Gracillariidae) Synonym(s): *cyma* Bradley, 1957 Range (in code): SB Re Hon
- 49791. *Acrocercops cymella* Forbes, 1931** (Gracillariidae) Synonym(s): *cymella* Forbes, 1931 Range (in code): PR
- 49792. *Acrocercops cyphostacta* Meyrick, 1921** (Gracillariidae) Synonym(s): *cyphostacta* Meyrick, 1921 _ Range (in code): ID Ja
- 49793. *Acrocercops defigurata* Meyrick, 1928** (Gracillariidae) Synonym(s): *defigurata* Meyrick, 1928 _ Range (in code): IN Ass Slo
- 49794. *Acrocercops delicata* Meyrick, 1921** (Gracillariidae) Synonym(s): *delicata* Meyrick, 1921 Range (in code): ID Ja Bionomy: Larva on Nephelium lappaceum (Sapindaceae) (Meyrick, 1921).
- 49795. *Acrocercops demotes* Walsingham, 1914** (Gracillariidae) Synonym(s): *demotes* Walsingham, 1914 _ Range (in code): MX
- 49796. *Acrocercops desmochares* Meyrick, 1921** (Gracillariidae) Synonym(s): *desmochares* Meyrick, 1921 _ Range (in code): BR
- 49797. *Acrocercops diacentrota* Meyrick, 1935** (Gracillariidae) Synonym(s): *diacentrota* Meyrick, 1935 _ Range (in code): IN Ben Bionomy: Larva on Michelia champaca (Magnoliaceae) (Meyrick, 1935).
- 49798. *Acrocercops diatonica* Meyrick, 1916** (Gracillariidae) Synonym(s): *diatonica* Meyrick, 1916 Range (in code): PK IN TH MY PG NBr Bionomy: Larva mines Mangifera (Anacardiaceae), Theobroma cacao (Sterculiaceae) (Robinson et al., 1994).
- 49799. *Acrocercops didymella* (Meyrick, 1880)** (Gracillariidae) Synonym(s): *didymella* Meyrick, 1880 _ Range (in code): AU NSw Syd
- 49800. *Acrocercops difflluella* (Van Deventer, 1904)** (Gracillariidae) Synonym(s): *difflluella* Van Deventer, 1904 _ Range (in code): ID Ja IN MY PG SB Bionomy: Larva on Terminalia catappa, T. arjuna (Combretaceae) (Robinson et al., 2001).
- 49801. *Acrocercops dinosticha* Meyrick, 1936** (Gracillariidae) Synonym(s): *dinosticha* Meyrick, 1936 _ Range (in code): ID Ja Bionomy: Larva on Euphorbiaceae (Meyrick, 1936).
- 49802. *Acrocercops diplacopa* Meyrick, 1936** (Gracillariidae) Synonym(s): *diplacopa* Meyrick, 1936 _ Range (in code): ID Ja Bionomy: Larva on Ficus septica (Moraceae) (Meyrick, 1936).
- 49803. *Acrocercops distylii* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *distylii* Kumata & Kuroko, 1988 _ Range (in code): JP Ri Bionomy: Larva on Distylium racemosum (Hamamelidaceae), Camellia japonica (Theaceae) (Kumata & Kuroko, 1988).
- 49804. *Acrocercops doloploca* Meyrick, 1921** (Gracillariidae) Synonym(s): *doloploca* Meyrick, 1921 _ Range (in code): AU QAU Cai
- 49805. *Acrocercops eclampsis* Walsingham, 1914** (Gracillariidae) Synonym(s): *eclampsis* Walsingham, 1914 _ Range (in code): PA

- 49806. *Acrocercops encentris* Meyrick, 1915** (Gracillariidae) Synonym(s): *encentris* Meyrick, 1915
Range (in code): **GY**
- 49807. *Acrocercops enchlamyda* (Turner, 1894)** (Gracillariidae) Synonym(s): *enchlamyda* Turner, 1894; *#euchlamyda* Turner, 1896
Range (in code): **AU QAU Bri**
- 49808. *Acrocercops ennychodes* Meyrick, 1921** (Gracillariidae) Synonym(s): *ennychodes* Meyrick, 1921
Range (in code): **AU QAU Cai**
- 49809. *Acrocercops epiclina* Meyrick, 1918** (Gracillariidae) Synonym(s): *epiclina* Meyrick, 1918
Range (in code): **IN Ass Meg Slo**
- 49810. *Acrocercops eranista* Meyrick, 1918** (Gracillariidae) Synonym(s): *eranista* Meyrick, 1918
Range (in code): **IN Ass Meg Slo**
- 49811. *Acrocercops erebopa* Meyrick, 1936** (Gracillariidae) Synonym(s): *erebopa* Meyrick, 1936
Range (in code): **ID Ja** Bionomy: Larva on Derris (Fabaceae) (Meyrick, 1936).
- 49812. *Acrocercops erioplaca* Meyrick, 1918** (Gracillariidae) Synonym(s): *erioplaca* Meyrick, 1918
Range (in code): **IN Ben Pus** Bionomy: Larva on Terminalia catappa (Combretaceae) (Meyrick, 1918).
- 49813. *Acrocercops euargyra* Meyrick, 1934** (Gracillariidae) Synonym(s): *euargyra* Meyrick, 1934
Range (in code): **ID Ja Ged**
- 49814. *Acrocercops eugeniella* (Van Deventer, 1904)** (Gracillariidae) Synonym(s): *eugeniella* Van Deventer, 1904
Range (in code): **ID Ja TH** Bionomy: Larva on Eugenia (Jambosa) javanica, E. aquea, E. cumini (=Syzygium cumini) (Myrtaceae) (Van Deventer, 1904; Robinson et al., 2001).
- 49815. *Acrocercops eupetala* (Meyrick, 1880)** (Gracillariidae) Synonym(s): *eupetala* Meyrick, 1880
Range (in code): **AU NSW Syd**
- 49816. *Acrocercops eurhythmopa* Meyrick, 1934** (Gracillariidae) Synonym(s): *eurhythmopa* Meyrick, 1934
Range (in code): **ID Ja Ged** Bionomy: Larva on Sterculia, Cola nitida (Sterculiaceae) (Meyrick, 1934).
- 49817. *Acrocercops eurychalca* Meyrick, 1920** (Gracillariidae) Synonym(s): *eurychalca* Meyrick, 1920
Range (in code): **BR Para**
- 49818. *Acrocercops euryphanta* Meyrick, 1911** (Gracillariidae) Synonym(s): *euryphanta* Meyrick, 1911
Range (in code): **NA Abc SC ZA**
- 49819. *Acrocercops euryschema* Turner, 1947** (Gracillariidae) Synonym(s): *euryschema* Turner, 1947
Range (in code): **AU QAU**
- 49820. *Acrocercops euthycolona* Meyrick, 1931** (Gracillariidae) Synonym(s): *euthycolona* Meyrick, 1931
Range (in code): **ID Ja MY Bor BN Clb LK SB FJ**
- 49821. *Acrocercops extenuata* Meyrick, 1916** (Gracillariidae) Synonym(s): *extenuata* Meyrick, 1916
Range (in code): **IN Knr**
- 49822. *Acrocercops fasciculata* Meyrick, 1915** (Gracillariidae) Synonym(s): *fasciculata* Meyrick, 1915
Range (in code): **GY**
- 49823. *Acrocercops ficina* Vari, 1961** (Gracillariidae) Synonym(s): *ficina* Vari, 1961
Range (in code): **NA ZA Nta Kzu Umk** Bionomy: Larva on Ficus hippopotami, F. natalensis (Moraceae) (Vari, 1961).
- 49824. *Acrocercops fuscipica* Bland, 1980** (Gracillariidae) Synonym(s): *fuscipica* Bland, 1980
Range (in code): **NG**
- 49825. *Acrocercops galeopa* Meyrick, 1908** (Gracillariidae) Synonym(s): *galeopa* Meyrick, 1908
Range (in code): **IN Ass Meg Khs**
- 49826. *Acrocercops gemmans* Walsingham, 1914** (Gracillariidae) Synonym(s): *gemmans* Walsingham, 1914
Range (in code): **MX**
- 49827. *Acrocercops geologica* Meyrick, 1908** (Gracillariidae) Synonym(s): *geologica* Meyrick, 1908
Range (in code): **LK**
- 49828. *Acrocercops glutella* (Van Deventer, 1904)** (Gracillariidae) Synonym(s): *glutella* Van Deventer, 1904
Range (in code): **ID Ja** Bionomy: Larva on Semecarpus heterophylla, Gluta rengus (Anacardiaceae) (Van Deventer, 1904).
- 49829. *Acrocercops goniodesma* Meyrick, 1934** (Gracillariidae) Synonym(s): *goniodesma* Meyrick, 1934
Range (in code): **ID Ja Ged** Bionomy: Larva on Magnoliaceae (Meyrick, 1934).
- 49830. *Acrocercops gossypii* Vari, 1961** (Gracillariidae) Synonym(s): *gossypii* Vari, 1961
Range (in code): **ZA Tva Mpu Brb Rtb Nta Kzu** Bionomy: Larva on Gossypium herbaceum (Malvaceae) (Vari, 1961).

- 49831. *Acrocercops grammatacma* Meyrick, 1921** (Gracillariidae) **Synonym(s):** *grammatacma* Meyrick, 1921 _ Range (in code): AU QAU Cai
- 49832. *Acrocercops guttiferella* Viette, 1951** (Gracillariidae) **Synonym(s):** *guttiferella* Viette, 1951
Range (in code): MG Bionomy: Larva on Guttiferae (Viette, 1951).
- 49833. *Acrocercops habroscia* Meyrick, 1921** (Gracillariidae) **Synonym(s):** *habroscia* Meyrick, 1921 _ Range (in code): FJ Bionomy: Larva on Calophyllum inophyllum (Clusiaceae) (Meyrick, 1921).
- 49834. *Acrocercops hapalarga* Meyrick, 1916** (Gracillariidae) **Synonym(s):** *hapalarga* Meyrick, 1916 _ Range (in code): IN Coo
- 49835. *Acrocercops haplocosma* Meyrick, 1936** (Gracillariidae) **Synonym(s):** *haplocosma* Meyrick, 1936 _ Range (in code): ID Ja Bionomy: Larva on Calophyllum inophyllum (Clusiaceae) (Meyrick, 1936).
- 49836. *Acrocercops hapsidota* Meyrick, 1915** (Gracillariidae) **Synonym(s):** *hapsidota* Meyrick, 1915 _ Range (in code): GY
- 49837. *Acrocercops hastigera* Meyrick, 1915** (Gracillariidae) **Synonym(s):** *hastigera* Meyrick, 1915
Range (in code): EC
- 49838. *Acrocercops hedymopa* Turner, 1913** (Gracillariidae) **Synonym(s):** *hedymopa* Turner, 1913
Range (in code): BJ AU QAU Kda
- 49839. *Acrocercops helicomitra* Meyrick, 1924** (Gracillariidae) **Synonym(s):** *helicomitra* Meyrick, 1924 _ Range (in code): BR Bah Bionomy: Larva on Gossypium herbaceum (Malvaceae) (Meyrick, 1924).
- 49840. *Acrocercops helicopa* Meyrick, 1929** (Gracillariidae) **Synonym(s):** *helicopa* Meyrick, 1929
Range (in code): IN Up Kma
- 49841. *Acrocercops hemiglypta* Meyrick, 1916** (Gracillariidae) **Synonym(s):** *hemiglypta* Meyrick, 1916 _ Range (in code): IN Knr
- 49842. *Acrocercops heptadrachma* Diakonoff, 1955** (Gracillariidae) **Synonym(s):** *heptadrachma* Diakonoff, 1955 _ Range (in code): PG
- 49843. *Acrocercops heterodoxa* Vari, 1961** (Gracillariidae) **Synonym(s):** *heterodoxa* Vari, 1961
Range (in code): ZA Tva Gau Pre
- 49844. *Acrocercops heteroloba* Meyrick, 1932** (Gracillariidae) **Synonym(s):** *heteroloba* Meyrick, 1932
Original Reference: *Acrocercops heteroloba* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Syntypes 2♂: [Ethiopia]: Jem-Jem Forest, 8000-9000ft. (BMNH). Range (in code): ET ET88 Sw
- 49845. *Acrocercops hexachorda* Meyrick, 1914** (Gracillariidae) **Synonym(s):** *hexachorda* Meyrick, 1914 _ Range (in code): IN Coo
- 49846. *Acrocercops hexaclostia* Meyrick, 1934** (Gracillariidae) **Synonym(s):** *hexaclostia* Meyrick, 1934 _ Range (in code): ID Ja Ged Bionomy: Larva on Macaranga (Euphorbiaceae) (Meyrick, 1934).
- 49847. *Acrocercops hierocosma* Meyrick, 1912** (Gracillariidae) **Synonym(s):** *hierocosma* Meyrick, 1912 _ Range (in code): AU NAU Dwn
- 49848. *Acrocercops hippuris* Meyrick, 1915** (Gracillariidae) **Synonym(s):** *hippuris* Meyrick, 1915
Range (in code): PE
- 49849. *Acrocercops homalacta* Meyrick, 1927** (Gracillariidae) **Synonym(s):** *homalacta* Meyrick, 1927 _ Range (in code): WS SB Re Hon
- 49850. *Acrocercops hoplocala* (Meyrick, 1880)** (Gracillariidae) **Synonym(s):** *hoplocala* Meyrick, 1880 _ Range (in code): AU NSw Syd
- 49851. *Acrocercops hormista* Meyrick, 1916** (Gracillariidae) **Synonym(s):** *hormista* Meyrick, 1916
Range (in code): IN Coo Bionomy: Larva on Psiadia dodonaeifolia, P. altissima (Asteraceae); Cedrela toona, Toona ciliata (Meliaceae) (Fletcher, 1933).
- 49852. *Acrocercops horrens* Meyrick, 1932** (Gracillariidae) **Synonym(s):** *horrens* Meyrick, 1932
Original Reference: *Acrocercops horrens* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Type ♂: [Ethiopia]: Jem-Jem Forest, over 8000ft. (BMNH). Range (in code): ET ET88 Sw
- 49853. *Acrocercops hyphantica* Meyrick, 1912** (Gracillariidae) **Synonym(s):** *hyphantica* Meyrick, 1912 _ Range (in code): IN Ben Pus Bionomy: Larva on Caesalpinia bonduc, C. decapetala (Fabaceae) (Fletcher, 1933; et seq.).
- 49854. *Acrocercops imperfecta* Gozmany, 1960** (Gracillariidae) **Synonym(s):** *imperfecta* Gozmany, 1960 _ Range (in code): EG

- 49855. *Acrocercops iraniana* Triberti,1990** (Gracillariidae) Synonym(s): *iraniana* Triberti,1990
Original Reference: *Acrocercops iraniana* Triberti,1990, Z. ArbGem. Öst. Ent. 41 (3/4): 67-70, figs. Holotype ♂: South Iran: Pass 80km W of Shiraz (NHMW). Range (in code): IR Fa Shr
- 49856. *Acrocercops irradians* Meyrick,1931** (Gracillariidae) Synonym(s): *irradians* Meyrick,1931
Range (in code): IN Bba TW Bionomy: Larva on *Zingiber officinale* (Zingiberaceae) (Meyrick,1931).
- 49857. *Acrocercops irrorata* (Turner,1894)** (Gracillariidae) Synonym(s): *irrorata* Turner,1894
Range (in code): AU QAU Bri
- 49858. *Acrocercops isodelta* Meyrick,1908** (Gracillariidae) Synonym(s): *isodelta* Meyrick,1908
Range (in code): LK Bionomy: Larva on *Colebrookea oppositifolia*, *Elsholtzia fruticosa* (Lamiaceae) (Fletcher,1921).
- 49859. *Acrocercops isotoma* Turner,1940** (Gracillariidae) Synonym(s): *isotoma* Turner,1940
Range (in code): AU QAU
- 49860. *Acrocercops karachiella* Amsel,1968** (Gracillariidae) Synonym(s): *karachiella* Amsel,1968
Range (in code): PK Krc Sd
- 49861. *Acrocercops laciniella* (Meyrick,1880)** (Gracillariidae) Synonym(s): *laciniella* Meyrick,1880
Range (in code): IN AU NSw Syd
- 49862. *Acrocercops largoplaga* Legrand,1965** (Gracillariidae) Synonym(s): *largoplaga* Legrand,1965
Range (in code): SC Ald
- 49863. *Acrocercops lenticulata* Meyrick,1922** (Gracillariidae) Synonym(s): *lenticulata* Meyrick,1922
Range (in code): IN Ass Slo
- 49864. *Acrocercops leptalea* (Turner,1900)** (Gracillariidae) Synonym(s): *leptalea* Turner,1900
Range (in code): AU QAU Bri
- 49865. *Acrocercops leucographa* Clarke,1953** (Gracillariidae) Synonym(s): *leucographa* Clarke,1953
Range (in code): AR
- 49866. *Acrocercops leucomochla* Turner,1926** (Gracillariidae) Synonym(s): *leucomochla* Turner,1926
Range (in code): AU QAU
- 49867. *Acrocercops leuconota* (Zeller,1877)** (Gracillariidae) Synonym(s): *leuconota* Zeller,1877
Range (in code): CO Bgt
- 49868. *Acrocercops leucophaea* Meyrick,1919** (Gracillariidae) Synonym(s): *leucophaea* Meyrick,1919
Range (in code): IN Up Kma Bhi Bionomy: Larva on *Pieris ovalifolia* (Ericaceae) (Meyrick,1931).
- 49869. *Acrocercops leucostega* (Meyrick,1932)** (Gracillariidae) Synonym(s): *leucostega* Meyrick,1932
Range (in code): SL NG
- 49870. *Acrocercops leucotoma* Turner,1913** (Gracillariidae) Synonym(s): *leucotoma* Turner,1913
Range (in code): AU QAU Bri
- 49871. *Acrocercops lithochalca* Meyrick,1930** (Gracillariidae) Synonym(s): *lithochalca* Meyrick,1930
Range (in code): IN SI
- 49872. *Acrocercops lithogramma* Meyrick,1920** (Gracillariidae) Synonym(s): *lithogramma* Meyrick,1920
Range (in code): AU QAU Bri
- 49873. *Acrocercops lophonota* Meyrick,1921** (Gracillariidae) Synonym(s): *lophonota* Meyrick,1921
Range (in code): ID Ja
- 49874. *Acrocercops loxias* Meyrick,1918** (Gracillariidae) Synonym(s): *loxias* Meyrick,1918
Range (in code): IN Rj Rjp MG Bionomy: Larva on *Eugenia jambolana*, *E. cumini*, *Cleistocalyx operculatus* (Myrtaceae) (Meyrick,1918; et seq.).
- 49875. *Acrocercops luctuosa* Meyrick,1915** (Gracillariidae) Synonym(s): *luctuosa* Meyrick,1915
Range (in code): GY
- 49876. *Acrocercops lyrica* Meyrick,1908** (Gracillariidae) Synonym(s): *lyrica* Meyrick,1908
Range (in code): LK
- 49877. *Acrocercops lysibathra* Meyrick,1916** (Gracillariidae) Synonym(s): *lysibathra* Meyrick,1916
Range (in code): IN Ben Pus Bionomy: Larva on *Cordia latifolia*, *C. myxa* (Boraginaceae) (Fletcher,1921,1933).
- 49878. *Acrocercops macaria* Turner,1913** (Gracillariidae) Synonym(s): *macaria* Turner,1913
Range (in code): AU QAU
- 49879. *Acrocercops macrochalca* Meyrick,1910** (Gracillariidae) Synonym(s): *macrochalca* Meyrick,1910
Range (in code): MU

- 49880. *Acrocercops macroclina* Meyrick, 1916** (Gracillariidae) Synonym(s): *macroclina* Meyrick, 1916 _ Range (in code): **IN Knr MY FJ** Bionomy: Larva on Moullava spicata, Caesalpinia bonduc, Derris elliptica (Fabaceae) (Meyrick, 1916; et seq.).
- 49881. *Acrocercops macroplaca* Meyrick, 1908** (Gracillariidae) Synonym(s): *macroplaca* Meyrick, 1908 _ Range (in code): **IN Ass Meg Khs**
- 49882. *Acrocercops malvacea* Walsingham, 1907** (Gracillariidae) Synonym(s): *malvacea* Walsingham, 1907 _ Range (in code): **MA** Bionomy: Larva on Malva, Lavatera olbia (Malvaceae) (Walsingham, 1907).
- 49883. *Acrocercops mantica* Meyrick, 1908** (Gracillariidae) Synonym(s): *mantica* Meyrick, 1908; *delographa* Meyrick, 1939 _ Range (in code): **IN Ass Meg Khs JP Ri CN HK NP ID Ja** Bionomy: Larva on Castanopsis cuspidata, C. tribuloides, C. lamontii (Fagaceae) (Kumata, Kuroko & Ermolaev, 1988; et seq.).
- 49884. *Acrocercops maranthaceae* Busck, 1934** (Gracillariidae) Synonym(s): *maranthaceae* Busck, 1934 _ Range (in code): **CL** Bionomy: Larva on Marantha (Maranthaceae) (Busck, 1934).
- 49885. *Acrocercops marmarauges* Meyrick, 1936** (Gracillariidae) Synonym(s): *marmarauges* Meyrick, 1936 _ Range (in code): **ID Ja**
- 49886. *Acrocercops marmaritis* Walsingham, 1914** (Gracillariidae) Synonym(s): *marmaritis* Walsingham, 1914 _ Range (in code): **MX Grr**
- 49887. *Acrocercops martaella* Legrand, 1965** (Gracillariidae) Synonym(s): *martaella* Legrand, 1965 _ Range (in code): **SC**
- 49888. *Acrocercops mechanopla* Meyrick, 1934** (Gracillariidae) Synonym(s): *mechanopla* Meyrick, 1934 _ Range (in code): **IN Bba** Bionomy: Larva on Gmelina arborea (Verbenaceae) (Meyrick, 1934).
- 49889. *Acrocercops melanactis* Meyrick, 1915** (Gracillariidae) Synonym(s): *melanactis* Meyrick, 1915 _ Range (in code): **GY**
- 49890. *Acrocercops melanocosma* Meyrick, 1920** (Gracillariidae) Synonym(s): *melanocosma* Meyrick, 1920 _ Range (in code): **BR Para**
- 49891. *Acrocercops melanoplecta* Meyrick, 1908** (Gracillariidae) Synonym(s): *melanoplecta* Meyrick, 1908 _ Range (in code): **IN Ass Meg Khs NP JP CN HK TW** Bionomy: Larva on Castanopsis cuspidata, C. hystrix, C. tribuloides, C. fissa (Fagaceae) (Kumata, Kuroko & Ermolaev, 1988; et seq.).
- 49892. *Acrocercops melantherella* Busck, 1934** (Gracillariidae) Synonym(s): *melantherella* Busck, 1934 _ Range (in code): **CU** Bionomy: Larva on Melanthera deltoidea, M. aspera (Asteraceae) (Busck, 1934).
- 49893. *Acrocercops mendosa* Meyrick, 1912** (Gracillariidae) Synonym(s): *mendosa* Meyrick, 1912 _ Range (in code): **AU QAU Cai**
- 49894. *Acrocercops mesochaeta* Meyrick, 1920** (Gracillariidae) Synonym(s): *mesochaeta* Meyrick, 1920 _ Range (in code): **AU QAU Bri**
- 49895. *Acrocercops microphis* Meyrick, 1921** (Gracillariidae) Synonym(s): *microphis* Meyrick, 1921 _ Range (in code): **BR**
- 49896. *Acrocercops myriogramma* Meyrick, 1937** (Gracillariidae) Synonym(s): *myriogramma* Meyrick, 1937 _ Range (in code): **IN Up Ddu** Bionomy: Larva on Mallotus philippinensis (Euphorbiaceae) (Meyrick, 1937).
- 49897. *Acrocercops nebropa* Meyrick, 1927** (Gracillariidae) Synonym(s): *nebropa* Meyrick, 1927 _ Range (in code): **WS**
- 49898. *Acrocercops nereis* (Meyrick, 1880)** (Gracillariidae) Synonym(s): *nereis* Meyrick, 1880; *fluorescens* Turner, 1894 _ Range (in code): **AU NSw Syd QAU Bri**
- 49899. *Acrocercops niphocremna* Meyrick, 1932** (Gracillariidae) Synonym(s): *niphocremna* Meyrick, 1932 _ Range (in code): **IN Bba** Bionomy: Larva on Terminalia chebula (Combretaceae) (Meyrick, 1932).
- 49900. *Acrocercops nitidula* (Stainton, 1862)** (Gracillariidae) Synonym(s): *nitidula* Stainton, 1862 _ Range (in code): **IN Clc**
- 49901. *Acrocercops nolckeniella* (Zeller, 1877)** (Gracillariidae) Synonym(s): *nolckeniella* Zeller, 1877 _ Range (in code): **CO Bgt GY** Bionomy: Larva on Brugmansia (Solanaceae) (Zeller, 1877).
- 49902. *Acrocercops obscurella* (Turner, 1894)** (Gracillariidae) Synonym(s): *obscurella* Turner, 1894 _ Range (in code): **AU QAU Bri**

- 49903. *Acrocercops obversa* Meyrick,1915** (Gracillariidae) Synonym(s): *obversa* Meyrick,1915
Range (in code): **GY**
- 49904. *Acrocercops ochrifolii* Vari,1961** (Gracillariidae) Synonym(s): *ochrifolii* Vari,1961
Range (in code): **ZA Nta Kzu Ina** Bionomy: Larva on *Ochna natalitia* (Ochnaceae) (Vari,1961).
- 49905. *Acrocercops ochrocephala* (Meyrick,1880)** (Gracillariidae) Synonym(s): *ochrocephala* Meyrick,1880 _ Range (in code): **AU NSw Syd**
- 49906. *Acrocercops ochronephela* Meyrick,1908** (Gracillariidae) Synonym(s): *ochronephela* Meyrick,1908 _ Range (in code): **IN Meg Ass Khs**
- 49907. *Acrocercops ochroptila* Turner,1913** (Gracillariidae) Synonym(s): *ochroptila* Turner,1913
Range (in code): **AU QAU Tw**
- 49908. *Acrocercops ophiodes* (Turner,1896)** (Gracillariidae) Synonym(s): *ophiodes* Turner,1896
Range (in code): **AU QAU Bri**
- 49909. *Acrocercops orbifera* Meyrick,1908** (Gracillariidae) Synonym(s): *orbifera* Meyrick,1908
Range (in code): **IN Pln Tn**
- 49910. *Acrocercops orianassa* Meyrick,1932** (Gracillariidae) Synonym(s): *orianassa* Meyrick,1932 Original Reference: *Acrocercops orianassa* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 116. Type ♂: [Ethiopia]: Mt. Zukwala, 9000ft. (BMNH). Range (in code): **ET UG**
- 49911. *Acrocercops ortholocha* Meyrick,1908** (Gracillariidae) Synonym(s): *ortholocha* Meyrick,1908 _ Range (in code): **IN Ass Meg Khs**
- 49912. *Acrocercops orthostacta* Meyrick,1918** (Gracillariidae) Synonym(s): *orthostacta* Meyrick,1918 _ Range (in code): **IN Bi Pus** Bionomy: *Sida cordifolia* (Malvaceae) (Meyrick,1918).
- 49913. *Acrocercops osteopa* Meyrick,1920** (Gracillariidae) Synonym(s): *osteopa* Meyrick,1920
Range (in code): **AU QAU Bri**
- 49914. *Acrocercops paliacma* Meyrick,1930** (Gracillariidae) Synonym(s): *paliacma* Meyrick,1930; *psaliacma* Meyrick,1931 _ Range (in code): **IN Ass Meg Ass VN Ton**
- 49915. *Acrocercops panacicorticis* (Watt,1920)** (Gracillariidae) Synonym(s): *panacicorticis* Watt,1920 _ Range (in code): **NZ** Bionomy: Larva on *Nothopanax arboreum* (Araliaceae) (Watt,1920).
- 49916. *Acrocercops panacifinens* (Watt,1920)** (Gracillariidae) Synonym(s): *panacifinens* Watt,1920 _ Range (in code): **NZ** Bionomy: Larva on *Nothopanax arboreum* (Araliaceae) (Watt,1920).
- 49917. *Acrocercops panacitorsens* (Watt,1920)** (Gracillariidae) Synonym(s): *panacitorsens* Watt,1920 _ Range (in code): **NZ** Bionomy: Larva on *Nothopanax sinclairii*, *Panax* (Araliaceae) (Watt,1920; et seq.).
- 49918. *Acrocercops panacivagans* (Watt,1920)** (Gracillariidae) Synonym(s): *panacivagans* Watt,1920 _ Range (in code): **NZ** Bionomy: Larva on *Pseudopanax crassifolius* (Araliaceae) (Watt,1920).
- 49919. *Acrocercops panacivermiformis* (Watt,1920)** (Gracillariidae) Synonym(s): *panacivermiformis* Watt,1920 _ Range (in code): **NZ** Bionomy: Larva on *Nothopanax simplex* (Araliaceae) (Watt,1920).
- 49920. *Acrocercops parallela* (Turner,1894)** (Gracillariidae) Synonym(s): *parallela* Turner,1894
Range (in code): **AU QAU Bri**
- 49921. *Acrocercops patellata* Meyrick,1921** (Gracillariidae) Synonym(s): *patellata* Meyrick,1921
Range (in code): **FJ**
- 49922. *Acrocercops patricia* Meyrick,1908** (Gracillariidae) Synonym(s): *patricia* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 49923. *Acrocercops pectinivalva* Bland,1980** (Gracillariidae) Synonym(s): *pectinivalva* Bland,1980 _ Range (in code): **NG Iba**
- 49924. *Acrocercops penographa* Meyrick,1920** (Gracillariidae) Synonym(s): *penographa* Meyrick,1920 _ Range (in code): **AU QAU Bri**
- 49925. *Acrocercops pentacycla* Meyrick,1934** (Gracillariidae) Synonym(s): *pentacycla* Meyrick,1934 _ Range (in code): **ID Ja Ged**
- 49926. *Acrocercops pentalocha* Meyrick,1912** (Gracillariidae) Synonym(s): *pentalocha* Meyrick,1912 _ Range (in code): **IN Knr** Bionomy: Larva on *Mangifera indica* (Anacardiaceae) (Meyrick,1914).

- 49927. *Acrocercops pertenuis* Turner, 1923** (Gracillariidae) Synonym(s): *pertenuis* Turner, 1923
Range (in code): **AU QAU**
- 49928. *Acrocercops perturbata* Meyrick, 1921** (Gracillariidae) Synonym(s): *perturbata* Meyrick, 1921
Range (in code): **BR PE**
- 49929. *Acrocercops petalopa* Meyrick, 1934** (Gracillariidae) Synonym(s): *petalopa* Meyrick, 1934
Range (in code): **IN Bba** Bionomy: Larva on *Anogeissus latifolia* (Combretaceae) (Meyrick, 1934).
- 49930. *Acrocercops phaeodeta* Meyrick, 1927** (Gracillariidae) Synonym(s): *phaeodeta* Meyrick, 1927
Range (in code): **WS**
- 49931. *Acrocercops phaeomorpha* Meyrick, 1919** (Gracillariidae) Synonym(s): *phaeomorpha* Meyrick, 1919
Range (in code): **IN Bba** Bionomy: Larva on *Madhuca latifolia*, *M. indica* (Sapotaceae) (Fletcher, 1933).
- 49932. *Acrocercops phaeospora* Meyrick, 1916** (Gracillariidae) Synonym(s): *phaeospora* Meyrick, 1916
Range (in code): **IN Bel** Bionomy: Larva on *Eugenia jambolana*, *E. cumini*, *Syzygium littorale*, *Cleistocalyx operculatus* (Myrtaceae); *Theobroma cacao* (Sterculiaceae); *Vigna mungo*, *V. unguiculata* (Fabaceae); *Madhuca latifolia* (Sapotaceae) (Meyrick, 1916; et seq.).
- 49933. *Acrocercops pharopeda* Meyrick, 1916** (Gracillariidae) Synonym(s): *pharopeda* Meyrick, 1916
Range (in code): **IN Kmr**
- 49934. *Acrocercops piligera* Meyrick, 1915** (Gracillariidae) Synonym(s): *piligera* Meyrick, 1915
Range (in code): **CO**
- 49935. *Acrocercops plebeia* Turner, 1913** (Gracillariidae) Synonym(s): *plebeia* Turner, 1913
Range (in code): **AU QAU Bri**
- 49936. *Acrocercops plectospila* Meyrick, 1921** (Gracillariidae) Synonym(s): *plectospila* Meyrick, 1921
Range (in code): **AU QAU Cai**
- 49937. *Acrocercops plocamis* Meyrick, 1908** (Gracillariidae) Synonym(s): *plocamis* Meyrick, 1908
Range (in code): **LK**
- 49938. *Acrocercops pnosmodiella* (Busck, 1902)** (Gracillariidae) Synonym(s): *pnosmodiella* Busck, 1902
Range (in code): **CA Qb US Cf Col** Bionomy: Larva on *Onosmodium carolinianum*, *O. molle* (Boraginaceae) (Needham, Frost & Tothill, 1928).
- 49939. *Acrocercops poliocephala* Turner, 1913** (Gracillariidae) Synonym(s): *poliocephala* Turner, 1913
Range (in code): **AU QAU Bri**
- 49940. *Acrocercops polyclasta* Meyrick, 1919** (Gracillariidae) Synonym(s): *polyclasta* Meyrick, 1919
Range (in code): **IN Kma**
- 49941. *Acrocercops pontifica* Forbes, 1931** (Gracillariidae) Synonym(s): *pontifica* Forbes, 1931
Range (in code): **PR**
- 49942. *Acrocercops praeclusa* Meyrick, 1914** (Gracillariidae) Synonym(s): *praeclusa* Meyrick, 1914
Range (in code): **LK IN** Bionomy: Larva on *Odina wodier*, *Lannea coromandelica* (Anacardiaceae) (Meyrick, 1931).
- 49943. *Acrocercops praesecta* Meyrick, 1922** (Gracillariidae) Synonym(s): *praesecta* Meyrick, 1922
Range (in code): **FJ** Bionomy: Larva on *Ipomoea batatas*, *Merremia peltata* (Convolvulaceae) (de Prins, 2005).
- 49944. *Acrocercops prompta* Meyrick, 1916** (Gracillariidae) Synonym(s): *prompta* Meyrick, 1916
Range (in code): **IN**
- 49945. *Acrocercops prospera* Meyrick, 1920** (Gracillariidae) Synonym(s): *prospera* Meyrick, 1920
Range (in code): **AU QAU Bri**
- 49946. *Acrocercops psaliodes* Meyrick, 1926** (Gracillariidae) Synonym(s): *psaliodes* Meyrick, 1926
Range (in code): **IN Bba** Bionomy: Larva on *Bridelia* (Euphorbiaceae) (Meyrick, 1926).
- 49947. *Acrocercops punctulata* (Walsingham, 1891)** (Gracillariidae) Synonym(s): *punctulata* Walsingham, 1891
Range (in code): **ZA Nta Kzu Est**
- 49948. *Acrocercops punctulata* (Walsingham, 1891)** (Gracillariidae) Synonym(s): *punctulata* Walsingham, 1891
Range (in code): **ZA Nta Kzu Est**
- 49949. *Acrocercops pylonias* Meyrick, 1921** (Gracillariidae) Synonym(s): *pylonias* Meyrick, 1921
Range (in code): **PE Iqu**
- 49950. *Acrocercops pyrigenes* (Turner, 1896)** (Gracillariidae) Synonym(s): *nitidula* Turner, 1894 nec Stt., 1863; *pyrigenes* Turner, 1896
Range (in code): **AU QAU Bri**

- 49951. *Acrocercops quadrisecta* Meyrick, 1932** (Gracillariidae) Synonym(s): *quadrisecta* Meyrick, 1932 _ Range (in code): IN Bba Bionomy: Larva on *Bridelia retusa*, *B. stipularis* (Euphorbiaceae) (Meyrick, 1932; et seq.).
- 49952. *Acrocercops querci* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *querci* Kumata & Kuroko, 1988 _ Range (in code): JP Bionomy: Larva on *Quercus glauca* (Fabaceae) (Kumata, Kuroko & Ermolaev, 1988).
- 49953. *Acrocercops quiquistrigella* (Chambers, 1875)** (Gracillariidae) Synonym(s): *quiquistrigella* Chambers, 1875 _ Range (in code): US Tx Fl Knt Ge Bionomy: Larva on *Sida rhombifolia* (Malvaceae) (Robinson et al., 2002).
- 49954. *Acrocercops ramigera* Meyrick, 1920** (Gracillariidae) Synonym(s): *ramigera* Meyrick, 1920 _ Range (in code): BR Para
- 49955. *Acrocercops retrogressa* Meyrick, 1921** (Gracillariidae) Synonym(s): *retrogressa* Meyrick, 1921 _ Range (in code): AU SAu Ade
- 49956. *Acrocercops rhodospira* Meyrick, 1939** (Gracillariidae) Synonym(s): *rhodospira* Meyrick, 1939 _ Range (in code): ID Ja Bionomy: Larva on *Scheicheria* (Sapindaceae) (Meyrick, 1939).
- 49957. *Acrocercops rhombiferellum* (Frey & Boll, 1876)** (Gracillariidae) Synonym(s): *rhombiferellum* Frey & Boll, 1876 _ Range (in code): US Tx
- 49958. *Acrocercops rhombocosma* Meyrick, 1911** (Gracillariidae) Synonym(s): *rhombocosma* Meyrick, 1911 _ Range (in code): SC
- 49959. *Acrocercops rhothiastis* Meyrick, 1921** (Gracillariidae) Synonym(s): *rhothiastis* Meyrick, 1921 _ Range (in code): NG Iba Bionomy: Larva on *Bridelia micrantha* (Euphorbiaceae) (Meyrick, 1921).
- 49960. *Acrocercops rathogramma* T.B.Fletcher, 1933** (Gracillariidae) Synonym(s): *rathogramma* T.B.Fletcher, 1933 _ Range (in code): IN Bi Pus Bionomy: Larva on *Breynia rhamnoides*, *B. vitis-idaea* (Euphorbiaceae) (Fletcher, 1933).
- 49961. *Acrocercops rhynchograptia* Meyrick, 1920** (Gracillariidae) Synonym(s): *rhynchograptia* Meyrick, 1920 _ Range (in code): BR Para
- 49962. *Acrocercops sarcocrossa* Meyrick, 1924** (Gracillariidae) Synonym(s): *sarcocrossa* Meyrick, 1924 _ Range (in code): FJ Bionomy: Larva on *Calophyllum* (Clusiaceae) (de Prins, 2005).
- 49963. *Acrocercops sauropis* Meyrick, 1908** (Gracillariidae) Synonym(s): *sauropis* Meyrick, 1908 _ Range (in code): IN Ass Meg Khs
- 49964. *Acrocercops scandalota* Meyrick, 1914** (Gracillariidae) Synonym(s): *scandalota* Meyrick, 1914 _ Range (in code): IN Coo Bionomy: Larva on *Helicteres isora* (Sterculiaceae), *Mallotus philippinensis* (Euphorbiaceae) (Fletcher, 1921, 1933).
- 49965. *Acrocercops scenias* Meyrick, 1914** (Gracillariidae) Synonym(s): *scenias* Meyrick, 1914 _ Range (in code): IN Knr
- 49966. *Acrocercops scoliograptia* Meyrick, 1922** (Gracillariidae) Synonym(s): *scoliograptia* Meyrick, 1922 _ Range (in code): PK Haz Mre Pj
- 49967. *Acrocercops scriptulata* Meyrick, 1916** (Gracillariidae) Synonym(s): *scriptulata* Meyrick, 1916 _ Range (in code): IN Knr
- 49968. *Acrocercops selmatica* Meyrick, 1918** (Gracillariidae) Synonym(s): *selmatica* Meyrick, 1918 _ Range (in code): IN Ass Meg Khs
- 49969. *Acrocercops serriformis* Meyrick, 1930** (Gracillariidae) Synonym(s): *serriformis* Meyrick, 1930 _ Range (in code): ID Ja MY Bor Sbh SB Hon Bionomy: Larva on *Ricinus communis*, *Jatropha gossypifolia* (Euphorbiaceae); *Bauhinia* (Fabaceae) Meyrick, 1930; et seq.).
- 49970. *Acrocercops serrigera* Meyrick, 1915** (Gracillariidae) Synonym(s): *serrigera* Meyrick, 1915 _ Range (in code): EC PE
- 49971. *Acrocercops sideroxylonella* (Busck, 1900)** (Gracillariidae) Synonym(s): *sideroxylonella* Busck, 1900; *sideroxylella* Meyrick, 1912 _ Range (in code): US Fl
- 49972. *Acrocercops siphonaula* Meyrick, 1931** (Gracillariidae) Synonym(s): *siphonaula* Meyrick, 1931 _ Range (in code): SL Bionomy: Larva on *Cola nitida* (Sterculiaceae) (Meyrick, 1931).
- 49973. *Acrocercops soritis* Meyrick, 1915** (Gracillariidae) Synonym(s): *soritis* Meyrick, 1915 _ Range (in code): EC

- 49974. *Acrocercops sphaerodelta* Meyrick, 1935** (Gracillariidae) Synonym(s): *sphaerodelta* Meyrick, 1935 _ Range (in code): ID Ja Bionomy: Larva on *Eugenia cumini* (Myrtaceae) (Meyrick, 1935).
- 49975. *Acrocercops spodophylla* Turner, 1913** (Gracillariidae) Synonym(s): *spodophylla* Turner, 1913 _ Range (in code): AU QAU Kda
- 49976. *Acrocercops sporograptia* Meyrick, 1932** (Gracillariidae) Synonym(s): *sporograptia* Meyrick, 1932 _ Range (in code): IN Bba Bionomy: Larva on *Litsea stocksii* (Lauraceae) (Meyrick, 1932).
- 49977. *Acrocercops stalagmitis* Meyrick, 1915** (Gracillariidae) Synonym(s): *stalagmitis* Meyrick, 1915 _ Range (in code): GY
- 49978. *Acrocercops stereomita* Turner, 1913** (Gracillariidae) Synonym(s): *stereomita* Turner, 1913 _ Range (in code): AU QAU Bri
- 49979. *Acrocercops stricta* Meyrick, 1908** (Gracillariidae) Synonym(s): *stricta* Meyrick, 1908 Range (in code): LK
- 49980. *Acrocercops strigosa* Braun, 1914** (Gracillariidae) Synonym(s): *strigosa* Braun, 1914 Range (in code): US Knt Mai CA Qb Bionomy: Larva on *Quercus prinus*, *Q. alba* (Fagaceae) (Braun, 1914).
- 49981. *Acrocercops strophala* Meyrick, 1908** (Gracillariidae) Synonym(s): *strophala* Meyrick, 1908 _ Range (in code): LK IN Ass Meg Khs ID Ja WS SB Bionomy: Larva on *Glochidion lanceolatum* (Euphorbiaceae) (Meyrick, 1932).
- 49982. *Acrocercops strophiala* Meyrick, 1935** (Gracillariidae) Synonym(s): *strophiala* Meyrick, 1935 _ Range (in code): ID Ja Ged Bionomy: Larva on *Schima noronhai* (Theaceae) (Meyrick, 1935).
- 49983. *Acrocercops supplex* Meyrick, 1918** (Gracillariidae) Synonym(s): *supplex* Meyrick, 1918 Range (in code): IN Bi Pus Bionomy: Larva on *Terminalia catappa*, *T. bellirica* (Combretaceae) (Meyrick, 1918).
- 49984. *Acrocercops symbolopis* Meyrick, 1936** (Gracillariidae) Synonym(s): *symbolopis* Meyrick, 1936 Original Reference: *Acrocercops symbolopis* Meyrick, 1936, *Exot. Microlepid.* 5: 35. Type ♀: [Thailand]: Siam (BMNH). Range (in code): IN TH Bionomy: Larva on *Achras sapota*, *Manilkara zapota* (Sapotaceae) (Meyrick, 1936; Robinson et al., 2001).
- 49985. *Acrocercops symmetropa* Meyrick, 1939** (Gracillariidae) Synonym(s): *symmetropa* Meyrick, 1939 _ Range (in code): ID Ja
- 49986. *Acrocercops symploca* Turner, 1913** (Gracillariidae) Synonym(s): *symploca* Turner, 1913 Range (in code): AU QAU
- 49987. *Acrocercops synclinias* Meyrick, 1931** (Gracillariidae) Synonym(s): *synclinias* Meyrick, 1931 _ Range (in code): ID Ja MY Bionomy: Larva on *Saraca declinata*, *S. thaipingensis* (Fabaceae) (Robinson et al., 1994).
- 49988. *Acrocercops syzygiena* Vari, 1961** (Gracillariidae) Synonym(s): *syzygiena* Vari, 1961 Range (in code): ZA Tva Lpo Spb Ltr Bionomy: Larva on *Syzygium cordatum* (Myrtaceae) (Vari, 1961).
- 49989. *Acrocercops tacita* Triberti, 2001** (Gracillariidae) Synonym(s): *tacita* Triberti, 2001 Range (in code): GR PI Rd LB Bionomy: Larva on *Quercus coccifera*, *Q. calliprinos* (Fagaceae) (Triberti, 2001).
- 49990. *Acrocercops taeniarcha* Meyrick, 1932** (Gracillariidae) Synonym(s): *taeniarcha* Meyrick, 1932 _ Range (in code): BR
- 49991. *Acrocercops telearcha* Meyrick, 1908** (Gracillariidae) Synonym(s): *telearcha* Meyrick, 1908 _ Range (in code): LK
- 49992. *Acrocercops telestis* Meyrick, 1911** (Gracillariidae) Synonym(s): *telestis* Meyrick, 1911 Range (in code): IN Bi Pus Bionomy: Larva on *Trewia nudiflora*, *Mallotus repandus* (Euphorbiaceae), *Gmelina arborea* (Verbenaceae), *Eugenia jambolana*, *E. cumini* (Myrtaceae); *Cinnamomum* (Lauraceae) (Meyrick, 1911; et seq.).
- 49993. *Acrocercops tenera* Meyrick, 1914** (Gracillariidae) Synonym(s): *tenera* Meyrick, 1914 Range (in code): LK Bionomy: Larva on *Schleicheria trijuga*, *S. oleosa* (Sapindaceae) (Meyrick, 1914; et seq.).
- 49994. *Acrocercops terminaliae* (Stainton, 1862)** (Gracillariidae) Synonym(s): *terminaliae* Stainton, 1862 _ Range (in code): IN Cle Bionomy: Larva on *Terminalia catappa*, *T. myriocarpa* (Combretaceae) (Stainton, 1862; et seq.).

- 49995. *Acrocercops terminalina* Vari,1961** (Gracillariidae) Synonym(s): *terminalina* Vari,1961
Range (in code): **ZA Tva Lpo Wm ZW Swm NA Abc** Bionomy: Larva on Terminalia siloensis (Combretaceae) (Vari,1961).
- 49996. *Acrocercops tetrachorda* Turner,1913** (Gracillariidae) Synonym(s): *tetrachorda* Turner,1913
Range (in code): **AU QAU Kda**
- 49997. *Acrocercops tetracrena* Meyrick,1908** (Gracillariidae) Synonym(s): *tetracrena* Meyrick,1908
Range (in code): **LK**
- 49998. *Acrocercops tetradeta* Meyrick,1926** (Gracillariidae) Synonym(s): *tetradeta* Meyrick,1926
Range (in code): **MY SG IN Bba** Bionomy: Larva on Ixora coccinea (Rubiaceae) (Meyrick,1926).
- 49999. *Acrocercops theaeformisella* Viette,1955** (Gracillariidae) Synonym(s): *theaeformisella* Viette,1955
Range (in code): **MG** Bionomy: Larva on Achloia theiformis (Flaucourtiaceae) (Paulian & Viette,1955).
- 50000. *Acrocercops thrylodes* Meyrick,1930** (Gracillariidae) Synonym(s): *thrylodes* Meyrick,1930
Range (in code): **IN Bba Poo** Bionomy: Larva on Carissa carandas (Apocynaceae) (Meyrick,1930).
- 50001. *Acrocercops thylacaula* Meyrick,1932** (Gracillariidae) Synonym(s): *thylacaula* Meyrick,1932
Range (in code): **IN Bba** Bionomy: Larva on Allophylus cobbe (Sapindaceae) (Meyrick,1932).
- 50002. *Acrocercops tomia* Bradley,1956** (Gracillariidae) Synonym(s): *tomia* Bradley,1956
Range (in code): **AU NSw**
- 50003. *Acrocercops transecta* Meyrick,1931** (Gracillariidae) Synonym(s): *transecta* Meyrick,1931
Range (in code): **JP Hkk Kyu KP KR RU Us TW** Bionomy: Larva on Lyonia ovalifolia (Ericaceae); Juglans ailanthifolia, J.regia, J.cinerea, J.cordiformis, J.hindsii, J.illinoensis, J.nigra, J.mandschurica, J.sieboldiana, Platycarya strobilacea, P.rhoifolia Carya aquatica, C.myrticiformis C.ovata (Juglandaceae) (Kumata, Kuroko & Ermolaev,1988; et seq.).
- 50004. *Acrocercops trapezoides* (Turner,1894)** (Gracillariidae) Synonym(s): *trapezoides* Turner,1894
Range (in code): **AU QAU Bri**
- 50005. *Acrocercops triacris* Meyrick,1908** (Gracillariidae) Synonym(s): *triacris* Meyrick,1908
Range (in code): **LK**
- 50006. *Acrocercops tricalyx* Meyrick,1921** (Gracillariidae) Synonym(s): *tricalyx* Meyrick,1921
Range (in code): **AU QAU Cai**
- 50007. *Acrocercops tricirrho* Meyrick,1935** (Gracillariidae) Synonym(s): *tricirrho* Meyrick,1935
Range (in code): **ID Ja Ged** Bionomy: Larva on Polygonum chinense (Polygonaceae) (Meyrick,1935).
- 50008. *Acrocercops tricuneatella* (Meyrick,1880)** (Gracillariidae) Synonym(s): *tricuneatella* Meyrick,1880
Range (in code): **AU NSw**
- 50009. *Acrocercops tricyma* Meyrick,1908** (Gracillariidae) Synonym(s): *tricyma* Meyrick,1908
Range (in code): **IN Ass Meg Khs Bi Pus** Bionomy: Larva on Blumea lacera, B. balsamifera (Asteraceae) (Meyrick,1908; et seq.).
- 50010. *Acrocercops trimetalla* Meyrick,1915** (Gracillariidae) Synonym(s): *trimetalla* Meyrick,1915
Range (in code): **GY**
- 50011. *Acrocercops tripolis* Meyrick,1921** (Gracillariidae) Synonym(s): *tripolis* Meyrick,1921
Range (in code): **ID Ja**
- 50012. *Acrocercops triscalma* Meyrick,1916** (Gracillariidae) Synonym(s): *triscalma* Meyrick,1916
Range (in code): **IN Knr** Bionomy: Larva on Moullava (=Wagatea) spicata (Fabaceae) (Meyrick,1921).
- 50013. *Acrocercops trisigillata* Meyrick,1921** (Gracillariidae) Synonym(s): *trisigillata* Meyrick,1921
Range (in code): **AU QAU Cai**
- 50014. *Acrocercops trissoptila* Meyrick,1921** (Gracillariidae) Synonym(s): *trissoptila* Meyrick,1921
Range (in code): **IN Bba**
- 50015. *Acrocercops tristaniae* (Turner,1894)** (Gracillariidae) Synonym(s): *tristaniae* Turner,1894
Range (in code): **AU QAU Bri**
- 50016. *Acrocercops undifraga* Meyrick,1931** (Gracillariidae) Synonym(s): *undifraga* Meyrick,1931
Range (in code): **HT** Bionomy: Larva on Solanum torvum, S.antillarum (Solanaceae) (Meyrick,1931).
- 50017. *Acrocercops unilineata* (Turner,1894)** (Gracillariidae) Synonym(s): *unilineata* Turner,1894
Range (in code): **AU QAU Bri**

- 50018. *Acrocercops unipuncta* Bradley, 1957** (Gracillariidae) Synonym(s): *unipuncta* Bradley, 1957 _ Range (in code): SB Re
- 50019. *Acrocercops unistriata* Yuan, 1986** (Gracillariidae) Synonym(s): *unistriata* Yuan, 1986
Range (in code): CN Kwa Bionomy: Larva on *Quercus acuta*, *Q. acutissima*, *Q. glauca*, *Q. phylliraeoides*, *Q. serrata*, *Q. sessilifolia*, *Q. variabilis*, *Q. pachyloma*, *Q. lanata*, *Castanopsis indica*, *Lithocarpus glaber* (Fagaceae) (Robinson et al., 2001).
- 50020. *Acrocercops urbanella* (Zeller, 1877)** (Gracillariidae) Synonym(s): *urbanella* Zeller, 1877
Range (in code): CO Bgt
- 50021. *Acrocercops ustulatella* (Stainton, 1859)** (Gracillariidae) Synonym(s): *ustulatella* Stainton, 1859 _ Range (in code): IN Clc Bionomy: Larva on *Diospyros embryopteris*, *D. ebenum*, *D. malabarica*, *D. montana* (Ebenaceae) (Meyrick, 1907; et seq.).
- 50022. *Acrocercops vallata* Kumata & Kuroko, 1988** (Gracillariidae) Synonym(s): *vallata* Kumata & Kuroko, 1988 _ Range (in code): JP Kyu Bionomy: Larva on *Quercus acuta*, *Q. glauca*, *Q. salicina* (Fagaceae) (Kumata, Kuroko & Ermolaev, 1988).
- 50023. *Acrocercops vanula* Meyrick, 1912** (Gracillariidae) Synonym(s): *vanula* Meyrick, 1912
Range (in code): IN Knr Bionomy: Larva on *Terminalia tomentosa*, *T. catappa*, *T. paniculata* (Combretaceae) (Fletcher, 1921; et seq.).
- 50024. *Acrocercops viatica* Meyrick, 1916** (Gracillariidae) Synonym(s): *viatica* Meyrick, 1916
Range (in code): IN Co
- 50025. *Acrocercops walsinghami* (Rebel, 1907)** (Gracillariidae) Synonym(s): *walsinghami* Rebel, 1907 _ Range (in code): Sk YE
- 50026. *Acrocercops xeniella* (Zeller, 1877)** (Gracillariidae) Synonym(s): *xeniella* Zeller, 1877
Range (in code): CO Bgt
- 50027. *Acrocercops xystrota* Meyrick, 1915** (Gracillariidae) Synonym(s): *xystrota* Meyrick, 1915
Range (in code): GY
- 50028. *Acrocercops zadocaea* Meyrick, 1912** (Gracillariidae) Synonym(s): *zadocaea* Meyrick, 1912
Range (in code): LK
- 50029. *Acrocercops zamenopa* Meyrick, 1934** (Gracillariidae) Synonym(s): *zamenopa* Meyrick, 1934 _ Range (in code): ID Ja Bionomy: Larva on *Coffea arabica* (Rubiaceae) (Meyrick, 1934).
- 50030. *Acrocercops zebrulella* Forbes, 1931** (Gracillariidae) Synonym(s): *zebrulella* Forbes, 1931
Range (in code): PR
- 50031. *Acrocercops zopherandra* Meyrick, 1931** (Gracillariidae) Synonym(s): *zopherandra* Meyrick, 1931 _ Range (in code): IN Bi Pus Bionomy: Larva on *Mallotus repandus* (Euphorbiaceae), *Guazuma tomentosa*, *G. ulmifolia* (Sterculiaceae) (Meyrick, 1931; et seq.).
- 50032. *Acrocercops zorionella* (Hudson, 1918)** (Gracillariidae) Synonym(s): *zorionella* Hudson, 1918 _ Range (in code): NZ Bionomy: Larva on *Caprosma grandiflora*, *C. tenuifolia*, *C. lucida*, *C. robusta*, *C. retusa* (Rubiaceae) (Watt, 1920).
- 50033. *Acrocercops zygonoma* Meyrick, 1921** (Gracillariidae) Synonym(s): *zygonoma* Meyrick, 1921 _ Range (in code): IN Bi Pus TH Bionomy: Larva on *Gossypium* (Malvaceae), *Mangifera indica* (Anacardiaceae) (Meyrick, 1921; Robinson et al., 2001).
- 50034. *Africephala timaea* (Meyrick, 1914)** (Gracillariidae) Synonym(s): *timaea* Meyrick, 1914
Range (in code): NA MW
- 50035. *Aistaea machaerophora* (Turner, 1940)** (Gracillariidae) Synonym(s): *machaerophora* Turner, 1940 _ Range (in code): AU QAU
- 50036. *Amblyptila cynanchi* Vari, 1961** (Gracillariidae) Synonym(s): *cynanchi* Vari, 1961
Range (in code): ZA Ec Pel Elo Stj Nta Kzu Umk ZAO6 Dbn Ina Bionomy: Larva on *Cynanchum obtusifolium*, *C. ellipticum* (Asclepiadaceae) (Vari, 1961).
- 50037. *Amblyptila strophantina* Vari, 1961** (Gracillariidae) Synonym(s): *strophantina* Vari, 1961
Range (in code): ZA Tva Lpo Spb Ltr Bionomy: Larva on *Strophanthus* (Apocynaceae) (Vari, 1961).
- 50038. *Apistoneura psarochroma* Vari, 1961** (Gracillariidae) Synonym(s): *psarochroma* Vari, 1961 _ Range (in code): ZW NA Abc
- 50039. *Apophthisis congregata* Braun, 1923** (Gracillariidae) Synonym(s): *congregata* Braun, 1923
Range (in code): US Cf
- 50040. *Apophthisis pullata* Braun, 1915** (Gracillariidae) Synonym(s): *pullata* Braun, 1915
Range (in code): US Oh Bionomy: Larva on *Rhamnus lanceolata* (Rhamnaceae) (Braun, 1915).

- 50041. *Aristaea acares* (Turner,1939)** (Gracillariidae) Synonym(s): *acares* Turner,1939
Range (in code): **TA**
- 50042. *Aristaea amalopa* (Meyrick,1907)** (Gracillariidae) Synonym(s): *amalopa* Meyrick,1907
Range (in code): **AU WAu Aby**
- 50043. *Aristaea atrata* Triberti,1985** (Gracillariidae) Synonym(s): *atrata* Triberti,1985 Range (in code): **MG** Bionomy: Larva on Rubiaceae (Triberti,1985).
- 50044. *Aristaea bathracma* (Meyrick,1912)** (Gracillariidae) Synonym(s): *bathracma* Meyrick,1912; *asteris* Kumata,1977 Range (in code): **ZA Tva Gau Pre Mpu Brb ZA14 Nta Kzu Esw MZ Mag CN TH JP** Bionomy: Larva on *Aster ageratoides* var. *ovatus* (Asteraceae) (Kumata,1977; Kuznetsov & Baryshnikova,1998).
- 50045. *Aristaea eurygramma* Vari,1961** (Gracillariidae) Synonym(s): *eurygramma* Vari,1961
Range (in code): **ZA Tva Mpu Brb Nha Nta Kzu**
- 50046. *Aristaea issikii* Kumata,1977** (Gracillariidae) Synonym(s): *issikii* Kumata,1977 Range (in code): **JP** Bionomy: Larva on *Aster ageratoides* var. *ovatus* (Asteraceae) (Kumata,1977).
- 50047. *Aristaea onychota* (Meyrick,1908)** (Gracillariidae) Synonym(s): *onychota* Meyrick,1908
Range (in code): **ZA Tva Gau Pre Slpp ZA14 Mpu Brb Tst MZ ST NG ZM** Bionomy: Larva on *Lantana rugosa*, *Lippia asperifolia* (Verbenaceae) (Vari,1961).
- 50048. *Aristaea pavoniella* (Zeller,1847)** (Gracillariidae) Synonym(s): *pavoniella* Zeller,1847; *latisecta* Meyrick,1922 Range (in code): **IT DE CH AT CZ SK RU Am Us TR JP Hkk CN** Bionomy: Larva on *Aster amellus*, *A. bellidiastrum*, *A. ageratoides* var. *ovatus*, *A. scraber* (Asteraceae) (Stainton,1862; et seq.).
- 50049. *Aristaea periphanes* Meyrick,1907** (Gracillariidae) Synonym(s): *periphanes* Meyrick,1907
Range (in code): **TA**
- 50050. *Aristaea thalassias* (Meyrick,1880)** (Gracillariidae) Synonym(s): *thalassias* Meyrick,1880
Range (in code): **ZA AU NSw Syd** Bionomy: Larva on *Leptospermum laevigatum*, *Agonis flexuosa* (Myrtaceae) (Meyrick,1880).
- 50051. *Aristaea vietnamella* Kuznetsov & Baryshnikova,2001** (Gracillariidae) Synonym(s): *vietnamella* Kuznetsov & Baryshnikova,2001 Original Reference: *Aristaea vietnamella* Kuznetsov & Baryshnikova,2001, Trudy zool. Inst. Leningrad 291: 34-36, fig.3. Holotype ♂: S.Vietnam: prov. Gialai-Kontum, Tramlap, 20km N of Buenluoi (ZIN). Range (in code): **VN**
- 50052. *Artifodina himalaica* Kumata,1985** (Gracillariidae) Synonym(s): *himalaica* Kumata,1985
Range (in code): **NP Kdu** Bionomy: Larva on *Myrsine semiserrata* (Myrsinaceae) (Kumata,1985).
- 50053. *Artifodina japonica* Kumata,1985** (Gracillariidae) Synonym(s): *japonica* Kumata,1985
Range (in code): **JP** Bionomy: Larva on *Myrsine seguinii* (Myrsinaceae) (Kumata,1985).
- 50054. *Artifodina kurokoi* Kumata,1995** (Gracillariidae) Synonym(s): *kurokoi* Kumata,1995
Original Reference: *Artifodina kurokoi* Kumata,1995, Microlepid. Thailand 3: 68-70, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2571m (UOP). Range (in code): **TH CMa Int**
- 50055. *Artifodina siamensis* Kumata,1995** (Gracillariidae) Synonym(s): *siamensis* Kumata,1995
Original Reference: *Artifodina siamensis* Kumata,1995, Microlepid. Thailand 3: 70-71, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2571m (UOP). Range (in code): **TH CMa Int**
Bionomy: Larva on Myrsinaceae (Kumata,1995).
- 50056. *Artifodina strigulata* Kumata,1985** (Gracillariidae) Synonym(s): *strigulata* Kumata,1985
Range (in code): **IN NP** Bionomy: Larva on *Myrsine capitellata*, *M. semiserrata* (Myrsinaceae) (Kumata,1985).
- 50057. *Aspilapteryx* (Sabulopteryx) *inquinata* Triberti,1985** (Gracillariidae) Synonym(s): *inquinata* Triberti,1985 Original Reference: *Aspilapteryx* (Sabulopteryx) *inquinata* Triberti,1985, Z. ArbGem. öst. Ent. 37(1/2): 5-6, figs. Holotype ♂: [Türkei]: 40km östl. Ankara (NHMW). Range (in code): **IT TR LB GR**
- 50058. *Aspilapteryx* (Sabulopteryx) *limosella* (Duponchel,1844)** (Gracillariidae)
Synonym(s): *limosella* Duponchel,1844 Range (in code): **PT ES FR Co IT DE CH AT PL CZ SK HU YU B-H Hv MK BG GR TR IL Pa RU IR Gl** Bionomy: Larva on *Teucrium chamaedrys*, *T. montanum*, *T. pannonicum* (Lamiaceae); *Genista* (Fabaceae), *Jurinea* (Asteraceae) (Stainton,1864; et seq.).
- 50059. *Aspilapteryx* (s.str.) *magna* Triberti,1985** (Gracillariidae) Synonym(s): *magna* Triberti,1985 Original Reference: *Aspilapteryx* (Aspilapteryx) *magna* Triberti,1985, Z. ArbGem.

- öst. Ent. 37(1/2): 3-4, figs. Holotype ♂: [Iran] Persia: Elburs, Kendevan ca.3000m 3.9.vii. coll. Wagner (NHMW). Range (in code): **IR Elb Th Kdv**
- 50060. *Aspilapteryx (s.str.) multipunctella* (Chrétien,1917)** (Gracillariidae) Synonym(s): *multipunctella* Chrétien,1917; *anagensis* Klimesch,1979 Range (in code): **Cn DZ Bsk TN Gf ES PT FR** Bionomy: Larva on *Plantago albicans*, *P. arborescens* [Plantaginaceae] (Chrétien,1917; Klimesch,1979).
- 50061. *Aspilapteryx (s.str.) seriata* (Meyrick,1912)** (Gracillariidae) Synonym(s): *seriata* Meyrick,1912 Original Reference: *Gracilaria seriata* Meyrick,1912, Exot. Microlepid. 1: 27. Type ♂: [South Africa]: "Transvaal, Barberton". Range (in code): **ZA Tva Mpu Brb**
- 50062. *Aspilapteryx (s.str.) spectabilis* Huemer,1994** (Gracillariidae) Synonym(s): *spectabilis* Huemer,1994 Range (in code): **AT** Bionomy: Larva on *Plantago* cf. *atrata* ? (Plantaginaceae) (Huemer,1994).
- 50063. *Aspilapteryx (s.str.) tessellata* (Turner,1940)** (Gracillariidae) Synonym(s): *tessellata* Turner,1940 Range (in code): **AU NSW**
- 50064. *Aspilapteryx (s.str.) tringipennella* (Zeller,1839)** (Gracillariidae) Synonym(s): *tringipennella* Zeller,1839; *fringilella* Duponchel,1843 Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY GG Cc IL Pa UZ TJ TM Kp AF IR Elb Mz Kdv** Bionomy: Larva on *Plantago albicans*, *P. lanceolata*, *P. maritima*, *P. atrata* [Plantaginaceae] (Chrétien,1917; Hering,1936, 1957).
- 50065. *Borboryctis euryae* Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *euryae* Kumata & Kuroko,1988 Range (in code): **JP Kyu** Bionomy: Larva on *Eurya japonica*, *E. emarginata* (Theaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50066. *Borboryctis triplaca* (Meyrick,1908)** (Gracillariidae) Synonym(s): *triplaca* Meyrick,1908 Range (in code): **JP IN Ass Meg Khs**
- 50067. *Callicercops iridocrossa* (Meyrick,1938)** (Gracillariidae) Synonym(s): *iridocrossa* Meyrick,1938; *yakusimensis* Kumata & Kuroko,1988 Range (in code): **JP Ri CN Yu Lik** Bionomy: Larva on *Bauhinia japonica* (Fabaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50068. *Callicercops milloti* (Viette,1951)** (Gracillariidae) Synonym(s): *milloti* Viette,1951 Range (in code): **MG**
- 50069. *Callicercops tricerus* (Meyrick,1926)** (Gracillariidae) Synonym(s): *tricerus* Meyrick,1926; *triactis* Meyrick,1930 Range (in code): **ZA Tva Gau Pre Lpo Kru ZW Har Vf TZ NA Abc MU**
- 50070. *Callisto albicinctella* Kuznetsov,1979** (Gracillariidae) Synonym(s): *albicinctella* Kuznetsov,1979 Range (in code): **RU Us** Bionomy: Larva on *Padus racemosa* (Rosaceae) (Kuznetsov & Baryshnikova,1998).
- 50071. *Callisto coffeella* (Zetterstedt,[1839])** (Gracillariidae) Synonym(s): *coffeella* Zetterstedt,[1839]; *interruptella* Zetterstedt,[1839]; *caelatella* Zeller,1847; *alpicola* Gibeaux,1990 Range (in code): **FR IT GB DE CH AT PL CZ SK NO SE FI RU MD UA BY** Bionomy: Larva on *Salix fusca*, *S. myrsinifolia*, *S. phylicifolia*, *S. silesiaca* (Salicaceae) (Stainton,1864; et seq.).
- 50072. *Callisto denticulella* (Thunberg,1794)** (Gracillariidae) Synonym(s): *denticulella* Thunberg,1794; *gyllenhalella* Thunberg,1794; *malinella* Hübner,[1813]; *guttea* Haworth,1828; *guttiferella* Duponchel,1840; *marginimaculella* Eversmann,1844; *guttella* Doubleday,1859; *solitariella* Dietz,1907 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU TR MD UA BY CA US** Bionomy: Larva on *Pyrus communis*, *Prunus*, *Cerasus*, *Malus pumila* *M. domestica*, *Cotoneaster*, *Amelanchier* (Rosaceae) (Stainton,1864; et seq.).
- 50073. *Callisto elegantella* Kuznetsov,1979** (Gracillariidae) Synonym(s): *elegantella* Kuznetsov,1979 Range (in code): **RU Us**
- 50074. *Callisto insperatella* (Nickerl,1864)** (Gracillariidae) Synonym(s): *insperatella* Nickerl,1864 Range (in code): **CH AT PL CZ NO FI EE LV LT RU MD UA BY** Bionomy: Larva on *Padus racemosa*, *Prunus padus*, *Cerasus* (Rosaceae); *Salix silesiaca* (Salicaceae) (Kyrki et al.,1984; et seq.).
- 50075. *Callisto pfaffenzelleri* (Frey,1856)** (Gracillariidae) Synonym(s): *pfaffenzelleri* Frey,1856 Range (in code): **AT FR IT SK CH** Bionomy: Larva on *Cotoneaster vulgaris*, *C. integerrima* (Rosaceae) (Frey,1863; et seq.).
- 50076. *Caloptilia* (?) *leucolitha* (Meyrick,1912)** (Gracillariidae) Synonym(s): *leucolitha* Meyrick,1912 Range (in code): **IN LK ID Ja Bli AU** Bionomy: Larva on *Litsea glutinosa*, *L. chinensis* (Lauraceae) (Meyrick,1930; et seq.).
- 50077. *Caloptilia* (?) *scaeodesma* (Meyrick,1928)** (Gracillariidae) Synonym(s): *scaeodesma* Meyrick,1928 Range (in code): **NH FJ MY Sgo ID Pad Sum IN LK Adm**

- 50078. Caloptilia (?) selimpat Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *selimpat* Yuan & G.S.Robinson,1993 _ Range (in code): MY Cmh
- 50079. Caloptilia (?) teucra (Meyrick,1934)** (Gracillariidae) Synonym(s): *teucra* Meyrick,1934 _ Range (in code): ID Ja Bionomy: Larva on Bridelia (Euphorbiaceae) (Meyrick,1933).
- 50080. Caloptilia (Phylloptilia) syrphetias (Meyrick,1907)** (Gracillariidae) Synonym(s): *syrphetias* Meyrick,1907; *zopherotarsa* Meyrick,1936; *perseella* Kumata,1982 _ Range (in code): CN Sz JP IN Ass Slo LK Bor BN Clb MY Pah TH Uth Bionomy: Larva on Persea thunbergii (Lauraceae) (Kumata,1982).
- 50081. Caloptilia (Povolnya) aeolospila (Meyrick,1938)** (Gracillariidae) Synonym(s): *aeolospila* Meyrick,1938 _ Range (in code): CN Yu
- 50082. Caloptilia (Povolnya) jelita Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *jelita* Yuan & G.S.Robinson,1993 _ Range (in code): IN NP CN TH MY Cmh Pah ID Clb
- 50083. Caloptilia (Povolnya) leucapennella (Stephens,1835)** (Gracillariidae) Synonym(s): *sulphurella* Haworth,[1828] *nec* Fabr.,1777; *leucapennella* Stephens,1835; *citrinellum* Zeller,1839; *aurantiella* Peyerimhoff,1871. _ Range (in code): MA ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ HU GR TR DK NO SE FI EE LV RU MD UA BY
- 50084. Caloptilia (Rhadinoptilia) dicamica Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *dicamica* Yuan & G.S.Robinson,1993 _ Range (in code): BN
- 50085. Caloptilia (Sphyrophora) sapina Vari,1961** (Gracillariidae) Synonym(s): *sapina* Vari,1961 _ Range (in code): ZA Nta Kzu Srn Dbn
- 50086. Caloptilia (Timodora) acinata Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *acinata* Yuan & G.S.Robinson,1993 _ Range (in code): IN Ass Meg Khs TH CMa Dst Nna Kao
- 50087. Caloptilia (Timodora) iselaea (Meyrick,1914)** (Gracillariidae) Synonym(s): *iselaea* Meyrick,1914; *hapalocharis* Meyrick,1935 _ Range (in code): LK ID Ja Clb TH Chy Bnk MY Sgo Pah Bor BN FJ CK Bionomy: Larva on Spondias mangiferae, S.pinnata, S.cytharea (Anacardiaceae) (Meyrick,1914,1935).
- 50088. Caloptilia (Timodora) protiella (Deventer,1904)** (Gracillariidae) Synonym(s): *protiella* Deventer,1904; *corollata* Meyrick,1933; *elongata* Kumata,1982 _ Range (in code): ID Ja JP TH Nna Kao MY Pah IN Ass Bionomy: Larva on Protium javanicum (Burseriaceae), Rhus succedanea, R.sylvestris, Anacardium occidentale (Anacardiaceae) (Deventer,1904 et seq.).
- 50089. Caloptilia (s.str.) acericola Kumata,1966** (Gracillariidae) Synonym(s): *acericola* Kumata,1966 _ Range (in code): JP Hkk RU Us Bionomy: Larva on Acer japonicum, A.mono, A.palmatum, A.pseudosieboldianum (Aceraceae) (Kumata,1966).
- 50090. Caloptilia (s.str.) acericolella Kuznetsov,1981** (Gracillariidae) Synonym(s): *acericolella* Kuznetsov,1981 _ Range (in code): KG Aa
- 50091. Caloptilia (s.str.) aceris Kumata,1966** (Gracillariidae) Synonym(s): *aceris* Kumata,1966 _ Range (in code): JP Hkk TU Us KR CN Bionomy: Larva on Acer mono, A.palmatum, A.saccharum, A.myabei (Aceraceae) (Kumata,1966 et seq.).
- 50092. Caloptilia (s.str.) acerivorella (Kuznetsov,1960)** (Gracillariidae) Synonym(s): *acerivorella* Kuznetsov,1960 _ Range (in code): TM Kp TJ Bionomy: Larva on Acer turcomanicum (Aceraceae) (Kuznetsov,1960).
- 50093. Caloptilia (s.str.) acrotherma (Meyrick,1908)** (Gracillariidae) Synonym(s): *acrotherma* Meyrick,1908 _ Range (in code): LK ID Ja Bionomy: Larva on Cajanus cajan, Atylosia candollei (Fabaceae) (Meyrick,1908).
- 50094. Caloptilia (s.str.) aeolocentra (Meyrick,1922)** (Gracillariidae) Synonym(s): *aeolocentra* Meyrick,1922 _ Range (in code): IN Ass Slo
- 50095. Caloptilia (s.str.) alchimiella (Scopoli,1763)** (Gracillariidae) Synonym(s): *alchimiella* Scopoli,1763; *crucifera* Fourcroy,1785; *swederella* Thunberg,1788; *thunbergella* Fabricius,1794; *frankella* Hübner,1796; *thunbergii* Haworth,1828; *hilaripennella* Treitschke,1833; *sardiniella* Amsel,1936 _ Range (in code): PT ES FR IT Sa IE GB BE NL LU DE CH AT PL CZ SK HU MK B-H YU HV RO TR DK NO SE FI EE LV LT RU MD UA BY Cc Ur IR GlS KG Bionomy: Larva on Fagus sylvatica, Quercus robur, Q. petraea, Q. dalechampii, Q. polycarpa, Q. virgiliana, Q. frainetto, Q. pubescens (Fagaceae) (Douglas,1853; et seq.).
- 50096. Caloptilia (s.str.) alni Kumata,1966** (Gracillariidae) Synonym(s): *alni* Kumata,1966 _ Range (in code): JP Hkk KR RU Us Bionomy: Larva on Alnus japonica, A. hirsuta (Betulaceae) (Kumata,1966).

- 50097. Caloptilia (s.str.) alpherakiella (Krulikowsky,1909)** (Gracillariidae) **Synonym(s):** *alpherakiella* Krulikowsky,1909 **Range (in code):** **RU**
- 50098. Caloptilia (s.str.) argalea (Meyrick,1908)** (Gracillariidae) **Synonym(s):** *argalea* Meyrick,1908 **Range (in code):** **LK**
- 50099. Caloptilia (s.str.) ariana (Meyrick,1914)** (Gracillariidae) **Synonym(s):** *ariana* Meyrick,1914; *heliciae* Kumata,1966 **Range (in code):** **LK IN Ass Meg Khs ID Clb Ri JP Bor Sbh KBa TH Nna Kao** **Bionomy:** Larva on *Helicia cochinchinensis* (Proteaceae) (Kumata,1966).
- 50100. Caloptilia (s.str.) aurifasciata Kumata,1982** (Gracillariidae) **Synonym(s):** *aurifasciata* Kumata,1982 **Range (in code):** **JP CN HK MY TH CMa Dst Nna Kao** **Bionomy:** Larva on *Toxicodendron succedaneum* (=Rhus succedanea), *T. sylvestre* (Anacardiaceae) (Kumata,1982).
- 50101. Caloptilia (s.str.) aurita Triberti,1989** (Gracillariidae) **Synonym(s):** *aurita* Triberti,1989 **Range (in code):** **ZA Nta Kzu Kkf**
- 50102. Caloptilia (s.str.) azaleella (Brants,1913)** (Gracillariidae) **Synonym(s):** *azaleella* Brants,1913; *azaleae* Busck,1914; *anthracosperma* Meyrick,1931 **Range (in code):** **PT FR IT GB BE NL DE CH AT PL CZ SK DK NO SE FI ZA NZ CA Nbw US Cf Fl Knt Nje Ny SCa Msc**
- 50103. Caloptilia (s.str.) baringi Yuan & G.S.Robinson,1993** (Gracillariidae) **Synonym(s):** *baringi* Yuan & G.S.Robinson,1993 **Range (in code):** **IN SI MY BN Sbh KBa ID Clb**
- 50104. Caloptilia (s.str.) betulicola (Hering,1927)** (Gracillariidae) **Synonym(s):** *betulicola* Hering,1927 **Range (in code):** **IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV RU MD UA BY**
- 50105. Caloptilia (s.str.) braccatella (Staudinger,1870)** (Gracillariidae) **Synonym(s):** *braccatella* Staudinger,1870; *?mutilata* Staudinger,1880 **Original Reference:** *Gracilaria braccatella* Staudinger,1870, *Horae Soc. ent. ross.* 7: 274. Lectotype ♀: [Türkei]: Smyrna [Izmir], designated by Triberti (1984) (ZMBH). **Range (in code):** **GR Rd TR RU** **Bionomy:** Larva on *Pistacia atlantica* (Anacardiaceae) (Triberti,1984).
- 50106. Caloptilia (s.str.) cataractias (Meyrick,1921)** (Gracillariidae) **Synonym(s):** *cataractias* Meyrick,1921 **Range (in code):** **ZW Vf ZA Tva Gau Pre Tz Lpo Spb Msk Rtb NA Abc**
- 50107. Caloptilia (s.str.) celtina Vari,1961** (Gracillariidae) **Synonym(s):** *celtina* Vari,1961 **Range (in code):** **ZA Tva Gau Pre**
- 50108. Caloptilia (s.str.) chrysoplaca Vari,1961** (Gracillariidae) **Synonym(s):** *chrysoplaca* Vari,1961 **Range (in code):** **ZA Wca Kny**
- 50109. Caloptilia (s.str.) corrugata (Meyrick,1918)** (Gracillariidae) **Synonym(s):** *corrugata* Meyrick,1918 **Range (in code):** **ZA Tva Gau Pre Ec Grh**
- 50110. Caloptilia (s.str.) coruscans (Walsingham,1907)** (Gracillariidae) **Synonym(s):** *coruscans* Walsingham,1907; *schinella* Walsingham,1908; *terebinthiella* Chrétien,1910; *instincta* Meyrick,1922; *ferruginipennis* Turati,1924 **Range (in code):** **Cn DZ Bsk Hes LY Cy TN Gf ES FR Sa? Si IT MT GR TR IL Pa Js** **Bionomy:** Larva on *Rhus dioica*, *Schinus molle*, *Pistacia lentiscus*, *P.terebinthus* (Anacardiaceae); *Myrica faya* (Myricaceae) (Walsingham,1907 et seq.).
- 50111. Caloptilia (s.str.) cryphia Vari,1961** (Gracillariidae) **Synonym(s):** *cryphia* Vari,1961 **Range (in code):** **NA**
- 50112. Caloptilia (s.str.) cuculipennella (Hübner,1796)** (Gracillariidae) **Synonym(s):** *cuculipennella* Hübner,1796; *cinerea* Haworth,1828; *ligustrinellum* Zeller,1839; *alaudella* Duponchel,[1840] **Range (in code):** **PT FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV RU MD UA BY TM GG Cc TJ JP CA** **Bionomy:** Larva on *Ligustrum*, *Fraxinus angustifolia* (Oleaceae) (Corley et al.,2007).
- 50113. Caloptilia (s.str.) deltosticta (Meyrick,1933)** (Gracillariidae) **Synonym(s):** *deltosticta* Meyrick,1933 **Range (in code):** **PK Ch IN** **Bionomy:** Larva on *Lonicera quinquelocularis* (Caprifoliaceae) (Robinson et al.,2001).
- 50114. Caloptilia (s.str.) dentata Liu & Yuan,1990** (Gracillariidae) **Synonym(s):** *dentata* Liu & Yuan,1990 **Range (in code):** **CN Pkn** **Bionomy:** Larva on *Acer truncatum* (Aceraceae) (Liu & Yuan,1990).
- 50115. Caloptilia (s.str.) dicksoni Vari,1961** (Gracillariidae) **Synonym(s):** *dicksoni* Vari,1961 **Range (in code):** **ZA Wca Hum**
- 50116. Caloptilia (s.str.) dogmatica (Meyrick,1908)** (Gracillariidae) **Synonym(s):** *dogmatica* Meyrick,1908 **Range (in code):** **LK TH Knc**
- 50117. Caloptilia (s.str.) elongella (Linnaeus,1761)** (Gracillariidae) **Synonym(s):** *elongella* Linnaeus,1761; *punctella* Linnaeus,1761; *signipennella* Hübner,1796; *elongatus* Fabricius,1798; *signipennis* Haworth,1828; *bruneorubella* Bruand,1850; *inconstans* Stainton,1851; *stramineella* Stainton,1851; *inconstantella* Bruand,1859 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR GG Cc**

- GR DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY** Bionomy: Larva on Alnus glutinosa, A. viridis, A. incana, A. hirsuta, Betula alba, B. alleghaniensis (Betulaceae) (Stainton, 1864; et seq.).
- 50118. Caloptilia (s.str.) emas Yuan & G.S.Robinson, 1993** (Gracillariidae) Synonym(s): *emas* Yuan & G.S.Robinson, 1993 Range (in code): **MY Pah Cmh**
- 50119. Caloptilia (s.str.) etiolata Yuan & G.S.Robinson, 1993** (Gracillariidae) Synonym(s): *etiolata* Yuan & G.S.Robinson, 1993 Range (in code): **MY Pah**
- 50120. Caloptilia (s.str.) eurycryptis (Meyrick, 1928)** (Gracillariidae) Synonym(s): *eurycryptis* Meyrick, 1928 Range (in code): **IN Adm**
- 50121. Caloptilia (s.str.) euryptera (Meyrick, 1908)** (Gracillariidae) Synonym(s): *euryptera* Meyrick, 1908 Range (in code): **LK**
- 50122. Caloptilia (s.str.) falconipennella (Hübner, [1813])** (Gracillariidae) Synonym(s): *falconipennella* Hübner, [1813]; *oneratella* Zeller, 1847 Range (in code): **PT FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 50123. Caloptilia (s.str.) fera Triberti, 1989** (Gracillariidae) Synonym(s): *fera* Triberti, 1989 Range (in code): **KE Kky NG** Bionomy: Larva on Vigna unguiculata (Fabaceae) (Triberti, 1989).
- 50124. Caloptilia (s.str.) fidella (Reutti, 1853)** (Gracillariidae) Synonym(s): *fidella* Reutti, 1853 Range (in code): **PT FR IT DE CH AT CZ SK HU YU HV MK TR RU MD UA TM** Bionomy: Larva on Humulus lupulus (Cannabaceae), Celtis australis (Ulmaceae) (Stainton, 1864; Hartig, 1964; et seq.).
- 50125. Caloptilia (s.str.) filifera (Meyrick, 1912)** (Gracillariidae) Synonym(s): *filifera* Meyrick, 1912 Range (in code): **ZA Tva Gau Pre NA**
- 50126. Caloptilia (s.str.) flava (Staudinger, 1871)** (Gracillariidae) Synonym(s): *flava* Staudinger, 1871; *inquinatella* Christoph, 1872; *impictipennella* Gerasimov, 1930; *glycyrrhizae* Deschka, 1979 Range (in code): **GR Rd RU Sr KG UZ AF TJ TM**
- 50127. Caloptilia (s.str.) flavida Liu & Yuan, 1990** (Gracillariidae) Synonym(s): *flavida* Liu & Yuan, 1990 Range (in code): **CN Sz Hun TH Nna Kao** Bionomy: Larva on Ziziphus jujuba spinosa, Z. mauritiana (Rhamnaceae) (Liu & Yuan, 1990).
- 50128. Caloptilia (s.str.) fribergensis (Fritzsche, 1871)** (Gracillariidae) Synonym(s): *fribergensis* Fritzsche, 1871; *monspessulanella* Klimesch, 1942 Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY TM Kp KG** Bionomy: Larva on Acer pseudoplatanus, A. monspessulanum (Aceraceae) (Fritzsche, 1871; et seq.).
- 50129. Caloptilia (s.str.) gladiatrix (Meyrick, 1922)** (Gracillariidae) Synonym(s): *gladiatrix* Meyrick, 1922 Range (in code): **CN**
- 50130. Caloptilia (s.str.) gloriosa Kumata, 1966** (Gracillariidae) Synonym(s): *gloriosa* Kumata, 1966 Range (in code): **JP Hkk RU Us** Bionomy: Larva on Acer japonicum, A. mono, A. palmatum, A. sieboldianum (Aceraceae) (Kumata, 1966).
- 50131. Caloptilia (s.str.) glyphidopis (Meyrick, 1934)** (Gracillariidae) Synonym(s): *glyphidopis* Meyrick, 1934 Range (in code): **FJ**
- 50132. Caloptilia (s.str.) grypota (Meyrick, 1914)** (Gracillariidae) Synonym(s): *grypota* Meyrick, 1914 Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Salix babylonica (Salicaceae) (Vari, 1961).
- 50133. Caloptilia (s.str.) hauderi (Rebel, 1906)** (Gracillariidae) Synonym(s): *hauderi* Rebel, 1906; *pyrenaella* Chrétien, 1908 Range (in code): **FR BE IT GB CH AT CZ HU RO** Bionomy: Larva on Acer campestre, A. pseudoplatanus (Aceraceae) (Chrétien, 1908; et seq.).
- 50134. Caloptilia (s.str.) hemiconis (Meyrick, 1894)** (Gracillariidae) Synonym(s): *hemiconis* Meyrick, 1894; *rhaptocrossa* Meyrick, 1932 Original Reference: Antiolopha hemiconis Meyrick, 1894, Trans. ent. Soc. Lond. 1894: 25. Syntypes 2♀: [Myanmar]: Upper Burma: Koni. Range (in code): **MM Kni TH ID Bli Ja**
- 50135. Caloptilia (s.str.) hemidactylella ([Denis & Schiffermüller], 1775)** (Gracillariidae) Synonym(s): *hemidactylella* [Denis & Schiffermüller], 1775; *hemidactylus* Fabricius, 1798 Original Reference: Tinea hemidactylella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 144. Type(s): [Austria]: Vienna district. Range (in code): **PT FR IT GB BE DE CH AT PL CZ SK HU RO TR NO FI EE LV LT RU MD UA BY**
- 50136. Caloptilia (s.str.) hercoscelis (Meyrick, 1939)** (Gracillariidae) Synonym(s): *hercoscelis* Meyrick, 1939 Range (in code): **FJ**
- 50137. Caloptilia (s.str.) heringi Kumata, 1966** (Gracillariidae) Synonym(s): *heringi* Kumata, 1966 Range (in code): **JP Hkk RU Us** Bionomy: Larva on Acer mono (Aceraceae) (Kumata, 1966).

- 50138. Caloptilia (s.str.) heterocosma (Meyrick,1931)** (Gracillariidae) Synonym(s): *heterocosma* Meyrick,1931 _ Range (in code): IN Ass Slo
- 50139. Caloptilia (s.str.) hidakensis Kumata,1966** (Gracillariidae) Synonym(s): *hidakensis* Kumata,1966 _ Range (in code): JP Hkk RU Us Bionomy: Larva on Acer mono (Aceraceae) (Kumata,1966).
- 50140. Caloptilia (s.str.) honoratella (Rebel,1914)** (Gracillariidae) Synonym(s): *honoratella* Rebel,1914 _ Range (in code): AT HU MK
- 50141. Caloptilia (s.str.) immuricata (Meyrick,1915)** (Gracillariidae) Synonym(s): *immuricata* Meyrick,1915 _ Range (in code): PE Lma EC
- 50142. Caloptilia (s.str.) ingrata Triberti,1989** (Gracillariidae) Synonym(s): *ingrata* Triberti,1989 _ Range (in code): TZ Tnga Usa Ani
- 50143. Caloptilia (s.str.) insolita Triberti,1989** (Gracillariidae) Synonym(s): *insolita* Triberti,1989 _ Range (in code): NG
- 50144. Caloptilia (s.str.) iorphna (Meyrick,1939)** (Gracillariidae) Synonym(s): *iorphna* Meyrick,1939 _ Range (in code): ID Ja Bionomy: Larva on Mucuna (Fabaceae) (Meyrick,1938).
- 50145. Caloptilia (s.str.) iselaea (Meyrick,1914)** (Gracillariidae) Synonym(s): *iselaea* Meyrick,1914; *hapalocharis* Meyrick,1935 _ Range (in code): LK TH Bor BN ID Ja Clb MY FJ Bionomy: Larva on Spondias mangifera, S. pinnata, S. cytherea (Anacardiaceae) (Meyrick,1914; et seq.).
- 50146. Caloptilia (s.str.) isochrysa (Meyrick,1908)** (Gracillariidae) Synonym(s): *isochrysa* Meyrick,1908; *solaris* Kumata,1966 _ Range (in code): IN Ass Meg Khs JP NP
- 50147. Caloptilia (s.str.) isotoma (Meyrick,1914)** (Gracillariidae) Synonym(s): *isotoma* Meyrick,1914 _ Range (in code): ZA Mpu Tst Tz Tva Lpo Nta Kzu Esw Hfo ZW NA Abc Kru
- 50148. Caloptilia (s.str.) issikii Kumata,1982** (Gracillariidae) Synonym(s): *issikii* Kumata,1982 Range (in code): JP Hkk CN RU Us Bionomy: Larva on Alnus japonica (Betulaceae) (Kumata,1982).
- 50149. Caloptilia (s.str.) janeae Bradley,1965** (Gracillariidae) Synonym(s): *janeae* Bradley,1965 Range (in code): UG Rz
- 50150. Caloptilia (s.str.) jasminicola Liu & Yuan,1990** (Gracillariidae) Synonym(s): *jasminicola* Liu & Yuan,1990 _ Range (in code): CN Fkn Kwa Bionomy: Larva on Jasminum sambac (Oleaceae) (Liu & Yuan,1990).
- 50151. Caloptilia (s.str.) kisoensis Kumata,1982** (Gracillariidae) Synonym(s): *kisoensis* Kumata,1982 _ Range (in code): JP RU Us
- 50152. Caloptilia (s.str.) korbiella (Caradja,1920)** (Gracillariidae) Synonym(s): *korbiella* Caradja,1920 _ Range (in code): RU Am
- 50153. Caloptilia (s.str.) laurifoliae (M.Hering,1927)** (Gracillariidae) Synonym(s): *laurifoliae* M.Hering,1927 _ Range (in code): Cn Md
- 50154. Caloptilia (s.str.) leptophanes (Meyrick,1928)** (Gracillariidae) Synonym(s): *leptophanes* Meyrick,1928 _ Range (in code): ZA Mpu Pil Tva Gau Pre
- 50155. Caloptilia (s.str.) leptospila Vari,1961** (Gracillariidae) Synonym(s): *leptospila* Vari,1961 Range (in code): ZA Nta Kzu Swi
- 50156. Caloptilia (s.str.) leucothoes Kumata,1982** (Gracillariidae) Synonym(s): *leucothoes* Kumata,1982 _ Range (in code): JP Hkk KR RU Us Bionomy: Larva on Menziesia pentandra, Leucothoe grayana, Rhododendron dauricum, R. dilatatum, R. reticulatum, R. albrechti (Ericaceae) (Kumata,1982; et seq.).
- 50157. Caloptilia (s.str.) macropleura (Meyrick,1932)** (Gracillariidae) Synonym(s): *macropleura* Meyrick,1932; *xanthochiria* Vari,1961 Original Reference: Gracilaria macropleura Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 117. Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): ZA Mpu Pil ZA13 Tva Gau Pre ET Sw ET88
- 50158. Caloptilia (s.str.) magnifica (Stainton,1867)** (Gracillariidae) Synonym(s): *magnifica* Stainton,1867; *redtenbacheri* Mann,1867; *moriokensis* Kumata,1982 _ Range (in code): IT B-H HV SS RU JP
- 50159. Caloptilia (s.str.) mastopis (Meyrick,1918)** (Gracillariidae) Synonym(s): *mastopis* Meyrick,1918 _ Range (in code): IN Ass Cpj
- 50160. Caloptilia (s.str.) maynei Ghesquière,1940** (Gracillariidae) Synonym(s): *maynei* Ghesquière,1940 _ Range (in code): ZR
- 50161. Caloptilia (s.str.) megalotis (Meyrick,1908)** (Gracillariidae) Synonym(s): *megalotis* Meyrick,1908 _ IN Meg Khs AU

- 50162. Caloptilia (s.str.) metadoxa (Meyrick,1908)** (Gracillariidae) Synonym(s): *metadoxa* Meyrick,1908 _ Range (in code): IN Ass Meg Khs
- 50163. Caloptilia (s.str.) meyricki Vari,1961** (Gracillariidae) Synonym(s): *meyricki* Vari,1961 _ Range (in code): ZA Ec Kny Sto Wca Cto Pel
- 50164. Caloptilia (s.str.) monticola Kumata,1966** (Gracillariidae) Synonym(s): *monticola* Kumata,1966 _ Range (in code): CN JP Hkk RU Us Bionomy: Larva on *Acer argutum*, *A.distylum*, *A.ginnala*, *A.micranthum*, *A.mono*, *A.rufinerve*, *A.ukurunduense*, *A.tschonokii*, *A.semenovi* (Aceraceae) (Kumata,1966 et seq.).
- 50165. Caloptilia (s.str.) nomurai Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *nomurai* Yuan & G.S.Robinson,1993 _ Range (in code): MY Bor BN TH Nna Kao VN
- 50166. Caloptilia (s.str.) octopunctata (Turner,1894)** (Gracillariidae) Synonym(s): *octopunctata* Turner,1894; *tetratypa* Meyrick,1928; *cirrhocrotala* Meyrick,1928 _ Range (in code): ZR ZA TZ UG IN ID AU QAU NZ Bionomy: Larva on *Sapium indicum*, *S. sebiferum*, *S. ellipticum*, *Homalanthus* (Euphorbiaceae) (Kumata,1981).
- 50167. Caloptilia (s.str.) onustella (Hübner,[1813])** (Gracillariidae) Synonym(s): *onustella* Hübner,[1813] _ Range (in code): MA FR IT DE CH AT PL CZ SK HU YU BG DK GG Cc TR TM NO SE FI EE LV RU MD UA BY TJ TM
- 50168. Caloptilia (s.str.) orientalis Ermolaev,1979** (Gracillariidae) Synonym(s): *orientalis* Ermolaev,1979 _ Range (in code): RU Us Bionomy: Larva on *Lonicera maackii* (Caprifoliaceae) (Ermolaev,1979).
- 50169. Caloptilia (s.str.) oxydelta (Meyrick,1908)** (Gracillariidae) Synonym(s): *oxydelta* Meyrick,1908 _ Range (in code): IN Mys VN Bionomy: Larva on *Flueggea acidoton* (Euphorbiaceae) (Robinson et al.,2001).
- 50170. Caloptilia (s.str.) pachyspila Bradley,1965** (Gracillariidae) Synonym(s): *pachyspila* Bradley,1965 _ Range (in code): UG Rz
- 50171. Caloptilia (s.str.) palaearcha (Meyrick,1930)** (Gracillariidae) Synonym(s): *palaearcha* Meyrick,1930 _ Range (in code): FJ
- 50172. Caloptilia (s.str.) pallescens (Staudinger,1880)** (Gracillariidae) Synonym(s): *pallescens* Staudinger,1880 Original Reference: *Gracilaria pallescens* Staudinger,1880, *Horae Soc. ent. ross.* 15: 355-356. Type ♂: [Türkei]: Amasia (Caraman). Range (in code): TR
- 50173. Caloptilia (s.str.) parasticta (Meyrick,1908)** (Gracillariidae) Synonym(s): *parasticta* Meyrick,1908 _ Range (in code): IN Ass Meg Khs
- 50174. Caloptilia (s.str.) pekinensis Liu & Yuan,1990** (Gracillariidae) Synonym(s): *pekinensis* Liu & Yuan,1990 _ Range (in code): CN Pkn
- 50175. Caloptilia (s.str.) pentaplaca (Meyrick,1911)** (Gracillariidae) Synonym(s): *pentaplaca* Meyrick,1911 _ Range (in code): ZA Tva Gau Pre Mll Lpo Kru Nta Kzu Umk NA Abc NG SC
- 50176. Caloptilia (s.str.) perisphena (Meyrick,1905)** (Gracillariidae) Synonym(s): *perisphena* Meyrick,1905 _ LK
- 50177. Caloptilia (s.str.) phalaropa (Meyrick,1912)** (Gracillariidae) Synonym(s): *phalaropa* Meyrick,1912 _ Range (in code): LK
- 50178. Caloptilia (s.str.) phiaropis (Meyrick,1921)** (Gracillariidae) Synonym(s): *phiaropis* Meyrick,1921 _ Range (in code): PE
- 50179. Caloptilia (s.str.) pneumatica (Meyrick,1920)** (Gracillariidae) Synonym(s): *pneumatica* Meyrick,1920 _ Range (in code): BR
- 50180. Caloptilia (s.str.) poecilostola Vari,1961** (Gracillariidae) Synonym(s): *poecilostola* Vari,1961 _ Range (in code): ZA Ec Kny Wca Cto
- 50181. Caloptilia (s.str.) populetorum (Zeller,1839)** (Gracillariidae) Synonym(s): *populetorum* Zeller,1839; *tetraonipennella* Duponchel,[1845]; *populella* Doubleday,1859 _ Range (in code): ES FR IE GB NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY KG
- 50182. Caloptilia (s.str.) porphyracma (Meyrick,1922)** (Gracillariidae) Synonym(s): *porphyracma* Meyrick,1922 _ Range (in code): PK Pj Haz Mre
- 50183. Caloptilia (s.str.) porphyranthes (Meyrick,1921)** (Gracillariidae) Synonym(s): *porphyranthes* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre NA Abc
- 50184. Caloptilia (s.str.) prismatica (Meyrick,1907)** (Gracillariidae) Synonym(s): *prismatica* Meyrick,1907 _ LK
- 50185. Caloptilia (s.str.) prosticta (Meyrick,1909)** (Gracillariidae) Synonym(s): *prosticta* Meyrick,1909 _ Range (in code): ZA Ec Wca Cto MG NG SC LK Bionomy: Larva on *Rhynchosia caribaea* (Fabaceae) (Vari,1961).

- 50186. Caloptilia (s.str.) protiella (Van Deventer,1904)** (Gracillariidae) **Synonym(s):** *protiella* Van Deventer,1904; *corollata* Meyrick,1933; *elongata* Kumata,1982 **Range (in code):** **JP IN ID Ja MY TH** **Bionomy:** Larva on *Protium javanicum* (Burseraceae); *Toxicodendron succedaneum* (=Rhus), *Anacardium occidentale* (Anacardiaceae) (Yuan & Robinson,1993).
- 50187. Caloptilia (s.str.) pseudoaurita Triberti,1989** (Gracillariidae) **Synonym(s):** *pseudoaurita* Triberti,1989 **Range (in code):** **GH Acc NG**
- 50188. Caloptilia (s.str.) pterostoma (Meyrick,1922)** (Gracillariidae) **Synonym(s):** *pterostoma* Meyrick,1922 **Range (in code):** **IN Ass Cpj**
- 50189. Caloptilia (s.str.) ptychospora (Meyrick,1938)** (Gracillariidae) **Synonym(s):** *ptychospora* Meyrick,1938 **Range (in code):** **ZR**
- 50190. Caloptilia (s.str.) pulverea Kumata,1966** (Gracillariidae) **Synonym(s):** *pulverea* Kumata,1966 **Range (in code):** **CN KR JP Hkk RU Us** **Bionomy:** Larva on *Alnus firma*, *A. japonica*, *A. matsumurae*, *A. maximowiczii*, *A. serratuloides*, *A. hirsuta* (Betulaceae) (Kumata,1966 et seq.).
- 50191. Caloptilia (s.str.) pyrrhaspis (Meyrick,1931)** (Gracillariidae) **Synonym(s):** *pyrrhaspis* Meyrick,1931; *bicolor* Ermolaev,1977 **Range (in code):** **CN Sz JP Hkk RU Us** **Bionomy:** Larva on *Betula ermanii*, *B. grossa*, *B. dahurica* (Betulaceae) (Kumata,1982).
- 50192. Caloptilia (s.str.) pyrrhochroma Vari,1961** (Gracillariidae) **Synonym(s):** *pyrrhochroma* Vari,1961 **Range (in code):** **ZA Nta Kzu Kkf**
- 50193. Caloptilia (s.str.) recitata (Meyrick,1918)** (Gracillariidae) **Synonym(s):** *recitata* Meyrick,1918 **Range (in code):** **IN Ass Slo CN JP NP**
- 50194. Caloptilia (s.str.) rhodinella (Herrich-Schäffer,[1854])** (Gracillariidae) **Synonym(s):** *rhodinella* Herrich-Schäffer,[1854] **Range (in code):** **DE CH AT HU HV TR AL IT RO YU IN** **Bionomy:** Larva on *Rhamnus paliurus* ? (Rhamnaceae) (Mann,1862); *Quercus robur* (Fagaceae) (Robinson et al.,2001).
- 50195. Caloptilia (s.str.) rhusina Vari,1961** (Gracillariidae) **Synonym(s):** *rhusina* Vari,1961 **Range (in code):** **ZA Ec Kny Wca Cto Wyn**
- 50196. Caloptilia (s.str.) rjabovi Kuznetsov & Baryshnikova,2001** (Gracillariidae) **Synonym(s):** *rjabovi* Kuznetsov & Baryshnikova,2001 **Range (in code):** **Cc AZ Nv**
- 50197. Caloptilia (s.str.) robustella Jäckh,1972** (Gracillariidae) **Synonym(s):** *robustella* Jäckh,1972 **Range (in code):** **Cn FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE LV LT RO RU UA** **Bionomy:** Larva on *Quercus robur* (Fagaceae) (Jäckh,1972).
- 50198. Caloptilia (s.str.) roscipennella (Hübner,1796)** (Gracillariidae) **Synonym(s):** *roscipennella* Hübner,1796; *roscipennis* Haworth,1828; *merulaepennella* Duponchel,[1840]; *puncticostella* Herrich-Schäffer,1855; *juglandella* Mann,1867 **Range (in code):** **Cn Md ES FR Co Sa? Si IT BE DE CH AT PL CZ SK HU RO MK TR CY GR RU MD UA BY TJ KG IR IN** **Bionomy:** Larva on *Juglans regia* (Juglandaceae), *Laurus canariensis* (Lauraceae) (Mann,1867; et seq.).
- 50199. Caloptilia (s.str.) rufipennella (Hübner,1796)** (Gracillariidae) **Synonym(s):** *rufipennella* Hübner,1796; *rufipennis* Haworth,1828 **Range (in code):** **ES FR IT GB BE NL DE CH AT PL CZ SK HU DK NO SE LT**
- 50200. Caloptilia (s.str.) saccisquamata Liu & Yuan,1990** (Gracillariidae) **Synonym(s):** *saccisquamata* Liu & Yuan,1990 **Range (in code):** **CN Kwa**
- 50201. Caloptilia (s.str.) sachalinella Ermolaev,1984** (Gracillariidae) **Synonym(s):** *sachalinella* Ermolaev,1984 **Range (in code):** **RU Sh**
- 50202. Caloptilia (s.str.) sapina Vari,1961** (Gracillariidae) **Synonym(s):** *sapina* Vari,1961 **Range (in code):** **NA ZA Nta Kzu Dbn**
- 50203. Caloptilia (s.str.) sapporella (Matsumura,1931)** (Gracillariidae) **Synonym(s):** *sapporella* Matsumura,1931 **Range (in code):** **CN JP Hkk Ri KT RU Us** **Bionomy:** Larva on *Quercus mongolica*, *Q. serrata*, *Q. acutissima*, *Q. variabilis*, *Castanea crenata* (Fagaceae) (Kumata,1982; et seq.).
- 50204. Caloptilia (s.str.) sassafrasicola Liu & Yuan,1990** (Gracillariidae) **Synonym(s):** *sassafrasicola* Liu & Yuan,1990 **Range (in code):** **CN Fkn**
- 50205. Caloptilia (s.str.) scaenica Triberti,1987** (Gracillariidae) **Synonym(s):** *scaenica* Triberti,1987 **Range (in code):** **MG**
- 50206. Caloptilia (s.str.) scansoria (Meyrick,1910)** (Gracillariidae) **Synonym(s):** *scansoria* Meyrick,1910 **Range (in code):** **IN Hp Sml**

- 50207. Caloptilia (s.str.) schisandrae Kumata,1966** (Gracillariidae) Synonym(s): *schisandrae* Kumata,1966 _ Range (in code): JP Hkk RU Us Bionomy: Larva on Schisandra chinensis (Magnoliaceae) (Kumata,1966).
- 50208. Caloptilia (s.str.) semifascia (Haworth,[1828])** (Gracillariidae) Synonym(s): *semifascia* Haworth,[1828] _ Range (in code): AT BG CZ DK EE FI FR DE HU BE IT LT NO PL RU SK SE CH YU GB TR TM Cc
- 50209. Caloptilia (s.str.) semifasciella Kumata,1966** (Gracillariidae) Synonym(s): *semifasciella* Kumata,1966 _ Range (in code): JP Hkk Bionomy: Larva on Acer crataegifolium, A. distylum, A. micranthum, A. rufinerve, A. tschonoskii (Aceraceae) (Kumata,1966).
- 50210. Caloptilia (s.str.) semnophanes (Meyrick,1918)** (Gracillariidae) Synonym(s): *seminophanes* Meyrick,1918 _ Range (in code): ZA Nta Kzu Dmm
- 50211. Caloptilia (s.str.) sichuanensis Liu & Yuan,1990** (Gracillariidae) Synonym(s): *sichuanensis* Liu & Yuan,1990 _ Range (in code): CN Sz
- 50212. Caloptilia (s.str.) soyella (Van Deventer,1904)** (Gracillariidae) Synonym(s): *soyella* Van Deventer,1904 _ Range (in code): CN JP CV IN ID Ja LK FJ Bionomy: Larva on Soya hispida, Cajanus cajan, Phaeolus mungo, Phaseolus calcaratus, Azukia angularis, Glycine max, Kummerovia striata, Lespedeza cytototrya (Fabaceae) (Kumata,1982).
- 50213. Caloptilia (s.str.) spheocrossa (Meyrick,1934)** (Gracillariidae) Synonym(s): *sphenocrossa* Meyrick,1934 _ Range (in code): ID Ja MY Pah Bionomy: Larva on Cajanus cajan (Fabaceae) (Meyrick,1934).
- 50214. Caloptilia (s.str.) spinulosa Liu & Yuan,1990** (Gracillariidae) Synonym(s): *spinulosa* Liu & Yuan,1990 _ Range (in code): CN Kig
- 50215. Caloptilia (s.str.) staintoni (Wollaston,1858)** (Gracillariidae) Synonym(s): *staintoni* Wollaston,1858 _ Range (in code): Cn Md Bionomy: Larva on Laurus canariensis, L. azorica (Lauraceae) (Walsingham,1907; et seq.).
- 50216. Caloptilia (s.str.) stigmatella (Fabricius,1781)** (Gracillariidae) Synonym(s): *stigmatella* Fabricius,1781; *cruciella* Goeze,1783; *equestris* Fourcroy,1783; *upupaepennella* Hübner,1796; *triangulella* Panzer,1799; *purpurea* Haworth,1828; *ochracea* Haworth,1828; *triangulosella* Costa,[1836]; *purpuriella* Chambers,1872; *consimilella* Frey,1876 _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK TR Cc AZ AM GG DK NO SE FI EE LV LT RU MD UA BY TM Kp Sb Ur Us MN TJ UZ KK KG CN JP CA US IN Bionomy: Larva on Populus nigra, P. alba, P. pyramidalis, Salix caprea, S.longifolia, S. aurita, S. cinerea (Salicaceae); Betula (Betulaceae); Robinia pseudoacacia (Fabaceae) (Chambers,1872; et seq.).
- 50217. Caloptilia (s.str.) striata Liu & Yuan,1990** (Gracillariidae) Synonym(s): *striata* Liu & Yuan,1990 _ Range (in code): CN Kig
- 50218. Caloptilia (s.str.) suberinella (Tengström,1848)** (Gracillariidae) Synonym(s): *suberinella* Tengström,1848 _ Range (in code): NL CH DK NO SE FI EE LV RU MD UA BY CN CA BCo
- 50219. Caloptilia (s.str.) sychnospila Vari,1961** (Gracillariidae) Synonym(s): *sychnospila* Vari,1961 _ Range (in code): NA Abc
- 50220. Caloptilia (s.str.) syngenica Vari,1961** (Gracillariidae) Synonym(s): *syngenica* Vari,1961 Range (in code): ZA Wca Pri Ec Kny Gau Tva Pre
- 50221. Caloptilia (s.str.) tangkai Yuan & G.S.Robinson,1993** (Gracillariidae) Synonym(s): *tangkai* Yuan & G.S.Robinson,1993 _ Range (in code): TH CMA
- 50222. Caloptilia (s.str.) teleodelta (Meyrick,1926)** (Gracillariidae) Synonym(s): *teleodelta* Meyrick,1926 _ Range (in code): IN Poo Bba Bionomy: Larva on Fueggea microcarpa, F. virosa (Euphorbiaceae) (Meyrick,1936; et seq.).
- 50223. Caloptilia (s.str.) teucra (Meyrick,1933)** (Gracillariidae) Synonym(s): *teucra* Meyrick,1933 _ Range (in code): ID Ja Bionomy: Larva on Bridelia (Euphorbiaceae) (Meyrick,1933).
- 50224. Caloptilia (s.str.) theivora Walsingham,1891** (Gracillariidae) Synonym(s): *theivora* Walsingham,1891 _ Range (in code): IN LK CN TH Nna Kao MY Bor Cmh Pah BN JP KP KR ID TW VN Bionomy: Larva mines Camellia sinensis, C.sasanqua, C.japonica (tea) (Theaceae) (Walsingham,1891; et seq.).
- 50225. Caloptilia (s.str.) thymophanes (Meyrick,1928)** (Gracillariidae) Synonym(s): *thymophanes* Meyrick,1928 _ Range (in code): IN Bionomy: Larva on Lannea coromandelica (Anacardiaceae) (Robinson et al.,2001).
- 50226. Caloptilia (s.str.) titanitis (Meyrick,1921)** (Gracillariidae) Synonym(s): *titanitis* Meyrick,1921 _ Range (in code): ZA Tva Gau Pre Lpo Spb Wp NA Abc

- 50227. Caloptilia (s.str.) tricolor Liu & Yuan,1990** (Gracillariidae) Synonym(s): *tricolor* Liu & Yuan,1990 _ Range (in code): CN Fkn
- 50228. Caloptilia (s.str.) trimaculiformis Liu & Yuan,1990** (Gracillariidae) Synonym(s): *trimaculiformis* Liu & Yuan,1990 _ Range (in code): CN Fkn
- 50229. Caloptilia (s.str.) trissochroa (Meyrick,1931)** (Gracillariidae) Synonym(s): *trissochroa* Meyrick,1931 _ Range (in code): IN
- 50230. Caloptilia (s.str.) ulmi Kumata,1982** (Gracillariidae) Synonym(s): *ulmi* Kumata,1982 _ Range (in code): CN JP Hkk RU Us Bionomy: Larva on *Ulmus davidiana*, *U. laciniata*, *Zelkova serrata* (Ulmaceae) (Kumata,1982; et seq.).
- 50231. Caloptilia (s.str.) vibrans (Meyrick,1918)** (Gracillariidae) Synonym(s): *vibrans* Meyrick,1918 _ Range (in code): ZA Nta Kzu Dbn
- 50232. Caloptilia (s.str.) vicinola Vari,1961** (Gracillariidae) Synonym(s): *vicinola* Vari,1961 _ Range (in code): ZA Nta Kzu Dbn ZW
- 50233. Caloptilia (s.str.) xanthocephala Vari,1961** (Gracillariidae) Synonym(s): *xanthocephala* Vari,1961 _ Range (in code): ZA Ec Kny Wca Cld
- 50234. Caloptilia (s.str.) xanthopharella (Meyrick,1880)** (Gracillariidae) Synonym(s): *xanthopharella* Meyrick,1880 _ Range (in code): AU NSw FJ Bionomy: Larva on *Glochidion* (Euphorbiaceae) (de Prins & de Prins,2005).
- 50235. Caloptilia (s.str.) yasudai Kumata,1982** (Gracillariidae) Synonym(s): *yasudai* Kumata,1982 _ Range (in code): JP Hkk
- 50236. Caloptilia (s.str.) zachrysa (Meyrick,1907)** (Gracillariidae) Synonym(s): *zachrysa* Meyrick,1907 _ Range (in code): IN LK CN KP KR JP TW
- 50237. Caloptilia (s.str.) zonotarsa (Meyrick,1936)** (Gracillariidae) Synonym(s): *zonotarsa* Meyrick,1936 _ Range (in code): IN Up Ddu
- 50238. Calybitis phasianipennella (Hübner,[1813])** (Gracillariidae) Synonym(s): *phasianipennella* Hübner,[1813]; *quadruplela* Zeller,1839; *isograptia* Meyrick,1928 _ Range (in code): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY IL Pa IR KG KR KP JP Hkk PK IN Ass TH ID Clb Bionomy: Larva mines *Oxyria*, *Rumex*, *Polygonum* (Polygonaceae), *Lysimachia* (Primulaceae), *Calamagrostis* (Poaceae), *Symphytum* (Boraginaceae); *Hypericum* (Hypericaceae); *Chenopodium* (Chenopodiaceae) *Lythrum salicaria* (Lythraceae) (Stainton,1864; et seq.).
- 50239. Calybitis quadrisignella (Zeller,1839)** (Gracillariidae) Synonym(s): *quadrisignella* Zeller,1839 _ Range (in code): IT DE AT PL CZ SK HU YU TR RU MD UA BY Bionomy: Larva on *Rhamnus catharticus* (Rhamnaceae) (Heinemann & Wocke,1877).
- 50240. Calybitis securinella (Ermolaev,1986)** (Gracillariidae) Synonym(s): *securinella* Ermolaev,1986 _ Range (in code): RU Us Bionomy: Larva on *Securinea suffruticosa* (Euphorbiaceae) (Ermolaev,1986).
- 50241. Calybitis trimaculata Kumata,1982** (Gracillariidae) Synonym(s): *trimaculata* Kumata,1982 _ Range (in code): JP Ri Bionomy: Larva on *Polygonum chinense* (Polygonaceae) (Kumata,1982).
- 50242. Cameraria acericola Kumata,1963** (Gracillariidae) Synonym(s): *acericola* Kumata,1963 _ Range (in code): JP Hkk RU Us Bionomy: Larva on *Acer mono* (Aceraceae) (Kumata,1963).
- 50243. Cameraria aceriella (Clemens,1859)** (Gracillariidae) Synonym(s): *aceriella* Clemens,1859 _ CA Qb US Cnt Knt Mai Mch Ny Vr Ws Mrl Iln Bionomy: Larva on *Acer rubrum*, *A. saccharinum* (Aceraceae) (Chambers,1878).
- 50244. Cameraria anomala Opler & Davis,1981** (Gracillariidae) Synonym(s): *anomala* Opler & Davis,1981 _ US Cf Bionomy: Larva on *Quercus agrifolia*, *Q. wislizeni* (Fagaceae) (Opler & Davis,1981).
- 50245. Cameraria arcuella (Braun,1908)** (Gracillariidae) Synonym(s): *arcuella* Braun,1908 _ CA Qb US Mai Vi
- 50246. Cameraria australisella (Chambers,1878)** (Gracillariidae) Synonym(s): *australisella* Chambers,1878; *australella* Meyrick,1912 _ US Tx Iln Bionomy: Larva on *Quercus alba*, *Q.imbricaria* (Fagaceae) (Godfrey, Cashatt & Murray,1987).
- 50247. Cameraria barlowi Kumata,1993** (Gracillariidae) Synonym(s): *barlowi* Kumata,1993 _ Range (in code): MY Pah VN
- 50248. Cameraria bauhiniiae (Stainton,1856)** (Gracillariidae) Synonym(s): *bauhiniiae* Stainton,1856 _ Range (in code): IN Ben Clc Bionomy: Larva on *Bauhinia purpurea*, *B. acuminata* (Fabaceae) (Stainton,1856).

- 50249. *Cameraria borneensis* Kumata,1993** (Gracillariidae) Synonym(s): *borneensis* Kumata,1993 _ Range (in code): **MY Bor Sbh** Bionomy: Larva on Archidendron (Fabaceae) (Kumata,1993).
- 50250. *Cameraria chambersella* (Walsingham,1889)** (Gracillariidae) Synonym(s): *quinquenotella* Chambers,1880 nec H.-S.,1855; *chambersella* Walsingham,1889 _ **US Iln Tx** Bionomy: Larva on Quercus (Fagaceae) (Godfrey, Cashatt & Murray,1987).
- 50251. *Cameraria conglomeratella* (Zeller,1875)** (Gracillariidae) Synonym(s): *conglomeratella* Zeller,1875; *bicolorella* Chambers,1878; *obtusilobae* Frey & Boll,1878 _ **US Cf Fl Ge Iln Knt Mrl Nje Oh Tx** Bionomy: Larva on Quercus bicolor, Q.obtusiloba (Fagaceae) (Frey & Boll,1878; et seq.).
- 50252. *Cameraria fara De Prins,2012*** (Gracillariidae) Synonym(s): *fara De Prins,2012* _ Range (in code): **CM**
- 50253. *Cameraria fasciata* Kumata,1993** (Gracillariidae) Synonym(s): *fasciata* Kumata,1993 Range (in code): **MY Pah** Bionomy: Larva on Spatoholobus ferrugineus (Fabaceae) (Kumata,1993).
- 50254. *Cameraria hexalobina* (Vari,1961)** (Gracillariidae) Synonym(s): *hexalobina* Vari,1961; *#hexabolina* Vari,1961 _ Range (in code): **ZA Tva Lpo Kru Spb Pma ZR** Bionomy: Larva on Hexalobus glabrescens (Annonaceae) (Vari,1961).
- 50255. *Cameraria landryi* De Prins,2012** (Gracillariidae) Synonym(s): *landryi* De Prins,2012 Range (in code): **ZR**
- 50256. *Cameraria magnisignata* Kumata,1993** (Gracillariidae) Synonym(s): *magnisignata* Kumata,1993 _ Range (in code): **IN** Bionomy: Larva on Pongamia pinnata (Fabaceae) (Kumata,1993).
- 50257. *Cameraria milletiae* Kumata,1993** (Gracillariidae) Synonym(s): *milletiae* Kumata,1993 Range (in code): **MY Bor Swk** Bionomy: Larva on Milletia sericea (Fabaceae) (Kumata,1993).
- 50258. *Cameraria nipponica* Kumata,1963** (Gracillariidae) Synonym(s): *nipponica* Kumata,1963 Range (in code): **JP Hkk RU Us** Bionomy: Larva on Acer palmatum, A. japonicum, A. pseudosieboldianum (Aceraceae) (Kumata,1963).
- 50259. *Cameraria obliquifascia* (Filipjev,1926)** (Gracillariidae) Synonym(s): *obliquifascia* Filipjev,1926 _ Range (in code): **TM UZ TJ** Bionomy: Larva on Populus afghanica, P. alba, Salix (Salicaceae) (Filipjev,1926).
- 50260. *Cameraria ohridella* Deschka & Dimic,1986** (Gracillariidae) Synonym(s): *ohridella* Deschka & Dimic,1986 _ Range (in code): **GB BE FR ES CH SE DE DK AT CZ SK HU YU B-H HV MK Och AL UA GR BG IT NL PL RO Mt SS** Bionomy: Larva on Aesculus hippocastanum, Acer pseudoplatanus (Agassiz,1988; De Prins & Puplesiene,2000).
- 50261. *Cameraria palawanensis* Kumata,1995** (Gracillariidae) Synonym(s): *palawanensis* Kumata,1995 _ Range (in code): **PH Pal** Bionomy: Larva on Derris elliptica (Fabaceae) (Kumata,1995).
- 50262. *Cameraria perodeaui* De Prins,2012** (Gracillariidae) Synonym(s): *perodeaui* De Prins,2012 _ Range (in code): **ZR**
- 50263. *Cameraria philippinensis* Kumata,1995** (Gracillariidae) Synonym(s): *philippinensis* Kumata,1995 _ Range (in code): **PH Luz** Bionomy: Larva on Bauhinia malabarica (Fabaceae) (Kumata,1995).
- 50264. *Cameraria pongamiae* Kumata,1993** (Gracillariidae) Synonym(s): *pongamiae* Kumata,1993 _ Range (in code): **ID Bor MY TW PH Luz Pal**
- 50265. *Cameraria quadrifasciata* Kumata,1993** (Gracillariidae) Synonym(s): *quadrifasciata* Kumata,1993 _ Range (in code): **MY Sgo** Bionomy: Larva on Bauhinia griffithiana (Fabaceae) (Kumata,1993).
- 50266. *Cameraria saliciphaga* (Kuznetsov,1975)** (Gracillariidae) Synonym(s): *saliciphaga* Kuznetsov,1975 _ Range (in code): **TJ Pm Kud UZ TM** Bionomy: Larva on Salix australior, S. excelsa, S. triandra (Salicaceae) (Kuznetsov,1975; et seq.).
- 50267. *Cameraria sokoike* De Prins,2012** (Gracillariidae) Synonym(s): *sokoike* De Prins,2012 Range (in code): **KE**
- 50268. *Cameraria torridella* De Prins,2012** (Gracillariidae) Synonym(s): *torridella* De Prins,2012 Range (in code): **KE**
- 50269. *Cameraria trizosterata* Kumata,1993** (Gracillariidae) Synonym(s): *trizosterata* Kumata,1993 _ Range (in code): **MY Sgo** Bionomy: Larva on Bauhinia (Fabaceae) (Kumata,1993).

- 50270. *Cameraria varii* De Prins, 2012** (Gracillariidae) Synonym(s): *varii* De Prins, 2012
Range (in code): **ZA Gau Tva Pre**
- 50271. *Cameraria virgulata* (Meyrick, 1914)** (Gracillariidae) Synonym(s): *virgulata* Meyrick, 1914
Range (in code): **IN Mys NP JP** Bionomy: Larva on *Butea frondosa*, *Desmodium*, *Pueraria montana*, *Pongamia pinnata* (Fabaceae) (Fletcher, 1921; et seq.).
- 50272. *Cameraria zaira* De Prins, 2012** (Gracillariidae) Synonym(s): *zaira* De Prins, 2012
Range (in code): **ZR**
- 50273. *Chrysaster hagicola* Kumata, 1961** (Gracillariidae) Synonym(s): *hagicola* Kumata, 1961
Range (in code): **JP Hkk KR RU Us** Bionomy: Larva on *Lespedeza bicolor*, *L. cyrtobotrya* (Fabaceae) (Kumata, 1961).
- 50274. *Chrysocercops argentata* Kumata, 1992** (Gracillariidae) Synonym(s): *argentata* Kumata, 1992
Range (in code): **NP MY** Bionomy: Larva on *Shorea robusta*, *Hopea nutans* (Dipterocarpaceae) (Kumata, 1992).
- 50275. *Chrysocercops azmii* Kumata, 1992** (Gracillariidae) Synonym(s): *azmii* Kumata, 1992
Range (in code): **MY Sgo** Bionomy: Larva on *Shorea maxima* (Dipterocarpaceae) (Kumata, 1992).
- 50276. *Chrysocercops hopeella* Kumata, 1992** (Gracillariidae) Synonym(s): *hopeella* Kumata, 1992
Range (in code): **MY Pah** Bionomy: Larva on *Hopea nutans*, *H. odorata* (Dipterocarpaceae) (Kumata, 1992).
- 50277. *Chrysocercops leprosulae* Kumata, 1992** (Gracillariidae) Synonym(s): *leprosulae* Kumata, 1992
Range (in code): **MY Pah** Bionomy: Larva on *Shorea leprosula* (Dipterocarpaceae) (Kumata, 1992).
- 50278. *Chrysocercops lithocarpicola* Kumata, 1992** (Gracillariidae) Synonym(s): *lithocarpicola* Kumata, 1992
Range (in code): **MY Pah** Bionomy: Larva on *Lithocarpus rassa* (Fagaceae) (Kumata, 1992).
- 50279. *Chrysocercops malayana* Kumata, 1992** (Gracillariidae) Synonym(s): *malayana* Kumata, 1992
Range (in code): **MY Pah** Bionomy: Larva on *Shorea acuminata*, *S. bracteolata*, *S. leprosula* (Dipterocarpaceae) (Kumata, 1992).
- 50280. *Chrysocercops melastigmata* Kumata, 1992** (Gracillariidae) Synonym(s): *melastigmata* Kumata, 1992
Range (in code): **MY Pah** Bionomy: Larva on *Hopea nutans* (Dipterocarpaceae) (Kumata, 1992).
- 50281. *Chrysocercops neobalanocarpi* Kumata, 1992** (Gracillariidae) Synonym(s): *neobalanocarpi* Kumata, 1992
Range (in code): **MY NSe** Bionomy: Larva on *Neobalanocarpus heimii* (Dipterocarpaceae) (Kumata, 1992).
- 50282. *Chrysocercops pectinata* Kumata, 1992** (Gracillariidae) Synonym(s): *pectinata* Kumata, 1992
Range (in code): **MY Kel** Bionomy: Larva on *Dipterocarpus grandifolius*, *D. tuberculatus* (Dipterocarpaceae) (Kumata, 1992).
- 50283. *Chrysocercops shoreae* Kumata, 1992** (Gracillariidae) Synonym(s): *shoreae* Kumata, 1992
Range (in code): **MY Tgg** Bionomy: Larva on *Shorea materialis* (Dipterocarpaceae) (Kumata, 1992).
- 50284. *Chrysocercops squamosa* Kumata, 1992** (Gracillariidae) Synonym(s): *squamosa* Kumata, 1992
Range (in code): **MY Joh** Bionomy: Larva on *Vatica pallida*, *V. pauciflora* (Dipterocarpaceae) (Kumata, 1992).
- 50285. *Chrysocercops thapai* Kumata, 1992** (Gracillariidae) Synonym(s): *thapai* Kumata, 1992
Range (in code): **MY NP** Bionomy: Larva on *Shorea robusta* (Dipterocarpaceae) (Kumata, 1992).
- 50286. *Chrysocercops vaticae* Kumata, 1992** (Gracillariidae) Synonym(s): *vaticae* Kumata, 1992
Range (in code): **MY NSe** Bionomy: Larva on *Vatica bella* (Dipterocarpaceae) (Kumata, 1992).
- 50287. *Conopobathra carbunculata* (Meyrick, 1912)** (Gracillariidae) Synonym(s): *carbunculata* Meyrick, 1912
Range (in code): **ZA Tva Mpu Brb Gau Pre**
- 50288. *Conopobathra geraea* Vari, 1961** (Gracillariidae) Synonym(s): *geraea* Vari, 1961
Range (in code): **ZA Tva Gau Pre**
- 50289. *Conopobathra gravissima* (Meyrick, 1912)** (Gracillariidae) Synonym(s): *gravissima* Meyrick, 1912; *globulifera* Meyrick, 1931
Range (in code): **ZA Mpu Tva Tst Brb Gau Pre ZW Uma NA Abc TH KE MY PG NBr ID Ja** Bionomy: Larva mines *Bauhinia variegata* (Fabaceae) (Meyrick, 1931).
- 50290. *Conopobathra plethorhabda* Vari, 1961** (Gracillariidae) Synonym(s): *plethorhabda* Vari, 1961
Range (in code): **NA Abc**

- 50291. Conopomorpha chionosema Vari,1961** (Gracillariidae) Synonym(s): *chionosema Vari,1961* _ Range (in code): **ZA Tva Gau Slpp NA Abc ZW** Bionomy: Larva on Berchemia discolor (Rhamnaceae) (Vari,1961).
- 50292. Conopomorpha cramerella Snellen,1904** (Gracillariidae) Synonym(s): *cramerella Snellen,1904* _ Range (in code): **TW VN MY Bor BN Sbh Swk TH ID Ja Adm Klt Ij Sum Clb WS PH CN HK IN LK SA SB PG NBr NH** Bionomy: Larva on Nephelium lappaceum [rambutan], Pometia (Sapindaceae), Cynometra cauliflora (Fabaceae), Cola, Theobroma cacao (Sterculiaceae); Swietenia (Meliaceae) (Van Deventer,1904; et seq.).
- 50293. Conopomorpha euphanes Vari,1961** (Gracillariidae) Synonym(s): *euphanes Vari,1961* Range (in code): **NA ZA Gau Tva Pre** Bionomy: Larva on Combretum apiculatum (Combretaceae) (Vari,1961).
- 50294. Conopomorpha fustigera (Meyrick,1928)** (Gracillariidae) Synonym(s): *fustigera Meyrick,1928* _ Range (in code): **ZA Nta Kzu Dbn UG**
- 50295. Conopomorpha litchiella Bradley,1986** (Gracillariidae) Synonym(s): *litchiella Bradley,1986* _ Range (in code): **TH MY Sgo CN IN NP TW AU** Bionomy: Larva on Litchi chinensis (litchi), Syzygium cumini (Myrtaceae), Cassia tora (Fabaceae) (Kuroko & Lewvanich,1983; et seq.).
- 50296. Conopomorpha oceanica Bradley,1986** (Gracillariidae) Synonym(s): *oceanica Bradley,1986* _ Range (in code): **NH FJ**
- 50297. Conopomorpha sinensis Bradley,1986** (Gracillariidae) Synonym(s): *sinensis Bradley,1986* _ Range (in code): **CN HK TH NP IN TW** Bionomy: Larva on Litchi chinensis (litchi), Nephelium longana (longan), Dimocarpus longan (Sapindaceae); Theobroma cacao (Sterculiaceae) (Bradley,1986; et seq.).
- 50298. Conopomorpha aptata (Meyrick,1914)** (Gracillariidae) Synonym(s): *aptata Meyrick,1914; acmophanes Meyrick,1928* _ Range (in code): **ZA Gau Tva Pre Kwi Ec Wca** Bionomy: Larva on Randia rudis (Rubiaceae) (Vari,1961).
- 50299. Conopomorpha gypsochroma Vari,1961** (Gracillariidae) Synonym(s): *gypsochroma Vari,1961* _ Range (in code): **ZW Har**
- 50300. Conopomorpha ochnivora Vari,1961** (Gracillariidae) Synonym(s): *ochnivora Vari,1961* Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Ochna pulchra (Ochnaceae) (Vari,1961).
- 50301. Corethrovalva allophylla Vari,1961** (Gracillariidae) Synonym(s): *allophylla Vari,1961* Range (in code): **ZA Tva Lpo Spb Ltr Ec Kwi** Bionomy: Larva on Allophylus transvaalensis (Sapindaceae) (Vari,1961).
- 50302. Corethrovalva goniosema Vari,1961** (Gracillariidae) Synonym(s): *goniosema Vari,1961* Range (in code): **ZA Nta Kzu ZA06** Bionomy: Larva on Allophylus natalensis (Sapindaceae) (Vari,1961).
- 50303. Corethrovalva paraplesia Vari,1961** (Gracillariidae) Synonym(s): *paraplesia Vari,1961* Range (in code): **ZA Ec Elo** Bionomy: Larva on Rhus (Anacardiaceae) (Vari,1961).
- 50304. Corythocestis aletreuta (Meyrick,1936)** (Gracillariidae) Synonym(s): *aletreuta Meyrick,1936; chalybophanes Meyrick,1937* _ Range (in code): **TZ RW ET NG UG** Bionomy: Larva on Coffea arabica, C.robusta, C.liberica, Canthium (Rubiaceae) (Meyrick,1936).
- 50305. Corythocestis cyanolampra (Vari,1961)** (Gracillariidae) Synonym(s): *cyanolampra Vari,1961* _ Range (in code): **ZA Ec Grh Nta Kzu** Bionomy: Larva on Burchellia bubalina (Rubiaceae) (Vari,1961).
- 50306. Corythocestis pentharcha (Meyrick,1922)** (Gracillariidae) Synonym(s): *pentharcha Meyrick,1922* _ Range (in code): **LK MY** Bionomy: Larva on Amomum magnificum (Zingiberaceae); Coffea robusta (Rubiaceae) (Robinson et al.,2001).
- 50307. Corythocestis praeustella (Van Deventer,1904)** (Gracillariidae) Synonym(s): *praeustella Van Deventer,1904* _ Range (in code): **ID Ja** Bionomy: Larva on Sarcocephalus cordatus, Nauclea orientalis (Van Deventer,1904; et seq.).
- 50308. Corythocestis sunosei (Kumata,1998)** (Gracillariidae) Synonym(s): *sunosei Kumata,1998* Range (in code): **JP Kyu** Bionomy: Larva on Uncaria rhynchophylla (Rubiaceae) (Kumata,1998).
- 50309. Corythocestis yaeyamensis (Kumata,1998)** (Gracillariidae) Synonym(s): *yaeyamensis Kumata,1998* _ Range (in code): **JP Ri** Bionomy: Larva on Saurauia tristyla (Actinidiaceae) (Kumata,1998).

- 50310. *Cremastobombycia kipepeo* De Prins, 2012** (Gracillariidae) Synonym(s): *kipepeo* De Prins, 2012 _ Range (in code): KE
- 50311. *Cremastobombycia morogorene* De Prins, 2012** (Gracillariidae) Synonym(s): *morogorene* De Prins, 2012 _ Range (in code): TZ
- 50312. *Cryptolectica capnodecta* Vari, 1961** (Gracillariidae) Synonym(s): *capnodecta* Vari, 1961 Range (in code): ZA Tva Mpu ZA14
- 50313. *Cryptolectica chrysalis* Kumata & Ermolaev, 1988** (Gracillariidae) Synonym(s): *chrysalis* Kumata & Ermolaev, 1988 _ Range (in code): JP Hkk RU Us Bionomy: Larva on *Quercus mongolica* Q. *serrata* (Fagaceae) (Kumata & Ermolaev, 1988).
- 50314. *Cryptolectica ensiformis* (Yuan, 1986)** (Gracillariidae) Synonym(s): *ensiformis* Yuan, 1986 _ Range (in code): TH IN CN Hn JP Ri ID Clb Bionomy: Larva mines *Quercus acuta*, Q. *sessilifolia* (Fagaceae) (Kumata et al., 1988).
- 50315. *Cryptolectica monodecta* (Meyrick, 1912)** (Gracillariidae) Synonym(s): *monodecta* Meyrick, 1912 _ Range (in code): ZA Tva Mpu Brb Nta Kzu Esw
- 50316. *Cryptolectica pasaniae* Kumata & Ermolaev, 1988** (Gracillariidae) Synonym(s): *pasaniae* Kumata & Ermolaev, 1988 _ Range (in code): JP Ri Bionomy: Larva on *Pasania edulis*, *Lithocarpus edulis* (Fagaceae), *Quercus bambusifolia* (Kumata & Ermolaev, 1988).
- 50317. *Cryptologa nystalea* T.B.Fletcher, 1921** (Gracillariidae) Synonym(s): *nystalea* T.B.Fletcher, 1921; *nystalea* Meyrick, 1932 _ Range (in code): IN Bba Mh Knr Bionomy: Larva on *Pongamia pinnata* (Fabaceae) (T.B.Fletcher, 1921).
- 50318. *Cupedia cupediella* (Herrich-Schäffer, 1855)** (Gracillariidae) Synonym(s): *cupediella* Herrich-Schäffer, 1855 Original Reference: *Euspilapteryx cupediella* Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 5: 292, nr.897, pl.103, fig.803. Type(s): "Aus Oesterreich". Range (in code): IT Sa HU AT MK HV BG GR TR IR TJ RU Bionomy: Larva on *Pistacia terebinthus* (Anacardiaceae); *Phillyrea* (Oleaceae) (Klimesch, 1942, Hartig, 1964).
- 50319. *Cuphodes diospyri* Vari, 1961** (Gracillariidae) Synonym(s): *diospyri* Vari, 1961 _ Range (in code): ZA Nta Kzu Ina Bionomy: Larva on *Diospyros natalensis* (Ebenaceae) (Vari, 1961).
- 50320. *Cuphodes dolichocera* Vari, 1961** (Gracillariidae) Synonym(s): *dolichocera* Vari, 1961 Range (in code): ZA Nta Kzu Ina
- 50321. *Cuphodes leucocera* Vari, 1961** (Gracillariidae) Synonym(s): *leucocera* Vari, 1961 Range (in code): ZA Wca Wyn
- 50322. *Cuphodes melanostola* (Meyrick, 1918)** (Gracillariidae) Synonym(s): *melanostola* Meyrick, 1918 _ Range (in code): ZA Ec Pel Nta Kzu Esw Dbn Wca Cer NA Abc
- 50323. *Cuphodes profluens* (Meyrick, 1916)** (Gracillariidae) Synonym(s): *profluens* Meyrick, 1916 Range (in code): IN PK AU Bionomy: Larva on *Acacia nilotica* (Fabaceae) (Robinson et al., 2001).
- 50324. *Dekeidoryxis asynacta* (Meyrick, 1918)** (Gracillariidae) Synonym(s): *asynacta* Meyrick, 1918 _ Range (in code): IN Ass Cpj NP Bionomy: Larva on *Maesa chisia* (Myrsinaceae) (Kumata, 1989).
- 50325. *Dekeidoryxis khooi* Kumata, 1989** (Gracillariidae) Synonym(s): *khooi* Kumata, 1989 Range (in code): MY Prk Bionomy: Larva on *Maesa ramentacea* (Myrsinaceae) (Kumata, 1989).
- 50326. *Dekeidoryxis maesae* Kumata, 1989** (Gracillariidae) Synonym(s): *maesae* Kumata, 1989 Range (in code): IN Ben NP Bionomy: Larva on *Maesa chisia*, *M. macrophylla* (Myrsinaceae) (Kumata, 1989).
- 50327. *Dendrorhycter marmaroides* Kumata, 1978** (Gracillariidae) Synonym(s): *marmaroides* Kumata, 1978 _ Range (in code): JP Hkk Bionomy: Larva on *Alnus hirsuta*, *A. japonica* (Betulaceae) (Kumata, 1978).
- 50328. *Deoptilia heptadeta* (Meyrick, 1936)** (Gracillariidae) Synonym(s): *heptadeta* Meyrick, 1936 Range (in code): JP Ri TW Bionomy: Larva on *Mallotus japonicus* (Euphorbiaceae) (Meyrick, 1936).
- 50329. *Deoptilia syrasta* (Meyrick, 1926)** (Gracillariidae) Synonym(s): *syrasta* Meyrick, 1926 Range (in code): IN Mh Bba MY TW Bionomy: Larva on *Mallotus philippinensis* (Euphorbiaceae) (Meyrick, 1926).
- 50330. *Dextellia dorsilineella* (Amsel, 1935)** (Gracillariidae) Synonym(s): *dorsilineella* Amsel, 1935; *#dorsiliniella* Kuznetsov & Baryshnikova, 2001 _ Range (in code): MA ES IT GR IL Pa Jer MT TN TM

- 50331. *Dialectica aemula* (Meyrick,1912)** (Gracillariidae) Synonym(s): *aemula* Meyrick,1912
Original Reference: *Acrocercops aemula* Meyrick,1912, Exot. microlep. 1: 628. Type: India, Bengal. Range (in code): **IN Ben NP**
- 50332. *Dialectica carcharota* (Meyrick,1912)** (Gracillariidae) Synonym(s): *carcharota* Meyrick,1912
Range (in code): **ZA Wca Cto Nta Kzu Dbn** Bionomy: Larva on *Lithospermum* (Boraginaceae), *Stapelia* (Asclepiadaceae) (Vari,1961).
- 50333. *Dialectica columellina* (Vari,1961)** (Gracillariidae) Synonym(s): *columellina* Vari,1961
Range (in code): **ZA Tva Lpo Spb Ltr Msw Gau Pre** Bionomy: Larva on *Pavonia columella* (Malvaceae) (Vari,1961).
- 50334. *Dialectica cordiaecola* Vari,1961** (Gracillariidae) Synonym(s): *cordiaecola* Vari,1961
Range (in code): **ZA Ec Alx** Bionomy: Larva on *Cordia caffra* (Boraginaceae) (Vari,1961).
- 50335. *Dialectica ehretiae* (Vari,1961)** (Gracillariidae) Synonym(s): *ehretiae* Vari,1961
Range (in code): **ZA Ec Alx** Bionomy: Larva on *Ehretia rigida* (Boraginaceae) (Vari,1961).
- 50336. *Dialectica galactozona* Vari,1961** (Gracillariidae) Synonym(s): *galactozona* Vari,1961
Range (in code): **ZA Nta Kzu Ina**
- 50337. *Dialectica geometrica* (Meyrick,1916)** (Gracillariidae) Synonym(s): *geometrica* Meyrick,1916
Original Reference: *Acrocercops geometrica* Meyrick,1916, Exot. microlep. 1: 626. India, Bengal. Range (in code): **IN Ben Ddu De Up NI Tn Ri**
- 50338. *Dialectica imperialella* (Zeller,1847)** (Gracillariidae) Synonym(s): *imperialella* Zeller,1847
Range (in code): **FR IT GB BE NL AT PL CZ SK HU RO TR DK RU MD UA BY** Bionomy: Larva on *Pulmonaria angustifolia*, *P. officinalis*, *Symphytum officinale*, *Lithospermum officinale*, *Buglossoides purpureoerulea* (Boraginaceae) (Heinemann & Wocke,1877; et seq.).
- 50339. *Dialectica japonica* Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *japonica* Kumata & Kuroko,1988
Range (in code): **JP Kyu**
- 50340. *Dialectica odontosema* (Vari,1961)** (Gracillariidae) Synonym(s): *odontosema* Vari,1961
Range (in code): **ZA Wca Kny Tva Lpo Wo**
- 50341. *Dialectica pavonicola* (Vari,1961)** (Gracillariidae) Synonym(s): *pavonicola* Vari,1961
Range (in code): **ZA Tva Lpo Spb Ltr** Bionomy: Larva on *Pavonia columella* (Malvaceae) (Vari,1961).
- 50342. *Dialectica praegemina* (Meyrick,1917)** (Gracillariidae) Synonym(s): *praegemina* Meyrick,1917
Range (in code): **ZA**
- 50343. *Dialectica pyramidota* (Meyrick,1918)** (Gracillariidae) Synonym(s): *pyramidota* Meyrick,1918
Range (in code): **ZA Gau Tva Pre Lpo Spb Sbs** Bionomy: Larva on *Ehretia rigida* (Boraginaceae) (Vari,1961).
- 50344. *Dialectica scaliella* (Zeller,1850)** (Gracillariidae) Synonym(s): *scaliella* Zeller,1850
Original Reference: *Gracillaria scaliella* Zeller,1850, Stettin ent. Ztg. 11: 160-161. Type(s): [Crna Gora]: "Montenegro, Ardenza". Range (in code): **Cn Az DZ MA TN PT ES GB FR Co Sa Si IT CH ME GR Cr TR IL Pa IR GlS TM AU NZ** Bionomy: Larva on *Echium vulgare*, *E. aculeatum*, *E. giganteum*, *E. lycopsis*, *E. italicum*, *Cynoglossum pictum*, *Mysotis macrocalycina*, *Symphytum*, *Anchusa strigosa*, *A. plantagineum* (Boraginaceae) (Stainton,1864; et seq.).
- 50345. *Dialectica soffneri* (Gregor & Povolny,1965)** (Gracillariidae) Synonym(s): *soffneri* Gregor & Povolny,1965
Range (in code): **AT BG GR HU**
- 50346. *Dialectica trigonidota* (Vari,1961)** (Gracillariidae) Synonym(s): *trigonidota* Vari,1961
Range (in code): **ZA Wca Kny**
- 50347. *Diphtheroptila brideliae* Vari,1961** (Gracillariidae) Synonym(s): *brideliae* Vari,1961
Range (in code): **ZA Tva Lpo Spb Msw** Bionomy: Larva on *Bridelia micrantha* (Euphorbiaceae) (Vari,1961).
- 50348. *Diphtheroptila oxyloga* (Meyrick,1928)** (Gracillariidae) Synonym(s): *oxyloga* Meyrick,1928
Range (in code): **ZA Tva Lpo Spb Ltr ZW** Bionomy: Larva on *Bridelia* (Euphorbiaceae) (Vari,1961).
- 50349. *Dysectopa scalifera* Vari,1961** (Gracillariidae) Synonym(s): *scalifera* Vari,1961
Range (in code): **NA Abc**
- 50350. *Ectropina acidula* (Meyrick,1911)** (Gracillariidae) Synonym(s): *acidula* Meyrick,1911
Range (in code): **IN Bi Pus** Bionomy: Larva on *Phyllanthus emblica*, *Albizia stipulata* (Euphorbiaceae) (Meyrick,1911).

- 50351. *Ectropina citricula* (Meyrick,1912)** (Gracillariidae) Synonym(s): *citricula* Meyrick,1912
Original Reference: *Gracilaria citricula* Meyrick,1912, Exot. Microlepid. 1: 26. Type ♂: [South Africa]: "Transvaal, Barberton". Range (in code): **ZA Tva Mpu Brb**
- 50352. *Ectropina ligata* (Meyrick,1912)** (Gracillariidae) Synonym(s): *ligata* Meyrick,1912
Original Reference: *Gracilaria ligata* Meyrick,1912, Exot. Microlepid. 1: 26-27. Type ♂: [South Africa]: "Transvaal, Barberton". Range (in code): **ZA Tva Mpu Brb Gau Pre Lpo Kru NA Abc**
- 50353. *Ectropina raychaudhuri* Kumata,1979** (Gracillariidae) Synonym(s): *raychaudhuri* Kumata,1979
Range (in code): **IN Tn Mad** Bionomy: Larva on *Phyllanthus niruri* (Euphorbiaceae) (Kumata,1979).
- 50354. *Ectropina sclerochitoni* Vari,1961** (Gracillariidae) Synonym(s): *sclerochitoni* Vari,1961
Range (in code): **ZA ZA14 Mpu Tva** Bionomy: Larva on *Sclerochiton harveyanus* (Acanthaceae) (Vari,1961).
- 50355. *Ectropina suttoni* Bland,1980** (Gracillariidae) Synonym(s): *suttoni* Bland,1980
Range (in code): **NG Iba**
- 50356. *Epicephala albifrons* (Stainton,1859)** (Gracillariidae) Synonym(s): *albifrons* Stainton,1859
Range (in code): **IN Cle LK TH VN ID Bru** Bionomy: Larva on *Phyllanthus niruri* (Euphorbiaceae) (Fletcher,1921; et seq.).
- 50357. *Epicephala ancistropis* Meyrick,1935** (Gracillariidae) Synonym(s): *ancistropis* Meyrick,1935
Range (in code): **ID Ja**
- 50358. *Epicephala ancylopa* Meyrick,1918** (Gracillariidae) Synonym(s): *ancylopa* Meyrick,1918
Range (in code): **IN Ass Khs Meg**
- 50359. *Epicephala angustisaccula* Li,2015** (Gracillariidae) Synonym(s): *angustisaccula* Li,2015
CN Hn
- 50360. *Epicephala calasiris* Meyrick,1908** (Gracillariidae) Synonym(s): *calasiris* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 50361. *Epicephala camurella* Li,2015** (Gracillariidae) Synonym(s): *camurella* Li,2015
CN Hn
- 50362. *Epicephala colymbetella* Meyrick,1880** (Gracillariidae) Synonym(s): *colymbetella* Meyrick,1880; *frugicola* Turner,1913
Range (in code): **AU QAU NSw Syd Bri**
- 50363. *Epicephala domina* Li,2015** (Gracillariidae) Synonym(s): *domina* Li,2015
CN Hn
- 50364. *Epicephala echalina* Meyrick,1922** (Gracillariidae) Synonym(s): *echalina* Meyrick,1922
Range (in code): **MM Bha**
- 50365. *Epicephala exetastis* Meyrick,1908** (Gracillariidae) Synonym(s): *exetastis* Meyrick,1908
Range (in code): **LK**
- 50366. *Epicephala flagellata* Meyrick,1908** (Gracillariidae) Synonym(s): *flagellata* Meyrick,1908
Range (in code): **LK**
- 50367. *Epicephala frenata* Meyrick,1908** (Gracillariidae) Synonym(s): *frenata* Meyrick,1908
Range (in code): **ID Ja LK**
- 50368. *Epicephala haplodoxa* Vari,1961** (Gracillariidae) Synonym(s): *haplodoxa* Vari,1961
Range (in code): **ZA Kru Tva Lpo MZ**
- 50369. *Epicephala homostola* Vari,1961** (Gracillariidae) Synonym(s): *homostola* Vari,1961
Range (in code): **NA ZA Tva Gau Pre Lpo Spb Wp Wo Kru Nta Kzu Umk**
- 50370. *Epicephala impolliniferens* Li,2015** (Gracillariidae) Synonym(s): *impolliniferens* Li,2015
CN Hn
- 50371. *Epicephala jansei* Vari,1961** (Gracillariidae) Synonym(s): *jansei* Vari,1961
Range (in code): **ZW Maz**
- 50372. *Epicephala pelopepla* Vari,1961** (Gracillariidae) Synonym(s): *pelopepla* Vari,1961
Range (in code): **ZA Tva Gau Pre Hei**
- 50373. *Epicephala periplecta* (Diakonoff,1955)** (Gracillariidae) Synonym(s): *periplecta* Diakonoff,1955
Range (in code): **PG**
- 50374. *Epicephala pyrrhogastra* Meyrick,1908** (Gracillariidae) Synonym(s): *pyrrhogastra* Meyrick,1908
Range (in code): **ZA Tva Gau Pre Nta Kzu Umk Lpo Kru Mll Mpu Brb ZW Bul NA Abc**
- 50375. *Epicephala scythropis* Meyrick,1930** (Gracillariidae) Synonym(s): *scythropis* Meyrick,1930
Range (in code): **MM May** Bionomy: Larva on *Phyllanthus* (Euphorbiaceae) (Meyrick,1930).
- 50376. *Epicephala sphenitis* Meyrick,1931** (Gracillariidae) Synonym(s): *sphenitis* Meyrick,1931
Range (in code): **IN Bi** Bionomy: Larva on *Breynia rhamnoides*, *B.vitis-idaea* (Euphorbiaceae) (Meyrick,1931; et seq.).

- 50377. *Epicephala spinula* Clarke, 1986** (Gracillariidae) **Synonym(s):** *spinula* Clarke, 1986
Range (in code): **Ms PF**
- 50378. *Epicephala squamella* Kuznetsov & Baryshnikova, 2001** (Gracillariidae)
Synonym(s): *squamella* Kuznetsov & Baryshnikova, 2001 **Range (in code):** **VN**
- 50379. *Epicephala tephrostola* Vari, 1961** (Gracillariidae) **Synonym(s):** *tephrostola* Vari, 1961
Range (in code): **ZA Tva Gau Pre**
- 50380. *Eteoryctis deversa* (Meyrick, 1932)** (Gracillariidae) **Synonym(s):** *deversa* Meyrick, 1932
Range (in code): **IN Ass Slo JP Hkk KP KR Krl RU TW**
- 50381. *Eteoryctis gemoniella* (Stainton, 1862)** (Gracillariidae) **Synonym(s):** *gemoniella* Stainton, 1862 **Range (in code):** **IN Clc**
- 50382. *Eteoryctis picrasmae* Kumata & Kuroko, 1988** (Gracillariidae) **Synonym(s):** *picrasmae* Kumata & Kuroko, 1988 **Range (in code):** **JP Hkk**
- 50383. *Eteoryctis syngamma* (Meyrick, 1914)** (Gracillariidae) **Synonym(s):** *syngamma* Meyrick, 1914 **Original Reference:** *Acrocercops syngamma* Meyrick, 1914, J. Bombay nat. Hist. Soc. 23 (1): 184. Syntypes: India: Karwar [Karnataka], Kanara (BMNH). **Range (in code):** **NG IN Adm Nk ID TH** **Bionomy:** Larva on *Mangifera indica*, *Anacardium occidentale* (Anacardiaceae) (Meyrick, 1914; Fletcher, 1921; Kuroko & Lewvanich, 1983).
- 50384. *Eucalybites aureola* Kumata, 1982** (Gracillariidae) **Synonym(s):** *aureola* Kumata, 1982
Range (in code): **JP Hkk RU Us** **Bionomy:** Larva on *Hypericum erectum* (Clusiaceae) (Kumata, 1982).
- 50385. *Euprophantis autoglypta* Meyrick, 1921** (Gracillariidae) **Synonym(s):** *autoglypta* Meyrick, 1921 **Range (in code):** **IN ID Ja**
- 50386. *Euspilapteryx auroguttella* Stephens, 1835** (Gracillariidae) **Synonym(s):** *stipella* Haworth, 1828 *nec* Linn., 1761; *auroguttella* Stephens, 1835; *lacertella* Zeller, 1839; *plumbella* Duponchel, 1845
Range (in code): **DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK GR TR DK NO SE FI EE LV LT RU MD UA BY TM** **Bionomy:** Larva on *Hypericum perforatum*, *H. maculatum*, *H. pulchrum*, *H. hirsutum*, *H. tetrapterum* (Clusiaceae) (Douglas, 1853; et seq.).
- 50387. *Euspilapteryx crypta* Vari, 1961** (Gracillariidae) **Synonym(s):** *crypta* Vari, 1961 **Range (in code):** **ZA Nta Kzu Ec Stj**
- 50388. *Gibbovalva civica* (Meyrick, 1914)** (Gracillariidae) **Synonym(s):** *civica* Meyrick, 1914
Range (in code): **IN JP Ri MY**
- 50389. *Gibbovalva kobusi* Kumata & Kuroko, 1988** (Gracillariidae) **Synonym(s):** *kobusi* Kumata & Kuroko, 1988 **Range (in code):** **JP Hkk**
- 50390. *Gibbovalva magnoliae* Kumata & Kuroko, 1988** (Gracillariidae) **Synonym(s):** *magnoliae* Kumata & Kuroko, 1988 **Range (in code):** **JP Hkk**
- 50391. *Gibbovalva quadrifasciata* (Stainton, 1862)** (Gracillariidae) **Synonym(s):** *quadrifasciata* Stainton, 1862; *ordinatella* Meyrick, 1880 **Range (in code):** **IN Clc JP Ri ID Ja MM LK TW AU NSw**
- 50392. *Gibbovalva urbana* (Meyrick, 1908)** (Gracillariidae) **Synonym(s):** *urbana* Meyrick, 1908
Range (in code): **IN Ass Meg Khs JP Ri CN**
- 50393. *Gracillaria albicapitata* Issiki, 1930** (Gracillariidae) **Synonym(s):** *albicapitata* Issiki, 1930
Range (in code): **JP Hkk RU Us**
- 50394. *Gracillaria arsenievi* (Ermolaev, 1977)** (Gracillariidae) **Synonym(s):** *arsenievi* Ermolaev, 1977 **Range (in code):** **RU Us JP Hkk**
- 50395. *Gracillaria chalcantes* Meyrick, 1894** (Gracillariidae) **Synonym(s):** *chalcantes* Meyrick, 1894 **Original Reference:** *Gracillaria chalcantes* Meyrick, 1894, Trans. ent. Soc. Lond. 1894: 25. Syntypes 2♂: [Myanmar]: Upper Burma: Koni. **Range (in code):** **MM Kni**
- 50396. *Gracillaria japonica* Kumata, 1982** (Gracillariidae) **Synonym(s):** *japonica* Kumata, 1982
Range (in code): **JP**
- 50397. *Gracillaria loriolella* Frey, 1881** (Gracillariidae) **Synonym(s):** *loriolella* Frey, 1881; *norvegiellum* Wocke, 1893; *rebeli* Klemensiewicz, 1896 **Range (in code):** **CH AT CZ HU NO RU MD UA BY TJ TM** **Bionomy:** Larva on *Fraxinus potamophila* (Oleaceae) (Kuznetsov & Baryshnikova, 1998).
- 50398. *Gracillaria syringella* (Fabricius, 1794)** (Gracillariidae) **Synonym(s):** *?microdactylella* [Denis & Schiffermüller], 1775; *syringella* Fabricius, 1794; *anastomosis* Haworth, 1828; *aedaeapennella* Treitschke, 1833; *heringiella* Reutti, 1898 **Original Reference:** *Tinea syringella* Fabricius, 1794, Ent. Syst. 3 (2): 328. Syntypes: Germania. **Range (in code):** **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG TR DK NO SE FI EE LV LT RU MD UA BY RO CA Qb Nsc US Mai Mch Vr** **Bionomy:** Larva on *Syringa vulgaris*, *Ligustrum*, *Fraxinus* (Oleaceae); *Euonymus* (Celastraceae); *Deutzia* (Saxifragaceae) (Fabricius, 1794; et seq.).

- 50399. *Gracillaria toubkalella* De Prins, 1985** (Gracillariidae) Synonym(s): *toubkalella* De Prins, 1985 _ Range (in code): **MA** Bionomy: Larva on Fraxinus (Oleaceae) (De Prins, 1985).
- 50400. *Gracillaria ussuriella* (Ermolaev, 1977)** (Gracillariidae) Synonym(s): *ussuriella* Ermolaev, 1977 _ Range (in code): **RU Us JP Hkk**
- 50401. *Gracillaria verina* Clarke, 1971** (Gracillariidae) Synonym(s): *verina* Clarke, 1971 _ Range (in code): **RA**
- 50402. *Graphiocephala barbitias* (Meyrick, 1909)** (Gracillariidae) Synonym(s): *barbitias* Meyrick, 1909 _ Range (in code): **ZA Tva Gau Pre Lpo Buf Rtb** Bionomy: Larva on Euclea lanceolata (Ebenaceae) (Vari, 1961).
- 50403. *Graphiocephala polysticha* Vari, 1961** (Gracillariidae) Synonym(s): *polysticha* Vari, 1961 Range (in code): **ZW Swm ZA Tva Lpo Pot Gau Pre**
- 50404. *Graphiocephala strigifera* Vari, 1961** (Gracillariidae) Synonym(s): *strigifera* Vari, 1961 Range (in code): **ZA Tva Mpu ZA14**
- 50405. *Hyloconis luki* De Prins, 2012** (Gracillariidae) Synonym(s): *luki* De Prins, 2012 _ Range (in code): **ZR**
- 50406. *Ketapangia leucochorda* (Meyrick, 1908)** (Gracillariidae) Synonym(s): *leucochorda* Meyrick, 1908 _ Range (in code): **IN JP Glb**
- 50407. *Ketapangia regulifera* (Meyrick, 1933)** (Gracillariidae) Synonym(s): *regulifera* Meyrick, 1933 _ Range (in code): **MY TW PH Luz JP Ri** Bionomy: Larva on Terminalia catappa (Combretaceae) (Meyrick, 1933).
- 50408. *Lamprolectica apicistrigata* (Walsingham, 1891)** (Gracillariidae) Synonym(s): *apicistrigata* Walsingham, 1891 _ Range (in code): **ZA Nta Kzu Dbn GA** Bionomy: Larva on Deinbollia oblongifolia (Sapindaceae) (Vari, 1961).
- 50409. *Leucocercops dasmophora* (Meyrick, 1908)** (Gracillariidae) Synonym(s): *dasmophora* Meyrick, 1908 _ Range (in code): **ZA Tva Gau Pre**
- 50410. *Leucospilapteryx anaphalidis* Kumata, 1965** (Gracillariidae) Synonym(s): *anaphalidis* Kumata, 1965 _ Range (in code): **JP Hkk RU Us** Bionomy: Larva on Anaphalis margaritacea (Asteraceae) (Kumata, 1965).
- 50411. *Leucospilapteryx omissella* (Stainton, 1848)** (Gracillariidae) Synonym(s): *omissella* Stainton, 1848; *ainoniella* Matsumura, 1931 _ Range (in code): **Cn FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE LV RU MD UA BY KG JP Kyu Hkk Ri** Bionomy: Larva on Artemisia vulgaris, A. campestris, A. montana, A. princeps, A. sylvatica, A. stolonifera, Dendranthema ornatum (Asteraceae) (Stainton, 1864; et seq.).
- 50412. *Leucospilapteryx venustella* (Clemens, 1860)** (Gracillariidae) Synonym(s): *venustella* Clemens, 1860; *eupatoriella* Chambers, 1872 _ Range (in code): **US Knt Mai Oh Vr Mis Mch Pns CA Qb** Bionomy: Larva on Ageratina ageratoides (=Eupatorium), A. altissima, Eupatorium urticifolium (Asteraceae) (Chambers, 1872; et seq.).
- 50413. *Liocrobyla brachybothrys* Kuroko, 1960** (Gracillariidae) Synonym(s): *brachybothrys* Kuroko, 1960 _ Range (in code): **JP Kyu KR** Bionomy: Larva on Wisteria brachybothrys (Fabaceae) (Kuroko, 1960).
- 50414. *Liocrobyla desmodiella* Kuroko, 1982** (Gracillariidae) Synonym(s): *desmodiella* Kuroko, 1982 _ Range (in code): **RU Us JP** Bionomy: Larva on Desmodium podocarpum, D. oldhamii, D. caudatum, Lespedeza cyrtobotrya (Fabaceae) (Kuznetsov & Baryschnikova, 1998).
- 50415. *Liocrobyla kumatai* Kuroko, 1982** (Gracillariidae) Synonym(s): *kumatai* Kuroko, 1982 Range (in code): **JP RU Us** Bionomy: Larva on Desmodium, Lespedeza (Fabaceae) (Kuznetsov & Baryschnikova, 1998).
- 50416. *Liocrobyla lobata* Kuroko, 1960** (Gracillariidae) Synonym(s): *lobata* Kuroko, 1960 Range (in code): **JP Kyu** Bionomy: Larva on Pueraria montana (Fabaceae) (Kuroko, 1960).
- 50417. *Liocrobyla minima* (Noreika, 1992)** (Gracillariidae) Synonym(s): *minima* Noreika, 1992 Range (in code): **TJ TM**
- 50418. *Liocrobyla paraschista* Meyrick, 1916** (Gracillariidae) Synonym(s): *paraschista* Meyrick, 1916 _ Range (in code): **IN Knr Bi Pus JP Hkk Kyu** Bionomy: Larva on Butea monosperma, Cajanus cajan, Flemingia lineata, Desmodium podocarpum, D. oldhamii, D. caudatum, D. gangeticum, Lespedeza cyrtobotrya, Milletia (Fabaceae) (Meyrick, 1916; et seq.).
- 50419. *Liocrobyla saturata* Bradley, 1961** (Gracillariidae) Synonym(s): *saturata* Bradley, 1961 Range (in code): **SB Hon**

- 50420. *Liocrobyla tephrosiae* Vari,1961** (Gracillariidae) Synonym(s): *tephrosiae* Vari,1961
Range (in code): **ZA Tva Lpo Kru** Bionomy: Larva on *Tephrosia polystachya* (Fabaceae) (Vari,1961).
- 50421. *Macarostola ageta* (Turner,1917)** (Gracillariidae) Synonym(s): *ageta* Turner,1917
Range (in code): **AU QAU**
- 50422. *Macarostola callischema* Meyrick,1908** (Gracillariidae) Synonym(s): *callischema* Meyrick,1908 _ Range (in code): **IN Ass Meg Khs**
- 50423. *Macarostola ceryx* (Diakonoff,1955)** (Gracillariidae) Synonym(s): *ceryx* Diakonoff,1955
Range (in code): **PG**
- 50424. *Macarostola coccinea* (Walsingham,1900)** (Gracillariidae) Synonym(s): *coccinea* Walsingham,1900 _ Range (in code): **IN** Bionomy: Larva on *Myrtus* (Myrtaceae) (Walsingham,1900).
- 50425. *Macarostola eugeniella* (Viette,1951)** (Gracillariidae) Synonym(s): *eugeniella* Viette,1951
Range (in code): **MG MU** Bionomy: Larva on *Eugenia jambolana*, *E. cumini* (Myrtaceae) (Triberti,1987).
- 50426. *Macarostola flora* (Meyrick,1926)** (Gracillariidae) Synonym(s): *flora* Meyrick,1926
Range (in code): **ZA Nta Kzu Dbn**
- 50427. *Macarostola formosa* (Stainton,1862)** (Gracillariidae) Synonym(s): *formosa* Stainton,1862 _ Range (in code): **AU NAU** Bionomy: Larva on *Acmena smithii*, *Eugenia ventenatii* (Myrtaceae) (Kumata,1977).
- 50428. *Macarostola gamelia* (Meyrick,1936)** (Gracillariidae) Synonym(s): *gamelia* Meyrick,1936
Range (in code): **ID Ja** Bionomy: Larva on *Eugenia polyantha* (Myrtaceae) (Meyrick,1936).
- 50429. *Macarostola haemataula* (Meyrick,1912)** (Gracillariidae) Synonym(s): *haemataula* Meyrick,1912 _ Range (in code): **IN Knr**
- 50430. *Macarostola hieranthes* (Meyrick,1907)** (Gracillariidae) Synonym(s): *hieranthes* Meyrick,1907 _ Range (in code): **LK**
- 50431. *Macarostola ida* (Meyrick,1880)** (Gracillariidae) Synonym(s): *ida* Meyrick,1880; *rosea* Turner,1894 _ Range (in code): **AU NSw Syd**
- 50432. *Macarostola japonica* Kumata,1977** (Gracillariidae) Synonym(s): *japonica* Kumata,1977
Range (in code): **JP** Bionomy: Larva on *Euscaxis japonica* (Staphylaceae) (Kumata,1977).
- 50433. *Macarostola miltopepla* (Turner,1926)** (Gracillariidae) Synonym(s): *miltopepla* Turner,1926 _ Range (in code): **AU QAU Cai**
- 50434. *Macarostola miniella* (R.Felder & Rogenhofer,[1875])** (Gracillariidae) Synonym(s): *miniella* R.Felder & Rogenhofer,[1875]; *ethela* Meyrick,1880 _ Range (in code): **NZ AF FR SC**
- 50435. *Macarostola noellinae* Vari,1961** (Gracillariidae) Synonym(s): *noellinae* Vari,1961
Range (in code): **ZA Nta Kzu**
- 50436. *Macarostola paradisica* Meyrick,1908** (Gracillariidae) Synonym(s): *paradisica* Meyrick,1908 _ Range (in code): **LK**
- 50437. *Macarostola parolca* Meyrick,1911** (Gracillariidae) Synonym(s): *parolca* Meyrick,1911
Range (in code): **SC**
- 50438. *Macarostola phoenicula* (Meyrick,1934)** (Gracillariidae) Synonym(s): *phoenicula* Meyrick,1934 _ Range (in code): **FJ** Bionomy: Larva on *Eugenia cumini* (Myrtaceae) (Meyrick,1934).
- 50439. *Macarostola polyplaca* (Lower,1894)** (Gracillariidae) Synonym(s): *polyplaca* Lower,1894
Range (in code): **AU QAU**
- 50440. *Macarostola pontificalis* (Meyrick,1928)** (Gracillariidae) Synonym(s): *pontificalis* Meyrick,1928 _ Range (in code): **FP RA** Bionomy: Larva on *Metrosideros collina* (Myrtaceae) (Clarke,1971).
- 50441. *Macarostola pyrelictis* (Meyrick,1927)** (Gracillariidae) Synonym(s): *pyrelictis* Meyrick,1927 _ Range (in code): **WS**
- 50442. *Macarostola rosacea* (Turner,1940)** (Gracillariidae) Synonym(s): *rosacea* Turner,1940
Range (in code): **AU NSw**
- 50443. *Macarostola tegulata* Meyrick,1908** (Gracillariidae) Synonym(s): *tegulata* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 50444. *Macarostola thiasodes* (Meyrick,1912)** (Gracillariidae) Synonym(s): *thiasodes* Meyrick,1912 _ Range (in code): **LK**

- 50445. *Macarostola thriambica* (Meyrick,1907)** (Gracillariidae) Synonym(s): *thriambica* Meyrick,1907 _ Range (in code): LK
- 50446. *Macarostola zehntneri* (Snellen,1902)** (Gracillariidae) Synonym(s): *zehntneri* Snellen,1902 _ Range (in code): ID Ja MY Bionomy: Larva on *Eugenia jambolana* (=Syzygium), *E. aquea*, *E. cumini* (Myrtaceae) (Meyrick,1932; et seq.).
- 50447. *Marmara affirmata* Meyrick,1918** (Gracillariidae) Synonym(s): *affirmata* Meyrick,1918 Range (in code): PE Lma
- 50448. *Marmara apocynella* Braun,1915** (Gracillariidae) Synonym(s): *apocynella* Braun,1915 Range (in code): US Mai Oh
- 50449. *Marmara auratella* Braun,1915** (Gracillariidae) Synonym(s): *auratella* Braun,1915 Range (in code): US Mai Oh
- 50450. *Marmara isortha* (Meyrick,1915)** (Gracillariidae) Synonym(s): *isortha* Meyrick,1915 Range (in code): BR GY IN Bionomy: Larva on *Theobroma cacao* (Sterculiaceae) (Meyrick,1936).
- 50451. *Marmara leptodesma* Meyrick,1928** (Gracillariidae) Synonym(s): *leptodesma* Meyrick,1928 _ Range (in code): US NMx Tx
- 50452. *Metacercops hexactis* (Meyrick,1932)** (Gracillariidae) Synonym(s): *hexactis* Meyrick,1932 Original Reference: *Parectopa hexactis* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 117. Syntypes 3♂♂: [Ethiopia]: Jem-Jem Forest. Range (in code): ET Sw ET88
- 50453. *Metacercops praesticta* (Meyrick,1918)** (Gracillariidae) Synonym(s): *praesticta* Meyrick,1918 _ Range (in code): ZA Nta Kzu Umk
- 50454. *Metriochoa argyrocelis* Vari,1961** (Gracillariidae) Synonym(s): *argyrocelis* Vari,1961 Range (in code): ZW Bionomy: Larva on *Impatiens sylvicola* (Balsaminaceae) (Vari,1961).
- 50455. *Metriochoa carissae* Vari,1963** (Gracillariidae) Synonym(s): *carissae* Vari,1963 Range (in code): ET
- 50456. *Metriochoa inferior* (Silvestri,1904)** (Gracillariidae) Synonym(s): *inferior* Silvestri,1904 Range (in code): ER
- 50457. *Metriochoa latifoliella* (Millière,1887)** (Gracillariidae) Synonym(s): *latifoliella* Millière,1887; *neglectus* Silvestri,1908 _ Range (in code): ES FR Co Sa Si IT GR Cr Bionomy: Larva on *Olea*, *Phillyrea latifolia* (Oleaceae) (Millière,1887).
- 50458. *Metriochoa pergulariae* Vari,1961** (Gracillariidae) Synonym(s): *pergulariae* Vari,1961 Range (in code): ZA Tva Lpo Spb Sbs Bionomy: Larva on *Pergularia extensa* (Asclepiadaceae) (Vari,1961).
- 50459. *Metriochoa scotinopa* Vari,1963** (Gracillariidae) Synonym(s): *scotinopa* Vari,1963 Range (in code): ET
- 50460. *Metriochoa syringae* Kumata,1998** (Gracillariidae) Synonym(s): *syringae* Kumata,1998 Range (in code): JP Hkk
- 50461. *Metriochoa tylophorae* Vari,1961** (Gracillariidae) Synonym(s): *tylophorae* Vari,1961 Range (in code): ZA Ec Kwi Bionomy: Larva on *Tylophora cordata* (Asclepiadaceae) (Vari,1961).
- 50462. *Micrurapteryx bidentata* Noreika,1992** (Gracillariidae) Synonym(s): *bidentata* Noreika,1992 _ Range (in code): KK Na
- 50463. *Micrurapteryx fumosella* Kuznetsov & Tristan,1985** (Gracillariidae) Synonym(s): *fumosella* Kuznetsov & Tristan,1985 _ Range (in code): KK Ik Bionomy: Larva on *Astragalus alpinus*, *Vicia cracca*, *Melilotus albus*, *Trifolium pratense* (Fabaceae) (Kuznetsov & Tristan,1985).
- 50464. *Micrurapteryx gerasimovi* Ermolaev,1982** (Gracillariidae) Synonym(s): *gerasimovi* Ermolaev,1982 _ Range (in code): RU Us Vv Bionomy: Larva on *Melilotus suaveolens*, *Vicia cracca* (Fabaceae) (Ermolaev,1982).
- 50465. *Micrurapteryx gradatella* (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *gradatella* Herrich-Schäffer,1855 _ Range (in code): ES DE PL NO SE FI RU Sb MD UA BY TJ Bionomy: Larva on *Orobis tuberosus*, *Vicia sepium*, *Caragana arborescens* (Fabaceae) (Kuznetsov & Tristan,1985).
- 50466. *Micrurapteryx kollariella* (Zeller,1839)** (Gracillariidae) Synonym(s): *kollariella* Zeller,1839 _ Range (in code): PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU HV SS AL BG TR RU MD UA BY KG Bionomy: Larva on *Cytisus scoparius*, *Genista tinctoria*, *Laburnum*, *Sarothamnus*, *Lupinus*, *Laburnocytisus*, *Petteria*, *Coronilla emerus* (Fabaceae) (Mann,1862; et seq.).

- 50467. *Micrurapteryx parvula* Amsel,1935** (Gracillariidae) Synonym(s): *parvula* Amsel,1935
Original Reference: *Micrurapteryx parvula* Amsel,1935, Mitt. zool. Mus. Berlin 20: 308, Taf. 12, fig. 149. Type: [Israel]: "Jordanbrücke". Range (in code): **IL Pa Jt**
- 50468. *Micrurapteryx salicifoliella* (Chambers,1872)** (Gracillariidae) Synonym(s): *salicifoliella* Chambers,1872 Range (in code): **US Cf Il In Knt Mch Mis Oh Vr CA Qb** Bionomy: Larva on *Salix alba*, *S. babylonica*, *S. longifolia*, *S. integra*, *Populus* (Salicaceae) (Chambers,1872; et seq.).
- 50469. *Micrurapteryx sophorella* Kuznetsov,1979** (Gracillariidae) Synonym(s): *sophorella* Kuznetsov,1979 Range (in code): **KG Aa Cc AZ UZ Br RU**
- 50470. *Micrurapteryx sophorivora* Kuznetsov & Tristan,1985** (Gracillariidae) Synonym(s): *sophorivora* Kuznetsov & Tristan,1985 Range (in code): **TR KG Aa** Bionomy: Larva on *Sophora* (Fabaceae) (Kuznetsov & Tristan,1985).
- 50471. *Micrurapteryx tortuosella* Kuznetsov & Tristan,1985** (Gracillariidae) Synonym(s): *tortuosella* Kuznetsov & Tristan,1985 Range (in code): **TJ KK Ik** Bionomy: Larva on *Medicago sativa*, *Melilotus*, *Lathyrus* (Fabaceae) (Kuznetsov & Tristan,1985).
- 50472. *Monocercops actinosema* (Turner,1923)** (Gracillariidae) Synonym(s): *actinosema* Turner,1923 Range (in code): **AU QAU**
- 50473. *Monocercops nepalensis* Kumata,1989** (Gracillariidae) Synonym(s): *nepalensis* Kumata,1989 Range (in code): **NP** Bionomy: Larva on *Castanopsis indica* (Fagaceae) (Kumata,1989).
- 50474. *Monocercops resplendens* (Stainton,1862)** (Gracillariidae) Synonym(s): *resplendens* Stainton,1862 Range (in code): **IN Clc NP** Bionomy: Larva on *Shorea robusta* (Dipterocarpaceae) (Meyrick,1937).
- 50475. *Monocercops thoi* Kumata,1989** (Gracillariidae) Synonym(s): *thoi* Kumata,1989 Range (in code): **MY Sgo** Bionomy: Larva on *Castanopsis inermis* (Fagaceae) (Kumata,1989).
- 50476. *Monocercops triangulata* Kumata,1989** (Gracillariidae) Synonym(s): *triangulata* Kumata,1989 Range (in code): **NP** Bionomy: Larva on *Castanopsis* (Fagaceae) (Kumata,1989).
- 50477. *Neolithocolletis hikomonticola* Kumata,1963** (Gracillariidae) Synonym(s): *hikomonticola* Kumata,1963 Range (in code): **JP Kyu** Bionomy: Larva on *Pueraria montana* var. *lobata* (Fabaceae) (Kumata,1963).
- 50478. *Neolithocolletis kangarensis* Kumata,1963** (Gracillariidae) Synonym(s): *kangarensis* Kumata,1963 Range (in code): **MY Prl** Bionomy: Larva on *Calopogonium* (Fabaceae) (Kumata,1963).
- 50479. *Neolithocolletis mayumbe* De Prins,2012** (Gracillariidae) Synonym(s): *mayumbe* De Prins,2012 Range (in code): **ZR**
- 50480. *Neolithocolletis nsengai* De Prins,2012** (Gracillariidae) Synonym(s): *nsengai* De Prins,2012 Range (in code): **ZR**
- 50481. *Neolithocolletis pentadesma* (Meyrick,1919)** (Gracillariidae) Synonym(s): *pentadesma* Meyrick,1919 Range (in code): **ID Ja CN HK MY Bor Swk PH Luz SC** Bionomy: Larva on *Pterocarpus indicus*, *P. javanicus* (Fabaceae) (Meyrick,1919).
- 50482. *Neurostrota gunniella* (Busck,1906)** (Gracillariidae) Synonym(s): *gunniella* Busck,1906
Original Reference: *Acrocercops gunniella* Busck,1906, Proc. U. S. Nat. Mus. 30: 731. Type: [U.S.A.]; Texas: Brownsville (USNM). Range (in code): **TH US Tx CU MX AU** Bionomy: Larva stem borer on *Mimosa asperata*, *M. pigra* (Fabaceae) (Busck,1934; et seq.).
- 50483. *Oligoneurina ficicola* Vari,1961** (Gracillariidae) Synonym(s): *ficicola* Vari,1961 Range (in code): **ZA Nta Kzu Ina** Bionomy: Larva on *Ficus ingens* (Moraceae) (Vari,1961).
- 50484. *Ornixola caudulatella* (Zeller,1839)** (Gracillariidae) Synonym(s): *caudulatella* Zeller,1839; *nigroscripella* Duponchel,1845; *eisendlei* Hauder,1910 Range (in code): **FR IT DE AT PL CZ SK HU GR LV RU RO** Bionomy: Larva on *Salix acutifolia*, *S. caprea* (Salicaceae) (Kuznetsov & Baryshnikova,1998).
- 50485. *Paracephala timaea* (Meyrick,1914)** (Gracillariidae) Synonym(s): *timaea* Meyrick,1914 Range (in code): **TZ NA Abc**
- 50486. *Pareclectis adelospila* Vari,1961** (Gracillariidae) Synonym(s): *adelospila* Vari,1961 Range (in code): **ZA Nta Kzu Pel**
- 50487. *Pareclectis hobohmi* Vari,1961** (Gracillariidae) Synonym(s): *hobohmi* Vari,1961 Range (in code): **NA Abc**

- 50488. *Pareclectis invita* (Meyrick,1912)** (Gracillariidae) Synonym(s): *invita* Meyrick,1912; *anciStraula* Meyrick,1937 _ Range (in code): ZA Tva Mpu Brb Ec Stj Gau Pre Nta Kzu Esw Pel Grh
- 50489. *Pareclectis leucosticha* Vari,1961** (Gracillariidae) Synonym(s): *leucosticha* Vari,1961
Range (in code): ZA Nca
- 50490. *Pareclectis mimetis* Vari,1961** (Gracillariidae) Synonym(s): *mimetis* Vari,1961 _ Range (in code): MZ Mag
- 50491. *Pareclectis prionota* (Meyrick,1928)** (Gracillariidae) Synonym(s): *prionota* Meyrick,1928
Range (in code): ZA Tva Lpo Pot ZW
- 50492. *Parectopa capnias* (Meyrick,1908)** (Gracillariidae) Synonym(s): *capnias* Meyrick,1908
Range (in code): IN LK Bionomy: Larva on *Ixora parviflora* (Rubiaceae) (Meyrick,1934).
- 50493. *Parectopa grisella* (Van Deventer,1904)** (Gracillariidae) Synonym(s): *grisella* Van Deventer,1904 _ Range (in code): MY ID Ja Bionomy: Larva on *Mimusops elengi*, *Manilkara zapota* (Sapotaceae) (Van Deventer,1904; et seq.).
- 50494. *Parectopa ononidis* (Zeller,1839)** (Gracillariidae) Synonym(s): *ononidis* Zeller,1839; *ononiella* Duponchel,1845; *moniliella* Tengsrom,1848; *argentipunctella* Stainton,1848; *ononidella* Bruand,1851
Range (in code): ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Ononis spinosa*, *Trifolium pratense* (Fabaceae) (Stainton,1864; et seq.).
- 50495. *Parectopa oxysphena* Meyrick,1934** (Gracillariidae) Synonym(s): *oxysphena* Meyrick,1934 _ Range (in code): IN Bba Bionomy: Larva on *Flemingia strobilifera* (Fabaceae) (Meyrick,1934).
- 50496. *Parectopa promylaea* (Meyrick,1917)** (Gracillariidae) Synonym(s): *promylaea* Meyrick,1917 _ Range (in code): IN Ass Meg Khs
- 50497. *Parectopa robiniella* Clemens,1863** (Gracillariidae) Synonym(s): *robiniella* Clemens,1863
Range (in code): FR IT CH AT CZ SK HU YU UA RU CA US Bionomy: alrva on *Robinia pseudoacacia*, *R. hispida*, *R. viscosa*, *Desmodium*, *Amorpha fruticosa*, *Galactia volubilis* (Fabaceae) (Clemens,1859; et seq.).
- 50498. *Parornix acuta* Triberti,1980** (Gracillariidae) Synonym(s): *acuta* Triberti,1980 _ Range (in code): Si IT Cr GR CY MK Och
- 50499. *Parornix alni* Kumata,1965** (Gracillariidae) Synonym(s): *alni* Kumata,1965 _ Range (in code): JP Hkk RU Us Bionomy: Larva on *Alnus hirsuta* (Betulaceae) (Kumata,1965).
- 50500. *Parornix ampliata* (Stainton,1850)** (Gracillariidae) Synonym(s): *ampliata* Stainton,1850 _ Range (in code): Co HV IT AT
- 50501. *Parornix anglicella* (Stainton,1850)** (Gracillariidae) Synonym(s): *nebulea* Haworth,1828; *anglicella* Stainton,1850; *fragariae* Stainton,1874; *rubiella* Caradja,1920 _ Range (in code): PT FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO B-H YU MK Mt BG TR DK NO SE FI EE LV LT RU MD UA BY KG US Bionomy: Larva on *Crataegus monogyna*, *C. laevigata*, *C. curvisepala*, *Cotoneaster*, *Mespilus*, *Rubus caesius*, *Fragaria vesca*, *Sorbus torminalis* (Rosaceae) (Stainton,1864; et seq.).
- 50502. *Parornix anguliferella* (Zeller,1847)** (Gracillariidae) Synonym(s): *anguliferella* Zeller,1847 _ Range (in code): Sa IT NL DE CH AT PL CZ SK HU MK RO MD GR TR RU UA Bionomy: Larva on *Pyrus communis*, *Malus pumila*, *Cydonia oblonga*, *Cerasus*, *Prunus*, *Amelanchier*, *Sorbus aucuparia* (Rosaceae) (Stainton,1864; et seq.).
- 50503. *Parornix asiatica* Noreika,1991** (Gracillariidae) Synonym(s): *asiatica* Noreika,1991
Range (in code): TM TJ Bionomy: Larva on Rosaceae (Kuznetsov & Baryshnikova,2002).
- 50504. *Parornix atripalpella* Wahlström,1979** (Gracillariidae) Synonym(s): *atripalpella* Wahlström,1979 _ Range (in code): FR Sa IT DE CH SE Bionomy: Larva on *Prunus spinosa* (Rosaceae) (Svensson,1996).
- 50505. *Parornix betulae* (Stainton,1854)** (Gracillariidae) Synonym(s): *betulae* Stainton,1854; *scutulatella* Stainton,1854; *betulella* Herrich-Schäffer,1855 _ Range (in code): AT BY BE CZ DK EE FI FR DE HU IE IT JP Hkk LT NL NO PL RO SK RU CH SE UA GB KP KR CA BCo Bionomy: Larva on *Betula pendula*, *B. pubescens*, *B. verrucosa*, *B. alba*, *B. mandschurica*, *B. platyphylla* (Betulaceae) (Stainton,1854; et seq.).
- 50506. *Parornix bifurca* Triberti,1998** (Gracillariidae) Synonym(s): *bifurca* Triberti,1998
Range (in code): IT
- 50507. *Parornix carpinella* (Frey,1863)** (Gracillariidae) Synonym(s): *carpinella* Frey,1863; *eppelsheimi* Fuchs,1901 _ Range (in code): FR Sa Si IT BE NL DE CH AT PL CZ SK HU YU BG GR SE RU MD UA BY Bionomy: Larva on *Carpinus betulus*, *Ostrya carpinifolia* (Frey,1863; et seq.).

- 50508. *Parornix compressa* Triberti,1990** (Gracillariidae) Synonym(s): *compressa* Triberti,1990
Range (in code): **AF Kab PK BI Qu**
- 50509. *Parornix compsumpta* Triberti,1987** (Gracillariidae) Synonym(s): *compsumpta* Triberti,1987
Range (in code): **MK GR**
- 50510. *Parornix concussa* (Meyrick,1933)** (Gracillariidae) Synonym(s): *concussa* Meyrick,1933
Range (in code): **Ch IN GI**
- 50511. *Parornix cotoneasterella* Kuznetsov,1978** (Gracillariidae) Synonym(s): *cotoneasterella* Kuznetsov,1978
Range (in code): **TJ Kud TM** Bionomy: Larva on *Cotoneaster hissaricus*, *C. avellana* (Rosaceae) (Kuznetsov,1988).
- 50512. *Parornix devoniella* (Stainton,1850)** (Gracillariidae) Synonym(s): *devoniella* Stainton,1850; *avellanella* Stainton,1854; *avellanaecolella* Doubleday,1859; *cotoneastri* Caradja,1920
Range (in code): **AT BY BE BG HV CZ DK EE FI FR DE HU IE IT LT LU MD NL NO PL SS HV RO MD RU SK SS SE CH TR UA GB** Bionomy: Larva on *Corylus avellana*, *C. columna* (Betulaceae) (Stainton,1864; et seq.).
- 50513. *Parornix ermolaevi* Kuznetsov,1979** (Gracillariidae) Synonym(s): *ermolaevi* Kuznetsov,1979
Range (in code): **RU Us** Bionomy: *Corylus heterophylla* (Betulaceae) (Ermolaev,1981).
- 50514. *Parornix fagivora* (Frey,1861)** (Gracillariidae) Synonym(s): *fagivora* Frey,1861
Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU DK SE RU MD UA BY HV YU Mt MK RO BG AL** Bionomy: Larva on *Fagus sylvatica* (Fagaceae) (Frey,1861).
- 50515. *Parornix finitimella* (Zeller,1850)** (Gracillariidae) Synonym(s): *finitimella* Zeller,1850
Range (in code): **FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK SE FI RU MD UA BY KG** Bionomy: Larva on *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *P. communis*, *P. armeniaca* (Rosaceae) (Stainton,1864; et seq.).
- 50516. *Parornix fragilella* Triberti,1981** (Gracillariidae) Synonym(s): *fragilella* Triberti,1981
Range (in code): **MK Och GR**
- 50517. *Parornix hastata* Triberti,1990** (Gracillariidae) Synonym(s): *hastata* Triberti,1990
Original Reference: *Parornix hastata* Triberti,1990, Z. ArbGem. öst. Ent. 41: 65-66, figs. Holotype ♂: O-Afghanistan, Salang Pass N-Seite (Khinjan) 2100m, 5-11.vii.1966, Amsel leg. (LNK).
Range (in code): **AF Pag Kab Hr Slg**
- 50518. *Parornix incerta* Triberti,1982** (Gracillariidae) Synonym(s): *incerta* Triberti,1982
Range (in code): **ES Snv**
- 50519. *Parornix kugitangi* Noreika,1991** (Gracillariidae) Synonym(s): *kugitangi* Noreika,1991
Range (in code): **TM UZ**
- 50520. *Parornix kumatai* Ermolaev,1993** (Gracillariidae) Synonym(s): *kumatai* Ermolaev,1993
Range (in code): **Cc RU Da Us Vv** Bionomy: Larva on *Crataegus maximowiczii* (Rosaceae) (Ermolaev,1993).
- 50521. *Parornix loganella* (Stainton,1848)** (Gracillariidae) Synonym(s): *loganella* Stainton,1848; *distinctella* Nolcken,1870
Range (in code): **GB SK DK NO SE FI EE LV RU** Bionomy: Larva on *Betula alba* (Betulaceae) (Stainton,1864; et seq.).
- 50522. *Parornix loricata* Triberti,1998** (Gracillariidae) Synonym(s): *loricata* Triberti,1998
Range (in code): **IT**
- 50523. *Parornix maliphaga* Kuznetsov,1979** (Gracillariidae) Synonym(s): *maliphaga* Kuznetsov,1979
Range (in code): **RU** Bionomy: Larva on *Malus* (Rosaceae) (Kuznetsov,1979).
- 50524. *Parornix maura* Triberti,1998** (Gracillariidae) Synonym(s): *maura* Triberti,1998
Range (in code): **MA DZ**
- 50525. *Parornix mixta* (Triberti,1980)** (Gracillariidae) Synonym(s): *mixta* Triberti,1980
Range (in code): **IT SK YU RO** Bionomy: Larva on *Spiraea media* (Rosaceae) (Lastuvka & Lastuvka,1991).
- 50526. *Parornix oculata* Triberti,1979** (Gracillariidae) Synonym(s): *oculata* Triberti,1979
Range (in code): **GR TR**
- 50527. *Parornix ornatella* Triberti,1981** (Gracillariidae) Synonym(s): *ornatella* Triberti,1981
Range (in code): **AT Wn** Bionomy: Larva on *Amelanchier ovalis* (Rosaceae) (Triberti,1981).
- 50528. *Parornix persicella* Danilevsky,1955** (Gracillariidae) Synonym(s): *persicella* Danilevsky,1955
Range (in code): **TM KG UZ TJ Dsb IR** Bionomy: Larva on *Persica vulgaris*, *Amygdalus* (Rosaceae) (Danilevsky,1955).

- 50529. Parornix petiolella (Frey,1861)** (Gracillariidae) Synonym(s): *petiolella* Frey,1861
Range (in code): **FR IT DE CH AT CZ SK HU RU BG UA RO KG** Bionomy: Larva on *Malus pumila*, *M. sylvestris*, *Pyrus*, *Persica*, *Armeniaca*, *Prunus domestica*, *P. divaricata*, *P. vulgaris* (Rosaceae) (Frey,1863; et seq.).
- 50530. Parornix polygrammella (Wocke,1862)** (Gracillariidae) Synonym(s): *polygrammella* Wocke,1862
Range (in code): **FR NO SE FI EE RU MD UA BY** Bionomy: Larva on *Betula nana* (Betulaceae) (Wocke,1862).
- 50531. Parornix scoticella (Stainton,1850)** (Gracillariidae) Synonym(s): *scoticella* Stainton,1850; *canella* Tengström,1859; *alpicola* Wocke,1877; *fulluzella* Chretien,1898; *sauberella* Sorhagen,1905; *leucostola* Pelham-Clinton,1964
Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR HV DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Sorbus aucuparia*, *S. aria*, *S. chamaemespilus*, *Dryas octopetala*, *S. amurensis*, *S. commixta*, *Malus*, *Cotoneaster*, *Viburnum* *lantana*, *Prunus spinosa* (Rosaceae) (Stainton,1850; et seq.).
- 50532. Parornix subfinitimella Kuznetsov,1956** (Gracillariidae) Synonym(s): *subfinitimella* Kuznetsov,1956
Range (in code): **TM K-K** Bionomy: Larva on *Crataegus turkestanica* (Rosaceae) (Kuznetsov,1956).
- 50533. Parornix szoecsi (Gozmany,1952)** (Gracillariidae) Synonym(s): *szoecsi* Gozmany,1952; *amygdalella* Kuznetsov,1978
Range (in code): **ES Sa AT HU RU Ur Or CZ IR GlS KG RO SK UA** Bionomy: Larva on *Prunus fruticosa*, *P. tenella* (= *Amygdalus nanus*) (Rosaceae) (Triberti,1982).
- 50534. Parornix tenella (Rebel,1919)** (Gracillariidae) Synonym(s): *tenella* Rebel,1919
Range (in code): **ES Si IT AT SK HU YU CZ RO**
- 50535. Parornix torquillella (Zeller,1850)** (Gracillariidae) Synonym(s): *meleagripennella* Hübner,1796; *torquillella* Zeller,1850; *#torquillella* Doubleday,1859
Range (in code): **FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU MK TR TM DK NO SE RU MD UA BY GG Cc** Bionomy: Larva on *Prunus domestica*, *P. spinosa*, *P. divaricata*, *P. cerasifera*, *Amygdalus*, *Padus racemosa*, *Pyrus communis* (Rosaceae) (Stainton,1864; et seq.).
- 50536. Parornix traugotti Svensson,1976** (Gracillariidae) Synonym(s): *traugotti* Svensson,1976
Range (in code): **PL DK EE SE LV LT RU** Bionomy: Larva on *Betula pubescens* (Betulaceae) (Kuznetsov & Baryshnikova,1988).
- 50537. Parornix turcmeniella Kuznetsov,1956** (Gracillariidae) Synonym(s): *turcmeniella* Kuznetsov,1956
Range (in code): **TM Kp K-K** Bionomy: Larva on *Amygdalus scoparia* (Rosaceae) (Kuznetsov & Baryshnikova,1988).
- 50538. Phodoryctis caerulea (Meyrick,1912)** (Gracillariidae) Synonym(s): *caerulea* Meyrick,1912; *centrometra* Meyrick,1920; *#caerulea* Bradley,1961
Range (in code): **IN Bi Pus Ben ID Ja JP Ri MY LK TW TZ FJ SB GU** Bionomy: Larva on *Caesalpinia pulcherrima*, *Cajanus cajan*, *Calopogonium mucunoides*, *Canavalia ensiformis*, *Centrosema pubescens*, *Crotolaria juncea*, *Dumasia bicolor*, *Lablab purpureus*, *Macroptilium lathyroides*, *Phaseolus vulgaris*, *Vicia faba*, *Vigna marina*, *V. mungo*, *V. radiata*, *V. umbellata*, *V. unguiculata* (Fabaceae); *Carissa carandas* (Apocynaceae); *Cissampelos pereira*, *Cyclea*, *Stephania hermandifolia*, *S. japonica*, *Tinospora cardifolia* (Menispermaceae); *Dioscorea deltoidea* (Dioscoraceae); *Coffea* (Rubiaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50539. Phodoryctis dolichophila (Vari,1961)** (Gracillariidae) Synonym(s): *dolichophila* Vari,1961
Range (in code): **ZA Nta Kzu Stj Ec Slpp Gau Pre ZW Uma MU** Bionomy: Larva on *Dolichos falcatus*, *Vigna* (Fabaceae) (Vari,1961).
- 50540. Phodoryctis stephaniae Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *stephaniae* Kumata & Kuroko,1988
Range (in code): **JP NRi P TW**
- 50541. Phodoryctis thrypticosema (Vari,1961)** (Gracillariidae) Synonym(s): *thrypticosema* Vari,1961
Range (in code): **ZA Nta Kzu ZW** Bionomy: Larva on ? *Craibia brevicaudata* (Fabaceae) (Vari,1961).
- 50542. Phrixosceles campsigrapha Meyrick,1908** (Gracillariidae) Synonym(s): *campsigrapha* Meyrick,1908
Range (in code): **LK**
- 50543. Phrixosceles fibulatrix Meyrick,1922** (Gracillariidae) Synonym(s): *fibulatrix* Meyrick,1922
Range (in code): **FJ**
- 50544. Phrixosceles hydrocosma Meyrick,1908** (Gracillariidae) Synonym(s): *hydrocosma* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 50545. Phrixosceles literaria Meyrick,1908** (Gracillariidae) Synonym(s): *literaria* Meyrick,1908
Range (in code): **LK**

- 50546. Phrixosceles phricotarsa** Meyrick, 1916 (Gracillariidae) Synonym(s): *phricotarsa* Meyrick, 1916 _ Range (in code): **IN**
- 50547. Phrixosceles pteridograptia** Meyrick, 1935 (Gracillariidae) Synonym(s): *pteridograptia* Meyrick, 1935 _ Range (in code): **IN Bba**
- 50548. Phrixosceles scioplintha** Meyrick, 1934 (Gracillariidae) Synonym(s): *scioplintha* Meyrick, 1934 _ Range (in code): **TW**
- 50549. Phrixosceles trochosticha** Meyrick, 1908 (Gracillariidae) Synonym(s): *trochosticha* Meyrick, 1908 _ Range (in code): **IN Ass Meg Khs**
- 50550. Phyllocnistis amydropa** Meyrick, 1934 (Gracillariidae) Synonym(s): *amydropa* Meyrick, 1934 _ Range (in code): **IN Bba** Bionomy: Larva on Gmelina arborea (Verbenaceae) (Meyrick, 1934).
- 50551. Phyllocnistis argothea** Meyrick, 1933 (Gracillariidae) Synonym(s): *argothea* Meyrick, 1933 Range (in code): **IN Bi Pus** Bionomy: Larva on Drypetes roxburghii (Euphorbiaceae) (Meyrick, 1933).
- 50552. Phyllocnistis canariensis** M.Hering, 1927 (Gracillariidae) Synonym(s): *canariensis* M.Hering, 1927 _ Range (in code): **Cn Md** Bionomy: Larva on Salix canariensis (Salicaceae) (M.Hering, 1927).
- 50553. Phyllocnistis citrella** Stainton, 1856 (Gracillariidae) Synonym(s): *citrella* Stainton, 1856; *minutella* Van Deventer, 1904; *citricola* Shiraki, 1913 Original Reference: Phyllocnistis citrella Stainton, 1856, Trans. ent. Soc. Lond. (n.s.) (2) 3(8): 302-303. Syntypes: India: Calcutta (BMNH). Range (in code): **Az Cn DZ MA TN EG PT FR ES Co Sa Si IT NL MT B-H HV GR Cr CY AF CN ER ET TR IR IQ IL Pa JO LB LY TN SY AE YE SA TM Md US Tx BR CO CU CR EC GY PA GT MX VE CI MZ NG RE TZ SD ZA IN Adm BD KH LA TH MM Bor BN Sbh Swk NP PK SG CN LK PH VN TW AU GU WS PG SB Ri JP ID Sum Ja Clb Ij Clc Fl** Bionomy: Larva mines in leaf of Citrus aurantifolia, C.aurantium, C.histrix, C.limon, C.maxima, C.medica, C.reticulata, C.sinensis, Aegle marmelos, Atalantia, Citrofortunella microcarpa, Fortunella crassifolia, F.marginata, Limonia, Murraya koenigii, M.panicula (Rutaceae) (Stainton, 1856; et seq.).
- 50554. Phyllocnistis citronympha** Meyrick, 1926 (Gracillariidae) Synonym(s): *citronympha* Meyrick, 1926 _ Range (in code): **IN Bba** Bionomy: Larva on Odina wodier, Lannea coromandelica (Anacardiaceae) (Meyrick, 1926; et seq.).
- 50555. Phyllocnistis echinodes** Meyrick, 1926 (Gracillariidae) Synonym(s): *echinodes* Meyrick, 1926 _ Range (in code): **IN Bba** Bionomy: Larva on Anamirta cocculus (Menispermaceae) (Meyrick, 1926).
- 50556. Phyllocnistis exaeta** Meyrick, 1926 (Gracillariidae) Synonym(s): *exaeta* Meyrick, 1926 Range (in code): **IN Ass Meg Slo**
- 50557. Phyllocnistis exiguella** Van Deventer, 1904 (Gracillariidae) Synonym(s): *exiguella* Van Deventer, 1904 _ Range (in code): **ID Ja** Bionomy: Larva on Buchanania florida, B. arborescens (Anacardiaceae) (Van Deventer, 1904; et seq.).
- 50558. Phyllocnistis extrematrix** Martynova, 1955 (Gracillariidae) Synonym(s): *extrematrix* Martynova, 1955; *almaatensis* Martynova, 1955 _ Range (in code): **RU RO KG Aa** Bionomy: Larva on Populus nigra, P. balsamifera (Salicaceae) (Kuznetsov & Baryshnikova, 1988).
- 50559. Phyllocnistis helicodes** Meyrick, 1916 (Gracillariidae) Synonym(s): *helicodes* Meyrick, 1916 _ Range (in code): **IN Bi Pus** Bionomy: Larva on Polyalthia longifolia (Annonaceae) (Meyrick, 1916).
- 50560. Phyllocnistis humiliella** Van Deventer, 1904 (Gracillariidae) Synonym(s): *humiliella* Van Deventer, 1904 _ Range (in code): **ID Ja** Bionomy: Larva on Cinnamomum iners (Lauraceae) (Meyrick, 1934).
- 50561. Phyllocnistis labyrinthella** (Bjerkander, 1790) (Gracillariidae) Synonym(s): *labyrinthella* Bjerkander, 1790; *sorhageniella* Lüders, 1900 _ Range (in code): **PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY KG** Bionomy: Larva on Populus tremula, P. alba (Salicaceae) (Bjerkander, 1790).
- 50562. Phyllocnistis minimella** Van Deventer, 1904 (Gracillariidae) Synonym(s): *minimella* Van Deventer, 1904 _ Range (in code): **ID Ja** Bionomy: Larva on Protium javanicum (Burseraceae) (Van Deventer, 1904).
- 50563. Phyllocnistis nepenthae** M.Hering, 1931 (Gracillariidae) Synonym(s): *nepenthae* M.Hering, 1931 _ Range (in code): **ID Sum** Bionomy: Larva on Nepenthes tobaica (Nepentaceae) (M.Hering, 1931).

- 50564. *Phyllocnistis pharetrucha* Meyrick, 1921** (Gracillariidae) Synonym(s): *pharetrucha* Meyrick, 1921 _ Range (in code): **ZA Nta Kzu Kkf**
- 50565. *Phyllocnistis saligna* (Zeller, 1839)** (Gracillariidae) Synonym(s): *saligna* Zeller, 1839; *salicifoliella* Duponchel, [1845]; *salignella* Herrich-Schäffer, 1855; *lugdunensella* Bruand, 1859 _ Range (in code): **FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU HV RO MK IL Pa KG TM DK SE LV LT RU MD UA BY ZA RE IN LK** Bionomy: Larva on *Salix babylonica*, *S. fragilis*, *S. purpurea*, *S. tetrasperma*, *S. viminalis*, *Populus* (Salicaceae) (Zeller, 1839; et seq.).
- 50566. *Phyllocnistis selenopa* Meyrick, 1915** (Gracillariidae) Synonym(s): *selenopa* Meyrick, 1915 Range (in code): **IN LK SB Hon** Bionomy: Larva on *Melia azaderach* (Meliaceae) (Meyrick, 1915).
- 50567. *Phyllocnistis spatulata* Meyrick, 1928** (Gracillariidae) Synonym(s): *spatulata* Meyrick, 1928 _ Range (in code): **IN Ass Meg Slo** Bionomy: Larva on *Lindera caudata* (Lauraceae) (Meyrick, 1928).
- 50568. *Phyllocnistis stereograptia* Meyrick, 1934** (Gracillariidae) Synonym(s): *stereograptia* Meyrick, 1934 _ Range (in code): **IN Bba** Bionomy: Larva on *Stereospermum suaveolens* (Bignoniaceae) (Meyrick, 1934).
- 50569. *Phyllocnistis synglypta* Meyrick, 1918** (Gracillariidae) Synonym(s): *synglypta* Meyrick, 1918 _ Range (in code): **IN Kmr MY** Bionomy: Larva on *Terminalia tomentosa*, *T. catappa* (Combretaceae); *Capparis* (Rosaceae) (Fletcher, 1933; et seq.).
- 50570. *Phyllocnistis tectonivora* Meyrick, 1936** (Gracillariidae) Synonym(s): *tectonivora* Meyrick, 1936 _ Range (in code): **ID Ja** Bionomy: Larva on *Tectona grandis* (Verbenaceae) (Meyrick, 1936).
- 50571. *Phyllocnistis temperator* Meyrick, 1936** (Gracillariidae) Synonym(s): *temperator* Meyrick, 1936 _ Range (in code): **ID Ja** Bionomy: Larva on *Leea* (Vitaceae) (Meyrick, 1936).
- 50572. *Phyllocnistis titania* Meyrick, 1928** (Gracillariidae) Synonym(s): *titania* Meyrick, 1928 Range (in code): **ID Sum** Bionomy: Larva on *Premna tomentosa* (Verbenaceae) (Meyrick, 1928).
- 50573. *Phyllocnistis unipunctella* (Stephens, 1834)** (Gracillariidae) Synonym(s): *unipunctella* Stephens, 1834; *augustella* Costa, [1836] *nec* Hübn., 1796; *suffusella* Zeller, 1848 _ Range (in code): **PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO GR TR IL Pa TM DK NO SE FI EE LV LT RU MD UA B-H JP** Bionomy: Larva on *Populus nigra*, *P. balsamifera*, *P. canadensis*, *P. euphratica*, *P. italica*, *P. pyramidalis* (Salicaceae) (Heinemann & Wocke, 1877; et seq.).
- 50574. *Phyllocnistis valentinensis* (M. Hering, 1936)** (Gracillariidae) Synonym(s): *valentinensis* M. Hering, 1936 _ Range (in code): **ES IT BG GR RU KG** Bionomy: Larva on *Salix fragilis* (Salicaceae) (Hering, 1936).
- 50575. *Phyllocnistis voutei* M. Hering, 1932** (Gracillariidae) Synonym(s): *voutei* M. Hering, 1932 Range (in code): **ID Ja** Bionomy: Larva on *Loranthus* (Loranthaceae) (Hering, 1932).
- 50576. *Phyllocnistis xenia* M. Hering, 1936** (Gracillariidae) Synonym(s): *xenia* M. Hering, 1936 Range (in code): **PT ES GB BE NL CH AT PL CZ SK HU RO RU MD** Bionomy: Larva on *Populus alba*, *P. canescens* (Salicaceae) (Hering, 1936).
- 50577. *Phyllonorycter aarviki* De Prins, 2012** (Gracillariidae) Synonym(s): *aarviki* De Prins, 2012 Range (in code): **TZ YE**
- 50578. *Phyllonorycter abrasella* (Duponchel, 1843)** (Gracillariidae) Synonym(s): *abrasella* Duponchel, 1843; *abrasella* Zeller, 1846 _ Range (in code): **FR IT DE AT CZ SK HU RO MK HV BG AL GR TR RU** Bionomy: Larva on *Quercus robur*, *Q. sessiliflora*, *Q. cerris* (Fagaceae) (Wocke, 1871; et seq.).
- 50579. *Phyllonorycter acaciella* (Duponchel, 1843)** (Gracillariidae) Synonym(s): *acaciella* Duponchel, 1843; *bentivoliella* Costantini, 1923 _ Range (in code): **FR IT AT CZ SK HU BG GR TR RU MD KG BY** Bionomy: Larva on *Ulmus campestris*, *U. scabra*, *U. foliacea*, *U. carpinifolia*, *U. procera* (Ulmaceae) (Lhomme, 1946-1963; et seq.).
- 50580. *Phyllonorycter acerifoliella* (Zeller, 1839)** (Gracillariidae) Synonym(s): *sylvella* Haworth, [1828] *nec* Hübner, [1813]; *acerifoliella* Zeller, 1839; *acernella* Duponchel, [1843]. _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LT RU MD UA BY KG** Bionomy: Larva on *Acer* (Zeller, 1839).
- 50581. *Phyllonorycter aceripestis* (Kuznetsov, 1978)** (Gracillariidae) Synonym(s): *aceripestis* Kuznetsov, 1978 _ Range (in code): **TM TJ**
- 50582. *Phyllonorycter aceriphaga* (Kuznetsov, 1975)** (Gracillariidae) Synonym(s): *aceriphaga* Kuznetsov, 1975 _ Range (in code): **TM TJ**

- 50583. *Phyllonorycter achilleus* De Prins, 2012** (Gracillariidae) Synonym(s): *achilleus* De Prins, 2012 _ Range (in code): KE
- 50584. *Phyllonorycter acutulus* De Prins, 2012** (Gracillariidae) Synonym(s): *acutulus* De Prins, 2012 _ Range (in code): KE
- 50585. *Phyllonorycter adderis* De Prins, 2012** (Gracillariidae) Synonym(s): *adderis* De Prins, 2012 _ Range (in code): RW
- 50586. *Phyllonorycter adenocarp* (Staudinger, 1863)** (Gracillariidae) Synonym(s): *adenocarp* Staudinger, 1863 _ Range (in code): PT ES
- 50587. *Phyllonorycter aemula* Triberti, Deschka & Huemer, 1997** (Gracillariidae) Synonym(s): *aemula* Triberti, Deschka & Huemer, 1997 _ Range (in code): AT IT
- 50588. *Phyllonorycter agassizi* De Prins, 2012** (Gracillariidae) Synonym(s): *agassizi* De Prins, 2012 _ Range (in code): KE
- 50589. *Phyllonorycter agilella* (Zeller, 1846)** (Gracillariidae) Synonym(s): *agilella* Zeller, 1846 _ Range (in code): FR Co IT BE DE AT PL CZ SK HU BG LV LT RU MD UA KG
- 50590. *Phyllonorycter albertinus* De Prins, 2012** (Gracillariidae) Synonym(s): *albertinus* De Prins, 2012 _ Range (in code): KE
- 50591. *Phyllonorycter alluaudiella* (Chrétien, 1922)** (Gracillariidae) Synonym(s): *alluaudiella* Chrétien, 1922 _ Range (in code): MA
- 50592. *Phyllonorycter alnivorella* (Ragonot, 1875)** (Gracillariidae) Synonym(s): *alnivorella* Ragonot, 1875 _ Range (in code): PT ES FR
- 50593. *Phyllonorycter alpina* (Frey, 1856)** (Gracillariidae) Synonym(s): *alpina* Frey, 1856; *hauderiella* Rebel, 1913 _ Range (in code): FR IT CH AT CZ DE RO UA
- 50594. *Phyllonorycter amseli* (Povolny & Gregor, 1955)** (Gracillariidae) Synonym(s): *amseli* Povolny & Gregor, 1955 _ Range (in code): YU
- 50595. *Phyllonorycter anatolica* (Deschka, 1970)** (Gracillariidae) Synonym(s): *anatolica* Deschka, 1970 _ Original Reference: Lithocolletis (Phyllonorycter) anatolica Deschka, 1970, Polskie Pismo Ent. 40: 739-743, figs. Holotype ♂: [Türkei]: "Asia min., Turcia, Gebze (Izmit)", Glaser leg. Range (in code): GR TR
- 50596. *Phyllonorycter anchistea* (Vari, 1961)** (Gracillariidae) Synonym(s): *anchistea* Vari, 1961 _ Range (in code): ZA Tva Lpo Spb Ltr Gau Pre _ Bionomy: Larva on Grewia occidentalis (Tiliaceae) (Vari, 1961).
- 50597. *Phyllonorycter anderidae* (T.B.Fletcher, 1875)** (Gracillariidae) Synonym(s): *anderidae* T.B.Fletcher, 1875 _ Range (in code): GB BE NL DE AT PL CZ DK NO SE FI EE LV RU MD UA BY
- 50598. *Phyllonorycter apparella* (Herrich-Schäffer, 1855)** (Gracillariidae) Synonym(s): *apparella* Herrich-Schäffer, 1855; *atomariella* Zeller, 1875; *tremuloidiella* Braun, 1908; *ontario* Freeman, 1970 _ Range (in code): FR IT BE DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY _ Bionomy: Larva on Populus alba, P. nigra, P. pyramidalis, P. tremula, Salix alba (Salicaceae) (Reutti, 1898; et seq.).
- 50599. *Phyllonorycter arkadiella* Derra, 1985** (Gracillariidae) Synonym(s): *arkadiella* Derra, 1985 _ Range (in code): GR
- 50600. *Phyllonorycter armeniella* (Kuznetsov, 1958)** (Gracillariidae) Synonym(s): *armeniella* Kuznetsov, 1958 _ Range (in code): Cc AM TR _ Bionomy: Larva on Salix (Salicaceae) (Kuznetsov, 1958).
- 50601. *Phyllonorycter aroniae* (M.Hering, 1936)** (Gracillariidae) Synonym(s): *aroniae* M.Hering, 1936 _ Range (in code): ES _ Bionomy: Larva on Amelanchier ovalis (Rosaceae) (M.Hering, 1936).
- 50602. *Phyllonorycter baldensis* Deschka, 1986** (Gracillariidae) Synonym(s): *baldensis* Deschka, 1986 _ Range (in code): IT
- 50603. *Phyllonorycter barbarella* (Rebel, 1900)** (Gracillariidae) Synonym(s): *barbarella* Rebel, 1900 _ Range (in code): PT ES DZ
- 50604. *Phyllonorycter belotella* (Staudinger, 1859)** (Gracillariidae) Synonym(s): *belotella* Staudinger, 1859 _ Range (in code): PT ES Grn FR YU TR
- 50605. *Phyllonorycter blancardella* (Fabricius, 1781)** (Gracillariidae) Synonym(s): *blancardella* Fabricius, 1781; *pyrariella* Tutt, 1898; *concomitella* Banks, 1899 _ Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY TR IR CY CA BCo Nsc Qb US

- 50606. *Phyllonorycter brachylaenae* (Vari,1961)** (Gracillariidae) **Synonym(s):** *brachylaenae* Vari,1961 **Range (in code):** **ZA Tva Gau Pre Lpo Pie Rtb** **Bionomy:** Larva on *Brachylaena rotundata*, *B. discolor* (Asteraceae) (Vari,1961).
- 50607. *Phyllonorycter brevinelatella* (Benander,1946)** (Gracillariidae) **Synonym(s):** *brevinelatella* Benander,1946 **Range (in code):** **SE**
- 50608. *Phyllonorycter brunnea* Deschka,1975** (Gracillariidae) **Synonym(s):** *brunnea* Deschka,1975 **Range (in code):** **Rd GR** **Bionomy:** Larva on *Ulmus glabra* (Ulmaceae) (Deschka,1975).
- 50609. *Phyllonorycter caspica* Noreika,1992** (Gracillariidae) **Synonym(s):** *caspica* Noreika,1992 **Range (in code):** **Cc AZ Bak**
- 50610. *Phyllonorycter caudasimplex* Bland,1980** (Gracillariidae) **Synonym(s):** *caudasimplex* Bland,1980 **Range (in code):** **NG**
- 50611. *Phyllonorycter cavella* (Zeller,1846)** (Gracillariidae) **Synonym(s):** *schreberella* Zeller,1839 nec Fabr.,1781; *cavella* Zeller,1846; *milleri* Povolny & Gregor,1950 **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU RO UA YU Mt AL JP Hkk** **Bionomy:** Larva on *Betula alba*, *B. pendula*, *B. pubescens*, *B. verrucosa*, *B. platyphylla*, *B. dahurica*, *B. mandchurica*, *B. ermanii*, *Alnus* (Betulaceae), *Salix caprea* (Salicaceae); *Ulmus* (Ulmaceae) (Stainton,1857; et seq.).
- 50612. *Phyllonorycter cephalariae* (Lhomme,1934)** (Gracillariidae) **Synonym(s):** *cephalariae* Lhomme,1934 **Range (in code):** **FR HV GR** **Bionomy:** Larva on *Cephalaria leucantha* (Dipsacaceae) (Lhomme,1934).
- 50613. *Phyllonorycter cerasinella* (Reutti,1853)** (Gracillariidae) **Synonym(s):** *cerasinella* Reutti,1853; *quinenotella* Herrich-Schäffer,1855 **Range (in code):** **PT FR BE DE CH AT HU BG RU UA AL** **Bionomy:** Larva on *Genista pilosa*, *G. sagittalis* (Fabaceae) (Stainton,1857; et seq.).
- 50614. *Phyllonorycter cerisolella* (Peyerimhoff,1872)** (Gracillariidae) **Synonym(s):** *cerisolella* Peyerimhoff,1872 **Range (in code):** **FR Sa** **Bionomy:** Larva on *Sorbus aucuparia*, *S. torminalis* (Rosaceae) (Peyerimhoff,1871).
- 50615. *Phyllonorycter chiclanella* (Staudinger,1859)** (Gracillariidae) **Synonym(s):** *chiclanella* Staudinger,1859 **Range (in code):** **ES** **Bionomy:** Larva on *Populus alba* (Salicaceae) (Stainton,1869; et seq.).
- 50616. *Phyllonorycter chionopa* (Vari,1961)** (Gracillariidae) **Synonym(s):** *chionopa* Vari,1961 **Range (in code):** **NA Abc**
- 50617. *Phyllonorycter christenseni* Derra,1985** (Gracillariidae) **Synonym(s):** *christenseni* Derra,1985 **Range (in code):** **GR**
- 50618. *Phyllonorycter chrysella* (Constant,1885)** (Gracillariidae) **Synonym(s):** *chrysella* Constant,1885 **Range (in code):** **ES FR Co**
- 50619. *Phyllonorycter clepsiphaga* (Meyrick,1922)** (Gracillariidae) **Synonym(s):** *clepsiphaga* Meyrick,1922 **Range (in code):** **IN Ass Meg Slo**
- 50620. *Phyllonorycter cocciferella* (Mendes,1910)** (Gracillariidae) **Synonym(s):** *cocciferella* Mendes,1910 **Range (in code):** **MA PT ES** **Bionomy:** Larva on *Quercus coccifera* (Fagaceae) (Mendes,1910).
- 50621. *Phyllonorycter comparella* (Duponchel,1843)** (Gracillariidae) **Synonym(s):** *comparella* Duponchel,1843; *cerrutiella* Hartig,1952 **Range (in code):** **ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO BG LV LT RU MD UA BY TM UZ Smk Br KG** **Bionomy:** Larva on *Populus alba*, *P. nigra*, *P. pyramidalis*, *P. tremula* (Salicaceae) (Zeller,1846; et seq.).
- 50622. *Phyllonorycter conformis* (Meyrick,1910)** (Gracillariidae) **Synonym(s):** *conformis* Meyrick,1910 **Range (in code):** **IN Hp Sml NP**
- 50623. *Phyllonorycter conista* (Meyrick,1911)** (Gracillariidae) **Synonym(s):** *conista* Meyrick,1911; *clarisona* Meyrick,1916 **Range (in code):** **IN Ben LK MY NP PH Luz Pal** **Bionomy:** Larva on *Urena lobata* (Malvaceae) (Meyrick,1916).
- 50624. *Phyllonorycter connexella* (Zeller,1846)** (Gracillariidae) **Synonym(s):** *connexella* Zeller,1846; *asiatica* Gerasimov,1931 **Range (in code):** **FR IT NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY TM KG TJ UZ Br** **Bionomy:** Larva on *Salix alba*, *S. fragilis*, *S. appendiculata*, *S. babylonica*, *S. blakii*, *S. pentandra*, *S. viminalis*, *Populus nigra*, *P. canadensis* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
- 50625. *Phyllonorycter coryli* (Nicelli,1851)** (Gracillariidae) **Synonym(s):** *coryli* Nicelli,1851; *corylella* Herrich-Schäffer,1855 **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU**

- SS BG DK NO SE FI EE LV LT RU MD UA BY Cc AM** Bionomy: Larva on *Corylus avellana*, *C. columna*, *Ostrya carpinifolia* (Betulaceae) (Nicelli,1851; et seq.).
- 50626. Phyllonorycter corylifoliella (Hübner,1796)** (Gracillariidae) Synonym(s): *corylifoliella* Hübner,1796; *betulae* Zeller,1839; *betulifoliella* Duponchel,1845; *caledoniella* Stainton,1851; *betulella* Herrich-Schäffer,1855 Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY TM Kp KG TJ UZ IR GlS** Bionomy: Larva on *Crataegus oxyacantha*, *C. monogyna*, *Malus sylvestris*, *Pyrus communis*, *Amelanchier vulgaris*, *Cydonia*, *Sorbus aucuparia*, *S. aria*, *S. torminalis* (Rosaceae); *Betula* (Betulaceae); *Fagus* (Fagaceae) (Stainton,1852; et seq.).
- 50627. Phyllonorycter cretata (Kumata,1957)** (Gracillariidae) Synonym(s): *cretata* Kumata,1957 Range (in code): **JP Hkk RU Us**
- 50628. Phyllonorycter cydoniella ([Denis & Schiffermüller],1775)** (Gracillariidae) Synonym(s): *#cydoniella* [Denis & Schiffermüller],1775; *gregori* Povolny,1949 Original Reference: *Tinea cydoniella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 144. Type(s): [Austria]: Vienna district. Range (in code): **PT FR Co Sa Si IT IE GB BE NL DE CH AT CZ SK HU BG EE LT RU MD UA BY** Bionomy: Larva on *Pyrus*, *Cydonia* ([Denis & Schiffermüller],1775).
- 50629. Phyllonorycter cytisella (Rebel,1896)** (Gracillariidae) Synonym(s): *cytisella* Rebel,1896 Range (in code): **Cn** Bionomy: Larva on *Cytisus proliferus* (Fabaceae) (Rebel,1896).
- 50630. Phyllonorycter cytisifoliae (M.Hering,1927)** (Gracillariidae) Synonym(s): *cytisifoliae* M.Hering,1927 Range (in code): **Cn** Bionomy: Larva on *Cytisus proliferus* (Fabaceae) (M.Hering,1927).
- 50631. Phyllonorycter cytiscus (Amsel & Hartig,1952)** (Gracillariidae) Synonym(s): *cytiscus* Amsel & Hartig,1952 Range (in code): **Sa** Bionomy: Larva on *Cytisus triflorus* (Fabaceae) (Amsel & Hartig,1952).
- 50632. Phyllonorycter dalmatinella (Amsel,1951)** (Gracillariidae) Synonym(s): *dalmatinella* Amsel,1951 Range (in code): **IT YU Mt**
- 50633. Phyllonorycter deleta (Staudinger,1880)** (Gracillariidae) Synonym(s): *deleta* Staudinger,1880 Original Reference: *Lithocolletis deleta* Staudinger,1880, *Horae Soc. ent. ross.* 15: 413-414. Type: [Türkei]: Amasia (Maidan). Range (in code): **TR**
- 50634. Phyllonorycter delitella (Duponchel,1844)** (Gracillariidae) Synonym(s): *delitella* Duponchel,1844 Range (in code): **ES FR Co IT CH AT CZ SK HU RO MK GR BG RU** Bionomy: Larva on *Quercus robur*, *Q. pubescens* (Fagaceae) (Stainton,1857; et seq.).
- 50635. Phyllonorycter dentifera Noreika,1992** (Gracillariidae) Synonym(s): *dentifera* Noreika,1992 Range (in code): **TJ TM** Bionomy: Larva on *Populus pruinosa* (Salicaceae) (Noreika & Puplesis,1992).
- 50636. Phyllonorycter didymopa (Vari,1961)** (Gracillariidae) Synonym(s): *didymopa* Vari,1961 Range (in code): **ZA Tva Gau Pre Slpp NA Abc** Bionomy: Larva on *Dombeya rotundifolia* (Sterculiaceae) (Vari,1961).
- 50637. Phyllonorycter distentella (Zeller,1846)** (Gracillariidae) Synonym(s): *distentella* Zeller,1846; *manniella* Herrich-Schäffer,1855 Range (in code): **PT FR IT GB BE DE CH AT Wn PL CZ SK HU RU MD UA Cc AM** Bionomy: Larva on *Quercus pubescens*, *Q. cerris*, *Q. petraea* (Fagaceae) (Stainton,1857; et seq.).
- 50638. Phyllonorycter dombeyae De Prins,2012** (Gracillariidae) Synonym(s): *dombeyae* De Prins,2012 Range (in code): **ZA Nta Kzu**
- 50639. Phyllonorycter dubitella (Herrich-Schäffer,1855)** (Gracillariidae) Synonym(s): *dubitella* Herrich-Schäffer,1855; *spinicolella* Herrich-Schäffer,1855 Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU BG DK HV NO SE FI LV LT RU MD UA** Bionomy: Larva on *Salix caprea*, *S. alba*, *S. aurita*, *S. fragilis*, *S. cinerea* (Salicaceae) (Stainton,1857; et seq.).
- 50640. Phyllonorycter elmaella Doğanlar & Mutuura,1980** (Gracillariidae) Synonym(s): *elmaella* Doğanlar & Mutuura,1980 Range (in code): **CA BCo US Cf Org Ws** Bionomy: Larva on *Malus communis*, *M. pumila*, *Crataegus* (Rosaceae) (Doğanlar & Mutuura,1980).
- 50641. Phyllonorycter emberizaepennella (Bouché,1834)** (Gracillariidae) Synonym(s): *emberizaepennella* Bouché,1834; *pezzolella* Herrich-Schäffer,1855 Range (in code): **FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY GG Cc KG Ur Sb TM CA Qb US Vr Ny** Bionomy: Larva on *Lonicera xylostium*, *L. periclymenum*, *L. japonica*, *L. nigra*, *L. alpigena*, *L. caerulea*, *L. tatarica*, *Symphoricarpos racemosus*, *S. albus*, *S. orbiculatus*, *S. rivularis* (Caprifoliaceae) (Bouché,1834; et seq.).

- 50642. *Phyllonorycter encaeria* (Meyrick,1911)** (Gracillariidae) Synonym(s): *encaeria* Meyrick,1911 - Range (in code): **ZA Tva Gau Pre**
- 50643. *Phyllonorycter endryella* (Mann,1855)** (Gracillariidae) Synonym(s): *endryella* Mann,1855; *meridionella* Möschler,1866; *caudiferella* Ragonot,1875 - Range (in code): **DZ Agi MA PT ES FR Co Sa YU** Bionomy: Larva on *Quercus ilex*, *Q. coccifera*, *Q. suber* (Fagaceae) (Ragonot,1875; et seq.).
- 50644. *Phyllonorycter epichares* (Meyrick,1928)** (Gracillariidae) Synonym(s): *epichares* Meyrick,1928 - Range (in code): **IN Ass Meg Slo** Bionomy: Larva on *Malus pumila* (Rosaceae) (Meyrick,1928).
- 50645. *Phyllonorycter eratantha* (Meyrick,1922)** (Gracillariidae) Synonym(s): *eratantha* Meyrick,1922 - Range (in code): **PK Haz Mre**
- 50646. *Phyllonorycter ermani* (Kumata,1963)** (Gracillariidae) Synonym(s): *ermani* Kumata,1963 - Range (in code): **JP Hkk RU Us** Bionomy: Larva on *Betula ermanii*, *Alnus maximowiczii* (Betulaceae) (Kumata,1963).
- 50647. *Phyllonorycter esperella* (Goeze,1783)** (Gracillariidae) Synonym(s): *esperella* Goeze,1783; *quinnata* Fourcroy,1785; *quinnatella* Villers,1789; *caprinicolella* Stainton,1851 - Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU YU BG TR DK SE LV LT RU MD UA BY** Bionomy: Larva on *Carpinus betulus*, *Ostrya carpinifolia* (Betulaceae) (Stainton,1857).
- 50648. *Phyllonorycter extincta* Deschka,1974** (Gracillariidae) Synonym(s): *extincta* Deschka,1974 - Range (in code): **TN** Bionomy: Larva on *Quercus suber* (Fabaceae) (Deschka,1974).
- 50649. *Phyllonorycter fabaceaella* (Kuznetsov,1978)** (Gracillariidae) Synonym(s): *fabaceaella* Kuznetsov,1978 - Range (in code): **TJ** Bionomy: Larva on *Lathyrus* (Fabaceae) (Kuznetsov & Baryshnikova,1998).
- 50650. *Phyllonorycter farensis* J.de Prins & W.de Prins,2007** (Gracillariidae) Synonym(s): *farensis* J.de Prins & W.de Prins,2007 - Range (in code): **CM Fro**
- 50651. *Phyllonorycter fasciformis* (Meyrick,1930)** (Gracillariidae) Synonym(s): *fasciformis* Meyrick,1930 - Range (in code): **IN Bi Pus** Bionomy: Larva on *Polygonum glabrum* (Polygonaceae) (Meyrick,1930).
- 50652. *Phyllonorycter fumella* (Krone,1911)** (Gracillariidae) Synonym(s): *fumella* Krone,1911; *ochreojunctella* Klimesch,1942 - Range (in code): **FR IT HV MK** Bionomy: Larva on *Acer campestre*, *Acer monspessulanum* (Aceraceae) (Krone,1911).
- 50653. *Phyllonorycter flava* Deschka,1975** (Gracillariidae) Synonym(s): *flava* Deschka,1975 Original Reference: *Phyllonorycter flava* Deschka,1975, Z. ArbGem öst. Ent. 26 (2/4): 42-44, figs. Holotype ♂: [Türkei]: Asia min., Pülümür, südostl. Erzincan 1500m, F.Kasy leg. (NHMW). Range (in code): **TR**
- 50654. *Phyllonorycter fletcheri* De Prins,2012** (Gracillariidae) Synonym(s): *fletcheri* De Prins,2012 - Range (in code): **UG Rz**
- 50655. *Phyllonorycter fraxinella* (Zeller,1846)** (Gracillariidae) Synonym(s): *fraxinella* Zeller,1846 - Range (in code): **FR Sa? Si IT DE CH AT Wn PL CZ SK HU RO YU GR TR RU MD UA** Bionomy: Larva on *Genista germanica*, *G. tinctoria* (Fabaceae) (Stainton,1857; et seq.).
- 50656. *Phyllonorycter froelichiella* (Zeller,1839)** (Gracillariidae) Synonym(s): *froelichiella* Zeller,1839 - Range (in code): **PT FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL MK Mt BG DK NO SE FI EE LV LT RU UA** Bionomy: Larva on *Alnus glutinosa*, *A. incana*, *A. subcordata* (Betulaceae) (Stainton,1857; et seq.).
- 50657. *Phyllonorycter gato* De Prins,2012** (Gracillariidae) Synonym(s): *gato* De Prins,2012 Range (in code): **RW**
- 50658. *Phyllonorycter geniculella* (Ragonot,1874)** (Gracillariidae) Synonym(s): *geniculella* Ragonot,1874; *dahmiella* Sorhagen,1900 - Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU BG DK SE LV LT RU MD RO HV** Bionomy: Larva on *Acer pseudoplatanus* (Aceraceae) (Ragonot,1874).
- 50659. *Phyllonorycter genistella* (Rebel,1901)** (Gracillariidae) Synonym(s): *genistella* Rebel,1901 - Range (in code): **ES** Bionomy: Larva on *Genista florida* (Fabaceae) (Rebel,1901).
- 50660. *Phyllonorycter gerasimovi* (M.Hering,1930)** (Gracillariidae) Synonym(s): *gerasimovi* M.Hering,1930 - Range (in code): **AT CZ RO B-H BG TR UA** Bionomy: Larva on *Malus sylvestris*, *M. pumila* (Rosaceae) (M.Hering,1930).

- 50661. *Phyllonorycter glaserorum* (Deschka,1969)** (Gracillariidae) **Synonym(s):** *glaserorum* Deschka,1969 - Range (in code): ES
- 50662. *Phyllonorycter gozmanyi* J.de Prins & W.de Prins,2007** (Gracillariidae) **Synonym(s):** *gozmanyi* J.de Prins & W.de Prins,2007 - Range (in code): CM Fro
- 50663. *Phyllonorycter grewiaecola* (Vari,1961)** (Gracillariidae) **Synonym(s):** *grewiaecola* Vari,1961 - Range (in code): ZA Tva Lpo Spb Wat ZW NA Abc KE Bionomy: Larva on *Grewia kwebensis* (Tiliaceae) (Vari,1961).
- 50664. *Phyllonorycter grewiaepilos* De Prins,2012** (Gracillariidae) **Synonym(s):** *grewiaepilos* De Prins,2012 - Range (in code): EK
- 50665. *Phyllonorycter grewiella* (Vari,1961)** (Gracillariidae) **Synonym(s):** *grewiella* Vari,1961 Range (in code): ZA Mpu Tva Lpo Kru Mll Ko8 KE BW YE NA Bionomy: Larva on *Grewia flavescens*, *G. messinica* (Tiliaceae) (Vari,1961).
- 50666. *Phyllonorycter haasi* (Rebel,1901)** (Gracillariidae) **Synonym(s):** *haasi* Rebel,1901; *purgantella* Chrétien,1910; *joannisella* Durrant,1925 - Range (in code): ES FR Bionomy: Larva on *Cytisus balansae* (Fabaceae) (Rebel,1901).
- 50667. *Phyllonorycter hapalotoxa* (Meyrick,1921)** (Gracillariidae) **Synonym(s):** *hapalotoxa* Meyrick,1921 - Range (in code): IN Ass Meg Slo Bionomy: Larva on *Malus domestica*, *M. pumila* (Rosaceae) (Meyrick,1921; et seq.).
- 50668. *Phyllonorycter harrisella* (Linnaeus,1761)** (Gracillariidae) **Synonym(s):** *harrisella* Linnaeus,1761; *cramerella* Fabricius,1777; *tenella* Duponchel,[1843]. - Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU MD UA Cc AM Bionomy: Larva on *Quercus robur*, *Q. petraea*, *Q. ilex*, *Q. cerris* (Fagaceae) (Heinemann & Wocke,1877; et seq.).
- 50669. *Phyllonorycter heegeriella* (Zeller,1846)** (Gracillariidae) **Synonym(s):** *heegeriella* Zeller,1846 - Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU YU BG GR RO UA RU DK NO SE FI EE LV LT Bionomy: Larva on *Quercus robur*, *Q. petraea*, *Q. ilex*, *Q. streimii*, *Q. pedunculata* (Fagaceae) (Hartig,1964; et seq.).
- 50670. *Phyllonorycter hesperiella* (Staudinger,1859)** (Gracillariidae) **Synonym(s):** *hesperiella* Staudinger,1859 - Range (in code): ES
- 50671. *Phyllonorycter hibiscina* (Vari,1961)** (Gracillariidae) **Synonym(s):** *hibiscina* Vari,1961 Range (in code): ZA Tva Mpu Pre Rtb ZW KE CM Bionomy: Larva on *Hibiscus calyphyllus* (Malvaceae) (Vari,1961).
- 50672. *Phyllonorycter hibiscola* De Prins,2012** (Gracillariidae) **Synonym(s):** *hibiscola* De Prins,2012 - Range (in code): KE
- 50673. *Phyllonorycter hilarella* (Zetterstedt,1839)** (Gracillariidae) **Synonym(s):** *hilarella* Zetterstedt,1839; *spinolella* Duponchel,1840 - Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Alnus* (Betulaceae); *Populus tremula*, *Salix appendiculata*, *S. arbuscula*, *S. aurita*, *S. caprea*, *S. cinerea*, *S. fragilis*, *S. hastata*, *S. pentandra*, *S. silesiaca* (Salicaceae) (Heinemann & Wocke,1877; et seq.).
- 50674. *Phyllonorycter hissarella* Noreika,1993** (Gracillariidae) **Synonym(s):** *hissarella* Noreika,1993 - Range (in code): TJ
- 50675. *Phyllonorycter idolias* (Meyrick,1891)** (Gracillariidae) **Synonym(s):** *idolias* Meyrick,1891 Range (in code): DZ
- 50676. *Phyllonorycter ilicifoliella* (Duponchel,1843)** (Gracillariidae) **Synonym(s):** *ilicifoliella* Duponchel,1843 - Range (in code): PT FR Sa? Si IT CH AT CZ SK HU RO YU GR RU MD UA BY
- 50677. *Phyllonorycter infirma* Deschka,1975** (Gracillariidae) **Synonym(s):** *infirma* Deschka,1975 Range (in code): AF Nu
- 50678. *Phyllonorycter insignitella* (Zeller,1846)** (Gracillariidae) **Synonym(s):** *insignitella* Zeller,1846; *bueringerella* Heydenreich,1851 - Range (in code): FR IT IE GB BE DE CH AT PL CZ SK HU BG DK SE FI EE LV LT RU MD UA BY
- 50679. *Phyllonorycter iochrysis* (Meyrick,1931)** (Gracillariidae) **Synonym(s):** *iochrysis* Meyrick,1931 - Range (in code): IN Bionomy: Larva on *Ziziphus mauritiana* (Rhamnaceae) (Robinson et al.,2001).
- 50680. *Phyllonorycter ipomoellus* De Prins,2012** (Gracillariidae) **Synonym(s):** *ipomoellus* De Prins,2012 - Range (in code): RW
- 50681. *Phyllonorycter iranica* Deschka,1979** (Gracillariidae) **Synonym(s):** *iranica* Deschka,1979 Range (in code): IR Kh Bionomy: Larva on *Malus domestica* (= *Pyrus malus*) (Rosaceae) (Deschka,1979).

- 50682. *Phyllonorycter irmella* (Palm,1947)** (Gracillariidae) Synonym(s): *irmella* Palm,1947
Range (in code): NL SE
- 50683. *Phyllonorycter issikii* (Kumata,1963)** (Gracillariidae) Synonym(s): *issikii* Kumata,1963
Range (in code): RU MD UA BY
- 50684. *Phyllonorycter iteina* (Meyrick,1918)** (Gracillariidae) Synonym(s): *iteina* Meyrick,1918;
eophanes Meyrick,1931 Range (in code): IN Bi Bba Pus Bionomy: Larva on *Salix tetrasperma*
(Salicaceae) (Meyrick,1931).
- 50685. *Phyllonorycter jabalshamsi* De Prins,2012** (Gracillariidae) Synonym(s): *jabalshamsi*
De Prins,2012 Range (in code): OM
- 50686. *Phyllonorycter joviella* (Constant,1890)** (Gracillariidae) Synonym(s): *joviella*
Constant,1890 Range (in code): DZ Agi MA PT ES FR IT MK GR Bionomy: Larva on *Quercus*
ilex, *Q.coccifera* [Fagaceae] (Chrétien,1917).
- 50687. *Phyllonorycter juglandicola* (Kuznetsov,1975)** (Gracillariidae) Synonym(s):
juglandicola Kuznetsov,1975 Range (in code): TJ KK KG
- 50688. *Phyllonorycter junoniella* (Zeller,1846)** (Gracillariidae) Synonym(s): *junoniella*
Zeller,1846; *vacciniella* Stainton,1855 Range (in code): FR IT GB BE NL DE CH AT PL CZ SK BG DK
NO SE FI EE LV LT RU MD UA BY
- 50689. *Phyllonorycter kautziella* (Hartig,1938)** (Gracillariidae) Synonym(s): *kautziella*
Hartig,1938 Range (in code): ES
- 50690. *Phyllonorycter kazuri* De Prins,2012** (Gracillariidae) Synonym(s): *kazuri* De Prins,2012
Range (in code): KE
- 50691. *Phyllonorycter kleemannella* (Fabricius,1781)** (Gracillariidae) Synonym(s):
kleemannella Fabricius,1781 Range (in code): PT FR Sa Si? IT IE GB BE NL LU DE CH AT PL CZ SK
HU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 50692. *Phyllonorycter kuhlweiniella* (Zeller,1839)** (Gracillariidae) Synonym(s): *hortella*
Fabricius,1794 nec Fabr.,1794; *kuhlweiniella* Zeller,1839; *saportella* Duponchel,1840. Range (in code): PT
ES FR IT GB BE NL DE CH AT PL CZ SK HU YU BG TR LV RU MD UA BY
- 50693. *Phyllonorycter kUSDasi* (Deschka,1970)** (Gracillariidae) Synonym(s): *kUSDasi*
Deschka,1970 Range (in code): IT Sa HV GR TR Bionomy: Larva on *Quercus pubescens*
(Fagaceae) (Deschka,1970).
- 50694. *Phyllonorycter lantanae* (Vari,1961)** (Gracillariidae) Synonym(s): *lantanae* Vari,1961
Range (in code): ZA Tva Lpo Spb Ltr Bionomy: Larva on *Lantana ? rugosa* (Verbenaceae)
(Vari,1961).
- 50695. *Phyllonorycter lantanella* (Schränk,1802)** (Gracillariidae) Synonym(s): *lantanella*
Schränk,1802; *elatella* Zeller,1846; *confertella* Heydenreich,1851 Range (in code): ES FR Co IT GB BE NL
DE CH AT PL CZ SK HU RO YU SE FI EE RU MD UA HV TR Bionomy: Larva on *Viburnum tinus*, *V.*
lantana, *V. opulus* (Caprifoliaceae) (Stainton,1852; et seq.).
- 50696. *Phyllonorycter laurocerasi* (Kuznetsov,1979)** (Gracillariidae) Synonym(s):
laurocerasi Kuznetsov,1979 Range (in code): GG Tbl Cc RU Bionomy: Larva on *Prunus*
laurocerasus (Rosaceae) (Kuznetsov,1979).
- 50697. *Phyllonorycter lautella* (Zeller,1846)** (Gracillariidae) Synonym(s): *lautella* Zeller,1846;
irradiella Stainton,1854 Range (in code): PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU BG
GR TR DK NO SE FI EE LV LT RU MD UA BY
- 50698. *Phyllonorycter lemarchandi* (Viette,1951)** (Gracillariidae) Synonym(s): *lemarchandi*
Viette,1951 Range (in code): MG
- 50699. *Phyllonorycter leucaspis* Triberti,2004** (Gracillariidae) Synonym(s): *leucaspis*
Triberti,2004 Range (in code): NA
- 50700. *Phyllonorycter leucographella* (Zeller,1850)** (Gracillariidae) Synonym(s):
leucographella Zeller,1850 Range (in code): FR IT GB BE NL DE CH AT YU GR DK
- 50701. *Phyllonorycter libanotica* (Deschka,1972)** (Gracillariidae) Synonym(s): *libanotica*
Deschka,1972 Original Reference: *Lithocolletis* (=Phyllonorycter) *libanotica* Deschka,1972, Ent.
Ber., Amst. 32: 88-90, 3 figs. Holotype ♂: Libanon: 5km NO Beirut (Kasy & Vartian leg., 9.6.61).
Range (in code): SY Dms LB Bei Bionomy: Larva on ? *Quercus* (Fagaceae) (Deschka,1972).
- 50702. *Phyllonorycter linioliella* (Rungs,1942)** (Gracillariidae) Synonym(s): *linioliella*
Rungs,1942 Range (in code): MA
- 50703. *Phyllonorycter loxozona* (Meyrick,1936)** (Gracillariidae) Synonym(s): *loxozona*
Meyrick,1936 Range (in code): ZA Tva Lpo UG Bionomy: Larva on *Dombeya emarginata*, *D.*
rotundifolia (Sterculiaceae) (Vari,1961).

- 50704. *Phyllonorycter luzonica* Kumata,1995** (Gracillariidae) Synonym(s): *luzonica* Kumata,1995 _ Range (in code): PH Luz Bionomy: Larva on Celtis (Ulmaceae) (Kumata,1995).
- 50705. *Phyllonorycter macedonica* (Deschka,1971)** (Gracillariidae) Synonym(s): *macedonica* Deschka,1971 _ Range (in code): MK Och Bionomy: Larva on Crataegus laciniata (Rosaceae) (Deschka,1971).
- 50706. *Phyllonorycter macrantherella* (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *macrantherella* Kuznetsov,1961 _ Range (in code): AM Di RU Da GG Cc TR Bionomy: Larva on Quercus macranthera (Fagaceae) (Kuznetsov,1961).
- 50707. *Phyllonorycter madagascariensis* (Viette,1949)** (Gracillariidae) Synonym(s): *madagascariensis* Viette,1949 _ Range (in code): MG
- 50708. *Phyllonorycter maererei* De Prins,2012** (Gracillariidae) Synonym(s): *maererei* De Prins,2012 _ Range (in code): TZ
- 50709. *Phyllonorycter maestingella* (Müller,1764)** (Gracillariidae) Synonym(s): *maestingella* Müller,1764; *faginella* Zeller,1846; *securiferella* Stainton,1848; *triguttella* Stainton,1850; *phegophagella* Herrich-Schäffer,1855; *hedemanni* Caradja,1920 _ Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H BG AL HV GR TR DK NO SE LV LT RU MD UA BY CA BCo Bionomy: Larva on Fagus sylvatica, Wisteria floribunda (Müller,1764; et seq.).
- 50710. *Phyllonorycter malayana* Kumata,1993** (Gracillariidae) Synonym(s): *malayana* Kumata,1993 _ Range (in code): MY Pah Bionomy: Larva on Engelhardia spicata (Juglandaceae) (Kumata,1993).
- 50711. *Phyllonorycter malella* (Gerasimov,1931)** (Gracillariidae) Synonym(s): *malella* Gerasimov,1931 _ Range (in code): TM KK KG TJ UZ Br RU Bionomy: Larva on Malus sylvestris, Cydonia vulgaris, Pyrus communis, Crataegus (Rosaceae) (Gerasimov,1931).
- 50712. *Phyllonorycter mannii* (Zeller,1846)** (Gracillariidae) Synonym(s): *mannii* Zeller,1846; *manniella* Herrich-Schäffer,1855; #*manni* M.Hering,1934 _ Range (in code): FR AT Wn CZ SK HU BG TR RU HV IT Bionomy: Larva on Quercus robur, Q. sessiliflora (Fagaceae) (Herrich-Schäffer,1855).
- 50713. *Phyllonorycter medicaginella* (Gerasimov,1930)** (Gracillariidae) Synonym(s): *medicaginella* Gerasimov,1930 _ Range (in code): BE DE AT PL CZ SK HU BG DK RU MD UA BY TM KG UZ TJ Bionomy: Larva on Medicago lupulina, Lotus, Melilotus albus, M. officinalis (Fabaceae) (Gerasimov,1930; et seq.).
- 50714. *Phyllonorycter melanosparta* (Meyrick,1912)** (Gracillariidae) Synonym(s): *melanosparta* Meyrick,1912 _ Range (in code): ZA Tva Lpo Mpu Brb Gau Pre Pie ZW Uma KE Bionomy: Larva on Rhynchosia caribaea, Flemingia grahamiana, Vigna (Fabaceae) (Vari,1961).
- 50715. *Phyllonorycter melhaniae* (Vari,1961)** (Gracillariidae) Synonym(s): *melhaniae* Vari,1961 Range (in code): ZW Bionomy: Larva on Melhania velutina (Sterculiaceae) (Vari,1961).
- 50716. *Phyllonorycter menaea* (Meyrick,1918)** (Gracillariidae) Synonym(s): *menaea* Meyrick,1918 _ Range (in code): PK Pj Abb
- 50717. *Phyllonorycter mespilella* (Hübner,[1805])** (Gracillariidae) Synonym(s): *mespilella* Hübner,[1805]; *pomifoliella* Zeller,1839; *decimella* Stainton,1851; *aureopallidella* Bruand,1859; *pyrivorella* Banks,1899 _ Range (in code): Md FR Sa Si IT IE GB BE DE CH AT CZ SK HU LT RU MD UA BY GG Cc TR CA BCo US NMx Ut Cf Bionomy: Larva on Sorbus, Cydonia, Mespilus, Pyrus, Malus, Amelanchier, Cotoneaster (Rosaceae) (Stainton,1857; et seq.).
- 50718. *Phyllonorycter messaniella* (Zeller,1846)** (Gracillariidae) Synonym(s): *messaniella* Zeller,1846 _ Range (in code): Az MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT HU HV TR BG GR DK RU MD UA BY US AU NZ Bionomy: Larva on Castanea sativa, Quercus, Carpinus, Fagus, Nothofagus procera (Fagaceae), Carya pecan (Juglandaceae), Betula papyrifera (Betulaceae) (Stainton,1852; et seq.).
- 50719. *Phyllonorycter mida* De Prins,2012** (Gracillariidae) Synonym(s): *mida* De Prins,2012 Range (in code): KE
- 50720. *Phyllonorycter millierella* (Staudinger,1871)** (Gracillariidae) Synonym(s): *millierella* Staudinger,1871; *celtidella* Rondani,1876 _ Range (in code): FR IT CH YU BG GR MK HV TR RU MD UA BY KG TM UZ TJ Kp Bionomy: Larva on Celtis caucasica, C. australis (Ulmaceae) (Staudinger,1871).
- 50721. *Phyllonorycter mirbeckifoliae* Deschka,1974** (Gracillariidae) Synonym(s): *mirbeckifoliae* Deschka,1974 _ Range (in code): TN Bionomy: Larva on Quercus mirbeckii (Fagaceae) (Deschka,1974).

- 50722. *Phyllonorycter monspessulanella* (Fuchs,1897)** (Gracillariidae) Synonym(s): *monspessulanella* Fuchs,1897 _ Range (in code): **PT FR DE IT YU** Bionomy: Larva on *Acer monspessulanum*, *A. campestre* (Aceraceae) (Fuchs,1897).
- 50723. *Phyllonorycter montanella* Bradley,1980** (Gracillariidae) Synonym(s): *montanella* Bradley,1980 Original Reference: *Phyllonorycter montanella* Bradley,1980, Bull. ent. Res. 70 (1): 61-63, figs. Holotype: Pakistan: Murree hills 2600m. Range (in code): **PK Haz Mre** Bionomy: Larva mines the leaves of *Lonicera quinquelocularis* (Caprifoliaceae) (Bradley,1980).
- 50724. *Phyllonorycter muelleriella* (Zeller,1839)** (Gracillariidae) Synonym(s): *muelleriella* Zeller,1839; *amyotella* Duponchel,1840 _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR LV LT RU MD UA BY** Bionomy: Larva on *Quercus robur*, *Q. petraea* (Fagaceae) (Heinemann & Wocke,1877).
- 50725. *Phyllonorycter mwatawalai* De Prins,2012** (Gracillariidae) Synonym(s): *mwatawalai* De Prins,2012 _ Range (in code): **TZ**
- 50726. *Phyllonorycter myricae* Deschka,1976** (Gracillariidae) Synonym(s): *myricae* Deschka,1976 _ Range (in code): **Az Cn Md** Bionomy: Larva on *Myrica faya* (Myricaceae) (Deschka,1976).
- 50727. *Phyllonorycter myricella* Kumata,1995** (Gracillariidae) Synonym(s): *myricae* Kumata,1993 nec Deschk.,1976; *myricella* Kumata,1995 _ Range (in code): **MY Kdh** Bionomy: Larva on *Myrica esculenta* (Myricaceae) (Kumata,1993).
- 50728. *Phyllonorycter neli* Buvat,1996** (Gracillariidae) Synonym(s): *neli* Buvat,1996 _ Range (in code): **FR** Bionomy: Larva on *Quercus pubescens* (Fagaceae) (Buvat,1996).
- 50729. *Phyllonorycter nepalensis* Kumata,1973** (Gracillariidae) Synonym(s): *nepalensis* Kumata,1973 _ Range (in code): **NP** Bionomy: Larva on *Alnus nepalensis* (Betulaceae) (Kumata,1973).
- 50730. *Phyllonorycter nevadensis* (Walsingham,1908)** (Gracillariidae) Synonym(s): *nevadensis* Walsingham,1908 _ Range (in code): **ES Grn Snv** Bionomy: Larva on *Adenocarpus decorticans* (Fabaceae) (Walsingham,1908).
- 50731. *Phyllonorycter nicellii* (Stainton,1851)** (Gracillariidae) Synonym(s): *nicellii* Stainton,1851; *dunningiella* Stainton,1852; *nicelliella* Doubleday,1859 _ Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Corylus avellana*, *C. colurna* (Betulaceae) (Stainton,1857).
- 50732. *Phyllonorycter nigrescentella* (Logan,1851)** (Gracillariidae) Synonym(s): *nigrescentella* Logan,1851 _ Range (in code): **ES FR IT IE GB BE DE CH AT PL CZ SK HU DK NO SE FI EE LT RU MD UA BY**
- 50733. *Phyllonorycter nivalis* Deschka,1986** (Gracillariidae) Synonym(s): *nivalis* Deschka,1986 Range (in code): **TR** Bionomy: Larva on *Quercus* (Fagaceae) (Deschka,1986).
- 50734. *Phyllonorycter obandai* De Prins & Mozuraitis,2006** (Gracillariidae) Synonym(s): *obandai* De Prins & Mozuraitis,2006 _ Range (in code): **KE**
- 50735. *Phyllonorycter obliquifascia* (Filipjev,1926)** (Gracillariidae) Synonym(s): *obliquifascia* Filipjev,1926 _ Range (in code): **TM UZ TJ**
- 50736. *Phyllonorycter obtusifoliella* Deschka,1974** (Gracillariidae) Synonym(s): *obtusifoliella* Deschka,1974 _ Range (in code): **CY** Bionomy: Larva on *Acer obtusifolium* (Aceraceae) (Deschka,1974).
- 50737. *Phyllonorycter ocimellus* De Prins,2012** (Gracillariidae) Synonym(s): *ocimellus* De Prins,2012 _ Range (in code): **KE**
- 50738. *Phyllonorycter lolua* De Prins,2012** (Gracillariidae) Synonym(s): *lolua* De Prins,2012 Range (in code): **KE Nai**
- 50739. *Phyllonorycter olympica* Deschka,1983** (Gracillariidae) Synonym(s): *olympica* Deschka,1983 _ Range (in code): **GR** Bionomy: Larva on *Quercus coccifera* (Fagaceae) (Deschka,1983).
- 50740. *Phyllonorycter oreas* Kumata,1973** (Gracillariidae) Synonym(s): *oreas* Kumata,1973 Range (in code): **NP**
- 50741. *Phyllonorycter orientalis* (Kumata,1963)** (Gracillariidae) Synonym(s): *orientalis* Kumata,1963 _ Range (in code): **JP Hkk RU Us TW** Bionomy: Larva on *Acer mono*, *A. palmatum*, *A. carpinifolium*, *A. pseudosieboldianum*, *A. pictum* (Aceraceae) (Kumata,1963).

- 50742. *Phyllonorycter ostryae* (Kumata,1963)** (Gracillariidae) Synonym(s): *ostryae* Kumata,1963 _ Range (in code): JP Hkk Bionomy: Larva on *Ostrya japonica* (Betulaceae) (Kumata,1963).
- 50743. *Phyllonorycter ovalifoliae* Kumata,1973** (Gracillariidae) Synonym(s): *ovalifoliae* Kumata,1973 _ Range (in code): NP Bionomy: Larva on *Lyonia ovalifolia* (Ericaceae) (Kumata,1973).
- 50744. *Phyllonorycter oxyacanthae* (Frey,1855)** (Gracillariidae) Synonym(s): *oxyacanthae* Frey,1855 _ Range (in code): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE EE LT RU MD UA BY TM Bionomy: Larva on *Crataegus monogyna*, *C. laevigata*, *C. curvisepala*, *C. intricata*, *C. oxyacantha*, *Chaenomeles japonica*, *Pyrus communis*, *Cydonia* (Rosaceae) (Frey,1855).
- 50745. *Phyllonorycter parisiella* (Wocke,1848)** (Gracillariidae) Synonym(s): *parisiella* Wocke,1848 _ Range (in code): FR IT CH AT CZ SK HU RO RU MK GR
- 50746. *Phyllonorycter parvifoliella* (Ragonot,1875)** (Gracillariidae) Synonym(s): *parvifoliella* Ragonot,1875 _ Range (in code): PT FR
- 50747. *Phyllonorycter pastorella* (Zeller,1846)** (Gracillariidae) Synonym(s): *pastorella* Zeller,1846; *fainae* Gerasimov,1931 _ Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG FI LV LT RU MD UA BY TM Ur Sb KG KK Am TJ JP UZ Bionomy: Larva on *Chosenia arbutifolia*; *Populus koreana*, *P. tremula*, *P. laurifolia*, *P. nigra*, *Salix alba*, *S. babylonica*, *S. caprea*, *S. fragilis*, *S. purpurea*, *S. triandra*, *S. viminalis* (Salicaceae) (Nicelli,1851; et seq.).
- 50748. *Phyllonorycter pavoniae* (Vari,1961)** (Gracillariidae) Synonym(s): *pavoniae* Vari,1961 Range (in code): ZA Tva Lpo Spb Sbs Ec Alx Bionomy: Larva on *Pavonia burchellii*, *P. praemorsa* (Malvaceae) (Vari,1961).
- 50749. *Phyllonorycter penangensis* Kumata,1993** (Gracillariidae) Synonym(s): *penangensis* Kumata,1993 _ Range (in code): MY Pen
- 50750. *Phyllonorycter philerata* (Meyrick,1922)** (Gracillariidae) Synonym(s): *philerata* Meyrick,1922 _ Range (in code): PK Pj Haz Mre
- 50751. *Phyllonorycter phyllocytisi* (Hering,1936)** (Gracillariidae) Synonym(s): *phyllocytisi* Hering,1936 _ Range (in code): ES IT CZ SK HU
- 50752. *Phyllonorycter picardi* Buvat,1995** (Gracillariidae) Synonym(s): *picardi* Buvat,1995 Range (in code): FR
- 50753. *Phyllonorycter pictus* Walsingham,1914** (Gracillariidae) Synonym(s): *pictus* Walsingham,1914 _ Range (in code): MX
- 50754. *Phyllonorycter platani* (Staudinger,1870)** (Gracillariidae) Synonym(s): *platani* Staudinger,1870; *felinella* Heinrich,1920 _ Range (in code): PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE RU MD UA BY TM Kp GG Cc AM KG KK TJ UZ IR Th SY US Cf
- 50755. *Phyllonorycter platanoidella* (Joannis,1920)** (Gracillariidae) Synonym(s): *platanoidella* Joannis,1920; *joannisi* Le Marchand,1936 _ Range (in code): FR IT GB BE NL DE CH AT PL CZ SK YU BG DK NO SE FI LV RU MD UA BY
- 50756. *Phyllonorycter pomiella* (Gerasimov,1933)** (Gracillariidae) Synonym(s): *pomiella* Gerasimov,1933 _ Range (in code): RU UA
- 50757. *Phyllonorycter populi* (Filipjev,1926)** (Gracillariidae) Synonym(s): *populi* Filipjev,1926; *populiella* Filipjev,1926 nec Chamb.,1878 _ Range (in code): TJ KG TM UZ Bionomy: Larva on *Populus alba*, *P. nigra* (Salicaceae) (Filipjev,1926).
- 50758. *Phyllonorycter populialbae* (Kuznetsov,1961)** (Gracillariidae) Synonym(s): *populialbae* Kuznetsov,1961 _ Range (in code): Cc AZ RU Da KG Bionomy: Larva on *Populus alba* (Salicaceae) (Kuznetsov,1961).
- 50759. *Phyllonorycter populicola* (Kuznetsov,1975)** (Gracillariidae) Synonym(s): *populicola* Kuznetsov,1975 _ Range (in code): TJ Bionomy: Larva on *Populus afghanica*, *P. tadshikistanica* (Salicaceae) (Kuznetsov & Baryschnikova,1998).
- 50760. *Phyllonorycter populifoliella* (Treitschke,1833)** (Gracillariidae) Synonym(s): *populifoliella* Treitschke,1833; *fritillella* Koch,1856; *pilosissimella* Bruand,1859; *petrazzaniella* Constantini,1923 Range (in code): ES FR Co IT BE DE CH AT PL CZ SK HU RO YU BG DK NO FI EE LV LT RU Da Ur Sb MD UA BY TM GG Cc TR KG Aa TrA TJ Bionomy: Larva on *Populus alba*, *P. balsamifera*, *P. deltoides*, *P. laurifolia*, *P. monilifera*, *P. nigra*, *P. tremula* (Salicaceae) (Frey,1856; et seq.).
- 50761. *Phyllonorycter pruinosa* (Gerasimov,1931)** (Gracillariidae) Synonym(s): *pruinosa* Gerasimov,1931 _ Range (in code): TM UZ Br KG TJ Bionomy: Larva on *Populus diversifolia*, *P. euphratica*, *P. pruinosa* (Salicaceae) (Gerasimov,1931).

- 50762. *Phyllonorycter pseuditeina* Kumata,1973** (Gracillariidae) Synonym(s): *pseuditeina* Kumata,1973 - Range (in code): **NP**
- 50763. *Phyllonorycter pseudojezoniella* Noreika,1994** (Gracillariidae) Synonym(s): *pseudojezoniella* Noreika,1994 - Range (in code): **RU Us**
- 50764. *Phyllonorycter pseudojoviella* Deschka,1974** (Gracillariidae) Synonym(s): *pseudojoviella* Deschka,1974 - Range (in code): **DZ TN**
- 50765. *Phyllonorycter pseudoplataniella* (Ragonot,1874)** (Gracillariidae) Synonym(s): *pseudoplataniella* Ragonot,1874 - Range (in code): **FR DE**
- 50766. *Phyllonorycter pumilae* (Ermolaev,1981)** (Gracillariidae) Synonym(s): *pumilae* Ermolaev,1981 - Range (in code): **CN Ui**
- 50767. *Phyllonorycter pyrifoliella* (Gerasimov,1933)** (Gracillariidae) Synonym(s): *pyrifoliella* Gerasimov,1933 - Range (in code): **FI RU BY AT BG CZ HU KG LT MD ES RU UA**
- 50768. *Phyllonorycter pyriscopinosae* Deschka,1986** (Gracillariidae) Synonym(s): *pyriscopinosae* Deschka,1986 - Range (in code): **TR** Bionomy: Larva on *Pyrus spinosa* (Rosaceae) (Deschka,1986).
- 50769. *Phyllonorycter quercifoliella* (Zeller,1839)** (Gracillariidae) Synonym(s): *quercifoliella* Zeller,1839 - Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG DK NO SE FI EE LV LT RU MD UA BY IL** Bionomy: Larva on *Quercus ithaburensis*, *Q. cerris*, *Q. robur*, *Q. petraea* (Fagaceae) (Zeller,1839; et seq.).
- 50770. *Phyllonorycter quercus* (Amsel & Hering,1931)** (Gracillariidae) Synonym(s): *quercus* Amsel & Hering,1931 - Range (in code): **IL Pa** Bionomy: Larva on *Quercus calliprinos*, *Q. coccifera* (Fagaceae) (Amsel,1931; Sternlicht,1968).
- 50771. *Phyllonorycter quinqueguttella* (Stainton,1851)** (Gracillariidae) Synonym(s): *quinqueguttella* Stainton,1851; *repentella* Sorhagen,1900 - Range (in code): **FR IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on *Salix arenaria*, *S. repens*, *S. rosmarinifolia* (Salicaceae) (Stainton,1859; et seq.).
- 50772. *Phyllonorycter raikhonae* Noreika,1992** (Gracillariidae) Synonym(s): *raikhonae* Noreika,1992 - Range (in code): **TJ**
- 50773. *Phyllonorycter rajella* (Linnaeus,1758)** (Gracillariidae) Synonym(s): *rajella* Linnaeus,1758; *alnifoliella* Hübner,1796; *alniella* Zeller,1839 - Range (in code): **FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 50774. *Phyllonorycter rebimbasi* (Mendes,1910)** (Gracillariidae) Synonym(s): *rebimbasi* Mendes,1910; *glaseorum* Deschka,1969 - Range (in code): **PT**
- 50775. *Phyllonorycter retamella* (Chrétien,1915)** (Gracillariidae) Synonym(s): *retamella* Chrétien,1915 - Range (in code): **TN Gf**
- 50776. *Phyllonorycter rhynchosiae* (Vari,1961)** (Gracillariidae) Synonym(s): *rhynchosiae* Vari,1961 - Range (in code): **ZA Tva Gau Pre Lpo** Bionomy: Larva on *Rhynchosia nitens*, *R. confusa*, *Eriosema psoraleoides* (Fabaceae) (Vari,1961).
- 50777. *Phyllonorycter robiniella* (Clemens,1859)** (Gracillariidae) Synonym(s): *robiniella* Clemens,1859 - Range (in code): **FR IT DE CH AT CZ SK**
- 50778. *Phyllonorycter roboris* (Zeller,1839)** (Gracillariidae) Synonym(s): *roboris* Zeller,1839; *roborifoliella* Duponchel,[1843]; *roborella* Stainton,1848 - Range (in code): **PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR CY DK NO SE EE LV LT RU MD UA BY** Bionomy: Larva on *Quercus* (Zeller,1839).
- 50779. *Phyllonorycter rolandi* (Svensson,1966)** (Gracillariidae) Synonym(s): *rolandi* Svensson,1966 - Range (in code): **NO SE FI RU** Bionomy: Larva on *Salix lapponum* (Salicaceae) (Svensson,1966).
- 50780. *Phyllonorycter rongensis* De Prins,2012** (Gracillariidae) Synonym(s): *rongensis* De Prins,2012 - Range (in code): **KE**
- 50781. *Phyllonorycter rubicola* Kumata,1973** (Gracillariidae) Synonym(s): *rubicola* Kumata,1973 - Range (in code): **NP**
- 50782. *Phyllonorycter ruizivorus* De Prins,2012** (Gracillariidae) Synonym(s): *caudasimplex* sensu Guillermet,2011 nec Bl.,1980; *ruizivorus* De Prins,2012 - Range (in code): **RE**
- 50783. *Phyllonorycter ruwenzori* De Prins,2012** (Gracillariidae) Synonym(s): *ruwenzori* De Prins,2012 - Range (in code): **UG Rz**
- 50784. *Phyllonorycter sagitella* (Bjerkander,1790)** (Gracillariidae) Synonym(s): *sagitella* Bjerkander,1790; *tremulae* Zeller,1846; *tremulella* Herrich-Schäffer,1855 - Range (in code): **FR IT GB BE**

- NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY KG** Bionomy: Larva on *Populus davidiana*, *P. tremula*, *P. suaveolens* (Salicaceae) (Frey,1856; et seq.).
- 50785. Phyllonorycter salicicolella (Sircom,1848)** (Gracillariidae) Synonym(s): *salicicolella* Sircom,1848; *subconnexella* Stainton,1849; *capraella* Nicelli,1851; *fusca* Waters,1929 Range (in code): **FR Co IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY JP Hkk** Bionomy: Larva on *Salix aurita*, *S. babylonica*, *S. caprea*, *S. cinerea*, *S. pentandra*, *S. viminalis* (Salicaceae) (Sorhagen,1886; et seq.).
- 50786. Phyllonorycter saliciphaga (Kuznetsov,1960)** (Gracillariidae) Synonym(s): *saliciphaga* Kuznetsov,1960 Range (in code): **TM TJ**
- 50787. Phyllonorycter salictella (Zeller,1846)** (Gracillariidae) Synonym(s): *salictella* Zeller,1846; *viminiella* Sircom,1848; *heringiella* Gronlien,1932; *jaeckhi* M.Hering,1934 Range (in code): **PT ES FR IE GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Salix acutifolia*, *S. amygdalina*, *S. appendiculata*, *S. aurita*, *S. babylonica*, *S. caprea*, *S. cinerea*, *S. daphnoides*, *S. dasyclados*, *S. fragilis*, *S. eleagnos*, *S. nigricans*, *S. pentandra*, *S. rossica*, *S. rosmarinifolia*, *S. sibirica*, *S. viminalis* (Salicaceae) (Frey,1856; et seq.).
- 50788. Phyllonorycter sardiniensis (Amsel,1939)** (Gracillariidae) Synonym(s): *sardiniensis* Amsel,1939 Range (in code): **Sa**
- 50789. Phyllonorycter scabiosella (Douglas,1853)** (Gracillariidae) Synonym(s): *scabiosella* Douglas,1853; *scabiosaecolella* Doubleday,1859 Range (in code): **ES FR IT GB NL DE CH AT PL CZ SK**
- 50790. Phyllonorycter schreberella (Fabricius,1781)** (Gracillariidae) Synonym(s): *schreberella* Fabricius,1781; *ulminella* Zeller,1839; *guicciardiella* Costantini,1923 Range (in code): **PT ES FR Sa Si? IT GB BE NL DE CH AT PL CZ SK HU RO YU BG NO SE LV LT RU MD UA BY TR GG Cc TM Kp**
- 50791. Phyllonorycter scitulella (Duponchel,1843)** (Gracillariidae) Synonym(s): *scitulella* Duponchel,1843 Range (in code): **PT FR IT CH AT CZ SK HU RO MK BG RU MD UA**
- 50792. Phyllonorycter scopariella (Zeller,1846)** (Gracillariidae) Synonym(s): *scopariella* Zeller,1846 Range (in code): **PT FR IT IE GB BE NL DE PL CZ SK DK RU MD UA**
- 50793. Phyllonorycter silvicola De Prins,2012** (Gracillariidae) Synonym(s): *silvicola* De Prins,2012 Range (in code): **KE**
- 50794. Phyllonorycter sorbi (Frey,1855)** (Gracillariidae) Synonym(s): *sorbi* Frey,1855 Range (in code): **FR Co IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY TM**
- 50795. Phyllonorycter sp.** (Gracillariidae) Synonym(s): Range (in code): **TR**
- 50796. Phyllonorycter spartocytisi (Hering,1927)** (Gracillariidae) Synonym(s): *spartocytisi* Hering,1927 Range (in code): **Cn ES**
- 50797. Phyllonorycter spinicolella (Zeller,1846)** (Gracillariidae) Synonym(s): *spinicolella* Zeller,1846; *cerasicolella* Herrich-Schäffer,1855. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Cc KG TM TR**
- 50798. Phyllonorycter staintoniella (Nicelli,1853)** (Gracillariidae) Synonym(s): *staintoniella* Nicelli,1853; *pilosicolella* Bruand,1852; *tinctoriella* Le Marchard,1926; *desertella* Gregor & Povolny,1949 Range (in code): **FR Sa IT GB DE AT PL CZ SK HU RO YU BG DK SE**
- 50799. Phyllonorycter stettinensis (Nicelli,1852)** (Gracillariidae) Synonym(s): *stettinensis* Nicelli,1852; *stettinella* Herrich-Schäffer,1855 Range (in code): **FR Co IT GB BE NL DE CH AT PL CZ SK HU YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 50800. Phyllonorycter strigulatella (Lienig & Zeller,1846)** (Gracillariidae) Synonym(s): *strigulatella* Lienig & Zeller,1846 Range (in code): **FR Co IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 50801. Phyllonorycter suaveolentis (Petty,1904)** (Gracillariidae) Synonym(s): *suaveolentis* Petty,1904 Range (in code): **Co**
- 50802. Phyllonorycter suberifoliella (Zeller,1850)** (Gracillariidae) Synonym(s): *suberifoliella* Zeller,1850 Range (in code): **ES FR IT BG GR**
- 50803. Phyllonorycter sublautella (Stainton,1869)** (Gracillariidae) Synonym(s): *sublautella* Stainton,1869 Range (in code): **FR IT YU GR**
- 50804. Phyllonorycter tangerensis (Stainton,1872)** (Gracillariidae) Synonym(s): *tangerensis* Stainton,1872 Range (in code): **MA Tgr**
- 50805. Phyllonorycter tauricus Deschka,2013** (Gracillariidae) Synonym(s): *tauricus* Deschka,2013 Original Reference: *Phyllonorycter tauricus* Deschka,2013, Linzer biol. Beitr. 45 (1): 601-603, figs. Holotype ♂: Türkei, Taurus mts., Bey Dağları 8km E of Altinkaya 1150m

- [Antalya Prov., Kumluca distr.]. **_TR** Bionomy: Larva on *Ostrya carpinifolia* (Corylaceae) (Deschka, 2013).
- 50806. *Phyllonorycter tenerella* (Joannis, 1915)** (Gracillariidae) Synonym(s): *tenella* Zeller, 1846 nec Dup., 1845; *tenerella* Joannis, 1915; *albidorsella* Benander, 1944 Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU YU BG DK SE LV LT RU MD UA BY**
- 50807. *Phyllonorycter tinctoriella* (Le Marchand, 1926)** (Gracillariidae) Synonym(s): *tinctoriella* Le Marchand, 1926 Range (in code): **FR**
- 50808. *Phyllonorycter triarcha* (Meyrick, 1908)** (Gracillariidae) Synonym(s): *triarcha* Meyrick, 1908 Range (in code): **IN Bi TH MY PH ID Bru** Bionomy: Larva mines *Gossypium barbadense* (cotton) (Malvaceae) (Meyrick, 1908; et seq.).
- 50809. *Phyllonorycter tribhuvani* Kumata, 1973** (Gracillariidae) Synonym(s): *tribhuvani* Kumata, 1973 Range (in code): **NP**
- 50810. *Phyllonorycter trifasciella* (Haworth, [1828])** (Gracillariidae) Synonym(s): *trifasciella* Haworth, [1828] Range (in code): **PT ES FR Co Sa Si? IT IE GB BE NL LU DE CH AT PL YU GR TR DK SE**
- 50811. *Phyllonorycter triflorella* (Peyerimhoff, 1872)** (Gracillariidae) Synonym(s): *triflorella* Peyerimhoff, 1872 Range (in code): **FR Co Sa Si IT**
- 50812. *Phyllonorycter trifoliella* (Gerasimov, 1933)** (Gracillariidae) Synonym(s): *trifoliella* Gerasimov, 1933 Range (in code): **LV RU MD UA BY**
- 50813. *Phyllonorycter tristrigella* (Haworth, [1828])** (Gracillariidae) Synonym(s): *tristrigella* Haworth, [1828] Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 50814. *Phyllonorycter trochetellus* De Prins, 2012** (Gracillariidae) Synonym(s): *trochetellus* De Prins, 2012 Range (in code): **MU**
- 50815. *Phyllonorycter trojana* Deschka, 1982** (Gracillariidae) Synonym(s): *trojana* Deschka, 1982 Range (in code): **MK** Bionomy: Larva on *Quercus trojana* (Fagaceae) (Deschka, 1982).
- 50816. *Phyllonorycter troodi* Deschka, 1974** (Gracillariidae) Synonym(s): *troodi* Deschka, 1974 Range (in code): **CY**
- 50817. *Phyllonorycter tsavensis* De Prins, 2012** (Gracillariidae) Synonym(s): *tsavensis* De Prins, 2012 Range (in code): **KE**
- 50818. *Phyllonorycter turanica* (Gerasimov, 1931)** (Gracillariidae) Synonym(s): *turanica* Gerasimov, 1931 Range (in code): **MK AM GG Cc AZ IQ Bgd IR RU KG KK UZ TM TJ** Bionomy: Larva on *Pyrus malus*, *Cydonia vulgaris*, *Cerasus* (Rosaceae) (Gerasimov, 1931; et seq.).
- 50819. *Phyllonorycter turcomanicella* (Kuznetsov, 1960)** (Gracillariidae) Synonym(s): *turcomanicella* Kuznetsov, 1960 Range (in code): **TM Kp**
- 50820. *Phyllonorycter turensis* De Prins, 2012** (Gracillariidae) Synonym(s): *turensis* De Prins, 2012 Range (in code): **KE**
- 50821. *Phyllonorycter ulicicolella* (Stainton, 1851)** (Gracillariidae) Synonym(s): *ulicicolella* Stainton, 1851 Range (in code): **FR IT GB GR**
- 50822. *Phyllonorycter ulmifoliella* (Hübner, [1817])** (Gracillariidae) Synonym(s): *ulmifoliella* Hübner, [1817] Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY KG JP Hkk**
- 50823. *Phyllonorycter umukarus* De Prins, 2012** (Gracillariidae) Synonym(s): *umukarus* De Prins, 2012 Range (in code): **RW**
- 50824. *Phyllonorycter viminetorum* (Stainton, 1854)** (Gracillariidae) Synonym(s): *viminetorum* Stainton, 1854 Range (in code): **IT IE GB BE NL DE AT PL CZ LV LT CN Sz** Bionomy: Larva on *Salix ? aurita*, *S. caprea*, *S. viminalis* (Salicaceae) (Stainton, 1854).
- 50825. *Phyllonorycter vulturella* (Deschka, 1968)** (Gracillariidae) Synonym(s): *vulturella* Deschka, 1968 Range (in code): **ES FR IT**
- 50826. *Phyllonorycter yamadai* Kumata, 1973** (Gracillariidae) Synonym(s): *yamadai* Kumata, 1973 Range (in code): **NP**
- 50827. *Phyllonorycter zelkovae* (Kumata, 1963)** (Gracillariidae) Synonym(s): *zelkovae* Kumata, 1963 Range (in code): **JP** Bionomy: Larva on *Zelkova serrata* (Ulmaceae) (Kumata, 1963).
- 50828. *Phyllonorycter zonochares* (Meyrick, 1933)** (Gracillariidae) Synonym(s): *zonochares* Meyrick, 1933 Range (in code): **Ch**
- 50829. *Pleiomorpha dystacta* Vari, 1961** (Gracillariidae) Synonym(s): *dystacta* Vari, 1961 Range (in code): **ZA Tva Lpo Spb Wp Mpu Brb ZA14**

- 50830. Pleiomorpha eumeces Vari,1961** (Gracillariidae) Synonym(s): *eumeces* Vari,1961
Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Royena lycioides (Ebenaceae) (Vari,1961).
- 50831. Pleiomorpha habrogramma Vari,1961** (Gracillariidae) Synonym(s): *habrogramma* Vari,1961
Range (in code): **ZA Tva Gau Pre Nta Kzu Esw Hei Kkf**
- 50832. Pleiomorpha homotypa Vari,1961** (Gracillariidae) Synonym(s): *homotypa* Vari,1961
Range (in code): **ZA Tva Lpo Gau Pre Pot Mdt** Bionomy: Larva on Royena lycioides (Ebenaceae) (Vari,1961).
- 50833. Pleiomorpha symmetra Vari,1961** (Gracillariidae) Synonym(s): *symmetra* Vari,1961
Range (in code): **ZA Tva Mpu ZA14**
- 50834. Pogonocephala veneranda (Meyrick,1909)** (Gracillariidae) Synonym(s): *veneranda* Meyrick,1909
Range (in code): **ZA Tva Gau Pre Lpo Spb Wp Chp Kru Mpu Tst Brb**
- 50835. Polydema hormophora (Meyrick,1912)** (Gracillariidae) Synonym(s): *hormophora* Meyrick,1912
Range (in code): **ZA Tva Mpu Brb**
- 50836. Polydema vansoni Vari,1961** (Gracillariidae) Synonym(s): *vansoni* Vari,1961
Range (in code): **ZA Ec Nta Kzu Esw**
- 50837. Polymitia eximipalpella (Gerasimov,1930)** (Gracillariidae) Synonym(s): *eximipalpella* Gerasimov,1930; *telaviviella* Amsel,1935
Range (in code): **TM UZ AF Blh Ca Hr Pli Srb Bm SA SA63 CY TR SY Dms JO Amm IR Elb Th Gls Km Fa Snj IQ Bgd TJ IL Pa**
- 50838. Polymitia laristana Triberti,1986** (Gracillariidae) Synonym(s): *laristana* Triberti,1986
Range (in code): **IR Hz B-A**
- 50839. Polysoma aenictum Vari,1961** (Gracillariidae) Synonym(s): *aenictum* Vari,1961
Range (in code): **ZW** Bionomy: Larva on Albizzia gummifera (Fabaceae) (Vari,1961).
- 50840. Polysoma clarki Vari,1961** (Gracillariidae) Synonym(s): *clarki* Vari,1961
Range (in code): **ZA Ec Elo**
- 50841. Polysoma lithochrysum (Meyrick,1930)** (Gracillariidae) Synonym(s): *lithochrysum* Meyrick,1930
Range (in code): **UG ZW Har ZA Nta Kzu Dbn**
- 50842. Polysoma tanysphenum (Meyrick,1928)** (Gracillariidae) Synonym(s): *tanysphenum* Meyrick,1928
Range (in code): **ZW Bul**
- 50843. Porphyrosela aglaozona (Meyrick,1882)** (Gracillariidae) Synonym(s): *aglaozona* Meyrick,1882
Range (in code): **AU NSW FJ**
- 50844. Porphyrosela alternata Kumata,1993** (Gracillariidae) Synonym(s): *alternata* Kumata,1993
Range (in code): **JP NP MY TW**
- 50845. Porphyrosela desmodivora De Prins,2012** (Gracillariidae) Synonym(s): *desmodivora* De Prins,2012
Range (in code): **CM**
- 50846. Porphyrosela dorinda (Meyrick,1912)** (Gracillariidae) Synonym(s): *dorinda* Meyrick,1912
Range (in code): **IN Bi CN HK JP TW PH Luz Mdo MY**
- 50847. Porphyrosela gautengi De Prins,2012** (Gracillariidae) Synonym(s): *gautengi* De Prins,2012
Range (in code): **Tva Gau ZA**
- 50848. Porphyrosela homotropa Vari,1963** (Gracillariidae) Synonym(s): *homotropa* Vari,1963
Range (in code): **ET ET08**
- 50849. Porphyrosela minuta Clarke,1953** (Gracillariidae) Synonym(s): *minuta* Clarke,1953
Range (in code): **AR BR CL**
- 50850. Porphyrosela neodoxa (Meyrick,1916)** (Gracillariidae) Synonym(s): *neodoxa* Meyrick,1916
Range (in code): **IN Bi**
- 50851. Porphyrosela teramni Vari,1961** (Gracillariidae) Synonym(s): *teramni* Vari,1961
Range (in code): **ZA Tva Gau Pre Nta Kzu** Bionomy: Larva on Teramnus labialis, Vigna ? luteola (Fabaceae) (Vari,1961).
- 50852. Sauterina hofmanniella (Schleich,1867)** (Gracillariidae) Synonym(s): *hofmanniella* Schleich,1867
Range (in code): **FR Sa Si? IT BE DE CH PL CZ SK HU TR NO SE RU MD UA BY**
- 50853. Sauterina thrypticosema (Vari,1961)** (Gracillariidae) Synonym(s): *thrypticosema* Vari,1961
Range (in code): **ZA**
- 50854. Schedocercops maeruae Vari,1961** (Gracillariidae) Synonym(s): *maeruae* Vari,1961
Range (in code): **ZA Nta Kzu Dbn Ina** Bionomy: Larva on Maerua racemulosa (Capparidaceae) (Vari,1961).
- 50855. Semnocera procellaris (Meyrick,1914)** (Gracillariidae) Synonym(s): *procellaris* Meyrick,1914
Range (in code): **ZA Nta Kzu Srn Dbn** Bionomy: Larva on Ekebergia (Meliaceae) (Vari,1961).

- 50856. *Spulerina aphanosema* Vari,1961** (Gracillariidae) Synonym(s): *aphanosema* Vari,1961
Range (in code): **ZW VF**
- 50857. *Spulerina astaurota* (Meyrick,1922)** (Gracillariidae) Synonym(s): *astaurota* Meyrick,1922
Range (in code): **IN Ass Meg Slo JP KP KR RU Us** Bionomy: Larva on *Chaenomeles*, *Malus domestica*, *M. sylvestris*, *M. sieboldii*, *Prunus domestica*, *Pyrus communis*, *P. pyrifolia* (Rosaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50858. *Spulerina atactodesma* Vari,1961** (Gracillariidae) Synonym(s): *atactodesma* Vari,1961
Range (in code): **ZA Tva Mpu ZA14**
- 50859. *Spulerina catapasta* Vari,1961** (Gracillariidae) Synonym(s): *catapasta* Vari,1961
Range (in code): **ZA Nta Kzu Esw**
- 50860. *Spulerina corticicola* Kumata,1964** (Gracillariidae) Synonym(s): *corticicola* Kumata,1964
Range (in code): **JP Hkk RU Us** Bionomy: Larva on *Abies sachaliensis*, *Larix leptolepis*, *Pinus parviflora*, *P. pentaphylla*, *P. strobus* (Pinaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50861. *Spulerina dissotoma* (Meyrick,1931)** (Gracillariidae) Synonym(s): *dissotoma* Meyrick,1931; *lespedezifoliella* Kuroko,1982 Range (in code): **JP Ri Kyu Hkk KP KR TW RU Us IN Bi Pus Ri** Bionomy: Larva on *Lespedeza bicolor*, *L. cyrtobotrya*, *Pueraria montana*, *Flemingia lineata* (Fabaceae) (Meyrick,1931; et seq.).
- 50862. *Spulerina hexalocha* (Meyrick,1912)** (Gracillariidae) Synonym(s): *hexalocha* Meyrick,1912 Range (in code): **ZA Mpu Tva Brb** Bionomy: Larva on *Sclerocayra caffra*, *S. birrea* (Anacardiaceae), *Citrus* (Rutaceae) (Meyrick,1912; Vari,1961).
- 50863. *Spulerina isonoma* (Meyrick,1916)** (Gracillariidae) Synonym(s): *isonoma* Meyrick,1916
Original Reference: *Acrocercops isonoma* Meyrick,1916, *Exot. lepid.* 1: 625. Type: India. Range (in code): **IN Bi Pus MY TH** Bionomy: Larva on *Mangifera indica* (Anacardiaceae) (Meyrick,1916; et seq.).
- 50864. *Spulerina lochmaea* Vari,1961** (Gracillariidae) Synonym(s): *lochmaea* Vari,1961
Range (in code): **ZA Tva Mpu ZA14** Bionomy: Larva on *Mangifera indica* (Anacardiaceae) (de Prins & de Prins,2005).
- 50865. *Spulerina malicola* (Meyrick,1921)** (Gracillariidae) Synonym(s): *malicola* Meyrick,1921
Range (in code): **IN Meg Slo** Bionomy: Larva on *Malus domestica*, *M. pumila*, *M. sylvestris* (Rosaceae) (Meyrick,1921; Kumata, Kuroko & Ermolaev,1988).
- 50866. *Spulerina marmarodes* Vari,1961** (Gracillariidae) Synonym(s): *marmarodes* Vari,1961
Range (in code): **ZA Nta Kzu Dmm**
- 50867. *Spulerina parthenocissi* Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *parthenocissi* Kumata & Kuroko,1988 Range (in code): **JP Hkk** Bionomy: Larva on *Parthenocissus tricuspidata* (Vitaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50868. *Spulerina quadrifasciata* Bland,1980** (Gracillariidae) Synonym(s): *quadrifasciata* Bland,1980 Range (in code): **NG Iba**
- 50869. *Spulerina simploniella* (Fischer v. Röslerstamm,1840)** (Gracillariidae)
Synonym(s): *simploniella* Fischer v. Röslerstamm,1840; *eximiella* Christoph,1888 Range (in code): **PT FR Sa Si IT BE NL DE CH PL SK HU GR TR Cc AZ Len RU MD UA BY** Bionomy: Larva on *Quercus robur*, *Q. petraea*, *Q. castaneifolia*, *Castanea sativa* (Fagaceae), *Carpinus betulus* (Betulaceae) (Buszko,1990; et seq.).
- 50870. *Spulerina virgulata* Kumata & Kuroko,1988** (Gracillariidae) Synonym(s): *virgulata* Kumata & Kuroko,1988 Range (in code): **JP** Bionomy: Larva on *Quercus acutissima*, *Q. serrata*, *Q. variabilis*, (Fagaceae) (Kumata, Kuroko & Ermolaev,1988).
- 50871. *Stomphastis adesa* Triberti,1988** (Gracillariidae) Synonym(s): *adesa* Triberti,1988
Range (in code): **MG NG**
- 50872. *Stomphastis aphrocyma* (Meyrick,1918)** (Gracillariidae) Synonym(s): *aphrocyma* Meyrick,1918 Range (in code): **ZA Nta Kzu Esw Dbn Ina ZW** Bionomy: Larva on *Croton sylvaticus* (Euphorbiaceae) (Vari,1961).
- 50873. *Stomphastis cardamitis* (Meyrick,1918)** (Gracillariidae) Synonym(s): *cardamitis* Meyrick,1918 Range (in code): **ZA Gau Tva Pre** Bionomy: Larva on *Croton subgratissimus* (Euphorbiaceae) (Vari,1961).
- 50874. *Stomphastis chalybacma* (Meyrick,1908)** (Gracillariidae) Synonym(s): *chalybacma* Meyrick,1908 Range (in code): **IN LK MY Bor Sbh MM TH ID Clb** Bionomy: Larva on *Caesalpinia pulcherrima*, *C. decapetala*, *Samanea saman*, *Delonix regia*, *Pithecellobium* (Fabaceae) (Meyrick,1912; et seq.).

- 50875. *Stomphastis conflua* (Meyrick,1914)** (Gracillariidae) Synonym(s): *conflua* Meyrick,1914
Range (in code): **ZA Tva Gau Pre Nta Kzu Umk Srn Dbn Slpp Mpu Tst Brb Lpo Spb Msw Ltr Kru ZW NG SD MZ EG IL Pa GG Cc IQ Bgd SA RU JO CY TR** Bionomy: Larva on Pouzolzia hypoleuca (Urticaceae), Ricinus communis (Euphorbiaceae) (Vari,1961).
- 50876. *Stomphastis crotoniphila* Vari,1961** (Gracillariidae) Synonym(s): *crotoniphila* Vari,1961
Range (in code): **ZA Nta Kzu** Bionomy: Larva on Croton sylvaticus (Euphorbiaceae) (Vari,1961).
- 50877. *Stomphastis crotonis* Vari,1961** (Gracillariidae) Synonym(s): *crotonis* Vari,1961
Range (in code): **NA ZA Tva Lpo Spb Sbs** Bionomy: Larva on Croton menyhartii (Euphorbiaceae) (Vari,1961).
- 50878. *Stomphastis dodonaeae* Vari,1961** (Gracillariidae) Synonym(s): *dodonaeae* Vari,1961
Range (in code): **MG ZA Gau Tva Pre** Bionomy: Larva on Dodonaea viscosa (Sapindaceae) (Vari,1961).
- 50879. *Stomphastis eugrapta* Vari,1961** (Gracillariidae) Synonym(s): *eugrapta* Vari,1961
Range (in code): **MG ZA Tva Gau Pre**
- 50880. *Stomphastis heringi* Vari,1963** (Gracillariidae) Synonym(s): *heringi* Vari,1963 Range (in code): **ST**
- 50881. *Stomphastis horrens* Vari,1963** (Gracillariidae) Synonym(s): *horrens* Vari,1963
Range (in code): **ET**
- 50882. *Stomphastis labyrinthica* (Meyrick,1918)** (Gracillariidae) Synonym(s): *labyrinthica* Meyrick,1918 Range (in code): **IN Bi JP Ri**
- 50883. *Stomphastis mixograptia* Vari,1961** (Gracillariidae) Synonym(s): *mixograptia* Vari,1961
Range (in code): **ZA Tva Gau Pre**
- 50884. *Stomphastis polygoni* Vari,1961** (Gracillariidae) Synonym(s): *polygoni* Vari,1961
Range (in code): **ZW** Bionomy: Larva on Polygonum setosulum (Polygonaceae) (Vari,1961).
- 50885. *Stomphastis rorkei* Vari,1961** (Gracillariidae) Synonym(s): *rorkei* Vari,1961 Range (in code): **ZA Tva Gau Pre ZW Vf NA Abc** Bionomy: Larva on Croton gratissimus (Euphorbiaceae) (Vari,1961).
- 50886. *Stomphastis thraustica* (Meyrick,1908)** (Gracillariidae) Synonym(s): *thraustica* Meyrick,1908; *plectica* Meyrick,1912 Range (in code): **ZA Nta Kzu Dbn Mpu Tva Brb Kru Gau Pre ZW CF ZR NA GH NG MG IN Ben MY ID Ja Clb** Bionomy: Larva on Sebastiana chamaelea, Jatropha gossypifolia, J. curcas (Euphorbiaceae) (Vari,1961).
- 50887. *Stomphastis tremina* Vari,1961** (Gracillariidae) Synonym(s): *tremina* Vari,1961
Range (in code): **ZA Tva Lpo Spb Ltr NA** Bionomy: Larva on Trema guineensis (Ulmaceae) (Vari,1961).
- 50888. *Synnympha diluviata* Meyrick,1915** (Gracillariidae) Synonym(s): *diluviata* Meyrick,1915
Range (in code): **LK**
- 50889. *Systoloneura geometropis* (Meyrick,1936)** (Gracillariidae) Synonym(s): *geometropis* Meyrick,1936 Range (in code): **JP TW**
- 50890. *Systoloneura randiae* Vari,1961** (Gracillariidae) Synonym(s): *randiae* Vari,1961
Range (in code): **ZA Ec Kwi** Bionomy: Larva on Randia rudis (Rubiaceae) (Vari,1961).
- 50891. *Telamoptilia cathedraea* (Meyrick,1908)** (Gracillariidae) Synonym(s): *cathedraea* Meyrick,1908 Range (in code): **IN Ass Meg Khs JP Ri TW MG**
- 50892. *Telamoptilia geyeri* (Vari,1961)** (Gracillariidae) Synonym(s): *geyeri* Vari,1961 Range (in code): **ZA Tva Lpo Spb Ltr ZW** Bionomy: Larva on Pavonia columella (Malvaceae) (Vari,1961).
- 50893. *Telamoptilia hemistacta* (Meyrick,1924)** (Gracillariidae) Synonym(s): *hemistacta* Meyrick,1924 Range (in code): **MG IN Bi JP Ri TW**
- 50894. *Telamoptilia prosacta* (Meyrick,1918)** (Gracillariidae) Synonym(s): *prosacta* Meyrick,1918 Range (in code): **TH IN Bi TW JP Ri ID Ja FJ** Bionomy: Larva mines Ipomoea batatas (sweet potato) (Convolvulaceae) (Meyrick,1918; et seq.).
- 50895. *Telamoptilia tiliae* Kumata & Ermolaev,1988** (Gracillariidae) Synonym(s): *tiliae* Kumata & Ermolaev,1988 Range (in code): **JP Hkk RU Us**
- 50896. *Triberta cistifoliella* (Groschke,1944)** (Gracillariidae) Synonym(s): *cistifoliella* Groschke,1944 Range (in code): **Si** Bionomy: Larva on Cistus creticus, C.incanus, C.salviifolius, Helianthemum chamaecistus, H.nummularium, H.vulgare (Cistaceae) (Herrich-Schäffer,1861; Groschke,1944 et seq.).

- 50897. Triberta helianthemella (Herrich-Schäffer,[1860])** (Gracillariidae) Synonym(s): *helianthemella* Herrich-Schäffer,[1860] Original Reference: Lithocolletis helianthemella Herrich-Schäffer,[1860], Neue Schmett. 3: 20, fig.115. Syntypes: [Deutschland]: Regensburg. [see for date of publication: de Prins & Sattler (2014, Zootaxa 3811 (2): 297-300]. Range (in code): **Cn ES FR Sa? Si IT DE CH AT CZ SK HU YU GR TR CY MK HV** Bionomy: Larva on Cistus creticus, C.incanus, C.salviifolius, Helianthemum chamaecistus, H.nummularium, H.vulgare (Cistaceae) (Herrich-Schäffer,1861; Groschke,1944 et seq.).
- 50898. Epicroesa chromatorhoea Diakonoff & Arita,1979** (Heliodinidae) Synonym(s): *chromatorhoea* Diakonoff & Arita,1979 Range (in code): **JP** Bionomy: Larva on Kalopanax septemlobus (Araliaceae) (Diakonoff,1979).
- 50899. Heliodines roesella (Linnaeus,1758)** (Heliodinidae) Synonym(s): *roesella* Linnaeus,1758 Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU TR SE RU MD UA BY**
- 50900. Antispila metallella ([Denis & Schiffermüller],1775)** (Heliozelidae) Synonym(s): *metallella* [Denis & Schiffermüller],1775 Original Reference: Tinea metallella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 144. Type(s): [Austria]: Vienna district. Range (in code): **FR GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE EE LV LT RU MD UA BY**
- 50901. Antispila treitschkiella (Fischer v. Röslerstamm,1843)** (Heliozelidae) Synonym(s): *treitschkiella* Fischer v. Röslerstamm,1843 Range (in code): **PT FR IT GB BE NL DE CH AT PL CZ SK HU YU AL BG GR RU MD UA BY** Bionomy: Larva on Cornus sanguinea (Corley,2007).
- 50902. Antispilina ludwigi M.Hering,1941** (Heliozelidae) Synonym(s): *ludwigi* M.Hering,1941 Range (in code): **DE PL**
- 50903. Heliozela hammoniella Sorhagen,1885** (Heliozelidae) Synonym(s): *hammoniella* Sorhagen,1885 Range (in code): **FR IE GB NL DE AT CZ DK SE FI LV LT**
- 50904. Heliozela lithargyrella (Zeller,1850)** (Heliozelidae) Synonym(s): *lithargyrella* Zeller,1850 Range (in code): **FR Co Si IT**
- 50905. Heliozela resplendella (Stainton,1851)** (Heliozelidae) Synonym(s): *resplendella* Stainton,1851 Range (in code): **FR IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV RU MD UA BY**
- 50906. Heliozela sericiella (Haworth,1828)** (Heliozelidae) Synonym(s): *sericiella* Haworth,1828 Range (in code): **PT FR Co Si IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT**
- 50907. Holocacista rivillei (Stainton,1855)** (Heliozelidae) Synonym(s): *rivillei* Stainton,1855 Range (in code): **ES FR Si IT MT YU GR RU MD UA BY**
- 50908. Afrotheora argentimaculata Nielsen & Scoble,1986** (Hepialidae) Synonym(s): *argentimaculata* Nielsen & Scoble,1986 Range (in code): **ZA**
- 50909. Afrotheora minirhodaula Nielsen & Scoble,1986** (Hepialidae) Synonym(s): *minirhodaula* Nielsen & Scoble,1986 Range (in code): **ZA**
- 50910. Afrotheora rhodaula (Meyrick,1926)** (Hepialidae) Synonym(s): *rhodaula* Meyrick,1926 Range (in code): **ZA**
- 50911. Afrotheora thermodes (Meyrick,1921)** (Hepialidae) Synonym(s): *thermodes* Meyrick,1921 Range (in code): **ZA Tva Lpo Spb Suw**
- 50912. Antihepialus antarcticus (Wallengren,1860)** (Hepialidae) Synonym(s): *antarcticus* Wallengren,1860; *aurifaber* Felder,1874. Original Reference: Hepialus antarcticus Wallengren,1860, Wien. ent. Monatschr. 4 (2): 43. Range (in code): **ZA MZ ZW**
- 50913. Antihepialus capeneri Janse,1948** (Hepialidae) Synonym(s): *capeneri* Janse,1948 Range (in code): **ZA**
- 50914. Antihepialus vansoni (Janse,1942)** (Hepialidae) Synonym(s): *vansoni* Janse,1942 Range (in code): **ZA**
- 50915. Endoclita aikasama Tindale,1958** (Hepialidae) Synonym(s): *aikasama* Tindale,1958 Range (in code): **ID Ja**
- 50916. Endoclita aroura Tindale,1958** (Hepialidae) Synonym(s): *aroura* Tindale,1958 Range (in code): **ID Sum**
- 50917. Endoclita auratus (Hampson,[1893])** (Hepialidae) Synonym(s): *auratus* Hampson,[1893] Range (in code): **MM**
- 50918. Endoclita bromia Tindale,1958** (Hepialidae) Synonym(s): *bromia* Tindale,1958 Range (in code): **ID Ja**
- 50919. Endoclita chalybeatus (Moore,1879)** (Hepialidae) Synonym(s): *chalybeatus* Moore,1879 Original Reference: Phassus chalybeatus Moore,1879, Proc. zool. Soc. London 1879: 412. Type:

- Darjeeling. Range (in code): **IN SI Djl MM TH MY** Bionomy: Larva on Theobroma cacao (Cocoa) (Sterculiaceae); Trema cannabina, Macaranga, Anthocephalus cadamba, Gliricidia maculata, Erythrina (Barlow,1982).
- 50920. Endoclita chrysoptera Tindale,1941** (Hepialidae) Synonym(s): *chrysoptera Tindale,1941*
Range (in code): **IN SI**
- 50921. Endoclita crenilimbata (Le Cerf,1919)** (Hepialidae) Synonym(s): *crenilimbata Le Cerf,1919* Range (in code): **CN**
- 50922. Endoclita davidi (Poujade,1886)** (Hepialidae) Synonym(s): *davidi Poujade,1886; nankingi Daniel,1940; giganodus Chu & Wang,1985* Range (in code): **CN**
- 50923. Endoclita fijianodus (Chu & Wang,1985)** (Hepialidae) Synonym(s): *fijianodus Chu & Wang,1985* Range (in code): **CN**
- 50924. Endoclita gmelina Tindale,1941** (Hepialidae) Synonym(s): *gmelina Tindale,1941*
Range (in code): **IN MM MY**
- 50925. Endoclita hosei Tindale,1958** (Hepialidae) Synonym(s): *hosei Tindale,1958* Range (in code): **MY Bor Sbh** Bionomy: Larva on Theobroma cacao (Cocoa) (Sterculiaceae) (Barlow,1982).
- 50926. Endoclita javaensis Viette,1950** (Hepialidae) Synonym(s): *javaensis Viette,1950*
Range (in code): **ID Ja**
- 50927. Endoclita kara Tindale,1958** (Hepialidae) Synonym(s): *kara Tindale,1958* Range (in code): **ID Ja**
- 50928. Endoclita niger (van Eecke,1915)** (Hepialidae) Synonym(s): *niger van Eecke,1915; pfitzneri Gaede,1933* Range (in code): **ID Ja**
- 50929. Endoclita paraja Tindale,1958** (Hepialidae) Synonym(s): *paraja Tindale,1958* Range (in code): **MY Bor**
- 50930. Endoclita raapi Tindale,1958** (Hepialidae) Synonym(s): *raapi Tindale,1958* Range (in code): **ID Nia**
- 50931. Endoclita salvazi Tindale,1958** (Hepialidae) Synonym(s): *salvazi Tindale,1958* Range (in code): **LA**
- 50932. Endoclita sericinus (Swinhoe,1901)** (Hepialidae) Synonym(s): *sericinus Swinhoe,1901*
Range (in code): **ID Ja**
- 50933. Endoclita sibela (Roepke,1935)** (Hepialidae) Synonym(s): *sibela Roepke,1935*
Range (in code): **Mlc ID**
- 50934. Endoclita signifer (Walker,1856)** (Hepialidae) Synonym(s): *signifer Walker,1856; hunanensis Chu & Wang,1985* Original Reference: Phassus signifer Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1768. Range (in code): **IN LK CN Hun MY Bor TH CMa Cu0 Cu05**
- 50935. Endoclita taranu Tindale,1958** (Hepialidae) Synonym(s): *taranu Tindale,1958* Range (in code): **ID Sum**
- 50936. Endoclita topeza Tindale,1958** (Hepialidae) Synonym(s): *topeza Tindale,1958* Range (in code): **LA**
- 50937. Endoclita tosa Tindale,1958** (Hepialidae) Synonym(s): *tosa Tindale,1958* Range (in code): **ID Ja**
- 50938. Endoclita williamsi Tindale,1958** (Hepialidae) Synonym(s): *williamsi Tindale,1958*
Range (in code): **PH**
- 50939. Endoclita yunnanensis (Chu & Wang,1985)** (Hepialidae) Synonym(s): *yunnanensis Chu & Wang,1985* Range (in code): **CN Yu**
- 50940. Eudalaca albiplumis (W.Warren,1914)** (Hepialidae) Synonym(s): *albiplumis W.Warren,1914* Range (in code): **ZA**
- 50941. Eudalaca albistriata (Hampson,1910)** (Hepialidae) Synonym(s): *albistriata Hampson,1910* Range (in code): **ZA**
- 50942. Eudalaca ammon (Wallengren,1860)** (Hepialidae) Synonym(s): *ammon Wallengren,1860; fuscescens Hampson,1910; goniophora Hampson,1910; rhodesiensis Hampson,1910.* Range (in code): **ZA MZ ZW ZM MW TZ**
- 50943. Eudalaca amphiarma (Meyrick,1926)** (Hepialidae) Synonym(s): *amphiarma Meyrick,1926* Range (in code): **ZA**
- 50944. Eudalaca aurifuscalis (Janse,1942)** (Hepialidae) Synonym(s): *aurifuscalis Janse,1942*
Range (in code): **ZA**

- 50945. *Eudalaca bacotii* (Quail,1900)** (Hepialidae) Synonym(s): *bacotii* Quail,1900 _ Range (in code): ZA
- 50946. *Eudalaca cretata* (Distant,1897)** (Hepialidae) Synonym(s): *cretata* Distant,1897 Range (in code): ZA
- 50947. *Eudalaca crossosema* (Meyrick,1921)** (Hepialidae) Synonym(s): *crossosema* Meyrick,1921 Range (in code): ZA Nta Kzu Ww
- 50948. *Eudalaca crudeni* (Janse,1942)** (Hepialidae) Synonym(s): *crudeni* Janse,1942 _ Range (in code): ZA
- 50949. *Eudalaca eriogastra* (Meyrick,1921)** (Hepialidae) Synonym(s): *eriogastra* Meyrick,1921 Range (in code): ZA Nta Kzu Ww
- 50950. *Eudalaca exul* (Herrich-Schäffer,1853)** (Hepialidae) Synonym(s): *exul* Herrich-Schäffer,1853; *librata* Walker,1865; *metaleuca* Hampson,1910; *tumidifascia* Hampson,1910. _ Range (in code): ZA
- 50951. *Eudalaca gutterata* (Janse,1942)** (Hepialidae) Synonym(s): *gutterata* Janse,1942 Range (in code): ZA
- 50952. *Eudalaca hololeuca* (Hampson,1910)** (Hepialidae) Synonym(s): *hololeuca* Hampson,1910 Range (in code): ZA
- 50953. *Eudalaca homoterma* (Meyrick,1821)** (Hepialidae) Synonym(s): *homoterma* (Meyrick,1821) _ Range (in code): ZA
- 50954. *Eudalaca ibex* (Wallengren,1860)** (Hepialidae) Synonym(s): *ibex* Wallengren,1860; *albirivula* Hampson,1910. _ Range (in code): ZA
- 50955. *Eudalaca infumata* (Janse,1942)** (Hepialidae) Synonym(s): *infumata* Janse,1942 Range (in code): ZA
- 50956. *Eudalaca isorrhoea* (Meyrick,1921)** (Hepialidae) Synonym(s): *isorrhoea* Meyrick,1921 Range (in code): ZA Tva Mpu Brb
- 50957. *Eudalaca leniflua* (Janse,1942)** (Hepialidae) Synonym(s): *leniflua* Janse,1942 _ Range (in code): ZA
- 50958. *Eudalaca leucocyma* (Hampson,1910)** (Hepialidae) Synonym(s): *leucocyma* Hampson,1910 _ Range (in code): ZA Nta Fs Blo Tva Lpo
- 50959. *Eudalaca leucophaea* (Janse,1919)** (Hepialidae) Synonym(s): *leucophaea* Janse,1919 Range (in code): ZA
- 50960. *Eudalaca limbopunctata* (Gaede,1930)** (Hepialidae) Synonym(s): *limbopunctata* Gaede,1930 _ Range (in code): ZA
- 50961. *Eudalaca minuscula* (Janse,1942)** (Hepialidae) Synonym(s): *minuscula* Janse,1942 Range (in code): ZA
- 50962. *Eudalaca nomaqua* (Walker,1856)** (Hepialidae) Synonym(s): *nomaqua* Walker,1856; *#namaqua* Janse,1917. _ Range (in code): ZA
- 50963. *Eudalaca orthocosma* (Janse,1942)** (Hepialidae) Synonym(s): *orthocosma* Janse,1942 Range (in code): ZA Wca
- 50964. *Eudalaca rivula* (Janse,1942)** (Hepialidae) Synonym(s): *rivula* Janse,1942 _ Range (in code): ZA
- 50965. *Eudalaca rufescens* (Hampson,1910)** (Hepialidae) Synonym(s): *rufescens* Hampson,1910; *furva* Hampson,1910. _ Range (in code): ZA
- 50966. *Eudalaca semicana* (Janse,1919)** (Hepialidae) Synonym(s): *stictigrapha* Hampson,1910; *semicana* Janse,1919 _ Range (in code): ZA
- 50967. *Eudalaca troglodytis* (Janse,1919)** (Hepialidae) Synonym(s): *troglodytis* Janse,1919 Range (in code): ZA
- 50968. *Eudalaca vaporalis* (Meyrick,1921)** (Hepialidae) Synonym(s): *vaporalis* Meyrick,1921; *homostola* Hampson,1910. _ Range (in code): ZA Tva Mpu Pil
- 50969. *Eudalaca vindex* (Meyrick,1939)** (Hepialidae) Synonym(s): *vindex* Meyrick,1939 Range (in code): ZA
- 50970. *Gazoryctra fuscoargenteus* (O.Bang-Haas,1927)** (Hepialidae) Synonym(s): *fuscoargenteus* O.Bang-Haas,1927 _ Range (in code): NO SE FI RU?
- 50971. *Gazoryctra ganna* (Hübner,[1804])** (Hepialidae) Synonym(s): *ganna* Hübner,[1804]; *arcticus* Boheman,1848; *chishimana* Matsumura,1931 _ Range (in code): FR IT DE CH AT PL FI RU MD UA BY

- 50972. *Gorgopis annulosa* Gaede,1930** (Hepialidae) Synonym(s): *annulosa* Gaede,1930
Range (in code): [ZA](#)
- 50973. *Gorgopis armillata* Meyrick,1921** (Hepialidae) Synonym(s): *armillata* Meyrick,1921
Range (in code): [ZA Nta Kzu](#)
- 50974. *Gorgopis auratilis* Janse,1919** (Hepialidae) Synonym(s): *auratilis* Janse,1919 _ [Range \(in code\): ZA](#)
- 50975. *Gorgopis aurifuscata* Janse,1942** (Hepialidae) Synonym(s): *aurifuscata* Janse,1942
Range (in code): [ZA](#)
- 50976. *Gorgopis butlerii* Dewitz,1881** (Hepialidae) Synonym(s): *butlerii* Dewitz,1881 _ [Range \(in code\): ZA](#)
- 50977. *Gorgopis caffra* Walker,1856** (Hepialidae) Synonym(s): *caffra* Walker,1856; *cervina* Wallengren,1860. _ [Range \(in code\): ZA](#)
- 50978. *Gorgopis centaurica* Meyrick,1921** (Hepialidae) Synonym(s): *centaurica* Meyrick,1921
Range (in code): [ZA Nta Kzu](#)
- 50979. *Gorgopis cochlias* Janse,1942** (Hepialidae) Synonym(s): *cochlias* Janse,1942 _ [Range \(in code\): ZA](#)
- 50980. *Gorgopis crudeni* Janse,1919** (Hepialidae) Synonym(s): *crudeni* Janse,1919 _ [Range \(in code\): ZA](#)
- 50981. *Gorgopis furcata* Janse,1942** (Hepialidae) Synonym(s): *furcata* Janse,1942 _ [Range \(in code\): ZA](#)
- 50982. *Gorgopis fuscalis* Janse,1919** (Hepialidae) Synonym(s): *fuscalis* Janse,1919 _ [Range \(in code\): ZA](#)
- 50983. *Gorgopis griseus* Gaede,1930** (Hepialidae) Synonym(s): *griseus* Gaede,1930
Range (in code): [ZA](#)
- 50984. *Gorgopis huntii* Janse,1942** (Hepialidae) Synonym(s): *huntii* Janse,1942 _ [Range \(in code\): ZA](#)
- 50985. *Gorgopis inornata* Janse,1942** (Hepialidae) Synonym(s): *inornata* Janse,1942 _ [Range \(in code\): ZA](#)
- 50986. *Gorgopis intervallata* W.Warren,1914** (Hepialidae) Synonym(s): *intervallata* W.Warren,1914 _ [Range \(in code\): ZA](#)
- 50987. *Gorgopis leucopetala* Meyrick,1921** (Hepialidae) Synonym(s): *leucopetala* Meyrick,1921
Range (in code): [ZA Tra Ec](#)
- 50988. *Gorgopis libania* (Stoll,[1781])** (Hepialidae) Synonym(s): *libania* Stoll,[1781]; *abbottii* Holland,1892; *angolensis* Viette,1956. _ [Range \(in code\): ZA Nta MZ ZW MW](#)
- 50989. *Gorgopis lobata* Janse,1942** (Hepialidae) Synonym(s): *lobata* Janse,1942 _ [Range \(in code\): ZA](#)
- 50990. *Gorgopis olivaceonotata* W.Warren,1914** (Hepialidae) Synonym(s): *olivaceonotata* W.Warren,1914 _ [Range \(in code\): ZA](#)
- 50991. *Gorgopis pallidiflava* Janse,1942** (Hepialidae) Synonym(s): *pallidiflava* Janse,1942
Range (in code): [ZA](#)
- 50992. *Gorgopis pholidota* Meyrick,1921** (Hepialidae) Synonym(s): *pholidota* Meyrick,1921
Range (in code): [ZA Wca](#)
- 50993. *Gorgopis ptiloscelis* (Meyrick,1919)** (Hepialidae) Synonym(s): *ptiloscelis* Meyrick,1919
Range (in code): [ZA](#)
- 50994. *Gorgopis serangota* (Meyrick,1919)** (Hepialidae) Synonym(s): *serangota* Meyrick,1919
Range (in code): [ZA](#)
- 50995. *Gorgopis subrimosa* Janse,1942** (Hepialidae) Synonym(s): *subrimosa* Janse,1942
Range (in code): [ZA](#)
- 50996. *Gorgopis zellerii* Dewitz,1881** (Hepialidae) Synonym(s): *zellerii* Dewitz,1881 _ [Range \(in code\): ZA](#)
- 50997. *Hepialiscus nepalensis* (Walker,1856)** (Hepialidae) Synonym(s): *nepalensis* Walker,1856
Range (in code): [NP IN Up Kma Gag](#)
- 50998. *Hepialus humuli* (Linnaeus,1758)** (Hepialidae) Synonym(s): *humuli* Linnaeus,1758; *humulator* Haworth,1802 _ [Range \(in code\): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc](#)

- 50999. *Hepialus mlokossevitschi* Romanoff,1884** (Hepialidae) Synonym(s): *mlokossevitschi* Romanoff,1884 Original Reference: *Hepialus mlokossevitschi* Romanoff,1884, [in] Romanoff, Mém. lépid. 1: 91-92, pl. iv fig. 10. Type ♂: [Georgia]: Lagodekhi. Range (in code): **Cc GG Kak Lag**
- 51000. *Korscheltellus lupulinus* (Linnaeus,1758)** (Hepialidae) Synonym(s): *lupulinus* Linnaeus,1758; *serraticornis* Gmelin,1790; *obliquus* Fabricius,1794; *cora* Schrank,1801; *lupulator* Haworth,1802; *obliquator* Haworth,1802; *nebulosator* Haworth,1802; *fuscus* Haworth,1809; *angulum* Haworth,1809; *nebulosus* Haworth,1809; *nebulosus* Haworth,1828; *espanoli* Gregorio,1981 Original Reference: *Phalaena lupulina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 508. Type(s): Europa. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY GG Smt Akh Cc**
- 51001. *Leto venus* (Stoll,[1780])** (Hepialidae) Synonym(s): *venus* Stoll,[1780]. Original Reference: *Phalaena venus* Stoll,[1780], [in] Cramer, Utitl. Kap. 3: pl. 286. Range (in code): **ZA Wca** Bionomy: Larva bores Keurboom trees [*Virgilia oroboides* (Fabaceae)] (Pinhey,1979).
- 51002. *Metahepialus angustiptera* Janse,1948** (Hepialidae) Synonym(s): *angustiptera* Janse,1948 Range (in code): **ZA**
- 51003. *Metahepialus plurimaculata* (W.Warren,1914)** (Hepialidae) Synonym(s): *plurimaculata* W.Warren,1914 Range (in code): **ZA**
- 51004. *Metahepialus zenocentis* (Meyrick,1926)** (Hepialidae) Synonym(s): *zenocentis* Meyrick,1926 Range (in code): **ZA**
- 51005. *Neohepialiscus algeriensis* (Joannis,1903)** (Hepialidae) Synonym(s): *algeriensis* Joannis,1903; *#joannisi* Lucas,1905; *#bicolor* Pfitzner,1912; *tunetanus* Oberthür,1917 Original Reference: *Hepialiscus algeriensis* Joannis,1903, Bull. Soc. ent. Fr. 1903: 223. Type ♂: Algérie, St-Charles près Philippeville. Range (in code): **TN DhM DZ Phv**
- 51006. *Palpifer falkneri* Viette,1968** (Hepialidae) Synonym(s): *falkneri* Viette,1968 Range (in code): **NP**
- 51007. *Palpifer murinus* (Moore,1879)** (Hepialidae) Synonym(s): *murinus* Moore,1879 Range (in code): **IN**
- 51008. *Palpifer sexnotatus* (Moore,1879)** (Hepialidae) Synonym(s): *sexnotatus* Moore,1879 Range (in code): **IN Up Kma Bhi**
- 51009. *Pharmacis aemilianus* (Costantini,1911)** (Hepialidae) Synonym(s): *aemilianus* Costantini,1911 Range (in code): **IT**
- 51010. *Pharmacis anselminae* (Teobaldelli,1977)** (Hepialidae) Synonym(s): *anselminae* Teobaldelli,1977 Range (in code): **IT**
- 51011. *Pharmacis bertrandi* (Le Cerf,1936)** (Hepialidae) Synonym(s): *bertrandi* Le Cerf,1936 Range (in code): **FR**
- 51012. *Pharmacis carna* ([Denis & Schiffermüller],1775)** (Hepialidae) Synonym(s): *carna* [Denis & Schiffermüller],1775; *carnator* Haworth,1802; *judotta* Hübner,[1808] Original Reference: *Bombyx carna* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 310. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT PL SK HU RO YU GR RU?**
- 51013. *Pharmacis castillanus* (Oberthür,1883)** (Hepialidae) Synonym(s): *castillanus* Oberthür,1883 Range (in code): **ES**
- 51014. *Pharmacis claudiae* Kristal, Hirneisen & Steiner,1994** (Hepialidae) Synonym(s): *claudiae* Kristal, Hirneisen & Steiner,1994 Original Reference: *Pharmacis claudiae* Kristal, Hirneisen & Steiner,1994, Nota lepid. 17 (1/2): 54, figs. Holotype ♂: Italia: Italian Alps: Aosta (Valtournenche). Range (in code): **IT Aos**
- 51015. *Pharmacis fusconebulosa* (De Geer,1778)** (Hepialidae) Synonym(s): *fusconebulosa* De Geer,1778; *mappa* Donovan,1801 Range (in code): **ES FR Sa? Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY**
- 51016. *Pharmacis pyrenaicus* (Donzel,1838)** (Hepialidae) Synonym(s): *pyrenaicus* Donzel,1838; *pyrenaicus* Herrich-Schäffer,1846; *alticola* Oberthür,1882 Range (in code): **ES FR**
- 51017. *Phassodes vitiensis* Rothschild,1895** (Hepialidae) Synonym(s): *vitiensis* Rothschild,1895 Range (in code): **WS FJ**
- 51018. *Phymatopus hecta* (Linnaeus,1758)** (Hepialidae) Synonym(s): *hecta* Linnaeus,1758; *filina* [Denis & Schiffermüller],1775; *jodutta* [Denis & Schiffermüller],1775; *clavipes* Retzius,1783; *nemorosa* Esper,1786; *hectator* Haworth,1802; *joduttator* Haworth,1802 Range (in code): **FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU Chu MD UA BY**
- 51019. *Stenopsis regius* (Staudinger,[1896])** (Hepialidae) Synonym(s): *regius* Staudinger,[1896]; *rubellus* O.Bang-Haas,1939 Original Reference: *Hepialus regius* Staudinger,[1896], Dt. ent. Z., Iris

- 8: 301-302, Taf.v fig.11. Syntypes 2♀: "zwischen Lob Noor und Kuku Noor". Range (in code): CN
Ui Ts Kno Amd Ln Ti
- 51020. Thitarodes varians (Staudinger,[1896])** (Hepialidae) Synonym(s): varians
Staudinger,[1896] Original Reference: Hepialus varians Staudinger,[1896], Dt. ent. Z., Iris 8:
302-303, Taf.v fig.12. Syntypes 4♂: "zwischen Lob Noor und Kuku Noor". Range (in code): CN Ui
Ts Ln Kno
- 51021. Triodia adriatica (Osthelder,1931)** (Hepialidae) Synonym(s): adriatica Osthelder,1931
Range (in code): IT YU AL GR
- 51022. Triodia amasina (Herrich-Schäffer,[1851])** (Hepialidae) Synonym(s): amasina
Herrich-Schäffer,[1851] Original Reference: Hepialus amasina Herrich-Schäffer,[1851], Syst.
Bearb. Schmett. Eur. Taf. Hepial. fig.7; ibid. 6: 30. Type(s): [Türkei]: Amasia. Range (in code): IT
HU RO YU AL BG GR TR RU MD UA BY
- 51023. Triodia sylvina (Linnaeus,1761)** (Hepialidae) Synonym(s): sylvina Linnaeus,1761; hamma
[Denis & Schiffermüller],1775; angulatum Fabricius,1781; multicolor Fourcroy,1785; crux Fabricius,1787; c-album
Villers,1789; fauna Schrank,1801; cruxator Haworth,1802; angulator Haworth,1802; sylvinator Haworth,1802;
kruegeri Turati,1909; androgynus Agenjo,1942; pardoi Agenjo,1942; alfaroi Agenjo,1942; laincalvo Agenjo,1942
Range (in code): ES FR Sa? Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE
LV LT RU MD UA BY GG Tbl Mng Kak Lag Cc
- 51024. Vietteogorgopis foetterlei (Viette,1951)** (Hepialidae) Synonym(s): foetterlei Viette,1951
Range (in code): BR
- 51025. Vietteogorgopis jordani (Viette,1956)** (Hepialidae) Synonym(s): jordani Viette,1956
Range (in code): BR
- 51026. Vietteogorgopis nigrovenosalis (Viette,1956)** (Hepialidae) Synonym(s): nigrovenosalis
Viette,1956 Range (in code): BR
- 51027. Vietteogorgopis oreas (Schaus,1892)** (Hepialidae) Synonym(s): oreas Schaus,1892
Range (in code): BR
- 51028. Vietteogorgopis pittionii (Viette,1951)** (Hepialidae) Synonym(s): pittionii Viette,1951
Range (in code): BR
- 51029. Vietteogorgopis schausi (Viette,1951)** (Hepialidae) Synonym(s): schausi Viette,1951
Range (in code): BR
- 51030. Vietteogorgopis spitzi (Viette,1956)** (Hepialidae) Synonym(s): spitzi Viette,1956
Range (in code): BR
- 51031. Zenophassus schamyl (Christoph,1888)** (Hepialidae) Synonym(s): schamyl
Christoph,1888 Original Reference: Hepialus schamyl Christoph,1888, Horae Soc. ent. ross. 22:
309. Syntypes ♂♀: [Georgia]: Borshom; westl. Kaukasus. Range (in code): Cc TR GG Bjo
- 51032. Heterogynis andalusica Daniel,1966** (Heterogynidae) Synonym(s): andalusica
Daniel,1966 Original Reference: Heterogynis andalusica Daniel,1966, Z. wien. ent. Ges. 51 (8):
101-103. Range (in code): ES
- 51033. Heterogynis canalensis Chapman,1904** (Heterogynidae) Synonym(s): ? hispana
Rambur,1837; canalensis Chapman,1904 Range (in code): ES FR
- 51034. Heterogynis eremita Zilli, Cianchi, Racheli & Bullini,1988** (Heterogynidae)
Synonym(s): eremita Zilli, Cianchi, Racheli & Bullini,1988 Range (in code): IT
- 51035. Heterogynis jellaba De Freina,2003** (Heterogynidae) Synonym(s): jellaba De
Freina,2003 Range (in code): MA
- 51036. Heterogynis paradoxa Rambur,1837** (Heterogynidae) Synonym(s): paradoxa
Rambur,1837 Range (in code): PT ES Bionomy: Larva on Genista (Meyer,1919).
- 51037. Heterogynis penella (Hübner,[1819])** (Heterogynidae) Synonym(s): penella
Hübner,[1819]; affinis Rambur,1837; erotica Graslin,1850; affiniella Bruand,1853; dubia Schmidt,1860
Range (in code): DZ PT ES FR IT DE CH HU RO YU AL GR Bionomy: Larva on Genista pilosa ssp.
sylvestris, G. purgans, G. repens, G. spinosa (Meyer,1919).
- 51038. Heterogynis rifensis De Freina,2003** (Heterogynidae) Synonym(s): rifensis De
Freina,2003 Range (in code): MA Rf
- 51039. Heterogynis thomas Zilli,1987** (Heterogynidae) Synonym(s): thomas Zilli,1987
Original Reference: Heterogynis andalusica ssp. thomas Zilli,1987, Fragm. Ent. Roma 20 (1): 33-
43. Range (in code): DZ
- 51040. Doratopteryx afra Rogenhofer,1884** (Himantopteridae) Synonym(s): afra
Rogenhofer,1884 Range (in code): TZ
- 51041. Doratopteryx camerunica M.Hering,1937** (Himantopteridae) Synonym(s): camerunica
M.Hering,1937 Range (in code): CM

- 51042. *Doratopteryx collarti* M.Hering,1937** (Himantopteridae) **Synonym(s):** *collarti* M.Hering,1937 **Range (in code):** **ZR**
- 51043. *Doratopteryx dissemurus* Kiriakoff,1963** (Himantopteridae) **Synonym(s):** *dissemurus* Kiriakoff,1963 **Range (in code):** **GN**
- 51044. *Doratopteryx filipennis* M.Hering,1937** (Himantopteridae) **Synonym(s):** *filipennis* M.Hering,1937 **Range (in code):** **ZR**
- 51045. *Doratopteryx flavomaculata* M.Hering,1937** (Himantopteridae) **Synonym(s):** *flavomaculata* M.Hering,1937 **Range (in code):** **ZR**
- 51046. *Doratopteryx fulva* M.Hering,1937** (Himantopteridae) **Synonym(s):** *fulva* M.Hering,1937 **Range (in code):** **ZR**
- 51047. *Doratopteryx laticauda* M.Hering,1937** (Himantopteridae) **Synonym(s):** *laticauda* M.Hering,1937 **Range (in code):** **ZR**
- 51048. *Doratopteryx latipennis* M.Hering,1937** (Himantopteridae) **Synonym(s):** *latipennis* M.Hering,1937 **Range (in code):** **ZR**
- 51049. *Doratopteryx plumigera* Butler,1888** (Himantopteridae) **Synonym(s):** *plumigera* Butler,1888 **Range (in code):** **ZA**
- 51050. *Doratopteryx steniptera* Hampson,1919** (Himantopteridae) **Synonym(s):** *steniptera* Hampson,1919 **Range (in code):** **TZ Tnga Usa**
- 51051. *Doratopteryx xanthomelas* Rothschild & Jordan,1903** (Himantopteridae) **Synonym(s):** *xanthomelas* Rothschild & Jordan,1903 **Range (in code):** **AO**
- 51052. *Doratopteryx zopheropa* Bethune-Baker,1911** (Himantopteridae) **Synonym(s):** *zopheropa* Bethune-Baker,1911 **Range (in code):** **UG**
- 51053. *Himantopterus caudata* (Moore,1879)** (Himantopteridae) **Synonym(s):** *caudata* Moore,1879 **Range (in code):** **MM IN Ass**
- 51054. *Himantopterus dohertyi* (Elwes,1890)** (Himantopteridae) **Synonym(s):** *dohertyi* Elwes,1890; *elwesi* Jordan,1907 **Range (in code):** **IN Meg Ass Khs Nag**
- 51055. *Himantopterus fuscinervis* Wesmael,1836** (Himantopteridae) **Synonym(s):** *fuscinervis* Wesmael,1836 **Range (in code):** **ID Ja Sum MY**
- 51056. *Himantopterus papilionaria* Walker,1864** (Himantopteridae) **Synonym(s):** *papilionaria* Walker,1864 **Range (in code):**
- 51057. *Himantopterus venatus* Strand,1914** (Himantopteridae) **Synonym(s):** *venatus* Strand,1914 **Range (in code):** **ID Ja MY**
- 51058. *Himantopterus zaida* (Doubleday,1843)** (Himantopteridae) **Synonym(s):** *zaida* Doubleday,1843; *flavescens* Jordan,1907 **Original Reference:** *Thymara zaida* Doubleday,1843, *Zoologist* 1: 198, fig. **Type(s):** North India. **Range (in code):** **IN TH CMa Cuo Phy MM Tns**
- 51059. *Pedoptila catori* Bethune-Baker,1911** (Himantopteridae) **Synonym(s):** *catori* Bethune-Baker,1911 **Range (in code):** **UG**
- 51060. *Pedoptila nemopteridia* Butler,1885** (Himantopteridae) **Synonym(s):** *nemopteridia* Butler,1885 **Original Reference:** *Pedoptila nemopteridia* Butler,1885, *Ann. Mag. nat. Hist.* (5) 15: 341. **Type:** Cape. **Range (in code):** **ZA Ec**
- 51061. *Pedoptila nigrocristata* Joicey & Talbot,1921** (Himantopteridae) **Synonym(s):** *nigrocristata* Joicey & Talbot,1921 **Range (in code):** **ZM**
- 51062. *Pedoptila thales* Druce,1907** (Himantopteridae) **Synonym(s):** *thales* Druce,1907 **Range (in code):** **CM CG**
- 51063. *Pedoptila ubangiana* Schultze,1931** (Himantopteridae) **Synonym(s):** *ubangiana* Schultze,1931 **Original Reference:** *Pedoptila ubangiana* Schultze,1931, *Dt. ent. Z., Iris* 45: 144, Taf.3 fig.2. **Type:** [Central African Republic]: Mongoumba. **Range (in code):** **CF**
- 51064. *Pseudothymara staudingeri* (Rogenhofer,1888)** (Himantopteridae) **Synonym(s):** *staudingeri* Rogenhofer,1888 **Range (in code):** **SL**
- 51065. *Semioptila ansorgei* Rothschild,1907** (Himantopteridae) **Synonym(s):** *ansorgei* Rothschild,1907 **Range (in code):** **AO**
- 51066. *Semioptila axine* M.Hering,1937** (Himantopteridae) **Synonym(s):** *axine* M.Hering,1937 **Original Reference:** *Semioptila axine* M.Hering,1937, *Revue Zool. Bot. afr.* 29: 240. **Range (in code):** **ZR**
- 51067. *Semioptila banghaasi* M.Hering,1937** (Himantopteridae) **Synonym(s):** *banghaasi* M.Hering,1937 **Range (in code):** **ZR**

- 51068. *Semioptila brachyura* M.Hering,1937** (Himantopteridae) Synonym(s): *brachyura* M.Hering,1937 _ Range (in code): ZR
- 51069. *Semioptila brevicauda* M.Hering,1937** (Himantopteridae) Synonym(s): *brevicauda* M.Hering,1937 _ Range (in code): ZR
- 51070. *Semioptila constans* M.Hering,1937** (Himantopteridae) Synonym(s): *constans* M.Hering,1937 _ Range (in code): ZR
- 51071. *Semioptila dolicholoba* Hampson,1919** (Himantopteridae) Synonym(s): *dolicholoba* Hampson,1919 _ Range (in code): MW
- 51072. *Semioptila flavidiscata* Hampson,1910** (Himantopteridae) Synonym(s): *flavidiscata* Hampson,1910 _ Range (in code): ZA Tva ZW
- 51073. *Semioptila fulveolans* (Mabille,1897)** (Himantopteridae) Synonym(s): *fulveolans* Mabille,1897 _ Range (in code): AO
- 51074. *Semioptila hedydipna* Kiriakoff,1954** (Himantopteridae) Synonym(s): *hedydipna* Kiriakoff,1954 _ Range (in code): ZR
- 51075. *Semioptila hilaris* Rebel,1906** (Himantopteridae) Synonym(s): *hilaris* Rebel,1906 _ Range (in code): TZ
- 51076. *Semioptila hyalina* Talbot,1926** (Himantopteridae) Synonym(s): *hyalina* Talbot,1926 _ Range (in code): ZR
- 51077. *Semioptila latifulva* Hampson,1919** (Himantopteridae) Synonym(s): *latifulva* Hampson,1919 _ Range (in code): TZ
- 51078. *Semioptila longipennis* M.Hering,1937** (Himantopteridae) Synonym(s): *longipennis* M.Hering,1937 _ Range (in code): ZR
- 51079. *Semioptila lufirensis* Joicey & Talbot,1921** (Himantopteridae) Synonym(s): *lufirensis* Joicey & Talbot,1921 _ Range (in code): ZA
- 51080. *Semioptila lydia* Weymer,1908** (Himantopteridae) Synonym(s): *lydia* Weymer,1908 _ Range (in code): AO
- 51081. *Semioptila macrodipteryx* Kiriakoff,1954** (Himantopteridae) Synonym(s): *macrodipteryx* Kiriakoff,1954 _ Range (in code): ZR
- 51082. *Semioptila marshalli* Rothschild,1907** (Himantopteridae) Synonym(s): *marshalli* Rothschild,1907 _ Range (in code): ZA
- 51083. *Semioptila monochroma* M.Hering,1932** (Himantopteridae) Synonym(s): *monochroma* M.Hering,1932 _ Range (in code): ZR
- 51084. *Semioptila opaca* M.Hering,1937** (Himantopteridae) Synonym(s): *opaca* M.Hering,1937 _ Range (in code): ZR
- 51085. *Semioptila overlaeti* M.Hering,1937** (Himantopteridae) Synonym(s): *overlaeti* M.Hering,1937 _ Range (in code): ZR
- 51086. *Semioptila papilionaria* (Walker,1864)** (Himantopteridae) Synonym(s): *papilionaria* Walker,1864 _ Range (in code): KE
- 51087. *Semioptila psalidoprocne* Kiriakoff,1954** (Himantopteridae) Synonym(s): *psalidoprocne* Kiriakoff,1954 _ Range (in code): ZR BE
- 51088. *Semioptila satanas* M.Hering,1937** (Himantopteridae) Synonym(s): *satanas* M.Hering,1937 _ Original Reference: Semioptila satanas M.Hering,1937, Revue Zool. Bot. Afr. 29: 245. Range (in code): ZR
- 51089. *Semioptila semiflava* Talbot,1928** (Himantopteridae) Synonym(s): *semiflava* Talbot,1928 _ Range (in code): ZR
- 51090. *Semioptila seminigra* Talbot,1928** (Himantopteridae) Synonym(s): *seminigra* Talbot,1928 _ Range (in code): ZR
- 51091. *Semioptila spatulipennis* M.Hering,1937** (Himantopteridae) Synonym(s): *spatulipennis* M.Hering,1937 _ Range (in code): ZR
- 51092. *Semioptila splendida* M.Hering,1937** (Himantopteridae) Synonym(s): *splendida* M.Hering,1937 _ Range (in code): ZR
- 51093. *Semioptila stenopteryx* M.Hering,1932** (Himantopteridae) Synonym(s): *stenopteryx* M.Hering,1932 _ Range (in code): ZR
- 51094. *Semioptila torta* Butler,1887** (Himantopteridae) Synonym(s): *torta* Butler,1887 _ Range (in code): MZ ZW ZM MW ZR
- 51095. *Semioptila torta mashuna* Rothschild,1907** (Himantopteridae) Synonym(s): *mashuna* Rothschild,1907 _ Range (in code): ZA

- 51096. *Semioptila trogloba* Hampson,1919** (Himantopteridae) **Synonym(s):** *trogloba* Hampson,1919 **_ Range (in code):** **MW ZR**
- 51097. *Semioptila trogloba xanthophila* M.Hering,1937** (Himantopteridae) **Synonym(s):** *xanthophila* M.Hering,1937 **_ Range (in code):** **ZR**
- 51098. *Semioptila ursula* M.Hering,1937** (Himantopteridae) **Synonym(s):** *ursula* M.Hering,1937 **_ Range (in code):** **ZR**
- 51099. *Semioptila vinculum* M.Hering,1937** (Himantopteridae) **Synonym(s):** *vinculum* M.Hering,1937 **_ Range (in code):** **ZR**
- 51100. *Erythrochrus bicolor* Herrich-Schäffer,[1858]** (Hyblaeidae) **Synonym(s):** *bicolor* Herrich-Schäffer,[1858]; *hyblaeoides* Walker,1863 **_ Range (in code):** **MQ BR**
- 51101. *Erythrochrus notabilis* (Schaus,1911)** (Hyblaeidae) **Synonym(s):** *notabilis* Schaus,1911 **_ Range (in code):** **CR**
- 51102. *Hyblaea constellata* Guenée,1852** (Hyblaeidae) **Synonym(s):** *constellata* Guenée,1852; *contraria* Walker,1865; *#triflagiata* Strand,1919 **_ Range (in code):** **IN Mh Nsk LK Dck Pdy Kndy TH**
- 51103. *Hyblaea fontainei* Berio,1967** (Hyblaeidae) **Synonym(s):** *fontainei* Berio,1967 **_ Range (in code):** **ZA**
- 51104. *Hyblaea ibidias* Turner,1902** (Hyblaeidae) **Synonym(s):** *ibidias* Turner,1902; *joiceyi* Prout,1919 **_ Range (in code):** **AU** **Bionomy:** Larva on *Pandorea jasminoides* (Schaeffer et al.,1996).
- 51105. *Hyblaea occidentalis* Holland,1894** (Hyblaeidae) **Synonym(s):** *occidentalis* Holland,1894; *flavifasciata* Hampson,1910; *flavipicta* Hampson,1910; *inferna* Gaede,1917; *dilatata* Gaede,1917; *rosacea* Gaede,1917; *euryzona* Prout,1921. **_ Range (in code):** **ZA**
- 51106. *Hyblaea puera* (Cramer,[1777])** (Hyblaeidae) **Synonym(s):** *puera* Cramer,[1777]; *saga* Fabricius,1787; *unxia* Hübner,[1813]; *apricans* Boisduval,1833; *limacodella* Walker,1866; *mirificum* Strecker,1876; *#nigra* Stebbing,1903; *insula* Gaede,1917. **_ Range (in code):** **SR US ZA MG MM JM AU QAU WS PC FJ SB PG MY IN Mh Nsk Ndb LK Dck Pdy TH CMa CDo CRa Lmp TAK Knc Sbu Nna Bnk Cbi Trat Npt Pht ID Ja** **Bionomy:** Larva on *Tectona grandis*, *Millingtonia*, *Bignonia*, *Spathodes*, *Vitex trifolia*, *Catalpa* (Reh,1925; Schaeffer et al.,1996).
- 51107. *Hyblaea sanguinea* Gaede,1917** (Hyblaeidae) **Synonym(s):** *sanguinea* Gaede,1917 **_ Range (in code):** **WS FJ TO**
- 51108. *Hyblaea synaema* Turner,1902** (Hyblaeidae) **Synonym(s):** *synaema* Turner,1902 **_ Range (in code):** **AU** **Bionomy:** Larva on *Pandorea pandorana* (Schaeffer et al.,1996).
- 51109. *Alampla arcifraga* (Meyrick,1914)** (Immidae) **Synonym(s):** *arcifraga* Meyrick,1914 **_ Range (in code):** **TW PG**
- 51110. *Alampla palaeodes* (Meyrick,1914)** (Immidae) **Synonym(s):** *palaeodes* Meyrick,1914; *cretostigalis* Caradja,1925 **_ Range (in code):** **TW**
- 51111. *Imma auxobathra* Meyrick,1906** (Immidae) **Synonym(s):** *auxobathra* Meyrick,1906 **_ Range (in code):** **ID Bor NP**
- 51112. *Imma caelestis* Meyrick,1906** (Immidae) **Synonym(s):** *caelestis* Meyrick,1906 **_ Range (in code):** **CN**
- 51113. *Imma diluticiliata* Walsingham,1900** (Immidae) **Synonym(s):** *diluticiliata* Walsingham,1900 **_ Range (in code):** **TH IN Ass Bor Klt ID**
- 51114. *Imma flammula* Diakonoff,1978** (Immidae) **Synonym(s):** *flammula* Diakonoff,1978 **_ Range (in code):** **NP**
- 51115. *Imma mackwoodii* (Moore,1887)** (Immidae) **Synonym(s):** *mackwoodii* Moore,1887 **Original Reference:** *Davendra mackwoodii* Moore,1887, *Lepid. Ceylon* 3: 520, pl.211 fig.13. Type: Ceylon. **_ Range (in code):** **TH LK ID Clb**
- 51116. *Imma monocosma* Diakonoff & Arita,1979** (Immidae) **Synonym(s):** *monocosma* Diakonoff & Arita,1979 **_ Range (in code):** **JP**
- 51117. *Imma semicitra* Meyrick,1937** (Immidae) **Synonym(s):** *semicitra* Meyrick,1937 **Original Reference:** *Imma semicitra* Meyrick,1937, *Exot. lepid.* 5: 124. Type: India: Bombay (BMNH). **_ Range (in code):** **TH IN Mh Bba LK** **Bionomy:** Larva on bark of *Tamarindus indica* (tamarind) (Fabaceae) (Robinson et al.,1994).
- 51118. *Imma tetrophe* (Diakonoff,1978)** (Immidae) **Synonym(s):** *tetrophe* Diakonoff,1978 **_ Range (in code):** **NP**
- 51119. *Imma torophracta* Meyrick,1935** (Immidae) **Synonym(s):** *torophracta* Meyrick,1935; *hoenei* Caradja,1938 **_ Range (in code):** **CN Hun**

- 51120. Imma transversella Snellen,1878** (Immidiae) Synonym(s): *transversella* Snellen,1878
Range (in code): **TH MM MY SG BN Bor PG**
- 51121. Moca auxobathra Meyrick,1906** (Immidiae) Synonym(s): *auxobathra* Meyrick,1906
Original Reference: Moca auxobathra Meyrick,1906, Trans. ent. Soc. London 1906: 188.
Syntypes: Assam, Borneo, Celebes. Range (in code): **TH IN Ass HK MM ID Sum Clb MY Bor BN Klt Swk PG**
- 51122. Alloclemensia devotella (Rebel,1893)** (Incurvariidae) Synonym(s): *devotella* Rebel,1893;
muchei Soffner,1969 Original Reference: Lampronia devotella Rebel,1893, Stettin ent. Ztg. 54:
43-44. Syntypes 2♂: "Caucasus" (coll. Seebold). Range (in code): **Cc TR**
- 51123. Alloclemensia mesospilella (Herrich-Schäffer,1854)** (Incurvariidae) Synonym(s):
trimaculella Herrich-Schäffer,1854 *nec* Dup.,1840; *mesospilella* Herrich-Schäffer,1854; *quadrimaculella*
Höfner,1900 Range (in code): **FR IT NL DE CH AT PL CZ SK YU NO SE FI EE LV RU MD UA BY**
- 51124. Excurvaria praelatella ([Denis & Schiffermüller],1775)** (Incurvariidae)
Synonym(s): *praelatella* [Denis & Schiffermüller],1775; *decemguttella* Fabricius,1794. Original Reference:
Tinea praelatella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett.
Wienergegend: 320. Type(s): [Austria]: Vienna district. Range (in code): **FR IT IE GB BE NL LU
DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY**
- 51125. Incurvaria circulella (Zetterstedt,1839)** (Incurvariidae) Synonym(s): *circulella*
Zetterstedt,1839 Range (in code): **NO SE FI RU MD UA BY**
- 51126. Incurvaria evocata (Meyrick,1924)** (Incurvariidae) Synonym(s): *evocata* Meyrick,1924
Original Reference: Chalceopla evocata Meyrick,1924, Exot. Microlepid. 3: 53. Lectotype ♂:
India: Assam, Meghalaya, Cherrapunji, designated by Nielsen (1982). Range (in code): **IN Ass
Mge Cpj Slo**
- 51127. Incurvaria masculinella ([Denis & Schiffermüller],1775)** (Incurvariidae) Synonym(s):
masculinella [Denis & Schiffermüller],1775; *muscula* Haworth,[1828]; *spuria* Haworth,[1828]. Original
Reference: *Tinea masculinella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett.
Wienergegend: 143. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT IE GB BE NL
LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV RU MD UA BY**
- 51128. Incurvaria oehlmanniella (Hübner,1796)** (Incurvariidae) Synonym(s): *oehlmanniella*
Hübner,1796; *oehlmanni* Haworth,1828; *schoenherrella* Zetterstedt,1839; *unitipallidella* Bruand,1859 Range
(in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV RU
MD UA BY**
- 51129. Incurvaria pectinea Haworth,[1828]** (Incurvariidae) Synonym(s): *pectinella*
Fabricius,1787 *nec* [Denis & Schiff.],1775; *pectinea* Haworth,[1828]; *zinckenii* Zeller,1839; *zinckeniella*
Duponchel,[1845]; *zinckeniella* Doubleday,1859; *tumorifica* Amerling,1860 Range (in code): **ES FR IT IE
GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY**
- 51130. Incurvaria ploessli Huemer,1993** (Incurvariidae) Synonym(s): *ploessli* Huemer,1993
Range (in code): **FR IT CH?**
- 51131. Incurvaria triglavensis Hauder,1912** (Incurvariidae) Synonym(s): *triglavensis*
Hauder,1912 Range (in code): **IT AT YU AL? GR?**
- 51132. Incurvaria vetulella (Zetterstedt,1839)** (Incurvariidae) Synonym(s): *vetulella*
Zetterstedt,1839 Range (in code): **IT? DE CH AT PL CZ SK RO YU BG GR NO SE FI RU MD UA BY**
- 51133. Paraclemensia cyanella (Zeller,1850)** (Incurvariidae) Synonym(s): *cyanella* Zeller,1850;
europaea Davis,1975 Range (in code): **FR IT RO RU MD UA BY**
- 51134. Phylloporia bistrigella (Haworth,1828)** (Incurvariidae) Synonym(s): *bistrigella*
Haworth,1828; *abalienella* Zetterstedt,1839; *subammanella* Stainton,1849; *dilorella* Herrich-Schäffer,1851;
labradorella Clemens,1864; *aureovirens* Dietz,1905 Range (in code): **FR IE BE NL LU DE CH AT PL CZ
HU DK NO SE FI EE LV LT CA Lbr**
- 51135. Anticrates agrippina Meyrick,1930** (Lacturidae) Synonym(s): *agrippina* Meyrick,1930
Range (in code): **ID Clb**
- 51136. Anticrates antielina Meyrick,1907** (Lacturidae) Synonym(s): *antielina* Meyrick,1907
Range (in code): **IN SI**
- 51137. Anticrates argyrolintha Meyrick,1938** (Lacturidae) Synonym(s): *argyrolintha*
Meyrick,1938 Range (in code): **PG**
- 51138. Anticrates argyrolintha chrysaema Diakonoff,1955** (Lacturidae) Synonym(s):
chrysaema Diakonoff,1955 Range (in code): **PG**
- 51139. Anticrates autobrocha Meyrick,1922** (Lacturidae) Synonym(s): *autobrocha* Meyrick,1922
Range (in code): **IN Ass**

- 51140. Anticrates chrysantha Meyrick,1905** (Lacturidae) Synonym(s): *chrysantha* Meyrick,1905
Range (in code): **LK**
- 51141. Anticrates crocophaea Meyrick,1921** (Lacturidae) Synonym(s): *crocophaea* Meyrick,1921
Range (in code): **ZA Ec Cto**
- 51142. Anticrates despotica Meyrick,1926** (Lacturidae) Synonym(s): *despotica* Meyrick,1926
Range (in code): **TH MY BN Bor Swk**
- 51143. Anticrates eulimna Meyrick,1913** (Lacturidae) Synonym(s): *eulimna* Meyrick,1913
Range (in code): **TH MY Bor BN Swk Sbh**
- 51144. Anticrates metreta (Turner,1903)** (Lacturidae) Synonym(s): *metreta* Turner,1903
Range (in code): **AU**
- 51145. Anticrates paraxantha (Meyrick,1907)** (Lacturidae) Synonym(s): *paraxantha* Meyrick,1907
Range (in code): **AU**
- 51146. Anticrates phaedima Turner,1913** (Lacturidae) Synonym(s): *phaedima* Turner,1913
Range (in code): **AU**
- 51147. Anticrates zapyra Meyrick,1907** (Lacturidae) Synonym(s): *zapyra* Meyrick,1907
Range (in code): **AU**
- 51148. "Lasiocampa" angulifera Walker,1865** (Lasiocampidae) Synonym(s): *angulifera* Walker,1865
Range (in code): **ZA**
- 51149. Afrocesa schultzei (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *schultzei* Aurivillius,1905; *scythropa* M.Hering,1928
Original Reference: *Pseudometa schultzei* Aurivillius,1905, Ark. Zool. 2 (12): 38, Taf.3 fig.7. Type ♂: West Africa, "Socoto". Range (in code): **GH ZM**
- 51150. Alompra ferruginea Moore,1872** (Lasiocampidae) Synonym(s): *ferruginea* Moore,1872
Range (in code): **IN SI Djl NP MM MY CN VN Bor Sum ID PH Mno TH CMa Pap Pfa Dst Int Nan Bou**
- 51151. Alompra roepkei Tams,1953** (Lasiocampidae) Synonym(s): *roepkei* Tams,1953
Range (in code): **MY TH CMa Int Dst Ctg Fn Nan Bou Pua Ntt Knc Tng Nna Kao IN Ass VN Ton Han MM Sum Ja PH**
- 51152. Amurilla rubra (Hampson,1896)** (Lasiocampidae) Synonym(s): *rubra* Hampson,1896
Range (in code): **IN NP MM TH CMa Pfa Php MAI Nan Pua Int CN Sz?**
- 51153. Amurilla rubra gloria Zolotuhin,2005** (Lasiocampidae) Synonym(s): *gloria* Zolotuhin,2005
Range (in code): **TH CMa Pfa Php MAI Nan Pua Int CN Sz?**
- 51154. Amurilla rubra rubra (Hampson,1896)** (Lasiocampidae) Synonym(s): *rubra* Hampson,1896
Range (in code): **IN NP MM**
- 51155. Amurilla subpurpurea (Butler,1881)** (Lasiocampidae) Synonym(s): *subpurpurea* Butler,1881
Range (in code): **JP Hkk RU Sb Sh Am Us KP KR CN Sz Mc IN NP VN**
- 51156. Amurilla subpurpurea dieckmanni (Graeser,1888)** (Lasiocampidae) Synonym(s): *dieckmanni* Graeser,1888
Range (in code): **RU Am Sh Us CN Mc KP KR**
- 51157. Amurilla subpurpurea flavopurpurea (O.Bang-Haas,1927)** (Lasiocampidae) Synonym(s): *flavopurpurea* O.Bang-Haas,1927
Range (in code): **RU Sb**
- 51158. Amurilla subpurpurea obscurior Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *obscurior* Zolotuhin & Witt,2000
Range (in code): **VN Ton Fan**
- 51159. Amurilla subpurpurea subpurpurea (Butler,1881)** (Lasiocampidae) Synonym(s): *subpurpurea* Butler,1881
Range (in code): **JP**
- 51160. Anadiasa affinis Aurivillius,1911** (Lasiocampidae) Synonym(s): *affinis* Aurivillius,1911; *swierstrai* Aurivillius,1922
Range (in code): **ZA Fs MZ**
- 51161. Anadiasa colenettei Hartig,1940** (Lasiocampidae) Synonym(s): *colenettei* Hartig,1940
Range (in code): **SO**
- 51162. Anadiasa fuscofasciata Aurivillius,1922** (Lasiocampidae) Synonym(s): *fuscofasciata* Aurivillius,1922
Range (in code): **ZA Nta Kzu Dbn ZR KE UG ZW**
- 51163. Anadiasa hartigi Szent-Ivany,1942** (Lasiocampidae) Synonym(s): *hartigi* Szent-Ivany,1942
Range (in code): **TZ**
- 51164. Anadiasa jansei Aurivillius,1927** (Lasiocampidae) Synonym(s): *jansei* Aurivillius,1927
Range (in code): **ZA Tva Lpo**
- 51165. Anadiasa nicotrai Hartig,1940** (Lasiocampidae) Synonym(s): *nicotrai* Hartig,1940
Range (in code): **SO**
- 51166. Anadiasa obsoleta (Klug,1830)** (Lasiocampidae) Synonym(s): *obsoleta* Klug,1830; *bisrati* Rougeot,1984
Range (in code): **NA ET ET29**

- 51167. *Anadiasa pseudometoides* Tams,1929** (Lasiocampidae) Synonym(s): *pseudometoides* Tams,1929 - Range (in code): CM
- 51168. *Anadiasa punctifascia* (Walker,1855)** (Lasiocampidae) Synonym(s): *punctifascia* Walker,1855; *sobria* Walker,1865. - Range (in code): ZA Nta Kzu NA TZ
- 51169. *Anadiasa schoenheiti* (Wichgraf,1922)** (Lasiocampidae) Synonym(s): *schoenheiti* Wichgraf,1922 - Range (in code): ZA MZ
- 51170. *Anadiasa simplex* Pagenstecher,1903** (Lasiocampidae) Synonym(s): *simplex* Pagenstecher,1903; *definita* Bethune-Baker,1911 - Range (in code): KE SO SD
- 51171. *Anadiasa undata* (Klug,1830)** (Lasiocampidae) Synonym(s): *undata* Klug,1830
Original Reference: *Gastropacha undata* Klug,1830, Symb. Phys.: Pl.30 fig.3. Type(s): Aegypten, Sudan. Range (in code): MR MA NE LY SD EG DZ Idl Tmn Ah Bionomy: Larva on *Acacia* spp. (Fabaceae) (Rungs,1945).
- 51172. *Anadiasa undata malacosomoides* Rothschild,1915** (Lasiocampidae) Synonym(s): *malacosomoides* Rothschild,1915; *sahariensis* Rothschild,1921; *incerta* Krüger,1939 Original Reference: *Chilena malacosomoides* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16): 249. Type: Algeria, Oued Tamoudat, north of Idelès (Tamanrasset Prov.). Range (in code): MR MA DZ Idl Tmn Ah NE LY
- 51173. *Argonestis flammans* (Hampson,1892)** (Lasiocampidae) Synonym(s): *flammans* Hampson,1892 Original Reference: *Bharetta flammans* Hampson,1892, [in] Blanford,W.T., The Fauna of British India including Ceylon and Burma Moths 1: 416. Type ♂: India: Manipur, 6000ft (Doherty) (coll. Elwes) (BMNH). Range (in code): IN Ass Mpr NP CN VN Ton Fan LA TH CMa Dst Dso8 Wia Sop Fn Ctg MAI Pfa Pap Int CRa Met Nan Pua Dpk Bou Bby Mae Pai Bhn
- 51174. *Arguda decurtata* Moore,1879** (Lasiocampidae) Synonym(s): *decurtata* Moore,1879
Range (in code): IN SI Djl CN VN ID Sum TH CMa Pap Pfa Nan Pua Bou
- 51175. *Arguda era* Zolotuhin,[2006]** (Lasiocampidae) Synonym(s): *era* Zolotuhin,[2006]
Range (in code): CN Shs
- 51176. *Arguda insulindiana* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *insulindiana* De Lajonquière,1977 - Range (in code): ID Sum Bor VN MM TH CMa Ssi Wia Pfa MAI Mcm Dst CDo Nan Bou Mae Bhn CN IN
- 51177. *Arguda insulindiana inexpectata* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *inexpectata* Zolotuhin & Witt,2000 - Range (in code): VN MM TH CMa Ssi Wia Pfa MAI Mcm Dst CDo Nan Bou Mae Bhn CN IN
- 51178. *Arguda insulindiana insulindiana* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *insulindiana* De Lajonquière,1977 - Range (in code): ID Sum Bor
- 51179. *Arguda magnifica* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *magnifica* Zolotuhin,2005 - Range (in code): TH Nan Bou Mae Bhn
- 51180. *Arguda rectilinea* Hampson,[1893]** (Lasiocampidae) Synonym(s): *rectilinea* Hampson,[1893] - Range (in code): MM ID Sum IN TH Nan Bou MY PH Pal
- 51181. *Arguda sandrae* Zwick,1998** (Lasiocampidae) Synonym(s): *sandrae* Zwick,1998 - Range (in code): PH Pal TH CMa Pfa Nan Bou Pap CN Yu Xis
- 51182. *Arguda sandrae boica* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *boica* Zolotuhin,2005 - Range (in code): TH CMa Pfa Nan Bou Pap CN Yu Xis
- 51183. *Arguda sandrae sandrae* Zwick,1998** (Lasiocampidae) Synonym(s): *sandrae* Zwick,1998
Range (in code): PH Pal
- 51184. *Arguda tayana* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *tayana* Zolotuhin & Witt,2000 - Range (in code): VN CN TH CMa Dst Nan Bou
- 51185. *Arguda thaica* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *thaica* Zolotuhin,2005
Range (in code): TH CMa Int Php Fn Nan Bou MAI VN Ton Fan
- 51186. *Arguda viettei* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *viettei* De Lajonquière,1977 - Range (in code): ID Sum Bor MY CN Yu VN MM TH CMa Pap Ctg Fn MAI Sop Pfa Wia Nan Bou Pua
- 51187. *Arguda vinata* (Moore,1865)** (Lasiocampidae) Synonym(s): *vinata* Moore,1865 - Range (in code): IN SI Djl NP IN SI CN Yu Sz Shs MM VN Ton Fan MY TH CMa Fn Sop Wia MAI Kob Ctg Pap CDo Agk Nan Bou Pua Mae Pai
- 51188. *Arguda vinata nepalina* Kishida,1992** (Lasiocampidae) Synonym(s): *nepalina* Kishida,1992 - Range (in code): NP IN SI CN Yu Sz Shs MM VN Ton Fan MY TH CMa Fn Sop Wia MAI Kob Ctg Pap CDo Agk Nan Bou Pua Mae Pai
- 51189. *Arguda vinata vinata* (Moore,1865)** (Lasiocampidae) Synonym(s): *vinata* Moore,1865
Range (in code): IN SI Djl NP

- 51190. Berelade bettoni Aurivillius,1905** (Lasiocampidae) Synonym(s): *bettoni Aurivillius,1905*
Range (in code): **KE TZ**
- 51191. Berelade bistrigata Strand,1909** (Lasiocampidae) Synonym(s): *bistrigata Strand,1909;*
senegalensis Oberthür,1916 Range (in code): **TZ SN NE CM**
- 51192. Berelade continua Aurivillius,1905** (Lasiocampidae) Synonym(s): *continua Aurivillius,1905*
Range (in code): **KE TZ UG NG**
- 51193. Berelade convergens M.Hering,1932** (Lasiocampidae) Synonym(s): *convergens M.Hering,1932*
Range (in code): **KE**
- 51194. Berelade curvistriga M.Hering,1929** (Lasiocampidae) Synonym(s): *curvistriga M.Hering,1929*
Range (in code): **ZR**
- 51195. Berelade jordani Tams,1936** (Lasiocampidae) Synonym(s): *jordani Tams,1936* Range (in code): **NA ZA**
- 51196. Berelade niphoessa Strand,1909** (Lasiocampidae) Synonym(s): *niphoessa Strand,1909*
Range (in code): **TZ**
- 51197. Berelade obliquata (Klug,1830)** (Lasiocampidae) Synonym(s): *obliquata Klug,1830; pura W.Warren & Rothschild,1905*
Range (in code): **EG SD**
- 51198. Berelade obliquata bouillonae Dumont,1930** (Lasiocampidae) Synonym(s): *bouillonae Dumont,1930*
Range (in code): **TN DZ Ajj**
- 51199. Berelade obliquata candens Rungs,1943** (Lasiocampidae) Synonym(s): *candens Rungs,1943; balteata Rungs,1943; hammadæ Rungs,1943*
Range (in code): **MA**
- 51200. Berelade obliquata obliquata (Klug,1830)** (Lasiocampidae) Synonym(s): *obliquata Klug,1830; pura W.Warren & Rothschild,1905*
Range (in code): **EG SD** Bionomy: Larva on *Acacia raddiana*, A.seyal (Fabaceae) (Rungs,1981).
- 51201. Berelade pelodes (Tams,1937)** (Lasiocampidae) Synonym(s): *pelodes Tams,1937*
Range (in code): **KE**
- 51202. Berelade perobliqua Walker,1855** (Lasiocampidae) Synonym(s): *perobliqua Walker,1855; fumosa Distant,1897*
Range (in code): **ZA ZW ER**
- 51203. Berelade pulla Strand,1909** (Lasiocampidae) Synonym(s): *pulla Strand,1909* Range (in code): **TZ**
- 51204. Berelade signinervis Strand,1912** (Lasiocampidae) Synonym(s): *signinervis Strand,1912*
Range (in code): **ZA**
- 51205. Berelade sobrina (Druce,1900)** (Lasiocampidae) Synonym(s): *sobrina Druce,1900; fulvostrigata Pagenstecher,1903*
Original Reference: Chilena sobrina Druce,1900, Proc. zool. Soc. Lond. 1900: 20. Type: West Somaliland. Range (in code): **SO**
- 51206. Berelade sorana (Le Cerf,1922)** (Lasiocampidae) Synonym(s): *sorana Le Cerf,1922*
Range (in code): **KE**
- 51207. Berelade unistriga M.Hering,1928** (Lasiocampidae) Synonym(s): *unistriga M.Hering,1928*
Range (in code): **CM**
- 51208. Berelade wallengreni Aurivillius,1892** (Lasiocampidae) Synonym(s): *obliquata sensu Klug nec Walleng.,1865; wallengreni Aurivillius,1892*
Range (in code): **ZA**
- 51209. Beriola anagnostarai (Berio,1939)** (Lasiocampidae) Synonym(s): *anagnostarai Berio,1939; sanmarcoi Rougeot,1984*
Range (in code): **ER ET**
- 51210. Bharetta cinnamomea Moore,[1866]** (Lasiocampidae) Synonym(s): *cinnamomea Moore,[1866]*
Range (in code): **ID SI Djl NP CN VN Ton Fan**
- 51211. Bharetta owadai Kishida,1986** (Lasiocampidae) Synonym(s): *owadai Kishida,1986*
Range (in code): **TW VN Ton Fan**
- 51212. Bombycomorpha bifascia (Walker,1855)** (Lasiocampidae) Synonym(s): *bifascia Walker,1855; nupta R.Felder,1874*
Range (in code): **ZA NA MZ LS SZ Eca Pel Fs Gau Tva Lpo Nta Kzu Nca KE TZ Nai**
- 51213. Bombycomorpha bifascia borealis Joannou & Gurkovich,2009** (Lasiocampidae) Synonym(s): *borealis Joannou & Gurkovich,2009*
Range (in code): **KE TZ**
- 51214. Bombycomorpha dukei Joannou & Gurkovich,2009** (Lasiocampidae) Synonym(s): *dukei Joannou & Gurkovich,2009*
Range (in code): **ZA Nca**
- 51215. Bombycomorpha pallida Distant,1897** (Lasiocampidae) Synonym(s): *pallida Distant,1897*
Range (in code): **ZA Tva Gau Pre LS Fs Lpo Mpu Nta Kzu SZ Mdd**
- 51216. Bombycopsis bipars (Walker,1855)** (Lasiocampidae) Synonym(s): *bipars Walker,1855; incompta Walker,1855*
Range (in code): **ZA**

- 51217. *Bombycopsis capicola* Aurivillius,1921** (Lasiocampidae) **Synonym(s):** *capicola* Aurivillius,1921 **Range (in code):** **ZA**
- 51218. *Bombycopsis das* M.Hering,1929** (Lasiocampidae) **Synonym(s):** *das* M.Hering,1929 **Range (in code):** **ET**
- 51219. *Bombycopsis indecora* (Walker,1865)** (Lasiocampidae) **Synonym(s):** *indecora* Walker,1865 **Range (in code):** **ZA**
- 51220. *Bombycopsis metallica* (Distant,1898)** (Lasiocampidae) **Synonym(s):** *metallica* Distant,1898 **Range (in code):** **ZA**
- 51221. *Bombycopsis nigrovittata* Aurivillius,1927** (Lasiocampidae) **Synonym(s):** *nigrovittata* Aurivillius,1927; #*nigrovitta* Pinhey,1975 **Range (in code):** **ZA**
- 51222. *Bombycopsis ochroleuca* R.Felder,1874** (Lasiocampidae) **Synonym(s):** *ochroleuca* R.Felder,1874 **Range (in code):** **ZA**
- 51223. *Bombycopsis venosa* (Butler,1895)** (Lasiocampidae) **Synonym(s):** *venosa* Butler,1895 **Range (in code):** **ZA**
- 51224. *Braura concolor* (Rothschild,1921)** (Lasiocampidae) **Synonym(s):** *concolor* Rothschild,1921 **Range (in code):** **NE**
- 51225. *Braura desdemona* Zolotuhin & Gurovitch,2009** (Lasiocampidae) **Synonym(s):** *desdemona* Zolotuhin & Gurovitch,2009 **Range (in code):** **YE**
- 51226. *Braura elgonensis* (Kruck,1940)** (Lasiocampidae) **Synonym(s):** *elgonensis* Kruck,1940 **Range (in code):** **TZ KE Elg BI ZR UG ET**
- 51227. *Braura ligniclusula* Walker,1855** (Lasiocampidae) **Synonym(s):** *ligniclusula* Walker,1855 **Range (in code):** **ZA Nwe Rtb Tva Lpo Tza Pel Spb Ltr Vvo Elo Dbn SZ Mpu Ec Pte Brb Mdd Ptb Nta Kzu BI CG KE MW TZ ZW Har Uma**
- 51228. *Braura nilotica* (Aurivillius,1925)** (Lasiocampidae) **Synonym(s):** *nilotica* Aurivillius,1925 **Range (in code):** **SD**
- 51229. *Braura othello* Zolotuhin & Gurovitch,2009** (Lasiocampidae) **Synonym(s):** *othello* Zolotuhin & Gurovitch,2009 **Range (in code):** **MR EG?**
- 51230. *Braura picturata* (Grünberg,1910)** (Lasiocampidae) **Synonym(s):** *picturata* Grünberg,1910 **Range (in code):** **NA ZA Tza Tva**
- 51231. *Braura sultani* (Wiltshire,1986)** (Lasiocampidae) **Synonym(s):** *sultani* Wiltshire,1986 **Range (in code):** **SA As**
- 51232. *Braura truncatum* (Walker,1855)** (Lasiocampidae) **Synonym(s):** *truncatum* Walker,1855; *plagiogramma* Mabille,1879 **Range (in code):** **ZA AO TZ**
- 51233. *Bufoidea ledereri* (Koçak,1981)** (Lasiocampidae) **Synonym(s):** *bufo* Lederer,1861 *nec* Fabr.,1787; *ledereri* Koçak,1981. **Original Reference:** *Dendrolimus ledereri* Koçak,1981, *Priamus* 1(1): 12 (nomen novum pro *Bombyx bufo* Lederer,1861 *nec* Fabricius,1787). **Range (in code):** **LB Hzm IL Jf Hf Pa Js JO OM YE Sna** **Bionomy:** Larva on *Schinus molle* (Anacardiaceae), *Medicago sativa*, *Acacia raddiana* (Fabaceae), *Atriplex halimus* (Chenopodiaceae), *Prunus* (Rosaceae) (Eisenstein,1984; Wiltshire,1986; de Freina,2002).
- 51234. *Catalebeda cuneilinea* (Walker,1856)** (Lasiocampidae) **Synonym(s):** *cuneilinea* Walker,1856; *bimaculata* Walker,1865 **Range (in code):** **ZA**
- 51235. *Catalebeda jamesoni* (Bethune-Baker,1908)** (Lasiocampidae) **Synonym(s):** *jamesoni* Bethune-Baker,1908; *violascens* Aurivillius,1908; *tamsi* M.Hering,1932 **Original Reference:** *Metanastria jamesoni* Bethune-Baker,1908, *Ann. Mag. nat. Hist.* (8) 2: 258-259. Type: [Zimbabwe]: N.E.Rhodesia, Fort Jameson (coll. B.-B.). **Range (in code):** **ZR ZW**
- 51236. *Cerberolebeda styx* Zolotuhin,1995** (Lasiocampidae) **Synonym(s):** *styx* Zolotuhin,1995 **Range (in code):** **VN Fan Ton TH Nan Bou Pua Dpk Int MM IN CN Hn**
- 51237. *Cesacampa haigi* (Tams,1935)** (Lasiocampidae) **Synonym(s):** *haigi* Tams,1935 **Range (in code):** **NG**
- 51238. *Cesacampa haigi* (Tams,1935)** (Lasiocampidae) **Synonym(s):** *haigi* Tams,1935 **Range (in code):** **NG**
- 51239. *Cheligium choerocampoides* (Holland,1893)** (Lasiocampidae) **Synonym(s):** *choerocampoides* Holland,1893 **Range (in code):** **CM GA GO**
- 51240. *Cheligium licrisonia* Zolotuhin & Gurovitch,2009** (Lasiocampidae) **Synonym(s):** *licrisonia* Zolotuhin & Gurovitch,2009 **Range (in code):** **GA CM**
- 51241. *Cheligium lineatum* (Aurivillius,1893)** (Lasiocampidae) **Synonym(s):** *lineatum* Aurivillius,1893; *pulchristriata* Bethune-Baker,1911; *dallana* Bethune-Baker,1927 **Range (in code):** **SL NG CM AO**

- 51242. *Cheligium nigrescens* (Aurivillius,1908)** (Lasiocampidae) Synonym(s): *nigrescens* Aurivillius,1908; *rohdei* Aurivillius,1908 _ Range (in code): **CG ZR CI CM**
- 51243. *Cheligium pinheyi* Zolotuhin & Gurovitch,2009** (Lasiocampidae) Synonym(s): *pinheyi* Zolotuhin & Gurovitch,2009 _ Range (in code): **GA CM CG**
- 51244. *Cheligium sansei* Zolotuhin & Gurovitch,2009** (Lasiocampidae) Synonym(s): *sansei* Zolotuhin & Gurovitch,2009 _ Range (in code): **LR CI**
- 51245. *Cheligium ufo* Zolotuhin & Gurovitch,2009** (Lasiocampidae) Synonym(s): *ufo* Zolotuhin & Gurovitch,2009 _ Range (in code): **CF**
- 51246. *Chilena laristana* Daniel,1949** (Lasiocampidae) Synonym(s): *laristana* Daniel,1949 _ Range (in code): **IR Mz Elb**
- 51247. *Chilena lucasi* Oberthür,1916** (Lasiocampidae) Synonym(s): *lucasi* Oberthür,1916 _ Original Reference: *Chilena lucasi* Oberthür,1916, Etud. Lépid. comp. 12: 341. Type: Algérie, Beni Ounif [Bechar Prov.]. _ Range (in code): **DZ Bec**
- 51248. *Chilena oberthuri* Lucas,1909** (Lasiocampidae) Synonym(s): *oberthuri* Lucas,1909 _ Range (in code): **TN DZ**
- 51249. *Chilena obliquata* Christoph,1887** (Lasiocampidae) Synonym(s): *obliquata* Christoph,1887 _ Range (in code):
- 51250. *Chilena similis* Walker,1855** (Lasiocampidae) Synonym(s): *similis* Walker,1855; *strigula* Walker,1865 _ Original Reference: *Chilena similis* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1071. Type(s): India, northern Nepal. _ Range (in code): **IN LK Tcm PK Sd Krc NP MM**
- 51251. *Chilena sordida* (Erschoff,1874)** (Lasiocampidae) Synonym(s): *sordida* Erschoff,1874; *cinerascens* Oberthür,1916 _ Original Reference: *Lasiocampa sordida* Erschoff,1874, [in] Fedtschenko's Reise, Lepid. Turkestan 2: 36, t.2 fig.33, t.6 fig.95. _ Range (in code): **Cc TR IR Kh Ss Fa Shr Ke Mz Gls KG RU AF Pic Kab Jla Srb UZ Br TM Kp PK Bl TJ**
- 51252. *Chilena virgo* Oberthür,1916** (Lasiocampidae) Synonym(s): *virgo* Oberthür,1916 _ Original Reference: *Chilena virgo* Oberthür,1916, Etud. Lépid. comp. 12: 340. Type: Algérie, El Outaya [Biskra Prov.]. _ Range (in code): **DZ Bsk**
- 51253. *Chionopsyche admirabile* Zolotuhin,2010** (Lasiocampidae) Synonym(s): *admirabile* Zolotuhin,2010 _ Range (in code): **CM**
- 51254. *Chionopsyche grisea* Aurivillius,1914** (Lasiocampidae) Synonym(s): *grisea* Aurivillius,1914 _ Range (in code): **SO**
- 51255. *Chionopsyche montana* Aurivillius,1909** (Lasiocampidae) Synonym(s): *montana* Aurivillius,1909 _ Range (in code): **TZ KE**
- 51256. *Chondrostega aurivillii* Püngeler,1902** (Lasiocampidae) Synonym(s): *aurivillii* Püngeler,1902 _ Range (in code): **IL Pa**
- 51257. *Chondrostega constantinum* Aurivillius,1894** (Lasiocampidae) Synonym(s): *constantinum* Aurivillius,1894 _ Original Reference: *Chondrostega constantina* Aurivillius,1894, Dt. ent. Z., Iris 7: 137. Type: Constantine. _ Range (in code): **DZ Ges Eba Cst** _ Bionomy: Larva on *Thapsia garganica*, *Artemisia campestris* (Asteraceae) (Grünberg,1911; De Freina & Witt,1987).
- 51258. *Chondrostega constantinum powelli* Oberthür,1912** (Lasiocampidae) Synonym(s): *powelli* Oberthür,1912 _ Range (in code): **DZ Ges Eba**
- 51259. *Chondrostega darius* Wiltshire,1952** (Lasiocampidae) Synonym(s): *darius* Wiltshire,1952 _ Range (in code): **IR**
- 51260. *Chondrostega fascianum* Staudinger,1892** (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892 _ Range (in code): **IL Pa SY IQ Bsr Dy Bji Had Qg IR Ahz Kz**
- 51261. *Chondrostega fascianum fascianum* Staudinger,1892** (Lasiocampidae) Synonym(s): *fascianum* Staudinger,1892 _ Range (in code): **SY IL Pa**
- 51262. *Chondrostega fascianum feisali* Wiltshire,1941** (Lasiocampidae) Synonym(s): *feisali* Wiltshire,1941 _ Range (in code): **IQ Bsr Dy Bji Had Qg IR Ahz**
- 51263. *Chondrostega hyrcanum* Staudinger,1871** (Lasiocampidae) Synonym(s): *hyrcanum* Staudinger,1871 _ Range (in code): **IR Se Kh TM TJ** _ Bionomy: Larva on *Artemisia* (Grünberg,1911).
- 51264. *Chondrostega longespinitum* Aurivillius,1894** (Lasiocampidae) Synonym(s): *longespinitum* Aurivillius,1894 _ Range (in code): **EG**
- 51265. *Chondrostega murinum* Aurivillius,1927** (Lasiocampidae) Synonym(s): *murina* Aurivillius,1927 _ Range (in code): **ZA**

- 51266. *Chondrostega osthelderi* Püngeler, 1925** (Lasiocampidae) Synonym(s): *osthelderi* Püngeler, 1925 Original Reference: *Chondrostega osthelderi* Püngeler, 1925, Mitt. münch. ent. Ges. 15: 96. Type ♂: [Türkei]: Kleinasien: Konia. Range (in code): **TR**
- 51267. *Chondrostega palaestranum* Staudinger, 1892** (Lasiocampidae) Synonym(s): *palaestranum* Staudinger, 1892 Original Reference: *Chondrostega pastrana* var. *palaestranum* Staudinger, 1892, Dt. ent. Z., Iris 4: 258. Syntypes: Palaestina. Range (in code): **LB IL Pa EG JO TR IR Lo Fa**
- 51268. *Chondrostega pastranum* Lederer, 1858** (Lasiocampidae) Synonym(s): *pastranum* Lederer, 1858 Original Reference: *Chondrostega pastrana* Lederer, 1858, Wien. ent. Monatschr. 2: 144, Taf. 2 figs. 6, 7. Syntypes ♂♀: Syria: Damask; Libanon: Beirut. Range (in code): **TR SY Dms LB Bei IL Pa JO IR Elb Cc AZ Nv GG Tbl TM Kp** Bionomy: Larva on *Artemisia* (Asteraceae) (Grünberg, 1911); larva feeds on flowers of *Onobrychis cornuta* (Fabaceae) (Koçak & Kemal, obs. in Van Pr.).
- 51269. *Chondrostega pauli* Gaede, 1932** (Lasiocampidae) Synonym(s): *pauli* Gaede, 1932 Range (in code): **IQ Ama**
- 51270. *Chondrostega pauli pauli* Gaede, 1932** (Lasiocampidae) Synonym(s): *pauli* Gaede, 1932 Range (in code): **IQ Ama**
- 51271. *Chondrostega ruficornis* Aurivillius, 1921** (Lasiocampidae) Synonym(s): *ruficornis* Aurivillius, 1921 Range (in code): **ZA**
- 51272. *Chondrostega schwingenschussi* (Zerny, 1933)** (Lasiocampidae) Synonym(s): *schwingenschussi* Zerny, 1933 Original Reference: *Libanopacha schwingenschussi* Zerny, 1933, Dt. ent. Z., Iris 47: 64-65, Taf. 1 Abb. 24, 29. Syntypes 5♂ 4♀: Libanon: Bscharre, 1900-2000m, an *Astragalus* (NMHW). Range (in code): **LB Bsa**
- 51273. *Chondrostega subfasciatum* (Klug, 1832)** (Lasiocampidae) Synonym(s): *subfasciatum* Klug, 1832 Range (in code): **EG**
- 51274. *Chondrostega tingitana* Powell, 1916** (Lasiocampidae) Synonym(s): *tingitana* Powell, 1916; *maghrebica* De Joannis, 1929 Range (in code): **MA Tgr** Bionomy: Larva on *Astragalus* (Fabaceae), *Raphanus*, *Capsella*, *Malva* (Malvaceae) (De Freina & Witt, 1987).
- 51275. *Chondrostega vandalicum* (Millière, 1865)** (Lasiocampidae) Synonym(s): *vandalicia* Millière, 1865 Range (in code): **PT ES**
- 51276. *Chondrostegoides capensis* Aurivillius, 1905** (Lasiocampidae) Synonym(s): *capensis* Aurivillius, 1905 Range (in code): **ZA**
- 51277. *Chondrostegoides jamaka* Zolotuhin, 2007** (Lasiocampidae) Synonym(s): *jamaka* Zolotuhin, 2007 Range (in code): **ZA**
- 51278. *Chondrostegoides magna* Zolotuhin, 2007** (Lasiocampidae) Synonym(s): *magna* Zolotuhin, 2007 Range (in code): **ZA**
- 51279. *Chondrostegoides nobilorum* Zolotuhin, 2007** (Lasiocampidae) Synonym(s): *nobilorum* Zolotuhin, 2007 Range (in code): **ZA**
- 51280. *Chonopla modulata* (Swinhoe, 1890)** (Lasiocampidae) Synonym(s): *modulata* Swinhoe, 1890 Range (in code): **MM Bha IN VN Ton Han TH CMa Pfa Nan Bou Nrt**
- 51281. *Chonopla tecta* De Lajonquière, 1979** (Lasiocampidae) Synonym(s): *tecta* De Lajonquière, 1979 Range (in code):
- 51282. *Chrysopsyche bivittata* Aurivillius, 1927** (Lasiocampidae) Synonym(s): *bivittata* Aurivillius, 1927 Range (in code): **ZA**
- 51283. *Chrysopsyche imparilis* Aurivillius, 1905** (Lasiocampidae) Synonym(s): *imparilis* Aurivillius, 1905; *ladburyi* Bethune-Baker, 1911 Range (in code): **ZA**
- 51284. *Chrysopsyche lutulenta* Tams, 1923** (Lasiocampidae) Synonym(s): *lutulenta* Tams, 1923 Range (in code): **ZA**
- 51285. *Cleopatrina bilinea* (Walker, 1855)** (Lasiocampidae) Synonym(s): *bilinea* Walker, 1855; *auriflua* Aurivillius, 1908 Range (in code): **NG SL CI KE TZ**
- 51286. *Cleopatrina phoea* (Druce, 1888)** (Lasiocampidae) Synonym(s): *phoea* Druce, 1888; *mirabilis* Distant, 1897; *laterifascia* Berio, 1937 Range (in code): **ZA Tva Lpo Ly CG ZR ZM TZ MW CM**
- 51287. *Closterothrix bosei* (Saalmüller, 1880)** (Lasiocampidae) Synonym(s): *bosei* Saalmüller, 1880 Range (in code): **MG**
- 51288. *Closterothrix bruncki* De Lajonquière, 1974** (Lasiocampidae) Synonym(s): *bruncki* De Lajonquière, 1974 Range (in code): **MG**

- 51289. *Closterothrix diabolus* (M.Hering,1928)** (Lasiocampidae) Synonym(s): *diabolus* M.Hering,1928 _ Range (in code): MG
- 51290. *Closterothrix fulvipuncta* (Viette,1962)** (Lasiocampidae) Synonym(s): *fulvipuncta* Viette,1962 _ Range (in code): MG
- 51291. *Closterothrix funebris* De Lajonquiere,1970** (Lasiocampidae) Synonym(s): *funebris* De Lajonquiere,1970 _ Range (in code): MG
- 51292. *Closterothrix gambeyi* Mabilie,1879** (Lasiocampidae) Synonym(s): *gambeyi* Mabilie,1879 Range (in code): MG
- 51293. *Closterothrix goliath* (Viette,1962)** (Lasiocampidae) Synonym(s): *goliath* Viette,1962 Range (in code): MG
- 51294. *Closterothrix goudoti* Viette,1962** (Lasiocampidae) Synonym(s): *goudoti* Viette,1962 Range (in code): MG
- 51295. *Closterothrix insularis* Viette,1962** (Lasiocampidae) Synonym(s): *insularis* Viette,1962 Range (in code): MG
- 51296. *Closterothrix leonina* (Butler,1882)** (Lasiocampidae) Synonym(s): *leonina* Butler,1882 Range (in code): MG
- 51297. *Closterothrix peyrierasi* Viette,1988** (Lasiocampidae) Synonym(s): *peyrierasi* Viette,1988 Range (in code): RE
- 51298. *Closterothrix sikorae* Aurivillius,1909** (Lasiocampidae) Synonym(s): *sikorae* Aurivillius,1909 _ Range (in code): MG
- 51299. *Cosmeptera monstrosa* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *monstrosa* Zolotuhin & Witt,2000 _ Range (in code): VN Ton Fan
- 51300. *Cosmeptera salvazai* De Lajonquière,1979** (Lasiocampidae) Synonym(s): *salvazai* De Lajonquière,1979 _ Range (in code): TH CMA MAL Fn Sop Mae Mrm Smn Pai Bhu Nan Bby Bou LA
- 51301. *Cosmotriche discitincta* Wileman,1914** (Lasiocampidae) Synonym(s): *discitincta* Wileman,1914 _ Range (in code): TW NP
- 51302. *Cosmotriche discitincta szini* Zolotuhin,2001** (Lasiocampidae) Synonym(s): *szini* Zolotuhin,2001 _ Range (in code): NP
- 51303. *Cosmotriche lunigera* (Esper,1784)** (Lasiocampidae) Synonym(s): *#lobulina* [Denis & Schiffermüller],1775; *lunigera* Esper,1784; *mongolica* Groum-Grshimailo,1902; *malchani* O.Bang-Haas,1927; *seitzii* O.Bang-Haas,1927 Original Reference: Phalaena lunigera Esper,1784, Die Schmett. 3: 114. Range (in code): FR IT LU DE CH AT PL CZ SK HU RO YU NO SE FI EE LV LT RU MD UA BY Sb Am Us Sh MN CN Mc KP KR JP Hkk Bionomy: Larva on Pinus sylvestris ([Denis & Schiffermüller],1775 et seq.).
- 51304. *Cosmotriche lunigera lunigera* (Esper,1784)** (Lasiocampidae) Synonym(s): *#lobulina* [Denis & Schiffermüller],1775; *lunigera* Esper,1784; *mongolica* Groum-Grshimailo,1902; *malchani* O.Bang-Haas,1927; *seitzii* O.Bang-Haas,1927 Original Reference: Phalaena lunigera Esper,1784, Die Schmett. 3: 114. Range (in code): FR IT LU DE CH AT PL CZ SK HU RO YU NO SE FI EE LV LT RU MD UA BY Sb Am Us MN CN Mc KP KR
- 51305. *Cosmotriche lunigera takamukuana* (Matsumura,1921)** (Lasiocampidae) Synonym(s): *takamukuana* Matsumura,1921; *pinivora* Matsumura,1927; *sachalinensis* Matsumura,1932 Range (in code): RU Sh JP Hkk
- 51306. *Craspia marshalli* Aurivillius,1909** (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1909; *rhypara* Hering,1929 _ Range (in code): ZA
- 51307. *Craspia wahlbergi* Aurivillius,1909** (Lasiocampidae) Synonym(s): *wahlbergi* Aurivillius,1909 _ Range (in code): ZA
- 51308. *Crinocraspeda torrida* (Moore,1879)** (Lasiocampidae) Synonym(s): *torrida* Moore,1879 Original Reference: Gastropacha torrida Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W.S.Atkinson (1): 76, pl.3 fig.19. Type ♂: India: Darjeeling (ZMHU). Range (in code): IN SI Djl TH CMA Fn Pfa MAL Int Dst NP MM CN VN Ton Fan
- 51309. *Crinocraspeda torrida torrida* (Moore,1879)** (Lasiocampidae) Synonym(s): *torrida* Moore,1879 Original Reference: Gastropacha torrida Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. W.S.Atkinson (1): 76, pl.3 fig.19. Type ♂: India: Darjeeling (ZMHU). Range (in code): IN SI Djl TH CMA Fn Pfa MAL Int Dst NP MM CN VN
- 51310. *Cymatopacha obscura* Aurivillius,1921** (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1921 _ Range (in code): ZA
- 51311. *Dendrolimus angulata* Gaede,1932** (Lasiocampidae) Synonym(s): *angulata* Gaede,1932 Range (in code): CN Yu Sz VN Ton Fan TH CMA Int Fn Pfa MAL CDo

- 51312. *Dendrolimus cheela* (Moore,1879)** (Lasiocampidae) **Synonym(s):** *cheela* Moore,1879; *benderi* De Lajonquière,1975 **Range (in code):** **PK Haz Nar Ch Bt IN Hp Sml**
- 51313. *Dendrolimus grisea* (Moore,1879)** (Lasiocampidae) **Synonym(s):** *grisea* Moore,1879; *houi* De Lajonquière,1979 **Range (in code):** **IN Ass Khs Meg CN TH CMa Dst CDo Ctg Pap Bkm Agk Fn Int CRa LA VN Ton Fan**
- 51314. *Dendrolimus kikuchii* Matsumura,1927** (Lasiocampidae) **Synonym(s):** *kikuchii* Matsumura,1927 **Range (in code):** **CN Hn TW VN**
- 51315. *Dendrolimus kikuchii hainanensis* Tsai & Hou,1980** (Lasiocampidae) **Synonym(s):** *hainanensis* Tsai & Hou,1980 **Range (in code):** **CN Hn**
- 51316. *Dendrolimus kikuchii kikuchii* Matsumura,1927** (Lasiocampidae) **Synonym(s):** *kikuchii* Matsumura,1927 **Range (in code):** **TW**
- 51317. *Dendrolimus kikuchii ochraceus* Tsai & Liu,1962** (Lasiocampidae) **Synonym(s):** *ochraceus* Tsai & Liu,1962 **Range (in code):** **CN**
- 51318. *Dendrolimus klapperichi* Wiltshire,1958** (Lasiocampidae) **Synonym(s):** *klapperichi* Wiltshire,1958 **Range (in code):** **AF Nu Bsg**
- 51319. *Dendrolimus liliput* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *liliput* Zolotuhin & Witt,2000 **Range (in code):** **VN**
- 51320. *Dendrolimus pini* (Linnaeus,1758)** (Lasiocampidae) **Synonym(s):** *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959 **Original Reference:** *Phalaena Bombyx pini* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Pino. **Range (in code):** **PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Smt Bjo Mng AM AZ** **Bionomy:** Larva on *Cedrus libani* (Daniel,1939).
- 51321. *Dendrolimus pini cederensis* Daniel,1939** (Lasiocampidae) **Synonym(s):** *cederensis* Daniel,1939 **Original Reference:** *Dendrolimus pini* ssp. *cederensis* Daniel,1939, Mitt. münche. ent. Ges. 29: 93, Taf.2 fig.27. Syntypes 2♂: [Türkei]: [Kahramanmaraş]: Marasch, Düldül Dag. **Range (in code):** **TR** **Bionomy:** Larva on *Cedrus libani* (Daniel,1939).
- 51322. *Dendrolimus pini colchis* De Freina,1983** (Lasiocampidae) **Synonym(s):** *colchis* De Freina,1983 **Original Reference:** *Dendrolimus pini* ssp. *colchis* De Freina,1983, Mitt. münch. ent. Ges. 72: 86-87. Holotype ♂: [Türkei]: Rize, Soğanlı Dağları, Ovit Pass Nordseite 1500-1800m, 7-11.8.80, leg. De Freina. **Range (in code):** **TR**
- 51323. *Dendrolimus pini corsaria* Schawerda,1926** (Lasiocampidae) **Synonym(s):** *corsaria* Schawerda,1926 **Range (in code):** **FR Co**
- 51324. *Dendrolimus pini pini* (Linnaeus,1758)** (Lasiocampidae) **Synonym(s):** *pini* Linnaeus,1758; *paulae* Daniel,1959; *adriatica* Michieli,1959 **Original Reference:** *Phalaena Bombyx pini* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Pino. **Range (in code):** **PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Smt Bjo Mng AM**
- 51325. *Dendrolimus pini witti* De Freina,1979** (Lasiocampidae) **Synonym(s):** *witti* De Freina,1979 **Range (in code):** **TR Cc**
- 51326. *Dendrolimus punctata* (Walker,1855)** (Lasiocampidae) **Synonym(s):** *punctata* Walker,1855 **Range (in code):** **CN HK JP VN Ann Ton Tda**
- 51327. *Dendrolimus punctata glados* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *glados* Zolotuhin & Witt,2000 **Range (in code):** **VN Ton Tda**
- 51328. *Dendrolimus senex* Zolotuhin,2002** (Lasiocampidae) **Synonym(s):** *senex* Zolotuhin,2002 **Range (in code):** **TH Mae Pai CMa Int Wia Sop Kob**
- 51329. *Diapalpus axiologa* M.Hering,1932** (Lasiocampidae) **Synonym(s):** *axiologa* M.Hering,1932 **Range (in code):** **ZR**
- 51330. *Diapalpus congregarius* Strand,1913** (Lasiocampidae) **Synonym(s):** *congregarius* Strand,1913 **Range (in code):** **TZ**
- 51331. *Diapalpus griseus* M.Hering,1941** (Lasiocampidae) **Synonym(s):** *griseus* M.Hering,1941 **Range (in code):** **ZR**
- 51332. *Dinometa maputuana* (Wichgraff,1906)** (Lasiocampidae) **Synonym(s):** *maputuana* Wichgraff,1906 **Range (in code):** **ZA**
- 51333. *Dollmania cuprea* (Distant,1897)** (Lasiocampidae) **Synonym(s):** *cuprea* Distant,1897 **Range (in code):** **ZA**
- 51334. *Dollmania flavia* (Fawcett,1915)** (Lasiocampidae) **Synonym(s):** *flavia* Fawcett,1915 **Range (in code):** **ZA**

- 51335. Dollmania plinthochroa Tams,1930** (Lasiocampidae) Synonym(s): *plinthochroa* Tams,1930 Range (in code): **ZA**
- 51336. Dollmania purpurascens (Aurivillius,1909)** (Lasiocampidae) Synonym(s): *purpurascens* Aurivillius,1909; *reussi* Strand,1913; *marwitzii* Strand,1913 Range (in code): **ZA**
- 51337. Epichnapteroides fuliginosa Pinhey,1973** (Lasiocampidae) Synonym(s): *fuliginosa* Pinhey,1973 Range (in code): **ZA**
- 51338. Epichnapteroides lobata Strand,1913** (Lasiocampidae) Synonym(s): *lobata* Strand,1913 Range (in code): **ZA**
- 51339. Epichnapteroides marmorata Pinhey,1973** (Lasiocampidae) Synonym(s): *marmorata* Pinhey,1973 Range (in code): **ZA**
- 51340. Epitrabala argenteoguttata (Aurivillius,1909)** (Lasiocampidae) Synonym(s): *argenteoguttata* Aurivillius,1909 Range (in code): **ZA**
- 51341. Epitrabala nyassana (Aurivillius,1909)** (Lasiocampidae) Synonym(s): *nyassana* Aurivillius,1909; *horridula* Tams,1925 Range (in code): **ZA**
- 51342. Ergolea geyri (Rothschild,1915)** (Lasiocampidae) Synonym(s): *geyri* Rothschild,1915 Original Reference: *Chilena geyri* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16): 249. Type: Algeria, South of Bledet-Ahmar. Range (in code): **DZ Ogl**
- 51343. Ergolea reneae Dumont,1922** (Lasiocampidae) Synonym(s): *reneae* Dumont,1922 Original Reference: *Ergolea reneae* Dumont,1922, Bull. Soc. ent. Fr. 1922: 219. Holotype ♂: Algérie: El Golea (MNHN Paris). Range (in code): **DZ Gle**
- 51344. Eriogaster (Autosphylla) henkei (Staudinger,1879)** (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879 Original Reference: *Bombyx henkei* Staudinger,1879, Stettin ent. Ztg. 40: 318-319. Range (in code): **RU Da IR TM Kp UZ TJ KG Cc SA** Bionomy: Larva on *Calligonum aphyllum*, C. griseum (Zolotuhin,1995).
- 51345. Eriogaster (Autosphylla) henkei arabica Wiltshire,1980** (Lasiocampidae) Synonym(s): *arabica* Wiltshire,1980 Range (in code): **SA**
- 51346. Eriogaster (Autosphylla) henkei henkei (Staudinger,1879)** (Lasiocampidae) Synonym(s): *henkei* Staudinger,1879 Original Reference: *Bombyx henkei* Staudinger,1879, Stettin ent. Ztg. 40: 318-319. Range (in code): **RU Da IR TM Kp UZ TJ KG Cc**
- 51347. Eriogaster (Autosphylla) neogena (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824 Original Reference: *Bombyx neogena* Fischer de Waldheim,1824, Ent. Ross. 2: 250. Range (in code): **Cc TR AZ Kir Nv Ord GG AM IR UZ RU Ur Sb At KG Sp Ssn Aa TrA Kpt KK Ik Ax** Bionomy: Larva on *Caragana frutex* (Zolotuhin,1995).
- 51348. Eriogaster (Autosphylla) neogena neogena (Fischer de Waldheim,1824)** (Lasiocampidae) Synonym(s): *neogena* Fischer de Waldheim,1824 Original Reference: *Bombyx neogena* Fischer de Waldheim,1824, Ent. Ross. 2: 250. Range (in code): **Cc TR GG AM AZ Kir Nv Ord IR RU Ur KG**
- 51349. Eriogaster (Autosphylla) neogena rueckbeili (Graeser,1892)** (Lasiocampidae) Synonym(s): *rueckbeili* Graeser,1892; *sokolowi* O.Bang-Haas,1934. Original Reference: *Bombyx rueckbeili* Graeser,1892, Berl. ent. Z. 37 (3): 301-303. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge. Range (in code): **UZ RU At KG Sp Ssn Aa TrA Kpt KK Ik Ax**
- 51350. Eriogaster (s.str.) catax (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *catax* Linnaeus,1758; *lentipes* Esper,1783 Range (in code): **ES FR IT BE NL LU DE CH AT CZ SK HU RO YU BG GR TR** Bionomy: Larva on *Quercus* (Fagaceae); *Populus* (Salicaceae); *Betula* (Betulaceae) (Grünberg,1911).
- 51351. Eriogaster (s.str.) daralagesis Zolotuhin,1991** (Lasiocampidae) Synonym(s): *daralagesis* Zolotuhin,1991; *#daralagesia* Savela; *#daralgesis* Didmanidze,2008 Original Reference: *Eriogaster daralagesis* Zolotuhin,1991, Atalanta 22: 118-120, figs. Holotype ♂: Armenia: Daralagez, 20.ix.1963 (ZML). Range (in code): **Cc AM Alg AZ**
- 51352. Eriogaster (s.str.) inspersa (Staudinger,1879)** (Lasiocampidae) Synonym(s): *inspersa* Staudinger,1879; *nippeii* De Freina,1988 Original Reference: *Bomb. rimicola* var. *inspersa* Staudinger,1879, Horae Soc. ent. ross. 356. Lectotype ♂: Turkey: "bei Mersin", designated by Zolotuhin (2007:46) (ZMHB). Range (in code): **TR**
- 51353. Eriogaster (s.str.) lanestris (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *lanestris* Linnaeus,1758; *senecta* Graeser,1888 Original Reference: *Phalaena Bombyx lanestris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. Type(s): Habitat in *Tilia*, *Pruno spinosa*, *Salice*. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV**

- LT RU Pja MD UA BY KG Uk DsA** Bionomy: Larva on *Acer sempervirens*, *Salix alba*, *S. amygdalia*, *Prunus*, *Cerasus*, *Rosa*, *Crataegus*, *Amygdalus*, *Spiraea*, *Malus* (Rosaceae); *Populus* (Salicaceae); *Ulmus* (Ulmaceae) (Zolotuhin,1995; De Freina,1999).
- 51354. Eriogaster (s.str.) pfeifferi Daniel,1932** (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941 Original Reference: *Eriogaster pfeifferi* Daniel,1932, Mitt. münch. ent. Ges. 22: 15-16. Syntypes ♂♂: [Türkei]: "Marasch in Nordsyrien" (ZSM). Range (in code): **TR IR Fa LB Beq IQ Ama AF Kab** Bionomy: Larva on *Amygdalus*, *Crataegus*, *Prunus amygdalus*, *Prunus armeniaca*, *P. persica* (Rosaceae) (Wiltshire,1941,1943,1976; de Freina,1999).
- 51355. Eriogaster (s.str.) pfeifferi pfeifferi Daniel,1932** (Lasiocampidae) Synonym(s): *pfeifferi* Daniel,1932; *amygdali* Wiltshire,1941 Original Reference: *Eriogaster pfeifferi* Daniel,1932, Mitt. münch. ent. Ges. 22: 15-16. Syntypes ♂♂: [Türkei]: "Marasch in Nordsyrien" (ZSM). Range (in code): **TR IR Fa IQ Ama** Bionomy: Larva on *Amygdalus*, *Crataegus*, *Prunus amygdalus*, *Prunus armeniaca*, *P. persica* (Rosaceae) (Wiltshire,1941,1943,1976; de Freina,1999).
- 51356. Eriogaster (s.str.) pfeifferi talhouki Wiltshire,1976** (Lasiocampidae) Synonym(s): *talhouki* Wiltshire,1976 Range (in code): **LB Beq**
- 51357. Eriogaster (s.str.) philippsi Bartel,1911** (Lasiocampidae) Synonym(s): *philippsi* Bartel,1911; *#philipsi* Zolotuhin,2007 Range (in code): **LB IQ Shq Slh IL Pa** Bionomy: Larva on *Quercus* (Wiltshire,1957).
- 51358. Eriogaster (s.str.) reshoefti Schulte & Witt,1975** (Lasiocampidae) Synonym(s): *reshoefti* Schulte & Witt,1975 Range (in code): **AF Kab**
- 51359. Eriogaster (s.str.) rimicola (Schrank,1802)** (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller],1775; *rimicola* Schrank,1802 Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR IQ Dk**
- 51360. Eriogaster (s.str.) rimicola cahama Zolotuhin,2007** (Lasiocampidae) Synonym(s): *cahama* Zolotuhin,2007 Original Reference: *Eriogaster rimicola* ssp. *cahama* Zolotuhin,2007, *Nota lepid.* 30 (1): 48, figs. Holotype ♂: Asia minor, Kizilcahaman [sic!] [Ankara Prov., Kizilcahamam] (MWM). Range (in code): **TR**
- 51361. Eriogaster (s.str.) rimicola hackeri De Freina,1999** (Lasiocampidae) Synonym(s): *hackeri* De Freina,1999 Original Reference: *Eriogaster rimicola* ssp. *hackeri* De Freina,1999, *Atalanta* 30: 198-200, figs. Holotype ♂: Türkiye, Erzurum Prov., Soğanlı dağları Ovit-Pass 10km NW İspir 1450-1500m leg. de Freina. Range (in code): **TR IQ Dk**
- 51362. Eriogaster (s.str.) rimicola rimicola (Schrank,1802)** (Lasiocampidae) Synonym(s): *#rimicola* [Denis & Schiffermüller],1775; *rimicola* Schrank,1802 Range (in code): **ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR**
- 51363. Eriogaster acanthophylli Christoph,1882** (Lasiocampidae) Synonym(s): *acanthophylli* Christoph,1882 Range (in code): **IR TM Kp** Bionomy: Larva on *Atraphaxis spinosa* (Polygonaceae), *Onobrychis cornuta* (Fabaceae); *Pistacia vera*, *Oxytropis pumila*, *Acanthophyllum*, *Acantholimon* (Plumbaginaceae) (Christoph,1882; Grünberg,1911; Zolotuhin,1995).
- 51364. Eriogaster arbusculae (Freyer,1849)** (Lasiocampidae) Synonym(s): *arbusculae* Freyer,1849 Range (in code): **FR IT DE CH AT NO SE**
- 51365. Eriogaster czipkai De Lajonquière,1975** (Lasiocampidae) Synonym(s): *czipkai* De Lajonquière,1975 Range (in code): **TR**
- 51366. Eteinopla narcissus Zolotuhin,1995** (Lasiocampidae) Synonym(s): *narcissus* Zolotuhin,1995 Range (in code): **TH Nan Dpk CMa Fn Kob Agk Ctg Sop Bkm MAL Pfa Bou Pua VN MM CN Yu Hn Shs**
- 51367. Eteinopla signata (Moore,1879)** (Lasiocampidae) Synonym(s): *signata* Moore,1879 Range (in code): **IN SI Djl TH CMa Fn Pfa Kob MAL CDo Nor Ctg Nan Bou Pua Bby Mae Pai NP CN MM VN Ton Fan Tda MY**
- 51368. Eucraera gemmata (Distant,1897)** (Lasiocampidae) Synonym(s): *gemmata* Distant,1897 Range (in code): **ZA**
- 51369. Eucraera koellikeri (Dewitz,1881)** (Lasiocampidae) Synonym(s): *koellikeri* Dewitz,1881 Range (in code): **ZA**
- 51370. Eucraera salammbo (Vuillot,1892)** (Lasiocampidae) Synonym(s): *salammba* Vuillot,1892 Range (in code): **ZA**
- 51371. Euphorea ondulosa (Conte,1909)** (Lasiocampidae) Synonym(s): *ondulosa* Conte,1909; *androphila* M.Hering,1928; *#convergens* M.Hering,1928 Range (in code): **NG SN LR GH BF**

- 51372. Euthrix albomaculata (Bremer,1861)** (Lasiocampidae) Synonym(s): *albomaculata* Bremer,1861; *mikado* Bryk,1941 Original Reference: *Odonestis albomaculata* Bremer,1861, Bull. Acad. Imp. Sci. St. Peters. 3: 479. Range (in code): **RU Am Us Krl CN Mc KP KR JP Hkk**
- 51373. Euthrix alessa Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *alessa* Zolotuhin & Witt,2000 Range (in code): **VN Ton Fan**
- 51374. Euthrix decisa (Walker,1855)** (Lasiocampidae) Synonym(s): *decisa* Walker,1855 Range (in code): **IN Syl BD NP**
- 51375. Euthrix fossa (Swinhoe,1879)** (Lasiocampidae) Synonym(s): *fossa* Swinhoe,1879 Range (in code): **IN TH CMa Php Fn CDo Sop Agk Nan Bou**
- 51376. Euthrix fossa fossa (Swinhoe,1879)** (Lasiocampidae) Synonym(s): *fossa* Swinhoe,1879 Range (in code): **IN**
- 51377. Euthrix fossa mariae Zolotuhin,2001** (Lasiocampidae) Synonym(s): *mariae* Zolotuhin,2001 Range (in code): **TH CMa Php Fn CDo Sop Agk Nan Bou**
- 51378. Euthrix fox Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *fox* Zolotuhin & Witt,2000 Range (in code): **VN Ton Fan TH CMa Fn Nan Dpk Bou CN Sz LA L13**
- 51379. Euthrix imitatrix (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *imitatrix* De Lajonquière,1978 Range (in code): **MM CN Yu Kwa VN Ton CN TH Int Fn CMa Php Nor Sop Bkm Agk Wia Pap Bou Bby**
- 51380. Euthrix imitatrix imitatrix (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *imitatrix* De Lajonquière,1978 Range (in code): **CN Kwa**
- 51381. Euthrix imitatrix sabon Zolotuhin,2001** (Lasiocampidae) Synonym(s): *sabon* Zolotuhin,2001 Range (in code): **MM**
- 51382. Euthrix imitatrix thrix Zolotuhin,2001** (Lasiocampidae) Synonym(s): *thrux* Zolotuhin,2001 Range (in code): **CN Yu**
- 51383. Euthrix imitatrix tonkiensis (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *tonkiensis* De Lajonquière,1978 Range (in code): **VN Ton CN TH Int Fn CMa Php Nor Sop Bkm Agk Wia Pap Bou Bby**
- 51384. Euthrix improvisa (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *improvisa* De Lajonquière,1978 Range (in code): **VN Ton CH TH CMa Php MAI Pfa Kob Agk Sop Nan Dpk Bou Pua**
- 51385. Euthrix inobtrusa (Walker,1862)** (Lasiocampidae) Synonym(s): *inobtrusa* Walker,1862 Range (in code): **IN TH CMa MAI Wia CDo Pfa Pap Pai Bsl Bhu Mae Nan Bou NP CN BT VN MY ID Sum**
- 51386. Euthrix isocyma (Hampson,1892)** (Lasiocampidae) Synonym(s): *isocyma* Hampson,1892 Range (in code): **IN Ass Nag TH Mae Bhu Nan Bou Pua Bby CMa Pfa Pap Fn MM CN LA VN**
- 51387. Euthrix isocyma orientalis (Lajonquière,1978)** (Lasiocampidae) Synonym(s): *orientalis* Lajonquière,1978 Range (in code): **IN CN MM VN Ton Fan Tda LA**
- 51388. Euthrix laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta* Walker,1855 Range (in code): **PK IN Ass Syl NP LK ID Sum Bor Ja MM TH CMa Cu01 CDo Php Pap Pfa Smn Haf Nan Bou CDo Phy Mae Pai Phe Nrt VN LA MY PH Pal Bal CN TW JP KP KR RU Us**
- 51389. Euthrix laeta arina Zolotuhin & Perekrasnov,2010** (Lasiocampidae) Synonym(s): *arina* Zolotuhin & Perekrasnov,2010 Range (in code): **TW**
- 51390. Euthrix laeta austrina (Lajonquière,1978)** (Lasiocampidae) Synonym(s): *austrina* Lajonquière,1978 Range (in code): **ID Sum Bor Ja MM TH CMa Cu01 CDo Php Pap Pfa Smn Haf Nan Bou CDo Phy Mae Pai Phe Nrt VN LA MY PH Pal Bal CN JP KP KR RU Us**
- 51391. Euthrix laeta divisa (Moore,1879)** (Lasiocampidae) Synonym(s): *divisa* Moore,1879; *purpurascens* Hampson,1893 Range (in code): **LK IN Tn Kndy**
- 51392. Euthrix laeta laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta* Walker,1855 Range (in code): **PK IN Ass NP BD**
- 51393. Euthrix lao Zolotuhin,2001** (Lasiocampidae) Synonym(s): *lao* Zolotuhin,2001 Range (in code): **LA**
- 51394. Euthrix luciferus Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *luciferus* Zolotuhin & Witt,2000 Range (in code): **VN Ton Fan**
- 51395. Euthrix morra Zolotuhin & Perekrasnov,2010** (Lasiocampidae) Synonym(s): *morra* Zolotuhin & Perekrasnov,2010 Range (in code): **ID Ja Bli**
- 51396. Euthrix morra floyana Zolotuhin & Perekrasnov,2010** (Lasiocampidae) Synonym(s): *floyana* Zolotuhin & Perekrasnov,2010 Range (in code): **ID Ja**

- 51397. Euthrix morra morra Zolotuhin & Perekrasnov,2010** (Lasiocampidae) Synonym(s): *morra* Zolotuhin & Perekrasnov,2010 _ Range (in code): ID Bli
- 51398. Euthrix orboy Zolotuhin,1998** (Lasiocampidae) Synonym(s): *orboy* Zolotuhin,1998
Range (in code): TW CN Fkn
- 51399. Euthrix orboy occasialis Zolotuhin,2001** (Lasiocampidae) Synonym(s): *occasionalis* Zolotuhin,2001 _ Range (in code): TW
- 51400. Euthrix orboy orboy Zolotuhin,1998** (Lasiocampidae) Synonym(s): *orboy* Zolotuhin,1998
Range (in code): CN Fkn
- 51401. Euthrix potatoria (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *potatoria* Linnaeus,1758; *occidentalis* Lempke,1949
Original Reference: Phalaena Bombyx potatoria Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Gramine. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY Cc Pja Kis KG Sb Am Sh Us Ask JP Hkk Krl CN Mc KP KR
- 51402. Euthrix potatoria askoldensis (Oberthür,1880)** (Lasiocampidae) Synonym(s): *askoldensis* Oberthür,1880 _ Range (in code): RU Us Ask
- 51403. Euthrix potatoria barabaensis Dubatolov,1992** (Lasiocampidae) Synonym(s): *barabaensis* Dubatolov,1992 _ Range (in code): RU Sb
- 51404. Euthrix potatoria bergmani (Bryk,1941)** (Lasiocampidae) Synonym(s): *bergmani* Bryk,1941; *midas* Bryk,1941 _ Range (in code): RU Krl Sh JP Hkk
- 51405. Euthrix potatoria potatoria (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *potatoria* Linnaeus,1758; *occidentalis* Lempke,1949
Original Reference: Phalaena Bombyx potatoria Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Gramine. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY Cc Pja Kis KG Sb Am
- 51406. Euthrix sherpai Zolotuhin,2001** (Lasiocampidae) Synonym(s): *sherpai* Zolotuhin,2001
Range (in code): TH CMa Pfa Nor Hnd Msu CDo Fn MAI Pap Nan Bou Phy CMu Knc Ssw CN Yu
- 51407. Euthrix sondensis (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *sondensis* De Lajonquière,1978 _ Range (in code): ID Ja Sum TH CMa Fn MY VN Ton
- 51408. Euthrix tangi (Lajonquière,1978)** (Lasiocampidae) Synonym(s): *tangi* Lajonquière,1978
Range (in code): CN VN Ton Tda Fan
- 51409. Euthrix tenebrosus Zolotuhin,[2006]** (Lasiocampidae) Synonym(s): *tenebrosus* Zolotuhin,[2006] _ Range (in code): CN Hun
- 51410. Euthrix vulpes Zolotuhin,2001** (Lasiocampidae) Synonym(s): *vulpes* Zolotuhin,2001
Range (in code): SI Djl NP
- 51411. Eutracha bifascia (Walker,1855)** (Lasiocampidae) Synonym(s): *bifascia* Walker,1855; *albofasciata* Aurivillius,1921 _ Range (in code): ZA Cto Kzu Nta
- 51412. Eutracha capensis (Linnaeus,1767)** (Lasiocampidae) Synonym(s): *capensis* Linnaeus,1767; *aluco* Fabricius,1781; *pithyocampa* Stoll,1781; *obscura* Walker,1855; *ferruginea* Felder,1874. _ Range (in code): ZA MZ Kzu Nta Tva Lpo Ec Pel Dbn Gau Pre Elo
- 51413. Eutracha denticula (Bethune-Baker,1908)** (Lasiocampidae) Synonym(s): *denticula* Bethune-Baker,1908; *pallens* Bethune-Baker,1908; *sericeofasciata* Aurivillius,1921; *orientalis* Stoneham,1942.
Original Reference: Metanastria denticula Bethune-Baker,1908, Ann. Mag. nat. Hist. (8) 2: 259. Type: [Zimbabwe]: N.E.Rhodesia, Fort Jameson (coll. B.-B.). Range (in code): ZW
- 51414. Eutracha fulvida (Distant,1897)** (Lasiocampidae) Synonym(s): *fulvida* Distant,1897
Range (in code): ZA Tva Lpo
- 51415. Eutracha morosa (Walker,1855)** (Lasiocampidae) Synonym(s): *morosa* Walker,1855; *richelmanni* Weymer,1892; *drucei* Bethune-Baker,1908; *jamiesoni* Bethune-Baker,1915 _ Range (in code): ZA CG ZM MZ MW KE TZ ZW Tva Lpo Gau Jh
- 51416. Eutracha obscura (Walker,1855)** (Lasiocampidae) Synonym(s): *obscura* Walker,1855; *ferruginea* C.Felder & R.Felder,[1874] _ Range (in code): ZA Ec Nta Kzu Lpo Tva Dbn Gau Jh SZ
- 51417. Eutracha truncata (Walker,1855)** (Lasiocampidae) Synonym(s): *truncata* Walker,1855; *ligniclusa* Walker,1865; *plagiogramma* Mabilie,1880; *picturata* Grünberg,1910; *occidentalis* Strand,1912.
Range (in code): ZA Lpo Tva Spb Mdk
- 51418. Euwallengrenia rectilineata (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *rectilineata* Aurivillius,1905 _ Range (in code): ZA
- 51419. Euwallengrenia reducta (Walker,1855)** (Lasiocampidae) Synonym(s): *reducta* Walker,1855; *caffra* Wallengren,1860 _ Range (in code): ZA
- 51420. Gastropacha (Estigena) koniensis Tams,1935** (Lasiocampidae) Synonym(s): *koniensis* Tams,1935 _ Range (in code): TH CMa Int Mae Pai IN CN Yu MM

- 51421. *Gastropacha (Estigena) leopoldi* Tams,1935** (Lasiocampidae) Synonym(s): *leopoldi* Tams,1935 - Range (in code): ID Sum Ja Bor VN Ann Sgn
- 51422. *Gastropacha (Estigena) pardale* (Walker,1855)** (Lasiocampidae) Synonym(s): *pardale* Walker,1855 - Range (in code): ID Ja TH Cbi Bnk CMA CDo Int Pfa Pap Ctg Wia Nan Bou Mae Pai Dmy Nrt PK IN LK Pdy NP CN Yu TW VN Ton Fan MY Sum Bionomy: Larva on leaf of *Nephelium lappaceum* [rambutan] (Sapindaceae) (Lewvanich,2001).
- 51423. *Gastropacha (Estigena) philippinensis* Tams,1935** (Lasiocampidae) Synonym(s): *philippinensis* Tams,1935 - Range (in code): PH Luz IN NP CN Yu TH CMA Php MAI Fn Ctg Int Nan Pua VN Ton Fan MM Bor ID Sum Adm
- 51424. *Gastropacha (Estigena) xenapates* Tams,1935** (Lasiocampidae) Synonym(s): *xenapates* Tams,1935 - Range (in code): IN SI Djl NP CN MM VN Ann Ton Fan Tda TH CMA Int Dst Wia Fn Pap MAI Pfa Nan Pua Bou Phe Mae Bsl Knc Ssw Pgg Tng Nrt Kao Phu Nst
- 51425. *Gastropacha (Stenophyllides) acutifolia* Roepke,1953** (Lasiocampidae) Synonym(s): *acutifolia* Roepke,1953 - Range (in code): ID Ja CMA TH Int Mta Pap Nan Knc Ssw Bhy Hnd Pua
- 51426. *Gastropacha (Stenophyllides) remnaumovi* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *remnaumovi* Zolotuhin,2005 - Range (in code): TH Phy CMu
- 51427. *Gastropacha (Stenophyllides) sikkima* Moore,1879** (Lasiocampidae) Synonym(s): *sikkima* Moore,1879 - Range (in code): IN SI Djl TH Nan Pua
- 51428. *Gastropacha (s.str.) africana* (Holland,1893)** (Lasiocampidae) Synonym(s): *africana* Holland,1893; *muscovit* Bryk,1915 - Range (in code): ZA
- 51429. *Gastropacha (s.str.) eberti* De Lajonquière,1967** (Lasiocampidae) Synonym(s): *eberti* De Lajonquière,1967 - Range (in code): AF Sfk IN Kma Up Bhi PK Swa
- 51430. *Gastropacha (s.str.) eberti penjabensis* De Lajonquière,1976** (Lasiocampidae) Synonym(s): *penjabensis* De Lajonquière,1976; *swatensis* De Lajonquière,1976 - Range (in code): IN Kma Up Bhi PK Swa
- 51431. *Gastropacha (s.str.) populifolia* (Esper,[1782])** (Lasiocampidae) Synonym(s): *#populifolia* [Denis & Schiffermüller],1775; *populifolia* Esper,[1782] - Range (in code): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO BG TR DK FI EE LV LT RU MD UA BY IR IQ AF VN Ton Fan TW
- 51432. *Gastropacha (s.str.) quercifolia* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochseneimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909 Original Reference: Phalaena Bombyx quercifolia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 497. Type(s): Habitat in Salice, Pruno spinosa, Pyro, Gramine. Range (in code): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Mng Bjo Smt AM AZ Kir Cc IR IQ AF TM TJ CN Yu VN Ton Fan Ann TW
- 51433. *Gastropacha (s.str.) quercifolia lucens* Mell,1939** (Lasiocampidae) Synonym(s): *lucens* Mell,1939 - Range (in code): CN Yu VN Ton Fan Ann
- 51434. *Gastropacha (s.str.) quercifolia quercifolia* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercifolia* Linnaeus,1758; *alnifolia* Ochseneimer,1810; *salicifolia* Staudinger,1892; *meridionalis* Hormuzaki,1897; *sibirica* Krulikowsky,1909 Original Reference: Phalaena Bombyx quercifolia Linnaeus,1758, Syst. Nat. (Edn.10) 1: 497. Type(s): Habitat in Salice, Pruno spinosa, Pyro, Gramine. Range (in code): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Mng Bjo Smt AM AZ Kir Cc IR IQ AF TM TJ CN Yu VN Ton Fan Ann TW
- 51435. *Gastropacha (s.str.) tsingtauca* Grünberg,1911** (Lasiocampidae) Synonym(s): *tsingtauca* Grünberg,1911 - Range (in code): CN
- 51436. *Gastrolakaeis balia* Tams,1929** (Lasiocampidae) Synonym(s): *balia* Tams,1929; *elongata* M.Hering,1941 - Range (in code): CM
- 51437. *Gastrolakaeis forficulatus* Möschler,1887** (Lasiocampidae) Synonym(s): *forficulatus* Möschler,1887; *toroensis* Bethune-Baker,1927 - Range (in code): GH UG
- 51438. *Gastrolakaeis meridionalis* Aurivillius,1901** (Lasiocampidae) Synonym(s): *meridionalis* Aurivillius,1901 - Range (in code): ZA
- 51439. *Gastrolakaeis parinarii* (Guérin-Ménéville,1867)** (Lasiocampidae) Synonym(s): *parinarii* Guérin-Ménéville,1867; *schultzei* Aurivillius,1905; *punctifera* Riel,1911; *agroeca* M.Hering,1928 Range (in code): SN CM
- 51440. *Gelo anastella* Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *anastella* Zolotuhin & Prozorov,2010 - Range (in code): NG GO
- 51441. *Gelo calcarales* Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *calcarales* Zolotuhin & Prozorov,2010 - Range (in code): SL CI

- 51442. Gelo joannoui Zolotuhin & Prozorov, 2010** (Lasiocampidae) Synonym(s): *joannoui* Zolotuhin & Prozorov, 2010 _ Range (in code): **ZR UG KE**
- 51443. Gelo jordani Zolotuhin & Prozorov, 2010** (Lasiocampidae) Synonym(s): *jordani* Zolotuhin & Prozorov, 2010 _ Range (in code): **GA CG AO**
- 51444. Gonometa drucei Bethune-Baker, 1908** (Lasiocampidae) Synonym(s): *drucei* Bethune-Baker, 1908 _ Original Reference: Gonometa drucei Bethune-Baker, 1908, Ann. Mag. nat. Hist. (8) 2: 259-260. Type: [Zimbabwe]: N.E. Rhodesia, Fort Jameson (coll. B.-B.). Range (in code): **ZW**
- 51445. Gonometa pallens Bethune-Baker, 1908** (Lasiocampidae) Synonym(s): *pallens* Bethune-Baker, 1908 _ Original Reference: Gonometa pallens Bethune-Baker, 1908, Ann. Mag. nat. Hist. (8) 2: 260. Type: [Zimbabwe]: N.E. Rhodesia, Fort Jameson (coll. B.-B.). Range (in code): **ZW**
- 51446. Gonometa postica Walker, 1855** (Lasiocampidae) Synonym(s): *postica* Walker, 1855; *stalii* Wallengren, 1860; *marginata* Walker, 1862; *effusa* Walker, 1865 _ Range (in code): **ZA**
- 51447. Gonometa rufobrunnea Aurivillius, 1922** (Lasiocampidae) Synonym(s): *rufobrunnea* Aurivillius, 1922 _ Range (in code): **ZA**
- 51448. Grammodora nigrolineata (Aurivillius, 1895)** (Lasiocampidae) Synonym(s): *nigrolineata* Aurivillius, 1895 _ Range (in code): **ZA**
- 51449. Grellada enigmatica (M. Hering, 1941)** (Lasiocampidae) Synonym(s): *enigmatica* M. Hering, 1941 _ Range (in code): **ZA ZW ZR**
- 51450. Grellada imitans (Aurivillius, 1893)** (Lasiocampidae) Synonym(s): *imitans* Aurivillius, 1893 _ Range (in code): **CG TZ CI ZR CM KE NG**
- 51451. Grellada marshalli (Aurivillius, 1902)** (Lasiocampidae) Synonym(s): *marshalli* Aurivillius, 1902 _ Range (in code): **ZM CG ZR ZW**
- 51452. Gufria limosa (de Villiers, [1827])** (Lasiocampidae) Synonym(s): *limosa* de Villiers, [1827]; *lineosa* de Villiers, [1827]; *powelli* Oberthür, 1916; *intermedia* Rothschild, 1917; *souresi* Chnéour, 1955 _ Original Reference: Bombyx limosa de Villiers, [1827], Annls Soc. linn. Paris 5: 478. Type: France, Montpellier. Range (in code): **DZ Agi Afl Ges Lbs Sbd Orn TN PT ES FR** _ Bionomy: Larva on Cupressus, Juniperus, Thuja (de Freina & Witt, 1987).
- 51453. Hallicarnia albipectus (Walker, 1855)** (Lasiocampidae) Synonym(s): *albipectus* Walker, 1855 _ Range (in code): **VN Ton TH CMa CDo CD1 Nan Phy CMu Ntt Hba Tng Kbi Nst MY ID Sum Bor**
- 51454. Haplopacha cinerea Aurivillius, 1905** (Lasiocampidae) Synonym(s): *cinerea* Aurivillius, 1905 _ Range (in code): **ZA Tva Lpo Spb Mdk**
- 51455. Henometa clarki (Aurivillius, 1909)** (Lasiocampidae) Synonym(s): *clarki* Aurivillius, 1909 _ Range (in code): **ZA**
- 51456. Hypotrabala sanguicincta (Aurivillius, 1901)** (Lasiocampidae) Synonym(s): *sanguicincta* Aurivillius, 1901 _ Range (in code): **ZA**
- 51457. Kosala flavosignata (Moore, 1879)** (Lasiocampidae) Synonym(s): *flavosignata* Moore, 1879 _ Range (in code): **IN SI Djl CN VN Ton Fan**
- 51458. Kosala reducta Zolotuhin & Witt, 2000** (Lasiocampidae) Synonym(s): *reducta* Zolotuhin & Witt, 2000 _ Range (in code): **VN Ton Fan TH CMa Php**
- 51459. Kosala rufa Hampson, 1892** (Lasiocampidae) Synonym(s): *rufa* Hampson, 1892 _ Range (in code): **IN Ass Nag TH CN CMa Php Fn Kob Agk CN VN Ton Fan**
- 51460. Kosala sanguinea Moore, 1879** (Lasiocampidae) Synonym(s): *sanguinea* Moore, 1879 _ Range (in code): **IN Meg Ass Khs CN VN TH CMa Fn Php**
- 51461. Kunugia ampla (Walker, 1855)** (Lasiocampidae) Synonym(s): *ampla* Walker, 1855 _ Range (in code): **BD Syl IN CN VN MY TH CMa Ctg Int Dst Nan Bou**
- 51462. Kunugia australoplacida Holloway, 1987** (Lasiocampidae) Synonym(s): *australoplacida* Holloway, 1987 _ Range (in code): **MY Bor Swk VN ID Sum Ja PH Pal TH CMa CDo MAI CRa Nrt Kao Kbi**
- 51463. Kunugia basinigra (Roepke, 1953)** (Lasiocampidae) Synonym(s): *basinigra* Roepke, 1953 _ Range (in code): **ID Ja Bor Sum PH MY VN Ton Fan CN Shs TH**
- 51464. Kunugia brunnea (Wileman, 1915)** (Lasiocampidae) Synonym(s): *brunnea* Wileman, 1915 _ Range (in code): **TW TH CMa Fn Php Nrt Kao CN VN Ton Fan NP**
- 51465. Kunugia burmensis (Gaede, 1932)** (Lasiocampidae) Synonym(s): *burmensis* Gaede, 1932 _ Range (in code): **MM Krh CN VN Ton Fan TH CMa Pap Fn Pfa Php MAI Nan Knc**
- 51466. Kunugia divaricata (Moore, 1884)** (Lasiocampidae) Synonym(s): *divaricata* Moore, 1884 _ Range (in code): **IN SI Djl NP MM CN LA VN Ton Tda MY TH CMa Dst Ctg Pfa Wia Nan Pua Bou Mae Pai Nrt Kao**

- 51467. Kunugia falco Zolotuhin,2002** (Lasiocampidae) Synonym(s): *falco* Zolotuhin,2002
Range (in code): **TH CMa Php Fn Int Ctg Nan Bou**
- 51468. Kunugia florimaculata (Tsai & Hou,1983)** (Lasiocampidae) Synonym(s): *florimaculata* Tsai & Hou,1983; *charpentieri* Holloway & Bender,1990 _ Range (in code): **CN Yu Xis ID Sum IN Ass MY TH CMa Dst Pfa Kob Ctg Pap Sop Agk Nan Bou Mae Pai Pua**
- 51469. Kunugia fulgens (Moore,1879)** (Lasiocampidae) Synonym(s): *fulgens* Moore,1879
Range (in code): **IN SI Djl TH CMa Int Fn Ctg MAI Nan Dpk Pua Nrt Kao NP CN VN Ton Fan MM**
- 51470. Kunugia grjukovae Zolotuhin,2005** (Lasiocampidae) Synonym(s): *grjukovae* Zolotuhin,2005 _ Range (in code): **TH Nan CMa Pap Bou MAI Php Pfa Ctg Int MM Krh**
- 51471. Kunugia gynandra (Swinhoe,1893)** (Lasiocampidae) Synonym(s): *gynandra* Swinhoe,1893 _ Range (in code): **ID Ja TH CMa Dst Kbi Phe Sum MY Bor**
- 51472. Kunugia latipennis (Walker,1855)** (Lasiocampidae) Synonym(s): *latipennis* Walker,1855; *basimacula* Walker,1862; *purpurascens* Moore,1884; *sumatrae* Swinhoe,1916; *basidiscata* Holloway,1982; *dongchuaensis* Tsai & Hou,1983 _ Range (in code): **TH CMa Fn Ctg CDo Sop Pfa Nan Pua Bou CRa Mae Nrt Bhu Khk LK IN Bor Swk Sum ID SG CN Yu MM PH Pal NP VN Ton Tda**
- 51473. Kunugia lemeepauli (Lemee & Tams,1950)** (Lasiocampidae) Synonym(s): *lemeepauli* Lemee & Tams,1950; *yongdensis* Tsai & Hou,1983 _ Range (in code): **VN Ton Fan TH CMa Fn MAI Ctg CDo Dst Nan Pua Bby Bou Nrt CN**
- 51474. Kunugia lineata (Moore,1879)** (Lasiocampidae) Synonym(s): *lineata* Moore,1879
Range (in code): **IN SI Djl NP CN VN Ton Fan MM TH CMa Dst Fn Sop Kob Nor Ctg Pfa MAI Nan Dpk Bou Mae Pai Bby Pua**
- 51475. Kunugia mediacolorata Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *mediacolorata* Zolotuhin & Witt,2000 _ Range (in code): **VN Ton Fan**
- 51476. Kunugia placida (Moore,1879)** (Lasiocampidae) Synonym(s): *placida* Moore,1879; *litterdalii* Butler,1881; *dukouensis* Tsai & Hou,1980 _ Range (in code): **IN SI Djl BT CN Sz VN MY TH CMa Ctg Fn Pfa Nan Dpk Phy Rng Kbi Haf**
- 51477. Kunugia siamka Zolotuhin,2002** (Lasiocampidae) Synonym(s): *siamka* Zolotuhin,2002
Range (in code): **TH CMa Pap Mro Nan Mae LA MY**
- 51478. Kunugia sinjaevi Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *sinjaevi* Zolotuhin & Witt,2000 _ Range (in code): **VN Fan Ton TH CMa Dst Dso7 Fn Nan Bou**
- 51479. Kunugia undans (Walker,1855)** (Lasiocampidae) Synonym(s): *undans* Walker,1855
Range (in code): **IN BD Ass Syl RU KP KR JP NP IN CN VN Ton**
- 51480. Kunugia vulpina (Moore,1879)** (Lasiocampidae) Synonym(s): *vulpina* Moore,1879
Range (in code): **IN SI Djl TH CMa Int CDo Fn Ctg Php MAI Nan Bou CN Yu Sz VN Ton**
- 51481. Kunugia vulpina omeiensis Tsai & Liu,1964** (Lasiocampidae) Synonym(s): *omeiensis* Tsai & Liu,1964 _ Range (in code): **CN Yu Sz**
- 51482. Kunugia vulpina victori Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *victori* Zolotuhin & Witt,2000 _ Range (in code): **VN Ton TH CMa Int Fn Ctg Php MAI Nan Bou Pua**
- 51483. Kunugia vulpina vulpina (Moore,1879)** (Lasiocampidae) Synonym(s): *vulpina* Moore,1879 _ Range (in code): **IN SI Djl**
- 51484. Kunugia wotteni Zolotuhin,[2006]** (Lasiocampidae) Synonym(s): *wotteni* Zolotuhin,[2006] _ Range (in code): **CN Gn Shs**
- 51485. Laeliopsis punctuligera Aurivillius,1911** (Lasiocampidae) Synonym(s): *punctuligera* Aurivillius,1911 _ Range (in code): **ZA**
- 51486. Lajonquierea poeciloptera (Grünberg,1913)** (Lasiocampidae) Synonym(s): *poeciloptera* Grünberg,1913 _ Range (in code): **TH CMa Ssi Sum Bor MY ID**
- 51487. Lasiocampa concolor (Christoph,1893)** (Lasiocampidae) Synonym(s): *concolor* Christoph,1893 _ Range (in code): **IR Elb Srd**
- 51488. Lasiocampa davidis (Staudinger,1894)** (Lasiocampidae) Synonym(s): *davidis* Staudinger,1894; *palaestinensis* Staudinger,1894; *akbesiana* Oberthür,1916 _ Range (in code): **IL Pa Js JO SA CY TR**
- 51489. Lasiocampa decolorata (Klug,1832)** (Lasiocampidae) Synonym(s): *decolorata* Klug,1832
Original Reference: *Gastropacha decolorata* Klug,1832, Symb. Phys. Ins. 2 (6): 3, pl.xx fig.1.
Type: Alexandria. Range (in code): **DZ BSa Ktr Ges Bsk TN Gab EG EGo5 IL Pa**
- 51490. Lasiocampa decolorata datini Mabille,1888** (Lasiocampidae) Synonym(s): *datini* Mabille,1888; *datini* Oberthür,1890
Original Reference: *Lasiocampa datini* Mabille,1888, Bull. Soc. ent. Fr. 1888: xlii. Type: Tunis, Gabes. Range (in code): **TN Gab DZ Ktr BSa**
- 51491. Lasiocampa decolorata sordidior (Rothschild,1914)** (Lasiocampidae) Synonym(s): *sordidior* Rothschild,1914
Original Reference: *Lambessa decolorata* ssp. *sordidior*

- Rothschild,1914, Novit. zool. 21: 314. Syntypes: Algérie, Guelt-es-Stel. Range (in code): **DZ BSa Ges**
- 51492. *Lasiocampa decolorata virago* (Rothschild,1912)** (Lasiocampidae) Synonym(s): *virago* Rothschild,1912 Original Reference: *Lambessa decolorata* ssp. *virago* Rothschild,1912, Novit. zool. 19: 118. Syntypes 1♂ 3♀: Algeria, Biskra. Range (in code): **DZ Bsk**
- 51493. *Lasiocampa eversmanni* (Kindermann,1843)** (Lasiocampidae) Synonym(s): *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. Original Reference: *Gastropacha eversmanni* Kindermann,1843, [in] Eversmann, Bull. Mosc. 1843 (3): 542, Pl.10 figs. 2a-c. Range (in code): **BG TR AF Srb Sfk IR Mz Kh TM Kp UZ TJ KK Ik KG TrA Aa DsA Tar IQ Brs Dia Ry Rwz GG AZ Kir Tbl Bak AM Cc** Bionomy: Larva on *Carex physodes*, *Caragana fruticosa*, *Astragalus*, *Rosa persica*, *Ferula*, *Zygophyllum gontscharovii*, *Calligonum griseum*, *C. setosum*, *C. turkestanicum*, *Artemisia*, *Ammodendron conollyi*, *Bromus tectorum*, *Ephedra strobilacea*, *Medicago* (Zolotuhin,1995).
- 51494. *Lasiocampa grandis* (Rogenhofer,1891)** (Lasiocampidae) Synonym(s): *grandis* Rogenhofer,1891 Range (in code): **MK AL BG GR TR IQ Ama Agh Amr LB Bsa IL Pa Hf Cc AM Arr AZ Nv GG IR Fa Shr**
- 51495. *Lasiocampa grisea* Grünberg,1911** (Lasiocampidae) Synonym(s): *grisea* Grünberg,1911 Range (in code): **IL Pa**
- 51496. *Lasiocampa josua* (Staudinger,[1896])** (Lasiocampidae) Synonym(s): *josua* Staudinger,[1896] Range (in code): **IL Pa**
- 51497. *Lasiocampa nana* (Staudinger,1887)** (Lasiocampidae) Synonym(s): *nana* Staudinger,1887; *herzi* Christoph,1888 Range (in code): **TM Kp UZ Fe IR Srd Elb** Bionomy: Larva on *Lycium barbarum* (Grünberg,1911).
- 51498. *Lasiocampa piontkovskii* Sheljuzhko,1943** (Lasiocampidae) Synonym(s): *piontkovskii* Sheljuzhko,1943; *#piontkovskii* Didmanidze,2008 Range (in code): **Cc GG TR AM AZ Nv**
- 51499. *Lasiocampa quercus* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 Original Reference: *Phalaena Bombyx quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Quercu, Betula, Pruno spinosa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro At MD UA BY KG GG Btm Bjo Smt Lag Sva AZ AM Cc** Bionomy: Larva on *Cerasus*, *Quercus* (Linnaeus,1758; Zolotuhin,1995).
- 51500. *Lasiocampa quercus quercus* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *quercus* Linnaeus,1758; *roboris* Fabricius,1793; *spartii* Hübner,[1803]; *guillemontii* Trimoulet,1858; *sicula* Staudinger,1861; *scopariae* Millière,1861; *burdigalensis* Gerhard,1882; *meridionalis* Tutt,1901; *altaica* Grünberg,1911; *balcanoturcica* De Freina,1981 Original Reference: *Phalaena Bombyx quercus* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498. Type(s): Habitat in Quercu, Betula, Pruno spinosa. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU At MD UA BY KG AZ Cc AM GG Bjo Smt Lag Sva**
- 51501. *Lasiocampa quercus vassilini* Sheljuzhko,1943** (Lasiocampidae) Synonym(s): *vassilini* Sheljuzhko,1943 Range (in code): **GG Btm Cc TR RU Ro**
- 51502. *Lasiocampa serrula* (Guenée,1858)** (Lasiocampidae) Synonym(s): *serrula* Guenée,1858; *almeriaensis* Costa & Gomez Bustillo,1976 Original Reference: *Bombyx serrula* Guenée,1858, Annls Soc. ent. Fr. (3) 4: 454, pl.10 fig.2. Type: Spain, Andalusia. Range (in code): **ES An MA DZ Bsk TN EG Bsk BSa Orn Agi** Bionomy: Larva on *Limoniastrum*, *Atriplex* (Grünberg,1911).
- 51503. *Lasiocampa serrula aegyptiaca* (Oberthür,1916)** (Lasiocampidae) Synonym(s): *aegyptiaca* Oberthür,1916 Range (in code): **EG**
- 51504. *Lasiocampa serrula maroccana* (Staudinger,1894)** (Lasiocampidae) Synonym(s): *maroccana* Staudinger,1894 Range (in code): **MA DZ**
- 51505. *Lasiocampa serrula serrula* (Guenée,1858)** (Lasiocampidae) Synonym(s): *serrula* Guenée,1858; *almeriaensis* Costa & Gomez Bustillo,1976 Range (in code): **MA DZ Bsk ES An Orn Agi**
- 51506. *Lasiocampa serrula undulata* (Staudinger,1894)** (Lasiocampidae) Synonym(s): *undulata* Staudinger,1894; *bomilcar* Oberthür,1916; *hamilcar* Oberthür,1916 Original Reference: *Bombyx serrula* var. *undulata* Staudinger,1894, Dt. ent. Z., Iris 7: 265. Type: Algeria, Biskra. Range (in code): **MA DZ TN Bsk BSa**
- 51507. *Lasiocampa staudingeri* Baker,1885** (Lasiocampidae) Synonym(s): *staudingeri* Baker,1885; *castaneolavatus* Rothschild,1914 Original Reference: *Bombyx staudingeri* Baker,1885,

- Entomologist's mon. Mag. 21: 242. Type: Algeria, Lambessa. Range (in code): **DZ Lbs Btma Khh Afl Sbd Cst**
- 51508. *Lasiocampa terreni* (Herrich-Schäffer,1847)** (Lasiocampidae) Synonym(s): *terreni* Herrich-Schäffer,1847 Original Reference: *Bombyx terreni* Herrich-Schäffer,1847, Syst. Bearb. Schmett. Eur. 2: 14. Type: Constantinopel [Istanbul]. Neotype ♂: Türkei: Prov. Hatay, 20km östl Iskenderum [sic] 100m, leg. Ströhle (ZSM) (designated by Lewandowski & Fischer,2005). Range (in code): **MA DZ TN LY Orn Lbs Abe Tgr Ges Rbt DhM Agi Btma FR Co Rd Sms TR CY LB Bei IL Pa JO Amm SY SA EG**
- 51509. *Lasiocampa terreni cocles* (Geyer,[1831])** (Lasiocampidae) Synonym(s): *cocles* Geyer,[1831] Range (in code): **FR Co MA Rbt DZ Agi DhM Abe Orn TN**
- 51510. *Lasiocampa terreni mauritanica* (Staudinger,1891)** (Lasiocampidae) Synonym(s): *mauritanica* Staudinger,1891; *vaucheri* Blachier,1905; *#jugurthina* Grünberg,1913; *deleta* Rothschild,1914 Original Reference: *Bombyx trifolii* var. *mauritanica* Staudinger,1891, Dt. ent. Z., Iris 4: 262. Type: Algeria, Lambessa. Range (in code): **MA DZ LY Lbs Tgr Ges Rbt DhM Agi Btma TN**
- 51511. *Lasiocampa trifolii* ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): *#trifolii* [Denis & Schiffermüller],1775; *medicaginis* Borkhausen,1793; *ratamae* Herrich-Schäffer,1851; *bathseba* Staudinger,1891; *maculosa* Rogenhofer,1891 Original Reference: *Bombyx trifolii* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district. Range (in code): **DZ Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Dia Ry Rwz Mos DK NO SE FI EE LV LT RU MD UA BY GG Tbl Lag AZ Kir AZ Nv Ord Da Der AM Cc LB Bsa IL Pa Hf** Bionomy: Larva on *Artemisia*, *Lepidium*, *Quercus*, *Caragana*, *Cytisus*, *Malus*, *Hedysarum*, *Trifolium* ([Denis & Schiffermüller],1775; Zolotuhin,1995).
- 51512. *Lasiocampa tripolitania* Lewandowski & Fischer,2005** (Lasiocampidae) Synonym(s): *tripolitania* Lewandowski & Fischer,2005 Range (in code): **LY TN EG**
- 51513. *Lasiocesa dogma* (Zolotuhin & Gurovich,2009)** (Lasiocampidae) Synonym(s): *dogma* Zolotuhin & Gurovich,2009 Range (in code): **GH ZR CF LR CM SL CI**
- 51514. *Lasiocesa fulgurata* (Aurivillius,1908)** (Lasiocampidae) Synonym(s): *fulgurata* Aurivillius,1908; *postalbida* Schaus,1897 Range (in code): **CG CI SL**
- 51515. *Lasiocesa lanceolata* (M.Hering,1932)** (Lasiocampidae) Synonym(s): *lanceolata* M.Hering,1932 Range (in code): **ZR KE CM AO SL**
- 51516. *Lasiocesa occidentale* (Strand,1912)** (Lasiocampidae) Synonym(s): *occidentale* Strand,1912; *subhyalina* Bethune-Baker,1927 Range (in code): **GN CM CG NG GA CI**
- 51517. *Lebeda cognata* Grünberg,1913** (Lasiocampidae) Synonym(s): *cognata* Grünberg,1913 Range (in code): **Bor Sum ID MY TH Mae Ntt Hba Bhu**
- 51518. *Lebeda mustelina* Distant,1899** (Lasiocampidae) Synonym(s): *mustelina* Distant,1899 Range (in code): **ZA**
- 51519. *Lebeda nobilis* Walker,1855** (Lasiocampidae) Synonym(s): *nobilis* Walker,1855 Range (in code): **NP IN Syl TH CMa Int Ctg Php MAI CRa Nan Bou Sop TW VN Ton Fan Tda CN MY ID Sum Ja**
- 51520. *Lebeda nobilis malaccana* Tams,1935** (Lasiocampidae) Synonym(s): *malaccana* Tams,1935 Range (in code): **ID Ja**
- 51521. *Lebeda nobilis nobilis* Walker,1855** (Lasiocampidae) Synonym(s): *nobilis* Walker,1855 Range (in code): **NP IN Syl TH CMa Int Ctg Php MAI CRa Nan Bou Sop MY**
- 51522. *Lebeda nobilis sinina* De Lajonquière,1979** (Lasiocampidae) Synonym(s): *sinina* De Lajonquière,1979 Range (in code): **CN VN Ton**
- 51523. *Lebeda nobilis ssp.n.*** (Lasiocampidae) Synonym(s): Range (in code): **TW**
- 51524. *Lebeda nobilis sumatrana* Tams,1935** (Lasiocampidae) Synonym(s): *sumatrana* Tams,1935 Range (in code): **ID Sum**
- 51525. *Lebeda trifascia* (Walker,1855)** (Lasiocampidae) Synonym(s): *trifascia* Walker,1855 Range (in code): **IN NP CN VN Ton Fan MM TH CMa CDo Fn Phe Srt Nan Pua**
- 51526. *Leipoxais emarginata* Aurivillius,1911** (Lasiocampidae) Synonym(s): *emarginata* Aurivillius,1911; *philopseudia* M.Hering,1928 Range (in code): **ZA Tva TZ**
- 51527. *Leipoxais major* Holland,1893** (Lasiocampidae) Synonym(s): *major* Holland,1893; *alazon* M.Hering,1928 Range (in code): **GA Ogo CM**
- 51528. *Leipoxais obscura* Aurivillius,1908** (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1908; *noctis* Druce,1910 Range (in code): **GA CG**

- 51529. *Leipoxais peraffinis* Holland,1893** (Lasiocampidae) Synonym(s): *peraffinis* Holland,1893; *cinerascens* Strand,1912 _ Range (in code): **ZA**
- 51530. *Leipoxais strandi* Aurivillius,1927** (Lasiocampidae) Synonym(s): *strand*i Aurivillius,1927; *dyaresta* M.Hering,1928; *castanea* Tams,1929 _ Range (in code): **CM GO**
- 51531. *Lenodora oculata* Zolotuhin,2001** (Lasiocampidae) Synonym(s): *oculata* Zolotuhin,2001
Range (in code): **CN Yu VN Fan MM**
- 51532. *Leptometa sapelensis* Aurivillius,1927** (Lasiocampidae) Synonym(s): *sapelensis* Aurivillius,1927; *irrorata* Tams,1929 _ Range (in code): **NG CM**
- 51533. *Macrothylacia digramma* Meade-Waldo,1905** (Lasiocampidae) Synonym(s): *digramma* Meade-Waldo,1905 _ Range (in code): **MA Tgr PT ES**
- 51534. *Macrothylacia rubi* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *rubi* Linnaeus,1758
Original Reference: Phalaena Bombyx rubi Linnaeus,1758, Syst. Nat. (Edn.10) 1: 498-499.
Type(s): Habitat in Rubo, Salice. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo Sb Cc Am**
- 51535. *Malacosoma alpicola* Staudinger,1870** (Lasiocampidae) Synonym(s): *alpicola* Staudinger,1870; *intermedia* Millière,1875 _ Range (in code): **DZ Orn MA Azr PT ES FR IT DE CH AT Cc KK UZ TJ Pm KG TrA Aa** Bionomy: Larva on Polygonum etc. (Zolotuhin,1995).
- 51536. *Malacosoma alpicola mixtum* Rothschild,1925** (Lasiocampidae) Synonym(s): *mixtum* Rothschild,1925 _ Range (in code): **MA Azr**
- 51537. *Malacosoma castrensis* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
Original Reference: Phalaena Bombyx castrensis Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Salicibus, Pilosella, Jacea, Alchemilla, Euphorbia. Range (in code): **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cm BY LB Bsa KK Ik UZ TJ KK KG TrA DsA KuA TeA Ik Ssn Lps Tar GG Mng Bjo Smt Lag Kir AZ AM Cc TM Kp IR AF MN CN Ti** Bionomy: Larva on Euphorbia (Euphorbiaceae); Peucedanum (Apiaceae); Sarcopoterium spinosum, Artemisia (Asteraceae); Geranium (Geraniaceae) (Wiltshire,1943; Zolotuhin,1995; De Freina,1999); on Euphorbia, Galium Gundelia, Eryngium, Rosa (Koçak & Kemal, obs.).
- 51538. *Malacosoma castrensis castrensis* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *castrensis* Linnaeus,1758; *ksiezopolskii* Sheljuzhko,1943
Original Reference: Phalaena Bombyx castrensis Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Salicibus, Pilosella, Jacea, Alchemilla, Euphorbia. Range (in code): **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 51539. *Malacosoma castrensis kirghisicum* (Staudinger,1879)** (Lasiocampidae) Synonym(s): *kirghisicum* Staudinger,1879 _ Range (in code): **TR RU LB Bsa KK Ik UZ TJ KK KG GG AZ Cc AM TM Kp AF IR**
- 51540. *Malacosoma castrensis krymea* Sheljuzhko,1943** (Lasiocampidae) Synonym(s): *krymea* Sheljuzhko,1943 _ Range (in code): **UA Cm**
- 51541. *Malacosoma castrensis thomalae* Gaede,1932** (Lasiocampidae) Synonym(s): *thomalae* Gaede,1932; *thianshanica* Daniel,1949. _ Range (in code): **UZ TJ KK KG TrA DsA KuA TeA Ik**
- 51542. *Malacosoma dentata* Mell,1938** (Lasiocampidae) Synonym(s): *dentata* Mell,1938
Range (in code): **CN Fkn VN Ton**
- 51543. *Malacosoma franconicum* ([Denis & Schiffermüller],1775)** (Lasiocampidae) Synonym(s): *#franconica* [Denis & Schiffermüller],1775; *grandiella* Boisduval,1840
Original Reference: Bombyx franconica [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 57. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co Sa Si IT DE CH? AT PL RO YU BG GR RU MD UA BY KG Kt AF Bd Cc GG Lag Bku Smt AM Dar AZ TR** Bionomy: Larva on Quercus coccifera, Scabiosa, Artemisia, Achillea, Rumex (Lederer,1865; Zolotuhin,1995).
- 51544. *Malacosoma indica* (Walker,1855)** (Lasiocampidae) Synonym(s): *indica* Walker,1855; *tibetana* Hou,1982 _ Range (in code): **CN Ti IN NP Ch Up Bhi**
- 51545. *Malacosoma laurae* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *laurae* De Lajonquière,1977 _ Range (in code): **ES**
- 51546. *Malacosoma luteum* Oberthür,1878** (Lasiocampidae) Synonym(s): *luteum* Oberthür,1878; *orientalis* Oberthür,1916; *brunneoolivacea* Rothschild,1917
Original Reference: Bombyx luteus Oberthür,1878, Etud. Ent. (3): 44. Type: Algérie, El May, Oran. Range (in code): **DZ Orn Ges Lbs Khh**

- 51547. *Malacosoma neustrium* (Linnaeus,1758)** (Lasiocampidae) Synonym(s): *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 Original Reference: *Phalaena Bombyx neustria* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 500. Syntypes: Habitat in Arboribus & Herbis. Range (in code): **DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR DK NO SE FI EE LV LT RU MD UA BY SY HaI KG GG AZ AM Cc** Bionomy: Larva on *Populus euphratica*, *Salix* (Salicaceae); *Quercus* (Fagaceae); *Betula* (Betulaceae); *Malus*, *Rosa* (Rosaceae) (Zolotuhin,1995; De Freina,1999).
- 51548. *Malacosoma neustrium flavescens* Grünberg,1912** (Lasiocampidae) Synonym(s): *flavescens* Grünberg,1912 Original Reference: *Malacosoma neustria flavescens* Grünberg,1912, [in] Seitz, Die Gross-Schmett. Erde 2: 151. Type: Algeria. Range (in code): **DZ**
- 51549. *Malacosoma paralellum* Staudinger,1887** (Lasiocampidae) Synonym(s): *paralellum* Staudinger,1887 Original Reference: *Malacosoma neustria* var. *paralella* Staudinger,1887, Stettin ent. Ztg. 48: 98. Range (in code): **TR IR Elb Mz TM Kp UZ TJ KK Ik T-S CN Ui Kml TeA KuA KG Aa TrA DsA Tk Ssn Tar AF Nu GG Tbl Bjo AZ AM Cc** Bionomy: Larva on *Amygdalus*, *Malus*, *Prunus*, *Pyrus*, *Cerasus*, *Rosa*, *Sorbus*, *Crataegus*, *Cydonia*, *Chaemomeles*, *Padus* (Rosaceae); *Ribes*, *Hippophae*, *Berberis*, *Juglans* (Juglandaceae); *Populus*, *Salix* (Salicaceae); *Quercus* (Fagaceae); *Atraphaxis*; *Myricaria*; *Fraxinus* (Oleaceae); *Lonicera*; *Vitis* (Vitaceae) (Zolotuhin,1995).
- 51550. *Malacosoma paralellum iranicum* Zolotuhin & Zahiri,2008** (Lasiocampidae) Synonym(s): *iranicum* Zolotuhin & Zahiri,2008 Range (in code): **IR Elb Mz**
- 51551. *Malacosoma primum* (Staudinger,1887)** (Lasiocampidae) Synonym(s): *primum* Staudinger,1887; *vulpes* Hampson,1900 Original Reference: *Bombyx alpicola* var. *prima* Staudinger,1887, Stettin ent. Ztg. 48: 97-98. Syntypes: [Uzbekistan, Kirgizistan]: "Margelan, Osch, Issyk-Kul, Alai"; Lectotype ♂: Margelan (ZMHB). Range (in code): **PK Nwf Ci N-G Haz UZ Man KK Ax Ik Osh AF Pjr TR**
- 51552. *Malacosoma robertsi* De Lajonquière,1972** (Lasiocampidae) Synonym(s): *robertsi* De Lajonquière,1972 Range (in code): **Ch Snn**
- 51553. *Malacosoma squalorum* Zolotuhin,1994** (Lasiocampidae) Synonym(s): *squalorum* Zolotuhin,1994 Original Reference: *Malacosoma squalorum* Zolotuhin,1994, Zool. Zh. 73 (10): 62-64, figs. Range (in code): **RU Da GG Cc**
- 51554. *Malacosoma vulpes* (Hampson,1900)** (Lasiocampidae) Synonym(s): *vulpes* Hampson,1900 Original Reference: *Clisiocampa vulpes* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 233, Pl.B. Type ♀: [Pakistan]: Chitral (BMNH). Range (in code): **PK Ci Nwf**
- 51555. *Mallocampa audea* (Druce,1888)** (Lasiocampidae) Synonym(s): *audea* Druce,1888; *gabunica* Aurivillius,1891; *lutescens* Holland,1893; *jaensis* Bethune-Baker,1927 Range (in code): **CM GA Ogo Bit**
- 51556. *Mallocampa leighi* Aurivillius,1922** (Lasiocampidae) Synonym(s): *leighi* Aurivillius,1922 Range (in code): **ZA**
- 51557. *Marmonna gella* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *gella* Zolotuhin & Prozolov,2010 Range (in code): **TZ**
- 51558. *Marmonna marmorata* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *marmorata* Zolotuhin & Prozolov,2010 Range (in code): **TZ MW**
- 51559. *Marmonna murphyi* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *murphyi* Zolotuhin & Prozolov,2010 Range (in code): **TZ MW**
- 51560. *Mesocelis monticola* Hübner,[1820]** (Lasiocampidae) Synonym(s): *montana* Stoll,1781 (homonym); *monticola* Hübner,[1820]; *albiplaga* Walker,1862. Range (in code): **ZA**
- 51561. *Metadula indecisa* Walker,1865** (Lasiocampidae) Synonym(s): *indecisa* Walker,1865 Range (in code): **ZA**
- 51562. *Metanastria aconyta* (Cramer,[1777])** (Lasiocampidae) Synonym(s): *aconyta* Cramer,[1777] Range (in code): **TH Cbi IN NP**
- 51563. *Metanastria asteria* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *asteria* Zolotuhin,2005 Range (in code): **TH Cbi Knc MY Png CN Yu Xis**
- 51564. *Metanastria asteria asteria* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *asteria* Zolotuhin,2005 Range (in code): **TH Cbi Knc MY Png CN Yu Xis**
- 51565. *Metanastria capucina* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *capucina* Zolotuhin & Witt,2000 Range (in code): **VN Ton Fan TH CMa MAI Nan Bou Php Int Ctg Bkm Nan Bou CD1 CDo Kob Agk Dst MM Tns Krh LA L13 CN**

- 51566. *Metanaestia capucina capucina* Zolotuhin & Witt,2000** (Lasiocampidae)
Synonym(s): *capucina* Zolotuhin & Witt,2000 _ Range (in code): VN Ton Fan CN
- 51567. *Metanaestia capucina purgata* Zolotuhin,2005** (Lasiocampidae) Synonym(s):
purgata Zolotuhin,2005 _ Range (in code): TH CMa MAI Nan Bou Php Int Ctg Bkm Nan Bou CD1 CDo
Kob Agk Dst MM Tns Krh LA L13
- 51568. *Metanaestia gemella* De Lajonquière,1979** (Lasiocampidae) Synonym(s): *gemella* De
Lajonquière,1979 _ Range (in code): ID Sum TH CMa Pfa Cbi Knc Ssw CN IN NP VN Ton MY Bor
- 51569. *Metanaestia hyrtaca* (Cramer,[1779])** (Lasiocampidae) Synonym(s): *hyrtaca*
Cramer,[1779] _ Range (in code): CN TW IN NP MM ID Sum Bor MY VN Ton Tda TH CMa Fn Ctg Pfa
Agk MAI Kob Sop CDo Nan Bou Bby Pua Dpk CRa Khk Kjn Phe Phy Mae Bsl Nrt Kao
- 51570. *Metanaestia mantra* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *mantra*
Zolotuhin,2005 _ Range (in code): TH CMa Php Int MAI
- 51571. *Metanaestia mantra mantra* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *mantra*
Zolotuhin,2005 _ Range (in code): TH CMa Php Int MAI
- 51572. *Micropacha geitra* Zolotuhin,2000** (Lasiocampidae) Synonym(s): *geitra* Zolotuhin,2000
Range (in code): VN Ton Fan
- 51573. *Micropacha krocha* Zolotuhin,1995** (Lasiocampidae) Synonym(s): *krocha* Zolotuhin,1995
Range (in code): TH CMa MAI Fn Sop Nan Dpk Bou Pua Bby Mae Pai
- 51574. *Micropacha roepkei* Holloway,1987** (Lasiocampidae) Synonym(s): *roepkei*
Holloway,1987 _ Range (in code): MY Bor TH Ntt Hba ID Sum
- 51575. *Micropacha zojka* Zolotuhin,2000** (Lasiocampidae) Synonym(s): *zojka* Zolotuhin,2000
Range (in code): VN Ton TH CMa Agk Kob Pap Pfa Nan Bou Pua Bby Knc Ssw Ntt Hba IN Ass MM CN
Yu MY ID Sum
- 51576. *Mimopacha audeoudi* Romieux,1935** (Lasiocampidae) Synonym(s): *audeoudi*
Romieux,1935 _ Range (in code): ZR
- 51577. *Mimopacha brunnea* M.Hering,1941** (Lasiocampidae) Synonym(s): *brunnea*
M.Hering,1941 _ Range (in code): GO ZR
- 51578. *Mimopacha brunnea fuscata* M.Hering,1941** (Lasiocampidae) Synonym(s): *fuscata*
M.Hering,1941 _ Range (in code): ZR
- 51579. *Mimopacha bryki* Aurivillius,1927** (Lasiocampidae) Synonym(s): *bryki* Aurivillius,1927
Range (in code): UG Elg
- 51580. *Mimopacha cinerascens* (Holland,1893)** (Lasiocampidae) Synonym(s): *cinerascens*
Holland,1893 _ Range (in code): NG Ogo
- 51581. *Mimopacha excavata* M.Hering,1935** (Lasiocampidae) Synonym(s): *excavata*
M.Hering,1935 _ Range (in code): ZR
- 51582. *Mimopacha gerstaeckerii* (Dewitz,1881)** (Lasiocampidae) Synonym(s): *gerstaeckerii*
Dewitz,1881; #*incanata* Strand,1912 _ Range (in code): ZA ET Sw ET155
- 51583. *Mimopacha gerstaeckerii alani* Rougeot,1991** (Lasiocampidae) Synonym(s): *alani*
Rougeot,1991 _ Original Reference: *Mimopacha gerstaeckerii* ssp. *alani* Rougeot,1991, Annls Soc.
ent. Fr. (N.S.) 27 (4): 454-456, fig.142. Holotype ♀: Ethiopie: riv. Gibe, leg. Chojnacki (MNHNP).
Range (in code): ET Sw ET155
- 51584. *Mimopacha gerstaeckerii gerstaeckerii* (Dewitz,1881)** (Lasiocampidae)
Synonym(s): *gerstaeckerii* Dewitz,1881; #*incanata* Strand,1912 _ Range (in code): ZA
- 51585. *Mimopacha jordani* Tams,1936** (Lasiocampidae) Synonym(s): *jordani* Tams,1936
Range (in code): AO
- 51586. *Mimopacha knoblauchii* (Dewitz,1881)** (Lasiocampidae) Synonym(s): *knoblauchii*
Dewitz,1881 _ Range (in code): ZA
- 51587. *Mimopacha pelodis* M.Hering,1928** (Lasiocampidae) Synonym(s): *pelodis* M.Hering,1928
Range (in code): CM
- 51588. *Mimopacha rotundata* M.Hering,1941** (Lasiocampidae) Synonym(s): *rotundata*
M.Hering,1941 _ Range (in code): GM
- 51589. *Mimopacha similis* M.Hering,1935** (Lasiocampidae) Synonym(s): *similis* M.Hering,1935
Range (in code): ZR TG
- 51590. *Mimopacha similis occidentalis* M.Hering,1941** (Lasiocampidae) Synonym(s):
occidentalis M.Hering,1941 _ Range (in code): TG
- 51591. *Mimopacha tripunctata* (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *tripunctata*
Aurivillius,1905 _ Range (in code): NG

- 51592. *Morongea arnoldi* (Aurivillius,1908)** (Lasiocampidae) Synonym(s): *arnoldi* Aurivillius,1908 _ Range (in code): CM TZ BI
- 51593. *Morongea avinoffi* (Tams,1929)** (Lasiocampidae) Synonym(s): *avinoffi* Tams,1929 _ Range (in code): CI CM GA ZR
- 51594. *Morongea carnaria* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *carnaria* Zolotuhin & Prozolov,2010 _ Range (in code): ZR
- 51595. *Morongea cruenta* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *cruenta* Zolotuhin & Prozolov,2010 _ Range (in code): NG GA
- 51596. *Morongea elfiora* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *elfiora* Zolotuhin & Prozolov,2010 _ Range (in code): BF TZ MW
- 51597. *Morongea elfiora elfiora* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *elfiora* Zolotuhin & Prozolov,2010 _ Range (in code): TZ MW
- 51598. *Morongea elfiora galadriellae* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *galadriellae* Zolotuhin & Prozolov,2010 _ Range (in code): BF
- 51599. *Morongea flavipicta* (Tams,1929)** (Lasiocampidae) Synonym(s): *flavipicta* Tams,1929; *ochrosticta* Kiriakoff,1963 _ Range (in code): CI CM GA ZR
- 51600. *Morongea gemmo* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *gemmo* Zolotuhin & Prozolov,2010 _ Range (in code): GA
- 51601. *Morongea lampara* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *lampara* Zolotuhin & Prozolov,2010 _ Range (in code): CM GA ZR KE
- 51602. *Morongea lampara kuehnei* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *kuehnei* Zolotuhin & Prozolov,2010 _ Range (in code): KE
- 51603. *Morongea lampara lampara* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *lampara* Zolotuhin & Prozolov,2010 _ Range (in code): CM GA ZR
- 51604. *Morongea mastodont* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *mastodont* Zolotuhin & Prozolov,2010 _ Range (in code): SL TG NG CI ZR
- 51605. *Morongea missdebeerae* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *missdebeerae* Zolotuhin & Prozolov,2010 _ Range (in code): ZA Kzu Nta Dbn
- 51606. *Muzunguja rectilineata* (Aurivillius,1900)** (Lasiocampidae) Synonym(s): *rectilineata* Aurivillius,1900; *asopha* M.Hering,1928; *madelinae* Tams,1936 _ Range (in code): TZ CG ZR CF CI CM GA
- 51607. *Napta straminea* (Aurivillius,1921)** (Lasiocampidae) Synonym(s): *straminea* Aurivillius,1921; *eborea* Tams,1924 _ Range (in code): ZA
- 51608. *Nirbiana micha* (Druce,1899)** (Lasiocampidae) Synonym(s): *micha* Druce,1899 _ Range (in code): ZA Ec Pel Kzu Nta Elo
- 51609. *Nirbiana obscura* (M.Hering,1941)** (Lasiocampidae) Synonym(s): *obscura* M.Hering,1941 _ Range (in code): ZR
- 51610. *Notogroma mutabile* (Candèze,1927)** (Lasiocampidae) Synonym(s): *mutabile* Candèze,1927 _ Range (in code): VN
- 51611. *Ocinaropsis obscura* Aurivillius,1905** (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1905 _ Range (in code): ZA
- 51612. *Odonestis angulata* (Grünberg,1913)** (Lasiocampidae) Synonym(s): *angulata* Grünberg,1913 _ Range (in code): MY Bor Sum ID
- 51613. *Odonestis apo* Zolotuhin, Treadaway & Witt,1997** (Lasiocampidae) Synonym(s): *apo* Zolotuhin, Treadaway & Witt,1997 _ Range (in code): PH Ley Luz Mno
- 51614. *Odonestis belli* Tams,1935** (Lasiocampidae) Synonym(s): *belli* Tams,1935 _ Range (in code): IN
- 51615. *Odonestis bheroba* Moore,1859** (Lasiocampidae) Synonym(s): *bheroba* Moore,1858; *harutai* Kishida,1992 _ Range (in code): LK IN SI Djl NP TH CMa Dst Nan Pua Bou TAK VN CN Fkn Yu Sz Hn Kig KwT She Tkg MM TW
- 51616. *Odonestis bheroba formosae* Wileman,1910** (Lasiocampidae) Synonym(s): *formosae* Wileman,1910 _ Range (in code): TW CN Fkn Kig
- 51617. *Odonestis bheroba pheroba* Moore,1859** (Lasiocampidae) Synonym(s): *bheroba* Moore,1858; *harutai* Kishida,1992 _ Range (in code): LK IN SI Djl NP MM TH CMa Dst Nan Pua Bou TAK VN CN Fkn Yu Sz Hn Kig KwT She Tkg
- 51618. *Odonestis ceylonica* Tams,1935** (Lasiocampidae) Synonym(s): *ceylonica* Tams,1935 _ Range (in code): LK Cob IN Knr

- 51619. *Odonestis erectilinea* (Swinhoe,1904) (Lasiocampidae)** Synonym(s): *erectilinea* Swinhoe,1904; *barisana* Tams,1935 _ Range (in code): **ID Sum Bor MY Ja PH Pal CN IN MM VN TH CMA Pap CDo Fn Ssi Nan Bou Bby Bnk Nna Kao Nrt Ntt Hba SG PH Pal CN Yu IN MM LA**
- 51620. *Odonestis erectilinea frater* Sergeev & Zolotuhin,2010 (Lasiocampidae)** Synonym(s): *frater* Sergeev & Zolotuhin,2010 _ Range (in code): **PH Pal**
- 51621. *Odonestis filigranica* Sergeev & Zolotuhin,2010 (Lasiocampidae)** Synonym(s): *filigranica* Sergeev & Zolotuhin,2010 _ Range (in code): **IN Adm**
- 51622. *Odonestis germari* Sergeev & Zolotuhin,2010 (Lasiocampidae)** Synonym(s): *germari* Sergeev & Zolotuhin,2010 _ Range (in code): **MY Bor ID Sum**
- 51623. *Odonestis gisla* Zolotuhin & Holloway,2006 (Lasiocampidae)** Synonym(s): *gisla* Zolotuhin & Holloway,2006 _ Range (in code): **ID**
- 51624. *Odonestis kama* Zolotuhin & Holloway,2006 (Lasiocampidae)** Synonym(s): *kama* Zolotuhin & Holloway,2006 _ Range (in code): **ID Clb**
- 51625. *Odonestis leopoldi* Tams,1935 (Lasiocampidae)** Synonym(s): *leopoldi* Tams,1935 _ Range (in code): **PH Luz Ley**
- 51626. *Odonestis lipara* Tams,1935 (Lasiocampidae)** Synonym(s): *lipara* Tams,1935 _ Range (in code): **MY Bor TH?**
- 51627. *Odonestis maya* Zolotuhin & Holloway,2006 (Lasiocampidae)** Synonym(s): *maya* Zolotuhin & Holloway,2006 _ Range (in code): **ID Clb**
- 51628. *Odonestis ophioglossa* Tams,1935 (Lasiocampidae)** Synonym(s): *ophioglossa* Tams,1935 _ Range (in code): **ID Sum**
- 51629. *Odonestis pinratanai* Zolotuhin,2005 (Lasiocampidae)** Synonym(s): *pinratanai* Zolotuhin,2005 _ Range (in code): **TH Knc Ssw**
- 51630. *Odonestis pruni* (Linnaeus,1758) (Lasiocampidae)** Synonym(s): *pruni* Linnaeus,1758 _ Range (in code): **PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY GG Cc AZ AM VN B-e Us JP Hkk KP KR CN Mc Pkn IMn Gn She Anh Hbe Fkn Hun TW VN IN Ass Khs Ti NP BT Yu Sz**
- 51631. *Odonestis pruni oberthueri* Tams,1935 (Lasiocampidae)** Synonym(s): *oberthueri* Tams,1935; *assamensis* Tams,1935 _ Range (in code): **IN Ass Khs CN Ti NP BT Yu Sz**
- 51632. *Odonestis pruni pruni* (Linnaeus,1758) (Lasiocampidae)** Synonym(s): *pruni* Linnaeus,1758 _ Range (in code): **PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY GG Cc AZ AM KG Sb**
- 51633. *Odonestis pruni reisseri* Rungs,1977 (Lasiocampidae)** Synonym(s): *reisseri* Rungs,1977 _ Range (in code): **FR Co**
- 51634. *Odonestis pruni rufescens* Kardakoff,1928 (Lasiocampidae)** Synonym(s): *rufescens* Kardakoff,1928; *japonensis* Tams,1935 _ Range (in code): **RU Us JP Hkk KP KR CN Mc Pkn IMn Gn She Anh Hbe Fkn Hun TW VN**
- 51635. *Odonestis schalicteta* Tams,1935 (Lasiocampidae)** Synonym(s): *schalicteta* Tams,1935 _ Range (in code): **ID Sum Nia MY**
- 51636. *Odonestis vinacea* Holloway & Bender,1990 (Lasiocampidae)** Synonym(s): *vinacea* Holloway & Bender,1990 _ Range (in code): **ID Sum**
- 51637. *Odonestis vita* Moore,1859 (Lasiocampidae)** Synonym(s): *vita* Moore,1859 _ Range (in code): **ID Ja TH Bnk CMA Phy CMu Kbi IN Ben Meg LK Adm CN Hn Kwa KwT VN Ton Han Sgn Ann B-e Bor Sum PH Mno** Bionomy: Larva on leaf of *Eugenia* [rose apple], *Psidium guajava* [guava] (Myrtaceae), *Lagerstroemia speciosa* [queen's crape myrtle] (Lythraceae) (Lewvanich,2001).
- 51638. *Odonestis vita brachyschalida* Tams,1935 (Lasiocampidae)** Synonym(s): *brachyschalida* Tams,1935 _ Range (in code): **PH Mno**
- 51639. *Odonestis vita indica* Tams,1935 (Lasiocampidae)** Synonym(s): *indica* Tams,1935 _ Range (in code): **IN Ben Meg**
- 51640. *Odonestis vita vita* Moore,1859 (Lasiocampidae)** Synonym(s): *vita* Moore,1859 _ Range (in code): **ID Ja TH Bnk CMA Phy CMu Kbi IN LK Adm CN Hn Kwa KwT VN Ton Han Sgn Ann B-e Bor Sum**
- 51641. *Odontocheilopteryx* (Gurkovichia) *malagassy* Viette,1962 (Lasiocampidae)** Synonym(s): *malagassy* Viette,1962 _ Range (in code): **MG**
- 51642. *Odontocheilopteryx* (Gurkovichia) *meridionalis* Viette,1962 (Lasiocampidae)** Synonym(s): *meridionalis* Viette,1962 _ Range (in code): **MG**
- 51643. *Odontocheilopteryx* (Lestina) *conzolia* Gurkovich & Zolotuhin,2009 (Lasiocampidae)** Synonym(s): *conzolia* Gurkovich & Zolotuhin,2009 _ Range (in code): **SL CM CG**

- 51644. *Odontocheilopteryx* (Lestina) *corvus* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *corvus* Gorkovich & Zolotuhin,2009 _ Range (in code): KE UG
- 51645. *Odontocheilopteryx* (Lestina) *eothis* Tams,1931** (Lasiocampidae) Synonym(s): *eothis* Tams,1931 _ Range (in code): ET
- 51646. *Odontocheilopteryx* (Lestina) *foedifragus* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *foedifragus* Gorkovich & Zolotuhin,2009 _ Range (in code): KE
- 51647. *Odontocheilopteryx* (Lestina) *lajonquierei* Rougeot,1977** (Lasiocampidae) Synonym(s): *lajonquierei* Rougeot,1977 _ Range (in code): ET
- 51648. *Odontocheilopteryx* (Lestina) *pattersoni* Tams,1926** (Lasiocampidae) Synonym(s): *pattersoni* Tams,1926 _ Range (in code): GH ZR BI KE
- 51649. *Odontocheilopteryx* (Lestina) *pica* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *pica* Gorkovich & Zolotuhin,2009 _ Range (in code): GO ZR
- 51650. *Odontocheilopteryx* (Lestina) *similis* Tams,1929** (Lasiocampidae) Synonym(s): *similis* Tams,1929 _ Range (in code): CM
- 51651. *Odontocheilopteryx* (s.str.) *cuanza* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *cuanza* Gorkovich & Zolotuhin,2009 _ Range (in code): AO
- 51652. *Odontocheilopteryx* (s.str.) *dollmani* Tams,1930** (Lasiocampidae) Synonym(s): *dollmani* Tams,1930 _ Range (in code): ZR MW TZ ZM ZW Har ZA Nca
- 51653. *Odontocheilopteryx* (s.str.) *ferlina* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *ferlina* Gorkovich & Zolotuhin,2009 _ Range (in code): MR
- 51654. *Odontocheilopteryx* (s.str.) *gracifica* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *gracifica* Gorkovich & Zolotuhin,2009 _ Range (in code): ZR
- 51655. *Odontocheilopteryx* (s.str.) *haribda* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *haribda* Gorkovich & Zolotuhin,2009 _ Range (in code): GH CI BF GN CM
- 51656. *Odontocheilopteryx* (s.str.) *maculata* Aurivillius,1905** (Lasiocampidae) Synonym(s): *maculata* Aurivillius,1905 _ Range (in code): BF TG NG CF SD ET ZR UG BI
- 51657. *Odontocheilopteryx* (s.str.) *myxa* Wallengren,1860** (Lasiocampidae) Synonym(s): *myxa* Wallengren,1860; *ungemachi* Tams,1931 _ Range (in code): ZA Nta Kzu Dbn ZW TZ BI ZR KE ET YE
- 51658. *Odontocheilopteryx* (s.str.) *obscura* Aurivillius,1927** (Lasiocampidae) Synonym(s): *obscura* Aurivillius,1927 _ Range (in code): NA ZW ZA Kzu Nta Gau Tva
- 51659. *Odontocheilopteryx* (s.str.) *phoeneus* M.Hering,1928** (Lasiocampidae) Synonym(s): *phoeneus* M.Hering,1928; *trodonta* Tams,1936 _ Range (in code): LR CI GH CM GO CF ZR BI AO
- 51660. *Odontocheilopteryx* (s.str.) *politzari* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *politzari* Gorkovich & Zolotuhin,2009 _ Range (in code): SO KE
- 51661. *Odontocheilopteryx* (s.str.) *scilla* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *scilla* Gorkovich & Zolotuhin,2009 _ Range (in code): BI KE TZ
- 51662. *Odontocheilopteryx* (s.str.) *spicola* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *spicola* Gorkovich & Zolotuhin,2009 _ Range (in code): KE
- 51663. *Odontocheilopteryx* (s.str.) *stokata* Gorkovich & Zolotuhin,2009** (Lasiocampidae) Synonym(s): *stokata* Gorkovich & Zolotuhin,2009 _ Range (in code): KE
- 51664. *Odontocraspis* *collieri* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *collieri* Zolotuhin & Witt,2000 _ Range (in code): VN Ton Fan CN Yu TH CMa Pfa Nan Pua Dpk
- 51665. *Odontocraspis* *hasora* Swinhoe,1894** (Lasiocampidae) Synonym(s): *hasora* Swinhoe,1894 _ Range (in code): IN Ass Slo CN MM VN Ton MY ID Sum Bor TH CMa Dst Wia Pap Ctg Nan Pua Dpk Bou
- 51666. *Odontopacha* *fenestrata* Aurivillius,1909** (Lasiocampidae) Synonym(s): *fenestrata* Aurivillius,1909 _ Range (in code): ZA
- 51667. *Odontopacha* *kilwana* Strand,1911** (Lasiocampidae) Synonym(s): *kilwana* Strand,1911 _ Range (in code): ZA
- 51668. *Opisthodontia* (Psychosida) *axividia* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *axividia* Zolotuhin & Prozolov,2010 _ Range (in code): NG
- 51669. *Opisthodontia* (Psychosida) *diva* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *diva* Zolotuhin & Prozolov,2010 _ Range (in code): CI GA
- 51670. *Opisthodontia* (Psychosida) *supramalis* Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *supramalis* Zolotuhin & Prozolov,2010 _ Range (in code): GA ZR UG

- 51671. Opisthodontia (Psychosida) varezhka Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *varezhka Zolotuhin & Prozolov,2010* _ Range (in code): **UG TZ**
- 51672. Opisthodontia afroio Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *afroio Zolotuhin & Prozolov,2010* _ Range (in code): **BF NG**
- 51673. Opisthodontia budamara Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *budamara Zolotuhin & Prozolov,2010* _ Range (in code): **KE**
- 51674. Opisthodontia dannfelti Aurivillius,1895** (Lasiocampidae) Synonym(s): *dannfelti Aurivillius,1895* _ Range (in code): **ZR**
- 51675. Opisthodontia pygmy Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *pygmy Zolotuhin & Prozolov,2010* _ Range (in code): **NG**
- 51676. Opisthodontia sidha Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *sidha Zolotuhin & Prozolov,2010* _ Range (in code): **BF CI**
- 51677. Opisthodontia sonithella Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *sonithella Zolotuhin & Prozolov,2010* _ Range (in code): **UG**
- 51678. Opisthodontia spodopasta Tams,1931** (Lasiocampidae) Synonym(s): *spodopasta Tams,1931* _ Range (in code): **GH**
- 51679. Opisthodontia tessmanni M.Hering,1928** (Lasiocampidae) Synonym(s): *tessmanni M.Hering,1928* _ Range (in code): **CM**
- 51680. Opisthodontia vensani Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *vensani Zolotuhin & Prozolov,2010* _ Range (in code): **KE**
- 51681. Opisthoheza heza Zolotuhin & Prozolov,2010** (Lasiocampidae) Synonym(s): *heza Zolotuhin & Prozolov,2010* _ Range (in code): **GA CG ZR UG**
- 51682. Orientrix austrina (De Lajonquière,1978)** (Lasiocampidae) Synonym(s): *austrina De Lajonquière,1978* _ Range (in code): **ID Ja Sum Bor**
- 51683. Orientrix divisa (Moore,1879)** (Lasiocampidae) Synonym(s): *divisa Moore,1879; sulphurea sensu Dubatolov & Zolotuhin,2000 nec Mr.,1879* _ Range (in code): **LK**
- 51684. Orientrix laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta Walker,1855* _ Range (in code): **RU Am Us CN Mc KP KR JP Hbe Yu Sz Fkn IN**
- 51685. Orientrix laeta laeta (Walker,1855)** (Lasiocampidae) Synonym(s): *laeta Walker,1855* _ Range (in code): **CN Hbe Yu Sz Fkn IN**
- 51686. Orientrix laeta sulphurea (Aurivillius,1894)** (Lasiocampidae) Synonym(s): *sulphurea Aurivillius,1894* _ Original Reference: Cosmotriche laeta sulphurea Aurivillius,1894, Dt. ent. Z., Iris 7: 164. Range (in code): **RU Am Us CN Mc KP KR JP**
- 51687. Pachymeta capreolus Aurivillius,1914** (Lasiocampidae) Synonym(s): *capreolus Aurivillius,1914* _ Range (in code): **ZA**
- 51688. Pachymetana neavei (Aurivillius,1915)** (Lasiocampidae) Synonym(s): *neavei Aurivillius,1915* _ Range (in code): **ZA**
- 51689. Pachyna bogema Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *bogema Zolotuhin & Gurkovitch,2009* _ Range (in code): **CM**
- 51690. Pachyna crabik Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *crabik Zolotuhin & Gurkovitch,2009* _ Range (in code):
- 51691. Pachyna satanas Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *satanas Zolotuhin & Gurkovitch,2009* _ Range (in code): **ZR**
- 51692. Pachyna subfascia (Walker,1855)** (Lasiocampidae) Synonym(s): *subfascia Walker,1855; lomina Druce,1888; trapezina Weymer,1892; nasmythii Ehrmann,1894* _ Range (in code): **GH NG CG CM LR SL BI CI**
- 51693. Pachypasa otus (Drury,[1773])** (Lasiocampidae) Synonym(s): *#otus Drury,[1770]; otus Drury,[1773]* _ Original Reference: Sphinx otus Drury,[1773], Illustr. Nat. Hist. Exot. Ins. 2: index to 1. Type: [Turkey]: "Smyrna" [Izmir Prov.]. Range (in code): **Si IT RO YU AL BG GR Rd Cr Ae Nx Sms CY TR LB Bsa IR Fa IQ AZ AM GG Cc** _ Bionomy: Larva on Pistacia in Fars; Quercus, Pistacia in Iraq (Wiltshire,1943, 1957). Currently known on Cupressus, Juniperus, Thuja orientalis, Quercus pubescens (de Freina & Witt,1987).
- 51694. Pachypasoides albinotum Matsumura,1927** (Lasiocampidae) Synonym(s): *albinotum Matsumura,1927* _ Range (in code): **TW**
- 51695. Pachypasoides albisparsa Wileman,1910** (Lasiocampidae) Synonym(s): *albisparsa Wileman,1910* _ Range (in code):

- 51696. Pachypasoides candezei Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *candezei* Zolotuhin & Witt,2000 _ Range (in code): VN
- 51697. Pachypasoides lucanivalvus Zolotuhin,2002** (Lasiocampidae) Synonym(s): *lucanivalvus* Zolotuhin,2002 _ Range (in code): TH CMa Php Ctg Dst CRa Wpp
- 51698. Pachypasoides roesleri De Lajonquière,1973** (Lasiocampidae) Synonym(s): *roesleri* De Lajonquière,1973 _ Range (in code): CN VN Ton Fan
- 51699. Pachypasoides roesleri dessiae Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *dessiae* Zolotuhin & Witt,2000 _ Range (in code): VN Ton Fan
- 51700. Pachypasoides sagittifera (Gaede,1931)** (Lasiocampidae) Synonym(s): *sagittifera* Gaede,1931 _ Range (in code):
- 51701. Pachypasoides yunnanensis De Lajonquière,1973** (Lasiocampidae) Synonym(s): *yunnanensis* De Lajonquière,1973 _ Range (in code): CN Yu
- 51702. Pachytrina (Gurkognoma) gliharta Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *gliharta* Zolotuhin & Gurkovitch,2009 _ Range (in code): CG UG CM GA NG ZR LR
- 51703. Pachytrina (Gurkognoma) ornata Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *ornata* Zolotuhin & Gurkovitch,2009 _ Range (in code): CI
- 51704. Pachytrina (Gurkognoma) papyroides (Tams,1936)** (Lasiocampidae) Synonym(s): *papyroides* Tams,1936; *senex* M.Hering,1941 _ Range (in code): ZR GA
- 51705. Pachytrina (Gurkognoma) philargyria (M.Hering,1928)** (Lasiocampidae) Synonym(s): *philargyria* M.Hering,1928; *papyri* Tams,1931 _ Range (in code): UG CG CM ZR RW TZ KE?
- 51706. Pachytrina (Gurkognoma) rubra (Tams,1929)** (Lasiocampidae) Synonym(s): *rubra* Tams,1929 _ Range (in code): ZR CG CM
- 51707. Pachytrina (Gurkognoma) verba Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *verba* Zolotuhin & Gurkovitch,2009 _ Range (in code): TZ MW BW
- 51708. Pachytrina crestalina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *crestalina* Zolotuhin & Gurkovitch,2009 _ Range (in code): CM TZ ZR GA
- 51709. Pachytrina diablo Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *diablo* Zolotuhin & Gurkovitch,2009 _ Range (in code): KE
- 51710. Pachytrina elygara Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *elygara* Zolotuhin & Gurkovitch,2009 _ Range (in code): CF NG CM GH
- 51711. Pachytrina flamerchena Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *flamerchena* Zolotuhin & Gurkovitch,2009 _ Range (in code): KE ZR RW
- 51712. Pachytrina honrathi (Dewitz,1881)** (Lasiocampidae) Synonym(s): *honrathi* Dewitz,1881 _ Range (in code): CG ZR CI GH GO TZ
- 51713. Pachytrina okzilina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *okzilina* Zolotuhin & Gurkovitch,2009 _ Range (in code): CM KE GA
- 51714. Pachytrina regeria Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *regeria* Zolotuhin & Gurkovitch,2009 _ Range (in code): NG
- 51715. Pachytrina trihora Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *trihora* Zolotuhin & Gurkovitch,2009 _ Range (in code): CG ZR
- 51716. Pachytrina trilineata (Aurivillius,1911)** (Lasiocampidae) Synonym(s): *trilineata* Aurivillius,1911 _ Range (in code): UG
- 51717. Pachytrina wenigina Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *wenigina* Zolotuhin & Gurkovitch,2009 _ Range (in code): CI ZR TZ GA AO CF
- 51718. Pallastica (Sompallina) mesoleuca (Strand,1911)** (Lasiocampidae) Synonym(s): *mesoleuca* Strand,1911 _ Range (in code): CM CG NG MW GA
- 51719. Pallastica (Sompallina) pyrsocoma (Tams,1936)** (Lasiocampidae) Synonym(s): *pyrsocoma* Tams,1936 _ Range (in code): AO CM MW CG
- 51720. Pallastica (Sompallina) redissa Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *redissa* Zolotuhin & Gurkovitch,2009 _ Range (in code): TZ
- 51721. Pallastica (s.str.) hararia Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *hararia* Zolotuhin & Gurkovitch,2009 _ Range (in code): ET
- 51722. Pallastica (s.str.) kakamegata Zolotuhin & Gurkovitch,2009** (Lasiocampidae) Synonym(s): *kakamegata* Zolotuhin & Gurkovitch,2009 _ Range (in code): KE
- 51723. Pallastica (s.str.) lateritia (M.Hering,1928)** (Lasiocampidae) Synonym(s): *lateritia* M.Hering,1928; *phronema lateritia* M.Hering,1928 _ Range (in code): GH CG NG TG ML ZA

- 51724. *Pallastica* (s.str.) *litlura* Zolotuhin & Gurovitch,2009** (Lasiocampidae)
Synonym(s): *litlura* Zolotuhin & Gurovitch,2009 _ Range (in code): TZ CG UG
- 51725. *Pallastica* (s.str.) *lucifer* Zolotuhin & Gurovitch,2009** (Lasiocampidae)
Synonym(s): *lucifer* Zolotuhin & Gurovitch,2009 _ Range (in code): Nta Kzu ZA
- 51726. *Pallastica* (s.str.) *meloui* (Riel,1909)** (Lasiocampidae) Synonym(s): *meloui* Riel,1909;
cornuta Strand,1912; *punctulata* Aurivillius,1910; *orientalis* Stoneham,1942 _ Range (in code): GO ZW UG
SN CG ZR TZ KE
- 51727. *Pallastica* (s.str.) *pallens* (Bethune-Baker,1908)** (Lasiocampidae) Synonym(s):
pallens Bethune-Baker,1908; *denticula* Bethune-Baker,1908 _ Range (in code): ZW KE TZ BI GH CG
- 51728. *Pallastica* (s.str.) *pyrsocorsa* (Tams,1936)** (Lasiocampidae) Synonym(s): *pyrsocorsa*
Tams,1936 _ Range (in code): AO
- 51729. *Pallastica* (s.str.) *rubinia* Zolotuhin & Gurovitch,2009** (Lasiocampidae)
Synonym(s): *rubinia* Zolotuhin & Gurovitch,2009 _ Range (in code): KE
- 51730. *Pallastica* (s.str.) *sanricia* Zolotuhin & Gurovitch,2009** (Lasiocampidae)
Synonym(s): *sanricia* Zolotuhin & Gurovitch,2009 _ Range (in code): NE
- 51731. *Pallastica* (s.str.) *sericeofasciata* (Aurivillius,1921)** (Lasiocampidae) Synonym(s):
sericeofasciata Aurivillius,1921; *orientis* M.Hering,1928 _ Range (in code): CG BI KE?
- 51732. *Paradoxopla* *javanus* (Draeseke,1941)** (Lasiocampidae) Synonym(s): *javanus*
Draeseke,1941 _ Range (in code): ID Ja MY Bor KBa
- 51733. *Paradoxopla* *javanus cardinalis* (Holloway,1976)** (Lasiocampidae) Synonym(s):
cardinalis Holloway,1976 _ Range (in code): MY Bor KBa
- 51734. *Paradoxopla* *javanus javanus* (Draeseke,1941)** (Lasiocampidae) Synonym(s): *javanus*
Draeseke,1941 _ Range (in code): ID Ja
- 51735. *Paradoxopla* *sinuata* (Moore,1879)** (Lasiocampidae) Synonym(s): *sinuata* Moore,1879;
khasiana Swinhoe,1905 _ Range (in code): PK IN SI Djl Ass Khs TH CMa Php Fn MAI Int Ctg VN CN
NP TW
- 51736. *Paradoxopla* *sinuata fabulosa* Zolotuhin,2005** (Lasiocampidae) Synonym(s):
fabulosa Zolotuhin,2005 _ Range (in code): TH CMa Php Fn MAI Int Ctg VN
- 51737. *Paradoxopla* *sinuata sinuata* (Moore,1879)** (Lasiocampidae) Synonym(s): *sinuata*
Moore,1879; *khasiana* Swinhoe,1905 _ Range (in code): IN SI Djl Ass Khs PK NP
- 51738. *Paradoxopla* *sinuata taiwana* (Wileman,1915)** (Lasiocampidae) Synonym(s): *taiwana*
Wileman,1915 _ Range (in code): TW
- 51739. *Paradoxopla* *sinuata undulata* (Moore,1879)** (Lasiocampidae) Synonym(s): *undulata*
Moore,1879 _ Range (in code): CN
- 51740. *Paralebeda* *crinodes* (R.Felder,1868)** (Lasiocampidae) Synonym(s): *crinodes*
R.Felder,1868 _ Range (in code): ID Ja Bli Sum Bor PH Pal MY MM TH VN CN Ntt Hba Tng
- 51741. *Paralebeda* *crinodes crinodes* (R.Felder,1868)** (Lasiocampidae) Synonym(s):
crinodes R.Felder,1868 _ Range (in code): ID Ja Bli
- 51742. *Paralebeda* *crinodes paos* Zolotuhin,1996** (Lasiocampidae) Synonym(s): *paos*
Zolotuhin,1996 _ Range (in code): CN
- 51743. *Paralebeda* *crinodes uniformis* Holloway,1976** (Lasiocampidae) Synonym(s):
uniformis Holloway,1976 _ Range (in code): ID Sum Bor PH Pal MY MM TH VN Ntt Hba Tng
- 51744. *Paralebeda* *femorata* (Ménétriés,1858)** (Lasiocampidae) Synonym(s): *femorata*
Ménétriés,1858 _ Range (in code): CN KP KR RU Am PK TW VN Ton
- 51745. *Paralebeda* *femorata femorata* (Ménétriés,1858)** (Lasiocampidae) Synonym(s):
femorata Ménétriés,1858 _ Range (in code): CN KP KR RU Am
- 51746. *Paralebeda* *femorata karmata* Zolotuhin,1996** (Lasiocampidae) Synonym(s):
karmata Zolotuhin,1996 _ Range (in code): PK
- 51747. *Paralebeda* *femorata mirabilis* Zolotuhin,1996** (Lasiocampidae) Synonym(s):
mirabilis Zolotuhin,1996 _ Range (in code): TW
- 51748. *Paralebeda* *femorata titanica* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s):
titanica Zolotuhin & Witt,2000 _ Range (in code): VN Ton Fan
- 51749. *Paralebeda* *lucifuga* (Swinhoe,1892)** (Lasiocampidae) Synonym(s): *lucifuga*
Swinhoe,1892; *malayica* Swinhoe,1915 _ Range (in code): SG MY TH CMa Ssi Nst Knc Ssw Tng Dsk ID
Bor Swk Bli Sum Ja PH Pal
- 51750. *Paralebeda* *plagifera* (Walker,1855)** (Lasiocampidae) Synonym(s): *plagifera* Walker,1855
Range (in code): NP IN BT CN MM VN Ton Fan TH CMa Dst Pfa Sop Ctg Fn Bby Nan Pua Nna Kao

- 51751. *Phantosoma witti* Zolotuhin & Kostjuk, 2000** (Lasiocampidae) Synonym(s): *witti* Zolotuhin & Kostjuk, 2000 Original Reference: *Phantosoma witti* Zolotuhin & Kostjuk, 2000, Nota lepid. 23 (2): 142-146, figs. Holotype ♀: "USSR Turkmenia, Kopet-Dagh Mts. 15km SE of Nochur 1300-1400m 13-14.xi.1991 leg. M.Hreblay & G.Ronkay (MWM). Range (in code): **TM Kp**
- 51752. *Philotherma clara* Bethune-Baker, 1908** (Lasiocampidae) Synonym(s): *clara* Bethune-Baker, 1908 Original Reference: *Philotherma clara* Bethune-Baker, 1908, Ann. Mag. nat. Hist. (8) 2: 259. Type: [Zimbabwe]: N.E.Rhodesia, Fort Jameson (coll. B.-B.). Range (in code): **ZW**
- 51753. *Philotherma media* Aurivillius, 1909** (Lasiocampidae) Synonym(s): *media* Aurivillius, 1909 Range (in code): **ZA**
- 51754. *Philotherma obscura* Aurivillius, 1927** (Lasiocampidae) Synonym(s): *obscura* Aurivillius, 1927 Range (in code): **ZA**
- 51755. *Philotherma rennei* (Dewitz, 1881)** (Lasiocampidae) Synonym(s): *rennei* Dewitz, 1881; *triangulifera* Aurivillius, 1927 Range (in code): **ZA**
- 51756. *Philotherma rosa* (Druce, 1888)** (Lasiocampidae) Synonym(s): *rosa* Druce, 1888; *montibia* Strand, 1912; *squamata* Strand, 1912; *ochrascens* Strand, 1912; *natalica* Aurivillius, 1927 Range (in code): **ZA**
- 51757. *Philotherma rosa aniera* M.Hering, 1929** (Lasiocampidae) Synonym(s): *aniera* M.Hering, 1929 Range (in code): **ZA**
- 51758. *Philotherma rosa rosa* (Druce, 1888)** (Lasiocampidae) Synonym(s): *rosa* Druce, 1888; *montibia* Strand, 1912; *squamata* Strand, 1912; *ochrascens* Strand, 1912; *natalica* Aurivillius, 1927 Range (in code): **ZA**
- 51759. *Phyllodesma (Epicnaptera) albofasciata* (O.Bang-Haas, 1927)** (Lasiocampidae) Synonym(s): *albofasciata* O.Bang-Haas, 1927 Original Reference: *Epicnapteryx albofasciata* O.Bang-Haas, 1927, Horae Macrolepid. 1: 78, t.10 fig.8. Type ♂: [Uighur Ili]: "Thianchan cent. sept., Kuldscha 1885 und Ili Gebiet" leg. Tancre. Range (in code): **CN Ui Ku**
- 51760. *Phyllodesma (Epicnaptera) alice* (John, 1909)** (Lasiocampidae) Synonym(s): *alice* John, 1909 Original Reference: *Epicnaptera alice* John, 1909, Entomologist 42: 175-176, fig. Syntypes 3♂: [Kazakhstan]: Syr-Darja, Baigacum (coll. John) [dedicated to Miss Alice Tottien (St.Petersburg)]. Range (in code): **KG Bai**
- 51761. *Phyllodesma (Epicnaptera) kermesifolium* (De Lajonquière, 1960)** (Lasiocampidae) Synonym(s): *kermesifolia* De Lajonquière, 1960 Range (in code): **PT ES**
- 51762. *Phyllodesma (Epicnaptera) suberifolium* (Duponchel, 1842)** (Lasiocampidae) Synonym(s): *suberifolia* Duponchel, 1842 Original Reference: *Lasiocampa suberifolia* Duponchel, 1842, [in] Godart, Pap. Fr. Suppl. 4: 79, pl.57 fig.3. Syntypes: France: Digne; Spain: Andalusia. Range (in code): **DZ Orn PT ES An FR**
- 51763. *Phyllodesma (s.str.) farahae* Lajonquière, 1963** (Lasiocampidae) Synonym(s): *farahae* Lajonquière, 1963 Range (in code): **IR Cc GG AZ Len**
- 51764. *Phyllodesma (s.str.) glasunowi* Groum-Grshimailo, 1895** (Lasiocampidae) Synonym(s): *glasunowi* Groum-Grshimailo, 1895 Original Reference: *Lasiocampa (Epicnaptera) glasunowi* Groum-Grshimailo, 1895, Horae Soc. ent. ross. 29: 293. Type: "In Persia septent. prope Teheran" (ZISP). Range (in code): **IR Elb Th Fa Com Qz Ab Mz Kd Lo Es By Ha Zj Gh AM GG Cc TR JO**
- 51765. *Phyllodesma (s.str.) glasunowi capreatum* (Brandt, 1939)** (Lasiocampidae) Synonym(s): *capreata* Brandt, 1939 Range (in code): **IR Fa Com**
- 51766. *Phyllodesma (s.str.) hyssarum* Zolotuhin & Dubatolov, 1992** (Lasiocampidae) Synonym(s): *hyssarum* Zolotuhin & Dubatolov, 1992 Original Reference: *Phyllodesma hyssarum* Zolotuhin & Dubatolov, 1992, Atalanta 23 (1/2): 215-217, figs. Holotype ♂: Tadjikistan: Hissar Mts., Kondara Gorge, 11.v.1965, A.Tsvetaev leg. (IZUAS). Range (in code): **TJ Pm Kud** Bionomy: Larva on *Populus tadshikistanica* (Degtjarjova, 1973).
- 51767. *Phyllodesma (s.str.) ilicifolium* (Linnaeus, 1758)** (Lasiocampidae) Synonym(s): *ilicifolia* Linnaeus, 1758; *betulifolia* Esper, 1782; *foliumsiccum* Retzius, 1783 Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY CN Ts Amd Cc GG Smt Bjo**
- 51768. *Phyllodesma (s.str.) ilicifolium sininum* Groum-Grshimailo, 1891** (Lasiocampidae) Synonym(s): *sinina* Groum-Grshimailo, 1891 Range (in code): **CN Ts Amd**
- 51769. *Phyllodesma (s.str.) japonicum* (Leech, 1889)** (Lasiocampidae) Synonym(s): *japonica* Leech, 1889 Range (in code): **EE LV LT RU JP**
- 51770. *Phyllodesma (s.str.) joannisi* De Lajonquière, 1963** (Lasiocampidae) Synonym(s): *joannisi* De Lajonquière, 1963; *#jiannisi* Didmanidze, 2008 Range (in code): **Cc GG AZ AM**

- 51771. *Phyllodesma (s.str.) tremulifolium* (Hübner,[1810])** (Lasiocampidae) **Synonym(s):** *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999 **Range (in code):** **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag EE RU MD UA BY KK Ik CN Ui Ii**
- 51772. *Phyllodesma (s.str.) tremulifolium ambiguum* Staudinger,1901** (Lasiocampidae) **Synonym(s):** *ambiguum* Staudinger,1901 **Range (in code):** **KK Ik CN Ui Ii**
- 51773. *Phyllodesma (s.str.) tremulifolium tremulifolium* (Hübner,[1810])** (Lasiocampidae) **Synonym(s):** *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *danieli* De Lajonquière,1963; *#tremulifolium* De Freina,1999 **Range (in code):** **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag EE RU MD UA BY**
- 51774. *Poecilocampa alpina* (Frey & Wulschlegel,1874)** (Lasiocampidae) **Synonym(s):** *alpina* Frey & Wulschlegel,1874; *pontica* De Freina,1999. **Range (in code):** **ES FR Si IT DE CH AT YU BG TR**
- 51775. *Poecilocampa nilsinjaevi* Zolothuhin,[2006]** (Lasiocampidae) **Synonym(s):** *nilsinjaevi* Zolothuhin,[2006] **Range (in code):** **CN Shs**
- 51776. *Poecilocampa populi* (Linnaeus,1758)** (Lasiocampidae) **Synonym(s):** *populi* Linnaeus,1758 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Cc GG AM AZ** **Bionomy:** Larva on *Salix*, *Quercus* (Zolothuhin,1995).
- 51777. *Pseudolyra cervina* (Aurivillius,1905)** (Lasiocampidae) **Synonym(s):** *cervina* Aurivillius,1905 **Range (in code):** **ZA**
- 51778. *Pseudolyra cinerea* (Aurivillius,1901)** (Lasiocampidae) **Synonym(s):** *cinerea* Aurivillius,1901 **Range (in code):** **ZA**
- 51779. *Pseudolyra distincta* (Distant,1899)** (Lasiocampidae) **Synonym(s):** *distincta* Distant,1899 **Range (in code):** **ZA**
- 51780. *Pseudometa andersoni* Tams,1925** (Lasiocampidae) **Synonym(s):** *andersoni* Tams,1925 **Range (in code):** **KE**
- 51781. *Pseudometa basalis* (Walker,1865)** (Lasiocampidae) **Synonym(s):** *basalis* Walker,1865; *acuminata* Walker,1865 **Range (in code):** **ZA Nta Kzu**
- 51782. *Pseudometa canescens* Tams,1925** (Lasiocampidae) **Synonym(s):** *canescens* Tams,1925 **Range (in code):** **ZW**
- 51783. *Pseudometa castanea* Hampson,1909** (Lasiocampidae) **Synonym(s):** *castanea* Hampson,1909 **Range (in code):** **UG Rz**
- 51784. *Pseudometa choba* (Druce,1899)** (Lasiocampidae) **Synonym(s):** *choba* Druce,1899; *tenebra* Bethune-Baker,1911; *nigricans* Aurivillius,1925 **Range (in code):** **NG ZR Lgo**
- 51785. *Pseudometa concava* (Strand,1912)** (Lasiocampidae) **Synonym(s):** *concava* Strand,1912 **Range (in code):** **CM**
- 51786. *Pseudometa dollmani* Tams,1925** (Lasiocampidae) **Synonym(s):** *dollmani* Tams,1925 **Range (in code):** **ZW**
- 51787. *Pseudometa jordani* Tams,1936** (Lasiocampidae) **Synonym(s):** *jordani* Tams,1936 **Range (in code):** **AO**
- 51788. *Pseudometa leonina* Tams,1929** (Lasiocampidae) **Synonym(s):** *leonina* Tams,1929 **Range (in code):** **ZR**
- 51789. *Pseudometa minima* (Holland,1893)** (Lasiocampidae) **Synonym(s):** *minima* Holland,1893 **Range (in code):** **GA**
- 51790. *Pseudometa punctipennis* Strand,1912** (Lasiocampidae) **Synonym(s):** *punctipennis* Strand,1912; *erythrina* M.Hering,1928 **Range (in code):** **CM TZ**
- 51791. *Pseudometa viola* Aurivillius,1901** (Lasiocampidae) **Synonym(s):** *viola* Aurivillius,1901 **Range (in code):** **ZW**
- 51792. *Psilogaster loti* (Ochsenheimer,1810)** (Lasiocampidae) **Synonym(s):** *loti* Ochsenheimer,1810; *algeriensis* Baker,1885; *vernetensis* Oberthür,1916 **Original Reference:** *Gastropacha loti* Ochsenheimer,1810, Schmett. Eur. 3: 291. Type: Portugal. **Range (in code):** **MA LY DZ Orn Gue Btna Lbs Abe Saia TN Gf PT ES FR**
- 51793. *Psilogaster loti algeriensis* Baker,1885** (Lasiocampidae) **Synonym(s):** *algeriensis* Baker,1885; *brunnea* Oberthür,1890 **Original Reference:** *Bombyx loti* var. *algeriensis* Baker,1885, Entomologist's mon. Mag. 21: 242. Type: Algeria, Guelma. **Range (in code):** **MA DZ Gue LY Btna Lbs Abe Saia**

- 51794. *Psilogaster loti simulatrix* Chrétien,1910** (Lasiocampidae) **Synonym(s):** *simulatrix* Chrétien,1910 **_ Range (in code):** **TN Gf**
- 51795. *Ptyssophlebia discocellularis* (Strand,1912)** (Lasiocampidae) **Synonym(s):** *discocellularis* Strand,1912; *elegans* Aurivillius,1925; *avis* Berio,1937 **_ Range (in code):** **GO ZA ZM CM**
- 51796. *Ptyssophlebia intermedia* (Aurivillius,1925)** (Lasiocampidae) **Synonym(s):** *intermedia* Aurivillius,1925 **_ Range (in code):** **CM**
- 51797. *Ptyssophlebia meridionalis* (Tams,1936)** (Lasiocampidae) **Synonym(s):** *meridionalis* Tams,1936 **_ Range (in code):** **AO**
- 51798. *Pyrosis dierli* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *dierli* Zolotuhin & Witt,2000 **_ Range (in code):** **VN Ton Fan**
- 51799. *Pyrosis eximia* Oberthür,1880** (Lasiocampidae) **Synonym(s):** *eximia* Oberthür,1880 **_ Range (in code):**
- 51800. *Pyrosis fulviplaga* (De Joannis,1929)** (Lasiocampidae) **Synonym(s):** *fulviplaga* De Joannis,1929 **_ Range (in code):** **VN Ton TH CMa Dst IN NP MM**
- 51801. *Pyrosis hreblayi* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *hreblayi* Zolotuhin & Witt,2000 **_ Range (in code):**
- 51802. *Pyrosis hreblayi hreblayi* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *hreblayi* Zolotuhin & Witt,2000 **_ Range (in code):**
- 51803. *Pyrosis hyalata* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *hyalata* Zolotuhin & Witt,2000 **_ Range (in code):** **VN Ann**
- 51804. *Pyrosis matronata* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *matronata* Zolotuhin & Witt,2000 **_ Range (in code):** **VN Ton Fan**
- 51805. *Pyrosis rotundipennis* (De Joannis,1929)** (Lasiocampidae) **Synonym(s):** *rotundipennis* De Joannis,1929 **_ Range (in code):** **VN Ton Fan Tda CN Sz Yu IN LA MM TH CMa Dst Int Mta CRa Wpp Nan Bsw**
- 51806. *Pyrosis* sp.** (Lasiocampidae) **Synonym(s):** **_ Range (in code):** **TH CMa Int Php Ctg VN CN Sz**
- 51807. *Pyrosis undulosa* (Walker,1855)** (Lasiocampidae) **Synonym(s):** *undulosa* Walker,1855 **_ Range (in code):** **NP**
- 51808. *Pyrosis undulosa gadrangana* Zolotuhin & Witt,2000** (Lasiocampidae) **Synonym(s):** *gadrangana* Zolotuhin & Witt,2000 **_ Range (in code):**
- 51809. *Pyrosis undulosa undulosa* (Walker,1855)** (Lasiocampidae) **Synonym(s):** *undulosa* Walker,1855 **_ Range (in code):** **NP**
- 51810. *Radhica elisabethae* De Lajonquière,1977** (Lasiocampidae) **Synonym(s):** *elisabethae* De Lajonquière,1977 **_ Range (in code):** **ID Sum Bor Bli MY TH CMa Ssi Ctg Pfa MAI Sop Mcm CDo Pap Fn Nan Pua Bou Mae Pai Bhn Bhu Knc Ssw Nrt Kao PH Pal VN Ton Tda MM CN IN**
- 51811. *Radhica flavovittata* Moore,1879** (Lasiocampidae) **Synonym(s):** *flavovittata* Moore,1879 **_ Range (in code):** **TH Nan Pua Dpk CMa Dst CDo Fn MAI Ctg Wia Bou IN NP CN Yu TW MM VN Ton Fan ID Sum Bor MY**
- 51812. *Radhica flavovittata flavovittata* Moore,1879** (Lasiocampidae) **Synonym(s):** *flavovittata* Moore,1879 **_ Range (in code):** **IN NP CN Yu TW MM VN Ton Fan ID Sum Bor MY**
- 51813. *Radhica flavovittata puana* Zolotuhin,1995** (Lasiocampidae) **Synonym(s):** *puana* Zolotuhin,1995 **_ Range (in code):** **TH Nan Pua Dpk CMa Dst CDo Fn MAI Ctg Wia Bou**
- 51814. *Radhica himerta* (Swinhoe,1893)** (Lasiocampidae) **Synonym(s):** *himerta* Swinhoe,1893 **_ Range (in code):** **ID Ja Sum Bor MY TH CMa Dsk Ssi Pap Pfa**
- 51815. *Radhica holoxantha* (Grünberg,1912)** (Lasiocampidae) **Synonym(s):** *holoxantha* Grünberg,1912 **_ Range (in code):** **ID Sum Bor MY MM TH CMa Cnz Czo3 Nan Bou Phy CMu**
- 51816. *Rhinobombyx cuneata* Aurivillius,1879** (Lasiocampidae) **Synonym(s):** *cuneata* Aurivillius,1879; *ziczac* Strand,1912 **_ Range (in code):** **ZA**
- 51817. *Schausinna clementsi* (Schaus,1897)** (Lasiocampidae) **Synonym(s):** *clementsi* Schaus,1897 **_ Range (in code):** **ZA**
- 51818. *Schausinna regia* (Grünberg,1910)** (Lasiocampidae) **Synonym(s):** *regia* Grünberg,1910 **_ Range (in code):** **ZA**
- 51819. *Sena breyeri* (Aurivillius,1922)** (Lasiocampidae) **Synonym(s):** *breyeri* Aurivillius,1922 **_ Range (in code):** **ZA Tva**
- 51820. *Sena cardinali* (Tams,1931)** (Lasiocampidae) **Synonym(s):** *cardinali* Tams,1931 **_ Range (in code):** **GH**

- 51821. *Sena cuneata* (Brandt,1938)** (Lasiocampidae) Synonym(s): *cuneata* Brandt,1938
Original Reference: Chilene cuneata Brandt,1938, Ent. Rdsch. 55: 698, Taf.iv fig.19. Type ♂: Iran: [Fars]: Mian Kotal. Range (in code): **IR Fa**
- 51822. *Sena donaldsoni* Holland & Smith,1901** (Lasiocampidae) Synonym(s): *donaldsoni* Holland & Smith,1901 Range (in code): **ZA Tva ZW KE Nai ET**
- 51823. *Sena donaldsoni donaldsoni* Holland & Smith,1901** (Lasiocampidae) Synonym(s): *donaldsoni* Holland & Smith,1901 Range (in code): **ZA**
- 51824. *Sena donaldsoni marshalli* (Aurivillius,1901)** (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1901 Range (in code): **ZA Tva ZW**
- 51825. *Sena donaldsoni rougeoti* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *rougeoti* De Lajonquière,1977 Range (in code): **ET**
- 51826. *Sena levenna* (Wallengren,1875)** (Lasiocampidae) Synonym(s): *levenna* Wallengren,1875 Range (in code): **ZA**
- 51827. *Sena mendax* (Berio,1939)** (Lasiocampidae) Synonym(s): *mendax* Berio,1939 Range (in code): **ER**
- 51828. *Sena meyi* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *meyi* Zolotuhin,2007 Range (in code): **NA**
- 51829. *Sena oberthueri* (D.Lucas,1909)** (Lasiocampidae) Synonym(s): *oberthueri* D.Lucas,1909; *hilgerti* Rothschild,1913; *lucasi* Oberthür,1916; *virgo* Oberthür,1916 Range (in code): **MA DZ Ajj TN EG Sn**
Bionomy: Larva on Calligonum comosum (Polygonaceae) (Speidel & Hassler,[1990]).
- 51830. *Sena oberthueri nazmii* De Lajonquière,1977** (Lasiocampidae) Synonym(s): *nazmii* De Lajonquière,1977 Original Reference: *Sena oberthuri* ssp. *nazmii* De Lajonquière,1977, Annls Soc. ent. Fr. (N.S.) 13 (2): 273-274, figs. Holotype ♂: Egypte: Sinai, Romani env. 50km. N.E. Port Said, 30.viii.1916 A.W.Boyd leg. (MMAC). Range (in code): **EG Sn**
- 51831. *Sena oberthueri oberthueri* (D.Lucas,1909)** (Lasiocampidae) Synonym(s): *oberthueri* D.Lucas,1909; *hilgerti* Rothschild,1913; *lucasi* Oberthür,1916; *virgo* Oberthür,1916 Range (in code): **MA TN DZ Ajj**
- 51832. *Sena parva* (Aurivillius,1921)** (Lasiocampidae) Synonym(s): *parva* Aurivillius,1921 Range (in code): **ZA TZ**
- 51833. *Sena poecila* (M.Hering,1932)** (Lasiocampidae) Synonym(s): *poecila* M.Hering,1932 Range (in code): **TZ**
- 51834. *Sena prompta* (Walker,1855)** (Lasiocampidae) Synonym(s): *prompta* Walker,1855; *interjecta* Aurivillius,1909 Range (in code): **ZA Tva TZ**
- 51835. *Sena prompta plusioides* Walker,1862** (Lasiocampidae) Synonym(s): *plusioides* Walker,1862; *rufotincta* Strand,1909. Range (in code): **ZA TZ**
- 51836. *Sena prompta prompta* (Walker,1855)** (Lasiocampidae) Synonym(s): *prompta* Walker,1855; *interjecta* Aurivillius,1909 Range (in code): **ZA**
- 51837. *Sena proxima* (Staudinger,1894)** (Lasiocampidae) Synonym(s): *proxima* Staudinger,1894
Original Reference: Chilena proxima Staudinger,1894, Dt. ent. Z., Iris 7: 268-269, pl.9 fig.7,8. Range (in code): **TR IQ Shq Bsr Agh Nw Mos Bgd IR Ahz** Bionomy: Larva on Prosopis stephaniana (Wiltshire, 1940, 1941, 1957).
- 51838. *Sena punctulata* (Aurivillius,1914)** (Lasiocampidae) Synonym(s): *punctulata* Aurivillius,1914 Range (in code): **NG**
- 51839. *Sena quirimbo* (Tams,1936)** (Lasiocampidae) Synonym(s): *quirimbo* Tams,1936 Range (in code): **AO ZA**
- 51840. *Sena quirimbo exocyrta* (Tams,1936)** (Lasiocampidae) Synonym(s): *exocyrta* Tams,1936 Range (in code): **ZA**
- 51841. *Sena quirimbo quirimbo* (Tams,1936)** (Lasiocampidae) Synonym(s): *quirimbo* Tams,1936 Range (in code): **AO**
- 51842. *Sena scotti* (Tams,1931)** (Lasiocampidae) Synonym(s): *scotti* Tams,1931 Range (in code): **KE**
- 51843. *Sena sikarama* (Ebert,1969)** (Lasiocampidae) Synonym(s): *sikarama* Ebert,1969 Range (in code): **AF Sfk**
- 51844. *Sena simplex* (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *simplex* Aurivillius,1905; *pygmula* Strand,1911 Range (in code): **ZA**
- 51845. *Sena strigifascia* (Hampson,1909)** (Lasiocampidae) Synonym(s): *strigifascia* Hampson,1909 Range (in code): **UG Rz**

- 51846. Seydelora semna (M.Hering,1941)** (Lasiocampidae) Synonym(s): *semna* M.Hering,1941
Range (in code): **ZR**
- 51847. Somadasys saturatus Zolotuhin,2001** (Lasiocampidae) Synonym(s): *saturatus* Zolotuhin,2001
Range (in code): **CN Sz Yu**
- 51848. Sonitha alucard Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *alucard* Zolotuhin & Prozorov,2010
Range (in code): **GA ZR**
- 51849. Sonitha bernardii Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *bernardii* Zolotuhin & Prozorov,2010
Range (in code): **CM GA CF**
- 51850. Sonitha chocolatina Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *chocolatina* Zolotuhin & Prozorov,2010
Range (in code): **GA**
- 51851. Sonitha gelata Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *gelata* Zolotuhin & Prozorov,2010
Range (in code): **GA ZR**
- 51852. Sonitha integra Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *integra* Zolotuhin & Prozorov,2010
Range (in code): **ZR**
- 51853. Sonitha libera (Aurivillius,1914)** (Lasiocampidae) Synonym(s): *libera* Aurivillius,1914
Range (in code): **LR CI CM GA CG ZR**
- 51854. Sonitha lila Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *lila* Zolotuhin & Prozorov,2010
Range (in code): **ZM ZR UG TZ**
- 51855. Sonitha myoctona Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *myoctona* Zolotuhin & Prozorov,2010
Range (in code): **ZR UG**
- 51856. Sonitha picasso Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *picasso* Zolotuhin & Prozorov,2010
Range (in code): **GA ZR**
- 51857. Sophyrita argibasis (Mabille,1893)** (Lasiocampidae) Synonym(s): *argibasis* Mabille,1893; *sophax* Druce,1896; *epithymia* M.Hering,1928
Range (in code): **KE MZ TZ**
- 51858. Stenophatna accolita Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *accolita* Zolotuhin & Prozorov,2010
Range (in code): **TZ**
- 51859. Stenophatna cymographa (Hampson,1910)** (Lasiocampidae) Synonym(s): *cymographa* Hampson,1910; *bicrenulata* Bethune-Baker,1915
Range (in code): **MW TZ ZW MZ**
- 51860. Stenophatna dentata (Aurivillius,1899)** (Lasiocampidae) Synonym(s): *dentata* Aurivillius,1899
Range (in code): **SL CI GA ZR**
- 51861. Stenophatna foedifraga Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *foedifraga* Zolotuhin & Prozorov,2010
Range (in code): **GA**
- 51862. Stenophatna hollandi (Tams,1929)** (Lasiocampidae) Synonym(s): *hollandi* Tams,1929
Range (in code): **BF CI CM CF GA CG ZR ZM**
- 51863. Stenophatna kahli (Tams,1929)** (Lasiocampidae) Synonym(s): *kahli* Tams,1929
Range (in code): **CI GA CG ZR**
- 51864. Stenophatna marshalli Aurivillius,1909** (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1909
Range (in code): **ZR ZM TZ ZW**
- 51865. Stenophatna marshalli Aurivillius,1909** (Lasiocampidae) Synonym(s): *marshalli* Aurivillius,1909; *proxima* Romieux,1943
Range (in code): **ZA**
- 51866. Stenophatna rothschildi (Tams,1926)** (Lasiocampidae) Synonym(s): *rothschildi* Tams,1926; *rotundata* Berio,1937; *denticulata* Romieux,1943
Range (in code): **ZR BI AO ZM MW ZW**
- 51867. Stenophatna tamsi (Kiriakoff,1963)** (Lasiocampidae) Synonym(s): *tamsi* Kiriakoff,1963
Range (in code): **ZR UG**
- 51868. Stoermeriana cuneata (Distant,1897)** (Lasiocampidae) Synonym(s): *cuneata* Distant,1897
Range (in code): **ZA Gau Pre Tva**
- 51869. Stoermeriana nabataea De Freina,2002** (Lasiocampidae) Synonym(s): *nabataea* De Freina,2002
Range (in code): **JO**
- 51870. Stoermeriana omana De Freina & Witt,1988** (Lasiocampidae) Synonym(s): *omana* De Freina & Witt,1988
Range (in code): **OM SA YE**
- 51871. Stoermeriana regrabuii (Rungs,1948)** (Lasiocampidae) Synonym(s): *regrabuii* Rungs,1948
Range (in code): **MA**
- 51872. Streblote acaciae (Klug,1829)** (Lasiocampidae) Synonym(s): *acaciae* Klug,1829
Range (in code): **MA DZ Ajj EG ER SD CM DJ YE** Bionomy: Larva on *Acacia nilotica* (Fabaceae) (Freina & Witt,1987).
- 51873. Streblote aculeata (Walker,1865)** (Lasiocampidae) Synonym(s): *aculeata* Walker,1865; *scapulosa* Felder,1874
Range (in code): **ZA**

- 51874. Streblote aegyptiaca (A.Bang-Haas,1906)** (Lasiocampidae) Synonym(s): *aegyptiaca* A.Bang-Haas,1906 _ Range (in code): EG SD
- 51875. Streblote alpherakyi (Christoph,1885)** (Lasiocampidae) Synonym(s): *alpherakyi* Christoph,1885 _ Range (in code): IR Fa AF Sfk Bsg
- 51876. Streblote amphilecta (Tams,1936)** (Lasiocampidae) Synonym(s): *amphilecta* Tams,1936 _ Range (in code): ZA
- 51877. Streblote bimaculata (Walker,1865)** (Lasiocampidae) Synonym(s): *bimaculata* Walker,1865 _ Range (in code): ZA
- 51878. Streblote capensis (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *capensis* Aurivillius,1905; *rangei* Gaede,1915 _ Range (in code): ZA
- 51879. Streblote concava (Strand,1912)** (Lasiocampidae) Synonym(s): *concava* Strand,1912 _ Range (in code): ZA
- 51880. Streblote concolor (Walker,1865)** (Lasiocampidae) Synonym(s): *concolor* Walker,1865 _ Range (in code): ZA
- 51881. Streblote cristata (Stoll,[1782])** (Lasiocampidae) Synonym(s): *cristata* Stoll,[1782]; *#crista* Hübner,1832; *carinata* Wallengren,1860. _ Range (in code): ZA
- 51882. Streblote cuprea (Distant,1899)** (Lasiocampidae) Synonym(s): *cuprea* Distant,1899 _ Range (in code): ZA
- 51883. Streblote diplocyma (Hampson,1909)** (Lasiocampidae) Synonym(s): *diplocyma* Hampson,1909; *aethiopica* Rougeot,1984 _ Range (in code): ET ET29 NA
- 51884. Streblote distinguenda (Aurivillius,1905)** (Lasiocampidae) Synonym(s): *distinguenda* Aurivillius,1905 _ Range (in code): ZA
- 51885. Streblote dorsalis (Walker,1866)** (Lasiocampidae) Synonym(s): *dorsalis* Walker,1866 _ Range (in code): LK Pdy Kndy MY Bor ID Sum Ja Bl
- 51886. Streblote igniflua (Moore,[1883])** (Lasiocampidae) Synonym(s): *igniflua* Moore,[1883] _ Range (in code): LK IN NP VN Ton Fan Han CN LA TH?
- 51887. Streblote jansei (Tams,1936)** (Lasiocampidae) Synonym(s): *jansei* Tams,1936 _ Range (in code): ZA
- 51888. Streblote lajonquieri Bender & Dierl,1982** (Lasiocampidae) Synonym(s): *lajonquieri* Bender & Dierl,1982 _ Range (in code): ID Sum
- 51889. Streblote pancala (Tams,1936)** (Lasiocampidae) Synonym(s): *pancala* Tams,1936 _ Range (in code): ZA
- 51890. Streblote panda Hübner,[1820]** (Lasiocampidae) Synonym(s): *repanda* Hübner,[1819] *nec* Fabr.,1793; *panda* Hübner,[1820]; *tenebrosa* Rothschild,1917; *roseclara* Schawerda,1928; *catalaunica* Marten,1934 _ Original Reference: Streblote panda Hübner,[1820], Verz. bekannt. Schmett.: 193. Type(s): Europe. Range (in code): MA Tgr Rbt DZ Agi Ges Anna PT ES EG IR Fa AF Bsg Bionomy: Larva on Genista, tamarix nilotica, T.gallica, T.orientalis, Polygonum, Pistacia lentiscus, P.terebinthus, P.vera, Spartium, Alhagi maniferum, Anthyllis cyrissoides, Salix (Freina & Witt,1987).
- 51891. Streblote polydora (Druce,1888)** (Lasiocampidae) Synonym(s): *polydora* Druce,1888; *obliqua* Strand,1912 _ Range (in code): ZA
- 51892. Streblote singularis (Aurivillius,1893)** (Lasiocampidae) Synonym(s): *singularis* Aurivillius,1893 _ Range (in code): ZA
- 51893. Streblote siva (Lefèbvre,1827)** (Lasiocampidae) Synonym(s): *siva* Lefèbvre,1827 _ Range (in code): IR Fa Kz Ss IQ Agh AF Bsg Asm Bionomy: Larva on Amygdalus spartioides, Zizyphus spina-christi, Populus euphratica, Tamarix, Punica, Salix, Prosopis stephaniana (Wiltshire,1957).
- 51894. Streblote solitaria Zolotuhin,1991** (Lasiocampidae) Synonym(s): *solitaria* Zolotuhin,1991 _ Original Reference: Streblote solitaria Zolotuhin,1991, Atalanta 22: 120-122, figs. Holotype ♂: Armenia: Ararat lowland, 3.viii.1955 (ZML). Range (in code): Cc AM Arr
- 51895. Streblote stupida (Staudinger,1887)** (Lasiocampidae) Synonym(s): *stupida* Staudinger,1887 _ Range (in code): RU Us CN TH VN Sgn Coc MY Bnk Nrt Cbi Pty
- 51896. Streblote uniformis (Aurivillius,1927)** (Lasiocampidae) Synonym(s): *uniformis* Aurivillius,1927 _ Range (in code): ZA
- 51897. Streblote venustum (Walker,1855)** (Lasiocampidae) Synonym(s): *venustum* Walker,1855 _ Original Reference: Megasoma venustum Walker,1855, List spec. lepid. Ins. Colln. Br. Mus. 6: 1449. Range (in code): PK Cp LK PH

- 51898. *Suana concolor* (Walker,1855)** (Lasiocampidae) Synonym(s): *concolor* Walker,1855; *bimaculata* Walker,1855; *ampla* Walker,1855; *cervina* Moore,1879; *riemsdyki* Heylaerts,1889 _ Range (in code): **IN Syl LK MM CN TH VN Ton MY PH ID Sum Bor Ja Bnk CMa Cmz Cz10 Fn Int Nan Ntt Hba Kbi**
- 51899. *Suana concolor concolor* (Walker,1855)** (Lasiocampidae) Synonym(s): *concolor* Walker,1855; *bimaculata* Walker,1855; *ampla* Walker,1855; *cervina* Moore,1879; *riemsdyki* Heylaerts,1889 Range (in code): **IN Syl LK MM CN TH VN Ton MY PH ID Sum Bor Ja Bnk CMa Cmz Cz10 Fn Int Nan Ntt Hba Kbi**
- 51900. *Suana concolor sundana* Holloway,1987** (Lasiocampidae) Synonym(s): *sundana* Holloway,1987 _ Range (in code): **MY Bor**
- 51901. *Suana concolor zahmi* Holloway & Bender,1990** (Lasiocampidae) Synonym(s): *zahmi* Holloway & Bender,1990 _ Range (in code):
- 51902. *Syrastrena borneensis* Tams,1935** (Lasiocampidae) Synonym(s): *borneensis* Tams,1935 Range (in code): **MY Bor Swk Sum ID VN TH CMa Sop Wia Pfa Nan Bou Phy CMu Kbi**
- 51903. *Syrastrena dorca* Zolotuhin,[2006]** (Lasiocampidae) Synonym(s): *dorca* Zolotuhin,[2006] _ Range (in code): **CN Yu Hn**
- 51904. *Syrastrena lajonquierei* Holloway,1982** (Lasiocampidae) Synonym(s): *lajonquierei* Holloway,1982 _ Range (in code): **MM Kam VN Ton Fan TH CMa Fn Php MAI Nan Bou Kbi NP**
- 51905. *Syrastrena lajonquierei fortelineata* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *fortelineata* Zolotuhin & Witt,2000 _ Range (in code): **NP**
- 51906. *Syrastrena lajonquierei lajonquierei* Holloway,1982** (Lasiocampidae) Synonym(s): *lajonquierei* Holloway,1982 _ Range (in code): **MM Kam VN Ton Fan TH CMa Fn Php MAI Nan Bou Kbi**
- 51907. *Syrastrena lanaoensis* Tams,1935** (Lasiocampidae) Synonym(s): *lanaoensis* Tams,1935 Range (in code): **PH Mno Luz ID Bor Sum VN Ton MY TH CMa Pfa Phy CMu Srt Kbi**
- 51908. *Syrastrena lanaoensis continentalis* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *continentalis* Zolotuhin & Witt,2000 _ Range (in code): **VN Ton MY TH CMa Pfa Phy CMu Srt Kbi**
- 51909. *Syrastrena lanaoensis lanaoensis* Tams,1935** (Lasiocampidae) Synonym(s): *lanaoensis* Tams,1935 _ Range (in code): **PH Mno Luz ID Bor Sum**
- 51910. *Syrastrena malaccana* Tams,1935** (Lasiocampidae) Synonym(s): *malaccana* Tams,1935 Range (in code): **MY VN TH CMa Dst Sop Pfa Fn Pap MAI Nan Bou Bby Pua Mae Bhn LA MM**
- 51911. *Syrastrena minor* (Moore,1879)** (Lasiocampidae) Synonym(s): *minor* Moore,1879 Range (in code): **SI IN Djl**
- 51912. *Syrastrena regia* Zolotuhin & Witt,2000** (Lasiocampidae) Synonym(s): *regia* Zolotuhin & Witt,2000 _ Range (in code): **VN Ton Fan**
- 51913. *Syrastrenopsis hun* Zolotuhin & Saldaitis,2014** (Lasiocampidae) Synonym(s): *hun* Zolotuhin & Saldaitis,2014 _ Range (in code): **CN She**
- 51914. *Syrastrenopsis imperiatus* Zolotuhin,2001** (Lasiocampidae) Synonym(s): *imperiatus* Zolotuhin,2001 _ Range (in code): **CN Yu Ats**
- 51915. *Syrastrenopsis inthanonensis* Orhant,2001** (Lasiocampidae) Synonym(s): *inthanonensis* Orhant,2001 Original Reference: *Syrastrenopsis inthanonensis* Orhant,2001, Bull. ent. Soc. Mulhouse 57 (1): 6-7. Range (in code): **TH CMa Fn Int**
- 51916. *Syrastrenopsis moltrechti* Grünberg,1914** (Lasiocampidae) Synonym(s): *moltrechti* Grünberg,1914 Original Reference: *Syrastrenopsis moltrechti* Grünberg,1914, Ent. Rdschau 31: 39-40. Syntypes ♂♀: Ussuri Gebiet, Sedunka bei Wladiwostok & Anutschino. Range (in code): **RU Us**
- 51917. *Syrastrenopsis panga* Zolotuhin & Saldaitis,2014** (Lasiocampidae) Synonym(s): *panga* Zolotuhin & Saldaitis,2014 _ Range (in code): **CN Sz**
- 51918. *Takanea diehli* De Lajonquière,1978** (Lasiocampidae) Synonym(s): *diehli* De Lajonquière,1978 _ Range (in code): **ID Sum MY Bor PH TH CMa Cmz Cz10 Ntt Hba Knc Ssw Phe**
- 51919. *Takanea diehli diehli* De Lajonquière,1978** (Lasiocampidae) Synonym(s): *diehli* De Lajonquière,1978 _ Range (in code): **ID Sum MY Bor PH TH CMa Cmz Cz10 Ntt Hba Knc Ssw Phe**
- 51920. *Takanea excisa* (Wileman,1910)** (Lasiocampidae) Synonym(s): *excisa* Wileman,1910 Range (in code): **TW JP RU Krl CN TH CMa CDo Wia Php Sop Kob Mae Pai Fn Nor Agk Int**
- 51921. *Takanea excisa excisa* (Wileman,1910)** (Lasiocampidae) Synonym(s): *excisa* Wileman,1910 _ Range (in code): **TW**

- 51922. *Takanea excisa miyakei* (Wileman,1915)** (Lasiocampidae) Synonym(s): *miyakei* Wileman,1915 _ Range (in code): JP RU Krl
- 51923. *Takanea excisa murina* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *murina* Zolotuhin,2005 _ Range (in code): TH CMa CDo Wia Php Sop Kob Mae Pai Fn Nor Agk Int
- 51924. *Takanea excisa yangtsei* De Lajonquière,1973** (Lasiocampidae) Synonym(s): *yangtsei* De Lajonquière,1973 _ Range (in code): CN
- 51925. *Theophasida cardinali* (Tams,1926)** (Lasiocampidae) Synonym(s): *cardinali* Tams,1926 _ Range (in code): SN CI BF GH NG ET
- 51926. *Theophasida kawai* Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *kawai* Zolotuhin & Prozorov,2010 _ Range (in code): KE
- 51927. *Theophasida obusta* (Tams,1929)** (Lasiocampidae) Synonym(s): *obusta* Tams,1929 _ Range (in code): CM GA CG ZR
- 51928. *Theophasida serafim* Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *serafim* Zolotuhin & Prozorov,2010 _ Range (in code): CI
- 51929. *Theophasida superba* (Aurivillius,1914)** (Lasiocampidae) Synonym(s): *superba* Aurivillius,1914 _ Range (in code): ZR MW ZM ZW
- 51930. *Theophasida valkyria* Zolotuhin & Prozorov,2010** (Lasiocampidae) Synonym(s): *valkyria* Zolotuhin & Prozorov,2010 _ Range (in code): GA CG CF
- 51931. *Trabala brahma* Roepke,1951** (Lasiocampidae) Synonym(s): *brahma* Roepke,1951 _ Range (in code): ID Ja TH CMa Dst MM VN MY
- 51932. *Trabala charon* Druce,1910** (Lasiocampidae) Synonym(s): *charon* Druce,1910 _ Range (in code): ZA
- 51933. *Trabala ganesha* Roepke,1951** (Lasiocampidae) Synonym(s): *ganesha* Roepke,1951 _ Range (in code): ID Ja Sum Bor TH Tng PH Pal Mno MY
- 51934. *Trabala irrorata* Moore,1884** (Lasiocampidae) Synonym(s): *irrorata* Moore,1884 _ Range (in code): ID Ja Sme TH CMa Dst Ctg Pfa Knc Ssw Phu Nna Tng Nrt Sum Bor MY MM PH Pal Neg Mno Ley
- 51935. *Trabala irrorata simalura* Roepke,1951** (Lasiocampidae) Synonym(s): *simalura* Roepke,1951 _ Range (in code): ID Sme
- 51936. *Trabala krishna* Roepke,1951** (Lasiocampidae) Synonym(s): *krishna* Roepke,1951 _ Range (in code): ID Ja TH CMa Fn Dst Ntt Nan Bou MM VN MY Sum Bor PH Pal Mno
- 51937. *Trabala niphae* Owada & Kishida,1989** (Lasiocampidae) Synonym(s): *niphae* Owada & Kishida,1989 _ Range (in code): TH Knc VN Tda Bao
- 51938. *Trabala pallida* (Walker,1855)** (Lasiocampidae) Synonym(s): *pallida* Walker,1855 _ Range (in code): ID Ja Sum Bli Bor IN Adm CN MM VN MY TH CMa Dst Cuo Cuo7 Pap Pfa Ssi Wia Sop Mal Nan Bou Mae Pai Loe Knc Chi Srt Nrt Bnk Smu Sbu Bionomy: Larva on leaf of *Eugenia* [rose apple], *Syzygium cumini* [black plum] (Myrtaceae), *Terminalia catappa* [tropical almond, lam phu] (Combretaceae) (Lewvanich,2001).
- 51939. *Trabala pinratanai* Zolotuhin,2005** (Lasiocampidae) Synonym(s): *pinratanai* Zolotuhin,2005 _ Range (in code): TH Knc Ssw
- 51940. *Trabala shiva* Roepke,1951** (Lasiocampidae) Synonym(s): *shiva* Roepke,1951 _ Range (in code): ID Ja TH CMa CDo Bor Sum VN
- 51941. *Trabala viridana* Joicey & Talbot,1917** (Lasiocampidae) Synonym(s): *viridana* Joicey & Talbot,1917 _ Range (in code): ID Ij Sum Bor Bli TH Rng MY VN
- 51942. *Trabala vishnou* (Lefèbvre,1827)** (Lasiocampidae) Synonym(s): *vishnou* Lefèbvre,1827 Original Reference: *Gastropacha vishnou* Lefèbvre,1827, Zool. J. (3): 207. Type: India: Madras. Range (in code): TH Bnk CMa Dst Php MAL Kob Wia Fn Nan Bou Pua Bby Mae Knc Ssw Bhn Srt PK Haz Mre Thu K-P IN Mad NP MM CN KH VN MY LK TW Bby
- 51943. *Trabala vishnou gigantina* Yang** (Lasiocampidae) Synonym(s): _ Range (in code): CN
- 51944. *Trabala vishnou guttata* (Matsumura,1909)** (Lasiocampidae) Synonym(s): *guttata* Matsumura,1909 _ Range (in code): TW
- 51945. *Trabala vishnou singhana* Roepke,1951** (Lasiocampidae) Synonym(s): *singhana* Roepke,1951 _ Range (in code): LK
- 51946. *Trabala vishnou vishnou* (Lefèbvre,1827)** (Lasiocampidae) Synonym(s): *vishnou* Lefèbvre,1827 Original Reference: *Gastropacha vishnou* Lefèbvre,1827, Zool. J. (3): 207. Type: India: Madras. Range (in code): TH Bnk CMa Dst Php MAL Kob Wia Fn Nan Bou Pua Bby Mae Knc Ssw Bhn Srt PK Mre Thu Haz K-P IN Mad NP MM CN KH VN MY Bby

- 51947. *Trichiura (Giselea) pistaciae* Wiltshire,1952** (Lasiocampidae) **Synonym(s):** *pistaciae* Wiltshire,1952 **Original Reference:** *Trichiura pistaciae* Wiltshire,1952 Bull. Soc. Fouad I. Ent. 36: 190, figs. Holotype ♂: Iran, Muk Pass (S. Shiraz) (BMNH). **Range (in code):** **IR Fa** **Bionomy:** Larva on *Pistacia mutica* (Wiltshire,1952).
- 51948. *Trichiura (s.str.) brandstetteri* Zolotuhin & Saldaitis,2009** (Lasiocampidae) **Synonym(s):** *brandstetteri* Zolotuhin & Saldaitis,2009 **Original Reference:** *Trichiura (s.str.) brandstetteri* Zolotuhin & Saldaitis,2009, Entomofauna Holotype ♂: Lebanon, Hadath el Joubbe, Wadi Ain er Raha 11-14.xi.2005, Krüger & Saldaitis leg. (MWM). **Range (in code):** **LB**
- 51949. *Trichiura (s.str.) castiliana* (Spuler,1908)** (Lasiocampidae) **Synonym(s):** *castiliana* Spuler,1908 **Range (in code):** **MA Ifr PT ES FR MK GR TR**
- 51950. *Trichiura (s.str.) castiliana castiliana* (Spuler,1908)** (Lasiocampidae) **Synonym(s):** *castiliana* Spuler,1908 **Range (in code):** **PT ES FR**
- 51951. *Trichiura (s.str.) castiliana minotaurus* Zolotuhin,2007** (Lasiocampidae) **Synonym(s):** *minotaurus* Zolotuhin,2007 **Original Reference:** *Trichiura castiliana* ssp. *minotaurus* Zolotuhin,2007, Nachr. ent. Ver. Apollo Suppl. 19: 39, figs. Holotype ♂: Turkey, Prov. Tunceli, 14km N Pülümür 1700m (CMSW) [Paratypes from almost the same locality are mentioned as Prov. Elazığ erroneously!]. **Range (in code):** **MK GR TR**
- 51952. *Trichiura (s.str.) castiliana moghrebana* Rungs,1949** (Lasiocampidae) **Synonym(s):** *moghrebana* Rungs,1949 **Range (in code):** **MA Ifr**
- 51953. *Trichiura (s.str.) crataegi* (Linnaeus,1758)** (Lasiocampidae) **Synonym(s):** *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisnicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957 **Original Reference:** *Phalaena crataegi* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 502. **Range (in code):** **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR AM GG Lag Aba AZ Cc IR Gl Kh DK NO SE FI EE LV LT RU Sb Am MD UA BY KG DsA Ssn Tar Sj MN** **Bionomy:** Larva on "Escallonia serrata" [sic!] at Amasia (Staudinger,1879) vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7).
- 51954. *Trichiura (s.str.) crataegi anatolica* Daniel,1956** (Lasiocampidae) **Synonym(s):** *anatolica* Daniel,1956 **Original Reference:** *Trichiura crataegi* ssp. *anatolica* Daniel,1956, NachrBl. bayer. Ent. 5: 70-71. Holotype ♂: [Türkei]: "Syria sept., Taurus c., Marasch, xi.1930, 600-900m (leg. Kelebek Ahmet, coll. Daniel). **Range (in code):** **TR Cc Eri AM GG AZ**
- 51955. *Trichiura (s.str.) crataegi crataegi* (Linnaeus,1758)** (Lasiocampidae) **Synonym(s):** *crataegi* Linnaeus,1758; *ariae* Hübner,[1824]; *scytharum* Seitz,1913; *albicans* Daniel,1956; *vallisnicola* Daniel,1956; *griseotincta* Daniel,1956; *borealis* Daniel,1956; *#passini* Boursin,1957 **Original Reference:** *Phalaena crataegi* Linnaeus,1758, Syst. Nat. (Edn. 10) 1: 502. **Range (in code):** **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK KG DsA Ssn Tar Sj MN**
- 51956. *Trichiura (s.str.) crataegi lasistana* De Freina,1979** (Lasiocampidae) **Synonym(s):** *lasistana* De Freina,1979 **Range (in code):** **TR**
- 51957. *Trichiura (s.str.) ilicis* (Rambur,1866)** (Lasiocampidae) **Synonym(s):** *ilicis* Rambur,1866 **Range (in code):** **MA PT ES An Grn FR**
- 51958. *Trichiura (s.str.) kopetdaghi* Dubatolov & Zolotuhin,1992** (Lasiocampidae) **Synonym(s):** *kopetdaghi* Dubatolov & Zolotuhin,1992 **Range (in code):** **IR TM Kp UZ Fe**
- 51959. *Trichiura (s.str.) mirzayani* Ebert,1971** (Lasiocampidae) **Synonym(s):** *mirzayani* Ebert,1971 **Range (in code):** **IR Elb Th Gh Mz Elb Cc TR AZ Len AM GG Bjo TM Kp UZ Fe KK** **Bionomy:** Larva on *Pistacia*, etc. (Zolotuhin,1995).
- 51960. *Trichiura (s.str.) mirzayani gornoscythica* Zolotuhin,2007** (Lasiocampidae) **Synonym(s):** *gornoscythica* Zolotuhin,2007 **Range (in code):** **KK UZ**
- 51961. *Trichiura (s.str.) mirzayani mirzayani* Ebert,1971** (Lasiocampidae) **Synonym(s):** *mirzayani* Ebert,1971 **Range (in code):** **TR Cc AZ Len AM GG Bjo IR Elb Th Gh Mz**
- 51962. *Trichiura (s.str.) moghrebana* Rungs,1941** (Lasiocampidae) **Synonym(s):** *moghrebana* Rungs,1941 **Range (in code):** **MA**
- 51963. *Trichiura (s.str.) sapor* Wiltshire,1946** (Lasiocampidae) **Synonym(s):** *sapor* Wiltshire,1946 **Range (in code):** **TR IR Ab Ak Fa**
- 51964. *Trichiura (s.str.) sapor sapor* Wiltshire,1946** (Lasiocampidae) **Synonym(s):** *sapor* Wiltshire,1946 **Range (in code):** **IR Fa**
- 51965. *Trichiura (s.str.) sapor wiltshirei* Zolotuhin,2007** (Lasiocampidae) **Synonym(s):** *wiltshirei* Zolotuhin,2007 **Original Reference:** *Trichiura sapor* ssp. *wiltshirei* Zolotuhin,2007, Nachr. ent. Ver. Apollo Suppl. 19: 46. Holotype ♂: Türkiye, Prov. Malatya Gölbaşı, nördl. Erkenek

- 1400m leg. Ströhle (CMSW) [Paratypes from "Kozlak" [recte Kozluk] are mentioned from Siirt Pr. erroneously!] Range (in code): IR Ab Ak TR
- 51966. *Trichiura (s.str.) stroehlei* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007 Original Reference: *Trichiura stroehlei* Zolotuhin,2007, Nachr. ent. Ver. Apollo (Suppl.) 19: 32-34, figs. Holotype ♂: Türkiye, Prov. Malatya Karahan geçidi 1800m (CMSW) [Some paratypes from Suüstü (Yüksekova, Hakkari) are mentioned as Erzincan Prov. erroneously!]. Range (in code): TR CY IL Pa JO SY IQ IR Fa
- 51967. *Trichiura (s.str.) stroehlei carmelea* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *carmelea* Zolotuhin,2007 Range (in code): IL Pa Js JO
- 51968. *Trichiura (s.str.) stroehlei stroehlei* Zolotuhin,2007** (Lasiocampidae) Synonym(s): *stroehlei* Zolotuhin,2007 Original Reference: *Trichiura stroehlei* Zolotuhin,2007, Nachr. ent. Ver. Apollo (Suppl.) 19: 32-34, figs. Holotype ♂: Türkiye, Prov. Malatya Karahan geçidi 1800m (CMSW) [Some paratypes from Suüstü (Yüksekova, Hakkari) are mentioned as Erzincan Prov. erroneously!]. Range (in code): TR
- 51969. *Trichiura (s.str.) verenae* Witt,1981** (Lasiocampidae) Synonym(s): *verenae* Witt,1981; *witti* Ganey,1982 Original Reference: *Trichiura verenae* Witt,1981, Entomofauna 2 (23): 275-278, Abb. 10-11. Holotype ♂: [Türkei]: "Asia min., Kizilcahaman". Range (in code): BG GR TR Cc CY MK
- 51970. *Trichiurana meridionalis* Aurivillius,1921** (Lasiocampidae) Synonym(s): *meridionalis* Aurivillius,1921 Range (in code): ZA
- 51971. *Trichopisthia igneotincta* (Aurivillius,1909)** (Lasiocampidae) Synonym(s): *igneotincta* Aurivillius,1909; *poecilosticta* Grünberg,1910; *dubia* Aurivillius,1922. Range (in code): ZA
- 51972. *Trichopisthia montei* (Druce,1888)** (Lasiocampidae) Synonym(s): *montei* Druce,1888; *pallida* Fawcett,1903 Range (in code): ZA
- 51973. *Typhonoya longipennis* (M.Hering,1941)** (Lasiocampidae) Synonym(s): *longipennis* M.Hering,1941 Range (in code): ZR CI KE LR MW TZ ZM
- 51974. *Weberolegra weberi* (Tams,1929)** (Lasiocampidae) Synonym(s): *weberi* Tams,1929 Range (in code): LR CI GA ZR CM
- 51975. *Weirtonia baccara* Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonym(s): *baccara* Prozorov & Zolotuhin,2012 Range (in code): ZR
- 51976. *Weirtonia helicea* Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonym(s): *helicea* Prozorov & Zolotuhin,2012 Range (in code): GA
- 51977. *Weirtonia hypocrita* Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonym(s): *hypocrita* Prozorov & Zolotuhin,2012 Range (in code): ZR
- 51978. *Weirtonia idakum* (Bethune-Baker,1913)** (Lasiocampidae) Synonym(s): *idakum* Bethune-Baker,1913 Range (in code):
- 51979. *Weirtonia murena* Prozorov & Zolotuhin,2012** (Lasiocampidae) Synonym(s): *murena* Prozorov & Zolotuhin,2012 Range (in code): NG
- 51980. *Zolotuhinia bhutata* (Zolotuhin,2000)** (Lasiocampidae) Synonym(s): *bhutata* Zolotuhin,2000 Range (in code): BT
- 51981. *Zolotuhinia mendica* (Zolotuhin,2000)** (Lasiocampidae) Synonym(s): *mendica* Zolotuhin,2000 Range (in code): VN Ton
- 51982. "*Lecithocera*" *antiphraetis* Meyrick,1921** (Lecithoceridae) Synonym(s): *antiphraetis* Meyrick,1921 Range (in code): IN Ass
- 51983. *Abrachmia justa* (Meyrick,1910)** (Lecithoceridae) Synonym(s): *justa* Meyrick,1910; *mertiodes* Meyrick,1910; *karachiella* Amsel,1968 Range (in code): LK IN Knr PK Krc Sd
- 51984. *Amaloxestis astringens* Gozmany,1973** (Lecithoceridae) Synonym(s): *astringens* Gozmany,1973 Range (in code): NP
- 51985. *Amaloxestis callitricha* (Meyrick,1910)** (Lecithoceridae) Synonym(s): *callitricha* Meyrick,1910 Range (in code): IN Ass Meg Khs
- 51986. *Amaloxestis chiloptila* (Meyrick,1921)** (Lecithoceridae) Synonym(s): *chiloptila* Meyrick,1921 Original Reference: *Homaloxestis chiloptila* Meyrick,1921, Exot. Microlepid. 2: 435. Type: India: Assam: Khasi Hills (BMNH). Range (in code): IN Ass Meg Khs
- 51987. *Amaloxestis nepalensis* Gozmany,1973** (Lecithoceridae) Synonym(s): *nepalensis* Gozmany,1973 Range (in code): NP

- 51988. Amaloxestis perizeucta (Meyrick,1910)** (Lecithoceridae) Synonym(s): *perizeucta* Meyrick,1910 Original Reference: Homaloxestis perizeucta Meyrick,1910, J. Bombay nat. Hist. Soc. 20: 441. Type: India: Assam: Khasi Hills (BMNH). Range (in code): **IN Ass Meg Khs**
- 51989. Anamimnesis bleszynskii Gozmany,1978** (Lecithoceridae) Synonym(s): *bleszynskii* Gozmany,1978 Range (in code): **CN Tkg**
- 51990. Antiochtha achnastis (Meyrick,1906)** (Lecithoceridae) Synonym(s): *achnastis* Meyrick,1906 Range (in code): **LK Mky**
- 51991. Antiochtha aquila Park,2002** (Lecithoceridae) Synonym(s): *aquila* Park,2002 Range (in code): **TH Fn Cbi Chy**
- 51992. Antiochtha balbidota Meyrick,1905** (Lecithoceridae) Synonym(s): *balbidota* Meyrick,1905 Range (in code): **LK Mky**
- 51993. Antiochtha cataclina (Meyrick,1923)** (Lecithoceridae) Synonym(s): *cataclina* Meyrick,1923 Range (in code): **LK Mky**
- 51994. Antiochtha coelatella (Walker,1864)** (Lecithoceridae) Synonym(s): *coelatella* Walker,1864 Range (in code): **LK**
- 51995. Antiochtha longivincula Wu & Park,1998** (Lecithoceridae) Synonym(s): *longivincula* Wu & Park,1998 Range (in code): **LK Kndy Uda**
- 51996. Antiochtha nakhonica Park,2002** (Lecithoceridae) Synonym(s): *nakhonica* Park,2002 Range (in code): **TH Nna**
- 51997. Antiochtha oxyzona (Meyrick,1910)** (Lecithoceridae) Synonym(s): *oxyzona* Meyrick,1910 Range (in code): **LK Mky Pdy**
- 51998. Antiochtha periastra (Meyrick,1910)** (Lecithoceridae) Synonym(s): *periastra* Meyrick,1910 Range (in code): **LK Mky**
- 51999. Antiochtha pusilla Park,2002** (Lecithoceridae) Synonym(s): *pusilla* Park,2002 Range (in code): **TH Nna**
- 52000. Antiochtha semialis Park,2002** (Lecithoceridae) Synonym(s): *semialis* Park,2002 Range (in code): **TH Nna**
- 52001. Antiochtha stellulata (Meyrick,1906)** (Lecithoceridae) Synonym(s): *stellulata* Meyrick,1906 Range (in code): **LK Mky**
- 52002. Antiochtha vigilax (Meyrick,1910)** (Lecithoceridae) Synonym(s): *vigilax* Meyrick,1910 Range (in code): **LK Mky**
- 52003. Aproparia pselaphistis (Meyrick,1910)** (Lecithoceridae) Synonym(s): *pselaphistis* Meyrick,1910 Range (in code): **IN Ass Meg Khs**
- 52004. Athymoris martialis Meyrick,1935** (Lecithoceridae) Synonym(s): *martialis* Meyrick,1935 Range (in code): **TW CN Hun Tkg**
- 52005. Atrichozancla cosymbota (Meyrick,1920)** (Lecithoceridae) Synonym(s): *cosymbota* Meyrick,1920 Range (in code): **ZA Ou**
- 52006. Atrichozancla gymnopalpa Janse,1963** (Lecithoceridae) Synonym(s): *gymnopalpa* Janse,1963 Range (in code): **ZA**
- 52007. Atrichozancla phaeocrossis (Meyrick,1937)** (Lecithoceridae) Synonym(s): *phaeocrossis* Meyrick,1937 Range (in code): **ZA Tva Mpu Pil**
- 52008. Carodista afghana Gozmany,1978** (Lecithoceridae) Synonym(s): *afghana* Gozmany,1978 Range (in code): **AF Kab Nu Bkt**
- 52009. Carodista bathroptila (Meyrick,1929)** (Lecithoceridae) Synonym(s): *bathroptila* Meyrick,1929 Range (in code): **IN Ass**
- 52010. Carodista citrostrota (Meyrick,1911)** (Lecithoceridae) Synonym(s): *citrostrota* Meyrick,1911 Range (in code): **IN Ass Meg Khs**
- 52011. Carodista cultrata Park,2000** (Lecithoceridae) Synonym(s): *cultrata* Park,2000 Range (in code): **TW**
- 52012. Carodista flagitiosa (Meyrick,1914)** (Lecithoceridae) Synonym(s): *flagitiosa* Meyrick,1914 Original Reference: Homaloxestis flagitiosa Meyrick,1914, Exotic Microlepid. 1: 198. Type ♂: [Malawi]: Mt. Mlanje (BMNH). MW Mje
- 52013. Carodista gracilis (Gozmany,1978)** (Lecithoceridae) Synonym(s): *gracilis* Gozmany,1978 Range (in code): **AF Plj**
- 52014. Carodista melicrata (Meyrick,1910)** (Lecithoceridae) Synonym(s): *melicrata* Meyrick,1910 Range (in code): **IN Ass Meg Khs**

- 52015. Carodista montana Park,2000** (Lecithoceridae) Synonym(s): *montana* Park,2000
Range (in code): **TW**
- 52016. Carodista niphomitra (Meyrick,1931)** (Lecithoceridae) Synonym(s): *niphomitra* Meyrick,1931
Range (in code): **SI IN**
- 52017. Carodista notolyncha (Meyrick,1936)** (Lecithoceridae) Synonym(s): *notolyncha* Meyrick,1936
Range (in code): **TW JP**
- 52018. Carodista tricholpa (Meyrick,1929)** (Lecithoceridae) Synonym(s): *tricholpa* Meyrick,1929
Range (in code): **IN Ass Meg Khs**
- 52019. Caveana diemseoki Park,2010** (Lecithoceridae) Synonym(s): *diemseoki* Park,2010
Range (in code): **TH**
- 52020. Caveana senuri Park, Heppner & Bae,2013** (Lecithoceridae) Synonym(s): *senuri* Park, Heppner & Bae,2013
Range (in code): **TW**
- 52021. Ceuthomadarus atlantis Gozmany,1978** (Lecithoceridae) Synonym(s): *atlantis* Gozmany,1978
Range (in code): **MA**
- 52022. Ceuthomadarus chthoniopa (Meyrick,1936)** (Lecithoceridae) Synonym(s): *chthoniopa* Meyrick,1936
Original Reference: *Asbolistis chthoniopa* Meyrick,1936, Exot. Microlepid. 5: 49.
Type ♂: Iraq: Rayat, July, E.P. Wiltshire leg. Range (in code): **IQ Er Ry Hjo IR Fa Kz Com**
- 52023. Ceuthomadarus croesus Gozmany** (Lecithoceridae) Synonym(s):
Range (in code): **IR Fa Com**
- 52024. Ceuthomadarus derrai Gozmany,2002** (Lecithoceridae) Synonym(s): *derrai* Gozmany,2002
Range (in code): **MA**
- 52025. Ceuthomadarus funebrellus (Chrétien,1922)** (Lecithoceridae) Synonym(s): *funebrellus* Chrétien,1922; *umbrinella* Zerny,1936
Range (in code): **MA Ifr**
- 52026. Ceuthomadarus naumanni Gozmany,1987** (Lecithoceridae) Synonym(s): *naumanni* Gozmany,1987
Range (in code): **AF Nu**
- 52027. Ceuthomadarus rungsi (Lucas,1937)** (Lecithoceridae) Synonym(s): *rungsii* Lucas,1937
Original Reference: *Symmoca rungsi* Lucas,1937, Bull. Soc. ent. Fr. 42: 128. Lectotype ♂: Maroc, Ifrane (MNHN Paris). Range (in code): **MA Ifr**
- 52028. Ceuthomadarus tenebrionellus Mann,1864** (Lecithoceridae) Synonym(s): *tenebrionellus* Mann,1864; *monochromella* Rebel,1902; *crepusculellus* Caradja,1920; *iranica* Gozmany,1957
Original Reference: *Ceuthomadarus tenebrionellus* Mann,1864, Wien. ent. Monatschr. 8: 188, pl.5 fig.1. Lectotype ♂: [Türkei]: Kleinasien: Brussa, designated by Gozmany (1978) (NHMW).
Range (in code): **RU Cc AM TR IR Ha Fa Se**
- 52029. Ceuthomadarus viduellus Rebel,1903** (Lecithoceridae) Synonym(s): *viduellus* Rebel,1903
Range (in code): **BG Slv GR**
- 52030. Cophomantella bifrenata (Meyrick,1921)** (Lecithoceridae) Synonym(s): *bifrenata* Meyrick,1921
Range (in code): **ZA Mna**
- 52031. Cophomantella furnaria (Meyrick,1913)** (Lecithoceridae) Synonym(s): *furnaria* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Wv Mal Wo Nkw Nta Kzu Umk Dbn**
- 52032. Cophomantella homogamma (Meyrick,1918)** (Lecithoceridae) Synonym(s): *homogamma* Meyrick,1918
Range (in code): **ZA Ec Pel Nta Kzu Nha Umk**
- 52033. Coydalla interguttella Walker,1864** (Lecithoceridae) Synonym(s): *interguttella* Walker,1864
Original Reference: *Coydalla interguttella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 1038. Type: Borneo (BMNH). Range (in code): **IN TH MY ID Sum Bor BN Sbh Swk**
- 52034. Crocogma cribanota (Meyrick,1910)** (Lecithoceridae) Synonym(s): *cribanota* Meyrick,1910
Original Reference: *Homaloxestis cribanota* Meyrick,1910, J. Bombay nat. Hist. Soc. 20: 442. Lectotype ♂: India: Assam: Khasi Hills, designated by Clarke,1965 (BMNH). Range (in code): **IN Ass Meg Khs**
- 52035. Crocogma isocola Meyrick,1918** (Lecithoceridae) Synonym(s): *isocola* Meyrick,1918; *tonaea* Meyrick,1918
Original Reference: *Crocogma isocola* Meyrick,1918, Exot. Microlepid. 2: 100. Lectotype ♂: India: Assam: Khasi Hills, designated by Clarke,1965 (BMNH). Range (in code): **IN Ass Meg Khs Slo NP Kdu**
- 52036. Cubitomorhis aechmobola (Meyrick,1925)** (Lecithoceridae) Synonym(s): *aechmobola* Meyrick,1925
Range (in code): **CN Kig Tkg**
- 52037. Deltoplastis acrophanes (Meyrick,1910)** (Lecithoceridae) Synonym(s): *acrophanes* Meyrick,1910
Range (in code): **LK Mky**

- 52038. Deltoplastis amicella (Walker,1864)** (Lecithoceridae) Synonym(s): *amicella* Walker,1864; *abligatella* Walker,1864 _ Range (in code): LK Kndy Pdy
- 52039. Deltoplastis apostatis (Meyrick,1932)** (Lecithoceridae) Synonym(s): *apostatis* Meyrick,1932 _ Range (in code): JP Hkk
- 52040. Deltoplastis byssina (Meyrick,1910)** (Lecithoceridae) Synonym(s): *byssina* Meyrick,1910 _ Range (in code): LK Mky Nwe
- 52041. Deltoplastis clerodotis (Meyrick,1910)** (Lecithoceridae) Synonym(s): *clerodotis* Meyrick,1910; *commodata* Meyrick,1923 _ Range (in code): LK Kndy Mky
- 52042. Deltoplastis cognata Wu & Park,1998** (Lecithoceridae) Synonym(s): *cognata* Wu & Park,1998 _ Range (in code): LK Kndy
- 52043. Deltoplastis commatopa Meyrick,1932** (Lecithoceridae) Synonym(s): *commatopa* Meyrick,1932 _ Range (in code): TW
- 52044. Deltoplastis cremnaspis (Meyrick,1905)** (Lecithoceridae) Synonym(s): *cremnaspis* Meyrick,1905; *tetradelta* Meyrick,1906 _ Range (in code): LK Mky
- 52045. Deltoplastis figurata (Meyrick,1910)** (Lecithoceridae) Synonym(s): *figurata* Meyrick,1910 _ Range (in code): LK Mky
- 52046. Deltoplastis figurodigita Wu & Park,1998** (Lecithoceridae) Synonym(s): *figurodigita* Wu & Park,1998 _ Range (in code): LK Uda
- 52047. Deltoplastis gypsopeda Meyrick,1934** (Lecithoceridae) Synonym(s): *gypsopeda* Meyrick,1934 _ Range (in code): CN Sz NP
- 52048. Deltoplastis lamellospina Wu & Park,1998** (Lecithoceridae) Synonym(s): *lamellospina* Wu & Park,1998 _ Range (in code): LK
- 52049. Deltoplastis lobigera Gozmany,1978** (Lecithoceridae) Synonym(s): *lobigera* Gozmany,1978 _ Range (in code): CN Tkg
- 52050. Deltoplastis propensa (Meyrick,1910)** (Lecithoceridae) Synonym(s): *propensa* Meyrick,1910 _ Range (in code): LK
- 52051. Deltoplastis sincera (Diakonoff,1952)** (Lecithoceridae) Synonym(s): *sincera* Diakonoff,1952 _ Range (in code): MM Kch Kam
- 52052. Deltoplastis straminicornis (Meyrick,1910)** (Lecithoceridae) Synonym(s): *straminicornis* Meyrick,1910 _ Range (in code): LK
- 52053. Dinochares conotoma (Meyrick,1908)** (Lecithoceridae) Synonym(s): *conotoma* Meyrick,1908 _ Range (in code): LK Kndy
- 52054. Dinochares notolepis Park,2000** (Lecithoceridae) Synonym(s): *notolepis* Park,2000 _ Range (in code): TW
- 52055. Dixognatha nectarus (Wu,1996)** (Lecithoceridae) Synonym(s): *nectarus* Wu,1996 _ Range (in code): CN Sz Hun
- 52056. Dragmatucha bivia Meyrick,1908** (Lecithoceridae) Synonym(s): *bivia* Meyrick,1908 _ Range (in code): ZA Nta Kzu Dbn Dmm
- 52057. Dragmatucha proaula Meyrick,1908** (Lecithoceridae) Synonym(s): *proaula* Meyrick,1908 _ Range (in code): ZA Tva Lpo Pie Wmb Spb Gau Slpp Mpu Wv Pre Abc ZW Umv
- 52058. Ecedoxa lysimopa (Meyrick,1933)** (Lecithoceridae) Synonym(s): *lysimopa* Meyrick,1933 _ Range (in code): PK Abb Pj IN Hp Kul Bba NP
- 52059. Ecedoxa thenara Wu,2001** (Lecithoceridae) Synonym(s): *thenara* Wu,2001 _ Range (in code): LK
- 52060. Epharmonia ardua (Meyrick,1910)** (Lecithoceridae) Synonym(s): *ardua* Meyrick,1910 _ Range (in code): IN Ass Meg Khs
- 52061. Epimactis atropunctella (Walsingham,1881)** (Lecithoceridae) Synonym(s): *atropunctella* Walsingham,1881 _ Range (in code): ZA MZ ZW
- 52062. Eridachtha crossogramma (Meyrick,1921)** (Lecithoceridae) Synonym(s): *crossogramma* Meyrick,1921 _ Range (in code): ZW Vf
- 52063. Eridachtha guttifera Gozmany,1973** (Lecithoceridae) Synonym(s): *guttifera* Gozmany,1973 _ Range (in code): NP
- 52064. Eridachtha kasyella Gozmany,1978** (Lecithoceridae) Synonym(s): *kasyella* Gozmany,1978 _ Range (in code): AF Pag Slg Pnj Nu Bkt Kbb
- 52065. Eurodachtha canigella (Caradja,1920)** (Lecithoceridae) Synonym(s): *canigella* Caradja,1920; *occidentella* Amsel,1953 _ Original Reference: Lecithocera canigella Caradja,1920, Dt. ent. Z., Iris 34: 135. Type: Vernet les bains. Range (in code): PT ES FR IT DE

- 52066. Eurodachtha flavissimella (Mann,1862)** (Lecithoceridae) Synonym(s): *flavissimella* Mann,1862; *intermedia* Staudinger,1870 Original Reference: *Lecithocera flavissimella* Mann,1862, Wien. ent. Monatschr. 6: 402, Taf.3 fig.14. Lectotype ♂: [Türkei]: Kleinasien, Brussa [Bursa Prov.], designated by Gozmany (1978) (NHMW). Range (in code): BG GR TR
- 52067. Eurodachtha nigralba Gozmany,1978** (Lecithoceridae) Synonym(s): *nigralba* Gozmany,1978 Original Reference: *Eurodachtha nigralba* Gozmany,1978, Microlepid. Pal. 5: 159, figs. Holotype ♀: Syria, Latakia (NHMW); paratypes: Erciyas Mt., Dünen (Mersin), Amasya, Ciftehan. Range (in code): SY Ltk TR
- 52068. Eurodachtha pallicornella (Staudinger,1859)** (Lecithoceridae) Synonym(s): *pallicornella* Staudinger,1859 Original Reference: *Lecithocera pallicornella* Staudinger,1859, Stettin ent. Ztg. 20: 239. Range (in code): PT ES FR
- 52069. Eurodachtha rotundina Park & Wu,2009** (Lecithoceridae) Synonym(s): *rotundina* Park & Wu,2009 Range (in code): TH Nna
- 52070. Eurodachtha siculella (Wocke,1889)** (Lecithoceridae) Synonym(s): *siculella* Wocke,1889 Range (in code): PT ES FR Si
- 52071. Frisilia chinensis Gozmany,1978** (Lecithoceridae) Synonym(s): *chinensis* Gozmany,1978 Range (in code): CN Sz TW
- 52072. Frisilia compsostoma Meyrick,1921** (Lecithoceridae) Synonym(s): *compsostoma* Meyrick,1921 Range (in code): ZW Har
- 52073. Frisilia crossophaea (Meyrick,1931)** (Lecithoceridae) Synonym(s): *crossophaea* Meyrick,1931 Range (in code): IN SI
- 52074. Frisilia homalistis Meyrick,1935** (Lecithoceridae) Synonym(s): *homalistis* Meyrick,1935 Range (in code): TW
- 52075. Frisilia sulcata Meyrick,1910** (Lecithoceridae) Synonym(s): *sulcata* Meyrick,1910 Range (in code): IN Hp Sml Ass Meg Khs NP
- 52076. Halolaguna biferrinella (Walker,1864)** (Lecithoceridae) Synonym(s): *biferrinella* Walker,1864 Range (in code): MY Bor
- 52077. Halolaguna orthogonia Wu,2000** (Lecithoceridae) Synonym(s): *orthogonia* Wu,2000 Range (in code): MY
- 52078. Halolaguna subluxata Gozmany,1978** (Lecithoceridae) Synonym(s): *subluxata* Gozmany,1978 Range (in code): CN Kig Tkg
- 52079. Hoenea helenae Gozmany,1970** (Lecithoceridae) Synonym(s): *helenae* Gozmany,1970 Range (in code): CN Yu Lik
- 52080. Homaloxestis aganacma Diakonoff,[1968]** (Lecithoceridae) Synonym(s): *aganacma* Diakonoff,[1968] Range (in code): PH Luz
- 52081. Homaloxestis alopecopa Meyrick,1929** (Lecithoceridae) Synonym(s): *alopecopa* Meyrick,1929 Range (in code): PH Mno
- 52082. Homaloxestis australis Park,2004** (Lecithoceridae) Synonym(s): *australis* Park,2004 Range (in code): TH Cbi Nna Kao CMa Fn VN PH
- 52083. Homaloxestis briantiella (Turati,1879)** (Lecithoceridae) Synonym(s): *briantiella* Turati,1879 Range (in code): MA DZ TN PT ES FR Co Sa Si IT DE CH AT SK HU RO MK Oeh AL TR IL Pa
- 52084. Homaloxestis cholopis (Meyrick,1906)** (Lecithoceridae) Synonym(s): *cholopis* Meyrick,1906; *lophophora* Janse,1954; *surrepta* Diakonoff,[1968] Original Reference: *Lecithocera cholopis* Meyrick,1906, J. Bombay nat. Hist. Soc. 17: 149. Lectotype ♂: [Myanmar]: Burma: Koni, designated by Clarke,1965 (BMNH). Range (in code): YE NA Abc ZA Tva Gau Pre Mpu Wv Brb Nta Kzu Nha Nyl Mlm Umk Dbn ZW Uma Rtf Rtb IN NP CN Yu Lik TW TH MM Kni MY ID Ja PH Mno Bionomy: Larva on Mallotus (Euphorbiaceae) (Robinson et al.,1994).
- 52085. Homaloxestis cicatrix Gozmany,1973** (Lecithoceridae) Synonym(s): *cicatrix* Gozmany,1973 Range (in code): NP VN CN Hn
- 52086. Homaloxestis croceata Gozmany,1978** (Lecithoceridae) Synonym(s): *croceata* Gozmany,1978 Range (in code): CN Kgs
- 52087. Homaloxestis furcula Park,2004** (Lecithoceridae) Synonym(s): *furcula* Park,2004 Range (in code): TH Nna Kao
- 52088. Homaloxestis hades Gozmany,1978** (Lecithoceridae) Synonym(s): *hades* Gozmany,1978 Original Reference: *Homaloxestis hades* Gozmany,1978, Microlepid. Palaearct. 5: 66, pls. Holotype ♂: [Türkei]: Kleinasien: Taurus: Marasch, 6-900m, 29.8.1929 (ZSM). Range (in code): TR

- 52089. Homaloxestis hainanensis Wu,1994** (Lecithoceridae) Synonym(s): *hainanensis* Wu,1994
Range (in code): **CN Hn TH CMa Int Loe VN**
- 52090. Homaloxestis hesperis Gozmany,1978** (Lecithoceridae) Synonym(s): *hesperis* Gozmany,1978
Range (in code): **CN JP**
- 52091. Homaloxestis hilaris Gozmany,1978** (Lecithoceridae) Synonym(s): *hilaris* Gozmany,1978
Range (in code): **CN Tkg**
- 52092. Homaloxestis horridens Gozmany,1973** (Lecithoceridae) Synonym(s): *horridens* Gozmany,1973
Range (in code): **NP TH Loe**
- 52093. Homaloxestis liochlaena Meyrick,1931** (Lecithoceridae) Synonym(s): *liochlaena* Meyrick,1931
Range (in code): **CN Sz**
- 52094. Homaloxestis luzonensis Park & Byun,2007** (Lecithoceridae) Synonym(s): *luzonensis* Park & Byun,2007
Range (in code): **PH Luz**
- 52095. Homaloxestis mucroraphis Gozmany,1978** (Lecithoceridae) Synonym(s): *mucroraphis* Gozmany,1978
Range (in code): **CN Yu Lik**
- 52096. Homaloxestis multidentalis Park,2004** (Lecithoceridae) Synonym(s): *multidentalis* Park,2004
Range (in code): **TH Loe**
- 52097. Homaloxestis myeloxesta Meyrick,1932** (Lecithoceridae) Synonym(s): *myeloxesta* Meyrick,1932
Range (in code): **TW JP**
- 52098. Homaloxestis plocamandra (Meyrick,1907)** (Lecithoceridae) Synonym(s): *plocamandra* Meyrick,1907
Range (in code): **IN Hp Sml SI NP TH Cbi PH Luz Pan Mno**
- 52099. Homaloxestis pumilis Park,2004** (Lecithoceridae) Synonym(s): *pumilis* Park,2004
Range (in code): **TH Cbi CMa Fn**
- 52100. Homaloxestis quadralis Park & Byun,2007** (Lecithoceridae) Synonym(s): *quadralis* Park & Byun,2007
Range (in code): **PH Pal**
- 52101. Homaloxestis saitoi Park,2004** (Lecithoceridae) Synonym(s): *saitoi* Park,2004
Range (in code): **TH Nna Kao CMa Dst Loe**
- 52102. Homaloxestis striapunctata (Wu,1997)** (Lecithoceridae) Synonym(s): *striapunctata* Wu,1997
Range (in code): **CN Hn VN**
- 52103. Homaloxestis vinhphuensis Park,2007** (Lecithoceridae) Synonym(s): *vinhphuensis* Park,2007
Range (in code): **VN Ton**
- 52104. Homaloxestis xylotripta Meyrick,1918** (Lecithoceridae) Synonym(s): *xylotripta* Meyrick,1918
Range (in code): **PK AF NP CN TH CMa Int Dst Loe**
- 52105. Hygroplasta atrifasciata Park,2003** (Lecithoceridae) Synonym(s): *atrifasciata* Park,2003
Range (in code): **TH Loe**
- 52106. Hygroplasta canitiana Wu & Park,1998** (Lecithoceridae) Synonym(s): *canitiana* Wu & Park,1998
Range (in code): **LK Kndy**
- 52107. Hygroplasta lygaea (Meyrick,1911)** (Lecithoceridae) Synonym(s): *lygaea* Meyrick,1911
Range (in code): **Ch IN Hp Dlh NP Kdu God**
- 52108. Hygroplasta merinx Wu & Park,1998** (Lecithoceridae) Synonym(s): *merinx* Wu & Park,1998
Range (in code): **LK Uda**
- 52109. Hygroplasta monila Wu & Park,1998** (Lecithoceridae) Synonym(s): *monila* Wu & Park,1998
Range (in code): **LK Pdy**
- 52110. Hygroplasta monodryas (Meyrick,1914)** (Lecithoceridae) Synonym(s): *monodryas* Meyrick,1914
Range (in code): **IN**
- 52111. Hygroplasta notalatra Wu,1998** (Lecithoceridae) Synonym(s): *notalatra* Wu,1998
Range (in code): **MY Bor Sbh KBa**
- 52112. Hygroplasta onyxijuxta Wu & Park,1998** (Lecithoceridae) Synonym(s): *onyxijuxta* Wu & Park,1998
Range (in code): **LK Uda**
- 52113. Hygroplasta parviella Park,2003** (Lecithoceridae) Synonym(s): *parviella* Park,2003
Range (in code): **TH Pgg**
- 52114. Hygroplasta plocioura Park,2003** (Lecithoceridae) Synonym(s): *plocioura* Park,2003
Range (in code): **PH Pal**
- 52115. Hygroplasta promyctera Wu & Park,1998** (Lecithoceridae) Synonym(s): *promyctera* Wu & Park,1998
Range (in code): **LK Kndy**
- 52116. Hygroplasta spoliatella (Walker,1864)** (Lecithoceridae) Synonym(s): *spoliatella* Walker,1864
Range (in code): **LK IN**

- 52117. *Hygroplasta utricula* Wu & Park,1998** (Lecithoceridae) Synonym(s): *utricula* Wu & Park,1998 _ Range (in code): LK
- 52118. *Hyperochtha butyropa* (Meyrick,1910)** (Lecithoceridae) Synonym(s): *butyropa* Meyrick,1910 _ Range (in code): LK
- 52119. *Hyperochtha hoplophora* Gozmany,1973** (Lecithoceridae) Synonym(s): *hoplophora* Gozmany,1973 _ Range (in code): NP Kdu God
- 52120. *Idiopteryx obliquella* (Walsingham,1881)** (Lecithoceridae) Synonym(s): *obliquella* Walsingham,1881; *obsepta* Meyrick,1918 _ Range (in code): ZA Nta Kzu Dbn Lds Imp Ec Stj Kkf Dmm Spr
- 52121. *Ilioparsis effulgens* Gozmany,1973** (Lecithoceridae) Synonym(s): *effulgens* Gozmany,1973 _ Range (in code): NP
- 52122. *Isotypa discopuncta* Janse,1954** (Lecithoceridae) Synonym(s): *discopuncta* Janse,1954 _ Range (in code): ZA Wca
- 52123. *Issikiopteryx aurolaxa* (Wu & Liu,1993)** (Lecithoceridae) Synonym(s): *aurolaxa* Wu & Liu,1993 _ Range (in code): CN Sz
- 52124. *Issikiopteryx corona* (Wu & Liu,1993)** (Lecithoceridae) Synonym(s): *corona* Wu & Liu,1993 _ Range (in code): CN Fkn
- 52125. *Issikiopteryx corythista* (Meyrick,1918)** (Lecithoceridae) Synonym(s): *corythista* Meyrick,1918 _ Range (in code): IN
- 52126. *Issikiopteryx fornicata* (Wu & Liu,1993)** (Lecithoceridae) Synonym(s): *fornicata* Wu & Liu,1993 _ Range (in code): CN Fkn
- 52127. *Issikiopteryx japonica* Moriuti,1973** (Lecithoceridae) Synonym(s): *japonica* Moriuti,1973 _ Range (in code): JP
- 52128. *Issikiopteryx obtusangula* Fan & Li,2008** (Lecithoceridae) Synonym(s): *obtusangula* Fan & Li,2008 _ Range (in code): CN Hun
- 52129. *Issikiopteryx ophrysa* (Wu & Liu,1993)** (Lecithoceridae) Synonym(s): *ophrysa* Wu & Liu,1993 _ Range (in code): CN Fkn
- 52130. *Issikiopteryx rotundiconcava* Fan & Li,2008** (Lecithoceridae) Synonym(s): *rotundiconcava* Fan & Li,2008 _ Range (in code): CN Sz
- 52131. *Issikiopteryx sphaeristis* (Meyrick,1908)** (Lecithoceridae) Synonym(s): *sphaeristis* Meyrick,1908 _ Range (in code): IN
- 52132. *Issikiopteryx taipingensis* Park,2003** (Lecithoceridae) Synonym(s): *taipingensis* Park,2003 _ Range (in code): TW
- 52133. *Issikiopteryx trichacera* (Wu,1997)** (Lecithoceridae) Synonym(s): *trichacera* Wu,1997 _ Range (in code): CN Anh Hnn
- 52134. *Issikiopteryx valvispinata* Fan & Li,2008** (Lecithoceridae) Synonym(s): *valvispinata* Fan & Li,2008 _ Range (in code): CN
- 52135. *Issikiopteryx zonosphaera* (Meyrick,1935)** (Lecithoceridae) Synonym(s): *zonosphaera* Meyrick,1935 _ Range (in code): CN Hun Tkg Anh Hnn She
- 52136. *Lecithocera aenieta* Janse,1954** (Lecithoceridae) Synonym(s): *aenieta* Janse,1954 _ Range (in code): ZA Tva Gau Pre Nta Kzu Umk Ver
- 52137. *Lecithocera alpestra* Park,2005** (Lecithoceridae) Synonym(s): *alpestra* Park,2005
Original Reference: *Lecithocera alpestra* Park,2005, J. Asia-Pac. Ent. 8 (3): 234-235, figs. Holotype ♂: Thailand: Loei Prov., Phu Luang WL Sanctuary, 700-900m, 8-14.x.1984 (Karsholt, Lomholdt & Nielsen leg) (ZMUC). _ Range (in code): TH Loe CMa Int Nna Kao
- 52138. *Lecithocera amseli* Gozmany,1978** (Lecithoceridae) Synonym(s): *amseli* Gozmany,1978 _ Range (in code): CN Yu Lik
- 52139. *Lecithocera anatolica* Gozmany,1978** (Lecithoceridae) Synonym(s): *anatolica* Gozmany,1978
Original Reference: *Lecithocera anatolica* Gozmany,1978, Microlepid. Palearct. 5: 94, figs. Holotype ♂: Türkiye, "Marasch" (MGAB). _ Range (in code): FR TR
- 52140. *Lecithocera anglijuxta* Wu,1997** (Lecithoceridae) Synonym(s): *anglijuxta* Wu,1997 _ Range (in code): CN Yu TH
- 52141. *Lecithocera anthologella* Wallengren,1875** (Lecithoceridae) Synonym(s): *anthologella* Wallengren,1875 _ Range (in code): ZA Tva Lpo
- 52142. *Lecithocera aspergata* Gozmany,1973** (Lecithoceridae) Synonym(s): *aspergata* Gozmany,1973 _ Range (in code): NP

- 52143. *Lecithocera aulias* Meyrick,1910** (Lecithoceridae) Synonym(s): *aulias* Meyrick,1910
Range (in code): **IN Ass Khs TH Nna CN**
- 52144. *Lecithocera binotata* Meyrick,1918** (Lecithoceridae) Synonym(s): *binotata* Meyrick,1918
Range (in code): **ZA Nta Kzu Umk**
- 52145. *Lecithocera calochalca* Gozmany,1978** (Lecithoceridae) Synonym(s): *calochalca* Gozmany,1978
Range (in code): **IN SI Djl**
- 52146. *Lecithocera calomerida* Park & Wu,2010** (Lecithoceridae) Synonym(s): *calomerida* Park & Wu,2010
Range (in code): **TH**
- 52147. *Lecithocera castanoma* Wu,1997** (Lecithoceridae) Synonym(s): *castanoma* Wu,1997
Range (in code): **TH CN**
- 52148. *Lecithocera catacnepha* Gozmany,1973** (Lecithoceridae) Synonym(s): *catacnepha* Gozmany,1973
Range (in code): **NP**
- 52149. *Lecithocera caviella* Park,2005** (Lecithoceridae) Synonym(s): *caviella* Park,2005
Original Reference: *Lecithocera caviella* Park,2005, J. Asia-Pac. Ent. 8 (3): 236, figs. Holotype ♂: Thailand: Chanthanaburi Prov., Khao Soi Dao, 400m, 6 vi 1983 (Kuroko, Moriuti, Arita & Yoshiyasu leg.) (OPU). Range (in code): **TH Cbi**
- 52150. *Lecithocera chersitis* Meyrick,1918** (Lecithoceridae) Synonym(s): *chersitis* Meyrick,1918
Range (in code): **KP KR**
- 52151. *Lecithocera cinnamomea* Gozmany,1978** (Lecithoceridae) Synonym(s): *cinnamomea* Gozmany,1978
Range (in code): **IN SI Djl**
- 52152. *Lecithocera cornutima* Park,2009** (Lecithoceridae) Synonym(s): *cornutima* Park,2009
Range (in code): **TH**
- 52153. *Lecithocera dierli* Gozmany,1973** (Lecithoceridae) Synonym(s): *dierli* Gozmany,1973
Range (in code): **NP Kdu**
- 52154. *Lecithocera dondavisii* Park, Heppner & Bae,2013** (Lecithoceridae) Synonym(s): *dondavisii* Park, Heppner & Bae,2013
Range (in code): **TW**
- 52155. *Lecithocera echinata* Gozmany,1978** (Lecithoceridae) Synonym(s): *echinata* Gozmany,1978
Range (in code): **PK AF Ca Pag Kab Arh Pic**
- 52156. *Lecithocera erecta* Meyrick,1935** (Lecithoceridae) Synonym(s): *erecta* Meyrick,1935
Range (in code): **CN Tkg**
- 52157. *Lecithocera eremiodes* Park & Wu,2010** (Lecithoceridae) Synonym(s): *eremiodes* Park & Wu,2010
Range (in code): **TH**
- 52158. *Lecithocera fascinatrix* Meyrick,1935** (Lecithoceridae) Synonym(s): *fascinatrix* Meyrick,1935
Range (in code): **TW**
- 52159. *Lecithocera flavicosta* Gozmany,1973** (Lecithoceridae) Synonym(s): *flavicosta* Gozmany,1973
Range (in code): **NP**
- 52160. *Lecithocera flavipalpis* Walsingham,1891** (Lecithoceridae) Synonym(s): *flavipalpis* Walsingham,1891
Range (in code): **ZA Nta Kzu Mpu Tst Pot Tva Lpo ZW Bul Hfo Har MZ Mag**
- 52161. *Lecithocera flavofusa* Gozmany,1973** (Lecithoceridae) Synonym(s): *flavofusa* Gozmany,1973
Range (in code): **NP**
- 52162. *Lecithocera glabrata* (Wu & Liu,1992)** (Lecithoceridae) Synonym(s): *glabrata* Wu & Liu,1992
Range (in code): **TW CN Hun Yu Fkn**
- 52163. *Lecithocera gozmanyi* Pathania & Rose,2004** (Lecithoceridae) Synonym(s): *gozmanyi* Pathania & Rose,2004
Range (in code): **IN**
- 52164. *Lecithocera graphata* Gozmany,1978** (Lecithoceridae) Synonym(s): *graphata* Gozmany,1978
Range (in code): **NP**
- 52165. *Lecithocera ianthodes* Meyrick,1931** (Lecithoceridae) Synonym(s): *ianthodes* Meyrick,1931
Range (in code): **IN Up Ddu**
- 52166. *Lecithocera ideologa* Meyrick,1937** (Lecithoceridae) Synonym(s): *ideologa* Meyrick,1937
Range (in code): **ZA Ec Stj MZ Blv**
- 52167. *Lecithocera indigens* (Meyrick,1914)** (Lecithoceridae) Synonym(s): *indigens* Meyrick,1914
Range (in code): **TW TH Nna CN Yu**
- 52168. *Lecithocera iodocarpha* Gozmany,1978** (Lecithoceridae) Synonym(s): *iodocarpha* Gozmany,1978
Range (in code): **CN Tkg**
- 52169. *Lecithocera ladrone* Gozmany,2002** (Lecithoceridae) Synonym(s): *ladrone* Gozmany,2002
Range (in code): **IN Hp**

- 52170. *Lecithocera laticostella* Turati,1926** (Lecithoceridae) Synonym(s): *laticostella* Turati,1926
Range (in code): **LY Cy**
- 52171. *Lecithocera longivalva* Gozmany,1978** (Lecithoceridae) Synonym(s): *longivalva* Gozmany,1978
Range (in code): **CN Yu Lik**
- 52172. *Lecithocera loxophthalma* Meyrick,1934** (Lecithoceridae) Synonym(s): *loxophthalma* Meyrick,1934
Range (in code): **SD**
- 52173. *Lecithocera lucernata* Meyrick,1913** (Lecithoceridae) Synonym(s): *lucernata* Meyrick,1913
Range (in code): **ZA Gau Pre Jh Wo Tva Lpo**
- 52174. *Lecithocera magna* Park,2005** (Lecithoceridae) Synonym(s): *#montana* Park,2005; *magna* Park,2005
Original Reference: *Lecithocera magna* Park,2005, J. Asia-Pac. Ent. 8 (3): 233-234, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon [sic!] NP, 1600m, 22-24.x.1984 (Karsholt, Lomholdt & Nielsen leg) (ZMUC). Range (in code): **TH CMa Int Dst**
- 52175. *Lecithocera mazina* Meyrick,1910** (Lecithoceridae) Synonym(s): *mazina* Meyrick,1910
Range (in code): **IN Hp Sml**
- 52176. *Lecithocera melliflua* Gozmany,1978** (Lecithoceridae) Synonym(s): *melliflua* Gozmany,1978
Range (in code): **CN Hpe**
- 52177. *Lecithocera mepsina* Park,2006** (Lecithoceridae) Synonym(s): *mepsina* Park,2006
Range (in code): **TH**
- 52178. *Lecithocera metacausta* Meyrick,1910** (Lecithoceridae) Synonym(s): *metacausta* Meyrick,1910
Range (in code): **IN Ass Khs TH CMa VN**
- 52179. *Lecithocera meyricki* Gozmany,1978** (Lecithoceridae) Synonym(s): *meyricki* Gozmany,1978
Range (in code): **CN**
- 52180. *Lecithocera montatilis* Park,2009** (Lecithoceridae) Synonym(s): *montatilis* Park,2009
Range (in code): **TH**
- 52181. *Lecithocera mylitacha* Wu & Wu,1993** (Lecithoceridae) Synonym(s): *mylitacha* Wu & Wu,1993
Range (in code): **CN Yu TH CMa**
- 52182. *Lecithocera myopa* Meyrick,1913** (Lecithoceridae) Synonym(s): *myopa* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 52183. *Lecithocera nepalica* Gozmany,1973** (Lecithoceridae) Synonym(s): *nepalica* Gozmany,1973
Range (in code): **NP**
- 52184. *Lecithocera nepheloschema* Gozmany,1973** (Lecithoceridae) Synonym(s): *nepheloschema* Gozmany,1973
Range (in code): **NP**
- 52185. *Lecithocera nigrana* (Duponchel,1836)** (Lecithoceridae) Synonym(s): *nigrana* Duponchel,1836; *luticornella* Zeller,1839; *orsoviella* Heinemann,1870; *#leticornella* Staudinger,1880.
Range (in code): **ES FR Si IT DE CH AT SK HU RO YU B-H SS MK Mt AL BG GR TR RU MD UA BY IL Pa**
Bionomy: Larva on Rubus (Rosaceae), Quercus (Fagaceae) (Stefani,1947).
- 52186. *Lecithocera officialis* Meyrick,1911** (Lecithoceridae) Synonym(s): *officialis* Meyrick,1911
Range (in code): **ZA Tva Lpo Hae**
- 52187. *Lecithocera orbiculata* Park & Wu,2010** (Lecithoceridae) Synonym(s): *orbiculata* Park & Wu,2010
Range (in code): **TH**
- 52188. *Lecithocera oxycona* Meyrick,1910** (Lecithoceridae) Synonym(s): *oxycona* Meyrick,1910
Range (in code): **IN NP God**
- 52189. *Lecithocera pachyntis* Meyrick,1894** (Lecithoceridae) Synonym(s): *pachyntis* Meyrick,1894
Range (in code): **MM Kni**
- 52190. *Lecithocera pakiaensis* Park,2009** (Lecithoceridae) Synonym(s): *pakiaensis* Park,2009
Range (in code): **TH**
- 52191. *Lecithocera paraulias* Gozmany,1978** (Lecithoceridae) Synonym(s): *paraulias* Gozmany,1978
Range (in code): **CN Tkg**
- 52192. *Lecithocera parenthesis* Gozmany,1973** (Lecithoceridae) Synonym(s): *parenthesis* Gozmany,1973
Range (in code): **NP**
- 52193. *Lecithocera pauperella* Rebel,1916** (Lecithoceridae) Synonym(s): *pauperella* Rebel,1916
Range (in code): **SD Kgl**
- 52194. *Lecithocera pelomorpha* Meyrick,1931** (Lecithoceridae) Synonym(s): *pelomorpha* Meyrick,1931
Range (in code): **CN Tkg Hun Sz Yu TH CMa VN TW**
- 52195. *Lecithocera peracantha* Gozmany,1978** (Lecithoceridae) Synonym(s): *peracantha* Gozmany,1978
Range (in code): **CN Tkg**

- 52196. *Lecithocera persica* Gozmany, 1978** (Lecithoceridae) Synonym(s): *persica* Gozmany, 1978
Range (in code): **IR Fa Sse Mia**
- 52197. *Lecithocera phaeoperla* Gozmany, 1978** (Lecithoceridae) Synonym(s): *phaeoperla* Gozmany, 1978
Range (in code): **IN Hp Sml**
- 52198. *Lecithocera poculata* Park & Wu, 2010** (Lecithoceridae) Synonym(s): *poculata* Park & Wu, 2010
Range (in code): **TH**
- 52199. *Lecithocera polioflava* Gozmany, 1978** (Lecithoceridae) Synonym(s): *polioflava* Gozmany, 1978
Range (in code): **CN Tkg**
- 52200. *Lecithocera praeses* Meyrick, 1919** (Lecithoceridae) Synonym(s): *praeses* Meyrick, 1919
Range (in code): **IN Up Bhi Hp Kma**
- 52201. *Lecithocera protolyca* Meyrick, 1938** (Lecithoceridae) Synonym(s): *protolyca* Meyrick, 1938
Range (in code): **CN Yu Lik**
- 52202. *Lecithocera raphidica* Gozmany, 1978** (Lecithoceridae) Synonym(s): *raphidica* Gozmany, 1978
Range (in code): **CN Kgs**
- 52203. *Lecithocera rotundata* Gozmany, 1978** (Lecithoceridae) Synonym(s): *rotundata* Gozmany, 1978
Range (in code): **CN Tkg**
- 52204. *Lecithocera rubigona* Park, 2006** (Lecithoceridae) Synonym(s): *rubigona* Park, 2006
Range (in code): **TH**
- 52205. *Lecithocera sigillata* Gozmany, 1978** (Lecithoceridae) Synonym(s): *sigillata* Gozmany, 1978
Range (in code): **CN Tkg**
- 52206. *Lecithocera similis* Park, 2006** (Lecithoceridae) Synonym(s): *similis* Park, 2006
Range (in code): **TH**
- 52207. *Lecithocera squalida* Gozmany, 1978** (Lecithoceridae) Synonym(s): *squalida* Gozmany, 1978
Range (in code): **TH CN Tkg**
- 52208. *Lecithocera structurata* Gozmany, 1978** (Lecithoceridae) Synonym(s): *structurata* Gozmany, 1978
Range (in code): **CN Tkg**
- 52209. *Lecithocera syntropha* Meyrick, 1918** (Lecithoceridae) Synonym(s): *syntropha* Meyrick, 1918
Range (in code): **PK Bl Qu AF Kab Pag Bkt**
- 52210. *Lecithocera syriella* Gozmany, 1978** (Lecithoceridae) Synonym(s): *syriella* Gozmany, 1978
Original Reference: *Lecithocera syriella* Gozmany, 1978, Microlepid. Palearct. 5: 92, figs. Holotype ♂: Syrien, "Shar-Devesy" (BMNH). Range (in code): **TR SY Hal IL Pa**
- 52211. *Lecithocera tricholoba* Gozmany, 1978** (Lecithoceridae) Synonym(s): *tricholoba* Gozmany, 1978
Range (in code): **CN Tkg**
- 52212. *Lecithocera tumidosa* Park & Wu, 2010** (Lecithoceridae) Synonym(s): *tumidosa* Park & Wu, 2010
Range (in code): **TH**
- 52213. *Lecithocera turcica* Gozmany & Mey, 2005** (Lecithoceridae) Synonym(s): *turcica* Gozmany & Mey, 2005
Original Reference: *Lecithocera turcica* Gozmany & Mey, 2005, Ent. Nachr. Ber. 49 (2): 127. Holotype ♂: Turkey, "Eibes" (ZMHU). Range (in code): **TR**
- 52214. *Lecithocera tylobathra* Meyrick, 1931** (Lecithoceridae) Synonym(s): *tylobathra* Meyrick, 1931
Range (in code): **CN Sz**
- 52215. *Lecithocera vartiani* Gozmany, 1978** (Lecithoceridae) Synonym(s): *vartiani* Gozmany, 1978
Range (in code): **SY Dms**
- 52216. *Lecithocera yoshiyasui* Park, 2006** (Lecithoceridae) Synonym(s): *yoshiyasui* Park, 2006
Range (in code): **TH**
- 52217. *Lecitholaxa adonia* Wu, 2002** (Lecithoceridae) Synonym(s): *adonia* Wu, 2002
Range (in code): **CN**
- 52218. *Lecitholaxa kumatai* Gozmany, 1978** (Lecithoceridae) Synonym(s): *kumatai* Gozmany, 1978
Range (in code): **NP**
- 52219. *Lecitholaxa thiodora* (Meyrick, 1914)** (Lecithoceridae) Synonym(s): *thiodora* Meyrick, 1914; *leucoceros* Meyrick, 1932
Range (in code): **TW JP Kyu CN Tkg Hun Kwa IN KP KR**
- 52220. *Lecitholaxa zopheropis* (Meyrick, 1931)** (Lecithoceridae) Synonym(s): *zopheropis* Meyrick, 1931
Range (in code): **IN SI**
- 52221. *Monerista hippastis* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *hippastis* Meyrick, 1908
Range (in code): **IN Ass Meg Khs**
- 52222. *Neocorodes amnesta* Meyrick, 1923** (Lecithoceridae) Synonym(s): *amnesta* Meyrick, 1923
Original Reference: *Neocorodes amnesta* Meyrick, 1923, Exot. Microlepid. 3: 36. Holotype ♂: Cyprus: Platres 1600m, leg. K. Hayward, 9.1921 (BMNH). Range (in code): **CY**

- 52223. *Nephelographa panni* Gozmany,1978** (Lecithoceridae) Synonym(s): *panni* Gozmany,1978 _ Range (in code): AF Nu Bkt
- 52224. *Nosphistica acriella* Park,2002** (Lecithoceridae) Synonym(s): *acriella* Park,2002 _ Range (in code): TH Nna Kao
- 52225. *Nosphistica bisinuata* Park,2002** (Lecithoceridae) Synonym(s): *bisinuata* Park,2002 _ Range (in code): TW
- 52226. *Nosphistica effrenata* (Meyrick,1918)** (Lecithoceridae) Synonym(s): *effrenata* Meyrick,1918 _ Range (in code): IN Knr
- 52227. *Nosphistica erratica* Meyrick,1911** (Lecithoceridae) Synonym(s): *erratica* Meyrick,1911 _ Range (in code): LK
- 52228. *Nosphistica fenestrata* (Gozmany,1978)** (Lecithoceridae) Synonym(s): *fenestrata* Gozmany,1978 _ Range (in code): CN Fkn TW
- 52229. *Nosphistica fuscolepis* Park,2002** (Lecithoceridae) Synonym(s): *fuscolepis* Park,2002 _ Range (in code): TW
- 52230. *Nosphistica metalynchna* (Meyrick,1935)** (Lecithoceridae) Synonym(s): *metalynchna* Meyrick,1935 _ Range (in code): CN
- 52231. *Nosphistica orientana* Park,2005** (Lecithoceridae) Synonym(s): *orientana* Park,2005 _ Range (in code): CN Kwa
- 52232. *Nosphistica owadai* Park,2005** (Lecithoceridae) Synonym(s): *owadai* Park,2005 _ Range (in code): VN Ton
- 52233. *Nosphistica paramecola* (Wu,1996)** (Lecithoceridae) Synonym(s): *paramecola* Wu,1996 _ Range (in code): CN Hn
- 52234. *Nosphistica tarokoensis* Park,2002** (Lecithoceridae) Synonym(s): *tarokoensis* Park,2002 _ Range (in code): TW
- 52235. *Nosphistica undulata* Park,2002** (Lecithoceridae) Synonym(s): *undulata* Park,2002 _ Range (in code): TH Loe
- 52236. *Nyctocyrra fraudatrix* Gozmany,1978** (Lecithoceridae) Synonym(s): *fraudatrix* Gozmany,1978 _ Range (in code): IL Hf Pa
- 52237. *Odites* (Gozmaniola) *kollarella* (Costa,[1836])** (Lecithoceridae) Synonym(s): *kollarella* Costa,[1836] _ Range (in code): PT ES FR Co IT HU GR TR Cc CY LB TM
- 52238. *Odites* (Oditoides) *continua* Meyrick,1925** (Lecithoceridae) Synonym(s): *continua* Meyrick,1925 _ Range (in code): CN Hun Tkg
- 52239. *Odites* (Oditoides) *hermatica* Meyrick,1915** (Lecithoceridae) Synonym(s): *hermatica* Meyrick,1915 _ Range (in code): KM
- 52240. *Odites* (Oditoides) *isocentra* (Meyrick,1906)** (Lecithoceridae) Synonym(s): *isocentra* Meyrick,1906 _ Range (in code): LK
- 52241. *Odites* (Oditoides) *ternatella* (Staudinger,1859)** (Lecithoceridae) Synonym(s): *ternatella* Staudinger,1859 _ Range (in code): PT ES Si CY
- 52242. *Odites* (Oditoides) *ussuriella* (Caradja,1920)** (Lecithoceridae) Synonym(s): *ussuriella* Caradja,1920; *notocapna* Meyrick,1925 _ Range (in code): CN RU Us
- 52243. *Odites* (s.str.) *actuosa* Meyrick,1914** (Lecithoceridae) Synonym(s): *actuosa* Meyrick,1914 _ Range (in code): LK
- 52244. *Odites* (s.str.) *agraula* Meyrick,1908** (Lecithoceridae) Synonym(s): *agraula* Meyrick,1908 _ Range (in code): IN Tn Pln
- 52245. *Odites* (s.str.) *albidella* Snellen,1901** (Lecithoceridae) Synonym(s): *albidella* Snellen,1901 _ Range (in code): TH MY ID Ja BN Sbh Bor
- 52246. *Odites* (s.str.) *analogica* Meyrick,1917** (Lecithoceridae) Synonym(s): *analogica* Meyrick,1917 _ Range (in code): KM
- 52247. *Odites* (s.str.) *anisocarpa* Meyrick,1930** (Lecithoceridae) Synonym(s): *anisocarpa* Meyrick,1930 _ Range (in code): MG
- 52248. *Odites* (s.str.) *apicalis* Diakonoff,[1968]** (Lecithoceridae) Synonym(s): *apicalis* Diakonoff,[1968] _ Range (in code): PH Luz
- 52249. *Odites* (s.str.) *aspasta* Meyrick,1908** (Lecithoceridae) Synonym(s): *aspasta* Meyrick,1908 _ Range (in code): IN Ass Meg Khs
- 52250. *Odites* (s.str.) *assidua* Meyrick,1914** (Lecithoceridae) Synonym(s): *assidua* Meyrick,1914 _ Range (in code): ZA Nta Kzu Srn

- 52251. *Odites* (s.str.) *atmopa* Meyrick,1914** (Lecithoceridae) Synonym(s): *atmopa* Meyrick,1914
Range (in code): **LK**
- 52252. *Odites* (s.str.) *atonopa* Meyrick,1918** (Lecithoceridae) Synonym(s): *atonopa* Meyrick,1918
Range (in code): **PK Abb Pj**
- 52253. *Odites* (s.str.) *balanospila* Meyrick,1930** (Lecithoceridae) Synonym(s): *balanospila* Meyrick,1930; *haplogramma* Meyrick,1930
Range (in code): **SL CM**
- 52254. *Odites* (s.str.) *balsamias* Meyrick,1911** (Lecithoceridae) Synonym(s): *balsamias* Meyrick,1911
Range (in code): **ZA Mdt Tva Lpo**
- 52255. *Odites* (s.str.) *brachyclista* Meyrick,1928** (Lecithoceridae) Synonym(s): *brachyclista* Meyrick,1928
Range (in code): **PH Luz**
- 52256. *Odites* (s.str.) *cataxantha* Meyrick,1915** (Lecithoceridae) Synonym(s): *cataxantha* Meyrick,1915
Range (in code): **MG**
- 52257. *Odites* (s.str.) *centrias* (Meyrick,1894)** (Lecithoceridae) Synonym(s): *centrias* Meyrick,1894
Range (in code): **MM Kni**
- 52258. *Odites* (s.str.) *choricopa* Meyrick,1931** (Lecithoceridae) Synonym(s): *choricopa* Meyrick,1931
Range (in code): **CN**
- 52259. *Odites* (s.str.) *circiformis* Meyrick,1930** (Lecithoceridae) Synonym(s): *circiformis* Meyrick,1930
Range (in code): **CM**
- 52260. *Odites* (s.str.) *citrantha* Meyrick,1908** (Lecithoceridae) Synonym(s): *citrantha* Meyrick,1908
Range (in code): **ZA Nta Kzu Dbn**
- 52261. *Odites* (s.str.) *consecrata* Meyrick,1917** (Lecithoceridae) Synonym(s): *consecrata* Meyrick,1917
Range (in code): **MG**
- 52262. *Odites* (s.str.) *consignata* Meyrick,1921** (Lecithoceridae) Synonym(s): *consignata* Meyrick,1921
Range (in code): **ZA Nta Kzu Kkf**
- 52263. *Odites* (s.str.) *crocota* Meyrick,1912** (Lecithoceridae) Synonym(s): *crocota* Meyrick,1912
Range (in code): **ZA**
- 52264. *Odites* (s.str.) *crossophanta* Meyrick,1930** (Lecithoceridae) Synonym(s): *crossophanta* Meyrick,1930
Range (in code): **CM**
- 52265. *Odites* (s.str.) *cuculans* Meyrick,1918** (Lecithoceridae) Synonym(s): *cuculans* Meyrick,1918
Range (in code): **MZ Blv**
- 52266. *Odites* (s.str.) *dilutella* (Walsingham,1881)** (Lecithoceridae) Synonym(s): *dilutella* Walsingham,1881
Range (in code): **ZA**
- 52267. *Odites* (s.str.) *dioptra* Meyrick,1917** (Lecithoceridae) Synonym(s): *dioptra* Meyrick,1917
Range (in code): **ZR**
- 52268. *Odites* (s.str.) *emensa* Meyrick,1921** (Lecithoceridae) Synonym(s): *emensa* Meyrick,1921
Range (in code): **ZA Wca**
- 52269. *Odites* (s.str.) *encarsia* Meyrick,1908** (Lecithoceridae) Synonym(s): *encarsia* Meyrick,1908
Range (in code): **LK**
- 52270. *Odites* (s.str.) *eriopa* Meyrick,1908** (Lecithoceridae) Synonym(s): *eriopa* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 52271. *Odites* (s.str.) *euphema* Meyrick,1914** (Lecithoceridae) Synonym(s): *euphema* Meyrick,1914
Range (in code): **IN Knr**
- 52272. *Odites* (s.str.) *exterrita* Meyrick,1937** (Lecithoceridae) Synonym(s): *exterrita* Meyrick,1937
Range (in code): **ZA**
- 52273. *Odites* (s.str.) *fessa* Meyrick,1921** (Lecithoceridae) Synonym(s): *fessa* Meyrick,1921
Range (in code): **ZA Nta Kzu Umk**
- 52274. *Odites* (s.str.) *furfurosa* (Meyrick,1906)** (Lecithoceridae) Synonym(s): *furfurosa* Meyrick,1906
Range (in code): **LK**
- 52275. *Odites* (s.str.) *glaphyra* Meyrick,1908** (Lecithoceridae) Synonym(s): *glaphyra* Meyrick,1908
Range (in code): **SI IN**
- 52276. *Odites* (s.str.) *gomphias* Meyrick,1908** (Lecithoceridae) Synonym(s): *gomphias* Meyrick,1908
Range (in code): **LK**
- 52277. *Odites* (s.str.) *haplonoma* Meyrick,1915** (Lecithoceridae) Synonym(s): *haplonoma* Meyrick,1915
Range (in code): **MG**
- 52278. *Odites* (s.str.) *hemipercna* Meyrick,1914** (Lecithoceridae) Synonym(s): *hemipercna* Meyrick,1914
Range (in code): **ZA**

- 52279. Odites (s.str.) heptasticta Meyrick,1914** (Lecithoceridae) Synonym(s): *heptasticta Meyrick,1914* - Range (in code): MW
- 52280. Odites (s.str.) holocitra Meyrick,1925** (Lecithoceridae) Synonym(s): *holocitra Meyrick,1925* - Range (in code): CM Bit
- 52281. Odites (s.str.) holotorna Meyrick,1925** (Lecithoceridae) Synonym(s): *holotorna Meyrick,1925* - Range (in code): CM Bit
- 52282. Odites (s.str.) homocirrha Diakonoff,[1968]** (Lecithoceridae) Synonym(s): *homocirrha Diakonoff,[1968]* - Range (in code): PH Luz
- 52283. Odites (s.str.) incallida Meyrick,1915** (Lecithoceridae) Synonym(s): *incallida Meyrick,1915* - Range (in code): IN
- 52284. Odites (s.str.) incolumis Meyrick,1918** (Lecithoceridae) Synonym(s): *incolumis Meyrick,1918* - Range (in code): MZ Blv
- 52285. Odites (s.str.) incusata Meyrick,1921** (Lecithoceridae) Synonym(s): *incusata Meyrick,1921* - Range (in code): ZW Uma
- 52286. Odites (s.str.) insons Meyrick,1912** (Lecithoceridae) Synonym(s): *insons Meyrick,1912* - Range (in code): ZA
- 52287. Odites (s.str.) inversa Meyrick,1914** (Lecithoceridae) Synonym(s): *inversa Meyrick,1914* - Range (in code): ZA
- 52288. Odites (s.str.) issikii (Takahashi,1930)** (Lecithoceridae) Synonym(s): *issikii Takahashi,1930; perissopsis Meyrick,1936.* - Range (in code):
- 52289. Odites (s.str.) laconica Meyrick,1927** (Lecithoceridae) Synonym(s): *laconica Meyrick,1927* - Range (in code): ZA
- 52290. Odites (s.str.) leucostola (Meyrick,1921)** (Lecithoceridae) Synonym(s): *leucostola Meyrick,1921* - Original Reference: Protobathra leucostola Meyrick,1921, Exot. Microlepid. 2: 436. Type: Japan. Range (in code): JP
- 52291. Odites (s.str.) lividula Meyrick,1932** (Lecithoceridae) Synonym(s): *lividula Meyrick,1932* - Range (in code): JP
- 52292. Odites (s.str.) malivora Meyrick,1930** (Lecithoceridae) Synonym(s): *malivora Meyrick,1930* - Range (in code): CN Mc
- 52293. Odites (s.str.) matura Meyrick,1914** (Lecithoceridae) Synonym(s): *matura Meyrick,1914* - Range (in code): MW
- 52294. Odites (s.str.) meloxantha Meyrick,1927** (Lecithoceridae) Synonym(s): *meloxantha Meyrick,1927* - Range (in code): ZA
- 52295. Odites (s.str.) metaclista Meyrick,1915** (Lecithoceridae) Synonym(s): *metaclista Meyrick,1915* - Range (in code): ZA
- 52296. Odites (s.str.) metaphracta Meyrick,1909** (Lecithoceridae) Synonym(s): *metaphracta Meyrick,1909* - Range (in code): ZA
- 52297. Odites (s.str.) metascia Meyrick,1937** (Lecithoceridae) Synonym(s): *metascia Meyrick,1937* - Range (in code): ZA
- 52298. Odites (s.str.) natalensis Walsingham,1891** (Lecithoceridae) Synonym(s): *natalensis Walsingham,1891* - Range (in code): ZA Nta Kzu Wo Tva Lpo MZ ZW
- 52299. Odites (s.str.) navigatrix (Meyrick,1912)** (Lecithoceridae) Synonym(s): *navigatrix Meyrick,1912* - Range (in code): CO
- 52300. Odites (s.str.) nubeculosa Meyrick,1918** (Lecithoceridae) Synonym(s): *nubeculosa Meyrick,1918* - Range (in code): ZA Nta Kzu Dbn
- 52301. Odites (s.str.) obumbrata Meyrick,1925** (Lecithoceridae) Synonym(s): *obumbrata Meyrick,1925* - Range (in code): ZA
- 52302. Odites (s.str.) obvia Meyrick,1914** (Lecithoceridae) Synonym(s): *obvia Meyrick,1914* - Range (in code): ZA
- 52303. Odites (s.str.) oligectis Meyrick,1917** (Lecithoceridae) Synonym(s): *oligectis Meyrick,1917* - Range (in code): IN
- 52304. Odites (s.str.) orthometra Meyrick,1908** (Lecithoceridae) Synonym(s): *orthometra Meyrick,1908* - Range (in code): LK
- 52305. Odites (s.str.) pancyclia Meyrick,1928** (Lecithoceridae) Synonym(s): *pancyclia Meyrick,1928* - Range (in code): PH Luz
- 52306. Odites (s.str.) paracyrta (Meyrick,1905)** (Lecithoceridae) Synonym(s): *paracyrta Meyrick,1905* - Range (in code): LK

- 52307. Odites (s.str.) pelochrosta Meyrick,1933** (Lecithoceridae) Synonym(s): *pelochrosta Meyrick,1933*; *microbolista Meyrick,1937* _ Range (in code): SL UG
- 52308. Odites (s.str.) periscias Meyrick,1928** (Lecithoceridae) Synonym(s): *periscias Meyrick,1928* _ Range (in code): PH Luz
- 52309. Odites (s.str.) perissa Diakonoff,[1968]** (Lecithoceridae) Synonym(s): *perissa Diakonoff,[1968]*; *#atrimersa Diakonoff,[1968]* _ Range (in code): PH Luz
- 52310. Odites (s.str.) perissopis Meyrick,1936** (Lecithoceridae) Synonym(s): *perissopis Meyrick,1936* _ Range (in code): JP
- 52311. Odites (s.str.) plocamopa Meyrick,1935** (Lecithoceridae) Synonym(s): *plocamopa Meyrick,1935* _ Range (in code): CN Hun Tkg
- 52312. Odites (s.str.) practoria Meyrick,1908** (Lecithoceridae) Synonym(s): *practoria Meyrick,1908* _ Range (in code): IN Ass Meg Khs
- 52313. Odites (s.str.) pragmatias Meyrick,1914** (Lecithoceridae) Synonym(s): *pragmatias Meyrick,1914* _ Range (in code): IN NI
- 52314. Odites (s.str.) procellosa Meyrick,1908** (Lecithoceridae) Synonym(s): *procellosa Meyrick,1908* _ Range (in code): NG
- 52315. Odites (s.str.) prosedra Meyrick,1915** (Lecithoceridae) Synonym(s): *prosedra Meyrick,1915* _ Range (in code): NG
- 52316. Odites (s.str.) repetita Meyrick,1932** (Lecithoceridae) Synonym(s): *repetita Meyrick,1932* _ Range (in code): UG
- 52317. Odites (s.str.) ricinella (Stainton,1859)** (Lecithoceridae) Synonym(s): *ricinella Stainton,1859* _ Original Reference: Depressaria ? ricinella Stainton,1859, Trans. ent. Soc. London (N.S.) 5: 116. Range (in code): IN CN MY TH
- 52318. Odites (s.str.) semisepta Meyrick,1930** (Lecithoceridae) Synonym(s): *semisepta Meyrick,1930* _ Range (in code): CM
- 52319. Odites (s.str.) siccinervis Meyrick,1930** (Lecithoceridae) Synonym(s): *siccinervis Meyrick,1930* _ Range (in code): UG
- 52320. Odites (s.str.) sphenidias Meyrick,1914** (Lecithoceridae) Synonym(s): *sphenidias Meyrick,1914* _ Range (in code): IN Ass Meg Khs
- 52321. Odites (s.str.) sucinea Meyrick,1915** (Lecithoceridae) Synonym(s): *sucinea Meyrick,1915* _ Range (in code): ZA Nta Kzu Ptw
- 52322. Odites (s.str.) superscripta Meyrick,1926** (Lecithoceridae) Synonym(s): *superscripta Meyrick,1926* _ Range (in code): ZA
- 52323. Odites (s.str.) typota Meyrick,1915** (Lecithoceridae) Synonym(s): *typota Meyrick,1915* _ Range (in code): MG
- 52324. Odites (s.str.) velipotens Meyrick,1935** (Lecithoceridae) Synonym(s): *velipotens Meyrick,1935* _ Range (in code): CN Sz
- 52325. Odites (s.str.) xenophaea Meyrick,1931** (Lecithoceridae) Synonym(s): *xenophaea Meyrick,1931* _ Range (in code): CN
- 52326. Oditinae Lvovsky,1996** (Lecithoceridae) Synonym(s): *Oditinae Lvovsky,1996* _ Range (in code):
- 52327. Opacoptera callirhabda (Meyrick,1936)** (Lecithoceridae) Synonym(s): *callirhabda Meyrick,1936* _ Original Reference: Lecithocera callirhabda Meyrick,1936, Dt. ent. Z., Iris 50: 158. Lectotype ♂: China: Yunnan, Likiang, leg. Höne 1934, designated by Gozmany,1978 (BMNH). Range (in code): CN Yu Lik
- 52328. Pectinimura batubatuensis Park & Byun,2008** (Lecithoceridae) Synonym(s): *batubatuensis Park & Byun,2008* _ Range (in code): PH Taw
- 52329. Pectinimura crassipalpis Park & Byun,2008** (Lecithoceridae) Synonym(s): *crassipalpis Park & Byun,2008* _ Range (in code): TH Loe
- 52330. Pectinimura crinalis Park & Byun,2008** (Lecithoceridae) Synonym(s): *crinalis Park & Byun,2008* _ Range (in code): PH Pal
- 52331. Pectinimura montatilis Park & Byun,2008** (Lecithoceridae) Synonym(s): *montatilis Park & Byun,2008* _ Range (in code): PH Pal
- 52332. Philharmonia euryisia Wu,2000** (Lecithoceridae) Synonym(s): *euryisia Wu,2000* _ Range (in code): MY
- 52333. Philharmonia filiale Gozmany,2002** (Lecithoceridae) Synonym(s): *filiale Gozmany,2002* _ Range (in code): IN Rj

- 52334. Philharmonia paratona Gozmany,1978** (Lecithoceridae) Synonym(s): *paratona*
Gozmany,1978 _ Range (in code): CN Yu Lik
- 52335. Philoptila fenestrata Gozmany,1978** (Lecithoceridae) Synonym(s): *fenestrata*
Gozmany,1978 _ Range (in code): CN Fkn
- 52336. Philoptila metalychna Meyrick,1935** (Lecithoceridae) Synonym(s): *metalychna*
Meyrick,1935 _ Range (in code): CN Kgs
- 52337. Plagiocrossa picrodora (Meyrick,1913)** (Lecithoceridae) Synonym(s): *picrodora*
Meyrick,1913 _ Range (in code): ZA Tva Mpu Tst Brb Nta Kzu Esw Stj Ec
- 52338. Pompographa psilosopha (Meyrick,1911)** (Lecithoceridae) Synonym(s): *psilosopha*
Meyrick,1911 _ Range (in code): IN Ass Meg Khs
- 52339. Procharista ranongensis Park & Wu,2009** (Lecithoceridae) Synonym(s): *ranongensis*
Park & Wu,2009 _ Range (in code): TH Rng
- 52340. Procharista sardonias Meyrick,1922** (Lecithoceridae) Synonym(s): *sardonias*
Meyrick,1922 _ Range (in code): ID Ja
- 52341. Procharista spectabilosa Park & Wu,2009** (Lecithoceridae) Synonym(s): *spectabilosa*
Park & Wu,2009 _ Range (in code): TH Rng
- 52342. Procometis mistharna (Meyrick,1908)** (Lecithoceridae) Synonym(s): *mistharna*
Meyrick,1908 _ Range (in code): LK
- 52343. Procometis sphendonistis (Meyrick,1908)** (Lecithoceridae) Synonym(s): *sphendonistis*
Meyrick,1908 _ Range (in code):
- 52344. Procometis spoliatrix (Meyrick,1916)** (Lecithoceridae) Synonym(s): *spoliatrix*
Meyrick,1916 _ Range (in code): IN
- 52345. Procometis trochala Meyrick,1908** (Lecithoceridae) Synonym(s): *trochala* Meyrick,1908
Range (in code): IN Ben Pus
- 52346. Prothamnoides platycycla Meyrick,1923** (Lecithoceridae) Synonym(s): *platycycla*
Meyrick,1923 _ Range (in code): MM Tto
- 52347. Protolychnis maculata (Walsingham,1881)** (Lecithoceridae) Synonym(s): *maculata*
Walsingham,1881 _ Range (in code): ZA Nta Kzu Abc GM ZW Vf Tva Lpo
- 52348. Ptochoryctis acrosticta Meyrick,1906** (Lecithoceridae) Synonym(s): *acrosticta*
Meyrick,1906 _ Range (in code): LK
- 52349. Ptochoryctis alma (Meyrick,1908)** (Lecithoceridae) Synonym(s): *alma* Meyrick,1908
Range (in code): LK
- 52350. Ptochoryctis anguillaris Meyrick,1914** (Lecithoceridae) Synonym(s): *anguillaris*
Meyrick,1914 _ Range (in code): LK
- 52351. Ptochoryctis eremopa Meyrick,1894** (Lecithoceridae) Synonym(s): *eremopa*
Meyrick,1894 _ Range (in code): MM Kni
- 52352. Ptochoryctis galbana (Meyrick,1914)** (Lecithoceridae) Synonym(s): *galbana*
Meyrick,1914 _ Range (in code): LK
- 52353. Ptochoryctis ochrograpta (Meyrick,1923)** (Lecithoceridae) Synonym(s): *ochrograpta*
Meyrick,1923 _ Range (in code): MM Kaw
- 52354. Ptochoryctis scionota Meyrick,1906** (Lecithoceridae) Synonym(s): *scionota* Meyrick,1906
Range (in code): LK
- 52355. Ptochoryctis simbleuta Meyrick,1907** (Lecithoceridae) Synonym(s): *simbleuta*
Meyrick,1907 _ Range (in code): IN Ass Gzp
- 52356. Quassitagma comparata Gozmany,1978** (Lecithoceridae) Synonym(s): *comparata*
Gozmany,1978 _ Range (in code): CN Sz
- 52357. Quassitagma duplicata Gozmany,1978** (Lecithoceridae) Synonym(s): *duplicata*
Gozmany,1978 _ Range (in code): CN Tkg
- 52358. Recontracta frasilina Gozmany,1978** (Lecithoceridae) Synonym(s): *frasilina*
Gozmany,1978 _ Range (in code): CN Sz
- 52359. Rhizosthenes falciformis Meyrick,1935** (Lecithoceridae) Synonym(s): *falciformis*
Meyrick,1935 _ Range (in code): CN Tkg Hun
- 52360. Sarisophora agorastis Meyrick,1931** (Lecithoceridae) Synonym(s): *agorastis*
Meyrick,1931 _ Range (in code): IN SI
- 52361. Sarisophora brachymita (Turner,1919)** (Lecithoceridae) Synonym(s): *brachymita*
Turner,1919 _ Range (in code): AU QAu

- 52362. *Sarisophora chlaenota* Meyrick, 1904** (Lecithoceridae) Synonym(s): *chlaenota* Meyrick, 1904 _ Range (in code): AU NSW QAU
- 52363. *Sarisophora cyclonitis* (Meyrick, 1904)** (Lecithoceridae) Synonym(s): *cyclonitis* Meyrick, 1904 _ Range (in code): AU QAU
- 52364. *Scythropiodes aspasta* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *aspasta* Meyrick, 1908 _ Range (in code):
- 52365. *Scythropiodes atonopa* (Meyrick, 1918)** (Lecithoceridae) Synonym(s): *atonopa* Meyrick, 1918 _ Range (in code): TH Nst Cna Ptn Smu Pbu Bionomy: Larva on leaf of *Citrus reticulata* [tangerine], *Citrus maxima* (Rutaceae) [pomelo], *Nephelium lappaceum* (Sapindaceae) [rambutan], *Litchi chinensis* (Sapindaceae) [litchi], *Eugenia* (Myrtaceae) [rose apple] (Lewvanich, 2001).
- 52366. *Scythropiodes choricopa* (Meyrick, 1931)** (Lecithoceridae) Synonym(s): *choricopa* Meyrick, 1931 _ Range (in code):
- 52367. *Scythropiodes citrantha* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *citrantha* Meyrick, 1908 _ Range (in code):
- 52368. *Scythropiodes glaphyra* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *glaphyra* Meyrick, 1908 _ Range (in code):
- 52369. *Scythropiodes heptastica* (Meyrick, 1914)** (Lecithoceridae) Synonym(s): *heptastica* Meyrick, 1914 _ Range (in code):
- 52370. *Scythropiodes issikii* (Takahashi, 1930)** (Lecithoceridae) Synonym(s): *issikii* Takahashi, 1930; *perissopsis* Meyrick, 1936 _ Range (in code):
- 52371. *Scythropiodes pancyclia* (Meyrick, 1928)** (Lecithoceridae) Synonym(s): *pancyclia* Meyrick, 1928 _ Range (in code):
- 52372. *Scythropiodes paracyrta* (Meyrick, 1905)** (Lecithoceridae) Synonym(s): *paracyrta* Meyrick, 1905 _ Range (in code):
- 52373. *Scythropiodes plocamora* (Meyrick, 1935)** (Lecithoceridae) Synonym(s): *plocamora* Meyrick, 1935 _ Range (in code):
- 52374. *Scythropiodes practoria* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *practoria* Meyrick, 1908 _ Range (in code):
- 52375. *Scythropiodes procellosa* (Meyrick, 1908)** (Lecithoceridae) Synonym(s): *procellosa* Meyrick, 1908 _ Range (in code):
- 52376. *Scythropiodes ussuriella* Lvovsky, 1996** (Lecithoceridae) Synonym(s): *ussuriella* Lvovsky, 1996 _ Range (in code): RU Us
- 52377. *Scythropiodes velipotens* (Meyrick, 1935)** (Lecithoceridae) Synonym(s): *velipotens* Meyrick, 1935 _ Range (in code):
- 52378. *Scythropiodes venusta* (Moriuti, 1977)** (Lecithoceridae) Synonym(s): *venusta* Moriuti, 1977 _ Range (in code):
- 52379. *Scythropiodes xenophaea* (Meyrick, 1931)** (Lecithoceridae) Synonym(s): *xenophaea* Meyrick, 1931 _ Range (in code):
- 52380. *Siderostigma symbolica* Gozmany, 1973** (Lecithoceridae) Synonym(s): *symbolica* Gozmany, 1973 _ Range (in code): NP
- 52381. *Siderostigma triatoma* Gozmany, 1978** (Lecithoceridae) Synonym(s): *triatoma* Gozmany, 1978 _ Range (in code): NP
- 52382. *Spatulignatha hemichrysa* (Meyrick, 1910)** (Lecithoceridae) Synonym(s): *hemichrysa* Meyrick, 1910 Original Reference: *Lecithocera hemichrysa* Meyrick, 1910, J. Bombay nat. Hist. Soc. 20: 447. Lectotype ♂: India: Assam: Khasi Hills, designated by Clarke, 1965 (BMNH). Range (in code): IN Ass Meg Khs CN Sz Kgs Tkg TH
- 52383. *Spatulignatha idiogena* Wu, 1994** (Lecithoceridae) Synonym(s): *idiogena* Wu, 1994 Range (in code): CN Fkn Sz TW
- 52384. *Spatulignatha olaxana* Wu, 1994** (Lecithoceridae) Synonym(s): *olaxana* Wu, 1994 Range (in code): TW CN Fkn
- 52385. *Sphaerolbia chrematistis* Meyrick, 1934** (Lecithoceridae) Synonym(s): *chrematistis* Meyrick, 1934 _ Range (in code): IN Ass Meg Khs
- 52386. *Stryphnocolpa trinotata* Meyrick, 1920** (Lecithoceridae) Synonym(s): *trinotata* Meyrick, 1920 _ Range (in code): IN Ass Meg Khs
- 52387. *Synchalara agrolaca* (Meyrick, 1907)** (Lecithoceridae) Synonym(s): *agrolaca* Meyrick, 1907 _ Range (in code): LK

- 52388. *Synchalara byrsina* (Meyrick,1907)** (Lecithoceridae) Synonym(s): *byrsina* Meyrick,1907
Range (in code): **IN Ass Meg Khs**
- 52389. *Synchalara minax* (Meyrick,1907)** (Lecithoceridae) Synonym(s): *minax* Meyrick,1907
Range (in code): **IN Ass Meg Khs**
- 52390. *Synchalara rhombota* (Meyrick,1907)** (Lecithoceridae) Synonym(s): *rhombota* Meyrick,1907
Range (in code): **IN Ass Meg Khs**
- 52391. *Synersaga kuni* Park,2007** (Lecithoceridae) Synonym(s): *kuni* Park,2007
Range (in code): **VN**
- 52392. *Synersaga nigriptera* Park,2007** (Lecithoceridae) Synonym(s): *nigriptera* Park,2007
Range (in code): **VN**
- 52393. *Synersaga pseudochathara* Diakonoff,1978** (Lecithoceridae) Synonym(s): *pseudochathara* Diakonoff,1978
Range (in code): **MM**
- 52394. *Synesarga bleszynskii* (Gozmany,1978)** (Lecithoceridae) Synonym(s): *bleszynskii* Gozmany,1978
Range (in code): **CN TW**
- 52395. *Synesarga caradjai* Gozmany,1978** (Lecithoceridae) Synonym(s): *caradjai* Gozmany,1978
Range (in code): **TW**
- 52396. *Synesarga pseudocathara* (Diakonoff,1952)** (Lecithoceridae) Synonym(s): *pseudocathara* Diakonoff,1952
Original Reference: *Lecithocera pseudocathara* Diakonoff,1952, Ark. Zool. 3: 76, fig.13. Holotype ♂: [Myanmar]: Burma: Kambaiti 7000ft, R.Malaise leg. (NRS).
Range (in code): **MM Kch Kam**
- 52397. *Tegenocharis tenebrans* Gozmany,1973** (Lecithoceridae) Synonym(s): *tenebrans* Gozmany,1973
Range (in code): **NP**
- 52398. *Thamnopalpa argomitra* (Meyrick,1925)** (Lecithoceridae) Synonym(s): *argomitra* Meyrick,1925
Range (in code): **ID Sum CN Tkg Kgs**
- 52399. *Thubana abbreviata* Park,2003** (Lecithoceridae) Synonym(s): *abbreviata* Park,2003
Range (in code): **TH Nna CMa Dst Cbi**
- 52400. *Thubana albinulla* Wu,1994** (Lecithoceridae) Synonym(s): *albinulla* Wu,1994
Range (in code): **CN Sz**
- 52401. *Thubana albiprata* Wu,1994** (Lecithoceridae) Synonym(s): *albiprata* Wu,1994
Range (in code): **CN Sz**
- 52402. *Thubana albisignis* (Meyrick,1914)** (Lecithoceridae) Synonym(s): *albisignis* Meyrick,1914
Range (in code): **TW**
- 52403. *Thubana amphisticta* (Meyrick,1914)** (Lecithoceridae) Synonym(s): *amphisticta* Meyrick,1914
Range (in code): **MZ**
- 52404. *Thubana bathrocera* Wu,1997** (Lecithoceridae) Synonym(s): *bathrocera* Wu,1997
Range (in code): **CN Hun**
- 52405. *Thubana batillua* Park,2003** (Lecithoceridae) Synonym(s): *batillua* Park,2003
Range (in code): **TH Pgg**
- 52406. *Thubana binotella* (Walker,1864)** (Lecithoceridae) Synonym(s): *binotella* Walker,1864
Range (in code): **MY Bor Swk**
- 52407. *Thubana bisignatella* Walker,1864** (Lecithoceridae) Synonym(s): *bisignatella* Walker,1864; *lampronialis* Walker,1864
Range (in code): **MY Bor Swk**
- 52408. *Thubana bullulata* (Meyrick,1910)** (Lecithoceridae) Synonym(s): *bullulata* Meyrick,1910
Range (in code): **IN Ass Meg Khs**
- 52409. *Thubana caligaris* Park,2003** (Lecithoceridae) Synonym(s): *caligaris* Park,2003
Range (in code): **TH Pgg**
- 52410. *Thubana chanthaburiensis* Park,2003** (Lecithoceridae) Synonym(s): *chanthaburiensis* Park,2003
Range (in code): **TH Cbi Nna Loe**
- 52411. *Thubana cherandra* (Meyrick,1906)** (Lecithoceridae) Synonym(s): *cherandra* Meyrick,1906
Range (in code): **LK**
- 52412. *Thubana clavula* Park,2003** (Lecithoceridae) Synonym(s): *clavula* Park,2003
Range (in code): **TH Pgg**
- 52413. *Thubana costumaculella* (Snellen,1903)** (Lecithoceridae) Synonym(s): *costumaculella* Snellen,1903
Range (in code): **ID Ja**
- 52414. *Thubana davula* Park,2003** (Lecithoceridae) Synonym(s): *davula* Park,2003
Range (in code): **TH**

- 52415. *Thubana deltaspis* Meyrick, 1935** (Lecithoceridae) Synonym(s): *deltaspis* Meyrick, 1935
Range (in code): **CN Fkn TW**
- 52416. *Thubana dialeukos* Park, 2003** (Lecithoceridae) Synonym(s): *dialeukos* Park, 2003
Range (in code): **CN Yu TH CMa**
- 52417. *Thubana doisuthepana* Park, 2003** (Lecithoceridae) Synonym(s): *doisuthepana* Park, 2003
Range (in code): **TH CMa Dst**
- 52418. *Thubana exoema* (Meyrick, 1911)** (Lecithoceridae) Synonym(s): *exoema* Meyrick, 1911
Range (in code): **LK**
- 52419. *Thubana fangensis* Park, 2003** (Lecithoceridae) Synonym(s): *fangensis* Park, 2003
Range (in code): **TH Fn Chy Knc**
- 52420. *Thubana felinaurita* Li, 2010** (Lecithoceridae) Synonym(s): *felinaurita* Li, 2010 _ Range (in code): CN
- 52421. *Thubana helvilimbata* Park, 2003** (Lecithoceridae) Synonym(s): *helvilimbata* Park, 2003
Range (in code): **TH Cbi Nna Rng**
- 52422. *Thubana heylaertsi* (Snellen, 1903)** (Lecithoceridae) Synonym(s): *heylaertsi* Snellen, 1903
Range (in code): **ID Ja**
- 52423. *Thubana isocrypta* (Meyrick, 1911)** (Lecithoceridae) Synonym(s): *isocrypta* Meyrick, 1911
Range (in code): **LK**
- 52424. *Thubana kinabaluensis* Park & Sugisima, 2005** (Lecithoceridae) Synonym(s): *kinabaluensis* Park & Sugisima, 2005 _ Range (in code): MY Bor Sbh KBa
- 52425. *Thubana kubahensis* Park & Abang, 2005** (Lecithoceridae) Synonym(s): *kubahensis* Park & Abang, 2005 _ Range (in code): MY Bor Swk
- 52426. *Thubana kumatai* Park & Sugisima, 2005** (Lecithoceridae) Synonym(s): *kumatai* Park & Sugisima, 2005 _ Range (in code): MY Bor Sbh KBa
- 52427. *Thubana kurokoi* Park, 2003** (Lecithoceridae) Synonym(s): *kurokoi* Park, 2003 _ Range (in code): TH Nna
- 52428. *Thubana laxata* (Meyrick, 1911)** (Lecithoceridae) Synonym(s): *laxata* Meyrick, 1911
Range (in code): **IN Ass Meg Khs**
- 52429. *Thubana leucosphena* Meyrick, 1931** (Lecithoceridae) Synonym(s): *leucosphena* Meyrick, 1931; *microcera* Gozmany, 1978 _ Range (in code): CN Tkg Sz Hun TH Loe
- 52430. *Thubana nardinopa* Meyrick, 1918** (Lecithoceridae) Synonym(s): *nardinopa* Meyrick, 1918
Range (in code): **IN Co**
- 52431. *Thubana nodosa* (Meyrick, 1910)** (Lecithoceridae) Synonym(s): *nodosa* Meyrick, 1910
Range (in code): **MY**
- 52432. *Thubana ochracea* Park & Abang, 2005** (Lecithoceridae) Synonym(s): *ochracea* Park & Abang, 2005 _ Range (in code): MY Bor Swk
- 52433. *Thubana ochrodelta* Park, 2003** (Lecithoceridae) Synonym(s): *ochrodelta* Park, 2003
Range (in code): **TH Nna Cbi**
- 52434. *Thubana onyx* Gozmany, 1978** (Lecithoceridae) Synonym(s): *onyx* Gozmany, 1978
Range (in code): **NP Kdu**
- 52435. *Thubana prolata* Park & Abang, 2005** (Lecithoceridae) Synonym(s): *prolata* Park & Abang, 2005 _ Range (in code): MY Bor Swk
- 52436. *Thubana quadrata* Park & Abang, 2005** (Lecithoceridae) Synonym(s): *quadrata* Park & Abang, 2005 _ Range (in code): MY Bor Swk
- 52437. *Thubana reniforma* Wu, 2000** (Lecithoceridae) Synonym(s): *reniforma* Wu, 2000
Range (in code): **MY**
- 52438. *Thubana residua* (Meyrick, 1923)** (Lecithoceridae) Synonym(s): *residua* Meyrick, 1923
Range (in code): **IN Ass Meg Khs**
- 52439. *Thubana spinata* Park & Abang, 2005** (Lecithoceridae) Synonym(s): *spinata* Park & Abang, 2005 _ Range (in code): MY Bor Sbh Snk
- 52440. *Thubana stenosis* Park, 2003** (Lecithoceridae) Synonym(s): *stenosis* Park, 2003 _ Range (in code): TH Fn Nna
- 52441. *Thubana xanthoteles* (Meyrick, 1923)** (Lecithoceridae) Synonym(s): *xanthoteles* Meyrick, 1923; *melitopyga* Meyrick, 1923; *stenosis* Park, 2003 _ Range (in code): IN Ass Meg Khs CN Yu TH LK
- 52442. *Thubana xylogramma* Meyrick, 1922** (Lecithoceridae) Synonym(s): *xylogramma* Meyrick, 1922 _ Range (in code): ID Ja

- 52443. *Thymiatrix melitacma* Meyrick, 1907** (Lecithoceridae) **Synonym(s):** *melitacma* Meyrick, 1907 **Range (in code):** **IN Ass Meg Khs**
- 52444. *Timyra phycisella* Walker, 1864** (Lecithoceridae) **Synonym(s):** *phycisella* Walker, 1864 **Range (in code):**
- 52445. *Tisis amabilis* Park, 2003** (Lecithoceridae) **Synonym(s):** *amabilis* Park, 2003 **Range (in code):** **MY Bor Sbh**
- 52446. *Tisis argyrophaea* Meyrick, 1910** (Lecithoceridae) **Synonym(s):** *argyrophaea* Meyrick, 1910 **Original Reference:** *Tisis argyrophaea* Meyrick, 1910, Trans. ent. Soc. London 1910: 439. **Range (in code):** **MY Bor Swk**
- 52447. *Tisis asterias* Park, 2003** (Lecithoceridae) **Synonym(s):** *asterias* Park, 2003 **Range (in code):** **TH Rng**
- 52448. *Tisis aurantiella* Park, 2003** (Lecithoceridae) **Synonym(s):** *aurantiella* Park, 2003 **Range (in code):** **PH Pal**
- 52449. *Tisis bicolorella* Walker, 1864** (Lecithoceridae) **Synonym(s):** *bicolorella* Walker, 1864 **Range (in code):** **MY Bor Swk**
- 52450. *Tisis boleta* Wu, 1998** (Lecithoceridae) **Synonym(s):** *boleta* Wu, 1998 **Range (in code):** **ID Ja Ged**
- 52451. *Tisis calybaeella* (Walker, 1864)** (Lecithoceridae) **Synonym(s):** *calybaeella* Walker, 1864; *latifasciella* Walker, 1864 **Range (in code):** **MY Bor Swk**
- 52452. *Tisis cerambycina* Meyrick, 1926** (Lecithoceridae) **Synonym(s):** *cerambycina* Meyrick, 1926 **Range (in code):** **MY Bor Swk**
- 52453. *Tisis charadraea* Meyrick, 1910** (Lecithoceridae) **Synonym(s):** *charadraea* Meyrick, 1910 **Original Reference:** *Tisis charadraea* Meyrick, 1910, Trans. ent. Soc. London 1910: 439. **Range (in code):** **MY Bor Swk**
- 52454. *Tisis colubrialis* Park, 2005** (Lecithoceridae) **Synonym(s):** *colubrialis* Park, 2005 **Range (in code):** **MY Bor**
- 52455. *Tisis elegans* (Snellen, 1903)** (Lecithoceridae) **Synonym(s):** *elegans* Snellen, 1903 **Range (in code):** **ID Ja**
- 52456. *Tisis eurylampis* Meyrick, 1910** (Lecithoceridae) **Synonym(s):** *eurylampis* Meyrick, 1910 **Original Reference:** *Tisis eurylampis* Meyrick, 1910, Trans. ent. Soc. London 1910: 438. **Range (in code):** **MY Bor Swk**
- 52457. *Tisis helioclina* (Meyrick, 1894)** (Lecithoceridae) **Synonym(s):** *helioclina* Meyrick, 1894 **Original Reference:** *Tipha helioclina* Meyrick, 1894, Trans. ent. Soc. London 1894: 19. Syntypes 2♂♂: [Myanmar]: Upper Burma: Fort Stedman; Lectotype ♂: Fort Stedman, N. Manders, 1893, designated by Clarke, 1965 (BMNH). **Range (in code):** **MM Fst TH**
- 52458. *Tisis hyacinthina* Meyrick, 1910** (Lecithoceridae) **Synonym(s):** *hyacinthina* Meyrick, 1910 **Original Reference:** *Tisis hyacinthina* Meyrick, 1910, Trans. ent. Soc. London 1910: 439. **Range (in code):** **MY Bor Swk**
- 52459. *Tisis imperatrix* Meyrick, 1910** (Lecithoceridae) **Synonym(s):** *imperatrix* Meyrick, 1910 **Range (in code):** **MY Bor**
- 52460. *Tisis latiductalis* Park, 2005** (Lecithoceridae) **Synonym(s):** *latiductalis* Park, 2005 **Range (in code):** **MY Bor Sbh**
- 52461. *Tisis luteella* (Snellen, 1903)** (Lecithoceridae) **Synonym(s):** *luteella* Snellen, 1903 **Range (in code):** **ID Bor**
- 52462. *Tisis meliorella* (Walker, 1864)** (Lecithoceridae) **Synonym(s):** *meliorella* Walker, 1864 **Range (in code):** **MY Bor Swk**
- 52463. *Tisis mesozosta* Meyrick, 1914** (Lecithoceridae) **Synonym(s):** *mesozosta* Meyrick, 1914 **Range (in code):** **TW CN Fkn Hn Yu**
- 52464. *Tisis nielsenii* Park, 2001** (Lecithoceridae) **Synonym(s):** *nielsenii* Park, 2001 **Range (in code):** **TH**
- 52465. *Tisis penrissenica* Park, 2005** (Lecithoceridae) **Synonym(s):** *penrissenica* Park, 2005 **Range (in code):** **MY Bor Swk**
- 52466. *Tisis plautata* Wu, 1998** (Lecithoceridae) **Synonym(s):** *plautata* Wu, 1998 **Range (in code):** **ID Ja Ged**
- 52467. *Tisis sabahensis* Park, 2003** (Lecithoceridae) **Synonym(s):** *sabahensis* Park, 2003 **Range (in code):** **MY Bor Sbh Swk**

- 52468. Tisis sandaradema Wu,1998** (Lecithoceridae) Synonym(s): sandaradema Wu,1998
Range (in code): MY Bor Swk
- 52469. Tisis seclusella (Walker,1864)** (Lecithoceridae) Synonym(s): seclusella Walker,1864
Range (in code): MY Bor Swk
- 52470. Tisis sophistica Park,2003** (Lecithoceridae) Synonym(s): sophistica Park,2003 - Range (in code): PH Pal
- 52471. Tisis thaiana Park,2003** (Lecithoceridae) Synonym(s): thaiana Park,2003 - Range (in code): TH Cbi
- 52472. Tisis xantholepidos Park,2003** (Lecithoceridae) Synonym(s): xantholepidos Park,2003
Range (in code): PH
- 52473. Tisis yasudai Park,2003** (Lecithoceridae) Synonym(s): yasudai Park,2003 - Range (in code): MY Bor Sbh
- 52474. Torodora aenoptera Gozmany,1978** (Lecithoceridae) Synonym(s): aenoptera Gozmany,1978 - Range (in code): CN Yu Lik Fkn
- 52475. Torodora albicruris Park & Heppner,2000** (Lecithoceridae) Synonym(s): albicruris Park & Heppner,2000 - Range (in code): TW
- 52476. Torodora ancylota Meyrick,1894** (Lecithoceridae) Synonym(s): ancylota Meyrick,1894
Original Reference: Torodora ancylota Meyrick,1894, Trans. ent. Soc. London 1894: 17. Holotype ♀: [Myanmar]: Burma: Fort Stedman, N.M.Anders 9.1889 (BMNH). Range (in code): MM Fst
- 52477. Torodora angustia Park,2007** (Lecithoceridae) Synonym(s): angustia Park,2007
Original Reference: Torodora angustia Park,2007, Shilap Revta. lepid. 35 (137): 24-25, figs. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai NP, 70m, Karsholt, Lomboldt, Nielsen leg. Range (in code): TH Nna Kao
- 52478. Torodora antisema (Meyrick,1938)** (Lecithoceridae) Synonym(s): antisema Meyrick,1938
Range (in code): CN Yu Lik
- 52479. Torodora arcifera (Meyrick,1907)** (Lecithoceridae) Synonym(s): arcifera Meyrick,1907
Range (in code): BT IN SI Djl NP Kdu
- 52480. Torodora aritai Park,2002** (Lecithoceridae) Synonym(s): aritai Park,2002 - Range (in code): TH
- 52481. Torodora babeana Park,2007** (Lecithoceridae) Synonym(s): babeana Park,2007
Original Reference: Torodora babeana Park,2007, Zootaxa 1465: 61, figs. Holotype ♂: Vietnam: Cuc Phuong NP, 200m, K.T.Park leg. (CIS). Range (in code): VN Cuc
- 52482. Torodora bracculata (Meyrick,1911)** (Lecithoceridae) Synonym(s): bracculata Meyrick,1911
Original Reference: Brachmia bracculata Meyrick,1911, J. Bombay nat. Hist. Soc. 20: 710. Type: India: Assam, Khasi Hills (BMNH). Range (in code): IN Ass Meg Khs
- 52483. Torodora calligrapha Gozmany,1978** (Lecithoceridae) Synonym(s): calligrapha Gozmany,1978 - Range (in code): NP God
- 52484. Torodora capillaris Park & Heppner,2000** (Lecithoceridae) Synonym(s): capillaris Park & Heppner,2000 - Range (in code): TW
- 52485. Torodora cerascara Wu & Liu,1992** (Lecithoceridae) Synonym(s): cerascara Wu & Liu,1992 - Range (in code): CN Hun
- 52486. Torodora characteris Meyrick,1894** (Lecithoceridae) Synonym(s): characteris Meyrick,1894
Original Reference: Torodora characteris Meyrick,1894, Trans. ent. Soc. London 1894: 16. Type: [Myanmar]: Burma: Koni (BMNH). Range (in code): MM Kni
- 52487. Torodora chiangoica Park,2002** (Lecithoceridae) Synonym(s): chiangoica Park,2002
Range (in code): TH CMa CDo
- 52488. Torodora chinanensis Park,2003** (Lecithoceridae) Synonym(s): chinanensis Park,2003
Range (in code): TW
- 52489. Torodora chlorobapta (Meyrick,1931)** (Lecithoceridae) Synonym(s): chlorobapta Meyrick,1931 - Range (in code): SI IN
- 52490. Torodora chumphonica Park,2002** (Lecithoceridae) Synonym(s): chumphonica Park,2002 - Range (in code): TH Cph
- 52491. Torodora convexa Gozmany,1973** (Lecithoceridae) Synonym(s): convexa Gozmany,1973
Range (in code): NP
- 52492. Torodora corsota (Meyrick,1911)** (Lecithoceridae) Synonym(s): corsota Meyrick,1911
Original Reference: Brachmia corsota Meyrick,1911, J. Bombay nat. Hist. Soc. 20: 712. Type: India: Assam, Khasi Hills (BMNH). Range (in code): IN Ass Meg Khs

- 52493. *Torodora defracta* Gozmany,1973** (Lecithoceridae) **Synonym(s):** *defracta* Gozmany,1973
Range (in code): **NP**
- 52494. *Torodora deleastra* (Meyrick,1911)** (Lecithoceridae) **Synonym(s):** *deleastra* Meyrick,1911
Range (in code):
- 52495. *Torodora dentijuxta* Gozmany,1978** (Lecithoceridae) **Synonym(s):** *dentijuxta* Gozmany,1978
Range (in code): **CN Yu Lik**
- 52496. *Torodora diakonoffi* Gozmany,1978** (Lecithoceridae) **Synonym(s):** *diakonoffi* Gozmany,1978
Original Reference: *Torodora diakonoffi* Gozmany,1978, Microlepid. Palaeart. 5: 210, figs. Holotype ♂: [Myanmar]: Burma: Kambaiti 7000ft., R.Malaise leg. (RMS). **Range (in code):** **MM Kch Kam**
- 52497. *Torodora diceba* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *diceba* Wu & Liu,1994
Range (in code): **CN**
- 52498. *Torodora digna* (Meyrick,1918)** (Lecithoceridae) **Synonym(s):** *digna* Meyrick,1918
Original Reference: *Lecithocera digna* Meyrick,1918, Exot. Microlepid. 2: 105. Holotype ♀: India: Assam, Khasi Hills (BMNH). **Range (in code):** **IN Ass Meg Khs**
- 52499. *Torodora dinosigna* Gozmany,1973** (Lecithoceridae) **Synonym(s):** *dinosigna* Gozmany,1973
Range (in code): **NP**
- 52500. *Torodora durabila* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *durabila* Wu & Liu,1994
Range (in code): **CN**
- 52501. *Torodora epicharis* Park,2002** (Lecithoceridae) **Synonym(s):** *epicharis* Park,2002
Range (in code): **TH**
- 52502. *Torodora epiphorana* Park,2002** (Lecithoceridae) **Synonym(s):** *epiphorana* Park,2002
Range (in code): **TH**
- 52503. *Torodora epitritona* Park,2002** (Lecithoceridae) **Synonym(s):** *epitritona* Park,2002
Original Reference: *Torodora epitritona* Park,2002, Insecta Koreana 19: 152, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep-pui, 1650m (ZMUC). **Range (in code):** **TH CMa Dst**
- 52504. *Torodora eupatris* (Meyrick,1910)** (Lecithoceridae) **Synonym(s):** *eupatris* Meyrick,1910
Original Reference: *Lecithocera eupatris* Meyrick,1910, J. Bombay nat. Hist. Soc. 20: 443. Lectotype ♀: India: Assam, Khasi Hills (designated by Clarke,1965) (BMNH). **Range (in code):** **IN Ass Meg Khs MY TH**
- 52505. *Torodora facula* Wu & Park,1999** (Lecithoceridae) **Synonym(s):** *facula* Wu & Park,1999
Range (in code): **LK**
- 52506. *Torodora flavescens* Gozmany,1978** (Lecithoceridae) **Synonym(s):** *flavescens* Gozmany,1978
Range (in code): **CN Sz**
- 52507. *Torodora forsteri* Gozmany,1973** (Lecithoceridae) **Synonym(s):** *forsteri* Gozmany,1973
Range (in code): **NP**
- 52508. *Torodora fortis* (Meyrick,1918)** (Lecithoceridae) **Synonym(s):** *fortis* Meyrick,1918
Range (in code):
- 52509. *Torodora frustrans* (Diakonoff,1952)** (Lecithoceridae) **Synonym(s):** *frustrans* Diakonoff,1952
Original Reference: *Lecithocera frustrans* Diakonoff,1952, Ark. Zool. 3: 74, figs.10,11. Holotype ♂: [Myanmar]: Burma: Kambaiti, R.Malaise leg. (RMS). **Range (in code):** **MM Kch Kam**
- 52510. *Torodora fuscobasalis* Park,2002** (Lecithoceridae) **Synonym(s):** *fuscobasalis* Park,2002
Range (in code): **TH**
- 52511. *Torodora fuscoptera* Rose & Pathania,2003** (Lecithoceridae) **Synonym(s):** *fuscoptera* Rose & Pathania,2003
Range (in code): **IN Hp**
- 52512. *Torodora galera* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *galera* Wu & Liu,1994
Range (in code): **CN**
- 52513. *Torodora glyptosema* (Meyrick,1938)** (Lecithoceridae) **Synonym(s):** *glyptosema* Meyrick,1938
Range (in code): **CN Yu Lik**
- 52514. *Torodora granata* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *granata* Wu & Liu,1994
Range (in code): **CN**
- 52515. *Torodora hepatisma* Gozmany,1978** (Lecithoceridae) **Synonym(s):** *hepatisma* Gozmany,1978
Range (in code): **IN SI Djl**
- 52516. *Torodora hoenei* Gozmany,1978** (Lecithoceridae) **Synonym(s):** *hoenei* Gozmany,1978
Range (in code): **CN Tkg**

- 52517. *Torodora invariella* (Walker,1869)** (Lecithoceridae) **Synonym(s):** *invariella* Walker,1869
Range (in code):
- 52518. *Torodora iresina* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *iresina* Wu & Liu,1994
Range (in code): **CN**
- 52519. *Torodora karismata* Park,2010** (Lecithoceridae) **Synonym(s):** *karismata* Park,2010
Range (in code): **TH**
- 52520. *Torodora karsholti* Park,2002** (Lecithoceridae) **Synonym(s):** *karsholti* Park,2002
Range (in code): **TH**
- 52521. *Torodora lineata* Park,2002** (Lecithoceridae) **Synonym(s):** *lineata* Park,2002 Range (in code): **TH**
- 52522. *Torodora loeica* Park,2002** (Lecithoceridae) **Synonym(s):** *loeica* Park,2002 Range (in code): **TH Loe**
- 52523. *Torodora loncheloba* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *loncheloba* Wu & Liu,1994 Range (in code): **CN**
- 52524. *Torodora longilobella* Park,2002** (Lecithoceridae) **Synonym(s):** *longilobella* Park,2002
Range (in code): **TH**
- 52525. *Torodora macrosigna* Gozmany,1973** (Lecithoceridae) **Synonym(s):** *macrosigna* Gozmany,1973 Range (in code): **NP**
- 52526. *Torodora malthodesa* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *malthodesa* Wu & Liu,1994 Range (in code): **CN**
- 52527. *Torodora manoconta* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *manoconta* Wu & Liu,1994 Range (in code): **CN Yu TW**
- 52528. *Torodora materata* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *materata* Wu & Liu,1994 Range (in code): **CN**
- 52529. *Torodora metasaris* (Meyrick,1911)** (Lecithoceridae) **Synonym(s):** *metasaris* Meyrick,1911
Original Reference: Brachmia metasaris Meyrick,1911, J. Bombay nat. Hist. Soc. 20: 712. Type: India: Assam, Khasi Hills (BMNH). Range (in code): **IN Ass Meg Khs**
- 52530. *Torodora micrognatha* Wu,1999** (Lecithoceridae) **Synonym(s):** *micrognatha* Wu,1999
Range (in code):
- 52531. *Torodora milichina* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *milichina* Wu & Liu,1994 Range (in code): **CN**
- 52532. *Torodora moerens* Gozmany,2002** (Lecithoceridae) **Synonym(s):** *moerens* Gozmany,2002 Range (in code): **NP**
- 52533. *Torodora moriyasu* Park,2002** (Lecithoceridae) **Synonym(s):** *moriyasu* Park,2002
Range (in code): **TH**
- 52534. *Torodora neodeltospila* Rose & Pathania,2003** (Lecithoceridae) **Synonym(s):** *neodeltospila* Rose & Pathania,2003 Range (in code): **IN Hp**
- 52535. *Torodora notacma* Wu,1997** (Lecithoceridae) **Synonym(s):** *notacma* Wu,1997 Range (in code): **CN Ti**
- 52536. *Torodora nyctiphron* (Meyrick,1931)** (Lecithoceridae) **Synonym(s):** *nyctiphron* Meyrick,1931 Range (in code): **IN SI**
- 52537. *Torodora ocreatana* Wu & Liu,1994** (Lecithoceridae) **Synonym(s):** *ocreatana* Wu & Liu,1994 Range (in code): **CN**
- 52538. *Torodora octavana* (Meyrick,1911)** (Lecithoceridae) **Synonym(s):** *octavana* Meyrick,1911
Range (in code): **IN Ass Meg Khs**
- 52539. *Torodora octosperma* (Diakonoff,1952)** (Lecithoceridae) **Synonym(s):** *octosperma* Diakonoff,1952 Original Reference: Lecithocera octosperma Diakonoff,1952, Ark. Zool. 3: 73, fig.12. Holotype ♂: [Myanmar]: Burma: Kambaiti, R.Malaise leg. (RMS). Range (in code): **MM Kch Kam**
- 52540. *Torodora opportuna* (Meyrick,1923)** (Lecithoceridae) **Synonym(s):** *opportuna* Meyrick,1923 Original Reference: Lecithocera opportuna Meyrick,1923, Exot. Microlepid. 3: 38. Type: India: Assam, Cherrapunji (BMNH). Range (in code): **IN Ass Cpj**
- 52541. *Torodora orocola* Gozmany,1973** (Lecithoceridae) **Synonym(s):** *orocola* Gozmany,1973
Range (in code): **NP**
- 52542. *Torodora parafuscoptera* Rose & Pathania,2003** (Lecithoceridae) **Synonym(s):** *parafuscoptera* Rose & Pathania,2003 Range (in code): **IN Hp**

- 52543. *Torodora parallactis* Meyrick, 1894** (Lecithoceridae) Synonym(s): *parallactis* Meyrick, 1894 Original Reference: *Torodora parallactis* Meyrick, 1894, Trans. ent. Soc. London 1894: 17. Type: [Myanmar]: Burma (BMNH). Range (in code): **MM**
- 52544. *Torodora parallella* Gozmany, 1978** (Lecithoceridae) Synonym(s): *parallella* Gozmany, 1978 Range (in code): **NP**
- 52545. *Torodora parasema* (Meyrick, 1913)** (Lecithoceridae) Synonym(s): *parasema* Meyrick, 1913 Range (in code):
- 52546. *Torodora parotidosa* Wu, 1994** (Lecithoceridae) Synonym(s): *parotidosa* Wu, 1994 Range (in code):
- 52547. *Torodora parthenopis* (Meyrick, 1932)** (Lecithoceridae) Synonym(s): *parthenopis* Meyrick, 1932 Range (in code): **TW**
- 52548. *Torodora pegasana* Wu & Liu, 1994** (Lecithoceridae) Synonym(s): *pegasana* Wu & Liu, 1994 Range (in code): **CN**
- 52549. *Torodora pennunca* Wu & Liu, 1994** (Lecithoceridae) Synonym(s): *pennunca* Wu & Liu, 1994 Range (in code): **CN**
- 52550. *Torodora pentagona* Park, 2002** (Lecithoceridae) Synonym(s): *pentagona* Park, 2002 Range (in code): **TH**
- 52551. *Torodora phoberopis* (Meyrick, 1938)** (Lecithoceridae) Synonym(s): *phoberopis* Meyrick, 1938 Range (in code): **CN Yu Lik**
- 52552. *Torodora phuruaensis* Park, 2007** (Lecithoceridae) Synonym(s): *phuruaensis* Park, 2007 Original Reference: *Torodora phuruaensis* Park, 2007, Shilap Revta. lepid. 35 (137): 23-24, figs. Holotype ♂: Thailand: Loei Phu Rua, 800m, 15-19.viii.1987, Moriuti, Saito, Arita & Yoshiyasu leg. (UOP). Range (in code): **TH Loc**
- 52553. *Torodora piscarifurca* Wu & Park, 1999** (Lecithoceridae) Synonym(s): *piscarifurca* Wu & Park, 1999 Range (in code): **LK**
- 52554. *Torodora ponomarenkoae* Rose & Pathania, 2003** (Lecithoceridae) Synonym(s): *ponomarenkoae* Rose & Pathania, 2003 Range (in code): **IN Hp**
- 52555. *Torodora pseudogalera* Park, 2003** (Lecithoceridae) Synonym(s): *pseudogalera* Park, 2003 Range (in code): **TW**
- 52556. *Torodora pubesensovalvata* Rose & Pathania, 2003** (Lecithoceridae) Synonym(s): *pubesensovalvata* Rose & Pathania, 2003 Range (in code): **IN Hp**
- 52557. *Torodora rectilinea* Park, 2003** (Lecithoceridae) Synonym(s): *rectilinea* Park, 2003 Range (in code): **TW**
- 52558. *Torodora rectivalvata* Park, 2007** (Lecithoceridae) Synonym(s): *rectivalvata* Park, 2007 Original Reference: *Torodora rectivalvata* Park, 2007, Zootaxa 1465: 62, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 1300m 30.v.1983 (Kuroko, Moriuti, Arita & Yoshiyasu leg.) (UOP). Range (in code): **TH CMa Int**
- 52559. *Torodora retardata* Gozmany, 1973** (Lecithoceridae) Synonym(s): *retardata* Gozmany, 1973 Range (in code): **NP**
- 52560. *Torodora rhamphasta* Gozmany, 1978** (Lecithoceridae) Synonym(s): *rhamphasta* Gozmany, 1978 Range (in code): **NP Kdu**
- 52561. *Torodora roesleri* Gozmany, 1978** (Lecithoceridae) Synonym(s): *roesleri* Gozmany, 1978 Range (in code): **CN Tkg**
- 52562. *Torodora sagmaria* Park, 2002** (Lecithoceridae) Synonym(s): *sagmaria* Park, 2002 Range (in code): **TH**
- 52563. *Torodora sciadosa* Wu & Liu, 1994** (Lecithoceridae) Synonym(s): *sciadosa* Wu & Liu, 1994 Range (in code): **CN**
- 52564. *Torodora serpentina* (Diakonoff, 1952)** (Lecithoceridae) Synonym(s): *serpentina* Diakonoff, 1952 Original Reference: *Panplatyceros serpentina* Diakonoff, 1952, Ark. Zool. 3: 76, fig. 17. Holotype ♂: N.E. Burma [Myanmar]: Kambaiti, 7000ft. R. Malaise leg. (RMS). Range (in code): **MM Kch Kam**
- 52565. *Torodora silvatica* Park, 2007** (Lecithoceridae) Synonym(s): *silvatica* Park, 2007 Original Reference: *Torodora silvatica* Park, 2007, Shilap Revta. lepid. 35 (137): 23-24, figs. Holotype ♂: Thailand: Phangnga, Nam Tok Lam Pee, 300m, 16.x.1985, Kuroko, Moriuti, Saito, Arita leg (UOP). Range (in code): **TH Pgg Nna Kao Rng**

- 52566. *Torodora sortilega* (Meyrick,1911)** (Lecithoceridae) Synonym(s): *sortilega* Meyrick,1911
Original Reference: Brachmia sortilega Meyrick,1911, J. Bombay nat. Hist. Soc. 20: 714. Type: India: Assam, Khasi Hills (BMNH). Range (in code): **IN Ass Meg Khs**
- 52567. *Torodora spilotella* (Walker,1864)** (Lecithoceridae) Synonym(s): *spilotella* Walker,1864
Range (in code):
- 52568. *Torodora spinula* Park,2002** (Lecithoceridae) Synonym(s): *spinula* Park,2002 Original Reference: *Torodora spinula* Park,2002, Insecta Koreana 19: 154, fig.24. Holotype ♂: Thailand: Chiang Mai. Range (in code): **TH CMa Nna Kao**
- 52569. *Torodora straminea* Gozmany,2002** (Lecithoceridae) Synonym(s): *straminea* Gozmany,2002 Range (in code): **PK Swa Mlk Haz**
- 52570. *Torodora sympelax* Gozmany,1978** (Lecithoceridae) Synonym(s): *sympelax* Gozmany,1978 Range (in code): **NP**
- 52571. *Torodora tenebrata* Gozmany,1978** (Lecithoceridae) Synonym(s): *tenebrata* Gozmany,1978 Range (in code): **CN Sz Tkg**
- 52572. *Torodora thraneuta* (Meyrick,1911)** (Lecithoceridae) Synonym(s): *thraneuta* Meyrick,1911
Range (in code):
- 52573. *Torodora torrifacta* Gozmany,1978** (Lecithoceridae) Synonym(s): *torrifacta* Gozmany,1978 Range (in code): **CN Hpe Sz**
- 52574. *Torodora trigona* Gozmany,1978** (Lecithoceridae) Synonym(s): *trigona* Gozmany,1978
Range (in code): **NP God**
- 52575. *Torodora trigonopsis* (Meyrick,1907)** (Lecithoceridae) Synonym(s): *trigonopsis* Meyrick,1907 Range (in code): **IN Hp PK Hu Ch**
- 52576. *Torodora ventralilata* Wu & Park,1999** (Lecithoceridae) Synonym(s): *ventralilata* Wu & Park,1999 Range (in code): **LK**
- 52577. *Torodora vietnamensis* Park,2007** (Lecithoceridae) Synonym(s): *vietnamensis* Park,2007
Original Reference: *Torodora vietnamensis* Park,2007, Zootaxa 1465: 59, figs. Holotype ♂: Vietnam: Tam Dao NP, 950m, K.T.Park leg. (CIS). Range (in code): **VN Ton Tda Cuc**
- 52578. *Torodora virginopsis* Gozmany,1978** (Lecithoceridae) Synonym(s): *virginopsis* Gozmany,1978 Range (in code): **CN Tkg**
- 52579. *Torodora walsinghami* Wu,1999** (Lecithoceridae) Synonym(s): *walsinghami* Wu,1999
Range (in code):
- 52580. *Torodora xerastis* Meyrick,1905** (Lecithoceridae) Synonym(s): *xerastis* Meyrick,1905
Range (in code):
- 52581. *Torodora youwon* Park,2010** (Lecithoceridae) Synonym(s): *youwon* Park,2010 Range (in code): **TH**
- 52582. *Trichoboscis crocosema* (Meyrick,1929)** (Lecithoceridae) Synonym(s): *crocosema* Meyrick,1929 Original Reference: *Lecithocera crocosema* Meyrick,1929, Exot. Microlepid. 3: 524. Syntypes ♀♀: India: Andaman Isl. (BMNH). Range (in code): **IN Adm**
- 52583. *Trichoboscis pansarista* Meyrick,1929** (Lecithoceridae) Synonym(s): *pansarista* Meyrick,1929 Original Reference: *Trichoboscis pansarista* Meyrick,1929, Exot. Microlepid. 3: 526. Holotype ♂: Sikkim (BMNH). Range (in code): **IN SI TH VN**
- 52584. *Triviola puiensis* Park,2010** (Lecithoceridae) Synonym(s): *puiensis* Park,2010 Range (in code): **TH**
- 52585. *Trypherantis atelogramma* Meyrick,1907** (Lecithoceridae) Synonym(s): *atelogramma* Meyrick,1907 Range (in code): **IN SI BT**
- 52586. *Urolaguna heosa* Wu,1994** (Lecithoceridae) Synonym(s): *heosa* Wu,1994 Range (in code): **CN TH Nna Fn**
- 52587. *Lemonia balcanica* Herrich-Schäffer,[1843]** (Lemoniidae) Synonym(s): *balcanica* Herrich-Schäffer,[1843]; *anatolica* F.Wagner,1931 Range (in code): **RO YU AL BG GR TR GG Bjo Smt Tbl Cc AZ Kir**
- 52588. *Lemonia ballioni* (Christoph,1888)** (Lemoniidae) Synonym(s): *ballioni* Christoph,1888
Original Reference: *Crateronyx ballioni* Christoph,1888, Horae Soc. ent. ross. 22: 310. Syntypes ♂♂: [Russia]: Novo-Rossiisk. Range (in code): **TR Cc RU Kr Nov**
- 52589. *Lemonia ballioni pontica* Aurivillius,1894** (Lemoniidae) Synonym(s): *pontica* Aurivillius,1894 Range (in code): **TR**

- 52590. *Lemonia beirutica* Daniel,1965** (Lemoniidae) Synonym(s): *beirutica* Daniel,1965
Original Reference: *Lemonia beirutica* Daniel,1965, Z. wien. ent. Ges. 50: 74, fig. Holotype ♂: [Lebanon]: östlich von Beirut, 1800m, 30.x.1963, leg. Vartian (ZSM). Range (in code): LB Bei
- 52591. *Lemonia dumi* (Linnaeus,1761)** (Lemoniidae) Synonym(s): *dumi* Linnaeus,1761; *dumeti* Linnaeus,1767 Range (in code): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY Am
- 52592. *Lemonia pauli* Staudinger,[1895]** (Lemoniidae) Synonym(s): *pauli* Staudinger,[1895]
Original Reference: *Lemonia* (Crateronyx) *pauli* Staudinger,[1895], Dt. ent. Z., Iris 7: 267-268, Taf.ix fig.11. Syntypes 2♂: [Israel]: Jerusalem (Paulus leg.). Range (in code): IL Js Pa
- 52593. *Lemonia peilei* Rothschild,1921** (Lemoniidae) Synonym(s): *peilei* Rothschild,1921
Original Reference: *Lemonia peilei* Rothschild,1921, J. Bombay nat. Hist. Soc. 28: 174. Range (in code): TR IQ Mj Dy SY IR Fa AF
- 52594. *Lemonia peilei farsica* Wiltshire,1946** (Lemoniidae) Synonym(s): *farsica* Wiltshire,1946
Original Reference: *Lemonia peilei* ssp. *farsica* Wiltshire,1946, Proc. R. ent. Soc. Lond. (B) 15: 118, fig. Range (in code): IR Fa
- 52595. *Lemonia peilei klapperichi* Wiltshire,1961** (Lemoniidae) Synonym(s): *klapperichi* Wiltshire,1961
Original Reference: *Lemoni* [sic] *peilei* ssp. *klapperichi* Wiltshire,1961, Beitr. naturk. Forsch. SW-Deutschl. 191 (3): 338, pl.iii fig.25. Holotype ♂: Afghanistan: Jebel Seratsch, Selang-mounth, 2000m (leg. & coll. Klapperich). Range (in code): AF
- 52596. *Lemonia peilei peilei* Rothschild,1924** (Lemoniidae) Synonym(s): *peilei* Rothschild,1924
Original Reference: *Lemonia peilei* Rothschild,1924, J. Bombay nat. Hist. Soc. 28: 174. Range (in code): TR IQ Mj Dy
- 52597. *Lemonia peilei talhouki* Wiltshire,1952** (Lemoniidae) Synonym(s): *talhouki* Wiltshire,1952 Range (in code): SY
- 52598. *Lemonia philopalus* (Donzel,1842)** (Lemoniidae) Synonym(s): *philopalus* Donzel,1842
Original Reference: *Bombyx philopalus* Donzel,1842, Annls Soc. ent. Fr. 11: 198-199, pl.8 fig.2. Type: [Algérie]: "Constantinam, Barbaria". Range (in code): PT ES DZ Mage Cst Ges TN
- 52599. *Lemonia pia* Püngeler,1902** (Lemoniidae) Synonym(s): *pia* Püngeler,1902 Original Reference: Lemonia pia Püngeler,1902, Dt. ent. Z., Iris 14: 143. Syntypes 2♂: Palaestina: "Todten Meer". Range (in code): IL Pa JO TR Cc IR Qz
- 52600. *Lemonia pia friedeli* Witt,1979** (Lemoniidae) Synonym(s): *friedeli* Witt,1979 Original Reference: Lemonia pia ssp. *friedeli* Witt,1979, Z. ArbGem. Öst. Ent. 31 (1/2): 17-20, Abb. 1-4,10. Holotype ♂: [Türkei]: As. min.: Gürün (coll. Witt). Range (in code): TR
- 52601. *Lemonia pia ispira* De Freina,1999** (Lemoniidae) Synonym(s): *ispira* De Freina,1999 Range (in code): Cc TR
- 52602. *Lemonia pia pia* Püngeler,1902** (Lemoniidae) Synonym(s): *pia* Püngeler,1902 Original Reference: Lemonia pia Püngeler,1902, Dt. ent. Z., Iris 14: 143. Syntypes 2♂: Palaestina: "Todten Meer". Range (in code): IL Pa JO Cc TR
- 52603. *Lemonia sacrosancta* Püngeler,1902** (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902 Range (in code): JO SY Hms
- 52604. *Lemonia sacrosancta sacrosancta* Püngeler,1902** (Lemoniidae) Synonym(s): *sacrosancta* Püngeler,1902 Range (in code): JO SY Hms
- 52605. *Lemonia strigata* Rougeot & Viette,1978** (Lemoniidae) Synonym(s): *#strigata* Rebel,1903; *strigata* Rougeot & Viette,1978 Range (in code): HV GR AL BG
- 52606. *Lemonia strigata deucalion* Antoshin & Zolotuhin,2011** (Lemoniidae) Synonym(s): *deucalion* Antoshin & Zolotuhin,2011 Range (in code): GR
- 52607. *Lemonia syriensis* Daniel,1953** (Lemoniidae) Synonym(s): *syriensis* Daniel,1953
Original Reference: *Lemonia syriensis* Daniel,1953, Mitt. münch. ent. Ges. 43: 255-256, Taf.vii. fig.8. Holotype ♂: [Türkei]: Syria sept., Taurus, Marasch, 600-900m, xii.30, Kelebek leg. (coll. Daniel). Range (in code): TR IQ Dk
- 52608. *Lemonia tamara* Antoshin & Zolotuhin,2013** (Lemoniidae) Synonym(s): *tamara* Antoshin & Zolotuhin,2013 Range (in code): IR
- 52609. *Lemonia taraxaconis* (Gmelin,1790)** (Lemoniidae) Synonym(s): *#taraxaci* [Denis & Schiffermüller],1775; *taraxaconis* Gmelin,1790 Range (in code): FR Si IT NL DE CH AT PL CZ SK HU RO YU MK AL BG GR TR RU MD UA BY Bionomy: Larva on Leontodon, Taraxacum ([Denis & Schiffermüller],1775 et seq.).

- 52610. *Lemonia vallantini* (Oberthür,1890)** (Lemoniidae) Synonym(s): *vallantini* Oberthür,1890
Original Reference: *Bombyx vallantini* Oberthür,1890, Ent. Ent. 12: 28, pl.6 fig.33. Type: "Bone".
Range (in code): **DZ Bt na Agi Blid**
- 52611. *Sabalia fulvicincta* Hampson,1901** (Lemoniidae) Synonym(s): *fulvicincta* Hampson,1901
Range (in code): **MW**
- 52612. *Sabalia jacsoni* Sharpe,1890** (Lemoniidae) Synonym(s): *jacsoni* Sharpe,1890 _ Range (in code): **KE**
- 52613. *Sabalia picarina* Walker,1865** (Lemoniidae) Synonym(s): *picarina* Walker,1865 _ Range (in code): **ZA KE**
- 52614. *Sabalia sericaria* Weymer,1896** (Lemoniidae) Synonym(s): *sericaria* Weymer,1896
Range (in code): **KE**
- 52615. *Sabalia thalia* Fawcett,1915** (Lemoniidae) Synonym(s): *thalia* Fawcett,1915 _ Range (in code): **ZA**
- 52616. *Sabalia tippelscirchi* Karsch,1898** (Lemoniidae) Synonym(s): *tippelscirchi* Karsch,1898
Range (in code): **KE**
- 52617. *Actiolepis rubida* R.Felder,1862** (Limaodidae) Synonym(s): *rubida* R.Felder,1862
Range (in code): **CN**
- 52618. *Afraltha chionostola* (Hampson,1910)** (Limaodidae) Synonym(s): *chionostola* Hampson,1910 _ Range (in code): **ZR ZA Mpu Brb Kzu Nta Ndu Tva Lpo Spb Slp Mtt ZM ZW Vum Har**
- 52619. *Afraltha luxuriosa* (M.Hering,1928)** (Limaodidae) Synonym(s): *luxuriosa* M.Hering,1928 _ Range (in code): **ZW ZM TZ**
- 52620. *Afraltha xanthocharis* (Clench,1955)** (Limaodidae) Synonym(s): *xanthocharis* Clench,1955 _ Range (in code): **TZ MW**
- 52621. *Afrobirthama flaccidia* (Druce,1899)** (Limaodidae) Synonym(s): *flaccidia* Druce,1899
Range (in code): **ZA Lpo Tva Spb Mdk TZ Dss ZW**
- 52622. *Afrobirthama hobohmi* Janse,1964** (Limaodidae) Synonym(s): *hobohmi* Janse,1964
Range (in code): **ZA NA ZW**
- 52623. *Afrobirthama reducta* (M.Hering,1928)** (Limaodidae) Synonym(s): *reducta* M.Hering,1928 _ Range (in code): **ZA ZW Bul Tva Lpo Buf Mpu Nel Tst Mal**
- 52624. *Afromiresa ustitermina* (Hampson,1910)** (Limaodidae) Synonym(s): *ustitermina* Hampson,1910 _ Range (in code): **ZA**
- 52625. *Afroplax didyma* M.Hering,1941** (Limaodidae) Synonym(s): *didyma* M.Hering,1941
Original Reference: *Afroplax didyma* M.Hering,1941, Annln naturh. Mus. Wien 51: 228-229.
Holotype ♂: [Tanzania]: Ugano. Range (in code): **TZ**
- 52626. *Allothosea lola* (Swinhoe,1904)** (Limaodidae) Synonym(s): *lola* Swinhoe,1904; *orgyioides* Van Eecke,1929; *plumbea* M.Hering,1931 _ Range (in code): **MY Bor ID Sum** Bionomy: Larva on *Camellia* (Theaceae) (Holloway,1986).
- 52627. *Allothosea montana* Holloway,1986** (Limaodidae) Synonym(s): *montana* Holloway,1986
Range (in code): **MY Bor BN Swk**
- 52628. *Altha adala* (Moore,[1860])** (Limaodidae) Synonym(s): *adala* Moore,1859; *#adada* Hutacharern & Tubtim,1995
Original Reference: *Narosa adala* Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 418, pl.11a fig.14, pl.21 figs.13,13a.
Syntypes: Ceylon, Nagas, Nilgiris, Java. Range (in code): **TH CMa CDo ID Ja Bli Sum Bor Clb BN MY Sbw LK IN Nag NI Ass VN Ton** Bionomy: Larva on *Annona* (Annonaceae), *Mangifera* (Anacardiaceae) (Pholboon,1965).
- 52629. *Altha albiguttata* (Snellen,1879)** (Limaodidae) Synonym(s): *albiguttata* Snellen,1879; *nigriplaga* Heylaerts,1890; *sanguineomaculata* Heylaerts,1890 _ Range (in code): **ID Sum Ja Clb PG**
- 52630. *Altha ansorgei* Bethune-Baker,1911** (Limaodidae) Synonym(s): *ansorgei* Bethune-Baker,1911 _ Range (in code): **AO**
- 52631. *Altha castaneipars* (Moore,1865)** (Limaodidae) Synonym(s): *castaneipars* Moore,1865
Range (in code): **IN SI Ass Nag ID Ja**
- 52632. *Altha chionostola* Hampson,1910** (Limaodidae) Synonym(s): *chionostola* Hampson,1910
Range (in code):
- 52633. *Altha contaminata* (Hampson,1892)** (Limaodidae) Synonym(s): *contaminata* Hampson,1892 _ Range (in code): **IN NI**

- 52634. Altha kerangatis Holloway,1982** (Limaconidae) **Synonym(s):** *kerangatis Holloway,1982*
Range (in code): **MY Bor Swk BN**
- 52635. Altha lacteola (Swinhoe,1890)** (Limaconidae) **Synonym(s):** *lacteola Swinhoe,1890*
Original Reference: Narosa lacteola Swinhoe,1890, Trans. ent. Soc. London 1890: 193. **Range (in code):** **MM Rgo TH Cph TW**
- 52636. Altha lacteola lacteola (Swinhoe,1890)** (Limaconidae) **Synonym(s):** *lacteola Swinhoe,1890*
Original Reference: Narosa lacteola Swinhoe,1890, Trans. ent. Soc. London 1890: 193. **Range (in code):** **MM Rgo**
- 52637. Altha lacteola melanopsis Strand,1915** (Limaconidae) **Synonym(s):** *melanopsis Strand,1915*
Range (in code): **TW**
- 52638. Altha nivea Walker,1862** (Limaconidae) **Synonym(s):** *nivea Walker,1862; subnotata Walker,1865*
Original Reference: Altha nivea Walker,1862, J. linn. Soc. Lond. (Zool.) 6: 173. Type: Sarawak. **Range (in code):** **AF Nu Bsg PK Haz Cte Kkar Swa IN Hp Kul Sml SI LK MY Bor Swk BN Sbh KBa ID Sum Ja**
Bionomy: Larva on Camellia (Theaceae) (Browne,1968).
- 52639. Altha nuristana Daniel,1965** (Limaconidae) **Synonym(s):** *nuristana Daniel,1965*
Range (in code): **AF Bsg Nu**
- 52640. Altha obliquifascia Hampson,1900** (Limaconidae) **Synonym(s):** *obliquifascia Hampson,1900*
Range (in code): **IN Mad**
- 52641. Altha peralbida (Swinhoe,1904)** (Limaconidae) **Synonym(s):** *peralbida Swinhoe,1904*
Range (in code): **IN Poo**
- 52642. Altha rubrifuscalis Hampson,1910** (Limaconidae) **Synonym(s):** *rubrifuscalis Hampson,1910*
Range (in code):
- 52643. Altha rufescens Swinhoe,1893** (Limaconidae) **Synonym(s):** *rufescens Swinhoe,1893*
Original Reference: Altha rufescens Swinhoe,1893, Ann. Mag. nat. Hist. (6) 12: 211. **Range (in code):** **TH**
- 52644. Altha subrosea Wileman,1915** (Limaconidae) **Synonym(s):** *subrosea Wileman,1915*
Range (in code): **TW**
- 52645. Anaxidia lactea Swinhoe,1892** (Limaconidae) **Synonym(s):** *lactea Swinhoe,1892; aerogramma Lower,1915*
Range (in code): **AU**
- 52646. Anaxidia lozogramma (Turner,1902)** (Limaconidae) **Synonym(s):** *lozogramma Turner,1902*
Range (in code): **AU**
- 52647. Aneposia eugyra Turner,1926** (Limaconidae) **Synonym(s):** *eugyra Turner,1926*
Range (in code): **AU**
- 52648. Aneposia tephraea Turner,1926** (Limaconidae) **Synonym(s):** *tephraea Turner,1926*
Range (in code): **AU**
- 52649. Anilina janenschi M.Hering,1941** (Limaconidae) **Synonym(s):** *janenschi M.Hering,1941*
Original Reference: Anilina janenschi M.Hering,1941, Annln naturh. Mus Wien 51: 226, fig. Holotype ♂: [Tanzania]: Tendaguru leg.Janensch (ZMUB). **Range (in code):** **TZ**
- 52650. Anilina minima M.Hering,1941** (Limaconidae) **Synonym(s):** *minima M.Hering,1941*
Original Reference: Anilina minima M.Hering,1941, Annln naturh. Mus Wien 51: 225-226, fig. Holotype ♂: [Tanzania]: Lipumba, leg.F.Zimmer (ZMUB). **Range (in code):** **TZ**
- 52651. Anilina nubilata (M.Hering,1928)** (Limaconidae) **Synonym(s):** *nubilata M.Hering,1928*
Range (in code): **TZ**
- 52652. Anilina personata (M.Hering,1928)** (Limaconidae) **Synonym(s):** *personata M.Hering,1928*
Range (in code): **TZ**
- 52653. Anilina plebeja (Karsch,1899)** (Limaconidae) **Synonym(s):** *plebeja Karsch,1899*
Range (in code): **CM**
- 52654. Anilina tessmanni (M.Hering,1928)** (Limaconidae) **Synonym(s):** *tessmanni M.Hering,1928*
Range (in code):
- 52655. Apendala buka Solovyev,2010** (Limaconidae) **Synonym(s):** *buka Solovyev,2010*
Range (in code): **SI Djl IN**
- 52656. Apendala cana (Walker,1865)** (Limaconidae) **Synonym(s):** *cana Walker,1865; barikoti Daniel,1965*
Range (in code): **AF Nu Bsg PK Pj Haz Mre Swa Klm IN Hp Dlh Kul Poo NI**
- 52657. Apendala conicosma (West,1937)** (Limaconidae) **Synonym(s):** *conicosma West,1937*
Range (in code): **MM**
- 52658. Apendala ferrogrisea (Hampson,1910)** (Limaconidae) **Synonym(s):** *ferrogrisea Hampson,1910*
Range (in code): **LK**

- 52659. *Aphendala flavina* (M.Hering,1931)** (Limaecodidae) **Synonym(s):** *flavina* M.Hering,1931
Range (in code): **IN Hp Dlh PK**
- 52660. *Aphendala imitabilis* (M.Hering,1931)** (Limaecodidae) **Synonym(s):** *imitabilis* M.Hering,1931
Range (in code): **IN SI NP BT MM**
- 52661. *Aphendala kalinini* Solovyev,2010** (Limaecodidae) **Synonym(s):** *kalinini* Solovyev,2010
Range (in code): **MM**
- 52662. *Aphendala recta* (Hampson,1893)** (Limaecodidae) **Synonym(s):** *recta* Hampson,1893
Range (in code): **LK**
- 52663. *Aphendala siama* Solovyev,2010** (Limaecodidae) **Synonym(s):** *siama* Solovyev,2010
Original Reference: [A]phendala siama Solovyev,2010, Atalanta 41 (3/4): 356-357, figs. Holotype ♂: Thailand, Chiang Mai Prov. Chiang Dao, leg. G.Martin (BMNH). **Range (in code):** **TH CDa**
- 52664. *Aphendala unicolor* (Moore,1859)** (Limaecodidae) **Synonym(s):** *unicolor* Moore,1859; *transversata* Walker,1865; *tripartita* Moore,1884; *discipunctata* M.Hering,1931; *phaeobasis* M.Hering,1935; *mechiensis* Yoshimoto,1994
Range (in code): **NP IN Clc**
- 52665. *Apluda plebeja* Wallengren,1863** (Limaecodidae) **Synonym(s):** *plebeja* Wallengren,1863
Range (in code): **ZA**
- 52666. *Apoda limacodes* (Hufnagel,1766)** (Limaecodidae) **Synonym(s):** *limacodes* Hufnagel,1766; *testudo* [Denis & Schiffermüller],1775; *funalis* Donovan,1794; *testunidana* Hübner,[1799]; *avellana* auct.
Range (in code): **ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY**
- 52667. *Apodecta monodisca* Turner,1902** (Limaecodidae) **Synonym(s):** *monodisca* Turner,1902; *actinias* Lower,1902; *insularis* West,1937
Range (in code): **AU**
- 52668. *Apreptophanes stevensoni* Janse,1964** (Limaecodidae) **Synonym(s):** *stevensoni* Janse,1964
Range (in code): **ZA**
- 52669. *Araeogyia castanea* Hampson,1892** (Limaecodidae) **Synonym(s):** *castanea* Hampson,1892
Range (in code): **SI IN**
- 52670. *Araeogyia cupreata* Hampson,1897** (Limaecodidae) **Synonym(s):** *cupreata* Hampson,1897
Range (in code): **IN**
- 52671. *Araeogyia phaeopasta* Hampson,1906** (Limaecodidae) **Synonym(s):** *phaeopasta* Hampson,1906
Range (in code): **SI Djl IN**
- 52672. *Araeogyia spatulata* Hampson,1892** (Limaecodidae) **Synonym(s):** *spatulata* Hampson,1892
Range (in code): **SI IN**
- 52673. *Arbelarosa diagonalis* Holloway,1982** (Limaecodidae) **Synonym(s):** *diagonalis* Holloway,1982
Range (in code): **MY ID Sum Bor**
- 52674. *Arctozygaena quinquemaculata* Gaede,1926** (Limaecodidae) **Synonym(s):** *quinquemaculata* Gaede,1926
Range (in code): **ZA**
- 52675. *Astatophlebia marmaromaculata* Janse,1964** (Limaecodidae) **Synonym(s):** *marmaromaculata* Janse,1964
Range (in code): **ZA**
- 52676. *Asteria cineracea* Karsch,1896** (Limaecodidae) **Synonym(s):** *cineracea* Karsch,1896
Range (in code): **TG**
- 52677. *Asteria cretata* Karsch,1899** (Limaecodidae) **Synonym(s):** *cretata* Karsch,1899
Range (in code): **CM**
- 52678. *Asteria nivosa* R.Felder,1874** (Limaecodidae) **Synonym(s):** *nivosa* R.Felder,1874
Range (in code): **TG**
- 52679. *Asteria phlebodes* Karsch,1896** (Limaecodidae) **Synonym(s):** *phlebodes* Karsch,1896
Range (in code): **TG**
- 52680. *Asteria vitilena* Karsch,1896** (Limaecodidae) **Synonym(s):** *vitilena* Karsch,1896
Range (in code): **CM**
- 52681. *Atosia daenia* (Moore,1859)** (Limaecodidae) **Synonym(s):** *daenia* Moore,1859
Range (in code): **IN LK MM ID Sum Ja MY Bor Swk** **Bionomy:** Larva on Erythrina (Fabaceae) (Piepers & Snellen,1900).
- 52682. *Atosia himalayana* Holloway,1986** (Limaecodidae) **Synonym(s):** *himalayana* Holloway,1986
Range (in code): **IN Meg Ass Khs SI Djl MM** **Bionomy:** Larva on Ricinus communis (Euphorbiaceae) (Sevastopulo,1947).
- 52683. *Atosia rochei* Holloway,1986** (Limaecodidae) **Synonym(s):** *rochei* Holloway,1986
Range (in code): **MY Bor Sbh KBa**
- 52684. *Atosia spicata* Holloway,1986** (Limaecodidae) **Synonym(s):** *spicata* Holloway,1986
Range (in code): **MY Bor Swk**

- 52685. *Atosia trusmadia* Holloway,1986** (Limaconidae) Synonym(s): *trusmadia* Holloway,1986
Range (in code): **MY Bor Sbh**
- 52686. *Atosioides accola* Solovyev,2009** (Limaconidae) Synonym(s): *accola* Solovyev,2009
Range (in code): **ID Sum TH Kbi**
- 52687. *Atosioides rochei* Holloway,1986** (Limaconidae) Synonym(s): *rochei* Holloway,1986
Range (in code): **MY Bor ID Sum**
- 52688. *Austrapoda dentatus* (Oberthür,1879)** (Limaconidae) Synonym(s): *dentatus* Oberthür,1879; *nitobeana* Matsumura,1931 _ Range (in code): **RU Us JP KP KR**
- 52689. *Austrapoda hepatica* Inoue,1987** (Limaconidae) Synonym(s): *hepatica* Inoue,1987
Range (in code): **JP**
- 52690. *Austrapoda seres* Solovyev,2009** (Limaconidae) Synonym(s): *seres* Solovyev,2009
Range (in code): **CN**
- 52691. *Baria elsa* (Druce,1887)** (Limaconidae) Synonym(s): *elsa* Druce,1887 _ Range (in code): **TG**
- 52692. *Baria transversata* Karsch,1899** (Limaconidae) Synonym(s): *transversata* Karsch,1899
Range (in code): **CM**
- 52693. *Barisania honeyi* Solovyev,2009** (Limaconidae) Synonym(s): *honeyi* Solovyev,2009
Range (in code): **MM VN TH CMa Nan Phy**
- 52694. *Barisania lampra* (West,1937)** (Limaconidae) Synonym(s): *lampra* West,1937 _ Range (in code): **MY Bor ID Sum**
- 52695. *Belippa horrida* Walker,1865** (Limaconidae) Synonym(s): *horrida* Walker,1865; *formosaensis* Kawada,1930 _ Range (in code): **CN TW**
- 52696. *Birhamia congrua* (Walker,1862)** (Limaconidae) Synonym(s): *congrua* Walker,1862; *simplex* Snellen,1900 _ Range (in code): **ID Sum Ja Clb Lb Flo Tim PH Mno MY Bor**
- 52697. *Birhamia rubicunda* (Walker,1862)** (Limaconidae) Synonym(s): *rubicunda* Walker,1862; *obliqua* Walker,1862; *acallis* Swinhoe,1906; *psychidalis* Van Eecke,1929 _ Range (in code): **MY Bor ID Sum BN**
- 52698. *Birhamioides junctura* (Walker,1865)** (Limaconidae) Synonym(s): *junctura* Walker,1865
Range (in code): **IN MM Adm ID Bli MY Bor** Bionomy: Larva on Mangifera (Anacardiaceae) (Holloway,1986).
- 52699. *Birhamioides plagioscia* (Turner,1902)** (Limaconidae) Synonym(s): *plagioscia* Turner,1902; *aspidophora* Lower,1902 _ Range (in code): **AU**
- 52700. *Birhamula altichara* Holloway,1986** (Limaconidae) Synonym(s): *altichara* Holloway,1986 _ Range (in code): **MY Bor Sbh KBa BN Swk**
- 52701. *Birhamula chara* (Swinhoe,1901)** (Limaconidae) Synonym(s): *chara* Swinhoe,1901
Range (in code): **MY Bor ID Sum** Bionomy: Larva on Elaeis (Palmae) (Holloway,1986).
- 52702. *Birhamia bisura* (Moore,[1860])** (Limaconidae) Synonym(s): *bisura* Moore,[1860]; *orthosioides* Walker,1862; *brunnea* Swinhoe,1904 Original Reference: Parasa bisura Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 415, pl.11a fig.11.
Range (in code): **ID Sum Ja TH** Bionomy: Larva on Elaeis, Metroxylon (Palmae), Coffea (Rubiaceae), Nephelium (Sapindaceae), Ricinus (Euphorbiaceae), Lagerstroemia (Lythraceae), Cinnemomum (Zingiberaceae) (Holloway,1986).
- 52703. *Bornethosea* Holloway,1986** (Limaconidae) Synonym(s): *Bornethosea* Holloway,1986
Range (in code):
- 52704. *Bornethosea nigrina* Holloway,1986** (Limaconidae) Synonym(s): *nigrina* Holloway,1986
Range (in code): **MY Bor BN**
- 52705. *Brachia albiviata* (Hampson,1910)** (Limaconidae) Synonym(s): *albiviata* Hampson,1910
Range (in code): **ZA Tra Tva Lpo Hae Mpu Spb Ent Wo Nta Kzu Wkk**
- 52706. *Brachia amblygrapta* Janse,1964** (Limaconidae) Synonym(s): *amblygrapta* Janse,1964
Range (in code): **ZA Tva Lpo Mpu Hae Brb Kzu Nta**
- 52707. *Brachia argentolineata* Wichgraf,1922** (Limaconidae) Synonym(s): *argentolineata* Wichgraf,1922 Original Reference: *Brachia argentolineata* Wichgraf,1922, Int. ent. Z. 15: 172.
Range (in code): **AO**
- 52708. *Brachia argyrogramma* Karsch,1896** (Limaconidae) Synonym(s): *argyrogramma* Karsch,1896 _ Range (in code): **ZR**
- 52709. *Brachia breijeri* (Janse,1964)** (Limaconidae) Synonym(s): *breijeri* Janse,1964 _ Range (in code): **ZA**

- 52710. *Brachypecta perobliqua* Janse,1964** (Limaecodidae) Synonym(s): *perobliqua* Janse,1964
Range (in code): **ZA Tz Tva Lpo ZW**
- 52711. *Caffricola cloeckneria* (Stoll,[1781])** (Limaecodidae) Synonym(s): *cloeckneria* Stoll,[1781]
Range (in code): **ZA Tva Gau Pre**
- 52712. *Caffricola kenyensis* Talbot,1932** (Limaecodidae) Synonym(s): *kenyensis* Talbot,1932
Range (in code): **ZA Nta Kzu Wnn Tva Lpo Wo KE**
- 52713. *Caffricola vicina* Alberti,1954** (Limaecodidae) Synonym(s): *vicina* Alberti,1954 - Range (in code): **ZA Nta Kzu Ec Lad Dbn Gau Pre Tva Lpo Spb**
- 52714. *Calcarifera ordinata* (Butler,1886)** (Limaecodidae) Synonym(s): *ordinata* Butler,1886; *colligans* T.P.Lucas,1891 - Range (in code): **AU**
- 52715. *Cania bandura* (Moore,[1860])** (Limaecodidae) Synonym(s): *bandura* Moore,[1860]; *malaccana* Walker,1865 Original Reference: Parasa bandura Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 417, fig.9 t.11a. Range (in code): **TH MM Rgo ID Sum Ja MY Bor** Bionomy: Larva on Diospyros discolor (Ebenaceae) (Holloway,1986).
- 52716. *Cania bandura acutivalva* Holloway,1986** (Limaecodidae) Synonym(s): *acutivalva* Holloway,1986 - Range (in code): **MM Rgo TH ID Sum Ja MY Bor**
- 52717. *Cania bilinea* (Walker,1855)** (Limaecodidae) Synonym(s): *bilinea* Walker,1855; *bicarinatus* Walker,1858; *malaccana* Walker,1865; *mollis* Walker,1865 - Range (in code): **Ch CN IN MY ID Sum Ja**
- 52718. *Cania guichardi* Holloway,1986** (Limaecodidae) Synonym(s): *guichardi* Holloway,1986
Range (in code): **MY Bor Sbh KBa Swk ID Sum**
- 52719. *Cania heppneri* Inoue,1992** (Limaecodidae) Synonym(s): *heppneri* Inoue,1992 - Range (in code): **TW**
- 52720. *Cania minuta* Holloway,1986** (Limaecodidae) Synonym(s): *minuta* Holloway,1986
Range (in code): **MY Pah Bor BN**
- 52721. *Cania notodonta* Hampson,1897** (Limaecodidae) Synonym(s): *notodonta* Hampson,1897
Range (in code): **IN**
- 52722. *Cania pulligonis* Swinhoe,1889** (Limaecodidae) Synonym(s): *pulligonis* Swinhoe,1889
Range (in code): **IN**
- 52723. *Cania robusta* M.Hering,1931** (Limaecodidae) Synonym(s): *robusta* M.Hering,1931; *pallida* M.Hering,1931 Original Reference: *Cania bilinea* ssp. *robusta* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10: 679. Type: Siao-Lou. Range (in code): **CN TH CMa CDo**
- 52724. *Cania sericea* Walker,1855** (Limaecodidae) Synonym(s): *sericea* Walker,1855; *#sericae* Hutacharern & Tubtim,1995 Original Reference: *Cania sericea* Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1178. Range (in code): **TH IN ID Ja**
- 52725. *Cania siamensis* Tams,1924** (Limaecodidae) Synonym(s): *siamensis* Tams,1924 Original Reference: *Cania siamensis* Tams,1924, J. nat. Hist. Soc. Siam 6 (3): 280, pl.17 fig.14. Holotype ♀: [Thailand]: Chumporn, 3.1.16 (BMNH). Range (in code): **TH Cph**
- 52726. *Cania striola* M.Hering,1931** (Limaecodidae) Synonym(s): *striola* M.Hering,1931 - Range (in code): **MY Bor ID Sum Swk Sbh KBa** Bionomy: Larva on Camellia (Theaceae) (Holloway,1986).
- 52727. *Cania styx* Holloway,1986** (Limaecodidae) Synonym(s): *styx* Holloway,1986 - Range (in code): **MY Bor BN**
- 52728. *Canon eos* Solovyev,2014** (Limaecodidae) Synonym(s): *eos* Solovyev,2014 - **NP**
- 52729. *Canon punica* (Herrich-Schäffer,1848)** (Limaecodidae) Synonym(s): *punica* Herrich-Schäffer,1848 - Range (in code): **BD Syl CN Yu TH MY**
- 52730. *Canon sripanae* Pellinen & Solovyev,2015** (Limaecodidae) Synonym(s): *sripanae* Pellinen & Solovyev,2015 - **TH CMa Int Lmp**
- 52731. *Ceratonema albifusum* Hampson,[1893]** (Limaecodidae) Synonym(s): *albifusum* Hampson,[1893] - Range (in code): **IN Ass Nag**
- 52732. *Ceratonema fasciatum* Hampson,[1893]** (Limaecodidae) Synonym(s): *fasciatum* Hampson,[1893] - Range (in code): **IN Ass Nag**
- 52733. *Ceratonema ferrugineum* Hampson,1896** (Limaecodidae) Synonym(s): *ferrugineum* Hampson,1896 - Range (in code): **IN Meg Ass Khs**
- 52734. *Ceratonema retractatum* (Walker,1865)** (Limaecodidae) Synonym(s): *retractatum* Walker,1865 - Range (in code): **IN SI**

- 52735. *Ceratonema rufibasale* Hampson,1896** (Limacodidae) Synonym(s): *rufibasale* Hampson,1896 _ Range (in code): IN Meg Khs Ass
- 52736. *Ceratonema wilemani* West,1932** (Limacodidae) Synonym(s): *wilemani* West,1932 _ Range (in code): TW
- 52737. *Chalcocelis albiguttatus* (Snellen,1879)** (Limacodidae) Synonym(s): *albiguttatus* Snellen,1879; *fumifera* Swinhoe,1890; *nigriplaga* Heylaerts,1890; *sanguineomaculata* Heylaerts,1890; *pulchrimacula* Hulstaert,1924 _ Original Reference: Limacodes albiguttatus Snellen,1879, Tijdschr. Ent. 22: 118, pl.10 fig.1. Range (in code): MM Rgo SG TH ID Sum Ja Clb Mlc PG AU QAU PH Mno Luz Bionomy: Larva on Cocos (Palmae), Coffea, Gardenia (Rubiaceae), Erythrina, Acacia (Fabaceae), Aleurites (Euphorbiaceae), Eugenia (Myrtaceae), Hydnocarpus (Flacourtiaceae) (Pieiers & Snellen,1900; et seq.).
- 52738. *Chalcocelis castanica* (Turner,1926)** (Limacodidae) Synonym(s): *castanica* Turner,1926 _ Range (in code): AU
- 52739. *Chalcocelis rubra* Bethune-Baker,1908** (Limacodidae) Synonym(s): *rubra* Bethune-Baker,1908 _ Range (in code): PG
- 52740. *Chalcocelis wilemani* West,1937** (Limacodidae) Synonym(s): *wilemani* West,1937 _ Original Reference: Chalcocelis wilemani West,1937, Ann. Mag. nat. Hist. (10) 20: 79, pl.ii figs.5,21. Holotype ♂: Philippines: Luzon, Benguet (A.E.Wileman); Mindanao. Range (in code): PH Luz Mno
- 52741. *Chalcoscelides castaneipars* (Moore,1866)** (Limacodidae) Synonym(s): *castaneipars* Moore,1866 _ Range (in code): IN SI Nag Ass TW MM ID Sum Ja MY Bor Bionomy: Larva on Cocos (Palmae), Citrus (Rutaceae), Cinnamomum (Lauraceae), Cassia (Fabaceae), Spondias (Anacardiaceae), Theobroma (Sterculiaceae), Trevesia (Araliaceae) (Piepers & Snellen,1900; Kalshoven,1981).
- 52742. *Cheromettia sumatrensis* (Heylaerts,1884)** (Limacodidae) Synonym(s): *sumatrensis* Heylaerts,1884 _ Original Reference: Nemeta sumatrensis Heylaerts,1884, Compt. rend. Soc. ent. Belg. 28: 42. Range (in code): ID Sum Ja Bli TH Nrt Srt MY Bor BN Bionomy: Larva on Schleicheria, Nephelium lappaceum (Sapindaceae) [rambutan], Toona, Sandoricum koetjape (Meliaceae) [santol]; Musa (Musaceae), Elaeis (Palmae), Aleurites, Ricinus (Euphorbiaceae), Careya (Barringtoniaceae), Eugenia (Myrtaceae), Theobroma (Sterculiaceae); Ixora, Coffea, Mussaenda (Rubiaceae); Mangifera (Anacardiaceae); Erythrina, Butea, Phaseolus (Fabaceae); Juglans (Juglandaceae) (Browne,1968; Lewvanich,2001).
- 52743. *Chibiraga banghaasi* (M.Hering & Hopp,1927)** (Limacodidae) Synonym(s): *banghaasi* M.Hering & Hopp,1927; *muramatsui* Kawada,1930; *nantonis* Matsumura,1931 _ Range (in code): RU Us TW
- 52744. *Chrysamma amabilis* Clench,1955** (Limacodidae) Synonym(s): *amabilis* Clench,1955 _ Range (in code): ZA
- 52745. *Chrysamma purpuripulchra* Karsch,1896** (Limacodidae) Synonym(s): *purpuripulchra* Karsch,1896 _ Range (in code): ZA TZ TG
- 52746. *Chrysopoloma bicolor* (Distant,1897)** (Limacodidae) Synonym(s): *bicolor* Distant,1897 _ Range (in code): ZA Tva Pin Gau Pre
- 52747. *Chrysopoloma flavipes* Aurivillius,1901** (Limacodidae) Synonym(s): *flavipes* Aurivillius,1901 _ Range (in code): ZA
- 52748. *Chrysopoloma isabellina* Aurivillius,1895** (Limacodidae) Synonym(s): *isabellina* Aurivillius,1895 _ Range (in code): ZA Tva Gau Pre Nta Kzu MZ ZW TZ
- 52749. *Chrysopoloma pallens* M.Hering,1923** (Limacodidae) Synonym(s): *similis* Distant,1903 nec Auriv.,1895; *pallens* M.Hering,1923. _ Range (in code): ZA Tva Gau Pre Wb
- 52750. *Chrysopoloma paupera* M.Hering,1925** (Limacodidae) Synonym(s): *paupera* M.Hering,1925 _ Range (in code): ZA
- 52751. *Chrysopoloma restricta* Distant,1899** (Limacodidae) Synonym(s): *restricta* Distant,1899 _ Range (in code): ZA Tva Mpu Ly
- 52752. *Chrysopoloma rosea* Druce,1886** (Limacodidae) Synonym(s): *rosea* Druce,1886 _ Range (in code): ZA
- 52753. *Chrysopoloma rudis* (Walker,1865)** (Limacodidae) Synonym(s): *rudis* Walker,1865 _ Range (in code): ZA
- 52754. *Chrysopoloma similis* Aurivillius,1895** (Limacodidae) Synonym(s): *similis* Aurivillius,1895 _ Range (in code): ZA

- 52755. *Chrysopoloma varia* Distant,1899** (Limaecodidae) Synonym(s): *varia* Distant,1899
Range (in code): **ZA Tva Lpo Gau Pre MZ Del**
- 52756. *Coenobasis albiramosa* (Walker,1865)** (Limaecodidae) Synonym(s): *albiramosa* Walker,1865 _ Range (in code): **ZA**
- 52757. *Coenobasis amoena* R.Felder & Rogenhofer,1874** (Limaecodidae) Synonym(s): *amoena* R.Felder & Rogenhofer,1874 _ Range (in code): **ZW ZA Ec Nta Kzu Tva Lpo Ly Mpu Gau Pre Jh Tra MZ ZW ET KE**
- 52758. *Coenobasis argenteilinea* Aurivillius,1899** (Limaecodidae) Synonym(s): *argenteilinea* Aurivillius,1899 _ Range (in code): **ZA Tva Gau Pre**
- 52759. *Coenobasis chloronoton* Hampson,1916** (Limaecodidae) Synonym(s): *chloronoton* Hampson,1916 _ Range (in code): **SO**
- 52760. *Coenobasis farouki* Wiltshire,1947** (Limaecodidae) Synonym(s): *farouki* Wiltshire,1947
Range (in code): **EG Sn SA OM YE**
- 52761. *Coenobasis hemichlora* Grünberg,1910** (Limaecodidae) Synonym(s): *hemichlora* Grünberg,1910 _ Range (in code): **ZA**
- 52762. *Coenobasis intermedia* Janse,1964** (Limaecodidae) Synonym(s): *intermedia* Janse,1964
Range (in code): **ZA Tva Lpo Kru**
- 52763. *Coenobasis panochra* Janse,1964** (Limaecodidae) Synonym(s): *panochra* Janse,1964
Range (in code): **ZA Tva Mpu Brb**
- 52764. *Coenobasis postflavida* Hampson,1910** (Limaecodidae) Synonym(s): *postflavida* Hampson,1910 _ Range (in code): **SD**
- 52765. *Coenobasis turneri* West,1937** (Limaecodidae) Synonym(s): *turneri* West,1937 Original Reference: *Coenobasis turneri* West,1937, Ann. Mag. nat. Hist. (10) 20: 86-87, pl.ii fig.6. Holotype ♀: S.Africa, E.Cape Prov., Katberg (R.E.Turner). Range (in code): **ZA Eca**
- 52766. *Comana albibasis* (Walker,1862)** (Limaecodidae) Synonym(s): *albibasis* Walker,1862; *humeralis* Walker,1865 _ Range (in code): **AU**
- 52767. *Comana collaris* Walker,1865** (Limaecodidae) Synonym(s): *collaris* Walker,1865
Range (in code): **AU**
- 52768. *Comana corones* (Fabricius,1775)** (Limaecodidae) Synonym(s): *corones* Fabricius,1775; *miltocoma* Turner,1902 _ Range (in code): **AU**
- 52769. *Comana cosmocalla* (Lower,1902)** (Limaecodidae) Synonym(s): *cosmocalla* Lower,1902; *dochmosema* Turner,1902; *#casmocalla* Van Eecke,1925 _ Range (in code): **AU**
- 52770. *Comana euryparoa* (Turner,1926)** (Limaecodidae) Synonym(s): *euryparoa* Turner,1926
Range (in code): **AU**
- 52771. *Comana idiomorpha* (Turner,1942)** (Limaecodidae) Synonym(s): *idiomorpha* Turner,1942
Range (in code): **AU**
- 52772. *Comana inexpectata* M.Hering,1931** (Limaecodidae) Synonym(s): *inexpectata* M.Hering,1931 _ Range (in code): **AU**
- 52773. *Comana miltocyta* (Turner,1932)** (Limaecodidae) Synonym(s): *miltocyta* Turner,1932
Range (in code): **AU**
- 52774. *Comana miltogramma* (Meyrick,1891)** (Limaecodidae) Synonym(s): *miltogramma* Meyrick,1891; *rosea* T.P.Lucas,1891; *miniacea* Swinhoe,1892 _ Range (in code): **AU**
- 52775. *Comana mjobergi* (Aurivillius,1920)** (Limaecodidae) Synonym(s): *mjobergi* Aurivillius,1920; *#mjobergi* Van Eecke,1925 _ Range (in code): **AU**
- 52776. *Comana monomorpha* (Turner,1904)** (Limaecodidae) Synonym(s): *monomorpha* Turner,1904 _ Range (in code): **AU**
- 52777. *Comana resplendens* (Turner,1926)** (Limaecodidae) Synonym(s): *resplendens* Turner,1926
Range (in code): **AU**
- 52778. *Comanula uniformis* (Swinhoe,1892)** (Limaecodidae) Synonym(s): *uniformis* Swinhoe,1892; *bipunctata* M.Hering,1931 _ Range (in code): **AU**
- 52779. *Contheyla lola* Swinhoe,1904** (Limaecodidae) Synonym(s): *lola* Swinhoe,1904 _ Range (in code): **MY Bor ID Sum**
- 52780. *Contheyla melanosticta* Hampson,1892** (Limaecodidae) Synonym(s): *melanosticta* Hampson,1892 _ Range (in code): **IN**
- 52781. *Contheyla propexa* (Swinhoe,1889)** (Limaecodidae) Synonym(s): *propexa* Swinhoe,1889
Range (in code): **IN Poo**

- 52782. Contheyla vestita Walker,1865** (Limaecodidae) Synonym(s): *vestita* Walker,1865
Range (in code): IN NI
- 52783. Cosuma marginata Holland,1895** (Limaecodidae) Synonym(s): *marginata* Holland,1895
Range (in code):
- 52784. Cosuma polana Druce,1887** (Limaecodidae) Synonym(s): *polana* Druce,1887 - Range (in code): ZA
- 52785. Cosuma rugosa Walker,1855** (Limaecodidae) Synonym(s): *rugosa* Walker,1855 - Range (in code): SL TG CM
- 52786. Crothaema conspicua Janse,1964** (Limaecodidae) Synonym(s): *conspicua* Janse,1964
Range (in code): ZA
- 52787. Crothaema decorata Distant,1892** (Limaecodidae) Synonym(s): *decorata* Distant,1892
Range (in code): ZA Tva Lpo Nta Kzu Ec Gau Pre Mpu Brb
- 52788. Crothaema schoutedeni M.Hering,1954** (Limaecodidae) Synonym(s): *schoutedeni* M.Hering,1954 - Range (in code): ZA
- 52789. Crothaema sericea Butler,1880** (Limaecodidae) Synonym(s): *sericea* Butler,1880
Original Reference: *Crothaema sericea* Butler,1880, Ann. Mag. nat. Hist. (5) 5: 388ç Type: Madagascar. Range (in code): ZA MG
- 52790. Crothaema trichromata West,1937** (Limaecodidae) Synonym(s): *trichromata* West,1937
Range (in code): ZR Kga
- 52791. Ctenocompa hilda (Druce,1887)** (Limaecodidae) Synonym(s): *hilda* Druce,1887 - Range (in code): CM
- 52792. Ctenocompa secta Strand,1912** (Limaecodidae) Synonym(s): *secta* Strand,1912 - Range (in code):
- 52793. Ctenolita anacompa Karsch,1896** (Limaecodidae) Synonym(s): *anacompa* Karsch,1896
Range (in code): TG
- 52794. Ctenolita argyrobapta Karsch,1899** (Limaecodidae) Synonym(s): *argyrobapta* Karsch,1899
Range (in code): CM
- 52795. Ctenolita chrostisa Karsch,1896** (Limaecodidae) Synonym(s): *chrostisa* Karsch,1896
Range (in code): CM
- 52796. Ctenolita epargyra Karsch,1896** (Limaecodidae) Synonym(s): *epargyra* Karsch,1896
Range (in code): TG
- 52797. Ctenolita habenichti Wichgraf,1913** (Limaecodidae) Synonym(s): *habenichti* Wichgraf,1913
Range (in code): MZ
- 52798. Ctenolita melanosticta (Bethune-Baker,1909)** (Limaecodidae) Synonym(s): *melanosticta* Bethune-Baker,1909 - Range (in code): ZA
- 52799. Darna (Orthocraspeda) bornesordida Holloway,1986** (Limaecodidae) Synonym(s): *bornesordida* Holloway,1986 - Range (in code): MY Bor BN Bionomy: Larva on *Erythrina*, *Pterocarpus* (Fabaceae) (Holloway,1986).
- 52800. Darna (Orthocraspeda) catenatus (Snellen,1879)** (Limaecodidae) Synonym(s): *catenatus* Snellen,1879 Original Reference: *Limaecodes catenatus* Snellen,1879, Tijdschr. Ent. 22: 121, pl.10 fig.3. Type: Celebes. Range (in code): ID Clb
- 52801. Darna (Orthocraspeda) furva (Wileman,1911)** (Limaecodidae) Synonym(s): *furva* Wileman,1911; *fasciata* Shiraki,1913 Original Reference: *Natada furva* Wileman,1911, Entomologist 44: 205. Type: Formosa. Range (in code): TW TH CN IN
- 52802. Darna (Orthocraspeda) nemacera (Hampson,1900)** (Limaecodidae) Synonym(s): *nemacera* Hampson,1900 - Range (in code): IN
- 52803. Darna (Orthocraspeda) sordida (Snellen,1900)** (Limaecodidae) Synonym(s): *sordida* Snellen,1900; *luticrista* Tams,1924 Original Reference: *Orthocraspeda sordida* Snellen,1900, Tijdschr. Ent. 43: 99 pl.3 figs. 2-4. Type: Java. Range (in code): ID Sum Ja MY TH
- 52804. Darna (Orthocraspeda) trima (Moore,[1860])** (Limaecodidae) Synonym(s): *trima* Moore,[1860] Original Reference: *Parasa trima* Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 416, pl.2 fig.13. Syntypes: Sumatra, Pegu, Java. Range (in code): MM Peg TH ID Sum Ja MY Bor Swk ID Sum MY SG Bionomy: Larva on *Elaeis*, *Cocos* (Palmae), *Musa* (Musaceae), *Coffea* (Rubiaceae), *Psidium*, *Eugenia* (Myrtaceae), *Imperata* (Poaceae), *Theobroma* (Sterculiaceae), *Camellia* (Theaceae), *Citrus* (Rutaceae) (Wood,1968).
- 52805. Darna (Orthocraspeda) trima ajavana Holloway,1986** (Limaecodidae) Synonym(s): *ajavana* Holloway,1986 - Range (in code): MY Bor Swk ID Sum MY SG

- 52806. Darna (Orthocraspeda) tuaranensis (Holloway,1976)** (Limaodidae) Synonym(s): *tuaranensis* Holloway,1976 _ Range (in code): MY Bor Sbh Bionomy: Larva on Theobroma (Sterculiaceae) (Holloway,1986).
- 52807. Darna (Oxyplax) fulvidorsia (Hampson,1910)** (Limaodidae) Synonym(s): *fulvidorsia* Hampson,1910 _ Range (in code): LK
- 52808. Darna (Oxyplax) fulvimixa (Hampson,1910)** (Limaodidae) Synonym(s): *fulvimixa* Hampson,1910 _ Range (in code): LK
- 52809. Darna (Oxyplax) ochracea (Moore,1883)** (Limaodidae) Synonym(s): *ochracea* Moore,1883 _ Range (in code): IN Ass Meg Khs LK ID Ja
- 52810. Darna (Oxyplax) pallivitta (Moore,1877)** (Limaodidae) Synonym(s): *ochracea auct. nec* Mr.,[1883]; *pallivitta* Moore,1877 Original Reference: Miresa pallivitta Moore,1877, Ann. Mag. nat. Hist. (4) 20: 93. Type: China: Shanghai. Range (in code): TH CN TW MY Ja ID Bor Bionomy: Larva on Adenostemma (Asteraceae), Breynia (Euphorbiaceae), Areca (Palmae), Ficus (Moraceae) (Holloway,1986).
- 52811. Darna (Ploneta) bradleyi Holloway,1986** (Limaodidae) Synonym(s): *bradleyi* Holloway,1986 _ Range (in code): MY Bor Swk Sbh Bionomy: Larva on Elaeis guineensis (Palmae) (Holloway,1986).
- 52812. Darna (Ploneta) cotesi (Swinhoe,1893)** (Limaodidae) Synonym(s): *cotesi* Swinhoe,1893 Original Reference: Thosea cotesi Swinhoe,1893, Ann. Mag. nat. Hist. (6) 12: 211. Type: India: Assam. Range (in code): IN Ass
- 52813. Darna (Ploneta) diducta (Snellen,1900)** (Limaodidae) Synonym(s): *diducta* Snellen,1900 Original Reference: Ploneta diducta Snellen,1900, Tijdschr. Ent. 43: 106, pl.4 fig.9, pl.3 figs.7,8. Type: Java. Range (in code): ID Sum Ja TH Nrt Bionomy: Larva on Cocos, Metroxylon, Elaeis, Pinanga (Palmae), Musa (Musaceae), Eugenia, Syzygium cumini (Myrtaceae), Carica (Caricaceae), Annona (Annonaceae), Theobroma (Sterculiaceae), Michelia (Magnoliaceae) (Holloway,1986).
- 52814. Darna (Ploneta) flavina M.Hering,1931** (Limaodidae) Synonym(s): *flavina* M.Hering,1931 _ Range (in code): ID Sbw
- 52815. Darna (Ploneta) jasea (Swinhoe,1899)** (Limaodidae) Synonym(s): *jasea* Swinhoe,1899 Original Reference: Thosea jasea Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 111. Type ♀: [India]: "Kutyne, N.Kanara (coll. Davidson). Range (in code): IN Knr
- 52816. Darna (s.str.) metaleuca (Walker,1862)** (Limaodidae) Synonym(s): *metaleuca* Walker,1862; *plana* Walker,1862 _ Range (in code): MY Bor ID Sum Ja Bionomy: Larva on Bombax (Bombacaceae) (Holloway,1986).
- 52817. Darna (s.str.) nararia (Moore,1859)** (Limaodidae) Synonym(s): *nararia* Moore,1859; *signata* Moore,1883; *fraterna* Moore,1883; *suffusa* Moore,1888; *cosmiana* Swinhoe,1886; *sericea* Hampson,1893 Range (in code): Ch IN Hp Drm Mhw NI LK
- 52818. Darna (s.str.) sybilla (Swinhoe,1903)** (Limaodidae) Synonym(s): *sybilla* Swinhoe,1903 Original Reference: Thosea sybilla Swinhoe,1903, Ann. Mag. nat. Hist. (7) 11: 502. Type: Siam. Range (in code): TH
- 52819. Darna sp.** (Limaodidae) Synonym(s): _ Range (in code): TH Nrt Cbi Bionomy: Larva on Sandoricum koetjape (Meliaceae) [santol] (Lewvanich,2001).
- 52820. Delorhachis kilosa West,1940** (Limaodidae) Synonym(s): *kilosa* West,1940 _ Range (in code): ZA
- 52821. Delorhachis nigrivenosa Karsch,1896** (Limaodidae) Synonym(s): *nigrivenosa* Karsch,1896 _ Range (in code): TG
- 52822. Delorhachis viridiplaga Karsch,1896** (Limaodidae) Synonym(s): *viridiplaga* Karsch,1896 _ Range (in code): ZR TG CM
- 52823. Deltoptera iphia Janse,1964** (Limaodidae) Synonym(s): *iphia* Janse,1964 Original Reference: Deltoptera iphia Janse,1964, Moths of South Africa 7: 86. Holotype: South Africa: Transvaal: Blouberg. Range (in code): ZA Lpo Tva Spb Mdk Bbg MZ ZM ZW
- 52824. Deltoptera omana Wiltshire,1976** (Limaodidae) Synonym(s): *omana* Wiltshire,1976 Range (in code): OM
- 52825. Demonarosa diagonalis (Holloway,1982)** (Limaodidae) Synonym(s): *diagonalis* Holloway,1982 _ Range (in code): MY Bor ID Sum Sbh BN
- 52826. Demonarosa mediodorsata (M.Hering,1931)** (Limaodidae) Synonym(s): *mediodorsata* M.Hering,1931 _ Range (in code): ID Sum Bor Swk BN

- 52827. *Demonarosa ochrirubra* (Holloway,1976)** (Limaodidae) Synonym(s): *ochrirubra* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 52828. *Demonarosa rosea* Matsumura,1931** (Limaodidae) Synonym(s): *rosea* Matsumura,1931 _ Range (in code): TW
- 52829. *Demonarosa rufotessellata* (Moore,1879)** (Limaodidae) Synonym(s): *rufotessellata* Moore,1879 _ Range (in code): IN SI TH CMa Cmz Cz10 TW ID Ja
- 52830. *Demonarosa rufotessellata subrosea* (Wileman,1915)** (Limaodidae) Synonym(s): *subrosea* Wileman,1915; *rosea* Matsumura,1931 _ Range (in code): TW
- 52831. *Dinawa nigricans* Bethune-Baker,1904** (Limaodidae) Synonym(s): *nigricans* Bethune-Baker,1904 _ Range (in code): PG
- 52832. *Dinawa rufa* Bethune-Baker,1904** (Limaodidae) Synonym(s): *rufa* Bethune-Baker,1904 _ Range (in code): PG
- 52833. *Doratifera casta* (Scott,1864)** (Limaodidae) Synonym(s): *casta* Scott,1864; *#acasta* Froggatt,1907 _ Range (in code): AU NSw Syd
- 52834. *Doratifera corallina* (Turner,1902)** (Limaodidae) Synonym(s): *corallina* Turner,1902 _ Range (in code): AU
- 52835. *Doratifera ochroptila* Turner,1926** (Limaodidae) Synonym(s): *ochroptila* Turner,1926 _ Range (in code): AU
- 52836. *Doratifera oxleyi* (Newman,1855)** (Limaodidae) Synonym(s): *oxleyi* Newman,1855; *circumdata* Walker,1855; *confusa* Walker,1855; *longerans* Tepper,1890 _ Range (in code): AU
- 52837. *Doratifera pinguis* (Walker,1855)** (Limaodidae) Synonym(s): *pinguis* Walker,1855; *olorina* Turner,1926 _ Range (in code): AU
- 52838. *Doratifera quadriguttata* (Walker,1855)** (Limaodidae) Synonym(s): *quadriguttata* Walker,1855; *lewini* Scott,1864; *unicolora* Swinhoe,1902 _ Range (in code): AU
- 52839. *Doratifera stenora* Turner,1902** (Limaodidae) Synonym(s): *stenora* Turner,1902 _ Range (in code): AU
- 52840. *Doratifera vulnerans* (Lewin,1805)** (Limaodidae) Synonym(s): *vulnerans* Lewin,1805 _ Range (in code): AU
- 52841. *Ecnomoctena brachyopa* (Lower,1897)** (Limaodidae) Synonym(s): *brachyopa* Lower,1897; *grisea* Aurivillius,1920 _ Range (in code): AU
- 52842. *Ecnomoctena hemitoma* Turner,1926** (Limaodidae) Synonym(s): *hemitoma* Turner,1926 _ Range (in code): AU
- 52843. *Ecnomoctena sciobaphes* Turner,1941** (Limaodidae) Synonym(s): *sciobaphes* Turner,1941 _ Range (in code): AU
- 52844. *Ectropa adam* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *adam* Kurshakov & Zolotuhin,2013 _ Range (in code): TZ
- 52845. *Ectropa alberici* Dufrane,1945** (Limaodidae) Synonym(s): *alberici* Dufrane,1945 _ Range (in code): CI ZR
- 52846. *Ectropa ancilis* Wallengren,1863** (Limaodidae) Synonym(s): *ancilis* Wallengren,1863 _ Range (in code): ZA Nta Kzu Tva Wnn Ltr Spb Tva Lpo
- 52847. *Ectropa revellii* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *revellii* Kurshakov & Zolotuhin,2013 _ Range (in code): SL
- 52848. *Ectropoma aarviki* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *aarviki* Kurshakov & Zolotuhin,2013 _ Range (in code): TZ Mgr
- 52849. *Ectropoma dargei* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *dargei* Kurshakov & Zolotuhin,2013 _ Range (in code): TZ Mgr Usa
- 52850. *Ectropoma kubwa* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *kubwa* Kurshakov & Zolotuhin,2013 _ Range (in code): TZ Mgr
- 52851. *Ectropoma larsa* Kurshakov & Zolotuhin,2013** (Limaodidae) Synonym(s): *larsa* Kurshakov & Zolotuhin,2013 _ Range (in code): KE Kkm
- 52852. *Elassoptila microxutha* Turner,1902** (Limaodidae) Synonym(s): *microxutha* Turner,1902 _ Range (in code): AU
- 52853. *Eloasa acrata* (Turner,1926)** (Limaodidae) Synonym(s): *acrata* Turner,1926 _ Range (in code): AU
- 52854. *Eloasa atmodes* (Turner,1902)** (Limaodidae) Synonym(s): *atmodes* Turner,1902; *loxoleuca* Turner,1904 _ Range (in code): AU

- 52855. *Eloasa bombycoides* (R.Felder,1874)** (Limaconidae) Synonym(s): *bombycoides* R.Felder,1874; *erecta* Swinhoe,1902; *amphibrota* Lower,1902; *rutula* Turner,1914 _ Range (in code): AU
- 52856. *Eloasa brevipennis* (M.Hering,1931)** (Limaconidae) Synonym(s): *brevipennis* M.Hering,1931 _ Range (in code): AU
- 52857. *Eloasa callidesma* (Lower,1896)** (Limaconidae) Synonym(s): *callidesma* Lower,1896 _ Range (in code): AU QAU
- 52858. *Eloasa inferquens* (Scott,1864)** (Limaconidae) Synonym(s): *inferquens* Scott,1864; *entima* Turner,1926 _ Range (in code): AU
- 52859. *Eloasa liosarca* (Lower,1902)** (Limaconidae) Synonym(s): *liosarca* Lower,1902; *integer* Turner,1926 _ Range (in code): AU
- 52860. *Eloasa luxa* (Swinhoe,1902)** (Limaconidae) Synonym(s): *luxa* Swinhoe,1902 _ Range (in code): AU
- 52861. *Eloasa perixera* (Lower,1902)** (Limaconidae) Synonym(s): *perixera* Lower,1902 _ Range (in code): AU
- 52862. *Eloasa sphenosema* (Lower,1902)** (Limaconidae) Synonym(s): *sphenosema* Lower,1902 _ Range (in code): AU
- 52863. *Eloasa symphonistis* (Turner,1936)** (Limaconidae) Synonym(s): *symphonistis* Turner,1936 _ Range (in code): AU
- 52864. *Euphycta erastris* Snellen,1900** (Limaconidae) Synonym(s): *erastris* Snellen,1900 _ Range (in code): ID Ja
- 52865. *Euphyctinides aeneola* Solovyev,2009** (Limaconidae) Synonym(s): *aeneola* Solovyev,2009 _ Range (in code): TH CMA Uth
- 52866. *Euphyctinides albifusum* (Hampson,1892)** (Limaconidae) Synonym(s): *albifusum* Hampson,1892; *rava* M.Hering,1931 _ Range (in code): IN NP
- 52867. *Euphyctinides indi* Solovyev,2009** (Limaconidae) Synonym(s): *indi* Solovyev,2009 _ Range (in code): IN SI Djl
- 52868. *Exanthica atelacma* Meyrick,1926** (Limaconidae) Synonym(s): *atelacma* Meyrick,1926 _ Range (in code): ZA
- 52869. *Exanthica trigonella* (R.Felder & Rogenhofer,1875)** (Limaconidae) Synonym(s): *trigonella* R.Felder & Rogenhofer,1875 _ Range (in code): ZA
- 52870. *Featheria obvia* Hampson,1916** (Limaconidae) Synonym(s): *obvia* Hampson,1916 _ Range (in code): SO
- 52871. *Flavinarosa holoxanthia* (Hampson,1900)** (Limaconidae) Synonym(s): *holoxanthia* Hampson,1900 _ Range (in code): MY Bor Swk Sbh KBa IN ID Sum
- 52872. *Gavara velutina* Walker,[1858]** (Limaconidae) Synonym(s): *velutina* Walker,[1858]; *squamosa* Wallengren,1860; *leprosa* Felder,1874. _ Range (in code): ZA Kzu Nta Dbn Srn Mv Umk Ptw Esw Tva Lpo Spb Mpu Tst
- 52873. *Gephyrophora mitis* Karsch,1896** (Limaconidae) Synonym(s): *mitis* Karsch,1896 _ Range (in code): TG
- 52874. *Griseothosea cruda* (Walker,1862)** (Limaconidae) Synonym(s): *cruda* Walker,1862 _ Range (in code): MY Prk Bor Swk ID Sum
- 52875. *Griseothosea fasciata* (Moore,1888)** (Limaconidae) Synonym(s): *fasciata* Moore,1888 _ Range (in code): IN Drm Hp Ch CN
- 52876. *Griseothosea kinabaluensis* Holloway,1986** (Limaconidae) Synonym(s): *kinabaluensis* Holloway,1986 _ Range (in code): MY Bor Sbh KBa
- 52877. *Griseothosea mixta* (Snellen,1900)** (Limaconidae) Synonym(s): *mixta* Snellen,1900 _ Range (in code): ID Ja
- 52878. *Halseyia basiclara* (M.Hering,1937)** (Limaconidae) Synonym(s): *basiclara* M.Hering,1937 _ Range (in code): ZA
- 52879. *Halseyia bisecta* (Butler,1898)** (Limaconidae) Synonym(s): *bisecta* Butler,1898 _ Range (in code): ZA Gau Pre Wo Tst Brb Kzu Nta ZW Bul Tva Lpo
- 52880. *Halseyia biumbata* (Hampson,1910)** (Limaconidae) Synonym(s): *biumbata* Hampson,1910 _ Range (in code): ZA
- 52881. *Halseyia intacta* (M.Hering,1937)** (Limaconidae) Synonym(s): *intacta* M.Hering,1937 _ Range (in code): ZA Tva Gau Pre Mpu Tst ZW Bul
- 52882. *Halseyia pseudobisecta* (M.Hering,1937)** (Limaconidae) Synonym(s): *pseudobisecta* M.Hering,1937 _ Range (in code): ZA Gau Pre Mpu Brb Wo Wp Tva Nta Kzu Lpo Spb Elo ZW Bul Har

- 52883. Halseyia rectifascia** (M.Hering,1937) (Limaconidae) Synonym(s): *rectifascia* M.Hering,1937 _ Range (in code): ZA Mpu Brb Tva Lpo Spb Sbs Tsh Nta Kzu ZW Bul
- 52884. Halseyia rufilinea** (Bethune-Baker,1909) (Limaconidae) Synonym(s): *rufilinea* Bethune-Baker,1909 _ Range (in code): ZA
- 52885. Halseyia tamsi** (M.Hering,1937) (Limaconidae) Synonym(s): *tamsi* M.Hering,1937 _ Range (in code): ZA
- 52886. Hamartia clarissa** M.Hering,1937 (Limaconidae) Synonym(s): *clarissa* M.Hering,1937 _ Range (in code): ZA
- 52887. Hamartia medora** M.Hering,1937 (Limaconidae) Synonym(s): *medora* M.Hering,1937 _ Range (in code): ZA
- 52888. Hedraea quadridens** (T.P.Lucas,1901) (Limaconidae) Synonym(s): *quadridens* T.P.Lucas,1901 _ Range (in code): AU QAU Bri
- 52889. Heringarosa cretacea** Holloway,1986 (Limaconidae) Synonym(s): *cretacea* Holloway,1986 _ Range (in code): MY Bor Sbh Swk
- 52890. Heringarosa trifurca** Holloway,1986 (Limaconidae) Synonym(s): *trifurca* Holloway,1986 _ Range (in code): MY Bor Swk
- 52891. Heterogenea asella** ([Denis & Schiffermüller],1775) (Limaconidae) Synonym(s): *#asella* [Denis & Schiffermüller],1775; *cruciata* Knoch,1783; *asellana* Hübner,[1799] _ Original Reference: Bombyx asella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 65. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY _ Bionomy: Larva on Betula, Carpinus betulus, Corylus, Fagus, Prunus padus, Quercus, Populus nigra ([Denis & Schiffermüller],1775; Meyer,1919).
- 52892. Hilopoda gravidipes** Karsch,1896 (Limaconidae) Synonym(s): *gravidipes* Karsch,1896 _ Range (in code): TG
- 52893. Homosusica eugrapha** Janse,1964 (Limaconidae) Synonym(s): *eugrapha* Janse,1964 _ Range (in code): ZA
- 52894. Hoyosia codeti** (Oberthür,1883) (Limaconidae) Synonym(s): *codeti* Oberthür,1883 _ Original Reference: Limacodes codeti Oberthür,1883, Bull. Soc. ent. Fr. 1883 (Bull.): xlviii. Type: Algeria, Sebdom. Range (in code): DZ Sbd Ges PT ES FR
- 52895. Hoyosia cretica** (Rebel,1906) (Limaconidae) Synonym(s): *cretica* Rebel,1906 _ Range (in code): Cr GR TR
- 52896. Hydroclada antigona** Meyrick,1890 (Limaconidae) Synonym(s): *antigona* Meyrick,1890; *binea* Druce,1899 _ Range (in code): AU
- 52897. Hyphorma minax** Walker,1865 (Limaconidae) Synonym(s): *minax* Walker,1865 _ Range (in code): SI IN CN VN Ton TH MY Bor ID Sum Ja
- 52898. Hyphorma minax capucina** Snellen,1900 (Limaconidae) Synonym(s): *capucina* Snellen,1900 _ Range (in code): ID Ja
- 52899. Hyphorma minax margaritacea** M.Hering,1931 (Limaconidae) Synonym(s): *margaritacea* M.Hering,1931; *barisana* West,1937 _ Range (in code): CN TH MY Bor ID Sum Ja
- 52900. Hyphorma minax minax** Walker,1865 (Limaconidae) Synonym(s): *minax* Walker,1865 _ Range (in code): IN
- 52901. Hyphorma minax minor** De Joannis,1930 (Limaconidae) Synonym(s): *minor* De Joannis,1930 _ Range (in code): VN Ton
- 52902. Hyphorma pannosa** Snellen,1900 (Limaconidae) Synonym(s): *pannosa* Snellen,1900 _ Range (in code): ID Ja
- 52903. Hyphorma sericea** Leech,1899 (Limaconidae) Synonym(s): *sericea* Leech,1899 _ Range (in code): CN Sz
- 52904. Hyphorma subterminalis** Hampson,1910 (Limaconidae) Synonym(s): *subterminalis* Hampson,1910 _ Range (in code): CI
- 52905. Hyphormides argentipunctata** M.Hering,1931 (Limaconidae) Synonym(s): *argentipunctata* M.Hering,1931 _ Range (in code): MY Bor ID Sum IN Mh Nsk Dhl
- 52906. Hyphormoides obliquestrigata** Strand,1914 (Limaconidae) Synonym(s): *obliquestrigata* Strand,1914 _ Range (in code): CM
- 52907. Hypselolopha hypodrosa** Turner,1926 (Limaconidae) Synonym(s): *hypodrosa* Turner,1926 _ Range (in code): AU

- 52908. *Idonauton apicalis* (Walker,1855)** (Limaconidae) Synonym(s): *apicalis* Walker,1855; *curvifera* Walker,1859; *rubriplaga* Walker,1862 _ Range (in code): **BD Syl IN TH CMa SG MY Bor ID Sum** Bionomy: Larva on Litchi chinensis [litchi], Dimocarpus longan (Sapindaceae) [longan]; Cocos (Palmae) (Holloway,1986; Lewvanich,2001).
- 52909. *Idonauton nigribasis* Hampson,1905** (Limaconidae) Synonym(s): *nigribasis* Hampson,1905 _ Range (in code): **IN**
- 52910. *Inous nigripalpis* Walker,1855** (Limaconidae) Synonym(s): *nigripalpis* Walker,1855 Range (in code): **ZA**
- 52911. *Iragoides basifusca* Kawada,1930** (Limaconidae) Synonym(s): *basifusca* Kawada,1930 Range (in code): **TW**
- 52912. *Iragoides conjuncta* (Walker,1855)** (Limaconidae) Synonym(s): *conjuncta* Walker,1855; *fimbriata* Walker,1858; *cuprea* Moore,1878 Original Reference: *Limaconodes conjuncta* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1150. Syntypes: Nord-China, Sikkim, Rangoon, Pegu, Formosa. Range (in code): **CN TW IN SI MM Peg Rgo TH Knc Chu** Bionomy: Larva on leaf of Citrus maxima [pomelo] (Rutaceae), Senna occidentalis [coffea senna] (Fabaceae) (Lewvanich,2001).
- 52913. *Iragoides crispa* (Swinhoe,1890)** (Limaconidae) Synonym(s): *crispa* Swinhoe,1890 Range (in code): **CN Hnn Hph Kwa Sz Yu Ti She Gn NP IN**
- 52914. *Iragoides elongata* M.Hering,1931** (Limaconidae) Synonym(s): *elongata* M.Hering,1931 Range (in code): **CN Sz Hph Yu Ti MM**
- 52915. *Iragoides lineofusca* Wu & Fang,2008** (Limaconidae) Synonym(s): *lineofusca* Wu & Fang,2008 _ Range (in code): **CN Sz Ahw Fkn Hnn Hn She**
- 52916. *Iragoides melli* M.Hering,1931** (Limaconidae) Synonym(s): *melli* M.Hering,1931 Range (in code): **CN Ahw Fkn Hnn Hph Hun Kwa Hn Sz Yu TW**
- 52917. *Iragoides melli* M.Hering,1931** (Limaconidae) Synonym(s): *melli* M.Hering,1931 Range (in code): **CN TW**
- 52918. *Iragoides taiwana* (Wileman,1916)** (Limaconidae) Synonym(s): *taiwana* Wileman,1916 Range (in code): **TW**
- 52919. *Iragoides taiwana* (Wileman,1916)** (Limaconidae) Synonym(s): *taiwana* Wileman,1916 Range (in code): **TW**
- 52920. *Isozinara pallidifascia* Janse,1964** (Limaconidae) Synonym(s): *pallidifascia* Janse,1964 Range (in code): **ZA Tva Lpo Spb Slp BW Okw**
- 52921. *Jordaniana lactea* (Pagenstecher,1903)** (Limaconidae) Synonym(s): *lactea* Pagenstecher,1903 _ Range (in code): **ZA**
- 52922. *Lamprolepida chrysochroa* (R.Felder,1874)** (Limaconidae) Synonym(s): *chrysochroa* R.Felder,1874; *euchrysa* Lower,1896 _ Range (in code): **AU**
- 52923. *Lasiochara pulchra* Bethune-Baker,1904** (Limaconidae) Synonym(s): *pulchra* Bethune-Baker,1904 _ Range (in code): **PG**
- 52924. *Lasiolimacos ferruginea* Bethune-Baker,1904** (Limaconidae) Synonym(s): *ferruginea* Bethune-Baker,1904 _ Range (in code): **PG**
- 52925. *Lasiolimacos kenricki* Bethune-Baker,1904** (Limaconidae) Synonym(s): *kenricki* Bethune-Baker,1904 _ Range (in code): **PG**
- 52926. *Lasiolimacos pratti* Bethune-Baker,1904** (Limaconidae) Synonym(s): *pratti* Bethune-Baker,1904 _ Range (in code): **PG**
- 52927. *Latoia albicosta* (Hampson,1910)** (Limaconidae) Synonym(s): *albicosta* Hampson,1910; *#kilimandscharonis* Strand _ Range (in code): **ZA KE TZ**
- 52928. *Latoia anagaura* Janse,1964** (Limaconidae) Synonym(s): *anagaura* Janse,1964 _ Range (in code): **ZA**
- 52929. *Latoia eremotropha* Janse,1964** (Limaconidae) Synonym(s): *eremotropha* Janse,1964 Range (in code): **ZA**
- 52930. *Latoia inexpectata* (Staudinger,[1896])** (Limaconidae) Synonym(s): *inexpectata* Staudinger,[1896] Original Reference: *Neraesa inexpectata* Staudinger,[1896], Dt. ent. Z., Iris 8: 293-294. Type ♂: [Hatay Prov.]: "Akbes (Eibes)". Range (in code): **TR LB Hzm IR Fa**
- 52931. *Latoia johannes* (Distant,1898)** (Limaconidae) Synonym(s): *johannes* Distant,1898 Range (in code): **ZA Tva Nta Kzu Dbn Kkf Gau Pre Jh**
- 52932. *Latoia latistriga* (Walker,1855)** (Limaconidae) Synonym(s): *latistriga* Walker,1855 Range (in code): **ZA Tva Nta Kzu Gau Pre NW Har**

- 52933. *Latoia nivosa angustifascia* M.Hering,1928** (Limacodidae) Synonym(s): *angustifascia* M.Hering,1928 _ Range (in code): ZA
- 52934. *Latoia urda* (Druce,1887)** (Limacodidae) Synonym(s): *urda* Druce,1887; *karschi* Dyar,1912 _ Range (in code): ZA
- 52935. *Latoia viridicosta* (Hampson,1910)** (Limacodidae) Synonym(s): *viridicosta* Hampson,1910 _ Range (in code): ZA
- 52936. *Latoia viridifascia* Holland,1893** (Limacodidae) Synonym(s): *viridifascia* Holland,1893 _ Range (in code): ZA
- 52937. *Latoia viridimixta* Janse,1964** (Limacodidae) Synonym(s): *viridimixta* Janse,1964 _ Range (in code): ZA
- 52938. *Latoia vitilena* (Karsch,1896)** (Limacodidae) Synonym(s): *vitilena* Karsch,1896; *#vitilenea* Van Eecke,1925 _ Range (in code): ZA
- 52939. *Latoia vivida* (Walker,1865)** (Limacodidae) Synonym(s): *vivida* Walker,1865; *arcuata* Karsch,1896; *neumannii* Karsch,1896; *viridimixta* Janse,1964 _ Original Reference: Nyssia vivida Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 478. Type: South Africa: Natal. _ Range (in code): ZA Tva Lpo Spb Mdk Nta Kzu MZ ZW Vum ZM MW
- 52940. *Latoiola pusilla* (Aurivillius,1899)** (Limacodidae) Synonym(s): *pusilla* Aurivillius,1899 _ Range (in code): ZA
- 52941. *Lepidorytis sulcata* Aurivillius,1900** (Limacodidae) Synonym(s): *sulcata* Aurivillius,1900 _ Range (in code): ZA
- 52942. *Limacochara pulchra* (Bethune-Baker,1904)** (Limacodidae) Synonym(s): *pulchra* Bethune-Baker,1904; *pyrrhothrix* Turner,1926 _ Range (in code): AU
- 52943. *Limacosilla pirifera* M.Hering,1931** (Limacodidae) Synonym(s): *pirifera* M.Hering,1931 _ Range (in code): MY Bor Nat ID Sum
- 52944. *Lymantricodes parva* Holloway,1986** (Limacodidae) Synonym(s): *parva* Holloway,1986 _ Range (in code): MY Bor Swk
- 52945. *Lymantricodes pulverulenta* (M.Hering,1931)** (Limacodidae) Synonym(s): *pulverulenta* M.Hering,1931 _ Range (in code): IN _ Bionomy: Larva on Malus (Rosaceae) (Holloway,1986).
- 52946. *Macroplecta albescens* Hampson,1910** (Limacodidae) Synonym(s): *albescens* Hampson,1910 _ Range (in code):
- 52947. *Macroplecta apicalis* Hampson,1897** (Limacodidae) Synonym(s): *apicalis* Hampson,1897 _ Range (in code): IN
- 52948. *Macroplecta fuscifusa* Hampson,1910** (Limacodidae) Synonym(s): *fuscifusa* Hampson,1910; *hyperdiffusa* Strand,1916 _ Range (in code):
- 52949. *Macroplecta hieroglyphica* Bethune-Baker,1911** (Limacodidae) Synonym(s): *hieroglyphica* Bethune-Baker,1911 _ Range (in code): AO
- 52950. *Macroplecta meridionalis* M.Hering,1928** (Limacodidae) Synonym(s): *meridionalis* M.Hering,1928 _ Range (in code): ZA Tva Gau Pre
- 52951. *Macroplecta mesocyma* Hampson,1910** (Limacodidae) Synonym(s): *mesocyma* Hampson,1910 _ Range (in code):
- 52952. *Macroplecta minutissima* (Swinhoe,1890)** (Limacodidae) Synonym(s): *minutissima* Swinhoe,1890 _ Range (in code): MM Rgo
- 52953. *Macroplecta obliquilinea* Hampson,1910** (Limacodidae) Synonym(s): *obliquilinea* Hampson,1910 _ Range (in code): ZA
- 52954. *Macroplecta rosea* Bethune-Baker,1911** (Limacodidae) Synonym(s): *rosea* Bethune-Baker,1911 _ Range (in code): AO
- 52955. *Macroplecta rufopallens* Hampson,1910** (Limacodidae) Synonym(s): *rufopallens* Hampson,1910 _ Range (in code): UG ZA
- 52956. *Macroplecta semiaurantia* Hampson,1896** (Limacodidae) Synonym(s): *semiaurantia* Hampson,1896 _ Range (in code): IN Meg Ass Khz
- 52957. *Macroplecta tripunctata* Mabille,1900** (Limacodidae) Synonym(s): *tripunctata* Mabille,1900 _ Range (in code): ZA
- 52958. *Macroplecta jacksoni* West,1937** (Limacodidae) Synonym(s): *jacksoni* West,1937 _ Range (in code): UG
- 52959. *Macroplecta minutissima* (Swinhoe,1890)** (Limacodidae) Synonym(s): *minutissima* Swinhoe,1890 _ Original Reference: Cania ? minutissima Swinhoe,1890, Trans. ent. Soc. London

- 1890: 195-196, pl.vi fig.11. Type: [Myanmar]: Rangoon, August 1888 (coll.Swinhoe). Range (in code): MM Rgo
- 52960. Mahanta leworthyi Holloway,1986** (Limacodidae) Synonym(s): *leworthyi* Holloway,1986
Range (in code): MY Bor ID Sum
- 52961. Mahanta quadrilinea Moore,1879** (Limacodidae) Synonym(s): *quadrilinea* Moore,1879
Range (in code): IN Ass Meg Khs TW
- 52962. Mambara delocrossa (Turner,1906)** (Limacodidae) Synonym(s): *delocrossa* Turner,1906
Range (in code): AU
- 52963. Mambara haplopis (Turner,1906)** (Limacodidae) Synonym(s): *haplopis* Turner,1906
Range (in code): AU
- 52964. Mambara inconspicua Bethune-Baker,1918** (Limacodidae) Synonym(s): *inconspicua* Bethune-Baker,1918
Range (in code): PG
- 52965. Mambarilla roseata Holloway,1986** (Limacodidae) Synonym(s): *roseata* Holloway,1986
Range (in code): MY Bor Swk
- 52966. Mambarilla rotunda (Hampson,1903)** (Limacodidae) Synonym(s): *rotunda* Hampson,1903; *spatulifimbria* Hering,1931
Range (in code): IN Bba
- 52967. Marsuplectra Holloway,1986** (Limacodidae) Synonym(s): *Marsuplectra* Holloway,1986
Range (in code):
- 52968. Marsuplectra parasina (M.Hering,1931)** (Limacodidae) Synonym(s): *parasina* M.Hering,1931
Range (in code): MY Bor
- 52969. Mecytha dnophera (Turner,1931)** (Limacodidae) Synonym(s): *dnophera* Turner,1931
Range (in code): AU
- 52970. Mecytha fasciata (Walker,1855)** (Limacodidae) Synonym(s): *fasciata* Walker,1855; *semicana* Walker,1855; *xylomeli* Scott,1864
Range (in code): AU
- 52971. Micraphe lateritia Karsch,1896** (Limacodidae) Synonym(s): *lateritia* Karsch,1896; *coccinea* Hampson,1910; *haematoessa* Hampson,1910; *haematoessula* Strand,1916; *intensior* Rothschild,1921.
Range (in code): TG ZW Har Bul Tva Lpo Spb Wp Mes Suw Mll Brb Tst Pre Dbn Elo Mpu Gau Nta Kzu ZA
- 52972. Microleon longipalpis Butler,1885** (Limacodidae) Synonym(s): *longipalpis* Butler,1885
Range (in code): JP TW KP KR
- 52973. Microleon rubicunda Wileman,1911** (Limacodidae) Synonym(s): *rubicunda* Wileman,1911
Range (in code): JP
- 52974. Miresa acallis Swinhoe,1906** (Limacodidae) Synonym(s): *acallis* Swinhoe,1906
Original Reference: Miresa acallis Swinhoe,1906, Ann. Mag. nat. Hist. (7) 17: 548. Type: [Indonesia]: Sumatra. Range (in code): ID Sum MY Bor
- 52975. Miresa albipuncta (Herrich-Schäffer,[1854])** (Limacodidae) Synonym(s): *albipuncta* Herrich-Schäffer,[1854]; *guttifera* Walker,1855
Range (in code): IN LK TH CMa Rat Sbu Bnk
Bionomy: Larva on Nephelium lappaceum [rambutan], Dimocarpus longan (Sapindaceae) [longan], Eugenia (Myrtaceae) [rose apple], Rosa (Rosaceae), Coffea (Rubiaceae) [coffee], Spondias pinnata (Anacardiaceae) [hog plum], Erythrina variegata (Fabaceae) [Indian coral tree], Ziziphus mauritiana (Rhamnaceae) [jujube], Combretum quadrangulare (Combretaceae) [sakaena], Stereospermum neuranthum (Bignoniaceae) [khae sai] (Lewvanich,2001).
- 52976. Miresa alma Druce,1898** (Limacodidae) Synonym(s): *alma* Druce,1898
Original Reference: Miresa alma Druce,1898, Ann. Mag. nat. Hist. (7) 1: 215. Type ♂: "New Caledonia (Mus. Druce)". Range (in code): NC
- 52977. Miresa aquila Druce,1899** (Limacodidae) Synonym(s): *aquila* Druce,1899
Range (in code): PG PMo
- 52978. Miresa argentea (Druce,1887)** (Limacodidae) Synonym(s): *argentea* Druce,1887
Range (in code): MX
- 52979. Miresa argentifera Walker,1855** (Limacodidae) Synonym(s): *argentifera* Walker,1855
Range (in code): LK ID Sum Ja TH?
- 52980. Miresa binea Druce,1899** (Limacodidae) Synonym(s): *binea* Druce,1899
Range (in code): PG PMo
- 52981. Miresa bracteata Butler,1880** (Limacodidae) Synonym(s): *bracteata* Butler,1880
Original Reference: Miresa bracteata Butler,1880, Ann. Mag. nat. Hist. (5) 6: 64. Type: Sikkim: Darjeeling. Range (in code): IN SI Djl Nag NP TH ID Sum Ja Bli MY Bor BN CN Ti
Bionomy: Larva on Mangifera, Buchanania (Anacardiaceae), Alseodaphne (Lauraceae), Terminalia (Combretaceae), Coffea, Cinchona (Rubiaceae) (Piepers & Snellen,1900; et seq.).

- 52982. *Miresa burmensis* M.Hering,1931** (Limaconidae) Synonym(s): *burmensis* M.Hering,1931
Original Reference: *Miresa burmensis* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10:
682. Type: [Myanmar] Burma. Range (in code): **MM TH CMa CDo CN Yu VN**
- 52983. *Miresa canescens* Hampson,1896** (Limaconidae) Synonym(s): *canescens* Hampson,1896
Range (in code): **LK**
- 52984. *Miresa clarissa* (Stoll,1790)** (Limaconidae) Synonym(s): *clarissa* Stoll,1790; *argentata*
Walker,1855 _ Range (in code): **GY BR**
- 52985. *Miresa coccinea* Hampson,1910** (Limaconidae) Synonym(s): *coccinea* Hampson,1910;
intensior Rothschild,1921 _ Range (in code): **NG**
- 52986. *Miresa decedens* Walker,1855** (Limaconidae) Synonym(s): *decedens* Walker,1855
Range (in code): **IN Ass NI**
- 52987. *Miresa demangei* De Joannis,1930** (Limaconidae) Synonym(s): *demangei* De
Joannis,1930 _ Range (in code): **VN CN Yu Fkn Hn Sz TW JP**
- 52988. *Miresa doriens* Schaus,1920** (Limaconidae) Synonym(s): *doriens* Schaus,1920 _ Range
(in code): **GT**
- 52989. *Miresa flavidorsalis* (Staudinger,1887)** (Limaconidae) Synonym(s): *flavidorsalis*
Staudinger,1887; *fuscicostalis* Fixsen,1887 _ Range (in code): **RU Am KP KR CN**
- 52990. *Miresa fulgida* Wileman,1910** (Limaconidae) Synonym(s): *fulgida* Wileman,1910; *orientis*
Strand,1915; *#kagoshimensis* Strand,1915; *demangei* De Joannis,1930 _ Range (in code): **JP TW TH VN**
Ton CN Hun Yu Fkn Hn Sz
- 52991. *Miresa fuscoflava* Dognin,1910** (Limaconidae) Synonym(s): *fuscoflava* Dognin,1910
Range (in code): **EC**
- 52992. *Miresa gilba* Karsch,1899** (Limaconidae) Synonym(s): *gilba* Karsch,1899 _ Range (in
code):
- 52993. *Miresa gracilis* Butler,1882** (Limaconidae) Synonym(s): *gracilis* Butler,1882 _ Range
(in code): **MG**
- 52994. *Miresa haematoessa* Hampson,1910** (Limaconidae) Synonym(s): *haematoessa*
Hampson,1910 _ Range (in code):
- 52995. *Miresa inornata* Walker,1855** (Limaconidae) Synonym(s): *inornata* Walker,1855
Range (in code): **IN Ben Nag Ass TW JP CN**
- 52996. *Miresa kwangtungensis* M.Hering,1931** (Limaconidae) Synonym(s): *kwangtungensis*
M.Hering,1931 _ Range (in code): **CN Fkn Sz Yu Hn Hun VN**
- 52997. *Miresa melanosticta* Bethune-Baker,1909** (Limaconidae) Synonym(s): *melanosticta*
Bethune-Baker,1909 _ Range (in code):
- 52998. *Miresa metathermistis* Hampson,1910** (Limaconidae) Synonym(s): *metathermistis*
Hampson,1910 _ Range (in code): **IN Bba**
- 52999. *Miresa nigriplaga* Heylaerts,1890** (Limaconidae) Synonym(s): *nigriplaga* Heylaerts,1890
Range (in code): **ID Sum**
- 53000. *Miresa nivaha* Moore,1859** (Limaconidae) Synonym(s): *nivaha* Moore,1859 _ Range (in
code): **IN**
- 53001. *Miresa nobilior* Holland,1893** (Limaconidae) Synonym(s): *nobilior* Holland,1893
Range (in code):
- 53002. *Miresa obscurimargo* Holloway,1979** (Limaconidae) Synonym(s): *obscurimargo*
Holloway,1979 _ Original Reference: *Miresa obscurimargo* Holloway,1979, Lepidoptera New
Caledonia: 259, figs. Holotype ♂: New Caledonia: Pic du Pin, 300m. Range (in code): **NC**
- 53003. *Miresa orthosioides* Walker,1862** (Limaconidae) Synonym(s): *orthosioides* Walker,1862
Range (in code): **MY Bor Swk**
- 53004. *Miresa polargenta* Wu & Solovyev,2011** (Limaconidae) Synonym(s): *polargenta* Wu &
Solovyev,2011 _ Range (in code): **CN Yu VN**
- 53005. *Miresa pucara* Dognin,1893** (Limaconidae) Synonym(s): *pucara* Dognin,1893 _ Range
(in code):
- 53006. *Miresa pyrosoma* Butler,1882** (Limaconidae) Synonym(s): *pyrosoma* Butler,1882
Range (in code): **MG**
- 53007. *Miresa pyrosomoides* Holland,1893** (Limaconidae) Synonym(s): *pyrosomoides*
Holland,1893 _ Range (in code):
- 53008. *Miresa sanguineomaculata* Heylaerts,1890** (Limaconidae) Synonym(s):
sanguineomaculata Heylaerts,1890 _ Range (in code): **ID Sum**

- 53009. Miresa scotopepla Hampson,1900** (Limaecodidae) Synonym(s): *scotopepla Hampson,1900*
Range (in code): **IN SI**
- 53010. Miresa semicalida Hampson,1910** (Limaecodidae) Synonym(s): *semicalida Hampson,1910*
Range (in code): **ZR**
- 53011. Miresa sobrina Druce,1898** (Limaecodidae) Synonym(s): *sobrina Druce,1898* Original Reference: Miresa sobrina Druce,1898, Ann. Mag. nat. Hist. (7) 1: 214-215. Type ♂: "New Caledonia (Mus. Druce)". Range (in code): **NC**
- 53012. Miresa sola Swinhoe,1901** (Limaecodidae) Synonym(s): *sola Swinhoe,1901* - Range (in code): **MY Bor Swk**
- 53013. Miresa strigivena Hampson,1910** (Limaecodidae) Synonym(s): *strigivena Hampson,1910*
Range (in code):
- 53014. Miresa thermistis Hampson,1910** (Limaecodidae) Synonym(s): *thermistis Hampson,1910*
Range (in code): **IN Ass**
- 53015. Miresa urga M.Hering,1933** (Limaecodidae) Synonym(s): *urga M.Hering,1933* - Range (in code): **CN Sz Gn Yu TH VN**
- 53016. Miresa ustitermina Hampson,1910** (Limaecodidae) Synonym(s): *ustitermina Hampson,1910* - Range (in code): **ZR**
- 53017. Miresa venosa Dyar,1906** (Limaecodidae) Synonym(s): *venosa Dyar,1906* - Range (in code): **SV**
- 53018. Monema capucina Snellen,1900** (Limaecodidae) Synonym(s): *capucina Snellen,1900*
Range (in code): **ID Ja**
- 53019. Monema coralina Dudgeon,1895** (Limaecodidae) Synonym(s): *coralina Dudgeon,1895*
Range (in code): **BT**
- 53020. Monema flavescens Walker,1855** (Limaecodidae) Synonym(s): *flavescens Walker,1855; nigrans De Joannis,1901* - Range (in code): **RU Am Us CN JP**
- 53021. Monema leucosticta Hampson,1910** (Limaecodidae) Synonym(s): *leucosticta Hampson,1910* - Range (in code):
- 53022. Monema virescens Matsumura,1915** (Limaecodidae) Synonym(s): *virescens Matsumura,1915* - Range (in code): **TW**
- 53023. Monoplecta castanea Janse,1964** (Limaecodidae) Synonym(s): *castanea Janse,1964*
Range (in code): **ZA Tva Lpo Mes ZW Crd**
- 53024. Nagoda cardinalis Wileman & South,1921** (Limaecodidae) Synonym(s): *cardinalis Wileman & South,1921* - Range (in code): **PH Luz**
- 53025. Nagoda nigricans Moore,1887** (Limaecodidae) Synonym(s): *nigricans Moore,1887*
Range (in code): **LK**
- 53026. Nagodopsis albipuncta Holloway,1986** (Limaecodidae) Synonym(s): *albipuncta Holloway,1986* - Range (in code): **MY Bor Swk**
- 53027. Nagodopsis parvimargo (Holloway,1976)** (Limaecodidae) Synonym(s): *parvimargo Holloway,1976* - Range (in code): **MY Bor**
- 53028. Nagodopsis shirakiana Matsumura,1931** (Limaecodidae) Synonym(s): *nigricans Shiraki,1913 nec Mr.,1877; shirakiana Matsumura,1931* - Range (in code): **TW**
- 53029. Narosa adala Moore,1859** (Limaecodidae) Synonym(s): *adala Moore,1859* - Range (in code): **LK IN NI ID Ja**
- 53030. Narosa argentipuncta Hampson,1895** (Limaecodidae) Synonym(s): *argentipuncta Hampson,1895* Original Reference: Narosa argentipuncta Hampson,1895, Trans. ent. Soc. Lond. 1895: 290-291. Type ♂: Ceylon: Nawala-pittya (BMNH). Range (in code): **LK**
- 53031. Narosa aroa Bethune-Baker,1904** (Limaecodidae) Synonym(s): *aroa Bethune-Baker,1904*
Range (in code): **PG Aro**
- 53032. Narosa castanea Mabille,1900** (Limaecodidae) Synonym(s): *castanea Mabille,1900*
Range (in code): **MG**
- 53033. Narosa concinna Swinhoe,1901** (Limaecodidae) Synonym(s): *concinna Swinhoe,1901*
Range (in code): **ID Sum MY Bor Swk BN**
- 53034. Narosa conspersa Walker,1855** (Limaecodidae) Synonym(s): *conspersa Walker,1855; velutina Walker,1862* - Range (in code): **TW IN LK MY Bor ID Ja**
- 53035. Narosa corusca Wileman,1911** (Limaecodidae) Synonym(s): *corusca Wileman,1911; baibarana Matsumura,1927; ishidae Matsumura,1927; shinshana Matsumura,1927; takamukui Matsumura,1927*
Range (in code): **TW TH**

- 53036. *Narosa culta* Butler,1879** (Limacodidae) **Synonym(s):** *culta* Butler,1879 _ **Range (in code):** **JP**
- 53037. *Narosa daenia* (Moore,1859)** (Limacodidae) **Synonym(s):** *daenia* Moore,1859; *#doenia* Barlow,1982 _ **Range (in code):** **IN MM MY Bor ID Sum Ja Bli** **Bionomy:** Larva on *Theobroma cacao* (Cocoa) (Sterculiaceae); *Ricinus communis* (Euphorbiaceae) (Barlow,1982).
- 53038. *Narosa endodonta* Hampson,1897** (Limacodidae) **Synonym(s):** *endodonta* Hampson,1897 **Range (in code):** **IN**
- 53039. *Narosa erminea* Hampson,1895** (Limacodidae) **Synonym(s):** *erminea* Hampson,1895 **Original Reference:** *Narosa erminea* Hampson,1895, Trans. ent. Soc. Lond. 1895: 291. Type ♂: Burma: Thyetemyo (BMNH). **Range (in code):** **MM**
- 53040. *Narosa fletcheri* West,1937** (Limacodidae) **Synonym(s):** *fletcheri* West,1937 **Original Reference:** *Narosa fletcheri* West,1937, Ann. Mag. nat. Hist. (10) 20: 78, pl.ii fig.15. Holotype ♀: Ceylon, Trincomali (T.B.Fletcher leg.). **Range (in code):** **LK Tcm**
- 53041. *Narosa fulgens* (Leech,1890)** (Limacodidae) **Synonym(s):** *fulgens* Leech,1890; *kanshireana* Matsumura,1927 _ **Range (in code):** **KP KR TW**
- 53042. *Narosa harmani* Holloway,1986** (Limacodidae) **Synonym(s):** *harmani* Holloway,1986 **Range (in code):** **MY Bor BN**
- 53043. *Narosa hedychroa* Bethune-Baker,1909** (Limacodidae) **Synonym(s):** *hedychroa* Bethune-Baker,1909 _ **Range (in code):** **UG**
- 53044. *Narosa holoxanthia* Hampson,1900** (Limacodidae) **Synonym(s):** *holoxanthia* Hampson,1900 _ **Range (in code):** **IN**
- 53045. *Narosa lawaii* Holloway,1986** (Limacodidae) **Synonym(s):** *lawaii* Holloway,1986 **Range (in code):** **MY Bor Swk**
- 53046. *Narosa luzonica* Holloway,1986** (Limacodidae) **Synonym(s):** *luzonica* Holloway,1986 **Range (in code):** **PH Luz**
- 53047. *Narosa nagani* Holloway,1986** (Limacodidae) **Synonym(s):** *nagani* Holloway,1986 **Range (in code):** **MY Bor Swk**
- 53048. *Narosa nephochloeropsis* Bethune-Baker,1909** (Limacodidae) **Synonym(s):** *nephochloeropsis* Bethune-Baker,1909 _ **Range (in code):** **UG**
- 53049. *Narosa nigrisigna* Wileman,1911** (Limacodidae) **Synonym(s):** *nigrisigna* Wileman,1911; *penicillata* Strand,1916; *formosana* Matsumura,1927; *edoensis* Chang,1989 *nec* Kawada,1930 _ **Range (in code):** **TW**
- 53050. *Narosa nitobei* Shiraki,1913** (Limacodidae) **Synonym(s):** *nitobei* Shiraki,1913 _ **Range (in code):** **TW**
- 53051. *Narosa pachycera* Hampson,1897** (Limacodidae) **Synonym(s):** *pachycera* Hampson,1897 **Range (in code):** **IN**
- 53052. *Narosa propolioides* Holloway,1982** (Limacodidae) **Synonym(s):** *propolioides* Holloway,1982 _ **Range (in code):** **MY**
- 53053. *Narosa pura* Snellen,1900** (Limacodidae) **Synonym(s):** *pura* Snellen,1900 _ **Range (in code):** **ID Sum Ja**
- 53054. *Narosa rosipuncta* Holloway,1986** (Limacodidae) **Synonym(s):** *rosipuncta* Holloway,1986 **Range (in code):** **MY Pah**
- 53055. *Narosa silati* Holloway,1986** (Limacodidae) **Synonym(s):** *silati* Holloway,1986 _ **Range (in code):** **MY Bor Swk**
- 53056. *Narosa trilinea* Bethune-Baker,1909** (Limacodidae) **Synonym(s):** *trilinea* Bethune-Baker,1909 _ **Range (in code):** **UG**
- 53057. *Narosa velutina* Walker,1862** (Limacodidae) **Synonym(s):** *velutina* Walker,1862 **Range (in code):** **IN LK ID Ja MY Bor Sbh KBa**
- 53058. *Natada acatharta* Hampson,1897** (Limacodidae) **Synonym(s):** *acatharta* Hampson,1897 **Range (in code):** **IN**
- 53059. *Natada amicta* Swinhoe,1906** (Limacodidae) **Synonym(s):** *amicta* Swinhoe,1906 **Range (in code):**
- 53060. *Natada arizana* (Wileman,1916)** (Limacodidae) **Synonym(s):** *arizana* Wileman,1916 **Range (in code):** **TW**
- 53061. *Natada arpi* Dyar,1908** (Limacodidae) **Synonym(s):** *arpi* Dyar,1908 _ **Range (in code):**
- 53062. *Natada avellana* Dognin,1910** (Limacodidae) **Synonym(s):** *avellana* Dognin,1910 **Range (in code):** **GY**

- 53063. *Natada basalis* Walker, 1855** (Limaecodidae) Synonym(s): *basalis* Walker, 1855 _ Range (in code): IN
- 53064. *Natada bergii* Dyar, 1906** (Limaecodidae) Synonym(s): *quadrata* Berg, 1882; *bergii* Dyar, 1906 Range (in code): GY AR
- 53065. *Natada caria* (Druce, 1887)** (Limaecodidae) Synonym(s): *caria* Druce, 1887 _ Range (in code): PA
- 53066. *Natada cephica* Swinhoe, 1890** (Limaecodidae) Synonym(s): *cephica* Swinhoe, 1890 Range (in code): MM Rgo
- 53067. *Natada chrysaspis* Hampson, 1910** (Limaecodidae) Synonym(s): *chrysaspis* Hampson, 1910; *chrysaspodes* Strand, 1916 _ Range (in code): ZA Tva Lpo Mpu Brb Crl
- 53068. *Natada cochuba* Schaus, 1900** (Limaecodidae) Synonym(s): *cochuba* Schaus, 1900 Range (in code): BR
- 53069. *Natada convergens* (Walker, 1855)** (Limaecodidae) Synonym(s): *convergens* Walker, 1855 Range (in code): MM Rgo
- 53070. *Natada cora* Schaus, 1920** (Limaecodidae) Synonym(s): *cora* Schaus, 1920 _ Range (in code): MX
- 53071. *Natada daona* (Druce, 1887)** (Limaecodidae) Synonym(s): *daona* Druce, 1887 _ Range (in code): CR
- 53072. *Natada deba* Dyar, 1906** (Limaecodidae) Synonym(s): *deba* Dyar, 1906 _ Range (in code): GF
- 53073. *Natada debella* Dyar, 1906** (Limaecodidae) Synonym(s): *debella* Dyar, 1906 _ Range (in code): GF
- 53074. *Natada dognini* Dyar, 1906** (Limaecodidae) Synonym(s): *dognini* Dyar, 1906 _ Range (in code): CO
- 53075. *Natada kochi* Janse, 1964** (Limaecodidae) Synonym(s): *kochi* Janse, 1964 _ Range (in code): ZA
- 53076. *Natada lucens* (Walker, 1855)** (Limaecodidae) Synonym(s): *lucens* Walker, 1855 _ Range (in code): BR
- 53077. *Natada lutea* Pagenstecher, 1890** (Limaecodidae) Synonym(s): *lutea* Pagenstecher, 1890 Range (in code): PH Pal
- 53078. *Natada michorta* Dyar, 1912** (Limaecodidae) Synonym(s): *michorta* Dyar, 1912 _ Range (in code): CR
- 53079. *Natada miradora* Dyar, 1921** (Limaecodidae) Synonym(s): *miradora* Dyar, 1921 _ Range (in code): MX
- 53080. *Natada molicula* Dognin, 1911** (Limaecodidae) Synonym(s): *molicula* Dognin, 1911 Range (in code): AR
- 53081. *Natada monomorpha* Turner, 1904** (Limaecodidae) Synonym(s): *monomorpha* Turner, 1904 _ Range (in code): AU QAU
- 53082. *Natada mycalia* (Stoll, 1790)** (Limaecodidae) Synonym(s): *mycalia* Stoll, 1790 _ Range (in code): GY BR
- 53083. *Natada nasoni* (Grote, 1876)** (Limaecodidae) Synonym(s): *nasoni* Grote, 1876 _ Range (in code): US
- 53084. *Natada neutra* (Swinhoe, 1890)** (Limaecodidae) Synonym(s): *neutra* Swinhoe, 1890 Range (in code):
- 53085. *Natada nigripuncta* Barnes & McDunnough, 1910** (Limaecodidae) Synonym(s): *nigripuncta* Barnes & McDunnough, 1910 _ Range (in code): US Arz
- 53086. *Natada nindla* Dyar, 1912** (Limaecodidae) Synonym(s): *nindla* Dyar, 1912 _ Range (in code): CR
- 53087. *Natada ocellata* Moore, 1879** (Limaecodidae) Synonym(s): *ocellata* Moore, 1879 _ Range (in code): SI IN Ass Khs Meg MM
- 53088. *Natada ordinata* (Butler, 1886)** (Limaecodidae) Synonym(s): *ordinata* Butler, 1886; *colligans* T.P. Lucas, 1901 _ Range (in code): AU QAU
- 53089. *Natada perpectinata* Dyar, 1906** (Limaecodidae) Synonym(s): *perpectinata* Dyar, 1906 Range (in code): BR
- 53090. *Natada quadrata* (Walker, 1855)** (Limaecodidae) Synonym(s): *quadrata* Walker, 1855 Range (in code): VE

- 53091. *Natada rufescens* Walker,1855** (Limaecodidae) Synonym(s): *rufescens* Walker,1855
Range (in code): MM Rgo IN
- 53092. *Natada salta* (Druce,1900)** (Limaecodidae) Synonym(s): *salta* Druce,1900 _ Range (in code): CO
- 53093. *Natada sardites* (Druce,1900)** (Limaecodidae) Synonym(s): *sardites* Druce,1900 _ Range (in code): CO
- 53094. *Natada simois* (Stoll,1780)** (Limaecodidae) Synonym(s): *simois* Stoll,178; *abscissa* Walker,1865; *senilis* R.Felder & Rogenhofer,1874 _ Range (in code): GY BR PE
- 53095. *Natada subpectinata* Dyar,1906** (Limaecodidae) Synonym(s): *subpectinata* Dyar,1906
Range (in code): GY
- 53096. *Natada sufficiens* Dyar,1906** (Limaecodidae) Synonym(s): *sufficiens* Dyar,1906 _ Range (in code): GY
- 53097. *Natada undina* Druce,1887** (Limaecodidae) Synonym(s): *undina* Druce,1887 _ Range (in code):
- 53098. *Neogavara imitans* Janse,1964** (Limaecodidae) Synonym(s): *imitans* Janse,1964
Range (in code): ZA Tva Lpo Spb Slp Nel Pot Mpu Bbg ZW Bul Har Vum
- 53099. *Neomocena brunneocrossa* Janse,1964** (Limaecodidae) Synonym(s): *brunneocrossa* Janse,1964 _ Range (in code): ZA
- 53100. *Neomocena convergens* (M.Hering,1928)** (Limaecodidae) Synonym(s): *convergens* M.Hering,1928 _ Range (in code): ZA ZW Har Umv Tva Spb Lpo Wp Tz Srn Mpu Brb Umk Nta Kzu
- 53101. *Nervicompressa albomaculata* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *albomaculata* Bethune-Baker,1904 _ Range (in code): PG
- 53102. *Nervicompressa aroa* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *aroa* Bethune-Baker,1904 _ Range (in code): PG Aro
- 53103. *Nervicompressa dubia* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *dubia* Bethune-Baker,1904 _ Range (in code): PG
- 53104. *Nervicompressa kebeae* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *kebeae* Bethune-Baker,1904 _ Range (in code): PG
- 53105. *Nervicompressa lunulata* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *lunulata* Bethune-Baker,1904 _ Range (in code): PG
- 53106. *Nervicompressa unistrigata* Bethune-Baker,1904** (Limaecodidae) Synonym(s): *unistrigata* Bethune-Baker,1904 _ Range (in code): PG
- 53107. *Niphadolepis bipunctata* M.Hering,1929** (Limaecodidae) Synonym(s): *bipunctata* M.Hering,1929 _ Range (in code): ZA
- 53108. *Nirma micron* Van Eecke,1929** (Limaecodidae) Synonym(s): *#micron* Van Eecke,1925; *micron* Van Eecke,1929 _ Range (in code): ID Sum
- 53109. *Nirma psychidalis* Van Eecke,1929** (Limaecodidae) Synonym(s): *#psychidalis* Van Eecke,1925; *psychidalis* Van Eecke,1929 _ Range (in code): ID Sum
- 53110. *Nirmides basalis* (Walker,1862)** (Limaecodidae) Synonym(s): *basalis* Walker,1862; *micron* Van Eecke,1929 _ Range (in code): MY Bor ID Sum BN
- 53111. *Nirmides flavissima* Holloway,1986** (Limaecodidae) Synonym(s): *flavissima* Holloway,1986 _ Range (in code): MY Bor BN ID Sum
- 53112. *Nirmides montana* Holloway,1986** (Limaecodidae) Synonym(s): *montana* Holloway,1986
Range (in code): MY Bor Sbh KBa
- 53113. *Nirmides purpurea* Holloway,1986** (Limaecodidae) Synonym(s): *purpurea* Holloway,1986
Range (in code): MY Bor Sbh BN KBa
- 53114. *Olona albistrigella* Snellen,1900** (Limaecodidae) Synonym(s): *albistrigella* Snellen,1900
Original Reference: Olona albistrigella Snellen,1900, Tijdschr. Ent. 43: pl.3 fig.6. Type: Java.
Range (in code): ID Ja
- 53115. *Omocenoides isophanes* Janse,1964** (Limaecodidae) Synonym(s): *isophanes* Janse,1964
Range (in code): ZA Tva Lpo Spb Ent Kzu Nta Dbn Umk Srn Mpu Brb Pel Stj
- 53116. *Pantoctenia gemmans* R.Felder & Rogenhofer,1874** (Limaecodidae) Synonym(s): *gemmans* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Nta Kzu Tva Lpo MZ ZW
- 53117. *Paraphlebs singularis* Aurivillius,1921** (Limaecodidae) Synonym(s): *singularis* Aurivillius,1921; *dentilinea* Janse,1964 _ Range (in code): ZA
- 53118. *Parapluda incincta* (Hampson,1909)** (Limaecodidae) Synonym(s): *incincta* Hampson,1909; *schaliphlebia* Hampson,1910
Original Reference: Apluda incincta Hampson,1909,

- Trans. zool. Soc. London 19: 132-133, pl.4 fig.25. Syntypes: [Uganda]: Ruwenzori SE (Mokia); [Kenya]: Machakos; [Malawi]: Zomba. Range (in code): **UG Rz KE MW Zom**
- 53119. Parapluda invitabilis (Wallengren,1860)** (Limaodidae) Synonym(s): *invitabilis* Wallengren,1860; *similis* Distant,1897. Original Reference: *Heterogenea invitabilis* Wallengren,1860, Wiener ent. Monatschr. 4: 44. Type: [South Africa]: Pretoria. Range (in code): **ZA Gau Pre Tva Lpo Wb Spb Mdk Ec Ntz Kzu**
- 53120. Parapluda neglecta (M.Hering,1928)** (Limaodidae) Synonym(s): *neglecta* M.Hering,1928 Range (in code): **ZA**
- 53121. Parasa affinis Mabille,1890** (Limaodidae) Synonym(s): *affinis* Mabille,1890 Range (in code): **MG**
- 53122. Parasa albipuncta Hampson,1892** (Limaodidae) Synonym(s): *albipuncta* Hampson,1892 Range (in code): **IN Ass Mpr**
- 53123. Parasa argentilinea Hampson,1892** (Limaodidae) Synonym(s): *argentilinea* Hampson,1892 Range (in code): **IN SI Ass ID Ja**
- 53124. Parasa bicolor (Walker,1855)** (Limaodidae) Synonym(s): *bicolor* Walker,1855 Original Reference: *Neaera bicolor* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1142. Syntypes: Formosa, Sikkim, Burma, Java. Range (in code): **CN TW IN SI MM ID Ja TH**
- 53125. Parasa bicolor virescens (Matsumura,1911)** (Limaodidae) Synonym(s): *virescens* Matsumura,1911 Range (in code): **TW**
- 53126. Parasa biguttata (Walker,1862)** (Limaodidae) Synonym(s): *biguttata* Walker,1862 Range (in code): **MY Bor Swk**
- 53127. Parasa bimaculata Snellen,1897** (Limaodidae) Synonym(s): *bimaculata* Snellen,1897; *insignis* Swinhoe,1905 Range (in code): **ID Sum Ja MY Bor Swk** Bionomy: Larva on Mangifera (Anacardiaceae), Nephelium (Sapindaceae) (Holloway,1986).
- 53128. Parasa cambouei (Mabille,1892)** (Limaodidae) Synonym(s): *cambouei* Mabille,1892 Range (in code): **MG**
- 53129. Parasa canangae M.Hering,1931** (Limaodidae) Synonym(s): *canangae* M.Hering,1931 Range (in code): **IN Ass MY** Bionomy: Larva on Populus (Salicaceae), Cananga odorata (Annonaceae), Ricinus (Euphorbiaceae) (Hering,1931; Holloway,1986).
- 53130. Parasa canangoides Holloway,1986** (Limaodidae) Synonym(s): *canangoides* Holloway,1986 Range (in code): **MY Bor Swk**
- 53131. Parasa carnapi Karsch,1899** (Limaodidae) Synonym(s): *carnapi* Karsch,1899 Range (in code): **CM**
- 53132. Parasa chapmani Kirby,1892** (Limaodidae) Synonym(s): *chapmani* Kirby,1892 Range (in code): **ZR ZA Kzu Nta**
- 53133. Parasa chlorostigma (Snellen,1879)** (Limaodidae) Synonym(s): *chlorostigma* Snellen,1879 Range (in code): **ID Clb**
- 53134. Parasa chlorozonata Hampson,1896** (Limaodidae) Synonym(s): *chlorozonata* Hampson,1896 Range (in code): **LK**
- 53135. Parasa darma Moore,[1860]** (Limaodidae) Synonym(s): *darma* Moore,[1860]; *dharma* Hampson,1893 Range (in code): **TH MM Rgo ID Sum Ja MY Bor PH Pal** Bionomy: Larva on Cocos (Palmae) (Holloway,1986).
- 53136. Parasa darmoides Holloway,1982** (Limaodidae) Synonym(s): *darmoides* Holloway,1982 Range (in code): **PH Luz**
- 53137. Parasa decolor Karsch,1899** (Limaodidae) Synonym(s): *decolor* Karsch,1899 Range (in code): **CM**
- 53138. Parasa dentata Hampson,1892** (Limaodidae) Synonym(s): *dentata* Hampson,1892 Range (in code): **IN SI Nag Ass**
- 53139. Parasa ebenau (Saalmüller,1878)** (Limaodidae) Synonym(s): *ebenau* Saalmüller,1878 Range (in code): **MG**
- 53140. Parasa fulvicorpus Hampson,1896** (Limaodidae) Synonym(s): *fulvicorpus* Hampson,1896 Range (in code): **YE Ad**
- 53141. Parasa gentilis (Snellen,1900)** (Limaodidae) Synonym(s): *gentilis* Snellen,1900 Range (in code): **ID Ja**
- 53142. Parasa grandis M.Hering,1931** (Limaodidae) Synonym(s): *grandis* M.Hering,1931 Original Reference: *Parasa grandis* M.Hering,1931, [in] Seitz,A., Gross-Schmett. Erde 10: 696. Type: China. Range (in code): **CN TH CMa Cuo Cuo7 CDo CD2**

- 53143. *Parasa hampsoni* Dyar,1894** (Limacodidae) Synonym(s): *viridis* Hampson,1893; *hampsoni* Dyar,1894 _ Range (in code): LK ID Ja
- 53144. *Parasa herbifera* (Walker,1855)** (Limacodidae) Synonym(s): *herbifera* Walker,1855
Original Reference: Nyssia herbifera Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1136. Syntypes: Simla, Nepal, Nilgiris. Range (in code): IN NI Sml NP TH CMa CDo
- 53145. *Parasa hilarata* (Staudinger,1887)** (Limacodidae) Synonym(s): *hilarata* Staudinger,1887
Range (in code): RU Am Us CN JP Hdo TW
- 53146. *Parasa hilaris* (Westwood,1848)** (Limacodidae) Synonym(s): *hilaris* Westwood,1848; *laeta* Westwood,1848; *retracta* Walker,1865; *hockingii* Moore,1888; *mirza* Swinhoe,1890 _ Range (in code): IN Mh Nsk Jlg LK ID Sum Ja
- 53147. *Parasa humeralis* Walker,1862** (Limacodidae) Synonym(s): *humeralis* Walker,1862
Range (in code): MY Bor BN Swk Sbh
- 53148. *Parasa humilis* Mabille,1890** (Limacodidae) Synonym(s): *humilis* Mabille,1890 _ Range (in code): MG
- 53149. *Parasa isabella* Moore,1859** (Limacodidae) Synonym(s): *isabella* Moore,1859 _ Range (in code): IN Ben
- 53150. *Parasa lampra* West,1937** (Limacodidae) Synonym(s): *lampra* West,1937 Original Reference: *Parasa lampra* West,1937, Ann. Mag. nat. Hist. (10) 20: 80, figs. Type: Sumatra. Range (in code): ID Sum TH
- 53151. *Parasa lanceolata* M.Hering,1928** (Limacodidae) Synonym(s): *lanceolata* M.Hering,1928
Original Reference: *Parasa lanceolata* M.Hering,1928, [in] Seitz, Gross-Schmett. Erde 14: 463, figs. Type: Tanganyika. Range (in code): TZ
- 53152. *Parasa laonome* Druce,1887** (Limacodidae) Synonym(s): *laonome* Druce,1887 _ Range (in code): PA
- 53153. *Parasa lepida* (Cramer,[1779])** (Limacodidae) Synonym(s): *lepida* Cramer,[1779]; *graciosa* Westwood,1848; *latifascia* Walker,1855; *media* Walker,1855 Original Reference: *Phalaena lepida* Cramer,[1779], Uitl. Kapellen 2: 50, pl.130 fig.E. Range (in code): LK IN Mh Nsk Ndb ID Sum Ja TH CMa Rat Cbu Chi Bnk Bionomy: Larva on *Nephelium lappaceum* [rambutan], *Dimocarpus longan* (Sapindaceae) [longan], *Prunus persica* (Rosaceae) [peach], *Cocos nucifera* (Palmae) [coconut], *Chrysalidocarpus lutescens* (Palmae) [yellow palm], *Ixora* (Rubiaceae) [khem] (Lewvanich,2001).
- 53154. *Parasa lorquini* (Reakirt,1864)** (Limacodidae) Synonym(s): *lorquini* Reakirt,1864; *zulona* Reakirt,1864; *princeps* Strecker,1900 _ Range (in code): PH
- 53155. *Parasa paeera* Hampson,1897** (Limacodidae) Synonym(s): *paeera* Hampson,1897
Range (in code): IN
- 53156. *Parasa pastoralis* Butler,1885** (Limacodidae) Synonym(s): *pastoralis* Butler,1885
Original Reference: *Parasa pastoralis* Butler,1885, Ann. Mag. nat. Hist. (5) 6: 63. Range (in code): Ch BT IN Hp Drm SI Nag Ass ID Ja Sum MY Bor TW
- 53157. *Parasa prasina* Alpheraky,1895** (Limacodidae) Synonym(s): *prasina* Alpheraky,1895
Range (in code): CN Sz T-T
- 53158. *Parasa repanda* Walker,1855** (Limacodidae) Synonym(s): *repanda* Walker,1855
Range (in code): SI IN Ass
- 53159. *Parasa rubriplaga* (Walker,1862)** (Limacodidae) Synonym(s): *rubriplaga* Walker,1862
Range (in code): MY Bor Swk
- 53160. *Parasa rudis* (Walker,1862)** (Limacodidae) Synonym(s): *rudis* Walker,1862 _ Range (in code): SG MY Bor Swk
- 53161. *Parasa satura* Karsch,1896** (Limacodidae) Synonym(s): *satura* Karsch,1896 _ Range (in code): CM
- 53162. *Parasa shirakii* Kawada,1930** (Limacodidae) Synonym(s): *shirakii* Kawada,1930
Range (in code): TW
- 53163. *Parasa singularis* Butler,1878** (Limacodidae) Synonym(s): *singularis* Butler,1878
Range (in code): MG
- 53164. *Parasa smaragdina* Bethune-Baker,1908** (Limacodidae) Synonym(s): *smaragdina* Bethune-Baker,1908 Original Reference: *Parasa smaragdina* Bethune-Baker,1908, Ann. Mag. nat. Hist. (8) 2: 257. Type: Northern Nigeria, Lokoja district (coll. B.-B.). Range (in code): NG
- 53165. *Parasa* sp.** (Limacodidae) Synonym(s): _ Range (in code): TH Nrt Bionomy: Larva on *Syzygium cumini* (Myrtaceae) [black plum] (Lewvanich,2001).

- 53166. *Parasa sundalepida* Holloway, 1986** (Limacodidae) **Synonym(s):** *sundalepida* Holloway, 1986 **Range (in code):** MY Bor ID Sum Sbh BN **Bionomy:** Larva on Aleurites (Euphorbiaceae), Cocos (Palmae), Coffea (Rubiaceae), Acacia (Fabaceae) (Holloway, 1986).
- 53167. *Parasa tessellata* Moore, 1877** (Limacodidae) **Synonym(s):** *tessellata* Moore, 1877 **Range (in code):** CN TW
- 53168. *Parasa valida* Butler, 1879** (Limacodidae) **Synonym(s):** *valida* Butler, 1879 **Range (in code):** MG
- 53169. *Parasoidea albicollaris* M. Hering, 1931** (Limacodidae) **Synonym(s):** *albicollaris* M. Hering, 1931 **Range (in code):** AU
- 53170. *Parasoidea neurocausta* (Turner, 1926)** (Limacodidae) **Synonym(s):** *neurocausta* Turner, 1926 **Range (in code):** AU
- 53171. *Parasoidea paroa* (Turner, 1902)** (Limacodidae) **Synonym(s):** *paroa* Turner, 1902 **Range (in code):** AU
- 53172. *Phlebodicha afflata* Karsch, 1896** (Limacodidae) **Synonym(s):** *afflata* Karsch, 1896 **Range (in code):** TG CM
- 53173. *Phlebodicha secunda* Strand, 1912** (Limacodidae) **Synonym(s):** *secunda* Strand, 1912 **Range (in code):**
- 53174. *Phlossa conjuncta* (Walker, 1855)** (Limacodidae) **Synonym(s):** *conjuncta* Walker, 1855; *fimbriata* Walker, 1858; *cuprea* Moore, 1878 **Range (in code):** CN Pkn Mc Ahw Fkn Hnn Hph Hun Kwa Kwt Hn Sz Yu Ti She Gn TW KP KR JP IN NP TH VN
- 53175. *Phlossa fasciata* (Moore, 1888)** (Limacodidae) **Synonym(s):** *fasciata* Moore, 1888 **Range (in code):** CN Fkn Hnn Hph Hun Kwa Hn Sz Yu She TW IN NP
- 53176. *Phlossa jianningana* Yang & Jiang, 1992** (Limacodidae) **Synonym(s):** *jianningana* Yang & Jiang, 1992 **Range (in code):** CN Fkn
- 53177. *Phlossa thaumasta* (M. Hering, 1933)** (Limacodidae) **Synonym(s):** *thaumasta* M. Hering, 1933 **Range (in code):** CN Fkn Hnn Hph Sz Yu She
- 53178. *Phocoderma betis* Druce, 1896** (Limacodidae) **Synonym(s):** *betis* Druce, 1896 **Range (in code):** CN Hun Sz Yu TH Nan VN
- 53179. *Phocoderma ocellata* (Moore, 1879)** (Limacodidae) **Synonym(s):** *ocellata* Moore, 1879 **Range (in code):** IN SI Ass Meg Khs MM TH
- 53180. *Phocoderma velutina* (Kollar, 1844)** (Limacodidae) **Synonym(s):** *velutina* Kollar, 1844; *rugosa* Walker, 1855 **Original Reference:** *Gastropacha velutina* Kollar, 1844, [in] Hügel, Kaschmir und Reich der Siek 4: 473. **Range (in code):** Ch IN ID Sum MM TH CMa Phr Loe Knc Rat Sbu Bnk Nst MY Bor **Bionomy:** Larva on leaf of *Nephelium lappaceum* [rambutan] (Sapindaceae), *Combretum quadrangulare* [sakaena], *Terminalia* (Combretaceae), *Lanea* (Odina), *Mangifera* (Anacardiaceae), *Sapium* (Euphorbiaceae), *Bombax* (Bombacaceae) (Brown, 1968; Holloway, 1986; et seq.).
- 53181. *Phocoderma witti* Solovyev, 2008** (Limacodidae) **Synonym(s):** *witti* Solovyev, 2008 **Original Reference:** *Phocoderma witti* Solovyev, 2008, *Nota lepid.* 31 (1): 59-61, figs. **Holotype** ♂: Myanmar: 21km E Putao leg. Murzin & Sinjaev (MWM). **Range (in code):** MM IN Meg Ass Khs
- 53182. *Phrixolepia nigra* Solovyev, 2009** (Limacodidae) **Synonym(s):** *nigra* Solovyev, 2009 **Range (in code):** CN Yu
- 53183. *Phrixolepia nobilis* (Staudinger, 1887)** (Limacodidae) **Synonym(s):** *nobilis* Staudinger, 1887 **Range (in code):** RU Am
- 53184. *Phrixolepia pudovkini* Solovyev, 2009** (Limacodidae) **Synonym(s):** *pudovkini* Solovyev, 2009 **Range (in code):** CN
- 53185. *Phrixolepia sericea* Butler, 1877** (Limacodidae) **Synonym(s):** *sericea* Butler, 1877; *castaneus* Oberthür, 1881 **Range (in code):** RU Am Us JP TW
- 53186. *Phrixolepia sinyaei* Solovyev, 2009** (Limacodidae) **Synonym(s):** *sinyaei* Solovyev, 2009 **Range (in code):** VN
- 53187. *Praesetora albitermina* (M. Hering, 1931)** (Limacodidae) **Synonym(s):** *albitermina* M. Hering, 1931 **Range (in code):** IN Pj ID Sum Ja MY Bor **Bionomy:** Larva on *Mangifera* (Anacardiaceae), *Terminalia* (Combretaceae), *Eugenia* (Myrtaceae) (Holloway, 1986).
- 53188. *Praesetora kinabalua* (Holloway, 1976)** (Limacodidae) **Synonym(s):** *kinabalua* Holloway, 1976 **Range (in code):** MY Bor Sbh KBa
- 53189. *Praesusica placerodes* (Turner, 1926)** (Limacodidae) **Synonym(s):** *placerodes* Turner, 1926 **Range (in code):** AU

- 53190. *Probalintha inclusa* Walker,1865** (Limacodidae) Synonym(s): *inclusa* Walker,1865
Range (in code): ZA
- 53191. *Pseudaltha atramentifera* M.Hering,1931** (Limacodidae) Synonym(s): *atramentifera* M.Hering,1931 - Range (in code): IN
- 53192. *Pseudaltha eboris* Solovyev,2009** (Limacodidae) Synonym(s): *eboris* Solovyev,2009
Range (in code): TH Int
- 53193. *Pseudaltha sapa* Solovyev,2009** (Limacodidae) Synonym(s): *sapa* Solovyev,2009
Range (in code): VN TH Nan
- 53194. *Pseudanapaea denotata* (Walker,1865)** (Limacodidae) Synonym(s): *denotata* Walker,1865 - Range (in code): AU
- 53195. *Pseudanapaea dentifascia* M.Hering,1931** (Limacodidae) Synonym(s): *dentifascia* M.Hering,1931 - Range (in code): AU
- 53196. *Pseudanapaea transvestita* M.Hering,1931** (Limacodidae) Synonym(s): *transvestita* M.Hering,1931; *trigona* Turner,1942 - Range (in code): AU
- 53197. *Pseudidonauton admirabile* M.Hering,1931** (Limacodidae) Synonym(s): *admirabile* M.Hering,1931 - Range (in code): MY
- 53198. *Pseudidonauton bhaga* (Swinhoe,1901)** (Limacodidae) Synonym(s): *bhaga* Swinhoe,1901 - Range (in code): MY Bor ID Sum
- 53199. *Pseudidonauton chihpyh* Solovyev,2009** (Limacodidae) Synonym(s): *chihpyh* Solovyev,2009 - Range (in code): TW
- 53200. *Pseudidonauton nigribasis* (Hampson,1905)** (Limacodidae) Synonym(s): *nigribasis* Hampson,1905 - Range (in code): IN
- 53201. *Pseudidonauton siamica* Solovyev,2009** (Limacodidae) Synonym(s): *siamica* Solovyev,2009 - Range (in code): TH Int VN
- 53202. *Pseudidonauton vexa* Solovyev,2009** (Limacodidae) Synonym(s): *vexa* Solovyev,2009
Range (in code): VN TH Cbi
- 53203. *Pseudonagoda naessigi* Holloway,1990** (Limacodidae) Synonym(s): *naessigi* Holloway,1990 - Range (in code): ID Sum
- 53204. *Pseudonagoda siniaevi* Solovyev,2009** (Limacodidae) Synonym(s): *siniaevi* Solovyev,2009 - Range (in code): Adm
- 53205. *Pseudonirmides* Holloway,1986** (Limacodidae) Synonym(s): *Pseudonirmides* Holloway,1986 - Range (in code):
- 53206. *Pseudonirmides sola* (Swinhoe,1901)** (Limacodidae) Synonym(s): *sola* Swinhoe,1901; *luzonensis* M.Hering,1931 - Range (in code): PH Luz Mno MY Bor ID Clb Bionomy: Larva on Cocos (Palmae) (Holloway,1986).
- 53207. *Pseudonirmides cyanopasta* (Hampson,1910)** (Limacodidae) Synonym(s): *cyanopasta* Hampson,1910 Original Reference: Belippa cyanopasta Hampson,1910, J. Bombay nat. Hist. Soc. 20: 110. Type: Burma. Range (in code): MM TH
- 53208. *Pseudothosea albisignata* Janse,1964** (Limacodidae) Synonym(s): *albisignata* Janse,1964
Range (in code): ZA
- 53209. *Pygmaeomorpha aquila* (Druce,1899)** (Limacodidae) Synonym(s): *aquila* Druce,1899; *brunnea* Bethune-Baker,1904; *eulopha* Turner,1931 - Range (in code): AU
- 53210. *Pygmaeomorpha modesta* Bethune-Baker,1904** (Limacodidae) Synonym(s): *modesta* Bethune-Baker,1904; *leucosticta* Turner,1904; *dochmographa* Turner,1904 - Range (in code): AU
- 53211. *Pygmaeomorpha ocularis* (T.P.Lucas,1895)** (Limacodidae) Synonym(s): *ocularis* T.P.Lucas,1895; *eumela* Lower,1896; *discotypa* Turner,1902 - Range (in code): AU
- 53212. *Quasithosea sythoffi* (Snellen,1900)** (Limacodidae) Synonym(s): *sythoffi* Snellen,1900
Original Reference: Thosea sythoffi Snellen,1900, Tijdschr. Ent. 43: 70. Type: Java. Range (in code): ID Ja TH
- 53213. *Raritheia* Solovyev,2010** (Limacodidae) Synonym(s): *Raritheia* Solovyev,2010 Original Reference: *Raritheia* Solovyev,2010, Atalanta 41 (3/4): 357. Type-species: *Miresa phoceia* Hampson,1910, by original designation. Range (in code):
- 53214. *Raritheia phoceia* (Hampson,1910)** (Limacodidae) Synonym(s): *phoceia* Hampson,1910
Original Reference: *Miresa phoceia* Hampson,1910, J. Bombay nat. Hist. Soc. 20: 108, pl. Type ♂: Ceylon: Trincomali (BMNH). Range (in code): LK Tem
- 53215. *Rhamnopsis arizanella* Matsumura,1931** (Limacodidae) Synonym(s): *arizanella* Matsumura,1931 - Range (in code): TW

- 53216. *Rhamnosa angulata* Fixsen, 1887** (Limacodidae) **Synonym(s):** *angulata* Fixsen, 1887
Range (in code): **KP KR**
- 53217. *Rhamnosa plumbifusa* (Hampson, 1905)** (Limacodidae) **Synonym(s):** *plumbifusa* Hampson, 1905; *narosides* Hering, 1931
Range (in code): **IN Ass Meg Khs**
- 53218. *Rhamnosa uniformis* (Swinhoe, 1895)** (Limacodidae) **Synonym(s):** *uniformis* Swinhoe, 1895; *takamukui* Matsumura, 1927
Range (in code): **IN Meg Ass Khs Cpj TW**
- 53219. *Rhypteira sordida* Holland, 1893** (Limacodidae) **Synonym(s):** *sordida* Holland, 1893
Range (in code): **TG**
- 53220. *Saccurosa calcicola* Holloway, 1986** (Limacodidae) **Synonym(s):** *calcicola* Holloway, 1986
Range (in code): **MY Bor Swk**
- 53221. *Scirrhomia callima* Bethune-Baker, 1915** (Limacodidae) **Synonym(s):** *callima* Bethune-Baker, 1915
Range (in code): **ZW**
- 53222. *Scirrhomia ethiopica* Bethune-Baker, 1915** (Limacodidae) **Synonym(s):** *ethiopica* Bethune-Baker, 1915
Range (in code): **ZW**
- 53223. *Scirrhomia lamborni* Bethune-Baker, 1915** (Limacodidae) **Synonym(s):** *lamborni* Bethune-Baker, 1915
Range (in code): **ZW**
- 53224. *Scopelodes albipalpalis* M. Hering, 1931** (Limacodidae) **Synonym(s):** *albipalpalis* M. Hering, 1931
Range (in code): **MY Bor Sbh KBa**
- 53225. *Scopelodes anthela* Swinhoe, 1909** (Limacodidae) **Synonym(s):** *anthela* Swinhoe, 1909
Original Reference: *Scopelodes anthela* Swinhoe, 1909, Ann. Mag. nat. Hist. (8) 3: 95. Type: Java.
Range (in code): **ID Ja TH MY Pah**
- 53226. *Scopelodes anthela malaccana* M. Hering, 1933** (Limacodidae) **Synonym(s):** *malaccana* M. Hering, 1933
Range (in code): **MY Pah**
- 53227. *Scopelodes contractus* Walker, 1855** (Limacodidae) **Synonym(s):** *contractus* Walker, 1855
Range (in code): **CN TW IN SI JP**
- 53228. *Scopelodes dinawa* Bethune-Baker, 1904** (Limacodidae) **Synonym(s):** *dinawa* Bethune-Baker, 1904
Range (in code): **PG**
- 53229. *Scopelodes exiqua* Swinhoe, 1916** (Limacodidae) **Synonym(s):** *exiqua* Swinhoe, 1916
Range (in code): **ID Amb Nia**
- 53230. *Scopelodes exiqua niassica* M. Hering, 1931** (Limacodidae) **Synonym(s):** *niassica* M. Hering, 1931
Range (in code): **ID Nia**
- 53231. *Scopelodes lutea* M. Hering, 1931** (Limacodidae) **Synonym(s):** *lutea* M. Hering, 1931
Range (in code): **ID Ja**
- 53232. *Scopelodes magnifica* M. Hering, 1931** (Limacodidae) **Synonym(s):** *magnifica* M. Hering, 1931
Range (in code): **ID Clb**
- 53233. *Scopelodes pallivittata* Snellen, 1886** (Limacodidae) **Synonym(s):** *pallivittata* Snellen, 1886
Range (in code): **ID Ja Sum MY Bor** **Bionomy:** Larva on *Musa* (Musaceae) (Piepers & Snellen, 1900).
- 53234. *Scopelodes tantula* Swinhoe, 1904** (Limacodidae) **Synonym(s):** *tantula* Swinhoe, 1904
Range (in code): **IN Ass Meg Khs**
- 53235. *Scopelodes testacea* Butler, 1886** (Limacodidae) **Synonym(s):** *testacea* Butler, 1886
Original Reference: *Scopelodes testacea* Butler, 1886, Ann. Mag. nat. Hist. (5) 6: 3, pl. 101 fig. 5.
Range (in code): **TH MY**
- 53236. *Scopelodes testacea malayana* M. Hering, 1931** (Limacodidae) **Synonym(s):** *malayana* M. Hering, 1931
Range (in code): **MY**
- 53237. *Scopelodes unicolor* Westwood, 1841** (Limacodidae) **Synonym(s):** *unicolor* Westwood, 1841; *palparis* Walker, 1855; *palpiger* Herrich-Schaffer, 1856; *minax* Walker, 1862; *micacea* Walker, 1865; *lutea* M. Hering, 1931
Range (in code): **SI IN Ass MM TH ID Sum Ja MY Bor** **Bionomy:** Larva on *Theobroma* (Sterculiaceae), *Eugenia* (Myrtaceae), *Ricinus* (Euphorbiaceae), *Nephelium* (Sapindaceae) (Piepers & Snellen, 1900; et seq.).
- 53238. *Scopelodes venosa* Walker, 1855** (Limacodidae) **Synonym(s):** *venosa* Walker, 1855; *aurogrisea* Moore, 1883; *ursina* Butler, 1886
Range (in code): **JP LK IN SI BD Syl MM Mm ID Sum TH CMa CDo**
- 53239. *Scotinocerides fasciata* M. Hering, 1937** (Limacodidae) **Synonym(s):** *fasciata* M. Hering, 1937
Range (in code): **ZA**
- 53240. *Scotinocerides pseudorestricta* M. Hering, 1937** (Limacodidae) **Synonym(s):** *pseudorestricta* M. Hering, 1937
Range (in code): **ZA**

- 53241. *Scotinocerides pseudorestricta flavina* M.Hering,1937** (Limaodidae) Synonym(s): *flavina* M.Hering,1937 _ Range (in code): ZA
- 53242. *Scotinochroa diplothysana* Tams,1932** (Limaodidae) Synonym(s): *diplothysana* Tams,1932 _ Range (in code): ZA
- 53243. *Scotinochroa inconsequens* Butler,1897** (Limaodidae) Synonym(s): *inconsequens* Butler,1897; *peringueyi* Aurivillius,1921. _ Range (in code): ZA Tva Lpo Spb Mdk Slp ZW MW
- 53244. *Scotinochroa minor* Hampson,1916** (Limaodidae) Synonym(s): *minor* Hampson,1916 Range (in code): SO
- 53245. *Scotinochroa rufescens* Janse,1964** (Limaodidae) Synonym(s): *rufescens* Janse,1964 Range (in code): ZA
- 53246. *Semyrilla lineata* (Holland,1893)** (Limaodidae) Synonym(s): *lineata* Holland,1893; *obliquestrigata* Strand,1914 _ Range (in code): ZA
- 53247. *Setora baibarana* (Matsumura,1931)** (Limaodidae) Synonym(s): *baibarana* Matsumura,1931; *suberecta* Hering,1931; *kwangtungensis* Hering,1931; *#alibarana* Hutacharern & Tubtim,1995 Range (in code): CN Kwa TW TH CMa CDo
- 53248. *Setora circinatus* (Snellen,1879)** (Limaodidae) Synonym(s): *circinatus* Snellen,1879 Range (in code): ID Clb
- 53249. *Setora cupreiplaga* (Walker,1862)** (Limaodidae) Synonym(s): *cupreiplaga* Walker,1862 Range (in code): MY Bor
- 53250. *Setora cupreistriga* (Walker,1862)** (Limaodidae) Synonym(s): *cupreistriga* Walker,1862 Range (in code): MY Bor ID Sum?
- 53251. *Setora fletcheri* Holloway,1987** (Limaodidae) Synonym(s): *fletcheri* Holloway,1987 Original Reference: *Setora fletcheri* Holloway,1987, Systematic account of south-east Asian Pest Limaodidae: 82. Range (in code): TH CMa Nrt Nna Cbi Cph Yal Bionomy: Larva on leaf of *Cocos nucifera* [coconut] (Palmae), *Elaeis guineensis* [oil palm] (Palmae), *Syzygium cumini* [black plum] (Myrtaceae) (Lewvanich,2001).
- 53252. *Setora minimalis* Van Eecke,1923** (Limaodidae) Synonym(s): *minimalis* Van Eecke,1923 Range (in code): PG
- 53253. *Setora mongolica* M.Hering,1933** (Limaodidae) Synonym(s): *mongolica* M.Hering,1933 Range (in code): CN
- 53254. *Setora neutra* Swinhoe,1890** (Limaodidae) Synonym(s): *neutra* Swinhoe,1890 _ Range (in code): TH CMa Dst Ds10
- 53255. *Setora nitens* Walker,1855** (Limaodidae) Synonym(s): *nitens* Walker,1855 Original Reference: *Setora nitens* Walker,1855, List Specimens lepid Insects Colln Br. Mus. 5: 1069. Range (in code): IN ID Sum Ja TH MY Bor SG PG
- 53256. *Setora simplex* Snellen,1900** (Limaodidae) Synonym(s): *simplex* Snellen,1900 _ Range (in code): ID Sum Ja
- 53257. *Setora tamsi* M.Hering,1931** (Limaodidae) Synonym(s): *tamsi* M.Hering,1931 Original Reference: *Setora tamsi* M.Hering,1931, [in] Seitz, Die Gross-Schmett. Erde 10: 711, figs. Type: Borneo. Range (in code): MY Bor
- 53258. *Setothosea asigna* (Van Eecke,1929)** (Limaodidae) Synonym(s): *asigna* Van Eecke,1929 Original Reference: *Thosea asigna* Van Eecke,1929, Zool. Meded. 12: 113. Type: Sumatra. Range (in code): ID Sum MY Bor PH Pal TH Bionomy: Larva on *Elaeis*, *Cocos* (Palmae) (Wood,1968).
- 53259. *Spatulifimbria castaneiceps* Hampson,1892** (Limaodidae) Synonym(s): *castaneiceps* Hampson,1892 _ Range (in code): LK
- 53260. *Sporetolepis platti* Janse,1964** (Limaodidae) Synonym(s): *platti* Janse,1964 _ Range (in code): ZA
- 53261. *Squamosa barymorpha* (Turner,1942)** (Limaodidae) Synonym(s): *barymorpha* Turner,1942 _ Range (in code): AU
- 53262. *Squamosa ferruginea* Bethune-Baker,1908** (Limaodidae) Synonym(s): *ferruginea* Bethune-Baker,1908 _ Range (in code): PG
- 53263. *Squamosala nigrostigmata* Bethune-Baker,1904** (Limaodidae) Synonym(s): *nigrostigmata* Bethune-Baker,1904 _ Range (in code): PG
- 53264. *Striogya foliola* (Snellen,1900)** (Limaodidae) Synonym(s): *foliola* Snellen,1900 Range (in code): ID Ja
- 53265. *Striogya snelleni* Holloway,1986** (Limaodidae) Synonym(s): *snelleni* Holloway,1986 Range (in code): MY Bor Swk

- 53266. Stroter capillatus Karsch,1899** (Limacodidae) Synonym(s): *capillatus* Karsch,1899; *tripartita* Bethune-Baker,1911 Range (in code): **ZA**
- 53267. Stroter dukei Janse,1964** (Limacodidae) Synonym(s): *dukei* Janse,1964 Range (in code): **ZA**
- 53268. Stroter intermissa (Walker,1865)** (Limacodidae) Synonym(s): *intermissa* Walker,1865 Range (in code): **ZA**
- 53269. Susica alphaea (Fabricius,1775)** (Limacodidae) Synonym(s): *alphaea* Fabricius,1775; *calida* Walker,1865; *congrua* Walker,1869 nec Wlk.,1865; *eremospila* Lower,1902 Range (in code): **AU**
- 53270. Susica basalis Walker,1862** (Limacodidae) Synonym(s): *basalis* Walker,1862 Range (in code): **MY Bor Swk**
- 53271. Susica confusa Walker,1865** (Limacodidae) Synonym(s): *confusa* Walker,1865 Range (in code): **SL**
- 53272. Susica congrua Walker,1862** (Limacodidae) Synonym(s): *congrua* Walker,1862 Range (in code): **MY Bor Swk**
- 53273. Susica everetti Holloway,1982** (Limacodidae) Synonym(s): *everetti* Holloway,1982 Range (in code): **MY Bor Swk** Bionomy: Larva on Musa (Musaceae), Antidesma (Stilaginaceae) (Holloway,1986).
- 53274. Susica formosana Wileman,1911** (Limacodidae) Synonym(s): *formosana* Wileman,1911 Range (in code): **TW**
- 53275. Susica fusca Matsumura,1911** (Limacodidae) Synonym(s): *fusca* Matsumura,1911 Range (in code): **TW**
- 53276. Susica heringi Holloway,1982** (Limacodidae) Synonym(s): *heringi* Holloway,1982 Range (in code): **MY Bor**
- 53277. Susica himalayana Holloway,1982** (Limacodidae) Synonym(s): *himalayana* Holloway,1982 Range (in code): **IN CN TW** Bionomy: Larva on Elaeis guineensis (Palmae), Macaranga (Euphorbiaceae) (Barlow,1982).
- 53278. Susica malayana M.Hering,1931** (Limacodidae) Synonym(s): *malayana* M.Hering,1931 Original Reference: *Susica malayana* M.Hering,1931, [in] Seitz,A. Die Gross-Schmett. Erde 10: 706, fig. Range (in code): **MY Bor ID Sum Ja TH PH** Bionomy: Larva on Elaeis guineensis (Palmae) (Wood,1968).
- 53279. Susica molybdea Hampson,1910** (Limacodidae) Synonym(s): *molybdea* Hampson,1910 Range (in code):
- 53280. Susica nararia (Moore,1859)** (Limacodidae) Synonym(s): *nararia* Moore,1859 Range (in code): **Ch IN LK**
- 53281. Susica obscura Holloway,1982** (Limacodidae) Synonym(s): *obscura* Holloway,1982 Range (in code): **MY Bor** Bionomy: Larva on Macaranga (Euphorbiaceae) (Holloway,1986).
- 53282. Susica pallida Walker,1855** (Limacodidae) Synonym(s): *pallida* Walker,1855; *stolognoma* West,1937 Original Reference: *Susica pallida* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1114. Lectotype: North India. Range (in code): **SI IN MM Mm NP CN JP TW ID Sum**
- 53283. Susica pannosa Snellen,1900** (Limacodidae) Synonym(s): *pannosa* Snellen,1900 Range (in code): **ID Sum Ja MY**
- 53284. Susica sericea Hampson,1893** (Limacodidae) Synonym(s): *sericea* Hampson,1893 Range (in code): **LK**
- 53285. Susica sinensis (Walker,1856)** (Limacodidae) Synonym(s): *sinensis* Walker,1856 Original Reference: *Tadema sinensis* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1759. Range (in code): **CN TH Bnk**
- 53286. Susicina pyrocausta (Hampson,1910)** (Limacodidae) Synonym(s): *pyrocausta* Hampson,1910 Range (in code): **ZA**
- 53287. Taeda aetitis Wallengren,1863** (Limacodidae) Synonym(s): *aetitis* Wallengren,1863; *albipuncta* Druce,1888; *argentifera* Westwood,1881. Range (in code): **ZA Nta Kzu Tva Lpo Pin Gau Pre LS BW ZW**
- 53288. Taeda connexa (Janse,1964)** (Limacodidae) Synonym(s): *connexa* Janse,1964 Range (in code): **ZA Tva Lpo**
- 53289. Taeda prasina Butler,1896** (Limacodidae) Synonym(s): *prasina* Butler,1896 Range (in code): **ZA Tva Lpo Spb Lj TW MW**
- 53290. Tetrphleba brevilinea (Walker,1865)** (Limacodidae) Synonym(s): *brevilinea* Walker,1865 Range (in code): **SI IN**

- 53291. *Tetraphleba crisa* (Walker,1865)** (Limacodidae) **Synonym(s):** *crisa* Walker,1865
Range (in code): **SI IN**
- 53292. *Tetraphleba ferreogrisea* Hampson,1910** (Limacodidae) **Synonym(s):** *ferreogrisea* Hampson,1910
Range (in code): **LK**
- 53293. *Tetraphleba nilgirica* (Hampson,1891)** (Limacodidae) **Synonym(s):** *nilgirica* Hampson,1891
Range (in code): **IN NI**
- 53294. *Tetraphleba rugosa* (Wileman,1910)** (Limacodidae) **Synonym(s):** *rugosa* Wileman,1910
Range (in code): **TW**
- 53295. *Thosea andamanica* Holloway,1987** (Limacodidae) **Synonym(s):** *andamanica* Holloway,1987
Range (in code): **IN Adm**
- 53296. *Thosea aperiens* (Walker,1865)** (Limacodidae) **Synonym(s):** *aperiens* Walker,1865
Range (in code): **LK**
- 53297. *Thosea arizana* Wileman,1916** (Limacodidae) **Synonym(s):** *arizana* Wileman,1916
Range (in code): **TW**
- 53298. *Thosea aurifrons* Bethune-Baker,1911** (Limacodidae) **Synonym(s):** *aurifrons* Bethune-Baker,1911
Range (in code):
- 53299. *Thosea bhaga* Swinhoe,1901** (Limacodidae) **Synonym(s):** *bhaga* Swinhoe,1901
Range (in code): **MY Bor Swk**
- 53300. *Thosea bicolor* Shiraki,1913** (Limacodidae) **Synonym(s):** *bicolor* Shiraki,1913
Range (in code): **TW**
- 53301. *Thosea bipartita* M.Hering,1933** (Limacodidae) **Synonym(s):** *bipartita* M.Hering,1933
Original Reference: *Thosea bipartita* M.Hering,1933, *Stylops* 2: 214. Type: Siam. **Range (in code):** **TH**
- 53302. *Thosea borneensis* M.Hering,1931** (Limacodidae) **Synonym(s):** *borneensis* M.Hering,1931
Range (in code): **MY Bor PH Pal** **Bionomy:** Larva on *Musa* (Musaceae), *Camellia* (Theaceae), *Citrus* (Rutaceae), *Phaseolus*, *Erythrina* (Fabaceae), *Psidium* (Myrtaceae), *Cinchona* (Rubiaceae), *Mangifera* (Anacardiaceae), *Shorea* (Dipterocarpaceae), *Punica* (Punicaceae), *Cordia* (Ehretiaceae) (Holloway,1986).
- 53303. *Thosea brunnea* Semper,1902** (Limacodidae) **Synonym(s):** *brunnea* Semper,1902
Range (in code): **PH**
- 53304. *Thosea castanea* Wileman,1911** (Limacodidae) **Synonym(s):** *castanea* Wileman,1911
Range (in code): **TW**
- 53305. *Thosea cataractae* West,1937** (Limacodidae) **Synonym(s):** *cataractae* West,1937
Range (in code): **ZW Vf**
- 53306. *Thosea catori* Bethune-Baker,1908** (Limacodidae) **Synonym(s):** *catori* Bethune-Baker,1908
Original Reference: *Thosea catori* Bethune-Baker,1908, *Ann. Mag. nat. Hist.* (8) 2: 257. Type: Northern Nigeria (above Lokoja) (coll. B.-B.). **Range (in code):** **NG**
- 53307. *Thosea cervina* Moore,1877** (Limacodidae) **Synonym(s):** *cervina* Moore,1877
Range (in code): **SI IN LK**
- 53308. *Thosea chloris* Fawcett,1917** (Limacodidae) **Synonym(s):** *chloris* Fawcett,1917
Range (in code): **KE**
- 53309. *Thosea cinereomarginata* Banks,1906** (Limacodidae) **Synonym(s):** *cinereomarginata* Banks,1906
Range (in code): **PH**
- 53310. *Thosea conspersa* (Butler,1880)** (Limacodidae) **Synonym(s):** *conspersa* Butler,1880
Range (in code): **TW**
- 53311. *Thosea cotesi* Swinhoe,1893** (Limacodidae) **Synonym(s):** *cotesi* Swinhoe,1893
Range (in code): **IN Ass**
- 53312. *Thosea divergens* Moore,1879** (Limacodidae) **Synonym(s):** *divergens* Moore,1879; *divaricata* Moore,1884
Range (in code): **SI IN Ass Nag MY Bor ID Sum Ja**
- 53313. *Thosea fasciata* (Moore,1888)** (Limacodidae) **Synonym(s):** *fasciata* Moore,1888
Range (in code): **Ch IN Hp Drm**
- 53314. *Thosea flaviceps* Hampson,1910** (Limacodidae) **Synonym(s):** *flaviceps* Hampson,1910
Range (in code): **IN Ass**
- 53315. *Thosea fluxa* Snellen,1900** (Limacodidae) **Synonym(s):** *fluxa* Snellen,1900
Range (in code): **ID Sum Ja**
- 53316. *Thosea griseafurca* Holloway,1986** (Limacodidae) **Synonym(s):** *griseafurca* Holloway,1986
Range (in code): **MY Bor Swk**

- 53317. *Thosea loesa* (Moore,[1860])** (Limacodidae) Synonym(s): *loesa* Moore,[1860] Original Reference: Parasa loesa Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 417, pl.11a fig.12. Syntypes: Formosa, India, Java. Range (in code): **IN ID Ja TW TH**
- 53318. *Thosea lutea* Heylaerts,1890** (Limacodidae) Synonym(s): *lutea* Heylaerts,1890; *nubeculosa* Snellen,1892 Original Reference: Thosea lutea Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., p.xxviii-xxix. Syntypes: [Indonesia]: Sumatra, Java. Range (in code): **ID Sum Ja MY Bor Swk** Bionomy: Larva on Camellia (Theaceae), Coffea (Rubiaceae), Piper (Piperaceae) (Kalshoven,1981).
- 53319. *Thosea medialis* Holloway,1986** (Limacodidae) Synonym(s): *medialis* Holloway,1986 Range (in code): **MY Bor ID Sum**
- 53320. *Thosea minima* Semper,1902** (Limacodidae) Synonym(s): *minima* Semper,1902 Range (in code): **PH**
- 53321. *Thosea mixta* Snellen,1900** (Limacodidae) Synonym(s): *mixta* Snellen,1900 Range (in code): **ID Ja**
- 53322. *Thosea ostia* (Swinhoe,1902)** (Limacodidae) Synonym(s): *ostia* Swinhoe,1902 Range (in code): **IN Meg Ass Khs TH CMa CDo**
- 53323. *Thosea pallifurca* Holloway,1986** (Limacodidae) Synonym(s): *pallifurca* Holloway,1986 Range (in code): **MY Bor BN Swk**
- 53324. *Thosea penthima* Turner,1902** (Limacodidae) Synonym(s): *penthima* Turner,1902; *pyrrhoea* Lower,1902 Range (in code): **AU QAU**
- 53325. *Thosea peralbida* Swinhoe,1904** (Limacodidae) Synonym(s): *peralbida* Swinhoe,1904 Range (in code): **IN Poo**
- 53326. *Thosea perseis* Fawcett,1917** (Limacodidae) Synonym(s): *perseis* Fawcett,1917 Range (in code): **KE**
- 53327. *Thosea platti* West,1937** (Limacodidae) Synonym(s): *platti* West,1937 Range (in code): **ZA Nta Kzu Tva Gau Jh Ptw**
- 53328. *Thosea postornata* Hampson,1900** (Limacodidae) Synonym(s): *sinensis* Moore,1877 nec *Wlk.*,1855; *postornata* Hampson,1900; *brunnea* Shiraki,1913 Range (in code): **TW IN SI CN**
- 53329. *Thosea rara* Swinhoe,1889** (Limacodidae) Synonym(s): *rara* Swinhoe,1889 Original Reference: Thosea rara Swinhoe,1889, Proc. zool. Soc. London 1889: 408, pl.43 fig.9. Type: Burma: Thyetmyo. Range (in code): **TH Cph MM**
- 53330. *Thosea rotundata* Holloway,1986** (Limacodidae) Synonym(s): *rotundata* Holloway,1986 Range (in code): **MY Bor BN Swk**
- 53331. *Thosea rufa* Wileman,1915** (Limacodidae) Synonym(s): *rufa* Wileman,1915 Range (in code): **TW**
- 53332. *Thosea sericea* (Butler,1881)** (Limacodidae) Synonym(s): *sericea* Butler,1881 Range (in code): **JP**
- 53333. *Thosea sevastopuloi* Holloway,1987** (Limacodidae) Synonym(s): *sevastopuloi* Holloway,1987 Original Reference: Thosea sevastopuloi Holloway,1987, Systematic account of south-east Asian Pest Limacodidae: 52. Range (in code): **TH**
- 53334. *Thosea siamica* Holloway,1987** (Limacodidae) Synonym(s): *siamica* Holloway,1987 Original Reference: Thosea siamica Holloway,1987, Systematic account of south-east Asian Pest Limacodidae: 48. Range (in code): **TH Cph Lop** Bionomy: Larva on leaf of Cocos nucifera [coconut] (Palmae), Rosa (Rosaceae) (Lewvanich,2001).
- 53335. *Thosea sijthoffii* Snellen,1900** (Limacodidae) Synonym(s): *sijthoffii* Snellen,1900 Range (in code): **ID Ja**
- 53336. *Thosea sinensis* (Walker,1855)** (Limacodidae) Synonym(s): *sinensis* Walker,1855; *taiwana* Shiraki,1913 Range (in code): **MM Peg IN CN HK TW ID Ja**
- 53337. *Thosea taiwana* Wileman,1916** (Limacodidae) Synonym(s): *taiwana* Wileman,1916 Range (in code): **TW**
- 53338. *Thosea threnopis* Turner,1931** (Limacodidae) Synonym(s): *threnopis* Turner,1931 Range (in code): **AU**
- 53339. *Thosea trifurca* Holloway,1986** (Limacodidae) Synonym(s): *trifurca* Holloway,1986 Range (in code): **MY Bor Sbh**
- 53340. *Thosea tripartita* (Moore,1884)** (Limacodidae) Synonym(s): *tripartita* Moore,1884 Range (in code): **IN Hp Drm SI Mpr Mhw**

- 53341. Thosea undosa Fawcett,1917** (Limaodidae) Synonym(s): *undosa Fawcett,1917* _ Range (in code): KE
- 53342. Thosea unifascia Walker,1855** (Limaodidae) Synonym(s): *unifascia Walker,1855* Range (in code): MM Rgo Mm Bha
- 53343. Thosea vetusina Holloway,1986** (Limaodidae) Synonym(s): *vetusina Holloway,1986* Range (in code): MY Pah Bor Swk
- 53344. Thosea vetusta (Walker,1862)** (Limaodidae) Synonym(s): *vetusta Walker,1862; biguttata Walker,1862* Original Reference: Nyssia vetusta Walker,1862, J. linn. Soc. 6: 144. Syntypes: Sarawak, Sumatra. Range (in code): MY Swk Bor Sbh KBa ID Sum Ja Clb TH Bionomy: Larva on Elaeis; Musa (Musaceae), Camellia (Theaceae), Acornus (Araceae) (Kalshoven,1981).
- 53345. Trachyptena holobrunnea (Janse,1964)** (Limaodidae) Synonym(s): *holobrunnea Janse,1964* _ Range (in code): ZA
- 53346. Trichogyia brunnescens M.Hering,1933** (Limaodidae) Synonym(s): *brunnescens M.Hering,1933* _ Range (in code): CN
- 53347. Trichogyia circulifera M.Hering,1933** (Limaodidae) Synonym(s): *circulifera M.Hering,1933* _ Range (in code): CN
- 53348. Trichogyia dilutata M.Hering,1938** (Limaodidae) Synonym(s): *dilutata M.Hering,1938* Range (in code): ID Ja
- 53349. Trichogyia gateri West,1937** (Limaodidae) Synonym(s): *gateri West,1937* Original Reference: Trichogyia gateri West,1937, Ann. Mag. nat. Hist. (10) 20: 80, fig. Type: Malaya. Range (in code): MY TH
- 53350. Trichogyia metamelaena Hampson,1897** (Limaodidae) Synonym(s): *metamelaena Hampson,1897* _ Range (in code):
- 53351. Trichogyia microleon M.Hering,1931** (Limaodidae) Synonym(s): *microleon M.Hering,1931* _ Range (in code): IN
- 53352. Trichogyia minuta Rothschild,1917** (Limaodidae) Synonym(s): *minuta Rothschild,1917* Range (in code):
- 53353. Trichogyia nigrimargo M.Hering,1931** (Limaodidae) Synonym(s): *nigrimargo M.Hering,1931* _ Range (in code): IN
- 53354. Trichogyia semifascia Hampson,1894** (Limaodidae) Synonym(s): *semifascia Hampson,1894; albidivisum Hampson,1900* _ Range (in code): IN MM Tns ID Ja Sum MY Bor Bionomy: Larva on Coffea (Rubiaceae), Lagestroemia (Lythraceae), Theobroma (Sterculiaceae) (Holloway,1986).
- 53355. Triplophleps inferna (Swinhoe,1890)** (Limaodidae) Synonym(s): *inferna Swinhoe,1890* Range (in code): MM Rgo
- 53356. Trogocrada deleter Tams,1953** (Limaodidae) Synonym(s): *deleter Tams,1953* _ Range (in code): ZA
- 53357. Trogocrada dimorpha Janse,1964** (Limaodidae) Synonym(s): *dimorpha Janse,1964* Range (in code): ZA
- 53358. Tryphax cinereus (Holland,1893)** (Limaodidae) Synonym(s): *cinereus Holland,1893* Range (in code): CM
- 53359. Tryphax expers Karsch,1896** (Limaodidae) Synonym(s): *expers Karsch,1896* _ Range (in code):
- 53360. Tryphax uelleburgensis Strand,1912** (Limaodidae) Synonym(s): *uelleburgensis Strand,1912* _ Range (in code):
- 53361. Tryphax vigoratus Karsch,1896** (Limaodidae) Synonym(s): *vigoratus Karsch,1896* Range (in code): TG
- 53362. Unipectiphora delosignata Janse,1964** (Limaodidae) Synonym(s): *delosignata Janse,1964* _ Range (in code): ZA
- 53363. Unithosea albilineata (Hampson,1910)** (Limaodidae) Synonym(s): *albilineata Hampson,1910* _ Range (in code): ZA
- 53364. Zarachella specularis Jordan,1915** (Limaodidae) Synonym(s): *specularis Jordan,1915* Range (in code): ZA
- 53365. Zinara discophora Hampson,1910** (Limaodidae) Synonym(s): *discophora Hampson,1910* Range (in code): ZA
- 53366. Zinara nervosa Walker,1869** (Limaodidae) Synonym(s): *nervosa Walker,1869* _ Range (in code): ZA

- 53367. *Zorostola melanoxantha* Janse, 1964** (Limaecodidae) Synonym(s): *melanoxantha* Janse, 1964 _ Range (in code): ZA
- 53368. "*Artaxa*" *compacta* T.P.Lucas, 1894** (Lymantriidae) Synonym(s): *#albidens* T.P.Lucas, 1891; *compacta* T.P.Lucas, 1894 _ Range (in code): AU
- 53369. *Abynotha hylomima* (Holland, 1893)** (Lymantriidae) Synonym(s): *hylomima* Holland, 1893 _ Range (in code): NG
- 53370. *Abynotha meinickei* M.Hering, 1926** (Lymantriidae) Synonym(s): *meinickei* M.Hering, 1926 _ Range (in code): TZ
- 53371. *Abynotha preussi* (Mabille & Vuillot, 1892)** (Lymantriidae) Synonym(s): *preussi* Mabille & Vuillot, 1892 _ Range (in code): CM
- 53372. *Aclonophlebia callista* Collenette, 1933** (Lymantriidae) Synonym(s): *callista* Collenette, 1933 _ Range (in code): KE
- 53373. *Aclonophlebia civilis* M.Hering, 1926** (Lymantriidae) Synonym(s): *civilis* M.Hering, 1926 _ Range (in code): TZ
- 53374. *Aclonophlebia diffusa* M.Hering, 1926** (Lymantriidae) Synonym(s): *diffusa* M.Hering, 1926 _ Range (in code): CM
- 53375. *Aclonophlebia flaveola* M.Hering, 1926** (Lymantriidae) Synonym(s): *flaveola* M.Hering, 1926 _ Range (in code): TZ
- 53376. *Aclonophlebia flavinotata* Butler, 1898** (Lymantriidae) Synonym(s): *flavinotata* Butler, 1898 _ Range (in code): KE
- 53377. *Aclonophlebia ganymedes* M.Hering, 1926** (Lymantriidae) Synonym(s): *ganymedes* M.Hering, 1926 _ Range (in code): CM
- 53378. *Aclonophlebia inconspicua* Hampson, 1910** (Lymantriidae) Synonym(s): *inconspicua* Hampson, 1910 _ Range (in code): SO
- 53379. *Aclonophlebia lymantrioides* M.Hering, 1926** (Lymantriidae) Synonym(s): *lymantrioides* M.Hering, 1926 _ Range (in code): TZ
- 53380. *Aclonophlebia perspicua* M.Hering, 1928** (Lymantriidae) Synonym(s): *perspicua* M.Hering, 1928 _ Range (in code): TZ
- 53381. *Aclonophlebia poecilanthes* Collenette, 1931** (Lymantriidae) Synonym(s): *poecilanthes* Collenette, 1931 _ Range (in code): KE
- 53382. *Aclonophlebia rufotincta* M.Hering, 1926** (Lymantriidae) Synonym(s): *rufotincta* M.Hering, 1926 _ Range (in code): KE YE
- 53383. *Acyphas amphideta* (Turner, 1902)** (Lymantriidae) Synonym(s): *amphideta* Turner, 1902 _ Range (in code): AU
- 53384. *Acyphas chionitis* (Turner, 1902)** (Lymantriidae) Synonym(s): *chionitis* Turner, 1902 _ Range (in code): AU
- 53385. *Acyphas fulviceps* (Walker, 1855)** (Lymantriidae) Synonym(s): *fulviceps* Walker, 1855; *fusca* Walker, 1855 _ Range (in code): AU
- 53386. *Acyphas leptotypa* (Turner, 1904)** (Lymantriidae) Synonym(s): *leptotypa* Turner, 1904 _ Range (in code): AU
- 53387. *Acyphas pelodes* (Lower, 1893)** (Lymantriidae) Synonym(s): *pelodes* Lower, 1893; *aneliopa* Lower, 1915 _ Range (in code): AU
- 53388. *Acyphas semiochrea* (Herrich-Schäffer, [1855])** (Lymantriidae) Synonym(s): *semiochrea* Herrich-Schäffer, [1855]; *leucomelas* Walker, 1855; *diemenii* Herrich-Schäffer, [1858]; *anacausta* Meyrick, 1891; *hololeuca* Meyrick, 1891; *alboanalis* Strand, 1914 _ Range (in code): AU
- 53389. *Adetoneura lentiginosa* Collenette, 1933** (Lymantriidae) Synonym(s): *lentiginosa* Collenette, 1933 _ Range (in code): FJ
- 53390. *Albarracina baii* Standfuss, [1890]** (Lymantriidae) Synonym(s): *baii* Standfuss, [1890] Original Reference: *Albarracina baii* Standfuss, [1890], Dt. ent. Z., Iris 2 (2): 266-267. Syntypes: [Israel]: "Jaffa". Range (in code): SA IL Pa Hf Jf
- 53391. *Albarracina warionis* (Oberthür, 1881)** (Lymantriidae) Synonym(s): *warionis* Oberthür, 1881; *korbi* Staudinger, 1883; *syriaca* Standfuss, [1890]; *banghaasi* Rothschild, 1909; *deundulata* Strand, 1910; *schindlerae* Oberthür, 1922; *alluaudi* Oberthür, 1922; *syrticola* C.G.Krüger, 1932; *littoralis* Le Cerf, 1933; *autumnalis* C.G.Krüger, 1939; *humilis* Rungs, 1975; *thoracica* Rungs, 1975 Original Reference: *Bombyx warionis* Oberthür, 1881, Etud. Ent. 6: 75. Syntypes: Algeria: Oran. Range (in code): IL Jf Pa DZ
Tou Gea Eal Onç Kdr MA MR LY Cy ES Alb TN Gf Bionomy: Larva on *Ephedra nebrodensis* (De Freina & Witt, 1987).

- 53392. *Amphekes gymna* Collenette, 1936** (Lymantriidae) Synonym(s): *gymna* Collenette, 1936
Original Reference: *Amphekes gymna* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 333, pl.7 fig.1. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**
- 53393. *Anexotamos flavibasis* M.Hering, 1926** (Lymantriidae) Synonym(s): *flavibasis* M.Hering, 1926 Range (in code): **KE**
- 53394. *Arctornis albescens* Holloway, 1999** (Lymantriidae) Synonym(s): *albescens* Holloway, 1999 Range (in code): **MY Bor**
- 53395. *Arctornis ardea* Holloway, 1999** (Lymantriidae) Synonym(s): *ardea* Holloway, 1999 Range (in code): **ID Sum MY Bor**
- 53396. *Arctornis asymmetricus* Holloway, 1999** (Lymantriidae) Synonym(s): *asymmetricus* Holloway, 1999 Range (in code): **MY Bor**
- 53397. *Arctornis aureopalpatus* Holloway, 1999** (Lymantriidae) Synonym(s): *aureopalpatus* Holloway, 1999 Range (in code): **MY Bor**
- 53398. *Arctornis bicalcaratus* Holloway, 1999** (Lymantriidae) Synonym(s): *bicalcaratus* Holloway, 1999 Range (in code): **MY Bor**
- 53399. *Arctornis bilobuncus* Holloway, 1999** (Lymantriidae) Synonym(s): *bilobuncus* Holloway, 1999 Range (in code): **MY Bor**
- 53400. *Arctornis bisetosus* Holloway, 1999** (Lymantriidae) Synonym(s): *bisetosus* Holloway, 1999 Range (in code): **MY Bor**
- 53401. *Arctornis brunnescens* Holloway, 1999** (Lymantriidae) Synonym(s): *brunnescens* Holloway, 1999 Range (in code): **MY Bor**
- 53402. *Arctornis calcariphallus* Holloway, 1999** (Lymantriidae) Synonym(s): *calcariphallus* Holloway, 1999 Range (in code): **MY Bor**
- 53403. *Arctornis camurisque* Collenette, 1932** (Lymantriidae) Synonym(s): *camurisque* Collenette, 1932 Range (in code): **ID Sum MY Bor**
- 53404. *Arctornis ceconimena* Collenette, 1936** (Lymantriidae) Synonym(s): *ceconimena* Collenette, 1936 Original Reference: *Arctornis ceconimena* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 330, pl.7 fig.3. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**
- 53405. *Arctornis clavimicruncus* Holloway, 1999** (Lymantriidae) Synonym(s): *clavimicruncus* Holloway, 1999 Range (in code): **MY Bor**
- 53406. *Arctornis cloanges* Collenette, 1936** (Lymantriidae) Synonym(s): *cloanges* Collenette, 1936 Original Reference: *Arctornis cloanges* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 331-332, pl.7 fig.4. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**
- 53407. *Arctornis contrarcuatus* Holloway, 1999** (Lymantriidae) Synonym(s): *contrarcuatus* Holloway, 1999 Range (in code): **MY Bor**
- 53408. *Arctornis corrugata* Toxopeus, 1948** (Lymantriidae) Synonym(s): *corrugata* Toxopeus, 1948 Range (in code): **ID Sum MY Bor**
- 53409. *Arctornis cretosanaphtha* Holloway, 1999** (Lymantriidae) Synonym(s): *cretosanaphtha* Holloway, 1999 Range (in code): **MY Bor**
- 53410. *Arctornis cretoserratus* Holloway, 1999** (Lymantriidae) Synonym(s): *cretoserratus* Holloway, 1999 Range (in code): **MY Bor**
- 53411. *Arctornis cygna* (Moore, 1879)** (Lymantriidae) Synonym(s): *cygna* Moore, 1879; *cymbicornis* Butler, 1881; *nigricilia* Swinhoe, 1881; *comma* Hampson, 1892; *divisa* Hampson, 1892; *#cyena* Strand, 1915 Original Reference: *Redoa cygna* Moore, 1879, Proc. zool. Soc. London 1879: 401. Syntypes ♂♀: India: N.E.Bengal. Range (in code): **JP CN Yu Lik Adm IN Ben LK Pdy SI Djl TH**
- 53412. *Arctornis discirufa* (Swinhoe, 1903)** (Lymantriidae) Synonym(s): *discirufa* Swinhoe, 1903 Range (in code): **MY Bor ID Sum**
- 53413. *Arctornis dorsolineatus* Holloway, 1999** (Lymantriidae) Synonym(s): *dorsolineatus* Holloway, 1999 Range (in code): **MY Bor**
- 53414. *Arctornis egerina* (Swinhoe, 1893)** (Lymantriidae) Synonym(s): *egerina* Swinhoe, 1893 Range (in code): **SG MY Bor ID Sum**
- 53415. *Arctornis egerina gymnophleps* (Collenette, 1938)** (Lymantriidae) Synonym(s): *gymnophleps* Collenette, 1938 Range (in code): **ID Sum**
- 53416. *Arctornis erasmia* Toxopeus, 1948** (Lymantriidae) Synonym(s): *erasmia* Toxopeus, 1948 Range (in code): **MY Bor**

- 53417. *Arctornis excavatus* Holloway,1999** (Lymantriidae) Synonym(s): *excavatus* Holloway,1999 Range (in code): MY Bor
- 53418. *Arctornis faucium* Holloway,1999** (Lymantriidae) Synonym(s): *faucium* Holloway,1999 Range (in code): MY Bor
- 53419. *Arctornis ferruginicosta* Holloway,1999** (Lymantriidae) Synonym(s): *ferruginicosta* Holloway,1999 Range (in code): MY Bor
- 53420. *Arctornis flaminea* Toxopeus,1948** (Lymantriidae) Synonym(s): *flaminea* Toxopeus,1948 Range (in code): MY Bor
- 53421. *Arctornis flora* (Swinhoe,1903)** (Lymantriidae) Synonym(s): *flora* Swinhoe,1903 Range (in code): MY Bor ID Sum Bionomy: Larva on Durio (Bombacaceae) (Holloway,1999).
- 53422. *Arctornis florella* (Collenette,1935)** (Lymantriidae) Synonym(s): *florella* Collenette,1935 Range (in code): MY Bor Swk ID Sum
- 53423. *Arctornis galene* Toxopeus,1948** (Lymantriidae) Synonym(s): *galene* Toxopeus,1948 Range (in code): ID Sum MY Bor
- 53424. *Arctornis gelasphora* Collenette,1936** (Lymantriidae) Synonym(s): *gelasphora* Collenette,1936 Original Reference: *Arctornis gelasphora* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 331. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): CN Yu Lik
- 53425. *Arctornis graciliclava* Holloway,1999** (Lymantriidae) Synonym(s): *graciliclava* Holloway,1999 Range (in code): MY Bor
- 53426. *Arctornis hedleyi* Holloway,1999** (Lymantriidae) Synonym(s): *hedleyi* Holloway,1999 Range (in code): MY Bor
- 53427. *Arctornis heteroides* (Collenette,1938)** (Lymantriidae) Synonym(s): *heteroides* Collenette,1938 Range (in code): MY Bor BN ID Sum
- 53428. *Arctornis hipparia* Swinhoe,1893** (Lymantriidae) Synonym(s): *hipparia* Swinhoe,1893 Range (in code): ID Sum MY Bor
- 53429. *Arctornis isabella* (Toxopeus,1948)** (Lymantriidae) Synonym(s): *isabella* Toxopeus,1948 Range (in code): ID Sum MY Bor Swk
- 53430. *Arctornis kenya* (Collenette,1931)** (Lymantriidae) Synonym(s): *kenya* Collenette,1931 KE
- 53431. *Arctornis keranganaphtha* Holloway,1999** (Lymantriidae) Synonym(s): *keranganaphtha* Holloway,1999 Range (in code): MY Bor
- 53432. *Arctornis kohistana* De Freina,1987** (Lymantriidae) Synonym(s): *kohistana* De Freina,1987 Original Reference: *Arctornis kohistana* De Freina,1987, Nota lepid. 10 (2): 119-122, figs. Holotype ♂: Pakistan, SW-Himalaya, Indus- Kohistan, Kaghan-Tal Shinu 1700-2200m leg. de Freina (MWM). Range (in code): PK Swa Klm
- 53433. *Arctornis l-nigrum* (Müller,1764)** (Lymantriidae) Synonym(s): *l-nigrum* Müller,1764; *v-nigrum* Fabricius,1775; *nivosa* [Denis & Schiffermüller],1775; *vaunigra* Stephens,1828 Range (in code): PT ES FR Co Si IT GB BE NL LU DE CH AT Wn PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo IR Gls DK SE LV LT RU MD UA BY
- 53434. *Arctornis labi* Holloway,1999** (Lymantriidae) Synonym(s): *labi* Holloway,1999 Range (in code): MY Bor BN
- 53435. *Arctornis liguluncus* Holloway,1999** (Lymantriidae) Synonym(s): *liguluncus* Holloway,1999 Range (in code): MY Bor
- 53436. *Arctornis lumulosa* (Mackey,1984)** (Lymantriidae) Synonym(s): *lumulosa* Mackey,1984 Range (in code): MY Bor BN Swk
- 53437. *Arctornis magnaclava* Holloway,1999** (Lymantriidae) Synonym(s): *magnaclava* Holloway,1999 Range (in code): MY Bor
- 53438. *Arctornis mallephrika* Holloway,1999** (Lymantriidae) Synonym(s): *mallephrika* Holloway,1999 Range (in code): ID Sum MY Bor BN
- 53439. *Arctornis malleuncus* Holloway,1999** (Lymantriidae) Synonym(s): *malleuncus* Holloway,1999 Range (in code): MY Bor
- 53440. *Arctornis marginalis* (Walker,1862)** (Lymantriidae) Synonym(s): *marginalis* Walker,1862 Range (in code): MY Bor Swk ID Sum
- 53441. *Arctornis marginata* (Moore,1883)** (Lymantriidae) Synonym(s): *marginata* Moore,1883; *discolor* Hampson,1896; *lerwa* Swinhoe,1899; *phaedra* Collenette,1932; *melinau* Holloway,1982 Range (in code): IN LK MY Bor MM ID Sum Bionomy: Larva on Diospyros (Ebenaceae) (Holloway,1999).
- 53442. *Arctornis meridionalis* (Holloway,1982)** (Lymantriidae) Synonym(s): *meridionalis* Holloway,1982 Range (in code): MY Bor

- 53443. *Arctornis micacea* (Walker,1862)** (Lymantriidae) **Synonym(s):** *micacea* Walker,1862; *pulverulenta* Snellen,1895 **Range (in code):** **ID Sum Bor MY**
- 53444. *Arctornis minutissima* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *minutissima* Swinhoe,1903 **Range (in code):** **MY Bor**
- 53445. *Arctornis montanaphtha* Holloway,1999** (Lymantriidae) **Synonym(s):** *montanaphtha* Holloway,1999 **Range (in code):** **MY Bor**
- 53446. *Arctornis mulunaphtha* Holloway,1999** (Lymantriidae) **Synonym(s):** *mulunaphtha* Holloway,1999 **Range (in code):** **MY Bor**
- 53447. *Arctornis naphtha* Holloway,1999** (Lymantriidae) **Synonym(s):** *naphtha* Holloway,1999 **Range (in code):** **MY Bor**
- 53448. *Arctornis nigrobustus* Holloway,1999** (Lymantriidae) **Synonym(s):** *nigrobustus* Holloway,1999 **Range (in code):** **MY Bor Sbh KBa**
- 53449. *Arctornis niphobola* (Collenette,1932)** (Lymantriidae) **Synonym(s):** *niphobola* Collenette,1932 **Range (in code):** **MY Bor Swk ID Sum**
- 53450. *Arctornis obtusa* (Walker,1862)** (Lymantriidae) **Synonym(s):** *obtusa* Walker,1862; *kinabaluensis* Strand,1910 **Range (in code):** **MY Bor Sbh KBa ID Clb**
- 53451. *Arctornis oranaphtha* Holloway,1999** (Lymantriidae) **Synonym(s):** *oranaphtha* Holloway,1999 **Range (in code):** **MY Bor**
- 53452. *Arctornis ouria* (Collenette,1938)** (Lymantriidae) **Synonym(s):** *ouria* Collenette,1938 **Range (in code):** **MY Bor Swk**
- 53453. *Arctornis parvaclava* Holloway,1999** (Lymantriidae) **Synonym(s):** *parvaclava* Holloway,1999 **Range (in code):** **MY Bor**
- 53454. *Arctornis pellucidoides* Holloway,1999** (Lymantriidae) **Synonym(s):** *pellucidoides* Holloway,1999 **Range (in code):** **MY Bor Swk BN**
- 53455. *Arctornis perfecta* Walker,1862** (Lymantriidae) **Synonym(s):** *perfecta* Walker,1862 **Range (in code):** **ID Sum Clb MY Bor**
- 53456. *Arctornis phasmatodes* (Collenette,1932)** (Lymantriidae) **Synonym(s):** *phasmatodes* Collenette,1932; *sparsa* Toxopeus,1948 **Range (in code):** **MY Bor BN Swk**
- 53457. *Arctornis phrika* (Collenette,1932)** (Lymantriidae) **Synonym(s):** *phrika* Collenette,1932 **Range (in code):** **MY Bor ID Sum** **Bionomy:** Larva on Shorea (Dipterocarpaceae) (Gardner,1938).
- 53458. *Arctornis phrika gedea* (Toxopeus,1948)** (Lymantriidae) **Synonym(s):** *gedea* Toxopeus,1948 **Range (in code):** **ID Ged Ja**
- 53459. *Arctornis plumbacea* (Swinhoe,1903)** (Lymantriidae) **Synonym(s):** *plumbacea* Swinhoe,1903 **Range (in code):** **MY Bor ID Sum**
- 53460. *Arctornis poecilonipha* (Collenette,1932)** (Lymantriidae) **Synonym(s):** *poecilonipha* Collenette,1932; *arborchristi* Toxopeus,1948 **Range (in code):** **MY Bor Sbh Swk**
- 53461. *Arctornis prasionaura* Toxopeus,1948** (Lymantriidae) **Synonym(s):** *prasionaura* Toxopeus,1948 **Range (in code):** **MY Bor**
- 53462. *Arctornis pseudungula* Holloway,1999** (Lymantriidae) **Synonym(s):** *pseudungula* Holloway,1999 **Range (in code):** **MY Bor**
- 53463. *Arctornis rhopica* Toxopeus,1948** (Lymantriidae) **Synonym(s):** *rhopica* Toxopeus,1948 **Range (in code):** **ID Sum MY Bor**
- 53464. *Arctornis riguata* (Snellen,1895)** (Lymantriidae) **Synonym(s):** *riguata* Snellen,1895 **Range (in code):** **MY Bor Swk ID Sum**
- 53465. *Arctornis rufimarginata* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *rufimarginata* Swinhoe,1903 **Range (in code):** **ID Sum MY Bor**
- 53466. *Arctornis rugosacculus* Holloway,1999** (Lymantriidae) **Synonym(s):** *rugosacculus* Holloway,1999 **Range (in code):** **MY Bor**
- 53467. *Arctornis rutila* (Fabricius,1781)** (Lymantriidae) **Synonym(s):** *rutila* Fabricius,1781; *ennomoides* Walker,1862; *urapterides* Walker,1865; *subinanis* Walker,1866; *geometrica* Semper,1899 **Range (in code):** **TH MM IN ID Sum MY Bor PH** **Bionomy:** Larva on Diospyros (Ebenaceae) (Holloway,1999).
- 53468. *Arctornis salebrosa* Toxopeus,1948** (Lymantriidae) **Synonym(s):** *salebrosa* Toxopeus,1948 **Range (in code):** **MY Bor**
- 53469. *Arctornis satinata* Toxopeus,1948** (Lymantriidae) **Synonym(s):** *satinata* Toxopeus,1948 **Range (in code):** **MY Bor**

- 53470. *Arctornis sclerotuncus* Holloway,1999** (Lymantriidae) Synonym(s): *sclerotuncus* Holloway,1999 Range (in code): MY Bor
- 53471. *Arctornis secula* Holloway,1999** (Lymantriidae) Synonym(s): *secula* Holloway,1999 Range (in code): MY Bor
- 53472. *Arctornis semihyalina* (Swinhoe,1904)** (Lymantriidae) Synonym(s): *semihyalina* Swinhoe,1904; *lepta* Collenette,1932 Range (in code): MY Bor Sbh BN KBa ID Clb Mlc PG PH Mno
- 53473. *Arctornis singaporensis* Strand,1914** (Lymantriidae) Synonym(s): *singaporensis* Strand,1914 Range (in code): ID Sum MY SG Bor
- 53474. *Arctornis sinuoharpe* Holloway,1999** (Lymantriidae) Synonym(s): *sinuoharpe* Holloway,1999 Range (in code): MY Bor
- 53475. *Arctornis submarginata* Walker,1855** (Lymantriidae) Synonym(s): *submarginata* Walker,1855; *sikkima* Strand,1914; *keiana* Hulsart,1923 Range (in code): IN SI ID Sum MY Bor AU
- 53476. *Arctornis tortricoides* (Walker,1862)** (Lymantriidae) Synonym(s): *tortricoides* Walker,1862 Range (in code): MY Bor Sbh BN Swk
- 53477. *Arctornis trasiana* (Collenette,1933)** (Lymantriidae) Synonym(s): *trasiana* Collenette,1933 Range (in code): MY Bor Swk ID Sum
- 53478. *Arctornis tricorniger* Holloway,1999** (Lymantriidae) Synonym(s): *tricorniger* Holloway,1999 Range (in code): MY Bor
- 53479. *Arctornis ungula* Holloway,1999** (Lymantriidae) Synonym(s): *ungula* Holloway,1999 Range (in code): MY Bor
- 53480. *Arctornis virgamicruncus* Holloway,1999** (Lymantriidae) Synonym(s): *virgamicruncus* Holloway,1999 Range (in code): MY Bor
- 53481. *Arctornis xanthochila* Collenette,1936** (Lymantriidae) Synonym(s): *xanthochila* Collenette,1936 Original Reference: Arctornis xanthochila Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 330-331, pl.7 fig.2. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): CN Yu Lik
- 53482. *Argyrostroma niobe* (Weymer,1896)** (Lymantriidae) Synonym(s): *niobe* Weymer,1896; *thomsoni* Druce,1898; *mediofasciata* M.Hering,1926 Range (in code): CM TZ KE
- 53483. *Aroa achrodisca* Hampson,1910** (Lymantriidae) Synonym(s): *achrodisca* Hampson,1910; *deflecta* M.Hering,1926 Range (in code): TG ZR ZW SN
- 53484. *Aroa anthora* (R.Felder & Rogenhofer,1874)** (Lymantriidae) Synonym(s): *anthora* R.Felder & Rogenhofer,1874 Range (in code): ZA Ec Grh
- 53485. *Aroa atrella* Hampson,1892** (Lymantriidae) Synonym(s): *atrella* Hampson,1892 Range (in code): IN SI Ass Khs Meg PH Luz
- 53486. *Aroa atrescens* Hampson,1897** (Lymantriidae) Synonym(s): *atrescens* Hampson,1897 Range (in code): IN Ass Meg Khs
- 53487. *Aroa aurantifascia* Hampson,1892** (Lymantriidae) Synonym(s): *aurantifascia* Hampson,1892 Range (in code): IN Nag Ass
- 53488. *Aroa callima* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *callima* Bethune-Baker,1911 Range (in code): NG
- 53489. *Aroa campbelli* Hampson,1904** (Lymantriidae) Synonym(s): *campbelli* Hampson,1904 Range (in code): IN
- 53490. *Aroa catori* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *catori* Bethune-Baker,1911 Range (in code):
- 53491. *Aroa celaenostola* Collenette,1932** (Lymantriidae) Synonym(s): *celaenostola* Collenette,1932 Range (in code): MY Bor Sbh KBa
- 53492. *Aroa cinnamomea* (Moore,1879)** (Lymantriidae) Synonym(s): *cinnamomea* Moore,1879; *aurantiaca* W.Warren,1888 Range (in code): IN Hp Pj PK Ato
- 53493. *Aroa clara* Swinhoe,1885** (Lymantriidae) Synonym(s): *clara* Swinhoe,1885 Range (in code): IN Poo Bba
- 53494. *Aroa cometaris* (Butler,1887)** (Lymantriidae) Synonym(s): *cometaris* Butler,1887; *flavovittata* Pagenstecher,1900 Range (in code): SB PG
- 53495. *Aroa coreana* Matsumura,1933** (Lymantriidae) Synonym(s): *coreana* Matsumura,1933 Range (in code): KP KR
- 53496. *Aroa difficilis* Walker,1865** (Lymantriidae) Synonym(s): *difficilis* Walker,1865 Original Reference: Aroa difficilis Walker,1865, List 32: 325. Type: [South Africa]: Natal. Range (in code): ZA Nta Kzu

- 53497. *Aroa discalis* Walker, 1855** (Lymantriidae) Synonym(s): *discalis* Walker, 1855; *hypoxantha* Wallengren, 1863; *ochraceata* Walker, 1865; *signata* Walker, 1865; *xanthypopteros* Wichgraf, 1921 Original Reference: *Aroa discalis* Walker, 1855, List 4: 792. Syntypes: [South Africa]: Cape, Port Natal. Range (in code): **ZA Cto Ec Nta Kzu**
- 53498. *Aroa fenestriculata* Strand, 1910** (Lymantriidae) Synonym(s): *fenestriculata* Strand, 1910 Range (in code): **ID Sum MY Bor Sbh KBa**
- 53499. *Aroa fenestriculata kinabaluensis* Strand, 1910** (Lymantriidae) Synonym(s): *kinabaluensis* Strand, 1910 Range (in code): **MY Bor Sbh KBa**
- 53500. *Aroa flaveofusca* Swinhoe, 1902** (Lymantriidae) Synonym(s): *flaveofusca* Swinhoe, 1902 Range (in code): **MY Bor**
- 53501. *Aroa flavicollis* (Leech, 1890)** (Lymantriidae) Synonym(s): *flavicollis* Leech, 1890; *leucoides* Strand, 1911 Range (in code): **CN**
- 53502. *Aroa glebula* Swinhoe, 1906** (Lymantriidae) Synonym(s): *glebula* Swinhoe, 1906 Range (in code): **ID Sum**
- 53503. *Aroa incerta* Rogenhofer, 1891** (Lymantriidae) Synonym(s): *incerta* Rogenhofer, 1891 Range (in code): **KE**
- 53504. *Aroa kambaiti* Collenette, 1960** (Lymantriidae) Synonym(s): *kambaiti* Collenette, 1960 Range (in code): **MM Kch Kam**
- 53505. *Aroa leonensis* Hampson, 1910** (Lymantriidae) Synonym(s): *leonensis* Hampson, 1910 Range (in code): **SL**
- 53506. *Aroa leucogramma* (R. Felder & Rogenhofer, 1875)** (Lymantriidae) Synonym(s): *leucogramma* R. Felder & Rogenhofer, 1875; *meridionalis* Collenette, 1932 Range (in code): **PH Luz**
- 53507. *Aroa lithosioides* (Walker, 1862)** (Lymantriidae) Synonym(s): *lithosioides* Walker, 1862 Range (in code): **MY Bor Swk**
- 53508. *Aroa luisa* Pagenstecher, 1885** (Lymantriidae) Synonym(s): *luisa* Pagenstecher, 1885; *niasana* Swinhoe, 1907 Range (in code): **PH Luz ID Nia**
- 53509. *Aroa major* Hampson, 1892** (Lymantriidae) Synonym(s): *major* Hampson, 1892 Range (in code): **LK Pdy PH Luz**
- 53510. *Aroa maxima* Hampson, 1892** (Lymantriidae) Synonym(s): *maxima* Hampson, 1892 Range (in code): **LK Pdy**
- 53511. *Aroa melanoleuca* Hampson, 1905** (Lymantriidae) Synonym(s): *melanoleuca* Hampson, 1905; *decolorata* M. Hering, 1926 Range (in code): **ZA AO**
- 53512. *Aroa mirma* Swinhoe, 1903** (Lymantriidae) Synonym(s): *mirma* Swinhoe, 1903 Range (in code): **ID Sum**
- 53513. *Aroa nigripicta* Holland, 1893** (Lymantriidae) Synonym(s): *nigripicta* Holland, 1893 Range (in code):
- 53514. *Aroa nigrofascia* Wileman, 1911** (Lymantriidae) Synonym(s): *nigrofascia* Wileman, 1911; *jankowskii* Matsumura, 1921 Range (in code): **TW**
- 53515. *Aroa noctuaeformis* (Aurivillius, 1925)** (Lymantriidae) Synonym(s): *noctuaeformis* Aurivillius, 1925 Range (in code): **ZR**
- 53516. *Aroa obliqua* Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *obliqua* Bethune-Baker, 1911 Range (in code):
- 53517. *Aroa ochracea* (Moore, 1879)** (Lymantriidae) Synonym(s): *ochracea* Moore, 1879 Range (in code): **IN Cle**
- 53518. *Aroa ochripicta* Moore, 1879** (Lymantriidae) Synonym(s): *ochripicta* Moore, 1879 Range (in code): **CN HK TW**
- 53519. *Aroa omissa* Holland, 1893** (Lymantriidae) Synonym(s): *omissa* Holland, 1893 Range (in code): **GA**
- 53520. *Aroa pampoecila* Collenette, 1930** (Lymantriidae) Synonym(s): *pampoecila* Collenette, 1930 Range (in code): **TZ**
- 53521. *Aroa perfida* Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *perfida* Bethune-Baker, 1911 Range (in code):
- 53522. *Aroa pinodes* Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *pinodes* Bethune-Baker, 1911 Range (in code): **AO**
- 53523. *Aroa plana* (Walker, 1855)** (Lymantriidae) Synonym(s): *plana* Walker, 1855; *junctifera* Walker, 1865 Range (in code): **IN NI Ch Cle Hp Kgr LK Pdy Cob**

- 53524. Aroa postfusca Gaede,1932** (Lymantriidae) **Synonym(s):** *postfusca Gaede,1932* _ Range (in code):
- 53525. Aroa pyrrhochroma Walker,1865** (Lymantriidae) **Synonym(s):** *pyrrhochroma Walker,1865* _ Range (in code): **IN BT SI Ass Meg Cpj Khs Bba**
- 53526. Aroa quadrimaculata (Janse,1915)** (Lymantriidae) **Synonym(s):** *quadrimaculata Janse,1915* _ Range (in code): **ZA ZW**
- 53527. Aroa quadriplagata Pagenstecher,1903** (Lymantriidae) **Synonym(s):** *quadriplagata Pagenstecher,1903* _ Range (in code): **ET**
- 53528. Aroa risoria Swinhoe,1903** (Lymantriidae) **Synonym(s):** *risoria Swinhoe,1903* _ Range (in code): **ID Ja**
- 53529. Aroa sagrara Swinhoe,1885** (Lymantriidae) **Synonym(s):** *sagrara Swinhoe,1885* _ Range (in code): **IN**
- 53530. Aroa scytodes Collenette,1932** (Lymantriidae) **Synonym(s):** *scytodes Collenette,1932* _ Range (in code): **MY Prk**
- 53531. Aroa sienna Hampson,1890** (Lymantriidae) **Synonym(s):** *sienna Hampson,1890; sienna Bryk,1934* _ Range (in code): **LK IN Ass Khs Meg NI**
- 53532. Aroa simplex (Walker,1865)** (Lymantriidae) **Synonym(s):** *simplex Walker,1865* _ Range (in code): **IN NI**
- 53533. Aroa socrus (Geyer,[1837])** (Lymantriidae) **Synonym(s):** *socrus Geyer,[1837]* _ Range (in code): **ID Ja CN IN Ass Meg Khs Krh Nag**
- 53534. Aroa subnotata (Walker,1855)** (Lymantriidae) **Synonym(s):** *subnotata Walker,1855* _ Range (in code): **LK Pdy IN NI**
- 53535. Aroa substrigosa Walker,1855** (Lymantriidae) **Synonym(s):** *substrigosa Walker,1855* **Original Reference:** *Aroa substrigosa Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 794. Syntypes: Silhet, Java, Hong-Kong.* _ Range (in code): **IN Meg Ass Khs BD Syl VN Ton CN HK ID Ja TH CMa CDo**
- 53536. Aroa ticana Schaus & Clements,1893** (Lymantriidae) **Synonym(s):** *ticana Schaus & Clements,1893* _ Range (in code): **SL**
- 53537. Aroa tomisa Druce,1896** (Lymantriidae) **Synonym(s):** *tomisa Druce,1896* _ Range (in code): **TZ**
- 53538. Aroa umbrata Bethune-Baker,1908** (Lymantriidae) **Synonym(s):** *umbrata Bethune-Baker,1908* _ Range (in code): **AO**
- 53539. Aroa xerampelina (Swinhoe,1885)** (Lymantriidae) **Synonym(s):** *xerampelina Swinhoe,1885* _ Range (in code): **IN Bba Poo NI**
- 53540. Aroa yakoe Bethune-Baker,1927** (Lymantriidae) **Synonym(s):** *yakoe Bethune-Baker,1927* _ Range (in code): **CM**
- 53541. Aruta flavipes (Hampson,1892)** (Lymantriidae) **Synonym(s):** *flavipes Hampson,1892* _ Range (in code): **IN**
- 53542. Aza eutelia Druce,1899** (Lymantriidae) **Synonym(s):** *eutelia Druce,1899* _ Range (in code): **EC**
- 53543. Aza micacea Walker,1865** (Lymantriidae) **Synonym(s):** *micacea Walker,1865* _ Range (in code): **CO**
- 53544. Barlowia charax (Druce,1896)** (Lymantriidae) **Synonym(s):** *charax Druce,1896* _ Range (in code): **ZA TZ**
- 53545. Barlowia nephodes Collenette,1932** (Lymantriidae) **Synonym(s):** *nephodes Collenette,1932* _ Range (in code): **AO**
- 53546. Barlowia pyrilampres Collenette,1931** (Lymantriidae) **Synonym(s):** *pyrilampres Collenette,1931* _ Range (in code): **ZW**
- 53547. Barlowia zelotes Talbot,1929** (Lymantriidae) **Synonym(s):** *zelotes Talbot,1929* _ Range (in code): **MW ZW**
- 53548. Bicelluphora argentea Janse,1915** (Lymantriidae) **Synonym(s):** *argentea Janse,1915* _ Range (in code): **ZA Mpu Tva Brb**
- 53549. Bifurca longinasus De Joannis,1929** (Lymantriidae) **Synonym(s):** *longinasus De Joannis,1929* _ Range (in code): **VN Ton**
- 53550. Birnara bicolor (Walker,1855)** (Lymantriidae) **Synonym(s):** *bicolor Walker,1855; lineosa Walker,1865; nubila Butler,1879; semilucida Swinhoe,1903* _ Range (in code): **ID Sum MY Bor**

- 53551. *Bracharoa dregei* (Herrich-Schäffer,1854)** (Lymantriidae) Synonym(s): *dregei* Herrich-Schäffer,1854 - Range (in code): **ZA Wca Cto Cld**
- 53552. *Bracharoa mixta* (Snellen,1872)** (Lymantriidae) Synonym(s): *mixta* Snellen,1872; *vetusta* Hampson,1910 - Range (in code): **ZA**
- 53553. *Bracharoa quadripunctata* (Wallengren,1875)** (Lymantriidae) Synonym(s): *quadripunctata* Wallengren,1875; *bistigmigera* Butler,1897; *#quadripuncta* Janse,1915 - Range (in code): **ZA Gau Pre Mpu Brb Tst Ptc Pie Wv Tva Lpo Spb Suw Nta Kzu Est Esw MW ZW TZ**
- 53554. *Bracharoa reducta* M.Hering,1926** (Lymantriidae) Synonym(s): *reducta* M.Hering,1926 Range (in code): **TZ Dss**
- 53555. *Bracharoa tricolor* (Herrich-Schäffer,1856)** (Lymantriidae) Synonym(s): *tricolor* Herrich-Schäffer,1856 - Range (in code): **ZA**
- 53556. *Cadurca dianeura* M.Hering,1928** (Lymantriidae) Synonym(s): *dianeura* M.Hering,1928 Range (in code): **TZ**
- 53557. *Cadurca moco* Collenette,1936** (Lymantriidae) Synonym(s): *moco* Collenette,1936 Original Reference: *Cadurca moco* Collenette,1936, Novit. zool. 40 (1): 148, pl.xii fig.30. Holotype ♂: Angola, Mt. Moco. Range (in code): **AO Mco**
- 53558. *Cadurca venata* Swinhoe,1906** (Lymantriidae) Synonym(s): *venata* Swinhoe,1906 Range (in code): **AO ZM**
- 53559. *Calliteara abietis* ([Denis & Schiffermüller],1775)** (Lymantriidae) Synonym(s): *#abietis* [Denis & Schiffermüller],1775 Original Reference: *Bombyx abietis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 55. Type(s): [Austria]: Vienna district. Range (in code): **DE AT PL CZ SK HU DK NO SE FI EE LV LT** Bionomy: Larva on Pinus, Picea, Abies ([Denis & Schiffermüller],1775; Blaschke,1914).
- 53560. *Calliteara angulata* (Hampson,1895)** (Lymantriidae) Synonym(s): *angulata* Hampson,1895; *maculosa* Matsumura,1929; *#angulosa* Kishida,1979 - Range (in code): **IN Ass Meg Khs SI MM ID Sum Clb Crm PG MY Bor TW** Bionomy: Larva on Castanopsis (Fagaceae) (Holloway,1999).
- 53561. *Calliteara aphrasta* Collenette,1938** (Lymantriidae) Synonym(s): *aphrasta* Collenette,1938 - Range (in code): **IN ID Sum MY Bor Sbh KBa**
- 53562. *Calliteara arizana* (Wileman,1910)** (Lymantriidae) Synonym(s): *arizana* Wileman,1910; *#arizona* Strand,1925; *albibasis* Matsumura,1931; *matsumurae* Bryk,1935 - Range (in code): **TW**
- 53563. *Calliteara axutha* (Collenette,1934)** (Lymantriidae) Synonym(s): *axutha* Collenette,1934 Range (in code): **CN VN Dos**
- 53564. *Calliteara baibarana* (Matsumura,1927)** (Lymantriidae) Synonym(s): *baibarana* Matsumura,1927 - Range (in code): **TW**
- 53565. *Calliteara box* Holloway,1999** (Lymantriidae) Synonym(s): *box* Holloway,1999 - Range (in code): **MY Bor Swk**
- 53566. *Calliteara cerigoides* (Walker,1862)** (Lymantriidae) Synonym(s): *cerigoides* Walker,1862 Range (in code): **IN MM ID Sum Ja Clb MY Bor** Bionomy: Larva on Eucalyptus (Myrtaceae) (Holloway,1999).
- 53567. *Calliteara cox* Schintlmeister,1994** (Lymantriidae) Synonym(s): *cox* Schintlmeister,1994 Range (in code): **ID Sum MY Bor BN Swk**
- 53568. *Calliteara diplozona* (Collenette,1932)** (Lymantriidae) Synonym(s): *diplozona* Collenette,1932 - Range (in code): **MY Swk BN Sbh ID Sum**
- 53569. *Calliteara grotei* (Moore,1859)** (Lymantriidae) Synonym(s): *grotei* Moore,1859; *kausalia* Moore,1879; *atomariana* Matsumura,1927 - Range (in code): **IN CN TW**
- 53570. *Calliteara horsfieldii* (Saunders,1851)** (Lymantriidae) Synonym(s): *horsfieldii* Saunders,1851; *arga* Moore,1859; *longipennis* Walker,1862; *nilgirica* Hampson,1891; *farenoides* Lucas,1892; *horsfieldi* Strand,1915 Original Reference: *Arctia horsfieldi* Saunders,1851, Trans. ent. Soc. London 1851: 162, pl.12 figs.1,2. Range (in code): **IN LK Pdy Kndy MY SG Bor Swk ID Ja AU QAU VN Ton Han TH CMa Cuo Cuo1 Bnk CRa Chy Phe Nkh** Bionomy: Larva feeds on leaf of *Malpighia glabra* [Barbados Cherry] (Malpighiaceae), *Cocos nucifera* [coconut] (Palmae), *Senna alata* [ringworm bush], *Cassia bakeriana* [pink shower] (Fabaceae), *Eugenia* [rose apple] (Myrtaceae), *Tectona grandis* [teak] (Lamiaceae), *Artocarpus heterophyllus* [jack fruit] (Moraceae), *Syzygium cumini* [black plum] (Myrtaceae), *Shorea roxburghii* [phayom] (Dipterocarpaceae) (Lewvanich,2001).
- 53571. *Calliteara kikuchii* (Matsumura,1927)** (Lymantriidae) Synonym(s): *kikuchii* Matsumura,1927 - Range (in code): **TW**

- 53572. *Calliteara lairdae* (Holloway,1976)** (Lymantriidae) **Synonym(s):** *lairdae* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 53573. *Calliteara lunulata* (Butler,1877)** (Lymantriidae) **Synonym(s):** *lunulata* Butler,1877
Range (in code): **JP RU Us Ask Vv TW**
- 53574. *Calliteara lunulata takamukuana* (Matsumura,1927)** (Lymantriidae) **Synonym(s):** *takamukuana* Matsumura,1927; *taiwanensis* Matsumura,1927 **Range (in code):** **TW**
- 53575. *Calliteara muelleri* (Ebert,1968)** (Lymantriidae) **Synonym(s):** *#mülleri* Ebert,1968; *muelleri* Ebert,1968 **Range (in code):** **AF Sfk**
- 53576. *Calliteara multilineata* (Swinhoe,1917)** (Lymantriidae) **Synonym(s):** *multilineata* Swinhoe,1917 **Range (in code):** **TW**
- 53577. *Calliteara postfusca* (Swinhoe,1895)** (Lymantriidae) **Synonym(s):** *postfusca* Swinhoe,1895 **Range (in code):** **IN Ass Meg Khs**
- 53578. *Calliteara pseudolairdae* Holloway,1999** (Lymantriidae) **Synonym(s):** *pseudolairdae* Holloway,1999 **Range (in code):** **MY Bor BN Swk**
- 53579. *Calliteara pudibunda* (Linnaeus,1758)** (Lymantriidae) **Synonym(s):** *pudibunda* Linnaeus,1758; *scopularia* Linnaeus,1758; *jutica* Müller,1764; *porrectaalba* Retzius,1783; *grandi* Lorkovic,1930
Range (in code): **ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag AZ Kir AF Sfk DK SE FI EE LV LT RU MD UA BY**
- 53580. *Calliteara pudibunda paktia* (Ebert,1968)** (Lymantriidae) **Synonym(s):** *paktia* Ebert,1968 **Range (in code):** **AF Sfk**
- 53581. *Calliteara saitonis* (Matsumura,1927)** (Lymantriidae) **Synonym(s):** *saitonis* Matsumura,1927; *saitonella* Matsumura,1927 **Range (in code):** **TW**
- 53582. *Calliteara strigata* (Moore,1879)** (Lymantriidae) **Synonym(s):** *strigata* Moore,1879; *niveosparsa* Butler,1881; *cordata* Holloway,1976 **Range (in code):** **IN SI Djl Hp Sml Ass Meg Khs CN Yu Lik TH MY Bor Sbh KBa BN JP**
- 53583. *Calliteara taiwana* (Wileman,1910)** (Lymantriidae) **Synonym(s):** *taiwana* Wileman,1910; *multilineata* Swinhoe,1917; *kibarae* Matsumura,1927 **Range (in code):** **TW**
- 53584. *Calliteara zelotica* (Collenette,1932)** (Lymantriidae) **Synonym(s):** *zelotica* Collenette,1932; *hamilleter* Collenette,1953 **Range (in code):** **MY Klu Bor BN ID Sum**
- 53585. *Carpenterella chionobosca* Collenette,1960** (Lymantriidae) **Synonym(s):** *chionobosca* Collenette,1960 **Range (in code):** **UG**
- 53586. *Carpenterella nesiotica* Collenette,1933** (Lymantriidae) **Synonym(s):** *nesiotica* Collenette,1933 **Range (in code):** **ZW**
- 53587. *Carriola ecnomoda* (Swinhoe,1907)** (Lymantriidae) **Synonym(s):** *ecnomoda* Swinhoe,1907
Range (in code): **IN ID Sum Pad MY Bor PH**
- 53588. *Carriola fenestrata* (Hampson,1892)** (Lymantriidae) **Synonym(s):** *fenestrata* Hampson,1892 **Range (in code):** **LK Pdy**
- 53589. *Carriola saturnioides* (Snellen,1879)** (Lymantriidae) **Synonym(s):** *saturnioides* Snellen,1879 **Range (in code):** **ID Clb SG PH Luz**
- 53590. *Carriola seminsula* (Strand,1915)** (Lymantriidae) **Synonym(s):** *seminsula* Strand,1915
Range (in code): **CN HK**
- 53591. *Carriola thyridophora* (Hampson,1892)** (Lymantriidae) **Synonym(s):** *thyridophora* Hampson,1892 **Range (in code):** **SI IN**
- 53592. *Casama griseola* Rothschild,1921** (Lymantriidae) **Synonym(s):** *griseola* Rothschild,1921
Range (in code): **SN GM GN CI LR**
- 53593. *Casama impura* (M.Hering,1926)** (Lymantriidae) **Synonym(s):** *impura* M.Hering,1926
Range (in code): **ET SA YE**
- 53594. *Casama innotata* (Walker,1855)** (Lymantriidae) **Synonym(s):** *innotata* Walker,1855; *flavipalpata* Staudinger,1896; *uniformis* Rothschild,1913; *leporina* Zerny,1935; *alfierii* C.G.Krüger,1939.
Original Reference: *Spilosoma innotata* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 674. Type: Egypt. **Range (in code):** **MT MA DZ Ath Thh Ah Omy Tth Gtt TD Tbt TN LY Cy EG SA JO IL Pa Jt OM AE YE** **Bionomy:** Larva on *Acacia tortilis* (Fabaceae) (De Freina & Witt,1987).
- 53595. *Casama intermissa* (M.Hering,1926)** (Lymantriidae) **Synonym(s):** *intermissa* M.Hering,1926 **Range (in code):** **TZ**
- 53596. *Casama vilis* (Walker,1865)** (Lymantriidae) **Synonym(s):** *vilis* Walker,1865; *indeterminata* Walker,1865; *richteri* Daniel,1960 **Original Reference:** *Euproctis vilis* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 349. Type: South Hindostan. **Range (in code):** **IN NI LK Tcm IR SA SO ET OM AE YE**

- 53597. Chibidukoga nigra (Hampson,1900)** (Lymantriidae) Synonym(s): *nigra* Hampson,1900
Range (in code): **IN SI JP**
- 53598. Chrysocyma mesopotamia Hampson,1905** (Lymantriidae) Synonym(s): *mesopotamia* Hampson,1905 _ Range (in code): **ZA**
- 53599. Cifuna biundulans Hampson,1897** (Lymantriidae) Synonym(s): *biundulans* Hampson,1897 _ Range (in code): **IN Ass Meg Khs**
- 53600. Cifuna cervina (Moore,1879)** (Lymantriidae) Synonym(s): *cervina* Moore,1879 _ Range (in code): **IN SI Djl**
- 53601. Cifuna eurydice (Butler,1885)** (Lymantriidae) Synonym(s): *eurydice* Butler,1885; *amata* Staudinger,1887; *ornata* Swinhoe,1923 _ Range (in code): **RU Am Us Vv Ask JP VN Ton**
- 53602. Cifuna jankowskii (Oberthür,1884)** (Lymantriidae) Synonym(s): *jankowskii* Oberthür,1884 _ Range (in code): **RU**
- 53603. Cifuna locuples Walker,1855** (Lymantriidae) Synonym(s): *locuples* Walker,1855
Range (in code): **IN Ben Ass Khs Meg TW VN Ton RU Am JP CN Yu Lik**
- 53604. Cifuna locuples confusa (Bremer,1861)** (Lymantriidae) Synonym(s): *confusa* Bremer,1861 _ Range (in code): **RU Am JP CN**
- 53605. Cifuna marginenotata M.Hering,1926** (Lymantriidae) Synonym(s): *marginenotata* M.Hering,1926 _ Range (in code): **CI**
- 53606. Cifuna nigroplagata Bethune-Baker,1913** (Lymantriidae) Synonym(s): *nigroplagata* Bethune-Baker,1913 _ Range (in code): **UG CM**
- 53607. Cifuna nigroplagata chilophaea M.Hering,1926** (Lymantriidae) Synonym(s): *chilophaea* M.Hering,1926 _ Range (in code): **CM**
- 53608. Cimola opalina Walker,1855** (Lymantriidae) Synonym(s): *opalina* Walker,1855; *thymiathis* Druce,1883 _ Range (in code): **ZA Nta Kzu Dbn Ptw Ngg Tra**
- 53609. Cispia alba (Moore,1879)** (Lymantriidae) Synonym(s): *alba* Moore,1879 _ Range (in code): **LK Pdy Kndy**
- 53610. Cispia aphrasta Collenette,1932** (Lymantriidae) Synonym(s): *aphrasta* Collenette,1932
Range (in code): **TH MY Ked**
- 53611. Cispia borneensis Strand,1915** (Lymantriidae) Synonym(s): *borneensis* Strand,1915
Range (in code): **MY Bor Sbh KBa**
- 53612. Cispia charma Swinhoe,1899** (Lymantriidae) Synonym(s): *charma* Swinhoe,1899
Original Reference: *Cispia charma* Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 112. Type ♂: [India]: "Karwar" (coll. Davidson). Range (in code): **IN**
- 53613. Cispia dichroa C.Felder & R.Felder,1881** (Lymantriidae) Synonym(s): *dichroa* C.Felder & R.Felder,1881; *armandvillei* Oberthür,1894 _ Range (in code): **ID Amb**
- 53614. Cispia fasciata Semper,1899** (Lymantriidae) Synonym(s): *fasciata* Semper,1899 _ Range (in code): **PH Mno**
- 53615. Cispia grisea Semper,1899** (Lymantriidae) Synonym(s): *grisea* Semper,1899 _ Range (in code): **PH Mno**
- 53616. Cispia joiceyi Collenette,1930** (Lymantriidae) Synonym(s): *joiceyi* Collenette,1930
Range (in code): **ID Ij**
- 53617. Cispia kinabaluensis Strand,1915** (Lymantriidae) Synonym(s): *kinabaluensis* Strand,1915
Range (in code): **MY Bor Sbh KBa**
- 53618. Cispia manifesta Collenette,1933** (Lymantriidae) Synonym(s): *manifesta* Collenette,1933
Range (in code): **PG**
- 53619. Cispia ochrophaea Collenette,1932** (Lymantriidae) Synonym(s): *ochrophaea* Collenette,1932 _ Range (in code): **MY Prk**
- 53620. Cispia pumila C.Felder & R.Felder,1881** (Lymantriidae) Synonym(s): *pumila* C.Felder & R.Felder,1881 _ Range (in code): **ID Amb**
- 53621. Cispia punctifascia Walker,1855** (Lymantriidae) Synonym(s): *punctifascia* Walker,1855; *#inferiora* Strand,1917; *#superiora* Strand,1917 _ Range (in code): **IN SI Ass BT LK Tcm ID Sum Ja MY Bor**
- 53622. Cispia suffusa C.Felder & R.Felder,1881** (Lymantriidae) Synonym(s): *suffusa* C.Felder & R.Felder,1881 _ Range (in code): **ID Amb**
- 53623. Cispia unicolor C.Felder & R.Felder,1881** (Lymantriidae) Synonym(s): *unicolor* C.Felder & R.Felder,1881 _ Range (in code): **ID Amb**

- 53624. *Cispia venosa* Walker, 1862** (Lymantriidae) Synonym(s): *venosa* Walker, 1862 _ Range (in code): IN SI
- 53625. *Cobanilla marginata* (Moore, 1883)** (Lymantriidae) Synonym(s): *marginata* Moore, 1883
Range (in code): LK MM Peg
- 53626. *Cobanilla plumbacea* Swinhoe, 1903** (Lymantriidae) Synonym(s): *plumbacea* Swinhoe, 1903 _ Range (in code): IN Ass Meg Khs
- 53627. *Creagra albina* (Plötz, 1880)** (Lymantriidae) Synonym(s): *albina* Plötz, 1880 _ Range (in code):
- 53628. *Creagra atricosta* (Hampson, 1909)** (Lymantriidae) Synonym(s): *atricosta* Hampson, 1909
Range (in code): UG Rz
- 53629. *Creagra kahli* (Holland, 1920)** (Lymantriidae) Synonym(s): *kahli* Holland, 1920; *batesi* Bethune-Baker, 1927 _ Range (in code): CM
- 53630. *Creagra liturata* (Guérin-Ménéville, [1844])** (Lymantriidae) Synonym(s): *liturata* Guérin-Ménéville, [1844]; *dealbata* Herrich-Schäffer, 1854; *aliena* Wallengren, 1860 _ Range (in code): ZA Tva Lpo Spb Suw Gau Jh Tst Mpu Brb Srn Nta Kzu Dbn Umk Ngg Tra Ec Elo
- 53631. *Creagra macrocera* (Sharpe, 1890)** (Lymantriidae) Synonym(s): *macrocera* Sharpe, 1890
Range (in code): KE
- 53632. *Cropera dianeura* M. Hering, 1928** (Lymantriidae) Synonym(s): *dianeura* M. Hering, 1928
Range (in code): TZ
- 53633. *Cropera phlebitis* (Hampson, 1905)** (Lymantriidae) Synonym(s): *phlebitis* Hampson, 1905
Range (in code): ZA
- 53634. *Cropera sericea* (Hampson, 1910)** (Lymantriidae) Synonym(s): *sericea* Hampson, 1910; *#cericea* Janse, 1917 _ Range (in code): ZA Gau Pre Ptc Wb Tva Lpo Wv Mpu Brb Dbn Nta Kzu
- 53635. *Cropera sericoptera* Collenette, 1932** (Lymantriidae) Synonym(s): *sericoptera* Collenette, 1932
Original Reference: Cropera sericoptera Collenette, 1932, Novit. zool. 37 (2): 159, pl. 1 fig. 34. Holotype ♂: Angola: Muene Indala (Ansorge). Range (in code): AO
- 53636. *Cropera stilpnaroma* M. Hering, 1926** (Lymantriidae) Synonym(s): *stilpnaroma* M. Hering, 1926 _ Range (in code): ZA
- 53637. *Cropera testacea* Walker, 1855** (Lymantriidae) Synonym(s): *testacea* Walker, 1855; *#seminuda* Hampson, 1910 _ Range (in code): ZA Tva Lpo Spb Suw Nha Srn Dbn Umk Ngg Tra Ec
- 53638. *Cropera unipunctata* Wichgraf, 1921** (Lymantriidae) Synonym(s): *unipunctata* Wichgraf, 1921 _ Range (in code): TZ
- 53639. *Crorema adpersa* (Herrich-Schäffer, 1854)** (Lymantriidae) Synonym(s): *adpersa* Herrich-Schäffer, 1854; *prolixa* Wallengren, 1860; *sulphurea* Plötz, 1880 _ Range (in code): ZA Tva Lpo Spb Suw Gau Pre Wb Wo Rtf Wv Nel Mpu Tst Brb Nha Srn Pt看 Umk Nta Kzu KE NG CM
- 53640. *Crorema cartera* Collenette, 1939** (Lymantriidae) Synonym(s): *cartera* Collenette, 1939
Range (in code): ZR ZW ZM
- 53641. *Crorema collenettei* M. Hering, 1932** (Lymantriidae) Synonym(s): *collenettei* M. Hering, 1932; *rossi* Berio, 1939 _ Range (in code): ER ET SD KE TZ
- 53642. *Crorema crocipes* (Boisduval, 1833)** (Lymantriidae) Synonym(s): *crocipes* Boisduval, 1833
Range (in code): MG
- 53643. *Crorema desperata* M. Hering, 1929** (Lymantriidae) Synonym(s): *desperata* M. Hering, 1929 _ Range (in code): ZR
- 53644. *Crorema eleuteria* (Stoll, [1781])** (Lymantriidae) Synonym(s): *eleuteria* Stoll, [1781]
Range (in code): SL ZR
- 53645. *Crorema evanescens* Hampson, 1910** (Lymantriidae) Synonym(s): *evanescens* Hampson, 1910 _ Range (in code): SD ET KE UG
- 53646. *Crorema fulvinotata* (Butler, 1893)** (Lymantriidae) Synonym(s): *fulvinotata* Butler, 1893; *bipunctata* Wichgraf, 1921; *euproctoides* M. Hering, 1926 _ Range (in code): MZ TZ ZW
- 53647. *Crorema mentiensi* Walker, 1855** (Lymantriidae) Synonym(s): *mentiensi* Walker, 1855; *obliqua* Walker, 1855; *ampla* Walker, 1865; *sulphurea* Plötz, 1880; *albida* Hampson, 1910; *phaulia* Collenette, 1960
Range (in code): KE SL ZR ST
- 53648. *Crorema moco* Collenette, 1953** (Lymantriidae) Synonym(s): *moco* Collenette, 1953
Original Reference: Crorema moco Collenette, 1953, Ann. Mag. nat. Hist. (12 (6): 565, Pl. xiii fig. 3. Holotype ♂: Angola, Mt. Moco (K. Jordan). Range (in code): AO Mco
- 53649. *Crorema nigropunctata* Collenette, 1931** (Lymantriidae) Synonym(s): *nigropunctata* Collenette, 1931 _ Range (in code): AO

- 53650. Crorema quadristrigata Talbot,1929** (Lymantriidae) Synonym(s): *quadristrigata Talbot,1929* - Range (in code): ST
- 53651. Crorema sandoa Collenette,1936** (Lymantriidae) Synonym(s): *sandoa Collenette,1936; phaedra Collenette,1960; unipunctata Collenette,1960* - Range (in code): ZR UG
- 53652. Crorema setinoides (Holland,1893)** (Lymantriidae) Synonym(s): *setinoides Holland,1893* - Range (in code): GA AO ZA Nta Kzu CG KE NG SD
- 53653. Crorema staphylinochrous M.Hering,1926** (Lymantriidae) Synonym(s): *staphylinochrous M.Hering,1926* - Range (in code): AO ZR ZM
- 53654. Crorema submaculata Collenette,1931** (Lymantriidae) Synonym(s): *submaculata Collenette,1931* - Range (in code): ZR UG NG KE
- 53655. Crorema sudanica Strand,1915** (Lymantriidae) Synonym(s): *sudanica Strand,1915* - Range (in code): SU
- 53656. Crorema thermochrous M.Hering,1929** (Lymantriidae) Synonym(s): *thermochrous M.Hering,1929* - Range (in code): ZR
- 53657. Croremopsis innocens M.Hering,1926** (Lymantriidae) Synonym(s): *innocens M.Hering,1926* - Range (in code): MG
- 53658. Dactylorhyncha luteifascia Hampson,1895** (Lymantriidae) Synonym(s): *luteifascia Hampson,1895* - Range (in code): MM
- 53659. Dactylorhyncha pallida (Hampson,1891)** (Lymantriidae) Synonym(s): *pallida Hampson,1891* - Range (in code): IN NI
- 53660. Dactylorhynchides limacodiformis Strand,1920** (Lymantriidae) Synonym(s): *limacodiformis Strand,1920* - Range (in code): TW
- 53661. Daplasa irrorata Moore,1879** (Lymantriidae) Synonym(s): *irrorata Moore,1879* - Range (in code): IN JP CN Sz SI Djl
- 53662. Dasorgyia alpherakii Groum-Grshimailo,1891** (Lymantriidae) Synonym(s): *alpherakii Groum-Grshimailo,1891* - Range (in code): CN Ts Kno Amd
- 53663. Dasorgyia alpherakii alpherakii Groum-Grshimailo,1891** (Lymantriidae) Synonym(s): *alpherakii Groum-Grshimailo,1891* - Range (in code): CN Kno Ts
- 53664. Dasorgyia alpherakii grumi Staudinger,1901** (Lymantriidae) Synonym(s): *grumi Staudinger,1901* - Range (in code): CN Ts Kno
- 53665. Dasorgyia alpherakii semenovi Groum-Grshimailo,1891** (Lymantriidae) Synonym(s): *semenovi Groum-Grshimailo,1891* - Range (in code): CN Ts Amd
- 53666. Dasorgyia pumila (Staudinger,1881)** (Lymantriidae) Synonym(s): *pumila Staudinger,1881* - Original Reference: Dasychira pumila Staudinger,1881, Stettin ent. Ztg. 42: 405-406. Syntypes 2♂: [Kazakhstan]: Saisan. Range (in code): KG Ssn
- 53667. Dasorgyia selenophora Staudinger,1887** (Lymantriidae) Synonym(s): *selenophora Staudinger,1887* - Range (in code): UZ Fe TJ Pm
- 53668. Dasorgyia selenophora pamirica Strand,1911** (Lymantriidae) Synonym(s): *pamirica Strand,1911* - Original Reference: Dasorgyia selenophora f. pamirica Strand,1911, [in] Seitz,A., Gross-Schmett. Erde. 2: 120 (22b). Type: [Tadjikistan]: Pamir. Range (in code): TJ Pm
- 53669. Dasyarctia grisea Gaede,1923** (Lymantriidae) Synonym(s): *grisea Gaede,1923* - Range (in code): TZ ZA Wca
- 53670. Dasychira abbreviata Kenrick,1913** (Lymantriidae) Synonym(s): *abbreviata Kenrick,1913* - Range (in code): MG
- 53671. Dasychira acrisia (Plötz,1880)** (Lymantriidae) Synonym(s): *acrisia Plötz,1880* - Range (in code): NG
- 53672. Dasychira acroleuca M.Hering,1926** (Lymantriidae) Synonym(s): *acroleuca M.Hering,1926* - Range (in code): MG
- 53673. Dasychira aeana Collenette,1931** (Lymantriidae) Synonym(s): *aeana Collenette,1931* - Range (in code): ZM
- 53674. Dasychira aenotata Tams,1930** (Lymantriidae) Synonym(s): *aenotata Tams,1930* - Range (in code): ZM
- 53675. Dasychira aeschra (Hampson,1926)** (Lymantriidae) Synonym(s): *aeschra Hampson,1926; ruandana M.Hering,1926* - Range (in code): UG KE RW
- 53676. Dasychira aethalodes Collenette,1931** (Lymantriidae) Synonym(s): *aethalodes Collenette,1931* - Range (in code): MW Mje

- 53677. *Dasychira affinis* Holland,1893** (Lymantriidae) Synonym(s): *affinis* Holland,1893
Range (in code): **NG**
- 53678. *Dasychira agramma* De Joannis,1929** (Lymantriidae) Synonym(s): *agramma* De Joannis,1929 _ Range (in code): **VN Ton**
- 53679. *Dasychira agrotoides* (Holland,1893)** (Lymantriidae) Synonym(s): *agrotoides* Holland,1893 _ Range (in code): **GA**
- 53680. *Dasychira alampeta* Collenette,1932** (Lymantriidae) Synonym(s): *alampeta* Collenette,1932 _ Range (in code): **MY Kdh**
- 53681. *Dasychira albescens* Moore,1879** (Lymantriidae) Synonym(s): *albescens* Moore,1879
Range (in code): **IN SI Djl**
- 53682. *Dasychira albiapex* M.Hering,1926** (Lymantriidae) Synonym(s): *albiapex* M.Hering,1926
Range (in code): **CM**
- 53683. *Dasychira albibasalis* (Holland,1893)** (Lymantriidae) Synonym(s): *albibasalis* Holland,1893 _ Range (in code): **GA**
- 53684. *Dasychira albicostata* (Holland,1893)** (Lymantriidae) Synonym(s): *albicostata* Holland,1893 _ Range (in code): **GA TZ**
- 53685. *Dasychira albilinea* (Holland,1893)** (Lymantriidae) Synonym(s): *albilinea* Holland,1893
Range (in code): **CM GA**
- 53686. *Dasychira albinotata* (Holland,1893)** (Lymantriidae) Synonym(s): *albinotata* Holland,1893 _ Range (in code): **CM GA**
- 53687. *Dasychira albiplaga* Swinhoe,1908** (Lymantriidae) Synonym(s): *albiplaga* Swinhoe,1908
Range (in code): **ID Ja MY Bor Swk**
- 53688. *Dasychira alboschistacea* Rothschild,1915** (Lymantriidae) Synonym(s): *alboschistacea* Rothschild,1915 _ Range (in code): **ID Ij**
- 53689. *Dasychira albospargata* (Holland,1893)** (Lymantriidae) Synonym(s): *albospargata* Holland,1893 _ Range (in code): **GA**
- 53690. *Dasychira allotria* M.Hering,1926** (Lymantriidae) Synonym(s): *allotria* M.Hering,1926
Range (in code): **GO**
- 53691. *Dasychira amydropa* Collenette,1960** (Lymantriidae) Synonym(s): *amydropa* Collenette,1960 _ Range (in code): **ZR**
- 53692. *Dasychira anisozyga* Collenette,1960** (Lymantriidae) Synonym(s): *anisozyga* Collenette,1960 _ Range (in code): **NG**
- 53693. *Dasychira anoista* Collenette,1960** (Lymantriidae) Synonym(s): *anoista* Collenette,1960
Range (in code): **NG**
- 53694. *Dasychira antica* (Walker,1855)** (Lymantriidae) Synonym(s): *antica* Walker,1855;
albilumulata Karsch,1895 _ Range (in code): **CM**
- 53695. *Dasychira aphantia* Collenette,1960** (Lymantriidae) Synonym(s): *aphantia* Collenette,1960
Range (in code): **NG**
- 53696. *Dasychira apicata* (Holland,1893)** (Lymantriidae) Synonym(s): *apicata* Holland,1893
Range (in code): **GA**
- 53697. *Dasychira arakawae* Matsumura,1921** (Lymantriidae) Synonym(s): *arakawae* Matsumura,1921 _ Range (in code): **JP**
- 53698. *Dasychira arctioides* (Holland,1893)** (Lymantriidae) Synonym(s): *arctioides* Holland,1893; *postalba* Swinhoe,1906 _ Range (in code): **NG**
- 53699. *Dasychira argiloides* (Holland,1893)** (Lymantriidae) Synonym(s): *argiloides* Holland,1893 _ Range (in code): **GA**
- 53700. *Dasychira argyroides* Collenette,1932** (Lymantriidae) Synonym(s): *argyroides* Collenette,1932 _ Range (in code): **PH Mno**
- 53701. *Dasychira astraphaea* Collenette,1931** (Lymantriidae) Synonym(s): *astraphaea* Collenette,1931 _ Range (in code): **CI**
- 53702. *Dasychira atomaria* Walker,1859** (Lymantriidae) Synonym(s): *atomaria* Walker,1859;
obliquata Grote & Robinson,1866; *parallela* Grote & Robinson,1866; *aridensis* Benjamin,1922 _ Range (in code): **US Nj**
- 53703. *Dasychira atrivenosa* Palm,1893** (Lymantriidae) Synonym(s): *atrivenosa* Palm,1893
Range (in code): **US**
- 53704. *Dasychira aurifera* Scriba,1919** (Lymantriidae) Synonym(s): *aurifera* Scriba,1919; *suzukii* Matsumura,1927 _ Range (in code): **JP**

- 53705. *Dasychira azelota* Collenette,1933** (Lymantriidae) Synonym(s): *azelota* Collenette,1933
Range (in code): **ZW**
- 53706. *Dasychira barbara* M.Hering,1926** (Lymantriidae) Synonym(s): *barbara* M.Hering,1926
Range (in code): **TZ**
- 53707. *Dasychira baruna* (Moore,1859)** (Lymantriidae) Synonym(s): *baruna* Moore,1859
Range (in code): **ID Ja MY Prk**
- 53708. *Dasychira basalis* (Walker,1855)** (Lymantriidae) Synonym(s): *basalis* Walker,1855
Range (in code): **SL CM**
- 53709. *Dasychira basiflava* (Packard,1864)** (Lymantriidae) Synonym(s): *basiflava* Packard,1864;
clintonii Grote & Robinson,1866 _ Range (in code): **US**
- 53710. *Dasychira basileus* M.Hering,1932** (Lymantriidae) Synonym(s): *basileus* M.Hering,1932
Range (in code): **ZR**
- 53711. *Dasychira basilinea* M.Hering,1926** (Lymantriidae) Synonym(s): *basilinea* M.Hering,1926
Range (in code): **CM**
- 53712. *Dasychira basistriga* (Walker,1856)** (Lymantriidae) Synonym(s): *basistriga* Walker,1856
Range (in code):
- 53713. *Dasychira bergmanni* Swinhoe,1904** (Lymantriidae) Synonym(s): *bergmanni*
Swinhoe,1904 _ Range (in code): **GH**
- 53714. *Dasychira bhana* (Moore,1892)** (Lymantriidae) Synonym(s): *bhana* Moore,1892
Range (in code): **IN SI Djl**
- 53715. *Dasychira bimaculata* Aurivillius,1926** (Lymantriidae) Synonym(s): *bimaculata*
Aurivillius,1926 _ Range (in code): **CM**
- 53716. *Dasychira blastema* M.Hering,1926** (Lymantriidae) Synonym(s): *blastema* M.Hering,1926
Range (in code): **ZR**
- 53717. *Dasychira bokuma* Collenette,1960** (Lymantriidae) Synonym(s): *bokuma* Collenette,1960
Range (in code): **GO**
- 53718. *Dasychira bonniwelli* Barnes & McDunnough,1924** (Lymantriidae) Synonym(s):
bonniwelli Barnes & McDunnough,1924 _ Range (in code): **US NMx**
- 53719. *Dasychira brunnea* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *brunnea*
Bethune-Baker,1904 _ Range (in code): **PG**
- 53720. *Dasychira brunneata* Kenrick,1913** (Lymantriidae) Synonym(s): *brunneata* Kenrick,1913
Range (in code): **MG**
- 53721. *Dasychira brunneicosta* (Holland,1893)** (Lymantriidae) Synonym(s): *brunneicosta*
Holland,1893 _ Range (in code): **CM GA**
- 53722. *Dasychira brunneipicta* Collenette,1931** (Lymantriidae) Synonym(s): *brunneipicta*
Collenette,1931 _ Range (in code):
- 53723. *Dasychira brunnescens* Moore,1879** (Lymantriidae) Synonym(s): *brunnescens*
Moore,1879 _ Range (in code): **IN SI Djl**
- 53724. *Dasychira burti* Collenette,1960** (Lymantriidae) Synonym(s): *burti* Collenette,1960
Range (in code): **TZ**
- 53725. *Dasychira caeca* (Plötz,1880)** (Lymantriidae) Synonym(s): *caeca* Plötz,1880; *nubilata*
Holland,1893 _ Range (in code): **GA CM**
- 53726. *Dasychira caeruleifascia* (Holland,1893)** (Lymantriidae) Synonym(s): *caeruleifascia*
Holland,1893; *#orthogramma* M.Hering,1926 _ Range (in code): **NG CM**
- 53727. *Dasychira callima* Collenette,1932** (Lymantriidae) Synonym(s): *callima* Collenette,1932
Range (in code): **MY Pah**
- 53728. *Dasychira callipepla* Collenette,1960** (Lymantriidae) Synonym(s): *callipepla*
Collenette,1960 _ Range (in code): **KE Mb**
- 53729. *Dasychira callipluta* Collenette,1933** (Lymantriidae) Synonym(s): *callipluta*
Collenette,1933 _ Range (in code): **UG**
- 53730. *Dasychira cameruna* Aurivillius,[1905]** (Lymantriidae) Synonym(s): *cameruna*
Aurivillius,[1905] _ Range (in code): **CM**
- 53731. *Dasychira cangia* Druce,1887** (Lymantriidae) Synonym(s): *cangia* Druce,1887 _ Range
(in code): **MZ**
- 53732. *Dasychira canovirescens* Aurivillius,1925** (Lymantriidae) Synonym(s): *canovirescens*
Aurivillius,1925 _ Range (in code): **CM**

- 53733. *Dasychira capnora* Collenette,1933** (Lymantriidae) Synonym(s): *capnora* Collenette,1933
Range (in code): **ZW**
- 53734. *Dasychira castanea* Kenrick,1913** (Lymantriidae) Synonym(s): *castanea* Kenrick,1913
Range (in code): **MG**
- 53735. *Dasychira castor* M.Hering,1926** (Lymantriidae) Synonym(s): *castor* M.Hering,1926
Range (in code): **LR TG CM**
- 53736. *Dasychira catadela* Collenette,1960** (Lymantriidae) Synonym(s): *catadela* Collenette,1960
Range (in code): **CM**
- 53737. *Dasychira cecestis* M.Hering,1926** (Lymantriidae) Synonym(s): *cecestis* M.Hering,1926
Range (in code):
- 53738. *Dasychira cerigoides* (Walker,1862)** (Lymantriidae) Synonym(s): *cerigoides* Walker,1862; *galinara* Swinhoe,1903 _ Range (in code): **MY Bor Swk**
- 53739. *Dasychira chalana* Moore,1859** (Lymantriidae) Synonym(s): *chalana* Moore,1859
Range (in code): **ID Ja**
- 53740. *Dasychira chalcocrata* Collenette,1931** (Lymantriidae) Synonym(s): *chalcocrata* Collenette,1931 _ Range (in code): **MG**
- 53741. *Dasychira chloebapha* Collenette,1930** (Lymantriidae) Synonym(s): *chloebapha* Collenette,1930 _ Range (in code): **MG**
- 53742. *Dasychira chlorobasis* M.Hering,1926** (Lymantriidae) Synonym(s): *chlorobasis* M.Hering,1926 _ Range (in code): **GO**
- 53743. *Dasychira chlorophila* M.Hering,1926** (Lymantriidae) Synonym(s): *chlorophila* M.Hering,1926 _ Range (in code): **CM TG**
- 53744. *Dasychira chloroptera* Hampson,1892** (Lymantriidae) Synonym(s): *chloroptera* Hampson,1892 _ Range (in code): **IN Ass Khs Meg**
- 53745. *Dasychira chloroscia* M.Hering,1926** (Lymantriidae) Synonym(s): *chloroscia* M.Hering,1926 _ Range (in code): **TG ZA**
- 53746. *Dasychira chorista* M.Hering,1926** (Lymantriidae) Synonym(s): *chorista* M.Hering,1926
Range (in code): **CI**
- 53747. *Dasychira cinctata* Moore,1879** (Lymantriidae) Synonym(s): *cinctata* Moore,1879
Range (in code): **IN SI Djl**
- 53748. *Dasychira cinerea* Collenette,1933** (Lymantriidae) Synonym(s): *cinerea* Collenette,1933
Range (in code): **ZW**
- 53749. *Dasychira cinnamomea* (Grote & Robinson,1866)** (Lymantriidae) Synonym(s): *cinnamomea* Grote & Robinson,1866 _ Range (in code): **US Ny**
- 53750. *Dasychira circumdata* (Holland,1893)** (Lymantriidae) Synonym(s): *circumdata* Holland,1893 _ Range (in code): **GA**
- 53751. *Dasychira citana* (Schaus & Clements,1893)** (Lymantriidae) Synonym(s): *citana* Schaus & Clements,1893 _ Range (in code): **SL**
- 53752. *Dasychira citrinella* Matsumura,1927** (Lymantriidae) Synonym(s): *citrinella* Matsumura,1927 _ Range (in code): **TW**
- 53753. *Dasychira clathrata* (Holland,1893)** (Lymantriidae) Synonym(s): *clathrata* Holland,1893
Range (in code): **CI**
- 53754. *Dasychira clavis* (Saalmüller,1884)** (Lymantriidae) Synonym(s): *clavis* Saalmüller,1884
Range (in code): **MG**
- 53755. *Dasychira complicata* Walker,1865** (Lymantriidae) Synonym(s): *complicata* Walker,1865; *pustulifera* Walker,1865 _ Range (in code): **SI IN Djl**
- 53756. *Dasychira compsa* Collenette,1933** (Lymantriidae) Synonym(s): *compsa* Collenette,1933
Range (in code): **ZW**
- 53757. *Dasychira conjuncta* Wileman,1911** (Lymantriidae) Synonym(s): *conjuncta* Wileman,1911
Range (in code): **JP**
- 53758. *Dasychira costalis* (Walker,1855)** (Lymantriidae) Synonym(s): *costalis* Walker,1855
Range (in code): **ID Ja MM**
- 53759. *Dasychira costiplaga* (Walker,1862)** (Lymantriidae) Synonym(s): *costiplaga* Walker,1862
Range (in code): **MY Bor Swk**
- 53760. *Dasychira cecadia* Collenette,1931** (Lymantriidae) Synonym(s): *cecadia* Collenette,1931
Range (in code): **KE**

- 53761. *Dasychira cromptoni* Swinhoe,1903** (Lymantriidae) Synonym(s): *cromptoni* Swinhoe,1903 _ Range (in code): NG
- 53762. *Dasychira crucifera* (Holland,1893)** (Lymantriidae) Synonym(s): *crucifera* Holland,1893 _ Range (in code): GA
- 53763. *Dasychira cruda* Wileman,1910** (Lymantriidae) Synonym(s): *cruda* Wileman,1910; *tarowanensis* Matsumura,1927 _ Range (in code): TW
- 53764. *Dasychira curviringata* (Karsch,1893)** (Lymantriidae) Synonym(s): *curviringata* Karsch,1893 _ Range (in code): ZA TG
- 53765. *Dasychira cymata* Swinhoe,1907** (Lymantriidae) Synonym(s): *cymata* Swinhoe,1907 _ Range (in code): IN SI Djl
- 53766. *Dasychira cyrteschata* Collenette,1939** (Lymantriidae) Synonym(s): *cyrteschata* Collenette,1939 _ Original Reference: *Dasychira cyrteschata* Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 337, pl.12 figs.2,3. Holotype ♂: [China]: N.Yunnan, A-tun-tse (coll. Höne). Range (in code): CN Ats Yu
- 53767. *Dasychira danva* (Schaus & Clements,1893)** (Lymantriidae) Synonym(s): *danva* Schaus & Clements,1893 _ Range (in code): CM SL
- 53768. *Dasychira daphne* M.Hering,1926** (Lymantriidae) Synonym(s): *daphne* M.Hering,1926 _ Range (in code): TZ YE
- 53769. *Dasychira daphneoides* M.Hering,1926** (Lymantriidae) Synonym(s): *daphneoides* M.Hering,1926 _ Range (in code): TZ
- 53770. *Dasychira delicata* (Holland,1893)** (Lymantriidae) Synonym(s): *delicata* Holland,1893 _ Range (in code): CM GA
- 53771. *Dasychira deplagiata* M.Hering,1926** (Lymantriidae) Synonym(s): *deplagiata* M.Hering,1926 _ Range (in code): CM
- 53772. *Dasychira diatoma* M.Hering,1926** (Lymantriidae) Synonym(s): *diatoma* M.Hering,1926 _ Range (in code): TZ
- 53773. *Dasychira diatoma stenoptera* M.Hering,1926** (Lymantriidae) Synonym(s): *stenoptera* M.Hering,1926 _ Range (in code):
- 53774. *Dasychira diluta* (Holland,1893)** (Lymantriidae) Synonym(s): *diluta* Holland,1893 _ Range (in code): GA
- 53775. *Dasychira diplosticta* Collenette,1933** (Lymantriidae) Synonym(s): *diplosticta* Collenette,1933 _ Range (in code): ID Bru
- 53776. *Dasychira dollmani* Collenette,1931** (Lymantriidae) Synonym(s): *dollmani* Collenette,1931 _ Range (in code): ZW
- 53777. *Dasychira dorsipennata* Barnes & McDunnough,1919** (Lymantriidae) Synonym(s): *dorsipennata* Barnes & McDunnough,1919 _ Range (in code): CA
- 53778. *Dasychira dubia* Kenrick,1913** (Lymantriidae) Synonym(s): *dubia* Kenrick,1913 _ Range (in code): MG
- 53779. *Dasychira elaeochroa* Collenette,1931** (Lymantriidae) Synonym(s): *elaeochroa* Collenette,1931 _ Range (in code): ZW
- 53780. *Dasychira elegans* (Butler,1882)** (Lymantriidae) Synonym(s): *elegans* Butler,1882 _ Range (in code): MG
- 53781. *Dasychira ella* Bryk,1934** (Lymantriidae) Synonym(s): *styx* Barnes & McDunnough,1913; *ella* Bryk,1934 _ Range (in code): US BCo CA
- 53782. *Dasychira embrithes* Collenette,1933** (Lymantriidae) Synonym(s): *embrithes* Collenette,1933 _ Range (in code): ZW
- 53783. *Dasychira endophaea* Hampson,1910** (Lymantriidae) Synonym(s): *endophaea* Hampson,1910 _ Range (in code): CI CM
- 53784. *Dasychira enos* (Druce,1896)** (Lymantriidae) Synonym(s): *enos* Druce,1896; *insolita* Aurivillius,[1905] _ Range (in code): NE NG
- 53785. *Dasychira ertli* Wichgraf,1921** (Lymantriidae) Synonym(s): *ertli* Wichgraf,1921 _ Range (in code): AO
- 53786. *Dasychira erubescens* (Holland,1893)** (Lymantriidae) Synonym(s): *erubescens* Holland,1893 _ Range (in code): GA
- 53787. *Dasychira exigua* Candèze,1927** (Lymantriidae) Synonym(s): *exigua* Candèze,1927 _ Range (in code): KH Pno

- 53788. *Dasychira exoleta* Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *exoleta* Bethune-Baker, 1911 _ Range (in code): AO
- 53789. *Dasychira feminula* (Hampson, 1891)** (Lymantriidae) Synonym(s): *feminula* Hampson, 1891 _ Range (in code): IN NI CN Yu Lik
- 53790. *Dasychira feminula likiangensis* Collenette, 1936** (Lymantriidae) Synonym(s): *likiangensis* Collenette, 1936 _ Original Reference: *Dasychira feminula* ssp. *likiangensis* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 339-340, pl.7 fig.19. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): CN Yu Lik
- 53791. *Dasychira fidjiensis* Mabille & Vuillot, 1891** (Lymantriidae) Synonym(s): *fidjiensis* Mabille & Vuillot, 1891; *#fidjiensis* Strand, 1915; *vitensis* Bethune-Baker, 1905 _ Range (in code): FJ
- 53792. *Dasychira flava* (Holland, 1893)** (Lymantriidae) Synonym(s): *flava* Holland, 1893 _ Range (in code): GA
- 53793. *Dasychira flavicosta* Hampson, 1900** (Lymantriidae) Synonym(s): *flavicosta* Hampson, 1900 _ Range (in code): IN SI Djl
- 53794. *Dasychira flavimacula* Moore, 1865** (Lymantriidae) Synonym(s): *flavimacula* Moore, 1865; *#yatonga* Strand, 1910 _ Range (in code): IN SI Djl CN Ti Ben Yt Yu Lik
- 53795. *Dasychira fulgetra* Candèze, 1927** (Lymantriidae) Synonym(s): *fulgetra* Candèze, 1927 _ Range (in code): VN Ton
- 53796. *Dasychira fuliginosa* (Saalmüller, 1884)** (Lymantriidae) Synonym(s): *fuliginosa* Saalmüller, 1884 _ Range (in code): MG
- 53797. *Dasychira fumosa* (Holland, 1893)** (Lymantriidae) Synonym(s): *fumosa* Holland, 1893 _ Range (in code): GA
- 53798. *Dasychira fuscoplagiata* Aurivillius, 1925** (Lymantriidae) Synonym(s): *fuscoplagiata* Aurivillius, 1925 _ Range (in code): CM
- 53799. *Dasychira fuscula* M.Hering, 1926** (Lymantriidae) Synonym(s): *fusca* Holland, 1893 *nec* Wlk.; *fuscula* M.Hering, 1926 _ Range (in code): GA
- 53800. *Dasychira gentilis* Butler, 1879** (Lymantriidae) Synonym(s): *gentilis* Butler, 1879 _ Range (in code): MG
- 53801. *Dasychira gephyra* M.Hering, 1926** (Lymantriidae) Synonym(s): *gephyra* M.Hering, 1926 _ Range (in code): ZR TZ ZA Nta Kzu
- 53802. *Dasychira glaucinoptera* Collenette, 1934** (Lymantriidae) Synonym(s): *glaucinoptera* Collenette, 1934 _ Range (in code): CN
- 53803. *Dasychira glaucinoptera batangensis* Collenette, 1939** (Lymantriidae) Synonym(s): *batangensis* Collenette, 1939 _ Original Reference: *Dasychira glaucinoptera* ssp. *batangensis* Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 336 pl.12 fig.8. Holotype ♂: [China]: Tibet, Batang 3800m (coll. Höne). Range (in code): CN Ti Btn
- 53804. *Dasychira gloriosa* M.Hering, 1926** (Lymantriidae) Synonym(s): *gloriosa* M.Hering, 1926 _ Range (in code):
- 53805. *Dasychira glovera* Swinhoe, 1906** (Lymantriidae) Synonym(s): *glovera* Swinhoe, 1906 _ Range (in code): UG
- 53806. *Dasychira gloveroides* M.Hering, 1926** (Lymantriidae) Synonym(s): *gloveroides* M.Hering, 1926 _ Range (in code): GO
- 53807. *Dasychira gnava* Swinhoe, 1903** (Lymantriidae) Synonym(s): *virescens* Möschler, 1889 (*praeocc.*); *gnava* Swinhoe, 1903 _ Range (in code): CI TG NG
- 53808. *Dasychira gonophora* (Holland, 1893)** (Lymantriidae) Synonym(s): *gonophora* Holland, 1893; *prospera* M.Hering, 1926 _ Range (in code): GA
- 53809. *Dasychira goodii* Holland, 1893** (Lymantriidae) Synonym(s): *goodii* Holland, 1893 _ Range (in code): SL
- 53810. *Dasychira grammodes* M.Hering, 1926** (Lymantriidae) Synonym(s): *grammodes* M.Hering, 1926 _ Range (in code): MG
- 53811. *Dasychira grandidleri* (Butler, 1882)** (Lymantriidae) Synonym(s): *grandidleri* Butler, 1882 _ Range (in code): MG
- 53812. *Dasychira grata* Hulstaert, 1923** (Lymantriidae) Synonym(s): *grata* Hulstaert, 1923 _ Range (in code): PH
- 53813. *Dasychira grisea* Pagenstecher, 1903** (Lymantriidae) Synonym(s): *grisea* Pagenstecher, 1903 _ Range (in code): ET

- 53814. *Dasychira griseata* Rothschild,1915** (Lymantriidae) Synonym(s): *griseata* Rothschild,1915
Range (in code): **ID Ij**
- 53815. *Dasychira grisefacta* (Dyar,1911)** (Lymantriidae) Synonym(s): *grisefacta* Dyar,1911
Range (in code): **US Col**
- 53816. *Dasychira griseinubes* Hampson,1910** (Lymantriidae) Synonym(s): *griseinubes* Hampson,1910
Range (in code): **NG**
- 53817. *Dasychira griseipennis* M.Hering,1941** (Lymantriidae) Synonym(s): *griseipennis* M.Hering,1941
Range (in code): **ZR**
- 53818. *Dasychira groetscheli* Rothschild,1915** (Lymantriidae) Synonym(s): *groetscheli* Rothschild,1915; *fusca* Rothschild,1915
Range (in code): **ID Ij**
- 53819. *Dasychira grossa* Pagenstecher,1898** (Lymantriidae) Synonym(s): *grossa* Pagenstecher,1898
Range (in code): **ID Amb Ja Sum MY Bor**
- 53820. *Dasychira gwelila* Swinhoe,1903** (Lymantriidae) Synonym(s): *gwelila* Swinhoe,1903
Range (in code): **KE TZ**
- 53821. *Dasychira hastifera* M.Hering,1926** (Lymantriidae) Synonym(s): *hastifera* M.Hering,1926
Range (in code): **TZ**
- 53822. *Dasychira heringiana* Bryk,1934** (Lymantriidae) Synonym(s): *leucogramma* M.Hering,1926 nec Hamps.,1910; *heringiana* Bryk,1934
Range (in code): **CM**
- 53823. *Dasychira hieroglyphica* Swinhoe,1904** (Lymantriidae) Synonym(s): *hieroglyphica* Swinhoe,1904
Range (in code): **GH**
- 53824. *Dasychira hirayamae* Matsumura,1927** (Lymantriidae) Synonym(s): *hirayamae* Matsumura,1927
Range (in code): **JP**
- 53825. *Dasychira hodoepora* Collenette,1960** (Lymantriidae) Synonym(s): *hodoepora* Collenette,1960
Range (in code): **NG**
- 53826. *Dasychira hoenei* Collenette,1936** (Lymantriidae) Synonym(s): *hoenei* Collenette,1936
Original Reference: *Dasychira hoenei* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 340, pl.7 fig.15. Holotype ♂: China: North Yunnan, Likiang (ZMB).
Range (in code): **CN Yu Lik**
- 53827. *Dasychira horishanella* Matsumura,1927** (Lymantriidae) Synonym(s): *horishanella* Matsumura,1927
Range (in code): **TW**
- 53828. *Dasychira horrida* Swinhoe,1903** (Lymantriidae) Synonym(s): *horrida* Swinhoe,1903
Range (in code): **NG**
- 53829. *Dasychira hyloica* (Holland,1893)** (Lymantriidae) Synonym(s): *hyloica* Holland,1893
Range (in code): **GA**
- 53830. *Dasychira hypocrita* M.Hering,1926** (Lymantriidae) Synonym(s): *hypocrita* M.Hering,1926
Range (in code): **CM**
- 53831. *Dasychira ignotana* Strand,1915** (Lymantriidae) Synonym(s): *ignotana* Strand,1915
Range (in code): **PG**
- 53832. *Dasychira ila* Swinhoe,1904** (Lymantriidae) Synonym(s): *ila* Swinhoe,1904
Range (in code):
- 53833. *Dasychira ilesha* Collenette,1931** (Lymantriidae) Synonym(s): *ilesha* Collenette,1931
Range (in code): **NG**
- 53834. *Dasychira inconspicua* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *inconspicua* Bethune-Baker,1911
Range (in code):
- 53835. *Dasychira infima* (Holland,1893)** (Lymantriidae) Synonym(s): *infima* Holland,1893
Range (in code): **GA**
- 53836. *Dasychira invaria* (Walker,1856)** (Lymantriidae) Synonym(s): *invaria* Walker,1856
Range (in code): **PH**
- 53837. *Dasychira isozyga* Collenette,1960** (Lymantriidae) Synonym(s): *isozyga* Collenette,1960
Range (in code): **NG**
- 53838. *Dasychira jacksoni* Collenette,1936** (Lymantriidae) Synonym(s): *jacksoni* Collenette,1936
Range (in code): **AO**
- 53839. *Dasychira junki* Bryk,1934** (Lymantriidae) Synonym(s): *flava* Matsumura,1921 nec Holl.,1893; *junki* Bryk,1934
Range (in code): **JP**
- 53840. *Dasychira kagina* Matsumura,1927** (Lymantriidae) Synonym(s): *kagina* Matsumura,1927
Range (in code): **TW**
- 53841. *Dasychira kenricki* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *kenricki* Bethune-Baker,1904
Range (in code): **PG**

- 53842. *Dasychira kervillei* (Barnes & McDunnough,1913)** (Lymantriidae) Synonym(s): *kervillei* Barnes & McDunnough,1913 _ Range (in code): US Tx
- 53843. *Dasychira kivuensis* Collenette,1939** (Lymantriidae) Synonym(s): *kivuensis* Collenette,1939 _ Range (in code): ZR Kvu
- 53844. *Dasychira klajim* Bryk,1934** (Lymantriidae) Synonym(s): *achatina* M.Hering,1926 nec Abb. & Smth.,1797; *klajim* Bryk,1934 _ Range (in code): TG GO
- 53845. *Dasychira kosemponica* Strand,1914** (Lymantriidae) Synonym(s): *kosemponica* Strand,1914 _ Range (in code): TW
- 53846. *Dasychira laeliopsis* M.Hering,1926** (Lymantriidae) Synonym(s): *laeliopsis* M.Hering,1926 _ Range (in code): CM
- 53847. *Dasychira lampra* M.Hering,1926** (Lymantriidae) Synonym(s): *lampra* M.Hering,1926 _ Range (in code): SL
- 53848. *Dasychira landburyi* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *landburyi* Bethune-Baker,1911 _ Range (in code): UG
- 53849. *Dasychira leucogramma* Hampson,1910** (Lymantriidae) Synonym(s): *leucogramma* Hampson,1910 _ Range (in code): SL
- 53850. *Dasychira leucophaea* (Abbot & Smith,1797)** (Lymantriidae) Synonym(s): *leucophaea* Abbot & Smith,1797 _ Range (in code): US Ge
- 53851. *Dasychira leucostigmata* M.Hering,1926** (Lymantriidae) Synonym(s): *leucostigmata* M.Hering,1926 _ Range (in code): KE
- 53852. *Dasychira libella* Swinhoe,1904** (Lymantriidae) Synonym(s): *libella* Swinhoe,1904 _ Range (in code): GH
- 53853. *Dasychira lignea* (Butler,1879)** (Lymantriidae) Synonym(s): *lignea* Butler,1879 _ Range (in code): MG
- 53854. *Dasychira likelembae* Aurivillius,1925** (Lymantriidae) Synonym(s): *likelembae* Aurivillius,1925 _ Range (in code): CM
- 53855. *Dasychira lipara* Collenette,1960** (Lymantriidae) Synonym(s): *lipara* Collenette,1960 _ Range (in code): UG
- 53856. *Dasychira litigiosa* M.Hering,1926** (Lymantriidae) Synonym(s): *litigiosa* M.Hering,1926 _ Range (in code): TZ
- 53857. *Dasychira longistriata* M.Hering,1926** (Lymantriidae) Synonym(s): *longistriata* M.Hering,1926 _ Range (in code):
- 53858. *Dasychira loxogramma* M.Hering,1926** (Lymantriidae) Synonym(s): *loxogramma* M.Hering,1926 _ Range (in code): CM
- 53859. *Dasychira macrodonta* M.Hering,1926** (Lymantriidae) Synonym(s): *macrodonta* M.Hering,1926 _ Range (in code): NG
- 53860. *Dasychira maculosa* Matsumura,1911** (Lymantriidae) Synonym(s): *maculosa* Matsumura,1911 _ Range (in code): TW
- 53861. *Dasychira madagascarensis* Koçak & Kemal,2013** (Lymantriidae) Synonym(s): *maculata* Griveaud,1974 nec Wichgraf,1921; *madagascarensis* Koçak & Kemal,2013 _ Range (in code): MG
- 53862. *Dasychira magnalia* Swinhoe,1903** (Lymantriidae) Synonym(s): *magnalia* Swinhoe,1903 _ Range (in code): IN Ass Meg Khs
- 53863. *Dasychira magnifica* Hampson,1910** (Lymantriidae) Synonym(s): *magnifica* Hampson,1910 _ Range (in code): NG TG SL
- 53864. *Dasychira magnifica maculata* (Wichgraf,1921)** (Lymantriidae) Synonym(s): *maculata* Wichgraf,1921 _ Original Reference: Laelia bacchans f. maculata Wichgraf,1921, Int. ent. Z. 15: 20. Type: Sierra Leone, Moyamba [described as a geographical variation; therefore nomenclatorially available name; in BNMH Card system, it is considered as a valid subspecies!] _ Range (in code): SL
- 53865. *Dasychira maligna* (Butler,1882)** (Lymantriidae) Synonym(s): *maligna* Butler,1882 _ Range (in code): MG
- 53866. *Dasychira manto* (Strecker,1900)** (Lymantriidae) Synonym(s): *manto* Strecker,1900; *interposita* Dyar,1911 _ Range (in code): US
- 53867. *Dasychira mascarena* Butler,1878** (Lymantriidae) Synonym(s): *mascarena* Butler,1878 _ Range (in code): MG
- 53868. *Dasychira mediofasciata* M.Hering,1926** (Lymantriidae) Synonym(s): *mediofasciata* M.Hering,1926 _ Range (in code): CM TZ

- 53869. *Dasychira melanoproctis* M.Hering,1926** (Lymantriidae) **Synonym(s):** *melanoproctis* M.Hering,1926 - Range (in code): CM
- 53870. *Dasychira melochlora* M.Hering,1926** (Lymantriidae) **Synonym(s):** *melochlora* M.Hering,1926 - Range (in code): NE NG
- 53871. *Dasychira meridionalis* (Barnes & McDunnough,1913)** (Lymantriidae) **Synonym(s):** *meridionalis* Barnes & McDunnough,1913 - Range (in code): US Tx Fl
- 53872. *Dasychira meridionalis memorata* Ferguson,1978** (Lymantriidae) **Synonym(s):** *achatina* Smith,1797 nec Sulz.,1776; *memorata* Ferguson,1978 - Range (in code): US
- 53873. *Dasychira minor* Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *minor* Bethune-Baker,1904 - Range (in code): PG ID Clb
- 53874. *Dasychira minor nebulosa* Collenette,1933** (Lymantriidae) **Synonym(s):** *nebulosa* Collenette,1933 - Range (in code): ID Clb
- 53875. *Dasychira misana* Moore,1859** (Lymantriidae) **Synonym(s):** *misana* Moore,1859 - Range (in code): ID Ja Clb
- 53876. *Dasychira miselioides* Kenrick,1913** (Lymantriidae) **Synonym(s):** *miselioides* Kenrick,1913 - Range (in code): MG
- 53877. *Dasychira miserata* (Holland,1893)** (Lymantriidae) **Synonym(s):** *miserata* Holland,1893 - Range (in code): GA
- 53878. *Dasychira mkattana* Strand,1912** (Lymantriidae) **Synonym(s):** *mkattana* Strand,1912 - Range (in code): TZ
- 53879. *Dasychira moerens* (R.Felder & Rogenhofer,1874)** (Lymantriidae) **Synonym(s):** *moerens* R.Felder & Rogenhofer,1874 - Range (in code): LK Pdy
- 53880. *Dasychira montana* (Beutenmüller,1903)** (Lymantriidae) **Synonym(s):** *montana* Beutenmüller,1903 - Range (in code): US
- 53881. *Dasychira multilinea* M.Hering,1926** (Lymantriidae) **Synonym(s):** *multilinea* M.Hering,1926 - Range (in code): CM
- 53882. *Dasychira multipunctis* Strand,1912** (Lymantriidae) **Synonym(s):** *multipunctis* Strand,1912 - Range (in code): TZ
- 53883. *Dasychira muscosa* Holland,1893** (Lymantriidae) **Synonym(s):** *muscosa* Holland,1893 - Range (in code): GA
- 53884. *Dasychira nagoyana* Matsumura,1933** (Lymantriidae) **Synonym(s):** *nagoyana* Matsumura,1933 - Range (in code): JP
- 53885. *Dasychira nebulifera* M.Hering,1926** (Lymantriidae) **Synonym(s):** *nebulifera* M.Hering,1926 - Range (in code): TZ
- 53886. *Dasychira nigristriata* (Holland,1893)** (Lymantriidae) **Synonym(s):** *nigristriata* Holland,1893 - Range (in code): GA
- 53887. *Dasychira nigrita* Rothschild,1915** (Lymantriidae) **Synonym(s):** *nigrita* Rothschild,1915 - Range (in code): ID Ij
- 53888. *Dasychira nigrosparsata* Kenrick,1913** (Lymantriidae) **Synonym(s):** *nigrosparsata* Kenrick,1913 - Range (in code): MG
- 53889. *Dasychira nolana* Mabille,1882** (Lymantriidae) **Synonym(s):** *nolana* Mabille,1882 - Range (in code): MG
- 53890. *Dasychira nora* Pagenstecher,1903** (Lymantriidae) **Synonym(s):** *nora* Pagenstecher,1903 - Range (in code):
- 53891. *Dasychira notia* M.Hering,1926** (Lymantriidae) **Synonym(s):** *notia* M.Hering,1926 - Range (in code): GA
- 53892. *Dasychira nubifera* (Holland,1893)** (Lymantriidae) **Synonym(s):** *nubifera* Holland,1893 - Range (in code): GA
- 53893. *Dasychira nyctopa* Collenette,1960** (Lymantriidae) **Synonym(s):** *nyctopa* Collenette,1960 - Range (in code): NG
- 53894. *Dasychira obliquilinea* Fawcett,1915** (Lymantriidae) **Synonym(s):** *obliquilinea* Fawcett,1915 - Range (in code): KE
- 53895. *Dasychira obscura* Holland,1893** (Lymantriidae) **Synonym(s):** *obscura* Holland,1893 - Range (in code): GA
- 53896. *Dasychira obsoletissima* Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *obsoletissima* Bethune-Baker,1911 - Range (in code): AO

- 53897. *Dasychira ocellata* (Holland,1893)** (Lymantriidae) Synonym(s): *ocellata* Holland,1893
Range (in code): **CM GA**
- 53898. *Dasychira ocellatula* M.Hering,1926** (Lymantriidae) Synonym(s): *ocellata* Kenrick,1913
nec Holl.,1893; *ocellatula* M.Hering,1926 - Range (in code): **MG CM**
- 53899. *Dasychira ocellifera* (Holland,1893)** (Lymantriidae) Synonym(s): *ocellifera* Holland,1893
Range (in code): **GA CM**
- 53900. *Dasychira ochroderoea* Mabille,1897** (Lymantriidae) Synonym(s): *ochroderoea*
Mabille,1897 - Range (in code): **MG**
- 53901. *Dasychira olearia* (Swinhoe,1885)** (Lymantriidae) Synonym(s): *olearia* Swinhoe,1885
Range (in code): **IN NI Poo**
- 53902. *Dasychira olivacea* Wileman,1910** (Lymantriidae) Synonym(s): *olivacea* Wileman,1910;
cyanea Matsumura,1927 - Range (in code): **TW**
- 53903. *Dasychira omissa* M.Hering,1926** (Lymantriidae) Synonym(s): *omissa* M.Hering,1926
Range (in code): **CI TG**
- 53904. *Dasychira ophtalmodes* M.Hering,1926** (Lymantriidae) Synonym(s): *ophtalmodes*
M.Hering,1926 - Range (in code): **MW**
- 53905. *Dasychira orgyioides* Aurivillius,1925** (Lymantriidae) Synonym(s): *orgyioides*
Aurivillius,1925 - Range (in code): **CM**
- 53906. *Dasychira orimba* (Swinhoe,1894)** (Lymantriidae) Synonym(s): *orimba* Swinhoe,1894
Range (in code): **IN Ass Slo Khs Meg**
- 53907. *Dasychira orphnina* M.Hering,1926** (Lymantriidae) Synonym(s): *orphnina*
M.Hering,1926 - Range (in code): **CM**
- 53908. *Dasychira osseata* Walker,1862** (Lymantriidae) Synonym(s): *osseata* Walker,1862
Range (in code): **MY Bor Swk**
- 53909. *Dasychira pachytaenia* M.Hering,1926** (Lymantriidae) Synonym(s): *pachytaenia*
M.Hering,1926 - Range (in code): **KE**
- 53910. *Dasychira pais* M.Hering,1926** (Lymantriidae) Synonym(s): *pais* M.Hering,1926
Range (in code): **CI**
- 53911. *Dasychira pallida* Butler,1882** (Lymantriidae) Synonym(s): *pallida* Butler,1882 - Range
(in code): **MG GA**
- 53912. *Dasychira pastor* (Butler,1882)** (Lymantriidae) Synonym(s): *pastor* Butler,1882
Range (in code): **MG**
- 53913. *Dasychira peculiaris* (Butler,1879)** (Lymantriidae) Synonym(s): *peculiaris* Butler,1879
Range (in code): **MG**
- 53914. *Dasychira pennatula* (Fabricius,1793)** (Lymantriidae) Synonym(s): *pennatula*
Fabricius,1793; *securis* Hübner,[1823]; *antica* Walker,1855; *falcata* Walker,1865; *tacta* Walker,1865; *approximata*
Walker,1865 - Range (in code): **ID Ja LK AU CN Yu Lik**
- 53915. *Dasychira perdita* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *perdita* Bethune-
Baker,1911 - Range (in code): **AO**
- 53916. *Dasychira perdix* Moore,1859** (Lymantriidae) Synonym(s): *perdix* Moore,1859 - Range
(in code): **IN SI DjI**
- 53917. *Dasychira phaeocericea* Mabille,1884** (Lymantriidae) Synonym(s): *phaeocericea*
Mabille,1884; *variegata* Kenrick,1913 (*praeocc.*); *ornata* Oberthür,1923; *kenricki* Swinhoe,1923 - Range (in
code): **MG**
- 53918. *Dasychira phaeosia* Hampson,1910** (Lymantriidae) Synonym(s): *phaeosia* Hampson,1910
Range (in code): **CI CM**
- 53919. *Dasychira phasa* Collenette,1960** (Lymantriidae) Synonym(s): *phasa* Collenette,1960
Range (in code): **ZR**
- 53920. *Dasychira phasiana* (Butler,1882)** (Lymantriidae) Synonym(s): *phasiana* Butler,1882
Range (in code): **MG**
- 53921. *Dasychira phoca* Hampson,1910** (Lymantriidae) Synonym(s): *phoca* Hampson,1910
Range (in code): **UG**
- 53922. *Dasychira phylax* M.Hering,1926** (Lymantriidae) Synonym(s): *phylax* M.Hering,1926
Range (in code): **CM**
- 53923. *Dasychira pilodes* Collenette,1936** (Lymantriidae) Synonym(s): *pilodes* Collenette,1936
Original Reference: *Dasychira pilodes* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 342-343,
pl.7 fig.12. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**

- 53924. *Dasychira pini* (Dyar,1911)** (Lymantriidae) **Synonym(s):** *pini* Dyar,1911 **Range (in code):** US Ny
- 53925. *Dasychira pinicola* Dyar,1911** (Lymantriidae) **Synonym(s):** *plagiata* Walker,1865 *nec* Wlk.,1855; *pinicola* Dyar,1911 **Range (in code):** CA US
- 53926. *Dasychira pista* M.Hering,1926** (Lymantriidae) **Synonym(s):** *pista* M.Hering,1926 **Range (in code):** CM
- 53927. *Dasychira plagiata* (Walker,1855)** (Lymantriidae) **Synonym(s):** *plagiata* Walker,1855 **Range (in code):** CI
- 53928. *Dasychira plagosa* Rothschild,1915** (Lymantriidae) **Synonym(s):** *plagosa* Rothschild,1915 **Range (in code):** ID Ij
- 53929. *Dasychira planozona* Collenette,1936** (Lymantriidae) **Synonym(s):** *planozona* Collenette,1936 **Original Reference:** *Dasychira planozona* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 343-344, pl.7 fig.18. Holotype ♂: China: North Yunnan, Likiang (ZMB). **Range (in code):** CN Yu Lik
- 53930. *Dasychira ploetzi* M.Hering,1926** (Lymantriidae) **Synonym(s):** *ploetzi* M.Hering,1926; *cymatophorina* M.Hering,1926 **Range (in code):** CM
- 53931. *Dasychira pollux* M.Hering,1926** (Lymantriidae) **Synonym(s):** *pollux* M.Hering,1926 **Range (in code):** CM CI
- 53932. *Dasychira polyploca* Collenette,1960** (Lymantriidae) **Synonym(s):** *polyploca* Collenette,1960 **Range (in code):** ZR
- 53933. *Dasychira polysphena* Collenette,1936** (Lymantriidae) **Synonym(s):** *polysphena* Collenette,1936 **Original Reference:** *Dasychira polysphena* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 338-339, pl.7 fig.17. Holotype ♂: China: North Yunnan, Likiang (ZMB). **Range (in code):** CN Yu Lik
- 53934. *Dasychira praeoccupata* Bryk,1934** (Lymantriidae) **Synonym(s):** *costiplaga* Holland,1893 *nec* Wlk.,1862; *praeoccupata* Bryk,1934 **Range (in code):** GA
- 53935. *Dasychira praeusta* (C.Felder,1861)** (Lymantriidae) **Synonym(s):** *praeusta* C.Felder,1861 **Range (in code):** ID Amb
- 53936. *Dasychira prasina* (Butler,1882)** (Lymantriidae) **Synonym(s):** *prasina* Butler,1882; *malgassica* M.Hering,1926 **Range (in code):** MG
- 53937. *Dasychira problematica* M.Hering,1926** (Lymantriidae) **Synonym(s):** *problematica* M.Hering,1926 **Range (in code):** MG
- 53938. *Dasychira procincta* Saalmüller,1880** (Lymantriidae) **Synonym(s):** *procincta* Saalmüller,1880 **Range (in code):** MG
- 53939. *Dasychira proleprota* Hampson,1905** (Lymantriidae) **Synonym(s):** *proleprota* Hampson,1905 **Range (in code):** KE Mb
- 53940. *Dasychira proleprota cratista* Collenette,1960** (Lymantriidae) **Synonym(s):** *cratista* Collenette,1960 **Range (in code):** KE Mb
- 53941. *Dasychira proletaria* Holland,1893** (Lymantriidae) **Synonym(s):** *proletaria* Holland,1893 **Range (in code):** CM
- 53942. *Dasychira psolobalia* Collenette,1936** (Lymantriidae) **Synonym(s):** *psolobalia* Collenette,1936 **Original Reference:** *Dasychira psolobalia* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 341, pl.7 fig.9. Holotype ♂: China: North Yunnan, Likiang (ZMB). **Range (in code):** CN Yu Lik
- 53943. *Dasychira pulcherrima* M.Hering,1926** (Lymantriidae) **Synonym(s):** *pulcherrima* M.Hering,1926 **Range (in code):** CI
- 53944. *Dasychira pulchra* Swinhoe,1906** (Lymantriidae) **Synonym(s):** *pulchra* Swinhoe,1906 **Range (in code):** NG
- 53945. *Dasychira pulchripes* Aurivillius,1905** (Lymantriidae) **Synonym(s):** *pulchripes* Aurivillius,1905 **Range (in code):** CM
- 53946. *Dasychira punctifera* (Walker,1857)** (Lymantriidae) **Synonym(s):** *punctifera* Walker,1857 **Range (in code):** ZR
- 53947. *Dasychira pytna* (Druce,1898)** (Lymantriidae) **Synonym(s):** *pytna* Druce,1898 **Original Reference:** *Oecura pytna* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 210. Type ♂: "West Africa, Gambia (Mus. Druce)". **Range (in code):** GM
- 53948. *Dasychira remota* Druce,1884** (Lymantriidae) **Synonym(s):** *remota* Druce,1884 **Range (in code):** GM

- 53949. *Dasychira renominata* Strand,1915** (Lymantriidae) **Synonym(s):** *moerens* Butler,1882 (*praeocc.*); *renominata* Strand,1915; *butleri* Swinhoe,1923 **Range (in code):** **MG**
- 53950. *Dasychira rhabdota* Collenette,1933** (Lymantriidae) **Synonym(s):** *rhabdota* Collenette,1933 **Range (in code):** **SL**
- 53951. *Dasychira rhopalum* M.Hering,1926** (Lymantriidae) **Synonym(s):** *rhopalum* M.Hering,1926 **Range (in code):** **CM**
- 53952. *Dasychira robusta* (Walker,1855)** (Lymantriidae) **Synonym(s):** *robusta* Walker,1855 **Range (in code):** **SL**
- 53953. *Dasychira rubricosta* M.Hering,1926** (Lymantriidae) **Synonym(s):** *rubricosta* M.Hering,1926 **Range (in code):** **CM**
- 53954. *Dasychira ruficosta* Bethune-Baker,1911** (Lymantriidae) **Synonym(s):** *ruficosta* Bethune-Baker,1911 **Range (in code):** **AO**
- 53955. *Dasychira rutilinea* Holland,1893** (Lymantriidae) **Synonym(s):** *rutilinea* Holland,1893 **Range (in code):** **CM GA**
- 53956. *Dasychira sachalinensis* Matsumura,1931** (Lymantriidae) **Synonym(s):** *sachalinensis* Matsumura,1931 **Range (in code):** **RU Sh**
- 53957. *Dasychira sagittiphora* M.Hering,1926** (Lymantriidae) **Synonym(s):** *sagittiphora* M.Hering,1926 **Range (in code):** **GO**
- 53958. *Dasychira sanguinea* M.Hering,1926** (Lymantriidae) **Synonym(s):** *sanguinea* M.Hering,1926 **Range (in code):** **MG**
- 53959. *Dasychira saussurii* Dewitz,1881** (Lymantriidae) **Synonym(s):** *saussurii* Dewitz,1881 **Range (in code):** **CM**
- 53960. *Dasychira scotina* M.Hering,1926** (Lymantriidae) **Synonym(s):** *scotina* M.Hering,1926 **Range (in code):** **TZ**
- 53961. *Dasychira scurra* M.Hering,1926** (Lymantriidae) **Synonym(s):** *scurra* M.Hering,1926 **Range (in code):** **CM**
- 53962. *Dasychira seitzii* M.Hering,1926** (Lymantriidae) **Synonym(s):** *seitzii* M.Hering,1926 **Range (in code):** **CM**
- 53963. *Dasychira semicirculosa* Gaede,1932** (Lymantriidae) **Synonym(s):** *semicirculosa* Gaede,1932 **Range (in code):** **CN Sz T-T Yu Lik**
- 53964. *Dasychira semiothisa* Collenette,1933** (Lymantriidae) **Synonym(s):** *semiothisa* Collenette,1933 **Range (in code):** **KE**
- 53965. *Dasychira signifera* Walker,1862** (Lymantriidae) **Synonym(s):** *signifera* Walker,1862 **Range (in code):** **MY Bor Swk**
- 53966. *Dasychira simiolus* Collenette,1936** (Lymantriidae) **Synonym(s):** *simiolus* Collenette,1936 **Original Reference:** *Dasychira simiolus* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 338, pl.7 fig.11. Holotype ♂: China: North Yunnan, Likiang (ZMB). **Range (in code):** **CN Yu Lik**
- 53967. *Dasychira sociodes* Collenette,1960** (Lymantriidae) **Synonym(s):** *sociodes* Collenette,1960 **Range (in code):** **ZR**
- 53968. *Dasychira spargata* M.Hering,1926** (Lymantriidae) **Synonym(s):** *spargata* M.Hering,1926 **Range (in code):** **CM**
- 53969. *Dasychira sphalera* M.Hering,1926** (Lymantriidae) **Synonym(s):** *sphalera* M.Hering,1926 **Range (in code):** **CM**
- 53970. *Dasychira sphaleroides* M.Hering,1926** (Lymantriidae) **Synonym(s):** *sphaleroides* M.Hering,1926 **Range (in code):** **CM**
- 53971. *Dasychira stegmanni* Grünberg,1910** (Lymantriidae) **Synonym(s):** *stegmanni* Grünberg,1910 **Range (in code):** **ZR GH KE TZ**
- 53972. *Dasychira stigmatica* Holland,1893** (Lymantriidae) **Synonym(s):** *stigmatica* Holland,1893 **Range (in code):** **GA CM TZ KE**
- 53973. *Dasychira stigmatica aurelia* (Fawcett,1918)** (Lymantriidae) **Synonym(s):** *aurelia* Fawcett,1918; *aurella* M.Hering,1926 **Range (in code):** **KE**
- 53974. *Dasychira stigmatica propensa* M.Hering,1926** (Lymantriidae) **Synonym(s):** *propensa* M.Hering,1926 **Range (in code):** **TZ**
- 53975. *Dasychira stigmatica stigmatica* Holland,1893** (Lymantriidae) **Synonym(s):** *stigmatica* Holland,1893 **Range (in code):** **GA CM**
- 53976. *Dasychira striata* (Holland,1893)** (Lymantriidae) **Synonym(s):** *striata* Holland,1893 **Range (in code):** **GA**

- 53977. *Dasychira strigidentata* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *strigidentata* Bethune-Baker, 1911 **Range (in code):** **GA NG**
- 53978. *Dasychira styx* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *styx* Bethune-Baker, 1911 **Range (in code):** **AO**
- 53979. *Dasychira suarezia* Mabilie, 1897** (Lymantriidae) **Synonym(s):** *suarazia* Mabilie, 1897 **Range (in code):** **MG**
- 53980. *Dasychira subflava* (Walker, 1855)** (Lymantriidae) **Synonym(s):** *subflava* Walker, 1855 **Range (in code):** **GH**
- 53981. *Dasychira subnigra* Bethune-Baker, 1904** (Lymantriidae) **Synonym(s):** *subnigra* Bethune-Baker, 1904 **Range (in code):** **PG**
- 53982. *Dasychira subochracea* Aurivillius, 1910** (Lymantriidae) **Synonym(s):** *subochracea* Aurivillius, 1910 **Range (in code):** **TZ KE**
- 53983. *Dasychira suisharyonis* Strand, 1914** (Lymantriidae) **Synonym(s):** *suisharyonis* Strand, 1914 **Range (in code):** **TW**
- 53984. *Dasychira suspecta* M. Hering, 1926** (Lymantriidae) **Synonym(s):** *suspecta* M. Hering, 1926 **Range (in code):** **SL**
- 53985. *Dasychira symbolum* M. Hering, 1926** (Lymantriidae) **Synonym(s):** *symbolum* M. Hering, 1926 **Range (in code):** **CM**
- 53986. *Dasychira taberna* M. Hering, 1926** (Lymantriidae) **Synonym(s):** *taberna* M. Hering, 1926 **Range (in code):** **CF**
- 53987. *Dasychira tenebrosa* Walker, 1865** (Lymantriidae) **Synonym(s):** *tenebrosa* Walker, 1865 **Range (in code):** **IN Dlh Hp CN Ti Yt Sz T-T TW**
- 53988. *Dasychira thanatos* M. Hering, 1926** (Lymantriidae) **Synonym(s):** *thanatos* M. Hering, 1926 **Range (in code):** **CM**
- 53989. *Dasychira thermoplaga* Hampson, 1910** (Lymantriidae) **Synonym(s):** *thermoplaga* Hampson, 1910; *poecila* M. Hering, 1926 **Range (in code):** **SL CM**
- 53990. *Dasychira thersites* (Holland, 1893)** (Lymantriidae) **Synonym(s):** *thersites* Holland, 1893 **Range (in code):** **GA**
- 53991. *Dasychira thwaitesi* Moore, 1883** (Lymantriidae) **Synonym(s):** *thwaitesi* Moore, 1883; *pudica* Moore, 1887 **Range (in code):** **LK Pdn IN NI**
- 53992. *Dasychira thysanoessa* Collenette, 1933** (Lymantriidae) **Synonym(s):** *thysanoessa* Collenette, 1933 **Range (in code):** **KE Nai**
- 53993. *Dasychira thysanogramma* Collenette, 1930** (Lymantriidae) **Synonym(s):** *thysanogramma* Collenette, 1930 **Range (in code):** **RW**
- 53994. *Dasychira torniplaga* M. Hering, 1926** (Lymantriidae) **Synonym(s):** *torniplaga* M. Hering, 1926 **Range (in code):** **TZ**
- 53995. *Dasychira trapezimaculata* Strand, 1909** (Lymantriidae) **Synonym(s):** *trapezimaculata* Strand, 1909 **Range (in code):** **GN**
- 53996. *Dasychira triselena* Collenette, 1931** (Lymantriidae) **Synonym(s):** *triselena* Collenette, 1931 **Range (in code):** **KE**
- 53997. *Dasychira tristis* Heylaerts, 1892** (Lymantriidae) **Synonym(s):** *tristis* Heylaerts, 1892; *anaha* Swinhoe, 1906; *#onaha* Strand, 1915; *#anana* Rothschild, 1920 **Range (in code):** **ID Sum Ja**
- 53998. *Dasychira umbra* Rothschild, 1920** (Lymantriidae) **Synonym(s):** *umbra* Rothschild, 1920 **Range (in code):** **ID Sum**
- 53999. *Dasychira umbricolora* Hampson, 1911** (Lymantriidae) **Synonym(s):** *umbricolora* Hampson, 1911 **Range (in code):** **NG**
- 54000. *Dasychira vagans* (Barnes & McDunnough, 1913)** (Lymantriidae) **Synonym(s):** *vagans* Barnes & McDunnough, 1913; *grisea* Barnes & McDunnough, 1913; *willingi* Barnes & McDunnough, 1913 **Range (in code):** **US Ut CA**
- 54001. *Dasychira vaneeckei* Collenette, 1932** (Lymantriidae) **Synonym(s):** *vaneeckei* Collenette, 1932 **Range (in code):** **MY**
- 54002. *Dasychira varia* Walker, 1855** (Lymantriidae) **Synonym(s):** *varia* Walker, 1855; *maruta* Moore, 1859 **Range (in code):** **CN Yu Lik SI IN Djl Dlh AF Nu**
- 54003. *Dasychira variegata* Rothschild, 1915** (Lymantriidae) **Synonym(s):** *variegata* Rothschild, 1915 **Range (in code):** **ID Ij**
- 54004. *Dasychira vibicipennis* Butler, 1879** (Lymantriidae) **Synonym(s):** *vibicipennis* Butler, 1879 **Range (in code):** **MG**

- 54005. *Dasychira viola* (Butler,1879)** (Lymantriidae) Synonym(s): *viola* Butler,1879 _ Range (in code): MG
- 54006. *Dasychira violacea* M.Hering,1926** (Lymantriidae) Synonym(s): *violacea* M.Hering,1926 Range (in code): CM
- 54007. *Dasychira virescens* (Moore,1879)** (Lymantriidae) Synonym(s): *virescens* Moore,1879 Range (in code): IN SI Djl
- 54008. *Dasychira virginea* Oberthür,1879** (Lymantriidae) Synonym(s): *virginea* Oberthür,1879 Range (in code): RU Us Vv Ask
- 54009. *Dasychira viridipallens* M.Hering,1926** (Lymantriidae) Synonym(s): *pallida* Holland,1893 nec Butl.,1882; *viridipallens* M.Hering,1926 _ Range (in code): GA
- 54010. *Dasychira viridipicta* Kenrick,1913** (Lymantriidae) Synonym(s): *viridipicta* Kenrick,1913 Range (in code): MG
- 54011. *Dasychira viridis* (Holland,1893)** (Lymantriidae) Synonym(s): *viridis* Holland,1893; *chloromorpha* Holland,1893 Original Reference: Notohyba viridis Holland,1893, Psyche 6: 453. Type ♂: Gabon. Range (in code): GA
- 54012. *Dasychira wilemani* Collenette,1933** (Lymantriidae) Synonym(s): *wilemani* Collenette,1933 _ Range (in code): PH Luz
- 54013. *Dasychira xylopoecila* M.Hering,1926** (Lymantriidae) Synonym(s): *xylopoecila* M.Hering,1926 _ Range (in code): CM
- 54014. *Dasychira zena* M.Hering,1926** (Lymantriidae) Synonym(s): *zena* M.Hering,1926 Range (in code): MG
- 54015. *Dasychirana crenulata* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *crenulata* Bethune-Baker,1911 _ Range (in code): NG
- 54016. *Dasychirana obliquilinea* Bethune Baker,1911** (Lymantriidae) Synonym(s): *obliquilinea* Bethune Baker,1911 _ Range (in code): AO
- 54017. *Dasychirana unilineata* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *unilineata* Bethune-Baker,1911 _ Range (in code): NG
- 54018. *Dasychirinula chrysogramma* M.Hering,1926** (Lymantriidae) Synonym(s): *chrysogramma* M.Hering,1926 _ Range (in code): TZ KE
- 54019. *Dasyaelia strigata* Aurivillius,1925** (Lymantriidae) Synonym(s): *strigata* Aurivillius,1925 Range (in code): CM
- 54020. *Dendrophlebs cretacea* Holloway,1999** (Lymantriidae) Synonym(s): *cretacea* Holloway,1999 _ Range (in code): MY Bor Swk
- 54021. *Dendrophlebs semihyalina* Hampson,1893** (Lymantriidae) Synonym(s): *semihyalina* Hampson,1893 _ Range (in code): IN Ass Khs Meg SI MY Bor Sbh KBa
- 54022. *Dicallomera fascelina* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *fascelina* Linnaeus,1758; *medicaginis* Hübner,[1803]; *danieli* De Freina,1979. _ Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Ssn AF Slg
- 54023. *Dicallomera fascelina salangi* (Ebert,1968)** (Lymantriidae) Synonym(s): *salangi* Ebert,1968 _ Range (in code): AF Slg
- 54024. *Dicallomera nivalis* (Staudinger,1887)** (Lymantriidae) Synonym(s): *nivalis* Staudinger,1887 _ Range (in code): UZ Fe TJ KK Ik CN Ui Kml
- 54025. *Dicallomera nivalis obscurata* (Staudinger,[1900])** (Lymantriidae) Synonym(s): *obscurata* Staudinger,[1900] Original Reference: *Dasychira nivalis* var. *obscurata* Staudinger,[1900], Dt. ent. Z., Iris 12: 337-338. Syntypes: [China: Uighur A.R.]: Chamyl [Kumul]. Range (in code): CN Ui Kml
- 54026. *Dicallomera pashtuna* (Ebert,1968)** (Lymantriidae) Synonym(s): *pashtuna* Ebert,1968 Range (in code): AF Sfk
- 54027. *Dicranuropsis vilis* R.Felder & Rogenhofer,1874** (Lymantriidae) Synonym(s): *vilis* R.Felder & Rogenhofer,1874 _ Range (in code): ZA
- 54028. *Dura alba* Moore,1879** (Lymantriidae) Synonym(s): *alba* Moore,1879; *dasychiroides* Rothschild,1920 _ Range (in code): IN SI Djl TW PH ID Sum VN Ton Tda
- 54029. *Dura albicans* (Walker,1856)** (Lymantriidae) Synonym(s): *albicans* Walker,1856 Range (in code): ID Clb MY Bor SG
- 54030. *Dura amiantha* Collenette,1932** (Lymantriidae) Synonym(s): *amiantha* Collenette,1932; *eucraera* Collenette,1949 _ Range (in code): MY Prk Klu Bor Sbh KBa ID Sum Bli

- 54031. *Dura amplipennis* (Walker,1865)** (Lymantriidae) Synonym(s): *amplipennis* Walker,1865
Range (in code): PG
- 54032. *Dura inonorata* (Hoppfer,1874)** (Lymantriidae) Synonym(s): *inhonorata* Hoppfer,1874
Range (in code): ID Clb
- 54033. *Dura marginepunctata* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *marginepunctata* Bethune-Baker,1904; *#pusilla* Strand,1915 Range (in code): PG AU QAU
- 54034. *Dura ochrias* (Turner,1906)** (Lymantriidae) Synonym(s): *ochrias* Turner,1906 Range (in code): AU QAU
- 54035. *Dura prionodesma* Turner,1921** (Lymantriidae) Synonym(s): *prionodesma* Turner,1921
Range (in code): AU
- 54036. *Dura pseudalba* Holloway,1999** (Lymantriidae) Synonym(s): *pseudalba* Holloway,1999
Range (in code): MY Bor Swk ID Sum
- 54037. *Dyasma thaumatopoeides* Collenette,1960** (Lymantriidae) Synonym(s): *thaumatopoeides* Collenette,1960 Range (in code): ZR
- 54038. *Eopirga candida* M.Hering,1926** (Lymantriidae) Synonym(s): *candida* M.Hering,1926
Range (in code): MG
- 54039. *Eudasychira abellii* Dall'Asta,1983** (Lymantriidae) Synonym(s): *abellii* Dall'Asta,1983
Range (in code): ZR
- 54040. *Eudasychira amata* (M.Hering,1926)** (Lymantriidae) Synonym(s): *amata* M.Hering,1926
Range (in code): TZ
- 54041. *Eudasychira ampliata* (Butler,1878)** (Lymantriidae) Synonym(s): *ampliata* Butler,1878; *denudata* M.Hering,1926; *tsaratananae* Griveaud,1970 Range (in code): MG
- 54042. *Eudasychira anisozyga* (Collenette,1960)** (Lymantriidae) Synonym(s): *anisozyga* Collenette,1960 Range (in code): NG
- 54043. *Eudasychira audeoudi* (Collenette,1939)** (Lymantriidae) Synonym(s): *audeoudi* Collenette,1939 Range (in code): MG
- 54044. *Eudasychira aurantiaca* (Kenrick,1913)** (Lymantriidae) Synonym(s): *aurantiaca* Kenrick,1913; *luteolata* Kenrick,1914 Range (in code): MG
- 54045. *Eudasychira aureotincta* (Kenrick,1913)** (Lymantriidae) Synonym(s): *aureotincta* Kenrick,1913 Range (in code): MG
- 54046. *Eudasychira bokuma* (Collenette,1960)** (Lymantriidae) Synonym(s): *bokuma* Collenette,1960 Range (in code): ZR
- 54047. *Eudasychira calliprepes* (Collenette,1933)** (Lymantriidae) Synonym(s): *calliprepes* Collenette,1933 Range (in code): ZR
- 54048. *Eudasychira demoulini* Dall'Asta,1983** (Lymantriidae) Synonym(s): *demoulini* Dall'Asta,1983 Range (in code): ZR
- 54049. *Eudasychira diaereta* (Collenette,1959)** (Lymantriidae) Synonym(s): *diaereta* Collenette,1959 Range (in code): MG
- 54050. *Eudasychira dina* (M.Hering,1926)** (Lymantriidae) Synonym(s): *dina* M.Hering,1926
Range (in code): NG Lgo
- 54051. *Eudasychira enigmatica* Dall'Asta,1983** (Lymantriidae) Synonym(s): *enigmatica* Dall'Asta,1983 Range (in code): ZR
- 54052. *Eudasychira errata* Dall'Asta,1983** (Lymantriidae) Synonym(s): *errata* Dall'Asta,1983
Range (in code): ZR
- 54053. *Eudasychira eudela* (Collenette,1954)** (Lymantriidae) Synonym(s): *eudela* Collenette,1954 Range (in code): ZR
- 54054. *Eudasychira gainsfordi* Dall'Asta,2009** (Lymantriidae) Synonym(s): *gainsfordi* Dall'Asta,2009 Range (in code): ZR CM
- 54055. *Eudasychira galactina* (Mabille,1880)** (Lymantriidae) Synonym(s): *galactina* Mabille,1880; *colini* Mabille,1880; *lemuria* M.Hering,1926 Range (in code): MG
- 54056. *Eudasychira geoffreyi* (Bethune-Baker,1913)** (Lymantriidae) Synonym(s): *geoffreyi* Bethune-Baker,1913 Range (in code): UG
- 54057. *Eudasychira georgiana* (Fawcett,1900)** (Lymantriidae) Synonym(s): *georgiana* Fawcett,1900; *tessmanni* M.Hering,1926 Range (in code): ZA Nta Kzu Dbn TZ
- 54058. *Eudasychira incristata* (Collenette,1931)** (Lymantriidae) Synonym(s): *incristata* Collenette,1931 Range (in code): GH

- 54059. Eudasychira isozyga (Collenette,1960)** (Lymantriidae) Synonym(s): *isozyga* Collenette,1960 _ Range (in code): NG
- 54060. Eudasychira leucopsaroma (Collenette,1959)** (Lymantriidae) Synonym(s): *leucopsaroma* Collenette,1959 _ Range (in code): MG
- 54061. Eudasychira macnultyi (Collenette,1957)** (Lymantriidae) Synonym(s): *macnultyi* Collenette,1957 _ Range (in code): NG
- 54062. Eudasychira metathermes (Hampson,1905)** (Lymantriidae) Synonym(s): *metathermes* Hampson,1905; *xanthochroma* M.Hering,1926; *blasphemia* M.Hering,1926 _ Range (in code): ZA TZ
- 54063. Eudasychira nadinae Dall'Asta,1983** (Lymantriidae) Synonym(s): *nadinae* Dall'Asta,1983 _ Range (in code): ZR
- 54064. Eudasychira poliotis (Hampson,1910)** (Lymantriidae) Synonym(s): *poliotis* Hampson,1910; *polia* M.Hering,1926 _ Range (in code): ZA TZ
- 54065. Eudasychira proleprota (Hampson,1905)** (Lymantriidae) Synonym(s): *proleprota* Hampson,1905; *greeni* Janse,1915; *cratista* Collenette,1960 _ Range (in code): ZA Cto WCa Nta Kzu Dbn KE Mb
- 54066. Eudasychira quinquepunctata (Möschler,1887)** (Lymantriidae) Synonym(s): *quinquepunctata* Möschler,1887; *carpenteri* Bethune-Baker,1913 _ Range (in code): CI GH UG
- 54067. Eudasychira sciodes (Collenette,1960)** (Lymantriidae) Synonym(s): *sciodes* Collenette,1960 _ Range (in code): ZR
- 54068. Eudasychira shabana Dall'Asta,1983** (Lymantriidae) Synonym(s): *shabana* Dall'Asta,1983 _ Range (in code): ZR
- 54069. Eudasychira subeudela Dall'Asta,1983** (Lymantriidae) Synonym(s): *subeudela* Dall'Asta,1983 _ Range (in code): BI
- 54070. Eudasychira sublutescens (Holland,1893)** (Lymantriidae) Synonym(s): *sublutescens* Holland,1893 _ Range (in code): GA Ogo
- 54071. Eudasychira subpolia Dall'Asta,1983** (Lymantriidae) Synonym(s): *subpolia* Dall'Asta,1983 _ Range (in code): ZR
- 54072. Eudasychira thomensis (Talbot,1929)** (Lymantriidae) Synonym(s): *thomensis* Talbot,1929 _ Range (in code): ST
- 54073. Eudasychira tshuapana Dall'Asta,1983** (Lymantriidae) Synonym(s): *tshuapana* Dall'Asta,1983 _ Range (in code): ZR
- 54074. Eudasychira ultima Dall'Asta,1983** (Lymantriidae) Synonym(s): *ultima* Dall'Asta,1983 _ Range (in code): ZR
- 54075. Eudasychira umbrensis (Bethune-Baker,1913)** (Lymantriidae) Synonym(s): *umbrensis* Bethune-Baker,1913 _ Range (in code): UG
- 54076. Eudasychira unicolora Dall'Asta,1983** (Lymantriidae) Synonym(s): *unicolora* Dall'Asta,1983 _ Range (in code): ZR
- 54077. Eudasychira vuattouxi Dall'Asta,1983** (Lymantriidae) Synonym(s): *vuattouxi* Dall'Asta,1983 _ Range (in code): ZR
- 54078. Euproctidion conradti Collenette,1931** (Lymantriidae) Synonym(s): *conradti* Collenette,1931 _ Range (in code): CM
- 54079. Euproctidion gabunica Holland,1893** (Lymantriidae) Synonym(s): *gabunica* Holland,1893 _ Range (in code): GA
- 54080. Euproctidion rhodobaphes Collenette,1931** (Lymantriidae) Synonym(s): *rhodobaphes* Collenette,1931 _ Range (in code): ZW
- 54081. Euproctidion rhodoides Collenette,1931** (Lymantriidae) Synonym(s): *rhodoides* Collenette,1931 _ Range (in code): ZW
- 54082. Euproctidion striata Collenette,1931** (Lymantriidae) Synonym(s): *striata* Collenette,1931 _ Range (in code): ZW
- 54083. Euproctilopsis affinis M.Hering,1926** (Lymantriidae) Synonym(s): *affinis* M.Hering,1926 _ Range (in code): CM
- 54084. Euproctis abjecta (Swinhoe,1889)** (Lymantriidae) Synonym(s): *abjecta* Swinhoe,1889
Original Reference: Somana abjecta Swinhoe,1889, Proc. zool. Soc. Lond. 1889 (4): 405, pl.43 fig.13. Type: [Pakistan]: Karachi. Range (in code): IN PK Krc
- 54085. Euproctis acatharta (Turner,1896)** (Lymantriidae) Synonym(s): *acatharta* Turner,1896
Range (in code): AU QAU Kda

- 54086. Euproctis acodes Collenette,1932** (Lymantriidae) **Synonym(s):** *acodes* Collenette,1932
Range (in code): **MY**
- 54087. Euproctis acrita Joicey & Talbot,1917** (Lymantriidae) **Synonym(s):** *acrita* Joicey & Talbot,1917
Range (in code): **ID Ij**
- 54088. Euproctis actor Turner,1920** (Lymantriidae) **Synonym(s):** *actor* Turner,1920
Range (in code): **AU NSw QAU Kda**
- 54089. Euproctis adela Collenette,1932** (Lymantriidae) **Synonym(s):** *adela* Collenette,1932
Range (in code): **MY Klu**
- 54090. Euproctis aeana Collenette,1930** (Lymantriidae) **Synonym(s):** *aeana* Collenette,1930
Range (in code): **ID Crm**
- 54091. Euproctis aeruginosa Collenette,1932** (Lymantriidae) **Synonym(s):** *aeruginosa* Collenette,1932
Range (in code): **ID Ij Snw**
- 54092. Euproctis aethalodes Collenette,1930** (Lymantriidae) **Synonym(s):** *aethalodes* Collenette,1930
Range (in code): **PH Luz**
- 54093. Euproctis aethiopica Snellen,1872** (Lymantriidae) **Synonym(s):** *aethiopica* Snellen,1872; *natalensis* Janse,1915
Range (in code): **ZA Nta Kzu Dbn Umk Pt看 Est ZR KE**
- 54094. Euproctis aethodigmata Collenette,1960** (Lymantriidae) **Synonym(s):** *aethodigmata* Collenette,1960
Range (in code): **ZR**
- 54095. Euproctis africola Koçak & Kemal,2013** (Lymantriidae) **Synonym(s):** *aethiopica* Bethune-Baker,1908 *nec* Snell.,1872; *africola* Koçak & Kemal,2013
Range (in code): **ZA ZM UG NG**
- 54096. Euproctis aganopa Turner,1921** (Lymantriidae) **Synonym(s):** *aganopa* Turner,1921
Range (in code): **AU QAU**
- 54097. Euproctis alba Swinhoe,1903** (Lymantriidae) **Synonym(s):** *alba* Swinhoe,1903
Range (in code): **ID Sbw**
- 54098. Euproctis alberici (Dufrane,1939)** (Lymantriidae) **Synonym(s):** *alberici* Dufrane,1939
Range (in code): **ZR**
- 54099. Euproctis albescens Swinhoe,1903** (Lymantriidae) **Synonym(s):** *immaculata* Moore,1884 *nec* Butl.; *albescens* Swinhoe,1903
Range (in code): **IN Ass Khs Meg SI BT ID Ja PH**
- 54100. Euproctis albinotata (Heylaerts,1892)** (Lymantriidae) **Synonym(s):** *albinotata* Heylaerts,1892
Range (in code): **ID Sum**
- 54101. Euproctis albinula M.Hering,1926** (Lymantriidae) **Synonym(s):** *albinula* M.Hering,1926
Range (in code): **GA**
- 54102. Euproctis albociliata Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *albociliata* Bethune-Baker,1904
Range (in code): **PG**
- 54103. Euproctis albodentata (Moore,1871)** (Lymantriidae) **Synonym(s):** *albodentata* Moore,1871; *numensa* Swinhoe,1922
Range (in code): **Ch MM IN Hp**
- 54104. Euproctis albonotata Joicey, Noakes & Talbot,1915** (Lymantriidae) **Synonym(s):** *albonotata* Joicey, Noakes & Talbot,1915
Range (in code): **ID Ij**
- 54105. Euproctis albopunctata Hampson,1892** (Lymantriidae) **Synonym(s):** *albopunctata* Hampson,1892
Range (in code): **SI IN**
- 54106. Euproctis alboscripta Van Eecke,1928** (Lymantriidae) **Synonym(s):** *alboscripta* Van Eecke,1928
Range (in code): **ID Sum Ja**
- 54107. Euproctis albovenosa (Semper,1899)** (Lymantriidae) **Synonym(s):** *albovenosa* Semper,1899
Range (in code): **PH Mno**
- 54108. Euproctis aliena (Butler,1886)** (Lymantriidae) **Synonym(s):** *aliena* Butler,1886
Range (in code): **AU QAU NC**
- 54109. Euproctis alikangae Strand,1915** (Lymantriidae) **Synonym(s):** *alikangae* Strand,1915
Range (in code): **TW**
- 54110. Euproctis allocota Collenette,1933** (Lymantriidae) **Synonym(s):** *allocota* Collenette,1933
Range (in code): **ID**
- 54111. Euproctis amagethes Collenette,1930** (Lymantriidae) **Synonym(s):** *amagethes* Collenette,1930
Range (in code): **ID Ij**
- 54112. Euproctis amplior Collenette,1930** (Lymantriidae) **Synonym(s):** *amplior* Collenette,1930
Range (in code): **ID Sum**
- 54113. Euproctis amydra Collenette,1929** (Lymantriidae) **Synonym(s):** *amydra* Collenette,1929
Range (in code): **PH Luz**

- 54114. Euproctis angulata Matsumura,1927** (Lymantriidae) Synonym(s): *angulata* Matsumura,1927; *sakaguchii* Matsumura,1927 _ Range (in code): TW JP
- 54115. Euproctis anguligera (Butler,1886)** (Lymantriidae) Synonym(s): *anguligera* Butler,1886
Original Reference: Artaxa anguligera Butler,1886, Proc. zool. Soc. London 1886: 385. Type: [Pakistan]: "Murree, 9th August,1885". Range (in code): IN Adm PK Haz Mre MM
- 54116. Euproctis angusta Semper,1899** (Lymantriidae) Synonym(s): *angusta* Semper,1899
Range (in code): PH Mno
- 54117. Euproctis anna Swinhoe,1903** (Lymantriidae) Synonym(s): *anna* Swinhoe,1903
Range (in code): MY Bor Sbh KBa
- 54118. Euproctis annulipes (Boisduval,1833)** (Lymantriidae) Synonym(s): *annulipes* Boisduval,1833 _ Range (in code):
- 54119. Euproctis anomoeptena (Collenette,1932)** (Lymantriidae) Synonym(s): *anomoeptena* Collenette,1932 _ Range (in code): ID Mlc
- 54120. Euproctis antiphates Hampson,1892** (Lymantriidae) Synonym(s): *antiphates* Hampson,1892 _ Range (in code): IN Ass Nag
- 54121. Euproctis apatela (Tams,1930)** (Lymantriidae) Synonym(s): *apatela* Tams,1930
Range (in code): ZW
- 54122. Euproctis apateloides (Holland,1893)** (Lymantriidae) Synonym(s): *apateloides* Holland,1893 _ Range (in code): CM
- 54123. Euproctis apatetica Collenette,1930** (Lymantriidae) Synonym(s): *apatetica* Collenette,1930 _ Range (in code): ID Ij
- 54124. Euproctis apicipuncta (Holland,1893)** (Lymantriidae) Synonym(s): *apicipuncta* Holland,1893; *ndalla* Bethune-Baker,1911 _ Range (in code): CM GO Bio
- 54125. Euproctis aplegia Collenette,1953** (Lymantriidae) Synonym(s): *aplegia* Collenette,1953
Range (in code): UG RW
- 54126. Euproctis apoblepta Collenette,1953** (Lymantriidae) Synonym(s): *apoblepta* Collenette,1953; *bernardi* Griveaud,1973 _ Range (in code): MG
- 54127. Euproctis arenacea (Linnaeus,1767)** (Lymantriidae) Synonym(s): *arenacea* Linnaeus,1767; *squamosa* Walker,1855; *holdingii* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Nta Kzu
- 54128. Euproctis areolata M.Hering,1928** (Lymantriidae) Synonym(s): *areolata* M.Hering,1928
Range (in code): TZ
- 54129. Euproctis arfaki Bethune-Baker,1910** (Lymantriidae) Synonym(s): *arfaki* Bethune-Baker,1910 _ Range (in code): ID Ij Afl
- 54130. Euproctis argentata Leech,1899** (Lymantriidae) Synonym(s): *argentata* Leech,1899
Range (in code): JP
- 54131. Euproctis argentimarginata (Wileman & South,1921)** (Lymantriidae) Synonym(s): *argentimarginata* Wileman & South,1921 _ Range (in code): PH
- 54132. Euproctis argyrochila (Collenette,1931)** (Lymantriidae) Synonym(s): *argyrochila* Collenette,1931 _ Range (in code): ID Clb
- 54133. Euproctis aroa (Bethune-Baker,1904)** (Lymantriidae) Synonym(s): *aroa* Bethune-Baker,1904
Original Reference: Porthesia aroa Bethune-Baker,1904, Novit. zool. 11: 397-398. Type: Papua New Guinea. Aroa river. Range (in code): PG Aro
- 54134. Euproctis arrogans (T.P.Lucas,1900)** (Lymantriidae) Synonym(s): *arrogans* T.P.Lucas,1900; *meeki* Druce,1903; *arclada* Swinhoe,1903; *nigrofasciata* Aurivillius,1920 _ Range (in code): AU QAU Cai Wd PG
- 54135. Euproctis asaphobalia Collenette,1932** (Lymantriidae) Synonym(s): *asaphobalia* Collenette,1932 _ Range (in code): PG
- 54136. Euproctis ateralbus Rothschild,1915** (Lymantriidae) Synonym(s): *ateralbus* Rothschild,1915 _ Range (in code): ID Crm
- 54137. Euproctis atereta Collenette,1932** (Lymantriidae) Synonym(s): *atereta* Collenette,1932
Range (in code): MY Pah
- 54138. Euproctis atomaria (Walker,1855)** (Lymantriidae) Synonym(s): *atomaria* Walker,1855; *apicalis* Walker,1855; *flavotriangulata* Strand,1932 _ Range (in code): Ch MY IN NI LK Cob Kndy Pdy CN Sz
- 54139. Euproctis atomarina Van Eecke,1928** (Lymantriidae) Synonym(s): *atomarina* Van Eecke,1928 _ Range (in code): ID Sum Ja

- 54140. Euproctis atrigutta Walker, 1862** (Lymantriidae) Synonym(s): *atrigutta* Walker, 1862
Range (in code):
- 54141. Euproctis atripuncta Hampson, 1897** (Lymantriidae) Synonym(s): *atripuncta* Hampson, 1897
Range (in code): **IN Meg Ass Khs**
- 54142. Euproctis atrisignata Swinhoe, 1903** (Lymantriidae) Synonym(s): *atrisignata* Swinhoe, 1903
Range (in code): **SG MY**
- 54143. Euproctis atrodisca M. Hering, 1926** (Lymantriidae) Synonym(s): *atrodisca* M. Hering, 1926
Range (in code):
- 54144. Euproctis atosquama (Walker, 1866)** (Lymantriidae) Synonym(s): *atosquama* Walker, 1866; *enunciativa* Swinhoe, 1892; *#albosquama* Strand, 1918; *#enunciativoides* Strand, 1918
Range (in code): **PH Luz**
- 54145. Euproctis aurantia Mabille, 1879** (Lymantriidae) Synonym(s): *aurantia* Mabille, 1879
Range (in code): **MG**
- 54146. Euproctis auranticolor Rothschild, 1915** (Lymantriidae) Synonym(s): *auranticolor* Rothschild, 1915
Range (in code): **ID IJ**
- 54147. Euproctis aurata Wileman, 1911** (Lymantriidae) Synonym(s): *aurata* Wileman, 1911
Range (in code): **JP**
- 54148. Euproctis aureoplaga Kenrick, 1913** (Lymantriidae) Synonym(s): *aureoplaga* Kenrick, 1913
Range (in code): **MG**
- 54149. Euproctis austriaca Semper, 1899** (Lymantriidae) Synonym(s): *austriaca* Semper, 1899
Range (in code): **PH Mno**
- 54150. Euproctis baibarana Matsumura, 1927** (Lymantriidae) Synonym(s): *baibarana* Matsumura, 1927
Range (in code): **TW**
- 54151. Euproctis baliolalis (Swinhoe, 1892)** (Lymantriidae) Synonym(s): *baliolalis* Swinhoe, 1892
Range (in code): **AU NSw Syd**
- 54152. Euproctis barbara Swinhoe, 1903** (Lymantriidae) Synonym(s): *barbara* Swinhoe, 1903; *celebesicola* Strand, 1915
Range (in code): **MY Bor ID Clb**
- 54153. Euproctis basalis (Moore, 1879)** (Lymantriidae) Synonym(s): *basalis* Moore, 1879
Range (in code): **SI IN Djl Ass Khs Meg**
- 54154. Euproctis beato Bryk, 1934** (Lymantriidae) Synonym(s): *distincta* Wichgraf, 1921 *nec* Feld. 1874; *#distanti* Hering, 1926; *beato* Bryk, 1934
Range (in code): **ZA**
- 54155. Euproctis benguetana (Schultze, 1910)** (Lymantriidae) Synonym(s): *benguetana* Schultze, 1910
Range (in code): **PH Luz**
- 54156. Euproctis biagi (Bethune-Baker, 1908)** (Lymantriidae) Synonym(s): *biagi* Bethune-Baker, 1908
Range (in code): **PG**
- 54157. Euproctis bicolor (Heylaerts, 1892)** (Lymantriidae) Synonym(s): *bicolor* Heylaerts, 1892
Original Reference: *Artaxa bicolor* Heylaerts, 1892, *Annls Soc. ent. Belg.* 36: 10, vide footnote 6.
Range (in code): **ID Sum**
- 54158. Euproctis bifascia Hampson, 1891** (Lymantriidae) Synonym(s): *bifascia* Hampson, 1891
Range (in code): **IN NI**
- 54159. Euproctis bifurcata Van Eecke, 1928** (Lymantriidae) Synonym(s): *bifurcata* Van Eecke, 1928
Range (in code): **ID Sum**
- 54160. Euproctis bigutta Holland, 1893** (Lymantriidae) Synonym(s): *bigutta* Holland, 1893
Range (in code): **CM**
- 54161. Euproctis biguttulata (Wileman, 1921)** (Lymantriidae) Synonym(s): *biguttulata* Wileman, 1921
Range (in code): **PH Luz**
- 54162. Euproctis bimaculata Walker, 1855** (Lymantriidae) Synonym(s): *bimaculata* Walker, 1855; *bigutta* Walker, 1855; *lutescens* Walker, 1855
Range (in code): **PH ID Ja IN Adm MY TW LK Hp Knr**
- 54163. Euproctis bipartita (Moore, 1879)** (Lymantriidae) Synonym(s): *bipartita* Moore, 1879
Range (in code): **SI IN Djl**
- 54164. Euproctis biplagata (Heylaerts, 1892)** (Lymantriidae) Synonym(s): *biplagata* Heylaerts, 1892; *biplagatana* Strand, 1918
Range (in code): **ID Ja**
- 54165. Euproctis biplagiata (Walker, 1865)** (Lymantriidae) Synonym(s): *biplagiata* Walker, 1865
Range (in code): **ID Clb**
- 54166. Euproctis bipunctapex (Hampson, 1891)** (Lymantriidae) Synonym(s): *bipunctapex* Hampson, 1891
Range (in code): **CN TW SG MY IN NI Ch VN Ton Tda TH**

- 54167. Euproctis bipunctata** Wichgraf,1921 (Lymantriidae) Synonym(s): *bipunctata* Wichgraf,1921 _ Range (in code): **TZ**
- 54168. Euproctis bisecta** Rothschild,1915 (Lymantriidae) Synonym(s): *bisecta* Rothschild,1915 _ Range (in code): **ID Ij**
- 54169. Euproctis boulifa** Dumont,1922 (Lymantriidae) Synonym(s): *boulifa* Dumont,1922 _ Range (in code): **TN IR Ss**
- 54170. Euproctis brachychlaena** Collenette,1936 (Lymantriidae) Synonym(s): *brachychlaena* Collenette,1936 _ Original Reference: Euproctis brachychlaena Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 335, pl.7 fig.13. Holotype ♂: China: North Yunnan, Likiang (ZMB). _ Range (in code): **CN Yu Lik**
- 54171. Euproctis brunneipicta** Collenette,1930 (Lymantriidae) Synonym(s): *brunneipicta* Collenette,1930 _ Range (in code): **ID Ij**
- 54172. Euproctis calesia** Swinhoe,1902 (Lymantriidae) Synonym(s): *calesia* Swinhoe,1902 _ Range (in code): **MY Bor Swk Sbh Snk**
- 54173. Euproctis callichlaena** Collenette,1936 (Lymantriidae) Synonym(s): *callichlaena* Collenette,1936 _ Original Reference: Euproctis callichlaena Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 337, pl.7 fig.14. Holotype ♂: China: North Yunnan, Likiang (ZMB). _ Range (in code): **CN Yu Lik**
- 54174. Euproctis callipotama** Collenette,1932 (Lymantriidae) Synonym(s): *callipotama* Collenette,1932 _ Range (in code): **MY Pah**
- 54175. Euproctis calva** Swinhoe,1903 (Lymantriidae) Synonym(s): *calva* Swinhoe,1903 _ Range (in code): **ID Bli Lb Sbw**
- 54176. Euproctis calvella** Strand,1918 (Lymantriidae) Synonym(s): *calvella* Strand,1918 _ Range (in code): **ID Ja**
- 54177. Euproctis cana** Wichgraf,1921 (Lymantriidae) Synonym(s): *cana* Wichgraf,1921 _ Range (in code): **TZ**
- 54178. Euproctis canariensis** Kenrick,1913 (Lymantriidae) Synonym(s): *canariensis* Kenrick,1913 _ Range (in code): **MG**
- 54179. Euproctis canescens** Rothschild,1920 (Lymantriidae) Synonym(s): *canescens* Rothschild,1920 _ Range (in code): **ID Sum**
- 54180. Euproctis carcassoni** Collenette,1960 (Lymantriidae) Synonym(s): *carcassoni* Collenette,1960 _ Range (in code): **UG**
- 54181. Euproctis cardinalis** (Wileman,1921) (Lymantriidae) Synonym(s): *cardinalis* Wileman,1921 _ Range (in code): **PH Luz**
- 54182. Euproctis castaneostriata** Kenrick,1913 (Lymantriidae) Synonym(s): *castaneostriata* Kenrick,1913 _ Range (in code): **MG**
- 54183. Euproctis celebensis** Swinhoe,1916 (Lymantriidae) Synonym(s): *signata* Walker,1865 nec Wlk.; *celebensis* Swinhoe,1916; *signatula* Strand,1918 _ Range (in code): **ID Clb**
- 54184. Euproctis celebasa** Strand,1918 (Lymantriidae) Synonym(s): *celebasa* Strand,1918 _ Range (in code): **ID Clb**
- 54185. Euproctis celidota** Collenette,1932 (Lymantriidae) Synonym(s): *celidota* Collenette,1932 _ Range (in code): **ID Ja Ged**
- 54186. Euproctis celsa** Walker,1866 (Lymantriidae) Synonym(s): *celsa* Walker,1866 _ Range (in code): **PH**
- 54187. Euproctis centropallida** Matsumura,1927 (Lymantriidae) Synonym(s): *centropallida* Matsumura,1927 _ Range (in code): **TW**
- 54188. Euproctis ceramozona** Collenette,1931 (Lymantriidae) Synonym(s): *ceramozona* Collenette,1931 _ Range (in code): **NG**
- 54189. Euproctis cerasina** Swinhoe,1903 (Lymantriidae) Synonym(s): *cerasina* Swinhoe,1903 _ Range (in code): **ID Sbw**
- 54190. Euproctis cerealces** Collenette,1960 (Lymantriidae) Synonym(s): *cerealces* Collenette,1960 _ Range (in code): **ZR**
- 54191. Euproctis cervina** (Moore,1877) (Lymantriidae) Synonym(s): *cervina* Moore,1877; *pygmaea* Moore,1879 nec Wlk.,1855; *pusilla* Moore,[1883]; *dana* Swinhoe,1903; *kashmirica* Strand,1910; *danaica* Strand,1915 _ Original Reference: Artaxa cervina Moore,1877, Ann. Mag. nat. Hist. (4) 20: 345. Type: Ceylon. _ Range (in code): **SA OM YE Ch LK Pdy VN Ton IN Cle**
- 54192. Euproctis cesa** Koçak & Kemal,2006 (Lymantriidae) Synonym(s): *alba* Bethune-Baker,1904 nec Swinh.,1903; *cesa* Koçak & Kemal,2006 _ Original Reference: Euproctis cesa Koçak &

- Kemal, 2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro alba Bethune-Baker, 1904 nec Swinhoe, 1903). Range (in code): **PG Aro**
- 54193. Euproctis chalcostoma Collenette, 1932** (Lymantriidae) Synonym(s): *chalcostoma Collenette, 1932* Range (in code): **ID Sum MY**
- 54194. Euproctis cheela Swinhoe, 1903** (Lymantriidae) Synonym(s): *cheela Swinhoe, 1903* Range (in code): **SG MY**
- 54195. Euproctis chibiana Masumura, 1927** (Lymantriidae) Synonym(s): *chibiana Masumura, 1927* Range (in code): **TW**
- 54196. Euproctis chinobalia Collenette, 1933** (Lymantriidae) Synonym(s): *chinobalia Collenette, 1933* Range (in code): **ID Clb**
- 54197. Euproctis chirunda Swinhoe, 1903** (Lymantriidae) Synonym(s): *chirunda Swinhoe, 1903* Range (in code): **MY Bor Sbh Snk**
- 54198. Euproctis chlora Joicey & Talbot, 1917** (Lymantriidae) Synonym(s): *chlora Joicey & Talbot, 1917* Range (in code): **ID Ij**
- 54199. Euproctis chlorospila Joicey & Talbot, 1917** (Lymantriidae) Synonym(s): *chlorospila Joicey & Talbot, 1917* Range (in code): **ID Ij**
- 54200. Euproctis chrysoparypha Collenette, 1933** (Lymantriidae) Synonym(s): *chrysoparypha Collenette, 1933* Range (in code): **PH Mno**
- 54201. Euproctis chrysophaea (Walker, 1865)** (Lymantriidae) Synonym(s): *chrysophaea Walker, 1865; charmetanti Vuillot, 1890; boulifa Dumont, 1922; rorida M. Hering, 1926; durandi Lucas, 1926* Original Reference: *Orgyia chrysophaea Walker, 1865, List spec. lepid. Ins. Cooln. Br. Mus. 32: 324. Type: Abyssinia. Range (in code):* **MA DZ Bsk TN EG ET** Bionomy: Larva on *Vicia faba*, *Citrillus colocynthis*, *Pelargonium hederifolium*, *Colocynthis vulgaris* (De Freina & Witt, 1987).
- 54202. Euproctis chrysorrhoea (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *chrysorrhoea Linnaeus, 1758; phaeorrhoeus Haworth, 1803; xanthorrhoea Oberthür, 1916 nec Koll., [1844]* Original Reference: *Phalaena Bombyx chrysorrhoea Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 502. Type(s): "Habitat in Pomonae arboribus, Quercu, Alno Range (in code):* **DZ Clo Blid Khk TN DhM PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Mng DK SE EE LV LT RU MD UA BY** Bionomy: Larva on *Quercus* (Fagaceae), *Alnus* (Betulaceae) (Linnaeus, 1758).
- 54203. Euproctis chrysosoma Collenette, 1939** (Lymantriidae) Synonym(s): *chrysosoma Collenette, 1939* Original Reference: *Euproctis chrysosoma Collenette, 1939, Ann. Mag. nat. Hist. 11 (4): 332, pl. 12 figs. 11, 14. Holotype ♂: [China]: Tse-Kou, SW of Ta-tsien-lou (BMNH). Range (in code):* **CN T-T Sz**
- 54204. Euproctis cina Strand, 1915** (Lymantriidae) Synonym(s): *cina Strand, 1915* Range (in code): **MY Bor Sbh KBa**
- 54205. Euproctis cincta Swinhoe, 1903** (Lymantriidae) Synonym(s): *cincta Swinhoe, 1903* Range (in code): **MY Bor Sbh KBa**
- 54206. Euproctis citrina (Moore, 1877)** (Lymantriidae) Synonym(s): *citrina Moore, 1877; semisignata Swinhoe, 1923* Range (in code): **LK**
- 54207. Euproctis citrinula Van Eecke, 1928** (Lymantriidae) Synonym(s): *citrinula Van Eecke, 1928* Range (in code): **ID Sum**
- 54208. Euproctis citrona Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *citrona Bethune-Baker, 1911* Range (in code): **MY Bor Sbh KBa**
- 54209. Euproctis civitta Swinhoe, 1903** (Lymantriidae) Synonym(s): *civitta Swinhoe, 1903* Range (in code): **MY Bor**
- 54210. Euproctis coccinata Swinhoe, 1916** (Lymantriidae) Synonym(s): *coccinata Swinhoe, 1916* Range (in code): **CN Hn**
- 54211. Euproctis coelebs Collenette, 1932** (Lymantriidae) Synonym(s): *coelebs Collenette, 1932* Range (in code): **MY**
- 54212. Euproctis commutanda Swinhoe, 1903** (Lymantriidae) Synonym(s): *immaculata Butler, 1882 nec Butl., 1881; commutanda Swinhoe, 1903; javaniana Strand, 1918; butleri Swinhoe, 1907* Range (in code): **PG MY Bor Swk D-Y ID Ja**
- 54213. Euproctis compacta Lucas, 1892** (Lymantriidae) Synonym(s): *compacta Lucas, 1892* Range (in code): **AU QAU**
- 54214. Euproctis confluens M. Hering, 1926** (Lymantriidae) Synonym(s): *confluens M. Hering, 1926* Range (in code): **KE**

- 54215. Euproctis coniochroa Bethune-Baker, 1908** (Lymantriidae) Synonym(s): *coniochroa* Bethune-Baker, 1908 _ Range (in code): PG
- 54216. Euproctis coniota Collenette, 1960** (Lymantriidae) Synonym(s): *coniota* Collenette, 1960 _ Range (in code): UG
- 54217. Euproctis conistica Collenette, 1936** (Lymantriidae) Synonym(s): *conistica* Collenette, 1936 _ Original Reference: Euproctis conistica Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 336-337, pl. 7 fig. 5. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): CN Yu Lik
- 54218. Euproctis conizona (Collenette, 1933)** (Lymantriidae) Synonym(s): *conizona* Collenette, 1933 _ Range (in code): MW
- 54219. Euproctis consocia Walker, 1865** (Lymantriidae) Synonym(s): *consocia* Walker, 1865; *modesta* Schaus & Clements, 1893 _ Range (in code): ZA SL
- 54220. Euproctis conspersana Strand, 1914** (Lymantriidae) Synonym(s): *conspersana* Strand, 1914 _ Range (in code): TW
- 54221. Euproctis convergens Bethune-Baker, 1911** (Lymantriidae) Synonym(s): *convergens* Bethune-Baker, 1911 _ Range (in code):
- 54222. Euproctis corbeti Tams, 1928** (Lymantriidae) Synonym(s): *corbeti* Tams, 1928 _ Original Reference: Euproctis corbeti Tams, 1928, Ann. Mag. nat. Hist. (10) 1: 628. Type ♂: Malaysia: Kuala Lumpur. Range (in code): MY Klu
- 54223. Euproctis cosmia Collenette, 1932** (Lymantriidae) Synonym(s): *cosmia* Collenette, 1932 _ Range (in code): MY Klu
- 54224. Euproctis costalis (Walker, 1855)** (Lymantriidae) Synonym(s): *costalis* Walker, 1855; *incomptaria* Walker, 1862; *complens* Walker, 1865; *illepida* Walker, 1865 _ Range (in code): LK Mky Pdy
- 54225. Euproctis crocata (Boisduval, 1847)** (Lymantriidae) Synonym(s): *crocata* Boisduval, 1847; *cateja* Wallengren, 1860; *#crocota* Hering, 1926 _ Range (in code): ZA Tva Lpo Wo Mpu Brb Nha Nta Kzu Dbn Umk Wca Cto
- 54226. Euproctis crocea (Walker, 1865)** (Lymantriidae) Synonym(s): *crocea* Walker, 1865; *holoxutha* Turner, 1902 _ Range (in code): AU QAU Cai
- 54227. Euproctis croceisticta Hampson, 1909** (Lymantriidae) Synonym(s): *croceisticta* Hampson, 1909 _ Range (in code): UG Rz
- 54228. Euproctis croceola Strand, 1918** (Lymantriidae) Synonym(s): *crocea* Wileman, 1910 *nec* Wlk., 1865; *croceola* Strand, 1918 _ Range (in code): TW
- 54229. Euproctis crocosticta Hampson, 1905** (Lymantriidae) Synonym(s): *crocosticta* Hampson, 1905 _ Range (in code): ZW MW
- 54230. Euproctis curvata Wileman, 1911** (Lymantriidae) Synonym(s): *curvata* Wileman, 1911 _ Range (in code): JP
- 54231. Euproctis decussata (Moore, 1877)** (Lymantriidae) Synonym(s): *decussata* Moore, 1877 _ Range (in code): LK CN Sz T-T
- 54232. Euproctis deliana Van Eecke, 1928** (Lymantriidae) Synonym(s): *deliana* Van Eecke, 1928 _ Range (in code): ID Sum
- 54233. Euproctis dersi Moore, 1859** (Lymantriidae) Synonym(s): *dersi* Moore, 1859 _ Range (in code): ID Ja
- 54234. Euproctis dewitzi (Grünberg, 1907)** (Lymantriidae) Synonym(s): *dewitzi* Grünberg, 1907; *isis* Bethune-Baker, 1911 _ Range (in code): AO
- 54235. Euproctis digramma (Guérin-Ménéville, 1838)** (Lymantriidae) Synonym(s): *digramma* Guérin-Ménéville, 1838; *flava* Kirby, 1892 *nec* Fabr., 1775 _ Range (in code): LK Pdy IN Ass Meg Khs CN MM ID Ja MY Bor
- 54236. Euproctis digramma unimacula (Moore, 1879)** (Lymantriidae) Synonym(s): *unimacula* Moore, 1879 _ Range (in code): IN Ass Meg Khs
- 54237. Euproctis dimorphissima Holloway, 1979** (Lymantriidae) Synonym(s): *dimorphissima* Holloway, 1979 _ Range (in code): NC
- 54238. Euproctis dinawa Bethune-Baker, 1904** (Lymantriidae) Synonym(s): *dinawa* Bethune-Baker, 1904 _ Range (in code): PG
- 54239. Euproctis diplosticta (Rebel, 1914)** (Lymantriidae) Synonym(s): *diplosticta* Rebel, 1914 _ Range (in code):
- 54240. Euproctis diploxutha Collenette, 1939** (Lymantriidae) Synonym(s): *diploxutha* Collenette, 1939 _ Original Reference: Euproctis diploxutha Collenette, 1939, Ann. Mag. nat. Hist.

- 11 (4): 333, pl.12 fig.4. Holotype ♂: [China]: W. Yunnan, Teng-yueh-ting (BMNH). Range (in code): CN Yu VN Pha
- 54241. Euproctis dirtea Swinhoe,1905** (Lymantriidae) Synonym(s): dirtea Swinhoe,1905
Range (in code): MY Bor
- 54242. Euproctis discipuncta Holland,1893** (Lymantriidae) Synonym(s): discipuncta Holland,1893
Range (in code): SL GA
- 54243. Euproctis discophora Snellen,1879** (Lymantriidae) Synonym(s): discophora Snellen,1879
Range (in code): ID Clb
- 54244. Euproctis diselena Collenette,1932** (Lymantriidae) Synonym(s): diselena Collenette,1932
Range (in code): PG
- 54245. Euproctis dispersa (Moore,1879)** (Lymantriidae) Synonym(s): dispersa Moore,1879; bidentata Hampson,1897
Range (in code): SI IN Djl
- 54246. Euproctis disphena Collenette,1930** (Lymantriidae) Synonym(s): disphena Collenette,1930
Range (in code): ID Ij
- 54247. Euproctis dissimilis Wileman,1910** (Lymantriidae) Synonym(s): dissimilis Wileman,1910
Range (in code): TW
- 54248. Euproctis disticta Bethune-Baker,1909** (Lymantriidae) Synonym(s): disticta Bethune-Baker,1909
Range (in code): UG
- 54249. Euproctis distincta (R.Felder & Rogenhofer,1874)** (Lymantriidae) Synonym(s): distincta R.Felder & Rogenhofer,1874
Range (in code): ID Mlc
- 54250. Euproctis distracta (Walker,1865)** (Lymantriidae) Synonym(s): distracta Walker,1865
Range (in code): MY Bor Swk
- 54251. Euproctis divisa (Walker,1855)** (Lymantriidae) Synonym(s): divisa Walker,1855
Range (in code): IN NP VN Ton SI CN
- 54252. Euproctis dolichocera Collenette,1938** (Lymantriidae) Synonym(s): dolichocera Collenette,1938
Range (in code): NH
- 54253. Euproctis drucei Swinhoe,1903** (Lymantriidae) Synonym(s): titania Druce,1899 nec Butl.,1879; drucei Swinhoe,1903
Range (in code): PG Tro
- 54254. Euproctis dyssema Collenette,1932** (Lymantriidae) Synonym(s): dyssema Collenette,1932
Range (in code): MY Klu
- 54255. Euproctis ediconeg Koçak & Kemal,2006** (Lymantriidae) Synonym(s): squamosa Bethune-Baker,1908 nec Butl.,1881; ediconeg Koçak & Kemal,2006
Original Reference: Euproctis ediconeg Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro squamosa Bethune-Baker,1908 nec Butler,1881). Range (in code): PG
- 54256. Euproctis edwardsii (Newman,1856)** (Lymantriidae) Synonym(s): edwardsii Newman,1856; deficta Walker,1865; indecora Walker,1865; togata T.P.Lucas,1891
Range (in code): AU SAu Ade VAu QAu Bri
- 54257. Euproctis egregia Swinhoe,1903** (Lymantriidae) Synonym(s): egregia Swinhoe,1903
Range (in code): ID Beh Mlc
- 54258. Euproctis ekeikei (Bethune-Baker,1904)** (Lymantriidae) Synonym(s): ekeikei Bethune-Baker,1904
Range (in code): PG
- 54259. Euproctis electrophanes Collenette,1936** (Lymantriidae) Synonym(s): electrophanes Collenette,1936
Original Reference: Euproctis electrophanes Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 335, pl.7 fig.7. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): CN Yu Lik
- 54260. Euproctis embammachroa Collenette,1931** (Lymantriidae) Synonym(s): embammachroa Collenette,1931
Range (in code): ID Clb
- 54261. Euproctis emprepes Turner,1931** (Lymantriidae) Synonym(s): emprepes Turner,1931
Range (in code): AU QAu Kda
- 54262. Euproctis endoplagia Hampson,1897** (Lymantriidae) Synonym(s): endoplagia Hampson,1897; #endoplaga Swinhoe,1923
Range (in code): IN Ass Meg Khs CN Sz
- 54263. Euproctis epaxia Turner,1906** (Lymantriidae) Synonym(s): epaxia Turner,1906
Range (in code): AU QAu Kda
- 54264. Euproctis epidela Turner,1906** (Lymantriidae) Synonym(s): epidela Turner,1906
Range (in code): AU QAu Kda
- 54265. Euproctis epinephela Collenette,1932** (Lymantriidae) Synonym(s): epinephela Collenette,1932
Range (in code): SG MY

- 54266. Euproctis erema Collenette,1932** (Lymantriidae) **Synonym(s):** *erema Collenette,1932*
Range (in code): **MY**
- 54267. Euproctis erythropaecila Collenette,1933** (Lymantriidae) **Synonym(s):** *erythropaecila Collenette,1933* - **Range (in code):** **UG**
- 54268. Euproctis erythrosticka (Hampson,1910)** (Lymantriidae) **Synonym(s):** *erythrosticka Hampson,1910* - **Range (in code):** **SD Kht YE**
- 54269. Euproctis eumorpha Collenette,1932** (Lymantriidae) **Synonym(s):** *eumorpha Collenette,1932* - **Range (in code):** **MY Pah**
- 54270. Euproctis euproctiformis (Strand,1915)** (Lymantriidae) **Synonym(s):** *euproctiformis Strand,1915* - **Range (in code):** **IN Djl SI**
- 54271. Euproctis eurychroa Collenette,1953** (Lymantriidae) **Synonym(s):** *eurychroa Collenette,1953* - **Range (in code):** **KE Elg UG RW ZR**
- 54272. Euproctis euthypheres Collenette,1933** (Lymantriidae) **Synonym(s):** *euthypheres Collenette,1933* - **Range (in code):** **ID Sum**
- 54273. Euproctis euthysana (Turner,1902)** (Lymantriidae) **Synonym(s):** *euthysana Turner,1902*
Range (in code): **AU QAU**
- 54274. Euproctis faceta Swinhoe,1903** (Lymantriidae) **Synonym(s):** *faceta Swinhoe,1903*
Range (in code): **PG**
- 54275. Euproctis falkensteini (Dewitz,1881)** (Lymantriidae) **Synonym(s):** *falkensteini Dewitz,1881* - **Range (in code):**
- 54276. Euproctis fasciata (Walker,1855)** (Lymantriidae) **Synonym(s):** *fasciata Walker,1855; squamiplaga Walker,1869; stellata Distant,1897; torrida Distant,1897; angolae Bethune-Baker,1911; plana Fawcett,1915.* - **Range (in code):** **ZA Tva Lpo Spb Suw Gau Pre Mpu Tst Brb Nha Ptb Nta Kzu Srn Dbn Umk Ngg Tra Ec SL SA YE IL Jt Pa EG KE AO ZR**
- 54277. Euproctis fasciata susanna (Staudinger,1895)** (Lymantriidae) **Synonym(s):** *susanna Staudinger,1895* - **Range (in code):** **IL Jt Pa EG SA**
- 54278. Euproctis faventia Druce,1899** (Lymantriidae) **Synonym(s):** *faventia Druce,1899*
Range (in code): **PG Fg**
- 54279. Euproctis ferhat Koçak & Kemal,2006** (Lymantriidae) **Synonym(s):** *pusilla Hulstaert,1924 nec Mre.,1883; ferhat Koçak & Kemal,2006* **Original Reference:** *Euproctis ferhat Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro pusilla Hulstaert,1924 nec Moore,1883).* **Range (in code):** **ID Kai**
- 54280. Euproctis fervida (Walker,1863)** (Lymantriidae) **Synonym(s):** *fervida Walker,1863*
Range (in code): **MG**
- 54281. Euproctis fimbriata (T.P.Lucas,1891)** (Lymantriidae) **Synonym(s):** *fimbriata T.P.Lucas,1891* - **Range (in code):** **AU QAU**
- 54282. Euproctis flava (Fabricius,1775)** (Lymantriidae) **Synonym(s):** *flava Fabricius,1775*
Original Reference: *Bombyx flava Fabricius,1775, Syst. Ent.: 574.* **Range (in code):** **TH**
- 54283. Euproctis flavata (Stoll,1780)** (Lymantriidae) **Synonym(s):** *flavata Stoll,1780* **Original Reference:** *Phalaena flavata Stoll,1780, [in] Cramer, Uitl. Kapellen 4: 36, pl.307C. Type: Samarang, Java.* **Range (in code):** **ID Ja**
- 54284. Euproctis flavicaput Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *flavicaput Bethune-Baker,1904* - **Range (in code):** **PG Aro**
- 54285. Euproctis flavicincta Janse,1915** (Lymantriidae) **Synonym(s):** *flavicincta Janse,1915*
Range (in code): **ZA Gau Tva Pre**
- 54286. Euproctis flavicosta Hampson,1900** (Lymantriidae) **Synonym(s):** *flavicosta Hampson,1900* - **Range (in code):** **SI IN**
- 54287. Euproctis flavinata (Walker,1865)** (Lymantriidae) **Synonym(s):** *flavinata Walker,1865*
Range (in code): **CN IN LK Pdy MY Bor**
- 54288. Euproctis flavipennis Snellen,1879** (Lymantriidae) **Synonym(s):** *flavipennis Snellen,1879*
Original Reference: *Euproctis flavipennis Snellen,1879, Tijdschr. Ent. 22: 107. Type: Mangkasar.*
Range (in code):
- 54289. Euproctis flavociliata Swinhoe,1901** (Lymantriidae) **Synonym(s):** *flavociliata Swinhoe,1901* - **Range (in code):** **SG**
- 54290. Euproctis flavocinerea (Van Eecke,1928)** (Lymantriidae) **Synonym(s):** *flavocinerea Van Eecke,1928* - **Range (in code):** **ID Sum**
- 54291. Euproctis flavolimbatalana Strand,1918** (Lymantriidae) **Synonym(s):** *flavolimbatalana Strand,1918* - **Range (in code):** **MY ID Ja**

- 54292. Euproctis flavomarginata (Wileman,1934)** (Lymantriidae) **Synonym(s):** *flavomarginata* Wileman,1934 _ Range (in code): PH Luz
- 54293. Euproctis flavosulphurea (Erschoff,1872)** (Lymantriidae) **Synonym(s):** *flavosulphurea* Erschoff,1872; *cretacea* Staudinger,1901; *froitzeimi* Wiltshire,1958 _ Range (in code): UZ Fe TJ Z-G KK Ik AF Nu Khi Sfk Pic Slg Pnj
- 54294. Euproctis fleuriotii (Guérin-Ménéville,1862)** (Lymantriidae) **Synonym(s):** *fleuriotii* Guérin-Ménéville,1862; *fleuriotti* Kirby,1892 _ Range (in code): MG
- 54295. Euproctis flexuosa Veen,1897** (Lymantriidae) **Synonym(s):** *flexuosa* Veen,1897 _ Range (in code): ID Ja
- 54296. Euproctis flexuosana Strand,1918** (Lymantriidae) **Synonym(s):** *flexuosa* Wileman,1910 *nec* Veen; *flexuosana* Strand,1918; *koshunensis* Matsumura,1921 _ Range (in code): TW
- 54297. Euproctis florensis Collenette,1932** (Lymantriidae) **Synonym(s):** *florensis* Collenette,1932 _ Range (in code): ID Flo
- 54298. Euproctis floridula M.Hering,1926** (Lymantriidae) **Synonym(s):** *floridula* M.Hering,1926 _ Range (in code): TZ
- 54299. Euproctis fraterna (Moore,[1883])** (Lymantriidae) **Synonym(s):** *fraterna* Moore,1883
Original Reference: *Artaxa fraterna* Moore,[1883], *Lepid. Ceylon* 2: 85. Type: [Sri Lanka]: Ceylon. Range (in code): PK LK Pdy Cob TH Bnk CMA CDo Cuo Cu12 Dst
- 54300. Euproctis frigidior Collenette,1932** (Lymantriidae) **Synonym(s):** *frigidior* Collenette,1932 _ Range (in code): MG
- 54301. Euproctis fulva (Butler,1882)** (Lymantriidae) **Synonym(s):** *fulva* Butler,1882 _ Range (in code): AU QAU PG D-Y
- 54302. Euproctis fulvinigra Hampson,1911** (Lymantriidae) **Synonym(s):** *fulvinigra* Hampson,1911 _ Range (in code): SI IN
- 54303. Euproctis fulvipennis Hampson,1910** (Lymantriidae) **Synonym(s):** *fulvipennis* Hampson,1910 _ Range (in code): ZW ZR
- 54304. Euproctis fulvipuncta Hampson,[1893]** (Lymantriidae) **Synonym(s):** *fulvipuncta* Hampson,[1893] _ Range (in code): LK Pdy
- 54305. Euproctis fulvobrunnea Collenette,1932** (Lymantriidae) **Synonym(s):** *fulvobrunnea* Collenette,1932 _ Range (in code): SB Chs
- 54306. Euproctis fulvonigra (Swinhoe,1903)** (Lymantriidae) **Synonym(s):** *fulvonigra* Swinhoe,1903 _ Range (in code): SB
- 54307. Euproctis fulvostriata Swinhoe,1903** (Lymantriidae) **Synonym(s):** *fulvostriata* Swinhoe,1903 _ Range (in code): Ls PG
- 54308. Euproctis fumitincta Hampson,1910** (Lymantriidae) **Synonym(s):** *fumitincta* Hampson,1910; *suspensa* M.Hering,1926 _ Range (in code): CI
- 54309. Euproctis fumosa (Snellen,1877)** (Lymantriidae) **Synonym(s):** *fumosa* Snellen,1877 _ Range (in code): ID Sum
- 54310. Euproctis funeralis Swinhoe,1903** (Lymantriidae) **Synonym(s):** *funeralis* Swinhoe,1903 _ Range (in code): SG MY Bor Swk Pen ID Ja Nia
- 54311. Euproctis fuscoradiata Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *fuscoradiata* Bethune-Baker,1904 _ Range (in code): PG Aro
- 54312. Euproctis fusipennis Walker,1862** (Lymantriidae) **Synonym(s):** *fusipennis* Walker,1862; *fusipennis* Kirby,1892 _ Range (in code): MY Bor Swk
- 54313. Euproctis galactopis (Turner,1903)** (Lymantriidae) **Synonym(s):** *galactopis* Turner,1903 _ Range (in code): AU QAU
- 54314. Euproctis geminata (Collenette,1933)** (Lymantriidae) **Synonym(s):** *geminata* Collenette,1933 _ Range (in code): MW
- 54315. Euproctis gentia Swinhoe,1903** (Lymantriidae) **Synonym(s):** *gentia* Swinhoe,1903 _ Range (in code): MY Bor Sbh KBa
- 54316. Euproctis geometrica (Semper,1899)** (Lymantriidae) **Synonym(s):** *geometrica* Semper,1899 _ Range (in code): PH Mno
- 54317. Euproctis geometroides Collenette,1932** (Lymantriidae) **Synonym(s):** *geometroides* Collenette,1932 _ Range (in code): ID Clb
- 54318. Euproctis gilvivirgata Collenette,1932** (Lymantriidae) **Synonym(s):** *gilvivirgata* Collenette,1932 _ Range (in code): ID Ij Gth

- 54319. Euproctis gita Collenette,1932** (Lymantriidae) Synonym(s): *gita* Collenette,1932
Range (in code): **PG**
- 54320. Euproctis glaphyra Collenette,1936** (Lymantriidae) Synonym(s): *glaphyra* Collenette,1936
Original Reference: Euproctis glaphyra Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 333, pl.7 fig.6. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**
- 54321. Euproctis gracilior (Pagenstecher,1886)** (Lymantriidae) Synonym(s): *gracilior* Pagenstecher,1886
Range (in code): **ID Aru**
- 54322. Euproctis grisea Semper,1899** (Lymantriidae) Synonym(s): *grisea* Semper,1899
Range (in code): **PH Luz**
- 54323. Euproctis griseata Bethune-Baker,1908** (Lymantriidae) Synonym(s): *griseata* Bethune-Baker,1908
Range (in code): **PG**
- 54324. Euproctis griseostriata Kenrick,1913** (Lymantriidae) Synonym(s): *griseostriata* Kenrick,1913
Range (in code): **MG**
- 54325. Euproctis guttata (Walker,1855)** (Lymantriidae) Synonym(s): *guttata* Walker,1855; *digramma* Moore,1883 nec Guérin-Méneville,1838; *flava* Kirby,1892
Range (in code): **BD Syl LK Tcm Kndy Dck Pdy TH**
- 54326. Euproctis guttistriga Walker,1862** (Lymantriidae) Synonym(s): *guttistriga* Walker,1862
Range (in code): **MY Bor Swk**
- 54327. Euproctis guttulata Snellen,1886** (Lymantriidae) Synonym(s): *guttulata* Snellen,1886
Range (in code): **ID Sum**
- 54328. Euproctis habrostola Turner,1902** (Lymantriidae) Synonym(s): *habrostola* Turner,1902; *pura* Swinhoe,1903
Range (in code): **AU QAU**
- 54329. Euproctis haemodetes Hampson,1905** (Lymantriidae) Synonym(s): *haemodetes* Hampson,1905
Range (in code): **ZA Ngg Tra Ec**
- 54330. Euproctis hampsoni Swinhoe,1903** (Lymantriidae) Synonym(s): *variegata* Hampson,1891 nec Mre.,1879; *hampsoni* Swinhoe,1903
Range (in code): **IN NI**
- 54331. Euproctis hapala Collenette,1932** (Lymantriidae) Synonym(s): *hapala* Collenette,1932
Original Reference: Euproctis hapala Collenette,1932, Novit. zool. 38: 61, pl.1 fig.16. Type ♀: Malaysia: Pahang. Range (in code): **MY Pah VN Ton Tda**
- 54332. Euproctis hardenbergia (Janse,1915)** (Lymantriidae) Synonym(s): *hardenbergia* Janse,1915
Range (in code): **ZA Nta Kzu**
- 54333. Euproctis hargreavesi Collenette,1931** (Lymantriidae) Synonym(s): *hargreavesi* Collenette,1931
Range (in code): **UG**
- 54334. Euproctis hemibathes Swinhoe,1906** (Lymantriidae) Synonym(s): *hemibathes* Swinhoe,1906; *#hemibathoides* Strand,1918
Range (in code): **ID Sum MY Bor Sbh KBa**
- 54335. Euproctis hemicyclia Collenette,1930** (Lymantriidae) Synonym(s): *hemicyclia* Collenette,1930
Range (in code): **ID Sum**
- 54336. Euproctis hemigenes Collenette,1932** (Lymantriidae) Synonym(s): *hemigenes* Collenette,1932
Range (in code): **ID Ij Afk**
- 54337. Euproctis holoxutha Turner,1902** (Lymantriidae) Synonym(s): *holoxutha* Turner,1902
Range (in code): **AU**
- 54338. Euproctis homonyma Bryk,1934** (Lymantriidae) Synonym(s): *coreana* Matsumura,1927 nec Stgr.,1896; *homonyma* Bryk,1934
Range (in code): **KP KR**
- 54339. Euproctis hopponis (Matsumura,1933)** (Lymantriidae) Synonym(s): *hopponis* Matsumura,1933
Range (in code): **TW**
- 54340. Euproctis howra (Moore,1879)** (Lymantriidae) Synonym(s): *howra* Moore,1879; *rhoda* Swinhoe,1891
Range (in code): **IN Clc Adm NI MM**
- 54341. Euproctis howra howra (Moore,1879)** (Lymantriidae) Synonym(s): *howra* Moore,1879; *rhoda* Swinhoe,1891
Range (in code): **IN Clc Adm MM**
- 54342. Euproctis howra obsoleta (Hampson,1891)** (Lymantriidae) Synonym(s): *obsoleta* Hampson,1891
Range (in code): **IN NI**
- 54343. Euproctis hunttei W.Warren,1903** (Lymantriidae) Synonym(s): *hunttei* W.Warren,1903; *hunteri* Swinhoe,1923
Range (in code): **PG**
- 54344. Euproctis hymnalis Turner,1921** (Lymantriidae) Synonym(s): *hymnalis* Turner,1921
Range (in code): **AU QAU Kda**
- 54345. Euproctis hypocloa Collenette,1932** (Lymantriidae) Synonym(s): *hypocloa* Collenette,1932
Range (in code): **PG Aro**

- 54346. Euproctis hypoenops Collenette,1939** (Lymantriidae) Synonym(s): *hypoenops Collenette,1939* Original Reference: Euproctis hypoenops Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 329-330, pl.12 fig.2. Holotype ♂: [China]: Tibet Batang, 3800m. Range (in code): CN Ti Btn
- 54347. Euproctis hypolispa Collenette,1932** (Lymantriidae) Synonym(s): *hypolispa Collenette,1932* Range (in code): MY Pah
- 54348. Euproctis icelomorpha Swinhoe,1906** (Lymantriidae) Synonym(s): *icelomorpha Swinhoe,1906; nubilosa Van Eecke,1921* Range (in code): ID Sum
- 54349. Euproctis icilia (Stoll,[1791])** (Lymantriidae) Synonym(s): *icilia Stoll,[1791]* Range (in code): IN Hp Up LK Kndy Pdy
- 54350. Euproctis idonea Swinhoe,1903** (Lymantriidae) Synonym(s): *idonea Swinhoe,1903* Range (in code): AU
- 54351. Euproctis immaculata Butler,1881** (Lymantriidae) Synonym(s): *immaculata Butler,1881; plana Hampson,1892 nec Wlk.,1856* Range (in code): IN SI Djl
- 54352. Euproctis impuncta (Butler,1898)** (Lymantriidae) Synonym(s): *impuncta Butler,1898* Range (in code): KE
- 54353. Euproctis incommoda (Butler,1882)** (Lymantriidae) Synonym(s): *incommoda Butler,1882; pallilimba Collenette,1956* Range (in code): MG
- 54354. Euproctis inconcisa (Walker,1865)** (Lymantriidae) Synonym(s): *inconcisa Walker,1865* Range (in code): SI IN Djl
- 54355. Euproctis inconspicua Leech,1899** (Lymantriidae) Synonym(s): *inconspicua Leech,1899* Range (in code): CN Sz
- 54356. Euproctis indistincta Rothschild,1920** (Lymantriidae) Synonym(s): *indistincta Rothschild,1920* Range (in code): ID Sum
- 54357. Euproctis inepta (Butler,1887)** (Lymantriidae) Synonym(s): *inepta Butler,1887* Range (in code): SB
- 54358. Euproctis innotata (Walker,1865)** (Lymantriidae) Synonym(s): *innotata Walker,1865; conspersa R.Felder & Rogenhofer,1874* Range (in code): ID Trn Mlc PH
- 54359. Euproctis innupta Collenette,1932** (Lymantriidae) Synonym(s): *innupta Collenette,1932* Range (in code): MY Klu
- 54360. Euproctis inornata Wileman,1910** (Lymantriidae) Synonym(s): *inornata Wileman,1910* Range (in code): TW
- 54361. Euproctis insulata Wileman,1910** (Lymantriidae) Synonym(s): *insulata Wileman,1910* Range (in code): TW
- 54362. Euproctis inturbida (Walker,1865)** (Lymantriidae) Synonym(s): *inturbida Walker,1865; megaxantha Walker,1866* Range (in code): ID Bch
- 54363. Euproctis iridescent Janse,1915** (Lymantriidae) Synonym(s): *iridescent Janse,1915* Range (in code): ZA Tva Mpu Wv
- 54364. Euproctis irregularis Bethune-Baker,1904** (Lymantriidae) Synonym(s): *irregularis Bethune-Baker,1904* Range (in code): PG
- 54365. Euproctis irrorata Moore,1859** (Lymantriidae) Synonym(s): *irrorata Moore,1859* Range (in code): ID Ja
- 54366. Euproctis isabellina Heylaerts,1892** (Lymantriidae) Synonym(s): *isabellina Heylaerts,1892* Range (in code): ID Sum MY
- 54367. Euproctis javana Aurivillius,1894** (Lymantriidae) Synonym(s): *javana Aurivillius,1894* Range (in code): ID Ja MY
- 54368. Euproctis javana epirotica Collenette,1932** (Lymantriidae) Synonym(s): *epirotica Collenette,1932* Range (in code): MY
- 54369. Euproctis javana javana Aurivillius,1894** (Lymantriidae) Synonym(s): *javana Aurivillius,1894* Range (in code): ID Ja
- 54370. Euproctis jefferyi Collenette,1931** (Lymantriidae) Synonym(s): *jefferyi Collenette,1931* Range (in code): KE
- 54371. Euproctis josiata (Walker,1865)** (Lymantriidae) Synonym(s): *josiata Walker,1865; nobilis R.Felder & Rogenhofer,1874* Range (in code): ID Clb
- 54372. Euproctis kala (Moore,1859)** (Lymantriidae) Synonym(s): *kala Moore,1859* Range (in code): ID Ja

- 54373. Euproctis kamerunica M.Hering,1926** (Lymantriidae) Synonym(s): *kamerunica* M.Hering,1926 _ Range (in code): CM
- 54374. Euproctis kan Matsumura,1933** (Lymantriidae) Synonym(s): *kan* Matsumura,1933 _ Range (in code): KP KR
- 54375. Euproctis kanshireia Wileman,1910** (Lymantriidae) Synonym(s): *kanshireia* Wileman,1910 _ Range (in code): TW
- 54376. Euproctis karapina Strand,1914** (Lymantriidae) Synonym(s): *karapina* Strand,1914; *nigroabdominalis* Matsumura,1931 _ Range (in code): JP
- 54377. Euproctis kargalika Moore,1878** (Lymantriidae) Synonym(s): *kargalika* Moore,1878; *flavosulphurea* Groum-Grshimailo,1886; *#karghalika* Strand,1910; *#deornata* Ebert,1968 _ Original Reference: Euproctis kargalika Moore,1878, Ann. Mag. nat. Hist. (5) 1: 231. Syntypes 2♂♂: [Uighur A.R.]: Kargalik 4440ft., Yarkund [Yarkand] (BMNH). Range (in code): CN Ui Yk Kgk Kml AF Sfk Bd Shv Slg KK Ik RU Am At Om TJ Pm IR PK Bt Skd
- 54378. Euproctis kebeae Bethune-Baker,1904** (Lymantriidae) Synonym(s): *kebeae* Bethune-Baker,1904 _ Range (in code): PG
- 54379. Euproctis labecula Wileman,1910** (Lymantriidae) Synonym(s): *labecula* Wileman,1910 _ Range (in code): TW
- 54380. Euproctis labeculoides Strand,1914** (Lymantriidae) Synonym(s): *labeculoides* Strand,1914 _ Range (in code): TW
- 54381. Euproctis lacipa (Swinhoe,1923)** (Lymantriidae) Synonym(s): *apicalis* Walker,1855 *nec* Wlk.,1855; *lacipa* Swinhoe,1923 _ Range (in code): LK
- 54382. Euproctis lactea Moore,1878** (Lymantriidae) Synonym(s): *lactea* Moore,1878 _ Range (in code): CN Ui Yk
- 54383. Euproctis laniata Hampson,1904** (Lymantriidae) Synonym(s): *laniata* Hampson,1904 _ Range (in code): IN
- 54384. Euproctis latifascia (Walker,1855)** (Lymantriidae) Synonym(s): *latifascia* Walker,1855; *antica* Walker,1855 *nec* Wlk.,1855; *postica* Walker,1865; *abdominalis* Moore,1888; *#basiatra* Strand,1910; *#suisharyonis* Strand,1914 _ Range (in code): Ch IN Hp Drm Mpr NP VN Ton TW LK Pdy
- 54385. Euproctis lativitta (Moore,1879)** (Lymantriidae) Synonym(s): *lativitta* Moore,1879; *nigripennis* Hampson,1892 _ Range (in code): SI IN Ass Nag Djl
- 54386. Euproctis lavella Bethune-Baker,1910** (Lymantriidae) Synonym(s): *lavella* Bethune-Baker,1910 _ Range (in code): SB
- 54387. Euproctis lemuria (M.Hering,1926)** (Lymantriidae) Synonym(s): *lemuria* M.Hering,1926 _ Range (in code): MG
- 54388. Euproctis leonina (Turner,1903)** (Lymantriidae) Synonym(s): *leonina* Turner,1903 _ Range (in code): AU QAU
- 54389. Euproctis lepidographa Hampson,1910** (Lymantriidae) Synonym(s): *lepidographa* Hampson,1910 _ Range (in code): CI
- 54390. Euproctis leucophleba Collenette,1932** (Lymantriidae) Synonym(s): *leucophleba* Collenette,1932 _ Range (in code): ID Sum
- 54391. Euproctis leucorhabda Collenette,1939** (Lymantriidae) Synonym(s): *leucorhabda* Collenette,1939 _ Original Reference: Euproctis leucorhabda Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 336, pl.12 fig.1. Holotype ♀: Philippines: West Samar, Antiago valley. Range (in code): PH Sam
- 54392. Euproctis leucospila (Walker,1865)** (Lymantriidae) Synonym(s): *leucospila* Walker,1865 _ Range (in code): ID Clb
- 54393. Euproctis leucospilodes Strand,1918** (Lymantriidae) Synonym(s): *#pelucospila* Strand,1914; *#defecta* Strand,1918; *leucospilodes* Strand,1918 _ Range (in code): ID Clb
- 54394. Euproctis limbalis (Herrich-Schäffer,[1855])** (Lymantriidae) Synonym(s): *limbalis* Herrich-Schäffer,[1855]; *boeckae* Herrich-Schäffer,[1858]; *leucophaea* Walker,1862 _ Range (in code): AU NSw Syd
- 54395. Euproctis limonea (Butler,1882)** (Lymantriidae) Synonym(s): *limonea* Butler,1882 _ Range (in code): MG
- 54396. Euproctis linta (Moore,1859)** (Lymantriidae) Synonym(s): *linta* Moore,1859 _ Range (in code): MY Bor Sbh Snk ID Ja
- 54397. Euproctis lipara Collenette,1930** (Lymantriidae) Synonym(s): *lipara* Collenette,1930 _ Range (in code): ID Ij

- 54398. Euproctis livia Swinhoe,1903** (Lymantriidae) Synonym(s): *livia Swinhoe,1903*; *#linia Strand,1918* _ Range (in code): PG
- 54399. Euproctis lodra (Moore,1859)** (Lymantriidae) Synonym(s): *lodra Moore,1859* _ Range (in code): ID Sum Ja
- 54400. Euproctis lucifuga (T.P.Lucas,1892)** (Lymantriidae) Synonym(s): *lucifuga T.P.Lucas,1892*; *chrysophaea Turner,1902 nec Wlk.* _ Range (in code): AU QAU Bri
- 54401. Euproctis lunata Walker,1855** (Lymantriidae) Synonym(s): *lunata Walker,1855* Original Reference: Euproctis lunata Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 837. Range (in code): Ch IN Hp Kgr LK Cob MY Bor TH Cph
- 54402. Euproctis lunifera (Walker,1865)** (Lymantriidae) Synonym(s): *lunifera Walker,1865* Range (in code): ID Clb
- 54403. Euproctis lutea (Fabricius,1775)** (Lymantriidae) Synonym(s): *lutea Fabricius,1775 nec Hufn.,1766*; *chrysophila Walker,1865*; *iobrota Meyrick,1891* _ Range (in code): AU
- 54404. Euproctis lutearia (Bethune-Baker,1908)** (Lymantriidae) Synonym(s): *lutearia Bethune-Baker,1908* _ Range (in code): PG
- 54405. Euproctis luteifascia (Hampson,1891)** (Lymantriidae) Synonym(s): *luteifascia Hampson,1891*; *#lateifascia Strand,1915* _ Range (in code): IN NI
- 54406. Euproctis luteomarginata Bethune-Baker,1908** (Lymantriidae) Synonym(s): *luteomarginata Bethune-Baker,1908*; *lunula Bethune-Baker,1908*; *#garra Strand,1918* _ Range (in code): PG
- 54407. Euproctis luteosa Bethune-Baker,1908** (Lymantriidae) Synonym(s): *luteosa Bethune-Baker,1908* _ Range (in code): PG
- 54408. Euproctis lutescens Walker,1855** (Lymantriidae) Synonym(s): *lutescens Walker,1855* Range (in code): VN Pha
- 54409. Euproctis lyclene Swinhoe,1904** (Lymantriidae) Synonym(s): *lyclene Swinhoe,1904* Range (in code): MY Bor
- 54410. Euproctis lyona Swinhoe,1904** (Lymantriidae) Synonym(s): *lyona Swinhoe,1904* Range (in code): CM
- 54411. Euproctis macnultyi Collenette,1960** (Lymantriidae) Synonym(s): *macnultyi Collenette,1960* _ Range (in code): NG
- 54412. Euproctis macrocera Collenette,1933** (Lymantriidae) Synonym(s): *macrocera Collenette,1933* _ Range (in code): PH Luz
- 54413. Euproctis macroplura (Strand,1914)** (Lymantriidae) Synonym(s): *macroplura Strand,1914* _ Range (in code): TW
- 54414. Euproctis macrostigma Hampson,1904** (Lymantriidae) Synonym(s): *macrostigma Hampson,1904* _ Range (in code): LK
- 54415. Euproctis macwoodi Collenette,1938** (Lymantriidae) Synonym(s): *macwoodi Collenette,1938* Original Reference: Euproctis macwoodi Collenette,1938, Ann. Mag. nat. Hist. (11) 2: 374. Type: Ceylon, Ohiya. Range (in code): LK
- 54416. Euproctis madana Moore,1859** (Lymantriidae) Synonym(s): *madana Moore,1859* Range (in code): SI IN Djl Khs Ass Meg
- 54417. Euproctis magna (Swinhoe,1891)** (Lymantriidae) Synonym(s): *magna Swinhoe,1891* Original Reference: Somena magna Swinhoe,1891, Trans. ent. Soc. London 1891: 479. Type: India: Khasia Hills. Range (in code): IN Khs Ass Meg TH CMa CDo
- 54418. Euproctis magniplaga Gaede,1932** (Lymantriidae) Synonym(s): *magniplaga Gaede,1932* Range (in code): CN
- 54419. Euproctis malaisei Collenette,1960** (Lymantriidae) Synonym(s): *malaisei Collenette,1960* Range (in code): MM Kch Kam
- 54420. Euproctis mambara Bethune-Baker,1908** (Lymantriidae) Synonym(s): *mambara Bethune-Baker,1908* _ Range (in code): PG
- 54421. Euproctis marginalis (Walker,1855)** (Lymantriidae) Synonym(s): *marginalis Walker,1855* _ Range (in code): AU QAU TA VAu
- 54422. Euproctis marginata (Moore,1879)** (Lymantriidae) Synonym(s): *marginata Moore,1879*; *quadrangularis Moore,1879*; *diffusefasciata Gaede,1932* _ Range (in code): CN IN SI Djl
- 54423. Euproctis maza Swinhoe,1903** (Lymantriidae) Synonym(s): *maza Swinhoe,1903* Range (in code): PG
- 54424. Euproctis mediosquamosa Bethune-Baker,1909** (Lymantriidae) Synonym(s): *mediosquamosa Bethune-Baker,1909* _ Range (in code): ZR

- 54425. Euproctis meeki (Bethune-Baker,1904)** (Lymantriidae) Synonym(s): *meeki* Bethune-Baker,1904 _ Range (in code): PG
- 54426. Euproctis melalepia Hampson,1909** (Lymantriidae) Synonym(s): *melalepia* Hampson,1909; *rorida* M.Hering,1926 _ Range (in code): ET UG Rz
- 54427. Euproctis melaleuca Holland,1893** (Lymantriidae) Synonym(s): *melaleuca* Holland,1893 _ Range (in code): CM
- 54428. Euproctis melambaphes (Turner,1921)** (Lymantriidae) Synonym(s): *melambaphes* Turner,1921 _ Range (in code): AU
- 54429. Euproctis melania (Staudinger,1892)** (Lymantriidae) Synonym(s): *melania* Staudinger,1892; *melaniodes* Strand,1910; *#melaina* De Freina,1999. Original Reference: *Porthesia melania* Staudinger,1892, Dt. ent. Z., Iris 4: 255-256. Syntypes: [Türkei]: Amasia, Malatia, Mardin. Range (in code): TR IQ IR Fa Bionomy: Larva on *Quercus* (Fagaceae); *Prunus* (Rosaceae), *Salix alba*, *S. viminalis* (Salicaceae) (Wiltshire,1943; De Freina,1999; Koçak & Kemal (personal obs.)).
- 54430. Euproctis melanochroma Collenette,1939** (Lymantriidae) Synonym(s): *melanochroma* Collenette,1939 Original Reference: *Euproctis melanochroma* Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 333, pl.12 fig.16. Holotype ♂: Philippines: Luzon, Prov. Benguet, Sapiangao (BMNH). Range (in code): PH Luz
- 54431. Euproctis melanopholis Hampson,1910** (Lymantriidae) Synonym(s): *melanopholis* Hampson,1910 _ Range (in code): CI
- 54432. Euproctis melanorrhanta (Turner,1931)** (Lymantriidae) Synonym(s): *melanorrhanta* Turner,1931 _ Range (in code): AU QAU
- 54433. Euproctis melanosoma (Butler,1882)** (Lymantriidae) Synonym(s): *melanosoma* Butler,1882; *mixta* Butler,1882; *melainfera* Strand,1923 _ Range (in code): AU
- 54434. Euproctis melanovis Strand,1912** (Lymantriidae) Synonym(s): *melanovis* Strand,1912 _ Range (in code): TZ
- 54435. Euproctis melanura (Wallengren,1860)** (Lymantriidae) Synonym(s): *melanura* Wallengren,1860 _ Range (in code): ZA
- 54436. Euproctis menadoensis Collenette,1933** (Lymantriidae) Synonym(s): *menadoensis* Collenette,1933; *menadoensis* Bryk,1934 _ Range (in code): ID Clb
- 54437. Euproctis merhaba Koçak & Kemal,2006** (Lymantriidae) Synonym(s): *aroa* Bethune-Baker,1904 nec Bet.-Bak.,1904; *merhaba* Koçak & Kemal,2006 Original Reference: *Euproctis merhaba* Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro *aroa* Bethune-Baker,1904 nec Bet.-Bak.,1904). Range (in code): PG Aro
- 54438. Euproctis metaleuca (Walker,1862)** (Lymantriidae) Synonym(s): *metaleuca* Walker,1862 _ Range (in code): MY Bor Swk
- 54439. Euproctis micronides Van Eecke,1928** (Lymantriidae) Synonym(s): *micronides* Van Eecke,1928 _ Range (in code): ID Sum
- 54440. Euproctis mima (Strand,1912)** (Lymantriidae) Synonym(s): *mima* Strand,1912 _ Range (in code): CM
- 54441. Euproctis mimosa (Matsumura,1933)** (Lymantriidae) Synonym(s): *mimosa* Matsumura,1933 _ Range (in code): TW
- 54442. Euproctis miniata Kenrick,1913** (Lymantriidae) Synonym(s): *miniata* Kenrick,1913 _ Range (in code): MG
- 54443. Euproctis minutissima Swinhoe,1903** (Lymantriidae) Synonym(s): *minutissima* Swinhoe,1903 _ Range (in code): SG
- 54444. Euproctis mirabilis Swinhoe,1903** (Lymantriidae) Synonym(s): *mirabilis* Swinhoe,1903 _ Range (in code): IN Adm
- 54445. Euproctis mirma Druce,1899** (Lymantriidae) Synonym(s): *mirma* Druce,1899; *#nurma* Strand,1914 _ Range (in code): ID Tim
- 54446. Euproctis mixta (Butler,1882)** (Lymantriidae) Synonym(s): *mixta* Butler,1882 _ Range (in code): TA
- 54447. Euproctis moalata Swinhoe,1916** (Lymantriidae) Synonym(s): *divisa* Walker,1863 nec Wlk.,1855; *moalata* Swinhoe,1916; *divisella* Strand,1918; *motala* Swinhoe,1923 _ Range (in code): PH Mno Bor MY Swk
- 54448. Euproctis molunduana Aurivillius,1925** (Lymantriidae) Synonym(s): *molunduana* Aurivillius,1925 _ Range (in code): CM

- 54449. Euproctis monophyes Swinhoe,1906** (Lymantriidae) Synonym(s): *monophyes Swinhoe,1906* _ Range (in code):
- 54450. Euproctis montis (Leech,1890)** (Lymantriidae) Synonym(s): *montis Leech,1890* _ Range (in code): CN
- 54451. Euproctis morawae Van Eecke,1928** (Lymantriidae) Synonym(s): *morawae Van Eecke,1928* _ Range (in code): ID Sum
- 54452. Euproctis muesser Koçak & Kemal,2006** (Lymantriidae) Synonym(s): *bicolor Janse,1915 nec Heyl.,1892; muesser Koçak & Kemal,2006* _ Original Reference: Euproctis muesser Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro bicolor Janse,1915 nec Heylaerts,1892). _ Range (in code): ZA
- 54453. Euproctis muhabbet Koçak & Kemal,2006** (Lymantriidae) Synonym(s): *protea Collenette,1932 nec Collen.,1932; muhabbet Koçak & Kemal,2006* _ Original Reference: Euproctis muhabbet Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro protea Collenette,1932, Novit. zool. 38: 61 nec Collenette,1932, Novit. zool. 37: 160). _ Range (in code): MY Prk Pen
- 54454. Euproctis mukaddes Koçak & Kemal,2006** (Lymantriidae) Synonym(s): *pulverea Hampson,1900 nec Lch.,1888; mukaddes Koçak & Kemal,2006* _ Original Reference: Euproctis mukaddes Koçak & Kemal,2006, Cent. ent. Stud., Misc. Pap. 102-103: 14 (nomen novum pro pulverea Hampson,1900 Mon. Christmas Isl.: 63 pl.x fig.9; nec Leach,1888). Syntypes 20♂ 8♀: Christmas Island. _ Range (in code): CX
- 54455. Euproctis multidentata M.Hering,1926** (Lymantriidae) Synonym(s): *multidentata M.Hering,1926* _ Range (in code): TZ
- 54456. Euproctis munda Walker,1862** (Lymantriidae) Synonym(s): *munda Walker,1862* _ Range (in code): MY Bor Swk
- 54457. Euproctis mycoides Collenette,1930** (Lymantriidae) Synonym(s): *mycoides Collenette,1930* _ Range (in code): ID IJ
- 54458. Euproctis neavei Tams,1924** (Lymantriidae) Synonym(s): *neavei Tams,1924; turficator Collenette,1931* _ Range (in code): MW
- 54459. Euproctis nebulosa Rothschild,1915** (Lymantriidae) Synonym(s): *nebulosa Rothschild,1915* _ Range (in code): ID IJ
- 54460. Euproctis negrita Hampson,1892** (Lymantriidae) Synonym(s): *negrita Hampson,1892* _ Range (in code): SI IN
- 54461. Euproctis neola Swinhoe,1907** (Lymantriidae) Synonym(s): *neola Swinhoe,1907* _ Range (in code): ID Sum MY Bor Sbh KBa
- 54462. Euproctis nessa Swinhoe,1903** (Lymantriidae) Synonym(s): *nessa Swinhoe,1903* _ Range (in code): UG
- 54463. Euproctis nessa nigrovenata M.Hering,1926** (Lymantriidae) Synonym(s): *nigrovenata M.Hering,1926* _ Range (in code):
- 54464. Euproctis nigra (Holland,1893)** (Lymantriidae) Synonym(s): *nigra Holland,1893* _ Range (in code):
- 54465. Euproctis nigribasalis Swinhoe,1903** (Lymantriidae) Synonym(s): *nigribasalis Swinhoe,1903* _ Range (in code): MY Bor Sbh KBa
- 54466. Euproctis nigricauda Matsumura,1927** (Lymantriidae) Synonym(s): *nigricauda Matsumura,1927* _ Range (in code): TW
- 54467. Euproctis nigrifinis (Swinhoe,1903)** (Lymantriidae) Synonym(s): *nigrifinis Swinhoe,1903; nigrifrons Swinhoe,1922* _ Range (in code): KE
- 54468. Euproctis nigrifulva Gaede,1932** (Lymantriidae) Synonym(s): *nigrifulva Gaede,1932* _ Range (in code): CN Yu Lik
- 54469. Euproctis nigripuncta Janse,1915** (Lymantriidae) Synonym(s): *nigripuncta Janse,1915* _ Range (in code): ZA Gau Tva Pre
- 54470. Euproctis nigroapicalis Bethune-Baker,1904** (Lymantriidae) Synonym(s): *nigroapicalis Bethune-Baker,1904* _ Range (in code): PG Aro
- 54471. Euproctis nigrofasciata Semper,1899** (Lymantriidae) Synonym(s): *nigrofasciata Semper,1899* _ Range (in code): PH Mno
- 54472. Euproctis nigrolunulata Bethune-Baker,1911** (Lymantriidae) Synonym(s): *nigrolunulata Bethune-Baker,1911* _ Range (in code):

- 54473. Euproctis nigropuncta** Wileman,1910 (Lymantriidae) Synonym(s): *nigropuncta* Wileman,1910 _ Range (in code): TW
- 54474. Euproctis nigrosquamosa** Bethune-Baker,1911 (Lymantriidae) Synonym(s): *nigrosquamosa* Bethune-Baker,1911 _ Range (in code): ZR
- 54475. Euproctis niphobola** Turner,1902 (Lymantriidae) Synonym(s): *niphobola* Turner,1902 _ Range (in code): AU QAU Bri
- 54476. Euproctis niphonis** (Butler,1881) (Lymantriidae) Synonym(s): *niphonis* Butler,1881; *squamosa* Butler,1881; *raddei* Staudinger,1887; *kuronis* Maustumura,1933 _ Range (in code): JP KP KR CN RU Am Us
- 54477. Euproctis niphonis coreana** Staudinger,1896 (Lymantriidae) Synonym(s): *coreana* Staudinger,1896 _ Range (in code): KP KR
- 54478. Euproctis niveinotum** Strand,1918 (Lymantriidae) Synonym(s): *niveinotum* Strand,1918 _ Range (in code): ID Clb
- 54479. Euproctis novaguinensis** Bethune-Baker,1904 (Lymantriidae) Synonym(s): *novaguinensis* Bethune-Baker,1904 _ Range (in code): PG
- 54480. Euproctis obscura** (Moore,1859) (Lymantriidae) Synonym(s): *obscura* Moore,1859 _ Range (in code): SG ID Ja
- 54481. Euproctis ochrea** (Butler,1878) (Lymantriidae) Synonym(s): *ochrea* Butler,1878; *aureoplaga* Kenrick,1914; *frigidior* Collenette,1932; *silacea* Collenette,1953 _ Range (in code): ZA MG
- 54482. Euproctis ochreata** (Walker,1865) (Lymantriidae) Synonym(s): *ochreata* Walker,1865 _ Range (in code): ID Crm
- 54483. Euproctis ochrilineata** Gaede,1932 (Lymantriidae) Synonym(s): *ochrilineata* Gaede,1932 _ Range (in code): CN
- 54484. Euproctis ochrocerca** Collenette,1932 (Lymantriidae) Synonym(s): *ochrocerca* Collenette,1932 _ Range (in code): ID Ij Afk
- 54485. Euproctis ochrocraspeda** Collenette,1932 (Lymantriidae) Synonym(s): *ochrocraspeda* Collenette,1932 _ Range (in code): PG
- 54486. Euproctis ochroneura** Turner,1931 (Lymantriidae) Synonym(s): *ochroneura* Turner,1931 _ Range (in code): AU QAU KY
- 54487. Euproctis ochropleura** Collenette,1932 (Lymantriidae) Synonym(s): *ochropleura* Collenette,1932 _ Range (in code): ID Ij Gth
- 54488. Euproctis okinawana** Matsumura,1921 (Lymantriidae) Synonym(s): *okinawana* Matsumura,1921 _ Range (in code): JP
- 54489. Euproctis olivata** Hampson,1897 (Lymantriidae) Synonym(s): *olivata* Hampson,1897 _ Range (in code): IN Ass Khs Meg
- 54490. Euproctis onii** Bethune-Baker,1911 (Lymantriidae) Synonym(s): *onii* Bethune-Baker,1911 _ Range (in code): NG Lgo
- 54491. Euproctis oreosaura** (Swinhoe,1894) (Lymantriidae) Synonym(s): *oreosaura* Swinhoe,1894 _ Range (in code): IN Ass Meg Cpj Khs ID Sum Ja
- 54492. Euproctis orgyioides** Van Eecke,1928 (Lymantriidae) Synonym(s): *orgyioides* Van Eecke,1928 _ Range (in code): ID Sum MY Pen
- 54493. Euproctis ormea** Swinhoe,1903 (Lymantriidae) Synonym(s): *ormea* Swinhoe,1903 _ Range (in code): MY Bor
- 54494. Euproctis orphnaea** (Collenette,1932) (Lymantriidae) Synonym(s): *orphnaea* Collenette,1932 _ Range (in code): MY
- 54495. Euproctis ostentum** M.Hering,1926 (Lymantriidae) Synonym(s): *ostentum* M.Hering,1926 _ Range (in code):
- 54496. Euproctis ostra** Swinhoe,1903 (Lymantriidae) Synonym(s): *ostra* Swinhoe,1903 _ Range (in code): KE
- 54497. Euproctis osuna** Swinhoe,1903 (Lymantriidae) Synonym(s): *osuna* Swinhoe,1903 _ Range (in code): PG
- 54498. Euproctis ouria** Collenette,1931 (Lymantriidae) Synonym(s): *ouria* Collenette,1931 _ Range (in code): RW
- 54499. Euproctis owgarra** (Bethune-Baker,1908) (Lymantriidae) Synonym(s): *owgarra* Bethune-Baker,1908 _ Range (in code): PG
- 54500. Euproctis palla** (Holland,1893) (Lymantriidae) Synonym(s): *palla* Holland,1893 _ Range (in code): Zr

- 54501. Euproctis pallens (Bethune-Baker,1908)** (Lymantriidae) Synonym(s): *pallens* Bethune-Baker,1908 _ Range (in code): PG
- 54502. Euproctis pallida (Kirby,1896)** (Lymantriidae) Synonym(s): *pallida* Kirby,1896; *unipuncta* Swinhoe,1923 (preocc.); *dentata* M.Hering,1926 _ Range (in code): ZA Tva Mpu Wv Brb Srn Dbn Nta Kzu Umk Esw Est TZ Dss
- 54503. Euproctis pallifrons Semper,1899** (Lymantriidae) Synonym(s): *pallifrons* Semper,1899 _ Range (in code): PH Luz Boh Ceb
- 54504. Euproctis pallipes Snellen,1879** (Lymantriidae) Synonym(s): *pallipes* Snellen,1879 _ Range (in code): ID Clb
- 54505. Euproctis panabra (Turner,1902)** (Lymantriidae) Synonym(s): *panabra* Turner,1902 _ Range (in code): AU QAU
- 54506. Euproctis panselena Collenette,1931** (Lymantriidae) Synonym(s): *rotunda* Bethune-Baker,1908 nec Holl.,1893; *panselena* Collenette,1931 _ Range (in code): PG
- 54507. Euproctis paradoxa (Butler,1886)** (Lymantriidae) Synonym(s): *paradoxa* Butler,1886 _ Range (in code): AU
- 54508. Euproctis parallela Holland,1893** (Lymantriidae) Synonym(s): *parallela* Holland,1893 _ Range (in code): CM
- 54509. Euproctis parallelaria Bethune-Baker,1904** (Lymantriidae) Synonym(s): *parallelaria* Bethune-Baker,1904 _ Range (in code): PG
- 54510. Euproctis paraneura (Meyrick,1886)** (Lymantriidae) Synonym(s): *paraneura* Meyrick,1886 _ Range (in code): PG
- 54511. Euproctis parva Collenette,1939** (Lymantriidae) Synonym(s): *parva* Collenette,1939 _ Original Reference: Euproctis parva Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 330, pl.12 fig.10. Holotype ♂: [China]: Shaowu: Fukien (coll. Höne). Range (in code): CN Fkn
- 54512. Euproctis pauperata Leech,1899** (Lymantriidae) Synonym(s): *pauperata* Leech,1899 _ Range (in code): CN Sz
- 54513. Euproctis pecla Swinhoe,1903** (Lymantriidae) Synonym(s): *pecla* Swinhoe,1903; *#pecla* Strand,1918 _ Range (in code): PG
- 54514. Euproctis pectinata (Freyer,1912)** (Lymantriidae) Synonym(s): *pectinata* Freyer,1912 _ Range (in code): SC
- 54515. Euproctis pelodes Lower,1903** (Lymantriidae) Synonym(s): *pelodes* Lower,1903 _ Range (in code): AU SAU Ade
- 54516. Euproctis pelona (Swinhoe,1891)** (Lymantriidae) Synonym(s): *pelona* Swinhoe,1891 _ Range (in code): IN NI Ass Khs Meg
- 54517. Euproctis pelopicta Collenette,1932** (Lymantriidae) Synonym(s): *pelopicta* Collenette,1932 _ Range (in code): SG MY
- 54518. Euproctis pentatoxa Collenette,1930** (Lymantriidae) Synonym(s): *pentatoxa* Collenette,1930 _ Range (in code): ID Ij
- 54519. Euproctis perplexa Swinhoe,1903** (Lymantriidae) Synonym(s): *perplexa* Swinhoe,1903 _ Range (in code): SG MY
- 54520. Euproctis perpusilla M.Hering,1926** (Lymantriidae) Synonym(s): *perpusilla* M.Hering,1926 _ Range (in code): UG
- 54521. Euproctis perpusillans Strand,1918** (Lymantriidae) Synonym(s): *perpusillans* Strand,1918 _ Range (in code): PG
- 54522. Euproctis petasma Collenette,1932** (Lymantriidae) Synonym(s): *petasma* Collenette,1932 _ Range (in code): PG
- 54523. Euproctis phaea Hampson,1900** (Lymantriidae) Synonym(s): *phaea* Hampson,1900 _ Range (in code): IN Ass Khs Meg
- 54524. Euproctis phaula Collenette,1932** (Lymantriidae) Synonym(s): *phaula* Collenette,1932 _ Range (in code): MY Pen
- 54525. Euproctis philippinensis (Wileman,1921)** (Lymantriidae) Synonym(s): *philippinensis* Wileman,1921 _ Range (in code): PH Luz
- 54526. Euproctis phloeochroa Collenette,1932** (Lymantriidae) Synonym(s): *phloeochroa* Collenette,1932 _ Range (in code): MY
- 54527. Euproctis pinoptera Collenette,1939** (Lymantriidae) Synonym(s): *pinoptera* Collenette,1939 _ Original Reference: Euproctis pinoptera Collenette,1939, Ann. Mag. nat. Hist. 11

- (4): 332, pl.12 fig.15. Holotype ♂: [Vietnam]: Upper Tonkin, Prov. Laokay: Muong-Khuong, 900-1000m (BMNH). Range (in code): VN Ton Tda
- 54528. Euproctis piperita (Oberthür,1880)** (Lymantriidae) Synonym(s): *piperita* Oberthür,1880; *snelleni* Staudinger,1887; *staudingeri* Matsumura,1909 nec Lch.,1888 Range (in code): RU Us Vv Ask Am
- 54529. Euproctis plagiata (Walker,1855)** (Lymantriidae) Synonym(s): *plagiata* Walker,1855 Range (in code): NP MY Pah VN Tda Ton
- 54530. Euproctis plagiata syngenes Collenette,1932** (Lymantriidae) Synonym(s): *syngenes* Collenette,1932 Range (in code): MY Pah
- 54531. Euproctis plana Walker,1856** (Lymantriidae) Synonym(s): *atomaria* Walker,1855 nec Wlk.,1855; *plana* Walker,1856; *discinota* Moore,1877; *muelleri* Snellen,1877; *catala* Swinhoe,1903 Original Reference: *Euproctis plana* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1731. Range (in code): MM IN Ass Khs Meg Hp Drm SI Djl Adm ID Ja CN Sz HK TH Cph
- 54532. Euproctis poliocerca Collenette,1930** (Lymantriidae) Synonym(s): *poliocerca* Collenette,1930 Range (in code): ID Ij
- 54533. Euproctis postalbata Matsumura,1933** (Lymantriidae) Synonym(s): *postalbata* Matsumura,1933 Range (in code): TW
- 54534. Euproctis postbicolor Rothschild,1915** (Lymantriidae) Synonym(s): *postbicolor* Rothschild,1915 Range (in code): ID Ij
- 54535. Euproctis postfusca Wileman,1917** (Lymantriidae) Synonym(s): *postfusca* Wileman,1917 Range (in code): TW
- 54536. Euproctis postgrisea Rothschild,1920** (Lymantriidae) Synonym(s): *postgrisea* Rothschild,1920 Range (in code): ID Sum
- 54537. Euproctis postincisa Moore,1879** (Lymantriidae) Synonym(s): *postincisa* Moore,1879 Range (in code): IN Ben
- 54538. Euproctis postnigra Swinhoe,1903** (Lymantriidae) Synonym(s): *postnigra* Swinhoe,1903 Range (in code): MY Bor
- 54539. Euproctis potamia (Collenette,1932)** (Lymantriidae) Synonym(s): *potamia* Collenette,1932 Range (in code): PG
- 54540. Euproctis praecurrens (Walker,1865)** (Lymantriidae) Synonym(s): *praecurrens* Walker,1865; *globifera* C.Felder & R.Felder,1868; *boleora* Swinhoe,1892; *boliosa* Swinhoe,1923 Range (in code): ID Clb MY Bor Swk
- 54541. Euproctis pratti Bethune-Baker,1904** (Lymantriidae) Synonym(s): *pratti* Bethune-Baker,1904 Range (in code): PG
- 54542. Euproctis producta Walker,1863** (Lymantriidae) Synonym(s): *producta* Walker,1863; *depauperata* Mabille,1880; *#ukamica* Strand,1912; *#pusillima* Strand,1912 Original Reference: *Euproctis producta* Walker,1863, Proc. zool. Soc. London 1863: 168. Type: Madagascar. Range (in code): ZA MG KM TZ
- 54543. Euproctis promittens (Walker,1865)** (Lymantriidae) Synonym(s): *promittens* Walker,1865 Range (in code): LK
- 54544. Euproctis protea (Collenette,1932)** (Lymantriidae) Synonym(s): *protea* Collenette,1932 Original Reference: *Porthesia protea* Collenette,1932, Novit. zool. 37 (2): 160, pl.1 fig.22. Holotype ♂: Solomon Isl., Nissan Island (A.F.Eichhorn). Range (in code): SB
- 54545. Euproctis psamma Collenette,1933** (Lymantriidae) Synonym(s): *psamma* Collenette,1933 Range (in code): ID Clb
- 54546. Euproctis pseudoconsersa Strand,1914** (Lymantriidae) Synonym(s): *consersa* Butler,1882 nec Feld.,1874; *#choka* Strand,1910; *pseudoconsersa* Strand,1914 Range (in code): JP
- 54547. Euproctis pterofera Strand,1914** (Lymantriidae) Synonym(s): *pygmaea* Matsumura,1912 nec Mre.,1879; *pterofera* Strand,1914 Range (in code): TW
- 54548. Euproctis pulchra Bethune-Baker,1908** (Lymantriidae) Synonym(s): *pulchra* Bethune-Baker,1908 Range (in code): PG
- 54549. Euproctis pulverea Leech,1888** (Lymantriidae) Synonym(s): *pulverea* Leech,1888 Range (in code): JP KP KR
- 54550. Euproctis pumilia Van Eecke,1928** (Lymantriidae) Synonym(s): *pumilia* Van Eecke,1928 Range (in code): ID Sum
- 54551. Euproctis punctatofasciata Van Eecke,1928** (Lymantriidae) Synonym(s): *punctatofasciata* Van Eecke,1928 Range (in code): ID Sum

- 54552. Euproctis punctifera (Walker,1855)** (Lymantriidae) Synonym(s): *punctifera* Walker,1855;
gaudens Walker,1865 _ Range (in code): ZA Nta Kzu Dbn Srn Umk
- 54553. Euproctis purpureofasciata Wileman,1914** (Lymantriidae) Synonym(s):
purpureofasciata Wileman,1914 _ Range (in code): TW
- 54554. Euproctis putilla Saalmüller,1884** (Lymantriidae) Synonym(s): *putilla* Saalmüller,1884
Range (in code): MG
- 54555. Euproctis putris M.Hering,1926** (Lymantriidae) Synonym(s): *putris* M.Hering,1926
Range (in code): TZ
- 54556. Euproctis pycnadelpha Lower,1913** (Lymantriidae) Synonym(s): *pycnadelpha* Lower,1913
Range (in code): AU SAu
- 54557. Euproctis pygmaea (Walker,1855)** (Lymantriidae) Synonym(s): *pygmaea* Walker,1855
Range (in code): SL
- 54558. Euproctis pygmaeola (Hulstaert,1924)** (Lymantriidae) Synonym(s): *pygmaeola*
Hulstaert,1924 _ Range (in code): ID Tnm
- 54559. Euproctis pyraustis (Meyrick,1891)** (Lymantriidae) Synonym(s): *pyraustis* Meyrick,1891;
scotochyta Turner,1902 _ Range (in code): AU QAU Cai
- 54560. Euproctis pyroxantha (Pagenstecher,1896)** (Lymantriidae) Synonym(s): *pyroxantha*
Pagenstecher,1896 _ Range (in code): ID Clb
- 54561. Euproctis quadrifascia Bethune-Baker,1911** (Lymantriidae) Synonym(s): *quadrifascia*
Bethune-Baker,1911 _ Range (in code): NG Lgo
- 54562. Euproctis radiata (Bethune-Baker,1908)** (Lymantriidae) Synonym(s): *radiata* Bethune-
Baker,1908 _ Range (in code): PG
- 54563. Euproctis rana Moore,1865** (Lymantriidae) Synonym(s): *rana* Moore,1865 _ Range (in
code): BD Syl
- 54564. Euproctis recraba Swinhoe,1903** (Lymantriidae) Synonym(s): *recraba* Swinhoe,1903
Range (in code): ID Ja
- 54565. Euproctis recurvata Leech,1899** (Lymantriidae) Synonym(s): *recurvata* Leech,1899
Range (in code): CN Ch MM
- 54566. Euproctis renifera Swinhoe,1895** (Lymantriidae) Synonym(s): *renifera* Swinhoe,1895
Range (in code): IN Ass Khs Meg
- 54567. Euproctis renominata Hampson,1892** (Lymantriidae) Synonym(s): *uniformis*
Hampson,1891 nec Mre.,1879; renominata Hampson,1892 _ Range (in code): IN NI
- 54568. Euproctis repanda Walker,1865** (Lymantriidae) Synonym(s): *repanda* Walker,1865
Range (in code): ID Clb
- 54569. Euproctis reutlingeri Holland,1893** (Lymantriidae) Synonym(s): *reutlingeri* Holland,1893
Range (in code):
- 54570. Euproctis revera Swinhoe,1904** (Lymantriidae) Synonym(s): *revera* Swinhoe,1904
Range (in code): PG
- 54571. Euproctis ridleyi Swinhoe,1906** (Lymantriidae) Synonym(s): *ridleyi* Swinhoe,1906
Range (in code): SG MY
- 54572. Euproctis riukiwana (Matsumura,1927)** (Lymantriidae) Synonym(s): *riukiwana*
Matsumura,1927 _ Range (in code): JP Ri
- 54573. Euproctis rivularis Gaede,1915** (Lymantriidae) Synonym(s): *rivularis* Gaede,1915
Range (in code): CM
- 54574. Euproctis rotunda (Holland,1893)** (Lymantriidae) Synonym(s): *rotunda* Holland,1893
Range (in code): ZR
- 54575. Euproctis ruanda Collenette,1933** (Lymantriidae) Synonym(s): *ruanda* Collenette,1933
Range (in code): RW
- 54576. Euproctis rubida Bethune-Baker,1910** (Lymantriidae) Synonym(s): *rubida* Bethune-
Baker,1910 _ Range (in code): ID Ij Afk
- 54577. Euproctis rubiginosa Snellen,1877** (Lymantriidae) Synonym(s): *rubiginosa* Snellen,1877
Range (in code): MY ID Ja
- 54578. Euproctis rubricosta Fawcett,1917** (Lymantriidae) Synonym(s): *rubricosta* Fawcett,1917
Range (in code): KE
- 54579. Euproctis rubroguttata Aurivillius,[1905]** (Lymantriidae) Synonym(s): *rubroguttata*
Aurivillius,[1905] _ Range (in code): CM GA

- 54580. Euproctis rubroradiata Bethune-Baker, 1904** (Lymantriidae) **Synonym(s):** *rubroradiata* Bethune-Baker, 1904 **Range (in code): PG**
- 54581. Euproctis rufiterga Hampson, 1910** (Lymantriidae) **Synonym(s):** *rufiterga* Hampson, 1910 **Range (in code): CI**
- 54582. Euproctis rufopunctata (Walker, 1862)** (Lymantriidae) **Synonym(s):** *rufopunctata* Walker, 1862; *#rufopuncta* Janse, 1915 **Range (in code): ZA Tva Mpu Brb Nta Kzu Dbn**
- 54583. Euproctis ruptata (Walker, 1862)** (Lymantriidae) **Synonym(s):** *ruptata* Walker, 1862 **Range (in code): MY Bor Swk**
- 54584. Euproctis sabulosa Heylaerts, 1892** (Lymantriidae) **Synonym(s):** *sabulosa* Heylaerts, 1892 **Range (in code): ID Ja**
- 54585. Euproctis sagroides Hampson, 1891** (Lymantriidae) **Synonym(s):** *sagroides* Hampson, 1891 **Range (in code): IN NI**
- 54586. Euproctis samarensis (Schultze, 1910)** (Lymantriidae) **Synonym(s):** *samarensis* Schultze, 1910 **Range (in code): PH Sam**
- 54587. Euproctis sanguigutta Hampson, 1905** (Lymantriidae) **Synonym(s):** *sanguigutta* Hampson, 1905 **Range (in code): ZA**
- 54588. Euproctis sarawacensis (Talbot, 1926)** (Lymantriidae) **Synonym(s):** *sarawacensis* Talbot, 1926 **Range (in code): MY Bor Swk**
- 54589. Euproctis sastra (Moore, 1859)** (Lymantriidae) **Synonym(s):** *sastra* Moore, 1859 **Range (in code): ID Ja**
- 54590. Euproctis schaliphora Collenette, 1936** (Lymantriidae) **Synonym(s):** *schaliphora* Collenette, 1936 **Original Reference:** *Euproctis schaliphora* Collenette, 1936, Ann. Mag. nat. Hist. (10) 17: 334, pl. 7 fig. 10. Holotype ♂: China: North Yunnan, Likiang (ZMB). **Range (in code): CN Yu Lik**
- 54591. Euproctis scintillans (Walker, 1856)** (Lymantriidae) **Synonym(s):** *scintillans* Walker, 1856; *justiciae* Moore, 1859; *moorei* Snellen, 1879; *limbata* Butler, 1881 **Original Reference:** *Somena scintillans* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1734. **Range (in code): PK Haz Mre Cte Mdy Sgl Swa Alp IN Ben SI Djl LK Pdy Dck Kndy ID Clb Ja SG MY Klu Pen TH Bnk VN Tda Ton**
- 54592. Euproctis scintillans scintillans (Walker, 1856)** (Lymantriidae) **Synonym(s):** *scintillans* Walker, 1856; *justiciae* Moore, 1859; *moorei* Snellen, 1879; *limbata* Butler, 1881 **Original Reference:** *Somena scintillans* Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1734. **Range (in code): PK Haz Mre Cte Mdy Sgl Swa Alp IN Ben SI Djl LK Pdy Dck Kndy ID Clb Ja SG MY Klu Pen TH Bnk VN Tda Ton**
- 54593. Euproctis seitzi Strand, 1910** (Lymantriidae) **Synonym(s):** *seitzi* Strand, 1910 **Range (in code): CN HK**
- 54594. Euproctis semifusca (Walker, 1869)** (Lymantriidae) **Synonym(s):** *semifusca* Walker, 1869; *irrorata* T.P. Lucas, 1892 nec Mr., 1859; *melambaphes* Turner, 1921 **Range (in code): AU**
- 54595. Euproctis seminigra Joicey, Noakes & Talbot, 1915** (Lymantriidae) **Synonym(s):** *seminigra* Joicey, Noakes & Talbot, 1915 **Range (in code): ID Ij Afl**
- 54596. Euproctis semirufa Joicey & Talbot, 1917** (Lymantriidae) **Synonym(s):** *semirufa* Joicey & Talbot, 1917 **Range (in code): ID Ij**
- 54597. Euproctis semisignata (Walker, 1865)** (Lymantriidae) **Synonym(s):** *semisignata* Walker, 1865; *citrina* Moore, 1877; *leithiana* Moore, 1879; *brevivitta* Moore, 1879; *erecta* Moore, 1879; *illanta* Swinhoe, 1891 **Original Reference:** *Cispia semisignata* Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 32: 356. **Range (in code): IN Poo Bba LK Pdy Ben TH Phr**
- 54598. Euproctis semivitta Moore, 1879** (Lymantriidae) **Synonym(s):** *semivitta* Moore, 1879 **Range (in code): IN Ass Meg Khs**
- 54599. Euproctis semperiana Bryk, 1934** (Lymantriidae) **Synonym(s):** *nigra* Semper, 1899 nec Holl., 1893; *semperiana* Bryk, 1934 **Range (in code): PH Pao**
- 54600. Euproctis sericaria Tams, 1924** (Lymantriidae) **Synonym(s):** *sericaria* Tams, 1924 **Range (in code): KE**
- 54601. Euproctis sericea (Wileman, 1910)** (Lymantriidae) **Synonym(s):** *sericea* Wileman, 1910; *formosicola* Matsumura, 1927; *fuscinervis* Matsumura, 1927 **Range (in code): TW**
- 54602. Euproctis servilis Walker, 1865** (Lymantriidae) **Synonym(s):** *servilis* Walker, 1865; *prima* Walker, 1866; *incompta* Snellen, 1879; *nurma* Druce, 1899; *#cinerea* Heylaerts, 1892 **Range (in code): ID Ja Shw Clb**
- 54603. Euproctis sexmacula Swinhoe, 1903** (Lymantriidae) **Synonym(s):** *sexmacula* Swinhoe, 1903; *#neolella* Strand, 1918; *#neobella* Strand, 1918 **Range (in code): MY Bor Sbh Kba**

- 54604. Euproctis shirakii Matsumura, 1927** (Lymantriidae) Synonym(s): *lutea* Matsumura, 1911 nec Fabr., 1775; *shirakii* Matsumura, 1927 _ Range (in code): TW
- 54605. Euproctis shironis Matsumura, 1933** (Lymantriidae) Synonym(s): *shironis* Matsumura, 1933 _ Range (in code): TW
- 54606. Euproctis sibulana Semper, 1899** (Lymantriidae) Synonym(s): *sibulana* Semper, 1899 _ Range (in code): PH Mno
- 54607. Euproctis signata (Blanchard, 1844)** (Lymantriidae) Synonym(s): *signata* Blanchard, 1844 _ Range (in code): AF Bd Ch
- 54608. Euproctis signiplaga (Walker, 1862)** (Lymantriidae) Synonym(s): *signiplaga* Walker, 1862 _ Range (in code): MY Bor Swk
- 54609. Euproctis similis (Fuessly, 1775)** (Lymantriidae) Synonym(s): *similis* Fuessly, 1775; *auriflua* [Denis & Schiffermüller], 1775; *cygnea* Thunberg, 1788; *rebeli* Haberhauer, 1902. _ Original Reference: Phalaena similis Fuessly, 1775, Verz. Schweiz. Ins.: 35. Type(s): Schweiz. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Mng Lag Len AZ Cc DK NO SE FI EE LV LT RU MD UA BY IR AF JP
- 54610. Euproctis similis (Moore, 1859)** (Lymantriidae) Synonym(s): *similis* Moore, 1859 nec Fuesly, 1775 _ Range (in code): SG MY ID Ja
- 54611. Euproctis simplex Wileman, 1911** (Lymantriidae) Synonym(s): *simplex* Wileman, 1911 _ Range (in code): TW
- 54612. Euproctis singapura (Swinhoe, 1892)** (Lymantriidae) Synonym(s): *singapura* Swinhoe, 1892 _ Range (in code): MY SG VN Ton Tda
- 54613. Euproctis siribana Semper, 1899** (Lymantriidae) Synonym(s): *siribana* Semper, 1899 _ Range (in code): PH Mno
- 54614. Euproctis sjoestedti Aurivillius, 1904** (Lymantriidae) Synonym(s): *sjoestedti* Aurivillius, 1904; *#sjoestedti* Collenette, 1933 _ Range (in code): CM
- 54615. Euproctis solitaria Van Eecke, 1928** (Lymantriidae) Synonym(s): *solitaria* Van Eecke, 1928 _ Range (in code): ID Sum MY
- 54616. Euproctis sparsa Wileman, 1910** (Lymantriidae) Synonym(s): *sparsa* Wileman, 1910 _ Range (in code): TW
- 54617. Euproctis staudingeri (Leech, 1889)** (Lymantriidae) Synonym(s): *staudingeri* Leech, 1889 _ Range (in code): JP
- 54618. Euproctis stenomorpha Turner, 1921** (Lymantriidae) Synonym(s): *stenomorpha* Turner, 1921 _ Range (in code): AU NAu Dwn
- 54619. Euproctis stenopa Collenette, 1932** (Lymantriidae) Synonym(s): *stenopa* Collenette, 1932 _ Range (in code): MY Klu Pah
- 54620. Euproctis stenoptera (Collenette, 1932)** (Lymantriidae) Synonym(s): *stenoptera* Collenette, 1932 _ Range (in code): SB
- 54621. Euproctis stigmatifera (Hampson, 1896)** (Lymantriidae) Synonym(s): *stigmatifera* Hampson, 1896 _ Range (in code): IN BT
- 54622. Euproctis stirasta (Swinhoe, 1903)** (Lymantriidae) Synonym(s): *stirasta* Swinhoe, 1903 _ Range (in code): MM Shn
- 54623. Euproctis stramenta Bethune-Baker, 1908** (Lymantriidae) Synonym(s): *stramenta* Bethune-Baker, 1908 _ Range (in code): PG
- 54624. Euproctis straminea Leech, 1899** (Lymantriidae) Synonym(s): *straminea* Leech, 1899 _ Range (in code): CN Sz
- 54625. Euproctis straminicolor Janse, 1915** (Lymantriidae) Synonym(s): *straminicolor* Janse, 1915 _ Range (in code): ZA Gau Pre Tva Lpo Spb
- 54626. Euproctis striata Wileman, 1910** (Lymantriidae) Synonym(s): *striata* Wileman, 1910 _ Range (in code): TW
- 54627. Euproctis strigifimbria (Walker, 1862)** (Lymantriidae) Synonym(s): *strigifimbria* Walker, 1862; *fracta* Walker, 1865 _ Range (in code): MY Bor Swk
- 54628. Euproctis subalba (Janse, 1915)** (Lymantriidae) Synonym(s): *subalba* Janse, 1915 _ Range (in code): ZA Nha Stj Ec Nta Kzu
- 54629. Euproctis subfasciata (Walker, 1865)** (Lymantriidae) Synonym(s): *subfasciata* Walker, 1865; *trifasciata* Moore, 1879 _ Range (in code): IN Ass NI SI VN Ton
- 54630. Euproctis subflava (Bremer, 1864)** (Lymantriidae) Synonym(s): *flava* Bremer, 1861 nec Fabr., 1775; *subflava* (Bremer, 1864) _ Range (in code): RU Sb Us KP KR CN JP

- 54631. *Euproctis subflava intensa* (Butler,1877)** (Lymantriidae) **Synonym(s):** *intensa* Butler,1877 **Range (in code):** **JP**
- 54632. *Euproctis subfuscula* Hampson,1891** (Lymantriidae) **Synonym(s):** *subfuscula* Hampson,1891 **Range (in code):** **IN NI VN D-I**
- 54633. *Euproctis sublutea* Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *sublutea* Bethune-Baker,1904 **Range (in code):** **PG**
- 54634. *Euproctis submarginata* (Walker,1865)** (Lymantriidae) **Synonym(s):** *submarginata* Walker,1865 **Range (in code):** **ID Clb**
- 54635. *Euproctis subnobilis* (Snellen,1881)** (Lymantriidae) **Synonym(s):** *subnobilis* Snellen,1881; *simulans* Butler,1884; *erycides* Turner,1904; *#aruana* Strand,1918; *#lincea* Strand,1918 **Range (in code):** **AU QAU ID Aru Amb Kai**
- 54636. *Euproctis subnotata* (Walker,1865)** (Lymantriidae) **Synonym(s):** *subnotata* Walker,1865; *polydorus* Schintlmeister,1994 **Original Reference:** Orvasca subnotata Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 502. **Range (in code):** **VN Ton Tda Pha Hlg Han TH CRa Knc CMa CDo MY Bor ID Sum** **Bionomy:** Larva on Anacardium, Mangifera (Anacardiaceae), Cycas (Cycadaceae), Hevea (Euphorbiaceae), Acacia, Sesbania (Fabaceae), Areca (Palmae), Citrus (Rutaceae), Litchi, Nephelium (Sapindaceae), Sonneratia (Sonneratiaceae), Theobroma (Sterculiaceae), Zizyphus (Rhamnaceae) (Sevastopulo,1940 et seq.).
- 54637. *Euproctis subpunctata* (Bethune-Baker,1911)** (Lymantriidae) **Synonym(s):** *subpunctata* Bethune-Baker,1911 **Range (in code):**
- 54638. *Euproctis subrana* (Moore,1859)** (Lymantriidae) **Synonym(s):** *subrana* Moore,1859 **Range (in code):** **SG Ja ID MY**
- 54639. *Euproctis sulphurescens* (Moore,1888)** (Lymantriidae) **Synonym(s):** *sulphurescens* Moore,1888 **Range (in code):** **SI IN Hp Kgr Vn Ton**
- 54640. *Euproctis sundara* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *sundara* Swinhoe,1903 **Original Reference:** *Euproctis sundara* Swinhoe,1903, Trans. ent. Soc. London 1903: 403-404. Type ♂: Uganda, Katesa, British East Africa (Betton) (BMNH). **Range (in code):** **UG**
- 54641. *Euproctis swinhoei* Bethune-Baker,1904** (Lymantriidae) **Synonym(s):** *swinhoei* Bethune-Baker,1904 **Range (in code):** **PG**
- 54642. *Euproctis tabida* (M.Hering,1926)** (Lymantriidae) **Synonym(s):** *tabida* M.Hering,1926 **Range (in code):**
- 54643. *Euproctis taiwana* (Shiraki,1913)** (Lymantriidae) **Synonym(s):** *taiwana* Shiraki,1913 **Range (in code):** **TW**
- 54644. *Euproctis talesea* Collenette,1932** (Lymantriidae) **Synonym(s):** *talesea* Collenette,1932 **Range (in code):** **PG Bsm**
- 54645. *Euproctis tamahonis* Matsumura,1927** (Lymantriidae) **Synonym(s):** *tamahonis* Matsumura,1927 **Range (in code):** **TW**
- 54646. *Euproctis tamsi* Collenette,1932** (Lymantriidae) **Synonym(s):** *tamsi* Collenette,1932 **Range (in code):** **MY**
- 54647. *Euproctis tanaocera* Collenette,1939** (Lymantriidae) **Synonym(s):** *tanaocera* Collenette,1939 **Original Reference:** *Euproctis tanaocera* Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 331, pl.12 fig.13. Holotype ♂: [China]: Moupin. **Range (in code):** **CN Mou**
- 54648. *Euproctis taylori* Collenette,1953** (Lymantriidae) **Synonym(s):** *taylori* Collenette,1953 **Range (in code):** **UG Etb Kmp**
- 54649. *Euproctis telephanes* Collenette,1939** (Lymantriidae) **Synonym(s):** *telephanes* Collenette,1939 **Original Reference:** *Euproctis telephanes* Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 335, pl.12 fig.5,17. Holotype ♂: [China]: Kiang-su, Nanking (BMNH). **Range (in code):** **CN Kgs**
- 54650. *Euproctis tenuis* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *tenuis* Swinhoe,1903 **Range (in code):** **ID Sbw**
- 54651. *Euproctis terminalis* (Walker,1855)** (Lymantriidae) **Synonym(s):** *terminalis* Walker,1855; *mesozona* Hampson,1905 **Range (in code):** **ZA Tva Lpo Spb Lj Wca Cto Grh Ec**
- 54652. *Euproctis tessmanni* M.Hering,1926** (Lymantriidae) **Synonym(s):** *tessmanni* M.Hering,1926 **Range (in code):** **GO Bio**
- 54653. *Euproctis tetrabalia* Collenette,1930** (Lymantriidae) **Synonym(s):** *tetrabalia* Collenette,1930 **Range (in code):** **ID Ij**

- 54654. Euproctis tetrachroma De Joannis,1929** (Lymantriidae) Synonym(s): *tetrachroma* De Joannis,1929 _ Range (in code): VN Ton
- 54655. Euproctis titania Butler,1879** (Lymantriidae) Synonym(s): *titania* Butler,1879 _ Range (in code): MG
- 54656. Euproctis tonkinensis Strand,1918** (Lymantriidae) Synonym(s): *tonkinensis* Strand,1918 Range (in code): VN Ton
- 54657. Euproctis torasan (Holland,1889)** (Lymantriidae) Synonym(s): *torasan* Holland,1889 Range (in code): JP
- 54658. Euproctis transversa (Moore,1859)** (Lymantriidae) Synonym(s): *transversa* Moore,1859; *humida* Swinhoe,1906 _ Range (in code): SG MY ID Sum Ja
- 54659. Euproctis tridens Collenette,1939** (Lymantriidae) Synonym(s): *tridens* Collenette,1939 Original Reference: Euproctis tridens Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 334, pl.12 fig.7. Holotype ♂: [China]: N.Yunnan: A-tun-tse (coll. Höne). Range (in code): CN Ats Yu
- 54660. Euproctis trispila (Turner,1921)** (Lymantriidae) Synonym(s): *trispila* Turner,1921 Range (in code): AU QAU Kda
- 54661. Euproctis tristicta Collenette,1939** (Lymantriidae) Synonym(s): *tristicta* Collenette,1939 Original Reference: Euproctis tristicta Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 334-335, pl.12 fig.9. Holotype ♂: [Vietnam]: Upper Tonkin, Muong-Kuong, Prov. Laokay. Range (in code): VN Ton
- 54662. Euproctis tsingtauca (Strand,1910)** (Lymantriidae) Synonym(s): *tsingtauca* Strand,1910 Range (in code): CN
- 54663. Euproctis turificator Collenette,1931** (Lymantriidae) Synonym(s): *turificator* Collenette,1931 _ Range (in code): RW
- 54664. Euproctis uchidae (Matsumura,1927)** (Lymantriidae) Synonym(s): *uchidae* Matsumura,1927; *uchidai* Matsumura,1931 _ Range (in code): TW
- 54665. Euproctis ugandicola Strand,1911** (Lymantriidae) Synonym(s): *ugandicola* Strand,1911 Range (in code): UG
- 54666. Euproctis unifascia Wileman,1910** (Lymantriidae) Synonym(s): *unifascia* Wileman,1910; *#tainana* Strand,1918 _ Range (in code): TW
- 54667. Euproctis uniformis (Moore,1879)** (Lymantriidae) Synonym(s): *uniformis* Moore,1879 Range (in code): SI IN Djl MM Peg
- 54668. Euproctis unipuncta Leech,1899** (Lymantriidae) Synonym(s): *unipuncta* Leech,1899; *#unipunctata* Swinhoe,1903; *chinensis* Swinhoe,1922 _ Range (in code): CN
- 54669. Euproctis unipunctapex Shiraki,1913** (Lymantriidae) Synonym(s): *unipunctapex* Shiraki,1913 _ Range (in code): TW
- 54670. Euproctis urbis Strand,1925** (Lymantriidae) Synonym(s): *urbis* Strand,1925 _ Range (in code): AU
- 54671. Euproctis urocoma (Strand,1914)** (Lymantriidae) Synonym(s): *urocoma* Strand,1914 Range (in code): TW
- 54672. Euproctis usta Lucas,1901** (Lymantriidae) Synonym(s): *usta* Lucas,1901 _ Range (in code): AU QAU
- 54673. Euproctis usukia Matsumura,1933** (Lymantriidae) Synonym(s): *usukia* Matsumura,1933 Range (in code): TW
- 54674. Euproctis utilis Swinhoe,1903** (Lymantriidae) Synonym(s): *utilis* Swinhoe,1903 Range (in code): NG
- 54675. Euproctis vagans (M.Hering,1926)** (Lymantriidae) Synonym(s): *vagans* M.Hering,1926 Range (in code): CM
- 54676. Euproctis vanroesseli (Hulstaert,1924)** (Lymantriidae) Synonym(s): *vanroesseli* Hulstaert,1924 _ Range (in code): PG
- 54677. Euproctis varia Walker,1855** (Lymantriidae) Synonym(s): *varia* Walker,1855; *siccimana* Strand,1915 _ Range (in code): IN SI CN Yu Lik
- 54678. Euproctis varians (Walker,1855)** (Lymantriidae) Synonym(s): *variens* Walker,1855; *pygmaea* Moore,1879; *pusilla* Moore,1883 Original Reference: Artaxa varians Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 796. Range (in code): LK Pdy Tcm IN AF Srb PK Cp VN Tda TH Srr Cbu Phr TW CN MY ID Clb
- 54679. Euproctis variegata Moore,1879** (Lymantriidae) Synonym(s): *variegata* Moore,1879 Range (in code): SI Djl IN

- 54680. Euproctis venosa (Moore,1879)** (Lymantriidae) Synonym(s): *venosa* Moore,1879
Range (in code): **SI IN MM Tns**
- 54681. Euproctis vertiginosa Van Eecke,1928** (Lymantriidae) Synonym(s): *vertiginosa* Van Eecke,1928 _ Range (in code): **ID Sum Ja**
- 54682. Euproctis veto Schintlmeister,1987** (Lymantriidae) Synonym(s): *veto* Schintlmeister,1987
Range (in code): **VN Pha LK IN**
- 54683. Euproctis virginea Bethune-Baker,1904** (Lymantriidae) Synonym(s): *virginea* Bethune-Baker,1904 _ Range (in code): **PG ID Bru**
- 54684. Euproctis virginea buruensis Collenette,1932** (Lymantriidae) Synonym(s): *buruensis* Collenette,1932 _ Range (in code): **ID Bru**
- 54685. Euproctis virgo Swinhoe,1903** (Lymantriidae) Synonym(s): *virgo* Swinhoe,1903
Original Reference: Euproctis virgo Swinhoe,1903, Trans. ent. Soc. London 1903: 398. Type: [Myanmar]; Upper Burma: Mandalang. Range (in code): **MM Rgo Mdl TH Bnk**
- 54686. Euproctis virguncula Walker,1855** (Lymantriidae) Synonym(s): *virguncula* Walker,1855; *marginalis* Walker,1856; *javanica* Strand,1915
Original Reference: Euproctis virguncula Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 836. Range (in code): **ID Ja Sum TW IN Adm PH VN Pha TH Bnk**
- 54687. Euproctis vitellina (Kollar,[1844])** (Lymantriidae) Synonym(s): *vitellina* Kollar,[1844]; *gamma* Walker,1856; *princeps* Walker,1865; *comparata* Walker,1865
Original Reference: Liparis vitellina Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 471. Type: Kaschmir. Range (in code): **PK Haz Mre Swa Alp IN Hp**
- 54688. Euproctis wilemani Collenette,1929** (Lymantriidae) Synonym(s): *wilemani* Collenette,1929 _ Range (in code): **PH Luz**
- 54689. Euproctis xanthocampa (Dyar,1905)** (Lymantriidae) Synonym(s): *xanthocampa* Dyar,1905 _ Range (in code): **JP**
- 54690. Euproctis xanthocephus Hampson,1910** (Lymantriidae) Synonym(s): *xanthocephus* Hampson,1910
Original Reference: Euproctis xanthocephus Hampson,1910, J. Bombay nat. Hist. Soc. 20 (1): 113, pl.F fig.31. Type: Ceylon. Range (in code): **LK**
- 54691. Euproctis xanthomela Walker,1862** (Lymantriidae) Synonym(s): *xanthomela* Walker,1862 _ Range (in code): **MY Bor Swk**
- 54692. Euproctis xanthomelaena (Holland,1893)** (Lymantriidae) Synonym(s): *xanthomelaena* Holland,1893 _ Range (in code): **ZR**
- 54693. Euproctis xanthopera Hampson,1897** (Lymantriidae) Synonym(s): *xanthopera* Hampson,1897 _ Range (in code): **IN Meg Ass Khs**
- 54694. Euproctis xanthorrhoea (Kollar,[1844])** (Lymantriidae) Synonym(s): *xanthorrhoea* Kollar,[1844]; *subnigra* Moore,1879; *subdita* Moore,1879; *flavonigra* Moore,1879
Original Reference: Liparis xanthorrhoea Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 470. Type: Kaschmir. Range (in code): **PK Nwf Pes Cp Kba Abb NP Ch IN Hp Sml LK Pdy Pj Ass Khs Meg Cpj**
- 54695. Euproctis xanthosoma Hampson,1910** (Lymantriidae) Synonym(s): *xanthosoma* Hampson,1910 _ Range (in code): **SD**
- 54696. Euproctis xanthosticta Hampson,1905** (Lymantriidae) Synonym(s): *xanthosticta* Hampson,1905 _ Range (in code): **IN Bba**
- 54697. Euproctis xanthura Swinhoe,1907** (Lymantriidae) Synonym(s): *xanthura* Swinhoe,1907
Range (in code): **ID Sum**
- 54698. Euproctis xutha Bethune-Baker,1908** (Lymantriidae) Synonym(s): *xutha* Bethune-Baker,1908 _ Range (in code): **PG**
- 54699. Euproctis xuthocloea Collenette,1932** (Lymantriidae) Synonym(s): *xuthocloea* Collenette,1932 _ Range (in code): **PG**
- 54700. Euproctis xuthoptera (Turner,1920)** (Lymantriidae) Synonym(s): *xuthoptera* Turner,1920 _ Range (in code): **AU QAU Kda**
- 54701. Euproctis xuthosterna (Turner,1924)** (Lymantriidae) Synonym(s): *xuthosterna* Turner,1924 _ Range (in code): **AU QAU**
- 54702. Euproctis yulei Bethune-Baker,1904** (Lymantriidae) Synonym(s): *yulei* Bethune-Baker,1904 _ Range (in code): **PG**
- 54703. Euproctis yunnana Collenette,1939** (Lymantriidae) Synonym(s): *yunnana* Collenette,1939
Original Reference: Euproctis yunnana Collenette,1939, Ann. Mag. nat. Hist. 11 (4): 330-331, pl.12 fig.6. Holotype ♂: [China]: W. Yunnan, Teng-yueh-ting (BMNH). Range (in code): **CN Yu**

- 54704. Euproctis zebae (Moore,1859)** (Lymantriidae) Synonym(s): *zeboe* Moore,1859 _ Range (in code): ID Ja
- 54705. Euproctoides ertli Wichgraf,1921** (Lymantriidae) Synonym(s): *ertli* Wichgraf,1921 _ Range (in code): ZA
- 54706. Euproctoides miniata Bethune-Baker,1911** (Lymantriidae) Synonym(s): *miniata* Bethune-Baker,1911 _ Range (in code): AO
- 54707. Euzora clara (Walker,1864)** (Lymantriidae) Synonym(s): *clara* Walker,1864 _ Range (in code): CN HK SI IN
- 54708. Euzora collucens (T.P.Lucas,1890)** (Lymantriidae) Synonym(s): *collucens* T.P.Lucas,1890 _ Range (in code): AU QAU Bri
- 54709. Euzora costalis (Moore,1879)** (Lymantriidae) Synonym(s): *costalis* Moore,1879 _ Range (in code): SI IN Djl CN Yu Lik
- 54710. Euzora dinawa (Bethune-Baker,1904)** (Lymantriidae) Synonym(s): *dinawa* Bethune-Baker,1904 _ Range (in code): PG
- 54711. Euzora impressa (Snellen,1877)** (Lymantriidae) Synonym(s): *impressa* Snellen,1877 _ Range (in code): MY Bor ID Ja Amb Sum PG Fg
- 54712. Euzora kebea (Bethune-Baker,1908)** (Lymantriidae) Synonym(s): *kebea* Bethune-Baker,1908 _ Range (in code): PG
- 54713. Euzora ochripes (Moore,1879)** (Lymantriidae) Synonym(s): *ochripes* Moore,1879; *semihyalina* Swinhoe,1895 nec Hamps. _ Range (in code): SI IN Djl Ass Nag MM Mm CN Sz
- 54714. Euzora sericea (Moore,1879)** (Lymantriidae) Synonym(s): *sericea* Moore,1879 _ Range (in code): CN Ti Ch SI IN
- 54715. Grammoa striata Aurivillius,[1905]** (Lymantriidae) Synonym(s): *striata* Aurivillius,[1905] _ Original Reference: Grammoa striata Aurivillius,[1905], Ark. Zool. 2 (4): 51, fig.36. Type: Kamerun. Range (in code): CM
- 54716. Griveaudyria cangia (Druce,1887)** (Lymantriidae) Synonym(s): *cangia* Druce,1887 _ Range (in code): ZA
- 54717. Griveaudyria ila (Swinhoe,1904)** (Lymantriidae) Synonym(s): *ila* Swinhoe,1904 _ Range (in code): ZA
- 54718. Gynaephora anthora (Felder,1874)** (Lymantriidae) Synonym(s): *anthora* Felder,1874 _ Range (in code): ZA
- 54719. Gynaephora difficilis Walker,1865** (Lymantriidae) Synonym(s): *difficilis* Walker,1865 _ Range (in code): ZA Nta Kzu Dbn
- 54720. Gynaephora discalis Walker,1855** (Lymantriidae) Synonym(s): *discalis* Walker,1855; *hypoxantha* Wallengren,1863; *ochraceata* Walker,1865; *signata* Walker,1865 _ Range (in code): ZA Tva Lpo Wo Wv Mpu Tst Brb Nha Mll Srn Nta Kzu Dbn Umk Ngg Tra Ec Stj ZW
- 54721. Gynaephora melanoleuca Hampson,1905** (Lymantriidae) Synonym(s): *melanoleuca* Hampson,1905 _ Range (in code): ZA
- 54722. Gynaephora quadrimaculata (Janse,1915)** (Lymantriidae) Synonym(s): *quadrimaculata* Janse,1915 _ Range (in code): ZW
- 54723. Gynaephora selenitica (Esper,[1789])** (Lymantriidae) Synonym(s): *paradoxa* Fabricius,1787 nec Retz.,1783; *selenitica* Esper,[1789]; *lathyri* Hübner,[1803]. _ Range (in code): FR DE AT PL SK RO FI EE LV LT RU MD UA BY
- 54724. Habrophylla euryzona (Lower,1902)** (Lymantriidae) Synonym(s): *euryzona* Lower,1902; *eurygona* Swinhoe,1922 _ Range (in code): AU QAU
- 54725. Habrophylla pycnadelpha (Lower,1903)** (Lymantriidae) Synonym(s): *pycnadelpha* Lower,1903 _ Range (in code): AU
- 54726. Habrophylla retinopepla (Lower,1905)** (Lymantriidae) Synonym(s): *retinopepla* Lower,1905 _ Range (in code): AU
- 54727. Hemerocampa vetusta Boisduval,1852** (Lymantriidae) Synonym(s): *vetusta* Boisduval,1852; *gulosa* H.Edwards,1881 _ Range (in code): US
- 54728. Hemerophanes diatoma (M.Hering,1926)** (Lymantriidae) Synonym(s): *diatoma* M.Hering,1926 _ Range (in code): ZA
- 54729. Hemerophanes libyra (Druce,1896)** (Lymantriidae) Synonym(s): *libyra* Druce,1896 _ Range (in code): TZ Dss ZA Lpo Tva Spb Mdk Mpu Brb Wo
- 54730. Hemerophanes libyra flammeola (Distant,1897)** (Lymantriidae) Synonym(s): *flammeola* Distant,1897; *ianthina* Janse,1915 _ Range (in code): ZA Lpo Tva Spb Mdk Ly Mpu Brb Wo

- 54731. Heptaptosis perelegans (Aurivillius,1925)** (Lymantriidae) Synonym(s): *perelegans* Aurivillius,1925; *joiceyi* Talbot,1929 _ Range (in code): ST
- 54732. Heracula discivitta Moore,1865** (Lymantriidae) Synonym(s): *discivitta* Moore,1865 _ Range (in code): IN SI
- 54733. Heteronygmia chismona Swinhoe,1903** (Lymantriidae) Synonym(s): *chismona* Swinhoe,1903 _ Range (in code): CI
- 54734. Heteronygmia dissimilis Aurivillius,1910** (Lymantriidae) Synonym(s): *dissimilis* Aurivillius,1910; *leucogyna* Hampson,1910; *#rufescens* M.Hering,1926 _ Range (in code): ZA ZW TZ
- 54735. Heteronygmia flavescens Holland,1893** (Lymantriidae) Synonym(s): *flavescens* Holland,1893 _ Range (in code): TG CM
- 54736. Heteronygmia manicata (Aurivillius,1892)** (Lymantriidae) Synonym(s): *manicata* Aurivillius,1892; *rhodapicata* Holland,1893 _ Range (in code): CM SL GA NG
- 54737. Heteronygmia strigitorna Hampson,1910** (Lymantriidae) Synonym(s): *strigitorna* Hampson,1910 _ Range (in code): ZR
- 54738. Himala argentea (Walker,1855)** (Lymantriidae) Synonym(s): *argentea* Walker,1855; *ilita* Moore,1859 _ Original Reference: Redoa argentea Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 827. Type ♂: India: Kangra. Range (in code): IN Hp Kgr Ddu Ass SI Djl TH CMA CDo
- 54739. Homochira rendalli (Distant,1897)** (Lymantriidae) Synonym(s): *rendalli* Distant,1897 _ Range (in code): ZA Tva Lpo Spb Gau Pre Wv Mpu Tst Dbn Umk
- 54740. Homoeomeria flavicapilla (Wallengren,1860)** (Lymantriidae) Synonym(s): *flavicapilla* Wallengren,1860 _ Range (in code): ZA
- 54741. Homoeomeria nivea Aurivillius,1910** (Lymantriidae) Synonym(s): *nivea* Aurivillius,1910 _ Range (in code): ZA
- 54742. Hyaloperina abyssinica M.Hering,1926** (Lymantriidae) Synonym(s): *abyssinica* M.Hering,1926 _ Range (in code): ET
- 54743. Hyaloperina erythroma Collenette,1960** (Lymantriidae) Synonym(s): *erythroma* Collenette,1960 _ Range (in code): TZ
- 54744. Hyaloperina nudiuscula Aurivillius,[1905]** (Lymantriidae) Synonym(s): *nudiuscula* Aurivillius,[1905] _ Range (in code): ZR
- 54745. Hyaloperina privata M.Hering,1926** (Lymantriidae) Synonym(s): *privata* M.Hering,1926 _ Range (in code):
- 54746. Hyaloperina vitrina M.Hering,1926** (Lymantriidae) Synonym(s): *vitrina* M.Hering,1926 _ Range (in code): MW
- 54747. Icta fulviceps Walker,1855** (Lymantriidae) Synonym(s): *fulviceps* Walker,1855 _ Range (in code): AU
- 54748. Icta tanaopsis Turner,1921** (Lymantriidae) Synonym(s): *tanaopsis* Turner,1921 _ Range (in code): AU
- 54749. Ilema altichalana Holloway,1999** (Lymantriidae) Synonym(s): *altichalana* Holloway,1999 _ Range (in code): MY Bor Sbh KBa
- 54750. Ilema baruna (Moore,[1860])** (Lymantriidae) Synonym(s): *baruna* Moore,[1860] _ Range (in code): ID Sum Ja MY Bor
- 54751. Ilema chalana (Moore,[1860])** (Lymantriidae) Synonym(s): *chalana* Moore,[1860] _ Range (in code): ID Ja Sum MY Bor
- 54752. Ilema chalana chalanoides Schintlmeister,1994** (Lymantriidae) Synonym(s): *chalanoides* Schintlmeister,1994 _ Range (in code): ID Sum
- 54753. Ilema chloroptera (Hampson,1892)** (Lymantriidae) Synonym(s): *chloroptera* Hampson,1892 _ Range (in code): VN Ton Tda
- 54754. Ilema costiplaga (Walker,1862)** (Lymantriidae) Synonym(s): *costiplaga* Walker,1862 _ Range (in code): MY Bor Swk ID Sum
- 54755. Ilema montanata Holloway,1982** (Lymantriidae) Synonym(s): *montanata* Holloway,1982 _ Range (in code): ID Sum MY Bor Sbh KBa
- 54756. Ilema nachiensis (Marumo,1917)** (Lymantriidae) Synonym(s): *nachiensis* Marumo,1917; *trimacula* Scriba,1919; *flava* Matsumura,1921 nec Holl.,1893; *citrinella* Matsumura,1927; *kagina* Matsumura,1927; *junki* Bryk,1934 _ Range (in code): JP TW
- 54757. Ilema petrilinnaea (Bryk,1934)** (Lymantriidae) Synonym(s): *viridis* Druce,1899; *petrilinnaea* Bryk,1934 _ Range (in code): MY Bor

- 54758. *Ilema preangerensis* (Heylaerts,1892)** (Lymantriidae) Synonym(s): *preangerensis* Heylaerts,1892; *melanochlora* Hampson,1895 _ Range (in code): **IN BT ID Ja Sum MY Bor Sbh KBa**
Bionomy: Larva on Dendrobium (Orchidaceae) (Holloway,1999).
- 54759. *Ilema vaneeckeii* (Collenette,1932)** (Lymantriidae) Synonym(s): *vaneeckeii* Collenette,1932; *callima* Collenette,1932; *#vaneeckii* Holloway,1976 _ Original Reference: *Dasychira vaneeckeii* Collenette,1932, Novit. zool. 38: 86. Range (in code): **MY Bor ID Sum TH CMa CDo**
- 54760. *Ilema viridis* (Druce,1899)** (Lymantriidae) Synonym(s): *viridis* Druce,1899; *petrilinnaea* Bryk,1935 _ Original Reference: *Dasychira viridis* Druce,1899, Ann. Mag. nat. Hist. (7) 3: 470. Type: Malaysia, Perak. Range (in code): **MY Prk**
- 54761. *Imaus apalochroa* Collenette,1930** (Lymantriidae) Synonym(s): *apalochroa* Collenette,1930 _ Range (in code): **ID Ij**
- 54762. *Imaus basistriga* Joicey & Talbot,1917** (Lymantriidae) Synonym(s): *basistriga* Joicey & Talbot,1917 _ Range (in code): **PG**
- 54763. *Imaus cinnamomina* Rothschild,1915** (Lymantriidae) Synonym(s): *cinnamomina* Rothschild,1915 _ Range (in code): **ID Ij**
- 54764. *Imaus dubia* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *dubia* Bethune-Baker,1904 Range (in code): **PG**
- 54765. *Imaus lata* Holland,1893** (Lymantriidae) Synonym(s): *lata* Holland,1893 _ Range (in code): **CM**
- 54766. *Imaus malgassica* Kenrick,1913** (Lymantriidae) Synonym(s): *malgassica* Kenrick,1913 Range (in code): **MG**
- 54767. *Imaus munda* (Walker,1855)** (Lymantriidae) Synonym(s): *munda* Walker,1855; *collenettei* Toxopeus,1948 _ Original Reference: *Lymantria munda* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 875. Range (in code): **SI IN BD Syl MY BN Bor TH CMa Cuo Cuo5 CDo CD2 ID Ja**
- 54768. *Imaus nepha* Joicey & Talbot,1917** (Lymantriidae) Synonym(s): *nepha* Joicey & Talbot,1917; *nepcha* Swinhoe,1923 _ Range (in code): **ID Ij PG**
- 54769. *Imaus niveus* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *niveus* Bethune-Baker,1904; *aroa* Bethune-Baker,1904 _ Range (in code): **PG**
- 54770. *Imaus pratti* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *pratti* Bethune-Baker,1904 Range (in code): **PG**
- 54771. *Imaus spodea* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *spodea* Bethune-Baker,1904 _ Range (in code): **PG**
- 54772. *Imaus sulphurea* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *sulphurea* Bethune-Baker,1904 _ Range (in code): **PG**
- 54773. *Kanchia subvitrea* (Walker,1865)** (Lymantriidae) Synonym(s): *subvitrea* Walker,1865 Range (in code): **TW CN HK VN Ton LK IN Ben**
- 54774. *Konokarecha daisetsuzana* Matsumura,1927** (Lymantriidae) Synonym(s): *daisetsuzana* Matsumura,1927; *relictus* Gaede,1932 _ Range (in code): **JP Hkk**
- 54775. *Lachana ladakensis* Moore,1888** (Lymantriidae) Synonym(s): *ladakensis* Moore,1888 Original Reference: *Lachana ladakensis* Moore,1888, Proc. zool. Soc. London 1888: 398. Type ♂: Ladak (BMNH). Range (in code): **AF Bd Ld**
- 54776. *Lacipa ? sarcistoides* M.Hering,1926** (Lymantriidae) Synonym(s): *sarcistoides* M.Hering,1926 _ Range (in code): **TZ**
- 54777. *Lacipa albula* Fawcett,1917** (Lymantriidae) Synonym(s): *albula* Fawcett,1917 _ Range (in code): **KE**
- 54778. *Lacipa argyroleuca* Hampson,1910** (Lymantriidae) Synonym(s): *argyroleuca* Hampson,1910 _ Range (in code): **NG**
- 54779. *Lacipa bizonoides* Butler,1893** (Lymantriidae) Synonym(s): *bizonoides* Butler,1893; *#bizonides* Vari & Kroon,1986 _ Range (in code): **ZA**
- 54780. *Lacipa croceigramma* Hampson,1910** (Lymantriidae) Synonym(s): *croceigramma* Hampson,1910 _ Range (in code): **NG**
- 54781. *Lacipa flavitincta* Hampson,1910** (Lymantriidae) Synonym(s): *flavitincta* Hampson,1910 Range (in code): **KE**
- 54782. *Lacipa florida* (Swinhoe,1903)** (Lymantriidae) Synonym(s): *florida* Swinhoe,1903 Original Reference: *Euproctis florida* Swinhoe,1903, Trans. ent. Soc. London 1903: 403. Type: [Kenya]: British East Africa, Nairobi plains, Kikuyu (Crawshay) (BMNH). Range (in code): **ZA KE Nai**

- 54783. *Lacipa gemmata* Distant,1897** (Lymantriidae) **Synonym(s):** *gemmata* Distant,1897
Range (in code): **ZA Tva Gau Pre Mpu Brb Nta Kzu Est Tra Ngg Ec**
- 54784. *Lacipa gemmatula* M.Hering,1926** (Lymantriidae) **Synonym(s):** *gemmatula* M.Hering,1926
Range (in code): **KE**
- 54785. *Lacipa gracilis* Hopffer,1857** (Lymantriidae) **Synonym(s):** *gracilis* Hopffer,1857
Range (in code): **ZA MW MZ**
- 54786. *Lacipa heterosticta* Hampson,1910** (Lymantriidae) **Synonym(s):** *heterosticta* Hampson,1910
Range (in code): **UG**
- 54787. *Lacipa innocens* M.Hering,1928** (Lymantriidae) **Synonym(s):** *innocens* M.Hering,1928
Range (in code): **KE**
- 54788. *Lacipa melanosticta* Hampson,1910** (Lymantriidae) **Synonym(s):** *melanosticta* Hampson,1910
Range (in code): **TZ UG**
- 54789. *Lacipa nobilis* (Herrich-Schäffer,1855)** (Lymantriidae) **Synonym(s):** *nobilis* Herrich-Schäffer,1855
Range (in code): **ZA**
- 54790. *Lacipa picta* (Boisduval,1847)** (Lymantriidae) **Synonym(s):** *picta* Boisduval,1847
Range (in code): **ZA Wca Cto**
- 54791. *Lacipa pulvereana* Distant,1898** (Lymantriidae) **Synonym(s):** *pulvereana* Distant,1898;
pubescens Swinhoe,1903
Original Reference: *Lacipa pulvereana* Distant,1898, Ann. Mag. nat. Hist. (7) 1: 117.
Range (in code): **ZA Gau Pre Rtf Tva Mdt Rtb Srn Kzu Nta Dbn Nha**
- 54792. *Lacipa quadripunctata* (Dewitz,1881)** (Lymantriidae) **Synonym(s):** *quadripunctata* Dewitz,1881; *quinquepunctata* Distant,1898
Range (in code): **ZA Gau Pre Ptc Tva Lpo Hae Wb Nta Kzu Ptw**
- 54793. *Lacipa robusta* M.Hering,1926** (Lymantriidae) **Synonym(s):** *robusta* M.Hering,1926
Range (in code): **CM**
- 54794. *Lacipa sarcistis* Hampson,1905** (Lymantriidae) **Synonym(s):** *sarcistis* Hampson,1905;
pactor M.Hering,1926
Range (in code): **ZA Nta Kzu Dbn Ptw**
- 54795. *Lacipa sexpunctata* Distant,1897** (Lymantriidae) **Synonym(s):** *sexpunctata* Distant,1897
Range (in code): **ZA Tva Gau Pre**
- 54796. *Lacipa tau* Collenette,1931** (Lymantriidae) **Synonym(s):** *tau* Collenette,1931
Range (in code): **KE**
- 54797. *Laelia actiosa* M.Hering,1926** (Lymantriidae) **Synonym(s):** *actiosa* M.Hering,1926
Range (in code): **ZA**
- 54798. *Laelia acuta* (Snellen,1881)** (Lymantriidae) **Synonym(s):** *acuta* Snellen,1881
Range (in code): **PH Luz**
- 54799. *Laelia aegra* M.Hering,1926** (Lymantriidae) **Synonym(s):** *aegra* M.Hering,1926
Range (in code): **NG**
- 54800. *Laelia albimaculata* (M.Hering,1926)** (Lymantriidae) **Synonym(s):** *albimaculata* M.Hering,1926
Range (in code): **ZA**
- 54801. *Laelia amabilis* Aurivillius,1897** (Lymantriidae) **Synonym(s):** *amabilis* Aurivillius,1897
Range (in code): **ZA**
- 54802. *Laelia amata* (Hering,1926)** (Lymantriidae) **Synonym(s):** *amata* Hering,1926
Range (in code): **ZA**
- 54803. *Laelia amaura* M.Hering,1926** (Lymantriidae) **Synonym(s):** *amaura* M.Hering,1926
Range (in code): **ZA**
- 54804. *Laelia andricela* Collenette,1936** (Lymantriidae) **Synonym(s):** *andricela* Collenette,1936
Range (in code): **ZR**
- 54805. *Laelia angustipennis* (Walker,1855)** (Lymantriidae) **Synonym(s):** *angustipennis* Walker,1855
Range (in code): **ZA**
- 54806. *Laelia atestacea* Hampson,1892** (Lymantriidae) **Synonym(s):** *testacea* Moore,1879 *nec* Wlk.,1854; *atestacea* Hampson,1892
Range (in code): **IN SI Djl MY Ben**
- 54807. *Laelia atrifilata* (Hampson,1905)** (Lymantriidae) **Synonym(s):** *atrifilata* Hampson,1905
Range (in code): **ZA**
- 54808. *Laelia aureus* Janse,1915** (Lymantriidae) **Synonym(s):** *aureus* Janse,1915
Range (in code): **ZA Nta Kzu Umk**
- 54809. *Laelia aurivillii* (M.Hering,1926)** (Lymantriidae) **Synonym(s):** *aurivillii* M.Hering,1926
Range (in code): **ZA**

- 54810. *Laelia basalis* (Walker,1855)** (Lymantriidae) Synonym(s): *basalis* Walker,1855 _ Range (in code): ZA
- 54811. *Laelia basibrunnea* (Holland,1893)** (Lymantriidae) Synonym(s): *basibrunnea* Holland,1893; *cromptoni* Swinhoe,1903; *silvicola* Schultze,1934 _ Range (in code): NG CG
- 54812. *Laelia basifurca* (Walker,1865)** (Lymantriidae) Synonym(s): *basifurca* Walker,1865 _ Range (in code): ZA
- 54813. *Laelia batoides* (Plötz,1880)** (Lymantriidae) Synonym(s): *batoides* Plötz,1880 _ Range (in code): ZA Nta Kzu Dbn NG Caa
- 54814. *Laelia batoides whitei* (Druce,1898)** (Lymantriidae) Synonym(s): *whitei* Druce,1898
Original Reference: *Oecura whitei* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 209. Type ♀: "West Africa, Old Calabar (White, Mus. Druce)". Range (in code): NG Caa ZA Nta Kzu Dbn
- 54815. *Laelia bethuneana* Strand,1914** (Lymantriidae) Synonym(s): *acuta* Bethune-Baker,1913 (*preocc.*); *bethuneana* Strand,1914 _ Range (in code): UG
- 54816. *Laelia bifascia* Hampson,1905** (Lymantriidae) Synonym(s): *bifascia* Hampson,1905
Range (in code): ZA Tva Rtf Gau Pre Nha Nta Kzu Ptw Umk Ngg Tra Ec
- 54817. *Laelia blasphemia* (M.Hering,1926)** (Lymantriidae) Synonym(s): *blasphemia* M.Hering,1926 _ Range (in code): ZA
- 54818. *Laelia blasphemia xanthochroma* (M.Hering,1926)** (Lymantriidae) Synonym(s): *xanthochroma* Hering,1926 _ Range (in code): ZA
- 54819. *Laelia bonaberiensis* (Strand,1915)** (Lymantriidae) Synonym(s): *bonaberiensis* Strand,1915; *hildoides* Holland,1920
Original Reference: *Dasychira bonaberiensis* Strand,1915, Ent. Mitt. 4 (7/9): 173. Type: Camerun. Range (in code): ZA ZR CM
- 54820. *Laelia bryophilina* (Hampson,1910)** (Lymantriidae) Synonym(s): *bryophilina* Hampson,1910 _ Range (in code): ZA
- 54821. *Laelia cardinalis* Hampson,[1893]** (Lymantriidae) Synonym(s): *cardinalis* Hampson,[1893]; *fulvata* Hampson,1910
Original Reference: *Laelia cardinalis* Hampson,[1893], Fauna Br. India (Moths) 1: 442. Type: Ceylon. Range (in code): LK
- 54822. *Laelia clarki* Janse,1915** (Lymantriidae) Synonym(s): *clarki* Janse,1915
Original Reference: *Laelia clarki* Janse,1915, Ann. Transv. Mus. 5 (1): 38, pl.3 figs. 7,8. Type: South Africa: Barberton, Unkomaas. Range (in code): ZA Tva Nta Kzu Umk Mpu Brb Wb Dbn
- 54823. *Laelia coenosa* (Hübner,[1808])** (Lymantriidae) Synonym(s): *coenosa* Hübner,[1808]; *sinensis* Walker,1855; *brevicornis* Walker,1856; *candida* Leech,1899; *formosana* Strand,1914; *formosana* Matsumura,1921; *impunctata* Matsumura,1930 _ Range (in code): ES FR GB BE NL DE AT PL SK HU RO YU BG GR DK SE RU MD UA BY Us Sh CN JP Hkk TW
- 54824. *Laelia colon* (Hampson,1891)** (Lymantriidae) Synonym(s): *colon* Hampson,1891
Range (in code): IN Ass Khs Bba Mhw Up Alh NI
- 54825. *Laelia confinis* (Distant,1899)** (Lymantriidae) Synonym(s): *confinis* Distant,1899
Range (in code): ZA
- 54826. *Laelia conioptera* Collenette,1936** (Lymantriidae) Synonym(s): *conioptera* Collenette,1936
Original Reference: *Laelia conioptera* Collenette,1936, Novit. zool. 40: 156. Type: Madagascar. Range (in code): MG
- 54827. *Laelia curvivingata* (Karsch,1895)** (Lymantriidae) Synonym(s): *curvivingata* Karsch,1895
Range (in code): ZA Ec Stj Kzu Nta Dbn
- 54828. *Laelia dabano* Collenette,1934** (Lymantriidae) Synonym(s): *dabano* Collenette,1934; *promisa* Berio,1940
Original Reference: *Laelia dabano* Collenette,1934, Ann. Mag. nat. Hist. (10) 13: 213. Type: Abyssinia. Range (in code): ER ET
- 54829. *Laelia danva* (Schaus & Clements,1893)** (Lymantriidae) Synonym(s): *danva* Schaus & Clements,1893 _ Range (in code): ZA
- 54830. *Laelia devestita* (Walker,1865)** (Lymantriidae) Synonym(s): *devestita* Walker,1865; *pallida* Moore,1884; *lactea* Moore,1884
Original Reference: *Odagra devestita* Walker,1865, List Spec. Lepid. Insects Colln Br. Mus 32: 402. Type: Darjeeling (BMNH). Range (in code): IN Pj Bba MM SI Djl PK Krc
- 54831. *Laelia diascia* Hampson,1905** (Lymantriidae) Synonym(s): *diascia* Hampson,1905
Range (in code): ZA Suw Tva Lpo Spb Gau Pre Mpu Tst Brb Nha Srn Dbn Nta Kzu Umk
- 54832. *Laelia diascia infracta* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *infracta* Bethune-Baker,1911 _ Range (in code): ZA Suw Tva Lpo Spb Gau Pre Mpu Tst Brb Nha Srn Dbn Nta Kzu Umk

- 54833. *Laelia dochmia* Collenette, 1961** (Lymantriidae) Synonym(s): *dochmia* Collenette, 1961
Original Reference: *Laelia dochmia* Collenette, 1961, *Lambillionea* 60 (11/12): 97. Type: Congo.
Range (in code): **ZR**
- 54834. *Laelia ecscota* (Hampson, 1905)** (Lymantriidae) Synonym(s): *ecscota* Hampson, 1905
Range (in code): **ZA**
- 54835. *Laelia eos* M. Hering, 1926** (Lymantriidae) Synonym(s): *eos* M. Hering, 1926 Original Reference: *Laelia eos* M. Hering, 1926, [in] Seitz, Gross-Schmett. *Erde* 14: 163. Type: [Tanzania]: Dar-es-Salaam. Range (in code): **TZ Dss**
- 54836. *Laelia erythrobaphes* Collenette, 1934** (Lymantriidae) Synonym(s): *erythrobaphes* Collenette, 1934 Original Reference: *Laelia erythrobaphes* Collenette, 1934, *Ann. Mag. nat. Hist.* (10) 13: 217. Type: India: Trichinopoly. Range (in code): **IN**
- 54837. *Laelia esthlopis* (Collenette, 1953)** (Lymantriidae) Synonym(s): *esthlopis* Collenette, 1953
Range (in code): **ZA**
- 54838. *Laelia eutricha* Collenette, 1931** (Lymantriidae) Synonym(s): *eutricha* Collenette, 1931
Original Reference: *Laelia eutricha* Collenette, 1931, *Trans. ent. Soc. London* 79: 352. Type: Kenya, Kitale. Range (in code): **KE Kit**
- 54839. *Laelia exclamationis* (Kollar, 1844)** (Lymantriidae) Synonym(s): *exclamationis* Kollar, 1844; *cervina* Walker, 1855; *rotundata* Walker, 1855; *rubida* Walker, 1864; *disjuncta* Walker, 1865; *horishanella* Matsumura, 1931 Range (in code): **Ch IN Bba Poo LK Pdy SI AF Srb TW**
- 54840. *Laelia extatura* (Distant, 1897)** (Lymantriidae) Synonym(s): *extatura* Distant, 1897
Range (in code): **ZA**
- 54841. *Laelia extorta* (Distant, 1897)** (Lymantriidae) Synonym(s): *extorta* Distant, 1897 Range (in code): **ZA Tva Gau Pre Rtf Jh Mpu Tst Nta Kzu Dbn Umk**
- 54842. *Laelia extrema* M. Hering, 1926** (Lymantriidae) Synonym(s): *extrema* M. Hering, 1926
Original Reference: *Laelia extrema* M. Hering, 1926, [in] Seitz, Gross-Schmett. *Erde* 14: 158. Type: [Tanzania]: German East Africa, Shangiro. Range (in code): **TZ**
- 54843. *Laelia farinosa* Röber, 1925** (Lymantriidae) Synonym(s): *farinosa* Röber, 1925 Original Reference: *Laelia farinosa* Röber, 1925, *Stettin ent. Ztg.* 86 (1): 172. Type: India: Naga Hills. Range (in code): **IN Nag**
- 54844. *Laelia fasciata* (Moore, [1883])** (Lymantriidae) Synonym(s): *testacea* Moore, 1872 (preocc.); *fasciata* Moore, [1883]; *rubripennis* Moore, 1884 Original Reference: *Laelioides fasciata* Moore, [1883], *Lepid. Ceylon* 2 (2): 84, pl. 110 fig. 6. Type: Ceylon. Range (in code): **LK Pdy MM IN Ben**
- 54845. *Laelia figlina* Distant, 1899** (Lymantriidae) Synonym(s): *figlina* Distant, 1899 Original Reference: *Laelia figlina* Distant, 1899, *Ann. Mag. nat. Hist.* (7) 4: 361. Type: [South Africa], Transvaal. Range (in code): **ZA Tva Lpo Gau Pre Ly Nha Nta Kzu Ptw Dbn Ngg Tra Ec**
- 54846. *Laelia flandria* Collenette, 1937** (Lymantriidae) Synonym(s): *flandria* Collenette, 1937
Original Reference: *Laelia flandria* Collenette, 1937, *Revue Zool. Bot. Afr.* 30 (2): 282. Type: [Zaire]: Flandria. Range (in code): **ZR**
- 54847. *Laelia fracta* Schaus & Clemens, 1893** (Lymantriidae) Synonym(s): *fracta* Schaus & Clemens, 1893; *diascia* Hampson, 1905 Original Reference: *Laelia fracta* Schaus & Clemens, 1893, *Sierra Leone Lep.*: 26. Type: Sierra Leone. Range (in code): **SL ZA Nta Kzu SD SD08 KE Kky**
- 54848. *Laelia fusca* (Walker, 1855)** (Lymantriidae) Synonym(s): *fusca* Walker, 1855 Range (in code): **ZA Wca Cto**
- 54849. *Laelia gephyra* (M. Hering, 1926)** (Lymantriidae) Synonym(s): *gephyra* M. Hering, 1926
Range (in code): **ZA**
- 54850. *Laelia gwelila* (Swinhoe, 1903)** (Lymantriidae) Synonym(s): *gwelila* Swinhoe, 1903
Original Reference: *Dasychira gwelila* Swinhoe, 1903, *Trans. ent. Soc. London* 1903 (3): 469. Type: [Kenya]: British East Africa, Gwelil. Range (in code): **KE ZA**
- 54851. *Laelia haematica* Hampson, 1905** (Lymantriidae) Synonym(s): *haematica* Hampson, 1905; *angolensis* M. Hering, 1926 Original Reference: *Laelia haematica* Hampson, 1905, *Ann. S. Afr. Mus.* 3: 395. Syntypes: [Kenya]: Nairowa, Gwelil; [Zimbabwe]: Mashonaland, Salisbury (BMNH). Range (in code): **AO KE ZW Har**
- 54852. *Laelia hampsoni* (M. Hering, 1926)** (Lymantriidae) Synonym(s): *postfusca* Hamp., 1905 nec Swinh., 1895; *hampsoni* M. Hering, 1926 Range (in code): **ZA Cto**
- 54853. *Laelia herbida* (Walker, 1856)** (Lymantriidae) Synonym(s): *herbida* Walker, 1856
Range (in code): **ZA**

- 54854. *Laelia heringi* Schultze,1934** (Lymantriidae) Synonym(s): *heringi* Schultze,1934
Original Reference: *Laelia heringi* Schultze,1934, Dt. ent. Z. Iris 48: 108. Type: [Zaire]: Belgian Congo. Range (in code): ZR
- 54855. *Laelia heterogyna* Hampson,[1893]** (Lymantriidae) Synonym(s): *heterogyna* Hampson,[1893]
Original Reference: *Laelia heterogyna* Hampson,[1893], Fauna Br. India (moths) 1: 403. Type: Kashmir, Dras. Range (in code): Ch Dra IN
- 54856. *Laelia hughesi* (Collenete,1933)** (Lymantriidae) Synonym(s): *hughesi* Collenete,1933
Range (in code): ZA
- 54857. *Laelia hypoleucis* Holland,1893** (Lymantriidae) Synonym(s): *hypoleucis* Holland,1893
Original Reference: *Laelia hypoleucis* Holland,1893, Psyche 6: 431. Type: West Africa. Range (in code): CI ...
- 54858. *Laelia janenschi* M.Hering,1926** (Lymantriidae) Synonym(s): *janenschi* M.Hering,1926
Original Reference: *Laelia janenschi* M.Hering,1926, [in] Seitz, Gross-Schmett. Erde 14: 161. Type: [Tanzania]: German East Africa, Tendaguru. Range (in code): TZ
- 54859. *Laelia juvenis* (Walker,1855)** (Lymantriidae) Synonym(s): *juvenis* Walker,1855; *acelidota* Collenete,1934
Original Reference: *Ptilomacra juvenis* Walker,1855, List Spec. Lepid. Insects Colln Br. Mus. 5: 1099. Type: Ceylon. Range (in code): IN LK
- 54860. *Laelia lavia* Swinhoe,1903** (Lymantriidae) Synonym(s): *lavia* Swinhoe,1903
Original Reference: *Laelia lavia* Swinhoe,1903, Trans. ent. Soc. London 1903 (3): 443. Type: [Kenya]: British East Africa, Lavi. Range (in code): KE
- 54861. *Laelia leucolepis* Mabille,1898** (Lymantriidae) Synonym(s): *leucolepis* Mabille,1898
Original Reference: *Laelia leucolepis* Mabille,1898, Annls Soc. ent. Fr. 66: 223-224. Type: "Afrique centrale". Range (in code):
- 54862. *Laelia leucostigmata* (M.Hering,1926)** (Lymantriidae) Synonym(s): *leucostigmata* M.Hering,1926
Range (in code): ZA
- 54863. *Laelia lilacina* Moore,1884** (Lymantriidae) Synonym(s): *lilacina* Moore,1884
Range (in code): VN Pha IN NI
- 54864. *Laelia litura* (Walker,1855)** (Lymantriidae) Synonym(s): *litura* Walker,1855
Range (in code): IN Hp Kgr Sml Ddu Ass Khs Meg Kul NP AF Sfk MM Tns
- 54865. *Laelia lophietes* Collenette,1932** (Lymantriidae) Synonym(s): *lophietes* Collenette,1932
Range (in code): PH Luz
- 54866. *Laelia lunensis* (Hampson,1905)** (Lymantriidae) Synonym(s): *lunensis* Hampson,1905
Range (in code): ZA Nta Kzu Dbn Ngg Tra Ec
- 54867. *Laelia lusambo* Collenette,1960** (Lymantriidae) Synonym(s): *lusambo* Collenette,1960
Range (in code): ZR
- 54868. *Laelia lutulenta* Collenette,1960** (Lymantriidae) Synonym(s): *lutulenta* Collenette,1960
Range (in code): ZR
- 54869. *Laelia marginepunctata* Bethune-Baker,1908** (Lymantriidae) Synonym(s): *marginepunctata* Bethune-Baker,1908
Original Reference: *Laelia marginepunctata* Bethune-Baker,1908, Ann. Mag. nat. Hist. (8) 2: 261-262. Type: [Zimbabwe]: N.E.Rhodesia, Fort Jameson (coll.B.-B.); Uganda, Nigeria (BMNH). Range (in code): ZW NG UG
- 54870. *Laelia mediofasciata* (M.Hering,1926)** (Lymantriidae) Synonym(s): *mediofasciata* M.Hering,1926
Range (in code): ZA
- 54871. *Laelia melaxantha* (Walker,1865)** (Lymantriidae) Synonym(s): *melaxantha* Walker,1865
Range (in code): ZA
- 54872. *Laelia mesoxantha* M.Hering,1926** (Lymantriidae) Synonym(s): *mesoxantha* M.Hering,1926
Range (in code): CM
- 54873. *Laelia municipalis* (Distant,1897)** (Lymantriidae) Synonym(s): *municipalis* Distant,1897; *diffusa* Distant,1897
Range (in code): ZA Gau Pre Lpo Tva Spb Wv Wo Suw Mpu Brb Tst Srn Nta Kzu Dbn Umk Ngg Tra Ec Stj
- 54874. *Laelia nebrodes* Collenette,1947** (Lymantriidae) Synonym(s): *nebrodes* Collenette,1947
Range (in code): ID Clb
- 54875. *Laelia nigripulverea* Janse,1915** (Lymantriidae) Synonym(s): *nigripulverea* Janse,1915
Range (in code): ZA Tva Gau Pre
- 54876. *Laelia nubifuga* (Holland,1893)** (Lymantriidae) Synonym(s): *nubifuga* Holland,1893
Range (in code): ZA

- 54877. *Laelia ochripalpis* Strand,1914** (Lymantriidae) Synonym(s): *ochripalpis* Strand,1914
Range (in code): **TW**
- 54878. *Laelia octophora* (Hampson,1905)** (Lymantriidae) Synonym(s): *octophora* Hampson,1905
Range (in code): **ZA Tva Lpo Spb Lj Nta Kzu Dbn**
- 54879. *Laelia ordinata* (Karsch,1895)** (Lymantriidae) Synonym(s): *ordinata* Karsch,1895
Original Reference: Aroa ordinata Karsch,1895, Ent. Nachr. 21: 372. Type ♀: [Ethiopia], "Saadani". Range (in code): **ET**
- 54880. *Laelia orthra* Collenette,1936** (Lymantriidae) Synonym(s): *orthra* Collenette,1936
Range (in code): **ZR**
- 54881. *Laelia paetula* (M.Hering,1926)** (Lymantriidae) Synonym(s): *paetula* M.Hering,1926;
madagascariensis Collenette,1934 - Range (in code): **MG**
- 54882. *Laelia pallida* Moore,1884** (Lymantriidae) Synonym(s): *pallida* Moore,1884 - Range (in code): **IN Bba**
- 54883. *Laelia pantana* Collenette,1938** (Lymantriidae) Synonym(s): *pantana* Collenette,1938
Range (in code): **CN Gn**
- 54884. *Laelia perbrunnea* Hampson,1910** (Lymantriidae) Synonym(s): *perbrunnea* Hampson,1910 - Range (in code): **KE**
- 54885. *Laelia phaeobalia* Collenette,1932** (Lymantriidae) Synonym(s): *phaeobalia* Collenette,1932
Range (in code): **ID Clb**
- 54886. *Laelia phenax* (Collenette,1932)** (Lymantriidae) Synonym(s): *phenax* Collenette,1932
Range (in code): **ZA**
- 54887. *Laelia pheosia* (Hampson,1910)** (Lymantriidae) Synonym(s): *pheosia* Hampson,1910
Range (in code): **ZA**
- 54888. *Laelia philippinensis* Collenette,1934** (Lymantriidae) Synonym(s): *philippinensis* Collenette,1934 - Range (in code): **PH Pal**
- 54889. *Laelia pluto* (M.Hering,1926)** (Lymantriidae) Synonym(s): *pluto* M.Hering,1926
Range (in code): **ZA**
- 54890. *Laelia polia* Collenette,1934** (Lymantriidae) Synonym(s): *polia* Collenette,1934 - Range (in code): **MG**
- 54891. *Laelia postpura* (Hampson,1905)** (Lymantriidae) Synonym(s): *postpura* Hampson,1905
Range (in code): **ZA Cto WCa**
- 54892. *Laelia prolata* Swinhoe,1892** (Lymantriidae) Synonym(s): *prolata* Swinhoe,1892
Range (in code): **IN**
- 54893. *Laelia pulcherrima* (Hering,1926)** (Lymantriidae) Synonym(s): *pulcherrima* Hering,1926
Range (in code): **ZA**
- 54894. *Laelia punctifera* (Walker,1858)** (Lymantriidae) Synonym(s): *punctifera* Walker,1858
Range (in code): **ZA**
- 54895. *Laelia punctulata* (Butler,1875)** (Lymantriidae) Synonym(s): *punctulata* Butler,1875
Range (in code): **ZA Nta Kzu PtW Dbn Umk Ngg Tra Ec Stj**
- 54896. *Laelia pyrosoma* (Hampson,1910)** (Lymantriidae) Synonym(s): *pyrosoma* Hampson,1910
Range (in code): **ZA Mpu Brb Tva Nta Kzu Dbn**
- 54897. *Laelia pyrrhothrix* Collenette,1938** (Lymantriidae) Synonym(s): *pyrrhothrix* Collenette,1938 - Range (in code): **ZR**
- 54898. *Laelia rivularis* Hampson,1910** (Lymantriidae) Synonym(s): *rivularis* Hampson,1910;
maseniensis Strand,1917 - Range (in code): **UG Rz**
- 54899. *Laelia robusta* Janse,1915** (Lymantriidae) Synonym(s): *robusta* Janse,1915 - Range (in code): **ZA Nta Kzu Dbn**
- 54900. *Laelia rocana* (Swinhoe,1906)** (Lymantriidae) Synonym(s): *rocana* Swinhoe,1906
Range (in code): **ZA Nta Kzu Dbn Tva Ly**
- 54901. *Laelia rogersi* Bethune-Baker,1913** (Lymantriidae) Synonym(s): *rogersi* Bethune-Baker,1913 - Range (in code): **KE Kky**
- 54902. *Laelia rosea* Schaus & Clements,1893** (Lymantriidae) Synonym(s): *rosea* Schaus & Clements,1893 - Range (in code): **ZA SL**
- 54903. *Laelia rubrifilata* (Hampson,1905)** (Lymantriidae) Synonym(s): *rubrifilata* Hampson,1905 - Range (in code): **ZA**
- 54904. *Laelia rufolavia* M.Hering,1928** (Lymantriidae) Synonym(s): *rufolavia* M.Hering,1928;
corallina Collenette,1930 - Range (in code): **RW ZR**

- 54905. *Laelia siga* M.Hering,1926** (Lymantriidae) Synonym(s): *siga* M.Hering,1926 _ Range (in code): ZR
- 54906. *Laelia stigmatica* (Holland,1893)** (Lymantriidae) Synonym(s): *stigmatica* Holland,1893; *aurelia* Fawcett,1918; *propensa* M.Hering,1926 _ Range (in code): KE TZ
- 54907. *Laelia straminea* Hampson,1910** (Lymantriidae) Synonym(s): *straminea* Hampson,1910 _ Range (in code): NG Caa
- 54908. *Laelia striata* Wileman,1910** (Lymantriidae) Synonym(s): *striata* Wileman,1910 _ Range (in code): TW
- 54909. *Laelia subrosea* (Walker,1855)** (Lymantriidae) Synonym(s): *subrosea* Walker,1855; *subrufa* Snellen,1872; *xyleutis* Hampson,1905; *infracta* Bethune-Baker,1911; *gigas* Collenette,1956 _ Range (in code): ZA Tva Lpo Spb Nta Kzu Dbn SA UG GN SL AO MZ YE
- 54910. *Laelia subviridis* Janse,1915** (Lymantriidae) Synonym(s): *subviridis* Janse,1915 _ Range (in code): ZA Mpu Tva Wv
- 54911. *Laelia suffusa* (Walker,1855)** (Lymantriidae) Synonym(s): *suffusa* Walker,1855; *angulifera* Walker,1855; *prolata* Swinhoe,1892 _ Range (in code): IN Ass LK Pdy MM Mrg ID Ja Clb PH
- 54912. *Laelia swinnyi* Janse,1915** (Lymantriidae) Synonym(s): *swinnyi* Janse,1915 _ Range (in code): ZA Ec Tra Ngg Stj Tva Lpo Mdt
- 54913. *Laelia testacea* Walker,1854** (Lymantriidae) Synonym(s): *testacea* Walker,1854; *juvenis* Walker,1855; *colon* Hampson,1891 _ Range (in code): Sd IN Bba NI LK
- 54914. *Laelia thanatos* (M.Hering,1926)** (Lymantriidae) Synonym(s): *thanatos* M.Hering,1926 _ Range (in code): ZA
- 54915. *Laelia umbrina* (Moore,1888)** (Lymantriidae) Synonym(s): *umbrina* Moore,1888; *travanca* Strand,1914; *ada* Strand,1914 _ Range (in code): Ch IN Hp Kul Sml AF
- 54916. *Laelia unicoloris* Van Eecke,1928** (Lymantriidae) Synonym(s): *unicoloris* Van Eecke,1928 _ Range (in code): ID Sum
- 54917. *Laelia uniformis* Hampson,1891** (Lymantriidae) Synonym(s): *uniformis* Hampson,1891; *renominata* Hampson,[1893] _ Range (in code): IN NI
- 54918. *Laelia venosa* Moore,1877** (Lymantriidae) Synonym(s): *venosa* Moore,1877; *venosula* Strand,1914 _ Range (in code): SI Djl IN Adm
- 54919. *Laeliolina paetula* M.Hering,1926** (Lymantriidae) Synonym(s): *paetula* M.Hering,1926 _ Range (in code): MG
- 54920. *Laelioprocis leucosphena* Collenette,1939** (Lymantriidae) Synonym(s): *leucosphena* Collenette,1939 _ Range (in code): ZA
- 54921. *Laelioprocis taeniosoma* M.Hering,1926** (Lymantriidae) Synonym(s): *taeniosoma* M.Hering,1926 _ Range (in code): CM
- 54922. *Laeloroa flavimargo* M.Hering,1926** (Lymantriidae) Synonym(s): *flavimargo* M.Hering,1926 _ Range (in code): NE
- 54923. *Lepidopalpus hyalina* Janse,1915** (Lymantriidae) Synonym(s): *hyalina* Janse,1915 _ Range (in code): ZA Kzu Nta Dbn Ngg Tra
- 54924. *Leptaroa paupera* M.Hering,1926** (Lymantriidae) Synonym(s): *paupera* M.Hering,1926 _ Range (in code): ZA
- 54925. *Leptocneria binotata* Butler,1886** (Lymantriidae) Synonym(s): *binotata* Butler,1886 _ Range (in code): AU
- 54926. *Leptocneria reducta* (Walker,1855)** (Lymantriidae) Synonym(s): *reducta* Walker,1855; *bistigmalis* Strand,1925; *curanda* Strand,1929; *aurivillii* Bryk,1934 _ Range (in code): AU
- 54927. *Leucoma bicolorata* Holloway,1999** (Lymantriidae) Synonym(s): *bicolorata* Holloway,1999 _ Range (in code): MY Bor Swk
- 54928. *Leucoma brontonepha* Collenette,1931** (Lymantriidae) Synonym(s): *brontonepha* Collenette,1931 _ Range (in code): MG
- 54929. *Leucoma camurisquama* Collenette,1932** (Lymantriidae) Synonym(s): *camurisquama* Collenette,1932 _ Range (in code): SG MY
- 54930. *Leucoma comma* (Hutton,1865)** (Lymantriidae) Synonym(s): *comma* Hutton,1865; *#connua* Swinhoe,1922 _ Range (in code): MM IN NI Hp Ddu
- 54931. *Leucoma diaphana* Moore,1879** (Lymantriidae) Synonym(s): *diaphana* Moore,1879; *lactea* Moore,1879; *birmanica* Strand,1915 _ Range (in code): IN SI Djl Ben Kul CN Sz MM
- 54932. *Leucoma discirufa* Swinhoe,1903** (Lymantriidae) Synonym(s): *discirufa* Swinhoe,1903 _ Range (in code): MY

- 54933. *Leucoma divisa* (Walker,1855)** (Lymantriidae) Synonym(s): *divisa* Walker,1855
Range (in code): **BT MM SG ID Ja MY Pen Bor Swk PH**
- 54934. *Leucoma egens* (C.Felder,1861)** (Lymantriidae) Synonym(s): *egens* C.Felder,1861
Range (in code): **ID Sum Amb**
- 54935. *Leucoma egerina* Swinhoe,1893** (Lymantriidae) Synonym(s): *egerina* Swinhoe,1893
Range (in code): **SG MY**
- 54936. *Leucoma flavescens* (Moore,1877)** (Lymantriidae) Synonym(s): *flavescens* Moore,1877;
sericea Moore,1877 - Range (in code): **IN NI Adm PH Luz**
- 54937. *Leucoma flora* Swinhoe,1903** (Lymantriidae) Synonym(s): *flora* Swinhoe,1903 - Range
(in code): **MY Bor Sbh Snk**
- 54938. *Leucoma geometrica* Semper,1899** (Lymantriidae) Synonym(s): *geometrica* Semper,1899
Range (in code): **PH Mno**
- 54939. *Leucoma gigantea* Aurivillius,1894** (Lymantriidae) Synonym(s): *gigantea* Aurivillius,1894
Range (in code): **ID Ja**
- 54940. *Leucoma impressa* Snellen,1877** (Lymantriidae) Synonym(s): *impressa* Snellen,1877
Original Reference: *Leucoma impressa* Snellen,1877, Tijdschr. Ent. 20: 8. Range (in code): **VN
Ton Tda ID Sum MY Bor**
- 54941. *Leucoma intacta* Walker,1866** (Lymantriidae) Synonym(s): *intacta* Walker,1866
Range (in code): **PG**
- 54942. *Leucoma lepta* Collenette,1933** (Lymantriidae) Synonym(s): *lepta* Collenette,1933
Range (in code): **ID Clb**
- 54943. *Leucoma lobipennis* Swinhoe,1892** (Lymantriidae) Synonym(s): *lobipennis* Swinhoe,1892
Range (in code):
- 54944. *Leucoma marginalis* (Walker,1862)** (Lymantriidae) Synonym(s): *marginalis* Walker,1862
Range (in code): **ID Clb Kai PG PH MY Bor Swk**
- 54945. *Leucoma micacea* (Walker,1862)** (Lymantriidae) Synonym(s): *micacea* Walker,1862;
pulverulenta Snellen,1895 - Range (in code): **ID Ja Sum MY Bor Swk**
- 54946. *Leucoma minutissima* Swinhoe,1903** (Lymantriidae) Synonym(s): *minutissima*
Swinhoe,1903 - Range (in code): **MY Bor Swk**
- 54947. *Leucoma monobalia* Collenette,1933** (Lymantriidae) Synonym(s): *monobalia*
Collenette,1933 - Range (in code): **ID Clb**
- 54948. *Leucoma nigrolineata* Bethune-Baker,1927** (Lymantriidae) Synonym(s): *nigrolineata*
Bethune-Baker,1927 - Range (in code): **CM**
- 54949. *Leucoma niphobola* Collenette,1932** (Lymantriidae) Synonym(s): *niphobola*
Collenette,1932 - Range (in code): **CN**
- 54950. *Leucoma niveata* (Walker,1865)** (Lymantriidae) Synonym(s): *niveata* Walker,1865
Range (in code): **TW ID Clb**
- 54951. *Leucoma nivosa* Walker,1865** (Lymantriidae) Synonym(s): *nivosa* Walker,1865 - Range
(in code): **MY**
- 54952. *Leucoma ochripes* (Moore,1879)** (Lymantriidae) Synonym(s): *ochripes* Moore,1879;
eshanensis Chao,1983 - Range (in code): **MY Bor Sbh KBa CN Yu IN** Bionomy: Larva on Litsea,
Phoebe (Lauraceae), Sapium (Euphorbiaceae) (Gardner,1938 et seq.).
- 54953. *Leucoma ochropoda* (Eversmann,1847)** (Lymantriidae) Synonym(s): *ochropoda*
Eversmann,1847 - Range (in code): **RU Sb Us**
- 54954. *Leucoma ogovensis* (Holland,1893)** (Lymantriidae) Synonym(s): *ogovensis* Holland,1893
Range (in code): **ZA**
- 54955. *Leucoma parva* (Plötz,1880)** (Lymantriidae) Synonym(s): *parva* Plötz,1880 - Range (in
code): **ZA**
- 54956. *Leucoma pellucida* Swinhoe,1903** (Lymantriidae) Synonym(s): *pellucida* Swinhoe,1903
Range (in code): **IN Ass Khs Meg**
- 54957. *Leucoma perfecta* (Walker,1862)** (Lymantriidae) Synonym(s): *perfecta* Walker,1862
Range (in code): **MY Bor Swk Prk**
- 54958. *Leucoma phasmatodes* Collenette,1932** (Lymantriidae) Synonym(s): *phasmatodes*
Collenette,1932 - Range (in code): **MY Klu**
- 54959. *Leucoma phrika* Collenette,1932** (Lymantriidae) Synonym(s): *phrika* Collenette,1932
Range (in code): **MY Pen Prk SG**

- 54960. *Leucoma poecilonipha* Collenette,1932** (Lymantriidae) Synonym(s): *poecilonipha* Collenette,1932 Range (in code): MY Prk
- 54961. *Leucoma primula* Swinhoe,1903** (Lymantriidae) Synonym(s): *primula* Swinhoe,1903 Range (in code): ID Sgr
- 54962. *Leucoma riguata* (Snellen,1895)** (Lymantriidae) Synonym(s): *riguata* Snellen,1895 Range (in code): ID Ja Sum TH
- 54963. *Leucoma rufimarginata* Swinhoe,1903** (Lymantriidae) Synonym(s): *rufimarginata* Swinhoe,1903 Range (in code): MY
- 54964. *Leucoma salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 Original Reference: *Phalaena salicis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 502. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA BY At T-S Sb KK Ik CN Ui Kml Yu Lik MN U-B Am KP KR JP Bionomy: Larvae feed on *Populus tremula* (Salicaceae) at Nemrut Caldera (Kemal & Koçak,2015).
- 54965. *Leucoma salicis candida* Staudinger,1892** (Lymantriidae) Synonym(s): *candida* Staudinger,1892 Range (in code): MN U-B RU Sb Am Us KP KR JP CN Yu Lik
- 54966. *Leucoma salicis salicis* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *salicis* Linnaeus,1758; *apparens* Retzius,1783; *salicinus* Haworth,1803; *xanthocampa* Dyar,1905; *coreacola* Matsumura,1933; *sjoquisti* Bryk,1942; *variabilis* Bryk,1949 Original Reference: *Phalaena salicis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 502. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA BY At KK Ik CN Ui Kml T-S
- 54967. *Leucoma sartus* (Erschoff,1874)** (Lymantriidae) Synonym(s): *sartus* Erschoff,1874 Original Reference: *Ocneria sartus* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan 2, 5(3) (Lepidoptera): 24, Pl.2 fig.32. Range (in code): UZ Tas Fe KK Ik CN Ui T-S
- 54968. *Leucoma semihyalina* Swinhoe,1904** (Lymantriidae) Synonym(s): *semihyalina* Swinhoe,1904 Range (in code): ID Sum
- 54969. *Leucoma semiochrea* (Herrich-Schäffer,1855)** (Lymantriidae) Synonym(s): *semiochrea* Herrich-Schäffer,1855; *alboanalis* Strand,1915 Range (in code): AU
- 54970. *Leucoma sericea* (Moore,1879)** (Lymantriidae) Synonym(s): *sericea* Moore,1879; *horridula* Collenette,1914; *avolaensis* Bethune-Baker,1916; *loda* Collenette,1947; *tafa* Collenette,1951 Range (in code): Ch IN CN MY Bor Sbh KBa ID Clb PG Bionomy: Larva on *Juglans* (Juglandaceae) (Holloway,1999).
- 54971. *Leucoma sevastopuloi* Collenette,1955** (Lymantriidae) Synonym(s): *sevastopuloi* Collenette,1955 Range (in code): UG
- 54972. *Leucoma silhetica* (Walker,1856)** (Lymantriidae) Synonym(s): *silhetica* Walker,1856 Range (in code): BD Syl IN Ass Khs Meg
- 54973. *Leucoma singaporensis* Strand,1915** (Lymantriidae) Synonym(s): *singaporensis* Strand,1915 Range (in code): MY SG
- 54974. *Leucoma subargentea* (C.Felder,1861)** (Lymantriidae) Synonym(s): *subargentea* C.Felder,1861 Range (in code): ID Amb
- 54975. *Leucoma surtur* (A.Bang-Haas,1912)** (Lymantriidae) Synonym(s): *surtur* A.Bang-Haas,1912 Original Reference: *Stilpnotia surtur* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 107. Syntypes: [Uighur Ili]: "Julduss-Gebiete". Range (in code): CN Ui Ju
- 54976. *Leucoma vosseleri* Grünberg,1907** (Lymantriidae) Synonym(s): *vosseleri* Grünberg,1907 Range (in code): TZ
- 54977. *Leucoma wiltshirei* Collenette,1938** (Lymantriidae) Synonym(s): *wiltshirei* Collenette,1938 Original Reference: *Leucoma wiltshirei* Collenette,1938, Ann. Mag. Nat. Hist. 11 (2): 369. Type: Iraq: Kurdistan: Rowanduz (BMNH). Range (in code): IQ Rwz IR Km Kd Fa TR Bionomy: Larva on *Quercus* (Fagaceae) (Wiltshire,1957; Abai,1980).
- 54978. *Leucoperina atroguttata* Aurivillius,1909** (Lymantriidae) Synonym(s): *atroguttata* Aurivillius,1909; *umbrinorma* M.Hering,1926 Range (in code): ZR
- 54979. *Liparodonta convexa* M.Hering,1926** (Lymantriidae) Synonym(s): *convexa* M.Hering,1926 Range (in code): CM
- 54980. *Liparodonta uniformis* M.Hering,1926** (Lymantriidae) Synonym(s): *uniformis* M.Hering,1926 Range (in code): NG

- 54981. *Locharna limbata* (Collenette,1932)** (Lymantriidae) Synonym(s): *limbata* Collenette,1932
Range (in code): **ID Sum MY Bor**
- 54982. *Lomadonta callipepla* Collenette,1960** (Lymantriidae) Synonym(s): *callipepla* Collenette,1960
Range (in code): **ZR**
- 54983. *Lomadonta citrigo* M.Hering,1926** (Lymantriidae) Synonym(s): *citrigo* M.Hering,1926
Range (in code): **CI**
- 54984. *Lomadonta erythrina* Holland,1893** (Lymantriidae) Synonym(s): *erythrina* Holland,1893; *albisigna* Druce,1910
Range (in code): **CM**
- 54985. *Lomadonta hoesemanni* Bryk,1913** (Lymantriidae) Synonym(s): *hoesemanni* Bryk,1913
Range (in code): **CM**
- 54986. *Lomadonta johnstoni* Swinhoe,1903** (Lymantriidae) Synonym(s): *johnstoni* Swinhoe,1903
Range (in code): **ZR**
- 54987. *Lomadonta obscura* Swinhoe,1904** (Lymantriidae) Synonym(s): *obscura* Swinhoe,1904
Range (in code):
- 54988. *Lomadonta ochriaria* Hampson,1910** (Lymantriidae) Synonym(s): *ochriaria* Hampson,1910
Range (in code): **CI**
- 54989. *Lomadonta saturata* Swinhoe,1904** (Lymantriidae) Synonym(s): *saturata* Swinhoe,1904
Range (in code): **NE**
- 54990. *Lomadonta umbrata* Hampson,1910** (Lymantriidae) Synonym(s): *umbrata* Hampson,1910
Range (in code): **CM**
- 54991. *Lymantria albimacula* (Wallengren,1865)** (Lymantriidae) Synonym(s): *albimacula* Wallengren,1865; *mosera* Druce,1898
Range (in code): **MZ Del**
- 54992. *Lymantria albolunulata* Moore,1879** (Lymantriidae) Synonym(s): *albolunulata* Moore,1879; *elassa* Collenette,1938
Range (in code): **PK Mre Haz Pj IN Hp Nag Drm Dlh Ass Khs Sml MM Shn BD CN Yu Lik Hun Sz T-T TH Bnk**
- 54993. *Lymantria alexandrae* Schintlmeister,1994** (Lymantriidae) Synonym(s): *alexandrae* Schintlmeister,1994
Original Reference: *Lymantria alexandrae* Schintlmeister,1994, Heteroc. Sumatr. 7: 124. Range (in code): **ID Sum MY Bor**
- 54994. *Lymantria ampla* (Walker,1855)** (Lymantriidae) Synonym(s): *ampla* Walker,1855
Range (in code): **IN SI MM LK Kndy Pdy Cob Tem**
- 54995. *Lymantria antennata* Walker,1855** (Lymantriidae) Synonym(s): *antennata* Walker,1855
Range (in code): **AU**
- 54996. *Lymantria apicebrunnea* Gaede,1932** (Lymantriidae) Synonym(s): *apicebrunnea* Gaede,1932
Range (in code): **CN Sz T-T Kwa Yu**
- 54997. *Lymantria arete* Fawcett,1915** (Lymantriidae) Synonym(s): *arete* Fawcett,1915
Range (in code): **KE**
- 54998. *Lymantria argyrochroa* Collenette,1936** (Lymantriidae) Synonym(s): *argyrochroa* Collenette,1936
Original Reference: *Lymantria argyrochroa* Collenette,1936, Ann. Mag. nat. Hist. (10) 17: 345, pl.7 fig.16. Holotype ♂: China: North Yunnan, Likiang (ZMB). Range (in code): **CN Yu Lik**
- 54999. *Lymantria aryama* Moore,[1860]** (Lymantriidae) Synonym(s): *aryama* Moore,[1860]
Original Reference: *Lymantria aryama* Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 345. Syntypes ♂♂: [India]: Canara (leg.Ward). Range (in code): **IN**
- 55000. *Lymantria asoetria* Hübner,1826** (Lymantriidae) Synonym(s): *asoetria* Hübner,1826; *antica* Walker,1856; *pramesta* Moore,1859
Original Reference: *Lymantria asoetria* Hübner,1826, Samml. exot. Schmett. 2: pl.178, figs. 1-4. Range (in code): **MM Mm ID Ja TH Bnk Phr**
- 55001. *Lymantria atala* Swinhoe,1923** (Lymantriidae) Synonym(s): *binotata* Mabille,1880 nec Butl.; *atala* Swinhoe,1923
Range (in code): **MG**
- 55002. *Lymantria atemeles* Collenette,1932** (Lymantriidae) Synonym(s): *atemeles* Collenette,1932
Range (in code): **TH CMa Cuo Cuo7 Bnk Sgk MY Pen KH VN** Bionomy: Larva feeds on leaf of *Mangifera indica* [mango] (Anacardiaceae) (Lewvanich,2001).
- 55003. *Lymantria aurivillii* Bryk,1934** (Lymantriidae) Synonym(s): *aurivillii* Bryk,1934
Range (in code): **AU QAU**
- 55004. *Lymantria bantaizana* Matsumura,1933** (Lymantriidae) Synonym(s): *bantaizana* Matsumura,1933
Range (in code): **JP KP KR**
- 55005. *Lymantria barica* (Mabille,1878)** (Lymantriidae) Synonym(s): *barica* Mabille,1878; *fuliginea* Butler,1880; *fumosa* Saalmüller,1884; *uxor* Saalmüller,1884
Range (in code): **MG**

- 55006. *Lymantria barlowi* Schintlmeister,1994** (Lymantriidae) Synonym(s): *barlowi* Schintlmeister,1994 Original Reference: *Lymantria barlowi* Schintlmeister,1994, Heteroc. Sumatr. 7: 125. Range (in code): **ID Sum MY Bor**
- 55007. *Lymantria beatrix* (Stoll,[1790])** (Lymantriidae) Synonym(s): *beatrix* Stoll,[1790]; *ganaha* Swinhoe,1903 Original Reference: *Phalaena beatrix* Stoll,[1790], Uitl. Kapellen 5: 173, pl.40 fig.2. Range (in code): **JP ID Sum Ja MY Bor Sbh KBa TH Bnk LK Kndy** Bionomy: Larva on *Mangifera* (Anacardiaceae), *Durto* (Bombacaceae), *Punica* (Punicaceae) (*Toxopeus*,1948 et seq.).
- 55008. *Lymantria bivittata* (Moore,1879)** (Lymantriidae) Synonym(s): *bivittata* Moore,1879 Range (in code): **SI Djl BD Syl IN TH CMa CDo**
- 55009. *Lymantria brotea* (Stoll,[1781])** (Lymantriidae) Synonym(s): *brotea* Stoll,[1781]; *lepcha* Moore,1879; *carneola* Moore,1879; *galinara* Swinhoe,1903; *rudloffi* Schintlmeister,2004 Range (in code): **Bli Lb Ja Bor ID Sum Amb SG IN Djl SI Ass Adm NP TH CMa Cnz Cz11 MY VN PH Mno Luz**
- 55010. *Lymantria brunneiplaga* Swinhoe,1903** (Lymantriidae) Synonym(s): *brunneiplaga* Swinhoe,1903 Original Reference: *Lymantria brunneiplaga* Swinhoe,1903, Trans. ent. Soc. London 1903: 491. Range (in code): **VN D-I ID Sum Ja MY Bor Pen PH** Bionomy: Larva on *Paraserianthes falcata* (Fabaceae) (*Chey*,1996).
- 55011. *Lymantria brunneoloma* Pogue & Schaeffer,2007** (Lymantriidae) Synonym(s): *brunneoloma* Pogue & Schaeffer,2007 Range (in code): **CN Yu**
- 55012. *Lymantria buruensis* Collenette,1933** (Lymantriidae) Synonym(s): *buruensis* Collenette,1933 Range (in code): **ID Bru**
- 55013. *Lymantria capnodes* Collenette,1932** (Lymantriidae) Synonym(s): *capnodes* Collenette,1932; *bisextilis* *Toxopeus*,1948 Range (in code): **MY Bor Sbh KBa ID Sum Ja PH**
- 55014. *Lymantria carriala* Swinhoe,1903** (Lymantriidae) Synonym(s): *carriala* Swinhoe,1903; *#carriola* Swinhoe,1923 Range (in code): **AO**
- 55015. *Lymantria ceberosa* Swinhoe,1903** (Lymantriidae) Synonym(s): *ceberosa* Swinhoe,1903 Range (in code): **IN Sml Hp**
- 55016. *Lymantria concolor* Walker,1855** (Lymantriidae) Synonym(s): *concolor* Walker,1855; *superans* Walker,1855; *micans* Felder & Rogenhofer,1874; *carnecolor* Moore,1888; *horishana* Matsumura,1927; *lacteipennis* Collenette,1933; *septentrionalis* Schintlmeister,2004 Range (in code): **SI IN Hp Drm Kgr Ass Khs BD BT NP MM TH CMa Fn VN Ton TW CN Sz T-T Yu AF Sfk PK Abb Haz**
- 55017. *Lymantria conspersa* M.Hering,1927** (Lymantriidae) Synonym(s): *conspersa* M.Hering,1927 Range (in code):
- 55018. *Lymantria costalis* Walker,1865** (Lymantriidae) Synonym(s): *costalis* Walker,1865 Range (in code): **LK**
- 55019. *Lymantria cryptocloea* Collenette,1932** (Lymantriidae) Synonym(s): *cryptocloea* Collenette,1932 Range (in code): **PH Mno**
- 55020. *Lymantria detersa* Walker,1865** (Lymantriidae) Synonym(s): *detersa* Walker,1865 Range (in code): **IN Bba Poo Bel Mys Clc**
- 55021. *Lymantria dictyodigma* Collenette,1930** (Lymantriidae) Synonym(s): *dictyodigma* Collenette,1930 Range (in code): **ZR**
- 55022. *Lymantria dispar* (Linnaeus,1758)** (Lymantriidae) Synonym(s): *dispar* Linnaeus,1758; *disparina* Müller,1802; *japonica* Motschulsky,1860; *disparoides* Mabille,1876; *bordigalensis* Mabille,1876; *asiatica* Wnukowsky,1926 Original Reference: *Phalaena dispar* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 501. Range (in code): **DZ Sbd Bttna TN Dhnm PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK SE FI EE LV LT RU Sb At Us To Vv MD UA BY AM AZ Len GG Bjo Smt Mng Lag Cc KK KG IQ Hjo Dk LB IR Mz Elb Sari Ha Ab Oru JP MN CN Lng Pkn Sz Mc KP KR TW CA On BCo US Col Ut Cf Org Krl Gl**
- 55023. *Lymantria dissoluta* Swinhoe,1903** (Lymantriidae) Synonym(s): *dissoluta* Swinhoe,1903 Range (in code): **CN Kwa Hun Sz HK TW VN Hlg**
- 55024. *Lymantria doreyensis* Collenette,1933** (Lymantriidae) Synonym(s): *doreyensis* Collenette,1933 Range (in code): **PG**
- 55025. *Lymantria dubiosa* Aurivillius,1914** (Lymantriidae) Synonym(s): *dubiosa* Aurivillius,1914 Range (in code): **ID Ja**
- 55026. *Lymantria dulcinea* Butler,1882** (Lymantriidae) Synonym(s): *dulcinea* Butler,1882; *didymata* Kenrick,1913 Range (in code): **MG**
- 55027. *Lymantria eddela* Swinhoe,1903** (Lymantriidae) Synonym(s): *eddela* Swinhoe,1903 Range (in code): **KE**
- 55028. *Lymantria ekelkei* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *ekelkei* Bethune-Baker,1904 Range (in code): **PG**

- 55029. *Lymantria faircloughi* Holloway,1999** (Lymantriidae) Synonym(s): *faircloughi* Holloway,1999 _ Range (in code): MY Bor BN ID Sum
- 55030. *Lymantria finitorum* Collenette,1931** (Lymantriidae) Synonym(s): *finitorum* Collenette,1931 _ Range (in code): SO
- 55031. *Lymantria flavicilla* Hampson,1910** (Lymantriidae) Synonym(s): *flavicilla* Hampson,1910 _ Range (in code): ZW
- 55032. *Lymantria flavida* Pogue & Schaeffer,2007** (Lymantriidae) Synonym(s): *flavida* Pogue & Schaeffer,2007 _ Range (in code): Oki
- 55033. *Lymantria fuliginosa* Moore,1883** (Lymantriidae) Synonym(s): *fuliginosa* Moore,1883; *postfusca* Swinhoe,1906 _ Range (in code): LK Kndy IN Bba
- 55034. *Lymantria fumida* Butler,1877** (Lymantriidae) Synonym(s): *fumida* Butler,1877 _ Range (in code): JP KP KR CN Yu
- 55035. *Lymantria ganara* Moore,[1860]** (Lymantriidae) Synonym(s): *ganara* Moore,[1860] Original Reference: *Lymantria ganara* Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 344. Syntypes ♂♂: [Indonesia]: Java (coll.Horsfield). Range (in code): ID Sum Ja MY Bor SG TH MM Tns Bionomy: Larva on *Eugenia malaccensis* (Myrtaceae), *Bauhinia*, *Cassia* (Fabaceae), *Casuarina* (Casuarinaceae) (Pholboon,1965 et seq.).
- 55036. *Lymantria ganaroides* Strand,1915** (Lymantriidae) Synonym(s): *ganaroides* Strand,1915 _ Range (in code): PG MY Prk
- 55037. *Lymantria gondona* Swinhoe,1903** (Lymantriidae) Synonym(s): *gondona* Swinhoe,1903; *melete* Fawcett,1915 _ Range (in code): KE
- 55038. *Lymantria grandis* Walker,1855** (Lymantriidae) Synonym(s): *grandis* Walker,1855; *maculosa* Walker,1855; *metarhoda* Walker,1862; *viola* Swinhoe,1889 _ Range (in code): IN Bba NI LK Kndy Pdy
- 55039. *Lymantria grisea* Moore,1879** (Lymantriidae) Synonym(s): *grisea* Moore,1879; *kosemponis* Strand,1914; *roseola* Matsumura,1931; *servula* Collenette,1936 _ Range (in code): IN Djl SI TW MM CN Yu Lik NP
- 55040. *Lymantria hemipyra* Collenette,1932** (Lymantriidae) Synonym(s): *hemipyra* Collenette,1932 _ Range (in code): KE
- 55041. *Lymantria heptasticta* (Mabille,1878)** (Lymantriidae) Synonym(s): *heptasticta* Mabille,1878 _ Range (in code): MG
- 55042. *Lymantria hera* Druce,1898** (Lymantriidae) Synonym(s): *hera* Druce,1898 Original Reference: *Lymantria hera* Druce,1898, Ann. Mag. nat. Hist. (7) 1: 209. Syntypes 1♂ 1♀: [Tanzania]: "East Africa, Dar-es-Salaam (Mus. Druce)". Range (in code): TZ Dss
- 55043. *Lymantria heringi* Kemal & Koçak,2005** (Lymantriidae) Synonym(s): *disparina* Hering,1926 nec Müll.,1802; *heringi* Kemal & Koçak,2005 Original Reference: *Lymantria heringi* Kemal & Koçak,2005, Cent. ent. Stud., Misc. Pap. 91/92: 15 (nomen novum pro *disparina* Hering,1926 nec Müller,1802). Range (in code): ZA Tva Lpo
- 55044. *Lymantria hollowayi* Schintlmeister,1994** (Lymantriidae) Synonym(s): *hollowayi* Schintlmeister,1994 Original Reference: *Lymantria hollowayi* Schintlmeister,1994, Heteroc. Sumatr. 7: 123. Range (in code): ID Sum MY Bor
- 55045. *Lymantria hreblayi* Schintlmeister,2004** (Lymantriidae) Synonym(s): *hreblayi* Schintlmeister,2004 _ Range (in code): VN Fan CN Yu Sz Lik
- 55046. *Lymantria incerta* Walker,1855** (Lymantriidae) Synonym(s): *incerta* Walker,1855 _ Range (in code): IN Hp Kgr Bba NI LK Tcm
- 55047. *Lymantria inordinata* Walker,1865** (Lymantriidae) Synonym(s): *inordinata* Walker,1865; *barisana* Collenette,1933 Original Reference: *Lymantria inordinata* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 368. Range (in code): ID Clb Sum Crm MY Bor
- 55048. *Lymantria iris* Strand,1911** (Lymantriidae) Synonym(s): *iris* Strand,1911 _ Range (in code): CN Kwa HK IN TW
- 55049. *Lymantria joannisi* Le Cerf,1921** (Lymantriidae) Synonym(s): *joannisi* Le Cerf,1921 _ Range (in code): MG
- 55050. *Lymantria kebeae* Bethune-Baker,1904** (Lymantriidae) Synonym(s): *kebeae* Bethune-Baker,1904 _ Range (in code): PG
- 55051. *Lymantria kettleweli* Collenette,1953** (Lymantriidae) Synonym(s): *kettleweli* Collenette,1953 _ Range (in code): ZA

- 55052. *Lymantria kinta* Collenette, 1932** (Lymantriidae) Synonym(s): *kinta* Collenette, 1932
Original Reference: *Lymantria kinta* Collenette, 1932, Novit. zool. 38: 97. Range (in code): MY Prk Bor ID Sum
- 55053. *Lymantria kobesi* Schintlmeister, 1994** (Lymantriidae) Synonym(s): *kobesi* Schintlmeister, 1994
Original Reference: *Lymantria kobesi* Schintlmeister, 1994, Heteroc. Sumatr. 7: 125. Range (in code): ID Sum MY Bor
- 55054. *Lymantria laszloronkayi* Schintlmeister, 2004** (Lymantriidae) Synonym(s): *laszloronkayi* Schintlmeister, 2004
Range (in code): LA VN TH CN Sz Yu Lik
- 55055. *Lymantria leucerythra* Collenette, 1930** (Lymantriidae) Synonym(s): *leucerythra* Collenette, 1930
Range (in code): MW
- 55056. *Lymantria loacana* Semper, 1898** (Lymantriidae) Synonym(s): *loacana* Semper, 1898
Range (in code): PH
- 55057. *Lymantria lucescens* (Butler, 1881)** (Lymantriidae) Synonym(s): *lucescens* Butler, 1881; *aomoriensis* Matsumura, 1921
Range (in code): JP TW Hkk KP KR
- 55058. *Lymantria lunata* (Stoll, [1782])** (Lymantriidae) Synonym(s): *lunata* Stoll, [1782]; *curvifera* Walker, 1866; *ichorina* Butler, 1884; *#lunatoides* Strand, 1915; *carteri* Schintlmeister, 2004
Range (in code): ID Amb Aru Ja Clb Beh Ij PH Kai Luz Mno Ley AU
- 55059. *Lymantria lutea* (Boisduval, 1847)** (Lymantriidae) Synonym(s): *lutea* Boisduval, 1847
Range (in code):
- 55060. *Lymantria lygaea* Bethune-Baker, 1908** (Lymantriidae) Synonym(s): *lygaea* Bethune-Baker, 1908
Range (in code): PG
- 55061. *Lymantria maculata* Semper, 1898** (Lymantriidae) Synonym(s): *maculata* Semper, 1898
Range (in code): PH Luz
- 55062. *Lymantria marginalis* Walker, 1862** (Lymantriidae) Synonym(s): *marginalis* Walker, 1862
Original Reference: *Lymantria marginalis* Walker, 1862, J. linn. Soc. (Zool.) 6: 131. Range (in code): ID Sum MY Bor Swk
Bionomy: Larva on Eucalyptus (Myrtaceae), Shorea (Dipterocarpaceae) (Holloway, 1999).
- 55063. *Lymantria marginata* Walker, 1855** (Lymantriidae) Synonym(s): *marginata* Walker, 1855; *pusilla* C. Felder & Rogenhofer, 1874; *nigra* Moore, 1888 nec Frr., 1833
Range (in code): IN Ben Hp Kgr BD Syl SI MM CN Ti ID Ja
- 55064. *Lymantria marwitzi* Grünberg, 1907** (Lymantriidae) Synonym(s): *marwitzi* Grünberg, 1907
Range (in code): TZ
- 55065. *Lymantria mathura* Moore, 1865** (Lymantriidae) Synonym(s): *mathura* Moore, 1865; *aurora* Butler, 1877; *fusca* Leech, 1888; *subpallida* Okano, 1960
Range (in code): IN Ch Ben SI Hp Kgr CN Sz Yu Lik JP Hkk VN Ton Tda TH CMA Dst CDo Loe Nrt TW KP KR
Bionomy: Larva feeds on leaf of Syzygium cumini [black plum] (Myrtaceae) (Lewvanich, 2001).
- 55066. *Lymantria melia* Fawcett, 1915** (Lymantriidae) Synonym(s): *melia* Fawcett, 1915
Range (in code): KE
- 55067. *Lymantria melissa* Fawcett, 1915** (Lymantriidae) Synonym(s): *melissa* Fawcett, 1915
Range (in code): KE
- 55068. *Lymantria meneclis* Fawcett, 1915** (Lymantriidae) Synonym(s): *meneclis* Fawcett, 1915
Range (in code): KE
- 55069. *Lymantria metella* Fawcett, 1915** (Lymantriidae) Synonym(s): *metella* Fawcett, 1915
Range (in code): KE
- 55070. *Lymantria microstrigata* Holloway, 1999** (Lymantriidae) Synonym(s): *microstrigata* Holloway, 1999
Range (in code): MY Bor BN Sbh
- 55071. *Lymantria minahassa* Collenette, 1933** (Lymantriidae) Synonym(s): *minahassa* Collenette, 1933
Range (in code): ID Clb
- 55072. *Lymantria miniata* Grünberg, 1907** (Lymantriidae) Synonym(s): *miniata* Grünberg, 1907
Range (in code): TZ KE
- 55073. *Lymantria minomonis* Matsumura, 1933** (Lymantriidae) Synonym(s): *minomonis* Matsumura, 1933; *okinawaensis* Kishida, 1987
Range (in code): IN Apr CN TW Ri JP Oki
- 55074. *Lymantria minora* Van Eecke, 1928** (Lymantriidae) Synonym(s): *minora* Van Eecke, 1928; *pendleburyi* Collenette, 1932
Original Reference: *Lymantria minora* Van Eecke, 1928, Zool. Mede., Leiden 11: 105. Range (in code): MY Kdh Bor ID Sum
- 55075. *Lymantria modesta* (Walker, 1855)** (Lymantriidae) Synonym(s): *modesta* Walker, 1855; *rhodopepla* C. Felder & R. Felder, 1868
Range (in code): ZA Nta Kzu

- 55076. *Lymantria moesta* Swinhoe, 1903** (Lymantriidae) Synonym(s): *moesta* Swinhoe, 1903; *nigriplagiata* Gaede, 1932 - Range (in code): PK IN Hp Kgr CN Ch
- 55077. *Lymantria monacha* (Linnaeus, 1758)** (Lymantriidae) Synonym(s): *monacha* Linnaeus, 1758; *heteroclitia* Müller, 1764; *chosenibia* Bryk, 1949; *matuta* Bryk, 1949; *idae* Bryk, 1949 - Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU us Sb MD UA BY CN Ti JP Hkk
- 55078. *Lymantria monoides* Collenette, 1932** (Lymantriidae) Synonym(s): *monoides* Collenette, 1932 - Range (in code): PG NHa
- 55079. *Lymantria multiscripta* Holland, 1893** (Lymantriidae) Synonym(s): *multiscripta* Holland, 1893 - Range (in code): ZR
- 55080. *Lymantria narindra* Moore, [1860]** (Lymantriidae) Synonym(s): *narindra* Moore, [1860]; *hilaris* Vollenhufen, 1863; *#narinda* Swinhoe, 1923 - Original Reference: *Lymantria narindra* Moore, [1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 342. Range (in code): ID Sum Ja MY Bor Bli VN TH
- 55081. *Lymantria nephographa* Turner, 1915** (Lymantriidae) Synonym(s): *nephographa* Turner, 1915; *mjoebergi* Aurivillius, 1920 - Range (in code): AU QAU
- 55082. *Lymantria nigra* Moore, 1888** (Lymantriidae) Synonym(s): *nigra* Moore, 1888 nec Frr., 1833 - Range (in code): IN Hp Kgr TH
- 55083. *Lymantria nigrostriata* Kenrick, 1913** (Lymantriidae) Synonym(s): *nigrostriata* Kenrick, 1913 - Range (in code): MG
- 55084. *Lymantria ninayi* Bethune-Baker, 1910** (Lymantriidae) Synonym(s): *ninayi* Bethune-Baker, 1910 - Range (in code): PG
- 55085. *Lymantria novaguinensis* Bethune-Baker, 1904** (Lymantriidae) Synonym(s): *novaguinensis* Bethune-Baker, 1904 - Range (in code): PG
- 55086. *Lymantria nudala* Strand, 1915** (Lymantriidae) Synonym(s): *nudala* Strand, 1915 - Range (in code):
- 55087. *Lymantria nussi* Schintlmeister, 2004** (Lymantriidae) Synonym(s): *nussi* Schintlmeister, 2004 - Range (in code): LK IN Bba NI Tn Ker
- 55088. *Lymantria oberthueri* D. Lucas, 1906** (Lymantriidae) Synonym(s): *oberthueri* D. Lucas, 1906; *belvalettei* Dumont, 1928 - Original Reference: *Lymantria oberthueri* D. Lucas, 1906, Anns Soc. ent. Fr. 75: 26, pl. 3 figs. 6, 7. Type: Tunisia, Nefta. Range (in code): MA DZ Ah Ajj Eod Gha Tou TN Bionomy: Larva on *Acacia raddiana* (Fabaceae) (Rungs, 1972).
- 55089. *Lymantria obfuscata* Walker, 1865** (Lymantriidae) Synonym(s): *obfuscata* Walker, 1865 - Range (in code): AF Nu Bsg Kab Srb Ch PK Haz Ds Swa Kkar IN Pj Hp Kul Kgr MY SG VN Ton
- 55090. *Lymantria obsoleta* Walker, 1855** (Lymantriidae) Synonym(s): *obsoleta* Walker, 1855 - Range (in code): PK Swa Klm Ch AF Sfk SI Djl IN Hp Sml Drm CN HK Sz LK MY
- 55091. *Lymantria orestera* Collenette, 1932** (Lymantriidae) Synonym(s): *orestera* Collenette, 1932 - Range (in code): MY Pah TH
- 55092. *Lymantria pagon* Holloway, 1999** (Lymantriidae) Synonym(s): *pagon* Holloway, 1999 - Range (in code): MY Bor BN
- 55093. *Lymantria panthera* (Van Eecke, 1928)** (Lymantriidae) Synonym(s): *panthera* Van Eecke, 1928 - Original Reference: *Dura panthera* Van Eecke, 1928, Zool. Meded., Leiden 11: 137. Range (in code): ID Sum MY Bor
- 55094. *Lymantria parvula* Kenrick, 1913** (Lymantriidae) Synonym(s): *parvula* Kenrick, 1913 - Range (in code): MG
- 55095. *Lymantria pelospila* (Turner, 1915)** (Lymantriidae) Synonym(s): *pelospila* Turner, 1915; *lutescens* Aurivillius, 1920 - Range (in code): AU QAU
- 55096. *Lymantria philbyi* Collenette, 1933** (Lymantriidae) Synonym(s): *philbyi* Collenette, 1933 - Range (in code): SA
- 55097. *Lymantria pilospilata* (Turner, 1915)** (Lymantriidae) Synonym(s): *pilospilata* Turner, 1915 - Range (in code): AU QAU
- 55098. *Lymantria plumbalis* Hampson, 1895** (Lymantriidae) Synonym(s): *plumbalis* Hampson, 1895 - Range (in code): MM TH
- 55099. *Lymantria polysticta* Collenette, 1929** (Lymantriidae) Synonym(s): *polysticta* Collenette, 1929 - Range (in code): MG
- 55100. *Lymantria praetermissa* Collenette, 1933** (Lymantriidae) Synonym(s): *praetermissa* Collenette, 1933 - Range (in code): ID Crm Ja Sum Bru

- 55101. *Lymantria pruinosa* M.Hering,1927** (Lymantriidae) **Synonym(s):** *pruinosa* M.Hering,1927
Range (in code): **TZ**
- 55102. *Lymantria pulverea* Pogue & Schaeffer,2007** (Lymantriidae) **Synonym(s):** *pulverea* Pogue & Schaeffer,2007
Range (in code): **TW**
- 55103. *Lymantria rebuti* (Poujade,1889)** (Lymantriidae) **Synonym(s):** *rebuti* Poujade,1889
Range (in code): **MG**
- 55104. *Lymantria rhabdota* Collenette,1949** (Lymantriidae) **Synonym(s):** *rhabdota* Collenette,1949
Original Reference: *Lymantria rhabdota* Collenette,1949, Ann. Mag. nat. Hist. (12) 1: 728. **Range (in code):** **ID Sum MY Bor**
- 55105. *Lymantria rhodina* Walker,1865** (Lymantriidae) **Synonym(s):** *rhodina* Walker,1865
Range (in code): **SI IN Ass Meg Khs**
- 55106. *Lymantria rhodophora* (Mabille,1879)** (Lymantriidae) **Synonym(s):** *rhodophora* Mabille,1879
Range (in code): **MG**
- 55107. *Lymantria rosea* Butler,1879** (Lymantriidae) **Synonym(s):** *rosea* Butler,1879; *rufotincta* Kenrick,1913
Range (in code): **MG LK Kndy Nwp**
- 55108. *Lymantria rosina* Pagenstecher,1900** (Lymantriidae) **Synonym(s):** *rosina* Pagenstecher,1900
Range (in code): **PG**
- 55109. *Lymantria rubroviridis* M.Hering,1927** (Lymantriidae) **Synonym(s):** *rubroviridis* M.Hering,1927
Range (in code):
- 55110. *Lymantria rufofusca* Mabille,1909** (Lymantriidae) **Synonym(s):** *rufofusca* Mabille,1909
Range (in code): **MG**
- 55111. *Lymantria russula* Collenette,1933** (Lymantriidae) **Synonym(s):** *russula* Collenette,1933
Range (in code): **MG**
- 55112. *Lymantria rusticana* M.Hering,1927** (Lymantriidae) **Synonym(s):** *rusticana* M.Hering,1927
Range (in code): **MG**
- 55113. *Lymantria sapaensis* Kishida,1998** (Lymantriidae) **Synonym(s):** *sapaensis* Kishida,1998
Range (in code): **TH**
- 55114. *Lymantria semicincta* (Walker,1855)** (Lymantriidae) **Synonym(s):** *semicincta* Walker,1855
Original Reference: *Alope semicincta* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 620. Type: North India. **Range (in code):** **IN SI Djl Ben Sml Hp TH CMa Cmz Cz10 VN Ton**
- 55115. *Lymantria serva* (Fabricius,1793)** (Lymantriidae) **Synonym(s):** *serva* Fabricius,1793
Original Reference: *Bombyx serva* Fabricius,1793, Ent. Syst. 3 (1): 474. Type(s): India orientalis.
Range (in code): **IN Ass NP HK TW CN Yu Lik TH CMa CDo PH**
- 55116. *Lymantria sexspinae* Holloway,1976** (Lymantriidae) **Synonym(s):** *sexspinae* Holloway,1976
Range (in code): **MY Bor BN Id Sum**
- 55117. *Lymantria silca* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *silca* Swinhoe,1903
Range (in code): **PG Fg**
- 55118. *Lymantria similis* Moore,1879** (Lymantriidae) **Synonym(s):** *similis* Moore,1879; *cara* Butler,1881
Range (in code): **MY Bor ID Nia Sum BT IN Clc PH**
- 55119. *Lymantria similis niasica* Strand,1915** (Lymantriidae) **Synonym(s):** *niasica* Strand,1915
Range (in code): **ID Nia**
- 55120. *Lymantria similis similis* Moore,1879** (Lymantriidae) **Synonym(s):** *similis* Moore,1879; *cara* Butler,1881
Range (in code): **MY Bor ID Sum BT IN Clc PH**
- 55121. *Lymantria simplex* Pagenstecher,1886** (Lymantriidae) **Synonym(s):** *simplex* Pagenstecher,1886
Range (in code): **ID Aru**
- 55122. *Lymantria singapura* Swinhoe,1906** (Lymantriidae) **Synonym(s):** *singapura* Swinhoe,1906; *#singapara* Strand,1917
Original Reference: *Lymantria singapura* Swinhoe,1906, Ann. Mag. nat. Hist. (7) 17: 547. Type: Singapura (BMNH). **Range (in code):** **ID Sum Ja Lb SG MY Bor Sbh KBa TH CMa Cuo Cuo6**
Bionomy: Larva on Pinus (Pinaceae) (Holloway,1999).
- 55123. *Lymantria sinica* Moore,1879** (Lymantriidae) **Synonym(s):** *sinica* Moore,1879; *nebulosa* Wileman,1910; *formosana* Matsumura,1911; *melanopogon* Strand,1914; *#aprilis* Strand,1915; *albido* Schintlmeister,2004
Range (in code): **TW VN CN Kwa**
- 55124. *Lymantria sobrina* Moore,1879** (Lymantriidae) **Synonym(s):** *sobrina* Moore,1879
Range (in code): **PK IN NP**
- 55125. *Lymantria sphalera* Collenette,1930** (Lymantriidae) **Synonym(s):** *sphalera* Collenette,1930; *talesea* Collenette,1933
Range (in code): **PG Nlr NBr**

- 55126. *Lymantria strigata* Aurivillius,1894** (Lymantriidae) Synonym(s): *strigata* Aurivillius,1894
Original Reference: *Lymantria strigata* Aurivillius,1894, Ent. Tidskr. 15 (2): 172. Range (in code):
ID Sum Ja MY Bor Sbh KBa BN
- 55127. *Lymantria subfusca* (Boisduval,1847)** (Lymantriidae) Synonym(s): *subfusca* Boisduval,1847
Range (in code):
- 55128. *Lymantria sublunata* (Rothschild,1920)** (Lymantriidae) Synonym(s): *sublunata* Rothschild,1920
Original Reference: *Dasychira sublunata* Rothschild,1920, J. fed. Malay St. Mus. 8 (3): 132. Range (in code): ID Sum MY Bor
- 55129. *Lymantria subrosea* Swinhoe,1903** (Lymantriidae) Synonym(s): *rosea* Hampson,1892 nec Butl.,1879; *subrosea* Swinhoe,1903
Range (in code): LK Cob IN Ass
- 55130. *Lymantria tacita* Hering,1927** (Lymantriidae) Synonym(s): *tacita* Hering,1927
Range (in code): KE Nai ZA
- 55131. *Lymantria tagalica* Aurivillius,1914** (Lymantriidae) Synonym(s): *tagalica* Aurivillius,1914
Range (in code): PH
- 55132. *Lymantria takamukui* Nagano,1917** (Lymantriidae) Synonym(s): *takamukui* Nagano,1917
Range (in code): TW
- 55133. *Lymantria taurina* M.Hering,1927** (Lymantriidae) Synonym(s): *taurina* M.Hering,1927
Range (in code): KE
- 55134. *Lymantria temburong* Holloway,1999** (Lymantriidae) Synonym(s): *temburong* Holloway,1999
Range (in code): MY Bor BN
- 55135. *Lymantria todara* Moore,1879** (Lymantriidae) Synonym(s): *todara* Moore,1879
Range (in code): IN NI LK Nwp
- 55136. *Lymantria tottea* Swinhoe,1903** (Lymantriidae) Synonym(s): *tottea* Swinhoe,1903
Range (in code): NG
- 55137. *Lymantria turneri* Swinhoe,1903** (Lymantriidae) Synonym(s): *aurora* Turner,1902 nec Butl.,1877; *turneri* Swinhoe,1903; *#undifera* Strand,1915
Range (in code): AU
- 55138. *Lymantria umbrifera* Wileman,1910** (Lymantriidae) Synonym(s): *umbrifera* Wileman,1910; *baibarana* Matsumura,1927; *takasagonis* Matsumura,1933
Range (in code): TW CN Hun Yu
- 55139. *Lymantria umbrina* (Moore,1879)** (Lymantriidae) Synonym(s): *umbrina* Moore,1879
Range (in code): TH CMa Dst Mth
- 55140. *Lymantria umbrosa* (Butler,1881)** (Lymantriidae) Synonym(s): *umbrosa* Butler,1881; *praeterea* Kardakoff,1928; *hokkaidoensis* Goldschmidt,1940; *nesiobia* Bryk,1942
Range (in code): JP Hkk RU Us Krl
- 55141. *Lymantria vacillans* Walker,1855** (Lymantriidae) Synonym(s): *vacillans* Walker,1855; *#dubiosissima* Strand,1909
Range (in code): ZR CM TG
- 55142. *Lymantria velutina* (Mabille,1878)** (Lymantriidae) Synonym(s): *velutina* Mabille,1878
Range (in code): MG
- 55143. *Lymantria vitrina* (Mabille,1878)** (Lymantriidae) Synonym(s): *vitrina* Mabille,1878
Range (in code): MG
- 55144. *Lymantria xylina* Swinhoe,1903** (Lymantriidae) Synonym(s): *xylina* Swinhoe,1903; *nobunaga* Nagano,1912; *nigricosta* Matsumura,1921; *horishanella* Matsumura,1927; *sakaguchii* Matsumura,1927
Range (in code): TW Oki CN Fkn Kwa
- 55145. *Lymantriades obliquilinea* Bethune-Baker,1911** (Lymantriidae) Synonym(s): *obliquilinea* Bethune-Baker,1911
Range (in code):
- 55146. *Macrolaelia corticina* Aurivillius,1925** (Lymantriidae) Synonym(s): *corticina* Aurivillius,1925
Range (in code): CM
- 55147. *Malachitis melanochlora* Hampson,1895** (Lymantriidae) Synonym(s): *melanochlora* Hampson,1895
Range (in code): BT
- 55148. *Malachitis preangerensis* (Heylaerts,1892)** (Lymantriidae) Synonym(s): *preangerensis* Heylaerts,1892
Range (in code): ID Ja
- 55149. *Marbla affinis* (M.Hering,1926)** (Lymantriidae) Synonym(s): *affinis* M.Hering,1926
Range (in code): NG
- 55150. *Marbla divisa* (Walker,1855)** (Lymantriidae) Synonym(s): *divisa* Walker,1855
Range (in code): MG GA
- 55151. *Marbla paradoxa* (M.Hering,1926)** (Lymantriidae) Synonym(s): *paradoxa* M.Hering,1926; *heteropa* Colletette,1953
Range (in code): CI NE KE UG

- 55152. Marbla proxantha Holland,1893** (Lymantriidae) Synonym(s): *proxantha* Holland,1893
Range (in code): **GA**
- 55153. Marblepsis dolosa M.Hering,1926** (Lymantriidae) Synonym(s): *dolosa* M.Hering,1926
Range (in code): **CM**
- 55154. Marblepsis flabellaria (Fabricius,1787)** (Lymantriidae) Synonym(s): *flabellaria* Fabricius,1787; *crocicollis* Herrich-Schäffer,1854; *temperata* Walker,1855; *vecontia* Druce,1899 Original Reference: *Phalaena flabellaria* Fabricius,1787, Mant. Ins. 2: 188. Type(s): Africa. Range (in code): **ZA**
- 55155. Marblepsis melanocraspis (Hampson,1905)** (Lymantriidae) Synonym(s): *melanocraspis* Hampson,1905 Range (in code): **ZA Ec Stj Ngg Tra Kzu Nta Esw Dbn Est Ptw Ptb**
- 55156. Marblepsis niveola M.Hering,1926** (Lymantriidae) Synonym(s): *niveola* M.Hering,1926
Range (in code): **CM**
- 55157. Marblepsis pirgula M.Hering,1926** (Lymantriidae) Synonym(s): *pirgula* M.Hering,1926
Range (in code): **KE**
- 55158. Mardara albistriata Hampson,1892** (Lymantriidae) Synonym(s): *albistriata* Hampson,1892 Range (in code): **IN Mpr Ass Nag**
- 55159. Mardara calligramma Walker,1865** (Lymantriidae) Synonym(s): *calligramma* Walker,1865 Range (in code): **IN SI Djl**
- 55160. Mardara irrorata (Moore,1879)** (Lymantriidae) Synonym(s): *irrorata* Moore,1879; *flavimaculata* Hampson,1892 Range (in code): **SI IN Djl TH CMa**
- 55161. Mardara plagidotata (Walker,1862)** (Lymantriidae) Synonym(s): *plagidotata* Walker,1862 Range (in code): **SI IN Djl**
- 55162. Mardara ruficeps Hampson,1896** (Lymantriidae) Synonym(s): *ruficeps* Hampson,1896
Range (in code): **IN BT MY Prk**
- 55163. Medama diplaga (Hampson,1910)** (Lymantriidae) Synonym(s): *diplaga* Hampson,1910
Range (in code): **VN Ton Tda CN Yu Lik**
- 55164. Melanothrix alternans Pagenstecher,1890** (Lymantriidae) Synonym(s): *alternans* Pagenstecher,1890 Original Reference: *Melanothrix alternans* Pagenstecher,1890, Dt. ent. Z., Iris 3: 13. Type ♀: [Philippines]: Palawan. Range (in code): **PH Pal**
- 55165. Meteuproctis tomponis Matsumura,1927** (Lymantriidae) Synonym(s): *tomponis* Matsumura,1927 Range (in code): **TW**
- 55166. Micraroa minima Janse,1915** (Lymantriidae) Synonym(s): *minima* Janse,1915 Range (in code): **ZA Nta Kzu**
- 55167. Micraroa rufescens Hampson,1905** (Lymantriidae) Synonym(s): *rufescens* Hampson,1905 Range (in code): **ZA Tva Lpo Gau Nha Dbn Nta Kzu**
- 55168. Morasa modesta Walker,1855** (Lymantriidae) Synonym(s): *modesta* Walker,1855
Range (in code): **ZA Tva Lpo Spb Brb Mpu Srn Nta Kzu Ptw Dbn Est Umk**
- 55169. Mylantria xanthospila (Plötz,1880)** (Lymantriidae) Synonym(s): *xanthospila* Plötz,1880; *orestes* Druce,1888 Range (in code):
- 55170. Naroma nigrolunata Collenette,1931** (Lymantriidae) Synonym(s): *nigrolunata* Collenette,1931 Range (in code): **CM**
- 55171. Naroma signifera Walker,1856** (Lymantriidae) Synonym(s): *signifera* Walker,1856; *lunifera* Walker,1869; *cadica* Plötz,1880 Original Reference: *Naroma signifera* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1744. Type ♂: Sierra Leone. Range (in code): **GH SL ZR KE GA YE**
- 55172. Naroma varipes (Walker,1865)** (Lymantriidae) Synonym(s): *varipes* Walker,1865; *weyenbergi* Snellen,1872 Original Reference: *Hysibada varipes* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 498. Type ♀: [South Africa]: Natal. Range (in code): **ZA Tva Stj Ec Dbn Nta Kzu Mpu Brb SA YE**
- 55173. Neomardara africana (Holland,1893)** (Lymantriidae) Synonym(s): *africana* Holland,1893 Range (in code): **SL NG**
- 55174. Neomardara divergens Collenette,1931** (Lymantriidae) Synonym(s): *divergens* Collenette,1931 Range (in code): **ZW**
- 55175. Neorgyia ochracea Bethune-Baker,1908** (Lymantriidae) Synonym(s): *ochracea* Bethune-Baker,1908 Range (in code): **PG**
- 55176. Noleca basigutta Walker,1855** (Lymantriidae) Synonym(s): *basigutta* Walker,1855
Range (in code):

- 55177. *Noliproctis pumila* (Butler,1882)** (Lymantriidae) Synonym(s): *pumila* Butler,1882
Range (in code): **MG**
- 55178. *Numenes contrahens* Walker,1862** (Lymantriidae) Synonym(s): *contrahens* Walker,1862;
delta Strand,1915 Range (in code): **ID Sum MY Bor Sbh KBa Swk PH Pal?**
- 55179. *Numenes disparilis* Staudinger,1887** (Lymantriidae) Synonym(s): *disparilis*
Staudinger,1887; separata Leech,1890; *hayashii* Matsumura,1911 Range (in code): **JP RU Am CN Sz**
- 55180. *Numenes flagrans* Tams,1928** (Lymantriidae) Synonym(s): *flagrans* Tams,1928
Range (in code): **IN Ass**
- 55181. *Numenes hypoxantha* (Holland,1893)** (Lymantriidae) Synonym(s): *hypoxantha*
Holland,1893 Range (in code): **GA**
- 55182. *Numenes insignis* Moore,[1860]** (Lymantriidae) Synonym(s): *insignis* Moore,[1860]; *laeta*
Walker,1866 Range (in code): **ID Sum Ja MY Bor Swk**
- 55183. *Numenes insolita* Schultze,1910** (Lymantriidae) Synonym(s): *insolita* Schultze,1910
Range (in code): **PH Pal**
- 55184. *Numenes patrana* Moore,1859** (Lymantriidae) Synonym(s): *patrana* Moore,1859; *partita*
Walker,1864 Range (in code): **SI DjI IN Ass Khs Meg BT TH CMa Int**
- 55185. *Numenes praestans* Saalmüller,1884** (Lymantriidae) Synonym(s): *praestans*
Saalmüller,1884; chelonia Le Cerf,1921; *aurantiaca* Oberthür,1922 Range (in code): **MG**
- 55186. *Numenes siletti* Walker,1855** (Lymantriidae) Synonym(s): *siletti* Walker,1855;
quadriplagiata Walker,1855; *#inclusa* Strand,1915; *#biinclusa* Strand,1915; *silettoides* Strand,1915 Original
Reference: *Numenes siletti* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 663.
Range (in code): **Ch SI IN Syl BD MM Ass Khs Meg MY Bor Sbh KBa PH Luz TH Phr CMa CDo**
- 55187. *Numenes siletti siletti* Walker,1855** (Lymantriidae) Synonym(s): *siletti* Walker,1855;
quadriplagiata Walker,1855; *#inclusa* Strand,1915; *#biinclusa* Strand,1915; *silettoides* Strand,1915 Original
Reference: *Numenes siletti* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 663.
Range (in code): **Ch SI IN Syl BD MM Ass Khs Meg TH Phr CMa CDo**
- 55188. *Numenes siletti strandi* Bryk,1934** (Lymantriidae) Synonym(s): *laeta* Semper,1898 *nec*
Wlk.,1866; strandi Bryk,1934 Range (in code): **PH Luz**
- 55189. *Numenes takamukui* Matsumura,1927** (Lymantriidae) Synonym(s): *takamukui*
Matsumura,1927 Range (in code): **TW**
- 55190. *Numenoides grandis* Butler,1879** (Lymantriidae) Synonym(s): *grandis* Butler,1879
Range (in code): **MG**
- 55191. *Ocneria eos* Reisser,1962** (Lymantriidae) Synonym(s): *eos* Reisser,1962 Range (in
code): **Cr**
- 55192. *Ocneria rubea* ([Denis & Schiffermüller],1775)** (Lymantriidae) Synonym(s): *#rubea*
[Denis & Schiffermüller],1775 Original Reference: *Bombyx rubea* [Denis & Schiffermüller],1775,
Ankündigung syst. Werkes Schmett. Wienergegend: 51. Type(s): [Austria]: Vienna district. Range
(in code): **DZ Phv Hmk TN DhM PT ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR RU MD UA BY**
Bionomy: Larva on *Quercus* ([Denis & Schiffermüller],1775 et seq.).
- 55193. *Ocnerogyia amanda* Staudinger,[1892]** (Lymantriidae) Synonym(s): *amanda*
Staudinger,[1892] Original Reference: *Ocnerogyia amanda* Staudinger,[1892], Dt. ent. Z., Iris 4:
254-255. Type 1♂: [Türkei]: Mardin (Manissadjian). Range (in code): **TR IQ Agh OM AE IR**
Bionomy: Larva on *Ficus* (Wiltshire,1957).
- 55194. *Ogoa fuscovenata* Wichgraf,1921** (Lymantriidae) Synonym(s): *fuscovenata* Wichgraf,1921
Range (in code): **TZ**
- 55195. *Ogoa neavei* Rothschild,1916** (Lymantriidae) Synonym(s): *neavei* Rothschild,1916
Range (in code): **MW**
- 55196. *Ogoa oberthueri* Rothschild,1916** (Lymantriidae) Synonym(s): *oberthueri* Rothschild,1916
Range (in code): **KM**
- 55197. *Ogoa simplex* Walker,1856** (Lymantriidae) Synonym(s): *simplex* Walker,1856 Original
Reference: *Ogoa simplex* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1763.
Type: [South Africa]: [Durban]: Port Natal. Range (in code): **ZA Nta Kzu Dbn Ngg Tra Est KE**
- 55198. *Olapa argenna* (Mabille,1899)** (Lymantriidae) Synonym(s): *argenna* Mabille,1899
Range (in code): **MG**
- 55199. *Olapa bipunctata* (Holland,1920)** (Lymantriidae) Synonym(s): *bipunctata* Holland,1920
Range (in code): **ZR**

- 55200. *Olapa brachycerca* Collenette, 1936** (Lymantriidae) Synonym(s): *brachycerca* Collenette, 1936 _ Range (in code): AO
- 55201. *Olapa fulviceps* Hampson, 1910** (Lymantriidae) Synonym(s): *fulviceps* Hampson, 1910 _ Range (in code): ZR ZA KE
- 55202. *Olapa furva* Hampson, 1905** (Lymantriidae) Synonym(s): *furva* Hampson, 1905; *opalescens* Rebel, 1914 _ Range (in code): ZA ZW ZR
- 55203. *Olapa imitans* Aurivillius, 1910** (Lymantriidae) Synonym(s): *imitans* Aurivillius, 1910 _ Range (in code): GA
- 55204. *Olapa ituri* Collenette, 1931** (Lymantriidae) Synonym(s): *ituri* Collenette, 1931 _ Range (in code): ZR
- 55205. *Olapa jacksoni* Collenette, 1957** (Lymantriidae) Synonym(s): *jacksoni* Collenette, 1957 _ Range (in code): UG
- 55206. *Olapa leptomita* Collenette, 1931** (Lymantriidae) Synonym(s): *leptomita* Collenette, 1931 _ Range (in code): UG
- 55207. *Olapa macrocerca* Collenette, 1936** (Lymantriidae) Synonym(s): *macrocerca* Collenette, 1936 _ Range (in code): AO
- 55208. *Olapa makala* Bethune-Baker, 1909** (Lymantriidae) Synonym(s): *makala* Bethune-Baker, 1909; *opalescens* Rebel, 1914 _ Range (in code): ZR
- 55209. *Olapa malagasy* Griveaud, 1977** (Lymantriidae) Synonym(s): *malagasy* Griveaud, 1977 _ Range (in code): MG
- 55210. *Olapa melanocera* Hampson, 1909** (Lymantriidae) Synonym(s): *melanocera* Hampson, 1909 _ Range (in code): UG Rz
- 55211. *Olapa nigribasis* Janse, 1926** (Lymantriidae) Synonym(s): *nigribasis* Janse, 1926 _ Range (in code): ZA
- 55212. *Olapa nigricosta* Hampson, 1905** (Lymantriidae) Synonym(s): *nigricosta* Hampson, 1905; *minima* M. Hering, 1926 _ Range (in code): ZA Ec Stj Tra Ngg Nta Kzu Esw TZ ZR
- 55213. *Olapa notia* Collenette, 1959** (Lymantriidae) Synonym(s): *notia* Collenette, 1959 _ Range (in code): MG
- 55214. *Olapa nuda* Holland, 1897** (Lymantriidae) Synonym(s): *nuda* Holland, 1897 _ Range (in code): ZA Nta Kzu ZM ZW ZR SO
- 55215. *Olapa phaeospila* Collenette, 1953** (Lymantriidae) Synonym(s): *phaeospila* Collenette, 1953 _ Range (in code): CM Bit
- 55216. *Olapa sakanian* (Berio, 1937)** (Lymantriidae) Synonym(s): *sakanian* Berio, 1937 _ Range (in code): ZR
- 55217. *Olapa sobo* Collenette, 1960** (Lymantriidae) Synonym(s): *sobo* Collenette, 1960 _ Range (in code): NG
- 55218. *Olapa tavetensis* (Holland, 1892)** (Lymantriidae) Synonym(s): *tavetensis* Holland, 1892; *telesilla* Druce, 1899 _ Range (in code): KE Tvt TZ Zz
- 55219. *Olapa terina* Collenette, 1959** (Lymantriidae) Synonym(s): *terina* Collenette, 1959 _ Range (in code): MG
- 55220. *Olene cookiensis* (Strand, 1915)** (Lymantriidae) Synonym(s): *cookiensis* Strand, 1915 _ Range (in code): AU
- 55221. *Olene dalbergiae* (Moore, 1888)** (Lymantriidae) Synonym(s): *dalbergiae* Moore, 1888; *#kangrana* Strand, 1910 _ Range (in code): IN Hp Drm Kgr VN Hlg
- 55222. *Olene dryina* (Lower, 1900)** (Lymantriidae) Synonym(s): *dryina* Lower, 1900; *ostracina* Turner, 1902 _ Range (in code): AU
- 55223. *Olene dudgeoni* (Swinhoe, 1907)** (Lymantriidae) Synonym(s): *dudgeoni* Swinhoe, 1907; *dasychiroides* Strand, 1914; *cruda* Wileman, 1915 _ Range (in code): IN SI Ass Khs Meg ID Sum Ja MY Bor TW
- 55224. *Olene hypersceles* (Collenette, 1931)** (Lymantriidae) Synonym(s): *hypersceles* Collenette, 1931 _ Range (in code): ID Clb
- 55225. *Olene inclusa* (Walker, 1856)** (Lymantriidae) Synonym(s): *inclusa* Walker, 1856; *invaria* Walker, 1856 _ Original Reference: Dasychira inclusa Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1737. Type: Java (BMNH). Range (in code): ID Ja Sbw Clb TH MY Bor Swk PH Luz TW _ Bionomy: Larva on Annona (Annonaceae), Averrhoa (Averrhoaceae), Durio (Bombacaceae), Shorea (Dipterocarpaceae), Ricinus (Euphorbiaceae), Leea (Leeaceae), Pelargonium (Geraniaceae), Acacia, Arachis, Crotalaria, Derris, Erythrina, Mucuna (Fabaceae),

Ficus (Moraceae), Musa (Musaceae), Calyptranthes, Eugenia (Myrtaceae), Rosa (Rosaceae), Citrus (Rutaceae), Theobroma (Sterculiaceae), Muntingia (Tiliaceae), Congea (Verbenaceae) (Pholboon,1965 et seq.).

55226. *Olene inclusa asvata* (Moore,[1860]) (Lymantriidae) Synonym(s): *asvata* Moore,[1860]
Range (in code): ID Ja

55227. *Olene inclusa demaculata* (Strand,1915) (Lymantriidae) Synonym(s): *demaculata* Strand,1915
Range (in code): PH Luz

55228. *Olene inclusa inclusa* (Walker,1856) (Lymantriidae) Synonym(s): *inclusa* Walker,1856; *invaria* Walker,1856
Original Reference: Dasychira inclusa Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1737. Type: Java (BMNH). Range (in code): ID Ja MY TH

55229. *Olene inclusa patula* (Walker,1862) (Lymantriidae) Synonym(s): *patula* Walker,1862
Range (in code): MY Bor Swk

55230. *Olene mendosa* Hübner,[1823] (Lymantriidae) Synonym(s): *mendosa* Hübner,[1823]; *basalis* Walker,1855; *lanceolata* Walker,1855; *fusiformis* Walker,1855; *sawanta* Moore,1859; *basigera* Walker,1865; *distinguenda* Walker,1865; *divisa* Walker,1865; *basivitta* Walker,1869; *invasa* Walker,1869; *tarowanensis* Matsumura,1927
Original Reference: *Olene mendosa* Hübner,[1823], Samml. exot. Schmett.

Zutr. 2: 19, nr.147, figs. 293-294. Range (in code): LK Kndy Dck Pdy Cob IN BD Syl ID Ja CN TW AU PG VN Ton Tda TH Bnk CMa Cuo Cu05 CDo CD2 CRa Loe Knc Cbi MY Bor Bionomy: Larva on Mangifera (Anacardiaceae), Ceiba, Durio (Bombacaceae), Terminalia (Combretaceae), Raphanus (Brassicaceae), Shorea, Dipterocarpus (Dipterocarpaceae), Aleurites, Excoecaria, Ricinus (Euphorbiaceae), Pelargonium (Geraniaceae), Saccharum, Sorghum, Zea(Poaceae), Cinnamomum(Lauraceae), Careya(Lecythidaceae),Acacia,Arachis,Bauhinia,Butea,Cajanus,Cassia,Dahlbergia, Pithecellobium, Sesbania, Vigna (Fabaceae), Lagerstroemia (Lythraceae), Hibiscus (Malvaceae), Zizyphus (Rhamnaceae),Rosa(Rosaceae),Coffea (Rubiaceae), Populus (Salicaceae), Santhalum (Santalaceae), Dimocarpus, Litchi, Nephelium, Schleicheria (Sapindaceae), Archas, Palaquium (Sapotaceae), Melongena,Solanum (Solanaceae), Camellia (Theaceae), Tectona (Verbenaceae) (Sevastopulo,1948, et seq.).

55231. *Oligeria hemicalla* (Lower,1905) (Lymantriidae) Synonym(s): *hemicalla* Lower,1905
Range (in code): AU

55232. *Orgyia albacostata* Bethune-Baker,1911 (Lymantriidae) Synonym(s): *albacostata* Bethune-Baker,1911
Range (in code):

55233. *Orgyia albofasciata* (Schintlmeister,1994) (Lymantriidae) Synonym(s): *albofasciata* Schintlmeister,1994
Range (in code): TH ID Sum

55234. *Orgyia anartoides* (Walker,1855) (Lymantriidae) Synonym(s): *anartoides* Walker,1855
Range (in code): AU

55235. *Orgyia antiqua* (Linnaeus,1758) (Lymantriidae) Synonym(s): *antiqua* Linnaeus,1758; *gonostigma* Scopoli,1763; *paradoxa* Retzius,1783; *modesta* Heyne,1899; *manchurica* Matsumura,1931; Range (in code): DZ Lbs Phv Clo PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt Len Lag AM AZ DK NO SE FI EE LV LT RU Am MD UA BY CN Mc Ts Kno US

55236. *Orgyia antiqua argillacea* Ferguson,1977 (Lymantriidae) Synonym(s): *argillacea* Ferguson,1977
Range (in code): US

55237. *Orgyia antiqua badia* H.Edwards,1874 (Lymantriidae) Synonym(s): *badia* H.Edwards,1874
Range (in code): US

55238. *Orgyia antiqua confinis* Groum-Grshimailo,1891 (Lymantriidae) Synonym(s): *confinis* Groum-Grshimailo,1891
Range (in code): CN Ts Kno

55239. *Orgyia antiqua nova* Fitch,1863 (Lymantriidae) Synonym(s): *nova* Fitch,1863
Range (in code): US

55240. *Orgyia antiqua zimmermanni* Graeser,1888 (Lymantriidae) Synonym(s): *zimmermanni* Graeser,1888
Range (in code): RU Am

55241. *Orgyia antiquiodes* (Hübner,1822) (Lymantriidae) Synonym(s): *antiquiodes* Hübner,1822; *ericae* Germar,1824
Range (in code): DZ Sbd FR BE NL DE AT PL HU RO BG DK NO SE FI EE LV LT RU MD UA BY

55242. *Orgyia araea* (Collenette,1932) (Lymantriidae) Synonym(s): *araea* Collenette,1932
Range (in code): MY Swk Bor ID Sum Bionomy: Larva on Acacia mangium (Fabaceae), Diospyros (Ebenaceae) (Holloway,1999).

- 55243. *Orgyia ariadne* (Schintlmeister,1994)** (Lymantriidae) **Synonym(s):** *ariadne* Schintlmeister,1994 **Range (in code):** **ID Sum MY Bor** **Bionomy:** Larva on Millettia (Fabaceae) (Holloway,1999).
- 55244. *Orgyia athlophora* Turner,1921** (Lymantriidae) **Synonym(s):** *athlophora* Turner,1921 **Range (in code):** **AU**
- 55245. *Orgyia aurolimbata* Guenée,1835** (Lymantriidae) **Synonym(s):** *aurolimbata* Guenée,1835 **Range (in code):** **PT ES FR CN Ui KK Ik**
- 55246. *Orgyia australis* Walker,1855** (Lymantriidae) **Synonym(s):** *australis* Walker,1855; *postica* Walker,1855; *ceylanica* Nietner,1862; *canifascia* Walker,1865; *ocularis* Moore,1879 **Range (in code):** **LK IN Clc SI Ass Nag NI MM TW MY Bor ID Ja PG AU**
- 55247. *Orgyia basinigra* (Heylaerts,1892)** (Lymantriidae) **Synonym(s):** *basinigra* Heylaerts,1892 **Range (in code):** **ID Sum MY Bor** **Bionomy:** Larva on Parashorea (Dipterocarpaceae), Acacia mangium, Pueraria (Fabaceae), Theobroma (Sterculiaceae); Zingiberaceae (Holloway,1999).
- 55248. *Orgyia cana* H.Edwards,1881** (Lymantriidae) **Synonym(s):** *cana* H.Edwards,1881 **Range (in code):** **US**
- 55249. *Orgyia corsica* (Boisduval,1834)** (Lymantriidae) **Synonym(s):** *corsica* Boisduval,1834 **Range (in code):** **Co IT**
- 55250. *Orgyia definita* Packard,1874** (Lymantriidae) **Synonym(s):** *definita* Packard,1874 **Range (in code):** **US**
- 55251. *Orgyia detrita* Guérin-Méneville,1831** (Lymantriidae) **Synonym(s):** *detrita* Guérin-Méneville,1831; *inornata* Beutenmüller,1890; *kendalli* Riotte,1971 **Range (in code):** **US**
- 55252. *Orgyia dewara* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *dewara* Swinhoe,1903 **Range (in code):** **PG**
- 55253. *Orgyia dimidiata* Walker,1862** (Lymantriidae) **Synonym(s):** *dimidiata* Walker,1862 **Range (in code):** **MY Bor Swk**
- 55254. *Orgyia dubia* (Tauscher,1806)** (Lymantriidae) **Synonym(s):** *dubia* Tauscher,1806; *judaea* Staudinger,1901; *interrupta* Grum-Grshimailo,1890; *seleniaca* Fischer de Waldheim,1824; *transcaspica* Krulikowsky,1906; *obliterata* Strand,1910; *isolatella* Strand,1910; *deserticola* Powell,1916; *orana* Powell,1916; *aurea* Oberthür,1922; *intermedia* Turati,1936 (preocc.) **Original Reference:** *Bombyx dubia* Tauscher,1806, Mém. Soc. nat. Moscou 1: 176. Type: Russia. **Range (in code):** **MA DZ Bt na Ges Amu Agi Orn Sbd EG PT ES Si RU Cc AM MD UA BY TR LB Bsa Ksr IL Hf Pa IR GlS CY TM Kp UZ KG Ssn** **Bionomy:** Larva on Polygonum aviculare (Polygonaceae); Chenopodium, Atriplex halimus (Chenopodiaceae), Kochia prostata, Astragalus (Koçak in litt.; De Freina,1983,1999).
- 55255. *Orgyia dubia algerica* (Lucas,1849)** (Lymantriidae) **Synonym(s):** *algerica* Lucas,1849 **Original Reference:** *Trichosoma algericum* Lucas,1849, Explor. Sci. Algérie (zool.) 3: 376, pl.3 fig.6. Type: Algeria. **Range (in code):** **DZ Orn Agi EG**
- 55256. *Orgyia dubia arcerii* Ragusa,1923** (Lymantriidae) **Synonym(s):** *arcerii* Ragusa,1923 **Range (in code):** **Si**
- 55257. *Orgyia dubia dubia* (Tauscher,1806)** (Lymantriidae) **Synonym(s):** *dubia* Tauscher,1806; *judaea* Staudinger,1901; *interrupta* Grum-Grshimailo,1890; *seleniaca* Fischer de Waldheim,1824; *transcaspica* Krulikowsky,1906; *obliterata* Strand,1910; *isolatella* Strand,1910; *deserticola* Powell,1916; *orana* Powell,1916; *aurea* Oberthür,1922; *intermedia* Turati,1936 **Range (in code):** **MA DZ Amu Orn Sbd EG PT ES RU Cc AM MD UA BY CY TM Kp UZ KG Ssn**
- 55258. *Orgyia dubia turcica* (Lederer,1852)** (Lymantriidae) **Synonym(s):** *turcica* Lederer,1852 **Original Reference:** *Orgyia dubia* var. *turcica* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 117. Syntypes: [Türkei]: Amasia, Tokat. **Range (in code):** **TR LB Bsa Ksr IL Hf Pa IR GlS** **Bionomy:** Larva on Chenopodium, Atriplex halimus (Chenopodiaceae), Kochia prostata, Astragalus (Koçak in litt.).
- 55259. *Orgyia falcata* Schaus,1896** (Lymantriidae) **Synonym(s):** *falcata* Schaus,1896 **Range (in code):** **US**
- 55260. *Orgyia flavolimbata* Staudinger,1881** (Lymantriidae) **Synonym(s):** *flavolimbata* Staudinger,1881; *tristis* Groum-Grshimailo,1891 **Original Reference:** *Orgyia flavolimbata* Staudinger,1881, Stettin ent. Ztg. 42: 404. Syntypes ♂♀: [Kazachstan]: Saisan. **Range (in code):** **KG Ssn UZ Fe TJ Pm RU At T-S CN Ui Ku**
- 55261. *Orgyia immaculata* Gaede,1932** (Lymantriidae) **Synonym(s):** *immaculata* Gaede,1932 **Range (in code):**
- 55262. *Orgyia josephina* Austaut,1880** (Lymantriidae) **Synonym(s):** *josephina* Austaut,1880 **Original Reference:** *Orgyia josephina* Austaut,1880, Naturaliste 2: 212. Type: Algérie, Oran.

- Range (in code): **DZ Orn** Bionomy: Larva on Salsola, Atriplex (Chenopodiaceae), Polygonum, Genista (De Freina & Witt, 1987).
- 55263. Orgyia leucostigma (J.E.Smith, 1797)** (Lymantriidae) Synonym(s): *leucostigma* J.E.Smith, 1797; *leucographa* Geyer, 1832; *meridionalis* Riotte, 1974 Range (in code): **US**
- 55264. Orgyia leucostigma intermedia Fitch, 1856** (Lymantriidae) Synonym(s): *intermedia* Fitch, 1856; *borealis* Fitch, 1856; *abliviosa* H. Edwards, 1886 Range (in code): **US**
- 55265. Orgyia leucostigma leucostigma (J.E.Smith, 1797)** (Lymantriidae) Synonym(s): *leucostigma* J.E.Smith, 1797; *leucographa* Geyer, 1832; *meridionalis* Riotte, 1974 Range (in code): **US**
- 55266. Orgyia leucostigma osleri Barnes, 1900** (Lymantriidae) Synonym(s): *osleri* Barnes, 1900 Range (in code): **US**
- 55267. Orgyia leucostigma plagiata (Walker, 1855)** (Lymantriidae) Synonym(s): *plagiata* Walker, 1855; *wardi* Riotte, 1971 Range (in code): **US**
- 55268. Orgyia leucostigma sablensis Neil, 1979** (Lymantriidae) Synonym(s): *sablensis* Neil, 1979 Range (in code): **US**
- 55269. Orgyia leuschneri Riotte, 1972** (Lymantriidae) Synonym(s): *leuschneri* Riotte, 1972 Range (in code): **US**
- 55270. Orgyia leuschneri rindgei Riotte, 1972** (Lymantriidae) Synonym(s): *rindgei* Riotte, 1972 Range (in code): **US**
- 55271. Orgyia magna Ferguson, 1977** (Lymantriidae) Synonym(s): *magna* Ferguson, 1977 Range (in code): **US**
- 55272. Orgyia malagassica Kenrick, 1913** (Lymantriidae) Synonym(s): *malagassica* Kenrick, 1913 Range (in code): **MG**
- 55273. Orgyia mixta Snellen, 1872** (Lymantriidae) Synonym(s): *mixta* Snellen, 1872 Range (in code): **US**
- 55274. Orgyia nantonis Matsumura, 1933** (Lymantriidae) Synonym(s): *nantonis* Matsumura, 1933 Range (in code): **TW**
- 55275. Orgyia nigriplaga Swinhoe, 1903** (Lymantriidae) Synonym(s): *nigriplaga* Swinhoe, 1903 Range (in code): **MY Bor**
- 55276. Orgyia nigrocrocea Walker, 1862** (Lymantriidae) Synonym(s): *nigrocrocea* Walker, 1862 Range (in code): **MY Bor Swk**
- 55277. Orgyia nubila Candèze, 1927** (Lymantriidae) Synonym(s): *nubila* Candèze, 1927 Range (in code): **VN Ton**
- 55278. Orgyia nucula Swinhoe, 1894** (Lymantriidae) Synonym(s): *nucula* Swinhoe, 1894 Range (in code): **IN Ass Khs Meg MM Shn Cpj**
- 55279. Orgyia nupera Turati, 1919** (Lymantriidae) Synonym(s): *nupera* Turati, 1919 Range (in code): **US**
- 55280. Orgyia ochrodorsalis Rebel, 1948** (Lymantriidae) Synonym(s): *ochrodorsalis* Rebel, 1948 Original Reference: *Orgyia ochrodorsalis* Rebel, 1948, Z. Wien. ent. Ges. 32: 49-50. Type ♂: Egypt, "Gebel Elba, W. Chab (Priesner)". Range (in code): **EG JE**
- 55281. Orgyia ochrolimbata Staudinger, 1881** (Lymantriidae) Synonym(s): *ochrolimbata* Staudinger, 1881; *christophi* Alpheraky, 1897 Original Reference: *Orgyia ochrolimbata* Staudinger, 1881, Stettin ent. Ztg. 42: 405. Syntypes 2 ex: "südwestl. Caucasus". Range (in code): **Cc GG**
- 55282. Orgyia orana Powell, 1916** (Lymantriidae) Synonym(s): *orana* Powell, 1916 Original Reference: *Orgyia dubia orana* Powell, 1916, [in] Oberthür, Etud. Lépid. comp. 12: 264-265. Syntypes: Algerie, Djebel Amour, Sebdu. Range (in code): **DZ Sbd Amu**
- 55283. Orgyia osseata Walker, 1862** (Lymantriidae) Synonym(s): *osseata* Walker, 1862; *dimidiata* Walker, 1862; *basivitta* Walker, 1865 Range (in code): **IN ID Sum MY Bor TH CMa Nrt Cph PH** Bionomy: Larva on Syzygium cumini [black plum], Eugenia (Myrtaceae), Garcinia mangostana [mangoosteen] (Guttiferae); Mangifera (Anacardiaceae), Averrhoa (Averrhoaceae), Durio (Bombacaceae), Dryobalanops, Shorea (Dipterocarpaceae), Acacia (Fabaceae), Ixora (Rubiaceae), Nephelium (Sapindaceae), Sonneratia (Sonneratiaceae), Theobroma (Sterculiaceae) (Murphy, 1990 et seq.).
- 55284. Orgyia panlacroixii Oberthür, 1876** (Lymantriidae) Synonym(s): *panlacroixii* Oberthür, 1876 Original Reference: *Orgyia panlacroixii* Oberthür, 1876, Etud. Ent. 1: 41, pl. 3 fig. 5. Type: Algérie, Tuelagh [Oran]. Range (in code): **DZ Tue TN MR**

- 55285. *Orgyia parallela* Gaede, 1932** (Lymantriidae) **Synonym(s):** *parallela* Gaede, 1932 **_ Range (in code):** **CN Sz T-T**
- 55286. *Orgyia postica* (Walker, 1855)** (Lymantriidae) **Synonym(s):** *postica* Walker, 1855; *ceylanica* Nietner, 1862; *nebulosa* Walker, 1862; *ludekingii* Snellen, 1879 **_ Range (in code):** **PH Luz TW LK Pdy Kndy IN MM Mm MY Bor Swk ID Ja Clb PG Amb VN Ton Tda Pha TH CMa CDo Cmz Cz11 Cuo Cu07 Knc Cbi** **Bionomy:** Larva on leaf of *Tropaeolum majun* [nasturtium] (Tropaeolaceae), *Zizyphus mauritiana* [jujube] (Rhamnaceae), *Durio zibethinus* [durian] (Bombacaceae), *Senna surattensis* [song badan] (Fabaceae) (Lewvanich, 2001).
- 55287. *Orgyia prisca* Staudinger, 1887** (Lymantriidae) **Synonym(s):** *prisca* Staudinger, 1887 **Range (in code):** **MN UZ Fe AF Kab Slg Sfk**
- 55288. *Orgyia prisca nurolhaki* Ebert, 1968** (Lymantriidae) **Synonym(s):** *nurolhaki* Ebert, 1968 **Range (in code):** **AF Kab Slg**
- 55289. *Orgyia prisca vartiani* Ebert, 1968** (Lymantriidae) **Synonym(s):** *vartiani* Ebert, 1968 **Range (in code):** **AF Sfk**
- 55290. *Orgyia pseudotsugata* (McDunnough, 1921)** (Lymantriidae) **Synonym(s):** *pseudotsugata* McDunnough, 1921 **_ Range (in code):** **US**
- 55291. *Orgyia pseudotsugata benigna* Ferguson, 1977** (Lymantriidae) **Synonym(s):** *benigna* Ferguson, 1977 **_ Range (in code):** **US**
- 55292. *Orgyia pseudotsugata morosa* Ferguson, 1977** (Lymantriidae) **Synonym(s):** *morosa* Ferguson, 1977 **_ Range (in code):** **US**
- 55293. *Orgyia recens* (Hübner, [1819])** (Lymantriidae) **Synonym(s):** *recens* Hübner, [1819] **Range (in code):** **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK SE FI EE LV LT RU MD UA BY**
- 55294. *Orgyia retinopepla* Lower, 1905** (Lymantriidae) **Synonym(s):** *retinopepla* Lower, 1905 **Range (in code):** **AU NSw**
- 55295. *Orgyia rupestris* Rambur, 1832** (Lymantriidae) **Synonym(s):** *rupestris* Rambur, 1832; *ramburi* Mabilie, 1866 **_ Range (in code):** **Co Sa**
- 55296. *Orgyia sarramea* Holloway, 1979** (Lymantriidae) **Synonym(s):** *sarramea* Holloway, 1979 **Range (in code):** **NC LO**
- 55297. *Orgyia senica* Hampson, 1900** (Lymantriidae) **Synonym(s):** *senica* Hampson, 1900 **Range (in code):** **PK Ci Nwf**
- 55298. *Orgyia shelfordi* Collenette, 1932** (Lymantriidae) **Synonym(s):** *shelfordi* Collenette, 1932 **Range (in code):** **MY Prk**
- 55299. *Orgyia splendida* Rambur, 1837** (Lymantriidae) **Synonym(s):** *splendida* Rambur, 1837 **Original Reference:** *Orgyia splendida* Rambur, 1837, Faune ent. Andal. 2 (1): pl.15 figs.2-6 **Range (in code):** **ES MA DZ**
- 55300. *Orgyia thyellina* Butler, 1881** (Lymantriidae) **Synonym(s):** *thyellina* Butler, 1881 **_ Range (in code):** **TW JP**
- 55301. *Orgyia tisdala* Swinhoe, 1903** (Lymantriidae) **Synonym(s):** *tisdala* Swinhoe, 1903 **Range (in code):** **ID Ja Sum**
- 55302. *Orgyia trigotephras* Boisduval, 1829** (Lymantriidae) **Synonym(s):** *trigotephras* Boisduval, 1829; *anceps* Oberthür, 1884; *sicula* Staudinger, 1887; *transiens* Staudinger, 1901; *orientalis* Staudinger, 1901; *etrusca* Verity, 1905; *holli* Oberthür, 1916; *sebdouensis* Oberthür, 1916; *calabra* Stauder, 1916 **Original Reference:** *Orgyia trigotephras* Boisduval, 1829, Eur. Lépid. Index Meth.: 46. Type: France. **Range (in code):** **MR MA Tgr DZ Sbd Agi TN MR PT ES An FR Si IT MT TR LB Ale IL Pa UZ Fe MN**
- 55303. *Orgyia trigotephras corsica* Boisduval, 1834** (Lymantriidae) **Synonym(s):** *corsica* Boisduval, 1834 **_ Range (in code):** **Co**
- 55304. *Orgyia turbata* Butler, 1879** (Lymantriidae) **Synonym(s):** *turbata* Butler, 1879 **Original Reference:** *Orgyia turbata* Butler, 1879, Trans. linn. Soc. London (2) 1: 560. **Range (in code):** **IN Ass Krh Tns MM Shn MY Bor TH CMa Cmz Cz11 Cuo Cu07 Cu12 Bnk Ptn Nkh Sup CN Hn** **Bionomy:** Larva feeds on leaf of *Tectona grandis* [teak] (Lamiaceae), *Bambusa* [bamboo] (Poaceae), *Sesbania javanica* [sa no] (Fabaceae), *Cajanus crassus* [thua phi] (Fabaceae), *Euphorbia milli* [poi sian] (Euphorbiaceae) (Lewvanich, 2001).
- 55305. *Orgyia turbida* Butler, 1879** (Lymantriidae) **Synonym(s):** *turbida* Butler, 1879 **_ Range (in code):** **VN Dos Pha Sgn**
- 55306. *Orgyia vaporata* M.Hering, 1926** (Lymantriidae) **Synonym(s):** *vaporata* M.Hering, 1926 **Range (in code):** **CI**

- 55307. *Orgyia varia* (Walker,1862)** (Lymantriidae) Synonym(s): *varia* Walker,1862 _ Range (in code): MY Swk Bor
- 55308. *Orgyia vetusta* Hampson,1910** (Lymantriidae) Synonym(s): *vetusta* Hampson,1910
Range (in code): NG
- 55309. *Orgyia viridescens* (Walker,1855)** (Lymantriidae) Synonym(s): *viridescens* Walker,1855
Range (in code): LK
- 55310. *Orvasca aurantiaca* (Hampson,1892)** (Lymantriidae) Synonym(s): *aurantiaca* Hampson,1892 _ Range (in code): IN SI
- 55311. *Pachycispia picta* Butler,1882** (Lymantriidae) Synonym(s): *picta* Butler,1882 _ Range (in code): MG
- 55312. *Palasea albimacula* Wallengren,1863** (Lymantriidae) Synonym(s): *albimacula* Wallengren,1863 _ Range (in code): ZA Tva Lpo Spb Mdk Wb Dbn Umk Nta Kzu
- 55313. *Pantana albifascia* (Walker,1865)** (Lymantriidae) Synonym(s): *albifascia* Walker,1865; *subfascia* Moore,1865 _ Range (in code): IN Ben SI Djl Ass Meg Khs
- 55314. *Pantana azona* Collenette,1960** (Lymantriidae) Synonym(s): *azona* Collenette,1960
Range (in code): MM Kch Kam
- 55315. *Pantana baswana* Moore,1859** (Lymantriidae) Synonym(s): *baswana* Moore,1859
Range (in code): PH Luz ID Ja
- 55316. *Pantana bicolor* (Walker,1855)** (Lymantriidae) Synonym(s): *bicolor* Walker,1855; *circumdata* Walker,1855; *delineata* Walker,1855; *comparata* Walker,1855; *sordida* Walker,1856 _ Range (in code): IN Hp Kgr Drm Syl BD Ass Meg Khs MM MY Bor Swk SG Pen ID Sum KH TH
- 55317. *Pantana bicolor bicolor* (Walker,1855)** (Lymantriidae) Synonym(s): *bicolor* Walker,1855; *circumdata* Walker,1855; *delineata* Walker,1855; *comparata* Walker,1855; *sordida* Walker,1856
Range (in code): IN Hp Kgr Drm Syl BD Ass Meg Khs MM
- 55318. *Pantana bicolor lineosa* (Walker,1865)** (Lymantriidae) Synonym(s): *lineosa* Walker,1865; *nubila* Butler,1879 _ Range (in code): MY SG ID Sum
- 55319. *Pantana bicolor semilucida* Swinhoe,1903** (Lymantriidae) Synonym(s): *bicolor* Walker,1855 *nec* Wlk.,1855; *semilucida* Swinhoe,1903 _ Range (in code): KH TH MY Pen Bor Swk
- 55320. *Pantana destituta* (Walker,1865)** (Lymantriidae) Synonym(s): *destituta* Walker,1865
Range (in code): KH
- 55321. *Pantana droa* Swinhoe,1896** (Lymantriidae) Synonym(s): *droa* Swinhoe,1896 _ Range (in code): CN HK
- 55322. *Pantana eurygania* Druce,1899** (Lymantriidae) Synonym(s): *eurygania* Druce,1899
Range (in code): CN Sz IN Meg Ass Khs
- 55323. *Pantana flavivenosa* Candèze,1927** (Lymantriidae) Synonym(s): *flavivenosa* Candèze,1927
Range (in code): VN Ton
- 55324. *Pantana infuscata* Matsumura,1921** (Lymantriidae) Synonym(s): *infuscata* Matsumura,1921 _ Range (in code): TW
- 55325. *Pantana interjecta* Swinhoe,1891** (Lymantriidae) Synonym(s): *interjecta* Swinhoe,1891
Range (in code): IN SI Ass Khs Meg
- 55326. *Pantana luteiceps* Swinhoe,1896** (Lymantriidae) Synonym(s): *luteiceps* Swinhoe,1896
Range (in code): IN Meg Ass Khs
- 55327. *Pantana luzonensis* Semper,1898** (Lymantriidae) Synonym(s): *luzonensis* Semper,1898; *#nigrosquamata* Strand,1923 _ Range (in code): PH Luz
- 55328. *Pantana mindanensis* Semper,1898** (Lymantriidae) Synonym(s): *mindanensis* Semper,1898; *#visaya* Strand,1915 _ Range (in code): PH Mno
- 55329. *Pantana nigrolimbata* Leech,1903** (Lymantriidae) Synonym(s): *nigrolimbata* Leech,1903
Range (in code): CN Sz
- 55330. *Pantana pluto* (Leech,1890)** (Lymantriidae) Synonym(s): *pluto* Leech,1890 _ Range (in code): CN Sz VN Ton Tda
- 55331. *Pantana simplex* Leech,1899** (Lymantriidae) Synonym(s): *simplex* Leech,1899; *seriatopunctata* Matsumura,1921; *#monotonia* Strand,1915 _ Range (in code): CN
- 55332. *Pantana sinica* Moore,1877** (Lymantriidae) Synonym(s): *sinica* Moore,1877; *limbifera* Strand,1911 _ Range (in code): CN
- 55333. *Pantana terminata* (Walker,1865)** (Lymantriidae) Synonym(s): *terminata* Walker,1865; *#terminalis* Strand,1915
Original Reference: Genusa terminata Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 340 Range (in code): MM Peg IN Ass Krh LA

- 55334. *Pantana visaya* Semper, 1898** (Lymantriidae) **Synonym(s):** *visaya* Semper, 1898; *#luzonensis* Strand, 1915; *visaga* Swinhoe, 1923 **Range (in code):** **PH Ceb Ley**
- 55335. *Pantana visum* (Hübner, [1825])** (Lymantriidae) **Synonym(s):** *visum* Hübner, [1825]; *dispar* Walker, 1855 **Range (in code):** **IN MM Mm Shn VN Ton CN Hn TW HK TH CMa Cuo Cuo1 Cuo6 Cuo7 Cu12 ID Ja MY**
- 55336. *Paramarbla abyssinica* Collenette, 1955** (Lymantriidae) **Synonym(s):** *abyssinica* Collenette, 1955 **Range (in code):** **ET**
- 55337. *Paramarbla ansorgei* Collenette, 1960** (Lymantriidae) **Synonym(s):** *ansorgei* Collenette, 1960 **Range (in code):** **ZR**
- 55338. *Paramarbla azami* (Kheil, 1909)** (Lymantriidae) **Synonym(s):** *azami* Kheil, 1909 **Range (in code):** **GO**
- 55339. *Paramarbla beni* (Bethune-Baker, 1909)** (Lymantriidae) **Synonym(s):** *beni* Bethune-Baker, 1909 **Range (in code):** **ZR KE**
- 55340. *Paramarbla catharia* (Collenette, 1933)** (Lymantriidae) **Synonym(s):** *catharia* Collenette, 1933 **Range (in code):** **UG KE ZR**
- 55341. *Paramarbla coelebs* (Collenette, 1931)** (Lymantriidae) **Synonym(s):** *coelebs* Collenette, 1931 **Range (in code):** **ZR**
- 55342. *Paramarbla elegantula* (M. Hering, 1926)** (Lymantriidae) **Synonym(s):** *elegantula* M. Hering, 1926 **Range (in code):** **CM**
- 55343. *Paramarbla hemileuca* (Rebel, 1914)** (Lymantriidae) **Synonym(s):** *hemileuca* Rebel, 1914; *semihyalina* Joicey & Talbot, 1924 **Range (in code):** **ZR**
- 55344. *Paramarbla indentata* (Holland, 1893)** (Lymantriidae) **Synonym(s):** *indentata* Holland, 1893 **Range (in code):** **SL CM GO GA**
- 55345. *Paramarbla lindblomi* (Aurivillius, 1921)** (Lymantriidae) **Synonym(s):** *lindblomi* Aurivillius, 1921 **Range (in code):** **KE**
- 55346. *Paramarbla lutulenta* (Collenette, 1931)** (Lymantriidae) **Synonym(s):** *lutulenta* Collenette, 1931 **Range (in code):** **CM Bit**
- 55347. *Paramarbla nyctemerina* (Rebel, 1914)** (Lymantriidae) **Synonym(s):** *nyctemerina* Rebel, 1914 **Range (in code):** **ZR**
- 55348. *Paramarbla tenera* (Holland, 1893)** (Lymantriidae) **Synonym(s):** *tenera* Holland, 1893 **Range (in code):** **GA**
- 55349. *Paramarbla teroensis* Collenette, 1937** (Lymantriidae) **Synonym(s):** *teroensis* Collenette, 1937 **Range (in code):** **UG**
- 55350. *Parapellucens aphrasta* (Collenette, 1932)** (Lymantriidae) **Synonym(s):** *aphrasta* Collenette, 1932 **Range (in code):** **ID Sum MY Bor**
- 55351. *Parapellucens tegulatorii* Holloway, 1999** (Lymantriidae) **Synonym(s):** *tegulatorii* Holloway, 1999 **Range (in code):** **MY Bor ID Sum**
- 55352. *Parapirga neurabrunnea* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *neurabrunnea* Bethune-Baker, 1911 **Range (in code):** **ZA**
- 55353. *Paraproctis chionopeza* Collenette, 1954** (Lymantriidae) **Synonym(s):** *chionopeza* Collenette, 1954 **Range (in code):** **ZA**
- 55354. *Paraproctis osiris* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *osiris* Bethune-Baker, 1911 **Range (in code):** **KE**
- 55355. *Paraxena angola* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *angola* Bethune-Baker, 1911 **Range (in code):** **AO**
- 55356. *Paraxena esquamata* Bethune-Baker, 1911** (Lymantriidae) **Synonym(s):** *esquamata* Bethune-Baker, 1911 **Range (in code):** **ZA**
- 55357. *Parocneria audeoudi* (Brandt, 1938)** (Lymantriidae) **Synonym(s):** *audeoudi* Brandt, 1938; *#unicoloris* Brandt, 1938 **Original Reference:** *Ocneria audeoudi* Brandt, 1938, Ent. Rdsch. 55: 674-675, Taf. iv figs. 12, 13. Syntypes: Iran: Fars: Sine Sefid. **Range (in code):** **IR Fa Sse**
- 55358. *Parocneria detrita* (Esper, [1785])** (Lymantriidae) **Synonym(s):** *detrita* Esper, [1785]; *orientalis* Schwingenschuss, 1939; *orientis* Daniel, 1963 **Range (in code):** **FR IT DE AT PL CZ SK RO YU BG GR TR RU MD UA BY**
- 55359. *Parocneria iranica* (Brandt, 1938)** (Lymantriidae) **Synonym(s):** *iranica* Brandt, 1938 **Original Reference:** *Ocneria iranica* Brandt, 1938, Ent. Rdsch. 55: 674, Taf. iv figs. 14, 15. Syntypes: Iran: Fars: Sine Sefid, Mian-Kotal. **Range (in code):** **IR Fa Sse SA**
- 55360. *Parocneria ledereri* (Millière, 1868)** (Lymantriidae) **Synonym(s):** *ledereri* Millière, 1868 **Range (in code):** **Si IT YU BG GR**

- 55361. *Parocneria nora* (Staudinger,1895)** (Lymantriidae) Synonym(s): *nora* Staudinger,1895
Range (in code): **TR**
- 55362. *Parocneria philbyi* (Collenette,1933)** (Lymantriidae) Synonym(s): *philbyi* Collenette,1933
Range (in code): **SA**
- 55363. *Parocneria pilosa* (W.Warren,1897)** (Lymantriidae) Synonym(s): *pilosa* W.Warren,1897
Range (in code): **AF Sfk**
- 55364. *Parocneria raddei* (Christoph,1885)** (Lymantriidae) Synonym(s): *raddei* Christoph,1885
Range (in code): **TR IQ Shq IR Elb Mz LB Cc AZ Kir**
- 55365. *Parocneria raddei vestalina* (Staudinger,1894)** (Lymantriidae) Synonym(s): *vestalina* Staudinger,1894
Range (in code): **TR IQ Shq**
- 55366. *Parocneria samarita* (Staudinger,1895)** (Lymantriidae) Synonym(s): *samarita* Staudinger,1895
Range (in code): **TR IL Pa**
- 55367. *Parocneria signatoria* (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897
Original Reference: *Ocneria signatoria* Christoph,1893, Dt. ent. Z., Iris 6: 88. [Azerbaijan]: Transcaucasi, Eldar. Range (in code): **DZ Khk IL Pa IR Ss Ahz IQ Bgd Agh TM UZ Cc AZ TR AF**
Bionomy: Larva on Tamarix (Tamaricaceae) (Wiltshire,1939,1957).
- 55368. *Parocneria signatoria nisseni* (Rothschild,1912)** (Lymantriidae) Synonym(s): *nisseni* Rothschild,1912; *militaris* Oberthür,1914; *algirica* Oberthür,1916
Original Reference: *Lymantria nisseni* Rothschild,1912, Novit. zool. 19: 125. Type: Algeria, Khenchela. Range (in code): **DZ Khk**
- 55369. *Parocneria signatoria poenitens* (Staudinger,1900)** (Lymantriidae) Synonym(s): *poenitens* Staudinger,1900
Original Reference: *Ocneria signatoria* var. *poenitens* Staudinger,1900, Dt. ent. Z., Iris 12: 162. Type: Palestina: Jordanthal. Range (in code): **IL Pa Jt IR Ss Ahz IQ Agh Bgd TR Cc**
Bionomy: Larva on Tamarix (Tamaricaceae) (Wiltshire,1939,1957).
- 55370. *Parocneria signatoria signatoria* (Christoph,1893)** (Lymantriidae) Synonym(s): *signatoria* Christoph,1893; *pilosa* W.Warren,1897
Original Reference: *Ocneria signatoria* Christoph,1893, Dt. ent. Z., Iris 6: 88. [Azerbaijan]: Transcaucasi, Eldar. Range (in code): **Cc AZ TM UZ IR AF**
- 55371. *Parocneria stoetzneri* (Draeseke,1926)** (Lymantriidae) Synonym(s): *stoetzneri* Draeseke,1926
Range (in code): **CN Pkn**
- 55372. *Parocneria terebinthi* (Freyer,[1838])** (Lymantriidae) Synonym(s): *terebinthi* Freyer,[1838]; *unicolor* Staudinger,[1895]
Original Reference: *Bombyx terebinthi* Freyer,[1838], Neuere Beitr. Schmett. 3: 110, pl.272 fig.1. Range (in code): **RO YU BG GR Cr TR GG Aba Cc**
Bionomy: Larva on Pistacia terebinthus (Freyer,[1838]; Staudinger,1879)
- 55373. *Parocneria terebynthina* (Staudinger,[1895])** (Lymantriidae) Synonym(s): *terebynthina* Staudinger,[1895]; *insolita* Brandt,1938
Original Reference: *Ocneria terebynthina* Staudinger,[1895], Dt. ent. Z., Iris 7: 259-260. Syntypes 6♂: [Türkei]: Mardin. Range (in code): **TR IQ IR Fa Mia**
Bionomy: Larva on Pistacia (Wiltshire,1957).
- 55374. *Parocneria toelgi* (Rebel,1917)** (Lymantriidae) Synonym(s): *toelgi* Rebel,1917
Range (in code): **TR**
- 55375. *Parvaroa cinerea* Holloway,1976** (Lymantriidae) Synonym(s): *cinerea* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 55376. *Parvaroa obscura* Holloway,1999** (Lymantriidae) Synonym(s): *obscura* Holloway,1999
Range (in code): **MY Bor**
- 55377. *Pendria binominata* Bryk,1934** (Lymantriidae) Synonym(s): *rotundata* Rothschild,1915 nec Swin.,1906; *binominata* Bryk,1934
Range (in code): **ID Ij**
- 55378. *Pendria fuscipicalis* Rothschild,1915** (Lymantriidae) Synonym(s): *fuscipicalis* Rothschild,1915
Range (in code): **ID Ij**
- 55379. *Pendria rinaria* (Moore,1859)** (Lymantriidae) Synonym(s): *rinaria* Moore,1859; *margaritacea* Snellen,1886; *snelleni* Kirby,1892
Range (in code): **IN Ass Meg Khs ID Sum Ja**
- 55380. *Pendria rinaria dica* (Swinhoe,1891)** (Lymantriidae) Synonym(s): *dica* Swinhoe,1891
Range (in code): **IN Ass Meg Khs**
- 55381. *Pendria rinaria rinaria* (Moore,1859)** (Lymantriidae) Synonym(s): *rinaria* Moore,1859; *margaritacea* Snellen,1886; *snelleni* Kirby,1892
Range (in code): **ID Sum Ja**
- 55382. *Pendria rotundata* Swinhoe,1906** (Lymantriidae) Synonym(s): *rotundata* Swinhoe,1906
Range (in code): **ID Nia**
- 55383. *Penthophera lutea* (Boisduval,1847)** (Lymantriidae) Synonym(s): *lutea* Boisduval,1847
Range (in code): **ZA**

- 55384. *Penthophera morio* (Linnaeus,1767)** (Lymantriidae) **Synonym(s):** *morio* Linnaeus,1767
Range (in code): [IT AT PL CZ SK HU RO YU BG GG AM Cc](#)
- 55385. *Penthophera morio caucasica* (Heylaerts,1887)** (Lymantriidae) **Synonym(s):** *caucasica* Heylaerts,1887
Range (in code): [Cc GG AM](#)
- 55386. *Penthophera subfusca* (Boisduval,1847)** (Lymantriidae) **Synonym(s):** *subfusca* Boisduval,1847
Range (in code): [ZA](#)
- 55387. *Perina nuda* (Fabricius,1787)** (Lymantriidae) **Synonym(s):** *nuda* Fabricius,1787; *basalis* Walker,1855; *subtincta* Walker,1855; *combinata* Walker,1865; *ritsemae* Heylaerts,1881; *biparsa* Matsumura,1911
Original Reference: *Bombyx nuda* Fabricius,1787, *Mantissa Insectorum* 2: 119. Type: India, on *Amaranthus spinosus*. **Range (in code):** [CN JP IN LK Kndy Pdy HK NP TW VN Hlg TH](#)
- 55388. *Perina pura* Walker,1869** (Lymantriidae) **Synonym(s):** *pura* Walker,1869
Range (in code): [IN Clc](#)
- 55389. *Perina sunda* Holloway,1999** (Lymantriidae) **Synonym(s):** *sunda* Holloway,1999
Range (in code): [PH MY Bor Swk](#)
- 55390. *Pida apicalis* Walker,1865** (Lymantriidae) **Synonym(s):** *apicalis* Walker,1865
Range (in code): [SI IN Djl BD Syl Ass Khs Meg NP](#)
- 55391. *Pida decolorata* (Walker,1869)** (Lymantriidae) **Synonym(s):** *decolorata* Walker,1869
Range (in code): [IN SI Djl Ass Meg Khs TW](#)
- 55392. *Pida decolorata maculosa* Matsumura,1911** (Lymantriidae) **Synonym(s):** *maculosa* Matsumura,1911
Range (in code): [TW](#)
- 55393. *Pida postalba* Wileman,1910** (Lymantriidae) **Synonym(s):** *postalba* Wileman,1910; *purpurascens* Matsumura,1927
Range (in code): [TW TH CMa](#)
- 55394. *Pida strigipennis* (Moore,1879)** (Lymantriidae) **Synonym(s):** *strigipennis* Moore,1879
Range (in code): [IN Ass SI Khs Meg MM Shn CN Sz TW MY](#)
- 55395. *Pida strigipennis limbata* Collenette,1932** (Lymantriidae) **Synonym(s):** *limbata* Collenette,1932
Range (in code): [MY](#)
- 55396. *Pirga bipuncta* M.Hering,1926** (Lymantriidae) **Synonym(s):** *bipuncta* M.Hering,1926
Range (in code): [KE](#)
- 55397. *Pirga cryptogena* Collenette,1931** (Lymantriidae) **Synonym(s):** *cryptogena* Collenette,1931
Range (in code): [UG](#)
- 55398. *Pirga loveni* Aurivillius,1934** (Lymantriidae) **Synonym(s):** *loveni* Aurivillius,1934; *loveni* Bryk,1934
Range (in code): [KE](#)
- 55399. *Pirga lutea* Grünberg,1907** (Lymantriidae) **Synonym(s):** *lutea* Grünberg,1907
Range (in code): [TZ Dss](#)
- 55400. *Pirga luteola* M.Hering,1926** (Lymantriidae) **Synonym(s):** *luteola* M.Hering,1926
Range (in code): [ZR](#)
- 55401. *Pirga magna* Swinhoe,1903** (Lymantriidae) **Synonym(s):** *magna* Swinhoe,1903
Range (in code): [KE](#)
- 55402. *Pirga mirabilis* Aurivillius,1892** (Lymantriidae) **Synonym(s):** *mirabilis* Aurivillius,1892
Range (in code): [KE](#)
- 55403. *Pirga mnemosyne* Rebel,1914** (Lymantriidae) **Synonym(s):** *mnemosyne* Rebel,1914
Range (in code): [CM TZ](#)
- 55404. *Pirga pellucida* Wichgraf,1921** (Lymantriidae) **Synonym(s):** *pellucida* Wichgraf,1921
Range (in code): [ZA TZ](#)
- 55405. *Pirga perfasciata* Wichgraf,1913** (Lymantriidae) **Synonym(s):** *perfasciata* Wichgraf,1913
Range (in code): [TZ](#)
- 55406. *Pirga transvalensis* Janse,1915** (Lymantriidae) **Synonym(s):** *transvalensis* Janse,1915
Original Reference: *Pirga transvalensis* Janse,1915, *Ann. Transv. Mus.* 5(1): 13, pl.iii fig.1. Type: [South Africa]: "Kalkbank (Zoutpansberg District)" (coll.Janse) (TMP). **Range (in code):** [ZA Tva Lpo Spb](#)
- 55407. *Pirga turbida* Grünberg,1907** (Lymantriidae) **Synonym(s):** *turbida* Grünberg,1907
Range (in code): [KE Nai](#)
- 55408. *Pirga weisei* Karsch,1900** (Lymantriidae) **Synonym(s):** *weisei* Karsch,1900
Range (in code): [TZ](#)
- 55409. *Pirgula atrinotata* (Butler,1896)** (Lymantriidae) **Synonym(s):** *atrinotata* Butler,1896
Range (in code): [MW TZ](#)
- 55410. *Pirgula delicata* Griveaud,1973** (Lymantriidae) **Synonym(s):** *delicata* Griveaud,1973
Range (in code): [MG](#)

- 55411. *Pirgula delosema* Collenette,1953** (Lymantriidae) Synonym(s): *delosema* Collenette,1953
Range (in code): ZW Swz
- 55412. *Pirgula jordani* (M.Hering,1926)** (Lymantriidae) Synonym(s): *jordani* M.Hering,1926
Range (in code): MG
- 55413. *Pirgula melanoma* Collenette,1936** (Lymantriidae) Synonym(s): *melanoma* Collenette,1936
Range (in code): MG
- 55414. *Pirgula monopunctata* Griveaud,1973** (Lymantriidae) Synonym(s): *monopunctata* Griveaud,1973
Range (in code): MG
- 55415. *Pirgula ottoguttata* Tessmann,1921** (Lymantriidae) Synonym(s): *ottoguttata* Tessmann,1921; *adusta* Tessmann,1921 [ssp.];
Range (in code): CM
- 55416. *Pirgula polylopha* Collenette,1959** (Lymantriidae) Synonym(s): *polylopha* Collenette,1959
Range (in code):
- 55417. *Pirgula quinquepunctata* Wichgraf,1921** (Lymantriidae) Synonym(s): *quinquepunctata* Wichgraf,1921
Range (in code): TZ
- 55418. *Pirgula sexpunctata* Griveaud,1973** (Lymantriidae) Synonym(s): *sexpunctata* Griveaud,1973
Range (in code): MG
- 55419. *Pirgula stictogonia* Collenette,1936** (Lymantriidae) Synonym(s): *stictogonia* Collenette,1936
Range (in code): AO
- 55420. *Polymona aboleta* (Staudinger,1895)** (Lymantriidae) Synonym(s): *aboleta* Staudinger,1895
Range (in code): IL Pa Js JO
- 55421. *Polymona amabilis* (Christoph,1887)** (Lymantriidae) Synonym(s): *amabilis* Christoph,1887
Range (in code): IR Fa Ss AF Pag Srb TM Kp
- 55422. *Polymona atlantica* (Rambur,1837)** (Lymantriidae) Synonym(s): *atlantica* Rambur,1837; *mus* Oberthür,1916
Range (in code): MR MA Ess Ndr Ges BSa Bsk Khk Cst DhM Tun TN DZ ES FR Co Sa Si
- 55423. *Polymona daraba* (Wiltshire,1952)** (Lymantriidae) Synonym(s): *daraba* Wiltshire,1952
Original Reference: *Lymantria daraba* Wiltshire,1952, Bull. Soc. Fouad I Ent. 36: 201-202, plate figs.12,13. Holotype ♂: [Iran]: South East Fars, Darab,14-15.v.50, leg. Arjumand (coll. Wiltshire).
Range (in code): IR Fa OM AE
- 55424. *Polymona destituta* (Staudinger,1892)** (Lymantriidae) Synonym(s): *destituta* Staudinger,1892; *maraschi* Daniel,1932. Original Reference: *Ocneria destituta* Staudinger,1892, Dt. ent. Z., Iris 4: 256-257. Type 1♂: [Türkei]: Mardin, 12. Juni (Manissadjian's collector). Range (in code): TR IR Fa IQ Rwz Ry Dia Brs Bionomy: Larva on *Prunus* ? (Wiltshire,1957).
- 55425. *Polymona ellisoni* Collenette,1938** (Lymantriidae) Synonym(s): *ellisoni* Collenette,1938
Range (in code): ET SA OM
- 55426. *Polymona griseipennis* (Kozhantshikov,1950)** (Lymantriidae) Synonym(s): *griseipennis* Kozhantshikov,1950 Original Reference: *Lymantria griseipennis* Kozhantshikov,1950, Fauna of the U.S.S.R., Lepid. (12): 387. Type: Transcaucasia: Valley of Kura. Range (in code): Cc AM TR
- 55427. *Polymona inaffinis* M.Hering,1926** (Lymantriidae) Synonym(s): *inaffinis* M.Hering,1926
Range (in code): TZ
- 55428. *Polymona komarovi* (Christoph,1882)** (Lymantriidae) Synonym(s): *komarovi* Christoph,1882
Range (in code): IR Cc AM AZ Nv Ord
- 55429. *Polymona lapidicola* (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
Range (in code): Sa TR Cc AM AZ Kir SY CY IQ Rwz LB Bsa IL Pa Hf JO Bionomy: Larva on *Amygdalus communis*, *Prunus* (Wiltshire,1957).
- 55430. *Polymona lapidicola lapidicola* (Herrich-Schäffer,[1852])** (Lymantriidae) Synonym(s): *lapidicola* Herrich-Schäffer,[1852]
Range (in code): TR
- 55431. *Polymona lapidicola mardina* (Staudinger,1892)** (Lymantriidae) Synonym(s): *mardina* Staudinger,1892
Range (in code): TR IQ Rwz
- 55432. *Polymona lapidicola phoenissa* (Rogenhofer,1891)** (Lymantriidae) Synonym(s): *phoenissa* Rogenhofer,1891; *libanicola* Staudinger,1892
Range (in code): SY CY LB
- 55433. *Polymona lapidicola urbicola* (Staudinger,1879)** (Lymantriidae) Synonym(s): *atlantica* Herrich-Schäffer,[1852] *nec* Rmb.,1837; *#urbicola* Staudinger,1861; *urbicola* Staudinger,1879
Original Reference: *Lymantria lapidicola* var. *urbicola* Staudinger,1879, Horae Soc. ent. ross. 14: 352-353. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): TR Cc
- 55434. *Polymona philbyi* Wiltshire,1980** (Lymantriidae) Synonym(s): *philbyi* Wiltshire,1980
Range (in code): SA YE KE

- 55435. *Polymona rubescens* Rebel,1948** (Lymantriidae) Synonym(s): *rubescens* Rebel,1948
Original Reference: *Polymona rubescens* [sic!] Rebel,1948, Z. Wien. ent. Ges. 32: 50. Syntypes 2♂: Aegypt: "Gebel Elba, W.Cansisrob (Priesn.)". Range (in code): **EG JE SA YE**
- 55436. *Polymona rufifemur* Walker,1855** (Lymantriidae) Synonym(s): *rufifemur* Walker,1855; *scurilis* Wallengren,1860; *lorimeri* Butler,1878
Original Reference: *Polymona rufifemur* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 768. Type(s): South Africa. Range (in code): **ZA Nta Kzu Dbn Tva Gau Pre Mpu Wv Brb Nha**
- 55437. *Polymona schellhorni* Schintlmeister & Witt,2013** (Lymantriidae) Synonym(s): *schellhorni* Schintlmeister & Witt,2013
Original Reference: *Polymona schellhorni* Schintlmeister & Witt,2013, Zootaxa 3745 (2): 296-297, figs. Holotype ♂: Jordania, Gouv. Ma'an, 9km N Petra 1650m leg. S.Schellhorn & P.Schnitter (MWM). Range (in code): **JO Pet**
- 55438. *Polymona sulaki* Witt & Speidel,2007** (Lymantriidae) Synonym(s): *sulaki* Witt & Speidel,2007
Original Reference: *Polymona sulaki* Witt & Speidel,2007, Entomofauna 28 (3): 34-36, figs. Holotype ♂: Algerien, Schlucht von Ihmirhun 600m, leg. A.S.Kramer & R.Vetter (MWM). Range (in code): **DZ**
- 55439. *Polymona whitei* Wiltshire,1980** (Lymantriidae) Synonym(s): *whitei* Wiltshire,1980
Range (in code): **OM YE**
- 55440. *Porthesaroa maculata* Collenette,1938** (Lymantriidae) Synonym(s): *maculata* Collenette,1938
Range (in code): **ZA**
- 55441. *Porthmeia bicolora* Bethune-Baker,1908** (Lymantriidae) Synonym(s): *bicolora* Bethune-Baker,1908
Range (in code): **PG**
- 55442. *Porthmeia pyrozona* Collenette,1930** (Lymantriidae) Synonym(s): *pyrozona* Collenette,1930
Range (in code): **ID IJ**
- 55443. *Porthmeia radiata* Bethune-Baker,1916** (Lymantriidae) Synonym(s): *radiata* Bethune-Baker,1916
Range (in code): **PG**
- 55444. *Porthmeia subnigra* Bethune-Baker,1908** (Lymantriidae) Synonym(s): *subnigra* Bethune-Baker,1908
Range (in code): **PG**
- 55445. *Psalis africana* Kiriakoff,1956** (Lymantriidae) Synonym(s): *africana* Kiriakoff,1956
Range (in code): **ZA Nta Kzu KE AO ZR GH MW MZ NG ZW TZ**
- 55446. *Psalis kanshireiensis* Wileman & South,1917** (Lymantriidae) Synonym(s): *kanshireiensis* Wileman & South,1917
Range (in code): **TW**
- 55447. *Psalis pennatula* (Fabricius,1793)** (Lymantriidae) Synonym(s): *pennatula* Fabricius,1793; *securis* Hübner,1823; *antica* Walker,1855; *praeusta* Felder,1861; *falcata* Walker,1865; *tacta* Walker,1865; *approximata* Walker,1865; *costalis* Matsumura,1911
Original Reference: *Bombyx pennatula* Fabricius,1793, Ent. Syst. 3 (1): 465. Type(s): India orientalis. Range (in code): **VN Ton Tda TH ID Ja Amb IN AU LK Tem Kndy Pdy**
- 55448. *Psalis punctuligera* (Mabille,1880)** (Lymantriidae) Synonym(s): *punctuligera* Mabille,1880
Range (in code): **MG**
- 55449. *Pseudobazisa perculata* (Distant,1897)** (Lymantriidae) Synonym(s): *perculata* Distant,1897
Range (in code): **ZA Tva Lpo Gau Pre Rtf Pot Wv**
- 55450. *Psilochira amydra* (Collenette,1932)** (Lymantriidae) Synonym(s): *amydra* Collenette,1932
Range (in code): **PH Pal MY Bor ID Sum**
- 55451. *Psilochira durioides* (Strand,1915)** (Lymantriidae) Synonym(s): *durioides* Strand,1915
Range (in code): **PG ID Sum MY Prk Bor Sbh**
- 55452. *Psilochira lineata* (Walker,1855)** (Lymantriidae) Synonym(s): *lineata* Walker,1855; *nycthemera* Toxopeus,1948; *sinuata* Toxopeus,1948
Range (in code): **SI IN BD Syl MM Peg ID Sum Ja MY Bor**
- 55453. *Psilochira venusta* (Collenette,1933)** (Lymantriidae) Synonym(s): *venusta* Collenette,1933
Range (in code): **MY Bor Pah ID Sum**
- 55454. *Pteredoa atripalpia* Hampson,1910** (Lymantriidae) Synonym(s): *atripalpia* Hampson,1910
Range (in code): **ET**
- 55455. *Pteredoa hololeuca* Hampson,1910** (Lymantriidae) Synonym(s): *hololeuca* Hampson,1910
Range (in code): **UG**
- 55456. *Pteredoa monosticta* (Butler,1898)** (Lymantriidae) Synonym(s): *monosticta* Butler,1898
Range (in code): **ZA Gau Tva Pre Jh Mpu Wv Ptw Dbn Nta Kzu**
- 55457. *Pteredoa nigropuncta* M.Hering,1926** (Lymantriidae) Synonym(s): *nigropuncta* M.Hering,1926
Range (in code): **CM**

- 55458. *Pteredoa plumosa* Hampson,1905** (Lymantriidae) **Synonym(s):** *plumosa* Hampson,1905
Range (in code): **ZA**
- 55459. *Pteredoa siderea* M.Hering,1926** (Lymantriidae) **Synonym(s):** *siderea* M.Hering,1926
Range (in code): **KE Nai**
- 55460. *Pteredoa subapicalis* Hering,1926** (Lymantriidae) **Synonym(s):** *subapicalis* Hering,1926
Range (in code): **ZA MZ Del**
- 55461. *Pteredoa usebia* (Swinhoe,1903)** (Lymantriidae) **Synonym(s):** *usebia* Swinhoe,1903;
#usebria Janse,1915 **Range (in code):** **ZA TZ**
- 55462. *Redoa kenya* Collenette,1931** (Lymantriidae) **Synonym(s):** *kenya* Collenette,1931
Range (in code): **KE**
- 55463. *Redoa kibwezi* Collenette,1932** (Lymantriidae) **Synonym(s):** *kibwezi* Collenette,1932
Original Reference: *Redoa kibwezi* Collenette,1932, Novit. zool. 37 (2): 159-160, pl.1 fig.37.
Holotype ♂: Kenya: Kibwezi (R.A.Dummer). **Range (in code):** **KE Kib**
- 55464. *Redoa marginepunctata* (Saalmüller,1878)** (Lymantriidae) **Synonym(s):** *marginepunctata* Saalmüller,1878 **Range (in code):** **MG**
- 55465. *Redoa mayotta* Collenette,1931** (Lymantriidae) **Synonym(s):** *mayotta* Collenette,1931
Range (in code): **KM**
- 55466. *Redoa rufiterga* Hampson,1910** (Lymantriidae) **Synonym(s):** *rufiterga* Hampson,1910
Range (in code): **NG**
- 55467. *Redoa submarginata* Walker,1855** (Lymantriidae) **Synonym(s):** *submarginata* Walker,1855; *transiens* Walker,1862; *acuta* Snellen,1881; *hipparia* Swinhoe,1893; *sikkima* Strand,1915; *keiana* Hulstaert,1923
Original Reference: *Redoa submarginata* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 826. **Range (in code):** **CN PG Fg SB ID Aru Amb Sum Ja Kai LK Cob SI Djl IN Ass Khs Meg BD Syl MY Bor Prk Swk LA TH Bnk SG PH Luz**
- 55468. *Redoa xanthoma* Collenette,1931** (Lymantriidae) **Synonym(s):** *xanthoma* Collenette,1931
Range (in code): **MG**
- 55469. *Repena fusca* (Walker,1855)** (Lymantriidae) **Synonym(s):** *fusca* Walker,1855; *tephra* Herrich-Schäffer,1855; *subviridis* Walker,1865 **Range (in code):** **CM ZA Cto WCa**
- 55470. *Rhodesana crenulata* Bethune-Baker,1908** (Lymantriidae) **Synonym(s):** *crenulata* Bethune-Baker,1908 **Range (in code):** **ZW**
- 55471. *Rhodesana mintha* Fawcett,1917** (Lymantriidae) **Synonym(s):** *mintha* Fawcett,1917
Range (in code):
- 55472. *Rhyopteryx bowdeni* Collenette,1960** (Lymantriidae) **Synonym(s):** *bowdeni* Collenette,1960 **Range (in code):** **UG**
- 55473. *Rhyopteryx diplogramma* M.Hering,1927** (Lymantriidae) **Synonym(s):** *diplogramma* M.Hering,1927 **Range (in code):** **TZ ZA**
- 55474. *Rhyopteryx diplogramma chera* M.Hering,1927** (Lymantriidae) **Synonym(s):** *chera* M.Hering,1927 **Range (in code):** **ZA**
- 55475. *Rhyopteryx fontainei* Collenette,1960** (Lymantriidae) **Synonym(s):** *fontainei* Collenette,1960 **Range (in code):** **ZR**
- 55476. *Rhyopteryx hemichrysa* Collenette,1960** (Lymantriidae) **Synonym(s):** *hemichrysa* Collenette,1960 **Range (in code):** **ZA**
- 55477. *Rhyopteryx hemichrysa* Collenette,1960** (Lymantriidae) **Synonym(s):** *hemichrysa* Collenette,1960 **Range (in code):** **ZW Har**
- 55478. *Rhyopteryx lugardi* (Swinhoe,1903)** (Lymantriidae) **Synonym(s):** *lugardi* Swinhoe,1903
Range (in code): **ZA TZ**
- 55479. *Rhyopteryx psoloconia* Collenette,1960** (Lymantriidae) **Synonym(s):** *psoloconia* Collenette,1960 **Range (in code):** **ZR**
- 55480. *Rhyopteryx psolozona* (Collenette,1938)** (Lymantriidae) **Synonym(s):** *psolozona* Collenette,1938 **Range (in code):** **ZA**
- 55481. *Rhyopteryx rhodalipha* (R.Felder & Rogenhofer,1874)** (Lymantriidae) **Synonym(s):** *rhodalipha* R.Felder & Rogenhofer,1874; *tessellata* Distant,1897 **Range (in code):** **ZA Tva Lpo Ly Nta Kzu Dbn**
- 55482. *Rhyopteryx rhodea* (Hampson,1905)** (Lymantriidae) **Synonym(s):** *rhodea* Hampson,1905 **Range (in code):** **ZA MZ Del**
- 55483. *Rhyopteryx rubripunctata* (Weymer,1892)** (Lymantriidae) **Synonym(s):** *rubripunctata* Weymer,1892 **Range (in code):** **ZA TZ**

- 55484. *Rhyopteryx sordida* Aurivillius, 1879** (Lymantriidae) Synonym(s): *sordida* Aurivillius, 1879 _ Range (in code): NG NA ZA
- 55485. *Rhyopteryx summissa* M. Hering, 1926** (Lymantriidae) Synonym(s): *summissa* M. Hering, 1926 _ Range (in code): KE Nai
- 55486. *Rhyopteryx triangulifera* (Hampson, 1910)** (Lymantriidae) Synonym(s): *triangulifera* Hampson, 1910 _ Range (in code): ZA KE
- 55487. *Rhyopteryx uele* Collenette, 1960** (Lymantriidae) Synonym(s): *uele* Collenette, 1960 _ Range (in code): ZR
- 55488. *Rhyptoses atima* Collenette, 1931** (Lymantriidae) Synonym(s): *atima* Collenette, 1931 _ Range (in code): ID Ja
- 55489. *Ruanda aetheria* Strand, 1909** (Lymantriidae) Synonym(s): *aetheria* Strand, 1909
Original Reference: Ruanda aetheria Strand, 1909, Dt. ent. Z., Iris 22: 111. Type: Tanzania. Range (in code): RW TZ
- 55490. *Ruanda furva* (Hampson, 1905)** (Lymantriidae) Synonym(s): *furva* Hampson, 1905
Range (in code): ZA Cto Ec Nta Kzu Lpo Tva Spb Mdk Suw MZ ZW
- 55491. *Ruanda nuda* (Holland, 1897)** (Lymantriidae) Synonym(s): *nuda* Holland, 1897 _ Range (in code): ZA Wb ZW ZM TZ
- 55492. *Salvatgea arabica* (Wiltshire, 1982)** (Lymantriidae) Synonym(s): *arabica* Wiltshire, 1982
Range (in code): OM AE
- 55493. *Salvatgea dhofarica* (Wiltshire, 1980)** (Lymantriidae) Synonym(s): *dhofarica* Wiltshire, 1980 _ Range (in code): OM YE
- 55494. *Salvatgea garamantica* Speidel & Hassler, [1990]** (Lymantriidae) Synonym(s): *garamantica* Speidel & Hassler, [1990]
Original Reference: *Salvatgea garamantica* Speidel & Hassler, [1990], Nachr. ent. Ver. Apollo Suppl. 8: 58-59, figs. Holotype ♂: Südalgerien, Hoggar Massiv, Imeleoulaouè 1600m (ZFMK). Range (in code): DZ Ah
- 55495. *Salvatgea xanthosoma* (Hampson, 1910)** (Lymantriidae) Synonym(s): *xanthosoma* Hampson, 1910 _ Range (in code): SD SA YE
- 55496. *Scarpona discolor* (Hampson, 1896)** (Lymantriidae) Synonym(s): *discolor* Hampson, 1896
Range (in code): LK
- 55497. *Scarpona ennomoides* (Walker, 1862)** (Lymantriidae) Synonym(s): *ennomoides* Walker, 1862; *urapteroides* Walker, 1865; *subinanis* Walker, 1866; *#subinans* Swinhoe, 1922 _ Range (in code): ID Sum Ja MY Bor Swk SG MM Tns
- 55498. *Scarpona lerwa* (Swinhoe, 1899)** (Lymantriidae) Synonym(s): *lerwa* Swinhoe, 1899
Original Reference: *Topomesa lerwa* Swinhoe, 1899, Ann. Mag. nat. Hist. (7) 3: 111-112. Type ♂: [India]: "Castle Rock, Karwar" (coll. Davidson). Range (in code): IN
- 55499. *Scarpona trasiana* Collenette, 1933** (Lymantriidae) Synonym(s): *trasiana* Collenette, 1933
Range (in code): MY Pah
- 55500. *Schalidomitra ambages* Strand, 1911** (Lymantriidae) Synonym(s): *ambages* Strand, 1911
Range (in code): TZ ZA
- 55501. *Sevastopuloa celaenocera* Collenette, 1960** (Lymantriidae) Synonym(s): *celaenocera* Collenette, 1960 _ Range (in code): KE Mb
- 55502. *Shisa excellens* Strand, 1916** (Lymantriidae) Synonym(s): *excellens* Strand, 1916 _ Range (in code): TW
- 55503. *Sitvia denudata* Walker, 1865** (Lymantriidae) Synonym(s): *denudata* Walker, 1865
Range (in code): ID Sum MY Bor
- 55504. *Sitvia denudata* Walker, 1865** (Lymantriidae) Synonym(s): *denudata* Walker, 1865; *lowii* Butler, 1879 _ Range (in code): MY Pen Bor
- 55505. *Sitvia eleuterioides* (Semper, 1899)** (Lymantriidae) Synonym(s): *eleuterioides* Semper, 1899 _ Range (in code): PH Luz
- 55506. *Sitvia karoli* (Semper, 1899)** (Lymantriidae) Synonym(s): *karoli* Semper, 1899 _ Range (in code): PH Luz Mno
- 55507. *Sitvia marginata* Aurivillius, 1894** (Lymantriidae) Synonym(s): *marginata* Aurivillius, 1894
Range (in code): PH Luz
- 55508. *Sitvia subdenudata* Rothschild, 1915** (Lymantriidae) Synonym(s): *subdenudata* Rothschild, 1915 _ Range (in code): ID Ij
- 55509. *Somatoxena lasea* (Druce, 1899)** (Lymantriidae) Synonym(s): *lasea* Druce, 1899
Range (in code): SL

- 55510. *Stenaroa ignepicta* Hampson,1910** (Lymantriidae) Synonym(s): *ignepicta* Hampson,1910
Range (in code): **MG**
- 55511. *Stilpnaroma nasisi* Collenette,1960** (Lymantriidae) Synonym(s): *nasisi* Collenette,1960
Range (in code): **KE**
- 55512. *Stracena aegrotos* Le Cerf,1922** (Lymantriidae) Synonym(s): *aegrotos* Le Cerf,1922
Range (in code): **ET**
- 55513. *Stracena bananae* (Butler,1896)** (Lymantriidae) Synonym(s): *bananae* Butler,1896
Range (in code): **ZA ZR KE**
- 55514. *Stracena bananoides* M.Hering,1927** (Lymantriidae) Synonym(s): *bananoides* M.Hering,1927
Range (in code): **GA**
- 55515. *Stracena barnsi* Collenette,1930** (Lymantriidae) Synonym(s): *barnsi* Collenette,1930
Range (in code): **AO**
- 55516. *Stracena bipunctata* (Holland,1920)** (Lymantriidae) Synonym(s): *bipunctata* Holland,1920
Range (in code): **ZR**
- 55517. *Stracena flavipectus* Swinhoe,1904** (Lymantriidae) Synonym(s): *flavipectus* Swinhoe,1904
Range (in code): **NG**
- 55518. *Stracena fuscivena* Swinhoe,1903** (Lymantriidae) Synonym(s): *fuscivena* Swinhoe,1903;
limpida Swinhoe,1903
Range (in code): **NG**
- 55519. *Stracena oloris* (M.Hering,1926)** (Lymantriidae) Synonym(s): *oloris* M.Hering,1926
Range (in code): **TG**
- 55520. *Stracena pellucida* Grünberg,1907** (Lymantriidae) Synonym(s): *pellucida* Grünberg,1907
Range (in code): **KE**
- 55521. *Stracena promelaena* (Holland,1893)** (Lymantriidae) Synonym(s): *promelaena* Holland,1893; *#intermedia* Aurivillius,[1905]
Range (in code): **AO CM**
- 55522. *Stracena punctigera* M.Hering,1928** (Lymantriidae) Synonym(s): *punctigera* M.Hering,1928
Range (in code):
- 55523. *Stracena sulphureivena* (Aurivillius,[1905])** (Lymantriidae) Synonym(s): *sulphureivena* Aurivillius,[1905]
Range (in code): **CM**
- 55524. *Stracena tavetensis* (Holland,1892)** (Lymantriidae) Synonym(s): *tavetensis* Holland,1892;
telesilla Druce,1899; *#tellisilla* Swinhoe,1922
Range (in code): **ZA KE CM TZ**
- 55525. *Stracena xanthocephala* (M.Hering,1926)** (Lymantriidae) Synonym(s): *xanthocephala* M.Hering,1926
Range (in code): **GA CM TZ**
- 55526. *Stracilla translucida* (Oberthür,1880)** (Lymantriidae) Synonym(s): *translucida* Oberthür,1880
Range (in code): **ET**
- 55527. *Tearosoma aspersum* R.Felder & Rogenhofer,1874** (Lymantriidae) Synonym(s): *aspersum* R.Felder & Rogenhofer,1874
Range (in code): **ZA Kzu Nta**
- 55528. *Terphotrix lanaria* Holland,1893** (Lymantriidae) Synonym(s): *lanaria* Holland,1893
Range (in code): **CM**
- 55529. *Terphotrix tenuis* Holland,1893** (Lymantriidae) Synonym(s): *tenuis* Holland,1893
Range (in code): **CM**
- 55530. *Theriphila miara* M.Hering,1932** (Lymantriidae) Synonym(s): *miara* M.Hering,1932
Range (in code): **ZR CM**
- 55531. *Thiacidas postica* Walker,1855** (Lymantriidae) Synonym(s): *postica* Walker,1855; *denotata* Walker,1855; *basifurca* Walker,1865; *curvata* Walker,1865; *nigroscripta* Walker,1865
Range (in code): **NP**
- 55532. *Topomesoides jonasi* (Butler,1877)** (Lymantriidae) Synonym(s): *jonasi* Butler,1877;
gigantea Strand,1910
Range (in code): **JP**
- 55533. *Toxoproctis flavolimbata* (Aurivillius,1894)** (Lymantriidae) Synonym(s): *flavolimbata* Aurivillius,1894
Range (in code): **TH CMa ID Ja Sba** Bionomy: Larva on weed (Lewvanich,2001).
- 55534. *Bedellia cathareuta* Meyrick,1911** (Lyonetiidae) Synonym(s): *cathareuta* Meyrick,1911
Range (in code): **ZA Tva Gau Pre**
- 55535. *Bedellia ehikella* Szöcs,1967** (Lyonetiidae) Synonym(s): *ehikella* Szöcs,1967
Range (in code): **PT ES Sa Si? IT CZ HU**
- 55536. *Bedellia somnulentella* (Zeller,1847)** (Lyonetiidae) Synonym(s): *somnulentella* Zeller,1847; *orpheella* Stainton,1849; *convolutella* Heydenreich,1851; *staintoniella* Clemens,1860; *mnesileuca* Meyrick,1928; *ipomoeae* Bradley,1953
Range (in code): **DZ Bsk TN Gf Md PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI LV LT RU MD UA BY DZ KG Uk UZ TR CY SA ZA Tva Lpo Hae JP AU NZ TH** Bionomy: Larva on *Calystegia sepium*, *Convolvulus arvensis*,

- Ipomoea somnulenta*, *I. batatas* (Convolvulaceae) (Zeller, 1847; Chrétien, 1917; Hering, 1957; et seq.).
- 55537. *Chrysolytis deliarcha* Meyrick, 1937** (Lyonetiidae) Synonym(s): *deliarcha* Meyrick, 1937
Range (in code): ZA
- 55538. *Copobathra menodora* Meyrick, 1911** (Lyonetiidae) Synonym(s): *menodora* Meyrick, 1911
Range (in code): ZA Tva Gau Pre
- 55539. *Crobylophora daricella* Meyrick, 1881** (Lyonetiidae) Synonym(s): *daricella* Meyrick, 1881
Range (in code): ZA
- 55540. *Crobylophora metallifera* (Walsingham, 1891)** (Lyonetiidae) Synonym(s): *metallifera* Walsingham, 1891
Range (in code): ZA
- 55541. *Crobylophora xanthochyta* Meyrick, 1918** (Lyonetiidae) Synonym(s): *xanthochyta* Meyrick, 1918
Range (in code): ZA Tva Gau Pre
- 55542. *Cycloponympha hermione* Meyrick, 1921** (Lyonetiidae) Synonym(s): *hermione* Meyrick, 1921
Range (in code): MZ
- 55543. *Cycloponympha julia* Meyrick, 1913** (Lyonetiidae) Synonym(s): *julia* Meyrick, 1913
Range (in code): ZA Mpu Tva Brb
- 55544. *Cycloponympha perspicua* Meyrick, 1913** (Lyonetiidae) Synonym(s): *perspicua* Meyrick, 1913
Range (in code): ZA Mpu Tva Brb
- 55545. *Leucoptera aceris* (Fuchs, 1903)** (Lyonetiidae) Synonym(s): *aceris* Fuchs, 1903 Original Reference: *Cemiostoma aceris* Fuchs, 1903, Stettin ent. Ztg. 64: 245-247. Lectotype ♂: Deutschland: Mittelrhein, Bornich, designated by Mey, 1994: 207 (HNHM). Range (in code): PT FR DE AT PL CZ SK HU YU BG Bionomy: Larva on *Acer campestre*, *A. monspessulanum*, *A. platanoides* (Mey, 1994).
- 55546. *Leucoptera adenocarpella* (Staudinger, 1871)** (Lyonetiidae) Synonym(s): *adenocarpella* (Staudinger, 1871)
Range (in code): PT ES Bionomy: Larva on *Adenocarpus decorticans* (Staudinger, 1871).
- 55547. *Leucoptera andalusica* Mey, 1994** (Lyonetiidae) Synonym(s): *andalusica* Mey, 1994
Original Reference: *Leucoptera andalusica* Mey, 1994, Dt. ent. Z., N.F. 41: 196-198, figs. Holotype ♂: Spanien: Prov. Malaga, 14 km westl. Algeciras, 2000 m leg. M. & W. Glaser (MNHB). Range (in code): ES
- 55548. *Leucoptera autograptia* Meyrick, 1918** (Lyonetiidae) Synonym(s): *autograptia* Meyrick, 1918
Range (in code): ZA Nta Kzu Dbn
- 55549. *Leucoptera calycotomella* Amsel, 1939** (Lyonetiidae) Synonym(s): *calycotomella* Amsel, 1939
Range (in code): Co Sa Si IT Bionomy: Larva on *Calycotome spinosa* (Amsel, 1939).
- 55550. *Leucoptera clerodendrella* Vari, 1955** (Lyonetiidae) Synonym(s): *clerodendrella* Vari, 1955
Range (in code): ZA Tva Gau Pre Bionomy: Larva on *Clerodendrum glabrum* (Verbenaceae) (Vari, 1955).
- 55551. *Leucoptera coronillae* (Hering, 1933)** (Lyonetiidae) Synonym(s): *coronillae* Hering, 1933; *phyllocytisi* Hering, 1936
Range (in code): ES FR Sa IT Bionomy: Larva on *Cytisus sessilifolius*, *C. triflorus* (Hering, 1957, Mey, 1994).
- 55552. *Leucoptera cytisiphagella* Klimesch, 1938** (Lyonetiidae) Synonym(s): *cytisiphagella* Klimesch, 1938
Range (in code): HU BG Bionomy: Larva on *Cytisus austriacus* (Klimesch, 1938).
- 55553. *Leucoptera genistae* (Hering, 1933)** (Lyonetiidae) Synonym(s): *genistae* Hering, 1933; *apruitiella* Parenti, 1958
Range (in code): FR IT AT HU BG Bionomy: Larva on *Genista anglica*, *G. germanica*, *G. tinctoria* (Hering, 1933; Mey, 1994).
- 55554. *Leucoptera heringiella* Toll, 1938** (Lyonetiidae) Synonym(s): *heringiella* Toll, 1938
Range (in code): IT AT PL CZ SK HU YU BG RU MD UA BY Bionomy: Larva on *Cytisus austriacus*, *C. hirsutus*, *C. ratisbonensis*, *C. supinus*, *Lembotropis nigricans* (Mey, 1994).
- 55555. *Leucoptera karsholti* Mey, 1994** (Lyonetiidae) Synonym(s): *karsholti* Mey, 1994
Original Reference: *Leucoptera karsholti* Mey, 1994, Dt. ent. Z., N.F. 41: 211. Holotype ♂: Marokko: Asni, 1000-1400 m (MNHB). Range (in code): MA Bionomy: Larva on *Cytisus* (Mey, 1994).
- 55556. *Leucoptera laburnella* (Stainton, 1851)** (Lyonetiidae) Synonym(s): *laburnella* Stainton, 1851; *wailesella* Stainton, 1858; *cytisella* Amsel, 1939
Range (in code): ES FR Sa IT IE GB LU BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE Cc RU Da MD UA BY Bionomy: Larva on

- Laburnum anagyroides, L.alpinum, L.coggyria, Petteria ramentacea, Genista tinctoria, Astragalus sp. (Stainton,1851; et seq.).
- 55557. Leucoptera lathyrifoliella (Stainton,1866)** (Lyonetiidae) Synonym(s): *lathyrifoliella Stainton,1866* Range (in code): **GB DE CZ SK DK SE FI** Bionomy: Larva on Lathyrus silvestris, L.tuberosa, L.latifolius, L.linifolius, L.pannonicus (Hering,1933, Mey,1994).
- 55558. Leucoptera lotella (Stainton,1859)** (Lyonetiidae) Synonym(s): *lotella Stainton,1859* Range (in code): **PT FR IT GB BE NL DE CH AT PL CZ SK HU DK** Bionomy: Larva on Lotus corniculatus, L. uliginosus, Coronilla varia, C. coronata, C. hispidus, Tetragnolobus siliquosus, Dorycnium (Fabaceae) (Mey,1994).
- 55559. Leucoptera loxaula Meyrick,1928** (Lyonetiidae) Synonym(s): *loxaula Meyrick,1928* Range (in code): **ZA Tva Gau Pre ZW Bul** Bionomy: Larva on Pavetta assimilis (Rubiaceae) (Vari,1955).
- 55560. Leucoptera lustratella (Herrich-Schäffer,1855)** (Lyonetiidae) Synonym(s): *lustratella Herrich-Schäffer,1855* Range (in code): **FR IT BE NL DE AT PL CZ SK HU RO SE FI LV LT RU MD UA BY** Bionomy: Larva on Hypericum hirsutum, H. perforatum, H. montanum (Mey,1994).
- 55561. Leucoptera malifoliella (Costa,[1836])** (Lyonetiidae) Synonym(s): *malifoliella Costa,[1836]; scitella Zeller,1839.* Original Reference: Elachista malifoliella Costa,[1836], Fauna del Regno di Napoli: 239. Type(s): Italien: Neapel. Range (in code): **DZ PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR DK NO SE FI EE LV LT RU Ur Sb Ya AM Cc MD UA BY SA KG CN UZ TM** Bionomy: Larva on Alnus incana, Betula pendula, B. pubescens (Betulaceae); Amelanchier ovalis, Cerasus avium, C.fruticosa, C.vulgaris, Cotoneaster integerrimus, Crataegus monogyna, Cydonia oblonga, Malus domestica, M.sylvestris, Sorbus aucuparia, Prunus domestica, P.spinosa, Pyrus communis (Rosaceae) (Mey,1994).
- 55562. Leucoptera meyricki Ghesquière,1940** (Lyonetiidae) Synonym(s): *meyricki Ghesquière,1940* Range (in code): **ZA**
- 55563. Leucoptera nieukerkeni Mey,1994** (Lyonetiidae) Synonym(s): *nieukerkeni Mey,1994* Original Reference: Leucoptera nieukerkeni Mey,1994, Dt. ent. Z., N.F. 41: 208-209, figs. Holotype ♂: Griechenland: Vardhousia, Anatoli 5km SE Mamara (MNML). Range (in code): **GR** Bionomy: Larva on Acer monspessulanum (Aceraceae) (Mey,1994).
- 55564. Leucoptera onobrychidella Klimesch,1937** (Lyonetiidae) Synonym(s): *onobrychidella Klimesch,1937* Range (in code): **FR DE AT CZ SK HU** Bionomy: Larva on Onobrychis arenaria, O. viciifolia (sativa) (Fabaceae) (Mey,1994).
- 55565. Leucoptera orobi (Stainton,1870)** (Lyonetiidae) Synonym(s): *orobi Stainton,1870* Range (in code): **EE FI LV IE GB**
- 55566. Leucoptera parinaricola Vari,1955** (Lyonetiidae) Synonym(s): *parinaricola Vari,1955* Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Parinari capense (Rosaceae) (Vari,1955).
- 55567. Leucoptera pulchricola Vari,1955** (Lyonetiidae) Synonym(s): *pulchricola Vari,1955* Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Ochra pulchra (Ochnaceae) (Vari,1955).
- 55568. Leucoptera scammatias Meyrick,1909** (Lyonetiidae) Synonym(s): *scammatias Meyrick,1909* Range (in code): **ZA Tva Gau Pre**
- 55569. Leucoptera sinuella (Reutti,1853)** (Lyonetiidae) Synonym(s): *sinuella Reutti,1853; susinella Herrich-Schäffer,1854* Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus alba, P.tremula, P.nigra, P.canadensis, Salix fragilis (Salicaceae) (Mey,1994).
- 55570. Leucoptera spartifoliella (Hübner,[1813])** (Lyonetiidae) Synonym(s): *spartifoliella Hübner,[1813]; punctaurella Haworth,1828; cytisanthi Deschka,1972* Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE EE RU MD UA BY** Bionomy: Larva on Sarothamnus scoparius, S. pateus, Cytisanthus radiatus (Mey,1994).
- 55571. Leucoptera thessalica Mey,1994** (Lyonetiidae) Synonym(s): *thessalica Mey,1994* Range (in code): **GR**
- 55572. Leucoptera zancaeella (Zeller,1848)** (Lyonetiidae) Synonym(s): *zancaeella Zeller,1848* Range (in code): **FR Si** Bionomy: Larva on Cytisus triflorus (Fabaceae) (Zeller,1848).
- 55573. Lyonetia clerkella (Linnaeus,1758)** (Lyonetiidae) Synonym(s): *clerkella Linnaeus,1758; penicilla Borkhausen,1794; cerasifoliella Hübner,1796; malifoliella Hübner,1796; malella Schrank,1802; autumnella Curtis,1829; unipunctella Stephens,1829; semiaurella Stephens,1829; nivella Stephens,1829; aereella Treitschke,1833; phrynella Costa,[1836]; fonscolombella Duponchel,[1840]; magnimaculella Bruand,1859* Original Reference: Phalaena clerkella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Range (in code): **DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc DK**

- NO SE FI EE LV LT RU Sb MD UA BY SA IN JP** Bionomy: Larva on Amelanchier, Betula, Chaenomeles, Crataegus, Cydonia, Malus, Mespilus, Prunus, Pyrus, Pyracantha, Humulus, Ribes, Salix, Sorbus, Cotoneaster, Castaneus, Cerasus laurocerasus (Rosaceae) (Hering,1957; et seq.).
- 55574. Lyonetia cotifraga Meyrick,1909** (Lyonetiidae) Synonym(s): *cotifraga Meyrick,1909*
Range (in code): **ZA**
- 55575. Lyonetia eremitella De Joannis,1912** (Lyonetiidae) Synonym(s): *eremitella De Joannis,1912* Range (in code): **FR**
- 55576. Lyonetia ledi Wocke,1859** (Lyonetiidae) Synonym(s): *ledi Wocke,1859; candida Braun,1916*
Range (in code): **FR DE AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 55577. Lyonetia prunifoliella (Hübner,1796)** (Lyonetiidae) Synonym(s): *prunifoliella Hübner,1796; padifoliella Hübner,[1813]; sittaepenella Hübner,[1825]; acerifoliella Curtis,1850* Original Reference: *Tinea prunifoliella Hübner,1796, Samml. eur. Schmett. Tineae: fig.191. Type(s): Europa. Range (in code): FR IT GB BE DE CH AT PL CZ SK HU RO YU GR TR NO SE FI LV LT RU Ab MD UA BY KG* Bionomy: Larva on Chaenomeles, Cotoneaster, Crataegus, Cydonia, Malus, Mespilus, Prunus, Pyrus, Sorbus, Persica, Amygdalus (Rosaceae); Betula (Betulaceae) (Hering,1957 et seq.).
- 55578. Lyonetia pulverulentella Zeller,1839** (Lyonetiidae) Synonym(s): *pulverulentella Zeller,1839* Range (in code): **IT DE CH AT PL CZ SK NO SE FI EE LV RU MD UA BY CA BCo**
- 55579. Muhabbetia aurea (Braun,1915)** (Lyonetiidae) Synonym(s): *aurea Braun,1915*
Original Reference: *Corythophora aurea Braun,1915, Can. Ent. 47: 189-190. Syntypes 2♂: [U.S.A.: Ohio], "Cincinnati". Range (in code): US Oh NCa CA HN*
- 55580. Phyllobrostis (Pilotocoma) apathetica (Meyrick,1921)** (Lyonetiidae) Synonym(s): *apathetica Meyrick,1921* Range (in code): **ZA Tva Gau Pre**
- 55581. Phyllobrostis (Pilotocoma) calcaria Meyrick,1911** (Lyonetiidae) Synonym(s): *calcaria Meyrick,1911* Range (in code): **ZA Tva Gau Pre**
- 55582. Phyllobrostis (Pilotocoma) eremitella De Joannis,1912** (Lyonetiidae) Synonym(s): *eremitella De Joannis,1912* Range (in code): **FR IT** Bionomy: Larva on Daphne gnidium (Thymeleaceae) (Mey,2006).
- 55583. Phyllobrostis (Pilotocoma) tephroleuca (Meyrick,1913)** (Lyonetiidae) Synonym(s): *tephroleuca Meyrick,1913* Range (in code): **ZA Tva Nta Kzu ZW**
- 55584. Phyllobrostis (s.str.) daphneella Staudinger,1859** (Lyonetiidae) Synonym(s): *daphneella Staudinger,1859* Range (in code): **MA DZ TN PT ES FR Co Sa IT** Bionomy: Larva on Daphne gnidium (Thymeleaceae) (Mey,2006).
- 55585. Phyllobrostis (s.str.) farsensis Mey,2006** (Lyonetiidae) Synonym(s): *farsensis Mey,2006* Range (in code): **IR Fa**
- 55586. Phyllobrostis (s.str.) fregenella Hartig,1941** (Lyonetiidae) Synonym(s): *fregenella Hartig,1941* Range (in code): **MA TN PT ES FR Co Si IT** Bionomy: Larva on Daphne gnidium (Thymeleaceae) (Mey,2006).
- 55587. Phyllobrostis (s.str.) hartmanni Staudinger,1867** (Lyonetiidae) Synonym(s): *hartmanni Staudinger,1867* Range (in code): **IT FR DE CH AT CZ SK** Bionomy: Larva on Daphne alpina, D. cneorum, D. striata (Thymeleaceae) (Mey,2006).
- 55588. Phyllobrostis (s.str.) jedmella Chrétien,1907** (Lyonetiidae) Synonym(s): *jedmella Chrétien,1907* Original Reference: *Phyllobrostis jedmella Chrétien,1907, Bull. Soc. ent. Fr. 1907: 307-308. Syntypes: Algérie, Biskra. Range (in code): DZ Bsk ES* Bionomy: Larva on Thymelaea microphylla (Thymeleaceae) (Chrétien,1907).
- 55589. Phyllobrostis (s.str.) kandaharensis Mey,2006** (Lyonetiidae) Synonym(s): *kandaharensis Mey,2006* Range (in code): **AF Ca**
- 55590. Phyllobrostis (s.str.) nuristanica Mey,2006** (Lyonetiidae) Synonym(s): *nuristanica Mey,2006* Range (in code): **AF Nu**
- 55591. Lypusa maurella ([Denis & Schiffermüller],1775)** (Lypusidae) Synonym(s): *maurella [Denis & Schiffermüller],1775* Original Reference: *Tinea maurella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district. Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU To*
- 55592. Lypusa tokari Elsner, Liska & Petru,2008** (Lypusidae) Synonym(s): *tokari Elsner, Liska & Petru,2008* Range (in code): **AT IT SK HU SS AL BG**

- 55593. Aethiopina argentifera Gaede,1929** (Metarbelidae) **Synonym(s):** *argentifera* Gaede,1929
KE
- 55594. Aethiopina semicirculata Gaede,1929** (Metarbelidae) **Synonym(s):** *semicirculata* Gaede,1929 - **ET**
- 55595. Arbeloides collaris Aurivillius,1921** (Metarbelidae) **Synonym(s):** *collaris* Aurivillius,1921
Range (in code): ZA
- 55596. Arbeloides griseata (Janse,1925)** (Metarbelidae) **Synonym(s):** *griseata* Janse,1925
Range (in code): ZA
- 55597. Arbeloides heringi Janse,1930** (Metarbelidae) **Synonym(s):** *heringi* Janse,1930
Range (in code): ZA
- 55598. Arbeloides meridialis Karsch,1896** (Metarbelidae) **Synonym(s):** *meridialis* Karsch,1896;
meridionalis Dalla Torre & Strand,1923 - **Range (in code): ZA**
- 55599. Indarbela campbelli (Hampson,1910)** (Metarbelidae) **Synonym(s):** *campbelli* Hampson,1910 - **Range (in code): IN**
- 55600. Indarbela obliquifasciata Mell,1923** (Metarbelidae) **Synonym(s):** *obliquifasciata* Mell,1923 - **Range (in code): CN TH CMa CDo**
- 55601. Indarbela tegula (Distant,1897)** (Metarbelidae) **Synonym(s):** *tegula* Distant,1897
Range (in code): ZA
- 55602. Lebedodes castanea Janse,1925** (Metarbelidae) **Synonym(s):** *castanea* Janse,1925
Range (in code): ZA
- 55603. Lebedodes fumealis Janse,1925** (Metarbelidae) **Synonym(s):** *fumealis* Janse,1925
Range (in code): ZA
- 55604. Lebedodes natalica Hampson,1910** (Metarbelidae) **Synonym(s):** *natalica* Hampson,1910
Range (in code): ZA Nta Kzu
- 55605. Lebedodes reticulata Gaede,1929** (Metarbelidae) **Synonym(s):** *reticulata* Gaede,1929
Range (in code): ZA
- 55606. Lebedodes wichgrafi (Grünberg,1910)** (Metarbelidae) **Synonym(s):** *wichgrafi* Grünberg,1910; *durbanica* Hampson,1910 - **Range (in code): ZA Nta Kzu Dbn**
- 55607. Marschalliana bivittata Aurivillius,1901** (Metarbelidae) **Synonym(s):** *bivittata* Aurivillius,1901 - **Range (in code): ZA**
- 55608. Marschalliana jansei Gaede,1929** (Metarbelidae) **Synonym(s):** *jansei* Gaede,1929
Range (in code): ZA
- 55609. Metarbela albitorquata Hampson,1910** (Metarbelidae) **Synonym(s):** *albitorquata* Hampson,1910 - **Range (in code): ZA Tva**
- 55610. Metarbela alluaudi Le Cerf,1914** (Metarbelidae) **Synonym(s):** *alluaudi* Le Cerf,1914
Original Reference: Metarbela alluaudi Le Cerf,1914, Bull. Soc. ent. Fr. 83: 104. Type: British East Africa. **Range (in code): KE**
- 55611. Metarbela arcifera Hampson,1909** (Metarbelidae) **Synonym(s):** *arcifera* Hampson,1909
Range (in code): KE
- 55612. Metarbela bipuncta Hampson,1920** (Metarbelidae) **Synonym(s):** *bipuncta* Hampson,1920
Range (in code): MW
- 55613. Metarbela bueana Strand,1912** (Metarbelidae) **Synonym(s):** *bueana* Strand,1912
Range (in code): CM
- 55614. Metarbela cinereolimbata Le Cerf,1914** (Metarbelidae) **Synonym(s):** *cinereolimbata* Le Cerf,1914 - **Range (in code): KE**
- 55615. Metarbela cremorna Hampson,1920** (Metarbelidae) **Synonym(s):** *cremorna* Hampson,1920 - **Range (in code): GH**
- 55616. Metarbela cymaphora Hampson,1910** (Metarbelidae) **Synonym(s):** *cymaphora* Hampson,1910; *neurosticta* Hampson,1910 - **Range (in code): ZA ZW**
- 55617. Metarbela dialeuca Hampson,1910** (Metarbelidae) **Synonym(s):** *dialeuca* Hampson,1910
Range (in code): KE ZA
- 55618. Metarbela diodonta Hampson,1916** (Metarbelidae) **Synonym(s):** *diodonta* Hampson,1916
Range (in code): SO
- 55619. Metarbela erecta Gaede,1929** (Metarbelidae) **Synonym(s):** *erecta* Gaede,1929 - **Range (in code): KE**
- 55620. Metarbela flavicolor Janse,1925** (Metarbelidae) **Synonym(s):** *flavicolor* Janse,1925
Range (in code): ZA

- 55621. *Metarbela fumida* Karsch,1896** (Metarbelidae) Synonym(s): *fumida* Karsch,1896
Range (in code): **TG**
- 55622. *Metarbela funebris* Gaede,1929** (Metarbelidae) Synonym(s): *funebris* Gaede,1929
Range (in code): **NG**
- 55623. *Metarbela haberlandorum* I.Lehmann,1997** (Metarbelidae) Synonym(s): *haberlandorum* I.Lehmann,1997
Original Reference: *Metarbela haberlandorum* I.Lehmann,1997, Nache. ent. Ver. Apollo (N.F.) 18 (1): 47-51, figs. Holotype ♂: Kenya, Kwale District, Kaya Muhaka 45km, I.Lehmann leg. (BMNH). Range (in code): **KE Kmu Kwl**
- 55624. *Metarbela heringi* Janse,1930** (Metarbelidae) Synonym(s): *heringi* Janse,1930 _ Range (in code): **NA**
- 55625. *Metarbela inconspicua* Gaede,1929** (Metarbelidae) Synonym(s): *inconspicua* Gaede,1929
Range (in code): **KE**
- 55626. *Metarbela iridescens* Janse,1925** (Metarbelidae) Synonym(s): *iridescens* Janse,1925
Range (in code): **ZA**
- 55627. *Metarbela laguna* Hampson,1920** (Metarbelidae) Synonym(s): *laguna* Hampson,1920
Range (in code): **GH**
- 55628. *Metarbela latifasciata* Gaede,1929** (Metarbelidae) Synonym(s): *latifasciata* Gaede,1929
Range (in code): **KE**
- 55629. *Metarbela leucostigma* (Hampson,1910)** (Metarbelidae) Synonym(s): *leucostigma* Hampson,1910 _ Range (in code): **ZA**
- 55630. *Metarbela micra* Karsch,1896** (Metarbelidae) Synonym(s): *micra* Karsch,1896 _ Range (in code): **TG**
- 55631. *Metarbela nubifera* (Bethune-Baker,1909)** (Metarbelidae) Synonym(s): *nubifera* Bethune-Baker,1909 _ Range (in code): **KE**
- 55632. *Metarbela ochracea* Gaede,1929** (Metarbelidae) Synonym(s): *ochracea* Gaede,1929
Range (in code):
- 55633. *Metarbela onusta* Karsch,1896** (Metarbelidae) Synonym(s): *onusta* Karsch,1896
Range (in code): **TG GN**
- 55634. *Metarbela pagana* Strand,1909** (Metarbelidae) Synonym(s): *pagana* Strand,1909
Range (in code): **RW**
- 55635. *Metarbela pallescens* Le Cerf,1914** (Metarbelidae) Synonym(s): *pallescens* Le Cerf,1914
Range (in code): **KE**
- 55636. *Metarbela perstriata* Hampson,1916** (Metarbelidae) Synonym(s): *perstriata* Hampson,1916 _ Range (in code): **SO**
- 55637. *Metarbela plagifera* Gaede,1929** (Metarbelidae) Synonym(s): *plagifera* Gaede,1929
Range (in code): **KE**
- 55638. *Metarbela pygatula* Strand,1912** (Metarbelidae) Synonym(s): *pygatula* Strand,1912
Range (in code):
- 55639. *Metarbela quadriguttata* Aurivillius,1925** (Metarbelidae) Synonym(s): *quadriguttata* Aurivillius,1925 _ Range (in code):
- 55640. *Metarbela rava* Karsch,1896** (Metarbelidae) Synonym(s): *rava* Karsch,1896 _ Range (in code): **CM**
- 55641. *Metarbela reticulosana* Strand,1912** (Metarbelidae) Synonym(s): *reticulosana* Strand,1912 _ Range (in code): **CM**
- 55642. *Metarbela rufa* Gaede,1929** (Metarbelidae) Synonym(s): *rufa* Gaede,1929 _ Range (in code): **CM**
- 55643. *Metarbela splendida* D.S.Fletcher,1968** (Metarbelidae) Synonym(s): *splendida* D.S.Fletcher,1968 _ Range (in code): **UG Rz**
- 55644. *Metarbela stivafer* Holland,1893** (Metarbelidae) Synonym(s): *stivafer* Holland,1893
Range (in code): **GA Ogo**
- 55645. *Metarbela taifensis* Wiltshire,1988** (Metarbelidae) Synonym(s): *taifensis* Wiltshire,1988
Range (in code): **SA Hj SA74 YE**
- 55646. *Metarbela triangularis* Gaede,1929** (Metarbelidae) Synonym(s): *triangularis* Gaede,1929
Range (in code): **KE**
- 55647. *Metarbela triguttata* Aurivillius,1905** (Metarbelidae) Synonym(s): *triguttata* Aurivillius,1905 _ Range (in code): **KE**

- 55648. *Metarbela trisignata* Gaede,1929** (Metarbelidae) **Synonym(s):** *trisignata* Gaede,1929
Range (in code): [ZA NA](#)
- 55649. *Metarbela tuckeri* (Butler,1875)** (Metarbelidae) **Synonym(s):** *tuckeri* Butler,1875
Range (in code): [ZA](#)
- 55650. *Metarbela vaualba* Hampson,1920** (Metarbelidae) **Synonym(s):** *vaualba* Hampson,1920
Range (in code): [MW](#)
- 55651. *Metarbelodes sticticosta* (Hampson,1910)** (Metarbelidae) **Synonym(s):** *sticticosta* Hampson,1910
Range (in code): [ZA](#)
- 55652. *Metarbelodes umtaliana* (Aurivillius,1901)** (Metarbelidae) **Synonym(s):** *umtaliana* Aurivillius,1901
Range (in code): [ZA](#)
- 55653. *Ortharbela albivenata* (Hampson,1910)** (Metarbelidae) **Synonym(s):** *albivenata* Hampson,1910
Range (in code): [ZA](#)
- 55654. *Ortharbela rufithorax* (Hampson,1910)** (Metarbelidae) **Synonym(s):** *rufithorax* Hampson,1910
Range (in code): [ZA](#)
- 55655. *Paralebedella carnescens* (Hampson,1910)** (Metarbelidae) **Synonym(s):** *carnescens* Hampson,1910
Range (in code): [ZA](#)
- 55656. *Salagena albicilia* Hampson,1920** (Metarbelidae) **Synonym(s):** *albicilia* Hampson,1920; *#denigrata* Gaede,1929
Range (in code): [MW ZR](#)
- 55657. *Salagena albonotata* (Butler,1898)** (Metarbelidae) **Synonym(s):** *albonotata* Butler,1898
Range (in code): [KE](#)
- 55658. *Salagena arcys* D.S.Fletcher,1968** (Metarbelidae) **Synonym(s):** *arcys* D.S.Fletcher,1968
Range (in code): [UG Rz](#)
- 55659. *Salagena atridiscata* Hampson,1910** (Metarbelidae) **Synonym(s):** *atridiscata* Hampson,1910
Range (in code): [KE](#)
- 55660. *Salagena cuprea* Gaede,1929** (Metarbelidae) **Synonym(s):** *cuprea* Gaede,1929
Range (in code): [TD](#)
- 55661. *Salagena discata* Gaede,1929** (Metarbelidae) **Synonym(s):** *discata* Gaede,1929
Range (in code): [SN](#)
- 55662. *Salagena eustrigata* Hampson,1916** (Metarbelidae) **Synonym(s):** *eustrigata* Hampson,1916
Original Reference: *Salagena eustrigata* Hampson,1916, Proc. zool. Soc. London 1916: 164, pl.2 fig.27. Type: Somaliland.
Range (in code): [SO](#)
- 55663. *Salagena fetlaworkae* Rougeot,1977** (Metarbelidae) **Synonym(s):** *fetlaworkae* Rougeot,1977
Range (in code): [ET](#)
- 55664. *Salagena fuscata* Gaede,1929** (Metarbelidae) **Synonym(s):** *fuscata* Gaede,1929
Range (in code): [CI](#)
- 55665. *Salagena guichardi* Wiltshire,1980** (Metarbelidae) **Synonym(s):** *guichardi* Wiltshire,1980
Range (in code): [SA OM Dh AE](#)
- 55666. *Salagena inversa* Gaede,1929** (Metarbelidae) **Synonym(s):** *inversa* Gaede,1929
Range (in code): [SN](#)
- 55667. *Salagena irrorata* Le Cerf,1914** (Metarbelidae) **Synonym(s):** *irrorata* Le Cerf,1914
Range (in code): [KE](#)
- 55668. *Salagena mirabilis* Le Cerf,1919** (Metarbelidae) **Synonym(s):** *mirabilis* Le Cerf,1919
Range (in code): [KE](#)
- 55669. *Salagena narses* Fawcett,1916** (Metarbelidae) **Synonym(s):** *narses* Fawcett,1916
Range (in code): [SO ZA](#)
- 55670. *Salagena nigropuncta* Le Cerf,1919** (Metarbelidae) **Synonym(s):** *nigropuncta* Le Cerf,1919
Range (in code): [KE](#)
- 55671. *Salagena obsolescens* Hampson,1910** (Metarbelidae) **Synonym(s):** *obsolescens* Hampson,1910
Range (in code): [ZA](#)
- 55672. *Salagena reticulata* Janse,1925** (Metarbelidae) **Synonym(s):** *reticulata* Janse,1925
Range (in code): [ZA](#)
- 55673. *Salagena tessellata* Distant,1897** (Metarbelidae) **Synonym(s):** *tessellata* Distant,1897
Range (in code): [ZA](#)
- 55674. *Salagena transversa* Walker,1865** (Metarbelidae) **Synonym(s):** *transversa* Walker,1865; *spiculata* Karsch,1895; *strigosa* Aurivillius,1901
Range (in code): [ZA](#)
- 55675. *Salagena violetta* Gaede,1929** (Metarbelidae) **Synonym(s):** *violetta* Gaede,1929
Range (in code): [MW](#)

- 55676. *Squamura acutistriata* (Mell,1923)** (Metarbelidae) **Synonym(s):** *acutistriata* Mell,1923
Range (in code): MY Bor ID Ja **Bionomy:** Larva on Theobroma (Sterculiaceae) (Roepke,1957).
- 55677. *Squamura celebensis* Roepke,1957** (Metarbelidae) **Synonym(s):** *celebensis* Roepke,1957
Range (in code): ID Clb
- 55678. *Squamura disciplaga* (Swinhoe,1901)** (Metarbelidae) **Synonym(s):** *disciplaga* Swinhoe,1901
Original Reference: Arbela disciplaga Swinhoe,1901, Ann. Mag. nat. Hist. (7) 7: 469. **Range (in code):** MY Bor TH ID Sum PH **Bionomy:** Larva on Persea [avocado] (Lauraceae), Citrus (Rutaceae) (Holloway,1986).
- 55679. *Squamura kinabalua* (Holloway,1976)** (Metarbelidae) **Synonym(s):** *kinabalua* Holloway,1976
Range (in code): MY Bor Sbh KBa BN
- 55680. *Squamura maculata* Heylaerts,1890** (Metarbelidae) **Synonym(s):** *maculata* Heylaerts,1890; *flavina* Mell,1923
Original Reference: *Squamura maculata* Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., p.xxvi-xxvii. Type ♂: [Indonesia]: Fort de Kock (Sumatra), leg. Van Riemsdyk. **Range (in code):** MY Bor KH ID Ja Sum
- 55681. *Squamura roepkei* Holloway,1982** (Metarbelidae) **Synonym(s):** *roepkei* Holloway,1982
Range (in code): MY Bor ID Sum Ja
- 55682. *Squamura sumatrana* Roepke,1957** (Metarbelidae) **Synonym(s):** *sumatrana* Roepke,1957
Range (in code): ID Sum
- 55683. *Teragra althodes* Hampson,1910** (Metarbelidae) **Synonym(s):** *althodes* Hampson,1910
Range (in code): ZA
- 55684. *Teragra conspersa* Walker,1855** (Metarbelidae) **Synonym(s):** *conspersa* Walker,1855
Range (in code): ZA
- 55685. *Teragra guttifera* Hampson,1910** (Metarbelidae) **Synonym(s):** *guttifera* Hampson,1910
Range (in code): ZA
- 55686. *Teragra irvingi* Janse,1925** (Metarbelidae) **Synonym(s):** *irvingi* Janse,1925
Range (in code): ZA
- 55687. *Teragra lemairei* Rougeot,1977** (Metarbelidae) **Synonym(s):** *lemairei* Rougeot,1977
ET
- 55688. *Teragra villiersi* Rougeot,1977** (Metarbelidae) **Synonym(s):** *villiersi* Rougeot,1977
_ET
- 55689. *Teragra vogti* Bethune-Baker,1927** (Metarbelidae) **Synonym(s):** *vogti* Bethune-Baker,1927
Range (in code): ZA
- 55690. *Disca arborita* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *arborita* Fibiger,2007
Range (in code): ID Sum
- 55691. *Disca hackeri* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *hackeri* Fibiger,2007
Range (in code): MY Bor Swk
- 55692. *Disca javai* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *javai* Fibiger,2007
Range (in code): ID Ja
- 55693. *Disca parajavai* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *parajavai* Fibiger,2007
Range (in code): ID Sum
- 55694. *Disca paulum* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *paulum* Fibiger,2007
Range (in code): TH Knc
- 55695. *Disca tegali* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *tegali* Fibiger,2007
Range (in code): ID Ja
- 55696. *Disca thailandi* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *thailandi* Fibiger,2007
Range (in code): TH Knc CMa Int Dst Phi Phu
- 55697. *Micronola karsholti* (Fibiger,1997)** (Micronoctuidae) **Synonym(s):** *karsholti* Fibiger,1997
Original Reference: *Micronoctua karsholti* Fibiger,1997, Nota lepid. 20 (1/2): 23, figs.1-4. Holotype ♂: Antalya Prov., 40km N Alanya, 5km S Gündoğmuş, 1100m (coll.Fibiger). **Range (in code):** CY Rd GR TR
- 55698. *Micronola wadicola* Amsel,1935** (Micronoctuidae) **Synonym(s):** *wadicola* Amsel,1935
Original Reference: *Micronola wadicola* Amsel,1935, Veröff. Dt.-kolon.Übersee-Mus. Bremen 1: 215, Taf.12 fig."5,16. Type ♂: Palaestina: Jericho (LNK). **Range (in code):** SA IL Pa Jer YE
- 55699. *Pollex (Bilobiana) abovia* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *abovia* Fibiger,2007
Range (in code): ID Sum
- 55700. *Pollex (Bilobiana) angustiae* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *angustiae* Fibiger,2007
Range (in code): ID Sum

- 55701. Pollex (Bilobiana) balabaci** Fibiger,2007 (Micronoctuidae) Synonym(s): *balabaci* Fibiger,2007 _ Range (in code): **PH Bal**
- 55702. Pollex (Bilobiana) bulli** Fibiger,2007 (Micronoctuidae) Synonym(s): *bulli* Fibiger,2007 _ Range (in code): **PH Pal**
- 55703. Pollex (Bilobiana) circulari** Fibiger,2007 (Micronoctuidae) Synonym(s): *circulari* Fibiger,2007 _ Range (in code): **ID Clb**
- 55704. Pollex (Bilobiana) diablo** Fibiger,2007 (Micronoctuidae) Synonym(s): *diablo* Fibiger,2007 _ Range (in code): **PH Bab**
- 55705. Pollex (Bilobiana) diehli** Fibiger,2007 (Micronoctuidae) Synonym(s): *diehli* Fibiger,2007 _ Range (in code): **ID Sum**
- 55706. Pollex (Bilobiana) dumogai** Fibiger,2007 (Micronoctuidae) Synonym(s): *dumogai* Fibiger,2007 _ Range (in code): **ID Clb**
- 55707. Pollex (Bilobiana) flavimacula** Fibiger,2007 (Micronoctuidae) Synonym(s): *flavimacula* Fibiger,2007 _ Range (in code): **ID Sum**
- 55708. Pollex (Bilobiana) flax** Fibiger,2007 (Micronoctuidae) Synonym(s): *flax* Fibiger,2007; *#falx* Fibiger,2007 _ Range (in code): **PH**
- 55709. Pollex (Bilobiana) hamus** Fibiger,2007 (Micronoctuidae) Synonym(s): *hamus* Fibiger,2007 _ Range (in code): **PH Ley**
- 55710. Pollex (Bilobiana) kangeani** Fibiger,2007 (Micronoctuidae) Synonym(s): *kangeani* Fibiger,2007 _ Range (in code): **ID Kgn**
- 55711. Pollex (Bilobiana) kononenkoi** Fibiger,2007 (Micronoctuidae) Synonym(s): *kononenkoi* Fibiger,2007 _ Range (in code): **ID Clb**
- 55712. Pollex (Bilobiana) laosi** Fibiger,2007 (Micronoctuidae) Synonym(s): *laosi* Fibiger,2007 _ Range (in code): **LA**
- 55713. Pollex (Bilobiana) lobifera** (Hampson,1926) (Micronoctuidae) Synonym(s): *lobifera* Hampson,1926 _ Range (in code): **PH Luz**
- 55714. Pollex (Bilobiana) lomboki** Fibiger,2007 (Micronoctuidae) Synonym(s): *lomboki* Fibiger,2007 _ Range (in code): **ID Lb**
- 55715. Pollex (Bilobiana) merisulawesii** Fibiger,2007 (Micronoctuidae) Synonym(s): *merisulawesii* Fibiger,2007 _ Range (in code): **ID Clb**
- 55716. Pollex (Bilobiana) mindai** Fibiger,2007 (Micronoctuidae) Synonym(s): *mindai* Fibiger,2007 _ Range (in code): **PH Sam**
- 55717. Pollex (Bilobiana) mindanaoi** Fibiger,2007 (Micronoctuidae) Synonym(s): *mindanaoi* Fibiger,2007 _ Range (in code): **PH Mno**
- 55718. Pollex (Bilobiana) newguineai** Fibiger,2007 (Micronoctuidae) Synonym(s): *newguineai* Fibiger,2007 _ Range (in code): **ID Ij**
- 55719. Pollex (Bilobiana) oculus** Fibiger,2007 (Micronoctuidae) Synonym(s): *oculus* Fibiger,2007 _ Range (in code): **PH Bal Pal**
- 55720. Pollex (Bilobiana) palopoi** Fibiger,2007 (Micronoctuidae) Synonym(s): *palopoi* Fibiger,2007 _ Range (in code): **ID Clb**
- 55721. Pollex (Bilobiana) parabala** Fibiger,2007 (Micronoctuidae) Synonym(s): *parabala* Fibiger,2007 _ Range (in code): **PH Bal**
- 55722. Pollex (Bilobiana) paraspina** Fibiger,2007 (Micronoctuidae) Synonym(s): *paraspina* Fibiger,2007 _ Range (in code): **ID Clb**
- 55723. Pollex (Bilobiana) parunkudai** Fibiger,2007 (Micronoctuidae) Synonym(s): *parunkudai* Fibiger,2007 _ Range (in code): **ID Ja**
- 55724. Pollex (Bilobiana) philippini** Fibiger,2007 (Micronoctuidae) Synonym(s): *philippini* Fibiger,2007 _ Range (in code): **PH**
- 55725. Pollex (Bilobiana) poguei** Fibiger,2007 (Micronoctuidae) Synonym(s): *poguei* Fibiger,2007 _ Range (in code): **PH Luz**
- 55726. Pollex (Bilobiana) pouchi** Fibiger,2007 (Micronoctuidae) Synonym(s): *pouchi* Fibiger,2007 _ Range (in code): **MY Bor Swk**
- 55727. Pollex (Bilobiana) sansdigit** Fibiger,2007 (Micronoctuidae) Synonym(s): *sansdigit* Fibiger,2007 _ Range (in code): **PH Mno**
- 55728. Pollex (Bilobiana) sapamoroi** Fibiger,2007 (Micronoctuidae) Synonym(s): *sapamoroi* Fibiger,2007 _ Range (in code): **PH Mno**

- 55729. Pollex (Bilobiana) schintlmeisteri Fibiger,2007** (Micronoctuidae) Synonym(s): *schintlmeisteri* Fibiger,2007 - Range (in code): ID Crm
- 55730. Pollex (Bilobiana) silau Fibiger,2007** (Micronoctuidae) Synonym(s): *silau* Fibiger,2007 - Range (in code): ID Sum
- 55731. Pollex (Bilobiana) spastica Fibiger,2007** (Micronoctuidae) Synonym(s): *spastica* Fibiger,2007 - Range (in code): PH Pan
- 55732. Pollex (Bilobiana) speideli Fibiger,2007** (Micronoctuidae) Synonym(s): *speideli* Fibiger,2007 - Range (in code): PH Luz Mdo Ley
- 55733. Pollex (Bilobiana) spina Fibiger,2007** (Micronoctuidae) Synonym(s): *spina* Fibiger,2007 - Range (in code): ID Bli
- 55734. Pollex (Bilobiana) sulawesii Fibiger,2007** (Micronoctuidae) Synonym(s): *sulawesii* Fibiger,2007 - Range (in code): ID Clb
- 55735. Pollex (Bilobiana) taurus Fibiger,2007** (Micronoctuidae) Synonym(s): *taurus* Fibiger,2007 - Range (in code): PH Mno
- 55736. Pollex (Bilobiana) utarai Fibiger,2007** (Micronoctuidae) Synonym(s): *utarai* Fibiger,2007 - Range (in code): ID Clb
- 55737. Pollex (Proma) archi Fibiger,2007** (Micronoctuidae) Synonym(s): *archi* Fibiger,2007 - Range (in code): ID Kgn
- 55738. Pollex (Proma) jurivetei Fibiger,2007** (Micronoctuidae) Synonym(s): *jurivetei* Fibiger,2007 - Range (in code): ID Crm
- 55739. Pollex (Proma) lafontainei Fibiger,2007** (Micronoctuidae) Synonym(s): *lafontainei* Fibiger,2007 - Range (in code): PH Pal
- 55740. Pollex (Proma) maxima Fibiger,2007** (Micronoctuidae) Synonym(s): *maxima* Fibiger,2007 - Range (in code): ID Ja
- 55741. Pollex (Proma) paramaxima Fibiger,2007** (Micronoctuidae) Synonym(s): *paramaxima* Fibiger,2007 - Range (in code): ID Lb
- 55742. Pollex (Proma) serami Fibiger,2007** (Micronoctuidae) Synonym(s): *serami* Fibiger,2007 - Range (in code): ID Crm
- 55743. Pollex (s.str.) crispus Fibiger,2007** (Micronoctuidae) Synonym(s): *crispus* Fibiger,2007 - Range (in code): ID Clb
- 55744. Pollex (s.str.) furca Fibiger,2007** (Micronoctuidae) Synonym(s): *furca* Fibiger,2007 - Range (in code): ID Clb
- 55745. Tolpia alexmadseni Fibiger,2007** (Micronoctuidae) Synonym(s): *alexmadseni* Fibiger,2007 - Range (in code): ID Sum
- 55746. Tolpia andamani Fibiger,2007** (Micronoctuidae) Synonym(s): *andamani* Fibiger,2007 - Range (in code): IN Adm
- 55747. Tolpia bhutani Fibiger,2007** (Micronoctuidae) Synonym(s): *bhutani* Fibiger,2007 - Range (in code): BT
- 55748. Tolpia conscitulana Walker,1863** (Micronoctuidae) Synonym(s): *conscitulana* Walker,1863 - Range (in code): MY Bor Swk
- 55749. Tolpia crispus Fibiger,2007** (Micronoctuidae) Synonym(s): *crispus* Fibiger,2007 - Range (in code): MY Bor Sbh
- 55750. Tolpia fyani Fibiger,2007** (Micronoctuidae) Synonym(s): *fyani* Fibiger,2007 - Range (in code): VN
- 55751. Tolpia indiai Fibiger,2007** (Micronoctuidae) Synonym(s): *indiai* Fibiger,2007 - Range (in code): IN Nl
- 55752. Tolpia kampungi Fibiger,2007** (Micronoctuidae) Synonym(s): *kampungi* Fibiger,2007 - Range (in code): MY Pah Cmh
- 55753. Tolpia knudlarseni Fibiger,2007** (Micronoctuidae) Synonym(s): *knudlarseni* Fibiger,2007 - Range (in code): ID Sum
- 55754. Tolpia kunchingia Fibiger,2007** (Micronoctuidae) Synonym(s): *kunchingia* Fibiger,2007 - Range (in code): MY Bor Swk
- 55755. Tolpia mccabei Fibiger,2007** (Micronoctuidae) Synonym(s): *mccabei* Fibiger,2007 - Range (in code): MY Bor Swk
- 55756. Tolpia montana Fibiger,2007** (Micronoctuidae) Synonym(s): *montana* Fibiger,2007 - Range (in code): PH Pal

- 55757. *Tolpia odor* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *odor* Fibiger,2007 **Original Reference:** *Tolpia odor* Fibiger,2007, Zootaxa 1567: 11, figs. Holotype ♂: Thailand N, 5km NW Mae Hong Son, 800m 14.vii.2003 leg.M.Fibiger (coll.M.Fibiger & ZMUC). **Range (in code): TH Mae**
- 55758. *Tolpia orientis* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *orientis* Fibiger,2007 **Range (in code): TH Cbi**
- 55759. *Tolpia palawani* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *palawani* Fibiger,2007 **Range (in code): PH Pal**
- 55760. *Tolpia parasarawakia* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *parasarawakia* Fibiger,2007 **Range (in code): ID Sum**
- 55761. *Tolpia peniculus* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *peniculus* Fibiger,2007 **Range (in code): ID Sum**
- 55762. *Tolpia sarawakia* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *sarawakia* Fibiger,2007 **Range (in code): MY Bor Swk**
- 55763. *Tolpia sikkimi* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *sikkimi* Fibiger,2007 **Range (in code): IN SI**
- 55764. *Tolpia talauti* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *talauti* Fibiger,2007 **Range (in code): ID Tal**
- 55765. *Tolpia unguis* Fibiger,2007** (Micronoctuidae) **Synonym(s):** *unguis* Fibiger,2007 **Range (in code): TH Knc Mae Pgg**
- 55766. *Agrionympha capensis* Whalley,1978** (Micropterigidae) **Synonym(s):** *capensis* Whalley,1978 **Range (in code): ZA**
- 55767. *Agrionympha pseliacma* Meyrick,1921** (Micropterigidae) **Synonym(s):** *pseliacma* Meyrick,1921 **Range (in code): ZA Nta Kzu Kkf**
- 55768. *Agrionympha vari* Whalley,1978** (Micropterigidae) **Synonym(s):** *vari* Whalley,1978 **Range (in code): ZA**
- 55769. *Microptericina amasiella* (Staudinger,1880)** (Micropterigidae) **Synonym(s):** *amasiella* Staudinger,1880 **Original Reference:** *Micropteryx amasiella* Staudinger,1880, Horae Soc. ent. ross. 15: 421-422. Syntypes 2♂: [Türkei]: Amasia. **Range (in code): TR**
- 55770. *Microptericina lagodechiella* Zagulyaev,1987** (Micropterigidae) **Synonym(s):** *lagodechiella* Zagulyaev,1987 **Range (in code): Cc GG Lag**
- 55771. *Micropterix aglaella* (Duponchel,[1840])** (Micropterigidae) **Synonym(s):** *aglaella* Duponchel,[1840] **Range (in code): PT ES FR IT DE CH**
- 55772. *Micropterix algeriella* (Ragonot,1889)** (Micropterigidae) **Synonym(s):** *algeriella* Ragonot,1889 **Original Reference:** *Eriocephala algeriella* Ragonot,1889, Bull. Soc. ent. Fr. 1889: 107. Type: Algeria. **Range (in code): DZ**
- 55773. *Micropterix allionella* (Fabricius,1794)** (Micropterigidae) **Synonym(s):** *allionella* Fabricius,1794; *tricintella* Costa,[1836] **Range (in code): FR IT DE CH AT CZ SK YU BG TR**
- 55774. *Micropterix amsella* J.Heath,1975** (Micropterigidae) **Synonym(s):** *amsella* J.Heath,1975 **Range (in code): YU**
- 55775. *Micropterix aruncella* (Scopoli,1763)** (Micropterigidae) **Synonym(s):** *aruncella* Scopoli,1763; *seppella* Fabricius,1777; *podevinella* Hübner,[1813]; *concinella* Stephens,1834; *eximiella* Zeller,1850; *atricapila* Wocke,1877; *nuraghella* Amsel,1936 **Original Reference:** *Phalaena aruncella* Scopoli,1763, Ent. Carn.: 254. Type: "Carniolia". **Range (in code): ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU GR DK TR NO SE FI EE LV LT RU Chu MD UA BY**
- 55776. *Micropterix aureatella* (Scopoli,1763)** (Micropterigidae) **Synonym(s):** *aureatella* Scopoli,1763; *ammanella* Hübner,[1813]; *allionella sensu* Stainton,1850 **Range (in code): PT FR IT? IE GB BE NL DE CH AT PL CZ SK HU RO GR DK TR NO SE FI EE LV LT RU MD UA BY**
- 55777. *Micropterix aureocapilla* Heath,1986** (Micropterigidae) **Synonym(s):** *aureocapilla* Heath,1986 **Original Reference:** *Micropterix aureocapilla* Heath,1986, Entomologist's Gaz. 37 (1): 21-22, figs. Holotype: Algeria, El Hadjar. **Range (in code): DZ**
- 55778. *Micropterix aureofasciella* Heath,1986** (Micropterigidae) **Synonym(s):** *aureofasciella* Heath,1986 **Original Reference:** *Micropterix aureofasciella* Heath,1986, Entomologist's Gaz. 37 (1): 22-23, figs. Holotype: Algeria, Algiers, Philippeville. **Range (in code): DZ Agi Phv**
- 55779. *Micropterix aureoviridella* (Höfner,1898)** (Micropterigidae) **Synonym(s):** *aureoviridella* Höfner,1898; *liogierella* Réal,1987 **Range (in code): IT DE CH AT PL SK GR**

- 55780. *Micropterix calthella* (Linnaeus,1761)** (Micropterigidae) Synonym(s): *calthella* Linnaeus,1761; *urticella* Costa,[1836]; *sulcatella* Bentley,1845; *silesiaca* Toll,1942 _ Range (in code): DZ Anna FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY
- 55781. *Micropterix completella* Staudinger,1871** (Micropterigidae) Synonym(s): *completella* Staudinger,1871 _ Range (in code): Sa
- 55782. *Micropterix conjunctella* Heath,1986** (Micropterigidae) Synonym(s): *conjunctella* Heath,1986 _ Original Reference: Micropterix conjunctella Heath,1986, Entomologist's Gaz. 37 (1): 25-26, figs. Holotype: Algeria, Skikda. Range (in code): DZ Ski
- 55783. *Micropterix constantinella* Heath,1986** (Micropterigidae) Synonym(s): *constantinella* Heath,1986 _ Original Reference: Micropterix constantinella Heath,1986, Entomologist's Gaz. 37 (1): 26-27, figs. Holotype: Algeria, Skikda. Range (in code): DZ Ski
- 55784. *Micropterix corcyrella* Walsingham,1919** (Micropterigidae) Synonym(s): *corcyrella* Walsingham,1919 _ Range (in code): YU BG GR
- 55785. *Micropterix croatica* J.Heath & Kaltenbach,1984** (Micropterigidae) Synonym(s): *croatica* J.Heath & Kaltenbach,1984 _ Range (in code): HV
- 55786. *Micropterix cyaneochrysa* Walsingham,1907** (Micropterigidae) Synonym(s): *cyaneochrysa* Walsingham,1907 _ Original Reference: Micropteryx cyaneochrysa Walsingham,1907, Entomologist's mon. Mag. 43: 154. Type ♀: Algeria, El-Kantara, 11.v.1903. Range (in code): DZ Ktr
- 55787. *Micropterix cypriensis* J.Heath,1985** (Micropterigidae) Synonym(s): *cypriensis* J.Heath,1985 _ Range (in code): CY
- 55788. *Micropterix eatoniella* Heath,1986** (Micropterigidae) Synonym(s): *eatoniella* Heath,1986 _ Original Reference: Micropterix eatoniella Heath,1986, Entomologist's Gaz. 37 (1): 28-29, figs. Holotype: Algeria, Annaba. Range (in code): DZ Anna
- 55789. *Micropterix emiliensis* Viette,1950** (Micropterigidae) Synonym(s): *emiliensis* Viette,1950 _ Range (in code): IT
- 55790. *Micropterix ertella* Walsingham,1919** (Micropterigidae) Synonym(s): *ertella* Walsingham,1919 _ Range (in code): IT Si
- 55791. *Micropterix facetella* (Zeller,1850)** (Micropterigidae) Synonym(s): *facetella* Zeller,1850 _ Range (in code): YU
- 55792. *Micropterix fenestrellensis* J.Heath & Kaltenbach,1984** (Micropterigidae) Synonym(s): *fenestrellensis* J.Heath & Kaltenbach,1984 _ Range (in code): IT
- 55793. *Micropterix garganoensis* J.Heath,1960** (Micropterigidae) Synonym(s): *garganoensis* J.Heath,1960 _ Range (in code): IT
- 55794. *Micropterix granatensis* J.Heath,1981** (Micropterigidae) Synonym(s): *granatensis* J.Heath,1981 _ Range (in code): PT ES
- 55795. *Micropterix hartigi* J.Heath,1981** (Micropterigidae) Synonym(s): *hartigi* J.Heath,1981 _ Range (in code): IT
- 55796. *Micropterix herminiella* Corley,2007** (Micropterigidae) Synonym(s): *herminiella* Corley,2007 _ Range (in code): PT ES
- 55797. *Micropterix ibericella* Caradja,1920** (Micropterigidae) Synonym(s): *ibericella* Caradja,1920 _ Range (in code): PT ES
- 55798. *Micropterix igaloensis* Amsel,1951** (Micropterigidae) Synonym(s): *igaloensis* Amsel,1951 _ Range (in code): YU
- 55799. *Micropterix imperfectella* Staudinger,1859** (Micropterigidae) Synonym(s): *imperfectella* Staudinger,1859 _ Range (in code): ES
- 55800. *Micropterix isobasella* Staudinger,1871** (Micropterigidae) Synonym(s): *isobasella* Staudinger,1871 _ Range (in code): IT CH
- 55801. *Micropterix italica* J.Heath,1981** (Micropterigidae) Synonym(s): *italica* J.Heath,1981 _ Range (in code): IT
- 55802. *Micropterix kardamylensis* Rebel,1903** (Micropterigidae) Synonym(s): *kardamylensis* Rebel,1903 _ Range (in code): YU AL GR
- 55803. *Micropterix klimeschi* J.Heath,1973** (Micropterigidae) Synonym(s): *klimeschi* J.Heath,1973 _ Original Reference: Micropterix klimeschi J.Heath,1973, Entomologist's Gaz. 24: 4-5, figs. 3-4. Holotype ♂: [Turkey]: Asia minor, Dedegöl Dag, 1700m, leg. J. Heath (coll. Klimesch). Range (in code): TR
- 55804. *Micropterix lakoniensis* J.Heath,1985** (Micropterigidae) Synonym(s): *lakoniensis* J.Heath,1985 _ Range (in code): GR

- 55805. *Micropterix lambesiella* Viette, 1949** (Micropterigidae) Synonym(s): *lambesiella* Viette, 1949 Original Reference: Micropteryx lambesiella Viette, 1949, Bull. Soc. linn. Lyon 18: 87, figs. Type: Algeria. Range (in code): **DZ Lbs**
- 55806. *Micropterix mansuetella* (Zeller, 1844)** (Micropterigidae) Synonym(s): *mansuetella* Zeller, 1844 Range (in code): **PT IT IE GB NL DE CH AT PL HU DK NO SE FI EE LV LT RU MD UA BY**
- 55807. *Micropterix maschukella* Alpheraky, 1876** (Micropterigidae) Synonym(s): *maschukella* Alpheraky, 1876 Range (in code): **TR Cc GG Lag Bjo Abk Sok RU Kr Soc Kb Nal UA Cm** Adults feed on pollen of *Sambucus nigra* (Koçak).
- 55808. *Micropterix minimella* J. Heath, 1973** (Micropterigidae) Synonym(s): *minimella* J. Heath, 1973 Original Reference: Micropterix minimella J. Heath, 1973, Entomologist's Gaz. 24: 3-4, figs. Holotype ♂: [Spain]: Mallorca, Ins. Balear, Paguera, leg. J. Heath (coll. Klimesch). Range (in code): **ES**
- 55809. *Micropterix montosiella* Zagulyaev, 1983** (Micropterigidae) Synonym(s): *montosiella* Zagulyaev, 1983 Range (in code): **RU Kb**
- 55810. *Micropterix myrtetella* (Zeller, 1850)** (Micropterigidae) Synonym(s): *myrtetella* Zeller, 1850 Range (in code): **DZ Cst IT AT SK HU RO YU AL BG GR**
- 55811. *Micropterix osthelderi* J. Heath, 1975** (Micropterigidae) Synonym(s): *osthelderi* J. Heath, 1975 Range (in code): **FR IT DE CH AT PL CZ SK DK**
- 55812. *Micropterix paykullella* (Fabricius, 1794)** (Micropterigidae) Synonym(s): *paykullella* Fabricius, 1794; *anderschella* Hübner, [1813] Range (in code): **FR IT DE CH AT TR**
- 55813. *Micropterix purpuropennella* Heath, 1986** (Micropterigidae) Synonym(s): *purpuropennella* Heath, 1986 Original Reference: Micropterix purpuropennella Heath, 1986, Entomologist's Gaz. 37 (1): 31-32, figs. Holotype: Algeria. Range (in code): **DZ**
- 55814. *Micropterix rablensis* (Zeller, 1868)** (Micropterigidae) Synonym(s): *rablensis* Zeller, 1868 Range (in code): **FR IT AT RO YU**
- 55815. *Micropterix rothenbachii* (Frey, 1856)** (Micropterigidae) Synonym(s): *rothenbachii* Frey, 1856; *rothenbachella* Herrich-Schäffer, 1862; *australis* Heath, 1981; *vallebonnella* Réal, 1988 Range (in code): **FR Si IT DE CH AT TR**
- 55816. *Micropterix schaefferi* J. Heath, 1975** (Micropterigidae) Synonym(s): *anderschella* sensu Herrich-Schäffer, 1855; *schaefferi* J. Heath, 1975 Range (in code): **FR Co IT BE NL DE CH AT PL CZ YU BG TR DK**
- 55817. *Micropterix sicanella* Zeller, 1847** (Micropterigidae) Synonym(s): *sicanella* Zeller, 1847 Range (in code): **PT Co Si IT**
- 55818. *Micropterix stuebneri* Zeller, Werno & Kurz, 2013** (Micropterigidae) Synonym(s): *stuebneri* Zeller, Werno & Kurz, 2013 Range (in code): **ES An Snv**
- 55819. *Micropterix trifasciella* J. Heath, 1965** (Micropterigidae) Synonym(s): *trifasciella* J. Heath, 1965 Range (in code): **IT**
- 55820. *Micropterix tunbergella* (Fabricius, 1787)** (Micropterigidae) Synonym(s): *tunbergella* Fabricius, 1787; *hellwigella* Hübner, [1805]; *rubrifasciella* Haworth, 1828; *depictella* Herrich-Schäffer, 1855 Original Reference: Tinea tunbergella Fabricius, 1787, Mantissa Insectorum 2: 253. Type: Kilia. Range (in code): **ES FR GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE EE LV LT**
- 55821. *Micropterix tuscaniensis* J. Heath, 1960** (Micropterigidae) Synonym(s): *tuscaniensis* J. Heath, 1960 Range (in code): **IT**
- 55822. *Micropterix uxoria* Walsingham, 1919** (Micropterigidae) Synonym(s): *uxoria* Walsingham, 1919 Range (in code): **IT Si TR**
- 55823. *Micropterix vulturensis* J. Heath, 1981** (Micropterigidae) Synonym(s): *vulturensis* J. Heath, 1981 Range (in code): **IT**
- 55824. *Micropterix wockei* Staudinger, 1870** (Micropterigidae) Synonym(s): *wockeii* Staudinger, 1870 Range (in code): **IT GR Cr**
- 55825. *Micropterix zangheriella* J. Heath, 1963** (Micropterigidae) Synonym(s): *zangheriella* J. Heath, 1963 Range (in code): **IT**
- 55826. *Aleyda accipiter* (Dognin, 1916)** (Mimallonidae) Synonym(s): *accipiter* Dognin, 1916 Range (in code): **PA**
- 55827. *Cicinnus acuta* (Schaus, 1892)** (Mimallonidae) Synonym(s): *acuta* Schaus, 1892 Range (in code): **BR Rja**
- 55828. *Cicinnus chabaudi* Dyar, 1914** (Mimallonidae) Synonym(s): *chabaudi* Dyar, 1914 Range (in code): **MX**

- 55829. *Cicinnus corallina* Dognin, 1918** (Mimallonidae) Synonym(s): *corallina* Dognin, 1918
Range (in code): **CO**
- 55830. *Cicinnus corcovada* (Schaus, 1892)** (Mimallonidae) Synonym(s): *corcovada* Schaus, 1892
Range (in code): **BR Rja**
- 55831. *Cicinnus cordubensis* (Berg, 1882)** (Mimallonidae) Synonym(s): *cordubensis* Berg, 1882;
schultzi Weyenbergh, 1883; *nigrescens* Schaus, 1896 - Range (in code): **AR BR**
- 55832. *Cicinnus despecta* (Walker, 1855)** (Mimallonidae) Synonym(s): *despecta* Walker, 1855;
curtisea Weyenbergh, 1874; *sanguinolenta* C. Felder, 1874; *sachinius* Schaus, 1934 - Range (in code): **BR Rja MtG AR**
- 55833. *Cicinnus dulcis* Schaus, 1910** (Mimallonidae) Synonym(s): *dulcis* Schaus, 1910 - Range (in code): **CR**
- 55834. *Cicinnus eugenia* Schaus, 1905** (Mimallonidae) Synonym(s): *eugenia* Schaus, 1905
Range (in code): **GF**
- 55835. *Cicinnus externa* (Moore, 1882)** (Mimallonidae) Synonym(s): *externa* Moore, 1882
Range (in code): **BR**
- 55836. *Cicinnus felderia* Schaus, 1928** (Mimallonidae) Synonym(s): *felderia* Schaus, 1928
Range (in code): **MX**
- 55837. *Cicinnus fenestrata* Jones, 1912** (Mimallonidae) Synonym(s): *fenestrata* Jones, 1912
Range (in code): **BR**
- 55838. *Cicinnus fogia* Schaus, 1905** (Mimallonidae) Synonym(s): *fogia* Schaus, 1905 - Range (in code): **GF**
- 55839. *Cicinnus forbesi* Schaus, 1928** (Mimallonidae) Synonym(s): *forbesi* Schaus, 1928
Range (in code): **GF**
- 55840. *Cicinnus gentilis* Schaus, 1910** (Mimallonidae) Synonym(s): *gentilis* Schaus, 1910
Range (in code): **CR**
- 55841. *Cicinnus malca* Schaus, 1905** (Mimallonidae) Synonym(s): *malca* Schaus, 1905 - Range (in code): **GF**
- 55842. *Cicinnus mexicana* (Druce, 1898)** (Mimallonidae) Synonym(s): *mexicana* Druce, 1898
Range (in code): **MX Vcr**
- 55843. *Cicinnus motagus* Schaus, 1920** (Mimallonidae) Synonym(s): *motagus* Schaus, 1920
Range (in code): **GT**
- 55844. *Cicinnus musa* (Schaus, 1896)** (Mimallonidae) Synonym(s): *musa* Schaus, 1896 - Range (in code): **BR**
- 55845. *Cicinnus olasis* Schaus, 1928** (Mimallonidae) Synonym(s): *olasis* Schaus, 1928 - Range (in code):
- 55846. *Cicinnus packardi* (Grote, 1865)** (Mimallonidae) Synonym(s): *packardi* Grote, 1865
Range (in code): **CU**
- 55847. *Cicinnus pudens* Schaus, 1911** (Mimallonidae) Synonym(s): *pudens* Schaus, 1911 - Range (in code): **CR**
- 55848. *Cicinnus pulverula* (Schaus, 1896)** (Mimallonidae) Synonym(s): *pulverula* Schaus, 1896
Range (in code): **BR Spa**
- 55849. *Cicinnus roscida* Dognin, 1910** (Mimallonidae) Synonym(s): *roscida* Dognin, 1910
Range (in code): **BR Spa**
- 55850. *Cicinnus solvens* Dyar, 1914** (Mimallonidae) Synonym(s): *solvens* Dyar, 1914 - Range (in code): **PA**
- 55851. *Cicinnus submarcata* Schaus, 1905** (Mimallonidae) Synonym(s): *submarcata* Schaus, 1905
Range (in code): **GF**
- 55852. *Cicinnus thermesia* Jones, 1921** (Mimallonidae) Synonym(s): *thermesia* Jones, 1921
Range (in code): **BR Spa**
- 55853. *Cicinnus tuisana* Schaus, 1910** (Mimallonidae) Synonym(s): *tuisana* Schaus, 1910
Range (in code): **CR**
- 55854. *Cicinnus volucris* Schaus, 1910** (Mimallonidae) Synonym(s): *volucris* Schaus, 1910
Range (in code): **CR**
- 55855. *Cicinnus xingua* (Dognin, 1923)** (Mimallonidae) Synonym(s): *xingua* Dognin, 1923
Range (in code): **BR**
- 55856. *Euphaneta divisa* (Walker, 1855)** (Mimallonidae) Synonym(s): *divisa* Walker, 1855
Range (in code): **BR**

- 55857. Mimallo almeidai Pearson,1951** (Mimallonidae) Synonym(s): *almeidai* Pearson,1951
Range (in code): **BR Rja**
- 55858. Mimallo amilia (Cramer,1780)** (Mimallonidae) Synonym(s): *amilia* Cramer,1780; *vorax* Sepp,[1832] _ Range (in code): **SR**
- 55859. Mimallo brosica Schaus,1928** (Mimallonidae) Synonym(s): *brosica* Schaus,1928
Range (in code): **GF**
- 55860. Mimallo garretti Schaus,1934** (Mimallonidae) Synonym(s): *garretti* Schaus,1934
Range (in code): **BR Rja**
- 55861. Mimallo hector Dognin,1924** (Mimallonidae) Synonym(s): *hector* Dognin,1924 _ Range (in code): **BR Sct**
- 55862. Mimallo neoamilia Pearson,1951** (Mimallonidae) Synonym(s): *neoamilia* Pearson,1951
Range (in code): **BR Rja**
- 55863. Mimallo saturata (Walker,1855)** (Mimallonidae) Synonym(s): *saturata* Walker,1855
Range (in code): **BR**
- 55864. Psychocampa belaria Schaus,1928** (Mimallonidae) Synonym(s): *belaria* Schaus,1928
Range (in code): **BR MtG**
- 55865. Psychocampa beta Schaus,1910** (Mimallonidae) Synonym(s): *beta* Schaus,1910
Range (in code): **CR**
- 55866. Psychocampa bibula (Dognin,1924)** (Mimallonidae) Synonym(s): *bibula* Dognin,1924
Range (in code): **BR**
- 55867. Psychocampa concolor Grote & Robinson,1866** (Mimallonidae) Synonym(s): *concolor* Grote & Robinson,1866; *cunona* Schaus,1905; *stenia* Dyar,1910 _ Range (in code): **BR GF**
- 55868. Psychocampa doralica Schaus,1928** (Mimallonidae) Synonym(s): *doralica* Schaus,1928
Range (in code): **CO**
- 55869. Psychocampa eminens (Dognin,1923)** (Mimallonidae) Synonym(s): *eminens* Dognin,1923 _ Range (in code): **CO**
- 55870. Psychocampa lemoulti (Schaus,1905)** (Mimallonidae) Synonym(s): *lemoulti* Schaus,1905
Range (in code): **GF**
- 55871. Psychocampa manicora Schaus,1928** (Mimallonidae) Synonym(s): *manicora* Schaus,1928 _ Range (in code): **BR Azn**
- 55872. Psychocampa mawaja (Dognin,1922)** (Mimallonidae) Synonym(s): *mawaja* Dognin,1922
Range (in code): **BR**
- 55873. Psychocampa pluridiscata (Dognin,1916)** (Mimallonidae) Synonym(s): *pluridiscata* Dognin,1916 _ Range (in code): **PE**
- 55874. Psychocampa prominens (Schaus,1910)** (Mimallonidae) Synonym(s): *prominens* Schaus,1910 _ Range (in code): **CR**
- 55875. Psychocampa sylvia (Schaus,1920)** (Mimallonidae) Synonym(s): *sylvia* Schaus,1920
Range (in code): **GT**
- 55876. Psychocampa veigli Schaus,1934** (Mimallonidae) Synonym(s): *veigli* Schaus,1934
Range (in code): **BR MtG**
- 55877. Psychocampa ventana (Dognin,1897)** (Mimallonidae) Synonym(s): *ventana* Dognin,1897
Range (in code): **VE**
- 55878. Psychocampa vitreata (Schaus,1905)** (Mimallonidae) Synonym(s): *vitreata* Schaus,1905
Range (in code): **GF**
- 55879. Roelofa hegewischi (Druce,1887)** (Mimallonidae) Synonym(s): *hegewischi* Druce,1887
Range (in code): **MX Ver**
- 55880. Roelofa maricia Schaus,1928** (Mimallonidae) Synonym(s): *maricia* Schaus,1928
Range (in code): **BR Rja**
- 55881. Roelofa narga (Schaus,1905)** (Mimallonidae) Synonym(s): *narga* Schaus,1905; *maera* Schaus,1913 _ Range (in code): **BR Sct SR**
- 55882. Roelofa olivia (Schaus,1896)** (Mimallonidae) Synonym(s): *olivia* Schaus,1896 _ Range (in code): **CO**
- 55883. Mirina christophi Staudinger,1887** (Mirinidae) Synonym(s): *christophi* Staudinger,1887
Range (in code): **RU Us Am** Bionomy: Larva on Lonicera, Veigella (ex Graeser, Seitz,1911; Zolotuhin & Witt,2000).
- 55884. Mirina confucius Zolotuhin & Witt,2000** (Mirinidae) Synonym(s): *confucius* Zolotuhin & Witt,2000
Original Reference: Mirina confucius Zolotuhin & Witt,2000, Entomofauna Suppl.

- 11: 15-17. Holotype ♂: N.Vietnam: Mt. Fan-si-pan, N-Seite Cha-pa (=Sapa), 1600m leg. Schintlmeister & Sinjaev (MWM). Range (in code): VN Ton Fan Lci TH CMa Php Fn
- 55885. *Mirina fenzeli* Mell, 1938** (Mirinidae) Synonym(s): fenzeli Mell, 1938; longnanensis Chen & Wang, 1993 Range (in code): CN Gn Shs
- 55886. *Bifascia nigralbella* (Chrétien, 1915)** (Mompidae) Synonym(s): nigralbella Chrétien, 1915; asteroleuca Meyrick, 1917 Range (in code): ES DZ Bsk Gf TN SA IR Hz B-A PK IN MN TM Bdz Bionomy: Larva on Acacia (Mimosaceae), Tamarix (Tamaricaceae) (Dumont, 1932).
- 55887. *Bifascioides leucomelanellus* (Rebel, 1917)** (Mompidae) Synonym(s): leucomelanellus Rebel, 1917; pirastica Meyrick, 1936 Range (in code): LY IR Ss Hz B-A EG SD Kdf KE IN? LK?
- 55888. *Bifascioides yemenellus* (Amsel, 1961)** (Mompidae) Synonym(s): yemenellus Amsel, 1961 Range (in code): YE Ad IR Hz B-A
- 55889. *Mompha* (Anybia) *epilobiella* (Roemer, 1794)** (Mompidae) Synonym(s): epilobiella Roemer, 1794; langiella Hübner, 1796; niveipunctella Stainton, 1849; fulicella Herrich-Schäffer, 1853. Original Reference: Alucita epilobiella Roemer, 1794, Berlin Naturf. Schrift. 11: 162. Range (in code): ES Ter FR IT GB BE NL DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI LV LT RU MD UA BY Cc Bionomy: Larva on Chamaenrion angustifolium, Epilobium montanum, E. hirsutum, E. palustre (Riedl, 1969).
- 55890. *Mompha* (Cyphophora) *idaei* (Zeller, 1839)** (Mompidae) Synonym(s): idaei Zeller, 1839; idaeella Duponchel, [1845]; grandisella Chambers, 1875; tricristella Chambers, 1875; subiridescens Walsingham, 1882; polaris Sinev, 1986 Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Sb Us MD UA BY CA US Bionomy: Larva on Chamaenrion angustifolium, Epilobium spicatum (Riedl, 1969).
- 55891. *Mompha* (Lophoptilus) *miscella* ([Denis & Schiffermüller], 1775)** (Mompidae) Synonym(s): miscella [Denis & Schiffermüller], 1775; staintoni Sircom, 1848; opacella Müller-Rutz, 1934. Original Reference: Tinea miscella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district. Range (in code): DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU TR BG GR Cr DK SE FI EE LV LT RU MD UA BY Bionomy: Larva on Helianthemum vulgare, H. polifolium, H. ovatum (Cistaceae) (Riedl, 1969); Labdanum cistus (Cistaceae) (Zagulyaev & Sinev, 1981).
- 55892. *Mompha* (Psacaphora) *locupletella* ([Denis & Schiffermüller], 1775)** (Mompidae) Synonym(s): locupletella [Denis & Schiffermüller], 1775; schrankella Hübner, 1805; quadrilobella Herrich-Schäffer, 1853. Original Reference: Tinea locupletella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 141. Type(s): [Austria]: Vienna district. Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Sb Krl Bionomy: Larva on Chamaenrion angustifolium, Epilobium montanum, E. alpinum, E. palustre, E. alpestre (Onagraceae) (Riedl, 1969).
- 55893. *Mompha* (Psacaphora) *maculata* (Sinev, 1986)** (Mompidae) Synonym(s): maculata Sinev, 1986 Range (in code): Cc GG AM AZ Nv
- 55894. *Mompha* (Psacaphora) *raschkiella* (Zeller, 1839)** (Mompidae) Synonym(s): raschkiella Zeller, 1839 Original Reference: Elachista raschkiella Zeller, 1839, Isis 1839: 211. Lectotype (BMNH). Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb Sh MD UA BY Bionomy: Larva on Chamaenrion angustifolium, Epilobium hirsutum, E. spicatum (Riedl, 1969).
- 55895. *Mompha* (Psacaphora) *sexstrigella* (Braun, 1921)** (Mompidae) Synonym(s): sexstrigella Braun, 1921; complexa Svensson, 1982 Range (in code): SE FI RU MD UA BY At Sb Sh CA US Bionomy: Larva on Chamaenrion angustifolium (Svensson, 1982).
- 55896. *Mompha* (Psacaphora) *terminella* (Humphreys & Westwood, 1845)** (Mompidae) Synonym(s): terminella Humphreys & Westwood, 1845; patriciella Stainton, 1849; chrysargyrella Herrich-Schäffer, [1854]; engelella Busck, 1906 Range (in code): ES FR GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU Us MD UA BY CA Bionomy: Larva on Circaea lutetiana, C. alpina (Riedl, 1969; et seq.).
- 55897. *Mompha* (s.str.) *bradleyi* Riedl, 1965** (Mompidae) Synonym(s): bradleyi Riedl, 1965 Original Reference: Mompha bradleyi Riedl, 1965, Polski Pismo Ent. 35: 447. Holotype ♂: Pologne: Szcecin- Dabie (BMNH). Range (in code): GB NL DE PL CZ SK HU RO Bionomy: Larva on Epilobium hirsutum (Riedl, 1969).
- 55898. *Mompha* (s.str.) *confusella* Koster & Sinev, 1996** (Mompidae) Synonym(s): confusella Koster & Sinev, 1996 Range (in code): AT SK HU Cc AZ Bionomy: Larva on Epilobium hirsutum, Chamaenrion angustifolium (Koster & Sinev, 2003).

- 55899. Mompha (s.str.) conturbatella (Hübner,[1819])** (Mompidae) Synonym(s): *conturbatella* Hübner,[1819]; *elegantella* Zetterstedt,[1839] - Range (in code): FR IT IS GB BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Chamaenrion angustifolium, Epilobium montanum, E. spicatum (Riedl,1969).
- 55900. Mompha (s.str.) divisella Herrich-Schäffer,1854** (Mompidae) Synonym(s): *divisella* Herrich-Schäffer,1854; *decorella* Stainton,1854. - Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK RO TR DK NO SE FI EE LV LT RU MD UA BY Cc TM KG Bionomy: Larva on Epilobium montanum, E. palustre, E. lanceolatum, Chamaenrion angustifolium (Riedl,1969).
- 55901. Mompha (s.str.) fulvescens (Haworth,[1828])** (Mompidae) Synonym(s): *#epilobiella* [Denis & Schiffermüller],1775; *epilobiella* Schrank,1802 nec Roemer,1794; *fulvescens* Haworth,[1828]; *nebulella* Stephens,1834. Original Reference: *Recurvaria fulvescens* Haworth,[1828], Lep. Brit.: 554. Lectotype (BMNH). Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Epilobium hirsutum, E. palustre, E. parviflorum ([Denis & Schiffermüller],1775; Riedl,1969).
- 55902. Mompha (s.str.) lacteella (Stephens,1834)** (Mompidae) Synonym(s): *lacteella* Stephens,1834; *gibbiferella* Zeller,1839; *basipallidella* Stainton,1849 Original Reference: *Anacampsis lacteella* Stephens,1834, Il. Brit. Ent. 4: 210. Lectotype (BMNH). Range (in code): FR IT IE GB BE DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV RU Sb Us MD UA BY Bionomy: Larva on Epilobium hirsutum, E. montanum (Riedl,1969).
- 55903. Mompha (s.str.) meridionella Koster & Sinev,2003** (Mompidae) Synonym(s): *meridionella* Koster & Sinev,2003 - Range (in code): GR RU
- 55904. Mompha (s.str.) ochraceella (Curtis,1839)** (Mompidae) Synonym(s): *ochraceella* Curtis,1839 Original Reference: *Laverna ochraceella* Curtis,1839, Brit. Ent.: 16, pl.735. Range (in code): MA ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK SE LV RU MD UA BY IR Bionomy: Larva on Epilobium hirsutum (Riedl,1969).
- 55905. Mompha (s.str.) propinquella (Stainton,1851)** (Mompidae) Synonym(s): *propinquella* Stainton,1851; *pahudicolella* Doubleday,1859 Original Reference: *Elachista propinquella* Stainton,1851, Suppl. Cat. Brit. Tin.: 8. Lectotype (BMNH). Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE FI EE LV RU MD UA BY Bionomy: Larva on Epilobium hirsutum, E. montanum, E. palustre (Stainton,1870 et seq.).
- 55906. Mompha (s.str.) sturnipennella (Treitschke,1833)** (Mompidae) Synonym(s): *sturnipennella* Treitschke,1833; *permutatella* Herrich-Schäffer,1853; *nodicolella* Fuchs,1902. Original Reference: *Ornix sturnipennella* Treitschke,1833, Schmett. Eur. 9: 209. Range (in code): FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY Bionomy: Larva on Chamaenrion angustifolium (Riedl,1969).
- 55907. Mompha (s.str.) subbistrigella (Haworth,[1828])** (Mompidae) Synonym(s): *subbistrigella* Haworth,[1828] Original Reference: *Tinea subbistrigella* Haworth,[1828], Lep. Brit.: 581. Range (in code): ES Gp FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR GR DK NO SE FI EE LV LT RU MD UA BY Cc Bionomy: Larva on Epilobium montanum, E. palustre, E. parviflorum, Chamaenrion angustifolium (Riedl,1969).
- 55908. Mompha (s.str.) subdivisella Bradley,1951** (Mompidae) Synonym(s): *subdivisella* Bradley,1951 Original Reference: *Mompha subdivisella* Bradley,1951, Entomologist's Gaz. 2: 177. Holotype ♂: Britain: Merton, Norfolk (BMNH). Range (in code): PT ES FR GB
- 55909. Mompha antibathra Meyrick,1914** (Mompidae) Synonym(s): *antibathra* Meyrick,1914 Range (in code): ZA Tva Gau Pre
- 55910. Mompha cyclocosma Meyrick,1921** (Mompidae) Synonym(s): *cyclocosma* Meyrick,1921 Range (in code): MZ L-M
- 55911. Urodeta hibernella (Staudinger,1859)** (Mompidae) Synonym(s): *hibernella* Staudinger,1859 - Range (in code): PT ES FR Co
- 55912. Acalyptris acumenta (Scoble,1980)** (Nepticulidae) Synonym(s): *acumenta* Scoble,1980 Range (in code): ZA
- 55913. Acalyptris bispinata (Scoble,1980)** (Nepticulidae) Synonym(s): *bispinata* Scoble,1980 Range (in code): ZA
- 55914. Acalyptris combretella (Vari,1955)** (Nepticulidae) Synonym(s): *combretella* Vari,1955 Range (in code): ZA Tva Gau Pre Bionomy: Larva on Combretum apiculatum (Vari,1955).

- 55915. *Acalyptris fagarivora* (Vari,1955)** (Nepticulidae) Synonym(s): *fagarivora* Vari,1955
Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on *Fagara magalismontana* (Rutaceae) (Vari,1955).
- 55916. *Acalyptris fulva* (Scoble,1980)** (Nepticulidae) Synonym(s): *fulva* Scoble,1980 Range (in code): **ZA**
- 55917. *Acalyptris fuscofascia* (Scoble,1980)** (Nepticulidae) Synonym(s): *fuscofascia* Scoble,1980
Range (in code): **ZA**
- 55918. *Acalyptris krooni* (Scoble,1980)** (Nepticulidae) Synonym(s): *krooni* Scoble,1980
Range (in code): **ZA**
- 55919. *Acalyptris lanneivora* (Vari,1955)** (Nepticulidae) Synonym(s): *lanneivora* Vari,1955
Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on *Lannea discolor* (Anacardiaceae) (Vari,1955).
- 55920. *Acalyptris lesbia* Nieukerken & Hull,2007** (Nepticulidae) Synonym(s): *lesbia* Nieukerken & Hull,2007 Range (in code): **GR** Bionomy: Larva on *Limonium gmelinii* (Nieukerken & Hull,2007).
- 55921. *Acalyptris limoniastri* Nieukerken,2007** (Nepticulidae) Synonym(s): *limoniastri* Nieukerken,2007 Range (in code): **DZ Bsk TN** Bionomy: Larva on *Limoniastrum guyonianum* (Nieukerken,2007).
- 55922. *Acalyptris limonii* Z.Lastuvka & A.Lastuvka,1998** (Nepticulidae) Synonym(s): *limonii* Z.Lastuvka & A.Lastuvka,1998 Range (in code): **HV GR** Bionomy: Larva on *Limonium vulgare* (Z.Lastuvka & A.Lastuvka,1998).
- 55923. *Acalyptris loranthella* (Klimesch,1937)** (Nepticulidae) Synonym(s): *loranthella* Klimesch,1937 Range (in code): **AT CZ SK HU IT Si RO GR** Bionomy: Larva on *Loranthus europaeus* (Loranthaceae) (Klimesch,1937).
- 55924. *Acalyptris lorantivora* (Janse,1948)** (Nepticulidae) Synonym(s): *lorantivora* Janse,1948
Range (in code): **ZA**
- 55925. *Acalyptris lundensis* (Scoble,1980)** (Nepticulidae) Synonym(s): *lundensis* Scoble,1980
Range (in code): **ZA**
- 55926. *Acalyptris mariepsensis* (Scoble,1980)** (Nepticulidae) Synonym(s): *mariepsensis* Scoble,1980 Range (in code): **ZA**
- 55927. *Acalyptris maritima* Z.Lastuvka & A.Lastuvka,1997** (Nepticulidae) Synonym(s): *maritima* Z.Lastuvka & A.Lastuvka,1997 Range (in code): **IT GR** Bionomy: Larva on *Limonium vulgare* (Z.Lastuvka & A.Lastuvka,1997).
- 55928. *Acalyptris minimella* (Rebel,1924)** (Nepticulidae) Synonym(s): *minimella* Rebel,1924; *lentiscella* Groschke,1944 Range (in code): **MA DZ TN PT ES Cz Gi Sa Co Si IT YU HV GR CY** Bionomy: Larva on *Pistacia lentiscus*, *P. terebinthus* (Anacardiaceae) (Nieukerken et al.,2004).
- 55929. *Acalyptris molleivora* (Scoble,1980)** (Nepticulidae) Synonym(s): *molleivora* Scoble,1980
Range (in code): **ZA**
- 55930. *Acalyptris obliquella* (Scoble,1980)** (Nepticulidae) Synonym(s): *obliquella* Scoble,1980
Range (in code): **ZA**
- 55931. *Acalyptris pistaciae* Nieukerken,2007** (Nepticulidae) Synonym(s): *pistaciae* Nieukerken,2007 Range (in code): **GR Rd CY TR IL Pa** Bionomy: Larva on *Pistacia lentiscus*, *P. terebinthus* (Anacardiaceae) (Nieukerken,2007).
- 55932. *Acalyptris platani* (Müller-Rutz,1934)** (Nepticulidae) Synonym(s): *platani* Müller-Rutz,1934 Range (in code): **PT ES FR Co IT Si CH YU HV MK GR BG CY TR IR Elb Th** Bionomy: Larva on *Platanus hispanica*, *P. orientalis*, *P. hybrida* (Müller-Rutz,1934).
- 55933. *Acalyptris pundaensis* (Scoble,1980)** (Nepticulidae) Synonym(s): *pundaensis* Scoble,1980
Range (in code): **ZA**
- 55934. *Acalyptris pyrenaica* Lastuvka & Lastuvka,1993** (Nepticulidae) Synonym(s): *pyrenaica* Lastuvka & Lastuvka,1993 Range (in code): **ES DE**
- 55935. *Acalyptris rubiaevora* (Scoble,1980)** (Nepticulidae) Synonym(s): *rubiaevora* Scoble,1980
Range (in code): **ZA**
- 55936. *Acalyptris sellata* (Scoble,1980)** (Nepticulidae) Synonym(s): *sellata* Scoble,1980
Range (in code): **ZA**
- 55937. *Acalyptris staticis* (Walsingham,1908)** (Nepticulidae) Synonym(s): *staticis* Walsingham,1908 Range (in code): **Cn** Bionomy: Larva on *Limonium pectinatum* (=Statice) (Walsingham,1908).

- 55938. *Acalyptris umdoniensis* (Scoble,1980)** (Nepticulidae) **Synonym(s):** *umdoniensis* Scoble,1980 **Range (in code):** **ZA**
- 55939. *Acalyptris vacuolata* (Scoble,1980)** (Nepticulidae) **Synonym(s):** *vacuolata* Scoble,1980 **Range (in code):** **ZA**
- 55940. *Acalyptris vepricola* (Vari,1963)** (Nepticulidae) **Synonym(s):** *vepricola* Vari,1963 **Range (in code):** **ZA**
- 55941. *Acalyptris vumbaensis* (Scoble,1980)** (Nepticulidae) **Synonym(s):** *vumbaensis* Scoble,1980 **Range (in code):** **ZA**
- 55942. *Acalyptris zeyheriae* (Scoble,1980)** (Nepticulidae) **Synonym(s):** *zeyheriae* Scoble,1980 **Range (in code):** **ZA**
- 55943. *Areticulata leucosideae* Scoble,1983** (Nepticulidae) **Synonym(s):** *leucosideae* Scoble,1983 **Range (in code):** **ZA**
- 55944. *Bohemannia auriciliella* (De Joannis,1908)** (Nepticulidae) **Synonym(s):** *auriciliella* De Joannis,1908 **Range (in code):** **FR GB NL**
- 55945. *Bohemannia pulverosella* (Stainton,1849)** (Nepticulidae) **Synonym(s):** *pulverosella* Stainton,1849 **Range (in code):** **FR IE GB NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV RU MD UA BY**
- 55946. *Bohemannia quadrimaculella* (Boheman,1851)** (Nepticulidae) **Synonym(s):** *quadrimaculella* Boheman,1851 **Range (in code):** **FR IE GB BE NL DE RO DK SE**
- 55947. *Ectoedemia (Etainia) albibimaculella* (Larsen,1927)** (Nepticulidae) **Synonym(s):** *albibimaculella* Larsen,1927 **Range (in code):** **IT PL DK NO SE FI LV**
- 55948. *Ectoedemia (Etainia) biarmata* (Puplesis,1994)** (Nepticulidae) **Synonym(s):** *biarmata* Puplesis,1994 **Range (in code):** **GG Cc Abk**
- 55949. *Ectoedemia (Etainia) crypsixantha* (Meyrick,1918)** (Nepticulidae) **Synonym(s):** *crypsixantha* Meyrick,1918 **Range (in code):** **ZA Tva Gau Pre**
- 55950. *Ectoedemia (Etainia) decentella* (Herrich-Schäffer,1855)** (Nepticulidae) **Synonym(s):** *decentella* Herrich-Schäffer,1855 **Range (in code):** **FR GB BE NL DE CH AT PL CZ SK HU RO YU GR DK RU MD UA BY**
- 55951. *Ectoedemia (Etainia) kruegerensis* (Scoble,1983)** (Nepticulidae) **Synonym(s):** *kruegerensis* Scoble,1983 **Range (in code):** **ZA**
- 55952. *Ectoedemia (Etainia) leptognathos* (Puplesis & Diskus,1996)** (Nepticulidae) **Synonym(s):** *leptognathos* Puplesis & Diskus,1996 **Range (in code):** **TM** **Bionomy:** Larva on *Acer turcomanicum* (Puplesis & Diskus,1996).
- 55953. *Ectoedemia (Etainia) louisella* (Sircom,1849)** (Nepticulidae) **Synonym(s):** *louisella* Sircom,1849 **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU DK RU Cc MD UA BY** **Bionomy:** Larva on *Acer campestre* (Sircom,1849).
- 55954. *Ectoedemia (Etainia) nigricapitella* (Janse,1948)** (Nepticulidae) **Synonym(s):** *nigricapitella* Janse,1948 **Range (in code):** **ZA**
- 55955. *Ectoedemia (Etainia) obtusa* (Puplesis & Diskus,1996)** (Nepticulidae) **Synonym(s):** *obtusa* Puplesis & Diskus,1996 **Range (in code):** **ES FR IT HV TM Kp** **Bionomy:** Larva on *Fraxinus ornus* (Oleaceae), *Acer turcomanicum* (Puplesis & Diskus,1996; Nieukerken & Lastuvka,2002).
- 55956. *Ectoedemia (Etainia) ochrefasciella* (Chambers,1873)** (Nepticulidae) **Synonym(s):** *ochrefasciella* Chambers,1873 **Range (in code):** **US**
- 55957. *Ectoedemia (Etainia) sericopeza* (Zeller,1839)** (Nepticulidae) **Synonym(s):** *sericopeza* Zeller,1839 **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY** **Bionomy:** Larva on *Acer platanoides* (Zeller,1839).
- 55958. *Ectoedemia (Etainia) zimbabwiensis* (Scoble,1983)** (Nepticulidae) **Synonym(s):** *zimbabwiensis* Scoble,1983 **Range (in code):** **ZW ZA**
- 55959. *Ectoedemia (Fomoria) alexandria* Scoble,1983** (Nepticulidae) **Synonym(s):** *alexandria* Scoble,1983 **Range (in code):** **ZA**
- 55960. *Ectoedemia (Fomoria) degeeri* Nieukerken,2008** (Nepticulidae) **Synonym(s):** *degeeri* Nieukerken,2008 **Original Reference:** *Ectoedemia (Fomoria) degeeri* Nieukerken,2008, Zool. Meded., Leiden 82: 124-127, figs. Holotype ♂: Turkey: Antalya Prov., Alanya Mahmutlar, 14.vi.2005, leg. W.Mey (RMNH). **Range (in code):** **TR**
- 55961. *Ectoedemia (Fomoria) deschkai* (Klimesch,1978)** (Nepticulidae) **Synonym(s):** *deschkai* Klimesch,1978 **Range (in code):** **GR** **Bionomy:** Larva on *Hypericum crispum*, *H. hircinum* (Hypericaceae) (Nieukerken,2008).

- 55962. Ectoedemia (Fomoria) empetrifolii Lastuvka & Lastuvka,2000** (Nepticulidae)
Synonym(s): *empetrifolii* Lastuvka & Lastuvka,2000 _ Range (in code): GR Bionomy: Larva on *Hypericum empetrifolium* (Hypericaceae) (Lastuvka & Lastuvka,2000).
- 55963. Ectoedemia (Fomoria) eriki Lastuvka & Lastuvka,2000** (Nepticulidae)
Synonym(s): *eriki* Lastuvka & Lastuvka,2000 _ Range (in code): GR Bionomy: Larva on *Hypericum olympicum*, *H. perfoliatum* (Hypericaceae) (Lastuvka & Lastuvka,2000).
- 55964. Ectoedemia (Fomoria) euphorbiella (Stainton,1869)** (Nepticulidae) Synonym(s): *euphorbiella* Stainton,1869; *tergestina* Klimesch,1940 _ Range (in code): ES FR Si IT GR Bionomy: Larva on *Euphorbia dendroides*, *E. brittingeri*, *E. serrata*, *E. terracina*, *E. fragifera*, *E. acanthothamnus* (Euphorbiaceae) (Stainton,1869; et seq.).
- 55965. Ectoedemia (Fomoria) festivitatis Nieukerken,2008** (Nepticulidae) Synonym(s): *festivitatis* Nieukerken,2008 _ Range (in code): NP CN Yu VN Ton Fan Bionomy: Larva on *Hypericum beanii*, *H. henryi*, *H. hookerianum*, *H. uralum*, *H. pseudopetiolatum* (Hypericaceae) (Nieukerken,2008).
- 55966. Ectoedemia (Fomoria) fuscata (Janse,1948)** (Nepticulidae) Synonym(s): *fuscata* Janse,1948 _ Range (in code): ZA
- 55967. Ectoedemia (Fomoria) groschkei (Skala,1943)** (Nepticulidae) Synonym(s): *groschkei* Skala,1943 Original Reference: *Nepticula groschkei* Skala,1943, Z. wien. ent. Ges. 28: 86. Range (in code): ES Si IT YU GR Rd
- 55968. Ectoedemia (Fomoria) hobohmi (Janse,1948)** (Nepticulidae) Synonym(s): *hobohmi* Janse,1948 _ Range (in code): ZA
- 55969. Ectoedemia (Fomoria) hypericella (Braun,1925)** (Nepticulidae) Synonym(s): *hypericella* Braun,1925 _ Range (in code): US Bionomy: Larva on *Hypericum prolificum* (Hypericaceae) (Braun,1925).
- 55970. Ectoedemia (Fomoria) hypericifolia (Kuroko,1982)** (Nepticulidae) Synonym(s): *hypericifolia* Kuroko,1982 _ Range (in code): RU CN JP Bionomy: Larva on *Hypericum attenuatum*, *H. ascyron*, *H. erectum* (Hypericaceae) (Kuroko,1982).
- 55971. Ectoedemia (Fomoria) incisaevora Scoble,1983** (Nepticulidae) Synonym(s): *incisaevora* Scoble,1983 _ Range (in code): ZA
- 55972. Ectoedemia (Fomoria) indicaevora Scoble,1983** (Nepticulidae) Synonym(s): *indicaevora* Scoble,1983 _ Range (in code): ZA
- 55973. Ectoedemia (Fomoria) knysnaensis Scoble,1983** (Nepticulidae) Synonym(s): *knysnaensis* Scoble,1983 _ Range (in code): ZA
- 55974. Ectoedemia (Fomoria) leptodictyae Scoble,1983** (Nepticulidae) Synonym(s): *leptodictyae* Scoble,1983 _ Range (in code): ZA
- 55975. Ectoedemia (Fomoria) lucidae Scoble,1983** (Nepticulidae) Synonym(s): *lucidae* Scoble,1983 _ Range (in code): ZA
- 55976. Ectoedemia (Fomoria) luisae (Klimesch,1978)** (Nepticulidae) Synonym(s): *luisae* Klimesch,1978 Original Reference: *Fomoria luisae* Klimesch,1978, Z. ArbGem. öst. Ent. 29 (3/4): 89-91, 6 Abb. Holotype ♂: [Türkei]: Turcia: [Istanbul]: Belgrad Ormanı, 200m. Range (in code): TR Bionomy: Larva on *Hypericum calycinum* (Hypericaceae) (Nieukerken,2008).
- 55977. Ectoedemia (Fomoria) malenanensis Scoble,1983** (Nepticulidae) Synonym(s): *malenanensis* Scoble,1983 _ Range (in code): ZA
- 55978. Ectoedemia (Fomoria) myrtinaecola Scoble,1983** (Nepticulidae) Synonym(s): *myrtinaecola* Scoble,1983 _ Range (in code): ZA
- 55979. Ectoedemia (Fomoria) oleivora (Vari,1955)** (Nepticulidae) Synonym(s): *oleivora* Vari,1955 _ Range (in code): ZA Tva Gau Pre Bionomy: Larva on *Olea chrysophylla* (Oleaceae) (Vari,1955).
- 55980. Ectoedemia (Fomoria) pappeivora (Vari,1963)** (Nepticulidae) Synonym(s): *pappeivora* Vari,1963 _ Range (in code): ZA
- 55981. Ectoedemia (Fomoria) permira (Puplesis,1984)** (Nepticulidae) Synonym(s): *permira* Puplesis,1984 _ Range (in code): RU CN Bionomy: Larva on *Hypericum attenuatum* (Hypericaceae) (Nieukerken,2008).
- 55982. Ectoedemia (Fomoria) portensis Scoble,1983** (Nepticulidae) Synonym(s): *portensis* Scoble,1983 _ Range (in code): ZA
- 55983. Ectoedemia (Fomoria) ruwenzoriensis (Bradley,1965)** (Nepticulidae) Synonym(s): *ruwenzoriensis* Bradley,1965 _ Range (in code): UG Rz

- 55984. Ectoedemia (Fomoria) septembrella (Stainton,1849)** (Nepticulidae) Synonym(s): *septembrella* Stainton,1849 _ Range (in code): **PT ES FR Co Sa IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Hypericum nummularium*, *H. undulatum* (Hypericaceae) (Nieukerken et al.,2004).
- 55985. Ectoedemia (Fomoria) tecomariae (Vari,1955)** (Nepticulidae) Synonym(s): *tecomariae* Vari,1955 _ Range (in code): **ZA Wca Cto Grh Ec** Bionomy: Larva on *Tecomera capensis* (Bignoniaceae) (Vari,1955).
- 55986. Ectoedemia (Fomoria) thermae Scoble,1983** (Nepticulidae) Synonym(s): *thermae* Scoble,1983 _ Range (in code): **ZA**
- 55987. Ectoedemia (Fomoria) vannifera (Meyrick,1914)** (Nepticulidae) Synonym(s): *vannifera* Meyrick,1914 _ Range (in code): **ZA Tva Gau Pre**
- 55988. Ectoedemia (Fomoria) variicapitella (Chrétien,1908)** (Nepticulidae) Synonym(s): *variicapitella* Chrétien,1908 _ Range (in code): **Cn** Bionomy: Larva on *Hypericum canariense* (Hypericaceae) ((Nieukerken,2008).
- 55989. Ectoedemia (Fomoria) viridissimella (Caradja,1920)** (Nepticulidae) Synonym(s): *viridissimella* Caradja,1920 _ Range (in code): **IT AT PL**
- 55990. Ectoedemia (Fomoria) weaveri (Stainton,1855)** (Nepticulidae) Synonym(s): *weaveri* Stainton,1855 _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Vaccinium vitis-idaea* (Ericaceae) (Nieukerken,2008).
- 55991. Ectoedemia (Muhabbetana) bicarina Scoble,1983** (Nepticulidae) Synonym(s): *bicarina* Scoble,1983 _ Range (in code): **ZA**
- 55992. Ectoedemia (Muhabbetana) capensis Scoble,1983** (Nepticulidae) Synonym(s): *capensis* Scoble,1983 _ Range (in code): **ZA**
- 55993. Ectoedemia (Muhabbetana) craspedota (Vari,1963)** (Nepticulidae) Synonym(s): *craspedota* Vari,1963 _ Range (in code): **ZA**
- 55994. Ectoedemia (Muhabbetana) crispae Scoble,1983** (Nepticulidae) Synonym(s): *crispae* Scoble,1983 _ Range (in code): **ZA**
- 55995. Ectoedemia (Muhabbetana) denticulata Scoble,1983** (Nepticulidae) Synonym(s): *denticulata* Scoble,1983 _ Range (in code): **ZA**
- 55996. Ectoedemia (Muhabbetana) digitata Scoble,1983** (Nepticulidae) Synonym(s): *digitata* Scoble,1983 _ Range (in code): **ZA**
- 55997. Ectoedemia (Muhabbetana) furcella Scoble,1983** (Nepticulidae) Synonym(s): *furcella* Scoble,1983 _ Range (in code): **ZA**
- 55998. Ectoedemia (Muhabbetana) grandinosa (Meyrick,1911)** (Nepticulidae) Synonym(s): *grandinosa* Meyrick,1911 _ Range (in code): **ZA Tva Gau Pre**
- 55999. Ectoedemia (Muhabbetana) guerkliae Scoble,1983** (Nepticulidae) Synonym(s): *guerkliae* Scoble,1983 _ Range (in code): **ZA**
- 56000. Ectoedemia (Muhabbetana) gymnosporiae (Vari,1955)** (Nepticulidae) Synonym(s): *gymnosporiae* Vari,1955 _ Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on *Gymnospora buxifolia* (Celastraceae) (Vari,1955).
- 56001. Ectoedemia (Muhabbetana) jupiteri Scoble,1983** (Nepticulidae) Synonym(s): *jupiteri* Scoble,1983 _ Range (in code): **ZA**
- 56002. Ectoedemia (Muhabbetana) kowynensis Scoble,1983** (Nepticulidae) Synonym(s): *kowynensis* Scoble,1983 _ Range (in code): **ZA**
- 56003. Ectoedemia (Muhabbetana) limburgensis Scoble,1983** (Nepticulidae) Synonym(s): *limburgensis* Scoble,1983 _ Range (in code): **ZA**
- 56004. Ectoedemia (Muhabbetana) macrochaeta (Meyrick,1921)** (Nepticulidae) Synonym(s): *macrochaeta* Meyrick,1921 _ Range (in code): **ZA Tva Gau Pre**
- 56005. Ectoedemia (Muhabbetana) maritima Scoble,1983** (Nepticulidae) Synonym(s): *maritima* Scoble,1983 _ Range (in code): **ZA**
- 56006. Ectoedemia (Muhabbetana) nigrisquama Scoble,1983** (Nepticulidae) Synonym(s): *nigrisquama* Scoble,1983 _ Range (in code): **ZA**
- 56007. Ectoedemia (Muhabbetana) nylstroomensis Scoble,1983** (Nepticulidae) Synonym(s): *nylstroomensis* Scoble,1983 _ Range (in code): **ZA**
- 56008. Ectoedemia (Muhabbetana) psarodes (Vari,1963)** (Nepticulidae) Synonym(s): *psarodes* Vari,1963 _ Range (in code): **ZA**

- 56009. Ectoedemia (Muhabbetana) rhabdophora Scoble, 1983** (Nepticulidae) Synonym(s): *rhabdophora* Scoble, 1983 _ Range (in code): ZA
- 56010. Ectoedemia (Muhabbetana) royenicola (Vari, 1955)** (Nepticulidae) Synonym(s): *royenicola* Vari, 1955 _ Range (in code): ZA Nta Kzu Tva Gau Pre Bionomy: Larva on *Royena lucida* (Ebenaceae) (Vari, 1955).
- 56011. Ectoedemia (Muhabbetana) scabridae Scoble, 1983** (Nepticulidae) Synonym(s): *scabridae* Scoble, 1983 _ Range (in code): ZA
- 56012. Ectoedemia (Muhabbetana) simiicola Scoble, 1983** (Nepticulidae) Synonym(s): *simiicola* Scoble, 1983 _ Range (in code): ZA
- 56013. Ectoedemia (Muhabbetana) stimulata (Meyrick, 1913)** (Nepticulidae) Synonym(s): *stimulata* Meyrick, 1913 _ Range (in code): ZA Tva Gau Pre Mpu Brb
- 56014. Ectoedemia (Muhabbetana) subnitescens (Meyrick, 1937)** (Nepticulidae) Synonym(s): *subnitescens* Meyrick, 1937 _ Range (in code): ZA
- 56015. Ectoedemia (Muhabbetana) tergestina (Klimesch, 1940)** (Nepticulidae) Synonym(s): *tergestina* Klimesch, 1940 _ Range (in code): IT
- 56016. Ectoedemia (Muhabbetana) umdoniella Scoble, 1983** (Nepticulidae) Synonym(s): *umdoniella* Scoble, 1983 _ Range (in code): ZA
- 56017. Ectoedemia (Muhabbetana) undatae Scoble, 1983** (Nepticulidae) Synonym(s): *undatae* Scoble, 1983 _ Range (in code): ZA
- 56018. Ectoedemia (Muhabbetana) vincamajorella (Hartig, 1964)** (Nepticulidae) Synonym(s): *vincamajorella* Hartig, 1964 _ Range (in code): IT
- 56019. Ectoedemia (Muhabbetana) wilkinsoni Scoble, 1983** (Nepticulidae) Synonym(s): *wilkinsoni* Scoble, 1983 _ Range (in code): ZA
- 56020. Ectoedemia (Zimmermannia) amani Svensson, 1966** (Nepticulidae) Synonym(s): *amani* Svensson, 1966 _ Range (in code): FR IT GB AT CZ SK YU DK NO SE
- 56021. Ectoedemia (Zimmermannia) atrifrontella (Stainton, 1851)** (Nepticulidae) Synonym(s): *atrifrontella* Stainton, 1851 _ Range (in code): PT ES FR IT GB BE NL DE CH AT CZ SK HU YU GR DK NO SE FI LV RU MD UA BY
- 56022. Ectoedemia (Zimmermannia) hispanica Van Nieuwerkerken, 1985** (Nepticulidae) Synonym(s): *hispanica* Van Nieuwerkerken, 1985 _ Range (in code): PT ES FR Bionomy: Larva on *Quercus* (Fagaceae) (Nieuwerkerken et al., 2004).
- 56023. Ectoedemia (Zimmermannia) liebwerdella (Zimmermann, 1940)** (Nepticulidae) Synonym(s): *liebwerdella* Zimmermann, 1940 _ Range (in code): PT ES FR CH IT DE AT PL CZ SK HU HV MK BG GR TR Bionomy: Larva on *Fagus* (Fagaceae) (Nieuwerkerken et al., 2004).
- 56024. Ectoedemia (Zimmermannia) liguricella Klimesch, 1953** (Nepticulidae) Synonym(s): *liguricella* Klimesch, 1953 _ Range (in code): ES FR IT Bionomy: Larva on *Quercus* (Fagaceae) (Nieuwerkerken et al., 2004).
- 56025. Ectoedemia (Zimmermannia) longicaudella Klimesch, 1953** (Nepticulidae) Synonym(s): *longicaudella* Klimesch, 1953 _ Range (in code): PT ES FR IT BE NL DE AT PL CZ SK HU RO YU HV NO SE LV RU MD UA Cc GG TR
- 56026. Ectoedemia (Zimmermannia) monemvasiae Van Nieuwerkerken, 1985** (Nepticulidae) Synonym(s): *monemvasiae* Van Nieuwerkerken, 1985 _ Range (in code): Cr GR TR
- 56027. Ectoedemia (Zimmermannia) vivesi A.Lastuvka, Z.Lastuvka & Nieuwerkerken, 2010** (Nepticulidae) Synonym(s): *vivesi* A.Lastuvka, Z.Lastuvka & Nieuwerkerken, 2010 ES CY
- 56028. Ectoedemia (s.str.) aegilopidella (Klimesch, 1978)** (Nepticulidae) Synonym(s): *aegilopidella* Klimesch, 1978 _ Range (in code): Rd
- 56029. Ectoedemia (s.str.) agrimoniae (Frey, 1858)** (Nepticulidae) Synonym(s): *agrimoniae* Frey, 1858 _ Range (in code): FR IT GB BE LU DE CH AT PL CZ SK HU RO YU GR SE FI LV RU MD UA BY
- 56030. Ectoedemia (s.str.) albifasciella (Heinemann, 1871)** (Nepticulidae) Synonym(s): *albifasciella* Heinemann, 1871 _ Range (in code): PT ES FR IT IE GB BE LU NL DE CH AT PL CZ SK HU YU? GR DK NO SE FI EE LV LT RU RO TN Dhm Bionomy: Larva on *Quercus pyrenaica* (Fagaceae) (Nieuwerkerken et al., 2004).
- 56031. Ectoedemia (s.str.) algeriensis van Nieuwerkerken, 1985** (Nepticulidae) Synonym(s): *algeriensis* van Nieuwerkerken, 1985 _ Range (in code): MA DZ Dja Btna FR Bionomy: Larva on *Quercus rotundifolia* (Fagaceae) (van Nieuwerkerken, 1985).

- 56032. Ectoedemia (s.str.) alnifoliae Van Nieukerken,1985** (Nepticulidae) Synonym(s): *alnifoliae Van Nieukerken,1985* _ Range (in code): **GR Sms CY TR** Bionomy: Larva on Quercus alnifolia (Fagaceae) (van Nieukerken,1985).
- 56033. Ectoedemia (s.str.) andalusiae Van Nieukerken,1985** (Nepticulidae) Synonym(s): *andalusiae Van Nieukerken,1985* _ Range (in code): **ES FR** Bionomy: Larva on Quercus coccifera (Fagaceae) (Nieukerken et al.,2004).
- 56034. Ectoedemia (s.str.) angulifasciella (Stainton,1849)** (Nepticulidae) Synonym(s): *angulifasciella Stainton,1849* _ Range (in code): **ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR DK ? SE FI LT RU MD UA BY** Bionomy: Larva on Rosa (Rosaceae) (Nieukerken et al.,2004).
- 56035. Ectoedemia (s.str.) arcuatella (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *arcuatella Herrich-Schäffer,1855* _ Range (in code): **FR IT IE GB NL BE DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY**
- 56036. Ectoedemia (s.str.) argyropeza (Zeller,1839)** (Nepticulidae) Synonym(s): *argyropeza Zeller,1839* _ Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 56037. Ectoedemia (s.str.) atricollis (Stainton,1857)** (Nepticulidae) Synonym(s): *atricollis Stainton,1857* _ Range (in code): **FR IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU DK SE EE LV LT RU MD UA BY**
- 56038. Ectoedemia (s.str.) caradjai (M.Hering,1932)** (Nepticulidae) Synonym(s): *caradjai M.Hering,1932* _ Range (in code): **PT ES FR Co Si IT AT CZ SK HU YU GR TR RU MD UA BY** Bionomy: Larva on Quercus pyrenaica (Fagaceae) (Nieukerken et al.,2004).
- 56039. Ectoedemia (s.str.) cerris (Zimmermann,1944)** (Nepticulidae) Synonym(s): *cerris Zimmermann,1944* _ Range (in code): **IT AT CZ SK HU HV TR**
- 56040. Ectoedemia (s.str.) commiphorella Scoble,1978** (Nepticulidae) Synonym(s): *commiphorella Scoble,1978* _ Range (in code): **ZA**
- 56041. Ectoedemia (s.str.) contorta Van Nieukerken,1985** (Nepticulidae) Synonym(s): *contorta van Nieukerken,1985* _ Range (in code): **IT AT CZ SK HU RU MD UA BY**
- 56042. Ectoedemia (s.str.) erythrogea (De Joannis,1908)** (Nepticulidae) Synonym(s): *erythrogea De Joannis,1908* _ Range (in code): **PT ES FR Co Si Sa TR TN Dh IT GB CH YU GR CY** Bionomy: Larva on Rubus ulmifolius (Rosaceae) (Nieukerken et al.,2004).
- 56043. Ectoedemia (s.str.) gilvipennella (Klimesch,1946)** (Nepticulidae) Synonym(s): *gilvipennella Klimesch,1946* _ Range (in code): **IT AT CZ SK HU YU**
- 56044. Ectoedemia (s.str.) hamirella (Chrétien,1915)** (Nepticulidae) Synonym(s): *hamirella Chrétien,1915* Original Reference: Nepticula hamirella Chrétien,1915, Annls Soc. ent. Fr. 84: 364-365. Type: [Algérie]: "Biskra, en mai". Range (in code): **DZ Bsk**
- 56045. Ectoedemia (s.str.) hannoverella (Glitz,1872)** (Nepticulidae) Synonym(s): *hannoverella Glitz,1872* _ Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK HU YU DK SE LV RU MD UA BY** Bionomy: Larva on Populus nigra (Salicaceae) (Nieukerken et al.,2004).
- 56046. Ectoedemia (s.str.) haraldi (Soffner,1942)** (Nepticulidae) Synonym(s): *haraldi Soffner,1942* _ Range (in code): **PT ES FR IT GR TR MA GR Cr** Bionomy: Larva on Quercus rotundifolia, Q. coccifera, Q. suber (Fagaceae) (Nieukerken et al.,2004).
- 56047. Ectoedemia (s.str.) heringella (Mariani,1939)** (Nepticulidae) Synonym(s): *heringella Mariani,1939* _ Range (in code): **Co Si IT Sa YU CY TN Dh** Bionomy: Larva on Quercus ilex (Fagaceae) (Arenberger & Wimmer,1996).
- 56048. Ectoedemia (s.str.) heringi (Toll,1934)** (Nepticulidae) Synonym(s): *heringi Toll,1934* Range (in code): **PT ES FR IT GB LU NL DE CH AT PL CZ SK HU YU RU MD UA BY** Bionomy: Larva on Quercus faginea (Fagaceae) (Nieukerken et al.,2004).
- 56049. Ectoedemia (s.str.) hexapetalae (Szöcs,1957)** (Nepticulidae) Synonym(s): *hexapetalae Szöcs,1957* _ Range (in code): **AT HU**
- 56050. Ectoedemia (s.str.) ilicis (Mendes,1910)** (Nepticulidae) Synonym(s): *ilicis Mendes,1910* Range (in code): **PT ES FR GR** Bionomy: Larva on Quercus rotundifolia, Q. coccifera, Q. suber (Fagaceae) (Nieukerken et al.,2004).
- 56051. Ectoedemia (s.str.) intimella (Zeller,1848)** (Nepticulidae) Synonym(s): *intimella Zeller,1848* _ Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 56052. Ectoedemia (s.str.) klimeschi (Skala,1933)** (Nepticulidae) Synonym(s): *klimeschi Skala,1933* _ Range (in code): **IT DE CH AT PL CZ SK HU RO YU LV**

- 56053. Ectoedemia (s.str.) leucothorax van Nieukerken, 1985** (Nepticulidae) Synonym(s): *leucothorax van Nieukerken, 1985* _ Range (in code): ES
- 56054. Ectoedemia (s.str.) liechtensteini (Zimmermann, 1944)** (Nepticulidae) Synonym(s): *liechtensteini Zimmermann, 1944* _ Range (in code): AT CZ SK HU
- 56055. Ectoedemia (s.str.) mahalebella (Klimesch, 1936)** (Nepticulidae) Synonym(s): *mahalebella Klimesch, 1936* _ Range (in code): FR IT AT CZ SK HU RO YU GR
- 56056. Ectoedemia (s.str.) mauni Scoble, 1979** (Nepticulidae) Synonym(s): *mauni Scoble, 1979* _ Range (in code): ZA
- 56057. Ectoedemia (s.str.) minimella (Zetterstedt, 1839)** (Nepticulidae) Synonym(s): *minimella Zetterstedt, 1839* _ Range (in code): FR IT IE GB NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY
- 56058. Ectoedemia (s.str.) nigrimacula (Janse, 1948)** (Nepticulidae) Synonym(s): *nigrimacula Janse, 1948* _ Range (in code): ZA
- 56059. Ectoedemia (s.str.) occultella (Linnaeus, 1767)** (Nepticulidae) Synonym(s): *occultella Linnaeus, 1767; flexuosella Fologne, 1861* _ Range (in code): PT FR Co Si IT IE GB BE LU NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY
- 56060. Ectoedemia (s.str.) phyllotomella (Klimesch, 1946)** (Nepticulidae) Synonym(s): *phyllotomella Klimesch, 1946* _ Range (in code): IT
- 56061. Ectoedemia (s.str.) preisseckeri (Klimesch, 1941)** (Nepticulidae) Synonym(s): *preisseckeri Klimesch, 1941* _ Range (in code): IT AT CZ SK HU
- 56062. Ectoedemia (s.str.) primaria (Meyrick, 1913)** (Nepticulidae) Synonym(s): *primaria Meyrick, 1913* _ Range (in code): ZA Tva Mpu Brb Tst Gau Pre
- 56063. Ectoedemia (s.str.) pseudoilicis Z.Lastuvka & A.Lastuvka, 1998** (Nepticulidae) Synonym(s): *pseudoilicis Z.Lastuvka & A.Lastuvka, 1998* _ Cr TR GR
- 56064. Ectoedemia (s.str.) pubescivora (Weber, 1937)** (Nepticulidae) Synonym(s): *pubescivora Weber, 1937* _ Range (in code): PT ES FR Sa Si IT CH
- 56065. Ectoedemia (s.str.) quinquella (Bedell, 1848)** (Nepticulidae) Synonym(s): *quinquella Bedell, 1848* _ Range (in code): FR IT GB BE NL YU GR
- 56066. Ectoedemia (s.str.) rubivora (Wocke, 1860)** (Nepticulidae) Synonym(s): *rubivora Wocke, 1860* _ Range (in code): FR IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 56067. Ectoedemia (s.str.) rufifrontella (Caradja, 1920)** (Nepticulidae) Synonym(s): *rufifrontella Caradja, 1920; nigrosparsella Klimesch, 1940* _ Range (in code): FR IT AT CZ SK HU
- 56068. Ectoedemia (s.str.) similignea Puplesis, 1994** (Nepticulidae) Synonym(s): *similignea Puplesis, 1994* _ Range (in code): RU
- 56069. Ectoedemia (s.str.) spinosella (Joannis, 1908)** (Nepticulidae) Synonym(s): *spinosella Joannis, 1908; albiformae Puplesis & Diskus, 2003* _ Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU YU BG GR TM Kp
- 56070. Ectoedemia (s.str.) spiraeae Gregor & Povolny, 1983** (Nepticulidae) Synonym(s): *spiraeae Gregor & Povolny, 1983; jakutica Puplesis, 1988* _ Range (in code): SK HU RU Sb Ya At
- 56071. Ectoedemia (s.str.) subbimaculella (Haworth, 1828)** (Nepticulidae) Synonym(s): *subbimaculella Haworth, 1828; bistrimaculella Heyden, 1861* _ Range (in code): TN DhM PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV RU MD UA BY IR Gls Bionomy: Larva on *Quercus pyrenaica* (Fagaceae) (Nieukerken et al., 2004).
- 56072. Ectoedemia (s.str.) suberis (Stainton, 1869)** (Nepticulidae) Synonym(s): *suberis Stainton, 1869* _ Range (in code): MA DZ Agi TN DhM PT ES FR Co Sa Si? IL Bionomy: Larva on *Quercus calliprinos*, *Q. suber*, *Q. ilex*, *Q. rotundifolia* (Stainton, 1869; Sternlicht, 1968; et seq.).
- 56073. Ectoedemia (s.str.) terebinthivora (Klimesch, 1975)** (Nepticulidae) Synonym(s): *terebinthivora Klimesch, 1975* _ Range (in code): TR GR
- 56074. Ectoedemia (s.str.) turbidella (Zeller, 1848)** (Nepticulidae) Synonym(s): *turbidella Zeller, 1848* _ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU GR DK SE LV RU MD UA BY
- 56075. Ectoedemia vivesi A.Lastuvka, Z.Lastuvka & Van Nieukerken, 2010** (Nepticulidae) Synonym(s): *vivesi A.Lastuvka, Z.Lastuvka & Van Nieukerken, 2010* _ Range (in code): CY
- 56076. Enteucha acetosae (Stainton, 1854)** (Nepticulidae) Synonym(s): *acetosae Stainton, 1854* _ Range (in code): FR IE GB DE CH AT PL CZ SK RO DK SE EE LV LT RU MD UA BY Bionomy: Larva on *Rumex acetosa* (Polygonaceae) (Stainton, 1854).

- 56077. *Enteucha basidactyla* (Davis,1978)** (Nepticulidae) Synonym(s): *basidactyla* Davis,1978
Range (in code): Bionomy: Larva on Coccoloba (Polygonaceae) (Nieukerken,1986).
- 56078. *Enteucha cyanochlora* Meyrick,1915** (Nepticulidae) Synonym(s): *cyanochlora* Meyrick,1915 Range (in code): **GY**
- 56079. *Enteucha gilvafascia* (Davis,1978)** (Nepticulidae) Synonym(s): *gilvafascia* Davis,1978
Range (in code): Bionomy: Larva on Coccoloba (Polygonaceae) (Nieukerken,1986).
- 56080. *Enteucha* sp.n.1** (Nepticulidae) Synonym(s): Range (in code): **TH** Bionomy: Larva mines on Polygonum (Nieukerken,1986).
- 56081. *Enteucha* sp.n.2** (Nepticulidae) Synonym(s): Range (in code): **MM**
- 56082. *Parafomoria cistivora* (Peyerimhoff,1871)** (Nepticulidae) Synonym(s): *cistivora* Peyerimhoff,1871 Range (in code): **PT ES FR** Bionomy: Larva on Cistus (Cistaceae) (Peyerimhoff,1871).
- 56083. *Parafomoria halimivora* Van Nieukerken,1985** (Nepticulidae) Synonym(s): *halimivora* Van Nieukerken,1985 Range (in code): **PT ES**
- 56084. *Parafomoria helianthemella* (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *helianthemella* Herrich-Schäffer,1860 Range (in code): **FR IT DE CH AT PL CZ SK HU BG**
- 56085. *Parafomoria ladaniphila* (Mendes,1910)** (Nepticulidae) Synonym(s): *ladaniphila* Mendes,1910 Range (in code): **PT ES**
- 56086. *Parafomoria liguricella* (Klimesch,1946)** (Nepticulidae) Synonym(s): *liguricella* Klimesch,1946 Range (in code): **PT ES FR IT HU**
- 56087. *Parafomoria pseudocistivora* Van Nieukerken,1983** (Nepticulidae) Synonym(s): *pseudocistivora* Van Nieukerken,1983 Range (in code): **PT ES FR Si? IT GR**
- 56088. *Simplimorpha lanceifoliella* (Vari,1955)** (Nepticulidae) Synonym(s): *lanceifoliella* Vari,1955 Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on Rhus lancea (Anacardiaceae) (Vari,1955).
- 56089. *Simplimorpha promissa* (Staudinger,1871)** (Nepticulidae) Synonym(s): *promissa* Staudinger,1871 Range (in code): **PT ES FR Co Sa Si IT AT SK HU RO YU GR RU MD UA Cm**
Bionomy: Larva on Pistacia terebinthus (Agenjo,1964); Cotinus coggygria (Navickaite et al.,2014).
- 56090. *Stigmella abutilonica* Scoble,1978** (Nepticulidae) Synonym(s): *abutilonica* Scoble,1978
Range (in code): **ZA**
- 56091. *Stigmella aceris* (Frey,1857)** (Nepticulidae) Synonym(s): *aceris* Frey,1857; *penicillata* Heinemann & Wocke,1877 Range (in code): **FR IT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE EE LT RU MD UA BY**
- 56092. *Stigmella aeneofasciella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *aeneofasciella* Herrich-Schäffer,1855 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 56093. *Stigmella alaternella* (Le Marchand,1937)** (Nepticulidae) Synonym(s): *alaternella* Le Marchand,1937 Range (in code): **ES FR IT**
- 56094. *Stigmella alicia* (Meyrick,1928)** (Nepticulidae) Synonym(s): *alicia* Meyrick,1928
Original Reference: Nepticula alicia Meyrick,1928, Exot. Microlepid. 3: 461-462. Type 1 ex: [Thailand]: Siam: Lampang, February, "on train at night" (Alice MacKie) (BMNH). Range (in code): **TH**
- 56095. *Stigmella allophylica* Scoble,1978** (Nepticulidae) Synonym(s): *allophylica* Scoble,1978
Range (in code): **ZA**
- 56096. *Stigmella allophylivora* Gustafsson,1985** (Nepticulidae) Synonym(s): *allophylivora* Gustafsson,1985 Range (in code): **GM**
- 56097. *Stigmella alnetella* (Stainton,1856)** (Nepticulidae) Synonym(s): *alnetella* Stainton,1856
Range (in code): **PT ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LT RU MD UA BY**
Bionomy: Larva on Alnus glutinosa (Stainton,1856).
- 56098. *Stigmella ampullata* Scoble,1978** (Nepticulidae) Synonym(s): *ampullata* Scoble,1978
Range (in code): **ZA**
- 56099. *Stigmella amygdali* (Klimesch,1978)** (Nepticulidae) Synonym(s): *amygdali* Klimesch,1978
Range (in code): **GR Cr**
- 56100. *Stigmella androflava* Scoble,1978** (Nepticulidae) Synonym(s): *androflava* Scoble,1978
Range (in code): **ZA**
- 56101. *Stigmella angustivalva* Scoble,1978** (Nepticulidae) Synonym(s): *angustivalva* Scoble,1978
Range (in code): **ZA**

- 56102. *Stigmella anomalella* (Goeze,1783)** (Nepticulidae) Synonym(s): *anomalella* Goeze,1783; *rubicurrens* Walsingham,1907; *rosarum* Sorhagen,1922; *helbigi* Hartig,1941. Range (in code): **PT FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 56103. *Stigmella assimilella* (Zeller,1848)** (Nepticulidae) Synonym(s): *assimilella* Zeller,1848. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Populus tremula*, *P. alba* (Salicaceae) (Hering,1935, et seq.).
- 56104. *Stigmella atricapitella* (Haworth,1828)** (Nepticulidae) Synonym(s): *atricapitella* Haworth,1828; *discrepans* Sorhagen,1922. Range (in code): **PT ES FR IT IE GB BE NL LU DE AT CZ SK HU HV MK YU GR TR DK SE EE LT RU MD UA Cm Cc GG BY** Bionomy: Larva mines on *Quercus cerris*, *Q. petraea*, *Q. pubescens*, *Q. pyrenaica*, *Q. robur* (Fagaceae) (Szöcs,1977 et seq.).
- 56105. *Stigmella aurella* (Fabricius,1775)** (Nepticulidae) Synonym(s): *aurella* Fabricius,1775. Original Reference: *Tinea aurella* Fabricius,1775; Syst. Ent.: 666. Type(s): Lipsia, on *Pomona arboribus*. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR LT RU MD UA BY** Bionomy: Larva on *Rubus* (Rosaceae) (Nieukerken et al.,2004).
- 56106. *Stigmella auromarginella* (Richardson,1890)** (Nepticulidae) Synonym(s): *auromarginella* Richardson,1890. Range (in code): **PT FR IE GB GR Cr DK SE HV CY** Bionomy: Larva on *Rubus ulmifolius* (Rosaceae) (Nieukerken et al.,2004).
- 56107. *Stigmella aurora* Puplesis,1984** (Nepticulidae) Synonym(s): *aurora* Puplesis,1984. Range (in code): **RU**
- 56108. *Stigmella azaroli* (Klimesch,1978)** (Nepticulidae) Synonym(s): *azaroli* Klimesch,1978. Range (in code): **TR CY GR** Bionomy: Larva on *Crataegus azarolus* (Rosaceae) (Klimesch,1978).
- 56109. *Stigmella basiguttella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *basiguttella* Heinemann,1862; *cericocella* Klimesch,1946. Range (in code): **TN Dh PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU HV BG GR TR DK NO SE FI EE LT RU MD UA BY Cc GG AZ Lag Len IR Gl**
- 56110. *Stigmella benanderella* (Wolff,1955)** (Nepticulidae) Synonym(s): *benanderella* Wolff,1955. Range (in code): **SK HU DK NO SE FI LV**
- 56111. *Stigmella betulicola* (Stainton,1856)** (Nepticulidae) Synonym(s): *betulicola* Stainton,1856. Range (in code): **FR IT LU IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 56112. *Stigmella bicuspidata* Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *bicuspidata* Nieukerken & Johansson,2003. Original Reference: *Stigmella bicuspidata* Nieukerken & Johansson,2003, Tijdschr. Ent. 146: 342-343, figs. Holotype ♂: Turkey: Prov. Niğde, 40km NW Niğde, Sivrihisar pass, 1700m 4.viii.1989 leg. Fibiger & Esser (ZMUC). Range (in code): **TR**
- 56113. *Stigmella birgittae* Gustafsson,1985** (Nepticulidae) Synonym(s): *birgittae* Gustafsson,1985. Range (in code): **SA**
- 56114. *Stigmella caliginosa* (Meyrick,1921)** (Nepticulidae) Synonym(s): *caliginosa* Meyrick,1921. Range (in code): **ZA Tva Gau Pre**
- 56115. *Stigmella carpinella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *carpinella* Heinemann,1862. Range (in code): **IT? GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK SE LT RU MD UA BY** Bionomy: Larva on *Carpinus* (Heinemann,1852; Staudinger,1880).
- 56116. *Stigmella catharticella* (Stainton,1853)** (Nepticulidae) Synonym(s): *catharticella* Stainton,1853. Range (in code): **FR IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU MD UA BY**
- 56117. *Stigmella celtifoliella* Vari,1955** (Nepticulidae) Synonym(s): *celtifoliella* Vari,1955. Range (in code): **ZA Tva Lpo Gau Pre Spb** Bionomy: Larva on *Celtis africana* (Ulmaceae) (Vari,1955).
- 56118. *Stigmella centifoliella* (Zeller,1848)** (Nepticulidae) Synonym(s): *centifoliella* Zeller,1848. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK SE EE RU MD UA BY** Bionomy: Larva on *Sanguisorba hybrida*, *Rosa* (Rosaceae) (Nieukerken et al.,2004).
- 56119. *Stigmella charistis* Vari,1963** (Nepticulidae) Synonym(s): *charistis* Vari,1963. Range (in code): **ZA**
- 56120. *Stigmella cocciferae* Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *cocciferae* Nieukerken & Johansson,2003. Original Reference: *Stigmella cocciferae* Nieukerken & Johansson,2003, Tijdschr. Ent. 146: 329-331, figs. Holotype ♂: Greece: Arakhova, 950m (RMNH). Range (in code): **GR TR Cr IL Pa Js** Bionomy: Larva mines on *Quercus coccifera* (Fagaceae) (Amsel & Hering,1931).
- 56121. *Stigmella confinalis* Scoble,1978** (Nepticulidae) Synonym(s): *confinalis* Scoble,1978. Range (in code): **ZA**

- 56122. *Stigmella confusella* (Wood & Walsingham,1894)** (Nepticulidae) **Synonym(s):** *confusella* Wood & Walsingham,1894 **Range (in code):** **BE FR IE GB NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LT RU MD UA Cm** **Bionomy:** Larva on *Betula pendula* (Navickaite et al.,2014).
- 56123. *Stigmella continuella* (Stainton,1856)** (Nepticulidae) **Synonym(s):** *continuella* Stainton,1856 **Range (in code):** **FR IE GB BE NL DE CH AT PL CZ HU DK SE FI EE RU MD UA BY**
- 56124. *Stigmella crataegella* (Klimesch,1936)** (Nepticulidae) **Synonym(s):** *crataegella* Klimesch,1936 **Range (in code):** **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU YU GR DK SE FI** **Bionomy:** Larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 56125. *Stigmella crenulatae* (Klimesch,1975)** (Nepticulidae) **Synonym(s):** *crenulatae* Klimesch,1975 **Range (in code):** **Cn ES PT** **Bionomy:** Larva on *Rhamnus lycioides* (Rhamnaceae) (Nieukerken et al.,2004).
- 56126. *Stigmella crotonica* Scoble,1978** (Nepticulidae) **Synonym(s):** *crotonica* Scoble,1978 **Range (in code):** **ZA**
- 56127. *Stigmella desperatella* (Frey,1856)** (Nepticulidae) **Synonym(s):** *desperatella* Frey,1856 **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU RO YU BG EE LT RU MD UA BY**
- 56128. *Stigmella diniensis* (Klimesch,1975)** (Nepticulidae) **Synonym(s):** *diniensis* Klimesch,1975 **Range (in code):** **FR**
- 56129. *Stigmella divina* Puplesis, Diskus & Van Nieukerken,1997** (Nepticulidae) **Synonym(s):** *divina* Puplesis, Diskus & Van Nieukerken,1997 **Original Reference:** *Stigmella divina* Puplesis, Diskus & Van Nieukerken,1997, Tijdschr. Ent. 140: 55-58, figs. Holotype ♂: Turkmenistan: western Kopet Dag, 40km E Kara Kala (=Garrygala), 800m (VPU). **Range (in code):** **TR TM Kp**
- 56130. *Stigmella dombeyivora* Scoble,1978** (Nepticulidae) **Synonym(s):** *dombeyivora* Scoble,1978 **Range (in code):** **ZA**
- 56131. *Stigmella dorsiguttella* (Johansson,1971)** (Nepticulidae) **Synonym(s):** *dorsiguttella* Johansson,1971 **Range (in code):** **ES FR IT DE AT PL CZ SK HU YU GR TR SE RU MD UA Cm BY**
- 56132. *Stigmella dryadella* (Hofmann,1868)** (Nepticulidae) **Synonym(s):** *dryadella* Hofmann,1868 **Range (in code):** **FR IT IE GB CH AT PL SK RO NO SE FI**
- 56133. *Stigmella eberhardi* (Johansson,1971)** (Nepticulidae) **Synonym(s):** *eberhardi* Johansson,1971 **Range (in code):** **ES FR Sa IT AT CZ SK HU MK SS GR TR** **Bionomy:** Larva mines on *Quercus ilex*, *Q. petraea*, *Q. pyrenaica*, *Q. robur*, *Q. suber* (Fagaceae) (Nieukerken & Johansson,2003).
- 56134. *Stigmella fagella* Heinemann,1862** (Nepticulidae) **Synonym(s):** *fagella* Heinemann,1862 **Range (in code):** **TR**
- 56135. *Stigmella fasciata* Nieukerken & Johansson,2003** (Nepticulidae) **Synonym(s):** *fasciata* Nieukerken & Johansson,2003 **Original Reference:** *Stigmella fasciata* Nieukerken & Johansson,2003, Tijdschr. Ent. 146: 321-322, figs. Holotype ♀: Slovenia: 7km SE Piran. **Range (in code):** **SS HV GR TR** **Bionomy:** Larva mines on *Quercus pubescens* (Fagaceae) (Nieukerken & Johansson,2003).
- 56136. *Stigmella filipendulae* (Wocke,1871)** (Nepticulidae) **Synonym(s):** *filipendulae* Wocke,1871 **Range (in code):** **IE GB DE AT PL CZ SK HU YU DK SE FI EE**
- 56137. *Stigmella floslactella* (Haworth,1828)** (Nepticulidae) **Synonym(s):** *floslactella* Haworth,1828; *saxatillella* Grönlén,1932 **Range (in code):** **ES FR IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Carpinus*, *Corylus avellana* (Mendes,1918; Nieukerken et al.,2004).
- 56138. *Stigmella fluida* (Meyrick,1911)** (Nepticulidae) **Synonym(s):** *fluida* Meyrick,1911 **Range (in code):** **ZA Tva Gau Pre**
- 56139. *Stigmella freyella* (Heyden,1858)** (Nepticulidae) **Synonym(s):** *freyella* Heyden,1858 **Range (in code):** **DZ Bsk TN Gf ES FR Co Sa IT NL DE CH AT PL CZ SK HU RO GR LV LT RU MD UA Cm TJ** **Bionomy:** Larva on *Convolvulus elegans*, *C. arvensis*, *C. althaeoides*, *Calystegia sepium* [Convolvulaceae] (Chrétien,1917; Nieukerken et al.,2004; Navickaite et al.,2014).
- 56140. *Stigmella galactacma* (Meyrick,1924)** (Nepticulidae) **Synonym(s):** *galactacma* Meyrick,1924 **Range (in code):** **ZA Nta Kzu Wnn**
- 56141. *Stigmella geimontani* (Klimesch,1940)** (Nepticulidae) **Synonym(s):** *geimontani* Klimesch,1940 **Range (in code):** **AT**

- 56142. Stigmella generalis Scoble,1978** (Nepticulidae) Synonym(s): *generalis* Scoble,1978
Range (in code): **ZA**
- 56143. Stigmella geranica Scoble,1978** (Nepticulidae) Synonym(s): *geranica* Scoble,1978
Range (in code): **ZA**
- 56144. Stigmella glutinosae (Stainton,1858)** (Nepticulidae) Synonym(s): *glutinosae* Stainton,1858; *glutinosella* Doubleday,1859; *distinguenda* Heinemann,1862; *rubescens* Heinemann,1871
Range (in code): **PT FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU DK SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Alnus glutinosa* (Stainton,1858).
- 56145. Stigmella grewiae Scoble,1978** (Nepticulidae) Synonym(s): *grewiae* Scoble,1978
Range (in code): **ZA**
- 56146. Stigmella gutlebiella A.Lastuvka & Huemer,2002** (Nepticulidae) Synonym(s): *gutlebiella* A.Lastuvka & Huemer,2002
Original Reference: *Stigmella gutlebiella* A.Lastuvka & Huemer,2002, Carinthia II 192: 603-606, figs. Holotype ♂: Iran, Golestan, Tange Gol 25 v 2001 P.Huemer leg. (TLFI). Range (in code): **IR Gl**
- 56147. Stigmella hahniella (Wörtz,1890)** (Nepticulidae) Synonym(s): *hahniella* Wörtz,1890
Range (in code): **DE AT CZ SK HU YU**
- 56148. Stigmella hemargyrella (Kollar,1832)** (Nepticulidae) Synonym(s): *hemargyrella* Kollar,1832; *basalella* Herrich-Schäffer,1855; *fagella* Herrich-Schäffer,1855; *fagi* Frey,1856; *nobilella* Heinemann & Wocke,[1876]; *fulgens* Stainton,1888
Range (in code): **ES FR Co IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU BG GR DK SE RU MD UA BY**
Bionomy: Larva on *Fagus sylvatica* (Fagaceae) (Nieukerken et al.,2004).
- 56149. Stigmella hortorum Scoble,1978** (Nepticulidae) Synonym(s): *hortorum* Scoble,1978
Range (in code): **ZA**
- 56150. Stigmella hybnerella (Hübner,[1813])** (Nepticulidae) Synonym(s): *hybnerella* Hübner,[1813]
Range (in code): **PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR DK SE FI EE LV LT RU MD UA BY IR Gl**
Bionomy: Larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 56151. Stigmella ilicifoliella (Mendes,1918)** (Nepticulidae) Synonym(s): *ilicifoliella* Mendes,1918; *nigra* Dufrane,1955
Range (in code): **PT ES AD**
- 56152. Stigmella incognitella (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *incognitella* Herrich-Schäffer,1855
Range (in code): **PT ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY**
- 56153. Stigmella ingens (Meyrick,1913)** (Nepticulidae) Synonym(s): *ingens* Meyrick,1913
Range (in code): **ZA Tva Gau Pre**
- 56154. Stigmella inopinata A.Lastuvka & Z.Lastuvka,1991** (Nepticulidae) Synonym(s): *inopinata* A.Lastuvka & Z.Lastuvka,1991
Range (in code): **SK**
- 56155. Stigmella irregularis Puplesis,1994** (Nepticulidae) Synonym(s): *irregularis* Puplesis,1994
Range (in code): **IT Si HV GR Cm**
Bionomy: Larva on *Pyrus elaeagnifolia*, *P.amygdaliformis* (Lastuvka & Lastuvka,2009; Navickaite et al.,2014).
- 56156. Stigmella irrorata (Janse,1948)** (Nepticulidae) Synonym(s): *irrorata* Janse,1948
Range (in code): **ZA**
- 56157. Stigmella juryi Puplesis,1991** (Nepticulidae) Synonym(s): *juryi* Puplesis,1991
Range (in code): **RU**
- 56158. Stigmella karsholti Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *karsholti* Nieukerken & Johansson,2003
Range (in code): **TN**
Bionomy: Larva mines on *Quercus canariensis* (Fagaceae) (Nieukerken & Johansson,2003).
- 56159. Stigmella kasyi Nieukerken & Johansson,2003** (Nepticulidae) Synonym(s): *kasyi* Nieukerken & Johansson,2003
Range (in code): **AF Pag Kab**
- 56160. Stigmella kazakhstanica Puplesis,1991** (Nepticulidae) Synonym(s): *kazakhstanica* Puplesis,1991
Range (in code): **RU KG**
- 56161. Stigmella kruegeri Vari,1963** (Nepticulidae) Synonym(s): *kruegeri* Vari,1963
Range (in code): **ZA**
- 56162. Stigmella lapponica (Wocke,1862)** (Nepticulidae) Synonym(s): *lapponica* Wocke,1862; *lapponicella* Porritt,1883; *lusatica* Schütze,1904; *vossensis* Grönlien,1928
Range (in code): **PT FR IT IE GB BE LU NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Betula pubescens* (Nieukerken et al.,2004).
- 56163. Stigmella lediella (Schleich,1867)** (Nepticulidae) Synonym(s): *lediella* Schleich,1867
Range (in code): **DE PL CZ SK SE FI EE LV RU MD UA BY**

- 56164. *Stigmella lemniscella* (Zeller,1839)** (Nepticulidae) Synonym(s): *lemniscella* Zeller,1839; *marginicolella* Stainton,1853; *suberosella* Toll,1934; *#fulvomacula* Skala,1936 _ Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU MD UA BY
- 56165. *Stigmella letabensis* Scoble,1978** (Nepticulidae) Synonym(s): *letabensis* Scoble,1978 _ Range (in code): ZA
- 56166. *Stigmella liota* Vari,1963** (Nepticulidae) Synonym(s): *liota* Vari,1963 _ Range (in code): ZA
- 56167. *Stigmella lonicerarum* (Frey,1856)** (Nepticulidae) Synonym(s): *lonicerarum* Frey,1856 _ Range (in code): FR IT DE CH AT PL CZ SK HU SE FI EE LV RU MD UA BY
- 56168. *Stigmella luteella* (Stainton,1857)** (Nepticulidae) Synonym(s): *luteella* Stainton,1857 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU YU DK NO SE FI EE LV LT RU MD UA BY
- 56169. *Stigmella macrolepidella* (Klimesch,1978)** (Nepticulidae) Synonym(s): *macrolepidella* Klimesch,1978 _ Range (in code): Rd GR TR Bionomy: Larva mines *Quercus ithaburensis* (Fagaceae) (Nieukerken & Johansson,2003).
- 56170. *Stigmella magdalenae* (Klimesch,1950)** (Nepticulidae) Synonym(s): *magdalenae* Klimesch,1950 _ Range (in code): FR IT IE GB NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY
- 56171. *Stigmella malella* (Stainton,1854)** (Nepticulidae) Synonym(s): *malella* Stainton,1854; *angustella* Heinemann & Wocke,[1876]; *nigrobrunella* Groschke,1939 _ Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU MD UA BY
- 56172. *Stigmella mespilicola* (Frey,1856)** (Nepticulidae) Synonym(s): *mespilicola* Frey,1856; *ariella* Herrich-Schäffer,1860 _ Range (in code): ES FR IT GB DE CH AT CZ SK HU YU TR RU MD UA BY Bionomy: Larva on *Sorbus aria*, *S. torminalis*, *Cotoneaster* (Rosaceae) (Nieukerken et al.,2004).
- 56173. *Stigmella microtheriella* (Stainton,1854)** (Nepticulidae) Synonym(s): *microtheriella* Stainton,1854 _ Range (in code): ES FR Sa IT IE GB LU BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY
- 56174. *Stigmella minusculella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,1855; *stettinensis* Heinemann,1871; *chalybeia* Braun,1914; *embonella* Klimesch,1978 _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK LV LT RU MD UA BY
- 56175. *Stigmella minusculella* Herrich-Schäffer,[1855]** (Nepticulidae) Synonym(s): *minusculella* Herrich-Schäffer,[1855] _ Range (in code): TR
- 56176. *Stigmella muricatella* Klimesch,1978** (Nepticulidae) Synonym(s): *muricatella* Klimesch,1978 _ Range (in code): TR
- 56177. *Stigmella myrtillella* (Stainton,1857)** (Nepticulidae) Synonym(s): *myrtillella* Stainton,1857 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK BG DK NO SE FI EE LV LT RU MD UA BY
- 56178. *Stigmella naturnella* (Klimesch,1936)** (Nepticulidae) Synonym(s): *naturnella* Klimesch,1936 _ Range (in code): IT CZ SK HU
- 56179. *Stigmella nigrata* (Meyrick,1913)** (Nepticulidae) Synonym(s): *nigrata* Meyrick,1913 _ Range (in code): ZA Tva Gau Pre Mpu Wv
- 56180. *Stigmella nivenburgensis* (Priessecker,1942)** (Nepticulidae) Synonym(s): *nivenburgensis* Priessecker,1942 _ Range (in code): ES IT AT PL CZ SK HU GR Bionomy: Larva on *Salix alba*, *S. fragilis* (Salicaceae) (Nieukerken et al.,2004).
- 56181. *Stigmella nylandriella* (Tengström,1848)** (Nepticulidae) Synonym(s): *nylandriella* Tengström,1848; *aucupariae* Frey,1857; *aucupariella* Herrich-Schäffer,1862 _ Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY
- 56182. *Stigmella obliquella* (Heinemann,1862)** (Nepticulidae) Synonym(s): *obliquella* Heinemann,1862; *wockeella* Heinemann,1871; *diversa* Glitz,1872; *babylonicae* Hartig,1942 _ Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Salix fragilis* (Salicaceae) (Mendes,1905).
- 56183. *Stigmella oxyacanthella* (Stainton,1854)** (Nepticulidae) Synonym(s): *oxyacanthella* Stainton,1854 _ Range (in code): FR IT IE GB LU BE NL DE CH AT PL CZ SK HU RO GR DK SE FI EE LV LT RU MD UA BY
- 56184. *Stigmella paliurella* (Klimesch,1940)** (Nepticulidae) Synonym(s): *paliurella* Klimesch,1940 _ Range (in code): IT RO YU GR TR RU MD UA BY
- 56185. *Stigmella pallidiciliella* Klimesch,1946** (Nepticulidae) Synonym(s): *pallidiciliella* Klimesch,1946 _ Range (in code): IT AT CZ SK

- 56186. *Stigmella panconista* (Meyrick,1920)** (Nepticulidae) Synonym(s): *panconista* Meyrick,1920 _ Range (in code): ZA
- 56187. *Stigmella paradoxa* (Frey,1858)** (Nepticulidae) Synonym(s): *paradoxa* Frey,1858
Range (in code): PT ES FR Sa IT IE GB DE CH AT PL CZ SK HU RO YU BG SE RU MD UA BY IR Gl
Bionomy: Larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 56188. *Stigmella parinarella* Vari,1955** (Nepticulidae) Synonym(s): *parinarella* Vari,1955
Range (in code): ZA Tva Gau Pre Bionomy: Larva on *Parinari capense* (Rosaceae) (Vari,1955).
- 56189. *Stigmella perplexa* (Janse,1948)** (Nepticulidae) Synonym(s): *perplexa* Janse,1948
Range (in code): ZA
- 56190. *Stigmella perpygmaeella* (Doubleday,1859)** (Nepticulidae) Synonym(s): *pygmaeella* Haworth,1828 nec [Denis & Schiff.],1775; *perpygmaeella* Doubleday,1859 _ Range (in code): PT ES FR Sa IT IE GB BE LU NL DE CH AT PL CZ SK HU RO BG GR DK SE FI EE RU MD UA BY Bionomy: Larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 56191. *Stigmella plagicolella* (Stainton,1854)** (Nepticulidae) Synonym(s): *plagicolella* Stainton,1854 _ Range (in code): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Prunus spinosa*, *P. domestica* (Rosaceae) (Nieukerken et al.,2004).
- 56192. *Stigmella platyzona* Vari,1963** (Nepticulidae) Synonym(s): *platyzona* Vari,1963
Range (in code): ZA
- 56193. *Stigmella porphyreuta* (Meyrick,1917)** (Nepticulidae) Synonym(s): *porphyreuta* Meyrick,1917 _ Range (in code): ZA
- 56194. *Stigmella poterii* (Stainton,1857)** (Nepticulidae) Synonym(s): *poterii* Stainton,1857; *poteriella* Doubleday,1859; *comari* Wocke,1862; *geminella* Frey,1870; *palustrella* Frey,1870; *tengstroemi* Nolcken,1871; *occultella* Heimenann,1871; *potentillae* Glitz,1872; *diffinis* Wocke,1874; *serella* Stainton,1888; *elisabethella* Szöcs,1957 _ Range (in code): FR IT IE GB NL DE CH AT PL CZ SK HU DK NO SE FI EE LV RU MD UA BY
- 56195. *Stigmella potgieteri* Scoble,1978** (Nepticulidae) Synonym(s): *potgieteri* Scoble,1978
Range (in code): ZA
- 56196. *Stigmella pretiosa* (Heinemann,1862)** (Nepticulidae) Synonym(s): *pretiosa* Heinemann,1862 _ Range (in code): DE CH AT PL CZ SK DK SE FI LV LT
- 56197. *Stigmella pretoriata* Scoble,1978** (Nepticulidae) Synonym(s): *pretoriata* Scoble,1978
Range (in code): ZA Tva Gau Pre
- 56198. *Stigmella protosema* (Meyrick,1921)** (Nepticulidae) Synonym(s): *protosema* Meyrick,1921
Range (in code): ZA Tva Gau Pre
- 56199. *Stigmella prunetorum* (Stainton,1855)** (Nepticulidae) Synonym(s): *prunetorum* Stainton,1855; *dimidiatella* Herrich-Schäffer,1855; *perpusillella* Herrich-Schäffer,1855; *prunetella* Doubleday,1859; *ligustrella* Rössler,1866; *punctella* Threfall,1884. _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE LT RU MD UA BY
- 56200. *Stigmella pyrellicola* Klimesch,1978** (Nepticulidae) Synonym(s): *pyrellicola* Klimesch,1978 _ Range (in code): TR CY Bionomy: Larva on *Rhamnus oleoides* (Rhamnaceae) (Arenberger & Wimmer,1996).
- 56201. *Stigmella pyri* (Glitz,1865)** (Nepticulidae) Synonym(s): *pyri* Glitz,1865 _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG SE LT RU MD UA BY
- 56202. *Stigmella pyrivora* Gustafsson,1981** (Nepticulidae) Synonym(s): *pyrivora* Gustafsson,1981
Range (in code): CY Bionomy: Larva on *Pyrus syriaca* (Rosaceae) (Gustafsson,1981).
- 56203. *Stigmella regiella* (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *regiella* Herrich-Schäffer,1855; *#corvimontana* Hering,1935 _ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU DK SE EE RU MD UA BY Bionomy: Larva on *Crataegus monogyna* (Rosaceae) (Nieukerken et al.,2004).
- 56204. *Stigmella rhamnella* (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *rhamnella* Herrich-Schäffer,1860 _ Range (in code): PT ES FR IT DE CH AT PL CZ SK HU RO YU CY DK EE RU MD UA BY Bionomy: Larva on *Rhamnus alpinus*, *R. catharticus*, *R. alaternus* (Rhamnaceae), *Frangula alnus* (Herrich-Schäffer,1860; Nieukerken et al., 2004).
- 56205. *Stigmella rhamnophila* (Amsel,1934)** (Nepticulidae) Synonym(s): *rhamnophila* Amsel,1934 _ Range (in code): GR TR CY
- 56206. *Stigmella rhynchosiella* Vari,1955** (Nepticulidae) Synonym(s): *rhynchosiella* Vari,1955
Range (in code): ZA Tva Gau Pre Bionomy: Larva on *Rhynchosia nitens* (Fabaceae) (Vari,1955).

- 56207. Stigmella roborella (Johansson,1971)** (Nepticulidae) Synonym(s): *roborella* Johansson,1971 - Range (in code): ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU YU B-H BG MD RO MK Cc GG TR DK NO SE FI LV LT RU MD UA Cm BY Bionomy: Larva on Quercus cerris, Q. pubescens, Q. petraea, Q. robur (Fagaceae) (Johansson,1971; Szöcs,1977).
- 56208. Stigmella rolandi Nieukerken,1990** (Nepticulidae) Synonym(s): *rolandi* Nieukerken,1990 Range (in code): ES FR Sa IT AT CZ SK HU YU GR RU MD UA BY Bionomy: Larva on Sanguisorba, Rosa (Rosaceae) (Nieukerken et al.,2004).
- 56209. Stigmella ruficapitella (Haworth,[1828])** (Nepticulidae) Synonym(s): *ruficapitella* Haworth,[1828]; ? *violacella* Haworth,[1828]; *lamprotornella* Bruand,1859 - Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU B-H GR DK NO SE FI EE LV LT RU MD UA BY IL Pa Bionomy: Larva on Quercus ithaburensis (Fagaceae) (Sternlicht,1968).
- 56210. Stigmella sakhalinella Puplesis,1984** (Nepticulidae) Synonym(s): *sakhalinella* Puplesis,1984; *discidia* Schoorl & Wilkinson,1986 - Range (in code): FR IT GB BE LU NL DE CH AT PL CZ SK HU NO SE LT RU Sh MD UA BY
- 56211. Stigmella salicis (Stainton,1854)** (Nepticulidae) Synonym(s): *salicis* Stainton,1854 Range (in code): PT ES FR Sa IT IE GB BE LU NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Salix cinerea, S. aurita (Salicaceae) (Stainton,1854; Zerkowitz,1946).
- 56212. Stigmella samiatella (Zeller,1839)** (Nepticulidae) Synonym(s): *samiatella* Zeller,1839 Range (in code): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva mines on Castanea sativa, Quercus ithaburensis ssp. macrolepis, Q. petraea, Q. pubescens, Q. pyrenaica, Q. robur (Fagaceae) (Nieukerken & Johansson,2003).
- 56213. Stigmella sanguisorbae (Wocke,1865)** (Nepticulidae) Synonym(s): *sanguisorbae* Wocke,1865 - Range (in code): DE CH AT PL CZ SK HU
- 56214. Stigmella satarensis Scoble,1978** (Nepticulidae) Synonym(s): *satarensis* Scoble,1978 Range (in code): ZA
- 56215. Stigmella sorbi (Stainton,1861)** (Nepticulidae) Synonym(s): *sorbi* Stainton,1861 Range (in code): ES FR IT IE GB NL DE CH AT PL CZ SK RO BG GR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Sorbus aucuparia (Stainton,1861).
- 56216. Stigmella speciosa (Frey,1857)** (Nepticulidae) Synonym(s): *speciosa* Frey,1857; *pseudoplatanella* Weber,1937 - Range (in code): PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK RU MD UA BY Bionomy: Larva on Acer pseudoplatanus, A. monspessulanum, A. opalus (Nieukerken et al.,2004).
- 56217. Stigmella spinosissimae (Waters,1928)** (Nepticulidae) Synonym(s): *spinosissimae* Waters,1928 - Range (in code): IE GB HU
- 56218. Stigmella splendidissimella (Herrich-Schäffer,1855)** (Nepticulidae) Synonym(s): *splendidissimella* Herrich-Schäffer,1855 - Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 56219. Stigmella stelviana (Weber,1938)** (Nepticulidae) Synonym(s): *stelviana* Weber,1938 Range (in code): IT CH AT
- 56220. Stigmella styracicolella (Klimesch,1978)** (Nepticulidae) Synonym(s): *styracicolella* Klimesch,1978 - Range (in code): GR
- 56221. Stigmella suberivora (Stainton,1869)** (Nepticulidae) Synonym(s): *suberivora* Stainton,1869; *aureocaputella* Millière,1870; *aureocapitella* Millière,1870; *ilicivora* Peyerimhoff,1871 - Range (in code): DZ Bt na Dja TN Dh m PT ES An FR Co Sa Si IT GB SS HV B-H GB Bionomy: Larva mines on Quercus coccifera, Q. suber, Q. ilex (Fagaceae) (Gustafsson & Nieukerken,1990).
- 56222. Stigmella svenssoni (Johansson,1971)** (Nepticulidae) Synonym(s): *svenssoni* Johansson,1971 - Range (in code): FR IT IE GB NL SK HU GR DK NO SE FI LV RU MD UA BY
- 56223. Stigmella szoeciella (Borkowski,1972)** (Nepticulidae) Synonym(s): *szoeciella* Borkowski,1972 - Range (in code): HU RU IT GR TR
- 56224. Stigmella thuringiaca (Petry,1904)** (Nepticulidae) Synonym(s): *thuringiaca* Petry,1904 Range (in code): ES FR IT DE BE CH AT PL CZ SK HU RU MD UA BY Bionomy: Larva on Sanguisorba, Potentilla (Rosaceae) (Nieukerken et al.,2004).
- 56225. Stigmella tiliae (Frey,1856)** (Nepticulidae) Synonym(s): *tiliae* Frey,1856 - Range (in code): ES FR IT GB BE LU NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU MD UA BY Bionomy: Larva on Tilia (Frey,1856).
- 56226. Stigmella tityrella (Stainton,1854)** (Nepticulidae) Synonym(s): *tityrella* Stainton,1854; *turicella* Herrich-Schäffer,1855; *turicensis* Frey,1856; *castanella* Stainton,1859 - Range (in code): ES FR IT

- IE GB BE LU NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE LT RU MD UA BY** Bionomy: Larva on Crataegus (Rosaceae), Fagus sylvatica (Fagaceae) (Mendes,1918; Nieukerken et al.,2004).
- 56227. Stigmella tormentillella (Herrich-Schäffer,1860)** (Nepticulidae) Synonym(s): *tormentillella* Herrich-Schäffer,1860 Range (in code): **FR IT DE CH AT PL CZ SK HU RO**
- 56228. Stigmella torminalis (Wood,1890)** (Nepticulidae) Synonym(s): *torminalis* Wood,1890 Range (in code): **GB DE CH HU**
- 56229. Stigmella fragilis Scoble,1978** (Nepticulidae) Synonym(s): *fragilis* Scoble,1978 Range (in code): **ZA**
- 56230. Stigmella trimaculella (Haworth,1828)** (Nepticulidae) Synonym(s): *trimaculella* Haworth,1828; *rufella* Zeller,1839; *populella* Herrich-Schäffer,1855; *albicornella* Kollar,1860; *gilvella* Rössler,1866; *populicola* Sorhagen,1922; *subtrimaculella* Dufrane,1949 Range (in code): **ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus nigra (Salicaceae) (Nieukerken et al.,2004).
- 56231. Stigmella tristis (Wocke,1862)** (Nepticulidae) Synonym(s): *tristis* Wocke,1862 Range (in code): **NO SE FI**
- 56232. Stigmella triumfettica Scoble,1978** (Nepticulidae) Synonym(s): *triumfettica* Scoble,1978 Range (in code): **ZA**
- 56233. Stigmella trojana Z.Lastuvka & A.Lastuvka,1998** (Nepticulidae) Synonym(s): *trojana* Z.Lastuvka & A.Lastuvka,1998 Range (in code): **GR TR** Bionomy: Larva mines on Quercus trojana (Fagaceae) (Z.Lastuvka & A.Lastuvka,1998).
- 56234. Stigmella ulmariae (Wocke,1879)** (Nepticulidae) Synonym(s): *ulmariae* Wocke,1879 Range (in code): **IE GB NL DE AT PL CZ SK DK NO SE FI LV** Bionomy: Larva on Ulmus (Ulmaceae) (Wocke,1879).
- 56235. Stigmella ulmiphaga (Priessecker,1942)** (Nepticulidae) Synonym(s): *ulmiphaga* Priessecker,1942 Range (in code): **AT CZ SK HU GR** Bionomy: Larva on Ulmus (Ulmaceae) (Priessecker,1942)
- 56236. Stigmella ulmivora (Fologne,1860)** (Nepticulidae) Synonym(s): *ulmivora* Fologne,1860. Original Reference: Nepticula ulmivora Fologne,1860, Ent. Wkly Intell. 8: 92. Range (in code): **PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU Rd DK NO SE FI EE LV RU MD UA BY** Bionomy: Larva on Ulmus (Ulmaceae) (Fologne,1860).
- 56237. Stigmella urbica (Meyrick,1913)** (Nepticulidae) Synonym(s): *urbica* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 56238. Stigmella varii Scoble,1978** (Nepticulidae) Synonym(s): *varii* Scoble,1978 Range (in code): **ZA**
- 56239. Stigmella vimineticola (Frey,1856)** (Nepticulidae) Synonym(s): *vimineticola* Frey,1856 Range (in code): **ES IT DE CH AT CZ SK HU** Bionomy: Larva on Salix (Salicaceae) (Agenjo,1964).
- 56240. Stigmella viscereella (Stainton,1853)** (Nepticulidae) Synonym(s): *viscereella* Stainton,1853 Original Reference: Nepticula viscereella Stainton,1853, Zoologist 1853: 3958. Range (in code): **PT FR Si IT GB BE DE CH AT PL CZ SK HU YU BG GR Rd LT RU MD UA BY**
- 56241. Stigmella worcesteri Scoble,1983** (Nepticulidae) Synonym(s): *worcesteri* Scoble,1983 Range (in code): **ZA**
- 56242. Stigmella xanthomitra (Meyrick,1921)** (Nepticulidae) Synonym(s): *xanthomitra* Meyrick,1921 Range (in code): **ZA Tva Gau Pre**
- 56243. Stigmella zangherii (Klimesch,1951)** (Nepticulidae) Synonym(s): *zangherii* Klimesch,1951 Range (in code): **FR IT CZ SK HU GR TR**
- 56244. Stigmella zelleriella (Snellen,1875)** (Nepticulidae) Synonym(s): *zelleriella* Snellen,1875 Range (in code): **IE GB BE NL DE PL DK NO SE FI LT**
- 56245. Stigmella zizyphi (Walsingham,1911)** (Nepticulidae) Synonym(s): *zizyphi* Walsingham,1911 Range (in code): **DZ Bsk TN Gf** Bionomy: Larva on Zizyphus lotus [Rhamnaceae] (Walsingham,1911).
- 56246. Trifurcula (Glaucolepis) albiflorella Klimesch,1978** (Nepticulidae) Synonym(s): *albiflorella* Klimesch,1978 Range (in code): **TR**
- 56247. Trifurcula (Glaucolepis) alypella Klimesch,1975** (Nepticulidae) Synonym(s): *alypella* Klimesch,1975 Range (in code): **ES FR** Bionomy: Larva on Globularia alypum (Globulariaceae) (Klimesch,1975).

- 56248. Trifurcula (Glaucolepis) bleonella (Chrétien,1904)** (Nepticulidae) Synonym(s): *bleonella* Chrétien,1904 - Range (in code): ES FR AT SK YU RU MD UA BY Bionomy: Larva on *Linum narbonense* (Nieukerken et al.,2004).
- 56249. Trifurcula (Glaucolepis) bupleurella (Chrétien,1907)** (Nepticulidae) Synonym(s): *bupleurella* Chrétien,1907 - Range (in code): PT ES FR Si Bionomy: Larva on *Bupleurum fruticosum*, *B. gibralticum*, *B. rigidum* (Apiaceae) (Chrétien,1907).
- 56250. Trifurcula (Glaucolepis) globulariae Klimesch,1975** (Nepticulidae) Synonym(s): *globulariae* Klimesch,1975 - Range (in code): IT YU Bionomy: Larva on *Globularia* (Globulariaceae) (Klimesch,1975).
- 56251. Trifurcula (Glaucolepis) headleyella (Stainton,1854)** (Nepticulidae) Synonym(s): *headleyella* Stainton,1854; *argyrostigma* Frey,1856; *argyrostigmella* Herrich-Schäffer,1862; *dubiella* Hauser,1912; *rodella* Svensson,1982 - Range (in code): ES FR IT GB DE CH AT PL CZ SK HU RO YU GR DK SE FI EE LV RU MD UA BY Bionomy: Larva on *Prunella* (Nieukerken et al.,2004).
- 56252. Trifurcula (Glaucolepis) melanoptera van Nieukerken & Puplesis,1991** (Nepticulidae) Synonym(s): *melanoptera* van Nieukerken & Puplesis,1991 - Range (in code): ES FR Sa IT AT CZ SK HV YU RU MD UA Cm BY AM Kho TR TM Kp
- 56253. Trifurcula (Glaucolepis) rosmarinella (Chrétien,1914)** (Nepticulidae) Synonym(s): *rosmarinella* Chrétien,1914 - Range (in code): TN PT ES FR Co CY Bionomy: Larva on *Rosmarinus officinalis* (Chrétien,1914).
- 56254. Trifurcula (Glaucolepis) sanctibenedicti Klimesch,1979** (Nepticulidae) Synonym(s): *sanctibenedicti* Klimesch,1979 - Range (in code): ES B-I Maj Bionomy: Larva on *Bupleurum frutescens*, *B. barceloi* (Apiaceae) (Nieukerken et al.,2004).
- 56255. Trifurcula (Glaucolepis) saturejae (Parenti,1963)** (Nepticulidae) Synonym(s): *saturejae* Parenti,1963 - Range (in code): ES FR Co IT YU GR Bionomy: Larva on *Calamintha sylvatica* (Nieukerken et al.,2004).
- 56256. Trifurcula (Glaucolepis) stoechadella (Klimesch,1975)** (Nepticulidae) Synonym(s): *stoechadella* Klimesch,1975 - Range (in code): PT ES FR Co IT Bionomy: Larva on *Lavandula stoechas* (Klimesch,1975).
- 56257. Trifurcula (Glaucolepis) teucriella (Chrétien,1914)** (Nepticulidae) Synonym(s): *teucriella* Chrétien,1914 - Range (in code): ES FR Bionomy: Larva on *Teucrium chamaedrys* (Lamiaceae) (Chrétien,1914).
- 56258. Trifurcula (Glaucolepis) thymi (Szöcs,1965)** (Nepticulidae) Synonym(s): *thymi* Szöcs,1965 - Range (in code): PT ES FR DE AT PL CZ SK HU Bionomy: Larva on *Thymus vulgaris*, *T. camphoratus* (Szöcs,1965 et seq.).
- 56259. Trifurcula (Glaucolepis) trilobella Klimesch,1978** (Nepticulidae) Synonym(s): *trilobella* Klimesch,1978 - Range (in code): GR
- 56260. Trifurcula (Glaucolepis) zollikofferiella (Chrétien,1914)** (Nepticulidae) Synonym(s): *zollikofferiella* Chrétien,1914 - Range (in code): DZ Bsk Bionomy: Larva on *Zollikofferia nudicaulis* [Asteraceae] (Chrétien,1914).
- 56261. Trifurcula (Levarchama) anthyllidella Klimesch,1975** (Nepticulidae) Synonym(s): *anthyllidella* Klimesch,1975 - Range (in code): Bionomy: Larva on *Anthyllis cysisoides*, *A. terniflora* (Walsingham,1901).
- 56262. Trifurcula (Levarchama) cryptella (Stainton,1856)** (Nepticulidae) Synonym(s): *cryptella* Stainton,1856; ? *trifolii* Sorhagen,1885 - Range (in code): PT ES FR IT IE GB NL DE CH AT CZ SK HU YU GR DK NO SE EE Bionomy: Larva on *Lotus uliginosus*, *Emerus major*, *Securigera varia* (=Coronilla), *Hippocrepis*, *Anthyllis montana* (Fagaceae) (Nieukerken et al.,2004).
- 56263. Trifurcula (Levarchama) eurema (Tutt,1899)** (Nepticulidae) Synonym(s): *eurema* Tutt,1899; *dorycniella* Suire,1928; *gozmanyi* Szocs,1959 Original Reference: *Nepticula eurema* Tutt,1899, 332. Lectotype: Great Britain, [Melvish Sutherland], designated by van Nieukerken & Johansson,1990 (BMNH). Range (in code): PT ES FR Sa IT IE GB NL DE CH AT CZ SK HU YU GR AL B-H RO BG HV TR DK SE UA Bionomy: Larva on *Dorycnium hirsutum*, *D. rectum*, *Lotus cytisoides* (Fabaceae) (Nieukerken et al.,2004, 2007).
- 56264. Trifurcula (Levarchama) manygoza Van Nieukerken, A.Lastuvka & Z.Lastuvka,2007** (Nepticulidae) Synonym(s): *manygoza* Van Nieukerken, A.Lastuvka & Z.Lastuvka,2007 - Range (in code): HV GR Bionomy: Larva on *Lotus corniculatus* (Fabaceae) (Van Nieukerken,2007).
- 56265. Trifurcula (Levarchama) ortneri (Klimesch,1951)** (Nepticulidae) Synonym(s): *ortneri* Klimesch,1951 - Range (in code): MA DZ ES FR IT DE AT SK HU YU CZ DE Bionomy: Larva

- on *Coronilla minima*, *C. emerus*, *Hippocrepis emerus* (Fabaceae) (Nieukerken et al., 2004, 2007).
- 56266. *Trifurcula (Levarchama) peloponnesica* Van Nieukerken, 2007** (Nepticulidae)
Synonym(s): *peloponnesica* Van Nieukerken, 2007 _ Range (in code): **GR** Bionomy: Larva on *Anthyllis hermanniae* (Fabaceae) (Van Nieukerken, 2007).
- 56267. *Trifurcula (s.str.) aurella* Rebel, 1933** (Nepticulidae) Synonym(s): *aurella* Rebel, 1933
Range (in code): **FR IT HU YU GR**
- 56268. *Trifurcula (s.str.) austriaca* van Nieukerken, 1990** (Nepticulidae) Synonym(s): *austriaca* van Nieukerken, 1990 _ Range (in code): **AT CZ SK GR**
- 56269. *Trifurcula (s.str.) beirnei* Puplesis, 1984** (Nepticulidae) Synonym(s): *beirnei* Puplesis, 1984 _ Range (in code): **ES GB DE AT PL CZ SK DK HU**
- 56270. *Trifurcula (s.str.) calycotomella* A.Lastuvka & Z.Lastuvka, 1997** (Nepticulidae)
Synonym(s): *calycotomella* A.Lastuvka & Z.Lastuvka, 1997 _ Range (in code): **ES** Bionomy: Larva on *Calycotome spinosa* (A.Lastuvka & Z.Lastuvka, 1997).
- 56271. *Trifurcula (s.str.) chamaecytisi* Z.Lastuvka & A.Lastuvka, 1994** (Nepticulidae)
Synonym(s): *chamaecytisi* Z.Lastuvka & A.Lastuvka, 1994 _ Range (in code): **AT CZ SK HU**
- 56272. *Trifurcula (s.str.) coronillae* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *coronillae* van Nieukerken, 1990 _ Range (in code): **ES FR** Bionomy: Larva on *Coronilla minima*, *C. juncea* (Fabaceae) (Van Nieukerken, 1990).
- 56273. *Trifurcula (s.str.) corothamni* Lastuvka & Lastuvka, 1994** (Nepticulidae)
Synonym(s): *corothamni* Lastuvka & Lastuvka, 1994 _ Range (in code): **CZ SK**
- 56274. *Trifurcula (s.str.) iberica* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *iberica* Van Nieukerken, 1990 _ Range (in code): **ES**
- 56275. *Trifurcula (s.str.) immundella* (Zeller, 1839)** (Nepticulidae) Synonym(s): *immundella* Zeller, 1839 _ Range (in code): **PT ES FR IT IE GB BE LU NL DE CH AT PL CZ SK DK SE** Bionomy: Larva on *Cytisus scoparius* (Fabaceae) (Nieukerken et al., 2004).
- 56276. *Trifurcula (s.str.) josefklimeschi* Van Nieukerken, 1990** (Nepticulidae)
Synonym(s): *josefklimeschi* Van Nieukerken, 1990 _ Range (in code): **ES FR IT AT CZ SK YU GR RU MD UA BY** Bionomy: Larva on *Dorycnium pentaphyllum* (Nieukerken et al., 2004).
- 56277. *Trifurcula (s.str.) luteola* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *luteola* Van Nieukerken, 1990 _ Range (in code): **FR**
- 56278. *Trifurcula (s.str.) moravica* A.Lastuvka & Z.Lastuvka, 1994** (Nepticulidae)
Synonym(s): *moravica* A.Lastuvka & Z.Lastuvka, 1994 _ Range (in code): **CZ**
- 56279. *Trifurcula (s.str.) orientella* Klimesch, 1953** (Nepticulidae) Synonym(s): *orientella* Klimesch, 1953 _ Range (in code): **FR IT YU**
- 56280. *Trifurcula (s.str.) pallidella* (Duponchel, 1843)** (Nepticulidae) Synonym(s): *pallidella* Duponchel, 1843 _ Range (in code): **PT ES IT DE CH AT CZ SK HU GR TR RU MD UA BY**
- 56281. *Trifurcula (s.str.) puplesisi* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *puplesisi* Van Nieukerken, 1990 _ Range (in code): **RU Cc Da Sr TM Kp**
- 56282. *Trifurcula (s.str.) serotinella* (Herrich-Schäffer, 1855)** (Nepticulidae) Synonym(s): *serotinella* Herrich-Schäffer, 1855 _ Range (in code): **DE CH AT CZ**
- 56283. *Trifurcula (s.str.) silviae* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *silviae* Van Nieukerken, 1990 _ Range (in code): **ES FR IT LV RU**
- 56284. *Trifurcula (s.str.) squamatella* Stainton, 1849** (Nepticulidae) Synonym(s): *squamatella* Stainton, 1849; *maxima* Klimesch, 1973 _ Range (in code): **PT ES FR GB NL DE DK**
- 56285. *Trifurcula (s.str.) subnitidella* (Duponchel, 1843)** (Nepticulidae) Synonym(s): *subnitidella* Duponchel, 1843; *griseella* Wolff, 1957 _ Range (in code): **TN ES FR IT IE GB BE NL DE AT CZ SK RO YU BG GR TR DK SE FI EE LV RU MD UA Cm BY** Bionomy: Larva on *Lotus corniculatus* (Fabaceae) (Nieukerken et al., 2004).
- 56286. *Trifurcula (s.str.) victoris* Van Nieukerken, 1990** (Nepticulidae) Synonym(s): *victoris* Van Nieukerken, 1990 _ Range (in code): **ES** Bionomy: Larva on *Dorycnium pentaphyllum* (Van Nieukerken, 1990).
- 56287. *Trifurcula barbertonensis* Scoble, 1980** (Nepticulidae) Synonym(s): *barbertonensis* Scoble, 1980 _ Range (in code): **ZA Tva Mpu Brb**
- 56288. *Trifurcula pulla* Scoble, 1980** (Nepticulidae) Synonym(s): *pulla* Scoble, 1980 _ Range (in code): **ZA**

- 56289. *Varius ochnicola* (Vari,1955)** (Nepticulidae) Synonym(s): *ochnicola* Vari,1955 _ Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on *Ochna pulchra* (Ochnaceae) (Vari,1955).
- 56290. "*Aquita*" *seria* Holloway,2003** (Noctuidae) Synonym(s): *seria* Holloway,2003 _ Range (in code): **MY Bor BN**
- 56291. "*Capnodes*" *acidalia* Holland,1894** (Noctuidae) Synonym(s): *acidalia* Holland,1894 Range (in code): **GA Ogo**
- 56292. "*Capnodes*" *albicostata* Poole,1989** (Noctuidae) Synonym(s): *albicostata* Bethune-Baker,1911 *nec* Dya.,1909; *albicostata* Poole,1989 _ Range (in code): **NG Lgo**
- 56293. "*Capnodes*" *nigerrimasigna* Strand,1920** (Noctuidae) Synonym(s): *nigerrimasigna* Strand,1920 _ Range (in code): **TW**
- 56294. "*Capnodes*" *tetraspila* Walker,1858** (Noctuidae) Synonym(s): *tetraspila* Walker,1858 Range (in code): **LK**
- 56295. "*Cirroedia*" *accola* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *accola* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA**
- 56296. "*Craterestra*" *definiens* (Walker,1857)** (Noctuidae) Synonym(s): *definiens* Walker,1857 Range (in code): **ZA Ec**
- 56297. "*Craterestra*" *subvelata* (Walker,1875)** (Noctuidae) Synonym(s): *subvelata* Walker,1875 Range (in code): **ZA**
- 56298. "*Erastria*" *varipalpis* Walker,1865** (Noctuidae) Synonym(s): *varipalpis* Walker,1865 Range (in code): **ZA**
- 56299. "*Gelastocera*" *viridimacula* W.Warren,1916** (Noctuidae) Synonym(s): *viridimacula* W.Warren,1916 _ Range (in code): **MY Bor BN ID Sum**
- 56300. "*Giaura*" *leucophaea* (Hampson,1905)** (Noctuidae) Synonym(s): *leucophaea* Hampson,1905 _ Range (in code): **MM IN Adm MY Bor AU Cai QAu** Bionomy: Larva on *Heritiera* (Sterculiaceae) (Holloway,2003).
- 56301. "*Giaura*" *lichenosa* (Hampson,1896)** (Noctuidae) Synonym(s): *lichenosa* Hampson,1896 Range (in code): **IN ID Clb Bli MY Bor Sbh Swk**
- 56302. "*Giaura*" *multipunctata* Swinhoe,1919** (Noctuidae) Synonym(s): *punctata* Swinhoe,1890 *nec* Luc.; *multipunctata* Swinhoe,1919 _ Range (in code): **IN CN MM MY Bor Sbh BN Swk** Bionomy: Larva on *Grewia* (Tiliaceae) (Holloway,2003).
- 56303. "*Giaura*" *niveidisca* (Hampson,1894)** (Noctuidae) Synonym(s): *niveidisca* Hampson,1894; *triangularis* Hampson,1894 _ Range (in code): **IN MM MY Bor Swk ID Clb PH** Bionomy: Larva on *Pterospermum* (Sterculiaceae) (Mathur,1942).
- 56304. "*Giaura*" *robusta* (Moore,1888)** (Noctuidae) Synonym(s): *robusta* Moore,1888 _ Range (in code): **IN MY Bor Swk Sbh KBa BN PH Pal**
- 56305. "*Giaura*" *tortricoides* (Walker,[1866])** (Noctuidae) Synonym(s): *tortricoides* Walker,[1866]; *basigerella* Walker,1866; *curvilinea* Snellen,1879; *borneonis* Gaede,1937; *ura* Gade,1937 Range (in code): **LK IN Adm JP MY Bor Swk ID Sum Clb Flo AU QAu Bsm PG** Bionomy: Larva on *Hibiscus tiliaceus* (Malvaceae) (Tominaga,1999).
- 56306. "*Hadena*" *bulgeri* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *bulgeri* R.Felder & Rogenhofer,1874 _ Range (in code): **KE ZA Tva Gau Pre Jh Ec Tra Nta Kzu Est Qt**
- 56307. "*Hadena*" *fusifasciata* Walker,1865** (Noctuidae) Synonym(s): *fusifasciata* Walker,1865 Range (in code): **ZA**
- 56308. "*Hadena*" *mamestroides* Walker,1865** (Noctuidae) Synonym(s): *mamestroides* Walker,1865 _ Range (in code): **ZA**
- 56309. "*Hadena*" *ruptilinea* (Walker,1857)** (Noctuidae) Synonym(s): *ruptilinea* Walker,1857 Range (in code): **ZA Nta Kzu Dbn**
- 56310. "*Lycophotia*" *ecvinacea* Hampson,1903** (Noctuidae) Synonym(s): *ecvinacea* Hampson,1903 _ Range (in code): **ZA**
- 56311. "*Lycophotia*" *melanephra* Hampson,1909** (Noctuidae) Synonym(s): *melanephra* Hampson,1909 _ Range (in code): **ZA**
- 56312. "*Lycophotia*" *postventa* (Geyer,1837)** (Noctuidae) Synonym(s): *postventa* Geyer,1837 Range (in code): **ZA**
- 56313. "*Mamestra*" *catephiodes* Walker,1865** (Noctuidae) Synonym(s): *catephiodes* Walker,1865 Range (in code): **ZA**
- 56314. "*Meganola*" *basalactifera* Holloway,2003** (Noctuidae) Synonym(s): *basalactifera* Holloway,2003 _ Range (in code): **IN Ass Meg Khs MY Bor Swk BN**

- 56315. "Meganola" flexilineata (Wileman,1916)** (Noctuidae) Synonym(s): *flexilineata* Wileman,1916 _ Range (in code): ID Crm Clb MY Bor BN PH
- 56316. "Meganola" manoboides Holloway,2003** (Noctuidae) Synonym(s): *manoboides* Holloway,2003 _ Range (in code): IN MY Bor Sbh
- 56317. "Meganola" scriptoides Holloway,2003** (Noctuidae) Synonym(s): *scriptoides* Holloway,2003 _ Range (in code): MY Bor Swk ID Ja
- 56318. "Meganola" triangularis (Leech,1888)** (Noctuidae) Synonym(s): *triangularis* Leech,1888 _ Range (in code): IN MY Bor JP TW
- 56319. "Miana" adactricula Guenée,1852** (Noctuidae) Synonym(s): *adactricula* Guenée,1852 _ Range (in code): ET
- 56320. "Ophiodes" wahlbbergi Wallengren,1856** (Noctuidae) Synonym(s): *wahlbbergi* Wallengren,1856 _ Range (in code): ZA
- 56321. "Pardasena" verna (Hampson,1902)** (Noctuidae) Synonym(s): *verna* Hampson,1902 _ Range (in code): IN MM ID Crm Clb Bli MY Bor Swk
- 56322. "Perigea" bicyclata Gaede,1915** (Noctuidae) Synonym(s): *bicyclata* Gaede,1915 _ Range (in code): ZA
- 56323. "Perigea" grandirena (Hampson,1902)** (Noctuidae) Synonym(s): *grandirena* Hampson,1902 _ Range (in code): ZA Nta Kzu Dbn
- 56324. "Perigea" quadrimacula (Mabille,1900)** (Noctuidae) Synonym(s): *quadrimacula* Mabille,1900 _ Range (in code): ZA Nta Kzu Umk
- 56325. "Plusia" ablusa R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *ablusa* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Nta Kzu Est Ec Kny
- 56326. "Plusia" angulum Guenée,1852** (Noctuidae) Synonym(s): *angulum* Guenée,1852 _ Range (in code): ZA Nta Kzu Est Dbn Ec
- 56327. "Plusia" aranea Hampson,1909** (Noctuidae) Synonym(s): *aranea* Hampson,1909 _ Range (in code): ZA
- 56328. "Plusia" argyrodonta Hampson,1910** (Noctuidae) Synonym(s): *argyrodonta* Hampson,1910 _ Range (in code): ZA
- 56329. "Plusia" clarki Hampson,1900** (Noctuidae) Synonym(s): *clarki* Hampson,1900 _ Range (in code): ZA
- 56330. "Plusia" dalei Wollaston,1879** (Noctuidae) Synonym(s): *dalei* Wollaston,1879 _ Range (in code): ZA
- 56331. "Plusia" distalagma (Hampson,1913)** (Noctuidae) Synonym(s): *distalagma* Hampson,1913 _ Range (in code): ZA
- 56332. "Plusia" euchroa (Hampson,1918)** (Noctuidae) Synonym(s): *euchroa* Hampson,1918 _ Range (in code): ZA
- 56333. "Plusia" euchroides Carcasson,1965** (Noctuidae) Synonym(s): *euchroides* Carcasson,1965 _ Range (in code): ZA
- 56334. "Plusia" geminipuncta Hampson,1902** (Noctuidae) Synonym(s): *geminipuncta* Hampson,1902 _ Range (in code): ZA Nta Kzu
- 56335. "Plusia" guenei Wallengren,1865** (Noctuidae) Synonym(s): *guenei* Wallengren,1865 _ Range (in code): ZA
- 56336. "Plusia" lavendula Hampson,1902** (Noctuidae) Synonym(s): *lavendula* Hampson,1902 _ Range (in code): ZA Ec
- 56337. "Plusia" melanocephala Möschler,1883** (Noctuidae) Synonym(s): *melanocephala* Möschler,1883 _ Range (in code): ZA Ec
- 56338. "Plusia" rectilinea Wallengren,1865** (Noctuidae) Synonym(s): *rectilinea* Wallengren,1865 _ Range (in code): ZA
- 56339. "Plusia" tetrastigma Hampson,1910** (Noctuidae) Synonym(s): *tetrastigma* Hampson,1910 _ Range (in code): ZA
- 56340. "Plusia" violascens (Hampson,1913)** (Noctuidae) Synonym(s): *violascens* Hampson,1913 _ Range (in code): ZA
- 56341. "Polia" cuprescens Hampson,1905** (Noctuidae) Synonym(s): *cuprescens* Hampson,1905 _ Range (in code): ZA
- 56342. "Rhizotype" palliata W.Warren,1914** (Noctuidae) Synonym(s): *palliata* W.Warren,1914 _ Range (in code): ZA

- 56343. "Tarache" sphaerophora Hampson,1914** (Noctuidae) Synonym(s): *sphaerophora Hampson,1914* - Range (in code): **NG**
- 56344. "Thalpochares" aquamilinea R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *aquamilinea R.Felder & Rogenhofer,1874* - Range (in code): **ZA**
- 56345. "Thalpochares" caffrorum Wallengren,1860** (Noctuidae) Synonym(s): *caffrorum Wallengren,1860* - Range (in code): **ZA**
- 56346. "Trachea" normalis Hampson,1914** (Noctuidae) Synonym(s): *normalis Hampson,1914* - Range (in code): **ZA Tva Gau Pre ZW Bul**
- 56347. "Trachea" oxyla (Fawcett,1917)** (Noctuidae) Synonym(s): *oxyla Fawcett,1917; lobisemastis Hampson,1918* - Range (in code): **TZ ZA Kzu Nta**
- 56348. "Urbona" chlorocrota (Hampson,1907)** (Noctuidae) Synonym(s): *chlorocrota Hampson,1907* - Range (in code): **LK IN MY Bor BN ID Ja Crm Sly Clb** Bionomy: Larva on Vanda, Dendrobium, Phalaenopsis (Orchidaceae); Arachis (Fabaceae) (Kalshoven,1981 et seq.).
- 56349. Ableptina nubifera (Hampson,1902)** (Noctuidae) Synonym(s): *nubifera Hampson,1902* - Range (in code): **ZA**
- 56350. Abrostola agnorista Dufay,1956** (Noctuidae) Synonym(s): *agnorista Dufay,1956* Original Reference: *Abrostola agnorista* Dufay,1956, Revue fr. Lépid. 15: 152. Holotype ♂: [France]: Provence: Nice. Range (in code): **FR Co Si IT CH HU RO YU AL BG GR TR RU Cc Ich IR Elb Gls KK Skm**
- 56351. Abrostola anophioides Moore,1882** (Noctuidae) Synonym(s): *anophioides Moore,1882; crinita Dufay,1957* - Range (in code): **TH CMa Php MM VN IN Djl SI NP CN TW**
- 56352. Abrostola asclepiadis (Lang,1789)** (Noctuidae) Synonym(s): *#asclepiadis [Denis & Schiffermüller],1775; asclepiadis Lang,1789.* Original Reference: *Phalaena asclepiadis* Lang,1789, Verz. Schmett. Augsb.: 155. Range (in code): **PT ES FR IT MT BE DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK SE FI EE LV LT RU Ro Kr Nt Ich MD UA BY IR Fa** Bionomy: Larva on Vincetoxicum officinale (Beck,1960).
- 56353. Abrostola bettoni Dufay,1958** (Noctuidae) Synonym(s): *bettoni Dufay,1958* - Range (in code): **KE DJ DJ44**
- 56354. Abrostola brevipennis (Walker,1858)** (Noctuidae) Synonym(s): *brevipennis Walker,1858* - Range (in code): **ZA Nta Kzu Dbn KE Nai DJ DJ44**
- 56355. Abrostola brevipennis brevipennis (Walker,1858)** (Noctuidae) Synonym(s): *brevipennis Walker,1858* - Range (in code): **ZA Nta Kzu Dbn**
- 56356. Abrostola brevipennis nairobiensis Dufay,1958** (Noctuidae) Synonym(s): *#uniformis Strand,1917; nairobiensis Dufay,1958* Original Reference: *Abrostola brevipennis* ssp. *nairobiensis* Dufay,1958, Bull. Inst. fr. Afr. noire (A) 20: 206, figs. Holotype: Kenia: Nairobi. Range (in code): **KE Nai DJ DJ44**
- 56357. Abrostola canariensis Hampson,1913** (Noctuidae) Synonym(s): *canariensis Hampson,1913* - Range (in code): **Cn**
- 56358. Abrostola clarissa (Staudinger,1900)** (Noctuidae) Synonym(s): *clarissa Staudinger,1900* Original Reference: *Plusia triplasia* var. *clarissa* Staudinger,1900, Dt. ent. Z., Iris 12: 381. Syntypes 5♂ 3♀: [Türkei]: Amasia, Mardin, Eibes [Akbes]; [Israel]: Jerusalem. Range (in code): **TR IL Js Pa LB Bsa IQ Dk Ama IR Elb Ab Oru Khy Ak Aha Kdj Th Se Kh Es By Mz Dam Kdj Fa SY RU Cc Ich Ing Da AF TM**
- 56359. Abrostola confusa Dufay,1958** (Noctuidae) Synonym(s): *confusa Dufay,1958* - Range (in code): **ML**
- 56360. Abrostola congolensis Dufay,1958** (Noctuidae) Synonym(s): *congolensis Dufay,1958* - Range (in code): **ZR**
- 56361. Abrostola fallax Dufay,1975** (Noctuidae) Synonym(s): *fallax Dufay,1975* - Range (in code): **CM**
- 56362. Abrostola hyrcanica Hacker,2002** (Noctuidae) Synonym(s): *hyrcanica Hacker,2002* - Range (in code): **IR Elb Mz Clu Gor Ab Oru Ak Aha Ar Gh Gls Se Qz**
- 56363. Abrostola kaszabi Dufay,1971** (Noctuidae) Synonym(s): *kaszabi Dufay,1971* - Range (in code): **MN**
- 56364. Abrostola marmorea Dufay,1958** (Noctuidae) Synonym(s): *marmorea Dufay,1958* - Range (in code): **KE Nai**
- 56365. Abrostola obliqua Dufay,1958** (Noctuidae) Synonym(s): *obliqua Dufay,1958* - Range (in code): **ET ET204**

- 56366. *Abrostola obscura* Dufay,1958** (Noctuidae) Synonym(s): *obscura* Dufay,1958 _ Range (in code): CN Yu Lik
- 56367. *Abrostola oculea* Dufay,1958** (Noctuidae) Synonym(s): *oculea* Dufay,1958 _ Range (in code): ZA
- 56368. *Abrostola pulverea* Dufay,1958** (Noctuidae) Synonym(s): *pulverea* Dufay,1958 _ Range (in code): TZ Kmj
- 56369. *Abrostola rougeoti* Dufay,1977** (Noctuidae) Synonym(s): *rougeoti* Dufay,1977 Original Reference: *Abrostola rougeoti* Dufay,1977, [in] P.-C.Rougeot, Mém.Mus. Nat. Hist. Nat. (N.S.) A (Zool.) 105: 45-47, pl.5 fig.45. Holotype ♂: Ethiopie: env. de Koffole, 1800-2000m, 9.xi.1973 (MNHNP). Range (in code): ET ET24 Ars ET196
- 56370. *Abrostola schintlmeisteri* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *schintlmeisteri* Behounek & L.Ronkay,1999 _ Range (in code): PH Luz
- 56371. *Abrostola sugii* Dufay,1960** (Noctuidae) Synonym(s): *sugii* Dufay,1960 _ Range (in code): JP
- 56372. *Abrostola suisharyonis* Strand,1920** (Noctuidae) Synonym(s): *suisharyonis* Strand,1920 Range (in code): TW NP IN
- 56373. *Abrostola suisharyonis robertsi* Dufay,1971** (Noctuidae) Synonym(s): *robertsi* Dufay,1971 _ Range (in code): IN NP
- 56374. *Abrostola triopis* (Hampson,1902)** (Noctuidae) Synonym(s): *triopis* Hampson,1902 Range (in code): ZA Nta Kzu Dbn Ec
- 56375. *Abrostola tripartita* (Hufnagel,1766)** (Noctuidae) Synonym(s): *tripartita* Hufnagel,1766; *conspicillum* Retzius,1783; *urticae* Hübner,[1817] Original Reference: *Phalaena tripartita* Hufnagel,1766, Berlin. Mag. 3 (4): 414. Type: Berlin. Range (in code): DZ Agi PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Mng Lag Cc Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY KK TeA Ax Na TrA Ik IR Ab Mak Ar Gh Mz Elb
- 56376. *Abrostola triplasia* (Linnaeus,1758)** (Noctuidae) Synonym(s): *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. Original Reference: *Phalaena triplasia* Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa]. Range (in code): DZ Clo PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Bku Lag Mng Cc Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY IR Elb Mz Bionomy: Larva on Parietaria, Urtica (Mann,1862; Calle et al., 2000).
- 56377. *Abrostola ussuriensis* Dufay,1958** (Noctuidae) Synonym(s): *ussuriensis* Dufay,1958 Range (in code): RU Us
- 56378. *Abrostola violacea* Dufay,1958** (Noctuidae) Synonym(s): *violacea* Dufay,1958 _ Range (in code): TZ Aus
- 56379. *Aburina chrysa* Gaede,1940** (Noctuidae) Synonym(s): *chrysa* Gaede,1940 _ Range (in code): CM
- 56380. *Aburina coerulescens* Hampson,1926** (Noctuidae) Synonym(s): *coerulescens* Hampson,1926 _ Range (in code): ZA MW Mje
- 56381. *Aburina dufayi* Viette,1979** (Noctuidae) Synonym(s): *dufayi* Viette,1979 _ Range (in code): MG
- 56382. *Aburina electa* Karsch,1896** (Noctuidae) Synonym(s): *electa* Karsch,1896 _ Range (in code): CM Yau
- 56383. *Aburina endoxantha* Hampson,1926** (Noctuidae) Synonym(s): *endoxantha* Hampson,1926 _ Range (in code): ZR
- 56384. *Aburina exangulata* Gaede,1940** (Noctuidae) Synonym(s): *exangulata* Gaede,1940 Range (in code): CM
- 56385. *Aburina jucunda* Karsch,1896** (Noctuidae) Synonym(s): *jucunda* Karsch,1896 _ Range (in code): TG
- 56386. *Aburina leucocharagma* Hampson,1926** (Noctuidae) Synonym(s): *leucocharagma* Hampson,1926 _ Range (in code): GH
- 56387. *Aburina morosa* (Holland,1920)** (Noctuidae) Synonym(s): *morosa* Holland,1920 Range (in code): ZR Mdj
- 56388. *Aburina multilineata* (Holland,1920)** (Noctuidae) Synonym(s): *multilineata* Holland,1920 Range (in code): ZR Mdj
- 56389. *Aburina phoenocrosmena* Hampson,1926** (Noctuidae) Synonym(s): *phoenocrosmena* Hampson,1926 _ Range (in code): GH

- 56390. *Aburina poliophaea* Hampson,1926** (Noctuidae) **Synonym(s):** *poliophaea* Hampson,1926
Range (in code): **ZA MW Mje**
- 56391. *Aburina sobrina* Möschler,1887** (Noctuidae) **Synonym(s):** *sobrina* Möschler,1887
Range (in code): **GH**
- 56392. *Aburina tetragramma* Hampson,1926** (Noctuidae) **Synonym(s):** *tetragramma* Hampson,1926
Range (in code): **NG**
- 56393. *Aburina transversata* (Holland,1920)** (Noctuidae) **Synonym(s):** *transversata* Holland,1920
Range (in code): **GA Ogo**
- 56394. *Aburina uncinata* Berio,1974** (Noctuidae) **Synonym(s):** *uncinata* Berio,1974
Range (in code): **ZR**
- 56395. *Aburina uniformis* (Swinhoe,1919)** (Noctuidae) **Synonym(s):** *uniformis* Swinhoe,1919
Range (in code): **ID Sum IN TH Nan Dpk**
- 56396. *Acaenica diaperas* Hampson,1918** (Noctuidae) **Synonym(s):** *diaperas* Hampson,1918
Range (in code): **ZA MZ**
- 56397. *Acanthodelta distriga* Hampson,1908** (Noctuidae) **Synonym(s):** *distriga* Hampson,1908
Range (in code): **ZA**
- 56398. *Acanthofrontia lithosiana* Hampson,1910** (Noctuidae) **Synonym(s):** *lithosiana* Hampson,1910
Range (in code): **KE**
- 56399. *Acantholipes acephala* Strand,1912** (Noctuidae) **Synonym(s):** *acephala* Strand,1912
Range (in code): **CG**
- 56400. *Acantholipes aurea* Berio,1966** (Noctuidae) **Synonym(s):** *aurea* Berio,1966
Range (in code): **SN**
- 56401. *Acantholipes circumdata* (Walker,1858)** (Noctuidae) **Synonym(s):** *circumdata* Walker,1858; *vetustalis* Walker,[1866]; *flavisigna* Moore,1881
Range (in code): **NG ZR Sk KE MW MZ Del PK Sd Krc IN Bba IR Ss Chh Hz B-A AF Dwe Ca ZA EG Sn**
- 56402. *Acantholipes circumdata affinis* (Butler,1880)** (Noctuidae) **Synonym(s):** *affinis* Butler,1880
Range (in code): **PK Sd Krc IR Ss Chh Hz B-A AF Dwe Ca IN Bba**
- 56403. *Acantholipes circumdata circumdata* (Walker,1858)** (Noctuidae) **Synonym(s):** *circumdata* Walker,1858; *vetustalis* Walker,[1866]; *flavisigna* Moore,1881
Range (in code): **NG ZR Sk KE MW MZ Del ZA EG Sn**
- 56404. *Acantholipes curvilinea* Leech,1900** (Noctuidae) **Synonym(s):** *curvilinea* Leech,1900
Range (in code): **CN**
- 56405. *Acantholipes hypenoides* Moore,1881** (Noctuidae) **Synonym(s):** *hypenoides* Moore,1881; *magniplaga* Swinhoe,1905
Range (in code): **IN SI Djl Ass Khs TH CMa Fn Php Nan Dpk**
- 56406. *Acantholipes larentioides* Strand,1920** (Noctuidae) **Synonym(s):** *larentioides* Strand,1920
Range (in code): **TW**
- 56407. *Acantholipes namacensis* (Guenée,1852)** (Noctuidae) **Synonym(s):** *namacensis* Guenée,1852
Range (in code): **ZA**
- 56408. *Acantholipes plecopteroides* Strand,1920** (Noctuidae) **Synonym(s):** *plecopteroides* Strand,1920
Range (in code): **TW**
- 56409. *Acantholipes plumbeonitens* Hampson,1926** (Noctuidae) **Synonym(s):** *plumbeonitens* Hampson,1926
Range (in code): **AO**
- 56410. *Acantholipes regularis* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *regularis* Hübner,[1813]
Original Reference: *Noctua regularis* Hübner,[1813], Samml. eur. Schmett. 2, Noctuae: Taf.128 fig.588 Type(s): Europa.
Range (in code): **Cr RU Ro St Ich Da MD UA BY TR GG Smt Akh Cc AZ Kir Der IQ Agh Dk Bgd Dia Ry Rwz Brs TM CN Ui Ku Ga IR Fa Bk Elb Mz GlS Km Kd Snj Sse Ss Kuh Kh AF Srb SY IL Pa SA KG Tks Tk Dj Aa UZ N-A**
Bionomy: Larva on *Glycyrrhiza glandulifera* (Romanoff,1885; Meyer,1919; Wiltshire,1957).
- 56411. *Acantholipes regularis hilaris* Schawerda,1929** (Noctuidae) **Synonym(s):** *hilaris* Schawerda,1929
Range (in code): **TM CN Ui Ku Ga KG Tks Tk Dj Aa UZ N-A**
- 56412. *Acantholipes regularis regularis* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *regularis* Hübner,[1813]
Original Reference: *Noctua regularis* Hübner,[1813], Samml. eur. Schmett. 2, Noctuae: Taf.128 fig.588 Type(s): Europa.
Range (in code): **Cr RU Ro St Ich Da Der AZ Kir Cc MD UA BY TR IQ Bgd Dia Ry Rwz Brs IR Fa Bk Elb Mz GlS Km Kd Snj Sse Ss Kuh Kh AF Srb**
Bionomy: Larva on *Glycyrrhiza glandulifera* (Romanoff,1885; Meyer,1919; Wiltshire,1957).
- 56413. *Acantholipes regulatrix* Wiltshire,1961** (Noctuidae) **Synonym(s):** *regulatrix* Wiltshire,1961
Range (in code): **AF Srb IR Kz**

- 56414. *Acantholipes semiaurea* Berio,1966** (Noctuidae) **Synonym(s):** *semiaurea* Berio,1966
Range (in code): **SN**
- 56415. *Acantholipes singularis* Gerasimov,1931** (Noctuidae) **Synonym(s):** *singularis* Gerasimov,1931
Range (in code): **RU**
- 56416. *Acantholipes tenuipoda* Strand,1920** (Noctuidae) **Synonym(s):** *tenuipoda* Strand,1920
Range (in code): **TW**
- 56417. *Acantholipes trajecta* (Walker,1865)** (Noctuidae) **Synonym(s):** *trajecta* Walker,1865; *inconspicua* Butler,1880; *trifasciata* Moore,[1885]
Range (in code): **ZA TW LK IN CN JP Ri VN TH Nan Dpk**
- 56418. *Acantholipes transiens* Berio,1955** (Noctuidae) **Synonym(s):** *transiens* Berio,1955
Range (in code): **MG**
- 56419. *Acantholipes trimeni* R.Felder & Rogenhofer,1874** (Noctuidae) **Synonym(s):** *trimeni* R.Felder & Rogenhofer,1874
Range (in code): **ZW Har BW Nga ZA Nta Kzu Est**
- 56420. *Acantuerta thomensis* (Jordan,1904)** (Noctuidae) **Synonym(s):** *thomensis* Jordan,1904
Range (in code): **ST**
- 56421. *Achaea albicilia* (Walker,1858)** (Noctuidae) **Synonym(s):** *albicilia* Walker,1858
Range (in code): **SL CG ZA Nta Kzu**
- 56422. *Achaea albifimbria* (Walker,1869)** (Noctuidae) **Synonym(s):** *albifimbria* Walker,1869; *apiciplaga* Holland,1894
Range (in code): **GA Ogo**
- 56423. *Achaea albilimba* Berio,1954** (Noctuidae) **Synonym(s):** *albilimba* Berio,1954
Range (in code): **ZR Itu**
- 56424. *Achaea apinigra* Laporte,1979** (Noctuidae) **Synonym(s):** *apinigra* Laporte,1979
Range (in code): **TZ Usa**
- 56425. *Achaea atrimacula* Gaede,1917** (Noctuidae) **Synonym(s):** *atrimacula* Gaede,1917
Range (in code): **TZ Usa Tnga Ani**
- 56426. *Achaea balteata* De Joannis,1912** (Noctuidae) **Synonym(s):** *balteata* De Joannis,1912
Range (in code): **MG**
- 56427. *Achaea basalis* Berio,1954** (Noctuidae) **Synonym(s):** *basalis* Berio,1954
Range (in code): **ZR Lsb**
- 56428. *Achaea basilewskyi* Berio,1954** (Noctuidae) **Synonym(s):** *basilewskyi* Berio,1954
Range (in code): **ZR Lsb**
- 56429. *Achaea bergeri* Berio,1954** (Noctuidae) **Synonym(s):** *bergeri* Berio,1954
Range (in code): **ZR Skr**
- 56430. *Achaea boris* (Geyer,1837)** (Noctuidae) **Synonym(s):** *boris* Geyer,1837; *mundissima* Walker,1858; *senior* Walker,1858; *sinistra* Mabilie,1880; *debilis* Holland,1894
Range (in code): **ZA Nta Kzu SL CI NG Caa GA Ogo**
- 56431. *Achaea busira* Strand,1918** (Noctuidae) **Synonym(s):** *busira* Strand,1918
Range (in code): **ZR Bsi**
- 56432. *Achaea canuta* Berio,1978** (Noctuidae) **Synonym(s):** *canuta* Berio,1978
Range (in code): **KE**
- 56433. *Achaea catella* Guenée,1852** (Noctuidae) **Synonym(s):** *catella* Guenée,1852; *#catilla* Butler,1879
Range (in code): **SH LS SA ZR SN EG ER ET Sk RE MU SC GH GM MW MR NE NG SN SO SD ZM TZ UG KE ZW Har BW Nga ZA Tva Lpo Spb Mdk Nta Kzu YE Sk Ad IR Bu AE OM**
Bionomy: Larva on Bauhinia (Fabaceae); castor oil, Lonchocarpus, Tamarindus, Eucalyptus (Pinhey).
- 56434. *Achaea chrysopera* Druce,1912** (Noctuidae) **Synonym(s):** *chrysopera* Druce,1912
Range (in code): **ZA TZ Dss**
- 56435. *Achaea cupreitincta* Hampson,1918** (Noctuidae) **Synonym(s):** *cupreitincta* Hampson,1918
Range (in code): **UG Eth**
- 56436. *Achaea cyanobathra* A.E.Prout,1919** (Noctuidae) **Synonym(s):** *cyanobathra* A.E.Prout,1919
Range (in code): **CM Bit**
- 56437. *Achaea cymatias* A.E.Prout,1919** (Noctuidae) **Synonym(s):** *cymatias* A.E.Prout,1919
Range (in code): **CM Bit**
- 56438. *Achaea dallolmoi* Berio,1974** (Noctuidae) **Synonym(s):** *dallolmoi* Berio,1974
Range (in code): **TZ Iko**
- 56439. *Achaea dasybasis* Hampson,1913** (Noctuidae) **Synonym(s):** *dasybasis* Hampson,1913
Range (in code): **ZA Nta Kzu ZW ZM**

- 56440. *Achaea dejeanii* (Boisduval,1833)** (Noctuidae) **Synonym(s):** *dejeanii* Boisduval,1833; *madagascariensis* Guenée,1852; *orea* Mabilie,1881 _ Range (in code): **MG**
- 56441. *Achaea determinata* A.E.Prout,1921** (Noctuidae) **Synonym(s):** *determinata* A.E.Prout,1921
Range (in code): **CF**
- 56442. *Achaea diplographa* Hampson,1913** (Noctuidae) **Synonym(s):** *diplographa* Hampson,1913
Range (in code): **KM**
- 56443. *Achaea dmoe* L.B.Prout,1919** (Noctuidae) **Synonym(s):** *dmoe* L.B.Prout,1919 _ Range (in code): **MG**
- 56444. *Achaea durfa* Plötz,1880** (Noctuidae) **Synonym(s):** *durfa* Plötz,1880 _ Range (in code): **CM**
- 56445. *Achaea ebenau* (Saalmüller,1880)** (Noctuidae) **Synonym(s):** *ebenau* Saalmüller,1880
Range (in code): **MG**
- 56446. *Achaea echo* (Walker,1858)** (Noctuidae) **Synonym(s):** *echo* Walker,1858; *mariaca* Plötz,1880
Range (in code): **ZA Tva Mpu Ly Lpo Nta Kzu Dbn ZW Uma SL GH**
- 56447. *Achaea euryplaga* (Hampson,1913)** (Noctuidae) **Synonym(s):** *euryplaga* Hampson,1913
Range (in code): **MG**
- 56448. *Achaea eusciasta* Hampson,1913** (Noctuidae) **Synonym(s):** *eusciasta* Hampson,1913
Range (in code): **SG MY**
- 56449. *Achaea ezea* (Cramer,1779)** (Noctuidae) **Synonym(s):** *ezea* Cramer,1779; *hircus* Fabricius,1794; *leona* R.Felder & Rogenhofer,1874; *thomensis* A.E.Prout,1927 _ Range (in code): **ZA ST**
- 56450. *Achaea ezeoides* Strand,1915** (Noctuidae) **Synonym(s):** *ezeoides* Strand,1915 _ Range (in code): **CM**
- 56451. *Achaea faber* Holland,1894** (Noctuidae) **Synonym(s):** *faber* Holland,1894 _ Range (in code): **ZA Nta Kzu Dbn SL MG NG Caa GA Ogo**
- 56452. *Achaea ferreotincta* Hampson,1918** (Noctuidae) **Synonym(s):** *ferreotincta* Hampson,1918
Range (in code): **MW Mje**
- 56453. *Achaea finita* (Guenée,1852)** (Noctuidae) **Synonym(s):** *finita* Guenée,1852; *limbata* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA ZR ZW Har MZ Del Nta Kzu MG RE MU**
- 56454. *Achaea flexuosa* A.E.Prout,1927** (Noctuidae) **Synonym(s):** *flexuosa* A.E.Prout,1927
Range (in code): **ST**
- 56455. *Achaea fontainei* Berio,1956** (Noctuidae) **Synonym(s):** *fontainei* Berio,1956 _ Range (in code): **ZR Skr**
- 56456. *Achaea fulminans* Rebel,1915** (Noctuidae) **Synonym(s):** *fulminans* Rebel,1915 _ Range (in code): **WS**
- 56457. *Achaea illustrata* Walker,1858** (Noctuidae) **Synonym(s):** *illustrata* Walker,1858; *mabillii* Saalmüller,1879 _ Range (in code): **ZA Nta Kzu Dbn SL NG YE**
- 56458. *Achaea imperatrix* Saalmüller,1881** (Noctuidae) **Synonym(s):** *imperatrix* Saalmüller,1881
Range (in code): **MG**
- 56459. *Achaea indeterminata* (Walker,1865)** (Noctuidae) **Synonym(s):** *indeterminata* Walker,1865; *demta* Möschler,1883 _ Range (in code): **ZA Nta Kzu Dbn Est Ec**
- 56460. *Achaea indicabilis* Walker,1858** (Noctuidae) **Synonym(s):** *indicabilis* Walker,1858
Range (in code): **SL**
- 56461. *Achaea infinita* (Guenée,1852)** (Noctuidae) **Synonym(s):** *infinita* Guenée,1852 _ Range (in code): **ZA MU**
- 56462. *Achaea intercisa* Walker,1865** (Noctuidae) **Synonym(s):** *intercisa* Walker,1865 _ Range (in code): **SL**
- 56463. *Achaea intermedia* Wallengren,1856** (Noctuidae) **Synonym(s):** *intermedia* Wallengren,1856 _ Range (in code): **ZA**
- 56464. *Achaea jamesoni* L.B.Prout,1919** (Noctuidae) **Synonym(s):** *jamesoni* L.B.Prout,1919
Range (in code): **ZR**
- 56465. *Achaea janata* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *janata* Linnaeus,1758; *melicerta* Drury,1773; *tigrina* Fabricius,1775; *transversii* Fereday,1877; *ekeikei* Bethune-Baker,1906 **Original Reference:** *Phalaena janata* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 527. Type: Indiis (LS). Range (in code): **WS PC TO EL NH PG AU MY PK Cp LK Cbo Kndy Tcm IN Bba NC NF FJ NZ TH Bnk CMa Cuo Cuo6 Cuo7 CDo Nrt Knc Sbu Ray Nth VN NP CN TW JP PH KP KR** **Bionomy:** Larva on *Nephelium lappaceum*, *Litchi chinensis* (Sapindaceae), *Ricinus communis*, *Phyllanthus acidis*, *Codiaenum variegatum* (Euphorbiaceae), *Tribulus terrestris* (Zygophyllaceae), *Bischofia javanica*

- (Bischofiaceae), Rosa (Rosaceae), Punica granatum (Punicaceae), Diospyros rhodocalis (Ebenaceae), Ipomoea purpure (Convolvulaceae) (Kuroko & Lewvanich,1993).
- 56466. *Achaea joiceyi* A.E.Prout,1921** (Noctuidae) Synonym(s): *joiceyi* A.E.Prout,1921 _ Range (in code): CI
- 56467. *Achaea lanipes* Hulstaert,1924** (Noctuidae) Synonym(s): *lanipes* Hulstaert,1924 Range (in code): ID Kai
- 56468. *Achaea lenzi* Saalmüller,1881** (Noctuidae) Synonym(s): *lenzi* Saalmüller,1881 _ Range (in code): MG
- 56469. *Achaea leucopasa* Walker,1858** (Noctuidae) Synonym(s): *leucopasa* Walker,1858; *karschi* Pagenstecher,1907 _ Range (in code): MG
- 56470. *Achaea leucopera* Druce,1912** (Noctuidae) Synonym(s): *leucopera* Druce,1912 _ Range (in code): CM Bit
- 56471. *Achaea lienardi* (Boisduval,1833)** (Noctuidae) Synonym(s): *lienardi* Boisduval,1833; *cebreana* Guenée,1852; *chamaeleon* Guenée,1852; *zabulon* Guenée,1852; *spectatura* Walker,1858; *ophismoides* Walker,1869; *partita* Walker,1869; *hilaris* Plötz,1880; *locra* Plötz,1880; *externesignata* Saalmüller,1880. Range (in code): ZA Tva Lpo Spb Mdk Nta Kzu Est Dbn Ver Ec Grh SL NG ZR EG KE TZ UG
- 56472. *Achaea mercatoria* (Fabricius,1775)** (Noctuidae) Synonym(s): *mercatoria* Fabricius,1775; *vulpina* Fabricius,1794; *ino* Hübner,[1823]; *accelerans* Walker,1858 _ Range (in code): MZ ZA IN LK ID Ja Sum TH? VN MY
- 56473. *Achaea mezentia* (Stoll,1780)** (Noctuidae) Synonym(s): *mezentia* Stoll,1780; *reversa* Walker,1858; *lugens* Walker,1865 _ Range (in code): LK Kndy Pdy Dek IN
- 56474. *Achaea monodi* Laporte,1975** (Noctuidae) Synonym(s): *monodi* Laporte,1975 _ Range (in code): ET ET24 ET196 ET204
- 56475. *Achaea mormoides* Walker,1858** (Noctuidae) Synonym(s): *mormoides* Walker,1858; *mania* R.Felder & Rogenhofer,1874; *schuetzei* Bryk,1915 _ Range (in code): NG Caa ZA Nta Kzu Dbn
- 56476. *Achaea nigristriata* Laporte,1979** (Noctuidae) Synonym(s): *nigristriata* Laporte,1979 Range (in code): TZ Usa Tnga
- 56477. *Achaea obvia* Hampson,1913** (Noctuidae) Synonym(s): *obvia* Hampson,1913 _ Range (in code): ZA CM UG Rz ET ET204 NG MW
- 56478. *Achaea obvia angustifascia* D.S.Fletcher,1963** (Noctuidae) Synonym(s): *angustifascia* D.S.Fletcher,1963 _ Range (in code): ZA CM UG Rz ET ET204 MW
- 56479. *Achaea oedipodina* Mabille,1879** (Noctuidae) Synonym(s): *oedipodina* Mabille,1879 Range (in code): MG
- 56480. *Achaea orthogramma* (Mabille,1879)** (Noctuidae) Synonym(s): *orthogramma* Mabille,1879; *sarcopasa* Druce,1912 _ Range (in code): MG
- 56481. *Achaea phaeobasis* Hampson,1913** (Noctuidae) Synonym(s): *phaeobasis* Hampson,1913 Range (in code): SD
- 56482. *Achaea poliopasta* Hampson,1913** (Noctuidae) Synonym(s): *poliopasta* Hampson,1913 Range (in code): CM
- 56483. *Achaea praestans* Guenée,1852** (Noctuidae) Synonym(s): *praestans* Guenée,1852; *bryoxantha* Hampson,1902; *arabella* Bryk,1915; *#bryoxantha* Poole,1989 _ Range (in code): ZA Nta Kzu MZ Del MG
- 56484. *Achaea purpurascens* Holloway,1982** (Noctuidae) Synonym(s): *purpurascens* Holloway,1982 _ Range (in code): PG
- 56485. *Achaea radama* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *radama* R.Felder & Rogenhofer,1874 _ Range (in code): MG
- 56486. *Achaea regularidia* (Strand,1912)** (Noctuidae) Synonym(s): *regularidia* Strand,1912 Range (in code): TZ
- 56487. *Achaea renata* A.E.Prout,1927** (Noctuidae) Synonym(s): *renata* A.E.Prout,1927 _ Range (in code): NG
- 56488. *Achaea retrorsa* Hampson,1913** (Noctuidae) Synonym(s): *retrorsa* Hampson,1913 Range (in code): MG
- 56489. *Achaea robinsoni* Holloway,1982** (Noctuidae) Synonym(s): *robinsoni* Holloway,1982 Range (in code): FJ
- 56490. *Achaea rothkirchi* (Strand,1914)** (Noctuidae) Synonym(s): *rothkirchi* Strand,1914; *hypopolia* Hampson,1918; *ochrocraspeda* A.E.Prout,1921 _ Range (in code): CM SD MW Mje
- 56491. *Achaea rufobrunnea* Strand,1914** (Noctuidae) Synonym(s): *rufobrunnea* Strand,1914 Range (in code): ZA

- 56492. *Achaea russoi* Strand,1918** (Noctuidae) Synonym(s): *russoi* Strand,1918 _ Range (in code): ZR
- 56493. *Achaea saboeaereginae* Laporte,1975** (Noctuidae) Synonym(s): *saboeaereginae* Laporte,1975 _ Range (in code): ET ET204
- 56494. *Achaea sakaraha* Griveaud,1981** (Noctuidae) Synonym(s): *sakaraha* Griveaud,1981 Range (in code): MG
- 56495. *Achaea semiflava* Carcasson,1965** (Noctuidae) Synonym(s): *semiflava* Carcasson,1965 Range (in code): UG
- 56496. *Achaea serva* (Fabricius,1775)** (Noctuidae) Synonym(s): *serva* Fabricius,1775; *nubifera* Moore,1877; *#fuscossuffusa* Strand,1914 Original Reference: Noctua serva Fabricius,1775; Syst. Ent.: 593. Type(s): Nova Hollandia. Range (in code): WS TO LO PG MY LK Kndy Pdy IN Adm AU WS NC TH CMa Int MY VN NP CN TW JP YE ID Sum Tim Flo Sbw Clb GU NH
- 56497. *Achaea seyrigi* Griveaud,1981** (Noctuidae) Synonym(s): *seyrigi* Griveaud,1981 _ Range (in code): MG
- 56498. *Achaea sordida* (Walker,1865)** (Noctuidae) Synonym(s): *sordida* Walker,1865; *pretoriae* Distant,1892 _ Range (in code): ZA Tva Gau Pre Ec
- 56499. *Achaea stumpffi* Saalmüller,1880** (Noctuidae) Synonym(s): *stumpffi* Saalmüller,1880 Range (in code): MG
- 56500. *Achaea theata* D.S.Fletcher,1957** (Noctuidae) Synonym(s): *theata* D.S.Fletcher,1957 Range (in code): SB Re
- 56501. *Achaea thermopera* Hampson,1913** (Noctuidae) Synonym(s): *thermopera* Hampson,1913 Range (in code): NG Caa
- 56502. *Achaea tolnaodes* Berio,1956** (Noctuidae) Synonym(s): *tolnaodes* Berio,1956 _ Range (in code): ZA ZR
- 56503. *Achaea tornistigma* A.E.Prout,1921** (Noctuidae) Synonym(s): *tornistigma* A.E.Prout,1921 Range (in code): ZA RW
- 56504. *Achaea trapezoides* (Guenée,1862)** (Noctuidae) Synonym(s): *trapezoides* Guenée,1862 Range (in code): RE ZA
- 56505. *Achaea umbriger* Mabille,1898** (Noctuidae) Synonym(s): *umbriger* Mabille,1898 Range (in code): MU ZA
- 56506. *Achaea usitata* A.E.Prout,1927** (Noctuidae) Synonym(s): *usitata* A.E.Prout,1927 _ Range (in code): ST
- 56507. *Achaea violascens* Hampson,1918** (Noctuidae) Synonym(s): *violascens* Hampson,1918 Range (in code): ZW Har
- 56508. *Achaea xanthodera* (Holland,1894)** (Noctuidae) Synonym(s): *xanthodera* Holland,1894 Range (in code): GA Ogo
- 56509. *Acharya crassicornis* Moore,1882** (Noctuidae) Synonym(s): *crassicornis* Moore,1882 Range (in code): IN BD Syl
- 56510. *Acharya franconica* (Swinhoe,1903)** (Noctuidae) Synonym(s): *franconica* Swinhoe,1903; *#franconia* Kononenko & Pinratana,2005 _ Range (in code): ID Ja TH Tng
- 56511. *Achinola pyralidia* Hampson,1896** (Noctuidae) Synonym(s): *pyralidia* Hampson,1896 Original Reference: Achinola pyralidia Hampson,1896, Proc. zool. soc. London 1896: 259, pl.x fig.23. Type ♂: [Yemen]: "Aden (Nurse)". Range (in code): YE Ad
- 56512. *Acontia (Acontarache) bechuana* Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *bechuana* Hacker, Legrain & Fibiger,2008 _ Range (in code): BW ZA Gau Tva
- 56513. *Acontia (Acontarache) somaliensis* (Berio,1977)** (Noctuidae) Synonym(s): *somaliensis* Berio,1977 _ Range (in code): SO Mga
- 56514. *Acontia (Emmelia) amarei* Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *amarei* Hacker, Legrain & Fibiger,2008 _ Range (in code): ET Gm
- 56515. *Acontia (Emmelia) antica* Walker,1862** (Noctuidae) Synonym(s): *antica* Walker,1862; *acantina* Mabille,1900; *semiplumbea* Hampson,1902; *brabanti* Le Cerf,1911 _ Range (in code): ZA Nta Kzu NA AO BW NG KE TZ ET CF YE MG
- 56516. *Acontia (Emmelia) antica subtilis* Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *subtilis* Hacker, Legrain & Fibiger,2008 _ Range (in code): MG
- 56517. *Acontia (Emmelia) atripars* (Hampson,1914)** (Noctuidae) Synonym(s): *atripars* Hampson,1914 _ Range (in code): KE TZ
- 56518. *Acontia (Emmelia) aureola* Hacker,2007** (Noctuidae) Synonym(s): *aureola* Hacker,2007 Range (in code): NA

- 56519. Acontia (Emmelia) aurivillii Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *aurivillii* Hacker, Legrain & Fibiger, 2008 _ Range (in code): NA
- 56520. Acontia (Emmelia) basifera Walker, [1858]** (Noctuidae) Synonym(s): *basifera* Walker, [1858] _ Range (in code): SD Kht SA As YE YE3o OM SO ET KE TZ Mgr CM NE ML SN GM IN PK NP CV
- 56521. Acontia (Emmelia) basifera saotiagoensis Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *saotiagoensis* Hacker, Legrain & Fibiger, 2008 _ Range (in code): CV
- 56522. Acontia (Emmelia) basifera sudarabica Wiltshire, 1982** (Noctuidae) Synonym(s): *sudarabica* Wiltshire, 1982 _ Range (in code): SD SA As YE OM SO ET KE TZ CM NE ML SN GM
- 56523. Acontia (Emmelia) bellula Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *bellula* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ
- 56524. Acontia (Emmelia) bethunebakeri Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *bethunebakeri* Hacker, Legrain & Fibiger, 2008 _ Range (in code): AO
- 56525. Acontia (Emmelia) bicolora Leech, 1889** (Noctuidae) Synonym(s): *bicolora* Leech, 1889
Range (in code): JP TW
- 56526. Acontia (Emmelia) bidentata (Hampson, 1902)** (Noctuidae) Synonym(s): *bidentata* Hampson, 1902 _ Range (in code): ZW Har ZA Tva Lpo
- 56527. Acontia (Emmelia) binominata (Butler, 1892)** (Noctuidae) Synonym(s): *costalis* Walker, 1865 nec Wlk., [1858]; *binominata* Butler, 1892; *inquinata* W. Warren, 1913 _ Range (in code): PK Cp Sd Krc IN Mh Cu Bba Mad OM Dh IR Ss Chh Hz B-A SA YE Sna ET TZ KE
- 56528. Acontia (Emmelia) buchsbaumi Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *buchsbaumi* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ID Lb
- 56529. Acontia (Emmelia) burmana (Swinhoe, 1905)** (Noctuidae) Synonym(s): *burmana* Swinhoe, 1905 _ Range (in code): MM
- 56530. Acontia (Emmelia) callima (Bethune-Baker, 1911)** (Noctuidae) Synonym(s): *callima* Bethune-Baker, 1911 _ Original Reference: Cardiosace callima Bethune-Baker, 1911, Ann. Mag. nat. Hist. (8) 8: 525. Type ♂: Angola: "N'Dalla Tando, 2700ft (Ansorge)". Range (in code): AO CM ZR KE TZ
- 56531. Acontia (Emmelia) candefacta (Hübner, [1831])** (Noctuidae) Synonym(s): *candefacta* Hübner, [1831]; *haworthiana* Walker, [1858]; *debilis* Walker, [1858]; *neomexicana* Smith, 1900 _ Range (in code): US Tx Cf CA MX UA Cc RU Kr Ro
- 56532. Acontia (Emmelia) citrelinea (Bethune-Baker, 1911)** (Noctuidae) Synonym(s): *citrelinea* Bethune-Baker, 1911; *albida* Bethune-Baker, 1914 _ Range (in code): AO NG ML NE SN GN GH ZR UG
- 56533. Acontia (Emmelia) clerana Lower, 1901** (Noctuidae) Synonym(s): *clerana* Lower, 1901; *hieroglyphica* Lower, 1901; *#connexa* W. Warren, 1913; *#connecta* Strand, 1917 _ Range (in code): AU
- 56534. Acontia (Emmelia) conifrons Aurivillius, 1879** (Noctuidae) Synonym(s): *conifrons* Aurivillius, 1879 _ Range (in code): NA ZA Gau Mpu Tva Plo Spb ZW BW TZ
- 56535. Acontia (Emmelia) crocata (Guenée, 1852)** (Noctuidae) Synonym(s): *crocata* Guenée, 1852; *signifera* Walker, 1858 nec Wlk., 1858; *meridionalis* Walker, 1865; *scanda* R. Felder & Rogenhofer, 1874
Range (in code): FR IN LK MM BD NP PK Sd Krc TH VN ID Ja TW AU QAU
- 56536. Acontia (Emmelia) delphinensis (Viette, 1968)** (Noctuidae) Synonym(s): *delphinensis* Viette, 1968 _ Range (in code): MG
- 56537. Acontia (Emmelia) detrita Butler, 1886** (Noctuidae) Synonym(s): *detrita* Butler, 1886; *clarissa* Butler, 1886; *#pallidula* W. Warren, 1913 _ Range (in code): AU
- 56538. Acontia (Emmelia) detritoides Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *detritoides* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ID Lb
- 56539. Acontia (Emmelia) dichroa (Hampson, 1914)** (Noctuidae) Synonym(s): *dichroa* Hampson, 1914; *seminigra* Rebel, 1948 _ Range (in code): SD EG JE TZ KE ET DJ YE SA
- 56540. Acontia (Emmelia) ectorrida (Hampson, 1916)** (Noctuidae) Synonym(s): *ectorrida* Hampson, 1916 _ Range (in code): SO ET KE TZ ZW ZA Mpu Gau Tva Nta Kzu NA NG
- 56541. Acontia (Emmelia) elaeoa (Hampson, 1910)** (Noctuidae) Synonym(s): *elaeoa* Hampson, 1910 _ Range (in code): AU
- 56542. Acontia (Emmelia) esperiana Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *esperiana* Hacker, Legrain & Fibiger, 2008 _ Range (in code): BF
- 56543. Acontia (Emmelia) fascialis (Hampson, 1894)** (Noctuidae) Synonym(s): *fascialis* Hampson, 1894 _ Range (in code): IN Gs PK AF Nu Ch

- 56544. Acontia (Emmelia) fastrei Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *fastrei* Hacker, Legrain & Fibiger, 2008 _ Range (in code): NG CI
- 56545. Acontia (Emmelia) feae (Berio, 1937)** (Noctuidae) Synonym(s): *feae* Berio, 1937
Range (in code): CV
- 56546. Acontia (Emmelia) flavitermina (Hampson, 1902)** (Noctuidae) Synonym(s):
flavitermina Hampson, 1902 _ Range (in code): ZA Ec Tra
- 56547. Acontia (Emmelia) fuscoalba Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *fuscoalba* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ
- 56548. Acontia (Emmelia) gratiosa Wallengren, 1856** (Noctuidae) Synonym(s): *gratiosa*
Wallengren, 1856; *zelleri* Wallengren, 1856; *olivescens* Hampson, 1910 _ Range (in code): ZA Gau Pre Jh Tva Wb
- 56549. Acontia (Emmelia) hemiselenias (Hampson, 1918)** (Noctuidae) Synonym(s):
hemiselenias Hampson, 1918 _ Range (in code): CM Bit TG GH SL NG
- 56550. Acontia (Emmelia) hemixanthia (Hampson, 1910)** (Noctuidae) Synonym(s):
hemixanthia Hampson, 1910 _ Range (in code): ZA TZ KE Kib ET ET29
- 56551. Acontia (Emmelia) homonyma Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *dileuca* Berio, 1937 *nec* Hampson, 1910; *homonyma* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ET Gm Ogd
- 56552. Acontia (Emmelia) imitatrix Wallengren, 1856** (Noctuidae) Synonym(s): *imitatrix*
Wallengren, 1856 _ Range (in code): ZA Tva Lpo NA AO MZ MG ZW TZ SO ET RW YE YE30 CM TG GN GH SN CV MA
- 56553. Acontia (Emmelia) karachiensis (Swinhoe, 1889)** (Noctuidae) Synonym(s):
karachiensis Swinhoe, 1889; *carachiensis* Hampson, 1910; *elegantissima* Berio, 1937 _ Range (in code): YE Sna ET TZ SD NE EG PK Sd Krc IN Mh Bba Cu
- 56554. Acontia (Emmelia) lanzai (Berio, 1985)** (Noctuidae) Synonym(s): *lanzai* Berio, 1985
Range (in code): SO ET TZ
- 56555. Acontia (Emmelia) luteola Saalmüller, 1891** (Noctuidae) Synonym(s): *luteola*
Saalmüller, 1891 _ Range (in code): MG
- 56556. Acontia (Emmelia) manakhana Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *manakhana* Hacker, Legrain & Fibiger, 2008 _ Range (in code): YE Sna
- 56557. Acontia (Emmelia) marmoralis (Fabricius, 1794)** (Noctuidae) Synonym(s):
marmoralis Fabricius, 1794; *tropica* Guenée, 1852; *bipunctata* Walker, [1858]; *maculosa* Walker, [1858]; *hemiglaucia*
Hampson, 1910 _ Range (in code): IN MM NP CN TW LK VN TH Phc CMa CDo ID Ja Clb TW Bionomy: Larva on weed (Lewvanich, 2001).
- 56558. Acontia (Emmelia) mascherinae (Berio, 1985)** (Noctuidae) Synonym(s): *mascherinae*
Berio, 1985 _ Range (in code): SO KE
- 56559. Acontia (Emmelia) natalis Guenée, 1852** (Noctuidae) Synonym(s): *natalis* Guenée, 1852;
adulterina Wallengren, 1856; *parilis* Wallengren, 1856; *formosa* Butler, 1875; *rectangularis* Aurivillius, 1879
Range (in code): ZA Nta Kzu Gau Jh Ec Tva NA ZW TZ KE ET
- 56560. Acontia (Emmelia) natalis septentrionalis Hacker, Legrain & Fibiger, 2008**
(Noctuidae) Synonym(s): *septentrionalis* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ KE ET
- 56561. Acontia (Emmelia) nephele Hampson, 1911** (Noctuidae) Synonym(s): *nephele*
Hampson, 1911 _ Range (in code): TZ Mgr ZR MW ZW Bul ZA Nta Kzu Tva Mpu Nel Gau
- 56562. Acontia (Emmelia) nivipicta (Butler, 1886)** (Noctuidae) Synonym(s): *nivipicta*
Butler, 1886; *#flavistriga* W. Warren, 1913 _ Range (in code): AU NC PG
- 56563. Acontia (Emmelia) notha Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *notha* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ SO KE Kib
- 56564. Acontia (Emmelia) nubila (Hampson, 1916)** (Noctuidae) Synonym(s): *nubila*
Hampson, 1916 _ Range (in code): SO KE Kib TZ
- 56565. Acontia (Emmelia) nubilata (Hampson, 1902)** (Noctuidae) Synonym(s): *nubilata*
Hampson, 1902 _ Range (in code): ZA Nta Kzu Dbn
- 56566. Acontia (Emmelia) obliqua Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *obliqua* Hacker, Legrain & Fibiger, 2008 _ Range (in code): KE TZ ZR
- 56567. Acontia (Emmelia) olivea Guenée, 1852** (Noctuidae) Synonym(s): *olivea* Guenée, 1852;
nivosa Swinhoe, 1886 _ Range (in code): IN Hp Drm Mhw
- 56568. Acontia (Emmelia) paraalba Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *paraalba* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ

- 56569. Acontia (Emmelia) philbyi (Wiltshire,1988)** (Noctuidae) **Synonym(s):** *philbyi* Wiltshire,1988 **Range (in code):** **OM OM17 YE SA As**
- 56570. Acontia (Emmelia) praealba Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *praealba* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ ET**
- 56571. Acontia (Emmelia) purpurata Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *purpurata* Hacker, Legrain & Fibiger,2008 **Range (in code):** **KE TZ ET**
- 56572. Acontia (Emmelia) purpureofacta Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *purpureofacta* Hacker, Legrain & Fibiger,2008 **Range (in code):** **KE Kib ET Gm**
- 56573. Acontia (Emmelia) robertbecki Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *robertbecki* Hacker, Legrain & Fibiger,2008 **Range (in code):** **ET ET29**
- 56574. Acontia (Emmelia) saldaitis Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *saldaitis* Hacker, Legrain & Fibiger,2008 **Range (in code):** **OM Dh**
- 56575. Acontia (Emmelia) schreieri Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *schreieri* Hacker, Legrain & Fibiger,2008 **Range (in code):** **KE TZ**
- 56576. Acontia (Emmelia) semialba (Hampson,1910)** (Noctuidae) **Synonym(s):** *semialba* Hampson,1910 **Range (in code):** **KE Kky ET ET87 NE ML SD Wme**
- 56577. Acontia (Emmelia) semipallida (W.Warren,1913)** (Noctuidae) **Synonym(s):** *semipallida* W.Warren,1913 **Range (in code):** **IN**
- 56578. Acontia (Emmelia) sexpunctata (Fabricius,1794)** (Noctuidae) **Synonym(s):** *sexpunctata* Fabricius,1794; *imbuta* Walker,1865; *acerba* R.Felder & Rogenhofer,1874; *jnda* R.Felder & Rogenhofer,1874; *ochreola* W.Warren,1913 **Range (in code):** **IN BD NP MM LK**
- 56579. Acontia (Emmelia) stassarti Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *stassarti* Hacker, Legrain & Fibiger,2008 **Range (in code):** **SN**
- 56580. Acontia (Emmelia) subnotha Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *subnotha* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ Mgr**
- 56581. Acontia (Emmelia) szunyoghyi Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *szunyoghyi* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ KE ET**
- 56582. Acontia (Emmelia) tanzaniae Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *olivescens* Hampson,1910 *nec* Hmpsn.,1910; *tanzaniae* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ Ngn KE LS ZA Nta Kzu Tva Gau Ec Tra Tre Jh**
- 56583. Acontia (Emmelia) tanzaniae hampsoniana Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *hampsoniana* Hacker, Legrain & Fibiger,2008 **Range (in code):** **LS ZA Nta Kzu Tva Gau Ec Tra Tre Jh**
- 56584. Acontia (Emmelia) thapsina (Turner,1902)** (Noctuidae) **Synonym(s):** *thapsina* Turner,1902; *xuthota* Hampson,1910; *#bilineata* W.Warren,1913 **Range (in code):** **AU QAU**
- 56585. Acontia (Emmelia) torrefacta (Distant,1898)** (Noctuidae) **Synonym(s):** *torrefacta* Distant,1898 **Range (in code):** **ZA Gau Trav Pre NA KE**
- 56586. Acontia (Emmelia) torrefacta politzari Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *politzari* Hacker, Legrain & Fibiger,2008 **Range (in code):** **KE**
- 56587. Acontia (Emmelia) trabealis (Scopoli,1763)** (Noctuidae) **Synonym(s):** *trabealis* Scopoli,1763; *arabica* Hufnagel,1766; *sulphuralis* Linnaeus,1767; *sulphurea* [Denis & Schiffermüller],1775; *lugubris* Fabricius,1777; *histrionella* Goeze,1783; *arlequinetta* Fourcroy,1785; *trabeata* Borkhausen,1790; *pardalina* Walker,1865; *deleta* Staudinger,1877; *flavonitens* Austaut,1880; *algira* Oberthür,1881 **Original Reference:** Phalaena trabealis Scopoli,1763, Entomologia Carniolica: 240. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **MA DZ TN PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY LB Bei IL Hf Pa SY JO DK NO SE FI EE LV LT RU Tv Am Sb MD UA BY IR Ab Mak Mz Th Elb Kd Snj Km Lo Kz Yas Ss Bk Qz IQ Agh Amr AM GG AZ Len Cc AF PK Bl Qu CN Ui Ku SA SA63 Us MN MU KK Ik Skm Osh Ro Kr St Kb Kc Nt Ich Ing Kyi Da Oru Bne Mrv Bjr Zj Gls Bsk Abe Sbd Rbt Anna** **Bionomy:** Larva on *Convolvulus arvensis*, *Gossypium herbaceum* (Wiltshire,1957; Calle et al., 2000).
- 56588. Acontia (Emmelia) transfigurata Wallengren,1856** (Noctuidae) **Synonym(s):** *transfigurata* Wallengren,1856 **Range (in code):** **MG ZA Ec Lpo Tva Gau Nta Kzu Pre Jh Wnn NA ZW BW ZR BI TZ ET ER SO SA YE CM GH NG SN GM**
- 56589. Acontia (Emmelia) transfigurata stumpffi Saalmüller,1891** (Noctuidae) **Synonym(s):** *stumpffi* Saalmüller,1891 **Range (in code):** **MG**
- 56590. Acontia (Emmelia) veroxanthia Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *veroxanthia* Hacker, Legrain & Fibiger,2008 **Range (in code):** **UG NG GH**
- 56591. Acontia (Emmelia) viridisquama (Guenée,1852)** (Noctuidae) **Synonym(s):** *viridisquama* Guenée,1852 **Range (in code):** **PT ES FR**

- 56592. Acontia (Emmelia) wallaceana Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *wallaceana* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ID Lb Sum Ja
- 56593. Acontia (Metapioplasta) erronea Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *erronea* Hacker, Legrain & Fibiger, 2008 _ Range (in code): LK
- 56594. Acontia (Metapioplasta) insocia (Walker, [1858])** (Noctuidae) Synonym(s): *insocia* Walker, [1858]; *concinula* Walker, [1858]; *pyralina* Walker, [1858] _ Range (in code): ZA Tva Lpo Spb Mdk Gau Nta Kzu SL GH GM GN SN CV BF NG CM TZ Mgr KE SA YE YE68 DJ ET UG MZ NA
- 56595. Acontia (Metapioplasta) microptera Mabilite, 1879** (Noctuidae) Synonym(s): *microptera* Mabilite, 1879; *naevulosa* Saalmüller, 1891; *costosa* Mabilite, 1900; *decoripennis* Mabilite, 1900 _ Range (in code): MG KM IN Sd Mh Bba
- 56596. Acontia (Metapioplasta) minuscula Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *minuscula* Hacker, Legrain & Fibiger, 2008 _ Range (in code): YE Hd OM Dh
- 56597. Acontia (Metapioplasta) rachiastis (Hampson, 1908)** (Noctuidae) Synonym(s): *rachiastis* Hampson, 1908 _ Range (in code): SC
- 56598. Acontia (Metapioplasta) silus Wallengren, 1875 nomen dubium!** (Noctuidae)
Synonym(s): *silus* Wallengren, 1875 _ Range (in code): ZA Tva Lpo
- 56599. Acontia (Metapioplasta) simo Wallengren, 1860** (Noctuidae) Synonym(s): *simo* Wallengren, 1860 _ Range (in code): ZA Tva Lpo Gau Jh Pre BW NA AO ZW TZ Mgr
- 56600. Acontia (Metapioplasta) tabberti Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *tabberti* Hacker, Legrain & Fibiger, 2008 _ Range (in code): OM Dh
- 56601. Acontia (Olivacontia) cobourgensis Hacker & Holloway, 2008** (Noctuidae)
Synonym(s): *cobourgensis* Hacker & Holloway, 2008 _ Range (in code): AU
- 56602. Acontia (Olivacontia) olivacea (Hampson, 1891)** (Noctuidae) Synonym(s): *olivacea* Hampson, 1891 _ Original Reference: Cilix olivacea Hampson, 1891, Illust. typical Specimens Lepid. Heterocera Colln Br. Mus. 8: 63. Type: India: Nilgiri. Range (in code): IN NI CN TW VN KP KR JP TH CMa CDo Uth RU Us Vv
- 56603. Acontia (Olivacontia) olivacea umbrosa (O. Bang-Haas, 1927)** (Noctuidae)
Synonym(s): *umbrosa* O. Bang-Haas, 1927 _ Original Reference: Tarache olivacea ssp. umbrosa O. Bang-Haas, 1927, Horae Macrolepidopterologicae I: 88, t. 10 fig. 44. Type ♀: [Russia]: Ussuri mer.: Sutschansk, Wladiwostok occ. Range (in code): RU Us Vv
- 56604. Acontia (Olivacontia) sollemnis Hacker & Holloway, 2008** (Noctuidae)
Synonym(s): *sollemnis* Hacker & Holloway, 2008 _ Range (in code): CX
- 56605. Acontia (Olivacontia) subolivacea Hacker & Holloway, 2008** (Noctuidae)
Synonym(s): *subolivacea* Hacker & Holloway, 2008 _ Range (in code): ID Clb
- 56606. Acontia (Uracontia) goateri Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *goateri* Hacker, Legrain & Fibiger, 2008 _ Range (in code): KE Kib
- 56607. Acontia (Uracontia) melanura (Tauscher, 1809)** (Noctuidae) Synonym(s): *titania* sensu auct. nec Esp., [1798]; *melanura* Tauscher, 1809. _ Original Reference: Noctua melanura Tauscher, 1809, Mém. Soc. Nat. Moscou 2: 321, pl. 20 fig. 5. Type: Russia: Sarepta. Range (in code): UA RO RU Cc Ro St Pja Ich Ce4 Da Gun Ur At KK Ik
- 56608. Acontia (Uracontia) titania (Esper, [1798])** (Noctuidae) Synonym(s): *titania* Esper, [1798]; *urania* Frivaldsky, 1835; *eversmanni* Kolenati, 1846. _ Original Reference: Phalaena titania Esper, [1798], Die Schmett. 4(2/2): 36, Tab. 190, Noct. 111, fig. 2. Syntypes: [Russia]: Taurien [Südrussland]. Range (in code): Si? RO RU Ro Da YU BG GR TR AZ Kir Nv Ord Cc GG Lag AM IR Fa Ab Mak Elb Th Kaz Mia Kh Msh IQ TM UZ N-A LB Bei IL Pa SA _ Bionomy: Larva on Althaea (Meyer, 1919; Wiltshire, 1957).
- 56609. Acontia (s.str.) aarviki Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *aarviki* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ Ani KE Kib
- 56610. Acontia (s.str.) akbar Wiltshire, 1984** (Noctuidae) Synonym(s): *akbar* Wiltshire, 1984 _ Range (in code): OM Dh YE ET
- 56611. Acontia (s.str.) albarabica Wiltshire, 1994** (Noctuidae) Synonym(s): *albarabica* Wiltshire, 1994 _ Range (in code): YE Sna SA
- 56612. Acontia (s.str.) albatrigona Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *albatrigona* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ET ET29 KE
- 56613. Acontia (s.str.) albida Hampson, 1914** (Noctuidae) Synonym(s): *albida* Hampson, 1914 _ Range (in code): NG
- 56614. Acontia (s.str.) amhara Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *amhara* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ET Amh Gm

- 56615. Acontia (s.str.) annemaria Hacker,2007** (Noctuidae) Synonym(s): *annemaria* Hacker,2007 Range (in code): NA AO
- 56616. Acontia (s.str.) apatelia (Swinhoe,1907)** (Noctuidae) Synonym(s): *apatelia* Swinhoe,1907 Range (in code): AO CM KE
- 56617. Acontia (s.str.) asbenensis (Rothschild,1921)** (Noctuidae) Synonym(s): *asbenensis* Rothschild,1921; *hemipentha* Wiltshire,1947 Range (in code): NE SA ET ET87 YE Sna OM Dh EG Sn
- 56618. Acontia (s.str.) aurelia Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *aurelia* Hacker, Legrain & Fibiger,2008 Range (in code): CG AO BW ZM TZ KE ET ET29
- 56619. Acontia (s.str.) berioi Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *berioi* Hacker, Legrain & Fibiger,2008 Range (in code): SO Mga
- 56620. Acontia (s.str.) biskrensis Oberthür,1887** (Noctuidae) Synonym(s): *biskrensis* Oberthür,1887; *#biscraensis* Rothschild,1913; *orientalis* Brandt,1939; *agacinoi* Rungs,1945; *grisescens* Rebel,1948 Original Reference: *Acontia biskrensis* Oberthür,1887, Bull. Soc. ent. Fr. 1887: 58. Type: Algérie, Biskra. Range (in code): Cn MR MA DZ Ajj Eal Tou Gea Onç BSa Out DhM Gha Ear Gle Ogl Omy Bsk LY TN IQ Agh Bgd Kbl IR Ahz Hz Ss Lo Hz B-A Chh SA IL Pa JO Sn EG AE
- 56621. Acontia (s.str.) bohemani Wallengren,1856 (sp.rev.)** (Noctuidae) Synonym(s): *margaritata* Drury,1782 nec Linn.,1767; *bohemani* Wallengren,1856; *inclusens* Walker,[1858]; *monilifera* Walker,[1858]; *unio* C.Felder,1874 Original Reference: *Acontia bohemani* Wallengren,1856, Anteckningar Zool. Kafferl. Macrolepid.: 58. Type: Caffraria (NR Stockholm). Range (in code): ZA Nta Kzu Dbn Elo Tva Lpo
- 56622. Acontia (s.str.) bollandi Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *bollandi* Hacker, Legrain & Fibiger,2008 Range (in code): MG
- 56623. Acontia (s.str.) buchanani (Rothschild,1921)** (Noctuidae) Synonym(s): *buchanani* Rothschild,1921 Range (in code): NE SN ML SD ET UG
- 56624. Acontia (s.str.) caeruleopicta (Hampson,1916)** (Noctuidae) Synonym(s): *caeruleopicta* Hampson,1916 Range (in code): SA SA39 Hj OM AE YE SO ET TZ KE JO EG Sn
- 56625. Acontia (s.str.) cafraria (Cramer,1777)** (Noctuidae) Synonym(s): *cafraria* Cramer,1777; *caloris* Hübner,[1808]; *komaga* R.Felder & Rogenhofer,1874 Range (in code): ZA Ec Gau Jh Tva Lpo Nta Kzu Dbn TZ Mgr MZ
- 56626. Acontia (s.str.) cafraria knudlarseni Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *knudlarseni* Hacker, Legrain & Fibiger,2008 Range (in code): TZ Mgr MZ
- 56627. Acontia (s.str.) capensis Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *capensis* Hacker, Legrain & Fibiger,2008 Range (in code): ZA Tra Ec Grh
- 56628. Acontia (s.str.) carnescens (Hampson,1910)** (Noctuidae) Synonym(s): *carnescens* Hampson,1910 Range (in code): KE TZ ER ET EG Sn?
- 56629. Acontia (s.str.) catena (Sowerby,1805)** (Noctuidae) Synonym(s): *catena* Sowerby,1805; *elegans* Stephens,1829 Range (in code): IN
- 56630. Acontia (s.str.) catenula (Walker,1865)** (Noctuidae) Synonym(s): *catenula* Walker,1865 Range (in code): IN Mad LK PK Sd Krc IR Hz B-A
- 56631. Acontia (s.str.) chiaromontei (Berio,1936)** (Noctuidae) Synonym(s): *chiaromontei* Berio,1936; *esmeralda* Brandt,1939 Range (in code): SO ET ET87 YE IR Ss
- 56632. Acontia (s.str.) chrysoproctis (Hampson,1902)** (Noctuidae) Synonym(s): *chrysoproctis* Hampson,1902 Range (in code): NA ZW Har ZA BW ZR
- 56633. Acontia (s.str.) cimbebasia Hacker,2007** (Noctuidae) Synonym(s): *cimbebasia* Hacker,2007 Range (in code): NA
- 56634. Acontia (s.str.) citripennis (Hampson,1910)** (Noctuidae) Synonym(s): *citripennis* Hampson,1910 Range (in code): ZA Nta Kzu Est ZW
- 56635. Acontia (s.str.) crassivalva (Wiltshire,1947)** (Noctuidae) Synonym(s): *crassivalva* Wiltshire,1947 Range (in code): Sn EG SA As YE
- 56636. Acontia (s.str.) decepatrix (W.Warren,1913)** (Noctuidae) Synonym(s): *decepatrix* W.Warren,1913 Range (in code): IN
- 56637. Acontia (s.str.) dileuca (Hampson,1910)** (Noctuidae) Synonym(s): *dileuca* Hampson,1910 Range (in code): KE TZ
- 56638. Acontia (s.str.) discoidea Hopffer,1857** (Noctuidae) Synonym(s): *discoidea* Hopffer,1857 Range (in code): MZ ZW ZA Tva Lpo Spb Ltr NA AO BW TZ KE ET
- 56639. Acontia (s.str.) discoidoides Hacker, Legrain & Fibiger,2008** (Noctuidae) Synonym(s): *discoidoides* Hacker, Legrain & Fibiger,2008 Range (in code): TZ KE ET SD

- 56640. *Acontia* (s.str.) *dispar* Walker,[1858]** (Noctuidae) **Synonym(s):** *dispar* Walker,[1858]
Range (in code): **ZA Nta Kzu Tva Lpo LS**
- 56641. *Acontia* (s.str.) *dorothea* Hacker, Legrain & Fibiger,2008** (Noctuidae)
Synonym(s): *dorothea* Hacker, Legrain & Fibiger,2008 **Range (in code):** **ZA BW**
- 56642. *Acontia* (s.str.) *ectorrida* (Hampson,1916)** (Noctuidae) **Synonym(s):** *ectorrida* Hampson,1916 **Range (in code):** **SO NA TZ**
- 56643. *Acontia* (s.str.) *erffai* (Grünberg,1913)** (Noctuidae) **Synonym(s):** *erffai* Grünberg,1913
Range (in code): **ZA**
- 56644. *Acontia* (s.str.) *florentissima* Hacker, Legrain & Fibiger,2008** (Noctuidae)
Synonym(s): *florentissima* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ**
- 56645. *Acontia* (s.str.) *gradata* Walker,[1858]** (Noctuidae) **Synonym(s):** *gradata* Walker,[1858]
Range (in code): **ZA Fs**
- 56646. *Acontia* (s.str.) *guttifera* R.Felder & Rogenhofer,1874** (Noctuidae) **Synonym(s):** *guttifera* R.Felder & Rogenhofer,1874 **Original Reference:** *Acontia guttifera* R.Felder & Rogenhofer,1874, Reise österr. Fregatte Novara, Zool. 2: pl.108 fig.26. **Range (in code):** **ZA Tva Lpo Spb Mdk Nta Kzu MZ ZW AO MW TZ Mgr KE**
- 56647. *Acontia* (s.str.) *guttifera elegans* Hacker, Legrain & Fibiger,2008** (Noctuidae)
Synonym(s): *elegans* Hacker, Legrain & Fibiger,2008 *nec Steph.,1829* **Range (in code):** **TZ Mgr KE**
- 56648. *Acontia* (s.str.) *hampsoni* Hacker, Legrain & Fibiger,2008** (Noctuidae)
Synonym(s): *hampsoni* Hacker, Legrain & Fibiger,2008 **Range (in code):** **TZ Zz ET KE MW SN**
- 56649. *Acontia* (s.str.) *hoppei* Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *hoppei* Hacker, Legrain & Fibiger,2008 **Range (in code):** **YE Hd ET ER KE**
- 56650. *Acontia* (s.str.) *hortensis* Swinhoe,1884** (Noctuidae) **Synonym(s):** *hortensis* Swinhoe,1884; *audeoudi* Brandt,1939; *#audeouti* Ebert & Hacker,2002 **Range (in code):** **PK Sd Krc IR Ss Chh YE Sk SA ET SD KE**
- 56651. *Acontia* (s.str.) *katrina* Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *katrina* Hacker, Legrain & Fibiger,2008 **Range (in code):** **ZA Fs Tva Lpo**
- 56652. *Acontia* (s.str.) *kruegeri* Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *kruegeri* Hacker, Legrain & Fibiger,2008 **Range (in code):** **ZA Tva Lpo Spb Ltr**
- 56653. *Acontia* (s.str.) *lactea* Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *lactea* Hacker, Legrain & Fibiger,2008 **Range (in code):** **YE**
- 56654. *Acontia* (s.str.) *leucotrigona* (Hampson,1905)** (Noctuidae) **Synonym(s):** *leucotrigona* Hampson,1905 **Range (in code):** **ZA MZ ZW MW**
- 56655. *Acontia* (s.str.) *lucida* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *lucida* Hufnagel,1766; *solaris* [Denis & Schiffermüller],1775; *albicollis* Fabricius,1781; *rupicola* Borkhausen,1792; *insolatrix* Hübner,[1822]; *triradiata* Walker,[1858]; *lugens* Alpheraky,1889; *heliadora* Schawerda,1923 **Original Reference:** *Phalaena lucida* Hufnagel,1766, Berl. Mag. 3 (3): 302. Type (s): Berlin. **Range (in code):** **Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR LB Bsa IQ Mos Agh kut Bgd Kro Bji SA FI LV RU MD UA BY IR Hz Ss Fa Elb Men Ahz GG AZ Len Cc AM TJ Pm AF Asm Nu Kab Hr Pli Gbh Bd Fz Dwe PK IN CN Ui Ku Ii Tek IL Pa Hf Md At KG SY JO Sn Th Mia Kaz Mz B-A UZ N-A KK Skm Osh Ro Kr St Kb Ich Kyi Da IN Pj C-P Kba Cp Smt Tbl Bjo Mng Der Btba Bsk Ktr Hmk Khh Ahr Ktr Perr Hrh Berr Saia Ges Lgt Ndr Abe Sbd Agi Orn Rbt Phv Tgr Hrh Hes Onç** **Bionomy:** Larva on *Althaea cannabina*, *Chenopodium*, *Convolvulus*, *Glechoma*, *Malva rotundifolia*, *Taraxacum*, *Trifolium* (Meyer,1919; Wiltshire,1957; Calle et al., 2000).
- 56656. *Acontia* (s.str.) *malagasy* (Viette,1965)** (Noctuidae) **Synonym(s):** *malagasy* Viette,1965
Range (in code): **MG**
- 56657. *Acontia* (s.str.) *malgassica* Mabilie,1881** (Noctuidae) **Synonym(s):** *malgassica* Mabilie,1881 **Range (in code):** **MG SC**
- 56658. *Acontia* (s.str.) *mekki* (Rungs,1953)** (Noctuidae) **Synonym(s):** *mekki* Rungs,1953
Range (in code): **DZ MA**
- 56659. *Acontia* (s.str.) *mellicula* Hacker, Legrain & Fibiger,2008** (Noctuidae)
Synonym(s): *mellicula* Hacker, Legrain & Fibiger,2008 **Range (in code):** **ZA**
- 56660. *Acontia* (s.str.) *miogona* (Hampson,1916)** (Noctuidae) **Synonym(s):** *miogona* Hampson,1916 **Range (in code):** **ET ET87 SO TZ**
- 56661. *Acontia* (s.str.) *mionides* (Hampson,1905)** (Noctuidae) **Synonym(s):** *mionides* Hampson,1905 **Range (in code):** **ZA Ec**
- 56662. *Acontia* (s.str.) *mukalla* Hacker, Legrain & Fibiger,2008** (Noctuidae) **Synonym(s):** *mukalla* Hacker, Legrain & Fibiger,2008 **Range (in code):** **YE Hd**

- 56663. *Acontia* (s.str.) *nambiensis* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *nambiensis* Hacker, Legrain & Fibiger, 2008 _ Range (in code):
- 56664. *Acontia* (s.str.) *namibiensis* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *namibiensis* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **NA**
- 56665. *Acontia* (s.str.) *natalis* (Guenée, 1852)** (Noctuidae) Synonym(s): *natalis* Guenée, 1852
Range (in code): **ZA Nta Kzu**
- 56666. *Acontia* (s.str.) *nigrimacula* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *nigrimacula* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **GH BF NG**
- 56667. *Acontia* (s.str.) *niphogona* (Hampson, 1909)** (Noctuidae) Synonym(s): *niphogona* Hampson, 1909 _ Range (in code): **UG Rz TZ KE ZM MZ AO ZR**
- 56668. *Acontia* (s.str.) *nitidula* (Fabricius, 1787)** (Noctuidae) Synonym(s): *nitidula* Fabricius, 1787
Original Reference: Bombyx nitidula Fabricius, 1787, Mantissa Insectorum 2: 126. Type: [India]: Coromandel. Range (in code): **IN NP MM CN ZA TH**
- 56669. *Acontia* (s.str.) *notabilis* (Walker, 1857)** (Noctuidae) Synonym(s): *notabilis* Walker, 1857
Range (in code): **YE YE47 IN Pj PK Rw Hp Sml**
- 56670. *Acontia* (s.str.) *okahandja* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *okahandja* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **NA**
- 56671. *Acontia* (s.str.) *olivescens* (Hampson, 1910)** (Noctuidae) Synonym(s): *olivescens* Hampson, 1910 _ Range (in code): **ZA**
- 56672. *Acontia* (s.str.) *opalinoides* Guenée, 1852** (Noctuidae) Synonym(s): *opalinoides* Guenée, 1852 _ Range (in code): **ML CV MR YE ET SD KE TZ AO NA IN IR Hz Ss**
- 56673. *Acontia* (s.str.) *opalinoides transafricana* Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *transafricana* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **YE ET SD KE TZ AO NA**
- 56674. *Acontia* (s.str.) *opalinoides westafricana* Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *westafricana* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **ML CV MR**
- 56675. *Acontia* (s.str.) *oranjensis* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *oranjensis* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **ZA Fs Tva Lpo**
- 56676. *Acontia* (s.str.) *paratrizona* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *paratrizona* Hacker, Legrain & Fibiger, 2008
Original Reference: *Acontia* (s.str.) *paratrizona* Hacker, Legrain & Fibiger, 2008, Esperiana 14: 153-154, figs. Holotype ♂: RSA, N-Prov. Soutpansberg, L. Trichardt, 13-14 xi 2001 leg. & coll. A Legrain. Range (in code): **ZA Tva Lpo Spb Ltr**
- 56677. *Acontia* (s.str.) *pauliani* (Viette, 1965)** (Noctuidae) Synonym(s): *pauliani* Viette, 1965
Range (in code): **MG**
- 56678. *Acontia* (s.str.) *peksi* Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *peksi* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **YE Ad Hd OM Dh**
- 56679. *Acontia* (s.str.) *perilis* (Wallengren, 1856)** (Noctuidae) Synonym(s): *perilis* Wallengren, 1856 _ Range (in code): **ZA**
- 56680. *Acontia* (s.str.) *permutata* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *permutata* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **NA ZA Tva Ly Gau Jh**
- 56681. *Acontia* (s.str.) *porphyrea* (Butler, 1898)** (Noctuidae) Synonym(s): *porphyrea* Butler, 1898 _ Range (in code): **KE Mb ZA TZ Mgr SO ET OM Dh YE BW NA ZW TG SN GH**
- 56682. *Acontia* (s.str.) *proesei* Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *proesei* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **ET**
- 56683. *Acontia* (s.str.) *psaliphora* (Hampson, 1910)** (Noctuidae) Synonym(s): *psaliphora* Hampson, 1910 _ Range (in code): **ZA Nta Kzu Tva Lpo MZ**
- 56684. *Acontia* (s.str.) *rigatoi* Hacker, Legrain & Fibiger, 2008** (Noctuidae) Synonym(s): *rigatoi* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **SO**
- 56685. *Acontia* (s.str.) *ruficineta* (Hampson, 1910)** (Noctuidae) Synonym(s): *ruficineta* Hampson, 1910 _ Range (in code): **SD SDo8 ET**
- 56686. *Acontia* (s.str.) *rufitincta* Hampson, 1910** (Noctuidae) Synonym(s): *rufitincta* Hampson, 1910; *albinigra* W. Warren, 1913 _ Range (in code): **IN**
- 56687. *Acontia* (s.str.) *santalucia* Hacker, Legrain & Fibiger, 2008** (Noctuidae)
Synonym(s): *santalucia* Hacker, Legrain & Fibiger, 2008 _ Range (in code): **ZA**
- 56688. *Acontia* (s.str.) *secta* Guenée, 1852** (Noctuidae) Synonym(s): *secta* Guenée, 1852; *dissecta* Guenée, 1852 _ Range (in code): **KE TZ UG BI ZR ET**

- 56689. Acontia (s.str.) solitaria** Hacker, Legrain & Fibiger, 2008 (Noctuidae) Synonym(s): *solitaria* Hacker, Legrain & Fibiger, 2008 _ Range (in code): OM Dh
- 56690. Acontia (s.str.) sordescens** (Staudinger, 1895) (Noctuidae) Synonym(s): *sordescens* Staudinger, 1895 _ Original Reference: *Thalpochares sordescens* Staudinger, 1895, Dt. ent. Z., Iris 282-283. Syntypes ♂♀: [Türkei]: "Mardin". _ Range (in code): TR IR Fa
- 56691. Acontia (s.str.) spangbergi** Aurivillius, 1879 (Noctuidae) Synonym(s): *spangbergi* Aurivillius, 1879 _ Range (in code): NA
- 56692. Acontia (s.str.) sphendonistis** (Hampson, 1902) (Noctuidae) Synonym(s): *sphendonistis* Hampson, 1902 _ Range (in code): ZA Gau Tva LS
- 56693. Acontia (s.str.) sphendonistis** (Hampson, 1902) (Noctuidae) Synonym(s): *sphendonistis* Hampson, 1902 _ Range (in code): ZA
- 56694. Acontia (s.str.) sublactea** Hacker, Legrain & Fibiger, 2008 (Noctuidae) Synonym(s): *sublactea* Hacker, Legrain & Fibiger, 2008 _ Range (in code):
- 56695. Acontia (s.str.) submutata** Hacker, Legrain & Fibiger, 2008 (Noctuidae) Synonym(s): *submutata* Hacker, Legrain & Fibiger, 2008 _ Range (in code):
- 56696. Acontia (s.str.) tetragonisa** (Hampson, 1910) (Noctuidae) Synonym(s): *tetragonisa* Hampson, 1910 _ Range (in code): ZA Tva Gau Jh Spb
- 56697. Acontia (s.str.) tinctilis** Wallengren, 1875 (Noctuidae) Synonym(s): *tinctilis* Wallengren, 1875; *hyperlophia* Hampson, 1902 _ Range (in code): ZA Tva Lpo Gau Jh Nta Kzu
- 56698. Acontia (s.str.) trimaculata** Aurivillius, 1879 (Noctuidae) Synonym(s): *trimaculata* Aurivillius, 1879 _ Range (in code): NA ZA AO ZW KE TZ ET NE YE Sna AE SA
- 56699. Acontia (s.str.) triphaenoides** Wallengren, 1856 (Noctuidae) Synonym(s): *triphaenoides* Wallengren, 1856 _ Range (in code):
- 56700. Acontia (s.str.) trychaenoides** (Wallengren, 1856) (Noctuidae) Synonym(s): *trychaenoides* Wallengren, 1856 _ Range (in code): ZA Tva Lpo Nta Kzu NA
- 56701. Acontia (s.str.) uhlenhuthi** Hacker, Legrain & Fibiger, 2008 (Noctuidae) Synonym(s): *uhlenhuthi* Hacker, Legrain & Fibiger, 2008 _ Range (in code): ET ET87
- 56702. Acontia (s.str.) umbriger** (R. Felder & Rogenhofer, [1875]) (Noctuidae) Synonym(s): *umbriger* R. Felder & Rogenhofer, [1875]; *trimaculata* Aurivillius, 1879 _ Range (in code): ZA Tva Lpo Sbp Mdk IR Hz B-A NA
- 56703. Acontia (s.str.) upsilon** (Walker, 1865) (Noctuidae) Synonym(s): *upsilon* Walker, 1865 _ Range (in code): IN LK
- 56704. Acontia (s.str.) vaualbum** (Hampson, 1914) (Noctuidae) Synonym(s): *vaualbum* Hampson, 1914 _ Range (in code): NG
- 56705. Acontia (s.str.) viridifera** Hampson, 1910 (Noctuidae) Synonym(s): *viridifera* Hampson, 1910 _ Range (in code): PA
- 56706. Acontia (s.str.) wahlbergi** Wallengren, 1856 (Noctuidae) Synonym(s): *wahlbergi* Wallengren, 1856; *urbani* R. Felder & Rogenhofer, 1874; *valbergi* Hampson, 1910; *nephata* Bethune-Baker, 1911 _ Range (in code): ZA Nta Kzu Dbn NA BW ZW ZM TZ ZR CM BF GM SN NG GH CI
- 56707. Acontia (s.str.) wallengreni** Aurivillius, 1879 (Noctuidae) Synonym(s): *wallengreni* Aurivillius, 1879; *vallengreni* Hampson, 1910 _ Range (in code): ZA NA
- 56708. Acontia (s.str.) wiltshirei** Hacker, Legrain & Fibiger, 2008 (Noctuidae) Synonym(s): *wiltshirei* Hacker, Legrain & Fibiger, 2008 _ Range (in code): TZ Mgr KE
- 56709. Acontia (s.str.) wolframmeyi** Hacker, 2007 (Noctuidae) Synonym(s): *wolframmeyi* Hacker, 2007 _ Range (in code): NA
- 56710. Acontia (s.str.) yemenensis** (Hampson, 1918) (Noctuidae) Synonym(s): *yemenensis* Hampson, 1918 _ Range (in code): YE Sna
- 56711. Acontia briola** Holland, 1894 (Noctuidae) Synonym(s): *briola* Holland, 1894 _ Range (in code): CM
- 56712. Acontia costistigma** Walker, [1858] (Noctuidae) Synonym(s): *costistigma* Walker, [1858] _ Range (in code): IN
- 56713. Acontia cyanocraspis** (Hampson, 1910) (Noctuidae) Synonym(s): *cyanocraspis* Hampson, 1910 _ Range (in code): ZA
- 56714. Acontia mesoleuroides** Poole, 1989 (Noctuidae) Synonym(s): *mesoleuca* Hampson, 1916 nec Holl., 1894; *mesoleuroides* Poole, 1989 _ Range (in code): SO
- 56715. Acontia nephata** (Bethune-Baker, 1911) (Noctuidae) Synonym(s): *nephata* Bethune-Baker, 1911 _ Original Reference: Tarache *nephata* Bethune-Baker, 1911, Ann. Mag. nat. Hist. (8) 8: 526. Type ♀: "Lokoja District (100 miles north)" (coll. Bethune-Baker). _ Range (in code): AO

- 56716. *Acontia quadrata* Walker,1866** (Noctuidae) **Synonym(s):** *quadrata* Walker,1866
Range (in code): **BR**
- 56717. *Acontia sutor* (Hampson,1910)** (Noctuidae) **Synonym(s):** *sutor* Hampson,1910 **Range (in code):** **US Arz**
- 56718. *Acontia trimacula* Saalmüller,1891** (Noctuidae) **Synonym(s):** *trimacula* Saalmüller,1891; *chavanei* Viette,1975 **Range (in code):** **MG**
- 56719. *Acontiola lascivalis* (Lederer,1855)** (Noctuidae) **Synonym(s):** *lascivalis* Lederer,1855
Original Reference: *Choreutis lascivalis* Lederer,1855, Verh. zool.- bot. Wien 5: 233, pl.5 fig.7.
Type ♂: [Libanon]: Beirut. **Range (in code):** **AL BG GR TR LB Bei**
- 56720. *Acontiola moldavicola* (Herrich-Schäffer,[1851])** (Noctuidae) **Synonym(s):** *moldavicola* Herrich-Schäffer,[1851]; *euboica* Mill.,1874 **Original Reference:** *Acontia moldavicola* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.: 419, Noctuides pl.44 figs.224,225. **Type(s):** [Czechoslovakia]: Moldau. **Range (in code):** **IT RO YU AL BG GR RU MD UA BY TR IQ Mos**
- 56721. *Acontiola sancta* Staudinger,[1900]** (Noctuidae) **Synonym(s):** *sancta* Staudinger,[1900]
Original Reference: *Acontiola sancta* Staudinger,[1900], Dt. ent. Z., Iris 12 (1899): 382-383, Taf.v fig.4. **Syntypes:** Palestina, Jordan-Thal. **Range (in code):** **IR Hz Ss SA SO SD KE IL Pa Jt JO LB Bei**
- 56722. *Acosmetia arida* De Joannis,1909** (Noctuidae) **Synonym(s):** *arida* De Joannis,1909
Range (in code): **EG**
- 56723. *Acosmetia caliginosa* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *caliginosa* Hübner,[1813] **Original Reference:** *Noctua caliginosa* Hübner,[1813], Samml. eur. Schmett. 4: pl.100 fig.474. **Type(s):** Europe. **Range (in code):** **DZ Blid ES FR IT GB DE CH AT PL CZ SK HU RO SS B-H SE RU At Cc Kb Kc MD UA BY** **Bionomy:** Larva on *Serratula tinctoria* (Meyer,1919).
- 56724. *Acrapex abbaye* Laporte,1984** (Noctuidae) **Synonym(s):** *abbaye* Laporte,1984 **Range (in code):** **ET ET86**
- 56725. *Acrapex acuminata* (Hampson,1894)** (Noctuidae) **Synonym(s):** *acuminata* Hampson,1894
Range (in code): **IN NI**
- 56726. *Acrapex aenigma* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *aenigma* R.Felder & Rogenhofer,1874 **Range (in code):** **ZA Ec Ans**
- 56727. *Acrapex albicostata* Hampson,1916** (Noctuidae) **Synonym(s):** *albicostata* Hampson,1916
Range (in code): **SO**
- 56728. *Acrapex albivena* Hampson,1910** (Noctuidae) **Synonym(s):** *albivena* Hampson,1910
Range (in code): **ZA Tra**
- 56729. *Acrapex apexangula* Laporte,1984** (Noctuidae) **Synonym(s):** *apexangula* Laporte,1984
Range (in code): **ET ET196**
- 56730. *Acrapex apicestriata* (Bethune-Baker,1911)** (Noctuidae) **Synonym(s):** *apicestriata* Bethune-Baker,1911 **Range (in code):** **AO**
- 56731. *Acrapex atriceps* Hampson,1910** (Noctuidae) **Synonym(s):** *atriceps* Hampson,1910
Range (in code): **IN Ass Meg Khs**
- 56732. *Acrapex ausseili* Laporte,1984** (Noctuidae) **Synonym(s):** *ausseili* Laporte,1984 **Range (in code):** **ET ET110**
- 56733. *Acrapex azumai* Sugi,1970** (Noctuidae) **Synonym(s):** *azumai* Sugi,1970 **Range (in code):** **JP**
- 56734. *Acrapex biroseata* Berio,1976** (Noctuidae) **Synonym(s):** *biroseata* Berio,1976 **Range (in code):** **ZR**
- 56735. *Acrapex boulardi* Laporte,1984** (Noctuidae) **Synonym(s):** *boulardi* Laporte,1984
Range (in code): **ET ET196**
- 56736. *Acrapex breviptera* Janse,1939** (Noctuidae) **Synonym(s):** *breviptera* Janse,1939
Range (in code): **ZA**
- 56737. *Acrapex brunnea* Hampson,1910** (Noctuidae) **Synonym(s):** *brunnea* Hampson,1910; *brunneosa* Bethune-Baker,1911; *ochracea* Bethune-Baker,1911. **Range (in code):** **ZA KE Nai**
- 56738. *Acrapex brunneolimbata* Berio,1974** (Noctuidae) **Synonym(s):** *brunneolimbata* Berio,1974
Range (in code): **TZ Iko**
- 56739. *Acrapex bryae* Laporte,1984** (Noctuidae) **Synonym(s):** *bryae* Laporte,1984 **Range (in code):** **ET ET204**
- 56740. *Acrapex carnea* Hampson,1905** (Noctuidae) **Synonym(s):** *carnea* Hampson,1905
Range (in code): **ZA**

- 56741. *Acrapex concolorana* Berio,1973** (Noctuidae) Synonym(s): *concolorana* Berio,1973
Range (in code): **ZR**
- 56742. *Acrapex congitae* Laporte,1984** (Noctuidae) Synonym(s): *congitae* Laporte,1984
Range (in code): **ET ET196**
- 56743. *Acrapex cuprescens* (Hampson,1914)** (Noctuidae) Synonym(s): *cuprescens* Hampson,1914
Range (in code): **NG**
- 56744. *Acrapex curvata* Hampson,1902** (Noctuidae) Synonym(s): *curvata* Hampson,1902
Range (in code): **ZA KE**
- 56745. *Acrapex dallolmoi* Berio,1973** (Noctuidae) Synonym(s): *dallolmoi* Berio,1973
Range (in code): **TZ Iko**
- 56746. *Acrapex exsanguis* Lower,1902** (Noctuidae) Synonym(s): *exsanguis* Lower,1902
Range (in code): **NC AU QAU NSw**
- 56747. *Acrapex fayeii* Laporte,1984** (Noctuidae) Synonym(s): *fayeii* Laporte,1984
Range (in code): **ET ET204**
- 56748. *Acrapex ferenigra* Berio,1973** (Noctuidae) Synonym(s): *ferenigra* Berio,1973
Range (in code): **ZR**
- 56749. *Acrapex festiva* Janse,1939** (Noctuidae) Synonym(s): *festiva* Janse,1939
Range (in code): **ZA Tva Gau Mpu Pre Brb**
- 56750. *Acrapex fletcheri* Laporte,1984** (Noctuidae) Synonym(s): *fletcheri* Laporte,1984
Range (in code): **KE**
- 56751. *Acrapex franeyae* Laporte,1984** (Noctuidae) Synonym(s): *franeyae* Laporte,1984
Range (in code): **ET ET86**
- 56752. *Acrapex fuscifaciata* Janse,1939** (Noctuidae) Synonym(s): *fuscifaciata* Janse,1939
Range (in code): **ZW Har**
- 56753. *Acrapex genrei* Laporte,1984** (Noctuidae) Synonym(s): *genrei* Laporte,1984
Range (in code): **ET ET86**
- 56754. *Acrapex gibbosa* Berio,1973** (Noctuidae) Synonym(s): *gibbosa* Berio,1973
Range (in code): **TZ Iko**
- 56755. *Acrapex girardi* Laporte,1984** (Noctuidae) Synonym(s): *girardi* Laporte,1984
Range (in code): **ET ET86**
- 56756. *Acrapex guiffayorum* Laporte,1984** (Noctuidae) Synonym(s): *guiffayorum* Laporte,1984
Range (in code): **ET ET86**
- 56757. *Acrapex hamulifera* (Hampson,1893)** (Noctuidae) Synonym(s): *hamulifera* Hampson,1893
Range (in code): **LK**
- 56758. *Acrapex hemiphlebia* (Hampson,1914)** (Noctuidae) Synonym(s): *hemiphlebia* Hampson,1914
Range (in code): **ZA NG**
- 56759. *Acrapex holoscota* (Hampson,1914)** (Noctuidae) Synonym(s): *holoscota* Hampson,1914
Range (in code): **NG**
- 56760. *Acrapex ignota* Berio,1973** (Noctuidae) Synonym(s): *ignota* Berio,1973
Range (in code): **ZR**
- 56761. *Acrapex malagasy* Viette,1967** (Noctuidae) Synonym(s): *malagasy* Viette,1967
Range (in code): **MG**
- 56762. *Acrapex mastawatae* Laporte,1984** (Noctuidae) Synonym(s): *mastawatae* Laporte,1984
Range (in code): **ET ET29**
- 56763. *Acrapex matilei* Laporte,1984** (Noctuidae) Synonym(s): *matilei* Laporte,1984
Range (in code): **ET ET86**
- 56764. *Acrapex metaphaea* Hampson,1910** (Noctuidae) Synonym(s): *metaphaea* Hampson,1910
Range (in code): **ZW Har**
- 56765. *Acrapex minima* Janse,1939** (Noctuidae) Synonym(s): *minima* Janse,1939
Range (in code): **ZA Nha Nta Kzu Srn**
- 56766. *Acrapex mutans* Berio,1973** (Noctuidae) Synonym(s): *mutans* Berio,1973
Range (in code): **TZ Iko**
- 56767. *Acrapex mystica* Janse,1939** (Noctuidae) Synonym(s): *mystica* Janse,1939
Range (in code): **ZW Uma**
- 56768. *Acrapex obsoleta* Berio,1973** (Noctuidae) Synonym(s): *obsoleta* Berio,1973
Range (in code): **ZR**

- 56769. *Acrapex ottusa* Berio,1973** (Noctuidae) Synonym(s): *ottusa* Berio,1973 _ Range (in code): TZ Iko
- 56770. *Acrapex pacifica* Holloway,1979** (Noctuidae) Synonym(s): *pacifica* Holloway,1979 Range (in code): NC NH
- 56771. *Acrapex pacifica santonis* Holloway,1979** (Noctuidae) Synonym(s): *santonis* Holloway,1979 _ Range (in code): NH
- 56772. *Acrapex parvaclara* Berio,1973** (Noctuidae) Synonym(s): *parvaclara* Berio,1973 Range (in code): ZR
- 56773. *Acrapex permystica* Berio,1974** (Noctuidae) Synonym(s): *permystica* Berio,1974 Range (in code): RW
- 56774. *Acrapex pertusa* Berio,1973** (Noctuidae) Synonym(s): *pertusa* Berio,1973 _ Range (in code): ZR
- 56775. *Acrapex prisca* (Walker,1866)** (Noctuidae) Synonym(s): *prisca* Walker,1866; *cramboides* Moore,[1884] Original Reference: Leucania prisca Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1953. Type ♀: [Sri Lanka]: Ceylon (BMNH). Range (in code): LK
- 56776. *Acrapex prospera* Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *prospera* Hacker & Fibiger,2001 _ Range (in code): YE
- 56777. *Acrapex punctosa* Berio,1973** (Noctuidae) Synonym(s): *punctosa* Berio,1973 _ Range (in code): TZ Iko
- 56778. *Acrapex quadrata* Berio,1973** (Noctuidae) Synonym(s): *quadrata* Berio,1973 _ Range (in code): ZR
- 56779. *Acrapex rhabdoneura* Hampson,1910** (Noctuidae) Synonym(s): *rhabdoneura* Hampson,1910 _ Range (in code): KE
- 56780. *Acrapex roseola* Hampson,1918** (Noctuidae) Synonym(s): *roseola* Hampson,1918 Range (in code): MW
- 56781. *Acrapex roseonigra* Berio,1976** (Noctuidae) Synonym(s): *roseonigra* Berio,1976 Range (in code): TZ
- 56782. *Acrapex roseotincta* Hampson,1910** (Noctuidae) Synonym(s): *roseotincta* Hampson,1910 Range (in code): LK
- 56783. *Acrapex satanas* Laporte,1984** (Noctuidae) Synonym(s): *satanas* Laporte,1984 _ Range (in code): ET ET86
- 56784. *Acrapex seydeli* Berio,1973** (Noctuidae) Synonym(s): *seydeli* Berio,1973 _ Range (in code): ZR
- 56785. *Acrapex simbaensis* Le Cerf,1922** (Noctuidae) Synonym(s): *simbaensis* Le Cerf,1922 Range (in code): KE
- 56786. *Acrapex simplex* Janse,1939** (Noctuidae) Synonym(s): *simplex* Janse,1939 _ Range (in code): ZW Hfo
- 56787. *Acrapex sparsipuncta* Laporte,1984** (Noctuidae) Synonym(s): *sparsipuncta* Laporte,1984 Range (in code): ET ET86
- 56788. *Acrapex spoliata* (Walker,1863)** (Noctuidae) Synonym(s): *spoliata* Walker,1863 Range (in code): ZA SL
- 56789. *Acrapex stygiata* (Hampson,1910)** (Noctuidae) Synonym(s): *stygiata* Hampson,1910 Range (in code): ZA Tva
- 56790. *Acrapex subalbissima* Berio,1973** (Noctuidae) Synonym(s): *subalbissima* Berio,1973 Range (in code): TZ Iko
- 56791. *Acrapex syscia* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *syscia* D.S.Fletcher,1961 Range (in code): UG Rz
- 56792. *Acrapex syscioides* Berio,1973** (Noctuidae) Synonym(s): *syscioides* Berio,1973 _ Range (in code): ZR
- 56793. *Acrapex taurica* (Staudinger,1900)** (Noctuidae) Synonym(s): *taurica* Staudinger,1900 Original Reference: Tapinostola taurica Staudinger,1900, Dt. ent. Z., Iris 12: 374. Syntypes: [Turkey]: Maraş, Akbes. Range (in code): TR CY
- 56794. *Acrapex totalba* Berio,1973** (Noctuidae) Synonym(s): *totalba* Berio,1973 _ Range (in code): TZ Iko
- 56795. *Acrapex tristrigata* W.Warren,1914** (Noctuidae) Synonym(s): *tristrigata* W.Warren,1914 Range (in code): ZA Fs Cto Ec

- 56796. Acrapex uncina Berio,1973** (Noctuidae) Synonym(s): *uncina* Berio,1973 _ Range (in code): **TZ Iko**
- 56797. Acrapex uncinoides Berio,1973** (Noctuidae) Synonym(s): *uncinoides* Berio,1973 Range (in code): **TZ**
- 56798. Acrapex unicolora (Hampson,1910)** (Noctuidae) Synonym(s): *unicolora* Hampson,1910 Range (in code): **ZR**
- 56799. Acripia banakana Bryk,1913** (Noctuidae) Synonym(s): *banakana* Bryk,1913 _ Range (in code): **CM**
- 56800. Acripia chloropera Hampson,1902** (Noctuidae) Synonym(s): *chloropera* Hampson,1902 Range (in code): **ZA Ec Ans**
- 56801. Acripia kilimandjaronis Strand,1915** (Noctuidae) Synonym(s): *kilimandjaronis* Strand,1915 _ Range (in code): **TZ Kmj**
- 56802. Acripia leprosa (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *leprosa* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA Wca Cto**
- 56803. Acripia scapularis (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *scapularis* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA Ec Kny**
- 56804. Acripia semiviridis Hampson,1902** (Noctuidae) Synonym(s): *semiviridis* Hampson,1902 Range (in code): **ZA Nta Kzu Dbn**
- 56805. Acripia subolivacea Walker,1863** (Noctuidae) Synonym(s): *subolivacea* Walker,1863; *marginata* R.Felder & Rogenhofer,1874. _ Range (in code): **ZA Ec**
- 56806. Acrobyla draudti (Brandt,1939)** (Noctuidae) Synonym(s): *draudti* Brandt,1939 _ Range (in code): **IR Ss Elb Th Hz B-A**
- 56807. Acrobyla eylandti (Christoph,1884)** (Noctuidae) Synonym(s): *eylandti* Christoph,1884 Range (in code): **TM Kp AF**
- 56808. Acrobyla kneuckeri (Rebel,1903)** (Noctuidae) Synonym(s): *kneuckeri* Rebel,1903; *ariefera* Hampson,1926; *turcorum* C.G.Krüger,1939 nec Zny.; *gloriosa* Rungs,1945 _ Range (in code): **MR DZ Cn EG SA YE IQ Agh TD MR MA LY TD OM BH IR Ahz Hz Ss Chh Bu Dlk B-A AE PK Sd Krc IL Pa**
- 56809. Acronicta (Hyboma) strigosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775 Original Reference: *Noctua strigosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK SE FI EE LV LT RU Cc Ro Kr St MD UA BY** Bionomy: Larva on *Crataegus*, *Prunus domestica* (Rosaceae); *Rhamnus* (Rhamnaceae) (Meyer,1919).
- 56810. Acronicta (Hyboma) strigosa strigosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *strigosa* [Denis & Schiffermüller],1775 Original Reference: *Noctua strigosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK SE FI EE LV LT RU Cc Ro Kr St MD UA BY**
- 56811. Acronicta (Plataplecta) pruinosa (Guenée,1852)** (Noctuidae) Synonym(s): *pruinosa* Guenée,1852; *soluta* Walker,1865; *consanguis* Butler,1878; *asiatica* Poujade,1888; *crenulata* Bethune-Baker,1906; *albior* Hampson,1909 _ Range (in code): **LK CN IN Up Bhi Ass Ch ID Ja PG JP BD Syl TH Nan MY LA VN MM NP Sum Bor PH TW KP KR JP**
- 56812. Acronicta (Subacronicta) centralis Erschoff,1874** (Noctuidae) Synonym(s): *centralis* Erschoff,1874 _ Range (in code): **CN Ui Ku KK UZ N-A**
- 56813. Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) Synonym(s): *megacephala* Fabricius,1787; *ankarensis* Hering,1933. Original Reference: *Noctua megacephala* Fabricius,1787, Mant. Ins. 2: 175, nr.261. Type(s): [Wien]. Range (in code): **MA PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Mz Elb Kd Snj SY DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag AZ Kir Ro Kr St Kc Kb Nt Ich Da Sb MD UA BY KG Uk Ui CN KP KR JP** Bionomy: Larva on *Populus*, *Salix* (Meyer,1919).
- 56814. Acronicta (Triaena) aceris (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758 Original Reference: *Phalaena aceris* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Agh LB CY SY IL Pa Hf JO DK NO SE FI EE LV LT RU Cc GG Smt Bjo Mng Lag AZ Len Ro Kr St Kc MD UA BY IR Fa Mz Elb Gh Gls Kh Sbz AF Kab TM CN Ui Ku** Bionomy: Larva on *Acer campestre*, *A. pseudoplatanus*, *Aesculus*, *Corylus*, *Juglans*, *Quercus*, *Populus euphratica*, *Rosa* (Linnaeus,1758; Blaschke,1914; Meyer,1919; Wiltshire,1957).

- 56815. *Acronicta (Triaena) aceris aceris* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aceris* Linnaeus,1758 Original Reference: Phalaena aceris Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Mng Lag AZ Len Ro Kr St Kc MD UA BY KK KG Ik CN Ui Ku JP** Bionomy: Larva on Acer campestre, A. pseudoplatanus, Aesculus, Corylus, Juglans, Quercus, Populus euphratica, Rosa (Linnaeus,1758; Blaschke,1914; Meyer,1919; Wiltshire,1957).
- 56816. *Acronicta (Triaena) aceris judaea* (Staudinger,1901)** (Noctuidae) Synonym(s): *judaea* Staudinger,1901; *taurica* Staudinger,1901; *johanna* Schawerda,1940. Original Reference: *Acronicta cuspis* var. *judaea* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 131. Syntypes: Palaestina. Range (in code): **TR IQ Agh LB CY SY IL Pa Hf JO IR Fa AF Kab** Bionomy: Larva on Populus euphratica (Wiltshire,1957).
- 56817. *Acronicta (Triaena) alni* (Linnaeus,1767)** (Noctuidae) Synonym(s): *alni* Linnaeus,1767 Original Reference: Phalaena alni Linnaeus,1767, Syst. Nat. (Edn.13): 845. Lectotype ♀, designated by Mikkola & Honey,1993. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Kr Nt Ich MD UA BY JP** Bionomy: Larva on Alnus, Betula, Corylus avellana, Juglans regia, Populus tremula, Prunus cerasus, Quercus, Rosa, Salix, Tilia (Linnaeus,1758; Romanoff,1885; Meyer,1919).
- 56818. *Acronicta (Triaena) cuspis* (Hübner,[1813])** (Noctuidae) Synonym(s): *cuspis* Hübner,[1813] Range (in code): **PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Cc GG Bjo Smt Ro Nt Kyi Kr MD UA BY** Bionomy: Larva on Alnus, Corylus avellana (Romanoff,1885; Meyer,1919).
- 56819. *Acronicta (Triaena) cuspis cuspis* (Hübner,[1813])** (Noctuidae) Synonym(s): *cuspis* Hübner,[1813] Range (in code): **PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Cc GG Smt Bjo Ro Nt Kyi Kr MD UA BY**
- 56820. *Acronicta (Triaena) denticulata* Moore,1888** (Noctuidae) Synonym(s): *denticulata* Moore,1888 Range (in code): **TW**
- 56821. *Acronicta (Triaena) draudti* Volynkin,2015** (Noctuidae) Synonym(s): *geminata* Draudt,1950 nec Smt.,1903; *draudti* Volynkin,2015 Range (in code): **CN Btn MN**
- 56822. *Acronicta (Triaena) elaeagni* Alpheraky,1887** (Noctuidae) Synonym(s): *elaeagni* Alpheraky,1887 Range (in code): **CN Ui**
- 56823. *Acronicta (Triaena) gastridia* Swinhoe,1895** (Noctuidae) Synonym(s): *gastridia* Swinhoe,1895 Original Reference: *Acronycta gastridia* Swinhoe,1895, Ann. Mag. nat. Hist. (6) 15: 5. Type ♂: [Pakistan]: Murree. Range (in code): **PK Haz Mre**
- 56824. *Acronicta (Triaena) intermedia* (W.Warren,1909)** (Noctuidae) Synonym(s): *incretata* Butler,1878 nec Morr.,1875; *intermedia* W.Warren,1909; *incretata* Hampson,1909; *jezoensis* Matsumura,1925; *formosana* Matsumura,1928 Range (in code): **TH CMa Int VN Tda CN Ti TW JP KP KR RU Us Sh Krl**
- 56825. *Acronicta (Triaena) pasiphae* Draudt,1936** (Noctuidae) Synonym(s): *pasiphae* Draudt,1936 Original Reference: *Acronycta pasiphae* Draudt,1936, Ent. Rdsch. 53: 457-458, Taf.a2. Syntypes: [Türkei]: Amanus (Düldül-Dagh). Range (in code): **TR IQ Dk IR Kd Bne Mrv Fa Hz Es Ke By Ksh Km Lo Mia Sse Kz Yas IL Pa**
- 56826. *Acronicta (Triaena) psi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758 Original Reference: Phalaena psi Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. Range (in code): **MA DZ Abe Fzz PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa Bei IR Elb Mz Gls Th Kdj AF DK NO SE FI EE LV LT RU Cc GG Bjo Smt Lag AZ Kir Ro Kr St Kc MD UA BY KG Sb At MN KK TeA TrA Ax TJ UZ N-A** Bionomy: Larva on Alnus, Corylus, Crataegus, Pyrus malus, Populus, Prunus, Quercus, Rhamnus, Sorbus, Tilia (Linnaeus,1758; Meyer,1919).
- 56827. *Acronicta (Triaena) psi iliensis* Draudt,1931** (Noctuidae) Synonym(s): *iliensis* Draudt,1931 Range (in code): **KG KK TeA TrA Ax TJ UZ N-A**
- 56828. *Acronicta (Triaena) psi psi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *psi* Linnaeus,1758 Original Reference: Phalaena psi Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. Range (in code): **PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Pa LB Bsa IR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag AZ Kir Ro Kr St Kc MD UA BY**
- 56829. *Acronicta (Triaena) psi tehrana* Wiltshire,1946** (Noctuidae) Synonym(s): *tehrana* Wiltshire,1946 Range (in code): **IR Th Elb Kdj**
- 56830. *Acronicta (Triaena) solimana* Draudt,1938** (Noctuidae) Synonym(s): *solimana* Draudt,1938 Range (in code): **IR Elb Mz Clu Th**

- 56831. *Acronicta (Triaena) sugii* (Kinoshita,1990)** (Noctuidae) **Synonym(s):** *sugii* Kinoshita,1990 **Range (in code):** **RU Us JP Hkk KP KR**
- 56832. *Acronicta (Triaena) tridens* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *tridens* [Denis & Schiffermüller],1775; *karghalika* Moore,1878. **Original Reference:** *Noctua tridens* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 67. **Type(s):** [Austria]: Vienna district. **Range (in code):** **DZ TN Hrh Hmk DhM BSa Bta Sét Gue PT ES Mu FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Ro Kr St Nt Kyi Da Der MD UA BY CN Ui Yk** **Bionomy:** Larva on Alnus, Betula, Crataegus, Malus, Prunus, Quercus, Rhamnus, Rosa, Salix, (Meyer,1919; Calle et al., 2000).
- 56833. *Acronicta (Viminia) auricoma* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#auricoma* [Denis & Schiffermüller],1775; *auricoma* Fabricius,1787; *lapathi* Schrank,1801; *similis* Haworth,1809; *pepli* Hübner,[1813]; *alpina* Freyer,1858 **Original Reference:** *Noctua auricoma* Fabricius,1787, Mant. Ins. 2: 174, nr.256. **Type(s):** Austria: [Wien]. **Range (in code):** **PT ES Mu FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kb Kc Nt Ich Ing MD UA BY GG Smt Bjo Bku AM AZ** **Bionomy:** Larva on Betula, Rubus caesius, R. fruticosus, Vaccinium vitis-idaea (Meyer,1919).
- 56834. *Acronicta (Viminia) euphorbiae* (Denis,1785)** (Noctuidae) **Synonym(s):** *#euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusik & Niesiolowski,1946. **Original Reference:** *Phalaena euphorbiae* Denis,1785, [in] Fuessly, Neues Mag. Lieb. Ent. 2: 378. **Range (in code):** **MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da At Sb MD UA BY CN Ui Kl TR GG Smt Bjo Mng AM AZ Cc IR LB Bei Bsa** **Bionomy:** Larva on Buxus sempervirens, Euphorbia, Euphrasia lutea, Gentiana, Onobrychis, Rumex, Thymus (Denis & Schiffermüller,1775; Meyer,1919; Staudinger,1879; Calle et al., 2000; Koçak, in. litt.).
- 56835. *Acronicta (Viminia) euphorbiae korlana* Draudt,1931** (Noctuidae) **Synonym(s):** *korlana* Draudt,1931 **Range (in code):** **CN Ui Kl**
- 56836. *Acronicta (Viminia) indica* Moore,1867** (Noctuidae) **Synonym(s):** *indica* Moore,1867; *grisea* W.Warren,1912 *nec* Wlk.,1856 **Range (in code):** **IN Up Bhi SI BD NP VN CN**
- 56837. *Acronicta (Viminia) menyanthidis* (Esper,[1789])** (Noctuidae) **Synonym(s):** *menyanthidis* Esper,[1789] **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 56838. *Acronicta (Viminia) menyanthidis menyanthidis* (Esper,[1789])** (Noctuidae) **Synonym(s):** *menyanthidis* Esper,[1789] **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Lysimachia, Menyanthes trifoliata, Myrica gale, Oxyococcus microcarpus, Salix caprea (Meyer,1919).
- 56839. *Acronicta (Viminia) orientalis* Mann,1862** (Noctuidae) **Synonym(s):** *orientalis* Mann,1862 **Original Reference:** *Acronycta orientalis* Mann,1862, Wien. ent. Monatschr. 6: 370-371, Taf.3 fig.4 Syntypes 2♂: [Türkei]: Brussa [Bursa]. **Range (in code):** **RO YU AL BG GR TR IR Fa** **Bionomy:** Larva on Pyrus, Prunus (Hacker,1989).
- 56840. *Acronicta (Viminia) rumicis* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 **Original Reference:** *Phalaena rumicis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. **Range (in code):** **MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Kyi Da MD UA BY CY LB Bsa JO SY AF Pli Srb Fz Kab KG Tk Dj KK Skm Ik Ui CN KP KR Sh Sb UZ Fe JP Tbl Da Der Len Nv Ord Abe Hrh Sét Bta Tgr Clo DhM Sbd Anna TN** **Bionomy:** Larva on Euphorbia, Euphrasia lutea, Mahonia aquifolium, Prunus, Polygonum, Rosa, Rumex, Sonchus, Syringa, Thymus, Urtica (Linnaeus,1758; Meyer,1919; Wiltshire,1957; Calle et al., 2000).
- 56841. *Acronicta (Viminia) rumicis oriens* (Inoue & Sugi,1958)** (Noctuidae) **Synonym(s):** *oriens* Inoue & Sugi,1958 **Range (in code):** **CN JP Sb KP KR Sh**
- 56842. *Acronicta (Viminia) rumicis pallida* Rothschild,1920** (Noctuidae) **Synonym(s):** *pallida* Rothschild,1920 **Range (in code):** **MA DZ Abe Sét Bta Tgr DhM TN IL Pa Hf IQ IR Fa Ke Gh Elb Clu Dam Th Kdj Mz Kd Snj Lo CY LB JO SY**
- 56843. *Acronicta (Viminia) rumicis rumicis* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *rumicis* Linnaeus,1758; *litterata* Panzer,1804; *salicis* Curtis,1826; *diffusa* Walker,1857 **Original Reference:** *Phalaena rumicis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. **Range (in code):** **PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ**

SK HU RO YU AL BG TR GR Cr GG Tbl Da Der Len Nv Ord AM AZ Cc DK NO SE FI EE LV LT RU Cc Ro
Kr St Kb Nt Ich Kyi Da MD UA BY

- 56844. *Acronicta (Viminia) rumicis turanica* Staudinger, 1888** (Noctuidae) Synonym(s): *turanica* Staudinger, 1888. Range (in code): **AF Pli Srb Fz Kab KG Tk Dj KK Skm Ik UZ Fe MN CN Ui**
- 56845. *Acronicta (Viminia) saadi* Brandt, 1938** (Noctuidae) Synonym(s): *saadi* Brandt, 1938. Original Reference: *Acronicta saadi* Brandt, 1938, Ent. Rdsch. 55: 498, figs. 50-54. Syntypes: Iran: [Fars]: "Fort Sine-Sefid, Comée". Range (in code): **IR Fa Lo Kz Yas Sse**
- 56846. *Acronicta (s.str.) leporina* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *leporina* Linnaeus, 1758. Original Reference: *Phalaena leporina* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 510. Lectotype ♂: [Europa], designated by Mikkola & Honey, 1993. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc AZ Kir Ro Kr St Kb Nt Ich Ing Da Kc MD UA BY JP** Bionomy: Larva on *Alnus*, *Betula*, *Salix* (Linnaeus, 1758; Meyer, 1919).
- 56847. *Acronicta (s.str.) leporina leporina* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *leporina* Linnaeus, 1758. Original Reference: *Phalaena leporina* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 510. Lectotype ♂: [Europa], designated by Mikkola & Honey, 1993. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc AZ Kir Ro Kr St Kb Nt Ich Ing Da Kc MD UA BY** Bionomy: Larva on *Alnus*, *Betula*, *Salix* (Linnaeus, 1758; Meyer, 1919).
- 56848. *Acronicta cinerea* (Hufnagel, 1766)** (Noctuidae) Synonym(s): *cinerea* Hufnagel, 1766; *abscondita* Treitschke, 1825. Range (in code): **CH PL CZ SK RO BG EE LV LT RU Cc Ro Kc St UA BY**
- 56849. *Acronicta lilacina* (Hampson, 1914)** (Noctuidae) Synonym(s): *lilacina* Hampson, 1914. Range (in code): **CN Sz TH CMa Int**
- 56850. *Acronicta maxima* (Moore, 1881)** (Noctuidae) Synonym(s): *maxima* Moore, 1881. Range (in code): **IN Pj MM TH CMa Int Pap Mro VN NP CN PK**
- 56851. *Acronicta niveogrisea* M. Krüger, 2001** (Noctuidae) Synonym(s): *niveogrisea* M. Krüger, 2001. Range (in code): **ZA**
- 56852. *Acronicta rubiginosa* Walker, 1862** (Noctuidae) Synonym(s): *rubiginosa* Walker, 1862. Original Reference: *Acronicta rubiginosa* Walker, 1862, J. Linn. Soc. Lond. (Zool.) 6: 178. Range (in code): **IN Hp CN Yu TW TH Nan LA VN NP ID Sum MY Bor KBa Swk**
- 56853. *Acronicta silvicola* M. Krüger, 2001** (Noctuidae) Synonym(s): *silvicola* M. Krüger, 2001. Range (in code): **ZA**
- 56854. *Acronicta transvalica* Hampson, 1911** (Noctuidae) Synonym(s): *transvalica* Hampson, 1911. Range (in code): **ZA Tva Mpu Brb Nta Kzu Esw Fs Blo Gau Pre Nca Kim**
- 56855. *Acronicta vumbae* M. Krüger, 2001** (Noctuidae) Synonym(s): *vumbae* M. Krüger, 2001. Range (in code): **ZA ZW Vum**
- 56856. *Actebia (Perissandria) argillacea* (Alpheraky, 1892)** (Noctuidae) Synonym(s): *argillacea* Alpheraky, 1892; *decolor* Staudinger, [1896] nec Morr., 1852. Range (in code): **CN Ui Ts Ti Btn Yu Lik Ln Kno**
- 56857. *Actebia (Perissandria) argillacea batangensis* Boursin, 1963** (Noctuidae) Synonym(s): *batangensis* Boursin, 1963. Range (in code): **CN Ti Btn**
- 56858. *Actebia (Perissandria) argillacea likiangensis* Boursin, 1963** (Noctuidae) Synonym(s): *likiangensis* Boursin, 1963. Range (in code): **CN Yu Lik**
- 56859. *Actebia (Perissandria) breviami* (Hampson, 1894)** (Noctuidae) Synonym(s): *breviami* Hampson, 1894. Original Reference: *Agrotis breviami* Hampson, 1894, Fauna Br India 2: 183. Type ♂: "Mussooree (Harford)" (BMNH); later "Pubjab, Murree (Harford)" [Hampson (1903: 253)]. Range (in code): **PK Haz Mre**
- 56860. *Actebia (s.str.) fennica* (Tauscher, 1837)** (Noctuidae) Synonym(s): *fennica* Tauscher, 1837; *intracta* Walker, 1857; *eversmanni* Krulikowski, 1893; *unicolor* Kozhanchikov, 1925. Range (in code): **GB BE DE PL DK NO SE FI EE LV LT RU MD UA BY CN Ui Kml Chk KK TrA**
- 56861. *Actebia (s.str.) praecox* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *praecox* Linnaeus, 1758; *praeceps* Denis & Schiffermüller, [1775]; *pomacea* Fourcroy, 1785. Original Reference: *Phalaena praecox* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa]. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK TR NO SE FI EE LV LT RU Cc GG Smt Bjo Kr Nt Ich Ing Da MD UA BY** Bionomy: Larva on *Artemisia*, *Echium vulgare*, *Euphorbia*, *Plantago*, *Rumex acetosella*, *Sonchus* (Meyer, 1919).
- 56862. *Actebia (s.str.) praecox praecox* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *praecox* Linnaeus, 1758; *praeceps* Denis & Schiffermüller, [1775]; *pomacea* Fourcroy, 1785. Original Reference:

- Phalaena praecox* Linnaeus, 1758, Syst. Nat. (Edn.10)1:517. Type(s): [Europa]. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Kr Nt Ich Ing Da MD UA BY**
- 56863. *Actinotia furvusa* Chen & Xue, 2013** (Noctuidae) Synonym(s): *furvusa* Chen & Xue, 2013 Range (in code): **CN Gn**
- 56864. *Actinotia intermediata* (Bremer, 1861)** (Noctuidae) Synonym(s): *intermediata* Bremer, 1861; #*intermeidata* Chen & Xue, 2013 Range (in code): **RU KP KR JP LK IN TW**
- 56865. *Actinotia polyodon* (Clerck, 1759)** (Noctuidae) Synonym(s): #*polyodon* Clerck, 1759; *perspicillaris* Linnaeus, 1761. Original Reference: [Phalaena] *polyodon* Clerck, 1759, Icones Ins. 1: Pl.11 fig.2. Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT Cc AM RU Ro Kr St Sb At MD UA BY Ch CN Ui KK TeA Ax Na T-A JP** Bionomy: Larva on *Hypericum* (Hampson, 1903; Meyer, 1919).
- 56866. *Actinotia radiosa* (Esper, [1804])** (Noctuidae) Synonym(s): *radiosa* Esper, [1804]; *lyncea* Hübner, [1809] (*praeocc.*) Original Reference: *Phalaena radiosa* Esper, [1804], Die Schmett. (2): 62, Noct.116 pl.195 fig.1. Type(s): [Italy]: Genoa. Range (in code): **ES FR IT DE CH AT CZ SK HU RO YU AL BG GR TR RU Kr St Kc Kb Nt Da AM GG Smt Akh Cc MD UA BY TM** Bionomy: Larva on *Hypericum* (Meyer, 1919).
- 56867. *Actinotia stevenswani* Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) Synonym(s): *stevenswani* Hreblay, Peregovits & L.Ronkay, 1999 Range (in code): **VN Lei**
- 56868. *Actinotia subintermeidata* Chen & Xue, 2013** (Noctuidae) Synonym(s): *subintermeidata* Chen & Xue, 2013 Range (in code): **CN Hpe Gn**
- 56869. *Adisura aerugo* (R.Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *aerugo* R.Felder & Rogenhofer, 1874 Range (in code): **ZW Har ZA Ec Ans**
- 56870. *Adisura atkinsoni* Moore, 1881** (Noctuidae) Synonym(s): *atkinsoni* Moore, 1881 Range (in code): **IN SI Djl LK**
- 56871. *Adisura atkinsoni pallida* Moore, 1881** (Noctuidae) Synonym(s): *pallida* Moore, 1881 Range (in code): **LK**
- 56872. *Adisura bella* Gaede, 1915** (Noctuidae) Synonym(s): *bella* Gaede, 1915 Range (in code): **ZA**
- 56873. *Adisura callima* Bethune-Baker, 1911** (Noctuidae) Synonym(s): *callima* Bethune-Baker, 1911 Original Reference: *Adisura callima* Bethune-Baker, 1911, Ann. Mag. nat. Hist. (8) 8: 508. Type ♀: [Angola]: "Malange, W.Africa". Range (in code): **AO**
- 56874. *Adisura litarga* (Turner, 1920)** (Noctuidae) Synonym(s): *litarga* Turner, 1920 Range (in code): **AU QAU ID Clb**
- 56875. *Adisura marginalis* (Walker, 1858)** (Noctuidae) Synonym(s): *marginalis* Walker, 1858; *delicia* R.Felder & Rogenhofer, 1874; *dulcis* Moore, 1881; *similis* Moore, 1881; *purgata* W.Warren, 1913 Range (in code): **PK Cp IN Up Ddu SI Djl Clc Ass Meg Khs LK ID Amb Tnm Clb Sum Ja Bli MM Kch Kam TH Bnk VN Lei Ton CN PH Luz AU QAU Crn Kda Wau NAU**
- 56876. *Adisura straminea* Hampson, 1902** (Noctuidae) Synonym(s): *straminea* Hampson, 1902 Original Reference: *Adisura straminea* Hampson, 1902, Ann. S. Afr. Mus. 2: 258. Type ♂: South Africa: N'Gamiland (BMNH). Range (in code): **ZA**
- 56877. *Adrapsa ablualis* Walker, [1859]** (Noctuidae) Synonym(s): *ablualis* Walker, [1859]; *titysusalis* Walker, [1859]; *semicircularis* Lucas, 1892 Range (in code): **LK Bor Swk AU Bri QAU TH LA VN CN TW JP ID Sum Clb PG Sda PH NH NC Bsm**
- 56878. *Adrapsa abnormalis* Swinhoe, 1895** (Noctuidae) Synonym(s): *abnormalis* Swinhoe, 1895 Range (in code): **SI IN Ass Khs TH Nrt Kao Pgg**
- 56879. *Adrapsa albirenalis* (Moore, 1867)** (Noctuidae) Synonym(s): *albirenalis* Moore, 1867 Range (in code): **IN SI Djl TH Nrt Kao CN**
- 56880. *Adrapsa ochracea* Leech, 1900** (Noctuidae) Synonym(s): *ochracea* Leech, 1900 Range (in code): **TH Knc CN TW Mou**
- 56881. *Adrapsa quarilinealis* Wileman, 1914** (Noctuidae) Synonym(s): *quarilinealis* Wileman, 1914 Range (in code): **TH CMA Fn Php TW**
- 56882. *Adrapsa simplex* (Butler, 1879)** (Noctuidae) Synonym(s): *simplex* Butler, 1879 Range (in code): **JP KR CN TW**
- 56883. *Adrapsa sp.*** (Noctuidae) Synonym(s): Range (in code): **TH CMA Fn Php**
- 56884. *Aedia acronyctoides* (Guenée, 1852)** (Noctuidae) Synonym(s): *acronyctoides* Guenée, 1852 Range (in code): **WS AU IN Mh Nsk TH Knc CMA Int LA KH VN MM NP TW PH ID Sum Tim Flo Shw Clb PG**

- 56885. *Aedia cana* (Brandt,1939)** (Noctuidae) Synonym(s): *cana* Brandt,1939 _ Range (in code): IR Ss Hz Lo B-A Mz Elb
- 56886. *Aedia funesta* (Esper,[1786])** (Noctuidae) Synonym(s): *funesta* Esper,[1786]; *quadrimaculata* Scopoli,1786 Original Reference: Phalaena funesta Esper,[1786], Die Schmett.: 72, pl.188 fig.6. Type(s): [Deutschland]: Frankfurt a.Main. Range (in code): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Sb Cc GG Tbl Smt Bjo Lag AZ Kir Kr Ro St Kb Nt Ich Kyi Da MD UA BY IR Hz Ss LB Bsa SY IL Hf Pa IQ Bionomy: Larva on Convolvulus sepium (Meyer,1919).
- 56887. *Aedia leucomelas* (Linnaeus,1758)** (Noctuidae) Synonym(s): *leucomelas* Linnaeus,1758; *ramburi* Boisduval,1829; *adepta* Geyer,1832; *olivascens* Guenée,1852; *limitaris* Walker,[1863]; *shisa* Strand,1920; *thomae* A.E.Prout,1927; *albodiscalis* Roepke,1932; *ermanniae* Berio,1989 Original Reference: Phalaena leucomelas Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): Europa. Range (in code): ZA MA DZ Hrh Agi TN PT ES Mu FR Co Sa Si IT MT CH AT HU RO YU AL BG GR TR GG Tbl Mng AZ Kir Len AM Cc RU Kr CY LB IR Mz Elb Clu Th Gls KP KR JP IN Mh Nsk NP TW CN PH ID Ja Sum Bor Clb NC FJ GU NH WS TH LA KH VN MM Bionomy: Larva on Convolvulus, Calystegia (Spuler,1906, Calle et al.,2000).
- 56888. *Aedophron phlebophora* Lederer,1858** (Noctuidae) Synonym(s): *phlebophora* Lederer,1858; *monotonia* Amsel,1935 Original Reference: Aedophron phlebophora Lederer,1858, Wien. ent. Monatschr. 2: 144, Taf.2 fig.9. Type ♀: Syrien: Damask. Range (in code): TR Cc AZ Nv Ord SY Dms IR Fa Shr Kz Yas Es Zj Elb Th Kdj Ab Oru Kd Snj Bne Lo Gls Kh IQ TIH IL Pa RU St Da Bionomy: Larva on Phlomis (Lamiaceae) (Staudinger,1879; Warren,1911; Schwingenschuss,1938).
- 56889. *Aedophron rhodites* (Eversmann,1851)** (Noctuidae) Synonym(s): *rhodites* Eversmann,1851; *aurorina* Herrich-Schäffer,[1852]. Original Reference: Heliothis rhodites Eversmann,1851, Bull. Soc. imp. nat. Moscou 24: 635. Syntypes: [Russia]: Sarepta [Krasnoarmeysk]: [shores of Black Sea]. Range (in code): RO BG GR TR RU Ro St Ich Da Der Kyi AM GG Cc IR Gor Kh Bionomy: Larva on Phlomis herba-venti (Lamiaceae) (Meyer,1919).
- 56890. *Aedophron sumorita* Ronkay,2002** (Noctuidae) Synonym(s): *sumorita* Ronkay,2002 Range (in code): IR
- 56891. *Aedophron venosa* Christoph,1887** (Noctuidae) Synonym(s): *venosa* Christoph,1887 Range (in code): Cc AM TM Kp
- 56892. *Aegilia describens* Walker,[1858]** (Noctuidae) Synonym(s): *describens* Walker,[1858]; *anisoptera* Snellen,1880; *xylinata* Walker,1865 _ Range (in code): IN LK ID Clb TH VN Ass PG PH JP NH FJ NC Bsm AU
- 56893. *Aegle agatha* (Staudinger,1861)** (Noctuidae) Synonym(s): *agatha* Staudinger,1861 Original Reference: Metoponia agatha Staudinger,1861, Stettin ent. Ztg. 49: 289. Type(s): Griechenland (MNHU, Berlin). Range (in code): IT GR
- 56894. *Aegle diatemna* Boursin,1962** (Noctuidae) Synonym(s): *diatemna* Boursin,1962 Original Reference: Aegle diatemna Boursin,1962, Z. Wien. ent. Ges. 47: 183-185, Taf.18 fig.4. Holotype ♂: [Türkei]: Mardin. Range (in code): TR
- 56895. *Aegle eberti* Boursin,1969** (Noctuidae) Synonym(s): *eberti* Boursin,1969 _ Range (in code): AF
- 56896. *Aegle exquisita* Boursin,1969** (Noctuidae) Synonym(s): *exquisita* Boursin,1969 Original Reference: Aegle exquisita Boursin,1969, Entomops 15: 237 fig.44. Holotype ♂: Turkey, östl. Istanbul (coll. Vartian, NHMW). Range (in code): TR IR Ab Km Fa Shr
- 56897. *Aegle exsiccata* (W.Warren,1905)** (Noctuidae) Synonym(s): *exsiccata* W.Warren,1905 Range (in code): SD
- 56898. *Aegle gratiosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1892; *iranica* Bytinski-Salz & Brandt,1937. Original Reference: Metoponia gratiosa Staudinger,1892, Dt. ent. Z., Iris 4: 325. Syntypes: [Türkei]: Mardin. Range (in code): TR IR Fa Elb Kdj Th Ss Fa Kd Mrv Kz Yas AF
- 56899. *Aegle kaekeritziana* (Hübner,[1799])** (Noctuidae) Synonym(s): *kaekeritziana* Hübner,[1799]; *flava* Hübner,[1809]; *flavida* Ochsenheimer,1816. Original Reference: Tortrix kaekeritziana Hübner,[1799], Samml. eur. Schmett. 6: Taf.26 fig.163 Type: Europa. Range (in code): Si IT AT CZ SK HU RO YU AL BG GR TR RU Ro Kr St Kyi MD UA BY IR Ab Mak Elb Clu AZ Kir AM GG Cc Da Der Bionomy: Larva on Delphinium (Romanoff,1885).
- 56900. *Aegle margarita* Boursin,1961** (Noctuidae) Synonym(s): *margarita* Boursin,1961 Range (in code): AF Arh

- 56901. Aegle nubila (Staudinger,1892)** (Noctuidae) Synonym(s): *nubila* Staudinger,1892
Original Reference: *Metoponia nubila* Staudinger,1892, Dt. ent. Z., Iris 4: 326-327. Syntypes 2♀:
[Türkei]: "Mardin" [♂♀ types from Karacadağ and Mardin were illustrated by Boursin (1962, Z.
wien. ent. Ges. 47: Taf.18, figs. 1,2)]. Range (in code): TR
- 56902. Aegle ottoi (Schawerda,1923)** (Noctuidae) Synonym(s): *ottoi* Schawerda,1923 Range
(in code): **IQ Mos Kbl IR Ahz**
- 56903. Aegle pallida (Staudinger,1892)** (Noctuidae) Synonym(s): *pallida* Staudinger,1892
Original Reference: *Metoponia pallida* Staudinger,1892, Dt. ent. Z., Iris 4: 323. Syntypes:
[Turkey]: Mardin. Range (in code): BG TR IQ Mos TIH Kq
- 56904. Aegle rebeli Schawerda,1923** (Noctuidae) Synonym(s): *rebeli* Schawerda,1923 Original
Reference: *Aegle rebeli* Schawerda,1923, Verh. zool.- bot. Ges. Wien 73: 159, figs. 14,15.
Syntypes: Iraq: Mosul (LNK). Range (in code): TR IQ Mos TIH Njf RU Ao
- 56905. Aegle semicana (Esper,[1798])** (Noctuidae) Synonym(s): *semicana* Esper,[1798]; *vespertalis*
Hübner,[1813]; *mimetes* Brandt,1938; *#verspentalis* Hacker,1986. Range (in code): MA Tgr DZ Ges DhM
Orn TN KhH Dzc Abe Hrh Hmk Sbd LY Sa Si IT MT HU RO YU AL BG GR TR GG Cc CY EG IR Fa Ab Sdt
Mia Km AF LB Bei IL Hf Pa Js JO Bionomy: Larva on Delphinium (Staudinger,1879).
- 56906. Aegle semicana petroffi Andres & Seitz,1925** (Noctuidae) Synonym(s): *petroffi* Andres
& Seitz,1925 Range (in code): EG
- 56907. Aegle semicana semicana (Esper,[1798])** (Noctuidae) Synonym(s): *semicana*
Esper,[1798]; *vespentalis* Hübner,[1813]; *mimetes* Brandt,1938; *#verspentalis* Hacker,1986. Range (in
code): MA Tgr DZ Ges DhM Orn TN KhH Dzc Abe Hrh Hmk Sbd LY Sa Si IT MT HU RO YU AL BG GR
CY TR Cc IR Fa Ab Sdt Mia Km AF LB Bei IL Js Pa JO
- 56908. Aegle subflava (Erschoff,1874)** (Noctuidae) Synonym(s): *subflava* Erschoff,1874
Range (in code): IQ Kq TM AF Hr IR Kh
- 56909. Aegle vartianorum Boursin,1969** (Noctuidae) Synonym(s): *vartianorum* Boursin,1969
Range (in code): AF
- 56910. Aegle vespertinalis (Rambur,1858)** (Noctuidae) Synonym(s): *vespentalis* Rambur,1858;
matutinalis Rambur,1858; *petroffi* Andres & Seitz,1925; *mimetes* Brandt,1938 Range (in code): PT ES An
Mu Bionomy: Larva on Delphinium (Calle et al., 2000).
- 56911. Aegocera affinis Druce,1883** (Noctuidae) Synonym(s): *affinis* Druce,1883; *norma*
Karsch,1895 Range (in code): KE MW
- 56912. Aegocera bettsi Wiltshire,1988** (Noctuidae) Synonym(s): *bettsi* Wiltshire,1988 Range
(in code): **SA YE**
- 56913. Aegocera brevivitta Hampson,1901** (Noctuidae) Synonym(s): *brevivitta* Hampson,1901;
irangiana Wichgraf,1913; *rectilineoides* Rothschild,1921 Range (in code): KE AO
- 56914. Aegocera fervida Walker,1854** (Noctuidae) Synonym(s): *fervida* Walker,1854; *triphaenoides*
Wallengren,1860; *fimbria* Möschler,1872 Range (in code): ZA Gau Pre Mpu Brb Nta Kzu Ec Tva Lpo
Spb Ltr Lem Ptb Umk Ptw Dbn ZW Swm ZR
- 56915. Aegocera geometrica Hampson,1910** (Noctuidae) Synonym(s): *geometrica* Hampson,1910
Range (in code): CG
- 56916. Aegocera humphreyi (Hampson,1911)** (Noctuidae) Synonym(s): *humphreyi*
Hampson,1911 Range (in code): NG
- 56917. Aegocera kibwezensis Strand,1909** (Noctuidae) Synonym(s): *kibwezensis* Strand,1909
Range (in code): KE
- 56918. Aegocera menete (Cramer,1775)** (Noctuidae) Synonym(s): *menete* Cramer,1775; *formosa*
Fabricius,1787; *magna* Walker,1854 Range (in code): SL NE UG Rz ZR
- 56919. Aegocera obliqua Mabille,1893** (Noctuidae) Synonym(s): *obliqua* Mabille,1893 Range
(in code): **TG**
- 56920. Aegocera obliquisigna Hampson,1901** (Noctuidae) Synonym(s): *obliquisigna*
Hampson,1901 Range (in code): KE
- 56921. Aegocera obzyros (Mabille,1878)** (Noctuidae) Synonym(s): *obzyros* Mabille,1878
Range (in code): MG
- 56922. Aegocera rectilinea Boisduval,1836** (Noctuidae) Synonym(s): *rectilinea* Boisduval,1836
Range (in code): SA YE ET KE NG GH ZR AO
- 56923. Aegocera rubida R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *rubida*
R.Felder & Rogenhofer,1874 Range (in code): ER ET

- 56924. *Aegocera tigrina* (Druce,1882)** (Noctuidae) **Synonym(s):** *tigrina* Druce,1882; *fabricata* Karsch,1895; *nigrimargo* Jordan,1913; *castaneimargo* Jordan,1913; *albifascia* Jordan,1913; *flavifascia* Jordan,1913
Range (in code): **GN CG CM NG Caa**
- 56925. *Aegocera tricolora* Bethune-Baker,1909** (Noctuidae) **Synonym(s):** *tricolora* Bethune-Baker,1909
Range (in code): **CG ZW**
- 56926. *Aegocera venulia* (Cramer,1777)** (Noctuidae) **Synonym(s):** *venulia* Cramer,1777
Range (in code): **Ch SI PK Cp IN LK MM**
- 56927. *Aereopteron amoena* Inoue,1958** (Noctuidae) **Synonym(s):** *amoena* Inoue,1958
Range (in code): **JP CN**
- 56928. *Aereopteron flaccida* Inoue,1958** (Noctuidae) **Synonym(s):** *flaccida* Inoue,1958
Range (in code): **JP**
- 56929. *Aereopteron fragmenta* Inoue,1965** (Noctuidae) **Synonym(s):** *fragmenta* Inoue,1965
Range (in code): **JP RU Us CN KP KR**
- 56930. *Aereopteron koreana* Fibiger & Kononenko,2008** (Noctuidae) **Synonym(s):** *koreana* Fibiger & Kononenko,2008
Range (in code): **KP KR**
- 56931. *Aereopteron makikoe* Fibiger & Kononenko,2008** (Noctuidae) **Synonym(s):** *makikoe* Fibiger & Kononenko,2008
Range (in code): **RU**
- 56932. *Aereopteron nebulo* Inoue,1965** (Noctuidae) **Synonym(s):** *nebulo* Inoue,1965
Range (in code): **JP RU KP KR CN**
- 56933. *Aereopteron nivalis* Hampson,1907** (Noctuidae) **Synonym(s):** *nivalis* Hampson,1907
Range (in code): **LK**
- 56934. *Aereopteron patella* Fibiger & Kononenko,2008** (Noctuidae) **Synonym(s):** *patella* Fibiger & Kononenko,2008
Range (in code): **RU**
- 56935. *Aereopteron pictale* Hampson,1893** (Noctuidae) **Synonym(s):** *pictale* Hampson,1893
Range (in code): **LK**
- 56936. *Aereopteron poliaphaea* (Hampson,1910)** (Noctuidae) **Synonym(s):** *poliaphaea* Hampson,1910
Range (in code): **LK**
- 56937. *Aereopteron ussurica* Fibiger & Kononenko,2008** (Noctuidae) **Synonym(s):** *ussurica* Fibiger & Kononenko,2008
Range (in code): **RU Us**
- 56938. *Africalpe falkneri* Hacker & Ebert,2002** (Noctuidae) **Synonym(s):** *falkneri* Hacker & Ebert,2002
Range (in code): **IR Ss**
- 56939. *Africalpe intrusa* C.G.Krüger,1939** (Noctuidae) **Synonym(s):** *intrusa* C.G.Krüger,1939
Range (in code): **IL Pa JO SD YE IR Ss PK OM AE SA SO LY MR**
- 56940. *Africalpe nubifera* (Hampson,1907)** (Noctuidae) **Synonym(s):** *nubifera* Hampson,1907
Range (in code): **IN**
- 56941. *Africalpe vagabunda* (Swinhoe,1884)** (Noctuidae) **Synonym(s):** *vagabunda* Swinhoe,1884; *anubis* Rebel,1948; *#anubia* Poole,1989
Range (in code): **EG JE PK Krc IN IR Ss Chh Hz B-A**
- 56942. *Afroortyna altimontana* M.Krüger,1997** (Noctuidae) **Synonym(s):** *altimontana* M.Krüger,1997
Range (in code): **ZA**
- 56943. *Afroortyna trinota* (Herrich-Schäffer,[1854])** (Noctuidae) **Synonym(s):** *trinota* Herrich-Schäffer,[1854]
Range (in code): **ZA**
- 56944. *Agamana ectrogia* (Hampson,1926)** (Noctuidae) **Synonym(s):** *ectrogia* Hampson,1926
Range (in code): **ZA**
- 56945. *Agamana pentagonalis* (Butler,1894)** (Noctuidae) **Synonym(s):** *pentagonalis* Butler,1894
Range (in code): **ZA Tva Lpo Spb Mdk**
- 56946. *Agarista agricola* (Donovan,1805)** (Noctuidae) **Synonym(s):** *agricola* Donovan,1805; *picta* Leach,1815; *daemonis* Butler,1876; *biformis* Butler,1884; *timorensis* Butler,1896; *laetior* Hulstaert,1924
Original Reference: *Papilio agricola* Donovan,1805, Ins. New Holland: Pl.32 fig.1. **Range (in code):** **AU QAU NSw PG ID Tim**
- 56947. *Agarista flutians* Lucas,1893** (Noctuidae) **Synonym(s):** *flutians* Lucas,1893
Range (in code): **AU**
- 56948. *Agarista simplex* Lucas,1891** (Noctuidae) **Synonym(s):** *simplex* Lucas,1891
Range (in code): **AU**
- 56949. *Agnatha dorfmeisteri* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *dorfmeisteri* R.Felder & Rogenhofer,1874; *siculifera* Holland,1894; *rhodochrysa* Joannis,1906
Range (in code): **ZA Nta Kzu Est Ec Kny SN ZR ZW Har IN ET ET204 CM SL GH CI**

- 56950. Agnorisma bugrai (Koçak,1983)** (Noctuidae) Synonym(s): *collaris* Grote & Robinson,1868 *nec* Wllgrn.,1856; *bugrai* Koçak,1983 Original Reference: *Xestia bugrai* Koçak,1983, Priamus 3: 42 (nom. nov. pro *collaris* Grote & Robinson,1868 *nec* Wallengren,1856). Range (in code): **CA Abt BCo Ssk Mnt On Qb Nbw Ped Nsc US Mai Wc Mch Oh Vi Tnn NCa NMx Col Wy NDk Mon Org Ny Pns Ut Neb**
- 56951. Agoma trimenii (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *trimenii* R.Felder & Rogenhofer,1874; *tricolor* Druce,1883; *elegantula* Mabille,1893; *agoma* Karsch,1895; *halans* Karsch,1895; *ovifera* Hampson,1910; *#semialba* Jordan,1913 Range (in code): **ZA Nta Kzu Umk Elo Dbn Ktz Lem Tva Lpo Spb Lj Mdk ZW Har Bul TG SA YE**
- 56952. Agrapha accentifera (Lefèbvre,1827)** (Noctuidae) Synonym(s): *accentifera* Lefèbvre,1827; *l-aureum* Freyer,1831; *accifera* Gaede,1937. Original Reference: *Plusia accentifera* Lefèbvre,1827, Mém. Soc. linn. Paris 6: 96-97, pl.5 f.2. Type(s): [Italy]: Sicily, Madoniers Mts. Range (in code): **DZ Btina Abe PT ES Mu FR Co Sa Si IT GB AL GR Cr TR LB Bsa Ale Bei CY IL Pa SA YE OM ZA ET ET196 MG** Bionomy: Larva on *Mentha* (Calle et al., 2000).
- 56953. Agrapha aeneofusa (Hampson,1894)** (Noctuidae) Synonym(s): *aeneofusa* Hampson,1894 Range (in code): **IN SI Ass Meg Khs TH VN Ton Tda NP ID Sum TW**
- 56954. Agrapha aenescens (A.E.Prout,1921)** (Noctuidae) Synonym(s): *aenescens* A.E.Prout,1921 Original Reference: *Plusia aenescens* A.E.Prout,1921, Ann. Mag. nat. Hist. 8: 24, pl.4 fig.1. Type: Nord-Rhodesia (Zambia) (BMNH). Range (in code): **ZM ET ET204 ET234 CM KE TZ ZW**
- 56955. Agrapha agnata (Staudinger,1892)** (Noctuidae) Synonym(s): *agnata* Staudinger,1892; *sokutsuna* Strand,1920 Range (in code): **CN JP**
- 56956. Agrapha agnata (Staudinger,1892)** (Noctuidae) Synonym(s): *agnata* Staudinger,1892 Range (in code): **VN Ton Tda CN**
- 56957. Agrapha albostrata (Bremer & Grey,1853)** (Noctuidae) Synonym(s): *albostrata* Bremer & Grey,1853; *subchalybaea* Walker,1865; *nubila* Moore,1887; *oxygramma* Hampson,1894; *transfixa* auct. Range (in code): **TH CMa Int VN Ton Tda IN NP PK LK CN TW JP KP KR RU Us PH ID Sum Ja Tim Flo PG NH NC NF RA FJ AU NZ CL** Bionomy: Larva on *Symphytum* (Boraginaceae), *Calystegia* (Convolvulaceae), *Aster*, *Dichrocephala*, *Elephantopus*, *Erigeron*, *Calendula*, *Callistephus*, *Dahlia*, *Solidago* (Asteraceae) (Holloway,1985).
- 56958. Agrapha amydra (Dufay,1972)** (Noctuidae) Synonym(s): *amydra* Dufay,1972 Range (in code): **CM ZR UG Rz KE TZ ZW Vum ZA ET ET60 ET196 ET204**
- 56959. Agrapha armata Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *armata* Behounek & L.Ronkay,1999 Range (in code): **PH Mno**
- 56960. Agrapha caelata (Dufay,1972)** (Noctuidae) Synonym(s): *caelata* Dufay,1972 Range (in code): **ZA**
- 56961. Agrapha dargei (Dufay,1972)** (Noctuidae) Synonym(s): *dargei* Dufay,1972 Range (in code): **CM ET ET60 ET204**
- 56962. Agrapha dufayi Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *dufayi* Behounek & L.Ronkay,1999 Range (in code): **PH Luz**
- 56963. Agrapha eugrapha (Hampson,1913)** (Noctuidae) Synonym(s): *eugrapha* Hampson,1913 Range (in code): **PG ID Ij Fak**
- 56964. Agrapha fracta (Walker,1857)** (Noctuidae) Synonym(s): *fracta* Walker,1857 Range (in code): **ZA Nta Kzu Dbn ZR ET ET24 ET29 ET60 Ble ET86 ET196 ET 204 KE CM UG ZW SN NG IN LK**
- 56965. Agrapha furcifera (Walker,1857)** (Noctuidae) Synonym(s): *furcifera* Walker,1857; *babooni* Bethune-Baker,1906; *polisha* Strand,1920; *yunnanensis* Chou & Lu,1978 Range (in code): **CN Yu TH Nan Dpk VN IN NP PK AF TW ID Sum Clb PG? AU**
- 56966. Agrapha furcifera (Walker,[1858])** (Noctuidae) Synonym(s): *furcifera* Walker,[1858]; *mutans* Walker,1865; *ogovana* Holland,1894; *babooni* Bethune-Baker,1906; *polisha* Strand,1920. Range (in code): **ZA**
- 56967. Agrapha herbuloti (Dufay,1982)** (Noctuidae) Synonym(s): *herbuloti* Dufay,1982 Range (in code): **PH Luz**
- 56968. Agrapha ichinosei (Dufay,1965)** (Noctuidae) Synonym(s): *ichinosei* Dufay,1965 Range (in code): **JP**
- 56969. Agrapha javana Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *javana* Behounek & L.Ronkay,1999 Range (in code): **ID Ja**
- 56970. Agrapha kosemponensis (Strand,1920)** (Noctuidae) Synonym(s): *kosemponensis* Strand,1920 Range (in code): **TH Nan Dpk IN TW**
- 56971. Agrapha latistigma (A.E.Prout,1922)** (Noctuidae) Synonym(s): *latistigma* A.E.Prout,1922 Range (in code): **ID Crm Clb Flo Tim**

- 56972. *Agrapha latistigma floresiana* Behounek & L.Ronkay,1999** (Noctuidae)
Synonym(s): *floresiana* Behounek & L.Ronkay,1999 _ Range (in code): ID Flo
- 56973. *Agrapha latistigma sulawesiana* Behounek & L.Ronkay,1999** (Noctuidae)
Synonym(s): *sulawesiana* Behounek & L.Ronkay,1999 _ Range (in code): ID Clb
- 56974. *Agrapha limbirena* (Guenée,1852)** (Noctuidae) Synonym(s): *limbirena* Guenée,1852
Range (in code): MG ID Sum Tim Clb Bli ES PT GB DK SH KE Md MA Cn CV Az SA ET ET24 ET196 ET93 Ble IN LK RE MU SH VN MY ZA Tva Gau Pre Nta Kzu Est Ec ZW Har MG MZ Del YE Ad
- 56975. *Agrapha microptera* L.Ronkay,1989** (Noctuidae) Synonym(s): *microptera* L.Ronkay,1989
Range (in code): VN Ton
- 56976. *Agrapha ogovana* (Holland,1894)** (Noctuidae) Synonym(s): *ogovana* Holland,1894
Range (in code): ET ET24 MG
- 56977. *Agrapha perispomena* (Dufay,1972)** (Noctuidae) Synonym(s): *perispomena* Dufay,1972
Range (in code): KE UG TZ ET ET60 ET204
- 56978. *Agrapha phoceia* (Hampson,1910)** (Noctuidae) Synonym(s): *phoceia* Hampson,1910
Range (in code): ZA Nta Kzu Dbn ET ET24 ET196 ET204 CI CM GA BI UG KE TZ ZW ST
- 56979. *Agrapha phoceoides* (Dufay,1972)** (Noctuidae) Synonym(s): *phoceoides* Dufay,1972
Range (in code): ZA
- 56980. *Agrapha placida* (Moore,1884)** (Noctuidae) Synonym(s): *placida* Moore,1884 _ Range (in code): ID Tim Flo INLK TW
- 56981. *Agrapha placida sundicata* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *sundicata* Behounek & L.Ronkay,1999 _ Range (in code): ID Tim Flo
- 56982. *Agrapha polycampta* (Dufay,1972)** (Noctuidae) Synonym(s): *polycampta* Dufay,1972
Range (in code): ZA
- 56983. *Agrapha scoteina* (Dufay,1972)** (Noctuidae) Synonym(s): *scoteina* Dufay,1972 _ Range (in code): ZA
- 56984. *Agrapha sigillata* (Dufay,1970)** (Noctuidae) Synonym(s): *sigillata* Dufay,1970 _ Range (in code): PH Luz
- 56985. *Agrapha sumbawana* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *sumbawana* Behounek & L.Ronkay,1999 _ Range (in code): ID Sbw Flo
- 56986. *Agrapha tarassota* (Hampson,1913)** (Noctuidae) Synonym(s): *confusa* Moore,1882 nec *Stph.*,1850; *tarassota* Hampson,1913 _ Range (in code): IN Ben SI Djl VN Ton Tda TH NP CN
- 56987. *Agrapha vermiculata* (Dufay,1970)** (Noctuidae) Synonym(s): *vermiculata* Dufay,1970
Range (in code): ID Sum Ja
- 56988. *Agrochola (Alpichola) dubatolovi* Varga & L.Ronkay,1991** (Noctuidae)
Synonym(s): *dubatolovi* Varga & L.Ronkay,1991 _ Range (in code): TM Kp
- 56989. *Agrochola (Alpichola) egorovi* (O.Bang-Haas,1934)** (Noctuidae) Synonym(s): *egorovi* O.Bang-Haas,1934 _ Original Reference: Amathes (Orthosia) egorovi O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 56. Syntypes: [Russia]: Daghestan, Chodzhal-Machi, 3200m. Range (in code): RU Da Cc AM TR IQ Er Hjo
- 56990. *Agrochola (Alpichola) egorovi egorovi* (O.Bang-Haas,1934)** (Noctuidae)
Synonym(s): *egorovi* O.Bang-Haas,1934 _ Original Reference: Amathes (Orthosia) egorovi O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48: 56. Syntypes: [Russia]: Daghestan, Chodzhal-Machi, 3200m. Range (in code): Cc RU Da AM TR
- 56991. *Agrochola (Alpichola) egorovi laciniatae* Wiltshire,1958** (Noctuidae) Synonym(s): *laciniatae* Wiltshire,1958 _ Original Reference: Agrochola egorovi ssp. laciniatae Wiltshire,1958, J. Bombay Nat. Hist. Soc. 55: 233. Holotype ♂: Iraq: Erbil: Haj Omran, 1830m. Range (in code): IQ Er Hjo TR
- 56992. *Agrochola (Alpichola) elbursica* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *elbursica* L.Ronkay & Gyulai,2006 _ Range (in code): IR Elb Zj
- 56993. *Agrochola (Alpichola) janhillmanni* Hacker & Moberg,1989** (Noctuidae)
Synonym(s): *janhillmanni* Hacker & Moberg,1989 _ Original Reference: Agrochola janhillmanni Hacker & Moberg,1989, Nota lepid. 12 (2): 128, figs. Holotype ♂: Türkiye: [Şırnak]: Tanin Dağları, Elkek geçidi, 2200m, 7km nnö. Uludere, 15.ix.1985 (leg. coll. Hacker). Range (in code): TR Cc AM
- 56994. *Agrochola (Alpichola) lactiflora* (Draudt,1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt,1934; *fibigeri* Hacker & Moberg,1989 _ Original Reference: Amathes lactiflora Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 151. Syntypes: [Turkey]: Diarbekir. Range (in code): TR Cc LB Bsa SY MK GR _ Bionomy: Larva on Rheum ribes (Polygalaceae) (Kemal & Özkol,2008).

- 56995. *Agrochola (Alpichola) lactiflora lactiflora* (Draudt,1934)** (Noctuidae) Synonym(s): *lactiflora* Draudt,1934; *fibigeri* Hacker & Moberg,1989 Original Reference: *Amathes lactiflora* Draudt,1934, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.):151. Syntypes: [Turkey]: Diarbekir. Range (in code): **TR Cc LB Bsa SY MK GR** Bionomy: Larva on Rheum ribes (Polygalaceae) (Kemal & Özkol,2008).
- 56996. *Agrochola (Alpichola) wautieri* Dufay,1975** (Noctuidae) Synonym(s): *lactiflora sensu* Pinker,1956; *wautieri* Dufay,1975 Original Reference: *Agrochola wautieri* Dufay,1975, Bull. Soc. linn. Lyon 44 (5): 150-153, figs. Holotype ♂: Macédoine: env. Carino, rive du Lac Prespansko, 24.ix.1974 (leg. & coll. C.Dufay). Range (in code): **MK GR AL** Bionomy: Larva on Salix caprea (Salicaceae); Amygdalus, Prunus, Crataegus (Rosaceae) (Pinker,1956).
- 56997. *Agrochola (Anchoscelis) consueta* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer,[1852] Original Reference: *Orthosia consueta* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type: [Türkei]: ? Istanbul. Range (in code): **TR MK GR BG**
- 56998. *Agrochola (Anchoscelis) consueta consueta* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *consueta* Herrich-Schäffer,[1852] Original Reference: *Orthosia consueta* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6: 65. Type: [Türkei]: ? Istanbul. Range (in code): **TR MK GR BG**
- 56999. *Agrochola (Anchoscelis) consueta ssp.*** (Noctuidae) Synonym(s): Range (in code): **TR**
- 57000. *Agrochola (Anchoscelis) deleta* (Staudinger,1881)** (Noctuidae) Synonym(s): *deleta* Staudinger,1881 Original Reference: *Orthosia nitida* var. *deleta* Staudinger,1881, Horae Soc. ent. ross. 16: 75. Syntypes: [Türkei]: Amasia. Range (in code): **MA DZ Clo BG GR Cc TR**
- 57001. *Agrochola (Anchoscelis) fuscomixta* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *fuscomixta* L.Ronkay & Gyulai,2006 Range (in code): **IR Ak**
- 57002. *Agrochola (Anchoscelis) gratiosa* (Staudinger,1882)** (Noctuidae) Synonym(s): *gratiosa* Staudinger,1881 Original Reference: *Orthosia gratiosa* Staudinger,1881, Horae Soc. ent. ross. 16: 76. Syntypes: [Türkei]: Amasia (MNHU, Berlin). Range (in code): **SY Ltk BG GR Cc TR**
- 57003. *Agrochola (Anchoscelis) helvola* (Linnaeus,1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759 Original Reference: *Phalaena helvola* Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): Finlandia. Range (in code): **DZ Bttna PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da MD UA BY CN Ui Kun LB IL Pa**
- 57004. *Agrochola (Anchoscelis) helvola helvola* (Linnaeus,1758)** (Noctuidae) Synonym(s): *helvola* Linnaeus,1758; *rufina* Linnaeus,1758; *#fulvago* Clerck,1759 Original Reference: *Phalaena helvola* Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): Finlandia. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da MD UA BY CN Ui Kun**
- 57005. *Agrochola (Anchoscelis) helvola pallescens* (Osthelder,1933)** (Noctuidae) Synonym(s): *#pallescens* W.Warren,1911; *pallescens* Osthelder,1933; *vulpina* De Lattin,1950. Range (in code): **TR Cc Smt Bjo Lag LB IL Pa**
- 57006. *Agrochola (Anchoscelis) humilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787 Original Reference: *Noctua humilis* Fabricius,1787, Mant. Ins. 2: 146, nr.89. Type(s): [Wien]. Range (in code): **FR IT BE DE CH AT CZ SK HU RO YU BG GR TR RU Cc Kr Da** Bionomy: Larva on Carduus acanthoides, Leontodon taraxacum, Sonchus oleraceus (Asteraceae) (Meyer,1919).
- 57007. *Agrochola (Anchoscelis) humilis anatolica* Pinker,1980** (Noctuidae) Synonym(s): *anatolica* Pinker,1980 Original Reference: *Agrochola humilis ssp. anatolica* Pinker,1980, Z. ArbGem. öst. Ent. 31: 74, figs. Holotype ♂: Türkiye: Ankara: Kızılcahamam (leg & coll. Pinker). Range (in code): **TR Cc**
- 57008. *Agrochola (Anchoscelis) humilis humilis* (Fabricius,1787)** (Noctuidae) Synonym(s): *#humilis* [Denis & Schiffermüller],1775; *humilis* Fabricius,1787 Original Reference: *Noctua humilis* Fabricius,1787, Mant. Ins. 2: 146, nr.89. Type(s): [Wien]. Range (in code): **FR IT BE DE CH AT CZ SK HU RO YU BG GR RU Cc Kr Da**
- 57009. *Agrochola (Anchoscelis) hypotaenia* (Bytinski-Salz,1936)** (Noctuidae) Synonym(s): *hypotaenia* Bytinski-Salz,1936; *wiltshirei* Bytinski-Salz,1936 Original Reference: *Amathes hypotaenia* Bytinski-Salz,1936, Entomologist's Rec. J. Var. 48: 3-4. Holotype ♀: [Libanon]: Syria: Beirut. Range (in code): **LB Bei IL Pa**

- 57010. *Agrochola (Anchoscelis) imitata* Ronkay,1984** (Noctuidae) Synonym(s): *imitata* Ronkay,1984 Original Reference: *Agrochola (Anchoscelis?) imitata* Ronkay,1984, Acta zool. Hung. 30: 186-187, figs. Holotype ♂: Iraq: Zawita Dohuk, leg. G.Topal & F.Zilahy (HNHMB). Range (in code): **TR IQ Dk**
- 57011. *Agrochola (Anchoscelis) kindermannii* (Fischer v. Röslerstamm,[1841])** (Noctuidae) Synonym(s): *kindermannii* Fischer v. Röslerstamm,[1841]; *ballotae* Duponchel,[1842]; *cindermannii* Hampson,1906; *rufa* Osthelder,1933; *wolfschlaegeri* Boursin,1953. Original Reference: *Orthosia kindermannii* Fischer von Röslerstamm,[1841], Abb. Ber. Erg. Schmettk. 1: 77, pl.36 figs.1a-c. Type(s): Fiume. Range (in code): **IT Si HV YU MK GR BG TR LB IR AZ Nv Dz Cc**
- 57012. *Agrochola (Anchoscelis) litura* (Linnaeus,1761)** (Noctuidae) Synonym(s): *litura* Linnaeus,1761 Original Reference: *Phalaena litura* Linnaeus,1761, Fauna Suecica (2): 230. Lectotype ♂: "Holmiae" [Stockholm], designated by Mikkola & Honey,1993. Range (in code): **MA PT ES Mu FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kc Kyi Da MD UA BY LB Bsa** Bionomy: Larva on *Lamium* (Lamiaceae) (Meyer,1919).
- 57013. *Agrochola (Anchoscelis) litura litura* (Linnaeus,1761)** (Noctuidae) Synonym(s): *litura* Linnaeus,1761 Original Reference: *Phalaena litura* Linnaeus,1761, Fauna Suecica (2): 230. Lectotype ♂: "Holmiae" [Stockholm], designated by Mikkola & Honey,1993. Range (in code): **PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kc Kyi Da MD UA BY**
- 57014. *Agrochola (Anchoscelis) luteogrisea* (W.Warren,1911)** (Noctuidae) Synonym(s): *luteogrisea* W.Warren,1911 Range (in code): **TR LB IL Pa IR Elb Th RU Cc Ich**
- 57015. *Agrochola (Anchoscelis) nigriclava* Boursin,1957** (Noctuidae) Synonym(s): *nigriclava* Boursin,1957 Range (in code): **AF**
- 57016. *Agrochola (Anchoscelis) nitida* (Fabricius,1787)** (Noctuidae) Synonym(s): *#nitida* [Denis & Schiffermüller],1775; *nitida* Fabricius,1787 Original Reference: *Noctua nitida* Fabricius,1787, Mant. Ins. 2: 141-142, nr.58. Type(s): [Wien]. Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI RU GG Smt Bjo Cc Ro Kr St Da MD UA BY**
- 57017. *Agrochola (Anchoscelis) occulta* Hacker,1996** (Noctuidae) Synonym(s): *occulta* Hacker,1996 Original Reference: *Agrochola (Anchoscelis) occulta* Hacker,1996, Esperiana 4: 456-457, figs. Holotype ♂: Türkiye: Amanus s., Düldül Dag (Yüksek Dag), Jeschil dere, xi.1932 (ZSM). Range (in code): **TR**
- 57018. *Agrochola (Anchoscelis) oropotamica* (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941. Original Reference: *Amathes oropotamica* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, fig.11. Type(s): Iran. Range (in code): **IR Hz Fa Ma Mz Kdj TR**
- 57019. *Agrochola (Anchoscelis) oropotamica oropotamica* (Wiltshire,1941)** (Noctuidae) Synonym(s): *oropotamica* Wiltshire,1941; *modesta* Brandt,1941. Original Reference: *Amathes oropotamica* Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, fig.11. Type(s): Iran. Range (in code): **TR IR Hz Ma Mz Kdj**
- 57020. *Agrochola (Anchoscelis) oropotamica thermopotamica* (Wiltshire,1941)** (Noctuidae) Synonym(s): *thermopotamica* Wiltshire,1941. Range (in code): **IR Fa**
- 57021. *Agrochola (Anchoscelis) osthelderi* Boursin,1951** (Noctuidae) Synonym(s): *osthelderi* Boursin,1951 Original Reference: *Agrochola osthelderi* Boursin,1951, Z. Wien. ent. Ges. 36: 159, pl.12 fig.1. Holotype ♂: [Türkei]: Asia minor: Marasch. Range (in code): **BG GR TR IL Js Pa AM Cc Eri**
- 57022. *Agrochola (Anchoscelis) pauli* (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli* Staudinger,1892 Original Reference: *Orthosia kindermannii* var. *pauli* Staudinger,1892, Dt. ent. Z., Iris 4: 301-302. Syntypes 10♂♂: [Israel]: Jerusalem (Paulus leg.). Range (in code): **IL Js Ale Pa LB SY JO TR**
- 57023. *Agrochola (Anchoscelis) plumbea* (Wiltshire,1941)** (Noctuidae) Synonym(s): *plumbea* Wiltshire,1941 Range (in code): **IR Fa Km Ma**
- 57024. *Agrochola (Anchoscelis) plumbea convergens* (Wiltshire,1946)** (Noctuidae) Synonym(s): *convergens* Wiltshire,1946 Range (in code): **IR Fa Km Ma**
- 57025. *Agrochola (Anchoscelis) rupicapra* (Staudinger,1879)** (Noctuidae) Synonym(s): *rupicapra* Staudinger,1879 Original Reference: *Orthosia rupicapra* Staudinger,1879, Horae Soc. ent. ross. 14: 390-392. Syntypes 1♂ 2♀: [Türkei]: Taurus (Haberhauer leg.). Range (in code): **BG GR TR CY IL Pa**

- 57026. *Agrochola (Anchoscelis) sairtana* Derra,1990** (Noctuidae) Synonym(s): *sairtana* Derra,1990 Original Reference: *Agrochola (Anchoscelis) sairtana* Derra,1990, *Esperiana* 1: 396, Taf.1 fig.5. Holotype ♂: Turkey: Siirt Prov., Başor Tal, 28km nw Siirt, 650m 2.xi.1988 (coll. Derra). Range (in code): **TR**
- 57027. *Agrochola (Anchoscelis) scabra* (Staudinger,1892)** (Noctuidae) Synonym(s): *scabra* Staudinger,1892 Range (in code): **IL Js Pa JO IQ**
- 57028. *Agrochola (Anchoscelis) thurneri* Boursin,1953** (Noctuidae) Synonym(s): *thurneri* Boursin,1953 Original Reference: *Agrochola thurneri* Boursin,1953, *Z. Wien. ent. Ges.* 38: 64. Range (in code): **MK BG GR**
- 57029. *Agrochola (Frivaldskyola) mansueta* (Herrich-Schäffer,[1850])** (Noctuidae) Synonym(s): *mansueta* Herrich-Schäffer,[1850]; *pontica* Staudinger,1901. Original Reference: *Cerastis manuseta* Herrich-Schäffer,[1850], *Syst. Bearb. Schmett. Eur.* 2: 322. Syntypes: [Türkei]: Küsten Marmarameer. Range (in code): **Si HV GR Cr Rd TR IL Pa Hf**
- 57030. *Agrochola (Frivaldskyola) staudingeri* Ronkay,1984** (Noctuidae) Synonym(s): *#judaea* Kalchberg,1897; *staudingeri* Ronkay,1984 Original Reference: *Agrochola (Frivaldskyola) staudingeri* Ronkay,1984, *Acta zool. hung.* 30: 180. Range (in code): **IL Js Pa LB Bei TR**
- 57031. *Agrochola (Haemachola) haematidea* (Duponchel,1827)** (Noctuidae) Synonym(s): *haematidea* Duponchel,1827 Range (in code): **DZ Phv PT ES FR Co Sa IT GB**
- 57032. *Agrochola (Leptologia) lota* (Clerck,1759)** (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876 Original Reference: [Phalaena] *lota* Clerck,1759, *Icon. Ins. rariorum Pl.* 8, fig.1. Type: Schweden. Range (in code): **DZ Btna Blid PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ AM Cc LB DK NO SE FI EE LV LT RU Cc Ro Kr MD UA BY** Bionomy: Larva on *Salix*, *Populus* (Salicaceae); *Alnus* (Spuler,1907).
- 57033. *Agrochola (Leptologia) lota lota* (Clerck,1759)** (Noctuidae) Synonym(s): *#lota* Clerck,1759; *hippophae* Goerze,1781; *hippophaes* Retzius,1783; *americana* Morris,1876 Original Reference: [Phalaena] *lota* Clerck,1759, *Icon. Ins. rariorum Pl.* 8, fig.1. Type: Schweden. Range (in code): **DZ Btna Blid PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr MD UA BY** Bionomy: Larva on *Salix*, *Populus* (Salicaceae); *Alnus* (Spuler,1907).
- 1
- 57034. *Agrochola (Leptologia) macilenta* (Hübner,[1809])** (Noctuidae) Synonym(s): *macilenta* Hübner,[1809] Original Reference: *Noctua macilenta* Hübner,[1809], *Samml. eur. Schmett., Noct.* 2: Taf.89, fig.418. Type(s): [Europa]. Range (in code): **DZ Afl PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr Da MD UA BY** Bionomy: Larva on *Fagus sylvatica*, *Quercus* (Fagaceae) (Spuler,1907).
- 57035. *Agrochola (Leptologia) macilenta macilenta* (Hübner,[1809])** (Noctuidae) Synonym(s): *macilenta* Hübner,[1809] Original Reference: *Noctua macilenta* Hübner,[1809], *Samml. eur. Schmett., Noct.* 2: Taf.89, fig.418. Type(s): [Europa]. Range (in code): **DZ Afl PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc LB Bsa IL Pa DK NO SE FI EE LV LT RU Ro Kr Da MD UA BY** Bionomy: Larva on *Fagus sylvatica*, *Quercus* (Fagaceae) (Spuler,1907).
- 57036. *Agrochola (Leptologia) macilenta rubescens* (Wiltshire,1939)** (Noctuidae) Synonym(s): *rubescens* Wiltshire,1939 Range (in code): **LB Bsa IL Pa**
- 57037. *Agrochola (Leptologia) schreieri* Hacker & Weigert,1986** (Noctuidae) Synonym(s): *schreieri* Hacker & Weigert,1986 Original Reference: *Agrochola lota* ssp. *schreieri* Hacker & Weigert,1986, *Neue ent. Nachr.* 19 (3/4): 154, Taf.11 fig.6. Holotype ♂: Türkei, Prov. Erzurum, 15km s Hınıs 1750m 16 x 1985 (leg. & coll. Weigert). Range (in code): **GR Cr MK TR LB IR Ma**
- 57038. *Agrochola (Propenistra) laevis* (Hübner,[1803])** (Noctuidae) Synonym(s): *laevis* Hübner,[1803] Original Reference: *Noctua laevis* Hübner,[1803], *Samml. eur. Schmett., Noctuae:* Taf.34 fig.163. Type(s): [Europa]. Range (in code): **FR Si? IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK RU Ro Kr St MD UA BY** Bionomy: Larva on *Lamium* (Lamiaceae), *Leontodon taraxacum* (Asteraceae) (Meyer,1919).
- 57039. *Agrochola (Sunira) circellaris* (Hufnagel,1766)** (Noctuidae) Synonym(s): *circellaris* Hufnagel,1766 Original Reference: *Phalaena circellaris* Hufnagel,1766, *Berl. Mag.* 3(3): 404. Type(s): [Germany]: Berlin. Range (in code): **PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR Cc GG Smt Bjo Lag DK NO SE FI EE LV LT RU Ro Kr St Ich Da MD UA BY IR Gh Elb Th Kdv Kld Gls**

- 57040. *Agrochola (Sunira) propria* Hacker & Peks,1992** (Noctuidae) Synonym(s): *propria* Hacker & Peks,1992 _ Range (in code): IN Hp Roh
- 57041. *Agrochola (s.str.) pistacina* (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *#pistacina* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809 _ Original Reference: Phalaena pistacina Goeze,1781, Ent. Beytr. 3(3): 213, nr.121. Range (in code): DZ Hrh Btna Abe Agi Blid MA TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc CY LB IL Pa Hf JO IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ _ Bionomy: Larva on Centaurea (Asteraceae) (Meyer,1919); Salix (Salicaceae), Prunus (Rosaceae), Ranunculus (Ranunculaceae) (authors).
- 57042. *Agrochola (s.str.) pistacina aequalis* Hacker & Stengel,1996** (Noctuidae) Synonym(s): *aequalis* Hacker & Stengel,1996 _ Range (in code): CY
- 57043. *Agrochola (s.str.) pistacina pistacina* (Goeze,1781)** (Noctuidae) Synonym(s): *#lychnidis* [Denis & Schiffermüller],1775; *#pistacina* [Denis & Schiffermüller],1775; *pistacina* Goeze,1781; *rubetra* Esper,[1791]; *canaria* Esper,[1791]; *serina* Esper,[1791]; *lineola* Donovan,1801 nec Panzer,1785; *sphaerulatina* Haworth,1809; *venosa* Haworth,1809 nec Hw.1809 _ Original Reference: Phalaena pistacina Goeze,1781, Ent. Beytr. 3(3): 213, nr.121. Range (in code): MA DZ Hrh Btna Abe Agi Blid TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IR Fa Elb Th DK SE FI RU Kr Da MD UA BY UZ
- 57044. *Agrochola albirena* (Boursin,1956)** (Noctuidae) Synonym(s): *albirena* Boursin,1956 _ Range (in code): VN Ann TH CMa Int
- 57045. *Agrochola albirena annamica* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *annamica* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Ann Lci TH CMa
- 57046. *Agrochola albirena chihtuana* (Chang,1991)** (Noctuidae) Synonym(s): *chihtuana* Chang,1991 _ Range (in code):
- 57047. *Agrochola albirena doiinthanoni* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *doiinthanoni* Hreblay & L.Ronkay,1999 _ Original Reference: Agrochola albirena ssp. doiinthanoni Hreblay & L.Ronkay,1999, Esperiana 7: 526, figs. Holotype ♂: Thailand: Chiang Mai, Mt. Doi Inthanon NP, 2300m 11.xi.1998, leg. Tibor Csovari & Laszlo Mikus (coll.Hreblay). Range (in code): TH CMa Int
- 57048. *Agrochola antiqua* (Hacker,1992)** (Noctuidae) Synonym(s): *antiqua* Hacker,1992 _ Range (in code):
- 57049. *Agrochola attila* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *attila* Hreblay & L.Ronkay,1999 _ Range (in code): TH Nan Pua Dpk
- 57050. *Agrochola blidaensis* (Stertz,1915)** (Noctuidae) Synonym(s): *blidaensis* Stertz,1915 _ Range (in code): PT ES FR Sa Si IT
- 57051. *Agrochola gorza* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *gorza* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 57052. *Agrochola karma* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *karma* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): NP
- 57053. *Agrochola kosagezai* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *kosagezai* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci
- 57054. *Agrochola kunandrasi* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *kunandrasi* Hreblay & L.Ronkay,1999 _ Range (in code): VN Lci Fan Ton
- 57055. *Agrochola leptographa* Hacker & L.Ronkay,1990** (Noctuidae) Synonym(s): *leptographa* Hacker & L.Ronkay,1990 _ Range (in code): PK Haz Kag Nar
- 57056. *Agrochola meridionalis* (Staudinger,1871)** (Noctuidae) Synonym(s): *meridionalis* Staudinger,1871 _ Range (in code): ES FR Si? IT
- 57057. *Agrochola minorata* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *minorata* Hreblay & L.Ronkay,1999 _ Range (in code): CN
- 57058. *Agrochola naumanni* Hacker & L.Ronkay,1990** (Noctuidae) Synonym(s): *naumanni* Hacker & L.Ronkay,1990 _ Range (in code): AF
- 57059. *Agrochola orejoni* Agenjo,1951** (Noctuidae) Synonym(s): *orejoni* Agenjo,1951 _ Range (in code): ES IT
- 57060. *Agrochola orientalis* Fibiger,1997** (Noctuidae) Synonym(s): *orientalis* Fibiger,1997 _ Original Reference: Agrochola orientalis Fibiger,1997, Ent. Meded. 65 (1): 17-27. Holotype: Cyprus. Range (in code): CY
- 57061. *Agrochola pallidilinea* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *pallidilinea* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci

- 57062. *Agrochola pistacinoides* (d'Aubuisson,1867)** (Noctuidae) Synonym(s): *pistacinoides* d'Aubuisson,1867; *garibaldina* Turati,1905; *dujardini* Dufay,1975. _ Range (in code): ES FR Si BE CH YU BG GR
- 57063. *Agrochola plumbitincta* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *plumbitincta* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci
- 57064. *Agrochola prolai* Berio,1976** (Noctuidae) Synonym(s): *prolai* Berio,1976 _ Range (in code): IT
- 57065. *Agrochola punctilinea* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *punctilinea* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 57066. *Agrochola sakabei* (Sugi,1980)** (Noctuidae) Synonym(s): *sakabei* Sugi,1980 _ Range (in code):
- 57067. *Agrochola semirena* (Draudt,1950)** (Noctuidae) Synonym(s): *semirena* Draudt,1950 _ Range (in code): CN Hun VN Ton
- 57068. *Agrochola siamica* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *siamica* Hreblay & L.Ronkay,1999 _ Original Reference: Agrochola siamica Hreblay & L.Ronkay,1999 Range (in code): TH CMa Php Fn Int
- 57069. *Agrochola spectabilis* Hacker & L.Ronkay,1990** (Noctuidae) Synonym(s): *spectabilis* Hacker & L.Ronkay,1990 _ Range (in code): UZ
- 57070. *Agrochola statira* Boursin,1960** (Noctuidae) Synonym(s): *statira* Boursin,1960 _ Range (in code): AF
- 57071. *Agrochola telortoides* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *telortoides* Hreblay & L.Ronkay,1999 _ Range (in code): VN Lci Fan Ton
- 57072. *Agrochola trapezoides* (Staudinger,1882)** (Noctuidae) Synonym(s): *trapezoides* Staudinger,1882 _ Range (in code): KG
- 57073. *Agrochola zita* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *zita* Hreblay & L.Ronkay,1999 _ Range (in code): TH Nan Pua
- 57074. *Agrotis* (**Crassagrotis**) **bigramma** (Esper,[1790])** (Noctuidae) Synonym(s): *bigramma* Esper,[1790]; *crassa* Hübner,[1803]; *lata* Treitschke,1835; *golickei* Erschoff,1872; *huguenini* Rühl,1891. _ Original Reference: Phalaena bigramma Esper,[1790], Schmett. Abb. 4 (2/1): 490, Taf.Noct.71 Taf.150,2. Type: Erlangen (Germany) (ZSM). Range (in code): PT MA DZ TN ES FR Co Sa Si IT IE GB BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM GG Smt Bjo Lag AZ Kir CY IQ Brs Dia Ry Rwz Bgd Mos Agh Amr Dy Mj DK RU Ro Kr Da At MD UA BY IR Kh Gh Elb Th TM Kp CN EG AF LB IL Pa Hf SY Hal JO Abe Sbd Orn Tun Agi Rbt DhM Perr
- 57075. *Agrotis* (**Crassagrotis**) **obesa** (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840 _ Original Reference: Noctua obesa Boisduval,1840, Genera meth. index Eur. Lep. (Add.): 3. Type(s): Europa. Range (in code): MA DZ Ges BtNa Lbs Sbd Tlm Abe Afl LY MT PT ES FR IT MK BG GR RO MD UA Cm TR RU Ro Kr St Da IQ Brs AZ Kir GG Tbl Cc AM SY IR Gh Elb Th UZ Fe KK Osh KG TM CN LB IL Pa JO Bionomy: Larva on Pterotheca nemaucensis (Hampson,1903).
- 57076. *Agrotis* (**Crassagrotis**) **obesa lipara** Rambur,1848** (Noctuidae) Synonym(s): *lipara* Rambur,1848 _ Original Reference: Agrotis lipara Rambur,1848, Annls Soc. ent. Fr. 1848: 68. Type: Algeria. Range (in code): MA DZ LY MT Ges BtNa Lbs Sbd Tlm Abe Afl
- 57077. *Agrotis* (**Crassagrotis**) **obesa obesa** (Boisduval,1829)** (Noctuidae) Synonym(s): *obesa* Boisduval,1840 _ Original Reference: Noctua obesa Boisduval,1840, Genera meth. index Eur. Lep. (Add.): 3. Type(s): Europa. Range (in code): PT ES FR IT Bionomy: Larva on Pterotheca nemaucensis (Hampson,1903).
- 57078. *Agrotis* (**Crassagrotis**) **obesa scytha** Alpheraky,1889** (Noctuidae) Synonym(s): *scytha* Alpheraky,1889; *nivea* Caradja,1932. _ Range (in code): MK BG GR RO MD UA Cm TR RU Ro Kr St Da IQ Brs Cc AM SY IR Gh Elb Th UZ Fe KK Osh LB IL Pa JO
- 57079. *Agrotis* (**Crassagrotis**) **obesa tauricola** Koçak,1981** (Noctuidae) Synonym(s): *fusca* Corti,1932 nec Bsd.,1837; *tauricola* Koçak,1981 _ Original Reference: Agrotis obesa tauricola Koçak,1981, Priamus 1 (1): 12-13 (nomen novum pro fusca Corti,1932 nec Boisduval,1837). Type: Turkey: Taurus Mts. Range (in code): TR
- 57080. *Agrotis* (**Leucagrotis**) **graslini** Rambur,1848** (Noctuidae) Synonym(s): *graslini* Rambur,1848; *rufotincta* Strand,1916; *gouini* Oberthür,1919; *joannisi* Glais & Le Pontois,1923. _ Range (in code): MA PT ES FR
- 57081. *Agrotis* (**Leucagrotis**) **graslini arenosa** Staudinger,1859** (Noctuidae) Synonym(s): *arenosa* Staudinger,1859 _ Range (in code): ES
- 57082. *Agrotis* (**Leucagrotis**) **graslini atlanta** Le Cerf,1933** (Noctuidae) Synonym(s): *atlanta* Le Cerf,1933 _ Range (in code): MA

- 57083. Agrotis (Leucagrotis) graslini graslini Rambur, 1848** (Noctuidae) **Synonym(s):** *graslini Rambur, 1848; rufotincta Strand, 1916; gouini Oberthür, 1919; joannisi Glais & Le Pontois, 1923.* **Range (in code):** **PT ES FR**
- 57084. Agrotis (Putagrotis) herzogii (Rebel, 1911)** (Noctuidae) **Synonym(s):** *herzogii Rebel, 1911; hoggari Rothschild, 1920; minima Turati, 1924; securifera Turati, 1924; saracenica Tams, 1925; leroiyi Lucas, 1940* **Original Reference:** *Agrotis haifae herzogii Rebel, 1911, Verh. zool.-bot. Ges. Wien 61:[143]:* **Syntypes:** Libanon: Chebak. **Range (in code):** **Cn MR MA DZ Ah Ajj Bsk Ceg TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh IN SA**
- 57085. Agrotis (Putagrotis) herzogii herzogii Rebel, 1911** (Noctuidae) **Synonym(s):** *herzogii Rebel, 1911; hoggari Rothschild, 1920; minima Turati, 1924; securifera Turati, 1924; saracenica Tams, 1925; leroiyi Lucas, 1940* **Original Reference:** *Agrotis haifae herzogii Rebel, 1911, Verh. zool.-bot. Ges. Wien 61:[143]:* **Syntypes:** Libanon. **Range (in code):** **Cn MR MA DZ Ah Ajj Bsk Ceg TN LY Cy EG Sn Sa MT GR Rd CY TR LB IL Pa SY JO IR Ss IQ Agh SA IN**
- 57086. Agrotis (Putagrotis) puta (Hübner, [1803])** (Noctuidae) **Synonym(s):** *puta Hübner, [1803]; radius Haworth, 1803; renitens Hübner, [1824]; lignosa Godart, 1825; erythroxylla Treitl, 1826; radiola Stephens, 1829; catalaunensis Millière, 1873; meridionalis Spuler, 1905; andreasi, minima, silvestrii Turati, 1924; insula Richardson, 1958;* **Original Reference:** *Noctua puta Hübner, [1803], Samml. eur. Schmett., Noct. 2: Taf. 52, fig. 255. Type: [Europa].* **Range (in code):** **MA DZ Onç Hrh Kdr Bsk Agi Sét Ceg Btina Ges Abe BSa Afl Perr Sbd Orn TN PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL HU RO YU AL BG GR Cr CY TR IQ Agh Kku Kq DK RU Cc Kr MD UA BY AF Hr IR Hz Fa Bu Dlk TM Kp LB IL Hf Pa SY JO Sn**
- 57087. Agrotis (Putagrotis) syricola Berio, 1936** (Noctuidae) **Synonym(s):** *#syricola Corti & Draudt, 1933; syricola Berio, 1936* **Original Reference:** *Agrotis puta ssp. syricola Berio, 1936, Annali Mus. civ. Stor. nat. Giacomo Doria 59:81. Syntypes: [Turkey]: Maraş, Akşehir.* **Range (in code):** **Si IT AL GR Cr CY TR IL Pa JO**
- 57088. Agrotis (s.str.) admirationis Guenée, 1868** (Noctuidae) **Synonym(s):** *admirationis Guenée, 1868; sericea Butler, 1879; inconspicua Butler, 1880; obscura Salmon, 1946 (praeocc.).* **Range (in code):** **NZ**
- 57089. Agrotis (s.str.) albomarginata Wileman & South, 1920** (Noctuidae) **Synonym(s):** *albomarginata Wileman & South, 1920* **Range (in code):** **PH Luz**
- 57090. Agrotis (s.str.) alexandriensis Bethune-Baker, 1894** (Noctuidae) **Synonym(s):** *alexandriensis Bethune-Baker, 1894; arens Turati, 1926; albonitens C.G.Krüger, 1933; griseifusa C.G.Krüger, 1933* **Range (in code):** **TN LY EG EGo5 ES An Cz IL Pa Sn**
- 57091. Agrotis (s.str.) alexandriensis alexandriensis Bethune-Baker, 1894** (Noctuidae) **Synonym(s):** *alexandriensis Bethune-Baker, 1894; arens Turati, 1926; albonitens C.G.Krüger, 1933; griseifusa C.G.Krüger, 1933* **Range (in code):** **TN LY EG EGo5 ES An Cz IL Pa Sn**
- 57092. Agrotis (s.str.) alligata Walker, 1865** (Noctuidae) **Synonym(s):** *alligata Walker, 1865* **Range (in code):** **ID Ja**
- 57093. Agrotis (s.str.) alluaudi Viette, 1958** (Noctuidae) **Synonym(s):** *alluaudi Viette, 1958* **Range (in code):** **RE**
- 57094. Agrotis (s.str.) amphora (Hampson, 1903)** (Noctuidae) **Synonym(s):** *amphora Hampson, 1903; aimonis Turati, 1933* **Range (in code):** **Ch PK Gg**
- 57095. Agrotis (s.str.) arnoldi (Turati, 1933)** (Noctuidae) **Synonym(s):** *arnoldi Turati, 1933* **Range (in code):** **PK Kk**
- 57096. Agrotis (s.str.) baleense Laporte, 1977** (Noctuidae) **Synonym(s):** *baleense Laporte, 1977* **Range (in code):** **ET ET86**
- 57097. Agrotis (s.str.) bialbifasciata Berio, 1953** (Noctuidae) **Synonym(s):** *bialbifasciata Berio, 1953* **Range (in code):** **SO**
- 57098. Agrotis (s.str.) biconicus Kollar, [1844]** (Noctuidae) **Synonym(s):** *spinifera Hübner, [1808] nec Vill., 1789; biconica Kollar, [1844]; aristifera Guenée, 1852; spiculifera Guenée, 1852; ferina Felder & Rogenhofer, 1874; hodnae Oberthür, 1878* **Original Reference:** *Agrotis biconica Kollar, [1844], [in] Hügel F.v., Kashmir.. 4 (2): 480. Type(s): [India]: Himalaya: Massuri.* **Range (in code):** **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT GB? DE YU AL BG GR Rd Cr TR CY EG IR Fa Lo Hz SA IQ Mq Agh Bgd Amr kut AF Dwe PK Ch IN Up Bhi Nnt Kil LK MM MC ZA Tva Lpo Spb Mdk Gau Pre Jh Nta Kzu Est Ec ZW Har ER ET ET24 KE TJ TM NP TH CN Sn JO SY IL Hf LB Bei Cp Rw Krc Elb Gh Mz Gls Ss Th Pa DJ DJ44 Ges Dhm Abe Sbd Ktr Sét BSa Omy Lgt Bsk Btina Rbt Blid Agi Hrh Hes Ceg Ah Idl**
- 57099. Agrotis (s.str.) bifurca Staudinger, 1881** (Noctuidae) **Synonym(s):** *bifurca Staudinger, 1881; stabilita Corti, 1928.* **Original Reference:** *Agrotis bifurca Staudinger, 1881, Stettin ent. Ztg. 42: 423. Syntypes: [Kazakhstan]: Saisan.* **Range (in code):** **KG Ssn TR IR Kh**

- 57100. Agrotis (s.str.) bifurca grossi Hacker & Kuhna, 1986** (Noctuidae) **Synonym(s):** *grossi* Hacker & Kuhna, 1986 **Original Reference:** *Agrotis grossi* Hacker & Kuhna, 1986, *Nota lepid.* 9 (3/4): 180-181, Taf. 1 fig. 1, 2. **Holotype** ♂: Türkei: Van Prov.: "6km sö Güselzu" [Güzelsu], 2300m, 11.ix.1985 (leg. & coll. Hacker). **Range (in code):** **TR IR Kh**
- 57101. Agrotis (s.str.) bilix Guenée, 1852** (Noctuidae) **Synonym(s):** *bilix* Guenée, 1852 **Range (in code):** **ZA**
- 57102. Agrotis (s.str.) bitriangulus Hampson, 1902** (Noctuidae) **Synonym(s):** *bitriangula* Hampson, 1902 **Original Reference:** *Agrotis bitriangula* Hampson, 1902, *Ann. S. Afr. Mus.* 2: 261. **Type:** South Africa: Transkei (Miss F. Barrett leg.) (BMNH). **Range (in code):** **ZA Ec Tra**
- 57103. Agrotis (s.str.) blematica Strand, 1915** (Noctuidae) **Synonym(s):** *blematica* Strand, 1915 **Range (in code):** **CM**
- 57104. Agrotis (s.str.) brachypecten Hampson, 1899** (Noctuidae) **Synonym(s):** *brachypecten* Hampson, 1899 **Range (in code):** **YE Sk**
- 57105. Agrotis (s.str.) caffer (Hampson, 1903)** (Noctuidae) **Synonym(s):** *caffer* Hampson, 1903 **Range (in code):** **ZA**
- 57106. Agrotis (s.str.) charakteristica Alpheraky, 1892** (Noctuidae) **Synonym(s):** *characteristica* Alpheraky, 1892; *mirifica* Wagner, 1913; *robustana* Poole, 1988. **Range (in code):** **RU Ur CN Ui Cho KG Tk Dj Ii KP KR**
- 57107. Agrotis (s.str.) charakteristica charakteristica Alpheraky, 1892** (Noctuidae) **Synonym(s):** *characteristica* Alpheraky, 1892; *mirifica* Wagner, 1913; *robustana* Poole, 1988. **Range (in code):** **RU Ur CN Ui Cho KG Tk Dj Ii KP KR**
- 57108. Agrotis (s.str.) chretieni (Dumont, 1903)** (Noctuidae) **Synonym(s):** *chretieni* Dumont, 1903 **Range (in code):** **PT ES FR**
- 57109. Agrotis (s.str.) cinchonina Guenée, 1852** (Noctuidae) **Synonym(s):** *cinchonina* Guenée, 1852 **Range (in code):** **ET**
- 57110. Agrotis (s.str.) cinctithorax (Walker, 1857)** (Noctuidae) **Synonym(s):** *cinctithorax* Walker, 1857 **Range (in code):** **ZA Tva Gau Pre Jh**
- 57111. Agrotis (s.str.) cinerea ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *cinerea* [Denis & Schiffermüller], 1775; *obscura* Hübner, [1803]; *dentimaculatus* Haworth, 1803; *fusca* Boisduval, [1837]; *murina* Eversmann, 1848; *livonica* Teich, 1886; *alpigena* Calberla, 1888; *tephrina* Staudinger, 1901; *eximia* Culot, 1910. **Original Reference:** *Noctua cinerea* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 80. **Type(s):** [Austria]: Vienna district. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AZ AM GG Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da MD UA BY TM IR Lo CN Ui Au**
- 57112. Agrotis (s.str.) clavis (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902. **Original Reference:** *Phalaena clavis* Hufnagel, 1766, *Berl. Mag.* 4 (2): 426. **Type(s):** [Germany]: Berlin. **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bku Tbl Kus Dar AM DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY Am MN PK Thu**
- 57113. Agrotis (s.str.) clavis amurensis (Staudinger, 1892)** (Noctuidae) **Synonym(s):** *amurensis* Staudinger, 1892; *praedieta* Corti, 1932 **Range (in code):** **RU Us Am MN**
- 57114. Agrotis (s.str.) clavis clavis (Hufnagel, 1766)** (Noctuidae) **Synonym(s):** *clavis* Hufnagel, 1766; *corticea* [Denis & Schiffermüller], 1775; *clavigerus* Haworth, 1803; *subfuscus* Haworth, 1803; *sincerii* Freyer, 1849; *transversa* Walker, [1857]; *neocomensis* Rougemont, 1902. **Original Reference:** *Phalaena clavis* Hufnagel, 1766, *Berl. Mag.* 4 (2): 426. **Type(s):** [Germany]: Berlin. **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bku Tbl Kus Dar AM DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY Am MN PK Thu**
- 57115. Agrotis (s.str.) contingens (W. Warren, 1914)** (Noctuidae) **Synonym(s):** *contingens* W. Warren, 1914 **Range (in code):** **ZA**
- 57116. Agrotis (s.str.) costalis Walker, [1857]** (Noctuidae) **Synonym(s):** *costalis* Walker, [1857] **Range (in code):** **ZA**
- 57117. Agrotis (s.str.) crassilinea Wallengren, 1860** (Noctuidae) **Synonym(s):** *crassilinea* Wallengren, 1860 **Range (in code):** **ZA**
- 57118. Agrotis (s.str.) desertorum Boisduval, 1840** (Noctuidae) **Synonym(s):** *desertorum* Boisduval, 1840; *deserticola* Eversmann, 1842 **Original Reference:** *Agrotis desertorum* Boisduval, 1840, *Genera Index meth. Eur. Lep.*: 111. **Syntypes:** [Russia]: Südrussland. **Range (in code):** **RO BG RU Ro MD UA TR SY IL Pa Hf GG Cc KK Tra KG**

- 57119. Agrotis (s.str.) desertorum cursoriodes (Hampson,1903)** (Noctuidae)
Synonym(s): *cursoriodes* Hampson,1903 Original Reference: *Euxoa cursoriodes* Hampson,1903, Cat. Lepid. Phal. Br. Mus. 4: 226, pl. lxii fig.27. Type: Syria. Range (in code): IL Pa Hf SY
- 57120. Agrotis (s.str.) desertorum desertorum Boisduval,1840** (Noctuidae) Synonym(s): *desertorum* Boisduval,1840; *deserticola* Eversmann,1842 Original Reference: *Agrotis desertorum* Boisduval,1840, Genera Index meth. Eur. Lep.: 111. Syntypes: [Russia]: Südrussland. Range (in code): RO BG RU Ro MD UA GG Cc KK TrA KG
- 57121. Agrotis (s.str.) desertorum wagneri Schwingenschuss,1938** (Noctuidae)
Synonym(s): *#wagneri* Corti & Draudt,1933; *wagneri* Schwingenschuss,1938 Range (in code): TR Cc
- 57122. Agrotis (s.str.) edentifera Berio,1978** (Noctuidae) Synonym(s): *edentifera* Berio,1978 Range (in code): KE
- 57123. Agrotis (s.str.) endogaea Boisduval,[1837]** (Noctuidae) Synonym(s): *endogaea* Boisduval,[1837] Range (in code): Cn TN Co Sa GR
- 57124. Agrotis (s.str.) endogaea endogaea Boisduval,[1837]** (Noctuidae) Synonym(s): *endogaea* Boisduval,[1837] Range (in code): Cn TN Co Sa
- 57125. Agrotis (s.str.) endogaea graeca Fibiger,1997** (Noctuidae) Synonym(s): *graeca* Fibiger,1997 Range (in code): GR
- 57126. Agrotis (s.str.) exclamationis (Linnaeus,1758)** (Noctuidae) Synonym(s): *exclamationis* Linnaeus,1758; *clavus* Hufnagel,1766; *murina* Goeze,1781 nec Hufnagel,1766; *bimaculata* Geoffroy,1785; *picea* Haworth,1809; *plaga* Stephens,1835; *haruspex* Le Cerf,1924; *nigriorbis* Zerny,1934. Original Reference: *Phalaena exclamationis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Lectotype ♂: Europa, designated by Mikkola & Honey,1993. Range (in code): MA DZ TN LY PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY CY TR AZ AM GG Cc IR Th Elb Kd Ab Es Ke Kh Fa Bk MN UZ KK KG CN Ui Ku Tlk AF Hr Pli Adr IQ Mos LB Bsa IL Pa Oru
- 57127. Agrotis (s.str.) fatidica (Hübner,[1824])** (Noctuidae) Synonym(s): *fatidica* Hübner,[1824]; *heydenreichii* Germar,[1844]; *incurva* Herrich-Schäffer,[1852]. Range (in code): ES FR IT CH AT YU AL BG RU Cc Kb Da At Sb MN
- 57128. Agrotis (s.str.) fraterna Moore,1882** (Noctuidae) Synonym(s): *fraterna* Moore,1882 Range (in code): IN Dj SI Up Nnt Gag
- 57129. Agrotis (s.str.) fumipennis (W.Warren,1912)** (Noctuidae) Synonym(s): *fumipennis* W.Warren,1912 Range (in code): NC LO
- 57130. Agrotis (s.str.) glaucina (Kozhantshikov,1923)** (Noctuidae) Synonym(s): *glaucina* Kozhantshikov,1923 Range (in code): MN
- 57131. Agrotis (s.str.) haifae Staudinger,1897** (Noctuidae) Synonym(s): *haifae* Staudinger,1897 Original Reference: *Agrotis haifae* Staudinger,1897, Dt. ent. Z., Iris 10: 168, Taf.iv fig.8. Syntypes: [Israel]: Haifa. Range (in code): Cn MR MA DZ TN LY IL Pa Hf JO GR TR IQ Bgd Dy Jd
- 57132. Agrotis (s.str.) hikmana Wiltshire,1994** (Noctuidae) Synonym(s): *hikmana* Wiltshire,1994 Range (in code): OM
- 57133. Agrotis (s.str.) incognita Staudinger,1888** (Noctuidae) Synonym(s): *incognita* Staudinger,1888; *seditiosa* Püngeler,1906. Range (in code): Fe UZ Smk KK
- 57134. Agrotis (s.str.) incommoides Berio,1950** (Noctuidae) Synonym(s): *incommoda* Berio,1939 nec Wlk.1865; *incommoides* Berio,1950 Range (in code): ER
- 57135. Agrotis (s.str.) inconsequens Rothschild,1920** (Noctuidae) Synonym(s): *inconsequens* Rothschild,1920 Range (in code): ID Sum
- 57136. Agrotis (s.str.) inobtrusa Walker,1870** (Noctuidae) Synonym(s): *inobtrusa* Walker,1870 Range (in code): EG Sn
- 57137. Agrotis (s.str.) interjectionis Guenée,1852** (Noctuidae) Synonym(s): *interjectionis* Guenée,1852; *orbicularis* Walker,1865; *significans* Walker,1865 Range (in code): ID Ja
- 57138. Agrotis (s.str.) ipsilon (Hufnagel,1766)** (Noctuidae) Synonym(s): *ipsilon* Hufnagel,1766; *suffusa* [Denis & Schiffermüller],1775; *idonea* Cramer,[1780]; *spinula* Esper,[1786]; *spinifera* Villers,1789. Original Reference: *Phalaena ipsilon* Hufnagel,1766, Berl. Mag. 4 (2): 416. Type(s): [Germany]: Berlin. Range (in code): PT MR MA DZ TN LY ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo Kh IQ Agh Amr kut MN PK Bl Qu AF Kab Gbh Srb Arh LB Bsa SY IL Pa JO Sn EG IN Up Bhi Nnt Kil ZA Tva Lpo Spb Mdk Hu Rd Hf Nwf AU NC FJ NZ HW EA Th Elb Mz Dam Hz GG Smt Bjo Lag Len AZ AM Cc UZ KK KG TJ TM Ro Kr St Kc Kb Nt Ich Ing Da Kyi ET ET24 Rw Thu LK Pdy Dck Pdn Ab Oru Gls Kh Ges Ah Sbd Btna Bsk Orn BSA Abe DhM Afl Onç Ah Ajj Idl Ath

- 57139. *Agrotis (s.str.) ipsilon aneituma* (Walker,1865) (Noctuidae) Synonym(s):** *aneituma* Walker,1865 _ Range (in code): AU NC FJ NZ HW EA
- 57140. *Agrotis (s.str.) iremeli Nupponen, Ahola & Kullberg,2001* (Noctuidae) Synonym(s):** *iremeli Nupponen, Ahola & Kullberg,2001* _ Range (in code): RU Ur
- 57141. *Agrotis (s.str.) isopleura Hampson,1902* (Noctuidae) Synonym(s):** *isopleura Hampson,1902* _ Original Reference: *Agrotis isopleura Hampson,1902, Ann. S. Afr. Mus. 2: 261.* Type ♀: [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall leg.) (BMNH). Range (in code): ZW Har
- 57142. *Agrotis (s.str.) lanidorsa Guenée,1852* (Noctuidae) Synonym(s):** *lanidorsa Guenée,1852* _ Range (in code): ZA
- 57143. *Agrotis (s.str.) lata Treitschke,1835* (Noctuidae) Synonym(s):** *lata Treitschke,1835; dirempta Staudinger,1859; sabura Mabille,1888; fulva Turati,1922; castellana Fernandez,1929; afflouensis Corti,1932* _ Original Reference: *Agrotis lata Treitschke,1835, Die Schmett. Eur. 10 (2): 24.* Lectotype: Sizilien (HNHM Budapest). Range (in code): MA DZ TN LY EG PT ES Sa Si MT TR SY IL Pa
- 57144. *Agrotis (s.str.) legraini Wiltshire,1994* (Noctuidae) Synonym(s):** *legraini Wiltshire,1994* _ Range (in code): SA
- 57145. *Agrotis (s.str.) liouvillei (Le Cerf,1932)* (Noctuidae) Synonym(s):** *liouvillei Le Cerf,1932* _ Range (in code): MA
- 57146. *Agrotis (s.str.) lividoradiata Berio,1940* (Noctuidae) Synonym(s):** *lividoradiata Berio,1940* _ Range (in code): ER
- 57147. *Agrotis (s.str.) longiclava (De Joannis,1913)* (Noctuidae) Synonym(s):** *longiclava De Joannis,1913; #longiclavus Laporte,1977* _ Original Reference: *Euxoa longiclava De Joannis,1913, Bull. Soc. ent. ital. 44: 125, fig.3.* Holotype ♂: Eritrea, Adi Caie (MNHNP). Range (in code): ER ET ET29
- 57148. *Agrotis (s.str.) longidentifera (Hampson,1903)* (Noctuidae) Synonym(s):** *longidentifera Hampson,1903* _ Range (in code): ZA SA
- 57149. *Agrotis (s.str.) longidentifera (Hampson,1903)* (Noctuidae) Synonym(s):** *longidentifera Hampson,1903; microtica Hampson,1908; ranvalo Viette,1958* _ Range (in code): KE MG
- 57150. *Agrotis (s.str.) luehri Mentzer & Moberg,1987* (Noctuidae) Synonym(s):** *luehri Mentzer & Moberg,1987* _ Range (in code): NO
- 57151. *Agrotis (s.str.) lupinus Brandt,1941* (Noctuidae) Synonym(s):** *lupinus Brandt,1941* _ Range (in code): IR KhB Kh
- 57152. *Agrotis (s.str.) maculaclarus Plante,1979* (Noctuidae) Synonym(s):** *maculaclarus Plante,1979* _ Range (in code): NP
- 57153. *Agrotis (s.str.) margelanoides Boursin,1944* (Noctuidae) Synonym(s):** *margelanoides Boursin,1944* _ Range (in code): IL Pa
- 57154. *Agrotis (s.str.) marginata Walker,1870* (Noctuidae) Synonym(s):** *marginata Walker,1870* _ Range (in code): EG Sn
- 57155. *Agrotis (s.str.) marmoraria Wileman & South,1920* (Noctuidae) Synonym(s):** *marmoraria Wileman & South,1920* _ Range (in code): PH Luz
- 57156. *Agrotis (s.str.) medioatra Hampson,1918* (Noctuidae) Synonym(s):** *medioatra Hampson,1918* _ Range (in code): YE
- 57157. *Agrotis (s.str.) melamesa Hampson,1913* (Noctuidae) Synonym(s):** *melamesa Hampson,1913* _ Range (in code): NG
- 57158. *Agrotis (s.str.) montana (Kozhantshikov,1928)* (Noctuidae) Synonym(s):** *montana Kozhantshikov,1928* _ Range (in code): TJ Pm
- 57159. *Agrotis (s.str.) munda Walker,[1857]* (Noctuidae) Synonym(s):** *munda Walker,[1857]; basinotata Walker,1858; injuncta Walker,1865; turbulenta Walker,1865; scapularis R.Felder & Rogenhofer,1874* _ Range (in code): AU TO FJ NC LO
- 57160. *Agrotis (s.str.) murinoides Poole,1989* (Noctuidae) Synonym(s):** *murina A.Bang-Haas,1907 nec Gz.,1781 non Eversm.,1848; murinoides Poole,1989* _ Range (in code): TM RU Ur
- 57161. *Agrotis (s.str.) negrottoi Berio,1938* (Noctuidae) Synonym(s):** *negrottoi Berio,1938* _ Range (in code): SO
- 57162. *Agrotis (s.str.) neodecolor M.Krüger,2006* (Noctuidae) Synonym(s):** *decolor M.Krüger,2005 nec Morr.,1852; neodecolor M.Krüger,2006* _ Range (in code): ZA Eca
- 57163. *Agrotis (s.str.) nicotrai Berio,1945* (Noctuidae) Synonym(s):** *nicotrai Berio,1945* _ Range (in code): SO

- 57164. *Agrotis* (s.str.) *oliveatus* Hampson,1902** (Noctuidae) **Synonym(s):** *oliveatus* Hampson,1902 **_ Range (in code):** **ZA**
- 57165. *Agrotis* (s.str.) *pallidulus* Walker,1875** (Noctuidae) **Synonym(s):** *pallidulus* Walker,1875 **_ Range (in code):** **ZA**
- 57166. *Agrotis* (s.str.) *perirrorata* Hampson,1902** (Noctuidae) **Synonym(s):** *perirrorata* Hampson,1902 **_ Original Reference:** *Agrotis perirrorata* Hampson,1902, Ann. S. Afr. Mus. 2: 262. **Syntypes:** [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall); South Africa: Natal Estcourt (Hutchinson), Transkei (Miss. F.Barrett) (BMNH). **_ Range (in code):** **ZA Ec Tra Nta Kzu Est ZW Har**
- 57167. *Agrotis* (s.str.) *perplexa* A.Bang-Haas,1910** (Noctuidae) **Synonym(s):** *perplexa* A.Bang-Haas,1910 **_ Range (in code):** **TM**
- 57168. *Agrotis* (s.str.) *pictivaria* (Berio,1962)** (Noctuidae) **Synonym(s):** *pictivaria* Berio,1962 **_ Range (in code):** **SO**
- 57169. *Agrotis* (s.str.) *plumbeocandida* Berio,1974** (Noctuidae) **Synonym(s):** *plumbeocandida* Berio,1974 **_ Range (in code):** **TZ**
- 57170. *Agrotis* (s.str.) *psammocharis* Boursin,1950** (Noctuidae) **Synonym(s):** *psammocharis* Boursin,1950 **_ Original Reference:** *Agrotis psammocharis* Boursin,1950, Arkiv Zool. 1 (23): 355-356, Taf.1 fig.1. **Holotype** ♂: [Iran]: Persien: Keredj, Elbursgebirge, Oktober 1937 (F.Brandt leg.) (coll.Boursin). **_ Range (in code):** **IR Kdj Th Elb**
- 57171. *Agrotis* (s.str.) *putativa* Berio,1941** (Noctuidae) **Synonym(s):** *putativa* Berio,1941 **_ Range (in code):** **ER**
- 57172. *Agrotis* (s.str.) *quadriger*a Corti,1932** (Noctuidae) **Synonym(s):** *quadriger*a Corti,1932 **_ Range (in code):** **RU Ur**
- 57173. *Agrotis* (s.str.) *rebeli* Wagner,1913** (Noctuidae) **Synonym(s):** *rebeli* Wagner,1913 **_ Range (in code):** **KG li Tk Dj**
- 57174. *Agrotis* (s.str.) *ripar*e (Hübner,[1823])** (Noctuidae) **Synonym(s):** *ripar*e Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammoda* Staudinger,1895; *punica* Pinker,1979. **_ Original Reference:** *Noctua ripae* Hübner,[1823], Samml. eur. Schmett., Noct. 2: Taf.151, figs.702-703. **Syntypes:** [Europa]. **_ Range (in code):** **PT ES FR IE GB BE NL DE CZ DK NO SE LV LT RU Cc Ro St Kyi MD UA BY CN Ui li Ku**
- 57175. *Agrotis* (s.str.) *ripar*e *ripar*e (Hübner,[1823])** (Noctuidae) **Synonym(s):** *ripar*e Hübner,[1823]; *nebulosa* Stephens,1829; *desillii* Pierret,1839; *weissenbornii* Freyer,1845; *obotritica* Schmidt,1858; *farinosa* Stgr.,1888; *alexandriensis* Bethune-Baker,1894; *psammoda* Staudinger,1895; *punica* Pinker,1979. **_ Original Reference:** *Noctua ripae* Hübner,[1823], Samml. eur. Schmett., Noct. 2: Taf.151, figs.702-703. **Syntypes:** [Europa]. **_ Range (in code):** **PT ES FR IE GB BE NL DE CZ DK NO SE LV LT RU Cc Ro St Kyi MD UA BY CN Ui li Ku**
- 57176. *Agrotis* (s.str.) *robustana* Poole,1989** (Noctuidae) **Synonym(s):** *robustana* Eversmann,1856 *nec* Blanch.,1852; *robustana* Poole,1989 **_ Range (in code):** **RU At**
- 57177. *Agrotis* (s.str.) *robustana* Poole,1989** (Noctuidae) **Synonym(s):** *robustana* Eversmann,1856 *nec* Blanch.,1852; *robustana* Poole,1989. **_ Range (in code):** **RU Ur At Sj MN**
- 57178. *Agrotis* (s.str.) *rotroui* (Rothschild,1920)** (Noctuidae) **Synonym(s):** *rotroui* Rothschild,1920 **_ Original Reference:** *Euxoa rotroui* Rothschild,1920, Novit. zool. 27: 29, pl.17 fig.11. **Syntypes:** [Algeria]: 1♂ Sidi-bel-Abbès (M.Rotrou), 1♂ Oran. **_ Range (in code):** **DZ Abe Orn**
- 57179. *Agrotis* (s.str.) *ruta* (Eversmann,1851)** (Noctuidae) **Synonym(s):** *ruta* Eversmann,1851 **_ Range (in code):** **RU Ur Sb MN CN KP KR JP CA**
- 57180. *Agrotis* (s.str.) *rutae* Rebel,1939** (Noctuidae) **Synonym(s):** *rutae* Rebel,1939 **_ Range (in code):** **Md**
- 57181. *Agrotis* (s.str.) *sabulosa* Rambur,1837** (Noctuidae) **Synonym(s):** *sabulosa* Rambur,1837 **_ Range (in code):** **PT ES An**
- 57182. *Agrotis* (s.str.) *saracenica* Tams,1925** (Noctuidae) **Synonym(s):** *saracenica* Tams,1925 **_ Range (in code):** **SA**
- 57183. *Agrotis* (s.str.) *sardzeana* Brandt,1941** (Noctuidae) **Synonym(s):** *sardzeana* Brandt,1941 **_ Original Reference:** *Agrotis sardzeana* Brandt,1941, Mitt. münch. ent. Ges. 31: 840, Taf.23 fig.6. **Syntypes:** Iran: Bender Tschabahar, Sardze. **_ Range (in code):** **Cn ES Svl An CV MR MA DZ EG TR IR Ss Hz Lo IQ Agh KW BH OM SA IN PK TD Tbt SD IL Pa JO**
- 57184. *Agrotis* (s.str.) *sardzeana saharae* Pinker,1973** (Noctuidae) **Synonym(s):** *saharae* Pinker,1973 **_ Range (in code):** **Cn MR MA DZ ES Svl An**

- 57185. *Agrotis (s.str.) sardzeana sardzeana* Brandt,1941** (Noctuidae) **Synonym(s):** *sardzeana* Brandt,1941 **Original Reference:** *Agrotis sardzeana* Brandt,1941, Mitt. münch. ent. Ges. 31: 840, Taf.23 fig.6. **Syntypes:** Iran: Bender Tschabahar, Sardze. **Range (in code):** **EG TR IR Ss Hz Lo IQ Agh KW BH OM SA IN PK TD SD IL Pa JO**
- 57186. *Agrotis (s.str.) schawerdai* Bytinski-Salz,1937** (Noctuidae) **Synonym(s):** *schawerdai* Bytinski-Salz,1937 **Range (in code):** **ES FR Co Sa**
- 57187. *Agrotis (s.str.) scotacra* (Filipjev,1927)** (Noctuidae) **Synonym(s):** *scotacra* Filipjev,1927; *kaolifeltia* Bryk,1949 **Range (in code):** **RU Us KP KR**
- 57188. *Agrotis (s.str.) scruposa* (Draudt,1936)** (Noctuidae) **Synonym(s):** *scruposa* Draudt,1936 **Original Reference:** *Rhyacia scruposa* Draudt,1936, Ent. Rdsch. 53: 468, Taf.iv c1. **Syntypes** 2♂ 1♀: [Türkei]: Siwas. **Range (in code):** **TR IL Pa He**
- 57189. *Agrotis (s.str.) segetum* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *segetum* [Denis & Schiffermüller],1775; *sordida* [Denis & Schiffermüller],1775; *undulatus* Goeze,1781 (praeocc.); *nigricornis* Villers,1789; *segetis* Fabricius,1794; *catenatus* Haworth,1803; *monileus* Haworth,1803; *pectinatus* Haworth,1803; *connexus* Haworth,1803; *subatratus* Haworth,1803; *nigricornutus* Haworth,1803; *praecox* Hübner,[1808]; *fervida* Hübner,[1824]; *affinis* Stephens,1829; *sicula* Boisduval,1840; *dimidia* Zeller,1847; *sicania* Guenée,1852; *marginalis* Walker,1857; *aversa* Walker,1857; *correctus* Walker,1857; *obliviosus* Walker,1857; *denticulosus* Wallengren,1860; *certificata* Walker,1865; *conspurcatus* Walker,1865; *repulsus* Walker,1865; *ingratus* Butler,1878; *pallidus* Staudinger,1881; *lassa* Swinhoe,1886. **Original Reference:** *Noctua segetum* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend:81,t.1,f.3. **Type(s):** [Austria]: Vienna district. **Range (in code):** **Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Fa Lo Ss Kh Ha Mz IQ MN CN Ui Ku PK Bl Qu AF Hr Srb Gbh Blh Arh Fz ZW Har ZA Mpu Brb Gau Pre Jh Tva Lpo Spb Mdk Nta Kzj LB Bsa IL Hf Pa SY JO Sn Tkr Agh Bgd Mj Up Bhi Nnt Kil Kml Gh Th Ab Oru Kz Hz Glz UZ KK KG TJ TM Cc Ro Kr St Kc Kb Nt Ing Ich Da Kyi ET ET24 Mre Cp Thu Rw LK Pdy Smt Tbl Bjo Kir Kus IN Hp Sml Haz Cte Mh Nsk Ges Afl Bsa Khh Ktr Btina DhM Abe Lbs Agi Bsk Bdj Lgt Ah Sbd Ess Mzg Hrh Dzc Clo Ah Ajj Idl**
- 57190. *Agrotis (s.str.) semivirens* Kozhantshikov,1937** (Noctuidae) **Synonym(s):** *semivirens* Kozhantshikov,1937 **Range (in code):** **TJ Pm KG Tk KK**
- 57191. *Agrotis (s.str.) separata* Guenée,1852** (Noctuidae) **Synonym(s):** *separata* Guenée,1852 **Range (in code):** **ET**
- 57192. *Agrotis (s.str.) sesamioides* (Rebel,1907)** (Noctuidae) **Synonym(s):** *sesamioides* Rebel,1907 **Range (in code):** **YE Sk**
- 57193. *Agrotis (s.str.) simplonia* (Geyer,1832)** (Noctuidae) **Synonym(s):** *simplonia* Geyer,1832; *nigrescens* Hoffmann,1915; *suffusa* Hoffmann,1915; *obsolescens* Strand,1916; *calcigena* Sohn-Rethel,1929; *coralita* Hospital,1948. **Range (in code):** **ES AD FR IT DE CH AT**
- 57194. *Agrotis (s.str.) subalba* Walker,[1857]** (Noctuidae) **Synonym(s):** *subalba* Walker,[1857] **Range (in code):** **ZA**
- 57195. *Agrotis (s.str.) tancrei* (Corti,1927)** (Noctuidae) **Synonym(s):** *tancrei* Corti,1927 **Range (in code):** **KK Ik TeA**
- 57196. *Agrotis (s.str.) trifurca* Eversmann,1837** (Noctuidae) **Synonym(s):** *trifurca* Eversmann,1837 **Range (in code):** **RO RU Ur At Sb Am UA Cm CN Ti MN KP KR**
- 57197. *Agrotis (s.str.) trifurcula* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *trifurcula* Staudinger,1892 **Range (in code):** **MN**
- 57198. *Agrotis (s.str.) trux* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *obesula* Smith,1888; *nili* Bethune-Baker,1894; *amasina* Staudinger,1901; *euxoides* Rothschild,1920; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933; *#rubrofusca* Schawerda,1931; *rubrofusca* Boursin,1964; *maderensis* Pinker,1971 **Original Reference:** *Noctua trux* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.155, figs.723-725. **Syntypes:** [France]: Wallis. **Range (in code):** **ZA Tva Gau Pre MR MA DZ TN Cn PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY EG IR Gh Ss Hz IQ Agh Bgd LB SY IL Hf Pa JO Ges Afl Sfr Perr Abe Lbs Btina Sbd Hrh Ges Afl Sfr Perr Abe Lbs Btina Sbd**
- 57199. *Agrotis (s.str.) trux trux* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *trux* Hübner,[1824]; *lenticulosa* Duponchel,1826; *lunigera* Stephens,1829; *terranea* Freyer,1831; *obesula* Smith,1888; *nili* Bethune-Baker,1894; *amasina* Staudinger,1901; *euxoides* Rothschild,1920; *subalba* Corti & Draudt,1933; *adolphi* Corti & Draudt,1933; *#rubrofusca* Schawerda,1931; *rubrofusca* Boursin,1964; *maderensis* Pinker,1971 **Original Reference:** *Noctua trux* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.155, figs.723-725. **Syntypes:** [France]: Wallis. **Range (in code):** **DZ MA TN Ges Afl Sfr Perr Abe Lbs Btina Sbd Hrh PT ES FR Co Sa Si IT MT IE GB CH AT PL RO YU AL BG GR Cr CY TR Cc RU Kr MD UA BY**
- 57200. *Agrotis (s.str.) turatii* Standfuss,1888** (Noctuidae) **Synonym(s):** *turatii* Standfuss,1888; *albescens* Zerny,1927; *eumetabola* Lajonquière,1969. **Range (in code):** **ES AD FR Co IT**

- 57201. *Agrotis* (s.str.) *turbans* Staudinger,1888** (Noctuidae) Synonym(s): *turbans* Staudinger,1888 _ Range (in code): UZ AF
- 57202. *Agrotis* (s.str.) *vestigialis* (Hufnagel,1766)** (Noctuidae) Synonym(s): *vestigialis* Hufnagel,1766 _ Range (in code): TN DZ Lbs PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Ro Kr St Kyi Da Sb At Am MD UA BY KG TM
- 57203. *Agrotis* (s.str.) *yelai* Fibiger,1990** (Noctuidae) Synonym(s): *yelai* Fibiger,1990 _ Range (in code): ES
- 57204. *Agrotis* *duosigna* (Hampson,1903)** (Noctuidae) Synonym(s): *duosigna* Hampson,1903 _ Range (in code): Ch PK Swa Klm
- 57205. *Ahoyemenia* *sterrhaoides* (Fibiger & Hacker,2001)** (Noctuidae) Synonym(s): *sterrhaoides* Fibiger & Hacker,2001 _ Range (in code): YE Sna
- 57206. *Aiteta* *thermistis* (Hampson,1910)** (Noctuidae) Synonym(s): *thermistis* Hampson,1910 _ Range (in code): ZA
- 57207. *Aiteta* *veluta* Hampson,1912** (Noctuidae) Synonym(s): *veluta* Hampson,1912 _ Range (in code): ZA
- 57208. *Ala* *pretiosa* Alpheraky,1892** (Noctuidae) Synonym(s): *pretiosa* Alpheraky,1892 _ Range (in code): CN Ui
- 57209. *Alcanola* *obscurata* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *obscurata* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa Dst
- 57210. *Alcanola* *speideli* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *speideli* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): IN
- 57211. *Alcanola* *tympanistis* (Hampson,1900)** (Noctuidae) Synonym(s): *tympanistis* Hampson,1900 _ Range (in code): SI IN MM KH NP
- 57212. *Alelimma* *apicalis* (Hampson,1895)** (Noctuidae) Synonym(s): *apicalis* Hampson,1895 _ Range (in code): MM Peg TH Nan Dpk VN
- 57213. *Alelimma* *pallicostalis* Hampson,1902** (Noctuidae) Synonym(s): *pallicostalis* Hampson,1902 _ Range (in code): ZA
- 57214. *Allomeganephria* *hollogabori* G.Ronkay,L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *hollogabori* G.Ronkay,L.Ronkay, Gyulai & Hacker,2010 _ Range (in code): PK
- 57215. *Allophyes* (Boursinyes) *albithorax* (Draudt,1950)** (Noctuidae) Synonym(s): *albithorax* Draudt,1950 _ Range (in code): CN Yu Lik
- 57216. *Allophyes* (Boursinyes) *yuennana* Hreblay & Ronkay,1997** (Noctuidae) Synonym(s): *yuennana* Hreblay & Ronkay,1997 _ Range (in code): CN Yu
- 57217. *Allophyes* (Crassophyes) *renalis* (Wiltshire,1941)** (Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941. _ Original Reference: Meganephria renalis Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, pl. fig.6. Holotype ♀: Iran: [Fars]: Sineh Sefid. Range (in code): TR Cc AM IR Fa Sse Hz Lo
- 57218. *Allophyes* (Crassophyes) *renalis armeniaca* (Boursin,1944)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1944 _ Original Reference: Meganephria renalis ssp. armeniaca Boursin,1944, Revue fr. Ent. 10 (3): 77, pl.2 figs.2,16. Holotype ♂: [Nachitchevan]: Negram, sur l'Araxe, 13.x.31, Rjabov leg. (NHMP). Range (in code): TR Cc AZ Nv Ngm IR Lo
- 57219. *Allophyes* (Crassophyes) *renalis renalis* (Wiltshire,1941)** (Noctuidae) Synonym(s): *renalis* Wiltshire,1941; *crassicornis* Brandt,1941. _ Original Reference: Meganephria renalis Wiltshire,1941, J. Bombay nat. Hist. Soc. 42: 475, pl. fig.6. Holotype ♀: Iran: [Fars]: Sineh Sefid. Range (in code): IR Fa Sse Hz Lo
- 57220. *Allophyes* (Ohshimyes) *alces* Ronkay, Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *alces* Ronkay, Ronkay & Gyulai,2011 _ Range (in code):
- 57221. *Allophyes* (Ohshimyes) *heliocausta* Boursin,1957** (Noctuidae) Synonym(s): *heliocausta* Boursin,1957 _ Range (in code): CN She
- 57222. *Allophyes* (s.str.) *alfaroi* Agenjo,1951** (Noctuidae) Synonym(s): *alfaroi* Agenjo,1951 _ Range (in code): PT ES
- 57223. *Allophyes* (s.str.) *asiatica* (Staudinger,1892)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1892 _ Original Reference: Miselia oxyacanthae var. asiatica Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Türkei]: Amasia. Range (in code): GR TR CY IR GlS
- 57224. *Allophyes* (s.str.) *asiatica asiatica* (Staudinger,1892)** (Noctuidae) Synonym(s): *asiatica* Staudinger,1892 _ Original Reference: Miselia oxyacanthae var. asiatica Staudinger,1892, Dt. ent. Z., Iris 4:283. Syntypes: [Turkey]: Amasia. Range (in code): TR

- 57225. *Allophyes (s.str.) asiatica cypriaca* Boursin,1967** (Noctuidae) Synonym(s): *cypriaca* Boursin,1967 _ Range (in code): **CY**
- 57226. *Allophyes (s.str.) benedictina* (Staudinger,1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger,1892 _ Original Reference: *Miselia oxyacanthae* var. *benedictina* Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Lebanon]: Beirut. Range (in code): **TR LB Bei IL Pa JO** _ Bionomy: Larva on *Prunus*, *Crataegus* (Rosaceae) (Hacker,2001).
- 57227. *Allophyes (s.str.) benedictina benedictina* (Staudinger,1892)** (Noctuidae) Synonym(s): *benedictina* Staudinger,1892 _ Original Reference: *Miselia oxyacanthae* var. *benedictina* Staudinger,1892, Dt. ent. Z., Iris 4: 283-284. Syntypes: [Lebanon]: Beirut. Range (in code): **TR LB Bei**
- 57228. *Allophyes (s.str.) benedictina pseudasiatica* Boursin,1957** (Noctuidae) Synonym(s): *pseudasiatica* Boursin,1957 _ Range (in code): **IL Hf Pa**
- 57229. *Allophyes (s.str.) corsica* (Spuler,1905)** (Noctuidae) Synonym(s): *corsica* Spuler,1905 _ Range (in code): **FR Co Sa Si IT**
- 57230. *Allophyes (s.str.) cretica* Pinker & Reisser,1978** (Noctuidae) Synonym(s): *cretica* Pinker & Reisser,1978 _ Range (in code): **Cr**
- 57231. *Allophyes (s.str.) metaxys* Boursin,1953** (Noctuidae) Synonym(s): *metaxys* Boursin,1953 _ Original Reference: *Allophyes metaxys* Boursin,1953, Mitt. münch. ent. Ges. 43:245. Holotype: Turkey: Marasch. Range (in code): **TR Cc**
- 57232. *Allophyes (s.str.) oxyacanthae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oxyacanthae* Linnaeus,1758; *capucina* Millière,1870; *corsica* Spuler,1905; *alfaroi* Agenjo,1951; *powelli* Rungs,[1953]; *protai* Boursin,1966; *dujardini* Boursin,1968; *parenzani* De Laever,1977. _ Original Reference: *Phalaena oxyacanthae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa]. Range (in code): **FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Smt Akh Cc R Gls DK NO SE FI EE LV LT RU Ro Kr St MD UA BY**
- 57233. *Allophyes (s.str.) powelli* Rungs,1953** (Noctuidae) Synonym(s): *powelli* Rungs,1953 _ Range (in code): **MA Ifr**
- 57234. *Allophyes (s.str.) sp.*** (Noctuidae) Synonym(s): _ Range (in code): **DZ Btina Hrh**
- 57235. *Altipolia mosaica* Plante,1985** (Noctuidae) Synonym(s): *mosaica* Plante,1985 _ Range (in code):
- 57236. *Altipolia plantei* Hacker & Peks,1992** (Noctuidae) Synonym(s): *plantei* Hacker & Peks,1992 _ Range (in code): **IN Hp Roh**
- 57237. *Altipolia purpurea* Plante,1985** (Noctuidae) Synonym(s): *purpurea* Plante,1985 _ Range (in code): **NP IN Hp Roh**
- 57238. *Altipolia purpurea himachala* Hacker & Peks,1992** (Noctuidae) Synonym(s): *himachala* Hacker & Peks,1992 _ Range (in code): **IN Hp Roh**
- 57239. *Altipolia sonamargensis* Plante,1985** (Noctuidae) Synonym(s): *sonamargensis* Plante,1985 _ Range (in code): **Ch Snn IN**
- 57240. *Alvaradoia numerica* (Boisduval,1840)** (Noctuidae) Synonym(s): *numerica* Boisduval,1840; *ornatula* Christoph,1887; *deserti* Oberthür,1918; *sardoa* Rothschild,1920 _ Original Reference: *Agrophila numerica* Boisduval,1840, Gen. Ind. Eur. Lepid.: 175. Type: Corsica. Range (in code): **DZ Sbd Out Ges Sfr BSa ES Mu FR Co IT Sa TM Kp** _ Bionomy: Larva on *Santolinum* (Calle et al., 2000).
- 57241. *Amazonides ascia* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *ascia* D.S.Fletcher,1961 _ Range (in code): **KE**
- 57242. *Amazonides asciodes* Berio,1972** (Noctuidae) Synonym(s): *asciodes* Berio,1972 _ Range (in code): **TZ Iko**
- 57243. *Amazonides atrisigna* (Hampson,1911)** (Noctuidae) Synonym(s): *atrisigna* Hampson,1911 _ Range (in code): **ZA Kzu Nta Dbn**
- 57244. *Amazonides atrisignoides* Laporte,1974** (Noctuidae) Synonym(s): *atrisignoides* Laporte,1974 _ Range (in code): **CI**
- 57245. *Amazonides aulombardi* Hacker & Legrain,2002** (Noctuidae) Synonym(s): *aulombardi* Hacker & Legrain,2002 _ Range (in code): **SA As**
- 57246. *Amazonides axyliaesimilis* (Berio,1939)** (Noctuidae) Synonym(s): *axyliaesimilis* Berio,1939 _ Range (in code): **ER**
- 57247. *Amazonides berliozi* Laporte,1974** (Noctuidae) Synonym(s): *berliozi* Laporte,1974 _ Range (in code): **ET ET86**

- 57248. *Amazonides bioculata* Berio,1974** (Noctuidae) **Synonym(s):** *bioculata* Berio,1974
Range (in code): **TZ**
- 57249. *Amazonides dividens* (Walker,[1857])** (Noctuidae) **Synonym(s):** *dividens* Walker,[1857]
Range (in code): **ZA Nta Kzu**
- 57250. *Amazonides dubiomeodes* Laporte,1977** (Noctuidae) **Synonym(s):** *dubiomeodes* Laporte,1977
Range (in code): **ET ET204**
- 57251. *Amazonides ecstrigata* (Hampson,1903)** (Noctuidae) **Synonym(s):** *ecstrigata* Hampson,1903
Range (in code): **ZW Har**
- 57252. *Amazonides elaeopis* Hampson,1907** (Noctuidae) **Synonym(s):** *elaepis* Hampson,1907
Range (in code): **UG Rz**
- 57253. *Amazonides epipyria* (Hampson,1903)** (Noctuidae) **Synonym(s):** *epipyria* Hampson,1903
Range (in code): **ZW Har**
- 57254. *Amazonides fumicolor* (Hampson,1902)** (Noctuidae) **Synonym(s):** *fumicolor* Hampson,1902
Original Reference: *Agrotis fumicolor* Hampson,1902, Ann. S. Afr. Mus. 2: 262-263. Type: [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall) (BMNH). **Range (in code):** **ZW Har**
- 57255. *Amazonides fuscirufa* (Hampson,1903)** (Noctuidae) **Synonym(s):** *fuscirufa* Hampson,1903
Range (in code): **KE**
- 57256. *Amazonides griseofusca* Hampson,1913** (Noctuidae) **Synonym(s):** *griseofusca* Hampson,1913
Range (in code): **KE Nai**
- 57257. *Amazonides intermedia* Berio,1972** (Noctuidae) **Synonym(s):** *intermedia* Berio,1972
Range (in code): **TZ Iko**
- 57258. *Amazonides invertita* Berio,1962** (Noctuidae) **Synonym(s):** *invertita* Berio,1962
Range (in code): **ZR**
- 57259. *Amazonides koffoleense* Laporte,1977** (Noctuidae) **Synonym(s):** *koffoleense* Laporte,1977
Range (in code): **ET**
- 57260. *Amazonides laheuderiae* Laporte,1984** (Noctuidae) **Synonym(s):** *laheuderiae* Laporte,1984
Range (in code): **ET**
- 57261. *Amazonides meineri* Laporte,1974** (Noctuidae) **Synonym(s):** *meineri* Laporte,1974
Range (in code): **DJ**
- 57262. *Amazonides pseudoberliozi* Rougeot & Laporte,1983** (Noctuidae) **Synonym(s):** *pseudoberliozi* Rougeot & Laporte,1983
Range (in code): **ET**
- 57263. *Amazonides putrefacta* (Guenée,1852)** (Noctuidae) **Synonym(s):** *putrefacta* Guenée,1852
Range (in code): **ZA ET**
- 57264. *Amazonides rufescens* (Hampson,1913)** (Noctuidae) **Synonym(s):** *rufescens* Hampson,1913
Range (in code): **NG**
- 57265. *Amazonides ruficeps* (Hampson,1903)** (Noctuidae) **Synonym(s):** *ruficeps* Hampson,1903
Range (in code): **ZW Har**
- 57266. *Amazonides rufomixta* (Hampson,1903)** (Noctuidae) **Synonym(s):** *rufomixta* Hampson,1903
Range (in code): **ZA Ec Cto**
- 57267. *Amazonides tabida* (Guenée,1852)** (Noctuidae) **Synonym(s):** *tabida* Guenée,1852
Range (in code): **ZA SN**
- 57268. *Amazonides ustula* (Hampson,1913)** (Noctuidae) **Synonym(s):** *ustula* Hampson,1913
Range (in code): **ZA KE Nai**
- 57269. *Amazonides zarajokobi* Laporte,1984** (Noctuidae) **Synonym(s):** *zarajokobi* Laporte,1984
Range (in code): **ET ET86**
- 57270. *Amblyprora acholi* (Bethune-Baker,1906)** (Noctuidae) **Synonym(s):** *acholi* Bethune-Baker,1906
Range (in code): **UG**
- 57271. *Amblyprora alboporphyræa* (Pagenstecher,1907)** (Noctuidae) **Synonym(s):** *alboporphyræa* Pagenstecher,1907
Range (in code): **MG**
- 57272. *Amblyprora magnifica* (Schaus,1893)** (Noctuidae) **Synonym(s):** *magnifica* Schaus,1893
Range (in code): **ZA SL**
- 57273. *Amblyprora pacifica* (Bryk,1915)** (Noctuidae) **Synonym(s):** *pacifica* Bryk,1915
Range (in code): **TZ**
- 57274. *Amblyprora subalba* (Seydel,1937)** (Noctuidae) **Synonym(s):** *subalba* Seydel,1937
Range (in code): **BI**

- 57275. *Amblyprora superba* (Seydel,1937)** (Noctuidae) Synonym(s): *superba* Seydel,1937
Range (in code): **ZR**
- 57276. *Amefrontia purpurea* Hampson,1899** (Noctuidae) Synonym(s): *purpurea* Hampson,1899
Range (in code): **ZA**
- 57277. *Amephana anarrhini* (Duponchel,[1840])** (Noctuidae) Synonym(s): *anarrhini* Duponchel,[1840] _ Range (in code): **ES Mu FR Sa IT**
- 57278. *Amephana aurita* (Fabricius,1787)** (Noctuidae) Synonym(s): *aurita* Fabricius,1787; *dejeani* Duponchel,1827 _ Original Reference: *Noctua aurita* Fabricius,1787, Mant. Ins. 2: 179. Type(s): Hispania. Range (in code): **DZ Berr BSa Btna Hmk Ahr Khh Agi Hrh Gab Ges Sbd PT ES Mu FR Py Sa Si IT TR** _ Bionomy: Larva on *Helianthemum* (Rambur,1858; Calle et al., 2000).
- 57279. *Amephana dalmatica* (Rebel,1919)** (Noctuidae) Synonym(s): *dalmatica* Rebel,1919
Original Reference: *Cleophana dejeani dalmatica* Rebel,1919, Verh. zool.-bot. Ges. Wien 69: 107. Syntypes: Dalmatien. Range (in code): **Sa? YU AL BG GR TR CY**
- 57280. *Ametropalpis nasuta* Mabille,1884** (Noctuidae) Synonym(s): *nasuta* Mabille,1884
Range (in code): **MG**
- 57281. *Ametropalpis vidua* (Holland,1894)** (Noctuidae) Synonym(s): *vidua* Holland,1894
Range (in code): **GA Ogo**
- 57282. *Amilaga albirenalis* (Moore,1876)** (Noctuidae) Synonym(s): *albirenalis* Moore,1876
Range (in code): **SI**
- 57283. *Amilaga editha* (Swinhoe,1902)** (Noctuidae) Synonym(s): *editha* Swinhoe,1902 _ Range (in code): **MY Bor KBa**
- 57284. *Amilaga geometroides* (Walker,1857)** (Noctuidae) Synonym(s): *geometroides* Walker,1857 _ Range (in code): **LK**
- 57285. *Amilaga* sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH CMa Int**
- 57286. *Ammonoconia aholai* Fibiger,1996** (Noctuidae) Synonym(s): *aholai* Fibiger,1996
Original Reference: *Ammonoconia aholai* Fibiger,1996, Esperiana 4: 269-271, 8 figs. Holotype ♂: Cyprus, K.K.T.C., Akcicek, 700m, 27.xii.1993, M.Ahola leg., coll.M.Fibiger. Range (in code): **CY**
- 57287. *Ammonoconia anonyma* Ronkay & Varga,1984** (Noctuidae) Synonym(s): *anonyma* Ronkay & Varga,1984 _ Original Reference: *Ammonoconia anonyma* Ronkay & Varga,1984, Acta zool. Hung. 30 (3/4): 484, Taf.1 fig.7. Holotype: Armenia (NHMB). Range (in code): **TR Cc AM IR Elb Gh Th Kdv**
- 57288. *Ammonoconia caecimacula* (Fabricius,1787)** (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929 _ Original Reference: *Noctua caecimacula* Fabricius,1787, Mant. Ins. 2: 158, nr.158. Type(s): Austria. Range (in code): **ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Da AM MD UA BY KG Ssn Mn Tar Sb**
- 57289. *Ammonoconia caecimacula caecimacula* (Fabricius,1787)** (Noctuidae) Synonym(s): *caecimacula* Fabricius,1787; *millegrana* Esper,[1790]; *respersa* Brahm,1791; *rhaeticaria* Dannehl,1926; *marsicaria* Dannehl,1929 _ Original Reference: *Noctua caecimacula* Fabricius,1787, Mant. Ins. 2: 158, nr.158. Type(s): Austria. Range (in code): **ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr St Ich Da MD UA BY**
- 57290. *Ammonoconia caecimacula sibirica* Staudinger,1882** (Noctuidae) Synonym(s): *sibirica* Staudinger,1882 _ Range (in code): **RU Sb KG Mn Ssn Tar**
- 57291. *Ammonoconia caecimacula transcaucasica* Ronkay & Varga,1984** (Noctuidae)
Synonym(s): *transcaucasica* Ronkay & Varga,1984 _ Original Reference: *Ammonoconia caecimacula* ssp. *transcaucasica* Ronkay & Varga,1984, Acta zool. Hung. 30 (3/4): 481, Taf.1 fig.8. Holotype: Armenia (coll.Varga). Range (in code): **TR Cc AM**
- 57292. *Ammonoconia reisseri* Ronkay & Varga,1984** (Noctuidae) Synonym(s): *reisseri* Ronkay & Varga,1984 _ Range (in code): **GR Cr**
- 57293. *Ammonoconia senex* (Geyer,[1828])** (Noctuidae) Synonym(s): *senex* Geyer,[1828].
Original Reference: *Noctua senex* Geyer,[1828], in Hübner, Samml. eur. Schmett., Noct.2: Taf.160, figs. 749-750. Syntype: Fiume [=Rijeka]. Range (in code): **ES FR Si IT DE CH YU AL BG GR Rd TR RU Da AZ Nv Ngm Cc LB IL Pa IR Es Ha**
- 57294. *Ammonoconia senex rjabovi* Ronkay & Varga,1984** (Noctuidae) Synonym(s): *rjabovi* Ronkay & Varga,1984 _ Original Reference: *Ammonoconia senex* ssp. *rjabovi* Ronkay & Varga,1984, Acta zool. Hung. 30 (3/4): 488, Taf.1 fig.6. Holotype: Russia: Daghestan (ZSM). Range (in code): **Cc RU Da**
- 57295. *Ammonoconia senex senex* (Geyer,[1828])** (Noctuidae) Synonym(s): *senex* Geyer,[1828].
Range (in code): **ES FR Si IT DE CH YU AL GR**

- 57296. Ammoconia senex transhamadanensis Gyulai & L.Ronkay,2006** (Noctuidae)
Synonym(s): *transhamadanensis* Gyulai & L.Ronkay,2006 _ Range (in code): IR Es Ha
- 57297. Ammoconia senex victoris Ronkay & Varga,1984** (Noctuidae) Synonym(s): *victoris* Ronkay & Varga,1984 _ Original Reference: Ammoconia senex ssp. victoris Ronkay & Varga,1984, Acta zool. Hung. 30 (3/4): 487, Taf.1 fig.5. Holotype: Türkiye: [Konya Prov.]: Akşehir (NHMB). Range (in code): TR Cc AZ Nv Ngm
- 57298. Ammoconia senex wagneri (Boursin,1935)** (Noctuidae) Synonym(s): *wagneri* Boursin,1935 _ Range (in code): BG
- 57299. Ammopolia witzenmanni (Standfuss,1890)** (Noctuidae) Synonym(s): *witzenmanni* Standfuss,1890; *#griseovinosa* Rothschild,1920 _ Original Reference: Orthosia witzenmanni Standfuss,1890, Mitt. schweiz. ent. Ges. 8: 233. Syntypes ♂: France: Basses-Alpes, Digne. Range (in code): DZ Btna Ges PT ES FR Co Sa IT
- 57300. Amphia gigantea Viette,1958** (Noctuidae) Synonym(s): *gigantea* Viette,1958 _ Range (in code): MG
- 57301. Amphia hepialoides Guenée,1852** (Noctuidae) Synonym(s): *hepialoides* Guenée,1852 _ Range (in code): ET
- 57302. Amphia sogai Viette,1967** (Noctuidae) Synonym(s): *sogai* Viette,1967 _ Range (in code): MG
- 57303. Amphia subunita Guenée,1852** (Noctuidae) Synonym(s): *subunita* Guenée,1852; *exunita* Guenée,1852 _ Range (in code): ZA Ec Cto
- 57304. Amphia voeltzkowi Viette,1979** (Noctuidae) Synonym(s): *voeltzkowi* Viette,1979 _ Range (in code): KM
- 57305. Amphigonia hepatizans Guenée,1852** (Noctuidae) Synonym(s): *hepatizans* Guenée,1852 _ Range (in code): TH Knc KH MY IN LK Adm ID Sum Ja Bor Sbw Clb PG PH
- 57306. Amphigonia motisigna A.E.Prout,1928** (Noctuidae) Synonym(s): *motisigna* A.E.Prout,1928 _ Range (in code): ID Sum PH MY TH Tng
- 57307. Amphipoea asiatica (Burrows,1911)** (Noctuidae) Synonym(s): *asiatica* Burrows,1911 _ Range (in code): RU Prj Us KK Na Ik Ax CN Ui T-S Ii JP
- 57308. Amphipoea aslanbeki L.Ronkay & Kerczig,1991** (Noctuidae) Synonym(s): *aslanbeki* L.Ronkay & Kerczig,1991 _ Range (in code): RU Cc Ich
- 57309. Amphipoea bifurcata Gyulai & L.Ronkay,1994** (Noctuidae) Synonym(s): *bifurcata* Gyulai & L.Ronkay,1994 _ Range (in code):
- 57310. Amphipoea burrowsi (Chapman,1912)** (Noctuidae) Synonym(s): *burrowsi* Chapman,1912 _ Range (in code):
- 57311. Amphipoea chovdica Gyulai,1989** (Noctuidae) Synonym(s): *chovdica* Gyulai,1989 _ Range (in code): MN
- 57312. Amphipoea crinanensis (Burrows,1908)** (Noctuidae) Synonym(s): *crinanensis* Burrows,1908 _ Range (in code): IE GB DE DK NO SE FI EE LV RU Cc Nt St
- 57313. Amphipoea cuneata Gyulai & Ronkay,1998** (Noctuidae) Synonym(s): *cuneata* Gyulai & Ronkay,1998 _ Range (in code):
- 57314. Amphipoea distincta (W.Warren,1911)** (Noctuidae) Synonym(s): *distincta* W.Warren,1911 _ Range (in code):
- 57315. Amphipoea fucosa (Freyer,1830)** (Noctuidae) Synonym(s): *fucosa* Freyer,1830; *paludis* Tutt,1888 _ Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Ro St Kc Nt Ich Ing MD UA BY KG Tk Dj KK TeA Skm TrA
- 57316. Amphipoea lucens (Freyer,1845)** (Noctuidae) Synonym(s): *lucens* Freyer,1845 _ Range (in code): FR IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 57317. Amphipoea malaisei (Nordström,1931)** (Noctuidae) Synonym(s): *malaisei* Nordström,1931 _ Range (in code): MM
- 57318. Amphipoea maryamae Zahiri & Fibiger,2006** (Noctuidae) Synonym(s): *maryamae* Zahiri & Fibiger,2006 _ Original Reference: Amphipoea maryamae Zahiri & Fibiger,2006, Zootaxa 1244: 34-37, figs. Holotype ♂: Iran: W.Azerbaijan: Urumiyeh (Mostaan), 22.vii.1973 (HMIM). Range (in code): IR Ab Oru
- 57319. Amphipoea ochreola (Staudinger,1882)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1882; *renalis* Alpheraky,1887. _ Range (in code): KG Lps Ssn CN Ui
- 57320. Amphipoea oculate (Linnaeus,1761)** (Noctuidae) Synonym(s): *oculea* Linnaeus,1761; *nictitans* Linnaeus,1767; *chrysographa* [Denis & Schiffmüller],1775; *splendens* Borkhausen,1792; *myopa* Fabricius,1794; *cinerago* Fabricius,1798; *auricula* Donovan,1807; *erythrostigma* Haworth,1809; *struvei*

- Oberthür, 1918.* Original Reference: *Phanaena oculea* Linnaeus, 1761, Fauna Suecica: 321. Lectotype ♀: Sweden, designated by Mikkola & Honey, 1993. Range (in code): **DZ PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da Ir Irk MD UA BY CN Ui Ku Kml**
- 57321. *Amphipoea oculea oculea* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *oculea* Linnaeus, 1761; *nictitans* Linnaeus, 1767; *chrysographa* [Denis & Schiffermüller], 1775; *splendens* Borkhausen, 1792; *myopa* Fabricius, 1794; *cinerago* Fabricius, 1798; *auricula* Donovan, 1807; *erythrostigma* Haworth, 1809; *struvei* Oberthür, 1918. Original Reference: *Phanaena oculea* Linnaeus, 1761, Fauna Suecica: 321. Lectotype ♀: Sweden, designated by Mikkola & Honey, 1993. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da MD UA BY CN Ui Ku**
- 57322. *Amphipoea oculea pallescens* (Staudinger, [1900])** (Noctuidae) Synonym(s): *pallescens* Staudinger, [1900] Range (in code): **RU Ir Irk CN Ui Kml**
- 57323. *Amphipoea rufibrunnea* (Heydemann, 1942)** (Noctuidae) Synonym(s): *rufibrunnea* Heydemann, 1942 Range (in code):
- 57324. *Amphipoea szabokyi* Gyulai & Ronkay, 1990** (Noctuidae) Synonym(s): *szabokyi* Gyulai & Ronkay, 1990 Range (in code): **MN**
- 57325. *Amphipoea ussuriensis* (Petersen, 1914)** (Noctuidae) Synonym(s): *ussuriensis* Petersen, 1914 Range (in code): **RU Us**
- 57326. *Amphipyra* (Pyrois) *cinnamomea* (Goeze, 1781)** (Noctuidae) Synonym(s): *cinnamomea* Goeze, 1781 Original Reference: *Phalaena cinnamomea* Goeze, 1781, Ent. Beytr. 3 (3): 205. Type(s): Europa. Range (in code): **ES Mu FR Co IT DE CH AT SK HU RO YU BG GR TR Cc** Bionomy: Larva on Populus, Prunus, Salix, Ulmus, Lonicera (Hacker, 1989; Calle et al., 2000).
- 57327. *Amphipyra* (Pyrois) *effusa* (Boisduval, 1828)** (Noctuidae) Synonym(s): *effusa* Boisduval, 1828; *sciaphila* Staudinger, 1871 Original Reference: *Amphipyra effusa* Boisduval, 1828, Eur. lepid. Index Meth.: 68. Type(s): Italia: Sicilia. Range (in code): **MA DZ Hrh Blid Hmk LY ES FR Co Sa Si IT YU AL BG GR Cr CY TR IL Pa Hf LB Bei IR** Bionomy: Larva on Erica, Cytisus, Cistus (Hofmann, 1893; Spuler, 1893; Hampson, 1908).
- 57328. *Amphipyra* (s.str.) *alpherakii* (Staudinger, 1888)** (Noctuidae) Synonym(s): *alpherakii* Staudinger, 1888; *alpheraci* Hampson, 1908. Original Reference: *Acosmetia alpherakii* Staudinger, 1888, Stettin ent. Ztg. 1888: 30. Range (in code): **TM CN Ui Ku**
- 57329. *Amphipyra* (s.str.) *anophthalma* Boursin, 1963** (Noctuidae) Synonym(s): *anophthalma* Boursin, 1963 Range (in code): **IR Elb Th**
- 57330. *Amphipyra* (s.str.) *berbera* Rungs, 1949** (Noctuidae) Synonym(s): *#variegata* W. Warren, 1911; *berbera* Rungs, 1949; *svenssoni* D.S. Fletcher, 1968 Original Reference: *Amphipyra pyramidea* ssp. *berbera* Rungs, 1949, Bull. Soc. sci. Nat. Maroc 25/27: 330, pl. 7 fig. 3, 5. Holotype ♂: Morocco: Moyen Atlas, Ifrane. Range (in code): **MA DZ TN ES FR Sa Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO SS MK BG GR TR Cc IR Elb Gls DK SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA BY**
- 57331. *Amphipyra* (s.str.) *boursini* Hacker, 1998** (Noctuidae) Synonym(s): *boursini* Hacker, 1998 Original Reference: *Amphipyra boursini* Hacker, 1998, Esperiana 6: 196, fig. Holotype ♂: Türkiye: Marasch, 600-1000m vii. 1930 (ZSM). Range (in code): **TR IR By Bk Lo Es Ld Kd Bne Mrv Snj**
- 57332. *Amphipyra* (s.str.) *cancellata* W. Warren, 1911** (Noctuidae) Synonym(s): *cancellata* W. Warren, 1911 Original Reference: *Amphipyra cancellata* W. Warren, 1911, [in] Seitz, Gross-Schmett. 3: 160 (38e). Syntypes: [Turkmenistan]: "Tedschen-Oase, Merv, West-Turkestan". Range (in code): **TM**
- 57333. *Amphipyra* (s.str.) *herrichschaefferi* Hacker & Peks, 1992** (Noctuidae) Synonym(s): *#herrichschaefferi* Hacker & Peks, 1992; *Amphipyra herrichschaefferi* Hacker & Peks, 1992 Original Reference: *Amphipyra herrichschaefferi* [sic!] Hacker & Peks, 1992, Esperiana 3: 181-182, figs. Holotype ♂: Indien, Ladakh, Lotsun, 2800m (coll. Peks). Range (in code): **IN Ld**
- 57334. *Amphipyra* (s.str.) *kautti* Hacker, 1998** (Noctuidae) Synonym(s): *kautti* Hacker, 1998 Original Reference: *Amphipyra submicans* ssp. *kautti* Hacker, 1998, Esperiana 6: 194-195, figs. Holotype ♂: Niğde Pr.: Toros Mts., Ala-Dag, Demirkazık, 2800m 27.viii.1995 (P. Kautt leg., coll. Hacker). Range (in code): **TR**
- 57335. *Amphipyra* (s.str.) *livida* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *livida* [Denis & Schiffermüller], 1775 Original Reference: *Noctua livida* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co IT DE CH AT PL CZ SK HU RO YU BG GR TR AZ Kir GG**

- Lag Cc DK FI LV LT RU Ro Kr St Nt MD UA BY JP** Bionomy: Larva on Taraxacum, Hieracium (Hacker,1989).
- 57336. Amphipyra (s.str.) magna Walker,1865** (Noctuidae) Synonym(s): *magna* Walker,1865; *chalcoptera* R.Felder & Rogenhofer,1874 Original Reference: *Amphipyra magna* Walker,1865, List spec. lepid. Ins. Colln. Br. Mus. 3: 868. Range (in code): **PK Thu**
- 57337. Amphipyra (s.str.) micans Lederer,1857** (Noctuidae) Synonym(s): *micans* Lederer,1857; *frivaldskyi* Mocsary,1896 Original Reference: *Amphipyra micans* Lederer,1857, Wien. ent. Monatschr. 1:94. Type(s): [Libanon]: Beirut. Range (in code): **RO HU MK BG GR SY LB Bei TR Cc IR Es CY IL Pa Hf**
- 57338. Amphipyra (s.str.) molybdea Christoph,1867** (Noctuidae) Synonym(s): *molybdea* Christoph,1867; *submicans* Kuznetsov,1958 Original Reference: *Amphipyra molybdea* Christoph,1867, Stettin ent. Ztg. 28: 235. Type(s): [Russia]: Sarepta. Range (in code): **RU Sr Uk KG TR IR Fa TM Kp**
- 57339. Amphipyra (s.str.) monolitha Guenée,1852** (Noctuidae) Synonym(s): *monolitha* Guenée,1852; *surnia* R.Felder & Rogenhofer,1874 Range (in code): **IN PK Abb CN BD Syl JP**
- 57340. Amphipyra (s.str.) murrensis Strand,1916** (Noctuidae) Synonym(s): *murrensis* Strand,1916 Range (in code): **PK Haz Mre**
- 57341. Amphipyra (s.str.) owadai Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *owadai* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **NP**
- 57342. Amphipyra (s.str.) owadai nepalensis Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *nepalensis* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **NP**
- 57343. Amphipyra (s.str.) owadai owadai Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *owadai* Hreblay, Peregovits & L.Ronkay,1999 Range (in code):
- 57344. Amphipyra (s.str.) perflua (Fabricius,1787)** (Noctuidae) Synonym(s): *perflua* Fabricius,1787; *ulmea* Schrank,1801; *pyramidina* Esper,[1803]. Original Reference: *Noctua perflua* Fabricius,1787, Mant. Ins. 2: 179, nr.280. Type(s): Austria. Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Kr St Kc Ich Ing Da MD UA BY CN JP** Bionomy: Larva on Salix, Ulmus, Malus (Hacker,1989).
- 57345. Amphipyra (s.str.) pyramidea (Linnaeus,1758)** (Noctuidae) Synonym(s): *pyramidea* Linnaeus,1758; *navicularis* Geoffroy,1785; *obscura* Oberthür,1880; *obliquilimbata* Graeser,1888; *satinea* Rougemont,1901; *variegata* W.Warren,1911; *yama* Swinhoe,1918; *aprya* Bryk,1942; *cuprior* Fletcher,1968 Original Reference: *Phalaena pyramidea* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 518. Type(s): Europa. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Len Kir GG Smt Bjo Lag Tbl Mng Cc LB SY IL Pa IQ Shq IR Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi MD UA BY TM Sb Prj Us Hkk CN T-S Sz Ch Mre Haz PK SI IN Ass Drm Hp JP DZ Blid Btna DhM TN Hrh Abe** Bionomy: Larva on Quercus, Tilia, Crataegus, Prunus, Fraxinus (Wiltshire,1957; Hacker,1989).
- 57346. Amphipyra (s.str.) sergei (Staudinger,1888)** (Noctuidae) Synonym(s): *sergei* Staudinger,1888 Original Reference: *Acosmetia alpherakii* var. *sergei* Staudinger,1888, Stettin ent. Ztg. 1888: 31. Type: [Uighur Ili]: Kuldja (MNHU, Berlin). Range (in code): **CN Ui Ku**
- 57347. Amphipyra (s.str.) stix Herrich-Schäffer,[1850]** (Noctuidae) Synonym(s): *stix* Herrich-Schäffer,[1850]; *#styx* Staudinger,1879. Original Reference: *Amphipyra stix* Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur.2:324. Syntypes: [Türkei]: Marmarameer. Range (in code): **RO MK BG GR Cr TR Cc AM IL Pa IR Fa Mia** Bionomy: Larva on Galium mollugo, Taraxacum, Veronica (Kasy,1956).
- 57348. Amphipyra (s.str.) strigata D.S.Fletcher,1968** (Noctuidae) Synonym(s): *strigata* D.S.Fletcher,1968 Range (in code): **IN PK CN**
- 57349. Amphipyra (s.str.) tetra (Fabricius,1787)** (Noctuidae) Synonym(s): *tetra* Fabricius,1787 Original Reference: *Noctua tetra* Fabricius,1787, Mant. Ins. 2: 138, nr.31. Type(s): Austria. Range (in code): **MR MA DZ Sfr Ges TN EG ES Mu FR Si IT CH AT PL CZ SK HU RO YU BG GR TR AZ Kir Cc RU Ro St Kyi Ur Sb Sj At IR Fa Ss Kd Mrv Lo Gls IL Pa AF TM CN Ui Ku KK LB EG Sn**
- 57350. Amphipyra (s.str.) tetra pallida Staudinger,1901** (Noctuidae) Synonym(s): *pallida* Staudinger,1901 Original Reference: *Amphipyra tetra* var. *pallida* Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 200, nr.2048a. Syntypes: [Türkei]: "Pont; Syr"; [Iran]: "Hyrc". Range (in code): **RU Ro St Kyi TR IR Fa Ss IL Pa AF TM KK LB EG Sn**
- 57351. Amphipyra (s.str.) tragopoginis (Clerck,1759)** (Noctuidae) Synonym(s): *#tragopoginis* Clerck,1759; *luciola* Hufnagel,1766; *repressus* Grote,1871 Original Reference: [Phalaena] *tragopoginis* Clerck,1759, Icones Ins. rariorum 1: Taf.1 fig.5. Schweden. Range (in code): **MA DZ ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG Smt Bjo Mng AZ Kir AM**

Cc LB IR Maz GlS Fa Lo By Yas Ke Mia Kz Kd Mrv DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing
Da Sb At MD UA BY Ch IN Hp Kul CA US Pns Mss Ny

- 57352. *Amphipyra (s.str.) turcomana* Staudinger,1888** (Noctuidae) Synonym(s): *turcomana* Staudinger,1888; *distincta* Rothschild,1920 Original Reference: *Amphipyra tragopoginis* var. *turcomana* Staudinger,1888, Stettin Ent. Ztg. 49: 32. Syntypes: [Usbekistan]: Samarkand, Margelan; [Turkmenistan]: Achal-Tekke Range (in code): **DZ Dzc Hrh KG Aa KK Ax Skm TrA Osh UZ Fe Smk N-A TM Kp TR Ld IN AF Pli Bark**
- 57353. *Amyna acuta* Berio,1960** (Noctuidae) Synonym(s): *acuta* Berio,1960 Range (in code): **MG**
- 57354. *Amyna albiloba* (W.Warren,1913)** (Noctuidae) Synonym(s): *albiloba* W.Warren,1913 Range (in code): **IN**
- 57355. *Amyna amplificans* (Walker,1858)** (Noctuidae) Synonym(s): *amplificans* Walker,1858; *impedita* Walker,1858 Range (in code): **VE**
- 57356. *Amyna apicalis* (Walker,1865)** (Noctuidae) Synonym(s): *apicalis* Walker,1865 Range (in code): **AU QAU**
- 57357. *Amyna aroa* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *aroa* Bethune-Baker,1906 Range (in code): **PG Aro**
- 57358. *Amyna axis* Guenée,1852** (Noctuidae) Synonym(s): *axis* Guenée,1852; *octo* Guenée,1852; *colon* Guenée,1852; *flavigutta* Walker,1858; *perfundens* Walker,1858; *stricta* Walker,1858; *cephusalis* Walker,[1859]; *obstructa* Walker,1862; *vexabilis* Wallengren,1863; *inornata* Walker,1865; *leucospila* Walker,1865; *albigutta* Walker,1869; *stigmatula* Snellen,1872; *bavia* R.Felder & Rogenhofer,1874; *orbica* Morrison,1875; *undulifera* Butler,1875; *tecta* Grote,1876; *monotretalis* Mabille,1879; *supplex* Swinhoe,1885; *rufa* Bethune-Baker,1906. Range (in code): **SL GH SD GM NG ZR RE ZA Lpo Tva Spb Mdk Nta Kzu Dbn UG Rz KE Mb ZW Har ET ET24 YE Ad YE47 CN JP RU Sb Us Ch PK Sd Krc Cp IN Hp Drm Cu NI Poo Guj LK MM Adm CN Fkn ID Bor AU QAU Hw NF FJ NC WS TO RA Glb NH MY NW PG CX JM VE AR**
- 57359. *Amyna crocosticta* Hampson,1910** (Noctuidae) Synonym(s): *crocosticta* Hampson,1910 Range (in code): **CX**
- 57360. *Amyna delicata* Wiltshire,1994** (Noctuidae) Synonym(s): *delicata* Wiltshire,1994 Range (in code): **SA**
- 57361. *Amyna distigmata* (Hampson,1896)** (Noctuidae) Synonym(s): *distigmata* Hampson,1896 Range (in code): **BT**
- 57362. *Amyna flavirena* Holloway,1979** (Noctuidae) Synonym(s): *flavirena* Holloway,1979 Range (in code): **NC**
- 57363. *Amyna frontalis* Strand,1920** (Noctuidae) Synonym(s): *frontalis* Strand,1920 Range (in code): **TW**
- 57364. *Amyna glaucopera* Hampson,1910** (Noctuidae) Synonym(s): *apicalis* Moore,1882 nec Wlk.,1865; *glaucopera* Hampson,1910 Range (in code): **IN SI Djl**
- 57365. *Amyna indignata* Wileman & South,1921** (Noctuidae) Synonym(s): *indignata* Wileman & South,1921 Range (in code): **PH Luz**
- 57366. *Amyna leucopera* Hampson,1910** (Noctuidae) Synonym(s): *leucopera* Hampson,1910 Range (in code): **IN NI**
- 57367. *Amyna leucostriga* Hampson,1910** (Noctuidae) Synonym(s): *leucostriga* Hampson,1910 Range (in code): **IN Hp Drm**
- 57368. *Amyna magnifoveata* Hampson,1918** (Noctuidae) Synonym(s): *magnifoveata* Hampson,1918 Range (in code): **KE**
- 57369. *Amyna modesta* W.Warren,1913** (Noctuidae) Synonym(s): *modesta* W.Warren,1913 Range (in code): **CN Hn**
- 57370. *Amyna monocampta* Hampson,1910** (Noctuidae) Synonym(s): *monocampta* Hampson,1910 Range (in code): **IN SI**
- 57371. *Amyna natalica* Pinhey,1975** (Noctuidae) Synonym(s): *natalica* Pinhey,1975 Range (in code): **ZA Nta Kzu**
- 57372. *Amyna natalis* (Walker,1858)** (Noctuidae) Synonym(s): *natalis* Walker,1858; *abyssa* Snellen,1880 Range (in code): **NF NC RA Glb WS FJ TO PG AU MY IN ID Clb**
- 57373. *Amyna padanga* (Swinhoe,1919)** (Noctuidae) Synonym(s): *padanga* Swinhoe,1919 Range (in code): **ID Sum**
- 57374. *Amyna punctum* (Fabricius,1794)** (Noctuidae) Synonym(s): *punctum* Fabricius,1794; *annulata* Fabricius,1794; *selenampha* Guenée,1852; *spoliata* Walker,[1858]; *latipennis* Wallengren,1860; *subtracta* Walker,1862; *urba* Wallengren,1863; *trivenefica* Wallengren,1863; *natalensis* Wallengren,1865; *latipennis* Walker,1865; *paradoxa* Saalmüller,1880; *#trivenefica* Hampson,1902. Range (in code): **SO Zai YE Ad ET**

ET24 ZW Har ZA Lpo Tva Spb Mdk Nta Kzu Kkf Dbn Ec MG Sk IN Adm AU NC NF FJ CN LK MY Bor Ja
CX PH Luz

- 57375. *Amyna renalis* (Moore,1882)** (Noctuidae) Synonym(s): *renalis* Moore,1882 _ Range (in code): IN SI Djl
- 57376. *Amyna rubirena* Hampson,1918** (Noctuidae) Synonym(s): *rubirena* Hampson,1918
Range (in code): CM Bit
- 57377. *Amyna ruptirena* Hampson,1910** (Noctuidae) Synonym(s): *ruptirena* Hampson,1910
Range (in code): ZM
- 57378. *Amyna spissa* (W.Warren,1913)** (Noctuidae) Synonym(s): *spissa* W.Warren,1913
Range (in code): ID Tim
- 57379. *Amyna stellata* Butler,1878** (Noctuidae) Synonym(s): *stellata* Butler,1878 _ Range (in code): JP IN Mh Nsk
- 57380. *Amyna tristis* (Druce,1898)** (Noctuidae) Synonym(s): *tristis* Druce,1898 _ Range (in code): MX
- 57381. *Amyna vibrioides* Pagenstecher,1907** (Noctuidae) Synonym(s): *vibrioides* Pagenstecher,1907 _ Range (in code): MG
- 57382. *Anacronycta ? flavata* (Moore,1867)** (Noctuidae) Synonym(s): *flavata* Moore,1867
Range (in code): IN
- 57383. *Anacronycta albargentea* Speidel & Kononenko,1998** (Noctuidae) Synonym(s): *albargentea* Speidel & Kononenko,1998 _ Range (in code): VN Lci Ton Fan TH CMa Fn Php Int CN
- 57384. *Anacronycta caliginea* (Butler,1881)** (Noctuidae) Synonym(s): *caliginea* Butler,1881
Range (in code): JP
- 57385. *Anacronycta fuscipennis* (W.Warren,1912)** (Noctuidae) Synonym(s): *fuscipennis* W.Warren,1912 _ Range (in code): ID Sum
- 57386. *Anacronycta horishana* Matsumura,1931** (Noctuidae) Synonym(s): *horishana* Matsumura,1931 _ Range (in code): TW
- 57387. *Anacronycta infausta* (Walker,1856)** (Noctuidae) Synonym(s): *infausta* Walker,1856;
nigra W.Warren,1912 _ Range (in code): BD Syl IN Meg Ass Khs CN Ti TH CMa Php NP
- 57388. *Anacronycta nitida* (Butler,1878)** (Noctuidae) Synonym(s): *nitida* Butler,1878;
moupinensis Leech,1900; *kurilensis* Bryk,1941 _ Range (in code): RU Krl CN Sz JP
- 57389. *Anacronycta obscura* (Leech,1900)** (Noctuidae) Synonym(s): *obscura* Leech,1900;
nigerrima Draudt,1950 _ Range (in code): CN VN Ton Lci Fan
- 57390. *Anacronycta okinawensis* Sugi,1970** (Noctuidae) Synonym(s): *okinawensis* Sugi,1970
Range (in code): JP Ri
- 57391. *Anacronycta pallidipennis* (W.Warren,1912)** (Noctuidae) Synonym(s): *pallidipennis* W.Warren,1912 _ Range (in code): ID Sum
- 57392. *Anacronycta sumatrana* Kobes,1985** (Noctuidae) Synonym(s): *sumatrana* Kobes,1985
Range (in code): ID Sum
- 57393. *Anadevidia hebetata* (Butler,1889)** (Noctuidae) Synonym(s): *hebetata* Butler,1889
Range (in code): IN TH NP PK CN JP KP KR RU Us
- 57394. *Anadevidia peponis* (Fabricius,1775)** (Noctuidae) Synonym(s): *peponis* Fabricius,1775;
agramma Guenée,1852; *inchoata* Walker,1865; *fumifera* Graeser,[1890] _ Original Reference: Noctua
peponis Fabricius,1775; Syst. Ent.: 608. Type(s): India orientalis. Range (in code): ID Sum Ja PG
AU RU Us TH VN CN TW NP LK Adm KP KR JP NC
- 57395. *Anagnia subfascia* Walker,1854** (Noctuidae) Synonym(s): *subfascia* Walker,1854;
subfasciata Moore,1886 _ Original Reference: Anagnia subfascia Walker,1854, List Specimens
lepid. Insects Colln Br. Mus. 2: 446. Type: E.Indies (BMNH). Range (in code): TH CMa CDo
- 57396. *Anagrorisma chamrani* Gyulai, Rabieh & L.Ronkay,2013** (Noctuidae) Synonym(s): *chamrani* Gyulai, Rabieh & L.Ronkay,2013 _ Original Reference: Anagrorisma chamrani Gyulai,
Rabieh & L.Ronkay,2013, Zookeys 317: 18-24, Holotype ♀: Iran, Prov. Khorasan-e-Razavi,
Binaloud 2507m 10 ix 2012 (coll.P.Gyulai, HNHMB). Range (in code): IR Kh
- 57397. *Anagrorisma eucratides* (Boursin,1957)** (Noctuidae) Synonym(s): *eucratides* Boursin,1957 _ Range (in code): AF Slg
- 57398. *Anagrorisma goniophora* (Varga, L.Ronkay & Hacker,1990)** (Noctuidae)
Synonym(s): *goniophora* Varga, L.Ronkay & Hacker,1990 _ PK Gg Bt
- 57399. *Anagrorisma zakaria* L.Ronkay & Varga,1999** (Noctuidae) Synonym(s): *zakaria* L.Ronkay & Varga,1999 _ Range (in code): PK

- 57400. *Analetia (Anapoma) chapa* Hreblay & Yoshimatsu, 1999** (Noctuidae) **Synonym(s):** *chapa* Hreblay & Yoshimatsu, 1999 **Range (in code):** **TH CMa Php Fn Sop Int VN Ton Lci Fan**
- 57401. *Analetia (Anapoma) complicata* Hreblay, 1999** (Noctuidae) **Synonym(s):** *complicata* Hreblay, 1999 **Range (in code):** **VN Fan Ton Lci**
- 57402. *Analetia (Anapoma) coronilla* (Berio, 1973)** (Noctuidae) **Synonym(s):** *coronilla* Berio, 1973 **Range (in code):**
- 57403. *Analetia (Anapoma) himacola* Hreblay & Legrain, 1999** (Noctuidae) **Synonym(s):** *himacola* Hreblay & Legrain, 1999 **Range (in code):** **IN Hp Ker NP**
- 57404. *Analetia (Anapoma) himacola keracola* Hreblay & Legrain, 1999** (Noctuidae) **Synonym(s):** *keracola* Hreblay & Legrain, 1999 **Range (in code):** **IN Ker**
- 57405. *Analetia (Anapoma) nigrilineosa* (Moore, 1882)** (Noctuidae) **Synonym(s):** *nigrilineosa* Moore, 1882; *rufula* Hampson, 1894 **Range (in code):**
- 57406. *Analetia (Anapoma) postica* (Hampson, 1905)** (Noctuidae) **Synonym(s):** *postica* Hampson, 1905; *draudtiana* Bryk, 1942; *draudtiphila* Bryk, 1949 **Range (in code):**
- 57407. *Analetia (Anapoma) replicata* Hreblay & Yoshimatsu, 1999** (Noctuidae) **Synonym(s):** *replicata* Hreblay & Yoshimatsu, 1999 **Range (in code):** **TH CMa Php Fn Int Hnd Phu VN Lci Fan Ton**
- 57408. *Analetia (Anapoma) riparia* (Boisduval, 1829)** (Noctuidae) **Synonym(s):** *riparia* Boisduval, 1829 **Range (in code):**
- 57409. *Analetia (Anapoma) unicorna* (Berio, 1973)** (Noctuidae) **Synonym(s):** *unicorna* Berio, 1973; *grisea* Hreblay & Yoshimatsu, 1996 **Range (in code):**
- 57410. *Ananepa doda* (Swinhoe, 1902)** (Noctuidae) **Synonym(s):** *doda* Swinhoe, 1902; *bhagha* Swinhoe, 1917 **Range (in code):** **TH Knc MY Prk IN TW ID Tim**
- 57411. *Anaplectoides prasina* (Goeze, 1781)** (Noctuidae) **Synonym(s):** *#prasina* [Denis & Schiffermüller], 1775; *#hebrida* [Denis & Schiffermüller], 1775; *prasina* Goeze, 1781; *egregia* Esper, [1787]; *jaspidea* Borkhausen, 1792 *nec* De Vill., 1789; *mixta* Haworth, 1809 *nec* Fabr., 1787; *herbacea* Guenée, 1852; *albigula* Hormuzaki, 1894 **Original Reference:** Phalaena prasina Goeze, 1781, Ent. Beytr. 3 (3): 217, nr. 161. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY Cc GG Smt Bku Tbl AM AZ IR Mz Elb Sb KK TrA Ax MN CN Ti KP KR JP CA US**
- 57412. *Anaplectoides virens* (Butler, 1881)** (Noctuidae) **Synonym(s):** *virens* Butler, 1881 **Original Reference:** *Eurois virens* Butler, 1881, Ann. Mag. nat. Hist. (5) 1: 194. Type: Japan. **Range (in code):** **JP PK Thu**
- 57413. *Anarta cordigera* (Thunberg, 1788)** (Noctuidae) **Synonym(s):** *cordigera* Thunberg, 1788 **Range (in code):** **ES FR IT GB BE DE CH AT PL CZ SK YU DK NO SE FI EE LV LT RU MD UA BY CA**
- 57414. *Anarta fumida* Graeser, 1888** (Noctuidae) **Synonym(s):** *fumida* Graeser, 1888 **Range (in code):** **RU Am**
- 57415. *Anarta lapponica* (Thunberg, 1792)** (Noctuidae) **Synonym(s):** *lapponica* Thunberg, 1792 **Range (in code):** **SE RU Ns**
- 57416. *Anarta leucocycla* Staudinger, 1857** (Noctuidae) **Synonym(s):** *leucocycla* Staudinger, 1857 **Range (in code):** **GrI**
- 57417. *Anarta melanopa* (Thunberg, 1791)** (Noctuidae) **Synonym(s):** *melanopa* Thunberg, 1791 **Range (in code):**
- 57418. *Anarta melanopa rupestralis* (Hübner, [1799])** (Noctuidae) **Synonym(s):** *rupestralis* Hübner, [1799] **Range (in code):**
- 57419. *Anarta myrtilli* (Linnaeus, 1761)** (Noctuidae) **Synonym(s):** *myrtilli* Linnaeus, 1761; *ericae* Hufnagel, 1766 **Original Reference:** Phalaena myrtilli Linnaeus, 1761, Fauna Suecica: 311, nr. 1168. Lectotype ♂: Sweden, designated by Mikkola & Honey, 1993. **Range (in code):** **MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 57420. *Anarta richardsoni* Curtis, 1834** (Noctuidae) **Synonym(s):** *richardsoni* Curtis, 1834 **Range (in code):** **CA RU Ns Sb GrI**
- 57421. *Anarta zetterstedtii* Staudinger, 1857** (Noctuidae) **Synonym(s):** *zetterstedtii* Staudinger, 1857 **Range (in code):** **NO FI GrI**
- 57422. *Anartomima secedens* (Walker, 1858)** (Noctuidae) **Synonym(s):** *secedens* Walker, 1858 **Range (in code):** **NO SE FI RU MD UA BY**
- 57423. *Anartomorpha potanini* Alpheraky, 1892** (Noctuidae) **Synonym(s):** *potanini* Alpheraky, 1892 **Range (in code):** **MN CN Gn**

- 57424. *Anathetis atrirena* (Hampson,1902)** (Noctuidae) Synonym(s): *atrirena* Hampson,1902
Range (in code): **ZA Wca Wr**
- 57425. *Anathetis melanofascia* Janse,1938** (Noctuidae) Synonym(s): *melanofascia* Janse,1938
Range (in code): **ZA**
- 57426. *Ancara griseola* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *griseola* Bethune-Baker,1906 _ Range (in code):
- 57427. *Ancara kebea* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kebea* Bethune-Baker,1906; *olivescens* Bethune-Baker,1910 _ Range (in code):
- 57428. *Ancara obliterans* Walker,1858** (Noctuidae) Synonym(s): *obliterans* Walker,1858; *punctiplaga* Walker,1862; *pictisticta* W.Warren,1913; *albimacula* W.Warren,1913; _ Range (in code): **LK**
- 57429. *Androlymnia torsivena* (Hampson,1902)** (Noctuidae) Synonym(s): *torsivena* Hampson,1902 _ Range (in code): **ZA**
- 57430. *Anedhella interrupta* (Janse,1938)** (Noctuidae) Synonym(s): *interrupta* Janse,1938
Range (in code): **ZA**
- 57431. *Anedhella nigrivittata* (Hampson,1902)** (Noctuidae) Synonym(s): *nigrivittata* Hampson,1902 _ Range (in code): **ZW Har**
- 57432. *Anedhella rectiradiata* (Hampson,1902)** (Noctuidae) Synonym(s): *rectiradiata* Hampson,1902 _ Range (in code): **ZA Lpo Tva Spb Mdk Nta Kzu MZ BW ZW**
- 57433. *Anedhella stigmata* (Janse,1938)** (Noctuidae) Synonym(s): *stigmata* Janse,1938
Range (in code): **ZA**
- 57434. *Anepholcia brechlini* Behounek & Kononenko,2011** (Noctuidae) Synonym(s): *brechlini* Behounek & Kononenko,2011 _ **PH Neg**
- 57435. *Anepholcia kobesi* Behounek & Kononenko,2011** (Noctuidae) Synonym(s): *kobesi* Behounek & Kononenko,2011 _ **ID Sum**
- 57436. *Anepholcia philippina* Behounek & Kononenko,2011** (Noctuidae) Synonym(s): *philippina* Behounek & Kononenko,2011 _ **PH**
- 57437. *Anepholcia pygaria* (W.Warren,1912)** (Noctuidae) Synonym(s): *pygaria* W.Warren,1912
Range (in code): **TH CMA Int CDo MY ID Sum Bor PH**
- 57438. *Anepholcia talboti* A.E.Prout,1924** (Noctuidae) Synonym(s): *talboti* A.E.Prout,1924
Range (in code): **ID Sum TH VN**
- 57439. *Anereuthina renosa* Hübner,1813** (Noctuidae) Synonym(s): *renosa* Hübner,1813; *lilach* Guenée,1852; *occularia* Swinhoe,1890 _ Range (in code): **ID Ja IN MM Bse TH Knc Tng CMA Dst Dso9 PH Tim Flo**
Bionomy: Larva on *Lepisanthes fruticosa*, *L. rubiginosa* (Sapindaceae) (Lewvanich,2003).
- 57440. *Anigraea albomaculata* (Hampson,1894)** (Noctuidae) Synonym(s): *albomaculata* Hampson,1894; *albibasis* Wileman & West,1928 _ Range (in code): **IN SI PH Luz TH CMA CDo MAI LA CN NP Adm Bor MY JP**
Bionomy: Larva on *Bursera*, *Garuda* (Burseraceae), *Anacardium* (Anacardiaceae) (Holloway,1985).
- 57441. *Anigraea cinctipalpis* (Walker,1865)** (Noctuidae) Synonym(s): *cinctipalpis* Walker,1865; *angulata* Moore,1882; *deletoides* Bethune-Baker,1906; *ovilata* W.Warren,1914 _ Range (in code): **TH CMA Php MY BT LK IN SI Djl ID Bor Flo PG Ij FJ PH AU QAU**
- 57442. *Anigraea rubida* Walker,1862** (Noctuidae) Synonym(s): *rubida* Walker,1862; *diffundens* Walker,1864; *obscura* Moore,1882 _ Range (in code): **MY Bor Swk IN SI Djl TH CMA Php VN NP BT ID Sum Clb TW PH**
- 57443. *Anisoneura aluco* (Fabricius,1775)** (Noctuidae) Synonym(s): *aluco* Fabricius,1775; *hypocyana* Guenée,1852
Original Reference: *Noctua aluco* Fabricius,1775, Syst. Ent.: 591. Type(s): China. Range (in code): **TH CMA Cmz Cz10 Int Dst Dso8 MY VN MM NP IN BD CN TW JP PH ID Sum Bor Ja Bru Tim Flo AU**
- 57444. *Anisoneura inermis* Tams,1924** (Noctuidae) Synonym(s): *inermis* Tams,1924 _ Range (in code): **TH Cbi CMA Int**
- 57445. *Anisoneura salebrosa* Guenée,1852** (Noctuidae) Synonym(s): *salebrosa* Guenée,1852; *obscurata* Pagenstecher,1895 _ Range (in code): **BD Syl ID Sba Sum Clb TH CMA Dst Dso7 Nan Dpk Nrt Kao MY VN NP IN CN TW JP PH**
- 57446. *Anoba angulilinea* (Holland,1894)** (Noctuidae) Synonym(s): *angulilinea* Holland,1894; *unipuncta* Hampson,1902 _ Range (in code): **ZA Nta Kzu Dbn MW GA Ogo**
- 57447. *Anoba atriplaga* (Walker,1858)** (Noctuidae) Synonym(s): *atriplaga* Walker,1858; *anguliplaga* Walker,1858; *remota* Walengren,1860 _ Range (in code): **ZA Nta Kzu Kkf Dbn**
- 57448. *Anoba atripuncta* (Hampson,1902)** (Noctuidae) Synonym(s): *atripuncta* Hampson,1902
Range (in code): **ZA GH**

- 57449. *Anoba biangulata* (Walker,1869)** (Noctuidae) Synonym(s): *biangulata* Walker,1869
Range (in code): **CG TG**
- 57450. *Anoba carcassoni* Berio,1971** (Noctuidae) Synonym(s): *carcassoni* Berio,1971 _ Range (in code): **KE**
- 57451. *Anoba cowani* Viette,1966** (Noctuidae) Synonym(s): *cowani* Viette,1966 _ Range (in code): **MG**
- 57452. *Anoba disjuncta* (Walker,1865)** (Noctuidae) Synonym(s): *disjuncta* Walker,1865
Range (in code): **ZA Nta Kzu**
- 57453. *Anoba dujardini* Viette,1970** (Noctuidae) Synonym(s): *dujardini* Viette,1970 _ Range (in code): **MG**
- 57454. *Anoba glyphica* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *glyphica* Bethune-Baker,1911; *endophaea* Hampson,1926 _ Range (in code): **AO GH**
- 57455. *Anoba hamifera* (Hampson,1902)** (Noctuidae) Synonym(s): *hamifera* Hampson,1902
Range (in code): **ZA ZW Har MW**
- 57456. *Anoba jaculifera* (Holland,1894)** (Noctuidae) Synonym(s): *jaculifera* Holland,1894
Range (in code): **GA Ogo**
- 57457. *Anoba kampfi* Berio,1971** (Noctuidae) Synonym(s): *kampfi* Berio,1971 _ Range (in code): **CM**
- 57458. *Anoba ligondesi* Viette,1970** (Noctuidae) Synonym(s): *ligondesi* Viette,1970 _ Range (in code): **MG**
- 57459. *Anoba malagasy* Viette,1970** (Noctuidae) Synonym(s): *malagasy* Viette,1970 _ Range (in code): **MG**
- 57460. *Anoba microloba* Hampson,1926** (Noctuidae) Synonym(s): *microloba* Hampson,1926
Range (in code): **ZA Tva Lpo**
- 57461. *Anoba microphaea* Hampson,1926** (Noctuidae) Synonym(s): *microphaea* Hampson,1926
Range (in code): **NG**
- 57462. *Anoba nigribasis* (Holland,1894)** (Noctuidae) Synonym(s): *nigribasis* Holland,1894
Range (in code): **GA Ogo**
- 57463. *Anoba noda* (Swinhoe,1899)** (Noctuidae) Synonym(s): *noda* Swinhoe,1899 _ Range (in code): **IN**
- 57464. *Anoba pectinata* (Hampson,1896)** (Noctuidae) Synonym(s): *pectinata* Hampson,1896; *javensis* W.Warren,1912 _ Range (in code): **IN Meg Ass Khs TH CMa Cuo Cuo5 Phy Haf PH ID Ja**
- 57465. *Anoba phaeotermesia* Hampson,1926** (Noctuidae) Synonym(s): *phaeotermesia* Hampson,1926 _ Range (in code): **ZA ZW Har**
- 57466. *Anoba piriformis* Gaede,1939** (Noctuidae) Synonym(s): *piriformis* Gaede,1939 _ Range (in code): **CM**
- 57467. *Anoba plumipes* (Wallengren,1860)** (Noctuidae) Synonym(s): *plumipes* Wallengren,1860
Range (in code): **ZA Lpo Tva Spb Mdk**
- 57468. *Anoba rufitermina* Hampson,1926** (Noctuidae) Synonym(s): *rufitermina* Hampson,1926
Range (in code): **KE**
- 57469. *Anoba sinuata* (Fabricius,1775)** (Noctuidae) Synonym(s): *sinuata* Fabricius,1775; *intorta* Swinhoe,1891 _ Range (in code): **IN Bba LK Cbo**
- 57470. *Anoba sokotrensis* Hampson,1926** (Noctuidae) Synonym(s): *sokotrensis* Hampson,1926
Range (in code): **Sk**
- 57471. *Anoba subatriplaga* D.S.Fletcher & Viette,1955** (Noctuidae) Synonym(s): *subatriplaga* D.S.Fletcher & Viette,1955 _ Range (in code): **CM Bit**
- 57472. *Anoba tessellata* (Moore,1867)** (Noctuidae) Synonym(s): *tessellata* Moore,1867 _ Range (in code): **PK IN TH CMa Php**
- 57473. *Anoba triangularis* (Warnecke,1937)** (Noctuidae) Synonym(s): *triangularis* Warnecke,1937 _ Range (in code): **YE**
- 57474. *Anoba trigonoides* Walker,1858** (Noctuidae) Synonym(s): *trigonoides* Walker,1858
Range (in code): **BR**
- 57475. *Anoba trigonosema* (Hampson,1916)** (Noctuidae) Synonym(s): *trigonosema* Hampson,1916 _ Range (in code): **SO**
- 57476. *Anoba turlini* Viette,1970** (Noctuidae) Synonym(s): *turlini* Viette,1970 _ Range (in code): **MG**

- 57477. *Anomis albipunctula* Hampson, 1926** (Noctuidae) Synonym(s): *albipunctula* Hampson, 1926 _ Range (in code): SG MY
- 57478. *Anomis albitarsata* (Pagenstecher, 1888)** (Noctuidae) Synonym(s): *albitarsata* Pagenstecher, 1888 _ Range (in code): ID Amb
- 57479. *Anomis albitibia* Walker, 1857** (Noctuidae) Synonym(s): *albitibia* Walker, 1857; *sugama* Swinhoe, 1906; *leptocypha* A.E. Prout, 1926 _ Range (in code): LK Pdy Kndy ID Bru AU QAU
- 57480. *Anomis alluaudi* Viette, 1965** (Noctuidae) Synonym(s): *alluaudi* Viette, 1965 _ Range (in code): MG
- 57481. *Anomis argentipuncta* Kobes, 1982** (Noctuidae) Synonym(s): *argentipuncta* Kobes, 1982 _ Range (in code): ID Sum
- 57482. *Anomis aroa* (Bethune-Baker, 1906)** (Noctuidae) Synonym(s): *aroa* Bethune-Baker, 1906 _ Range (in code): PG Aro
- 57483. *Anomis aroanensis* Poole, 1989** (Noctuidae) Synonym(s): *aroa* Bethune-Baker, 1908 nec B., 1906; *aroanensis* Poole, 1989 _ Range (in code): PG Aro
- 57484. *Anomis benitensis* (Holland, 1894)** (Noctuidae) Synonym(s): *benitensis* Holland, 1894 _ Range (in code): GA Ogo
- 57485. *Anomis bidentata* (Hampson, 1910)** (Noctuidae) Synonym(s): *bidentata* Hampson, 1910 _ Range (in code): ZM ZA
- 57486. *Anomis bipunctata* (Kenrick, 1917)** (Noctuidae) Synonym(s): *bipunctata* Kenrick, 1917 _ Range (in code): MG
- 57487. *Anomis brunnea* (Swinhoe, 1890)** (Noctuidae) Synonym(s): *brunnea* Swinhoe, 1890 _ Range (in code): MM Bse
- 57488. *Anomis calamodes* Hampson, 1926** (Noctuidae) Synonym(s): *calamodes* Hampson, 1926 _ Range (in code): SG MY
- 57489. *Anomis capensis* (Gaede, 1940)** (Noctuidae) Synonym(s): *capensis* Gaede, 1940 _ Range (in code): ZA Tva Gau Jh
- 57490. *Anomis combinans* (Walker, 1858)** (Noctuidae) Synonym(s): *combinans* Walker, 1858; *revocans* Walker, 1858; *busama* Swinhoe, 1920 _ Range (in code): AU QAU MY ID Bor TH Knc Nrt Kao VN NP LK IN Sbw Tim Flo Clb Mlc Crm PG SB FJ Bsm NC PH
- 57491. *Anomis curvifera* (Walker, [1858])** (Noctuidae) Synonym(s): *curvifera* Walker, [1858] _ Range (in code): SL
- 57492. *Anomis dealbata* A.E. Prout, 1926** (Noctuidae) Synonym(s): *dealbata* A.E. Prout, 1926 _ Range (in code): ID Bru
- 57493. *Anomis elegans* Berio, 1956** (Noctuidae) Synonym(s): *elegans* Berio, 1956 _ Range (in code): ZR Lsb
- 57494. *Anomis endochlora* Hampson, 1926** (Noctuidae) Synonym(s): *endochlora* Hampson, 1926 _ Range (in code): GH
- 57495. *Anomis esocampta* Hampson, 1926** (Noctuidae) Synonym(s): *esocampta* Hampson, 1926 _ Range (in code): CX
- 57496. *Anomis eueres* A.E. Prout, 1928** (Noctuidae) Synonym(s): *eueres* A.E. Prout, 1928 _ Range (in code): MY Bor Swk
- 57497. *Anomis figlina* Butler, 1889** (Noctuidae) Synonym(s): *figlina* Butler, 1889; *sinensis* Berio, 1977 _ Range (in code): CN Hun IN Hp Drm TH LA VN MM NP JP LK PH ID PG SB NH FJ
- 57498. *Anomis figlina figlina* Butler, 1889** (Noctuidae) Synonym(s): *figlina* Butler, 1889; *sinensis* Berio, 1977 _ Range (in code): CN Hun IN Hp Drm TH LA VN MM NP JP LK PH ID PG SB NH FJ
- 57499. *Anomis flava* (Fabricius, 1775)** (Noctuidae) Synonym(s): *flava* Fabricius, 1775; *stigmatizans* Fabricius, 1775; *fimbriago* Stephens, 1829; *xanthindyma* Boisduval, 1833; *auragoides* Guenée, 1852; *indica* Guenée, 1852; *variolosa* Walker, 1857; *edentata* Walker, 1857; *aurantiaca* Prittwitz, 1867; *serrata* Barnes & McDunnough, 1913 _ Original Reference: Noctua flava Fabricius, 1775, Syst. Ent.: 601. Type: "India orientali". Range (in code): ET ET24 ZA IN RE MU AU US FI TH CMa Cuo Cuo7 Int Nrt Kao VN NP PK CN TW JP KP KR RU Us PH ID WS NH NC NZ SB Cn SA OM MA DZ TN MG MA Hw Bionomy: Larva on Hibiscus cannabinum, Gossypium herbaceum (Malvaceae).
- 57500. *Anomis fructusterebrans* Bänziger, 1986** (Noctuidae) Synonym(s): *fructusterebrans* Bänziger, 1986 _ Original Reference: Anomis fructusterebrans Bänziger, 1986, Nat. Hist. Bull. Siam Soc. 34 (1): 59-64, figs. Holotype ♂: Thailand: Chiang Mai Prov.: Chiang Dao NW Pass, 1150m 28.x.1985, leg. Bänziger (BMNH). Range (in code): TH CMa Fn Agk
- 57501. *Anomis fuliginosus* Candéze, 1927** (Noctuidae) Synonym(s): *fuliginosus* Candéze, 1927 _ Range (in code): VN Ton

- 57502. *Anomis fulvida* Guenée, 1852** (Noctuidae) Synonym(s): *fulvida* Guenée, 1852; *inducens* Walker, 1858; *cuprina* Walker, 1865; *privata* Walker, 1865; *albipuncta* Snellen, 1880; *nagaloa* Mabil & Vuillot, 1890
Range (in code): **ZA TH MY MM LA VN IN LK Pdy CN TW PH ID Bor Ja Bli Tim Flo Amb Clb Sbw Ij PG WS FJ NH AU**
- 57503. *Anomis grisea* Pagenstecher, 1907** (Noctuidae) Synonym(s): *grisea* Pagenstecher, 1907; *bicolorata* Pagenstecher, 1907
Range (in code): **MG**
- 57504. *Anomis guttanivis* (Walker, [1858])** (Noctuidae) Synonym(s): *guttanivis* Walker, [1858]
Range (in code): **LK TH Knc CMa Pap Mro** Bionomy: Larva on *Stephania hernandifolia* (Menispermaceae).
- 57505. *Anomis holortha* Hampson, 1926** (Noctuidae) Synonym(s): *holortha* Hampson, 1926
Range (in code): **MY Bor Swk**
- 57506. *Anomis involuta* (Walker, [1858])** (Noctuidae) Synonym(s): *involuta* Walker, [1858]; *basalis* Walker, [1858]; *colligata* Walker, 1865; *vitiensis* Butler, 1886; *dona* Swinhoe, 1919; *brima* Swinhoe, 1920
Range (in code): **ET ET24 TH CMa Pph Nan VN IN LK Pdy NP AF PK CN TW JP KP KR RU Us ID NZ AU QAU FJ**
- 57507. *Anomis iobapta* A.E. Prout, 1927** (Noctuidae) Synonym(s): *iobapta* A.E. Prout, 1927
Range (in code): **ST**
- 57508. *Anomis leona* (Schaus & Clementis, 1893)** (Noctuidae) Synonym(s): *leona* Schaus & Clementis, 1893; *africana* Holland, 1894
Range (in code): **ZA SL GA Ogo**
- 57509. *Anomis leucolopha* A.E. Prout, 1928** (Noctuidae) Synonym(s): *leucolopha* A.E. Prout, 1928
Range (in code): **ID Sum TH Knc CMa Dst**
- 57510. *Anomis leucosema* Hampson, 1926** (Noctuidae) Synonym(s): *leucosema* Hampson, 1926
Range (in code): **UG Etb**
- 57511. *Anomis luperca* Möschler, 1883** (Noctuidae) Synonym(s): *luperca* Möschler, 1883
Range (in code): **ZA**
- 57512. *Anomis lyona* (Swinhoe, 1919)** (Noctuidae) Synonym(s): *lyona* Swinhoe, 1919
Range (in code): **ID Mlc Clb PG NC NF WS TW PH TH Nrt Kao MY MM**
- 57513. *Anomis macronephra* Holloway, 1982** (Noctuidae) Synonym(s): *macronephra* Holloway, 1982
Range (in code): **MY**
- 57514. *Anomis melanosema* Berio, 1956** (Noctuidae) Synonym(s): *melanosema* Berio, 1956
Range (in code): **ZR**
- 57515. *Anomis mesogona* (Walker, [1858])** (Noctuidae) Synonym(s): *mesogona* Walker, [1858]
Original Reference: Gonitis *mesogona* Walker, [1858], List spec. lepid. Ins. Colln Br. Mus. 13 (1857): 1002. Range (in code): **SO LK CN TW JP KP KR RU Us TH VN NP PK Swa Alp Sgl Kkar Dir IN ID Ja PH MY Bor KBa**
- 57516. *Anomis microdonta* Hampson, 1926** (Noctuidae) Synonym(s): *microdonta* Hampson, 1926
Range (in code): **ZA NG**
- 57517. *Anomis modesta* Berio, 1956** (Noctuidae) Synonym(s): *modesta* Berio, 1956
Range (in code): **ZR Skr**
- 57518. *Anomis nigratarsis* (Walker, [1858])** (Noctuidae) Synonym(s): *nigratarsis* Walker, [1858]; *xanthochroa* Butler, 1886
Range (in code): **TH Nan Dpk LK TW ID Amb Mlc SB NH NC WS FJ TO**
- 57519. *Anomis nigratarsis xanthochroa* (Butler, 1886)** (Noctuidae) Synonym(s): *xanthochroa* Butler, 1886
Range (in code): **WS FJ**
- 57520. *Anomis polymorpha* Hampson, 1926** (Noctuidae) Synonym(s): *polymorpha* Hampson, 1926
Range (in code): **ZA MW Mje**
- 57521. *Anomis prapata* Kobes, 1982** (Noctuidae) Synonym(s): *prapata* Kobes, 1982
Range (in code): **ID Sum**
- 57522. *Anomis privata* (Walker, 1865)** (Noctuidae) Synonym(s): *privata* Walker, 1865; *commoda* Butler, 1878; *subfulvida* W. Warren, 1913; *griseolineata* W. Warren, 1913
Range (in code): **TH VN IN LK CN TW JP KP KR RU Us AU US**
- 57523. *Anomis punctulata* (Holland, 1894)** (Noctuidae) Synonym(s): *punctulata* Holland, 1894
Range (in code): **GA Ogo**
- 57524. *Anomis pyrocausta* Hampson, 1926** (Noctuidae) Synonym(s): *pyrocausta* Hampson, 1926
Range (in code): **NG**
- 57525. *Anomis rufescens* (Pagenstecher, 1884)** (Noctuidae) Synonym(s): *rufescens* Pagenstecher, 1884
Range (in code): **ID Amb**
- 57526. *Anomis sabulifera* (Guenée, 1852)** (Noctuidae) Synonym(s): *sabulifera* Guenée, 1852; *propinqua* Butler, 1884; *marginata* Holland, 1894
Range (in code): **GA MA ZA Lpo Tva Spb Mdk AF Gbh IL Pa Hf ET ET24 YE**

- 57527. *Anomis samoana* (Butler,1886)** (Noctuidae) Synonym(s): *samoana* Butler,1886
Range (in code): **WS**
- 57528. *Anomis scitipennis* (Walker,1864)** (Noctuidae) Synonym(s): *scitipennis* Walker,1864;
milva Swinhoe,1919; *ochreifusa* Swinhoe,1906 _ Range (in code): **ID Sum Mlc Bor Swk Clb TH Knc MY PG**
- 57529. *Anomis semipallida* A.E.Prout,1926** (Noctuidae) Synonym(s): *semipallida* A.E.Prout,1926
Range (in code): **ID Bru**
- 57530. *Anomis simulatrix* (Walker,1865)** (Noctuidae) Synonym(s): *simulatrix* Walker,1865
Range (in code): **ZA SL**
- 57531. *Anomis* sp.1** (Noctuidae) Synonym(s): _ Range (in code): **TH Nan Dpk**
- 57532. *Anomis subfuscata* Berio,1956** (Noctuidae) Synonym(s): *subfuscata* Berio,1956 _ Range (in code): **ZR**
- 57533. *Anomis subrosealis* (Walker,[1866])** (Noctuidae) Synonym(s): *subrosealis* Walker,[1866]
Range (in code): **ZA Nta Kzu**
- 57534. *Anomis subtusnigra* Berio,1977** (Noctuidae) Synonym(s): *subtusnigra* Berio,1977
Range (in code): **MY SG**
- 57535. *Anomis sumatrana* Swinhoe,1920** (Noctuidae) Synonym(s): *sumatrana* Swinhoe,1920
Range (in code): **ID Sum**
- 57536. *Anomis tamsi* Berio,1940** (Noctuidae) Synonym(s): *tamsi* Berio,1940 _ Range (in code): **ER**
- 57537. *Anomis trilineata* (Moore,1883)** (Noctuidae) Synonym(s): *trilineata* Moore,1883
Range (in code): **TH Nan Dpk IN Bba Mh**
- 57538. *Anomis vulpina* (Butler,1886)** (Noctuidae) Synonym(s): *vulpina* Butler,1886 _ Range (in code): **WS FJ**
- 57539. *Anomis xanthomicta* Hampson,1926** (Noctuidae) Synonym(s): *xanthomicta* Hampson,1926 _ Range (in code): **VE**
- 57540. *Anomocala hopkinsi* Tams,1935** (Noctuidae) Synonym(s): *hopkinsi* Tams,1935 _ Range (in code): **WS**
- 57541. *Anophiodes concentrata* W.Warren,1914** (Noctuidae) Synonym(s): *concentrata* W.Warren,1914 _ Range (in code): **PG**
- 57542. *Anophiodes indistincta* A.E.Prout,1922** (Noctuidae) Synonym(s): *indistincta* A.E.Prout,1922 _ Range (in code): **ID Crm**
- 57543. *Anophiodes meeki* (Bethune-Baker,1908)** (Noctuidae) Synonym(s): *meeki* Bethune-Baker,1908; *meeci* Hampson,1913 _ Range (in code): **PG Aro**
- 57544. *Anophiodes pulchrilinea* Wileman & West,1929** (Noctuidae) Synonym(s): *pulchrilinea* Wileman & West,1929 _ Range (in code): **PH Luz**
- 57545. *Anoratha albitibiata* Wileman & West,1930** (Noctuidae) Synonym(s): *albitibiata* Wileman & West,1930 _ Range (in code): **PH Luz**
- 57546. *Anoratha costalis* Moore,1867** (Noctuidae) Synonym(s): *costalis* Moore,1867 _ Range (in code): **IN SI Djl TH CMA Int VN NP CN JP**
- 57547. *Anoratha nabalua* Holloway,1976** (Noctuidae) Synonym(s): *nabalua* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 57548. *Anoratha paritalis* (Walker,[1859])** (Noctuidae) Synonym(s): *paritalis* Walker,[1859]
Range (in code): **LK**
- 57549. *Anoratha sinuosa* Wileman & South,1916** (Noctuidae) Synonym(s): *sinuosa* Wileman & South,1916 _ Range (in code): **TW**
- 57550. *Antarchaea baischi* Hacker,1996** (Noctuidae) Synonym(s): *baischi* Hacker,1996
Original Reference: *Antarchaea baischi* Hacker,1996, Esperiana 4: 308-309, figs. Holotype ♂: Türkiye: Adana, 12km nördl. Pozantı, 1100m, 21.v.1993 (leg. & coll. Baisch). Range (in code): **TR**
- 57551. *Antarchaea conicephala* (Staudinger,1870)** (Noctuidae) Synonym(s): *conicephala* Staudinger,1870 [April]; *conicephala* Staudinger,1870 [Oct.]; *barcinensis* Milliére,1872; *fumicollis* Rogenhofer,1873. Original Reference: *Thalpochares conicephala* Staudinger,1870, Berl. ent. Z. 14: 121. Syntypes: [Spanien]: Catalonia, Malaga; Macedonia; [Iran]: Persia. Range (in code): **MA FR ES An Mlg Mu BG MK GR Cr CY RU IR Gor Hz Ss Ab Mak Elb Th TR Cc AZ Nv Ord IT Si HV SY SA YE AM EG AE SD**
- 57552. *Antarchaea cucullata* (Moore,1885)** (Noctuidae) Synonym(s): *cucullata* Moore,1885
Range (in code): **LK**

- 57553. *Antarchaea erubescens* (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *erubescens* A.Bang-Haas,1910 Original Reference: *Prothymnia erubescens* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 40, pl.3 fig. 11. Type: South Oran. Range (in code): **MA DZ Orn Sfr IR AF**
- 57554. *Antarchaea mansueta* (Walker,1864)** (Noctuidae) Synonym(s): *digramma* Walker,1863; *mansueta* Walker,1864; *erubescens* Walker,1864; *scitula* Walker,1866 Range (in code): **PK Krc IN Hp LK**
- 57555. *Antarchaea numisma* (Hübner,[1803])** (Noctuidae) Synonym(s): *numisma* Hübner,[1803]; *leda* Herrich-Schäffer,1851. Original Reference: *Noctua numisma* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.55 fig.270. Type(s): Europa. Range (in code): **TR GG Cc AF Nu Bsg**
- 57556. *Antarchaea sapor* (Swinhoe,1884)** (Noctuidae) Synonym(s): *sapor* Swinhoe,1884; *amseli* Brandt,1941. Original Reference: *Myana sapor* Swinhoe,1884, Proc. zool. Soc. London 1884: 522. Type(s): [Pakistan: Karachi]: Kurrachee. Range (in code): **PK Krc IR Ss Hz Chh SD**
- 57557. *Anthracia ephialtes* (Hübner,1822)** (Noctuidae) Synonym(s): *ephiates* Hübner,1822; *nubilaris* Graslin,1836 Range (in code): **DZ Abe Sbd MA PT ES Mu FR Sa Si IT**
- 57558. *Anthracia eriopoda* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *eriopoda* Herrich-Schäffer,[1851]; *sareptae* Guenée,1852; *eriopodoides* Strand,1916 Original Reference: *Ophiusa eriopoda* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 403. Type (s): [Türkei]: Brussa [Bursa]. Range (in code): **MA RO MK BG GR CY TR SY LB IL Hf Pa JO RU Sr** Bionomy: Larva on *Rubia olivieri*, *Ephedra campyloda*, *Lonicera* (Wiltshire,1935).
- 57559. *Anthracia sublimbatus* (Püngeler,1900)** (Noctuidae) Synonym(s): *sublimbatus* Püngeler,1900 Range (in code): **CN Ts Kno**
- 57560. *Anthracia submarginata* (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *submarginata* O.Bang-Haas,1927 Range (in code): **MN**
- 57561. *Anthracia subsignatus* (Draudt,1950)** (Noctuidae) Synonym(s): *subsignatus* Draudt,1950 Range (in code): **CN Yu**
- 57562. *Anthracia turcomanica* (Christoph,1893)** (Noctuidae) Synonym(s): *turcomanica* Christoph,1893 Range (in code): **TM Kp**
- 57563. *Anticarsia irrorata* (Fabricius,1781)** (Noctuidae) Synonym(s): *irrorata* Fabricius,1781; *sordida* Fabricius,1794 *nec* Denis & Schiff.,1775; *jocosa* Hübner,[1823]; *transducta* Walker,1865; *consueta* Walker,1869; *loxigramma* Hampson,1902; *#irrorata* Hacker & Fibiger,2001 Range (in code): **SA YE SC KE CM SL ZR SD ET MW Zom ZA Nta Kzu Dbn Ec MG WS PC FJ TO NH SB PG MY OW JP MM Bor ID Ja Nia Sum Amb Clb Mlc Crm SB NC TH CMa Int LA VN NP IN LK TW NF Ms GU AU**
- 57564. *Anticarsia irrorata rubricans* (Boisduval,1833)** (Noctuidae) Synonym(s): *rubricans* Boisduval,1833 Range (in code): **MG SA YE**
- 57565. *Antiophlebia bourgognei* Laporte,1975** (Noctuidae) Synonym(s): *bourgognei* Laporte,1975 Range (in code): **ET ET29 ET204**
- 57566. *Antiophlebia bracteata* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *bracteata* R.Felder & Rogenhofer,1874 Range (in code): **ZA Nta Kzu BW Nga Ec Ans**
- 57567. *Antiophlebia duplicata* Grünberg,1910** (Noctuidae) Synonym(s): *duplicata* Grünberg,1910 Range (in code): **ZA**
- 57568. *Antiophlebia griveaudi* Viette,1966** (Noctuidae) Synonym(s): *griveaudi* Viette,1966 Range (in code): **MG**
- 57569. *Antitrisuloides catocalina* (Moore,1882)** (Noctuidae) Synonym(s): *catocalina* Moore,1882 Range (in code): **IN SI Djl NP CN TH Knc LA**
- 57570. *Antitype africana* Berio,1939** (Noctuidae) Synonym(s): *africana* Berio,1939 Range (in code): **ER**
- 57571. *Antitype chi* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chi* Linnaeus,1758; *olivacea* Stephens,1829; *marsicana* Dannehl,1929. Original Reference: *Phalaena chi* Linnaeus,1758, Syst. Nat. (Edn.10): 514. Lectotype ♂: [Europa], designated by Mikkola & Honey,1993. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Ro St Ich Da MD UA BY TR Cc GG Smt Bjo Lag**
- 57572. *Antitype chionodes* Boursin,1968** (Noctuidae) Synonym(s): *chionodes* Boursin,1968 Range (in code): **TR**
- 57573. *Antitype jonis* (Lederer,1865)** (Noctuidae) Synonym(s): *jonis* Lederer,1865; *amasina* Staudinger,1901. Range (in code): **IT YU AL TR LB Bsa SY Cc AZ Nv Ngm IR**
- 57574. *Antitype suda* (Geyer,[1832])** (Noctuidae) Synonym(s): *suda* Geyer,[1832] Range (in code): **FR IT CH B-H MK BG GR TR**

- 57575. Antitype suda schimae (Schawerda,1911)** (Noctuidae) Synonym(s): *schimae* Schawerda,1911 _ Range (in code): B-H MK
- 57576. Anua hampsoni Holland,1920** (Noctuidae) Synonym(s): *hampsoni* Holland,1920 Range (in code): SL GH NG
- 57577. Anua indistincta (Moore,1882)** (Noctuidae) Synonym(s): *indistincta* Moore,1882; *fervida* Butler,1883 _ Range (in code): LK Dck Pdy IN
- 57578. Anua overlaeti Berio,1956** (Noctuidae) Synonym(s): *overlaeti* Berio,1956 _ Range (in code): ZR
- 57579. Anua samoensis Tams,1935** (Noctuidae) Synonym(s): *samoensis* Tams,1935 _ Range (in code): WS
- 57580. Anua tongaensis Hampson,1913** (Noctuidae) Synonym(s): *tongaensis* Hampson,1913 Range (in code): WS FJ TO
- 57581. Anuga constricta Guenée,1852** (Noctuidae) Synonym(s): *constricta* Guenée,1852; *complexa* Walker,1858; *glauropoides* Walker,1864; *macrocera* Snellen,1880 _ Range (in code): IN MY SG Bor Swk ID Clb Sum Ja Bli TH Pgg VN MM LK Adm PH Bionomy: Larva on Magnifera, Semecarpus (Anacardiaceae), Anisoptera (Dipterocarpaceae) (Holloway,1985).
- 57582. Anuga fida Swinhoe,1902** (Noctuidae) Synonym(s): *fida* Swinhoe,1902 _ Range (in code): MY Prk TH Ntt Hba ID Sum Bor
- 57583. Anuga insuffusa W.Warren,1914** (Noctuidae) Synonym(s): *insuffusa* W.Warren,1914 Range (in code): MY Bor Sbh Sdk TH Knc LA VN MM ID Sum PH
- 57584. Anuga kobesi Holloway,1985** (Noctuidae) Synonym(s): *kobesi* Holloway,1985 _ Range (in code): MY Bor Sbh Kba ID Sda TH Ntt Hba
- 57585. Anuga lunulata Moore,1867** (Noctuidae) Synonym(s): *lunulata* Moore,1867 _ Range (in code): BD IN NP TH CMa Int VN CN TW
- 57586. Anuga multiplicans (Walker,1858)** (Noctuidae) Synonym(s): *multiplicans* Walker,1858 Range (in code): TH Knc VN MM MY IN NP LK PH CN TW KP KR Bionomy: Larva on Mangifera indica (mango) (Anacardiaceae) (Kuroko & Lewvanich,1993).
- 57587. Anumeta arabiae Wiltshire,1961** (Noctuidae) Synonym(s): *arabiae* Wiltshire,1961 Range (in code): SA IL Pa JO
- 57588. Anumeta arax Fibiger,1995** (Noctuidae) Synonym(s): *dentistrigata* sensu Romanoff,1885 nec *Stgr.*; *caucasica* Rjabov (in litt.); *arax* Fibiger,1995 Original Reference: Anumeta arax Fibiger,1995, Nota lepid. 17 (3/4): 107-111, figs. Holotype ♂: Turkey: [Iğdir Pr.]: "Turkish Armenia", 10km NW Aralık, 825m 22.vii.1989, leg. & coll. Fibiger. Range (in code): TR Cc AM
- 57589. Anumeta asiatica Wiltshire,1961** (Noctuidae) Synonym(s): *spatzi* auct.; *asiatica* Wiltshire,1961 _ Range (in code): IR Kz Ss KW OM AE IQ Mq SA KW IL Pa SA KW
- 57590. Anumeta atosignata Walker,1858** (Noctuidae) Synonym(s): *atosignata* Walker,1858; *spilota* Erschoff,1874; *renosa* Brandt,1939; *mugshinensis* Wiltshire,1990 _ Range (in code): RU IN TM KG IR Ss Hz B-A IQ IL Pa OM YE AE AF PK Dwe Kbl TR UZ
- 57591. Anumeta azelikoula C.Dumont,1920** (Noctuidae) Synonym(s): *azelikoula* C.Dumont,1920 Original Reference: Anumeta azelikoula C.Dumont,1920, Bull. Soc. ent. Fr. 1920: 275-277. Syntypes: Algérie, Goléa, Sandana, Biskra. Range (in code): DZ Bsk Gle
- 57592. Anumeta cestina (Staudinger,1884)** (Noctuidae) Synonym(s): *cestina* Staudinger,1884 Range (in code): TM Kp UZ AF Dwe
- 57593. Anumeta cestis (Ménétriés,1848)** (Noctuidae) Synonym(s): *cestis* Ménétriés,1848; *punctata* Ménétriés,1848; *parvimacula* Rothschild,1920 Original Reference: Catephia cestis Ménétriés,1848, Mém. Acad. imp. Sci. St. Pétersb. 6: 74, pl.6 fig.10. Type: "Bachkirie". Range (in code): MR MA DZ Ah Ajj Onç Ogl Gle Agi Gha BSa TN MT SA JO RU UZ Br MN KG CN Ui Ku IR Hz B-A YE AF
- 57594. Anumeta cestis zaza Wiltshire,1961** (Noctuidae) Synonym(s): *zaza* Wiltshire,1961 Range (in code): SA
- 57595. Anumeta ciliaria (Ménétriés,1847)** (Noctuidae) Synonym(s): *ciliaria* Ménétriés,1847; *dentistrigatae* Alpheraky,1883. _ Range (in code): UZ CN Ui Ku
- 57596. Anumeta comosa C.Dumont,1920** (Noctuidae) Synonym(s): *comosa* C.Dumont,1920 Original Reference: Anumeta comosa C.Dumont,1920, Bull. Soc. ent. Fr. 1920: 321-322. Syntypes: Algérie, El Goléa, Biskra etc. Range (in code): DZ Bsk Gle
- 57597. Anumeta dentistrigata (Staudinger,1877)** (Noctuidae) Synonym(s): *dentistrigata* Staudinger,1877 _ Range (in code): SA TM Krn KK Ik CN Ui Khr KG Tk Dj UZ
- 57598. Anumeta eberti Wiltshire,1961** (Noctuidae) Synonym(s): *eberti* Wiltshire,1961 _ Range (in code): AF Dwe

- 57599. Anumeta fractistrigata (Alpheraky,1882)** (Noctuidae) *Synonym(s): fractistrigata Alpheraky,1882* Original Reference: *Palpangula fractistrigata* Alpheraky,1882, Horae Soc. ent. ross. 17: 96-99, Pl.3 fig.64. Syntypes ♂♂: [Uighur Ili]: Khorgosse. Range (in code): IR Mz CN Ui Ku Khr KG Tk Dj UZ N-A
- 57600. Anumeta fricta (Christoph,1893)** (Noctuidae) *Synonym(s): fricta Christoph,1893* Range (in code): TM Kp
- 57601. Anumeta harterti Rothschild,1913** (Noctuidae) *Synonym(s): harterti Rothschild,1913; ? tazelikoula Dumont,1920* Original Reference: *Anumeta henkei* ssp. *harterti* Rothschild,1913, Novit. zool. 20: 469. Type: Algeria, El Golea. Range (in code): MR MA DZ Thh Ah Ajj Gle Gha TN MR LY EG Sn SA
- 57602. Anumeta henkei (Staudinger,1877)** (Noctuidae) *Synonym(s): henkei Staudinger,1877* Original Reference: *Leucanitis henkei* Staudinger,1877, Stettin ent. Ztg. 38: 196. Syntypes: Russia: Sarepta, Astachan. Range (in code): RU Ao Sr KG TM IR AF
- 57603. Anumeta hilgerti Rothschild,1909** (Noctuidae) *Synonym(s): hilgerti Rothschild,1909; brunnea W.Warren,1913; comosa Dumont,1920; popovi Wiltshire,1982* Original Reference: *Palpangula hilgerti* Rothschild,1909, Ent. Z., Stuttg. 23 (32): 142. Syntypes 2♂: Algerien: "Bdj. Ferdjan, südliche Sahara". Range (in code): MA DZ Idl Ah Gle Ogl Ajj TN MT SA OM AE YE IL Pa
- 57604. Anumeta hilgerti popovi Wiltshire,1982** (Noctuidae) *Synonym(s): popovi Wiltshire,1982* Range (in code): SA OM AE YE IL Pa
- 57605. Anumeta major Rothschild,1913** (Noctuidae) *Synonym(s): major Rothschild,1913* Original Reference: *Anumeta major* Rothschild,1913, Novit. zool. 20: 130. Type ♀: "north of El-Golea". Range (in code): DZ Ogl Abe Gle LY Bionomy: Larva probably on *Ephedra alata* (Ephedraceae) (Herbulot & Viette,1951).
- 57606. Anumeta palpangularis (Püngeler,1901)** (Noctuidae) *Synonym(s): palpangularis Püngeler,1901* Range (in code): TM Mrw
- 57607. Anumeta sabulosa Rothschild,1913** (Noctuidae) *Synonym(s): sabulosa Rothschild,1913* Original Reference: *Anumeta sabulosa* Rothschild,1913, Novit. zool. 20: 129-130. Type: "South Oued Mya". Range (in code): MR MA DZ Thh Ah Ajj Omy IQ Bgd SA
- 57608. Anumeta spatzi Rothschild,1915** (Noctuidae) *Synonym(s): spatzi Rothschild,1913* Original Reference: *Anumeta spatzi* Rothschild,1915, Ann. Mag. Nat. Hist. (8) 16: 257. Type ♂: [Algeria]: Amgid; also from Tahihout, Ain Taiba. Range (in code): DZ Thh Ogl Ah
- 57609. Anumeta straminea (A.Bang-Haas,1906)** (Noctuidae) *Synonym(s): straminea A.Bang-Haas,1906* Original Reference: *Palpangula straminea* A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 135-136, Taf.v fig.11. Syntypes: "Tunis (Gafsa, Foum-Tatahounine)". Range (in code): MR MA DZ Ah Ajj TN BSa Nbr Mri Heh Tou Gf Bsk Ogl Gle Tun BH OM AE YE SA SD Sn EG IL Pa
- 57610. Anumeta surcoufi C.Dumont,1920** (Noctuidae) *Synonym(s): surcoufi C.Dumont,1920; ? quatuor Berio,1934* Original Reference: *Anumeta surcoufi* C.Dumont,1920, Bull. Soc. ent. Fr. 1920: 278-279. Syntypes: Algérie, El Hadadra, Saadana, El-Golée. Range (in code): MR MA DZ Ajj Hdd Gle LY SA
- 57611. Anydrophila banghaasi Brandt,1939** (Noctuidae) *Synonym(s): banghaasi Brandt,1939* Range (in code): IR Ss Zhd
- 57612. Anydrophila distincta Brandt,1939** (Noctuidae) *Synonym(s): distincta Brandt,1939* Range (in code): IR Ss Zhd
- 57613. Anydrophila fouadi Wiltshire,1947** (Noctuidae) *Synonym(s): fouadi Wiltshire,1947* Range (in code): SA IR Fa EG Sn
- 57614. Anydrophila fouadi grisea Wiltshire,1949** (Noctuidae) *Synonym(s): grisea Wiltshire,1949* Range (in code): SA IR Fa
- 57615. Anydrophila hoerhammeri Brandt,1939** (Noctuidae) *Synonym(s): hoerhammeri Brandt,1939* Range (in code): IR Hz Ss Chh
- 57616. Anydrophila hoerhammeri hoerhammeri Brandt,1939** (Noctuidae) *Synonym(s): hoerhammeri Brandt,1939* Range (in code): IR Ss Chh
- 57617. Anydrophila hoerhammeri kasyi Wiltshire,1976** (Noctuidae) *Synonym(s): kasyi Wiltshire,1976* Range (in code): IR Hz
- 57618. Anydrophila imitatrix (Christoph,1887)** (Noctuidae) *Synonym(s): imitatrix Christoph,1887* Range (in code): TM Kp
- 57619. Anydrophila intermixta W.Warren,1913** (Noctuidae) *Synonym(s): intermixta W.Warren,1913* Range (in code): TM Kp KG Tk Dj UZ Br

- 57620. *Anydrophila mirifica* (Erschoff,1874)** (Noctuidae) Synonym(s): *mirifica* Erschoff,1874
Range (in code): **TM**
- 57621. *Anydrophila sabouraudi* (D.Lucas,1907)** (Noctuidae) Synonym(s): *sabouraudi* D.Lucas,1907 Original Reference: *Palpangula sabouraudi* D.Lucas,1907, Bull. Soc. ent. Fr. 1907: 180. Type: Tunisia, Zarcine, oasis du Kébili (leg. colonel A.Sabouraud). Range (in code): **MA DZ Ajj Ah Onç TN Sfr** Bionomy: Larva on *Calligonum* sp. (Polygonaceae) (Rungs,1958).
- 57622. *Anydrophila simiola* (Püngeler,1900)** (Noctuidae) Synonym(s): *simiola* Püngeler,1900
Range (in code): **KG Tk CN Ui Ku TM**
- 57623. *Anydrophila sirdar* Brandt,1939** (Noctuidae) Synonym(s): *sirdar* Brandt,1939 Range (in code): **IR Ss Hz B-A**
- 57624. *Anydrophila stuebeli* (Calberla,1891)** (Noctuidae) Synonym(s): *stuebeli* Calberla,1891; *fouadi* Wiltshire,1947. Range (in code): **SA EG Sn IL Pa JO** Bionomy: Larva on *Calligonum comosum* (Hacker,2001).
- 57625. *Apaegocera argyrogramma* Hampson,1905** (Noctuidae) Synonym(s): *argyrogramma* Hampson,1905 Range (in code): **GH**
- 57626. *Apamea* (Alexapamea) *erythrographa* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *erythrographa* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci**
- 57627. *Apamea* (Alexapamea) *glenura* (Swinhoe,1895)** (Noctuidae) Synonym(s): *glenura* Swinhoe,1895 Range (in code): **NP**
- 57628. *Apamea* (Alexapamea) *glenurina* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *glenurina* Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 57629. *Apamea* (Alexapamea) *nigrostris* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *nigrostris* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci**
- 57630. *Apamea* (Cernauncus) *chalybeata* (Walker,1865)** (Noctuidae) Synonym(s): *chalybeata* Walker,1865; *suffusa* Moore,1867 Range (in code):
- 57631. *Apamea* (Cernauncus) *cyanea* (Hampson,1908)** (Noctuidae) Synonym(s): *cyanea* Hampson,1908 Range (in code):
- 57632. *Apamea* (Cernauncus) *goperma* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *goperma* Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 57633. *Apamea* (Cernauncus) *taiwana* (Wileman,1914)** (Noctuidae) Synonym(s): *taiwana* Wileman,1914 Range (in code): **TW**
- 57634. *Apamea* (s.str.) *alpigena* (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpigena* Boisduval,[1837]; *meissonieri* Guenée,1852 Range (in code): **FR ES MA DZ Khh**
- 57635. *Apamea* (s.str.) *altijuga* (Kozhantschikov,1925)** (Noctuidae) Synonym(s): *altijuga* Kozhantschikov,1925 Range (in code): **RU At**
- 57636. *Apamea* (s.str.) *anceps* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *anceps* [Denis & Schiffermüller],1775; *sordida* Borkhausen,1792; *infesta* Ochsenheimer,1816; *renardii* Boisduval,1829; *engelhardtii* Duurloo,1889; *pyxina* A.Bang-Haas,1910; *siegeli* Berio,1985; *sassanidica* Hacker,1990; *mazeli* Lutran,1993 Original Reference: *Noctua anceps* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR TR Lo Es Elb Th Dam Kh DK NO SE FI EE LV LT RU AZ Kir Cc Ro Kyi Sb MD UA BY TM MN CN Ui LB Bsa IL Pa KG Uk**
- 57637. *Apamea* (s.str.) *aquila* Donzel,1837** (Noctuidae) Synonym(s): *aquila* Donzel,1837 Original Reference: *Apamea aquila* Donzel,1837, Annls Soc. ent. Fr. 6: 476, Pl.18 fig.6. Range (in code): **ES FR IT BE NL DE CH AT CZ SK HU YU BG GR TR DK RU MD UA BY**
- 57638. *Apamea* (s.str.) *arabs* (Oberthür,1881)** (Noctuidae) Synonym(s): *arabs* Oberthür,1881; *ribbei* Püngeler,1906; *standfussi* Turati,1908; *biskrae* Oberthür,1919; *superba* Turati,1926; *boursini* Powell & Rungs,[1952] Original Reference: *Hadena solieri* var. *arabs* Oberthür,1881, Etüd. Ent. 6: 88, pl. 11 fig.8. Type: Algeria: Sebdou (coll. Oberthür). Range (in code): **MA LY DZ Bsk Blid Tlm Sbd Btina Khh PT ES Si**
- 57639. *Apamea* (s.str.) *baischi* (Hacker,1989)** (Noctuidae) Synonym(s): *baischi* Hacker,1989 Original Reference: *Apamea baischi* Hacker,1989, Herbiopoliana 2: 256-257, Taf.7 fig. Holotype ♂: Griechenland: Parnassos Oros, Umg. Delphi, 500-700m, 9.v.1984 (leg. Baisch, coll. Hacker). Range (in code): **GR**
- 57640. *Apamea* (s.str.) *boopis* (Hampson,1908)** (Noctuidae) Synonym(s): *boopis* Hampson,1908 Range (in code): **IN Hp Drm NP**

- 57641. *Apamea (s.str.) caesia* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *caesia* Hreblay & L.Ronkay,1998 Range (in code): NP
- 57642. *Apamea (s.str.) crenata* (Hufnagel,1766)** (Noctuidae) Synonym(s): *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopocurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812; *corsa* Schawerda,1928 Original Reference: Phalaena crenata Hufnagel,1766, Berl. Mag. 3 (4): 402. Type(s): Germany: Berlin. Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd TR Cc GG Smt Bjo Lag IR Mz Elb DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da MD UA BY CN KK Skm TeA TrA Na Ik Skm Krl JP
- 57643. *Apamea (s.str.) epomidion* (Haworth,1809)** (Noctuidae) Synonym(s): *charactera* auct. nec [Denis & Schiff.],1775; *epomidion* Haworth,1809 Original Reference: Noctua epomidion Haworth,1809, Lep. Br.: 170. Type(s): England. Range (in code): ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK SE EE LV LT RU Cc Kr MD UA Cm Sb
- 57644. *Apamea (s.str.) euxinia* Hacker,1985** (Noctuidae) Synonym(s): *euxinia* Hacker,1985 Range (in code): TR Cc
- 57645. *Apamea (s.str.) extincta* (Staudinger,1892)** (Noctuidae) Synonym(s): *extincta* Staudinger,1892 Range (in code): TJ Pm Chr
- 57646. *Apamea (s.str.) ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837 Original Reference: Xanthia ferrago Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 41. Type(s): Russland: Kasan. Range (in code): LV RU St Kb Kc Nt Ich Da Ur MD UA BY TR AM Cc GG Smt Bjo Bku Kus IR Kdv Elb Th Dam Mz AF CN Ui KG Tk KK Ik Ax TrA
- 57647. *Apamea (s.str.) ferrago ferrago* (Eversmann,1837)** (Noctuidae) Synonym(s): *ferrago* Eversmann,1837 Original Reference: Xanthia ferrago Eversmann,1837, Bull. Soc. imp. nat. Moscou 1837: 41. Type(s): Russland: Kasan. Range (in code): LV RU St Kb Kc Nt Ich Da Ur MD UA BY TR Cc AM GG Smt Bjo Bku Kus IR AF CN Ui KG Tk KK Ik Ax TrA
- 57648. *Apamea (s.str.) ferrago obsoleta* (W.Warren,1911)** (Noctuidae) Synonym(s): *obsoleta* W.Warren,1911 Original Reference: Luperina ferrago ab. obsoleta W.Warren,1911, [in] Seitz,A., Die Gross-Schmett. Erde 3: 186 (43e). Syntypes: Turkestan, Naryn Kol. Range (in code): TR KG
- 57649. *Apamea (s.str.) furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775 Original Reference: Noctua furva [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Zj Mz Elb Th Dam DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Ju KK Ax Skm TrA Ik AZ AM GG Lag Da Kus Cc Bionomy: Larva on Arctium ([Denis & Schiffermüller],1775 et seq.).
- 57650. *Apamea (s.str.) furva furva* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#furva* [Denis & Schiffermüller],1775 Original Reference: Noctua furva [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Zj Mz Elb Th Dam DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Ju KK Ax Skm TrA Ik AZ AM GG Lag Da Kus Cc Bionomy: Larva on Arctium ([Denis & Schiffermüller],1775 et seq.).
- 57651. *Apamea (s.str.) goateri* Hacker,2001** (Noctuidae) Synonym(s): *goateri* Hacker,2001 Range (in code): UZ
- 57652. *Apamea (s.str.) gratissima* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *gratissima* Hreblay & L.Ronkay,1999 Range (in code): NP PK Haz Kag Nar Swa Mlk
- 57653. *Apamea (s.str.) illyria* Freyer,1846** (Noctuidae) Synonym(s): *illyria* Freyer,1846 Original Reference: *Apamea illyria* Freyer,1846, Neuere Beitr. Schmett. 6: 5, Tab. 483, fig.2 Type(s): Illyrien. Range (in code): ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kb Nt Kc Teb Alg Ink MD IR AM RU Cc AZ Elb Dam KG
- 57654. *Apamea (s.str.) illyria contrastata* Zilli, Varga G.Ronkay & L.Ronkay,2009** (Noctuidae) Synonym(s): *contrastata* Zilli, Varga G.Ronkay & L.Ronkay,2009 Original Reference: *Apamea (s.str.) illyria* ssp. *contrastata* Zilli, Varga G.Ronkay & L.Ronkay,2009, Witt catalogue 3: 112, figs. Holotype ♂: Turkey, Ağrı Prov., 5km SE of Sarıcan 2000m 20 vi 2004 B.Benedek & T.Csovari leg. (coll.G.Ronkay). TR IR AM RU Cc Kb AZ Elb Dam KG
- 57655. *Apamea (s.str.) indiges* (Turati,1926)** (Noctuidae) Synonym(s): *indiges* Turati,1926 Original Reference: *Parastichtis indiges* Turati,1926, Atti Soc. ital. Sci. nat. Mus. Civ. Stor. Nat. Milano 65: 40. Range (in code): GR TR

- 57656. Apamea (s.str.) kumari Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *kumari Hreblay & L.Ronkay,1999* _ Range (in code): **NP**
- 57657. Apamea (s.str.) lateritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia Hufnagel,1766; molochina Hübner,[1803]*. Original Reference: *Phalaena lateritia Hufnagel,1766*, Berl. Mag. 3(3): 306. Type(s): Germany: Berlin. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Da Kus Cc IR Mz Elb Th Kdv Dam DK NO SE FI EE LV LT RU St Kb Kc Nt Ich Ing Da MD UA BY UZ CN Ui Arc Kml KG Tk Dj KK TeA TrA Skm Ik**
- 57658. Apamea (s.str.) lateritia expallescens (Staudinger,1882)** (Noctuidae) Synonym(s): *expallescens Staudinger,1882* _ Range (in code): **UZ CN Ui Arc Kml KG Tk Dj KK TeA TrA Skm Ik**
- 57659. Apamea (s.str.) lateritia lateritia (Hufnagel,1766)** (Noctuidae) Synonym(s): *lateritia Hufnagel,1766; molochina Hübner,[1803]*. Original Reference: *Phalaena lateritia Hufnagel,1766*, Berl. Mag. 3(3): 306. Type(s): Germany: Berlin. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc Smt Bjo Da Kus GG IR Mz DK NO SE FI EE LV LT RU St Kb Kc Nt Ich Ing Da MD UA BY**
- 57660. Apamea (s.str.) leucodon (Eversmann,1837)** (Noctuidae) Synonym(s): *leucodon Eversmann,1837; bidens Eversmann,1852; anatolica Rebel,1933* Original Reference: *Hadena leucodon Eversmann,1837*, Bull. Soc. imp. nat. Moscou 1837: 37. Syntypes: Astrachan, Sarepta. Range (in code): **TR Cc RU Da IL Pa IR Fa Sse AF TM KK Ik Na T-A Sb At MN CN Ui**
- 57661. Apamea (s.str.) lithoxylaea (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea [Denis & Schiffermüller],1775; lithoxylaea Fabricius,1787*. Original Reference: *Noctua lithoxylaea Fabricius,1787*, Mant. Ins. 2: 182, nr.299. Type(s): [Wien]. Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Mng AZ Kir DK NO SE FI EE LV LT RU Nt Ich Da MD UA BY**
- 57662. Apamea (s.str.) lithoxylaea lithoxylaea (Fabricius,1787)** (Noctuidae) Synonym(s): *#lithoxylaea [Denis & Schiffermüller],1775; lithoxylaea Fabricius,1787*. Original Reference: *Noctua lithoxylaea Fabricius,1787*, Mant. Ins. 2: 182, nr.299. Type(s): [Wien]. Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Mng AZ Kir DK NO SE FI EE LV LT RU Nt Ich Da MD UA BY**
- 57663. Apamea (s.str.) maillardi (Geyer,1834)** (Noctuidae) Synonym(s): *maillardi Geyer,1834* Range (in code): **ES FR IT DE CH AT PL CZ RO YU AL BG GR NO SE FI RU At**
- 57664. Apamea (s.str.) maillardi oxygrapha Varga,1976** (Noctuidae) Synonym(s): *oxygrapha Varga,1976* _ Range (in code):
- 57665. Apamea (s.str.) maillardi schildei (Staudinger,1901)** (Noctuidae) Synonym(s): *schildei Staudinger,1901* _ Range (in code): **RU At**
- 57666. Apamea (s.str.) maraschi (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi Draudt,1934* Original Reference: *Parastichtis monoglypha f. maraschi Draudt,1934*, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 157. Syntypes: [Türkei]: "Marasch" [Kahramanmaraş]. Range (in code): **TR**
- 57667. Apamea (s.str.) maraschi maraschi (Draudt,1934)** (Noctuidae) Synonym(s): *maraschi Draudt,1934* Original Reference: *Parastichtis monoglypha f. maraschi Draudt,1934*, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 157. Syntypes: [Türkei]: "Marasch" [Kahramanmaraş]. Range (in code): **TR**
- 57668. Apamea (s.str.) maroccana (Zerny,1934)** (Noctuidae) Synonym(s): *monoglypha sensu Rothschild,1920; maroccana Zerny,1934* _ Range (in code): **DZ BtNa MA Ouk**
- 57669. Apamea (s.str.) michielii Varga,1976** (Noctuidae) Synonym(s): *michielii Varga,1976* Range (in code): **BG**
- 57670. Apamea (s.str.) michielii hellenica Hacker,Hassler & Schmidt,1988** (Noctuidae) Synonym(s): *hellenica Hacker,Hassler & Schmidt,1988* _ Range (in code): **GR**
- 57671. Apamea (s.str.) monoglypha (Hufnagel,1766)** (Noctuidae) Synonym(s): *polyodon Linnaeus,1761 nec Cl.,1759; monoglypha Hufnagel,1766*. Original Reference: *Phalaena monoglypha Hufnagel,1766*, Berl. Mag. 3(3): 308. Type(s): Germany: Berlin. Range (in code): **PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR AZ Kir AM GG Smt Bjo Mng Lag Akh Cc IR Fa Es Zj Ha Mz Elb Dam Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY LB Bsa SY CN**
- 57672. Apamea (s.str.) nekrasovi Mikkola, Varga & Gyulai,1995** (Noctuidae) Synonym(s): *nekrasovi Mikkola, Varga & Gyulai,1995* _ Range (in code): **TJ Pm**
- 57673. Apamea (s.str.) oblonga (Haworth,[1809])** (Noctuidae) Synonym(s): *oblonga Haworth,[1809]; abjecta Hübner,[1813]*. Original Reference: *Noctua oblonga Haworth,[1809]*, Lepid. Br.: 188. Type(s): England. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO**

YU BG GR TR IR Ss Kuh DK NO SE FI EE LV LT RU Ro St Ich Da MD UA BY AZ AM GG Akh Cc CN Ui
Chk KK TeA Ik JP

- 57674. *Apamea (s.str.) platinea (Treitschke,1825)*** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980. Original Reference: Polia platinea Treitschke,1825, Schmett. Eur. 5(2): 34. Type(s): [Austria]: Baden bei Wien. Range (in code): MA ES FR Si IT DE CH AT CZ SK RO YU AL GR TR GG Bku Cc AZ Kir IR Fa Kh KuB Mz Elb Com LB TM IL Pa He RU Ich Ing Da Sr
- 57675. *Apamea (s.str.) platinea atlantica (Zerny,1934)*** (Noctuidae) Synonym(s): *atlantica* Zerny,1934 Range (in code): MA
- 57676. *Apamea (s.str.) platinea aurora (Brandt,1938)*** (Noctuidae) Synonym(s): *aurora* Brandt,1938. Original Reference: Crymodes platinea ssp. aurora Brandt,1938, Ent. Rdsch. 55: 518. Syntypes: Iran: Barm-i Firus. Range (in code): IR Fa Com
- 57677. *Apamea (s.str.) platinea binaloudi (Brandt,1941)*** (Noctuidae) Synonym(s): *binaloudi* Brandt,1941 Original Reference: Crymodes platinea ssp. binaloudi Brandt,1941, Mitt. münch. ent. Ges. 31: 848. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 3000-3300m. Range (in code): IR Kh KuB TM
- 57678. *Apamea (s.str.) platinea montana (Herrich-Schäffer,1852)*** (Noctuidae) Synonym(s): *montana* Herrich-Schäffer,1852; *farinulenta* Christoph,1893; *pentheri* Rebel,1905. Original Reference: Polia montana Herrich-Schäffer,1852, Syst. Bearb. Schmett. Eur. 6: 55. Range (in code): TR GG Bku AZ Kir Cc IR Mz Elb Th Dam LB IL Pa He RU Ich Ing Da Sr
- 57679. *Apamea (s.str.) platinea platinea (Treitschke,1825)*** (Noctuidae) Synonym(s): *platinea* Treitschke,1825; *grisescens* Touleschkov,1951 nec Stgr.,1889; *touleschkoffi* Koçak,1980. Original Reference: Polia platinea Treitschke,1825, Schmett. Eur. 5(2): 34. Type(s): [Austria]: Baden bei Wien. Range (in code): ES FR Si IT DE CH AT CZ SK RO YU AL GR
- 57680. *Apamea (s.str.) platinea reisseri (Bubacek,1926)*** (Noctuidae) Synonym(s): *reisseri* Bubacek,1926 Range (in code): ES
- 57681. *Apamea (s.str.) platinea splendida (Reisser,1935)*** (Noctuidae) Synonym(s): *splendida* Reisser,1935 Range (in code): ES
- 57682. *Apamea (s.str.) polyglypha (Staudinger,1892)*** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892 Original Reference: Hadenia monoglypha var.? polyglypha Staudinger,1892, Dt. ent. Z., Iris 4: 286. Syntypes ♂♂: Palestina: Jerusalem (leg. Paulus). Range (in code): TR Cc IL Js Pa SY JO IR Lo Fa By Yas Es Kz Elb Mz Clu Kdj Th Mia Sse Kd Bne
- 57683. *Apamea (s.str.) polyglypha polyglypha (Staudinger,1892)*** (Noctuidae) Synonym(s): *polyglypha* Staudinger,1892 Original Reference: Hadenia monoglypha var.? polyglypha Staudinger,1892, Dt. ent. Z., Iris 4: 286. Syntypes ♂♂: Palestina: Jerusalem (leg. Paulus). Range (in code): TR Cc IL Js Pa SY JO IR Lo Fa By Yas Es Kz Elb Mz Clu Kdj Th Mia Sse Kd Bne
- 57684. *Apamea (s.str.) remissa (Hübner,[1809])*** (Noctuidae) Synonym(s): *remissa* Hübner,[1809] Original Reference: Noctua remissa Hübner,[1809], Samml. eur. Schmett. 4, Noctuae: Tab.90, fig.423. Type(s): Europa. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Ich Da MD UA BY CN Ui Chk KK Na Ax TrA
- 57685. *Apamea (s.str.) rjaboviana Mikkola, Varga, Zilli & L.Ronkay,2009*** (Noctuidae) Synonym(s): *rjaboviana* Mikkola, Varga & Lafontaine,2009 Range (in code): TR RU Kc Teb Cc Kr Nt Da Kus
- 57686. *Apamea (s.str.) rjaboviana daghestanica Mikkola, Varga, Zilli & L.Ronkay,2009*** (Noctuidae) Synonym(s): *daghestanica* Mikkola, Varga, Zilli & L.Ronkay,2009 Range (in code): RU Cc Da
- 57687. *Apamea (s.str.) rubrireana (Treitschke,1825)*** (Noctuidae) Synonym(s): *rubrireana* Treitschke,1825 Range (in code): FR IT DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Cc Kr Da MD UA BY
- 57688. *Apamea (s.str.) rubrireana marginipicta Varga,1977*** (Noctuidae) Synonym(s): *marginipicta* Varga,1977 Range (in code):
- 57689. *Apamea (s.str.) rubrireana rubrireana (Treitschke,1825)*** (Noctuidae) Synonym(s): *rubrireana* Treitschke,1825 Range (in code): FR IT DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Cc Kr Da MD UA BY
- 57690. *Apamea (s.str.) schawerdae Draeseke,1928*** (Noctuidae) Synonym(s): *schawerdae* Draeseke,1928 Range (in code): CN Yu

- 57691. *Apamea* (s.str.) *sicula* (Turati,1909)** (Noctuidae) **Synonym(s):** *sicula* Turati,1909
Range (in code): **ES FR Si IT CZ SK YU AL BG GR TR**
- 57692. *Apamea* (s.str.) *sordens* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *sordens* Hufnagel,1766; *basilinea* [Denis & Schiffermüller],1775; *marmorosa* Esper,[1788]; *nebulosa* Vieweg,1790; *cinefacta* Graeser,1889 *nec* Gte.,1881; *grisescens* Staudinger,1889; *basistriga* Staudinger,1892; *alacra* Dannehl,1933
Original Reference: *Phalaena sordens* Hufnagel,1766, Berl. Mag. 3(3): 306. **Type(s):** Germany: Berlin. **Range (in code):** **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku IR Th Elb Dam DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY AF KK Ik TrA Na Am Vv Sh JP CN Yu Ti**
- 57693. *Apamea* (s.str.) *sublustris* (Esper,[1788])** (Noctuidae) **Synonym(s):** *sublustris* Esper,[1788] **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ich Ing MD UA BY**
- 57694. *Apamea* (s.str.) *syriaca* (Osthelder,1933)** (Noctuidae) **Synonym(s):** *syriaca* Osthelder,1933; *#albida* Osthelder,1933; *tallosi* Kovacs & Varga,1969. **Original Reference:** *Parastichtis monoglypha* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23: 70. **Syntypes:** [Türkei]: Maraş, Durnali. **Range (in code):** **DZ ES FR HU RO CZ MK BG TR Cc GR IR Ab Oru Mak Sdt Elb Th Kd Snj CY IQ Brs Ry Rwz Dia LB Bsa Bei SY IL Pa**
- 57695. *Apamea* (s.str.) *terranea* (Butler,1889)** (Noctuidae) **Synonym(s):** *terranea* Butler,1889
Range (in code): **IN Hp Drm NP**
- 57696. *Apamea* (s.str.) *unanimis* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *unanimis* Hübner,[1813] **Original Reference:** *Noctua unanimis* Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab. 120, fig.556. **Type(s):** Europa. **Range (in code):** **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag AZ Kir AM DK NO SE FI EE LV LT RU Ro MD UA BY**
- 57697. *Apamea* (s.str.) *zeta* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *zeta* Treitschke,1825
Range (in code): **PT ES FR IT IS GB DE CH AT RO YU AL BG GR TR NO SE RU At Cc GG Smt Bjo Akh Mng Da Kus**
- 57698. *Apamea* (s.str.) *zeta cyanochlora* Varga,1976** (Noctuidae) **Synonym(s):** *cyanochlora* Varga,1976 **Range (in code):**
- 57699. *Apamea* (s.str.) *zeta marmorata* (Zetterstedt,[1839])** (Noctuidae) **Synonym(s):** *marmorata* Zetterstedt,[1839] **Range (in code):** **RU At**
- 57700. *Apamea* (s.str.) *zeta rivalis* (Guenée,1852)** (Noctuidae) **Synonym(s):** *rivalis* Guenée,1852 **Range (in code):** **TR**
- 57701. *Apamea* (s.str.) *zeta sandorkovacs* Peregovits & Varga,1984** (Noctuidae) **Synonym(s):** *sandorkovacs* Peregovits & Varga,1984 **Range (in code):**
- 57702. *Apamea* *lacticolor* Zilli, Varga, G.Ronkay & L.Ronkay,2009** (Noctuidae) **Synonym(s):** *lacticolor* Zilli, Varga, G.Ronkay & L.Ronkay,2009 **TR**
- 57703. *Apamea* *niveiplaga* (Walker,1857)** (Noctuidae) **Synonym(s):** *niveiplaga* Walker,1857; *terranea* Butler,1889; *kodita* Swinhoe,1895 **Range (in code):** **IN Hp PK Haz Mre Pj Kul Dlh Sml Drm**
- 57704. *Apamea* *vicaria* (Püngeler,1902)** (Noctuidae) **Synonym(s):** *vicaria* Püngeler,1902
Range (in code): **CN Ui Au**
- 57705. *Apaustis* *rupicola* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *rupicola* [Denis & Schiffermüller],1775; *palliat*a Fabricius,1787; *pallium* Borkhausen,1792; *heliophila* Hübner,[1803]
Original Reference: *Noctua rupicola* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 90. **Type(s):** [Austria]: Vienna district. **Range (in code):** **SK HU RO YU BG GR TR RU Cc Kr UA Cm**
- 57706. *Apaustis* *theophila* (Staudinger,1866)** (Noctuidae) **Synonym(s):** *theophila* Staudinger,1866 **Range (in code):** **BG GR TR**
- 57707. *Aplotelia* *nubilosa* W.Warren,1914** (Noctuidae) **Synonym(s):** *nubilosa* W.Warren,1914; *griseoapicata* Wileman & West,1928 **Range (in code):** **PH Luz MY TH Ntt Hba ID Sum Bor**
- 57708. *Apopestes* *curiosa* Kononenko & Fibiger,2008** (Noctuidae) **Synonym(s):** *curiosa* Kononenko & Fibiger,2008 **Range (in code):** **CN**
- 57709. *Apopestes* *indica* (Moore,1883)** (Noctuidae) **Synonym(s):** *indica* Moore,1883 **Range (in code):** **IN RU Us**
- 57710. *Apopestes* *noe* L.Ronkay,1990** (Noctuidae) **Synonym(s):** *noe* Ronkay,1990 **Original Reference:** *Apopestes noe* L.Ronkay,1990, Annls hist.-nat. natn. Hung. 82: 157-161, figs. **Holotype** ♂: [Türkei]: "Syria sept., Taurus, Marasch" (coll. Bartha) (HNHM). **Range (in code):** **TR RU Cc Ich Ce8 IR Kd Bne Mrv**

- 57711. Apopestes phantasma (Eversmann,1843)** (Noctuidae) Synonym(s): *phantasma* Eversmann,1843; *centralasiae* W.Warren,1913. Original Reference: *Amphipyra phantasma* Eversmann,1843, Bull. Soc. imp. Nat. Mosc. 16: 546. Lectotype ♂: Russia: "Altai, coll. Eversmann", designated by Ronkay,1990 (ZIASL). Range (in code): **RU At TR GG Smt Bjo Lag AZ Kir Cc Ch KK Ik AF Srb Kab Ca IR UA Cm TM CN Ui Ku Kml**
- 57712. Apopestes spectrum (Esper,[1787])** (Noctuidae) Synonym(s): *spectrum* Esper,[1787]; *innotata* W.Warren,1913; *maura* W.Warren,1913 Original Reference: *Phalaena spectrum* Esper,[1787], Die Schmett. 4(1): 131, Tab.100 Noct.21 figs.3,4. Syntypes: Südtalien. Range (in code): **DZ Bt na Ktr MA Mzg Sbd Abe Ges Perr Afl Sfr Bdj Dzc Anna PT ES FR Co Sa Si IT CH RO YU AL BG GR Cr TR IR Fa Ha Km Elb Th Gls Kh Qz DK RU GG Tbl Smt Bjo AZ Kir Nv Ord AM Eri Cc St Nt PK Bl Qu LB IQ Kku Su** Bionomy: Larva on *Spartium junceum*, *Glycyrrhiza* (Lederer,1865; Wiltshire,1957).
- 57713. Aporophoba subaustralis Berio,1977** (Noctuidae) Synonym(s): *subaustralis* Berio,1977 Original Reference: *Aporophoba subaustralis* Berio,1977, Annali Mus. civ. Stor. nat. Giacomo Doria 81: 329, figs. Holotype ♂: [Ethiopia]: Abyssinien: Addis Abeba (NRS). Range (in code): **ET ETog**
- 57714. Aporophyla australis (Boisduval,1829)** (Noctuidae) Synonym(s): *australis* Boisduval,1829 Original Reference: *Xylina australis* Boisduval,1829, Genera Index meth. Eur. Lep. Add.:6. Type(s): [France]: Gallo prov. Range (in code): **ES FR Co Sa Si IT IE GB BE NL RO YU AL BG GR Cr TR CY IQ LB IL Pa Hf JO**
- 57715. Aporophyla chioleuca (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *chioleuca* Herrich-Schäffer,1850 Range (in code): **MR MA DZ Hrh Blid Bdj Afl Abe TN PT ES Sa Si IT? MT GR Cr**
- 57716. Aporophyla dipsalea Wiltshire,1941** (Noctuidae) Synonym(s): *dipsalea* Wiltshire,1941; *distincta* L.Ronkay,1985. Range (in code): **IQ Dy**
- 57717. Aporophyla haasi Staudinger,1892** (Noctuidae) Synonym(s): *haasi* Staudinger,1892 Original Reference: *Aporophyla haasi* Staudinger,1892, Dt. ent. Z., Iris 4: 280-281. Syntypes 3♂ 2♀: Spanien: San Ildefonso (Alt-Castilien). Range (in code): **PT ES FR**
- 57718. Aporophyla lueneburgensis (Freyer,1848)** (Noctuidae) Synonym(s): *lueneburgensis* Freyer,1848 Range (in code): **FR Sa? Si? IE GB BE NL DE CH? DK**
- 57719. Aporophyla lutulenta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lutulenta* [Denis & Schiffermüller],1775; *electrica* Fabricius,1794; *fuscus* Haworth,1803; *consimilis* Stephens,1829; *orthostigma* Stephens,1829; *sedi* Duponchel,1836; *tripuncta* Freyer,1848; *brunnea* Schawerda,1929; *aterrima* Warnecke,1936; *insularis* Hansson,1952 Original Reference: *Noctua lutulenta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV RU Cc Ro Kr Ich Da MD UA BY**
- 57720. Aporophyla nigra (Haworth,[1809])** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 Original Reference: *Noctua nigra* Haworth,[1809], Lep. Br. 2:192. Type(s): England. Range (in code): **DZ Ges Afl Abe PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ** Bionomy: Larva on *Calluna*, *Rumex*, *Plantago*, *Stellaria*, *Deschampsia*, *Epilobium*, *Genista*, *Oxalis* (Hacker,2001).
- 57721. Aporophyla nigra cinerea Staudinger,1901** (Noctuidae) Synonym(s): *cinerea* Staudinger,1901 Range (in code): **MA DZ TN LY Cy MT EG Sn LB IL Pa CY TR IQ**
- 57722. Aporophyla nigra nigra (Haworth,1809)** (Noctuidae) Synonym(s): *lunula* Ström,1783 *nec* Hfn.,1766; *nigra* Haworth,[1809]; *nigricans* Hbn.,[1813]; *aethiops* Ochsenheimer,1816; *seileri* Fuchs,1901 Original Reference: *Noctua nigra* Haworth,[1809], Lep. Br. 2:192. Type(s): England. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL SK RO YU AL BG GR Cr DK NO RU Cc Kr MD UA BY**
- 57723. Apospasta aethalopa D.S.Fletcher,1961** (Noctuidae) Synonym(s): *aethalopa* D.S.Fletcher,1961 Range (in code): **CM**
- 57724. Apospasta albirenalis Laporte,1974** (Noctuidae) Synonym(s): *albirenalis* Laporte,1974 Range (in code): **ET ET45**
- 57725. Apospasta ancilottoi Berio,1978** (Noctuidae) Synonym(s): *ancilottoi* Berio,1978 Range (in code): **KE Njr**
- 57726. Apospasta cailloisi Laporte,1984** (Noctuidae) Synonym(s): *cailloisi* Laporte,1984 Range (in code): **ET ET204**

- 57727. *Apospasta claudicans* (Guenée,1852)** (Noctuidae) **Synonym(s):** *claudicans* Guenée,1852
Range (in code): **ET**
- 57728. *Apospasta deprivata* (A.E.Prout,1927)** (Noctuidae) **Synonym(s):** *deprivata* A.E.Prout,1927
Range (in code): **ST**
- 57729. *Apospasta diffusa* Laporte,1974** (Noctuidae) **Synonym(s):** *diffusa* Laporte,1974 **Range (in code):** **ET ET86**
- 57730. *Apospasta dipterigidia* (Hampson,1902)** (Noctuidae) **Synonym(s):** *dipterigidia* Hampson,1902; *fulvida* D.S.Fletcher,1961 **Range (in code):** **ZA Ec Ans TZ**
- 57731. *Apospasta erici* Laporte,1984** (Noctuidae) **Synonym(s):** *erici* Laporte,1984 **Range (in code):** **ET ET86**
- 57732. *Apospasta eriopygiodes* (Aurivillius,1910)** (Noctuidae) **Synonym(s):** *eriopygiodes* Aurivillius,1910 **Range (in code):** **TZ Kmj**
- 57733. *Apospasta fuscirufa* (Hampson,1905)** (Noctuidae) **Synonym(s):** *fuscirufa* Hampson,1905
Range (in code): **ZA ZW Har SO KE**
- 57734. *Apospasta incongrua* Laporte,1974** (Noctuidae) **Synonym(s):** *incongrua* Laporte,1974
Range (in code): **ET**
- 57735. *Apospasta intricata* (Saalmüller,1891)** (Noctuidae) **Synonym(s):** *intricata* Saalmüller,1891 **Range (in code):** **MG**
- 57736. *Apospasta jacksoni* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *jacksoni* D.S.Fletcher,1961 **Range (in code):** **UG Kzi**
- 57737. *Apospasta kennedyi* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *kennedyi* D.S.Fletcher,1961 **Range (in code):** **UG Rz**
- 57738. *Apospasta maryamae* Laporte,1984** (Noctuidae) **Synonym(s):** *maryamae* Laporte,1984
Range (in code): **ET ET86**
- 57739. *Apospasta montana* (Aurivillius,1910)** (Noctuidae) **Synonym(s):** *montana* Aurivillius,1910 **Range (in code):** **TZ Kmj**
- 57740. *Apospasta niger* Laporte,1974** (Noctuidae) **Synonym(s):** *niger* Laporte,1974 **Range (in code):** **ET ET86**
- 57741. *Apospasta nigerrima* Laporte,1973** (Noctuidae) **Synonym(s):** *nigerrima* Laporte,1973
Range (in code): **CM**
- 57742. *Apospasta pannosa* (Moore,1881)** (Noctuidae) **Synonym(s):** *pannosa* Moore,1881
Range (in code): **LK IN NI**
- 57743. *Apospasta rantaizanensis* (Wileman,1915)** (Noctuidae) **Synonym(s):** *rantaizanensis* Wileman,1915 **Range (in code):** **TW**
- 57744. *Apospasta rhodina* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *rhodina* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 57745. *Apospasta rougeoti* Laporte,1974** (Noctuidae) **Synonym(s):** *rougeoti* Laporte,1974
Range (in code): **ET ET60**
- 57746. *Apospasta rubiana* (Guenée,1852)** (Noctuidae) **Synonym(s):** *rubiana* Guenée,1852
Range (in code): **RE**
- 57747. *Apospasta ruffoi* Berio,1978** (Noctuidae) **Synonym(s):** *ruffoi* Berio,1978 **Range (in code):** **KE Njr**
- 57748. *Apospasta sabulosa* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *sabulosa* D.S.Fletcher,1961 **Range (in code):** **ET**
- 57749. *Apospasta sikkima* (Moore,1882)** (Noctuidae) **Synonym(s):** *sikkima* Moore,1882
Range (in code): **IN SI Djl**
- 57750. *Apospasta synclera* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *synclera* D.S.Fletcher,1961 **Range (in code):** **UG Rz**
- 57751. *Apospasta townsendi* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *townsendi* D.S.Fletcher,1961 **Range (in code):** **KE**
- 57752. *Apospasta venata* (Hampson,1905)** (Noctuidae) **Synonym(s):** *venata* Hampson,1905
Range (in code): **KE**
- 57753. *Apospasta verini* Viette,1981** (Noctuidae) **Synonym(s):** *verini* Viette,1981 **Range (in code):** **KM**
- 57754. *Apostema citrina* Hreblay & L.Ronkay,1998** (Noctuidae) **Synonym(s):** *citrina* Hreblay & L.Ronkay,1998 **Range (in code):**

- 57755. *Apostema distigmata* (Hampson,1906)** (Noctuidae) Synonym(s): *distigmata* Hampson,1906 _ Range (in code): IN Hp Kul
- 57756. *Apostema melanura* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *melanura* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 57757. *Apothripa albonotata* (Hampson,1894)** (Noctuidae) Synonym(s): *albonotata* Hampson,1894 _ Range (in code): MM Tns
- 57758. *Apothripa binotata* Hampson,1912** (Noctuidae) Synonym(s): *binotata* Hampson,1912 _ Range (in code): IN Ass Meg Khs
- 57759. *Apothripa iphida* (Swinhoe,1901)** (Noctuidae) Synonym(s): *iphida* Swinhoe,1901 _ Range (in code): IN Ben
- 57760. *Apothripa vailima* Tams,1935** (Noctuidae) Synonym(s): *vailima* Tams,1935 _ Range (in code): WS
- 57761. *Appana v-brunnea* (Guenée,1852)** (Noctuidae) Synonym(s): *v-brunnea* Guenée,1852; *cingalesa* Moore,1887 _ Range (in code): LK
- 57762. *Apsarasa atramenta* Hampson,1910** (Noctuidae) Synonym(s): *atramenta* Hampson,1910 _ Range (in code): ID Ij Wg
- 57763. *Apsarasa dajakana* Grünberg,1911** (Noctuidae) Synonym(s): *dajakana* Grünberg,1911 _ Range (in code): MY Bor
- 57764. *Apsarasa dajakana* Grünberg,1911** (Noctuidae) Synonym(s): *dajakana* Grünberg,1911 _ Range (in code): MY Bor Sbh KBa
- 57765. *Apsarasa figurata* Moore,1877** (Noctuidae) Synonym(s): *figurata* Moore,1877 _ Range (in code): IN Adm
- 57766. *Apsarasa figurata* Moore,1877** (Noctuidae) Synonym(s): *figurata* Moore,1877 _ Range (in code): IN Adm ID Kai
- 57767. *Apsarasa moluccana* Grünberg,1911** (Noctuidae) Synonym(s): *moluccana* Grünberg,1911 _ Range (in code): ID Mlc
- 57768. *Apsarasa moluccana* Grünberg,1911** (Noctuidae) Synonym(s): *moluccana* Grünberg,1911 _ Range (in code): ID Mlc Bch
- 57769. *Apsarasa nigrocaerulea* Hampson,1910** (Noctuidae) Synonym(s): *nigrocaerulea* Hampson,1910 _ Range (in code): ID
- 57770. *Apsarasa nigrocaerulea* Hampson,1910** (Noctuidae) Synonym(s): *nigrocaerulea* Hampson,1910 _ Range (in code): PH Pal
- 57771. *Apsarasa nigrotarsata* Grünberg,1911** (Noctuidae) Synonym(s): *nigrotarsata* Grünberg,1911 _ Range (in code): PH Mno
- 57772. *Apsarasa nigrotarsata* Grünberg,1911** (Noctuidae) Synonym(s): *nigrotarsata* Grünberg,1911 _ Range (in code): PH Mno
- 57773. *Apsarasa radians* (Westwood,1848)** (Noctuidae) Synonym(s): *radians* Westwood,1848 _ Original Reference: Apatela radians Westwood,1848, Cab. Or. Ent.: 58, pl.28 fig.4. Range (in code): IN SI Ass CN MY TH CMa
- 57774. *Apsarasa wallacei* Moore,1881** (Noctuidae) Synonym(s): *wallacei* Moore,1881 _ Range (in code): ID Ij
- 57775. *Aquis albida* (Walker,[1863])** (Noctuidae) Synonym(s): *albida* Walker,[1863] _ Range (in code): ID Sum MY Bor
- 57776. *Aquis aquisoides* (Swinhoe,1905)** (Noctuidae) Synonym(s): *aquisoides* Swinhoe,1905 _ Range (in code): IN Ass Meg Khs
- 57777. *Aquis excurvata* De Joannis,1930** (Noctuidae) Synonym(s): *excurvata* De Joannis,1930 _ Range (in code): VN Ton
- 57778. *Aquis orbicularis* (Walker,1858)** (Noctuidae) Synonym(s): *orbicularis* Walker,1858; *griseinigra* Hampson,1894; *babooni* Bethune-Baker,1906; *crenulata* Bethune-Baker,1906 _ Range (in code): LK IN SI PG ID Sum MY Bor
- 57779. *Aquis viridisquama* Walker,1858** (Noctuidae) Synonym(s): *viridisquama* Walker,1858; *nubifera* Walker,[1863]; *albosparsa* Walker,1865 _ Range (in code): ID Sum Ja MY Bor Swk
- 57780. *Aquita acontoides* (Walker,1862)** (Noctuidae) Synonym(s): *acontoides* Walker,1862 _ Range (in code): LK Nwp IN NP VN ID Sum Nia Ja Bli Sbw MY Bor Swk BN PH
- 57781. *Aquita capnodes* (Wileman & West,1928)** (Noctuidae) Synonym(s): *capnodes* Wileman & West,1928 _ Range (in code): PH Mno

- 57782. *Aquila ectrocta* Hampson, 1907** (Noctuidae) Synonym(s): *ectrocta* Hampson, 1907; *ectrotoides* Strand, 1920 _ Range (in code): LK
- 57783. *Aquila hemiphaea* (Hampson, 1905)** (Noctuidae) Synonym(s): *hemiphaea* Hampson, 1905 _ Range (in code): ID Ja
- 57784. *Aquila laminata* (Hampson, 1891)** (Noctuidae) Synonym(s): *laminata* Hampson, 1891; *rufescens* Hampson, 1894 _ Range (in code): MM Rgo IN NI
- 57785. *Aquila leucobaeta* (Wileman & West, 1928)** (Noctuidae) Synonym(s): *leucobaeta* Wileman & West, 1928 _ Range (in code): PH Luz
- 57786. *Aquila scoparialis* Wileman & West, 1928** (Noctuidae) Synonym(s): *scoparialis* Wileman & West, 1928 _ Range (in code): PH Luz
- 57787. *Arachnognatha metascotia* Hampson, 1897** (Noctuidae) Synonym(s): *metascotia* Hampson, 1897 _ Range (in code): IN Ass Meg Khs MY Bor
- 57788. *Arachnognatha meterythra* Hampson, 1894** (Noctuidae) Synonym(s): *meterythra* Hampson, 1894; *#singaporicola* Strand, 1917 _ Range (in code): MM Peg SG MY Bor Swk
- 57789. *Araea attenuata* Hampson, 1908** (Noctuidae) Synonym(s): *attenuata* Hampson, 1908 _ Range (in code): IN Ch
- 57790. *Araea indecora* (R. Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *indecora* R. Felder & Rogenhofer, 1874 _ Range (in code): ZA Wca Cto Ec Pel
- 57791. *Araeopterella miscidisce* Dyar, 1914** (Noctuidae) Synonym(s): *miscidisce* Dyar, 1914 _ Range (in code): PA
- 57792. *Araeopteron adeni* Fibiger & Hacker, 2001** (Noctuidae) Synonym(s): *adeni* Fibiger & Hacker, 2001 _ Range (in code): YE Ad
- 57793. *Araeopteron alboniger* Fibiger & Hacker, 2001** (Noctuidae) Synonym(s): *alboniger* Fibiger & Hacker, 2001 _ Range (in code): YE
- 57794. *Araeopteron aulombardi* Fibiger & Hacker, 2001** (Noctuidae) Synonym(s): *aulombardi* Fibiger & Hacker, 2001 _ Range (in code): YE
- 57795. *Araeopteron canescens* (Walker, 1865)** (Noctuidae) Synonym(s): *canescens* Walker, 1865 _ Range (in code): AU QAU NC
- 57796. *Araeopteron ecphaea* (Hampson, 1914)** (Noctuidae) Synonym(s): *ecphaea* Hampson, 1914 _ Range (in code): YE YE68 GR Cr TR ES B-I Maj TN EG ZR NA MW NG
- 57797. *Araeopteron flaccida* Inoue, 1958** (Noctuidae) Synonym(s): *flaccida* Inoue, 1958 _ Range (in code): KP KR JP
- 57798. *Araeopteron griseatum* Hampson, 1907** (Noctuidae) Synonym(s): *griseatum* Hampson, 1907 _ Range (in code): ZA
- 57799. *Araeopteron pictale* Hampson, 1893** (Noctuidae) Synonym(s): *pictale* Hampson, 1893 _ Range (in code): LK
- 57800. *Araeopteron schreieri* Fibiger & Hacker, 2001** (Noctuidae) Synonym(s): *schreieri* Fibiger & Hacker, 2001 _ Range (in code): YE Sna
- 57801. *Araeopteron yemeni* Fibiger & Hacker, 2001** (Noctuidae) Synonym(s): *yemeni* Fibiger & Hacker, 2001 _ Range (in code): YE Sna
- 57802. *Archana (Globia) algae* (Esper, [1789])** (Noctuidae) Synonym(s): *algae* Esper, [1789]; *cannae* Ochsenheimer, 1816 _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO SS AL BG TR DK NO SE FI EE LV LT RU Cc AM Ro Sb MD UA BY Bionomy: Larva on Typha, Sparganium, Scirpus, Phragmites, Glyceria (Hacker, 1989).
- 57803. *Archana (Globia) sparganii* (Esper, [1790])** (Noctuidae) Synonym(s): *sparganii* Esper, [1790]; *strigosa* Staudinger, 1892. _ Range (in code): ES FR Sa Si IT IE GB BE NL DE AT PL CZ SK HU RO BG GR TR LB IR Fa Elb AF Pli DK NO SE FI EE LV LT RU Cc Ro St Nt Ich Prj Us Am At Sb MD UA BY CN JP Bionomy: Larva on Typha, Sparganium, Iris pseudacorus (Esper, [1790]; Hacker, 1989).
- 57804. *Archana (Globia) sparganii algaeoides* Wiltshire, 1947** (Noctuidae) Synonym(s): *algaeoides* Wiltshire, 1947 _ Range (in code): IR Fa Elb LB
- 57805. *Archana (Globia) sparganii sparganii* (Esper, [1790])** (Noctuidae) Synonym(s): *sparganii* Esper, [1790]; *strigosa* Staudinger, 1892. _ Range (in code): ES FR Sa Si IT IE GB BE NL DE AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Nt Ich Am Prj Us MD UA BY AF Pli
- 57806. *Archana (Lenisa) geminipuncta* (Haworth, 1809)** (Noctuidae) Synonym(s): *geminipuncta* Haworth, 1809; *paludicola* Hübner, [1817]; *orientalis* F. Wagner, 1930 _ Range (in code): PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE FI EE LV LT RU Cc Ro Ich Kyi Da MD UA BY Bionomy: Larva on Phragmites (Wiltshire, 1957).

- 57807. Archanara (Lenisa) wiltshirei Bytinski-Salz, 1936** (Noctuidae) Synonym(s): *wiltshirei* Bytinski-Salz, 1936 – Range (in code): **SY IQ LB CY** Bionomy: Larva on Phragmites (Wiltshire, 1957).
- 57808. Archanara (Longalatedes) elymi (Treitschke, 1825)** (Noctuidae) Synonym(s): *elymi* Treitschke, 1825; *askoldensis* Turner, 1929; *saturator* Staudinger, 1889; *punctivena* Draudt, 1950 – Range (in code): **RU Sb Us CN GB NO SE FI EE LT LV PL DE DK NL BE FR JP MN**
- 57809. Archanara (s.str.) cervina W. Warren, 1911** (Noctuidae) Synonym(s): *cervina* W. Warren, 1911 Original Reference: *Archanara cervina* W. Warren, 1911, [in] Seitz, Gross-Schmett. Erde 3: 238 (49k). Type ♂: [Kirgizistan]: "Ketmen Tjube, Sussamyr-Berge in Turkestan". Range (in code): **KK**
- 57810. Archanara (s.str.) dissoluta (Treitschke, 1825)** (Noctuidae) Synonym(s): *dissoluta* Treitschke, 1825; *hessii* Boisduval, 1840; *arundineta* Schmidt, 1858 – Range (in code): **DZ Hrh Hmk Abe ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR IR Gor Elb DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA BY**
- 57811. Archanara (s.str.) dissoluta taurica Lehmann, 1998** (Noctuidae) Synonym(s): *taurica* Lehmann, 1998 Original Reference: *Archanara dissoluta* ssp. *taurica* Lehmann, 1998, Esperiana 6: 374-375, fig. Holotype ♀: Türkei: Prov. Antalya: Aksu, 21. v. 1986 (leg. P. Vitek, coll. Lehmann). Range (in code): **TR**
- 57812. Archanara affinis Rothschild, 1920** (Noctuidae) Synonym(s): *affinis* Rothschild, 1920 Original Reference: *Archanara affinis* Rothschild, 1920, Novit. zool. 27: 14. Type ♂: [Algeria]: "Sidi-bel-Abbès (M. Rotrou)". Range (in code): **DZ Abe**
- 57813. Archanara insoluta W. Warren, 1911** (Noctuidae) Synonym(s): *insoluta* W. Warren, 1911 Original Reference: *Archanara insoluta* W. Warren, 1911, [in] Seitz, Gross-Schmett. Erde 3: 238 (49k). Syntypes 3 ♀: [Turkmenistan]: "Oasen Tedschen (Transkaspien)". Range (in code): **TM IQ Amr**
- 57814. Archanara neurica (Hübner, [1808])** (Noctuidae) Synonym(s): *neurica* Hübner, [1808]; *edelsteni* Tutt, 1908 – Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO SS BG DK LV UA Cm RU Cc Ro St Ich Da** Bionomy: Larva on Phragmites communis, Phalaris arundinacea (Hacker, 1989).
- 57815. Archephia basilinea (Hampson, 1902)** (Noctuidae) Synonym(s): *basilinea* Hampson, 1902 Range (in code): **ZA Nta Kzu**
- 57816. Arcilasisa sobria Walker, 1865** (Noctuidae) Synonym(s): *sobria* Walker, 1865 – Range (in code):
- 57817. Arcte coerula (Guenée, 1852)** (Noctuidae) Synonym(s): *coerula* Guenée, 1852 – Range (in code): **WS FJ NH LO NC PG MY IN TH CMa Int VN NP LK Pdy TW CN ID JP KP KR RU Us**
- 57818. Arcte modesta (Hoeven, 1840)** (Noctuidae) Synonym(s): *modesta* Hoeven, 1840; *immodesta* Guenée, 1852 – Range (in code): **LK TH CMa Int MY ID Ja Bli Sum Tim Flo Bor PH**
- 57819. Arcte taprobana Moore, 1885** (Noctuidae) Synonym(s): *taprobana* Moore, 1885; *nigrescens* Butler, 1888 – Range (in code): **LK IN SI TH Knc CMa CDo NP**
- 57820. Arctiopais ambusta (Mabille, 1881)** (Noctuidae) Synonym(s): *ambusta* Mabille, 1881 Range (in code): **MG**
- 57821. Arcyophora elegantula Grünberg, 1910** (Noctuidae) Synonym(s): *elegantula* Grünberg, 1910 – Range (in code): **ZA**
- 57822. Arcyophora icterica (Swinhoe, 1886)** (Noctuidae) Synonym(s): *icterica* Swinhoe, 1886; *bifasciata* Hampson, 1891 – Range (in code):
- 57823. Arcyophora longivalvis Guenée, 1852** (Noctuidae) Synonym(s): *longivalvis* Guenée, 1852; *apicalis* Walker, 1865; *lobidorsis* Zeller, 1863; *clathrimaculata* Strand, 1909; *somnambula* Bryk, 1913; *albipupillata* Strand, 1917; *verticalis* Berio, 1944. – Range (in code): **YE Ad ZA Tva Gau Pre Nta Kzu**
- 57824. Arcyophora nudipes Wallengren, 1856** (Noctuidae) Synonym(s): *nudipes* Wallengren, 1856 – Range (in code): **ZA**
- 57825. Arcyophora patricula (Hampson, 1902)** (Noctuidae) Synonym(s): *patricula* Hampson, 1902; *riggenbachi* Bryk, 1913; *patriculella* Strand, 1917. – Range (in code): **ZA Lpo Tva Spb Mdk ZW Har ET SA SD NG MR**
- 57826. Arcyophora sylvatica Büttiker, 1959** (Noctuidae) Synonym(s): *sylvatica* Büttiker, 1959 Original Reference: *Arcyophora sylvatica* Büttiker, 1959, Acta trop. 16: 357. Type: Cambodia. Range (in code): **KH TH CMa CDo**
- 57827. Arcyophora zanderi R. Felder & Rogenhofer, 1874** (Noctuidae) Synonym(s): *zanderi* R. Felder & Rogenhofer, 1874; *#zauderi* Gaede, 1935. – Range (in code): **ZA**

- 57828. *Arenarba destituta* (Moore,[1884])** (Noctuidae) **Synonym(s):** *destituta* Moore,[1884]
Range (in code): **ZA**
- 57829. *Arenostola amseli* Boursin,1961** (Noctuidae) **Synonym(s):** *amseli* Boursin,1961 **Range (in code):** **AF Balk Hr**
- 57830. *Arenostola deserticola* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *deserticola* Staudinger,1900; *modesta* Staudinger,1900; *chimaera* Rothschild,1920 **Original Reference:** *Calamia deserticola* Staudinger,1900, Dt. ent. Z., Iris 12: 371, pl.5 fig.10. Type: "Biskra". **Range (in code):** **MR MA DZ Hes Bsk Sfr Bttna TN IL Pa Jt JO TR**
- 57831. *Arenostola deserticola deserticola* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *deserticola* Staudinger,1900; *chimaera* Rothschild,1920. **Original Reference:** *Calamia deserticola* Staudinger,1900, Dt. ent. Z., Iris 12: 371, pl.5 fig.10. Type: "Biskra". **Range (in code):** **MR MA DZ Heh Ogl Gle Hes Bsk Sfr Bttna TN**
- 57832. *Arenostola deserticola modesta* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *modesta* Staudinger,1900 **Original Reference:** *Calamia modesta* Staudinger,1900, Dt. ent. Z., Iris 12: 372. Syntypes: Palaestina: Jordantal, Totes Meer. **Range (in code):** **IL Pa JO Jt TR**
- 57833. *Arenostola phragmitidis* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *phragmitidis* Hübner,[1803]; *verecunda* Eversmann,1848; *maculata* Warnecke,1922 **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK HU BG GR Cr TR DK NO SE FI EE RU Cc Ro St Ich Kyi Da MD UA BY IQ AF IR Ss** **Bionomy:** Larva on *Phragmites communis* (Hübner,[1803]; Wiltshire,1957; Hacker,1989).
- 57834. *Arenostola unicolor* W.Warren,1914** (Noctuidae) **Synonym(s):** *unicolor* W.Warren,1914 **Range (in code):** **TR Cc TM Kp IR Kd Snj Mrv Bne Lo KG Tk Dj KK Na**
- 57835. *Arenostola unicolor wiltshirei* Hacker,1996** (Noctuidae) **Synonym(s):** *wiltshirei* Hacker,1996 **Original Reference:** *Arenostola unicolor* ssp. *wiltshirei* Hacker,1996, *Esperiana* 4: 303-304, figs. Holotype ♂: Türkei: Prov. Van, 5km. W.Gevaş, 1700-1800m, leg. Kautt & Weisz (coll. Hacker). **Range (in code):** **TR Cc**
- 57836. *Argyrogramma signata* (Fabricius,1775)** (Noctuidae) **Synonym(s):** *signata* Fabricius,1775; *diminuta* Walker,1865; *hainanensis* Chou & Lu,1979 **Original Reference:** *Noctua signata* Fabricius,1775, Syst. Ent.: 608, nr.62. Type: India. **Range (in code):** **ZA SL Nta Kzu Dbn CN Hn IN LK ID Ja Nia Sbw Flo Tim FJ TH VN NP TW Bor Sum Nia Tim Flo Sbw TO Bsm PG Nlr Bsm NC YE Cn MG KM MU SC AU PH Luz** **Bionomy:** Larva on *Eucalyptus* (Holloway,1985).
- 57837. *Argyrolepidia aequalis* (Walker,1864)** (Noctuidae) **Synonym(s):** *aequalis* Walker,1864; *dohertyi* Oberthür,1894; *integra* Jordan,1904; *capiens* Jordan,1904 **Range (in code):** **ID Aru PG SB**
- 57838. *Argyrolepidia aurea* Jordan,1903** (Noctuidae) **Synonym(s):** *aurea* Jordan,1903 **Range (in code):** **PG**
- 57839. *Argyrolepidia caeruleotincta* (Lucas,1892)** (Noctuidae) **Synonym(s):** *caeruleotincta* Lucas,1892 **Range (in code):** **AU Qau**
- 57840. *Argyrolepidia fracta* (Rothschild,1899)** (Noctuidae) **Synonym(s):** *fracta* Rothschild,1899 **Range (in code):** **PG AU Qau**
- 57841. *Argyrolepidia lunaris* Rothschild,1905** (Noctuidae) **Synonym(s):** *lunaris* Rothschild,1905 **Range (in code):** **PG**
- 57842. *Argyrolepidia novaehiberniae* (Boisduval,1874)** (Noctuidae) **Synonym(s):** *novaehiberniae* Boisduval,1874 **Range (in code):** **NHa PG**
- 57843. *Argyrolepidia palaea* Rothschild,1905** (Noctuidae) **Synonym(s):** *palaea* Rothschild,1905 **Range (in code):** **PG**
- 57844. *Argyrolepidia pamphilia* (Stoll,[1782])** (Noctuidae) **Synonym(s):** *pamphilia* Stoll,[1782]; *micacea* Walker,1864; *ceramensis* Kirby,1875; *ombiranus* Jordan,1906 **Range (in code):** **ID Amb Crm Mlc**
- 57845. *Argyrolepidia salomonis* (Rothschild,1899)** (Noctuidae) **Synonym(s):** *salomonis* Rothschild,1899 **Range (in code):** **SB**
- 57846. *Argyrolepidia unimacula* Lower,1903** (Noctuidae) **Synonym(s):** *unimacula* Lower,1903 **Range (in code):** **AU Qau**
- 57847. *Argyrospila striata* Staudinger,1888** (Noctuidae) **Synonym(s):** *striata* Staudinger,1888 **Original Reference:** *Argyrospila striata* Staudinger,1888, Dt. ent. Z., Iris 10 (1897): 265, pl.4 fig.4. Type: "Chellala". **Range (in code):** **DZ Cel Ogl Gle**
- 57848. *Argyrospila succinea* (Esper,[1798])** (Noctuidae) **Synonym(s):** *succinea* Esper,[1798]; *maculata* Eversmann,1842; *olivacea* A.Bang-Haas,1910 **Original Reference:** *Phalaena succinea* Esper,[1798], Die Schmett. 4 (2): 37, Taf.190 fig.3. Type: "Taurien" [Crim] **Range (in code):** **RU Ro St Ur Cc AM TR KK Ik CN Ui Arc IR Elb Th Cm**

- 57849. *Ariathisa abyssinia* (Guenée,1852)** (Noctuidae) **Synonym(s):** *abyssinia* Guenée,1852; *excisa* Herrich-Schäffer,[1854]; *atrosignata* Walker,1865; *europaea* Fernandez,1928 **Original Reference:** *Spodoptera abyssinia* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 154. **Type(s):** [Ethiopia]: Abyssinie (MNHNP). **Range (in code):** **DZ Bsk MA Rbt Sk KE ZW Har SL NG ET ET204 ZA Ec Kny Nta Kzu Dbn Tra ZW Har**
- 57850. *Ariathisa semiluna* (Hampson,1909)** (Noctuidae) **Synonym(s):** *semiluna* Hampson,1909 **Range (in code):** **ZA**
- 57851. *Ariola bedawan* Holloway,2003** (Noctuidae) **Synonym(s):** *bedawan* Holloway,2003 **Range (in code):** **MY Bor Swk**
- 57852. *Ariola coelisigna* Walker,[1858]** (Noctuidae) **Synonym(s):** *coelisigna* Walker,[1858] **Range (in code):** **LK Pdy IN CN MY Bor Swk ID Sum AU QAU SB**
- 57853. *Ariola gracilis* Holloway,2003** (Noctuidae) **Synonym(s):** *gracilis* Holloway,2003 **Range (in code):** **MY Bor Swk ID Bli**
- 57854. *Ariola pallidithorax* W.Warren,1912** (Noctuidae) **Synonym(s):** *pallidithorax* W.Warren,1912 **Range (in code):** **MY Bor Sbh KBa ID Sum Sbw**
- 57855. *Ariola triangulifera* W.Warren,1912** (Noctuidae) **Synonym(s):** *triangulifera* W.Warren,1912 **Range (in code):** **MY Bor BN SB Bsm ID Sum Clb PG**
- 57856. *Ariolica lineolata* Walker,[1863]** (Noctuidae) **Synonym(s):** *lineolata* Walker,[1863] **Range (in code):** **IN ID Sum MY Bor Swk BN PH Pal**
- 57857. *Armada clio* (Staudinger,1884)** (Noctuidae) **Synonym(s):** *clio* Staudinger,1884 **Original Reference:** *Acontia clio* Staudinger,1884, [in] Romanoff, Mém. lépid. 1: 145, pl.9 fig.4. **Lectotype** ♂: [Turkmenistan]: Ashkabat, designated by Wiltshire (1979, Revision of the *Armadini*:73) (MNHUB). **Range (in code):** **TM Kp AF IR TR Cc UZ PK Qu**
- 57858. *Armada clio pakistana* Wiltshire,1979** (Noctuidae) **Synonym(s):** *pakistana* Wiltshire,1979 **Original Reference:** *Armada clio* ssp. *pakistana* Wiltshire,1979, Revision of the *Armadini*: 73, figs. **Holotype** ♂: Pakistan: 150km SW of Quetta, 900m, 13.vi.1965, Kasy & Vartian leg. (NHMW). **Range (in code):** **PK BI Qu**
- 57859. *Armada dentata* (Staudinger,1884)** (Noctuidae) **Synonym(s):** *dentata* Staudinger,1884; *afghana* Hampson,1926. **Range (in code):** **AF TM Kp IR Ss**
- 57860. *Armada fletcheri* Wiltshire,1961** (Noctuidae) **Synonym(s):** *fletcheri* Wiltshire,1961 **Range (in code):** **IR SA**
- 57861. *Armada gallagheri* Wiltshire,1984** (Noctuidae) **Synonym(s):** *gallagheri* Wiltshire,1984 **Range (in code):** **OM**
- 57862. *Armada heliothidia* (Hampson,1896)** (Noctuidae) **Synonym(s):** *heliothidia* Hampson,1896; *roseifemur* Brandt,1939. **Range (in code):** **IR Ss Th Chh Fa IN**
- 57863. *Armada maritima* Brandt,1939** (Noctuidae) **Synonym(s):** *maritima* Brandt,1939 **Range (in code):** **IR Ss Chh Hz B-A OM SA**
- 57864. *Armada nilotica* A.Bang-Haas,1912** (Noctuidae) **Synonym(s):** *nilotica* A.Bang-Haas,1912 **Range (in code):** **EG Sn** **Bionomy:** Larva on *Heliotropium luteum*, *H. arabense* (Andres & Seitz,1914,1925, Wiltshire,1948,1979).
- 57865. *Armada panaceorum* (Ménétriés,1849)** (Noctuidae) **Synonym(s):** *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915. **Original Reference:** *Ophiusa panaceorum* Ménétriés,1849, Mém. Acad. imp. Sci. St.Petersb. 6: 75, pl.6 fig.6. **Type:** [Uzbekistan]: Bokhara. **Range (in code):** **Cn MR MA DZ Ah BSa Sfr Ear Onç TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da**
- 57866. *Armada panaceorum panaceorum* (Ménétriés,1849)** (Noctuidae) **Synonym(s):** *panaceorum* Ménétriés,1849; *distincta* Rothschild,1915. **Original Reference:** *Ophiusa panaceorum* Ménétriés,1849, Mém. Acad. imp. Sci. St.Petersb. 6: 75, pl.6 fig.6. **Type:** [Uzbekistan]: Bokhara. **Range (in code):** **Cn MR MA DZ Ah BSa Sfr Ear Onç TN LY EG Sn IL Pa Hf JO SY TR IQ Agh Qg KW SA IR Ss Elb Th Kdj Ab Khy Mrd Ak Ma Chh Hz B-A TM UZ Br N-A AF Dwe KG Tk Tks MN CN Ui Ti RU Cc Da**
- 57867. *Armada philbyi* Wiltshire,1979** (Noctuidae) **Synonym(s):** *philbyi* Wiltshire,1979 **Range (in code):** **EG Sn SA KW OM AE**
- 57868. *Armana nigraericta* Swinhoe,1890** (Noctuidae) **Synonym(s):** *nigraericta* Swinhoe,1890 **Range (in code):** **MM Bse TH Tng**
- 57869. *Aroana cingalensis* (Walker,1865)** (Noctuidae) **Synonym(s):** *cingalensis* Walker,1865 **Range (in code):** **LK Dck Pdy VN TH Ntt Hba**

- 57870. Aroana olivacea Bethune-Baker,1906** (Noctuidae) Synonym(s): *olivacea* Bethune-Baker,1906 Range (in code): **PG**
- 57871. Aroana sp.** (Noctuidae) Synonym(s): Range (in code): **TH Ntt Hba**
- 57872. Arrade samoensis Tams,1935** (Noctuidae) Synonym(s): *samoensis* Tams,1935 Range (in code): **WS**
- 57873. Arrhapa frontalis Walker,1862** (Noctuidae) Synonym(s): *frontalis* Walker,1862; *paradoxa* Kobes,1997 Range (in code): **MY Bor Swk ID Sum**
- 57874. Arrhapa robinsoni (Swinhoe,1903)** (Noctuidae) Synonym(s): *robinsoni* Swinhoe,1903 Range (in code): **MY Bor ID Klt SG**
- 57875. Arrothia bicolor Rothschild,1896** (Noctuidae) Synonym(s): *bicolor* Rothschild,1896 Range (in code): **MG**
- 57876. Artana certior (Walker,1858)** (Noctuidae) Synonym(s): *certior* Walker,1858; *contenta* Walker,1858; *siamica* Walker,1865; *rectilinea* Snellen,1887 Range (in code): **ID Sum Ja TH KH VN MM IN**
- 57877. Artana convergens (Gaede,1917)** (Noctuidae) Synonym(s): *#ochrobrunnea* Strand,1914; *convergens* Gaede,1917; *ochrobrunnea* A.E.Prout,1919 Range (in code): **TH CMa Int MY ID Sum PG PH Pal**
- 57878. Artana dotata (Fabricius,1794)** (Noctuidae) Synonym(s): *dotata* Fabricius,1794 Range (in code): **TH CMa Cuoi Dst CDo MY VN KH NP PK IN LK CN TW JP KP KR RU Us ID Sum Bor PH**
- 57879. Artana lacteicincta (Hampson,1912)** (Noctuidae) Synonym(s): *lacteicincta* Hampson,1912 Range (in code): **IN Slo TH Nrt Kao Tng**
- 57880. Artana rubida (Walker,1864)** (Noctuidae) Synonym(s): *rubida* Walker,1864 Range (in code): **MY Bor Swk TH Nrt Kao CMa Int CN IN Adm ID Sum Bor PG PH**
- 57881. Artana submira (Walker,1858)** (Noctuidae) Synonym(s): *submira* Walker,1858 Range (in code): **TH Phr MY VN MM IN**
- 57882. Arthisma scissuralis Moore,1883** (Noctuidae) Synonym(s): *scissuralis* Moore,1883; *albitarsata* Pagenstecher,1888 Range (in code): **ID Amb SG MY TH Ntt Hba MM Clb** Bionomy: Larva on *Durio zibethinus* (Bombacaceae) (Kuroko, Lewvanich,1993).
- 57883. Arthisma sp.1** (Noctuidae) Synonym(s): Range (in code): **TH Ntt Hba**
- 57884. Artigisa anomozancla Turner,1944** (Noctuidae) Synonym(s): *anomozancla* Turner,1944 Range (in code): **AU QAU**
- 57885. Artigisa melanephele Hampson,1914** (Noctuidae) Synonym(s): *melanephele* Hampson,1914 Range (in code): **TA**
- 57886. Artigisa nigrosignata Waslker,1864** (Noctuidae) Synonym(s): *nigrosignata* Waslker,1864; *catenata* Moore,1887; *apicalis* Butler,1889 Range (in code): **LK**
- 57887. Arytrura musculus (Ménétriés,1859)** (Noctuidae) Synonym(s): *musculus* Ménétriés,1859 Range (in code): **HU RO RU Cc Ro Kr KG Uk**
- 57888. Arytrurides inornata (Walker,1865)** (Noctuidae) Synonym(s): *inornata* Walker,1865 Range (in code): **PK Haz Mre Pj IN Hp Sml TH CMa Int**
- 57889. Ascalapha odorata (Linnaeus,1758)** (Noctuidae) Synonym(s): *odorata* Linnaeus,1758; *odora* Linnaeus,1764; *agarista* Cramer,[1777] Range (in code): **ZA FR**
- 57890. Asiccia lithosiana Hampson,1926** (Noctuidae) Synonym(s): *lithosiana* Hampson,1926; *#lithosiana* Kononenko & Pinratana,2005 Range (in code): **TH Nan Dpk IN Meg Ass Khs**
- 57891. Asinduma elaeota Hampson,1912** (Noctuidae) Synonym(s): *elaeta* Hampson,1912 Range (in code): **IN**
- 57892. Asinduma exscripta Walker,1864** (Noctuidae) Synonym(s): *exscripta* Walker,1864 Range (in code): **MY Bor Swk ID Sum** Bionomy: Larva on *Saraca* (Fabaceae) (Holloway,2003).
- 57893. Asinduma olivana (Swinhoe,1896)** (Noctuidae) Synonym(s): *olivana* Swinhoe,1896 Range (in code): **IN Ass Meg Khs**
- 57894. Aspidhampsonia binagwahoi Laporte,1978** (Noctuidae) Synonym(s): *binagwahoi* Laporte,1978 Range (in code): **KE**
- 57895. Aspidhampsonia glaucescens (Hampson,1905)** (Noctuidae) Synonym(s): *glaucescens* Hampson,1905; *russoi* Strand,1918 Range (in code): **ZW Har ZR**
- 57896. Aspidhampsonia ungemachi Laporte,1978** (Noctuidae) Synonym(s): *ungemachi* Laporte,1978 Range (in code): **ET**
- 57897. Aspidhampsonia villiersi Laporte,1972** (Noctuidae) Synonym(s): *villiersi* Laporte,1972 Range (in code): **SN**

- 57898. *Aspidifrontia anomala* Berio,1955** (Noctuidae) **Synonym(s):** *anomala* Berio,1955
Range (in code): **ZR**
- 57899. *Aspidifrontia axylides* (Hampson,1902)** (Noctuidae) **Synonym(s):** *axylides* Hampson,1902
Range (in code): **IN SI**
- 57900. *Aspidifrontia berhauti* Laporte,1972** (Noctuidae) **Synonym(s):** *berhauti* Laporte,1972
Range (in code): **SN**
- 57901. *Aspidifrontia biarcuata* Berio,1964** (Noctuidae) **Synonym(s):** *biarcuata* Berio,1964
Range (in code): **TZ**
- 57902. *Aspidifrontia bussindii* Berio,1937** (Noctuidae) **Synonym(s):** *bussindii* Berio,1937
Range (in code): **UG**
- 57903. *Aspidifrontia cinerea* Berio,1966** (Noctuidae) **Synonym(s):** *cinerea* Berio,1966
Range (in code): **ZR**
- 57904. *Aspidifrontia contrastata* A.E.Prout,1921** (Noctuidae) **Synonym(s):** *contrastata* A.E.Prout,1921
Range (in code): **ZR**
- 57905. *Aspidifrontia corticea* (Hampson,1910)** (Noctuidae) **Synonym(s):** *corticea* Hampson,1910
Range (in code): **ZM**
- 57906. *Aspidifrontia lamtoensis* Laporte,1974** (Noctuidae) **Synonym(s):** *lamtoensis* Laporte,1974
Range (in code): **CI**
- 57907. *Aspidifrontia oblata* Berio,1973** (Noctuidae) **Synonym(s):** *oblata* Berio,1973
Range (in code): **TZ**
- 57908. *Aspidifrontia pulvereana* Hampson,1913** (Noctuidae) **Synonym(s):** *pulvereana* Hampson,1913
Range (in code): **NG**
- 57909. *Aspidifrontia radiata* Hampson,1905** (Noctuidae) **Synonym(s):** *radiata* Hampson,1905
Range (in code): **ZA KE**
- 57910. *Aspidifrontia rufescens* Hampson,1902** (Noctuidae) **Synonym(s):** *rufescens* Hampson,1902
Range (in code): **ZA ZW Uma**
- 57911. *Aspidifrontia sagitta* Berio,1964** (Noctuidae) **Synonym(s):** *sagitta* Berio,1964
Range (in code): **KE**
- 57912. *Aspidifrontia semiarcuata* Berio,1973** (Noctuidae) **Synonym(s):** *semiarcuata* Berio,1973
Range (in code): **TZ Iko**
- 57913. *Aspidifrontia semipallida* Hampson,1902** (Noctuidae) **Synonym(s):** *semipallida* Hampson,1902; *hemileuca* Hampson,1909
Range (in code): **ZA ZW Uma SL**
- 57914. *Aspidifrontia senegalensis* Berio,1966** (Noctuidae) **Synonym(s):** *senegalensis* Berio,1966
Range (in code): **SN**
- 57915. *Aspidifrontia tanganykae* Berio,1964** (Noctuidae) **Synonym(s):** *tanganykae* Berio,1964
Range (in code): **TZ**
- 57916. *Asplenina melanodonta* (Hampson,1896)** (Noctuidae) **Synonym(s):** *melanodonta* Hampson,1896
Range (in code): **YE SD ET SO KE ZA ZW AO NE TZ**
- 57917. *Asplenina melanodonta chloridina* (Hampson,1896)** (Noctuidae) **Synonym(s):** *chloridina* Hampson,1896
Range (in code): **ZA ZW AO**
- 57918. *Asplenina melanodonta melanodonta* (Hampson,1896)** (Noctuidae) **Synonym(s):** *melanodonta* Hampson,1896
Range (in code): **YE**
- 57919. *Asplenina melanodonta rubescens* (Hampson,1896)** (Noctuidae) **Synonym(s):** *rubescens* Hampson,1896
Range (in code): **KE TZ ET NE SO**
- 57920. *Asteropetes noctuina* (Butler,1878)** (Noctuidae) **Synonym(s):** *noctuina* Butler,1878
Range (in code): **JP**
- 57921. *Asteroscopus sphinx* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *sphinx* Hufnagel,1766; *cassinia* [Denis & Schiffermüller],1775; *alpina* Seifers,1916.
Original Reference: *Phalaena sphinx* Hufnagel,1766, Berl. Mag. 3 (3): 400. Type(s): [Germany]: Berlin. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR GG Bjo Smt Akh Cc DK SE RU Kr St Kb Nt Da MD UA BY**
- 57922. *Asteroscopus syriaca* (W.Warren,1910)** (Noctuidae) **Synonym(s):** *syriaca* W.Warren,1910; *decipulae* Kovacs,1966.
Original Reference: *Brachionycha syriaca* W.Warren,1910, [in] Seitz, Die Gross-Schmett. Erde 3: 121. Type: [Türkei]: Akbes. **Range (in code):** **SK RO YU BG GR TR**
- 57923. *Atacira affinis* (Hampson,1918)** (Noctuidae) **Synonym(s):** *affinis* Hampson,1918
Range (in code): **TW TH Knc JP Ri**

- 57924. *Atacira brunneata* Holloway,1985** (Noctuidae) Synonym(s): *brunneata* Holloway,1985
Range (in code): **MY ID Sum TH Knc**
- 57925. *Atacira caesia* (Roepke,1938)** (Noctuidae) Synonym(s): *caesia* Roepke,1938 _ Range (in code): **ID Clb Bor MY TH CMa Dst**
- 57926. *Atacira diehli* (Kobes,1982)** (Noctuidae) Synonym(s): *diehli* Kobes,1982 _ Range (in code): **MY Bor TH Ntt Hba ID Sum**
- 57927. *Atacira dimidiata* (Walker,1863)** (Noctuidae) Synonym(s): *dimidiata* Walker,1863; *triangulatrix* Wileman & West,1928 _ Range (in code): **PH Luz Bor Swk MY TH Tng ID Sum Clb Sda**
- 57928. *Atacira glauca* (A.E.Prout,1928)** (Noctuidae) Synonym(s): *glauca* A.E.Prout,1928
Range (in code): **ID Sum MY TH Ntt Hba**
- 57929. *Atacira grabczewskii* (Püngeler,1903)** (Noctuidae) Synonym(s): *grabczewskii* Püngeler,1903 _ Range (in code): **CN JP KP KR TH Nan Dpk**
- 57930. *Atacira hupopalialia* (Rothschild,1920)** (Noctuidae) Synonym(s): *hupopalialia* Rothschild,1920
Range (in code): **ID Sum TH Ntt Hba**
- 57931. *Atacira josephinae* (Holloway,1976)** (Noctuidae) Synonym(s): *josephinae* Holloway,1976
Range (in code): **MY Bor Sbh Kba TH CMa CDo Dst Dso9**
- 57932. *Atacira melanephra* (Hampson,1912)** (Noctuidae) Synonym(s): *melanephra* Hampson,1912 _ Range (in code): **IN SI LK JP Ri TH CMa Php**
- 57933. *Atacira* sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Knc**
- 57934. *Atethmia algerica* (Culot,1917)** (Noctuidae) Synonym(s): *algerica* Culot,1917; *schleppniki* Predota,1934
Original Reference: *Cirroedia algerica* Culot,1917, Noct. Geom. Eur. (1) 2: 76, pl.53 fig.1. Type: Algérie, Lambessa. Range (in code): **DZ Lbs Btba Sbd Abe PT ES**
- 57935. *Atethmia ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
Original Reference: *Noctua ambusta* Fabricius,1787, Mant. Ins. 2: 152, nr.129. Type(s): [Wien]. Range (in code): **IT DE CH AT PL CZ SK HU RO YU BG GR LT RU GG Lag Cc Ro MD UA BY CY TR LB IL Pa Js JO EG**
Bionomy: Larva on Pyrus, Malus (Rosaceae) (Hofmann,1893; Kemal, in litt.).
- 57936. *Atethmia ambusta ambusta* (Fabricius,1787)** (Noctuidae) Synonym(s): *#ambusta* [Denis & Schiffermüller],1775; *ambusta* Fabricius,1787; *xerampelina* Esper,1793; *rufescens* Turner,1942
Original Reference: *Noctua ambusta* Fabricius,1787, Mant. Ins. 2: 152, nr.129. Type(s): [Wien]. Range (in code): **IT DE CH AT PL CZ SK HU RO YU BG GR LT RU Cc Ro GG Lag MD UA BY**
- 57937. *Atethmia ambusta rubens* (Staudinger,1901)** (Noctuidae) Synonym(s): *rubens* Staudinger,1901 _ Range (in code): **TR**
- 57938. *Atethmia ambusta syriaca* Osthelder,1933** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933
Original Reference: *Atethmia ambusta* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23: 68-69. Syntypes: [Türkei]: Maraş. Range (in code): **CY TR LB IL Pa Js JO LB**
- 57939. *Atethmia centrargo* (Haworth,[1809])** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
Original Reference: *Noctua centrargo* Haworth,[1809], Lepid. Br.:236. Type(s): England. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM Eri Cc GG Bjo TR CY LB Bei IL Js Pa SY JO Sn EG RU Ro Kr MD UA BY IR Elb Th Fa Shr TM Kp PK**
Bionomy: Larva on Fraxinus (Hampson,1906; Spuler,1907).
- 57940. *Atethmia centrargo borjomensis* (Romanoff,1885)** (Noctuidae) Synonym(s): *borjomensis* Romanoff,1885
Original Reference: *Cirroedia borjomensis* Romanoff,1885, Mém. lépid. 2: 61-62, pl.iii fig.6. Type ♀: [Georgia]: Borjom 26 Aout, (ZIN). Range (in code): **Cc GG Bjo AM Eri TM Kp RU Ro Kr**
- 57941. *Atethmia centrargo centrargo* (Haworth,1809)** (Noctuidae) Synonym(s): *centrargo* Haworth,[1809].
Original Reference: *Noctua centrargo* Haworth,[1809], Lepid. Br.:236. Type(s): England. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR**
- 57942. *Atethmia centrargo maculifera* (Staudinger,1892)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1892
Original Reference: *Cirroedia xerampelina* var. *maculifera* Staudinger,1892, Dt. ent. Z., Iris 4: 299. Syntypes: Palestina: Jerusalem. Range (in code): **LB Bei IL Js Pa SY JO Sn EG**
- 57943. *Atethmia centrargo pallida* (Staudinger,1892)** (Noctuidae) Synonym(s): *pallida* Staudinger,1892; *flava* Rebel,1933
Original Reference: *Cirroedia xerampelina* var. *pallida* Staudinger,1892, Dt. ent. Z., Iris 4: 299. Syntypes: [Türkei]: Amasia. Range (in code): **TR IR Elb Th Fa Shr**

- 57944. *Atethmia obscura* Osthelder,1933** (Noctuidae) Synonym(s): *obscura* Osthelder,1933
Original Reference: *Atethmia obscura* Osthelder,1933, Mitt. münch. ent. Ges. 23: 69. Syntypes
♂ 3♀: [Türkei]: Maraş. Range (in code): **TR**
- 57945. *Atethmia pinkeri* (Boursin,1970)** (Noctuidae) Synonym(s): *#pinkeri* Boursin,1970
Range (in code): **TR**
- 57946. *Atethmia sinuata* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *sinuata* L.Ronkay
& Gyulai,2006 Range (in code): **IR By Yas**
- 57947. *Athaumasta cortex* (Alpheraky,1887)** (Noctuidae) Synonym(s): *cortex* Alpheraky,1887;
corticula Püngeler,1901. Range (in code): **CN Ui KK Skm Ax KG Tk Dj**
- 57948. *Athaumasta expressa* (Lederer,1855)** (Noctuidae) Synonym(s): *expressa* Lederer,1855;
ochracea Staudinger,1881 Range (in code): **RU At KG Ssn CN Ui Kml MN**
- 57949. *Athaumasta siderigera* (Christoph,1893)** (Noctuidae) Synonym(s): *siderigera*
Christoph,1893 Range (in code): **RU At**
- 57950. *Athetis absorbens* (Walker,[1857])** (Noctuidae) Synonym(s): *absorbens* Walker,[1857]
Range (in code): **ZA Ec**
- 57951. *Athetis aeneolineata* M.Krüger,2001** (Noctuidae) Synonym(s): *aeneolineata*
M.Krüger,2001 Range (in code): **ZA**
- 57952. *Athetis aeschria* Hampson,1909** (Noctuidae) Synonym(s): *aeschria* Hampson,1909
Range (in code): **ZA**
- 57953. *Athetis aeschrioides* Berio,1940** (Noctuidae) Synonym(s): *aeschrioides* Berio,1940
Range (in code): **ER**
- 57954. *Athetis alacra* A.E.Prout,1928** (Noctuidae) Synonym(s): *alacra* A.E.Prout,1928 Range
(in code): **ID Sum**
- 57955. *Athetis albanalis* (W.Warren,1912)** (Noctuidae) Synonym(s): *albanalis* W.Warren,1912
Range (in code): **LK**
- 57956. *Athetis albilineola* A.E.Prout,1928** (Noctuidae) Synonym(s): *albilineola* A.E.Prout,1928
Range (in code): **ID Sum**
- 57957. *Athetis albipuncta* (Hampson,1902)** (Noctuidae) Synonym(s): *albipuncta* Hampson,1902
Range (in code): **ZA Ec Tra**
- 57958. *Athetis albirena* (Hampson,1902)** (Noctuidae) Synonym(s): *albirena* Hampson,1902
Range (in code): **ZW Har**
- 57959. *Athetis alpina* M.Krüger,2001** (Noctuidae) Synonym(s): *alpina* M.Krüger,2001 Range
(in code): **ZA**
- 57960. *Athetis alternata* (Janse,1938)** (Noctuidae) Synonym(s): *alternata* Janse,1938 Range
(in code): **ZA**
- 57961. *Athetis anomoeosis* Hampson,1909** (Noctuidae) Synonym(s): *anomoeosis* Hampson,1909
Range (in code): **KE ZA**
- 57962. *Athetis assecta* M.Krüger,2001** (Noctuidae) Synonym(s): *assecta* M.Krüger,2001
Range (in code): **ZA**
- 57963. *Athetis atriluna* (W.Warren,1913)** (Noctuidae) Synonym(s): *atriluna* W.Warren,1913
Range (in code): **IN Ass Meg Khs**
- 57964. *Athetis atrispherica* Hampson,1914** (Noctuidae) Synonym(s): *atrispherica* Hampson,1914
Range (in code): **KE Nai**
- 57965. *Athetis atristicta* Hampson,1918** (Noctuidae) Synonym(s): *atristicta* Hampson,1918
Range (in code): **ZW Har**
- 57966. *Athetis aurobrunnea* (Janse,1938)** (Noctuidae) Synonym(s): *aurobrunnea* Janse,1938
Range (in code): **ZA**
- 57967. *Athetis aurogrisea* M.Krüger,2000** (Noctuidae) Synonym(s): *aurogrisea* M.Krüger,2000
Range (in code): **ZA**
- 57968. *Athetis auronitens* M.Krüger,2000** (Noctuidae) Synonym(s): *auronitens* M.Krüger,2000
Range (in code): **ZA**
- 57969. *Athetis bicolor* (Chrétien,1913)** (Noctuidae) Synonym(s): *bicolor* Chrétien,1913 Range
(in code): **DZ**
- 57970. *Athetis bicornuta* M.Krüger,2000** (Noctuidae) Synonym(s): *bicornuta* M.Krüger,2000
Range (in code): **ZA**
- 57971. *Athetis bilimbata* Berio,1976** (Noctuidae) Synonym(s): *bilimbata* Berio,1976 Range (in
code): **ZR**

- 57972. *Athetis bipuncta* (Snellen,1880)** (Noctuidae) Synonym(s): *bipuncta* Snellen,1880; *pratti* Bethune-Baker,1906 _ Range (in code): IN TH CMa ID Sum Clb MY Bor KBa Sbh PG
- 57973. *Athetis biumbrosa* Berio,1940** (Noctuidae) Synonym(s): *biumbrosa* Berio,1940 _ Range (in code): ER
- 57974. *Athetis bremusa* (Swinhoe,1885)** (Noctuidae) Synonym(s): *bremusa* Swinhoe,1885 Range (in code): IN Poo
- 57975. *Athetis brunneaplagata* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *brunneaplagata* Bethune-Baker,1911 _ Range (in code): ZA
- 57976. *Athetis bytinskii* (Schawerda,1934)** (Noctuidae) Synonym(s): *bytinskii* Schawerda,1934 Range (in code): CN
- 57977. *Athetis camptoграмма* (Hampson,1910)** (Noctuidae) Synonym(s): *camptoграмма* Hampson,1910 _ Range (in code): ZM
- 57978. *Athetis carayoni* Laporte,1977** (Noctuidae) Synonym(s): *carayoni* Laporte,1977 _ Range (in code): ET ET86 ET24
- 57979. *Athetis cervina* (Moore,1881)** (Noctuidae) Synonym(s): *cervina* Moore,1881 _ Range (in code): IN SI Djl
- 57980. *Athetis chionephra* (Hampson,1911)** (Noctuidae) Synonym(s): *chionephra* Hampson,1911 Range (in code): ZW Vf
- 57981. *Athetis chionopis* Hampson,1909** (Noctuidae) Synonym(s): *chionopis* Hampson,1909 Range (in code): ZA
- 57982. *Athetis cinerea* W.Warren,1914** (Noctuidae) Synonym(s): *cinerea* W.Warren,1914 Range (in code): IN SI Djl
- 57983. *Athetis cognata* (Moore,1882)** (Noctuidae) Synonym(s): *cognata* Moore,1882 Original Reference: Graphiphora cognata Moore,1882, Descr. lepid. Coll. Atkinson 2: 119. Range (in code): PK Thu IN SI Djl
- 57984. *Athetis collaris* (Wallengren,1856)** (Noctuidae) Synonym(s): *collaris* Wallengren,1856; *caeca* Hampson,1902. _ Range (in code): ZA
- 57985. *Athetis collicola* M.Krüger,2001** (Noctuidae) Synonym(s): *collicola* M.Krüger,2001 Range (in code): ZA
- 57986. *Athetis consocia* M.Krüger,2001** (Noctuidae) Synonym(s): *consocia* M.Krüger,2001 Range (in code): ZA
- 57987. *Athetis contorta* Berio,1976** (Noctuidae) Synonym(s): *contorta* Berio,1976 _ Range (in code): ZR
- 57988. *Athetis correpta* (Püngeler,1907)** (Noctuidae) Synonym(s): *correpta* Püngeler,1907 Range (in code): CN Ui Um
- 57989. *Athetis cristifera* Berio,1977** (Noctuidae) Synonym(s): *cristifera* Berio,1977 _ Range (in code): CN Yu Lik
- 57990. *Athetis dallolmoi* (Berio,1974)** (Noctuidae) Synonym(s): *dallolmoi* Berio,1974 _ Range (in code): TZ Iko
- 57991. *Athetis debilis* M.Krüger,2000** (Noctuidae) Synonym(s): *debilis* M.Krüger,2000 Range (in code): ZA
- 57992. *Athetis delecta* (Moore,1881)** (Noctuidae) Synonym(s): *delecta* Moore,1881 Original Reference: Caradrina delecta Moore,1881, Proc. zool. Soc. London 181: 349, pl.38 fig.15. Type: Darjeeling (MNHU, Berlin). Range (in code): SI IN Djl TH
- 57993. *Athetis divisa* (Moore,1882)** (Noctuidae) Synonym(s): *divisa* Moore,1882 _ Range (in code): IN SI Djl
- 57994. *Athetis duplex* (Janse,1938)** (Noctuidae) Synonym(s): *duplex* Janse,1938 _ Range (in code): ZA
- 57995. *Athetis ectomelaena* Hampson,1916** (Noctuidae) Synonym(s): *ectomelaena* Hampson,1916 Range (in code): SO
- 57996. *Athetis elephantula* Berio,1976** (Noctuidae) Synonym(s): *elephantula* Berio,1976 Range (in code): TZ
- 57997. *Athetis euxoa* M.Krüger,2001** (Noctuidae) Synonym(s): *euxoa* M.Krüger,2001 _ Range (in code): ZA
- 57998. *Athetis excurvata* (Janse,1938)** (Noctuidae) Synonym(s): *excurvata* Janse,1938 _ Range (in code): ZA Tva Gau Pre

- 57999. *Athetis externa* (Walker,1865)** (Noctuidae) Synonym(s): *externa* Walker,1865 _ Range
(in code): **IN SI Djl PK K-P**
- 58000. *Athetis fasciata* (Moore,1867)** (Noctuidae) Synonym(s): *fasciata* Moore,1867 _ Range
(in code): **IN SI Djl**
- 58001. *Athetis flavipuncta* Hampson,1909** (Noctuidae) Synonym(s): *flavipuncta* Hampson,1909;
croceipuncta Hampson,1909; *tanzaniae* Berio,1976 _ Range (in code): TZ ZW Har
- 58002. *Athetis fontainei* (Berio,1974)** (Noctuidae) Synonym(s): *fontainei* Berio,1974 _ Range
(in code): **ZR**
- 58003. *Athetis foveata* Hampson,1909** (Noctuidae) Synonym(s): *foveata* Hampson,1909
Range (in code): ZA Tva Lpo Wri
- 58004. *Athetis fraus* M.Krüger,2000** (Noctuidae) Synonym(s): *fraus* M.Krüger,2000 _ Range
(in code): **ZA**
- 58005. *Athetis fulgens* M.Krüger,2001** (Noctuidae) Synonym(s): *fulgens* M.Krüger,2001
Range (in code): ZA
- 58006. *Athetis fumicolor* (Janse,1938)** (Noctuidae) Synonym(s): *fumicolor* Janse,1938 _ Range
(in code): **ZA Tva Gau Pre**
- 58007. *Athetis funesta* (Staudinger,1888)** (Noctuidae) Synonym(s): *funesta* Staudinger,1888
Range (in code): RU Us Vv
- 58008. *Athetis furvula* (Hübner,[1808])** (Noctuidae) Synonym(s): *furvula* Hübner,[1808];
dasychira Hübner,[1817]; *lenta* Treitschke,1825. _ Range (in code): IT CH? AT PL CZ SK HU RO YU BG
TR RU Ro St Kb Ich Da Cc GG Tbl Lag AZ Kir Nv Ord AM CN Ui Ku KG Tk Dj JP Bionomy: Larva on
Rumex (Hacker,1989).
- 58009. *Athetis gizana* Wiltshire,1986** (Noctuidae) Synonym(s): *gizana* Wiltshire,1986 _ Range
(in code): **SA Jz**
- 58010. *Athetis glauca* (Hampson,1902)** (Noctuidae) Synonym(s): *glauca* Hampson,1902
Range (in code): ZW Har KE
- 58011. *Athetis glaucopis* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *glaucopis* Bethune-
Baker,1911 _ Range (in code): KE Nai
- 58012. *Athetis gluteosa* (Treitschke,1835)** (Noctuidae) Synonym(s): *gluteosa* Treitschke,1835
Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO YU MK BG GR TR GG AZ Kir AM Cc NO SE
FI EE RU Ro Kr St Ich Ing Da MD UA BY KK Ik Skm JP
- 58013. *Athetis gonionephra* Hampson,1909** (Noctuidae) Synonym(s): *gonionephra*
Hampson,1909; *nephrogonia* Berio,1976. _ Range (in code): TZ ZA Nta Kzu
- 58014. *Athetis gracilis* M.Krüger,2001** (Noctuidae) Synonym(s): *gracilis* M.Krüger,2001
Range (in code): ZA
- 58015. *Athetis heliastis* Hampson,1909** (Noctuidae) Synonym(s): *heliastis* Hampson,1909
Range (in code): ZA Tva Lpo Wri
- 58016. *Athetis heringi* Viette,1963** (Noctuidae) Synonym(s): *heringi* Viette,1963 _ Range (in
code): MG
- 58017. *Athetis humberti* Viette,1963** (Noctuidae) Synonym(s): *humberti* Viette,1963 _ Range
(in code): **MG**
- 58018. *Athetis hypereschra* Hampson,1909** (Noctuidae) Synonym(s): *hypereschra*
Hampson,1909 _ Range (in code): KE
- 58019. *Athetis ignava* (Guenée,1852)** (Noctuidae) Synonym(s): *ignava* Guenée,1852; *pervicax*
Wallengren,1875. _ Range (in code): MU ZA Tva
- 58020. *Athetis instrata* M.Krüger,2001** (Noctuidae) Synonym(s): *instrata* M.Krüger,2001
Range (in code): ZA
- 58021. *Athetis interlata* (Walker,1857)** (Noctuidae) Synonym(s): *interlata* Walker,1857
Range (in code): ZA Nta Kzu Est
- 58022. *Athetis interstincta* (Moore,1882)** (Noctuidae) Synonym(s): *interstincta* Moore,1882
Range (in code): IN SI Djl
- 58023. *Athetis intricata* M.Krüger,2001** (Noctuidae) Synonym(s): *intricata* M.Krüger,2001
Range (in code): ZA
- 58024. *Athetis leuconephra* Hampson,1909** (Noctuidae) Synonym(s): *leuconephra*
Hampson,1909 _ Range (in code): ZW Har
- 58025. *Athetis leucopis* (Hampson,1902)** (Noctuidae) Synonym(s): *leucopis* Hampson,1902
Range (in code): ZA Ec Tra

- 58026. *Athetis longiciliata* Hampson, 1909** (Noctuidae) **Synonym(s):** *longiciliata* Hampson, 1909
Range (in code): **IN Ass Meg Khs**
- 58027. *Athetis longidigitus* Berio, 1976** (Noctuidae) **Synonym(s):** *longidigitus* Berio, 1976
Range (in code): **TZ**
- 58028. *Athetis lyrophora* Boursin, 1970** (Noctuidae) **Synonym(s):** *lyrophora* Boursin, 1970
Range (in code): **PK Gg Kk**
- 58029. *Athetis magniplagia* (Hampson, 1918)** (Noctuidae) **Synonym(s):** *magniplagia* Hampson, 1918
Range (in code): **ZA**
- 58030. *Athetis magniplagia* (Hampson, 1918)** (Noctuidae) **Synonym(s):** *magniplagia* Hampson, 1918
Range (in code): **NG**
- 58031. *Athetis melanephra* Hampson, 1909** (Noctuidae) **Synonym(s):** *melanephra* Hampson, 1909
Range (in code): **ZA**
- 58032. *Athetis melanomma* Hampson, 1920** (Noctuidae) **Synonym(s):** *melanomma* Hampson, 1920
Range (in code): **ZA Nta Kzu Dbn**
- 58033. *Athetis melanopis* Hampson, 1909** (Noctuidae) **Synonym(s):** *melanopis* Hampson, 1909
Range (in code): **ZA Tva Lpo Wri**
- 58034. *Athetis melanosema* Hampson, 1914** (Noctuidae) **Synonym(s):** *melanopis* Hampson, 1909
nec Hamps., 1909; melanosema Hampson, 1914
Range (in code): **ZW Har**
- 58035. *Athetis melanosticta* Hampson, 1891** (Noctuidae) **Synonym(s):** *melanosticta* Hampson, 1891
Range (in code): **ZA Nta Kzu Dbn IN**
- 58036. *Athetis metis* (Janse, 1938)** (Noctuidae) **Synonym(s):** *metis* Janse, 1938
Range (in code): **ZA**
- 58037. *Athetis micra* (Hampson, 1902)** (Noctuidae) **Synonym(s):** *micra* Hampson, 1902
Range (in code): **ZA Nta Kzu Dbn**
- 58038. *Athetis microtera* (Hampson, 1902)** (Noctuidae) **Synonym(s):** *microtera* Hampson, 1902
Range (in code): **ZW Har**
- 58039. *Athetis morbidensis* Berio, 1976** (Noctuidae) **Synonym(s):** *morbidensis* Berio, 1976
Range (in code): **ZR**
- 58040. *Athetis mozambica* Hampson, 1918** (Noctuidae) **Synonym(s):** *mozambica* Hampson, 1918
Range (in code): **MZ ZA**
- 58041. *Athetis multilinea* Wileman & South, 1920** (Noctuidae) **Synonym(s):** *multilinea* Wileman & South, 1920
Range (in code): **PH Luz**
- 58042. *Athetis nephrosticta* Hampson, 1909** (Noctuidae) **Synonym(s):** *nephrosticta* Hampson, 1909
Range (in code): **ZA Tva Lpo Wri**
- 58043. *Athetis nigra* (Janse, 1938)** (Noctuidae) **Synonym(s):** *nigra* Janse, 1938
Range (in code): **ZA Ec Ste**
- 58044. *Athetis nigrilla* Berio, 1976** (Noctuidae) **Synonym(s):** *nigrilla* Berio, 1976
Range (in code): **ZR**
- 58045. *Athetis nigristriata* M. Krüger, 2000** (Noctuidae) **Synonym(s):** *nigristriata* M. Krüger, 2000
Range (in code): **ZA**
- 58046. *Athetis obscura* (Wileman & South, 1920)** (Noctuidae) **Synonym(s):** *obscura* Wileman & South, 1920
Range (in code): **PH Luz**
- 58047. *Athetis obscuroides* Poole, 1989** (Noctuidae) **Synonym(s):** *obscura* Janse, 1938 (*praeocc.*); *obscuroides* Poole, 1989
Range (in code): **ZA Nta Kzu**
- 58048. *Athetis ocellata* (Janse, 1938)** (Noctuidae) **Synonym(s):** *ocellata* Janse, 1938
Range (in code): **ZA Nta Kzu Dbn Tva Gau pre**
- 58049. *Athetis ochracea* (Hampson, 1894)** (Noctuidae) **Synonym(s):** *ochracea* Hampson, 1894
Range (in code): **MM Peg**
- 58050. *Athetis pallescens* (Janse, 1938)** (Noctuidae) **Synonym(s):** *pallescens* Janse, 1938
Range (in code): **ZA**
- 58051. *Athetis pallicornis* (R. Felder & Rogenhofer, 1874)** (Noctuidae) **Synonym(s):** *pallicornis* R. Felder & Rogenhofer, 1874
Range (in code): **ZA Ec Tra Kny**
- 58052. *Athetis pallustris* (Hübner, [1808])** (Noctuidae) **Synonym(s):** *pallustris* Hübner, [1808];
#palustris Lederer, 1870
Original Reference: *Noctua pallustris* Hübner, [1808], Samml. eur. Schmett. Noct. 2 Taf. 79 fig. 367. Type(s): Europa.
Range (in code): **PT ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG TR GG Tbl AZ Kir AM Cc DK NO SE FI EE LV LT RU Ich Da MD UA BY MN**

- 58053. *Athetis pellicea* (Swinhoe,1903)** (Noctuidae) Synonym(s): *pellicea* Swinhoe,1903
Range (in code): **TH**
- 58054. *Athetis percnopis* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *percnopis* Bethune-Baker,1911 - Range (in code): **AO**
- 58055. *Athetis perplexa* (Janse,1938)** (Noctuidae) Synonym(s): *perplexa* Janse,1938 - Range (in code): **ZA Tva Hae**
- 58056. *Athetis pigra* (Guenée,1852)** (Noctuidae) Synonym(s): *pigra* Guenée,1852; *partita* Walker,[1857]; *orbata* Möschler,1883 - Range (in code): **ZA Ec Tra Nta Kzu ZR Sk ZW RE IN MM**
- 58057. *Athetis plumbescens* Wileman & West,1929** (Noctuidae) Synonym(s): *plumbescens* Wileman & West,1929 - Range (in code): **PH Luz**
- 58058. *Athetis poliostrata* Hampson,1909** (Noctuidae) Synonym(s): *poliostrata* Hampson,1909
Range (in code): **ZW Har**
- 58059. *Athetis postpuncta* Holloway,1979** (Noctuidae) Synonym(s): *postpuncta* Holloway,1979
Range (in code): **NC**
- 58060. *Athetis praetexta* (Swinhoe,1905)** (Noctuidae) Synonym(s): *praetexta* Swinhoe,1905
Range (in code): **IN Meg Ass Khs**
- 58061. *Athetis pulvisculum* Berio,1976** (Noctuidae) Synonym(s): *pulvisculum* Berio,1976
Range (in code): **ZR**
- 58062. *Athetis punctirena* Wileman & West,1929** (Noctuidae) Synonym(s): *punctirena* Wileman & West,1929 - Range (in code): **TW**
- 58063. *Athetis reclusa* (Walker,1862)** (Noctuidae) Synonym(s): *reclusa* Walker,1862; *agrotoides* Snellen,1880; *insignifera* Bethune-Baker,1906; *sparna* Wileman & West,1929 - Range (in code): **ID Sum Ja MY Bor Swk AU QAU NSw NH NC PH Luz**
- 58064. *Athetis renalis* (Moore,1884)** (Noctuidae) Synonym(s): *renalis* Moore,1884 - Range (in code): **LK Kndy Pdy**
- 58065. *Athetis restricta* (Janse,1938)** (Noctuidae) Synonym(s): *restricta* Janse,1938 - Range (in code): **ZA Ec**
- 58066. *Athetis rhigognostis* M.Krüger,2001** (Noctuidae) Synonym(s): *rhigognostis* M.Krüger,2001 - Range (in code): **ZA**
- 58067. *Athetis robertsi* (Janse,1938)** (Noctuidae) Synonym(s): *robertsi* Janse,1938 - Range (in code): **ZA**
- 58068. *Athetis robusta* M.Krüger,2000** (Noctuidae) Synonym(s): *robusta* M.Krüger,2000
Range (in code): **ZA**
- 58069. *Athetis rufipuncta* (Hampson,1902)** (Noctuidae) Synonym(s): *rufipuncta* Hampson,1902
Range (in code): **ZA Ec Ans**
- 58070. *Athetis rufistigma* W.Warren,1914** (Noctuidae) Synonym(s): *rufistigma* W.Warren,1914
Range (in code): **IN Ass Meg Khs**
- 58071. *Athetis satellitia* (Hampson,1902)** (Noctuidae) Synonym(s): *satellitita* Hampson,1902
Range (in code): **ZA MZ Del Nta Kzu Dbn**
- 58072. *Athetis scopsis* Berio,1976** (Noctuidae) Synonym(s): *scopsis* Berio,1976 - Range (in code): **ZR**
- 58073. *Athetis scotopis* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *scotopis* Bethune-Baker,1911 - Range (in code): **KE Nai**
- 58074. *Athetis signata* (Janse,1938)** (Noctuidae) Synonym(s): *signata* Janse,1938 - Range (in code): **ZA Tva Gau Pre**
- 58075. *Athetis sincera* (Swinhoe,1889)** (Noctuidae) Synonym(s): *sincera* Swinhoe,1889
Range (in code): **IN Hp Sml**
- 58076. *Athetis singula* (Möschler,1883)** (Noctuidae) Synonym(s): *singula* Möschler,1883; *pallida* Janse,1938 - Range (in code): **ZA ZW Vf Hfo**
- 58077. *Athetis sinistra* Berio,1976** (Noctuidae) Synonym(s): *sinistra* Berio,1976 - Range (in code): **ZR**
- 58078. *Athetis smintha* (Hampson,1902)** (Noctuidae) Synonym(s): *smintha* Hampson,1902
Range (in code): **ZA Nta Kzu Dbn Ec Tra**
- 58079. *Athetis sordida* M.Krüger,2001** (Noctuidae) Synonym(s): *sordida* M.Krüger,2001
Range (in code): **ZA**
- 58080. *Athetis splendidula* M.Krüger,2001** (Noctuidae) Synonym(s): *splendidula* M.Krüger,2001
Range (in code): **ZA**

- 58081. *Athetis stellata* (Moore,1882)** (Noctuidae) Synonym(s): *stellata* Moore,1882 _ Range (in code): IN Ass Meg Khs
- 58082. *Athetis striolata* (Butler,1886)** (Noctuidae) Synonym(s): *striolata* Butler,1886; *acallis* Turner,1903 _ Range (in code): AU QAU PG NC FJ WS TO
- 58083. *Athetis stygia* Hampson,1909** (Noctuidae) Synonym(s): *stygia* Hampson,1909 _ Range (in code): IN Hp Sml
- 58084. *Athetis tenuis* (Butler,1886)** (Noctuidae) Synonym(s): *tenuis* Butler,1886 _ Range (in code): AU NC NZ NF
- 58085. *Athetis tetraglypha* Berio,1939** (Noctuidae) Synonym(s): *tetraglypha* Berio,1939 Range (in code): ER
- 58086. *Athetis thoracica* (Moore,[1884])** (Noctuidae) Synonym(s): *thoracica* Moore,[1884]; *ceres* Butler,1886; *euthusa* Hampson,1891; *heliarcha* Meyrick,1897; *unipunctata* Bethune-Baker,1906; *#nigripuncta* W.Warren,1913 _ Range (in code): MY Bor TH CMa CDo
- 58087. *Athetis tornipuncta* Berio,1976** (Noctuidae) Synonym(s): *tornipuncta* Berio,1976 Range (in code): TZ
- 58088. *Athetis transvalensis* (Janse,1938)** (Noctuidae) Synonym(s): *transvalensis* Janse,1938 Range (in code): ZA Tva Lpo Gau Pre
- 58089. *Athetis transversa* (Walker,1858)** (Noctuidae) Synonym(s): *transversa* Walker,1858 Range (in code): IN
- 58090. *Athetis transversistriata* Strand,1911** (Noctuidae) Synonym(s): *transversistriata* Strand,1911 _ Range (in code): UG
- 58091. *Athetis triangulata* Wileman & West,1929** (Noctuidae) Synonym(s): *triangulata* Wileman & West,1929 _ Range (in code): PH Luz
- 58092. *Athetis tristigmatica* M.Krüger,2000** (Noctuidae) Synonym(s): *tristigmatica* M.Krüger,2000 _ Range (in code): ZA
- 58093. *Athetis umbriger* M.Krüger,2000** (Noctuidae) Synonym(s): *umbriger* M.Krüger,2000 Range (in code): ZA
- 58094. *Athetis xantholopha* (Hampson,1902)** (Noctuidae) Synonym(s): *xantholopha* Hampson,1902 _ Range (in code): ZA Nta Kzu Est Tra Ec
- 58095. *Athyrra anuliplaga* Walker,1865** (Noctuidae) Synonym(s): *anuliplaga* Walker,1865 Range (in code): ZA Nta Kzu
- 58096. *Athyrra bubo* Geyer,1832** (Noctuidae) Synonym(s): *bubo* Geyer,1832 _ Range (in code): ID Ja
- 58097. *Athyrra discimacula* Hampson,1926** (Noctuidae) Synonym(s): *discimacula* Hampson,1926 _ Range (in code): GH
- 58098. *Athyrra eupepla* A.E.Prout,1924** (Noctuidae) Synonym(s): *eupepla* A.E.Prout,1924 Range (in code): ID Sum
- 58099. *Athyrra heterographa* (Hampson,1912)** (Noctuidae) Synonym(s): *heterographa* Hampson,1912 _ Range (in code): MM Tns
- 58100. *Athyrra javanica* Roepke,1941** (Noctuidae) Synonym(s): *javanica* Roepke,1941 _ Range (in code): ID Ja
- 58101. *Athyrra mixosema* A.E.Prout,1928** (Noctuidae) Synonym(s): *mixosema* A.E.Prout,1928 Range (in code): ID Sum
- 58102. *Athyrra paucimacula* Roepke,1941** (Noctuidae) Synonym(s): *paucimacula* Roepke,1941 Range (in code): ID Ja
- 58103. *Athyrra perficiens* (Walker,1858)** (Noctuidae) Synonym(s): *perficiens* Walker,1858; *condita* Walker,1858; *olivacea* A.E.Prout,1922 _ Range (in code): IN LK ID Crm
- 58104. *Athyrra ptocha* A.E.Prout,1925** (Noctuidae) Synonym(s): *ptocha* A.E.Prout,1925 Range (in code): SG MY
- 58105. *Athyrra rufiscripta* Hampson,1926** (Noctuidae) Synonym(s): *rufiscripta* Hampson,1926 Range (in code): SG MY
- 58106. *Athyrra simplex* Roepke,1951** (Noctuidae) Synonym(s): *simplex* Roepke,1951 _ Range (in code): ID Sum
- 58107. *Athyrra tepescens* Walker,1858** (Noctuidae) Synonym(s): *tepescens* Walker,1858 Range (in code): MY Pen
- 58108. *Athyrra triangulifera* Draudt,1950** (Noctuidae) Synonym(s): *triangulifera* Draudt,1950 Range (in code): CN Yu Lik

- 58109. *Athyrrma uloptera* A.E.Prout,1925** (Noctuidae) Synonym(s): *uloptera* A.E.Prout,1925
Range (in code): **MY Sgo**
- 58110. *Athyrmella priangani* Roepke,1941** (Noctuidae) Synonym(s): *priangani* Roepke,1941
Range (in code): **ID Ja**
- 58111. *Athyrrmina albigutta* (Swinhoe,1895)** (Noctuidae) Synonym(s): *albigutta* Swinhoe,1895
Range (in code): **IN Meg Ass Slo**
- 58112. *Athyrrmina birthana* (Swinhoe,1895)** (Noctuidae) Synonym(s): *birthana* Swinhoe,1895
Range (in code): **IN Ass Meg Khs**
- 58113. *Athyrrmina melanosticta* (Hampson,1895)** (Noctuidae) Synonym(s): *melanosticta* Hampson,1895
Range (in code): **MM Peg**
- 58114. *Atrachea argillacea* (Draudt,1950)** (Noctuidae) Synonym(s): *argillacea* Draudt,1950
Range (in code): **CN**
- 58115. *Atrachea japonica* (Leech,1889)** (Noctuidae) Synonym(s): *japonica* Leech,1889
Range (in code): **CN JP**
- 58116. *Atrachea ochrotica* (Hampson,1910)** (Noctuidae) Synonym(s): *ochrotica* Hampson,1910;
medifascia Wileman & South,1917
Range (in code): **TW**
- 58117. *Atrachea parvispina* (Tschetverikov,1904)** (Noctuidae) Synonym(s): *parvispina* Tschetverikov,1904
Range (in code): **RU**
- 58118. *Attatha attathoides* (Karsch,1896)** (Noctuidae) Synonym(s): *attathoides* Karsch,1896
Range (in code): **ZA TZ**
- 58119. *Attatha barlowi* A.E.Prout,1921** (Noctuidae) Synonym(s): *barlowi* A.E.Prout,1921
Range (in code): **MW**
- 58120. *Attatha ethiopica* Hampson,1910** (Noctuidae) Synonym(s): *ethiopica* Hampson,1910
Range (in code): **ET ZA ZW ZM**
- 58121. *Attatha gaetana* Oberthür,1923** (Noctuidae) Synonym(s): *gaetana* Oberthür,1923
Range (in code): **MG**
- 58122. *Attatha ino* (Drury,[1782])** (Noctuidae) Synonym(s): *ino* Drury,[1782]; *notata* Fabricius,1894;
mundicolor Walker,1865
Range (in code): **IN LK**
- 58123. *Attatha metaleuca* Hampson,1913** (Noctuidae) Synonym(s): *metaleuca* Hampson,1913
Range (in code): **NG**
- 58124. *Attatha nio* ?** (Noctuidae) Synonym(s): Range (in code): **TH CMa Cmz Cz10**
- 58125. *Attatha regalis* (Moore,1872)** (Noctuidae) Synonym(s): *regalis* Moore,1872
Original Reference: *Hypercampa regalis* Moore,1872, Proc. zool. Soc. London 1872: 575, pl.33 fig.7.
Range (in code): **LK Tcm IN NP TH CMa Int Cmz Cz10 VN CN PH**
Bionomy: Larva on *Ficus religiosa* (Moraceae) (Gardner,1941).
- 58126. *Attatha sinuosa* Laporte,1973** (Noctuidae) Synonym(s): *sinuosa* Laporte,1973
Range (in code): **CM**
- 58127. *Attatha superba* Janse,1917** (Noctuidae) Synonym(s): *superba* Janse,1917
Range (in code): **ZA Tva Lpo Brb**
- 58128. *Attanda adspersa* (R.Felder & Rogenhofer,[1875])** (Noctuidae) Synonym(s): *adspersa* R.Felder & Rogenhofer,[1875]; *trifasciata* Moore,1877; *pallens* Moore,1882; *stellata* Moore,1883; *alboguttata* Heyden,1891; *alboserrata* Bethune-Baker,1906; *aroana* Bethune-Baker,1906; *nigriplaga* Bethune-Baker,1906; *coniochroa* Turner,1906; *natha* Swinhoe,1919
Range (in code): **ID Clb Adm PK Cp IN Clc SG TH Ntt Hba MG PG Aro NP TW SB FJ AU**
- 58129. *Atunsea hoenei* Berio,1977** (Noctuidae) Synonym(s): *hoenei* Berio,1977
Range (in code): **CN Yu**
- 58130. *Atypha pulmonaris* (Esper,[1790])** (Noctuidae) Synonym(s): *pulmonaris* Esper,[1790]; *fuscago* Esper,1791; *pulmonariae* Hübner,[1803]; *promethea* Boursin,1943; *miljanovskiyi* Schintlmeister & Poltawski,1986
Original Reference: *Phalaena pulmonaris* Esper,[1790], Die Schmett. 4(2/1): 499. Type(s): Deutschland: Erlangen.
Range (in code): **ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR FI MD UA BY GG Cc RU Nt Ich Da SmR Sok**
Bionomy: Larva on *Pulmonaria officinalis*, *Symphytum* (Esper,[1790], Hacker,1989).
- 58131. *Aucha polyphaenoides polyphaenoides* (Wiltshire,1961)** (Noctuidae) Synonym(s): *polyphaenoides* Wiltshire,1961
Range (in code): **ZA**
- 58132. *Aucha polyphaenoides purpurascens* Wiltshire,1983** (Noctuidae) Synonym(s): *purpurascens* Wiltshire,1983
Range (in code): **ZA**
- 58133. *Auchenisa callipona* Bethune-Baker,1911** (Noctuidae) Synonym(s): *callipona* Bethune-Baker,1911
Range (in code): **ZA**

- 58134. Auchenisa cookei Pinhey,1958** (Noctuidae) Synonym(s): *cookei Pinhey,1958* _ Range (in code): ZA
- 58135. Auchenisa dukei Pinhey,1968** (Noctuidae) Synonym(s): *dukei Pinhey,1968* _ Range (in code): ZA
- 58136. Auchenisa nigrimacula Pinhey,1968** (Noctuidae) Synonym(s): *nigrimacula Pinhey,1968* _ Range (in code): ZA
- 58137. Auchenisa roseotincta Pinhey,1962** (Noctuidae) Synonym(s): *roseotincta Pinhey,1962* _ Range (in code): SA ZA
- 58138. Auchenisa roseotincta albata Wiltshire,1994** (Noctuidae) Synonym(s): *albata Wiltshire,1994* _ Range (in code): SA
- 58139. Auchmis (s.str.) curva (Staudinger,1889)** (Noctuidae) Synonym(s): *curva Staudinger,1889; inquieta Püngeler,1914* _ Original Reference: Rhiza ? curva Staudinger,1889, Stettin ent. Ztg. 50: 46-47. Syntypes 2♂ 3♀: [Kirgizistan]: "südlich vom Issyk-Kul". Range (in code): KK Ik CN Ui Ga Au
- 58140. Auchmis (s.str.) detersa (Esper,[1791])** (Noctuidae) Synonym(s): *comma [Denis & Schiffermüller],1775; detersa Esper,[1791]* _ Range (in code): MA DZ ES Mu FR Si IT DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc RU Ro St Kb Kc Kr Nt Ich Da IR Fa Elb Gls Kh Mz Dam Com Lo AF TM Kp LB Bsa _ Bionomy: Larva on Berberis vulgaris (Hacker,1989).
- 58141. Auchmis (s.str.) detersa andalusica (Ribbe,1912)** (Noctuidae) Synonym(s): *andalusica Ribbe,1912* _ Range (in code): ES Mu
- 58142. Auchmis (s.str.) detersa demavendi Schawerda,1955** (Noctuidae) Synonym(s): *demavendi Schawerda,1955* _ Range (in code): IR Fa Elb Kh Gls
- 58143. Auchmis (s.str.) detersa detersa (Esper,[1791])** (Noctuidae) Synonym(s): *comma [Denis & Schiffermüller],1775; detersa Esper,[1791]* _ Range (in code): FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc RU Ro St Kb Kc Kr Nt Ich Da
- 58144. Auchmis (s.str.) detersa margarita Ronkay & Varga,1997** (Noctuidae) Synonym(s): *margarita Ronkay & Varga,1997* _ Range (in code): TM Kp
- 58145. Auchmis (s.str.) detersa minoica Reisser,1958** (Noctuidae) Synonym(s): *minoica Reisser,1958* _ Range (in code): Cr
- 58146. Auchmis (s.str.) detersina (Staudinger,1897)** (Noctuidae) Synonym(s): *detersina Staudinger,1897* _ Range (in code): Fe UZ CN Ui Ga Um AF Bd IN Ch Ld KK Ik Skm Ax TrA TeA Na KG Tk Dj TJ Pm Chr
- 58147. Auchmis (s.str.) detersina detersina (Staudinger,1897)** (Noctuidae) Synonym(s): *detersina Staudinger,1897* _ Range (in code): Fe UZ CN Ui Ga Um KK Ik Skm Ax TrA TeA Na KG Tk Dj
- 58148. Auchmis (s.str.) detersina sericea Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *sericea Varga & L.Ronkay,1991* _ Range (in code): AF Bd IN Ch Ld TJ Pm Chr
- 58149. Auchmis (s.str.) incognita L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *incognita L.Ronkay & Varga,1990* _ Range (in code): CN Ui Au PK Haz Kag
- 58150. Auchmis (s.str.) indica (Walker,1865)** (Noctuidae) Synonym(s): *indica Walker,1865* _ Range (in code): IN PK Thu AF IR Ke
- 58151. Auchmis (s.str.) inextricata (Moore,1881)** (Noctuidae) Synonym(s): *inextricata Moore,1881* _ Original Reference: Rhizogramma inextricata Moore,1881, Proc. zool. Soc. Lond. 1881: 342. Syntypes: India: Dalhousie, N.W.Himalaya, Solun, Punjab (BMNH). Range (in code): PK Thu Abb IN Hp Dlh Pj
- 58152. Auchmis (s.str.) peterseni (Christoph,1887)** (Noctuidae) Synonym(s): *peterseni Christoph,1887* _ Range (in code): TM Kp IR Fa Mz Elb Dam Plr Gh Kdj Lo Sse Mia Gls Kh TR Cc KK Ik RU Sb At CN Ui Ku KG Tk Dj
- 58153. Auchmis (s.str.) peterseni nekrasovi Ronkay & Varga,1997** (Noctuidae) Synonym(s): *nekrasovi Ronkay & Varga,1997* _ Range (in code): TR AZ Nv Cc
- 58154. Auchmis (s.str.) poliorhiza (Hampson,1902)** (Noctuidae) Synonym(s): *poliorhiza Hampson,1902* _ Range (in code): NP
- 58155. Auchmis (s.str.) subdetersa (Staudinger,1895)** (Noctuidae) Synonym(s): *subdetersa Staudinger,1895* _ Range (in code):
- 58156. Audea albifasciata Pinhey,1968** (Noctuidae) Synonym(s): *albifasciata Pinhey,1968* _ Range (in code): ZA
- 58157. Audea antennalis Berio,1954** (Noctuidae) Synonym(s): *antennalis Berio,1954* _ Range (in code): ZA

- 58158. Audea bipunctata Walker,[1858]** (Noctuidae) Synonym(s): *bipunctata* Walker,[1858]; *fatua* R.Felder & Rogenhofer,1874 - Range (in code): ZA Nta Kzu Dbn
- 58159. Audea fatilega (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *fatilega* R.Felder & Rogenhofer,1874 - Range (in code): KE ZA Nta Kzu Est Ec Qt
- 58160. Audea fumata (Wallengren,1860)** (Noctuidae) Synonym(s): *fumata* Wallengren,1860
Range (in code): ZA Nta Kzu Est Ec Tra
- 58161. Audea guichardi** (Noctuidae) Synonym(s): - Range (in code):
- 58162. Audea humeralis Hampson,1902** (Noctuidae) Synonym(s): *humeralis* Hampson,1902
Range (in code): BW Nga ZW Har
- 58163. Audea hypostigmata Hampson,1913** (Noctuidae) Synonym(s): *hypostigmata* Hampson,1913 - Range (in code): ZA
- 58164. Audea melaleuca Walker,1865** (Noctuidae) Synonym(s): *melaleuca* Walker,1865
Range (in code): ZA
- 58165. Audea melanoplaga Hampson,1902** (Noctuidae) Synonym(s): *melanoplaga* Hampson,1902 - Range (in code): BW Nga ZA Tva
- 58166. Audea subligata Distant,1902** (Noctuidae) Synonym(s): *subligata* Distant,1902 Original Reference: *Audea subligata* Distant,1902, Entomologist 35: 212. Type: [South Africa]: Transvaal: Lydenburg district (Pret. Mus. and coll. Dist.). Range (in code): ZA Tva Ly
- 58167. Audea tegulata Hampson,1902** (Noctuidae) Synonym(s): *tegulata* Hampson,1902
Range (in code): ZW Har
- 58168. Australothis exopisso Matthews,1999** (Noctuidae) Synonym(s): *exopisso* Matthews,1999
Range (in code): AU
- 58169. Australothis rubescens (Walker,1858)** (Noctuidae) Synonym(s): *rubescens* Walker,1858; *aresca* Turner,1911; *caesia* W.Warren,1913; *rufa* W.Warren,1913 *nec* Wrr.,1911; *hyperchroa* Turner,1920 - Range (in code): AU WAu NAu QAu NSw VAu TA SAu NF
- 58170. Australothis tertia (Roepke,1941)** (Noctuidae) Synonym(s): *tertia* Roepke,1941
Range (in code): AU QAu ID Sum Ja Bli Clb
- 58171. Authadistis metaleuca Hampson,1902** (Noctuidae) Synonym(s): *metaleuca* Hampson,1902 - Range (in code): ZW Har
- 58172. Autoba abrupta (Walker,1865)** (Noctuidae) Synonym(s): *abrupta* Walker,1865; *wallengreni* Snellen,1880; *lurida* Pagesstecher,1900 - Range (in code): YE Ad YE47 YE60 LK Kndy IN TH ID Clb PG Bionomy: Larva on *Ficus* parasiticus (Hampson,1910).
- 58173. Autoba admota (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *admota* R.Felder & Rogenhofer,1874 - Range (in code): ZA Kny
- 58174. Autoba alabastrata W.Warren,1913** (Noctuidae) Synonym(s): *alabastrata* W.Warren,1913
Range (in code): MM
- 58175. Autoba angulifera (Moore,1882)** (Noctuidae) Synonym(s): *angulifera* Moore,1882
Range (in code): LK Nwp
- 58176. Autoba atriciliata (Hampson,1910)** (Noctuidae) Synonym(s): *atriciliata* Hampson,1910
Range (in code): SG MY
- 58177. Autoba beraudi (De Joannis,1909)** (Noctuidae) Synonym(s): *beraudi* De Joannis,1909
Range (in code): EG EG05
- 58178. Autoba brachygonia (Hampson,1910)** (Noctuidae) Synonym(s): *brachygonia* Hampson,1910 Original Reference: *Eublemma brachygonia* Hampson,1910, Cat. lepid. Phalaenae Br. Mus. 10: 166, pl.153 fig.24. Range (in code): LK TH ZA
- 58179. Autoba griseicosta W.Warren,1913** (Noctuidae) Synonym(s): *griseicosta* W.Warren,1913
Range (in code): IN Ass Meg Khs
- 58180. Autoba grisescens W.Warren,1913** (Noctuidae) Synonym(s): *grisescens* W.Warren,1913; *vinosa* W.Warren,1913; *ochreirufa* W.Warren,1914 - Range (in code): IN Ass Meg Khs
- 58181. Autoba indefinita W.Warren,1913** (Noctuidae) Synonym(s): *indefinita* W.Warren,1913
Range (in code): MY
- 58182. Autoba latistriga W.Warren,1913** (Noctuidae) Synonym(s): *latistriga* W.Warren,1913
Range (in code): IN Ass Meg Khs
- 58183. Autoba obscura (Moore,1882)** (Noctuidae) Synonym(s): *obscura* Moore,1882 - Range (in code): IN SI DjI

- 58184. Autoba olivacea Walker,[1858]** (Noctuidae) Synonym(s): *olivacea* Walker,[1858]; *nebulifera* Walker,1865 - Range (in code): **IN Pj ZA Tva Lpo Spb Mdk** Bionomy: Larva on Solanaceae (Gardner,1941).
- 58185. Autoba poliochroa (Hampson,1910)** (Noctuidae) Synonym(s): *poliochroa* Hampson,1910 Range (in code): **SG MY**
- 58186. Autoba rubiginea (Hampson,1895)** (Noctuidae) Synonym(s): *rubiginea* Hampson,1895 Range (in code): **BT**
- 58187. Autoba rubra (Hampson,1902)** (Noctuidae) Synonym(s): *rubra* Hampson,1902 - Range (in code): **IN SI ID Ja SG**
- 58188. Autoba sabulosa (Rothschild,1913)** (Noctuidae) Synonym(s): *sabulosa* Rothschild,1913 Original Reference: *Eublemma sabulosa* Rothschild,1913, Novit. zool. 20: 127. Type ♀: South Oued Mya. Range (in code): **DZ Omy**
- 58189. Autoba silicula (Swinhoe,1897)** (Noctuidae) Synonym(s): *silicula* Swinhoe,1897; *saturata* W.Warren,1913 - Range (in code): **PK Sd Krc AU QAU** Bionomy: Larva on *Mangifera indica* (Gardner,1941).
- 58190. Autoba teilhardi (De Joannis,1909)** (Noctuidae) Synonym(s): *teilhardi* De Joannis,1909 Range (in code): **EG EG11** Bionomy: Larva on *Acacia nilotica* (Fabaceae) (De Joannis,1909).
- 58191. Autoba versicolor Walker,[1863]** (Noctuidae) Synonym(s): *versicolor* Walker,[1863]; *rubricosa* Snellen,1880 - Range (in code): **ZA MY Bor Swk ID Clb**
- 58192. Autographa aemula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aemula* [Denis & Schiffermüller],1775 Original Reference: *Noctua aemula* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT DE CH AT TR Cc GG**
- 58193. Autographa aemula elongata (Alberti,1969)** (Noctuidae) Synonym(s): *elongata* Alberti,1969 - Range (in code): **TR GG Cc**
- 58194. Autographa bractea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *bractea* [Denis & Schiffermüller],1775; *securis* deVillers,1789 Original Reference: *Noctua bractea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Kr St Kb Kc Nt Ing Ich Da MD UA BY GG Smt Bjo Bku Akh AZ CN Ui Arc KG Tk Dj KK TeA TrA Ax T-A**
- 58195. Autographa buraetica (Staudinger,1892)** (Noctuidae) Synonym(s): *buraetica* Staudinger,1892 - Range (in code): **DE AT CZ DK NO SE FI EE LV LT RU MD UA BY KK TeA Ax TrA**
- 58196. Autographa camptosema (Hampson,1913)** (Noctuidae) Synonym(s): *camptosema* Hampson,1913 - Range (in code): **Ch KK TeA TRA Ax Na TJ Pm Chr**
- 58197. Autographa dudgeoni (Hampson,1913)** (Noctuidae) Synonym(s): *dudgeoni* Hampson,1913 - Range (in code): **BT NP**
- 58198. Autographa excelsa (Kretschmar,1862)** (Noctuidae) Synonym(s): *excelsa* Kretschmar,1862 - Range (in code): **PL FI EE LV LT RU MD UA BY**
- 58199. Autographa gamma (Linnaeus,1758)** (Noctuidae) Synonym(s): *gamma* Linnaeus,1758; *messmeri* Schadewald,1992; *voelkeri* Schadewald,1992. Original Reference: *Phalaena gamma* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Lectotype ♀: [Europa], designated by Mikkola & Honey,1993. Range (in code): **PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR CY LB Bsa DK NO SE FI EE LV LT RU MD UA BY IQ Agh Mj IR Fa Elb Mz Dam Th Kdj Kz Yas Skh Bu Dlk AF Jla Kab Bsg Nu Adr CN Ui Ku IL Pa Hf JO EG Sn GG AZ AM Cc KK Ik TrA Ax UZ KG Ro Kr St Kb Kc Nt Ing Da Kyi ET ET24 SY Hal Ak Shf Ab Ar Gh GlS Kh Se Qz Zj Kd Km Lo By Bk Es Bu Ss MA DZ Blid Bsk Tlm Btina Orn Lbs Agi Hrh Abe Khh Ahr Hmk Ges Perr Bdj Ndr DhM TN BSa Sbd Tgr Hes Clo Ajj**
- 58200. Autographa jota (Linnaeus,1758)** (Noctuidae) Synonym(s): *jota* Linnaeus,1758; *protea* Stoll,1782; *inscripta* Esper,1787; *gammaaurina* Haworth,1809; *percontationis* Ochsenheimer,1816; *aurigutta* Hübner,[1821]; *ancora* Freyer,1832; *bartholomaeii* Ménétriés,1859; *anatolica* Schwingenschuss,1938 Original Reference: *Phalaena jota* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): Germania. Range (in code): **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Th Elb Ak Ar Gh GlS Fa DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ing Da MD UA BY GG Smt Bjo Bku Lag AZ Len AM Cc**
- 58201. Autographa khinjana Wiltshire,1961** (Noctuidae) Synonym(s): *khinjana* Wiltshire,1961 Range (in code): **AF Bd Khi**
- 58202. Autographa macrogamma (Eversmann,1842)** (Noctuidae) Synonym(s): *macrogamma* Eversmann,1842 - Range (in code): **DK NO SE FI RU MD UA BY CN**

- 58203. *Autographa mandarina* (Freyer,1845)** (Noctuidae) Synonym(s): *mandarina* Freyer,1845
Range (in code): **PL DK SE FI EE LV LT RU MD UA BY**
- 58204. *Autographa monogramma* (Alpheraky,1887)** (Noctuidae) Synonym(s): *monogramma* Alpheraky,1887
Original Reference: *Plusia pulchra* var. *monogramma* Alpheraky,1887, Stettin ent. Ztg. 48: 171. Syntypes: Tura, [Kirgizistan]: Aram-Kungei. Range (in code): **KK**
- 58205. *Autographa nigrisigna* (Walker,[1858])** (Noctuidae) Synonym(s): *nigrisigna* Walker,[1858]
Original Reference: *Plusia nigrisigna* Walker,[1858], List spec. lepid. Ins. Colln. Br. Mus. 12: 928. Type: N.India. Range (in code): **PK Cp IN AF Srb Gbh**
- 58206. *Autographa pulchrina* (Haworth,1809)** (Noctuidae) Synonym(s): *pulchrina* Haworth,1809; *v-aureum* Guenée,1852; *percontratrix* Aurivillius,1891
Range (in code): **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 58207. *Autographa purpureofusa* (Hampson,1894)** (Noctuidae) Synonym(s): *purpureofusa* Hampson,1894
Range (in code): **IN SI MM**
- 58208. *Autophila* (Cheirophanes) *afghana* Ronkay,1986** (Noctuidae) Synonym(s): *afghana* Ronkay,1986
Range (in code): **AF**
- 58209. *Autophila* (Cheirophanes) *anaphanes* Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
Original Reference: *Autophila anaphanes* Boursin,1940, Mitt. münch. ent. Ges. 30: 522-523, Taf.xi fig.78. Holotype ♂: Libanon: Shweir 1.viii.33 Wiltshire leg. (coll.Boursin). Range (in code): **YU AL BG GR Cr CY TR LB**
- 58210. *Autophila* (Cheirophanes) *anaphanes anaphanes* Boursin,1940** (Noctuidae) Synonym(s): *anaphanes* Boursin,1940
Original Reference: *Autophila anaphanes* Boursin,1940, Mitt. münch. ent. Ges. 30: 522-523, Taf.xi fig.78. Holotype ♂: Libanon: Shweir 1.viii.33 Wiltshire leg. (coll.Boursin). Range (in code): **TR LB**
- 58211. *Autophila* (Cheirophanes) *anaphanes cretica* Reisser,1958** (Noctuidae) Synonym(s): *cretica* Reisser,1958
Range (in code): **Cr**
- 58212. *Autophila* (Cheirophanes) *anaphanes cypriaca* Boursin,1940** (Noctuidae) Synonym(s): *cypriaca* Boursin,1940
Original Reference: *Autophila anaphanes* ssp. *cypriaca* Boursin,1940, Mitt. münch. ent. Ges. 30: 523-524, Taf.xi fig.79. Holotype ♂: Cypern, Kyrenia (Glaßner leg.) (coll.Magyar Nemzeti Muzeum). Range (in code): **CY**
- 58213. *Autophila* (Cheirophanes) *anaphanes dalmatica* Ronkay,** (Noctuidae) Synonym(s):
Range (in code):
- 58214. *Autophila* (Cheirophanes) *cataphanes* (Hübner,[1813])** (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813]
Range (in code): **MA DZ BtNa Hrh Sbd Abe PT ES Mu FR Co Si IT RU MD UA BY LB Bsa AM AZ Kir Cc**
Bionomy: Larva on *Genista* (Calle et al., 2000).
- 58215. *Autophila* (Cheirophanes) *cataphanes barbarica* Boursin,1940** (Noctuidae) Synonym(s): *barbarica* Boursin,1940
Range (in code): **DZ BtNa Sbd Hrh MA**
- 58216. *Autophila* (Cheirophanes) *cataphanes cataphanes* (Hübner,[1813])** (Noctuidae) Synonym(s): *cataphanes* Hübner,[1813]
Range (in code): **PT ES Mu FR Si IT RU MD UA BY LB Bsa AM AZ Kir Cc**
- 58217. *Autophila* (Cheirophanes) *cataphanes corsicosa* Schawerda,1931** (Noctuidae) Synonym(s): *corsicosa* Schawerda,1931
Range (in code): **FR Co**
- 58218. *Autophila* (Cheirophanes) *cataphanes satanas* Boursin,1940** (Noctuidae) Synonym(s): *satanas* Boursin,1940
Range (in code): **Si**
- 58219. *Autophila* (Cheirophanes) *chamaeaphanes* Boursin,1940** (Noctuidae) Synonym(s): *chamaeaphanes* Boursin,1940
Original Reference: *Autophila chamaeaphanes* Boursin,1940, Mitt. münch. ent. Ges. 30: 528-529, Taf.xi fig. 86. Holotype ♂: [Azerbaidzhan]: Transkaukasien (Elisabethpol) (coll. Schwingenschuss). Range (in code): **AZ Kir Cc TR RU KG Tk Dj Ii**
- 58220. *Autophila* (Cheirophanes) *chamaeaphanes chamaeaphanes* Boursin,1940** (Noctuidae) Synonym(s): *chamaeaphanes* Boursin,1940
Original Reference: *Autophila chamaeaphanes* Boursin,1940, Mitt. münch. ent. Ges. 30: 528-529, Taf.xi fig. 86. Holotype ♂: [Azerbaidzhan]: Transkaukasien (Elisabethpol) (coll. Schwingenschuss). Range (in code): **AZ Kir Cc TR RU KG Tk Dj Ii**
- 58221. *Autophila* (Cheirophanes) *chamaeaphanes macrophanes* Boursin,1955** (Noctuidae) Synonym(s): *macrophanes* Boursin,1955
Range (in code): **KG Tk Dj Ii**
- 58222. *Autophila* (Cheirophanes) *cymaenotaenia* Boursin,1940** (Noctuidae) Synonym(s): *cymaenotaenia* Boursin,1940
Original Reference: *Autophila cymaenotaenia* Boursin,1940, Mitt.

- münch. ent. Ges. 30: 525-526, Taf.xi fig.81. Holotype ♂: Tunesien: Maknassy (Dumont leg.) (coll.Boursin). Range (in code): KW IQ Kbl TN Gf MA
- 58223. Autophila (Cheirophanes) cymaenotaenia cymaenotaenia Boursin,1940** (Noctuidae) Synonym(s): *cymaenotaenia Boursin,1940* Original Reference: Autophila cymaenotaenia Boursin,1940, Mitt. münch. ent. Ges. 30: 525-526, Taf.xi fig.81. Holotype ♂: Tunesien: Maknassy (Dumont leg.) (coll.Boursin). Range (in code): IQ Kbl TN Gf MA
- 58224. Autophila (Cheirophanes) cymaenotaenia orthotaenia Wiltshire,1944** (Noctuidae) Synonym(s): *orthotaenia Wiltshire,1944* Range (in code): KW IQ Kbl
- 58225. Autophila (Cheirophanes) eremocharis Boursin,1940** (Noctuidae) Synonym(s): *eremocharis Boursin,1940* Original Reference: Autophila eremocharis Boursin,1940, Mitt. münch. ent. Ges. 30:527-528, Taf.xi fig.85. Holotype ♂: [China: Uighur A.R.]: "Ak-su, chinesisch-Turkestan" (Rükbeil leg.,1910) (coll. Püngeler) (BM). Range (in code): CN Ui Au Um
- 58226. Autophila (Cheirophanes) eremocharis eremocharis Boursin,1940** (Noctuidae) Synonym(s): *eremocharis Boursin,1940* Original Reference: Autophila eremocharis Boursin,1940, Mitt. münch. ent. Ges. 30:527-528, Taf.xi fig.85. Holotype ♂: [China: Uighur A.R.]: "Ak-su, chinesisch-Turkestan" (Rükbeil leg.,1910) (coll. Püngeler) (BM). Range (in code): CN Ui Au Um
- 58227. Autophila (Cheirophanes) gracilis (Staudinger,1874)** (Noctuidae) Synonym(s): *gracilis Staudinger,1874; coruscantis Swinhoe,1885* Range (in code): TM Krn AF Gbh Srb Plt IR Ss Men PK Bl Chm CN Ui Au Ln Ga KG Tk Dj UZ Br
- 58228. Autophila (Cheirophanes) ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa Eversmann,1851; caucasica Herz,1904.* Original Reference: Amphipyra ligaminosa Eversmann,1851, Bull. Soc. imp. nat. Moscou 24: 630. Syntypes: Georgien, Armenien. Range (in code): DZ Sbd Btina Abe Hrh HV TR GR Rd Cc GG Smt Akh Cc AM AZ Kir LB UZ Fe IQ Brs RU Da IR Fa Elb Hz Ss KK Ik Feg KG Tk PK Gg Hu Bl Qu AF Ca AE OM
- 58229. Autophila (Cheirophanes) ligaminosa amianta (Schawerda,1919)** (Noctuidae) Synonym(s): *amianta Schawerda,1919* Range (in code): HV
- 58230. Autophila (Cheirophanes) ligaminosa ankara (Swinhoe,1900)** (Noctuidae) Synonym(s): *ankara Swinhoe,1900* Range (in code): AF Ca PK Gg Hu Bl Qu IR Hz Ss
- 58231. Autophila (Cheirophanes) ligaminosa ligaminosa (Eversmann,1851)** (Noctuidae) Synonym(s): *ligaminosa Eversmann,1851; caucasica Herz,1904.* Original Reference: Amphipyra ligaminosa Eversmann,1851, Bull. Soc. imp. nat. Moscou 24: 630. Syntypes: Georgien, Armenien. Range (in code): TR GR Cc GG AM AZ Kir RU Da
- 58232. Autophila (Cheirophanes) ligaminosa rhodochroa Boursin,1939** (Noctuidae) Synonym(s): *rhodochroa Boursin,1939* Range (in code): LB TR IQ Brs
- 58233. Autophila (Cheirophanes) ligaminosa subligaminosa (Staudinger,1888)** (Noctuidae) Synonym(s): *subligaminosa Staudinger,1888* Range (in code): UZ Fe KK Feg
- 58234. Autophila (Cheirophanes) maculifera (Staudinger,1888)** (Noctuidae) Synonym(s): *#maculifera Staudinger,1882 (in litt.); maculifera Staudinger,1888.* Range (in code): Fe UZ Man Smk Al KG Tk CN Ui Khr
- 58235. Autophila (Cheirophanes) magnifica Boursin,1963** (Noctuidae) Synonym(s): *magnifica Boursin,1963* Range (in code): AF
- 58236. Autophila (Cheirophanes) myriospea Boursin,1940** (Noctuidae) Synonym(s): *myriospea Boursin,1940* Original Reference: Autophila myriospea Boursin,1940, Mitt. münch. ent. Ges. 30: 524-525, Taf.xi fig.80. Holotype ♂: China: T'sien-fo-tung (MNHP). Range (in code): CN Gn Ui Ti
- 58237. Autophila (Cheirophanes) pauli Boursin,1940** (Noctuidae) Synonym(s): *pauli Boursin,1940* Original Reference: Autophila pauli Boursin,1940, Mitt. münch. ent. Ges. 30: 526-527, Taf.xi fig.82. Holotype ♂: Palästina: Totes Meer (Paulus leg.) (coll.Boursin). Range (in code): IL Pa Js Jer JO Qaz Amm
- 58238. Autophila (Cheirophanes) plattneri Boursin,1955** (Noctuidae) Synonym(s): *plattneri Boursin,1955* Range (in code): TR IR
- 58239. Autophila (Cheirophanes) sinuata (Fischer de Waldheim,1820)** (Noctuidae) Synonym(s): *sinuata Fischer de Waldheim,1820* Range (in code): RU
- 58240. Autophila (Cheirophanes) tancrei Boursin,1940** (Noctuidae) Synonym(s): *tancrei Boursin,1940* Original Reference: Autophila tancrei Boursin,1940, Mitt. münch. ent. Ges. 30: 530-531, Taf.xi fig.88. Holotype ♀: [China: Uighur A.R.]: "Lob-nor (Zentralasien) (coll.Draudt; ex coll.Tancrei). Range (in code): CN Ui Ln Au Ga Ts Kno T-S MN

- 58241. Autophila (Cheirophanes) tancrei tancrei Boursin,1940** (Noctuidae) Synonym(s): *tancrei Boursin,1940* Original Reference: Autophila tancrei Boursin,1940, Mitt. münch. ent. Ges. 30: 530-531, Taf.xi fig.88. Holotype ♀: [China: Uighur A.R.]: "Lob-nor (Zentralasien) (coll.Draudt; ex coll.Tancrei). Range (in code): **CN Ui Ln Au Ga Ts Kno T-S MN**
- 58242. Autophila (Cheirophanes) tetrastigma Boursin,1940** (Noctuidae) Synonym(s): *tetrastigma Boursin,1940* Original Reference: Autophila tetrastigma Boursin,1940, Mitt. münch. ent. Ges. 30: 527-528, Taf.xi fig.87. Holotype ♂: [Kazachstan]: Dscharkent [Taldi Kurgan]: Ili-Geb.[iet], (Rückbeil leg.,1903) (coll. Püngeler) (BM). Range (in code): **KG Tk Dj Ii UZ Fe T-S KK Skm**
- 58243. Autophila (Cheirophanes) tetrastigma tetrastigma Boursin,1940** (Noctuidae) Synonym(s): *tetrastigma Boursin,1940* Original Reference: Autophila tetrastigma Boursin,1940, Mitt. münch. ent. Ges. 30: 527-528, Taf.xi fig.87. Holotype ♂: [Kazachstan]: Dscharkent [Taldi Kurgan]: Ili-Geb.[iet], (Rückbeil leg.,1903) (coll. Püngeler) (BM). Range (in code): **KG Tk Dj Ii UZ Fe T-S KK Skm**
- 58244. Autophila (Cheirophanes) vartianae Ronkay,1986** (Noctuidae) Synonym(s): *vartianae Ronkay,1986* Range (in code): **AF**
- 58245. Autophila (s.str.) asiatica (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica Staudinger,1888* Original Reference: Spintherops dilucida var. asiatica Staudinger,1888, Stettin ent. Ztg. 49: 63. Range (in code): **GR AM TR RU Cc Ro St Nt Da IR GlS Kh Fe IQ UZ KK Skm KG CN Ui Ku Au Shs**
- 58246. Autophila (s.str.) asiatica asiatica (Staudinger,1888)** (Noctuidae) Synonym(s): *asiatica Staudinger,1888* Original Reference: Spintherops dilucida var. asiatica Staudinger,1888, Stettin ent. Ztg. 49: 63. Range (in code): **GR AM TR RU Cc Ro St Nt Da IR GlS Kh Fe IQ UZ KK Skm KG CN Ui Ku Au**
- 58247. Autophila (s.str.) asiatica mienshana L.Ronkay,1989** (Noctuidae) Synonym(s): *mienshana L.Ronkay,1989* Range (in code): **CN Shs**
- 58248. Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) Synonym(s): *banghaasi Boursin,1940* Original Reference: Autophila bang-haasi Boursin,1940, Mitt. münch. ent. Ges. 30: 517, Taf.11 figs. 69,70. Holotype ♂: [Turkey]: Ak-Chehir: Sultandagh, 1500-1700m (leg. Pfeiffer, coll. Boursin). Range (in code): **TR AM Cc Geg GG Tbl IR Elb Dam Fa Com Sse Ke Kh**
- 58249. Autophila (s.str.) banghaasi banghaasi Boursin,1940** (Noctuidae) Synonym(s): *banghaasi Boursin,1940* Original Reference: Autophila bang-haasi Boursin,1940, Mitt. münch. ent. Ges. 30: 517, Taf.11 figs. 69,70. Holotype ♂: [Turkey]: Ak-Chehir: Sultandagh, 1500-1700m (leg. Pfeiffer, coll. Boursin). Range (in code): **TR AM Cc Geg GG Tbl IR Elb Dam Fa Com Sse Ke Kh**
- 58250. Autophila (s.str.) banghaasi geghardica Ronkay,1989** (Noctuidae) Synonym(s): *geghardica Ronkay,1989* Range (in code): **AM Cc Geg GG Tbl**
- 58251. Autophila (s.str.) cerealis (Staudinger,1871)** (Noctuidae) Synonym(s): *cerealis Staudinger,1871* Range (in code): **IR Fa Lo Hz Ss Kh Kz Yas Skh TR SY LB AF Hr Pli Blh Ca Fz IQ Bsy Agh EG** Bionomy: Larva on Salvia (Wiltshire,1957).
- 58252. Autophila (s.str.) cerealis amseli Draudt,1936** (Noctuidae) Synonym(s): *amseli Draudt,1936* Range (in code): **IR Lo Hz Ss Fa Kh Kz Yas Skh TR IQ EG** Bionomy: Larva on Salvia (Wiltshire,1957).
- 58253. Autophila (s.str.) cinnamonea L.Ronkay,1989** (Noctuidae) Synonym(s): *cinnamonea L.Ronkay,1989* Range (in code): **IR Th Elb**
- 58254. Autophila (s.str.) cryptica L.Ronkay,1986** (Noctuidae) Synonym(s): *cryptica L.Ronkay,1986* Range (in code): **TM Kp**
- 58255. Autophila (s.str.) depressa (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa Püngeler,1914* Original Reference: Spintherops depressa Püngeler,1914, Dt. ent. Z., Iris 28: 49-50, Taf.iii fig.6. Syntypes ♂♀: [Turkmenistan]: "Transkaspien, Aschabad (R.Tancrei)". Range (in code): **TM Kp Fe UZ TJ Pm IR GlS Kh Elb Fa Es Ss SY TR IQ BI PK Qu AF Hr**
- 58256. Autophila (s.str.) depressa depressa (Püngeler,1914)** (Noctuidae) Synonym(s): *depressa Püngeler,1914* Original Reference: Spintherops depressa Püngeler,1914, Dt. ent. Z., Iris 28: 49-50, Taf.iii fig.6. Syntypes ♂♀: [Turkmenistan]: "Transkaspien, Aschabad (R.Tancrei)". Range (in code): **TM Kp Fe UZ TJ Pm IR Kh AF**
- 58257. Autophila (s.str.) depressa draudti Osthelder,1933** (Noctuidae) Synonym(s): *draudti Osthelder,1933* Range (in code): **SY TR IQ IR GlS Elb Fa Es AF Hr**
- 58258. Autophila (s.str.) depressa pakistana L.Ronkay,1989** (Noctuidae) Synonym(s): *pakistana L.Ronkay,1989* Range (in code): **PK BI Qu**

- 58259. Autophila (s.str.) depressa perornata Boursin,1947** (Noctuidae) Synonym(s): *perornata Boursin,1947* Range (in code): **IR Ss Bl PK Qu AF**
- 58260. Autophila (s.str.) dilucida (Hübner,[1808])** (Noctuidae) Synonym(s): *dilucida Hübner,[1808]; praeclara Schawerda,1918; argentea Caradja,1930; troniccki Reisser,1958.* Original Reference: *Noctua dilucida Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.82 fig.383.* Type(s): Europa. Range (in code): **DZ Lbs BSa PT ES An Mlg Mu FR Co Sa Si IT MT CH AT RO YU B-H AL BG GR Cr CY TR Cc AZ Kir Nv Ord RU MD UA BY CN Ui Ku** Bionomy: Larva on *Onobrychis sativa* (Calle et al., 2000).
- 58261. Autophila (s.str.) dilucida ptolemies Svendsen, Nilsson & Fibiger,1999** (Noctuidae) Synonym(s): *ptolemies Svendsen, Nilsson & Fibiger,1999* Range (in code): **CY**
- 58262. Autophila (s.str.) einsleri Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa Zerny,1933; einsleri Amsel,1935; luxuriosa Schwingenschuss,1939.* Original Reference: *Autophila einsleri Amsel,1935, Zoogeographica 2: 274. Syntypes: Georgskolster, Jericho, Ain Karim, Jordanbrücke.* Range (in code): **TR CY IR Elb Mz Fa Ke Ss Es OM GG TM Kp LB Bsa RU Cc Kr Ing**
- 58263. Autophila (s.str.) einsleri arnyekolta L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *arnyekolta L.Ronkay, Varga & Hreblay,1998* Range (in code): **TM Kp**
- 58264. Autophila (s.str.) einsleri clara Wiltshire,1952** (Noctuidae) Synonym(s): *clara Wiltshire,1952* Range (in code): **IR Fa**
- 58265. Autophila (s.str.) einsleri cyprogena Boursin,1940** (Noctuidae) Synonym(s): *cyprogena Boursin,1940* Original Reference: *Autophila luxuriosa ssp. cyprogena Boursin,1940, Mitt. münch. ent. Ges. 30: 519, Taf.11 fig.71. Holotype ♂: Cypern: Platres (Capt. K.J.Hayward leg.) (BMNH).* Range (in code): **CY**
- 58266. Autophila (s.str.) einsleri einsleri Amsel,1935** (Noctuidae) Synonym(s): *#luxuriosa Zerny,1933; einsleri Amsel,1935; luxuriosa Schwingenschuss,1939.* Original Reference: *Autophila einsleri Amsel,1935, Zoogeographica 2: 274. Syntypes: Georgskolster, Jericho, Ain Karim, Jordanbrücke.* Range (in code): **LB IL Pa Js SY JO**
- 58267. Autophila (s.str.) einsleri garmsira Wiltshire,1952** (Noctuidae) Synonym(s): *garmsira Wiltshire,1952* Range (in code): **IR Fa Ke Ss Es TM**
- 58268. Autophila (s.str.) einsleri hormuza Wiltshire,1977** (Noctuidae) Synonym(s): *hormuza Wiltshire,1977* Range (in code): **OM**
- 58269. Autophila (s.str.) einsleri nigromarginata Schwingenschuss,1938** (Noctuidae) Synonym(s): *nigromarginata Schwingenschuss,1938; elbursica Boursin,1940.* Range (in code): **IR Elb Mz**
- 58270. Autophila (s.str.) einsleri taurica Boursin,1940** (Noctuidae) Synonym(s): *taurica Boursin,1940* Original Reference: *Autophila luxuriosa ssp. taurica Boursin,1940, Mitt. münch. ent. Ges. 30: 519-520, Taf.11 fig.72. Holotype ♂: [Turkey]: Marasch: Amanus, Yükkedagh.* Range (in code): **TR Cc GG RU Kr Ing**
- 58271. Autophila (s.str.) eurytaenia Boursin,1963** (Noctuidae) Synonym(s): *eurytaenia Boursin,1963* Range (in code): **IR Th Elb**
- 58272. Autophila (s.str.) fuscolampra Hacker & L.Ronkay,1990** (Noctuidae) Synonym(s): *fuscolampra Hacker & L.Ronkay,1990* Range (in code): **IN Ld**
- 58273. Autophila (s.str.) glebicolor (Erschoff,1874)** (Noctuidae) Synonym(s): *glebicolor Erschoff,1874* Range (in code): **TM UZ CN Ui RU Am**
- 58274. Autophila (s.str.) himalayica (Hampson,1894)** (Noctuidae) Synonym(s): *himalayica Hampson,1894* Range (in code): **PK Haz Mre**
- 58275. Autophila (s.str.) hirsuta (Staudinger,1870)** (Noctuidae) Synonym(s): *hirsuta Staudinger,1870* Range (in code): **FR IT CH AT TR AM Cc Ink Alg AZ Nv Ngm IR Kh**
- 58276. Autophila (s.str.) hirsutula (Alpheraky,[1894])** (Noctuidae) Synonym(s): *hirsutula Alpheraky,[1894]* Original Reference: *Spintherops hirsutula Alpheraky,[1894], Dt. ent. Z., Iris 6: 347. Type ♂: [China: Uighur A.R.]: "Kaschgaria".* Range (in code): **CN Ui Ga**
- 58277. Autophila (s.str.) horrida Boursin,1955** (Noctuidae) Synonym(s): *horrida Boursin,1955* Range (in code): **CN Sz Btn Yu**
- 58278. Autophila (s.str.) inconspicua (Butler,1881)** (Noctuidae) Synonym(s): *inconspicua Butler,1881; praeligaminosa Staudinger,1888* Range (in code): **RU At**
- 58279. Autophila (s.str.) inconspicua altaica L.Ronkay,1989** (Noctuidae) Synonym(s): *altaica L.Ronkay,1989* Range (in code): **RU At**

- 58280. Autophila (s.str.) iranica L.Ronkay,1989** (Noctuidae) Synonym(s): *iranica* L.Ronkay,1989 Original Reference: Autophila iranica L.Ronkay,1989, Acta zool. hung. 35: 119-121, figs. Holotype ♂: W-Iran: Kordestan: Baneh-Marivan, 1950m (LNK). Range (in code): **IR Elb Kd Th Dam Zj TR**
- 58281. Autophila (s.str.) iranica xanthozona Fibiger & L.Ronkay,1991** (Noctuidae) Synonym(s): *xanthozona* Fibiger & L.Ronkay,1991 Original Reference: Autophila iranica ssp. xanthozona Fibiger & L.Ronkay,1991, Ann. Hist. Nat. Mus. natn. Hung. 83: 135-136. Holotype ♂: Turkey, Isparta, Çeltikçi pass 1400m 15.vii.1987, leg. & coll.Fibiger Range (in code): **TR**
- 58282. Autophila (s.str.) laetifica (Staudinger,1901)** (Noctuidae) Synonym(s): *laetifica* Staudinger,1901 Range (in code): **TM**
- 58283. Autophila (s.str.) lia (Püngeler,1906)** (Noctuidae) Synonym(s): *lia* Püngeler,1906 Original Reference: Spintherops lia Püngeler,1906, Dt. ent. Z., Iris 19: 97-98. Syntypes 1♂ 1♀: "Ostturkestan, Aksu, Korla (Rückbeil leg.). Range (in code): **CN Ui Au Kl KK TeA**
- 58284. Autophila (s.str.) libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962. Original Reference: Apopestes dilucida var. libanotica Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 251. Syntypes: Lebanon. Range (in code): **DZ Ktr BtNa Ges Agi Abe BSa Hrh GR TR Cc LB Bsa IL Pa EG Sn IR Elb Mz Kdv Kh Fa Ss Kz Yas Skh TM AF Gbh PK Qu Bl**
- 58285. Autophila (s.str.) libanotica libanotica (Staudinger,1901)** (Noctuidae) Synonym(s): *libanotica* Staudinger,1901; *osthelderi* Boursin,1940; *libanopsis* Boursin,1962. Original Reference: Apopestes dilucida var. libanotica Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 251. Syntypes: Lebanon. Range (in code): **DZ Ktr BtNa Ges Agi Abe BSa Hrh GR TR Cc LB IL Pa EG Sn IR Elb Mz Fa Ss TM AF Gbh PK Qu Bl**
- 58286. Autophila (s.str.) limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871 Range (in code): **FR Si IT YU BG GR TR AM RU GG Smt Bjo Tbl AZ Nv Ord Kir Cc Kr Da MD UA BY IR Fa Kz Yas Skh IQ Mos TIH** Bionomy: Larva on Astragalus echinus (Staudinger,1879).
- 58287. Autophila (s.str.) limbata limbata (Staudinger,1871)** (Noctuidae) Synonym(s): *limbata* Staudinger,1871 Range (in code): **FR Si IT YU BG TR RU Cc GG Smt Bjo Tbl AZ Nv Ord Kir Kr Da MD UA BY IR Fa** Bionomy: Larva on Astragalus echinus (Staudinger,1879).
- 58288. Autophila (s.str.) limbata parnassicola Draudt,1936** (Noctuidae) Synonym(s): *parnassicola* Draudt,1936 Range (in code): **GR**
- 58289. Autophila (s.str.) maculifera (Staudinger,1888)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1888 Range (in code): **UZ Fe Man MN**
- 58290. Autophila (s.str.) maculifera calligrapha L.Ronkay,1989** (Noctuidae) Synonym(s): *calligrapha* L.Ronkay,1989 Range (in code): **MN**
- 58291. Autophila (s.str.) maura (Staudinger,1888)** (Noctuidae) Synonym(s): *maura* Staudinger,1888; *roseata* Rothschild,1912 Original Reference: Spintherops cataphanes var. maura Staudinger,1888, Stettin ent. Ztg. 49: 63. Type: Lambessa. Range (in code): **DZ Hes Gha Onç Lbs Ges Bsk Sfr Ceg Lgt BSa Ktr Sbd Omy Gle MT**
- 58292. Autophila (s.str.) rasilis (Püngeler,1900)** (Noctuidae) Synonym(s): *rasilis* Püngeler,1900 Range (in code): **KK Ax**
- 58293. Autophila (s.str.) rosea (Staudinger,1888)** (Noctuidae) Synonym(s): *rosea* Staudinger,1888 Original Reference: Spintherops dilucida var. rosea Staudinger,1888, Stettin ent. Ztg. 49: 63. Type: Biskra. Range (in code): **MA DZ Hes Hmk Gle Onç Bsk Gf Ges BSa Lgt Omy Ogl Sfr Hmk TN LY EG Si MT HU GR**
- 58294. Autophila (s.str.) simplex (Staudinger,1888)** (Noctuidae) Synonym(s): *simplex* Staudinger,1888 Original Reference: Spintherops simplex Staudinger,1888, Stett. ent. Ztg. 49: 64. Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): **CN Ui Ku**
- 58295. Autophila (s.str.) sinesafida Wiltshire,1952** (Noctuidae) Synonym(s): *sinesafida* Wiltshire,1952 Range (in code): **IR Fa TR**
- 58296. Autophila (s.str.) subfusca (Christoph,1893)** (Noctuidae) Synonym(s): *subfusca* Christoph,1893 Range (in code): **TR Cc AZ Ord Nv TM Kp IR Elb Ss Fa Gsl Kh**
- 58297. Autophila (s.str.) subfusca brandti Ronkay,1989** (Noctuidae) Synonym(s): *brandti* Ronkay,1989 Range (in code): **IR Ss Fa**
- 58298. Autophila (s.str.) subfusca latistria Ronkay,1989** (Noctuidae) Synonym(s): *latistria* Ronkay,1989 Range (in code): **IR Elb**

- 58299. Autophila (s.str.) subfusca subfusca (Christoph,1893)** (Noctuidae) **Synonym(s):** *subfusca* Christoph,1893 **Range (in code):** **TR Cc AZ Ord Nv TM Kp**
- 58300. Autophila (s.str.) vespertalis (Staudinger,1896)** (Noctuidae) **Synonym(s):** *vespertalis* Staudinger,1896 **Range (in code):** **UZ Fe IR Elb MN Uli CN Ui Au**
- 58301. Autophila (s.str.) vespertalis obscurata (Staudinger,1901)** (Noctuidae) **Synonym(s):** *obscurata* Staudinger,1901 **Range (in code):** **UZ Fe IR Elb**
- 58302. Autophila (s.str.) xena L.Ronkay,1986** (Noctuidae) **Synonym(s):** *xena* L.Ronkay,1986 **Range (in code):** **AF Pm KK Skm**
- 58303. Autophila (s.str.) xenomima L.Ronkay,1989** (Noctuidae) **Synonym(s):** *xenomima* L.Ronkay,1989 **Range (in code):** **AF Slg**
- 58304. Autophila eremochroa Boursin,1947** (Noctuidae) **Synonym(s):** *eremochroa* Boursin,1947 **Range (in code):** **KG Tk Dj KK Skm**
- 58305. Avatha bubo (Geyer,1832)** (Noctuidae) **Synonym(s):** *bubo* Geyer,1832; *perficiens* Walker,1858; *condita* Walker,1858; *leksawasdi* Koçak & Kemal,2006 **Original Reference:** *Athyra* bubo Geyer,1832, [in] Hübner, J., Zutr. Samml. exot. Schmett. 4: 13. **Type(s):** [Indonesia]: Java. **Range (in code):** **ID Ja Sum Bor Clb Ij PG CN LK IN VN KH TH CMa Int Knc Cbi Ray SG** **Bionomy:** Larva on *Nephelium lappaceum* [rambutan] (Sapindaceae) (Kuroko & Lewvanich,1993; Lewvanich,2001).
- 58306. Avatha complens (Walker,1858)** (Noctuidae) **Synonym(s):** *complens* Walker,1858; *glaucofascia* Walker,1858; *onerata* Walker,1864; *ruinosa* Swinhoe,1905 **Range (in code):** **ID Sum Bor Swk MY SG TH? VN ID Adm Ij PG PH** **Bionomy:** Larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).
- 58307. Avatha discolor (Fabricius,1794)** (Noctuidae) **Synonym(s):** *discolor* Fabricius,1794; *inclusens* Walker,1858; *trigonifera* Walker,1858; *curvifera* Walker,1858; *complacens* Walker,1858; *frontalis* Walker,1858; *expectans* Walker,1858 **Original Reference:** *Noctua discolor* Fabricius,1794, Ent. Syst. 3 (2): 50. **Type:** India: Tranquebariae. **Range (in code):** **IN LK TW TH Nrt Kao Knc CMa Int LA JP PH ID Sum Tnm PG NH NC Ms FJ CK AU**
- 58308. Avatha heterographa (Hampson,1912)** (Noctuidae) **Synonym(s):** *heterographa* Hampson,1912 **Range (in code):** **MM Tns TH CMa Php Int Nan Dpk VN CN NP TW ID Bor Sum MY**
- 58309. Avatha noctuoides (Guenée,1852)** (Noctuidae) **Synonym(s):** *noctuoides* Guenée,1852 **Range (in code):** **ID Ja CN TH?**
- 58310. Avatha novoguineana (Bethune-Baker,1906)** (Noctuidae) **Synonym(s):** *novoguineana* Bethune-Baker,1906; *#pallidior* Strand,1917 **Range (in code):** **AU**
- 58311. Avatha perficiens (Walker,1858)** (Noctuidae) **Synonym(s):** *perficiens* Walker,1858; *condita* Walker,1858 **Range (in code):** **LK IN TH ID Crm** **Bionomy:** Larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).
- 58312. Avatha pulcherrima (Butler,1892)** (Noctuidae) **Synonym(s):** *pulcherrima* Butler,1892 **Range (in code):** **TH Ntt Hba MY VN Adm ID Bor Ja Sum Ij PG PH**
- 58313. Avatha rufiscripta (Hampson,1926)** (Noctuidae) **Synonym(s):** *rufiscripta* Hampson,1926 **Range (in code):** **MY SG TH CMa Dst ID Sum Bor**
- 58314. Avatha subumbra (Bethune-Baker,1906)** (Noctuidae) **Synonym(s):** *subumbra* Bethune-Baker,1906 **Range (in code):** **AU**
- 58315. Avatha uloptera (A.E.Prout,1925)** (Noctuidae) **Synonym(s):** *uloptera* A.E.Prout,1925 **Range (in code):** **MY TH Int CMa Php VN ID Sum PH**
- 58316. Avitta bracteola Holloway,1976** (Noctuidae) **Synonym(s):** *bracteola* Holloway,1976 **Range (in code):** **TH Ntt Hba MY Bor Sbh KBa**
- 58317. Avitta discipuncta (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *discipuncta* R.Felder & Rogenhofer,1874; *pastea* Hampson,1902; *dinawa* Bethune-Baker,1906 **Range (in code):** **ID Amb IN SI Ass PG TH Knc**
- 58318. Avitta fasciosa (Moore,1882)** (Noctuidae) **Synonym(s):** *fasciosa* Moore,1882 **Range (in code):** **IN Ass Meg Khs TH Rng VN IN Bor TW JP**
- 58319. Avitta guttulosa (Swinhoe,1900)** (Noctuidae) **Synonym(s):** *guttulosa* Swinhoe,1900 **Range (in code):** **MY Bor Swk TH Ntt Hba**
- 58320. Avitta lineosa (Saalmüller,1891)** (Noctuidae) **Synonym(s):** *lineosa* Saalmüller,1891 **Range (in code):** **ZA MG**
- 58321. Avitta ophiusalis (Walker,1858)** (Noctuidae) **Synonym(s):** *ophiusalis* Walker,1858 **Range (in code):** **TH LA VN CN IN LK JP PG SB NH NC FJ AU**

- 58322. *Avitta quadrilinea* (Walker,[1863])** (Noctuidae) Synonym(s): *quadrilinea* Walker,[1863]; *quadrilinealis* Moore,1867; *completa* Rothschild,1915 _ Range (in code): **MY Bor Swk IN SI Djl PG TH CMA CDo NP LA LK MY PH Bor ID Sum Ja Amb Tim Clb Flo PG SB**
- 58323. *Avitta rufifrons* Moore,[1887]** (Noctuidae) Synonym(s): *rufifrons* Moore,[1887] _ Range (in code): **IN NP LK VN MY TH Php Fn MAI Agk Nan Dpk ID Ja Tim Flo Bor Amb PG**
- 58324. *Avitta* sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Nrt Kao**
- 58325. *Avitta subsignans* Walker,1858** (Noctuidae) Synonym(s): *subsignans* Walker,1858; *surrigens* Walker,1864; *leitimorensis* Pagenstecher,1884 _ Range (in code): **MY Bor Swk IN Ass Khs LK Adm ID Amb Sum PH TH**
- 58326. *Axylia annularis* Saalmüller,1891** (Noctuidae) Synonym(s): *annularis* Saalmüller,1891; *transjecta* Distant,1898 _ Range (in code): **ZA Tva Gau Pre MG**
- 58327. *Axylia aregashae* Laporte,1984** (Noctuidae) Synonym(s): *aregashae* Laporte,1984 _ Range (in code): **ET ET204**
- 58328. *Axylia belophora* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *belophora* D.S.Fletcher,1961 _ Range (in code): **UG Rz**
- 58329. *Axylia bryi* Laporte,1984** (Noctuidae) Synonym(s): *bryi* Laporte,1984 _ Range (in code): **ET ET86**
- 58330. *Axylia coniatora* (Hampson,1903)** (Noctuidae) Synonym(s): *coniatora* Hampson,1903 _ Range (in code): **ZA KE**
- 58331. *Axylia coniatora* (Hampson,1903)** (Noctuidae) Synonym(s): *coniatora* Hampson,1903 _ Range (in code): **KE**
- 58332. *Axylia corrupta* Guenée,1852** (Noctuidae) Synonym(s): *corrupta* Guenée,1852 _ Range (in code): **SN**
- 58333. *Axylia dallolmoi* Berio,1972** (Noctuidae) Synonym(s): *dallolmoi* Berio,1972 _ Range (in code): **TZ Iko**
- 58334. *Axylia destefanii* Berio,1944** (Noctuidae) Synonym(s): *destefanii* Berio,1944 _ Range (in code): **ET**
- 58335. *Axylia dispilata* Swinhoe,1891** (Noctuidae) Synonym(s): *dispilata* Swinhoe,1891 _ Range (in code): **ZA**
- 58336. *Axylia dispilata* Swinhoe,1891** (Noctuidae) Synonym(s): *dispilata* Swinhoe,1891 _ Range (in code): **IN Poo**
- 58337. *Axylia edwardsi* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *edwardsi* D.S.Fletcher,1961 _ Range (in code): **UG Rz**
- 58338. *Axylia gabriellae* Laporte,1975** (Noctuidae) Synonym(s): *gabriellae* Laporte,1975 _ Range (in code): **ET ET60 ET139 ET196 ET204**
- 58339. *Axylia ikondae* Berio,1972** (Noctuidae) Synonym(s): *ikondae* Berio,1972 _ Range (in code): **TZ Iko**
- 58340. *Axylia infusa* Berio,1972** (Noctuidae) Synonym(s): *infusa* Berio,1972 _ Range (in code): **TZ Iko**
- 58341. *Axylia intimima* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *intimima* D.S.Fletcher,1961 _ Range (in code): **UG Rz**
- 58342. *Axylia marthae* Laporte,1984** (Noctuidae) Synonym(s): *marthae* Laporte,1984 _ Range (in code): **ET ET196**
- 58343. *Axylia orbicularis* Laporte,1984** (Noctuidae) Synonym(s): *orbicularis* Laporte,1984 _ Range (in code): **ET ET204**
- 58344. *Axylia posterioducta* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *posterioducta* D.S.Fletcher,1961 _ Range (in code): **UG Rz KE**
- 58345. *Axylia putris* (Linnaeus,1761)** (Noctuidae) Synonym(s): *putris* Linnaeus,1761; *subcorticalis* Hufnagel,1766; *pallium* Villers,1789; *lignosa* Hübner,[1803]; *mundipennis* W.Warren,1912 _ Original Reference: *Phalaena putris* Linnaeus,1761, Fauna Suec. (Edn.2): 315. Type(s): Schweden. Range (in code): **MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Gh Mz Enz DK NO SE FI EE LV LT RU Cc GG Lag AZ Kir Ro Kr St Kc Kb Nt Ing Da Sb Am Us MD UA BY KG Tk CN Mc Ui Hun KP KR IN Hp Drm Kgr Up Nnt Mhh TH CMA CDo PK Haz Cte Swa Sgl Alp Kkar JP ID Sum Ja TW**
- 58346. *Axylia putris triseriata* Moore,1888** (Noctuidae) Synonym(s): *triseriata* Moore,1888 _ Original Reference: *Axylia triseriata* Moore,1888, Proc. zool. Soc. London 1888: 409. Type: [India]: "Kangra" (BMNH). Range (in code): **IN Hp Drm Kgr Up Nnt Mhh JP ID Sum TH CMA CDo**
- 58347. *Axylia rhodopea* (Hampson,1907)** (Noctuidae) Synonym(s): *rhodopea* Hampson,1907 _ Range (in code): **UG Rz**

- 58348. *Axylia sanyetiensis* Laporte,1984** (Noctuidae) **Synonym(s):** *sanyetiensis* Laporte,1984
Range (in code): **ET**
- 58349. *Axylia sciodes* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *sciodes* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 58350. *Axylia sicca* (Guenée,1852)** (Noctuidae) **Synonym(s):** *sicca* Guenée,1852; *renalis* Moore,1881
Range (in code): **ZA Tra IN Hp Pj Sd Sml Dlh Drm Kgr Up Bhi Nnt Bba ET ET196**
- 58351. *Axylia striata* Laporte,1984** (Noctuidae) **Synonym(s):** *striata* Laporte,1984 - **Range (in code):** **KE**
- 58352. *Axylia vespertina* Laporte,1984** (Noctuidae) **Synonym(s):** *vespertina* Laporte,1984
Range (in code): **ET ET204**
- 58353. *Badiza cauxa* (Swinhoe,1902)** (Noctuidae) **Synonym(s):** *cauxa* Swinhoe,1902 - **Range (in code):** **MY Bor Sbh TH Knc**
- 58354. *Badiza despecta* (Walker,1865)** (Noctuidae) **Synonym(s):** *despecta* Walker,1865
Range (in code): **IN Ass Khs LK NI**
- 58355. *Badiza ereboides* (Walker,1864)** (Noctuidae) **Synonym(s):** *ereboides* Walker,1864
Range (in code): **MY Bor Swk IN Ass Khs SI**
- 58356. *Ballatha willotti* Holloway,2003** (Noctuidae) **Synonym(s):** *willotti* Holloway,2003
Range (in code): **MY Bor**
- 58357. *Bamra albicola* Walker,1858** (Noctuidae) **Synonym(s):** *albicola* Walker,1858; *discalis* Moore,1867; *diplostigma* Hampson,1893 - **Range (in code):** **LK Pdy IN BD TH Nrt Kao MY VN ID Sum Bor Clb TW PH JP**
- 58358. *Bamra delicata* Hampson,1922** (Noctuidae) **Synonym(s):** *delicata* Hampson,1922
Range (in code): **ZA NG**
- 58359. *Bamra glaucopasta* (Bethune-Baker,1911)** (Noctuidae) **Synonym(s):** *glaucopasta* Bethune-Baker,1911 - **Range (in code):** **KE Nai**
- 58360. *Bamra jucunda* Griveaud & Viette,1961** (Noctuidae) **Synonym(s):** *jucunda* Griveaud & Viette,1961 - **Range (in code):** **MG**
- 58361. *Bamra marmorifera* (Walker,1858)** (Noctuidae) **Synonym(s):** *marmorifera* Walker,1858
Range (in code): **ZA Nta Kzu Dbn**
- 58362. *Bamra mundata* (Walker,1858)** (Noctuidae) **Synonym(s):** *mundata* Walker,1858
Range (in code): **LK Pdy**
- 58363. *Baniana arvorum* (Guenée,1852)** (Noctuidae) **Synonym(s):** *arvorum* Guenée,1852; *recussa* Distant,1898 - **Range (in code):** **ZA Tva Gau Pre**
- 58364. *Baniana culminifera* Hampson,1910** (Noctuidae) **Synonym(s):** *culminifera* Hampson,1910
Range (in code): **ZA**
- 58365. *Baorisa floresiana* Behounek, Speidel & Thöny,1996** (Noctuidae) **Synonym(s):** *floresiana* Behounek, Speidel & Thöny,1996 - **Range (in code):** **ID Flo**
- 58366. *Baorisa hieroglyphica* Moore,1882** (Noctuidae) **Synonym(s):** *hieroglyphica* Moore,1882
Original Reference: *Baorisa hieroglyphica* Moore,1882, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr. Atkinson: 133, pl.4 fig. 14. Type: India, Siikim, Darjeeling.
Range (in code): **NP Kma Hp Ass Meg IN SI Djl Ben MM Up Khs TH CMa Ssi Knc Nan Pua Dpk VN ID Sum Bor KBa Ja MY**
- 58367. *Baorisa philippina* Behounek, Speidel & Thöny,1996** (Noctuidae) **Synonym(s):** *philippina* Behounek, Speidel & Thöny,1996 - **Range (in code):** **PH Mno Neg Ley Luz**
- 58368. *Baorisa sulawesiana* Behounek, Speidel & Thöny,1996** (Noctuidae) **Synonym(s):** *sulawesiana* Behounek, Speidel & Thöny,1996 - **Range (in code):** **ID Clb**
- 58369. *Barasa acronyctoides* Walker,1862** (Noctuidae) **Synonym(s):** *acronyctoides* Walker,1862; *cana* Hampson,1893; *caradrinoides* Snellen,1879 - **Range (in code):** **MY Bor Swk LK IN Adm ID Clb**
Bionomy: Larva on Eugenia (Myrtaceae), Syzygium (Mathur,1942).
- 58370. *Barasa alopha* Hampson,1896** (Noctuidae) **Synonym(s):** *alopha* Hampson,1896 - **Range (in code):** **LK IN Bba MM ID Clb Klt MY Bor BN** **Bionomy:** Larva on Terminalia (Combretaceae) (Holloway,2003).
- 58371. *Barasa basigerella* (Walker,1866)** (Noctuidae) **Synonym(s):** *basigerella* Walker,1866
Range (in code): **ID Flo**
- 58372. *Barasa costalis* Hampson,1895** (Noctuidae) **Synonym(s):** *costalis* Hampson,1895
Range (in code): **IN SI BT**
- 58373. *Barasa cymatistis* (Meyrick,1889)** (Noctuidae) **Synonym(s):** *cymatistis* Meyrick,1889
Range (in code): **PG**

- 58374. Barasa griseola Bethune-Baker, 1906** (Noctuidae) Synonym(s): *griseola* Bethune-Baker, 1906; *#bakeri* Gaede, 1937 Range (in code): **PG ID Kai**
- 58375. Barasa hulstaerti Hacker, 2012** (Noctuidae) Synonym(s): *hulstaerti* Hacker, 2012 Range (in code): **ZR Lsb**
- 58376. Barasa katbergensis Hacker, 2012** (Noctuidae) Synonym(s): *katbergensis* Hacker, 2012 Range (in code): **ZA**
- 58377. Barasa lunisigna (Hampson, 1898)** (Noctuidae) Synonym(s): *lunisigna* Hampson, 1898 Range (in code): **IN Ass Meg Khs MM TH VN MY Bor Swk**
- 58378. Barasa meizotoxa De Joannis, 1928** (Noctuidae) Synonym(s): *meizotoxa* De Joannis, 1928 Range (in code): **VN Ton**
- 58379. Barasa melanograpta Turner, 1920** (Noctuidae) Synonym(s): *melanograpta* Turner, 1920 Range (in code): **AU**
- 58380. Barasa nigrosigillata Roepke, 1938** (Noctuidae) Synonym(s): *nigrosigillata* Roepke, 1938 Range (in code): **ID Clb**
- 58381. Barasa orthosticha Turner, 1920** (Noctuidae) Synonym(s): *orthosticha* Turner, 1920 Range (in code): **AU QAU**
- 58382. Barasa rebeli Tams, 1935** (Noctuidae) Synonym(s): *rebeli* Tams, 1935 Range (in code): **WS**
- 58383. Barasa suffida Swinhoe, 1919** (Noctuidae) Synonym(s): *suffida* Swinhoe, 1919 Range (in code): **IN Ass Meg Khs**
- 58384. Barasa triangularis G.D.Robinson, 1975** (Noctuidae) Synonym(s): *triangularis* G.D.Robinson, 1975 Range (in code): **FJ**
- 58385. Barasa vanbraeckeli Roepke, 1938** (Noctuidae) Synonym(s): *vanbraeckeli* Roepke, 1938 Range (in code): **ID Clb**
- 58386. Barastrotia metalophota (Hampson, 1898)** (Noctuidae) Synonym(s): *metalophota* Hampson, 1898 Range (in code): **IN Ass Meg Khs**
- 58387. Bareia incidens Walker, 1858** (Noctuidae) Synonym(s): *incidens* Walker, 1858 Range (in code): **ZA Ec Tra Nta Kzu Dbn KE ZR NG ET ET204**
- 58388. Barnanola atra Laszlo, G.Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *atra* Laszlo, G.Ronkay & Witt, 2010 Range (in code): **ID Ja**
- 58389. Barnanola fibigeri Laszlo, G.Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *fibigeri* Laszlo, G.Ronkay & Witt, 2010 Range (in code): **ID Sum**
- 58390. Barnanola orbiculata Laszlo, G.Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *orbiculata* Laszlo, G.Ronkay & Witt, 2010 Original Reference: Barnanola orbiculata Laszlo, G.Ronkay & Witt, 2010, Esperiana 15: 7-126. Holotype ♂: Thailand, Mae Hong Song, 1km S of Bahundanda 1000m leg. M.Hreblay & Szaboky (MWM). Range (in code): **TH Mae**
- 58391. Barnanola sumatra Laszlo, G.Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *sumatra* Laszlo, G.Ronkay & Witt, 2010 Range (in code): **ID Sum**
- 58392. Bastilla absentimacula (Guenée, 1852)** (Noctuidae) Synonym(s): *absentimacula* Guenée, 1852; *silvestris* Strand, 1920 Range (in code): **TW ID Ja Sum TH CMA Int Nan Bnk Cph Nst Smu LK IN CN KP KR** Bionomy: Larva on Phyllanthus acidus [star goodsberry] (Euphorbiaceae), Caladium bicolor [bon si] (Araceae) (Lewvanich, 2001).
- 58393. Bastilla acuta (Moore, 1887)** (Noctuidae) Synonym(s): *acuta* Moore, 1887 Range (in code): **IN Ass Meg Khs TH Nan Dpk MY TW PH ID Ja**
- 58394. Bastilla amygdalis Moore, [1885]** (Noctuidae) Synonym(s): *amygdalis* Moore, [1885]; *amygdaloides* Strand, 1920 Range (in code): **LK IN NP TH Knc CMA Dst ID Sum Clb** Bionomy: Larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller, 2003).
- 58395. Bastilla analis (Guenée, 1852)** (Noctuidae) Synonym(s): *analis* Guenée, 1852 Range (in code): **TH CMA MAI Wia Pfa Nan Dpk VN MM IN LK CN TW ID Ja** Bionomy: Larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller, 2003).
- 58396. Bastilla arcuata (Moore, 1887)** (Noctuidae) Synonym(s): *arcuata* Moore, 1887; *guenei* Snellen, 1880; *curvata* Leech, 1889 Range (in code): **TH VN Ton ID Clb Ja Sum PG KP KR MY KH MM NP IN Adm LK Dck Pdy CN TW JP PH Boh Neg** Bionomy: Larva on Glochidion, Phyllanthus (Euphorbiaceae) (Holloway & Miller, 2003).
- 58397. Bastilla binatang Holloway & S.E.Miller, 2003** (Noctuidae) Synonym(s): *binatang* Holloway & S.E.Miller, 2003 Range (in code): **PG**
- 58398. Bastilla crameri (Moore, [1885])** (Noctuidae) Synonym(s): *achatina* Cramer, 1780 *nec* Sulz., 1776; *crameri* Moore, [1885]; *discalis* Moore, [1885] Range (in code): **ZA LK Kndy Pdy IN TH Knc**

- CMa Dst KH VN MM NP PK CN Adm ID Sum** Bionomy: Larva on Sandoricum koetjape (Meliaceae), Phyllanthus (Euphorbiaceae) (Kuroko & Lewvanich,1993; Holloway & Miller,2003).
- 58399. Bastilla cuneilineata (W.Warren,1915)** (Noctuidae) Synonym(s): *cuneilineata* W.Warren,1915 Range (in code): **NC LO**
- 58400. Bastilla duplicata (G.S.Robinson,1975)** (Noctuidae) Synonym(s): *duplicata* G.S.Robinson,1975 Range (in code): **FJ**
- 58401. Bastilla feneratrix (Guenée,1852)** (Noctuidae) Synonym(s): *feneratrix* Guenée,1852; *melanochrous* Rothschild,1920 Range (in code): **ID Sum TH CMa Pfa MAI Nan Dpk Bor Ja PH**
- 58402. Bastilla flexilinea (W.Warren,1915)** (Noctuidae) Synonym(s): *flexilinea* W.Warren,1915 Range (in code): **SB PG Bgv**
- 58403. Bastilla fulvotaenia (Guenée,1852)** (Noctuidae) Synonym(s): *fulvotaenia* Guenée,1852 Range (in code): **BD Syl IN LK Pdy TH CRa VN CN TW JP PH Pal ID Sum Bor Nia Tim Flo Clb Lb Bru Mlc Amb** Bionomy: Larva on Glochidion (Euphorbiaceae) (Holloway & Miller,2003).
- 58404. Bastilla joviana (Stoll,1782)** (Noctuidae) Synonym(s): *sinuata* Fabricius,1781 *nec Fabr.*,1775; *joviana* Stoll,1782; *jovis* Hübner,[1823] Original Reference: Phalaena joviana Stoll,1782, [in] Cramer, Utitl. Kapellen: 237. Range (in code): **ZA ID Ja IN TH CMa Int Knc LA VN NP LK Tcm Dck Kndy CN TW JP PH Sum Bor Tim Flo Sbw Clb Mlc PG FJ AU** Bionomy: Larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 58405. Bastilla maturata (Walker,1858)** (Noctuidae) Synonym(s): *maturata* Walker,1858; *falcata* Moore,1882 Range (in code): **IN Khs Meg Ass MY TH CMa Php VN IN NP ID Sum Ja Bor CN TW JP KP KR RU Us** Bionomy: Larva on Vitis (Vitaceae) (Holloway & Miller,2003).
- 58406. Bastilla maturescens (Walker,1858)** (Noctuidae) Synonym(s): *maturescens* Walker,1858 Range (in code): **BD Syl IN TH Knc VN ID Sum Bor Ja PH**
- 58407. Bastilla missionarii (Hulstaert,1924)** (Noctuidae) Synonym(s): *missionarii* Hulstaert,1924 Range (in code): **ID Tnm**
- 58408. Bastilla myops (Guenée,1852)** (Noctuidae) Synonym(s): *myops* Guenée,1852; *affinis* Guenée,1852 Range (in code): **ID Ja Bli**
- 58409. Bastilla nielsenii Holloway & S.E.Miller,2003** (Noctuidae) Synonym(s): *nielsenii* Holloway & S.E.Miller,2003 Range (in code): **PG Aro**
- 58410. Bastilla praetermissa (W.Warren,1913)** (Noctuidae) Synonym(s): *praetermissa* W.Warren,1913 Range (in code): **IN CN TW TH CMa Php Agk MAI Int Nan Dpk NP PH** Bionomy: Larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 58411. Bastilla properata (Walker,1858)** (Noctuidae) Synonym(s): *properata* Walker,1858 Range (in code): **IN TH CMa Int ID Clb PG**
- 58412. Bastilla redunca (Swinhoe,1900)** (Noctuidae) Synonym(s): *redunca* Swinhoe,1900 Range (in code): **ID Kai Mlc PG Bsm AU QAU NSw NH NC**
- 58413. Bastilla senex (Walker,1858)** (Noctuidae) Synonym(s): *senex* Walker,1858; *acutissima* Bethune-Baker,1906 Range (in code): **AU PG TH CN LK PH ID**
- 58414. Bastilla simillima (Guenée,1852)** (Noctuidae) Synonym(s): *simillima* Guenée,1852; *mima* Strand,1920 Range (in code): **LK TW ID Ja BD Syl TH VN NP CN PH ID Sum AU** Bionomy: Larva on Phyllanthus (Euphorbiaceae) (Holloway & Miller,2003).
- 58415. Bastilla solomonensis (Hampson,1913)** (Noctuidae) Synonym(s): *solomonensis* Hampson,1913 Range (in code): **SB RE NC NH AU QAU NAU NSw ID Kei Ja Mlc PH Mno**
- 58416. Bastilla solomonensis bicacuminata (Holloway,1979)** (Noctuidae) Synonym(s): *bicacuminata* Holloway,1979 Range (in code): **NC**
- 58417. Bastilla solomonensis hebridesia (Holloway,1979)** (Noctuidae) Synonym(s): *hebridesia* Holloway,1979 Range (in code): **NH FJ**
- 58418. Bastilla solomonensis jovia (Gaede,1938)** (Noctuidae) Synonym(s): *jovia* Gaede,1938 Range (in code): **ID Ja Mlc Kei**
- 58419. Bastilla solomonensis papuana (Holloway,1979)** (Noctuidae) Synonym(s): *papuana* Holloway,1979 Range (in code): **PG AU QAU NAU NSw**
- 58420. Bastilla solomonensis solomonensis (Hampson,1913)** (Noctuidae) Synonym(s): *solomonensis* Hampson,1913 Range (in code): **SB RE**
- 58421. Bastilla solomonensis ssp.** (Noctuidae) Synonym(s): Range (in code): **PH Mno**
- 58422. Bastilla subacuta (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *subacuta* Bethune-Baker,1906 Range (in code): **PG ID Crm**

- 58423. Bastilla subacuta juncta (A.E.Prout,1922)** (Noctuidae) Synonym(s): *juncta* A.E.Prout,1922 Range (in code): **ID Crm**
- 58424. Bastilla subacuta subacuta (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *subacuta* Bethune-Baker,1906 Range (in code): **PG**
- 58425. Bastilla tahitiensis (Orhant,2002)** (Noctuidae) Synonym(s): *tahitiensis* Orhant,2002 Range (in code): **Tah**
- 58426. Bastilla vitiensis (Butler,1886)** (Noctuidae) Synonym(s): *vitiensis* Butler,1886; *prouti* Hulstaert,1924; *cuneifascia* Hulstaert,1924 Range (in code): **MY Bor ID Ja Kai Clb FJ WS TO NC SB PG PH**
- 58427. Batracharta albistrigosa W.Warren,1915** (Noctuidae) Synonym(s): *albistrigosa* W.Warren,1915 Original Reference: *Batracharta albistrigosa* W.Warren,1915, Novit. zool. 22: 147. Syntypes 2♂: [India]: Assam: Khasia Hills. Range (in code): **IN Ass Meg Khs TH CMa Dst**
- 58428. Batracharta chariessa A.E.Prout,1928** (Noctuidae) Synonym(s): *chariessa* A.E.Prout,1928 Range (in code): **ID Sum**
- 58429. Batracharta cossoides (Walker,[1863])** (Noctuidae) Synonym(s): *cossoides* Walker,[1863] Range (in code): **MY Bor Swk CN TH Nan Dpk**
- 58430. Batracharta divisa Wileman,1914** (Noctuidae) Synonym(s): *divisa* Wileman,1914 Range (in code): **TW TH Knc**
- 58431. Batracharta lempkei Kobes,1989** (Noctuidae) Synonym(s): *lempkei* Kobes,1989 Range (in code): **ID Sum TH CMa Dst**
- 58432. Batracharta obliqua (Walker,1862)** (Noctuidae) Synonym(s): *obliqua* Walker,1862; *apicalis* Moore,1882; *tincta* Hampson,1893 Range (in code): **TH CMa Dst MM MY KH LK IN Clc Bor Swk PG PH**
- 58433. Batracharta proutae Holloway,2005** (Noctuidae) Synonym(s): *proutae* Holloway,2005 Range (in code): **TH Knc ID Sum Clb MY Bor Swk**
- 58434. Batracharta sp.2** (Noctuidae) Synonym(s): Range (in code): **TH Knc**
- 58435. Batracharta walkeri Bethune-Baker,1910** (Noctuidae) Synonym(s): *walkeri* Bethune-Baker,1910; *ochreipennis* W.Warren,1915 Range (in code): **ID Ij Afk**
- 58436. Batwana abbahoyegarana Rougeot,1983** (Noctuidae) Synonym(s): *abbahoyegarana* Rougeot,1983 Range (in code): **ET**
- 58437. Batwana exspectata Laporte & Rougeot,1981** (Noctuidae) Synonym(s): *exspectata* Laporte & Rougeot,1981 Range (in code): **ET**
- 58438. Batwana lobeliarum Laporte,1976** (Noctuidae) Synonym(s): *lobeliarum* Laporte,1976 Range (in code): **ET ET86**
- 58439. Batwana rougeoti Laporte,1976** (Noctuidae) Synonym(s): *rougeoti* Laporte,1976 Range (in code): **ET**
- 58440. Beana terminigera (Walker,1858)** (Noctuidae) Synonym(s): *terminigera* Walker,1858; *polychroma* Walker,1862 Range (in code): **IN MM MY Bor Swk Sbh PH** Bionomy: Larva on *Quisqualis* (Combretaceae), *Ventilago* (Rhamnaceae) (Gardner,1947).
- 58441. Beara achromatica Hampson,1918** (Noctuidae) Synonym(s): *achromatica* Hampson,1918 Range (in code): **PH Luz**
- 58442. Beara cornuta Holloway,1982** (Noctuidae) Synonym(s): *cornuta* Holloway,1982 Range (in code): **MY Bor Sbh KBa ID Sum**
- 58443. Beara dilatata Holloway,1982** (Noctuidae) Synonym(s): *dilatata* Holloway,1982 Range (in code): **IN Ass Meg Khs**
- 58444. Beara falcata Holloway,1982** (Noctuidae) Synonym(s): *falcata* Holloway,1982 Range (in code): **ID Ij**
- 58445. Beara nubiferella Walker,1866** (Noctuidae) Synonym(s): *nubiferella* Walker,1866; *milbradti* Kobes,1977 Range (in code): **MY Bor ID Sum Ja** Bionomy: Larva on *Ceiba* (Bombacaceae), *Tectona* (Verbenaceae) (Mathur,1942).
- 58446. Beara tortriciformis (Strand,1917)** (Noctuidae) Synonym(s): *tortriciformis* Strand,1917; *dilatata* Holloway,1982 Range (in code): **IN Ass TW MY Bor ID Sum**
- 58447. Behounekia freyeri (Frivaldsky,1835)** (Noctuidae) Synonym(s): *freyeri* Frivaldsky,1835; *lintea* Freyer,1842; *orontii* Herrich-Schäffer,[1851]; *senescens* Eversmann,1856; *#linthea* Lederer,1870 Original Reference: *Xylina freyeri* Frivaldsky,1835, Tarsas Tud. Akad. Evkönyv. 2:273. Syntypes: Balkans. Range (in code): **MK BG GR TR AM GG AZ Kir Cc RU Da SY**

- 58448. Beihania anartoides (Warnecke,1937)** (Noctuidae) Synonym(s): *anartoides* Warnecke,1937 Original Reference: Metoponrhis anatoides Warnecke,1937, Mitt. münch. ent. Ges. 27: 47, Pl.3 fig.1. Range (in code): **YE SA As**
- 58449. Beihania cuculliella Wiltshire,1967** (Noctuidae) Synonym(s): *cuculliella* Wiltshire,1967 Original Reference: Beihania cuculliella Wiltshire,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 234-235, figs. Holotype ♂: Saudi Arabia: Mecca, 8.iv.32, leg. H.St.J. Philby (BMNH). Range (in code): **SA Hj As SA50**
- 58450. Beihania hyatti Wiltshire,1967** (Noctuidae) Synonym(s): *hyatti* Wiltshire,1967 Original Reference: Beihania hyatti Wiltshire,1967, J. Bomb. Nat. Hist. Soc. 64 (2): 235-237, figs. Holotype ♀: Somaliland, 2200ft., iv.1929, leg. M.Portal Hyatt (BMNH). Range (in code): **SO**
- 58451. Beihania montaguei Wiltshire,1980** (Noctuidae) Synonym(s): *montaguei* Wiltshire,1980 Range (in code): **KE**
- 58452. Beihania philbyi Wiltshire,1980** (Noctuidae) Synonym(s): *philbyi* Wiltshire,1980 Range (in code): **SA**
- 58453. Belciades hoenei Kononenko,1997** (Noctuidae) Synonym(s): *hoenei* Kononenko,1997 Range (in code): **MM Kam Kch**
- 58454. Belciades niveola (Motschulsky,1866)** (Noctuidae) Synonym(s): *niveola* Motschulsky,1866 Range (in code): **JP**
- 58455. Belciades sugii Kononenko,1997** (Noctuidae) Synonym(s): *sugii* Kononenko,1997 Original Reference: Belciades sugii Kononenko,1997, Tinea 15: 110, fig.7, 13, 14. Holotype ♂: Thailand: Chiang Mai, Fang, Doi Angkhang. Range (in code): **TH CMa Agk Knc Pap Mro MM VN Ton Lei Fan LA**
- 58456. Belciana bicolor Wileman & West,1929** (Noctuidae) Synonym(s): *bicolor* Wileman & West,1929 Range (in code): **PH Mno**
- 58457. Belciana biformis (Walker,1858)** (Noctuidae) Synonym(s): *biformis* Walker,1858; *hemodi* R.Felder & Rogenhofer,1874 Range (in code): **MY Bor Swk IN TH Tng CMa Dst Ds10 VN PH ID Sum Ja PG**
- 58458. Belciana caerulea Hampson,1926** (Noctuidae) Synonym(s): *caerulea* Hampson,1926 Range (in code): **ID Ij Snw**
- 58459. Belciana euchlora Hampson,1926** (Noctuidae) Synonym(s): *euchlora* Hampson,1926 Range (in code): **GH**
- 58460. Belciana habroscia A.E.Prout,1924** (Noctuidae) Synonym(s): *habroscia* A.E.Prout,1924 Range (in code): **ID Ij**
- 58461. Belciana kala (A.E.Prout,1924)** (Noctuidae) Synonym(s): *kala* A.E.Prout,1924 Range (in code): **ID Sum Kor TH Knc MY Bor**
- 58462. Belciana kenricki (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kenricki* Bethune-Baker,1906 Range (in code): **PG**
- 58463. Belciana patricolor A.E.Prout,1924** (Noctuidae) Synonym(s): *patricolor* A.E.Prout,1924 Range (in code): **ID Ij Wey**
- 58464. Belciana prasina (Swinhoe,1903)** (Noctuidae) Synonym(s): *prasina* Swinhoe,1903 Range (in code): **IN Ass Meg Jnt**
- 58465. Belciana pratti (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *pratti* Bethune-Baker,1906 Range (in code): **PG**
- 58466. Belciana serrata (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *serrata* Bethune-Baker,1906 Range (in code): **PG**
- 58467. Belciana sobieczkyi Kobes,1989** (Noctuidae) Synonym(s): *sobieczkyi* Kobes,1989 Range (in code): **ID Sum TH CMa Fn VN**
- 58468. Belciana sophronia A.E.Prout,1924** (Noctuidae) Synonym(s): *sophronia* A.E.Prout,1924 Range (in code): **ID Sum Kor**
- 58469. Belciana staudingeri (Leech,1900)** (Noctuidae) Synonym(s): *staudingeri* Leech,1900; *trinubila* Draudt,1937 Range (in code): **KR CN Hun**
- 58470. Belciana striatovirens (Moore,1882)** (Noctuidae) Synonym(s): *striatovirens* Moore,1882 Range (in code): **IN Meg Ass Khs TH Phy Nan Dpk CN**
- 58471. Belciana subserrata A.E.Prout,1924** (Noctuidae) Synonym(s): *subserrata* A.E.Prout,1924 Range (in code): **ID Ij Wey**
- 58472. Bematha extensa Walker,1865** (Noctuidae) Synonym(s): *extensa* Walker,1865 Range (in code): **IN TH Tng Nrt Kao VN MY BT ID Sum Bor Ja Clb Ij PG PH**

- 58473. Bematha pectoralis (Walker,1864)** (Noctuidae) Synonym(s): *pectoralis* Walker,1864
Range (in code): **MY Bor Swk**
- 58474. Bematha transversata Wileman & West,1929** (Noctuidae) Synonym(s): *transversata* Wileman & West,1929 _ Range (in code): **PH Luz**
- 58475. Bena africana (W.Warren,1913)** (Noctuidae) Synonym(s): *africana* W.Warren,1913
Original Reference: *Hylophila africana* W.Warren,1913, [in] Seitz, Gross-Schmett. Erde 3: 298, pl.53m. Holotype ♀: Tunis: Ain Draham (BMNH). Range (in code): **TN DhM**
- 58476. Bena bicolorana (Fuessly,1775)** (Noctuidae) Synonym(s): *prasinana* auct. nec Linn.,1758; *bicolorana* Fuessly,1775; *quercana* Denis & Schiffermüller,1775; *conspersa* W.Warren,1913. Original Reference: *Phalaena bicolorana* Fuessly,1775, Verz. bekannt. Schweizer. Insect.: 41. Type: Schweiz. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LT RU Cc GG Bjo Smt Ro Kr Da MD UA BY IR Fa Kd Mrv Bne Bjr Zj Km Kaz Mia Kz Yas LB SY IL Pa JO**
- 58477. Benedekia gaudina G.Ronkay,L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *gaudina* G.Ronkay,L.Ronkay, Gyulai & Hacker,2010 _ Range (in code): **PK**
- 58478. Benshirachia paradoxa Gyulai, Varga & L.Ronkay,2002** (Noctuidae) Synonym(s): *paradoxa* Gyulai, Varga & L.Ronkay,2002 _ Range (in code): **IR By Es**
- 58479. Beriohansa hansali (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *hansali* R.Felder & Rogenhofer,[1874] _ Range (in code): **ZA Nta Kzu Dbn Ec Tra EG KE**
- 58480. Bertula abjudicalis Walker,[1859]** (Noctuidae) Synonym(s): *abjudicalis* Walker,[1859]; *thrsialis* Walker,1859; *tumidalis* Walker,1859; *#abducalis* Kononenko & Pinratana,2005 _ Range (in code): **TH Ntt Hba Nan Dpk LA VN IN NI LK TW AU Syd NSW**
- 58481. Bertula sp.1** (Noctuidae) Synonym(s): _ Range (in code): **TH Fn Php**
- 58482. Bertula sp.2** (Noctuidae) Synonym(s): _ Range (in code): **TH Nan Dpk**
- 58483. Blasticorhinus enervis (Swinhoe,1890)** (Noctuidae) Synonym(s): *enervis* Swinhoe,1890
Range (in code): **TH Nan Dpk MM Rng TW**
- 58484. Blasticorhinus otophora (Hampson,1894)** (Noctuidae) Synonym(s): *otophora* Hampson,1894 _ Range (in code): **IN Nag TH**
- 58485. Blasticorhinus rivulosa (Walker,1865)** (Noctuidae) Synonym(s): *rivulosa* Walker,1865; *quadripuncta* Swinhoe,1902 _ Range (in code): **PH Pal IN KP KR ID Sum Bor Tnm JP CN TW NP MM VN LA MY TH Knc**
- 58486. Blasticorhinus sp.1** (Noctuidae) Synonym(s): _ Range (in code): **TH CMa Int**
- 58487. Blasticorhinus sp.2** (Noctuidae) Synonym(s): _ Range (in code): **TH CMa Int**
- 58488. Blasticorhinus varius Yoshimoto,1993** (Noctuidae) Synonym(s): *varius* Yoshimoto,1993
Original Reference: *Blasticorhinus varius* Yoshimoto,1993, Tinea 13 (Suppl.3): 74, pl.53 figs.1,2. Holotype: Nepal: Godavari. Range (in code): **NP God TH Nan Dpk CMa Dst LA IN**
- 58489. Blenina accipiens Walker,[1858]** (Noctuidae) Synonym(s): *accipiens* Walker,[1858]
Range (in code):
- 58490. Blenina albifascia Pinhey,1968** (Noctuidae) Synonym(s): *albifascia* Pinhey,1968; *sinefascia* Pinhey,1978. _ Range (in code): **ZA**
- 58491. Blenina chlorophila Hampson,1905** (Noctuidae) Synonym(s): *chlorophila* Hampson,1905
Range (in code): **IN SG MY Bor TW**
- 58492. Blenina diagona Hampson,1912** (Noctuidae) Synonym(s): *diagona* Hampson,1912
Range (in code): **NG ZA**
- 58493. Blenina donans Walker,1857** (Noctuidae) Synonym(s): *donans* Walker,1857 _ Range (in code): **IN LK SG AU QAU MY Bor ID Sum Ja Mlc Clb PH NC LO**
- 58494. Blenina lichenopa (Meyrick,1897)** (Noctuidae) Synonym(s): *lichenopa* Meyrick,1897
Range (in code): **NC AU QAU**
- 58495. Blenina lichenopa (Meyrick,1897)** (Noctuidae) Synonym(s): *lichenopa* Meyrick,1897
Range (in code): **AU QAU**
- 58496. Blenina lichenopa nigrans Bethune-Baker,1906** (Noctuidae) Synonym(s): *nigrans* Bethune-Baker,1906 _ Range (in code): **PG Bsm**
- 58497. Blenina lichenopa solomonis Swinhoe,1905** (Noctuidae) Synonym(s): *solomonis* Swinhoe,1905 _ Range (in code): **SB NH**
- 58498. Blenina lichenopa vatu G.S.Robinson,1975** (Noctuidae) Synonym(s): *vatu* G.S.Robinson,1975 _ Range (in code): **FJ TO**

- 58499. *Blenina lichenosa* Moore,1877** (Noctuidae) **Synonym(s):** *lichenosa* Moore,1877 *nec* R.Felder,1874; *variegata* Moore,1882; *#borneonis* Strand,1917; *#lichenosella* Strand,1917; *#lichenosula* Strand,1917
Range (in code): **IN Adm MY Bor PG**
- 58500. *Blenina lucretia* (Dalman,1823)** (Noctuidae) **Synonym(s):** *lucretia* Dalman,1823
Range (in code):
- 58501. *Blenina malachitis* Hampson,1905** (Noctuidae) **Synonym(s):** *malachitis* Hampson,1905; *#auriculata* Hampson,1912; *#singaporica* Strand,1917; *moluccensis* A.E.Prout,1926
Range (in code): **ID Bru Mlc PG SG MY Bor**
- 58502. *Blenina puloa* Swinhoe,1901** (Noctuidae) **Synonym(s):** *puloa* Swinhoe,1901
Range (in code): **PH Luz MY Bor TW**
- 58503. *Blenina quadripuncta* Hampson,1902** (Noctuidae) **Synonym(s):** *quadripuncta* Hampson,1902
Range (in code): **ZA MZ Del**
- 58504. *Blenina quinaria* Moore,1882** (Noctuidae) **Synonym(s):** *quinaria* Moore,1882
Range (in code): **IN CN VN MY Bor PH**
- 58505. *Blenina squamifera* (Wallengren,1860)** (Noctuidae) **Synonym(s):** *squamifera* Wallengren,1860; *lichenosa* R.Felder,1874; *autumnalis* Distant,1898.
Original Reference: Lophoptera *squamifera* Wallengren,1860, Wien. ent. Monatschr. 6 (4): 171. Type: [South Africa]: Kaffraria.
Range (in code): **ZA Lpo Tva Spb Mdk Mpu Brb Gau Pre Ec Fs Ans Nta Kzu Est BW ZW ZM ZR TZ KE**
- 58506. *Blepharita amica* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *amica* Treitschke,1825
Range (in code): **DE PL CZ SK DK SE FI EE LV LT RU Cc Ro Kc MD UA BY**
- 58507. *Blepharita satura* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *satura* [Denis & Schiffermüller],1775
Original Reference: Noctua *satura* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district.
Range (in code): **ES FR Sa IT GB? BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Ro MD UA BY**
- 58508. *Blepharomorpha bifurcata* (Hreblay & Plante,1996)** (Noctuidae) **Synonym(s):** *bifurcata* Hreblay & Plante,1996
Range (in code):
- 58509. *Blepharomorpha draudtiana* (Hreblay & Plante,1996)** (Noctuidae) **Synonym(s):** *draudtiana* Hreblay & Plante,1996
Range (in code):
- 58510. *Blepharomorpha inflata* (Hreblay & Plante,1996)** (Noctuidae) **Synonym(s):** *inflata* Hreblay & Plante,1996
Range (in code):
- 58511. *Blepharomorpha luteifrons* (Walker,1857)** (Noctuidae) **Synonym(s):** *luteifrons* Walker,1857
Range (in code):
- 58512. *Blepharomorpha machka* Hreblay & L.Ronkay,1998** (Noctuidae) **Synonym(s):** *machka* Hreblay & L.Ronkay,1998
Range (in code): **PK Haz Kag**
- 58513. *Blepharomorpha retrahens* (Walker,1857)** (Noctuidae) **Synonym(s):** *retrahens* Walker,1857
Range (in code):
- 58514. *Bleptina frontalis* Walker,1862** (Noctuidae) **Synonym(s):** *frontalis* Walker,1862
Range (in code): **ZA**
- 58515. *Bleptina intractalis* Walker,1862** (Noctuidae) **Synonym(s):** *intractalis* Walker,1862
Range (in code): **ZA**
- 58516. *Bocana incompleta* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *incompleta* A.E.Prout,1928
Range (in code): **TH Nan Dpk MY Bor Swk**
- 58517. *Bocana manifestalis* Walker,[1859]** (Noctuidae) **Synonym(s):** *manifestalis* Walker,[1859]; *oberratalis* Walker,[1859]; *determinata* Walker,1865; *repulsa* Walker,1865; *scotosa* Holland,1900; *iridescent* Lucas,1900; *pygata* Strand,1900
Range (in code): **WS PC FJ SB PG MY IN Ass Khs NI ID Bru SG LK MM Rgo TW AU QAU CN JP**
- 58518. *Bocana umbrina* Tams,1924** (Noctuidae) **Synonym(s):** *umbrina* Tams,1924
Range (in code): **TH**
- 58519. *Bocula brunneata* W.Warren,1912** (Noctuidae) **Synonym(s):** *brunneata* W.Warren,1912
Range (in code): **IN TH CMa Fn Php**
- 58520. *Bocula caradrinoides* Guenée,1852** (Noctuidae) **Synonym(s):** *caradrinoides* Guenée,1852
Range (in code): **ID Ja TH TW PH JP**
- 58521. *Bocula divergens* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *divergens* A.E.Prout,1926
Range (in code): **MY Bor Swk TH CMa Int Cnz Cz10**
- 58522. *Bocula marginata* Moore,1882** (Noctuidae) **Synonym(s):** *marginata* Moore,1882
Range (in code): **IN SI Djl TH Knc CMa Cnz Cz11 Int LA NP CN TW**

- 58523. *Bocula metochrea* Hampson,1926** (Noctuidae) Synonym(s): *metochrea* Hampson,1926
Range (in code): ZA
- 58524. *Bocula odontosema* Turner,1909** (Noctuidae) Synonym(s): *odontosema* Turner,1909;
lophoproctis Hampson,1922; *lobata* Hulstaert,1924 Range (in code): AU
- 58525. *Bocula sejuncta* (Walker,1856)** (Noctuidae) Synonym(s): *sejuncta* Walker,1856; *paucifera* Walker,1857; *expansilis* W.Warren,1912; *inquinata* W.Warren,1912; *subspurcata* W.Warren,1912; *nigropunctata* W.Warren,1912; *magna* W.Warren,1912; *#pallida* W.Warren,1912; *celebensis* Swinhoe,1916 Range (in code): AU ID Clb
- 58526. *Bocula terminata* (Walker,1869)** (Noctuidae) Synonym(s): *terminata* Walker,1869
Range (in code): ZA
- 58527. *Bocula xanthostola* Hampson,1926** (Noctuidae) Synonym(s): *marginata* Moore,[1884] nec Mr.1882; *xanthostola* Hampson,1926 Range (in code): TH Nan Dpk CMA Fn Php MY LK ID Bor Tim Flo Sbw TW
- 58528. *Bombotelia simplex* (Walker,1865)** (Noctuidae) Synonym(s): *simplex* Walker,1865
Range (in code): WS PG MY IN
- 58529. *Bonaberiana crassisquama* Strand,1915** (Noctuidae) Synonym(s): *crassisquama* Strand,1915 Range (in code): ZA
- 58530. *Borbotana nivifascia* Walker,1858** (Noctuidae) Synonym(s): *nivifascia* Walker,1858
Range (in code): PG
- 58531. *Borbotana petrae* Behounek,1999** (Noctuidae) Synonym(s): *petrae* Behounek,1999
Range (in code): PH Luz Mno
- 58532. *Borbotana piskatschekae* Behounek,1999** (Noctuidae) Synonym(s): *piskatschekae* Behounek,1999 Range (in code): ID Flo
- 58533. *Bornolis dufayi* (Boursin,1960)** (Noctuidae) Synonym(s): *dufayi* Boursin,1960 Range (in code): AF Khi IN Lho CN Yu
- 58534. *Bornolis flavistigma* (Moore,1867)** (Noctuidae) Synonym(s): *flavistigma* Moore,1867; *basalis* Moore,1881; *denticulosa* Moore,1882 Range (in code): IN Up Bhi
- 58535. *Bornolis kamburonga* (Holloway,1976)** (Noctuidae) Synonym(s): *kamburonga* Holloway,1976 Range (in code): MY Bor
- 58536. *Bornolis niveiplaga* (Walker,1857)** (Noctuidae) Synonym(s): *niveiplaga* Walker,1857; *terranea* Butler,1889; *hodita* Swinhoe,1895 Range (in code): PK Mre Haz Pj IN Hp Drm Up Bhi
- 58537. *Boursinia candida* (Boursin,1964)** (Noctuidae) Synonym(s): *candida* Boursin,1964
Original Reference: *Anamecia candida* Boursin,1964, Z. wien. ent. Ges. 49: 34-35, figs. Holotype ♂: Pakistan: Karachi (Flughafen) (coll. Vartian). Range (in code): PK Krc Sd
- 58538. *Boursinia deceptrix* (Staudinger,1900)** (Noctuidae) Synonym(s): *deceptrix* Staudinger,1900 Original Reference: *Pseudohadena deceptrix* Staudinger,1900, Dt. ent. Z., Iris 12: 369. Syntypes 1♂ 1♀: Palestina; Lectotype ♂, designated by Hacker,2001 (NMHU). Range (in code): IL Pa Jer SA TR IQ Bsr IR Bionomy: Larva on *Lycium barbarum* (Wiltshire,1948).
- 58539. *Boursinia discordans* (Boursin,1940)** (Noctuidae) Synonym(s): *discrepans* Staudinger,1892 nec Wlk.,1865; *discordans* Boursin,1940 Range (in code): LY TR IL Pa Js JO EG
- 58540. *Boursinia ferdovsi* (Brandt,1941)** (Noctuidae) Synonym(s): *ferdovsi* Brandt,1941
Original Reference: *Catamecia ferdovsi* Brandt,1941, Mitt. münch. ent. Ges. 31: 852, fig.38. Syntypes: Iran: Laristan, Bender Tchahbahar. Range (in code): IR Ss Hz Lo TR
- 58541. *Boursinia lithoxylea* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *lithoxylea* A.Bang-Haas,1912; *beduina* Wiltshire,1948 Original Reference: *Hypomecia lithoxylea* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 157. Syntypes: Algerien: Batna. Range (in code): MA DZ Btina TN LY EG Sn Bionomy: Larva on *Retama raetam* (Dumont,1928).
- 58542. *Boursinia malitiosa* (Alpheraky,1892)** (Noctuidae) Synonym(s): *malitiosa* Alpheraky,1892; *esurialis* Püngeler,1914 Range (in code): MN UZ TM Rpt
- 58543. *Boursinia oxygramma* Brandt,1938** (Noctuidae) Synonym(s): *oxygramma* Brandt,1938
Original Reference: *Boursinia oxygramma* Brandt,1938, Ent. Rdsch. 55: 522, figs. 88. Syntypes: Iran: [Fars]: Fort Sine Sefid. Range (in code): IR Fa Hz
- 58544. *Boursinia symmicta* Brandt,1938** (Noctuidae) Synonym(s): *symmicta* Brandt,1938
Original Reference: *Boursinia symmicta* Brandt,1938, Ent. Rdsch. 55: 519, figs. 85-87. Syntypes: Iran: Keredj. Range (in code): IR Th Elb Kdj
- 58545. *Brachionycha nubeculosa* (Esper,[1785])** (Noctuidae) Synonym(s): *nubeculosa* Esper,[1785] Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO B-H SS BG DK NO SE FI EE LV LT RU MD UA BY

- 58546. *Brachionycha nubeculosa nubeculosa* (Esper,[1785])** (Noctuidae) **Synonym(s):** *nubeculosa* Esper,[1785] **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO B-H SS BG DK NO SE FI EE LV LT RU MD UA BY**
- 58547. *Brachionycha sajana* Draudt,1934** (Noctuidae) **Synonym(s):** *sajana* Draudt,1934 **Range (in code):** **RU Sj**
- 58548. *Brachygalea albolineata* (Blachier,1905)** (Noctuidae) **Synonym(s):** *albolineata* Blachier,1905; *leucorhabda* Hampson,1906; *albolineata* Hampson,1906 **Original Reference:** *Calophasia albolineata* Blachier,1905, Bull. Soc. ent. Fr. 1905: 53. Type: Tunis: Gafsa. **Range (in code):** **MR MA DZ Hes Sfr BSa Ceg Kdr Ktr Onç Ogl Bsk Tun TN Gf LY ES Mu IQ Bgd SA IR Fa IL Pa JO EG Sn**
- 58549. *Brachygalea kalchbergi* (Staudinger,1897)** (Noctuidae) **Synonym(s):** *kalchbergi* Staudinger,1897; *calchbergi* Hampson,1906 **Original Reference:** *Polia kalchbergi* Staudinger,1897, Dt. ent. Z., Iris 10: 172, Taf.iv fig.10. Lectotype ♂: Palestina: Haifa, designated by Hacker,2001 (NHMU). **Range (in code):** **IL Hf Pa JO**
- 58550. *Brachygalea kamalii* Shirvani, L.Ronkay & Talebi,2008** (Noctuidae) **Synonym(s):** *kamalii* Shirvani, L.Ronkay & Talebi,2008 **Range (in code):** **IR Ss**
- 58551. *Brachygalea leptographa* Ronkay & Gyulai,1997** (Noctuidae) **Synonym(s):** *leptographa* Ronkay & Gyulai,1997 **Range (in code):** **TM KG**
- 58552. *Brachygalea miskoi* L.Ronkay,1997** (Noctuidae) **Synonym(s):** *miskoi* L.Ronkay,1997 **Original Reference:** *Brachygalea miskoi* L.Ronkay,1997, Annls hist.-nat. Mus. natn. hung. 89: 137-140, 3 figs. Holotype ♂: Iran, Esfahan, Qamishlu 2000-2200m, leg. Rohlena Pavel (HMNHM). **Range (in code):** **IR Fa Es**
- 58553. *Brachygalea miskoi miskoi* Ronkay,1997** (Noctuidae) **Synonym(s):** *miskoi* Ronkay,1997 **Range (in code):** **IR Fa Es**
- 58554. *Brachylomia uralensis* (W.Warren,1910)** (Noctuidae) **Synonym(s):** *uralensis* W.Warren,1910 **Range (in code):** **RU Ur KG Uk TR**
- 58555. *Brachylomia uralensis uralensis* (W.Warren,1910)** (Noctuidae) **Synonym(s):** *uralensis* W.Warren,1910 **Range (in code):** **RU Ur KG Uk**
- 58556. *Brachylomia uralensis urartua* Hacker & Kuhna,1986** (Noctuidae) **Synonym(s):** *urartua* Hacker & Kuhna,1986 **Original Reference:** *Brachylomia urartua* Hacker & Kuhna,1986, Nota lepid. 9 (3/4): 180-181, Taf.1 fig.1,2. Holotype ♂: Türki: Prov. Tunceli, 15km N. Pülümür, 1800m, 20.ix.1981 (leg. & coll. Kuhna). **Range (in code):** **TR**
- 58557. *Brachylomia viminalis* (Fabricius,1777)** (Noctuidae) **Synonym(s):** *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803]. **Original Reference:** *Noctua viminalis* Fabricius,1777, Gen. Ins.: 284. Type(s): Germania. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo AM DK NO SE FI EE LV LT RU Ro Kb Kc Nt Ich Ing Da MD UA BY CN Ui**
- 58558. *Brachypteragrotis patricei* Viette,1959** (Noctuidae) **Synonym(s):** *patricei* Viette,1959 **Range (in code):** **ZA**
- 58559. *Brachyxanthia zelotypa* (Lederer,1853)** (Noctuidae) **Synonym(s):** *zelotypa* Lederer,1853 **Range (in code):** **RU**
- 58560. *Brana calopasa* Walker,[1858]** (Noctuidae) **Synonym(s):** *calopasa* Walker,[1858] **Range (in code):** **LK ID Mlc CX**
- 58561. *Brana cara* Yoshimoto,2001** (Noctuidae) **Synonym(s):** *cara* Yoshimoto,2001 **Original Reference:** *Brana cara* Yoshimoto,2001, Trans. lepid. Soc. Japan 52 (4): 250-252, figs. Holotype ♂: N.Thailand, Wang Chin Pae, 7 iv.1997. **Range (in code):** **TH CMa Int Dst Cmz Cz10 LA**
- 58562. *Brandtaxia discalis* (Brandt,1941)** (Noctuidae) **Synonym(s):** *discalis* Brandt,1941 **Original Reference:** *Sidemia* ? *discalis* Brandt,1941, Mitt. münch. ent. Ges. 31: 850, fig.37. Syntypes: Iran: Fort Sengan. **Range (in code):** **IR Ss Kuh Elb Th**
- 58563. *Brandtina albonigra* Bytinski-Salz & Brandt,1937** (Noctuidae) **Synonym(s):** *albonigra* Bytinski-Salz & Brandt,1937; *noacki* Boursin,1967 **Original Reference:** *Brandtina albonigra* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49 (9): (11). Holotype ♂: [Iran]: Persia: Nissa, 2300m. **Range (in code):** **IR Th Elb Nss Diz TR**
- 58564. *Brephos ansorgei* (Jordan,1904)** (Noctuidae) **Synonym(s):** *ansorgei* Jordan,1904 **Range (in code):** **ZA**
- 58565. *Brephos decora* (Linnaeus,1764)** (Noctuidae) **Synonym(s):** *decora* Linnaeus,1764; *julia* Cramer,1776; *dubia* Hübner,1827; *moldaenkei* Dewitz,1881 **Original Reference:** *Phalaena decora* Linnaeus,1764, Mus. Ulr.: 382. Type: South Africa: ? Cape. **Range (in code):** **ZA Tva Gau Pre Wca Grg Nta Kzu Dbn Blf Lds Fs Cto**

- 58566. Brephos festiva (Jordan,1913)** (Noctuidae) Synonym(s): *festiva* Jordan,1913 _ Range (in code): ZA Nta Kzu Rie Dbn Tva
- 58567. Brephos incongruella W.Warren,1914** (Noctuidae) Synonym(s): *incongruella* W.Warren,1914 _ Range (in code): ZA
- 58568. Brephos nyassana (Bartel,1903)** (Noctuidae) Synonym(s): *nyassana* Bartel,1903 Range (in code): ZR MW
- 58569. Britha brithodes D.S.Fletcher,1961** (Noctuidae) Synonym(s): *brithodes* D.S.Fletcher,1961 Range (in code): ZA
- 58570. Brithys crini (Fabricius,1775)** (Noctuidae) Synonym(s): *crini* Fabricius,1775; *dominica* Cramer,1872; *nipponica* Matsumura,1931 _ Range (in code): MA DZ Agi Anna DhM Tun Sét TN PT ES FR Sa Si IT GB AL GR ZA Tva Gau Pre Nta Kzu Dbn Ec Grh ZW Har MU IN LK Pdy Kndy Pj MM SG ID Ja JP TH Bnk CMA Nan Phe Rat Nth Bionomy: Larva on *Pancreatium maritimum*; *Crinum asiaticum* [cape lily], *Eucharis grandiflora* [Amazon lily], *Zephyranthes candida* [fairy lily], *Hippeastrum puniceum* [fire lily] (Amaryllidaceae), *Alocasia cucullata* [Chinese taro] (Araceae), *Rosa* [rose] (Rosaceae) (Cyrillo,1787; Lewvanich,2001).
- 58571. Brithys crini pancratii (Cyrillo,1787)** (Noctuidae) Synonym(s): *pancratii* Cyrillo,1787 Range (in code): MA DZ Agi Anna DhM Tun Sét TN PT ES FR Sa Si IT GB AL GR
- 58572. Brithys encausta (Hübner,[1808])** (Noctuidae) Synonym(s): *encausta* Hübner,[1808] Original Reference: *Noctua encausta* Hübner,[1808], Samml. eur. Schm. 2: Taf.84, fig.392. Type(s): Europa. Range (in code): MT LY Cy IT Si GR TN
- 58573. Brithysana speyeri (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *speyeri* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Nta Kzu Est Dbn Ec Qt
- 58574. Bryomima carducha Staudinger,1900** (Noctuidae) Synonym(s): *carducha* Staudinger,1900 Original Reference: *Bryomima carducha* Staudinger,1900, Dt. ent. Z., Iris 12: 357. Syntypes: [Türkei]: Mardin. Range (in code): TR IQ IR Fa Mia Com Kz Yas Elb Th Kdj Ab Oru Ss Kuh Ke By Yas Lo
- 58575. Bryomima codeti (Oberthür,1881)** (Noctuidae) Synonym(s): *codeti* Oberthür,1881; *nisseni* Rothschild,1913 Original Reference: *Metopoceras codeti* Oberthür,1881, Etud. Ent. 6: 88, pl.11 fig.10. Type: Sebdu (BMNH). Range (in code): MA DZ Sfr Sbd Ges
- 58576. Bryomima defreina Hacker,[1987]** (Noctuidae) Synonym(s): *defreina* Hacker,[1987]. Original Reference: *Bryomima defreina* Hacker,[1987], Spixiana 9 (1): 47-48, figs. Holotype ♂: [Türkei]: Hakkari, tanin Dağları, W-Seite, Elkek geçidi, 2300m, 6km NO Uludere 26.vi.1984 (leg. Wolf, coll. Hacker). Range (in code): TR
- 58577. Bryomima dilutior Schwingenschuss,1937** (Noctuidae) Synonym(s): *dilutior* Schwingenschuss,1937 _ Range (in code): IR Fa Elb
- 58578. Bryomima dilutior rosea Brandt,1941** (Noctuidae) Synonym(s): *rosea* Brandt,1941 Original Reference: *Bryomima carducha* ssp. *rosea* Brandt,1941, Mitt. münch. ent. Ges. 31: 848. Syntypes: Iran: [Belutschistan]: Kouh i Taftan. Range (in code): IR Ss Ke By Yas Lo
- 58579. Bryomima hakkariensis De Freina & Hacker,1985** (Noctuidae) Synonym(s): *hakkariensis* De Freina & Hacker,1985 Original Reference: *Bryomima hakkariensis* De Freina & Hacker,1985, Entomofauna 6 (19): 252-254, figs. Holotype ♂: [Türkei]: Kleinasien: [Şırnak: Uludere]: "Hakkari: Tanin-Tanin Paß, 2000-2300m", 12-13.7.83 (leg. & coll. De Freina). Range (in code): TR
- 58580. Bryomima luteosordida Osthelder,1933** (Noctuidae) Synonym(s): *luteosordida* Osthelder,1933 Original Reference: *Bryomima luteosordida* Osthelder,1933, Mitt. münch. ent. Ges. 23: 62-63. Syntypes: [Türkei]: Maraş, Dülül Dağ. Range (in code): TR IR By
- 58581. Bryomima nuristana Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *nuristana* Varga & L.Ronkay,1991 _ Range (in code): AF Nu
- 58582. Bryonycta pineti (Staudinger,1859)** (Noctuidae) Synonym(s): *pineti* Staudinger,1859; *#rufitincta* Rothschild,1913; *#distincta* Rothschild,1913; *saturation* Rothschild,1913 _ Range (in code): DZ Onç PT ES Mu FR IT Bionomy: Larva on *Pinus* (Staudinger,1859; Calle et al., 2000).
- 58583. Bryophilopsis anomoiota (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *anomoiota* Bethune-Baker,1911 _ Range (in code): ZA
- 58584. Bryophilopsis curvifera Hampson,1912** (Noctuidae) Synonym(s): *curvifera* Hampson,1912 _ Range (in code): ZA
- 58585. Bryophilopsis orientalis Hampson,1912** (Noctuidae) Synonym(s): *orientalis* Hampson,1912 _ Range (in code): CX IN Adm MY Bor BN PH Pal? Bal? ID Crm? AU QAu?

- 58586. Bryophilopsis roederi (Standfuss,1892)** (Noctuidae) *Synonym(s): roederi Standfuss,1892* Original Reference: Bryophila röderi Standfuss,1892, [in] Romanoff, Mém. lép. 6: 665-666, Pl.xv fig.4. Syntypes: [Türkei]: Mardin (P.Sintenis). Range (in code): IL Pa TR IQ Ssa IR Ke Fa Ss Mia Kaz Km Kd Mrv Bne Ssq Lo Kz Yas Skh Hz B-A AF Nu Bsg TM KK Feg PK
- 58587. Bryophilopsis tarachoides Mabille,1900** (Noctuidae) *Synonym(s): tarachoides Mabille,1900* Range (in code): ZA MG SA OM YE NG MR
- 58588. Bryophilopsis tarachoides scotina Wiltshire,1980** (Noctuidae) *Synonym(s): scotina Wiltshire,1980* Range (in code):
- 58589. Bryopolia centralasiae bryochlora Varga, L.Ronkay & Hacker,1990** (Noctuidae) *Synonym(s): bryochlora Varga, L.Ronkay & Hacker,1990* Range (in code): MN
- 58590. Bryopolia chamaeleon (Alpheraky,1887)** (Noctuidae) *Synonym(s): chamaeleon Alpheraky,1887* Range (in code): CN Ui AF Adr KK
- 58591. Bryopolia chrysospora Boursin,1954** (Noctuidae) *Synonym(s): chrysospora Boursin,1954* Range (in code): UZ KK TeA
- 58592. Bryopolia holosericea Boursin,1960** (Noctuidae) *Synonym(s): holosericea Boursin,1960* Range (in code): AF
- 58593. Bryopolia monotona L.Ronkay & Varga,1990** (Noctuidae) *Synonym(s): monotona L.Ronkay & Varga,1990* Range (in code): AF Bd
- 58594. Bryopolia tsvetaevi L.Ronkay & Varga,1990** (Noctuidae) *Synonym(s): tsvetaevi L.Ronkay & Varga,1990* Range (in code): AF Bd TJ Pm UZ KK
- 58595. Bryopolia tsvetaevi hissaricola Varga & Gyulai,1995** (Noctuidae) *Synonym(s): hissaricola Varga & Gyulai,1995* Range (in code): TJ
- 58596. Bryopolia virescens (Hampson,1894)** (Noctuidae) *Synonym(s): virescens Hampson,1894* Range (in code): UZ Ch IN Sml Hp Dlh
- 58597. Bryopolia virescens ssp.** (Noctuidae) *Synonym(s):* Range (in code): UZ
- 58598. Bryothripa miophaea Hampson,1912** (Noctuidae) *Synonym(s): miophaea Hampson,1912; transvaalensis Strand,1917* Range (in code): ZA Tva Lpo
- 58599. Bryoxena boursini Plante,1983** (Noctuidae) *Synonym(s): boursini Plante,1983* Range (in code): AF BdA
- 58600. Bryoxena centralasiae (Staudinger,1882)** (Noctuidae) *Synonym(s): centralasiae Staudinger,1882* Range (in code): MN KG Ssn KK TeA TrA Ax Ik T-A TJ Pm UZ Fe CN Ui Ju Kml Ch PK Thu Haz Kag Hu Nar Man
- 58601. Bryoxena centralasiae centralasiae (Staudinger,1882)** (Noctuidae) *Synonym(s): centralasiae Staudinger,1882* Range (in code): KG Ssn UZ Fe CN Ui Ju PK Hu Haz Nar Man
- 58602. Bryoxena centralasiae transversa (Moore,1882)** (Noctuidae) *Synonym(s): transversa Moore,1882; modesta Moore,1882* Range (in code): PK Thu Ch Haz Kag
- 58603. Bryoxena confluens L.Ronkay & Varga,1990** (Noctuidae) *Synonym(s): confluens L.Ronkay & Varga,1990* Range (in code): AF TJ Pm Chr
- 58604. Bryoxena constricta L.Ronkay & Varga,1990** (Noctuidae) *Synonym(s): constricta L.Ronkay & Varga,1990* Range (in code): AF TJ Pm UZ KK TeA Ax Na
- 58605. Bryoxena plantei Varga, L.Ronkay & Hacker,1990** (Noctuidae) *Synonym(s): plantei Varga, L.Ronkay & Hacker,1990* Range (in code): AF
- 58606. Bryoxena tenuicornis (Alpheraky,1887)** (Noctuidae) *Synonym(s): tenuicornis Alpheraky,1887; extrita Hampson,1906; inextrita Püngeler,1914; #fuscior Strand,1915.* Range (in code): CN Ui Ku Au UZ FeKK TeA Ax TrA Na
- 58607. Bryoxena tribulis (Plante,1983)** (Noctuidae) *Synonym(s): tribulis Plante,1983* Range (in code): AF
- 58608. Brythisana africana Laporte,1973** (Noctuidae) *Synonym(s): africana Laporte,1973* Range (in code): ET ET196 CM
- 58609. Brythisana maura (Saalmüller,1891)** (Noctuidae) *Synonym(s): maura Saalmüller,1891* Range (in code): MG
- 58610. Brythisana pauliani Viette,1967** (Noctuidae) *Synonym(s): pauliani Viette,1967* Range (in code): MG
- 58611. Burgena amoena Rothschild,1896** (Noctuidae) *Synonym(s): amoena Rothschild,1896* Range (in code): PG NBr
- 58612. Burgena chalybeata Rothschild,1896** (Noctuidae) *Synonym(s): chalybeata Rothschild,1896* Range (in code): PG NBr

- 58613. *Burgena constricta* Rothschild & Jordan,1905** (Noctuidae) Synonym(s): *constricta* Rothschild & Jordan,1905 _ Range (in code): PG
- 58614. *Burgena reducta* Rothschild & Jordan,1903** (Noctuidae) Synonym(s): *reducta* Rothschild & Jordan,1903 _ Range (in code): SB
- 58615. *Burgena splendida* (Butler,1887)** (Noctuidae) Synonym(s): *splendida* Butler,1887; *pectoralis* Jordan,1904 _ Range (in code): SB
- 58616. *Burgena varia* (Walker,1854)** (Noctuidae) Synonym(s): *varia* Walker,1854; *educta* Walker,1864; *transducta* Walker,1864; *arruana* Boisduval,1874; *#luteistriga* Strand,1912 _ Range (in code): PG Ls Tro ID Aru Kai AU QAU NSw
- 58617. *Busseola fusca* (Fuller,1901)** (Noctuidae) Synonym(s): *fusca* Fuller,1901 _ Range (in code): ZA ET ET24
- 58618. *Busseola obliquifascia* (Hampson,1902)** (Noctuidae) Synonym(s): *obliquifascia* Hampson,1902 _ Range (in code): ZA
- 58619. *Busseola pallidicosta* (Hampson,1902)** (Noctuidae) Synonym(s): *pallidicosta* Hampson,1902 _ Range (in code): ZA
- 58620. *Busseola phaia* Bowden,1956** (Noctuidae) Synonym(s): *phaia* Bowden,1956 _ Range (in code): ZA
- 58621. *Buzara chrysomela* Walker,[1865]** (Noctuidae) Synonym(s): *chrysomela* Walker,[1865] _ Range (in code): PG
- 58622. *Buzara luteipalpis* (Walker,1865)** (Noctuidae) Synonym(s): *luteipalpis* Walker,1865 _ Range (in code): LK IN NP TH Tng Nan Dpk ID Sum PH
- 58623. *Buzara onelia* (Guenée,1852)** (Noctuidae) Synonym(s): *onelia* Guenée,1852; *umbrosa* Walker,1865; *obumbrata* Walker,1865 _ Range (in code): IN BD Syl CN TH LA VN MY NP LK TW JP RI PH ID Bor Sum Clb Sda
- 58624. *Cacyparis brevipennis* W.Warren,1916** (Noctuidae) Synonym(s): *brevipennis* W.Warren,1916 _ Range (in code): PG
- 58625. *Cacyparis ceira* Swinhoe,1901** (Noctuidae) Synonym(s): *ceira* Swinhoe,1901 _ Original Reference: Cacyparis ceira Swinhoe,1901, Ann. Mag. nat. Hist. (7) 8: 18. Type "Gilolo (Doherty)". Range (in code): Glo ID
- 58626. *Cacyparis cyclops* Hampson,1905** (Noctuidae) Synonym(s): *cyclops* Hampson,1905 _ Original Reference: Cacyparis cyclops Hampson,1905, Ann. Mag. nat. Hist. (7) 16: 604. Syntypes: Solomon Isl. Guadalcanar, Isabel, Rendover. Range (in code): SB Hon
- 58627. *Cacyparis elegans* (Butler,1887)** (Noctuidae) Synonym(s): *elegans* Butler,1887 _ Range (in code): SB Alu
- 58628. *Cacyparis insolitata* Walker,1862** (Noctuidae) Synonym(s): *insolitata* Walker,1862; *atrotumens* Walker,1865 _ Range (in code): LK Pdy Dck
- 58629. *Cacyparis melanolitha* Turner,1909** (Noctuidae) Synonym(s): *melanolitha* Turner,1909 _ Range (in code): AU QAU Kda
- 58630. *Cacyparis tenuipalpis* (Snellen,1880)** (Noctuidae) Synonym(s): *tenuipalpis* Snellen,1880 _ Range (in code): ID Sum Klt Clb MY Bor TH
- 58631. *Caduca albopunctata* (Walker,[1858])** (Noctuidae) Synonym(s): *albopunctata* Walker,[1858]; *meleagris* R.Felder & Rogenhofer,1874; *nasea* Swinhoe,1918 _ Range (in code): LK Pdy IN Bor Swk MY TH CMA Dst KH NP TW JP ID Sum Bor Ja
- 58632. *Caduca phronimus* Rothschild,1920** (Noctuidae) Synonym(s): *phronimus* Rothschild,1920 _ Range (in code): TH Ntt Hba ID Sum
- 58633. *Caffristis ferrogrisea* (Hampson,1902)** (Noctuidae) Synonym(s): *ferrogrisea* Hampson,1902 _ Range (in code): ZA
- 58634. *Calamia deliciosa* Boursin,1957** (Noctuidae) Synonym(s): *deliciosa* Boursin,1957 _ Range (in code): AF
- 58635. *Calamia flavirufa* Hampson,1910** (Noctuidae) Synonym(s): *flavirufa* Hampson,1910 _ Range (in code): ZA
- 58636. *Calamia metamorpha* (Boursin,1960)** (Noctuidae) Synonym(s): *metamorpha* Boursin,1960 _ Range (in code): IR Ss
- 58637. *Calamia staudingeri* Warnecke,1941** (Noctuidae) Synonym(s): *staudingeri* Warnecke,1941 _ Range (in code): TR IQ Cc AM RU Ich IR Fa Elb Bk Lo By Es Ha Th Mz Plr Dam Kd
- 58638. *Calamia tridens* (Hufnagel,1766)** (Noctuidae) Synonym(s): *tridens* Hufnagel,1766; *virens* Linnaeus,1767; *immaculata* Staudinger,1871. _ Range (in code): PT ES FR IT IE BE NL LU DE CH AT PL

CZ SK HU RO YU AL BG GR GG Smt Akh Cc AM DK NO SE FI EE LV LT RU Ro Nt Ich Da At MD UA BY
CN Ui Chk KK Ax

- 58639. Calathusa argentea Holloway,1979** (Noctuidae) Synonym(s): *argentea* Holloway,1979
Range (in code): **ID Clb**
- 58640. Calathusa basicunoides Holloway,1979** (Noctuidae) Synonym(s): *basicunoides* Holloway,1979
Range (in code): **NH**
- 58641. Calathusa basirufa Holloway,1979** (Noctuidae) Synonym(s): *basirufa* Holloway,1979
Range (in code): **NC NH LO**
- 58642. Calathusa basirufa ipota Holloway,1979** (Noctuidae) Synonym(s): *ipota* Holloway,1979
Range (in code): **NH**
- 58643. Calathusa basirufa suzukii Holloway,1979** (Noctuidae) Synonym(s): *suzukii* Holloway,1979
Range (in code): **LO**
- 58644. Calathusa brehoa Holloway,1979** (Noctuidae) Synonym(s): *brehoa* Holloway,1979
Range (in code): **NC**
- 58645. Calathusa cinerea Holloway,1979** (Noctuidae) Synonym(s): *cinerea* Holloway,1979
Range (in code): **FJ TO**
- 58646. Calathusa humboldti Holloway,1979** (Noctuidae) Synonym(s): *humboldti* Holloway,1979
Range (in code): **PG**
- 58647. Calathusa mesospila (Turner,1902)** (Noctuidae) Synonym(s): *mesospila* Turner,1902
Range (in code): **AU QAU NSw NC**
- 58648. Calathusa nubilosa (Hampson,1914)** (Noctuidae) Synonym(s): *nubilosa* Hampson,1914
Range (in code): **PG Rs SB**
- 58649. Calathusa stenophylla (Turner,1902)** (Noctuidae) Synonym(s): *stenophylla* Turner,1902
Range (in code): **AU QAU NSw NC**
- 58650. Calathusa striata Holloway,1979** (Noctuidae) Synonym(s): *striata* Holloway,1979
Range (in code): **SB**
- 58651. Calathusa talesea Holloway,1979** (Noctuidae) Synonym(s): *talesea* Holloway,1979
Range (in code): **PG NBr**
- 58652. Calathusa uniformis Holloway,1979** (Noctuidae) Synonym(s): *uniformis* Holloway,1979
Range (in code): **NC**
- 58653. Calesia dasyptera (Kollar,[1844])** (Noctuidae) Synonym(s): *dasyptera* Kollar,[1844];
leucostigma Kollar,[1844]; *comosa* Guenée,1852; *stigmaleuca* Guenée,1852
Range (in code): **LK IN BD Syl TH CMa Dst CDo LA VN NP CN TW**
- 58654. Calesia flabellifera Moore,1878** (Noctuidae) Synonym(s): *flabellifera* Moore,1878
Range (in code): **LK Pdy TH CMa CDo MM Tns**
- 58655. Calesia fuscicarpus Hampson,1891** (Noctuidae) Synonym(s): *fuscicarpus* Hampson,1891
Range (in code): **LK Kndy**
- 58656. Calesia haemorrhoea Guenée,1852** (Noctuidae) Synonym(s): *haemorrhoea* Guenée,1852;
patna R.Felder & Rogenhofer,1874
Range (in code): **IN TH Knc LA BD NP**
- 58657. Calesia karschi (Bartel,1903)** (Noctuidae) Synonym(s): *karschi* Bartel,1903
Range (in code): **ZA**
- 58658. Calesia othello (Fawcett,1916)** (Noctuidae) Synonym(s): *othello* Fawcett,1916
Range (in code): **ZA Nta Dbn KE**
- 58659. Calesia phaiosoma (Hampson,1891)** (Noctuidae) Synonym(s): *phaiosoma* Hampson,1891;
#phaeosoma Janse,1917
Range (in code): **ZA Ec Ans Tra IN**
- 58660. Calesia proxantha Hampson,1895** (Noctuidae) Synonym(s): *proxantha* Hampson,1895
Range (in code): **TH MM**
- 58661. Calesia rhodotela Hampson,1926** (Noctuidae) Synonym(s): *rhodotela* Hampson,1926
Range (in code): **TH Khn Knc MM**
- 58662. Calesia roseiceps Hampson,1894** (Noctuidae) Synonym(s): *roseiceps* Hampson,1894;
canescens Hampson,1902
Range (in code): **IN**
- 58663. Calesia stillifera R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *stillifera* R.Felder & Rogenhofer,1874; *satellitica* Moore,[1885]
Range (in code): **TH CMa Int Cmz Cz11 Sbu KH VN IN LK CN PH**
Bionomy: Larva on *Triticum vulgare* (Poaceae) (Lewvanich,2001).
- 58664. Calesia xanthognatha Hampson,1926** (Noctuidae) Synonym(s): *xanthognatha* Hampson,1926; *desdemona* Wiltshire,1983
Range (in code): **ZA**
- 58665. Calesia zambesita Walker,1865** (Noctuidae) Synonym(s): *zambesita* Walker,1865;
roseiventris Gerstaecker,1871; *#sambesita* Hampson,1902
Range (in code): **ZA KE**

- 58666. *Caligatus angasii* Wing,[1850]** (Noctuidae) Synonym(s): *angasii* Wing,[1850]; *venutissima* Walker,1865 _ Range (in code): NG ZA Nta Kzu
- 58667. *Callhyccoda mirei* Herbulot & Viette,1952** (Noctuidae) Synonym(s): *mirei* Herbulot & Viette,1952 _ Range (in code):
- 58668. *Callierges ramosa* (Esper,[1786])** (Noctuidae) Synonym(s): *ramosa* Esper,[1786] _ Range (in code): FR IT NL DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz
- 58669. *Callierges ramosa ramosa* (Esper,[1786])** (Noctuidae) Synonym(s): *ramosa* Esper,[1786] _ Range (in code): FR IT NL DE CH AT PL CZ SK HU RO YU BG GR TR
- 58670. *Callierges ramosa vandarbana* Draudt,1938** (Noctuidae) Synonym(s): *vandarbana* Draudt,1938 _ Range (in code): IR Elb Mz
- 58671. *Calliodes appollina* Guenée,1852** (Noctuidae) Synonym(s): *appollina* Guenée,1852 _ Range (in code): ZA
- 58672. *Calliodes pretiosissima* Holland,1892** (Noctuidae) Synonym(s): *pretiosissima* Holland,1892; *rivuligera* Butler,1893 _ Range (in code): ZA Nta Kzu MZ Del KE
- 58673. *Callistege mi* (Clerck,1759)** (Noctuidae) Synonym(s): *#mi* Clerck,1759; *graminis* Hufnagel,1766; *albolineata* Goeze,1781; *litterata* Cyrilli,1787 nec Sc.,1763 _ Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Da AZ AM GG Cc MD UA BY CN Ui Tlk IR Ab Oru
- 58674. *Callistege mi elzei* De Freina,1976** (Noctuidae) Synonym(s): *elzei* De Freina,1976 _ Range (in code): BG TR Cc
- 58675. *Callixena versicolora* Saalmüller,1891** (Noctuidae) Synonym(s): *versicolora* Saalmüller,1891 _ Range (in code): CI Tva MG ZA Nta Kzu Wca Ec Dbn Mpu Tst ET ET204
- 58676. *Callixena viettei* (Berio,1955)** (Noctuidae) Synonym(s): *viettei* Berio,1955 _ Range (in code): ZA MG
- 58677. *Callophisma flavicornis* Hampson,1913** (Noctuidae) Synonym(s): *flavicornis* Hampson,1913 _ Range (in code): NG
- 58678. *Callophisma viettei* Laporte,1975** (Noctuidae) Synonym(s): *viettei* Laporte,1975 _ Range (in code): ET ET29
- 58679. *Callopietria aethiops* Butler,1878** (Noctuidae) Synonym(s): *aethiops* Butler,1878 _ Range (in code): JP
- 58680. *Callopietria aetnea* (Costa,1840)** (Noctuidae) Synonym(s): *aetnea* Costa,1840 _ Range (in code): IT
- 58681. *Callopietria albistriga* (Walker,[1863])** (Noctuidae) Synonym(s): *albistriga* Walker,[1863] _ Range (in code): MY Bor Swk
- 58682. *Callopietria albistrigoides* Poole,1989** (Noctuidae) Synonym(s): *albistriga* Hampson,1908 nec Wlk.,[1863]; *albistrigoides* Poole,1989 _ Range (in code): LK
- 58683. *Callopietria albivitta* (Hampson,1918)** (Noctuidae) Synonym(s): *albivitta* Hampson,1918 _ Range (in code): ZA Ec
- 58684. *Callopietria albolineola* (Graeser,1889)** (Noctuidae) Synonym(s): *albolineola* Graeser,1889 _ Range (in code): RU Sb Am
- 58685. *Callopietria albomacula* Leech,1900** (Noctuidae) Synonym(s): *albomacula* Leech,1900 _ Range (in code): CN
- 58686. *Callopietria aluensis* (Butler,1891)** (Noctuidae) Synonym(s): *aluensis* Butler,1891; *ochraceus* Bethune-Baker,1906 _ Range (in code): SB
- 58687. *Callopietria antithetica* Wiltshire,1977** (Noctuidae) Synonym(s): *antithetica* Wiltshire,1977 _ Range (in code): SD Kgl Kdf
- 58688. *Callopietria argentomacularis* (Martyn,1797)** (Noctuidae) Synonym(s): *argentomacularis* Martyn,1797 _ Range (in code): US Ge
- 58689. *Callopietria argyrosema* (Hampson,1914)** (Noctuidae) Synonym(s): *argyrosema* Hampson,1914 _ Range (in code): PE
- 58690. *Callopietria argyrosemastis* (Hampson,1918)** (Noctuidae) Synonym(s): *argyrosemastis* Hampson,1918 _ Range (in code): FJ
- 58691. *Callopietria argyrosticta* (Butler,1881)** (Noctuidae) Synonym(s): *argyrosticta* Butler,1881; *venus* Staudinger,1888; *argentata* Graeser,1889 _ Range (in code): JP RU Sb Am Us
- 58692. *Callopietria batanga* (Draudt,1950)** (Noctuidae) Synonym(s): *batanga* Draudt,1950 _ Range (in code): CN Sz
- 58693. *Callopietria benguellae* Weymer,1908** (Noctuidae) Synonym(s): *benguellae* Weymer,1908 _ Range (in code): AO

- 58694. *Callopistria bergeri* Berio,1976** (Noctuidae) Synonym(s): *bergeri* Berio,1976 _ Range (in code): TZ
- 58695. *Callopistria cariei* (De Joannis,1915)** (Noctuidae) Synonym(s): *cariei* De Joannis,1915 Range (in code): MU
- 58696. *Callopistria carmioli* (Schaus,1911)** (Noctuidae) Synonym(s): *carmioli* Schaus,1911 Range (in code): CR
- 58697. *Callopistria centrimacula* (Hampson,1918)** (Noctuidae) Synonym(s): *centrimacula* Hampson,1918 _ Range (in code): VE
- 58698. *Callopistria chera* (A.E.Prout,1927)** (Noctuidae) Synonym(s): *chera* A.E.Prout,1927 Range (in code): ST
- 58699. *Callopistria chloriza* (Guenée,1852)** (Noctuidae) Synonym(s): *chloriza* Guenée,1852 Range (in code): ID Ja
- 58700. *Callopistria chlorocroa* (Hampson,1908)** (Noctuidae) Synonym(s): *chlorocroa* Hampson,1908 _ Range (in code): ID Sum
- 58701. *Callopistria coelisigna* Hampson,1902** (Noctuidae) Synonym(s): *coelisigna* Hampson,1902 _ Range (in code): LK
- 58702. *Callopistria complicata* (Holland,1894)** (Noctuidae) Synonym(s): *complicata* Holland,1894 _ Range (in code): GA
- 58703. *Callopistria concinna* (A.E.Prout,1926)** (Noctuidae) Synonym(s): *concinna* A.E.Prout,1926 _ Range (in code): MY Bor Swk
- 58704. *Callopistria cornuscopiae* (Holland,1894)** (Noctuidae) Synonym(s): *cornuscopiae* Holland,1894 _ Range (in code): GA
- 58705. *Callopistria cyanopera* (Hampson,1911)** (Noctuidae) Synonym(s): *cyanopera* Hampson,1911 _ Range (in code): NG
- 58706. *Callopistria dascia* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *dascia* D.S.Fletcher,1961 Range (in code): UG
- 58707. *Callopistria dimorpha* Holloway,1979** (Noctuidae) Synonym(s): *dimorpha* Holloway,1979 Range (in code): NC LO
- 58708. *Callopistria duplicans* Walker,[1858]** (Noctuidae) Synonym(s): *duplicans* Walker,[1858] Range (in code): IN
- 58709. *Callopistria equatorialis* Berio,1970** (Noctuidae) Synonym(s): *equatorialis* Berio,1970 Range (in code): ZR
- 58710. *Callopistria falcata* Holloway,1979** (Noctuidae) Synonym(s): *falcata* Holloway,1979 Range (in code): NC
- 58711. *Callopistria ferruginea* (Hampson,1908)** (Noctuidae) Synonym(s): *ferruginea* Hampson,1908 _ Range (in code): AU QAU Bri
- 58712. *Callopistria fimbripes* (Walker,1858)** (Noctuidae) Synonym(s): *fimbripes* Walker,1858 Range (in code): BR Rja
- 58713. *Callopistria flabellum* Berio,1976** (Noctuidae) Synonym(s): *flabellum* Berio,1976 Range (in code): ZR
- 58714. *Callopistria grassei* Laporte,1970** (Noctuidae) Synonym(s): *grassei* Laporte,1970 Range (in code): GA
- 58715. *Callopistria gutturalis* Hampson,1896** (Noctuidae) Synonym(s): *gutturalis* Hampson,1896 Range (in code): LK
- 58716. *Callopistria indica* (Butler,1891)** (Noctuidae) Synonym(s): *indica* Butler,1891 _ Range (in code): IN Hp Drm Knr MY Bor Swk
- 58717. *Callopistria insularis* Butler,1882** (Noctuidae) Synonym(s): *insularis* Butler,1882 Range (in code): ZA PG NBr
- 58718. *Callopistria juvenina* (Stoll,[1782])** (Noctuidae) Synonym(s): *juvenina* Stoll,[1782]; *purpureofasciata* Piller & Mitterpacher,1783; *lagopus* Esper,[1788]; *pteridis* Thunberg,1788; *manicata* Villers,1789; *formissimalis* Hübner,1796; *obscura* Butler,1878 _ Range (in code): DZ DhM TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz Elb Clu Th Fa Mia Sse Shr DK LT RU Kr MD UA BY
- 58719. *Callopistria latreillei* (Duponchel,1827)** (Noctuidae) Synonym(s): *latreillei* Duponchel,1827; *quieta* Treitschke,1826; *roseitulum* Walker,[1858]; *rakoto* Viette,1865; *rechingeri* Koutsaftikis,1973. Original Reference: Noctua latreillei Duponchel,1827, [in] Godart & Duponchel, Hist. nat. Lépid. Pap. Fr. 7: 327. Range (in code): MG Md Cn MA DZ Ges BSa Mii DhM Sbd TN LY PT ES FR Co Sa Si IT MT CH AT HU RO YU AL BG GR Cr TR Cc RU Da LB Bsa IL Pa Hf IN Pj

NP AF IR Ke Fa Hz Ss Gh GlS Kh PK Cls Swa Alp Kkar ZA Tva Gau Pre Mpu Tst Nha Nta Kzu Ec ZR KE
SA ET ET24 SO Zai YE AE PK OM Ld

- 58720. *Calloplistria maillardi* (Guenée,1862)** (Noctuidae) Synonym(s): *maillardi* Guenée,1862; *recurvata* Moore,1882; *nauticorum* Tams,1935; *pseudintermissa* Viette,1965. _ Range (in code): **SL RE ZR**
Sk MU IN SI Pj Djl Clc LK TH Bnk CMa ID Ja NH AU NC WS ZA Nta Kzu Uma ZW FJ RA Bionomy:
Larva on *Nephrolepis hirsutula* [foen bai makham], *Nephrolepis biserrata* [foen kang pla]
(*Nephrolepidaceae*) (Lewvanich,2001).
- 58721. *Calloplistria manta* (Swinhoe,1902)** (Noctuidae) Synonym(s): *manta* Swinhoe,1902
Range (in code): **MY Prk**
- 58722. *Calloplistria meridionalis* Collenette,1929** (Noctuidae) Synonym(s): *meridionalis*
Collenette,1929 _ Range (in code): **WS RA**
- 58723. *Calloplistria meridionalis nauticorum* Tams,1935** (Noctuidae) Synonym(s):
nauticorum Tams,1935 _ Range (in code): **WS**
- 58724. *Calloplistria mexicana* Druce,1889** (Noctuidae) Synonym(s): *mexicana* Druce,1889
Range (in code): **MX**
- 58725. *Calloplistria microptera* (Hampson,1908)** (Noctuidae) Synonym(s): *microptera*
Hampson,1908 _ Range (in code): **MY Bor Swk**
- 58726. *Calloplistria minuta* Butler,1889** (Noctuidae) Synonym(s): *minuta* Butler,1889 _ Range
(in code): **IN Hp Drm**
- 58727. *Calloplistria nana* (Hampson,1911)** (Noctuidae) Synonym(s): *nana* Hampson,1911
Range (in code): **NG**
- 58728. *Calloplistria natalensis* (Hampson,1908)** (Noctuidae) Synonym(s): *natalensis*
Hampson,1908 _ Range (in code): **ZA Nta Kzu Kkf**
- 58729. *Calloplistria nephrosticta* (Hampson,1908)** (Noctuidae) Synonym(s): *nephrosticta*
Hampson,1908 _ Range (in code): **NG Caa**
- 58730. *Calloplistria nephrostictoides* Berio,1973** (Noctuidae) Synonym(s): *nephrostictoides*
Berio,1973 _ Range (in code): **MM Kam**
- 58731. *Calloplistria nervurata* Laporte,1974** (Noctuidae) Synonym(s): *nervurata* Laporte,1974
Range (in code): **CM**
- 58732. *Calloplistria nigeriensis* (Hampson,1918)** (Noctuidae) Synonym(s): *nigeriensis*
Hampson,1918; *miosticta* A.E.Prout,1927 _ Range (in code): **NG ST**
- 58733. *Calloplistria nivetacta* (W.Warren,1912)** (Noctuidae) Synonym(s): *nivetacta*
W.Warren,1912 _ Range (in code): **IN Ass Meg Khs**
- 58734. *Calloplistria occidens* (Hampson,1908)** (Noctuidae) Synonym(s): *occidens*
Hampson,1908 _ Range (in code): **NG Caa**
- 58735. *Calloplistria placodoides* (Guenée,1852)** (Noctuidae) Synonym(s): *placodoides*
Guenée,1852; *doleschalli* R.Felder & Rogenhofer,1874 _ Range (in code): **TH ID Ja Amb**
- 58736. *Calloplistria rectilinea* Saalmüller,1891** (Noctuidae) Synonym(s): *rectilinea*
Saalmüller,1891 _ Range (in code): **ZA MG**
- 58737. *Calloplistria scristata* Legrand,1965** (Noctuidae) Synonym(s): *scristata* Legrand,1965
Range (in code): **SC**
- 58738. *Calloplistria strigilineata* Hampson,1894** (Noctuidae) Synonym(s): *strigilineata*
Hampson,1894 _ Range (in code): **IN SI**
- 58739. *Calloplistria subroseata* Berio,1966** (Noctuidae) Synonym(s): *subroseata* Berio,1966
Range (in code): **ZR**
- 58740. *Calloplistria thermochroa* (Hampson,1911)** (Noctuidae) Synonym(s): *thermochroa*
Hampson,1911 _ Range (in code): **NG**
- 58741. *Calloplistria tytha* Wileman & West,1929** (Noctuidae) Synonym(s): *tytha* Wileman &
West,1929 _ Range (in code): **PH Luz**
- 58742. *Calloplistria unica* Laporte,1973** (Noctuidae) Synonym(s): *unica* Laporte,1973 _ Range
(in code): **CM**
- 58743. *Calloplistria variegata* (Swinhoe,1895)** (Noctuidae) Synonym(s): *variegata* Swinhoe,1895
Range (in code): **IN Ass Meg Khs Cpj**
- 58744. *Calloplistria ventralis* Walker,[1863]** (Noctuidae) Synonym(s): *ventralis* Walker,[1863]
Range (in code): **MY Bor Swk**
- 58745. *Calloplistria yerburii* Butler,1884** (Noctuidae) Synonym(s): *yerburii* Butler,1884;
promiscua Saalmüller,1891. _ Range (in code): **ZA Tva Gau Jh IN SC YE Ad Buf Mpu Wv SO Zai**

- 58746. *Callyna abscissa* Roepke,1938** (Noctuidae) Synonym(s): *abscissa* Roepke,1938 _ Range (in code): **ID Clb**
- 58747. *Callyna constratans* Hampson,1914** (Noctuidae) Synonym(s): *constratans* Hampson,1914 Range (in code): **GH**
- 58748. *Callyna contracta* W.Warren,1913** (Noctuidae) Synonym(s): *contracta* W.Warren,1913 Range (in code): **IN**
- 58749. *Callyna costiplaga* Moore,1885** (Noctuidae) Synonym(s): *costiplaga* Moore,1885 Range (in code): **LK Pdy**
- 58750. *Callyna cupricolor* Hampson,1902** (Noctuidae) Synonym(s): *cupricolor* Hampson,1902 Range (in code): **ZA**
- 58751. *Callyna decora* Walker,[1858]** (Noctuidae) Synonym(s): *decora* Walker,[1858] _ Range (in code): **ZA**
- 58752. *Callyna figurans* Walker,1858** (Noctuidae) Synonym(s): *figurans* Walker,1858 _ Range (in code): **ZA**
- 58753. *Callyna holophaea* Hampson,1911** (Noctuidae) Synonym(s): *holophaea* Hampson,1911 Range (in code): **NG**
- 58754. *Callyna jugaria* (Walker,1858)** (Noctuidae) Synonym(s): *jugaria* Walker,1858 _ Range (in code): **LK Pdy Dck IN Up Bhi TH CMa CDo Pki**
- 58755. *Callyna monoleuca* Walker,1858** (Noctuidae) Synonym(s): *monoleuca* Walker,1858 Range (in code): **ZA IN Up Bhi CN MY JP**
- 58756. *Callyna nigerrima* Hampson,1902** (Noctuidae) Synonym(s): *nigerrima* Hampson,1902 Range (in code): **ZA**
- 58757. *Callyna obscura* Hampson,1910** (Noctuidae) Synonym(s): *obscura* Hampson,1910 Range (in code): **ZA**
- 58758. *Callyna unicolor* Hampson,1920** (Noctuidae) Synonym(s): *unicolor* Hampson,1920 Range (in code): **ZA**
- 58759. *Calocucullia celsiae* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *celsiae* Herrich-Schäffer,[1850] Original Reference: *Cucullia celsiae* Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:311. Syntypes: [Greece]: Saloniki [=Selanik]. Range (in code): **HU RO MK AL BG GR CY TR IL Js Hf Pa Cc AM IQ IR LB Ale JO** Bionomy: Larva on *Hesperis desertorum* (Rebel,1903).
- 58760. *Calocucullia celsiae levantina* Hacker,2001** (Noctuidae) Synonym(s): *levantina* Hacker,2001 Original Reference: *Calocucullia celsiae* ssp. *levantina* Hacker,2001, Esperiana 8: 119, pl.24 fig.11. Holotype ♂: W. Israel: Even Menakhem, 700m, 20km E Nahariya, 15.ii.1999, leg. Müller (ZSM). Range (in code): **TR IL Hf Js Pa Cc AM IQ IR LB Ale JO**
- 58761. *Calogramma festiva* (Donovan,1805)** (Noctuidae) Synonym(s): *festiva* Donovan,1805 Range (in code): **WS FJ NH NC SB AU MY IN**
- 58762. *Calogramma picta* (Guérin-Ménéville,1838)** (Noctuidae) Synonym(s): *picta* Guérin-Ménéville,1838 Original Reference: *Polia picta* Guérin-Ménéville,1838, Voyage de Coquille (Zool.) 2: 285. Range (in code): **IN AU NSw NC FJ WS TO**
- 58763. *Calonola argyria* (Hampson,1894)** (Noctuidae) Synonym(s): *argyria* Hampson,1894 Range (in code): **IN SI**
- 58764. *Calonola ectrota* (Hampson,1907)** (Noctuidae) Synonym(s): *ectrota* Hampson,1907 Range (in code): **LK**
- 58765. *Calophasia almoravida* Graslin,1863** (Noctuidae) Synonym(s): *almoravida* Graslin,1863 Range (in code): **DZ Ges BSa Hmk Khk MA PT ES An Grn Mu FR Co Sa Si** Bionomy: Larva on *Linaria vulgaris* (Calle et al., 2000).
- 58766. *Calophasia angularis* Chrétien,1911** (Noctuidae) Synonym(s): *angularis* Chrétien,1911; *stigmatica* Rothschild,1913; *liberatii* Turati,1924; *danieli* Le Cerf,1924; *pintori* Turati,1924; *volmeri* Hering,1930 Original Reference: *Calophasia angularis* Chrétien,1911, Annls Soc. ent. Fr. 79 (1910): 504. Type: Tunis: Gafsa. Range (in code): **MR MA DZ Bsk Ogl Gle Ges Omy TN Gf LY TM Kp EG SA IQ IL Pa JO IR Ss B-A**
- 58767. *Calophasia barthae* F.Wagner,1929** (Noctuidae) Synonym(s): *barthae* F.Wagner,1929 Original Reference: *Calophasia barthae* F.Wagner,1929, Mitt. münch. ent. Ges. 19: 79. Syntypes: [Turkey]: Akşehir. Range (in code): **BG GR Cr TR LB BSa**
- 58768. *Calophasia hamifera* Staudinger,1863** (Noctuidae) Synonym(s): *hamifera* Staudinger,1863 _ Range (in code): **MA DZ PT ES Mu Si?** Bionomy: Larva on *Linaria* (Calle et al., 2000).

- 58769. Calophasia hamifera chleuha Le Cerf,1929** (Noctuidae) Synonym(s): *chleuha Le Cerf,1929* _ Range (in code): MA DZ
- 58770. Calophasia lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.* Original Reference: Phalaena lunula Hufnagel,1766, Berl. Mag. 3(3): 394. Type(s): [Germany]: Berlin. Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Hsk GR TR GG Smt Bjo Cc DK NO SE FI EE LV LT RU Ro Kr St MD UA BY AF CA IR Lo Elb Th Kdj KK Skm KG Tu Tk
- 58771. Calophasia lunula lunula (Hufnagel,1766)** (Noctuidae) Synonym(s): *lunula Hufnagel,1766; linariae [Denis & Schiffermüller],1775.* Original Reference: Phalaena lunula Hufnagel,1766, Berl. Mag. 3(3): 394. Type(s): [Germany]: Berlin. Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Hsk GR DK NO SE FI EE LV LT RU Ro Kr St MD UA BY KK Skm KG Tu Tk
- 58772. Calophasia lunula ocellata G.Ronkay & L.Ronkay,1985** (Noctuidae) Synonym(s): *ocellata G.Ronkay & L.Ronkay,1985; anatolica Draudt,1936* _ Range (in code): TR Cc GG Smt Bjo IR Lo Elb Th Kdj
- 58773. Calophasia opalina (Esper,[1796])** (Noctuidae) Synonym(s): *casta Borkhausen,1793 nec Pall.,1767; opalina Esper,[1796]; biroi Aigner,1901; naruenensis Spuler,1910; castior Stauder,1923.* Original Reference: Calocasia opalina Esper,[1796], Die Schmett. 4(2/2): 11, Taf.182, fig. 3. Type(s): Italien. Range (in code): MA DZ Clo PT ES FR IT CH AT SK RO YU AL BG GR TR GG Lag Cc AM RU Ro Kr Ich Da MD UA BY IQ LB Bsa SA IR Fa Kh Elb Th CN Ui UZ Fe AF Hk KK Ik Skm KG TJ Pm MN
- 58774. Calophasia oxygramma Boursin,1963** (Noctuidae) Synonym(s): *oxygramma Boursin,1963* _ Range (in code): AF Bm Pag
- 58775. Calophasia pauli (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli Staudinger,1892* Original Reference: Cleophana pauli Staudinger,1892, Dt. ent. Z., Iris 4: 306-308. Taf.iv fig.4. Syntypes 2♂ 1♀: "Jerusalem", coll.Paulus, (MNHU Berlin). Range (in code): MA DZ Berr Ges BSa Tun Sfr TN LY IL Pa Js JO TR
- 58776. Calophasia platyptera (Esper,[1788])** (Noctuidae) Synonym(s): *platyptera Esper,[1788]; canterius De Villers,1789; tenera Hübnér,[1803]; olbiena Duponchel,1842; subalbida Staudinger,1901; signata Constantini,1916* Original Reference: Phalaena platyptera Esper,[1788], Die Schmett. 4(2): 396, Taf. 130, fig.5. Type(s): [Germany]: Frankfurt. Range (in code): Cn MR MA DZ DhM Hrh Dzc Agi Ahr TN LY PT ES Mu FR Co Sa Si IT MT GB CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU MD UA LB Bsa IL Pa Hf IR Elb SY JO SA YE Bionomy: Larva on Anthirrhinum, Linaria (Calle et al., 2000).
- 58777. Calophasia sinaica (Wiltshire,1948)** (Noctuidae) Synonym(s): *sinaica Wiltshire,1948* Range (in code): EG Sn IL Pa JO SA As
- 58778. Caloplusia hohenwarthi (Hochenwarth,1785)** (Noctuidae) Synonym(s): *hochenwarthi Hochenwarth,1785; divergens Fabricius,1787; insignata Reuter,1893; tibetana Staudinger,1895; alaica Galvagni,1906; cuprina W.Warren,1913; hohenwarthi Hampson,1913; lapponaris Schulte,1952* _ Range (in code): FR IT DE CH AT NO SE FI RU Cc Da Kus Kr Nt MD UA BY AF Bd Anj CN Ui Kml Ti TJ Pm
- 58779. Caloplusia hohenwarthi hohenwarthi (Hochenwarth,1785)** (Noctuidae) Synonym(s): *hochenwarthi Hochenwarth,1785; divergens Fabricius,1787; insignata Reuter,1893; tibetana Staudinger,1895; alaica Galvagni,1906; cuprina W.Warren,1913; hohenwarthi Hampson,1913; lapponaris Schulte,1952* _ Range (in code): FR IT DE CH AT NO SE FI RU Cc Da Kus Kr Nt MD UA BY AF Bd Anj CN Ui Kml Ti TJ Pm
- 58780. Calpiformis craushayi (Hampson,1905)** (Noctuidae) Synonym(s): *craushayi Hampson,1905* _ Range (in code): ZA
- 58781. Calymera ?cuprea (Wileman & West,1920)** (Noctuidae) Synonym(s): *cuprea Wileman & West,1920* _ Range (in code): PH MY Bor Sbh KBa
- 58782. Calymera albimargo (W.Warren,1912)** (Noctuidae) Synonym(s): *albimargo W.Warren,1912; vulpina W.Warren,1912* _ Range (in code): MY Bor Swk BN
- 58783. Calymera antennata (W.Warren,1912)** (Noctuidae) Synonym(s): *antennata W.Warren,1912* _ Range (in code): MY Bor Sbh KBa ID ?Sum
- 58784. Calymera carneplagiata (W.Warren,1912)** (Noctuidae) Synonym(s): *carneplagiata W.Warren,1912* _ Range (in code): MY Bor ID Sum
- 58785. Calymera curtisi W.Warren,1912** (Noctuidae) Synonym(s): *curtisi W.Warren,1912* Range (in code): MY Pen
- 58786. Calymera elaeogramma (A.E.Prout,1926)** (Noctuidae) Synonym(s): *elaogramma A.E.Prout,1926* _ Range (in code): MY Bor BN Swk

- 58787. Calymera elaeospila (A.E.Prout,1926)** (Noctuidae) Synonym(s): *elaeospila* A.E.Prout,1926 Range (in code): MY Bor Swk Sbh KBa
- 58788. Calymera fratella Kobes,1997** (Noctuidae) Synonym(s): *fratella* Kobes,1997 Range (in code): ID Sum MY Bor BN
- 58789. Calymera jacobsoni (Roepke,1935)** (Noctuidae) Synonym(s): *jacobsoni* Roepke,1935 Range (in code): MY Bor Sbh BN
- 58790. Calymera lauritzeni Kobes,1997** (Noctuidae) Synonym(s): *lauritzeni* Kobes,1997 Range (in code): ID Sum MY Bor Sbh Swk BN
- 58791. Calymera longicornis (A.E.Prout,1924)** (Noctuidae) Synonym(s): *longicornis* A.E.Prout,1924; *malabarica* Roepke,1935 Range (in code): MY Bor ID Sum Ja
- 58792. Calymera lukaschi Kobes,1997** (Noctuidae) Synonym(s): *lukaschi* Kobes,1997 Range (in code): ID Sum MY Bor Sbh BN
- 58793. Calymera metaphaea (Hampson,1912)** (Noctuidae) Synonym(s): *metaphaea* Hampson,1912; *loxoscia* A.E.Prout,1932; *phantera* A.E.Prout,1932; *proutiae* Roepke,1935; *sundanensis* Roepke,1935 Range (in code): ID Sum Ja MY Bor Sbh
- 58794. Calymera negativapex (Holloway,1976)** (Noctuidae) Synonym(s): *negativapex* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 58795. Calymera nigriscata Holloway,2003** (Noctuidae) Synonym(s): *nigriscata* Holloway,2003 Range (in code): MY Bor BN
- 58796. Calymera picta Moore,1882** (Noctuidae) Synonym(s): *picta* Moore,1882 Range (in code): IN MY Bor Sbh KBa
- 58797. Calymera pollex Kobes,1988** (Noctuidae) Synonym(s): *pollex* Kobes,1988 Range (in code): ID Sum MY Bor Sbh Swk
- 58798. Calymera sabulosa (W.Warren,1916)** (Noctuidae) Synonym(s): *sabulosa* W.Warren,1916; *micropunctata* Holloway,1976 Range (in code): IN ID Sum MY Bor
- 58799. Calymera translucens (Holloway,1976)** (Noctuidae) Synonym(s): *translucens* Holloway,1976; *lasina* Kobes,1997 Range (in code): MY Bor Swk Sbh KBa ID Sum
- 58800. Calymera vinacea Holloway,2003** (Noctuidae) Synonym(s): *vinacea* Holloway,2003 Range (in code): MY Bor
- 58801. Calymma communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775 Original Reference: Noctua communimacula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. Range (in code): FR IT AT CZ SK HU YU AL BG GR TR AM IR Fa Ss Lo Kd Sq Sse LB IL Pa SY RU Cc AZ Kir Ro Kr Ich MD UA Bionomy: Larva lives in soft cases on Coccids on Sloe, Prunus (Hacker,2001).
- 58802. Calymma communimacula communimacula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *communimacula* [Denis & Schiffermüller],1775 Original Reference: Noctua communimacula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. Range (in code): FR IT AT CZ SK HU YU AL BG GR TR RU Cc AZ Kir Ro Kr Ich MD UA BY
- 58803. Calymma communimacula gracilis Osthelder,1933** (Noctuidae) Synonym(s): *gracilis* Osthelder,1933 Original Reference: Calymma communimacula ssp. gracilis Osthelder,1933, Mitt. münch. ent. Ges. 23: 86. Syntypes: [Türkei]: Maraş, Yüksek Dag. Range (in code): TR IR Fa Ss Lo Kd Sq Sse
- 58804. Calymniops trapezata (Moore,1887)** (Noctuidae) Synonym(s): *trapezata* Moore,1887 Range (in code): LK
- 58805. Calyptra albivirgata (Hampson,1926)** (Noctuidae) Synonym(s): *albivirgata* Hampson,1926 Range (in code): CN Sz JP
- 58806. Calyptra bicolor (Moore,1883)** (Noctuidae) Synonym(s): *bicolor* Moore,1883 Original Reference: Calpe bicolor Moore,1883, Proc. zool. Soc. London 1883: 19. Range (in code): IN Pj NP Kdu TH CMa VN CN
- 58807. Calyptra eustrigata Hampson,1926** (Noctuidae) Synonym(s): *eustrigata* Hampson,1926 Original Reference: Calpe eustrigata Hampson,1926, Descr. lepid. Phalaen. Br. Mus.: 377. Range (in code): LK MY TH CMa Cph LA ID Sum
- 58808. Calyptra fasciata (Moore,1882)** (Noctuidae) Synonym(s): *fasciata* Moore,1882; *labilis* Berio,1970 Range (in code): IN SI Djl TH CMa CDo Nan Dpk MM VN NP CN
- 58809. Calyptra fletcheri (Berio,1956)** (Noctuidae) Synonym(s): *fletcheri* Berio,1956 Range (in code): CN Sz T-T

- 58810. Calyptra gruesa (Draudt,1950)** (Noctuidae) Synonym(s): *gruesa* Draudt,1950 _ Range (in code): JP CN Sz
- 58811. Calyptra hokkaida (Wileman,1922)** (Noctuidae) Synonym(s): *hokkaida* Wileman,1922; *hoenei* Berio,1956 _ Range (in code): JP CN Sz T-T
- 58812. Calyptra imperialis (Grünberg,1910)** (Noctuidae) Synonym(s): *imperialis* Grünberg,1910 Range (in code): RW
- 58813. Calyptra lata (Butler,1881)** (Noctuidae) Synonym(s): *lata* Butler,1881; *aureola* Graeser,1889 Range (in code): JP KP KR
- 58814. Calyptra minuticornis (Guenée,1852)** (Noctuidae) Synonym(s): *minuticornis* Guenée,1852; *novaepommeraniae* Strand,1919 Original Reference: Calpe minuticornis Guenée,1852, Hist. nat. Ins., Spec. gén. Lépid. 6: 374. Range (in code): ID Clb Ja Tim Flo Sbw PH Neg CN JP NBr PG AU QAU TH CMA CDo Knc NP IN LK TW MY Prk Bor KBA
- 58815. Calyptra nyei Bänziger,1979** (Noctuidae) Synonym(s): *nyei* Bänziger,1979 _ Range (in code):
- 58816. Calyptra ophideroides (Guenée,1852)** (Noctuidae) Synonym(s): *ophideroides* Guenée,1852 _ Range (in code): IN Hp Sml Up Bhi
- 58817. Calyptra orthograptia (Butler,1886)** (Noctuidae) Synonym(s): *orthograptia* Butler,1886; *striata* Pujade,1887 _ Range (in code): CN Mou IN SI Djl TH CMA CDo Phr LA NP TW
- 58818. Calyptra parva Bänziger,1979** (Noctuidae) Synonym(s): *parva* Bänziger,1979 _ Range (in code): IN Nag TH Cbi CMA
- 58819. Calyptra provocans Walker** (Noctuidae) Synonym(s): _ Range (in code): ET ET24
- 58820. Calyptra pseudobicolor Bänziger,1979** (Noctuidae) Synonym(s): *pseudobicolor* Bänziger,1979 _ Range (in code): IN SI TH CMA CDo
- 58821. Calyptra subnubila (A.E.Prout,1928)** (Noctuidae) Synonym(s): *subnubila* A.E.Prout,1928 Range (in code): ID Sum
- 58822. Calyptra thalictri (Borkhausen,1790)** (Noctuidae) Synonym(s): *capucina* Esper,1789 *nec* Linn.,1767; *thalictri* Borkhausen,1790; *sodalis* Butler,1878; *#thalactri* Moore,1882; *#intensiva* W.Warren,1914; *#capuzina* Dannehl,1925; *#centralitalica* Dannehl,1925; *pallida* Schwingenschuss,1938 Original Reference: Phalaena thalictri Borkhausen,1790, Syst. Besch. Eur. Schmett. 3: 425. Range (in code): ES FR IT DE CH AT CZ SK HU RO HV YU AL BG GR TR RU Ro St Kr Nt Ich MD UA BY GG Smt Bjo Mng Lag AM AZ Kir Cc IR Elb Th Plr Mz CN Sz KK Skm JP
- 58823. Camptoloma binotatum Butler,1881** (Noctuidae) Synonym(s): *binotatum* Butler,1881; *#designata* Mell,1943 Original Reference: Camptoloma interiorata ssp. binotatum Butler,1881, Ann. Mag. nat. Hist. (5) 7: 35. Type: India: Assam (BMNH). Range (in code): CN NP MM IN Meg Ass Khs
- 58824. Camptoloma carum Kishida,1984** (Noctuidae) Synonym(s): *carum* Kishida,1984 Range (in code): TW
- 58825. Camptoloma interioratum (Walker,1864)** (Noctuidae) Synonym(s): *interiorata* Walker,1864; *erythropygum* R.Felder & Rogenhofer,1874; *flagrans* Swinhoe,1893; *#pallida* Mell,1943; *#rubrescens* Mell,1943 Original Reference: Numenes interiorata Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 31: 290. Type: [China]: Shanghai Range (in code): CN RU Us JP
- 58826. Camptoloma interioratum interioratum (Walker,1864)** (Noctuidae) Synonym(s): *interiorata* Walker,1864; *erythropygum* R.Felder & Rogenhofer,1874; *flagrans* Swinhoe,1893 Original Reference: Numenes interiorata Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 31: 290. Type: [China]: Shanghai Range (in code): CN RU Us JP
- 58827. Camptoloma kishidai Wang & Huang,2005** (Noctuidae) Synonym(s): *kishidai* Wang & Huang,2005 _ Range (in code): CN
- 58828. Camptoloma mangpua Zolotuhin & Witt,2000** (Noctuidae) Synonym(s): *mangpua* Zolotuhin & Witt,2000 _ Range (in code): IN SI Djl
- 58829. Camptoloma quimeiae Buchsbaum & Chen,2010** (Noctuidae) Synonym(s): *quimeiae* Buchsbaum & Chen,2010 _ Range (in code): TW
- 58830. Camptoloma vanata Fang,1994** (Noctuidae) Synonym(s): *#designata* Mell,1943; *#rubrescens* Mell,1943; *vanata* Fang,1994 _ Range (in code): CN Hn VN Ton Tda Cuc
- 58831. Camptoloma vanata behouneki Zolotuhin & Witt,2000** (Noctuidae) Synonym(s): *VN Ton Tda Cuc* Original Reference: behouneki Zolotuhin & Witt,2000 Range (in code):
- 58832. Camptoloma vanata vanata Fang,1994** (Noctuidae) Synonym(s): *#designata* Mell,1943; *#rubrescens* Mell,1943; *vanata* Fang,1994 _ Range (in code): CN Hn VN Ton

- 58833. *Campydelta campyla* (Hampson,1909)** (Noctuidae) **Synonym(s):** *campyla* Hampson,1909
Range (in code): **ZA**
- 58834. *Capillamentum galleyi* Laporte,1984** (Noctuidae) **Synonym(s):** *galleyi* Laporte,1984
Range (in code): **ET ET09**
- 58835. *Capillamentum nigrofasciatum* Pinhey,1956** (Noctuidae) **Synonym(s):** *nigrofasciatum* Pinhey,1956
Range (in code): **KE Kit**
- 58836. *Caradrina (Boursinidrina) africarabica* (Plante,1998)** (Noctuidae) **Synonym(s):** *africarabica* Plante,1998
Range (in code): **AE SA YE**
- 58837. *Caradrina (Boursinidrina) brandti* (Boursin,1939)** (Noctuidae) **Synonym(s):** *brandti* Boursin,1939
Range (in code): **IR Fa Sse Kh KuB Elb Mz Es TM Kp**
- 58838. *Caradrina (Boursinidrina) flavitincta* (Hampson,1909)** (Noctuidae) **Synonym(s):** *flavitincta* Hampson,1909
Range (in code): **IN Pj Hp Kul PK Haz Msr**
- 58839. *Caradrina (Boursinidrina) germainii* (Duponchel,1835)** (Noctuidae) **Synonym(s):** *germainii* Duponchel,1835; *laciniosa* Donzel,1847; *leprii* Berio,1942; *psammopsis* Boursin,1967
Original Reference: *Bryophila germainii* Duponchel,1835, *Annls Soc. ent. Fr.* 4: 194, pl.4a fig.2. Type: France, Montpellier. **Range (in code):** **MA DZ Ges PT ES Mu FR Co Sa Si MT**
- 58840. *Caradrina (Boursinidrina) hemipentha* (Boursin,1939)** (Noctuidae) **Synonym(s):** *hemipentha* Boursin,1939
Range (in code): **IR Fa Com Sse Elb Th Lo By Es**
- 58841. *Caradrina (Boursinidrina) lobbichieri* (Boursin,1970)** (Noctuidae) **Synonym(s):** *lobbichieri* Boursin,1970
Range (in code): **PK Gg Hu**
- 58842. *Caradrina (Boursinidrina) oberthuri* (Rothschild,1913)** (Noctuidae) **Synonym(s):** *oberthuri* Rothschild,1913; *apicimaculata* Rebel,[1948]
Original Reference: *Athetis oberthuri* Rothschild,1913, *Novit. zool.* 20: 126. Syntypes 1♂ 3♀: "Oued Mya". **Range (in code):** **Cn MA DZ Rhr Onç Omy LY ES Mu SA AE IR Hz B-A Ss Chh Kz Yas Lo IL Pa JO OM EG Sn JE**
- 58843. *Caradrina (Boursinidrina) oberthuri persica* (Boursin,1942)** (Noctuidae) **Synonym(s):** *persica* Boursin,1942
Range (in code): **SA AE IL Pa JO OM IR Hz B-A Ss Chh Kz Yas Lo**
- 58844. *Caradrina (Boursinidrina) panurgia* (Boursin,1939)** (Noctuidae) **Synonym(s):** *panurgia* Boursin,1939
Original Reference: *Elaphria (Hymenodrina) panurgia* Boursin,1939, *Ent. Rdsch.* 56: 292, Taf.iv. figs.9.10. Holotype ♂: Iran: Fars, Str. Chiraz- Kazeroun, Fort Sine-Sefid, ca.2200m ix.37 (F.Brandt leg.) (coll.Brandt). **Range (in code):** **IR Fa Sse Lo Km Ksh By Ha Es TR IL Pa He**
- 58845. *Caradrina (Boursinidrina) parvaspersa* (Boursin,1936)** (Noctuidae) **Synonym(s):** *parvaspersa* Boursin,1936
Original Reference: *Athetis parvaspersa* Boursin,1936, *Bull. Soc. ent. Fr.* 1936 (6): 92. Holotype ♂: Iraq: Rayat, Wiltshire leg. (BMNH). **Range (in code):** **IQ Ry IR Fa Com Sse By TR**
- 58846. *Caradrina (Boursinidrina) pseudadelpha* (Boursin,1939)** (Noctuidae) **Synonym(s):** *pseudadelpha* Boursin,1939
Range (in code): **IR Fa Com Sse Km Ksh Elb Th Kdv Dam Kd Es By TR**
- 58847. *Caradrina (Boursinidrina) pseudocosma* (Plante,1998)** (Noctuidae) **Synonym(s):** *pseudocosma* Plante,1998
Range (in code): **SA As YE Sna**
- 58848. *Caradrina (Boursinidrina) pulvis* (Boursin,1939)** (Noctuidae) **Synonym(s):** *pulvis* Boursin,1939
Range (in code): **IR Fa Com Sse Lo**
- 58849. *Caradrina (Boursinidrina) pushkara* Hacker,2004** (Noctuidae) **Synonym(s):** *pushkara* Hacker,2004
Range (in code): **IN Rj**
- 58850. *Caradrina (Boursinidrina) rjabovi* (Boursin,1936)** (Noctuidae) **Synonym(s):** *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
Original Reference: *Athetis rjabovi* Boursin,1936, *Bull. Soc. ent. Fr.* 1936 (6): 91. Holotype ♂: Armenie: Njuvady, pres Migry sur l'Araxe (Armenie) (leg. Rjabov) (coll. Boursin). **Range (in code):** **Cc AM TR IR Ak Ab Ar Fa Com Elb Th Kdj Mz Kd Ke Lo Kh**
- 58851. *Caradrina (Boursinidrina) rjabovi rjabovi* (Boursin,1936)** (Noctuidae) **Synonym(s):** *rjabovi* Boursin,1936; *pseudovicina* Boursin,1939
Original Reference: *Athetis rjabovi* Boursin,1936, *Bull. Soc. ent. Fr.* 1936 (6): 91. Holotype ♂: Armenie: Njuvady, pres Migry sur l'Araxe (Armenie) (leg. Rjabov) (coll. Boursin). **Range (in code):** **Cc AM TR IR Fa Com Elb Th Kdj Mz Kd Ke Lo Kh**
- 58852. *Caradrina (Boursinidrina) soudanensis* (Hampson,1918)** (Noctuidae) **Synonym(s):** *soudanensis* Hampson,1918
Range (in code): **MR MA DZ? LY? TD? SD SD95 EG SA SA39 IR Hz B-A Ss Chh JO OM**

- 58853. Caradrina (Boursinidrina) stenoptera (Boursin,1939)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939 _ Range (in code): AF PK Bbu Gg Ch IR Fa Mia Com Kaz Lo
- 58854. Caradrina (Boursinidrina) stenoptera baltistanicola Hacker,2004** (Noctuidae) Synonym(s): *baltistanicola* Hacker,2004 _ Range (in code): AF PK Gg Ch
- 58855. Caradrina (Boursinidrina) stenoptera stenoptera (Boursin,1939)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1939; *agrapha* Boursin,1939 _ Range (in code): IR Fa Mia Com Kaz Lo
- 58856. Caradrina (Boursinidrina) surchica (Boursin,1937)** (Noctuidae) Synonym(s): *surchica* Boursin,1937 _ Original Reference: Eremodrina (Hymenodrina) *surchica* Boursin,1937, Ent. Rdsch. 54: 430-431. Holotype ♂: Iraq: Rowanduz, 8.Oct.1936, (leg. & coll. Wiltshire). Range (in code): IQ Rwz IR Fa Lo Elb Th Nss Km Ksh Es By TR
- 58857. Caradrina (Boursinidrina) syriaca (Staudinger,1892)** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892 _ Original Reference: Caradrina *vicina* var. ? *syriaca* Staudinger,1892, Dt. ent. Z., Iris 4: 294-295. Syntypes 1♂ 5♀: [Libanon]: Syrien (Beirut). Range (in code): LB Bsa Bei BG GR Rd TR IL Hf Pa JO Amm SY CY
- 58858. Caradrina (Boursinidrina) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936 _ Original Reference: Athetis *wiltshirei* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: Iraq: Rayat, Wiltshire leg. Range (in code): TR IQ Rwz Mos IR Fa Com Es Lo
- 58859. Caradrina (Eremodrina) adriennea Hacker & Gyulai,2004** (Noctuidae) Synonym(s): *adriennea* Hacker & Gyulai,2004 _ Range (in code): IR Es
- 58860. Caradrina (Eremodrina) agenjoi (Boursin,1936)** (Noctuidae) Synonym(s): *agenjoi* Boursin,1936 _ Original Reference: Athetis *agenjoi* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: [Maraş Prov.]: Zeitun [=Süleymanlı] (lost in Mus. Madrid). Neotype ♂: Afghanistan: Prov. Kadaghan: Salang pass, designated by Hacker (2004: 250). Range (in code): AF Slg Pag Kab TJ Pm KK Na Ik UZ Tas
- 58861. Caradrina (Eremodrina) aldegaitheri (Wiltshire,1986)** (Noctuidae) Synonym(s): *aldegaitheri* Wiltshire,1986 _ Range (in code): SA As YE Sna
- 58862. Caradrina (Eremodrina) alfieri (Boursin,1937)** (Noctuidae) Synonym(s): *alfieri* Boursin,1937 _ Original Reference: Eremodrina (? Eremodrina) *alfieri* Boursin,1937, Ent. Rdsch. 54: 439-440. Holotype ♀: [Egypt]: Umg. Arad (Sinai), 22.Nov.1926 (A.Kauer leg.; coll. Alfieri). Range (in code): EG Sn IR Hz SA SA34 IL Pa JO
- 58863. Caradrina (Eremodrina) altissima Hacker,2004** (Noctuidae) Synonym(s): *altissima* Hacker,2004 _ Range (in code): IR Es
- 58864. Caradrina (Eremodrina) ammoxantha (Boursin,1957)** (Noctuidae) Synonym(s): *ammoxantha* Boursin,1957 _ Range (in code): AF Bd Kab Slg Pag PK Gg Cls Bt TJ Pm KK Na
- 58865. Caradrina (Eremodrina) armeniaca (Boursin,1936)** (Noctuidae) Synonym(s): *armeniaca* Boursin,1936; #*clara* Schawerda,1928; *clara* Schawerda,1931 nec Harvey,1878; *barbarica* Boursin,1936 _ Original Reference: Athetis *clara* ssp. *armeniaca* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 94. Holotype ♂: Armenié: Negram, Rjabov leg. (coll. Boursin). Range (in code): DZ Perr MA ES Mu TR Cc AM Nv Dz AZ IR Gh Elb Mz Th Kdj Lo Fa Kh Es Ss Ab By TM Kp UZ KK KG _ Bionomy: Larval foodplant unknown (Calle et al., 2000).
- 58866. Caradrina (Eremodrina) asymmetrica (Boursin,1936)** (Noctuidae) Synonym(s): *perspicua* Filipjev,1928 nec Warr.,1911; *asymmetrica* Boursin,1936. _ Original Reference: Athetis *asymmetrica* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: [Turkmenistan]: Germob env. Ashkhabad (coll. Boursin). Range (in code): TM Ger Kp UZ KK KG AF IR Kh KuB Elb Th TJ Pm
- 58867. Caradrina (Eremodrina) avis (Pinker,1980)** (Noctuidae) Synonym(s): *avis* Pinker,1980 _ Original Reference: Caradrina (Eremodrina) *avis* Pinker,1980, Z. ArbGem. öst. Ent. 31: 68. Holotype ♂: Türkiye: Gürün, 1700m (leg & coll. Pinker). Range (in code): TR
- 58868. Caradrina (Eremodrina) azim (Boursin,1957)** (Noctuidae) Synonym(s): *azim* Boursin,1957 _ Range (in code): AF
- 58869. Caradrina (Eremodrina) bactriana (Boursin,1968)** (Noctuidae) Synonym(s): *bactriana* Boursin,1968 _ Range (in code): AF Pm Bd TJ
- 58870. Caradrina (Eremodrina) baltistana Hacker,2004** (Noctuidae) Synonym(s): *baltistana* Hacker,2004 _ Range (in code): PK Ch Bt Cls
- 58871. Caradrina (Eremodrina) belucha Swinhoe,1885** (Noctuidae) Synonym(s): *belucha* Swinhoe,1885; *conditorana* Pinker,1980 _ Original Reference: Caradrina *belucha* Swinhoe,1885,

- Trans. ent. Soc. London 1885:348. Syntypes: [Pakistan]: Quetta. Range (in code): AF PK BI Qu SY Dms Pmy IQ Brs Mos IR Ab Fa Shr Km Ksh TR Cc TJ TM Kp UZ CN Ui KI
- 58872. Caradrina (Eremodrina) casearia (Staudinger,1900)** (Noctuidae) Synonym(s): casearia Staudinger,1900; tauorgensis C.G.Krüger,1939 Range (in code): DZ Bsk MA LY TN IL Pa JO
- 58873. Caradrina (Eremodrina) didyma (Boursin,1939)** (Noctuidae) Synonym(s): didyma Boursin,1939; hemipenthoides Boursin,1942 Range (in code): IR Fa Com Kh KuB Ke Elb Th Kdj
- 58874. Caradrina (Eremodrina) didyma didyma (Boursin,1939)** (Noctuidae) Synonym(s): didyma Boursin,1939; hemipenthoides Boursin,1942 Range (in code): IR Fa Com Kh KuB Ke Elb Th Kdj
- 58875. Caradrina (Eremodrina) distigma Chrétien,1913** (Noctuidae) Synonym(s): distigma Chrétien,1913; halimi Chrétien,1913 Original Reference: Caradrina distigma Chrétien,1913, Bull. Soc. ent. Fr. 1913: 282. Syntypes: Algérie, Biskra. Range (in code): DZ Bsk MA ES TN Bionomy: Larva on Atriplex halimus (Chrétien,1913).
- 58876. Caradrina (Eremodrina) doleropsis (Boursin,1939)** (Noctuidae) Synonym(s): doleropsis Boursin,1939; doleropsis Boursin,1940. Range (in code): Cc Nv Ord AZ TR
- 58877. Caradrina (Eremodrina) draudti (Boursin,1936)** (Noctuidae) Synonym(s): draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940 Original Reference: Athetis draudti Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: Lac de Van (Armenie turquie) (coll. Boursin). Range (in code): TR Cc GG AZ AM IR Kh Mz Elb TM GR Cr
- 58878. Caradrina (Eremodrina) draudti cretica Reisser,1958** (Noctuidae) Synonym(s): cretica Reisser,1958 Range (in code): Cr GR
- 58879. Caradrina (Eremodrina) draudti draudti (Boursin,1936)** (Noctuidae) Synonym(s): draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940 Original Reference: Athetis draudti Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 89. Holotype ♂: [Turkey]: Lac de Van (Armenie turquie) (coll. Boursin). Range (in code): TR Cc GG AZ AM IR Kh Mz Elb TM
- 58880. Caradrina (Eremodrina) eberti (Hacker,1992)** (Noctuidae) Synonym(s): eberti Hacker,1992 Range (in code): PK Bbu Bt AF Srb Kab Bm TJ Pm
- 58881. Caradrina (Eremodrina) ectomelaena (Hampson,1916)** (Noctuidae) Synonym(s): ectomelaena Hampson,1916 Range (in code): SO YE Hd
- 58882. Caradrina (Eremodrina) eremocosma (Boursin,1937)** (Noctuidae) Synonym(s): eremocosma Boursin,1937 Original Reference: Eremodrina (Eremodrina) eremocosma Boursin,1937, Ent. Rdsch. 54: 438-439. Holotype ♂: Iran: Luristan, Kala-Zendj, 550m, 150km nnö. v. Ahwaz, Oktober 1935 (A.Dumez leg) (MNHNP). Range (in code): IR Km Ksh Fa Shr Lo Hz
- 58883. Caradrina (Eremodrina) eucrinospila (Boursin,1936)** (Noctuidae) Synonym(s): eucrinospila Boursin,1936; prospera Kuznetsov,1958 Original Reference: Athetis eucrinospila Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: [Turkmenistan]: Ashkhabad (ZMB). Range (in code): TM Kp Ger IR KuB Kh K-K
- 58884. Caradrina (Eremodrina) eva (Boursin,1963)** (Noctuidae) Synonym(s): eva Boursin,1963 Range (in code): AF Pag Kab
- 58885. Caradrina (Eremodrina) expansa (Alpheraky,1887)** (Noctuidae) Synonym(s): expansa Alpheraky,1887 Range (in code): TM Kp UZ Tas RU Or Ur CN Ui T-S
- 58886. Caradrina (Eremodrina) falciuncula Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): falciuncula Varga & L.Ronkay,1991 Range (in code): AF TJ Pm PK Kjb KK
- 58887. Caradrina (Eremodrina) ferghana (Staudinger,1892)** (Noctuidae) Synonym(s): ferghana Staudinger,1892 Range (in code): RU Sr IR Kh KuB TM Kp Rpt UZ Fe TJ Pm KG Aa TrA AF Pag PK Ch Deo Bt IN Ld
- 58888. Caradrina (Eremodrina) filipjevi (Boursin,1936)** (Noctuidae) Synonym(s): filipjevi Boursin,1936 Range (in code): UZ Smk IR Fa Com Kh TM Kp AF Pag Kab TJ Pm Chr Dsb
- 58889. Caradrina (Eremodrina) flava Oberthür,1876** (Noctuidae) Synonym(s): flava Oberthür,1876; approximans Rothschild,1914 Original Reference: Caradrina flava Oberthür,1876, Etud. Ent. 1: 45, pl.4 fig.3. Type: Algérie. Range (in code): NE CV AE MR Cn ES Mu MA DZ Gtt Tlm Ges Onç Clo Gha Bsk BSa Khh Omy Sét Berr Btina Ktr Sfr Mii Sbd TN Gf LY TD EG SA IL Hf Pa JO IQ Kbl IR Hz Ss Chh
- 58890. Caradrina (Eremodrina) furcivalva (Hacker,1992)** (Noctuidae) Synonym(s): furcivalva Hacker,1992 Range (in code): AF Srb Bm
- 58891. Caradrina (Eremodrina) gandhara Hacker,2004** (Noctuidae) Synonym(s): gandhara Hacker,2004 Range (in code): PK Haz Kag Ch Bt Deo
- 58892. Caradrina (Eremodrina) genitalana Hacker,2004** (Noctuidae) Synonym(s): genitalana Hacker,2004 Range (in code): TJ Pm Chr KK Ik UZ KG AF TM

- 58893. Caradrina (Eremodrina) gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929 Original Reference: Spaelotis *gilva* Donzel,1837, Annls. Soc. ent. Fr. 1837: 473. Range (in code): **FR Si IT DE CH AT CZ SK HU RO SS B-H YU MK AL BG GR TR Cc IR Elb Th**
- 58894. Caradrina (Eremodrina) gilva gilva (Donzel,1837)** (Noctuidae) Synonym(s): *gilva* Donzel,1837; *molisana* Dannehl,1929 Original Reference: Spaelotis *gilva* Donzel,1837, Annls. Soc. ent. Fr. 1837: 473. Range (in code): **FR Si IT DE CH AT CZ SK HU RO SS B-H YU MK AL BG GR**
- 58895. Caradrina (Eremodrina) gilva orientalis (Boursin,1936)** (Noctuidae) Synonym(s): *orientalis* Boursin,1936 Original Reference: Athetis *gilva* ssp. *orientalis* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 93. Holotype ♂: Turquie: Ak-Chehir (leg. & coll. Schwingenschuss). Range (in code): **TR Cc IR Elb Th**
- 58896. Caradrina (Eremodrina) gyulaii Hacker,2004** (Noctuidae) Synonym(s): *gyulaii* Hacker,2004 Range (in code): **TM Rpt**
- 58897. Caradrina (Eremodrina) hedychroa (Boursin,1936)** (Noctuidae) Synonym(s): *hedychroa* Boursin,1936 Original Reference: Athetis *hedychroa* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 90-91. Holotype ♂: Liban: Bscharré (Wiltshire leg). Range (in code): **LB Bsa**
- 58898. Caradrina (Eremodrina) himachala Hacker,2004** (Noctuidae) Synonym(s): *himachala* Hacker,2004 Range (in code): **IN Hp Lho**
- 58899. Caradrina (Eremodrina) hypocnephias Boursin,1968** (Noctuidae) Synonym(s): *hypocnephias* Boursin,1968 Range (in code): **IR Es AF Kab Srb**
- 58900. Caradrina (Eremodrina) hypoleuca (Boursin,[1968])** (Noctuidae) Synonym(s): *hypoleuca* Boursin,[1968] Range (in code): **AF Srb Kab**
- 58901. Caradrina (Eremodrina) ibeasi (Fernandez,[1918])** (Noctuidae) Synonym(s): *ibeasi* Fernandez,[1918]; *iberica* Hampson,1918; *bermeja* Zerny,1927 Range (in code): **MA ES**
- 58902. Caradrina (Eremodrina) inopinata Hacker,2004** (Noctuidae) Synonym(s): *inopinata* Hacker,2004 Range (in code): **IR Kh**
- 58903. Caradrina (Eremodrina) inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 Original Reference: Agrotis *inumbrata* Staudinger,1900, Dt. ent. Z., Iris 12: 363-364. Syntypes 1♂ 3♀: [Türkei]: Zeitun [=Süleymanli]. Range (in code): **DZ Prr EG Sn TR IR Kh KuB Gh Elb Th Nss Lo Gh Fa Ab Ak Mz By Es Ha Cc AM Eri AZ RU Or TM Kp AF BdA**
- 58904. Caradrina (Eremodrina) inumbrata exterioris Hacker,2004** (Noctuidae) Synonym(s): *exterioris* Hacker,2004 Range (in code): **IR Kh KuB Elb Gh Th Lo Fa Ak Mz By Es Ha TM Kp AF BdA**
- 58905. Caradrina (Eremodrina) inumbrata inumbrata (Staudinger,1900)** (Noctuidae) Synonym(s): *inumbrata* Staudinger,1900; *inumbratella* Pinker,1980 Original Reference: Agrotis *inumbrata* Staudinger,1900, Dt. ent. Z., Iris 12: 363. Syntypes: [Türkei]: Zeitun [=Süleymanli]. Range (in code): **TR EG Sn**
- 58906. Caradrina (Eremodrina) inumbrata obfuscata Hacker,2004** (Noctuidae) Synonym(s): *obfuscata* Hacker,2004 Range (in code): **TR IR Ab Cc AM Eri AZ RU Or**
- 58907. Caradrina (Eremodrina) isfahana Hacker,2004** (Noctuidae) Synonym(s): *isfahana* Hacker,2004 Range (in code): **IR Es**
- 58908. Caradrina (Eremodrina) kashmiriana (Boursin,[1968])** (Noctuidae) Synonym(s): *kashmiriana* Boursin,[1968] Range (in code): **Ch PK Hu Kjb Psu Bt Ld IN**
- 58909. Caradrina (Eremodrina) kravchenkoi Hacker,2004** (Noctuidae) Synonym(s): *kravchenkoi* Hacker,2004 Range (in code): **IL Pa**
- 58910. Caradrina (Eremodrina) margiana Hacker,2004** (Noctuidae) Synonym(s): *margiana* Hacker,2004 Range (in code): **TM Kp Fyz**
- 58911. Caradrina (Eremodrina) melanura Alpheraky,1897** (Noctuidae) Synonym(s): *melanura* Alpheraky,1897; *samurana* Boursin,1939; *samurana* Boursin,1940 Original Reference: Caradrina *vicina* ssp. *melanura* Alpheraky,1897, [in] Romanoff, Mém. Lépid. 9: 33. Syntypes: Caucasus, Eldar, Ordubad. Range (in code): **Cc AM AZ Nv Ord Kir TR RU Da IR Elb Th Dam Kh TM Kp**
- 58912. Caradrina (Eremodrina) melanurina (Staudinger,1901)** (Noctuidae) Synonym(s): *melanurina* Staudinger,1901 Original Reference: Agrotis *melanura* var. *melanurina* Staudinger,1901, Cat. Lep. Palaearkt. Faunengeb. 3 (1): 146. Syntypes 2♂ 3♀: Palestina (NHMU). Range (in code): **IL Pa EG Sn SA SA34 SA63 SY JO IR Fa**

- 58913. Caradrina (Eremodrina) merzbacheri Boursin,1960** (Noctuidae) Synonym(s): *merzbacheri Boursin,1960* _ Range (in code): CN Ui T-S KG Aa TrA
- 58914. Caradrina (Eremodrina) mirza (Boursin,1957)** (Noctuidae) Synonym(s): *mirza Boursin,1957* _ Range (in code): AF Pag Kab
- 58915. Caradrina (Eremodrina) monssacralis Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *monssacralis Varga & L.Ronkay,1991* _ Range (in code): MN
- 58916. Caradrina (Eremodrina) morosa (Lederer,1853)** (Noctuidae) Synonym(s): *morosa Lederer,1853; permorosa Bryk,1949* _ Range (in code): CN Shs KP KR KG Aa Mn MN RU At Tv Sb Am
- 58917. Caradrina (Eremodrina) morosa explanata Hacker & Kononenko,2004** (Noctuidae) Synonym(s): *explanata Hacker & Kononenko,2004* _ Range (in code): CN Shs
- 58918. Caradrina (Eremodrina) muelleri Hacker,2004** (Noctuidae) Synonym(s): *muelleri Hacker,2004* _ Range (in code): YE Ad
- 58919. Caradrina (Eremodrina) nadir Boursin,1957** (Noctuidae) Synonym(s): *nadir Boursin,1957* _ Range (in code): AF Pag TM Kp IR Zj TJ Pm PK Hk Ch Sha Bt Deo
- 58920. Caradrina (Eremodrina) naumanni Hacker,2004** (Noctuidae) Synonym(s): *naumanni Hacker,2004* _ Range (in code): TJ Pm AF Bd
- 58921. Caradrina (Eremodrina) nekrasovi Hacker,2004** (Noctuidae) Synonym(s): *#nekasovi Hacker,2004; nekrasovi Hacker,2004* _ Range (in code): TJ
- 58922. Caradrina (Eremodrina) parthica Hacker,2004** (Noctuidae) Synonym(s): *parthica Hacker,2004* _ Range (in code): IR Kh Qh
- 58923. Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae) Synonym(s): *pertinax Staudinger,1879; argentea Caradja,1930.* Original Reference: Caradrina pertinax Staudinger,1879, Horae Soc. ent. ross. 14: 387. Syntypes: [Turkey]: Amasia. Range (in code): RO BG GR IL Pa TR Cc AM RU Ich Ing IR Kh KuB Fa Zj Elb Th Dam Com Mz Lo Zj IQ Amr AZ Bak TM Kp I-K Fyz PK Hk
- 58924. Caradrina (Eremodrina) pertinax herczigi Hacker,2004** (Noctuidae) Synonym(s): *herczigi Hacker,2004* _ Range (in code): PK Hk
- 58925. Caradrina (Eremodrina) phanosciera (Boursin,1939)** (Noctuidae) Synonym(s): *phanosciera Boursin,1939* _ Range (in code): IR Fa Com Es
- 58926. Caradrina (Eremodrina) pseudalbina (Boursin,1942)** (Noctuidae) Synonym(s): *pseudalbina Boursin,1942* _ Range (in code): IR Ss Chh AF PK Bt Gg Hu
- 58927. Caradrina (Eremodrina) ronkayorum Hacker,2004** (Noctuidae) Synonym(s): *ronkayorum Hacker,2004* _ Range (in code): PK Hu Gg Hk Bt IN Ld AF Pag Slg Pjr
- 58928. Caradrina (Eremodrina) roxana Boursin,1937** (Noctuidae) Synonym(s): *roxana Boursin,1937; leptodactyla Varga & L.Ronkay,1991* Original Reference: Eremodrina (Eremodrina) roxana Boursin,1937, Ent. Rdsch. 54: 438. Holotype ♂: [Uzbekistan]: Kara-Tjube, Südost-Samarkand (Virigin leg) (ZMSP). Range (in code): UZ Smk KK TJ AF Bd
- 58929. Caradrina (Eremodrina) salzi (Boursin,1936)** (Noctuidae) Synonym(s): *salzi Boursin,1936* Original Reference: Athetis salzi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 89-90. Holotype ♂: [Turkey]: Malatya-Tecde (Kurdistan ture) (coll. Boursin). Range (in code): TR Cc IQ Brs IR Fa Elb Th Kdj
- 58930. Caradrina (Eremodrina) sarhadica (Boursin,1942)** (Noctuidae) Synonym(s): *sarhadica Boursin,1942* _ Range (in code): IR Ss Kuh IN Ld PK Hu Pas Bbu
- 58931. Caradrina (Eremodrina) shugnana Hacker,2004** (Noctuidae) Synonym(s): *shugnana Hacker,2004* _ Range (in code): TJ Pm
- 58932. Caradrina (Eremodrina) singularis Hacker,2004** (Noctuidae) Synonym(s): *singularis Hacker,2004* _ Range (in code): LB
- 58933. Caradrina (Eremodrina) stilpna (Boursin,1957)** (Noctuidae) Synonym(s): *stilpna Boursin,1957* _ Range (in code): AF Pag
- 58934. Caradrina (Eremodrina) transoxanica Hacker,2004** (Noctuidae) Synonym(s): *transoxanica Hacker,2004* _ Range (in code): KG Aa Tk
- 58935. Caradrina (Eremodrina) turatii (Boursin,1936)** (Noctuidae) Synonym(s): *turatii Boursin,1936* Original Reference: Athetis turatii Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 90. Holotype ♂: [Kirgizistan]: Isyk-Kul (ZMH); Allotype ♀: [China: Uighr A.R.]: Korla. Range (in code): CN Ui Kl KK Skm Ik KG MN TM Kp IQ
- 58936. Caradrina (Eremodrina) turbulenta (W.Warren,1911)** (Noctuidae) Synonym(s): *turbulenta W.Warren,1911; umbratilis Draudt,1933* _ Range (in code): TM K-A CN Ui Kl Au KG TrA Aa Tk NrK Na KK Ik

- 58937. Caradrina (Eremodrina) turcomana Hacker,2004** (Noctuidae) **Synonym(s):** *turcomana* Hacker,2004 **_ Range (in code):** **TM Kp K-K I-K**
- 58938. Caradrina (Eremodrina) vargai Hacker,2004** (Noctuidae) **Synonym(s):** *vargai* Hacker,2004 **_ Range (in code):** **KG Aa**
- 58939. Caradrina (Eremodrina) vicina (Staudinger,1870)** (Noctuidae) **Synonym(s):** *vicina* Staudinger,1870; *perspicua* W.Warren,1911 **_ Original Reference:** Caradrina vicina Staudinger,1870, Berl. ent. Z. 14: 118. Lectotype ♂: [Russia]: Sarepta (MNHU). **_ Range (in code):** **IT MT BG CY TR RU Sr Cc Da Der AM GG Lag TM Kp AF PK Bbu Hu TJ Pm IR Fa Kh KuB Elb Th Plr LB IL Pa CN Ui KG KK**
- 58940. Caradrina (Eremodrina) vicina castrensis Berio,1981** (Noctuidae) **Synonym(s):** *castrensis* Berio,1981 **_ Range (in code):** **IT**
- 58941. Caradrina (Eremodrina) vicina hunza Hacker,1992** (Noctuidae) **Synonym(s):** *hunza* Hacker,1992 **_ Range (in code):** **PK Hu Bbu TJ Pm AF**
- 58942. Caradrina (Eremodrina) vicina rosea (Boursin,1936)** (Noctuidae) **Synonym(s):** *rosea* Boursin,1936 **_ Original Reference:** Athetis vicina ssp. rosea Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 93. Holotype ♂: Liban: Sannin (leg. & coll. Wiltshire). **_ Range (in code):** **LB IL Pa He**
- 58943. Caradrina (Eremodrina) vicina vicina (Staudinger,1870)** (Noctuidae) **Synonym(s):** *vicina* Staudinger,1870; *perspicua* W.Warren,1911 **_ Original Reference:** Caradrina vicina Staudinger,1870, Berl. ent. Z. 14: 118. Lectotype ♂: [Russia]: Sarepta (MNHU). **_ Range (in code):** **MT BG CY TR RU Da Der GG Lag CN Ui TM Kp Cc AM IR Fa Kh KuB Elb Th Plr**
- 58944. Caradrina (Eremodrina) xanthorhoda Boursin,1937** (Noctuidae) **Synonym(s):** *xanthorhoda* Boursin,1937; *tenebrosa* Boursin,1942 **_ Original Reference:** Eremodrina (Eremodrina) xanthorhoda Boursin,1937, Ent. Rdsch. 54: 437. Holotype ♂: Iran: Elbursgebirge, Rehne, Demavend, 2600m, (Schwingenschuss leg., coll. Boursin). **_ Range (in code):** **IR Elb Dam Th Kdv Fa Kh KuB Bk By**
- 58945. Caradrina (Eremodrina) xiphophora (Boursin,[1968])** (Noctuidae) **Synonym(s):** *xiphophora* Boursin,[1968] **_ Range (in code):** **AF Pag Slg PK Sfk Hu Gg Pas Bbu Ch IN Ld Hp Up**
- 58946. Caradrina (Eremodrina) xiphophora hindostana Hacker,2004** (Noctuidae) **Synonym(s):** *hindostana* Hacker,2004 **_ Range (in code):** **IN Ld Hp Up**
- 58947. Caradrina (Eremodrina) zagrobia Hacker,2004** (Noctuidae) **Synonym(s):** *zagrobia* Hacker,2004 **_ Range (in code):** **IR Km Ksh Yz Fa**
- 58948. Caradrina (Eremodrina) zernyi (Boursin,1936)** (Noctuidae) **Synonym(s):** *zernyi* Boursin,1936; *signata* Boursin,1936 **_ Original Reference:** Athetis zernyi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 87. Holotype ♂: Russie meridionale: Sarepta (coll. Boursin). **_ Range (in code):** **RU Sr GR TR IQ R wz Brs Cc AZ Nv Dz IR Ak Ab Km Ksh Fa Es IL Pa He SY**
- 58949. Caradrina (Eremodrina) zernyi debilis (Boursin,1936)** (Noctuidae) **Synonym(s):** *debilis* Boursin,1936 **_ Original Reference:** Athetis zernyi ssp. debilis Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 88. Holotype ♂: Iraq: Rowanduz (Wiltshire leg.). **_ Range (in code):** **TR IQ R wz Brs IR Ak Ab Km Es Fa Ksh**
- 58950. Caradrina (Eremodrina) zernyi zernyi (Boursin,1936)** (Noctuidae) **Synonym(s):** *zernyi* Boursin,1936; *signata* Boursin,1936 **_ Original Reference:** Athetis zernyi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 87. Holotype ♂: Russie meridionale: Sarepta (coll. Boursin). **_ Range (in code):** **RU Sr GR TR Cc AZ Nv Dz IL Pa He SY**
- 58951. Caradrina (Eremodrina) zuleika (Boursin,1957)** (Noctuidae) **Synonym(s):** *zuleika* Boursin,1957 **_ Range (in code):** **AF Pag TJ Pm Chr**
- 58952. Caradrina (Kalchbergiana) ingrata (Staudinger,1897)** (Noctuidae) **Synonym(s):** *infusca* Constant,1865 nec Rmbr.,1858; *ingrata* Staudinger,1897 **_ Original Reference:** Caradrina ingrata Staudinger,1897, Dt. ent. Z., Iris 10: 175, Taf.iv fig.13. Syntypes: Palestina: Haifa; [Libanon]: Beirut. **_ Range (in code):** **MR MA DZ Btna Bsk LY Cy PT ES FR Co Si? CH GR Cr TR LB Bei IL Hf Pa SY JO IQ Amr CY EG SA BH** **_ Bionomy:** Larva on Salix? (Wiltshire,1957).
- 58953. Caradrina (Levantrina) bodenheimeri (Draudt,1934)** (Noctuidae) **Synonym(s):** *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937 **_ Range (in code):** **TR IQ Agh R wz Jd Kq Qg Mos Sae Ahz IR Km Ksh Fa Es Lo Elb Clu Hz B-A Ss Bk Kdj Dam Mia Kz Yas AF Srb Hr TM TJ UZ IL Pa LB JO SA**
- 58954. Caradrina (Levantrina) bodenheimeri bodenheimeri (Draudt,1934)** (Noctuidae) **Synonym(s):** *bodenheimeri* Draudt,1934; *bodenheimeri* Amsel,1935; *chlorotica* Boursin,1936; *plesiarchia* Boursin,1937 **_ Range (in code):** **TR IQ Agh R wz Jd Kq Qg Mos Sae Ahz IR Km Ksh Fa Es Lo Elb Clu Hz B-A Ss Bk Kdj Dam Mia Kz Yas AF Srb Hr TM TJ UZ IL Pa LB JO SA**

- 58955. Caradrina (Paradrina) abruzzensis (Draudt,1933)** (Noctuidae) **Synonym(s):** *abruzzensis* Draudt,1933 **Range (in code):** **IT Si FR MK TR TM Kp IR Elb Kh Mz**
- 58956. Caradrina (Paradrina) abruzzensis abruzzensis (Draudt,1933)** (Noctuidae) **Synonym(s):** *abruzzensis* Draudt,1933 **Range (in code):** **IT Si FR MK TR**
- 58957. Caradrina (Paradrina) abruzzensis rufirena (Boursin,1939)** (Noctuidae) **Synonym(s):** *rufirena* Boursin,1939; *rufirena* Boursin,1940; *personata* Kuznetsov,1958 **Range (in code):** **TM Kp IR Elb Kh Mz**
- 58958. Caradrina (Paradrina) afrotropicalis Hacker,2004** (Noctuidae) **Synonym(s):** *afrotropicalis* Hacker,2004 **Range (in code):** **CM**
- 58959. Caradrina (Paradrina) amseli (Boursin,1936)** (Noctuidae) **Synonym(s):** *amseli* Boursin,1936 **Original Reference:** *Athetis amseli* Boursin,1936, Bull. Soc. ent. Fr. 1936 (12): 225-226. Holotype ♂: Palestine: Jericho (Amsel leg.). **Range (in code):** **IL Pa Jer Tbg LB Bmm JO**
- 58960. Caradrina (Paradrina) atriluna Guenée,1852** (Noctuidae) **Synonym(s):** *atriluna* Guenée,1852; *indicata* Walker,1857; *mediterraneae* Bethune-Baker,1894; *distincta* Staudinger,1898; *angularis* Turati,1935 **Original Reference:** *Caradrina atriluna* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 252. Lectotype ♂: [Ethiopia]: Abyssinie, designated by Viette (1951) (MNHNP). **Range (in code):** **CV SH MA DZ Ah Abe Prr ZA ET LY EG Sn IL Pa LB CY JO TR IR Hz Fa Ss Hz B-A CY**
- 58961. Caradrina (Paradrina) boursini (F.Wagner,1936)** (Noctuidae) **Synonym(s):** *boursini* F.Wagner,1936 **Original Reference:** *Athetis (Caradrina) boursini* F.Wagner,1936, Z. öster. Ent. Ver. 21: 74. Type: Iran, Elbursgebirge, Kendevan Pass. **Range (in code):** **AM Eri Cc LB Bsa TR IR Ab Oru Zj Elb Mz Dam Kdv**
- 58962. Caradrina (Paradrina) boursini ellisoni (Boursin,1937)** (Noctuidae) **Synonym(s):** *ellisoni* Boursin,1937 **Original Reference:** *Eremodrina (Paradrina) ellisoni* Boursin,1937, Ent. Rdsch. 54: 431-432. Holotype ♂: Libanon: Cedar Mts., Bscharré, 15. Aug.1931 (leg. & coll. Ellison). **Range (in code):** **LB Bsa**
- 58963. Caradrina (Paradrina) chinensis Leech,1900** (Noctuidae) **Synonym(s):** *chinensis* Leech,1900 **Range (in code):** **CN Sz Ti T-T Yu Fkn Ats Btn**
- 58964. Caradrina (Paradrina) chinensis fusca Leech,1900** (Noctuidae) **Synonym(s):** *fusca* Leech,1900; *heptarchia* Boursin,1936 **Range (in code):** **CN Sz T-T Yu Fkn Ats Btn**
- 58965. Caradrina (Paradrina) clavipalpis (Scopoli,1763)** (Noctuidae) **Synonym(s):** *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975 **Original Reference:** *Phalaena clavipalpis* Scopoli,1763, Entomologia Carniolica: 213. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **MA MR DZ TN EG PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY DK NO SE FI EE LV LT RU MD UA BY KG Uk SD SA IQ Agh Ry Rwz Dia Brs Kum IR Fa Es Plr Dam Kdj AF Hk Hr Nu Bsg MN CN Ui Chk ZA Gau Pre Tva LB Bsa IL Pa SY JO TJ UZ N-A Th Kd Bne Kz Yas Mia Mz Gls Kh GG Tbl Lag Da Der AZ Kir Nv Ord PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch Bsk Dja Blid Tlm Clo Agi Ges Abe Perr Sfr Btma DhM BSa Khh Sbd Ktr Hrh Mzg Hmk Onç Omy** **Bionomy:** Larva on Campanula, Cichorium, Lactuca, Lamium, Plantago, Rumex, Taraxacum (Calle et al., 2000).
- 58966. Caradrina (Paradrina) clavipalpis harappa Hacker,2004** (Noctuidae) **Synonym(s):** *harappa* Hacker,2004 **Range (in code):** **AF Nu Bsg PK Gg Bt Hu Haz Mnr Mre Ds Psu Bl Zi IN Hp Ch**
- 58967. Caradrina (Paradrina) clavipalpis mauretanica (Draudt,1934)** (Noctuidae) **Synonym(s):** *mauretanica* Draudt,1934 **Range (in code):** **MR MA DZ TN EG SD SA LB IL Pa SY CY JO PK Bsk Blid Agi Ges Abe Perr Sfr Hmk Btma DhM BSa Khh Sbd Ktr**
- 58968. Caradrina (Paradrina) clavipalpis pulverosa (Walker,1857)** (Noctuidae) **Synonym(s):** *pulverosa* Walker,1857 **Range (in code):** **ZA Tva Gau Pre**
- 58969. Caradrina (Paradrina) eugraphis Janse,1938** (Noctuidae) **Synonym(s):** *eugraphis* Janse,1938 **Range (in code):** **ZA**
- 58970. Caradrina (Paradrina) fibigeri Hacker,2004** (Noctuidae) **Synonym(s):** *fibigeri* Hacker,2004 **Range (in code):** **IL Pa**
- 58971. Caradrina (Paradrina) flavirena (Guenée,1852)** (Noctuidae) **Synonym(s):** *flavirena* Guenée,1852; *minor* Staudinger,1897; *subdita* W.Warren,1911; *muricolor* Boursin,1933; *subdita* Leraut,1980 **Original Reference:** *Caradrina flavirena* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noctuelites 1: 250. Type(s):-. **Range (in code):** **MA DZ Blid Btma Ges Agi Berr TN PT ES Mu FR Co Sa Si IT MT CH YU AL BG GR Cr TR Cc IL Pa CY RU IQ Agh Mos Bgd IR Elb Kdj Th**
- 58972. Caradrina (Paradrina) flavirena zobeidah (Boursin,1937)** (Noctuidae) **Synonym(s):** *zobeidah* Boursin,1937 **Original Reference:** *Eremodrina (Paradrina) zobeidah*

- Boursin,1937, Ent. Rdsch. 54: 431-432. Holotype ♂: Iraq: Baghdad (leg. & coll. Wiltshire). Range (in code): IQ Agh Mos Bgd IR Elb Kdj Th
- 58973. Caradrina (Paradrina) fulvafusca Hacker,2004** (Noctuidae) Synonym(s): *fulvafusca* Hacker,2004 Original Reference: Caradrina (Paradrina) fulvafusca Hacker,2004, Esperiana 10: 355-356, figs. Holotype ♂: Türkiye, Hakkari Prov., Hakkari 1600m 17 vi 1965 leg. Thöny (coll.Hacker). Range (in code): TR IR Zj RU Ro
- 58974. Caradrina (Paradrina) fuscicornis (Rambur,1832)** (Noctuidae) Synonym(s): *fuscicornis* Rambur,1832; *variabilis* Bellier,1865; *continentalis* Boursin,1952; *pseudoterrea* De Laever,1980 Range (in code): PT ES FR Co Sa
- 58975. Caradrina (Paradrina) fuscomedia Hacker,2004** (Noctuidae) Synonym(s): *fuscomedia* Hacker,2004 Range (in code): KG Tk Aa TrA UZ
- 58976. Caradrina (Paradrina) glaucistis Hampson,1902** (Noctuidae) Synonym(s): *glaucistis* Hampson,1902 Range (in code): ZA
- 58977. Caradrina (Paradrina) himaleyica Kollar,1844** (Noctuidae) Synonym(s): *himaleyica* Kollar,1844; *arenacea* Moore,1881 Range (in code): IN SI Djl Ch Hp
- 58978. Caradrina (Paradrina) hypostigma (Boursin,1932)** (Noctuidae) Synonym(s): *hypostigma* Boursin,1932 Original Reference: Athetis hypostigma Boursin,1932, Int. ent. Z. 23: 245-246, fig. Syntypes 3♂ 2♀: Libanon: Bscharre (coll. Osthelder & Boursin). Range (in code): LB Bsa
- 58979. Caradrina (Paradrina) jacobsi (Rothschild,1914)** (Noctuidae) Synonym(s): *jacobsi* Rothschild,1914; *lignea* Turati,1930 Original Reference: Athetis jacobsi Rothschild,1914, Novit. zool. 21: 335. Type: Algeria, "Guelt-es-Stel". Range (in code): DZ Ges Mii Btna MA TN LY Cy
- 58980. Caradrina (Paradrina) katherina (Wiltshire,1947)** (Noctuidae) Synonym(s): *katherina* Wiltshire,1947 Range (in code): SA As YE EG Sn
- 58981. Caradrina (Paradrina) katherina dissimilata (Wiltshire,1982)** (Noctuidae) Synonym(s): *dissimilata* Wiltshire,1982 Range (in code): SA As YE
- 58982. Caradrina (Paradrina) klapperichi (Boursin,1957)** (Noctuidae) Synonym(s): *klapperichi* Boursin,1957 Range (in code): AF Hk Bd Anj Slg TJ Pm
- 58983. Caradrina (Paradrina) levantina Hacker,2004** (Noctuidae) Synonym(s): *levantina* Hacker,2004 Original Reference: Caradrina (Paradrina) levantina Hacker,2004, Esperiana 10: 372-374, figs. Holotype ♂: Zypern, Akmas, Neokhorio (coll.Hacker, ZSM). Range (in code): IT GR CY IL Pa Hf IQ Rba TR
- 58984. Caradrina (Paradrina) localis (Wiltshire,1986)** (Noctuidae) Synonym(s): *localis* Wiltshire,1986 Range (in code): SA
- 58985. Caradrina (Paradrina) minoica Hacker,2004** (Noctuidae) Synonym(s): *minoica* Hacker,2004 Range (in code): GR Cr
- 58986. Caradrina (Paradrina) noctivaga (Bellier,1863)** (Noctuidae) Synonym(s): *noctivaga* Bellier,1863; *litigiosa* Rambur,1838 Range (in code): MA DZ Dja Abe Blid Ahr PT ES An Mu FR Co Sa Si IT GB
- 58987. Caradrina (Paradrina) noctivaga algeriensis Stertz,1915** (Noctuidae) Synonym(s): *algeriensis* Stertz,1915; *persimilis* Rothschild,1920; *danieli* Rungs,[1950] Range (in code): MA DZ Dja Blid Abe Ahr
- 58988. Caradrina (Paradrina) poecila (Boursin,1939)** (Noctuidae) Synonym(s): *poecila* Boursin,1939 Range (in code): TR Cc IR Lo Fa By Yas Es Com
- 58989. Caradrina (Paradrina) rebeli Staudinger,1901** (Noctuidae) Synonym(s): *rebeli* Staudinger,1901; *lapalmae* Pinker,1962; *grancanariae* Pinker,1962; *lanzarotensis* Pinker,1962; *fuerteventurensis* Pinker & Bacallado,1975 Range (in code): Cn
- 58990. Caradrina (Paradrina) scotoptera (Püngeler,1914)** (Noctuidae) Synonym(s): *scotoptera* Püngeler,1914 Original Reference: Athetis scotoptera Püngeler,1914, Dt. ent. Z., Iris 28: 47, Taf.iii fig.18. Syntypes: Palaestina, Jerusalem. Range (in code): DZ Abe Btna TR IL Js Pa IR Km Ksh By Fa
- 58991. Caradrina (Paradrina) scotoptera fuscovaria Hacker,2004** (Noctuidae) Synonym(s): *fuscovaria* Hacker,2004 Range (in code): IR Km Ksh By Fa TR
- 58992. Caradrina (Paradrina) selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini* Boisduval,1840; *selinoides* Bellier,1862; *milleri* Schultz,1862; *jurassica* Rigggenbach-Stehlin,1876; *minor* Staudinger,1897; *#puengeleri* Draudt,1934; *telekii* Dioszeghy,[1935] Range (in code): MA Rf DZ TN LY EG JO PT ES Mu FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag CY IL Pa Hf IR Mz Elb Dam Plr DK NO SE FI EE LV LT RU MD UA BY KG

- 58993. Caradrina (Paradrina) selini djebli Rungs,[1973]** (Noctuidae) Synonym(s): *djebli Rungs,[1973]* Range (in code): **MA Rf DZ MT**
- 58994. Caradrina (Paradrina) selini forsteri (Boursin,1939)** (Noctuidae) Synonym(s): *forsteri Boursin,1939; forsteri Boursin,1940* Range (in code): **IR Mz Elb Dam Plr**
- 58995. Caradrina (Paradrina) selini mairei (Draudt,1909)** (Noctuidae) Synonym(s): *mairei Draudt,1909* Range (in code): **DZ TN LY EG IL Pa Hf JO**
- 58996. Caradrina (Paradrina) selini selini (Boisduval,1840)** (Noctuidae) Synonym(s): *selini Boisduval,1840; selinoides Bellier,1862; milleri Schultz,1862; jurassica Rigenbach-Stehlin,1876; minor Staudinger,1897; #puengeleri Draudt,1934; telekii Dioszeghy,[1935]* Range (in code): **PT ES Mu FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag CY IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY KG**
- 58997. Caradrina (Paradrina) stenoeca (Wiltshire,1986)** (Noctuidae) Synonym(s): *stenoeca Wiltshire,1986* Range (in code): **SA**
- 58998. Caradrina (Paradrina) suscijania Mentzer,1981** (Noctuidae) Synonym(s): *suscijania Mentzer,1981* Original Reference: *Paradrina suscijania Mentzer,1981, Ent. Scand. 12: 403. Holotype : Croatia: Susanj, Karlobag.* Range (in code): **HV MK BG GR TR**
- 58999. Caradrina (Paradrina) suscijania cilicia Hacker,1992** (Noctuidae) Synonym(s): *cilicia Hacker,1992* Original Reference: *Paradrina cilicia Hacker,1992, Esperiana 3: 438-439, figs. Holotype ♂: Türkiye: Niğde Prov., Ala Dag, Demirkazık, 2900-3100m (leg. Kautt, coll. Hacker).* Range (in code): **TR**
- 59000. Caradrina (Paradrina) wulschlegeli (Püngeler,1903)** (Noctuidae) Synonym(s): *wulschlegeli Püngeler,1903* Range (in code): **ES IT CH MK AL BG GR Cr TR Cc CN Ui IR Gl Kh RU At KG KK**
- 59001. Caradrina (Paradrina) wulschlegeli schwingenschussi (Boursin,1936)** (Noctuidae) Synonym(s): *schwingenschussi Boursin,1936* Original Reference: *Athetis wulschlegeli ssp. schwingenschussi Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 94. Holotype ♂: [Turquie]: Bolu, 800m (Pfeiffer leg.) (coll. Boursin).* Range (in code): **TR Cc**
- 59002. Caradrina (Paradrina) wulschlegeli scythica Hacker,2004** (Noctuidae) Synonym(s): *scythica Hacker,2004* Range (in code): **RU At KG KK**
- 59003. Caradrina (Paradrina) zandi (Wiltshire,1952)** (Noctuidae) Synonym(s): *zandi Wiltshire,1952* Range (in code): **Cr CY LB Bei JO IL Pa TR EG IR Fa Shr**
- 59004. Caradrina (Paradrina) zandi minimus Fibiger, Svendsen & Nilsson,1999** (Noctuidae) Synonym(s): *minimus Fibiger, Svendsen & Nilsson,1999* Range (in code): **Cr CY LB Bei JO IL Pa TR**
- 59005. Caradrina (Platyperigea) albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912* Original Reference: *Caradrina albina Eversmann,1848, Bull. Soc. imp. Nat. Moscou 21: 215. Lectotype ♂: Südrussland (MNHU).* Range (in code): **RO RU Kr St Kyi Sb Ro Ua Cm GR Cc AM TR IR Fa Kh KuB Mz Ha Dam Elb Km Th Gl CN Ui Ku Yk M-A MN PK Hu Gg AF Kab KK TeA TrA Ax T-A TJ Pm Chr UZ N-A TM Kp KG DsA Tk Sp**
- 59006. Caradrina (Platyperigea) albina albina (Eversmann,1848)** (Noctuidae) Synonym(s): *albina Eversmann,1848; congesta Lederer,1853; tenera A.Bang-Haas,1912* Original Reference: *Caradrina albina Eversmann,1848, Bull. Soc. imp. Nat. Moscou 21: 215. Lectotype ♂: Südrussland (MNHU).* Range (in code): **RO RU Kr Sb St Kyi Ro Ua Cm GR Cc AM TR IR Fa Kh KuB Mz Ha Dam Elb Km CN Ui Ku Yk M-A MN PK Hu Gg AF Kab KK TeA TrA Ax T-A TJ Pm Chr UZ N-A TM Kp KG DsA Tk Sp**
- 59007. Caradrina (Platyperigea) aspersa (Rambur,1834)** (Noctuidae) Synonym(s): *aspersa Rambur,1834; anceps Herrich-Schäffer,1849; culoti Turati,1913; predotae Schawerda,1934; alfacaria Draudt,1934; pujoli Agenjo,1954; buddenbrocki Gross,1956; proverai Berio,1977* Original Reference: *Caradrina aspersa Rambur,1834, Annls Soc. ent. Fr. 1834: 385, Pl.8 fig.3.* Range (in code): **MA DZ PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU YU AL BG GR Cr TR Cc GG Smt Bjo IR Fa Kh TM Kp RU Nt Sb LB IL Pa Hf CY** Bionomy: Larva polyphag (Hacker,1989).
- 59008. Caradrina (Platyperigea) fuscifusa (Varga & L.Ronkay,1991)** (Noctuidae) Synonym(s): *fuscifusa Varga & L.Ronkay,1991* Range (in code): **MN**
- 59009. Caradrina (Platyperigea) hoenei Hacker & Kononenko,2004** (Noctuidae) Synonym(s): *hoenei Hacker & Kononenko,2004* Range (in code): **CN Yu**
- 59010. Caradrina (Platyperigea) kadenii (Freyer,1836)** (Noctuidae) Synonym(s): *kadenii Freyer,1836* Original Reference: *Noctua kadenii Freyer,1836, Neue. Beitr. Schmett. 2: 147.*

- Range (in code): PT ES FR Co Sa Si? IT CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR LB Bsa EE RU Ro Kr St Nt Kyi MD UA IR Elb Mz GlS TM AZ Kir Cc GG Lag AM CY IL Pa
- 59011. Caradrina (Platyperigea) kadenii insularis Hacker,2004** (Noctuidae) Synonym(s): *insularis* Hacker,2004 Range (in code): Sa Co
- 59012. Caradrina (Platyperigea) kautti Hacker,2004** (Noctuidae) Synonym(s): *kautti* Hacker,2004 Range (in code): IN Up
- 59013. Caradrina (Platyperigea) khorassana (Boursin,1942)** (Noctuidae) Synonym(s): *khorassana* Boursin,1942 Range (in code): IR Kh KuB AF
- 59014. Caradrina (Platyperigea) montana (Bremer,1861)** (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 Range (in code): FR IT CH AT CZ SK GR DK TR Elb Th Maz Kdv Dam Kd Zj Kh TM Kp NO SE FI EE Cc GG AM AZ RU Kb Nt Ich Ing Da Am Us Vv Sh Sb Tv Ya Sj CN Ts Ui Alt KG Aa MN PK Ch Ld Gg Hu IN KK TJ Pm Chr CA US
- 59015. Caradrina (Platyperigea) montana extima Walker,1865** (Noctuidae) Synonym(s): *extima* Walker,1865; *civica* Grote,1883 Range (in code): CA US
- 59016. Caradrina (Platyperigea) montana menetriesii Kretschmar,1863** (Noctuidae) Synonym(s): *menetriesii* Kretschmar,1863; *cinerascens* Tengström,1869 Range (in code): NO SE FI DK
- 59017. Caradrina (Platyperigea) montana montana (Bremer,1861)** (Noctuidae) Synonym(s): *montana* Bremer,1861; *apatetica* Püngeler,1914; *sachalinensis* Matsumura,1925; *melancholica* Draudt,1934; *kaolina* Bryk,1949 Range (in code): RU Am Us Vv Sh Sb Tv Ya Sj CN Ts Ui Alt KG Aa MN
- 59018. Caradrina (Platyperigea) montana rougemonti Spuler,1908** (Noctuidae) Synonym(s): *rougemonti* Spuler,1908 Original Reference: *Caradrina rougemonti* Spuler,1908, Schmett. Eur. 3: 231, Taf.29, fig.32. Range (in code): FR IT CH AT CZ SK GR TR KG IR Elb Th Maz Kdv Dam Kd Zj Kh TM Kp AZ Cc GG AM RU Da Kb Nt Ich Ing
- 59019. Caradrina (Platyperigea) montana weigerti (Hacker,1992)** (Noctuidae) Synonym(s): *weigerti* Hacker,1992 Range (in code): PK Ch Ld Gg Hu IN KK TJ Pm Chr
- 59020. Caradrina (Platyperigea) olivascens Hacker,2004** (Noctuidae) Synonym(s): *olivascens* Hacker,2004 Range (in code): TJ Pm
- 59021. Caradrina (Platyperigea) petraea Tengström,1869** (Noctuidae) Synonym(s): *grisea* Eversmann,1848 nec Hfn.,1766; *petraea* Tengström,1869; *#tunkuna* Draudt,1934 Range (in code): FI LT EE RU Ur Or Sb At Tv Us Am MN KG
- 59022. Caradrina (Platyperigea) proxima (Rambur,1837)** (Noctuidae) Synonym(s): *proxima* Rambur,1837; *infusca* Rambur,1858; *rufostigmata* Rothschild,1914 Range (in code): MA DZ Hrh Ges Abe Saia Prr Btna Khh Sbd TN PT ES An Mu FR Si Sa
- 59023. Caradrina (Platyperigea) proxima rufostigmata (Rothschild,1914)** (Noctuidae) Synonym(s): *rufostigmata* Rothschild,1914 Range (in code): MA DZ Ges Abe Saia Prr Btna Khh Sbd Hrh TN
- 59024. Caradrina (Platyperigea) sogdiana (Boursin,1936)** (Noctuidae) Synonym(s): *sogdiana* Boursin,1936 Original Reference: *Athetis sogdiana* Boursin,1936, Bull. Soc. ent. Fr. 1936 (6): 92. Holotype ♂: [Uzbekistan]: Kara-Tioubé, sud-est Samarkand (Turkestan) (coll. Boursin). Range (in code): UZ Smk TJ AF KK KG Aa RU Sb PK Hu
- 59025. Caradrina (Platyperigea) terrea (Freyer,[1840])** (Noctuidae) Synonym(s): *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 Original Reference: *Caradrina terrea* Freyer,[1840], Neuere Beitr. Schmett. 4: 26, Taf. 303 figs.3,4. Syntypes: [Russia]: Sarepta. Range (in code): MA FR Sa Si IT CH AT CZ HU RO YU BG GR TR Cc AM Eri RU Sr Ro Kr St Nt Ing SY AF Kab Bd PK Kjb Bbu Hu Ti IR Kh KuB TJ Pm Chr TM Kp KG Tk Dj Ii CN Ui Um KK Ik Na Ax UZ
- 59026. Caradrina (Platyperigea) terrea albersi (Warnecke,1936)** (Noctuidae) Synonym(s): *albersi* Warnecke,1936; *clarior* Warnecke,1936. Range (in code): TM Kp KG Tk Dj Ii CN Ui Um KK Ik Na Ax UZ TJ Pm Chr
- 59027. Caradrina (Platyperigea) terrea altera Rungs,1972** (Noctuidae) Synonym(s): *altera* Rungs,1972 Range (in code): MA
- 59028. Caradrina (Platyperigea) terrea froitzheimi (Boursin,1957)** (Noctuidae) Synonym(s): *froitzheimi* Boursin,1957 Range (in code): AF Kab Bd PK Kjb Bbu Hu CN Ti IR Kh KuB TJ Pm
- 59029. Caradrina (Platyperigea) terrea matrona (Ronkay & Varga,1985)** (Noctuidae) Synonym(s): *matrona* Ronkay & Varga,1985 Original Reference: *Caradrina (Platyperigea) terrea* ssp. *matrona* Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 91-92, Taf.1 figs.16-17. Holotype ♂: [Armenia]: Armenische SSR, Geghard 40km O.v.Eriwan (NWMB). Range (in code): Cc AM Eri RU Ro Kr St Nt Ing TR SY

- 59030. Caradrina (Platyperigea) terrea subplumbea Hacker,2004** (Noctuidae)
Synonym(s): *subplumbea* Hacker,2004 _ Range (in code): TJ
- 59031. Caradrina (Platyperigea) terrea terrea (Freyer,1840)** (Noctuidae) Synonym(s):
terrea Freyer,[1840]; *ustirena* Boisduval,1840. _ Original Reference: Caradrina terrea Freyer,[1840],
Neuere Beitr. Schmett. 4: 26, Taf. 303 figs.3,4. Syntypes: [Russia]: Sarepta. Range (in code): FR
Sa Si IT CH AT CZ HU RO YU BG GR
- 59032. Caradrina (Platyperigea) warneckei (Boursin,1936)** (Noctuidae) Synonym(s):
warneckei Boursin,1936 _ Original Reference: Athetis warneckei Boursin,1936, Bull. Soc. ent. Fr.
1936 (6): 91. Holotype ♂: [Kazachstan]: [Dschungar] Ala-Tau (coll. Boursin). Range (in code):
KG DsA Tk Dj Ii T-S KK Ik UZ TJ Pm CN Ui Au Ju TM Kp AF IR Elb Th Gls Kh
- 59033. Caradrina (Weigertrina) diabolica (Boursin,1942)** (Noctuidae) Synonym(s):
diabolica Boursin,1942 _ Range (in code): IR Ss Chh SA SA63
- 59034. Caradrina (Weigertrina) eremicola (Plante,1998)** (Noctuidae) Synonym(s):
eremicola Plante,1998 _ Range (in code): OM PK IN Rj SD
- 59035. Caradrina (Weigertrina) eremicola afrisudana Hacker,2004** (Noctuidae)
Synonym(s): *afrisudana* Hacker,2004 _ Range (in code): SD
- 59036. Caradrina (Weigertrina) eremicola eremicola (Plante,1998)** (Noctuidae)
Synonym(s): *eremicola* Plante,1998 _ Range (in code): OM PK IN Rj
- 59037. Caradrina (Weigertrina) senecai Hacker,2004** (Noctuidae) Synonym(s): *senecai*
Hacker,2004 _ Range (in code): LY
- 59038. Caradrina (s.str.) agrotina (Staudinger,1892)** (Noctuidae) Synonym(s): *agrotina*
Staudinger,1892; *jordana* Staudinger,[1895]; *syriaca* Osthelder,1933. _ Original Reference: Amphidrina
agrotina Staudinger,1892, Dt. ent. Z., Iris 4: 293-294, Taf.iii fig.11. Syntypes: [Türkei]: Amasia,
Eibes. Range (in code): JO IL Pa LB TR Cc AM
- 59039. Caradrina (s.str.) callicora Le Cerf,1922** (Noctuidae) Synonym(s): *callicora* Le Cerf,1922
Range (in code): KE
- 59040. Caradrina (s.str.) intaminata (Walker,1865)** (Noctuidae) Synonym(s): *intaminata*
Walker,1865 _ Range (in code): IN
- 59041. Caradrina (s.str.) likiangia (Berio,1977)** (Noctuidae) Synonym(s): *likiangia* Berio,1977
Range (in code): CN Yu Lik
- 59042. Caradrina (s.str.) melanosema Hampson,1914** (Noctuidae) Synonym(s): *melanosema*
Hampson,1914 _ Range (in code): ZA MZ
- 59043. Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) Synonym(s): *morpheus*
Hufnagel,1766; *pulla* Beckwith,1794 *nec* Esp.,[1785]; *sepii* Hübner,[1803]; *dresnayi* D.Lucas,1933; *alpina*
Hartig,[1938] _ Original Reference: Phalaena morpheus Hufnagel,1766, Berl. Mag. 3(3): 302.
Type(s): Germany: Berlin. Range (in code): PT ES Mu FR Co Si IT IE GB BE NL LU DE CH AT PL CZ
SK HU RO YU BG GR TR Cc GG Lag AM Dar AZ Kir DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Da Kyi
MD UA BY CN Ui Chk KI KG KK Na CA BCo
- 59044. Caradrina (s.str.) pexicera Hampson,1909** (Noctuidae) Synonym(s): *pexicera*
Hampson,1909 _ Range (in code): ZA Ec Cap
- 59045. Caradrina (s.str.) pseudagrotis Hampson,1918** (Noctuidae) Synonym(s): *pseudagrotis*
Hampson,1918 _ Range (in code): MW
- 59046. Caradrina (s.str.) sinistra Janse,1938** (Noctuidae) Synonym(s): *sinistra* Janse,1938
Range (in code): ZA Kzu Nta Pel
- 59047. Caradrina (s.str.) tibetica Draudt,1950** (Noctuidae) Synonym(s): *tibetica* Draudt,1950
Range (in code): CN Sz Btn
- 59048. Caradrina ferida Pagenstecher,1893** (Noctuidae) Synonym(s): *ferida* Pagenstecher,1893
Range (in code): ZA
- 59049. Caradrina superciliata Wallengren,1856** (Noctuidae) Synonym(s): *superciliata*
Wallengren,1856 _ Range (in code): ZA
- 59050. Caradrina tenebrata Hampson,1902** (Noctuidae) Synonym(s): *tenebrata* Hampson,1902
Range (in code): ZA Ec Tra ZW Har
- 59051. Caradrina torpens Guenée,1852** (Noctuidae) Synonym(s): *torpens* Guenée,1852
Range (in code): ET
- 59052. Caradrina umbratilis (Draudt,1933)** (Noctuidae) Synonym(s): *umbratilis* Draudt,1933
Range (in code): CN Ui KI
- 59053. Caradrina xanthopis (Hampson,1909)** (Noctuidae) Synonym(s): *xanthopis*
Hampson,1909 _ Range (in code): ZA

- 59054. *Carcharoda erlangeri* Rothschild,1924** (Noctuidae) Synonym(s): *erlangeri* Rothschild,1924 _ Range (in code): ET
- 59055. *Carcharoda flavirosea* Hampson,1910** (Noctuidae) Synonym(s): *flavirosea* Hampson,1910 _ Range (in code): KE Mb
- 59056. *Carcharoda yemenicola* Wiltshire,1983** (Noctuidae) Synonym(s): *yemenicola* Wiltshire,1983 _ Range (in code): YE
- 59057. *Cardepiia additamenda* Hacker,1998** (Noctuidae) Synonym(s): *additamenda* Hacker,1998
Original Reference: *Cardepiia additamenda* Hacker,1998, *Esperiana* 6: 814-815, figs. Holotype ♂: Kazakhstan: Batkul Lake, leg. Miatleuski (coll. Gyulai). Range (in code): KG
- 59058. *Cardepiia affinis* Rothschild,1913** (Noctuidae) Synonym(s): *affinis* Rothschild,1913; *ghigli* Turati,1921; *strobilacei* Dumont,1925. Original Reference: *Cardepiia affinis* Rothschild,1913, *Novit. zool.* 20: 122. Type ♂: Algeria, Kef-el-Dor. Range (in code): Cn MA DZ Kdr TN ES Mu CY LB IL Pa SY JO EG Sn IR Fa
- 59059. *Cardepiia affinis antinea* Rungs,1972** (Noctuidae) Synonym(s): *antinea* Rungs,1972; *canaria* Pinker,1974. _ Range (in code): MA Cn
- 59060. *Cardepiia affinis europaea* Hacker,1998** (Noctuidae) Synonym(s): *europaea* Hacker,1998
Original Reference: *Cardepiia deserticola* ssp. *europaea* Hacker,1998, *Esperiana* 6: 802-803, figs. Holotype ♂: Spanien: Murcia, Aguilas, om, 19.ix.1981, leg. Calle, (coll. Hacker). Range (in code): ES Mu
- 59061. *Cardepiia affinis iatnana* Hacker,1998** (Noctuidae) Synonym(s): *iatnana* Hacker,1998
Original Reference: *Cardepiia deserticola* ssp. *iatnana* Hacker,1998, *Esperiana* 6: 803, figs. Holotype ♂: Zypern: Saltsee westl. Limassol, 22-27.vii.1981, M. & E. Arenberger leg. (coll. Hacker). Range (in code): CY
- 59062. *Cardepiia arenaria* (Hampson,1905)** (Noctuidae) Synonym(s): *arenaria* Hampson,1905
Range (in code): DZ Ceg PK Sd Krc IR IQ Amr
- 59063. *Cardepiia arenbergeri* Pinker,1974** (Noctuidae) Synonym(s): *arenbergeri* Pinker,1974
Original Reference: *Cardepiia arenbergeri* Pinker,1974, *Z. ArbGem. öst. Ent.* 24:112. Holotype: Turkey: Ankara: Tuzgözü. Range (in code): TR
- 59064. *Cardepiia dardistana* Boursin,1967** (Noctuidae) Synonym(s): *dardistana* Boursin,1967
Range (in code): PK Ch Gg Sst Hu Ld IN
- 59065. *Cardepiia emmanueli* Berio,1993** (Noctuidae) Synonym(s): *emmanueli* Berio,1993
Range (in code): KE
- 59066. *Cardepiia fixseni obscurata* Hacker,1992** (Noctuidae) Synonym(s): *obscurata* Hacker,1992 _ Range (in code): PK IR Ss
- 59067. *Cardepiia halophila* Hacker,1998** (Noctuidae) Synonym(s): *halophila* Hacker,1998
Range (in code): IR Th Ma
- 59068. *Cardepiia hartigi* Parenzan,1981** (Noctuidae) Synonym(s): *hartigi* Parenzan,1981
Original Reference: *Cardepiia hartigi* Parenzan,1981, *Entomologica Bari* 16: 97. Holotype: Italia: Südtalia. Range (in code): IT GR TR UA CY
- 59069. *Cardepiia helix* (Boursin,1962)** (Noctuidae) Synonym(s): *helix* Boursin,1962 _ Range (in code): RU Cc Kyi KG Aa Tk CN Ui IR GlS TM UZ KK UA TJ
- 59070. *Cardepiia helix dubatolovi* Hacker,1998** (Noctuidae) Synonym(s): *dubatolovi* Hacker,1998 _ Range (in code): TJ
- 59071. *Cardepiia irrisor* (Erschoff,1874)** (Noctuidae) Synonym(s): *irrisor* Erschoff,1874; *irrisoria* Erschoff,1874; *albipicta* Christoph,1884 Original Reference: *Mamestra irrisor* Erschoff,1874, [in] Fedtschenko, *Reise in Turkestan* 2: 42, Taf.iv fig.53. Syntypes: [Kazachstan]: Syr Darja, Turkestan. Range (in code): IQ Agh Bgd TM Kp Krn KG Tks Aa Tk RU Tv UA CN Ui Ku Au Bc UZ Fe Br TJ KK Ik Skm PK Nwf IR Ss Mz GlS MN Bionomy: Larva on *Atriplex* (Heydemann et al.,1963).
- 59072. *Cardepiia irrisor nigrescens* Hacker,1998** (Noctuidae) Synonym(s): *nigrescens* Hacker,1998 _ Range (in code): MN IR Mz GlS
- 59073. *Cardepiia kaszabi* Sukhareva & Varga,1973** (Noctuidae) Synonym(s): *kaszabi* Sukhareva & Varga,1973 _ Range (in code): MN
- 59074. *Cardepiia legraini* Hacker,1998** (Noctuidae) Synonym(s): *legraini* Hacker,1998 _ Range (in code): AE
- 59075. *Cardepiia martoni* Hacker,1998** (Noctuidae) Synonym(s): *martoni* Hacker,1998
Range (in code): PK Ch Gg Sst

- 59076. *Cardepia mixta* Pagenstecher, 1907** (Noctuidae) Synonym(s): *mixta* Pagenstecher, 1907
Range (in code): **MG**
- 59077. *Cardepia oleagina* Hacker, 1998** (Noctuidae) Synonym(s): *oleagina* Hacker, 1998
Range (in code): **IR Elb Th Dam TM Kp**
- 59078. *Cardepia rothei* Gyulai & Saldaitis, 2014** (Noctuidae) Synonym(s): *rothei* Gyulai & Saldaitis, 2014
Range (in code): **CN Ui Ga Yk**
- 59079. *Cardepia sociabilis* (Graslin, 1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin, 1850; *ghigii* Turati, 1926; *pedrosai* Monteiro, 1972; *grisea* Berio, 1986. Original Reference: *Hadena sociabilis* Graslin, 1850, *Annls Soc. ent. Fr.* 8: 412, Pl. 10 fig. 13. Syntypes: France: E. Pyrenees. Range (in code): **Cn DZ Hes Khh Perr Out BSa Ges Ceg TN LY Cy AE PT ES Mu FR Py Sa Si GR TR RU Ro Kb St Da Kap Kyi IR Kz Ab Khy Mar Mak Ak Mz Elb Dam Kh Fa Ss Bu Dlk Hz IL Pa SY EG Sn IN Rj TM AF Pli TJ Cc AM Eri**
- 59080. *Cardepia sociabilis canescens* Hacker, 1998** (Noctuidae) Synonym(s): *canescens* Hacker, 1998 Original Reference: *Cardepia sociabilis* ssp. *canescens* Hacker, 1998, *Esperiana* 6: 790-791, figs. Holotype ♂: Türkiye: [Ankara Prov.]: Tuz Gölü, Nordufer 7-9.vii.1970 leg. Friedel (coll. Hacker). Range (in code): **TR**
- 59081. *Cardepia sociabilis deserticola* Hampson, 1905** (Noctuidae) Synonym(s): *deserticola* Hampson, 1905 Original Reference: *Cardepia irrisor* ab. *deserticola* Hampson, 1905, *Cat. lepid. Phalaenae Br. Mus.* 5: 235. Type: Syria. Range (in code): **DZ Hes Out BSa Ges Ceg TN SY Hms Pmy IL Pa EG Sn SA SA63 AE IR Es Ss Kz Kh JO LY Cy**
- 59082. *Cardepia sociabilis mauretanica* Rothschild, 1920** (Noctuidae) Synonym(s): *mauretanica* Rothschild, 1920 Original Reference: *Cardepia sociabilis* ssp. *mauretanica* Rothschild, 1920, *Novit. zool.* 27: 58, pl. 17 fig. 5. Syntypes: [Algeria], El Mesrane, Bou Saada, Khenchela, Perrégau. Range (in code): **DZ Khh Perr BSa TN LY EG IR Kz AE**
- 59083. *Cardepia sociabilis rajasthanana* Hacker, 1998** (Noctuidae) Synonym(s): *rajasthanana* Hacker, 1998 Range (in code): **IN Rj**
- 59084. *Cardepia sociabilis sociabilis* (Graslin, 1850)** (Noctuidae) Synonym(s): *sociabilis* Graslin, 1850; *ghigii* Turati, 1926; *pedrosai* Monteiro, 1972; *grisea* Berio, 1986. Original Reference: *Hadena sociabilis* Graslin, 1850, *Annls Soc. ent. Fr.* 8: 412, Pl. 10 fig. 13. Syntypes: France: E. Pyrenees. Range (in code): **PT ES Mu FR Py Sa Si GR**
- 59085. *Cardepia sociabilis socialis* Hacker, 1998** (Noctuidae) Synonym(s): *socialis* Hacker, 1998 Original Reference: *Cardepia sociabilis* ssp. *socialis* Hacker, 1998, *Esperiana* 6: 791-792, figs. Holotype ♂: NW-Iran: Marand, 2.viii.1977, Thomas leg. (coll. Hacker). Range (in code): **TR IR Kz Ab Mak Ak Mz Elb Dam Fa Ss Bu Dlk Hz TM AF Pli TJ Cc AM Eri RU Ro Kb St Da Kap Kyi**
- 59086. *Carea acutapex* Strand, 1920** (Noctuidae) Synonym(s): *acutapex* Strand, 1920 Range (in code): **TW**
- 59087. *Carea adoxa* A.E.Prout, 1924** (Noctuidae) Synonym(s): *adoxo* A.E.Prout, 1924 Range (in code): **ID Sum**
- 59088. *Carea aetha* A.E.Prout, 1928** (Noctuidae) Synonym(s): *aetha* A.E.Prout, 1928 Range (in code): **ID Sum**
- 59089. *Carea albimargo* W.Warren, 1912** (Noctuidae) Synonym(s): *albimargo* W.Warren, 1912 Range (in code): **MY Bor Sbh KBa**
- 59090. *Carea albirufa* Hampson, 1896** (Noctuidae) Synonym(s): *albirufa* Hampson, 1896 Range (in code): **LK**
- 59091. *Carea albopurpurea* Hampson, 1894** (Noctuidae) Synonym(s): *albopurpurea* Hampson, 1894 Range (in code): **IN SI Khs Meg Ass**
- 59092. *Carea angulata* (Fabricius, 1793)** (Noctuidae) Synonym(s): *angulata* Fabricius, 1793; *subtilis* Walker, [1857]; *innocens* Swinhoe, 1918; *intermedia* Swinhoe, 1918 Original Reference: *Bombyx angulata* Fabricius, 1793, *Ent. Syst.* 3 (1): 481. Type(s): India orientalis. Range (in code): **IN Bba LK Cbo TH CMA CDo Mae Nna Cbi Lmp** Bionomy: Larva on *Eugenia jambolana*, *Syzygium cumini* [black plum], *Cleistocalyx operculatus* [ma kiang] (Myrtaceae) (Gardner, 1941; Lewvanich, 2001).
- 59093. *Carea annae* Swinhoe, 1904** (Noctuidae) Synonym(s): *annae* Swinhoe, 1904 Range (in code): **MY Bor Swk**
- 59094. *Carea antennata* W.Warren, 1912** (Noctuidae) Synonym(s): *antennata* W.Warren, 1912 Range (in code): **MY Bor Sbh KBa**
- 59095. *Carea argentipurpurea* Holloway, 1976** (Noctuidae) Synonym(s): *argentipurpurea* Holloway, 1976 Range (in code): **MY Bor Sbh KBa**

- 59096. *Carea argentiviridis* Holloway,1976** (Noctuidae) Synonym(s): *argentiviridis* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 59097. *Carea balteata* W.Warren,1912** (Noctuidae) Synonym(s): *balteata* W.Warren,1912 _ Range (in code): MY Sgo
- 59098. *Carea bilinea* Roepke,1938** (Noctuidae) Synonym(s): *bilinea* Roepke,1938 _ Range (in code): ID Clb
- 59099. *Carea biviata* Hampson,1905** (Noctuidae) Synonym(s): *biviata* Hampson,1905 _ Range (in code): MY Pen
- 59100. *Carea calva* W.Warren,1916** (Noctuidae) Synonym(s): *calva* W.Warren,1916 _ Range (in code): ID Mlc
- 59101. *Carea careoides* W.Warren,1912** (Noctuidae) Synonym(s): *careoides* W.Warren,1912 _ Range (in code): MY Pen
- 59102. *Carea carissima* Wileman & West,1929** (Noctuidae) Synonym(s): *carissima* Wileman & West,1929 _ Range (in code): PH Mno
- 59103. *Carea carneoplagiata* W.Warren,1912** (Noctuidae) Synonym(s): *carneoplagiata* W.Warren,1912 _ Range (in code): MY Pen
- 59104. *Carea caroli* A.E.Prout,1922** (Noctuidae) Synonym(s): *caroli* A.E.Prout,1922 _ Range (in code): ID Crm
- 59105. *Carea cervina* W.Warren,1916** (Noctuidae) Synonym(s): *cervina* W.Warren,1916 _ Range (in code): MM
- 59106. *Carea chalybea* (W.Warren,1916)** (Noctuidae) Synonym(s): *chalybea* W.Warren,1916 _ Range (in code): MY Bor
- 59107. *Carea chlorostigma* (Hampson,1893)** (Noctuidae) Synonym(s): *chlorostigma* Hampson,1893 _ Range (in code): LK
- 59108. *Carea commixta* W.Warren,1916** (Noctuidae) Synonym(s): *commixta* W.Warren,1916 _ Range (in code): ID Ij
- 59109. *Carea confinis* W.Warren,1916** (Noctuidae) Synonym(s): *confinis* W.Warren,1916 _ Range (in code): IN Meg Ass Khs
- 59110. *Carea consimilis* W.Warren,1916** (Noctuidae) Synonym(s): *consimilis* W.Warren,1916 _ Range (in code): ID Clb
- 59111. *Carea costiplaga* Swinhoe,1893** (Noctuidae) Synonym(s): *costiplaga* Swinhoe,1893; *tarika* Swinhoe,1901; *tarica* Hampson,1912 _ Range (in code): IN Ass Hm Crm
- 59112. *Carea costiplaga defuscata* A.E.Prout,1922** (Noctuidae) Synonym(s): *defuscata* A.E.Prout,1922 _ Range (in code): ID Crm
- 59113. *Carea cuprea* Wileman & South,1920** (Noctuidae) Synonym(s): *cuprea* Wileman & South,1920 _ Range (in code): PH Luz
- 59114. *Carea curtisi* W.Warren,1916** (Noctuidae) Synonym(s): *curtisi* W.Warren,1916 _ Range (in code): MYPen
- 59115. *Carea devia* Hampson,1912** (Noctuidae) Synonym(s): *devia* Hampson,1912 _ Range (in code): IN Meg Ass Khs
- 59116. *Carea diagona* Hampson,1912** (Noctuidae) Synonym(s): *diagona* Hampson,1912 _ Range (in code): BT MY Bor Sbh KBa
- 59117. *Carea diagona argentipunctata* Holloway,1976** (Noctuidae) Synonym(s): *argentipunctata* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 59118. *Carea diagona diagona* Hampson,1912** (Noctuidae) Synonym(s): *diagona* Hampson,1912 _ Range (in code): BT
- 59119. *Carea dione* Swinhoe,1905** (Noctuidae) Synonym(s): *dione* Swinhoe,1905 _ Range (in code): IN Meg Ass Khs
- 59120. *Carea diplogramma* Hampson,1905** (Noctuidae) Synonym(s): *diplogramma* Hampson,1905 _ Range (in code): MY Joh
- 59121. *Carea distincta* Roepke,1938** (Noctuidae) Synonym(s): *distincta* Roepke,1938 _ Range (in code): ID Clb
- 59122. *Carea ducalis* Bryk,1913** (Noctuidae) Synonym(s): *ducalis* Bryk,1913; *undicostata* W.Warren,1916; *undicostata* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 59123. *Carea effusa* (Swinhoe,1901)** (Noctuidae) Synonym(s): *effusa* Swinhoe,1901 _ Range (in code): ID Bor Klt

- 59124. *Carea egens* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *egens* A.E.Prout,1924 - Range (in code): ID Sum
- 59125. *Carea elaeogramma* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *elaeogramma* A.E.Prout,1926 - Range (in code): MY Bor Swk
- 59126. *Carea elaeospila* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *elaeospila* A.E.Prout,1926 Range (in code): MY Bor Swk
- 59127. *Carea endophaea* Hampson,1905** (Noctuidae) **Synonym(s):** *endophaea* Hampson,1905 Range (in code): IN
- 59128. *Carea erectilinea* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *erectilinea* A.E.Prout,1924 Range (in code): MY Prk
- 59129. *Carea fasciata* (Moore,1882)** (Noctuidae) **Synonym(s):** *fasciata* Moore,1882 - Range (in code): IN SI Djl
- 59130. *Carea felix* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *felix* A.E.Prout,1922 - Range (in code): ID Bru Crm
- 59131. *Carea felix pallidior* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *pallidior* A.E.Prout,1926 Range (in code): ID Bru
- 59132. *Carea ferribrunnea* Holloway,1976** (Noctuidae) **Synonym(s):** *ferribrunnea* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 59133. *Carea ferrinigra* Holloway,1976** (Noctuidae) **Synonym(s):** *ferrinigra* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 59134. *Carea ferriviridis* Holloway,1976** (Noctuidae) **Synonym(s):** *ferriviridis* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 59135. *Carea flava* Bethune-Baker,1906** (Noctuidae) **Synonym(s):** *flava* Bethune-Baker,1906 Range (in code): PG
- 59136. *Carea flavidirubra* Hampson,1918** (Noctuidae) **Synonym(s):** *flavidirubra* Hampson,1918 Range (in code): MY Sgo
- 59137. *Carea fulvescens* W.Warren,1912** (Noctuidae) **Synonym(s):** *fulvescens* W.Warren,1912 Range (in code): ID Ja
- 59138. *Carea fuscata* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *fuscata* A.E.Prout,1928 - Range (in code): MY Bor Swk
- 59139. *Carea hepatica* W.Warren,1912** (Noctuidae) **Synonym(s):** *hepatica* W.Warren,1912 Range (in code): ID Clb
- 59140. *Carea hollowayi* Kobes,1982** (Noctuidae) **Synonym(s):** *hollowayi* Kobes,1982 - Range (in code): ID Sum
- 59141. *Carea holophaea* Hampson,1905** (Noctuidae) **Synonym(s):** *holophaea* Hampson,1905 Range (in code): MY Prk
- 59142. *Carea immemor* (W.Warren,1916)** (Noctuidae) **Synonym(s):** *immemor* W.Warren,1916 Range (in code): IN Meg Ass Khs
- 59143. *Carea inducens* (Walker,1859)** (Noctuidae) **Synonym(s):** *inducens* Walker,1859 - Range (in code): SG MY
- 59144. *Carea infundibulata* W.Warren,1916** (Noctuidae) **Synonym(s):** *infundibulata* W.Warren,1916 - Range (in code): MY Pen
- 59145. *Carea internifusca* Hampson,1912** (Noctuidae) **Synonym(s):** *internifusca* Hampson,1912 Range (in code): IN Ass Meg Khs
- 59146. *Carea jacobsoni* Roepke,1935** (Noctuidae) **Synonym(s):** *jacobsoni* Roepke,1935 - Range (in code): ID Sum
- 59147. *Carea josephi* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *josephi* A.E.Prout,1922 - Range (in code): ID Crm
- 59148. *Carea lentilineata* Hampson,1918** (Noctuidae) **Synonym(s):** *lentilineata* Hampson,1918 Range (in code): MY Sgo
- 59149. *Carea leucocraspis* Hampson,1905** (Noctuidae) **Synonym(s):** *leucocraspis* Hampson,1905 Range (in code): Bor Sbh Snk MY
- 59150. *Carea leucozona* A.E.Prout,1921** (Noctuidae) **Synonym(s):** *leucozona* A.E.Prout,1921 Range (in code): MY Bor Swk
- 59151. *Carea longicornis* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *longicornis* A.E.Prout,1924 Range (in code): ID Sum Ja

- 59152. *Carea longicornis malabarica* Roepke,1935** (Noctuidae) **Synonym(s):** *malabarica* Roepke,1935 - Range (in code): ID Ja
- 59153. *Carea loxoscia* A.E.Prout,1932** (Noctuidae) **Synonym(s):** *loxoscia* A.E.Prout,1932
Range (in code): ID Sum MY Prk
- 59154. *Carea loxoscia pantera* A.E.Prout,1932** (Noctuidae) **Synonym(s):** *pantera* A.E.Prout,1932
Range (in code): MY Prk
- 59155. *Carea mathilda* Swinhoe,1904** (Noctuidae) **Synonym(s):** *mathilda* Swinhoe,1904
Range (in code): MY Bor
- 59156. *Carea mediogrisea* W.Warren,1912** (Noctuidae) **Synonym(s):** *mediogrisea* W.Warren,1912
Range (in code): MY Bor
- 59157. *Carea mesocausta* Hampson,1905** (Noctuidae) **Synonym(s):** *mesocausta* Hampson,1905
Range (in code): MY Bor Sbh Snk
- 59158. *Carea metaphaea* Hampson,1912** (Noctuidae) **Synonym(s):** *metaphaea* Hampson,1912
Range (in code): MY Bor Swk
- 59159. *Carea minahassae* Roepke,1932** (Noctuidae) **Synonym(s):** *minahassae* Roepke,1932
Range (in code): ID Clb
- 59160. *Carea minima* W.Warren,1916** (Noctuidae) **Synonym(s):** *minima* W.Warren,1916
Range (in code): MY Pen
- 59161. *Carea minor* Mell,1943** (Noctuidae) **Synonym(s):** *minor* Mell,1943 - Range (in code): CN Kwa
- 59162. *Carea mixticolor* (W.Warren,1916)** (Noctuidae) **Synonym(s):** *mixticolor* W.Warren,1916
Range (in code): MY Pen
- 59163. *Carea moira* Swinhoe,1893** (Noctuidae) **Synonym(s):** *moira* Swinhoe,1893 - Range (in code): SG MY Sgo MM Mrg
- 59164. *Carea nebulifera* W.Warren,1912** (Noctuidae) **Synonym(s):** *nebulifera* W.Warren,1912
Range (in code): IN Ass Meg Khs
- 59165. *Carea negativapex* Holloway,1976** (Noctuidae) **Synonym(s):** *negativapex* Holloway,1976
Range (in code): MY Bor Sbh KBa
- 59166. *Carea nexilla* Hampson,1912** (Noctuidae) **Synonym(s):** *nexilla* Hampson,1912 - Range (in code): SG
- 59167. *Carea nisulus* Brk,1915** (Noctuidae) **Synonym(s):** *nisulus* Brk,1915 - Range (in code): AU QAu
- 59168. *Carea nitida* Hampson,1894** (Noctuidae) **Synonym(s):** *nitida* Hampson,1894 - Range (in code): IN SI
- 59169. *Carea notodontina* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *notodontina* R.Felder & Rogenhofer,1874; *diluta* W.Warren,1916 - Range (in code): ID Ja MY Sgo
- 59170. *Carea obliquifascia* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *obliquifascia* A.E.Prout,1928
Range (in code): MY Bor Swk
- 59171. *Carea obsolescens* Moore,1884** (Noctuidae) **Synonym(s):** *obsolescens* Moore,1884
Range (in code): LK Pdy Tem IN Bba
- 59172. *Carea obvia* Hampson,1912** (Noctuidae) **Synonym(s):** *obvia* Hampson,1912 - Range (in code): PH Luz
- 59173. *Carea ochreipennis* Holloway,1976** (Noctuidae) **Synonym(s):** *ochreipennis* Holloway,1976
Range (in code): MY Bor Sbh KBa
- 59174. *Carea ochreoviridis* Holloway,1976** (Noctuidae) **Synonym(s):** *ochreoviridis* Holloway,1976
Range (in code): MY Bor Sbh KBa
- 59175. *Carea ocyra* Swinhoe,1893** (Noctuidae) **Synonym(s):** *ocyra* Swinhoe,1893 - Range (in code): SG
- 59176. *Carea padangensis* Roepke,1935** (Noctuidae) **Synonym(s):** *padangensis* Roepke,1935
Range (in code): ID Sum
- 59177. *Carea pallida* Hampson,1905** (Noctuidae) **Synonym(s):** *pallida* Hampson,1905 - Range (in code): MM Shn
- 59178. *Carea papuensis* W.Warren,1912** (Noctuidae) **Synonym(s):** *papuensis* W.Warren,1912
Range (in code): PG
- 59179. *Carea parangulata* Kobes,1997** (Noctuidae) **Synonym(s):** *parangulata* Kobes,1997
Range (in code): MY Bor PH ?Pal **Bionomy:** Larva *Eugenia*, *Cleistocalyx*, *Syzygium* (Myrtaceae), *Ficus* (Moraceae), *Memecylon* (Melastomataceae), *Bombax* (Bombacaceae) (Mathur,1942 et seq.).

- 59180. *Carea perspicua* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *perspicua* A.E.Prout,1924
Range (in code): **ID Crm**
- 59181. *Carea phaedropa* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *phaedropa* A.E.Prout,1924
Range (in code): **ID Bru**
- 59182. *Carea picta* (Moore,1882)** (Noctuidae) **Synonym(s):** *picta* Moore,1882 **Range (in code):** **IN SI Djl**
- 59183. *Carea plesiogramma* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *plesiogramma* A.E.Prout,1926 **Range (in code):** **MY Bor Swk**
- 59184. *Carea pratti* Bethune-Baker,1906** (Noctuidae) **Synonym(s):** *pratti* Bethune-Baker,1906
Range (in code): **PG**
- 59185. *Carea proutae* Roepke,1935** (Noctuidae) **Synonym(s):** *proutae* Roepke,1935 **Range (in code):** **ID Sum**
- 59186. *Carea pryeri* Druce,1911** (Noctuidae) **Synonym(s):** *pryeri* Druce,1911 **Range (in code):** **MY Bor**
- 59187. *Carea purpurea* Hampson,1891** (Noctuidae) **Synonym(s):** *purpurea* Hampson,1891
Range (in code): **IN NI Tn**
- 59188. *Carea purpureolineata* Hampson,1918** (Noctuidae) **Synonym(s):** *purpureolineata* Hampson,1918 **Range (in code):** **MY Pen**
- 59189. *Carea quieta* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *quieta* A.E.Prout,1924 **Range (in code):** **ID Sum MY Bor Sbh KBa**
- 59190. *Carea quieta micropunctata* Holloway,1976** (Noctuidae) **Synonym(s):** *micropunctata* Holloway,1976 **Range (in code):** **MY Bor Sbh KBa**
- 59191. *Carea robinsoni* Swinhoe,1903** (Noctuidae) **Synonym(s):** *robinsoni* Swinhoe,1903
Range (in code): **MY Sgo**
- 59192. *Carea rubiginosa* Roepke,1935** (Noctuidae) **Synonym(s):** *rubiginosa* Roepke,1935
Range (in code): **ID Ja Sum**
- 59193. *Carea rubiginosa javana* Roepke,1935** (Noctuidae) **Synonym(s):** *javana* Roepke,1935
Range (in code): **ID Ja**
- 59194. *Carea rubrifusa* Hampson,1905** (Noctuidae) **Synonym(s):** *rubrifusa* Hampson,1905
Range (in code): **MY Bor Sbh Snk**
- 59195. *Carea sabulosa* W.Warren,1916** (Noctuidae) **Synonym(s):** *sabulosa* W.Warren,1916
Range (in code): **IN SI Ass**
- 59196. *Carea semipallida* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *semipallida* A.E.Prout,1924
Range (in code): **ID Sum**
- 59197. *Carea seticornis* (Walker,1862)** (Noctuidae) **Synonym(s):** *purpureoscripta* Walker,1862; *lilacina* Hampson,1894; *sumatrana* Roepke,1935 **Range (in code):** **ID Sum MY Bor Swk IN SI**
- 59198. *Carea sibolgae* Roepke,1935** (Noctuidae) **Synonym(s):** *sibolgae* Roepke,1935 **Range (in code):** **ID Sum**
- 59199. *Carea simplicilinea* W.Warren,1916** (Noctuidae) **Synonym(s):** *simplicilinea* W.Warren,1916 **Range (in code):** **PG**
- 59200. *Carea subvia* Wileman & West,1929** (Noctuidae) **Synonym(s):** *subvia* Wileman & West,1929 **Range (in code):** **PH Luz**
- 59201. *Carea translucens* Holloway,1976** (Noctuidae) **Synonym(s):** *translucens* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 59202. *Carea transpurpuralis* Holloway,1976** (Noctuidae) **Synonym(s):** *transpurpuralis* Holloway,1976 **Range (in code):** **MY Bor Sbh KBa**
- 59203. *Carea trichotmeta* A.E.Prout,1924** (Noctuidae) **Synonym(s):** *trichotmeta* A.E.Prout,1924
Range (in code): **ID Sum**
- 59204. *Carea triguttata* W.Warren,1912** (Noctuidae) **Synonym(s):** *triguttata* W.Warren,1912
Range (in code): **ID Ij Afk**
- 59205. *Carea trilineata* W.Warren,1912** (Noctuidae) **Synonym(s):** *trilineata* W.Warren,1912; *trilineata* W.Warren,1916 **Range (in code):** **IN Ass Meg Khs**
- 59206. *Carea tumidistigma* (W.Warren,1916)** (Noctuidae) **Synonym(s):** *tumidistigma* W.Warren,1916 **Range (in code):** **IN Ass Meg Khs**
- 59207. *Carea unipunctata* Bethune-Baker,1906** (Noctuidae) **Synonym(s):** *unipunctata* Bethune-Baker,1906 **Range (in code):** **PG ID Bru**

- 59208. *Carea unipunctata fulvida* A.E.Prout,1924** (Noctuidae) Synonym(s): *fulvida* A.E.Prout,1924 _ Range (in code): ID Bru
- 59209. *Carea vandermeermohri* Roepke,1935** (Noctuidae) Synonym(s): *vandermeermohri* Roepke,1935 _ Range (in code): ID Sum
- 59210. *Carea varipes* Walker,[1857]** (Noctuidae) Synonym(s): *varipes* Walker,[1857]; *curvifera* Walker,1862; *rhodophila* Walker,1865; *#lilacina* W.Warren,1913; *#modesta* W.Warren,1913; *roseotincta* Roepke,1938 _ Range (in code): LK Kndy MY ID Clb Crm Ja Bor Swk Bionomy: Larva on *Eugenia*, *Rhodomyrtus*, *Campomanesia*, *Cleistocalyx*, *Syzygium* (Myrtaceae) (Yunus & Ho,1980 et seq.).
- 59211. *Carea varipes leucobathra* A.E.Prout,1932** (Noctuidae) Synonym(s): *leucobathra* A.E.Prout,1932 _ Range (in code): ID Crm
- 59212. *Carea varipes roseotincta* Roepke,1938** (Noctuidae) Synonym(s): *roseotincta* Roepke,1938 _ Range (in code): ID Clb
- 59213. *Carea venusta* W.Warren,1912** (Noctuidae) Synonym(s): *venusta* W.Warren,1912 _ Range (in code): MY
- 59214. *Carea verticata* W.Warren,1916** (Noctuidae) Synonym(s): *verticata* W.Warren,1916 _ Range (in code): MY Prk
- 59215. *Carea vexilla* (Swinhoe,1893)** (Noctuidae) Synonym(s): *vexilla* Swinhoe,1893 _ Range (in code): SG
- 59216. *Carea viridifascia* (Swinhoe,1902)** (Noctuidae) Synonym(s): *viridifascia* Swinhoe,1902 _ Range (in code):
- 59217. *Carea viridipennis* Druce,1911** (Noctuidae) Synonym(s): *viridipennis* Druce,1911; *#viridipennis* Poole,1989 _ Range (in code): MY Bor
- 59218. *Carea viridipicta* (Hampson,1896)** (Noctuidae) Synonym(s): *viridipicta* Hampson,1896 _ Range (in code): IN Ass Meg Khs
- 59219. *Carea vulpina* W.Warren,1912** (Noctuidae) Synonym(s): *vulpina* W.Warren,1912 _ Range (in code): MY Bor Swk
- 59220. *Carea zonata* Roepke,1935** (Noctuidae) Synonym(s): *zonata* Roepke,1935 _ Range (in code): ID Sum
- 59221. *Carsina bendioides* (Walker,1864)** (Noctuidae) Synonym(s): *bendioides* Walker,1864 _ Range (in code): MY Bor Swk TH Nan Dpk Knc CMa Dst
- 59222. *Carsina flavibrunnea* (Hampson,1895)** (Noctuidae) Synonym(s): *flavibrunnea* Hampson,1895 _ Range (in code): MM Peg TH
- 59223. *Carsina kanshireiensis* (Wileman,1914)** (Noctuidae) Synonym(s): *kanshireiensis* Wileman,1914 _ Range (in code): TW TH Nan Dpk
- 59224. *Carsina obliqua* (Moore,1867)** (Noctuidae) Synonym(s): *obliqua* Moore,1867 _ Range (in code): IN
- 59225. *Casminola arminbecheri* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *arminbecheri* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH Nan
- 59226. *Casminola breviarpe* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *breviarpe* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): NP
- 59227. *Casminola chionobasis* (Hampson,1901)** (Noctuidae) Synonym(s): *chionobasis* Hampson,1901 _ Range (in code): IN Hp Kgr
- 59228. *Casminola johannstumpfi* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *johannstumpfi* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): NP
- 59229. *Casminola pulchella* (Leech,1889)** (Noctuidae) Synonym(s): *pulchella* Leech,1889 _ Range (in code): JP
- 59230. *Casminola rubropicta* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *rubropicta* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): VN Ton
- 59231. *Casminola seminigra* (Hampson,1896)** (Noctuidae) Synonym(s): *seminigra* Hampson,1896 _ Range (in code): BT
- 59232. *Casminola spinosa* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *spinosa* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa Dst
- 59233. *Casminola splendida* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *splendida* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): MM
- 59234. *Casminola yoshimotoi* (Inoue,2000)** (Noctuidae) Synonym(s): *yoshimotoi* Inoue,2000 _ Range (in code): TW

- 59235. *Catada bipartita* (Moore,1882) (Noctuidae) Synonym(s):** *bipartita* Moore,1882 _ Range (in code): **IN Ass Meg Cpj**
- 59236. *Catada charalis* Swinhoe,1900 (Noctuidae) Synonym(s):** *charalis* Swinhoe,1900
Range (in code): **WS FJ SB PG AU QAU**
- 59237. *Catada dahlioides* Rothschild,1915 (Noctuidae) Synonym(s):** *dahlioides* Rothschild,1915
Range (in code): **ID Ij Snw**
- 59238. *Catada griseomarginalis* Rothschild,1915 (Noctuidae) Synonym(s):** *griseomarginalis* Rothschild,1915 _ Range (in code): **ID Ij Snw**
- 59239. *Catada ndalla* Bethune-Baker,1911 (Noctuidae) Synonym(s):** *ndalla* Bethune-Baker,1911;
icelomorpha Bethune-Baker,1911 _ Range (in code): **AO**
- 59240. *Catada nigribasis* Hampson,1895 (Noctuidae) Synonym(s):** *nigribasis* Hampson,1895
Range (in code): **IN Ass Meg Khs**
- 59241. *Catada phaeopasta* Hampson,1909 (Noctuidae) Synonym(s):** *phaeopasta* Hampson,1909
Range (in code): **UG Rz**
- 59242. *Catada picta* (Moore,1882) (Noctuidae) Synonym(s):** *picta* Moore,1882 _ Range (in code): **IN Ass Meg Khs TH Ntt Hba Knc MY CN ID Sum Ja Bor PH**
- 59243. *Catada psychis* Lödl & Paumkirchner,2001 (Noctuidae) Synonym(s):** *psychis* Lödl & Paumkirchner,2001
Original Reference: *Catada psychis* Lödl & Paumkirchner,2001, *Annln naturh. Mus. Wien* 103B 263-268, figs. Holotype ♂: Coomassie, H. Whiteside 1905-289 (BMNH).
Range (in code): **GH CI CM Bit NG Wrr**
- 59244. *Catada purpureotincta* Hampson,1895 (Noctuidae) Synonym(s):** *purpureotincta* Hampson,1895 _ Range (in code): **MM Peg**
- 59245. *Catada rex* Bethune-Baker,1911 (Noctuidae) Synonym(s):** *rex* Bethune-Baker,1911
Range (in code): **NG Lgo**
- 59246. *Catada rubricaea* Schultze,1907 (Noctuidae) Synonym(s):** *rubricaea* Schultze,1907
Range (in code): **PH Mno**
- 59247. *Catada sabada* Swinhoe,1905 (Noctuidae) Synonym(s):** *sabada* Swinhoe,1905 _ Range (in code): **MY Prk**
- 59248. *Catada* sp.1 (Noctuidae) Synonym(s):** _ Range (in code): **TH Ntt Hba**
- 59249. *Catada* sp.2 (Noctuidae) Synonym(s):** _ Range (in code): **TH Ntt Hba**
- 59250. *Catada* sp.3 (Noctuidae) Synonym(s):** _ Range (in code): **TH Ntt Hba**
- 59251. *Catada transversalis* (Moore,1877) (Noctuidae) Synonym(s):** *transversalis* Moore,1877;
antipodalis Holland,1900 _ Range (in code): **ID Bru IN Adm**
- 59252. *Catada vagalis* Walker,[1859] (Noctuidae) Synonym(s):** *vagalis* Walker,[1859]; *glomeralis* Walker,[1859] _ Range (in code): **LK Bor IN Tvc**
- 59253. *Catamecia arabica* Wiltshire,1949 (Noctuidae) Synonym(s):** *arabica* Wiltshire,1949
Range (in code): **SA As**
- 59254. *Catamecia connectens* (Hampson,1902) (Noctuidae) Synonym(s):** *connectens* Hampson,1902 _ Range (in code): **BW ZA**
- 59255. *Catamecia furtiva* (Swinhoe,1885) (Noctuidae) Synonym(s):** *furtiva* Swinhoe,1885
Range (in code): **IN Mh Poo**
- 59256. *Catamecia kordofana* Wiltshire,1977 (Noctuidae) Synonym(s):** *kordofana* Wiltshire,1977
Range (in code): **SD Kdf Kgl**
- 59257. *Catamecia mauretanica* Staudinger,1901 (Noctuidae) Synonym(s):** *mauretanica* Staudinger,1901; *aeton* Culot,1912; *delicata* Turati,1934 _ Range (in code): **DZ Hes Ceg Cst Bsk TN LY Cy**
- 59258. *Catamecia minima* (Swinhoe,1889) (Noctuidae) Synonym(s):** *minima* Swinhoe,1889;
jordana Staudinger,1897; *bacheri* Staudinger,1901; *balestrei* Lucas,1907; *arabica* Wiltshire,1949 _ Range (in code): **MR MA DZ IQ Amr Agh IN Sd SA As TN YE Ad IR Ss Ahz Hz B-A IL Pa Jt JO EG Sn**
- 59259. *Catasema vulpina* Staudinger,1888 (Noctuidae) Synonym(s):** *vulpina* Staudinger,1888
Range (in code): **UZ Man**
- 59260. *Catephia abrostolica* Hampson,1926 (Noctuidae) Synonym(s):** *abrostolica* Hampson,1926
Range (in code): **TZ Tnga**
- 59261. *Catephia albirena* Hampson,1926 (Noctuidae) Synonym(s):** *albirena* Hampson,1926
Range (in code): **ET ET168**
- 59262. *Catephia alchymista* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s):** *alchymista* [Denis & Schiffermüller],1775
Original Reference: *Noctua alchymista* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 89. Type(s): [Austria]:

Vienna district. Range (in code): **MA DZ Bt na Hrh Dh m Sét Anna Sbd TN PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Der AZ Kir Hkd Cc IR Mz Gls IQ Mos CY IL Pa LV LT RU Ro St Kr Ich Da MD UA BY** Bionomy: Larva on Quercus, Ulmus (Calle et al., 2000).

- 59263. *Catephia alchymista alchymista* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *alchymista* [Denis & Schiffermüller],1775 Original Reference: *Noctua alchymista* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): **PT ES Mu FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR IR Mz Gls IQ CY IL Pa LV LT RU Ro St Kr Ich Da Cc GG Smt Bjo Der AZ Kir MD UA BY**
- 59264. *Catephia alchymista uniformis* A.Bang-Haas,1910** (Noctuidae) Synonym(s): *uniformis* A.Bang-Haas,1910 Range (in code): **MA DZ Bt na Hrh Dh m Sét TN**
- 59265. *Catephia barrettae* Hampson,1905** (Noctuidae) Synonym(s): *barrettae* Hampson,1905 Range (in code): **ZA Ec Tra**
- 59266. *Catephia cana* (Brandt,1939)** (Noctuidae) Synonym(s): *cana* Brandt,1939 Range (in code): **IR Ss**
- 59267. *Catephia corticea* Le Cerf,1922** (Noctuidae) Synonym(s): *corticea* Le Cerf,1922 Range (in code): **KE**
- 59268. *Catephia cryptodisca* Hampson,1926** (Noctuidae) Synonym(s): *cryptodisca* Hampson,1926 Range (in code): **GH**
- 59269. *Catephia dipterygia* Hampson,1926** (Noctuidae) Synonym(s): *diptrygia* Hampson,1926 Range (in code): **GH**
- 59270. *Catephia discophora* Hampson,1926** (Noctuidae) Synonym(s): *discophora* Hampson,1926 Range (in code): **ZA Tva Lpo Wri**
- 59271. *Catephia endoplaga* Hampson,1926** (Noctuidae) Synonym(s): *endoplaga* Hampson,1926 Range (in code): **GH**
- 59272. *Catephia eurymelas* Hampson,1916** (Noctuidae) Synonym(s): *eurymelas* Hampson,1916 Range (in code): **SO**
- 59273. *Catephia flavescens* Butler,1889** (Noctuidae) Synonym(s): *flavescens* Butler,1889 Range (in code): **IN Hp Drm**
- 59274. *Catephia holophaea* Hampson,1926** (Noctuidae) Synonym(s): *holophaea* Hampson,1926 Range (in code): **NG**
- 59275. *Catephia iridocosma* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *iridocosma* Bethune-Baker,1911 Range (in code): **ZA UG Etb**
- 59276. *Catephia javensis* Hampson,1926** (Noctuidae) Synonym(s): *javensis* Hampson,1926 Range (in code): **ID Ja**
- 59277. *Catephia kumamotonis* (Matsumura,1926)** (Noctuidae) Synonym(s): *kumamotonis* Matsumura,1926 Range (in code): **JP TH Nan Dpk**
- 59278. *Catephia lobata* (A.E.Prout,1928)** (Noctuidae) Synonym(s): *lobata* A.E.Prout,1928 Range (in code): **ID Sum**
- 59279. *Catephia mesonephele* Hampson,1916** (Noctuidae) Synonym(s): *mesonephele* Hampson,1916 Range (in code): **SO**
- 59280. *Catephia metaleuca* Hampson,1926** (Noctuidae) Synonym(s): *metaleuca* Hampson,1926 Range (in code): **KE**
- 59281. *Catephia microcelis* Hampson,1926** (Noctuidae) Synonym(s): *microcelis* Hampson,1926 Range (in code): **NG**
- 59282. *Catephia pallididisca* Hampson,1926** (Noctuidae) Synonym(s): *pallididisca* Hampson,1926 Range (in code): **ZA Tva Lpo Wv**
- 59283. *Catephia pericyma* Hampson,1916** (Noctuidae) Synonym(s): *pericyma* Hampson,1916 Range (in code): **SO**
- 59284. *Catephia personata* Walker,1865** (Noctuidae) Synonym(s): *personata* Walker,1865 Range (in code): **ZA**
- 59285. *Catephia philippinensis* Wileman & West,1929** (Noctuidae) Synonym(s): *philippinensis* Wileman & West,1929 Range (in code): **PH Luz**
- 59286. *Catephia poliochroa* Hampson,1916** (Noctuidae) Synonym(s): *poliochroa* Hampson,1916 Range (in code): **SO**
- 59287. *Catephia pyramidalis* Hampson,1916** (Noctuidae) Synonym(s): *pyramidalis* Hampson,1916 Range (in code): **SO**

- 59288. *Catephia sciras* Fawcett, 1916** (Noctuidae) Synonym(s): *sciras* Fawcett, 1916; *#scitas* Laporte, 1977. Range (in code): KE ET ET29
- 59289. *Catephia scotosa* (Holland, 1894)** (Noctuidae) Synonym(s): *scotosa* Holland, 1894. Range (in code): GA Ogo
- 59290. *Catephia scylla* Fawcett, 1916** (Noctuidae) Synonym(s): *scylla* Fawcett, 1916. Range (in code): KE
- 59291. *Catephia sericea* (Butler, 1882)** (Noctuidae) Synonym(s): *sericea* Butler, 1882. Range (in code): WS PC FJ TO PG
- 59292. *Catephia sospita* Fawcett, 1916** (Noctuidae) Synonym(s): *sospita* Fawcett, 1916. Range (in code): KE
- 59293. *Catephia squamosa* (Wallengren, 1856)** (Noctuidae) Synonym(s): *squamosa* Wallengren, 1856; *discistriga* Walker, [1858]; *inconclusa* Walker, [1858]; *trispilosa* Saalmüller, 1880; *#aquamosa* Janse, 1917. Range (in code): ZA Lpo Tva Spb Mdk Nta Kzu Dbn KE BW Nga
- 59294. *Catephia striata* Hampson, 1902** (Noctuidae) Synonym(s): *striata* Hampson, 1902. Range (in code): ZA Nta Kzu Dbn
- 59295. *Catephia susanae* Holloway, 1976** (Noctuidae) Synonym(s): *susanae* Holloway, 1976. Range (in code): MY Bor Sbh KBa
- 59296. *Catephia thricophora* Hampson, 1894** (Noctuidae) Synonym(s): *thricophora* Hampson, 1894. Range (in code): MM Mrg
- 59297. *Catephia virescens* Hampson, 1902** (Noctuidae) Synonym(s): *virescens* Hampson, 1902. Range (in code): ZA Nta Kzu Dbn
- 59298. *Catephia xylois* (A.E. Prout, 1925)** (Noctuidae) Synonym(s): *xylois* A.E. Prout, 1925. Range (in code): MY Sgo
- 59299. *Catoblemma duporti* De Joannis, 1928** (Noctuidae) Synonym(s): *duporti* De Joannis, 1928. Range (in code): VN Ton
- 59300. *Catoblemma goniophora* Hampson, 1920** (Noctuidae) Synonym(s): *goniophora* Hampson, 1920. Range (in code): PH Luz
- 59301. *Catoblemma melanocephala* (Wileman & West, 1929)** (Noctuidae) Synonym(s): *melanocephala* Wileman & West, 1929. Range (in code): PH Luz
- 59302. *Catoblemma renalis* Hampson, 1918** (Noctuidae) Synonym(s): *renalis* Hampson, 1918. Range (in code): MY Bor Swk
- 59303. *Catoblemma semialba* (Hampson, 1902)** (Noctuidae) Synonym(s): *semialba* Hampson, 1902; *umbrifera* Hampson, 1910. Range (in code): BT MM Rgo
- 59304. *Catocala (Ephesia) ariana* (Vartian, 1964)** (Noctuidae) Synonym(s): *ariana* Vartian, 1964. Original Reference: *Ephesia ariana* Vartian, 1964, Z. wien. ent. Ges. 49: 118, Taf. 15 fig. 1. Holotype ♀: Afghanistan, Paghman 30 km NW v. Kabul 2100 m (E. & A. Vartian leg. coll.). Range (in code): AF Pag
- 59305. *Catocala (Ephesia) brandti* Hacker & Kautt, 1999** (Noctuidae) Synonym(s): *brandti* Hacker & Kautt, 1999. Original Reference: *Catocala brandti* Hacker & Kautt, 1999, *Esperiana* 7: 430-431, figs. Holotype ♂: Iran: Esfahan: 57 km S. Borujen 3 km S Dorahan, 1950 m, 8.vi.1997 (leg. Hofmann & Kautt) (coll. Hacker). Range (in code): IR Es Lo Fa Shr Kd Mrv Bne Kaz Mia Km Kz Skh Yas Elb Mz Gls TR GR
- 59306. *Catocala (Ephesia) brandti brandti* Hacker & Kautt, 1999** (Noctuidae) Synonym(s): *brandti* Hacker & Kautt, 1999. Original Reference: *Catocala brandti* Hacker & Kautt, 1999, *Esperiana* 7: 430-431, figs. Holotype ♂: Iran: Esfahan: 57 km S. Borujen 3 km S Dorahan, 1950 m, 8.vi.1997 (leg. Hofmann & Kautt) (coll. Hacker). Range (in code): TR IR Es Lo Fa Shr Kaz Mia Km Kz Skh Yas Elb Mz
- 59307. *Catocala (Ephesia) brandti schaideri* Habeler & Hacker, 1999** (Noctuidae) Synonym(s): *schaideri* Habeler & Hacker, 1999. Original Reference: *Catocala brandti* ssp. *schaideri* Habeler & Hacker, 1999, *Esperiana* 7: 431-432, figs. Holotype ♂: Griechenland: Prov. Epirus, Umg. v. Igoumenitsa, 100 m (leg. Habeler) (TLMF). Range (in code): GR
- 59308. *Catocala (Ephesia) catei* Weisert, 1998** (Noctuidae) Synonym(s): *catei* Weisert, 1998. Original Reference: *Catocala catei* Weisert, 1998, Z. ArbGem. öst. Ent. 50 (3/4): 125-126. Holotype ♂: Türkei: Prov. Malatya: 20 km SW. Doğanşehir, 24 6 1989 (leg. Barries & Cate) (coll. Weisert). Range (in code): TR
- 59309. *Catocala (Ephesia) disjuncta* (Geyer, [1828])** (Noctuidae) Synonym(s): *disjuncta* Geyer, [1828]. Range (in code): YU B-H AL BG GR CY Cr Rd TR RU Cc Kr MD UA BY Bionomy:

- Larva on *Quercus coccifera* (Fagaceae) (Staudinger,1879); on *Quercus* sp. (Siirt, Şirvan) (Kemal, Seven, Koçak, 2013).
- 59310. *Catocala (Ephesia) diversa* (Geyer,[1828])** (Noctuidae) Synonym(s): *diversa* Geyer,[1828]; *callinympha* Boisduval,[1828]; *#divera* Hacker,1988 Range (in code): ES FR Co Si IT AT SK HU RO YU AL BG GR TR IR By Fa RU MD UA BY LB IL Pa IQ Bionomy: Larva on *Quercus* (Wiltshire,1948).
- 59311. *Catocala (Ephesia) eutychea* (Treitschke,1835)** (Noctuidae) Synonym(s): *eutychea* Treitschke,1835; *delicata* Vicent,1913. Range (in code): DZ Hrh Sbd Abe AL GR Cr TR LB Bsa IL Pa SY JO
- 59312. *Catocala (Ephesia) flavescens* (Hampson,1894)** (Noctuidae) Synonym(s): *flavescens* Hampson,1894 Range (in code): CN Sz
- 59313. *Catocala (Ephesia) fulminea* (Scopoli,1763)** (Noctuidae) Synonym(s): *fulminea* Scopoli,1763; *manturna* Hufnagel,1766; *paranympha* Linnaeus,1767; *invasa* Leech,1900; *melli* Ishizuka,2001; *tungus* Ishizuka,2009 Original Reference: *Phalaena fulminea* Scopoli,1763, *Entomologia Carniolica*: 206. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR DK FI EE LV LT RU Cc Ro Kr St Ich MD UA BY CN Sz Bionomy: Larva on *Crataegus*, *Prunus spinosa*, *Pyrus* (Rosaceae), *Quercus cerris* (Fagaceae) (Robinson et al.).
- 59314. *Catocala (Ephesia) inconstans* Butler,1889** (Noctuidae) Synonym(s): *inconstans* Butler,1889 Range (in code): Pj Ch IN Hp
- 59315. *Catocala (Ephesia) mariana* Rambur,1858** (Noctuidae) Synonym(s): *mariana* Rambur,1858 Range (in code): PT ES Mu Bionomy: Larva on *Quercus coccifera* (Calle et. al., 2000).
- 59316. *Catocala (Ephesia) nymphaea* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]; *conjux* Freyer,1850 Original Reference: *Phalaena nymphaea* Esper,[1787], *Die Schmett.* 4:158, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. Range (in code): DZ Anna Blid Agi Ktr DhM BtNa Sfr Abe Sbd MA Mzg TN PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU Ro MD UA BY Ch PK AF Srb Gbh Bm Pag Kab CY IL Pa IR Elb Th Kz Yas Skh Bionomy: Larva on *Quercus ilex* (Fagaceae) (Robinson et al.).
- 59317. *Catocala (Ephesia) nymphaea kashmirica* W.Warren,1913** (Noctuidae) Synonym(s): *kashmirica* W.Warren,1913; *kabuli* O.Bang-Haas,1927. Range (in code): PK AF Srb Gbh Bm Pag Kab Ch
- 59318. *Catocala (Ephesia) nymphaea nymphaea* (Esper,[1787])** (Noctuidae) Synonym(s): *nymphaea* Esper,[1787]; *vestalis* Geyer,[1835]; *conjux* Freyer,1850 Original Reference: *Phalaena nymphaea* Esper,[1787], *Die Schmett.* 4:158, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. Range (in code): DZ Blid Agi Ktr DhM BtNa Sfr Abe Sbd MA Mzg TN PT ES Mu FR Co Sa Si IT MT DE CH AT YU AL BG GR Cr TR GG AM Cc DK RU Ro MD UA BY CY IL Pa IR Elb Th Kz Yas Skh
- 59319. *Catocala (Ephesia) persimilis* W.Warren,1888** (Noctuidae) Synonym(s): *persimilis* W.Warren,1888 Original Reference: *Catocala persimilis* W.Warren,1888, *Proc. zool. Soc. Lond.* 1888: 314. Type ♀: [Pakistan]: Thundiani, August 20, 1886. Range (in code): PK Thu Haz Mre IN IR Fa Kaz Mia
- 59320. *Catocala (Ephesia) separata* Freyer,1848** (Noctuidae) Synonym(s): *separata* Freyer,1848; *luctuosa* Staudinger,1901 *nec* Hulst,1884; *fumigata* Kuznetsov,1903 Range (in code): BG TR GG Smt Akh Cc MK GR LB SY IL Pa
- 59321. *Catocala (Ephesia) weiserti* Hacker,1999** (Noctuidae) Synonym(s): *weiserti* Hacker,1999 Original Reference: *Catocala weiserti* Hacker,1999, *Esperiana* 7: 433-434, figs. Holotype ♂: Türkiye: Prov. Ankara: Kızılcahamam (leg. Frieder) (ZSM). Range (in code): TR
- 59322. *Catocala (Ephesia) wolffi* Hacker,1999** (Noctuidae) Synonym(s): *wolffi* Hacker,1999 Original Reference: *Catocala wolffi* Hacker,1999, *Esperiana* 7: 434-435, figs. Holotype ♂: Türkiye: Prov. Hakkari: Çiğil suyu-Tal, 1100m 22km SW Hakkari, 28.vi.1984 (leg. Wolf) (ZSM). Range (in code): TR IR By
- 59323. *Catocala (Mormonia) dilecta* (Hübner,[1808])** (Noctuidae) Synonym(s): *dilecta* Hübner,[1808]; *dayremi* Oberthür,1907; *powelli* Oberthür,1907; *laetita* Schawerda,1931 Original Reference: *Noctua dilecta* Hübner,[1808], *Samml. eur. Schmett. Noct.2: Taf.83 fig.388* Type(s): Europa. Range (in code): DZ Sbd Agi DhM TN Abe BtNa PT ES Mu FR Co Sa Si IT DE CH AT SK HU RO YU BG GR Cr CY TR RU MD UA BY Bionomy: Larva on *Quercus* (Fagaceae) (Forster & Wohlfahrt,1971).
- 59324. *Catocala (Mormonia) sponsa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *sponsa* Linnaeus,1767; *rejecta* Fischer v. Waldheim,1820; *laeta* Oberthür,1907; *purpurea* Oberthür,1922 Original

- Reference: *Phalaena spona* Linnaeus, 1767, Syst. Nat. (Edn.12)1: 841. Type(s): Germania. Range (in code): **MA DZ DhM TN Sbd PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Cc Ro Kr St Ich MD UA BY KG Uk** Bionomy: Larva on *Quercus robur* (Fagaceae) (Robinson et al.).
- 59325. *Catocala* (s.str.) *abacta* Staudinger, 1900** (Noctuidae) Synonym(s): *abacta* Staudinger, 1900; *irana* Brandt, 1938; *#iranica* Hacker, 1986. Original Reference: *Catocala abacta* Staudinger, 1900, Dt. ent. Z., Iris 13: 113-114. Type ♂: [Türkei]: [Kahramanmaraş Prov.]: "Marasch", leg. Armenier Haradjan. Range (in code): **TR IR Ab Kd Sqq Sdt Mrv Bne Fa Kz Mia Es IQ Shq Akr**
- 59326. *Catocala* (s.str.) *adultera* Ménétriés, 1856** (Noctuidae) Synonym(s): *adultera* Ménétriés, 1856 Range (in code): **DK SE FI EE LV RU MD UA BY**
- 59327. *Catocala* (s.str.) *aestimabilis* Staudinger, 1892** (Noctuidae) Synonym(s): *aestimabilis* Staudinger, 1892 Original Reference: *Catocala aestimabilis* Staudinger, 1892, Dt. ent. Z., Iris 4: 330-332, Taf. iv fig.12. Syntypes: [China: Uighur A.R.]: Kysil-Jart im Kaschgar Gebiet. Range (in code): **TM CN Ui Ga**
- 59328. *Catocala* (s.str.) *afghana* Swinhoe, 1885** (Noctuidae) Synonym(s): *afghana* Swinhoe, 1885 Original Reference: *Catocala afghana* Swinhoe, 1885, Trans. ent. Soc. London 1885: 352, pl.ix fig.8. Syntypes: [Pakistan]: Quetta; Gwal. Range (in code): **TM KK Frz KG AF Srb Gbh PK Bl Qu Gw Abb**
- 59329. *Catocala* (s.str.) *amabilis* A.Bang-Haas, 1907** (Noctuidae) Synonym(s): *amabilis* A.Bang-Haas, 1907 Range (in code): **TM**
- 59330. *Catocala* (s.str.) *amnonfreidbergi* Kravchenko et al., 2008** (Noctuidae) Synonym(s): *amnonfreidbergi* Kravchenko et al., 2008 Original Reference: *Catocala amnonfreidbergi* Kravchenko et al., 2008, Acta zool. Lituanica 18 (2): 127-129, figs. Holotype ♂: Israel: Upper Galilee, Nahal Bezet 20 vii 1982 (TAU). Range (in code): **IL Pa**
- 59331. *Catocala* (s.str.) *arizonae* Grote, 1873** (Noctuidae) Synonym(s): *arizonae* Grote, 1873 Range (in code): **US Arz**
- 59332. *Catocala* (s.str.) *artobolevskiji* Sheljuzhko, 1943** (Noctuidae) Synonym(s): *artobolevskiji* Sheljuzhko, 1943 Range (in code): **UZ KG CN Ui**
- 59333. *Catocala* (s.str.) *borthi* Saldaitis, Ivinskis, Floriani & Babics, 2012** (Noctuidae) Synonym(s): *borthi* Saldaitis, Ivinskis, Floriani & Babics, 2012 Range (in code): **CN Sz**
- 59334. *Catocala* (s.str.) *californica* Edwards, 1864** (Noctuidae) Synonym(s): *californica* Edwards, 1864; *edwardsi* Kusnezov, 1903; *elizabeth* Cassino, 1918; *erichi* Brower, 1976 Range (in code): **US Cf**
- 59335. *Catocala* (s.str.) *californiensis* Brower, 1976** (Noctuidae) Synonym(s): *californiensis* Brower, 1976 Range (in code): **US Cf**
- 59336. *Catocala* (s.str.) *conjuncta* (Esper, [1787])** (Noctuidae) Synonym(s): *conjuncta* Esper, [1787]; *conjuga* Hübner, [1803]; *vivida* W. Warren, 1913; *perrettei* Seyer, 1976 Original Reference: *Phalaena conjuncta* Esper, [1787], Die Schmett. 4: 129, Tab.100 Noct. 21, fig.1,2. Syntypes: Südtalien. Range (in code): **DZ Abe DhM TN Agi Sbd PT ES Mu FR Co Sa Si IT MT YU AL BG GR Cr TR LB**
- 59337. *Catocala* (s.str.) *contemnenda* Staudinger, 1891** (Noctuidae) Synonym(s): *contemnenda* Staudinger, 1891 Range (in code): **CN Ui Ga**
- 59338. *Catocala* (s.str.) *conversa* (Esper, 1783)** (Noctuidae) Synonym(s): *conversa* Esper, [1787]; *pasythea* Hübner, [1809]; *agamos* Hübner, [1813] Original Reference: *Phalaena conversa* Esper, [1787], Die Schmett. 4: 368, Tab.105 Noct. 26B fig. 1-3. Syntypes: Italia: Florenz. Range (in code): **MA DZ Lbs Tun DhM Hrh Dzc Abe Sbd Btna TN PT ES Mu FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR CY DK RU Ro Kr MD UA Cc AM GG AZ Kir LB Bsa IL Pa JO SY Hal** Bionomy: Larva on *Quercus rotundifolia* (Fagaceae) (Robinson et al.).
- 59339. *Catocala* (s.str.) *deducta* Eversmann, 1843** (Noctuidae) Synonym(s): *deducta* Eversmann, 1843 Range (in code): **RU IR Fa**
- 59340. *Catocala* (s.str.) *desiderata* Staudinger, 1888** (Noctuidae) Synonym(s): *desiderata* Staudinger, 1888 Range (in code): **UZ Fe TJ CN Ui Ku**
- 59341. *Catocala* (s.str.) *editarevayae* G.C.Müller et al., 2008** (Noctuidae) Synonym(s): *editarevayae* G.C.Müller et al., 2008 Range (in code): **JO Amm IL Pa**
- 59342. *Catocala* (s.str.) *electa* (Vieweg, 1790)** (Noctuidae) Synonym(s): *electa* Vieweg, 1790 Range (in code): **ES IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR SE LT RU Ro MD UA BY Cc AZ AM GG Smt Bjo** Bionomy: Larva on *Salix* (Salicaceae) (Robinson et al.).

- 59343. Catocala (s.str.) elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] Original Reference: Phalaena elocata Esper,[1787], Die Schmett. 4: 127, Tab.99 Noct.20 fig. 1,2. Syntypes: [Deutschland]: Erlangen, Uffenheim. Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR GG Tbl Smt Bjo AZ Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL Pa SY IQ Bgd JHa JO CN Ui Ku Chk UZ Fe PK Swa Mdy Btba Bdj DhM Sfr Abe Clo Anna Orn** Bionomy: Larva on Populus, Salix (Salicaceae) (Robinson et al.).
- 59344. Catocala (s.str.) elocata elocata (Esper,[1787])** (Noctuidae) Synonym(s): *elocata* Esper,[1787]; *marita* Hübner,[1813]; *nurus* Hübner,[1822] Original Reference: Phalaena elocata Esper,[1787], Die Schmett. 4: 127, Tab.99 Noct.20 fig. 1,2. Syntypes: [Deutschland]: Erlangen, Uffenheim. Range (in code): **MA DZ Btba Bdj DhM Sfr Abe Clo Anna TN PT ES Mu FR Co Sa Si IT MT NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG Tbl Smt Bjo AZ Kir Len Cc IR Ab Oru Sro Elb Th Km Qz Kz Yas Skh SE LT RU Ro Kr St Nt Ing Kyi Da MD UA BY LB IL Pa SY IQ Bgd JHa JO**
- 59345. Catocala (s.str.) elocata locata Staudinger,1892** (Noctuidae) Synonym(s): *locata* Staudinger,1892 Range (in code): **UZ Fe CN Ui Ku Chk**
- 59346. Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) Synonym(s): *fraxini* Linnaeus,1758 Original Reference: Phalaena fraxini Linnaeus,1758, Syst. Nat. (Edn.10)1: 512. Type(s): [Europa]. Range (in code): **ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr St Kc Ich MD UA BY CN Ui Chk Kun** Bionomy: Larva on Fraxinus excelsior (Oleaceae), Betula (Betulaceae), Populus tremula, Salix (Salicaceae) (Robinson et al.).
- 59347. Catocala (s.str.) fredii Bytinski-Salz & Brandt,1937** (Noctuidae) Synonym(s): *fredii* Bytinski-Salz & Brandt,1937 Original Reference: Catocala fredii Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 7-9. Syntypes 5♂ 1♀: Iran: Keredj, 1400m. Range (in code): **IR Elb Th Kdj Kd Bjr Zj**
- 59348. Catocala (s.str.) fugitiva W.Warren,1914** (Noctuidae) Synonym(s): *fugitiva* W.Warren,1914 Range (in code): **KG**
- 59349. Catocala (s.str.) hymenaea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#hymenaea* [Denis & Schiffermüller],1775 Original Reference: Noctua hymenaea [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]: Vienna district. Range (in code): **IT AT CZ SK HU RO YU BG GR Cr TR GG Smt Bjo Lag AZ Kir Cc IR Kd Bne Mrv Snj LB IL Pa RU At Ro Kr St Ich Da MD UA BY CN** Bionomy: Larva on Prunus spinosa (Rosaceae) ([Denis & Schiffermüller],1775 et seq.).
- 59350. Catocala (s.str.) juncta Staudinger,1889** (Noctuidae) Synonym(s): *juncta* Staudinger,1889 Range (in code): **CN Ui Ku**
- 59351. Catocala (s.str.) koreana Staudinger,1892** (Noctuidae) Synonym(s): *koreana* Staudinger,1892 Range (in code): **KP KR**
- 59352. Catocala (s.str.) kusnezovi Püngeler,1914** (Noctuidae) Synonym(s): *kusnezovi* Püngeler,1914 Original Reference: Catocala kusnezovi Püngeler,1914, Dt. ent. Z., Iris 28: 48-49, Taf.iii fig.1. Syntypes: [Kazachstan]: "Syr-Daria, Baigacum"; [Uighur A.R.]: "Kuldja (Rückbeil)". Range (in code): **KG Bai CN Ui Ku**
- 59353. Catocala (s.str.) lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887 Original Reference: Catocala lesbia Christoph,1887, Stettin ent. Ztg. 48: 165. Syntypes: [Turkmenistan]: Aschabad; Lectotype ♂: Turkmenistan: Germob (Tekke) (ZIP). Range (in code): **TR EG Sn IL Pa IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es Kz AF PK Nf TM Kp** Bionomy: Larva on Populus alba (Salicaceae) (Wiltshire,1943; seq.).
- 59354. Catocala (s.str.) lesbia fittkaui Saldaitis, Kravchenko, Speidel,Witt,Junilla,Mooser,Reshöft & G.C.Müller,2008** (Noctuidae) Synonym(s): *fittkaui* Saldaitis, Kravchenko, Speidel,Witt,Junilla,Mooser,Reshöft & G.C.Müller,2008 Range (in code): **IR Kz PK Nf**
- 59355. Catocala (s.str.) lesbia lesbia Christoph,1887** (Noctuidae) Synonym(s): *lesbia* Christoph,1887 Original Reference: Catocala lesbia Christoph,1887, Stettin ent. Ztg. 48: 165. Syntypes: [Turkmenistan]: Aschabad; Lectotype ♂: Turkmenistan: Germob (Tekke) (ZIP). Range (in code): **TR EG Sn IL Pa IQ Kq JO IR Fa Kaz Mia Lo Elb Th Ss Es AF TM Kp**
- 59356. Catocala (s.str.) lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina* Herrich-Schäffer,[1851]; *detrita* W.Warren,1913 Original Reference: Catocala lupina Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:409. Type(s): [Russia]: Sarepta. Range (in code): **IT**

- YU BG GR TR AZ Hkd Kir Cc RU Ro MD UA BY IR Fa Lo IQ KG Uk At** Bionomy: Larva on Populus, Salix (Salicaceae) (Robinson et al.).
- 59357. Catocala (s.str.) lupina kastshenkoi Sheljuzhko,1943** (Noctuidae) Synonym(s): *kastshenkoi Sheljuzhko,1943* Range (in code): **TR Cc IR Lo**
- 59358. Catocala (s.str.) lupina lupina Herrich-Schäffer,[1851]** (Noctuidae) Synonym(s): *lupina Herrich-Schäffer,[1851]* Original Reference: Catocala lupina Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:409. Type(s): [Russia]: Sarepta. Range (in code): **IT YU BG GR RU Cc Ro MD UA BY**
- 59359. Catocala (s.str.) luscini Brandt,1938** (Noctuidae) Synonym(s): *luscini Brandt,1938*. Original Reference: Catocala luscini Brandt,1938, Ent. Rdsch. 55: 560, figs.129-132. Syntypes: Iran: Fort Mian-Kotal. Range (in code): **IR Fa Mia Kaz**
- 59360. Catocala (s.str.) macula (Hampson,1891)** (Noctuidae) Synonym(s): *macula Hampson,1891* Range (in code): **IN NI TH CMa Int VN NP LK CN TW JP ID Ja Bor Sum Tim Flo Clb PH**
- 59361. Catocala (s.str.) mesopotamica Kuznesov,1903** (Noctuidae) Synonym(s): *hetaera Staudinger,1895 nec Stgr.,1892; aspasia Staudinger,1897 nec Streck.,1874; mesopotamica Kuznesov,1903* Original Reference: Catocala mesopotamica Kuznesov,1903, Revue Russk. Ent. 3: 74. Type: Turkey: Mardin. Range (in code): **TR IR Km Krd Fa Lo By Kd Bne Mrv Kaz Mia IQ**
- 59362. Catocala (s.str.) moltrechti O.Bang-Haas,1927** (Noctuidae) Synonym(s): *moltrechti O.Bang-Haas,1927* Range (in code): **RU Us**
- 59363. Catocala (s.str.) neglecta Staudinger,1888** (Noctuidae) Synonym(s): *neglecta Staudinger,1888* Range (in code): **KK Ik UZ CN Ui**
- 59364. Catocala (s.str.) neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha Esper,[1805]* Original Reference: Phalaena neonympha Esper,[1805], Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta. Range (in code): **TR AZ Kir AM GG Cc RU Ro St Ich Da Der At MD UA BY TJ KG T-S Ket Aa TrA Uk KK Ik Smk UZ TM Fe CN Ui Ku Kön Tek Kty AM AF Bd Sen Kab Bark Gbh IR Ab Oru Ha Km Kd Bne Mrv Snj Kaz Mia Fa Bk Qz IQ JHa Mos Sbn Mq Bsr kut Dy TIH SY** Bionomy: Larva on Glycyrrhiza glandulifera (Fabaceae), Quercus (Fagaceae), Populus (Salicaceae) (Romanoff,1885; Warren,1913; et seq.).
- 59365. Catocala (s.str.) neonympha neonympha (Esper,[1805])** (Noctuidae) Synonym(s): *neonympha Esper,[1805]* Original Reference: Phalaena neonympha Esper,[1805], Die Schmett. 4(2/2): 75 Taf.198 Noct.119 fig.1,2. Type(s): Russia: Sarepta. Range (in code): **RU Ro St Ich Da Der At Cc UZ Fe TM**
- 59366. Catocala (s.str.) neonympha osthelderensis Hacker,1990** (Noctuidae) Synonym(s): *syriaca Osthelder,1933 nec Schult.,1909; osthelderensis Hacker,1990*. Original Reference: Catocala neonympha osthelderensis Hacker,1990, Neue. ent. Nachr. 27:325. nom.nov. pro syriaca Osth.,1933 nec Schultz,1909 Type: Türkei: Maraş. Range (in code): **TR Cc AM AF Bd Sen Kab Bark Gbh IR Fa Bk IQ SY**
- 59367. Catocala (s.str.) neonympha variegata (W.Warren,1913)** (Noctuidae) Synonym(s): *variegata W.Warren,1913* Original Reference: Mormonia neonympha ssp. variegata W.Warren,1913, [in] Seitz,A. Die Gross-Schmett. Erde 3: 303 (54c). Syntypes: "Sanka, Thian-shan, Ketmen Tjube, Sussamyr-Bergen, Uralsk". Range (in code): **KG TrA Aa T-S Ket Uk KK Ik CN Ui Ku Kön Tek Kty TJ**
- 59368. Catocala (s.str.) nivea Butler,1877** (Noctuidae) Synonym(s): *nivea Butler,1877; albissima Strand,1914* Range (in code): **PK Thu**
- 59369. Catocala (s.str.) nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta Linnaeus,1767; concubina Hübner,[1803]* Original Reference: Phalaena nupta Linnaeus,1767, Syst. Nat. (Edn.12) 1: 84. Syntypes: Germania, Nordfrika. Range (in code): **PT ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA BY CN Ui Ku Chk Gn Rth Sz Yu Ti RU Cc Ro Kr St Ich Ing Kyi At Am Vv Ask KG DsA KK Ik Ii JP** Bionomy: Larva on Fraxinus (Oleaceae), Populus, Salix (Salicaceae) (Robinson et al.).
- 59370. Catocala (s.str.) nupta alticola Mell,1942** (Noctuidae) Synonym(s): *alticola Mell,1942* Range (in code): **CN Sz Yu Ti**
- 59371. Catocala (s.str.) nupta centralasiae Kuznezov,1903** (Noctuidae) Synonym(s): *nuptialis Staudinger,1901 nec Wlk.,1857; centralasiae Kuznezov,1903* Range (in code): **RU At KG DsA KK Ik Ii CN Ui Ku Chk**
- 59372. Catocala (s.str.) nupta clara Osthelder,1933** (Noctuidae) Synonym(s): *clara Osthelder,1933* Original Reference: Catocala nupta ssp. clara Osthelder,1933, Mitt. münch. ent. Ges. 23: 93. Type ♂: [Türkei]: Marasch [Kahramanmaraş]. Range (in code): **TR**

- 59373. Catocala (s.str.) nupta kansuensis O.Bang-Haas,1927** (Noctuidae) Synonym(s): *kansuensis* O.Bang-Haas,1927 Original Reference: *Catocala nupta* ssp. *kansuensis* O.Bang-Haas,1927, *Horae Macrolepid.* 1: 88. Syntypes: China: Kansu sept., Richthofen Gbg., westl. Liang-tschou, July 2500m. Range (in code): **CN Gn Rth**
- 59374. Catocala (s.str.) nupta nupta (Linnaeus,1767)** (Noctuidae) Synonym(s): *nupta* Linnaeus,1767; *concupina* Hübner,[1803] Original Reference: *Phalaena nupta* Linnaeus,1767, *Syst. Nat.* (Edn.12) 1: 84. Syntypes: Germania, Nordfrika. Range (in code): **PT ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT MD UA BY RU Cc Ro Kr St Ich Ing Kyi**
- 59375. Catocala (s.str.) nupta obscurata Oberthür,1880** (Noctuidae) Synonym(s): *obscurata* Oberthür,1880 Range (in code): **RU Am Vv Ask JP**
- 59376. Catocala (s.str.) nymphaeoides Herrich-Schäffer,1852** (Noctuidae) Synonym(s): *nymphaeoides* Herrich-Schäffer,1852 Range (in code): **RU Sb**
- 59377. Catocala (s.str.) nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865; *vallantini* Oberthür,1894 Original Reference: *Phalaena nymphagoga* Esper,[1787], *Die Schmett.* 4:159, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. Range (in code): **DZ TN Blid Sbd Abe PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr Rd CY IR Fa Kz Yas Skh Mz Gls TR RU Cc AZ Len MD UA BY LB Bsa IL Pa JO IQ** Bionomy: Larva on *Quercus macranthera*, *Q. rotundifolia*, *Q. ilex*, *Q. suber* (Fagaceae) (Romanoff,1885; Robinson et al.).
- 59378. Catocala (s.str.) nymphagoga kurdistan Hacker,1999** (Noctuidae) Synonym(s): *kurdistan* Hacker,1999; *#kuristan* Hacker,1999 Original Reference: *Catocala nymphagoga* ssp. *kurdistan* Hacker,1999, *Esperiana* 7: 432-433, figs. Holotype ♂: Türkei: Prov. Bingöl, Kuruca Geçidi, 1700m, 23.vii.1984 (leg. & coll. Hacker). Range (in code): **TR IR Fa Kz Yas Skh**
- 59379. Catocala (s.str.) nymphagoga nymphagoga (Esper,[1787])** (Noctuidae) Synonym(s): *nymphagoga* Esper,[1787]; *v-nigrum* Villers,1789; *tmolia* Lederer,1865; *vallantini* Oberthür,1894 Original Reference: *Phalaena nymphagoga* Esper,[1787], *Die Schmett.* 4:159, Tab.105 Noct. 26 fig.4. Type(s): [France]: Lion. Range (in code): **DZ TN Blid Sbd Abe PT ES Mu FR Co Sa Si IT MT GB CH AT CZ SK HU RO YU AL BG GR Cr IR Fa TR RU Cc AZ Len MD UA BY LB IL Pa JO**
- 59380. Catocala (s.str.) oberthuri Austaut,1879** (Noctuidae) Synonym(s): *oberthuri* Austaut,1879; *gitana* Mabille,1885 Range (in code): **DZ Abe Btina Agi Sfr DhM Sbd Eba MA ES**
- 59381. Catocala (s.str.) olgaorlovae Kravchenko et al.,2008** (Noctuidae) Synonym(s): *olgaorlovae* Kravchenko et al.,2008 Range (in code): **IL Pa EG Sn JO**
- 59382. Catocala (s.str.) olgaorlovae duschara Lewandowski & Tober,2008** (Noctuidae) Synonym(s): *duschara* Lewandowski & Tober,2008 Range (in code): **JO**
- 59383. Catocala (s.str.) optata (Godart,1824)** (Noctuidae) Synonym(s): *optata* Godart,1824; *amanda* Boisduval,1840; *sultana* A.Bang-Haas,1910; *intermedia* Hampson,1913 Range (in code): **DZ Btina Abe DhM TN MA Tgr PT ES Mu FR IT**
- 59384. Catocala (s.str.) optima Staudinger,1888** (Noctuidae) Synonym(s): *optima* Staudinger,1888 Original Reference: *Catocala optima* Staudinger,1888, *Stettin ent Ztg.* 49: 57. Syntypes: [Uighur Ili]: Kuldja (MNHU Berlin). Range (in code): **KG Bai Tk CN Ui Ku IQ Bgd IR TR**
- 59385. Catocala (s.str.) orientalis Staudinger,1877** (Noctuidae) Synonym(s): *orientalis* Staudinger,1877 Original Reference: *Catocala puerpera* var. *orientalis* Staudinger,1877, *Stettin ent. Ztg.* 38: 202. Syntypes: Sarepta, Astrachan. Range (in code): **KG Uk RU Or Ro Kr St Sr Ur Cc UA UZ TJ**
- 59386. Catocala (s.str.) pacta (Linnaeus,1758)** (Noctuidae) Synonym(s): *pacta* Linnaeus,1758 Range (in code): **DE PL DK SE FI EE LV LT RU MD UA BY**
- 59387. Catocala (s.str.) patala R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *patala* R.Felder & Rogenhofer,1874; *volcanica* Butler,1877; *#fumosa* W.Warren,1913; *montana* Mell,1933 Range (in code): **IN PK Thu CN JP**
- 59388. Catocala (s.str.) prolifica Walker,1857** (Noctuidae) Synonym(s): *prolifica* Walker,1857 Range (in code):
- 59389. Catocala (s.str.) promissa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#promissa* [Denis & Schiffermüller],1775; *mneste* Hübner,[1813]; *hilaris* Oberthür,1907; *ochracea* Oberthür,1907; *electra* A.Bang-Haas,1910 Original Reference: *Noctua promissa* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett.* Wienergegend: 90. Type(s): [Austria]: Vienna district. Range (in code): **DZ Clo Sbd DhM TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR DK SE FI EE LV LT RU GG Smt Bjo AZ Len Cc Ro Kr St Ich Ing**

- MD UA BY** Bionomy: Larva on *Quercus robur*, *Castanea* (Fagaceae) ([Denis & Schiffermüller],1775; Hofmann (1893) et seq.).
- 59390. Catocala (s.str.) puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *orientalis* Staudinger,1877; *rosea* Austaut,1884; *romana* Schultz,1909 Original Reference: *Chysis puerpera* Giorna,1791, Cat. Ent. Torino: 142. Type(s): Turin. Range (in code): **MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR Rd TR GG Smt Bjo Lag AZ Hkd Cc LB Bei RU Ro Kr St Sr MD UA BY KG Ld IN Tar UZ Br TM Kp IL Pa SY JO EG Sn IQ IR Ab Qba Fa Km Elb Th Kd Snj Lo Kh Msh CN Ui Chk Au Ln Kl AF Slg Kab Srb KK Skm TJ Sfr Sbd Abe** Bionomy: Larva on *Populus* (Salicaceae) (Robinson et al.).
- 59391. Catocala (s.str.) puerpera pudica Moore,1879** (Noctuidae) Synonym(s): *pudica* Moore,1879; *pallida* Alpheraky,1887. Original Reference: *Catocala pudica* Moore,1879, Results Second Yarkend Mission Lepid.: 12. Syntypes: Ladak, Pashkyum. Range (in code): **Ld IN CN Ui Chk Au Ln Kl**
- 59392. Catocala (s.str.) puerpera puerpera (Giorna,1791)** (Noctuidae) Synonym(s): *puerpera* Giorna,1791; *amasia* Esper,[1804] *nec* Sm.,1797; *pellex* Hübner,[1809]; *orientalis* Staudinger,1877; *rosea* Austaut,1884; *romana* Schultz,1909 Original Reference: *Chysis puerpera* Giorna,1791, Cat. Ent. Torino: 142. Type(s): Turin. Range (in code): **MA DZ TN PT ES FR IT CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag RU MD UA BY KG Sfr Sbd Abe**
- 59393. Catocala (s.str.) puerpera syriaca Schultz,1909** (Noctuidae) Synonym(s): *syriaca* Schultz,1909 Original Reference: *Catocala puerpera* var. *syriaca* Schultz,1909, Ent. Z., Stuttgart 22: 169. Type(s): Beirut. Range (in code): **LB Bei IL Pa SY JO EG Sn IR Fa**
- 59394. Catocala (s.str.) puerpera tarbagata Schultz,1909** (Noctuidae) Synonym(s): *tarbagata* Schultz,1909; *centralasiae* Sheljuzhko,1943 *nec* Kuznezov,1903. Original Reference: *Catocala puerpera* var. *tarbagata* Schultz,1909, Ent. Z., Stuttgart 22: 169. Type(s): Beirut. Range (in code): **KG Tar UZ Br TM Kp KK Skm TJ**
- 59395. Catocala (s.str.) puerperoides Zahiri et al.,2008** (Noctuidae) Synonym(s): *puerperoides* Zahiri et al.,2008 Original Reference: *Catocala puerperoides* Zahiri et al.,2008, Acta zool. Lituanica 18 (1): 41-42, figs. Holotype ♂: Iran: Lorestan, Narmian, Oshtorankuh 2400m leg. Pazuki (HMIM). Range (in code): **IR Mz Elb Th Ak Ab Lo**
- 59396. Catocala (s.str.) remissa Staudinger,1892** (Noctuidae) Synonym(s): *remissa* Staudinger,1892 Range (in code): **TM Kp CN Ui Ga KG Tk Dj KK Skm**
- 59397. Catocala (s.str.) repudiata Staudinger,1888** (Noctuidae) Synonym(s): *repudiata* Staudinger,1888 Range (in code): **CN Ui Ku KK Ik KG Tk**
- 59398. Catocala (s.str.) seibaldi Saldaitis, Ivinskis & Borth,2010** (Noctuidae) Synonym(s): *seibaldi* Saldaitis, Ivinskis & Borth,2010; *pseudoformosana* Ishizuka,2010 Original Reference: *Catocala seibaldi* Saldaitis, Ivinskis & Borth,2010, Tinea 21 (2): 82. Holotype: China, Shaanxi, Lueyang. Range (in code): **CN She Gn**
- 59399. Catocala (s.str.) svetlana Sviridov,1996** (Noctuidae) Synonym(s): *svetlana* Sviridov,1996 Range (in code): **CN Fkn**
- 59400. Catocala (s.str.) timur A.Bang-Haas,1907** (Noctuidae) Synonym(s): *timur* A.Bang-Haas,1907 Original Reference: *Catocala timur* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 76. Syntypes: [Turkmenistan]: Transkaspien (MNHU, Berlin). Range (in code): **IR Ss TM Mrw CN Ui Ga**
- 59401. Catocala (s.str.) timur richteri Wiltshire,1961** (Noctuidae) Synonym(s): *richteri* Wiltshire,1961 Range (in code): **IR Ss**
- 59402. Catocala (s.str.) timur timur A.Bang-Haas,1907** (Noctuidae) Synonym(s): *timur* A.Bang-Haas,1907 Original Reference: *Catocala timur* A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 76. Syntypes: [Turkmenistan]: Transkaspien (MNHU, Berlin). Range (in code): **TM Mrw CN Ui Ga**
- 59403. Catocala (s.str.) toropovi Saldaitis, Kons & Borth,2014** (Noctuidae) Synonym(s): *toropovi* Saldaitis, Kons & Borth,2014 Range (in code): **KG Tk**
- 59404. Catocala (s.str.) viviannae Hacker & Kautt,1996** (Noctuidae) Synonym(s): *viviannae* Hacker & Kautt,1996 Original Reference: *Catocala viviannae* Hacker & Kautt,1996, Esperiana 4: 306-308. figs. Holotype ♂: [Türkei]: Prov. Tunceli, 1050m, 7-9.viii.1992, leg. Kautt, coll. Hacker. Range (in code): **TR**
- 59405. Catocala lehmanni Speidel, Ivinskis & Saldaitis,2008** (Noctuidae) Synonym(s): *lehmanni* Speidel, Ivinskis & Saldaitis,2008 Range (in code): **CN Sz**
- 59406. Celaena dolia (Püngeler,1902)** (Noctuidae) Synonym(s): *dolia* Püngeler,1902 Original Reference: *Hadena dolia* Püngeler,1902, Dt. ent. Z., Iris 15: 151-152, Taf.v figs.20,21. Syntypes: [Kirgizistan]: "Togus-torau, Alexandergebirge". Range (in code): **KK Ax**

- 59407. *Celaena haworthii* (Curtis,1829)** (Noctuidae) **Synonym(s):** *haworthii* Curtis,1829; *hibernica* Stephens,1829; *lancea* Stephens,1829 **Original Reference:** *Phalaena haworthii* Curtis,1829, Br. Ent. 6 260, pl.260. Syntypes: Great Britain, Whittlesea Mere, Windermere. **Range (in code):** **FR IE GB BE NL DE AT PL CZ SK TR DK NO SE FI EE LV LT RU MD UA BY**
- 59408. *Celaena leucostigma* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *leucostigma* Hübner,[1808]; *fibrosa* Hübner,[1808] *lumina* Haworth,1809; *laevis* Butler,1881 **Range (in code):** **ES FR Sa IT IS IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR DK NO SE FI EE LV LT RU Cc Ro St Nt MD UA BY JP**
- 59409. *Centrartha albiapicata* W.Warren,1914** (Noctuidae) **Synonym(s):** *albiapicata* W.Warren,1914 **Range (in code):** **ZA**
- 59410. *Centrartha albinotata* Janse,1938** (Noctuidae) **Synonym(s):** *albinotata* Janse,1938 **Range (in code):** **ZA**
- 59411. *Centrartha albipuncta* Janse,1938** (Noctuidae) **Synonym(s):** *albipuncta* Janse,1938 **Range (in code):** **ZA**
- 59412. *Centrartha albistriga* Janse,1938** (Noctuidae) **Synonym(s):** *albistriga* Janse,1938 **Range (in code):** **ZA**
- 59413. *Centrartha albogrisea* Janse,1938** (Noctuidae) **Synonym(s):** *albogrisea* Janse,1938 **Range (in code):** **ZA**
- 59414. *Centrartha argentea* W.Warren,1914** (Noctuidae) **Synonym(s):** *argentea* W.Warren,1914 **Range (in code):** **ZA**
- 59415. *Centrartha brevipectinata* Janse,1938** (Noctuidae) **Synonym(s):** *brevipectinata* Janse,1938 **Range (in code):** **ZA**
- 59416. *Centrartha brunnea* W.Warren,1914** (Noctuidae) **Synonym(s):** *brunnea* W.Warren,1914 **Range (in code):** **ZA**
- 59417. *Centrartha cretacea* W.Warren,1914** (Noctuidae) **Synonym(s):** *cretacea* W.Warren,1914 **Range (in code):** **ZA**
- 59418. *Centrartha dentata* Janse,1938** (Noctuidae) **Synonym(s):** *dentata* Janse,1938 **Range (in code):** **ZA**
- 59419. *Centrartha dicksoni* Janse,1938** (Noctuidae) **Synonym(s):** *dicksoni* Janse,1938 **Range (in code):** **ZA**
- 59420. *Centrartha diffusa* Janse,1938** (Noctuidae) **Synonym(s):** *diffusa* Janse,1938 **Range (in code):** **ZA**
- 59421. *Centrartha fulvinotata* W.Warren,1914** (Noctuidae) **Synonym(s):** *fulvinotata* W.Warren,1914 **Range (in code):** **ZA**
- 59422. *Centrartha fulvitincta* W.Warren,1914** (Noctuidae) **Synonym(s):** *fulvitincta* W.Warren,1914 **Range (in code):** **ZA**
- 59423. *Centrartha furcivitta* Hampson,1909** (Noctuidae) **Synonym(s):** *furcivitta* Hampson,1909 **Range (in code):** **ZA**
- 59424. *Centrartha griseola* Janse,1938** (Noctuidae) **Synonym(s):** *griseola* Janse,1938 **Range (in code):** **ZA**
- 59425. *Centrartha hexistigma* Janse,1938** (Noctuidae) **Synonym(s):** *hexistigma* Janse,1938 **Range (in code):** **ZA**
- 59426. *Centrartha modesta* Janse,1938** (Noctuidae) **Synonym(s):** *modesta* Janse,1938 **Range (in code):** **ZA**
- 59427. *Centrartha monochroma* Janse,1938** (Noctuidae) **Synonym(s):** *monochroma* Janse,1938 **Range (in code):** **ZA**
- 59428. *Centrartha nigrosignata* Janse,1938** (Noctuidae) **Synonym(s):** *nigrosignata* Janse,1938 **Range (in code):** **ZA**
- 59429. *Centrartha ochrealis* Janse,1938** (Noctuidae) **Synonym(s):** *ochrealis* Janse,1938 **Range (in code):** **ZA**
- 59430. *Centrartha ossicolor* W.Warren,1914** (Noctuidae) **Synonym(s):** *ossicolor* W.Warren,1914; *roseitincta* Gaede,1915. **Range (in code):** **ZA**
- 59431. *Centrartha pallescens* W.Warren,1914** (Noctuidae) **Synonym(s):** *pallescens* W.Warren,1914 **Range (in code):** **ZA**
- 59432. *Centrartha pectinata* Janse,1938** (Noctuidae) **Synonym(s):** *pectinata* Janse,1938 **Range (in code):** **ZA**
- 59433. *Centrartha pygmaea* Janse,1938** (Noctuidae) **Synonym(s):** *pygmaea* Janse,1938 **Range (in code):** **ZA**

- 59434. *Centrartha serricornis* Janse,1938** (Noctuidae) Synonym(s): *serricornis* Janse,1938
Range (in code): **ZA**
- 59435. *Centrartha similus* Janse,1938** (Noctuidae) Synonym(s): *similus* Janse,1938 _ Range (in code): **ZA**
- 59436. *Centrartha vansoni* Janse,1938** (Noctuidae) Synonym(s): *vansoni* Janse,1938; *#vanseni* Janse,1940. _ Range (in code): **ZA**
- 59437. *Centrogone chlorochrysa* Hampson,1910** (Noctuidae) Synonym(s): *chlorochrysa* Hampson,1910 _ Range (in code): **ZA**
- 59438. *Cephena costata* Moore,1882** (Noctuidae) Synonym(s): *costata* Moore,1882 _ Range (in code): **IN Khs Meg Ass SI Djl TH Ntt Hba LA ID Sum Bor Ja CN TW**
- 59439. *Cerapoda aegyptiaca* Joannis,1910** (Noctuidae) Synonym(s): *aegyptiaca* Joannis,1910
Range (in code): **EG**
- 59440. *Cerapteryx graminis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. Original Reference: *Phalaena graminis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): [Europa]. Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich MD UA BY**
- 59441. *Cerapteryx graminis graminis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. Original Reference: *Phalaena graminis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 506. Type(s): [Europa]. Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich MD UA BY**
- 59442. *Cerapteryx megal* (Alpheraky,1882)** (Noctuidae) Synonym(s): *megala* Alpheraky,1882. Original Reference: *Charaeas graminis* var. *megala* Alpheraky,1882, Horae Soc. ent. ross. 17: 64. [China: Uighur A.R.]: Archane. Range (in code): **RU Cc Ich Ce8 Da Kus GG TR CN Ui Ku Arc Ju KK TrA**
- 59443. *Cerapteryx megal megal* (Alpheraky,1882)** (Noctuidae) Synonym(s): *megala* Alpheraky,1882. Original Reference: *Charaeas graminis* var. *megala* Alpheraky,1882, Horae Soc. ent. ross. 17: 64. [China: Uighur A.R.]: Archane. Range (in code): **CN Ui Arc Ju Ku KK TrA**
- 59444. *Cerapteryx megal tugani* Ronkay,1990** (Noctuidae) Synonym(s): *tugani* Ronkay,1990
Original Reference: *Cerapteryx megal* ssp. *tugani* Ronkay,1990, Annls hist.-nat. natn. Hung. 82: 155, figs. Holotype ♂: Russia: Chechen-Ingous ASSR, Caucasus N, Kezenoi-am, 2100m (HNHM).
Range (in code): **RU Ich Ce8 Da Kus GG Cc TR**
- 59445. *Ceraptila reniferalis* Guenée,1854** (Noctuidae) Synonym(s): *reniferalis* Guenée,1854; *megaproctis* Hampson,1902. _ Range (in code): **ZA Cap Ec**
- 59446. *Cerastis aspira* Gyulai, L.Ronkay & Saldaitis,2011** (Noctuidae) Synonym(s): *aspira* Gyulai, L.Ronkay & Saldaitis,2011 _ Range (in code): **CN Sz**
- 59447. *Cerastis faceta* (Treitschke,1835)** (Noctuidae) Synonym(s): *faceta* Treitschke,1835; *amicta* Donzel,1847; *variicollis* Delahaye,1886 _ Range (in code): **DZ Hrh Blid Hmk Agi MA Tgr TN PT ES FR Co Sa Si IT YU MT**
- 59448. *Cerastis leucographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *leucographa* [Denis & Schiffermüller],1775; *cervina* Hübner,[1821]; *lepetitii* Boisduval,1832 Original Reference: *Noctua leucographa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district. Range (in code): **FR IT GB BE NL LU DE CH CZ SK HU BG DK NO SE FI EE LV LT RU Cc Ro MD UA BY JP**
- 59449. *Cerastis rubricosa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubricosa* [Denis & Schiffermüller],1775; *rubricosa* Fabricius,1787; *mucida* Esper,[1790]; *pilicornis* Brahm,1791; *rufa* Haworth,1809; *mista* Hübner,[1813]. Original Reference: *Noctua rubricosa* Fabricius,1787, Mant. Ins. 2: 176, nr.265. Type(s): [Wien]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kc Nt MD UA BY JP**
- 59450. *Cerocala albimacula* Hampson,1916** (Noctuidae) Synonym(s): *albimacula* Hampson,1916
Range (in code): **SO**
- 59451. *Cerocala algiriae* Oberthür,1876** (Noctuidae) Synonym(s): *algiriae* Oberthür,1876; *biskrensis* Culot,1916; *machadoi* Bacallado,1974 _ Range (in code): **Cn MA DZ Ajj Onç Hes Bsk BSa Lgt Ceg Gha Ges Ktr Afl Ogl Gle Gf Sfr TN MT LY**
- 59452. *Cerocala basilewskyi* Berio,1954** (Noctuidae) Synonym(s): *basilewskyi* Berio,1954
Range (in code): **ZR**
- 59453. *Cerocala caelata* Karsch,1896** (Noctuidae) Synonym(s): *caelata* Karsch,1896 _ Range (in code): **TG SN**

- 59454. *Cerocala caelata albicornis* Berio,1966** (Noctuidae) **Synonym(s):** *albicornis* Berio,1966
Range (in code): **SN**
- 59455. *Cerocala contraria* (Walker,1865)** (Noctuidae) **Synonym(s):** *contraria* Walker,1865;
revulsa Wallengren,1875. **Range (in code):** **ZA Tva Gau Pre Jh KE Nai Ec Ans Kzu Nta Dbn Mv**
- 59456. *Cerocala decaryi* Griveaud & Viette,1961** (Noctuidae) **Synonym(s):** *decaryi* Griveaud &
Viette,1961 **Range (in code):** **MG**
- 59457. *Cerocala grandirena* Berio,1954** (Noctuidae) **Synonym(s):** *grandirena* Berio,1954
Range (in code): **SO**
- 59458. *Cerocala ilia* Viette,1973** (Noctuidae) **Synonym(s):** *ilia* Viette,1973 **Range (in code):**
MG
- 59459. *Cerocala illustrata* Holland,1897** (Noctuidae) **Synonym(s):** *illustrata* Holland,1897; *lineata*
Druce,1900 **Range (in code):** **SO**
- 59460. *Cerocala insana* (Herrich-Schäffer,1854)** (Noctuidae) **Synonym(s):** *insana* Herrich-
Schäffer,1854 **Range (in code):** **ZA Ec**
- 59461. *Cerocala masaica* Hampson,1913** (Noctuidae) **Synonym(s):** *masaica* Hampson,1913
Range (in code): **KE**
- 59462. *Cerocala mindingiensis* Romieux,1937** (Noctuidae) **Synonym(s):** *mindingiensis*
Romieux,1937; *bergeri* Berio,1954 **Range (in code):** **ZR**
- 59463. *Cerocala munda* Druce,1900** (Noctuidae) **Synonym(s):** *munda* Druce,1900 **Range (in**
code): **SO**
- 59464. *Cerocala oppia* Druce,1900** (Noctuidae) **Synonym(s):** *oppia* Druce,1900 **Range (in**
code): **SO**
- 59465. *Cerocala orientalis* De Joannis,1912** (Noctuidae) **Synonym(s):** *orientalis* De Joannis,1912
Range (in code): **VN**
- 59466. *Cerocala ratovosoni* Viette,1973** (Noctuidae) **Synonym(s):** *ratovosoni* Viette,1973
Range (in code): **MG**
- 59467. *Cerocala rothschildi* Turati,1924** (Noctuidae) **Synonym(s):** *rothschildi* Turati,1924
Range (in code): **MA DZ Ajj TN LY Cy EG SA IR**
- 59468. *Cerocala sana* Staudinger,1901** (Noctuidae) **Synonym(s):** *insana* Staudinger,1871 *nec* H-
S.,1858; *sana* Staudinger,1901; *albifusa* de Joannis,1910; *perorsorum* Turati,1924; *rothschildi* Turati,1924;
autumnalis Turati,1926; *fulgens* Berio,2002; *turatii* Berio,2002 **Original Reference:** *Cerocala scapulosa*
var. *sana* Staudinger,1901, Cat. lepid. Pal. Fauna 3 (1): 241, no.2394a. Type: [Türkei]: "Antioch"
[Hatay Prov.]. **Range (in code):** **DZ Onç Amu Sfr Bsk Orn BSa Lgt Ceg Ogl Gle Gha Ges Dje Hrh LY**
EG Sn SA TR IR Hz Ss Ahz Chh B-A JO IQ IL Pa LB
- 59469. *Cerocala scapulosa* (Hübner,[1808])** (Noctuidae) **Synonym(s):** *scapulosa* Hübner,[1808]
Range (in code): **MA PT ES MT**
- 59470. *Cerocala sokotrensis* Hampson,1899** (Noctuidae) **Synonym(s):** *sokotrensis*
Hampson,1899; *socotrensis* Hampson,1913 **Range (in code):** **Sk**
- 59471. *Cerocala subrufa* Griveaud & Viette,1961** (Noctuidae) **Synonym(s):** *subrufa* Griveaud &
Viette,1961 **Range (in code):** **MG**
- 59472. *Cerocala vermiculosa* Herrich-Schäffer,1854** (Noctuidae) **Synonym(s):** *vermiculosa*
Herrich-Schäffer,1854; *megalesia* Griveaud & Viette,1961. **Range (in code):** **ZA Tva Gau Pre Lpo Spb**
Mdk Ec Kny BW Nga Grh
- 59473. *Cerynea acidalia* Berio,1960** (Noctuidae) **Synonym(s):** *acidalia* Berio,1960 **Range (in**
code): **MG**
- 59474. *Cerynea albivitta* Hampson,1918** (Noctuidae) **Synonym(s):** *albivitta* Hampson,1918
Range (in code): **MW Mje**
- 59475. *Cerynea contentaria* (Walker,1861)** (Noctuidae) **Synonym(s):** *contentaria* Walker,1861
Range (in code): **MY Bor Swk**
- 59476. *Cerynea digonia* Hampson,1914** (Noctuidae) **Synonym(s):** *digonia* Hampson,1914
Range (in code): **NG Minn**
- 59477. *Cerynea disjunctaria* (Walker,1862)** (Noctuidae) **Synonym(s):** *disjunctaria* Walker,1862;
mundicolaria Walker,1862 **Range (in code):** **MY Bor Swk**
- 59478. *Cerynea endotrichalis* Hampson,1910** (Noctuidae) **Synonym(s):** *endotrichalis*
Hampson,1910 **Range (in code):** **ZA KE**
- 59479. *Cerynea flavibasalis* Hampson,1910** (Noctuidae) **Synonym(s):** *flavibasalis* Hampson,1910
Range (in code): **GH**

- 59480. *Cerynea flavicostata* (Holland,1894)** (Noctuidae) **Synonym(s):** *flavicostata* Holland,1894
Range (in code): **GA Ogo**
- 59481. *Cerynea homala* A.E.Prout,1925** (Noctuidae) **Synonym(s):** *homala* A.E.Prout,1925
Range (in code): **MY Kdh**
- 59482. *Cerynea ignealis* Hampson,1910** (Noctuidae) **Synonym(s):** *ignealis* Hampson,1910
Range (in code): **ZA KE**
- 59483. *Cerynea igniaria* (Hampson,1898)** (Noctuidae) **Synonym(s):** *igniaria* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 59484. *Cerynea limbobrunnea* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *limbobrunnea* D.S.Fletcher,1961
Range (in code): **NG Lgo**
- 59485. *Cerynea nigropuncta* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *nigropuncta* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 59486. *Cerynea omphisalis* Walker,1859** (Noctuidae) **Synonym(s):** *omphisalis* Walker,1859
Range (in code): **MY Bor Swk**
- 59487. *Cerynea ovata* Berio,1977** (Noctuidae) **Synonym(s):** *ovata* Berio,1977
Range (in code): **TZ Zz**
- 59488. *Cerynea pallens* Hampson,1918** (Noctuidae) **Synonym(s):** *pallens* Hampson,1918
Range (in code): **SB**
- 59489. *Cerynea perrubra* Hampson,1910** (Noctuidae) **Synonym(s):** *rubra* Bethune-Baker,1906 nec Swinh.,1905; *perrubra* Hampson,1910
Range (in code): **PG Aro**
- 59490. *Cerynea ragazzii* Berio,1937** (Noctuidae) **Synonym(s):** *ragazzii* Berio,1937
Range (in code): **ET Sw**
- 59491. *Cerynea rubra* Swinhoe,1905** (Noctuidae) **Synonym(s):** *rubra* Swinhoe,1905
Range (in code): **MY Bor**
- 59492. *Cerynea sepiata* W.Warren,1913** (Noctuidae) **Synonym(s):** *sepiata* W.Warren,1913
Range (in code): **MY Bor Sbh**
- 59493. *Cerynea sumatrana* Swinhoe,1918** (Noctuidae) **Synonym(s):** *sumatrana* Swinhoe,1918
Range (in code): **ID Sum**
- 59494. *Cerynea thermesialis* (Walker,[1866])** (Noctuidae) **Synonym(s):** *thermesialis* Walker,[1866]; *rhodotrichia* Hampson,1910
Range (in code): **ZA Nta Kzu KE Kky**
- 59495. *Cerynea trichobasis* Hampson,1910** (Noctuidae) **Synonym(s):** *trichobasis* Hampson,1910
Range (in code): **SL**
- 59496. *Cerynea ustula* (Hampson,1898)** (Noctuidae) **Synonym(s):** *ustula* Hampson,1898
Range (in code): **LK IN Adm**
- 59497. *Cerynea vinosa* Berio,1960** (Noctuidae) **Synonym(s):** *vinosa* Berio,1960
Range (in code): **MG**
- 59498. *Cerynea virescens* Hampson,1910** (Noctuidae) **Synonym(s):** *virescens* Hampson,1910
Range (in code): **ZA Ec Tra**
- 59499. *Cerynea xenia* Swinhoe,1902** (Noctuidae) **Synonym(s):** *xenia* Swinhoe,1902
Range (in code): **MY Prk**
- 59500. *Cetola costata* Gaede,1915** (Noctuidae) **Synonym(s):** *costata* Gaede,1915
Range (in code): **TZ Iri ZA**
- 59501. *Cetola dentata* Walker,1855** (Noctuidae) **Synonym(s):** *dentata* Walker,1855; ? *ligniferata* Walker,1855
Range (in code): **IN NP**
- 59502. *Cetola naumanni* Speidel,2005** (Noctuidae) **Synonym(s):** *naumanni* Speidel,2005
Original Reference: *Cetola naumanni* Speidel,2005, Ent. Z., Stutt. 115 (1): 13-14, figs. Holotype ♂: Thailand: Changwat Nan, 25km N of Bo Luang, 1150m, 3.ii.2000, leg. M.Hreblay (coll. Behounek).
Range (in code): **TH Nan Bou**
- 59503. *Cetola obscurior* Laporte,1972** (Noctuidae) **Synonym(s):** *obscurior* Laporte,1972
Range (in code): **CM**
- 59504. *Cetola phaleroides* Rothschild,1924** (Noctuidae) **Synonym(s):** *phaleroides* Rothschild,1924
Range (in code): **MG**
- 59505. *Cetola puechredoni* (Berio,1993)** (Noctuidae) **Synonym(s):** *puechredoni* Berio,1993
Range (in code): **TZ**
- 59506. *Cetola pulchra* (Bethune-Baker,1911)** (Noctuidae) **Synonym(s):** *pulchra* Bethune-Baker,1911
Range (in code): **AO ZA ET ET24**

- 59507. *Cetola radiata* Hampson,1909** (Noctuidae) Synonym(s): *radiata* Hampson,1909
Range (in code): **ZA Nta Kzu Dbn**
- 59508. *Cetola rubricosta* Hampson,1907** (Noctuidae) Synonym(s): *rubricosta* Hampson,1907
Range (in code): **LK**
- 59509. *Cetola vicina* De Joannis,1913** (Noctuidae) Synonym(s): *vicina* De Joannis,1913 _ Range (in code): ER
- 59510. *Chabuata perirorata* W.Warren** (Noctuidae) Synonym(s): _ Range (in code): TH CMa CDo
- 59511. *Chabuata rufilinea* Hampson,1910** (Noctuidae) Synonym(s): *rufilinea* Hampson,1910
Range (in code): **ZW ZA**
- 59512. *Chaetostephana inclusa* (Karsch,1895)** (Noctuidae) Synonym(s): *inclusa* Karsch,1895
Range (in code): **TZ GN AO**
- 59513. *Chaetostephana rendalli* (Rothschild,1896)** (Noctuidae) Synonym(s): *rendalli* Rothschild,1896 _ Range (in code): AO CG TZ MW
- 59514. *Chaetostephana rendalli angolana* Jordan,1913** (Noctuidae) Synonym(s): *angolana* Jordan,1913 _ Range (in code): AO
- 59515. *Chaetostephana rendalli rendalli* (Rothschild,1896)** (Noctuidae) Synonym(s): *rendalli* Rothschild,1896 _ Range (in code): CG TZ MW
- 59516. *Chalciope alcyona* (Druce)** (Noctuidae) Synonym(s): *alcyona* Druce _ Range (in code): ID Sum Ja Clb Mlc PG Bsm AU WS NC FJ
- 59517. *Chalciope delta* (Boisduval,1833)** (Noctuidae) Synonym(s): *delta* Boisduval,1833
Range (in code): **ZA BW Nga Wca Plt MG MU**
- 59518. *Chalciope erecta* Hampson,1902** (Noctuidae) Synonym(s): *erecta* Hampson,1902
Range (in code): **ZA Nta Kzu Tva Lpo Ly KE**
- 59519. *Chalciope mygdon* (Cramer,[1777])** (Noctuidae) Synonym(s): *mygdon* Cramer,[1777]; *triangulum* Fabricius,1787; *mygdoniae* Hübner,[1823] Original Reference: Phalaena mygdon Cramer,[1777], Utitl. Kapellen 2: 94, pl.250, fig.D. Type: "Surinam" [patria falsa] [Oriental Region]. Range (in code): TH Tng CMa Cuo1 Sgk Hya PSu MY LA KH VN NP IN LK CN TW JP PH ID Sum Ja Bor
- 59520. *Chalciope pusilla* (Holland,1894)** (Noctuidae) Synonym(s): *pusilla* Holland,1894
Range (in code): **ZA**
- 59521. *Chalestra podaresalis* Walker,1859** (Noctuidae) Synonym(s): *podaresalis* Walker,1859
Range (in code): **ZA**
- 59522. *Chandata aglaja* (Kishida & Yoshimoto,1978)** (Noctuidae) Synonym(s): *aglaja* Kishida & Yoshimoto,1978 _ Range (in code): TW
- 59523. *Chandata bella* (Butler,1881)** (Noctuidae) Synonym(s): *bella* Butler,1881; *graeseri* Staudinger,1892 _ Range (in code): JP RU Am
- 59524. *Chandata c-nigrum* Yoshimoto,1982** (Noctuidae) Synonym(s): *c-nigrum* Yoshimoto,1982
Range (in code): **NP**
- 59525. *Chandata maminti* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *maminti* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): TH CMa VN Lci
- 59526. *Chandata partita* Moore,1882** (Noctuidae) Synonym(s): *partita* Moore,1882 _ Range (in code): IN SI Djl
- 59527. *Chandata taiwana* Yoshimoto,1982** (Noctuidae) Synonym(s): *taiwana* Yoshimoto,1982
Range (in code): **TW**
- 59528. *Chandata tridentata* Yoshimoto,1982** (Noctuidae) Synonym(s): *tridentata* Yoshimoto,1982 _ Range (in code): NP
- 59529. *Chandica ayama* Kobes,1988** (Noctuidae) Synonym(s): *ayama* Kobes,1988 _ Range (in code): MY Bor ID Sum
- 59530. *Chandica quadripennis* Moore,1888** (Noctuidae) Synonym(s): *quadripennis* Moore,1888; *gertae* Kobes,1997 _ Range (in code): MY Bor ID Sum TH CMa Cmz Cz10 Dst Dso9
- 59531. *Chandica radula* Holloway,2003** (Noctuidae) Synonym(s): *radula* Holloway,2003
Range (in code): **MY Bor BN Swk ID Sum**
- 59532. *Characoma adiabunensis* Berio,1940** (Noctuidae) Synonym(s): *adiabunensis* Berio,1940
Range (in code): **ET**
- 59533. *Characoma albisecta* Wileman & South,1921** (Noctuidae) Synonym(s): *albisecta* Wileman & South,1921 _ Range (in code): PH Luz

- 59534. Characoma albulalis Walker,1863** (Noctuidae) Synonym(s): *albulalis* Walker,1863
Range (in code): **MY Bor Swk**
- 59535. Characoma araca Swinhoe,1919** (Noctuidae) Synonym(s): *araca* Swinhoe,1919 _ Range (in code): IN Ass Meg Khs
- 59536. Characoma basisuffusa Holloway,1976** (Noctuidae) Synonym(s): *basisuffusa* Holloway,1976 _ Range (in code): MY Bor Sbh KBa
- 59537. Characoma cana (Hampson,1894)** (Noctuidae) Synonym(s): *cana* Hampson,1894
Range (in code): **MM Peg**
- 59538. Characoma casuaria Wileman & West,1929** (Noctuidae) Synonym(s): *casuaria* Wileman & West,1929 _ Range (in code): PH Luz
- 59539. Characoma curiosa (Swinhoe,1890)** (Noctuidae) Synonym(s): *curiosa* Swinhoe,1890
Range (in code): **MM Rgo**
- 59540. Characoma deleta (Hampson,1905)** (Noctuidae) Synonym(s): *deleta* Hampson,1905
Range (in code): **PE**
- 59541. Characoma distincta (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *distincta* Bethune-Baker,1906; *costiplagata* Bethune-Baker,1910; *#perakensis* Strand,1917; *perakensis* Gaede,1937
Range (in code): **MY Prk Bor ID Clb PG SB Bsm**
- 59542. Characoma ferrigrisea (Hampson,1905)** (Noctuidae) Synonym(s): *ferrigrisea* Hampson,1905 _ Range (in code): GM
- 59543. Characoma fortiscripta Holloway,2003** (Noctuidae) Synonym(s): *fortiscripta* Holloway,2003 _ Range (in code): MY Bor Sbh BN Swk
- 59544. Characoma glaphyra (Holland,1894)** (Noctuidae) Synonym(s): *glaphyra* Holland,1894
Range (in code): **GA**
- 59545. Characoma glaucopasta Hampson,1912** (Noctuidae) Synonym(s): *glaucopasta* Hampson,1912 _ Range (in code): IN MM MY Bor ID Ja
- 59546. Characoma latifascia Wileman & West,1929** (Noctuidae) Synonym(s): *latifascia* Wileman & West,1929 _ Range (in code): PH Luz
- 59547. Characoma malaisei Berio,1973** (Noctuidae) Synonym(s): *malaisei* Berio,1973 _ Range (in code): MM Kam Kch
- 59548. Characoma melanographa Hampson,1918** (Noctuidae) Synonym(s): *melanographa* Hampson,1918 _ Range (in code): ZA Tva Lpo
- 59549. Characoma metalophota (Hampson,1896)** (Noctuidae) Synonym(s): *metalophota* Hampson,1896 _ Range (in code): IN Ass Meg Kgs LK ID Sum MY Bor
- 59550. Characoma micropuncta Berio,1957** (Noctuidae) Synonym(s): *micropuncta* Berio,1957
Range (in code): **ZR**
- 59551. Characoma miophora Hampson,1912** (Noctuidae) Synonym(s): *miophora* Hampson,1912
Range (in code): **ZA Tva Lpo**
- 59552. Characoma multilinea (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *multilinea* Bethune-Baker,1906 _ Range (in code): PG Aro
- 59553. Characoma musculana (Erschoff,1874)** (Noctuidae) Synonym(s): *musculana* Erschoff,1874 _ Range (in code): UZ N-A
- 59554. Characoma nigricollaris Hampson,1918** (Noctuidae) Synonym(s): *nigricollaris* Hampson,1918 _ Range (in code): ZA Tva Gau Pre
- 59555. Characoma nilotica (Rogenhofer,1882)** (Noctuidae) Synonym(s): *nilotica* Rogenhofer,1882; *chamaeleon* Möschler,1890; *littora* Bethune-Baker,1894; *laurea* Druce,1898; *proteella* Dyar,1898; *#albifascia* Draudt,1939 _ Range (in code): PR MX EG Co MT GR Cr IT LB IL Pa IR Hz B-A Ss Chh Fa Kaz Mia Cn ER SA Bionomy: Larva on *Tamarix articulata* etc. (sensu auctorum).
- 59556. Characoma pallidorsum Holloway,2003** (Noctuidae) Synonym(s): *pallidorsum* Holloway,2003 _ Range (in code): IN MY SG Bor Swk BN PH
- 59557. Characoma phaeoleuca Hampson,1912** (Noctuidae) Synonym(s): *phaeoleuca* Hampson,1912 _ Range (in code): LK
- 59558. Characoma pica (Strand,1918)** (Noctuidae) Synonym(s): *pica* Strand,1918 _ Range (in code): ZR
- 59559. Characoma polia (Hampson,1898)** (Noctuidae) Synonym(s): *polia* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 59560. Characoma scoparioides (Walker,1863)** (Noctuidae) Synonym(s): *scoparioides* Walker,1863 _ Range (in code): MY Bor Swk IN

- 59561. Characoma sexilinea (Bethune-Baker,1909)** (Noctuidae) Synonym(s): *sexilinea* Bethune-Baker,1909 Range (in code): **ZR**
- 59562. Characoma stictigrapta Hampson,1914** (Noctuidae) Synonym(s): *stictigrapta* Hampson,1914 Range (in code): **GH ZA**
- 59563. Characoma submediana Wiltshire,1986** (Noctuidae) Synonym(s): *submediana* Wiltshire,1986 Range (in code): **ZA**
- 59564. Characoma sumatrana Swinhoe,1918** (Noctuidae) Synonym(s): *sumatrana* Swinhoe,1918 Range (in code): **ID Sum**
- 59565. Characoma triangulum Berio,1957** (Noctuidae) Synonym(s): *triangulum* Berio,1957 Range (in code): **ZR**
- 59566. Characoma vallata (Meyrick,1902)** (Noctuidae) Synonym(s): *vallata* Meyrick,1902 Range (in code): **AU NC**
- 59567. Charanyca (Rusina) apfelbecki (Rebel,1901)** (Noctuidae) Synonym(s): *apfelbecki* Rebel,1901 Original Reference: *Hiptelia apfelbecki* Rebel,1901, Verh. zool.- bot. Ges. Wien 51: 798. Type: Bosnia_Herzegowina; Ivan plain. Range (in code): **Si IT B-H MK BG GR**
- 59568. Charanyca (Rusina) ferrosqualida Simonyi,1996** (Noctuidae) Synonym(s): *ferrosqualida* Simonyi,1996 Range (in code): **TR Cc**
- 59569. Charanyca (Rusina) ferruginea (Esper,[1785])** (Noctuidae) Synonym(s): *umbratica* Goeze,1781 nec Linn.,1758; *ferruginea* Esper,[1785]; *tenebrosa* Hübner,[1803]; *phaeus* Haworth,1803; *obsoletissima* Haworth,1809 Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cc TR GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kr Kc Nt Ing Da Ur Sb Sj At MD UA BY**
- 59570. Charanyca (s.str.) trigrammica (Hufnagel,1766)** (Noctuidae) Synonym(s): *trigrammica* Hufnagel,1766; *quercus* Fabricius,1775; *trilinea* [Denis & Schiffermüller],1775; *evidens* Thunberg,1784; *notacula* Fabricius,1787; *quercicola* Gmelin,1790; *bilinea* Hübner,1803; *semifuscans* Haworth,1809; *approximans* Haworth,1809; *asiaminorica* Pinker,1980 Original Reference: *Phalaena trigrammica* Hufnagel,1766, Berl. Mag. 4(2):408. Type(s): Deutschland: Berlin. Range (in code): **ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Kr Nt St GG Smt Bjo MD UA BY** Bionomy: Larva on *Lamium* (Lamiaceae); *Taraxacum* (Asteraceae); *Rumex* (Polygonaceae); *Plantago* (Plantaginaceae) (Beck,1960).
- 59571. Chasmina basiflava Holloway,1979** (Noctuidae) Synonym(s): *basiflava* Holloway,1979 Range (in code): **NC**
- 59572. Chasmina candida (Walker,1865)** (Noctuidae) Synonym(s): *candida* Walker,1865; *sericea* Hampson,1893 Range (in code): **ZA LK Cbo ID Clb PG SB NH FJ WS TO MP**
- 59573. Chasmina fasciculosa (Walker,1858)** (Noctuidae) Synonym(s): *fasciculosa* Walker,1858; *cirrus* R.Felder,1874; *dasyptera* Chen,1982 Range (in code): **LK TH CMa PH Hn CN**
- 59574. Chasmina tibialis (Fabricius,1775)** (Noctuidae) Synonym(s): *tibialis* Fabricius,1775; *vestae* Guenée,1852; *cygnus* Walker,1856; *glabra* Walker,1865; *celebensis* Snellen,1880; *mariae* Mabilie,1881 Original Reference: *Bombyx tibialis* Fabricius,1775; Syst. Ent.: 578. Type(s): Nova Hollandia. Range (in code): **IN WS FJ TO NH NC PG Nlr MY ID Clb AU QAU NSw PF Ms RA ZA Nta Kzu Dbn ZW ET ET24**
- 59575. Chasmina tibiopunctata Bethune-Baker,1908** (Noctuidae) Synonym(s): *tibiopunctata* Bethune-Baker,1908; *nigropunctata* Bethune-Baker,1908; *multipunctata* W.Warren,1913 Range (in code): **TH CMa CDo**
- 59576. Chasminodes aino Sugi,1956** (Noctuidae) Synonym(s): *albonitens* Sugi,1955 nec Br.,1861; *aino* Sugi,1956 Range (in code): **JP Hkk**
- 59577. Chasminodes albonitens (Bremer,1861)** (Noctuidae) Synonym(s): *albonitens* Bremer,1861; *albipalpis* Bryk,1948; *harutai* Sugi,1955 Range (in code): **RU Us KP KR JP**
- 59578. Chasminodes annamica Behounek,1995** (Noctuidae) Synonym(s): *annamica* Behounek,1995 Original Reference: *Chasminodes annamica* Behounek,1995, NachrBl. bayer. Ent. 44 (3/4): 26-28. Holotype: Vietnam: Annam. Range (in code): **VN Ann**
- 59579. Chasminodes atrata (Butler,1884)** (Noctuidae) Synonym(s): *atrata* Butler,1884 Range (in code): **JP**
- 59580. Chasminodes behouneki Kononenko,2008** (Noctuidae) Synonym(s): *behouneki* Kononenko,2008 Range (in code): **CN**
- 59581. Chasminodes bremeri Sugi & Kononenjo,1981** (Noctuidae) Synonym(s): *bremeri* Sugi & Kononenjo,1981 Range (in code): **RU Us**
- 59582. Chasminodes cilia (Staudinger,1888)** (Noctuidae) Synonym(s): *cilia* Staudinger,1888 Range (in code): **RU Us**

- 59583. Chasminodes japonica Sugi,1955** (Noctuidae) Synonym(s): *japonica* Sugi,1955 _ Range (in code): **JP**
- 59584. Chasminodes nervosa (Butler,1881)** (Noctuidae) Synonym(s): *nervosa* Butler,1881 Range (in code): **JP**
- 59585. Chasminodes nigrifascia Chen,1986** (Noctuidae) Synonym(s): *nigrifascia* Chen,1986 Range (in code): **CN Hbe**
- 59586. Chasminodes nigrilinea (Leech,1889)** (Noctuidae) Synonym(s): *nigrilinea* Leech,1889 Range (in code): **JP**
- 59587. Chasminodes nigrostigma Yang,1984** (Noctuidae) Synonym(s): *nigrostigma* Yang,1984 Range (in code): **CN Sz**
- 59588. Chasminodes niveus Yang,1964** (Noctuidae) Synonym(s): *niveus* Yang,1964 _ Range (in code): **CN Sz**
- 59589. Chasminodes pseudoalbonitens Sugi,1955** (Noctuidae) Synonym(s): *pseudoalbonitens* Sugi,1955 _ Range (in code): **JP**
- 59590. Chasminodes sugii Kononenko,1981** (Noctuidae) Synonym(s): *sugii* Kononenko,1981 Range (in code): **RU Us**
- 59591. Chasminodes unipuncta Sugi,1955** (Noctuidae) Synonym(s): *unipuncta* Sugi,1955 Range (in code): **JP**
- 59592. Chasminodes ussurica Kononenko,1982** (Noctuidae) Synonym(s): *ussurica* Kononenko,1982 _ Range (in code): **RU Us**
- 59593. Chazaria feildi (Erschoff,1874)** (Noctuidae) Synonym(s): *feildi* Erschoff,1874 _ Range (in code): **CN Ui Ii**
- 59594. Chazaria incarnata (Freyer,1838)** (Noctuidae) Synonym(s): *incarnata* Freyer,1838; *boisduvali* Boisduval,1840. Original Reference: *Heliothis incarnata* Freyer,1838, Neue. Beitr. Schmett. 3:91, Tab. 256, fig. 4. Type(s): [Türkei]: Konstantinopel [=Istanbul]. Range (in code): **DZ Orn Ahr BSa Ges Agi PT ES Mu IT RO YU BG GR TR GG Smt Tbl AZ Kir AM Cc RU Ro St Da MD UA BY IR Fa Com Elb Th Kdj Mz Ab Mak Ss Hz B-A Bu Dlk IQ AF Hr Pli IL Pa SY** Bionomy: Larva on *Silene* (Staudinger,1879); *Silene compacta* (Caryophyllaceae) (Lokman et al,2010).
- 59595. Chelonomorpha japona Motschulsky,1860** (Noctuidae) Synonym(s): *japona* Motschulsky,1860; *villicoides* Butler,1875; *austeni* Moore,1879; *burmana* Strand,1912 _ Range (in code): **JP CN MM IN Ass**
- 59596. Chersotis (Cyrebia) adili (Koçak,1987)** (Noctuidae) Synonym(s): *adili* Koçak,1987 Original Reference: *Chersotis adili* Koçak,1987, Priamus 4: 121, fig. Holotype ♂: Turkey: Rize Prov.: Çamlıhemşin: Amlakıt yaylası (coll. Cesa). Range (in code): **TR Cc GG AM**
- 59597. Chersotis (Cyrebia) anachoreta (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987 Original Reference: *Agrotis anachoreta* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 349. Syntypes: Türkiye. Range (in code): **RU Kr St Kb Nt Da GG Cc TR IR Mz AM AZ**
- 59598. Chersotis (Cyrebia) anachoreta anachoreta (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *anachoreta* Herrich-Schäffer,[1851]; *niesiolowskii* Koçak,1987; *taurica* Hacker,1996 Original Reference: *Agrotis anachoreta* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 349. Syntypes: Türkiye. Range (in code): **RU Kr St Kb Nt Da GG Cc TR AM AZ**
- 59599. Chersotis (Cyrebia) anachoreta forsteri Sheljuzhko,1955** (Noctuidae) Synonym(s): *forsteri* Sheljuzhko,1955 _ Range (in code): **IR Elb Mz**
- 59600. Chersotis (Cyrebia) luperinoides Guenée,1852** (Noctuidae) Synonym(s): *luperinoides* Guenée,1852 Original Reference: *Cyrebia luperinoides* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Lep., Noct. 2: 196. Syntypes: [Russia]: Südrussland. Range (in code): **RU Kb Kc Nt Cc GG TR**
- 59601. Chersotis (Cyrebia) soganli Matov, Gyulai, Varga, L.Ronkay & G.Ronkay,2013** (Noctuidae) Synonym(s): *soganli* Matov, Gyulai, Varga, L.Ronkay & G.Ronkay,2013 Original Reference: *Chersotis soganli* Matov, Gyulai, Varga, L.Ronkay & G.Ronkay,2013, Taxonomic Atl. Eurasian N. African Noctuoidea 6: 104. Holotype ♂: Turkey, Bayburt Prov., 3km N of Soğanlı Pass 2100m 19 vii 2006 T.Cosvari leg. Range (in code): **TR**
- 59602. Chersotis (s.str.) acutangula (Staudinger,1892)** (Noctuidae) Synonym(s): *acutangula* Staudinger,1892 _ Range (in code): **KK Ax TrA**
- 59603. Chersotis (s.str.) alpestris (Boisduval,[1837])** (Noctuidae) Synonym(s): *alpestris* Boisduval,[1837] Original Reference: *Agrotis alpestris* Boisduval,[1837], Icon. Hist. Lépid. Eur.

- 2: Taf. 76, figs.4,5. Syntypes: [Europa]. Range (in code): ES FR IT CH AT RU Ro Ich Ing Da Ur UA Cm TR IR Kh KuB Mz Elb Th Lo Cc AM KK Ik
- 59604. Chersotis (s.str.) alpestris ponticola (Draudt,1936)** (Noctuidae) Synonym(s): *ponticola* Draudt,1936 Original Reference: *Rhyacia alpestris* ssp. *ponticola* Draudt,1936, Ent. Rdsch. 53: 469, Taf.iv b3. Syntypes: [Türkei]: Ak-schehir (Sultan-Dagh). Range (in code): RU Ro Ich Ing Da Ur UA Cm TR IR Kh KuB Mz Elb Th Dam Lo Cc AM KK Ik
- 59605. Chersotis (s.str.) anatolica (Draudt,1936)** (Noctuidae) Synonym(s): *anatolica* Draudt,1936; *elegantula* Boursin,1945. Original Reference: *Rhyacia elegans* ssp. *anatolica* Draudt,1936, Ent. Rdsch. 53: 469. Syntypes: [Türkei]: Ak-schehir (Sultan-Dagh); Lectotype ♂, designated by Varga (1986, Nota lepid. 9: 55), coll.Schwingenschuss (NHMW). Range (in code): ES Mu IT GR TR Cc AZ RU Ing Da IR Fa By Bk Mz Elb Th Kdv Lo TM Kp
- 59606. Chersotis (s.str.) anatolica transcaspiae Varga,1996** (Noctuidae) Synonym(s): *transcaspiae* Varga,1996 Range (in code): TM Kp
- 59607. Chersotis (s.str.) andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837] Original Reference: *Agrotis andereggii* Boisduval,[1837], Icon. Hist. Lépid. Eur.2: Taf.76, fig.6. Type(s): [Europa]. Range (in code): FR IT CH GR FI EE RU TR IN Ld Cc AZ IR KK Ik T-S At Sj MN CN Ui Kml
- 59608. Chersotis (s.str.) andereggii andereggii (Boisduval,[1837])** (Noctuidae) Synonym(s): *andereggii* Boisduval,[1837] Range (in code): FR IT CH GR
- 59609. Chersotis (s.str.) andereggii arcana Mikkola,1987** (Noctuidae) Synonym(s): *arcana* Mikkola,1987 Range (in code): FI EE
- 59610. Chersotis (s.str.) andereggii exclamans (Eversmann,1841)** (Noctuidae) Synonym(s): *exclamans* Eversmann,1841 Range (in code): RU Ur TR Cc AZ IR KK Ik T-S At Sj MN CN Ui Kml
- 59611. Chersotis (s.str.) andereggii subtilis Hacker & Peks,1990** (Noctuidae) Synonym(s): *subtilis* Hacker & Peks,1990 Range (in code): IN Ld
- 59612. Chersotis (s.str.) antigrapha Boursin,1961** (Noctuidae) Synonym(s): *antigrapha* Boursin,1961 Range (in code): AF Pag
- 59613. Chersotis (s.str.) argyllographa Varga & Gyulai,2001** (Noctuidae) Synonym(s): *argyllographa* Varga & Gyulai,2001 Range (in code): TJ Pm
- 59614. Chersotis (s.str.) binaloudi Brandt,1941** (Noctuidae) Synonym(s): *binaloudi* Brandt,1941 Original Reference: *Chersotis binaloudi* Brandt,1941, Mitt. münch. ent. Ges. 31: 845, fig.27. Syntypes ♂♂: Iran: [Khorassan]: Kouh i Binaloud, 3000-3300m. Range (in code): IR Kh KuB Fa
- 59615. Chersotis (s.str.) calorica (Corti,1930)** (Noctuidae) Synonym(s): *calorica* Corti,1930 Range (in code): KG Tk Dj
- 59616. Chersotis (s.str.) capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902. Range (in code): GR RU Ur Or Gub TR Cc IR Zj Fa Ss Elb Th AF TM Mrw CN Ui IL Pa He
- 59617. Chersotis (s.str.) capnistis capnistis (Lederer,1872)** (Noctuidae) Synonym(s): *capnistis* Lederer,1872; *neara* Püngeler,1902. Range (in code): GR RU TR Cc IR Fa AF TM Mrw CN Ui IL Pa He
- 59618. Chersotis (s.str.) capnistis glabripennis (Corti,1926)** (Noctuidae) Synonym(s): *glabripennis* Corti,1926; *guberae* Corti,1930 Range (in code): RU Ur Or Gub
- 59619. Chersotis (s.str.) capnistis schnacki Fibiger & Moberg,1993** (Noctuidae) Synonym(s): *schnacki* Fibiger & Moberg,1993 Range (in code): GR
- 59620. Chersotis (s.str.) cortifera Rezbanyai-Reser,1997** (Noctuidae) Synonym(s): *cortifera* Rezbanyai-Reser,1997 Range (in code): KG Tk Dj li T-S TJ Pm
- 59621. Chersotis (s.str.) cryptographa Varga & Gyulai,2002** (Noctuidae) Synonym(s): *cryptographa* Varga & Gyulai,2002 Range (in code): IR By
- 59622. Chersotis (s.str.) cuprea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *jordanovi* Toulouchkov,1951. Original Reference: *Noctua cuprea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FI EE LV LT RU Ro Kr Kb Ur Sr MD UA Cm BY CN Ui Kn? Ti Je Ch? JP
- 59623. Chersotis (s.str.) cuprea cuprea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *cuprea* [Denis & Schiffermüller],1775; *haematitidea* Esper,[1794]; *palustris* Osthelder,1927; *pertexta* Draudt,1936; *jordanovi* Toulouchkov,1951. Original Reference: *Noctua cuprea* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 91. Type(s): [Austria]:

- Vienna district. Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kt Kb Cc Ur Sr MD UA Cm BY**
- 59624. Chersotis (s.str.) cuprea japonica (Warnecke,1940)** (Noctuidae) Synonym(s): *japonica* Warnecke,1940 Range (in code): **JP**
- 59625. Chersotis (s.str.) cuprea livescens (Draudt,1933)** (Noctuidae) Synonym(s): *livescens* Draudt,1933; *pertexta* Draudt,1936. Range (in code): **TR Cc AM**
- 59626. Chersotis (s.str.) cuprea schaeferi Boursin,1954** (Noctuidae) Synonym(s): *schaeferi* Boursin,1954 Range (in code): **CN Ui Kn? Ti Je Ch?**
- 59627. Chersotis (s.str.) curvispina Boursin,1961** (Noctuidae) Synonym(s): *curvispina* Boursin,1961 Range (in code): **IR AF Hr UZ Z-G TM Arw Kp**
- 59628. Chersotis (s.str.) cyrnea (Spuler,1908)** (Noctuidae) Synonym(s): *cyrnea* Spuler,1908 Range (in code): **Co Sa?**
- 59629. Chersotis (s.str.) delear Boursin,1970** (Noctuidae) Synonym(s): *delear* Boursin,1970 Range (in code): **AF**
- 59630. Chersotis (s.str.) deplana (Freyer,1831)** (Noctuidae) Synonym(s): *deplana* Freyer,1831 Range (in code): **RU**
- 59631. Chersotis (s.str.) deplanata (Eversmann,1843)** (Noctuidae) Synonym(s): *deplanata* Eversmann,1843; ? *bardana* Freyer,1845; *autumnalis* Oberthür,1880; *sachalinensis* Matsumura,1925; *columbina* Bryk,1949 Range (in code): **RU Ur Sb At Us MN KP KR CN Ti**
- 59632. Chersotis (s.str.) eberti Dufay & Varga,1995** (Noctuidae) Synonym(s): *eberti* Dufay & Varga,1995 Range (in code): **IR Elb Th Fa Lo**
- 59633. Chersotis (s.str.) electrographa Varga,1990** (Noctuidae) Synonym(s): *electrographa* Varga,1990 Range (in code): **AF**
- 59634. Chersotis (s.str.) elegans (Eversmann,1837)** (Noctuidae) Synonym(s): *elegans* Eversmann,1837; *grammiptera* Rambur,[1839]. Range (in code): **ES FR IT? CH MK BG GR RU Ro Kr Kb Nt Da Or Ur AM Cc IR LB Bsa IL Pa He**
- 59635. Chersotis (s.str.) elegans hermonis Hacker & Kravchenko,2001** (Noctuidae) Synonym(s): *hermonis* Hacker & Kravchenko,2001 Range (in code): **LB Bsa IL Pa He**
- 59636. Chersotis (s.str.) fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798] Original Reference: *Phalaena fimbriola* Esper,[1798], *Die Schmett.* 4(2/2): 53, Taf.193, fig.3. Type(s): Ungarn: [Budapest]. Range (in code): **MA Rf ES FR Si IT CH AT SK HU RO YU AL BG GR Cr TR Cc AM Eri Geg GG AZ Nv Ord RU Ro Kb Nt Ich MD UA Cm BY IR Kh KuB Elb Kdv Dam Fa Bk By Es Ha Zj Mz Th Ab Bne Sqq Mrv Oru Sdt Lo Kd TM IQ**
- 59637. Chersotis (s.str.) fimbriola ayaschi Koçak,1989** (Noctuidae) Synonym(s): *ayaschi* Koçak,1989 Range (in code): **TR**
- 59638. Chersotis (s.str.) fimbriola baloghi Hacker & Varga,1990** (Noctuidae) Synonym(s): *baloghi* Hacker & Varga,1990 Range (in code): **HU**
- 59639. Chersotis (s.str.) fimbriola bohatschi (Rebel,1904)** (Noctuidae) Synonym(s): *bohatschi* Rebel,1904 Range (in code): **TR Cc AM Eri Geg**
- 59640. Chersotis (s.str.) fimbriola fimbriola (Esper,[1798])** (Noctuidae) Synonym(s): *fimbriola* Esper,[1798] Range (in code): **HU AT**
- 59641. Chersotis (s.str.) fimbriola hackeri Fibiger,1993** (Noctuidae) Synonym(s): *hackeri* Fibiger,1993 Range (in code): **FR**
- 59642. Chersotis (s.str.) fimbriola iberica (Zerny,1927)** (Noctuidae) Synonym(s): *iberica* Zerny,1927; *amalae* Fernandez,1931 Range (in code): **ES**
- 59643. Chersotis (s.str.) fimbriola iminenia (Zerny,1934)** (Noctuidae) Synonym(s): *iminenia* Zerny,1934 Range (in code): **MA**
- 59644. Chersotis (s.str.) fimbriola maravignae (Duponchel,1826)** (Noctuidae) Synonym(s): *maravignae* Duponchel,1826; *dannehli* Hacker & Varga,1990 Range (in code): **Si**
- 59645. Chersotis (s.str.) fimbriola raddei (Christoph,1877)** (Noctuidae) Synonym(s): *raddei* Christoph,1877 Range (in code): **TR IR Elb Th Dam Kdv Kh KuB Lo Kd Bne Sqq Mrv Ab Oru Sdt Bk By Es Ha Zj Mz UA Cm RU Ro Kb Nt Ich AZ Nv Ord TM**
- 59646. Chersotis (s.str.) fimbriola rifensis (Rungs,1967)** (Noctuidae) Synonym(s): *rifensis* Rungs,1967 Range (in code): **MA Rf**
- 59647. Chersotis (s.str.) fimbriola tuna Koçak,1991** (Noctuidae) Synonym(s): *forsteri* Thurner,1964 *nec* Shelj.,1955; *tuna* Koçak,1991. Original Reference: *Chersotis fimbriola* ssp. *tuna* Koçak,1991, *Cent. ent. Stud., Misc. Pap.* 10: 2 (nomen novum pro *forsteri* Thurner,1964 *nec* Sheljuzhko,1955). Range (in code): **MK GR BG**

- 59648. Chersotis (s.str.) fimbriola vallensis De Bros,1962** (Noctuidae) **Synonym(s):** *vallensis De Bros,1962* - Range (in code): FR
- 59649. Chersotis (s.str.) fimbriola zernyi (Corti,1931)** (Noctuidae) **Synonym(s):** *zernyi Corti,1931* - Range (in code): TR IR Kh Fa IQ LB Bsa IL Pa
- 59650. Chersotis (s.str.) firdussi Schwingenschuss,1937** (Noctuidae) **Synonym(s):** *firdussi Schwingenschuss,1937* - Range (in code): AF IR Fa Elb Plr Lo Kh KuB TR
- 59651. Chersotis (s.str.) friedeli Pinker,1974** (Noctuidae) **Synonym(s):** *friedeli Pinker,1974*
Original Reference: Chersotis friedeli Pinker,1974, Z. ArbGem. öst. Ent. 24: 111, fig. Holotype: Turkey: [Ankara]: Tuzgölü. Range (in code): TR
- 59652. Chersotis (s.str.) glebosa (Staudinger,1900)** (Noctuidae) **Synonym(s):** *glebosa Staudinger,1900* - Range (in code): TR IR Fa Elb Th Dam
- 59653. Chersotis (s.str.) gratissima (Corti,1932)** (Noctuidae) **Synonym(s):** *gratissima Corti,1932* Original Reference: Agrotis gratissima Corti,1932, Int. ent. Z. 26:152. Syntypes: [Turkey]: Akşehir. Range (in code): TR Cc AM Arg Svn Geg IR Ma Es By
- 59654. Chersotis (s.str.) gratissima gratissima (Corti,1932)** (Noctuidae) **Synonym(s):** *gratissima Corti,1932* Original Reference: Agrotis gratissima Corti,1932, Int. ent. Z. 26:152. Syntypes: [Turkey]: Akşehir. Range (in code): TR Cc AM Arg Svn Geg IR Ma
- 59655. Chersotis (s.str.) gratissima zaghros Gyulai & Varga,2006** (Noctuidae) **Synonym(s):** *zaghros Gyulai & Varga,2006* - Range (in code): IR By Es
- 59656. Chersotis (s.str.) griseivena (Hampson,1894)** (Noctuidae) **Synonym(s):** *griseivena Hampson,1894* Original Reference: Agrotis griseivena Hampson,1894, Fauna Br. India (moths) 2: 187. Type ♀: India, Dalhousie (BMNH). Range (in code): IN Hp Dlh PK Swa Sgl
- 59657. Chersotis (s.str.) hahni (Christoph,1885)** (Noctuidae) **Synonym(s):** *hahni Christoph,1885* Original Reference: Agrotis hahni Christoph,1885, [in] Romanoff, Mém. lépid. 2: 33-35, pl.ii fig.8. Syntypes ♂♀: [Georgia]: Tiflis. Range (in code): IR Elb Kdj Th Fa Hz Ss Cc AZ Nv Ord GG Tbl
- 59658. Chersotis (s.str.) herczigi Varga,1996** (Noctuidae) **Synonym(s):** *herczigi Varga,1996* Range (in code): PK Haz Kag Nar
- 59659. Chersotis (s.str.) illauta (Draudt,1936)** (Noctuidae) **Synonym(s):** *illauta Draudt,1936*
Original Reference: Agrotis (Dichagyris) illauta Draudt,1936, Ent. Rdsch. 53: 465, Taf.iv b1. Syntypes 2♂ 2♀: [Türkei]: Ak-schehir (Sultan-Dagh); Marasch. Range (in code): TR AM Cc Geg IR Fa Elb Th
- 59660. Chersotis (s.str.) juvenis (Staudinger,1901)** (Noctuidae) **Synonym(s):** *caelebs Staudinger,1900 nec Stgr.,1896; juvenis Staudinger,1901; clarivenosa Draudt,1936.* - Range (in code): AM Cc IR Fa Kh Elb Th Kd Snj TR
- 59661. Chersotis (s.str.) kacem (Le Cerf,1933)** (Noctuidae) **Synonym(s):** *kacem Le Cerf,1933* Range (in code): MA Afr DZ
- 59662. Chersotis (s.str.) laeta (Rebel,1904)** (Noctuidae) **Synonym(s):** *laeta Rebel,1904*
Original Reference: Agrotis fimbriola var. laeta Rebel,1904, Annln naturh. Mus. Wien 19:209. Syntypes: [Turkey]: Konia; Libanon. Range (in code): YU B-H AL GR Cr TR Cc AM Geg RU Ing Da IR Fa Bk Ha Zj Elb Th UA? Cm? LB Bsa IL Pa He
- 59663. Chersotis (s.str.) laeta achaiana Thurner,1967** (Noctuidae) **Synonym(s):** *achaiana Thurner,1967* - Range (in code): GR
- 59664. Chersotis (s.str.) laeta cretica Hacker & Varga,1990** (Noctuidae) **Synonym(s):** *cretica Hacker & Varga,1990* - Range (in code): Cr
- 59665. Chersotis (s.str.) laeta euxina Hacker & Varga,1990** (Noctuidae) **Synonym(s):** *euxina Hacker & Varga,1990; #euxinia Hacker & Varga,1990; #artvina Hacker & Varga,1990* Original Reference: Chersotis laeta ssp. euxina Hacker & Varga,1990, Spixiana 13 (3): 297-298, figs. map. Holotype ♂: Nordosttürkei: Prov. Gemüşhane [sic]: Vaukdagi geçidi, 27km osö Gemüşhane, 1800m 3.vii.1984 (leg. Wolf, coll.Hacker). Range (in code): TR Cc AM Geg IR Elb Th UA? Cm?
- 59666. Chersotis (s.str.) laeta laeta (Rebel,1904)** (Noctuidae) **Synonym(s):** *laeta Rebel,1904*
Original Reference: Agrotis fimbriola var. laeta Rebel,1904, Annln naturh. Mus. Wien 19:209. Syntypes: [Turkey]: Konia; Libanon. Range (in code): TR LB Bsa IL Pa He IR Fa Bk Ha Zj
- 59667. Chersotis (s.str.) laeta leonhardi (Rebel,1904)** (Noctuidae) **Synonym(s):** *leonhardi Rebel,1904* - Range (in code): B-H
- 59668. Chersotis (s.str.) larixia (Guenée,1852)** (Noctuidae) **Synonym(s):** *larixia Guenée,1852.*
Original Reference: Agrotis larixia Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct.1:

310. Type(s): [France]: Alpes de Digne. Range (in code): **ES FR IT CH RU Nt Da Kus TR Cr IR Kh KuB Zj Mz Elb Dam LB Bsa Cc GG AM AZ TM**
- 59669. Chersotis (s.str.) larixia asiatica Schwingenschuss,1938** (Noctuidae) Synonym(s): *asiatica Schwingenschuss,1938* Range (in code): **TR IR Kh LB Bsa**
- 59670. Chersotis (s.str.) larixia erebina (Boursin,1940)** (Noctuidae) Synonym(s): *erebina Boursin,1940* Original Reference: *Rhyacia larixia* ssp. *erebina* Boursin,1940, Mitt. münch. ent. Ges. 30: 495-496, Taf.9 f.38. Holotype ♂: [Russia]: Daghestan: Kurusch, 2500m. Range (in code): **Ru Nt Da Kus IR Zj Mz Cc AZ AM GG**
- 59671. Chersotis (s.str.) larixia idai Svendsen & Fibiger,1998** (Noctuidae) Synonym(s): *asiatica sensu Fibiger,1993; idai Svendsen & Fibiger,1998* Range (in code): **Cr**
- 59672. Chersotis (s.str.) larixia larixia (Guenée,1852)** (Noctuidae) Synonym(s): *larixia Guenée,1852*. Original Reference: *Agrotis larixia* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct.1: 310. Type(s): [France]: Alpes de Digne. Range (in code): **ES FR IT CH**
- 59673. Chersotis (s.str.) lukhtanovi Varga & Gyulai,2001** (Noctuidae) Synonym(s): *lukhtanovi Varga & Gyulai,2001* Range (in code): **TJ**
- 59674. Chersotis (s.str.) margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea Villers,1789; i-intactum Hübner,[1803]; #abruzzensis Corti & Draudt,1933; espunensis Calle,1982* Original Reference: *Phalaena margaritacea* de Villers,1789, Linn. Ent.2: 272, Taf.5, fig.16. Type(s): Europa. Range (in code): **MA DZ PT ES Mu FR Sa? Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR TR RU Ro Kr St Nt Ich Ing Da MD UA BY AM Cc GG Smt Bjo AZ TM Kp LB Us IR Elb Th Gh LB Bsa IL Pa He**
- 59675. Chersotis (s.str.) margaritacea atlanticolans Schwingenschuss,1955** (Noctuidae) Synonym(s): *atlanticolans Schwingenschuss,1955* Range (in code): **MA DZ**
- 59676. Chersotis (s.str.) margaritacea cesa Kemal & Koçak,2007** (Noctuidae) Synonym(s): *signata Wagner,1932 nec Stgr.,1900; cesa Kemal & Koçak,2007* Original Reference: *Chersotis margaritacea* ssp. *cesa* Kemal & Koçak,2007, Cent. ent. Stud., Priamus Suppl. 8: 71, note 7 (nom. nov. *signata* Wagner,1932 nec Stgr.,1900). Range (in code): **TR Cc TM Kp IR Elb Th Gh LB Bsa IL Pa He**
- 59677. Chersotis (s.str.) margaritacea margaritacea (Villers,1789)** (Noctuidae) Synonym(s): *margaritacea Villers,1789; i-intactum Hübner,[1803]; #abruzzensis Corti & Draudt,1933; espunensis Calle,1982 punensis Calle,1982* Original Reference: *Phalaena margaritacea* de Villers,1789, Linn. Ent.2: 272, Taf.5, fig.16. Type(s): Europa. Range (in code): **PT ES Mu FR Sa? Si IT BE LU DE CH AT PL CZ SK HU RO YU BG GR RU Ro Kr St Nt Ich Ing Da MD UA BY AM Cc AZ GG Smt Bjo Us**
- 59678. Chersotis (s.str.) margaritacea orophila Rungs,1967** (Noctuidae) Synonym(s): *orophila Rungs,1967* Original Reference: *Chersotis margaritacea* ssp. *orophila* Rungs,1967, Bull. Soc. ent. Fr. 72: 112. Holotype: Morocco, Col du Zad. Range (in code): **MA DZ**
- 59679. Chersotis (s.str.) metagrapha Varga,1975** (Noctuidae) Synonym(s): *metagrapha Varga,1975* Range (in code): **AF**
- 59680. Chersotis (s.str.) multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula Hübner,[1803]; dissoluta Staudinger,1900; travunia Schawerda,1912; stojanovi Touleschkov,1951*. Original Reference: *Noctua multangula* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 25, fig.116. Type: [Europa]. Range (in code): **MA Py ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Nt Ich Ing Da MD UA BY LB Bsa SY IR Zj Elb Th Dam Lo AM Cc TM Am Us IL Pa**
- 59681. Chersotis (s.str.) multangula andreae Dufay,1973** (Noctuidae) Synonym(s): *andreae Dufay,1973* Range (in code): **FR ES Py MA**
- 59682. Chersotis (s.str.) multangula multangula (Hübner,[1803])** (Noctuidae) Synonym(s): *multangula Hübner,[1803]; dissoluta Staudinger,1900; travunia Schawerda,1912; stojanovi Touleschkov,1951*. Original Reference: *Noctua multangula* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 25, fig.116. Type: [Europa]. Range (in code): **ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr RU Nt Ich Ing Da Cc MD UA BY TM Am Us**
- 59683. Chersotis (s.str.) multangula subdissoluta (F.Wagner,1931)** (Noctuidae) Synonym(s): *subdissoluta F.Wagner,1931* Range (in code): **Cc AM TR IR Zj Elb Th Dam Lo IL Pa LB Bsa**
- 59684. Chersotis (s.str.) nekrasovi Varga,1996** (Noctuidae) Synonym(s): *nekrasovi Varga,1996* Range (in code): **TJ Pm**
- 59685. Chersotis (s.str.) nitens Brandt,1941** (Noctuidae) Synonym(s): *nitens Brandt,1941* Original Reference: *Chersotis nitens* Brandt,1941, Mitt. münch. ent. Ges. 31: 845, fig.26. Type(s): Iran: [Khorassan]: Kouh i Binaloud, 2500m. Range (in code): **IR Kh**

- 59686. Chersotis (s.str.) obnubila (Corti,1926)** (Noctuidae) Synonym(s): *obnubila* Corti,1926; *maraschi* Corti & Draudt,1933 (p.61) *nec* Corti & Draudt,1933 (p.58); *ebertorum* Koçak,1980. Range (in code): **LB Bsa TR IR Fa Ss AM Cc SY IL Pa TM Kp**
- 59687. Chersotis (s.str.) ocellina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ocellina* [Denis & Schiffermüller],1775; *phytheumae* Esper,[1803] Original Reference: *Noctua ocellina* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 313. Type(s): [Austria]: Vienna district. Range (in code): **ES Py FR IT DE CH AT YU RU Cc Ro St Da**
- 59688. Chersotis (s.str.) oreina Dufay,1984** (Noctuidae) Synonym(s): *oreina* Dufay,1984 Range (in code): **ES FR IT CH**
- 59689. Chersotis (s.str.) pachnosa Varga,1975** (Noctuidae) Synonym(s): *pachnosa* Varga,1975 Range (in code): **AF**
- 59690. Chersotis (s.str.) petermarci Varga,1998** (Noctuidae) Synonym(s): *petermarci* Varga,1998 Range (in code): **UZ**
- 59691. Chersotis (s.str.) rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787. Original Reference: *Noctua rectangula* Fabricius,1787, *Mant. Ins. 2:* 155, nr.144. Type(s): [Wien]. Range (in code): **FR Si IT CH AT PL CZ SK HU RO YU BG GR TR RU Ro Ich Ing Da MD UA BY Cc AM IR Sb At TM KK Ik DsA**
- 59692. Chersotis (s.str.) rectangula rectangula (Fabricius,1787)** (Noctuidae) Synonym(s): *rectangula* Fabricius,1787. Original Reference: *Noctua rectangula* Fabricius,1787, *Mant. Ins. 2:* 155, nr.144. Type(s): [Wien]. Range (in code): **FR Si IT CH AT PL CZ SK HU RO YU BG GR RU Ro Ich Ing Da Cc MD UA BY Sb At TM KK Ik DsA**
- 59693. Chersotis (s.str.) rectangula subrectangula (Staudinger,1871)** (Noctuidae) Synonym(s): *subrectangula* Staudinger,1871 Range (in code): **TR Cc AM IR**
- 59694. Chersotis (s.str.) ronkayorum Fibiger Hacker & Varga,1992** (Noctuidae) Synonym(s): *ronkayorum* Fibiger Hacker & Varga,1993 Original Reference: *Chersotis ronkayorum* Fibiger Hacker & Varga,1992, *Esperiana 3:* 440-444, figs. Holotype ♂: Türkiye: Niğde Prov., Ala Dag, Demirkazık, 2900-3100m (leg. Kautt, coll. Hacker). Range (in code): **TR**
- 59695. Chersotis (s.str.) sarhada Brandt,1941** (Noctuidae) Synonym(s): *sarhada* Brandt,1941 Original Reference: *Chersotis sarhada* Brandt,1941, *Mitt. münch. ent. Ges. 31:* 845-846, fig.24. Syntypes ♂♀: Iran: [Belutschistan]: Kouh i Taftan, 2800-3000m; Soultanabad. Range (in code): **IR Ss Kh Ab Oru TR**
- 59696. Chersotis (s.str.) semna (Püngeler,1906)** (Noctuidae) Synonym(s): *semna* Püngeler,1906 Original Reference: *Agrotis semna* Püngeler,1906, *Dt. ent. Z., Iris 19:* 85. Syntypes: [Turkmenistan]: Aschabad. Range (in code): **TR Cc RU Ing Da IR Fa Kh Gh Ha Kd Sq Bne Lo Ss TM Kp IQ**
- 59697. Chersotis (s.str.) shandur Varga,1998** (Noctuidae) Synonym(s): *shandur* Varga,1998 Range (in code): **PK Nwf Ch Sha**
- 59698. Chersotis (s.str.) shandur shandur Varga,1998** (Noctuidae) Synonym(s): *shandur* Varga,1998 Range (in code): **PK Nwf Ch Sha**
- 59699. Chersotis (s.str.) sordescens (Staudinger,1900)** (Noctuidae) Synonym(s): *sordescens* Staudinger,1900 Range (in code): **UZ KK Na**
- 59700. Chersotis (s.str.) stenographa Varga,1979** (Noctuidae) Synonym(s): *stenographa* Varga,1979 Original Reference: *Chersotis stenographa* Varga,1979, *Z. ArbGem. öst. Ent. 31 (1/2):* 6-7, figs. Holotype ♀: Armenien: Geghard, 40km O. v. Erewan, 1700m, leg. & coll. Vartian. Range (in code): **Cc AM Geg TR**
- 59701. Chersotis (s.str.) sterilis (Brandt,1938)** (Noctuidae) Synonym(s): *sterilis* Brandt,1938 Original Reference: *Agrotis (Chersotis) sterilis* Brandt,1938, *Ent. Rdsch. 55:* 503, figs. 99-101. Syntypes: Iran: [Fars]: "Com×e (Barm i Firus)". Range (in code): **IR Fa Lo**
- 59702. Chersotis (s.str.) stridula (Hampson,1903)** (Noctuidae) Synonym(s): *stridula* Hampson,1903 Range (in code): **KG Tk Dj Ii DsA KK Ax Al Ik Osh T-S CN Ui Au Ku Ju Ts Kno UZ Fe Man MN U-B**
- 59703. Chersotis (s.str.) transiens (Staudinger,1897)** (Noctuidae) Synonym(s): *transiens* Staudinger,1897; *altajensis* Rezbanyai-Reser,1997; *uralica* Rezbanyai-Reser,1997 Original Reference: *Agrotis transiens* Staudinger,1897, *Dt. ent. Z., Iris 9:* 246. Range (in code): **RU Ur Sb At Sr T-S Ir Irk No MN Uli U-B TM KG Tar Tk Dj Ii KK Ik TeA TrA Na UZ Fe CN Ui Ii T-S Ti Amd**
- 59704. Chersotis (s.str.) vargai Hacker & Peks,1992** (Noctuidae) Synonym(s): *vargai* Hacker & Peks,1992 Original Reference: *Chersotis vargai* Hacker & Peks,1992, *Esperiana 3:* 152-153,

- figs. Holotype ♀: Nordpakistan, Hunza, Nilt 2000m 2.x.1988 (leg. & coll. Hacker). Range (in code): PK Ch Hu
- 59705. Chersotis (s.str.) zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): zukowskyi Draudt,1936 Original Reference: Agrotis (Chersotis) zukowskyi Draudt,1936, Ent. Rdsch. 53: 466, Taf.iv b5. Type ♂: [Türkei]: Siwas (coll. Zukowsky, Hamburg). Range (in code): GR TR
- 59706. Chersotis (s.str.) zukowskyi hellenica Boursin,1961** (Noctuidae) Synonym(s): hellenica Boursin,1961 Range (in code): GR
- 59707. Chersotis (s.str.) zukowskyi zukowskyi (Draudt,1936)** (Noctuidae) Synonym(s): zukowskyi Draudt,1936 Original Reference: Agrotis (Chersotis) zukowskyi Draudt,1936, Ent. Rdsch. 53: 466, Taf.iv b5. Type ♂: [Türkei]: Siwas (coll. Zukowsky, Hamburg). Range (in code): TR
- 59708. Chilkasa falcata Swinhoe,1885** (Noctuidae) Synonym(s): falcata Swinhoe,1885; perhamata Hampson,1894; difformis Roepke,1948 Range (in code): ID Sum IN Bba Mh TH Tng CMa Dst Int MY LA VN MM LK CN Clb Bor PH
- 59709. Chilodes distracta (Eversmann,1848)** (Noctuidae) Synonym(s): distracta Eversmann,1848; cinerea Alpheraky,1889; mollicella Püngeler,1907. Range (in code): RU Am UZ CN Ts Kno MN
- 59710. Chilodes maritima (Tauscher,1806)** (Noctuidae) Synonym(s): maritima Tauscher,1806; bipunctana Haworth,1812. Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Nt Kyi Da MD UA BY IR Mz
- 59711. Chilodes megastigma (Püngeler,1907)** (Noctuidae) Synonym(s): megastigma Püngeler,1907 Range (in code): CN Ui Ln
- 59712. Chionoxantha margarita Brandt,1938** (Noctuidae) Synonym(s): margarita Brandt,1938 Original Reference: Chionoxantha margarita Brandt,1938, Ent. Rdsch. 55: 560, figs. 183-186. Syntypes: Iran: [Fars]: Fort Mian-Kotal. Range (in code): IR Fa Mia Hz B-A AF Arh
- 59713. Chionoxantha minutissima Hacker & Ebert,2002** (Noctuidae) Synonym(s): minutissima Hacker & Ebert,2002 Range (in code): IR Ss Hz B-A
- 59714. Chionoxantha nobilis Hacker & Ebert,2002** (Noctuidae) Synonym(s): nobilis Hacker & Ebert,2002 Range (in code): IR Ss AF Kab PK Qu Bl
- 59715. Chionoxantha staudingeri (Standfuss,1892)** (Noctuidae) Synonym(s): staudingeri Standfuss,1892 Original Reference: Erastria staudingeri Standfuss,1892, [in] Romanoff, Mém. Lépid. 6: 667-668, Pl.xv fig.7. Type(s): [Türkei]: Mardin (P.Sintenis). Range (in code): TR IQ
- 59716. Chitasida diplogramma Hampson,1905** (Noctuidae) Synonym(s): diplogramma Hampson,1905 Range (in code): ZA
- 59717. Chloantha elbursica (Boursin,1968)** (Noctuidae) Synonym(s): elbursica Boursin,1968 Original Reference: Actinotia elbursica Boursin,1968, Entomops 11: 94, fig. Holotype ♂: [Iran]: Darekeroudbar (Vallee de Roudbar), Sabatku, Prov. Mazanderan, Mts. Elburs, 21 Mai 1931 (F.Steinbacher leg) (BMNH). Range (in code): IR Elb Mz Frk
- 59718. Chloantha hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): #hypericii [Denis & Schiffermüller],1775; hypericii Fabricius,1787 Original Reference: Noctua hypericii Fabricius,1787, Mant. Ins. 2: 167, nr.217. Type(s): Austria: [Wien]. Range (in code): PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj Gls Gor Elb Clu Mz Dam Th Mia Kd Mrv AF TM Kp LB Bsa Bionomy: Larva on Hypericum perforatum (Hampson,1903; Meyer,1919; Wiltshire,1957).
- 59719. Chloantha hypericii hypericii (Fabricius,1787)** (Noctuidae) Synonym(s): #hypericii [Denis & Schiffermüller],1775; hypericii Fabricius,1787 Original Reference: Noctua hypericii Fabricius,1787, Mant. Ins. 2: 167, nr.217. Type(s): Austria: [Wien]. Range (in code): PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR AZ AM GG Cc CY IQ TIH IL Pa Hf SY JO DK NO SE FI LT RU Ro Kr St Ich Da MD UA BY IR Kh KuB Fa Ha Zj Gor Gls Elb Clu Mz Dam Th Mia Kd Mrv AF TM Kp LB Bsa Bionomy: Larva on Hypericum perforatum (Hampson,1903; Meyer,1919; Wiltshire,1957).
- 59720. Chloethripa angulata Holloway,2003** (Noctuidae) Synonym(s): angulata Holloway,2003 Range (in code): MY Bor Sbh KBa BN Swk
- 59721. Chloethripa leucocephala A.E.Prout,1928** (Noctuidae) Synonym(s): leucocephala A.E.Prout,1928 Range (in code): MY Bor Sbh KBa ID Clb
- 59722. Chloriola gratissima (Walker,[1863])** (Noctuidae) Synonym(s): gratissima Walker,[1863] Range (in code): TH ID Sum MY Bor BN PH Pal

- 59723. *Chlorognesia viridipicta* (Hampson,1902)** (Noctuidae) **Synonym(s):** *viridipicta* Hampson,1902 **_ Range (in code):** **IN Ass TH CMa Int VN NP TW**
- 59724. *Chloroplaga* sp.** (Noctuidae) **Synonym(s):** **_ Range (in code):** **TH CMa Dst Dso9**
- 59725. *Chlorozada metaleuca* (Hampson,1905)** (Noctuidae) **Synonym(s):** *metaleuca* Hampson,1905; *esmeralda* Hampson,1910. **_ Range (in code):** **ZA**
- 59726. *Chlorozada verna* (Hampson,1902)** (Noctuidae) **Synonym(s):** *verna* Hampson,1902 **_ Range (in code):** **ZW Har**
- 59727. *Chlumetia albiapicata* (Hampson,1902)** (Noctuidae) **Synonym(s):** *albiapicata* Hampson,1902 **_ Range (in code):** **ZA**
- 59728. *Chlumetia lichenosa* (Hampson,1902)** (Noctuidae) **Synonym(s):** *lichenosa* Hampson,1902 **_ Range (in code):** **ZA**
- 59729. *Chlumetia polymorpha* Hampson,1920** (Noctuidae) **Synonym(s):** *polymorpha* Hampson,1920 **_ Range (in code):** **ZA**
- 59730. *Chlumetia transversa* (Walker,1863)** (Noctuidae) **Synonym(s):** *transversa* Walker,1863; *guangxiensis* Wu & Zhu,1981 **_ Range (in code):** **IN LK CN TH MM MY VN ID Sum Bor Clb SB PH** **Bionomy:** Larva on *Mangifera indica* (mango) (Anacardiaceae) (Kuroko & Lewvanich,1993).
- 59731. *Chora repandens* Walker,1862** (Noctuidae) **Synonym(s):** *repandens* Walker,1862; *sundana* R.Felder,1875; *hemichlora* De Joannis,1911 **_ Range (in code):** **ID Clb Sum Crm PH** **Bionomy:** Larva on *Melaleuca* (Myrtaceae) (Yunus & Ho,1980).
- 59732. *Chortodes dulcis* (Oberthür,1918)** (Noctuidae) **Synonym(s):** *dulcis* Oberthür,1918 **Original Reference:** *Argyrospila dulcis* Oberthür,1918, *Etud. Lépid. comp.* 16: 23, pl.491 figs.4052-4053. Type: Algérie, Géryville. **Range (in code):** **MA DZ Eba ES Mu FR Co**
- 59733. *Chortodes elymi* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *elymi* Treitschke,1825 **Range (in code):** **FR GB BE NL DE PL DK NO SE FI EE LV LT RU MD UA BY**
- 59734. *Chortodes mabillei* (D.Lucas,1907)** (Noctuidae) **Synonym(s):** *mabillei* D.Lucas,1907; *africana* Oberthür,1918; *libyodes* Boursin,1963 **Original Reference:** *Tapinostola mabillei* D.Lucas,1907, *Bull. Soc. ent. Fr.* 1907: 307. Syntypes 3 ex.: "Le Tarf (Algérie)". **Range (in code):** **DZ Eba Afl Abe Sa ES An Grn**
- 59735. *Chortodes morrisii* (Dale,1837)** (Noctuidae) **Synonym(s):** *morrisii* Dale,1837; *bondii* Knaggs,1861 **Original Reference:** *Acosmetia morrisii* Dale,1837, [in] Morris, *Naturalist* (Maund etc) 2: 88, 505. Syntypes: Great Britain, Dorsetshire, Charmouth. **Range (in code):** **ES FR IT? GB DE AT PL CZ SK HU RO YU BG GR DK SE TR IR**
- 59736. *Chortodes pygmina* (Haworth,1809)** (Noctuidae) **Synonym(s):** *pygmina* Haworth,1809; *fulva* Hübner,[1813]. **_ Range (in code):** **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Cc Ro MD UA BY KK TrA**
- 59737. *Chortodes sohnretheli* (Püngeler,1907)** (Noctuidae) **Synonym(s):** *sohnretheli* Püngeler,1907 **_ Range (in code):** **Si IT**
- 59738. *Chortodes stigmatica* (Eversmann,1855)** (Noctuidae) **Synonym(s):** *stigmatica* Eversmann,1855 **_ Range (in code):** **IS RU MD UA BY**
- 59739. *Chrysodeixis acuta* (Walker,1858)** (Noctuidae) **Synonym(s):** *acuta* Walker,1858; *furihatai* Okano,1963; *nigribursa* Chou & Lu,1974 **_ Range (in code):** **ZA Lpo Tva Spb Mdk GB TH CMa Dst VN Ton Tda IN Mh Nsk LK NP PK CN TW JP PH ID Sum Bor Bli Flo PG AU ET ET29 ET204 KE MG AF NP JP**
- 59740. *Chrysodeixis chalcites* (Esper,[1789])** (Noctuidae) **Synonym(s):** *chalcites* Esper,[1789]; *chalsytis* Hübner,1790; *bengalensis* Rossi,1794; *quaestionis* Fabricius,1794; *verticillata* Guenée,1852; *integra* Walker,1858; *adjuncta* Walker,1865 **Original Reference:** *Phalaena chalcites* Esper,[1789], *Die Schmett.* 4 (2): Abschnitt 1: pl.141 fig.3; [1805], *ibidem*: 447. Type(s): Italia. **Range (in code):** **PT ES Mu FR Co Sa Si IT MT GB BE NL DE CH AT HU RO YU AL BG GR Cr Rd TR CY IQ Mj Amr LB Bsa Bei SY IL Pa Hf JO DK RU Cc St MD UA BY ZA Sk KE MW ZW Har BW Nga Nta Kzu Kkf Dbn YE Ad IN LK MM CN JP HW WS FJ TO NH SB PG AU MY IR Mz Elb Th Fa Kaz Mia Hz B-A Kd Mrv Dam Qz Se Lo Ss By Hal DZ Anna Clo Abe Hrh Btna Agi Lbs MA** **Bionomy:** Larva on *Convolvulus*, *Heliotropium*, *Parietaria*, *Solanum* (Calle et al., 2000).
- 59741. *Chrysodeixis chrysopepla* L.Ronkay,1989** (Noctuidae) **Synonym(s):** *chrysopepla* L.Ronkay,1989 **_ Range (in code):** **VN**
- 59742. *Chrysodeixis diehli* Dufay,1982** (Noctuidae) **Synonym(s):** *diehli* Dufay,1982 **_ Range (in code):** **ID Nia Sum Bli Ja Bor MY**
- 59743. *Chrysodeixis dinawa* (Bethune-Baker,1906)** (Noctuidae) **Synonym(s):** *dinawa* Bethune-Baker,1906 **_ Range (in code):** **PG ID Ij Mlc Crm Nlr Bsm**

- 59744. *Chrysodeixis eriosoma* (Doubleday,1843)** (Noctuidae) Synonym(s): *eriosoma* Doubleday,1843; *verticillata* Guenée,1852 _ Range (in code): **NZ ID Ja Sum Tim Flo Sbw Bor PG TH Cbi CMA CDo Cuo Cuo1 Cuo6 Cuo7 Nrt Bnk Nst VN MY KH MM IN NP PK CN TW JP KP KR PH NF Nlr NC FJ AU OM SY EG** Bionomy: Larva on *Solanum melangena* (Solanaceae), Fabaceae, *Plectranthus scutellarioides* [ruesi phasom] Brassicaceae, Malvaceae (Holloway,1985; Lewvanich,2001).
- 59745. *Chrysodeixis goergneri* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *goergneri* Behounek & L.Ronkay,1999 Original Reference: *Chrysodeixis goergneri* Behounek & L.Ronkay,1999, Spixiana 2 (2): 114-115, figs. Holotype ♂: Malaysia: Perak Prov., NNE Jelei leg. Görgner (Coll. MNKV). Range (in code): **TH Tng MY Prk**
- 59746. *Chrysodeixis illuminata* (G.S.Robinson,1968)** (Noctuidae) Synonym(s): *illuminata* G.S.Robinson,1968; *nesiotes* Dufay,1974; *albescens* Chou & Lu,1979 _ Range (in code): **CN TH CMA Php VN Ton Tda TW PH ID Sum Bor Tim Flo Sbw Clb PG Nlr Bsm SB NH NC FJ TO WS Bsm**
- 59747. *Chrysodeixis imitans* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *imitans* Behounek & L.Ronkay,1999 _ Range (in code): **ID Flo Sbw**
- 59748. *Chrysodeixis kebeae* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kebeae* Bethune-Baker,1906 _ Range (in code): **PG ID Ij**
- 59749. *Chrysodeixis kebeana* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kebeana* Bethune-Baker,1906 _ Range (in code): **ID Ij Afk PG Fg NBr**
- 59750. *Chrysodeixis keili* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *keili* Behounek & L.Ronkay,1999 Original Reference: *Chrysodeixis keili* Behounek & L.Ronkay,1999, Spixiana 2 (2): 116-117, figs. Holotype ♂: S-Thailand, Khao Lak NP, 100km nördl. Phuket, 50m leg. Kheil (coll. Behounek). Range (in code): **TH Phu**
- 59751. *Chrysodeixis luzonensis* (Wileman & West,1929)** (Noctuidae) Synonym(s): *luzonensis* Wileman & West,1929 _ Range (in code): **PH Luz**
- 59752. *Chrysodeixis minutus* Dufay,1970** (Noctuidae) Synonym(s): *minutus* Dufay,1970 Range (in code): **TW PH Mno JP NP IN Ass Cpj SI VN Ton Tda**
- 59753. *Chrysodeixis papuasiae* Dufay,1970** (Noctuidae) Synonym(s): *papuasiae* Dufay,1970 Range (in code): **PG ID Ij Gth**
- 59754. *Chrysodeixis permissa* (Walker,1858)** (Noctuidae) Synonym(s): *permissa* Walker,1858 Range (in code): **IN NP VN LK**
- 59755. *Chrysodeixis plesiostes* Dufay,1982** (Noctuidae) Synonym(s): *plesiostes* Dufay,1982 Range (in code): **ID Sum Flo Clb**
- 59756. *Chrysodeixis politus* Dufay,1970** (Noctuidae) Synonym(s): *politus* Dufay,1970 Original Reference: *Chrysodeixis politus* Dufay,1970, Bull. Soc. linn. Lyon 39: 103. Holotype ♀: Indonesia: Sumatra (ZSM). Range (in code): **ID Sum Ja Bli TH**
- 59757. *Chrysodeixis similis* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999 _ Range (in code): **PH Luz**
- 59758. *Chrysodeixis similis* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *similis* Behounek & L.Ronkay,1999 _ Range (in code): **PH Luz**
- 59759. *Chrysodeixis taiwani* Dufay,1974** (Noctuidae) Synonym(s): *taiwani* Dufay,1974; *omeiensis* Chou & Lu,1978; *omiensis* Poole,1989 _ Range (in code): **TW CN VN TH CMA Php NP JP**
- 59760. *Chrysograptia igneola* (Swinhoe,1890)** (Noctuidae) Synonym(s): *igneola* Swinhoe,1890 Range (in code): **MM Rng CN TH CMA Dst**
- 59761. *Chrysopera combinans* (Walker,1858)** (Noctuidae) Synonym(s): *combinans* Walker,1858; *quadrilunata* Pagenstecher,1890 _ Range (in code): **LK ID Ja Clb TH CMA Int MY IN NP CN FJ SB PH AU**
- 59762. *Chrysozonata latiflavaria* (Swinhoe,1904)** (Noctuidae) Synonym(s): *latiflavaria* Swinhoe,1904 _ Range (in code): **ZA**
- 59763. *Chrysozonata purpurascens* Hampson,1914** (Noctuidae) Synonym(s): *purpurascens* Hampson,1914 _ Range (in code): **ZA**
- 59764. *Churia ocellata* (Butler,1889)** (Noctuidae) Synonym(s): *ocellata* Butler,1889 _ Range (in code): **PK Haz Mre IN Hp Sml Dlh Drm Kul Ass**
- 59765. *Churia typhla* Wiltshire,1977** (Noctuidae) Synonym(s): *typhla* Wiltshire,1977; *sudana* Wiltshire,1977; *gallagheri* Wiltshire,1985 Original Reference: *Churia typhla* Wiltshire,1977, Mitt. münch. ent. Ges. 66: 134-135, fig.7. Holotype ♀: Saudi Arabia (coll. Wiltshire, BMNH). Range (in code): **SA As YE AE OM SD**
- 59766. *Churia unipunctata* Hacker,2011** (Noctuidae) Synonym(s): *unipunctata* Hacker,2011 Range (in code): **YE**

- 59767. Chusaris aurantilineata Hampson, 1896** (Noctuidae) Synonym(s): *aurantilineata* Hampson, 1896. Range (in code): **WS MY IN**
- 59768. Chusaris venata W. Warren, 1914** (Noctuidae) Synonym(s): *venata* W. Warren, 1914. Range (in code): **ZA**
- 59769. Chytonix brunnea Gaede, 1915** (Noctuidae) Synonym(s): *brunnea* Gaede, 1915. Range (in code): **ZA**
- 59770. Cirrodes phoenicea Hampson, 1910** (Noctuidae) Synonym(s): *phoenicea* Hampson, 1910. Range (in code): **ZA**
- 59771. Cladocerotis optabilis (Boisduval, 1834)** (Noctuidae) Synonym(s): *optabilis* Boisduval, 1834. Range (in code): **MA DZ Mage Btna Abe Perr Ges Afl TN PT ES FR Si IT**
- 59772. Claterna cydonia (Cramer, 1775)** (Noctuidae) Synonym(s): *cydonia* Cramer, 1775; *exagans* Walker, 1858; *submemorans* Walker, 1858; *affinis* Rothschild, 1915. Range (in code): **TH Nrt Kao Pgg MY VN MM CN IN LK ID Tim Ja Clb Amb PG PH**
- 59773. Cleoceris scoriacea (Esper, [1789])** (Noctuidae) Synonym(s): *scoriacea* Esper, [1789]; *capreae* Hübner, [1803]. Original Reference: Phalaena scoriacea Esper, [1789], Die Schmett. 3(3): 22, Taf. 83, figs. 4, 5. Syntypes: Germany. Range (in code): **ES FR IT DE CH AT CZ SK HU RO YU BG Plv GR TR Cc RU Kr Nt Da**
- 59774. Cleoceris scoriacea gulbehrem Kemal & Koçak, 2015** (Noctuidae) Synonym(s): *gulbehrem* Kemal & Koçak, 2015. Range (in code): **TR**
- 59775. Cleoceris scoriacea scoriacea (Esper, [1789])** (Noctuidae) Synonym(s): *scoriacea* Esper, [1789]; *capreae* Hübner, [1803]. Original Reference: Phalaena scoriacea Esper, [1789], Die Schmett. 3(3): 22, Taf. 83, figs. 4, 5. Syntypes: Germany. Range (in code): **ES FR IT DE CH AT CZ SK HU RO YU BG Plv GR TR RU Kr Nt Da Cc**
- 59776. Cleoceris scoriacea subcanentis Hacker, 1990** (Noctuidae) Synonym(s): *subcanentis* Hacker, 1990. Original Reference: Cleoceris scoriacea ssp. subcanentis Hacker, 1990, Neue ent. Nachr. 27: 455, figs. Holotype ♂: Türkiye: Prov. Erzurum, Aras Tal, 11km N Söylemez, 1850m 29.ix.1986 (leg. & coll. Hacker). Range (in code): **TR Cc**
- 59777. Cleonymia (Serryvania) fatima (A. Bang-Haas, 1907)** (Noctuidae) Synonym(s): *fatima* A. Bang-Haas, 1907. Range (in code): **DZ Onç Gha Tun TN Gf LY JO**
- 59778. Cleonymia (Serryvania) opposita (Lederer, 1870)** (Noctuidae) Synonym(s): *opposita* Lederer, 1870; *#obscurior* Osthelder, 1933. Original Reference: Cleophana opposita Lederer, 1870, Annls Soc. ent. Belg. 13: 34, 47, pl. 1 fig. 12. Type ♂: [Armenia]: Goektschai (Haberhauer leg.). Range (in code): **YU BG GR TR AM Cc AZ Kir Pa IL IQ SY JO IR Ab Oru Mak Km**
- 59779. Cleonymia (Serryvania) pectinicornis (Staudinger, 1859)** (Noctuidae) Synonym(s): *pectinicornis* Staudinger, 1859; *youngi* Rothschild, 1925. Range (in code): **MA DZ BSa Ktr Gf Ges Sbd Tun TN ES IQ IL Pa JO TR SY IR**
- 59780. Cleonymia (Serryvania) yvanii (Duponchel, 1833)** (Noctuidae) Synonym(s): *yvanii* Duponchel, 1833. Range (in code): **PT ES Mu FR IT CH** Bionomy: Larva on Helianthemum (Calle et al., 2000).
- 59781. Cleonymia (s.str.) affinis (Rothschild, 1920)** (Noctuidae) Synonym(s): *affinis* Rothschild, 1920. Range (in code): **DZ BSa Saia Sfr Ges Dje Sbd**
- 59782. Cleonymia (s.str.) baetica (Rambur, 1837)** (Noctuidae) Synonym(s): *baetica* Rambur, 1837. Original Reference: Cleophana baetica Rambur, 1837, Faune ent. Andalousie 2: pl. 18 fig. 4. Type: Spain: Andalusia. Range (in code): **Cn MA DZ BSa Berr Khk Ahr Btna Ges Sbd Abe TN LY PT ES Mu FR Co Sa Si TR IR Fa Hz B-A Kz SA IL Js Pa SY JO Amm RU Cc Kr** Bionomy: Larva on Helianthemum (Hofmann, 1893; Spuler, 1893).
- 59783. Cleonymia (s.str.) baetica baetica (Rambur, 1837)** (Noctuidae) Synonym(s): *baetica* Rambur, 1837. Original Reference: Cleophana baetica Rambur, 1837, Faune ent. Andalousie 2: pl. 18 fig. 4. Type: Spain: Andalusia. Range (in code): **PT ES Mu FR**
- 59784. Cleonymia (s.str.) baetica diluta (Rothschild, 1911)** (Noctuidae) Synonym(s): *diluta* Rothschild, 1911. Original Reference: Cleophana baetica ssp. diluta Rothschild, 1911, Ann. Mag. nat. Hist. (8) 8: 232. Syntypes: Algeria, El Outaya, Bou Saada (V. Faroult leg.). Range (in code): **Cn MA DZ BSa Berr Khk Ahr Btna Ges Sbd Abe TN LY**
- 59785. Cleonymia (s.str.) baetica orientalis G. Ronkay & L. Ronkay, 1995** (Noctuidae) Synonym(s): *orientalis* G. Ronkay & L. Ronkay, 1995; *klapperichi* Hacker, 2001. Original Reference: Cleonymia (s.str.) baetica ssp. orientalis G. Ronkay & L. Ronkay, 1995, Noct. Eur. 7: 83, pl. 2 fig. 20. Type ♂: Turkey: Taurus, Marasch (TMB). Range (in code): **SA IR Fa Hz B-A Kz IL Js Pa SY JO Amm TR RU Cc Kr**

- 59786. *Cleonymia* (s.str.) *baetica sardoa* (Turati,1911)** (Noctuidae) **Synonym(s):** *sardoa* Turati,1911 **Range (in code):** **Sa Co**
- 59787. *Cleonymia* (s.str.) *chabordis* (Oberthür,1876)** (Noctuidae) **Synonym(s):** *chabordis* Oberthür,1876; *#charbordis* Brandt,1939. **Range (in code):** **MR MA Ess TN DZ Idl Ah Eal Ear Heh Hdd Gle Gea Tou Onç BSa Ktr Ges Ceg Bsk Gha Lgt Sfr DhM Gf Omy Ogl Hes LY MT IL Pa Jt JO EG Sn IQ IR Fa Ss Bu Hz B-A SA PK BI** **Bionomy:** Larva on *Helianthemum sessiliflorum* [Cistaceae] (Chrétien,1917).
- 59788. *Cleonymia* (s.str.) *chabordis magadorensis* Rungs,1949** (Noctuidae) **Synonym(s):** *magadorensis* Rungs,1949 **Range (in code):** **MR MA Ess DZ LY**
- 59789. *Cleonymia* (s.str.) *diffluens* (Staudinger,1870)** (Noctuidae) **Synonym(s):** *diffluens* Staudinger,1870; *lusitanica* Culot,1914; *mauretaniae* Rothschild,1920 **Range (in code):** **DZ Hmk MA PT ES An**
- 59790. *Cleonymia* (s.str.) *marocana* (Staudinger,1901)** (Noctuidae) **Synonym(s):** *marocana* Staudinger,1901 **Range (in code):** **MA DZ Tgr Rbt Sbd**
- 59791. *Cleonymia* (s.str.) *versicolor* (Rothschild,1920)** (Noctuidae) **Synonym(s):** *#versicolor* Staudinger,1901; *versicolor* Rothschild,1920 **Range (in code):** **DZ Cst DhM TN Hrh BSa Ges Sfr Sbd**
- 59792. *Cleonymia* (s.str.) *warionis* (Oberthür,1876)** (Noctuidae) **Synonym(s):** *warionis* Oberthür,1876 **Original Reference:** *Cleophana warionis* Oberthür,1876, *Etud. Ent.* 1: 48, pl.2. fig.3. Type: Bou Saada. **Range (in code):** **MA DZ Orn BSa Bsk Gf Ges Sfr Out Sbd Tun TN LY IL Pa Sn**
- 59793. *Cleonymia* *jubata* (Oberthür,1890)** (Noctuidae) **Synonym(s):** *jubata* Oberthür,1890 **Range (in code):** **MR MA DZ TN Gab Sfr BSa Ges Sbd Tun LY SA IQ Qg Kbl IL Pa JO IR Hz B-A**
- 59794. *Cleonymia* *vaulogerii* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *vaulogerii* Staudinger,1900 **Range (in code):** **DZ Ah Hes Bsk Onç Out Ktr DhM TN BSa Sfr**
- 59795. *Clethrorsa* *kossnerae* Behounek,1997** (Noctuidae) **Synonym(s):** *kossnerae* Behounek,1997 **Range (in code):** **VN Ton Fan CN Kwa**
- 59796. *Clethrorsa* *micropuncta* Holloway,1989** (Noctuidae) **Synonym(s):** *micropuncta* Holloway,1989 **Range (in code):** **ID Sum**
- 59797. *Clethrorsa* *pilcheri* (Hampson,1896)** (Noctuidae) **Synonym(s):** *pilcheri* Hampson,1896 **Range (in code):** **TH CMa Dst Ds10 ID Sum MY Bor**
- 59798. *Cletharina* *macrocorema* Holloway,2003** (Noctuidae) **Synonym(s):** *macrocorema* Holloway,2003 **Range (in code):** **MY Bor Swk BN**
- 59799. *Clytie* (*Hypoglaucitis*) *distincta* (A.Bang-Haas,1907)** (Noctuidae) **Synonym(s):** *distincta* A.Bang-Haas,1907 **Range (in code):** **TM Kp IR Fa Hz B-A Ss Elb Mz GlS TR**
- 59800. *Clytie* (*Hypoglaucitis*) *distincta distincta* (A.Bang-Haas,1907)** (Noctuidae) **Synonym(s):** *distincta* A.Bang-Haas,1907 **Range (in code):** **TM Kp IR Elb Mz GlS**
- 59801. *Clytie* (*Hypoglaucitis*) *distincta iranica* Brandt,1939** (Noctuidae) **Synonym(s):** *iranica* Brandt,1939 **Range (in code):** **TR IR Fa Ss Hz B-A**
- 59802. *Clytie* (*Hypoglaucitis*) *infrequens* (Swinhoe,1884)** (Noctuidae) **Synonym(s):** *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888 **Original Reference:** *Orthosia infrequens* Swinhoe,1884, *Proc. zool. Soc. Lond.* 1884: 517, pl.47 fig.11. Type: Pakistan, Karachi. **Range (in code):** **IR Ke Ss Bu Dlk Hz B-A PK Sd Krc Rw Pj MR MA DZ Ah Thh Omy Ndr Lgt TN LY SD EG EG11 Sn YE OM SA IL Jf Pa Jo IQ Agh Bgd Zbr** **Bionomy:** Larva on *Tamarix articulata* (Tamaricaceae) (Wiltshire,1957)
- 59803. *Clytie* (*Hypoglaucitis*) *infrequens infrequens* (Swinhoe,1884)** (Noctuidae) **Synonym(s):** *infrequens* Swinhoe,1884; *benenotata* W.Warren,1888. **Original Reference:** *Orthosia infrequens* Swinhoe,1884, *Proc. zool. Soc. Lond.* 1884: 517, pl.47 fig.11. Type: Pakistan, Karachi. **Range (in code):** **IR Ke Ss Bu Dlk Hz B-A PK Rw Pj IQ Zbr**
- 59804. *Clytie* (*Hypoglaucitis*) *infrequens moses* (Staudinger,1895)** (Noctuidae) **Synonym(s):** *moses* Staudinger,1895 **Original Reference:** *Hypoglaucitis moses* Staudinger,1895, *Dt. ent. Z., Iris* 7: 284, pl.9 fig.17. Syntypes 4♂: [Egypt]: Cairo, [Israel]: Jaffa. **Range (in code):** **MR MA DZ Thh Ah Omy Ndr Lgt TN LY EG EG11 Sn IL Jf Hf Pa Jo**
- 59805. *Clytie* (s.str.) *arenosa* Rothschild,1913** (Noctuidae) **Synonym(s):** *arenosa* Rothschild,1913; *seifersi* Gaede,1933. **Original Reference:** *Clytie arenosa* Rothschild,1913, *Novit. zool.* 20: 128. Syntypes 2♂ 6♀: "South Oued Mya". **Range (in code):** **MR MA DZ Thh Ah Omy LY IL Pa Jo IQ Amr kut** **Bionomy:** Larva on *Tamarix* [Tamaricaceae] (Speidel & Hassler,[1990]).
- 59806. *Clytie* (s.str.) *arenosa arenosa* Rothschild,1913** (Noctuidae) **Synonym(s):** *arenosa* Rothschild,1913; *seifersi* Gaede,1933. **Original Reference:** *Clytie arenosa* Rothschild,1913, *Novit. zool.* 20: 128. Syntypes 2♂ 6♀: "South Oued Mya". **Range (in code):** **MR MA DZ Ah Omy LY**

- 59807. Clytie (s.str.) arenosa nabataea Hampson,1913** (Noctuidae) Synonym(s): *nabataea Hampson,1913* Original Reference: Clytie nabataea Hampson,1913, Cat. lepid. Phalaenae Br. Mus. 13: 296, pl.232 fig.4. Type(s): Palaestina. Range (in code): **IL Pa JO**
- 59808. Clytie (s.str.) delunaris (Staudinger,1889)** (Noctuidae) Synonym(s): *delunaris Staudinger,1889; luteonigra W.Warren,1913.* Range (in code): **AF IR Ahz Ma Qm Th Ss Fa TM Kp CN Ui Ku UZ Br TJ KG Aa Tk Dj KK Skm RU Cc Kr St Da**
- 59809. Clytie (s.str.) devia (Swinhoe,1884)** (Noctuidae) Synonym(s): *devia Swinhoe,1884* Range (in code): **IR Ss Bu Dlk Hz B-A AF PK Krc Sd IN YE OM**
- 59810. Clytie (s.str.) euryphaea Hampson,1918** (Noctuidae) Synonym(s): *euryphaea Hampson,1918* Range (in code): **SA YE**
- 59811. Clytie (s.str.) gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis A.Bang-Haas,1907; syrdaja Hampson,1913.* Range (in code): **TM Kp IR Gls Kh Es Ss Elb Mz Fa Kaz Mia Hz B-A MN UZ Fe TJ KG RU AF TR**
- 59812. Clytie (s.str.) gracilis gracilis (A.Bang-Haas,1907)** (Noctuidae) Synonym(s): *gracilis A.Bang-Haas,1907; syrdaja Hampson,1913.* Range (in code): **TM Kp IR Gls Kh Es Ss Elb Mz Fa Kaz Mia Hz B-A UZ Fe TJ KG RU AF TR**
- 59813. Clytie (s.str.) gracilis suppura Wiltshire,1969** (Noctuidae) Synonym(s): *suppura Wiltshire,1969* Range (in code): **MN**
- 59814. Clytie (s.str.) gyulai Hacker,2001** (Noctuidae) Synonym(s): *gyulai Hacker,2001* Range (in code): **PK Gg Sst**
- 59815. Clytie (s.str.) gyulai gyulai Hacker,2001** (Noctuidae) Synonym(s): *gyulai Hacker,2001* Range (in code): **PK Gg Sst**
- 59816. Clytie (s.str.) haifae (Habich,1905)** (Noctuidae) Synonym(s): *haifae Habich,1905* Original Reference: Pseudophia haifae Habich,1905, Verh. zool.- bot. Ges. Wien 55: 21. Syntypes 6♂♂: Palestina: Haifa. Range (in code): **MR MA DZ SD EG IL Hf Pa LB** Bionomy: Larva feeds on Tamarix (Tamaricaceae).
- 59817. Clytie (s.str.) illunaris (Hübner,[1813])** (Noctuidae) Synonym(s): *illunaris Hübner,[1813]; canaria Pinker,1974.* Range (in code): **Cn DZ Bsk TN LY PT ES Mu FR Sa Si IT MT IL Pa YE** Bionomy: Larva on Tamarix (Calle et al., 2000).
- 59818. Clytie (s.str.) illunaris illunaris (Hübner,[1813])** (Noctuidae) Synonym(s): *illunaris Hübner,[1813]; canaria Pinker,1974.* Range (in code): **Cn DZ Bsk TN LY PT ES Mu FR Sa Si IT MT**
- 59819. Clytie (s.str.) illunaris legraini Hacker,2001** (Noctuidae) Synonym(s): *legraini Hacker,2001* Range (in code): **IL Pa YE**
- 59820. Clytie (s.str.) micra Wiltshire,1973** (Noctuidae) Synonym(s): *micra Wiltshire,1973* Range (in code): **SD**
- 59821. Clytie (s.str.) micra micra Wiltshire,1973** (Noctuidae) Synonym(s): *micra Wiltshire,1973* Range (in code): **SD**
- 59822. Clytie (s.str.) omana Wiltshire,1985** (Noctuidae) Synonym(s): *omana Wiltshire,1985* Range (in code): **AE OM**
- 59823. Clytie (s.str.) rungsi Laporte,1975** (Noctuidae) Synonym(s): *rungsii Laporte,1975* Range (in code): **ET ET29 KE**
- 59824. Clytie (s.str.) sabaea Wiltshire,1947** (Noctuidae) Synonym(s): *sabaea Wiltshire,1947* Range (in code): **MR MA DZ Ah Ajj YE SA As** Bionomy: Larva probably on Tamarix [Tamaricaceae] (Speidel & Hassler,[1990]).
- 59825. Clytie (s.str.) sabaea bernardi Rungs,1958** (Noctuidae) Synonym(s): *bernardi Rungs,1958* Range (in code): **MR MA DZ Ah Ajj** Bionomy: Larva probably on Tamarix [Tamaricaceae] (Speidel & Hassler,[1990]).
- 59826. Clytie (s.str.) sabaea sabaea Wiltshire,1947** (Noctuidae) Synonym(s): *sabaea Wiltshire,1947* Range (in code): **YE SA As**
- 59827. Clytie (s.str.) sancta (Staudinger,1898)** (Noctuidae) Synonym(s): *sancta Staudinger,1898* Original Reference: Pseudophia sancta Staudinger,1898, Dt. ent. Z., Iris 10: 301. Syntypes: Palestina: Jordantal. Range (in code): **Cn DZ Ah Ajj Omy Sfr Ges Ktr Btina MA TN LY LB IL Pa Jt SY JO MT EG Sn TR SA OM IR Fa Ke Kz Yas Kd Snj Km Lo Ss Chh Hz B-A SD MR TD** Bionomy: Larva on Tamarix [Tamaricaceae] (Rungs,1981).
- 59828. Clytie (s.str.) scotorrhiza Hampson,1913** (Noctuidae) Synonym(s): *scotorrhiza Hampson,1913* Original Reference: Clytie scotorrhiza Hampson,1913, Cat. lepid. Phalaenae Br. Mus. 13: 290, pl.231 fig.15. Type(s): Palaestina: Totes Meer. Range (in code): **SA As SA50 IL Pa EG Sn**

- 59829. Clytie (s.str.) scotorrhiza orthomelaina Wiltshire,1986** (Noctuidae) **Synonym(s):** *orthomelaina* Wiltshire,1986 **Range (in code): SA As SA50**
- 59830. Clytie (s.str.) sublunaris (Staudinger,1889)** (Noctuidae) **Synonym(s):** *sublunaris* Staudinger,1889 **Range (in code): KK Ik TeA MN**
- 59831. Clytie (s.str.) syriaca (Bugnion,1837)** (Noctuidae) **Synonym(s):** *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. **Original Reference:** *Ophiusa syriaca* Bugnion,1837, *Annls Soc. ent. Fr.* 1837: 442. Neotype: Turkey: Adana: Feke 6km N, 100m, leg. Hacker (ZSM). **Range (in code): AT RO YU AL BG GR Cr CY LB Bei Beq IL Pa SY TR RU Cc St Ich Da Der MD UA BY IR Fa Ahz IQ Agh Amr Bgd KG Tk Tks Dj Aa KK Skm UZ** **Bionomy:** Larva on *Tamarix gallica*, *T. ramosissima* (Romanoff,1885; Wiltshire, 1939,1957; Rakosy,1996).
- 59832. Clytie (s.str.) terrulenta (Christoph,1893)** (Noctuidae) **Synonym(s):** *terrulenta* Christoph,1893 **Original Reference:** *Pseudophia terrulenta* Christoph,1893, *Dt. ent. Z., Iris* 6:93. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]; Eldar. **Range (in code): DZ Omy TR AZ Kir Cc RU Da IQ Bgd IL Pa JO SY UZ TJ TM Kp IR Ahz Fa Ss Chh** **Bionomy:** Larva on *Tamarix* (Wiltshire, 1939,1957).
- 59833. Clytie (s.str.) terrulenta gentilis (Staudinger,1898)** (Noctuidae) **Synonym(s):** *gentilis* Staudinger,1898 **Original Reference:** *Pseudophia gentilis* Staudinger,1898, *Dt. ent. Z., Iris* 10: 300, Taf.ix fig.21. Syntypes: Messra, Totes Meer, Wadi Kelt. **Range (in code): IL Pa JO SY**
- 59834. Clytie (s.str.) terrulenta terrulenta (Christoph,1893)** (Noctuidae) **Synonym(s):** *terrulenta* Christoph,1893 **Original Reference:** *Pseudophia terrulenta* Christoph,1893, *Dt. ent. Z., Iris* 6:93. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]; Eldar. **Range (in code): DZ Omy TR AZ Kir Cc RU Da IQ Bgd UZ TJ TM Kp IR Ahz Fa Ss Chh**
- 59835. Clytie (s.str.) tropicalis Rungs,1975** (Noctuidae) **Synonym(s):** *tropicalis* Rungs,1975 **Range (in code): DZ YE OM SO SD SN MR SA Hj SA39 SD SD95**
- 59836. Clytie (s.str.) tropicalis orientalis Rungs,1975** (Noctuidae) **Synonym(s):** *orientalis* Rungs,1975 **Range (in code): SA Hj SA39 SD SD95**
- 59837. Clytie (s.str.) tropicalis tropicalis Rungs,1975** (Noctuidae) **Synonym(s):** *tropicalis* Rungs,1975 **Range (in code): DZ**
- 59838. Cnodifrontia dissimilis (Distant,1898)** (Noctuidae) **Synonym(s):** *dissimilis* Distant,1898 **Range (in code): ZA**
- 59839. Coarica fasciata Moore,1882** (Noctuidae) **Synonym(s):** *fasciata* Moore,1882 **Range (in code): IN SI DjI NP TH Nan Dpk CMa Dst ID Sum PH**
- 59840. Codalithia quincuncialis Holloway,1979** (Noctuidae) **Synonym(s):** *quincuncialis* Holloway,1979 **Range (in code): NC**
- 59841. Codalithia subtilis Holloway,1979** (Noctuidae) **Synonym(s):** *subtilis* Holloway,1979 **Range (in code): NC**
- 59842. Coenobia rufa (Haworth,1809)** (Noctuidae) **Synonym(s):** *rufa* Haworth,1809 **Range (in code): PT ES FR Co IT IE GB BE NL DE CH AT PL RO DK SE**
- 59843. Coenophila jordani (Turati,1912)** (Noctuidae) **Synonym(s):** *jordani* Turati,1912 **Range (in code): Co Sa**
- 59844. Coenophila miniago (Freyer,[1839])** (Noctuidae) **Synonym(s):** *miniago* Freyer,[1839] **Original Reference:** *Xanthia miniago* Freyer,1840, *Neue. Beitr. Schmett.* 4:28, Tab.304 fig.4 **Type(s):** [Russia]: Sarepta. **Range (in code): RU Sr Cc Kyi Ro AM TR TM At Sb UZ**
- 59845. Coenophila subrosea (Stephens,1829)** (Noctuidae) **Synonym(s):** *subrosea* Stephens,1829; *rubrifera* Warnecke,1931 **Range (in code): FR IT GB NL DE AT CZ DK NO SE FI EE LV LT**
- 59846. Colbusa euclidica Walker,1865** (Noctuidae) **Synonym(s):** *euclidica* Walker,1865 **Range (in code): ZA**
- 59847. Colobochyla (Caspicastra) platyzona (Lederer,1870)** (Noctuidae) **Synonym(s):** *platyzona* Lederer,1870; *#platyzona* Hacker,1990. **Original Reference:** *Madopa platyzona* Lederer,1870, *Annls Soc. ent. Belg.* 13: 37, 47, pl.1 fig.13. Syntypes 3♀: [Azerbaijan]: Helenendorf [Kirovabad]. **Range (in code): TR AZ Kir Cc IR Fa Lo Kdj Elb Ke Th Kd Bjr Zj Mia Kaz Km TM Kp IQ Rwz**
- 59848. Colobochyla (Caspicastra) platyzona capnoessa Zerny,1915** (Noctuidae) **Synonym(s):** *capnoessa* Zerny,1915; *schah* Bytinski-Salz & Brandt,1937; *#shah* Hacker,1990. **Original Reference:** *Eulocastra (Thalerastris) capnoessa* Zerny,1915, *Verh. zool.- bot. Ges. Wien* 65: (222)-(223), fig.1. **Type ♂:** [Turkmenistan]: Transkaspien (ex coll. Hansen). **Range (in code): TR IR Fa Lo Kdj Elb Ke Th Kd Mia Kaz Km TM Kp IQ Rwz**

- 59849. Colobochyla (Caspicastra) platyzona platyzona (Lederer,1870)** (Noctuidae) Synonym(s): *platyzona* Lederer,1870; *#platyzona* Hacker,1990. Original Reference: *Madopa platyzona* Lederer,1870, Annls Soc. ent. Belg. 13: 47. Range (in code): **Cc GG**
- 59850. Colobochyla (s.str.) salicalis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *salicalis* [Denis & Schiffermüller],1775; *salicatus* Haworth,1809; *cinerea* Butler,1879. Original Reference: *Pyralis salicalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Da MD UA BY AM IR**
- 59851. Colocasia coryli (Linnaeus,1758)** (Noctuidae) Synonym(s): *coryli* Linnaeus,1758; *gibbosa* Miller,1764 Original Reference: *Phalaena coryli* Linnaeus,1758, Syst. Nat. (Edn.10): 503. Syntypes: Europa. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo Ro Kr St Kb Kc Nt Ich Da MD UA BY**
- 59852. Cometaster pyrula (Hopffer,1858)** (Noctuidae) Synonym(s): *pyrula* Hopffer,1858; *lucida* R.Felder & Rogenhofer,1874 Range (in code): **ZA Lpo Tva Spb Mdk Nta Kzu Est MZ ZW MW BW ZM**
- 59853. Comocrus behri (Angas,1847)** (Noctuidae) Synonym(s): *behri* Angas,1847; *contorta* Walker,1864; *flexuosa* Walker,1864; *casuarinae* Scott,1865 Range (in code): **AU QAU NSW**
- 59854. Compsotata elegantissima (Guenée,1852)** (Noctuidae) Synonym(s): *elegantissima* Guenée,1852 Range (in code): **ZA Wca Cto MZ**
- 59855. Condate angulina (Guenée,1852)** (Noctuidae) Synonym(s): *angulina* Guenée,1852; *arenacea* Walker,1865; *consocia* Walker,1865; *retrahens* Walker,1865 Range (in code): **TH Ntt Hba NP BD Syl IN SI VN TW**
- 59856. Condate hypenoides Walker,1862** (Noctuidae) Synonym(s): *hypenoides* Walker,1862 Range (in code): **CN**
- 59857. Condate purpurea (Hampson,1902)** (Noctuidae) Synonym(s): *purpurea* Hampson,1902 Range (in code): **LA TH VN NP IN Ass Meg Khs TW**
- 59858. Condate pustulifera** (Noctuidae) Synonym(s): Range (in code): **TH CMa Dst Dso8**
- 59859. Condate sp.** (Noctuidae) Synonym(s): Range (in code): **TH Nan Dpk**
- 59860. Condica capensis (Guenée,1852)** (Noctuidae) Synonym(s): *capensis* Guenée,1852; *afra* Guenée,1852; *proditia* Walker,1862; *canorufa* Walker,1865; *funesta* Walker,1865; *spargens* Walker,1865. Range (in code): **GB DK ZA Wca Ec Fs Nta Kzu Srn Umk Nkw Nha Blo Mpu Brb Tst Wv Gau Pre Wv Tva Lpo ZW Vf ZR SL SH Sk EG ET ET24 YE Ad MU MG IN CN MM TH TW LK PG SB AU QAU**
- 59861. Condica conducta (Walker,1857)** (Noctuidae) Synonym(s): *conducta* Walker,1857; *inexacta* Walker,1865. Range (in code): **ZA Ec MG ZR SC YE Ad IL Pa IR Ss KM NF**
- 59862. Condica dolorosa (Walker,1865)** (Noctuidae) Synonym(s): *dolorosa* Walker,1865; *taprobanae* R.Felder & Rogenhofer,1874 Range (in code): **LK AU NF SB NC FJ**
- 59863. Condica gilvithorax (A.E.Prout,1928)** (Noctuidae) Synonym(s): *gilvithorax* A.E.Prout,1928 Range (in code): **ID Sum**
- 59864. Condica illecta (Walker,1865)** (Noctuidae) Synonym(s): *illecta* Walker,1865 Range (in code): **IN MY WS NH PG AU NF SB NC NZ FJ RA**
- 59865. Condica illustrata (Staudinger,1888)** (Noctuidae) Synonym(s): *illustrata* Staudinger,1888 Range (in code): **RU Sb**
- 59866. Condica palaestinensis (Staudinger,1895)** (Noctuidae) Synonym(s): *palaestinensis* Staudinger,1895; *persicola* Draudt,1934; *persicola* Wiltshire,1952 Range (in code): **EG SA IL Pa Jt IR Fa Ss IQ PK** Bionomy: Larva on *Pluchea dioscorides* (Wiltshire,1935).
- 59867. Condica pauperata (Walker,1858)** (Noctuidae) Synonym(s): *pauperata* Walker,1858; *leonina* Walker,1865; *aenea* Saalmüller,1891; *coptica* Wiltshire,1948. Range (in code): **ZA SL EG Sn RE ST KM SC MG SA YE Sk** Bionomy: Larva on *Pulchea dioscorides* (Andres & Seitz,1923).
- 59868. Condica praesecta (W.Warren,1912)** (Noctuidae) Synonym(s): *praesecta* W.Warren,1912 Range (in code): **ID Ij Kai Mlc PG AU SB NH NC**
- 59869. Condica viscosa (Freyer,1831)** (Noctuidae) Synonym(s): *viscosa* Freyer,1831; *indelicata* Turati,1934; *europaea* Parenzan,1980. Range (in code): **Cn MA DZ Bsk Perr TN EN PT ES Si IT YU AL BG GR Cr TR CY IQ Bsr LB IL Pa Hf SY JO IR Fa Mia Ss Irs** Bionomy: Larva on *Inula viscosa*, *Pluchea dioscorides* (Asteraceae) (Freyer,1831; Chrétien,1917; Wiltshire,1957).
- 59870. Conicofrontia diamesa (Hampson,1902)** (Noctuidae) Synonym(s): *diamesa* Hampson,1902 Range (in code): **ZA**
- 59871. Conicofrontia sesamoides Hampson,1902** (Noctuidae) Synonym(s): *sesamoides* Hampson,1902 Range (in code): **ZA Ec Tra**

- 59872. Conistra (Dasycampa) erythrocephala (Fabricius,1787)** (Noctuidae) Synonym(s): *#erythrocephala* [Denis & Schiffermüller],1775; *erythrocephala* Fabricius,1787. Original Reference: Noctua erythrocephala Fabricius,1787, Mant. Ins. 2: 148-149, nr.104. Type(s): Germania. Range (in code): MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI LT RU Cc Ro Kc Kr Da MD UA BY IQ JO
- 59873. Conistra (Dasycampa) rubiginea (Fabricius,1787)** (Noctuidae) Synonym(s): *#rubiginea* [Denis & Schiffermüller],1775; *rubiginea* Fabricius,1787; *tigerina* Esper,[1791]; *pulverea* Hübner,[1803]; *neuroides* Hübner,[1813] Original Reference: Noctua rubiginea Fabricius,1787, Mant. Ins. 2: 142, nr.59. Type(s): [Wien]. Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU AM GG Smt Bjo Lag Cc Kr Ich Da MD UA BY
- 59874. Conistra (Dasycampa) staudingeri (Graslin,1863)** (Noctuidae) Synonym(s): *staudingeri* Graslin,1863; *rubigo* Rambur,1871 Range (in code): MA DZ Sbd Bt na Py PT ES FR IT CH?
- 59875. Conistra (Dasycampa) staudingeri sebdouensis (Austaut,1880)** (Noctuidae) Synonym(s): *sebdouensis* Austaut,1880 Range (in code): DZ Sbd Bt na
- 59876. Conistra (s.str.) acutula (Staudinger,1892)** (Noctuidae) Synonym(s): *acutula* Staudinger,1892 Original Reference: Orrhodia acutula Staudinger,1892, Dt. ent. Z., Iris 4: 302-304. Syntypes 21♂♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): TR IL Pa Js JO LB SY
- 59877. Conistra (s.str.) alicia Lajonquière,1939** (Noctuidae) Synonym(s): *alicia* Lajonquière,1939; *barbarica* Boursin,1943; *mixtoides* Nepveu,1952 Range (in code): MA DZ TN ES FR Py
- 59878. Conistra (s.str.) asiatica Pinker,1980** (Noctuidae) Synonym(s): *asiatica* Pinker,1980 Original Reference: Conistra asiatica Pinker,1980, Z. ArbGem. öst. Ent. 31: 72, figs. Holotype ♂: Türkei: Ankara: Kizilcahamam (leg & coll. Pinker). Range (in code): TR Cc AM
- 59879. Conistra (s.str.) aulombardi Hreblay,1992** (Noctuidae) Synonym(s): *aulombardi* Hreblay,1992 Range (in code): PK Ch Bt Skd
- 59880. Conistra (s.str.) chajjami Hacker & Weigert,1986** (Noctuidae) Synonym(s): *chajjami* Hacker & Weigert,1986 Original Reference: Conistra chajjami Hacker & Weigert,1986, Neue ent. Nachr. 19 (3/4): 151, Taf.12 figs.1-4. Holotype ♂: Türkei, Erzurum Prov. (coll. Weigert). Range (in code): TR IR Elb Th
- 59881. Conistra (s.str.) daubei (Duponchel,1838)** (Noctuidae) Synonym(s): *daubei* Duponchel,1838; *buxi* Boisduval,1840; *maura* Rungs,1972 Range (in code): MA ES FR
- 59882. Conistra (s.str.) dora Hreblay,1992** (Noctuidae) Synonym(s): *dora* Hreblay,1992 Range (in code): TM Kp
- 59883. Conistra (s.str.) gabori Hreblay,1992** (Noctuidae) Synonym(s): *gabori* Hreblay,1992 Range (in code): TM Kp
- 59884. Conistra (s.str.) gallica (Lederer,1857)** (Noctuidae) Synonym(s): *gallica* Lederer,1857 Range (in code): MA ES FR
- 59885. Conistra (s.str.) intricata (Boisduval,1829)** (Noctuidae) Synonym(s): *intricata* Boisduval,1829 Range (in code): MA ES FR Sa Si IT
- 59886. Conistra (s.str.) kasyi Boursin,1963** (Noctuidae) Synonym(s): *kasyi* Boursin,1963 Original Reference: Conistra kasyi Boursin,1963, Bull. Soc. linn. Lyon 32: 299. Holotype: Liban, 15km östl. Batroun (BHNW). Range (in code): LB Bro TR SY
- 59887. Conistra (s.str.) ligula (Esper,1791)** (Noctuidae) Synonym(s): *ligula* Esper,[1791]; *subnigra* Haworth,1809; *jullieni* Culot,1913 Original Reference: Phalaena ligula Esper,[1791], Die Schmett. 4(2): 595, Taf. 166, fig.2. Type(s): Tyrol. Range (in code): MA PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Th Kdv LT RU Cc AM Kr MD UA BY
- 59888. Conistra (s.str.) metria Boursin,1940** (Noctuidae) Synonym(s): *metria* Boursin,1940; *pseudopolitina* Hacker,1990. Original Reference: Conistra metria Boursin,1940, Mitt. münch. ent. Ges. 30: 514, Taf.ix fig.35. Holotype ♀: [Turkmenistan]: Ashkhabad (coll. Boursin). Range (in code): TM Kp IR Bu TR
- 59889. Conistra (s.str.) plantei Rungs,1972** (Noctuidae) Synonym(s): *plantei* Rungs,1972 Range (in code): MA
- 59890. Conistra (s.str.) politina (Staudinger,1888)** (Noctuidae) Synonym(s): *politina* Staudinger,1888; *subspadiceana* Staudinger,1888. Range (in code): UZ Fe TM KG Tk Dj
- 59891. Conistra (s.str.) ragusae (Failla-Tedaldi,1890)** (Noctuidae) Synonym(s): *ragusae* Failla-Tedaldi,1890 Original Reference: Heteromorpha ragusae Failla-Tedaldi,1890, Naturalista sicil. 10: 30, Pl.1 figs.6,7. Syntypes: [Italia]: Sicilia: Madonie. Range (in code): Si IT RO YU MK BG GR TR Cc

- 59892. Conistra (s.str.) ragusae archaia** **Pinker,1980** (Noctuidae) **Synonym(s):** *archaia* *Pinker,1980* Original Reference: *Conistra* (*Dasycampa*) *ragusae* ssp. *archaia* *Pinker,1980*, Z. ArbGem. öst. Ent. 31: 72-73, figs. Holotype ♂: Türkei: Ankara: Kizilcahamam (leg & coll. *Pinker*). Range (in code): **TR Cc**
- 59893. Conistra (s.str.) ragusae macedonica** (**Pinker,1956**) (Noctuidae) **Synonym(s):** *macedonica* *Pinker,1956* Range (in code): **MK**
- 59894. Conistra (s.str.) rubiginosa** (**Scopoli,1763**) (Noctuidae) **Synonym(s):** *rubiginosa* *Scopoli,1763*; *silene* [*Denis & Schiffermüller*],1775; *vaupunctatum* *Esper*,[1786]. Original Reference: *Phalaena rubiginosa* *Scopoli,1763*, Ent. Carn.: 213. Range (in code): **PT ES FR Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LT RU Cc Da MD UA BY KG**
- 59895. Conistra (s.str.) rubricans** **Fibiger,1997** (Noctuidae) **Synonym(s):** *rubricans* *Fibiger,1997* Range (in code): **TR CY**
- 59896. Conistra (s.str.) torrida** (**Lederer,1857**) (Noctuidae) **Synonym(s):** *torrida* *Lederer,1857* Original Reference: *Cerastis torrida* *Lederer,1857*, Wien. ent. Monatschr. 1: 81. Syntypes: Italien: Sicilien: Palermo. Range (in code): **ES FR Si IT CH MK YU BG GR TR**
- 59897. Conistra (s.str.) torrida pinkeri** **Hacker,1988** (Noctuidae) **Synonym(s):** *pinker* *Hacker,1988* Original Reference: *Conistra torrida* ssp. *pinker* *Hacker,1988*, Atalanta 18 (3/4): 349, Taf.2 figs.3,4. Holotype ♂: [Türkei]: [Karaman Prov.]: Sertavul Geçidi, N-Seite 1500m 28 km S Karaman, 27.x.1984 (leg. Schreier, coll. *Hacker*). Range (in code): **TR**
- 59898. Conistra (s.str.) torrida torrida** (**Lederer,1857**) (Noctuidae) **Synonym(s):** *torrida* *Lederer,1857* Original Reference: *Cerastis torrida* *Lederer,1857*, Wien. ent. Monatschr. 1: 81. Syntypes: Italien: Sicilien: Palermo. Range (in code): **ES FR Si IT CH YU MK BG GR**
- 59899. Conistra (s.str.) vaccinii** (**Linnaeus,1761**) (Noctuidae) **Synonym(s):** *vaccinii* *Linnaeus,1761*; *polita* [*Denis & Schiffermüller*],1775; *spadicea* [*Denis & Schiffermüller*],1775; *nigra* *A.Bang-Haas,1907* Original Reference: *Phalaena vaccinii* *Linnaeus,1761*, Fauna Suecica (2): 320. Type(s): Schweden. Range (in code): **DZ TN PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr Kc Kb Da At No Sb MD UA BY IR Elb Mz Gls**
- 59900. Conistra (s.str.) veronicae** (**Hübner,[1813]**) (Noctuidae) **Synonym(s):** *veronicae* *Hübner,[1813]*; *dolosa* *Hübner,[1817]*; *camastra* *Delaever,1979* Original Reference: *Noctua veronicae* *Hübner,[1813]*, Samml. eur. Schmett., Noct. 2: Taf.116, fig.541. Type(s): [Europa]. Range (in code): **MA DZ ES FR Si IT DE CH AT SK HU RO YU BG GR Cr TR IQ Cc GG AZ IR RU Ro Kr Da IL Pa Bionomy**; Larva on *Prunus* (Rosaceae) (*Hofmann,1893*).
- 59901. Conservula alambica** **Gaede,1915** (Noctuidae) **Synonym(s):** *alambica* *Gaede,1915* Range (in code): **CM ZA Tva Mal Nta Kzu Ktz**
- 59902. Conservula anthophyes** (**D.S.Fletcher,1963**) (Noctuidae) **Synonym(s):** *anthophyes* *D.S.Fletcher,1963* Range (in code): **ZA**
- 59903. Conservula cinisigna** **Joannis,1906** (Noctuidae) **Synonym(s):** *cinisigna* *Joannis,1906* Range (in code): **ZA MZ Tva MU Nta Kzu Esw Kkf ET ET24**
- 59904. Conservula clarki** **Janse,1937** (Noctuidae) **Synonym(s):** *clarki* *Janse,1937* Range (in code): **ZA Nta Kzu Dbn**
- 59905. Conservula minor** **Holland,1896** (Noctuidae) **Synonym(s):** *minor* *Holland,1896* Range (in code): **ZA Wca Ste Nta Kzu Rie**
- 59906. Constantiodes pyralina** **Hampson,1916** (Noctuidae) **Synonym(s):** *pyralina* *Hampson,1916* Range (in code):
- 59907. Cophanta funestalis** **Walker,1864** (Noctuidae) **Synonym(s):** *funestalis* *Walker,1864*; *anthracina* *Snellen,1880*; *optiva* *Swinhoe,1890* Range (in code): **LK MM MY Bor ID Clb AU QAU**
- 59908. Cophanta occidentalis** **Hampson,1910** (Noctuidae) **Synonym(s):** *occidentalis* *Hampson,1910* Range (in code): **SL**
- 59909. Copifrontia purpurea** (**Gaede,1915**) (Noctuidae) **Synonym(s):** *purpurea* *Gaede,1915* Range (in code): **ZA**
- 59910. Copifrontia xantherythra** **Hampson,1905** (Noctuidae) **Synonym(s):** *xantherythra* *Hampson,1905* Range (in code): **ZA**
- 59911. Corcobara angulipennis** **Moore,1882** (Noctuidae) **Synonym(s):** *angulipennis* *Moore,1882*; *thwaitesi* *Moore,[1885]* Range (in code): **LK SI Djl IN TH SG KH MY Bor Klt Sbh ID Sba PH Boh Luz Mno SB**
- 59912. Corgatha chionocraspis** **Hampson,1918** (Noctuidae) **Synonym(s):** *chionocraspis* *Hampson,1918* Range (in code): **ZA**

- 59913. *Corgatha concavata* (Walker,1862)** (Noctuidae) Synonym(s): *concavata* Walker,1862
Range (in code): **AU QAU PG NC**
- 59914. *Corgatha dictaria* (Walker,1861)** (Noctuidae) Synonym(s): *dictaria* Walker,1861; *liberata* Walker,1861; *metalligera* Butler,1881; *tana* Swinhoe,1900; *sasakii* Matsumura,1920 _ Range (in code): **JP TH CMA**
- 59915. *Corgatha drepanodes* Hampson,1910** (Noctuidae) Synonym(s): *drepanodes* Hampson,1910 _ Range (in code): **ZA**
- 59916. *Corgatha figuralis* (Walker,1865)** (Noctuidae) Synonym(s): *figuralis* Walker,1865
Range (in code): **AU QAU NSW**
- 59917. *Corgatha figuralis paucifasciata* Holloway,1979** (Noctuidae) Synonym(s): *paucifasciata* Holloway,1979 _ Range (in code): **NC NH**
- 59918. *Corgatha hypoxantha* Hampson,1910** (Noctuidae) Synonym(s): *hypoxantha* Hampson,1910 _ Range (in code): **ZA**
- 59919. *Corgatha odontota* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *odontota* D.S.Fletcher,1961 _ Range (in code): **ZA**
- 59920. *Corgatha producta* Hampson,1902** (Noctuidae) Synonym(s): *producta* Hampson,1902
Range (in code): **ZA**
- 59921. *Corgatha regula* Gaede,1916** (Noctuidae) Synonym(s): *regula* Gaede,1916 _ Range (in code): **ZA**
- 59922. *Corgatha rubra* (Hampson,1891)** (Noctuidae) Synonym(s): *rubra* Hampson,1891
Range (in code):
- 59923. *Cornutiplusia circumflexa* (Linnaeus,1767)** (Noctuidae) Synonym(s): *circumflexa* Linnaeus,1767; *lunata* Fabricius,1787; *flexuosa* Donovan,1807; *daubii* Freyer,1838; *graphica* Herrich-Schäffer,1851; *patefacta* Walker,[1858]; *reticulata* Moore,1882; *clarescens* Pinker & Bacallado,1975; *#unata* Kononenko & Pinratana,2005 Original Reference: *Phalaena circumflexa* Linnaeus,1767, Syst. Nat. (Edn.12) 1: 844. Type(s): Europa. Range (in code): **Md Cn PT ES Si IT GB CH RO AL BG GR TR Cc CY IQ kut Kro Amr Mj Agh FI RU MD UA BY IR Fa By Kz Yas Hz Ss Ke Kh Ab Oru Mak Elb Th Mz CN Ui Ku KK Ik UZ KG DsA AF Ca Hr Gbh ZA Gau Pre Tva Ec Grh Cto Wca Nta Kzu Est IN NP LK LB Bsa IL Pa Hf SY JO TH CMA Php MM GG AM AZ Cc Skh Sdt Ak Ar Gh GlS Kh Se Ha Kd Km By Bk Es Bu Ke Hz Ss Snj Lo Kaz Mia Dlk B-A TM Kp N-A TJ Chr Pm Ro Kr Kb Kc Nt Ich Da ET ET24 ET36 ET86 ET196 DJ DJ44 Smt Bjo Lag Dar Nv Ord Hal**
- 59924. *Cornutiplusia grosbornensis* Guillermet,2000** (Noctuidae) Synonym(s): *grosbornensis* Guillermet,2000 _ Range (in code): **YE RE**
- 59925. *Corsa orbifera* (Walker,1862)** (Noctuidae) Synonym(s): *orbifera* Walker,1862 _ Range (in code): **MY Bor Swk TH Knc**
- 59926. *Cortya canescens* Walker,[1858]** (Noctuidae) Synonym(s): *canescens* Walker,[1858]
Range (in code): **ZA Nta Kzu Est YE Ad**
- 59927. *Cortya diaphera* Hampson,1913** (Noctuidae) Synonym(s): *diaphera* Hampson,1913
Range (in code): **ZA**
- 59928. *Cortya phaeocyma* Hampson,1913** (Noctuidae) Synonym(s): *phaeocyma* Hampson,1913
Range (in code): **ZA**
- 59929. *Cortya polycyma* (Hampson,1909)** (Noctuidae) Synonym(s): *polycyma* Hampson,1909
Range (in code): **ZA**
- 59930. *Cortya setifera* Hampson,1918** (Noctuidae) Synonym(s): *setifera* Hampson,1918
Range (in code): **ZA**
- 59931. *Cosmia (Calymnia) angulifera* Boursin,1957** (Noctuidae) Synonym(s): *angulifera* Boursin,1957 _ Range (in code): **AF**
- 59932. *Cosmia (Calymnia) ledereri* (Staudinger,1897)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1897 _ Range (in code): **KK Ik TrA Na**
- 59933. *Cosmia (Calymnia) monotona* (Hampson,1914)** (Noctuidae) Synonym(s): *monotona* Hampson,1914 _ Range (in code): **KE Nai**
- 59934. *Cosmia (Calymnia) subtilis* Staudinger,1888** (Noctuidae) Synonym(s): *subtilis* Staudinger,1888 _ Range (in code): **AF UZ Fe KK**
- 59935. *Cosmia (Calymnia) trapezina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *trapezina* Linnaeus,1758; *rhombica* Hufnagel,1766; *radiofasciata* Teich,1883; *obscura* Aurivillius,1888; *exigua* Butler,1881 [ssp.]; *saturata* Staudinger,1892 Original Reference: *Phalaena trapezina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s): [Europa]. Range (in code): **MA DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag AZ Kir IR Ha Mz Elb Th Kd Mrv GlS**

- DK NO SE FI EE LV LT RU Ro Kr St Kc Nt Kb Ich Ing Sb MD UA BY JP** Bionomy: Larva on Quercus (Hacker,1989).
- 59936. *Cosmia (Fibigerina) confinis* Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *confinis* Herrich-Schäffer,[1849]; *rhodopsis* Boursin,1962; *phaiopsis* Boursin,1962. Original Reference: *Cosmia confinis* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 224. Type(s): Türkei. Range (in code): **IT RO MK AL HV B-H BG GR TR** Bionomy: Larva on Ulmus (Hacker,1989).
- 59937. *Cosmia (Nemus) pyralina* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pyralina* [Denis & Schiffermüller],1775; *corusca* Esper,1788; *corrusca* Esper,1798; *dannehli* Hartig,1924; *roesleri* Dannehl,1926 Original Reference: *Noctua pyralina* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Cc Ro Kr GG Lag MD UA BY** Bionomy: Larva on Ulmus (Hacker,1989).
- 59938. *Cosmia (Ulmia) affinis* (Linnaeus,1767)** (Noctuidae) Synonym(s): *affinis* Linnaeus,1767; *palliat* Fabricius,1794 Original Reference: *Phalaena affinis* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 848. Type(s): [Europa]. Range (in code): **MA DZ Anna PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag AZ Kir Len DK SE FI LV LT RU Ro Kr St Ich Ing Da MD UA BY KK Skm Feg IR Gl JP** Bionomy: Larva on Quercus, Ulmus (Blaschke,1914; Hacker,1989).
- 59939. *Cosmia (s.str.) diffinis* (Linnaeus,1767)** (Noctuidae) Synonym(s): *diffinis* Linnaeus,1767 Original Reference: *Phalaena diffinis* Linnaeus,1767, Syst. Nat. (Edn.12) 1(2): 848. Type(s): Lusitania. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO MK AL BG GR TR GG Cc DK SE LT RU Ro Kr St Ich Da MD UA BY** Bionomy: Larva on Ulmus (Hacker,1989).
- 59940. *Cosmia (s.str.) staudingeri* (Alpheraky,1882)** (Noctuidae) Synonym(s): *staudingeri* Alpheraky,1882 Range (in code): **CN Ui Kun KK Ik**
- 59941. *Cosmia mali* Sugi,1982** (Noctuidae) Synonym(s): *mali* Sugi,1982 Range (in code): **JP**
- 59942. *Cosmia natalensis* (A.E.Prout,1925)** (Noctuidae) Synonym(s): *natalensis* A.E.Prout,1925 Range (in code): **ZA Nta Kzu Ptw**
- 59943. *Cosmia poecila* Hreblay & L.Ronkay,1997** (Noctuidae) Synonym(s): *poecila* Hreblay & L.Ronkay,1997 Range (in code): **TW**
- 59944. *Cosmia polymorpha* Pinhey,1968** (Noctuidae) Synonym(s): *polymorpha* Pinhey,1968 Range (in code): **ZW**
- 59945. *Cosmophila auragoides lyona* Swinhoe,1919** (Noctuidae) Synonym(s): *lyona* Swinhoe,1919 Range (in code): **WS FJ PG MY IN**
- 59946. *Cosmophila flava* (Fabricius,1775)** (Noctuidae) Synonym(s): *flava* Fabricius,1775 Original Reference: *Noctua flava* Fabricius,1775; Syst. Ent.: 601. Type(s): India orientali. Range (in code): **WS PC FJ TO NH SB PG AU MY IN OW**
- 59947. *Cossedia acolutha* Holloway,2003** (Noctuidae) Synonym(s): *acolutha* Holloway,2003 Range (in code): **MY Bor Swk BN**
- 59948. *Cossedia altiproesei* Holloway,2003** (Noctuidae) Synonym(s): *altiproesei* Holloway,2003 Range (in code): **MY Bor Swk BN**
- 59949. *Cossedia erateinalis* Walker,[1866]** (Noctuidae) Synonym(s): *erateinalis* Walker,[1866] Range (in code): **MY Bor ID Sum?**
- 59950. *Cossedia hyriodes* Hampson,1912** (Noctuidae) Synonym(s): *hyriodes* Hampson,1912 Range (in code): **MY Bor PH Pal ID Sum Bli**
- 59951. *Cossedia kobesi* Holloway,2003** (Noctuidae) Synonym(s): *kobesi* Holloway,2003 Range (in code): **MY Bor BN ID Sum?**
- 59952. *Cossedia proesei* Kobes,1984** (Noctuidae) Synonym(s): *proesei* Kobes,1984 Range (in code): **MY Bor ID Sum**
- 59953. *Cossedia semiflava* Hampson,1905** (Noctuidae) Synonym(s): *semiflava* Hampson,1905 Range (in code): **MY Bor ID Sum**
- 59954. *Crambiforma leucostrepta* Hampson,1926** (Noctuidae) Synonym(s): *leucostrepta* Hampson,1926 Range (in code):
- 59955. *Crameria amabilis* (Drury,1773)** (Noctuidae) Synonym(s): *amabilis* Drury,1773; *alienata* Fabricius,1794; *intercis* R.Felder & Rogenhofer,1874; *#abyssinica* Strand,1912; *#nyassica* Strand,1912; *#accra* Strand,1912; *istsariensis* Steneham,1963 Original Reference: *Phalaena amabilis* Drury,1773, Ill. Ex. Ent. 2: Pl.13 fig.3. Range (in code): **ZA Nta Kzu Swe ZW Har MW ET KE GH**
- 59956. *Craniophora fasciata* (Moore,[1884])** (Noctuidae) Synonym(s): *fasciata* Moore,[1884]; *nigrostriata* Pagenstecher,1888; *divisa* Moore,1888 Range (in code): **IR Hz B-A IN SI MY Bor ID Sum**

- Ja Clb Bli Kai Amb Crm AU QAU NSw PG Bsm NC LK VN Fan Lei Ton MM TH Ch NP PK Dir Swa Kkar OM TW KP KR JP** Bionomy: Larva on Olea, Ligustrum, Osmanthus (Oleaceae) (Kobes,1995).
- 59957. Craniophora harmandi (Poujade,1898)** (Noctuidae) Synonym(s): *harmandi* Poujade,1898; *nigromaculata* W.Warren,1912; *picata* Wileman,1914 Original Reference: *Acronycta harmandi* Poujade,1898, Bull. Soc. ent. Fr. 1898: 229, fig. Type: Sikkim. Range (in code): **TW CN JP IN SI Ass Up Bhi TH Nan MY NP**
- 59958. Craniophora ligustri (Fabricius,1787)** (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787. Original Reference: *Noctua ligustri* Fabricius,1787, Mant. Ins. 2: 244, nr.172. Type(s): Austria: [Wien]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing MD UA BY AZ Len IL Pa IR Elb Mz Clu Th** Bionomy: Larva on Fraxinus, Ligustrum vulgare (Fabricius,1787; Meyer,1919).
- 59959. Craniophora ligustri hyrcanica Hacker & Ebert,2002** (Noctuidae) Synonym(s): *hyrcanica* Hacker & Ebert,2002 Range (in code): **TR Cc AZ Len IR Elb Mz Clu Th**
- 59960. Craniophora ligustri ligustri (Fabricius,1787)** (Noctuidae) Synonym(s): *#ligustri* [Denis & Schiffermüller],1775; *ligustri* Fabricius,1787. Original Reference: *Noctua ligustri* Fabricius,1787, Mant. Ins. 2: 244, nr.172. Type(s): Austria: [Wien]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing MD UA BY IL Pa**
- 59961. Craniophora melanisans Wiltshire,1980** (Noctuidae) Synonym(s): *melanisans* Wiltshire,1980 Range (in code): **SA As OM IL Pa**
- 59962. Craniophora melanisans asirensis Wiltshire,1986** (Noctuidae) Synonym(s): *asirensis* Wiltshire,1986 Range (in code): **SA As**
- 59963. Craniophora melanisans melanisans Wiltshire,1980** (Noctuidae) Synonym(s): *melanisans* Wiltshire,1980 Range (in code): **OM IL Pa**
- 59964. Craniophora paragrapha (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *paragrapha* R.Felder & Rogenhofer,1874; *inversa* Gaede,1915. Range (in code): **ZA Ec Kny Nta Kzu Est Dbn MG**
- 59965. Craniophora pontica (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879 Original Reference: *Acronycta pontica* Staudinger,1879, Horae Soc. ent. ross. 14: 364-365. Type ♂: [Türkei]: Amasia (Kerasdere). Range (in code): **MA DZ Dzc Hmk Sét Hrh Sbd Btina DhM Gue TN PT ES AD FR IT RO HU MK BG TR IQ IL Pa IR Fa Lo Qz Kz Yas Elb Th Dam AF LB RU Cc Ro Kr Da AZ Nv Ord** Bionomy: Larva on ? Fraxinus (Wiltshire,1957).
- 59966. Craniophora pontica navasi Boursin,1935** (Noctuidae) Synonym(s): *navasi* Boursin,1935 Range (in code): **FR AD ES PT MA DZ Sbd Btina DhM Gue TN**
- 59967. Craniophora pontica pontica (Staudinger,1879)** (Noctuidae) Synonym(s): *pontica* Staudinger,1879 Original Reference: *Acronycta pontica* Staudinger,1879, Horae Soc. ent. ross. 14: 364-365. Type ♂: [Türkei]: Amasia (Kerasdere). Range (in code): **IT RO HU MK BG TR IQ IL Pa IR Fa Lo Qz Kz Yas Elb Th Dam LB AF RU Cc Ro Kr Da AZ Nv Ord**
- 59968. Cremopalpus inquirendus Strand,1909** (Noctuidae) Synonym(s): *inquirendus* Strand,1909 Range (in code): **ZA**
- 59969. Cretonia ethiopica Hampson,1910** (Noctuidae) Synonym(s): *ethiopica* Hampson,1910 Range (in code): **ZA**
- 59970. Cretonia vegeta (Swinhoe,1885)** (Noctuidae) Synonym(s): Range (in code): **ZA**
- 59971. Crinala mimetica Rothschild,1896** (Noctuidae) Synonym(s): *mimetica* Rothschild,1896 Range (in code): **PH Luz**
- 59972. Crinocula kinabaluensis Rothschild,1896** (Noctuidae) Synonym(s): *kinabaluensis* Rothschild,1896; *cinabaluensis* Hampson,1901 Range (in code): **MY Bor Sbh KBa**
- 59973. Crionica cervicornis (Fawcett,1917)** (Noctuidae) Synonym(s): Range (in code): **ZA**
- 59974. Crionica diversipennis Gaede,1939** (Noctuidae) Synonym(s): *diversipennis* Gaede,1939 Range (in code): **ZA**
- 59975. Crithote basipuncta Schultze,1908** (Noctuidae) Synonym(s): *basipuncta* Schultze,1908 Range (in code): **PH Luz**
- 59976. Crithote horridipes Walker,1864** (Noctuidae) Synonym(s): *horridipes* Walker,1864; *crinipes* Snellen,1880 Range (in code): **ID Clb Bor Swk MY TH VN CN IN PH**
- 59977. Crosia hachem Dupont,1910** (Noctuidae) Synonym(s): *hachem* Dupont,1910 Original Reference: *Crosia hachem* Dupont,1910, Bull. Soc. ent. Fr. 1910: 369, fig.1. Type: Algérie, Mascara (MNHN Paris). Range (in code): **DZ Orn Masc**

- 59978. *Cruria darwiniensis* (Butler,1884)** (Noctuidae) **Synonym(s):** *darwiniensis* Butler,1884; #papuana Strand,1912 **_ Range (in code):** **AU NAu PG**
- 59979. *Cruria donovani* (Boisduval,1832)** (Noctuidae) **Synonym(s):** *donovani* Boisduval,1832 **_ Range (in code):** **ID Tim AU NSW**
- 59980. *Cruria epicharita* Turner,1911** (Noctuidae) **Synonym(s):** *epicharita* Turner,1911 **_ Range (in code):** **AU QAU**
- 59981. *Cruria neptioides* (Butler,1875)** (Noctuidae) **Synonym(s):** *neptioides* Butler,1875 **_ Range (in code):** **AU NAu QAU**
- 59982. *Cruria platyxantha* (Meyrick,1891)** (Noctuidae) **Synonym(s):** *platyxantha* Meyrick,1891; *tropica* Lucas,1891 **_ Range (in code):** **NAu AU QAU**
- 59983. *Cruria synopla* Turner,1903** (Noctuidae) **Synonym(s):** *synopla* Turner,1903 **_ Range (in code):** **AU QAU**
- 59984. *Cruriopsis albomaculata* Kishida,1993** (Noctuidae) **Synonym(s):** *albomaculata* Kishida,1993 **_ Original Reference:** *Cruriopsis albomaculata* Kishida,1993, Gekkan Mushi 269: 12, pl.1 fig.11. Holotype ♂: Thailand: Chiang Mai: Doi Suthep. **_ Range (in code):** **TH CMa Dst Fn**
- 59985. *Cruriopsis funebris* (Moore,1872)** (Noctuidae) **Synonym(s):** *funebris* Moore,1872 **_ Range (in code):** **IN SI Djl TH VN CN Sz TW**
- 59986. *Cryphia (Bryoleuca) amseli* Boursin,1952** (Noctuidae) **Synonym(s):** *amseli* Boursin,1952 **_ Range (in code):** **IL Pa**
- 59987. *Cryphia (Bryoleuca) argentacea* (Bytinsky-Salz & Brandt,1937)** (Noctuidae) **Synonym(s):** *argentacea* Bytinsky-Salz & Brandt,1937 **_ Original Reference:** *Bryophila argentacea* Bytinsky-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 4-5. Holotype ♂: Iran: Keredj,1400m. **_ Range (in code):** **IR Elb Kdj Th**
- 59988. *Cryphia (Bryoleuca) diachorisma* Boursin,1960** (Noctuidae) **Synonym(s):** *diachorisma* Boursin,1960 **_ Range (in code):** **AF Gbh Srb**
- 59989. *Cryphia (Bryoleuca) diehli* Boursin,1960** (Noctuidae) **Synonym(s):** *diehli* Boursin,1960 **_ Range (in code):** **SA**
- 59990. *Cryphia (Bryoleuca) dolopsis* (Hampson,1908)** (Noctuidae) **Synonym(s):** *dolopsis* Hampson,1908; #dolopis Osthelder,1933. **_ Range (in code):** **TM Kp TR**
- 59991. *Cryphia (Bryoleuca) ereptricula* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *ereptricula* Treitschke,1825 **_ Range (in code):** **PT ES Si? IT DE AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT**
- 59992. *Cryphia (Bryoleuca) ereptricula ereptricula* (Treitschke,1825)** (Noctuidae) **Synonym(s):** *ereptricula* Treitschke,1825 **_ Range (in code):** **PT ES Si? IT DE AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT**
- 59993. *Cryphia (Bryoleuca) ereptricula hellenica* Boursin,1962** (Noctuidae) **Synonym(s):** *hellenica* Boursin,1962 **_ Range (in code):** **GR**
- 59994. *Cryphia (Bryoleuca) eucta* (Hampson,1908)** (Noctuidae) **Synonym(s):** *eucta* Hampson,1908 **_ Range (in code):** **TM Kp IR Ab TR IQ Mos**
- 59995. *Cryphia (Bryoleuca) labecula* (Lederer,1855)** (Noctuidae) **Synonym(s):** *labecula* Lederer,1855 **_ Original Reference:** *Bryophila labecula* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 204, Taf.2 fig.10. Type(s): Beirut. **_ Range (in code):** **TR LB Bei IL Pa**
- 59996. *Cryphia (Bryoleuca) literata* (Moore,1881)** (Noctuidae) **Synonym(s):** *literata* Moore,1881 **_ Range (in code):** **Ch**
- 59997. *Cryphia (Bryoleuca) microphysa* Boursin,1952** (Noctuidae) **Synonym(s):** *microphysa* Boursin,1952 **_ Range (in code):** **CY TR**
- 59998. *Cryphia (Bryoleuca) minima* (Wiltshire,1949)** (Noctuidae) **Synonym(s):** *minima* Wiltshire,1949 **_ Range (in code):** **EG**
- 59999. *Cryphia (Bryoleuca) ochrota* (Hampson,1908)** (Noctuidae) **Synonym(s):** *ochrota* Hampson,1908 **_ Original Reference:** *Bryophila ochrota* Hampson,1908, Cat. lepid. Phalaenae Br. Mus. 7: 641-642, pl.cxxii fig.27. Type ♂: [Pakistan]: Beloochistan: Quetta (Nurse leg.) (BMNH). **_ Range (in code):** **IN Dra Ch PK Bl Qu**
- 60000. *Cryphia (Bryoleuca) orthogramma* Boursin,1954** (Noctuidae) **Synonym(s):** *orthogramma* Boursin,1954; *aksuensis* Boursin,1954; *ammochroa* Boursin,1954; *taishanensis* Boursin,1954; #radiata Boursin,1954 **_ Original Reference:** *Cryphia orthogramma* Boursin,1954, Z. Wien. ent. Ges. 39: 81. **_ Range (in code):** **PL YU RU Ur Sb Prj Us MD UA BY TR CN Ui Ku Au Kml Stg KK TrA Feg TJ Pm Chr**

- 60001. Cryphia (Bryoleuca) petrea (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852; *contristans* Lederer,1857; *hoerhammeri* Schawerda,1927 Original Reference: *Bryophila petrea* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Spec. gén. Lépid. (Noct.1): 25, pl.3 fig.3. Type: Spain, Andalousie. Range (in code): **MR MA DZ Lbs Btna Ges Ktr PT ES An Mu FR Co GR Cr CY TR LB Bei IQ IR SY IL Pa Hf**
- 60002. Cryphia (Bryoleuca) petrea contristans (Lederer,1857)** (Noctuidae) Synonym(s): *contristans* Lederer,1857; *troughti* Wiltshire,1956. Original Reference: *Bryophila contristans* Lederer,1857, Wien. ent. Monatschr. 1: 92. Syntypes: Lebanon: Beirut. Range (in code): **GR CY TR LB IQ IR SY IL Pa Hf**
- 60003. Cryphia (Bryoleuca) petrea hoerhammeri (Schawerda,1928)** (Noctuidae) Synonym(s): *hoerhammeri* Schawerda,1928 Range (in code): **Co**
- 60004. Cryphia (Bryoleuca) petrea petrea (Guenée,1852)** (Noctuidae) Synonym(s): *petrea* Guenée,1852; *contristans* Lederer,1857; *hoerhammeri* Schawerda,1927 Original Reference: *Bryophila petrea* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Spec. gén. Lépid. (Noct.1): 25, pl.3 fig.3. Type: Spain, Andalousie. Range (in code): **MR MA DZ Lbs Btna Ges Ktr PT ES An Mu FR Co GR Cr CY TR LB Bei IQ IR SY IL Pa Hf**
- 60005. Cryphia (Bryoleuca) petricolor (Lederer,1870)** (Noctuidae) Synonym(s): *petricolor* Lederer,1870; *galathea* Millière,1875; *amoenissa* Turati,1909; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937 Original Reference: *Bryophila petricolor* Lederer,1870, Annls Soc. ent. Belg. 13: 32, 46, pl.1 fig.9. Type ♀: [Azerbaijan]: Hankynda. Range (in code): **DZ Sfr FR IT CH GR Cr BG TR AM AZ Hkd RU Cc St Nt Ich Ing IR Elb Kdv Th Mz Diz Dam GG Tbl Smt Bjo Mng AM AZ Kir**
- 60006. Cryphia (Bryoleuca) pittawayi Wiltshire,1986** (Noctuidae) Synonym(s): *pittawayi* Wiltshire,1986 Range (in code): **SA**
- 60007. Cryphia (Bryoleuca) pljushtchi (Pekarsky,2015)** (Noctuidae) Synonym(s): *pljushtchi* Pekarsky,2015 Original Reference: *Bryoleuca pljushtchi* Pekarsky,2015, Zootaxa 4040 (5): 596-599. Holotype ♀: Afghanistan, Sabzil 2850m 19-20.07.2013 leg.O.Pak & I.Pljushtch (coll. O.Pekarsky). AF Bm Szl
- 60008. Cryphia (Bryoleuca) protracta (Christoph,1893)** (Noctuidae) Synonym(s): *protracta* Christoph,1893 Range (in code): **TM Noc**
- 60009. Cryphia (Bryoleuca) raddei Boursin,1953** (Noctuidae) Synonym(s): *raddei* Boursin,1953 Original Reference: *Cryphia raddei* Boursin,1953, Mitt. münch. ent. Ges. 43: 251, Taf.6 fig.4. Holotype : Türkei: Dshafar-Aga (MNHUB). Range (in code): **TR**
- 60010. Cryphia (Bryoleuca) raptricula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *raptricula* [Denis & Schiffermüller],1775; *divisa* Esper,[1791]; *divisa* Esper,1791; *palliola* Borkhausen,1792; *pomula* Borkhausen,1792; *deceptricula* Hübner,[1803]; *carbonis* Freyer,1849; *felina* Eversmann,1852; *oxybiensis* Millière,1875; *#striata* Staudinger,1879; *eretina* Calberla,1888; *raptriculoides* Turati,1912; *bryophiloides* Rothschild,1914; *#persica* Strand,1915; *cretica* Reisser,1962 Original Reference: *Noctua raptricula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ TN EG PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AM AZ Cc CY DK NO SE FI EE LT RU LB Bsa IL Pa SY Hal JO EG IR Fa Lo By Yas Ss Es Ke Ha Mz Kz Kdj Elb Dam Mia Km Kd Snj IQ Tkr AF Gbh Pli Srb CN Ui PK KG Tk Dj KK Skm Ik TrA Feg UZ N-A Ro Kr St Kt Nt Ich Da Kir Bak Nv Ord Bne Mrv Kh Ges Agi Sfr Abe Sbd Blid Hrh**
- 60011. Cryphia (Bryoleuca) ravula (Hübner,[1813])** (Noctuidae) Synonym(s): *ravula* Hübner,[1813]; *lupula* Hübner,[1813]; *troglydyta* Freyer,1832; *grisescens* Oberthür,1918; *ereptriculoides* Boursin,1952; *ravulatra* Aubert,1953 Original Reference: *Noctua ravula* Hübner,[1813], Samml. eur. Schmett. (Noct.), pl.98 fig.461. Type: Europe. Range (in code): **DZ Btna Abe Sbd Prr Dzc MA TN Dhm ES Mu FR Co Sa Si IT BE DE CH AT RO YU BG TR RU MD UA BY IL Pa Hf** Bionomy: Larva on *Parmelia* (Parmeliaceae) [Fungi] (Hofmann,1893).
- 60012. Cryphia (Bryoleuca) rectilinea (W.Warren,1909)** (Noctuidae) Synonym(s): *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. Original Reference: *Metachrostis rectilinea* W.Warren,1909, [in] Seitz, Die Gross-Schmett. Erde 3: 22. Type(s): [Israel]: Haifa. Range (in code): **IT RO YU AL BG GR Cr CY IL Pa TR Cc IR LB Bei IQ**
- 60013. Cryphia (Bryoleuca) remanei Heydemann & Schulte,1963** (Noctuidae) Synonym(s): *remanei* Heydemann & Schulte,1963 Range (in code): **TR IQ Tkr**
- 60014. Cryphia (Bryoleuca) ruckbeili Boursin,1953** (Noctuidae) Synonym(s): *ruckbeili* Boursin,1953 Range (in code): **KG Tk CN Ui Au**
- 60015. Cryphia (Bryoleuca) seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct. Original Reference: *Bryophila seladona* Christoph,1885, [in]

- Romanoff, Mém. lépid. 2: 28. Type(s): [Türkei]: Kazikoparan. Range (in code): **MK BG GR AM TR Cc RU Da Nt**
- 60016. Cryphia (Bryoleuca) seladona burgeffi (Draudt,1931)** (Noctuidae) Synonym(s): *burgeffi* Draudt,1931. Original Reference: Bryophila burgeffi Draudt,1931, [in] Seitz, Gross-Schmett. Erde 3 (suppl.): 19. Type(s): Mazedonien. Range (in code): **MK BG GR**
- 60017. Cryphia (Bryoleuca) seladona seladona (Christoph,1885)** (Noctuidae) Synonym(s): *seladona* Christoph,1885; *umovii* auct. Original Reference: Bryophila seladona Christoph,1885, [in] Romanoff, Mém. lépid. 2: 28. Type(s): [Türkei]: Kazikoparan. Range (in code): **Cc AM TR RU Da Nt**
- 60018. Cryphia (Bryoleuca) strobinoi Dujardin,1972** (Noctuidae) Synonym(s): *strobinoi* Dujardin,1972 Original Reference: Cryphia strobinoi Dujardin,1972, Entomops 25: 3. Holotype: Greece: Kykladen. Range (in code): **GR**
- 60019. Cryphia (Bryoleuca) tephrocharis Boursin,1954** (Noctuidae) Synonym(s): *tephrocharis* Boursin,1954 Original Reference: Cryphia tephrocharis Boursin,1954, Z. wien. ent. Ges. 39: 85-87, Taf.7 figs.1,2. Holotype ♂: [Türkei]: Malatya-Tecde (Kleinasien) (coll. Boursin). Range (in code): **RO HV MK BG GR Cr CY TR IL Pa LB JO IR Fa Kd Bne Mrv**
- 60020. Cryphia (Bryoleuca) thamanaea (Hampson,1908)** (Noctuidae) Synonym(s): *thamanaea* Hampson,1908 Original Reference: Bryophila thamanaea Hampson,1908, Cat. lepid. Phalaenae Br. Mus. 7: 642-643, pl.cxxii fig.28. Type ♂: [Iran]: Persia: Schahkuh (coll. Püngeler). Range (in code): **TR IR Shh**
- 60021. Cryphia (Bryoleuca) trilinea (Bethune-Baker,1894)** (Noctuidae) Synonym(s): *trilinea* Bethune-Baker,1894 Range (in code): **EG**
- 60022. Cryphia (Bryophila) centralis (Draudt,1931)** (Noctuidae) Synonym(s): *centralis* Draudt,1931 Range (in code): **TM Kp IR Fa**
- 60023. Cryphia (Bryophila) domestica (Hufnagel,1766)** (Noctuidae) Synonym(s): *domestica* Hufnagel,1766; *perla* [Denis & Schiffermüller],1775. Range (in code): **PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE RU MD UA BY GG Smt Bjo AM AZ Kir Cc IR Ab Oru** Bionomy: Larva on some lichenes (Xanthoria, Lecidea) (Calle et al., 2000).
- 60024. Cryphia (Bryophila) duskei (Christoph,1893)** (Noctuidae) Synonym(s): *duskei* Christoph,1893 Range (in code): **Cc AZ**
- 60025. Cryphia (Bryophila) duskeimima L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *duskeimima* L.Ronkay, Varga & Hreblay,1998 Range (in code): **TM Kp**
- 60026. Cryphia (Bryophila) eucharista Boursin,1960** (Noctuidae) Synonym(s): *iranica* Brandt,1941 nec Schwing.,1937; *eucharista* Boursin,1960. Range (in code): **TR IR Elb Fa Ke Es Yz Th Mia Shr Km Kd Mrv Bne Lo IQ**
- 60027. Cryphia (Bryophila) felina (Eversmann,1852)** (Noctuidae) Synonym(s): *felina* Eversmann,1852 Range (in code): **AM Cc UZ Fe**
- 60028. Cryphia (Bryophila) gigantea Boursin,1960** (Noctuidae) Synonym(s): *gigantea* Boursin,1960 Range (in code): **AF TJ Pm Chr**
- 60029. Cryphia (Bryophila) hampsoni (Draudt,1931)** (Noctuidae) Synonym(s): *hampsoni* Draudt,1931 Range (in code): **UZ**
- 60030. Cryphia (Bryophila) harithya Wiltshire,1990** (Noctuidae) Synonym(s): *harithya* Wiltshire,1990 Range (in code): **SA**
- 60031. Cryphia (Bryophila) hedygrapha Boursin,1963** (Noctuidae) Synonym(s): *hedygrapha* Boursin,1963 Range (in code): **AF**
- 60032. Cryphia (Bryophila) icteritia Boursin,1960** (Noctuidae) Synonym(s): *icteritia* Boursin,1960 Range (in code): **AF Pag**
- 60033. Cryphia (Bryophila) icteritia paghmana Boursin,1963** (Noctuidae) Synonym(s): *paghmana* Boursin,1963 Range (in code): **AF Pag**
- 60034. Cryphia (Bryophila) idonea (Christoph,1893)** (Noctuidae) Synonym(s): *idonea* Christoph,1893; *taftana* Brandt,1939. Range (in code): **TM Kp IR Ss Kuh AF Gbh Hr Arh**
- 60035. Cryphia (Bryophila) maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909. Original Reference: Bryophila maeonis Lederer,1865, Annls Soc. ent. Belg. 9:78. Syntypeps: [Türkei]: Boz Dagh. Range (in code): **DZ Btina GR Cc AM GG Tbl Smt Bjo TR IR Fa Com Shr Elb Shh Mz Dam Kdj Nss Ab Sdt Km Kd Bne Mrv Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik Skm CN Ts Kno**

- 60036. Cryphia (Bryophila) maeonis maeonis (Lederer,1865)** (Noctuidae) Synonym(s): *maeonis* Lederer,1865; *praecana* Christoph,1893; *rubellina* Staudinger,1900; *sordida* Staudinger,1900; *sabulosa* W.Warren,1909. Original Reference: *Bryophila maeonis* Lederer,1865, Annls Soc. ent. Belg. 9:78. Syntype(s): [Türkei]: Boz Dag. Range (in code): **DZ Bt na GR Cc AM GG Tbl Smt Bjo TR IR Fa Com Shr Elb Shh Mz Dam Kdj Nss Ab Sdt Km Kd Bne Mrv Snj Lo Kz Yas Mia IQ SY LB IL Pa CY JO AF Srb Gbh Kab Hr Pli Hk TM KG UZ Fe KK Ik Skm CN Ts Kno**
- 60037. Cryphia (Bryophila) miltophaea (Hampson,1908)** (Noctuidae) Synonym(s): *miltophaea* Hampson,1908 Range (in code): **KK Ax Skm Tr A Ik**
- 60038. Cryphia (Bryophila) molybdea Boursin,1960** (Noctuidae) Synonym(s): *molybdea* Boursin,1960 Range (in code): **AF**
- 60039. Cryphia (Bryophila) occidentalis (Osthelder,1933)** (Noctuidae) Synonym(s): *occidentalis* Osthelder,1933 Original Reference: *Bryophila centralis* ssp. *occidentalis* Osthelder,1933, Mitt. münch. ent. Ges. 33 (2): 46. Syntypes 1♂ 2♀: [Türkei]: Marasch (ZSM). Range (in code): **TR IR Elb Th Fa Mia Shr**
- 60040. Cryphia (Bryophila) omotoi Boursin,1968** (Noctuidae) Synonym(s): *omotoi* Boursin,1968 Range (in code): **AF**
- 60041. Cryphia (Bryophila) paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892; *keltana* Amsel,1933. Original Reference: *Bryophila paulina* Staudinger,1892, Dt. ent. Z., Iris 4: 265-266. Type 4♂ 1♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): **IL Js Pa JO EG Sn SA**
- 60042. Cryphia (Bryophila) paulina fuscirena Wiltshire,1980** (Noctuidae) Synonym(s): *fuscirena* Wiltshire,1980 Range (in code): **SA**
- 60043. Cryphia (Bryophila) paulina mizbilensis Wiltshire,1980** (Noctuidae) Synonym(s): *mizbilensis* Wiltshire,1980 Range (in code): **SA**
- 60044. Cryphia (Bryophila) paulina paulina (Staudinger,1892)** (Noctuidae) Synonym(s): *paulina* Staudinger,1892; *keltana* Amsel,1933. Original Reference: *Bryophila paulina* Staudinger,1892, Dt. ent. Z., Iris 4: 265-266. Type 4♂ 1♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): **IL Js Pa JO EG Sn**
- 60045. Cryphia (Bryophila) plumbeola (Staudinger,1881)** (Noctuidae) Synonym(s): *plumbeola* Staudinger,1881 Range (in code): **KG Tar Mn Ssn**
- 60046. Cryphia (Bryophila) plumbina (Draudt,1931)** (Noctuidae) Synonym(s): *plumbina* Draudt,1931 Range (in code): **KK Ax**
- 60047. Cryphia (Bryophila) protecta (Draudt,1931)** (Noctuidae) Synonym(s): *protecta* Draudt,1931 Range (in code): **GG Lag Cc**
- 60048. Cryphia (Bryophila) salomonis Boursin,1954** (Noctuidae) Synonym(s): *salomonis* Boursin,1954 Original Reference: *Cryphia salomonis* Boursin,1954, Z. wien. ent. Ges. 39: 87-88, Taf.7 figs.3,4. Holotype ♂: Iran: Elbursgeb. Tacht i Suleiman, Särdaab-Tal (Vandarban), 2500-2700m. (ZSM). Range (in code): **IR Elb Mz Th**
- 60049. Cryphia (Bryophila) sublitterata (Filipjev,1928)** (Noctuidae) Synonym(s): *sublitterata* Filipjev,1928; *albiceps* Draudt,1931; *protecta* Draudt,1931. Range (in code): **TJ Pm Chr AF Hk Gbh**
- 60050. Cryphia (Bryophila) vandusia (Duponchel,1842)** (Noctuidae) Synonym(s): *vandusia* Duponchel,1842; *auberti* Boursin,1952. Range (in code): **PT ES FR Co Sa? IT**
- 60051. Cryphia (Bryophila) vilis (Hampson,1908)** (Noctuidae) Synonym(s): *vilis* Hampson,1908 Range (in code): **TM KK UZ**
- 60052. Cryphia (Bryophila) zeta Plante,1991** (Noctuidae) Synonym(s): *zeta* Plante,1991 Original Reference: *Cryphia (Bryophila) zeta* Plante,1991, Alexanor 17 (1): 57-58, figs. Holotype ♂: Pakistan: Prov. Gilgit, route de Khunjerab Pass, 3km S de Gulmit, 2450m, 18.vii.1990, F.Aulombard & J. Plante leg. (coll. Plante). Range (in code): **PK Gg Rdu Sst Skd Bt**
- 60053. Cryphia (Bryopsis) alfoqiya Wiltshire,1986** (Noctuidae) Synonym(s): *alfoqiya* Wiltshire,1986 Range (in code): **SA**
- 60054. Cryphia (Bryopsis) amasina (Draudt,1931)** (Noctuidae) Synonym(s): *amasina* Draudt,1931 Range (in code): **RO MK BG GR Cr CY TR TM IR Kh LB IL Pa JO YE RU Cc St Ich Da AM**
- 60055. Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) Synonym(s): *muralis* Forster,1771; *lichenis* Fabricius,1775; *glandifera* [Denis & Schiffmüller],1775; *par* Hübner,[1813]; *viridior* Schawerda,1932 Original Reference: *Phalaena muralis* Forster,1771, Novae Species Insect.: 74. Type(s): England. Range (in code): **MA DZ Dzc Clo Tun TN Dh m Bt na Abe Sbd Abe PT ES Mu FR Co**

- Sa Si IT MT IE GB BE NL LU DE CH AT SK HU RO YU AL BG GR Cr SE RU MD UA BY TR IL Pa GG Smt Bjo AM AZ Kir Cc** Bionomy: Larva on lichens (Hofmann,1893).
- 60056. Cryphia (Euthales) algae (Fabricius,1775)** (Noctuidae) Synonym(s): *algae* Fabricius,1775; *degener* [Denis & Schiffmüller],1775; *alni* Fabricius,1787; *calligrapha* Borkhausen,1792; *mendacula* Hübner,[1813]. Original Reference: *Noctua algae* Fabricius,1775, Syst. Ent.: 614. Type(s): Germania. Range (in code): **DZ Abe Btma DhM TN Rbt MA PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ DK SE FI LT RU Ro Kr St Kb Ich MD UA BY IL Pa GG Smt Bjo Lag Kir AM AZ Cc IR GlS** Bionomy: Larva feeds on tree lichens (Hofmann,1893).
- 60057. Cryphia (Euthales) ochsi (Boursin,1941)** (Noctuidae) Synonym(s): *ochsi* Boursin,1941; *#badiofasciata* Boursin,1952 Original Reference: *Bryophila ochsi* Boursin,1941, Mitt. münch. ent. Ges. 31: 316. Holotype ♂. Range (in code): **ES FR IT CH RO YU AL BG GR Cr CY TR LB Bei IL Pa IR Elb RU Cc Kr**
- 60058. Cryphia (Euthales) pallida (Bethune-Baker,1894)** (Noctuidae) Synonym(s): *pallida* Bethune-Baker,1894 Original Reference: *Bryophila pallida* Bethune-Baker,1894, Trans. ent. Soc. London 1894: 37, pl.1 fig.4. Type: Egypt: Alexandria. Range (in code): **DZ Abe Sbd Orn Prr Btma DhM TN MA Rbt EG EGO5 PT ES Mu FR Co Sa IT MT**
- 60059. Cryphia (Hymenocryphia) modesta (Moore,1881)** (Noctuidae) Synonym(s): *modesta* Moore,1881 Original Reference: *Bryophila modesta* Moore,1881, Proc. zool. Soc. Lond. 1881: 332. Type(s): India, N.W.Himalaya. Range (in code): **IN Hp**
- 60060. Cryphia (Hymenocryphia) pelidna Boursin,1968** (Noctuidae) Synonym(s): *pelidna* Boursin,1968 Range (in code): **AF Ch**
- 60061. Cryphia (Scythobrya) anchorista Boursin,1970** (Noctuidae) Synonym(s): *anchorista* Boursin,1970 Original Reference: *Cryphia (Scythobrya) anchorista* Boursin,1970, Entomops 3 (18): 53, figs. Holotype: Pakistan, Hunza-Nagar, Karakorum. Range (in code): **PK Gg Hu Kk Psu Cls Sst**
- 60062. Cryphia (s.str.) aerumna (Culot,1912)** (Noctuidae) Synonym(s): *aerumna* Culot,1912; *mimouna* Oberthür,1922; *atlantis* Schwingenschuss,1935 Range (in code): **MA DZ TN Eba Ouk Abe Sbd DhM**
- 60063. Cryphia (s.str.) albomaculata Rothschild,1914** (Noctuidae) Synonym(s): *albomaculata* Rothschild,1914; *grisescens* Rothschild,1920 nec Obth.,1918 Range (in code): **DZ Ges Btma Mii Lgt Sbd**
- 60064. Cryphia (s.str.) ammochroa Boursin,1954** (Noctuidae) Synonym(s): *ammochroa* Boursin,1954 Range (in code): **CN Ui Au**
- 60065. Cryphia (s.str.) amygdalina Boursin,1963** (Noctuidae) Synonym(s): *amygdalina* Boursin,1963 Original Reference: *Cryphia amygdalina* Boursin,1963, Z. Wien. ent. Ges. 48: 155, figs. Holotype ♂: Grichenland: Peloponnes. Range (in code): **GR**
- 60066. Cryphia (s.str.) anaemica (Hampson,1914)** (Noctuidae) Synonym(s): *anaemica* Hampson,1914 Range (in code): **DZ Btma**
- 60067. Cryphia (s.str.) antias (Culot,1912)** (Noctuidae) Synonym(s): *antias* Culot,1912 Original Reference: *Bryophila antias* Culot,1912, Noct. et Geom. Eur. 1: 134-135, pl.22 fig.13. Type: Algérie, Sud Oranais. Range (in code): **DZ Sbd Ges Orn**
- 60068. Cryphia (s.str.) arabtrricula Hacker,2002** (Noctuidae) Synonym(s): *arabtrricula* Hacker,2002 Range (in code): **SA As**
- 60069. Cryphia (s.str.) barbaria Schawerda,1934** (Noctuidae) Synonym(s): *barbaria* Schawerda,1934; *squamosa* Schwingenschuss,1935 Range (in code): **MA**
- 60070. Cryphia (s.str.) bilineata (Rothschild,1914)** (Noctuidae) Synonym(s): *bilineata* Rothschild,1914; *rosinans* Oberthür,1918 Range (in code): **DZ Ges Afl Lbs Eba**
- 60071. Cryphia (s.str.) blepharista Boursin,1964** (Noctuidae) Synonym(s): *blepharista* Boursin,1964; *katiba* Rungs,1972 Range (in code): **MA**
- 60072. Cryphia (s.str.) diehli Boursin,1960** (Noctuidae) Synonym(s): *diehli* Boursin,1960 Range (in code): **SA SA63**
- 60073. Cryphia (s.str.) dischorisma Boursin,1960** (Noctuidae) Synonym(s): *dischorisma* Boursin,1960 Range (in code): **AF Pag Kab**
- 60074. Cryphia (s.str.) distincta (Christoph,1887)** (Noctuidae) Synonym(s): *distincta* Christoph,1887 Range (in code): **TM Kp KK Skm Ax**
- 60075. Cryphia (s.str.) duseutrei (Oberthür,1922)** (Noctuidae) Synonym(s): *duseutrei* Oberthür,1922 Range (in code): **MA Azr**

- 60076. *Cryphia* (s.str.) *eberti* Boursin,1961** (Noctuidae) Synonym(s): *eberti* Boursin,1961
Original Reference: *Cryphia* (Bryoleuca) *distincta* ssp. *eberti* Boursin,1961, Beitr. naturk. Forsch. SW-Dtl. 19 (3): 384 Taf.v figs. 4,5. Holotype ♂: Afghanistan: Sarobi, 1100m, 7. Juni 1957 (Ebert leg.) (ZSM). Range (in code): AF Pag Srb
- 60077. *Cryphia* (s.str.) *eberti eva* Boursin,1963** (Noctuidae) Synonym(s): *eva* Boursin,1963
Range (in code): AF Pag
- 60078. *Cryphia* (s.str.) *fraudatricula* (Hübner,[1803])** (Noctuidae) Synonym(s): *fraudatricula* Hübner,[1803] Range (in code): DZ Sbd ES IT DE CH AT PL CZ SK HU RO YU AL BG GR LT RU Cc Ro Kr St Kyi MD UA BY
- 60079. *Cryphia* (s.str.) *gigantea* Boursin,1960** (Noctuidae) Synonym(s): *gigantea* Boursin,1960
Range (in code): AF Bd
- 60080. *Cryphia* (s.str.) *hedygrapha* Boursin,1963** (Noctuidae) Synonym(s): *hedygrapha* Boursin,1963 Range (in code): AF Pag Kab
- 60081. *Cryphia* (s.str.) *icterica* Boursin,1960** (Noctuidae) Synonym(s): *icterica* Boursin,1960
Range (in code): AF Nu
- 60082. *Cryphia* (s.str.) *klapperichi* Boursin,1960** (Noctuidae) Synonym(s): *klapperichi* Boursin,1960 Range (in code): AF Nu IR Fa
- 60083. *Cryphia* (s.str.) *omalosi* Svendsen & Fibiger,1998** (Noctuidae) Synonym(s): *omalosi* Svendsen & Fibiger,1998 Range (in code): Cr
- 60084. *Cryphia* (s.str.) *pseudoperla* (Rothschild,1914)** (Noctuidae) Synonym(s): *pseudoperla* Rothschild,1914
Original Reference: *Bryophila pseudoperla* Rothschild,1914, Novit. zool. 21: 334. Type: Algeria: "Guelt-es-Stel". Range (in code): DZ Ges Mii Lgt
- 60085. *Cryphia* (s.str.) *receptricula* (Hübner,[1803])** (Noctuidae) Synonym(s): *strigula* Borkhausen,1792 nec Thunb.,1788; *receptricula* Hübner,[1803]; *stictica* Ménétriés,1859. Original Reference: *Noctua receptricula* Hübner,[1803], Samml. eur. Schmett., Noctuae: Taf. 6 fig.27. Type(s): [Europa]. Range (in code): Si IT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Ro St Kyi Kc Kr Da MD UA BY AM AZ Kir IR Bk By Es Fa Mia Com Lo AF LB JO Bionomy: Larva on *Parmelia* (Parmeliaceae) [Fungi] (Hofmann,1893).
- 60086. *Cryphia* (s.str.) *rungsi* Boursin,1940** (Noctuidae) Synonym(s): *rungsi* Boursin,1940; *#chlorocharis* Boursin,1941 Range (in code): MA Rbt
- 60087. *Cryphia* (s.str.) *simulatricula* (Guenée,1852)** (Noctuidae) Synonym(s): *simulatricula* Guenée,1852 Range (in code): DZ Ges Sfr PT ES Mu FR IT CH
- 60088. *Cryphia* (s.str.) *vartianica* Boursin,1969** (Noctuidae) Synonym(s): *vartianica* Boursin,1969 Range (in code): AF
- 60089. *Cryphia* *deceptura* (Walker,1865)** (Noctuidae) Synonym(s): *deceptura* Walker,1865
Range (in code): ZA
- 60090. *Cryphia* *fulvifusa* (Hampson,1911)** (Noctuidae) Synonym(s): *fulvifusa* Hampson,1911
Range (in code): ZA Tva Gau Jh
- 60091. *Cryphia* *gea* (Schawerda,1934)** (Noctuidae) Synonym(s): *gea* Schawerda,1934 Range (in code): ES
- 60092. *Cryphia* *hannemanni* Boursin,1961** (Noctuidae) Synonym(s): *hannemanni* Boursin,1961
Range (in code): KK Skm
- 60093. *Cryphia* *leucomelaena* (Hampson,1908)** (Noctuidae) Synonym(s): *leucomelaena* Hampson,1908 Range (in code): KE ZA Tva Gau Pre
- 60094. *Cryphia* *ochrophaea* (Hampson,1908)** (Noctuidae) Synonym(s): *ochrophaea* Hampson,1908
Original Reference: *Bryophila ochrophaea* Hampson,1908, Cat. lepid. Phalaenae Br. Mus. 7: 641-642, pl.122 fig.21. Syntypes 8♂♂: India, Kashmir, Dras (BMNH). Range (in code): IN Ch Dra PK Gg Hu Psu Sst
- 60095. *Cryphia* *uzahovi* L.Ronkay & Herczig,1991** (Noctuidae) Synonym(s): *uzahovi* L.Ronkay & Herczig,1991 Range (in code): RU Cc Ich Ce8
- 60096. *Crypsedra* *gemmea* (Treitschke,1825)** (Noctuidae) Synonym(s): *gemmea* Treitschke,1825
Range (in code):
- 60097. *Crypsotidia* *glaucata* (Holland,1897)** (Noctuidae) Synonym(s): *glaucata* Holland,1897
Original Reference: *Eublemma glaucata* Holland,1897, [in] Donaldson Smith's through unknown African countries: 415. Holotype ♀: Somaliland: "Sheikh Husein" (CMP). Range (in code): SO
- 60098. *Crypsotidia* *maculifera* (Staudinger,1898)** (Noctuidae) Synonym(s): *maculifera* Staudinger,1898; *wollastoni* Rothschild,1901; *voolastoni* Hampson,1913; ? *maculata* Tams,1926. Original

- Reference: *Hydrilla maculifera* Staudinger, 1898, Dt. ent. Z., Iris 10: 287, Taf.4 fig.22. Syntypes: Jaffa. Range (in code): **TR ET SD EG NG MW IL Pa CY**
- 60099. *Crypsoptidia mesosema* Hampson, 1913** (Noctuidae) Synonym(s): *mesosema* Hampson, 1913. Range (in code): **ZA**
- 60100. *Cryptastria fuscomarginata* (Bethune-Baker, 1906)** (Noctuidae) Synonym(s): *fuscomarginata* Bethune-Baker, 1906; *#fuscomaculata* Kononenko & Pinratana, 2005. Original Reference: *Zethes fuscomarginata* Bethune-Baker, 1906, Novit. zool. 13: 272. Type: New Guinea: Dinawa. Range (in code): **PG Bsm Bor Clb ID MY TH Knc IN**
- 60101. *Cryptocala chardinyi* (Boisduval, 1829)** (Noctuidae) Synonym(s): *chardinyi* Boisduval, 1829. Range (in code): **PL FI EE LV LT RU Mo Tt**
- 60102. *Cryptothripa occulta* (Swinhoe, 1885)** (Noctuidae) Synonym(s): *occulta* Swinhoe, 1885. Range (in code): **IN Poo Mh**
- 60103. *Cryptothripa polythymnia* (Hampson, 1902)** (Noctuidae) Synonym(s): *polythymnia* Hampson, 1902; *bifurcata* Gaede, 1939. Range (in code): **ZA Kzu Nta Dbn**
- 60104. *Crithote pallivaga* Holloway, 2005** (Noctuidae) Synonym(s): *pallivaga* Holloway, 2005. Range (in code): **MY Bor Swk TH Tng ID Sum CN IN**
- 60105. *Csorbatype csorbai* (Hreblay & L.Ronkay, 1998)** (Noctuidae) Synonym(s): *csorbai* Hreblay & L.Ronkay, 1998. Range (in code): **NP**
- 60106. *Csorbatype informis* (Hreblay & L.Ronkay, 1998)** (Noctuidae) Synonym(s): *informis* Hreblay & L.Ronkay, 1998. Range (in code): **NP**
- 60107. *Csorbatype thailandica* Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *thailandica* Hreblay & L.Ronkay, 1999. Original Reference: *Csorbatype thailandica* Hreblay & L.Ronkay, 1999, Esperiana 7: 551-552, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m, leg. M.Hreblay (coll.Hreblay). Range (in code): **TH CMa Int Php Fn**
- 60108. *Ctenane labuana* (Swinhoe, 1904)** (Noctuidae) Synonym(s): *labuana* Swinhoe, 1904. Range (in code): **MY Bor Sbh**
- 60109. *Ctenoceratoda graeseri* (Püngeler, 1898)** (Noctuidae) Synonym(s): *graeseri* Püngeler, 1898. Original Reference: *Haderonia tancrei* var. *graeseri* Püngeler, 1898, Societas ent. 13 (8): 58. Type ♂: [Uighur A.R.]: "Ili fl." Range (in code): **CN Ui KK Skm**
- 60110. *Ctenoceratoda juliannae* Varga, 1992** (Noctuidae) Synonym(s): *juliannae* Varga, 1992. Range (in code): **MN**
- 60111. *Ctenoceratoda korghossi* (Alpheraky, 1882)** (Noctuidae) Synonym(s): *korghossi* Alpheraky, 1882. Range (in code): **CN Ui Ku Khr KG Tk Dj**
- 60112. *Ctenoceratoda longicornis* Graeser, 1892** (Noctuidae) Synonym(s): *longicornis* Graeser, 1892. Range (in code):
- 60113. *Ctenoceratoda lukhtanovi* Varga & Gyulai, 1998** (Noctuidae) Synonym(s): *lukhtanovi* Varga & Gyulai, 1998. Range (in code):
- 60114. *Ctenoceratoda lupa* (Christoph, 1893)** (Noctuidae) Synonym(s): *lupa* Christoph, 1893. Range (in code): **CN Ui Au KK Ax TJ Pm Chr**
- 60115. *Ctenoceratoda lupa contempta* (Püngeler, 1914)** (Noctuidae) Synonym(s): *contempta* Püngeler, 1914. Original Reference: *Hadula (Mamestra) contempta* Püngeler, 1914, Dt. ent. Z., Iris 28: 39-40, Taf.ii fig.4. Syntypes 2♂ 1♀: "Ost-Turkestan, Aksu" (Rückbeil leg.). Range (in code): **KK Ax CN Ui Au**
- 60116. *Ctenoceratoda stenocera* Varga & Gyulai, 2002** (Noctuidae) Synonym(s): *stenocera* Varga & Gyulai, 2002. Range (in code): **CN Ui Cho Sdh**
- 60117. *Ctenoceratoda sukharevae* (Varga, 1974)** (Noctuidae) Synonym(s): *sukharevae* Varga, 1974. Range (in code): **MN**
- 60118. *Ctenoceratoda tancrei* (Graeser, 1892)** (Noctuidae) Synonym(s): *tancrei* Graeser, 1892. Range (in code): **KG Tk Dj KK Ik Skm**
- 60119. *Ctenoceratoda zetina* (Staudinger, 1900)** (Noctuidae) Synonym(s): *zetina* Staudinger, 1900; *impia* Püngeler, 1905; *desquamata* Filipjev, 1928. Range (in code): **CN Ui T-S Au Ga Alt M-A Pm TJ Chr AF KK TeA**
- 60120. *Ctenoceratoda zetina rhodoptera* Varga, 1992** (Noctuidae) Synonym(s): *rhodoptera* Varga, 1992. Range (in code): **AF**
- 60121. *Ctenusa curvilinea* Hampson, 1913** (Noctuidae) Synonym(s): *curvilinea* Hampson, 1913; *rectilinea* Fawcett, 1916. Range (in code): **ZA**

- 60122. *Ctenusa pallida* (Hampson,1902)** (Noctuidae) **Synonym(s):** *pallida* Hampson,1902; *carnicolor* Hampson,1902; *rufirena* Hampson,1910; *brevipecten* Hampson,1913. **Range (in code):** **BW Nga NA Mtb Dmr**
- 60123. *Ctenusa varians* (Wallengren,1863)** (Noctuidae) **Synonym(s):** *marginalis* Walker,1858 (*praeocc.*); *variens* Wallengren,1863; *marginifera* Walker,1864; *pretoriae* Distant,1902; *seriopuncta* Hampson,1916 **Range (in code):** **ZA Tva Gau Pre Lpo Spb Mdk BW Nga Ec**
- 60124. *Cucullia* (s.str.) *absinthii* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *absinthii* Linnaeus,1761; *punctigera* Hufnagel,1766; *clausa* Walker,1857 **Original Reference:** *Phalaena absinthii* Linnaeus,1761, *Fauna Suecica* (2): 314. Type(s): Schweden. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Kis Cc Ro Kr Nt Ing Da At MD UA BY IR Elb KK Ik Ax** **Bionomy:** Larva on *Artemisia absinthium* (Blaschke,1914).
- 60125. *Cucullia* (s.str.) *achalina* Püngeler,1900** (Noctuidae) **Synonym(s):** *achalina* Püngeler,1900 **Original Reference:** *Cucullia argentina* var. *achalina* Püngeler,1900, Dt. ent. Z., Iris 13: 120. Syntypes 3 ex.: [Turkmenistan]: "Ashabad". **Range (in code):** **TM Kp AF Hr IR PK**
- 60126. *Cucullia* (s.str.) *achilleae* Guenée,1852** (Noctuidae) **Synonym(s):** *achilleae* Guenée,1852 **Range (in code):** **ES Mu** **Bionomy:** Larva on *Anthemis*, *Artemisia herba-alba* (Calle et al., 2000).
- 60127. *Cucullia* (s.str.) *aksuana* Boursin,1941** (Noctuidae) **Synonym(s):** *#aksuana* Draudt,1934; *aksuana* Boursin,1941 **Range (in code):** **IN Ld CN Ui Au**
- 60128. *Cucullia* (s.str.) *albifuscata* Janse,1939** (Noctuidae) **Synonym(s):** *albifuscata* Janse,1939 **Range (in code):** **ZA**
- 60129. *Cucullia* (s.str.) *albilineata* Gaede,1934** (Noctuidae) **Synonym(s):** *albilineata* Gaede,1934 **Range (in code):** **ZA**
- 60130. *Cucullia* (s.str.) *albipennis* Hampson,1894** (Noctuidae) **Synonym(s):** *albipennis* Hampson,1894 **Range (in code):** **IN Hp Kgr Up Bhi PK Pat**
- 60131. *Cucullia* (s.str.) *alpherakyi* Staudinger,1896** (Noctuidae) **Synonym(s):** *alpherakyi* Staudinger,1896 **Range (in code):** **MN U-B**
- 60132. *Cucullia* (s.str.) *amota* Alpheraky,1887** (Noctuidae) **Synonym(s):** *amota* Alpheraky,1887 **Original Reference:** *Cucullia amota* Alpheraky,1887, Stettin ent. Ztg. 48: 171. Syntypes: Turkestan. **Range (in code):** **KK Ik CN Ui Ii UZ Fe KG Uk Tk**
- 60133. *Cucullia* (s.str.) *anifurca* (Goeze,1781)** (Noctuidae) **Synonym(s):** *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. **Original Reference:** *Phalaena anifurca* Goeze,1781, Ent. Beytr. 3(3): 203, nr.54. **Range (in code):** **PT ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr Kb St Nt At Am AM GG Smt Bjo Bku Cc MN U-B** **Bionomy:** Larva on *Lactuca muralis*, *Mycelis*, *Sonchus*, *Hieracium*, *Prenanthes purpurea*, *Taraxacum* (Asteraceae) (Denis & Schiffermüller,1775; et seq.).
- 60134. *Cucullia* (s.str.) *anifurca anifurca* (Goeze,1781)** (Noctuidae) **Synonym(s):** *#lactucae* [Denis & Schiffermüller],1775; *anifurca* Goeze,1781. **Original Reference:** *Phalaena anifurca* Goeze,1781, Ent. Beytr. 3(3): 203, nr.54. **Range (in code):** **PT ES FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr Kb St Nt At Am AM GG Smt Bjo Bku Cc MN U-B** **Bionomy:** Larva on *Lactuca muralis*, *Mycelis*, *Sonchus*, *Hieracium*, *Prenanthes purpurea*, *Taraxacum* (Asteraceae) (Denis & Schiffermüller,1775; et seq.).
- 60135. *Cucullia* (s.str.) *anifurca pustulata* Eversmann,1842** (Noctuidae) **Synonym(s):** *pustulata* Eversmann,1842 **Range (in code):** **RU Ur**
- 60136. *Cucullia* (s.str.) *anthocharis* Boursin,1969** (Noctuidae) **Synonym(s):** *anthocharis* Boursin,1969 **Range (in code):** **SA**
- 60137. *Cucullia* (s.str.) *argentea* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *argentea* Hufnagel,1766 **Original Reference:** *Phalaena argentea* Hufnagel,1766, Berl. Mag. 3: 286. Type(s): Germania: Berlin. **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Cc Ro Nt MD UA BY KK TrA**
- 60138. *Cucullia* (s.str.) *argentea argentea* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *argentea* Hufnagel,1766 **Original Reference:** *Phalaena argentea* Hufnagel,1766, Berl. Mag. 3: 286. Type(s): Germania: Berlin. **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Cc Ro Nt MD UA BY**
- 60139. *Cucullia* (s.str.) *argentea subcaerulea* Staudinger,1901** (Noctuidae) **Synonym(s):** *subcaerulea* Staudinger,1901 **Range (in code):** **KK TrA**
- 60140. *Cucullia* (s.str.) *argentina* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *argentina* Fabricius,1787; *grisescens* F.Wagner,1931 nec Lch.,1900; *anatoliensis* Koçak,1980. **Original Reference:**

Noctua argentina Fabricius, 1787, Mant. Ins. 2: 162, nr. 185. Type(s): Russia australiori. Range (in code): **DZ Sfr BtNa BSa KhH SK BG RU Ro St Kyi Da MD UA BY TR Cc IR Elb Th Dam Ab Oru Mak Fa Ss Kh CN Ui Khr Ku KG Tk Dj** Bionomy: Larva on Artemisia (Asteraceae) (Koçak & Kemal, pers.).

- 60141. Cucullia (s.str.) argentivitta (Hampson, 1906)** (Noctuidae) Synonym(s): *argentivitta* Hampson, 1906 Range (in code): **ZA**
- 60142. Cucullia (s.str.) artemisiae (Hufnagel, 1766)** (Noctuidae) Synonym(s): *artemisiae* Hufnagel, 1766; *abrotani* [Denis & Schiffermüller], 1775 Original Reference: *Phalaena artemisiae* Hufnagel, 1766, Berl. Mag. 3: 292. Type(s): Germania: Berlin. Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Cc Ro Kb MD UA BY**
- 60143. Cucullia (s.str.) artemisiae artemisiae (Hufnagel, 1766)** (Noctuidae) Synonym(s): *artemisiae* Hufnagel, 1766; *abrotani* [Denis & Schiffermüller], 1775 Original Reference: *Phalaena artemisiae* Hufnagel, 1766, Berl. Mag. 3: 292. Type(s): Germania: Berlin. Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Cc Ro Kb MD UA BY**
- 60144. Cucullia (s.str.) asteris ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#asteris* [Denis & Schiffermüller], 1775 Original Reference: *Noctua asteris* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK TR Cc IR Gls NO SE FI EE LV LT RU Ro St Nt Ich Ing At Prj Us MD UA BY CN Ui Kl MN U-B KG Tk Dj KK Ik TeA TrA Ax JP** Bionomy: Larva on Asteris chinensis ([Denis & Schiffermüller], 1775 et seq.).
- 60145. Cucullia (s.str.) atrimacula Hampson, 1909** (Noctuidae) Synonym(s): *atrimacula* Hampson, 1909 Range (in code): **ZA**
- 60146. Cucullia (s.str.) balsamitae Boisduval, 1840** (Noctuidae) Synonym(s): *balsamitae* Boisduval, 1840 Range (in code): **AT PL SK HU RO YU LV LT RU Cc Ro KK Ik**
- 60147. Cucullia (s.str.) balsamitae balsamitae Boisduval, 1840** (Noctuidae) Synonym(s): *balsamitae* Boisduval, 1840 Range (in code): **AT PL SK HU RO YU LV LT RU Cc Ro KK Ik**
- 60148. Cucullia (s.str.) behouneki Hacker & Ronkay, 1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay, 1988 Original Reference: *Cucullia behouneki* Hacker & Ronkay, 1988, Nota lepid. 11(1): 39-42, figs. Holotype ♂: Türkiye: Erzurum: Palandöken Dağ, 2600-2800m. Range (in code): **TR IR Elb Th RU Kb Da Cc**
- 60149. Cucullia (s.str.) behouneki behouneki Hacker & Ronkay, 1988** (Noctuidae) Synonym(s): *behouneki* Hacker & Ronkay, 1988 Original Reference: *Cucullia behouneki* Hacker & Ronkay, 1988, Nota lepid. 11(1): 39-42, figs. Holotype ♂: Türkiye: Erzurum: Palandöken Dağ, 2600-2800m. Range (in code): **TR Cc**
- 60150. Cucullia (s.str.) behouneki korsosi Ronkay, 1990** (Noctuidae) Synonym(s): *korsosi* Ronkay, 1990 Original Reference: *Cucullia behouneki* ssp. *korsosi* Ronkay, 1990, Annls hist.-nat. natn. Hung. 82: 156-157. Holotype ♂: Russia: E. Caucasus, Daghestan ASSR, Kurush Station 2400m (leg. Z. Korsos) (HNHM). Range (in code): **RU Da Kb Cc**
- 60151. Cucullia (s.str.) biornata Fischer v. Waldheim, 1840** (Noctuidae) Synonym(s): *biornata* Fischer v. Waldheim, 1840; *#lobnorica* Draudt, 1934 Original Reference: *Cucullia biornata* Fischer v. Waldheim, 1840, Bull. Soc. imp. Nat. Moscou 1840: 83, Taf. 3 fig. 3. Range (in code): **RO BG RU Cc Ro Kyi Da At CN Ui Ln li MN UZ Fe KK Ik KG Uk**
- 60152. Cucullia (s.str.) biskrana Oberthür, 1918** (Noctuidae) Synonym(s): *biskrana* Oberthür, 1918 Original Reference: *Cucullia biskrana* Oberthür, 1918, Etud. Lépid. comp. 16: 167, pl. 496 figs. 4125-4126. Syntypes ♂♀: Algérie, Biskra; Lectotype ♂, designated by G. Ronkay & L. Ronkay (1988). Range (in code): **DZ Bsk**
- 60153. Cucullia (s.str.) boryphora Fischer v. Waldheim, 1840** (Noctuidae) Synonym(s): *boryphora* Fischer & Waldheim, 1840; *lignata* Guenée, 1841; *rimula* Freyer, 1842 Range (in code): **DE SE FI RU Sr MD UA BY TR Cc IQ Kbl IR Ss Kh CN Ui AF Hr Srb TM KK Ik PK Cls IN Ld Ch LB**
- 60154. Cucullia (s.str.) brunnea Hampson, 1902** (Noctuidae) Synonym(s): *brunnea* Hampson, 1902 Range (in code): **ZA Ec ET ET24**
- 60155. Cucullia (s.str.) bubaceki Kitt, 1925** (Noctuidae) Synonym(s): *bubaceki* Kitt, 1925 Range (in code): **ES**
- 60156. Cucullia (s.str.) calendulae Treitschke, 1835** (Noctuidae) Synonym(s): *calendulae* Treitschke, 1835; *wredowi* Costa, [1836]; *leucanthemi* Rambur, 1858; *dellabrunai* Berio, 1980. Original Reference: *Cucullia chamomillae* var. *calendulae* Treitschke, 1835, Schmett. Eur. 10 (2): 127. Syntypes: Italia: Sicilia. Range (in code): **Cn MA DZ Ges BSa Ahr KhH Ktr Ceg Hrh Berr Bsk TN PT ES Mu FR Co Sa Si IT MK MT AL GR Cr Rd TR LB JO IQ Bgd Sel IL Pa Hf SA CY IR Ahz TM Kp AF**

- Bionomy:** Larva on Achillea, Anthemis, Calendula, Ormenis, Chrysanthemum coronarium (Draudt,1934; Wiltshire,1957; Calle et al., 2000).
- 60157. *Cucullia* (s.str.) *campanulae* Freyer,1831** (Noctuidae) **Synonym(s):** *campanulae* Freyer,1831 **_ Range (in code):** [ES IT DE CH AT PL CZ SK HU RO YU RU MD UA BY](#)
- 60158. *Cucullia* (s.str.) *cemenelensis* Boursin,1923** (Noctuidae) **Synonym(s):** *cemenelensis* Boursin,1923 **_ Range (in code):** [ES FR IT](#)
- 60159. *Cucullia* (s.str.) *chamomillae* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. **Original Reference:** Noctua *chamomillae* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 73. Type(s): [Austria]: Vienna district. **Range (in code):** [MA DZ Tlm Abe TN EG PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE EE LV LT RU Cc Ro Kr MD UA BY](#) **Bionomy:** Larva on Achillea, Anthemis, Calendula, Chrysanthemum, Matricaria (Calle et al., 2000).
- 60160. *Cucullia* (s.str.) *chamomillae chamomillae* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *chamomillae* [Denis & Schiffermüller],1775; *fissina* Haworth,1809; *chrysanthemi* Hübner,[1822]. **Original Reference:** Noctua *chamomillae* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 73. Type(s): [Austria]: Vienna district. **Range (in code):** [MA DZ Tlm Abe TN EG PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE EE LV LT RU Cc Ro Kr MD UA BY](#) **Bionomy:** Larva on Achillea, Anthemis, Calendula, Chrysanthemum, Matricaria (Calle et al., 2000).
- 60161. *Cucullia* (s.str.) *chamomillae hackeri* G.Ronkay & L.Ronkay,1987** (Noctuidae) **Synonym(s):** *hackeri* G.Ronkay & L.Ronkay,1987 **_ Range (in code):** [TR](#)
- 60162. *Cucullia* (s.str.) *chrysota* Hampson,1902** (Noctuidae) **Synonym(s):** *chrysota* Hampson,1902 **_ Range (in code):** [ZA Nta Kzu Est Dbn ET ET24](#)
- 60163. *Cucullia* (s.str.) *cineracea* Freyer,1841** (Noctuidae) **Synonym(s):** *cineracea* Freyer,1841 **Range (in code):** [FR IT RU Ur Sb Ro Kb St Nt Ich Ing Da TR Cc AF Slg PK Ch Gg Bbu Nar Haz Kjb TJ Pm Chr MN Uli CN Ui Ii KK TeA TrA Ax Ik IN Ld](#)
- 60164. *Cucullia* (s.str.) *cineracea argyllacea* Hacker, G.Ronkay & L.Ronkay,1990** (Noctuidae) **Synonym(s):** *argyllacea* Hacker, G.Ronkay & L.Ronkay,1990 **_ Range (in code):** [TJ Pm Chr AF Slg](#)
- 60165. *Cucullia* (s.str.) *cineracea cineracea* Freyer,1841** (Noctuidae) **Synonym(s):** *cineracea* Freyer,1841 **_ Range (in code):** [FR IT RU Cc Ro Kb St Nt Ich Ing Da TR MN Uli CN Ui Ii KK TeA TrA Ax Ik](#)
- 60166. *Cucullia* (s.str.) *cineracea cyanogrisea* Hacker, G.Ronkay & L.Ronkay,1990** (Noctuidae) **Synonym(s):** *cyanogrisea* Hacker, G.Ronkay & L.Ronkay,1990 **_ Range (in code):** [IN Ld PK Gg Bbu Haz Nar Kjb](#)
- 60167. *Cucullia* (s.str.) *citella* G.Ronkay & L.Ronkay,1987** (Noctuidae) **Synonym(s):** *citella* G.Ronkay & L.Ronkay,1987 **_ Range (in code):** [TR](#)
- 60168. *Cucullia* (s.str.) *clausa* Walker,1857** (Noctuidae) **Synonym(s):** *clausa* Walker,1857 **Range (in code):** [ZA](#)
- 60169. *Cucullia* (s.str.) *consimilis* R.Felder & Rogenhofer,1874** (Noctuidae) **Synonym(s):** *consimilis* R.Felder & Rogenhofer,1874 **_ Range (in code):** [ZA Ec Kny Ans](#)
- 60170. *Cucullia* (s.str.) *daedalis* Janse,1939** (Noctuidae) **Synonym(s):** *daedalis* Janse,1939; *#daedalus* Janse,1939. **_ Range (in code):** [ZA](#)
- 60171. *Cucullia* (s.str.) *defecta* Staudinger,1897** (Noctuidae) **Synonym(s):** *defecta* Staudinger,1897 **_ Range (in code):** [RU CN Ui Ku](#)
- 60172. *Cucullia* (s.str.) *distinguenda* Staudinger,1892** (Noctuidae) **Synonym(s):** *distinguenda* Staudinger,1892 **_ Range (in code):** [CN Ui Ii Tz Kno KK Ik TeA RU Am](#)
- 60173. *Cucullia* (s.str.) *dracunculi* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903. **Original Reference:** Noctua *dracunculi* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.127, fig. 586. Type(s): [Europa]. **Range (in code):** [ES FR Si IT DE AT SK HU RU Ro St Cc MD UA BY TR CN Ui Ku IR Kh Drg KG T-S Tk Dj KK TeA Ik](#)
- 60174. *Cucullia* (s.str.) *duplicata* Staudinger,1882** (Noctuidae) **Synonym(s):** *duplicata* Staudinger,1882 **_ Range (in code):** [KK TeA KG DsA Lps Tk Dj MN CN Ts Kno Ui Ga Au IN Ld Ch PK Nar Haz Bbu Hu Gg](#)
- 60175. *Cucullia* (s.str.) *duplicata thomasi* Hacker, G.Ronkay & L.Ronkay,1990** (Noctuidae) **Synonym(s):** *thomasi* Hacker, G.Ronkay & L.Ronkay,1990 **_ Range (in code):** [IN Ld Ch PK Haz Nar Bbu Hu Gg](#)

- 60176. *Cucullia* (s.str.) *expulsa* G.Ronkay & L.Ronkay,1990** (Noctuidae) Synonym(s): *expulsa* G.Ronkay & L.Ronkay,1990 - Range (in code): **KK TeA**
- 60177. *Cucullia* (s.str.) *extricata* (Walker,1857)** (Noctuidae) Synonym(s): *extricata* Walker,1857
Range (in code): **ZA Tva Gau Pre Nta Kzu Ec Ans Kny**
- 60178. *Cucullia* (s.str.) *formosa* Rogenhofer,1860** (Noctuidae) Synonym(s): *formosa* Rogenhofer,1860 - Original Reference: *Cucullia formosa* Rogenhofer,1860, Verh. zool.- bot. Ges. Wien 10: 775. Type: Hungary. Range (in code): **FR IT HU YU BG GR CN Ui Ts Kno**
- 60179. *Cucullia* (s.str.) *fraterna* Butler,1878** (Noctuidae) Synonym(s): *fraterna* Butler,1878
Range (in code): **BG RU MD UA BY**
- 60180. *Cucullia* (s.str.) *fraudatrix* Eversmann,1837** (Noctuidae) Synonym(s): *fraudatrix* Eversmann,1837; *pontica* Boisduval,1840. - Original Reference: *Cucullia fraudatrix* Eversmann,1837, Bull. Soc. imp. Nat. Moscou 1837: 43. Range (in code): **DE AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Kis Cc Ro St Kr Tt Or At Am Us MD UA BY CN Ui Ku KK Ik JP**
- 60181. *Cucullia* (s.str.) *fuchsiana* Eversmann,1842** (Noctuidae) Synonym(s): *fuchsiana* Eversmann,1842 - Range (in code): **RU Cc Ro Ur At Prj Us CN Ts Kno**
- 60182. *Cucullia* (s.str.) *generosa* Staudinger,1899** (Noctuidae) Synonym(s): *generosa* Staudinger,1899 - Range (in code): **KK Ik TeA CN Ui Ga**
- 60183. *Cucullia* (s.str.) *gnaphalii* (Hübner,[1813])** (Noctuidae) Synonym(s): *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. - Original Reference: *Noctua gnaphalii* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.126, figs.582-583. Syntypes: [Europa]. Range (in code): **PT ES FR IT GB BE DE CH AT PL SK HU RO TR GG Smt Bjo Cc DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA BY**
- 60184. *Cucullia* (s.str.) *graeseri* Püngeler,1901** (Noctuidae) Synonym(s): *graeseri* Püngeler,1901
Range (in code): **CN Ui Au**
- 60185. *Cucullia* (s.str.) *hartigi* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *hartigi* G.Ronkay & L.Ronkay,1987 - Range (in code): **Sa**
- 60186. *Cucullia* (s.str.) *heinickei* Boursin,1968** (Noctuidae) Synonym(s): *heinickei* Boursin,1968
Range (in code):
- 60187. *Cucullia* (s.str.) *hemidiaphana* Graeser,1892** (Noctuidae) Synonym(s): *hemidiaphana* Graeser,1892 - Original Reference: *Cucullia hemidiaphana* Graeser,1892, Berl. ent. Z. 37 (3): 313-315. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge. Range (in code): **IR Fa Kh KuB KK Ax TM Kp TJ Pm Cc AZ AE OM JO EG Sn**
- 60188. *Cucullia* (s.str.) *hemidiaphana efflatouni* Wiltshire,1948** (Noctuidae) Synonym(s): *efflatouni* Wiltshire,1948 - Range (in code): **AE OM JO EG Sn**
- 60189. *Cucullia* (s.str.) *hutchinsoni* Hampson,1902** (Noctuidae) Synonym(s): *hutchinsoni* Hampson,1902 - Range (in code): **ZA Nta Kzu Est Ec Ans**
- 60190. *Cucullia* (s.str.) *improba* Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958 - Range (in code): **MT TR TM Krn K-A Cc AZ Nv Ord IR Es Gor Elb Th Kdj JO AF KK Ik UZ KG Tk Dj**
- 60191. *Cucullia* (s.str.) *improba improba* Christoph,1885** (Noctuidae) Synonym(s): *improba* Christoph,1885; *leptographa* Reisser,1958 - Range (in code): **MT TR TM Krn K-A Cc AZ Nv Ord IR Es AF KK Ik UZ KG Tk Dj**
- 60192. *Cucullia* (s.str.) *improba muelleri* Hacker,2001** (Noctuidae) Synonym(s): *muelleri* Hacker,2001 - Range (in code): **JO**
- 60193. *Cucullia* (s.str.) *inaequalis* Janse,1939** (Noctuidae) Synonym(s): *inaequalis* Janse,1939
Range (in code): **ZA**
- 60194. *Cucullia* (s.str.) *inderiensis* Herrich-Schäffer,[1856]** (Noctuidae) Synonym(s): *inderiensis* Herrich-Schäffer,[1856] - Range (in code): **RU Ur KG Uk Ind KK Ik**
- 60195. *Cucullia* (s.str.) *khorrassana* Brandt,1941** (Noctuidae) Synonym(s): *khorrassana* Brandt,1941 - Original Reference: *Cucullia khorrassana* Brandt,1941, Mitt. münch. ent. Ges. 31: 846-847, fig.31. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 2500m. Range (in code): **IR Kh**
- 60196. *Cucullia* (s.str.) *lactea* (Fabricius,1787)** (Noctuidae) Synonym(s): *lactea* Fabricius,1787
Original Reference: *Noctua lactea* Fabricius,1787, Mant. Ins. 2: 182, nr. 297. Range (in code): **RU Ro St Da GG AZ AM Cc TM KG Uk**
- 60197. *Cucullia* (s.str.) *lampra* (Püngeler,1909)** (Noctuidae) Synonym(s): *lampra* Püngeler,1909 - Range (in code): **CN Ui Au**
- 60198. *Cucullia* (s.str.) *leptographa* Reisser,1958** (Noctuidae) Synonym(s): *leptographa* Reisser,1958 - Range (in code): **IR Es**

- 60199. *Cucullia* (s.str.) *leucopis* Hampson,1906** (Noctuidae) Synonym(s): *leucopis* Hampson,1906 _ Range (in code): **ZA**
- 60200. *Cucullia* (s.str.) *lindei* Heyne,1899** (Noctuidae) Synonym(s): *lindei* Heyne,1899 _ Range (in code): **RU MD UA BY**
- 60201. *Cucullia* (s.str.) *lucifuga* (Hübner,[1803])** (Noctuidae) Synonym(s): *lucifuga* Hübner,[1803]. _ Original Reference: Noctua lucifuga Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.54, fig.262. Type(s): Europa. Range (in code): **DZ Ceg ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV RU Kb Nt St Ich Ing Da Ur At Am Prj Us Cc GG Smt Bjo Bku AM MD UA BY CN Ts Kno KK TeA JP**
- 60202. *Cucullia* (s.str.) *luna* Morrison,1875** (Noctuidae) Synonym(s): *luna* Morrison,1875; *magdalena* Hulst,1882; *notatella* Grote,1882 _ Range (in code): **US**
- 60203. *Cucullia* (s.str.) *macara* Rebel,1948** (Noctuidae) Synonym(s): *macara* Rebel,1948 _ Range (in code): **SA SA63 EG JE IL Pa JO**
- 60204. *Cucullia* (s.str.) *macara benderi* Boursin,1963** (Noctuidae) Synonym(s): *benderi* Boursin,1963 _ Range (in code): **SA SA63 EG IL Pa JO**
- 60205. *Cucullia* (s.str.) *magdalenae* Laporte,1976** (Noctuidae) Synonym(s): *magdalenae* Laporte,1976 _ Range (in code): **ET ET86**
- 60206. *Cucullia* (s.str.) *magnifica* Freyer,1839** (Noctuidae) Synonym(s): *magnifica* Freyer,1839 _ Range (in code): **RU Sr Ur Cc Ro Kb Nt Ich Ing Da TR KG Tar KK Ik Ax**
- 60207. *Cucullia* (s.str.) *maracandica* Staudinger,1888** (Noctuidae) Synonym(s): *maracandica* Staudinger,1888; *herzi* Alpheraky,1894. _ Range (in code): **IR Elb Th Kh Kd Mrv Sqg UZ Smk TM Kp TJ Pm Chr T-S PK Gg**
- 60208. *Cucullia* (s.str.) *mediogrisea* W.Warren,1911** (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1911 _ Original Reference: *Cucullia* *mediogrisea* W.Warren,1911, Novit. zool. 18: 140. Type: India. Range (in code): **IN Ass Meg Khs TH CMa CDo**
- 60209. *Cucullia* (s.str.) *minogenica* Rebel,1916** (Noctuidae) Synonym(s): *minogenica* Rebel,1916 _ Original Reference: *Cucullia* *minogenica* Rebel,1916, Verh. zool.- bot. Ges. Wien 66: 127. Range (in code): **Cr**
- 60210. *Cucullia* (s.str.) *minuta* Möschler,1883** (Noctuidae) Synonym(s): *minuta* Möschler,1883 _ Range (in code): **ZA**
- 60211. *Cucullia* (s.str.) *mixta* Freyer,1841** (Noctuidae) Synonym(s): *mixta* Freyer,1841; *consors* Eversmann,1846 _ Original Reference: *Cucullia* *mixta* Freyer,1841, Neuere Beitr. Schmett. 4:111, Tab.352, fig.3. Type(s): [Russia]: Sarepta. Range (in code): **HU BG RU Cc Ro Da Ur Sr TR IR AF KG Uk Tk Dj Ii KK Ik CN Ui**
- 60212. *Cucullia* (s.str.) *mixta lucida* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *lucida* G.Ronkay & L.Ronkay,1987 _ Range (in code): **KG Uk Tk Dj CN Ui**
- 60213. *Cucullia* (s.str.) *naruenensis* Staudinger,1879** (Noctuidae) Synonym(s): *naruenensis* Staudinger,1879; *eumorpha* Alpheraky,[1894]. _ Range (in code): **RU Ao CN Ui Ga Au MN KK Ik KG Uk Tk Dj UZ**
- 60214. *Cucullia* (s.str.) *nigrifascia* Hampson,1894** (Noctuidae) Synonym(s): *nigrifascia* Hampson,1894 _ Range (in code): **PK Haz Mre CN Ti**
- 60215. *Cucullia* (s.str.) *nigrilinea* Janse,1939** (Noctuidae) Synonym(s): *nigrilinea* Janse,1939 _ Range (in code): **ZA Fs Blo**
- 60216. *Cucullia* (s.str.) *nocturnalis* Gaede,1934** (Noctuidae) Synonym(s): *nocturnalis* Gaede,1934 _ Range (in code): **ZA Tva**
- 60217. *Cucullia* (s.str.) *notodontina* Boursin,1934** (Noctuidae) Synonym(s): *notodontina* Boursin,1934 _ Range (in code): **CN Ui Ku**
- 60218. *Cucullia* (s.str.) *oberthuri* (Culot,1909)** (Noctuidae) Synonym(s): *oberthuri* Culot,1909 _ Original Reference: *Simyra* *oberthuri* Culot,1909, Noct. Geom. Eur. 1: 26, pl.3 fig.1. Type: Algérie, Aflou. Range (in code): **DZ Afl Ges BSa Ktr Hrh Khh**
- 60219. *Cucullia* (s.str.) *opacographa* G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *opacographa* G.Ronkay & L.Ronkay,1986 _ Range (in code): **AF**
- 60220. *Cucullia* (s.str.) *pallidicolor* Janse,1939** (Noctuidae) Synonym(s): *pallidicolor* Janse,1939 _ Range (in code): **ZA**
- 60221. *Cucullia* (s.str.) *pallidistria* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *pallidistria* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA**
- 60222. *Cucullia* (s.str.) *perstriata* Hampson,1906** (Noctuidae) Synonym(s): *perstriata* Hampson,1906; *simplex* Gaede,1934. _ Range (in code): **ZA Ec Cap Nta**

- 60223. *Cucullia* (s.str.) *petrophila* G.Ronkay & L.Ronkay,1998** (Noctuidae) Synonym(s): *petrophila* G.Ronkay & L.Ronkay,1998 Range (in code): UZ N-A KK AF T-S IR Ab Mak Elb Th
- 60224. *Cucullia* (s.str.) *pittawayi* Wiltshire,1986** (Noctuidae) Synonym(s): *pittawayi* Wiltshire,1986 Range (in code):
- 60225. *Cucullia* (s.str.) *platti* A.E.Prout,1925** (Noctuidae) Synonym(s): *platti* A.E.Prout,1925 Range (in code): ZA
- 60226. *Cucullia* (s.str.) *praecana* Eversmann,1843** (Noctuidae) Synonym(s): *praecana* Eversmann,1843 Original Reference: *praecana* Eversmann,1843, Bull. Soc. imp. nat. Moscou 16: 549. Syntypes: Russia: Ural. Range (in code): PL DK SE EE LV LT RU Ur MD UA BY
- 60227. *Cucullia* (s.str.) *propinqua* Eversmann,1842** (Noctuidae) Synonym(s): *propinqua* Eversmann,1842 Range (in code): RU Cc Kb Ur At Prj Us MN U-B
- 60228. *Cucullia* (s.str.) *pullata* (Moore,1881)** (Noctuidae) Synonym(s): *pullata* Moore,1881 Range (in code): IN Ld PK Haz Kag Sai CN Yu Sz NP
- 60229. *Cucullia* (s.str.) *pusilla* Möschler,1883** (Noctuidae) Synonym(s): *pusilla* Möschler,1883 Range (in code): ZA
- 60230. *Cucullia* (s.str.) *pyrostroma* (Hampson,1906)** (Noctuidae) Synonym(s): *pyrostroma* Hampson,1906 Range (in code): ZA
- 60231. *Cucullia* (s.str.) *resecta* Püngeler,1901** (Noctuidae) Synonym(s): *resecta* Püngeler,1901 Range (in code): CN Ui Au Ku Ts Kno Yu Sz Ch
- 60232. *Cucullia* (s.str.) *resectina* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *resectina* G.Ronkay & L.Ronkay,1987 Range (in code):
- 60233. *Cucullia* (s.str.) *ronkayi* Hacker & Pinker,1987** (Noctuidae) Synonym(s): *ronkayi* Hacker & Pinker,1987 Original Reference: *Cucullia mixta* ssp. *ronkayi* Hacker & Pinker,1987, Z. ArbGem. öst. Ent. 38 (3/4): 107-109, Abb. Holotype ♂: Östürkei: Prov. Van, Güzeldere Pass, 2900m 30.vi-3-vii.1984 (leg. & coll. Huber). Range (in code): TR Cc
- 60234. *Cucullia* (s.str.) *ruptifascia* (Hampson,1909)** (Noctuidae) Synonym(s): *ruptifascia* Hampson,1909 Range (in code): ZA Tva Lpo Wri
- 60235. *Cucullia* (s.str.) *sabulosa* Staudinger,1879** (Noctuidae) Synonym(s): *sabulosa* Staudinger,1879 Range (in code): RU KG Uk
- 60236. *Cucullia* (s.str.) *santolinae* Rambur,1834** (Noctuidae) Synonym(s): *santolinae* Rambur,1834 Original Reference: *Cucullia santolinae* Rambur,1834, Annls Soc. ent. Fr. 3: 387, Pl.8, figs.4,4a. Syntypes: [France]: Korsica. Range (in code): MA DZ Ges BSa Ktr Bsk Bdj Hrh Btina Khh Hmk Agi PT ES Mu FR Co Sa? Si IT TR Cc AZ TM Kp IL Js Pa JO IR Mz Elb Th Kdj Yz Bionomy: Larva on *Artemisia arborea*, *A.campestris*, *Santolina* (Culot,1909-1917; Calle et al., 2000).
- 60237. *Cucullia* (s.str.) *santolinae amaenissima* Oberthür,1918** (Noctuidae) Synonym(s): *amaenissima* Oberthür,1918; #*judaorum* Strand,1915; *judaorum* Wiltshire,1948. Range (in code): MA DZ IL Js Pa JO
- 60238. *Cucullia* (s.str.) *santolinae caucasica* Sohn-Rethel,1929** (Noctuidae) Synonym(s): *caucasica* Sohn-Rethel,1929; #*caucasica* Lehmann, Hacker et al.,1998 Range (in code): Cc AZ TM Kp
- 60239. *Cucullia* (s.str.) *santolinae pallidipicta* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *pallidipicta* G.Ronkay & L.Ronkay,1987 Range (in code): TR IR Mz Elb Th Kdj Yz
- 60240. *Cucullia* (s.str.) *santonici* (Hübner,[1813])** (Noctuidae) Synonym(s): *santonici* Hübner,[1813]; *yuennanensis* Boursin,1941 Original Reference: *Noctua santonici* Hübner,[1813], Samml. eur. Schmett. Noct. 2: Taf.127 fig.584,585. Syntypes: Europa. Range (in code): FR IT CH RO YU BG GR RU Ro St Ich Ing MD UA BY TR GG Tbl Smt Bjo AZ Nv Ord AM Cc IR Fa Ss Kh Elb Th Plr Dam IL Pa AF CN Yu KG Uk
- 60241. *Cucullia* (s.str.) *scopariae* Dorfmeister,1853** (Noctuidae) Synonym(s): *scopariae* Dorfmeister,1853 Original Reference: *Cucullia scopariae* Dorfmeister,1853, Verh. zool.- bot. Ver. Wien 3: 413. Range (in code): AT PL CZ SK HU RO MK AL BG RU Cc AZ Kir Ro Kr St Nt Ing MD UA BY CN
- 60242. *Cucullia* (s.str.) *simoneau* Laporte,1976** (Noctuidae) Synonym(s): *simoneau* Laporte,1976; #*simoneau* Poole,1989 Range (in code): ET ET86
- 60243. *Cucullia* (s.str.) *spectabilisoides* Poole,1989** (Noctuidae) Synonym(s): *spectabilis* Hübner,[1813] (*praeocc.*); *spectabilisoides* Poole,1989 Range (in code): AM RU Cc St Ing Da Ur At KG DsA Tk Dj KK Ik TeA
- 60244. *Cucullia* (s.str.) *splendida* (Stoll,1782)** (Noctuidae) Synonym(s): *splendida* Stoll,1782 Range (in code): RU Sr Ur Cc Ro At KG Uk CN Ui Ts Kno UZ N-A Fe MN Uli KK Ik TeA TrA Ax T-A PK Bbu Ch LN Ld

- 60245. *Cucullia* (s.str.) *stigmatophora* Hampson,1894** (Noctuidae) Synonym(s): *stigmatophora* Hampson,1894 _ Range (in code): **PK Haz Mre CN Ui Ku**
- 60246. *Cucullia* (s.str.) *sublutea* Graeser,1892** (Noctuidae) Synonym(s): *sublutea* Graeser,1892
Original Reference: *Cucullia sublutea* Graeser,1892, Berl. ent. Z. 37 (3): 312-313. Type ♀: [China: Uighur A.R.]: Kaschgar. Range (in code): **CN Ui Ga MN**
- 60247. *Cucullia* (s.str.) *tanaceti* (Goeze,1781)** (Noctuidae) Synonym(s): *tanaceti* Goeze,1781; *beata* Rothschild,1920 Original Reference: *Phalaena tanaceti* Goeze,1781, Ent. Beytr. 3(3): 211, nr. 102. Range (in code): **MA DZ Sbd PT ES Mu FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Cc GG Tbl Smt Bjo Lag DK SE LV LT RU Ro Kr Da MD UA BY KG CN Ui KK Ik Ax UZ Fe IR Enz Elb Gl** Bionomy: Larva on Anthemis, Matricaria, Santolina, Tanacetum (Asteraceae) (Forster & Wohlfart,1971).
- 60248. *Cucullia* (s.str.) *tecca* Püngeler,1906** (Noctuidae) Synonym(s): *tecca* Püngeler,1906
Original Reference: *Cucullia tecca* Püngeler,1906, Dt. ent. Z., Iris 19: 96. Syntypes: [Turkmenistan]: Ashabad. Range (in code): **TM Kp TR IR Fa**
- 60249. *Cucullia* (s.str.) *tedjicolora* Laporte,1977** (Noctuidae) Synonym(s): *tedjicolora* Laporte,1977 _ Range (in code): **ET ET204**
- 60250. *Cucullia* (s.str.) *terensis* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *terensis* R.Felder & Rogenhofer,1874; *africana* Aurivillius,1879 _ Range (in code): **ZA Nta Kzu Dbn Wca Cto Ec Grh Ans TZ**
- 60251. *Cucullia* (s.str.) *tescorum* Püngeler,1909** (Noctuidae) Synonym(s): *tescorum* Püngeler,1909 _ Range (in code): **CN Ui Alt**
- 60252. *Cucullia* (s.str.) *thiacourti* Laporte,1977** (Noctuidae) Synonym(s): *thiacourti* Laporte,1977 _ Range (in code): **DJ**
- 60253. *Cucullia* (s.str.) *tiefi* Tshetverikov,1956** (Noctuidae) Synonym(s): *tiefi* Tshetverikov,1956
Range (in code): **RU Or Ur KG Uk**
- 60254. *Cucullia* (s.str.) *tristis* Boursin,1934** (Noctuidae) Synonym(s): *tristis* Boursin,1934; *amoena* Staudinger,1900. _ Range (in code): **CN Ui Kl**
- 60255. *Cucullia* (s.str.) *turkestana* G.Ronkay & L.Ronkay,1987** (Noctuidae) Synonym(s): *turkestana* G.Ronkay & L.Ronkay,1987 _ Range (in code): **CN Ui Au KK Ik AF Bd**
- 60256. *Cucullia* (s.str.) *umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. Original Reference: *Phalaena umbratica* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa]. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Bku AZ AM Cc IR Elb Mz Clu Th Diz Dam DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da At MD UA BY CN Ui Ii Ga MN Uli KK Ik TeA KG Tk Dj**
- 60257. *Cucullia* (s.str.) *umbratica clarior* Fuchs,1904** (Noctuidae) Synonym(s): *clarior* Fuchs,1904 _ Range (in code): **TR Cc IR Elb Mz Clu Th Diz Dam CN Ui Ii Ga MN Uli KK Ik**
- 60258. *Cucullia* (s.str.) *umbratica lampra* Püngeler,1908** (Noctuidae) Synonym(s): *lampra* Püngeler,1908 _ Range (in code): **KK TeA KG Tk Dj**
- 60259. *Cucullia* (s.str.) *umbratica umbratica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. Original Reference: *Phalaena umbratica* Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): [Europa]. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Cc Smt Bjo Bku GG At MD UA BY**
- 60260. *Cucullia* (s.str.) *umbristriga* Alpheraky,1892** (Noctuidae) Synonym(s): *umbristriga* Alpheraky,1892 _ Range (in code): **CN Ui Ga Au AF**
- 60261. *Cucullia* (s.str.) *vicina* A.Bang-Haas,1912** (Noctuidae) Synonym(s): *vicina* A.Bang-Haas,1912 _ Range (in code): **CN Ui Ju KK TeA Ik Al**
- 60262. *Cucullia* (s.str.) *virgaureae* Boisduval,1840** (Noctuidae) Synonym(s): *virgaureae* Boisduval,1840 _ Range (in code): **RU Cc Ro Kr CN Ui KK TeA**
- 60263. *Cucullia* (s.str.) *virgaureae virgaureae* Boisduval,1840** (Noctuidae) Synonym(s): *virgaureae* Boisduval,1840 _ Range (in code): **RU Cc Ro Kr CN Ui KK TeA**
- 60264. *Cucullia* (s.str.) *xeranthemi* Boisduval,1840** (Noctuidae) Synonym(s): *xeranthemi* Boisduval,1840 _ Range (in code): **ES FR IT DE CH AT PL SK HU RO YU AL BG GR TR IR Gl RU Cc Ro St Da At MD UA BY UZ Fe Ik KK**
- 60265. *Cucullia* (s.str.) *xerophila* Ronkay & Ronkay,1998** (Noctuidae) Synonym(s): *xerophila* Ronkay & Ronkay,1998 _ Range (in code): **TM Kp**
- 60266. *Culicula pachycera* (Hampson,1910)** (Noctuidae) Synonym(s): *pachycera* Hampson,1910
Range (in code): **ZW**

- 60267. *Culicula rufa* (Prout,1929)** (Noctuidae) Synonym(s): *rufa* Prout,1929 _ Range (in code): PG
- 60268. *Culicula schaldusalis* (Walker,1858)** (Noctuidae) Synonym(s): *schaldusalis* Walker,1858; *bimarginata* Walker,1865; *marginata* Moore,1885 nec Mr.,1882 _ Range (in code): LK SG ID Sum MY Bor
- 60269. *Cultripalpa lunulifera* Hampson,1926** (Noctuidae) Synonym(s): *lunulifera* Hampson,1926
Range (in code): SG MY TH Ntt Hba
- 60270. *Cultripalpa partita* Guenée,1852** (Noctuidae) Synonym(s): *partita* Guenée,1852
Range (in code): IN
- 60271. *Cuneisigna cumamita* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *cumamita* Bethune-Baker,1911 _ Range (in code): ZA ET ET93
- 60272. *Cuneisigna obstans* (Walker,1858)** (Noctuidae) Synonym(s): *obstans* Walker,1858
Range (in code): ZA Nta Kzu Est Wca Cto
- 60273. *Cuneisigna rivulata* (Hampson,1902)** (Noctuidae) Synonym(s): *rivulata* Hampson,1902
Range (in code): ZA Nta Kzu Wnn Ec Tra KE
- 60274. *Cyclodes omma* (Hoeven,1840)** (Noctuidae) Synonym(s): *omma* Hoeven,1840; *replenens* Walker,1858 _ Original Reference: Erebus omma Hoeven,1840, Tijdschr. Naturl. Gesch. Physiol. 7: 281, pl.7 fig.7. Type: [Indonesia]: Java. Range (in code): ID Ja Sum Tim Flo Clb LK BD Syl TH Knc CMa Int MY MM KH VN NP IN CN TW PH
- 60275. *Cyclopera bucephalidia* (Hampson,1902)** (Noctuidae) Synonym(s): *bucephalidia* Hampson,1902 _ Range (in code): ZA
- 60276. *Cyclopera galactiplaga* (Hampson,1902)** (Noctuidae) Synonym(s): *galactiplaga* Hampson,1902 _ Range (in code): ZA
- 60277. *Cyclopera similis* (Hampson,1902)** (Noctuidae) Synonym(s): *similis* Hampson,1902
Range (in code): ZA
- 60278. *Cyligramma conradsi* Berio,1954** (Noctuidae) Synonym(s): *conradsi* Berio,1954
Range (in code): TZ
- 60279. *Cyligramma fluctuosa* (Drury,1773)** (Noctuidae) Synonym(s): *fluctuosa* Drury,1773; *rudilinea* Walker,1858 _ Range (in code): SL ZA KE TZ ZW Har
- 60280. *Cyligramma griseata* Gaede,1936** (Noctuidae) Synonym(s): *griseata* Gaede,1936
Range (in code): NG UG SN ET
- 60281. *Cyligramma latona* (Cramer,1775)** (Noctuidae) Synonym(s): *latona* Cramer,1775; *trogodyta* Fabricius,1794. _ Range (in code): GN EG KE BW Nga MZ Del YE Ad Sn MG ZA Lpo Tva Spb Mdk Lj Mpu Brb Gau Pre Jh MW Zom Bionomy: Larva on Acacia (Pinhey,1975).
- 60282. *Cyligramma limacina* (Guérin-Ménéville,[1832])** (Noctuidae) Synonym(s): *limacina* Guérin-Ménéville,[1832]; *acutior* Guenée,1852; *argillosa* Guenée,1852; *bisignata* Walker,1858; *importuna* Keferstein,1870; *intellecta* Keferstein,1870 _ Range (in code): ZA Nta Kzu NG SN EG KE MG MU
- 60283. *Cyligramma magus* (Guérin-Ménéville,[1844])** (Noctuidae) Synonym(s): *magus* Guérin-Ménéville,[1844]; *goudotii* Guenée,1852; *buccholzi* Plötz,1880 _ Range (in code): GH MG ZA
- 60284. *Cyligramma simplex* Grünberg,1910** (Noctuidae) Synonym(s): *simplex* Grünberg,1910
Range (in code): TZ
- 60285. *Cymatophoropsis dubernardi* (Houlbert,1921)** (Noctuidae) Synonym(s): *dubernardi* Houlbert,1921 _ Range (in code): CN
- 60286. *Cymatophoropsis expansa* (Houlbert,1921)** (Noctuidae) Synonym(s): *expansa* Houlbert,1921 _ Range (in code): CN
- 60287. *Cymatophoropsis heurippa* (Druce,1889)** (Noctuidae) Synonym(s): *heurippa* Druce,1889 _ Range (in code): PA
- 60288. *Cymatophoropsis sinuata* (Moore,1879)** (Noctuidae) Synonym(s): *sinuata* Moore,1879; *confluens* Moore,1882 _ Range (in code): IN Up Bhi BD SI Dj TH CMa Int CN NP
- 60289. *Cymatophoropsis trimaculata* (Bremer,1861)** (Noctuidae) Synonym(s): *trimaculata* Bremer,1861; *formosana* Matsumura,1927; *tripunctata* O.Bang-Haas,1927 _ Range (in code): RU Us TW CN TH Knc CMa
- 60290. *Cymatophoropsis unca* (Houlbert,1921)** (Noctuidae) Synonym(s): *unca* Houlbert,1921
Range (in code): CN Sz T-T
- 60291. *Cymodegma buxtoni* Tams,1935** (Noctuidae) Synonym(s): *buxtoni* Tams,1935 _ Range (in code): WS
- 60292. *Cythymia absita* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *absita* R.Felder & Rogenhofer,1874; *#obsita* Hampson,1902. _ Range (in code): ZA

- 60293. *Dactyloplusia hedysma* (De Joannis,1929)** (Noctuidae) Synonym(s): *hedysma* De Joannis,1929; *scelionis* Chou & Lu,1980 _ Range (in code): VN Ton Tda CN ID Sum
- 60294. *Dactyloplusia impulsula* (Walker,1865)** (Noctuidae) Synonym(s): *impulsula* Walker,1865
Range (in code): LK
- 60295. *Dactyloplusia mutans* (Walker,1865)** (Noctuidae) Synonym(s): *mutans* Walker,1865; *hedysma* De Joannis,1929; *celionis* Chou & Lu,1979 _ Range (in code): LK VN Ton CN TH CMa Php LA IN TW ID Sum Ja Bli Clb Tim Flo
- 60296. *Daddala brevicauda* (Wileman & South,1921)** (Noctuidae) Synonym(s): *brevicauda* Wileman & South,1921 _ Range (in code): PH Luz Bor ID Sum Tim Flo Clb Mlc Crm Ij PG TH CMa Dst Dso8 Int Kao Nrt Knc MY LA VN BT NP IN
- 60297. *Daddala lucilla* (Butler,1881)** (Noctuidae) Synonym(s): *lucilla* Butler,1881; *obscurata* Butler,1881 _ Range (in code): IN SI Djl Slo TH CMa Int Knc Nan Dpk VN NP ID PG PH CN TW JP KP KR RU Us
- 60298. *Daddala microdesma* (A.E.Prout,1928)** (Noctuidae) Synonym(s): *microdesma* A.E.Prout,1928; *microdesma* Berio,1958 _ Range (in code): TH Nan Dpk MY ID Sum PH
- 60299. *Daddala quadrisignata* Walker,1865** (Noctuidae) Synonym(s): *quadrisignata* Walker,1865; *replicata* R.Felder & Rogenhofer,1874; *apicalis* Butler,1881; *floccosa* Moore,1882; *plana* Moore,1882
Range (in code): IN SI Djl TH Knc MY LA BT ID Bor Sum
- 60300. *Daona lactea* Swinhoe,1884** (Noctuidae) Synonym(s): *lactea* Swinhoe,1884 _ Range (in code): PK Krc
- 60301. *Daona mansueta* Walker,1864** (Noctuidae) Synonym(s): *mansueta* Walker,1864; *digramma* Walker,[1866]; *erubescens* Walker,[1866]; *scitula* Walker,1866 _ Range (in code): MY Bor Swk IN LK
- 60302. *Dargeochaeta bangeni* Laporte,1973** (Noctuidae) Synonym(s): *bangeni* Laporte,1973
Range (in code): CM
- 60303. *Dargeochaeta elodiae* Laporte,1974** (Noctuidae) Synonym(s): *elodiae* Laporte,1974
Range (in code): KE Mru
- 60304. *Dargeochaeta turlini* Laporte,1975** (Noctuidae) Synonym(s): *turlini* Laporte,1975
Range (in code): RW
- 60305. *Daseochaeta mckeanae* Cockerell,1930** (Noctuidae) Synonym(s): *mckeanae* Cockerell,1930 _ Range (in code): TH CMa Dst
- 60306. *Daseochaeta pulchra* Wileman,1912** (Noctuidae) Synonym(s): *pulchra* Wileman,1912
Range (in code): TW
- 60307. *Daseochaeta viridis* (Leech,1889)** (Noctuidae) Synonym(s): *viridis* Leech,1889 _ Range (in code): JP
- 60308. *Daseuplexia argillosa* (Boursin,1940)** (Noctuidae) Synonym(s): *argillosa* Boursin,1940
Range (in code): CN Gn
- 60309. *Daseuplexia boursini* (Rungs,1967)** (Noctuidae) Synonym(s): *boursini* Rungs,1967
Range (in code): MA
- 60310. *Daseuplexia brevipennata* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *brevipennata* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lei
- 60311. *Daseuplexia moorei* Hacker & Peks,1992** (Noctuidae) Synonym(s): *moorei* Hacker & Peks,1992 _ Range (in code): IN Hp Roh
- 60312. *Daseutype porphyrea* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *porphyrea* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lei
- 60313. *Dasypolia (Auropolia) ronkaygabori* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *ronkaygabori* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 60314. *Dasypolia (Cteipolia) isotima* Püngeler,1914** (Noctuidae) Synonym(s): *isotima* Püngeler,1914 _ Range (in code): KG Tk Dj Ii
- 60315. *Dasypolia (Cteipolia) sacelli* Staudinger,1896** (Noctuidae) Synonym(s): *sacelli* Staudinger,1896 _ Range (in code): KK Ik
- 60316. *Dasypolia (Dasymixis) diva* L.Ronkay & Varga,1990** (Noctuidae) Synonym(s): *diva* L.Ronkay & Varga,1990 _ Original Reference: Dasypolia (Dasymixis) diva L.Ronkay & Varga,1990, Esperiana 1: 481-482, figs. Holotype ♂: Turkey: Ağrı Prov., 7km E Aydıntepe, 2200m, 12-13.x.1989, Csorba & G.Ronkay leg. & coll. Range (in code): TR IR UZ
- 60317. *Dasypolia (Dasymixis) echinata* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *echinata* Hreblay & L.Ronkay,1998 _ Range (in code):
- 60318. *Dasypolia (Dasymixis) jumla* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *jumla* Hreblay & L.Ronkay,1999 _ Range (in code): NP

- 60319. Dasypolia (Dasymixis) leucocera (Hampson,1894)** (Noctuidae) **Synonym(s):** *leucocera Hampson,1894* Range (in code):
- 60320. Dasypolia (Dasymixis) magnifica Hacker & Peks,1992** (Noctuidae) **Synonym(s):** *magnifica Hacker & Peks,1992* Range (in code): **IN Hp Lho Roh**
- 60321. Dasypolia (Dasymixis) orogena Hreblay & L.Ronkay,1995** (Noctuidae) **Synonym(s):** *orogena Hreblay & L.Ronkay,1995* Range (in code):
- 60322. Dasypolia (Dasymixis) tinsangla Hreblay & L.Ronkay,1999** (Noctuidae) **Synonym(s):** *tinsangla Hreblay & L.Ronkay,1999* Range (in code): **NP**
- 60323. Dasypolia (Dasymixis) yeti Hacker & Peks,1992** (Noctuidae) **Synonym(s):** *yeti Hacker & Peks,1992* Range (in code): **IN Hp Roh**
- 60324. Dasypolia (Dasythorax) anartina (Püngeler,1901)** (Noctuidae) **Synonym(s):** *anartinus Püngeler,1901* Original Reference: *Dasythorax anartinus Püngeler,1901, Dt. ent. Z., Iris 14: 185.* **Syntypes:** [China: Uighur A.R.]: Aksu. Range (in code): **CN Ui Au**
- 60325. Dasypolia (Dasythorax) monotona Gyulai & L.Ronkay,1995** (Noctuidae) **Synonym(s):** *monotona Gyulai & L.Ronkay,1995* Range (in code): **CN Ti**
- 60326. Dasypolia (Dasythorax) poliana (Staudinger,1889)** (Noctuidae) **Synonym(s):** *polianus Staudinger,1889* Original Reference: *Dasythorax polianus Staudinger,1889, Stettin ent. Ztg. 50: 38.* **Syntypes** 3♂: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)". Range (in code): **KK Ik**
- 60327. Dasypolia (Dasythorax) puengeleri Hacker & Peks,1992** (Noctuidae) **Synonym(s):** *puengeleri Hacker & Peks,1992* Range (in code): **IN Ld Stk**
- 60328. Dasypolia (Sinipolia) acrophila (Hampson,1906)** (Noctuidae) **Synonym(s):** *acrophila Hampson,1906* Range (in code): **IN Hp Roh Ld Kdg PK Hu Ch CN Ui Krm**
- 60329. Dasypolia (Sinipolia) honeyi L.Ronkay & Zilli,1992** (Noctuidae) **Synonym(s):** *honeyi L.Ronkay & Zilli,1992* Range (in code): **SI**
- 60330. Dasypolia (Sinipolia) lithophila (Kapur,1962)** (Noctuidae) **Synonym(s):** *lithophila Kapur,1962* Range (in code): **NP**
- 60331. Dasypolia (Sinipolia) vignai L.Ronkay & Zilli,1992** (Noctuidae) **Synonym(s):** *vignai L.Ronkay & Zilli,1992* Range (in code): **CN Sz**
- 60332. Dasypolia (Tschetwerikovia) eberti Boursin,1968** (Noctuidae) **Synonym(s):** *eberti Boursin,1968* Range (in code): **AF Kbb Sfk**
- 60333. Dasypolia (Tschetwerikovia) eberti eucraspeda Boursin,1968** (Noctuidae) **Synonym(s):** *eucraspeda Boursin,1968* Range (in code): **AF Sfk**
- 60334. Dasypolia (Tschetwerikovia) rjabovi (Bundel,1966)** (Noctuidae) **Synonym(s):** *rjabovi Bundel,1966* Original Reference: *Tschetwerikovia rjabovi Bundel,1966, Ent. Obozr. 45: 213, figs. 1,2.* **Holotype** ♂: [Tadjikistan]: Pamir, Khorog (ZI, St. Petersb.). Range (in code): **TJ Pm Chr**
- 60335. Dasypolia (s.str.) afghana Boursin,1968** (Noctuidae) **Synonym(s):** *afghana Boursin,1968* Original Reference: *Dasypolia ? ferdinandi ssp. afghana Boursin,1968, Entomops 11: 59-60, fig.* **Holotype** ♀: Afghanistan central, vallée du Panchir, 2600m 29 Sept. 1962 (ZSM). Range (in code): **AF Pjr KK Na**
- 60336. Dasypolia (s.str.) akbar Boursin,1968** (Noctuidae) **Synonym(s):** *akbar Boursin,1968* Original Reference: *Dasypolia akbar Boursin,1968, Entomops 11: 60-61, fig.* **Holotype** ♂: Afghanistan central, vallée du Panchir, 2600m 29 Sept. 1962 (ZSM). Range (in code): **AF Pjr**
- 60337. Dasypolia (s.str.) altissima Hacker & Moberg,1988** (Noctuidae) **Synonym(s):** *altissima Hacker & Moberg,1988* Original Reference: *Dasypolia altissima Hacker & Moberg,1988, Mitt. münch. ent. Ges. 78: 181-185, figs.* **Holotype** ♂: Türkei, Prov. Ağrı, Tahir geçidi 2600m (coll. Hacker). Range (in code): **TR IR Elb Th Kdv**
- 60338. Dasypolia (s.str.) atrox Hacker & Peks,1992** (Noctuidae) **Synonym(s):** *atrox Hacker & Peks,1992* Range (in code): **IN Hp Roh Mli Kul**
- 60339. Dasypolia (s.str.) bicolor Hreblay & L.Ronkay,1995** (Noctuidae) **Synonym(s):** *bicolor Hreblay & L.Ronkay,1995* Range (in code):
- 60340. Dasypolia (s.str.) bubnovae Volynkin,2012** (Noctuidae) **Synonym(s):** *bubnovae Volynkin,2012* Range (in code): **RU At**
- 60341. Dasypolia (s.str.) conistroides Hreblay & L.Ronkay,1995** (Noctuidae) **Synonym(s):** *conistroides Hreblay & L.Ronkay,1995* Range (in code):

- 60342. Dasypolia (s.str.) delineata Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *delineata Hreblay & L.Ronkay,1998* _ Range (in code): NP
- 60343. Dasypolia (s.str.) dichroa L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *dichroa L.Ronkay & Varga,1985* _ Original Reference: Dasypolia ferdinandi ssp. dichroa L.Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 89-90, Taf.1 fig.13. Holotype ♂: [Turkey]: Asia min., "Apfelberge" 10km.östl. Kirikkale 10.xi.1977 leg. Friedel (ZSM). Range (in code): TR
- 60344. Dasypolia (s.str.) dichroa dichroa L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *dichroa L.Ronkay & Varga,1985* _ Original Reference: Dasypolia ferdinandi ssp. dichroa L.Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 89-90, Taf.1 fig.13. Holotype ♂: [Turkey]: Asia min., "Apfelberge" 10km.östl. Kirikkale 10.xi.1977 leg. Friedel (ZSM). Range (in code): TR
- 60345. Dasypolia (s.str.) episcopalis Boursin,1967** (Noctuidae) Synonym(s): *episcopalis Boursin,1967* _ Range (in code): CN Sz T-T
- 60346. Dasypolia (s.str.) esseri Fibiger,1993** (Noctuidae) Synonym(s): *esseri Fibiger,1993* _ Range (in code): GR Cr
- 60347. Dasypolia (s.str.) exprimata Staudinger,1896** (Noctuidae) Synonym(s): *exprimata Staudinger,1896* _ Range (in code): KK Ik
- 60348. Dasypolia (s.str.) fani Staudinger,1892** (Noctuidae) Synonym(s): *fani Staudinger,1892; lama Staudinger,1896; asiatica Alpheraky,1897; ogasawarae Matsumura,931.* _ Range (in code): RU Am Sb MN CN Ui Ti JP
- 60349. Dasypolia (s.str.) ferdinandi Rühl,1892** (Noctuidae) Synonym(s): *ferdinandi Rühl,1892* _ Range (in code): FR IT CH YU TR Cc AM Svn LB GR IR Elb Th Kdj
- 60350. Dasypolia (s.str.) ferdinandi ferdinandi Rühl,1892** (Noctuidae) Synonym(s): *ferdinandi Rühl,1892* _ Range (in code): FR IT CH
- 60351. Dasypolia (s.str.) ferdinandi libanotica Draudt,1933** (Noctuidae) Synonym(s): *libanotica Draudt,1933* _ Range (in code): LB
- 60352. Dasypolia (s.str.) ferdinandi transcaucasica L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *transcaucasica L.Ronkay & Varga,1985* _ Original Reference: Dasypolia ferdinandi ssp. transcaucasica L.Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 88-89, Taf.1. figs.10,11. Holotype ♂: [Armenia]: Armenische SSR: Sevan, 2000m (leg.Merkl & Ronkay) (NWMB). Range (in code): TR Cc AM Svn
- 60353. Dasypolia (s.str.) fibigeri Hacker & Moberg,1988** (Noctuidae) Synonym(s): *fibigeri Hacker & Moberg,1988* _ Original Reference: Dasypolia fibigeri Hacker & Moberg,1988, Mitt. münch. ent. Ges. 78: 180-181, figs. Holotype ♂: Türkei, Prov. Hakkari, Kotranis 1800m [Ördekli] (RMS). Range (in code): TR IR Kd Fa Lo By
- 60354. Dasypolia (s.str.) fugitiva Hacker & Peks,1992** (Noctuidae) Synonym(s): *fugitiva Hacker & Peks,1992* _ Range (in code): IN Hp Lho
- 60355. Dasypolia (s.str.) gerbillus Alpheraky,1892** (Noctuidae) Synonym(s): *gerbillus Alpheraky,1892* _ Range (in code):
- 60356. Dasypolia (s.str.) grisea Moore,1882** (Noctuidae) Synonym(s): *grisea Moore,1882* _ Range (in code):
- 60357. Dasypolia (s.str.) haroldi Rungs,1950** (Noctuidae) Synonym(s): *haroldi Rungs,1950* _ Range (in code):
- 60358. Dasypolia (s.str.) informis (Walker,[1857])** (Noctuidae) Synonym(s): *informis Walker,[1857]* _ Range (in code): ZA
- 60359. Dasypolia (s.str.) ipaykala L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *ipaykala L.Ronkay, Varga & Hreblay,1998* _ Range (in code): IR Elb Mz Dam
- 60360. Dasypolia (s.str.) khangari Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *khangari Hreblay & L.Ronkay,1999* _ Range (in code): NP
- 60361. Dasypolia (s.str.) laeta Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *laeta Hreblay & L.Ronkay,1999* _ Range (in code): NP
- 60362. Dasypolia (s.str.) lama Staudinger,1897** (Noctuidae) Synonym(s): *lama Staudinger,1897* _ Range (in code):
- 60363. Dasypolia (s.str.) leptographa Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s): *leptographa Hreblay & L.Ronkay,1995* _ Range (in code):
- 60364. Dasypolia (s.str.) maria Volynkin,2012** (Noctuidae) Synonym(s): *maria Volynkin,2012* _ Range (in code): RU At

- 60365. *Dasypolia* (s.str.) *marijana* Benedek, Saldaitis & Babics,2014** (Noctuidae)
Synonym(s): *marijana* Benedek, Saldaitis & Babics,2014 Original Reference: *Dasypolia* (s.str.)
marijana Benedek, Saldaitis & Babics,2014, Entomofauna (Suppl.) 17: 19-20, figs. Holotype ♂:
China, Xinjiang SW from Kashi, Keng Tau Mts., Oytac 2650m (GBG/ZSM). Range (in code): **KG**
T-S Aa TrA CN Ui Ga
- 60366. *Dasypolia* (s.str.) *almatinka* Benedek, Saldaitis & Babics,2014** (Noctuidae) Synonym(s): *almatinka* Benedek, Saldaitis & Babics,2014 Range (in code): **KG T-S Aa TrA**
- 60367. *Dasypolia* (s.str.) *mazandarana* Benedek, Saldaitis & Babics,2014** (Noctuidae)
Synonym(s): *mazandarana* Benedek, Saldaitis & Babics,2014 Original Reference: *Dasypolia* (s.str.)
mazandarana Benedek, Saldaitis & Babics,2014, Entomofauna (Suppl.) 17: 18-19, figs. Holotype
♂: Iran, Prov. Mazandaran, Elburs Mts. 20km E of Valiabad (BBT). Range (in code): **IR Elb Mz**
- 60368. *Dasypolia* (s.str.) *melancholica* Hacker & Peks,1992** (Noctuidae) Synonym(s):
melancholica Hacker & Peks,1992 Range (in code): **IN Hp Lho**
- 60369. *Dasypolia* (s.str.) *minuta* L.Ronkay, Varga & Behounek,1991** (Noctuidae)
Synonym(s): *minuta* L.Ronkay, Varga & Behounek,1991 Range (in code): **TJ Pm Chr**
- 60370. *Dasypolia* (s.str.) *monogramma* Hreblay & L.Ronkay,1995** (Noctuidae)
Synonym(s): *monogramma* Hreblay & L.Ronkay,1995 Range (in code):
- 60371. *Dasypolia* (s.str.) *nebulosa* L.Ronkay, Varga & Hreblay,1998** (Noctuidae)
Synonym(s): *nebulosa* L.Ronkay, Varga & Hreblay,1998 Range (in code):
- 60372. *Dasypolia* (s.str.) *obsoleta* Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s):
obsoleta Hreblay & L.Ronkay,1995 Range (in code):
- 60373. *Dasypolia* (s.str.) *owadai* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s):
owadai Hreblay & L.Ronkay,1998 Range (in code):
- 60374. *Dasypolia* (s.str.) *peksi* Hacker,1992** (Noctuidae) Synonym(s): *peksi* Hacker,1992
Range (in code): **IN Hp Roh**
- 60375. *Dasypolia* (s.str.) *picurka* Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s):
picurka Hreblay & L.Ronkay,1995 Range (in code):
- 60376. *Dasypolia* (s.str.) *psathyra* Boursin,1968** (Noctuidae) Synonym(s): *psathyra*
Boursin,1968 Range (in code): **AF Pjr**
- 60377. *Dasypolia* (s.str.) *rivandana* Benedek, Saldaitis & Babics,2014** (Noctuidae)
Synonym(s): *rivandana* Benedek, Saldaitis & Babics,2014 Original Reference: *Dasypolia* (s.str.)
rivandana Benedek, Saldaitis & Babics,2014, Entomofauna (Suppl.) 17: 20-21, figs. Holotype ♂:
Iran, Prov. Khorasan, Kopet Mts. 80km NE of Qucan 1900m (BBT). Range (in code): **IR Kh**
- 60378. *Dasypolia* (s.str.) *rufatrox* Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s):
rufatrox Hreblay & L.Ronkay,1995 Range (in code):
- 60379. *Dasypolia* (s.str.) *sherpa* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *sherpa*
Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 60380. *Dasypolia* (s.str.) *shugnana* Varga,1982** (Noctuidae) Synonym(s): *shugnana* Varga,1982
Original Reference: *Dasypolia* (s.str.) *shugnana* Varga,1982, NachrBl. bayer. Ent. 31 (3): 70-71,
figs. Holotype ♂: Tadjikistan: Pamir, Chorog Bot. Garten 2000m 12 7 1972 leg. Weidenhofer
(coll. Friedel). Range (in code): **TJ Pm Chr**
- 60381. *Dasypolia* (s.str.) *simillima* Hacker & Peks,1992** (Noctuidae) Synonym(s): *simillima*
Hacker & Peks,1992 Range (in code): **IN Hp Lho**
- 60382. *Dasypolia* (s.str.) *templi* (Thunberg,1792)** (Noctuidae) Synonym(s): *templi*
Thunberg,1792; *alpina* Rogenhofer,1866; *caflitschi* Rühl,1892; *banghaasi* Turati,1909. Original Reference:
Noctua templi Thunberg,1792, Diss. Ent. Sist. Ins. Suec. 3:56. Type(s): Schweden. Range (in
code): **MA PT ES FR Si IT IE GB NL DE CH AT PL CZ SK RO YU BG GR TR GG Tbl AZ Kir Cc DK NO SE**
FI EE LV RU Ro Kb MD UA BY CN Ui TJ Pm Chr IR Elb Th Kdv Kld
- 60383. *Dasypolia* (s.str.) *templi anatolica* Hacker,1990** (Noctuidae) Synonym(s): *anatolica*
Hacker,1990 Original Reference: *Dasypolia templi* ssp. *anatolica* Hacker,1990, Neue ent. Nachr.
27: 456-457, figs. Holotype ♂: Türkei: Prov. Konya, Sultandağları, 1400m, 13km S Akşehir,
29.x.1984 (leg. & coll. Schreier). Range (in code): **TR**
- 60384. *Dasypolia* (s.str.) *templi armeniaca* L.Ronkay & Varga,1985** (Noctuidae)
Synonym(s): *armeniaca* L.Ronkay & Varga,1985 Original Reference: *Dasypolia templi* ssp.
armeniaca L.Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 87, Taf.1. figs.4,5. Holotype ♂:

- [Armenia]: Armenische SSR, Aragats-Geb., Antarut [Inaklu], Meteorol Station, 1956m (leg. & coll. Varga). Range (in code): **TR Cc AM Ink**
- 60385. Dasypolia (s.str.) templi centralasiae Hacker,1992** (Noctuidae) Synonym(s): *centralasiae* Hacker,1992 Original Reference: *Dasypolia templi* ssp. *centralasiae* Hacker,1992, *Esperiana* 3: 160, fig. Holotype ♀: Chinesisch Turkestan: Dzhungarien: Tyschkan, 23.iv.1984, leg. Danilewsky (coll. Thöny). Range (in code): **CN Ui**
- 60386. Dasypolia (s.str.) templi hortensis L.Ronkay & Varga** (Noctuidae) Synonym(s): *hortensis* L.Ronkay & Varga Range (in code): **TJ Pm Chr**
- 60387. Dasypolia (s.str.) templi koenigi L.Ronkay & Varga,1986** (Noctuidae) Synonym(s): *koenigi* L.Ronkay & Varga,1986 Range (in code): **RO**
- 60388. Dasypolia (s.str.) templi templi (Thunberg,1792)** (Noctuidae) Synonym(s): *templi* Thunberg,1792; *alpina* Rogenhofer,1866; *caflischi* Rühl,1892; *banghaasi* Turati,1909. Original Reference: *Noctua templi* Thunberg,1792, *Diss. Ent. Sist. Ins. Suec.* 3:56. Type(s): Schweden. Range (in code): **MA PT ES FR Si IT IE GB NL DE CH AT PL CZ SK YU GR DK NO SE FI EE LV RU GG Tbl AZ Kir Cc Ro Kb MD UA BY**
- 60389. Dasypolia (s.str.) templi vecchiontium L.Ronkay & Varga,1985** (Noctuidae) Synonym(s): *vecchiontium* L.Ronkay & Varga,1985 Original Reference: *Dasypolia templi* ssp. *vecchiontium* L.Ronkay & Varga,1985, *Z. ArbGem. öst. Ent.* 36 (3/4): 88, Taf.1. fig.6. Holotype ♂: Bulgaria: NW-Stara Planina, Belogradcik, 700m (leg. Ronkay & Meszaros) (NWMB). Range (in code): **BG**
- 60390. Dasypolia (s.str.) timoi Fibiger & K.Nupponen,2006** (Noctuidae) Synonym(s): *timoi* Fibiger & K.Nupponen,2006 Range (in code): **RU Ur TR**
- 60391. Dasypolia (s.str.) tsheringi Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s): *tsheringi* Hreblay & L.Ronkay,1995 Range (in code):
- 60392. Dasypolia (s.str.) tuektiensis Zolotarenko,1993** (Noctuidae) Synonym(s): *tuektiensis* Zolotarenko,1993 Range (in code): **RU**
- 60393. Dasypolia (s.str.) ursina Hreblay & L.Ronkay,1995** (Noctuidae) Synonym(s): *ursina* Hreblay & L.Ronkay,1995 Range (in code):
- 60394. Dasypolia (s.str.) vargai Plante,1992** (Noctuidae) Synonym(s): *vargai* Plante,1992 Range (in code):
- 60395. Dasypolia (s.str.) vera L.Ronkay & Szaboky,1995** (Noctuidae) Synonym(s): *vera* L.Ronkay & Szaboky,1995 Range (in code): **TR**
- 60396. Dasystemum glaciale Boursin,1940** (Noctuidae) Synonym(s): *glaciale* Boursin,1940 Range (in code): **CN Gn**
- 60397. Dasystemum glaux Draudt,1934** (Noctuidae) Synonym(s): *glaux* Draudt,1934 Range (in code): **CN Ui Au Ln**
- 60398. Dasystemum tibetanum (Staudinger,[1896])** (Noctuidae) Synonym(s): *tibetanum* Staudinger,[1896] Original Reference: *Agrotis tibetana* Staudinger,[1896], *Dt. ent. Z., Iris* 8: 306-307. Syntypes 2♂ 1♀: "zwischen Lob Noor und Kuku Noor". Range (in code): **CN Ui Ln Ts Kno**
- 60399. Deinopa flavida Hampson,1926** (Noctuidae) Synonym(s): *flavida* Hampson,1926 Range (in code): **ZA**
- 60400. Deltote bankiana (Fabricius,1775)** (Noctuidae) Synonym(s): *bankiana* Fabricius,1775; *olivana* [Denis & Schiffermüller],1775; *olivea* Hübner,[1813]; *amurula* Staudinger,1892; *albescens* Draudt,1935; *uniformis* Draudt,1935. Original Reference: *Pylalis bankiana* Fabricius,1775; *Syst. Ent.*: 645. Type(s): Anglia. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ro Kr Ich Da Sb Am Prj Us MD UA BY CN Ui Alt Au IR Elb Mz GG AZ AM Cc**
- 60401. Deltote blandula (Guenée,1863)** (Noctuidae) Synonym(s): *blandula* Guenée,1863 Range (in code):
- 60402. Deltote delicatula (Christoph,1882)** (Noctuidae) Synonym(s): *delicatula* Christoph,1882 Range (in code): **TR Cc RU Da AZ Nv Ord**
- 60403. Deltote iranica (Kotzsch,1940)** (Noctuidae) Synonym(s): *iranica* Kotzsch,1940 Range (in code): **IR**
- 60404. Deltote mianoides (Hampson,1893)** (Noctuidae) Synonym(s): *mianoides* Hampson,1893 Range (in code):
- 60405. Deltote uncula (Clerck,1759)** (Noctuidae) Synonym(s): *uncula* Clerck,1759 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Ro St MD UA BY**

- 60406. *Desertoplusia bella* (Christoph,1887)** (Noctuidae) Synonym(s): *bella* Christoph,1887
Original Reference: *Plusia bella* Christoph,1887, Stettin ent. Ztg. 48: 164. Syntypes: [Turkmenistan]: Askhabad. Range (in code): **TM Kp IR Fa Kh KuB GlS Se TR**
- 60407. *Desertoplusia colornata* Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *bella* auct. nec Chr.,1887; *colornata* Varga & L.Ronkay,1991; *#colomata* Hacker,1992 Original Reference: *Desertoplusia colornata* Varga & L.Ronkay,1991, Acta zool. Hung. 37: 305-307, figs. pl.3 figs.42-43. Holotype ♂: Turkey: Ağrı Pr., 7km W. of Aydıntepe, 2200m (leg. G.Laszlo & G.Ronkay) (coll.Ronkay). Range (in code): **TR IR Fa Kh Ab Oru Mak Tbz Elb Th Kdj Plr Mia Kz Yas Skh**
- 60408. *Desertoplusia paghmana* (Wiltshire,1971)** (Noctuidae) Synonym(s): *paghmana* Wiltshire,1971; *paupera* Wiltshire,1971. Range (in code): **AF Pag PK Bl Qu**
- 60409. *Detounda spurcata* Walker,1864** (Noctuidae) Synonym(s): *spurcata* Walker,1864; *acypera* Hampson,1905 Range (in code): **MY Bor Sbh Swk ID Bli Sum PH Clb Mlc PG**
- 60410. *Diachrysia chrysis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758
Original Reference: *Phalaena chrysis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa]. Range (in code): **DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da Sb Am Us MD UA BY TM CN Ui GG AZ Kir Cc LB Bsa IR Elb Th Kdj Kdv Ab Oru Sah Ak Ar Gh Mz GlS Qz AF KK Ax**
Bionomy: Larva on *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 60411. *Diachrysia chrysis chrysis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *chrysis* Linnaeus,1758 Original Reference: *Phalaena chrysis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa]. Range (in code): **DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Sb Am Us MD UA BY TM CN Ui KK Ax**
Bionomy: Larva on *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 60412. *Diachrysia chrysis generosa* (Staudinger,1900)** (Noctuidae) Synonym(s): *generosa* Staudinger,1900 Original Reference: *Plusia generosa* Staudinger,1900, Dt. ent. Z., Iris 12: 380. Range (in code): **TR RU Ro Kr St Kc Kb Nt Ich Ing Da Cc GG AZ LB Bsa IR Elb Th Kdj Kdv Ab Oru Sah Ak Ar Gh Mz GlS Qz AF** Bionomy: Larva on *Urtica dioica* (Urticaceae), *Lamium*, *Galeopsis*, *Mentha* (Lamiaceae), *Cirsium*, *Arctium*, *Achillea* (Asteraceae) (Hacker,2001).
- 60413. *Diachrysia chryson* (Esper,[1789])** (Noctuidae) Synonym(s): *chryson* Esper,[1789]; *aerifera* Sowerby,1805 Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz Gh Amo AM GG Smt Bjo Lag DK SE RU Cc Kr St Kc Ich Ing MD UA BY**
- 60414. *Diachrysia nadeja* (Oberthür,1880)** (Noctuidae) Synonym(s): *nadeja* Oberthür,1880
Range (in code): **FR Si? IT CH AT HU RO YU RU Cc AZ**
- 60415. *Diachrysia stenochrysis* (W.Warren,1913)** (Noctuidae) Synonym(s): *stenochrysis* W.Warren,1913; *tutti* Kostrowicki,1961 Original Reference: *Phytometra stenochrysis* W.Warren,1913, [in] Seitz,A., Gross-Schmett. Erde 3: 348, pl64f. Lectotype: Japan. Range (in code): **ES FR Si IT NL DE CH AT PL CZ SK RO BG TR DK NO SE FI EE LV LT RU Cc Da MD UA BY IR Gh Enz Mz Elb JP**
- 60416. *Diachrysia zosimi* (Hübner,[1822])** (Noctuidae) Synonym(s): *zosimi* Hübner,[1822]
Range (in code): **IT CH AT PL CZ SK HU RO YU LV LT RU Cc Kr St MD UA BY**
- 60417. *Diadochia saca* Püngeler,1914** (Noctuidae) Synonym(s): *saca* Püngeler,1914 Range (in code): **TM UZ**
- 60418. *Diadochia stigmatica* Wiltshire,1984** (Noctuidae) Synonym(s): *stigmatica* Wiltshire,1984
Range (in code): **SA IL Pa JO**
- 60419. *Diadochia striolata* (Filipjev,1949)** (Noctuidae) Synonym(s): *striolata* Filipjev,1949
Range (in code): **TM**
- 60420. *Dialithoptera gemmata* (Hampson,1896)** (Noctuidae) Synonym(s): *gemmata* Hampson,1896 Range (in code): **IN SI NP MM VN MY Bor TH CMa CDo Cgr ID Sum**
- 60421. *Dialithoptera gemmata* (Hampson,1900)** (Noctuidae) Synonym(s): *gemmata* Hampson,1900 Range (in code): **IN SI**
- 60422. *Dialithoptera margarita* Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *margarita* Laszlo, G.Ronkay & Witt,2007 Range (in code): **TH Mae**
- 60423. *Dialithoptera margarita* Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *margarita* Laszlo, G.Ronkay & Witt,2007 Range (in code): **TH Mae VN**
- 60424. *Diaphone angolensis* Weymer,1901** (Noctuidae) Synonym(s): *angolensis* Weymer,1901
Range (in code): **AO ZA**

- 60425. Diaphone eumela (Stoll,1781)** (Noctuidae) Synonym(s): *eumela* Stoll,1781; *elegans* Fabricius,1787; *sylviana* Stoll,1790; *evidens* Guérin-Ménéville,[1832]; *libertina* Bartel,1903; *barnsi* A.E.Prout,1921
Range (in code): **SN KE MZ ZA Nta Kzu Kkf Ec**
- 60426. Diaphone lampra Karsch,1894** (Noctuidae) Synonym(s): *lampra* Karsch,1894; *pyrsonata* Tams,1930
Range (in code): **ZA**
- 60427. Diaphone mossambicensis Hopffer,1862** (Noctuidae) Synonym(s): *mossambicensis* Hopffer,1862
Range (in code): **MZ ZA**
- 60428. Diarsia albipennis (Butler,1889)** (Noctuidae) Synonym(s): *albipennis* Butler,1889; *sugitanii* Matsumura,1931; *usuriensis* Matsumura,1931
Range (in code): **IN Hp Drm JP RU Us**
- 60429. Diarsia basistriga (Moore,1867)** (Noctuidae) Synonym(s): *basistriga* Moore,1867; *griseithorax* W.Warren,1912
Range (in code): **IN SI Dj Ass Meg Khs**
- 60430. Diarsia brunnea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775
Original Reference: *Noctua brunnea* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 83*. Type(s): [Austria]: Vienna district.
Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY CN JP CA**
Bionomy: Larva on *Pisum* ([Denis & Schiffermüller],1775 et seq.).
- 60431. Diarsia canescens (Butler,1881)** (Noctuidae) Synonym(s): *canescens* Butler,1881; *subdolens* Butler,1881; *brunnescens* Hampson,1903; *ishidella* Matsumura,1926; *subcanescens* Corti & Draudt,1933
Range (in code): **SY Ltk PK Thu JP**
- 60432. Diarsia cerastioides (Moore,1867)** (Noctuidae) Synonym(s): *cerastioides* Moore,1867
Range (in code): **IN Dj**
- 60433. Diarsia claudia Boursin,1963** (Noctuidae) Synonym(s): *claudia* Boursin,1963
Range (in code): **NP**
- 60434. Diarsia dahlia (Hübner,[1813])** (Noctuidae) Synonym(s): *dahlia* Hübner,[1813]
Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO AM AZ GG Cc DK NO SE FI EE LV LT RU Ro St Kc Nt Da MD UA BY**
- 60435. Diarsia erubescens (Butler,1880)** (Noctuidae) Synonym(s): *erubescens* Butler,1880
Range (in code): **IN NI Up Bhi**
- 60436. Diarsia fletcheri Boursin,1969** (Noctuidae) Synonym(s): *fletcheri* Boursin,1969; *afghana* Boursin,1969; *fletcheri* Dierl,1984
Original Reference: *Diarsia fletcheri* Boursin,1969, *Entomops* 15: 215-217, figs. Holotype ♂: [Pakistan]: Thundiani (BMNH).
Range (in code): **AF Sfk PK Pj Thu NP**
- 60437. Diarsia florida (Schmidt,1859)** (Noctuidae) Synonym(s): *florida* Schmidt,1859
Original Reference: *Noctua florida* Schmidt,1859, *Stettin ent. Ztg.* 20: 46. Syntypes: [Deutschland]: [Wismar, Macklenburg].
Range (in code): **ES FR IT GB BE NL DE AT PL CZ SK RO BG TR DK NO SE FI LV LT RU MD UA BY**
- 60438. Diarsia florida perturbata Hacker,1987** (Noctuidae) Synonym(s): *perturbata* Hacker,1987
Original Reference: *Diarsia florida* ssp. *perturbata* Hacker,1987, *Atalanta* 18: 127, Taf.2 fig.3. Holotype ♂: [Türkei]: Prov. Van: Güzeldere-Pass, 2600-2700m 5.vii.1979 (leg. Gross, coll. Eitschberger).
Range (in code): **TR**
- 60439. Diarsia formosensis (Hampson,1909)** (Noctuidae) Synonym(s): *formosensis* Hampson,1909; *moltrechti* Boursin,1948
Range (in code): **TW**
- 60440. Diarsia gaudens (Hampson,1905)** (Noctuidae) Synonym(s): *gaudens* Hampson,1905; *pygmaea* Boursin,1956
Range (in code): **ID Ja**
- 60441. Diarsia gadarramensis (Boursin,1928)** (Noctuidae) Synonym(s): *gadarramensis* Boursin,1928
Range (in code): **ES FR**
- 60442. Diarsia latimacula Kozhantshikov,1937** (Noctuidae) Synonym(s): *latimacula* Kozhantshikov,1937
Range (in code): **TJ Pm**
- 60443. Diarsia mandarinella (Hampson,1903)** (Noctuidae) Synonym(s): *mandarina* Leech,1900 nec Lch.,1900; *mandarinella* Hampson,1903
Range (in code): **CN Ti**
- 60444. Diarsia mediotincta Kozhantshikov,1937** (Noctuidae) Synonym(s): *mediotincta* Kozhantshikov,1937
Range (in code): **Cc AZ Nv Ord**
- 60445. Diarsia mendica (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933.
Original Reference: *Noctua mendica* Fabricius,1775, *Syst. Ent.*: 611. Type(s): Germania.
Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag IR Elb Mz DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ing Da MD UA BY CN Ti KK Ax CA**
- 60446. Diarsia mendica mendica (Fabricius,1775)** (Noctuidae) Synonym(s): *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua*

- Treitschke, 1827; dannehl Corti & Draudt, 1933.* Original Reference: *Noctua mendica* Fabricius, 1775, Syst. Ent.: 611. Type(s): Germania. Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ing Da MD UA BY KK Ax**
- 60447. *Diarsia mendica monochroma* Boursin, 1963** (Noctuidae) Synonym(s): *monochroma* Boursin, 1963 Range (in code): **IR Elb Mz**
- 60448. *Diarsia nigrosigna* (Moore, 1881)** (Noctuidae) Synonym(s): *nigrosigna* Moore, 1881; *efflorescens* Hampson, 1891; *erubescens* Hampson, 1891; *subochracea* Corti & Draudt, 1933; *postpallida* A.E. Prout, 1928 Range (in code): **SI IN Kil Up NI CN T-T Sz ID Sum**
- 60449. *Diarsia nyei* Boursin, 1969** (Noctuidae) Synonym(s): *nyei* Boursin, 1969 Original Reference: *Diarsia nyei* Boursin, 1969, Entomops 15: 218-219, figs. Holotype ♂: India: Dharmasala (BMNH). Range (in code): **IN Hp Drm**
- 60450. *Diarsia obuncula* (Hampson, 1903)** (Noctuidae) Synonym(s): *obuncula* Hampson, 1903; *orphnina* Püngeler, 1906; *mutila* Corti & Draudt, 1933. Range (in code): **CN Ui Kl Au KG Tk TJ Pm Chr PK Kjb Ch Sri**
- 60451. *Diarsia ochracea* (Walker, 1865)** (Noctuidae) Synonym(s): *ochracea* Walker, 1865; *ruptistriga* Walker, 1865; *frontalis* Moore, 1884; *perrufa* W. Warren, 1912 Original Reference: *Oxira ochracea* Walker, 1865, List spec. lepid. Colln. Br. Mus. 32: 657. Type: [Sri Lanka]: Ceylon (BMNH). Range (in code): **PK Rw Thu LK**
- 60452. *Diarsia orophila* Boursin, 1954** (Noctuidae) Synonym(s): *orophila* Boursin, 1954 Range (in code): **CN Yu Ats**
- 60453. *Diarsia rubi* (Vieweg, 1790)** (Noctuidae) Synonym(s): *rubi* Vieweg, 1790; *radica* Esper, [1790]; *bella* Borkhausen, 1792 *nec* Linn., 1758; *quadratum* Hübner, [1813]; *posticata* Walker, [1858]. Original Reference: *Noctua rubi* Vieweg, 1790, Tab. Verz. Brand. Schmett. 2: 57. Type(s): [Germany]: Berlin. Range (in code): **ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr Nt Ich Da MD UA BY**
- 60454. *Diarsia rubicilia* (Moore, 1867)** (Noctuidae) Synonym(s): *rubicilia* Moore, 1867; *owgarra* Bethune-Baker, 1908 Range (in code): **IN SI Djl PK PG**
- 60455. *Diarsia spilosata* (W. Warren, 1912)** (Noctuidae) Synonym(s): *spilosata* W. Warren, 1912 Range (in code):
- 60456. *Diarsia stictica* (Poujade, 1887)** (Noctuidae) Synonym(s): *stictica* Poujade, 1887; *viaria* Swinhoe, 1889; *sempileta* Boursin, 1954 Range (in code): **CN Ti Mou Ats Yu IN**
- 60457. *Diarsia tincta* (Leech, 1900)** (Noctuidae) Synonym(s): *tincta* Leech, 1900 Original Reference: *Graphiphora tincta* Leech, 1900, Trans. ent. Soc. London 1900: 41. Range (in code): **CN Sz In Hp Sml**
- 60458. *Diarsia vulpina* (Moore, 1882)** (Noctuidae) Synonym(s): *vulpina* Moore, 1882 Range (in code): **IN Dj**
- 60459. *Diarsia ypsiloidea* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *ypsiloidea* Hreblay, Peregovits & L. Ronkay, 1999 Range (in code): **VN Lci**
- 60460. *Diascia hayesi* Holloway, 1976** (Noctuidae) Synonym(s): *hayesi* Holloway, 1976 Range (in code): **TH Pgg MY Bor SG**
- 60461. *Diascia transvitta* (Moore, 1887)** (Noctuidae) Synonym(s): *transvitta* Moore, 1887 Range (in code): **LK**
- 60462. *Dicerogastra chersotoides* (Wiltshire, 1956)** (Noctuidae) Synonym(s): *chersotoides* Wiltshire, 1956 Range (in code): **IL Pa JO Zq SA OM**
- 60463. *Dicerogastra furvilinea* (Hampson, 1902)** (Noctuidae) Synonym(s): *furvilinea* Hampson, 1902 Range (in code): **ZA Ec Tra ZW Har**
- 60464. *Dicerogastra proleuca* (Hampson, 1913)** (Noctuidae) Synonym(s): *proleuca* Hampson, 1913 Range (in code): **ZA**
- 60465. *Dichagyris (Albocosta) flammatrix* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *flammatrix* [Denis & Schiffermüller], 1775; *bimaculata* Milliere, 1885. Original Reference: *Noctua flammatrix* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): **MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG Akh Smt Cc AZ Hkd IR Fa Yas By Lo Kh Mz Elb Kdj Dam Kz LB Bsa CY IL Pa SY JO Sn EG IQ Mos TlH DK RU At Sb MD UA BY CN Ui Ii KG Tk Dj AF Hr Pli Gbh Ch PK Rw Ti SI UZ N-A KK Tra Ro St Nt Kb Ich Ing Kyi Da Tbl Bjo Kir Lag Nv Ord Bak Len GlS Kh DZ Sfr Sbd Ges**
- 60466. *Dichagyris (Albocosta) flammatrix centralasiae* (Wagner, 1913)** (Noctuidae) Synonym(s): *centralasiae* Wagner, 1913 Range (in code): **CN Ui KG Tk Dj Ii**

- 60467. *Dichagyris (Albocosta) flammata deleta* (Kollar,[1849])** (Noctuidae) Synonym(s): *deleta* Kollar,[1849] Range (in code): **IR Fa By Yas Lo Kh Mz Elb Kdj Dam Kz TR GG Akh Smt Cc AZ Hkd IQ AF Hr Pli Ghb CY IL Pa SY JO Sn EG UZ N-A KK TrA KG Tk Tbl Bjo Kir Lag Nv Ord Bak Len**
- 60468. *Dichagyris (Albocosta) flammata flammata* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammata* [Denis & Schiffermüller],1775; *bimaculata* Milliere,1885. Original Reference: *Noctua flammata* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): **MA PT ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU BG GR Cr DK RU Ro St Nt Kb Ich Ing Kyi Da MD UA BY CN Ui Ii DZ Sfr Sbd Ges**
- 60469. *Dichagyris (Albocosta) herculea* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *herculea* Corti & Draudt,1933 Original Reference: *Rhyacia flammata* f. *herculea* Corti & Draudt,1933, [in] Seitz, Gross-Schmett. Erde 3 (Suppl.): 64, Taf.8e. Range (in code): **IR AF Hr Nu Ch PK Pj Haz Nar IN SI NP CN Ti**
- 60470. *Dichagyris (Albocosta) juldussi* (Alpheraky,1882)** (Noctuidae) Synonym(s): *juldussi* Alpheraky,1882 Original Reference: *Agrotis juldussi* Alpheraky,1882, Horae Soc. ent. ross. 17: 49, pl.3 fig.59. Range (in code): **CN Ui Ju Ku UZ Fe KK Ik TeA TrA**
- 60471. *Dichagyris (Albocosta) musiva* (Hübner,[1803])** (Noctuidae) Synonym(s): *musiva* Hübner,[1803] Original Reference: *Noctua musiva* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.25, fig.118. Type: [Europa]. Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc RU Kr Ich Ing Da MD UA BY CN Ui Chk MN KK TrA**
- 60472. *Dichagyris (Albocosta) musiva musiva* (Hübner,[1803])** (Noctuidae) Synonym(s): *musiva* Hübner,[1803] Original Reference: *Noctua musiva* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.25, fig.118. Type: [Europa]. Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc RU Kr Ich Ing Da MD UA BY CN Ui Chk KK TrA**
- 60473. *Dichagyris (Albocosta) musiva sheljuzhkoi* (Varga,1973)** (Noctuidae) Synonym(s): *sheljuzhkoi* Varga,1973 Range (in code): **MN**
- 60474. *Dichagyris (Albocosta) musivula* (Staudinger,[1896])** (Noctuidae) Synonym(s): *musivula* Staudinger,[1896] Original Reference: *Agrotis musivula* Staudinger,[1896], Dt. ent. Z., Iris 8: 310. Syntypes 6♂: "zwischen Lob Noor und Kuku Noor" (MNHU Berlin). Range (in code): **CN Ui Ts Kno Ln**
- 60475. *Dichagyris (Albocosta) stentzi* (Lederer,1853)** (Noctuidae) Synonym(s): *stentzi* Lederer,1853; *triangularis* Moore,1867; *stentsi* Hampson,1903; *albocosta* W.Warren,1912; *rufata* W.Warren,1912 Range (in code): **RU Sb Am Us JP KK Ax KG Tk CN Ui Ii Ti Amd UZ Fe Ch IN Hp Kul Sml Drm Dlh JP PK Haz Mre Thu SI Djl Up Bhi Mhh Nnt Kil MN**
- 60476. *Dichagyris (Albocosta) ulrici* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *ulrici* Corti & Draudt,1933 Range (in code): **KK**
- 60477. *Dichagyris (Grisyigoga) candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. Original Reference: *Noctua candelisequa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district. Range (in code): **MA ES FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc LB Bsa IL Pa He RU St Kr Nt Ich Ing At Sb Am MD UA BY UZ KK Ik TrA KG IR Th Elb Ha Kd Lo Fa Kz Km Ke TM AF**
- 60478. *Dichagyris (Grisyigoga) candelisequa achaemenidica* Hacker,1990** (Noctuidae) Synonym(s): *achaemenidica* Hacker,1990 Original Reference: *Dichagyris* (s.str.) *candelisequa* ssp. *achaemenidica* Hacker,1990, Neue ent. Nachr. 27: 439. Holotype ♂: Türkei: Prov. Bingöl, Pass n. Başköy, 2200m, 23km NW Karhova, 24.vii.1984, (leg. & coll. Hacker) [name dedicated to Achaemenian Emperor of Persia]. Range (in code): **IR Th Elb Ha Kd Lo Fa Kz Km AF TR Cc LB Bsa IL Pa He**
- 60479. *Dichagyris (Grisyigoga) candelisequa candelisequa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *candelisequa* [Denis & Schiffermüller],1775; *sagittifera* Hübner,[1813]; *piemonticola* Schwingenschuss,1954; *zapateri* Schwingenschuss,1962. Original Reference: *Noctua candelisequa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s): [Austria]: Vienna district. Range (in code): **MA ES FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR RU St Kr Nt Ich Ing Cc MD UA BY**
- 60480. *Dichagyris (Grisyigoga) candelisequa rana* (Lederer,1853)** (Noctuidae) Synonym(s): *rana* Lederer,1853 Original Reference: *Agrotis rana* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 367. Syntypes: [Kazachstan]: Altai. Range (in code): **UZ KK Ik TrA KG At Sb Am RU IR Elb Ke Th**

- 60481. *Dichagyris (Stenosomides) helix* L.Ronkay & Gyulai, 2009** (Noctuidae)
Synonym(s): *helix* L.Ronkay & Gyulai, 2009 _ **TJ**
- 60482. *Dichagyris (Stenosomides) mansoura* (Chrétien, 1911)** (Noctuidae) Synonym(s):
mansoura Chrétien, 1911 Original Reference: *Agrotis mansoura* Chrétien, 1911, *Annls Soc. ent. Fr.* 79 (1910): 498-499. Syntypes: Tunis, Gafsa. Range (in code): ES TN Gf DZ Ges
- 60483. *Dichagyris (Stenosomides) spissilinea* Staudinger, 1896** (Noctuidae) Synonym(s):
spissilinea Staudinger, 1896. _ Range (in code): RU MN
- 60484. *Dichagyris (Stenosomides) sureyae* (Rebel, 1931)** (Noctuidae) Synonym(s): *sureyae* Rebel, 1931. Original Reference: *Agrotis sureyae* Rebel, 1931, *Annln naturh. Mus. Wien* 46:[5]. Syntypes: [Türkei]: Ankara. Range (in code): IL Pa He TR Cc IR Fa
- 60485. *Dichagyris (Stenosomides) sureyae facunda* (Draudt, 1938)** (Noctuidae)
Synonym(s): *facunda* Draudt, 1938 _ Range (in code): IL Pa He TR IR Fa
- 60486. *Dichagyris (Stenosomides) sureyae kuhnae* (Hacker, [1987])** (Noctuidae)
Synonym(s): *kuhnae* Hacker, [1987]. Original Reference: *Yigoga sureyae* ssp. *kuhnae* Hacker, [1987], *Atalanta* 17: 14, fig. Holotype ♂: Ost-Türkei: Prov. Elazığ, Hazar-See, 1300m, 19 ix. 1981 (leg. & coll. Kuhna). Range (in code): TR Cc
- 60487. *Dichagyris (Stenosomides) sureyae sureyae* (Rebel, 1931)** (Noctuidae) Synonym(s):
sureyae Rebel, 1931 Original Reference: *Agrotis sureyae* Rebel, 1931, *Annln naturh. Mus. Wien* 46:[5]. Syntypes: [Türkei]: Ankara. Range (in code): TR IR Fa
- 60488. *Dichagyris (Yigoga) acutijuxta* (Boursin, 1957)** (Noctuidae) Synonym(s): *acutijuxta* Boursin, 1957 _ Range (in code): IR Mz Elb Plr AF KG Tu KK TeA Skm UZ N-A TJ Pm Chr
- 60489. *Dichagyris (Yigoga) celsicola* (Bellier, 1858)** (Noctuidae) Synonym(s): *celsicola* Bellier, 1858; *gueddelanea* Oberthür, 1918 _ Range (in code): DZ Lbs Sbd FR Sa? IT GR TR Cc RU Da Kus IR Zj Elb Th Dam Kdj Mz Plr Km Krd Kd Lo
- 60490. *Dichagyris (Yigoga) celsicola goateri* (Fibiger & Moberg, 1989)** (Noctuidae)
Synonym(s): *goateri* Fibiger & Moberg, 1989 _ Range (in code): GR
- 60491. *Dichagyris (Yigoga) celsicola iranica* (Schwingenschuss, 1939)** (Noctuidae)
Synonym(s): *iranica* Schwingenschuss, 1939 _ Range (in code): IR Elb Th Dam Kdj Mz Plr Km Krd Kd Lo
- 60492. *Dichagyris (Yigoga) danilevskyi* (Stshetkin, 1965)** (Noctuidae) Synonym(s):
danilevskyi Stshetkin, 1965 _ Range (in code): TJ TM Kp IR Ss
- 60493. *Dichagyris (Yigoga) disturbans* (Püngeler, 1914)** (Noctuidae) Synonym(s): *turbans* Hampson, 1903 nec Stgr., 1888; *disturbans* Püngeler, 1914; *mirabica* Brandt, 1941. _ Range (in code): TJ KK Ik TrA IR Kh KuB Mz
- 60494. *Dichagyris (Yigoga) eureteocles* (Boursin, 1940)** (Noctuidae) Synonym(s): *eureteocles* Boursin, 1940 Original Reference: *Agrotis eureteocles* Boursin, 1940, *Mitt. münch. ent. Ges.* 30: 482, Taf. 8 f. 15. Holotype ♂: Armenia: Darasham am Araxes. Range (in code): AM Cc RU Da TR IR Elb Th Ma Ara Ss Ke TM Kp
- 60495. *Dichagyris (Yigoga) exacta* (Staudinger, 1888)** (Noctuidae) Synonym(s): *exacta* Staudinger, 1888 Original Reference: *Agrotis exacta* Staudinger, 1888, *Stettin ent. Ztg.* 1888: 9. Range (in code): KK Ik CN Ui Ii
- 60496. *Dichagyris (Yigoga) fidelis* (Joannis, 1903)** (Noctuidae) Synonym(s): *fidelis* Joannis, 1903; *mansoura* Chrétien, 1911; *agrotina* Rothschild, 1914; *kaaba* Oberthür, 1918; *synesia* Turati, 1924 Range (in code): MA DZ Btina Eba Ges PT TN Gf ES Afl Dja Lbs LY Cy
- 60497. *Dichagyris (Yigoga) flavina* (Herrich-Schäffer, [1852])** (Noctuidae) Synonym(s):
flavina Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898; *pretiosa* Caradja, 1931. Original Reference: *Agrotis flavina* Herrich-Schäffer, [1852], *Syst. Bearb. Schmett. Eur.* 6: 59. Syntypes: [Türkei]: Kleinasien. Range (in code): RO YU BG GR RU Da TR IL Pa Cc AZ Kir LB UA Cm AM SY Dms LB Bsa IQ Mos IR Lo By Yas Es Fa Ha Elb Th Ab Oru Sdt Km Kd Snj Yas Sqq
- 60498. *Dichagyris (Yigoga) flavina brunneopicta* (Corti, 1933)** (Noctuidae) Synonym(s):
brunneopicta Corti, 1933 _ Range (in code): LB Bsa SY Dms
- 60499. *Dichagyris (Yigoga) flavina flavina* (Herrich-Schäffer, 1852)** (Noctuidae)
Synonym(s): *flavina* Herrich-Schäffer, [1852]; *ochrina* Staudinger, 1898. Original Reference: *Agrotis flavina* Herrich-Schäffer, [1852], *Syst. Bearb. Schmett. Eur.* 6: 59. Syntypes: [Türkei]: Kleinasien. Range (in code): RO YU BG GR RU Da TR IL Pa LB UA Cm AM Cc IQ Mos IR Lo By Yas Es Fa Ha Elb Th
- 60500. *Dichagyris (Yigoga) flavina xanthosemata* (Hampson, 1918)** (Noctuidae)
Synonym(s): *xanthosemata* Hampson, 1918 _ Range (in code): Cc AZ Kir

- 60501. Dichagyris (Yigoga) forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. Original Reference: *Noctua forcipula* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **MA ES FR Sa? Si IT DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU Ro Kr Sr Kb Nt Ich Ing Da MD UA BY LB IR Mz Elb Th Lo Fa Kz Kd Bne By Yas Es IQ AZ Kir AM GG Smt Bjo Cc**
- 60502. Dichagyris (Yigoga) forcipula amasicola (Koçak,1980)** (Noctuidae) Synonym(s): *amasina* Turati,1919 nec Stgr.,1901; *amasicola* Koçak,1980; *#amiscola* Baisch et al.,1999 Original Reference: *Yigoga nigrescens* ssp. *amasicola* Koçak,1980, Nota lepid. 2: 144 (nomen novum pro *amasina* Turati,1919 nec Staudinger,1901). Syntypes: Turkey: Amasia. Range (in code): **TR Cc IR Mz Elb Th Lo Fa Kz Kd Bne By Yas Es IQ**
- 60503. Dichagyris (Yigoga) forcipula forcipula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *forcipula* [Denis & Schiffermüller],1775; *denticulosa* Esper,[1794]; *bornicensis* Fuchs,1884; *helladica* Rebel,1905; *samnitica* Dannehl,1933; *romanoi* Berio,1980. Original Reference: *Noctua forcipula* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: Type(s): [Austria]: Vienna district. Range (in code): **ES FR Sa? Si IT DE CH AT PL CZ SK HU RO YU AL BG GR Cr RU Ro Kr Sr Kb Nt Ich Ing Da Cc MD UA BY**
- 60504. Dichagyris (Yigoga) glaucescens (Christoph,1887)** (Noctuidae) Synonym(s): *glaucescens* Christoph,1887 Original Reference: *Agrotis glaucescens* Christoph,1887, Stettin ent. Ztg. 1887: 163. Range (in code): **TM Kp CN Ui Ii**
- 60505. Dichagyris (Yigoga) gracilis (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929 Range (in code): **GR TR Cc IR Ab Ory Sdt Fa Ke Es Elb Th Kd Km Snj Hz Zj Ha Mz IQ**
- 60506. Dichagyris (Yigoga) gracilis etoliae (Dufay,1983)** (Noctuidae) Synonym(s): *etoliae* Dufay,1983 Range (in code): **GR**
- 60507. Dichagyris (Yigoga) gracilis gracilis (F.Wagner,1929)** (Noctuidae) Synonym(s): *gracilis* F.Wagner,1929 Range (in code): **IR Ab Fa Ke Es Elb Th Kd Km Snj Hz Zj Ha Mz IQ TR Cc**
- 60508. Dichagyris (Yigoga) hackeri (Fibiger,1992)** (Noctuidae) Synonym(s): *hackeri* Fibiger,1992 Original Reference: *Yigoga hackeri* Fibiger,1992, Esperiana 3: 447-449, figs. Holotype ♂: Turkey: Taurus, Mersin Prov., Güzeloluk, 1400m (leg. & coll. Fibiger). Range (in code): **TR**
- 60509. Dichagyris (Yigoga) hissarensis Varga,1996** (Noctuidae) Synonym(s): *hissarensis* Varga,1996 Range (in code): **TJ**
- 60510. Dichagyris (Yigoga) improba (Staudinger,1888)** (Noctuidae) Synonym(s): *improba* Staudinger,1888 Original Reference: *Agrotis improba* Staudinger,1888, Stettin ent. Ztg. 1888: 8. Range (in code): **UZ Tas AF Adr KK Skm**
- 60511. Dichagyris (Yigoga) insula Fibiger,1997** (Noctuidae) Synonym(s): *insula* Fibiger,1997 Range (in code): **GR Cr**
- 60512. Dichagyris (Yigoga) iranicola (Koçak,1980)** (Noctuidae) Synonym(s): *hyrcana* Corti & Draudt,1933 nec Stgr.,1900; *iranicola* Koçak,1980. Original Reference: *Yigoga forcipula* ssp. *iranicola* Koçak,1980, Nota lepid. 2: 144 (nomen novum pro *hyrcana* Corti & Draudt,1933 nec Staudinger,1900). Syntypes: [Turkmenistan]: Ashabad. Range (in code): **IR Mz Kh Elb Th Dam Kdv Ab Sdt Mak Oru Fa Kz Yas Km Kd Bne GlS TM Kp RU Sr Sb**
- 60513. Dichagyris (Yigoga) latipennis (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909 Original Reference: *Euxoa latipennis* Püngeler,1909, Dt. ent. Z., Iris 21: 286. Syntypes: Iligebiet, Dscharkent. Range (in code): **TJ KG Tk TR IR Ss Elb Th Kdj Fa**
- 60514. Dichagyris (Yigoga) latipennis latipennis (Püngeler,1909)** (Noctuidae) Synonym(s): *latipennis* Püngeler,1909 Original Reference: *Euxoa latipennis* Püngeler,1909, Dt. ent. Z., Iris 21: 286. Syntypes: Iligebiet, Dscharkent. Range (in code): **TJ KG Tk**
- 60515. Dichagyris (Yigoga) latipennis occidentalis (Hacker,[1987])** (Noctuidae) Synonym(s): *occidentalis* Hacker,[1987] Original Reference: *Yigoga latipennis* ssp. *occidentalis* Hacker,[1987], Atalanta 17 (1/4): 13. Holotype ♂: Türkei: Ankara Prov., Tuz Gölü N-Ufer, 10.10.1971 (leg. Friedel) (ZSM). Range (in code): **TR IR Ss Elb Th Kdj Fa**
- 60516. Dichagyris (Yigoga) libanicola (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *libanicola* Corti & Draudt,1933; *libanicola* Corti,1933 Range (in code): **LB Bsa IL Pa SY Dms**

- 60517. *Dichagyris (Yigoga) lupinus* (Brandt,1941)** (Noctuidae) Synonym(s): *lupinus* Brandt,1941 Original Reference: *Agrotis lupinus* Brandt,1941, Mitt. münch. ent. Ges. 31: 840-841, fig.9. Type(s): Iran: [Khorassan]: Kouh i Binaloud, 3300m. Range (in code): **IR Kh KuB**
- 60518. *Dichagyris (Yigoga) lutescens* (Eversmann,1844)** (Noctuidae) Synonym(s): *lutescens* Eversmann,1844; *dilucida* Eversmann,1844; *leonina* Staudinger,1877. Original Reference: *Agrotis lutescens* Eversmann,1844, Bull. Soc. imp. Nat. Moscou 3: 591. Syntypes: Russia: Südrussland: Ural, Orenburg. Range (in code): **RU Ur TR**
- 60519. *Dichagyris (Yigoga) macrolycos* Varga & Gyulai,2001** (Noctuidae) Synonym(s): *macrolycos* Varga & Gyulai,2001 Range (in code): **TJ UZ**
- 60520. *Dichagyris (Yigoga) nachadira* (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941 Original Reference: *Ogygia* (?) *improcera* ssp. *nachadira* Brandt,1941, Mitt. münch. ent. Ges. 31: 842, fig. 22. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 2800-3300m. Range (in code): **IR Ss Th Elb TR UA AM Cc IQ KG TM TJ**
- 60521. *Dichagyris (Yigoga) nachadira nachadira* (Brandt,1941)** (Noctuidae) Synonym(s): *nachadira* Brandt,1941 Original Reference: *Ogygia* (?) *improcera* ssp. *nachadira* Brandt,1941, Mitt. münch. ent. Ges. 31: 842, fig. 22. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 2800-3300m. Range (in code): **IR Ss TM TJ KG**
- 60522. *Dichagyris (Yigoga) nachadira pseudorientis* (Boursin,1952)** (Noctuidae) Synonym(s): *pseudorientis* Boursin,1952 Original Reference: *Ogygia nachadira* ssp. *pseudorientis* Boursin,1952, Z. lepid. 2: 52. Holotype ♂: Türkei: Kayseri. Range (in code): **UA TR IR Elb Th AM Cc IQ**
- 60523. *Dichagyris (Yigoga) nekrasovi* Varga & Gyulai,2001** (Noctuidae) Synonym(s): *nekrasovi* Varga & Gyulai,2001 Range (in code): **TJ Pm AF Pag**
- 60524. *Dichagyris (Yigoga) nigrescens* (Hofner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888 Original Reference: *Agrotis nigrescens* Höfner,1888, Societas ent. 2: 121. Syntypes: [Germany]: Wolfsberg. Range (in code): **ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR TR RU Cc Ro Nt Kr Ich LB JO IL Pa IQ Shq IR Fa Th Elb Kd Gls**
- 60525. *Dichagyris (Yigoga) nigrescens nigrescens* (Höfner,1888)** (Noctuidae) Synonym(s): *nigrescens* Höfner,1888 Original Reference: *Agrotis nigrescens* Höfner,1888, Societas ent. 2: 121. Syntypes: [Germany]: Wolfsberg. Range (in code): **ES FR Si IT DE CH AT CZ SK HU RO YU AL BG GR RU Cc Ro Nt Kr Ich**
- 60526. *Dichagyris (Yigoga) nigrescens robustior* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *robustior* Corti & Draudt,1933; *obscurior* Corti & Draudt,1933 *nec* Corti & Draudt,1933; *turcicola* Koçak,1980. Original Reference: *Agrotis forcipula robustior* Corti & Draudt,1933, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 55. Syntypes: [Türkei]: Marasch. Range (in code): **TR LB JO IL Pa IQ Shq IR Fa Th Elb Kd**
- 60527. *Dichagyris (Yigoga) orientis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. Original Reference: *Agrotis signifera* var. *orientis* Alpheraky,1882, Horae Soc. ent. ross. 17:54. Syntypes: [China]: Kouldja. Range (in code): **RO YU RU Ro Kyi TR Cc GG Tbl Da Der Nv Ord AZ AM Eri IQ Agh CN Ui Ku Ii UZ TM IR Elb Th Kdj Es Ha Kh KG Tk KK Skm**
- 60528. *Dichagyris (Yigoga) orientis orientis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientis* Alpheraky,1882; *improcera* Staudinger,1888; *imitata* Corti & Draudt,1933. Original Reference: *Agrotis signifera* var. *orientis* Alpheraky,1882, Horae Soc. ent. ross. 17:54. Syntypes: [China]: Kouldja. Range (in code): **RO YU RU Ro Kyi TR Cc GG Tbl Da Der Nv Ord AZ AM Eri IQ Agh CN Ui Ku Ii UZ TM IR Elb Th Kdj Es Ha Kh KG Tk KK Skm**
- 60529. *Dichagyris (Yigoga) orientis pygmaea* (Hampson,1903)** (Noctuidae) Synonym(s): *pygmaea* Hampson,1903; *caroli* Culot,1909; *#rubra* A.Bang-Haas,1910; *pseudosignifera* Boursin,1942. Original Reference: *Euxoa pygmaea* Hampson,1903, Cat. lepid. Phalaenae Br. Mus. 4: 336. Type: Syr-Darja. Range (in code): **RU UZ TM**
- 60530. *Dichagyris (Yigoga) perturbans* (Boursin,1948)** (Noctuidae) Synonym(s): *perturbans* Boursin,1948 Range (in code): **KG CN Ui Au KK Ik TrA TJ AF**
- 60531. *Dichagyris (Yigoga) perturbans perirrorans* Varga, Gyulai & Miatleuski,2002** (Noctuidae) Synonym(s): *perirrorans* Varga, Gyulai & Miatleuski,2002 Range (in code): **KG**
- 60532. *Dichagyris (Yigoga) romanovi* (Christoph,1885)** (Noctuidae) Synonym(s): *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990. Original Reference: *Agrotis romanovi* Christoph,1885, [in] Romanoff,N.M., Mém. lépid. 2: 37, pl. ii fig.7. [Türkei]: Kazikoparan. Range (in code): **TR Cc IL Pa Js JO IR Fa Ab Oru Lo Km Kd IQ?**

- 60533. *Dichagyris (Yigoga) serraticornis* (Staudinger,1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898 Original Reference: *Agrotis ochrina* var. *serraticornis* Staudinger,1898, Dt. ent. Z., Iris 10: 274. Lectotype ♂: Spain: Castille (Fibiger, 1990:127). Range (in code): **ES IL Pa Js TR Cc IR Fa**
- 60534. *Dichagyris (Yigoga) serraticornis serraticornis* (Staudinger,1898)** (Noctuidae) Synonym(s): *serraticornis* Staudinger,1898 Original Reference: *Agrotis ochrina* var. *serraticornis* Staudinger,1898, Dt. ent. Z., Iris 10: 274. Lectotype ♂: Spain: Castille (Fibiger, 1990:127). Range (in code): **ES IL Pa Js TR Cc IR Fa**
- 60535. *Dichagyris (Yigoga) signifera* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#signifera* [Denis & Schiffermüller],1775 Original Reference: *Noctua signifera* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): **TN Gf ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR IR Fa Es Elb Ab Oru Kz Km Kd Mrv Bne Yas Lo IQ Shq LB LV LT RU Ro Kyi Da MD UA BY AZ Kir AM GG Tbl Akh Smt Cc**
- 60536. *Dichagyris (Yigoga) signifera farsistana* (Brandt,1938)** (Noctuidae) Synonym(s): *farsistana* Brandt,1938 Original Reference: *Agrotis signifera* ssp. *farsistana* Brandt,1938, Ent. Rdsch. 55: 502. Type ♂: Iran: [Fars]: Fort Sine Sefid, Comee. Range (in code): **IR Ab Oru Kz Km Kd Mrv Bne Fa Es IQ Shq**
- 60537. *Dichagyris (Yigoga) signifera tauricola* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *tauricola* Corti & Draudt,1933 Range (in code): **TR Cc**
- 60538. *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985)** (Noctuidae) Synonym(s): *sincera* De Freina & Hacker,1985. Original Reference: *Yigoga celsicola* ssp. *sincera* De Freina & Hacker,1985, Entomofauna 6 (19): 242-245, Abb. 1-2. Holotype ♂: [Türkei]: Kleinasien: Hakkari: Tanin Tanin Paß, 2000-2300m, 12-13.7.83 (leg. & coll. De Freina). Range (in code): **TR Cc IR Zj Ab Kd Lo Fa**
- 60539. *Dichagyris (Yigoga) soror* Fibiger,1997** (Noctuidae) Synonym(s): *soror* Fibiger,1997 Range (in code): **GR TR**
- 60540. *Dichagyris (Yigoga) stigmatula* (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *stigmatula* Kozhantshikov,1937 Range (in code): **IQ**
- 60541. *Dichagyris (Yigoga) strenua* (Corti,1926)** (Noctuidae) Synonym(s): *strenua* Corti,1926 Range (in code): **IR Kh KuB UZ N-A**
- 60542. *Dichagyris (Yigoga) subturbans* (Boursin,1948)** (Noctuidae) Synonym(s): *subturbans* Boursin,1948 Range (in code): **KG NrK KK Skm Ax Na**
- 60543. *Dichagyris (Yigoga) thylacina* Varga,1996** (Noctuidae) Synonym(s): *thylacina* Varga,1996 Range (in code): **TM Kp**
- 60544. *Dichagyris (Yigoga) truculenta* (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853 Original Reference: *Agrotis truculenta* Lederer,1853, Verh. zool.-bot. Ver. 3: 367. Syntypes: [Kazachstan]: Vorberge Altai. Range (in code): **RU KG At TJ Pm Chr TR SY IL Pa He LB Bsa IR Fa Ss Kh Bl Elb Dam Kdj Th Kz Yas Lo KuB CN Ui**
- 60545. *Dichagyris (Yigoga) truculenta khorassana* (Brandt,1941)** (Noctuidae) Synonym(s): *khorassana* Brandt,1941 Original Reference: *Ogygia truculenta* ssp. *khorassana* Brandt,1941, Mitt. münch. ent. Ges. 31: 841-842. Type(s): Iran: [Khorassan]: Kouh i Binaloud bei Meched, 3000m. Range (in code): **IR Kh**
- 60546. *Dichagyris (Yigoga) truculenta taftanica* (Brandt,1941)** (Noctuidae) Synonym(s): *taftanica* Brandt,1941 Original Reference: *Ogygia truculenta* ssp. *taftanica* Brandt,1941, Mitt. münch. ent. Ges. 31: 842. Type(s): Iran: [Belutschistan]: Kouh i Taftan, 3000m. Range (in code): **IR Ss**
- 60547. *Dichagyris (Yigoga) truculenta toxistigma* (Hampson,1903)** (Noctuidae) Synonym(s): *toxistigma* Hampson,1903 Original Reference: *Lycophotia toxistigma* Hampson,1903, Cat. lepid. Phalaenae Br. Mus. 4: 549. Type: Syria. Range (in code): **SY IL Pa He LB Bsa TR IR Elb Kdj Th Kz Yas Lo KuB**
- 60548. *Dichagyris (Yigoga) truculenta truculenta* (Lederer,1853)** (Noctuidae) Synonym(s): *truculenta* Lederer,1853 Original Reference: *Agrotis truculenta* Lederer,1853, Verh. zool.-bot. Ver. 3: 367. Syntypes: [Kazachstan]: Vorberge Altai. Range (in code): **RU KG At TJ Pm Chr CN Ui**
- 60549. *Dichagyris (Yigoga) unifica* (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *unifica* Kozhantshikov,1937 Range (in code): **IR Kh AF Adr**

- 60550. Dichagyris (Yigoga) weigerti Hacker & Varga,1990** (Noctuidae) Synonym(s): *weigerti* Hacker & Varga,1990 Original Reference: *Dichagyris (Yigoga) weigerti* Hacker & Varga,1990, Neue ent. Nachr. 27: 441-447, figs. Holotype ♂: Türkei: Prov. Van, Güzeldere Geçidi 2700m, 11.vii.1986 (leg. & coll. Weigert). Range (in code): **TR IR Fa Es Ke Kd Sqg Mrv Zj**
- 60551. Dichagyris (Yigoga) wiltshirei (Boursin,1936)** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002 Original Reference: *Agrotis (Ogygia) wiltshirei* Boursin,1936, Bull. Soc. ent. Fr. 1936: 224, fig. Holotype ♂: Iraq: Rayat, Wiltshire leg & coll. Range (in code): **TR IQ Ry IR Fa Es Ha Zj Lo Kd Sqg Mrv**
- 60552. Dichagyris (Yigoga) zagroica Hacker & Ebert,2002** (Noctuidae) Synonym(s): *zagroica* Hacker & Ebert,2002; *#zagroica* Gyulai & Varga,2006 Original Reference: *Dichagyris zagroica* Hacker & Ebert,2002, Esperiana 9: 252-253, figs. Holotype ♂: Iran, 80km n. Hamadan, Shirin-su, leg. Abai (SMNK). Range (in code): **IR Ha Ak Mya**
- 60553. Dichagyris (Yigoga) zagroica azerica Gyulai & Varga,2006** (Noctuidae) Synonym(s): *azerica* Gyulai & Varga,2006 Original Reference: *Dichagyris zagroica* ssp. *azerica* Gyulai & Varga,2006, Esperiana 12: 274-275, figs. Holotype ♂: Iran, Prov. Azerbaijan E., 7km NW of Miyane, 12-13.10.2002 P.Gyulai & A.Garai leg. (HNHM). Range (in code): **IR Ak Mya**
- 60554. Dichagyris (s.str.) achalensis (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *achalensis* Kozhantshikov,1929 Range (in code): **Cc GG TR**
- 60555. Dichagyris (s.str.) adelfi Fibiger, Nilsson & Svendsen,1999** (Noctuidae) Synonym(s): *adelfi* Fibiger, Nilsson & Svendsen,1999 Range (in code): **CY**
- 60556. Dichagyris (s.str.) afghana (Boursin,1963)** (Noctuidae) Synonym(s): *afghana* Boursin,1963 Range (in code): **AF Pag Kab**
- 60557. Dichagyris (s.str.) afghana afghana (Boursin,1963)** (Noctuidae) Synonym(s): *afghana* Boursin,1963 Range (in code): **AF Pag Kab**
- 60558. Dichagyris (s.str.) afghana oxygrapha Varga,1975** (Noctuidae) Synonym(s): *oxygrapha* Varga,1975 Range (in code): **AF**
- 60559. Dichagyris (s.str.) ammoxanthiodes Varga,1975** (Noctuidae) Synonym(s): *ammoxanthiodes* Varga,1975 Range (in code): **AF**
- 60560. Dichagyris (s.str.) amoena (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. Original Reference: *Agrotis amoena* Staudinger,1892, Dt. ent. Z., Iris 4: 267-248. Syntypes 9♂: [Türkei]: Amasia. Range (in code): **SY Dms Swd TR Cc IR Fa Gh Ma Elb Th**
- 60561. Dichagyris (s.str.) amoena amoena (Staudinger,1892)** (Noctuidae) Synonym(s): *amoena* Staudinger,1892; *flavida* Corti & Draudt,1933. Original Reference: *Agrotis amoena* Staudinger,1892, Dt. ent. Z., Iris 4: 267-248. Syntypes 9♂: [Türkei]: Amasia. Range (in code): **TR Cc IR Fa Gh Ma Elb Th**
- 60562. Dichagyris (s.str.) anastasia (Draudt,1936)** (Noctuidae) Synonym(s): *anastasia* Draudt,1936 Original Reference: *Agrotis anastasia* Draudt,1936, Ent. Rdsch. 53: 462, Taf.e1. Syntypes: [Türkei]: Van, Marasch; Iraq: Rowanduz. Range (in code): **IQ Rwz TR IR Kh Fa Ma Ara IL Pa He**
- 60563. Dichagyris (s.str.) apochora Varga & Gyulai,2001** (Noctuidae) Synonym(s): *apochora* Varga & Gyulai,2001 Range (in code): **TJ Pm**
- 60564. Dichagyris (s.str.) argentea (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929 Range (in code): **TR IR Elb Th Kdj Ara Ma AM Cc KG Tg TM Kp**
- 60565. Dichagyris (s.str.) argentea acroptera Varga,1996** (Noctuidae) Synonym(s): *acroptera* Varga,1996 Range (in code): **TM Kp**
- 60566. Dichagyris (s.str.) argentea argentea (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *argentea* Kozhantshikov,1929 Range (in code): **Cc AM KG Tg**
- 60567. Dichagyris (s.str.) argentea darius (Boursin,1940)** (Noctuidae) Synonym(s): *darius* Boursin,1940 Original Reference: *Agrotis (Dichagyris) argentea* ssp. *darius* Boursin,1940, Mitt. münch. ent. Ges. 30: 485, Taf.8 figs.20,21. Holotype ♂: Iran: Keredj, 1400m. Range (in code): **TR IR Elb Th Kdj Ara Ma**
- 60568. Dichagyris (s.str.) armeniaca Kozhantshikov,1929** (Noctuidae) Synonym(s): *armeniaca* Kozhantshikov,1929; *assimilata* Kozhantshikov,1929; *striatus* Kozhantshikov,1929. Original Reference: *Dichagyris armeniaca* Kozhantshikov,1929, Bull. Mus. Georg. Tiflis 5: 93. Type: Armenia: Migry. Range (in code): **AM Eri Cc TR IR Fa TM Kp**
- 60569. Dichagyris (s.str.) boursini Brandt,1941** (Noctuidae) Synonym(s): *boursini* Brandt,1941 Range (in code): **IR Fa Hz Ss AF Hk**

- 60570. *Dichagyris (s.str.) cataleipa* Varga,1993** (Noctuidae) Synonym(s): *cataleipa* Varga,1993
Original Reference: *Dichagyris cataleipa* Varga,1993, Acta zool. Hung. 39:290-292,figs. Holotype
♂: Turkey: Sivas: Ziyaret geçidi,1950-2050m. Range (in code): TR
- 60571. *Dichagyris (s.str.) celebrata* (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897; *persiaca* Kozhantshikov,1929
Original Reference: *Agrotis celebrata* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:209. Syntypes: [Turkmenistan]: Achal-Tekke. Range (in code): RU TM Kp IR Ss Elb Th Fa Shr Mz GlS Kh AF Hk Uk KG TR PK Gg Psu Sst
- 60572. *Dichagyris (s.str.) celebrata celebrata* (Alpheraky,1897)** (Noctuidae) Synonym(s): *celebrata* Alpheraky,1897; *persiaca* Kozhantshikov,1929
Original Reference: *Agrotis celebrata* Alpheraky,1897, [in] Romanoff, Mem. Lep. 9:209. Syntypes: [Turkmenistan]: Achal-Tekke. Range (in code): RU TM Kp IR Ss Elb Th Fa Shr Mz GlS Kh AF Hk TR KG Uk
- 60573. *Dichagyris (s.str.) celebrata pashtu* Varga,1996** (Noctuidae) Synonym(s): *pashtu* Varga,1996
Range (in code): PK Gg Psu Sst
- 60574. *Dichagyris (s.str.) chrysopyga* (Boursin,1963)** (Noctuidae) Synonym(s): *chrysopyga* Boursin,1963; *xanthopyga* Varga,1975
Range (in code): AF Pag Kab PK Qu BI
- 60575. *Dichagyris (s.str.) clara* (Staudinger,1888)** (Noctuidae) Synonym(s): *clara* Staudinger,1888
Range (in code): KG Tk KK Ik CN Ui Um MN
- 60576. *Dichagyris (s.str.) clara gobialtaica* Varga,1996** (Noctuidae) Synonym(s): *gobialtaica* Varga,1996
Range (in code): MN
- 60577. *Dichagyris (s.str.) constanti* (Millière,1860)** (Noctuidae) Synonym(s): *constanti* Millière,1860; *eos* Oberthür,1913; *clarescens* Fernandez,1929; *schawerdae* Agenjo,1941
Range (in code): DZ Afl Ges BtNa TN ES FR IT
- 60578. *Dichagyris (s.str.) contermina* (Corti,1929)** (Noctuidae) Synonym(s): *contermina* Corti,1929; *wolffi* Hacker,1985.
Original Reference: *Lycophotia renigera* var. *contermina* Corti,1929, Dt. ent. Z., Iris 43: 169. Syntypes: Syrien: Aleppo. Range (in code): SY Hal TR
- 60579. *Dichagyris (s.str.) crysopyga* (Boursin,1963)** (Noctuidae) Synonym(s): *crysopyga* Boursin,1963
Range (in code): KG Tk KK TeA
- 60580. *Dichagyris (s.str.) despecta* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *despecta* Corti & Draudt,1933
Original Reference: *Agrotis (Dichagyris) despecta* Corti & Draudt,1933, [in] Seitz, Gross-Schmett. Erde 3 (Suppl.): 59, 247. Type(s): [China, Uighur A.R.]: Aksu (MNHU, Berlin?) [ex BMNH, Card system]. Range (in code): AF Adr TJ Pm Chr KK CN Ui Au
- 60581. *Dichagyris (s.str.) despecta psammoxantha* Varga,1975** (Noctuidae) Synonym(s): *psammoxantha* Varga,1975
Range (in code): AF
- 60582. *Dichagyris (s.str.) devota* (Christoph,1884)** (Noctuidae) Synonym(s): *devota* Christoph,1884; *turana* Staudinger,1892
Original Reference: *Agrotis devota* Christoph,1884, [in] Romanoff,N.M., Mém. lépid. 1: 116, fig. Syntypes: [Turkmenistan]: Achal Tekke. Range (in code): TR TM Kp IR Zj Elb Th Kdj Dam Fa Kh PK Bl AF KK UZ N-A TJ SA IL Pa JO
- 60583. *Dichagyris (s.str.) devota eremica* (Amsel,1935)** (Noctuidae) Synonym(s): *eremica* Amsel,1935
Range (in code): SA IL Pa JO
- 60584. *Dichagyris (s.str.) duskei* Moberg & Fibiger,1990** (Noctuidae) Synonym(s): *duskei* Moberg & Fibiger,1990
Range (in code): RU Sr
- 60585. *Dichagyris (s.str.) elbursica* (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937
Original Reference: *Rhyacia elbursica* Draudt,1937, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 250. Syntypes: Iran: Elbursgebirge. Range (in code): IR Elb Fa Ss Kh Ke Lo Go Th Dam Km Kd TR Cc AF TJ Pm Chr UZ IL Pa He
- 60586. *Dichagyris (s.str.) elbursica elbursica* (Draudt,1937)** (Noctuidae) Synonym(s): *elbursica* Draudt,1937
Original Reference: *Rhyacia elbursica* Draudt,1937, [in] Seitz,A., Die Gross Schmett. Erde 3 (suppl.): 250. Syntypes: Iran: Elbursgebirge. Range (in code): IR Elb Fa Ss Kh Ke Lo Go Th Dam Km Kd TR Cc AF TJ Pm Chr UZ IL Pa He
- 60587. *Dichagyris (s.str.) endemica* Fibiger, Svendsen & Nilsson,1999** (Noctuidae) Synonym(s): *endemica* Fibiger, Svendsen & Nilsson,1999; *#endemica* Fibiger, Svendsen & Nilsson,1999
Range (in code): CY
- 60588. *Dichagyris (s.str.) eremicola* (Standfuss,1888)** (Noctuidae) Synonym(s): *eremicola* Standfuss,1888
Range (in code): RU Ur KG Uk
- 60589. *Dichagyris (s.str.) erubescens* (Staudinger,1892)** (Noctuidae) Synonym(s): *erubescens* Staudinger,1892
Original Reference: *Agrotis renigera* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 4 (2): 268. Syntypes: [Türkei]: Aintab [=Gaziantep], Mardin, Malatia. Range (in code): TR GR IR Kh AF Srb LB Bsa IL Pa SY Bld JO Sn EG IQ

- 60590. *Dichagyris* (s.str.) *erubescens erubescens* (Staudinger,1892)** (Noctuidae)
Synonym(s): *erubescens* Staudinger,1892 Original Reference: *Agrotis renigera* var. *erubescens* Staudinger,1892, Dt. ent. Z., Iris 4 (2): 268. Syntypes: [Türkei]: Aintab [=Gaziantep], Mardin, Malatia. Range (in code): **TR GR IR Kh AF Srb LB Bsa IL Pa SY Bld JO Sn EG IQ**
- 60591. *Dichagyris* (s.str.) *euteles* (Boursin,1963)** (Noctuidae) Synonym(s): *euteles* Boursin,1963 Range (in code): **AF**
- 60592. *Dichagyris* (s.str.) *exomata* Varga,1990** (Noctuidae) Synonym(s): *exomata* Varga,1990 Range (in code): **TM**
- 60593. *Dichagyris* (s.str.) *forficula* (Eversmann,1851)** (Noctuidae) Synonym(s): *forficula* Eversmann,1851 Range (in code): **GR RU TR Cc AM RU Kr St Ich Ing Da LB IQ IR Ab Mak Oru Sdt Ss Fa Ke Es By Yas Km Kz Kd Mrv Snj Sqq Shr Yas Hz B-A Kh Elb Th Mz Kdv Dam Plr Ab Ak AF Hr Pli Gbh**
- 60594. *Dichagyris* (s.str.) *fredi* (Brandt,1938)** (Noctuidae) Synonym(s): *fredi* Brandt,1938 Original Reference: *Agrotis* (*Dichagyris*) *fredi* Brandt,1938, Ent. Rdsch. 55: 503, figs. 105. Syntypes: Iran: [Fars]: "Fort Sine-Sefid". Range (in code): **IR Th Elb Kdj Fa TR**
- 60595. *Dichagyris* (s.str.) *griseotincta* (F.Wagner,1931)** (Noctuidae) Synonym(s): *griseotincta* F.Wagner,1931 Range (in code): **TR**
- 60596. *Dichagyris* (s.str.) *grisescens* Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrodt,1930; *euryloma* Corti,1933 Original Reference: *Dichagyris melanura* var. *grisescens* Staudinger,1879, Horae Soc. ent. ross. 14: 427. Syntypes: [Iran]: Nordpersien: Schahrud. Range (in code): **TR IR Elb Th Kd Mrv Fa By Lo SY Dms IQ AF PK IN Ld UZ KK Skm**
- 60597. *Dichagyris* (s.str.) *grisescens grisescens* Staudinger,1879** (Noctuidae) Synonym(s): *grisescens* Staudinger,1879; *fasciata* Vorbrodt,1930; *euryloma* Corti,1933 Original Reference: *Dichagyris melanura* var. *grisescens* Staudinger,1879, Horae Soc. ent. ross. 14: 427. Syntypes: [Iran]: Nordpersien: Schahrud. Range (in code): **TR IR Elb Th Kd Fa By Lo IQ AF PK IN Ld UZ KK Skm**
- 60598. *Dichagyris* (s.str.) *grisescens rhodopetala* (Boursin,1963)** (Noctuidae) Synonym(s): *rhodopetala* Boursin,1963 Range (in code): **SY Dms**
- 60599. *Dichagyris* (s.str.) *gyulaiivani* Gyulai & Varga,2002** (Noctuidae) Synonym(s): *gyulaiivani* Gyulai & Varga,2002 Range (in code): **IR Es Ke**
- 60600. *Dichagyris* (s.str.) *haczi* L.Ronkay & Gyulai,2009** (Noctuidae) Synonym(s): *haczi* L.Ronkay & Gyulai,2009 Range (in code): **IR Mz Elb**
- 60601. *Dichagyris* (s.str.) *himalayensis* Turati,1933** (Noctuidae) Synonym(s): *himalayensis* Turati,1933 Original Reference: *Dichagyris himalayensis* Turati,1933, Bull. Soc. ent. ital. 65: 17, fig. Holotype ♀: Himalaya Mts. [Pakistan: Peshawar]. Range (in code): **PK Pes Nwf**
- 60602. *Dichagyris* (s.str.) *humilis* (Boursin,1940)** (Noctuidae) Synonym(s): *humilis* Boursin,1940 Original Reference: *Agrotis* (*Dichagyris*) *humilis* Boursin,1940, Mitt. münch. ent. Ges. 30: 488, Taf.8 figs. 25,26. Holotype ♂: Iran: Elbursgebirge: Kendevan, 3000m. Range (in code): **IR Elb Th Ha Kh KuB Zj**
- 60603. *Dichagyris* (s.str.) *humilis elvendi* (Boursin,1940)** (Noctuidae) Synonym(s): *elvendi* Boursin,1940 Original Reference: *Agrotis humilis* ssp. *elvendi* Boursin,1940, Mitt. münch. ent. Ges. 30: 490. Holotype ♂: Iran: Hamadan: Elvend mt., 3000m. Range (in code): **IR Ha**
- 60604. *Dichagyris* (s.str.) *humilis humilis* (Boursin,1940)** (Noctuidae) Synonym(s): *humilis* Boursin,1940 Original Reference: *Agrotis* (*Dichagyris*) *humilis* Boursin,1940, Mitt. münch. ent. Ges. 30: 488, Taf.8 figs. 25,26. Holotype ♂: Iran: Elbursgebirge: Kendevan, 3000m. Range (in code): **IR Elb Th Kh KuB Zj**
- 60605. *Dichagyris* (s.str.) *ilseae* Stangelmaier & Fibiger,2003** (Noctuidae) Synonym(s): *ilseae* Stangelmaier & Fibiger,2003 Original Reference: *Dichagyris ilseae* Stangelmaier & Fibiger,2003, Carinthia II 193: 566-571, figs. Holotype ♂: N.Iran, Golestan, Almeh-Tal 1300-1500m 23-24.5.2001, leg.G.Stangelmaier (TLMF). Range (in code): **IR Gl**
- 60606. *Dichagyris* (s.str.) *imperator* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *imperator* A.Bang-Haas,1912; *alcarriensis* Calle & Agenjo,1981 Original Reference: *Agrotis imperator* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 142, pl.6 fig.6. Syntypes: Algeria, Batna (MNHU Berlin). Range (in code): **MA DZ Ajj Bsk BSa Gle Omy Cst Bttna Gtt TN LY EG Sn ES SA IL Pa JO** Bionomy: Larva on *Zygophyllum* (Andres & Seitz,1925).
- 60607. *Dichagyris* (s.str.) *jacobsoni* Kozhantshikov,1929** (Noctuidae) Synonym(s): *jacobsoni* Kozhantshikov,1929; *boursini* Brandt,1941. Range (in code): **TM Kp UZ Smk IR Ss**

- 60608. *Dichagyris* (s.str.) *kaszabi* Varga,1973** (Noctuidae) Synonym(s): *kaszabi* Varga,1973
Range (in code): MN
- 60609. *Dichagyris* (s.str.) *kautti* Varga,1996** (Noctuidae) Synonym(s): *kautti* Varga,1996
Range (in code): IN Hp Spi
- 60610. *Dichagyris* (s.str.) *kirghisa* (Eversmann,1856)** (Noctuidae) Synonym(s): *kirghisa* Eversmann,1856
Range (in code): UZ KG
- 60611. *Dichagyris* (s.str.) *kongur* Varga,1996** (Noctuidae) Synonym(s): *kongur* Varga,1996
Range (in code): KG T-S Aa Tk
- 60612. *Dichagyris* (s.str.) *korsak* Varga, Gyulai & Miatleuski,2002** (Noctuidae)
Synonym(s): *korsak* Varga, Gyulai & Miatleuski,2002
Range (in code): KG
- 60613. *Dichagyris* (s.str.) *korshunovi* Varga,1996** (Noctuidae) Synonym(s): *korshunovi* Varga,1996
Original Reference: *Dichagyris korshunovi* Varga,1996, Acta zool. hung. 42 (6): 195.
Holotype: Turkmenistan. Range (in code): TM Kp IR Elb Th Kdj
- 60614. *Dichagyris* (s.str.) *leucographa* Varga,1990** (Noctuidae) Synonym(s): *leucographa* Varga,1990
Range (in code): AF
- 60615. *Dichagyris* (s.str.) *leucomelas* Brandt,1941** (Noctuidae) Synonym(s): *leucomelas* Brandt,1941
Original Reference: *Dichagyris leucomelas* Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.15. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2000-2800m; Fort Sengan, 1800m; [Khorassan]: Kouh i Binaloud bei Meched. Range (in code): MA IR Fa Ss Kh Bk Lo Es Ke Ha Yz Th Elb Km Kd Snj Mrv TR RU Cc Ro AF Pli Gbh Srb KK Skm UZ TJ PK Bt Skd Gg Cls IN Ld IL Pa Sn EG
- 60616. *Dichagyris* (s.str.) *leucomelas ladakhensis* Hacker & Peks,1990** (Noctuidae)
Synonym(s): *ladakhensis* Hacker & Peks,1990
Range (in code): IN Ld
- 60617. *Dichagyris* (s.str.) *lux* Fibiger & Nupponen,2002** (Noctuidae) Synonym(s): *lux* Fibiger & Nupponen,2002
Range (in code): RU Ur
- 60618. *Dichagyris* (s.str.) *melanura* (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
Original Reference: *Agrotis melanura* Kollar,1846, [in] Carrara, La Dalmazia descritta: 99. Type(s): Dalmatia: Dubrovnik (Ragusa). Range (in code): RO YU MK BG GR Cr RU MD UA BY TR Cc CY IR LB SY Dms IL Pa He JO
- 60619. *Dichagyris* (s.str.) *melanura dufayi* Moberg & Fibiger,1989** (Noctuidae)
Synonym(s): *dufayi* Moberg & Fibiger,1989
Range (in code): GR
- 60620. *Dichagyris* (s.str.) *melanura hyrcanica* Boursin,1963** (Noctuidae) Synonym(s): *hyrcanica* Boursin,1963
Range (in code): IR TR
- 60621. *Dichagyris* (s.str.) *melanura melanura* (Kollar,1846)** (Noctuidae) Synonym(s): *melanura* Kollar,1846
Original Reference: *Agrotis melanura* Kollar,1846, [in] Carrara, La Dalmazia descritta: 99. Type(s): Dalmatia: Dubrovnik (Ragusa). Range (in code): RO YU MK BG GR RU MD UA BY TR Cc
- 60622. *Dichagyris* (s.str.) *melanura rhadamanthys* (Reisser,1958)** (Noctuidae)
Synonym(s): *rhadamanthys* Reisser,1958
Range (in code): Cr
- 60623. *Dichagyris* (s.str.) *melanura roseotincta* Corti,1933** (Noctuidae) Synonym(s): *roseotincta* Corti,1933
Range (in code): LB SY Dms IL Pa He JO
- 60624. *Dichagyris* (s.str.) *melanura ssp.*** (Noctuidae) Synonym(s): Range (in code): CY
- 60625. *Dichagyris* (s.str.) *melanuroides* Kozhantshikov,1930** (Noctuidae) Synonym(s): *melanuroides* Kozhantshikov,1930
Range (in code): UZ Br IR Elb Th Ss Kd Snj Kh KG Tu KK Ik TeA Na Skm
- 60626. *Dichagyris* (s.str.) *multicuspis* (Eversmann,1852)** (Noctuidae) Synonym(s): *multicuspis* Eversmann,1852; *spinosa* Staudinger,1877; *issykula* Staudinger,1889; *aequicuspis* Staudinger,1895; *issycula* Hampson,1903
Range (in code): RU Ur KG IR Kh TM Krn Cc AM TR KK Ik CN Ui KI MN AF Hr Arh UZ N-A
- 60627. *Dichagyris* (s.str.) *naumanni* Varga,1996** (Noctuidae) Synonym(s): *naumanni* Varga,1996
Range (in code): TM AF
- 60628. *Dichagyris* (s.str.) *paisa* (Brandt,1938)** (Noctuidae) Synonym(s): *paisa* Brandt,1938
Original Reference: *Agrotis (Dichagyris) paisa* Brandt,1938, Ent. Rdsch. 55: 502-503, fig. 102. Type ♂: Iran: [Fars]: "Comee". Range (in code): IR Fa Com AF PK TJ Pm Chr
- 60629. *Dichagyris* (s.str.) *pfeifferi* (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *pfeifferi* Corti & Draudt,1933
Range (in code): TR IR Fa Ma IL Pa
- 60630. *Dichagyris* (s.str.) *poecilopetala* (Varga,1979)** (Noctuidae) Synonym(s): *poecilopetala* Varga,1979
Original Reference: *Ochropleura (Dichagyris) poecilopetala* Varga,1979, Z.

- ArbGem. öst. Ent. 31 (1/2): 5, Taf.1 fig.7. Holotype ♂: N-Iran, Täbris, 22.5.1970 (leg. & coll. Vartian). Range (in code): IR Ak Tbz Fa Lo Ha Elb Th Es
- 60631. Dichagyris (s.str.) psammochroa (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940. Original Reference: *Agrotis* (Dichagyris) *psammochroa* Boursin,1940, Mitt. münch. ent. Ges. 30: Taf.8 fig.23. Holotype ♂: Iran: Elbursgebirge: Pelur, 2000m. Range (in code): IR Elb Th Kdj Fa Ha Mz TR
- 60632. Dichagyris (s.str.) psammochroa psammochroa (Boursin,1940)** (Noctuidae) Synonym(s): *psammochroa* Boursin,1940; *#dichroa* Boursin,1940. Original Reference: *Agrotis* (Dichagyris) *psammochroa* Boursin,1940, Mitt. münch. ent. Ges. 30: Taf.8 fig.23. Holotype ♂: Iran: Elbursgebirge: Pelur, 2000m. Range (in code): IR Elb Th Kdj Fa Ha Mz TR
- 60633. Dichagyris (s.str.) pudica (Staudinger,1896)** (Noctuidae) Synonym(s): *pudica* Staudinger,1896 Original Reference: *Agrotis pudica* Staudinger,1896, Dt. ent. Z., Iris 8: 351, pl.6 fig.3. Range (in code): CN Ui Ii MN Uli KK Ik Skm TJ Pm Chr AF Hk
- 60634. Dichagyris (s.str.) renigera (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. Original Reference: *Noctua renigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf. 82, fig. 384. Type: [Europa]. Range (in code): ES FR Si? IT CH AT RO YU AL MK BG GR TR Cc AZ Nv Ord GG Mng Smt Akh RU Ro St Kc Kb Nt Ich Ing Da MD UA BY
- 60635. Dichagyris (s.str.) renigera renigera (Hübner,[1808])** (Noctuidae) Synonym(s): *renigera* Hübner,[1808]; *dumosa* Donzel,1837; *caucasica* Staudinger,1877; *funebria* Staudinger,1892; *nigrescens* Kitt,1925 *nec* Höfner,1888; *funestissima* Bubacek,1926; *argentina* Caradja,1930. Original Reference: *Noctua renigera* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf. 82, fig. 384. Type: [Europa]. Range (in code): ES FR Si? IT CH AT RO YU AL MK BG GR TR Cc RU Ro St Kc Kb Nt Ich Ing Da MD UA BY
- 60636. Dichagyris (s.str.) rubidior (Corti,1933)** (Noctuidae) Synonym(s): *rubidior* Corti,1933 Original Reference: *Agrotis* (Dichagyris) *squalidior* ssp. *rubidior* Corti,1933, Dt. ent. Z., Iris 47: 69. Syntypes ♂♀: Libanon: Bscharre (NMHW). Range (in code): IL Pa He LB Bsa
- 60637. Dichagyris (s.str.) scotographa Varga,1990** (Noctuidae) Synonym(s): *scotographa* Varga,1990 Range (in code): AF
- 60638. Dichagyris (s.str.) scotoptera Varga,1990** (Noctuidae) Synonym(s): *scotoptera* Varga,1990 Range (in code): TJ Pm Chr
- 60639. Dichagyris (s.str.) singularis (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877 Original Reference: *Orbifrons singularis* Staudinger,1877, Stettin ent. Ztg. 38: 187. Type: [Turkmenistan]: Krasnowodsk. Range (in code): AE IL Pa JO TR IQ Rwz Brs IR Hz Elb Th Lo Kh Nys Ke Zj TM Krn Kp AF
- 60640. Dichagyris (s.str.) singularis mesopotamica Hacker & Weigert,1986** (Noctuidae) Synonym(s): *mesopotamica* Hacker & Weigert,1986 Original Reference: *Dichagyris singularis* ssp. *mesopotamica* Hacker & Weigert,1986, Neue ent. Nachr. 19 (3/4): 136-137, Taf.8 fig.6. Holotype ♂: Türkei, Bitlis Prov., Sarikonak 1050m (leg. & coll. Weigert). Range (in code): TR
- 60641. Dichagyris (s.str.) singularis singularis (Staudinger,1877)** (Noctuidae) Synonym(s): *singularis* Staudinger,1877 Original Reference: *Orbifrons singularis* Staudinger,1877, Stettin ent. Ztg. 38: 187. Type: [Turkmenistan]: Krasnowodsk. Range (in code): AE IL Pa JO IQ Rwz Brs IR Hz Elb Th Lo Kh Nys Ke Zj TM Krn Kp AF
- 60642. Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901 Original Reference: *Agrotis squalorum* var. *squalidior* Staudinger,1901, Cat. Lep. palaearkt. Fauneng. 3(1): 146. Syntypes: [Türkei]: Taurus c. & m. or. Range (in code): LB SY Dms TR Cc AM GG Bjo IQ Slf IR Fa Ke Elb Th Ab Sdt Sqj Mrv Oru Snj Kd Lo Ab Ak Kz Kh KuB Zj AF Hk TM RU Ao Ro Da
- 60643. Dichagyris (s.str.) squalidior albicollaris Kozhantshikov,1930** (Noctuidae) Synonym(s): *albicollaris* Kozhantshikov,1930 Range (in code): Cc AM GG Bjo
- 60644. Dichagyris (s.str.) squalidior damascina (Boursin,1963)** (Noctuidae) Synonym(s): *damascina* Boursin,1963 Original Reference: *Ochroleura squalidior* ssp. *damascina* Boursin,1963, Bull. Soc. linn. Lyon 1963: 254. Holotype ♂: Syrie: 20km NE de Damas. Range (in code): LB SY Dms
- 60645. Dichagyris (s.str.) squalidior squalidior (Staudinger,1901)** (Noctuidae) Synonym(s): *squalidior* Staudinger,1901 Original Reference: *Agrotis squalorum* var. *squalidior*

- Staudinger, 1901, Cat. Lep. palaearkt. Fauneng. 3(1): 146. Syntypes: [Türkei]: Taurus c. & m. or.
Range (in code): **TR Cc IQ Slf IR Fa Ke Elb Th Kd Lo Ab Ak Kz Kh KuB Zj RU Ao Ro Da AF Hk**
- 60646. Dichagyris (s.str.) squalorum (Eversmann, 1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann, 1856; *nigrolineata* Kozhantshikov, 1930 Original Reference: *Agrotis squalorum* Eversmann, 1856, Bull. Soc. imp. Nat. Moscou 29 (2): 221. Syntypes: [Russia]: Wolga, Ural.
Range (in code): **RU Ro St Da Ur Sb SY IQ Cc AM AZ Nv Ord TR IR Fa Lo Es Ke Kh Ha Zj Mz Yz Zj Ab Sdt Th Lo Kd Sqq Mrv Km TM**
- 60647. Dichagyris (s.str.) squalorum squalorum (Eversmann, 1856)** (Noctuidae) Synonym(s): *squalorum* Eversmann, 1856; *nigrolineata* Kozhantshikov, 1930 Original Reference: *Agrotis squalorum* Eversmann, 1856, Bull. Soc. imp. Nat. Moscou 29 (2): 221. Syntypes: [Russia]: Wolga, Ural.
Range (in code): **RU Ro St Da Ur Sb SY IQ Cc AZ Nv Ord AM TR IR Fa Lo Es Ke Kh Ha Zj Mz Yz Zj Ab Th Kd Km TM**
- 60648. Dichagyris (s.str.) stellans (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *stellans* Corti & Draudt, 1933; *eremopsis* Boursin, 1948 Original Reference: *Agrotis (Dichagyris) melanura* f. *stellans* Corti & Draudt, 1933 [in] Seitz, A. Gross-Schmett. Erde 3 (suppl.): 57 pl. 7d. Syntypes: [Uighur A.R.]: Aksu; [Kirgisistan]: Issyk-kul.
Range (in code): **CN Ui Au Kl KK Ik KG Tk**
- 60649. Dichagyris (s.str.) stellans stellans (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *stellans* Corti & Draudt, 1933; *eremopsis* Boursin, 1948 Original Reference: *Agrotis (Dichagyris) melanura* f. *stellans* Corti & Draudt, 1933 [in] Seitz, A. Gross-Schmett. Erde 3 (suppl.): 57 pl. 7d. Syntypes: [Uighur A.R.]: Aksu; [Kirgisistan]: Issyk-kul.
Range (in code): **CN Ui Au Kl KK Ik KG Tk**
- 60650. Dichagyris (s.str.) stenoptera (Boursin, 1963)** (Noctuidae) Synonym(s): *stenoptera* Boursin, 1963 Range (in code): **AF**
- 60651. Dichagyris (s.str.) taftana Brandt, 1941** (Noctuidae) Synonym(s): *taftana* Brandt, 1941 Original Reference: *Dichagyris taftana* Brandt, 1941, Mitt. münch. ent. Ges. 31: 844, fig. 10. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 3000-3300m.
Range (in code): **IR Ss Fa Ke Gls Kh**
- 60652. Dichagyris (s.str.) terminicincta (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933. Original Reference: *Agrotis terminicincta* Corti & Draudt, 1933, Dt. ent. Z., Iris 47: 70. Syntypes: Lebanon: Besharre, 1400m.
Range (in code): **TR IR Elb Fa Ha Kh Bk Zj Mz Ab Sdt Sqq Snj Mrv Kd Th Ss Se KuB AM Eri Cc RU Kyi IQ AF Pag LB Bsa IL Pa**
- 60653. Dichagyris (s.str.) terminicincta capnista (Boursin, 1963)** (Noctuidae) Synonym(s): *capnista* Boursin, 1963 Range (in code): **AF Pag**
- 60654. Dichagyris (s.str.) terminicincta phaenotaenia (Boursin, 1940)** (Noctuidae) Synonym(s): *phaenotaenia* Boursin, 1940 Original Reference: *Agrotis (Dichagyris) terminicincta* ssp. *phaenotaenia* Boursin, 1940, Mitt. münch. ent. Ges. 30: 484, Taf. 8 f. 18. Holotype ♂: Armenia: Erivan (coll. Boursin).
Range (in code): **Cc AM Eri RU Kyi TR IR Elb Fa Ha Kh Bk Zj Mz Ab Kd Th Ss Se KuB IQ**
- 60655. Dichagyris (s.str.) terminicincta terminicincta (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *terminicincta* Corti & Draudt, 1933; *maraschi* Corti & Draudt, 1933. Original Reference: *Agrotis terminicincta* Corti & Draudt, 1933, Dt. ent. Z., Iris 47: 70. Syntypes: Lebanon: Besharre, 1400m.
Range (in code): **TR Cc LB Bsa IL Pa**
- 60656. Dichagyris (s.str.) tyrannus (A. Bang-Haas, 1912)** (Noctuidae) Synonym(s): *tyrannus* A. Bang-Haas, 1912 Range (in code): **RU IR Ss Fa Kh Ke TR KK Skm TJ Pm Chr**
- 60657. Dichagyris (s.str.) tyrannus beluchus Brandt, 1941** (Noctuidae) Synonym(s): *beluchus* Brandt, 1941 Original Reference: *Dichagyris tyrannus* ssp. *beluchus* Brandt, 1941, Mitt. münch. ent. Ges. 31: 843, fig. 13. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2500-2800m.
Range (in code): **IR Fa Ke Ss**
- 60658. Dichagyris (s.str.) tyrannus tyrannus (A. Bang-Haas, 1912)** (Noctuidae) Synonym(s): *tyrannus* A. Bang-Haas, 1912 Range (in code): **RU IR Kh TR KK Skm TJ Pm Chr**
- 60659. Dichagyris (s.str.) umbrifera (Alpheraky, 1882)** (Noctuidae) Synonym(s): *umbrifera* Alpheraky, 1882 Original Reference: *Agrotis umbrifera* Alpheraky, 1882, Horae Soc. ent. ross. 17: 53, pl. 1 fig. 38. Range (in code): **UZ Fe N-A KG Tk Dj KK Ax Ik Skm CN Ui Ku Tek Kl Ga MN Uli**
- 60660. Dichagyris (s.str.) umbrifera inumbrata Varga, Gyulai & Miatleuski, 2002** (Noctuidae) Synonym(s): *inumbrata* Varga, Gyulai & Miatleuski, 2002 Range (in code): **KG Tk Dj**
- 60661. Dichagyris (s.str.) vallesiaca (Boisduval, [1837])** (Noctuidae) Synonym(s): *vallesiaca* Boisduval, [1837] Original Reference: *Agrotis vallesiaca* Boisduval, [1837], Icon. Hist. Lépid. Eur.

- 2: Taf.78, fig.3. Type(s): [France]: [Wallis]. Range (in code): **FR IT CH RU Ro Ich Da TR MD UA Cm Cc GG Bjo Tbl IR Ss Elb Th Mz Kd Snj Mrv Dam Kh KuB Fa TJ Pm Chr KK Ik Skm**
- 60662. *Dichagyris* (s.str.) *vallesiaca crimaea* Kozhantshikov,1930** (Noctuidae)
Synonym(s): *crimaea* Kozhantshikov,1930 Range (in code): **UA Cm**
- 60663. *Dichagyris* (s.str.) *vallesiaca opulenta* Brandt,1941** (Noctuidae) Synonym(s): *opulenta* Brandt,1941 Original Reference: *Dichagyris* (sub~~s~~qualorum Kozh.?) *opulenta* Brandt,1941, Mitt. münch. ent. Ges. 31: 843, fig.12. Syntypes: Iran: [Belutschistan]: Kouh i Taftan, 2500-3300m. Range (in code): **IR Ss Kd Fa**
- 60664. *Dichagyris* (s.str.) *vallesiaca subsqualorum* Kozhantshikov,1929** (Noctuidae)
Synonym(s): *subsqualorum* Kozhantshikov,1929 Range (in code): **TR IR Elb Th Mz Kd Kh KuB Cc GG Bjo Tbl RU Ro Ich Da**
- 60665. *Dichagyris* (s.str.) *vallesiaca venosa* Kozhantshikov,1930** (Noctuidae) Synonym(s): *venosa* Kozhantshikov,1930 Range (in code): **TJ Pm Chr KK Ik Skm**
- 60666. *Dichagyris* (s.str.) *verecunda* (Püngeler,1898)** (Noctuidae) Synonym(s): *verecunda* Püngeler,1898 Original Reference: *Agrotis verecunda* Püngeler,1898, Societas ent. 13 (8): 58. Type ♂: [Kirgizistan]: "Issykul". Range (in code): **KG Tk KK Ik TeA CN Ui Au Kl AF Bd TJ Pm MN**
- 60667. *Dichagyris* (s.str.) *verecunda psammodis* Varga,1993** (Noctuidae) Synonym(s): *psammodis* Varga,1993 Range (in code): **MN**
- 60668. *Dichagyris* (s.str.) *wilsoni* Fibiger,2002** (Noctuidae) Synonym(s): *wilsoni* Fibiger,2002 Original Reference: *Dichagyris wilsoni* Fibiger,2002, Esperiana 9: 512-513, pl.9. Holotype ♂: Turkey: Prov. Nevşehir, 7km SE Avanos 1200m 2.viii.1989, leg. & coll. M.Fibiger. Range (in code): **TR**
- 60669. *Dichagyris* (s.str.) *zeituna* (Staudinger,1900)** (Noctuidae) Synonym(s): *zeituna* Staudinger,1900; *seituna* Hampson,1903 Original Reference: *Agrotis hadjina* var.? *zeituna* Staudinger,1900, Dt. ent. Z., Iris 12: 361-362, Taf. vi, fig.6. Syntypes: [Türkei]: Zeitun [=Süleymanlı]. Range (in code): **TR**
- 60670. *Dichonia* (Gripesia) *aprilina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *bouveti* D.Lucas,1905; *obscurior* Wolfsberger,1969. Original Reference: *Phalaena aprilina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Type(s): Europa. Range (in code): **DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro MD UA BY**
- 60671. *Dichonia* (Gripesia) *aprilina aprilina* (Linnaeus,1758)** (Noctuidae) Synonym(s): *aprilina* Linnaeus,1758; *runica* [Denis & Schiffermüller],1775; *bouveti* D.Lucas,1905; *obscurior* Wolfsberger,1969. Original Reference: *Phalaena aprilina* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. Type(s): Europa. Range (in code): **DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro MD UA BY**
- 60672. *Dichonia* (Gripesia) *jahannamah* Fibiger, Stangelmaier, Wieser & Zahiri,2008** (Noctuidae) Synonym(s): *jahannamah* Fibiger, Stangelmaier, Wieser & Zahiri,2008; *#jannamaha* Fibiger, Stangelmaier, Wieser & Zahiri,2008 Original Reference: *Dichonia* (Gripesia) *jahannamah* Fibiger, Stangelmaier, Wieser & Zahiri,2008, Nachr. ent. Ver. Apollo (n.s.) 28 (3/4): 121-124, figs. Holotype ♂: North East Iran, Elburs Mts. Prov. Golestan, NR Jahan Namah 1800m 20-21.x.2003 leg. C.Wieser (LMK). Range (in code): **IR Elb Mz Gl Kh**
- 60673. *Dichonia* (Gripesia) *pinker* Kobes,1973** (Noctuidae) Synonym(s): *pinker* Kobes,1973 Original Reference: *Gripesia pinkeri* Kobes,1973, Ent. Z., Frankf.a.M. 83: 228, fig. Holotype ♂: Turkey: Ankara: Kizilcahamam. Range (in code): **BG GR TR Cc RU Ro**
- 60674. *Dichonia* (Gripesia) *wegneri* Kobes & Fibiger,2003** (Noctuidae) Synonym(s): *wegneri* Kobes & Fibiger,2003 Original Reference: *Gripesia wegneri* Kobes & Fibiger,2003, Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs. Holotype ♂: Graecia: Thracia: Kirki / Alexandropoli, 300m, 25.x.2002, H.Wegner leg. (NHMW). Range (in code): **TR GR HU BG RO SK UA**
- 60675. *Dichonia* (s.str.) *aeruginea* (Hübner,[1803])** (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913. Original Reference: *Noctua aeruginea* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.80, fig.374. Type: [Europa]. Range (in code): **ES FR Co Si IT AT PL SK HU RO YU BG GR TR Cc IQ** Bionomy: Larva on Quercus (Blaschke,1914).
- 60676. *Dichonia* (s.str.) *aeruginea aeruginea* (Hübner,[1808])** (Noctuidae) Synonym(s): *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913. Original Reference: *Noctua aeruginea* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.80,

- fig.374. Type: [Europa]. Range (in code): ES FR Co Si IT AT PL SK HU RO YU BG GR Bionomy: Larva on Quercus (Blaschke,1914).
- 60677. *Dichonia* (s.str.) *aeruginea tephroptila* (W.Warren,1910)** (Noctuidae)
Synonym(s): *tephroptila* W.Warren,1910 Original Reference: Lithophane tephroptila W.Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 126-127 (31b). Type ♀: [Türkei]: Amasia (Tring Museum). Range (in code): TR
- 60678. *Dichonia* (s.str.) *aeruginea topali* L.Ronkay & Varga,1986** (Noctuidae)
Synonym(s): *topali* L.Ronkay & Varga,1986 Range (in code): TR Cc IQ
- 60679. *Dichonia* (s.str.) *convergens* ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791] Original Reference: Noctua *convergens* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc RU Kr MD UA BY IR Elb Th Kld Gh Bionomy: Larva on Quercus robur ([Denis & Schiffermüller],1775 et seq.).
- 60680. *Dichonia* (s.str.) *convergens convergens* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791] Original Reference: Noctua *convergens* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR RU Cc Kr MD UA BY Bionomy: Larva on Quercus robur ([Denis & Schiffermüller],1775 et seq.).
- 60681. *Dichonia* (s.str.) *convergens* ssp.** (Noctuidae) Synonym(s): Range (in code): TR Cc
- 60682. *Dichromia* (Ametropalpis) *mutilata* (Strand,1909)** (Noctuidae) Synonym(s): *mutilata* Strand,1909; *effusa* A.E.Prout,1927; *albistrigata* Laporte,1991 Range (in code): ZA
- 60683. *Dichromia* (Ametropalpis) *mutilata mutilata* (Strand,1909)** (Noctuidae)
Synonym(s): *mutilata* Strand,1909; *effusa* A.E.Prout,1927; *albistrigata* Laporte,1991 Range (in code): ZA
- 60684. *Dichromia* (Camphypena) *erastrialis* (Walker,[1866])** (Noctuidae) Synonym(s): *erastrialis* Walker,[1866]; *velatipennis* Butler,1875. Range (in code): ZA
- 60685. *Dichromia* (Camphypena) *mesomelaena* (Hampson,1902)** (Noctuidae)
Synonym(s): *mesomelaena* Hampson,1902 Range (in code): ZA
- 60686. *Dichromia* (Camphypena) *semlikiensis* (A.E.Prout,1921)** (Noctuidae) Synonym(s): *semlikiensis* A.E.Prout,1921; *tolmeta* A.E.Prout,1925. Range (in code): ZA
- 60687. *Dichromia* *triplicalis* Walker,1859** (Noctuidae) Synonym(s): *triplicalis* Walker,1859; *mollis* Swinhoe,1891 Original Reference: *Dichromia triplicalis* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 16: 16. Type: S.India. Range (in code): IN Ass Meg Khs TH CMa CDo
- 60688. *Dicycla* *oo* (Linnaeus,1758)** (Noctuidae) Synonym(s): *oo* Linnaeus,1758; *ferruginago* Hübner,[1803]. Original Reference: *Phalaena oo* Linnaeus,1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa]. Range (in code): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Len IQ IR Fa Es By Yas Kz Ab Sdt Bne Mrv Kd Mia GlS DK SE LV LT RU Ro Da MD UA BY IL Pa Bionomy: Larva on Quercus (Wiltshire,1957).
- 60689. *Didigua* *alticola* Holloway,2003** (Noctuidae) Synonym(s): *alticola* Holloway,2003 Range (in code): MY Bor Sbh KBa Swk
- 60690. *Didigua* *effusa* (Swinhoe,1901)** (Noctuidae) Synonym(s): *effusa* Swinhoe,1901; *exesa* W.Warren,1916 Range (in code): MY Bor Sbh ID Sum
- 60691. *Didigua* *heidwigae* Kobes,1988** (Noctuidae) Synonym(s): *heidwigae* Kobes,1988 Range (in code): ID Sum MY Bor BN
- 60692. *Didigua* *leucozona* (A.E.Prout,1921)** (Noctuidae) Synonym(s): *leucozona* A.E.Prout,1921 Range (in code): MY Bor Sbh Swk ID Klt
- 60693. *Didigua* *lilacina* (Hampson,1894)** (Noctuidae) Synonym(s): *lilacina* Hampson,1894; *sumatrana* Roepke,1935; *cineracea* Holloway,1976 Range (in code): IN MY Bor ID Sum
- 60694. *Didigua* *martini* (Kobes,1997)** (Noctuidae) Synonym(s): *martini* Kobes,1997 Range (in code): ID Sum MY Bor Sbh KBa BN
- 60695. *Didigua* *mixticolor* W.Warren,1916** (Noctuidae) Synonym(s): *mixticolor* W.Warren,1916 Range (in code): MY Bor Swk Sbh KBa ID Sum
- 60696. *Didigua* *nana* Kobes,1988** (Noctuidae) Synonym(s): *nana* Kobes,1988 Range (in code): ID Sum Klt MY Bor Sbh Swk BN

- 60697. Didigua nigradorsum Holloway,2003** (Noctuidae) Synonym(s): *nigradorsum* Holloway,2003 _ Range (in code): MY Bor Sbh BN
- 60698. Didigua padanga (Swinhoe,1916)** (Noctuidae) Synonym(s): *padanga* Swinhoe,1916 _ Range (in code): MY Bor Swk BN ID Sum
- 60699. Didigua purpureoscripta Walker,1862** (Noctuidae) Synonym(s): *purpureoscripta* Walker,1862; *chalybea* W.Warren,1916 _ Range (in code): MY Bor BN ID Sum
- 60700. Didigua quadratipennis (Walker,1862)** (Noctuidae) Synonym(s): *quadratipennis* Walker,1862 _ Range (in code): MY Bor BN ID Sum
- 60701. Didigua roseata Holloway,2003** (Noctuidae) Synonym(s): *roseata* Holloway,2003 _ Range (in code): MY Bor Swk
- 60702. Didigua seticornis (Walker,1862)** (Noctuidae) Synonym(s): *seticornis* Walker,1862; *mesocausta* Hampson,1905 _ Range (in code): ID Sum MY Bor
- 60703. Didigua subterminalis (A.E.Prout,1928)** (Noctuidae) Synonym(s): *subterminalis* A.E.Prout,1928; *ochreipennis* Holloway,1976 _ Range (in code): MY Bor BN
- 60704. Didigua vexilla (Swinhoe,1893)** (Noctuidae) Synonym(s): *vexilla* Swinhoe,1893; *devittata* Strand,1917 _ Range (in code): MY Bor Swk ID Sum
- 60705. Didigua viridifascia (Swinhoe,1902)** (Noctuidae) Synonym(s): *viridifascia* Swinhoe,1902 _ Range (in code): ID Sum Bli MY Bor Swk
- 60706. Didigua viridifusa Kobes,1997** (Noctuidae) Synonym(s): *viridifusa* Kobes,1997 _ Range (in code): ID Sum MY Bor BN
- 60707. Didigua viridipennis (Druce,1911)** (Noctuidae) Synonym(s): *viridipennis* Druce,1911 _ Range (in code): MY Bor BN ID Sum
- 60708. Didiguides semifervens (Walker,1864)** (Noctuidae) Synonym(s): *semifervens* Walker,1864; *subrubra* Pagenstecher,1900; *hutapadanga* Kobes,1994 _ Range (in code): PG Bsm ID Sum Clb MY Bor
- 60709. Diehlea diplogramma (Hampson,1905)** (Noctuidae) Synonym(s): *diplogramma* Hampson,1905 _ Range (in code): MY Bor Swk BN ID Klt Sum
- 60710. Diehlea ducalis (Bryk,1913)** (Noctuidae) Synonym(s): *ducalis* Bryk,1913; *undicostata* W.Warren,1916 _ Range (in code): MY Bor
- 60711. Diehlea holohaea (Hampson,1905)** (Noctuidae) Synonym(s): *holohaea* Hampson,1905; *hollowayi* Kobes,1983 _ Range (in code): MY Bor ID Sum
- 60712. Diehlea neotumida Yoshimoto,1999** (Noctuidae) Synonym(s): *neotumida* Yoshimoto,1999 _ Range (in code): PH Mno
- 60713. Diehlea nicobarensis (W.Warren,1916)** (Noctuidae) Synonym(s): *nicobarensis* W.Warren,1916 _ Range (in code): IN Nk
- 60714. Diehlea philippinica Yoshimoto,1999** (Noctuidae) Synonym(s): *philippinica* Yoshimoto,1999 _ Range (in code): PH Neg
- 60715. Diehlea sulawesiensis Yoshimoto,1999** (Noctuidae) Synonym(s): *sulawesiensis* Yoshimoto,1999 _ Range (in code): ID Clb
- 60716. Diehlea tumida (Hampson,1905)** (Noctuidae) Synonym(s): *tumida* Hampson,1905 _ Original Reference: Carea tumida Hampson,1905, Ann. Mag. nat. Hist. (7) 16: 594. Range (in code): IN Adm ID Sum Ja Clb MY Bor Sbh Swk PH Pal Pan? Neg? Bionomy: Larva on Decaspermum (Myrtaceae) (Robinson et al.,2001).
- 60717. Dierna patibulum (Fabricius,1794)** (Noctuidae) Synonym(s): *patibulum* Fabricius,1794; *acanthusalis* Walker,1858; *clarifera* Walker,1865 _ Range (in code): IN NI LK
- 60718. Dierna strigata (Moore,1867)** (Noctuidae) Synonym(s): *strigata* Moore,1867; *multistrigaria* Moore,1882; *monotona* W.Warren,1913 _ Range (in code): IN Ass Khs Bba Mh NI
- 60719. Dierna strigata (Moore,1867)** (Noctuidae) Synonym(s): *strigata* Moore,1867 _ Range (in code): IN BD NP TH CMa Dst LA KH VN CN TW
- 60720. Diloba caeruleocephala (Linnaeus,1758)** (Noctuidae) Synonym(s): *caeruleocephala* Linnaeus,1758 _ Original Reference: Phalaena caeruleocephala Linnaeus,1758, Syst. Nat. (Edn.10): 504. Type(s): [Europa]. Range (in code): ES Mu FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc AZ Kir Ro MD UA BY LB IL Pa JO IR Elb Th Bionomy: Larva on Amygdalus, Quercus coccifera, Crataegus, Prunus spinosa, Malus (Staudinger,1879; Spuler,1903 et seq.).
- 60721. Diloba caeruleocephala armena Staudinger,1871** (Noctuidae) Synonym(s): *armena* Staudinger,1871 _ Range (in code): TR LB IL Pa JO IR Elb Th Bionomy: Larva on Amygdalus, Quercus coccifera, Crataegus, Prunus spinosa, Malus (Staudinger,1879; Spuler,1903 et seq.).

- 60722. *Diloba caeruleocephala caeruleocephala* (Linnaeus,1758)** (Noctuidae)
Synonym(s): *caeruleocephala* Linnaeus,1758 _ Range (in code): ES Mu FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Cc AZ Kir Ro MD UA BY
- 60723. *Dilophothripa alopha* Hampson,1907** (Noctuidae) Synonym(s): *alopha* Hampson,1907
Range (in code): MM MY Bor PG Bionomy: Larva on Saraca, Cynometra (Fabaceae),
Buchanania (Anacardiaceae), Terminalia (Combretaceae), Calophyllum (Guttiferae) (Robinson
et al.,2001).
- 60724. *Dilophothripa chrysorrhaea* Hampson,1898** (Noctuidae) Synonym(s): *chrysorrhaea*
Hampson,1898 _ Range (in code): IN MY Bor Swk ID Clb PH
- 60725. *Dilophothripa olivia* Hampson,1905** (Noctuidae) Synonym(s): *olivia* Hampson,1905
Range (in code): MY Bor Swk BN
- 60726. *Dimorphinoctua cunhaensis* Viette,1952** (Noctuidae) Synonym(s): *cunhaensis*
Viette,1952 _ Range (in code): ZA
- 60727. *Dimorphinoctua goughensis* D.S.Fletcher,1963** (Noctuidae) Synonym(s): *goughensis*
D.S.Fletcher,1963 _ Range (in code): ZA
- 60728. *Dimorphinoctua pilifera* (Walker,[1857])** (Noctuidae) Synonym(s): *pilifera*
Walker,[1857] _ Range (in code): ZA
- 60729. *Dinumma deponens* Walker,1858** (Noctuidae) Synonym(s): *deponens* Walker,1858;
bipunctata Motschulsky,[1861]; *largeateui* Oberthür,1884 _ Range (in code): TH CMa Dst IN NP CN TW
KP KR JP
- 60730. *Dinumma placens* Walker,1858** (Noctuidae) Synonym(s): *placens* Walker,1858; *varians*
Butler,1889 _ Range (in code): TH Nan Dpk VN NP IN Hp Drm LK ID Sum Bor TW PH
- 60731. *Diomea cremata* (Butler,1862)** (Noctuidae) Synonym(s): *cremata* Butler,1862; *stygia*
Bryk,1948 _ Range (in code): IN Hp Sml Ass Khs Drm JP KP KR
- 60732. *Diomea discisigna* Sugi,1963** (Noctuidae) Synonym(s): *discisigna* Sugi,1963 _ Range (in
code): JP
- 60733. *Diomea eupsema* Swinhoe,1902** (Noctuidae) Synonym(s): *eupsema* Swinhoe,1902
Range (in code): MY Prk TH Tng Knc
- 60734. *Diomea fasciata* (Leech,1900)** (Noctuidae) Synonym(s): *fasciata* Leech,1900 _ Range
(in code): CN TH Knc
- 60735. *Diomea fenella* G.S.Robinson,1969** (Noctuidae) Synonym(s): *fenella* G.S.Robinson,1969
Range (in code): FJ
- 60736. *Diomea ferrosticta* Yoshimoto,2001** (Noctuidae) Synonym(s): *ferrosticta* Yoshimoto,2001
Range (in code):
- 60737. *Diomea hirdi* Holloway,2005** (Noctuidae) Synonym(s): *hirdi* Holloway,2005 _ Range
(in code): MY Bor Sbh Swk TH Knc ID Ja
- 60738. *Diomea insulana* Yoshimoto,2001** (Noctuidae) Synonym(s): *insulana* Yoshimoto,2001
Range (in code):
- 60739. *Diomea lignicolora* Walker,[1858]** (Noctuidae) Synonym(s): *lignicolora* Walker,[1858];
suvarnavipae Kobes,1983 _ Range (in code): SI ID Sum LK TH Ntt Hba CN
- 60740. *Diomea rotundata* Walker,[1858]** (Noctuidae) Synonym(s): *rotundata* Walker,[1858]
Range (in code): LK IN Hp Sml SI NP TH KH LA TW CN ID Bor Clb PG
- 60741. *Diparopsis castanea* Hampson,1902** (Noctuidae) Synonym(s): *castanea* Hampson,1902
Range (in code): ZA MZ Del Tva Gau Rth Nwe Buf
- 60742. *Diphtherocome autumnalis* (B.S.Chang,1991)** (Noctuidae) Synonym(s): *autumnalis*
B.S.Chang,1991 _ Range (in code):
- 60743. *Diphtherocome biformis* Hreblay & Kononenko,1999** (Noctuidae) Synonym(s):
biformis Hreblay & Kononenko,1999 _ Range (in code): CN She Yu
- 60744. *Diphtherocome biformis trimaculata* Hreblay & Kononenko,1999** (Noctuidae)
Synonym(s): *trimaculata* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60745. *Diphtherocome bigu* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *bigu*
Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 60746. *Diphtherocome brevipennis* (Hampson,1909)** (Noctuidae) Synonym(s): *brevipennis*
Hampson,1909 _ Range (in code): CN Ti IN SI
- 60747. *Diphtherocome bryochlora* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *bryochlora* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lei Fan Ton NP
- 60748. *Diphtherocome burmana* Berio,1973** (Noctuidae) Synonym(s): *burmana* Berio,1973
Range (in code): MM Kch Kam

- 60749. Diphtherocome chloronympha Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *chloronympha* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): NP
- 60750. Diphtherocome chrysochlora (Hampson,1898)** (Noctuidae) Synonym(s): *chrysochlora* Hampson,1898 _ Range (in code): IN Ass Khs Meg
- 60751. Diphtherocome daliangi Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *daliangi* Hreblay & L.Ronkay,1998 _ Range (in code): CN Sz VN Ton Fan
- 60752. Diphtherocome discibrunnea (Moore,1867)** (Noctuidae) Synonym(s): *discibrunnea* Moore,1867; *mckeanae* Cockerell,1930; *#mckeanae* Hreblay & L.Ronkay,1999; *#mckeanae* Hreblay & Kononenko,1999 _ Range (in code): IN Up Nnt BD VN Fan Ton Lei NP TH Nan Dpk Pua CN
- 60753. Diphtherocome diverticulata Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *diverticulata* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60754. Diphtherocome fasciata (Moore,1888)** (Noctuidae) Synonym(s): *fasciata* Moore,1888 _ Range (in code): IN Hp Kgr
- 60755. Diphtherocome hoenei Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *hoenei* Hreblay & Kononenko,1999 _ Range (in code): CN She Yu
- 60756. Diphtherocome hoenei hoenei Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *hoenei* Hreblay & Kononenko,1999 _ Range (in code): CN She
- 60757. Diphtherocome hoenei likianga Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *likianga* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60758. Diphtherocome impectinata Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *impectinata* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lei Fan Ton TH CMa Int NP
- 60759. Diphtherocome kuni Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *kuni* Hreblay & L.Ronkay,1999 _ Range (in code): VN Lei Ton Fan
- 60760. Diphtherocome longivalva Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *longivalva* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60761. Diphtherocome marmorea (Leech,1900)** (Noctuidae) Synonym(s): *marmorea* Leech,1900 _ Range (in code): CN She
- 60762. Diphtherocome metaphaea (Hampson,1909)** (Noctuidae) Synonym(s): *metaphaea* Hampson,1909 _ Range (in code): CN
- 60763. Diphtherocome mixta Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *mixta* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60764. Diphtherocome nepalichlora Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *nepalichlora* Hreblay & L.Ronkay,1999; *#nepalichlora* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 60765. Diphtherocome pallida (Moore,1867)** (Noctuidae) Synonym(s): *pallida* Moore,1867 _ Range (in code): BD IN SI Djl NP CN Ti Yu Ats Sz
- 60766. Diphtherocome pallidipennis Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *pallidipennis* Hreblay & L.Ronkay,1999 _ Range (in code): NP IN SI
- 60767. Diphtherocome pallidula Hreblay & Plante,1998** (Noctuidae) Synonym(s): *pallidula* Hreblay & Plante,1998 _ Range (in code): CN Ti
- 60768. Diphtherocome pseudovivida Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *pseudovivida* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 60769. Diphtherocome pulchra Wileman,1912** (Noctuidae) Synonym(s): *pulchra* Wileman,1912; *taikoshinis* Matsumura,1929 _ Range (in code): TW
- 60770. Diphtherocome robusta Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *robusta* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60771. Diphtherocome secreta Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *secreta* Hreblay & L.Ronkay,1999 _ Range (in code): SI NP
- 60772. Diphtherocome serrata Hreblay & Kononenko,1999** (Noctuidae) Synonym(s): *serrata* Hreblay & Kononenko,1999 _ Range (in code): CN Yu
- 60773. Diphtherocome thainympha Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *thainympha* Hreblay & L.Ronkay,1999 _ Range (in code): TH CMa Int Fn Php
- 60774. Diphtherocome thaumasias (Hreblay & L.Ronkay,1998)** (Noctuidae) Synonym(s): *thaumasias* Hreblay & L.Ronkay,1998 _ Range (in code): NP
- 60775. Diphtherocome verbenata (Distant,1898)** (Noctuidae) Synonym(s): *verbenata* Distant,1898 _ Range (in code): ZA Tva Mpu Brb Gau Pre Nta Kzu Kkf Umk Ec Kwi
- 60776. Diphtherocome vigena (Walker,1865)** (Noctuidae) Synonym(s): *vigena* Walker,1865 _ Range (in code): SI Djl IN

- 60777. *Diphtherocome viridissima* Hreblay & L.Ronkay,1999** (Noctuidae) **Synonym(s):** *viridissima* Hreblay & L.Ronkay,1999 _ Range (in code): VN Lci Fan Ton
- 60778. *Diphtherocome vivida* (Leech,1900)** (Noctuidae) **Synonym(s):** *vivida* Leech,1900
Range (in code): CN Sz
- 60779. *Disepholcia caerulea* (Butler,1889)** (Noctuidae) **Synonym(s):** *caerulea* Butler,1889
Range (in code): IN Hp Drm MY TH CMa Int NP TW
- 60780. *Disticta atava* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *atava* R.Felder & Rogenhofer,1874 _ Range (in code): ZA Lpo Tva Spb Mdk
- 60781. *Donda continentalis* Behounek, Han & Kononenko,2012** (Noctuidae) **Synonym(s):** *continentalis* Behounek, Han & Kononenko,2012 _ CN TH Nna Kao Knc Pap Cbi VN
- 60782. *Donda eurychlora* (Walker,1858)** (Noctuidae) **Synonym(s):** *eurychlora* Walker,1858
Range (in code): TH Nrt Kao IN Meg Khs Ass Hp NP ID Tim Flo Sum Sbw
- 60783. *Donda lichenoides* (Hampson,1894)** (Noctuidae) **Synonym(s):** *lichenoides* Hampson,1894
Range (in code): IN Nag
- 60784. *Donda ornata* Moore,1883** (Noctuidae) **Synonym(s):** *ornata* Moore,1883 _ Range (in code): IN Mh Bba BD
- 60785. *Donda sailendra* Kobes,1983** (Noctuidae) **Synonym(s):** *sailendra* Kobes,1983 Original Reference: Donda sailendra Kobes,1983, Heterocera Sumatrana 2: 4-5, Abb. Holotype ♂: [Indonesia]: Sumatra: Prapat-Holzweg. Range (in code): ID Sum Sbw Flo Tim MY Bor Sbh PH Mdo Neg Pal
- 60786. *Donda striatovirens* Moore,1883** (Noctuidae) **Synonym(s):** *striatovirens* Moore,1883
Range (in code): IN Ass Meg Cpj CN ID Sum MY Bor
- 60787. *Donda sundana* Behounek, Han & Kononenko,2012** (Noctuidae) **Synonym(s):** *sundana* Behounek, Han & Kononenko,2012 _ ID Flo Sbw
- 60788. *Donda thoracica* Moore,1882** (Noctuidae) **Synonym(s):** *thoracica* Moore,1882 _ Range (in code): IN SI DjI
- 60789. *Dordura aliena* (Walker,1864)** (Noctuidae) **Synonym(s):** *aliena* Walker,1864; *apicalis* Moore,1882; *tincta* Hampson,1893 _ Range (in code): TH CMa Int MY KH MM IN LK ID Bor PG PH
- 60790. *Dorstiana aethiopica* Laporte,1974** (Noctuidae) **Synonym(s):** *aethiopica* Laporte,1974
Range (in code): ET ET86
- 60791. *Dorstiana chojnakii* Laporte,1984** (Noctuidae) **Synonym(s):** *chojnakii* Laporte,1984
Range (in code): ET ET86
- 60792. *Dorstiana dorsti* Laporte,1976** (Noctuidae) **Synonym(s):** *dorsti* Laporte,1976 _ Range (in code): ET ET86
- 60793. *Dorstiana johannidorsti* Laporte,1984** (Noctuidae) **Synonym(s):** *johannidorsti* Laporte,1984 _ Range (in code): ET ET86
- 60794. *Drasteria aberrans* (Staudinger,1888)** (Noctuidae) **Synonym(s):** *aberrans* Staudinger,1888; *#arerrans* Lehmann, Hacker et al.,1998 _ Range (in code): CN Ui Ku Ga KK Ik KG Tk Dj Aa
- 60795. *Drasteria altivaga* (Alpheraky,[1894])** (Noctuidae) **Synonym(s):** *altivaga* Alpheraky,[1894] Original Reference: Leucanitis altivaga Alpheraky,[1894], Dt. ent. Z., Iris 6: 347. Type ♂: [China: Uighur A.R.]: "Kaschgaria, Alt. 9000ft". Range (in code): CN Ui Ga
- 60796. *Drasteria austera* (John,1921)** (Noctuidae) **Synonym(s):** *austera* John,1921 _ Range (in code): IR Ss
- 60797. *Drasteria axuana* (Püngeler,1907)** (Noctuidae) **Synonym(s):** *axuana* Püngeler,1907; *fumiluna* Wiltshire,1969. _ Range (in code): MN CN Ui Au Ln
- 60798. *Drasteria cailino* (Lefèbvre,1827)** (Noctuidae) **Synonym(s):** *cailino* Lefèbvre,1827; *caylino* Lederer,1857 Original Reference: Heliotis cailino Lefèbvre,1827, Mém. Soc. linn. Paris 6: 94-96, pl.5 fig.1. Type(s): [Italia]: Sicilia. Range (in code): MA PT ES Mu FR Si IT RO YU AL BG GR TR IL Pa LB Bsa SY IQ Dia Ry Rwz Brs RU Sr Ro Da AF Kab Nu Bsg Hr Bd Adr IR Bk Ke Ha Es Lo Fa Ss Kh Elb Th Dm Sz Skh Ys Sqk Kd Km Hz AZ Kir Nv Ord Cc GG AM KG Ssn Lps At CN Ui Ga Au Pm Tk Dj KK Ik Skm PK SA YE Ab Sdt Kd Snj Bjr Zj Bne Mrv DZ BSa Ktr Orn Bsk Onç TN Gf Bionomy: Larva on Salix, Zizyphus lotus (Calle et al., 2000).
- 60799. *Drasteria cailino baigakumensis* (John,1921)** (Noctuidae) **Synonym(s):** *baigakumensis* John,1921 _ Range (in code): KG Ssn Lps At CN Ui Ga Au Pm
- 60800. *Drasteria cailino cailino* (Lefèbvre,1827)** (Noctuidae) **Synonym(s):** *cailino* Lefèbvre,1827; *caylino* Lederer,1857 Original Reference: Heliotis cailino Lefèbvre,1827, Mém. Soc.

- linn. Paris 6: 94-96, pl.5 fig.1. Type(s): [Italia]: Sicilia. Range (in code): **PT ES Mu FR Si IT RO YU AL BG GR TR LB IL Pa SY IQ Dia Ry Rwz Brs IR Bk Ha Ke Es Lo Fa Ss Kh AZ Kir Nv Ord RU Ro Da Cc**
- 60801. Drasteria cailino medialba Wiltshire,1961** (Noctuidae) Synonym(s): *medialba Wiltshire,1961* Range (in code): **AF Kab**
- 60802. Drasteria cailino obscura (Staudinger,1901)** (Noctuidae) Synonym(s): *obscura Staudinger,1901* Range (in code): **RU Sr KG Tk Dj KK Skm**
- 60803. Drasteria cailino orientalis Hacker,[1997]** (Noctuidae) Synonym(s): *orientalis Hacker,[1997]* Range (in code): **PK**
- 60804. Drasteria cailino tropicalis Hacker,1999** (Noctuidae) Synonym(s): *tropicalis Hacker,1999* Range (in code): **YE**
- 60805. Drasteria catocalis (Staudinger,1882)** (Noctuidae) Synonym(s): *catocalis Staudinger,1882; reducta Fernandez,1932.* Range (in code): **KG Ssn Lps UZ Fe Smk CN Ui Ii Kl KK Ik TeA TJ Pm**
- 60806. Drasteria caucasica (Kolenati,1846)** (Noctuidae) Synonym(s): *caucasica Kolenati,1846; astrida Eversmann,1856; aksuensis Fuchs,1903.* Original Reference: *Euclidia caucasica Kolenati,1846, Meletemata Ent. 5: 104. Syntypes: [Georgia]: Caucaso Lhesgico & Iberia.* Range (in code): **RO AZ Kir Hkd Nv Ord Bak GG Smt Akh AM Cc RU To Ro Kr Ich Kyi Da TR IR Fa Ha Elb Th Kdj UZ Fe Man Nmg CN Ui Khr Ku Au KK Ik Osh Skm KG DsA Uk Tk Dj Aa AF Hr Srb Blh Pli Bd Bark TJ Pm Chr**
- 60807. Drasteria chinensis (Alpheraky,1892)** (Noctuidae) Synonym(s): *chinensis Alpheraky,1892* Range (in code): **CN Gn Ui Ga MN KG Tk Dj Aa**
- 60808. Drasteria flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa Ménétriés,1848; singularis Kollar,[1849]; inepta Butler,1881.* Range (in code): **RU Cc Kyi Da TR EG IL Pa SY JO IQ Agh Tkr IR Kh Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Sdt Mrd Kd Snj Ariz Bjr Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG Tk Dj Aa KK Ik CN Ui Ku Kl Ga Kml MN Uli AZ Bak Nv Ord UZ Fe Smk Br**
- 60809. Drasteria flexuosa caspica (Staudinger,1901)** (Noctuidae) Synonym(s): *caspica Staudinger,1901* Range (in code): **UZ Fe Smk Br TM KG Tk Dj Aa KK Ik CN Ui Ku Kl Ga Kml MN**
- 60810. Drasteria flexuosa flexuosa (Ménétriés,1848)** (Noctuidae) Synonym(s): *flexuosa Ménétriés,1848; singularis Kollar,[1849]; inepta Butler,1881.* Range (in code): **RU Kyi Da Cc TR EG IL Pa SY JO IR Lo Fa Ss Bu Dlk Ke Fa Ab Elb Th Mak Ak Oru Mrd Kd Snj Shr Ma AF Gbh Arh Pag Nu Bsg Srb Kab Pli Blh Bd Fz Hr PK Bl Chm TM KG KK Ik CN Ui Ku Kl Ga MN**
- 60811. Drasteria herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi Alpheraky,1895* Range (in code): **TR Cc RU Da AM AZ Kir Nv Ord IL Pa JO EG Sn IR Kh TM Kp KK Ax Skm CN Ui KG Tk Dj**
- 60812. Drasteria herzi herzi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herzi Alpheraky,1895* Range (in code): **TR Cc RU Da AM AZ Kir Nv Ord IR Kh TM Kp KK Ax Skm CN Ui KG Tk Dj**
- 60813. Drasteria herzi judaica (Hampson,1926)** (Noctuidae) Synonym(s): *judaica Hampson,1926; angustifasciata Amsel,1935* Range (in code): **IL Pa JO EG Sn**
- 60814. Drasteria hyblaeoides (Moore,1878)** (Noctuidae) Synonym(s): *hyblaeoides Moore,1878* Range (in code): **CN Ui Ga Yk Au KK Ax TJ Pm PK Gg Hu Sst**
- 60815. Drasteria indecora (John,1910)** (Noctuidae) Synonym(s): *indecora John,1910* Range (in code): **TM KG Tk**
- 60816. Drasteria kabyllaria (A.Bang-Haas,1906)** (Noctuidae) Synonym(s): *kabyllaria A.Bang-Haas,1906* Original Reference: *Leucanitis kabyllaria A.Bang-Haas,1906, Dt. ent. Z., Iris 19: 136, Taf.v fig.7. Syntypes 3♂ 1♀: "Tunis (Gafsa, Dehibat)".* Range (in code): **MR MA DZ Idl Ah Gha Ceg Ogl Gle Tun BSa TN GF EG Sn JO IL Pa OM AE IR Ahz Ss Chh Hz B-A IQ SA YE LY** Bionomy: Larva probably on Tamarix [Tamaricaceae] (Rungs,1948).
- 60817. Drasteria kabyllaria columbina (Brandt,1941)** (Noctuidae) Synonym(s): *columbina Brandt,1941.* Original Reference: *Leucanitis kabyllaria ssp. columbina Brandt,1941, Mitt. münch. ent. Ges. 31: 855. Syntypes: Iran: [Belutschistan]: Bender Tchahbahar.* Range (in code): **OM AE IR Ahz Ss Chh Hz B-A**
- 60818. Drasteria kusnezovi (John,1910)** (Noctuidae) Synonym(s): *kusnezovi John,1910* Range (in code): **TM KG Tk Dj UZ Br**
- 60819. Drasteria langi (Erschoff,1874)** (Noctuidae) Synonym(s): *langi Erschoff,1874* Range (in code): **UZ TM AF Smk Man Pm**
- 60820. Drasteria obscurata (Staudinger,1882)** (Noctuidae) Synonym(s): *obscurata Staudinger,1882* Range (in code): **KG Tar Ssn Lps Tk Dj KK Ik TeA TrA Ax Na T-A UZ Fe Ax Man CN Ui Ii Pm**

- 60821. *Drasteria oranensis* Rothschild,1920** (Noctuidae) **Synonym(s):** *oranensis* Rothschild,1920
Range (in code): **DZ Sfr TN LY EG SA IL Pa**
- 60822. *Drasteria oranensis arabica* Wiltshire,1990** (Noctuidae) **Synonym(s):** *arabica* Wiltshire,1990. **Range (in code):** **SA IL Pa**
- 60823. *Drasteria oranensis habibazel* Dumont,1922** (Noctuidae) **Synonym(s):** *habibazel* Dumont,1922 **Range (in code):** **TN LY EG**
- 60824. *Drasteria oranensis oranensis* Rothschild,1920** (Noctuidae) **Synonym(s):** *oranensis* Rothschild,1920 **Range (in code):** **DZ**
- 60825. *Drasteria pamira* (John,1921)** (Noctuidae) **Synonym(s):** *pamira* John,1921 **Range (in code):** **TJ Pm Chr KK**
- 60826. *Drasteria philippina* (Austaut,1880)** (Noctuidae) **Synonym(s):** *philippina* Austaut,1880; *aziza* Rungs,1981. **Original Reference:** *Leucanitis philippina* Austaut,1880, Lepid. Nat.: 237. **Syntypes:** Algérie: Oran. **Range (in code):** **DZ Ah Ajj Orn Onç MA**
- 60827. *Drasteria picta* (Christoph,1877)** (Noctuidae) **Synonym(s):** *picta* Christoph,1877; *radapicta* Staudinger,1901. **Range (in code):** **RU Cc Da TR TM Kp Krn CN Ui Khr Ku Ln AZ Kir Nv Ord UZ Fe Nmg Smk Br IR Men KG Tk Dj**
- 60828. *Drasteria rada* (Boisduval,1848)** (Noctuidae) **Synonym(s):** *rada* Boisduval,1848; *roda* Herrich-Schäffer,1851. **Range (in code):** **RU TR UA CN Ui Ku Tlk KK Skm Ik KG Uk Tu Tk Dj AZ Nv Ord Kir Hkd Cc IR Ab Ak Shf Mrd Khy AM**
- 60829. *Drasteria saisani* (Staudinger,1882)** (Noctuidae) **Synonym(s):** *saisani* Staudinger,1882; *clara* Staudinger,1895; *#zaisani* John,1910. **Original Reference:** *Leucanitis saisani* Staudinger,1882, Stettin ent. Ztg. 43:53. **Syntypes:** [Kasachstan]: Saisan. **Range (in code):** **RU Da KG Tar Ssn Tk Dk TR IR Kh KuB Elb Th Diz Dam Plr KK Ik T-A Feg Skm CN Ui Ii AF Nu Bsg AZ Kir Nv Ord Cc TM Kp UZ N-A**
- 60830. *Drasteria scolopax* (Alpheraky,1892)** (Noctuidae) **Synonym(s):** *scolopax* Alpheraky,1892 **Range (in code):** **CN Gn Alt Ui**
- 60831. *Drasteria sculpta* (Püngeler,1904)** (Noctuidae) **Synonym(s):** *sculpta* Püngeler,1904 **Range (in code):** **KK KG Tk Dj**
- 60832. *Drasteria sequax* (Staudinger,1901)** (Noctuidae) **Synonym(s):** *sequax* Staudinger,1901 **Range (in code):** **TR**
- 60833. *Drasteria sesquilina* (Staudinger,1888)** (Noctuidae) **Synonym(s):** *sesquilina* Staudinger,1888; *sequax* Staudinger,1901. **Original Reference:** *Leucanitis sesquilina* Staudinger,1888, Stettin ent. Ztg. 49: 51-52. **Syntypes:** [Uzbekistan, Kirgizistan]: Samarkand, Namangan, Osch, Alai. **Range (in code):** **TR TM UZ Fe Smk Nmg N-A Al KK TeA Ax TrA T-S CN Ui Au Kml**
- 60834. *Drasteria sesquistria* (Eversmann,1854)** (Noctuidae) **Synonym(s):** *sesquistria* Eversmann,1854 **Range (in code):** **RU TR KG Tk Dj UZ Br TM Kp TJ Pm CN Ui Au Cc AZ Nv Ord**
- 60835. *Drasteria sinuosa* (Staudinger,1884)** (Noctuidae) **Synonym(s):** *sinuosa* Staudinger,1884 **Range (in code):** **TM Kp IR Ss AF Dwe Gbh Hr KG Aa UZ**
- 60836. *Drasteria tenera* (Staudinger,1877)** (Noctuidae) **Synonym(s):** *tenera* Staudinger,1877; *antiqua* Staudinger,1889. **Range (in code):** **TR RU KG Aa Tk Dj KK Ik CN Ui Kml Ga Ln**
- 60837. *Drasteria yerburyi* (Butler,1892)** (Noctuidae) **Synonym(s):** *yerburyi* Butler,1892; *albofasciata* John,1917; *pica* Brandt,1939 **Range (in code):** **YE IR Lo Kd Snj Ss Chh Hz B-A**
- 60838. *Drasteriodes ellisoni* Wiltshire,1977** (Noctuidae) **Synonym(s):** *ellisoni* Wiltshire,1977 **Range (in code):** **OM**
- 60839. *Drasteriodes elongata* (A.Bang-Haas,1910)** (Noctuidae) **Synonym(s):** *elongata* A.Bang-Haas,1910 **Range (in code):** **KG Tk Dj**
- 60840. *Drasteriodes eurytaenia* Wiltshire,1979** (Noctuidae) **Synonym(s):** *eurytaenia* Wiltshire,1979 **Range (in code):** **SO**
- 60841. *Drasteriodes kisilkumensis* (Erschoff,1874)** (Noctuidae) **Synonym(s):** *kisilkumensis* Erschoff,1874 **Range (in code):** **TM Krn Rpt Mrw**
- 60842. *Drasteriodes leprosa* (Brandt,1938)** (Noctuidae) **Synonym(s):** *leprosa* Brandt,1938 **Original Reference:** Armada leprosa Brandt,1938, Ent. Rdsch. 55: 561, figs. 191-194. **Syntypes:** Iran: [Fars]: "Fort Sine-Sefid". **Range (in code):** **IR Fa Lo Hz B-A Bu Dlk**
- 60843. *Drasteriodes limata* (Christoph,1884)** (Noctuidae) **Synonym(s):** *limata* Christoph,1884 **Range (in code):** **MN TM Kp KG Tk AF Hr IQ Agh SA IR Es**
- 60844. *Drasteriodes limata kaszabi* Wiltshire,1967** (Noctuidae) **Synonym(s):** *kaszabi* Wiltshire,1967 **Range (in code):** **MN**

- 60845. *Drasteriodes limata limata* (Christoph,1884)** (Noctuidae) Synonym(s): *limata* Christoph,1884 _ Range (in code): **TM Kp KG Tk AF Hr IQ Agh IR Es**
- 60846. *Drasteriodes limata nejdicola* Wiltshire,1967** (Noctuidae) Synonym(s): *nejdicola* Wiltshire,1967 _ Range (in code): **SA SA63**
- 60847. *Drasteriodes luxurians* (Wiltshire,1961)** (Noctuidae) Synonym(s): *luxurians* Wiltshire,1961 _ Range (in code): **AF**
- 60848. *Drasteriodes luxurians albinubis* Wiltshire,1971** (Noctuidae) Synonym(s): *albinubis* Wiltshire,1971 _ Range (in code): **AF**
- 60849. *Drasteriodes luxurians luxurians* (Wiltshire,1961)** (Noctuidae) Synonym(s): *luxurians* Wiltshire,1961 _ Range (in code): **AF**
- 60850. *Drasteriodes medialis* (Hampson,1908)** (Noctuidae) Synonym(s): *medialis* Hampson,1908 _ Range (in code): **PK Qu AF Nu Bsg IR Ss Fa Kd Bjr Zj Lo Mia Kaz Com Kz Yas Skh Kuh**
- 60851. *Drasteriodes medialis leuconephra* (Brandt,1938)** (Noctuidae) Synonym(s): *leuconephra* Brandt,1938; *fuscobasalis* Brandt,1938. Original Reference: *Armada leuconephra* Brandt,1938, Ent. Rdsch. 55: 560, figs. 202-208. Syntypes: Iran: [Fars]: "Fort Sine-Sefid, Mian-Kotal, Com×e". Range (in code): **AF Nu Bsg IR Ss Fa Kd Lo Mia Kaz Com Kz Yas Skh Kuh**
- 60852. *Drasteriodes medialis medialis* (Hampson,1908)** (Noctuidae) Synonym(s): *medialis* Hampson,1908 _ Range (in code): **PK BI Qu**
- 60853. *Dryobota labecula* (Esper,[1788])** (Noctuidae) Synonym(s): *labecula* Esper,[1788]; *furva* Esper,[1791]; *occlusa* Hübner,[1824]; *didymoides* Duponchel,1827 Original Reference: *Phalaena labecula* Esper,[1788], Die Schmett. 4(2): 393, Tab.129 Noct.50 fig.5. Syntypes: Tyrol, Erlangen. Range (in code): **MA DZ Bt na Ges Lbs EG PT ES FR Co Sa Si IT CH YU GR Cr TR CY IL Pa** Bionomy: Larva on *Quercus ilex* (Millière,1868).
- 60854. *Dryobotodes (Dichonioxa) hampsoni* Hacker & Peks,1992** (Noctuidae) Synonym(s): *hampsoni* Hacker & Peks,1992 _ Range (in code): **IN Hp Lho**
- 60855. *Dryobotodes (Dichonioxa) tenebrosa* (Esper,[1789])** (Noctuidae) Synonym(s): *tenebrosa* Esper,[1789]; *saportae* Duponchel,1826. Original Reference: *Phalaena tenebrosa* Esper,[1789], Die Schmett. 4(2): 451, Tab.142 Noct.63, fig.2. Syntypes: [Germany]: Erlangen. Range (in code): **MA DZ PT ES FR Co Sa Si IT MT YU BG GR Cr TR CY IL Pa** Bionomy: Larva on *Quercus ilex*, *Q. coccifera* (Hacker,2001).
- 60856. *Dryobotodes (s.str.) carbonis* (F.Wagner,1931)** (Noctuidae) Synonym(s): *carbonis* F.Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. Original Reference: *Dryobota roboris carbonis* F.Wagner,1931, Int. ent. Z. 25: 368. Syntypes: [Türkei]: Akşehir. Range (in code): **FR Co Sa Si IT AT RO YU MK BG GR Cr TR UA LB IL Pa** Bionomy: Larva on *Quercus coccifera*, *Q. ilex*, *Q. pubescens* (Hacker,2001).
- 60857. *Dryobotodes (s.str.) contermina* (Graeser,1892)** (Noctuidae) Synonym(s): *contermina* Graeser,1892 Original Reference: *Dryobota contermina* Graeser,1892, Berl. ent. Z. 37 (3): 308-310. Syntypes 1♂ 1♀: [Kirgizistan]: Alexander Gebirge. Range (in code): **KK Ax UZ**
- 60858. *Dryobotodes (s.str.) eremita* (Fabricius,1775)** (Noctuidae) Synonym(s): *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* W.Warren,1911; *#grisea* W.Warren,1911 Original Reference: *Noctua eremita* Fabricius,1775, Syst. Ent.: 616. Type(s): Lipsiae. Range (in code): **MA DZ Bt na Lbs Afl Ges PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ IR Fa Gl s LB IL Pa SY DK NO SE FI EE LV LT RU GG Lag Cc Ro Ich MD UA BY** Bionomy: Larva on *Quercus robor* (Hacker,2001).
- 60859. *Dryobotodes (s.str.) glaucus* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *glaucus* L.Ronkay & Gyulai,2006 _ Range (in code): **TR IR By Skh**
- 60860. *Dryobotodes (s.str.) lubrica* (Butler,1889)** (Noctuidae) Synonym(s): *lubrica* Butler,1889 Range (in code):
- 60861. *Dryobotodes (s.str.) monochroma* (Esper,1790)** (Noctuidae) Synonym(s): *monochroma* Esper,[1790]; *distans* Hübner,[1813]; *suberis* Duponchel,1827 Original Reference: *Phalaena monochroma* Esper,[1790], Die Schmett. 4(2/1): 521, Taf.155,fig.6. Type(s): [Italy]: Florenz. Range (in code): **MA DZ Bt na Lbs Afl Dh m Abe Dh m Ges PT ES FR Co Sa Si IT CH AT CZ SK HU YU BG GR TR RU Cc Ro Kr St Da IR Gl s**
- 60862. *Dryobotodes (s.str.) servadeii* Parenzan,1982** (Noctuidae) Synonym(s): *servadeii* Parenzan,1982 Original Reference: *Dryobotodes servadeii* Parenzan,1982, Mem. Soc. ent. ital. Genova 60(1981): 279-286, figs. Holotype ♂: Italia: Monte Camplo (Taranto), 410m. Range (in code): **Sa? IT GR TR CY**

- 60863. Dryobotodes (s.str.) servadeii zenonides Nilsson, Svendsen & Fibiger,1999** (Noctuidae) Synonym(s): *zenonides* Nilsson, Svendsen & Fibiger,1999 Range (in code): **CY**
- 60864. Dryobotodes himalayensis Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *himalayensis* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **NP VN Lci**
- 60865. Dryobotodes roboris (Boisduval,1828)** (Noctuidae) Synonym(s): *roboris* Boisduval,1828 Range (in code): **PT ES FR IT? CH SK HU**
- 60866. Dypterygia scabriuscula (Linnaeus,1758)** (Noctuidae) Synonym(s): *scabriuscula* Linnaeus,1758; *pinastri* Linnaeus,1761. Original Reference: *Phalaena scabriuscula* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa. Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR AM GG Smt Akh Cc TR IR Mz Elb Gls DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Kyi Da Am Sr Us Sb MD UA BY JP CA US Tx Col** Bionomy: Larva on "Escallonia serrata" at Amasia (Staudinger,1879) vide *Cerasus prostrata* (Koçak & Vural,1998, Misc. Pap. 51: 6-7); *Rumex*, *Polygonum* (*Polygonaceae*) (Hampson,1908).
- 60867. Dyrzela bosca Swinhoe,1890** (Noctuidae) Synonym(s): *bosca* Swinhoe,1890 Range (in code): **MM Bha Bse Rgo**
- 60868. Dyrzela castanea W.Warren,1913** (Noctuidae) Synonym(s): *castanea* W.Warren,1913 Range (in code): **MY**
- 60869. Dyrzela incrassata Walker,1858** (Noctuidae) Synonym(s): *incrassata* Walker,1858; *frontalis* Walker,1864; *parallela* Walker,1865 Original Reference: *Dyrzela incrassata* Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1759. Range (in code): **MY Bor Swk**
- 60870. Dyrzela increnulata W.Warren,1913** (Noctuidae) Synonym(s): *increnulata* W.Warren,1913 Range (in code): **MM**
- 60871. Dyrzela plagiata Walker,1858** (Noctuidae) Synonym(s): *plagiata* Walker,1858; *costipannosa* Swinhoe,1890; *costiplaga* Swinhoe,1891; *perampla* W.Warren,1913 Original Reference: *Dyrzela plagiata* Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1758. Range (in code): **IN MM Rgo Bha Mm TH CMa Dst Dso8 CDo MY** Bionomy: Larva on *Grewia paniculata*, *G. tiliaefolia* (*Tiliaceae*) (Robinson et al.,2005).
- 60872. Dyrzela squamata W.Warren,1913** (Noctuidae) Synonym(s): *squamata* W.Warren,1913 Range (in code): **MM**
- 60873. Dyrzela trichoptera G.S.Robinson,1975** (Noctuidae) Synonym(s): *trichoptera* G.S.Robinson,1975 Range (in code): **FJ**
- 60874. Dyrzela tumidimacula W.Warren,1913** (Noctuidae) Synonym(s): *tumidimacula* W.Warren,1913 Range (in code): **MY**
- 60875. Dysaletia inanis (Oberthür,1880)** (Noctuidae) Synonym(s): *inanis* Oberthür,1880; *grandis* Staudinger,1892 nec Butl.,1878; *gigas* Staudinger,1901; *mesotrostina* Draudt,1950 Range (in code): **RU Us Ask**
- 60876. Dysaletia sigma (Draudt,1950)** (Noctuidae) Synonym(s): *sigma* Draudt,1950 Range (in code): **CN Yu**
- 60877. Dysgnathia nigropunctata (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *nigropunctata* Bethune-Baker,1906 Range (in code): **ZA**
- 60878. Dysgonia algira (Linnaeus,1767)** (Noctuidae) Synonym(s): *algira* Linnaeus,1767; *achatina* Sulzer,1776; *alterna* Villers,1789; *triangularis* Hübner,[1803] nec Thunb.,1784; *albivitta* Guenée,1852; *festina* Walker,1858; *olympia* Swinhoe,1885; *europaea* Schawerda,1912 Original Reference: *Phalaena algira* Linnaeus,1767, Syst. Nat. (Edn.12) 1: 836. Type(s): Algeria. Range (in code): **Cn MA DZ PT ES Mu FR Co Sa Si IT MT GB DE CH AT PL SK HU RO YU AL GR Cr Rd TR Cc CY IQ Akh Bsr Amr DK RU Am MD UA BY KK TM AF IR Fa LB Bsa IL Pa SY JO UZ Fe CN KP KR JP ZA Tva Lpo Spb Mdk Mpu Brb Gau Pre Nta Kzu Dbn Ec Grh SL NG ZR KE YE Ad MU IN CN PK LK Kndy Pdy MM Ab Elb Mz Th AZ Nv Ord Der Len AM GG Cc Ro Kr St Ich Da CV Cp Sdt Gls Agi Hmk Hrh Dhmm TN Dzc Ges Afr Perr Afl Orn Ktr Bsk Sbd Abe Clo** Bionomy: Larva on *Genista*, *Punica granatum*, *Rubus*, *Salix*, *Lythrum*, *Ricinus*, *Parietaria* (Wiltshire,1957; Calle et al., 2000; Hacker,2001).
- 60879. Dysgonia stuposa (Fabricius,1794)** (Noctuidae) Synonym(s): *stuposa* Fabricius,1794; *festinata* Walker,1858; *japonibia* Bryk,1948; *sinica* Bryk,1948 Original Reference: *Noctua stuposa* Fabricius,1794, Ent. Syst. 3 (2): 42. Type: India oriental. Range (in code): **TH VN KH NP IN LK Dck Pdy CN TW JP Ri KP KR RU Us PH ID Sum Tim**
- 60880. Dysgonia torrida (Guenée,1852)** (Noctuidae) Synonym(s): *torrida* Guenée,1852; *albivitta* Guenée,1852; *festina* Walker,1858; *#zorrida* Hacker,[1987] Original Reference: *Ophiura torrida* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 3: 269. Type(s): Bourbon. Range (in code): **MA DZ PT ES Mu Si IT MT YU HV AL BG GR CY TR IR IQ Agh Bgd UZ N-A NP LB IL Pa SY JO**

- AE AF Srb Nu Gbh PK Cp IN ZR ZA ET ET24 Bionomy: Larva on Zea mays, Ricinus communis (Hacker,2001).
- 60881. Dysmilichia bicolor (Chrétien,1913)** (Noctuidae) Synonym(s): *bicolor* Chrétien,1913
Original Reference: Proxenus bicolor Chrétien,1913, Bull. Soc. ent. Fr. 1913: 304. Type: Algérie, Biskra. Range (in code): **DZ Bsk IR Ss Hz B-A IQ Agh**
- 60882. Dysmilichia bicyclica (Staudinger,1888)** (Noctuidae) Synonym(s): *bicyclica* Staudinger,1888
Range (in code): **IR Fa Ss Ke Elb Th Kdj IQ Dy CN Ui Ku KG Tk Dj Aa TrA KK Skm Na**
- 60883. Dysmilichia erastrionides Brandt,1938** (Noctuidae) Synonym(s): *erastrionides* Brandt,1938
Original Reference: Dysmilichia erastrionides Brandt,1938, Ent. Rdsch. 55: 557, figs. 179-182. Syntypes: Iran: [Fars]: Tschurum. Range (in code): **IR Fa Ss Bu Dlk Hz B-A**
- 60884. Dysmilichia flavonigra (Swinhoe,1884)** (Noctuidae) Synonym(s): *flavonigra* Swinhoe,1884
Original Reference: Rivula flavonigra Swinhoe,1884, Proc. zool. Soc. London 1884: 522, pl.47 fig.15. Type: [Pakistan]: "Kurrachee". Range (in code): **SN YE Ad IN Mad PK Krc Sd SA IR Kz**
- 60885. Dysmilichia gigantea Brandt,1941** (Noctuidae) Synonym(s): *gigantea* Brandt,1941
Original Reference: Dysmilichia ? gigantea Brandt,1941, Mitt. münch. ent. Ges. 31: 851-852, fig.40. Syntypes: Iran: Tahte Malek, Bender Tchahbahar. Range (in code): **IR Ss Hz B-A**
- 60886. Dysmilichia mira (Brandt,1938)** (Noctuidae) Synonym(s): *mira* Brandt,1938
Original Reference: Armada mira Brandt,1938, Ent. Rdsch. 55: 567, fig. 181. Syntypes: Iran: [Fars]: Dalaki. Range (in code): **IR Fa Hz Ss Chh**
- 60887. Dysmilichia namibiae Hacker,2007** (Noctuidae) Synonym(s): *namibiae* Hacker,2007
Range (in code): **NA**
- 60888. Dysmilichia phaulopsis Brandt,1938** (Noctuidae) Synonym(s): *phaulopsis* Brandt,1938
Original Reference: Dysmilichia phaulopsis Brandt,1938, Ent. Rdsch. 55: 549,552 fig. 159. Syntypes: Iran: [Fars]: Dalaki. Range (in code): **IR Fa Hz Ss Chh Hz B-A Elb Th Kdj Es**
- 60889. Dysmilichia pica Wiltshire,1983** (Noctuidae) Synonym(s): *pica* Wiltshire,1983
Range (in code): **SA**
- 60890. Dysmilichia purpurascens Hampson,1910** (Noctuidae) Synonym(s): *purpurascens* Hampson,1910
Range (in code): **ZA**
- 60891. Earias albovenosana Oberthür,1917** (Noctuidae) Synonym(s): *albovenosana* Oberthür,1917
Original Reference: Earias albovenosana Oberthür,1917, Etud. Lépid. comp. 13: 27, pl.cdxxxvi figs. 3767-3768. Syntypes: Lambessa. Range (in code): **DZ Lbs Khk DhM TN Hrh Sfr Abe Si**
- 60892. Earias amseli Wiltshire,1961** (Noctuidae) Synonym(s): *amseli* Wiltshire,1961
Range (in code): **AF Hr**
- 60893. Earias ansorgei Tams,1930** (Noctuidae) Synonym(s): *ansorgei* Tams,1930
Original Reference: Earias ansorgei Tams,1930, Ann. Mag. nat. Hist. (10) 5: 492. Range (in code): **AO**
- 60894. Earias biplaga Walker,1866** (Noctuidae) Synonym(s): *biplaga* Walker,1866; *maculana* Snellen,1872; *fusciciliana* Snellen,1872; *plaga* Felder,1874; *citrina* Saalmüller,1884; *luteolaria* Hampson,1891; *crocea* Mabilie,1899; *aurantiaca* Strand,1917
Range (in code): **SL MR SA ZA Lpo Tva Spb Mdk MG ET ET24 ET29 KE Mru WS PC FJ TO NC AU MY IN QAU LK Pdy LO**
- 60895. Earias chlorophyllana Staudinger,1892** (Noctuidae) Synonym(s): *chlorophyllana* Staudinger,1892; *syrticola* Turati,1926; *watsoni* Wiltshire,1947.
Original Reference: Earias chlorophyllana Staudinger,1892, Dt. ent. Z., Iris 4: 249. Type: [Türkei]: Mardin. Range (in code): **DZ Ajj Abe LY MA SA SD TM Kp TR IL Pa JO IR Hz Enz Fa Kaz Mia Hz B-A IQ**
- 60896. Earias clorana (Linnaeus,1761)** (Noctuidae) Synonym(s): *clorana* Linnaeus,1761; *viride* Retzius,1783
Original Reference: Phalaena clorana Linnaeus,1761, Fauna Suecica (2): 343. Type(s): Schweden. Range (in code): **PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Fa Ha Kd Snj Ab Oru Cc GG Tbl Lag IQ DK NO SE FI EE LV LT RU Cc Ro Kr Kc Nt Kb Ich MD UA BY** Bionomy: Larva on Salix (Wiltshire,1957).
- 60897. Earias cupreoviridis (Walker,1862)** (Noctuidae) Synonym(s): *cupreoviridis* Walker,1862; *chromataria* Walker,1863
Range (in code): **SA ZA LK Pdy MY Bor ID Mlc**
- 60898. Earias divisa Warnecke,1940** (Noctuidae) Synonym(s): *divisa* Warnecke,1940
Original Reference: Earias divisa Warnecke,1940, Mitt. münch. ent. Ges. 30: 849. Range (in code): **YE**
- 60899. Earias flavida R.Felder,1861** (Noctuidae) Synonym(s): *flavida* R.Felder,1861; *uninotata* Walker,1862; *annulifera* Walker,1866; *sulphuraria* Moore,1887;
Range (in code): **IN LK Pdy MY Bor AU QAU WS TO NC**

- 60900. Earias insulana (Boisduval,1833)** (Noctuidae) Synonym(s): *insulana* Boisduval,1833; *smaragdinana* Zeller,1852; *frondosana* Walker,1863; *xanthophila* Walker,1863; *siliquana* Stainton,1865; *simillima* Walker,1866; *chlorion* Rambur,1866; *gossypii* Frauenfeld,1867; *anthophilana* Snellen,1879; *trigostrigosa* Butler,1881 Original Reference: Tortrix insulana Boisduval,1833, Fauna Ent. Madag. 1833: 121, Pl. 16,9. Type: Mauritius. Range (in code): MA DZ Bsk TN LY Cn PT ES An Mu FR Si IT MT GB BG GR Cr TR CY RU IQ Agh Bgd IR Fa Ke Hz Ss Elb Th Kdj Mz Lo B-A SY IL Pa Hf JO LB EG SA OM SD Sk ET ET29 AF Ca Arh PK Sd Krc Cp JP IN PH Luz TH TW ID Clb Bor Swk AU ZA Nta Kzu Est Fs Tva Gau Jh Pre Ec Cto MZ Ad YE47 SO Zai MG MR Abe TD Tbt Bionomy: Larva on Abutilon theophrasti, Althaea, Ceratonia siliqua, Gossypium herbaceum, Hibiscus esculentus, H. rosasinensis, H. cannabinus; Lavatera, Malva parviflora, Populus, Zea mays (Wiltshire,1957; Calle et al., 2000).
- 60901. Earias irakana Wiltshire,1936** (Noctuidae) Synonym(s): *irakana* Wiltshire,1936; *#intermedia* Wiltshire,1944; *#vernalis* Wiltshire,1944 Original Reference: Earias irakana Wiltshire,1936, Entomologist 69: 239. Type: Baghdad. Range (in code): IQ Agh Bgd Mos IR Kd Snj Mrv Bne Bionomy: Larva on Populus euphratica (Wiltshire,1957).
- 60902. Earias mjoebergi A.E.Prout,1926** (Noctuidae) Synonym(s): *mjoebergi* A.E.Prout,1926 Original Reference: Earias mjoebergi A.E.Prout,1926, Sarawak Mus.J. 3: 227. Range (in code): MY Bor Swk
- 60903. Earias perhuegeli Holloway,1977** (Noctuidae) Synonym(s): *perhuegeli* Holloway,1977 Range (in code): AU NF NC PF Ms Glb
- 60904. Earias pudicana Staudinger,1887** (Noctuidae) Synonym(s): *pudicana* Staudinger,1887 Range (in code): AF Srb Gbh Pli RU Prj Us Am
- 60905. Earias rjabovi Filipjev,1933** (Noctuidae) Synonym(s): *rjabovi* Filipjev,1933 Range (in code): Cc AZ
- 60906. Earias roseipes Filipjev,1933** (Noctuidae) Synonym(s): *roseipes* Filipjev,1933 Range (in code): TM
- 60907. Earias syriacana Bartel,1903** (Noctuidae) Synonym(s): *syriacana* Bartel,1903 Original Reference: Earias syriacana Bartel,1903, Dt. ent. Z., Iris 16: 215. Type ♀: [Libanon]: Beirut (coll. Böttcher, Berlin). Range (in code): TR LB Bei Bsa AL SY IL Pa IQ CY
- 60908. Earias turana (Groum-Grshimailo,1899)** (Noctuidae) Synonym(s): *turana* Groum-Grshimailo,1899; *roseana* Sheljuzhko,1926; *flava* Obraztsov,1950 Range (in code): TM UZ N-A
- 60909. Earias valentinae Stshetkin,1957** (Noctuidae) Synonym(s): *valentinae* Stshetkin,1957 Range (in code): TJ
- 60910. Earias vernana (Fabricius,1787)** (Noctuidae) Synonym(s): *vernana* Fabricius,1787; *obliterata* Bartel,1914 Original Reference: Pyralis vernana Fabricius,1787, Mant. Ins. 2: 225, nr.8. Type(s): Austria: [Wien]. Range (in code): PT ES FR Co Si IT NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Akh DK SE LV LT RU Ro Kr Ich
- 60911. Earias vittella (Fabricius,1794)** (Noctuidae) Synonym(s): *vittella* Fabricius,1794; *fabia* Stoll,1781; *speiplena* Walker,1857; *partita* Walker,1865; *huegeli* Rogenhofer,1870; *#vitella* Sherborn,1902 Original Reference: Tinea vittella Fabricius,1794, Ent. Syst. 3 (2): 293. Range (in code): SA SA39 IR IL Pa NC IN QAU LK Cob TO LO MY Bor WS PC FJ AU
- 60912. Earias waterstoni Wiltshire,1947** (Noctuidae) Synonym(s): *waterstoni* Wiltshire,1947 Original Reference: Earias waterstoni Wiltshire,1947, Bull. Soc. Fouad Ier Ent. 31: 8. Range (in code): SA
- 60913. Eclipsea sp.** (Noctuidae) Synonym(s): Range (in code): TH Ntt Hba
- 60914. Ecpatia dulcistriga (Walker,1858)** (Noctuidae) Synonym(s): *dulcistriga* Walker,1858 Range (in code): ZA NG MW Zom Nta Kzu Dbn Ec IN MM
- 60915. Ecpatia longiquua (Swinhoe,1890)** (Noctuidae) Synonym(s): *longiquua* Swinhoe,1890; *#longiquuava* Kononenko & Pinratana,2005; *#longiquuva* Kononenko & Pinratana,2005 Range (in code): MM Rng TH Ntt Hba LA MM CN NP IN JP ID Bor PH
- 60916. Ectocheila aberrans Gaede,1915** (Noctuidae) Synonym(s): *aberrans* Gaede,1915 Range (in code): ZA
- 60917. Ectocheila albilunata Gaede,1915** (Noctuidae) Synonym(s): *albilunata* Gaede,1915 Range (in code): ZA
- 60918. Ectocheila canina (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *canina* R.Felder & Rogenhofer,1874 Range (in code): ZA Wca Cv
- 60919. Ectocheila flavilunata Gaede,1915** (Noctuidae) Synonym(s): *flavilunata* Gaede,1915 Range (in code): ZA
- 60920. Ectocheila nigrilineata Gaede,1915** (Noctuidae) Synonym(s): *nigrilineata* Gaede,1915 Range (in code): ZA

- 60921. Ectocheila turneri Tams,1930** (Noctuidae) Synonym(s): *turneri* Tams,1930 - Range (in code): ZA
- 60922. Ectolopha marginata Hampson,1910** (Noctuidae) Synonym(s): *marginata* Hampson,1910 Range (in code): ZA
- 60923. Ectolopha viridescens Hampson,1902** (Noctuidae) Synonym(s): *viridescens* Hampson,1902; *hypochlora* Gaede,1915. - Range (in code): ZA
- 60924. Edessena gentiusalis Walker,[1859]** (Noctuidae) Synonym(s): *gentiusalis* Walker,[1859]; *formosensis* Strand,1920 - Range (in code): TH Nrt Kao CN TW JP KP KR
- 60925. Effractilis effracta (Distant,1898)** (Noctuidae) Synonym(s): *effracta* Distant,1898; *subtilis* Berio,1974. - Range (in code): ZA Tva Gau Pre
- 60926. Egira ambigua Galsworthy,1997** (Noctuidae) Synonym(s): *ambigua* Galsworthy,1997 Range (in code): CN HK
- 60927. Egira anatolica (M.Hering,1933)** (Noctuidae) Synonym(s): *anatolica* M.Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966 Original Reference: Xylomiges conspicillaris ssp. anatolica M.Hering,1933, Int. ent. Z. 26(37/38): 412. Syntypes 3♂ 4♀: [Türkei]: Ankara. Range (in code): IT GR TR Cc AZ Nv UZ KK Tls TM Kp TJ IR Elb Th Kdj RU Ro Kr Da UA BG LB CY
- 60928. Egira conspicillaris (Linnaeus,1758)** (Noctuidae) Synonym(s): *conspicillaris* Linnaeus,1758 Original Reference: Phalaena conspicillaris Linnaeus,1758, Syst. Nat. (Edn.10)1: 515. Type(s): Europa. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR GR EE RU GG Tbl Smt Bjo Cc Ro Kr Da MD UA BY CN Ui Ku
- 60929. Egira draudti (Hacker,1993)** (Noctuidae) Synonym(s): *draudti* Hacker,1993 - Range (in code): TH Mae Pai CMa Int Php Fn Wia Pfa Dsk Nan Pua
- 60930. Egira fatima Hreblay,1994** (Noctuidae) Synonym(s): *fatima* Hreblay,1994 Original Reference: Egira fatima Hreblay,1994, Acta zool. hung. 40: 245, figs. Holotype ♂: Turkey: Prov. Maraş, 1km N of Kahramanmaraş 900m 5.iv.1994 leg. Csovari & Hreblay (coll.M.Hreblay). Range (in code): TR
- 60931. Egira natalensis (Butler,1875)** (Noctuidae) Synonym(s): *natalensis* Butler,1875 - Range (in code): ZA Nta Kzu Dbn
- 60932. Egira ornata Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *ornata* Hreblay & L.Ronkay,1999 - Range (in code): TH CMa Int Mae Pai Wia Php Fn Dsk Pfa Pua Nan
- 60933. Egira papae Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *papae* Hreblay & L.Ronkay,1999 - Range (in code): TH CMa Pap
- 60934. Egira perigraphoides Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *perigraphoides* Hreblay & L.Ronkay,1999 - Range (in code): TH Mae CMa CDo Wia Php Fn Bhn
- 60935. Egira phahompoki Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *phahompoki* Hreblay & L.Ronkay,1999 - Range (in code): TH CMa Php Fn
- 60936. Egira servadei Berio,1982** (Noctuidae) Synonym(s): *servadei* Berio,1982 - Range (in code): TJ Pm Chr
- 60937. Egira subterminata (Hampson,1905)** (Noctuidae) Synonym(s): *subterminata* Hampson,1905 - Range (in code):
- 60938. Egira tabori Hreblay,1994** (Noctuidae) Synonym(s): *tabori* Hreblay,1994 Original Reference: Egira tabori Hreblay,1994, Acta zool. hung. 40: 247, figs. Holotype ♂: Turkey: Prov. Maraş, 1km N of Kahramanmaraş 900m 5.iv.1994 leg. Csovari & Hreblay (coll.M.Hreblay). Range (in code): BG TR Cc IL Pa LB Bsa JO IQ IR Elb Th Fa
- 60939. Egira vadimi Benedek, Babics & Kononenko,2015** (Noctuidae) Synonym(s): *vadimi* Benedek, Babics & Kononenko,2015 - RU Us
- 60940. Egnasia accingalis Walker,[1859]** (Noctuidae) Synonym(s): *accingalis* Walker,[1859] Range (in code): LK
- 60941. Egnasia binorbiculata Moore,1885** (Noctuidae) Synonym(s): *binorbiculata* Moore,1885 Range (in code): LK
- 60942. Egnasia bomboschi Kobes,1989** (Noctuidae) Synonym(s): *bomboschi* Kobes,1989 Range (in code): ID Sum TH Nrt Kao
- 60943. Egnasia conifer Hampson,1926** (Noctuidae) Synonym(s): *conifer* Hampson,1926 Range (in code): TH Ntt Hba PH Luz
- 60944. Egnasia ephyrodalis Walker,[1859]** (Noctuidae) Synonym(s): *ephyrodalis* Walker,[1859] Range (in code): IN Ass Khs NI LK BD Syl MM

- 60945. *Egnasia fasciata* Moore, 1882** (Noctuidae) Synonym(s): *fasciata* Moore, 1882 _ Range (in code): SI MM Rgo
- 60946. *Egnasia khasiana* Moore, 1882** (Noctuidae) Synonym(s): *khasiana* Moore, 1882 _ Range (in code): IN Ass Khs
- 60947. *Egnasia lioperas* A.E.Prout, 1922** (Noctuidae) Synonym(s): *lioperas* A.E.Prout, 1922 _ Range (in code): ZA
- 60948. *Egnasia mopsa* (Swinhoe, 1890)** (Noctuidae) Synonym(s): *mopsa* Swinhoe, 1890 _ Range (in code): MM Rng TH Nan Dpk TW
- 60949. *Egnasia ocellata* (Moore, 1885)** (Noctuidae) Synonym(s): *ocellata* Moore, 1885 _ Range (in code): LK
- 60950. *Egnasia participalis* Walker, 1859** (Noctuidae) Synonym(s): *participalis* Walker, 1859; *euphrona* Swinhoe, 1891 _ Range (in code): LK
- 60951. *Egnasia pictalis* (Hampson, 1896)** (Noctuidae) Synonym(s): *pictalis* Hampson, 1896 _ Range (in code):
- 60952. *Egnasia rectilineata* Swinhoe, 1895** (Noctuidae) Synonym(s): *rectilineata* Swinhoe, 1895 _ Range (in code): IN Ass Khs Slo TH ID Ja
- 60953. *Egnasia scoliogramma* A.E.Prout, 1921** (Noctuidae) Synonym(s): *scoliogramma* A.E.Prout, 1921 _ Range (in code): ZR AET
- 60954. *Egnasia* sp.** (Noctuidae) Synonym(s): _ Range (in code): TH Ntt Hba
- 60955. *Egnasia sundana* Kobes, 1985** (Noctuidae) Synonym(s): *sundana* Kobes, 1985 _ Range (in code): ID Sum TH Ntt Hba
- 60956. *Egnasia tenella* Hampson, 1912** (Noctuidae) Synonym(s): *tenella* Hampson, 1912 _ Range (in code): MM
- 60957. *Egnasia tripuncta* Swinhoe, 1895** (Noctuidae) Synonym(s): *tripuncta* Swinhoe, 1895 _ Range (in code): IN Slo NP TH Nan Dpk
- 60958. *Egnasia trogocraspia* Hampson, 1926** (Noctuidae) Synonym(s): *trogocraspia* Hampson, 1926 _ Range (in code):
- 60959. *Egnasia trogosema* Hampson, 1926** (Noctuidae) Synonym(s): *trogosema* Hampson, 1926 _ Range (in code):
- 60960. *Egnasia vicaria* (Walker, 1866)** (Noctuidae) Synonym(s): *vicaria* Walker, 1866; *treicegcroma* Bethune-Baker, 1911 _ Range (in code): ZA KE Nai
- 60961. *Egybolis vaillantina* (Stoll, [1790])** (Noctuidae) Synonym(s): *vaillantina* Stoll, [1790] _ Range (in code): ZA
- 60962. *Eicomorpha antiqua* Staudinger, 1888** (Noctuidae) Synonym(s): *antiqua* Staudinger, 1888. Original Reference: *Eicomorpha antiqua* Staudinger, 1888, Stettin ent. Ztg. 49: 24. Syntypes: [Usbekistan]: Namangan, Samarkand, Transalai. Range (in code): TR UZ Smk Nmg KK Fe AF Adr TM TJ KG JO IR Fa
- 60963. *Eicomorpha antiqua ammonitica* Hacker, 2001** (Noctuidae) Synonym(s): *ammonitica* Hacker, 2001 _ Range (in code): JO
- 60964. *Eicomorpha epipsilioides* Boursin, 1970** (Noctuidae) Synonym(s): *epipsilioides* Boursin, 1970 _ Range (in code): AF
- 60965. *Eicomorpha firyuza* Ronkay, Varga & Hreblay, 1998** (Noctuidae) Synonym(s): *firyuza* Ronkay, Varga & Hreblay, 1998 _ Range (in code):
- 60966. *Eicomorpha koeppenii* Alpheraky, 1894** (Noctuidae) Synonym(s): *koeppenii* Alpheraky, 1894 _ Range (in code): IR Kh UZ Smk
- 60967. *Eicomorpha kurdestanica* De Freina & Hacker, 1985** (Noctuidae) Synonym(s): *kurdestanica* De Freina & Hacker, 1985 Original Reference: *Eicomorpha kurdestanica* De Freina & Hacker, 1985, Entomofauna 6 (19): 246-249, Abb. 4-6. Holotype ♂: [Türkei]: Kleinasien: Hakkari, 15km NW Yüksekova, vic. Suüstü 1900m, 10-11.6.81 (leg. & coll. De Freina). Range (in code): TR IR Lo IQ
- 60968. *Elaphria venustula* (Hübner, 1790)** (Noctuidae) Synonym(s): *venustula* Hübner, 1790 _ Range (in code): PT ES FR Si? IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag Akh Cc IR Gh Mz Elb DK SE FI EE LV LT RU Ro Kr MD UA BY
- 60969. *Eligma allardi* Pinhey, 1968** (Noctuidae) Synonym(s): *allardi* Pinhey, 1968 _ Range (in code): CG
- 60970. *Eligma bettiana* A.E.Prout, 1923** (Noctuidae) Synonym(s): *bettiana* A.E.Prout, 1923; *overlaeti* Berio, 1964 _ Range (in code): ZR CG

- 60971. *Eligma duplicata* Aurivillius, 1892** (Noctuidae) Synonym(s): *duplicata* Aurivillius, 1892
Original Reference: *Eligma duplicata* Aurivillius, 1892, Ent. Tidskr. 13: 191, fig. 1b. Type: Camerun (NRM) [type examined]. Range (in code): CM
- 60972. *Eligma hypsoides* (Walker, 1869)** (Noctuidae) Synonym(s): *hypsoides* Walker, 1869; *gloriosa* Butler, 1875 Range (in code): CG
- 60973. *Eligma laetepicta* Oberthür, 1893** (Noctuidae) Synonym(s): *laetepicta* Oberthür, 1893; *#uncata* Strand, 1915 Range (in code):
- 60974. *Eligma malagassica* Rothschild, 1896** (Noctuidae) Synonym(s): *malagassica* Rothschild, 1896 Range (in code): MG
- 60975. *Eligma narcissus* (Cramer, 1775)** (Noctuidae) Synonym(s): *narcissus* Cramer, 1775; *indica* Rothschild, 1896; *javanica* Rothschild, 1896; *philippinensis* Rothschild, 1896; *celebensis* Tams, 1935 Original Reference: *Phalaena narcissus* Cramer, 1775, Uitl. Kapellen 1: 116, pl. 73 figs. E, F. Syntypes: China. Range (in code): LK CN IN TH CMA Cu01 ID Ja Clb PH Bionomy: Larva on *Ailanthus excelsa*, *A. malabarica*, *A. triphysa* (Simaroubaceae) (Robinson et al., 2005).
- 60976. *Eligma neumanni* Rothschild, 1924** (Noctuidae) Synonym(s): *neumanni* Rothschild, 1924
Original Reference: *Eligma neumanni* Rothschild, 1924, Ann. Mag. nat. Hist. (9) 16: 269. Range (in code): ET ET196 ET204
- 60977. *Eligma orthoxantha* Lower, 1903** (Noctuidae) Synonym(s): *orthoxantha* Lower, 1903
Range (in code): AU
- 60978. *Elwesia diplostigma* Hampson, 1894** (Noctuidae) Synonym(s): *diplostigma* Hampson, 1894
Range (in code): IN SI VN Lci Fan Ton
- 60979. *Elwesia diplostigma vasarhelyii* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *vasarhelyii* Hreblay, Peregovits & L. Ronkay, 1999 Range (in code): VN Lci
- 60980. *Elwesia macrophthalma* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *macrophthalma* Hreblay, Peregovits & L. Ronkay, 1999 Range (in code): VN Lci
- 60981. *Elwesia nigripalpis* W. Warren, 1911** (Noctuidae) Synonym(s): *nigripalpis* W. Warren, 1911
Range (in code): IN SI Djl
- 60982. *Elwesia pallida* W. Warren, 1911** (Noctuidae) Synonym(s): *pallida* W. Warren, 1911
Range (in code): IN SI Djl
- 60983. *Elwesia tarka* Hreblay & L. Ronkay, 1998** (Noctuidae) Synonym(s): *tarka* Hreblay & L. Ronkay, 1998 Range (in code): NP
- 60984. *Elwesia tarka sericea* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *sericea* Hreblay, Peregovits & L. Ronkay, 1999 Range (in code): NP
- 60985. *Elwesia vuquangconi* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *vuquangconi* Hreblay, Peregovits & L. Ronkay, 1999 Range (in code): VN Lci TH CMA
- 60986. *Elydna nonagricola* (Walker, 1864)** (Noctuidae) Synonym(s): *nonagricola* Walker, 1864
Range (in code): WS PC FJ NH PG AU MY IN
- 60987. *Elydna transversa* Walker, 1858** (Noctuidae) Synonym(s): *transversa* Walker, 1858
Range (in code): IN MM Mm
- 60988. *Elydnodes ornata* Wileman & West, 1929** (Noctuidae) Synonym(s): *ornata* Wileman & West, 1929 Range (in code): PH
- 60989. *Elydnodes variegata* (Leech, 1900)** (Noctuidae) Synonym(s): *variegata* Leech, 1900
Range (in code): CN IN VN Fan Ton Lci
- 60990. *Elyptron ethiopicum* (Hampson, 1909)** (Noctuidae) Synonym(s): *ethiopicum* Hampson, 1909 Range (in code): ZA
- 60991. *Enargia abluta* (Hübner, [1808])** (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840. Range (in code): ES IT AT SK HU RO YU BG TR RU Cc Ro Ich Or Ur MD UA BY IR Elb Ke Kdj Th Ha KK Skm Bionomy: Larva on *Populus*, *Salix*, *Quercus* (Blaschke, 1914; Hacker, 1989).
- 60992. *Enargia abluta* *abluta* (Hübner, [1808])** (Noctuidae) Synonym(s): *abluta* Hübner, [1808]; *imbuta* Boisduval, 1840. Range (in code): ES IT AT SK HU RO YU BG TR IR Elb Ke RU Cc Ro Ich Bionomy: Larva on *Populus*, *Salix*, *Quercus* (Blaschke, 1914; Hacker, 1989).
- 60993. *Enargia abluta arenaria* (Bartel, 1903)** (Noctuidae) Synonym(s): *arenaria* Bartel, 1903
Original Reference: *Cosmia abluta arenaria* Bartel, 1903, Dt. ent. Z., Iris 15: 210. Syntypes: Russland: Südur, Orenburg. Range (in code): RU Or KK Skm

- 60994. *Enargia connecta* (Graeser,1892)** (Noctuidae) Synonym(s): *connecta* Graeser,1892
Original Reference: *Dyschorista connecta* Graeser,1892, Berl. ent. Z. 37: 310-312. Syntypes 2♂ 2♀:
[Kirgizistan]: Alexander Gebirge. Range (in code): **KK Ax Ik**
- 60995. *Enargia jordani* Rothschild,1920** (Noctuidae) Synonym(s): *jordani* Rothschild,1920
Original Reference: *Enargia jordani* Rothschild,1920, Novit. zool. 27: 41-42, pl.17 fig.27. Type ♀:
[Algeria], "Souk Ahras, April 15th,1914". Range (in code): **DZ Ahr**
- 60996. *Enargia paleacea* (Esper,[1788])** (Noctuidae) Synonym(s): *paleacea* Esper,[1788].
Original Reference: *Phalaena paleacea* Esper,[1788], Die Schmett. 4 (1): 323, Tab.122, Noct. 43
figs.3,4. Syntypes: Germania: Erlangen. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL
CZ SK HU RO BG GR TR Cc DK NO SE FI EE LV LT RU Ro Kb Nt Kc Ich Ing Da MD UA BY** Bionomy:
Larva on Betula, Populus, Alnus (Hacker,1989).
- 60997. *Enargia pinkeri* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pinkeri* De Freina &
Hacker,1985 Original Reference: *Enargia pinkeri* De Freina & Hacker,1985, Entomofauna 6
(19): 256-258, Abb. 21-23. Holotype ♂: [Türkei]: Kleinasien: Ankara: Kizilcahamam, 10km S
Güvem, 1000m, 5-6.7.81 (leg. De Freina, coll. Hacker). Range (in code): **TR**
- 60998. *Engusanacantha bilineata* Berio,1941** (Noctuidae) Synonym(s): *bilineata* Berio,1941
Range (in code): **SA**
- 60999. *Enispa albigrisea* (W.Warren,1914)** (Noctuidae) Synonym(s): *albigrisea* W.Warren,1914
Range (in code): **ZA**
- 61000. *Entomogramma faultrix* Guenée,1852** (Noctuidae) Synonym(s): *faultrix* Guenée,1852
Range (in code): **BD Syl IN TH Tng CMa Int MY KH VN NP CN TW ID AU**
- 61001. *Entomogramma grisea* Wallengren,1856** (Noctuidae) Synonym(s): *grisea*
Wallengren,1856 Range (in code): **ZA**
- 61002. *Entomogramma pardus* Guenée,1852** (Noctuidae) Synonym(s): *pardus* Guenée,1852;
venusta Walker,1865; *anteponens* Walker,1858; *panthera* R.Felder & Rogenhofer,1874; *pardalis* Saalmüller,1880;
syngammata Mabilie,1880 Range (in code): **SL NG KE ZW MZ Del ZA Ec Nta Kzu Dbn Mv ET ET24**
- 61003. *Entomogramma torsa* Guenée,1852** (Noctuidae) Synonym(s): *torsa* Guenée,1852;
squammicornis R.Felder & Rogenhofer,1874; *vanua* R.Felder & Rogenhofer,1874 Range (in code): **TH CMa
Int Dst KH VN NP IN ID PH FJ AU**
- 61004. *Eogena contamnei* (Eversmann,1847)** (Noctuidae) Synonym(s): *contamnei*
Eversmann,1847 Range (in code): **RO RU Cc Ro Da Kc**
- 61005. *Epharmottomena albiluna* (Hampson,1899)** (Noctuidae) Synonym(s): *albiluna*
Hampson,1899 Range (in code): **Sk**
- 61006. *Epharmottomena eremophila* (Rebel,1895)** (Noctuidae) Synonym(s): *eremophila*
Rebel,1895; *plumbizonata* W.Warren,1913; *costiplaga* W.Warren,1913; *lacroixi* Lucas,1914. Original
Reference: Armada *eremophila* Rebel,1895, Verh. zool.- bot. Ges. Wien 45: 350. Lectotype ♂:
Algeria: Ouargl. Ghard (designated by Wiltshire,1979). Range (in code): **MR MA DZ Ogl Gha Tun
Sfr LY TN EG Sn SY**
- 61007. *Epharmottomena gelida* (Brandt,1939)** (Noctuidae) Synonym(s): *gelida* Brandt,1939
Range (in code): **IR Ss Hz Chh B-A**
- 61008. *Epharmottomena gorgonula* Wiltshire,1979** (Noctuidae) Synonym(s): *gorgonula*
Wiltshire,1979; *sublimbata* Berio,1984 Original Reference: *Epharmottomena gorgonula*
Wiltshire,1979, Entomograph 2: 38, fig.34, 164. Type ♀: Somalia. Range (in code): **SO KE YE**
- 61009. *Epharmottomena leucodonta* (Hampson,1926)** (Noctuidae) Synonym(s): *leucodonta*
Hampson,1926; *funesta* Brandt,1939. Range (in code): **OM IR Hz B-A Ss IN**
- 61010. *Epharmottomena nana* (Staudinger,1884)** (Noctuidae) Synonym(s): *nana*
Staudinger,1884 Range (in code): **TM Kp IR Kh**
- 61011. *Epharmottomena nana iranica* Wiltshire,1971** (Noctuidae) Synonym(s): *iranica*
Wiltshire,1971 Range (in code): **IR Kh**
- 61012. *Epharmottomena nana nana* (Staudinger,1884)** (Noctuidae) Synonym(s): *nana*
Staudinger,1884 Range (in code): **TM Kp**
- 61013. *Epharmottomena tenera* (Brandt,1939)** (Noctuidae) Synonym(s): *tenera* Brandt,1939
Range (in code): **IR Hz Ss Chh B-A Lo OM SA**
- 61014. *Epharmottomena tenera tenera* (Brandt,1939)** (Noctuidae) Synonym(s): *tenera*
Brandt,1939 Range (in code): **IR Hz Ss OM**
- 61015. *Epharmottomena tenera waterstoni* (Wiltshire,1949)** (Noctuidae) Synonym(s):
waterstoni Wiltshire,1949 Range (in code): **SA**

- 61016. Epilecta linogrisea** ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s): *linogrisea* [Denis & Schiffermüller],1775; *lutosa* Staudinger,1901. Original Reference: Noctua linogrisea [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 79. Type(s): [Austria]: Vienna district. Range (in code): **DZ Khh PT ES An FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc GG Smt Bjo RU Kr Ich DK NO SE EE LB IL Pa He IR TM** Bionomy: Larva on Primula acaulis (Primulaceae) (Warren,1909).
- 61017. Epimecia nelvai** (Rothschild,1920) (Noctuidae) Synonym(s): *nelvai* Rothschild,1920 Original Reference: Rabinopteryx nelvai Rothschild,1920, Novit. zool. 27: 64-65, pl.16 fig.4. Type ♀: Algeria, Batna (A.Nelva coll.) (BMNH). Range (in code): **DZ Btma**
- 61018. Epimecia ustula** (Freyer,1835) (Noctuidae) Synonym(s): *ustula* Freyer,1835; *lurida* Treitschke,1835; *ustulata* Geyer,[1835] Range (in code): **ES FR IT CH HU RO SS AL BG GR TR RU Cc Ro St Da Cm** Bionomy: Larva on Scabiosa (Hacker,1989).
- 61019. Epimeciodes abunda** (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *abunda* R.Felder & Rogenhofer,1874 Range (in code): **ZA**
- 61020. Epipsammia accurata** (Christoph,1882) (Noctuidae) Synonym(s): *accurata* Christoph,1882 Range (in code): **RU Nt Da Der Cc AZ Kir Nv Ord AF Pli IR Elb Gor Th**
- 61021. Epipsammia agrapha** Boursin,1960 (Noctuidae) Synonym(s): *agrapha* Boursin,1960 Range (in code): **AF**
- 61022. Epipsammia constantialis** Boursin,1960 (Noctuidae) Synonym(s): *constantialis* Boursin,1960 Range (in code): **AF**
- 61023. Epipsammia cretacea** (Staudinger,1888) (Noctuidae) Synonym(s): *cretacea* Staudinger,1888. Original Reference: Namangana cretacea Staudinger,1888, Stettin ent. Ztg. 49: 29. Syntypes: [Uzbekistan]: namangan. Range (in code): **UZ TJ TM TR Cc IR Elb Gls Kh**
- 61024. Epipsammia deserticola** Staudinger,1879 (Noctuidae) Synonym(s): *deserticola* Staudinger,1879 Range (in code): **RU**
- 61025. Epipsammia mirabilis** (Staudinger,1888) (Noctuidae) Synonym(s): *mirabilis* Staudinger,1888 Range (in code): **UZ Fe**
- 61026. Episema amasina** (Hampson,1906) (Noctuidae) Synonym(s): *amasina* Hampson,1906 Range (in code): **TR Cc UZ N-A**
- 61027. Episema didymogramma** (Boursin,1955) (Noctuidae) Synonym(s): *didymogramma* Boursin,1955 Range (in code): **TR Cc IL Hf Pa Js LB Bei SY Hms**
- 61028. Episema glaucina** (Esper,[1789]) (Noctuidae) Synonym(s): *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929. Original Reference: Phalaena glaucina Esper,[1789], Die Schmett. 3(1): 11, Taf.81, figs.4,5. Syntypes: [Germany]: Frankfurt. Range (in code): **PT ES FR Co Sa Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo AZ Kir RU Ro Kr St Kc Nt Da IR Ab Oru Mz Elb Se Kh Nys**
- 61029. Episema gozmanyi** Ronkay & Hacker,1985 (Noctuidae) Synonym(s): *gozmanyi* Ronkay & Hacker,1985 Range (in code): **Cr**
- 61030. Episema grueneri** Boisduval,1837 (Noctuidae) Synonym(s): *grueneri* Boisduval,1837 Range (in code): **PT ES FR Sa? Si IT? MT**
- 61031. Episema korsakovi** (Christoph,1885) (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885. Original Reference: Agrotis korsakovi Christoph,1885, [in] Romanoff, Mem. Lep. 2: 44, fig. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]. Range (in code): **RO YU BG GR Cr TR CY Cc AZ Kir AM GG Smt Bjo RU Kr SY CY IL Js Pa IR Gh Elb Fa**
- 61032. Episema korsakovi korsakovi** (Christoph,1885) (Noctuidae) Synonym(s): *korsakovi* Christoph,1885; *paenulata* Christoph,1885. Original Reference: Agrotis korsakovi Christoph,1885, [in] Romanoff, Mem. Lep. 2: 44, fig. Syntypes: [Aserbaidjan]: Helenendorf [=Kirovabad]. Range (in code): **Cc AZ Kir AM GG Smt Bjo RU Kr IR Gh Elb Fa GR Cr CY**
- 61033. Episema korsakovi levantina** Hacker,2001 (Noctuidae) Synonym(s): *levantina* Hacker,2001 Original Reference: Episema korsakovi ssp. levantina Hacker,2001, Esperiana 8: 194-195, figs. Holotype ♂: "Palestina", ex coll. Staudinger, probably Israel: Jerusalem (NHMU). Range (in code): **SY IL Js Pa TR Cc**
- 61034. Episema kuorion** Nilsson,Svendsen & Fibiger,1999 (Noctuidae) Synonym(s): *kuorion* Nilsson,Svendsen & Fibiger,1999 Range (in code): **CY**
- 61035. Episema lederi** Christoph,1885 (Noctuidae) Synonym(s): *lederi* Christoph,1885; *sareptana* Alpheraky,1897; *#ledereri* Wiltshire,1937. Range (in code): **RO MK BG GR RU Da TR Cc AZ Kir CY TM Kp SY IQ Dy Dia Kq Pa IL IR Gh Elb Th Km Ksh Shr Gls AF**

- 61036. *Episema lemoniopsis* Hacker,2001** (Noctuidae) **Synonym(s):** *lemoniopsis* Hacker,2001
Range (in code): **LB Bei SY Bld**
- 61037. *Episema melanogona* (Tauscher,1809)** (Noctuidae) **Synonym(s):** *melanogona* Tauscher,1809
Range (in code): **RU**
- 61038. *Episema minuta* Boursin & Ebert,1976** (Noctuidae) **Synonym(s):** *minuta* Boursin & Ebert,1976
Range (in code): **AF Hr**
- 61039. *Episema minutoides* Ronkay, Varga & Hreblay,1998** (Noctuidae) **Synonym(s):** *minutoides* Ronkay, Varga & Hreblay,1998
Range (in code): **TM**
- 61040. *Episema scillae* (Chrétien,1888)** (Noctuidae) **Synonym(s):** *scillae* Chrétien,1888
Original Reference: *Heliophobus scillae* Chrétien,1888, Naturaliste 10: 92. Type: Algérie, Bone.
Range (in code): **DZ TN DhM**
- 61041. *Episema tamardayanae* Fibiger, Kravchenko, Mooser, Li & Müller,2006** (Noctuidae) **Synonym(s):** *tamardayanae* Fibiger, Kravchenko, Mooser, Li & Müller,2006
Range (in code): **IL Pa Js**
- 61042. *Episema tersa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *tersa* [Denis & Schiffermüller],1775; *trimacula* [Denis & Schiffermüller],1775; *swiderskii* Kostrowicki,1956.
Original Reference: *Noctua tersa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district.
Range (in code): **DZ Ges BtNa Sét Perr Afl Abe Sa? IT AT PL CZ SK HU RO YU BG GR TR IL Pa Js CY UA RU Cc Kr KG KK Ik T-S IR?**
Bionomy: Larva on *Anthericum* (Liliaceae) (Pinker,1962).
- 61043. *Episema ulriki* Fibiger, Kravchenko, Mooser, Li & Müller,2006** (Noctuidae) **Synonym(s):** *ulriki* Fibiger, Kravchenko, Mooser, Li & Müller,2006
Range (in code): **IL Pa Js**
- 61044. *Episparina hieroglyphica* Holland,1894** (Noctuidae) **Synonym(s):** *hieroglyphica* Holland,1894
Range (in code): **GA GO**
- 61045. *Episparina tortuosalis* (Moore,1867)** (Noctuidae) **Synonym(s):** *tortuosalis* Moore,1867
Range (in code): **IN TH CMa Int Dst Cmz Cz10 LA KH VN NP LK CN**
Bionomy: Larva on *Chukrasia tabularis* (Meliaceae) (Lewvanich,2003).
- 61046. *Episparis exprimens* Walker,1862** (Noctuidae) **Synonym(s):** *exprimens* Walker,1862; *sejuncta* Walker,1866; *sejunctalis* Moore,1867; *ennomocoides* Moore,1867
Range (in code): **TH Cbi Nrt Kao MY LA MM IN ID Bor Ja Clb Sum Sbw Bli Tim**
- 61047. *Episparis leucotessellis* Hampson,1902** (Noctuidae) **Synonym(s):** *leucotessellis* Hampson,1902
Range (in code): **ZA**
- 61048. *Episparis penetrata* Walker,[1857]** (Noctuidae) **Synonym(s):** *penetrata* Walker,[1857]
Range (in code):
- 61049. *Episparis* sp.** (Noctuidae) **Synonym(s):**
Range (in code): **TH CMa Lmp Phr Chy Cbu**
Bionomy: Larva on *Chukrasia tabularis* [siat ka] (Meliaceae) (Lewvanich,2001).
- 61050. *Episparis varialis* (Walker,1858)** (Noctuidae) **Synonym(s):** *litrata* Fabricius,1787 nec Linn.,1761; *varialis* Walker,1858; *signata* Walker,1865; *davallia* R.Felder & Rogenhofer,1874
Range (in code): **IN LK TH Knc CMa Dst Dso7 CDo LA KH VN MM NP BD Adm PH**
- 61051. *Episparis xanthographa* Hampson,1926** (Noctuidae) **Synonym(s):** *xanthographa* Hampson,1926
Range (in code): **ZA**
- 61052. *Episteme adalatrix* (Kollar,[1844])** (Noctuidae) **Synonym(s):** *adalatrix* Kollar,[1844]; *bellatrix* Westwood,1848; *afflicta* Butler,1875; *contracta* Butler,1875; *sectionotis* Butler,1875; *simplex* Butler,1875; *spilosa* Jordan,1912
Range (in code): **Ch IN Poo Bba Nl Knr Mhw Mh CN Hn NP TH Phr CMa**
- 61053. *Episteme beatrix* Jordan,1909** (Noctuidae) **Synonym(s):** *beatrix* Jordan,1909
Range (in code): **CN**
- 61054. *Episteme bisma* (Moore,1859)** (Noctuidae) **Synonym(s):** *bisma* Moore,1859; *lambertiana* Boisduval,1874
Range (in code): **ID Ja Sum**
- 61055. *Episteme connexa* (Walker,1856)** (Noctuidae) **Synonym(s):** *connexa* Walker,1856
Range (in code): **ID Ja**
- 61056. *Episteme conspicua* Rothschild,1896** (Noctuidae) **Synonym(s):** *conspicua* Rothschild,1896; *sumatrana* Rothschild,1899
Range (in code): **ID Sum MY Bor**
- 61057. *Episteme latimargo* (Hampson,1891)** (Noctuidae) **Synonym(s):** *latimargo* Hampson,1891; *shevaroyensis* Strand,1912
Range (in code): **IN NI**
- 61058. *Episteme lectrix* (Linnaeus,1764)** (Noctuidae) **Synonym(s):** *lectrix* Linnaeus,1764
Range (in code): **CN TW**

- 61059. Episteme maculatrix (Duncan & Westwood,[1841])** (Noctuidae) **Synonym(s):** *maculatrix* Duncan & Westwood,[1841]; *distincta* Butler,1875 _ Range (in code): **IN SI Djl Ass BD Syl NP TH CMA Int Lmp Cu0 Cu09**
- 61060. Episteme negrita (Hampson,1894)** (Noctuidae) **Synonym(s):** *negrita* Hampson,1894 Range (in code): **MM**
- 61061. Episteme nigripennis (Butler,1875)** (Noctuidae) **Synonym(s):** *nigripennis* Butler,1875 Range (in code): **LK**
- 61062. Episteme nipalensis (Butler,1875)** (Noctuidae) **Synonym(s):** *nipalensis* Butler,1875; *dives* Butler,1881; *westwoodi* Kirby,1897; *schana* Jordan,1912; *expansa* Jordan,1912 _ Range (in code): **NP IN SI Djl MM Tns VN CN TH CMA Dst**
- 61063. Episteme sollicita (Swinhoe,1902)** (Noctuidae) **Synonym(s):** *sollicita* Swinhoe,1902 Range (in code): **MY Bor**
- 61064. Episteme sumbana Rothschild,1897** (Noctuidae) **Synonym(s):** *sumbana* Rothschild,1897 Range (in code): **ID Sba**
- 61065. Episteme vetula (Geyer,1832)** (Noctuidae) **Synonym(s):** *vetula* Geyer,1832; *fasciatrix* Westwood,1848; *bijugata* Walker,1862; *irenea* Boisdual,1874; *communis* Butler,1875; *sollicita* Swinhoe,1902; *palavanica* Jordan,1912 _ Range (in code): **ID Nia Sum Ja Bor Swk Tim BD Syl Sbh KBa Sdk PH Pal TH CRa CMA Dst MM MY Pen Bor KH VN**
- 61066. Ercheia cyllaria (Cramer,1782)** (Noctuidae) **Synonym(s):** *cyllaria* Cramer,1782; *cyllota* Guenée,1852; *fusifera* Walker,1858; *signivitta* Walker,1858; *polychroma* Walker,1858; *atrivitta* Walker,1864; *purpureilinea* Walker,1864; *semipallida* Walker,1864; *gundiana* Felder,1874; *costipannosa* Moore,1882; *pannosa* Moore,1883; *uniformis* Moore,1883; *anvira* Swinhoe,1918 Original Reference: *Phalaena Noctua cyllaria* Cramer,1782, *Uitl. Kapellen* 3: 100. Range (in code): **IN TH CMA Dst Int Cmz Cz11 Nan Dpk Ntt Hba Pgg Knc Cbi MY LA VN MM NP BD LK CN TW PH Neg ID Sum Bor Tim Flo Sbw Clb Ij Mlc Crm Amb PG AU**
- 61067. Ercheia diversipennis Walker,[1858]** (Noctuidae) **Synonym(s):** *diversipennis* Walker,[1858]; *ambidens* R.Felder & Rogenhofer,1874; *zura* Swinhoe,1885; *zygia* Swinhoe,1885 _ Range (in code): **LK IN PK Poo TH LA**
- 61068. Ercheia kebea Bethune-Baker,1906** (Noctuidae) **Synonym(s):** *kebea* Bethune-Baker,1906; *cebea* Hampson,1913; *designata* W.Warren,1914; *#nigristriata* W.Warren,1914; *albirenata* Gaede,1917 _ Range (in code): **PG TH Knc ID Sum Crm NH FJ AU**
- 61069. Ercheia multilinea Swinhoe,1902** (Noctuidae) **Synonym(s):** *multilinea* Swinhoe,1902; *abnormis* Swinhoe,1904 Original Reference: *Ercheia multilinea* Swinhoe,1902, *Ann. Mag. nat. Hist.* (7) 9: 84. Range (in code): **MY Prk TH CMA Int Dst VN CN ID Sum Bor Clb PH**
- 61070. Ercheia pulchrivena (Walker,1864)** (Noctuidae) **Synonym(s):** *pulchrivena* Walker,1864 Range (in code): **MY Bor Swk TH CMA Dpst Php ID Sum**
- 61071. Ercheia subsignata (Walker,1865)** (Noctuidae) **Synonym(s):** *subsignata* Walker,1865 Range (in code): **ZA**
- 61072. Erebus albicinctus Kollar,[1844]** (Noctuidae) **Synonym(s):** *albicinctus* Kollar,[1844] Original Reference: *Erebus albicinctus* Kollar,[1844], [in] Hügel, *Kaschmir und das Reich der Siek* 4 (2): 474, pl.22. Type: *Kaschmir*. Range (in code): **PK Abb IN Ch TH CMA NP ID Sum CN TW**
- 61073. Erebus atavistis (Hampson,1913)** (Noctuidae) **Synonym(s):** *atavistis* Hampson,1913 Range (in code): **ZA**
- 61074. Erebus caprimulgus (Fabricius,1775)** (Noctuidae) **Synonym(s):** *caprimulgus* Fabricius,1775; *exterior* Walker,1858; *obliterans* Walker,1858; *truncata* Moore,1877; *#rupicapra* Candèze,1927 Original Reference: *Noctua caprimulgus* Fabricius,1775; *Syst. Ent.*: 591. Type(s): *China*. Range (in code): **TH CMA CDo Dst Mth Knc Rng MY VN MM NP IN BD Syl Adm CN TW ID Sum Bor**
- 61075. Erebus ephesteris (Hübner,[1823])** (Noctuidae) **Synonym(s):** *ephesteris* Hübner,[1823]; *laetitia* Butler,1878; *niasana* Swinhoe,1918; *malanga* Swinhoe,1918 Original Reference: *Nyctipao ephesteris* Hübner,[1823], *Verz. bekannt. Schmett.*: 272. Type(s): *terra incognita*. Range (in code): **TH CMA Int MY VN NP IN LK CN TW JP KP KR ID Sum Ja Nia Bor PG** Bionomy: Larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).
- 61076. Erebus gemmans (Guenée,1852)** (Noctuidae) **Synonym(s):** *gemmans* Guenée,1852; *ophristigmaris* Hampson,1895 _ Range (in code): **BT BD Syl TH CMA CDo Dst Int Php MM NP IN CN TW ID Bor**
- 61077. Erebus glaucopis (Walker,1858)** (Noctuidae) **Synonym(s):** *glaucopis* Walker,1858; *prunosa* Moore,1883 _ Range (in code): **TH Phr IN NP BD Syl CN**
- 61078. Erebus hieroglyphica (Drury,1773)** (Noctuidae) **Synonym(s):** *hieroglyphica* Drury,1773; *ulula* Fabricius,1775; *mygdonia* Cramer,1777; *hermonia* Cramer,1777; *lunaris* Walker,1866; *celebensis*

- Hopffer, 1874; tenebrata A.E. Prout, 1919* - Range (in code): **TH CMa Cuo Cuo7 Cuo9 MY KH VN MM LK Dck Pdy IN CN ID PG PH Bor Clb Sum Ja**
- 61079. *Erebus macrops* (Linnaeus, 1768)** (Noctuidae) Synonym(s): *macrops* Linnaeus, 1768; *bubo* Fabricius, 1775; *boopis* Guenée, 1852; *walkeri* Butler, 1875. - Range (in code): **ZA Tva Mpu Brb Nta Kzu Mv Dbn ZW Har MG PK Abb IN Mh Nsk LK Pdy MM KE TZ CI NG TH Phr CMa Cuo Cuo1 MY VN CN NP BD TW ID Sum Ja Bor PH JP KP KR RU Us**
- 61080. *Erebus mirans* A.E. Prout, 1932** (Noctuidae) Synonym(s): *mirans* A.E. Prout, 1932 Range (in code): **TH**
- 61081. *Erebus sumbana* (Swinhoe, 1918)** (Noctuidae) Synonym(s): *Argiva ceramica* Swinhoe, 1918; *Argiva luzonica* Swinhoe, 1918. Original Reference: *Argiva sumbana* Swinhoe, 1918, Ann. Mag. nat. Hist. 9(2): 82, fig. 16. Type(s): [Indonesia]: Sumba Island. Range (in code):
- 61082. *Erebus walkeri* (Butler, 1875)** (Noctuidae) Synonym(s): *walkeri* Butler, 1875; *valceri* Hampson, 1913. - Range (in code): **ZA**
- 61083. *Eremobastis dimorpha* (Rungs, 1948)** (Noctuidae) Synonym(s): *dimorpha* Rungs, 1948; *hackeri* De Freina & Behounek, 1996 - Range (in code): **MA**
- 61084. *Eremobastis judaica* (Staudinger, 1898)** (Noctuidae) Synonym(s): *judaica* Staudinger, 1898 Original Reference: *Apamea judaica* Staudinger, 1898, Dt. ent. Z., Iris 10: 281, Taf. iv fig. 20. Syntypes: Palestina: Jordantal; Lectotype ♂, designated by Hacker, 2001 (NHMU). Range (in code): **IL Jt Js Pa JO**
- 61085. *Eremobastis loslobensis* Fischer, Saldaitis & Ivinkis, 2007** (Noctuidae) Synonym(s): *loslobensis* Fischer, Saldaitis & Ivinkis, 2007 - Range (in code): **Cn**
- 61086. *Eremobia asiatica* Draudt, 1936** (Noctuidae) Synonym(s): *asiatica* Draudt, 1936 Original Reference: *Eremobia ochroleuca* ssp. *asiatica* Draudt, 1936, Ent. Rdsch. 53: 492. Holotype ♀: [Türkei]: Ak-sehir (Sultan Dag). Range (in code): **BG GR TR Cc IR Fa Elb Th Plr Es Zj Kd Snj Bne**
- 61087. *Eremobia asiatica asiatica* (Draudt, 1936)** (Noctuidae) Synonym(s): *asiatica* Draudt, 1936 Original Reference: *Eremobia ochroleuca* ssp. *asiatica* Draudt, 1936, Ent. Rdsch. 53: 492. Holotype ♀: [Türkei]: Ak-sehir (Sultan Dag). Range (in code): **BG GR Cc TR**
- 61088. *Eremobia asiatica pelurica* Schwingenschuss, 1939** (Noctuidae) Synonym(s): *pelurica* Schwingenschuss, 1939 - Range (in code): **IR Fa Elb Th Plr Es Zj Kd Snj Bne**
- 61089. *Eremobia decipiens* (Alpheraky, 1895)** (Noctuidae) Synonym(s): *decipiens* Alpheraky, 1895 - Range (in code): **MN RU Sj Sb CN Ui Ki**
- 61090. *Eremobia ochroleuca* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809. Original Reference: *Noctua ochroleuca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Kr St Nt MD UA BY**
- 61091. *Eremobia ochroleuca ochroleuca* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *ochroleuca* [Denis & Schiffermüller], 1775; *citrina* Donovan, 1801; *bifasciosa* Haworth, 1809. Original Reference: *Noctua ochroleuca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Kr St Nt MD UA BY**
- 61092. *Eremobina pabulatricula* (Brahm, 1791)** (Noctuidae) Synonym(s): *pabulatricula* Brahm, 1791; *connexa* Borkhausen, 1792; *fraudulenta* Staudinger, 1888 - Range (in code): **FR IT GB BE DE AT PL CZ SK HU RO BG TR DK NO SE FI EE LV RU Cc Ro St Da Us Krl MD UA BY JP KP KR**
- 61093. *Eremohadena (Iberihadena) immunis* (Staudinger, 1889)** (Noctuidae) Synonym(s): *immunis* Staudinger, 1889 Original Reference: *Luperina immunis* Staudinger, 1889, Stettin ent. Ztg. 50: 40-41. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **KK Ik RU Sck Da Cc CN Ui Ga T-S Kml IR Gl Kh**
- 61094. *Eremohadena (Iberihadena) immunis lesghica* Boursin, 1944** (Noctuidae) Synonym(s): *lesghica* Boursin, 1944 Original Reference: *Pseudohadena immunis* f./ssp. *lesghica* Boursin, 1944, Revue f. Ent. 10 (3): 82-83, pl. ii fig. 15, pl. iv figs. 9, 10. Holotype ♂: [Russia Daghestan]: Schakg-Dagh, 3000m (NHMW). Range (in code): **RU Sck Da Cc**
- 61095. *Eremohadena (Iberihadena) mariana* (Lajonquière, 1964)** (Noctuidae) Synonym(s): *mariana* Lajonquière, 1964 - Range (in code): **ES Mu**
- 61096. *Eremohadena (Megahadena) megaptera* (Boursin, 1970)** (Noctuidae) Synonym(s): *megaptera* Boursin, 1970 - Range (in code): **AF IR Elb**

- 61097. Eremohadena (Megahadena) rjabovi (Boursin,1970)** (Noctuidae) Synonym(s): *rjabovi Boursin,1970* - Range (in code): **IR Th Elb Dam Ma Fa AM Cc TM Kp**
- 61098. Eremohadena (s.str.) adscripta (Püngeler,1914)** (Noctuidae) Synonym(s): *adscripta Püngeler,1914* - Range (in code): **CN Ui Au Kml Ga**
- 61099. Eremohadena (s.str.) afzalipouri Shirvani,2012** (Noctuidae) Synonym(s): *afzalipouri Shirvani,2012* - Original Reference: Eremohadena afzalipouri Shirvani,2012, J. Ins. Sci. 12 (137): 2-4, figs. Holotype ♂: Iran, Kerman prov., Shahid Bahonar University 1780m 2 May 2011. Range (in code): **IR Ke**
- 61100. Eremohadena (s.str.) chenopodiphaga (Rambur,1832)** (Noctuidae) Synonym(s): *chenopodiphaga Rambur,1832; erubescens Staudinger,1901; roseotincta Turati,1929* - Original Reference: Mamestra chenopodiphaga Rambur,1832, Annls Soc. ent. Fr. 1: 283, Type: France, Corsica. Range (in code): **MA DZ Hes Ges Tou Sfr BSa Khh Gle Bsk TN LY PT ES FR Co Si IT TR CY Cc GG Tbl Mng AM LB Bsa SY IR Th Fa IQ TM UZ CN Ui** - Bionomy: Larva on Chenopodium fruticosum, Atriplex portulacoides, Salsola soda (Hampson,1908).
- 61101. Eremohadena (s.str.) coluteae (Bienert,1869)** (Noctuidae) Synonym(s): *coluteae Bienert,1869; arvicola Christoph,1887; banghaasi Bytinski-Salz & Brandt,1937* - Range (in code): **TM Kp IR Th Kdj Elb Ma Hz B-A Cc Gls Kh AZ Nv SY Dms CN Ui Kl**
- 61102. Eremohadena (s.str.) coluteae coluteae (Bienert,1869)** (Noctuidae) Synonym(s): *coluteae Bienert,1869; arvicola Christoph,1887; banghaasi Bytinski-Salz & Brandt,1937* - Original Reference: Agrotis arvicola Christoph,1887, Stettin ent. Ztg. 48: 163. Syntypes 2♂: [Turkmenistan]: "Germob". Range (in code): **IR Th Kdj Elb Ma Hz Gls Kh B-A**
- 61103. Eremohadena (s.str.) coluteae korshunovi Ronkay & Varga,1993** (Noctuidae) Synonym(s): *korshunovi Ronkay & Varga,1993* - Range (in code): **TM Kp**
- 61104. Eremohadena (s.str.) coluteae rhodostola (Boursin,1962)** (Noctuidae) Synonym(s): *rhodostola Boursin,1962* - Range (in code): **SY Dms**
- 61105. Eremohadena (s.str.) eibinevoi Fibiger, Kravchenko, Li, Mooser & C.G.Müller,2006** (Noctuidae) Synonym(s): *eibinevoi Fibiger, Kravchenko, Li, Mooser & C.G.Müller,2006* - Range (in code): **IL Pa**
- 61106. Eremohadena (s.str.) halimi (Millière,1877)** (Noctuidae) Synonym(s): *halimi Millière,1877* - Range (in code): **PT ES FR IT?**
- 61107. Eremohadena (s.str.) immunda (Eversmann,1842)** (Noctuidae) Synonym(s): *immunda Eversmann,1842* - Range (in code): **DE PL SK RO SE FI RU Cc Kb Nt Ur UZ Fe KK Ik Sb At** - Bionomy: Larva on Atriplex halimus (Hampson,1908).
- 61108. Eremohadena (s.str.) oxybela (Boursin,1963)** (Noctuidae) Synonym(s): *oxybela Boursin,1963* - Original Reference: Pseudohadena oxybela Boursin,1963, Z. wien. ent. Ges. 48: 38-40, Taf. 9 figs.1-3. Holotype ♂: [Uighur Ili]: Kuldzha (ex coll. Daumiller) (ZSM). Range (in code): **CN Ui Ku**
- 61109. Eremohadena (s.str.) pexa (Staudinger,1889)** (Noctuidae) Synonym(s): *pexa Staudinger,1889* - Original Reference: Luperina pexa Staudinger,1889, Stettin ent. Ztg. 50: 41-42. Syntypes 3♂ 2♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **KK Ik CN Ui Ga**
- 61110. Eremohadena (s.str.) raja L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *raja L.Ronkay, Varga & Gyulai,2002* - Range (in code): **PK**
- 61111. Eremohadena (s.str.) roseonitens (Oberthür,1887)** (Noctuidae) Synonym(s): *roseonitens Oberthür,1887; espagnensis De Lajonquière,1964* - Range (in code): **DZ Bsk Khh BSa Ceg ES**
- 61112. Eremohadena (s.str.) roseotinctoides (Poole,1989)** (Noctuidae) Synonym(s): *roseotincta Brandt,1941 nec Tur.,1929; roseotinctoides Poole,1989* - Range (in code): **IR Ss Kuh Elb Mz Dam Th Ke**
- 61113. Eremohadena (s.str.) siri (Erschoff,1874)** (Noctuidae) Synonym(s): *siri Erschoff,1874* - Range (in code): **UZ Fe Br TM KK Ik MN Uli AF Pli IR Mz Kh**
- 61114. Eremohadena (s.str.) toerpexa L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *toerpexa L.Ronkay & Gyulai,2006* - Range (in code): **IR Kh Gls**
- 61115. Eremohadena catalampra L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *catalampra L.Ronkay, Varga & Gyulai,2002* - Range (in code): **CN Ui**
- 61116. Eremopola faroulti (Rothschild,1920)** (Noctuidae) Synonym(s): *faroulti Rothschild,1920* - Original Reference: Dasystemum faroulti Rothschild,1920, Novit. zool. 27: 45, pl.17 fig.22. Type ♀: Algeria, El Mesrane. Range (in code): **DZ**

- 61117. Eremopola hazara Hacker,1990** (Noctuidae) Synonym(s): *hazara* Hacker,1990 Range (in code): **PK**
- 61118. Eremopola lenis (Staudinger,1892)** (Noctuidae) Synonym(s): *lenis* Staudinger,1892 Original Reference: *Phoebophilus lenis* Staudinger,1892, Dt. ent. Z., Iris 4: 279. Type ♂: [Israel]: Jerusalem (MNHU, Berlin). Range (in code): **DZ Ges MA EG ES IL Pa Js LY Cy**
- 61119. Eremopola lenis lenis (Staudinger,1892)** (Noctuidae) Synonym(s): *lenis* Staudinger,1892 Original Reference: *Phoebophilus lenis* Staudinger,1892, Dt. ent. Z., Iris 4: 279. Type ♂: [Israel]: Jerusalem (MNHU, Berlin). Range (in code): **IL Pa Js EG**
- 61120. Eremopola lenis magnifica (Rothschild,1914)** (Noctuidae) Synonym(s): *magnifica* Rothschild,1914 Original Reference: *Derthisa magnifica* Rothschild,1914, Novit. zool. 21: 328. Syntypes 6♂ 7♀: Algeria, Guelts-es-Stel (V.Faroult). Range (in code): **MA DZ Ges**
- 61121. Eremopola lenis marmarides (Turati,1924)** (Noctuidae) Synonym(s): *marmarides* Turati,1924 Range (in code): **LY Cy**
- 61122. Eremopola lenis radoti (Boursin,1928)** (Noctuidae) Synonym(s): *radoti* Boursin,1928 Range (in code): **ES**
- 61123. Eremopola orana (Lucas,1849)** (Noctuidae) Synonym(s): *orana* Lucas,1849 Original Reference: *Episema orana* Lucas,1849, Explor. Sci. Alg. (3): 384, pl.3 fig.7. Type: Algérie, Oran. Range (in code): **DZ Orn**
- 61124. Eremopola oranoides (Boursin,1953)** (Noctuidae) Synonym(s): *oranoides* Boursin,1953 Range (in code): **MA Rbt**
- 61125. Eremotrachea bacheri (Püngeler,1902)** (Noctuidae) Synonym(s): *bacheri* Püngeler,1902; *hagar* Rothschild,1912; *sahariensis* Rothschild,1915; *salmonia* Oberthür,1918 Range (in code): **Cn MR MA DZ Rhr Ah BSa Bsk TN EG SA IL Pa JO**
- 61126. Ericeia albangula (Saalmüller,1880)** (Noctuidae) Synonym(s): *albangula* Saalmüller,1880; *terrena* Mabille,1882; *dodo* Viette,1975 Range (in code): **ZA**
- 61127. Ericeia congregata (Walker,1858)** (Noctuidae) Synonym(s): *congregata* Walker,1858; *taedia* R.Felder & Rogenhofer,1874; *infirma* Holland,1894; *watsoni* Wiltshire,1982 Range (in code): **ZA Nta Kzu**
- 61128. Ericeia congressa (Walker,1858)** (Noctuidae) Synonym(s): *congressa* Walker,1858; *sandii* Guenée,1862 Range (in code): **ZA**
- 61129. Ericeia eriophora (Guenée,1852)** (Noctuidae) Synonym(s): *eriophora* Guenée,1852; *perfidiosa* Walker,1858; *deficiens* Walker,1858; *apicalis* Walker,[1863] Range (in code): **BD Syl Bor Swk IN LK MM TH Knc CMA Fn Php MY IN LA VN ID Sum Bor Ja Clb PG CN TW PH**
- 61130. Ericeia inangulata (Guenée,1852)** (Noctuidae) Synonym(s): *inangulata* Guenée,1852; *optativa* Walker,1858; *optatura* Walker,1858; *zeta* Walker,1864; *intracta* Walker,1864; *comitata* Walker,1865; *umbrosa* Walker,1869; *subcinerea* Snellen,1880; *intextilia* Schultze,1908; *levuensis* A.E.Prout,1929; *certilinea* A.E.Prout,1929 Range (in code): **ZA WS PG MY Bor Swk IN TH Nrt Kao CMA CDo Fn Php LA KH VN BD LK PK Thu JP CN TW ID PH MG RE**
- 61131. Ericeia leichardtii (Koch,1865)** (Noctuidae) Synonym(s): *leichardtii* Koch,1865 Range (in code): **WS PC FJ EL**
- 61132. Ericeia pertendens (Walker,[1858])** (Noctuidae) Synonym(s): *pertendens* Walker,[1858]; *gonioptila* A.E.Prout,1922; *eurytaenia* A.E.Prout,1929; *occidua* A.E.Prout,1929; *iopolia* D.S.Fletcher,1957 Original Reference: *Remigia pertendens* Walker,[1858], List 14: 1512. Type: [Sri Lanka]: Ceylon. Range (in code): **TH CMA Knc MY LA VN NP IN LK TW CN JP ID SB PG PH KP KR**
- 61133. Ericeia sobria Walker,[1858]** (Noctuidae) Synonym(s): *sobria* Walker,[1858]; *aliena* Walker,1858; *statina* Möschler,1883; *pamposcila* Bethune-Baker,1914 Range (in code): **ZA**
- 61134. Eriopyga herbuloti Le Ducha d'Aubigny,1992** (Noctuidae) Synonym(s): *herbuloti* Le Ducha d'Aubigny,1992 Range (in code):
- 61135. Eriopygodes discalis Brandt,1938** (Noctuidae) Synonym(s): *discalis* Brandt,1938 Original Reference: *Eriopygodes discalis* Brandt,1938, Ent. Rdsch. 55: 517, figs. 62-64. Syntypes: Iran: [Fars]: Fort Sine Sefid. Range (in code): **IR By Yas Fa Sse**
- 61136. Eriopygodes imbecilla (Fabricius,1794)** (Noctuidae) Synonym(s): *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816. Original Reference: *Noctua imbecilla* Fabricius,1794, Ent. Syst. 3(2): 113. Type(s): [Deutschland]: Kiliae [=Kiel]. Range (in code): **ES FR IT GB LU DE CH AT PL CZ SK HU AL BG TR Cc GG Smt Bjo Bku Mng DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da At UA BY**
- 61137. Eriopygodes impar (Staudinger,1870)** (Noctuidae) Synonym(s): *impar* Staudinger,1870 Range (in code): **RU Sr KG Ssn Mn**

- 61138. Erizada lichenaria Walker,1865** (Noctuidae) Synonym(s): *lichenaria* Walker,1865; *metarhoda* Walker,1865; *hyperythrum* Hampson,1894 _ Range (in code): **IN MY Bor PH Pal TH Cbi Cph Bionomy**: Larva on Durio [durian] (Bombacaceae), Nephelium (Sapindaceae) (Yunus & Ho,1980; et seq.).
- 61139. Erygia apicalis Guenée,1852** (Noctuidae) Synonym(s): *apicalis* Guenée,1852; *exempta* Walker,1858; *squamiplena* Walker,1858; *geometroides* Walker,1865; *usta* Walker,1865; *watanabii* Holland,1889; *tamsi* Hulstaert,1924 _ Range (in code): **ID Kai Ja Tim Flo AU QAU TH CMa CDo Pgg MM IN NP CN TW JP KP KR PH**
- 61140. Erygia reflectifascia Hampson,1891** (Noctuidae) Synonym(s): *reflectifascia* Hampson,1891 Range (in code): **IN NI TH?**
- 61141. Erythrophaia eudoxia Staudinger,1892** (Noctuidae) Synonym(s): *eudoxia* Staudinger,1892 Original Reference: Erythrophaia eudoxia Staudinger,1892, Dt. ent. Z., Iris 4: 316, pl.4 fig.9. Syntypes ♂♀: [China]: Kaschgar, Kyzil-Jart (MNHUB). Range (in code): **CN Ui Ga Kun**
- 61142. Erythrophaia rennenkampfi Draudt,1935** (Noctuidae) Synonym(s): *rennenkampfi* Draudt,1935 _ Range (in code): **UZ Br**
- 61143. Erythrophaia suavis (Staudinger,1888)** (Noctuidae) Synonym(s): *suavis* Staudinger,1888 _ Range (in code): **CN Ui Ku KG Tk Dj Aa UZ Fe Man**
- 61144. Erythroplusia pyropia (Butler,1879)** (Noctuidae) Synonym(s): *pyropia* Butler,1879; *pseudopyropia* Chou & Lu,1978 _ Range (in code): **JP CN Yu TH Mae VN NP IN PK TW JP KP KR RU Us**
- 61145. Estagrotis canescens Hacker & L.Ronkay,1992** (Noctuidae) Synonym(s): *canescens* Hacker & L.Ronkay,1992 Original Reference: Estagrotis canescens Hacker & L.Ronkay,1992, Esperiana 3: 211, figs. Holotype ♂: India Himachal Pradesh, Rohtang Pass, unterhalb "Mahri" [correct: Marhi] 3000m (leg. & coll.Hacker). Range (in code): **IN Hp Lho Roh**
- 61146. Estagrotis cuprea (Moore,1867)** (Noctuidae) Synonym(s): *cuprea* Moore,1867 Original Reference: Gortyna cuprea Moore,1867, Proc. zool. Soc. London 1867: 50, Pl.vi fig.8. Syntypes: India: Darjeeling (coll.A.E.Russell, W.S.Atkinson). Range (in code): **IN SI DjI**
- 61147. Estagrotis plantei Hacker & L.Ronkay,1992** (Noctuidae) Synonym(s): *plantei* Hacker & L.Ronkay,1992 Original Reference: Estagrotis plantei Hacker & L.Ronkay,1992, Esperiana 3: 207-210, figs. Holotype ♂: Nepal, Langtang, Kyangyin Gompa 3900m. (coll. J.Plante). Range (in code): **NP**
- 61148. Estagrotis rufalis (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *rufalis* Bethune-Baker,1906 _ Range (in code): **PG**
- 61149. Estimata alexis Kozhantshikov,1928** (Noctuidae) Synonym(s): *alexis* Kozhantshikov,1928 Range (in code): **KG Tk Dj**
- 61150. Estimata cacumena (Brandt,1938)** (Noctuidae) Synonym(s): *cacumena* Brandt,1938 Range (in code): **IR Fa Kh KuB**
- 61151. Estimata clavata (Hampson,1907)** (Noctuidae) Synonym(s): *clavata* Hampson,1907 Range (in code): **IN Hp Kul**
- 61152. Estimata dailingensis Chen,1984** (Noctuidae) Synonym(s): *dailingensis* Chen,1984 Range (in code): **CN Mc**
- 61153. Estimata dhaulagirii Dierl,1983** (Noctuidae) Synonym(s): *dhaulagirii* Dierl,1983 Range (in code): **NP**
- 61154. Estimata eversti Dierl,1983** (Noctuidae) Synonym(s): *eversti* Dierl,1983 _ Range (in code): **NP**
- 61155. Estimata herrichschaefferi (Alpheraky,1895)** (Noctuidae) Synonym(s): *herrichschaefferi* Alpheraky,1895 Original Reference: Agrotis herrich-schaefferi Alpheraky,1895, Dt. ent. Z., Iris 8: 191. Range (in code): **MN Uli U-B**
- 61156. Estimata herzioides (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *herzioides* Corti & Draudt,1933 _ Range (in code): **CN Sz T-T**
- 61157. Estimata magadanica Kononenko,1981** (Noctuidae) Synonym(s): *magadanica* Kononenko,1981 _ Range (in code): **RU Mgd**
- 61158. Estimata militzae (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *militzae* Kozhantshikov,1937 _ Range (in code): **KG DsA**
- 61159. Estimata oschi (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *oschi* Kozhantshikov,1937 Range (in code): **RU At**

- 61160. *Estimata parvula* (Alpheraky,1897)** (Noctuidae) Synonym(s): *parvula* Alpheraky,1897
Range (in code): **CN Sng**
- 61161. *Estimata takkhalii* Dierl,1983** (Noctuidae) Synonym(s): *takkhalii* Dierl,1983 Range (in code): **NP**
- 61162. *Estimata tibetophasma* Boursin,1963** (Noctuidae) Synonym(s): *tibetophasma* Boursin,1963 Range (in code): **CN Sz Btn**
- 61163. *Etanna albisecta* (Hampson,1905)** (Noctuidae) Synonym(s): *basalis* Moore,1885 nec Wlk.; *albisecta* Hampson,1905 Range (in code): **IN MY Bor Swk AU QAU SB** Bionomy: Larva on Buchanania (Anacardiaceae) (Robinson et al.,2001).
- 61164. *Etanna albonotata* (Hampson,1894)** (Noctuidae) Synonym(s): *albonotata* Hampson,1894
Range (in code): **IN MM MY Bor Sbh Swk PG SB Bsm**
- 61165. *Etanna basalis* Walker,1862** (Noctuidae) Synonym(s): *basalis* Walker,1862; *atrifasciata* Hampson,1896; *mackwoodi* Hampson,1902 Range (in code): **MY Bor BN LK MM TH PG AU QAU FJ**
Bionomy: Larva on Mangifera (Anacardiaceae) (Pholboon,1965).
- 61166. *Etanna binotata* (Hampson,1912)** (Noctuidae) Synonym(s): *binotata* Hampson,1912
Range (in code): **MY Bor Sbh PG SB**
- 61167. *Etanna breviscula* (Walker,1863)** (Noctuidae) Synonym(s): *breviuscula* Walker,1863; *valida* Walker,1863; *rudis* Walker,1865; *xyloglypta* Lucas,1890; *nigridisca* Hampson,1891; *floccifera* Hampson,1894 Range (in code): **TH MY Bor AU QAU FJ** Bionomy: Larva on Anacardium, Mangifera (Anacardiaceae), Shorea (Dipterocarpaceae), Cajanus, Calliandra, Desmodium (Fabaceae), Trema (Ulmaceae) (Yunus & Ho,1980 et seq.).
- 61168. *Etanna brunnea* (Hampson,1905)** (Noctuidae) Synonym(s): *brunnea* Hampson,1905; *praedulcis* Turner,1920 Range (in code): **MY Bor Swk AU QAU SB**
- 61169. *Etanna pallibrunnea* Holloway,2003** (Noctuidae) Synonym(s): *pallibrunnea* Holloway,2003 Range (in code): **MY Bor Sbh KBA**
- 61170. *Etanna teleoleuca* (A.E.Prout,1922)** (Noctuidae) Synonym(s): *teleoleuca* A.E.Prout,1922
Range (in code): **MY Bor Swk BN ID Crm**
- 61171. *Etanna vailima* (Tams)** (Noctuidae) Synonym(s): Range (in code): **WS FJ**
- 61172. *Etanna viridifascia* Holloway,2003** (Noctuidae) Synonym(s): *viridifascia* Holloway,2003
Range (in code): **MY Bor BN Swk ID Ja Clb** Bionomy: Larva on Durio zibethinus (Bombacaceae) (Holloway,2003).
- 61173. *Etanna vittalis* (Walker,1866)** (Noctuidae) Synonym(s): *vittalis* Walker,1866 Range (in code): **ID Sum MY Bor Sbh KBA Swk FJ**
- 61174. *Ethiopica cupricolor* (Hampson,1902)** (Noctuidae) Synonym(s): *cupricolor* Hampson,1902 Range (in code): **ZA MZ Del**
- 61175. *Ethiopica polyastra* Hampson,1909** (Noctuidae) Synonym(s): *polyastra* Hampson,1909
Range (in code): **ZA**
- 61176. *Ethiopica vinosa* (Hampson,1902)** (Noctuidae) Synonym(s): *vinosa* Hampson,1902
Range (in code): **ZW Har**
- 61177. *Ethioterpia lichenea* Janse,1938** (Noctuidae) Synonym(s): *lichenea* Janse,1938 Range (in code): **ZA**
- 61178. *Ethioterpia marmorata* Janse,1938** (Noctuidae) Synonym(s): *marmorata* Janse,1938
Range (in code): **ZA Lpo Tva Spb Mdk**
- 61179. *Ethioterpia neavei* Hampson,1910** (Noctuidae) Synonym(s): *neavei* Hampson,1910; *janenschi* Gaede,1915. Range (in code): **ZA**
- 61180. *Eublemma (Coccidiphaga) scitulum* (Rambur,1833)** (Noctuidae) Synonym(s): *scitula* Rambur,1833; *exasperata* Lederer,1855; *gibbosa* Snellen,1872; *futilis* Swinhoe,1884; *cretacea* Hampson,1893; *turatii* Berio,2002. Original Reference: *Erastria scitula* Rambur,1833, Annls Soc. ent. Fr. 2: 26. Syntypes: Corsica. Range (in code): **DZ Clo Abe Sfr LY PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr CY TR LB IL Hf Pa JO YE PK LK ZA ID Ij** Bionomy: Larva on eggs of Coccoidea on Ficus, Nerium, Yucca (Hampson,1910; Wiltshire,1948; Rungs,1981).
- 61181. *Eublemma (Glossodice) agnellum* (Brandt,1938)** (Noctuidae) Synonym(s): *agnella* Brandt,1938 Original Reference: *Porphyrinia agnella* Brandt,1938, Ent. Rdsch. 55: 559, fig. 143. Syntypes: Iran: [Fars]: Tschurum. Range (in code): **IR Fa Ss**
- 61182. *Eublemma (Glossodice) apicipunctalis* (Brandt,1939)** (Noctuidae) Synonym(s): *apicipunctalis* Brandt,1939; ? *popovi* Wiltshire,1953; *guichardi* Wiltshire,1977. Original Reference: *Porphyrinia apicipunctalis* Brandt,1939, Ent. Rdsch. 56: 244, fig.12. Syntypes: Iran: Laristan:

- Sardze Umg.; Balutchistan: Bender Tschahbahar, Tahte Malek. Range (in code): OM IR Fa Hz B-A Ss SA AE IL Pa PK
- 61183. Eublemma (Glossodice) ephimerum Hampson,1910** (Noctuidae) Synonym(s): ephimera Hampson,1910 Range (in code): CN Ui
- 61184. Eublemma (Glossodice) gratiosum (Eversmann,1854)** (Noctuidae) Synonym(s): gratiosa Eversmann,1854; epigramma Staudinger,1889. Range (in code): RU KG KK Ik CN Ui Ku
- 61185. Eublemma (Glossodice) nelvai Rothschild,1920** (Noctuidae) Synonym(s): nelvai Rothschild,1920 Original Reference: Eublemma nelvai Rothschild,1920, Novit. zool. 27: 112, pl.16 fig.24. Type ♂: [Algeria]: Environs de Batna, 1914 (A.Nelva)". Range (in code): DZ Bt na
- 61186. Eublemma (Glossodice) polygrammum (Duponchel,[1842])** (Noctuidae) Synonym(s): polygramma Duponchel,[1842]; argillacea Eversmann,1844; nuda Christoph,1862; violetta Staudinger,1889. Original Reference: Anthophila polygramma Duponchel,[1842], Hist. nat. Lép. Pap. Fr. 3: 519. Syntypes: France: Digne, Lyon; Schweiz: Wallis. Range (in code): DZ Lbs PT ES Mu FR IT CH AT PL RO YU AL BG GR Cr TR CY AZ Kir Hkd Nv Ord Cc IR Fa Bk By Mz Es Elb Th Kd Sq Bne Bjr Ab Mak Kz Yas Mia Shr Ss Hz B-A IQ RU Ro St Nt Ing Da MD UA BY LB Bsa Bei IL Pa Hf JO
- 61187. Eublemma (Glossodice) pseudepistrotum (Brandt,1938)** (Noctuidae) Synonym(s): pseudepistrotota Brandt,1938 Original Reference: Porphyrinia pseudepistrotota Brandt,1938, Ent. Rdsch. 55: 559, figs. 161-164. Syntypes: Iran: [Fars]: Fort Sine-Sefid. Range (in code): IR Fa Lo
- 61188. Eublemma (Glossodice) pudorinum (Staudinger,1889)** (Noctuidae) Synonym(s): pudorinum Staudinger,1889 Range (in code): AM Cc GR BG RO UA RU
- 61189. Eublemma (Glossodice) salangi (Wiltshire,1961)** (Noctuidae) Synonym(s): salangi Wiltshire,1961 Range (in code): AF Slg
- 61190. Eublemma (Glossodice) semiochreum (C.G.Krüger,1939)** (Noctuidae) Synonym(s): semiochrea C.G.Krüger,1939 Range (in code): LY Cy
- 61191. Eublemma (Honeyania) ragusanum (Freyer,1844)** (Noctuidae) Synonym(s): ragusana Freyer,1844; virginea Guenée,1852; cinerina Ghiliani,1854; psilogramma Lederer,1855; quinquelinealis Moore,1877; dividens Lucas,1892; polygramma Hampson,1894. Original Reference: Anthophila ragusana Freyer,1844, Neuere Beitr. Schmett. 5: 92, Taf. 437 fig.1. Range (in code): Sa Si IT AL BG GR Cr TR CY LB Bei TM ZA Nta Tva SC SD NG CI IN AU QAU NH NC PG PH FJ
- 61192. Eublemma (admota-gr.) khonoides Wiltshire,1980** (Noctuidae) Synonym(s): khonoides Wiltshire,1980 Range (in code): SA OM YE
- 61193. Eublemma (admota-gr.) reductum Butler,1894** (Noctuidae) Synonym(s): reducta Butler,1894 Range (in code): KE SA As YE
- 61194. Eublemma (albida-gr.) albidum (Duponchel,1843)** (Noctuidae) Synonym(s): albida Duponchel,1843; albicans Guenée,1852; gueneei Spuler,1907. Range (in code): DZ Bt na Tun Sbd Hrh Fzz Out Omy Gha FR ES
- 61195. Eublemma (albida-gr.) argentiferum Hacker & Fibiger,2002** (Noctuidae) Synonym(s): argentifera Hacker & Fibiger,2002 Range (in code): IR Kh
- 61196. Eublemma (albida-gr.) candicans (Rambur,1858)** (Noctuidae) Synonym(s): candicans Rambur,1858; grata Guenée,1852; faroulti Rothschild,1911; ramburi Culot,1913 Range (in code): MA DZ Ges Lbs Orn Bt na Sbd BSa PT ES An
- 61197. Eublemma (albida-gr.) compunctum (Lederer,1872)** (Noctuidae) Synonym(s): compuncta Lederer,1872; aftob Brandt,1938. Range (in code): TR IR Fa Sse Kd Sq Bne Mrv Bjr Zj Lo AF
- 61198. Eublemma (albida-gr.) draudti (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): draudti Bytinski-Salz & Brandt,1937 Original Reference: Porphyrinia draudti Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 5-6. Holotype ♂: Iran: Keredj,1400m. Range (in code): IR Fa Elb Th Kdj Sse Kz Yas
- 61199. Eublemma (albida-gr.) gratissimum (Staudinger,1892)** (Noctuidae) Synonym(s): albida auct.; gratissima Staudinger,1892; infuscata Staudinger,1892; peralba Schawerda,1923. Original Reference: Thalpochares albida var. gratissima Staudinger,1892, Dt. ent. Z., Iris 4: 317. Syntypes: [Türkei]: Hadjin, Mardin, Amasia: [Lebanon]: Beirut. Range (in code): IQ Mos Kbl LB Bsa CY TR Cc LB Bei JO IL Pa Hf IR Fa Km Kd Snj Lo TM AF
- 61200. Eublemma (albida-gr.) hansa (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): hansa Herrich-Schäffer,[1851] Range (in code): RU TR AZ Kir Hkd Cc Da Der IR Elb Th Kd Bne Mrv Snj Lo Sq IQ? SA? AF? LB? JO CY Bionomy: Larva on Echinops (Lederer,1869, 1870).
- 61201. Eublemma (albida-gr.) hansa hansa (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): hansa Herrich-Schäffer,[1851] Range (in code): RU

- 61202. Eublemma (albida-gr.) hansa stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *maraschensis* Osthelder,1933 _ Range (in code): **TR Cc Da Der RU IR Elb Th IQ? SA? AF? LB? JO CY**
- 61203. Eublemma (albida-gr.) jocularis (Christoph,1877)** (Noctuidae) Synonym(s): *jocularis* Christoph,1877 _ Range (in code): **Cc AZ Nv Ord IR Fa Elb Th Kd Snj Bjr Ariz Bne Mrv Zj Kaz Shr Sse**
- 61204. Eublemma (albida-gr.) munda (Christoph,1884)** (Noctuidae) Synonym(s): *munda* Christoph,1884 _ Range (in code): **IR Fa**
- 61205. Eublemma (albida-gr.) peralbidum (Turati & C.G.Krüger,1936)** (Noctuidae) Synonym(s): *peralbida* Turati & C.G.Krüger,1936 _ Range (in code): **LY Cy**
- 61206. Eublemma (albida-gr.) stramineum (Staudinger,1892)** (Noctuidae) Synonym(s): *straminea* Staudinger,1892; *transmittens* Christoph,1893; *maraschensis* Osthelder,1933. Original Reference: *Thalpochares transmittens* Christoph,1893, Dt. ent. Z., Iris 6: 93. Syntypes: [Turkey]: Kasikoparan. Range (in code): **GR TR Cc IR Ha AF Hr Gbh Srb Bsg CY BH IQ**
- 61207. Eublemma (baccalix-gr.) baccalix (Swinhoe,1886)** (Noctuidae) Synonym(s): *baccalix* Swinhoe,1886; *fasciosa* Moore,[1887]. _ Range (in code): **IN LK Cn YE AF PK NP ID ZA CN NH TW FJ NC**
- 61208. Eublemma (baccalix-gr.) quadrilineatum (Moore,1881)** (Noctuidae) Synonym(s): *quadrilineata* Moore,1881 Original Reference: *Thalpochares quadrilineata* Moore,1881, Proc. zool. Soc. London 1881: 370, pl.38 fig.14. Type: India, Calcutta [Kolkata] (ZMHB). Range (in code): **MW ER IN Clc Pj Sd PK Krc ID Sum NH**
- 61209. Eublemma (bifasciata-gr.) alexi Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *alexi* Fibiger & Hacker,2002 _ Range (in code): **YE Sna**
- 61210. Eublemma (bifasciata-gr.) bifasciatum (Moore,1881)** (Noctuidae) Synonym(s): *bifasciata* Moore,1881 Original Reference: *Thalpochares bifasciata* Moore,1881, Proc. zool. Soc. London 1881: 371. Type: India: [Uttar Pradesh]: Punjab, Allahabad (Hellard leg., coll. Moore) (BMNH). Range (in code): **IN Up Alh YE Ad SA SA39 Hj AE IR Ss ET NG ZA Spb Mdk Tva Lpo**
- 61211. Eublemma (bifasciata-gr.) odontophora Hampson,1910** (Noctuidae) Synonym(s): *odontophora* Hampson,1910 _ Range (in code): **YE Sk**
- 61212. Eublemma (bulla-gr.) afghanum (Wiltshire,1961)** (Noctuidae) Synonym(s): *afghana* Wiltshire,1961 _ Range (in code): **AF Srb**
- 61213. Eublemma (bulla-gr.) albivestalis (Hampson,1910)** (Noctuidae) Synonym(s): *vestalis* Staudinger,1900 nec Btl.,1886; *albivestalis* Hampson,1910 _ Range (in code): **DZ Onç Sbd Omy Gha TN TR Jt IL Pa LB JO**
- 61214. Eublemma (bulla-gr.) alienum (C.G.Krüger,1939)** (Noctuidae) Synonym(s): *aliena* C.G.Krüger,1939 _ Range (in code): **LY**
- 61215. Eublemma (bulla-gr.) bullum (Swinhoe,1884)** (Noctuidae) Synonym(s): *bulla* Swinhoe,1884; *tomentalis* Rebel,1948. _ Range (in code): **IL Pa JO IR SA YE Ad PK Krc Sd IN Sml Hp Mh Bba Poo EG JE SD NG**
- 61216. Eublemma (bulla-gr.) caniceps Rebel,1917** (Noctuidae) Synonym(s): *caniceps* Rebel,1917 _ Range (in code): **SD**
- 61217. Eublemma (bulla-gr.) confusum Rothschild,1920** (Noctuidae) Synonym(s): *confusa* Rothschild,1920 _ Range (in code): **DZ Sfr Gha**
- 61218. Eublemma (bulla-gr.) conistrotum Hampson,1910** (Noctuidae) Synonym(s): *conistrotota* Hampson,1910 _ Range (in code): **DZ Hdr Eal Ear Onç Gea Tou PK Bl Qu AF Hr Gbh Srb Pjr Dwe IR Ha Ss Fa MT**
- 61219. Eublemma (bulla-gr.) croceum (Rothschild,1920)** (Noctuidae) Synonym(s): *crocea* Rothschild,1920 _ Range (in code): **DZ Ah**
- 61220. Eublemma (bulla-gr.) desertum (Staudinger,1900)** (Noctuidae) Synonym(s): *deserta* Staudinger,1900; *lacteola* Rothschild,1914; *ernesti* Rothschild,1915; *cremorna* Hampson,1918; *cremorna* Rothschild,1920; *pernivea* Rothschild,1920 Original Reference: *Thalpochares deserta* Staudinger,1900, Dt. ent. Z., Iris 12 (2): 383. Syntypes 5♂ 3♀: Provinz Biskra (Algerien) (Vauloger leg.). Range (in code): **DZ Ath Idl Thh Onç Hes Bsk Omy Gtt Ah Ges Sfr Gle TN LY MT**
- 61221. Eublemma (bulla-gr.) lutosum Staudinger,1892** (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *substrigula* Staudinger,1892 _ Range (in code): **TR LB Bei Bsa IR Ab Mrd Khy**
- 61222. Eublemma (bulla-gr.) ochricosta Hampson,1916** (Noctuidae) Synonym(s): *ochricosta* Hampson,1916 _ Range (in code): **SO**
- 61223. Eublemma (bulla-gr.) perniveum Rothschild,1920** (Noctuidae) Synonym(s): *pernivea* Rothschild,1920 _ Range (in code): **DZ Sbd Sfr**

- 61224. Eublemma (bulla-gr.) pura (Hübner,[1813])** (Noctuidae) Synonym(s): *pura* Hübner,[1813] _ Range (in code): PT ES Mu FR IT TR Bionomy: Larva on Carlina, Helychrysum (Calle et al., 2000).
- 61225. Eublemma (bulla-gr.) striantulum (Wiltshire,1961)** (Noctuidae) Synonym(s): *striantula* Wiltshire,1961 _ Range (in code): AF Srb
- 61226. Eublemma (bulla-gr.) subvenatum (Staudinger,1892)** (Noctuidae) Synonym(s): *subvenata* Staudinger,1892 Original Reference: *Thalpochares subvenata* Staudinger,1892, Dt. ent. Z., Iris 5: 288, pl.3 fig.13. Type: Tunis. Range (in code): DZ Ktr Sfr Tun TN IL Jt Pa
- 61227. Eublemma (bulla-gr.) suppurum (Staudinger,1892)** (Noctuidae) Synonym(s): *suppura* Staudinger,1892 Original Reference: *Thalpochares suppura* Staudinger,1892, Dt. ent. Z., Iris 4: 320. Syntypes: [Türkei]: Mersin, Taurus, Gjaur Dag, Malatia. Range (in code): TR LB Bei Bsa
- 61228. Eublemma (bulla-gr.) wollastoni (Rothschild,1901)** (Noctuidae) Synonym(s): *wollastoni* Rothschild,1901; *vollastoni* Hampson,1910 _ Range (in code): DZ Onç SD
- 61229. Eublemma (candidana-gr.) aureolum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *aureola* Fibiger & Hacker,2002 Original Reference: *Eublemma aureola* Fibiger & Hacker,2002, Esperiana 9: 262-263, figs. Holotype ♂: Turkey, [Kahramanmaraş] "Prov. Malatya 20km SE Elbistan, Nurhak Dag 1900m" (coll.Fibiger). Range (in code): AM Cc TR IR Elb Th Mz Ab Kdj Mha Sdt Mrv Kd Snj Sq Mha
- 61230. Eublemma (candidana-gr.) bifasciatum bifasciatum (Moore,1881)** (Noctuidae) Synonym(s): *bifasciata* Moore,1881 Original Reference: *Thalpochares bifasciata* Moore,1881, Proc. zool. Soc. London 1881: 371. Type: India: [Uttar Pradesh]: Punjab, Allahabad (Hellard leg., coll. Moore) (BMNH). Range (in code): IN Up Alh YE Ad SA SA39 Hj AE IR Ss ET NG ZA Spb Mdk Tva Lpo
- 61231. Eublemma (candidana-gr.) minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809]. Original Reference: *Phalaena minutata* Fabricius,1794, Ent. Syst. 3(2): 205. Type(s): Halae [Halle]. Range (in code): ES FR Co IT BE DE CH AT PL CZ SK RO YU AL BG GR AM TR Cc GG Lag AZ Nv Ord DK NO SE FI EE LV LT RU Ro Ich MD UA BY LB Bsa
- 61232. Eublemma (candidana-gr.) minutatum albobasalis (Spuler,1908)** (Noctuidae) Synonym(s): *albobasalis* Spuler,1908 _ Range (in code): AM Cc
- 61233. Eublemma (candidana-gr.) minutatum minutatum (Fabricius,1794)** (Noctuidae) Synonym(s): *minutata* Fabricius,1794; *noctualis* Hübner,1796; *paula* Hübner,[1809]. _ Range (in code): ES FR Co IT BE DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG Lag AZ Nv Ord DK NO SE FI EE LV LT RU Ro Ich MD UA BY
- 61234. Eublemma (candidana-gr.) ochreolum (Staudinger,1900)** (Noctuidae) Synonym(s): *ochreola* Staudinger,1900; *thurneri* Zerny,1936. _ Range (in code): GR MK TR SY IR Kd Snj Cc AM
- 61235. Eublemma (candidana-gr.) pulchralis (De Villers,1789)** (Noctuidae) Synonym(s): *pulchralis* De Villers,1789; *candidana* Fabricius,1794; *minuta* Hübner,[1809]; *perlana* Geyer,[1830]; *skafiota* Herrich-Schäffer,1851; *impura* Staudinger,1871 Original Reference: *Pyralis pulchralis* De Villers,1789, Linn. Ent. 2: 452. Range (in code): DZ PT ES Mu Sa Si FR IT YU GR Cr TR IR Fa IQ CY AM GG Smt Akh Cc TM Bionomy: Larva on Gnaphalium, Helichrysum (Wiltshire,1957; Calle et al., 2000).
- 61236. Eublemma (candidana-gr.) seminiveum Hampson,1896** (Noctuidae) Synonym(s): *seminivea* Hampson,1896 _ Range (in code): YE Ad SA As
- 61237. Eublemma (candidana-gr.) taftanum (Brandt,1941)** (Noctuidae) Synonym(s): *taftana* Brandt,1941 Original Reference: *Porphyrinia taftana* Brandt,1941, Mitt. münch. ent. Ges. 31: 854, fig.94 [sic!] (=49). Syntypes: Iran: Belutchistan: Kouh i Taftan. Range (in code): IR Ss
- 61238. Eublemma (candidana-gr.) viridulum (Guenée,1841)** (Noctuidae) Synonym(s): *viridula* Guenée,1841; *minuta* Freyer,1849; *dalmatina* Herrich-Schäffer,[1851]; *caprearum* Draudt,1933. Original Reference: *Micra viridula* Guenée,1841, Annls Soc. ent. Fr. 1841: 249. Type(s): Ungarn. Range (in code): Sa Si IT YU BG GR Cr TR RU MD UA AZ Kir Cc Bionomy: Larva on Helichrysum (Mann,1862).
- 61239. Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *wagneri* Herrich-Schäffer,1851 _ Range (in code): TR AZ Hkd GG Smt Akh Cc AM Dar IR Fa Kd Snj Sq Bne Mrv Hz B-A
- 61240. Eublemma (chlorotica-gr.) chloroticum (Lederer,1858)** (Noctuidae) Synonym(s): *chlorotica* Lederer,1858 Original Reference: *Thalpochares chlorotica* Lederer,1858, Wien. ent.

- Monatschr. 2: 144-145, Taf.3 fig.1. Type ♂: "Libanon". Range (in code): LB TR Cc AZ Nv Ord IR Fa Es Kh Mz Elb Th Kdj Kd Ab Khy Snj Bjr Sqk Kz Yas Kaz Mia Nss IQ Shq TM AF SY Dms JO
- 61241. Eublemma (chlorotica-gr.) pseudoviridis (Brandt,1939)** (Noctuidae) Synonym(s): pseudoviridis Brandt,1939 Original Reference: Porphyria pseudoviridis Brandt,1939, Ent. Rdsch. 56: 242-243, fig.4. Syntypes: Iran: Fort Sengan. Range (in code): IR Ss Kz Yas
- 61242. Eublemma (chlorotica-gr.) viridis (Staudinger,1888)** (Noctuidae) Synonym(s): viridis Staudinger,1888 Range (in code): UZ
- 61243. Eublemma (cochylioides-gr.) anachoresis (Wallengren,1863)** (Noctuidae) Synonym(s): anachoresis Wallengren,1863; accedens R.Felder & Rogenhofer,[1875]; divisa Moore,1881; leonata Butler,1886. Range (in code): ZA YE Ad OM LK IN Up Alh Clc ID Ja TH CMa Cuo1 Cuo7 PH PG AU NC SB NH FJ
- 61244. Eublemma (cochylioides-gr.) cochylioides (Guenée,1852)** (Noctuidae) Synonym(s): cochylioides Guenée,1852; rosita Guenée,1852; phoenissa Lederer,1855; derogata Walker,1858; calida Rebel,1894; calida Staudinger,1895; confusata W.Warren,1913. Range (in code): DZ Abe FR Cn ES Mu MT GR Rd TR CY SY IQ Agh IR Fa Shr LB Bei IL Pa Hf JO ZA RE LK AU IN NC FJ TO YE OM
- 61245. Eublemma (cochylioides-gr.) roseanum (Moore,1881)** (Noctuidae) Synonym(s): roseana Moore,1881 Range (in code): IN
- 61246. Eublemma (debilis-gr.) chamillum (Draudt,1936)** (Noctuidae) Synonym(s): chamilla Draudt,1936 Range (in code): CN Ui
- 61247. Eublemma (debilis-gr.) debilis (Christoph,1884)** (Noctuidae) Synonym(s): debilis Christoph,1884 Range (in code): RU Da Der Kap Cc AZ Kir TM Kp
- 61248. Eublemma (debilis-gr.) deletum (Staudinger,1901)** (Noctuidae) Synonym(s): deleta Staudinger,1901 Range (in code): DZ
- 61249. Eublemma (debilis-gr.) deserti (Rothschild,1909)** (Noctuidae) Synonym(s): deserti Rothschild,1909 Original Reference: Talpochares [sic!] deserti Rothschild,1909, Ent. Z., Stuttg. 23 (32): 142. Syntypes 3♀: Algerien: "Mraier, südliche Sahara". Range (in code): TM IR Cc AM DZ Mri Bsk MT EG SA LY Cy IL Pa SY Dms Sn
- 61250. Eublemma (debilis-gr.) micropterum (Brandt,1939)** (Noctuidae) Synonym(s): microptera Brandt,1939 Original Reference: Porphyria microptera Brandt,1939, Ent. Rdsch. 56: 243-244, fig.10. Syntypes: Iran: Bender Tschahbahar. Range (in code): IR Ss Hz
- 61251. Eublemma (debilis-gr.) murati (Brandt,1939)** (Noctuidae) Synonym(s): murati Brandt,1939 Original Reference: Porphyria murati Brandt,1939, Ent. Rdsch. 56: 243, fig.9. Syntypes: Iran: Bender Tschahbahar. Range (in code): IR Ss Hz B-A
- 61252. Eublemma (debilis-gr.) purinula (Turati,1934)** (Noctuidae) Synonym(s): purinula Turati,1934 Range (in code): LY Cy
- 61253. Eublemma (debilis-gr.) purulentum (Turati,1934)** (Noctuidae) Synonym(s): purulenta Turati,1934 Range (in code): LY Cy
- 61254. Eublemma (ecthaemata-gr.) ecthaematum Hampson,1896** (Noctuidae) Synonym(s): ecthaemata Hampson,1896; spirogramma Rebel,1912 Original Reference: Eublemma ecthaemata Hampson,1896, Proc. zool. Soc. London 1896: 262, pl.x fig.6. Type ♂: [Yemen]: "Shaik Othman, Arabia (Nurse)". Range (in code): YE YE6o EG ZA ER GM KE MR NA ZW
- 61255. Eublemma (gayneri-gr.) fredii Fibiger & Hacker,2002** (Noctuidae) Synonym(s): fredii Fibiger & Hacker,2002 Range (in code): IR Fa Mia Kaz
- 61256. Eublemma (gayneri-gr.) gayneri (Rothschild,1901)** (Noctuidae) Synonym(s): gayneri Rothschild,1901 Range (in code): ZA EG ER SA SD YE IL Pa JO Bionomy: Larva on Mangifera indica, Acacia nilotica, Eriobotega japonica, Zizyphus, Tamarix, Phenococcus hirsutus on Hibiscus (Wiltshire,1948; Argaman,1991).
- 61257. Eublemma (gayneri-gr.) globus Fibiger & Hacker,2002** (Noctuidae) Synonym(s): globus Fibiger & Hacker,2002 Range (in code): YE
- 61258. Eublemma (himmighoffeni-gr.) dichromum Rebel,1907** (Noctuidae) Synonym(s): dichroma Rebel,1907 Range (in code): YE Sk
- 61259. Eublemma (himmighoffeni-gr.) himmighoffeni (Millière,[1867])** (Noctuidae) Synonym(s): himmighoffeni Millière,[1867] Range (in code): ES FR YU AL
- 61260. Eublemma (khonoides-gr.) lunana (Fabricius,1794)** (Noctuidae) Synonym(s): lunana Fabricius,1794; olivea Guenée,1852; nivosa Swinhoe,1886 Original Reference: Pyralis lunana Fabricius,1794, Ent. Syst. 3 (2): 243. Type: India orientali. Range (in code): IN
- 61261. Eublemma (kruegeri-gr.) kruegeri (Wiltshire,1970)** (Noctuidae) Synonym(s): kruegeri Wiltshire,1970 Range (in code): SD LY IL Pa JO

- 61262. Eublemma (kruegeri-gr.) morosum (Wiltshire,1970)** (Noctuidae) Synonym(s): *morosa* Wiltshire,1970 _ Range (in code): SD
- 61263. Eublemma (kruegeri-gr.) noctuelioides (Wiltshire,1971)** (Noctuidae) Synonym(s): *noctuelioides* Wiltshire,1971 _ Range (in code): AF
- 61264. Eublemma (kruegeri-gr.) syrtensis (Hampson,1910)** (Noctuidae) Synonym(s): *syrtensis* Hampson,1910 _ Range (in code): DZ Hes Btna
- 61265. Eublemma (minima-gr.) indistinctum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *indistincta* Fibiger & Hacker,2002 _ Range (in code): YE
- 61266. Eublemma (minima-gr.) minimum (Guenée,1852)** (Noctuidae) Synonym(s): *minima* Guenée,1852; *pennula* R.Felder & Rogenhofer,1874; *carmelita* Morrison,1875; *pallida* Schaus,1904. _ Range (in code): US Tx Fl Arz KE MG YE ZA Cto
- 61267. Eublemma (muscatensis-gr.) muscatensis Wiltshire,1980** (Noctuidae) Synonym(s): *muscatensis* Wiltshire,1980 _ Range (in code): YE OM
- 61268. Eublemma (muscatensis-gr.) olivum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *oliva* Fibiger & Hacker,2002 _ Range (in code): YE Sna
- 61269. Eublemma (ostrina-gr.) illotum (Christoph,1887)** (Noctuidae) Synonym(s): *illota* Christoph,1887 _ Range (in code): TM Kp IR Fa
- 61270. Eublemma (ostrina-gr.) ostrinum (Hübner,[1808])** (Noctuidae) Synonym(s): *ostrina* Hübner,[1808]; *carthami* Herrich-Schäffer,[1851]; *aestivalis* Guenée,1852; *numida* Lucas,1849; *thasia* Koutsaftikis,1973. Original Reference: Noctua ostrina Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.85, fig.399. Type(s): Europa. Range (in code): Cn PT ES Mu FR Co Sa Si IT MT IE GB NL DE CH AT HU RO YU AL BG GR Cr Rd CY TR AZ Kir Cc RU Ro St Nt Ich Ing Da MD UA SY JO IL Hf Pa LB Bsa IQ Brs Ry Rwz Dia Agh Bgd IR Fa Hz Ss Ke Mz Elb Kd Km Snj Lo Mia Kz Yas Kaz Shr Hz B-A AF Bsg Nu IN PK MN KG Tk Dj Sdt GlS Hrh Ges Dzc DhM Ktr Afr Bdj Bsa Btna Abe Sbd KhH Hmk Ahr Gha Bsk Gf Orn Tlm Rbt Phv Hes Lbs Clo DZ MA Tgr Bionomy: Larva on Carduus, Carlina, Cynara, Echinops spinosus, Helichrysum [Asteraceae] (Chrétien,1917; Wiltshire,1957; Calle et al., 2000).
- 61271. Eublemma (ostrina-gr.) pseudostrinum Rothschild,1914** (Noctuidae) Synonym(s): *pseudostrina* Rothschild,1914 _ Range (in code): MA DZ Ges TN
- 61272. Eublemma (ostrina-gr.) pulcherrimum Wiltshire,1982** (Noctuidae) Synonym(s): *pulcherrima* Wiltshire,1982 _ Range (in code): SA As
- 61273. Eublemma (ostrina-gr.) pulchrum (Swinhoe,1886)** (Noctuidae) Synonym(s): *pulchra* Swinhoe,1886 _ Range (in code): IN
- 61274. Eublemma (ostrina-gr.) staudingeri (Wallengren,1875)** (Noctuidae) Synonym(s): *staudingeri* Wallengren,1875; *pretoriae* Distant,1898 _ Range (in code): ZA Tva Gau Pre
- 61275. Eublemma (pallidula-gr.) bistellatum (Wiltshire,1961)** (Noctuidae) Synonym(s): *bistellata* Wiltshire,1961 _ Range (in code): BH SA
- 61276. Eublemma (pallidula-gr.) boursini (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *boursini* Bytinski-Salz & Brandt,1937 Original Reference: Porphyrina [sic!] boursini Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 6. Holotype ♂: Iran: Keredj,1400m. Range (in code): IR Kdj Th Elb
- 61277. Eublemma (pallidula-gr.) buettikeri Wiltshire,1980** (Noctuidae) Synonym(s): *buettikeri* Wiltshire,1980 _ Range (in code): SA
- 61278. Eublemma (pallidula-gr.) leucanides (Staudinger,1889)** (Noctuidae) Synonym(s): *leucanides* Staudinger,1889 Original Reference: Thalpochares leucanides Staudinger,1889, Stettin ent. Ztg. 50: 55-56. Syntypes 16♂ 4♀: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)". Range (in code): KK Ik CN Ui Ga
- 61279. Eublemma (pallidula-gr.) nuristanum (Wiltshire,1961)** (Noctuidae) Synonym(s): *nuristana* Wiltshire,1961 _ Range (in code): AF Bsg Nu
- 61280. Eublemma (pallidula-gr.) pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856 _ Range (in code): DZ Ath Gle Omy RU Ro TR Cc AZ Nv Ord BH IR Elb Lo Kd Snj Kz Yas CY TM UZ Fe KK Ik Na CN Ui Ii LB Bsa SA AF PK Gg Jug NG
- 61281. Eublemma (pallidula-gr.) pallidulum khalifa (Wiltshire,1961)** (Noctuidae) Synonym(s): *khalifa* Wiltshire,1961 _ Range (in code): BH
- 61282. Eublemma (pallidula-gr.) pallidulum mardinum (Staudinger,1901)** (Noctuidae) Synonym(s): *mardina* Staudinger,1901 Original Reference: Thalpochares pallidula var. mardina Staudinger,1901, Cat. lepid. palaeart. Faunengeb. 1: 229. Syntypes: [Turkey]: Mardin; Armenia. Range (in code): TR Cc AM

- 61283. Eublemma (pallidula-gr.) pallidulum nejdi (Wiltshire,1961)** (Noctuidae)
Synonym(s): *nejdi* Wiltshire,1961 _ Range (in code):
- 61284. Eublemma (pallidula-gr.) pallidulum pallidulum (Herrich-Schäffer,1856)** (Noctuidae) Synonym(s): *pallidula* Herrich-Schäffer,1856 _ Range (in code): **RU Ro Cc TR BH IR Elb CY TM UZ Fe KK Ik CN Ui Ii LB Bsa**
- 61285. Eublemma (pallidula-gr.) pallidulum squalidum (Staudinger,1879)** (Noctuidae)
Synonym(s): *griseola* Erschoff,1874 nec Feld. & Rog.,1874; *squalida* Staudinger,1879 _ Range (in code): **DZ Ath Gle Omy Cc AZ Nv Ord TR IR Elb UZ Fe KK Na**
- 61286. Eublemma (pallidula-gr.) uniformis (Staudinger,1879)** (Noctuidae) Synonym(s): *uniformis* Staudinger,1879 _ Range (in code): **Cc AZ Nv Ord IR Fa Elb Qz Ab Lo Kd Snj Bjr Zj Ariz Mrv Bne**
- 61287. Eublemma (pallidula-gr.) virginalis (Oberthür,1881)** (Noctuidae) Synonym(s): *virginalis* Oberthür,1881; *caid* Oberthür,1881; *subterminalis* Rothschild,1914 _ Range (in code): **DZ Sbd Ges Dje Sfr Bsa Abe IQ Kad**
- 61288. Eublemma (parva-gr.) biparvum Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *biparva* Fibiger & Hacker,2002 _ Range (in code): **YE Sna**
- 61289. Eublemma (parva-gr.) cyrenaeum (Turati,1924)** (Noctuidae) Synonym(s): *cyrenaea* Turati,1924 _ Range (in code): **LY Cy JO**
- 61290. Eublemma (parva-gr.) exiguum (Walker,[1858])** (Noctuidae) Synonym(s): *exigua* Walker,[1858]; *nuga* Snellen,1872; *parvula* Moore,1881. _ Range (in code): **ZA MG YE SA**
- 61291. Eublemma (parva-gr.) gerti Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *gerti* Fibiger & Hacker,2002 _ Range (in code): **YE Sna**
- 61292. Eublemma (parva-gr.) mesophaeum Hampson,1910** (Noctuidae) Synonym(s): *mesophaea* Hampson,1910 _ Range (in code): **ZA Tva Gau Jh**
- 61293. Eublemma (parva-gr.) miniparvum Fibiger & Hacker,2002** (Noctuidae)
Synonym(s): *miniparva* Fibiger & Hacker,2002 _ Range (in code): **YE Sna**
- 61294. Eublemma (parva-gr.) parvoides (Brandt,1939)** (Noctuidae) Synonym(s): *parvoides* Brandt,1939 _ Original Reference: *Porphyria parvoides* Brandt,1939, Ent. Rdsch. 56: 244, fig.11. Syntypes: Iran: Bender Tschahbahar. Range (in code): **IR Ss Elb Th Hz B-A**
- 61295. Eublemma (parva-gr.) parvum (Hübner,[1808])** (Noctuidae) Synonym(s): *parva* Hübner,[1808]; *rubefacta* Mabille,1869; *chalybea* Swinhoe,1884; *nymphodora* Meyrick,1902. _ Original Reference: *Noctua parva* Hübner,[1808], Samml. eur. Schmett., Noctuae: Taf.77 fig. 356. Type(s): [Europa]. Range (in code): **MA DZ TN LY EG SD PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK HU PL YU AL BG GR Cr CY TR DK RU MD UA IL Hf SY IQ Brs Ry Rwz Dia Agh Amr LB Bsa JO SA IR Ab Mrd Elb Th Kdj Kd Sqq Mak Fa Ss Kh Bk Ha AF Hr Srb Gbh Kab Ca Dwe Arh PK IN TH ID ZA YE Ad AU Snj Mia Km Kz Yas Hz B-A Cc St Da Len AZ Nv Ord Bne Mrv Hrh Ges Perr Sfr Sbd Abe Bta Clo Tgr Hes** _ Bionomy: Larva on *Carduus*, *Centaurea*, *Inula*, *Carlina*, *Cynara* (Calle et al., 2000).
- 61296. Eublemma (parva-gr.) ronkayorum Fibiger & Hacker,2002** (Noctuidae)
Synonym(s): *ronkayorum* Fibiger & Hacker,2002 _ Range (in code): **TJ KG Tk TM Kp**
- 61297. Eublemma (parva-gr.) thermobasis Hampson,1910** (Noctuidae) Synonym(s): *thermobasis* Hampson,1910 _ Range (in code): **YE Ad SA JO**
- 61298. Eublemma (rosina-gr.) amoenum (Hübner,[1803])** (Noctuidae) Synonym(s): *respersa* Hübner,1790 (*praeocc.*); *amoena* Hübner,[1803]; *bithynica* Bethune-Baker,1888. _ Range (in code): **ES Mu FR Co Sa Si IT AT SK HU RO YU AL BG GR Cr MK TR GG Mng AZ AM Cc KK Kir Skm RU Ro Kr St Nt Ich Da IR Mz** _ Bionomy: Larva on *Onopordum acanthium* (Calle et al., 2000).
- 61299. Eublemma (rosina-gr.) caelestis (Brandt,1938)** (Noctuidae) Synonym(s): *caelestis* Brandt,1938 _ Original Reference: *Porphyria caelestis* Brandt,1938, Ent. Rdsch. 55: 558-559, figs. 168-171. Syntypes: Iran: [Fars]: Fort Sine-Sefid, Comée. Range (in code): **IR Fa Zj Kd Bjr TR PK**
- 61300. Eublemma (rosina-gr.) panonicum (Freyer,1840)** (Noctuidae) Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844 _ Original Reference: *Anthophila panonica* Freyer,1840, Neuere Beitr. Schmett. 4: 67, Taf.330, figs.3,4. Syntypes: Unterungarn. Range (in code): **SK HU RO BG RU Ro Da Cc AZ Kir GG Smt Akh RU Ur At AF TR IR Elb Th Fa**
- 61301. Eublemma (rosina-gr.) panonicum panonicum (Freyer,1840)** (Noctuidae)
Synonym(s): *panonica* Freyer,1840; *kindermannii* Boisduval,1840; *lenis* Eversmann,1844 _ Original Reference: *Anthophila panonica* Freyer,1840, Neuere Beitr. Schmett. 4: 67, Taf.330, figs.3,4.

- Syntypes: Unterungarn. Range (in code): SK HU RO BG RU Ro Da Cc AZ Kir GG Smt Akh RU Ur At AF TR IR Elb Th Fa
- 61302. Eublemma (rosina-gr.) parallelum (Freyer,1842)** (Noctuidae) Synonym(s): *parallela* Freyer,1842; *concinula* Herrich-Schäffer,1851; *#densata* W.Warren,1912. Original Reference: *Anthophila parallela* Freyer,1842, Neuere Beitr. Schmett. 4: 123, Tab. 360, fig.2. Type(s): [Russia]: Sarepta. Range (in code): RU Ro MD UA BY TR GG AZ AM Cc IQ IR Elb Mz Dam Th Plr Nss KK
- 61303. Eublemma (rosina-gr.) purpurinum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *purpurina* [Denis & Schiffermüller],1775; *secunda* Staudinger,1901. Original Reference: *Noctua purpurina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 88. Type(s): [Austria]: Vienna district. Range (in code): DZ DhM Lbs TN KhH PT ES Mu FR Si IT CH AT PL CZ SK HU RO YU AL BG GR TR IR Elb Mz Th FI RU GG Smt Bjo Lag AZ Kir Nv Ord Cc Ro Kr St Ich Da Kyi MD UA BY CN Ui Ku Bionomy: Larva on *Cirsium* (Calle et al., 2000).
- 61304. Eublemma (rosina-gr.) pusillum (Eversmann,1834)** (Noctuidae) Synonym(s): *pusilla* Eversmann,1834; *proxima* Fischer von Waldheim,1840 Range (in code): MN At RU Or Ro St Cc AM UA TR
- 61305. Eublemma (rosina-gr.) rosinum (Hübner,[1803])** (Noctuidae) Synonym(s): *rosea* Hübner,1790 nec Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938. Original Reference: *Noctua rosina* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab. 61 fig.299. Type(s): Europa. Range (in code): ES IT AT RO BG GR RU Ro St Nt Ich Ing Da MD UA BY TR GG AZ AM Cc IR Fa Shr KG Tk Dj Li
- 61306. Eublemma (rosina-gr.) rosinum rosinum (Hübner,[1803])** (Noctuidae) Synonym(s): *rosea* Hübner,1790 nec Fourcroy,1785; *rosina* Hübner,[1803]; *decolorata* Wagner,1913; *sinuata* Schwingenschuss,1938. Original Reference: *Noctua rosina* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab. 61 fig.299. Type(s): Europa. Range (in code): ES IT AT RO BG GR RU Ro St Nt Ich Ing Da MD UA BY TR GG AZ AM Cc IR Fa Shr KG Tk Dj Li
- 61307. Eublemma (siticulosa-gr.) albinum (Staudinger,1898)** (Noctuidae) Synonym(s): *albina* Staudinger,1898 Range (in code): IL Pa Hf Js JO IR Elb Th Kdj Fa Shr Kd Snj Bne Mrv Bjr Lo
- 61308. Eublemma (siticulosa-gr.) leucotum Hampson,1910** (Noctuidae) Synonym(s): *leucota* Hampson,1910 Range (in code): IR Hz B-A Ss AF Srb Gbh Nu Bsg Pjr
- 61309. Eublemma (siticulosa-gr.) nives (Brandt,1938)** (Noctuidae) Synonym(s): *nives* Brandt,1938 Original Reference: *Porphyria nives* Brandt,1938, Ent. Rdsch. 55: 559-560, figs. 172-174. Syntypes: Iran: [Fars]: Fort Sine-Sefid. Range (in code): IR Fa Ss
- 61310. Eublemma (siticulosa-gr.) permixtum (Staudinger,1898)** (Noctuidae) Synonym(s): *permixta* Staudinger,1898; *mozabitica* Rothschild,1912. Original Reference: *Thalpochara permixta* Staudinger,1898, Dt. ent. Z., Iris 10 (1897): 266, pl.4 fig.7. Type: Algerien, Chellala. Range (in code): DZ Ajj Hes Onç Cel Gha Ogl Gle Omy BSa
- 61311. Eublemma (siticulosa-gr.) siticulosum (Lederer,1858)** (Noctuidae) Synonym(s): *siticulosa* Lederer,1858; *rushi* Wiltshire,1961. Original Reference: *Thalpochara siticulosa* [sic] Lederer,1858, Wien. ent. Monatschr. 2: 145, Taf.3 fig.2. Syntypes: Syria: Damask. Range (in code): TR SY Dms BH SA EG Sn JO
- 61312. Eublemma (siticulosa-gr.) taifensis Wiltshire,1980** (Noctuidae) Synonym(s): *taifensis* Wiltshire,1980 Range (in code): SA
- 61313. Eublemma acarodes Swinhoe,1907** (Noctuidae) Synonym(s): *acarodes* Swinhoe,1907 Range (in code): ZA
- 61314. Eublemma albidior Rothschild,1915** (Noctuidae) Synonym(s): *albidior* Rothschild,1915 Original Reference: *Eublemma albidior* Rothschild,1915, Ann. Mag. nat. Hist. (8) 16: 253. Type ♂: Algeria, Hoggar, Oued Ahmra (BMNH); also from Idelès, Amgid. Range (in code): DZ Idl Ah SD
- 61315. Eublemma albivenum (Hampson,1905)** (Noctuidae) Synonym(s): *albivena* Hampson,1905; *pallens* Le Cerf,1911. Range (in code): ZA
- 61316. Eublemma albivium Hampson,1914** (Noctuidae) Synonym(s): *albivia* Hampson,1914 Range (in code): ZA
- 61317. Eublemma amabilis Moore,1884** (Noctuidae) Synonym(s): *amabilis* Moore,1884 Range (in code): IN Cc GG
- 61318. Eublemma amasinum (Eversmann,1842)** (Noctuidae) Synonym(s): *amasina* Eversmann,1842 Range (in code): RU MD UA BY

- 61319. Eublemma amydrosum Rebel,1948** (Noctuidae) Synonym(s): *amydrosum* Rebel,1948
Range (in code): **EG JE**
- 61320. Eublemma apicatum Distant,1898** (Noctuidae) Synonym(s): *apicata* Distant,1898;
acrochiona Mabille,1900. Range (in code): **ZA Tva Gau Pre**
- 61321. Eublemma apicimaculum (Mabille,1880)** (Noctuidae) Synonym(s): *apicimacula*
Mabille,1880; truncata Hampson,1905 Range (in code): **MG ZA Nta Kzu YE SA**
- 61322. Eublemma apicipunctum (Saalmüller,1891)** (Noctuidae) Synonym(s): *apicipuncta*
Saalmüller,1891 Range (in code): **ZA**
- 61323. Eublemma aridum Rothschild,1913** (Noctuidae) Synonym(s): *arida* Rothschild,1913
Original Reference: *Eublemma arida* Rothschild,1913, Novit. zool. 20: 127. Syntypes 1♂ 1♀: S. of
El Golea. Range (in code): **DZ Gle**
- 61324. Eublemma aurantiaca Hampson,1910** (Noctuidae) Synonym(s): *aurantiaca*
Hampson,1910 Range (in code): **ZA**
- 61325. Eublemma bipartita Hampson,1902** (Noctuidae) Synonym(s): *bipartita* Hampson,1902
Range (in code): **ZA**
- 61326. Eublemma bolinia (Hampson,1902)** (Noctuidae) Synonym(s): *bolinia* Hampson,1902
Range (in code): **ZA**
- 61327. Eublemma caduca (Christoph,1893)** (Noctuidae) Synonym(s): *caduca* Christoph,1893
Range (in code): **Cc AZ Nv Ord**
- 61328. Eublemma chionophlebia Hampson,1910** (Noctuidae) Synonym(s): *albivena*
Hampson,1910 nec Hampson,1905; chionophlebia Hampson,1910. Range (in code): **ZA**
- 61329. Eublemma comoda Walker** (Noctuidae) Synonym(s): Range (in code): **TH**
- 61330. Eublemma costimacula (Saalmüller,1880)** (Noctuidae) Synonym(s): *costimacula*
Saalmüller,1880; plagiopera Hampson,1902 Range (in code): **MG ZA Nta Kzu Cto SA YE**
- 61331. Eublemma costivinata Berio,1945** (Noctuidae) Synonym(s): *costivinata* Berio,1945
Range (in code): **ET**
- 61332. Eublemma daphoena Hampson,1910** (Noctuidae) Synonym(s): *daphoena* Hampson,1910
Range (in code): **ZA**
- 61333. Eublemma delicata (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *delicata*
R.Felder & Rogenhofer,1874 Range (in code): **ZA**
- 61334. Eublemma dissoluta Rothschild,1921** (Noctuidae) Synonym(s): *dissoluta* Rothschild,1921
Range (in code): **NE**
- 61335. Eublemma dyscapna D.S.Fletcher,1961** (Noctuidae) Synonym(s): *dyscapna*
D.S.Fletcher,1961 Range (in code): **UG**
- 61336. Eublemma eburnea (Turati,1927)** (Noctuidae) Synonym(s): *eburnea* Turati,1927
Range (in code): **LY Cy**
- 61337. Eublemma elychrisi (Rambur,1833)** (Noctuidae) Synonym(s): *elychrisi* Rambur,1833
Range (in code): **Co Sa Si IT**
- 61338. Eublemma emir (Culot,1915)** (Noctuidae) Synonym(s): *emir* Culot,1915 Original
Reference: *Thalpocharis emir* Culot,1915, Noct. Geom. Eur. (19 1: 153, pl.68 fig.4. Type:
Géryville. Range (in code): **DZ Eba Ges**
- 61339. Eublemma epigramma (Staudinger,1889)** (Noctuidae) Synonym(s): *epigramma*
Staudinger,1889 Original Reference: *Thalpocharis epigramma* Staudinger,1889, Stettin ent. Ztg.
50: 53-54. Syntypes 2♂ 1♀: [Kirgizistan]: "südlich vom Issyk-Kul (Rückbeil leg.)". Range (in
code): **KK Ik KG Aa**
- 61340. Eublemma ernesti Rothschild,1915** (Noctuidae) Synonym(s): *ernesti* Rothschild,1915
Range (in code): **DZ**
- 61341. Eublemma eupethecica Hampson,1910** (Noctuidae) Synonym(s): *eupethecica*
Hampson,1910 Range (in code): **ZA**
- 61342. Eublemma exanimis Hampson,1918** (Noctuidae) Synonym(s): *exanimis* Hampson,1918
Range (in code): **MW Mje**
- 61343. Eublemma faroulti Rothschild,1911** (Noctuidae) Synonym(s): *faroulti* Rothschild,1911
Original Reference: *Eublemma faroulti* Rothschild,1911, Ann. Mag. nat. Hist. (8) 8: 231-232.
Type ♂: Algeria, Bou Saada, May 1911 (V.Faroult leg.). Range (in code): **DZ BSA**
- 61344. Eublemma flavescens Hampson,1918** (Noctuidae) Synonym(s): *flavescens* Hampson,1918
Range (in code): **MW Mje**

- 61345. *Eublemma flavia* Hampson, 1910** (Noctuidae) Synonym(s): *flavia* Hampson, 1910
Range (in code): **PA**
- 61346. *Eublemma flavibasis* Hampson, 1918** (Noctuidae) Synonym(s): *flavibasis* Hampson, 1918
Range (in code): **KE**
- 61347. *Eublemma flaviceps* Hampson, 1902** (Noctuidae) Synonym(s): *flaviceps* Hampson, 1902
Range (in code): **ZW Har**
- 61348. *Eublemma flaviciliata* Hampson, 1910** (Noctuidae) Synonym(s): *flaviciliata* Hampson, 1910
Range (in code): **NG**
- 61349. *Eublemma flavicosta* Hampson, 1910** (Noctuidae) Synonym(s): *flavicosta* Hampson, 1910
Range (in code): **ZA Tva Lpo Wri**
- 61350. *Eublemma flavida* Hampson, 1902** (Noctuidae) Synonym(s): *flavida* Hampson, 1902
Range (in code): **ZA Ec Tra**
- 61351. *Eublemma flavinia* (Hampson, 1902)** (Noctuidae) Synonym(s): *flavinia* Hampson, 1902
Range (in code): **ZA Tva Ptc**
- 61352. *Eublemma flavistriata* Hampson, 1910** (Noctuidae) Synonym(s): *flavistriata* Hampson, 1910
Range (in code): **KE**
- 61353. *Eublemma flavitermina* Hampson, 1910** (Noctuidae) Synonym(s): *flavitermina* Hampson, 1910
Range (in code): **ZA Fs Blo**
- 61354. *Eublemma foedosa* (Guenée, 1852)** (Noctuidae) Synonym(s): *foedosa* Guenée, 1852
Range (in code): **ZA**
- 61355. *Eublemma fugitivum* (Christoph, 1877)** (Noctuidae) Synonym(s): *fugitiva* Christoph, 1877
Range (in code): **IR Kh TR**
- 61356. *Eublemma fulvitermina* Hampson, 1910** (Noctuidae) Synonym(s): *fulvitermina* Hampson, 1910
Range (in code): **ZA**
- 61357. *Eublemma geyri* Rothschild, 1915** (Noctuidae) Synonym(s): *geyri* Rothschild, 1915
Original Reference: *Eublemma geyri* Rothschild, 1915, Ann. Mag. nat. Hist. (8) 16: 252. Syntypes 3♀: [Algeria]: Tahihout (BMNH). Range (in code): **DZ Thh Ah Sfr Ajj TN**
- 61358. *Eublemma glaucizona* Hampson, 1908** (Noctuidae) Synonym(s): *glaucizona* Hampson, 1908
Range (in code): **ZA**
- 61359. *Eublemma glaucochroa* Hampson, 1910** (Noctuidae) Synonym(s): *glaucochroa* Hampson, 1910
Range (in code): **AU NC**
- 61360. *Eublemma goniogramma* Hampson, 1910** (Noctuidae) Synonym(s): *goniogramma* Hampson, 1910
Range (in code): **ZA Tva**
- 61361. *Eublemma griseofimbriata* Gaede, 1935** (Noctuidae) Synonym(s): *griseofimbriata* Gaede, 1935
Range (in code): **ZA Tva**
- 61362. *Eublemma guiera* Bradley, 1969** (Noctuidae) Synonym(s): *guiera* Bradley, 1969
Range (in code): **NG**
- 61363. *Eublemma hemichiona* Hampson, 1918** (Noctuidae) Synonym(s): *hemichiona* Hampson, 1918
Range (in code): **ZA MW Mje**
- 61364. *Eublemma himmighoffeni* (Millière, 1867)** (Noctuidae) Synonym(s): *himmighoffeni* Millière, 1867
Range (in code): **ZA**
- 61365. *Eublemma hypozonata* Hampson, 1910** (Noctuidae) Synonym(s): *hypozoneata* Hampson, 1910
Range (in code): **KE**
- 61366. *Eublemma ignefusa* Hampson, 1910** (Noctuidae) Synonym(s): *ignefusa* Hampson, 1910
Range (in code): **MY SG**
- 61367. *Eublemma kettlewelli* Wiltshire, 1988** (Noctuidae) Synonym(s): *kettlewelli* Wiltshire, 1988
Range (in code): **ZA**
- 61368. *Eublemma lentirosea* Hampson, 1910** (Noctuidae) Synonym(s): *lentirosea* Hampson, 1910
Range (in code): **ZA Fs Blo**
- 61369. *Eublemma leucanitis* Hampson, 1910** (Noctuidae) Synonym(s): *leucanitis* Hampson, 1910
Range (in code): **ZA**
- 61370. *Eublemma leucodicranon* Grünberg, 1910** (Noctuidae) Synonym(s): *leucodicranon* Grünberg, 1910
Range (in code): **ZA**
- 61371. *Eublemma leucomelana* Hampson, 1902** (Noctuidae) Synonym(s): *leucomelana* Hampson, 1902
Range (in code): **ZA**
- 61372. *Eublemma leuconeura* Hampson, 1910** (Noctuidae) Synonym(s): *leuconeura* Hampson, 1910
Range (in code): **ZA**

- 61373. *Eublemma leucozona* Hampson,1910** (Noctuidae) Synonym(s): *leucozona* Hampson,1910
Range (in code): ZA
- 61374. *Eublemma marmorata* Wileman & West,1929** (Noctuidae) Synonym(s): *marmorata* Wileman & West,1929 Range (in code): PH Luz
- 61375. *Eublemma maxima* Fibiger & Hacker,2002** (Noctuidae) Synonym(s): *maxima* Fibiger & Hacker,2002 Range (in code): YE
- 61376. *Eublemma melabasis* Hampson,1914** (Noctuidae) Synonym(s): *melabasis* Hampson,1914
Range (in code): ZA NG
- 61377. *Eublemma melanodonta* Hampson,1910** (Noctuidae) Synonym(s): *melanodonta* Hampson,1910 Range (in code): ZA Tva Gau Jh
- 61378. *Eublemma mesozona* Hampson,1914** (Noctuidae) Synonym(s): *mesozona* Hampson,1914
Range (in code): GH
- 61379. *Eublemma miasma* (Hampson,1891)** (Noctuidae) Synonym(s): *miasma* Hampson,1891
Range (in code): IN NI CN PH ID Clb AU QAU NH NC
- 61380. *Eublemma minutoides* Poole,1989** (Noctuidae) Synonym(s): *minuta* Hampson,1910 *nec* Hbn.,[1809]; *minutoides* Poole,1989 Range (in code): KE
- 61381. *Eublemma misturata* Hampson,1910** (Noctuidae) Synonym(s): *misturata* Hampson,1910
Range (in code): ZA UG
- 61382. *Eublemma monotona* Le Cerf,1911** (Noctuidae) Synonym(s): *monotona* Le Cerf,1911
Range (in code): KE
- 61383. *Eublemma nigrivitta* Hampson,1902** (Noctuidae) Synonym(s): *nigrivitta* Hampson,1902
Range (in code): ZA Ec Ans
- 61384. *Eublemma nyctichroa* Hampson,1910** (Noctuidae) Synonym(s): *nyctichroa* Hampson,1910 Range (in code): KE
- 61385. *Eublemma nyctopa* Bethune-Baker,1911** (Noctuidae) Synonym(s): *nyctopa* Bethune-Baker,1911 Range (in code): AO
- 61386. *Eublemma obscura* (C.G.Krüger,1939)** (Noctuidae) Synonym(s): *obscura* C.G.Krüger,1939 Range (in code): LY
- 61387. *Eublemma ochricosta* Hampson,1916** (Noctuidae) Synonym(s): *ochricosta* Hampson,1916
Range (in code): SO
- 61388. *Eublemma ochrobasis* Hampson,1910** (Noctuidae) Synonym(s): *ochrobasis* Hampson,1910 Range (in code): ZA Ec
- 61389. *Eublemma ochrochroa* Hampson,1910** (Noctuidae) Synonym(s): *ochrochroa* Hampson,1910 Range (in code): SL
- 61390. *Eublemma olivacea* (Walker,1857)** (Noctuidae) Synonym(s): *olivacea* Walker,1857
Range (in code):
- 61391. *Eublemma olmii* Berio,1937** (Noctuidae) Synonym(s): *olmii* Berio,1937 Range (in code): ET Ogd
- 61392. *Eublemma ornatula* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *ornatula* R.Felder & Rogenhofer,1874 Range (in code): ZA
- 61393. *Eublemma pendula* De Joannis,1928** (Noctuidae) Synonym(s): *pendula* De Joannis,1928
Range (in code): VN Ton
- 61394. *Eublemma penicillata* Hampson,1902** (Noctuidae) Synonym(s): *penicillata* Hampson,1902 Range (in code): ZA
- 61395. *Eublemma peralba* (Schawerda,1923)** (Noctuidae) Synonym(s): *peralba* Schawerda,1923
Range (in code): IQ Mos
- 61396. *Eublemma perkeo* Rothschild,1921** (Noctuidae) Synonym(s): *perkeo* Rothschild,1921
Range (in code): NE
- 61397. *Eublemma perobliqua* Hampson,1910** (Noctuidae) Synonym(s): *perobliqua* Hampson,1910 Range (in code): KE
- 61398. *Eublemma phaeapera* Hampson,1910** (Noctuidae) Synonym(s): *phaeapera* Hampson,1910 Range (in code): NG Lgo
- 61399. *Eublemma plumbosa* Distant,1899** (Noctuidae) Synonym(s): *plumbosa* Distant,1899
Range (in code): ZA Tva Gau Pre ZW Har
- 61400. *Eublemma porphyrescens* Hampson,1914** (Noctuidae) Synonym(s): *porphyrescens* Hampson,1914 Range (in code): NG

- 61401. Eublemma porphyria (Freyer,1845)** (Noctuidae) Synonym(s): *porphyria* Freyer,1845
Range (in code): **RO BG RU Cc AZ Kir**
- 61402. Eublemma postrosea Gaede,1935** (Noctuidae) Synonym(s): *postrosea* Gaede,1935
Range (in code): **ZA**
- 61403. Eublemma postrufa Hampson,1914** (Noctuidae) Synonym(s): *postrufa* Hampson,1914
Range (in code): **ZA KE Nai**
- 61404. Eublemma proleuca Hampson,1910** (Noctuidae) Synonym(s): *proleuca* Hampson,1910
Range (in code): **NG**
- 61405. Eublemma psamathea Hampson,1910** (Noctuidae) Synonym(s): *psamathea* Hampson,1910
Range (in code): **KE**
- 61406. Eublemma pseudonotua Rothschild,1921** (Noctuidae) Synonym(s): *pseudonotua* Rothschild,1921
Range (in code): **NE**
- 61407. Eublemma pudica (Snellen,1880)** (Noctuidae) Synonym(s): *pudica* Snellen,1880
Range (in code): **WS FJ MY IN PH AU QAU NC**
- 61408. Eublemma pulverulenta (W.Warren & Rothschild,1905)** (Noctuidae) Synonym(s): *pulverulenta* W.Warren & Rothschild,1905
Range (in code): **SD**
- 61409. Eublemma punctilinea Hampson,1902** (Noctuidae) Synonym(s): *punctilinea* Hampson,1902
Range (in code): **ZA**
- 61410. Eublemma pyrastis Hampson,1910** (Noctuidae) Synonym(s): *pyrastis* Hampson,1910
Range (in code): **ZA Tva**
- 61411. Eublemma pyrochroa Hampson,1918** (Noctuidae) Synonym(s): *pyrochroa* Hampson,1918
Range (in code): **GH**
- 61412. Eublemma pyrosticta De Joannis,1910** (Noctuidae) Synonym(s): *pyrosticta* De Joannis,1910
Range (in code): **RE**
- 61413. Eublemma quinarioides Berio,1947** (Noctuidae) Synonym(s): *quinarioides* Berio,1947
Range (in code): **ER**
- 61414. Eublemma reninigra Berio,1945** (Noctuidae) Synonym(s): *reninigra* Berio,1945
Range (in code): **SO Mga**
- 61415. Eublemma reussi Gaede,1935** (Noctuidae) Synonym(s): *reussi* Gaede,1935
Range (in code): **TZ Dss**
- 61416. Eublemma rivula (Moore,1882)** (Noctuidae) Synonym(s): *rivula* Moore,1882; *pusilla* Butler,1886
Range (in code): **WS FJ AU MY IN PC NC PF ZA**
- 61417. Eublemma roseocincta Hampson,1910** (Noctuidae) Synonym(s): *roseocincta* Hampson,1910
Range (in code): **KE**
- 61418. Eublemma rosinans D.Lucas,1938** (Noctuidae) Synonym(s): *rosinans* D.Lucas,1938
Range (in code): **MA**
- 61419. Eublemma rubripuncta (Hampson,1902)** (Noctuidae) Synonym(s): *rubripuncta* Hampson,1902
Range (in code): **ZA**
- 61420. Eublemma rufimixta Hampson,1918** (Noctuidae) Synonym(s): *rufimixta* Hampson,1918
Range (in code): **ZA**
- 61421. Eublemma rufogalactea Holloway,1979** (Noctuidae) Synonym(s): *rufogalactea* Holloway,1979
Range (in code): **NC**
- 61422. Eublemma rushi (Wiltshire,1961)** (Noctuidae) Synonym(s): *rushi* Wiltshire,1961
Range (in code): **BH**
- 61423. Eublemma sabia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *sabia* R.Felder & Rogenhofer,1874
Range (in code): **ZA Ec Cto**
- 61424. Eublemma savour Berio,1950** (Noctuidae) Synonym(s): *savour* Berio,1950
Range (in code): **ER**
- 61425. Eublemma scituloides Rebel,1917** (Noctuidae) Synonym(s): *scituloides* Rebel,1917
Range (in code): **SD**
- 61426. Eublemma scotina D.S.Fletcher,1963** (Noctuidae) Synonym(s): *scotina* D.S.Fletcher,1963
Range (in code): **UG**
- 61427. Eublemma scotopis Bethune-Baker,1911** (Noctuidae) Synonym(s): *scotopis* Bethune-Baker,1911
Range (in code): **NG**
- 61428. Eublemma seminivea Hampson,1896** (Noctuidae) Synonym(s): *seminivea* Hampson,1896
Range (in code): **ZA YE Ad**

- 61429. Eublemma sperans (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *sperans* R.Felder & Rogenhofer,1874 _ Range (in code): **ZA Ec Cto**
- 61430. Eublemma stictilinea Hampson,1910** (Noctuidae) Synonym(s): *stictilinea* Hampson,1910 Range (in code): **ZA Ec Tra**
- 61431. Eublemma stygiodonta Hampson,1910** (Noctuidae) Synonym(s): *stygiodonta* Hampson,1910 _ Range (in code): **ZA**
- 61432. Eublemma suppuncta (Staudinger,1892)** (Noctuidae) Synonym(s): *suppuncta* Staudinger,1892; *#suppuncta* Hacker,1988 Original Reference: *Thalpocares suppuncta* Staudinger,1892, Dt. ent. Z.,Iris 4: 319-320. Syntypes: [Türkei]: Marasch, Mardin. Range (in code): **TR LB IL Pa JO IQ IR Th Elb Kdj Kd Snj Ariz Bjr Zj Lo Km Mia**
- 61433. Eublemma symphona A.E.Prout,1925** (Noctuidae) Synonym(s): *symphona* A.E.Prout,1925 _ Range (in code): **MA**
- 61434. Eublemma therma Hampson,1910** (Noctuidae) Synonym(s): *therma* Hampson,1910 Range (in code): **ZA KE**
- 61435. Eublemma thermochroa Hampson,1910** (Noctuidae) Synonym(s): *thermochroa* Hampson,1910 _ Range (in code): **ZA Ec**
- 61436. Eublemma thermosticta Hampson,1910** (Noctuidae) Synonym(s): *thermosticta* Hampson,1910 _ Range (in code): **ZA Tva**
- 61437. Eublemma titanica Hampson,1910** (Noctuidae) Synonym(s): *titanica* Hampson,1910 Range (in code): **ZA Tva**
- 61438. Eublemma trigramma Hampson,1910** (Noctuidae) Synonym(s): *trigramma* Hampson,1910 _ Range (in code): **ZW Uma**
- 61439. Eublemma tritonium (Hampson,1902)** (Noctuidae) Synonym(s): *tritonium* Hampson,1902; *atristipata* Hampson,1926. _ Range (in code): **ZW Uma**
- 61440. Eublemma uninotatum Hampson,1902** (Noctuidae) Synonym(s): *uninotata* Hampson,1902 _ Range (in code): **ZA Nta Kzu Est**
- 61441. Eublemma variochreum Holloway,1979** (Noctuidae) Synonym(s): *variochrea* Holloway,1979 _ Range (in code): **NC**
- 61442. Eublemma versicolor Walker** (Noctuidae) Synonym(s): _ Range (in code): **TH**
- 61443. Eublemma xanthocraspis Hampson,1910** (Noctuidae) Synonym(s): *xanthocraspis* Hampson,1910 _ Range (in code): **ZA KE**
- 61444. Eublemmistis chlorozonea Hampson,1902** (Noctuidae) Synonym(s): *chlorozonea* Hampson,1902 _ Range (in code): **ZA**
- 61445. Eubryopterella sp.** (Noctuidae) Synonym(s): _ Range (in code): **MY Bor TH Ntt Hba**
- 61446. Eubryopterella vaneekerei Roepke,1938** (Noctuidae) Synonym(s): *vaneekerei* Roepke,1938 Range (in code): **ID Clb**
- 61447. Eucarta amethystina (Hübner,[1803])** (Noctuidae) Synonym(s): *amethystina* Hübner,[1803]; *austera* W.Warren,1911. Original Reference: *Noctua amethystina* Hübner,[1803], Samml. eur. Schmett. 2: Taf.14 fig.69. Type: Europa. Range (in code): **ES FR IT DE CH AT PL SK HU RO YU AL BG TR RU Cc Ro Ich MD UA BY JP** Bionomy: Larva on *Daucus*, *Silaus*, *Peucedanum* (Hacker,1989).
- 61448. Eucarta virgo (Treitschke,1835)** (Noctuidae) Synonym(s): *virgo* Treitschke,1835; *virginalis* Bryk,1949; *griseofulgens* Kovacs,1968. Original Reference: *Abrostola virgo* Treitschke,1835, Schmett. Eur. 10 (2): 130. Syntypes: Syrmien. Range (in code): **IT CH AT PL CZ SK HU RO HV BG Cc GG Aj Btm RU Ro Am MD UA BY KP KR JP** Bionomy: Larva on *Chrysanthemum vulgare*, *Mentha aquatica*, *Salix viminalis*, *Taraxacum* (Hacker,1989).
- 61449. Eucarta virgo roseonitens (Sheljuzhko,1927)** (Noctuidae) Synonym(s): *roseonitens* Sheljuzhko,1927 Original Reference: *Callogonia virgo roseonitens* Sheljuzhko,1927, Lep. Rdsch. 1: 135. Type: [Georgia]: Batum. Range (in code): **RU Ro Cc GG Aj Btm**
- 61450. Euchalcia altaica Dufay,1968** (Noctuidae) Synonym(s): *altaica* Dufay,1968 Original Reference: *Euchalcia altaica* Dufay,1968, Veröff. zool. Staats. Münch. 12: 39-42, Pl.1 fig.4. Holotype ♂: [Russia]: Ongadai, Altai Mts. (ZMB). Range (in code): **RU At**
- 61451. Euchalcia annemaria De Freina & Hacker,1985** (Noctuidae) Synonym(s): *annemaria* De Freina & Hacker,1985 Original Reference: *Euchalcia annemaria* De Freina & Hacker,1985, Entomofauna 6 (19): 258-260, Abb. 25-27. Holotype ♂: [Türkei]: Hakkari: Altin Dağları, E. Suvarihalil Pass, 2400m, 40km WSW Hakkari, 27.6.1984 (leg. Wolf, coll. Hacker). Range (in code): **TR**

- 61452. *Euchalcia anthea* L.Ronkay & G.Ronkay & Behounek,2008** (Noctuidae)
Synonym(s): *anthea* L.Ronkay & G.Ronkay & Behounek,2008 _AF Bd TJ Pm UZ KK Ik TM Kp KG Aa TrA
- 61453. *Euchalcia augusta* (Staudinger,1892)** (Noctuidae) Synonym(s): *augusta* Staudinger,1892
Original Reference: *Plusia augusta* Staudinger,1892, Dt. ent. Z., Iris 4: 309-310, Taf. iv fig.5.
Lectotype ♂: [Türkei]: Aintab [=Gaziantep] (designated by Dufay,1968) (ZMB). Range (in code): TR CY SY Hal
- 61454. *Euchalcia augusta augusta* (Staudinger,1892)** (Noctuidae) Synonym(s): *augusta* Staudinger,1892
Original Reference: *Plusia augusta* Staudinger,1892, Dt. ent. Z., Iris 4: 309-310, Taf. iv fig.5. Lectotype ♂: [Türkei]: Aintab [=Gaziantep] (designated by Dufay,1968) (ZMB).
Range (in code): TR CY
- 61455. *Euchalcia augusta wolffi* Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *wolffi* Hacker & Ronkay,1992
Original Reference: *Euchalcia* (s.str.) *augusta* ssp. *wolffi* Hacker & Ronkay,1992, Esperiana 3: 469-470, figs. Holotype ♀: Turkey, Prow. Elazığ, Hazer lake, NE shore, 1220m, 8.vi.1986, W.Wolf leg. (coll. Hacker). Range (in code): TR
- 61456. *Euchalcia bactrianae* Dufay,1968** (Noctuidae) Synonym(s): *bactrianae* Dufay,1968
Range (in code):
- 61457. *Euchalcia bellieri* (Kirby,1900)** (Noctuidae) Synonym(s): *uralensis* Bellier,1859 nec Ev.,1842; *bellieri* Kirby,1900; *galloi* Berio,1989. _Range (in code): FR IT
- 61458. *Euchalcia biezankoi* (Alberti,1965)** (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#biezankoi* Hacker,[1987].
Original Reference: *Plusia* (*Euchalcia*) *biezankoi* Alberti,1965, Dt. ent. Z. (N.F.) 12 (4/5): 365-368, figs. Holotype ♂: Russia: "Sarepta". Range (in code): RU Sr Ur Cc St Ich GG TR
- 61459. *Euchalcia biezankoi biezankoi* (Alberti,1965)** (Noctuidae) Synonym(s): *biezankoi* Alberti,1965; *#biezankoi* Hacker,[1987].
Original Reference: *Plusia* (*Euchalcia*) *biezankoi* Alberti,1965, Dt. ent. Z. (N.F.) 12 (4/5): 365-368, figs. Holotype ♂: Russia: "Sarepta". Range (in code): RU St Ich Cc Sr Ur
- 61460. *Euchalcia biezankoi defreinae* Hacker,[1987]** (Noctuidae) Synonym(s): *defreinae* Hacker,[1987].
Original Reference: *Euchalcia biezankoi* [sic!] ssp. *defreinae* Hacker,[1987], Atalanta 17 (1/4): 58. Holotype ♂: [Türkei]: Prov. Van, 30km. N, Güzeldere Geçidi 2700-2800m, 7-9.vii.1980 (leg. & coll. de Freina). Range (in code): TR
- 61461. *Euchalcia chalcophanes* Dufay,1963** (Noctuidae) Synonym(s): *chalcophanes* Dufay,1963
Original Reference: *Euchalcia chalcophanes* Dufay,1963, Bull. Soc. linn. Lyon 1963: 69-70. Holotype ♂: Iran: Elburs Mts. Range (in code): TR IR Elb Mz Kd Bne Mrv Sqq Qz By Kdv Fa
- 61462. *Euchalcia chlorocharis* (Dufay,1961)** (Noctuidae) Synonym(s): *chlorocharis* Dufay,1961
Range (in code): GR MK
- 61463. *Euchalcia consona* (Fabricius,1787)** (Noctuidae) Synonym(s): *consona* Fabricius,1787
Original Reference: *Noctua consona* Fabricius,1787, Mant. Ins. 2: 163. Type(s): Austria. Range (in code): DE AT PL CZ SK HU RO MK BG GR RU AZ Nv Ord Cc Ro Kr Ich Ing Da MD UA BY
- 61464. *Euchalcia cuprescens* Dufay,1966** (Noctuidae) Synonym(s): *cuprescens* Dufay,1966
Range (in code): TR RU Cc Kr St Kis Kc Teb
- 61465. *Euchalcia dorsiflava* (Standfuss,1892)** (Noctuidae) Synonym(s): *dorsiflava* Standfuss,1892
Original Reference: *Plusia emichi* var. *dorsiflava* Standfuss,1892, [in] Romanoff, Mém. lép. 6: 666-667, Pl.xv fig.6. Type(s): [Türkei]: Mardin (P.Sintenis). Range (in code): TR
- 61466. *Euchalcia emichi* (Rogenhofer,1873)** (Noctuidae) Synonym(s): *emichi* Rogenhofer,1873
Original Reference: *Plusia emichi* Rogenhofer,1873, Verh. zool.-bot. Ges. Wien 23: 569-570. Syntypes ♂♀: [Türkei]: "am Gjaur Dag 8Amanus, 4000". Range (in code): TR LB Bsa SY Cc AM IR Elb Ab Oru Mak Tbz Mey Ak Ar IL Pa
Bionomy: Larva on Pulmonaria (Rogenhofer,1873; Staudinger,1879).
- 61467. *Euchalcia erzsebet* L.Ronkay, G.Ronkay & Behounek,2008** (Noctuidae)
Synonym(s): *erzsebet* L.Ronkay, G.Ronkay & Behounek,2008 _AF Pag PK Ld Asr Gg
- 61468. *Euchalcia eva* L.Ronkay, G.Ronkay & Behounek,2008** (Noctuidae) Synonym(s): *eva* L.Ronkay, G.Ronkay & Behounek,2008 _AF Bm
- 61469. *Euchalcia gerda* (Püngeler,1907)** (Noctuidae) Synonym(s): *gerda* Püngeler,1907
Range (in code): KK Ik CN Ts Kno
- 61470. *Euchalcia gyulaii* L.Ronkay, G.Ronkay & Behounek,2008** (Noctuidae) Synonym(s): *gyulaii* L.Ronkay, G.Ronkay & Behounek,2008 _KK TJ

- 61471. *Euchalcia hedeia* Dufay, 1978** (Noctuidae) Synonym(s): *hedeia* Dufay, 1978; *#hedeja* Hacker, 1990; *aureolineata* L. Ronkay & Gyulai, 1997 Original Reference: *Euchalcia hedeia* Dufay, 1978, Bull. mens. Soc. linn. Lyon 47 (2): 71-72, fig. 1. Holotype ♂: [Turquie]: Anatolie orientale, Van Gölü env. 1800m, 1/31.vii.1965, H. Noack leg (LNK). Range (in code): **TR SY IR Ab Sdt**
- 61472. *Euchalcia herrichi* Staudinger, 1861** (Noctuidae) Synonym(s): *herrichi* Staudinger, 1861 Original Reference: *Euchalcia herrichi* Staudinger, 1861, Stettin ent. Ztg. 22: 288. Lectotype ♂: [Kazachstan]: Saisan: Lepsa (ZMB). Range (in code): **Cc GG KG Ssn Lps Tk Aa CN Ui Ku T-S KK Ik Ax TeA**
- 61473. *Euchalcia hissarica* Kljutshko, 1983** (Noctuidae) Synonym(s): *hissarica* Kljutshko, 1983 Range (in code): **UZ**
- 61474. *Euchalcia hyrcaniae* Dufay, 1963** (Noctuidae) Synonym(s): *hyrcaniae* Dufay, 1963 Range (in code): **TR IR Elb Mz Cc GG Smt Akh AM**
- 61475. *Euchalcia hyrcaniae armeniae* Dufay, 1966** (Noctuidae) Synonym(s): *armeniae* Dufay, 1966; *#armeninae* Hacker, 1986. Range (in code): **Cc GG Smt Akh AM**
- 61476. *Euchalcia hyrcaniae hyrcaniae* Dufay, 1963** (Noctuidae) Synonym(s): *hyrcaniae* Dufay, 1963; *armeniae sensu auct. nec Dufay* Range (in code): **TR IR Elb Mz**
- 61477. *Euchalcia incredibilis* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *incredibilis* Hacker & Ebert, 2002 Original Reference: *Euchalcia incredibilis* Hacker & Ebert, 2002, Esperiana 9: 265, pl. 15 fig. 13. Holotype ♂: Iran, "30km S Rezaiyeh" [Urmia] 1400m. leg. Amsel (SMNK). Range (in code): **IR Ab Oru Ak Tbz**
- 61478. *Euchalcia italica* (Staudinger, 1882)** (Noctuidae) Synonym(s): *italica* Staudinger, 1882 Range (in code): **IT**
- 61479. *Euchalcia kautti* Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *kautti* Hacker & Ronkay, 1992 Original Reference: *Euchalcia* (s.str.) *kautti* Hacker & Ronkay, 1992, Esperiana 3: 466-469, figs. Holotype ♀: W-Türkei: İçel, 900m, 45km N. Tarsus, 11-12.v.1990, H. & P. Kautt leg. (coll. Hacker). Range (in code): **TR**
- 61480. *Euchalcia kitchingi* Hacker & Ronkay, 1992** (Noctuidae) Synonym(s): *kitchingi* Hacker & Ronkay, 1992 Original Reference: *Euchalcia* (Pseudochalcia) *kitchingi* Hacker & Ronkay, 1992, Esperiana 3: 459-461, figs. Holotype ♂: Türkiye: Hakkari, Tanin Tanin Dağları, Elkek geçidi W-Seite 2300m, 6km ENE Uludere, 26.vi.1984, leg. Weigert (coll. Weigert). Range (in code): **TR**
- 61481. *Euchalcia maria* (Staudinger, 1892)** (Noctuidae) Synonym(s): *maria* Staudinger, 1892 Original Reference: *Plusia maria* Staudinger, 1892, Dt. ent. Z., Iris 4: 311. Syntypes 4♂: [Israel]: Jerusalem. Lectotype ♂, illustr. Shilap Revta lepid. 34 (136): fig. 4. Range (in code): **TR IL Pa Js JO LB SY EG Sn**
- 61482. *Euchalcia matovi* Volynkin & Titov, 2014** (Noctuidae) Synonym(s): *matovi* Volynkin & Titov, 2014 Range (in code): **KG Sp Tar**
- 61483. *Euchalcia modestoides* Poole, 1989** (Noctuidae) Synonym(s): *modesta* Hübner, 1787 *nec* Müll., 1764; *modestoides* Poole, 1989 Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG TR FI EE LV LT RU GG Smt Akh At Cc Ro Kr Kc St Da MD UA BY KG MN**
- 61484. *Euchalcia obscurior* (Alberti, 1965)** (Noctuidae) Synonym(s): *obscurior* Alberti, 1965. Original Reference: *Plusia variabilis* ssp. *obscurior* Alberti, 1965, Dt. ent. Z. (N.F.) 12 (4/5): 368. Holotype ♂: Russia: "Dombai, 1650m" (ZMB). Range (in code): **RU Kb Kc Dom Ich Ing Da GG Cc TR**
- 61485. *Euchalcia olga* Kravchenko, Müller, Fibiger, Mooser & L. Ronkay, 2006** (Noctuidae) Synonym(s): *olga* Kravchenko, Müller, Fibiger, Mooser & L. Ronkay, 2006 Original Reference: *Euchalcia olga* Kravchenko, Müller, Fibiger, Mooser & L. Ronkay, 2006, Shilap Revta lepid. 34 (136): 346-352, figs. Holotype ♂: Israel, northern Negev, Mamshit NR, 400m (TAU). Range (in code): **IL Pa Ngv**
- 61486. *Euchalcia orophasma* (Boursin, 1960)** (Noctuidae) Synonym(s): *orophasma* Boursin, 1960; *griseus* Klyuchko, 1987; *avinovi* Klyuchko, 1987 Range (in code): **AF Ch TJ Pm PK**
- 61487. *Euchalcia paulina* (Staudinger, 1892)** (Noctuidae) Synonym(s): *paulina* Staudinger, 1892 Original Reference: *Plusia paulina* Staudinger, 1892, Dt. ent. Z., Iris 4: 310-311. Lectotype ♂: [Israel]: Jerusalem (Paulus leg.) (designated by Dufay, 1968) (ZMB). Range (in code): **TR IL Pa Js JO**
- 61488. *Euchalcia paulina albiscripta* Hacker & Ronkay, (Noctuidae) Synonym(s): *albiscripta* Hacker & Ronkay, Range (in code): **TR****
- 61489. *Euchalcia renardi* (Eversmann, 1844)** (Noctuidae) Synonym(s): *renardi* Eversmann, 1844; *eversmanni* Staudinger, 1896 Range (in code): **RU Sb MN At KG**

- 61490. *Euchalcia seitzii* L.Ronkay, G.Ronkay & Behounek, 2008** (Noctuidae) **Synonym(s):** *seitzii* L.Ronkay, G.Ronkay & Behounek, 2008 **Original Reference:** *Euchalcia seitzii* L.Ronkay, G.Ronkay & Behounek, 2008, Witt Cat. Plusiinae I: 61, figs. Holotype ♂: Turkey, Prov. Diyarbakır, 5km E Silvan, Bagle köyü [Bahçe], 14-15 vi 1995 leg. Németh (coll.P.Gyulai). **TR**
- 61491. *Euchalcia serraticornis* Dufay, 1965** (Noctuidae) **Synonym(s):** *serraticornis* Dufay, 1965 **Range (in code):** **PK Bt Skd**
- 61492. *Euchalcia siderifera* (Eversmann, 1846)** (Noctuidae) **Synonym(s):** *siderifera* Eversmann, 1846 **Range (in code):** **IT? GR TR RU Ur TM IR Elb Mz Cc AM KG**
- 61493. *Euchalcia siderifera achaiiae* Dufay, 1968** (Noctuidae) **Synonym(s):** *achaiiae* Dufay, 1968 **Range (in code):** **GR**
- 61494. *Euchalcia siderifera siderifera* (Eversmann, 1846)** (Noctuidae) **Synonym(s):** *siderifera* Eversmann, 1846 **Range (in code):** **IT? GR TR**
- 61495. *Euchalcia stilpna* Dufay, 1969** (Noctuidae) **Synonym(s):** *stilpna* Dufay, 1969 **Original Reference:** *Euchalcia stilpna* Dufay, 1969, Opusc. zool. 110: 1-4, fig.1. Holotype ♀: Iran: Prov. Tehran, Gatschar, Gharib leg (ZSM). **Range (in code):** **IR Elb Th Mz Kdv Kdj**
- 61496. *Euchalcia taurica* (Osthelder, 1933)** (Noctuidae) **Synonym(s):** *taurica* Osthelder, 1933 **Original Reference:** *Phytometra consona* ssp. *taurica* Osthelder, 1933, Mitt. münch. ent. Ges. 23: 97. Syntypes: [Türkei]: Maraş, Durnali, Bertiz Jaila. **Range (in code):** **TR Cc AZ IR Ab Bzg Ak Ar Mz Qz Zj Bjr Fa Es Lo Th Elb Dam Kd Fa Kz Yas Skh AM IQ**
- 61497. *Euchalcia uralensis* (Eversmann, 1842)** (Noctuidae) **Synonym(s):** *uralensis* Eversmann, 1842 **Original Reference:** *Plusia illustris* var. *uralensis* Eversmann, 1842, Bull. Soc. nat. Moscou 1842: 553. **Range (in code):** **RU Ur**
- 61498. *Euchalcia variabilis* (Piller & Mitterpacher, 1783)** (Noctuidae) **Synonym(s):** *variabilis* Piller & Mitterpacher, 1783; *cuprea* Esper, 1787; *illustris* Fabricius, 1787; *fuscolivacea* Varga & Ronkay, 1984 **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO BG GR TR MD UA BY Sb Am MN CN KP KR JP**
- 61499. *Euchalcia variabilis mongolica* (Staudinger & Rebel, 1901)** (Noctuidae) **Synonym(s):** *mongolica* Staudinger & Rebel, 1901 **Range (in code):** **RU Sb Am MN CN KP KR JP**
- 61500. *Euchalcia variabilis variabilis* (Piller & Mitterbacher, 1783)** (Noctuidae) **Synonym(s):** *variabilis* Piller & Mitterpacher, 1783; *cuprea* Esper, 1787; *illustris* Fabricius, 1787 **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO BG GR FI**
- 61501. *Euchalcia viridis* (Staudinger, 1901)** (Noctuidae) **Synonym(s):** *viridis* Staudinger, 1901 **Range (in code):** **TR IQ IR Elb Th Zj Kd Bjr AF Cc AZ Nv KK KG**
- 61502. *Euchalcia viridis phrygiae* Dufay, 1963** (Noctuidae) **Synonym(s):** *phrygiae* Dufay, 1963 **Range (in code):** **TR**
- 61503. *Euchalcia viridis viridis* (Staudinger, 1901)** (Noctuidae) **Synonym(s):** *viridis* Staudinger, 1901 **Range (in code):** **TR Cc AZ Nv**
- 61504. *Euchalcia xanthoides* Dufay, 1968** (Noctuidae) **Synonym(s):** *xanthoides* Dufay, 1968 **PK Ch Haz Kag**
- 61505. *Eucladodes achrrophilus* Laporte, 1976** (Noctuidae) **Synonym(s):** *achrorophilus* Laporte, 1976 **Range (in code):** **ET ET45**
- 61506. *Eucladodes baleensis* Laporte, 1976** (Noctuidae) **Synonym(s):** *baleensis* Laporte, 1976 **Range (in code):** **ET Ble ET86**
- 61507. *Eucladodes oeneus* (Fawcett, 1917)** (Noctuidae) **Synonym(s):** *oeneus* Fawcett, 1917 **Range (in code):** **KE Mru**
- 61508. *Euclidia fortalitium* (Tauscher, 1809)** (Noctuidae) **Synonym(s):** *fortalitium* Tauscher, 1809; *flexuosa* Eversmann, 1832. **Range (in code):** **RU Cc Ro Da Ur At Sb T-S KG**
- 61509. *Euclidia glyphica* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** *glyphica* Linnaeus, 1758; *pratensis* Müller, 1764 **Original Reference:** *Phalaena glyphica* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 510. Type(s):[Europa]. **Range (in code):** **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR TR AZ Len AM GG Lag Smt Bjo Cc IR Gl DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA BY CN Ui Ku**
- 61510. *Euclidia regia* Staudinger, 1888** (Noctuidae) **Synonym(s):** *regia* Staudinger, 1888 **Range (in code):** **KK UZ Fe AF**
- 61511. *Euclidisema alcyona* (Druce, 1888)** (Noctuidae) **Synonym(s):** *alcyona* Druce, 1888 **Range (in code):** **WS FJ SB PG AU**
- 61512. *Eudocima aurantia* (Moore, 1877)** (Noctuidae) **Synonym(s):** *aurantia* Moore, 1877; *rutilus* Moore, 1881 **Range (in code):** **IN Adm LK TH Knc MY VN NP ID Sum Ja Bli Bor Clb Crm PG AU QAu**

- 61513. Eudocima behouneki Zilli & Hogenes, 2002** (Noctuidae) Synonym(s): *behouneki* Zilli & Hogenes, 2002 _ Range (in code): PH
- 61514. Eudocima cajeta (Cramer, 1779)** (Noctuidae) Synonym(s): *cajeta* Cramer, 1779; *multiscripta* Walker, [1858]; *talboti* A.E. Prout, 1922 Original Reference: *Phalaena cajeta* Cramer, 1779, Utitl. Kapellen 1: 48, pl. 30 fig. A-C. Type(s): India: Coromandel. Range (in code): IN LK Pdy TH CMa Int Knc Hgd VN ID Sum Ja Bor MY Clb Mlc Crm PH ZA
- 61515. Eudocima discrepans (Walker, 1858)** (Noctuidae) Synonym(s): *discrepans* Walker, 1858; *archon* C. Felder & R. Felder, 1874 Range (in code): SG MY TH CMa Dst Mta Hnd VN IN NP CN PH ID Sum Ja Sbw Bor PG
- 61516. Eudocima divitiosa (Walker, 1869)** (Noctuidae) Synonym(s): *divitiosa* Walker, 1869; *banakus* Plötz, 1880; *intricatus* Butler, 1892 Range (in code): SL NG Caa NE KE MW Zom ZA Nta Kzu Dbn ZR GN
- 61517. Eudocima homaena (Hübner, [1823])** (Noctuidae) Synonym(s): *ancilla* Cramer, 1777 *nec* Linn., 1767; *strigata* Donovan, 1804; *homaena* Hübner, [1823]; *bilineosa* Walker, [1858]; *formosana* Okano, 1964 Range (in code): TH Phr Wgc CMa Int MY VN NP LK IN Mh Nsk ID Bor Tim Flo PH CN JP TW
- 61518. Eudocima hypermnestra (Stoll, 1780)** (Noctuidae) Synonym(s): *hypermnestra* Stoll, 1780 Range (in code): LK Cbo TH Lmp Phr VN IN NP CN ID Ja PG PH Bionomy: Larva on *Tinospora cordifolia* (Menispermaceae).
- 61519. Eudocima materna (Linnaeus, 1767)** (Noctuidae) Synonym(s): *materna* Linnaeus, 1767; *hybrida* Fabricius, 1775; *apta* Walker, [1858]; *chalcogramma* Walker, 1865 Range (in code): AU NG ET KE MW ZM ZW Har ZA Nta Kzu Dbn YE Ad IN Mh Nsk LK Cbo MM ID Ja CX
- 61520. Eudocima mazzeei Zilli & Hogenes, 2002** (Noctuidae) Synonym(s): *mazzeei* Zilli & Hogenes, 2002 _ Range (in code): PH
- 61521. Eudocima mionopastea (Hampson, 1926)** (Noctuidae) Synonym(s): *mionopastea* Hampson, 1926 _ Range (in code): MY
- 61522. Eudocima okurai Okano, 1964** (Noctuidae) Synonym(s): *okurai* Okano, 1964; *suthepensis* Bänziger & Honey, 1984 _ Range (in code): TH CMa Dst NP TW
- 61523. Eudocima phalonia (Linnaeus, 1763)** (Noctuidae) Synonym(s): *phalonia* Linnaeus, 1763; *fullonia* Clerck, [1764]; *dioscoreae* Fabricius, 1775; *pomona* Cramer, 1776; *princeps* Guenée, 1852; *obliterans* Walker, 1858 _ Range (in code): ZA ZR GA AU NZ ID PH RU Us KP KR JP TW CN VN NP IN Mh Nsk TH Nrt Kao Bnk CMa Cuo Cuo5 Phr Loe Knc Nna Nth Cbi Cph Srt Udo MM Bionomy: Larva on *Tinospora crispa* [bora phet], *T. cordifolia*, *T. baenzigeri* [chingcha chali], *Tiliacora trianda* [thao yanang] (Menispermaceae), *Calamus* (Palmaceae) (Lewvanich, 2001).
- 61524. Eudocima salaminia (Cramer, 1777)** (Noctuidae) Synonym(s): *salaminia* Cramer, 1777 Range (in code): TH VN LK Kndy Pdy IN Mh Nsk NP CN TW KP KR JP PH ID Ja Sum PG AU WS FJ TO NH NC SB MY Bionomy: Larva on *Stephania hernandifolia* (Menispermaceae).
- 61525. Eudocima sikhimensis (Butler, 1895)** (Noctuidae) Synonym(s): *sikhimensis* Butler, 1895; *sikkimensis* A.E. Prout, 1928; *abathglypta* A.E. Prout, 1928 _ Range (in code): ID Sum IN SI MM TH CMa Int MY NP BT Bor Bli
- 61526. Eudocima treadawayi Zilli & Hogenes, 2002** (Noctuidae) Synonym(s): *treadawayi* Zilli & Hogenes, 2002 _ Range (in code): PH
- 61527. Eudocima tyrannus (Guenée, 1852)** (Noctuidae) Synonym(s): *tyrannus* Guenée, 1852; *amurensis* Staudinger, 1892 _ Range (in code): IN RU Us
- 61528. Eugnathia jugosa (Swinhoe, 1902)** (Noctuidae) Synonym(s): *jugosa* Swinhoe, 1902 Range (in code): MY Prk
- 61529. Eugnathia lunifera (Moore, 1885)** (Noctuidae) Synonym(s): *lunifera* Moore, 1885 Range (in code): LK
- 61530. Eugnathia pictipennis (Hampson, 1893)** (Noctuidae) Synonym(s): *pictipennis* Hampson, 1893 _ Range (in code): IN
- 61531. Eugnathia zenia (Swinhoe, 1902)** (Noctuidae) Synonym(s): *zenia* Swinhoe, 1902 Range (in code): MY Prk
- 61532. Eugnorisma (Metagnorisma) depuncta (Linnaeus, 1761)** (Noctuidae) Synonym(s): *depuncta* Linnaeus, 1761; *meridionalis* Dannehl, 1925. Original Reference: *Phalaena depuncta* Linnaeus, 1761, *Fauna Suecica* (2): 321. Type(s): Schweden. Range (in code): MA ES FR Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE RU Cc Ro Kr St Kc Nt Ich Ing MD UA BY
- 61533. Eugnorisma (Metagnorisma) enargiaris (Draudt, 1936)** (Noctuidae) Synonym(s): *enargiaris* Draudt, 1936 Original Reference: *Xestia enargiaris* Draudt, 1936, *Ent. Rdsch.* 53: 469-470, Taf. iv e4. Syntypes 3♂: [Türkei]: Marasch. Range (in code): TR IR Kd By Fa

- 61534. Eugnorisma (Metagnorisma) heuristica Varga & Ronkay, 1987** (Noctuidae)
Synonym(s): *heuristica* Varga & Ronkay, 1987 _ Range (in code): Cc AM TR IR Elb Th
- 61535. Eugnorisma (Metagnorisma) pontica (Staudinger, 1892)** (Noctuidae) Synonym(s):
pontica Staudinger, 1892 _ Original Reference: *Agrotis depuncta* var. *pontica* Staudinger, 1892, Dt. ent. Z., Iris 4: 267-268. Syntypes: [Türkei]: Amasia. Range (in code): RO MK BG GR TR TM Kp IR Ak Fa Km Kz By Kd Ksh Elb Th Kh KuB GlS Cc AM LB IL Pa He IQ Rwz Ry
- 61536. Eugnorisma (Metagnorisma) pontica anis Varga & Ronkay, 1987** (Noctuidae)
Synonym(s): *anis* Varga & Ronkay, 1987 _ Range (in code): Cc AM TR IR Ak
- 61537. Eugnorisma (Metagnorisma) pontica deserta Varga & Ronkay, 1987** (Noctuidae)
Synonym(s): *deserta* Varga & Ronkay, 1987 _ Range (in code): IR Kh KuB TM Kp
- 61538. Eugnorisma (Metagnorisma) pontica pontica (Staudinger, 1892)** (Noctuidae)
Synonym(s): *pontica* Staudinger, 1892 _ Original Reference: *Agrotis depuncta* var. *pontica* Staudinger, 1892, Dt. ent. Z., Iris 4: 267. Syntypes: [Türkei]: Amasia. Range (in code): RO MK BG GR TR Cc IQ Rwz Ry LB IL Pa He IR Elb Th Kh Fa
- 61539. Eugnorisma (Metagnorisma) pontica zaghros Varga & Ronkay, 1987** (Noctuidae)
Synonym(s): *zaghras* Varga & Ronkay, 1987 _ Range (in code): IR Fa Km Kz By Kd Ksh
- 61540. Eugnorisma (Metagnorisma) rafidain (Boursin, 1936)** (Noctuidae) Synonym(s):
rafidain Boursin, 1936 _ Original Reference: *Rhyacia rafidain* Boursin, 1936, Bull. Soc. ent. Fr. 1936 (12): 224-225. Holotype ♀: Iraq: Bagdad, Wiltshire leg. & coll. Range (in code): TR IQ Bgd
- 61541. Eugnorisma (s.str.) asad Boursin, 1963** (Noctuidae) Synonym(s): *asad* Boursin, 1963
Range (in code):
- 61542. Eugnorisma (s.str.) atrabaelbops Varga, 1975** (Noctuidae) Synonym(s): *atrabaelbops* Varga, 1975 _ Range (in code):
- 61543. Eugnorisma (s.str.) chaldaica (Boisduval, 1840)** (Noctuidae) Synonym(s): *chaldaica* Boisduval, 1840; *caerulea* Wagner, 1932 nec Gn., 1852; *buraki* Koçak, 1983 _ Original Reference: *Orthosia chaldaica* Boisduval, 1840, Genera Index Meth.: 140, Lectotype ♂: [Russia]: Sarepta, designated by Varga & Ronkay, 1994, Acta zool. hung. 40: 89-91, (coll. Corti) (NHMB). Range (in code): RU Da Kap TR Cc IQ Brs IR Elb Th Kdj Ma AM AF TM UZ KK Ik KG Ssn Sr Ur At Tar Sp
- 61544. Eugnorisma (s.str.) conformis (Swinhoe, 1885)** (Noctuidae) Synonym(s): *conformis* Swinhoe, 1885 _ Original Reference: *Agrotis conformis* Swinhoe, 1885, Trans. ent. Soc. London 1885: 349-350, pl. ix fig. 5. Type: [Pakistan: Baluchistan]: Quetta (BMNH). Range (in code): PK BI Qu AF Gbh
- 61545. Eugnorisma (s.str.) cuneiferum Varga & Ronkay, 1994** (Noctuidae) Synonym(s): *cuneiferum* Varga & Ronkay, 1994 _ Range (in code): TM Kp IR Kh KuB
- 61546. Eugnorisma (s.str.) deleasma Boursin, 1967** (Noctuidae) Synonym(s): *deleasma* Boursin, 1967 _ Range (in code): TJ
- 61547. Eugnorisma (s.str.) deleasma deleasma Boursin, 1967** (Noctuidae) Synonym(s): *deleasma* Boursin, 1967 _ Range (in code):
- 61548. Eugnorisma (s.str.) deleasma hissarica Varga & L. Ronkay, 1987** (Noctuidae)
Synonym(s): *hissarica* Varga & L. Ronkay, 1987 _ Range (in code): TJ
- 61549. Eugnorisma (s.str.) deleasma reducta Boursin, 1967** (Noctuidae) Synonym(s): *reducta* Boursin, 1967 _ Range (in code):
- 61550. Eugnorisma (s.str.) eminens (Lederer, 1855)** (Noctuidae) Synonym(s): *eminens* Lederer, 1855; *excellens* Staudinger, 1867 _ Original Reference: *Graphophora eminens* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 106, Taf. 1 fig. 5. Syntypes: [Kazachstan]: Altai. Range (in code): Cc GG AM TR IR Elb Th Kh KuB Dam Mz KG At AF RU Sb Ssn KK Ik CN Ui Ii UZ TJ Pm Chr PK IN
- 61551. Eugnorisma (s.str.) eminens clarior Varga, 1975** (Noctuidae) Synonym(s): *clarior* Varga, 1975 _ Range (in code): IR Kh KuB AF PK
- 61552. Eugnorisma (s.str.) eminens eminens (Lederer, 1855)** (Noctuidae) Synonym(s): *eminens* Lederer, 1855 _ Original Reference: *Graphophora eminens* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 106, Taf. 1 fig. 5. Syntypes: [Kazachstan]: Altai. Range (in code): TR IR Elb Kh KG At AM GG Cc UZ TJ Pm Chr
- 61553. Eugnorisma (s.str.) gaurax (Püngeler, 1900)** (Noctuidae) Synonym(s): *gaurax* Püngeler, 1900 _ Original Reference: *Agrotis gaurax* Püngeler, 1900, Dt. ent. Z., Iris 13: 117-118, Taf. iv fig. 9. Syntypes 2♂: [Kirgizistan]: "Alexandergebirge". (coll. Püngeler). Range (in code): KK Ax TrA UZ
- 61554. Eugnorisma (s.str.) gaurax funebris Varga & L. Ronkay, 1990** (Noctuidae)
Synonym(s): *funebris* Varga & L. Ronkay, 1990 _ Range (in code): UZ

- 61555. Eugnorisma (s.str.) glareomima Varga & Ronkay,1991** (Noctuidae) Synonym(s): *glareomima Varga & Ronkay,1991* - Range (in code): AF Nu
- 61556. Eugnorisma (s.str.) insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata Lederer,1853; intermedia Eversmann,1855.* - Range (in code): RU Da At KG KK TJ Pm Chr UZ N-A TR Cc TM Kp IQ Brs Shq Rwz Ry IR Elb Th Dam Lo Kh KuB Fa Spd Sse Kz
- 61557. Eugnorisma (s.str.) insignata columbina (Draudt,1936)** (Noctuidae) Synonym(s): *columbina Draudt,1936* Original Reference: *Agrotis insignata ssp. columbina Draudt,1936, Ent. Rdsch. 53: 467, Taf.iv b2. Type ♂: [Türkei]: Sultan Dag (Ak-schehir); Wan (trans.).* Range (in code): Cc TR IQ Brs Shq Rwz Ry IR Elb Th Dam Lo Fa Sse
- 61558. Eugnorisma (s.str.) insignata insignata (Lederer,1853)** (Noctuidae) Synonym(s): *insignata Lederer,1853; intermedia Eversmann,1855.* - Range (in code): RU Cc Da At KG KK TJ Pm Chr UZ N-A
- 61559. Eugnorisma (s.str.) insignata pallescens (Christoph,1893)** (Noctuidae) Synonym(s): *pallescens Christoph,1893* - Range (in code): IR Gh Kh KuB TM Kp
- 61560. Eugnorisma (s.str.) kurdistan Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *#kurdistanica Hacker & Weigert,1986; kurdistan Hacker, Kuhna & Gross,[1987]* Original Reference: *Eugnorisma kurdistan Hacker, Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76: 89-90, Taf.2, figs. 9-10; Taf.6 figs.43-45. Holotype ♂: [Türkei]: Prov. Bingöl, Buğlan Geçidi, 1650-1800m (leg. Kuhna, coll. Hacker).* Range (in code): TR IR Elb Kz Fa Th Dam Km
- 61561. Eugnorisma (s.str.) kurdistan isabellina Varga & Ronkay,1987** (Noctuidae) Synonym(s): *isabellina Varga & Ronkay,1987* Original Reference: *Eugnorisma caerulea ssp. isabellina Varga & Ronkay,1987, Acta zool. Hung. 33: 210. Holotype ♂: Iran: Elbursgebirge.* Range (in code): IR Elb Kz Fa Th Dam Km
- 61562. Eugnorisma (s.str.) kurdistan kurdistan Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *#kurdistanica Hacker & Weigert,1986; kurdistan Hacker, Kuhna & Gross,[1987]* Original Reference: *Eugnorisma kurdistan Hacker, Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76: 89-90, Taf.2, figs. 9-10; Taf.6 figs.43-45. Holotype ♂: [Türkei]: Prov. Bingöl, Buğlan Geçidi, 1650-1800m (leg. Kuhna, coll. Hacker).* Range (in code): TR
- 61563. Eugnorisma (s.str.) leuconeura (Hampson,1918)** (Noctuidae) Synonym(s): *leuconeura Hampson,1918; fuliginosa Draudt,1936.* Original Reference: *Lycophotia leuconeura Hampson,1918, Novit. zool. 25: 113. Type: Persia: Kerman.* Range (in code): TR IR Elb Th Kdj Ke AM Cc
- 61564. Eugnorisma (s.str.) puengeleri Varga & Ronkay,1987** (Noctuidae) Synonym(s): *puengeleri Varga & Ronkay,1987* - Range (in code): RU KK Ax UZ
- 61565. Eugnorisma (s.str.) semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis Boursin,1940* Original Reference: *Rhyacia semiramis Boursin,1940, Mitt. münch. ent. Ges. 30: 491, Taf.9 fig.28. Holotype ♀: Iraq: Berserini (Kurdistan), 9.v.36 (leg. & coll. Wiltshire).* Range (in code): IR Fa Km By Kz TR IQ Brs Arb
- 61566. Eugnorisma (s.str.) semiramis farsica (Boursin,1940)** (Noctuidae) Synonym(s): *farsica Boursin,1940* Original Reference: *Rhyacia semiramis ssp. farsica Boursin,1940, Mitt. münch. ent. Ges. 30: 492, Taf.9 fig.29. Holotype ♂: Iran: Fars: Strasse Chiraz- Kazeroun, Fort Sine Sefid, 2200m, 15.x.37 (leg. & coll. F.Brandt).* Range (in code): IR Fa Km By Kz
- 61567. Eugnorisma (s.str.) semiramis semiramis (Boursin,1940)** (Noctuidae) Synonym(s): *semiramis Boursin,1940* Original Reference: *Rhyacia semiramis Boursin,1940, Mitt. münch. ent. Ges. 30: 491, Taf.9 fig.28. Holotype ♀: Iraq: Berserini (Kurdistan), 9.v.36 (leg. & coll. Wiltshire).* Range (in code): TR IQ Brs Arb
- 61568. Eugnorisma (s.str.) spodia (Püngeler,1900)** (Noctuidae) Synonym(s): *spodia Püngeler,1900* - Range (in code): IR Gl Kh TM Kp
- 61569. Eugnorisma (s.str.) spodia psammochrea Varga & Ronkay,1987** (Noctuidae) Synonym(s): *psammochrea Varga & Ronkay,1987* - Range (in code):
- 61570. Eugnorisma (s.str.) tamerlana (Hampson,1903)** (Noctuidae) Synonym(s): *tamerlana Hampson,1903* - Range (in code):
- 61571. Eugnorisma (s.str.) trigonica (Alpheraky,1882)** (Noctuidae) Synonym(s): *trigonica Alpheraky,1882; capnoptera Püngeler,1898.* - Range (in code): CN Ui Ku KK Ik Skm Ax TrA TJ Pm Chr
- 61572. Eugnorisma (s.str.) variago (Staudinger,1882)** (Noctuidae) Synonym(s): *variago Staudinger,1882* - Range (in code): UZ N-A

- 61573. Eugnorisma (s.str.) variago xanthiagio Varga & Ronkay,1987** (Noctuidae)
Synonym(s): *xanthiagio* Varga & Ronkay,1987 _ Range (in code):
- 61574. Eugnorisma arenoflavida (Schawerda,1934)** (Noctuidae) Synonym(s): *arenoflavida* Schawerda,1934 _ Range (in code): MA PT ES
- 61575. Eugnorisma ignoratum Varga & L. Ronkay,1994** (Noctuidae) Synonym(s): *ignoratum* Varga & L. Ronkay,1994 _ Range (in code): RU KK TrA Ax
- 61576. Eugnorisma persago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *persago* Gyulai & L.Ronkay,2006 _ Original Reference: Eugnorisma (s.l.) persago Gyulai & L.Ronkay,2006, Esperiana 12: 255-256, figs. Holotype ♂: Iran, Prov. Azerbayejan E-Sharqi; Kuh-e-Qoshrud, 25km SE of Bostanabad 1800m, 24-25 ix 2001, leg. P.Gyulai & A.Garai (HNHM), Budapest. Range (in code): IR Es Ab Ak Kd TR
- 61577. Eugnorisma persago persago Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *persago* Gyulai & L.Ronkay,2006 _ Original Reference: Eugnorisma (s.l.) persago Gyulai & L.Ronkay,2006, Esperiana 12: 255-256, figs. Holotype ♂: Iran, Prov. Azerbayejan E-Sharqi; Kuh-e-Qoshrud, 25km SE of Bostanabad 1800m, 24-25 ix 2001, leg. P.Gyulai & A.Garai (HNHM), Budapest. Range (in code): IR Es Ab Ak Kd
- 61578. Eugnorisma persago peterseni Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *peterseni* Gyulai & L.Ronkay,2006 _ Original Reference: Eugnorisma persago ssp. peterseni Gyulai & L.Ronkay,2006, Esperiana 12: 256-257, figs. Holotype ♂: Turkey, Prov. Erzurum, Kireçli Pass 2100m 29 ix 2005, leg. M.Petersen (HNHM), Budapest. Range (in code): TR
- 61579. Eugraphe decussa (Staudinger,1897)** (Noctuidae) Synonym(s): *decussa* Staudinger,1897
Range (in code): KK Ax
- 61580. Eugraphe funkei (Püngeler,1901)** (Noctuidae) Synonym(s): *funkei* Püngeler,1901; *funcei* Hampson,1903 _ Original Reference: Agrotis funkei Püngeler,1901, Dt. ent. Z., Iris 14: 181, pl.2 figs.1,2. Type: [Tadjikistan]: Sarafschan (coll.Püngeler). Range (in code): TJ Z-G
- 61581. Eugraphe marcida (Christoph,1893)** (Noctuidae) Synonym(s): *marcida* Christoph,1893
Range (in code): KK TM Kp
- 61582. Eugraphe ornata (Staudinger,1892)** (Noctuidae) Synonym(s): *ornata* Staudinger,1892
Range (in code): KK Skm UZ Fe Ax
- 61583. Eugraphe sigma ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#sigma* [Denis & Schiffermüller],1775; *charactera* [Denis & Schiffermüller],1775; *ditrpezum* Esper,[1786]; *nubila* Esper,[1786]; *signum* Fabricius,1787; *umbra* Vieweg,1789; *signa* Hampson,1903; *terminalis* Strand,1915
Original Reference: Noctua sigma [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district. Range (in code): FR Si? IT BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Ro Kr Kb Kc MD UA BY AM Cc JP
Bionomy: Larva on Atriplex ([Denis & Schiffermüller],1775 et seq.).
- 61584. Eugraphe suavis (Staudinger,[1896])** (Noctuidae) Synonym(s): *suavis* Staudinger,[1896]
Original Reference: Ammogrotis suavis Staudinger,[1896], Dt. ent. Z., Iris 8: 358, pl.6 fig.11.
Range (in code): CN Ui KI MN Uli KK TeA TrA Na
- 61585. Eugraphe subrosea (Stephens,1829)** (Noctuidae) Synonym(s): *subrosea* Stephens,1829
Range (in code):
- 61586. Euippodes euprepes Hampson,1926** (Noctuidae) Synonym(s): *euprepes* Hampson,1926
Range (in code): ZA
- 61587. Eulocastra aethiops (Distant,1898)** (Noctuidae) Synonym(s): *aethiops* Distant,1898
Original Reference: Tarache aethiops Distant,1898, Ann. Mag. nat. Hist. (7) 1: 223. Syntypes: [South Africa Republic]: Transvaal; Pretoria. Range (in code): ZA Tva Gau Pre ZW
- 61588. Eulocastra alfierii Wiltshire,1948** (Noctuidae) Synonym(s): *alfierii* Wiltshire,1948
Range (in code): Sn EG SA YE
- 61589. Eulocastra alfireii erythra Wiltshire,1948** (Noctuidae) Synonym(s): *erythra* Wiltshire,1948 _ Range (in code): SA YE
- 61590. Eulocastra argentifrons (Butler,1889)** (Noctuidae) Synonym(s): *argentifrons* Butler,1889
Range (in code): IN Hp Drm
- 61591. Eulocastra argyrogramma Hampson,1914** (Noctuidae) Synonym(s): *argyrogramma* Hampson,1914 _ Range (in code): NG
- 61592. Eulocastra argyrostrota Hampson,1916** (Noctuidae) Synonym(s): *argyrostrota* Hampson,1916 _ Range (in code): SO

- 61593. *Eulocastra bryophiloides* Brandt,1938** (Noctuidae) Synonym(s): *bryophiloides* Brandt,1938 Original Reference: *Eulocastra bryophiloides* Brandt,1938, Ent. Rdsch. 55: 553. Syntypes: Iran: Fars. Range (in code): **IR Fa Shr Bk Ke Kz Yas Mia Sse Hz B-A**
- 61594. *Eulocastra carnibasalis* Hampson,1918** (Noctuidae) Synonym(s): *carnibasalis* Hampson,1918 Range (in code): **MW Mje ZA**
- 61595. *Eulocastra diaphora* (Staudinger,1879)** (Noctuidae) Synonym(s): *diaphora* Staudinger,1879; *triangularis* W.Warren,1888; *atribasalis* Hampson,1896; *laticincta* Staudinger,1898. Original Reference: *Erastria* ? *diaphora* Staudinger,1879, Horae Soc. ent. ross. 14: 415-416. Type ♀: [Türkei]: Amasia (Kerasdere). Range (in code): **Cn MR MA DZ Ajj Ah Hes Omy Bsk TN RU TR YE Ad PK Cc GG AZ Nv Ord AM IR Fa Hz Ss Kd Bjr Zj Bne Mrv Lo Snj Ab Oru Mak Hz B-A Chh AF IQ IL Pa SA LB SY JO Sn EG ER PK Cp IN**
- 61596. *Eulocastra hypotaenia* (Wallengren,1860)** (Noctuidae) Synonym(s): *hypotaenia* Wallengren,1860 Range (in code): **ZA Tva Mpu Brb Gau Pre**
- 61597. *Eulocastra incognita* Berio,1954** (Noctuidae) Synonym(s): *incognita* Berio,1954 Range (in code): **MG**
- 61598. *Eulocastra insignis* (Butler,1884)** (Noctuidae) Synonym(s): *insignis* Butler,1884; *rex* Wiltshire,1948. Range (in code): **YE Ad SA Sn?** Bionomy: Larva on *Anarrhinum pedicellatum* [Scrophulariaceae] (Hampson,1896).
- 61599. *Eulocastra latifasciata* Wileman,1911** (Noctuidae) Synonym(s): *latifasciata* Wileman,1911 Range (in code): **JP**
- 61600. *Eulocastra leucobasis* Hampson,1910** (Noctuidae) Synonym(s): *leucobasis* Hampson,1910 Range (in code): **IN**
- 61601. *Eulocastra melaena* (Hampson,1899)** (Noctuidae) Synonym(s): *melaena* Hampson,1899 Range (in code): **Sk**
- 61602. *Eulocastra monozona* Hampson,1910** (Noctuidae) Synonym(s): *monozona* Hampson,1910 Original Reference: *Eulocastra monozona* Hampson,1910, Cat. lepid. Phalaenae Br. Mus. 10: 626. Type: Gambia. Range (in code): **GM**
- 61603. *Eulocastra nigrata* Berio,1960** (Noctuidae) Synonym(s): *nigrata* Berio,1960 Range (in code): **MG**
- 61604. *Eulocastra nigrivittata* (W.Warren,1888)** (Noctuidae) Synonym(s): *nigrivittata* W.Warren,1888 Original Reference: *Bryophila nigrivittata* W.Warren,1888, Proc. zool. Lond. 1888: 301. Syntypes: [Pakistan]: Campbellpore. Range (in code): **PK Cp**
- 61605. *Eulocastra ochrizona* (Hampson,1910)** (Noctuidae) Synonym(s): *ochrizona* Hampson,1910 Range (in code): **OM**
- 61606. *Eulocastra pallida* Hampson,1918** (Noctuidae) Synonym(s): *pallida* Hampson,1918 Range (in code): **MW Mje**
- 61607. *Eulocastra poliogramma* Hampson,1918** (Noctuidae) Synonym(s): *poliogramma* Hampson,1918 Range (in code): **ZA MW Mje**
- 61608. *Eulocastra quintana* (Swinhoe,1885)** (Noctuidae) Synonym(s): *quintana* Swinhoe,1885 Range (in code): **IN Poo**
- 61609. *Eulocastra sahariensis* Rothschild,1921** (Noctuidae) Synonym(s): *sahariensis* Rothschild,1921 Range (in code): **NE**
- 61610. *Eulocastra seminigra* Hampson,1914** (Noctuidae) Synonym(s): *seminigra* Hampson,1914 Range (in code): **NG**
- 61611. *Eulocastra sudanensis* Rebel,1917** (Noctuidae) Synonym(s): *sudanensis* Rebel,1917 Range (in code): **SD**
- 61612. *Eulocastra tamsi* Berio,1938** (Noctuidae) Synonym(s): *tamsi* Berio,1938 Range (in code): **SO**
- 61613. *Eulocastra tamsina* Wiltshire,1948** (Noctuidae) Synonym(s): *tamsi* Brandt,1941 nec Ber.,1938; *tamsina* Wiltshire,1948. Range (in code): **IR Hz B-A Ss**
- 61614. *Eulocastra tapina* Hampson,1910** (Noctuidae) Synonym(s): *tapina* Hampson,1910 Original Reference: *Eulocastra tapina* Hampson,1910, Cat. lepid. Phalaenae Br. Mus. 10: 630. Type: Palaestina. Range (in code): **IL Pa**
- 61615. *Eulocastra tarachodes* Hampson,1914** (Noctuidae) Synonym(s): *tarachodes* Hampson,1914 Range (in code): **GH**
- 61616. *Eulocastra undulata* (Snellen,1880)** (Noctuidae) Synonym(s): *undulata* Snellen,1880 Original Reference: *Erastria undulata* Snellen,1880, Veth's Midden-Sumatra, Lepid.: 45. Type(s): [Indonesia]: Sumatra. Range (in code): **ID Sum Sk**

- 61617. *Eulocastra zavattarii* Berio,1944** (Noctuidae) **Synonym(s):** *zavattarii* Berio,1944
Range (in code): **ET**
- 61618. *Eulymnia pulcherrima* (Hampson,1902)** (Noctuidae) **Synonym(s):** *pulcherrima* Hampson,1902
Range (in code): **ZW Har**
- 61619. *Eumichtis rubrimixta* Hampson,1906** (Noctuidae) **Synonym(s):** *rubrimixta* Hampson,1906
Range (in code): **ZA**
- 61620. *Euonychodes albivenata* W.Warren,1914** (Noctuidae) **Synonym(s):** *albivenata* W.Warren,1914
Range (in code): **ZA**
- 61621. *Euphiusa harmonica* (Hampson,1902)** (Noctuidae) **Synonym(s):** *harmonica* Hampson,1902
Range (in code): **BW Nga**
- 61622. *Euplexia albifusa* (Hampson,1908)** (Noctuidae) **Synonym(s):** *albifusa* Hampson,1908
Range (in code): **ID Ja**
- 61623. *Euplexia albinota* (Moore,1867)** (Noctuidae) **Synonym(s):** *albinota* Moore,1867
Range (in code): **IN BD**
- 61624. *Euplexia albovittata* Moore,1867** (Noctuidae) **Synonym(s):** *albovittata* Moore,1867; *melasema* A.E.Prout,1926; *albifrons* A.E.Prout,1928; *culminis* Roepke,1948; *variegata* Roepke,1948
Range (in code): **SI DjI IN Up Kil Bhi ID Sum MY Bor Swk**
- 61625. *Euplexia augens* R.Felder & Rogenhofer,1874** (Noctuidae) **Synonym(s):** *augens* R.Felder & Rogenhofer,1874; *saldanha* R.Felder & Rogenhofer,1874
Range (in code): **ZA Ec Kny Tva Lpo Nta Kzu Wca Cto Dbn Gau Pre Jh Rie**
- 61626. *Euplexia azyga* Hampson,1908** (Noctuidae) **Synonym(s):** *azyga* Hampson,1908
Range (in code): **KE Nai**
- 61627. *Euplexia calamistrata* (Moore,1882)** (Noctuidae) **Synonym(s):** *calamistrata* Moore,1882
Range (in code): **IN SI DjI**
- 61628. *Euplexia catephiodes* Hampson,1908** (Noctuidae) **Synonym(s):** *catephiodes* Hampson,1908
Range (in code): **ZA Tva Lpo Wri**
- 61629. *Euplexia chalybsa* Hampson,1908** (Noctuidae) **Synonym(s):** *chalybsa* Hampson,1908
Range (in code): **KE Kky**
- 61630. *Euplexia chlorophragma* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *chlorophragma* A.E.Prout,1928
Range (in code): **ID Sum**
- 61631. *Euplexia discalis* Hampson,1912** (Noctuidae) **Synonym(s):** *discalis* Hampson,1912
Range (in code): **ID Ja**
- 61632. *Euplexia distorta* Moore,1881** (Noctuidae) **Synonym(s):** *distorta* Moore,1881
Range (in code): **SI DjI IN Up Kil**
- 61633. *Euplexia emphanes* (A.E.Prout,1926)** (Noctuidae) **Synonym(s):** *emphanes* A.E.Prout,1926
Range (in code): **MY Bor Swk**
- 61634. *Euplexia exangulata* W.Warren,1912** (Noctuidae) **Synonym(s):** *exangulata* W.Warren,1912
Range (in code): **IN SI BT**
- 61635. *Euplexia gamma* (A.E.Prout,1925)** (Noctuidae) **Synonym(s):** *gamma* A.E.Prout,1925
Range (in code): **MY Kdh**
- 61636. *Euplexia ikondae* Berio,1973** (Noctuidae) **Synonym(s):** *ikondae* Berio,1973
Range (in code): **TZ Iko**
- 61637. *Euplexia imperator* Laporte,1984** (Noctuidae) **Synonym(s):** *imperator* Laporte,1984
Range (in code): **ET ET86**
- 61638. *Euplexia ischnogramma* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *ischnogramma* A.E.Prout,1928
Range (in code): **ID Sum**
- 61639. *Euplexia jabalsabira* Hacker & Fibiger,2002** (Noctuidae) **Synonym(s):** *jabalsabira* Hacker & Fibiger,2002
Range (in code): **YE**
- 61640. *Euplexia jordansi* Draudt,1950** (Noctuidae) **Synonym(s):** *jordansi* Draudt,1950
Range (in code): **CN Yu Lik**
- 61641. *Euplexia kinabalua* Holloway,1976** (Noctuidae) **Synonym(s):** *kinabalua* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 61642. *Euplexia latibasalis* W.Warren,1913** (Noctuidae) **Synonym(s):** *latibasalis* W.Warren,1913
Range (in code): **IN SI**
- 61643. *Euplexia latifascia* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *latifascia* A.E.Prout,1922
Range (in code): **ID Crm**

- 61644. *Euplexia latilinea* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *latilinea* A.E.Prout,1928
Range (in code): **ID Sum**
- 61645. *Euplexia leucomelas* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *leucomelas* A.E.Prout,1928
Range (in code): **ID Sum**
- 61646. *Euplexia lignosa* Holloway,1976** (Noctuidae) **Synonym(s):** *lignosa* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 61647. *Euplexia literata* (Moore,1882)** (Noctuidae) **Synonym(s):** *literata* Moore,1882 - **Range (in code):** **IN SI Djl**
- 61648. *Euplexia lucipara* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *lucipara* Linnaeus,1758; *dubia* Hufnagel,1766; *leonhardi* Rebel,1909; *britannica* Turner,1943 **Original Reference:** *Phalaena lucipara* Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): Europa. **Range (in code):** **MA DZ Clo Dhm Agi Sét Ges TN EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Lag AZ AM Cc IR Gh Elb Mz Th DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da MD UA BY JP**
Bionomy: Larva on Rubus (Rosaceae), Athyrium, Aspidum, Pteridium, Urtica (Urticaceae); Stachys, Lamium (Lamiaceae); Epilobium, Impatiens, Senecio, Actaea (Asteraceae); Atropa, Aconitum, Chelidonium, Aquilegia (Beck,1960).
- 61649. *Euplexia lucisquama* W.Warren,1912** (Noctuidae) **Synonym(s):** *lucisquama* W.Warren,1912 - **Range (in code):** **PH Mdo**
- 61650. *Euplexia magma* Holloway,1976** (Noctuidae) **Synonym(s):** *magma* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 61651. *Euplexia magniclavis* (Hampson,1898)** (Noctuidae) **Synonym(s):** *magniclavis* Hampson,1898 - **Range (in code):** **IN Ass Meg Khs**
- 61652. *Euplexia magnirena* W.Warren,1912** (Noctuidae) **Synonym(s):** *magnirena* W.Warren,1912 - **Range (in code):** **IN Ass Meg Khs**
- 61653. *Euplexia melanocycla* Hampson,1908** (Noctuidae) **Synonym(s):** *melanocycla* Hampson,1908; *pullomedia* Bethune-Baker,1911; *depravata* Gaede,1915 - **Range (in code):** **KE Nai Kky**
- 61654. *Euplexia mercieri* Laporte,1984** (Noctuidae) **Synonym(s):** *mercieri* Laporte,1984
Range (in code): **ET ET196**
- 61655. *Euplexia monilis* (Moore,1881)** (Noctuidae) **Synonym(s):** *monilis* Moore,1881 - **Range (in code):** **IN SI Djl**
- 61656. *Euplexia mucronata* (Moore,1881)** (Noctuidae) **Synonym(s):** *mucronata* Moore,1881
Range (in code): **ID SI Djl**
- 61657. *Euplexia nigrina* Draudt,1950** (Noctuidae) **Synonym(s):** *nigrina* Draudt,1950 - **Range (in code):** **CN Yu Lik**
- 61658. *Euplexia nigroplumbea* W.Warren,1912** (Noctuidae) **Synonym(s):** *nigroplumbea* W.Warren,1912 - **Range (in code):** **MY Bor Sbh KBa**
- 61659. *Euplexia nyassana* Gaede,1915** (Noctuidae) **Synonym(s):** *nyassana* Gaede,1915 - **Range (in code):** **ZA**
- 61660. *Euplexia olivacea* (Moore,1881)** (Noctuidae) **Synonym(s):** *olivacea* Moore,1881 - **Range (in code):** **IN SI Djl**
- 61661. *Euplexia pardaria* (Moore,1882)** (Noctuidae) **Synonym(s):** *pardaria* Moore,1882; *olivascens* Moore,1882 - **Range (in code):** **IN SI Djl**
- 61662. *Euplexia pectinata* W.Warren,1888** (Noctuidae) **Synonym(s):** *pectinata* W.Warren,1888
Original Reference: *Euplexia pectinata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 308. Syntypes 2♂ 2♀: [Pakistan]: Thundiani 21st August 1886. **Range (in code):** **PK Haz Thu Mre**
- 61663. *Euplexia pericalles* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *pericalles* D.S.Fletcher,1961 - **Range (in code):** **UG Rz**
- 61664. *Euplexia pinoni* Laporte,1984** (Noctuidae) **Synonym(s):** *pinoni* Laporte,1984 - **Range (in code):** **ET ET204**
- 61665. *Euplexia rhoda* Hampson,1908** (Noctuidae) **Synonym(s):** *rhoda* Hampson,1908
Range (in code): **KE**
- 61666. *Euplexia shoana* Laporte,1984** (Noctuidae) **Synonym(s):** *shoana* Laporte,1984 - **Range (in code):** **ET Sw**
- 61667. *Euplexia striatovirens* Moore,1867** (Noctuidae) **Synonym(s):** *striatovirens* Moore,1867
Range (in code): **IN SI Djl**
- 61668. *Euplexia styx* Holloway,1976** (Noctuidae) **Synonym(s):** *styx* Holloway,1976 - **Range (in code):** **MY Bor Sbh KBa**

- 61669. Euplexia tricolor** A.E.Prout,1928 (Noctuidae) Synonym(s): *tricolor* A.E.Prout,1928
Range (in code): **ID Sum**
- 61670. Euplexia triplaga** (Walker,1857) (Noctuidae) Synonym(s): *triplaga* Walker,1857
Range (in code): **VE**
- 61671. Euplexia venosa** (Moore,1882) (Noctuidae) Synonym(s): *venosa* Moore,1882 _ Range (in code): **IN SI DjI**
- 61672. Euplexia viridisparsa** Berio,1939 (Noctuidae) Synonym(s): *viridisparsa* Berio,1939
Range (in code): **ER**
- 61673. Euplexia viridivena** Holloway,1976 (Noctuidae) Synonym(s): *viridivena* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 61674. Euplexidia actinea** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *actinea* Hreblay & L.Ronkay,1999 _ Range (in code): **VN Lci Ton Fan**
- 61675. Euplexidia angusta** Yoshimoto,1987 (Noctuidae) Synonym(s): *angusta* Yoshimoto,1987
Range (in code):
- 61676. Euplexidia benescripta** (A.E.Prout,1928) (Noctuidae) Synonym(s): *benescripta* A.E.Prout,1928 _ Range (in code):
- 61677. Euplexidia exotica** Yoshimoto,1987 (Noctuidae) Synonym(s): *exotica* Yoshimoto,1987
Range (in code):
- 61678. Euplexidia inextotica** Yoshimoto,1993 (Noctuidae) Synonym(s): *inextotica* Yoshimoto,1993
Range (in code):
- 61679. Euplexidia literata** (Moore,1882) (Noctuidae) Synonym(s): *literata* Moore,1882; *illetarata* Yoshimoto,1987 _ Range (in code):
- 61680. Euplexidia melachlora** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *melachlora* Hreblay & L.Ronkay,1999 _ Range (in code): **VN Lci Fan Ton**
- 61681. Euplexidia metexotica** Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *metexotica* Hreblay & L.Ronkay,1998 _ Range (in code):
- 61682. Euplexidia noctuiformis** Hampson,1896 (Noctuidae) Synonym(s): *noctuiformis* Hampson,1896 _ Range (in code): **IN Ass Meg Khs TH CMa CDo**
- 61683. Euplexidia ornata** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *ornata* Hreblay & L.Ronkay,1999 _ Range (in code): **TH CMa Php Fn**
- 61684. Euplexidia pallidivirens** Yoshimoto,1987 (Noctuidae) Synonym(s): *pallidivirens* Yoshimoto,1987 _ Range (in code):
- 61685. Euplexidia periculosa** Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *periculosa* Hreblay & L.Ronkay,1998 _ Range (in code): **NP**
- 61686. Euplexidia semivirens** Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *semivirens* Hreblay & L.Ronkay,1998 _ Range (in code):
- 61687. Euplexidia thailandica** Yoshimoto,1987 (Noctuidae) Synonym(s): *thailandica* Yoshimoto,1987 _ Range (in code): **TH**
- 61688. Euplexidia thailandica thailandica** Yoshimoto,1987 (Noctuidae) Synonym(s): *thailandica* Yoshimoto,1987 _ Range (in code): **TH**
- 61689. Euplexidia tonkini** Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *tonkini* Hreblay & L.Ronkay,1999 _ Range (in code): **VN Lci Ton Fan**
- 61690. Euplexidia venosa** (Moore,1882) (Noctuidae) Synonym(s): *venosa* Moore,1882; *jiriensis* Yoshimoto,1994 _ Range (in code):
- 61691. Eupsilia delicata** Ronkay, Varga & Behounek,1991 (Noctuidae) Synonym(s): *delicata* Ronkay, Varga & Behounek,1991 _ Range (in code): **TJ Pm Chr**
- 61692. Eupsilia transversa** (Hufnagel,1766) (Noctuidae) Synonym(s): *transversa* Hufnagel,1766; *satellitita* Linnaeus,1767 Original Reference: Phalaena transversa Hufnagel,1766, Berl. Mag. 3(3): 418. Type(s): [Germany]: Berlin. Range (in code): **ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT AM GG Smt Bjo Lag RU Cc Ro Kr Nt Kb Ich Da At Sb Am Us MD UA BY IR Elb Th GlS Kdv KG KP KR JP** Bionomy: Larva on Quercus, Fagus (Fagaceae); Ulmus (Ulmaceae); Prunus (Rosaceae); Salix (Salicaceae); Tilia (Tiliaceae); Acer (Aceraceae); Carpinus.
- 61693. Eupsoropsis robertsi calida** Berio,1969 (Noctuidae) Synonym(s): *calida* Berio,1969
Range (in code):
- 61694. Eurabila lignea** Butler,1889 (Noctuidae) Synonym(s): *lignea* Butler,1889 _ Range (in code):

- 61695. Euricima fullonia (Clerck,1764)** (Noctuidae) **Synonym(s):** *fullonia* Clerck,1764 _ **Range (in code):** **WS PC FJ NH NC SB PG AU MY IN OW**
- 61696. Eurois occulta (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929; *fumea* Corti & Draudt,1933; *tibetica* Corti & Draudt,1933 **Original Reference:** *Phalaena occulta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. **Type(s):** Europa. **Range (in code):** **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA Cm BY Cc GG AZ AM Sb MN CN Ti KK TrA Ax KP KR JP GrI CA US**
- 61697. Eurois occulta fumea Corti & Draudt,1933** (Noctuidae) **Synonym(s):** *fumea* Corti & Draudt,1933 _ **Range (in code):**
- 61698. Eurois occulta occulta (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *occulta* Linnaeus,1758; *implicata* Lefebvre,1836; *extricata* Zetterstedt,[1839]; *prolixa* Zetterstedt,[1839]; *puncticosa* Zetterstedt,[1839]; *roseovirgata* Dannehl,1929. **Original Reference:** *Phalaena occulta* Linnaeus,1758, Syst. Nat. (Edn.10)1: 514. **Type(s):** Europa. **Range (in code):** **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA Cm BY Cc GG AZ AM Sb MN CN Ti KK Ax TrA KP KR JP GrI CA US**
- 61699. Eustrotia albibasis (Hampson,1902)** (Noctuidae) **Synonym(s):** *albibasis* Hampson,1902 **Range (in code):** **ZA**
- 61700. Eustrotia albifascia (Walker,1865)** (Noctuidae) **Synonym(s):** *albifascia* Walker,1865 **Range (in code):** **ZA**
- 61701. Eustrotia albifissa (Hampson,1902)** (Noctuidae) **Synonym(s):** *albifissa* Hampson,1902 **Range (in code):** **ZA**
- 61702. Eustrotia angulissima Gaede,1935** (Noctuidae) **Synonym(s):** *angulissima* Gaede,1935 **Range (in code):** **ZA**
- 61703. Eustrotia bella Bethune-Baker,1911** (Noctuidae) **Synonym(s):** *bella* Bethune-Baker,1911 **Range (in code):** **ZA**
- 61704. Eustrotia bryophilina Hampson,1910** (Noctuidae) **Synonym(s):** *bryophilina* Hampson,1910 _ **Range (in code):** **ZA**
- 61705. Eustrotia catoxantha Hampson,1910** (Noctuidae) **Synonym(s):** *catoxantha* Hampson,1910 **Range (in code):** **ZA**
- 61706. Eustrotia cumalineae Bethune-Baker,1911** (Noctuidae) **Synonym(s):** *cumalineae* Bethune-Baker,1911 _ **Range (in code):** **ZA**
- 61707. Eustrotia decissima (Walker,1865)** (Noctuidae) **Synonym(s):** *decissima* Walker,1865 **Range (in code):** **ZA**
- 61708. Eustrotia genuflexa (Hampson,1902)** (Noctuidae) **Synonym(s):** *genuflexa* Hampson,1902 **Range (in code):** **ZA**
- 61709. Eustrotia loxosema Bethune-Baker,1911** (Noctuidae) **Synonym(s):** *loxosema* Bethune-Baker,1911 _ **Range (in code):** **ZA**
- 61710. Eustrotia marginata (Walker,1866)** (Noctuidae) **Synonym(s):** *marginata* Walker,1866 **Original Reference:** *Earias marginata* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1775. **Type:** Java. **Range (in code):** **ID Ja PK Abb Ch Sri Haz Msr**
- 61711. Eustrotia megalena (Mabille,1900)** (Noctuidae) **Synonym(s):** *megalena* Mabille,1900 **Range (in code):** **ZA**
- 61712. Eustrotia olivula (Guenée,1852)** (Noctuidae) **Synonym(s):** *olivula* Guenée,1852 _ **Range (in code):** **ZA**
- 61713. Eustrotia ritsemae (Snellen,1880)** (Noctuidae) **Synonym(s):** *ritsemae* Snellen,1880 **Range (in code):** **WS PC FJ NH SB AU MY**
- 61714. Eustrotia schencki Strand,1912** (Noctuidae) **Synonym(s):** *schencki* Strand,1912 _ **Range (in code):** **ZA**
- 61715. Eutamsia africana (Schaus,1893)** (Noctuidae) **Synonym(s):** *africana* Schaus,1893; *leucura* Hampson,1914; *phoenicolopha* Hampson,1914 _ **Range (in code):** **GH SL ET ET204**
- 61716. Eutamsia albilineata (W.Warren,1912)** (Noctuidae) **Synonym(s):** *albilineata* W.Warren,1912 _ **Range (in code):** **IN Ass Meg Khs**
- 61717. Eutamsia albiorbis (W.Warren,1912)** (Noctuidae) **Synonym(s):** *albiorbis* W.Warren,1912 **Range (in code):** **IN SI Djl**
- 61718. Eutamsia annosa Viette,1963** (Noctuidae) **Synonym(s):** *annosa* Viette,1963 _ **Range (in code):** **MG**

- 61719. *Eutamsia asahinai* Sugi,1982** (Noctuidae) Synonym(s): *asahinai* Sugi,1982 _ Range (in code): JP
- 61720. *Eutamsia berioi* Viette,1963** (Noctuidae) Synonym(s): *berioi* Viette,1963 _ Range (in code): MG
- 61721. *Eutamsia breviscula* (Walker,1858)** (Noctuidae) Synonym(s): *breviscula* Walker,1858
Range (in code): ZA Nta Kzu
- 61722. *Eutamsia confundens* (Walker,1857)** (Noctuidae) Synonym(s): *confundens* Walker,1857
Range (in code): LK
- 61723. *Eutamsia confusa* Laporte,1973** (Noctuidae) Synonym(s): *confusa* Laporte,1973
Range (in code): CM
- 61724. *Eutamsia connotata* (W.Warren,1912)** (Noctuidae) Synonym(s): *connotata* W.Warren,1912 _ Range (in code): LK
- 61725. *Eutamsia consummata* (Walker,1857)** (Noctuidae) Synonym(s): *consummata* Walker,1857 _ Range (in code): ZA Nta Kzu
- 61726. *Eutamsia dargei* Laporte,1973** (Noctuidae) Synonym(s): *dargei* Laporte,1973 _ Range (in code): CM
- 61727. *Eutamsia discisignata* (Wileman & South,1920)** (Noctuidae) Synonym(s): *discisignata* Wileman & South,1920 _ Range (in code): PH Luz
- 61728. *Eutamsia distans* (Moore,1882)** (Noctuidae) Synonym(s): *distans* Moore,1882 _ Range (in code): IN SI Djl
- 61729. *Eutamsia duponti* Laporte,1974** (Noctuidae) Synonym(s): *duponti* Laporte,1974
Range (in code): ET ET204
- 61730. *Eutamsia germainae* Laporte,1975** (Noctuidae) Synonym(s): *germainae* Laporte,1975
Range (in code): ET ET204
- 61731. *Eutamsia grisea* Laporte,1973** (Noctuidae) Synonym(s): *grisea* Laporte,1973 _ Range (in code): CM
- 61732. *Eutamsia gueneei* Laporte,1973** (Noctuidae) Synonym(s): *gueneei* Laporte,1973
Range (in code): CM
- 61733. *Eutamsia hoplista* Viette,1963** (Noctuidae) Synonym(s): *hoplista* Viette,1963 _ Range (in code): MG
- 61734. *Eutamsia hosplitoides* Laporte,1979** (Noctuidae) Synonym(s): *hosplitoides* Laporte,1979
Range (in code): GH
- 61735. *Eutamsia leucostigma* (Moore,1867)** (Noctuidae) Synonym(s): *leucostigma* Moore,1867; *constellata* Moore,1882; *oxydata* Hampson,1902 _ Range (in code): IN SI Djl BD
- 61736. *Eutamsia lucipara* (Wileman & West,1929)** (Noctuidae) Synonym(s): *lucipara* Wileman & West,1929 _ Range (in code): PH Luz
- 61737. *Eutamsia macrostigma* (Snellen,1880)** (Noctuidae) Synonym(s): *macrostigma* Snellen,1880 _ Range (in code): ID Clb
- 61738. *Eutamsia medleri* Laporte,1973** (Noctuidae) Synonym(s): *medleri* Laporte,1973
Range (in code): NG
- 61739. *Eutamsia milloti* Viette,1961** (Noctuidae) Synonym(s): *milloti* Viette,1961 _ Range (in code): MG
- 61740. *Eutamsia nigribarbata* (Hampson,1908)** (Noctuidae) Synonym(s): *nigribarbata* Hampson,1908 _ Range (in code): KE
- 61741. *Eutamsia peridela* (Wileman & West,1929)** (Noctuidae) Synonym(s): *peridela* Wileman & West,1929 _ Range (in code): PH Luz
- 61742. *Eutamsia satellitis* Berio,1974** (Noctuidae) Synonym(s): *satellitis* Berio,1974 _ Range (in code): TZ
- 61743. *Eutamsia securifera* (Wileman & West,1929)** (Noctuidae) Synonym(s): *securifera* Wileman & West,1929 _ Range (in code): PH Luz
- 61744. *Eutamsia septentrionalis* Rougeot & Laporte,1983** (Noctuidae) Synonym(s): *septentrionalis* Rougeot & Laporte,1983 _ Range (in code): ET
- 61745. *Eutamsia somaliensis* Laporte,1974** (Noctuidae) Synonym(s): *somaliensis* Laporte,1974
Range (in code): DJ
- 61746. *Eutamsia subnigrata* (W.Warren,1912)** (Noctuidae) Synonym(s): *subnigrata* W.Warren,1912 _ Range (in code): IN NI

- 61747. *Eutamsia subsagula* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *subsagula* D.S.Fletcher,1961 **Range (in code):** **ET UG Rz**
- 61748. *Eutamsia talhouki* Wiltshire,1983** (Noctuidae) **Synonym(s):** *talhouki* Wiltshire,1983 **Range (in code):** **SA As**
- 61749. *Eutamsia tamsi* Berio,1974** (Noctuidae) **Synonym(s):** *tamsi* Berio,1974 **Range (in code):** **ZR**
- 61750. *Eutamsia theryi* Laporte,1975** (Noctuidae) **Synonym(s):** *theryi* Laporte,1975 **Range (in code):** **ET ET196**
- 61751. *Eutamsia thoracica* (Walker,1858)** (Noctuidae) **Synonym(s):** *thoracica* Walker,1858 **Range (in code):** **ZA Nta Kzu**
- 61752. *Eutamsia tulipifera* (Saalmüller,1891)** (Noctuidae) **Synonym(s):** *tulipifera* Saalmüller,1891 **Range (in code):** **MG**
- 61753. *Eutelia adoratrix* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *adoratrix* Staudinger,1892 **Original Reference:** *Eurhipia adoratrix* Staudinger,1892, Dt. ent. Z., Iris 4: 308. Syntypes ♂♀: [Libanon]: Beirut; [Türkei]: Amasia; Lectotype ♂, designated by Hacker (2001, Esperiana 8: pl.7 fig.18) from Beirut (NHMU). **Range (in code):** **YU GR TR Cc LB Bei IL Pa Js JO RU UA Cm IQ IR Th Elb Kdj Fa Mia Ss Hz B-A Kz Yas** **Bionomy:** Larva on *Pistacia terebinthus*, *P. lentiscus* (Anacardiaceae) (Wagner,1925).
- 61754. *Eutelia adoxodes* Bethune-Baker,1911** (Noctuidae) **Synonym(s):** *adoxodes* Bethune-Baker,1911 **Range (in code):** **AO**
- 61755. *Eutelia adulatricoides* (Mell,1943)** (Noctuidae) **Synonym(s):** *blandiatrix* Hampson,1912 *nec* Gn.,1852; *adulatricoides* Mell,1943; *indica* Mell,1943 *nec* Mre,1867; *cantonensis* Chu & Chen,1962 **Range (in code):** **IN Ch Gl CN Kwa She TH CMa Dst VN JP KP KR RU Us**
- 61756. *Eutelia adulatrix* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *adulatrix* Hübner,[1813] **Original Reference:** *Noctua adulatrix* Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.111 fig.517. Type(s): Europa. **Range (in code):** **Cn MA DZ TN LY EG PT ES Mu FR Co Sa Si IT MT CH PL SK HU RO YU AL BG GR Rd Cr TR IR Fa Lo OM RU AZ Kir GG Smt Bjo Lag Cc Ro Kr Ich Da UA Cm CY IL Pa Hf LB SY JO IQ ZA Tva Lpo L Nta Kzu ZW BW KE TZ UZ Fe AF Pli Srb Nu Bsg Kab PK KK KG TM IN Hrh Agi Hmk Abe DhM Sét Ktr Bsk BSa Ges Sbd Hes** **Bionomy:** Larva on *Rhus oxyacantha*, *R.cotinus*, *Pistacia lentiscus*, *P.vera*, *Schinus molle*, *Cotinus coggygia* (Anacardiaceae); *Merula* (Capparaceae), *Pinus radiata* (Pinaceae) (Staudinger,1879; Blaschke,1914; Chrétien,1917; de Freina & Behounek,1996; Calle,2000), etc.
- 61757. *Eutelia albiluna* Hampson,1905** (Noctuidae) **Synonym(s):** *albiluna* Hampson,1905 **Range (in code):** **NG**
- 61758. *Eutelia amatrix* Walker,1858** (Noctuidae) **Synonym(s):** *amatrix* Walker,1858; *exquisita* Saalmüller,1891 **Range (in code):** **ZA KE Nta Kzu Sk ET ET287 MG**
- 61759. *Eutelia apicifascia* Hampson,1894** (Noctuidae) **Synonym(s):** *apicifascia* Hampson,1894 **Range (in code):** **IN Bba**
- 61760. *Eutelia blandiatrix* Guenée,1852** (Noctuidae) **Synonym(s):** *blandiatrix* Guenée,1852 **Range (in code):** **ZA**
- 61761. *Eutelia bouveti* Viette,1984** (Noctuidae) **Synonym(s):** *bouveti* Viette,1984 **Range (in code):** **MG**
- 61762. *Eutelia bowkeri* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *bowkeri* R.Felder & Rogenhofer,1874; *leucographa* Hampson,1905. **Range (in code):** **ZA Tva Mpu Brb Ec**
- 61763. *Eutelia catephioides* (Guenée,1852)** (Noctuidae) **Synonym(s):** *catephioides* Guenée,1852 **Range (in code):** **ZA Nta Kzu Dbn Ec ET SA**
- 61764. *Eutelia cautabasis* Hampson,1905** (Noctuidae) **Synonym(s):** *cautabasis* Hampson,1905 **Range (in code):** **NG Caa**
- 61765. *Eutelia chlorobasis* Hampson,1905** (Noctuidae) **Synonym(s):** *chlorobasis* Hampson,1905 **Range (in code):** **NG**
- 61766. *Eutelia chromatica* Schaus,1921** (Noctuidae) **Synonym(s):** *chromatica* Schaus,1921 **Range (in code):** **GT**
- 61767. *Eutelia curiosa* (Clench,1954)** (Noctuidae) **Synonym(s):** *curiosa* Clench,1954 **Range (in code):** **CM**
- 61768. *Eutelia delatrix* (Guenée,1852)** (Noctuidae) **Synonym(s):** *delatrix* Guenée,1852 **Range (in code):** **WS PC FJ NH MY IN PC AU NC PF Ms RA**
- 61769. *Eutelia diopera* Hampson,1902** (Noctuidae) **Synonym(s):** *diopera* Hampson,1902 **Range (in code):** **BT**

- 61770. *Eutelia discistriga* Walker,1865** (Noctuidae) Synonym(s): *discistriga* Walker,1865; *petrificata* Walker,1870 _ Range (in code): IN Mh Bba NG ET KE ZW Bul ZA Nta Kzu Dbn SC YE Ad PK Sd Krc LK
- 61771. *Eutelia discitriga* Walker,1865** (Noctuidae) Synonym(s): *discitriga* Walker,1865
Range (in code): ZA
- 61772. *Eutelia distorta* Hampson,1912** (Noctuidae) Synonym(s): *distorta* Hampson,1912
Range (in code): GH
- 61773. *Eutelia dyari* Draudt,1939** (Noctuidae) Synonym(s): *amatrix* Dyar,1913 (*praeocc.*); *dyari* Draudt,1939 _ Range (in code): MX
- 61774. *Eutelia endoleuca* (Hampson,1918)** (Noctuidae) Synonym(s): *endoleuca* Hampson,1918
Range (in code): CM Bit
- 61775. *Eutelia fasciatrix* (Semper,1902)** (Noctuidae) Synonym(s): *fasciatrix* Semper,1902
Range (in code): WS PH AU
- 61776. *Eutelia favillatrioides* Poole,1989** (Noctuidae) Synonym(s): *favillatrix* Walker,1858 *nec* Gn.,1852; *favillatrioides* Poole,1989 _ Range (in code): LK IN CN NP VN TH Nrt Kao
- 61777. *Eutelia favillatrix* (Guenée,1852)** (Noctuidae) Synonym(s): *favillatrix* Guenée,1852; *#favillatrix* Hampson,1902. _ Range (in code): ZA KE ZW Uma IN LK
- 61778. *Eutelia ferridorsata* Hampson,1905** (Noctuidae) Synonym(s): *ferridorsata* Hampson,1905
Range (in code): NG Caa
- 61779. *Eutelia fulvigrisea* W.Warren,1914** (Noctuidae) Synonym(s): *fulvigrisea* W.Warren,1914
Range (in code): ZA Nta Kzu
- 61780. *Eutelia gabriela* Hampson,1912** (Noctuidae) Synonym(s): *gabriela* Hampson,1912
Range (in code): ZR
- 61781. *Eutelia galleyi* Viette,1984** (Noctuidae) Synonym(s): *galleyi* Viette,1984 _ Range (in code): KM
- 61782. *Eutelia geyeri* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *geyeri* R.Felder & Rogenhofer,1874; *inextricata* Moore,1882 _ Range (in code): TH CMa Int IN SI Djl VN MM NP CN TW JP KP KR RU Us
- 61783. *Eutelia gilvicolor* Mabille,1900** (Noctuidae) Synonym(s): *gilvicolor* Mabille,1900
Range (in code): ZA KE
- 61784. *Eutelia glaucocyclus* Hampson,1912** (Noctuidae) Synonym(s): *glaucocyclus* Hampson,1912
Range (in code): ZA ZW
- 61785. *Eutelia grisescens* Hampson,1916** (Noctuidae) Synonym(s): *grisescens* Hampson,1916
Range (in code): ZA SO
- 61786. *Eutelia griveaudi* Viette,1979** (Noctuidae) Synonym(s): *griveaudi* Viette,1979 _ Range (in code): MG
- 61787. *Eutelia guerouti* Laporte,1970** (Noctuidae) Synonym(s): *guerouti* Laporte,1970 _ Range (in code): CI
- 61788. *Eutelia hayesi* Laporte,1970** (Noctuidae) Synonym(s): *hayesi* Laporte,1970 _ Range (in code): CI
- 61789. *Eutelia histrio* (Saalmüller,1880)** (Noctuidae) Synonym(s): *histrio* Saalmüller,1880; *occidentalis* Viette,1958. _ Range (in code): ZA Nta Kzu MG
- 61790. *Eutelia holocausta* Hampson,1905** (Noctuidae) Synonym(s): *holocausta* Hampson,1905
Range (in code): NG
- 61791. *Eutelia hupopalina* Rothschild,1920** (Noctuidae) Synonym(s): *hupopalina* Rothschild,1920
Range (in code): ID Sum
- 61792. *Eutelia instructa* Walker,[1863]** (Noctuidae) Synonym(s): *instructa* Walker,[1863]; *excitans* Butler,1886 _ Range (in code): PK Abb MY Bor Swk
- 61793. *Eutelia jaguaria* Jones,1915** (Noctuidae) Synonym(s): *jaguaria* Jones,1915 _ Range (in code): BR
- 61794. *Eutelia leighi* Hampson,1905** (Noctuidae) Synonym(s): *leighi* Hampson,1905 _ Range (in code): ZA Nta Kzu Dbn
- 61795. *Eutelia leucodelta* Hampson,1905** (Noctuidae) Synonym(s): *leucodelta* Hampson,1905
Range (in code): ZA NG
- 61796. *Eutelia megacycla* Berio,1957** (Noctuidae) Synonym(s): *megacycla* Berio,1957 _ Range (in code): TZ
- 61797. *Eutelia melanopis* Hampson,1905** (Noctuidae) Synonym(s): *melanopis* Hampson,1905
Range (in code): SL

- 61798. *Eutelia menalcas* (Holland,1894)** (Noctuidae) Synonym(s): *menalcas* Holland,1894
Range (in code): GA Ogo
- 61799. *Eutelia metasarca* Hampson,1905** (Noctuidae) Synonym(s): *metasarca* Hampson,1905
Range (in code): NG
- 61800. *Eutelia mima* A.E.Prout,1925** (Noctuidae) Synonym(s): *mima* A.E.Prout,1925; *granvillei* Wiltshire,1980. Range (in code): ZA
- 61801. *Eutelia nigricans* Holland,1920** (Noctuidae) Synonym(s): *nigricans* Holland,1920
Range (in code): ZR
- 61802. *Eutelia nigridentula* Hampson,1905** (Noctuidae) Synonym(s): *nigridentula* Hampson,1905 Range (in code): SL
- 61803. *Eutelia nubilosa* (W.Warren,1914)** (Noctuidae) Synonym(s): *nubilosa* W.Warren,1914; *griseoapicata* Wileman & West,1928 Range (in code): PH Luz MY
- 61804. *Eutelia ocellaria* Berio,1966** (Noctuidae) Synonym(s): *ocellaria* Berio,1966 Range (in code): ZA
- 61805. *Eutelia ocellaris* Berio,1966** (Noctuidae) Synonym(s): *ocellaris* Berio,1966 Range (in code): ZR Lsb
- 61806. *Eutelia ochreiplaga* Bethune-Baker,1906** (Noctuidae) Synonym(s): *ochreiplaga* Bethune-Baker,1906 Range (in code): PG Aro
- 61807. *Eutelia ochricostata* Hampson,1905** (Noctuidae) Synonym(s): *ochricostata* Hampson,1905
Range (in code): NG Caa
- 61808. *Eutelia ocularis* (Saalmüller,1891)** (Noctuidae) Synonym(s): *ocularis* Saalmüller,1891
Range (in code): NG MG ZA Ec Tra Nta Kzu
- 61809. *Eutelia poliochroa* Hampson,1912** (Noctuidae) Synonym(s): *poliochroa* Hampson,1912
Range (in code): GH
- 61810. *Eutelia polychorda* Hampson,1902** (Noctuidae) Synonym(s): *polychorda* Hampson,1902
Range (in code): ZA Ec ZW Uma Har BW
- 61811. *Eutelia porphyriota* (Hampson,1912)** (Noctuidae) Synonym(s): *porphyriota* Hampson,1912 Range (in code): NG Lgo
- 61812. *Eutelia rivata* Hampson,1902** (Noctuidae) Synonym(s): *rivata* Hampson,1902 Range (in code): ZA Nta Kzu Dbn
- 61813. *Eutelia subrubens* (Mabille,1890)** (Noctuidae) Synonym(s): *subrubens* Mabille,1890; *pyrospila* Mabille,1893. Range (in code): ZA
- 61814. *Eutelia symphonica* Hampson,1902** (Noctuidae) Synonym(s): *symphonica* Hampson,1902
Range (in code): ZA Nta Kzu TZ
- 61815. *Eutelia violescens* Hampson,1912** (Noctuidae) Synonym(s): *violescens* Hampson,1912
Range (in code): ZA GM NG
- 61816. *Eutelia viridacea* Berio,1966** (Noctuidae) Synonym(s): *viridacea* Berio,1966 Range (in code): ZR
- 61817. *Eutelia vittalba* (Semper,1900)** (Noctuidae) Synonym(s): *vittalba* Semper,1900; *furcicauda* Hampson,1905 Range (in code): PH Ceb SG
- 61818. *Eutelia vulgaris* Mabille,1900** (Noctuidae) Synonym(s): *vulgaris* Mabille,1900 Range (in code): ZA MZ Del
- 61819. *Euterpiodes pienaari* (Distant,1898)** (Noctuidae) Synonym(s): *pienaari* Distant,1898
Range (in code): ZA Pin
- 61820. *Eutrichopidia latina* (Donovan,1805)** (Noctuidae) Synonym(s): *latina* Donovan,1805
Original Reference: Papilio latina Donovan,1805, Ins. New Holland: Pl.32 fig.4. Range (in code): TA AU NSw
- 61821. *Euxoa* (*Chorisagrotis*) *adumbrata* (Eversmann,1842)** (Noctuidae) Synonym(s): *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhantshikov,1937. Original Reference: Agrotis adumbrata Eversmann,1842, Bull. Soc. Imp. nat. Moscou 1842: 543. Syntypes: [Russia]: Kasan, Vorberge Ural. Range (in code): RU Ur Da Cc KG Tk Dj Ui CN Pm Chr TJ TR MN IR Elb Th KK TeA TrA
- 61822. *Euxoa* (*Chorisagrotis*) *adumbrata adumbrata* (Eversmann,1842)** (Noctuidae) Synonym(s): *adumbrata* Eversmann,1842; *polygonides* Staudinger,1874; *variegata* Wagner,1913; *pamiricola* Kozhanchikov,1937. Original Reference: Agrotis adumbrata Eversmann,1842, Bull. Soc. Imp. nat. Moscou 1842: 543. Syntypes: [Russia]: Kasan, Vorberge Ural. Range (in code): RU Ur Da Cc KG Dj Tk CN Ui TJ Pm MN IR Elb Th KK TeA TrA

- 61823. Euxoa (Chorizagrotis) adumbrata friedeli** **Pinker,1980** (Noctuidae) **Synonym(s):** *friedeli* *Pinker,1980*. Original Reference: *Euxoa friedeli* *Pinker,1980*, *Z. ArbGem. öst. Ent.* 31: 65-66. Holotype ♂: Türkiye: Gürün, 1700m (leg & coll. *Pinker*). Range (in code): **Cc TR**
- 61824. Euxoa (Chorizagrotis) flavogrisea** **Corti,1932** (Noctuidae) **Synonym(s):** *flavogrisea* *Corti,1932* Range (in code): **CN Ui Cho Au**
- 61825. Euxoa (Chorizagrotis) lidia** **(Stoll,1782)** (Noctuidae) **Synonym(s):** *lidia* *Stoll,[1782]*. Original Reference: *Phalaena lidia* *Stoll,[1782]* [in] *Cramer, Uitl. Kapel.* 4: 222, Taf.396 f.D. Type(s): Berbice. Range (in code): **FR NL DE DK NO SE FI RU St Kb Nt Ich Ur Da Cc TR KG Tk TJ Pm JP**
- 61826. Euxoa (Chorizagrotis) lidia lidia** **(Stoll,1782)** (Noctuidae) **Synonym(s):** *lidia* *Stoll,[1782]*. Original Reference: *Phalaena lidia* *Stoll,[1782]* [in] *Cramer, Uitl. Kapel.* 4: 222, Taf.396 f.D. Type(s): Berbice. Range (in code): **FR NL DE DK NO SE FI JP**
- 61827. Euxoa (Chorizagrotis) penelope** **Fibiger,1997** (Noctuidae) **Synonym(s):** *penelope* *Fibiger,1997* Range (in code): **GR**
- 61828. Euxoa (Orosagrotis) acuminifera** **(Eversmann,1854)** (Noctuidae) **Synonym(s):** *acuminifera* *Eversmann,1854* Range (in code): **RU KG**
- 61829. Euxoa (Orosagrotis) cognita** **(Staudinger,1881)** (Noctuidae) **Synonym(s):** *cognita* *Staudinger,1881* Range (in code): **KG Lps**
- 61830. Euxoa (Orosagrotis) difficillima** **(Draudt,1937)** (Noctuidae) **Synonym(s):** *difficillima* *Draudt,1937* Range (in code): **TR Cc AM IR Mz Yz Fa Kh Lo Elb Th TJ Pm AF Adr**
- 61831. Euxoa (Orosagrotis) difficillima bactriana** **Varga,** (Noctuidae) **Synonym(s):** Range (in code): **TJ Pm AF Adr**
- 61832. Euxoa (Orosagrotis) difficillima difficillima** **(Draudt,1937)** (Noctuidae) **Synonym(s):** *difficillima* *Draudt,1937* Range (in code): **TR Cc AM IR Mz Yz Fa Kh Elb Th Lo Kd**
- 61833. Euxoa (Orosagrotis) eremorealis** **Varga,1975** (Noctuidae) **Synonym(s):** *eremorealis* *Varga,1975* Range (in code): **AF**
- 61834. Euxoa (Orosagrotis) foeda** **(Lederer,1855)** (Noctuidae) **Synonym(s):** *foeda* *Lederer,1855*; *enitens* *Corti,1926*; *marmorosa* *Corti,1927*; *vanensis* *Draudt,1937*. Original Reference: *Agrotis foeda* *Lederer,1855*, *Verh. zool.- bot. Ges. Wien* 5: 107, Taf.1 fig.6. Syntypes: [Kazakhstan]: "Altai". Range (in code): **RU Da At IL Pa TR TM Kp KG KK Ik UA Cm IQ Rvw Cc AM GG IR Kh KuB Sse Fa Elb Th Lo Kd Mrv Zj**
- 61835. Euxoa (Orosagrotis) minimoides** **Corti,1932** (Noctuidae) **Synonym(s):** *minimoides* *Corti,1932* Range (in code): **CN Ui**
- 61836. Euxoa (Orosagrotis) monotona** **Kozhantshikov,1929** (Noctuidae) **Synonym(s):** *monotona* *Kozhantshikov,1929* Range (in code): **KG Tk Sem Nrk**
- 61837. Euxoa (Orosagrotis) naumanni** **Varga,1990** (Noctuidae) **Synonym(s):** *naumanni* *Varga,1990* Range (in code): **AF PK**
- 61838. Euxoa (Orosagrotis) nomas** **(Erschoff,1874)** (Noctuidae) **Synonym(s):** *nomas* *Erschoff,1874* Range (in code): **IR**
- 61839. Euxoa (Orosagrotis) opportuna** **Corti,1932** (Noctuidae) **Synonym(s):** *opportuna* *Corti,1932* Range (in code): **CN Ui Krk Cho**
- 61840. Euxoa (Orosagrotis) rasilis** **Corti,1932** (Noctuidae) **Synonym(s):** *rasilis* *Corti,1932* Range (in code): **CN Ui Au**
- 61841. Euxoa (Orosagrotis) subconspicua** **(Staudinger,1888)** (Noctuidae) **Synonym(s):** *subconspicua* *Staudinger,1888*; *divulsa* *Corti,1932*; *subvaria* *Corti,1932*. Range (in code): **MN Uli KK Ik CN Ui Alt Au**
- 61842. Euxoa (Orosagrotis) tristis** **(Staudinger,1898)** (Noctuidae) **Synonym(s):** *varia* *Alpheraky,1889* *nec Walk.,1865*; *tristis* *Staudinger,1898*; *deficiens* *Wagner,1913*; *distracta* *Corti,1932*; *opportuna* *Corti,1932*. Range (in code): **RU Sr Sb TM MN KK KG Tk Dj CN Ui Kl Ii Ga Cho Ti Ts**
- 61843. Euxoa (Orosagrotis) triumregium** **Varga,1979** (Noctuidae) **Synonym(s):** *triumregium* *Varga,1979* Range (in code): **AF**
- 61844. Euxoa (Pleonectopoda) culminicola** **(Staudinger,1870)** (Noctuidae) **Synonym(s):** *culminicola* *Staudinger,1870* Range (in code): **ES FR IT CH AT**
- 61845. Euxoa (Pleonectopoda) haverkampfi** **(Standfuss,1893)** (Noctuidae) **Synonym(s):** *haverkampfi* *Standfuss,1893* Range (in code): **ES Co**
- 61846. Euxoa (Pleonectopoda) haverkampfi continentalis** **Reisser,1935** (Noctuidae) **Synonym(s):** *continentalis* *Reisser,1935* Range (in code): **ES**

- 61847. Euxoa (Pleonectopoda) hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris Freyer,1838* Original Reference: Agrotis hilaris Freyer,1838, Neuere Beitr. Schmett. 3: 89, Tab.255 fig.4. Type(s): [Türkei]: Konstantinopel [=Istanbul]. Range (in code): **GR BG TR RU Da AZ IR IQ LB Bsa TM Cc GG AM KK**
- 61848. Euxoa (Pleonectopoda) hilaris derrae Hacker,1985** (Noctuidae) Synonym(s): *derrae Hacker,1985* Range (in code): **GR**
- 61849. Euxoa (Pleonectopoda) hilaris hikmeti Koçak,1989** (Noctuidae) Synonym(s): *hikmeti Koçak,1989* Original Reference: Euxoa hilaris ssp. hikmeti Koçak,1989, Priamus 4 (4): 158-159. Holotype ♂: Turkey: Ankara Prov. Ayaş Mts., Akyatak 1250m, 27 6 1986, A.Koçak leg. (Cesa). Range (in code): **TR**
- 61850. Euxoa (Pleonectopoda) hilaris hilaris (Freyer,1838)** (Noctuidae) Synonym(s): *hilaris Freyer,1838* Original Reference: Agrotis hilaris Freyer,1838, Neuere Beitr. Schmett. 3: 89, Tab.255 fig.4. Type(s): [Türkei]: Konstantinopel [=Istanbul]. Range (in code): **BG TR RU Da AZ IR IQ LB Bsa TM Cc GG AM KK**
- 61851. Euxoa (Pleonectopoda) inclusa Corti,1931** (Noctuidae) Synonym(s): *inclusa Corti,1931* Original Reference: Euxoa inclusa Corti,1931, [in] Seitz,A., Die Gross-Schmett. Erde 3 (Suppl.): 29. Syntypes: Persia. Range (in code): **TR IR Fa Elb Th IQ**
- 61852. Euxoa (Pleonectopoda) nevadensis Corti,1928** (Noctuidae) Synonym(s): *nevadensis Corti,1928* Range (in code): **ES**
- 61853. Euxoa (Pleonectopoda) rjabovi Kozhantshikov,1929** (Noctuidae) Synonym(s): *rjabovi Kozhantshikov,1929; inclusa Corti,1931* Original Reference: Euxoa rjabovi Kozhantshikov,1929, Bull. Mus. Georg. Tiflis 5: 87-88, fig. Syntypes 3 ex: Russia: Daghestan, Kurusch-Gebirge, M.Rjabov leg. Range (in code): **TR Cc IR Th Elb Dam Mz Kdv Se Fa Ha RU Da Kus**
- 61854. Euxoa (s.str.) ? goetria (Kozhantshikov,1929)** (Noctuidae) Synonym(s): *goetria Kozhantshikov,1929* Range (in code): **MN**
- 61855. Euxoa (s.str.) abdallah Oberthür,1918** (Noctuidae) Synonym(s): *abdallah Oberthür,1918* Range (in code): **MA ES**
- 61856. Euxoa (s.str.) abdallah ambrosiana Boursin,1927** (Noctuidae) Synonym(s): *ambrosiana Boursin,1927* Range (in code): **ES**
- 61857. Euxoa (s.str.) abualisinai Varga & Gyulai,2002** (Noctuidae) Synonym(s): *abualisinai Varga & Gyulai,2002* Range (in code): **IR Elb Mz Dam**
- 61858. Euxoa (s.str.) abualisinai esfahanica Varga & Gyulai,2002** (Noctuidae) Synonym(s): *esfahanica Varga & Gyulai,2002* Range (in code): **IR Es**
- 61859. Euxoa (s.str.) acronycta (Rebel,1907)** (Noctuidae) Synonym(s): *acronycta Rebel,1907* Range (in code): **Sk**
- 61860. Euxoa (s.str.) adjemi Brandt,1941** (Noctuidae) Synonym(s): *adjemi Brandt,1941*. Original Reference: Euxoa adjemi Brandt,1941, Mitt. münch. ent. Ges. 31: 837, fig.1. Syntypes: Iran: Soultanabad. Range (in code): **IR Mz Elb Ma TR**
- 61861. Euxoa (s.str.) adjemi adjemi Brandt,1941** (Noctuidae) Synonym(s): *adjemi Brandt,1941*. Original Reference: Euxoa adjemi Brandt,1941, Mitt. münch. ent. Ges. 31: 837, fig.1. Syntypes: Iran: Soultanabad. Range (in code): **IR Mz Elb Ma TR**
- 61862. Euxoa (s.str.) albiorbis Hampson,1909** (Noctuidae) Synonym(s): *albiorbis Hampson,1909* Range (in code): **ZA**
- 61863. Euxoa (s.str.) albiorboides Poole,1989** (Noctuidae) Synonym(s): *albiorbis Hampson,1920 nec Hamps.,1909; albiorboides Poole,1989* Range (in code): **IL Pa**
- 61864. Euxoa (s.str.) amplexa Corti,1931** (Noctuidae) Synonym(s): *amplexa Corti,1931*. Range (in code): **RU Sr At KK Ik**
- 61865. Euxoa (s.str.) anaemica Draudt,1936** (Noctuidae) Synonym(s): *anaemica Draudt,1936* Original Reference: Euxoa anaemica Draudt,1936, Ent. Rdsch. 53: 460-461. Syntypes 2♂ 1♀: [Türkei]: Wan, Dorf Chorawanis, 2000m. Range (in code): **TR IR Fa**
- 61866. Euxoa (s.str.) anarmodia (Staudinger,1897)** (Noctuidae) Synonym(s): *anarmodia Staudinger,1897; muricolor Rothschild,1914; albiorbis Hampson,1920 (praeocc.); albiorboides Poole,1989* Original Reference: Agrotis ? anarmodia Staudinger,1897, Dt. ent. Z., Iris 10. 170-171, Taf. iv fig.9. Syntypes 1♂ 1♀: [Israel]: Haifa. Range (in code): **DZ Ges TN Gf LY EG IL Hf Pa SA LB JO Sn**
- 61867. Euxoa (s.str.) anarmodia capsensis Chrétien,1911** (Noctuidae) Synonym(s): *capsensis Chrétien,1911* Original Reference: Euxoa capsensis Chrétien,1911, Annls Soc. ent. Fr. 79 (1910): 497-498. Type ♀: Tunis, Gafsa. Range (in code): **DZ Ges TN Gf LY**

- 61868. Euxoa (s.str.) anatolica Draudt,1936** (Noctuidae) Synonym(s): *anatolica* Draudt,1936. Original Reference: *Euxoa mendelis* ssp. *anatolica* Draudt,1936, Ent. Rdsch. 53: 459. Syntypes: [Türkei]: Ak-sehir. Range (in code): **RU Da Cc TR LB**
- 61869. Euxoa (s.str.) aneucta Brandt,1938** (Noctuidae) Synonym(s): *aneucta* Brandt,1938 Original Reference: *Euxoa aneucta* Brandt,1938, Ent. Rdsch. 55: 499,502, fig. 80. Type ♂: Iran: Barm-i Firus, 3750m. Range (in code): **IR Mz Kh KuB Fa TJ Pm**
- 61870. Euxoa (s.str.) aneucta aneucta Brandt,1938** (Noctuidae) Synonym(s): *aneucta* Brandt,1938 Original Reference: *Euxoa aneucta* Brandt,1938, Ent. Rdsch. 55: 499,502, fig. 80. Type ♂: Iran: Barm-i Firus, 3750m. Range (in code): **IR Mz Fa**
- 61871. Euxoa (s.str.) aneucta binaloudica Brandt,1941** (Noctuidae) Synonym(s): *binaloudica* Brandt,1941 Original Reference: *Euxoa aneucta* ssp. *binaloudica* Brandt,1941, Mitt. münch. ent. Ges. 31: 838. Syntypes: Iran: [Khorassan]: Kouh i Binaloud, 3300m. Range (in code): **IR Kh KuB**
- 61872. Euxoa (s.str.) anthracina Varga & Gyulai,2001** (Noctuidae) Synonym(s): *anthracina* Varga & Gyulai,2001 Range (in code): **TJ AF Srb**
- 61873. Euxoa (s.str.) anthracina Varga & Gyulai,2001** (Noctuidae) Synonym(s): *anthracina* Varga & Gyulai,2001 Range (in code): **TJ**
- 61874. Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. Original Reference: *Noctua aquilina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): **MA ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo Bku Mng Der AZ Kir AM Cc MD UA BY KK Tk Nrk TeA TrA UZ KG RU Ro Kr Kb Nt Ich Ing Kyi Da Ur IL JO Pa LB Bsa SY TM Kp IR Ab Sdt Kd Snj Mrv Sq Ak Fa Sse Bk Lo By Skh Es Ke Mz CN DZ Bsk**
- 61875. Euxoa (s.str.) aquilina actinea Kozhantshikov,1929** (Noctuidae) Synonym(s): *actinea* Kozhantshikov,1929; *quassa* Corti,1931; *terrestris* Corti,1931; *corporea* Corti,1931; *punctifera* Corti,1931; *rangnowi* Corti,1932. Original Reference: *Euxoa actinea* Kozhantshikov,1929, Ann. Mus. zool. Acad. Sci. nat. uSSR 1929: 174. Syntypes: [Russia]: Semiretschje, Ural; [Kirghizistan]: Naryn. Range (in code): **KK Tk Nrk TeA TrA UZ KG RU Ur**
- 61876. Euxoa (s.str.) aquilina aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. Original Reference: *Noctua aquilina* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU BG GR RU Ro Kr Kb Nt Ich Ing Kyi Da Cc MD UA BY DZ Bsk**
- 61877. Euxoa (s.str.) aquilina obeliscata (F.Wagner,1929)** (Noctuidae) Synonym(s): *obeliscata* F.Wagner,1929. Original Reference: *Agrotis tritici* var. *obeliscata* F.Wagner,1929, Mitt. münch. ent. Ges. 19: 74. Syntypes: [Türkei]: Akşehir. Range (in code): **TR Cc GG Tbl Smt Bjo Bku Mng Der AZ Kir IR Fa Bk Lo By Es Ke Mz**
- 61878. Euxoa (s.str.) aquilina rabiosa Corti,1931** (Noctuidae) Synonym(s): *rabiosa* Corti,1931 Original Reference: *Euxoa aquilina* var. *rabiosa* Corti,1931, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 27. Syntypes: Zentralasien. Range (in code):
- 61879. Euxoa (s.str.) aquilina titschacki Corti,1929** (Noctuidae) Synonym(s): *titschacki* Corti,1929; *perdistincta* Zerny,1933. Original Reference: *Euxoa titschacki* Corti,1929, Dt. ent. Z., Iris 43:171. Syntypes: [Israel]: Jerusalem, Jordantal; [Turkmenistan]: Aschabad. Range (in code): **IL Pa LB Bsa SY JO TM Kp**
- 61880. Euxoa (s.str.) armena (Eversmann,1856)** (Noctuidae) Synonym(s): *armena* Eversmann,1856; *deserta* Staudinger,1870 Range (in code): **RU Cc Da Sr Sb TR IR Ha TM**
- 61881. Euxoa (s.str.) armena armena (Eversmann,1856)** (Noctuidae) Synonym(s): *armena* Eversmann,1856; *deserta* Staudinger,1870 Range (in code): **RU Sr Sb**
- 61882. Euxoa (s.str.) armena glaseri Varga,1979** (Noctuidae) Synonym(s): *glaseri* Varga,1979 Original Reference: *Euxoa* (s.str.) *deserta* ssp. *glaseri* Varga,1979, Z. ArbGem öst. Ent. 31 (1/2): 2, Taf.1 fig.2. Holotype ♂: [Türkei]: Anatolien, Tuz Gölü N-Ufer, 4-14.9.1967 (leg. Glaser, coll. Vartian). Range (in code): **TR**
- 61883. Euxoa (s.str.) armena hamadanensis Varga,1979** (Noctuidae) Synonym(s): *hamadanensis* Varga,1979 Original Reference: *Euxoa* (s.str.) *deserta* ssp. *hamadanensis* Varga,1979, Z. ArbGem öst. Ent. 31 (1/2): 3, Taf.1 fig.3. Holotype ♂: N-Iran: 50km N Hamadan, 2.10.1965 (leg. & coll. Vartian). Range (in code): **IR Ha**

- 61884. Euxoa (s.str.) basigramma (Staudinger,1870)** (Noctuidae) Synonym(s): *basigramma Staudinger,1870* Original Reference: Agrotis basigramma Staudinger,1870, Berl. ent. Z. 14:111. Type(s): [Russia]: Sarepta. Range (in code): **RU Cc Da Sr CN Ku Ui Ii Kml IR Elb Th Fa AF TR MN**
- 61885. Euxoa (s.str.) basigramma asiaeminoris Koçak,1991** (Noctuidae) Synonym(s): *#asiaeminoris Strand,1915; asiaeminoris Koçak,1991* Original Reference: Euxoa basigramma ssp. asiaeminoris Koçak,1991, Cent. ent. Stud., Misc. Pap. 10: 1 (ab. asiaeminoris Strand,1915 raised to the subspecific level). Range (in code): **TR**
- 61886. Euxoa (s.str.) basigramma basigramma Staudinger,1870** (Noctuidae) Synonym(s): *basigramma Staudinger,1870* Original Reference: Agrotis basigramma Staudinger,1870, Berl. ent. Z. 14:111. Type(s): [Russia]: Sarepta. Range (in code): **RU Cc Da Sr AF**
- 61887. Euxoa (s.str.) basigramma hyrcana Corti,1932** (Noctuidae) Synonym(s): *hyrcana Corti,1932.* Range (in code): **IR**
- 61888. Euxoa (s.str.) basigramma pallidior (Wagner,1913)** (Noctuidae) Synonym(s): *pallidior Wagner,1913; apocrypha Corti,1932.* Range (in code): **CN Ku Ui Ii Kml KG Tk Dj IR Elb Th Fa**
- 61889. Euxoa (s.str.) birivia ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *birivia [Denis & Schiffermüller],1775; honnoratina Donzel,1837; cuprina Staudinger,1900; sudeticola Skala,1929; caucasica Spuler,1908; flavisignata Corti,1932.* Original Reference: Noctua birivia [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU AL TR IR Cc AM GG Smt Bjo RU St Kb Nt Ich Ing Da MD UA BY CN Ui Ii Kl Au KK Na Ik**
- 61890. Euxoa (s.str.) bogdanovi (Erschoff,1874)** (Noctuidae) Synonym(s): *bogdanovi Erschoff,1874; grumi Alpheraky,1887* Original Reference: Leucania bogdanovi Erschoff,1874, [in] Fedtschenko, Reise in Turkestan: 45. pl.4 fig.54. Syntypes: [Uzbekistan]: Ferghana. Range (in code): **TM UZ Fe KK Ik TrA**
- 61891. Euxoa (s.str.) bugeaudi (Oberthür,1918)** (Noctuidae) Synonym(s): *bugeaudi Oberthür,1918; islyana Oberthür,1919* Range (in code): **DZ Afl Abe Ges Sbd Lbs Dja BtNa**
- 61892. Euxoa (s.str.) canariensis Rebel,1902** (Noctuidae) Synonym(s): *canariensis Rebel,1902* Range (in code): **CV Cn DZ Ah Gha BSa Orn MA LY IQ Bgd Kbl IR Fa Ss Kd Lo Hz SA YE EG Sn IL Pa JO**
- 61893. Euxoa (s.str.) canariensis canariensis Rebel,1902** (Noctuidae) Synonym(s): *canariensis Rebel,1902* Range (in code): **Cn**
- 61894. Euxoa (s.str.) canariensis diamondi Boursin,1940** (Noctuidae) Synonym(s): *diamondi Boursin,1940* Original Reference: Euxoa canariensis ssp. diamondi Boursin,1940, Mitt. münch. ent. Ges. 30: 474, Taf.8 f.1-3. Holotype ♂: Iraq: Wüste von Kerbela, Habbariyah im Westen von Bagdad (Wiltshire leg. & coll.). Range (in code): **IQ Kbl Bgd IR Fa Ss Kd Lo Hz SA YE EG Sn IL Pa JO**
- 61895. Euxoa (s.str.) canariensis mauretanica (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *mauretanica A.Bang-Haas,1910* Original Reference: Agrotis mauretanica A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 36. Syntypes: Algeria: Südoran. Range (in code): **MA DZ Ah Onç Gha BSa Orn LY**
- 61896. Euxoa (s.str.) capensis Chrétien,1911** (Noctuidae) Synonym(s): *capensis Chrétien,1911* Range (in code): **TN Gf**
- 61897. Euxoa (s.str.) catervaria Corti,1929** (Noctuidae) Synonym(s): *catervaria Corti,1929* Range (in code): **CN Ui Kl Ts Kno KK Ax**
- 61898. Euxoa (s.str.) cespitis (Swinhoe,1885)** (Noctuidae) Synonym(s): *cespitis Swinhoe,1885; praestigiosa Brandt,1941* Original Reference: Agrotis cespitis Swinhoe,1885, Trans. ent. Soc. London 1885: 349. Type(s): [Pakistan: Baluchistan]: Quetta. Range (in code): **IR Ss Elb Th Kdv Lo Kh KuB JO Sho AF PK Bl Qu**
- 61899. Euxoa (s.str.) chlorophaia Gyulai, L.Ronkay & Varga,2001** (Noctuidae) Synonym(s): *chlorophaia Gyulai, L.Ronkay & Varga,2001* Range (in code): **CN Ts**
- 61900. Euxoa (s.str.) christophi (Staudinger,1870)** (Noctuidae) Synonym(s): *christophi Staudinger,1870* Original Reference: Agrotis christophi Staudinger,1870, Berl. ent. Z. 14: 110. Type(s): [Russia]: Sarepta. Range (in code): **RU Sr Cc Ro St TR IR Ab Oru UZ Fe TM**
- 61901. Euxoa (s.str.) christophi cappadocica (Hacker,1988)** (Noctuidae) Synonym(s): *cappadocica Hacker,1988* Original Reference: Euxoa christophi ssp. cappadocica Hacker,1988, Atalanta 18: 340. Holotype ♂: Türkei: Prov. Sivas, Schlucht nw Gürün 1400m 15.ix.1981 leg. Gross (coll. Eitschberger). Range (in code): **TR**

- 61902. Euxoa (s.str.) christophi christophi (Staudinger,1870)** (Noctuidae) Synonym(s): *christophi* Staudinger,1870. Original Reference: *Agrotis christophi* Staudinger,1870, Berl. ent. Z. 14: 110. Type(s): [Russia]: Sarepta. Range (in code): **RU Sr Cc Ro St IR UZ Fe TM**
- 61903. Euxoa (s.str.) comosa Morrison,1876** (Noctuidae) Synonym(s): *comosa* Morrison,1876; *incallida* Smith,1890 nec Wlk.,1856; *lutulenta* Smith,1890; *vulpina* Smith,1895; *annir* Strecker,1898; *atropulverea* Smith,1900; *ontario* Smith,1900; *dakota* Smith,1900; *dacota* Hampson,1903; *vestitura* Smith,1905; *masoni* Cockerell,1905; *latebra* Benjamin,1936; *tueotincta* McDunnough,1940; *altera* McDunnough,1940; *johnstoni* McDunnough,1946; *yildizae* Koçak,1983. Range (in code): **US Cf Col CA On Abt BC**
- 61904. Euxoa (s.str.) conifera (Christoph,1877)** (Noctuidae) Synonym(s): *conifera* Christoph,1877. Range (in code): **Cc RU Da Kus TR**
- 61905. Euxoa (s.str.) conspicua (Hübner,[1824])** (Noctuidae) Synonym(s): *conspicua* Hübner,[1824]; *agricola* Boisduval,1829; *lycarum* Herrich-Schäffer,1846; *abditata* De Joannis,1891; *#indistincta* Strand,1915; *osthelderi* Corti,1931; *complicata* Corti,1931. Range (in code): **PT ES FR Co IT RO YU BG GR TR Arr GG Akh Smt Bjo Tbl Lag Cc AZ Kir Hkd RU Ro Kr St Kc Kb Nt Ich Ing Da Kyi MD UA BY MN KG Tks Ssn Na Tk Dj KK TrA UZ IR Ab Ak Mz Th Kd Ha Fa Ss Kh Ke Ha Mz Enz CN Ui Ku Ii Kml AF Blh Arh Srb IQ Tkr LB Bsa PK IN Hp Sb SY CY Nv Ord Da Der Kus Oru Khy Mar Gls**
- 61906. Euxoa (s.str.) corsicola Corti,1928** (Noctuidae) Synonym(s): *corsicola* Corti,1928. Range (in code): **Co Sa**
- 61907. Euxoa (s.str.) cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilite,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. Original Reference: *Noctua cos* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.154, fig.720. Type: [France]: Wallis. Range (in code): **DZ Lbs Ges TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Cc AM TM UZ Fe KK Ik KG LB Bsa CY IL Pa He**
- 61908. Euxoa (s.str.) cos cos (Hübner,[1824])** (Noctuidae) Synonym(s): *cos* Hübner,[1824]; *tephra* Boisduval,1840; *nagyagensis* Freyer,1845; *vacillans* Herrich-Schäffer,[1850]; *millierei* Staudinger,1870; *cycladum* Staudinger,1871; *aphe* Mabilite,1885; *crimaea* A.Bang-Haas,1906; *mesopotamica* A.Bang-Haas,1912; *rubra* Corti,1933. Original Reference: *Noctua cos* Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.154, fig.720. Type: [France]: Wallis. Range (in code): **DZ Lbs Ges TN PT ES FR Si IT CH AT RO YU BG GR Cr TR RU Ich MD UA Cm BY IR Kh SY IQ Cc AM TM UZ Fe KK Ik LB Bsa**
- 61909. Euxoa (s.str.) crypta (Dadd,1927)** (Noctuidae) Synonym(s): *crypta* Dadd,1927. Range (in code): **ES FR BE DE PL CZ SK HU RO YU DK NO SE FI LV**
- 61910. Euxoa (s.str.) cuprina (Staudinger,1900)** (Noctuidae) Synonym(s): *cuprina* Staudinger,1900. Range (in code): **CN Ui KI KK**
- 61911. Euxoa (s.str.) currens (Staudinger,1896)** (Noctuidae) Synonym(s): *currens* Staudinger,1896. Range (in code): **MN**
- 61912. Euxoa (s.str.) cursoria (Hufnagel,1766)** (Noctuidae) Synonym(s): *cursoria* Hufnagel,1766. Original Reference: *Phalaena cursoria* Hufnagel,1766, Berl. Mag. 4(2): 416. Type(s): Germany: Berlin. Range (in code): **DZ BSa FR IE GB BE NL DE CH? DK NO SE FI EE LV LT RU TR Cc St Sb MD UA BY MN CN Ti AF**
- 61913. Euxoa (s.str.) cymographa Hampson,1918** (Noctuidae) Synonym(s): *cymographa* Hampson,1918. Original Reference: *Euxoa cymographa* Hampson,1918, Novit. zool. 25: 109. Syntypes♀: [Kenya]: Eb Urru. Range (in code): **KE ET ET86**
- 61914. Euxoa (s.str.) decora ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *decora* [Denis & Schiffermüller],1775; *nebulosa* Hübner,[1808]; *nivens* Hübner,[1821]; *simulatrix* Hübner,[1824]. Original Reference: *Noctua decora* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ ES FR Co IT DE CH AT PL CZ SK HU YU MK AL BG GR TR Cc AM IQ IR RU Nt Ich Ing Da Kus MD UA BY KK Ik**
- 61915. Euxoa (s.str.) decora hackeri Fibiger & Moberg,1990** (Noctuidae) Synonym(s): *hackeri* Fibiger & Moberg,1990. Original Reference: *Euxoa decora* ssp. *hackeri* Fibiger & Moberg,1990, Noctuidae Eur.1: Range (in code): **TR Cc GR**
- 61916. Euxoa (s.str.) decora kuruschensis Boursin,1940** (Noctuidae) Synonym(s): *kuruschensis* Boursin,1940. Original Reference: *Euxoa decora* ssp. *kuruschensis* Boursin,1940, Mitt. münch. ent. Ges. 30:478, Taf.8 f.10. Holotype ♂: [Russia]: Daghestan: Kurusch, Schakh Dagh,3200m. Range (in code): **Cc RU Da Kus Nt Ich Ing**
- 61917. Euxoa (s.str.) decora macedonica (Thurner,1936)** (Noctuidae) Synonym(s): *macedonica* Thurner,1936. Original Reference: *Agrotis decora* ssp. *macedonica* Thurner,1936, Z. öst. EntVer. 21: 13. Range (in code): **MK**

- 61918. Euxoa (s.str.) decora mimouna (Le Cerf,1933)** (Noctuidae) Synonym(s): *simulatrix sensu Roth.,1920; mimouna Le Cerf,1933* _ Range (in code): **MA DZ**
- 61919. Euxoa (s.str.) decora olympica (Touleschkov,1951)** (Noctuidae) Synonym(s): *olympica Tuleschkov,1951* _ Original Reference: *Agrotis decora olympica Tuleschkov,1951, Bull. Inst. zool. Akad. Bulg. Sci. 1:327. Syntypes: Greece: Olympus.* Range (in code): **GR BG**
- 61920. Euxoa (s.str.) decorans (Staudinger,1896)** (Noctuidae) Synonym(s): *subdecora Staudinger,1895 nec Stgr.,1888; decorans Staudinger,1896.* _ Range (in code): **MN UH**
- 61921. Euxoa (s.str.) deficiens (F.Wagner,1913)** (Noctuidae) Synonym(s): *deficiens F.Wagner,1913* _ Range (in code): **KG Tk KK Ik**
- 61922. Euxoa (s.str.) designata Brandt,1941** (Noctuidae) Synonym(s): *designata Brandt,1941* _ Original Reference: *Euxoa sigmata ssp. designata Brandt,1941, Mitt. münch. ent. Ges. 31: 839, fig. 4. Syntypes: Iran: Fars: Barm i Firuz, 2600m.* Range (in code): **IR Fa Ss Com**
- 61923. Euxoa (s.str.) diaphora Boursin,1928** (Noctuidae) Synonym(s): *diaphora Boursin,1928; philippii Corti,1928; claricostata Corti,1932.* _ Original Reference: *Euxoa diaphora Boursin,1928, Ency. ent. (B3) 3: 60, pl.5 figs.3-4. Holotype ♂: [Kazakhstan]: Uralsk.* Range (in code): **RO BG RU Ur Sr KG Uk**
- 61924. Euxoa (s.str.) distaxis Boursin,1928** (Noctuidae) Synonym(s): *distaxis Boursin,1928* _ Range (in code): **CN Ts Kno**
- 61925. Euxoa (s.str.) distinguenda (Lederer,1857)** (Noctuidae) Synonym(s): *distinguenda Lederer,1857.* _ Original Reference: *Agrotis distinguenda Lederer,1857, Noctuiden Europas: 221. Syntypes: [France]: Wallis; [Kasachstan]: Altai.* Range (in code): **DZ Lbs FR Si IT MT CH AT PL CZ SK HU RO YU AL BG GR Cr RU Ro St Kr Kyi Da Ur Sr MD UA TR Cc AM LB Bsa IL Pa JO KG At KK Ik IR Elb Mz**
- 61926. Euxoa (s.str.) distinguenda distincta (Staudinger,1892)** (Noctuidae) Synonym(s): *distincta Staudinger,1892; uralensis Corti,1926; amplexa Corti,1931; akschehirensis Corti,1932; rumelica Boursin,1935; #akshirensis Ebert & Hacker,2002* _ Range (in code): **PL CZ SK HU RO YU AL BG GR Cr RU Ro St Kr Kyi Da Ur Sr At MD UA TR Cc AM LB Bsa IL Pa JO KG KK Ik IR Elb Mz**
- 61927. Euxoa (s.str.) distinguenda distinguenda Lederer,1857** (Noctuidae) Synonym(s): *distinguenda Lederer,1857.* _ Original Reference: *Agrotis distinguenda Lederer,1857, Noctuiden Europas: 221. Syntypes: [France]: Wallis; [Kasachstan]: Altai.* Range (in code): **FR Si IT MT CH AT**
- 61928. Euxoa (s.str.) doufanae (Oberthür,1919)** (Noctuidae) Synonym(s): *doufanae Oberthür,1919* _ Range (in code): **DZ Dja Sfr BSa Ges**
- 61929. Euxoa (s.str.) dsheiron Brandt,1938** (Noctuidae) Synonym(s): *dsheiron Brandt,1938.* _ Original Reference: *Euxoa dsheiron Brandt,1938, Ent. Rdsch. 55: 499, fig. 81. Type ♂: Iran: Keredj.* Range (in code): **TR IR Th Elb Kdj EG RU Ur**
- 61930. Euxoa (s.str.) dysgrapha Varga & Gyulai,2001** (Noctuidae) Synonym(s): *dysgrapha Varga & Gyulai,2001* _ Range (in code): **KK**
- 61931. Euxoa (s.str.) ebadhadiani Gyulai & Varga,2002** (Noctuidae) Synonym(s): *ebadhadiani Gyulai & Varga,2002* _ Range (in code): **IR Es**
- 61932. Euxoa (s.str.) emamrezai Varga & Gyulai,2002** (Noctuidae) Synonym(s): *emamrezai Varga & Gyulai,2002* _ Range (in code): **IR Es**
- 61933. Euxoa (s.str.) emolliens W.Warren,1909** (Noctuidae) Synonym(s): *mollis Staudinger,1892 nec Walk.,1857; emolliens W.Warren,1909; amplexa Corti,1931.* _ Original Reference: *Euxoa emolliens W.Warren,1909, [in] Seitz, Die Gross-Schmett. Erde 3:28.* Range (in code): **TM UZ Man**
- 61934. Euxoa (s.str.) enixa Püngeler,1906** (Noctuidae) Synonym(s): *enixa Püngeler,1906* _ Original Reference: *Euxoa (Agrotis) enixa Püngeler,1906, Dt. ent. Z., Iris 19: 84. Syntypes 3♂ 2♀: [Kirgizistan]: "Togus-Torau, Issykul, Alexandergebirge"; [Turkmenistan]: "Aschabad".* Range (in code): **TM Kp UZ Fe KK Ax Ik**
- 61935. Euxoa (s.str.) eremopersa Gyulai & Varga,2006** (Noctuidae) Synonym(s): *eremopersa Gyulai & Varga,2006* _ Range (in code): **IR Es**
- 61936. Euxoa (s.str.) eremorealis Varga,1975** (Noctuidae) Synonym(s): *eremorealis Varga,1975* _ Range (in code): **AF**
- 61937. Euxoa (s.str.) eruta (Hübner,[1817])** (Noctuidae) Synonym(s): *eruta Hübner,[1817].* _ Range (in code): **TR**
- 61938. Euxoa (s.str.) erythrochrysa Gyulai & L.Ronkay,2001** (Noctuidae) Synonym(s): *erythrochrysa Gyulai & L.Ronkay,2001* _ Range (in code): **CN Ts**

- 61939. Euxoa (s.str.) fallax (Eversmann,1854)** (Noctuidae) Synonym(s): *fallax* Eversmann,1854
Range (in code): **RU Sr Ao KG Tk UZ TM TJ Pm KK MN**
- 61940. Euxoa (s.str.) fissa (Staudinger,1895)** (Noctuidae) Synonym(s): *fissa* Staudinger,1895
Range (in code): **MN CN Ui**
- 61941. Euxoa (s.str.) flavisignata Corti,1932** (Noctuidae) Synonym(s): *flavisignata* Corti,1932
Range (in code): **KK Ik CN Ui Au**
- 61942. Euxoa (s.str.) glabella (Wagner,1930)** (Noctuidae) Synonym(s): *glabella* Wagner,1930
Original Reference: *Agrotis glabella* Wagner,1930, Int. ent. Z. 23: 551. Syntypes: [Türkei]: Akşehir. Range (in code): **RO MK BG GR TR Cc RU Da AM TM KG Tk IR Gl**
- 61943. Euxoa (s.str.) glabella balcanica Fibiger,1997** (Noctuidae) Synonym(s): *balcanica* Fibiger,1997 Range (in code): **GR BG RO MK**
- 61944. Euxoa (s.str.) hastifera (Donzel,1847)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. Original Reference: *Agrotis hastifera* Donzel,1847, Annls Soc. ent. Fr. (2)5: 525, Taf.8 figs.1,2. Syntypes: [France]: Digne. Range (in code): **DZ Lbs Btina PT ES FR Sa? IT AT SK HU RO YU AL BG GR TR Cc AM Geg IR RU Da Kus Ro St At MD UA BY**
- 61945. Euxoa (s.str.) hastifera abdallah (Oberthür,1919)** (Noctuidae) Synonym(s): *abdallah* Oberthür,1919 Range (in code): **DZ Lbs Btina PT ES**
- 61946. Euxoa (s.str.) hastifera geghardica Varga,1979** (Noctuidae) Synonym(s): *geghardica* Varga,1979 Original Reference: *Euxoa hastifera* ssp. *geghardica* Varga,1979, Z. ArbGem. öst. Ent. 31: 1. Holotype: [Armenia]: Geghard, 40km O v. Erewan, 1700m (leg. & coll. Vartian). Range (in code): **RU Da Kus Cc AM Geg TR**
- 61947. Euxoa (s.str.) hastifera hastifera (Donzel,1837)** (Noctuidae) Synonym(s): *hastifera* Donzel,1837; *proleuca* Hampson,1903; *pomazensis* Kovacs,1952; *hungarica* Kovacs,1952. Original Reference: *Agrotis hastifera* Donzel,1847, Annls Soc. ent. Fr. (2)5: 525, Taf.8 figs.1,2. Syntypes: [France]: Digne. Range (in code): **FR Sa? IT AT SK HU RO YU AL BG GR IR RU Ro St At MD UA BY**
- 61948. Euxoa (s.str.) hemispherica Hampson,1903** (Noctuidae) Synonym(s): *hemispherica* Hampson,1903 Range (in code): **CY**
- 61949. Euxoa (s.str.) hendersoni Pinhey,1968** (Noctuidae) Synonym(s): *hendersoni* Pinhey,1968
Range (in code): **ZA**
- 61950. Euxoa (s.str.) heringi Christoph,1877** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. Original Reference: *Agrotis heringi* Christoph,1877, Horae Soc. ent. ross. 12: 248. Syntypes: Iran: Schahkuh. Range (in code): **LB Bsa SY Cc AM RU Kb Nt Da TR IR Elb Th Fa Lo Km Kdv Dam Kdj Ha Kd Mrv TM Kp AF**
- 61951. Euxoa (s.str.) heringi heringi (Christoph,1877)** (Noctuidae) Synonym(s): *heringi* Christoph,1877; *marcens* Christoph,1893; *signata* Staudinger,1900; *achyricola* Corti,1931. Original Reference: *Agrotis heringi* Christoph,1877, Horae Soc. ent. ross. 12: 248. Syntypes: Iran: Schahkuh. Range (in code): **IR Elb Th Fa Lo Km TR Cc RU Kb Nt Da AM TM Kp AF**
- 61952. Euxoa (s.str.) heringi maronitica Wiltshire,1939** (Noctuidae) Synonym(s): *maronitica* Wiltshire,1939 Original Reference: *Euxoa heringi* ssp. *maronitica* Wiltshire,1939, Trans. R. ent. Soc. Lond.88: 31. Holotype: Lebanon:... Range (in code): **LB Bsa SY**
- 61953. Euxoa (s.str.) hissarica Varga,1990** (Noctuidae) Synonym(s): *hissarica* Varga,1990
Range (in code): **AF Bd TJ**
- 61954. Euxoa (s.str.) homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. Original Reference: *Agrotis homicida* Staudinger,1900, Dt. ent. Z., Iris 12: 363, Taf.vi, fig.7. Syntypes: [Türkei]: Zeitun [=Süleymanli]; Amasia, Konia. Etymology: "Zur Erinnerung an den Massenmord der Armenier bei Zeitun so benannt". Range (in code): **IT Si RO GR Cr TR Cc IR Kh Fa Ke Ha Ss Elb Kdv Dam Kdj Kd Lo Hz Th Mz Gl** **TM Kp AF Hr Gbh Arh Srb PK KK Ax CN Ui Kl Kno Ts KG Tk TrA TJ Pm**
- 61955. Euxoa (s.str.) homicida homicida (Staudinger,1900)** (Noctuidae) Synonym(s): *homicida* Staudinger,1900; *#homicia* Hacker & Kautt,1999. Original Reference: *Agrotis homicida* Staudinger,1900, Dt. ent. Z., Iris 12: 363, Taf.vi, fig.7. Syntypes: [Türkei]: Zeitun [=Süleymanli]; Amasia, Konia. Etymology: "Zur Erinnerung an den Massenmord der Armenier bei Zeitun so benannt". Range (in code): **IT Si RO GR Cr TR Cc IR Ke Ha**
- 61956. Euxoa (s.str.) homicida schahkuhensis (Bartel,1907)** (Noctuidae) Synonym(s): *schahkuhensis* Bartel,1907 Range (in code): **TR IR Elb Th Dam Fa Ke Ha Kh Mz Gl** _ O

- 61957. Euxoa (s.str.) homicida transcaspica Kozhantshikov, 1928** (Noctuidae)
Synonym(s): *transcaspica* Kozhantshikov, 1928; *catervaria* Corti, 1929; *lugubris* Brandt, 1941. Range (in code): **TM Kp IR Kd Lo Hz Ss AF Hr Gbh Arh Srb PK KK Ax CN Ui Kl Kno Ts KG Tk TrA TJ Pm**
- 61958. Euxoa (s.str.) hyperythra Boursin, 1964** (Noctuidae) Synonym(s): *hyperythra* Boursin, 1964 Range (in code): **NP IN Up Bhi**
- 61959. Euxoa (s.str.) hypochlora Boursin, 1964** (Noctuidae) Synonym(s): *hypochlora* Boursin, 1964 Range (in code): **NP AF Pag KK TrA**
- 61960. Euxoa (s.str.) hypochlora afghanica Boursin, 1964** (Noctuidae) Synonym(s): *afghanica* Boursin, 1964 Original Reference: *Euxoa hypochlora* ssp. *afghanica* Boursin, 1964, Veröff. zool. Staatssamml. Münch. 8:11. Holotype: Afghanistan:... Range (in code): **AF Pag KK TrA**
- 61961. Euxoa (s.str.) implexa Püngeler, 1904** (Noctuidae) Synonym(s): *implexa* Püngeler, 1904 Original Reference: *Euxoa implexa* Püngeler, 1904, Societas Ent. 19: 122. Range (in code):
- 61962. Euxoa (s.str.) inexpectata Alpheraky, 1897** (Noctuidae) Synonym(s): *inexpectata* Alpheraky, 1897; *expugnata* Corti, 1932. Range (in code): **CN Ui Alt Au RU**
- 61963. Euxoa (s.str.) intolerabilis (Püngeler, 1895)** (Noctuidae) Synonym(s): *intolerabilis* Püngeler, 1895; *predotae* Schawerda, 1922; *arida* Corti & Draudt, 1933. Range (in code): **MN CN Ts Kno Ti RU Prj Us**
- 61964. Euxoa (s.str.) karschi (Graeser, 1889)** (Noctuidae) Synonym(s): *karschi* Graeser, 1889; *oberthueri* Leech, 1900. Range (in code): **MN**
- 61965. Euxoa (s.str.) kotzschii Draudt, 1937** (Noctuidae) Synonym(s): *kotzschii* Draudt, 1937; *plumbescens* Kozhantshikov, 1937 Range (in code): **AF Bd TJ Pm**
- 61966. Euxoa (s.str.) leaena (Püngeler, 1906)** (Noctuidae) Synonym(s): *leaena* Püngeler, 1906 Original Reference: *Epipsilia* (*Agrotis*) *leaena* Püngeler, 1906, Dt. ent. Z., Iris 19: 87-88. Type ♀: "Togus-Torau". Range (in code): **UZ Fe**
- 61967. Euxoa (s.str.) luteomixta (F. Wagner, 1932)** (Noctuidae) Synonym(s): *luteomixta* F. Wagner, 1932 Original Reference: *Agrotis luteomixta* F. Wagner, 1932, Int. ent. Z. 25:151. Syntypes: [Türkei]: Akşehir. Range (in code): **TR Cc**
- 61968. Euxoa (s.str.) malickyi Varga, 1979** (Noctuidae) Synonym(s): *malickyi* Varga, 1990 Original Reference: *Euxoa heringi* ssp. *malickyi* Varga, 1990, [in] Fibiger, Noctuidae Europaeae 1. Noctuinae I: 57, figs. Holotype ♂: Greece: Crete: Idaeon, Anthron. Range (in code): **Cr**
- 61969. Euxoa (s.str.) mandalgobi Gyulai & Varga, 1999** (Noctuidae) Synonym(s): *mandalgobi* Gyulai & Varga, 1999 Original Reference: *Euxoa mandalgobi* Gyulai & Varga, 1999, Esperiana 7: 690-691 figs. Holotype ♂: Mongolia: Dundgobi aimak, 20km. N of Mandalgobi, leg. P. Gyulai & A. Garai, coll. P. Gyulai. Range (in code): **MN**
- 61970. Euxoa (s.str.) melanochroa Varga, 1990** (Noctuidae) Synonym(s): *melanochroa* Varga, 1990 Range (in code): **AF Bd TJ Pm**
- 61971. Euxoa (s.str.) mendelis Fernández, 1915** (Noctuidae) Synonym(s): *mendelis* Fernández, 1915 Range (in code): **MA DZ ES**
- 61972. Euxoa (s.str.) mobergi Fibiger, 1990** (Noctuidae) Synonym(s): *mobergi* Fibiger, 1990 Original Reference: *Euxoa* (*Euxoa*) *mobergi* Fibiger, 1990, Noctuidae Europaeae 1. Noctuinae I: 197-199, figs. Holotype ♂: Turkey: Nevşehir: Ürgüp 10km W, Göreme. Range (in code): **TR**
- 61973. Euxoa (s.str.) moechilla Püngeler, 1906** (Noctuidae) Synonym(s): *moechilla* Püngeler, 1906 Original Reference: *Euxoa* (*Agrotis*) *moechilla* Püngeler, 1906, Dt. ent. Z., Iris 19: 81. Type ♂: [China: Uighur A.R.]: "Aksu, Ostturkestan". Range (in code): **CN Ui Au**
- 61974. Euxoa (s.str.) montigenarum Rougeot & Laporte, 1983** (Noctuidae) Synonym(s): *montigenarum* Rougeot & Laporte, 1983 Range (in code): **ET ET248**
- 61975. Euxoa (s.str.) montivaga Fibiger, 1997** (Noctuidae) Synonym(s): *montivaga* Fibiger, 1997 Range (in code): **GR TR Cc**
- 61976. Euxoa (s.str.) murzini Varga, 1990** (Noctuidae) Synonym(s): *murzini* Varga, 1990 Range (in code): **AF TJ Pm**
- 61977. Euxoa (s.str.) mustelina (Christoph, 1877)** (Noctuidae) Synonym(s): *mustelina* Christoph, 1877 Original Reference: *Agrotis mustelina* Christoph, 1877, Horae Soc. ent. ross. 12:249. Syntypes: Iran: Schahkuh. Range (in code): **AM Cc TR IR Shh Kh Qz Elb Th Dam TM RU At Sb KK Ik TeA TrA KG Ssn Mk Tk TJ Pm CN Ui Ii M-A MN**
- 61978. Euxoa (s.str.) mustelina centralis (Staudinger, 1889)** (Noctuidae) Synonym(s): *centralis* Staudinger, 1889; *mustaga* Corti, 1932. Original Reference: *Agrotis mustelina* var. *centralis*

- Staudinger, 1889, Stettin ent. Ztg. 50: 34. Syntypes: [Kirgizistan]: Issykul; [Kasachstan]: Saisan, Altai. Range (in code): RU At Sb KK Ik KG Ssn Mk Tk TJ Pm TrA TeA CN Ui li M-A MN
- 61979. Euxoa (s.str.) mustelina mustelina (Christoph, 1877)** (Noctuidae) Synonym(s): *mustelina* Christoph, 1877 Original Reference: *Agrotis mustelina* Christoph, 1877, Horae Soc. ent. ross. 12: 249. Syntypes: Iran: Schahkuh. Range (in code): TR Cc AM IR Shh Kh Elb Th Dam TM
- 61980. Euxoa (s.str.) naumanni Varga, 1990** (Noctuidae) Synonym(s): *naumanni* Varga, 1990 Range (in code): AF Bd
- 61981. Euxoa (s.str.) nigricans (Linnaeus, 1761)** (Noctuidae) Synonym(s): *nigricans* Linnaeus, 1761; *fumosa* [Denis & Schiffermüller], 1775; *rubricans* Esper, [1788]; *dubia* Haworth, 1809; *vilis*, *fuliginea* Hübner, [1813]; *carbonea* Hübner, [1823]; *ursina* Godart, 1825; *rustica* Eversmann, 1842; *oppidicola* Krulikowsky, 1907. Original Reference: *Phalaena nigricans* Linnaeus, 1761, Fauna Suecica (2): 322. Type(s): Sweden. Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Tbl IQ IR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY LB Bsa Sb At Am Us MN CN Ti
- 61982. Euxoa (s.str.) nigrofusca (Esper, [1788])** (Noctuidae) Synonym(s): *tritici sensu auct. nec* Linn., 1761; *nigrofusca* Esper, [1788]; *praticola* Borkhausen, 1792; *domestica* Fabricius, 1794; *pupillata* Haworth, 1803; *venosus* Haworth, 1803; *pusillus* Haworth, 1803; *lineolata* Haworth, 1809; *sordida* Haworth, 1809; *albilinea* Haworth, 1809; *hortorum* Stephens, 1829; *cuneigera* Stephens, 1829; *nigrina* Staudinger, 1867; *pygmaea* Hampson, 1903; *privigna* Püngeler, 1906; *fumosoides* Culot, 1909 Original Reference: *Phalaena nigrofusca* Esper, [1788], Die Schmett. Abb. Nat. 4 (2/1): 383, Taf. 127 Noct. 48, fig. 6. Lectotype ♀: Österreich: Tirol (ZSM), designated by Hacker, 1998. Range (in code): MA DZ PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU At MD UA BY CN Ui Chk Alt
- 61983. Euxoa (s.str.) obelisca ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller], 1775; *praticola* Hübner, [1813]; *plectoides* Guenée, 1852; *grisea* Tutt, 1892; *#carbonis* W. Warren, 1909; *stephensii* Heyd., 1933; *salioclitana* Boursin, 1934. Original Reference: *Noctua obelisca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): DZ Ges BtNa Lbs Abe PT ES FR Co? Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr Nt St Ich Da MD UA BY Ur TR AM GG Smt Bjo AZ Kir Cc IR IL Hf Pa JP
- 61984. Euxoa (s.str.) obelisca obelisca ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *obelisca* [Denis & Schiffermüller], 1775; *praticola* Hübner, [1813]; *plectoides* Guenée, 1852; *grisea* Tutt, 1892; *#carbonis* W. Warren, 1909; *stephensii* Heyd., 1933; *salioclitana* Boursin, 1934. Original Reference: *Noctua obelisca* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): DZ Ges BtNa Lbs Abe PT ES FR Co? Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ro Kr Nt St Ich Da MD UA BY Ur TR AM GG Smt Bjo AZ Kir Cc IR IL Hf Pa JP
- 61985. Euxoa (s.str.) ochrogaster (Guenée, 1852)** (Noctuidae) Synonym(s): *ochrogaster* Guenée, 1852 Range (in code): US IS SE FI EE LV LT RU BY UA MD AF IR TR RU Cc Ich Kr Da Ur Sb UZ Man KG Mn Ssn CN Ui Alt Au Yk Ax KK Ti TeA TrA MN Pm TJ Chr
- 61986. Euxoa (s.str.) ochrogaster rossica (Staudinger, 1881)** (Noctuidae) Synonym(s): *rossica* Staudinger, 1881; *sublata* Corti, 1932; *derasa* Corti, 1932; *yarkenda* Corti, 1932; *deserticola* Kozhantshikov, 1937. Original Reference: *Agrotis islandica* var. *rossica* Staudinger, 1881, Stettin ent. Ztg. 42: 419. Syntypes: [Usbekistan]: Margelan; [Kasachstan]: Saisan; [Russia]: Ural. Range (in code): IS SE FI EE LV LT RU BY UA MD AF IR TR RU Cc Ich Kr Da Ur Sb UZ Man KG Mn Ssn CN Ui Alt Au Yk Ax KK Ti TeA TrA MN Pm TJ Chr
- 61987. Euxoa (s.str.) oranaria (A. Bang-Haas, 1906)** (Noctuidae) Synonym(s): *oranaria* A. Bang-Haas, 1906; *psimithiosa* Boursin, 1958 Original Reference: *Agrotis oranaria* A. Bang-Haas, 1906, Dt. ent. Z., Iris 191: 133, pl. 5 fig. 9. Type: Algeria, Süd Oran. Range (in code): DZ Orn Ges Sfr Gha Onç Khh TN Gf PT ES LY Si JO SY IL Pa
- 61988. Euxoa (s.str.) perierga Brandt, 1938** (Noctuidae) Synonym(s): *perierga* Brandt, 1938 Original Reference: *Euxoa perierga* Brandt, 1938, Ent. Rdsch. 55: 499. Syntypes: Iran: Fars: Sine-Sefid. Range (in code): IR Kh Fa Com Sse Elb Th Se KuB Kdv AF TR TJ Pm
- 61989. Euxoa (s.str.) perierga dichagyroides Varga, 1979** (Noctuidae) Synonym(s): *dichagyroides* Varga, 1979 Original Reference: *Euxoa perierga* ssp. *dichagyroides* Varga, 1979, Z. ArbGem. öst. Ent. 31: 3. Holotype ♂: Afghanistan: Band-i-Amir, 3000m 30.7.1963 (leg. Kasy & Vartian, coll. Vartian). Range (in code): AF TJ Pm
- 61990. Euxoa (s.str.) perierga dolomedes Boursin, 1940** (Noctuidae) Synonym(s): *dolomedes* Boursin, 1940 Original Reference: *Euxoa perierga* ssp. *dolomedes* Boursin, 1940, Mitt. münch.

- ent. Ges. 30: 476, Taf.8 f.7,8. Holotype ♂: Iran: Fars: Comée, Barm i Firus, 2600m (F.Brandt leg. & coll.). Range (in code): IR Fa Com Elb Kh TR
- 61991. Euxoa (s.str.) perierga haloeremialis Varga,1979** (Noctuidae) Synonym(s): *haloeremialis Varga,1979* Original Reference: Euxoa perierga ssp. haloeremialis Varga,1979, Z. ArbGem. öst. Ent. 31: 4. Holotype ♀: [Türkei]: [Ankara Prov.]: Anatolien, Tuz Gölü N-Ufer, 3-12.9.1976 (leg. Glaser, coll. Vartian). Range (in code): TR
- 61992. Euxoa (s.str.) perierga kendevari Boursin,1940** (Noctuidae) Synonym(s): *kendevari Boursin,1940* Original Reference: Euxoa perierga ssp. kendevari Boursin,1940, Mitt. münch. ent. Ges. 30: 477, Taf.8 f.9.. Holotype ♂: Iran: Elbursgebirge: Kendevar, 3000m. Range (in code): IR Elb Kdv Se Th
- 61993. Euxoa (s.str.) perierga perierga Brandt,1938** (Noctuidae) Synonym(s): *perierga Brandt,1938* Original Reference: Euxoa perierga Brandt,1938, Ent. Rdsch. 55: 499. Syntypes: Iran: Fars: Sine-Sefid. Range (in code): IR Fa Sse
- 61994. Euxoa (s.str.) plumbina (F.Wagner,1913)** (Noctuidae) Synonym(s): *plumbina F.Wagner,1913* Original Reference: Agrotis plumbina F.Wagner,1913, Int. ent. Z. 7:2. Syntypes: [Kasachstan]: Iligebiet. Range (in code): KG Tk Dj li CN Ui KK Ik TrA TJ Pm
- 61995. Euxoa (s.str.) polytela Boursin,1940** (Noctuidae) Synonym(s): *polytela Boursin,1940* Range (in code): KK TeA
- 61996. Euxoa (s.str.) powelli (Oberthür,1912)** (Noctuidae) Synonym(s): *powelli Oberthür,1912* Range (in code): MA DZ Eba Sfr Ges TN LY ES
- 61997. Euxoa (s.str.) powelli persubtilis Corti,1929** (Noctuidae) Synonym(s): *persubtilis Corti,1929* Range (in code): ES
- 61998. Euxoa (s.str.) powelli powelli (Oberthür,1912)** (Noctuidae) Synonym(s): *powelli Oberthür,1912* Range (in code): MA DZ Eba Sfr Ges TN LY ES
- 61999. Euxoa (s.str.) pronecta Hampson,1903** (Noctuidae) Synonym(s): *pronecta Hampson,1903* Range (in code): ZA
- 62000. Euxoa (s.str.) psammospora Varga & Gyulai,2001** (Noctuidae) Synonym(s): *psammospora Varga & Gyulai,2001* Range (in code): TJ Pm
- 62001. Euxoa (s.str.) puengeleri (F.Wagner,1913)** (Noctuidae) Synonym(s): *puengeleri F.Wagner,1913* Range (in code): KG Tk Dj li
- 62002. Euxoa (s.str.) qaidamensis Gyulai, L.Ronkay & Varga,2001** (Noctuidae) Synonym(s): *qaidamensis Gyulai, L.Ronkay & Varga,2001* Range (in code): CN Ts
- 62003. Euxoa (s.str.) rebeli (Wagner,1913)** (Noctuidae) Synonym(s): *rebeli Wagner,1913* Original Reference: Agrotis rebeli Wagner,1913, Int. ent. Z. 7:3. Syntypes: Iligebiet, Djarkent. Range (in code): CN Ui li KG Tk Dj
- 62004. Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) Synonym(s): *recussa Hübner,[1817]; telifera Donzel,1837; transsylvania Herrich-Schäffer,[1851]; florigera Eversmann,1856; latebrosa Corti,1931.* Original Reference: Noctua recussa Hübner,[1817], Samml. eur. Schmett., Noct. 2:Taf.138, fig.630. Type: [Europa]. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU TR Cc DK NO SE FI EE LV LT RU St Kb Ich Da At Sb Am MD UA BY KG DsA KK Ik Ax CN Ui li Ju
- 62005. Euxoa (s.str.) recussa ligula (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *ligula A.Bang-Haas,1910* Range (in code): CN Ui Ju
- 62006. Euxoa (s.str.) recussa recussa (Hübner,[1817])** (Noctuidae) Synonym(s): *recussa Hübner,[1817]; telifera Donzel,1837; transsylvania Herrich-Schäffer,[1851]; florigera Eversmann,1856; latebrosa Corti,1931.* Original Reference: Noctua recussa Hübner,[1817], Samml. eur. Schmett., Noct. 2:Taf.138, fig.630. Type: [Europa]. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU
- 62007. Euxoa (s.str.) recussa tetrastigma (Zetterstedt,1840)** (Noctuidae) Synonym(s): *tetrastigma Zetterstedt,1840; florigera Eversmann,1844.* Range (in code): PL DK NO SE FI EE LV LT TR Cc RU St Kb Ich Da At Sb Am MD UA BY KG DsA KK Ik Ax CN Ui li
- 62008. Euxoa (s.str.) robiginosa (Staudinger,[1895])** (Noctuidae) Synonym(s): *robiginosa Staudinger,[1895]; terminalis Rothschild,1921; pseudoobelisca Corti,1932; intensior Draudt,1936; vinirufa Draudt,1936.* Original Reference: Agrotis robiginosa Staudinger,[1895], Dt. ent. Z, Iris 7: 271-272. Syntypes ♂♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): DZ BtNa TR IL Pa Js LB JO IQ Qz IR Lo
- 62009. Euxoa (s.str.) rubrior Pinker,1980** (Noctuidae) Synonym(s): *rubrior Pinker,1980; kansui Kornoşor,1989; oezeri Kornoşor,1989; loedlii Kornoşor,1989* Original Reference: Euxoa rubrior Pinker,1980, Z. ArbGem. öst. Ent. 31: 66. Holotype ♂: Türkei: Gürün, 1700m (leg & coll. Pinker). Range (in code): TR Cc

- 62010. Euxoa (s.str.) rugifrons (Mabille,1888)** (Noctuidae) Synonym(s): *rugifrons* Mabille,1888; *bledi* Chrétien,1911; *urbana* A.Bang-Haas,1912 _ Range (in code): **TN Gf DZ Bt na Gab Ges Afl Bdj MA LY**
- 62011. Euxoa (s.str.) sabuletorum (Boisduval,1840)** (Noctuidae) Synonym(s): *sabuletorum* Boisduval,1840. _ Range (in code): **RU TR**
- 62012. Euxoa (s.str.) sayvana Varga & L.Ronkay,1998** (Noctuidae) Synonym(s): *sayvana* Varga & L.Ronkay,1998 _ Range (in code): **TM Kp**
- 62013. Euxoa (s.str.) scurrilis Draudt,1937** (Noctuidae) Synonym(s): *scurrilis* Draudt,1937 Original Reference: *Euxoa scurrilis* Draudt,1937, in Seitz, Die Gross-Schmett. Erde 3(suppl.):268. Syntypes: [Iran]: Elbursgebirge... Range (in code): **TR Cc IR Elb Th Dam Lo Fa Com IQ**
- 62014. Euxoa (s.str.) segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. Original Reference: *Agrotis segnilis* Duponchel,1836, Hist. Nat. Lep. Pap. France, suppl. 3: 649. Type(s): Balkangebirge. Range (in code): **Sa Si IT CH AT HU RO YU BG GR TR RU Cc Ich Kyi Ur Or Sr MD UA BY KG Uk IR Elb Th**
- 62015. Euxoa (s.str.) segnilis cortii (F.Wagner,1930)** (Noctuidae) Synonym(s): *cortii* F.Wagner,1930; *costaevittata* F.Wagner,1930. Original Reference: *Agrotis cortii* F.Wagner,1930, Int. ent. Z. 24: 549. Type(s): [Türkei]: Akşehir. Range (in code): **GR BG TR IR Elb Th**
- 62016. Euxoa (s.str.) segnilis riphaea (Bartel,1907)** (Noctuidae) Synonym(s): *riphaea* Bartel,1907; *sparsa* Corti,1932. _ Range (in code): **RU Cc Ich Kyi Ur Or Sr KG Uk**
- 62017. Euxoa (s.str.) segnilis segnilis (Duponchel,1836)** (Noctuidae) Synonym(s): *segnilis* Duponchel,1836; *seliginis* Duponchel,1836; *siliginis* Guenée,1852; *#huebneroides* Boursin,1940; *adriatica* Fiori,1957. Original Reference: *Agrotis segnilis* Duponchel,1836, Hist. Nat. Lep. Pap. France, suppl. 3: 649. Type(s): Balkangebirge. Range (in code): **Sa Si IT CH AT HU RO YU BG GR RU MD UA BY**
- 62018. Euxoa (s.str.) shahabbasi Gyulai & Varga,2002** (Noctuidae) Synonym(s): *shahabbasi* Gyulai & Varga,2002; *#abbassahi* Varga & Gyulai,2002 _ Range (in code): **TM Kp IR Kh**
- 62019. Euxoa (s.str.) sigmata Kozhantshikov,1928** (Noctuidae) Synonym(s): *sigmata* Kozhantshikov,1928 _ Range (in code): **IR Kh KuB TM Kp**
- 62020. Euxoa (s.str.) subdecora Hampson,1903** (Noctuidae) Synonym(s): *subdecora* Hampson,1903; *clauda* Püngeler,1906. Original Reference: *Euxoa subdecora* Hampson,1903, Cat. Lepid. Phalaenae Br. Mus. 4: 233. Syntypes: [Turkey]: Pontus [=Amasya]; [Usbekistan]: ?Ferghana; [Kirgh.]: Issykul. Range (in code): **TR KK Ik UZ Fe IR Kh KuB Fa**
- 62021. Euxoa (s.str.) sublata Corti,1931** (Noctuidae) Synonym(s): *sublata* Corti,1931 _ Range (in code): **CN Ui Alt Au KK Ax**
- 62022. Euxoa (s.str.) submelanochroa Gyulai & Varga,2006** (Noctuidae) Synonym(s): *submelanochroa* Gyulai & Varga,2006 _ Range (in code): **TJ Pm PK Nwf Sha**
- 62023. Euxoa (s.str.) sulcifera (Christoph,1893)** (Noctuidae) Synonym(s): *sulcifera* Christoph,1893 Original Reference: *Agrotis sulcifera* Christoph,1893, Dt. ent. Z., Iris 6: 91. Type(s): [Türkei]: Kasikoparan. Range (in code): **TR IR Elb Th Cc AM**
- 62024. Euxoa (s.str.) temera (Hübner,[1808])** (Noctuidae) Synonym(s): *temera* Hübner,[1808]; *ruris* Hübner,[1808]; *villiersii* Guenée,1837; *declarans* Walker,[1857]; *alphonsina* Fernald,1918; *boursini* Schawerda,1931; *perambulans* Corti,1931; *leucotera* Bytinski-Salz & Brandt,1937. Original Reference: *Noctua temera* Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.84, fig.393. Type: [Europa]. Range (in code): **MA DZ TN PT ES FR Co Sa Si IT CH AT PL CZ SK HU RO YU AL BG GR RU Kr Da MD UA BY TR SY LB IL Pa JO Cc AZ AM GG IR Elb Gh Th Kdj IQ Bgd SA**
- 62025. Euxoa (s.str.) thomasi Hacker & Varga,1990** (Noctuidae) Synonym(s): *thomasi* Hacker & Varga,1990 _ Range (in code): **IN Ld**
- 62026. Euxoa (s.str.) triaena Kozhantshikov,1929** (Noctuidae) Synonym(s): *triaena* Kozhantshikov,1929 _ Range (in code): **RU MD KG IR Elb**
- 62027. Euxoa (s.str.) tritici (Linnaeus,1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus,1761 Original Reference: *Phalaena tritici* Linnaeus,1761, Fauna Suec. (Edn.2): 320. Type(s): Sweden. Range (in code): **DZ Mii PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc GG Smt Bjo AZ Kir Ro Kr St Ing Da MD UA BY KK TrA CN Ui Chk Alt Kml**
- 62028. Euxoa (s.str.) tritici tritici (Linnaeus,1761)** (Noctuidae) Synonym(s): *tritici* Linnaeus,1761 Original Reference: *Phalaena tritici* Linnaeus,1761, Fauna Suec. (Edn.2): 320. Type(s): Sweden. Range (in code): **DZ Mii PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ**

SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ing Da GG Smt Bjo AZ Kir MD UA
BY KK TrA CN Ui Chk Alt Kml

- 62029. Euxoa (s.str.) triumregium Varga,1979** (Noctuidae) Synonym(s): *triumregium* Varga,1979 _ Range (in code): AF BdA
- 62030. Euxoa (s.str.) uigurica Gyulai, Ronkay & Varga,2001** (Noctuidae) Synonym(s): *uigurica* Gyulai, Ronkay & Varga,2001 _ Range (in code): CN Ui Kml
- 62031. Euxoa (s.str.) uncarpa Kozhantshikov,1929** (Noctuidae) Synonym(s): *uncarpa* Kozhantshikov,1929 _ Range (in code): RU Cc Da
- 62032. Euxoa (s.str.) urbanoides Kozhantshikov,1937** (Noctuidae) Synonym(s): *urbanoides* Kozhantshikov,1937 _ Range (in code): TJ Pm
- 62033. Euxoa (s.str.) vartianica Boursin,1963** (Noctuidae) Synonym(s): *vartianica* Boursin,1963 Range (in code): AF Pag
- 62034. Euxoa (s.str.) viguraea (Hampson,1903)** (Noctuidae) Synonym(s): *viguraea* Hampson,1903 _ Range (in code): CN Ui Au
- 62035. Euxoa (s.str.) vitta (Esper,[1789])** (Noctuidae) Synonym(s): *vitta* Esper,[1789] Original Reference: Phalaena vitta Esper,[1789], Die Schmett. 4(2):Taf.143, f.6. Type(s): [Germany: Erlangen]. Range (in code): ES FR Sa? IT DE CH AT PL CZ SK HU RO YU B-H BG GR TR Cc AZ Kir GG SE LT RU Ro Kr Da MD UA BY
- 62036. Euxoa (s.str.) vitta hercegoviensis (Schawerda,1938)** (Noctuidae) Synonym(s): *hercegoviensis* Schawerda,1938. Original Reference: Agrotis vitta herzegovinis Schawerda,1938, Ent. Rdsch. 55: 470. Syntypes: [Bosnia-Herzegowina]: Mostar. Range (in code): TR RU Cc Ro Kr Da GG B-H BG
- 62037. Euxoa (s.str.) wagneri Corti,1926** (Noctuidae) Synonym(s): *wagneri* Corti,1926 Range (in code): MA DZ ES
- 62038. Euxoa (s.str.) walarum Rougeot & Laporte,1983** (Noctuidae) Synonym(s): *walarum* Rougeot & Laporte,1983 _ Range (in code): ET ET248
- 62039. Euxoa (s.str.) waltharii (Corti,1931)** (Noctuidae) Synonym(s): *waltharii* Corti,1931 Original Reference: Euxoa waltharii Corti,1931, in Seitz, Die Gross-Schmett. Erde 3(suppl): 25. Syntypes: [China: Uighur A.R.]: Kuldja, Turkestan; [Kirghizistan]: Naryn. Range (in code): KK CN Ui Ku Tk KG IR
- 62040. Euxoa (s.str.) waltharii waltharii (Corti,1931)** (Noctuidae) Synonym(s): *waltharii* Corti,1931 Original Reference: Euxoa waltharii Corti,1931, in Seitz, Die Gross-Schmett. Erde 3(suppl): 25. Syntypes: [China: Uighur A.R.]: Kuldja, Turkestan; [Kirghizistan]: Naryn. Range (in code): KK CN Ui Ku Tk KG IR
- 62041. Euxoa (s.str.) xanthophylla Varga,1990** (Noctuidae) Synonym(s): *xanthophylla* Varga,1990 _ Range (in code): AF Bd
- 62042. Euxoa (s.str.) xanthosemata Hampson,1918** (Noctuidae) Synonym(s): *xanthosemata* Hampson,1918 _ Range (in code): AZ Kir Cc
- 62043. Euxoa (s.str.) zanskariensis Hacker & Varga,1990** (Noctuidae) Synonym(s): *zanskariensis* Hacker & Varga,1990 _ Range (in code): IN Ld
- 62044. Euxoa (s.str.) zernyi Boursin,1944** (Noctuidae) Synonym(s): *zernyi* Boursin,1944. Original Reference: Euxoa zernyi Boursin,1944, Revue Fr. Ent. 10: 159. Holotype: [Russia]: Orenburg. Range (in code): RU Or TR
- 62045. Euxootera abyssinica Berio,1974** (Noctuidae) Synonym(s): *abyssinica* Berio,1974 Range (in code): ET ET09
- 62046. Euxootera ageta D.S.Fletcher,1963** (Noctuidae) Synonym(s): *ageta* D.S.Fletcher,1963 Range (in code): ZR
- 62047. Euxootera atrisparsa (Hampson,1903)** (Noctuidae) Synonym(s): *atriisparsa* Hampson,1903 _ Range (in code): KE
- 62048. Euxootera bilacteata (Berio,1962)** (Noctuidae) Synonym(s): *bilacteata* Berio,1962; *chrysopaes* D.S.Fletcher,1963 _ Range (in code): ZA Rz RW
- 62049. Euxootera callima D.S.Fletcher,1961** (Noctuidae) Synonym(s): *callima* D.S.Fletcher,1961 Range (in code): UG Rz
- 62050. Euxootera callimorpha Berio,1972** (Noctuidae) Synonym(s): *callimorpha* Berio,1972 Range (in code): TZ Iko
- 62051. Euxootera concolor Berio,1972** (Noctuidae) Synonym(s): *concolor* Berio,1972 _ Range (in code): TZ Iko

- 62052. Euxootera contraria** Berio,1977 (Noctuidae) Synonym(s): *contraria* Berio,1977 _ Range (in code): ZR
- 62053. Euxootera cyclophora** D.S.Fletcher,1961 (Noctuidae) Synonym(s): *cyclophora* D.S.Fletcher,1961 _ Range (in code): UG Rz
- 62054. Euxootera cyclops** D.S.Fletcher,1961 (Noctuidae) Synonym(s): *cyclops* D.S.Fletcher,1961 _ Range (in code): TZ
- 62055. Euxootera dinshoensis** Laporte,1977 (Noctuidae) Synonym(s): *dinshoensis* Laporte,1977 _ Range (in code): ET ET86
- 62056. Euxootera elegans** Berio,1972 (Noctuidae) Synonym(s): *elegans* Berio,1972 _ Range (in code): TZ Iko
- 62057. Euxootera fletcheri** Berio,1977 (Noctuidae) Synonym(s): *fletcheri* Berio,1977 _ Range (in code): ZR Kvu
- 62058. Euxootera leucoplaga** (Hampson,1907) (Noctuidae) Synonym(s): *leucoplaga* Hampson,1907 _ Range (in code): UG Rz
- 62059. Euxootera marmorata** Laporte,1977 (Noctuidae) Synonym(s): *marmorata* Laporte,1977 _ Range (in code): ET ET110
- 62060. Euxootera mauricei** Laporte,1975 (Noctuidae) Synonym(s): *mauricei* Laporte,1975 _ Range (in code): ET ET196
- 62061. Euxootera melanomesa** (Hampson,1913) (Noctuidae) Synonym(s): *melanomesa* Hampson,1913 _ Range (in code): KE Nai
- 62062. Euxootera mendeboense** Laporte,1984 (Noctuidae) Synonym(s): *mendeboense* Laporte,1984 _ Range (in code): ET ET86
- 62063. Euxootera modesta** Berio,1972 (Noctuidae) Synonym(s): *modesta* Berio,1972 _ Range (in code): TZ Iko
- 62064. Euxootera modestissima** Berio,1972 (Noctuidae) Synonym(s): *modestissima* Berio,1972 _ Range (in code): TZ Iko
- 62065. Euxootera ochropleurodes** Berio,1972 (Noctuidae) Synonym(s): *ochropleurodes* Berio,1972 _ Range (in code): TZ Iko
- 62066. Euxootera panconita** D.S.Fletcher,1963 (Noctuidae) Synonym(s): *panconita* D.S.Fletcher,1963 _ Range (in code): ZR
- 62067. Euxootera posteriobrunnea** Laporte,1970 (Noctuidae) Synonym(s): *posteriobrunnea* Laporte,1970 _ Range (in code): GA
- 62068. Euxootera scipioni** Laporte,1977 (Noctuidae) Synonym(s): *scipioni* Laporte,1977 _ Range (in code): ET ET86
- 62069. Euxootera trimaculata** Laporte,1984 (Noctuidae) Synonym(s): *trimaculata* Laporte,1984 _ Range (in code): KE Nai
- 62070. Evanina wiltshirei** (Boursin,1957) (Noctuidae) Synonym(s): *wiltshirei* Boursin,1957 _ Range (in code): AF
- 62071. Evisa schawerdae** Reisser,1930 (Noctuidae) Synonym(s): *schawerdae* Reisser,1930
Original Reference: Evisa schawerdae Reisser,1930, Z. öst. EntVer. 15 (1): 4, Taf.1. Syntypes 2♂: Corsica, "Col de Sevi bei Evisa, ca.1000m", 7 Sept., 1929. Range (in code): MA ES FR Co Sa MK GR LB Bei TR IQ Brs IR Fa Bionomy: Larva on Quercus, Crataegus (Wiltshire,1957).
- 62072. Evisa schawerdae balcanica** Hacker,1989 (Noctuidae) Synonym(s): *balcanica* Hacker,1989 _ Range (in code): MK GR
- 62073. Evisa schawerdae kurdistan** Boursin,1940 (Noctuidae) Synonym(s): *kurdistan* Boursin,1940
Original Reference: Evisa schawerdae ssp. kurdistan Boursin,1940, Mitt. münch. ent. Ges. 30: 506-508, Taf.9 figs. 43,44. Holotype ♂: Iraq: Berserini (zw. Rowanduz u. Rayat) (Wiltshire leg.) (coll. Boursin). Range (in code): TR IQ Brs Bionomy: Larva on Quercus, Crataegus (Wiltshire,1957).
- 62074. Evisa schawerdae reisseri** Wiltshire,1952 (Noctuidae) Synonym(s): *reisseri* Wiltshire,1952
Original Reference: Evisa reisseri Wiltshire,1952, Bull. Soc. Fouad I Ent. 36: 192, Pl. fig.25. Holotype ♂: Iran: Fars: SW Persia: 50mls S. Shiraz, Hunaifagan, 5500ft. (coll. Wiltshire). Range (in code): IR Fa
- 62075. Evisa schawerdae syriaca** Boursin,1940 (Noctuidae) Synonym(s): *syriaca* Boursin,1940
Original Reference: Evisa schawerdae f.ssp. syriaca Boursin,1940, Mitt. münch. ent. Ges. 30: 508, Taf.9 fig.45. Holotype ♀: [Libanon]: "Beyrut (Syrien)" (coll. Boursin). Range (in code): TR LB Bei IL Pa He Bionomy: Larva on Quercus, Crataegus (Wiltshire,1957).

- 62076. Evonima aperta Walker, 1865** (Noctuidae) Synonym(s): *aperta* Walker, 1865 _ Range (in code): ID Sum Ja TH TW MY Bor
- 62077. Evonima faircloughi Holloway, 2003** (Noctuidae) Synonym(s): *faircloughi* Holloway, 2003 Range (in code): MY Bor BN
- 62078. Evonima kamboranga Holloway, 2003** (Noctuidae) Synonym(s): *kamboranga* Holloway, 2003 _ Range (in code): MY Bor Sbh KBa
- 62079. Evonima littoralis (van Son, 1933)** (Noctuidae) Synonym(s): *littoralis* van Son, 1933 ET Snp ZA Nta Kzu Dbn Lpo Tva
- 62080. Evonima littoralis abyssinica Hacker, 2012** (Noctuidae) Synonym(s): *abyssinica* Hacker, 2012 _ ET Snp
- 62081. Evonima maculata Holloway, 2003** (Noctuidae) Synonym(s): *maculata* Holloway, 2003 Range (in code): MY Bor Swk BN
- 62082. Evonima ochritincta (Hampson, 1901)** (Noctuidae) Synonym(s): *ochritincta* Hampson, 1901 _ Range (in code): LK
- 62083. Evonima ruhija Hacker, 2012** (Noctuidae) Synonym(s): *ruhija* Hacker, 2012 _ UG
- 62084. Evonima unicolor Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *unicolor* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): TH Nan
- 62085. Evonima westafricana Hacker, 2012** (Noctuidae) Synonym(s): *aperta* Walker, 1865 Range (in code): CI
- 62086. Evonima xanthoplaga (Hampson, 1901)** (Noctuidae) Synonym(s): *xanthoplaga* Hampson, 1901 _ Range (in code): IN SI
- 62087. Exathetis strigata (Hampson, 1911)** (Noctuidae) Synonym(s): *strigata* Hampson, 1911 Range (in code): ZA KE
- 62088. Exophyla flexularis Mabille, 1890** (Noctuidae) Synonym(s): *flexularis* Mabille, 1890 Range (in code): CI
- 62089. Exophyla melanocleis Hampson, 1926** (Noctuidae) Synonym(s): *melanocleis* Hampson, 1926 _ Range (in code): GH
- 62090. Exophyla molybdea Hampson, 1926** (Noctuidae) Synonym(s): *molybdea* Hampson, 1926 Range (in code): ZA Nta Kzu Dbn
- 62091. Exophyla multistriata Hampson, 1910** (Noctuidae) Synonym(s): *multistriata* Hampson, 1910 _ Range (in code): ZA Nta Kzu Dbn Bionomy: Larva on Celtis kraussiana (Ulmaceae) (Taylor, 1953).
- 62092. Exophyla platti Hampson, 1902** (Noctuidae) Synonym(s): *platti* Hampson, 1902 _ Range (in code): ZA Nta Kzu Dbn
- 62093. Exophyla poliotis (Hampson, 1902)** (Noctuidae) Synonym(s): *poliotis* Hampson, 1902 Range (in code): ZA Nta Kzu Dbn Ec Cap Grh
- 62094. Exophyla rectangularis (Geyer, [1828])** (Noctuidae) Synonym(s): *rectangularis* Geyer, [1828]; *#rctangularis* Lehmann, Hacker et al., 1998 Original Reference: Noctua rectangularis Geyer, [1828], [in] Hübner, Samml. eur. Schmett. 4, Noctuae: Tab. 159 figs. 743, 744. Syntypes: Europa. Range (in code): IT YU HV AL BG GR TR AZ Kir AM GG Cc RU UA RO LB Bsa IL Pa TM Kp UZ KG Bionomy: Larva on Celtis australis, C. centralis (Ulmaceae) (Lederer, 1870; Staudinger, 1879); Celtis glabrata ex Van (Kemal & Koçak, 2012).
- 62095. Exoullia tanzaniae Berio, 1973** (Noctuidae) Synonym(s): *tanzaniae* Berio, 1973 _ Range (in code): TZ Iko
- 62096. Exsula dentatrix (Westwood, 1848)** (Noctuidae) Synonym(s): *dentatrix* Westwood, 1848 Range (in code): IN
- 62097. Exsula dentatrix (Westwood, 1848)** (Noctuidae) Synonym(s): *dentatrix* Westwood, 1848; *albomaculata* Miyake, 1907; *nigradorsa* Candeze, 1927 _ Range (in code): KH TW IN Ass NP TH CMa Dst
- 62098. Exsula victrix (Westwood, 1848)** (Noctuidae) Synonym(s): *victrix* Westwood, 1848; *silhetensis* Butler, 1875; *tyrianthina* Butler, 1875; *burmaensis* Strand, 1912 _ Range (in code): MM BD Syl IN TH CMa Int VN NP
- 62099. Exsula victrix (Westwood, 1848)** (Noctuidae) Synonym(s): *victrix* Westwood, 1848; *silhetensis* Butler, 1875; *tyrianthina* Butler, 1875; *orientalis* Butler, 1875; *burmaensis* Strand, 1912 _ Range (in code): IN Ass BD Syl SI MM CN Yu
- 62100. Extremoplusia megaloba (Hampson, 1912)** (Noctuidae) Synonym(s): *megaloba* Hampson, 1912 _ Range (in code): IN Meg Ass Khs TH MY VN IN TW ID Bor Sum
- 62101. Ezishnola fuscographa Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *fuscographa* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): TH Nan

- 62102. *Fabula zollikoferi* (Freyer,1836)** (Noctuidae) **Synonym(s):** *zollikoferi* Freyer,1836; *internigrata* W.Warren,1911 **Range (in code):** **IT IS GB NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Cc Ro St Ich Ur At MD UA BY TM KG CN Ui Ga Kl Sb**
- 62103. *Facidia luteilinea* Hampson,1926** (Noctuidae) **Synonym(s):** *luteilinea* Hampson,1926 **Range (in code):** **NG Caa**
- 62104. *Facidia vacillans* (Walker,1858)** (Noctuidae) **Synonym(s):** *vacillans* Walker,1858; *nigrofusca* Walker,1865; *fenestrata* Möschler,1887; *horrida* Holland,1894; *phaeophoenica* Hampson,1905. **Range (in code):** **ZA Nta Kzu Dbn GH GA Ogo**
- 62105. *Facidia venosa* (Hübner)** (Noctuidae) **Synonym(s):** **Range (in code):** **TH Bnk Sso**
Bionomy: Larva on *Lepisanthes fruticosa* [chamma liang], *L.rubiginosa* [ma huat] (Sapindaceae) (Lewvanich,2001).
- 62106. *Facidina polystigma* (Lower,1903)** (Noctuidae) **Synonym(s):** *polystigma* Lower,1903 **Range (in code):** **AU QAU**
- 62107. *Facidina semifimbria* (Walker,[1858])** (Noctuidae) **Synonym(s):** *semifimbria* Walker,[1858] **Range (in code):** **ZA SL**
- 62108. *Facidina suffumata* (Guenée,1852)** (Noctuidae) **Synonym(s):** *suffumata* Guenée,1852 **Range (in code):** **ID Ja**
- 62109. *Fagitana gigantea* Draudt,1950** (Noctuidae) **Synonym(s):** *gigantea* Draudt,1950 **Range (in code):** **CN Yu Lik**
- 62110. *Fagitana littera* (Guenée,1852)** (Noctuidae) **Synonym(s):** *littera* Guenée,1852; *lucidata* Walker,1865; *niveicostatus* Grote,1874 **Range (in code):** **US FI**
- 62111. *Falana sordida* Moore,1882** (Noctuidae) **Synonym(s):** *sordida* Moore,1882 **Range (in code):** **IN Ass Meg Cpj TH Knc CMa Dst VN NP PH**
- 62112. *Faronta exoul* (Walker,1856)** (Noctuidae) **Synonym(s):** *exoul* Walker,1856 **Range (in code):** **ZA**
- 62113. *Felinia antedecens* (Walker,[1858])** (Noctuidae) **Synonym(s):** *antedecens* Walker,[1858] **Range (in code):** **ID Sum**
- 62114. *Felinia precedens* (Walker,1858)** (Noctuidae) **Synonym(s):** *precedens* Walker,1858; *filipalpis* Walker,1858; *kebea* Bethune-Baker,1906 **Range (in code):** **PG IN LK WS FJ AU MY**
- 62115. *Felinia spissa* Guenée,1852** (Noctuidae) **Synonym(s):** *spissa* Guenée,1852; *spissata* Guenée,1852; *decens* Walker,[1858] **Range (in code):** **IN BD Syl TH Ntt Hba VN LK MY ID Sum Bor Tim Flo Clb PG PH**
- 62116. *Feliniopsis (africana-gr.) africana* (Schaus & Clements,1893)** (Noctuidae) **Synonym(s):** *africana* Schaus & Clements,1893; *leucura* Hampson,1914; *phoenicolopha* Hampson,1914. **Range (in code):** **CI MZ Mtp SL ZA Nta Kzu Srn Dbn**
- 62117. *Feliniopsis (africana-gr.) berioi* (Viette,1963)** (Noctuidae) **Synonym(s):** *berioi* Viette,1963 **Range (in code):** **MG**
- 62118. *Feliniopsis (africana-gr.) breviuscula* (Walker,1858)** (Noctuidae) **Synonym(s):** *breviuscula* Walker,1858 **Range (in code):** **TZ ZA Tva Gau Pre Mpu Brb Nta Kzu Dbn**
- 62119. *Feliniopsis (africana-gr.) dargei* (Laporte,1973)** (Noctuidae) **Synonym(s):** *dargei* Laporte,1973 **Range (in code):** **CM**
- 62120. *Feliniopsis (africana-gr.) duponti* (Laporte,1974)** (Noctuidae) **Synonym(s):** *duponti* Laporte,1974 **Range (in code):** **ET**
- 62121. *Feliniopsis (africana-gr.) germainae* (Laporte,1975)** (Noctuidae) **Synonym(s):** *germainae* Laporte,1975 **Range (in code):** **ET**
- 62122. *Feliniopsis (africana-gr.) grisea* (Laporte,1973)** (Noctuidae) **Synonym(s):** *grisea* Laporte,1973 **Range (in code):** **CM**
- 62123. *Feliniopsis (africana-gr.) subsagula* (D.S.Fletcher,1961)** (Noctuidae) **Synonym(s):** *subsagula* D.S.Fletcher,1961 **Range (in code):** **UG**
- 62124. *Feliniopsis (africana-gr.) tenera* (Viette,1963)** (Noctuidae) **Synonym(s):** *tenera* Viette,1963 **Range (in code):** **MG**
- 62125. *Feliniopsis (connivens-gr.) connivens* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *connivens* R.Felder & Rogenhofer,1874; *quadrisigna* Moore,1881; *placida* Moore,1882. **Range (in code):** **GH ZA Wca Nta Kzu Tva Gau Pre IN Pj PK**
- 62126. *Feliniopsis (connivens-gr.) hosplitoides* (Laporte,1979)** (Noctuidae) **Synonym(s):** *hosplitoides* Laporte,1979 **Range (in code):** **ZA Nta Kzu**
- 62127. *Feliniopsis (connivens-gr.) tamsi* (Berio,1974)** (Noctuidae) **Synonym(s):** *tamsi* Berio,1974 **Range (in code):**

- 62128. Feliniopsis (consummata-gr.) albarenalis (Chang,1991)** (Noctuidae) Synonym(s): *albarenalis* Chang,1991; *hyperithra* Galsworthy,1997 _ Range (in code):
- 62129. Feliniopsis (consummata-gr.) consummata (Walker,1857)** (Noctuidae) Synonym(s): *consummata* Walker,1857 _ Range (in code): **ZA Nta Kzu Dbn Em Umk Ktz Nha Gau Pre Est Tva Lpo Mv MG MU CF YE Ad CN IN LK ID Ja AU QAU**
- 62130. Feliniopsis (consummata-gr.) hoplista (Viette,1963)** (Noctuidae) Synonym(s): *hoplista* Viette,1963 _ Range (in code): **MG**
- 62131. Feliniopsis (consummata-gr.) minnecii (Berio,1939)** (Noctuidae) Synonym(s): *minnecii* Berio,1939 _ Range (in code): **SO**
- 62132. Feliniopsis (consummata-gr.) septentrionalis (Rougeot & Laporte,1983)** (Noctuidae) Synonym(s): *septentrionalis* Rougeot & Laporte,1983 _ Range (in code): **ET**
- 62133. Feliniopsis (consummata-gr.) spinifera (Laporte,1991)** (Noctuidae) Synonym(s): *spinifera* Laporte,1991 _ Range (in code): **ET**
- 62134. Feliniopsis (consummata-gr.) theryi (Laporte,1975)** (Noctuidae) Synonym(s): *theryi* Laporte,1975 _ Range (in code): **ET**
- 62135. Feliniopsis (consummata-gr.) thoracica (Walker,1858)** (Noctuidae) Synonym(s): *thoracica* Walker,1858 _ Range (in code): **ZA YE Ad**
- 62136. Feliniopsis (consummata-gr.) tulipifera (Saalmüller,1891)** (Noctuidae) Synonym(s): *tulipifera* Saalmüller,1891; *#tupulifera* Pinhey,1975. _ Range (in code): **ZA MG**
- 62137. Feliniopsis (indistans-gr.) indistans (Guenée,1852)** (Noctuidae) Synonym(s): *indistans* Guenée,1852; *subdistans* Guenée,1852; *asahinai* Sugi,1982 _ Range (in code): **IN NP TW CN KP KR JP**
- 62138. Feliniopsis (niveipuncta-gr.) annosa (Viette,1963)** (Noctuidae) Synonym(s): *annosa* Viette,1963 _ Range (in code): **MG**
- 62139. Feliniopsis (niveipuncta-gr.) ligniensis (Laporte,1973)** (Noctuidae) Synonym(s): *ligniensis* Laporte,1973 _ Range (in code): **CM**
- 62140. Feliniopsis (niveipuncta-gr.) nigribarbata (Hampson,1908)** (Noctuidae) Synonym(s): *nigribarbata* Hampson,1908 _ Range (in code): **ZA KE Nta Kzu Kkf Imp**
- 62141. Feliniopsis (niveipuncta-gr.) niveipuncta (Hampson,1911)** (Noctuidae) Synonym(s): *niveipuncta* Hampson,1911; *subnigrata* W.Warren,1912 _ Range (in code):
- 62142. Feliniopsis (niveipuncta-gr.) sabaea Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *sabaea* Hacker & Fibiger,2001 _ Range (in code): **YE**
- 62143. Feliniopsis (niveipuncta-gr.) viettei Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *viettei* Hacker & Fibiger,2001 _ Range (in code): **YE**
- 62144. Feliniopsis (satellitidis-gr.) apameoides Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *apameoides* Hacker & Fibiger,2001 _ Range (in code): **YE Sna**
- 62145. Feliniopsis (satellitidis-gr.) gueneei (Laporte,1973)** (Noctuidae) Synonym(s): *gueneei* Laporte,1973 _ Range (in code): **CM**
- 62146. Feliniopsis (satellitidis-gr.) satellitis (Berio,1974)** (Noctuidae) Synonym(s): *satellitidis* Berio,1974 _ Range (in code): **TZ**
- 62147. Feliniopsis (siderifera-gr.) albilineata (W.Warren,1912)** (Noctuidae) Synonym(s): *albilineata* W.Warren,1912 _ Range (in code):
- 62148. Feliniopsis (siderifera-gr.) albiorbis (W.Warren,1912)** (Noctuidae) Synonym(s): *albiorbis* W.Warren,1912 _ Range (in code):
- 62149. Feliniopsis (siderifera-gr.) confundens (Walker,1857)** (Noctuidae) Synonym(s): *confundens* Walker,1857 _ Range (in code):
- 62150. Feliniopsis (siderifera-gr.) confusa (Laporte,1973)** (Noctuidae) Synonym(s): *confusa* Laporte,1973 _ Range (in code): **CM**
- 62151. Feliniopsis (siderifera-gr.) connotata (W.Warren,1912)** (Noctuidae) Synonym(s): *connotata* W.Warren,1912 _ Range (in code):
- 62152. Feliniopsis (siderifera-gr.) constellata (Moore,1882)** (Noctuidae) Synonym(s): *constellata* Moore,1882 _ Range (in code):
- 62153. Feliniopsis (siderifera-gr.) distans (Moore,1882)** (Noctuidae) Synonym(s): *distans* Moore,1882 _ Range (in code):
- 62154. Feliniopsis (siderifera-gr.) hyposcota (Hampson,1911)** (Noctuidae) Synonym(s): *hyposcota* Hampson,1911 _ Range (in code):
- 62155. Feliniopsis (siderifera-gr.) inextricans (Walker,1858)** (Noctuidae) Synonym(s): *inextricans* Walker,1858 _ Range (in code):

- 62156. Feliniopsis (siderifera-gr.) ivoriensis (Laporte,1973)** (Noctuidae) Synonym(s): *ivoriensis* Laporte,1973 _ Range (in code): CI
- 62157. Feliniopsis (siderifera-gr.) leucostigma (Moore,1867)** (Noctuidae) Synonym(s): *leucostigma* Moore,1867; *oxydata* Hampson,1902 _ Range (in code):
- 62158. Feliniopsis (siderifera-gr.) margarita (Galsworthy,1997)** (Noctuidae) Synonym(s): *margarita* Galsworthy,1997 _ Range (in code):
- 62159. Feliniopsis (siderifera-gr.) medleri (Laporte,1973)** (Noctuidae) Synonym(s): *medleri* Laporte,1973 _ Range (in code): NG
- 62160. Feliniopsis (siderifera-gr.) milloti (Viette,1961)** (Noctuidae) Synonym(s): *milloti* Viette,1961 _ Range (in code): MG
- 62161. Feliniopsis (siderifera-gr.) nabalua (Holloway,1976)** (Noctuidae) Synonym(s): *nabalua* Holloway,1976 _ Range (in code):
- 62162. Feliniopsis (siderifera-gr.) normalis (Hampson,1914)** (Noctuidae) Synonym(s): *normalis* Hampson,1914 _ Range (in code): ZA Gau Pre
- 62163. Feliniopsis (siderifera-gr.) opposita (Walker,1865)** (Noctuidae) Synonym(s): *opposita* Walker,1865 _ Range (in code): KE YE Ad
- 62164. Feliniopsis (siderifera-gr.) segreta (Berio,1966)** (Noctuidae) Synonym(s): *segreta* Berio,1966 _ Range (in code): MG
- 62165. Feliniopsis (siderifera-gr.) siderifera (Moore,1881)** (Noctuidae) Synonym(s): *siderifera* Moore,1881; *#siderifera* Hampson,1893 _ Range (in code): LK Pdy Dck IN Pj
- 62166. Feliniopsis (siderifera-gr.) tripunctata (Chang,1991)** (Noctuidae) Synonym(s): *tripunctata* Chang,1991 _ Range (in code):
- 62167. Feliniopsis (somaliensis-gr.) somaliensis (Laporte,1974)** (Noctuidae) Synonym(s): *somaliensis* Laporte,1974 _ Range (in code): DJ
- 62168. Feliniopsis dinawa (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *dinawa* Bethune-Baker,1906; *dinavana* Hampson,1908 _ Range (in code): PG
- 62169. Feliniopsis discisignata (Wileman & South,1920)** (Noctuidae) Synonym(s): *discisignata* Wileman & South,1920 _ Range (in code): PH Luz
- 62170. Feliniopsis incerta Roepke,1938** (Noctuidae) Synonym(s): *incerta* Roepke,1938 _ Range (in code): ID Clb
- 62171. Feliniopsis lucipara (Wileman & West,1929)** (Noctuidae) Synonym(s): *lucipara* Wileman & West,1929 _ Range (in code): PH Luz
- 62172. Feliniopsis luzonensis (Wileman & South,1920)** (Noctuidae) Synonym(s): *luzonensis* Wileman & South,1920 _ Range (in code): PH Luz
- 62173. Feliniopsis macrostigma (Snellen,1880)** (Noctuidae) Synonym(s): *macrostigma* Snellen,1880 _ Range (in code): ID Clb
- 62174. Feliniopsis peridela (Wileman & West,1929)** (Noctuidae) Synonym(s): *peridela* Wileman & West,1929 _ Range (in code): PH Luz
- 62175. Feliniopsis quadrispina Holloway,1979** (Noctuidae) Synonym(s): *quadrispina* Holloway,1979 _ Range (in code): NC
- 62176. Feliniopsis securifera (Wileman & West,1929)** (Noctuidae) Synonym(s): *securifera* Wileman & West,1929 _ Range (in code): PH Luz
- 62177. Feliniopsis talhouki Wiltshire,1983** (Noctuidae) Synonym(s): *talhouki* Wiltshire,1983 _ Range (in code): SA
- 62178. Ferialia sauberi (Graeser,1892)** (Noctuidae) Synonym(s): *sauberi* Graeser,1892 _ Range (in code): RU
- 62179. Fergana oreophila Staudinger,1892** (Noctuidae) Synonym(s): *oreophila* Staudinger,1892 _ Range (in code): UZ
- 62180. Fergana pyralina Boursin,1940** (Noctuidae) Synonym(s): *pyralina* Boursin,1940 _ Range (in code): PK Ch Bt Skd
- 62181. Fissipunctia corticea (Esper,[1800])** (Noctuidae) Synonym(s): *#upsilon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828; *plebeja* Staudinger,1888; *orenburgensis* Bartel,1902; *obertueri* Rothschild,1920; *glaisi* Lucas,1931
Original Reference: Phalaena corticea Esper,[1800], Die Schmett. 4: 463, Tab. 145 figs. 2,3.
Range (in code): MA DZ BtNa Sbd Abe PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Tbl Smt Bjo Lag AZ Kir Cc CY IQ IR Ha Mz Elb Kd Snj Lo Gl Kh DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Kyi Or Sb At Us MD UA BY AF Balk UZ N-A Bionomy: Larva on Populus (Hacker,1989).

- 62182. Fleta belangeri (Guérin-Ménéville,1834)** (Noctuidae) Synonym(s): *belangeri* Guérin-Ménéville,1834 - Range (in code): ID Sum Ja
- 62183. Fleta moorei (R.Felder & Rogenhofer,1875)** (Noctuidae) Synonym(s): *moorei* R.Felder & Rogenhofer,1875 - Range (in code): ID Ja
- 62184. Fodina albicincta (Walker,1869)** (Noctuidae) Synonym(s): *albicincta* Walker,1869 - Range (in code): CG
- 62185. Fodina antemedia Strand,1919** (Noctuidae) Synonym(s): *antemedia* Strand,1919 - Range (in code): TW
- 62186. Fodina arctioides Walker,1865** (Noctuidae) Synonym(s): *arctioides* Walker,1865 - Range (in code): ZA Nta Kzu
- 62187. Fodina contigua Wileman,1914** (Noctuidae) Synonym(s): *contigua* Wileman,1914 - Range (in code): TW TH CMa
- 62188. Fodina cuneigera (Butler,1889)** (Noctuidae) Synonym(s): *cuneigera* Butler,1889 - Range (in code): IN Hp Kgr TH Mae PH
- 62189. Fodina decussis (Saalmüller,1891)** (Noctuidae) Synonym(s): *decussis* Saalmüller,1891 - Range (in code): MG
- 62190. Fodina embolophora Hampson,1902** (Noctuidae) Synonym(s): *embolophora* Hampson,1902 - Range (in code): ZA MZ Del
- 62191. Fodina flacourti Viette,1982** (Noctuidae) Synonym(s): *flacourti* Viette,1982 - Range (in code): MG
- 62192. Fodina fontalis Gaede,1939** (Noctuidae) Synonym(s): *fontalis* Gaede,1939 - Range (in code): CM
- 62193. Fodina hypercompoides Walker,1865** (Noctuidae) Synonym(s): *hypercompoides* Walker,1865 - Range (in code): ZA ZM
- 62194. Fodina johnstoni Butler,1896** (Noctuidae) Synonym(s): *johnstoni* Butler,1896 - Range (in code): MW
- 62195. Fodina lanaoensis Schultze,1907** (Noctuidae) Synonym(s): *lanaoensis* Schultze,1907 - Range (in code): PH Mno
- 62196. Fodina mabiliei Viette,1966** (Noctuidae) Synonym(s): *mabiliei* Viette,1966 - Range (in code): MG
- 62197. Fodina maltzanae Strand,1914** (Noctuidae) Synonym(s): *maltzanae* Strand,1914 - Range (in code): CM
- 62198. Fodina maudavei Viette,1982** (Noctuidae) Synonym(s): *maudavei* Viette,1982 - Range (in code): MG
- 62199. Fodina megalesia Viette,1966** (Noctuidae) Synonym(s): *megalesia* Viette,1966 - Range (in code): MG
- 62200. Fodina oriola Guenée,1852** (Noctuidae) Synonym(s): *oriolus* Guenée,1852 - Range (in code): BD Syl IN NP TH Knc CN ID
- 62201. Fodina oriolus Guenée,1852** (Noctuidae) Synonym(s): *oriolus* Guenée,1852 - Range (in code): BD Syl
- 62202. Fodina oxyprora (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *oxyprora* Bethune-Baker,1911 - Range (in code): NG
- 62203. Fodina pallula Guenée,1852** (Noctuidae) Synonym(s): *pallula* Guenée,1852 - Range (in code): BD Syl IN TH NP CN
- 62204. Fodina pauliana Viette,1966** (Noctuidae) Synonym(s): *pauliana* Viette,1966 - Range (in code): MG
- 62205. Fodina quadricolor Strand,1914** (Noctuidae) Synonym(s): *quadricolor* Strand,1914 - Range (in code): MY Bor Sbh KBa
- 62206. Fodina reussiana Strand,1914** (Noctuidae) Synonym(s): *reussiana* Strand,1914 - Range (in code): TZ Dss
- 62207. Fodina sakalava Viette,1966** (Noctuidae) Synonym(s): *sakalava* Viette,1966 - Range (in code): MG
- 62208. Fodina sogai Viette,1966** (Noctuidae) Synonym(s): *sogai* Viette,1966 - Range (in code): MG
- 62209. Fodina stola Guenée,1852** (Noctuidae) Synonym(s): *stola* Guenée,1852; *postmaculata* Hampson,1893; *#formosensis* Strand,1914 - Range (in code): TH CMa Int Lmp Knc Sbu Cbi Rat Phe LK

- IN CN ID AU TW** Bionomy: Larva on *Holarrhena pubescens* [mok yai] (Apocyanaceae), *Litsea glutinosa* [mi men] (Lauraceae) (Lewvanich,2001).
- 62210. Fodina sumatrensis A.E.Prout,1924** (Noctuidae) Synonym(s): *sumatrensis* A.E.Prout,1924
Range (in code): **ID Sum**
- 62211. Fodina toulgoeti Viette,1979** (Noctuidae) Synonym(s): *toulgoeti* Viette,1979 _ Range (in code): **MG**
- 62212. Fodina viettei Berio,1960** (Noctuidae) Synonym(s): *viettei* Berio,1960 _ Range (in code): **MG**
- 62213. Fodina vieui Viette,1966** (Noctuidae) Synonym(s): *vieui* Viette,1966 _ Range (in code): **MG**
- 62214. Folka oxydata (Hampson,1898)** (Noctuidae) Synonym(s): *oxydata* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 62215. Foveades crucialis (R.Felder & Rogenhofer,[1874])** (Noctuidae) Synonym(s): *crucialis* R.Felder & Rogenhofer,[1874] _ Range (in code): **ID Ja Sum Mlc PH TH CMa Fn Php Nan Dpk**
- 62216. Fulvarba fulvescens (Hampson,1910)** (Noctuidae) Synonym(s): *fulvescens* Hampson,1910
Range (in code): **ZA**
- 62217. Gadirtha impingens Walker,[1858]** (Noctuidae) Synonym(s): *impingens* Walker,[1858]; *bufonia* C.Felder & R.Felder,1862; *tinctoides* Snellen,1877; *guineana* Swinhoe,1918; *buruensis* A.E.Prout,1926
Range (in code): **MY Bor PG ID Bru IN CN HK SB AU QAu Bsm** Bionomy: Larva on *Sapium*, *Stillingia* (Euphorbiaceae) (Mell,1943 et seq.).
- 62218. Gadirtha inexacta Walker,[1858]** (Noctuidae) Synonym(s): *inexacta* Walker,[1858]
Range (in code): **IN MM MY Bor Swk BN**
- 62219. Gadirtha pulchra Butler,1886** (Noctuidae) Synonym(s): *pulchra* Butler,1886; *distincta* Lucas,1892 _ Range (in code): **IN Adm JP Ri TH SG MY Bor Swk PG AU QAu** Bionomy: Larva on *Sapium*, *Excoecaria* (Euphorbiaceae) (Murphy,1990).
- 62220. Galgula partita Guenée,1852** (Noctuidae) Synonym(s): *partita* Guenée,1852 _ Range (in code): **ES**
- 62221. Garella casuarina (Wileman & West)** (Noctuidae) Synonym(s): _ Range (in code): **PH**
- 62222. Garella curiosa (Swinhoe)** (Noctuidae) Synonym(s): _ Range (in code): **IN MM ID Ja Clb PG AU**
- 62223. Garella rotundipennis Walker,[1863]** (Noctuidae) Synonym(s): *rotundipennis* Walker,[1863]; *basisuffusa* Holloway,1976 _ Range (in code): **MY Bor ID Ja PG**
- 62224. Garella ruficirra (Hampson,1905)** (Noctuidae) Synonym(s): *ruficirra* Hampson,1905
Range (in code): **IN JP MY Bor Swk** Bionomy: Larva bores fruits of *Castanea*, *Quercus* (Fagaceae), *Juglans* (Juglandaceae) (Mathur,1942; Sugi,1987).
- 62225. Garella scoparoides (Walker,[1863])** (Noctuidae) Synonym(s): *scoparoides* Walker,[1863]; *rufipuncta* Hampson,1896; *excurvata* A.E.Prout,1922 _ Range (in code): **IN MY Bor Swk AU QAu FJ WS** Bionomy: Larva on *Terminalis* (Combretaceae), *Erythrina* (Fabaceae), *Helicteres* (Sterculiaceae) (Mathur,1942 et seq.).
- 62226. Garella vernoides Holloway,2003** (Noctuidae) Synonym(s): *vernoides* Holloway,2003
Range (in code): **MY Bor Swk Sbh KBa**
- 62227. Gelastocera castanea (Moore,1879)** (Noctuidae) Synonym(s): *castanea* Moore,1879
Range (in code): **IN MY Bor BN**
- 62228. Geniascota patagiata Hampson,1926** (Noctuidae) Synonym(s): *patagiata* Hampson,1926
Range (in code): **ZA**
- 62229. Genus sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Ntt Hba**
- 62230. Gesonia obeditalis Walker,[1859]** (Noctuidae) Synonym(s): *obeditalis* Walker,[1859]; *pansalis* Walker,[1859]; *secundalis* Walker,[1859]; *crambisata* Walker,1862; *evulsalis* Walker,[1866]; *binotata* Walker,1866; *concors* Walker,1866; *terrosa* Snellen,1872; *rubicundula* Swinhoe,1885; *nigrofusca* Swinhoe,1885; *festina* Swinhoe,1885. _ Range (in code): **TH CMa MY NP IN LK CN TW JP ID Ja Mlc Bor PG SC MG AU**
- 62231. Gesonia stictigrama Hampson,1926** (Noctuidae) Synonym(s): *stictigrama* Hampson,1926 _ Range (in code): **ZA**
- 62232. Gespanna pectoralis (Walker,1864)** (Noctuidae) Synonym(s): *pectoralis* Walker,1864
Range (in code): **MY Bor Swk TH Ntt Hba ID Sum Ja**
- 62233. Giaura apicalis (Hampson,1894)** (Noctuidae) Synonym(s): *apicalis* Hampson,1894
Range (in code): **MM Peg**

- 62234. *Giaura arethusa* Fawcett, 1917** (Noctuidae) Synonym(s): *arethusa* Fawcett, 1917 _ Range (in code): KE
- 62235. *Giaura bostrycodes* (Bethune-Baker, 1911)** (Noctuidae) Synonym(s): *bostrycodes* Bethune-Baker, 1911 _ Range (in code): AO
- 62236. *Giaura brunneana* Berio, 1974** (Noctuidae) Synonym(s): *brunneana* Berio, 1974 _ Range (in code): TZ Iko
- 62237. *Giaura dakkaki* Wiltshire, 1986** (Noctuidae) Synonym(s): *dakkaki* Wiltshire, 1986 _ Range (in code): SA
- 62238. *Giaura fumata* Berio, 1974** (Noctuidae) Synonym(s): *fumata* Berio, 1974 _ Range (in code): TZ Iko
- 62239. *Giaura leucopasa* Hampson, 1914** (Noctuidae) Synonym(s): *leucopasa* Hampson, 1914 _ Range (in code): ID Ij
- 62240. *Giaura leucotis* (Hampson, 1905)** (Noctuidae) Synonym(s): *leucotis* Hampson, 1905 _ Range (in code): UG
- 62241. *Giaura lia* A.E. Prout, 1927** (Noctuidae) Synonym(s): *lia* A.E. Prout, 1927 _ Range (in code): ST
- 62242. *Giaura lichenosa* (Hampson, 1896)** (Noctuidae) Synonym(s): *lichenosa* Hampson, 1896 _ Range (in code): IN Ass Meg Khs
- 62243. *Giaura minor* (Hampson, 1896)** (Noctuidae) Synonym(s): *minor* Hampson, 1896 _ Range (in code): LK
- 62244. *Giaura multipunctata* Swinhoe, 1919** (Noctuidae) Synonym(s): *punctata* Swinhoe, 1919 nec Luc., 1890; *multipunctata* Swinhoe, 1919 _ Range (in code): MM Rgo
- 62245. *Giaura nigrilineata* (Wileman & West, 1929)** (Noctuidae) Synonym(s): *nigrilineata* Wileman & West, 1929 _ Range (in code): PH Luz
- 62246. *Giaura niveidisca* (Hampson, 1894)** (Noctuidae) Synonym(s): *niveidisca* Hampson, 1894 _ Range (in code): MM Tns
- 62247. *Giaura plumbeofusa* Hampson, 1920** (Noctuidae) Synonym(s): *plumbeofusa* Hampson, 1920 _ Range (in code): GH
- 62248. *Giaura robusta* (Moore, 1888)** (Noctuidae) Synonym(s): *robusta* Moore, 1888 _ Range (in code): IN SI Djl
- 62249. *Giaura sceptica* (Swinhoe, 1885)** (Noctuidae) Synonym(s): *sceptica* Swinhoe, 1885 _ Range (in code): IN Bba
- 62250. *Gigantoceras adoxodes* Bethune-Baker, 1911** (Noctuidae) Synonym(s): *adoxodes* Bethune-Baker, 1911 _ Range (in code): AO
- 62251. *Gigantoceras apicibrunnea* Laporte, 1974** (Noctuidae) Synonym(s): *apicibrunnea* Laporte, 1974 _ Range (in code): CM
- 62252. *Gigantoceras camerunica* Berio, 1957** (Noctuidae) Synonym(s): *camerunica* Berio, 1957 _ Range (in code): CM
- 62253. *Gigantoceras curvilinea* Gaede, 1935** (Noctuidae) Synonym(s): *curvilinea* Gaede, 1935 _ Range (in code): CM
- 62254. *Gigantoceras geometroptera* Holland, 1893** (Noctuidae) Synonym(s): *geometroptera* Holland, 1893 _ Range (in code): GA Ogo
- 62255. *Gigantoceras rectilinea* Hampson, 1912** (Noctuidae) Synonym(s): *rectilinea* Hampson, 1912 _ Range (in code): ZA GH
- 62256. *Gigantoceras solstitialis* Holland, 1893** (Noctuidae) Synonym(s): *solstitialis* Holland, 1893 _ Range (in code): GA Ogo GH
- 62257. *Gigantoceras villiersi* Laporte, 1975** (Noctuidae) Synonym(s): *villiersi* Laporte, 1975 _ Range (in code): ET ET29
- 62258. *Gigantoceras viridis* Berio, 1957** (Noctuidae) Synonym(s): *viridis* Berio, 1957 _ Range (in code): ZR
- 62259. *Giubicolanta orientalis* Berio, 1937** (Noctuidae) Synonym(s): *orientalis* Berio, 1937 _ Range (in code): SO
- 62260. *Gloriana ornata* (Moore, 1882)** (Noctuidae) Synonym(s): *ornata* Moore, 1882 _ Range (in code): IN SI Djl TH CMa Int NP CN
- 62261. *Gnamptogyia diagonalis* Hampson, 1910** (Noctuidae) Synonym(s): *diagonalis* Hampson, 1910 _ Range (in code): ZA

- 62262. *Gnamptonyx innexa* (Walker,1858)** (Noctuidae) Synonym(s): *innexa* Walker,1858; *vilis* Walker,1865. Original Reference: *Alamis innexa* Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1797. Syntypes: Cap Verde Isl. Range (in code): **CV MA DZ TN LY EG SD NG SA IL Pa IR PK Cp BH OM AF IN**
- 62263. *Gnamptonyx obsoleta* Hampson,1913** (Noctuidae) Synonym(s): *obsoleta* Hampson,1913 Range (in code):
- 62264. *Gnamptonyx vilis* (Walker,1865)** (Noctuidae) Synonym(s): *vilis* Walker,1865 Original Reference: Homoptera *vilis* Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 33: 889. Type ♀: [India]: Punjab (BMNH). Range (in code): **AF Pag Bm BH SA SA63 YE Ad SD IN Pj SO ER MA PK Cp Kba H-A** Bionomy: Larva on *Acacia raddiana* (Rungs,1942).
- 62265. *Godasa sidae* (Fabricius,1794)** (Noctuidae) Synonym(s): *sidae* Fabricius,1794; *maculatrix* Walker,1864; *mecynoides* Mabilie,1879; *orientis* Bartel,1903 Range (in code): **GN CG TZ**
- 62266. *Goenecta niveiguttata* (Hampson,1902)** (Noctuidae) Synonym(s): *niveiguttata* Hampson,1902 Range (in code): **IN SI TH CMa Int LA VN CN TW**
- 62267. *Gondysia pertorrida* Berio,1955** (Noctuidae) Synonym(s): *pertorrida* Berio,1955; *#pertorrida* Laporte,1977 Range (in code): **MG ET ET204**
- 62268. *Goniocalpe heteromorpha* Hampson,1920** (Noctuidae) Synonym(s): *heteromorpha* Hampson,1920 Range (in code): **ZA**
- 62269. *Goniocalpe sericealis* (Hampson,1902)** (Noctuidae) Synonym(s): *sericealis* Hampson,1902 Range (in code): **ZA Nta Kzu Dbn**
- 62270. *Goniophila excavata* (Swinhoe,1905)** (Noctuidae) Synonym(s): *excavata* Swinhoe,1905 Range (in code): **MY Bor TH Knc Tng ID Sum Ja**
- 62271. *Goniophila niphosticha* Hampson,1926** (Noctuidae) Synonym(s): *niphosticha* Hampson,1926 Range (in code): **MM TH CMa Dst Dso9**
- 62272. *Goniophila polymima* De Joannis,1929** (Noctuidae) Synonym(s): *polymima* De Joannis,1929 Original Reference: *Goniophila polymima* De Joannis,1929, Annls Soc. ent. Fr. 98: 381, pl.1 fig.15. Type: Viet Nam: Tonkin, Cho ganh. Range (in code): **VN Ton NP CN TW TH Mae**
- 62273. *Gonoglasa camptogramma* Hampson,1924** (Noctuidae) Synonym(s): *camptogramma* Hampson,1924; *#camptogramma* Kononenko & Pinratana,2005 Range (in code): **TH MY Bor**
- 62274. *Gonoglasa nigripalpis* (Walker,[1863])** (Noctuidae) Synonym(s): *nigripalpis* Walker,[1863] Range (in code): **MY Bor TH Tng Ntt Hba**
- 62275. *Gonospileia amudarya* Weisert,1998** (Noctuidae) Synonym(s): *amudarya* Weisert,1998 Range (in code): **TM**
- 62276. *Gonospileia munita* (Hübner,[1813])** (Noctuidae) Synonym(s): *munita* Hübner,[1813]; *angulosa* Eversmann,1832. Range (in code): **RU Or TR Cc CN Ui Ku KG Tk Dj Aa MN TM UZ Fe**
- 62277. *Gonospileia triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881. Original Reference: *Noctua triquetra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 94. Type(s): [Austria]: Vienna district. Range (in code): **IT AT CZ SK HU RO YU BG GR TR AZ Len AM GG Cc RU Ro St MD UA BY**
- 62278. *Gonospileia triquetra triquetra* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *triquetra* [Denis & Schiffermüller],1775; *aurantiaca* Staudinger,1881. Original Reference: *Noctua triquetra* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 94. Type(s): [Austria]: Vienna district. Range (in code): **IT AT CZ SK HU RO YU BG GR TR AZ Len AM GG Cc RU Ro St MD UA BY**
- 62279. *Gortyna (Cervyna) cervago* Eversmann,1844** (Noctuidae) Synonym(s): *cervago* Eversmann,1844; *#argillago* Draudt,1936. Original Reference: *Gortyna cervago* Eversmann,1844, Bull. Soc. imp. Nat. Moscou 3: 594. Range (in code): **RO RU Ro St Ich Da Ur UA TR Cc AM AZ TM CN Ui AF IR Elb Th Kdv UZ**
- 62280. *Gortyna (Cervyna) roseago* Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *roseago* Ronkay, Varga & Hreblay,1998 Range (in code): **TM Kp**
- 62281. *Gortyna (s.str.) borelii* (Pierret,1837)** (Noctuidae) Synonym(s): *borelii* Pierret,1837; *lunata* Freyer,[1838]; *illuata* Guenée,1852; *fiorii* Berio,1963; *galassii* Berio,1963 Range (in code): **PT ES FR IT GB DE PL HU RO YU BG GR RU Cc Ro St Da** Bionomy: Larva on *Peucedanum officinale* (Hacker,1989).
- 62282. *Gortyna (s.str.) flavago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flavago* [Denis & Schiffermüller],1775; *ochracea* Hübner,1786; *lappae* Donovan,1801; *ochraceago* Howarth,1809; *cinerea* Goossens,1880 Original Reference: *Noctua flavago* [Denis & Schiffermüller], 1775,

- Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Gh Elb LB Bsa DK NO SE FI EE LV LT RU Ro Kr Kc St At Sb MD UA BY**
- 62283. Gortyna (s.str.) goletanensis Fibiger & Zahiri,2007** (Noctuidae) Synonym(s): *goletanensis Fibiger & Zahiri,2007* Original Reference: Gortyna goletanensis Fibiger & Zahiri,2007, Nota lepid. 29 (3/4): 215-218, figs. Holotype ♂: Iran: Prov. Golestan, Park-e Melli-e Golestan, 1600m, 30.ix.2000 (HMIM). Range (in code): **IR Gl**
- 62284. Gortyna (s.str.) hethitica Hacker,Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *hethitica Hacker,Kuhna & Gross,[1987]* Original Reference: Gortyna hethitica Hacker,Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76: 118-119, figs. Holotype ♂: Türkei: [Ardahan]: 8km westl. Göle, 2000m. 23.9.1981 (leg. Kuhna, coll. Hacker). Range (in code): **Cc AM TR**
- 62285. Gortyna (s.str.) moesiaca Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *moesiaca Herrich-Schäffer,[1849]; perlucida W.Warren,1911.* Original Reference: Gortyna moesiaca Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 218. Range (in code): **TR Cc AZ Kir AM RO AL GR**
- 62286. Gortyna (s.str.) moesiaca euxina Hacker,[1987]** (Noctuidae) Synonym(s): *euxina Hacker,[1987]* Original Reference: Gortyna moesiaca ssp. euxina Hacker,[1987], Atalanta 17 (1/4): 53, Taf. 11 figs. 3,4, Taf. 2 figs.a-e. Holotype ♂: [Türkei]: Prov. Ağrı, Tahir Geçidi 2600m, 10.ix.1985 (leg. & coll. Hacker). Range (in code): **TR Cc AZ Kir AM**
- 62287. Gortyna (s.str.) moesiaca moesiaca Herrich-Schäffer,[1849]** (Noctuidae) Synonym(s): *moesiaca Herrich-Schäffer,[1849]; perlucida W.Warren,1911.* Original Reference: Gortyna moesiaca Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2: 218. Range (in code): **TR RO AL GR**
- 62288. Gortyna (s.str.) osmana Hacker & Kuhna,1986** (Noctuidae) Synonym(s): *osmana Hacker & Kuhna,1986* Original Reference: Gortyna osmana Hacker & Kuhna,1986, Nota lepid. 9 (3/4): 184-187, Taf.1 figs.5,6,8. Holotype ♂: Türkei: Tunceli: 15km n. Pülümür, 1800m, 20.ix.1981 (leg. Kuhna, coll. Hacker). Range (in code): **TR Cc IR Hz Ma Ara**
- 62289. Gortyna (s.str.) puengeleri (Turati,1909)** (Noctuidae) Synonym(s): *puengeleri Turati,1909; turatii Constantini,1913* Original Reference: Hydroecia puengeleri Turati,1909, Natur. Sicil. 21: 98. Range (in code): **ES Sa Si IT YU Cr** Bionomy: Larva on Peucedanum (Hacker,1989).
- 62290. Gortyna (s.str.) xanthenes (Germar,[1842])** (Noctuidae) Synonym(s): *xanthenes Germar,[1842]; monotona Rungs,1975* Range (in code): **MA Ifr DZ Bdj Btina Dhm TN Hrh Blid ES FR Co Sa Si IT MT BG GR**
- 62291. Gortyna (s.str.) xanthenes ifranae (Le Cerf,1933)** (Noctuidae) Synonym(s): *ifranae Le Cerf,1933* Range (in code): **MA Ifr**
- 62292. Gortyna (s.str.) xanthenes orientalis (Oberthür,1919)** (Noctuidae) Synonym(s): *orientalis Oberthür,1919* Range (in code): **DZ Bdj Btina Dhm TN Hrh Blid**
- 62293. Gracillina prosthena Hampson,1924** (Noctuidae) Synonym(s): *prosthena Hampson,1924* Original Reference: Gracillina prosthena Hampson,1924, Entomologist 57: 182. Type: Singapore. Range (in code): **SG MY TH Nrt Kao Bor**
- 62294. Gracilodes caffra Guenée,1852** (Noctuidae) Synonym(s): *caffra Guenée,1852* Range (in code): **ZA**
- 62295. Gracilodes nysa Guenée,1852** (Noctuidae) Synonym(s): *nysa Guenée,1852* Range (in code): **ZA**
- 62296. Grammodes afrocculta Berio,1956** (Noctuidae) Synonym(s): *afrocculta Berio,1956* Range (in code): **ZA**
- 62297. Grammodes arenosa Swinhoe,1902** (Noctuidae) Synonym(s): *arenosa Swinhoe,1902* Range (in code): **AU**
- 62298. Grammodes bifasciata (Petagna,1786)** (Noctuidae) Synonym(s): *geometrica auct.; bifasciata Petagna,1786; linearis Hübner,1790; parallela Cyrillo,1790; chalciptera Borkhausen,1792; parallelaris Hübner,[1803].* Original Reference: Noctua bifasciata Petagna,1788, Spec. Ins. Ult. Calabr.:38. Type(s): [Italia]: Calabria. Range (in code): **DZ Hrh TN Dhm PT ES Mu FR Co Sa Si IT MT AT HU YU AL BG GR Cr TR LB IL Pa SY Cc GG Lag IR Mz RU Kr St Ich Da IQ Bsr Agh Bgd Amr MG ZA** Bionomy: Larva on Cistus salvifolius, Polygonum, Smilax, Rubus (Hofmann,1893) et seq.
- 62299. Grammodes boisdeffrii (Oberthür,1876)** (Noctuidae) Synonym(s): *boisdeffrii Oberthür,1876* Range (in code): **IL Pa JO Sn EG MR MA DZ Hes Bsk Btina IR**
- 62300. Grammodes boisdeffrii boisdeffrii (Oberthür,1876)** (Noctuidae) Synonym(s): *boisdeffrii Oberthür,1876* Range (in code): **MR MA DZ Hes Bsk Btina**

- 62301. Grammodes boisdeffrii palaestinensis (Staudinger,1898)** (Noctuidae)
Synonym(s): *palaestinensis* Staudinger,1898 Original Reference: *Leucanitis boisdeffrei* var. *palaestinensis* Staudinger,1898, Dt. ent. Z., Iris 10: 299, pl.9 fig.19. Syntypes: [Israel]: Ghor-el Sueme (MNHU,Berlin). Range (in code): IL Pa JO Sn EG IR
- 62302. Grammodes buchanani Rothschild,1921** (Noctuidae) Synonym(s): *buchanani* Rothschild,1921 Range (in code): NE
- 62303. Grammodes congenita Walker,1858** (Noctuidae) Synonym(s): *congenita* Walker,1858 Range (in code): ZA KE ZR NG ZW Har BW Nga Nta Kzu Dbn Wca Plt CN TW IN LK ID Ja AU
- 62304. Grammodes congesta Berio,1956** (Noctuidae) Synonym(s): *congesta* Berio,1956 Range (in code): MG
- 62305. Grammodes cooma Swinhoe,1900** (Noctuidae) Synonym(s): *cooma* Swinhoe,1900; *frena* Swinhoe,1916; *coomana* Strand,1917 Range (in code): AU QAU ID Amb
- 62306. Grammodes euclidioides Guenée,1852** (Noctuidae) Synonym(s): *euclidioides* Guenée,1852; *dubitans* Walker,1858 Range (in code): SD Wme TZ ZA Tva Mpu Brb Gau Pre Jh Ec Nta Kzu Est
- 62307. Grammodes euclidioides euclidioides Guenée,1852** (Noctuidae) Synonym(s): *euclidioides* Guenée,1852; *dubitans* Walker,1858 Range (in code): ZA Tva Mpu Brb Gau Pre Jh
- 62308. Grammodes euclidioides postfumida Wiltshire,1970** (Noctuidae) Synonym(s): *postfumida* Wiltshire,1970 Range (in code): SD Wme TZ
- 62309. Grammodes exclusiva Pagenstecher,1907** (Noctuidae) Synonym(s): *exclusiva* Pagenstecher,1907 Range (in code): ZA Tva Lpo Spb Mdk
- 62310. Grammodes geometrica (Fabricius,1775)** (Noctuidae) Synonym(s): *geometrica* Fabricius,1775; *ammonia* Cramer,1780 nec Esp.,[1794]; *orientalis* W.Warren,1913 Original Reference: *Noctua geometrica* Fabricius,1775, Ent. Syst.: 599. Type: "India orientali". Range (in code): TH Knc LA KH VN MM IN Mh Nsk Mys Bang NP PK CN TW JP PH ID Sum Bor Clb AU GH MG
Bionomy: Larva on Cistaceae, Coriariaceae, Ebenaceae, Euphorbiaceae, Fagaceae, Poaceae, Fabaceae, Linaceae, Polygonaceae, Rhamnaceae, Rosaceae, Smilacaceae, Tamaricaceae, Zygophyllaceae (Holloway & Miller,2003).
- 62311. Grammodes justa Walker,1858** (Noctuidae) Synonym(s): *justa* Walker,1858; *caeca* Pagenstecher,1900 Range (in code): AU QAU PG
- 62312. Grammodes latifera Walker,1870** (Noctuidae) Synonym(s): *latifera* Walker,1870 Range (in code): EG Sn
- 62313. Grammodes marwitzi Gaede,1914** (Noctuidae) Synonym(s): *marwitzi* Gaede,1914 Range (in code): TZ
- 62314. Grammodes microgonia (Hampson,1910)** (Noctuidae) Synonym(s): *microgonia* Hampson,1910 Range (in code): ZA ZM
- 62315. Grammodes monodonta Berio,1956** (Noctuidae) Synonym(s): *monodonta* Berio,1956; *somaliensis* Berio,1956 Range (in code): SO ZA Gau Tva Jh
- 62316. Grammodes netta Holland,1897** (Noctuidae) Synonym(s): *netta* Holland,1897 Range (in code): SO
- 62317. Grammodes occulta Berio,1956** (Noctuidae) Synonym(s): *occulta* Berio,1956 #*occulata* Poone,1989 Range (in code): MM Rgo
- 62318. Grammodes ocellata J.Tepper,1890** (Noctuidae) Synonym(s): *ocellata* J.Tepper,1890; *excellens* Lucas,1893 Range (in code): AU SAU
- 62319. Grammodes oculicola Walker,1858** (Noctuidae) Synonym(s): *oculicola* Walker,1858; *oculata* Snellen,1880 Range (in code): AU Syd NSW NC LO NH TO FJ PF ID Clb
- 62320. Grammodes odontota Turner,1925** (Noctuidae) Synonym(s): *odontota* Turner,1925 Range (in code): AU Pth
- 62321. Grammodes paerambar Brandt,1939** (Noctuidae) Synonym(s): *paerambar* Brandt,1939 Range (in code): IR Hz B-A Lo
- 62322. Grammodes quaesita Swinhoe,1901** (Noctuidae) Synonym(s): *quaesita* Swinhoe,1901 Range (in code): AU QAU
- 62323. Grammodes stolidia (Fabricius,1775)** (Noctuidae) Synonym(s): *stolidia* Fabricius,1775; *cingularis* Hübner,[1808]; *stupidia* Herrich-Schäffer,1851; *curvilinea* Walker,1869. Original Reference: *Noctua stolidia* Fabricius,1775, Syst. Ent.:599. Type(s): India orientali. Range (in code): DZ TN Gf PT ES Mu FR Co Sa Si IT MT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE LT RU MD UA Cm BY GG AZ AM Cc IQ IR Fa Ss LB IL Pa EG SA IN AF Nu Bsg PK Bl Bol ZA Tva Lpo Spb Mdk Gau Pre Jh AU SL ZR ET ET24 SD KE NA Nta Kzu Ec YE Ad Mz GlS Ak Mrd Lo Mia Kaz UZ N-A Ro

- Kr Kb Nt Da Kyi BW Dmr Nga Cp C-P Mh Nsk Gha Ges BSa Out BtNa Dzc Agi Ktr Abe Sbd Bsk Onç Ah TD Tbt Bionomy: Larva on Rubus, Quercus, Paliurus, Tribulus, Coriaria, Zizyphus lotus (Wiltshire,1957; Calle et al., 2000; Hacker,2001).
- 62324. Grammoscelis leuconeura Hampson,1906** (Noctuidae) Synonym(s): *leuconeura Hampson,1906* Range (in code): **ZA**
- 62325. Graphania atavistis (Hampson,1902)** (Noctuidae) Synonym(s): *atavistis Hampson,1902* Range (in code): **ZA**
- 62326. Graphiphora augur (Fabricius,1775)** (Noctuidae) Synonym(s): *augur Fabricius,1775* Original Reference: Noctua augur Fabricius,1775, Syst. Ent.: 604. Type(s): Germania. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Kb MD UA BY**
- 62327. Gyophora baccalix (Swinhoe,1886)** (Noctuidae) Synonym(s): *baccalix Swinhoe,1886; fasciosa Moore,1887* Range (in code): **LK Pdy**
- 62328. Gyophora quadrilineata (Moore,1881)** (Noctuidae) Synonym(s): *quadrilineata Moore,1881* Original Reference: Thalpochares quadrilineata Moore,1881, Proc. zool. Soc. London 1881: 370, pl.38 fig.14. Type: India: Calcutta (coll. Staudinger). Range (in code): **IN Clc**
- 62329. Gyrohypsoma sterrha Staudinger,1888** (Noctuidae) Synonym(s): *sterrha Staudinger,1888* Range (in code): **UZ Fe CN Ui Ku**
- 62330. Gyrtona cyclogramma (Hampson,1896)** (Noctuidae) Synonym(s): *cyclogramma Hampson,1896* Range (in code): **IN Ass Nag LK ID Sum**
- 62331. Gyrtona divitalis Walker,1863** (Noctuidae) Synonym(s): *divitalis Walker,1863; conglobalis Walker,1863; sarawakana Walker,1864; yucca Swinhoe,1893* Range (in code): **IN MY Bor Swk ID Sum Ja Clb PH PG Bsm AU FJ NC WS PF**
- 62332. Gyrtona hopkinsi Tams,1935** (Noctuidae) Synonym(s): *hopkinsi Tams,1935* Range (in code): **WS**
- 62333. Gyrtona hylusalis Walker,1863** (Noctuidae) Synonym(s): *hylusalis Walker,1863; dorsifascialis Walker,1863; monialis Walker,1863; nigrocinerea Walker,1863; strenualis Walker,1863; dorsifascialis Walker,1866* Range (in code): **LK Dck Pdy**
- 62334. Gyrtona nama Swinhoe,1900** (Noctuidae) Synonym(s): *nama Swinhoe,1900; acrogramma Turner,1932* Range (in code): **AU QAU**
- 62335. Gyrtona niveivitta Swinhoe,1905** (Noctuidae) Synonym(s): *niveivitta Swinhoe,1905* Range (in code): **MY Bor Swk**
- 62336. Gyrtona oppositalis (Walker,1863)** (Noctuidae) Synonym(s): *oppositalis Walker,1863* Range (in code): **AU JP IN LK MY Bor ID Sum Clb**
- 62337. Gyrtona oxyptera Hampson,1912** (Noctuidae) Synonym(s): *oxyptera Hampson,1912; singaporensis Strand,1917* Range (in code): **SG**
- 62338. Gyrtona purpurea Robinson,1975** (Noctuidae) Synonym(s): *purpurea Robinson,1975* Range (in code): **FJ**
- 62339. Gyrtona scotialis Hampson,1918** (Noctuidae) Synonym(s): *scotialis Hampson,1918* Range (in code): **SB**
- 62340. Gyrtona semicarbonalis Walker,1863** (Noctuidae) Synonym(s): *semicarbonalis Walker,1863; spilalis Walker,1863; thoracica Walker,1863; rotundalis Walker,1863; phycisoides Moore,1885; angusta Pagenstecher,1900; diffusistriga Strand,1917; dorsimaculata Strand,1917* Range (in code): **LK**
- 62341. Gyrtona transpallida Holloway,1976** (Noctuidae) Synonym(s): *transpallida Holloway,1976* Range (in code): **MY**
- 62342. Gyrtothripa erastoides (Walker,1862)** (Noctuidae) Synonym(s): *erastoides Walker,1862* Range (in code): **MY Bor BN**
- 62343. Gyrtothripa florida (Walker,1862)** (Noctuidae) Synonym(s): *florida Walker,1862* Range (in code): **MY Bor Swk SB Bsm ID Clb**
- 62344. Gyrtothripa papuana (Hampson,1912)** (Noctuidae) Synonym(s): *papuana Hampson,1912; semiplumbea W.Warren,1914* Range (in code): **PG ID Clb MY Bor** Bionomy: Larva on Solanum (Solanaceae) (Holloway,2003).
- 62345. Gyrtothripa parvipusilla Holloway,2003** (Noctuidae) Synonym(s): *parvipusilla Holloway,2003* Range (in code): **MY Bor Swk PG PH ID Clb** Bionomy: Larva on Saraca (Fabaceae) (Holloway,2003).
- 62346. Gyrtothripa pusilla (Moore,1888)** (Noctuidae) Synonym(s): *pusilla Moore,1888* Range (in code): **MY Bor BN SB AU QAU** Bionomy: Larva on Mesua (Guttiferae), Melaleuca (Myrtaceae), Heritiera (Sterculiaceae) (Robinson et al.,2001).

- 62347. *Gyrtothripa variegata* Hampson, 1894** (Noctuidae) Synonym(s): *variegata* Hampson, 1894
Range (in code): **IN MY Bor Swk**
- 62348. *Hada antonraui* Gyulai, L. Ronkay & Saldaitis, 2011** (Noctuidae) Synonym(s): *antonraui* Gyulai, L. Ronkay & Saldaitis, 2011
Range (in code): **CN Sz**
- 62349. *Hada extrita* (Staudinger, 1888)** (Noctuidae) Synonym(s): *extrita* Staudinger, 1888; *elwesi* Hampson, 1894; *elwesi* Hampson, 1905; *meraca* Püngeler, 1906; *deliciosa* Alpheraky, 1892
Range (in code): **CN Ui Ii MN**
- 62350. *Hada persa* (Alpheraky, 1897)** (Noctuidae) Synonym(s): *persa* Alpheraky, 1897
Original Reference: *Mamestra persa* Alpheraky, 1897, [in] Romanoff, Mem. Lep. 9:212. Syntypes: [Iran]: Nordiran: Demavend.
Range (in code): **TR IR Elb Mz Th Dam RU Cc Kb Nt**
- 62351. *Hada persa armeniaca* Hacker, Huber & Kuhna, 1988** (Noctuidae) Synonym(s): *armeniaca* Hacker, Huber & Kuhna, 1988
Original Reference: *Hada persa* ssp. *armeniaca* Hacker, Huber & Kuhna, 1988, *Atalanta* 18 (3/4): 342, Taf. 2 fig. 1. Holotype ♂: [Türkei]: Van Prov.: Güseldere Geçidi, 2700m 21.vi.1985 (leg. & coll. Huber).
Range (in code): **TR**
- 62352. *Hada persa persa* (Alpheraky, 1897)** (Noctuidae) Synonym(s): *persa* Alpheraky, 1897
Original Reference: *Mamestra persa* Alpheraky, 1897, [in] Romanoff, Mem. Lep. 9:212. Syntypes: [Iran]: Nordiran: Demavend.
Range (in code): **IR Elb Mz Th Dam**
- 62353. *Hada persa televisana* Schintlmeiser & Poltawski, 1986** (Noctuidae) Synonym(s): *televisana* Schintlmeiser & Poltawski, 1986
Range (in code): **RU Cc Kb Nt TR**
- 62354. *Hada plebeja* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *plebeja* Linnaeus, 1761; *nana* Hufnagel, 1766; *dentina* [Denis & Schiffermüller], 1775; *leucostigma* Haworth, 1809; *odontides* Boisduval, 1829; *latenai* Pierret, 1837; *hilaris* Zetterstedt, [1839]; *reducta* Rebel & Zerny, [1932]; *littoralis* Schawerda, 1938; *gredensis* Schawerda, 1938; *nevadensis* Schawerda, 1938; *hawelkae* Schawerda, 1938
Range (in code): **PT ES FR Co Sa? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU Kr St Kb Kc Nt Ich Ing Da Sb At MD UA BY UZ TJ CN Ui Ga MN Ti Kno U-B Ts Ch Gs KK Ik**
Bionomy: Larva on *Taraxacum* (Hampson, 1905).
- 62355. *Hada plebeja sultana* (Schwingenschuss, 1938)** (Noctuidae) Synonym(s): *sultana* Schwingenschuss, 1938
Range (in code): **TR Cc**
- 62356. *Hadena (Anepia) aberrans* (Eversmann, 1856)** (Noctuidae) Synonym(s): *aberrans* Eversmann, 1856; *admiranda* Oberthür, 1880; *claripennis* Butler, 1886
Range (in code): **RU Am Us Ask MN CN Mc KP KR JP**
- 62357. *Hadena (Anepia) amabilis* (Barnes & McDunnough, 1918)** (Noctuidae) Synonym(s): *amabilis* Barnes & McDunnough, 1918
Range (in code):
- 62358. *Hadena (Anepia) avempacei* (Tams, 1925)** (Noctuidae) Synonym(s): *avempacei* Tams, 1925; *pampaninii* C.G. Krüger, 1933.
Original Reference: *Trichoclea avempacei* Tams, 1925, *Ann. Mag. nat. Hist.* (9) 15: 146, Pl. 10 fig. 3. Type: Arabia, Hufuf.
Range (in code): **LY Cy SA IQ Kbl JO AE**
Bionomy: Larva on *Silene vilosa* (Hacker, 2001).
- 62359. *Hadena (Anepia) capsularis* (Guenée, 1852)** (Noctuidae) Synonym(s): *capsularis* Guenée, 1852
Range (in code):
- 62360. *Hadena (Anepia) christophi* (Möschler, 1862)** (Noctuidae) Synonym(s): *christophi* Möschler, 1862
Original Reference: *Dianthoecia christophi* Möschler, 1862, *Wien. ent. Monatschr.* 6: 235. Type ♀: Russia: Sarepta.
Range (in code): **AT RU Cc Ro Sr CN Ts Kno**
- 62361. *Hadena (Anepia) circumvadis* (Smith, 1902)** (Noctuidae) Synonym(s): *circumvadis* Smith, 1902
Range (in code):
- 62362. *Hadena (Anepia) corrupta* (Herz, 1898)** (Noctuidae) Synonym(s): *corrupta* Herz, 1898; *subviolacea* Matsumura, 1925; *siculimima* Bryk, 1949.
Original Reference: *Dianthoecia corrupta* Herz, 1898, *Dt. ent. Z., Iris* 1: 256. Syntypes: Lenagebiet: Wilui; Altai, Ortu Pamir; Sidemi.
Range (in code): **RU At Prj Us TJ Pm KP KR CN Mc Gn Ui? Ii Ts Kno Yu MN**
- 62363. *Hadena (Anepia) corrupta corrupta* (Herz, 1898)** (Noctuidae) Synonym(s): *corrupta* Herz, 1898; *subviolacea* Matsumura, 1925; *siculimima* Bryk, 1949.
Original Reference: *Dianthoecia corrupta* Herz, 1898, *Dt. ent. Z., Iris* 1: 256. Syntypes: Lenagebiet: Wilui; Altai, Ortu Pamir; Sidemi.
Range (in code): **RU At Prj Us TJ Pm KP KR CN Mc Gn Ui? Ii Ts Kno MN**
- 62364. *Hadena (Anepia) corrupta splendida* (Draudt, 1950)** (Noctuidae) Synonym(s): *splendida* Draudt, 1950
Range (in code): **CN Yu**
- 62365. *Hadena (Anepia) dianthoecioides* (Boursin, 1940)** (Noctuidae) Synonym(s): *dianthoecioides* Boursin, 1940; *#dinthoecioides* Boursin, 1940
Original Reference: *Kuruschia dianthoecioides* Boursin, 1940, *Mitt. münch. ent. Ges.* 30: 499, Taf. 9 fig. 40. Holotype ♂: [Russia]: "Kurusch Dag" (Daghestan), 2500m (coll. Boursin).
Range (in code): **Cc RU Nt Ich Da Kus**

- 62366. *Hadena (Anepia) ectrapela* (Smith,1888)** (Noctuidae) **Synonym(s):** *ectrapela* Smith,1888 **Range (in code):**
- 62367. *Hadena (Anepia) esperi* Hacker,1992** (Noctuidae) **Synonym(s):** *esperi* Hacker,1992 **Original Reference:** *Hadena* [Anepia] *esperi* Hacker,1992, *Esperiana* 3: 292-294, figs. Holotype ♂: Türkiye: Ağrı Prov., Tahir geçidi, 2550m 29.vii.1984 (leg. & coll. Hacker). **Range (in code):** **TR**
- 62368. *Hadena (Anepia) eximia* (Staudinger,1896)** (Noctuidae) **Synonym(s):** *eximia* Staudinger,1896 **Original Reference:** *Dianthoecia eximia* Staudinger,1896, Dt. ent. Z., 8: 319, Taf.6 fig. 7. Syntypes: [China: Uighur A.R.]: zw. Lob Noor u. Kuku Noor. **Range (in code):** **CN Ui Ln Ts Kno Gn Yu IN Pj Kul NP**
- 62369. *Hadena (Anepia) eximia eximia* (Staudinger,1896)** (Noctuidae) **Synonym(s):** *eximia* Staudinger,1896 **Original Reference:** *Dianthoecia eximia* Staudinger,1896, Dt. ent. Z., 8: 319, Taf.6 fig. 7. Syntypes: [China: Uighur A.R.]: zw. Lob Noor u. Kuku Noor. **Range (in code):** **CN Ui Ln Ts Kno Gn IN NP**
- 62370. *Hadena (Anepia) eximia gloriosa* (Draudt,1950)** (Noctuidae) **Synonym(s):** *gloriosa* Draudt,1950 **Range (in code):** **CN Yu**
- 62371. *Hadena (Anepia) irregularis* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *irregularis* Hufnagel,1766; *echii* Borkhausen,1792; *syngenesiae* Borkhausen,1793; *brecciaeformis* Esper,[1805]. **Original Reference:** *Phalaena irregularis* Hufnagel,1766, Berl. Mag. 3(2): 394. Type(s): [Germany]: Berlin. **Range (in code):** **ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG SE FI LV LT RU Cc Ro Kyi Da MD UA BY TR CN Ui Ku KG Tk KK Ik** **Bionomy:** Larva on *Silene otites*, *Gypsophila paniculata* (Hampson,1905).
- 62372. *Hadena (Anepia) minorata* (Smith,1888)** (Noctuidae) **Synonym(s):** *minorata* Smith,1888 **Range (in code):**
- 62373. *Hadena (Anepia) musculina* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *musculina* Staudinger,1892; *mayeri* F.Wagner,1931. **Original Reference:** *Dianthoecia musculina* Staudinger,1892, Dt. ent. Z., Iris 4: 272-273. Type 1♀: [Türkei]: Malatia, 16. Juni (Manissadjian leg.). **Range (in code):** **TR Cc**
- 62374. *Hadena (Anepia) neglecta* Hacker,1992** (Noctuidae) **Synonym(s):** *neglecta* Hacker,1992 **Original Reference:** *Hadena* [Anepia] *neglecta* Hacker,1992, *Esperiana* 3: 290, 292, figs. Holotype ♂: Türkiye: Van Prov., Güzeldere Geçidi, 3000m 30.vi.1980 (leg. Thöny, coll. Hacker). **Range (in code):** **TR**
- 62375. *Hadena (Anepia) nevadae* (Draudt,1933)** (Noctuidae) **Synonym(s):** *nevadae* Draudt,1933 **Original Reference:** *Dianthoecia nevadae* Draudt,1933, Ent. Rdsch. 50: 306, fig.2. Taf.1 fig.1. Neotype ♂: Hispania: Andalusica, Sierra Nevada, El Parador Nat., 2500m 21.vii.1980 (leg. Traugott-Olsen) (Zool. Mus., Copenhagen). **Range (in code):** **ES An**
- 62376. *Hadena (Anepia) parapamisos* Hacker,1992** (Noctuidae) **Synonym(s):** *parapamisos* Hacker,1992 **Range (in code):** **PK Sai IN Hp**
- 62377. *Hadena (Anepia) perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933 **Original Reference:** *Noctua perplexa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district. **Range (in code):** **MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG At Sb KK CN Ui Ku TJ Pm Tk AF Pag Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB Bsa IL Pa IQ JO PK AZ AM GG Cc TrA UZ Fe IN Ld Ro St Kb Nt Ing Da CY Kir Lag Nv Ord Khy BSa Sbd Ahr Hrh Btna Khh Ges Abe** **Bionomy:** Larva on *Silene inflata*, *S. maritima*, *S. nutans* (Hampson,1905; Warren,1909).
- 62378. *Hadena (Anepia) perplexa paghmana* (Brandt,1947)** (Noctuidae) **Synonym(s):** *paghmana* Brandt,1947 **Range (in code):** **AF Pag**
- 62379. *Hadena (Anepia) perplexa perplexa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]; *atlas* A.E.Prout,1929; *sicula* Draudt,1933 **Original Reference:** *Noctua perplexa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 313. Type(s): [Austria]: Vienna district. **Range (in code):** **MA DZ Cn PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG AM DK NO SE FI EE LV LT RU Sb At MD UA Cm BY KG TrA At Sb KK CN Ui Ku TJ Pm Tk Adr IR Kh Fa Sse Elb Th Kdj Plr Dam Ab Mak TM Kp JO LB**

- Bsa IL Pa IQ AZ JO UZ Fe Cc Ro St Kb Nt Ing Da CY Kir Lag Nv Ord BSa Sbd Ahr Hrh BtNa KhH Ges Abe** Bionomy: Larva on *Silene inflata*, *S. maritima*, *S. nutans* (Hampson,1905; Warren,1909).
- 62380. *Hadena (Anepia) perplexa plantei* Hacker,1992** (Noctuidae) Synonym(s): *plantei* Hacker,1992 Range (in code): **PK IN Ld**
- 62381. *Hadena (Anepia) plumasatas* (Bucket & Bauer,1967)** (Noctuidae) Synonym(s): *plumasatas* Bucket & Bauer,1967 Range (in code):
- 62382. *Hadena (Anepia) ruetimeyeri* Boursin,1951** (Noctuidae) Synonym(s): *ruetimeyeri* Boursin,1951 Original Reference: *Hadena ruetimeyeri* Boursin,1951, Mitt. schweiz. Ent. Ges. 24: 401, figs. 1,2,8. Holotype ♂: France: Pyrénées orientales: Porté, 1700m. Range (in code): **ES FR**
- 62383. *Hadena (Anepia) sancta* (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859 Original Reference: *Dianthoecia sancta* Staudinger,1859, Stettin ent. Ztg. 20: 213. Syntypes: Spanien: Cerro de Santa Anna (Chiclana). Range (in code): **MA DZ Ges TN LY MT ES Co Sa MT IL Pa JO TR CY LB Bei**
- 62384. *Hadena (Anepia) sancta atrifusa* Wiltshire,1986** (Noctuidae) Synonym(s): *atrifusa* Wiltshire,1986 Range (in code): **SA**
- 62385. *Hadena (Anepia) sancta cypriaca* Berio,1978** (Noctuidae) Synonym(s): *cypriaca* Berio,1978 Range (in code): **CY**
- 62386. *Hadena (Anepia) sancta protai* Berio,1978** (Noctuidae) Synonym(s): *protai* Berio,1978 Range (in code): **Sa Co**
- 62387. *Hadena (Anepia) sancta sancta* (Staudinger,1859)** (Noctuidae) Synonym(s): *sancta* Staudinger,1859 Original Reference: *Dianthoecia sancta* Staudinger,1859, Stettin ent. Ztg. 20: 213. Syntypes: Spanien: Cerro de Santa Anna (Chiclana). Range (in code): **ES**
- 62388. *Hadena (Anepia) sancta trisagittata* (Rothschild,1914)** (Noctuidae) Synonym(s): *trisagittata* Rothschild,1914; *tripolensis* Berio,1978. Range (in code): **MA DZ Ges TN LY MT**
- 62389. *Hadena (Anepia) sancta turca* Koçak,1991** (Noctuidae) Synonym(s): *anatolica* Berio,1978 *nec* Rebel,1933; *turca* Koçak,1991. Original Reference: *Hadena silenens* ssp. *turca* Koçak,1991, Cent. ent. Stud., Misc. Pap. 10: 3 (nomen novum pro *anatolica* Berio,1978 *nec* Rebel,1933). Range (in code): **TR IL Pa JO LB Bei**
- 62390. *Hadena (Anepia) silenens* (Hübner,[1822])** (Noctuidae) Synonym(s): *silenens* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850]; *trisagittata* Rothschild,1914 Original Reference: *Noctua silenens* Hübner,[1822], Samml. eur. Schmett. Noct. 2:Taf.143, fig.653. Type(s): Europa. Range (in code): **DZ Ges Hmk BSa BtNa TN Gf PT ES FR Co Si IT SK HU RO YU BG GR Cr TR RU Cc Da AZ Kir MD UA BY TM Kp IR Kz Yas Elb Th IL Pa Hf** Bionomy: Larva on *Silene arenarioides*, *S.clandestina* [Caryophyllaceae] (Chrétien,1917).
- 62391. *Hadena (Anepia) silenens csorbai* Hacker,1992** (Noctuidae) Synonym(s): *csorbai* Hacker,1992 Range (in code): **TM IR Kz Elb Th**
- 62392. *Hadena (Anepia) silenens mesopotamica* Hacker,1992** (Noctuidae) Synonym(s): *mesopotamica* Hacker,1992 Original Reference: *Hadena (Anepia) silenens* ssp. *mesopotamica* Hacker,1992, Esperiana 3: 339, figs. Holotype ♂: Türkei: Prov. Adiyaman, 500m Akıncılar 30.iv.1987 (leg. Schreier, coll. Hacker). Range (in code): **TR IL Pa IR Kz Yas**
- 62393. *Hadena (Anepia) silenens silenens* (Hübner,[1822])** (Noctuidae) Synonym(s): *silenens* Hübner,[1822]; *sejuncta* Herrich-Schäffer,[1850]; *trisagittata* Rothschild,1914 Original Reference: *Noctua silenens* Hübner,[1822], Samml. eur. Schmett. Noct. 2:Taf.143, fig.653. Type(s): Europa. Range (in code): **DZ Ges Hmk BSa BtNa TN Gf PT ES FR Co Si IT SK HU RO YU BG GR Cr RU MD UA BY**
- 62394. *Hadena (Anepia) silenens variegata* (Wagner,1929)** (Noctuidae) Synonym(s): *variegata* Wagner,1929 Range (in code): **TR TM Kp**
- 62395. *Hadena (Anepia) strouhali* Boursin,1955** (Noctuidae) Synonym(s): *strouhali* Boursin,1955 Range (in code): **KK TrA Na KG Tk NrK CN Ui Ku Kl Au MN TJ Pm Chr TM Mrw**
- 62396. *Hadena (Anepia) strouhali oxygrapha* Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *oxygrapha* Hacker & Ronkay,1992 Range (in code): **MN**
- 62397. *Hadena (Anepia) strouhali permixta* Hacker,1992** (Noctuidae) Synonym(s): *permixta* Hacker,1992 Range (in code): **TJ Pm Chr**
- 62398. *Hadena (Anepia) strouhali strouhali* Boursin,1955** (Noctuidae) Synonym(s): *strouhali* Boursin,1955 Range (in code): **TM Mrw KG Tk NrK CN Ui Ku Au Kl KK TrA Na**
- 62399. *Hadena (Anepia) syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. Original Reference: *Harmodia lepida* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23 (2): 47. Syntypes: [Türkei]: Marasch. Range (in code):

Si IT RO YU BG GR CY RU Ro St TR PK BI Qu EG PL BG MK Cc AZ Nv AM SY Dms IR Fa Sse IQ IL Pa JO

- 62400. *Hadena (Anepia) syriaca imitaria* (Brandt,1947)** (Noctuidae) Synonym(s): *imitaria* Brandt,1947 _ Range (in code): IR Fa Sse
- 62401. *Hadena (Anepia) syriaca petroffi* (Wiltshire,1948)** (Noctuidae) Synonym(s): *petroffi* Wiltshire,1948 _ Range (in code): EG
- 62402. *Hadena (Anepia) syriaca podolica* (Kremsky,1937)** (Noctuidae) Synonym(s): *podolica* Kremsky,1937 _ Original Reference: *Harmodia podolica* Kremsky,1937, Ann. Mus. zool. Polonici 11: 481, Tab. 57 figs.1-8. Holotype ♂: [Polen]: Dzwiniogrod, Wolczkow (PMZW). Range (in code): PL BG MK GR IT Cc AZ Nv AM TR SY
- 62403. *Hadena (Anepia) syriaca quetta* Hacker,1996** (Noctuidae) Synonym(s): *quetta* Hacker,1996 _ Range (in code): PK BI Qu
- 62404. *Hadena (Anepia) syriaca syriaca* (Osthelder,1933)** (Noctuidae) Synonym(s): *syriaca* Osthelder,1933; *osthelderi* Draudt,1933. _ Original Reference: *Harmodia lepida* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23 (2): 47. Syntypes: [Türkei]: Marasch. Range (in code): Si IT RO YU BG GR RU Ro St Cc CY TR SY Dms IL Pa JO
- 62405. *Hadena (Anepia) wolfi* Hacker,1992** (Noctuidae) Synonym(s): *wolfi* Hacker,1992 _ Original Reference: *Hadena (Anepia) wolfi* Hacker,1992, Esperiana 3: 289-290, figs. Holotype ♂: Türkei: Hakkari Prov., Altın Dağları, Suvarihalil Geçidi, 2400m 27.vi.1984 (leg. Wolf, coll. Hacker). Range (in code): TR
- 62406. *Hadena (Enterpia) alpherakyi* Hacker,1996** (Noctuidae) Synonym(s): *alpherakyi* Hacker,1996 _ Range (in code): KG Ket TJ Pm Chr
- 62407. *Hadena (Enterpia) laudeti* (Boisduval,1840)** (Noctuidae) Synonym(s): *laudeti* Boisduval,1840 _ Range (in code): ES FR IT CH YU BG GR TR AM AZ Kir Cc RU Ro Da Ahy IL Pa SY LB Sn EG JO IQ IR Ab Mak Ak Mar Ha Elb Th Kdj Dam Mz TM Kp UZ KG _ Bionomy: Larva on *Silene*, *Gypsophila* (Staudinger,1879; Wiltshire,1957).
- 62408. *Hadena (Enterpia) laudeti orientis* Hacker,1996** (Noctuidae) Synonym(s): *orientis* Hacker,1996 _ Range (in code): TR Cc RU Ro Da Ahy AM IR Ab Mak Ak Mar Ha Elb Th Kdj Dam Mz TM Kp UZ KG _ Bionomy: Larva on *Silene* (Staudinger,1879).
- 62409. *Hadena (Enterpia) laudeti roseomarginata* Calberla,1891** (Noctuidae) Synonym(s): *roseomarginata* Calberla,1891; *latestrigata* Amsel,1935. _ Range (in code): IL Pa Sn SY LB EG JO
- 62410. *Hadena (Enterpia) picturata* (Alpheraky,1882)** (Noctuidae) Synonym(s): *picturata* Alpheraky,1882 _ Range (in code): RU Da Kyi Cc IR By Ke Fa Yz Es Zj CN Ui Tek UZ KK Ik KG Uk Tk Aa AF PK
- 62411. *Hadena (Enterpia) picturata persa* (Gyulai & Hacker,2013)** (Noctuidae) Synonym(s): *persa* Gyulai & Hacker,2013 _ Original Reference: *Enterpia picturata* ssp. *persa* Gyulai & Hacker,2013, Esperiana 18: 243-244, figs. Holotype ♂: Iran, Yazd, Sanij 2650m Kuhha-ye-Qohrud, Shir Kuh 14 vi 2007 leg.T.Hacz (HNHM). Range (in code): IR Yz Es Zj
- 62412. *Hadena (Enterpia) roseocandida* Hacker,1996** (Noctuidae) Synonym(s): *roseocandida* Hacker,1996 _ Range (in code): TR Cc IR Elb Th Fa Lo Ha Mia
- 62413. *Hadena (Klappericola) chrysocyanea* Boursin,1961** (Noctuidae) Synonym(s): *chrysocyanea* Boursin,1961 _ Range (in code): AF
- 62414. *Hadena (Klappericola) heringi* (Draudt,1934)** (Noctuidae) Synonym(s): *heringi* Draudt,1934 _ Range (in code): KK
- 62415. *Hadena (Klappericola) klapperichi* Boursin,1960** (Noctuidae) Synonym(s): *klapperichi* Boursin,1960 _ Range (in code): AF
- 62416. *Hadena (Maschukia) lypra* (Püngeler,1904)** (Noctuidae) Synonym(s): *lypra* Püngeler,1904 _ Range (in code): TM Kp IR Fa Mia Kz Yas Kd Lo Ha Hz Ss AE PK BI Qu AF
- 62417. *Hadena (Maschukia) lypra arachosia* Hacker,1996** (Noctuidae) Synonym(s): *arachosia* Hacker,1996 _ Range (in code): PK BI Qu AF
- 62418. *Hadena (Maschukia) lypra hajara* Hacker & Legrain,1996** (Noctuidae) Synonym(s): *hajara* Hacker & Legrain,1996 _ Range (in code): IR Fa Kz Ss AE
- 62419. *Hadena (Maschukia) lypra lypra* (Püngeler,1904)** (Noctuidae) Synonym(s): *lypra* Püngeler,1904 _ Range (in code): TM Kp
- 62420. *Hadena (Maschukia) pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879 _ Original Reference: *Dianthoecia pumila* Staudinger,1879, Horae Soc. ent. ross.

- 14: 378. Syntypes 3♂: [Türkei]: Amasia (Kerasdere). Range (in code): GR RU TR SY Dms IR Ab Ak Fa Ss Zj Kd AM Cc AZ IQ IL Pa JO LB
- 62421. *Hadena (Maschukia) pumila phoenica* Hacker,1996** (Noctuidae) Synonym(s): *phoenica* Hacker,1996 Range (in code): SY Dms LB IL Pa JO
- 62422. *Hadena (Maschukia) pumila pumila* (Staudinger,1879)** (Noctuidae) Synonym(s): *pumila* Staudinger,1879 Original Reference: *Dianthoecia pumila* Staudinger,1879, Horae Soc. ent. ross. 14: 378. Syntypes 3♂: [Türkei]: Amasia (Kerasdere). Range (in code): GR RU TR SY IR Ab Ak Fa Ss Zj Kd AM Cc AZ
- 62423. *Hadena (Maschukia) scythia* Kljutschko & Hacker,1996** (Noctuidae) Synonym(s): *scythia* Kljutschko & Hacker,1996 Range (in code): UA RU Cc Ro Da
- 62424. *Hadena (Pinkericola) cappadocia* Hacker,1987** (Noctuidae) Synonym(s): *cappadocia* Hacker,1987 Original Reference: *Hadena cappadocia* Hacker,1987, Atalanta 18: 170-171, figs. Holotype ♂: Türkei: Prov. Sivas: 5km w. Gürün 1700m, 2.viii.1984 (leg. & coll. Hacker). Range (in code): TR
- 62425. *Hadena (Pinkericola) haczi* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *haczi* Gyulai & Hacker,2013 Range (in code): IR Yz
- 62426. *Hadena (Pinkericola) inexpectata* Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979 Original Reference: *Hadena inexpectata* Varga,1979, Z. ArbGem. öst. Ent. 31 (1/2): 8-9, figs. Holotype ♂: N-Iran: Elburs-Gebirge, S-Seite Shemshak 2300m 27.5.1971 leg. Vartian. Range (in code): TR IR Elb Th By Yas Lo Es Kd Diz TM Kp
- 62427. *Hadena (Pinkericola) inexpectata inexpectata* Varga,1979** (Noctuidae) Synonym(s): *inexpectata* Varga,1979 Original Reference: *Hadena inexpectata* Varga,1979, Z. ArbGem. öst. Ent. 31 (1/2): 8-9, figs. Holotype ♂: N-Iran: Elburs-Gebirge, S-Seite Shemshak 2300m 27.5.1971 leg. Vartian. Range (in code): IR Th Elb By Yas Lo Es
- 62428. *Hadena (Pinkericola) inexpectata kurdistanica* Hacker,1996** (Noctuidae) Synonym(s): *kurdistanica* Hacker,1996 Range (in code): TR IR Kd
- 62429. *Hadena (Pinkericola) inexpectata podlussanyi* Hacker,1996** (Noctuidae) Synonym(s): *podlussanyi* Hacker,1996 Range (in code): TM Kp
- 62430. *Hadena (Pinkericola) macilenta* (Brandt,1947)** (Noctuidae) Synonym(s): *macilenta* Brandt,1947 Range (in code): AF Pag PK TJ
- 62431. *Hadena (Pinkericola) macilenta macilenta* (Brandt,1947)** (Noctuidae) Synonym(s): *macilenta* Brandt,1947 Range (in code): AF Pag PK TJ
- 62432. *Hadena (Pinkericola) pygmaea* (Boursin,1962)** (Noctuidae) Synonym(s): *pygmaea* Boursin,1962 Original Reference: *Hadena pygmaea* Boursin,1962, Z. Wien. ent. Ges. 47: 162. Holotype ♂: [Türkei]: Akbulak, Geröllzone, 3000m (ZSM). Range (in code): TR Cc
- 62433. *Hadena (Pinkericola) tephrochrysea* (Draudt,1934)** (Noctuidae) Synonym(s): *tephrochrysea* Draudt,1934 Range (in code): TJ Pm KG Tk
- 62434. *Hadena (Pinkericola) tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833 Original Reference: *Polia tephroleuca* Boisduval,1833, Annls Soc. ent. Fr. 1833: 374, Pl.14,fig.4. Syntypes: Chamouny, Lausanne. Range (in code): ES FR Co IT DE CH AT AL BG GR TR Cc AZ AM GG RU Ro Kb Nt Kc Ing Da UA IR Elb Mz Th Diz Plr Dam Kd
- 62435. *Hadena (Pinkericola) tephroleuca asiatica* (F.Wagner,1931)** (Noctuidae) Synonym(s): *asiatica* F.Wagner,1931 Range (in code): TR Cc AZ AM GG RU Ro Kb Nt Kc Ing Da UA IR Elb Mz Th Diz Plr Dam Kd
- 62436. *Hadena (Pinkericola) tephroleuca reisseri* (Draudt,1934)** (Noctuidae) Synonym(s): *reisseri* Draudt,1934 Range (in code): ES
- 62437. *Hadena (Pinkericola) tephroleuca tephroleuca* (Boisduval,1833)** (Noctuidae) Synonym(s): *tephroleuca* Boisduval,1833 Original Reference: *Polia tephroleuca* Boisduval,1833, Annls Soc. ent. Fr. 1833: 374, Pl.14,fig.4. Syntypes: Chamouny, Lausanne. Range (in code): FR Co IT DE CH AT AL BG GR
- 62438. *Hadena (Pinkericola) vulpecula* (Brandt,1938)** (Noctuidae) Synonym(s): *vulpecula* Brandt,1938 Original Reference: *Lasiestra vulpecula* Brandt,1938, Ent. Rdsch. 55: 701, fig.426. Syntypes ♂♂: Iran: [Fars]: Barm i Firus (Com×e). Range (in code): IR Fa Es
- 62439. *Hadena (Pronotestra) silenides* (Staudinger,1895)** (Noctuidae) Synonym(s): *silenides* Staudinger,1895; *cinochrea* Chrétien,1911; *pampaninii* C.G.Krüger,1933. Range (in code): Cn MR MA DZ Kdr Ges Bsk BSa Gha Ktr Tun Orn TN Gf LY Cy PT ES DZ CY IL Js Pa JO SY LB Sn EG SA IQ Agh Kbl IR Fa

- 62440. *Hadena* (s.str.) *adriana* (Schawerda,1921)** (Noctuidae) Synonym(s): *adriana* Schawerda,1921 Original Reference: *Dianthoecia armeriae* var. *adriana* Schawerda,1921, Dt. ent. Z., Iris 25: 9. Lectotype ♂: Kroatien: Zengg, designated by Hacker,1996. Range (in code): **HV IT MK GR BG TR CY LB IL Pa TN Cm**
- 62441. *Hadena* (s.str.) *afghana* (Brandt,1947)** (Noctuidae) Synonym(s): *afghana* Brandt,1947 Range (in code): **AF TJ UZ**
- 62442. *Hadena* (s.str.) *albertii* Hacker,1996** (Noctuidae) Synonym(s): *albertii* Hacker,1996 Range (in code): **RU Cc GG AM AZ TR**
- 62443. *Hadena* (s.str.) *albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. Original Reference: *Phalaena albimacula* Borkhausen,1792, Naturg. eur. Schmett. 4: 149. Type(s): [Austria]: Wienergegend. Range (in code): **MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV MK BG GR TR Cc GG Mng AM DK NO SE FI EE LV LT RU Ro St Kc Nt Ing Da Sb At MD UA BY IR Elb Zj Fa Plr Dam Kz Yas Lo Kh TM Kp PK Gg AF IN TJ KK TrA Ax UZ LB Bsa YE** Bionomy: Larva on seed-capsules of *Silene nutans* (Hampson,1905).
- 62444. *Hadena* (s.str.) *albimacula albimacula* (Borkhausen,1792)** (Noctuidae) Synonym(s): *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. Original Reference: *Phalaena albimacula* Borkhausen,1792, Naturg. eur. Schmett. 4: 149. Type(s): [Austria]: Wienergegend. Range (in code): **MA DZ PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU HV MK BG GR TR Cc GG Mng AM DK NO SE FI EE LV LT RU Ro St Kc Nt Ing Da Sb At MD UA BY IR Ab Sdt Elb Zj Fa Plr Dam Kz Yas Lo Kh TM Kp PK Gg AF IN TJ KK UZ** Bionomy: Larva on seed-capsules of *Silene nutans* (Hampson,1905).
- 62445. *Hadena* (s.str.) *albimacula excelsa* Hacker,1996** (Noctuidae) Synonym(s): *excelsa* Hacker,1996 Original Reference: *Hadena* (*Hadena*) *albimacula* ssp. *excelsa* Hacker,1996, Esperiana 5: 168, figs. Holotype ♂: Afghanistan: Hazaradjat, Koh-i-Baba, Shah Fuladi, 3500m, leg. Ebert (ZSM). Range (in code): **AF PK IN TJ KK TrA Ax UZ**
- 62446. *Hadena* (s.str.) *albimacula fantastica* Hacker & Fibiger,1999** (Noctuidae) Synonym(s): *fantastica* Hacker & Fibiger,1999 Range (in code): **YE**
- 62447. *Hadena* (s.str.) *albimacula nivalis* Hacker,1996** (Noctuidae) Synonym(s): *nivalis* Hacker,1996 Original Reference: *Hadena* (*Hadena*) *albimacula* ssp. *nivalis* Hacker,1996, Esperiana 5: 169, figs. Holotype ♀: Pakistan: Hunza, Naltar, 2800m (leg. & coll. Weigert). Range (in code): **PK Gg**
- 62448. *Hadena* (s.str.) *archaica* Hacker,1996** (Noctuidae) Synonym(s): *archaica* Hacker,1996 Original Reference: *Hadena* (*Hadena*) *archaica* Hacker,1996, Esperiana 5: 243-244, figs. Holotype ♀: Spanien: Sierra Nevada, 1600m, leg. Traugott-Olsen (coll. Fibiger). Range (in code): **ES An**
- 62449. *Hadena* (s.str.) *atalantica* (Hampson,1905)** (Noctuidae) Synonym(s): *atalantica* Hampson,1905 Range (in code):
- 62450. *Hadena* (s.str.) *aureomixta* (Draudt,1934)** (Noctuidae) Synonym(s): *aureomixta* Draudt,1934 Range (in code): **KK Ik UZ Fe KG CN Ui Au AF TJ Pm PK Bl Qu**
- 62451. *Hadena* (s.str.) *aureomixta aureomixta* (Draudt,1934)** (Noctuidae) Synonym(s): *aureomixta* Draudt,1934 Range (in code): **KK Ik UZ Fe KG CN Ui Au AF**
- 62452. *Hadena* (s.str.) *aureomixta belucha* Hacker,1996** (Noctuidae) Synonym(s): *belucha* Hacker,1996 Range (in code): **PK Bl Qu**
- 62453. *Hadena* (s.str.) *aureomixta karamixta* Hacker,1996** (Noctuidae) Synonym(s): *karamixta* Hacker,1996 Range (in code): **TJ Pm**
- 62454. *Hadena* (s.str.) *bactriana* Hacker,1996** (Noctuidae) Synonym(s): *bactriana* Hacker,1996 Range (in code): **TM AF UZ TJ KK CN Ui Au IR Kh Fa Yz**
- 62455. *Hadena* (s.str.) *bactriana distalis* Hacker,1996** (Noctuidae) Synonym(s): *distalis* Hacker,1996 Range (in code): **IR Fa Yz**
- 62456. *Hadena* (s.str.) *badakhshana* Hacker,1996** (Noctuidae) Synonym(s): *badakhshana* Hacker,1996 Range (in code): **AF**
- 62457. *Hadena* (s.str.) *bicruris* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicruris* Hufnagel,1766; *capsincoloides* Standfuss,1893. Original Reference: *Phalaena bicruris* Hufnagel,1766, Berl. Mag. 3 (1): 301. Neotype ♂: Deutschland: Berlin. Range (in code): **MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH PL CZ SK LB Bsa** Bionomy: Larva on seed-capsules of *Silene*, *Lychnis*, *Saponaria* (Hampson,1905; Warren,1909).

- 62458. *Hadena* (s.str.) *caesia* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790]. **Original Reference:** *Noctua caesia* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 82. **Type(s):** [Austria]: Vienna district. **Range (in code):** [ES FR Si IT IE GB DE CH AT RO YU AL MK BG GR Cr TR Cc NO SE FI RU St Kb Nt](#)
- 62459. *Hadena* (s.str.) *caesia bulgarica* Boursin,1959** (Noctuidae) **Synonym(s):** *bulgarica* Boursin,1959 **Range (in code):** [MK BG TR Cc](#)
- 62460. *Hadena* (s.str.) *caesia euxinia* Hacker,1990** (Noctuidae) **Synonym(s):** *euxinia* Hacker,1990 **Range (in code):** [TR Cc](#)
- 62461. *Hadena* (s.str.) *caesia xanthophoba* Schawerda,1922** (Noctuidae) **Synonym(s):** *xanthophoba* Schawerda,1922 **Range (in code):** [GR MK](#)
- 62462. *Hadena* (s.str.) *cailinita* (Draudt,1934)** (Noctuidae) **Synonym(s):** *cailinita* Draudt,1934 **Original Reference:** *Harmodia cailinita* Draudt,1934, [in] Seitz, *Die Gross Schmett. Erde* 3 (suppl.): 105, Taf.13l **Lectotype** ♂: Kirgisistan: Issyk-kul, ex coll. Püngeler (NHMU), designated by Hacker,1996. **Range (in code):** [KK Ik KG Aa CN Ui Au](#)
- 62463. *Hadena* (s.str.) *canescens* (Brandt,1947)** (Noctuidae) **Synonym(s):** *canescens* Brandt,1947; *eberti* Boursin,1961 **Range (in code):** [AF Adr TJ Pm PK Gg Hu IN Ld Ch](#)
- 62464. *Hadena* (s.str.) *canescens canescens* (Brandt,1947)** (Noctuidae) **Synonym(s):** *canescens* Brandt,1947; *eberti* Boursin,1961 **Range (in code):** [AF Adr TJ Pm](#)
- 62465. *Hadena* (s.str.) *canescens hunza* Hacker,1996** (Noctuidae) **Synonym(s):** *hunza* Hacker,1996 **Range (in code):** [PK Gg Hu](#)
- 62466. *Hadena* (s.str.) *canescens pura* Hacker,1996** (Noctuidae) **Synonym(s):** *pura* Hacker,1996 **Range (in code):** [IN Ld](#)
- 62467. *Hadena* (s.str.) *cavalla* Pinker,1980** (Noctuidae) **Synonym(s):** *cavalla* Pinker,1980 **Original Reference:** *Hadena cavalla* Pinker,1980, *Z. ArbGem. öst. Ent.* 31: 66. **Holotype** ♀: Turkey: O-Anatolien: Gürün, 1700m (NHMW). **Range (in code):** [TR Cc AM AZ Nv IR Ha](#)
- 62468. *Hadena* (s.str.) *chrysographa* Hacker,1996** (Noctuidae) **Synonym(s):** *chrysographa* Hacker,1996 **Original Reference:** *Hadena* (*Hadena*) *chrysographa* Hacker,1996, *Esperiana* 5: 211-212, figs. **Holotype** ♂: Türkei: Agri Prov., [Eleşkirt]: 5km E of Sarican, 1800m, leg. & coll. Hreblay. **Range (in code):** [TR AZ Cc AM IR Zj Ha](#)
- 62469. *Hadena* (s.str.) *chrysographa chrysographa* Hacker,1996** (Noctuidae) **Synonym(s):** *chrysographa* Hacker,1996 **Original Reference:** *Hadena* (*Hadena*) *chrysographa* Hacker,1996, *Esperiana* 5: 211-212, figs. **Holotype** ♂: Türkei: Agri Prov., [Eleşkirt]: 5km E of Sarican, 1800m, leg. & coll. Hreblay. **Range (in code):** [TR AZ Cc AM](#)
- 62470. *Hadena* (s.str.) *chrysographa ferruginata* Gyulai & Hacker,2013** (Noctuidae) **Synonym(s):** *ferruginata* Gyulai & Hacker,2013 **Range (in code):** [IR Zj Ha](#)
- 62471. *Hadena* (s.str.) *cimelia* (Brandt,1938)** (Noctuidae) **Synonym(s):** *cimelia* Brandt,1938 **Original Reference:** *Harmodia cimelia* Brandt,1938, *Ent. Rdsch.* 55: 504-505, figs. 109-111. **Syntypes:** Iran: [Fars]: Comee. **Range (in code):** [IR Fa Kd Lo Kz Yas](#)
- 62472. *Hadena* (s.str.) *clara* (Staudinger,1901)** (Noctuidae) **Synonym(s):** *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938. **Range (in code):** [MA ES FR Si IT CH YU BG GR TR IR Elb Th Mz Ha Ab Oru Dam Kdj RU Ich Ing Da Ahy Kus Cc AZ Nv AM LB Bsa SY IL Pa](#)
- 62473. *Hadena* (s.str.) *clara alpina* Boursin,1959** (Noctuidae) **Synonym(s):** *alpina* Boursin,1959 **Range (in code):** [FR IT CH](#)
- 62474. *Hadena* (s.str.) *clara atlantis* (Draudt,1934)** (Noctuidae) **Synonym(s):** *atlantis* Draudt,1934 **Range (in code):** [MA](#)
- 62475. *Hadena* (s.str.) *clara clara* (Staudinger,1901)** (Noctuidae) **Synonym(s):** *clara* Staudinger,1901; *hyrcana* Draudt,1933; *transiens* Draudt,1938 **Range (in code):** [TR](#)
- 62476. *Hadena* (s.str.) *clara dujardini* Boursin,1959** (Noctuidae) **Synonym(s):** *dujardini* Boursin,1959 **Range (in code):** [FR](#)
- 62477. *Hadena* (s.str.) *clara gladys* (Wiltshire,1947)** (Noctuidae) **Synonym(s):** *gladys* Wiltshire,1947 **Range (in code):** [IR Elb Th Mz Ha Ab Oru Dam Kdj](#)
- 62478. *Hadena* (s.str.) *clara kuruschensis* Boursin,1959** (Noctuidae) **Synonym(s):** *kuruschensis* Boursin,1959 **Range (in code):** [TR Cc RU Da Ich Ing Da Ahy Kus](#)
- 62479. *Hadena* (s.str.) *clara macedonica* Boursin,1959** (Noctuidae) **Synonym(s):** *macedonica* Boursin,1959 **Range (in code):** [MK](#)

- 62480. *Hadena (s.str.) clara nevadensis* (Draudt,1934)** (Noctuidae) Synonym(s): *nevadensis* Draudt,1934 _ Range (in code): ES
- 62481. *Hadena (s.str.) clara transiens* (Draudt,1936)** (Noctuidae) Synonym(s): *transiens* Draudt,1936 _ Original Reference: *Harmodia caesia* ssp. *transiens* Draudt,1936, Ent. Rdsch. 53: 471. Syntypes: [Türkei]: Ak-schehir (Sultan Dagħ). _ Range (in code): TR
- 62482. *Hadena (s.str.) clara weissi* (Draudt,1934)** (Noctuidae) Synonym(s): *weissi* Draudt,1934 _ Original Reference: *Harmodia melanochroa* f. *weissi* Draudt,1934, [in] Seitz, Schmett. Erde 3 (Suppl.): 104, Taf.13g. Neotype ♂: Russia, NE Caucasus San 2300m, designated by Hacker (1996: 413) (HNHM). _ Range (in code): TR Cc RU Da AZ Nv AM
- 62483. *Hadena (s.str.) compta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. _ Original Reference: *Noctua compta* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district. _ Range (in code): DZ Ges PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SY LB Bsa IL Pa AM GG Smt Akh Cc AZ IR Ab Khy Elb Fa Th Lo Zj Gh Kd Bne Sse Kh IQ DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da Sb At Am MD UA BY TM KK KG T-S MN CN JP _ Bionomy: Larva on seed capsules of *Silene*, *Dianthus carthusianorum* (Hampson,1905; Warren,1910).
- 62484. *Hadena (s.str.) compta almoravida* Hacker,1996** (Noctuidae) Synonym(s): *almoravida* Hacker,1996 _ Range (in code): MA
- 62485. *Hadena (s.str.) compta armeriae* (Guenée,1852)** (Noctuidae) Synonym(s): *armeriae* Guenée,1852 _ Range (in code): RU KK KG MN CN JP
- 62486. *Hadena (s.str.) compta compta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. _ Original Reference: *Noctua compta* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district. _ Range (in code): DZ Ges PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR SY LB Cc AM GG AZ IR Elb Th Zj DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da Sb At Am MD UA BY KK KG T-S MN CN JP _ Bionomy: Larva on seed capsules of *Silene*, *Dianthus carthusianorum* (Hampson,1905; Warren,1910).
- 62487. *Hadena (s.str.) compta kashgaia* (Brandt,1947)** (Noctuidae) Synonym(s): *kashgaia* Brandt,1947 _ Range (in code): IR Fa Lo Kd Sse Bne
- 62488. *Hadena (s.str.) compta parthica* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *parthica* Gyulai & Hacker,2013 _ Range (in code): IR Kh TM Kp
- 62489. *Hadena (s.str.) compta persica* (Schwingenschuss,1938)** (Noctuidae) Synonym(s): *persica* Schwingenschuss,1938 _ Original Reference: *Harmodia compta* ssp. *persica* Schwingenschuss,1938, Ent. Z., Frankf. a. M. 53: 152. Holotype ♂: [Iran]: Elbursgebirge, Kendevanpass, 2800m leg. Schwingenschuss (NÖLM). _ Range (in code): IR Ab Khy Th Elb Zj Dam Kh
- 62490. *Hadena (s.str.) confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. _ Original Reference: *Phalaena confusa* Hufnagel,1766, Berl. Mag. 3(3): 414. Type(s): [Germany]: Berlin. _ Range (in code): MA DZ Agi Hmk Hrh Dzc Ges Abe TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Sb At Prj Us MD UA BY Cc GG Lag AM AZ IR Mz KK Ik TrA Ax Na KG Tk Aa CN Ui Ju Ti MN Uli U-B _ Bionomy: Larva on seed capsules of *Lychnis*, *Silene* (Hampson,1905).
- 62491. *Hadena (s.str.) confusa confusa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. _ Original Reference: *Phalaena confusa* Hufnagel,1766, Berl. Mag. 3(3): 414. Type(s): [Germany]: Berlin. _ Range (in code): MA DZ Agi Hmk Hrh Dzc Ges Abe TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb At Prj Us MD UA BY Cc GG Lag AM AZ IR Mz KK Ik KG Tk Aa CN Ui Ju Ti MN Uli U-B _ Bionomy: Larva on seed capsules of *Lychnis*, *Silene* (Hampson,1905).
- 62492. *Hadena (s.str.) confusa herczigi* Hacker,1996** (Noctuidae) Synonym(s): *herczigi* Hacker,1996 _ Range (in code): RU Cc Kr St Kb Nt Ich Ing Da GG AZ TR IR Mz
- 62493. *Hadena (s.str.) confusa iliensis* Hacker,1996** (Noctuidae) Synonym(s): *iliensis* Hacker,1996 _ Range (in code): KK Ik TrA Ax Na KG Tk Aa CN Ui Ju RU At
- 62494. *Hadena (s.str.) consparcatoides* (Schawerda,1928)** (Noctuidae) Synonym(s): *consparcatoides* Schawerda,1928 _ Range (in code): ES FR

- 62495. *Hadena* (s.str.) *danilewskyi* Hacker,1996** (Noctuidae) Synonym(s): *danilewskyi* Hacker,1996 _ Range (in code): Cc AZ TR
- 62496. *Hadena* (s.str.) *defreinae* Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreinae* Hacker, Kuhna & Gross,[1987] _ Original Reference: *Hadena defreinae* Hacker, Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76: 98, figs. Holotype ♂: [Türkei]: Erzurum Prov., Palandoken 2500-2700m (coll.Kuhna). Range (in code): TR Cc AM RU Da Kus
- 62497. *Hadena* (s.str.) *defreinae* *defreinae* Hacker, Kuhna & Gross,[1987]** (Noctuidae) Synonym(s): *grisea* Idrisov,1961; *defreinae* Hacker, Kuhna & Gross,[1987] _ Original Reference: *Hadena defreinae* Hacker, Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76: 98, figs. Holotype ♂: [Türkei]: Erzurum Prov., Palandoken 2500-2700m (coll.Kuhna). Range (in code): TR Cc AM RU Da Kus
- 62498. *Hadena* (s.str.) *defreinae* *thoenyi* Hacker,1996** (Noctuidae) Synonym(s): *thoenyi* Hacker,1996 _ Original Reference: *Hadena* (*Hadena*) *defreinae* ssp. *thoenyi* Hacker,1996, Esperiana 5: 163, figs. Holotype ♂: Türkiye: Prov. Van, Güzeldere geçidi, 2770m 21.vi.1985 (leg. Thöny, coll. Hacker). Range (in code): TR
- 62499. *Hadena* (s.str.) *difficilis* Hacker,1996** (Noctuidae) Synonym(s): *difficilis* Hacker,1996 _ Range (in code): UZ AF TJ Pm
- 62500. *Hadena* (s.str.) *difficilis* *maracandica* Hacker,1996** (Noctuidae) Synonym(s): *maracandica* Hacker,1996 _ Range (in code): UZ
- 62501. *Hadena* (s.str.) *drangiana* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *drangiana* Gyulai & Hacker,2013 _ Range (in code): IR Ke
- 62502. *Hadena* (s.str.) *draudti* (Brandt,1938)** (Noctuidae) Synonym(s): *draudti* Brandt,1938 _ Original Reference: *Harmodia draudti* Brandt,1938, Ent. Rdsch. 55: 504, figs. 106-108. Syntypes: Iran: [Fars]: Barm i Firuz. Range (in code): IR Fa Kh Com Ha TM Kp
- 62503. *Hadena* (s.str.) *draudti* *extera* Hacker,1996** (Noctuidae) Synonym(s): *extera* Hacker,1996 _ Range (in code): TM Kp
- 62504. *Hadena* (s.str.) *drenowski* (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski* Rebel,1930. _ Original Reference: *Mamestra drenowski* Rebel,1930, Verh. zool.- bot. Ges. Wien 80: (12). Range (in code): YU UA BG GR TR Cc IR Elb Mz Kdv Th Dam Kh IL Pa He
- 62505. *Hadena* (s.str.) *drenowski* *sultana* Hacker,1996** (Noctuidae) Synonym(s): *sultana* Hacker,1996 _ Range (in code): TR Cc IL Pa He
- 62506. *Hadena* (s.str.) *drenowskii* *drenowskii* (Rebel,1930)** (Noctuidae) Synonym(s): *drenowski* Rebel,1930. _ Original Reference: *Mamestra drenowski* Rebel,1930, Verh. zool.- bot. Ges. Wien 80: (12). Range (in code): YU BG GR
- 62507. *Hadena* (s.str.) *drenowskii* *kendevani* (Schwingenschuss,1937)** (Noctuidae) Synonym(s): *kendevani* Schwingenschuss,1937 _ Range (in code): IR Elb Mz Th Dam Kdv
- 62508. *Hadena* (s.str.) *drenowskii* *khorrassana* (Brandt,1947)** (Noctuidae) Synonym(s): *khorrassana* Brandt,1947 _ Range (in code): IR Kh
- 62509. *Hadena* (s.str.) *drenowskii* *lapidea* Kljutschko & Hacker,1996** (Noctuidae) Synonym(s): *lapidea* Kljutschko & Hacker,1996 _ Range (in code): UA
- 62510. *Hadena* (s.str.) *elbursica* Hacker,1996** (Noctuidae) Synonym(s): *elbursica* Hacker,1996 _ Range (in code): IR Elb Th Kh KuB
- 62511. *Hadena* (s.str.) *femina* Hacker,1996** (Noctuidae) Synonym(s): *femina* Hacker,1996 _ Range (in code): Cc GG TR AZ IR Elb Th Mz Kdv Diz Dam Kh Ha TM Kp RU
- 62512. *Hadena* (s.str.) *femina* *marmorea* Hacker,1996** (Noctuidae) Synonym(s): *marmorea* Hacker,1996 _ Range (in code): IR Elb Th Mz Kdv Diz Dam
- 62513. *Hadena* (s.str.) *fibigeri* Hacker,1996** (Noctuidae) Synonym(s): *fibigeri* Hacker,1996 _ Original Reference: *Hadena fibigeri* Hacker,1996, Esperiana 5: 462 Taf.R figs. 1-3. Holotype ♂: Türkiye, Kayseri Prov. Erciyas Dağı 2000m coll.Fibiger. Range (in code): TR Cc
- 62514. *Hadena* (s.str.) *filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrana* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. _ Original Reference: *Phalaena filograna* Esper,[1788], Die Schmett. 4(2/1): Taf.130, fig.4. Type(s): Inspruk. Range (in code): MA PT ES FR Co Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU St Nt Ur Sb At MD UA BY KG Ssn DsA KK Ik Cc AM GG Aba Smt Bjo Tbl UZ Fe CN Ui Ii Bionomy: Larva on *Silene nutans* (Hampson,1905).
- 62515. *Hadena* (s.str.) *filograna* *consparsata* (Freyer,1844)** (Noctuidae) Synonym(s): *consparsata* Freyer,1844. _ Range (in code): TR

- 62516. *Hadena (s.str.) filograna filograna* (Esper,[1788])** (Noctuidae) Synonym(s): *filograna* Esper,[1788]; *filigrama* auct.; *polymita* Hübner,[1803]; *xanthocyanea* Hübner,[1819]; *flavivibica* Hübner,[1821]. Original Reference: Phalaena *filograna* Esper,[1788], Die Schmett. 4(2/1): Taf.130, fig.4. Type(s): Inspruk. Range (in code): **MA PT ES FR Co Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU St Nt Ur Sb At MD UA BY KG Ssn DsA KK Ik Cc AM GG Aba Smt Bjo Tbl UZ Fe CN Ui Ii** Bionomy: Larva on *Silene nutans* (Hampson,1905).
- 62517. *Hadena (s.str.) filograna rungsi* (Lajonquière,1967)** (Noctuidae) Synonym(s): *rungs* Lajonquière,1967 Range (in code): **MA**
- 62518. *Hadena (s.str.) finitima* Hacker,1996** (Noctuidae) Synonym(s): *finitima* Hacker,1996 Range (in code): **TM Kp IR**
- 62519. *Hadena (s.str.) gandhara* Hacker,1996** (Noctuidae) Synonym(s): *gandhara* Hacker,1996 Range (in code): **PK**
- 62520. *Hadena (s.str.) germanicae* Boursin,1959** (Noctuidae) Synonym(s): *germanicae* Boursin,1959 Range (in code): **TR Cc**
- 62521. *Hadena (s.str.) gueneei* (Staudinger,1901)** (Noctuidae) Synonym(s): *gueneei* Staudinger,1901; *guenei* Hampson,1905 Original Reference: *Dianthoecia gueneei* Staudinger,1901, Cat. Lepid. Palaearct. Faunengeb. 3(1): 163. Syntypes: Zypern, Taurus, Antiochia, Mardin, Bithynien. Lectotype ♀: Turkey: Mardin, designated by Hacker,1996 (NHMU). Range (in code): **IT B-H HV MK GR CY TR IL Pa AZ AM Cc IR Lo Kh Elb Th Plr Kz Yas Fa IQ TM**
- 62522. *Hadena (s.str.) gueneei hostilis* (Püngeler,1906)** (Noctuidae) Synonym(s): *hostilis* Püngeler,1906 Range (in code): **TM IR Lo Kh**
- 62523. *Hadena (s.str.) hissarica* Hacker,1996** (Noctuidae) Synonym(s): *hissarica* Hacker,1996 Range (in code): **TJ**
- 62524. *Hadena (s.str.) hreblayi* Hacker,1996** (Noctuidae) Synonym(s): *hreblayi* Hacker,1996 Range (in code): **IN Ch Ld PK AF**
- 62525. *Hadena (s.str.) humilis* (Christoph,1893)** (Noctuidae) Synonym(s): *humilis* Christoph,1893; *stenoptera* Rebel,1933. Original Reference: *Mamestra chrysozona* var. *humilis* Christoph,1893, Dt. ent. Z., Iris 6: 92. Syntypes: [Georgia]: Borshom; [Azerbaijan]: Ordubad; [Türkei]: Kazikoparan. Range (in code): **Cc AZ Nv Ord AM GG Smt Bjo TR IR Ha RU Da**
- 62526. *Hadena (s.str.) hyrcanoides* Hacker,1996** (Noctuidae) Synonym(s): *hyrcanoides* Hacker,1996 Range (in code): **TR IR Th Elb Ab Oru Mz Dam Kdj Cc Es AZ Nv**
- 62527. *Hadena (s.str.) ignicola* (W.Warren,1910)** (Noctuidae) Synonym(s): *ignicola* W.Warren,1910 Original Reference: *Harmodia ignicola* W.Warren,1910,[in] Seitz, Gross-Schmett. Erde 3: 76 (18f). Type ♀: Nord Afghanistan: Kuliab-Provinz. Range (in code): **AF PK TJ Pm**
- 62528. *Hadena (s.str.) impressa* (Esper,[1790])** (Noctuidae) Synonym(s): *#capsincola* [Denis & Schiffermüller],1775; *impressa* Esper,[1790]. Original Reference: Phalaena *impressa* Esper,[1790], Die Schmett. 4 (2/1): 502, Tab. 152, fig. 3. "Tyrol". Range (in code): **HU AT DE EE DK NO SE FI HV B-H MK GR TR Cc GG Smt Bjo Mng Lag Nv Ord AM AZ IR Th Elb Mz TM UZ TJ KK TeA RU Ro Kr Kb Nt Ich Ing Da At Sb Sj LB Bsa IQ**
- 62529. *Hadena (s.str.) intensa* (Boursin,1962)** (Noctuidae) Synonym(s): *#intensa* W.Warren,1910; *intensa* Boursin,1962 Range (in code): **KK Ax TrA KG Ssn CN Ui Kml Au TJ Pm**
- 62530. *Hadena (s.str.) karagaia* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *karagaia* A.Bang-Haas,1912; *#kargaia* Lehmann, Hacker et al.,1998 Range (in code): **KK Ik KuA TeA Skm TrA Na UZ Fe TJ Pm Chr AF PK Gg Ch IN Hp IR GlS Zj Kd**
- 62531. *Hadena (s.str.) karagaia extincta* Hacker,1996** (Noctuidae) Synonym(s): *extincta* Hacker,1996 Range (in code): **AF TJ Pm IR GlS**
- 62532. *Hadena (s.str.) karagaia karagaia* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *karagaia* A.Bang-Haas,1912; *#kargaia* Lehmann, Hacker et al.,1998 Range (in code): **KK Ik KuA TeA Skm TrA Na UZ Fe TJ Pm Chr**
- 62533. *Hadena (s.str.) karagaia kautti* Hacker,1996** (Noctuidae) Synonym(s): *kautti* Hacker,1996 Range (in code): **IN Hp**
- 62534. *Hadena (s.str.) karagaia longiqua* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *longiqua* Gyulai & Hacker,2013 Range (in code): **IR Kd Zj**
- 62535. *Hadena (s.str.) karsholti* Hacker,1996** (Noctuidae) Synonym(s): *karsholti* Hacker,1996 Range (in code): **MD**
- 62536. *Hadena (s.str.) kurajica* Hacker,1996** (Noctuidae) Synonym(s): *kurajica* Hacker,1996 Range (in code): **RU At**

- 62537. *Hadena* (s.str.) *lucida* (Brandt,1938)** (Noctuidae) Synonym(s): *lucida* Brandt,1938
Original Reference: *Harmodia luteocincta* ssp. *lucida* Brandt,1938, Ent. Rdsch. 55: 505, figs. 115-117. Type ♂: Iran: [Fars]: Com×e. Range (in code): **TR IR Fa Com By Es Elb Mz Dam Kd**
- 62538. *Hadena* (s.str.) *lucida hakkariensis* Hacker,1996** (Noctuidae) Synonym(s): *hakkariensis* Hacker,1996 Range (in code): **TR**
- 62539. *Hadena* (s.str.) *lucida lucida* (Brandt,1938)** (Noctuidae) Synonym(s): *lucida* Brandt,1938 Original Reference: *Harmodia luteocincta* ssp. *lucida* Brandt,1938, Ent. Rdsch. 55: 505, figs. 115-117. Type ♂: Iran: [Fars]: Com×e. Range (in code): **IR Fa Com By Es**
- 62540. *Hadena* (s.str.) *luteocincta* (Rambur,1834)** (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerdae* Krüger,1914. Original Reference: *Polia luteocincta* Rambur,1834, Annls Soc. ent. Fr.1834: 382. Syntypes: [France]: Lyon, Montpellier. Range (in code): **MA ES An FR Co Sa Si IT CH HU RO HV MK RU Cc Ro St Kb Nt Ich Ing Da**
- 62541. *Hadena* (s.str.) *luteocincta luteocincta* (Rambur,1834)** (Noctuidae) Synonym(s): *luteocincta* Rambur,1834; *capsophoba* Rambur,1858; *kruegeri* Turati,1908; *dubia* Turati,1911; *schawerdae* Krüger,1914. Original Reference: *Polia luteocincta* Rambur,1834, Annls Soc. ent. Fr.1834: 382. Syntypes: [France]: Lyon, Montpellier. Range (in code): **ES An FR Co Sa Si IT CH HU RO HV MK RU Cc Ro St Kb Nt Ich Ing Da**
- 62542. *Hadena* (s.str.) *luteocincta maroccana* Hacker,1996** (Noctuidae) Synonym(s): *maroccana* Hacker,1996 Range (in code): **MA**
- 62543. *Hadena* (s.str.) *magnifica* Hacker,1996** (Noctuidae) Synonym(s): *magnifica* Hacker,1996
Original Reference: *Hadena magnifica* Hacker,1996, Esperiana 5: 148, Taf.E fig.9. Holotype ♂: [Şırnak Prov.]: Tanin Dağları, Elkek geçidi 1820m (Coll.Hacker). Range (in code): **TR IR Lo Th Elb Kdj Ak Ab**
- 62544. *Hadena* (s.str.) *magnolii* (Boisduval,1828)** (Noctuidae) Synonym(s): *magnolii* Boisduval,1828; *nummosa* Eversmann,1844. Original Reference: *Polia magnolii* Boisduval,1828, Eur. Lépid. Ind. Meth.: 73. Type(s): Gallia meridionalis. Range (in code): **DZ Hmk PT ES An FR Co Si IT DE CH AT SK HU RO YU HV AL MK BG GR Cr TR TM IR By Yas Es Fa Lo Ha Elb Th Dam Kd Kh Cc GG Tbl Smt Bjo Mng AZ Kir AM LB Bsa UZ N-A KK KG RU Ro St Kb Nt Ing Da Sb At UA PK Ch Hu**
Bionomy: Larva on *Silene nutans* (Hampson,1905; Warren,1909).
- 62545. *Hadena* (s.str.) *magnolii fabiani* Hacker,1996** (Noctuidae) Synonym(s): *fabiani* Hacker,1996 Original Reference: *Hadena* (s.str.) *magnolii* ssp. *fabiani* Hacker,1996, Esperiana 5: 60-61, figs. Holotype ♂: Turkmenistan: Ai-Dere (HNHM). Range (in code): **TM IR By Yas Es Fa Lo Ha Elb Th Dam Kd Kh**
- 62546. *Hadena* (s.str.) *mediana* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *mediana* Gyulai & Hacker,2013 Range (in code): **IR Es**
- 62547. *Hadena* (s.str.) *melanochroa* (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892 Original Reference: *Dianthoecia filigrama* var. *melanochroa* Staudinger,1892, Dt. ent. Z., Iris 4: 273-274. Syntypes 10♂♀: [Türkei]: Kara Hissar [=İebinkarahisar], Amasia, Hadjin. Range (in code): **BG TR RU Kb Nt Ich Ing Da IR Fa Elb Kdj Th Diz Ab Oru IQ Cc AZ AM**
- 62548. *Hadena* (s.str.) *melanochroa melanochroa* (Staudinger,1892)** (Noctuidae) Synonym(s): *melanochroa* Staudinger,1892 Original Reference: *Dianthoecia filigrama* var. *melanochroa* Staudinger,1892, Dt. ent. Z., Iris 4: 273-274. Syntypes 10♂♀: [Türkei]: Kara Hissar [=İebinkarahisar], Amasia, Hadjin. Range (in code): **BG TR RU Kb Nt Ich Ing Da IR Fa Elb Kdj Th Diz Ab Oru IQ Cc AZ AM**
- 62549. *Hadena* (s.str.) *mesolampra* (Brandt,1938)** (Noctuidae) Synonym(s): *mesolampra* Brandt,1938 Original Reference: *Harmodia mesolampra* Brandt,1938, Ent. Rdsch. 55: 504, figs. 111,113,114. Syntypes: Iran: [Fars]: Com×e (2600m). Range (in code): **IR Fa Lo By**
- 62550. *Hadena* (s.str.) *montana* (Brandt,1941)** (Noctuidae) Synonym(s): *montana* Brandt,1941
Original Reference: *Harmodia montana* Brandt,1941, Mitt. münch. ent. Ges. 31: 846, fig.30. Syntypes 2♀: Iran: [Khorassan]: Kouh i Binaloud, 3400m. Range (in code): **Cc RU Da IR Kh TM Kp**
- 62551. *Hadena* (s.str.) *montana koruschensis* Boursin,1959** (Noctuidae) Synonym(s): *koruschensis* Boursin,1959 Range (in code): **Cc RU Da**
- 62552. *Hadena* (s.str.) *montana montana* (Brandt,1941)** (Noctuidae) Synonym(s): *montana* Brandt,1941 Original Reference: *Harmodia montana* Brandt,1941, Mitt. münch. ent. Ges. 31: 846, fig.30. Syntypes 2♀: Iran: [Khorassan]: Kouh i Binaloud, 3400m. Range (in code): **IR Kh TM Kp**

- 62553. *Hadena* (s.str.) *naumanni* Hacker,1996** (Noctuidae) Synonym(s): *naumanni* Hacker,1996 _ Range (in code): AF Bd PK
- 62554. *Hadena* (s.str.) *nebulosa* Hacker,1996** (Noctuidae) Synonym(s): *nebulosa* Hacker,1996 _ Range (in code): TR
- 62555. *Hadena* (s.str.) *nekrasovi* Hacker,1996** (Noctuidae) Synonym(s): *nekrasovi* Hacker,1996 _ Range (in code): TJ KK AF
- 62556. *Hadena* (s.str.) *nigricata* Pinker,1969** (Noctuidae) Synonym(s): *nigricata* Pinker,1969 _ Range (in code): Cn
- 62557. *Hadena* (s.str.) *niveifera* (Hampson,1906)** (Noctuidae) Synonym(s): *niveifera* Hampson,1906; *oliviae* Plante,1982. _ Range (in code): IN Hp Sml PK N-G
- 62558. *Hadena* (s.str.) *nobilis* Hacker,1996** (Noctuidae) Synonym(s): *nobilis* Hacker,1996 _ Range (in code): IR Fa Elb
- 62559. *Hadena* (s.str.) *nobilis brandti* Hacker,1996** (Noctuidae) Synonym(s): *brandti* Hacker,1996 _ Range (in code): IR Fa By Yas Lo
- 62560. *Hadena* (s.str.) *nobilis intermediana* Hacker,1996** (Noctuidae) Synonym(s): *intermediana* Hacker,1996 _ Range (in code): IR Elb
- 62561. *Hadena* (s.str.) *nobilis nobilis* Hacker,1996** (Noctuidae) Synonym(s): *nobilis* Hacker,1996 _ Range (in code): TM Kp IR Fa Elb
- 62562. *Hadena* (s.str.) *nuratina* Hacker & Kljutschko,1996** (Noctuidae) Synonym(s): *nuratina* Hacker & Kljutschko,1996 _ Range (in code): UZ
- 62563. *Hadena* (s.str.) *orihuela* Hacker,1996** (Noctuidae) Synonym(s): *orihuela* Hacker,1996 _ Range (in code): ES
- 62564. *Hadena* (s.str.) *perornata* (Draudt,1950)** (Noctuidae) Synonym(s): *perornata* Draudt,1950 _ Range (in code): CN Ti
- 62565. *Hadena* (s.str.) *perornata gemella* (Draudt,1950)** (Noctuidae) Synonym(s): *gemella* Draudt,1950 _ Range (in code): CN Ti
- 62566. *Hadena* (s.str.) *perornata perornata* (Draudt,1950)** (Noctuidae) Synonym(s): *perornata* Draudt,1950 _ Range (in code): CN
- 62567. *Hadena* (s.str.) *perpetua* Hacker,1996** (Noctuidae) Synonym(s): *perpetua* Hacker,1996 _ Range (in code): MK TR
- 62568. *Hadena* (s.str.) *persimilis* Hacker,1996** (Noctuidae) Synonym(s): *persimilis* Hacker,1996 _ Range (in code): GR RU UA Cc AM TR KG AZ IR Elb Th Kdv TM IL Pa
- 62569. *Hadena* (s.str.) *persimilis balcanica* Hacker,1996** (Noctuidae) Synonym(s): *balcanica* Hacker,1996 _ Range (in code): GR
- 62570. *Hadena* (s.str.) *pfeifferi* (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934 _ Original Reference: Dianthoecia pfeifferi Draudt,1934, Ent. Rdsch. 51: 93. Type: Libanon: Bscharre. Range (in code): TR LB Bsa IQ IR Kd Snj SY Dms
- 62571. *Hadena* (s.str.) *pfeifferi pfeifferi* (Draudt,1934)** (Noctuidae) Synonym(s): *pfeifferi* Draudt,1934 _ Original Reference: Dianthoecia pfeifferi Draudt,1934, Ent. Rdsch. 51: 93. Type: Libanon: Bscharre. Range (in code): TR LB Bsa IQ IR Kd Snj SY Dms
- 62572. *Hadena* (s.str.) *pfeifferi ponticola* Hacker,1996** (Noctuidae) Synonym(s): *ponticola* Hacker,1996 _ Range (in code): TR
- 62573. *Hadena* (s.str.) *phaeoscripta* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *phaeoscripta* Gyulai & Hacker,2013 _ Range (in code): IR Yz
- 62574. *Hadena* (s.str.) *praetermissa* Hacker,1996** (Noctuidae) Synonym(s): *praetermissa* Hacker,1996 _ Original Reference: *Hadena praetermissa* Hacker,1996, Esperiana 5: 464 Taf.R figs.4-7.Holotype ♂: Türkiye, Van Prov. Güzeldere geçidi 2770m (coll.Hacker). Range (in code): TR IR Elb Th Mz Dam Es
- 62575. *Hadena* (s.str.) *praetermissa remotina* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *remotina* Gyulai & Hacker,2013 _ Range (in code): IR Es
- 62576. *Hadena* (s.str.) *pseudoclara* Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996 _ Range (in code): TR Cc AZ AM IR Elb SU Dms LB
- 62577. *Hadena* (s.str.) *pseudoclara cimeloides* Hacker,1996** (Noctuidae) Synonym(s): *cimeloides* Hacker,1996 _ Range (in code): IR Elb
- 62578. *Hadena* (s.str.) *pseudoclara levantina* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *levantina* Gyulai & Hacker,2013 _ Range (in code): SY Dms LB

- 62579. *Hadena* (s.str.) *pseudoclara oleagina* Hacker,1996** (Noctuidae) Synonym(s): *oleagina* Hacker,1996 _ Range (in code): TR
- 62580. *Hadena* (s.str.) *pseudoclara pseudoclara* Hacker,1996** (Noctuidae) Synonym(s): *pseudoclara* Hacker,1996 _ Range (in code): TR
- 62581. *Hadena* (s.str.) *pseudodealbata* Hacker,1988** (Noctuidae) Synonym(s): *pseudodealbata* Hacker,1988 _ Original Reference: *Hadena confusa* ssp. *pseudodealbata* Hacker,1988, Atalanta 18: 344, Taf.1 figs.6-8. Holotype ♂: Türkiye: Prov. Gemüşhane [Gümüşhane], Soğanlı geçidi 30km n Bayburt 2400m, 4.vii.1984, leg. Wolf (coll.Hacker). Range (in code): TR Cc AM AZ GG RU Da Ing UA
- 62582. *Hadena* (s.str.) *pseudohyrcana* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *pseudohyrcana* De Freina & Hacker,1985. _ Original Reference: *Hadena pseudohyrcana* De Freina & Hacker,1985, Entomofauna 6 (19): 249, Abb. 8-10. Holotype ♂: [Türkei]: Kleinasien: Van Prov.: Güzeldere Pass, 2700-2800m, 8-9.7.80 (leg. et coll. De Freina). Range (in code): TR IR Ab Oru RU Cc Da Kap Der Brh Lvs
- 62583. *Hadena* (s.str.) *pumicosa* Hacker,1996** (Noctuidae) Synonym(s): *pumicosa* Hacker,1996 _ Range (in code): AF
- 62584. *Hadena* (s.str.) *purpurea* Hacker,1996** (Noctuidae) Synonym(s): *purpurea* Hacker,1996 _ Range (in code): TR Cc TM Kp IR Elb Th Diz Mz Dam Kdj
- 62585. *Hadena* (s.str.) *purpurea olivascens* Hacker,1996** (Noctuidae) Synonym(s): *olivascens* Hacker,1996 _ Range (in code): TR Cc
- 62586. *Hadena* (s.str.) *pyrrhotatos* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *pyrrhotatos* Gyulai & Hacker,2013 _ Range (in code): IR Es
- 62587. *Hadena* (s.str.) *rjabovi* (Idrisov,1961)** (Noctuidae) Synonym(s): *rjabovi* Idrisov,1961; *occidentalis* De Freina & Hacker,1985 _ Original Reference: *Harmodia rjabovi* Idrisov,1961, Gosudar. Univ. Imeni V. I. Lenina 7: 84. Type: Armenia: Alaghez, 8000ft. Range (in code): TR IR Elb Th Dam Cc AM AZ
- 62588. *Hadena* (s.str.) *ronkayorum* Hacker,1996** (Noctuidae) Synonym(s): *ronkayorum* Hacker,1996 _ Range (in code): TR
- 62589. *Hadena* (s.str.) *schwingenschussi* (Draudt,1934)** (Noctuidae) Synonym(s): *schwingenschussi* Draudt,1934 _ Range (in code): MA
- 62590. *Hadena* (s.str.) *secreta* Hacker,1996** (Noctuidae) Synonym(s): *secreta* Hacker,1996 _ Original Reference: *Hadena* (*Hadena*) *secreta* Hacker,1996, Esperiana 5: 164-165, figs. Holotype ♂: [Russland]: Caucasus, San 2300m, (leg. Herczig et al.) (HNHM). Range (in code): Cc GG RU TR
- 62591. *Hadena* (s.str.) *sogdiana* Hacker,1996** (Noctuidae) Synonym(s): *sogdiana* Hacker,1996 _ Range (in code): KK Ik TrA Ax TJ UZ N-A AF PK
- 62592. *Hadena* (s.str.) *staudingeri* (F.Wagner,1931)** (Noctuidae) Synonym(s): *staudingeri* F.Wagner,1931 _ Original Reference: *Dianthoecia gueneei* ab. *staudingeri* F.Wagner,1931, Int. ent. Z. 24: 149. Type(s): [Türkei]: Akschehir. Range (in code): TR Cc AM AZ RU Da IR Elb Th Diz Plr Kd Bne
- 62593. *Hadena* (s.str.) *subflavescens* Gyulai & Hacker,2013** (Noctuidae) Synonym(s): *subflavescens* Gyulai & Hacker,2013 _ Range (in code): UZ
- 62594. *Hadena* (s.str.) *subhyrcana* Hacker,1996** (Noctuidae) Synonym(s): *subhyrcana* Hacker,1996 _ Range (in code): TR IR Lo
- 62595. *Hadena* (s.str.) *thecaphaga* (Draudt,1937)** (Noctuidae) Synonym(s): *thecaphaga* Draudt,1937 _ Range (in code): TR Cc AZ AM IR Elb Th Dam Kdv
- 62596. *Hadena* (s.str.) *thecaphaga cyanata* Hacker,1996** (Noctuidae) Synonym(s): *cyanata* Hacker,1996 _ Range (in code): TR Cc AZ AM
- 62597. *Hadena* (s.str.) *thomasi* Hacker,1996** (Noctuidae) Synonym(s): *thomasi* Hacker,1996 _ Original Reference: *Hadena* (*Hadena*) *thomasi* Hacker,1996, Esperiana 5: 90-91, figs. Holotype ♂: Indien: Jammu & Kashmir, Zanskar, Pensi-La, 4100m, leg. J.C.Weiss (coll. Hacker). Range (in code): IN Ch PK Nwf Gg Hu AF
- 62598. *Hadena* (s.str.) *thomasi nuristana* Hacker,1996** (Noctuidae) Synonym(s): *nuristana* Hacker,1996 _ Original Reference: *Hadena* (*Hadena*) *thomasi* ssp. *nuristana* Hacker,1996, Esperiana 5: 91-92, figs. Holotype ♀: O.-Afghanistan: Pr. Kunar, Barg e Matal, Dandizenor Mts., 3100m (leg. & coll. C.Naumann). Range (in code): AF
- 62599. *Hadena* (s.str.) *tristis* (Draudt,1934)** (Noctuidae) Synonym(s): *tristis* Draudt,1934 _ Original Reference: *Dianthoecia luteocincta* f. *tristis* Draudt,1934, Ent. Rdsch. 51: 58. Neotype ♀:

- Türkei: Van, Güzeldere geçidi, 2700m, 26.vi.1990, leg. Kautt (coll. Hacker). Range (in code): Cc AZ TR IQ IR Kh Elb Th
- 62600. *Hadena (s.str.) tristis magna* Hacker,1996** (Noctuidae) Synonym(s): magna Hacker,1996 Original Reference: *Hadena (Hadena) tristis* ssp. *magna* Hacker,1996, *Esperiana* 5: 242-243, figs. Holotype ♂: NO.-Iran: Kuh-i Mirabi, Waldzone, 1800-1900m (ZSM). Range (in code): IR Kh Elb Th
- 62601. *Hadena (s.str.) tristis tristis* (Draudt,1934)** (Noctuidae) Synonym(s): tristis Draudt,1934 Original Reference: *Dianthoecia luteocincta* f. *tristis* Draudt,1934, *Ent. Rdsch.* 51: 58. Neotype ♀: Türkiye: Van, Güzeldere geçidi, 2700m, 26.vi.1990, leg. Kautt (coll. Hacker). Range (in code): Cc AZ TR IQ
- 62602. *Hadena (s.str.) vanensis* Hacker,1996** (Noctuidae) Synonym(s): vanensis Hacker,1996 Original Reference: *Hadena vanensis* Hacker,1996, *Esperiana* 5: 398-399, Taf.N fig.18. Holotype ♀: Türkiye: Prov. Van: [Āatak]: Kayaboğaz, 2.vi.1989 (leg. Podlussany) (HNHM). Range (in code): TR
- 62603. *Hadena (s.str.) variolata* (Smith,1888)** (Noctuidae) Synonym(s): variolata Smith,1888. Range (in code): US KP KR MN RU CN Ui Ts Kno Gn KK KG Tk JP
- 62604. *Hadena (s.str.) variolata dealbata* (Staudinger,1892)** (Noctuidae) Synonym(s): dealbata Staudinger,1892 Range (in code): KP KR MN RU CN Ui Ts Kno Gn KK KG Tk
- 62605. *Hadena (s.str.) variolata kogurei* Sugi,1958** (Noctuidae) Synonym(s): kogurei Sugi,1958 Range (in code): JP
- 62606. *Hadena (s.str.) vartianica* Hacker,1996** (Noctuidae) Synonym(s): vartianica Hacker,1996 Range (in code): AF IR Elb Th
- 62607. *Hadena (s.str.) virescens* Hacker,1996** (Noctuidae) Synonym(s): virescens Hacker,1996 Range (in code): TR Cc
- 62608. *Hadena (s.str.) vulcanica* (Turati,1907)** (Noctuidae) Synonym(s): vulcanica Turati,1907 Range (in code): ES Si MK AL BG GR TR Cc UA RU Ich Ing Da IR Ha Elb Th Diz Dam
- 62609. *Hadena (s.str.) vulcanica clarescens* (Draudt,1936)** (Noctuidae) Synonym(s): clarescens Draudt,1936 Original Reference: *Harmodia clarescens* Draudt,1936, *Ent. Rdsch.* 53: 470-471, Taf. iv c2. Syntypes: [Türkei]: Ak-schehir (Sultan Dagħ); Amanus, Siwas. Range (in code): TR Cc IR Ha Elb Th Diz Dam
- 62610. *Hadena (s.str.) vulcanica exspectata* Hacker,1996** (Noctuidae) Synonym(s): exspectata Hacker,1996 Range (in code): ES
- 62611. *Hadena (s.str.) vulcanica urumovi* (Drenowski,1931)** (Noctuidae) Synonym(s): urumovi Drenowski,1931 Original Reference: *Dianthoecia urumovi* Drenowski,1931, *Mitt. bulg. Ent. Ges.* 6: 57. Range (in code): MK BG AL GR UA Cc RU Ich Ing Da TR
- 62612. *Hadena (s.str.) wehrlii* (Draudt,1934)** (Noctuidae) Synonym(s): wehrlii Draudt,1934 Range (in code): ES TR Cc IR Elb Th Dam
- 62613. *Hadena (s.str.) wehrlii frequens* Hacker,1996** (Noctuidae) Synonym(s): frequens Hacker,1996 Range (in code): TR Cc IR Elb Th Dam
- 62614. *Hadena (s.str.) weigerti* Hacker,1996** (Noctuidae) Synonym(s): weigerti Hacker,1996 Original Reference: *Hadena (Hadena) weigerti* Hacker,1996, *Esperiana* 5: 93, figs. Holotype ♂: Pakistan: Kaghan valley, Saiful Maluk, 3200m, 3.viii.1987 (leg. & coll. Weigert). Range (in code): PK
- 62615. *Hadena (s.str.) wiltshirei* (Brandt,1947)** (Noctuidae) Synonym(s): wiltshirei Brandt,1947 Range (in code): TJ Pm Chr KK UZ AF Adr PK
- 62616. *Hadena (s.str.) wiltshirei peregovitsi* Hacker,1996** (Noctuidae) Synonym(s): peregovitsi Hacker,1996 Range (in code): TJ Pm Chr KK UZ AF PK
- 62617. *Hadena (s.str.) wiltshirei wiltshirei* (Brandt,1947)** (Noctuidae) Synonym(s): wiltshirei Brandt,1947 Range (in code): AF
- 62618. *Hadena (s.str.) zaprjagaevi* Hacker & Nekrasov,1996** (Noctuidae) Synonym(s): zaprjagaevi Hacker & Nekrasov,1996 Range (in code): TJ Pm
- 62619. *Hadennia jutalis* (Walker,[1859])** (Noctuidae) Synonym(s): jutalis Walker,[1859]; hypenalis Walker,[1859]; ignicornia Swinhoe,1890 Range (in code): TH Ntt Hba MY MM Rgo LA VN IN LK
- 62620. *Hadennia mysalis* (Walker,[1859])** (Noctuidae) Synonym(s): mysalis Walker,[1859]; albinotalis Moore,1877; prunosa Moore,1885; ignicoma Swinhoe,1890; palpiplumalis Owada,1987; #brunosa Poole,1989 Range (in code): TH Nrt Kao MM Adm LK TW JP

- 62621. *Hadennia nigerrima* (Swinhoe,1918)** (Noctuidae) Synonym(s): *nigerrima* Swinhoe,1918; *umbrina* Tams,1924. Range (in code): TH Bnk ID Sum Nia Bor MY
- 62622. *Hadennia* sp.1** (Noctuidae) Synonym(s): Range (in code): TH Knc
- 62623. *Hadennia* sp.2** (Noctuidae) Synonym(s): Range (in code): TH Ntt Hba
- 62624. *Haderonia albirena* (Draudt,1950)** (Noctuidae) Synonym(s): *albirena* Draudt,1950
Range (in code): CN Sz
- 62625. *Haderonia alpina* Draudt,1950** (Noctuidae) Synonym(s): *alpina* Draudt,1950. Range (in code): CN Sz Btn
- 62626. *Haderonia aplectoides* Draudt,1950** (Noctuidae) Synonym(s): *aplectoides* Draudt,1950
Range (in code): CN Yu Ats
- 62627. *Haderonia arshanica* (Alpheraky,1882)** (Noctuidae) Synonym(s): *arshanica* Alpheraky,1882. Range (in code): CN Ui Arc Ku T-S KK TeA TrA Ax Na
- 62628. *Haderonia chinensis* (Draudt,1950)** (Noctuidae) Synonym(s): *chinensis* Draudt,1950; *shansina* Draudt,1950. Range (in code): CN Yu Ats
- 62629. *Haderonia culta* (Moore,1881)** (Noctuidae) Synonym(s): *culta* Moore,1881; *subviolacea* Leech,1900. Range (in code): IN Hp Dlh CN Sz
- 62630. *Haderonia khorgossi* (Alpheraky,1882)** (Noctuidae) Synonym(s): *khorgossi* Alpheraky,1882; *corghossi* Hampson,1905. Range (in code): CN Ui Khr Kml KG Tk
- 62631. *Haderonia lasiistrina* (Draudt,1950)** (Noctuidae) Synonym(s): *lasiistrina* Draudt,1950
Range (in code): CN Sz Btn
- 62632. *Haderonia longicornis* (Graeser,1892)** (Noctuidae) Synonym(s): *longicornis* Graeser,1892. Original Reference: Mamestra longicornis Graeser,1892, Berl. ent. Z. 37: 306-308. Syntypes 3♂: [China: Uighur A.R.]: Kaschgar (Nia Fluss); [Tadjikistan]: Kysyl-Jart. Range (in code): CN Ui Ga TJ Pm Kyz
- 62633. *Haderonia lupa* (Christoph,1893)** (Noctuidae) Synonym(s): *lupa* Christoph,1893; *contempta* Püngeler,1914. Range (in code): IR Mz Shh MN AF CN Ui Au
- 62634. *Haderonia miserabilis* (Alpheraky,1892)** (Noctuidae) Synonym(s): *miserabilis* Alpheraky,1892; *subarshanica* Staudinger,1896; *nepalensis* Boursin,1964. Range (in code): CN Ui Ln Ts Kno Sz NP
- 62635. *Haderonia nefasta* (Püngeler,1907)** (Noctuidae) Synonym(s): *nefasta* Püngeler,1907
Range (in code): CN Ui Ln
- 62636. *Haderonia praecipua* (Staudinger,1895)** (Noctuidae) Synonym(s): *praecipua* Staudinger,1895. Range (in code): CN Ui Ln Ts Kno
- 62637. *Haderonia proximoides* Wiltshire,1982** (Noctuidae) Synonym(s): *proximoides* Wiltshire,1982. Range (in code): SA
- 62638. *Haderonia sublimis* (Draudt,1950)** (Noctuidae) Synonym(s): *sublimis* Draudt,1950
Range (in code): CN Yu Ats
- 62639. *Haderonia tancrei* (Graeser,1892)** (Noctuidae) Synonym(s): *tancrei* Graeser,1892; *graeseri* Püngeler,1898. Original Reference: Mamestra tancrei Graeser,1892, Berl. ent. Z. 37: 305-306. Syntypes ♂♂: [Kirgizistan]: Alexander Gebirge. Range (in code): KK Ax CN Ui Ku
- 62640. *Haderonia thermolimna* Boursin,1964** (Noctuidae) Synonym(s): *thermolimna* Boursin,1964. Original Reference: Haderonia thermolimna Boursin,1964, Z. Wien. ent. Ges. 49: 174-175, Taf.22. Holotype ♂: [Kirgizistan]: "Issyk-Kul (Russisch-Turkestan)" (ZSM). Range (in code): KK Ik
- 62641. *Haderonia tiefi* (Püngeler,1914)** (Noctuidae) Synonym(s): *tiefi* Püngeler,1914. Range (in code): RU Sj Ir
- 62642. *Haderonia turpis* (Staudinger,[1900])** (Noctuidae) Synonym(s): *turpis* Staudinger,[1900]. Original Reference: Phoebophilus turpis Staudinger,[1900], Dt. ent. Z., Iris 12: 341, Taf.vii fig.8. Syntypes ♂♀: [China: Uighur A.R.]: Chamyl [Kumul]. Range (in code): CN Ui Kml T-S
- 62643. *Hadjina beata* (Staudinger,1896)** (Noctuidae) Synonym(s): *beata* Staudinger,1896; *rufulus* Shchetkin,1965. Range (in code): TM Kp CN Ui Ga KG Aa
- 62644. *Hadjina carcaroda* (Distant,1901)** (Noctuidae) Synonym(s): *carcaroda* Distant,1901. Original Reference: Xanthoptera carcaroda Distant,1901, Entomologist 34: 284. Type(s): [South Africa]: Lydenburg district. Range (in code): ZA Tva Ly
- 62645. *Hadjina cinerea* Hampson,1909** (Noctuidae) Synonym(s): *cinerea* Hampson,1909
Range (in code): IN IR Elb Th Kdj

- 62646. *Hadjina cupreipennis* (Moore,1881)** (Noctuidae) Synonym(s): *cupreipennis* Moore,1881
Range (in code): **LK**
- 62647. *Hadjina eremita* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *eremita* A.Bang-Haas,1912; *decolorata* A.Bang-Haas,1912 Range (in code): **TJ**
- 62648. *Hadjina lutosa* Staudinger,1892** (Noctuidae) Synonym(s): *lutosa* Staudinger,1892; *subflava* Hacker & Ebert,2002 Original Reference: *Hadjina lutosa* Staudinger,1892, Dt. ent. Z., Iris 4: 286-288, Taf.iv fig.1. Syntypes: [Türkei]: *Hadjin* [=Saimbeyli], Mardin (Manissadjian's collector Katscher Oghle leg.). Range (in code): **RU Ao TR IQ IR Fa Ss Km Ksh Hz B-A TM KG**
- 62649. *Hadjina obscura* Hampson,1918** (Noctuidae) Synonym(s): *obscura* Hampson,1918
Range (in code): **ZA**
- 62650. *Hadjina plumbeogrisea* (Hampson,1916)** (Noctuidae) Synonym(s): *plumbeogrisea* Hampson,1916; *arabica* Hacker & Legrain,2002 Range (in code): **SA As**
- 62651. *Hadjina tyriobaphes* Wiltshire,1983** (Noctuidae) Synonym(s): *tyriobaphes* Wiltshire,1983
Range (in code): **SA**
- 62652. *Hadjina wichti* (Hirschke,1904)** (Noctuidae) Synonym(s): *wichti* Hirschke,1904; *wichti* Hampson,1909 Range (in code): **ES Mu**
- 62653. *Hadula (Aglossestra) deserticola* (Hampson,1905)** (Noctuidae) Synonym(s): *deserticola* Hampson,1905; *mariaeludovicae* Lucas,1914; *affinis* Rothschild,1914. Original Reference: *Aglossestra deserticola* Hampson,1905, Cat. lepid. Phalaenae Br. Mus. 5: 225, fig.38. Type: Egypt: Suez. Range (in code): **DZ Ges Tun TN EG EG61 IL Pa CY**
- 62654. *Hadula (Calocestra) armata* (Staudinger,1888)** (Noctuidae) Synonym(s): *armata* Staudinger,1888 Range (in code): **KG Tk Dj CN Ui Ku UZ Smk MN KK Ik TJ**
- 62655. *Hadula (Calocestra) armata balkhashensis* Hacker,1998** (Noctuidae) Synonym(s): *balkhashensis* Hacker,1998 Range (in code): **KG**
- 62656. *Hadula (Calocestra) atlantis* (Schwingenschuss,1955)** (Noctuidae) Synonym(s): *atlantis* Schwingenschuss,1955 Range (in code): **MA**
- 62657. *Hadula (Calocestra) colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876 Original Reference: *Dianthoecia colletti* Schneider,1876, Enum. Ins. Norveg.: 56. Syntypes: Norvegische Alpen. Range (in code): **NO Cc AM TR IR Elb Mz MN RU Sb CN Ui Um KK T-A**
- 62658. *Hadula (Calocestra) colletti colletti* (Schneider,1876)** (Noctuidae) Synonym(s): *colletti* Schneider,1876 Original Reference: *Dianthoecia colletti* Schneider,1876, Enum. Ins. Norveg.: 56. Syntypes: Norvegische Alpen. Range (in code): **NO MN RU Sb CN Ui Um KK T-A**
- 62659. *Hadula (Calocestra) colletti originalis* Hacker,1998** (Noctuidae) Synonym(s): *originalis* Hacker,1998 Original Reference: *Hadula (Calocestra) colletti* ssp. *originalis* Hacker,1998, Esperiana 6: 686-687, figs. Holotype ♂: Türkiye: Van Prov. Güzeldere Pass, 2700m, 26.vi.1990 leg. H. & P. Kautt (coll. Hacker). Range (in code): **TR Cc AM IR Elb Mz**
- 62660. *Hadula (Calocestra) dianthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930. Original Reference: *Noctua dianthi* Tauscher,1809, Mém. Soc. imp. Nat. Moscou 1: 316. Lectotype ♂: Russia: Sarepta, designated by Hacker (1998: 717) (ZIN). Range (in code): **MA DZ Ah ES IT AT SK HU RO YU BG TR RU Sr Cc GG Tbl Lag AZ Kir Ro St Kyi KG Tk Dj Aa KK Osh Ssn Mn DsA TM Kp CY CN Ui Ku MN TJ UZ IR Ak**
- 62661. *Hadula (Calocestra) dianthi dianthi* (Tauscher,1809)** (Noctuidae) Synonym(s): *dianthi* Tauscher,1809; *dentigera* Eversmann,1837; *actinobola* Eversmann,1837; *furculoides* F.Wagner,1930. Original Reference: *Noctua dianthi* Tauscher,1809, Mém. Soc. imp. Nat. Moscou 1: 316. Lectotype ♂: Russia: Sarepta, designated by Hacker (1998: 717) (ZIN). Range (in code): **AT SK RO YU BG TR RU Cc GG Tbl Lag AZ Kir Ro St Kyi Sr TM Kp CY IR Ak KG Tk Dj Aa**
- 62662. *Hadula (Calocestra) dianthi getula* (Rungs,1942)** (Noctuidae) Synonym(s): *getula* Rungs,1942 Range (in code): **MA**
- 62663. *Hadula (Calocestra) dianthi hubiesi* (Lajonquière,1969)** (Noctuidae) Synonym(s): *hubiesi* Lajonquière,1969 Range (in code): **ES**
- 62664. *Hadula (Calocestra) dianthi hungarica* Wagner,1930** (Noctuidae) Synonym(s): *hungarica* Wagner,1930 Range (in code): **HU**
- 62665. *Hadula (Calocestra) dianthi lukhtanovorum* Hacker,1998** (Noctuidae) Synonym(s): *lukhtanovorum* Hacker,1998 Original Reference: *Hadula (Calocestra) dianthi* ssp. *lukhtanovorum* Hacker,1998, Esperiana 6: 720-721, figs. Holotype ♂: Kirgisia: Transalai, Aram-Kungei 2800m (coll. Gyulai). Range (in code): **KK Osh KG Aa DsA Ssn Mn MN CN Ui Ku TJ UZ**

- 62666. *Hadula (Calocestra) dianthi parenzani* Hacker,1998** (Noctuidae) Synonym(s): *parenzani* Hacker,1998 Range (in code): IT
- 62667. *Hadula (Calocestra) diodonta* (Püngeler,1906)** (Noctuidae) Synonym(s): *diodonta* Püngeler,1906 Original Reference: *Anartomorpha diodonta* Püngeler,1906, Dt. ent. Z., Iris 19: 80 Taf.6 fig.18. Holotype ♂: [China: Uighur A.R.] Lob-Noor (MNHU). Range (in code): CN Ui Ln
- 62668. *Hadula (Calocestra) eversmanni* (Staudinger,1900)** (Noctuidae) Synonym(s): *eversmanni* Staudinger,1900 Original Reference: *Mamestra eversmanni* Staudinger,1900, Dt. ent. Z., Iris 12: 367-368, Taf.vi fig.14 Syntypes: [China: Uighur A.R.]: Korla, Lectotype designated by Hacker (1998: 669) (MNHU). Range (in code): CN Ui Kl KG Tk KK T-A TJ Pm PK Sha
- 62669. *Hadula (Calocestra) explicata* (Sukhareva,1976)** (Noctuidae) Synonym(s): *explicata* Sukhareva,1976 Original Reference: *Namangana explicata* Sukhareva,1976, Proc. Zool. Inst. Acad. Sci. USSR 64: 60, figs.2,3. Holotype ♂: [Kazakhstan]: Süd.-Kasachstan, Ai-Darle, 1.v.1909 (leg. Kozhantschikov) (ZIN). Range (in code): KG
- 62670. *Hadula (Calocestra) farnhami* (Grote,1873)** (Noctuidae) Synonym(s): *farnhami* Grote,1873 Original Reference: *Mamestra farnhami* Grote,1873, Bull. Buffalo Soc. Nat. Sc. 1: 103, Pl.3 fig.2. Type ♂: [U.S.A.]: Colorado Territory (BMNH). Range (in code): US Col CA BCo KG Tk KK Ax Tls TeA Dln TJ Pm UZ CN Ui Kl T-S Ii Ts Kno Gn MN RU FI PK Nwf Sha AF
- 62671. *Hadula (Calocestra) farnhami palaeartica* Hacker,1998** (Noctuidae) Synonym(s): *palaeartica* Hacker,1998 Original Reference: *Hadula (Calocestra) farnhami* ssp. *palaeartica* Hacker,1998, Esperiana 6: 689, figs. Holotype ♂: Kirghisien: Alai-Kette, Alplager Dugoba, leg. & coll. Nekrasov. Range (in code): KG Tk KK Ax Tls TeA Dln TJ Pm UZ CN Ui Kl T-S Ii Ts Kno Gn MN RU FI
- 62672. *Hadula (Calocestra) farnhami shandura* Hacker,1998** (Noctuidae) Synonym(s): *shandura* Hacker,1998 Original Reference: *Hadula (Calocestra) farnhami* ssp. *shandura* Hacker,1998, Esperiana 6: 691-693, figs. Holotype ♂: Nordpakistan: Shandur Pass, 3600m 21.vi.1992 (leg. Hreblay & Csorba) (coll. Hreblay). Range (in code): PK Nwf Sha TJ Pm AF
- 62673. *Hadula (Calocestra) furca* (Eversmann,1852)** (Noctuidae) Synonym(s): *furca* Eversmann,1852 Original Reference: *Hadena furca* Eversmann,1852, Bull. Soc. Imp. nat. Moscou 25: 154. Syntypes: Russia: Siberia: Irkutsk (ZIN). Range (in code): NO RU Cc St Kb Nt Ich Ing Da Sb CN Ui Kl Ti Ts Kno KK Ik Ax Krk T-A MN Uli KG Ssn Mn
- 62674. *Hadula (Calocestra) furca furca* (Eversmann,1852)** (Noctuidae) Synonym(s): *furca* Eversmann,1852 Original Reference: *Hadena furca* Eversmann,1852, Bull. Soc. Imp. nat. Moscou 25: 154. Syntypes: Russia: Siberia: Irkutsk (ZIN). Range (in code): NO RU Cc St Kb Nt Ich Ing Da Sb CN Ui Kl Ti Ts Kno KK Ik Ax Krk T-A MN Uli KG Ssn Mn
- 62675. *Hadula (Calocestra) furcula* (Staudinger,1889)** (Noctuidae) Synonym(s): *furcula* Staudinger,1889 Original Reference: *Mamestra furcula* Staudinger,1889, Stettin ent. Ztg. 50: 36-38. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.), Lectotype ♂, designated by Hacker (1998: 672) (MNHU). Range (in code): KK TeA Ik CN Ui Ii Gn Au Ti Ch
- 62676. *Hadula (Calocestra) furcula furcula* (Staudinger,1889)** (Noctuidae) Synonym(s): *furcula* Staudinger,1889 Original Reference: *Mamestra furcula* Staudinger,1889, Stettin ent. Ztg. 50: 36-38. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.), Lectotype ♂, designated by Hacker (1998: 672) (MNHU). Range (in code): KK TeA Ik CN Ui Ii Gn Au
- 62677. *Hadula (Calocestra) furcula tibetica* Hacker,1998** (Noctuidae) Synonym(s): *tibetica* Hacker,1998 Range (in code): CN Ti
- 62678. *Hadula (Calocestra) gredosi* Laever,1977** (Noctuidae) Synonym(s): *gredosi* Laever,1977 Range (in code): ES
- 62679. *Hadula (Calocestra) hampsoni* Hacker,1998** (Noctuidae) Synonym(s): *hampsoni* Hacker,1998 Range (in code): IN Ch Hp Spi PK Deo Bt Sha Nwf Gg Asr TJ Pm
- 62680. *Hadula (Calocestra) hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901 Original Reference: *Mamestra armata* var. *hoplites* Staudinger,1901, Cat. lepid palaearkt. Faunengeb. 3(1): 160, nr. 1505a. Type(s): [Turkmenistan]: Tura. Range (in code): TM Kp TR CN Ui Ku KG RU Ur IR Fa Lo Es Elb Kdj Th Cc AM
- 62681. *Hadula (Calocestra) hoplites hoplites* (Staudinger,1901)** (Noctuidae) Synonym(s): *hoplites* Staudinger,1901 Original Reference: *Mamestra armata* var. *hoplites* Staudinger,1901, Cat. lepid palaearkt. Faunengeb. 3(1): 160, nr. 1505a. Type(s): [Turkmenistan]: Tura. Range (in code): CN Ui Ku KG TM Kp RU Ur
- 62682. *Hadula (Calocestra) hoplites loeffleri* Reisser,1958** (Noctuidae) Synonym(s): *loeffleri* Reisser,1958 Range (in code): Cc AM TR IR Lo Fa Es Th Elb Kdj

- 62683. *Hadula (Calocestra) hreblayi* Hacker,1998** (Noctuidae) Synonym(s): *hreblayi* Hacker,1998 _ Range (in code): CN Ti
- 62684. *Hadula (Calocestra) inexpecta* (Yoshimoto,1985)** (Noctuidae) Synonym(s): *inexpecta* Yoshimoto,1985 _ Range (in code): NP
- 62685. *Hadula (Calocestra) inperspicua* Hacker,1998** (Noctuidae) Synonym(s): *inperspicua* Hacker,1998 _ Range (in code): CN Mc Ts Kno Gn RU At KK Ax NO MN
- 62686. *Hadula (Calocestra) inperspicua manschurica* Hacker,1998** (Noctuidae) Synonym(s): *manschurica* Hacker,1998 _ Range (in code): CN Mc RU MN
- 62687. *Hadula (Calocestra) isoloma* (Püngeler,1904)** (Noctuidae) Synonym(s): *isoloma* Püngeler,1904 _ Range (in code): UZ
- 62688. *Hadula (Calocestra) latemarginata* (Wiltshire,1976)** (Noctuidae) Synonym(s): *latemarginata* Wiltshire,1976; *baksana* Schintlmeister & Poltawski,1986. _ Original Reference: Discestra trifolii ssp. latemarginata Wiltshire,1976, Z. ArbGem. öst. Ent. 27: 75, fig. Holotype ♂: Turkey: Pontic Mts., Zigana Pass 2000m, 8.vi.1969 (NHMW). _ Range (in code): TR Cc AM RU Kb
- 62689. *Hadula (Calocestra) melanopa* (Thunberg,1791)** (Noctuidae) Synonym(s): *melanopa* Thunberg,1791; *alpicola* Quenzel,1802; *wistroemi* Lampa,1885. _ Range (in code): IT GB DE CH AT MK AL BG NO SE FI JP CA US
- 62690. *Hadula (Calocestra) melanopa brunnea* (Tutt,1892)** (Noctuidae) Synonym(s): *brunnea* Tutt,1892 _ Range (in code): GB
- 62691. *Hadula (Calocestra) melanopa koizumaidakeana* (Matsumura,1927)** (Noctuidae) Synonym(s): *koizumaidakeana* Matsumura,1927 _ Range (in code): JP
- 62692. *Hadula (Calocestra) melanopa laerta* (Smith,1903)** (Noctuidae) Synonym(s): *laerta* Smith,1903 _ Range (in code): US
- 62693. *Hadula (Calocestra) melanopa nigrolunata* (Packard,1867)** (Noctuidae) Synonym(s): *nigrolunata* Packard,1867 _ Range (in code): CA
- 62694. *Hadula (Calocestra) melanopa rupestralis* (Hübner,[1799])** (Noctuidae) Synonym(s): *rupestralis* Hübner,[1799]; *vidua* Hübner,[1808]; *tristis* Hübner,[1808]; *rupestris* Hübner,[1819]. _ Range (in code): AT IT CH MK
- 62695. *Hadula (Calocestra) mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879 _ Original Reference: Hadenia mendax Staudinger,1879, Horae Soc. ent. ross. 14: 383. Syntypes: [Türkei]: Amasia; Lectotype ♂, designated by Hacker (1998: 703) (MNHU). _ Range (in code): MK BG GR TR Cc AM AZ Nv IL Pa LB IR Ab Oru
- 62696. *Hadula (Calocestra) mendax mendax* (Staudinger,1879)** (Noctuidae) Synonym(s): *mendax* Staudinger,1879 _ Original Reference: Hadenia mendax Staudinger,1879, Horae Soc. ent. ross. 14: 383. Syntypes: [Türkei]: Amasia; Lectotype ♂, designated by Hacker (1998: 703) (MNHU). _ Range (in code): TR Cc AM AZ Nv IR Ab Oru
- 62697. *Hadula (Calocestra) mendax occidentalis* Hacker,1998** (Noctuidae) Synonym(s): *occidentalis* Hacker,1998 _ Range (in code): BG GR MK
- 62698. *Hadula (Calocestra) mendax phoenicica* Hacker,1998** (Noctuidae) Synonym(s): *phoenicica* Hacker,1998 _ Original Reference: Hadula (Calocestra) mendax ssp. phoenicica Hacker,1998, Esperiana 6: 707, fig. Holotype ♂: N-Israel: Mt. Meron 1200m, 21.iv.1987 (leg. Müller) (ZSM). _ Range (in code): TR IL Pa LB
- 62699. *Hadula (Calocestra) mendica* (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895]. _ Original Reference: Mamestra mendica Staudinger,[1895], Dt. ent. Z., Iris 7: 272-273, Taf. ix fig.18. Syntypes 3♂ 2♀: [Turkey]: Hadjin [=Saimbeyli], Mardin; Lectotype ♂ [Hadjin], designated by Hacker (1998: 699) (MNHU). _ Range (in code): TR LB Cc AZ Nv Ord Kir IR Elb Kdj Ab Oru Mak
- 62700. *Hadula (Calocestra) mendica mendica* (Staudinger,[1895])** (Noctuidae) Synonym(s): *mendica* Staudinger,[1895]. _ Original Reference: Mamestra mendica Staudinger,[1895], Dt. ent. Z., Iris 7: 272-273, Taf. ix fig.18. Syntypes 3♂ 2♀: [Turkey]: Hadjin [=Saimbeyli], Mardin; Lectotype ♂ [Hadjin], designated by Hacker (1998: 699) (MNHU). _ Range (in code): TR LB IR Elb Kdj Ab Oru Mak
- 62701. *Hadula (Calocestra) mendica mendosa* Hacker,1998** (Noctuidae) Synonym(s): *mendosa* Hacker,1998 _ Original Reference: Hadula (Calocestra) mendica ssp. mendosa Hacker,1998, Esperiana 6: 701-702, figs. Holotype ♂: Türkiye: Prov. Kars: 3km S. Akçay 1600m, leg. Wolf (coll. Hacker). _ Range (in code): TR Cc AZ Nv Ord Kir

- 62702. *Hadula (Calocestra) militzae* (Kozhantshikov,1947)** (Noctuidae) **Synonym(s):** *militzae* Kozhantshikov,1947 _ Range (in code): **RU At**
- 62703. *Hadula (Calocestra) nupponenorum* Hacker & Fibiger,2002** (Noctuidae) **Synonym(s):** *nupponenorum* Hacker & Fibiger,2002 _ Range (in code): **RU Ur**
- 62704. *Hadula (Calocestra) odontites* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. _ Range (in code): **PT ES FR Si BE LU DE PL YU AL AT CH FR IT GR BG HV TR Cc RU Kb Nt At PK IN AF TJ Pm Chr TeA TrA Na KK KG Tk Dj CN Ui Ga Gn M-A MN**
- 62705. *Hadula (Calocestra) odontites boisduvali* Hacker,1998** (Noctuidae) **Synonym(s):** *boisduvali* Hacker,1998 _ Range (in code): **RU At CN Gn MN**
- 62706. *Hadula (Calocestra) odontites odontites* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *odontites* Boisduval,1829; *microdon* Guenée,1852; *dalmatina* Schwingenschuss,1926; *asturica* Agenjo,1941. _ Range (in code): **PT ES FR Si BE LU DE PL YU AL AT CH FR IT GR BG HV TR Cc RU Kb Nt**
- 62707. *Hadula (Calocestra) odontites turkestanica* Hacker,1998** (Noctuidae) **Synonym(s):** *turkestanica* Hacker,1998 _ Range (in code): **PK IN AF TJ Pm Chr KK TeA TrA Na KG Tk Dj CN Ui Ga M-A**
- 62708. *Hadula (Calocestra) perdentata* (Hampson,1894)** (Noctuidae) **Synonym(s):** *perdentata* Hampson,1894 _ Range (in code): **Ch KK Ax CN Ti Ui Gn Ts Kno IN Kul**
- 62709. *Hadula (Calocestra) perdentata bifida* (Püngeler,1902)** (Noctuidae) **Synonym(s):** *bifida* Püngeler,1902 _ Original Reference: *Mamestra bifida* Püngeler,1902, Dt. ent. Z., Iris 15: 149, Taf.v fig.3. Syntypes: [Kirgizistan]: "Alexandergebirge". Range (in code): **KK Ax CN Ui Gn Kno Ts**
- 62710. *Hadula (Calocestra) perdentata perdentata* (Hampson,1894)** (Noctuidae) **Synonym(s):** *perdentata* Hampson,1894 _ Range (in code): **Ch CN Ti**
- 62711. *Hadula (Calocestra) pugnax* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 _ Range (in code): **DZ Onç PT ES Mu FR IT CH Cc AZ TR IR Ak Ab Ha**
- 62712. *Hadula (Calocestra) pugnax intermedia* Pinker,1980** (Noctuidae) **Synonym(s):** *intermedia* Pinker,1980 _ Original Reference: *Discestra pugnax* ssp. *intermedia* (bona species?) Pinker,1980, Z. ArbGem. öst. Ent. 31: 70-71, figs. Holotype ♂: Türkei: Gürün, 1700m (leg & coll. Pinker). Range (in code): **TR Cc AZ IR Ak Ab Oru Tbz Ha**
- 62713. *Hadula (Calocestra) pugnax pugnax* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *pugnax* Hübner,[1824]; *treitschkii* Boisduval,1827; *petricolor* Turati,1923; *italica* Berio,1942 _ Range (in code): **PT ES Mu FR IT CH**
- 62714. *Hadula (Calocestra) schawyra* (O.Bang-Haas,1927)** (Noctuidae) **Synonym(s):** *schawyra* O.Bang-Haas,1927 _ Range (in code): **RU MN**
- 62715. *Hadula (Calocestra) schneideri* (Staudinger,1900)** (Noctuidae) **Synonym(s):** *schneideri* Staudinger,1900 _ Range (in code): **CN Ui Kl Ku KK Ik Ax TJ UZ Fe PK Ch Gg Kjb Asr Bt Deo IN Hp**
- 62716. *Hadula (Calocestra) schneideri herczigi* Hacker,1998** (Noctuidae) **Synonym(s):** *herczigi* Hacker,1998 _ Range (in code): **PK Ch Gg Kjb Asr Bt Deo IN Hp**
- 62717. *Hadula (Calocestra) sodae* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *sodae* Boisduval,1829; *sodae* Rambur,1829. _ Original Reference: *Mamestra sodae* Boisduval,1829, Eur. lepid. Index meth. Err. & Add.: 5. Type: France: [Montpellier]. Range (in code): **MA DZ Hes BSa Bsk Gf TN LY Cy PT ES Cn Mu FR IT GR Cc AZ Nv Ord AZ Kir AM Eri**
- 62718. *Hadula (Calocestra) sodae fuerteventuriensis* (Pinker & Bacallado,[1979])** (Noctuidae) **Synonym(s):** *fuerteventuriensis* Pinker & Bacallado,[1979] _ Range (in code): **Cn**
- 62719. *Hadula (Calocestra) sodae rosacea* (Rothschild,1920)** (Noctuidae) **Synonym(s):** *rosacea* Rothschild,1920; *maroccana* Rungs,1938 _ Range (in code): **MA DZ Hes BSa Bsk Gf TN**
- 62720. *Hadula (Calocestra) sodae salicorniae* (Dumont,1925)** (Noctuidae) **Synonym(s):** *salicorniae* Dumont,1925; *raselaini* Dumont,1925; *picta* Turati,1926. _ Range (in code): **TN LY Cy**
- 62721. *Hadula (Calocestra) sodae sodae* (Boisduval,1829)** (Noctuidae) **Synonym(s):** *sodae* Boisduval,1829; *sodae* Rambur,1829. _ Original Reference: *Mamestra sodae* Boisduval,1829, Eur. lepid. Index meth. Err. & Add.: 5. Type: France: [Montpellier]. Range (in code): **PT ES Mu FR IT GR Cc AZ Nv Ord AZ Kir AM Eri**
- 62722. *Hadula (Calocestra) stigmosa* (Christoph,1887)** (Noctuidae) **Synonym(s):** *stigmosa* Christoph,1887. _ Original Reference: *Mamestra stigmosa* Christoph,1887, [in] Romanoff, Mem. Lep. 3: 70. Syntypes: [Russia]: Sarepta; [Turkmenistan]: Kisil-Arwat. Range (in code): **FR Co Sa IT? RO AL BG GR TR Cc IR Elb Mz Gls IL Pa RU Ro Ich Kyi Da Sr MD UA TM Kp K-A MN KG Tk Dj Aa**

- UZ KK CN Ui AF KP KR JP** Bionomy: Larva on Salsola (Amaranthaceae); Chenopodium maritimum, Atriplex littoralis (Chenopodiaceae) (Hacker,1989).
- 62723. Hadula (Calocestra) stigmata atlantica (Boursin,1936)** (Noctuidae) Synonym(s): *atlantica* Boursin,1936; *corsicola* Boursin,1962; *parentii* Berio,1980; *meridionalis* Berio,1980; *vicarioi* Berio,1980 Range (in code): **FR Co Sa IT AL GR BG**
- 62724. Hadula (Calocestra) stigmata stigmata (Christoph,1887)** (Noctuidae) Synonym(s): *stigmata* Christoph,1887. Original Reference: Mamestra stigmata Christoph,1887, [in] Romanoff, Mem. Lep. 3:70. Syntypes: [Russia]: Sarepta; [Turkmenistan]: Kisil-Arwat. Range (in code): **RO TR Cc RU Ro Ich Kyi Da Sr MD UA TM K-A Kp MN KG Tk Dj Aa UZ KK CN Ui AF IL Pa**
- 62725. Hadula (Calocestra) trifolii (Hufnagel,1766)** (Noctuidae) Synonym(s): *trifolii* Hufnagel,1766; *chenopodii* [Denis & Schiffermüller],1775; *verna* Esper,[1787]; *saucia* Esper,[1790]; *infraina* Haworth,1809; *contribulis* Duponchel,1827; *farkasii* Treitschke,1835; *inquieta* Walker,1857; *albifusa* Walker,1857; *cinnamomina* Rothschild,1913; *taylori* Rothschild,1921 Original Reference: Phalaena trifolii Hufnagel,1766, Berl. Mag. 3 (3): 398. Type(s): [Germany]: Berlin. Range (in code): **CL TN MA DZ LY NE PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR CY IL LB SY IQ Agh Amr MN AF Gbh Pli Arh Ca PK Gg IN US CA DK NO SE FI EE LV LT RU MD UA BY IR Hz Ss Kh CN Ui Ku Yk Ti GG AM AZ Bak Cc JO MK Gh Elb Th Mz Kdj Dam Km Kd Ab Lo Es Ss Hz Bu Dlk KG Tk Tu Dj Aa TrA TM Kp TJ Pm Chr UZ Br N-A KK Skm Ax Na Ro Kr St Kc Kb Nt Ich Ing Kyi Da CV Az Cp Khy Snj Bne Mrv Gls Kh BSa Lgt Ktr Sét Gha Ela Ceg Bsk Saia Btma Khh Hmk DhM Hrh Perr Afl Ges Abe Sfr Tlm Onç Mri Ear Nbr** Bionomy: Larva on Atriplex, Chenopodium (Wiltshire,1957).
- 62726. Hadula (Calocestra) vargai (Hreblay & Ronkay,1998)** (Noctuidae) Synonym(s): *vargai* Hreblay & Ronkay,1998 Range (in code): **NP**
- 62727. Hadula (Calocestra) vargai madefacta Hacker,1998** (Noctuidae) Synonym(s): *madefacta* Hacker,1998 Range (in code): **NP**
- 62728. Hadula (Cardiestra) eremistis (Püngeler,1904)** (Noctuidae) Synonym(s): *eremistis* Püngeler,1904 Range (in code): **TM Mrw Kp IR Ma Ahz Th UZ Br CN Ui Au**
- 62729. Hadula (Cardiestra) eremistis avicenna Hacker,1998** (Noctuidae) Synonym(s): *avicenna* Hacker,1998 Range (in code): **IR Ma**
- 62730. Hadula (Cardiestra) gobideserti (Varga,1973)** (Noctuidae) Synonym(s): *gobideserti* Varga,1973 Range (in code): **MN KK Ik**
- 62731. Hadula (Cardiestra) halolimna (Gyulai & Varga,1998)** (Noctuidae) Synonym(s): *halolimna* Gyulai & Varga,1998 Range (in code): **KG**
- 62732. Hadula (Cardiestra) longicucullus Gyulai,2002** (Noctuidae) Synonym(s): *longicucullus* Gyulai,2002 Range (in code): **KK Ik TeA**
- 62733. Hadula (Cardiestra) parvula Hacker,1998** (Noctuidae) Synonym(s): *parvula* Hacker,1998 Range (in code): **DJ Tk KG Ii**
- 62734. Hadula (Cardiestra) vaciva (Püngeler,1906)** (Noctuidae) Synonym(s): *vaciva* Püngeler,1906; *#vacina* Rothschild,1913 Original Reference: Discestra (Mamestra) vaciva Püngeler,1906, Dt. ent. Z., Iris 19: 90. Syntypes 2♂: [Uighur A.R.]: "Ili-Gebiet (Rückbeil)". Range (in code): **DZ BSa Ceg CN Ui Ku Ii KG Tk Dj**
- 62735. Hadula (Cardiestra) vassilini (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *vassilini* O.Bang-Haas,1927 Original Reference: Discestra (Mamestra) vassilini O.Bang-Haas,1927, Horae Macrolepid. 1: 85, Taf.10 fig.25. Holotype ♂: [Azerbaidzhan]: Transcaucasus: Elisabethpol (leg. Vassilini) (MNHU). Range (in code): **BG GR TR Cc AZ Kir RU Da IQ Agh IR Gls**
- 62736. Hadula (Cardiestra) vassilini deserta Gyulai,2002** (Noctuidae) Synonym(s): *deserta* Gyulai,2002 Range (in code): **IQ**
- 62737. Hadula (Discestra) chartaria (Grote,1873)** (Noctuidae) Synonym(s): *chartaria* Grote,1873 Range (in code): **US Cf Col**
- 62738. Hadula (Ptochicestra) osmana Hacker,1998** (Noctuidae) Synonym(s): *osmana* Hacker,1998 Original Reference: Hadula (Ptochicestra) osmana Hacker,1998, Esperiana 6: 636-637, figs. Holotype ♂: Türki: Prov. Kars, Arastal, 1100m 25km östl. Kagizman, 25.vii.1992 (leg. & coll. Petersen) Range (in code): **Cc AM TR IR Ke**
- 62739. Hadula (Ptochicestra) ptochica (Püngeler,1900)** (Noctuidae) Synonym(s): *ptochica* Püngeler,1900 Range (in code): **CN Ui Kun Ii KG Aa Tk MN Aa T-S Tk TM Kp Rpt AZ Cc Drh Nv AF IR Kh Ke**
- 62740. Hadula (Ptochicestra) ptochica iranica Gyulai,2002** (Noctuidae) Synonym(s): *iranica* Gyulai,2002 Range (in code): **IR Kh Ke TM Kp Rpt**

- 62741. Hadula (Ptochicestra) ptochica ptochica (Püngeler,1900)** (Noctuidae)
Synonym(s): *ptochica* Püngeler,1900 _ Range (in code): **CN Ui Kun Ii KG Aa Tk MN Aa T-S Tk AF**
- 62742. Hadula (Ptochicestra) ptochica transcaucasica Hacker,1998** (Noctuidae)
Synonym(s): *transcaucasica* Hacker,1998 _ Range (in code): **AZ Nv Cc Drh**
- 62743. Hadula (Pulchrohadula) triphaenopsis (Oberthür,1893)** (Noctuidae) Synonym(s):
triphaenopsis Oberthür,1893; *flavescens* Hampson,1906. _ Range (in code): **CN Yu T-T IN**
- 62744. Hadula (s.str.) anthracina (Hacker,1996)** (Noctuidae) Synonym(s): *anthracina*
Hacker,1996 _ Range (in code): **IN Hp Spi**
- 62745. Hadula (s.str.) engagedina Hacker,1998** (Noctuidae) Synonym(s): *engedina* Hacker,1998
Range (in code): **IL Pa**
- 62746. Hadula (s.str.) gandhara Hacker,1998** (Noctuidae) Synonym(s): *gandhara* Hacker,1998
Range (in code): **PK Swa Gg**
- 62747. Hadula (s.str.) halodeserti Varga,1973** (Noctuidae) Synonym(s): *halodeserti* Varga,1973
Range (in code): **MN**
- 62748. Hadula (s.str.) insolita Staudinger,1889** (Noctuidae) Synonym(s): *insolita*
Staudinger,1889 _ Original Reference: Hadula insolita Staudinger,1889, Stettin ent. Ztg. 50: 44-
45. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **KK Ik KG CN**
Ui Au Kml Ga Sda T-S UZ Fe Tk MN At
- 62749. Hadula (s.str.) insolita insolita Staudinger,1889** (Noctuidae) Synonym(s): *insolita*
Staudinger,1889 _ Original Reference: Hadula insolita Staudinger,1889, Stettin ent. Ztg. 50: 44-
45. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **KK Ik KG CN**
Ui Au Kml Ga Sda T-S UZ Fe
- 62750. Hadula (s.str.) insolita uigurica Hacker,1998** (Noctuidae) Synonym(s): *uigurica*
Hacker,1998 _ Original Reference: Hadula (s.str.) insolita ssp. uigurica Hacker,1998, Esperiana
6: 599-600, figs. Holotype ♀: Kazakhstan: Süd Altaj, Slavianka, Naryn Gebirge 420m (leg.
V.Lukhtanov) (coll. Gyulai). Range (in code): **CN Ui KG Tk MN At**
- 62751. Hadula (s.str.) insperata Hacker,1998** (Noctuidae) Synonym(s): *insperata* Hacker,1998
Range (in code): **TJ Pm CN Ti PK Kjb**
- 62752. Hadula (s.str.) nekrasovi Gyulai & Varga,1998** (Noctuidae) Synonym(s): *nekrasovi*
Gyulai & Varga,1998 _ Range (in code): **TJ KK**
- 62753. Hadula (s.str.) orientalis Gyulai,2002** (Noctuidae) Synonym(s): *orientalis* Gyulai,2002
Range (in code): **CN Ts**
- 62754. Hadula (s.str.) sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s): *sabulorum*
Alpheraky,1882 _ Original Reference: Mamestra sabulorum Alpheraky,1882, Horae Soc. ent. ross.
17: 69, Taf.3 fig.58. Lectotype ♂: [China: Uighur A.R.]: Kouldja, Khorgos, iii.1879, designated by
Hacker,1998, Esperiana 6: 609 (ZIN). Range (in code): **MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG**
Sn SA YE OM AE KW MT IL Pa IQ Bgd Cc AZ Nv Ord TR IR Ab Mak Fa Ke AF TJ Pm TM Kp UZ KG Aa
T-S Tk Tu Aem Ii MN CN Ui Au Khr Ln KK Ik NrK TeA
- 62755. Hadula (s.str.) sabulorum distincta (Staudinger,1889)** (Noctuidae) Synonym(s):
distincta Staudinger,1889; *leucheima* Boursin,1963 _ Range (in code): **IR Ke KK Ik CN Ui Au KG Tk Ii**
- 62756. Hadula (s.str.) sabulorum pulverata (A.Bang-Haas,1907)** (Noctuidae) Synonym(s):
pulverata A.Bang-Haas,1907; *cinnamomeogrisea* Rothschild,1913; *chimaera* Rothschild,1920 _ Original
Reference: Mamestra pulverata A.Bang-Haas,1907, Dt. ent. Z., Iris 20: 71, pl.3 fig.8. Type: Gafsa.
Range (in code): **MA DZ Sfr Ceg BSa Bsk Kdr TN Gf LY EG Sn SA YE OM AE KW MT IL Pa IQ Bgd JO**
- 62757. Hadula (s.str.) sabulorum rhodina (Christoph,1893)** (Noctuidae) Synonym(s):
rhodina Christoph,1893 _ Range (in code): **Cc AZ Nv Ord TR IR Ab Mak Fa AF TJ Pm TM Kp UZ**
- 62758. Hadula (s.str.) sabulorum sabulorum (Alpheraky,1882)** (Noctuidae) Synonym(s):
sabulorum Alpheraky,1882 _ Original Reference: Mamestra sabulorum Alpheraky,1882, Horae Soc.
ent. ross. 17: 69, Taf.3 fig.58. Lectotype ♂: [China: Uighur A.R.]: Kouldja, Khorgos, iii.1879,
designated by Hacker,1998, Esperiana 6: 609 (ZIN). Range (in code): **KG Aa T-S Tk Tu Aem MN**
CN Ui Khr KK Ik NrK TeA
- 62759. Hadula (s.str.) sabulorum segnis (Püngeler,1906)** (Noctuidae) Synonym(s): *segnis*
Püngeler,1906 _ Original Reference: Scotogramma segnis Püngeler,1906, Dt. ent. Z., Iris 19: 90,
Taf.6 fig.17. [China: Uighur A.R.]: Lob-Noor (MNHU). Range (in code): **CN Ui Ln**
- 62760. Hadula (s.str.) ultramontana Gyulai & Hacker,1998** (Noctuidae) Synonym(s):
ultramontana Gyulai & Hacker,1998 _ Original Reference: Hadula (s.str.) ultramontana Gyulai &
Hacker,1998, Esperiana 6: 607-608, figs. Holotype ♀: China [Uighur A.R.]: Altun Shan [Altun
Tagh], 50km S-E Miran City, 4000m, 30.vii-2.viii.1996 (coll. Gyulai). Range (in code): **CN Ui Alt**

- 62761. Hadula chiklika (Moore,1878)** (Noctuidae) Synonym(s): *chiklika* Moore,1878 Original Reference: Taeniocampa chiklika Moore,1878, Ann. Mag. nat. Hist. 1878: 234. Type: [China: Uighur ili]: Yarkund, SE of Chiklik (BMNH). Range (in code): **CN Ui Yk**
- 62762. Hadula ochrea (W.Warren,1909)** (Noctuidae) Synonym(s): *ochrea* W.Warren,1909 Original Reference: Odontelia ochrea W.Warren,1909, [in] Seitz, Gross-Schmett.3: 81 (20b). Type ♂: [Uighur ili]: Kuldja (BMNH). Range (in code): **CN Ui Ku**
- 62763. Hadulipolia odiosa (Staudinger,1895)** (Noctuidae) Synonym(s): *odiosa* Staudinger,1895; *agrotiformis* Draudt,1950; *dasypolioides* Boursin,1964. Range (in code): **CN Ui Ln Ts Kno Yu Ats NP**
- 62764. Hadulomorpha picteti (Staudinger,1882)** (Noctuidae) Synonym(s): *picteti* Staudinger,1882 Original Reference: Ala picteti Staudinger,1882, Stettin ent. Ztg. 1882: 49. Range (in code): **KK Ik TeA Ii CN Ui Kl Ku Srm KG DsA**
- 62765. Hadulomorpha pretiosa (Alpheraky,1892)** (Noctuidae) Synonym(s): *pretiosa* Alpheraky,1892 Range (in code): **CN Gn**
- 62766. Haemosia albicomma Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *albicomma* Ronkay, Varga & Hreblay,1998 Range (in code): **TM**
- 62767. Haemosia ionochlora Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *ionochlora* Ronkay, Varga & Hreblay,1998 Range (in code): **IR Ss TM**
- 62768. Haemosia renalis (Hübner,[1813])** (Noctuidae) Synonym(s): *renalis* Hübner,[1813] Original Reference: Pyralis renalis Hübner,[1813], Samml. eur. Schmett. Pyral.2: Taf.24 fig.157. Type(s): Europa. Range (in code): **ES FR Si IT YU BG GR TR Cc IR Fa Com Ss Kh By Lo Elb Th Kd Bne IL Pa LB** Bionomy: Larva on Lactuca, Chondrilla juncea (Asteraceae) (Hofmann,1893 et seq.).
- 62769. Haemosia vassilininei A.Bang-Haas,1912** (Noctuidae) Synonym(s): *vassilininei* A.Bang-Haas,1912 Original Reference: Haemosia vassilininei A.Bang-Haas,1912, Dt. ent. Z., Iris 26 (3): 161, pl.6 fig.22. Type: Caucasus, Aresch. Range (in code): **BG GR UA Cm Cc RU Da Kr Ce Gro TR IR**
- 62770. Hakkaria varga (Hacker,[1987])** (Noctuidae) Synonym(s): *varga* Hacker,[1987] Original Reference: Polymixis varga Hacker,[1987], Atalanta 17 (1/4): 42, Taf. 12 figs. 16. Holotype ♂: [Türkei]: [Prov. Şırnak]: "Prov. Hakkari, Tanin Tanin Dağları, Elkek Geçidi, 2200m, 7km NNE Uludere, 15.ix.1985" (leg. & coll. Hacker). Range (in code): **TR**
- 62771. Halochroa aequatoria (Mabille,1879)** (Noctuidae) Synonym(s): *aequatoria* Mabille,1879; *#equatoria* Gaede,1939. Range (in code): **ZA ZW ET ET204**
- 62772. Halochroa eudela D.S.Fletcher,1963** (Noctuidae) Synonym(s): *eudela* D.S.Fletcher,1963 Range (in code): **ZA**
- 62773. Hamodes lutea (Walker,[1863])** (Noctuidae) Synonym(s): *lutea* Walker,[1863]; *amabilis* Walker,1869; *ochracea* Swinhoe,1891 Range (in code): **MY Bor Swk TH Pgg CMA Int CDo IN Ass Meg Khs**
- 62774. Hamodes pendleburyi A.E.Prout,1932** (Noctuidae) Synonym(s): *pendleburyi* A.E.Prout,1932 Range (in code): **MY TH CMA Dst IN ID Sum Bor PG TW**
- 62775. Hamodes propitia (Guérin,1830)** (Noctuidae) Synonym(s): *propitia* Guérin,1830; *aurantiaca* Guenée,1852; *attacicola* Walker,1858; *discistriga* Moore,1867; *maerginata* Moore,1882 Range (in code): **PG Nlr Bsm TH CMA Int Dst MY LA MM IN Mh Nsk LK NP BD CN TW ID PH**
- 62776. Hampsonicola deccerti (Hampson,1908)** (Noctuidae) Synonym(s): *deccerti* Hampson,1908; *pseudotrachea* Krulikowsky,1909; *#deckerti* Draudt,1934 Range (in code): **KG Uk RU At Sb MN**
- 62777. Harita belinda (Butler,1879)** (Noctuidae) Synonym(s): *belinda* Butler,1879; *strigifera* W.Warren,1913; *kashmirica* W.Warren,1913. Range (in code): **JP CN Ch**
- 62778. Harita brachyphylla (Turner,1903)** (Noctuidae) Synonym(s): *brachyphylla* Turner,1903 Range (in code): **AU**
- 62779. Harita confusa (Leech,1900)** (Noctuidae) Synonym(s): *confusa* Leech,1900 Range (in code): **CN**
- 62780. Harita demeysti (Hulstaert,1924)** (Noctuidae) Synonym(s): *demeysti* Hulstaert,1924 Range (in code): **ID**
- 62781. Harita irregularis Holloway,1979** (Noctuidae) Synonym(s): *irregularis* Holloway,1979 Range (in code): **NC**
- 62782. Harita nebulosa (Moore,1881)** (Noctuidae) Synonym(s): *nebulosa* Moore,1881 Range (in code): **IN**

- 62783. Harita noodya (Bethune-Baker,1908)** (Noctuidae) Synonym(s): *noodya* Bethune-Baker,1908; *plinthopa* Bethune-Baker,1908. Range (in code): PG
- 62784. Harita rectilinea Moore,1882** (Noctuidae) Synonym(s): *rectilinea* Moore,1882; *ferrealis* Hampson,1893. Range (in code): IN Ass
- 62785. Haritalopha biparticolor Hampson,1895** (Noctuidae) Synonym(s): *biparticolor* Hampson,1895 Range (in code): BT TH Nan Dpk Knc
- 62786. Harpagophana hilaris (Staudinger,1895)** (Noctuidae) Synonym(s): *hilaris* Staudinger,1895 Range (in code): ES Mu
- 62787. Harutaeographa adusta Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *adusta* Hreblay & L.Ronkay,1999 Range (in code): TH CMA Int Fn Php
- 62788. Harutaeographa akos Hreblay,1996** (Noctuidae) Synonym(s): *akos* Hreblay,1996 Range (in code): TJ
- 62789. Harutaeographa babai (Sugi & Sakurai,1994)** (Noctuidae) Synonym(s): *babai* Sugi & Sakurai,1994 Range (in code): NP
- 62790. Harutaeographa bicolorata Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *bicolorata* Hreblay & Ronkay,1998 Range (in code): NP
- 62791. Harutaeographa bidui Hreblay & Plante,[1997]** (Noctuidae) Synonym(s): *bidui* Hreblay & Plante,[1997] Range (in code): PK Ch Haz Mre Kag Gg Bt Deo
- 62792. Harutaeographa bidui kaghanensis Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *kaghanensis* Hreblay & L.Ronkay,1999 Range (in code): PK Haz Mre Kag
- 62793. Harutaeographa brumosa Yoshimoto,1994** (Noctuidae) Synonym(s): *brumosa* Yoshimoto,1994 Range (in code): NP
- 62794. Harutaeographa caerulea Yoshimoto,1993** (Noctuidae) Synonym(s): *caerulea* Yoshimoto,1993 Range (in code): TH CMA Php Fn VN Lci Fan Ton NP SI IN Djl
- 62795. Harutaeographa caerulea rubrigrappha Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *rubrigrappha* Hreblay & L.Ronkay,1999 Range (in code): TH CMA Php Fn VN Lci Fan Ton
- 62796. Harutaeographa castanea Yoshimoto,1993** (Noctuidae) Synonym(s): *castanea* Yoshimoto,1993 Range (in code): NP
- 62797. Harutaeographa castaneipennis (Hampson,1894)** (Noctuidae) Synonym(s): *castaneipennis* Hampson,1894 Range (in code): IN Hp Sml Ch
- 62798. Harutaeographa cinerea (Hreblay & L.Ronkay,1998)** (Noctuidae) Synonym(s): *cinerea* Hreblay & L.Ronkay,1998 Range (in code): NP
- 62799. Harutaeographa craspedophora (Boursin,1969)** (Noctuidae) Synonym(s): *craspedophora* Boursin,1969 Range (in code): AF Pag Kab Bm
- 62800. Harutaeographa diffusa Yoshimoto,1994** (Noctuidae) Synonym(s): *diffusa* Yoshimoto,1994 Range (in code): PK Nwf Haz Mre Kag
- 62801. Harutaeographa elphinia Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *elphinia* Hreblay & L.Ronkay,1999 Range (in code): VN Ton Lci Fan
- 62802. Harutaeographa eriza (Swinhoe,1901)** (Noctuidae) Synonym(s): *eriza* Swinhoe,1901 Range (in code): PK Nwf IN Hp Pj Kul
- 62803. Harutaeographa extincta (Kononenko,1989)** (Noctuidae) Synonym(s): *extincta* Kononenko,1989 Range (in code): KR
- 62804. Harutaeographa fasciculata (Hampson,1894)** (Noctuidae) Synonym(s): *fasciculata* Hampson,1894 Range (in code): IN SI
- 62805. Harutaeographa ferrosticta (Hampson,1894)** (Noctuidae) Synonym(s): *ferrosticta* Hampson,1894 Range (in code): PK Ch Gg Asr IN Ch
- 62806. Harutaeographa ganeshi Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *ganeshi* Hreblay & Ronkay,1998 Range (in code): NP
- 62807. Harutaeographa hoenei (Püngeler,1914)** (Noctuidae) Synonym(s): *hoenei* Püngeler,1914; *triangulifera* W.Warren,1915 Range (in code): CN JP RU Us Vv
- 62808. Harutaeographa izabella Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *izabella* Hreblay & Ronkay,1998 Range (in code): NP
- 62809. Harutaeographa kofka (Hreblay,[1997])** (Noctuidae) Synonym(s): *kofka* Hreblay,[1997] Range (in code): PK Haz Mre IN
- 62810. Harutaeographa loeffleri G.Ronkay, L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *loeffleri* G.Ronkay, L.Ronkay, Gyulai & Hacker,2010 Range (in code): MM

- 62811. Harutaecographa maria Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *maria Hreblay & L.Ronkay,1999* _ Range (in code): **PK Gg Nlt Hu Ch**
- 62812. Harutaecographa marpha Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *marpha Hreblay & L.Ronkay,1999* _ Range (in code): **NP**
- 62813. Harutaecographa monimalis (Draudt,1950)** (Noctuidae) Synonym(s): *monimalis Draudt,1950* _ Range (in code): **CN**
- 62814. Harutaecographa odavissa G.Ronkay, L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *odavissa G.Ronkay, L.Ronkay, Gyulai & Hacker,2010* _ Range (in code): **CN She**
- 62815. Harutaecographa orias (Hreblay,[1997])** (Noctuidae) Synonym(s): *orias Hreblay,[1997]* _ Range (in code): **IN SI Djl Hp NP PK TH CMa**
- 62816. Harutaecographa orias yoshimotoi (Hacker & Hreblay,[1997])** (Noctuidae) Synonym(s): *yoshimotoi Hacker & Hreblay,[1997]* _ Range (in code): **IN SI Djl Hp PK NP TH CMa**
- 62817. Harutaecographa pallida Yoshimoto,1993** (Noctuidae) Synonym(s): *pallida Yoshimoto,1993* _ Range (in code): **IN Djl**
- 62818. Harutaecographa pinkisherpani Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *pinkisherpani Hreblay & Ronkay,1998* _ Range (in code): **NP**
- 62819. Harutaecographa rama (Hreblay & Plante,[1997])** (Noctuidae) Synonym(s): *rama Hreblay & Plante,[1997]* _ Range (in code): **PK Gg Asr**
- 62820. Harutaecographa rubida (Hampson,1894)** (Noctuidae) Synonym(s): *rubida Hampson,1894; bipuncta Yoshimoto,1993* _ Range (in code): **IN SI**
- 62821. Harutaecographa saba (Hreblay & Plante,[1997])** (Noctuidae) Synonym(s): *saba Hreblay & Plante,[1997]* _ Range (in code): **PK Gg Asr Klm Sha AF**
- 62822. Harutaecographa seidbaldi G.Ronkay, L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *seidbaldi G.Ronkay, L.Ronkay, Gyulai & Hacker,2010* _ Range (in code): **MM**
- 62823. Harutaecographa siva (Hreblay,1996)** (Noctuidae) Synonym(s): *siva Hreblay,1996* _ Range (in code): **IN Hp Sml**
- 62824. Harutaecographa stangelmaieri G.Ronkay, L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *stangelmaieri G.Ronkay, L.Ronkay, Gyulai & Hacker,2010* _ Range (in code): **CN Yu**
- 62825. Harutaecographa yangzisherpani Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *yangzisherpani Hreblay & L.Ronkay,1999* _ Range (in code): **TH CMa Int Nan Bou VN Ton Lci Fan**
- 62826. Harutaecographa yangzisherpani transformis Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *transformis Hreblay & L.Ronkay,1999* _ Range (in code): **VN Ton Lci Fan**
- 62827. Harutaecographa yangzisherpani yangzisherpani Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *yangzisherpani Hreblay & L.Ronkay,1999* _ Range (in code): **TH CMa Int Nan Bou**
- 62828. Hebdomochondra syrticola Staudinger,1879** (Noctuidae) Synonym(s): *syrticola Staudinger,1879* _ Range (in code): **RU UZ**
- 62829. Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) Synonym(s): *bicolorata Hufnagel,1766; serena [Denis & Schiffermüller],1775; placida Esper,[1791]; hieracii Bkh.,1793; par Donovan,1801; monticola Dup.,1826; leuconota Eversmann,1837; intermedia Walker,[1858]; obscura Staudinger,1861.* Original Reference: Phalaena bicolorata Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. Range (in code): **DZ PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Ich Ing Da Sb At Am MD UA BY IR Fa Es Ke Mz Elb Th Kd Bne Mrv Hz AM AZ GG Lag Len Kir Cc CY LB Bsa IL Pa Hf SY KK Ax TrA Na Ges BSa Hmk Hrh Khh Bsk Agi** Bionomy: Larva on flowers of Sonchus, Lactuca, Hieracium (Asteraceae) (Hampson,1905; Warren,1909); Alnus (Betulaceae), Prunus domestica, P. spinosa, Rosa (Rosaceae); Salix (Salicaceae) (Meyer,1919).
- 62830. Hecatera cappa (Hübner,[1809])** (Noctuidae) Synonym(s): *cappa Hübner,[1809]* Original Reference: Noctua cappa Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.95, fig. 447. Type: [Europa]. Range (in code): **MA DZ Abe ES FR Sa Si IT MT CZ SK HU RO YU AL BG GR Cr TR Cc GG Smt Bjo AM IR Fa Lo LB RU Ro St Kb Ich Kyi Da At MD UA BY LB Bsa CY JO IL Pa** Bionomy: Larva on Delphinium ajacis, D. staphysagria (Hampson,1905).
- 62831. Hecatera corsica (Rambur,1832)** (Noctuidae) Synonym(s): *corsica Rambur,1832* _ Range (in code): **PT ES Co Sa Si IT? MT**
- 62832. Hecatera digramme (Fischer v. Waldheim,1820)** (Noctuidae) Synonym(s): *digramme Fischer v. Waldheim,1820* _ Range (in code): **RU MD UA BY**

- 62833. *Hecatera filipjevi* (Draudt,1934)** (Noctuidae) Synonym(s): *filipjevi* Draudt,1934
Range (in code): **TJ Pm Chr**
- 62834. *Hecatera fixseni* (Christoph,1882)** (Noctuidae) Synonym(s): *fixseni* Christoph,1882
Original Reference: Pseudophia fixseni Christoph,1882, Horae Soc. ent. ross. 17: 113-114.
Syntypes 1♂1♀: [Azerbaijan]: "Im Mai bei Ordubat". Range (in code): **EG IL Pa AM Cc AZ Nv Ord IR Hz Ahz Fa Ss AF Pli PK TM Kp**
- 62835. *Hecatera rhodocharis* (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
Original Reference: Polia rhodocharis Brandt,1938, Ent. Rdsch. 55: 503-504, figs. 55-61.
Syntypes: Iran: [Fars]: Comée; Barm-i Firus. Range (in code): **IR Ha By Yas Fa Com Lo IQ Kd Snj Bne Sqq Mrv Kz Hjo TR Cc TJ Pm Chr**
- 62836. *Hecatera rhodocharis herkia* (Wiltshire,1957)** (Noctuidae) Synonym(s): *herkia* Wiltshire,1957
Original Reference: Mamestra rhodocharis ssp. herkia Wiltshire,1957, Lepidoptera of Iraq: 63, Pl.I fig.19, text-fig.2. Syntypes ♂♂: Iraq: Hajji Omran (coll. Wiltshire).
Range (in code): **TR Cc IQ Hjo TJ Pm Chr**
- 62837. *Hecatera rhodocharis rhodocharis* (Brandt,1938)** (Noctuidae) Synonym(s): *rhodocharis* Brandt,1938
Original Reference: Polia rhodocharis Brandt,1938, Ent. Rdsch. 55: 503-504, figs. 55-61. Syntypes: Iran: [Fars]: Comée; Barm-i Firus. Range (in code): **IR Ha By Yas Lo Fa Com TR**
- 62838. *Hecatera spinaciae* (Vieweg,1790)** (Noctuidae) Synonym(s): *#dysodea* [Denis & Schiffermüller],1775; *spinaciae* Vieweg,1790; *ornata* De Villers,1789; *chrysozona* Borkhausen,1792; *ranunculina* Haworth,1809; *caduca* Herrich-Schäffer,[1851]; *innocens* Staudinger,1871; *subflava* W.Warren,1910; *faroulti* Rothschild,1914; *antitypina* Rothschild,1914; *africana* Oberthür,1918; *khala* Rungs,1972
Original Reference: Noctua spinaciae Vieweg,1790, Tab. Verz. Brand. Schmett. 2:70. Type(s): [Germany]: Berlin.
Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc SE LT RU MD UA BY IR Fa By Yas Lo Ss Kh Ke Ha Ab Elb Dam Kd Zj Sse IQ Bgd Agh LB Bsa IL Hf Pa JO Sn CN Ui Ku Ii AF Hr Blh Gbh Srb Kab Ch Gs KG Ssn Mn TJ Pm Chr UZ TM Fe KK Ik Hp Ro Kr St Kyi Da CY GG AZ Tbl Bjo Mng Kir Lag Nv Ord Sdt Mrv Bne Zj DZ BSa Ges Agi Eba MA** Bionomy: Larva on flowers of Sonchus, Lactuca scarioloides, Hieracium, Prenanthis (Asteraceae) (Hampson,1905; Wiltshire,1957; auct.).
- 62839. *Hecatera weissi* (Boursin,1952)** (Noctuidae) Synonym(s): *#weissi* Draudt,1934; *weissi* Boursin,1952
Range (in code): **ES FR Co IT Si MT MA DZ TN EG SA IL Pa JO TR**
- 62840. *Hecatera weissi levantina* Hacker & Zilli,2001** (Noctuidae) Synonym(s): *levantina* Hacker & Zilli,2001
Range (in code): **SA IL Pa JO**
- 62841. *Hecatesia exultans* Walker,1864** (Noctuidae) Synonym(s): *exultans* Walker,1864
Range (in code): **AU Wau**
- 62842. *Hecatesia fenestrata* Boisduval,1829** (Noctuidae) Synonym(s): *fenestrata* Boisduval,1829
Range (in code): **AU**
- 62843. *Hecatesia thyridion* Feisthamel,1839** (Noctuidae) Synonym(s): *thyridion* Feisthamel,1839
Range (in code): **AU Wau**
- 62844. *Helicoverpa armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
Original Reference: Noctua armigera Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa]. Range (in code): **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY Prk OW NC CY Agh Hf TH Cma CDo Cuo Cuo7 KK Osh Elb Th Dam Kd Snj Mz Gls Kh Gh Mia Kz Ss Chh Kda Cai Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 CV Az Md Kndy Pdy Dck Smt Bjo Lag Kir Bku Der Abe Clo Lbs** Bionomy: Larva on Inula, Medicago, Plantago, Ulex, Hyoscyamus niger (Lederer,1865; Calle et al., 2000).
- 62845. *Helicoverpa armigera armigera* (Hübner,[1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr.,1775; *barbara* Fabricius,1794 [rejected]; *armigera* Hübner,[1808]; *pulverosa* Walker,[1857]; *uniformis* Wallengren,1860; *rama* Bhattacharjee & Gupta,1972.
Original Reference: Noctua armigera Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.79, fig.370. Type: [Europa]. Range (in code): **Md Cn DZ MA TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Lo By Yas Ke CN Ui Ku PK Bl Qu AF Ca Gbh Hr Srb Kab Arh Dwe ZA Gau Pre Jh Tva Lpo Spb Mdk CA MX GT CR PA JM IQ JO IL Pa Rd US Tx Cf VE CV BR PE CL ZR SD KE Nta Kzu Dbn Mv Cto Ec Grh Wca Kny Cto YE Ad SY LB Bei JP Ch IN Hp Sml Gs Drm Cp Nl Ddu Up SI NP SG LK ID Ja NAu QAU Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG AU MY**

Prk OW NC CY Agh Hf TH CMa CDo Cuo Cuo7 KK Osh Elb Th Dam Kd Snj Gh Mia Kz Ss Chh Kda Cai
Bli Sbw Sba Kai GG AZ AM Cc Ro Kr St Kb Kc Nt Ich Ing Da Kyi ET ET24 Cp H-A Smt Bjo Lag Kir Bku
Der Abe Clo Lbs Ah Ajj

62846. *Helicoverpa armigera communi* Hardwick,1965 (Noctuidae) Synonym(s): *communi* Hardwick,1965 - Range (in code):

62847. *Helicoverpa armigera conferta* (Walker,1857) (Noctuidae) Synonym(s): *conferta* Walker,1857 - Original Reference: *Heliothis conferta* Walker,1857, List Specimens lepid. Insects Colln Br. Mus. 11: 688. Lectotype ♀: New Zealand (designated by Matthews,1999). Range (in code): **ID Ja AU NAu QAU Kda Cai Bri NSw Syd TS NZ Hw WS PC FJ TO EL NH SB PG NC FJ OW**

62848. *Helicoverpa assulta* (Guenée,1852) (Noctuidae) Synonym(s): *assulta* Guenée,1852; *separata* Walker,1857; *temperata* Walker,1857; *succinea* Moore,1881; *afra* Hardwick,1965. - Original Reference: *Heliothis assulta* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct. 2: 178. Lectotype ♂: Tahiti (designated by Viette,1951). (MNHNP). Range (in code): **JP KP KR CN Kgs TW IN Pj Kul BT Bba LK MM TH CMa Phr Utt Nsa Knc MY ID Ja AU WAu NAu QAU NSw WS PF CI ZR ZA NC WS PC NF FJ OW** - Bionomy: Larva on *Nicotiana tabacum* [tobacco] (Solanaceae), *Hibiscus sabdariffa* [roselle] (Malvaceae) (Lewvanich,2001).

62849. *Helicoverpa hardwicki* Matthews,1999 (Noctuidae) Synonym(s): *hardwicki* Matthews,1999 - Range (in code): **AU NAu WAu**

62850. *Helicoverpa helenae* Hardwick,1965 (Noctuidae) Synonym(s): *helenae* Hardwick,1965 - Range (in code): **ZA**

62851. *Helicoverpa prepodes* (Common,1985) (Noctuidae) Synonym(s): *prepodes* Common,1985 - Range (in code): **AU QAU NSw**

62852. *Helicoverpa punctigera* (Wallengren,1860) (Noctuidae) Synonym(s): *punctigera* Wallengren,1860; *marmada* Swinhoe,1918 - Range (in code): **AU WAu NAu QAU NSw VAu TA SAu**

62853. *Helicoverpa toddi* Hardwick,1965 (Noctuidae) Synonym(s): *toddi* Hardwick,1965 - Range (in code): **ZA**

62854. *Heliocheilus abaccheutus* M.Matthews,1999 (Noctuidae) Synonym(s): *abaccheutus* M.Matthews,1999 - Range (in code): **AU**

62855. *Heliocheilus aberrans* (Butler,1886) (Noctuidae) Synonym(s): *aberrans* Butler,1886 - Range (in code): **AU WAu NAu Dwn QAU NSw**

62856. *Heliocheilus albipunctella* (De Joannis,1925) (Noctuidae) Synonym(s): *albipunctella* De Joannis,1925; *vercambrei* Laporte,1977; *bordati* Laporte,1977; *graminiwora* Laporte,1977; *brenieri* Laporte,1977 - Range (in code): **SN GH NG SD**

62857. *Heliocheilus albivenata* (Montague,1914) (Noctuidae) Synonym(s): *albivenata* Montague,1914; *stramineipicta* Strand,1924; *zorophanes* Turner,1929; *#zurophanes* Poole,1989 - Range (in code): **AU WAu**

62858. *Heliocheilus aleurota* (Lower,1902) (Noctuidae) Synonym(s): *aleurota* Lower,1902; *aleurota* Hampson,1903; *#spissata* W.Warren,1913; *cana* Turner,1943 - Range (in code): **AU WAu NAu QAU Cai QAU VAu SAu**

62859. *Heliocheilus atrilinea* (Turner,1943) (Noctuidae) Synonym(s): *atrilinea* Turner,1943 - Range (in code): **AU WAu NAu QAU**

62860. *Heliocheilus canusina* (Swinhoe,1901) (Noctuidae) Synonym(s): *canusina* Swinhoe,1901; *anemodes* Lower,1902; *#intacta* W.Warren,1913 - Range (in code): **AU WAu NAu QAU SAu**

62861. *Heliocheilus cistella* (Swinhoe,1901) (Noctuidae) Synonym(s): *cistella* Swinhoe,1901 - Range (in code): **AU WAu NAu QAU**

62862. *Heliocheilus cladotus* (Swinhoe,1901) (Noctuidae) Synonym(s): *cladotus* Swinhoe,1901 - Range (in code): **AU WAu NAu QAU NSw SAu**

62863. *Heliocheilus confertissima* (Walker,1865) (Noctuidae) Synonym(s): *confertissima* Walker,1865; *hyalosticta* Hampson,1894; *perdentata* Hampson,1903; *mekrana* Brandt,1941; *designata* Brandt,1941; *ennedica* Herbulot & Viette,1952. - Original Reference: *Raghuva confertissima* Walker,1865, List 32: 625. Type ♂: India: Coimbatore (BMNH). Range (in code): **DZ ML NE ET ET87 TD KE Nai OM AF Hr IN PK Sd Krc MM IR Ss Hz B-A Km Ksh**

62864. *Heliocheilus confundens* (W.Warren,1913) (Noctuidae) Synonym(s): *confundens* W.Warren,1913 - Range (in code): **ID Sbw Sba**

62865. *Heliocheilus cramboides* (Guenée,1852) (Noctuidae) Synonym(s): *cramboides* Guenée,1852; *neurias* Meyrick,1902; *sumbensis* W.Warren,1913; *discolor* W.Warren,1913; *venata* W.Warren,1913; *sulphurea* W.Warren,1913; *sericea* W.Warren,1913; *capnoneura* Turner,1932; *nervosa* Turner,1943 - Range (in code): **AU WAu NAu QAU NSw VAu SAu**

- 62866. *Heliocheilus discalis* (Hampson,1903)** (Noctuidae) **Synonym(s):** *discalis* Hampson,1903; *thomalae* Gaede,1915; *albivenata* Hampson,1916 _ **Range (in code):** **KE TZ Ani Usa Tnga SO ML NE NG ET ET87**
- 62867. *Heliocheilus eodora* (Meyrick,1902)** (Noctuidae) **Synonym(s):** *eodora* Meyrick,1902; *tenuistria* Turner,1902 _ **Range (in code):** **AU WAu NAu QAU NSw SAU ID Sbw Sba**
- 62868. *Heliocheilus ferruginosa* (Turner,1911)** (Noctuidae) **Synonym(s):** *ferruginosa* Turner,1911; *epigrapha* Turner,1920 _ **Range (in code):** **AU NAu QAU NSw**
- 62869. *Heliocheilus flavitincta* (Lower,1908)** (Noctuidae) **Synonym(s):** *flavitincta* Lower,1908
Range (in code): **AU WAu NAu**
- 62870. *Heliocheilus halimolimnus* M.Matthews,1999** (Noctuidae) **Synonym(s):** *halimolimnus* M.Matthews,1999 _ **Range (in code):** **AU SAU**
- 62871. *Heliocheilus ionola* (Swinhoe,1901)** (Noctuidae) **Synonym(s):** *ionola* Swinhoe,1901
Range (in code): **AU WAu NAu QAU NSw**
- 62872. *Heliocheilus melibaphes* (Hampson,1903)** (Noctuidae) **Synonym(s):** *melibaphes* Hampson,1903 _ **Range (in code):** **AU WAu NAu QAU**
- 62873. *Heliocheilus mesoleuca* (Lower,1902)** (Noctuidae) **Synonym(s):** *mesoleuca* Lower,1902; *mesoleuca* Hampson,1903 _ **Range (in code):** **AU NAu QAU NSw SAU**
- 62874. *Heliocheilus moribunda* (Guenée,1852)** (Noctuidae) **Synonym(s):** *moribunda* Guenée,1852; *invaria* Walker,1856; *pallenscens* W.Warren,1913; *arenosa* Turner,1943 _ **Range (in code):** **AU WAu NAu QAU NSw**
- 62875. *Heliocheilus multiradiata* (Hampson,1902)** (Noctuidae) **Synonym(s):** *multiradiata* Hampson,1902 **Original Reference:** *Raghuva multiradiata* Hampson,1902, Ann. S. Afr. Mus. 2: 257. Syntypes ♂♀: "British East Africa: Eb Urru, Athi R."; [Zimbabwe]: Mashonaland: Salisbury [Harare]; South Africa: Transvaal; Lectotype ♂: [Zimbabwe]: Salisbury (des. Matthews,1987) (BMNH). **Range (in code):** **ZA Tva Gau Pre Wri Lpo Tra Ec ZW Har KE Nai MG TZ MW**
- 62876. *Heliocheilus neurota* (Lower,1903)** (Noctuidae) **Synonym(s):** *neurota* Lower,1903; *clathrata* W.Warren,1913; *eurythma* Turner,1915; *crocopepla* Turner,1925; *crocotoschema* Turner,1936
Range (in code): **AU WAu NAu QAU NSw**
- 62877. *Heliocheilus pallida* (Butler,1886)** (Noctuidae) **Synonym(s):** *pallida* Butler,1886; *osmidus* Swinhoe,1901; *albida* W.Warren,1913; *rosea* W.Warren,1913 _ **Range (in code):** **AU WAu NAu QAU NSw SAU**
- 62878. *Heliocheilus puncticulata* (W.Warren,1913)** (Noctuidae) **Synonym(s):** *puncticulata* W.Warren,1913 _ **Range (in code):** **AU WAu NAu QAU**
- 62879. *Heliocheilus ranalaetensis* M.Matthews,1999** (Noctuidae) **Synonym(s):** *ranalaetensis* M.Matthews,1999 _ **Range (in code):** **AU SAU**
- 62880. *Heliocheilus rhodopolia* (Turner,1911)** (Noctuidae) **Synonym(s):** *rhodopolia* Turner,1911
Range (in code): **AU WAu NAu QAU NSw**
- 62881. *Heliocheilus roseus* M.Matthews,1987** (Noctuidae) **Synonym(s):** *roseus* M.Matthews,1987
Range (in code): **ML GH**
- 62882. *Heliocheilus stigmatia* (Hampson,1903)** (Noctuidae) **Synonym(s):** *stigmatia* Hampson,1903; *biocularis* Gaede,1915 _ **Range (in code):** **ZA Ec Tra Gau Jh Pre Nta Kzu Dbn Fs LS NA BW**
- 62883. *Heliocheilus thelycritus* M.Matthews,1999** (Noctuidae) **Synonym(s):** *thelycritus* M.Matthews,1999 _ **Range (in code):** **AU**
- 62884. *Heliocheilus vulpinotatus* M.Matthews,1999** (Noctuidae) **Synonym(s):** *vulpinotatus* M.Matthews,1999 _ **Range (in code):** **AU QAU**
- 62885. *Heliothis catocalina* Holland,1894** (Noctuidae) **Synonym(s):** *catocalina* Holland,1894; *zanzibarica* Hampson,1913. _ **Range (in code):** **ZA TZ**
- 62886. *Heliothis klugii* (Boisduval,1833)** (Noctuidae) **Synonym(s):** *klugii* Boisduval,1833; *croceipennis* Walker,1858; *rivularis* Butler,1875; *varians* Mabille,1897; *clugi* Hampson,1913. _ **Range (in code):** **ZA Tva Lpo Spb Mpu Brb Nta Kzu Dbn KE MW Zom**
- 62887. *Heliothis xanthoptera* (Hampson,1910)** (Noctuidae) **Synonym(s):** *xanthoptera* Hampson,1910 _ **Range (in code):** **ZA**
- 62888. *Heliothis aequalifuscus* Gyulai & Simonyi,2015** (Noctuidae) **Synonym(s):** *aequalifuscus* Gyulai & Simonyi,2015 **Original Reference:** *Heliothis aequalifuscus* Gyulai & Simonyi,2015, Acta Zool. Acad. Sci. Hung. 61 (2): 184-187, figs. Holotype ♂: Pakistan, Kaghan valley, tathabaya 2300m, 7 vii 1998, leg G.Csorba & L.Ronkay (HNHM Budapest). **PK Pj Mre Ch Sai Haz Kag**

- 62889. *Heliophobus africana* Berio,1977** (Noctuidae) Synonym(s): *africana* Berio,1977
Range (in code): **ET**
- 62890. *Heliophobus bulcsui* Simonyi,2015** (Noctuidae) Synonym(s): *bulcsui* Simonyi,2015
Original Reference: *Heliophobus bulcsui* Simonyi,2015, Acta Zool. Acad. Sci. Hung. 61 (2): 181-184, figs. Holotype ♂: N-Pakistan, 15km SE of Karimabad, Hopar 2700m 14 vi 1992, leg.M.Hreblay & G.Csorba (HNHM Budapest). **PK Hu Ch CN Yu Ts Kno Gn**
- 62891. *Heliophobus dalmae* Simonyi,2010** (Noctuidae) Synonym(s): *dalmae* Simonyi,2010
Original Reference: *Heliophobus dalmae* Simonyi,2010, Noctuidae Europeae 12: 185, pl.14 figs.16-20. Holotype ♂: Turkey, Ağrı Prov., 3km NE of Hayrangöl 16-17 vi 1994, leg.S.J.Simonyi (HNHM Budapest). **TR AZ Cc AM IR RU Cm**
- 62892. *Heliophobus kitti* (Schawerda,1914)** (Noctuidae) Synonym(s): *kitti* Schawerda,1914; *#silbernageli* Tykac,1940 Range (in code): **FR IT DE CH AT PL CZ SK YU BG LV LT RU Ur KG Tk Dj MN JP**
- 62893. *Heliophobus mongoliensis* Simonyi,2015** (Noctuidae) Synonym(s): *mongoliensis* Simonyi,2015 Range (in code): **MN CN IMn KG RU At Bry**
- 62894. *Heliophobus nepalensis* Plante,1982** (Noctuidae) Synonym(s): *nepalensis* Plante,1982 **NP**
- 62895. *Heliophobus reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944. Original Reference: *Phalaena reticulata* Goeze,1781, Ent. Beytr. 3(3): 254. Type(s):- Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Fa DK NO SE FI EE LV LT RU Voo Or Ur Cc Ro Kr St Kb Nt Ich Ing Da MD UA BY CN Ui Kun Kml KG MN Ch** Bionomy: Larva on Silene, Melandrium, Lychnis, Dianthus [Caryophyllaceae] (Simonyi et al., 2015).
- 62896. *Heliophobus reticulata reticulata* (Goeze,1781)** (Noctuidae) Synonym(s): *calcatrrippae* Vieweg,1790; *saponariae* Borkhausen,1792; *marginosa* Haworth,1809; *hibernica* Cockayne,1944. Original Reference: *Phalaena reticulata* Goeze,1781, Ent. Beytr. 3(3): 254. Type(s):- Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Fa DK NO SE FI EE LV LT RU Cc Ro Kr St Kb Nt Ich Ing Da MD UA BY CN Ui Kun Kml MN Ch**
- 62897. *Heliophobus texturata* (Alpheraky,1892)** (Noctuidae) Synonym(s): *texturata* Alpheraky,1892 Original Reference: *Mamestra texturata* Alpheraky,1892, Horae Soc. ent. ross. 26:446. Syntypes: [China]: Tibet, Amdo. Range (in code): **CN Ti Pkn IMn RU MN NP**
- 62898. *Heliophobus texturata texturata* (Alpheraky,1892)** (Noctuidae) Synonym(s): *texturata* Alpheraky,1892; *nepalensis* Plante,1982 Range (in code): **CN Ti NP**
- 62899. *Heliophobus unicolor* (Alpheraky,1889)** (Noctuidae) Synonym(s): *unicolor* Alpheraky,1889 Original Reference: *Mamestra reticulata* var. *unicolor* Alpheraky,1889, Mém. Lépid. 5: 147. Lectotype ♂: Kuldja [Uighur A.R.], designated by Simonyi et al. (2015) (ZISP). Range (in code): **TR Arr Cc CN Ui Ku IR Elb Th Zj Mz Dam Elb KG Tk Ket DsA Dj KK Ik Osh UZ Fe TeA Na Ax RU At Ur MN TJ Pm**
- 62900. *Heliiothis (Masalia) albicilia* (Hampson,1903)** (Noctuidae) Synonym(s): *albicilia* Hampson,1903 Range (in code): **IN SI**
- 62901. *Heliiothis (Masalia) albida* (Hampson,1905)** (Noctuidae) Synonym(s): *albida* Hampson,1905; *chitinipyga* C.Dumont,1920 Original Reference: *Timora albida* Hampson,1905, Ann. Mag. nat. Hist. (7) 15: 450. Type: Algeria. Range (in code): **MR MA DZ Hdr Eal Gea Onç Hes Gle Sfr Ogl Ges Ear LY TN EG Sn SA IR Hz Ss IL Pa JO**
- 62902. *Heliiothis (Masalia) albipuncta* (Hampson,1910)** (Noctuidae) Synonym(s): *albipuncta* Hampson,1910 Range (in code): **ZA ZM**
- 62903. *Heliiothis (Masalia) artaxoides* (Moore,1881)** (Noctuidae) Synonym(s): *artaxoides* Moore,1881 Range (in code): **IN Hp**
- 62904. *Heliiothis (Masalia) beatrix* (Moore,1881)** (Noctuidae) Synonym(s): *beatrix* Moore,1881; *nigristriata* Hampson,1903; *trifasciata* Hampson,1903 Range (in code): **IN Hp Drm KE**
- 62905. *Heliiothis (Masalia) bimaculata* (Moore,1888)** (Noctuidae) Synonym(s): *bimaculata* Moore,1888; *pallenscens* Hampson,1891; *pulverulenta* Hampson,1891; *nigrifasciata* Hampson,1903; *unifasciata* Gaede,1915; *pluritelifora* Berio,1966; *rostrastigata* Berio,1966; *cornia* Seymour,1972 Range (in code): **IN Hp Drm KE**
- 62906. *Heliiothis (Masalia) cheesmanae* (Seymour,1972)** (Noctuidae) Synonym(s): *cheesmanae* Seymour,1972; *tamburensis* Seymour,1972 Range (in code): **ZR SD**
- 62907. *Heliiothis (Masalia) cruentata* (Moore,1881)** (Noctuidae) Synonym(s): *cruentata* Moore,1881; *marginata* Moore,1881 Original Reference: *Curubasa cruentata* Moore,1881, Proc.

- zool. Soc. Lond. 1881: 367. Syntypes: [Pakistan]: Noashera (BMNH). Range (in code): **Ch IN Hp PK K-P Nwf Haz Now**
- 62908. *Heliothis (Masalia) decorata* (Moore,1881)** (Noctuidae) Synonym(s): *decorata* Moore,1881 Range (in code): **AF Srb IN PK GM NE**
- 62909. *Heliothis (Masalia) decorata albiseriata* (Druce,1903)** (Noctuidae) Synonym(s): *albiseriata* Druce,1903; *buchanani* Rothschild,1921 Range (in code): **GM NE**
- 62910. *Heliothis (Masalia) decorata decorata* (Moore,1881)** (Noctuidae) Synonym(s): *decorata* Moore,1881 *buchanani* Rothschild,1921 Range (in code): **AF Srb IN PK**
- 62911. *Heliothis (Masalia) disticta* (Hampson,1902)** (Noctuidae) Synonym(s): *disticta* Hampson,1902; *albirosea* De Joannis,1913 Range (in code): **ZA ER**
- 62912. *Heliothis (Masalia) dora* (Swinhoe,1891)** (Noctuidae) Synonym(s): *dora* Swinhoe,1891 Range (in code): **IN**
- 62913. *Heliothis (Masalia) epimethea* (Viette,1958)** (Noctuidae) Synonym(s): *epimethea* Viette,1958 Range (in code): **MG**
- 62914. *Heliothis (Masalia) flavicarnea* (Hampson,1903)** (Noctuidae) Synonym(s): *flavicarnea* Hampson,1903 Range (in code): **ET**
- 62915. *Heliothis (Masalia) flaviceps* (Hampson,1903)** (Noctuidae) Synonym(s): *flaviceps* Hampson,1903 Range (in code): **NG**
- 62916. *Heliothis (Masalia) flavistrigata* (Hampson,1903)** (Noctuidae) Synonym(s): *flavistrigata* Hampson,1903; *lineata* De Joannis,1910 Range (in code): **KE Nai**
- 62917. *Heliothis (Masalia) funebris* (Berio,1962)** (Noctuidae) Synonym(s): *funebris* Berio,1962 Range (in code): **ZR**
- 62918. *Heliothis (Masalia) galathea* (Wallengren,1856)** (Noctuidae) Synonym(s): *galathea* Wallengren,1856; *lanceolata* Walker,1865; *splendens* Druce,1887; *imitata* Druce,1889; *depicta* Swinhoe,1891; *nigrolineata* Aurivillius,1925; *vittulata* Aurivillius,1925; *lancea* Berio,1953 Range (in code): **GA ZA ET BW SD IN**
- 62919. *Heliothis (Masalia) galathea bechuana* Seymour,1972** (Noctuidae) Synonym(s): *bechuana* Seymour,1972 Range (in code): **BW**
- 62920. *Heliothis (Masalia) latinigra* (Hampson,1907)** (Noctuidae) Synonym(s): *latinigra* Hampson,1907; *dangilensis* Seymour,1972 Range (in code): **UG ET**
- 62921. *Heliothis (Masalia) leucosticta* (Hampson,1902)** (Noctuidae) Synonym(s): *leucosticta* Hampson,1902; *continuata* Grünberg,1910; *joiceyi* A.E.Prout,1921; *vinula* Berio,1943 Original Reference: Timora *leucosticta* Hampson,1902, Ann. S. Afr. Mus. 2: 256. Type ♂: South Africa: N'Gamiland (BMNH). Range (in code): **BW ZR NA ER**
- 62922. *Heliothis (Masalia) mittoni* (Pinhey,1956)** (Noctuidae) Synonym(s): *mittoni* Pinhey,1956 Range (in code): **TZ**
- 62923. *Heliothis (Masalia) modesta* Moore,1881** (Noctuidae) Synonym(s): *modesta* Moore,1881; *calamaria* Moore,1881 Range (in code): **IN Bba Up**
- 62924. *Heliothis (Masalia) nubila* (Hampson,1903)** (Noctuidae) Synonym(s): *nubila* Hampson,1903; *chrysta* De Joannis,1910 Range (in code): **NG GN**
- 62925. *Heliothis (Masalia) perstriata* (Hampson,1903)** (Noctuidae) Synonym(s): *perstriata* Hampson,1903 Range (in code): **IN Hp Kgr IR Ss Chh Hz B-A**
- 62926. *Heliothis (Masalia) perstriata fuscostriata* (Brandt,1941)** (Noctuidae) Synonym(s): *fuscostriata* Brandt,1941 Original Reference: Timora *fuscostriata* Brandt,1941, Mitt. münch. ent. Ges. 31: 854, fig.43. Syntypes: Iran: Laristan; Belutchistan: Tahte Malek, Bender Tchahbahar. Range (in code): **IR Ss Chh Hz B-A**
- 62927. *Heliothis (Masalia) perstriata perstriata* (Hampson,1903)** (Noctuidae) Synonym(s): *perstriata* Hampson,1903 Range (in code): **IN Hp Kgr**
- 62928. *Heliothis (Masalia) philbyi* (Brandt,1941)** (Noctuidae) Synonym(s): *philbyi* Brandt,1941; *nuristana* Boursin,1960; *arabica* Boursin,1960. Original Reference: Timora *philbyi* Brandt,1941, Mitt. münch. ent. Ges. 31: 853-854, fig.44. Syntypes: Iran: Laristan; Sardze Umg.; Belutchistan: Tahte Malek. Range (in code): **IR Hz B-A Ss SA AF**
- 62929. *Heliothis (Masalia) quilengesi* Seymour,1972** (Noctuidae) Synonym(s): *quilengesi* Seymour,1972 Range (in code): **AO ZA**
- 62930. *Heliothis (Masalia) radiata* (Moore,1881)** (Noctuidae) Synonym(s): *radiata* Moore,1881; *terracotta* Hampson,1891; *flavia* Hampson,1903 Range (in code): **IN Up Mpr**
- 62931. *Heliothis (Masalia) rosacea* (Hampson,1891)** (Noctuidae) Synonym(s): *rosacea* Hampson,1891 Range (in code): **IN NI**

- 62932. *Heliothis (Masalia) sublimis* (Berio,1962)** (Noctuidae) **Synonym(s):** *sublimis* Berio,1962
Range (in code): **ZA ZR**
- 62933. *Heliothis (Masalia) terracottoides* (Rothschild,1921)** (Noctuidae) **Synonym(s):** *terracottoides* Rothschild,1921; *fissa* Aurivillius,1925
Range (in code): **SD NG**
- 62934. *Heliothis (Masalia) tosta* (Moore,1888)** (Noctuidae) **Synonym(s):** *tosta* Moore,1888
Range (in code): **IN Hp Drm**
- 62935. *Heliothis (Masalia) transvaalica* (Distant,1902)** (Noctuidae) **Synonym(s):** *transvaalica* Distant,1902; *rubristria* Hampson,1903; *rhodomelaleuca* Berio,1941
Original Reference: Timora *transvaalica* Distant,1902, Entomologist 35: 212. Type: [South Africa: Gauteng]: Transvaal: Johannesburg (J.Hyde). **Range (in code):** **NG ZA Gau Tra Lpo Jh ET ER**
- 62936. *Heliothis (Masalia) uncta* (Swinhoe,1885)** (Noctuidae) **Synonym(s):** *uncta* Swinhoe,1885
Range (in code): **IN PK**
- 62937. *Heliothis (Masalia) zernytamsia* (Berio,1935)** (Noctuidae) **Synonym(s):** *zernytamsia* Berio,1935
Range (in code): **SO**
- 62938. *Heliothis batuense* Laporte,1977** (Noctuidae) **Synonym(s):** *batuense* Laporte,1977
Range (in code): **ET ET24**
- 62939. *Heliothis charmione* (Stoll,1790)** (Noctuidae) **Synonym(s):** *charmione* Stoll,1790; *jefferyi* Janse,1917.
Range (in code): **ZA**
- 62940. *Heliothis chilensis* (Hampson,1903)** (Noctuidae) **Synonym(s):** *chilensis* Hampson,1903
Range (in code): **CL**
- 62941. *Heliothis conifera* (Hampson,1913)** (Noctuidae) **Synonym(s):** *conifera* Hampson,1913
Range (in code): **ZA**
- 62942. *Heliothis flavescens* (Janse,1917)** (Noctuidae) **Synonym(s):** *flavescens* Janse,1917
Range (in code): **ZA**
- 62943. *Heliothis flavigera* (Hampson,1907)** (Noctuidae) **Synonym(s):** *flavigera* Hampson,1907; *insularis* Viette,1967.
Range (in code): **ZA**
- 62944. *Heliothis fuscimacula* (Janse,1917)** (Noctuidae) **Synonym(s):** *fuscimacula* Janse,1917
Range (in code): **ZA**
- 62945. *Heliothis hoarei* Matthews,1999** (Noctuidae) **Synonym(s):** *hoarei* Matthews,1999
Range (in code): **AU QAU**
- 62946. *Heliothis magdalenae* Laporte** (Noctuidae) **Synonym(s):** **Range (in code):** **ET ET24**
- 62947. *Heliothis maritima* Graslin,1855** (Noctuidae) **Synonym(s):** *maritima* Graslin,1855
Range (in code): **ES FR Si IT? GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK SE FI LT RU Ro Kr Ich Ing Kyi MD UA BY CN Ui Au KG Tk Dj KK TeA Skm Tra**
- 62948. *Heliothis maritima bulgarica* (Draudt,1938)** (Noctuidae) **Synonym(s):** *bulgarica* Draudt,1938
Range (in code): **TR Cc BG RU Ro Kr Ich Ing Kyi**
- 62949. *Heliothis maritima centralasiae* (Draudt,1938)** (Noctuidae) **Synonym(s):** *centralasiae* Draudt,1938
Range (in code): **CN Ui Au KG Tk Dj KK TeA Skm Tra**
- 62950. *Heliothis nubigera* Herrich-Schäffer,[1851]** (Noctuidae) **Synonym(s):** *nubigera* Herrich-Schäffer,[1851]; *perigeoides* Moore,1881; *deserta* Sohn-Rethel,1929; *minutier* Thurner,1938.
Original Reference: *Heliothis nubigera* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:366. Type(s): Kleinasien. **Range (in code):** **Cn DZ PT ES Mu FR Co Sa Si IT MT GB NL DE CH AT PL SK HU RO YU AL BG GR Cr TR CY FI RU Cc AZ Nv Ord Len Ro St Kb Nt Da MD UA BY IR Lo Hz Ss Kh Elb Th Dam Kdj Ak Mrd AF Hr Gbh Arh Dwe Srb Fz LB Bei Bsa IN Hp Dlh IQ Agh Amr Mj Dy SO IL Pa SY Hf JO Sn TM YE Ad SO Kp Gls Bsk Khh BSA Ktr Onç Gtt Gha Abe Sbd Sfr Saia Agi Ges Ah Ajj**
Bionomy: Larva on *Lonicera implexa* (Calle et al., 2000).
- 62951. *Heliothis ononis* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#ononis* [Denis & Schiffermüller],1775; *ononis* Fabricius,1787; *ononidis* Guenée,1852.
Original Reference: *Noctua ononis* Fabricius,1787, Mant. Ins. 2: 143, nr.66a. Type(s): [Wien]. **Range (in code):** **FR IT? DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bku EE RU Kb MD UA BY CN Ui Muz Arc Tlk**
- 62952. *Heliothis pauliani* Viette,1959** (Noctuidae) **Synonym(s):** *pauliani* Viette,1959
Range (in code): **ZA**
- 62953. *Heliothis peltigera* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *peltigera* [Denis & Schiffermüller],1775; *alpea* Cramer,1780; *florentina* Esper,[1788]; *charmione* Stoll,1790; *straminea* Donovan,1793; *insulata* Navas,1924.
Original Reference: *Noctua peltigera* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. **Range (in code):** **MA DZ Cn PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK SE FI EE LV LT RU MD UA BY IR Mz Fa Ke Lo By Yas Hz Ss Kh Ha PK Bl Qu IQ Mj JHa Amr Agh Kq Dk AF Hr Gbh Kab Srb Arh Dwe Bark Fz LB Bsa IN Dlh Hp**

- NP JO Sn IL Pa Hf Dam Kdj Elb Th Ak Mrd Mia Kz Yas Km Kd Snj Hz B-A Maz GlS Kh GG AZ AM Cc KK TrA TM Kp UZ KG Ro Kr St Kb Kc Nt Ing Da CV MM Kba Tbl Smt Bjo Lag Bku Nv Ord Hmk Ktr Khh BSa Perr Sfr Dje DhM Abe Bsk Hrh Ges Clo Lbs Anna Ah Ajj Bionomy: Larva on Bellis, Calendula, Carthamus, Senecio (Asteraceae); Malva (Malvaceae); Salvia (Lamiaceae); Ulex, Hyosciamus (Calle et al., 2000); Cicer anatolicum (Fabaceae) (Kemal,2009).
- 62954. *Heliothis punctifera* Walker,1857** (Noctuidae) Synonym(s): *punctifera* Walker,1857; *leucatma* Meyrick,1897; *#grisescens* W.Warren,1913; *#griseum* W.Warren,1913 Range (in code):
- 62955. *Heliothis roseivena* (Walker,1866)** (Noctuidae) Synonym(s): *roseivena* Walker,1866; *alarioides* Butler,1886 Range (in code): **AU QAU ID Lb Flo**
- 62956. *Heliothis scutuligera* Guenée,1852** (Noctuidae) Synonym(s): *scutuligera* Guenée,1852; *errans* Walker,1865. Range (in code): **ZA Tva Gau Jh Nta Kzu Dbn Wca Ec Kny Asw**
- 62957. *Heliothis tedjicicola* Rougeot** (Noctuidae) Synonym(s): Range (in code): **ET ET24**
- 62958. *Heliothis virescens* (Fabricius,1781)** (Noctuidae) Synonym(s): *virescens* Fabricius,1781; *rhexia* Smith,1792; *subflexa* Guenée,1852; *viridescens* Walker,1856; *prasina* Walker,1856; *pyraloides* Walker,1856; *tergemina* R.Felder & Rogenhofer,1874; *distincta* Schaus,1898 Original Reference: *Noctua virescens* Fabricius,1781, Spec. Ins. 2: 216. Type(s): America St. Grux. Range (in code): **CA US Kan Cf Col Alb MX GT HT VE BR PE AR** Bionomy: Larva on *Rhexia*, *Solanum sieglinge*, *Nicotiana tabacum* (Hampson,1903).
- 62959. *Heliothis viriplaca* (Hufnagel,1766)** (Noctuidae) Synonym(s): *viriplaca* Hufnagel,1766; *dipsacea* Linnaeus,1767; *spergulariae* Lederer,1857; *#dispaceus* Alpheraky,1882; *salamantina* Fernald,1928. Original Reference: *Phalaena viriplaca* Hufnagel,1766, Berl. Mag. 4(2): 406. Type(s): [Germany]: Berlin. Range (in code): **Cn PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc CY LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Da Kyi Am MD UA BY IR Fa Es Lo Ke Zj Elb Th Dam Ab Oru Kz Yas Km Kd Snj IQ Dia Hjo Bag CN Ui Ku Yk MM Ch PK Hu IL Pa Tek Kty IN Dra JP JO Smt Bjo Lag Nv Ord Der Mrv Bne Sfr Btna Khh Lbs MA** Bionomy: Larva on *Linaria*, *Centaurea*, *Ononis* (Hampson,1903); *Silene* (Calle et al., 2000).
- 62960. *Heliothis xanthiata* Walker,1865** (Noctuidae) Synonym(s): *xanthiata* Walker,1865 Range (in code): **ZA Nta Kzu Kkf**
- 62961. *Hemiceratoides hieroglyphica* (Saalmüller,1891)** (Noctuidae) Synonym(s): *hieroglyphica* Saalmüller,1891; *vadoni* Viette,1976 Range (in code): **ZA Nta Kzu NG MG**
- 62962. *Hemiceratoides sittaca* (Karsch,1896)** (Noctuidae) Synonym(s): *sittaca* Karsch,1896 Range (in code): **ZA**
- 62963. *Hemiexarnis berezskii* (Kozhantshikov,1937)** (Noctuidae) Synonym(s): *berezskii* Kozhantshikov,1937 Range (in code): **IR Fa Kh KuB Ss Hz TJ Pm Chr**
- 62964. *Hemiexarnis berezskii iuguma* (Brandt,1938)** (Noctuidae) Synonym(s): *iuguma* Brandt,1938 Original Reference: *Agrotis (Ogygia) iuguma* Brandt,1938, Ent. Rdsch. 55: 502, figs. 103-104. Syntypes 2♂: Iran: Barm-i Firus. Range (in code): **IR Fa Kh KuB Ss Hz**
- 62965. *Hemiexarnis moechilla* (Püngeler,1906)** (Noctuidae) Synonym(s): *moechilla* Püngeler,1906; *epiphana* Boursin,1940 Original Reference: *Euxoa moechilla* Püngeler,1906, Dt. ent. Z., Iris 19: 81, pl.6 fig.13. Type ♂: [China: Uighur A.R.]: E.Turkestan: Aksu (MNHU,Berlin). Range (in code): **CN Ui Au Gn**
- 62966. *Hemiexarnis nivea* Boursin,1948** (Noctuidae) Synonym(s): *nivea* Boursin,1948 Range (in code): **KG NrK Tk**
- 62967. *Hemiexarnis peperida* (Hampson,1903)** (Noctuidae) Synonym(s): *peperida* Hampson,1903 Range (in code): **Ch IN Gs**
- 62968. *Hemiglaea costalis* (Butler,1889)** (Noctuidae) Synonym(s): *costalis* Butler,1889 Range (in code): **VN Lci Ton Fan**
- 62969. *Hemiglaea costalis leptotaenia* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *leptotaenia* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci Ton Fan**
- 62970. *Hemiglaea ionea* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *ionea* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci Ton Fan**
- 62971. *Hemipsectra plumipars* Hampson,1891** (Noctuidae) Synonym(s): *plumipars* Hampson,1891; *sasaphila* Sugi,1982 Range (in code): **TH Ntt Hba Nan Dpk IN JP**
- 62972. *Hemituerta mahdi* (Pagenstecher,1903)** (Noctuidae) Synonym(s): *mahdi* Pagenstecher,1903; *argentifascia* Fawcett,1915 Range (in code): **SO**
- 62973. *Hemituerta nana* (Hampson,1916)** (Noctuidae) Synonym(s): *nana* Hampson,1916 Range (in code): **SO**

- 62974. Heoeugorna alboarcuata (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *alboarcuata* Bethune-Baker,1906 _ Range (in code): PG
- 62975. Heoeugorna flavicincta Hampson,1926** (Noctuidae) Synonym(s): *flavicincta* Hampson,1926 _ Range (in code): MY Bor Swk TH Ntt Hba
- 62976. Heoeugorna ochrovittata (Pagenstecher,1894)** (Noctuidae) Synonym(s): *ochrovittata* Pagenstecher,1894 _ Range (in code): ID Ja TH
- 62977. Hepatica anceps Staudinger,1892** (Noctuidae) Synonym(s): *anceps* Staudinger,1892 _ Range (in code): RU Us
- 62978. Hepatica sp.** (Noctuidae) Synonym(s): _ Range (in code): TH Ntt Hba
- 62979. Heptapotamia eustratii Alpheraky,1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882 Original Reference: Heptapotamia eustratii Alpheraky,1882, Horae Soc. ent. ross. 17: 75-76, Tab.iii fig.57. Syntypes ♂♀: [Kazakhstan]: Balkasche, Arganaty (Semiretschié) (leg. Eustrate Scaramanga). Range (in code): KG Tk TM Kp TR CN Ui Ku Bionomy: Larva on Pimpinella olivieroides (Apiaceae) (Kemal & Koçak,2015, Cesa News 112).
- 62980. Heptapotamia eustratii eustratii Alpheraky,1882** (Noctuidae) Synonym(s): *eustratii* Alpheraky,1882 Original Reference: Heptapotamia eustratii Alpheraky,1882, Horae Soc. ent. ross. 17: 75-76, Tab.iii fig.57. Syntypes ♂♀: [Kazakhstan]: Balkasche, Arganaty (Semiretschié) (leg. Eustrate Scaramanga). Range (in code): KG Tk CN Ui Ku
- 62981. Heptapotamia eustratii lutea (Hacker,Kuhna & Gross,[1987])** (Noctuidae) Synonym(s): *lutea* Hacker,Kuhna & Gross,[1987] Original Reference: Güselderia lutea Hacker,Kuhna & Gross,[1987], Mitt. münch. ent. Ges. 76 (31.12.1986): 105-106, Taf.3 fig.17, Taf.7 figs.50-52. Holotype ♂: Türkei: Van Province: Güzeldere pass, 2700m 28.9.1981 (leg. & coll.Kuhna). Range (in code): TR Bionomy: Larva on Pimpinella olivieroides (Apiaceae) (Kemal & Koçak,2015, Cesa News 112).
- 62982. Heptapotamia eustratii mitis (Püngeler,1906)** (Noctuidae) Synonym(s): *mitis* Püngeler,1906 Original Reference: Dasypolia mitis Püngeler,1906, Dt. ent. Z., Iris 19: 95. [Sex of the type, and the collecting locality unknown]. Range (in code): TM Kp
- 62983. Heraclia abacata (Karsch,1892)** (Noctuidae) Synonym(s): *abacata* Karsch,1892 Range (in code): CM NA
- 62984. Heraclia aemulatrix (Westwood,1881)** (Noctuidae) Synonym(s): *aemulatrix* Westwood,1881; *mabillei* Bartel,1903; *suda* Jordan,1913; *campala* Kiriakoff,1976 _ Range (in code): ZA Kvu GH ZR UG
- 62985. Heraclia africana (Butler,1875)** (Noctuidae) Synonym(s): *africana* Butler,1875; *meretrix* Westwood,1881; *fatima* Kirby,1891 Original Reference: Eusemia africana Butler,1875, Ann. Mag. nat. Hist. (4) 15: 142. Type: [South Africa]: Natal. Range (in code): ZA Tva Nta Kzu Dbn Mpu Tst Ec Elo MW Zom KE Tet Bionomy: Larva on Cissus cirrhosa (Janse,1937).
- 62986. Heraclia aisha (Kirby,1891)** (Noctuidae) Synonym(s): *aisha* Kirby,1891; *catarhodia* Holland,1897 _ Range (in code): KE
- 62987. Heraclia annulata (Aurivillius,1925)** (Noctuidae) Synonym(s): *annulata* Aurivillius,1925 Range (in code): ZR
- 62988. Heraclia atrifusa (Hampson,1912)** (Noctuidae) Synonym(s): *atrifusa* Hampson,1912 Range (in code): UG
- 62989. Heraclia atriventralis (Hampson,1910)** (Noctuidae) Synonym(s): *atriventralis* Hampson,1910 _ Range (in code): ZM
- 62990. Heraclia atriventris Hampson,1910** (Noctuidae) Synonym(s): *atriventris* Hampson,1910 Range (in code): ZW
- 62991. Heraclia aurantiaca Kiriakoff,1975** (Noctuidae) Synonym(s): *aurantiaca* Kiriakoff,1975 Range (in code): ZR Shb
- 62992. Heraclia aurea (Wichgraf,1918)** (Noctuidae) Synonym(s): *aurea* Wichgraf,1918 Range (in code): AO
- 62993. Heraclia basalifasciata Bartel,1903** (Noctuidae) Synonym(s): *basalifasciata* Bartel,1903 Range (in code): CF
- 62994. Heraclia batesi Druce,1910** (Noctuidae) Synonym(s): *batesi* Druce,1910 _ Range (in code):
- 62995. Heraclia buchholzi (Plötz,1880)** (Noctuidae) Synonym(s): *buchholzi* Plötz,1880; *grandis* Druce,1880; *melanochiton* Mabille,1891; *batesi* Druce,1910; *subfasciata* Hulstaert,1923; *barnsi* Joicey & Talbot,1924; *schoutedeni* Hulstaert,1925 _ Range (in code): GH CM Bit ZR Kvu

- 62996. *Heraclia butleri* (Walker,1869)** (Noctuidae) Synonym(s): *butleri* Walker,1869; *adulatrix* Westwood,1881 nec Koll.,1844 _ Range (in code): **ZA Lpo Tva Spb Lj Nta Kzu Est Mpu Pil ZW Har**
Bionomy: Larva on *Vitis vinifera* (Janse,1937).
- 62997. *Heraclia catori* (Jordan,1904)** (Noctuidae) Synonym(s): *catori* Jordan,1904 _ Range (in code): **SL**
- 62998. *Heraclia comaria* Druce,1910** (Noctuidae) Synonym(s): *comaria* Druce,1910 _ Range (in code):
- 62999. *Heraclia durbania* (Stoneham,1964)** (Noctuidae) Synonym(s): *durbania* Stoneham,1964
Range (in code): **ZA Nta Kzu Dbn**
- 63000. *Heraclia egregia* Wichgraf,1908** (Noctuidae) Synonym(s): *egregia* Wichgraf,1908
Range (in code): **CM**
- 63001. *Heraclia elongata* Bartel,1903** (Noctuidae) Synonym(s): *elongata* Bartel,1903 _ Range (in code): **MW**
- 63002. *Heraclia flavipennis* (Bartel,1903)** (Noctuidae) Synonym(s): *flavipennis* Bartel,1903
Range (in code): **CG**
- 63003. *Heraclia flavisignata* (Hampson,1912)** (Noctuidae) Synonym(s): *flavisignata* Hampson,1912 _ Range (in code): **KE Nya**
- 63004. *Heraclia geryon* (Fabricius,1781)** (Noctuidae) Synonym(s): *geryon* Fabricius,1781; *euphemia* Stoll,1782; *nugatrix* Westwood,1881 _ Original Reference: *Noctua geryon* Fabricius,1781, Spec. Ins. 2: 216. Type(s): Africa aequinoctiali Mus. Dom. Yeats. Range (in code): **ZA LR SL GN NG SD KE ZR ET ET29**
- 63005. *Heraclia gruenbergi* (Wichgraf,1911)** (Noctuidae) Synonym(s): *gruenbergi* Wichgraf,1911; *atribasalis* Hampson,1912; *medjensis* Holland,1920 _ Range (in code): **KE ZR Mdj**
- 63006. *Heraclia hornimani* (Druce,1880)** (Noctuidae) Synonym(s): *hornimani* Druce,1880; *melanosoma* Druce,1901; *minchini* Hampson,1907; *comaria* Druce,1910; *meridionalis* Kiriakoff,1955 _ Range (in code): **NG Caa CM Bit CG SL UG Etb ZR Kga**
- 63007. *Heraclia houyjensis* (Wichgraf,1918)** (Noctuidae) Synonym(s): *houyjensis* Wichgraf,1918
Range (in code): **CM**
- 63008. *Heraclia hypercompoides* (Butler,1895)** (Noctuidae) Synonym(s): *hypercompoides* Butler,1895 _ Range (in code): **UG Rz**
- 63009. *Heraclia indecisa* (Butler,1891)** (Noctuidae) Synonym(s): *indecisa* Butler,1891 _ Range (in code): **ZW**
- 63010. *Heraclia jacksoni* Kiriakoff,1975** (Noctuidae) Synonym(s): *jacksoni* Kiriakoff,1975
Range (in code): **UG**
- 63011. *Heraclia jugans* (Jordan,1913)** (Noctuidae) Synonym(s): *jugans* Jordan,1913 _ Range (in code): **AO**
- 63012. *Heraclia karschii* (Holland,1897)** (Noctuidae) Synonym(s): *karschii* Holland,1897; *kirbyi* Holland,1897 (*praeocc.*); *triseriata* Bartel,1903; *tessmanni* Strand,1912; *egregia* Wichgraf,1914 _ Range (in code): **CM Yau GO**
- 63013. *Heraclia kivuensis* Kiriakoff,1973** (Noctuidae) Synonym(s): *kivuensis* Kiriakoff,1973
Range (in code): **ZR Kvu**
- 63014. *Heraclia limbomaculata* (Strand,1909)** (Noctuidae) Synonym(s): *limbomaculata* Strand,1909; *discosticta* Hampson,1910 _ Range (in code): **TZ ZM**
- 63015. *Heraclia lomata* (Karsch,1892)** (Noctuidae) Synonym(s): *lomata* Karsch,1892 _ Range (in code): **CM NA**
- 63016. *Heraclia longipennis* (Walker,1854)** (Noctuidae) Synonym(s): *longipennis* Walker,1854; *doenitzi* Grünberg,1910; *bodaensis* Gaede,1915 _ Range (in code): **CG ZR AO GH KE Nya CM**
- 63017. *Heraclia medeba* (Druce,1880)** (Noctuidae) Synonym(s): *medeba* Druce,1880 _ Range (in code): **NG Caa**
- 63018. *Heraclia melanosoma* Druce,1901** (Noctuidae) Synonym(s): *melanosoma* Druce,1901
Range (in code): **KE**
- 63019. *Heraclia monslunensis* (Hampson,1901)** (Noctuidae) Synonym(s): *monslunensis* Hampson,1901; *signata* Bartel,1903; *neavi* Hampson,1910 _ Range (in code): **UG Rz ZM TZ KE**
- 63020. *Heraclia mozambica* (Mabille,1890)** (Noctuidae) Synonym(s): *mozambica* Mabille,1890
Original Reference: *Eusemia mozambica* Mabille,1890, Bull. ent. Soc. Fr. 1890: 123. Type: Mozambique. Range (in code): **MZ TZ Zz**

- 63021. *Heraclia nandi* Kiriakoff,1974** (Noctuidae) Synonym(s): *nandi* Kiriakoff,1974 _ Range (in code): KE Nai
- 63022. *Heraclia neavi* Hampson,1910** (Noctuidae) Synonym(s): *neavi* Hampson,1910 _ Range (in code): ZW
- 63023. *Heraclia niepelti* Oberthür,1911** (Noctuidae) Synonym(s): *niepelti* Oberthür,1911 Range (in code): TZ
- 63024. *Heraclia nigridora* (Mabille,1890)** (Noctuidae) Synonym(s): *nigridora* Mabille,1890 Range (in code): CM
- 63025. *Heraclia nobela* Kiriakoff,1974** (Noctuidae) Synonym(s): *nobela* Kiriakoff,1974 _ Range (in code): ZR Kvu
- 63026. *Heraclia pallida* (Walker,1864)** (Noctuidae) Synonym(s): *pallida* Walker,1864; *niveosparsa* Westwood,1881; *deficiens* Mabille,1891; *minerva* Weymer,1892; *longipennis* Mabille,1892 *nec* Wlk. _ Range (in code): NG Caa CM CG GA SL KE
- 63027. *Heraclia pampata* Kiriakoff,1974** (Noctuidae) Synonym(s): *pampata* Kiriakoff,1974 Range (in code): ZR
- 63028. *Heraclia pardalina* (Walker,1869)** (Noctuidae) Synonym(s): *pardalina* Walker,1869; *ochracea* Butler,1875; *kirbyi* Carpenter,1895; *cirbyi* Hampson,1901 _ Range (in code): CG AO
- 63029. *Heraclia perdix* (Druce,1888)** (Noctuidae) Synonym(s): *perdix* Druce,1888; *eo* Mabille,1890; *indecisa* Butler,1891; *angustella* Strand,1912 _ Range (in code): ZA Nta Kzu MZ ZW SO KE ET
- 63030. *Heraclia poggei* (Dewitz,1879)** (Noctuidae) Synonym(s): *poggei* Dewitz,1879; *falkensteinii* Dewitz,1881 _ Range (in code): GN CM NG CG GH CI LR GA TD
- 63031. *Heraclia signata* Bartel,1903** (Noctuidae) Synonym(s): *signata* Bartel,1903 _ Range (in code): MW
- 63032. *Heraclia superba* (Butler,1875)** (Noctuidae) Synonym(s): *superba* Butler,1875; *incongruens* Butler,1878; *interniplaga* Mabille,1891; *smithii* Holland,1897; *basalifasciata* Bartel,1903; *maculipennis* Strand,1911; *maculipes* Strand,1911; *tanganyikana* Oberthür,1911; *ugandana* Jordan,1913; *albocincta* Hulstaert,1923 _ Range (in code): ET ZA Nta Kzu Dbn Gau Pre Pie Tva Lpo Zd Mpu Brb TZ KE UG Bionomy: Larva on Cissus cirrhora, Vitis vinifera (Janse,1937).
- 63033. *Heraclia terminatis* Oberthür,1911** (Noctuidae) Synonym(s): *terminatis* Oberthür,1911 Range (in code): TZ
- 63034. *Heraclia thruppi* (Butler,[1886])** (Noctuidae) Synonym(s): *thruppi* Butler,[1886] Original Reference: Eusemia thruppi Butler,[1886], Proc. zool. Soc. London 1885: 775. Range (in code): SO KE
- 63035. *Heraclia triseriata* Bartel,1903** (Noctuidae) Synonym(s): *triseriata* Bartel,1903 _ Range (in code): CM
- 63036. *Heraclia viettei* Kiriakoff,1973** (Noctuidae) Synonym(s): *viettei* Kiriakoff,1973 Original Reference: Heraclia viettei Kiriakoff,1973, Lambillionea 72/73: 58, fig.1. Holotype ♀: Ethiopia: Nole Kaba (MNHNP). Range (in code): ET ET237 We
- 63037. *Heraclia zenkeri* (Karsch,1895)** (Noctuidae) Synonym(s): *zenkeri* Karsch,1895; *ochracea* Aurivillius,1901; *zenceri* Hampson,1901; *zeodita* Niepelt,1914; *niepelti* Oberthür,1911 _ Range (in code): CM ZR
- 63038. *Heraclia zeodita* Niepelt,1906** (Noctuidae) Synonym(s): *zeodita* Niepelt,1906 _ Range (in code): CG
- 63039. *Hermonassa albifurca* (Erschoff,1877)** (Noctuidae) Synonym(s): *albifurca* Erschoff,1877 Range (in code): RU At
- 63040. *Hermonassa anonyma* Hreblay & Plante,1996** (Noctuidae) Synonym(s): *anonyma* Hreblay & Plante,1996 _ Range (in code):
- 63041. *Hermonassa anthracina* Boursin,1967** (Noctuidae) Synonym(s): *anthracina* Boursin,1967 Range (in code): CN Yu Lik
- 63042. *Hermonassa arenosa* (Butler,1881)** (Noctuidae) Synonym(s): *arenosa* Butler,1881; *amurensis* Kozhantschikov,1935; *yeterofuna* Bryk,1942 _ Range (in code): JP RU Am Krl
- 63043. *Hermonassa aureofusa* Sugi,1995** (Noctuidae) Synonym(s): *aureofusa* Sugi,1995 Range (in code): NP
- 63044. *Hermonassa bonza* (Püngeler,1900)** (Noctuidae) Synonym(s): *bonza* Püngeler,1900; *bonsa* Hampson,1903 Original Reference: Agrotis bonza Püngeler,1900, Dt. ent. Z., Iris 12: 290, pl.8 fig.13. Type: [Kirgizistan]: Alexander Mts. Range (in code): KK Ax CN Ts Kno

- 63045. Hermonassa callista Boursin,1968** (Noctuidae) Synonym(s): *callista* Boursin,1968
Range (in code): **NP**
- 63046. Hermonassa cecilia Butler,1878** (Noctuidae) Synonym(s): *cecilia* Butler,1878 Range (in code): **JP**
- 63047. Hermonassa chagyabensis Chen,1983** (Noctuidae) Synonym(s): *chagyabensis* Chen,1983
Range (in code): **CN Ti**
- 63048. Hermonassa chersotidia Boursin,1968** (Noctuidae) Synonym(s): *chersotidia* Boursin,1968 Range (in code): **NP**
- 63049. Hermonassa chlora Boursin,1967** (Noctuidae) Synonym(s): *chlora* Boursin,1967
Range (in code): **CN Yu Lik**
- 63050. Hermonassa chryserythra Boursin,1968** (Noctuidae) Synonym(s): *chryserythra* Boursin,1968 Range (in code): **NP**
- 63051. Hermonassa chuana Chen,1993** (Noctuidae) Synonym(s): *chuana* Chen,1993 Range (in code): **CN**
- 63052. Hermonassa claricostata Hreblay & Plante,1995** (Noctuidae) Synonym(s): *claricostata* Hreblay & Plante,1995 Range (in code): **NP**
- 63053. Hermonassa clava (Leech,1900)** (Noctuidae) Synonym(s): *clava* Leech,1900 Range (in code): **CN**
- 63054. Hermonassa connudata Chen,1991** (Noctuidae) Synonym(s): *connudata* Chen,1991
Range (in code): **CN**
- 63055. Hermonassa consignata Walker,1865** (Noctuidae) Synonym(s): *consignata* Walker,1865;
chalybeata Moore,1881; *lunata* Moore,1882 Range (in code): **IN Ben SI Djl Ch**
- 63056. Hermonassa corax Sugi,1995** (Noctuidae) Synonym(s): *corax* Sugi,1995 Range (in code): **NP**
- 63057. Hermonassa cyanerythra Boursin,1968** (Noctuidae) Synonym(s): *cyanerythra* Boursin,1968 Range (in code): **NP**
- 63058. Hermonassa cyanolepis Boursin,1967** (Noctuidae) Synonym(s): *cyanolepis* Boursin,1967
Range (in code):
- 63059. Hermonassa deaurata Sugi,1995** (Noctuidae) Synonym(s): *deaurata* Sugi,1995 Range (in code): **NP**
- 63060. Hermonassa diaphana Boursin,1967** (Noctuidae) Synonym(s): *diaphana* Boursin,1967
Range (in code): **CN Yu Lik**
- 63061. Hermonassa diaphthorea Boursin,1967** (Noctuidae) Synonym(s): *diaphthorea* Boursin,1967 Range (in code): **CN Yu Lik**
- 63062. Hermonassa dichroma Boursin,1967** (Noctuidae) Synonym(s): *dichroma* Boursin,1967
Range (in code): **CN Yu Lik**
- 63063. Hermonassa dictyodes Boursin,1967** (Noctuidae) Synonym(s): *dictyodes* Boursin,1967
Range (in code): **CN Yu Lik**
- 63064. Hermonassa dictyota Boursin,1967** (Noctuidae) Synonym(s): *dictyota* Boursin,1967
Range (in code): **CN Yu Lik**
- 63065. Hermonassa difficilis (Erschoff,1887)** (Noctuidae) Synonym(s): *difficilis* Erschoff,1887;
albivenata Staudinger,1892; *alpherakii* Christoph,1893 Range (in code): **MN Cc RU Sb Da**
- 63066. Hermonassa dispila Boursin,1967** (Noctuidae) Synonym(s): *dispila* Boursin,1967
Range (in code): **CN Yu Lik**
- 63067. Hermonassa divida Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *divida* Hreblay & Ronkay,1998 Range (in code): **NP**
- 63068. Hermonassa doiinthanon Owada,1985** (Noctuidae) Synonym(s): *doiinthanon* Owada,1985 Original Reference: Hermonassa doiinthanon Owada,1985, Tinea 12 (3): 18, figs.
Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP (UOP). Range (in code): **TH CMa Int**
- 63069. Hermonassa ellenae Boursin,1967** (Noctuidae) Synonym(s): *ellenae* Boursin,1967; *rubusta* Boursin,1970; *tapaishana* Boursin,1970 Range (in code): **CN Yu Ats Sz She**
- 63070. Hermonassa emodicola Boursin,1967** (Noctuidae) Synonym(s): *emodicola* Boursin,1967
Range (in code): **CN Ti**
- 63071. Hermonassa euxoides Hreblay & Plante,1995** (Noctuidae) Synonym(s): *euxoides* Hreblay & Plante,1995 Range (in code): **NP**
- 63072. Hermonassa expatria Hreblay & Plante,1995** (Noctuidae) Synonym(s): *expatria* Hreblay & Plante,1995 Range (in code): **NP**

- 63073. *Hermonassa fasciata* Chen,1985** (Noctuidae) Synonym(s): *fasciata* Chen,1985 _ Range (in code): CN
- 63074. *Hermonassa felicitia* Hreblay & Plante,1995** (Noctuidae) Synonym(s): *felicitia* Hreblay & Plante,1995 _ Range (in code): NP
- 63075. *Hermonassa finitima* W.Warren,1909** (Noctuidae) Synonym(s): *finitima* W.Warren,1909 Range (in code): Ch IN CN Ti
- 63076. *Hermonassa formotana* Hreblay & Ronkay,1997** (Noctuidae) Synonym(s): *formotana* Hreblay & Ronkay,1997 _ Range (in code): TW
- 63077. *Hermonassa fulvescens* Chen,1985** (Noctuidae) Synonym(s): *fulvescens* Chen,1985 Range (in code): CN
- 63078. *Hermonassa funebris* Sugi,1995** (Noctuidae) Synonym(s): *funebris* Sugi,1995 _ Range (in code): NP
- 63079. *Hermonassa furva* W.Warren,1909** (Noctuidae) Synonym(s): *furva* W.Warren,1909 Range (in code): IN Hp Kul
- 63080. *Hermonassa gigantea* Chen,1989** (Noctuidae) Synonym(s): *gigantea* Chen,1989 Original Reference: *Hermonassa gigantea* Chen,1989, Acta ent. sinica 32 (3): 355, figs. Holotype ♂: China, Szechuan: Guanxian Qingchengshan 700-1600m. Range (in code): CN Sz
- 63081. *Hermonassa griseirufa* Sugi,1995** (Noctuidae) Synonym(s): *griseirufa* Sugi,1995 Range (in code): NP
- 63082. *Hermonassa griseisignata* Chen,1983** (Noctuidae) Synonym(s): *griseisignata* Chen,1983 Range (in code): CN
- 63083. *Hermonassa griseosignata* Chen,1983** (Noctuidae) Synonym(s): *griseosignata* Chen,1983 Range (in code): CN Ti
- 63084. *Hermonassa hemicyclia* Plante,1994** (Noctuidae) Synonym(s): *hemicyclia* Plante,1994 Range (in code): TW
- 63085. *Hermonassa hoenei* Boursin,1967** (Noctuidae) Synonym(s): *hoenei* Boursin,1967 Range (in code): CN She
- 63086. *Hermonassa hypoleuca* Boursin,1967** (Noctuidae) Synonym(s): *hypoleuca* Boursin,1967 Range (in code): CN Yu Lik
- 63087. *Hermonassa incisa* Moore,1882** (Noctuidae) Synonym(s): *incisa* Moore,1882 _ Range (in code): IN SI DjI
- 63088. *Hermonassa inconstans* Wileman,1912** (Noctuidae) Synonym(s): *inconstans* Wileman,1912 _ Range (in code): TW
- 63089. *Hermonassa juncta* Chen & Yixin,1993** (Noctuidae) Synonym(s): *juncta* Chen & Yixin,1993 _ Range (in code): CN
- 63090. *Hermonassa lama* Boursin,1967** (Noctuidae) Synonym(s): *lama* Boursin,1967 _ Range (in code): CN Sz Btn
- 63091. *Hermonassa lanceola* (Moore,1867)** (Noctuidae) Synonym(s): *lanceola* Moore,1867 Range (in code): BD
- 63092. *Hermonassa legraini* Plante,1994** (Noctuidae) Synonym(s): *legraini* Plante,1994 Range (in code): TW
- 63093. *Hermonassa lineata* W.Warren,1912** (Noctuidae) Synonym(s): *lineata* W.Warren,1912 Range (in code): IN SI
- 63094. *Hermonassa longisaccus* Sugi,1995** (Noctuidae) Synonym(s): *longisaccus* Sugi,1995 Range (in code): NP
- 63095. *Hermonassa macrotheca* Boursin,1968** (Noctuidae) Synonym(s): *macrotheca* Boursin,1968 _ Range (in code): NP
- 63096. *Hermonassa marginata* Hreblay & Ronkay,1998** (Noctuidae) Synonym(s): *marginata* Hreblay & Ronkay,1998 _ Range (in code): NP
- 63097. *Hermonassa marsipiophora* Boursin,1967** (Noctuidae) Synonym(s): *marsipiophora* Boursin,1967 _ Range (in code): CN Yu Lik
- 63098. *Hermonassa megaspila* Boursin,1967** (Noctuidae) Synonym(s): *megaspila* Boursin,1967 Range (in code): CN She
- 63099. *Hermonassa melancholica*** (Noctuidae) Synonym(s): _ Range (in code):
- 63100. *Hermonassa nitella* Chen,1991** (Noctuidae) Synonym(s): *nitella* Chen,1991 _ Range (in code): CN

- 63101. Hermonassa obscura Chen,1985** (Noctuidae) Synonym(s): *obscura* Chen,1985 _ Range (in code): CN
- 63102. Hermonassa oleographa Hampson,1911** (Noctuidae) Synonym(s): *oleographa* Hampson,1911 _ Range (in code): IN SI
- 63103. Hermonassa olivascens Chen,1985** (Noctuidae) Synonym(s): *olivascens* Chen,1985 _ Range (in code): CN
- 63104. Hermonassa ononensis (Bremer,1861)** (Noctuidae) Synonym(s): *ononensis* Bremer,1861; *scaramangae* Alpheraky,1882 _ Range (in code): RU Sb Am Us Kmt MN Uli CN Ti Amd Ui Ii Kl Arc KK TeA Skm TrA
- 63105. Hermonassa opima Chen,1991** (Noctuidae) Synonym(s): *opima* Chen,1991 _ Range (in code): CN
- 63106. Hermonassa orbicularis Boursin,1967** (Noctuidae) Synonym(s): *orbicularis* Boursin,1967 _ Range (in code): CN Yu Ats
- 63107. Hermonassa orphnina Boursin,1967** (Noctuidae) Synonym(s): *orphnina* Boursin,1967 _ Range (in code): CN Yu Lik
- 63108. Hermonassa oxypila Boursin,1968** (Noctuidae) Synonym(s): *oxypila* Boursin,1968 _ Range (in code): NP
- 63109. Hermonassa pallidula (Leech,1900)** (Noctuidae) Synonym(s): *pallidula* Leech,1900 _ Range (in code): CN Sz Ome
- 63110. Hermonassa penna Chen,1985** (Noctuidae) Synonym(s): *penna* Chen,1985 _ Range (in code): CN
- 63111. Hermonassa phenax Boursin,1968** (Noctuidae) Synonym(s): *phenax* Boursin,1968 _ Range (in code): NP
- 63112. Hermonassa planeta Chen & Yixin,1993** (Noctuidae) Synonym(s): *planeta* Chen & Yixin,1993 _ Range (in code): CN
- 63113. Hermonassa plantei Hreblay & Ronkay,1997** (Noctuidae) Synonym(s): *plantei* Hreblay & Ronkay,1997 _ Range (in code): TW
- 63114. Hermonassa psilodora Boursin,1968** (Noctuidae) Synonym(s): *psilodora* Boursin,1968 _ Range (in code): NP
- 63115. Hermonassa punicea Sugi,1995** (Noctuidae) Synonym(s): *punicea* Sugi,1995 _ Range (in code): NP
- 63116. Hermonassa pygmaea Boursin,1967** (Noctuidae) Synonym(s): *pygmaea* Boursin,1967 _ Range (in code): CN Yu Lik
- 63117. Hermonassa renifera Chen,1991** (Noctuidae) Synonym(s): *renifera* Chen,1991 _ Range (in code): CN
- 63118. Hermonassa reticulata Boursin,1967** (Noctuidae) Synonym(s): *reticulata* Boursin,1967 _ Range (in code): CN Yu Lik
- 63119. Hermonassa roesleri Boursin,1967** (Noctuidae) Synonym(s): *roesleri* Boursin,1967 _ Range (in code): CN Yu Lik
- 63120. Hermonassa rufa Boursin,1968** (Noctuidae) Synonym(s): *rufa* Boursin,1968 _ Range (in code):
- 63121. Hermonassa selecta Hreblay & Plante,1995** (Noctuidae) Synonym(s): *selecta* Hreblay & Plante,1995 _ Range (in code):
- 63122. Hermonassa sherpae Sugi,1995** (Noctuidae) Synonym(s): *sherpae* Sugi,1995 _ Range (in code): NP
- 63123. Hermonassa shizukoe Sugi,1995** (Noctuidae) Synonym(s): *shizukoe* Sugi,1995 _ Range (in code): NP
- 63124. Hermonassa siamensis Owada,1985** (Noctuidae) Synonym(s): *siamensis* Owada,1985
Original Reference: Hermonassa siamensis Owada,1985, Tinea 12: 22, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOP). Range (in code): TH CMa Int
- 63125. Hermonassa sigmuncus Sugi,1995** (Noctuidae) Synonym(s): *sigmuncus* Sugi,1995 _ Range (in code): NP
- 63126. Hermonassa sinuosa Wileman,1912** (Noctuidae) Synonym(s): *sinuosa* Wileman,1912 _ Range (in code): TW
- 63127. Hermonassa sobeyi Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *sobeyi* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci TH CMa

- 63128. Hermonassa spilota (Moore,1867)** (Noctuidae) Synonym(s): *spilota* Moore,1867
Range (in code): **BD**
- 63129. Hermonassa staudingeri Koçak,1981** (Noctuidae) Synonym(s): *modesta* Staudinger,[1896] nec Mre.,[1881]; *staudingeri* Koçak,1981; *modestoides* Poole,1989. Original Reference: Hermonassa staudingeri Koçak,1981, Priamus 1 (1): 13 (nomen novum pro Agrotis modesta Staudinger,1895, Dt. ent. Z., Iris 8: 309 nec Agrotis modesta Moore,[1881]). Syntypes 2♂: [Uighur Ili]: Lob Noor; Kuku Noor. Range (in code): **CN Ui Ln Kno Ts Amd**
- 63130. Hermonassa stigmatica W.Warren,1912** (Noctuidae) Synonym(s): *stigmatica* W.Warren,1912 Range (in code): **BT**
- 63131. Hermonassa tamsi Boursin,1968** (Noctuidae) Synonym(s): *tamsi* Boursin,1968
Range (in code): **NP**
- 63132. Hermonassa thailandica Owada,1985** (Noctuidae) Synonym(s): *thailandica* Owada,1985
Original Reference: Hermonassa thailandica Owada,1985, Tinea 12: 20, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (UOP). Range (in code): **TH CMa Int**
- 63133. Hermonassa thomasi Sugi,1995** (Noctuidae) Synonym(s): *thomasi* Sugi,1995 Range (in code): **NP**
- 63134. Hermonassa wulinga Chen & Yixin,1991** (Noctuidae) Synonym(s): *wulinga* Chen & Yixin,1991 Range (in code): **CN**
- 63135. Hermonassa xanthochlora Boursin,1967** (Noctuidae) Synonym(s): *xanthochlora* Boursin,1967 Range (in code): **CN Yu Lik**
- 63136. Herpeperas barnesi Pinhey,1968** (Noctuidae) Synonym(s): *barnesi* Pinhey,1968
Range (in code): **ZA**
- 63137. Herpeperas violaris Hampson,1926** (Noctuidae) Synonym(s): *violaris* Hampson,1926
Range (in code): **ZA**
- 63138. Hespagarista caudata (Dewitz,1879)** (Noctuidae) Synonym(s): *caudata* Dewitz,1879
Range (in code): **GN CG ZW**
- 63139. Hespagarista echione (Boisduval,1847)** (Noctuidae) Synonym(s): *echione* Boisduval,1847; *interlecta* Walker,1854; *#interjecta* Westwood,1877; *novemmaculata* Mabille,1890; *funebis* Rothschild,1896 Range (in code): **ZA Nta Kzu Dbn MZ Del TZ Tnga Usa**
- 63140. Heterographa fabrilis Püngeler,1909** (Noctuidae) Synonym(s): *fabrilis* Püngeler,1909
Range (in code): **CN Ui Ku**
- 63141. Heterographa puengeleri Bartel,1904** (Noctuidae) Synonym(s): *puengeleri* Bartel,1904
Original Reference: Heterographa puengeleri Bartel,1904, Dt. ent. Z., Iris 17: 161. Syntypes: Palestina: Jordantal. Range (in code): **MR MA DZ TN LY SA IL Pa Jt JO IR Ss Fa Dlk**
- 63142. Heterographa tetrastigma Brandt,1941** (Noctuidae) Synonym(s): *tetrastigma* Brandt,1941 Original Reference: Heterographa tetrastigma Brandt,1941, Mitt. münch. ent. Ges. 31: 850, fig.34. Syntypes: Iran: Bender Tschabahar. Range (in code): **IR Ss**
- 63143. Heterographa tumulorum Boursin,1936** (Noctuidae) Synonym(s): *tumulorum* Boursin,1936 Range (in code): **UZ Br**
- 63144. Heterographa vargai L.Ronkay & Gyulai,2009** (Noctuidae) Synonym(s): *vargai* L.Ronkay & Gyulai,2009 Range (in code): **TJ**
- 63145. Heterographa zelleri (Christoph,1876)** (Noctuidae) Synonym(s): *zelleri* Christoph,1876; *mira* Staudinger,1877 Original Reference: Mamestra zelleri Christoph,1876, Horae Soc. ent. ross. 12: 250, pl.6 fig.24. Range (in code): **IR TM Krn KK Ik CN Ui Ga KG Tk Dj UZ**
- 63146. Heteropalpia acrosticta (Püngeler,1904)** (Noctuidae) Synonym(s): *acrosticta* Püngeler,1904; *rosacea* Rebel,1907 Original Reference: Pericyma acrosticta Püngeler,1904, Dt. ent. Z., Iris 16: 290, Taf.vi fig.6. Syntypes ♂♀: "Ain-Dschidi, westl. Toten Meere". Range (in code): **AE TD Tbt NE SD MR MA DZ Rhr Idl Ah Ajj Omy Bsk TN EG Sn SA As OM YE Sk SD NG IL Pa JO BH LY IR Hz B-A** Bionomy: Larva on Acacia raddiana, Acacia gummifera (Fabaceae) (Rungs,1942).
- 63147. Heteropalpia cortytoides Berio,1939** (Noctuidae) Synonym(s): *cortytoides* Berio,1939
Original Reference: Heteropalpia cortytoides Berio,1939, Memorie Soc. ent. ital. 17: 56, pl.2 fig.10. Holotype ♂: Eritrea, Dorfu (coll. Berio, Genoa). Range (in code): **ZA ET ER**
- 63148. Heteropalpia exarata (Mabille,1890)** (Noctuidae) Synonym(s): *exarata* Mabille,1890; *lilliae* Berio,1960 Range (in code): **ER ET**
- 63149. Heteropalpia vetusta (Walker,1865)** (Noctuidae) Synonym(s): *vetusta* Walker,1865; *profesta* Christoph,1887; *sacra* Staudinger,1898 Range (in code): **UZ TR CY IN PK Sd Hyd AF Dwe SY Sk DZ TM Kp IR Th Elb Fa Shr Hz Ss Kdj Ma Chh B-A IQ Ama Dy kut JHa Sbn Tkr Dk Agh Bgd Dia BH LB Bei IL Pa SA SA63 As YE OM JO ZA AU**

- 63150. *Heteropalpia witshirei* Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *witshirei* Hacker & Ebert, 2002 Range (in code): **IR Lo Hz B-A**
- 63151. *Heterophysa dumetorum* (Geyer, 1834)** (Noctuidae) Synonym(s): *dumetorum* Geyer, 1834; *rhadama* Milliére, 1883; *mutica* Christoph, 1885; *griseoviridis* Schwingenschuss, 1937 Original Reference: *Noctua dumetorum* Geyer, 1834, [in] Hübner, J., Samml. eur. Schmett. 3: Taf. 176, fig. 839. Type: France, Provence. Range (in code): **ES FR YU GR TR Cc AZ Nv Ord IR Mz Elb Dam Th**
- 63152. *Heterospila fulgurea* Guenée, 1852** (Noctuidae) Synonym(s): *fulgurea* Guenée, 1852; *decisa* Walker, 1865; *simplex* Walker, 1865; *monogramma* Hampson, 1926 Range (in code): **MY Bor Swk ID Sum Ja TH Nrt Kao LA IN PH**
- 63153. *Heterospila nigripalpis* (Walker, 1869)** (Noctuidae) Synonym(s): *nigripalpis* Walker, 1869 Range (in code): **BD IN TH Knc CMA Int Pgg**
- 63154. *Hiaspis closteroides* Walker, [1866]** (Noctuidae) Synonym(s): *closteroides* Walker, [1866] Range (in code): **MY Bor Swk TH Knc**
- 63155. *Hiccoda* Moore, 1882** (Noctuidae) Synonym(s): *Hiccoda* Moore, 1882 Original Reference: *Hiccoda* Moore, 1882, [in] Hewitson & Moore, Descr. new Ind. Lep. Coll. Atkinson: 134. Type-species: *Hiccoda dosaroides* Moore, 1881, by monotypy. Range (in code): **AF ZA**
- 63156. *Hiccoda dosaroides* Moore, 1881** (Noctuidae) Synonym(s): *dosaroides* Moore, 1881; *diplogramma* Hampson, 1908; *nigrifimbria* W. Warren, 1913 Range (in code): **IN AF Srb**
- 63157. *Hiccoda nigripalpis* Walker, [1866]** (Noctuidae) Synonym(s): *nigripalpis* Walker, [1866]; *frausa* Swinhoe, 1886; *pallida* Hampson, 1893 Range (in code): **IN BW KE LS MZ ZA Kzu Nta ZW**
- 63158. *Hiccoda roseitincta* Hampson, 1920** (Noctuidae) Synonym(s): *roseitincta* Hampson, 1920 Range (in code): **ZA**
- 63159. *Lithopolia (Pectinipolia) distincta* (Hreblay & L. Ronkay, 1999)** (Noctuidae) Synonym(s): *distincta* Hreblay & L. Ronkay, 1999 Range (in code): **TH CMA Int**
- 63160. *Lithopolia (Pectinipolia) indistincta* (Hreblay & L. Ronkay, 1998)** (Noctuidae) Synonym(s): *indistincta* Hreblay & L. Ronkay, 1998 Range (in code): **NP**
- 63161. *Lithopolia (Thaipolia) inversa* (Hreblay & L. Ronkay, 1999)** (Noctuidae) Synonym(s): *inversa* Hreblay & L. Ronkay, 1999 Range (in code): **TH CMA Php Fn**
- 63162. *Lithopolia (s.str.) confusa* (Wileman, 1915)** (Noctuidae) Synonym(s): *confusa* Wileman, 1915 Range (in code): **TW**
- 63163. *Lithopolia (s.str.) confusa confusa* (Wileman, 1915)** (Noctuidae) Synonym(s): *confusa* Wileman, 1915 Range (in code): **TW**
- 63164. *Lithopolia (s.str.) confusa unicolor* (Hreblay & L. Ronkay, 1998)** (Noctuidae) Synonym(s): *unicolor* Hreblay & L. Ronkay, 1998 Range (in code): **NP**
- 63165. *Lithopolia (Hiemopolia) albistigma* (Hreblay & L. Ronkay, 1998)** (Noctuidae) Synonym(s): *albistigma* Hreblay & L. Ronkay, 1998 Range (in code): **NP**
- 63166. *Lithopolia (Hiemopolia) bodii* (Hreblay & L. Ronkay, 1998)** (Noctuidae) Synonym(s): *bodii* Hreblay & L. Ronkay, 1998 Range (in code): **NP**
- 63167. *Lithopolia (Hiemopolia) costimacula* (Yoshimoto, 1994)** (Noctuidae) Synonym(s): *costimacula* Yoshimoto, 1994 Range (in code): **NP**
- 63168. *Lithopolia (Hiemopolia) criaquatica* (Hreblay & L. Ronkay, 1999)** (Noctuidae) Synonym(s): *criaquatica* Hreblay & L. Ronkay, 1999 Range (in code): **NP**
- 63169. *Lithopolia (Hiemopolia) csaba* (Hreblay & L. Ronkay, 1999)** (Noctuidae) Synonym(s): *csaba* Hreblay & L. Ronkay, 1999 Range (in code): **TH CMA Php Fn VN Ton Lci Fan**
- 63170. *Lithopolia (Hiemopolia) pua* (Hreblay & L. Ronkay, 1999)** (Noctuidae) Synonym(s): *pua* Hreblay & L. Ronkay, 1999 Range (in code): **TH Nan Pua CMA Php Fn MAI Nan Dpk**
- 63171. *Hillia iris* (Zetterstedt, 1839)** (Noctuidae) Synonym(s): Range (in code): **NO SE FI RU MD UA BY**
- 63172. *Himachalia indiana* (Guenée, 1852)** (Noctuidae) Synonym(s): *indiana* Guenée, 1852; *violacea* Butler, 1889 Range (in code): **IN**
- 63173. *Himachalia lahoulica* Hacker & Peks, 1992** (Noctuidae) Synonym(s): *lahoulica* Hacker & Peks, 1992 Range (in code): **IN Hp Lho**
- 63174. *Himachalia sinensis* (Hampson, 1909)** (Noctuidae) Synonym(s): *sinensis* Hampson, 1909 Range (in code): **CN**
- 63175. *Himalistra arcessita* Hacker & Ronkay, 1993** (Noctuidae) Synonym(s): *arcessita* Hacker & Ronkay, 1993 Range (in code): **IN Hp**
- 63176. *Himalistra caesia* Hreblay & Plante, 1994** (Noctuidae) Synonym(s): *caesia* Hreblay & Plante, 1994 Range (in code): **PK Ch Asr Gg**

- 63177. *Himalistra delicata* (Ronkay, Varga & Behounek,1991)** (Noctuidae) Synonym(s): *delicata* Ronkay, Varga & Behounek,1991 _ Range (in code): TJ Pm
- 63178. *Himalistra dentata* (Hampson,1894)** (Noctuidae) Synonym(s): *dentata* Hampson,1894 _ Range (in code):
- 63179. *Himalistra eriophora* (Püngeler,1901)** (Noctuidae) Synonym(s): *eriophora* Püngeler,1901 _ Original Reference: *Orrhodia eriophora* Püngeler,1901, Dt. ent. Z., Iris 14: 186, Taf.iii fig.16. Holotype ♀: Ost-Turkestan: Aksu (leg. Rückbeil,1900) (NHMU). _ Range (in code): CN Ui Au Kml KG Tk DsA
- 63180. *Himalistra eriophora eriophora* (Püngeler,1901)** (Noctuidae) Synonym(s): *eriophora* Püngeler,1901 _ Original Reference: *Orrhodia eriophora* Püngeler,1901, Dt. ent. Z., Iris 14: 186, Taf.iii fig.16. Holotype ♀: Ost-Turkestan: Aksu (leg. Rückbeil,1900) (NHMU). _ Range (in code): CN Ui Au KG Tk DsA
- 63181. *Himalistra eriophora perspicua* (Püngeler,1925)** (Noctuidae) Synonym(s): *perspicua* Püngeler,1925 _ Original Reference: *Conistra (Orrhodia) eriophora* var. *perspicua* Püngeler,1925, Dt. ent. Z., Iris 39: 233. Holotype ♀: Ost-Turkestan: Chamil-Hami [Kumul] (leg. Rückbeil,1908) (NHMU). _ Range (in code): CN Ui Kml
- 63182. *Himalistra extera* Hacker & Ronkay,1993** (Noctuidae) Synonym(s): *extera* Hacker & Ronkay,1993 _ Range (in code): IN Hp
- 63183. *Himalistra fusca* Hacker & Ronkay,1993** (Noctuidae) Synonym(s): *fusca* Hacker & Ronkay,1993 _ Range (in code): IN Hp PK Haz Ch Asr Gg
- 63184. *Himalistra fusca fumata* Hreblay & Plante,1994** (Noctuidae) Synonym(s): *fumata* Hreblay & Plante,1994 _ Range (in code): PK Ch Asr Gg
- 63185. *Himalistra jeleni* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *jeleni* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lei
- 63186. *Himalistra nekrasovi* Hacker & Ronkay,1993** (Noctuidae) Synonym(s): *nekrasovi* Hacker & Ronkay,1993 _ Range (in code): TJ Pm
- 63187. *Himalistra nivea* Hreblay & Plante,1994** (Noctuidae) Synonym(s): *nivea* Hreblay & Plante,1994 _ Range (in code): PK Ch Asr Gg
- 63188. *Himalistra tahiricola* Ronkay & Hreblay,1994** (Noctuidae) Synonym(s): *tahiricola* Ronkay & Hreblay,1994 _ Range (in code): TR
- 63189. *Hipoepa biasalis* (Walker,[1859])** (Noctuidae) Synonym(s): *biasalis* Walker,[1859]; *lapsalis* Walker,[1859]; *obenbergeri* Strand,1920 _ Range (in code): TW TH CMa Dst ID Sum Clb Bor MY LK IN
- 63190. *Hipoepa fractalis* (Guenée,1854)** (Noctuidae) Synonym(s): *fractalis* Guenée,1854; *raptatalis* Walker,1859; *invenusta* Swinhoe,1890; *#feminina* Strand,1919; *castanea* Rothschild,1920; *plebejus* Rothschild,1920 _ Range (in code): MM Rng TH CMa Int NP IN LK ID Sum PH CN JP KP KR SA CM
- 63191. *Holocryptis erosides* (Hampson,1902)** (Noctuidae) Synonym(s): *erosides* Hampson,1902 _ Range (in code): ZA
- 63192. *Homaea clathrum* Guenée,1852** (Noctuidae) Synonym(s): *clathrum* Guenée,1852 _ Range (in code): PK H-A
- 63193. *Homodes bracteigutta* (Walker,1862)** (Noctuidae) Synonym(s): *bracteigutta* Walker,1862; *erizesta* Turner,1902; *chalcocosma* Turner,1945 _ Range (in code): AU QAU Bor Swk MY TH _ Bionomy: Larva on *Nephelium lappaceum*, *Dimocarpis longan* (Sapindaceae), *Mangifera indica* [Mango] (Anacardiaceae) (Kuroko, Lewvanich,1993).
- 63194. *Homodes crocea* Guenée,1852** (Noctuidae) Synonym(s): *crocea* Guenée,1852 _ Range (in code): ID Ja Adm IN MY TH Ntt Hba CMa Fn Php Sum Bor Clb PH
- 63195. *Homodes iomolybda* Meyrick,1889** (Noctuidae) Synonym(s): *iomolybda* Meyrick,1889; *irretita* Swinhoe,1905; *punctistriga* Bethune_Baker,1906; *molybdosticha* Turner,1945 _ Range (in code): AU QAU IN Khs Meg Ass PG TH Knc Pgg
- 63196. *Homodes perilitha* Hampson,1926** (Noctuidae) Synonym(s): *perilitha* Hampson,1926 _ Range (in code): Bor MY TH Cph Srt _ Bionomy: Larva on *Nephelium lappaceum* (Sapindaceae), *Lansium domesticum* [langsat] (Meliaceae), *Ipomoea aquatica* [water spinach] (Convolvulaceae) (Kuroko, Lewvanich,1993; Lewvanich,2001).
- 63197. *Hondryches phalaeniformis* (Guenée,1852)** (Noctuidae) Synonym(s): *phalaeniformis* Guenée,1852 _ Range (in code): ZA Wca Nam
- 63198. *Hoplarista haemaplaga* Hampson,1910** (Noctuidae) Synonym(s): *haemaplaga* Hampson,1910 _ Range (in code): ZW

- 63199. *Hoplodrina ambigua* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *ambigua* [Denis & Schiffermüller],1775; *plantaginis* Hübner,[1813]; *uniformis* Swinhoe,1885 **Original Reference:** *Noctua ambigua* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 77. **Type(s):** [Austria]: Vienna district. **Range (in code):** MA DZ TN LY? PT ES MU FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR Cc CY IQ DK SE EE LV LT RU Ro Kr St No Ich Ing MD UA BY AF Srb PK Bl Qu IR Fa By Yas Ke Gh Elb Mz Th Kdj Gls EG TM CN Ui TJ IL Hf Pa SY JO LB Bsa UZ N-A KK T-S GG Smt Bjo AZ Kir Ges Btina Lbs Hmk Abe Sbd Prr Khh Dhm Agi **Bionomy:** Larva Lactuca, Plantago, Taraxacum, Urtica, Viola (Calle et al., 2000).
- 63200. *Hoplodrina blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813]. **Original Reference:** *Noctua blanda* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: **Type(s):** [Austria]: Vienna district. **Range (in code):** TN DhM PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ Kir Len AM Cc DK NO SE FI EE LV LT RU Kr St Ing Da MD UA BY IR Elb Mz Th Ak Aha Gh
- 63201. *Hoplodrina blanda blanda* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *blanda* [Denis & Schiffermüller],1775; *redacta* Haworth,1809; *taraxaci* Hübner,[1813]. **Original Reference:** *Noctua blanda* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: **Type(s):** [Austria]: Vienna district. **Range (in code):** PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Kir DK NO SE FI EE LV LT RU Kr St Ing Da MD UA BY
- 63202. *Hoplodrina blanda robusta* Boursin,1940** (Noctuidae) **Synonym(s):** *robusta* Boursin,1940 **Original Reference:** *Hoplodrina blanda* ssp. *robusta* Boursin,1940, Mitt. münch. ent. Ges. 30: 536. **Syntypes:** Iran Sept., Elburs-Geb., Tacht i Suleiman, Sārdab Tal (Hasankif) 1000-1400m; Vandarban 2500-2700m (coll.Pfeiffer) (ZSM). **Range (in code):** IR Elb Mz Th Ak Aha Gh
- 63203. *Hoplodrina hesperica* Dufay & Boursin,1960** (Noctuidae) **Synonym(s):** *hesperica* Dufay & Boursin,1960 **Range (in code):** ES MU FR
- 63204. *Hoplodrina levis* (Staudinger,1888)** (Noctuidae) **Synonym(s):** *levis* Staudinger,1888 **Original Reference:** *Caradrina alsines* var. *levis* Staudinger,1888, Stettin ent. Ztg. 49:29. **Syntypes:** [Usbekistan]: Namangan, Margelan. **Range (in code):** UZ Fe Man Nmg TR Cc IR Elb Th Lo KG Tk Dj KK TrA
- 63205. *Hoplodrina octogenaria* (Goeze,1781)** (Noctuidae) **Synonym(s):** *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 nec Hübner,[1803] **Original Reference:** *Phalaena octogenaria* Goeze,1781, Ent. Beytr. 3(3): 227. **Range (in code):** TN DhM DZ Ges Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc IR DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY KK TrA
- 63206. *Hoplodrina pfeifferi* (Boursin,1932)** (Noctuidae) **Synonym(s):** *pfeifferi* Boursin,1932. **Original Reference:** *Athetis pfeifferi* Boursin,1932, Int. ent. Z. 23: 247-248, fig. **Syntypes** 2♂: Libanon: Bscharre (NHMW). **Range (in code):** TR LB Bsa IR Zj Elb Th Kd Bne Mrv Cc AM AZ RU Ich Ing Da IQ
- 63207. *Hoplodrina respersa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *respersa* [Denis & Schiffermüller],1775; *margaritacea* Borkhausen,1792 nec Vill.,1789 **Original Reference:** *Noctua respersa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 314. **Type(s):** [Austria]: Vienna district. **Range (in code):** PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AZ Kir AM DK EE LV LT RU MD UA BY
- 63208. *Hoplodrina superstes* (Ochsenheimer,1816)** (Noctuidae) **Synonym(s):** *superstes* Ochsenheimer,1816 **Original Reference:** *Caradrina superstes* Ochsenheimer,1816, Schmett. Eur. 4:80. **Type(s):** Europa. **Range (in code):** PT ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Nv Ord AM Cc RU Da Der Ro Kr St Nt Ich Ing MD UA BY
- 63209. *Hoplotarache holoxantha* Hampson,1910** (Noctuidae) **Synonym(s):** *holoxantha* Hampson,1910 **Original Reference:** *Hoplotarache holoxantha* Hampson,1910, Cat. lepid. Phal. Br. Mus. 10: 718, pl.171 fig.1. **Type:** Uganda, White Nile, Gondokoro (BMNH). **Range (in code):** UG
- 63210. *Hulodes angulata* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *angulata* A.E.Prout,1928 **Range (in code):** ID Sum
- 63211. *Hulodes caranea* (Cramer,[1780])** (Noctuidae) **Synonym(s):** *caranea* Cramer,[1780]; *carenea* Poole,1989 **Range (in code):** TH CMa Cuo Cuo7 MY MM IN Mh Nsk NP CN TW JP ID Sum Bor Ja Tim Flo Kai PG PH

- 63212. *Hulodes drylla* Guenée, 1852** (Noctuidae) Synonym(s): *drylla* Guenée, 1852; *saturnioides* Guenée, 1852; *restorans* Walker, 1858; *fusifascia* Walker, 1869; *donata* Schultze, 1907 _ Range (in code): TH CMA Int IN Mh Nsk BD Syl MY MM VN CN ID Sum Bor Ja PG PH Mno
- 63213. *Hulodes fusifascia* (Walker, 1869)** (Noctuidae) Synonym(s): *fusifascia* Walker, 1869 _ Range (in code): AU QAU
- 63214. *Hulodes gravata* A.E.Prout, 1932** (Noctuidae) Synonym(s): *gravata* A.E.Prout, 1932 _ Range (in code): ID Ij
- 63215. *Hulodes hilaris* A.E.Prout, 1921** (Noctuidae) Synonym(s): *hilaris* A.E.Prout, 1921 _ Range (in code): ID Ij
- 63216. *Hulodes ischnesthes* A.E.Prout, 1932** (Noctuidae) Synonym(s): *ischnesthes* A.E.Prout, 1932 _ Range (in code): PG
- 63217. *Hulodes solomonensis* A.E.Prout, 1932** (Noctuidae) Synonym(s): *solomonensis* A.E.Prout, 1932 _ Range (in code): SB
- 63218. *Hyalobole orthosioides* W.Warren, 1911** (Noctuidae) Synonym(s): *orthosioides* W.Warren, 1911 _ Range (in code): IN SI Djl
- 63219. *Hyalobole subtropica* Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) Synonym(s): *subtropica* Hreblay, Peregovits & L.Ronkay, 1999 _ Range (in code): TH CMA
- 63220. *Hyamia subterminalis* Walker, [1866]** (Noctuidae) Synonym(s): *subterminalis* Walker, [1866]. _ Range (in code): ZA
- 63221. *Hydraecia micacea* (Esper, 1789)** (Noctuidae) Synonym(s): *micacea* Esper, 1789; *cypriaca* Hübner, [1803]. _ Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Cc Ro Kr St Ich MD UA BY CN Ui Chk KK TrA
- 63222. *Hydraecia mongoliensis* Urbahn, 1967** (Noctuidae) Synonym(s): *mongoliensis* Urbahn, 1967 _ Range (in code): RU MN
- 63223. *Hydraecia nordstroemi* Horke, 1952** (Noctuidae) Synonym(s): *nordstroemi* Horke, 1952 _ Range (in code): DK SE FI EE LV RU MD UA BY
- 63224. *Hydraecia osseola* (Staudinger, 1882)** (Noctuidae) Synonym(s): *osseola* Staudinger, 1882 _ Range (in code): ES FR Sa IT GB RO GR RU Cc Ro KG DsA
- 63225. *Hydraecia petasitis* Doubleday, 1847** (Noctuidae) Synonym(s): *petasitis* Doubleday, 1847 _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Cc Kr MD UA BY
- 63226. *Hydraecia petasitis vindelica* (Freyer, 1849)** (Noctuidae) Synonym(s): *vindelica* Freyer, 1849 _ Range (in code):
- 63227. *Hydraecia praecipua* Hacker & Nekrasov, 2001** (Noctuidae) Synonym(s): *praecipua* Hacker & Nekrasov, 2001 _ Range (in code): Cc RU Da
- 63228. *Hydraecia songariae* (Alpheraky, 1882)** (Noctuidae) Synonym(s): *songariae* Alpheraky, 1882 _ Range (in code): CN Ui Chk Ti
- 63229. *Hydraecia terminata* Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *terminata* Varga & L.Ronkay, 1991 _ Range (in code): MN
- 63230. *Hydraecia ultima* Holst, 1965** (Noctuidae) Synonym(s): *ultima* Holst, 1965 _ Range (in code): DE AT PL CZ SK HU DK SE FI EE LV LT RU Cc Ich
- 63231. *Hydredes delattini* (Wiltshire, 1953)** (Noctuidae) Synonym(s): *delattini* Wiltshire, 1953
Original Reference: Arenostola delattini Wiltshire, 1953, Proc. R. ent. Soc. London 22 (B): 217.
Holotype ♂: Iran, Shiraz 5500ft. leg.E.P.Wiltshire (BMNH). _ Range (in code): IR Fa Shr
- 63232. *Hydredes praecipua* (Hacker & Nekrasov, 2001)** (Noctuidae) Synonym(s): *praecipua* Hacker & Nekrasov, 2001 _ Range (in code): RU Cc Da
- 63233. *Hydredes shchetkini* Volynkin, Matov & Gyulai, 2014** (Noctuidae) Synonym(s): *shchetkini* Volynkin, Matov & Gyulai, 2014 _ Range (in code): TJ
- 63234. *Hydredes yakobsoni* Matov & Volynkin, 2014** (Noctuidae) Synonym(s): *yakobsoni* Matov & Volynkin, 2014 _ Range (in code): KG Aa Tk KK
- 63235. *Hydrillodes abavialis* (Walker, [1859])** (Noctuidae) Synonym(s): *abavialis* Walker, [1859];
#abavalis Kononenko & Pinratana, 2005 _ Range (in code): LK MY Bor TH Nan Dpk VN LA ID Sum CN TW
- 63236. *Hydrillodes bryophiloides* (Butler, 1876)** (Noctuidae) Synonym(s): *bryophiloides* Butler, 1876 _ Range (in code): ZA
- 63237. *Hydrillodes erythusalis* Walker, 1859** (Noctuidae) Synonym(s): *erythusalis* Walker, 1859;
tennenti C.Felder & Rogenhofer, 1874 _ Range (in code): PK Abb MY Bor Swk

- 63238. Hydrillodes hemusalis (Walker,[1859])** (Noctuidae) Synonym(s): *hemusalis* Walker,[1859]; *latifascialis* Walker,[1866]; *subbasalis* Moore,1877; *nilgirialis* Hampson,1895 - Range (in code): **MY Bor ID Clb Sum Adm IN NI TH Knc Nan Dpk VN NP IN PH TW**
- 63239. Hydrillodes lentalis Guenée,1854** (Noctuidae) Synonym(s): *lentalis* Guenée,1854; *hemusalis* Walker,[1859]; *latifascialis* Walker,[1859]; *metisalis* Walker,[1859]; *moloalis* Walker,[1859]; *momusalis* Walker,[1859]; *basalis* Moore,1867; *submorosa* Strand,1920 - Range (in code): **ZA Tva Gau Pre IN KR JP TW TH LA VN MM BD LK Adm CN ID Sum Bor Clb**
- 63240. Hydrillodes morosa (Butler,1879)** (Noctuidae) Synonym(s): *morosa* Butler,1879 - Range (in code): **JP LK**
- 63241. Hydrillodes uliginosalis Guenée,1854** (Noctuidae) Synonym(s): *uliginosalis* Guenée,1854; *cleobisalis* Walker,[1859]; *thelephusalis* Walker,[1859]; *#thelphusalis* Pinhey,1975. - Range (in code): **ZA**
- 63242. Hydrilloides gravatalis (Walker,1859)** (Noctuidae) Synonym(s): *gravatalis* Walker,1859 - Range (in code): **WS IN Pj SI NI Adm Bor LK**
- 63243. Hydrilloides sigma Tams,1935** (Noctuidae) Synonym(s): *sigma* Tams,1935 - Range (in code): **WS**
- 63244. Hydrilloides surata Meyrick,1909** (Noctuidae) Synonym(s): *surata* Meyrick,1909 - Range (in code): **WS FJ TO**
- 63245. Hypanua roseitincta Hampson,1918** (Noctuidae) Synonym(s): *roseitincta* Hampson,1918 - Range (in code): **ZA**
- 63246. Hypanua xylina (Distant,1898)** (Noctuidae) Synonym(s): *xylina* Distant,1898 - Range (in code): **ZA Tva Gau Pre Ec Tra**
- 63247. Hypena (Conscitalypena) conscitalis Walker,[1866]** (Noctuidae) Synonym(s): *conscitalis* Walker,[1866]; *semilutea* Snellen,1872; *strigatalis* Saalmüller,1880. - Range (in code): **ZA**
- 63248. Hypena (Jussalypena) abyssinialis Guenée,1854** (Noctuidae) Synonym(s): *abyssinialis* Guenée,1854; *ignotalis* Walker,[1859]. - Range (in code): **ET YE SA CG ZR SD RW KE TZ MW MZ ZM ZA Tva Gau Jh Pre Nta Kzu Dbn MG PK IN MM TW**
- 63249. Hypena (Jussalypena) abyssinialis abyssinialis Guenée,1854** (Noctuidae) Synonym(s): *abyssinialis* Guenée,1854; *ignotalis* Walker,[1859]. - Range (in code): **ET YE SA CG ZR SD RW KE TZ MW MZ ZM ZA Tva Gau Jh Pre Nta Kzu Dbn MG PK IN MM TW**
- 63250. Hypena (Jussalypena) helenae Berio,1972** (Noctuidae) Synonym(s): *helenae* Berio,1972 - Range (in code): **ZA**
- 63251. Hypena (Jussalypena) holophaea Hampson,1902** (Noctuidae) Synonym(s): *holophaea* Hampson,1902 - Range (in code): **ZA Nta Kzu Dbn**
- 63252. Hypena (Jussalypena) holophaea holophaea Hampson,1902** (Noctuidae) Synonym(s): *holophaea* Hampson,1902 - Range (in code): **ZA Nta Kzu Dbn**
- 63253. Hypena (Jussalypena) jussalis Walker,[1859]** (Noctuidae) Synonym(s): *jussalis* Walker,[1859]; *#juxtal* Pinhey,1975. - Range (in code): **CI GH BN NG ZR UG SD ZR ET KE TZ MW ZM ZA MG**
- 63254. Hypena (Jussalypena) jussalis jussalis Walker,[1859]** (Noctuidae) Synonym(s): *jussalis* Walker,[1859]; *#juxtal* Pinhey,1975. - Range (in code): **CI GH BN NG ZR UG SD ZR ET KE TZ MW ZM ZA MG**
- 63255. Hypena (Jussalypena) laceratalis Walker,[1859]** (Noctuidae) Synonym(s): *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabille,1880; *acrocompsa* Turner,1932. - Range (in code): **PK Cp IN LK MG YE SA MR OM IQ Bsr Sk SL CI SD ET KE UG TZ MW MZ ZW BW NA ZA Gau Pre Nta Kzu Dbn Tva CN FJ RE AU NSw TH Nan Dpk VN ID Sum Bli HK TW**
- 63256. Hypena (Jussalypena) laceratalis laceratalis Walker,[1859]** (Noctuidae) Synonym(s): *laceratalis* Walker,[1859]; *senectalis* Guenée,1862; *hemigrammalis* Mabille,1880; *acrocompsa* Turner,1932. - Range (in code): **PK Cp IN LK MG YE MR SA OM IQ Bsr Sk SL CI SD ET KE UG TZ MW MZ ZW BW NA ZA Gau Pre Nta Kzu Dbn Tva CN FJ RE AU NSw TH Nan Dpk VN ID Sum Bli HK TW**
- 63257. Hypena (Jussalypena) puncticosta A.E.Prout,1925** (Noctuidae) Synonym(s): *puncticosta* A.E.Prout,1925 - Range (in code): **ZR UG KE TZ MW ZA Nta Kzu MG KM**
- 63258. Hypena (Jussalypena) puncticosta puncticosta A.E.Prout,1925** (Noctuidae) Synonym(s): *puncticosta* A.E.Prout,1925 - Range (in code): **ZR UG KE TZ MW ZA Nta Kzu MG KM**
- 63259. Hypena (Ophiuche) lividalis (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicalis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; *bipartita* Smith,1900. - Original Reference: *Pyralis lividalis* Hübner,1796, Samml. eur. Schmett., Pyral. 1: pl.2 fig.11. Type: Europa. - Range (in code): **US MA DZ Clo Abe Tun Bsk Gf TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD**

- UA BY HV Cn DZ TN EG LB Bei Bsa IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MR MG IN MX VE Bionomy: Larva on Urtica, Parietaria (Lödl,1994).
- 63260. Hypena (Ophiuche) lividalis lividalis (Hübner,1796)** (Noctuidae) Synonym(s): *lividalis* Hübner,1796; *diagonalis* Fabricius,1794; *simplicialis* Zeller,1852; *abjurialis* Walker,[1859]; *scissalis* Walker,[1866]; ? *perna* R.Felder & Rogenhofer,1873; *bipartita* Smith,1900. Original Reference: *Pyralis lividalis* Hübner,1796, Samml. eur. Schmett., Pyral. 1: pl.2 fig.11. Type: Europa. Range (in code): US MA DZ Abe Tun Bsk Gf TN LY PT ES Mu FR Co Sa Si IT MT LU DE AL BG GR Cr TR CY DK SE RU MD UA BY HV Cn DZ TN EG LB Bei IL Pa JO YE Sk GN SD KE TZ MW ZA Ec Nta Kzu Dbn MG IN MX VE Bionomy: Larva on Urtica, Parietaria (Lödl,1994).
- 63261. Hypena (Ophiuche) neoplyta A.E.Prout,1925** (Noctuidae) Synonym(s): *neoplyta* A.E.Prout,1925; *aequabilis* A.E.Prout,1927. Range (in code): CM ST KE TZ MW AO ZA Nta Kzu Dbn MG KM
- 63262. Hypena (Ophiuche) neoplyta neoplyta A.E.Prout,1925** (Noctuidae) Synonym(s): *neoplyta* A.E.Prout,1925; *aequabilis* A.E.Prout,1927. Range (in code): CM ST KE TZ MW AO ZA Nta Kzu Dbn MG KM
- 63263. Hypena (Pseudodichromia) laetalimaior Lödl,1995** (Noctuidae) Synonym(s): *laetalimaior* Lödl,1995 Range (in code): ZA
- 63264. Hypena (Pseudodichromia) laetalis Walker,[1859]** (Noctuidae) Synonym(s): *laetalis* Walker,[1859]; *lyperalis* Mabilite,1880; *ectoglaucia* Hampson,1902. Range (in code): GN GH CG ZR UG RW TZ MW MZ ZM ZA Nta Kzu Dbn Tva Lpo ZW MG
- 63265. Hypena (Pseudodichromia) laetalis laetalis Walker,[1859]** (Noctuidae) Synonym(s): *laetalis* Walker,[1859]; *lyperalis* Mabilite,1880; *ectoglaucia* Hampson,1902. Range (in code): GN GH CG ZR UG RW TZMW MZ ZM ZA Nta Kzu Dbn Tva Lpo ZW MG
- 63266. Hypena (Tetrastictypena) tetrasticta Hampson,1910** (Noctuidae) Synonym(s): *tetrasticta* Hampson,1910 Range (in code): ZM MW KE ZW ZA Tva Lpo Gau Pre
- 63267. Hypena (Tetrastictypena) tetrasticta tetrasticta Hampson,1910** (Noctuidae) Synonym(s): *tetrasticta* Hampson,1910 Range (in code): ZM MW KE ZW ZA Tva Lpo Gau Pre
- 63268. Hypena (Trichypena) fuscualis Saalmüller,1891** (Noctuidae) Synonym(s): *fuscualis* Saalmüller,1891 Range (in code): MG GH UG MZ ZA Tva Lpo ZA14 Kzu Nta Dbn
- 63269. Hypena (Trichypena) fuscualis fuscualis Saalmüller,1891** (Noctuidae) Synonym(s): *fuscualis* Saalmüller,1891 Range (in code): MG GH UG MZ ZA Tva Lpo ZA14 Kzu Nta Dbn
- 63270. Hypena (Trichypena) melanistis Hampson,1902** (Noctuidae) Synonym(s): *melanistis* Hampson,1902 Range (in code): ZA Ec Tra Tva Lpo ZA14
- 63271. Hypena (Trichypena) melanistis melanistis Hampson,1902** (Noctuidae) Synonym(s): *melanistis* Hampson,1902 Range (in code): ZA Ec Tra Tva Lpo ZA14
- 63272. Hypena (s.str.) cherylae Lödl,1995** (Noctuidae) Synonym(s): *cherylae* Lödl,1995 Range (in code): ZA
- 63273. Hypena (s.str.) cinctipetalis Zeller,1852** (Noctuidae) Synonym(s): *cinctipetalis* Zeller,1852 Original Reference: *Hypena cinctipetalis* Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 12-13. Type: [South Africa]: Caffra. Range (in code): ZA
- 63274. Hypena (s.str.) obacerralis Walker,[1859]** (Noctuidae) Synonym(s): *obacerralis* Walker,[1859]; *longipalpalis* Guenée,1852; *sordida* Rothschild,1921. Range (in code): SN GA GO Bio GN ML SL CI GH CM CF ZR ER ET SD UG BI SA YE Sk TZ MW MZ ZM ZW MG MR ZA Nta Kzu KM IN Adm MM MY AU QAU Bsm RE LK PG ID Sum TH
- 63275. Hypena (s.str.) obacerralis obacerralis Walker,[1859]** (Noctuidae) Synonym(s): *obacerralis* Walker,[1859]; *longipalpalis* Guenée,1852; *sordida* Rothschild,1921. Range (in code): SN GA GN ML SL CI GH GO Bio CM CF ZR ER ET SD UG BI SA YE Sk TZ MW MZ ZM ZW MG MR ZA Nta Kzu KM IN Adm MM MY AU QAU Bsm RE LK PG ID Sum TH
- 63276. Hypena (s.str.) obsitalis (Hübner,[1813])** (Noctuidae) Synonym(s): *obsitalis* Hübner,[1813] Original Reference: *Pyralis obsitalis* Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab. 25 figs.164,165; Tab.28 fig.179. Syntypes: Europa; Neotype ♂: [Kroatien]: Dalmatia merid., Gravosa Schwingenschuss leg. (NHMW) (designated by Lödl,1994). Range (in code): Cn TN DZ Mzg Rbt Agi Hrh Dzc Sfr Blid Abe Sbd Clo MA PT ES Mu FR Co Sa Si IT MT IE GB LU CH AT YU AL BG GR Cr Rd TR GG Smt Akh Ce CY IL Pa JO EG Sn LB Bei Bsa SY IQ IR Kh Fa Kaz Mia Sse Kz Yas SA Sk ET SD Bionomy: Larva on Parietaria officinalis, Urtica (Spuler,1908; Seitz,1913).
- 63277. Hypena (s.str.) polycyma Hampson,1902** (Noctuidae) Synonym(s): *polycyma* Hampson,1902 Range (in code): ZA Nta Kzu Dbn Tra MG KM ZW TZ KE UG ET CM

- 63278. Hypena (s.str.) polycyma polycyma Hampson,1902** (Noctuidae) Synonym(s): *polycyma* Hampson,1902. _ Range (in code): **ZA Nta Kzu Dbn Tra MG KM ZW TZ KE UG ET CM**
- 63279. Hypena (s.str.) senialis Guenée,1854** (Noctuidae) Synonym(s): *senialis* Guenée,1854; *potamistis* Hampson,1902. _ Range (in code): **NA KE NG ET TZ Tnga Usa Ani ZR ZA Nta Kzu Tra Ec ZW AO MW**
- 63280. Hypena (s.str.) senialis senialis Guenée,1854** (Noctuidae) Synonym(s): *senialis* Guenée,1854; *potamistis* Hampson,1902. _ Range (in code): **NA KE NG ET TZ Tnga Usa Ani ZR ZA Nta Kzu Tra Ec ZW AO MW**
- 63281. Hypena (s.str.) strigata (Fabricius,1798)** (Noctuidae) Synonym(s): *strigatus* Fabricius,1798; *commixtalis* Zeller,1852; *fumidalis* Zeller,1852; *jussalis* Walker,[1859]; *rectivittalis* Moore,1867; *beatalis* R.Felder & Rogenhofer,[1874]; *minna* Butler,1879; *speculalis* Swinhoe,1885; *vecordialis* Swinhoe,1885; *haplochroma* Hulsaert,1924. _ Range (in code): **ZA Nta Kzu ZR TH VN IN Mh Bba BD CN TW KP KR JP ID Ja Sum Tnm SC** Bionomy: Larva on Citrus reticulata (Rutaceae) (Kuroko, Lewvanich,1993).
- 63282. Hypena (s.str.) strigata strigata (Fabricius,1798)** (Noctuidae) Synonym(s): *strigatus* Fabricius,1798; *commixtalis* Zeller,1852; *fumidalis* Zeller,1852; *jussalis* Walker,[1859]; *rectivittalis* Moore,1867; *beatalis* R.Felder & Rogenhofer,[1874]; *minna* Butler,1879; *speculalis* Swinhoe,1885; *vecordialis* Swinhoe,1885; *haplochroma* Hulsaert,1924. _ Range (in code): **ZA Nta Kzu ZR TH VN IN Mh Bba BD CN TW KP KR JP ID Ja Sum Tnm SC** Bionomy: Larva on Citrus reticulata (Rutaceae) (Kuroko, Lewvanich,1993).
- 63283. Hypena (s.str.) striolalis Aurivillius,1910** (Noctuidae) Synonym(s): *striolalis* Aurivillius,1910; *reticulata* Bethune-Baker,1911. _ Range (in code): **TZ CM ZR ET UG BI RW KE MW ZM ZW ZA Tva Lpo**
- 63284. Hypena (s.str.) striolalis striolalis Aurivillius,1910** (Noctuidae) Synonym(s): *striolalis* Aurivillius,1910; *reticulata* Bethune-Baker,1911. _ Range (in code): **TZ CM ZR ET UG BI RW KE MW ZM ZW ZA Tva Lpo**
- 63285. Hypena (s.str.) varialis Walker,[1866]** (Noctuidae) Synonym(s): *varialis* Walker,[1866]; *contortalis* Mabille,1880. _ Range (in code): **SL CI GH BF ST ZR CM UG RW BI TZ KE MW ZA Nta Dbn Kzu**
- 63286. Hypena (s.str.) varialis varialis Walker,[1866]** (Noctuidae) Synonym(s): *varialis* Walker,[1866]; *contortalis* Mabille,1880. _ Range (in code): **SL CI GH BF ST ZR CM UG RW BI TZ KE MW ZA Nta Dbn Kzu**
- 63287. Hypena (s.str.) vulgatalis Walker,[1859]** (Noctuidae) Synonym(s): *vulgatalis* Walker,[1859]; *palpitralis* Walker,[1859]; *disclusalis* Walker,[1866]. _ Range (in code): **ZA Ec**
- 63288. Hypena (s.str.) vulgatalis vulgatalis Walker,[1859]** (Noctuidae) Synonym(s): *vulgatalis* Walker,[1859]; *palpitralis* Walker,[1859]; *disclusalis* Walker,[1866]. _ Range (in code): **ZA Ec**
- 63289. Hypena amica (Butler,1878)** (Noctuidae) Synonym(s): *amica* Butler,1878. Original Reference: *Dichromia amica* Butler,1878, Ill. Type Spec. Lepid. Het. Colln. Br. Mus. 2: 55. Type(s): Japan: Yokohama. Range (in code): **JP**
- 63290. Hypena assimilis Hampson,1891** (Noctuidae) Synonym(s): *assimilis* Hampson,1891. Range (in code): **AF IN NI TH Ntt Hba LK TW**
- 63291. Hypena cidarioides Moore,1882** (Noctuidae) Synonym(s): *cidarioides* Moore,1882. Range (in code): **IN Khs Ass Meg TH Knc Nan Dpk**
- 63292. Hypena crassalis (Fabricius,1787)** (Noctuidae) Synonym(s): *crassalis* Fabricius,1787; *fontis* Thunberg,1788; *achatalis* Hübner,1796; *crassatus* Haworth,1809; *achatus* Haworth,1809. Original Reference: *Phalaena crassalis* Fabricius,1787, Mant. Ins. 2: 317. Type(s): Austria. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc AM MD UA BY**
- 63293. Hypena gonospilalis Walker,1865** (Noctuidae) Synonym(s): *gonospilalis* Walker,1865. Range (in code): **WS PC FJ MY**
- 63294. Hypena iconicalis Walker,[1859]** (Noctuidae) Synonym(s): *iconicalis* Walker,[1859]; *subnotalis* Walker,[1866]; *sulalis* Walker,[1866]; *similata* Moore,1882; *herpa* Swinhoe,1901; *apicipuncta* Strand,1920; *belindana* Strand,1920; *chosokeiana* Strand,1922. _ Range (in code): **LK IN MY TH Nan Dpk LA MM CN Adm ID Sum Ja Bli Bor Amb Cib PG TW PH**
- 63295. Hypena inconspicua Snellen,1880** (Noctuidae) Synonym(s): *inconspicua* Snellen,1880. Range (in code): **ID Clb TH Nan Dpk**
- 63296. Hypena indicatalis Walker,[1859]** (Noctuidae) Synonym(s): *indicatalis* Walker,[1859]; *indicatalis* Walker,[1859]; *semiclusalis* Walker,[1866]; *tortuosa* Moore,1882; *persimilis* Hampson,1891; *caliginosa* Wileman,1911. _ Range (in code): **PK IQ Bor Swk TH CMa CDo MY IN Djl SI Khs Ass Meg NI Ch Snm JP ID Ja Sum TW KP KR**
- 63297. Hypena klapperichi Wiltshire,1961** (Noctuidae) Synonym(s): *#klapperichi* Wiltshire,1961 (proposed conditionally!) _ Range (in code): **AF Nu Bsg**

- 63298. *Hypena labatalis* Walker,[1859]** (Noctuidae) Synonym(s): *labatalis* Walker,[1859]
Range (in code): **IN LK TH Nan Dpk CN AU**
- 63299. *Hypena lignealis* Walker,1866** (Noctuidae) Synonym(s): *lignealis* Walker,1866 Range (in code): **LK TH Nan Dpk TW JP**
- 63300. *Hypena longipennis* Walker,1865** (Noctuidae) Synonym(s): *longipennis* Walker,1865
Range (in code): **IN SI Djl TH Nan Dpk**
- 63301. *Hypena munitalis* Mann,1861** (Noctuidae) Synonym(s): *munitalis* Mann,1861. Original Reference: *Hypena munitalis* Mann,1861, Wien. ent. Monatschr. 5: 158. Type ♂: [Türkei]: Amasia. Range (in code): **BG MK GR TR GG Smt Bjo Akh Cc AM RU Kr IL Pa LB Bei** Bionomy: Larva on Vincetoxicum tmoieum in "Lydien" (Lederer,1865; Seven & Bakowski,1996).
- 63302. *Hypena obesalis* Treitschke,1829** (Noctuidae) Synonym(s): *obesalis* Treitschke,1829; *crassalis* Hübner,1796 Original Reference: *Hypena obesalis* Treitschke,1829, [in] Ochsenheimer, Schmett. Eur. 7: 27. Range (in code): **ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK FI RU Cc St Kb Kc Nt Ich Da Sb MD UA BY IR Fa Kaz Mia AM IQ PK AF UZ MN CN Ui Kun** Bionomy: LLrva on Urtica (Wiltshire,1957).
- 63303. *Hypena obfuscalis* Hampson,1893** (Noctuidae) Synonym(s): *obfuscalis* Hampson,1893
Range (in code): **LK TH Nan Dpk**
- 63304. *Hypena opulenta* (Christoph,1877)** (Noctuidae) Synonym(s): *opulenta* Christoph,1877
Range (in code): **RU GG Smt Bjo Lag Cc Ro Kr St Kb Ich Ing Da TR IR Elb Clu Mz Glz Kh AF**
- 63305. *Hypena palpalis* (Hübner,1796)** (Noctuidae) Synonym(s): *palpalis* Hübner,1796; *extensalis* Guenée,1854; *armenialis* Staudinger,1901. Original Reference: *Pyralis palpalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.2 fig.9. Type(s): Europa. Range (in code): **FR Co Sa Si IT YU AL BG GR TR AM RU GG Tbl Cc St Da MD UA BY AF LB Bsa IR Fa Sse IQ Rwz** Bionomy: Larva on Parietaria (Wiltshire,1957).
- 63306. *Hypena perspicua* Leech,1900** (Noctuidae) Synonym(s): *perspicua* Leech,1900 Range (in code): **CN Mou Ome JP TH CMa Fn Php**
- 63307. *Hypena phecomalis* Swinhoe,1905** (Noctuidae) Synonym(s): *phecomalis* Swinhoe,1905
Range (in code): **IN Ass Meg Khs TH Nan Dpk**
- 63308. *Hypena proboscidalis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *proboscidalis* Linnaeus,1758; *tatorhina* Butler,1879 Original Reference: *Phalaena proboscidalis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Type(s): Europa. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Cc GG Smt Bjo Lag Bku Ro Kr St Kc Nt Ich Ing MD UA BY PK K-P**
- 63309. *Hypena quadralis* (Walker,[1859])** (Noctuidae) Synonym(s): *quadralis* Walker,[1859]; *mollis* Swinhoe,1891 Range (in code): **IN Ass Meg Khs AF TH CMa Dst Dso7 Nan Dpk MY LA KH VN NP Adm CN ID Sum Bor Nk PH**
- 63310. *Hypena robustalis* Snellen,1880** (Noctuidae) Synonym(s): *robustalis* Snellen,1880; *allochroalis* Tams,1924 Range (in code): **TH Bnk VN ID Sum Clb PG FJ TW**
- 63311. *Hypena rostralis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *rostralis* Linnaeus,1758; *radiatalis* Hübner,1796; *rostratus* Haworth,1809; *vittatus* Haworth,1809 Original Reference: *Phalaena rostralis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Type(s): [Europa]. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Kyi Da Sb At MD UA BY LB SY IR Elb Mz PK IN CN Ui Kun**
- 63312. *Hypena sagitta* (Fabricius,1775)** (Noctuidae) Synonym(s): *sagitta* Fabricius,1775; *orosia* Cramer,1780 Original Reference: *Noctua sagitta* Fabricius,1775; Syst. Ent.: 597. Type(s): India. Range (in code): **PK IN TH Cbu VN CN TW KP KR JP** Bionomy: Larva on Piper betle (Piperaceae) (Lewvanich,2001).
- 63313. *Hypena sinuosa* Wileman,1911** (Noctuidae) Synonym(s): *sinuosa* Wileman,1911 Range (in code): **TH CMa Int TW JP**
- 63314. *Hypena* sp.1** (Noctuidae) Synonym(s): Range (in code): **TH Nan Dpk CMa CDo CD2**
- 63315. *Hypena* sp.2** (Noctuidae) Synonym(s): Range (in code): **TH CMa Fn Php**
- 63316. *Hypena* sp.3** (Noctuidae) Synonym(s): Range (in code): **TH Knc**
- 63317. *Hypena* sp.4** (Noctuidae) Synonym(s): Range (in code): **TH CMa Dst**
- 63318. *Hypena* sp.5** (Noctuidae) Synonym(s): Range (in code): **TH Nan Dpk**
- 63319. *Hypena strigifascia* Moore,1882** (Noctuidae) Synonym(s): *strigifascia* Moore,1882
Range (in code): **IN SI Djl NP TH Nan Dpk**
- 63320. *Hypena triangularis* Moore,1882** (Noctuidae) Synonym(s): *triangularis* Moore,1882
Range (in code): **IN Ass Meg Khs**

- 63321. *Hypena trigonalis* (Guenée,1854)** (Noctuidae) Synonym(s): *trigonalis* Guenée,1854; *sextalis* Walker,[1859] - Range (in code): **IN CN TH CMa Int LA VN PK TW KP KR JP**
- 63322. *Hypena umbripennis* Moore,1882** (Noctuidae) Synonym(s): *umbripennis* Moore,1882
Range (in code): **IN Ass Meg Khs TH Nan Dpk**
- 63323. *Hypena uncipennis* Swinhoe,1895** (Noctuidae) Synonym(s): *uncipennis* Swinhoe,1895
Range (in code): **IN Meg Cpj**
- 63324. *Hypena variegatoides* Poole,1989** (Noctuidae) Synonym(s): *variegata* Wileman & South,1921 nec Swinh.,1918; *variegatoides* Poole,1989 - Range (in code): **PH Luz**
- 63325. *Hypena verticalis* Hampson,1910** (Noctuidae) Synonym(s): *verticalis* Hampson,1910
Range (in code): **ZM**
- 63326. *Hypena viridifascia* D.S.Fletcher,1963** (Noctuidae) Synonym(s): *viridifascia* D.S.Fletcher,1963 - Range (in code): **CM Bit**
- 63327. *Hypenodes anatolica* Schwingenschuss,1938** (Noctuidae) Synonym(s): *anatolica* Schwingenschuss,1938; *nigritalis* Ronkay,1984. - Range (in code): **BG GR TR**
- 63328. *Hypenodes cypriaca* Fibiger, Pekarsky & Ronkay,2010** (Noctuidae) Synonym(s): *cypriaca* Fibiger, Pekarsky & Ronkay,2010 - Range (in code): **CY**
- 63329. *Hypenodes humidalis* Doubleday,1850** (Noctuidae) Synonym(s): *humidalis* Doubleday,1850; *turfosalis* Wocke,1850 - Range (in code): **FR Sa Si? IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 63330. *Hypenodes kalchbergi* Staudinger,1876** (Noctuidae) Synonym(s): *kalchbergi* Staudinger,1876 - Range (in code): **Si RO YU TR IQ Bgd** Bionomy: 1
- 63331. *Hypenodes nigritalis* Ronkay,1984** (Noctuidae) Synonym(s): *nigritalis* Ronkay,1984
Range (in code): **BG**
- 63332. *Hypenodes orientalis* Staudinger,1901** (Noctuidae) Synonym(s): *orientalis* Staudinger,1901; *nesiota* Rebel,1916. - Range (in code): **FR HU MK RO BG Cr TR UA Cm RU Cc Ich TM LB Bsa CY**
- 63333. *Hypenodes orientis* Brandt,1938** (Noctuidae) Synonym(s): *orientis* Brandt,1938
Range (in code): **IR Fa**
- 63334. *Hypenodes taona* Tams,1935** (Noctuidae) Synonym(s): *taona* Tams,1935 - Range (in code): **WS**
- 63335. *Hypercodia wheeleri* Pinhey,1968** (Noctuidae) Synonym(s): *wheeleri* Pinhey,1968
Range (in code): **ZA**
- 63336. *Hyperlopha cristifera* (Walker,1865)** (Noctuidae) Synonym(s): *cristifera* Walker,1865; *epops* R.Felder & Rogenhofer,1874; *irrorata* Hampson,1893 - Range (in code): **LK IN NI TH Ntt Hba VN KH TW ID Sum Bor Clb MY WS FJ NH NC**
- 63337. *Hyperlopha* sp. aff. *flavipennis* Holloway,1976** (Noctuidae) Synonym(s): *flavipennis* Holloway,1976 - Range (in code): **TH MY**
- 63338. *Hypernaenia denticulata* (W.Warren,1888)** (Noctuidae) Synonym(s): *denticulata* W.Warren,1888 Original Reference: *Ochropleura denticulata* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 307. Syntypes 3♂: [Pakistan]: Thundiani, August 1886. Range (in code): **PK Thu**
- 63339. *Hyperstrotia albicincta* (Hampson,1898)** (Noctuidae) Synonym(s): *albicincta* Hampson,1898; *curvilinea* Wileman,1911 - Range (in code): **IN Ass Meg Khs KP KR CN JP**
- 63340. *Hypersynoides congoensis* Berio,1954** (Noctuidae) Synonym(s): *congoensis* Berio,1954
Range (in code): **ZR ZA**
- 63341. *Hypersynoides ochreicilia* (Hampson,1891)** (Noctuidae) Synonym(s): *ochreicilia* Hampson,1891 - Range (in code): **IN NI TH CMa Php CDo MAI Nan Dpk ID Sum Bli PH**
- 63342. *Hypersynoides punctosa* (Walker,1865)** (Noctuidae) Synonym(s): *punctosa* Walker,1865; *albistigma* Leech,1900; *ochreimarginalis* Strand,1919 Original Reference: *Sypna punctosa* Walker,1865, List spec. lepid. Ins. Colln. Br. Mus. 33: 939. Range (in code): **PK Abb TH Nan Dpk CMa Dst CN Sz VN IN TW PH Luz JP**
- 63343. *Hypersynoides submarginata* (Walker,1865)** (Noctuidae) Synonym(s): *submarginata* Walker,1865 - Range (in code): **IN IR Fa Kaz**
- 63344. *Hypersynoides umbrosa* (Butler,1881)** (Noctuidae) Synonym(s): *umbrosa* Butler,1881
Range (in code): **IN Ass Slo TH CMa Php NP CN TW**
- 63345. *Hypeuthina fulgurita* Lederer,1855** (Noctuidae) Synonym(s): *fulgurita* Lederer,1855
Original Reference: *Hypeuthina fulgurita* Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 199, pl.4 fig.1. Syntypes 3♂ 2♀: [Lebanon]: Beirut. Range (in code): **LB Bei SY TR IQ Ry Rwz Dia Brs Kq IR Bu Fa IL Pa Hf JO**

- 63346. Hypobarathra ictérias (Eversmann,1843)** (Noctuidae) Synonym(s): *ictérias Eversmann,1843* _ Range (in code): **RU MD UA BY**
- 63347. Hypobarathra repetita (Butler,1889)** (Noctuidae) Synonym(s): *repetita Butler,1889* Range (in code): **IN Hp Drm Lho**
- 63348. Hypocala andamana Wileman,1924** (Noctuidae) Synonym(s): *lativitta Moore,1877 nec Wlk.,1865; andamana Wileman,1924* _ Range (in code): **TH Cbi Phr Nrt Knc Sbu IN Adm PG**
Bionomy: Larva on Aegle marmelos [Bengal quince] (Rutaceae), Diospyros mollis [ebony tree], D.gracilis [ma kluea ka] (Ebenaceae) (Lewvanich,2001).
- 63349. Hypocala biarcuata Walker,1858** (Noctuidae) Synonym(s): *biarcuata Walker,1858* Range (in code): **IN TH CMa Int MY TW JP ID Clb Sbw PG**
- 63350. Hypocala deflorata (Fabricius,1794)** (Noctuidae) Synonym(s): *deflorata Fabricius,1794; australasiae Butler,1892; moorei Butler,1892.* Original Reference: *Noctua deflorata Fabricius,1794, Ent. Syst. 3 (2): 127.* Type(s): India orientali. Range (in code): **ZA Lpo Tva Spb Mdk WS FJ AU LK Dek IN Mh Nsk NI TH CMa Int CDo VN NP ID CN TW JP KP KR RU Us NZ Hw MG ET ET24**
- 63351. Hypocala guttiventris Walker,1858** (Noctuidae) Synonym(s): *guttiventris Walker,1858; lativitta Walker,1865; triphaenina R.Felder & Rogenhofer,1874* _ Range (in code): **WS AU QAU TH MY LA VN IN LK TW PH ID Sum Bor Ja Clb Tim Flo**
- 63352. Hypocala rostrata (Fabricius,1794)** (Noctuidae) Synonym(s): *rostrata Fabricius,1794; angulipalpis Guenée,1852; efflorescens Guenée,1852; plumicornis Guenée,1852; genuina Wallengren,1856; bohemani Wallengren,1856.* Original Reference: *Noctua rostrata Fabricius,1794, Ent. Syst. 3 (2): 127.* Type(s): India orientali. Range (in code): **ZA Nta Kzu Est Dbn ZW Har BW Nga YE? TH Phu CMa Cuo Cuo5 Int CDo VN IN Mh Nsk LK Dek Pdy NP PK AF CN TW JP KP KR PH ID**
- 63353. Hypocala subsatura Guenée,1852** (Noctuidae) Synonym(s): *subsatura Guenée,1852; aspersa Butler,1883; limbata Butler,1889; tungusa Graeser,1890* _ Range (in code): **RU Am Us IN BD Syl Hp Drm TH CMa Dst Int CDo MY VN NP PK Swa Mdy ID Ja Bor CN TW JP KP KR**
- 63354. Hypocala violacea Butler,1879** (Noctuidae) Synonym(s): *violacea Butler,1879; clarissima Butler,1892; kebaea Bethune-Baker,1906* _ Range (in code): **IN LK PG TH Knc CMa Cuo Cuo7 Int MY VN NP ID Tim Flo PH TW JP KP KR**
- 63355. Hypocalamia meterythra (Hampson,1894)** (Noctuidae) Synonym(s): *meterythra Hampson,1894* _ Range (in code): **PK Haz Mre N-G**
- 63356. Hypoepa fractalis (Guenée,1854)** (Noctuidae) Synonym(s): *fractalis Guenée,1854* Range (in code):
- 63357. Hypoperigea lunulata Holloway,1979** (Noctuidae) Synonym(s): *lunulata Holloway,1979* Range (in code): **NC**
- 63358. Hypoplexia algoa (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *algoa R.Felder & Rogenhofer,1874* _ Range (in code): **ZA Ec Kny Tva Lpo Wri Nta Kzu Dbn**
- 63359. Hypoplexia conjuncta Hampson,1908** (Noctuidae) Synonym(s): *conjuncta Hampson,1908* _ Range (in code): **ZA Ec Nta Kzu Dbn Esw Kkf**
- 63360. Hypoplexia externa (Walker,1857)** (Noctuidae) Synonym(s): *externa Walker,1857* Range (in code): **ZA Ec Ans**
- 63361. Hypoplexia melanica Hampson,1911** (Noctuidae) Synonym(s): *melanica Hampson,1911* Range (in code): **ZA**
- 63362. Hypoplexia varicolor (W.Warren,1914)** (Noctuidae) Synonym(s): *varicolor W.Warren,1914* _ Range (in code): **ZA Wca Cto**
- 63363. Hypopyra africana (Kirby,1896)** (Noctuidae) Synonym(s): *africana Kirby,1896* Range (in code): **ZA**
- 63364. Hypopyra allardi (Oberthür,1878)** (Noctuidae) Synonym(s): *allardi Oberthür,1878* Range (in code): **ZA**
- 63365. Hypopyra capensis Herrich-Schäffer,[1854]** (Noctuidae) Synonym(s): *capensis Herrich-Schäffer,[1854]; endoxantha Hampson,1913; occidentalis Hampson,1913; plumbeifusa Hampson,1913; pulverulenta Hampson,1913; hamponi Aurivillius,1926.* _ Range (in code): **NG KE MZ Del ZA Tva Lpo Spb Lj Nta Kzu Kkf Mv Ec Grh**
- 63366. Hypopyra carneotincta (Hampson,1913)** (Noctuidae) Synonym(s): *carneotincta Hampson,1913* _ Range (in code): **ZA**
- 63367. Hypopyra feniseca Guenée,1852** (Noctuidae) Synonym(s): *feniseca Guenée,1852* Range (in code): **TH Agk CMa VN NP CN**
- 63368. Hypopyra guttata Wallengren,1856** (Noctuidae) Synonym(s): *guttata Wallengren,1856* Range (in code): **ZA**

- 63369. Hypopyra ossigera Guenée,1852** (Noctuidae) Synonym(s): *ossigera* Guenée,1852
Range (in code): **TH Pgg CMa Int MY VN IN TW ID Sum Bor Clb**
- 63370. Hypopyra pudens (Walker,1858)** (Noctuidae) Synonym(s): *pudens* Walker,1858;
grandaeva R.Felder & Rogenhofer,1874; *persimilis* Moore,1877 - Range (in code): **In Adm MY TH CMa Int VN ID Sum Bor TW**
- 63371. Hypopyra shiva Guenée,1852** (Noctuidae) Synonym(s): *shiva* Guenée,1852; *extricans* Walker,1858; *distans* Moore,1882; *pallida* Moore,1883 - Range (in code): **LK Cbo CN PK IN**
- 63372. Hypopyra vespertilio (Fabricius,1787)** (Noctuidae) Synonym(s): *vespertilio* Fabricius,1787; *hypopyroides* Walker,1858; *hypopyroides* Walker,1869 nec Wlk.,1858; *signata* Walker,1869; *dulcina* R.Felder & Rogenhofer,1874; *pandia* R.Felder & Rogenhofer,1874 - Original Reference: *Noctua vespertilio* Fabricius,1787, Mantissa Insectorum 2: 136. Type: *Tranquebariae*. Range (in code): **LK IN Mh Nsk Bba CN JP TH Bnk Nrt CMa CDo MY KH VN NP Adm TW KP KR ID Ja Bor Sum PH**
- 63373. Hyposada assimilis W.Warren,1914** (Noctuidae) Synonym(s): *assimilis* W.Warren,1914
Range (in code): **TW**
- 63374. Hyposada astona (Swinhoe,1901)** (Noctuidae) Synonym(s): *astona* Swinhoe,1901
Range (in code): **MY Bor Swk**
- 63375. Hyposada brunnea (Leach,1900)** (Noctuidae) Synonym(s): *brunnea* Leach,1900
Range (in code): **JP**
- 63376. Hyposada carneotincta Hampson,1918** (Noctuidae) Synonym(s): *carneotincta* Hampson,1918 - Range (in code): **MW**
- 63377. Hyposada effectaria De Joannis,1928** (Noctuidae) Synonym(s): *effectaria* De Joannis,1928 - Range (in code): **VN Ton**
- 63378. Hyposada erubescens W.Warren,1913** (Noctuidae) Synonym(s): *erubescens* W.Warren,1913 - Range (in code): **MY Bor Swk**
- 63379. Hyposada fasciosa (Moore,1888)** (Noctuidae) Synonym(s): *fasciosa* Moore,1888
Range (in code): **IN SI Djl**
- 63380. Hyposada hirashimai Sugi,1982** (Noctuidae) Synonym(s): *hirashimai* Sugi,1982
Range (in code): **JP**
- 63381. Hyposada hydrocampata (Guenée,1858)** (Noctuidae) Synonym(s): *hydrocampata* Guenée,1858; *posticaria* Walker,1866; *fraterculata* Moore,1888; *pallescent* Hampson,1894; *partita* Lucas,1900; *#hydrocampata* Vari & Kroon,1986 - Range (in code): **ZA IN Ben Clc AU QAU Bri**
- 63382. Hyposada ineffectaria (Walker,1861)** (Noctuidae) Synonym(s): *ineffectaria* Walker,1861
Range (in code): **MY Bor Swk**
- 63383. Hyposada juncuturalis (Walker,[1866])** (Noctuidae) Synonym(s): *juncuturalis* Walker,[1866] - Range (in code): **SL**
- 63384. Hyposada leucoma De Joannis,1928** (Noctuidae) Synonym(s): *leucoma* De Joannis,1928
Range (in code): **VN Ton**
- 63385. Hyposada melanosticta Hampson,1910** (Noctuidae) Synonym(s): *melanosticta* Hampson,1910 - Range (in code): **NG**
- 63386. Hyposada niveipuncta W.Warren,1913** (Noctuidae) Synonym(s): *niveipuncta* W.Warren,1913 - Range (in code): **IN Ass Meg Khs**
- 63387. Hyposada pallidicosta W.Warren,1913** (Noctuidae) Synonym(s): *pallidicosta* W.Warren,1913 - Range (in code): **IN Ass Meg Khs**
- 63388. Hyposada postvittata (Moore,1887)** (Noctuidae) Synonym(s): *postvittata* Moore,1887; *anisodoides* Hampson,1894 - Range (in code): **LK**
- 63389. Hyposada ruptifascia (Moore,1888)** (Noctuidae) Synonym(s): *ruptifascia* Moore,1888; *lycaugesaria* Swinhoe,1890 - Range (in code): **IN Clc MM**
- 63390. Hyposada tritonia (Hampson,1898)** (Noctuidae) Synonym(s): *tritonia* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 63391. Hyposada zavattarii Berio,1944** (Noctuidae) Synonym(s): *zavattarii* Berio,1944
Range (in code): **ET**
- 63392. Hyposemansis albipuncta (Wileman,1914)** (Noctuidae) Synonym(s): *albipuncta* Wileman,1914 - Range (in code): **TH Nan Dpk TW NP CN KP KR**
- 63393. Hyposemansis singha (Guenée,1852)** (Noctuidae) Synonym(s): *singha* Guenée,1852; *amynoides* Moore,1882; *subornata* Wileman,1914 - Range (in code): **TH Nrt Kao MM IN Clc NP BD Syl ID Sum Bor MY TW JP**
- 63394. Hypospila bolinoides Guenée,1852** (Noctuidae) Synonym(s): *bolinoides* Guenée,1852; *signipalpis* Walker,1858; *thermesiana* Guenée,1862; *conscia* Walker,1865; *orientalis* Leech,1900; *andamana*

- Swinhoe,1919; dochmotoma Turner,1939* _ Range (in code): AU QAU KP KR JP CN TW ID Mlc Crm Adm Nk Ja IN RE NP KH VN TH CMa CDo Pki Fn Php
- 63395. Hypospila similis Tams,1935** (Noctuidae) *Synonym(s): similis Tams,1935* _ Range (in code): WS
- 63396. Hypotacha bubo Berio,1941** (Noctuidae) *Synonym(s): bubo Berio,1941* _ Range (in code): SO
- 63397. Hypotacha fiorii Berio,1943** (Noctuidae) *Synonym(s): fiorii Berio,1943* _ Range (in code): ET ET87
- 63398. Hypotacha indecisa (Walker,[1858])** (Noctuidae) *Synonym(s): indecisa Walker,[1858]; sabulosa Swinhoe,1884* _ Range (in code): IN Pj PK Cp Krc Sd
- 63399. Hypotacha isthmigera Wiltshire,1968** (Noctuidae) *Synonym(s): isthmigera Wiltshire,1968* _ Range (in code): SD Wme
- 63400. Hypotacha nigristria (Hampson,1902)** (Noctuidae) *Synonym(s): nigristria Hampson,1902* _ Range (in code): ZA Ec Tra
- 63401. Hypotacha ochribasalis (Hampson,1896)** (Noctuidae) *Synonym(s): ochribasalis Hampson,1896* _ Range (in code): YE Ad
- 63402. Hypotacha raffaldii Berio,1939** (Noctuidae) *Synonym(s): raffaldii Berio,1939* _ Range (in code): ER
- 63403. Hypotacha retracta (Hampson,1902)** (Noctuidae) *Synonym(s): retracta Hampson,1902* _ Range (in code): ZA Nta Kzu Est Ec Tra
- 63404. Hypotype nigridentata (Hampson,1902)** (Noctuidae) *Synonym(s): nigridentata Hampson,1902* _ Range (in code): ZA Ec Tra
- 63405. Hypotype scotomista (Hampson,1902)** (Noctuidae) *Synonym(s): scotomista Hampson,1902* _ Range (in code): ZA
- 63406. Hyppa rectilinea (Esper,[1788])** (Noctuidae) *Synonym(s): rectilinea Esper,[1788]; albopicta Matsumura,1952* _ Original Reference: Phalaena rectilinea Esper,[1788], Die Schmett. 4 (2(1): 379, Taf. 127, Noct. 48 fig.1. Syntypes: Deutschland: Schwaben, Unteressendorf, usw. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR CY DK NO SE FI EE LV LT RU Cc Kb Kr No MD UA BY At Ya Sb Am Us Kmt Krl Sh JP _ Bionomy: Larva on Vaccinium, Rubus, etc. (Hacker,1989).
- 63407. Hypsophila jugorum (Erschoff,1874)** (Noctuidae) *Synonym(s): jugorum Erschoff,1874; pamira Staudinger,1888; #postlimbalis Strand,1915; #medialis Strand,1915* _ Range (in code): UZ Fe Ch TJ KK T-A Feg Ik TeA CN Ui Ga Kml
- 63408. Hypsophila jugorum haberhaueri (Staudinger,1882)** (Noctuidae) *Synonym(s): haberhaueri Staudinger,1882* _ Range (in code): KK Feg Ik TeA CN Ui Ga Kml
- 63409. Hypsophila jugorum jugorum (Erschoff,1874)** (Noctuidae) *Synonym(s): jugorum Erschoff,1874; pamira Staudinger,1888; #postlimbalis Strand,1915; #medialis Strand,1915* _ Range (in code): UZ Fe Ch TJ KK T-A
- 63410. Hypsophila klapperichi Boursin,1957** (Noctuidae) *Synonym(s): klapperichi Boursin,1957* _ Range (in code): AF
- 63411. Hypsophila tamerlana Staudinger,1901** (Noctuidae) *Synonym(s): tamerlana Staudinger,1901* _ Original Reference: Hypsophila jugorum var. tamerlana Staudinger,1901, Cat. lepid. palaearkt. Faunengeb. 3(1): 220. Syntypes: [China: Uighur A.R.]: Korla, Kaschgar, Thian or. (trans.). Range (in code): CN Ui Kl Ga T-S
- 63412. Hyssia cavernosa (Eversmann,1852)** (Noctuidae) *Synonym(s): cavernosa Eversmann,1852* _ Original Reference: Orthosia cavernosa Eversmann,1852, Bull. Soc. imp. nat. Moscou 15:547. Syntypes: [Russia]: Ural, Kasan. Range (in code): IT CH AT PL CZ SK HU RO MD UA BY TR Cc KG Tk Dj RU St Ing Da At Ur Tt MN CN Ui Ku KK TeA _ Bionomy: Larva on Silene, Aristolochia (auct.).
- 63413. Hyssia cavernosa cavernosa (Eversmann,1842)** (Noctuidae) *Synonym(s): cavernosa Eversmann,1852* _ Original Reference: Orthosia cavernosa Eversmann,1852, Bull. Soc. imp. nat. Moscou 15:547. Syntypes: [Russia]: Ural, Kasan. Range (in code): KG Tk Dj KK TeA RU Ur Tt At MN CN Ui Ku
- 63414. Hyssia cavernosa gozmanyi Kovacs,1968** (Noctuidae) *Synonym(s): gozmanyi Kovacs,1968* _ Range (in code): IT CH AT PL CZ SK HU RO RU St Ing Da MD UA BY TR Cc
- 63415. Hyssia pallidicosta Hampson,1918** (Noctuidae) *Synonym(s): pallidicosta Hampson,1918* _ Range (in code): ZA

- 63416. *Iambia brunnea* W.Warren,1914** (Noctuidae) **Synonym(s):** *brunnea* W.Warren,1914
Range (in code): **ZA Nta Kzu**
- 63417. *Iambia inferalis* Walker,1863** (Noctuidae) **Synonym(s):** *inferalis* Walker,1863; *velutina* R.Felder & Rogenhofer,1874
Range (in code): **ZA Nta Kzu Dbn Umk Nha Mpu Tva Brb Wb ZW Uma**
- 63418. *Iambia jansei* Berio,1966** (Noctuidae) **Synonym(s):** *jansei* Berio,1966
Range (in code): **ZA**
- 63419. *Iambia melanochlora* (Hampson,1902)** (Noctuidae) **Synonym(s):** *melanochlora* Hampson,1902; *albimacula* Janse,1937
Range (in code): **ZA Nta Kzu Kkf Dbn Esw**
- 63420. *Iambia postpallida* Wiltshire,1977** (Noctuidae) **Synonym(s):** *postpallida* Wiltshire,1977
Range (in code):
- 63421. *Iambiodes incerta* (Rothschild,1913)** (Noctuidae) **Synonym(s):** *incerta* Rothschild,1913
Original Reference: *Bryophila incerta* Rothschild,1913, Novit. zool. 20: 125, 469. Syntypes 1♂ 1♀.
Algeria, Oued Nça. **Range (in code):** **DZ Onç**
- 63422. *Iambiodes nyctostola* Hampson,1918** (Noctuidae) **Synonym(s):** *nyctostola* Hampson,1918
Range (in code): **ZA Tva Gau Pre ZW Bul MW**
- 63423. *Iambiodes postpallida* Wiltshire,1977** (Noctuidae) **Synonym(s):** *postpallida* Wiltshire,1977
Range (in code): **SD Wme**
- 63424. *Idia auge* (Hampson,1902)** (Noctuidae) **Synonym(s):** *auge* Hampson,1902
Range (in code): **ZA**
- 63425. *Idia calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *calvaria* [Denis & Schiffermüller],1775; *calvarialis* Hübner,1818
Original Reference: *Noctua calvaria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district. **Range (in code):** **ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo CY IQ RU Cc Kr MD UA BY IR GlS Kh**
Bionomy: Larva on *Quercus* (Fagaceae), *Betula* (Betulaceae), *Salix*, *Populus* (Salicaceae) (Beck,1960; Rakosy,1996; etc.).
- 63426. *Idia calvaria calvaria* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *calvaria* [Denis & Schiffermüller],1775
Original Reference: *Noctua calvaria* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district. **Range (in code):** **ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Cc Kr MD UA BY**
- 63427. *Idia calvaria meridiorientalis* (Osthelder,1940)** (Noctuidae) **Synonym(s):** *meridiorientalis* Osthelder,1940
Original Reference: *Epizeuxis calvaria* ssp. *meridiorientalis* Osthelder,1940, Mitt. münch. ent. Ges. 30 (1): 111. Syntypes: Türkei, [Kahramanmaraş], "Marasch". **Range (in code):** **TR**
- 63428. *Idia fulvipicta* (Butler,1889)** (Noctuidae) **Synonym(s):** *fulvipicta* Butler,1889; *modesta* Swinhoe,1890
Range (in code): **MM Rgo TH Nan IN Hp Drm NI JP TW**
- 63429. *Idia fumosa* (Hampson,1896)** (Noctuidae) **Synonym(s):** *fumosa* Hampson,1896
Range (in code):
- 63430. *Idia gigantalis* (Hampson,1902)** (Noctuidae) **Synonym(s):** *gigantalis* Hampson,1902
Range (in code): **ZA**
- 63431. *Idia lubricalis* (Geyer,1832)** (Noctuidae) **Synonym(s):** *lubricalis* Geyer,1832
Range (in code): **ID Ja**
- 63432. *Idia pulvereana* (Hampson,1902)** (Noctuidae) **Synonym(s):** *pulvereana* Hampson,1902
Range (in code): **ZA**
- 63433. *Ilyrgis echephurealis* Walker,1859** (Noctuidae) **Synonym(s):** *echephurealis* Walker,1859
Range (in code): **LK**
- 63434. *Ilyrgis ethiopica* Hampson,1926** (Noctuidae) **Synonym(s):** *ethiopica* Hampson,1926
Range (in code): **ET**
- 63435. *Immetalia bernsteini* (Voll.,1863)** (Noctuidae) **Synonym(s):** *bernsteini* Voll.,1863; *josioides* Walker,1864; *xanthomelas* Boisduval,1874; *angustiplaga* Rothschild,1896
Range (in code): **ID Hm Bch**
- 63436. *Immetalia celebensis* Rothschild,1896** (Noctuidae) **Synonym(s):** *celebensis* Rothschild,1896; *heydeni* Pagenstecher,1896
Range (in code): **ID Clb**
- 63437. *Immetalia cyanea* Rothschild,1896** (Noctuidae) **Synonym(s):** *cyanea* Rothschild,1896
Range (in code): **PG**
- 63438. *Immetalia diversa* Rothschild,1896** (Noctuidae) **Synonym(s):** *diversa* Rothschild,1896
Range (in code): **PG**
- 63439. *Immetalia eichhorni* Rothschild,1901** (Noctuidae) **Synonym(s):** *eichhorni* Rothschild,1901
Range (in code): **SB**

- 63440. *Immetalia longipalpis* (Kirsch,1877)** (Noctuidae) Synonym(s): *longipalpis* Kirsch,1877; *tyrianthina* Butler,1879; *bruijni* Oberthür,1880; *doreyana* Swinhoe,1892; *cynapes* Druce,1895; *prochyta* Druce,1895. Range (in code): PG
- 63441. *Immetalia meeki* Rothschild,1896** (Noctuidae) Synonym(s): *meeki* Rothschild,1896; *huonis* Rothschild,1897; *keiana* Rothschild,1903. Range (in code): PG Fg ID Kai
- 63442. *Immetalia saturata* (Walker,1864)** (Noctuidae) Synonym(s): *saturata* Walker,1864; *doleschalli* R.Felder & Rogenhofer,1874. Original Reference: *Eusemia saturata* Walker,1864, List 31: 54. Type: [Indonesia]: Buru. Range (in code): ID Bru Amb
- 63443. *Inouenola diversalis* (Inoue,1991)** (Noctuidae) Synonym(s): *diversalis* Inoue,1991. Range (in code): TW
- 63444. *Inouenola grisalis* (Hampson,1893)** (Noctuidae) Synonym(s): *grisalis* Hampson,1893. Range (in code): LK Pdy
- 63445. *Inouenola pallescens* (Wileman & West,1929)** (Noctuidae) Synonym(s): *pallescens* Wileman & West,1929. Range (in code): TW
- 63446. *Interdelta intermedia* (Janse,1937)** (Noctuidae) Synonym(s): *intermedia* Janse,1937. Range (in code): ZA
- 63447. *Interdelta jansei* Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *jansei* Hacker & Fibiger,2001. Range (in code): YE YE68
- 63448. *Interdelta mediafricana* Berio,1964** (Noctuidae) Synonym(s): *mediafricana* Berio,1964. Range (in code): ZA ZR
- 63449. *Iontha umbrina* Doubleday,1842** (Noctuidae) Synonym(s): *umbrina* Doubleday,1842. Original Reference: *Iontha umbrina* Doubleday,1842, Entomologist 1: 298. Type: [Bangladesh]: Silhet. Range (in code): TH Nrt Kao CMa Int MY LA VN CN IN BD Syl ID Bor Sum Ja Clb Sda
- 63450. *Ipimorpha contusa* (Freyer,1849)** (Noctuidae) Synonym(s): *contusa* Freyer,1849. Range (in code): DE AT PL SK NO FI EE LV LT RU MD UA BY
- 63451. *Ipimorpha retusa* (Linnaeus,1761)** (Noctuidae) Synonym(s): *retusa* Linnaeus,1761; *chreysoglossa* Beckwith,1794; *gracilis* Haworth,1809. Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO MK BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Kr Ich Ing MD UA BY Bionomy: Larva on Salix, Populus, Alnus (Hacker,1989).
- 63452. *Ipimorpha subtusa* (Fabricius,1787)** (Noctuidae) Synonym(s): *#subtusa* [Denis & Schiffermüller],1775; *subtusa* Fabricius,1787. Original Reference: *Noctua subtusa* Fabricius,1787, Mant. Ins. 2: 152-153, nr. 130. Type(s): [Wien]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT AM RU GG Smt Bjo Lag Cc Ro Kr St Ich Ing At Sb Us MD UA BY MN KP KR JP Bionomy: Larva on Populus (Hacker,1989).
- 63453. *Iranada ornata* (Brandt,1938)** (Noctuidae) Synonym(s): *ornata* Brandt,1938. Original Reference: *Armada ornata* Brandt,1938, Ent. Rdsch. 55: 561, figs.195-199. Syntypes: Iran: Fort Mian-Kotal. Range (in code): IR Fa Ahz Kaz Mia
- 63454. *Iranada secunda* (Erschoff,1874)** (Noctuidae) Synonym(s): *secunda* Erschoff,1874. Range (in code): TM Kp
- 63455. *Iranada tarachoides* (Bytinski-Salz & Brandt,1937)** (Noctuidae) Synonym(s): *tarachoides* Bytinski-Salz & Brandt,1937. Original Reference: *Armada tarachoides* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 9. Syntypes 3♂ 1♀: Iran: Keredj, 1600m. Range (in code): IR Kdj Elb Mz Gls Th Fa By Km Lo TR
- 63456. *Iranada turcorum* (Zerny,1915)** (Noctuidae) Synonym(s): *turcorum* Zerny,1915. Original Reference: *Armada turcorum* Zerny,1915, Verh. zool.- bot. Ges. Wien 65: 223. Syntypes: Sinai, Haifa. Range (in code): IL Pa Hf LB Bei IQ EG Sn JO SY IR Ss Es Chh Hz B-A OM AE SA
- 63457. *Iranada turcorum atrior* Wiltshire,1977** (Noctuidae) Synonym(s): *atrior* Wiltshire,1977. Range (in code): OM AE IR Ss Es Chh Hz B-A SA IQ
- 63458. *Iranada turcorum turcorum* (Zerny,1915)** (Noctuidae) Synonym(s): *turcorum* Zerny,1915. Original Reference: *Armada turcorum* Zerny,1915, Verh. zool.- bot. Ges. Wien 65: 223. Syntypes: Sinai, Haifa. Range (in code): Sn EG IL Pa Hf LB Bei
- 63459. *Iranada venusta* (Brandt,1939)** (Noctuidae) Synonym(s): *venusta* Brandt,1939. Range (in code): IR Ss Chh
- 63460. *Iranada versicolor* (Brandt,1939)** (Noctuidae) Synonym(s): *versicolor* Brandt,1939. Range (in code): IR Fa
- 63461. *Isadelphina vinacea* (Hampson,1902)** (Noctuidae) Synonym(s): *vinacea* Hampson,1902. Range (in code): ZW Uma

- 63462. *Ischyja ferrifracta* (Walker,[1863])** (Noctuidae) Synonym(s): *ferrifracta* Walker,[1863]; *schlegeli* Snellen,1884; *glaucopteron* Hampson,1891 _ Range (in code): **IN NI Bor Swk MY TH Rng ID Ja MM LK TW JP PH**
- 63463. *Ischyja hagenii* (Snellen,1885)** (Noctuidae) Synonym(s): *hagenii* Snellen,1885 _ Range (in code): **ID Sum Lb Ja Bor TH Tng PH Pal**
- 63464. *Ischyja hemiphaea* (Hampson,1926)** (Noctuidae) Synonym(s): *hemiphaea* Hampson,1926 Range (in code): **IN Mh Nsk MY SG TH CMa Cuo Cuo1 Nrt Kao Bor**
- 63465. *Ischyja inferna* Swinhoe,1902** (Noctuidae) Synonym(s): *inferna* Swinhoe,1902; *achysis* A.E.Prout,1928 _ Range (in code): **Bor Sbh KBa MY TH Tng CMa Int ID Sum IN**
- 63466. *Ischyja manlia* (Cramer,1776)** (Noctuidae) Synonym(s): *manlia* Cramer,1776; *squalida* Fabricius,1787; *amboinensis* C.Felder,1862 _ Range (in code): **IN Mh Nsk Amb ID TH Nrt Kao CMa Int Phr Knc Pkk Nna Bnk Cbi Tng MY KH VN NP IN CN LK Kndy Pdy TW JP Sum Bor Ja Tim Flo Clb Mlc Crm PH** Bionomy: Larva on Litchi chinensis [litchi], Dimocarpis longan [longan] (Sapindaceae), Mangifera indica [Mango] (Anacardiaceae) (Kuroko & Lewvanich,1993).
- 63467. *Ischyja marapok* Holloway,2005** (Noctuidae) Synonym(s): *marapok* Holloway,2005 Range (in code): **MY TH Knc Bor Sbh BN IN Adm PH**
- 63468. *Isochlora affinis* (Draudt,1935)** (Noctuidae) Synonym(s): *affinis* Draudt,1935 _ Range (in code): **Ch**
- 63469. *Isochlora arctomys* (Alpheraky,1892)** (Noctuidae) Synonym(s): *arctomys* Alpheraky,1892; *idia* Staudinger,[1900] _ Range (in code): **CN Ui Kl Kml**
- 63470. *Isochlora atra* Hreblay & Gyulai,1998** (Noctuidae) Synonym(s): *atra* Hreblay & Gyulai,1998 _ Range (in code): **CN Ui Alt**
- 63471. *Isochlora chloroptera* (Hampson,1894)** (Noctuidae) Synonym(s): *chloroptera* Hampson,1894 _ Range (in code): **Ch**
- 63472. *Isochlora daghestana* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *daghestana* Hreblay & L.Ronkay,1998 _ Range (in code): **Cc RU Da Kb**
- 63473. *Isochlora grumi* Alpheraky,1892** (Noctuidae) Synonym(s): *grumi* Alpheraky,1892 Range (in code): **CN Ts**
- 63474. *Isochlora herbacea* Alpheraky,1895** (Noctuidae) Synonym(s): *herbacea* Alpheraky,1895 Range (in code): **MN U-B**
- 63475. *Isochlora intricans* (Alpheraky,1882)** (Noctuidae) Synonym(s): *intricans* Alpheraky,1882 Range (in code): **CN Ui Ju Kl**
- 63476. *Isochlora leuconeura* Püngeler,1904** (Noctuidae) Synonym(s): *leuconeura* Püngeler,1904 Range (in code): **CN Ui Alt**
- 63477. *Isochlora metaphaea* Hampson,1906** (Noctuidae) Synonym(s): *metaphaea* Hampson,1906 _ Range (in code): **SI IN**
- 63478. *Isochlora minima* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *minima* Hreblay & L.Ronkay,1998 _ Range (in code): **MN**
- 63479. *Isochlora rubicosta* Chen,1982** (Noctuidae) Synonym(s): *rubicosta* Chen,1982 _ Range (in code): **CN Ts**
- 63480. *Isochlora straminea* (Leech,1900)** (Noctuidae) Synonym(s): *straminea* Leech,1900 Range (in code): **CN**
- 63481. *Isochlora vecors* Püngeler,1904** (Noctuidae) Synonym(s): *vecors* Püngeler,1904 Range (in code): **CN Ui Alt**
- 63482. *Isochlora viridis* Staudinger,1882** (Noctuidae) Synonym(s): *viridis* Staudinger,1882; *albivitta* Alpheraky,1892; *fuscovirens* Hampson,1894; *longivitta* Püngeler,1901; *yarkenda* A.Bang-Haas,1912. Range (in code): **CN Ui Au Yk Ts Kno Ch KG Ssn Lps KK TeA**
- 63483. *Isochlora viridissima* Staudinger,1882** (Noctuidae) Synonym(s): *viridissima* Staudinger,1882; *maxima* Staudinger,1888; *maculata* A.Bang-Haas,1910. _ Range (in code): **KG DsA KK Ax TeA TrA CN Kun Ju Arc Muz Ui**
- 63484. *Isochlora xanthiana* Staudinger,1895** (Noctuidae) Synonym(s): *xanthiana* Staudinger,1895 _ Range (in code): **CN Ui Ln Ts Kno**
- 63485. *Isolasia biramata* W.Warren,1912** (Noctuidae) Synonym(s): *biramata* W.Warren,1912 Range (in code): **IN SI**
- 63486. *Isolasia caovansungi* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *caovansungi* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): **VN Lci TH CMa**
- 63487. *Isolasia chlorata* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *chlorata* Hreblay & L.Ronkay,1999 Original Reference: *Isolasia chlorata* Hreblay & L.Ronkay,1999, Esperiana 7:

- 541, figs. Holotype ♂: Thailand: Chiang Mai, Doi Phahompok, 18km NW of Fang 2100m, 7.xii.1998, leg. M.Hreblay (coll.Hreblay). Range (in code): TH CMa Php Fn Int
- 63488. *Isolasia dilutissima* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *dilutissima* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): VN Lci
- 63489. *Isolasia jacktordoffi* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *jacktordoffi* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): VN Lci TH CMa
- 63490. *Isolasia olivascens* (Moore,1882)** (Noctuidae) Synonym(s): *olivascens* Moore,1882
Range (in code): IN SI Djl
- 63491. *Isolasia viriditincta* (Hreblay & L.Ronkay,1998)** (Noctuidae) Synonym(s): *viriditincta* Hreblay & L.Ronkay,1998 Range (in code): NP
- 63492. *Isolasia warreni* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *warreni* Hreblay & L.Ronkay,1999 Range (in code): IN SI
- 63493. *Itmaharela basalis* (Moore,1882)** (Noctuidae) Synonym(s): *basalis* Moore,1882
Range (in code): IN Ass TH Nan Dpk VN NP CN TW KP KR
- 63494. *Janseodes melanospila* (Guenée,1852)** (Noctuidae) Synonym(s): *melanospila* Guenée,1852; *huegeli* R.Felder & Rogenhofer,1874; *pallescent* Saalmüller,1880; *aenigmatica* Swinhoe,1885; *rusa* Swinhoe,1885; *melanosticta* Hampson,1891 Range (in code): ZA Nta Kzu IN NI Bba MG
- 63495. *Janthinea divalis* Staudinger,1892** (Noctuidae) Synonym(s): *divalis* Staudinger,1892
Original Reference: *Janthinea divalis* Staudinger,1892, Dt. ent. Z., Iris 4: 312-313, Taf. iv fig.6.
Syntypes: [Türkei]: Malatia. Range (in code): TR
- 63496. *Janthinea friwaldskii* (Duponchel,1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#friwaldszkyi* Treitschke,1838; *#violacea* Staudinger,1879; *friwaldszci* Hampson,1910. Original Reference: *Heliothis friwaldskii* Duponchel,1835, Annls Soc. ent. Fr. 4: 633, pl. 18 figs.B2, B3. Type ♂: [Bulgaria], Balkans. Range (in code): YU BG GR TR RU MD UA BY
- 63497. *Janthinea friwaldszkii asiatica* Sheljuzhko,1955** (Noctuidae) Synonym(s): *asiatica* Sheljuzhko,1955 Range (in code): TR
- 63498. *Janthinea friwaldszkii friwaldszkii* (Duponchel,1835)** (Noctuidae) Synonym(s): *friwaldskii* Duponchel,1835; *viola* Freyer,1836; *#friwaldszkyi* Treitschke,1838; *#violacea* Staudinger,1879; *friwaldszci* Hampson,1910. Original Reference: *Heliothis friwaldskii* Duponchel,1835, Annls Soc. ent. Fr. 4: 633, pl. 18 figs.B2, B3. Type ♂: [Bulgaria], Balkans. Range (in code): YU BG GR RU MD UA BY
- 63499. *Jaxartia elinguis* Püngeler,1914** (Noctuidae) Synonym(s): *elinguis* Püngeler,1914
Original Reference: *Jaxartia elinguis* Püngeler,1914, Dt. ent. Z., Iris 28: 44, Taf.ii figs.6,7.
Syntypes 4♂ 6♀: [Kazachstan]: "Syr-Daria, Baigacum". Range (in code): KG Bai
- 63500. *Jodia croceago* (Fabricius,1787)** (Noctuidae) Synonym(s): *#croceago* [Denis & Schiffermüller],1775; *croceago* Fabricius,1787; *aurantiagio* Donovan,1796; *corsica* Mabilie,1868 Original Reference: *Noctua croceago* Fabricius,1787, Mant. Ins. 2: 159, nr.163. Type(s): [Wien]. Range (in code): MA DZ Sbd TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Mng SE RU Ro St Da MD UA BY IQ Shq LB IL Pa Bionomy: Larva on Quercus (Wiltshire,1957).
- 63501. *Jodia sericea* (Butler,1878)** (Noctuidae) Synonym(s): *sericea* Butler,1878 Range (in code): JP
- 63502. *Karana decorata* Moore,1882** (Noctuidae) Synonym(s): *decorata* Moore,1882 Range (in code): IN SI Djl
- 63503. *Karana gemmifera* (Walker,[1858])** (Noctuidae) Synonym(s): *gemmifera* Walker,[1858]; *similis* Moore,1888 Range (in code): IN Hp Kgr Up Bhi Gag Nnt Kil TW
- 63504. *Karana hoenei* (O.Bang-Haas,1927)** (Noctuidae) Synonym(s): *hoenei* O.Bang-Haas,1927
Range (in code): CN
- 63505. *Karana laetevirens* (Oberthür,1884)** (Noctuidae) Synonym(s): *laetevirens* Oberthür,1884
Range (in code): RU Us
- 63506. *Karana metallica* Boursin,1970** (Noctuidae) Synonym(s): *metallica* Boursin,1970
Range (in code): CN
- 63507. *Karana moneta* (W.Warren,1912)** (Noctuidae) Synonym(s): *moneta* W.Warren,1912
Range (in code): PG NBr
- 63508. *Karana novaeguineae* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *novaeguineae* Bethune-Baker,1906 Range (in code): PG NBr
- 63509. *Karana submarginata* (W.Warren,1912)** (Noctuidae) Synonym(s): *submarginata* W.Warren,1912 Range (in code): PG NBr

- 63510. Karana tenuilinea (W.Warren,1912)** (Noctuidae) Synonym(s): *tenuilinea* W.Warren,1912
Range (in code): **PG NBr**
- 63511. Karmanica bandarabbasa Hacker & Ebert,2002** (Noctuidae) Synonym(s): *bandarabbasa* Hacker & Ebert,2002 _ Range (in code): **IR Ss**
- 63512. Karmanica chosroes (Brandt,1938)** (Noctuidae) Synonym(s): *chosroes* Brandt,1938
Original Reference: Antitype chosroes Brandt,1938, Ent. Rdsch. 55: 518, fig. 91. Syntypes 2♂:
Iran: [Fars]: Chiraz. Range (in code): **IR Fa**
- 63513. Karmanica cyros Hacker & Ebert,2002** (Noctuidae) Synonym(s): *cyros* Hacker & Ebert,2002 _ Range (in code): **IR Hz**
- 63514. Karmanica magnifica Hacker & Ebert,2002** (Noctuidae) Synonym(s): *magnifica* Hacker & Ebert,2002 _ Range (in code): **IR Fa**
- 63515. Kisegira ebria Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *ebria* Hreblay & L.Ronkay,1999 _ Range (in code): **TH CMA Kob Php Fn Int Sop Nan Pua**
- 63516. Kisegira euphemia Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *euphemia* Hreblay & L.Ronkay,1999 _ Range (in code): **NP**
- 63517. Kisegira merkli Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *merkli* Hreblay & L.Ronkay,1999 _ Range (in code): **LA**
- 63518. Kisegira nani Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *nani* Hreblay & L.Ronkay,1999 _ Range (in code): **TH Nan Pua**
- 63519. Kisegira pallida Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *pallida* Hreblay & L.Ronkay,1999 _ Range (in code): **TH CMA Pap Nan Pua Int Sop MAI Wia Php Fn Mae Pai**
- 63520. Kisegira penicillata Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *penicillata* Hreblay & L.Ronkay,1999 _ Range (in code): **TH CMA MAI Pap Nan Pua Kob Php Fn VN**
- 63521. Kisegira regina Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *regina* Hreblay & L.Ronkay,1999 _ Range (in code): **TH Nan Bnl Pua CMA Pap Wia Php Fn Mae Pai**
- 63522. Klugeana philoxalis Geertsema,1990** (Noctuidae) Synonym(s): *philoxalis* Geertsema,1990
Range (in code): **ZA**
- 63523. Klugeana swartlandesis Geertsema,1990** (Noctuidae) Synonym(s): *swartlandesis* Geertsema,1990 _ Range (in code): **ZA**
- 63524. Kobestelia rosea Holloway,1985** (Noctuidae) Synonym(s): *rosea* Holloway,1985
Range (in code): **Bor BN MY TH Ntt Hba ID Sum**
- 63525. Kocakina fidelis (Grote,1874)** (Noctuidae) Synonym(s): *fidelis* Grote,1874; *intractata* Morrison,1875
Original Reference: *Himella fidelis* Grote,1874, Proc. Acad. nat. Sci. Phil. 1874: 200. Range (in code): **US Ny Mis Mai Nh Msc Pns Mrl Nje Cnt Vi SCa NCa Fl Lou Tx Mch Idp Oh Ilm**
Bionomy: Larva on Quercus, Prunus virginiana, P. serotina, Carya ovata (Poone,1989).
- 63526. Koffoleania michaellae Laporte,1977** (Noctuidae) Synonym(s): *michaellae* Laporte,1977
Range (in code): **ET ET196**
- 63527. Labanda bryochlora Hampson,1902** (Noctuidae) Synonym(s): *bryochlora* Hampson,1902
Range (in code): **ZA Nta Kzu Kkf**
- 63528. Labanda carinata Holloway,2003** (Noctuidae) Synonym(s): *carinata* Holloway,2003
Range (in code): **MY Bor Swk**
- 63529. Labanda ceylusalis Walker,1859** (Noctuidae) Synonym(s): *ceylusalis* Walker,1859
Range (in code): **MY Bor ID Sum PH Pal**
- 63530. Labanda concinna Holloway,2003** (Noctuidae) Synonym(s): *concinna* Holloway,2003
Range (in code): **MY Bor**
- 63531. Labanda contrastriatula Holloway,2003** (Noctuidae) Synonym(s): *contrastriatula* Holloway,2003 _ Range (in code): **MY Bor Swk**
- 63532. Labanda dentilinea (Walker,1863)** (Noctuidae) Synonym(s): *dentilinea* Walker,1863; *?attenuatalis* Walker,1864 _ Range (in code): **MY Bor Swk**
- 63533. Labanda herbealis Walker,1859** (Noctuidae) Synonym(s): *herbealis* Walker,1859
Range (in code): **MY Bor LK**
- 63534. Labanda palliviridis Holloway,2003** (Noctuidae) Synonym(s): *palliviridis* Holloway,2003
Range (in code): **MY Bor Swk BN IN Ass Meg Khs**
- 63535. Labanda quadralis Holloway,2003** (Noctuidae) Synonym(s): *quadralis* Holloway,2003
Range (in code): **MY Bor**
- 63536. Labanda saturalis Walker,[1866]** (Noctuidae) Synonym(s): *saturalis* Walker,[1866]; *viridalis* Moore,1867 _ Range (in code): **MY Bor IN AU SB**

- 63537. *Labanda striatula* Holloway,2003** (Noctuidae) **Synonym(s):** *striatula* Holloway,2003
Range (in code): MY Bor Swk BN
- 63538. *Labanda umbrosa* Hampson,1912** (Noctuidae) **Synonym(s):** *umbrosa* Hampson,1912
Range (in code): MM MY Bor ID Klt
- 63539. *Labanda umonea* Holloway,2003** (Noctuidae) **Synonym(s):** *umonea* Holloway,2003
Range (in code): MY Bor Sbh BN
- 63540. *Labanda viridumbrosa* Holloway,2003** (Noctuidae) **Synonym(s):** *viridumbrosa* Holloway,2003
Range (in code): MY Bor Sbh
- 63541. *Lacanobia (Dianobia) altyndaghi* Gyulai & Ronkay,1999** (Noctuidae) **Synonym(s):** *altyndaghi* Gyulai & Ronkay,1999
Range (in code): CN Ui Alt
- 63542. *Lacanobia (Dianobia) dissimilis* (Knoch,1781)** (Noctuidae) **Synonym(s):** #suasa [Denis & Schiffermüller],1775; *dissimilis* Knoch,1781; *leucographa* Esper,[1790]; *denscanis* Haworth,1809; *permixta* Geyer,[1833]; *pavida* Boisduval,1840; *confluens* Eversmann,1844; *laeta* Reuter,1893. **Original Reference:** *Phalaena dissimilis* Knoch,1781, Beitr. Insektengesch. 1:57, tab.4, figs.1-4. **Range (in code):** ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kr Kb Kc Ich Nt Ing Kyi Da Ur Sb Am Prj Us MD UA BY CN Ui Ku KK Ik TrA Ax TeA UZ N-A KG Tk Dj MN AF Fz Kab **Bionomy:** Larva on Rumex, Chenopodium, Plantago (Hampson,1905).
- 63543. *Lacanobia (Dianobia) histrio* (Goeze,1781)** (Noctuidae) **Synonym(s):** #contigua [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. **Original Reference:** *Phalaena histrio* Goeze,1781, Ent. Beytr. 3(3): 206, nr.64. **Range (in code):** PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ich Ing Da MD UA BY CN Ui Arc Ju KG Tk KK TrA Na JP
- 63544. *Lacanobia (Dianobia) kitokia* Gyulai, L.Ronkay & Saldaitis,2011** (Noctuidae) **Synonym(s):** *kitokia* Gyulai, L.Ronkay & Saldaitis,2011
Range (in code): CN Ts Yu Sz
- 63545. *Lacanobia (Dianobia) mongolica* Behounek,1992** (Noctuidae) **Synonym(s):** *mongolica* Behounek,1992
Range (in code): MN CN Gn Ts Kno
- 63546. *Lacanobia (Dianobia) obvia* (Eversmann,1856)** (Noctuidae) **Synonym(s):** *obvia* Eversmann,1856
Range (in code): TR RU
- 63547. *Lacanobia (Dianobia) thalassina* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]. **Original Reference:** *Phalaena thalassina* Hufnagel,1766, Berl. Mag. 3(3): 298. Type(s):[Germany]: Berlin. **Range (in code):** PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da At MD UA BY MN Ur Cc AM Sb Am Prj Us CN Ui Ii KK Ik IR Elb Th Kdj
- 63548. *Lacanobia (Diataraxia) aliena* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *aliena* Hübner,[1809]
Range (in code): ES FR IT BE LU DE CH AT PL CZ SK HU RO YU BG TR AM GG AZ Kir Cc DK LT RU Ro Ing At Sb Am Prj Us CN Ui Ku Mc KK Ik Na MN MD UA BY JP **Bionomy:** Larva on Trifolium montanum, Cytisus nigricans, Anthyllis vulneraria (Hampson,1905).
- 63549. *Lacanobia (Diataraxia) blenna* (Hübner,[1824])** (Noctuidae) **Synonym(s):** *blenna* Hübner,[1824]; *peregrina* Treitschke,1825; *trimenda* Geyer,[1832]; *guenei* Bruand,1850. **Original Reference:** *Noctua blenna* Hübner,[1824], Samml. eur. Schmett. Noct.2: Taf.152, fig.706. Type(s): Europa. **Range (in code):** DZ Téb TN EG ES FR Co Sa IT MT RO YU BG GR TR RU Cc Ro Kr Ich Kyi Da AZ Bak AM CN Ui KG Aa
- 63550. *Lacanobia (Diataraxia) mista* (Staudinger,1889)** (Noctuidae) **Synonym(s):** *mista* Staudinger,1889
Range (in code): KK Ik TeA
- 63551. *Lacanobia (Diataraxia) oleracea* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essonni* Hampson,1909; *albolineata* Matsumura,1926; #pallida Bytinski-Salz & Brandt,1937 **Original Reference:** *Phalaena oleracea* Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa]. **Range (in code):** MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Hf Pa JO LB IQ Shq Bgd IR Elb Th Kdj Kh Gh DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da AM AZ Kir GG Tbl Bjo Cc At CN Ui Ku KK Ik Na KG Tar Tk MD UA BY JP Nv Ord Lag Hrh Agi Sét DhM Abe Ahr Clo **Bionomy:** Larva on Atriplex, Chenopodium, Urtica, Rumex, Ulmus, Brassica (Hampson,1905; Wiltshire,1957).
- 63552. *Lacanobia (Diataraxia) praedita* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *praedita* Hübner,[1813] **Original Reference:** *Noctua praedita* Hübner,[1813], Samml. eur. Schmett. Noct.2: Taf. 130 fig.595. Type(s): Europa. **Range (in code):** RO BG RU Ro Kc Ich MD UA Cm BY TR AM GG Smt Akh Cc AZ Kir IQ AF Pli IR Mz GlS Elb TM Ch KG Tk TJ Pm CN Ui Ga Yk PK KK Ik Ax Skm UZ Fe

- 63553. *Lacanobia (Diataraxia) softa* (Staudinger,1898)** (Noctuidae) Synonym(s): *softa* Staudinger,1898; *luteocinnamomea* Rothschild,1920 Original Reference: *Mamestra softa* Staudinger,1898, Dt. ent. Z., Iris 10: 275, Taf.4 fig.15. Range (in code): **MA DZ Hes Ktr Perr BSa IL Pa JO**
- 63554. *Lacanobia (Diataraxia) splendens* (Hübner,[1808])** (Noctuidae) Synonym(s): *splendens* Hübner,[1808] Range (in code): **PT ES FR IT NL LU BE DE CH AT PL CZ SK HU RO YU BG GR TR IR DK FI EE LV LT RU Cc Ro Kr Nt MD UA BY CN JP**
- 63555. *Lacanobia (s.str.) w-latinum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *w-latinum* Hufnagel,1766; *genistae* Borkhausen,1792; *dives* Donovan,1801; *umbrosa* Bytinski-Salz & Brandt,1937; *diniensis* Heinrich,1938; *caerulescens* Schwingenschuss,1962. Original Reference: *Phalaena w-latinum* Hufnagel,1766, Berl. Mag. 3(3): 292. Type(s): [Germany]: Berlin. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Ro Kr St Ing Nt Kyi Da At Sb MD UA BY IR Mz Gls Ha Elb Th Kdj Dam Cc AM GG Smt Bjo Lag AZ Kir Nv Ord KG Tar CN Ui Ii KK Ik Na**
- 63556. *Lacera alope* (Stoll,[1780])** (Noctuidae) Synonym(s): *alope* Stoll,[1780] Range (in code): **ZA MW Zom Nta Kzu MG ET ET24**
- 63557. *Lacera noctilio* (Fabricius,1794)** (Noctuidae) Synonym(s): *noctilio* Fabricius,1794; *capella* Guenée,1852 Original Reference: *Noctua noctilio* Fabricius,1794, Ent. Syst. 3 (2): 12. Range (in code): **ID Ja Tim Flo Sbw Clb IN LK TH Knc CMa Dst SG MY PH Neg LA VN TW JP PG FJ TO SB NH NC GM WS**
- 63558. *Lacera procellosa* Butler,1879** (Noctuidae) Synonym(s): *procellosa* Butler,1879 Range (in code): **JP TH CMa Dst VN KH NP IN Mh Nsk ID Bor Sum PG Tnm Sbw PH CN TW KP KR**
- 63559. *Lamprosticta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775 Original Reference: *Noctua culta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO AL BG GR TR** Bionomy: Larva on *Pyrus communis*, *Prunus spinosa*, *Crataegus* ([Denis & Schiffermüller],1775; Hoffmann,1893 et seq.).
- 63560. *Lamprosticta culta albescens* Hacker,1990** (Noctuidae) Synonym(s): *albescens* Hacker,1990 Original Reference: *Lamprosticta culta* ssp. *albescens* Hacker,1990, Neue ent. Nachr. 27: 457-458, figs. Holotype ♂: Türkei: Prov. Nevşehir: Göreme, 10km W Ürgüp, 1200m, 20.vii.1984 (leg. & coll. Hacker). Range (in code): **TR**
- 63561. *Lamprosticta culta coeruleuca* G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *coeruleuca* G.Ronkay & L.Ronkay,1995 Range (in code): **TR**
- 63562. *Lamprosticta culta culta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#culta* [Denis & Schiffermüller],1775 Original Reference: *Noctua culta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 70. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE DE CH AT PL CZ SK HU RO AL BG GR** Bionomy: Larva on *Pyrus communis*, *Prunus spinosa*, *Crataegus* ([Denis & Schiffermüller],1775; Hoffmann,1893 et seq.).
- 63563. *Lamprosticta culta plumbitincta* G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *plumbitincta* G.Ronkay & L.Ronkay,1995 Range (in code): **TR**
- 63564. *Lamprotes c-aureum* (Knoch,1781)** (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787 Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Ro Kr St Ich MD UA BY GG AZ Kir AM Cc**
- 63565. *Lamprotes c-aureum c-aureum* (Knoch,1781)** (Noctuidae) Synonym(s): *c-aureum* Knoch,1781; *concha* Fabricius,1787 Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU Ro Kr St Ich MD UA BY GG AZ Kir AM Cc**
- 63566. *Lamprothripa scotia* (Hampson,1902)** (Noctuidae) Synonym(s): *scotia* Hampson,1902 Range (in code): **MY Bor Sbh BN Swk KBa IN**
- 63567. *Lanatopyga ronkaygabori* Gyulai & L.Ronkay,2002** (Noctuidae) Synonym(s): *ronkaygabori* Gyulai & L.Ronkay,2002 Range (in code): **TJ**
- 63568. *Lanatopyga ronkaygabori* Gyulai & L.Ronkay,2002** (Noctuidae) Synonym(s): *ronkaygabori* Gyulai & L.Ronkay,2002 Range (in code): **TJ**
- 63569. *Lasianobia illauta* L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *illauta* L.Ronkay & Gyulai,2006 Range (in code): **CN Ti**
- 63570. *Lasiolopha saturata* (Walker,1865)** (Noctuidae) Synonym(s): *saturata* Walker,1865; *olivacea* Hampson,1893 Range (in code): **LK MY Bor AU QAU PG**
- 63571. *Lasionycta calberlai* (Staudinger,1883)** (Noctuidae) Synonym(s): *calberlai* Staudinger,1883 Range (in code): **FR IT CH**

- 63572. *Lasionycta dovrensis* (Wocke,1864)** (Noctuidae) Synonym(s): *dovrensis* Wocke,1864
Range (in code): NO RU At
- 63573. *Lasionycta dovrensis altaica* (Hampson,1905)** (Noctuidae) Synonym(s): *altaica* Hampson,1905 Range (in code): RU At
- 63574. *Lasionycta draudti* (F.Wagner,1936)** (Noctuidae) Synonym(s): *draudti* F.Wagner,1936
Original Reference: Polia (*Dianthoecia*) *draudti* F.Wagner,1936, Z. Öster. ent. Ver. 27: 75.
Syntypes: N-Iran, Demavend, Kendevar Pass (LNK). Range (in code): TR IR Elb Th Dam Mz Kdv Kz Yas AM Cc RU Da
- 63575. *Lasionycta hampsoni* Varga,1974** (Noctuidae) Synonym(s): *hampsoni* Varga,1974
Range (in code):
- 63576. *Lasionycta leucocycla* (Staudinger,1857)** (Noctuidae) Synonym(s): *leucocycla* Staudinger,1857 Range (in code): NO SE FI
- 63577. *Lasionycta melanographa* Varga,1973** (Noctuidae) Synonym(s): *melanographa* Varga,1973 Range (in code): AF
- 63578. *Lasionycta orientalis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896. Range (in code): UZ Fe MN Uli U-B CN Ui Ku Au Kl T-S KK Ik Ax TeA Ax TrA Na KG Tk Dj AF Bd Adr TJ Pm
- 63579. *Lasionycta orientalis melanographa* Varga,1973** (Noctuidae) Synonym(s): *melanographa* Varga,1973 Range (in code): AF Bd
- 63580. *Lasionycta orientalis orientalis* (Alpheraky,1882)** (Noctuidae) Synonym(s): *orientalis* Alpheraky,1882; *uniformis* Staudinger,1896. Range (in code): UZ Fe MN Uli U-B CN Ui Ku Au Kl T-S KK Ik Ax TrA TeA Na KG Tk Dj AF Bd Adr TJ Pm
- 63581. *Lasionycta proxima* (Hübner,[1809])** (Noctuidae) Synonym(s): *proxima* Hübner,[1809]; *cana* Eversmann,1841; *ochrostigma* Eversmann,1842; *extensa* Eversmann,1844; *nevadensis* Reisser,1926; *noguera* De Laever,1976. Original Reference: *Noctua proxima* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.87, fig.409. Type: [Schweiz: Wallis]. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr St Kb Nt Ich Ing Da Kus MD UA BY CN Ui Arc Au Kl KK Ik Ax TrA KG Tk Dj Ur Sb At Am AM Cc Tar
- 63582. *Lasionycta skraelingia* (Herrich-Schäffer,1852)** (Noctuidae) Synonym(s): *skraelingia* Herrich-Schäffer,1852 Range (in code): NO SE FI RU At
- 63583. *Lasionycta staudingeri* (Aurivillius,1891)** (Noctuidae) Synonym(s): *staudingeri* Aurivillius,1891 Range (in code): NO SE FI
- 63584. *Lasiplexia hampsoni* Boursin,1943** (Noctuidae) Synonym(s): *hampsoni* Boursin,1943
Range (in code):
- 63585. *Laspeyria flexula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flexula* [Denis & Schiffermüller],1775 Original Reference: *Bombyx flexula* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 64. Type(s): [Austria]: Vienna district. Range (in code): ES Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Clu Gh Mz DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kc Nt Ich Ing Da MD UA BY
- 63586. *Laterologia ophiogramma* (Esper,1794)** (Noctuidae) Synonym(s): *ophiogramma* Esper,1794 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA BY
- 63587. *Latiphea berresoides* (Hampson,1893)** (Noctuidae) Synonym(s): *berresoides* Hampson,1893 Range (in code): LK MM Peg
- 63588. *Latiphea plana* (Swinhoe,1890)** (Noctuidae) Synonym(s): *plana* Swinhoe,1890; *illattioides* Hampson,1891 Range (in code): IN NI MM Bse
- 63589. *Ledereragrotis multifida* (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906 Range (in code): IT CH AT TR GG Smt Akh Cc RU Kb Nt Ich Ing Da
- 63590. *Ledereragrotis multifida multifida* (Lederer,1870)** (Noctuidae) Synonym(s): *multifida* Lederer,1870; *sanctimoritzii* A.Bang-Haas,1906 Range (in code): IT CH AT TR GG Smt Akh Cc RU Kb Nt Ich Ing Da
- 63591. *Leiometopon simyrides* Staudinger,1888** (Noctuidae) Synonym(s): *simyrides* Staudinger,1888 Range (in code): CN Ui Ku KG Tk Dj
- 63592. *Leiorhynx argentifascia* Hampson,1902** (Noctuidae) Synonym(s): *argentifascia* Hampson,1902 Range (in code): BW
- 63593. *Leiorhynx atrirena* De Joannis,1913** (Noctuidae) Synonym(s): *atirena* De Joannis,1913
Range (in code): ER

- 63594. *Leocyma appollinis* Guenée,1852** (Noctuidae) **Synonym(s):** *appollinis* Guenée,1852; *euproctisoides* Walker,1865 **Range (in code):** **ZA Nta Kzu MZ ZW MG MR**
- 63595. *Leocyma discophora* Hampson,1912** (Noctuidae) **Synonym(s):** *discophora* Hampson,1912 **Range (in code):** **ZA**
- 63596. *Leoniloma convergens* Hampson,1926** (Noctuidae) **Synonym(s):** *convergens* Hampson,1926 **Range (in code):** **ZA**
- 63597. *Lepidodelta phoenicraspis* (Hampson,1910)** (Noctuidae) **Synonym(s):** *phoenicraspis* Hampson,1910 **Range (in code):** **ZA**
- 63598. *Lepidodelta stolifera* (Saalmüller,1891)** (Noctuidae) **Synonym(s):** *stolifera* Saalmüller,1891 **Range (in code):** **ZA**
- 63599. *Leptotroga armstrongi* Tams,1935** (Noctuidae) **Synonym(s):** *armstrongi* Tams,1935 **Range (in code):** **WS**
- 63600. *Leucania acutangulata* (Gaede,1916)** (Noctuidae) **Synonym(s):** *acutangulata* Gaede,1916 **Range (in code):** **ZA**
- 63601. *Leucania aedesiusi* Rougeot & Laporte,1983** (Noctuidae) **Synonym(s):** *aedesiusi* Rougeot & Laporte,1983 **Range (in code):** **ET**
- 63602. *Leucania affinis* Warnecke,1929** (Noctuidae) **Synonym(s):** *affinis* Warnecke,1929 **Range (in code):** **SA As**
- 63603. *Leucania albimacula* (Gaede,1916)** (Noctuidae) **Synonym(s):** *albimacula* Gaede,1916 **Range (in code):** **TZ**
- 63604. *Leucania amens* Guenée,1852** (Noctuidae) **Synonym(s):** *amens* Guenée,1852; *plana* Walker,1856 **Range (in code):** **ZA Tva Gau Pre Jh Nta Kzu Est Ec Tra Ans KE**
- 63605. *Leucania apparata* Wallengren,1875** (Noctuidae) **Synonym(s):** *apparata* Wallengren,1875 **Range (in code):** **ZA Tva Gau Pre Jh Nta Kzu Wnn Ec Tra**
- 63606. *Leucania argyrina* (Laporte,1984)** (Noctuidae) **Synonym(s):** *argyrina* Laporte,1984 **Range (in code):** **ET**
- 63607. *Leucania aspersa* Snellen,1880** (Noctuidae) **Synonym(s):** *aspersa* Snellen,1880 **Range (in code):** **ID Clb**
- 63608. *Leucania atrimacula* Hampson,1902** (Noctuidae) **Synonym(s):** *atrimacula* Hampson,1902 **Range (in code):** **ZA Nta Kzu Dbn**
- 63609. *Leucania atrinota* (Hampson,1905)** (Noctuidae) **Synonym(s):** *atrinota* Hampson,1905 **Range (in code):** **ZA**
- 63610. *Leucania baziya* Möschler,1883** (Noctuidae) **Synonym(s):** *baziya* Möschler,1883 **Range (in code):** **ZA Ec Cto**
- 63611. *Leucania binigrata* (W.Warren,1912)** (Noctuidae) **Synonym(s):** *binigrata* W.Warren,1912 **Range (in code):** **IN Ass Meg Khs**
- 63612. *Leucania bisetulata* (Berio,1940)** (Noctuidae) **Synonym(s):** *bisetulata* Berio,1940 **Range (in code):** **ER**
- 63613. *Leucania byssina* Swinhoe,1886** (Noctuidae) **Synonym(s):** *byssina* Swinhoe,1886 **Range (in code):** **IN Up Bhi Mhw**
- 63614. *Leucania canariensis* Rebel,1894** (Noctuidae) **Synonym(s):** *canariensis* Rebel,1894 **Original Reference:** *Leucania putrida* Staudinger,1889, Stettin ent. Ztg. 50: 48. Syntypes: [Kirgizistan]: Issyk-kul; [Uzbekistan]: Margelan. **Range (in code):** **Cn**
- 63615. *Leucania carbo* (De Joannis,1928)** (Noctuidae) **Synonym(s):** *carbo* De Joannis,1928 **Range (in code):** **VN Ton**
- 63616. *Leucania celebensis* (Tams,1935)** (Noctuidae) **Synonym(s):** *celebensis* Tams,1935 **Range (in code):** **ID Clb**
- 63617. *Leucania ciliata* Walker,1856** (Noctuidae) **Synonym(s):** *ciliata* Walker,1856; *assimilis* Walker,1858; *adjuncta* Walker,1869 **Range (in code):** **AU NSw QAu**
- 63618. *Leucania cirphidoides* Poole,1989** (Noctuidae) **Synonym(s):** *cirphidia* Draudt,1950 *nec* Drdt.,1924; *cirphidoides* Poole,1989 **Range (in code):** **CN**
- 63619. *Leucania combinata* (Walker,[1857])** (Noctuidae) **Synonym(s):** *combinata* Walker,[1857]; *bicristata* Berio,1939 **Range (in code):** **ZA**
- 63620. *Leucania comma* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909. **Original Reference:** *Phalaena comma* Linnaeus,1761, Fauna Suecica (2): 316. Type(s): Schweden. **Range (in code):** **DZ Anna ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK**

NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da Sb Am Prj Us GG Smt Bjo Lag AZ AM Cc MD UA BY IR Elb
Th Kdv KK Ik Ax TeA TrA Ax KG Tk Dj UZ Fe MN U-B Ti CN Ts Kno IN Pj Kul

- 63621. *Leucania comma comma* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *engadinensis* F.Wagner,1909. **Original Reference:** *Phalaena comma* Linnaeus,1761, *Fauna Suecica* (2): 316. **Type(s):** Schweden. **Range (in code):** **DZ Anna ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Kr Kb Nt Ich Ing Da Sb Am Prj Us GG Smt Bjo Lag AZ AM Cc MD UA BY IR Elb Th Kdv**
- 63622. *Leucania comma rhodocomma* Püngeler,1900** (Noctuidae) **Synonym(s):** *rhodocomma* Püngeler,1900 **Range (in code):** **KK Ik Ax TeA TrA Ax KG Tk Dj UZ Fe MN U-B Ti CN Ts Kno IN Pj Kul**
- 63623. *Leucania confluens* (Bethune-Baker,1909)** (Noctuidae) **Synonym(s):** *confluens* Bethune-Baker,1909 **Range (in code):** **KE Nai**
- 63624. *Leucania continentalis* Berio,1962** (Noctuidae) **Synonym(s):** *continentalis* Berio,1962 **Range (in code):** **CM**
- 63625. *Leucania coreana* (Matsumura,1926)** (Noctuidae) **Synonym(s):** *coreana* Matsumura,1926 **Range (in code):** **KP KR**
- 63626. *Leucania corrugata* Hampson,1894** (Noctuidae) **Synonym(s):** *corrugata* Hampson,1894 **Range (in code):** **IN Hp Sml**
- 63627. *Leucania cupreata* (Hampson,1905)** (Noctuidae) **Synonym(s):** *cupreata* Hampson,1905 **Range (in code):** **ZA MZ**
- 63628. *Leucania curvilinea* Hampson,1891** (Noctuidae) **Synonym(s):** *curvilinea* Hampson,1891 **Range (in code):** **IN NI**
- 63629. *Leucania cyprium* (Laporte,1984)** (Noctuidae) **Synonym(s):** *cyprium* Laporte,1984 **Range (in code):** **ET ET86**
- 63630. *Leucania dharma* Moore,1881** (Noctuidae) **Synonym(s):** *dharma* Moore,1881; ? *rufescens* Moore,1882 **Range (in code):** **IN SI Dj Up Kil**
- 63631. *Leucania erecta* Hreblay,1999** (Noctuidae) **Synonym(s):** *erecta* Hreblay,1999 **Range (in code):** **TH CMa Fn**
- 63632. *Leucania fiyu* Hreblay & Yoshimatsu,1998** (Noctuidae) **Synonym(s):** *fiyu* Hreblay & Yoshimatsu,1998 **Range (in code):** **FJ NH**
- 63633. *Leucania granditornalis* (Berio,1970)** (Noctuidae) **Synonym(s):** *granditornalis* Berio,1970 **Range (in code):** **ZR Kvu ET ET196**
- 63634. *Leucania hamata* Wallengren,1856** (Noctuidae) **Synonym(s):** *hamata* Wallengren,1856 **Range (in code):** **ZA**
- 63635. *Leucania herrichi* Herrich-Schäffer,[1849]** (Noctuidae) **Synonym(s):** *herrichi* Herrich-Schäffer,[1849] **Original Reference:** *Leucania herrichi* Herrich-Schäffer,[1849], *Syst. Bearb. Schmett. Eur.* 2: 238, Taf.66 fig.341. **Type(s):** [Turkey]: Bosphorus. **Range (in code):** **BG GR Cr RU Cc Da TR IQ LB IL Pa SY JO CY**
- 63636. *Leucania insularis* Butler,1880** (Noctuidae) **Synonym(s):** *insularis* Butler,1880; *albivena* Moore,1881; *irrorata* Moore,1881. **Range (in code):** **ZA**
- 63637. *Leucania interciliata* Hampson,1902** (Noctuidae) **Synonym(s):** *interciliata* Hampson,1902 **Range (in code):** **ZA Nta Kzu Est**
- 63638. *Leucania internata* Möschler,1883** (Noctuidae) **Synonym(s):** *internata* Möschler,1883 **Range (in code):** **ZA**
- 63639. *Leucania irregularis* (Walker,1857)** (Noctuidae) **Synonym(s):** *irregularis* Walker,1857; *coenosa* Snellen,1877; *abstracta* Swinhoe,1890; *sepulchralis* Lucas,1900; *scalata* W.Warren,1912; *carbo* De Joannis,1928 **Range (in code):** **VN Ton NP ID Sum LK AU QAU**
- 63640. *Leucania joannisi* Boursin & Rungs,1952** (Noctuidae) **Synonym(s):** *joannisi* Boursin & Rungs,1952 **Range (in code):** **MA PT ES FR Co Sa IT GR IL Pa SA MG GM IR Hz B-A**
- 63641. *Leucania latericia* Holloway,1979** (Noctuidae) **Synonym(s):** *latericia* Holloway,1979 **Range (in code):** **NC**
- 63642. *Leucania lineatipes* Moore,1881** (Noctuidae) **Synonym(s):** *lineatipes* Moore,1881 **Range (in code):** **IN CN**
- 63643. *Leucania longipennis* (Hampson,1905)** (Noctuidae) **Synonym(s):** *longipennis* Hampson,1905 **Range (in code):** **ZA**
- 63644. *Leucania longipennis* (Hampson,1905)** (Noctuidae) **Synonym(s):** *longipennis* Hampson,1905 **Range (in code):** **MW**

- 63645. *Leucania longivittata* Berio,1940** (Noctuidae) **Synonym(s):** *longivittata* Berio,1940
Range (in code): **ER**
- 63646. *Leucania loreyi* (Duponchel,1827)** (Noctuidae) **Synonym(s):** *loreyi* Duponchel,1827; *caricis* Walker,1856; *collecta* Walker,1856; *curcula* Walker,1856; *denotata* Walker,1856; *designata* Walker,1856; *exterior* Walker,1856; *thoracica* Walker,1856. **Original Reference:** *Noctua loreyi* Duponchel,1827, Hist. nat. Lépid. Pap. France 7: 81, pl.105 fig.7. **Type(s):** [France]: Dijon. **Range (in code):** **Cn Md MA DZ TN PT ES FR Co Sa Si IT MT IE GB NL DE CH AT RO YU BG GR Cr TR DK EE IQ Agh Amr kut Kum LB Bei Bsa IR Elb Fa Ss Ke Kh PK Rw Drm Cp Nl Bl Qu AF Hr Srb Arh ZA Nta Kzu Dbn Est IN Pj Kul Sml Hp ID Ja AU QAU Bri FJ TO NC KE JP TW MM PH Ceb CY US Up Bhi Sn EG JO SY IL Pa Hf Mz Gl Th Nos Kdj Ab Sdt Kd Mrv Lo Kz Yas Km Cc RU Ro Kb Ich CV Az Cp Abe Gle Sbd Prr Afl Ges Ktr Bsk Sét DhM BSa Clo Agi Hrh**
- 63647. *Leucania loreyimima* Rungs,1953** (Noctuidae) **Synonym(s):** *loreyimima* Rungs,1953
Range (in code): **IN CN ID Sum AU PG NC NF VN Ann**
- 63648. *Leucania mediolacteata* (Berio,1941)** (Noctuidae) **Synonym(s):** *mediolacteata* Berio,1941
Range (in code): **ER**
- 63649. *Leucania melanostrotata* (Hampson,1905)** (Noctuidae) **Synonym(s):** *melanostrotata* Hampson,1905 **Range (in code):** **ZA**
- 63650. *Leucania melianoides* Möschler,1883** (Noctuidae) **Synonym(s):** *melianoides* Möschler,1883 **Range (in code):** **ZA**
- 63651. *Leucania mesostrostella* (Draudt,1950)** (Noctuidae) **Synonym(s):** *mesostrostella* Draudt,1950 **Range (in code):** **CN Yu Ats**
- 63652. *Leucania metaphaea* (Hampson,1905)** (Noctuidae) **Synonym(s):** *metaphaea* Hampson,1905 **Range (in code):** **IN**
- 63653. *Leucania miasticta* (Hampson,1918)** (Noctuidae) **Synonym(s):** *miasticta* Hampson,1918
Range (in code): **NG**
- 63654. *Leucania micropis* (Hampson,1905)** (Noctuidae) **Synonym(s):** *micropis* Hampson,1905
Range (in code): **ZW Har**
- 63655. *Leucania munroi* Calora,1966** (Noctuidae) **Synonym(s):** *munroi* Calora,1966 **Range (in code):** **PH Mno**
- 63656. *Leucania murcida* (Wallengren,1875)** (Noctuidae) **Synonym(s):** *murcida* Wallengren,1875
Range (in code): **ZA Tva**
- 63657. *Leucania nebulosa* Hampson,1902** (Noctuidae) **Synonym(s):** *nebulosa* Hampson,1902
Range (in code): **ZA Ec Tra KE**
- 63658. *Leucania negrottoi* (Berio,1940)** (Noctuidae) **Synonym(s):** *negrottoi* Berio,1940
Range (in code): **ET**
- 63659. *Leucania nigrisparsa* Hampson,1902** (Noctuidae) **Synonym(s):** *nigrisparsa* Hampson,1902 **Range (in code):** **ZA Ec Tra**
- 63660. *Leucania nigristriga* Hreblay & Legrain & Yoshimatsu,1998** (Noctuidae)
Synonym(s): *nigristriga* Hreblay & Legrain & Yoshimatsu,1998 **Range (in code):** **TH Nan Bou Pua CMA Sop Kop Php Fn Nor Dst IN Ass Meg Khs VN Ton Tda**
- 63661. *Leucania obsoleta* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *obsoleta* Hübner,[1803]; *insecuta* Walker,1865; *intermissa* Walker,1865; *nohirae* Matsumura,1926; *griseola* Matsumura,1926 **Original Reference:** *Noctua obsoleta* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf. 48, fig.233. **Type:** [Europa]. **Range (in code):** **DZ BtNa ES FR Co IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Kyi Da MD UA BY EG Sn CN Ui Li Ts Kno KK Ik T-A KG Tk** **Bionomy:** Larva on Phragmites (Hampson,1905).
- 63662. *Leucania opaca* Staudinger,1900** (Noctuidae) **Synonym(s):** *opaca* Staudinger,1900
Range (in code): **CN Ui Kl**
- 63663. *Leucania ossicolor* (W.Warren,1912)** (Noctuidae) **Synonym(s):** *ossicolor* W.Warren,1912
Range (in code): **IN SI Djl**
- 63664. *Leucania palaestinae* Staudinger,1897** (Noctuidae) **Synonym(s):** *palaestinae* Staudinger,1897; *languida* Staudinger,1897 *nec* Wlk.,1858; *sesamiodes* Hampson,1905; *#obscura* Heydemann et al.,1963; *#plastinaea* Kornošor & Lödl,1990 **Original Reference:** *Leucania putrida* var. *palaestinae* Staudinger,1897, Dt. ent. Z., Iris 10: 174, Taf. iv figs. 11,12. **Syntypes:** Palaestina: Haifa. **Range (in code):** **DZ Bsk Hes EG Sn GR TR IQ Bgd IR Gl IL Hf Pa Jt SY JO CY SA**
- 63665. *Leucania patrizii* (Berio,1935)** (Noctuidae) **Synonym(s):** *patrizii* Berio,1935 **Range (in code):** **SO**
- 63666. *Leucania pectinata* (Hampson,1905)** (Noctuidae) **Synonym(s):** *pectinata* Hampson,1905
Range (in code): **KE**

- 63667. *Leucania percisa* Moore,1881** (Noctuidae) Synonym(s): *percisa* Moore,1881 - Range (in code): IN Up Hp Kgr Bhi Kil
- 63668. *Leucania persecta* (Hampson,1905)** (Noctuidae) Synonym(s): *persecta* Hampson,1905
Range (in code): ZA
- 63669. *Leucania petra* Hreblay & Yoshimatsu,1999** (Noctuidae) Synonym(s): *petra* Hreblay & Yoshimatsu,1999 - Range (in code): IN Ker
- 63670. *Leucania phaea* Hampson,1902** (Noctuidae) Synonym(s): *phaea* Hampson,1902; *leucosticha* Hampson,1905. - Range (in code): KE MU ZA Nta Kzu Est Dbn Ec Tra
- 63671. *Leucania phaeochroa* (Hampson,1905)** (Noctuidae) Synonym(s): *phaeochroa* Hampson,1905 - Range (in code): ZA
- 63672. *Leucania phlebitis* Püngeler,1904** (Noctuidae) Synonym(s): *phlebitis* Püngeler,1904
Range (in code): CN Ui Au
- 63673. *Leucania polemosa* Swinhoe,1885** (Noctuidae) Synonym(s): *polemosa* Swinhoe,1885
Range (in code): IN Poo
- 63674. *Leucania polyrabda* (Hampson,1905)** (Noctuidae) Synonym(s): *albicosta* Hampson,1902 *nec* Mr.,1881; *polyrabda* Hampson,1905 - Range (in code): ZA Nta Kzu Est
- 63675. *Leucania propensa* (Püngeler,1906)** (Noctuidae) Synonym(s): *propensa* Püngeler,1906
Range (in code): CN Ui Ii Ku KG Yk Dj
- 63676. *Leucania pseudoformosana* G.S.Robinson,1975** (Noctuidae) Synonym(s): *pseudoformosana* G.S.Robinson,1975 - Range (in code): SG MY Bor PG NC SB NH FJ
- 63677. *Leucania pseudoformosana* Robinson,1975** (Noctuidae) Synonym(s): *pseudoformosana* Robinson,1975 - Range (in code): FJ
- 63678. *Leucania ptyonophora* (Hampson,1905)** (Noctuidae) Synonym(s): *ptyonophora* Hampson,1905 - Range (in code): ZA
- 63679. *Leucania punctosa* (Treitschke,1825)** (Noctuidae) Synonym(s): *punctosa* Treitschke,1825
Original Reference: Simyra punctosa Treitschke,1825, Schmett. Eur. 5(2): 287. Type(s): Mulzer in Unsbach. Range (in code): MR DZ Ges Sbd Prr Afl Btina Abe PT ES FR Co Sa? Si IT? MT CH? YU GR TR IR Fa Gh Elb Th CY IQ Agh RU Cc Da TM Kp LB IL Pa JO SY
- 63680. *Leucania punctulata* Wallengren,1856** (Noctuidae) Synonym(s): *punctulata* Wallengren,1856 - Range (in code): ZA
- 63681. *Leucania putrescens* (Hübner,[1824])** (Noctuidae) Synonym(s): *putrescens* Hübner,[1824]; *boisduvalii* Duponchel,1827; *valletai* Boursin,1952
Original Reference: Noctua putrescens Hübner,[1824], Samml. eur. Schmett., Noct. 2: Taf.156, figs.730-731. Syntypes: [Europa]. Range (in code): Cn DZ Sbd Afl Abe Mii Prr Lgt Anna PT ES FR Co Sa Si IT MT GB RO YU AL BG GR Cr TR IQ Brs Ry Ruw Dia RU MD UA BY IR Hz KK Ik CY LB IL Pa JO CN
- 63682. *Leucania quadricuspidata* Wallengren,1856** (Noctuidae) Synonym(s): *quadricuspidata* Wallengren,1856 - Range (in code): ZA
- 63683. *Leucania respersa* Berio,1974** (Noctuidae) Synonym(s): *respersa* Berio,1974 - Range (in code): TZ
- 63684. *Leucania reticulata* Berio,1962** (Noctuidae) Synonym(s): *reticulata* Berio,1962 - Range (in code): ZR
- 63685. *Leucania rhabdophora* Hampson,1902** (Noctuidae) Synonym(s): *rhabdophora* Hampson,1902 - Range (in code): ZA Ec Tra
- 63686. *Leucania roseilinea* Walker,1862** (Noctuidae) Synonym(s): *roseilinea* Walker,1862
Range (in code): MY Bor IN Up Bhi
- 63687. *Leucania rubrescens* (Hampson,1905)** (Noctuidae) Synonym(s): *rubrescens* Hampson,1905 - Range (in code): ZA
- 63688. *Leucania rufescenoides* Poole,1989** (Noctuidae) Synonym(s): *rufescens* Gaede,1916 *nec* Mre.,1882; *rufescenoides* Poole,1989 - Range (in code): TZ
- 63689. *Leucania rufescentalis* Poole,1989** (Noctuidae) Synonym(s): *rufescens* Hampson,1918 *nec* Mre.,1882; *rufescentalis* Poole,1989 - Range (in code): LK
- 63690. *Leucania sarca* Hampson,1902** (Noctuidae) Synonym(s): *sarca* Hampson,1902 - Range (in code): ZA Nta Kzu Kkf Ec Tra KE
- 63691. *Leucania scottii* Butler,1886** (Noctuidae) Synonym(s): *scottii* Butler,1886 - Range (in code): NC AU PG NH FJ
- 63692. *Leucania sinuosa* Moore,1882** (Noctuidae) Synonym(s): *sinuosa* Moore,1882 - Range (in code): IN SI Dj Up Bhi Kil Nnt

- 63693. *Leucania tacuna* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *tacuna* R.Felder & Rogenhofer,1874; *substituta* Wallengren,1875. Range (in code): **ZA Tva Gau Pre Jh Nta Kzu Est Wnn Ec Tra**
- 63694. *Leucania tenebra* (Hampson,1905)** (Noctuidae) Synonym(s): *tenebra* Hampson,1905 Range (in code): **ZA**
- 63695. *Leucania uncinata* Gaede,1916** (Noctuidae) Synonym(s): *melianoides* Hampson,1905 (*praeocc.*); *uncinata* Gaede,1916. Range (in code): **ZA**
- 63696. *Leucania usta* Hampson,1902** (Noctuidae) Synonym(s): *usta* Hampson,1902 Range (in code): **ZA Nta Kzu Wnn Est Ec Tra**
- 63697. *Leucania ustata* (Hampson,1907)** (Noctuidae) Synonym(s): *ustata* Hampson,1907 Range (in code): **ZA**
- 63698. *Leucania venalba* Moore,1867** (Noctuidae) Synonym(s): *venalba* Moore,1867; *philippensis* Swinhoe,1917 Range (in code): **AU QAU FJ TO NC PH Luz**
- 63699. *Leucania vindhyae* Hreblay & Legrain,1999** (Noctuidae) Synonym(s): *vindhyae* Hreblay & Legrain,1999 Range (in code): **IN**
- 63700. *Leucania yu* Guenée,1852** (Noctuidae) Synonym(s): *yu* Guenée,1852; *exempta* Walker,1857; *costalis* Moore,1877 Range (in code): **NP IN TH Nan CMa Cuo Cuo6 CDo CD2 MY ID Sum PH Mno Luz Neg**
- 63701. *Leucania zae* (Duponchel,1827)** (Noctuidae) Synonym(s): *zae* Duponchel,1827; *indistincta* Christoph,1887; *putrida* Staudinger,1889; *cinerea* Lucas,1948 Range (in code): **MA DZ Abe TN PT ES FR Co Sa Si IT YU AL GR Cr TR IQ Bsr Amr RU Cc Ro Ich Da IR Fa Th Elb CN Ui Kun TM Krn K-A UZ Fe Man KK Ik TM EG ZA IL Pa Hf KG Aa Tk**
- 63702. *Leucapamea ophiogramma* (Esper,[1794])** (Noctuidae) Synonym(s): *ophiogramma* Esper,[1794] Range (in code):
- 63703. *Leucobaeta hemiphaea* (Hampson,1905)** (Noctuidae) Synonym(s): *hemiphaea* Hampson,1905 Range (in code): **ID Ja**
- 63704. *Leucochlaena aenigma* Pinhey,1968** (Noctuidae) Synonym(s): *aenigma* Pinhey,1968 Range (in code): **ZA**
- 63705. *Leucochlaena fallax* (Staudinger,1870)** (Noctuidae) Synonym(s): *fallax* Staudinger,1870 Range (in code): **RU Sr TR**
- 63706. *Leucochlaena fallax reticularis* Gyulai & L.Ronkay,1995** (Noctuidae) Synonym(s): *reticularis* Gyulai & L.Ronkay,1995 Original Reference: *Leucochlaena fallax* ssp. *reticularis* Gyulai & L.Ronkay,1995, *Folia ent. hung.* 56: 30-33, figs. Holotype ♂: Turkey: Sivas Prov., Ziyaret pass, 1910m 5-6.09.1991 leg. & coll. P.Gyulai. Range (in code): **TR**
- 63707. *Leucochlaena hispidus* (Geyer,1832)** (Noctuidae) Synonym(s): *hispidus* Geyer,1832 Range (in code): **Sa Si IT**
- 63708. *Leucochlaena hoerhammeri* (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931 Original Reference: *Heliophobus hoerhammeri* Wagner,1931, *Int. ent. Z.* 25: 367. Type: [Türkei]: Akşehir. Range (in code): **GR TR Cc AZ**
- 63709. *Leucochlaena jordana* Draudt,1934** (Noctuidae) Synonym(s): *jordana* Draudt,1934 Original Reference: *Leucochlaena hispida jordana* Draudt,1934, [in] Seitz, *Die Gross-Schmett. Erde* 3 (suppl.): 131. Type(s): [Israel]: Jordantal. Range (in code): **IL Jt Pa JO TR**
- 63710. *Leucochlaena muscosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892 Original Reference: *Epunda muscosa* Staudinger,1892, *Dt. ent. Z., Iris* 4: 281-282. Syntypes 5♂: [Türkei]: Amasia, ?Maraş, ?Malatia. Range (in code): **GR TR IR Hz Elb Gh Km Ksh CY IQ AF TJ TM Kp UZ N-A IL Js Pa RU Cc Da Der**
- 63711. *Leucochlaena muscosa centralasiae* Hacker,2001** (Noctuidae) Synonym(s): *centralasiae* Hacker,2001 Range (in code): **IR Hz AF TJ TM Kp UZ N-A**
- 63712. *Leucochlaena muscosa cypraota* Hampson,1918** (Noctuidae) Synonym(s): *cypraota* Hampson,1918 Range (in code): **CY**
- 63713. *Leucochlaena muscosa hellenica* Hacker & Fibiger,2001** (Noctuidae) Synonym(s): *hellenica* Hacker & Fibiger,2001 Range (in code): **GR**
- 63714. *Leucochlaena muscosa muscosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *muscosa* Staudinger,1892; *hirsutus* Staudinger,1892 Original Reference: *Epunda muscosa* Staudinger,1892, *Dt. ent. Z., Iris* 4: 281-282. Syntypes 5♂: [Türkei]: Amasia, ?Maraş, ?Malatia. Range (in code): **TR IQ**

- 63715. *Leucochlaena muscosa rasilis* Draudt,1933** (Noctuidae) **Synonym(s):** *rasilis* Draudt,1933 **Original Reference:** *Leucochlaena rasilis* Draudt,1933, Ent. Rdsch. 50: 167, Taf.2 fig.6. Type ♂: Palaestina: Jerusalem (Dilb) (Wutzdorff leg.). **Range (in code): IL Js Pa**
- 63716. *Leucochlaena oditis* (Hübner,1822)** (Noctuidae) **Synonym(s):** *oditis* Hübner,1822 **Range (in code): DZ Ges Afl DhM BtNa Abe TN PT ES FR Co Sa Si IT GB**
- 63717. *Leucochlaena seposita* Turati,1921** (Noctuidae) **Synonym(s):** *seposita* Turati,1921 **Range (in code): Si IT**
- 63718. *Leucochlaena turatii* (Schawerda,1931)** (Noctuidae) **Synonym(s):** *turatii* Schawerda,1931 **Range (in code): Sa**
- 63719. *Leucocosmia nonagricola* (Walker,1864)** (Noctuidae) **Synonym(s):** *nonagricola* Walker,1864; *ceres* Butler,1886; *euthusa* Hampson,1891; *heliarcha* Meyrick,1897; *unipunctata* Bethune-Baker,1906; *nigripuncta* W.Warren,1913 **Range (in code): LK Kndy IN AU PC NC LO RA**
- 63720. *Leucogonia amarginata* Holloway,1979** (Noctuidae) **Synonym(s):** *amarginata* Holloway,1979 **Range (in code): NC**
- 63721. *Leuconola Laszlo, G.Ronkay & Witt,2010*** (Noctuidae) **Synonym(s):** *Leuconola Laszlo, G.Ronkay & Witt,2010* **Range (in code):**
- 63722. *Leuconola herczigi Laszlo, G.Ronkay & Witt,2010*** (Noctuidae) **Synonym(s):** *herczigi* Laszlo, G.Ronkay & Witt,2010 **Range (in code): TH CMa CDo**
- 63723. *Leuconola wilsonae* (Holloway,2003)** (Noctuidae) **Synonym(s):** *wilsonae* Holloway,2003 **Range (in code): MY Bor Swk BN**
- 63724. *Leucopardus mirabilis* Roepke,1943** (Noctuidae) **Synonym(s):** *mirabilis* Roepke,1943 **Range (in code): ID Ja MY Bor**
- 63725. *Leucopardus mirabilis nigrior* Holloway,1976** (Noctuidae) **Synonym(s):** *nigrior* Holloway,1976 **Range (in code): MY Bor**
- 63726. *Leucopardus semiflavum* (Kishida,1997)** (Noctuidae) **Synonym(s):** *semiflavum* Kishida,1997 **Range (in code): TH MM Tns**
- 63727. *Leucopardus stueningi* Zolotuhin,2000** (Noctuidae) **Synonym(s):** *stueningi* Zolotuhin,2000 **Range (in code): TH Nan**
- 63728. *Leucopardus sylviae* Zolotuhin & Witt,2000** (Noctuidae) **Synonym(s):** *sylviae* Zolotuhin & Witt,2000 **Range (in code): VN Ton Fan Lci**
- 63729. *Leucopardus tigrinus* Hampson,1894** (Noctuidae) **Synonym(s):** *tigrinus* Hampson,1894 **Range (in code): IN Ass Meg Khs CN Sz Yu MM**
- 63730. *Leucotrachea leucomelanica* Janse,1937** (Noctuidae) **Synonym(s):** *leucomelanica* Janse,1937 **Range (in code): ZA Tva Lpo Mal**
- 63731. *Leucotrachea melanobasis* (Hampson,1902)** (Noctuidae) **Synonym(s):** *melanobasis* Hampson,1902 **Range (in code): ZA Nta Kzu Kkf**
- 63732. *Leucotrachea melanodonta* (Hampson,1908)** (Noctuidae) **Synonym(s):** *melanoleuca* Hampson,1902 nec *Hmpsn.*,1902; *melanodonta* Hampson,1908. **Range (in code): ZA Nta Kzu Dbn Nkw**
- 63733. *Leucotrachea melanoleuca* (Hampson,1902)** (Noctuidae) **Synonym(s):** *melanoleuca* Hampson,1902 **Range (in code): ZA Nta Kzu Dbn**
- 63734. *Leucovis alba* (Rothschild,1897)** (Noctuidae) **Synonym(s):** *alba* Rothschild,1897 **Range (in code): ZA Umv Nta Kzu Tva Lpo ZW MW TZ**
- 63735. *Leumicamia graminicolens* (Butler,1878)** (Noctuidae) **Synonym(s):** *graminicolens* Butler,1878 **Range (in code): ZA MG**
- 63736. *Leumicamia illustris* Laporte,1977** (Noctuidae) **Synonym(s):** *illustris* Laporte,1977 **Range (in code): KE**
- 63737. *Leumicamia leucosoma* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *leucosoma* R.Felder & Rogenhofer,1874 **Range (in code): ZA Nta Kzu MG**
- 63738. *Leumicamia oreias* D.S.Fletcher,1959** (Noctuidae) **Synonym(s):** *oreias* D.S.Fletcher,1959 **Range (in code): ET Gdr**
- 63739. *Leumicamia palustris* Laporte,1976** (Noctuidae) **Synonym(s):** *palustris* Laporte,1976 **Range (in code): ET ET86**
- 63740. *Leumicamia venustissima* (Laporte,1974)** (Noctuidae) **Synonym(s):** *venustissima* Laporte,1974 **Range (in code): ET ET24 Ble**
- 63741. *Libystica complex* (Holland,1894)** (Noctuidae) **Synonym(s):** *complex* Holland,1894 **Range (in code): GA Ogo**

- 63742. *Libystica costalis* (Walker,1865)** (Noctuidae) Synonym(s): *costalis* Walker,1865
Range (in code): **SL**
- 63743. *Libystica crenata* Hampson,1926** (Noctuidae) Synonym(s): *crenata* Hampson,1926
Range (in code): **SL**
- 63744. *Libystica eucampima* Hampson,1926** (Noctuidae) Synonym(s): *eucampima* Hampson,1926
Range (in code): **SL**
- 63745. *Libystica fumosa* (Walker,1869)** (Noctuidae) Synonym(s): *fumosa* Walker,1869
Range (in code): **CG**
- 63746. *Libystica lunaris* Gaede,1940** (Noctuidae) Synonym(s): *lunaris* Gaede,1940
Range (in code): **TG CM**
- 63747. *Libystica simplex* (Holland,1894)** (Noctuidae) Synonym(s): *simplex* Holland,1894
Range (in code): **GA Ogo**
- 63748. *Libystica succedens* Gaede,1940** (Noctuidae) Synonym(s): *succedens* Gaede,1940
Range (in code): **CM**
- 63749. *Libystica woerdenialis* (Snellen,1872)** (Noctuidae) Synonym(s): *woerdenialis* Snellen,1872
Range (in code): **GH**
- 63750. *Lignicida echana* Swinhoe,1905** (Noctuidae) Synonym(s): *echana* Swinhoe,1905
Range (in code): **PH Pal ID Bli**
- 63751. *Lignicida grisechana* Holloway,2005** (Noctuidae) Synonym(s): *grisechana* Holloway,2005
Range (in code): **TH MY Bor BN Swk SG ID Sum**
- 63752. *Lineopalpa birena* Holloway,1976** (Noctuidae) Synonym(s): *birena* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 63753. *Lineopalpa horsfieldi* Guenée,1852** (Noctuidae) Synonym(s): *horsfieldi* Guenée,1852; *strigocrenulata* Bethune-Baker,1906; *varians* Moore,1867
Range (in code): **PG IN BD NP BT TH CMa Int Fn Php ID Sum Ja Bor Crm PH Luz**
- 63754. *Lineopalpa inexpectata* (Gaede,1940)** (Noctuidae) Synonym(s): *inexpectata* Gaede,1940
Range (in code): **CM**
- 63755. *Lineopalpa orsara* Swinhoe,1903** (Noctuidae) Synonym(s): *orsara* Swinhoe,1903
Range (in code): **MY Bor Sbh KBa**
- 63756. *Lineopalpa rufa* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *rufa* Bethune-Baker,1906
Range (in code): **PG**
- 63757. *Lipatephia illegitima* (Wallengren,1875)** (Noctuidae) Synonym(s): *illegitima* Wallengren,1875
Range (in code): **ZA Tva**
- 63758. *Lithacodia albannularis* Berio,1954** (Noctuidae) Synonym(s): *albannularis* Berio,1954
Range (in code): **MG**
- 63759. *Lithacodia albiclava* Draudt,1950** (Noctuidae) Synonym(s): *albiclava* Draudt,1950
Range (in code): **CN Sz**
- 63760. *Lithacodia albidula* (Guenée,1852)** (Noctuidae) Synonym(s): *albidula* Guenée,1852; *itractabilis* Walker,1860; *cretiferana* Walker,1863
Range (in code): **US**
- 63761. *Lithacodia albitornata* Berio,1973** (Noctuidae) Synonym(s): *albitornata* Berio,1973
Range (in code): **MM Kam**
- 63762. *Lithacodia albopunctalis* (Druce,1895)** (Noctuidae) Synonym(s): *albopunctalis* Druce,1895
Range (in code): **GT**
- 63763. *Lithacodia altitudinis* Berio,1973** (Noctuidae) Synonym(s): *altitudinis* Berio,1973
Range (in code): **MM Kam**
- 63764. *Lithacodia aurata* (Moore,1882)** (Noctuidae) Synonym(s): *aurata* Moore,1882
Range (in code): **IN SI Djl**
- 63765. *Lithacodia awassensis* Berio,1984** (Noctuidae) Synonym(s): *awassensis* Berio,1984
Range (in code): **ET ET36**
- 63766. *Lithacodia biaccentuata* Berio,1973** (Noctuidae) Synonym(s): *biaccentuata* Berio,1973
Range (in code): **MM Kam**
- 63767. *Lithacodia binorbis* (Hampson,1902)** (Noctuidae) Synonym(s): *binorbis* Hampson,1902
Range (in code): **ZA Ec Tra**
- 63768. *Lithacodia blandula* (Guenée,1862)** (Noctuidae) Synonym(s): *blandula* Guenée,1862; *i-graceum* Mabille,1881; *perta* Schaus,1893
Range (in code): **ZA RE MG SL**
- 63769. *Lithacodia brunnea* (Leech,1889)** (Noctuidae) Synonym(s): *brunnea* Leech,1889
Range (in code): **JP**

- 63770. *Lithacodia bryistis* (Turner,1902)** (Noctuidae) Synonym(s): *bryistis* Turner,1902
Range (in code): **AU QAU Bri**
- 63771. *Lithacodia caffristis* Hampson,1910** (Noctuidae) Synonym(s): *caffristis* Hampson,1910
Range (in code): **ZA Ec Tra**
- 63772. *Lithacodia chloromixta* (Alpheraky,1892)** (Noctuidae) Synonym(s): *chloromixta* Alpheraky,1892
Range (in code): **CN Gn**
- 63773. *Lithacodia cidarioides* (Moore,1882)** (Noctuidae) Synonym(s): *cidarioides* Moore,1882
Range (in code): **IN SI Djl**
- 63774. *Lithacodia coenia* (Swinhoe,1901)** (Noctuidae) Synonym(s): *coenia* Swinhoe,1901
Range (in code): **IN Ass Meg Khs**
- 63775. *Lithacodia crotopha* (Swinhoe,1901)** (Noctuidae) Synonym(s): *crotopha* Swinhoe,1901
Range (in code): **IN Ass Meg Khs**
- 63776. *Lithacodia cupreofusca* (Hampson,1910)** (Noctuidae) Synonym(s): *cupreofusca* Hampson,1910
Range (in code): **ID Ja**
- 63777. *Lithacodia decorata* (Moore,1882)** (Noctuidae) Synonym(s): *decorata* Moore,1882
Range (in code): **IN SI Djl**
- 63778. *Lithacodia griseifusa* Hampson,1914** (Noctuidae) Synonym(s): *griseifusa* Hampson,1914
Range (in code): **NG Minn**
- 63779. *Lithacodia melanostigma* (Hampson,1894)** (Noctuidae) Synonym(s): *melanostigma* Hampson,1894
Range (in code): **IN Ass Meg Khs ID Ja**
- 63780. *Lithacodia mesomela* Hampson,1914** (Noctuidae) Synonym(s): *mesomela* Hampson,1914
Range (in code): **KE Nai**
- 63781. *Lithacodia mesoplaga* Hampson,1918** (Noctuidae) Synonym(s): *mesoplaga* Hampson,1918
Range (in code): **MM**
- 63782. *Lithacodia minutipuncta* Berio,1973** (Noctuidae) Synonym(s): *minutipuncta* Berio,1973
Range (in code): **MM Kam**
- 63783. *Lithacodia normalis* Hampson,1910** (Noctuidae) Synonym(s): *normalis* Hampson,1910
Range (in code): **ZA Tva Gau Jh**
- 63784. *Lithacodia persubtilis* Berio,1984** (Noctuidae) Synonym(s): *persubtilis* Berio,1984
Range (in code): **ET ET204**
- 63785. *Lithacodia picatina* A.E.Prout,1921** (Noctuidae) Synonym(s): *picatina* A.E.Prout,1921
Range (in code): **IN Ass Meg Khs**
- 63786. *Lithacodia picta* Hampson,1896** (Noctuidae) Synonym(s): *picta* Hampson,1896
Range (in code): **IN Ass Meg Khs**
- 63787. *Lithacodia plumbifusa* Hampson,1914** (Noctuidae) Synonym(s): *plumbifusa* Hampson,1914
Range (in code): **NG Minn**
- 63788. *Lithacodia pyrophora* Hampson,1914** (Noctuidae) Synonym(s): *pyrophora* Hampson,1914
Range (in code): **MW**
- 63789. *Lithacodia superior* Draudt,1950** (Noctuidae) Synonym(s): *superior* Draudt,1950;
#sordida Draudt,1950
Range (in code): **CN Yu Lik**
- 63790. *Lithacodia trifurca* Berio,1977** (Noctuidae) Synonym(s): *trifurca* Berio,1977
Range (in code): **CN Yu Lik**
- 63791. *Lithacodia varicolora* (Hampson,1902)** (Noctuidae) Synonym(s): *varicolora* Hampson,1902
Range (in code): **ZA Nta Kzu Ec Tra**
- 63792. *Lithacodia viridovata* Berio,1973** (Noctuidae) Synonym(s): *viridovata* Berio,1973
Range (in code): **MM Kam**
- 63793. *Lithacodia wiskotti* (Staudinger,1888)** (Noctuidae) Synonym(s): *wiskotti* Staudinger,1888; *viscotti* Hampson,1910
Range (in code): **RU Us Ask**
- 63794. *Lithomoia solidaginis* (Hübner,[1803])** (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY JP CA**
- 63795. *Lithomoia solidaginis solidaginis* (Hübner,[1803])** (Noctuidae) Synonym(s): *solidaginis* Hübner,[1803]
Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY JP CA**
- 63796. *Lithophane alaina* Boursin,1957** (Noctuidae) Synonym(s): *alaina* Boursin,1957
Range (in code):

- 63797. *Lithophane consocia* (Borkhausen,1792)** (Noctuidae) Synonym(s): *consocia* Borkhausen,1792; *infirica* Herrich-Schäffer,1850; *jezoensis* Matsumura,1931. Range (in code): **FR IT? DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY JP**
- 63798. *Lithophane dailekhi* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *dailekhi* Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 63799. *Lithophane franclemonti* Metzler,1998** (Noctuidae) Synonym(s): *franclemonti* Metzler,1998 Original Reference: *Lithophane franclemonti* Metzler,1998, J. Lep. Soc. 52: 2. Holotype ♂: Ohio: Wyandot Co., Pitt Township (USNM). Range (in code): **US Oh**
- 63800. *Lithophane furcifera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *furcifera* Hufnagel,1766; *conformis* [Denis & Schiffermüller],1775. Range (in code): **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Cc Ro Kr MD UA BY**
- 63801. *Lithophane furiosa* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *furiosa* Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 63802. *Lithophane gansuana* Kononenko,2008** (Noctuidae) Synonym(s): *gansuana* Kononenko,2008 Range (in code): **CN G**
- 63803. *Lithophane griseobrunnea* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *griseobrunnea* Hreblay & L.Ronkay,1999 Range (in code): **NP**
- 63804. *Lithophane lamda* (Fabricius,1787)** (Noctuidae) Synonym(s): *lamda* Fabricius,1787 Original Reference: *Noctua lamda* Fabricius,1787, Mantissa Insectorum 2: 174. Type: Germania. Range (in code): **FR GB BE NL DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 63805. *Lithophane lapidea* (Hübner,[1808])** (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]; *cupressivora* Staudinger,1871 Original Reference: *Noctua lapidea* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab. 82, fig.382. Type(s): Europa. Range (in code): **MZ DZ Ges LY IT CH? HV MK BG GR Cr Rd CY TR LB Bei IL Pa SY IR Elb Th** Bionomy: Larva on *Juniperus excelsa* (Hacker,2001).
- 63806. *Lithophane lapidea cypriaca* Boursin,1957** (Noctuidae) Synonym(s): *cypriaca* Boursin,1957 Range (in code): **CY**
- 63807. *Lithophane lapidea lapidea* (Hübner,[1808])** (Noctuidae) Synonym(s): *lapidea* Hübner,[1808]; *cupressivora* Staudinger,1871 Range (in code): **IT CH? HV MK BG GR Cr Rd TR**
- 63808. *Lithophane lapidea mousterdei* Boursin,1955** (Noctuidae) Synonym(s): *mousterdei* Boursin,1955 Range (in code): **LB Bei IL Pa SY**
- 63809. *Lithophane leautieri* (Boisduval,1829)** (Noctuidae) Synonym(s): *leautieri* Boisduval,1829 Range (in code): **DZ Ges Btina PT ES An Grn FR Co Sa IT GB NL DE CH BG** Bionomy: Larva on *Juniperus sabina* [Cupressaceae] (Geyer,[1832]; Forster & Wohlfart,1971).
- 63810. *Lithophane leautieri andalusica* Boursin,1962** (Noctuidae) Synonym(s): *andalusica* Boursin,1962 Range (in code): **ES An Grn**
- 63811. *Lithophane leautieri cyrnos* Boursin,1957** (Noctuidae) Synonym(s): *cyrnos* Boursin,1957 Range (in code): **Co**
- 63812. *Lithophane leautieri leautieri* (Boisduval,1829)** (Noctuidae) Synonym(s): *leautieri* Boisduval,1829 Range (in code): **FR**
- 63813. *Lithophane leautieri ochreimacula* (Rothschild,1914)** (Noctuidae) Synonym(s): *ochreimacula* Rothschild,1914 Range (in code): **DZ Ges Btina**
- 63814. *Lithophane leautieri sabinae* (Geyer,[1832])** (Noctuidae) Synonym(s): *sabinae* Geyer,[1832] Range (in code): **DE CH** Bionomy: Larva on *Juniperus sabina* [Cupressaceae] (Geyer,[1832]; Forster & Wohlfart,1971).
- 63815. *Lithophane ledereri* (Staudinger,1892)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1892; *discors* Staudinger,1892 Original Reference: *Xylina ledereri* Staudinger,1892, Dt. ent. Z., Iris 4: 304-305. Syntypes: [Türkei]: Amasia (Kindermann leg.). Range (in code): **YU BG GR Rd TR CY IQ Shq IL Pa**
- 63816. *Lithophane merckii* (Rambur,1832)** (Noctuidae) Synonym(s): *merckii* Rambur,1832 Range (in code): **ES FR Co Sa IT CH RO YU BG GR CY TR**
- 63817. *Lithophane ornitopus* (Hufnagel,1766)** (Noctuidae) Synonym(s): *ornitopus* Hufnagel,1766; *rhizolitha* [Denis & Schiffermüller],1775; *pitzalisi* Hartig,1976 Original Reference: *Phalaena ornitopus* Hufnagel,1766, Berl. Mag. 3(3): 304. Type(s): [Germany]: Berlin. Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Gl DK SE FI EE LV LT RU Ro Kr Da MD UA BY**
- 63818. *Lithophane pacifica* Kononenko,1978** (Noctuidae) Synonym(s): *pacifica* Kononenko,1978 Range (in code): **RU Us**

- 63819. Lithophane semibrunnea (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824]. Original Reference: Noctua semibrunnea Haworth,[1809], Lep. Br. 2:171. Type(s): England. Range (in code): **DZ Btna Perr Hrh MA PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Shq DK FI RU Cc Kr Nov** Bionomy: Larva on Fraxinus (Hampson,1906; Spuler,1907).
- 63820. Lithophane semibrunnea semibrunnea (Haworth,1809)** (Noctuidae) Synonym(s): *semibrunnea* Haworth,[1809]; *oculata* Sommer,[1824]. Original Reference: Noctua semibrunnea Haworth,[1809], Lep. Br. 2:171. Type(s): England. Range (in code): **PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK FI RU Cc Kr Nov**
- 63821. Lithophane semibrunnea wiltshirei Boursin,1962** (Noctuidae) Synonym(s): *wiltshirei* Boursin,1962 Original Reference: Lithophane semibrunnea ssp. wiltshirei Boursin,1962, Z. wien. ent. Ges. 47: 92-94, figs. Holotype ♂: [Türkei]: Ost-Anatolien: Malatya-Tecde, April (NHMW). Range (in code): **DZ Btna Perr Hrh IT BG TR IL Pa IQ Shq**
- 63822. Lithophane socia (Hufnagel,1766)** (Noctuidae) Synonym(s): *socia* Hufnagel,1766 Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY JP**
- 63823. Lithophane violascens Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *violascens* Hreblay & L.Ronkay,1998 Range (in code): **NP**
- 63824. Lithophasia cyaxares Wiltshire,1957** (Noctuidae) Synonym(s): *cyaxares* Wiltshire,1957 Original Reference: Lithophasia cyaxares Wiltshire,1957, Lepidoptera of Iraq: 69-70. Holotype ♂: Iraq: Haj Omran, near Rayat, 2-13.vi.56 (coll. Wiltshire). Range (in code): **IQ Hjo**
- 63825. Lithophasia quadrivirgula (Mabille,1888)** (Noctuidae) Synonym(s): *quadrivirgula* Mabille,1888; *jordana* Stertz,1919. Original Reference: Epimecia quadrivirgula Mabille,1888, Bull. Soc. ent. Fr. 1888: 51. Type: Gabès. Range (in code): **MA DZ Ges Agi BSa TN Gab LY EG JO IQ Dy Jd IL Pa Jt**
- 63826. Lithophasia venosula Staudinger,1892** (Noctuidae) Synonym(s): *venosula* Staudinger,1892 Original Reference: Lithophasia venosula Staudinger,1892, Dt. ent. Z., Iris 4: 305-306, Taf. iv fig.3. Syntypes ♂♀: [Libanon]: Beirut. Range (in code): **LB Bei TR**
- 63827. Lithosiopsis sp.** (Noctuidae) Synonym(s): Range (in code): **TH Ntt Hba**
- 63828. Lithosiopsis torsivena Hampson,1895** (Noctuidae) Synonym(s): *torsivena* Hampson,1895 Range (in code): **BT**
- 63829. Loboplusia vanderweelei Roepke,1941** (Noctuidae) Synonym(s): *vanderweelei* Roepke,1941; *pokhara* Dufay,1973 Range (in code): **NP ID Ja Sum TH Nan CMa Php MM IN**
- 63830. Longicella luctifera (Boisduval,1836)** (Noctuidae) Synonym(s): *luctifera* Boisduval,1836 Range (in code): **ID Ja**
- 63831. Longicella mollis (Walker,1856)** (Noctuidae) Synonym(s): *mollis* Walker,1856; *decipiens* Butler,1884 Original Reference: Eusemia mollis Walker,1856, List 7: 1774. Syntypes ♂♀. [Malaysia]: Malacca. Range (in code): **MY Pen TH Knc ID Nia Sum Bor**
- 63832. Lopharthrum comprimens (Walker,1858)** (Noctuidae) Synonym(s): *comprimens* Walker,1858; *chrysenaeri* Heylaerts,1888 Range (in code): **ID Sum BD Syl TH Knc CMa Dst Dso7 Cmz Mth Cmz Czi1 CDo LA VN IN CN PG PH**
- 63833. Lophocrama phoenicochlora Hampson,1912** (Noctuidae) Synonym(s): *phoenicochlora* Hampson,1912 Range (in code): **ZA ET ET29**
- 63834. Lophocytarra argyropasta Hampson,1918** (Noctuidae) Synonym(s): *argyropasta* Hampson,1918 Range (in code): **ZA**
- 63835. Lophocytarra phoenicoxantha Hampson,1914** (Noctuidae) Synonym(s): *phoenicoxantha* Hampson,1914 Range (in code): **ZA**
- 63836. Lophomilia flaviplaga (W.Warren,1912)** (Noctuidae) Synonym(s): *flaviplaga* W.Warren,1912 Range (in code): **JP PK Haz Nar**
- 63837. Lophonotidia melanoleuca Janse,1937** (Noctuidae) Synonym(s): *melanoleuca* Janse,1937 Range (in code): **ZA Lpo Tva Spb Wp ZW Mtt**
- 63838. Lophonotidia nocturna Hampson,1901** (Noctuidae) Synonym(s): *nocturna* Hampson,1901 Range (in code): **ZA Lpo Tva Spb Mdk ZW MW**
- 63839. Lophoptera acuda (Swinhoe,1906)** (Noctuidae) Synonym(s): *acuda* Swinhoe,1906; *hyalophaea* De Joannis,1928 Range (in code): **ID Sum VN Ton TH Ntt Hba MM MY Bor JP**
- 63840. Lophoptera apirtha Swinhoe,1900** (Noctuidae) Synonym(s): *chalybea* Butler,1883 nec Wlk.; *apirtha* Swinhoe,1900; *plumbeola* Hampson,1912 Range (in code): **TH CMa CDo**

- 63841. *Lophoptera ferrinalis* (Walker,1863)** (Noctuidae) Synonym(s): *ferrinalis* Walker,1863
Range (in code): **MY Bor Swk TH Ntt Hba MY ID Sum**
- 63842. *Lophoptera hemithyris* (Hampson,1905)** (Noctuidae) Synonym(s): *hemithyris* Hampson,1905
Range (in code): **ID Clb Kai PG NH NC FJ TH Knc MY VN LK TW Sum Bor AU**
- 63843. *Lophoptera huma* (Swinhoe,1903)** (Noctuidae) Synonym(s): *huma* Swinhoe,1903
Original Reference: *Lophoptera huma* Swinhoe,1903, Fasc. Malay. Zool. 1: 75. Type: Thailand: Biserat. Range (in code): **TH MY VN Bor ID Clb Crm PG**
- 63844. *Lophoptera hypenistis* (Hampson,1905)** (Noctuidae) Synonym(s): *hypenistis* Hampson,1905
Range (in code): **MM TH CMa Dst VN LA KH**
- 63845. *Lophoptera illucida* (Walker,1865)** (Noctuidae) Synonym(s): *illucida* Walker,1865; *abortiva* Herrich-Schaffer,[1869]
Range (in code): **IN BD TH Ntt Hba CMa CDo MY LA VN MM LA Bor Sum NP PH TW AU**
Bionomy: Larva on *Shorea robusta*, *Hopea wightiana* (Dipterocarpaceae) (Holloway,1985).
- 63846. *Lophoptera litigiosa* (Boisduval,1833)** (Noctuidae) Synonym(s): *litigiosa* Boisduval,1833; *crisigera* Guenée,1852; *alutacea* R.Felder & Rogenhofer,1874; *squamulosa* Saalmüller,1880
Range (in code): **KE ZA Ec Tra Nta Kzu Dbn**
- 63847. *Lophoptera longipennis* (Moore,1882)** (Noctuidae) Synonym(s): *longipennis* Moore,1882
Range (in code): **IN SI Djl TH Ntt Hba CMa CDo VN NP IN CN TW ID Sum Bor Ja**
- 63848. *Lophoptera methyalea* (Hampson,1902)** (Noctuidae) Synonym(s): *methyalea* Hampson,1902; *#methyalea* Poole,1989
Range (in code): **ZW Har**
- 63849. *Lophoptera olivascens* (Moore,1882)** (Noctuidae) Synonym(s): *olivascens* Moore,1882
Range (in code): **IN Ass Meg Khs TH Knc VN MM NP IN Bor PH**
- 63850. *Lophoptera purpurascens* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *purpurascens* Bethune-Baker,1906; *occidentalis* Holloway,1985
Range (in code): **MY Bor Swk TH Ntt Hba ID Sum PG Clb SB Bsm**
- 63851. *Lophoptera purpuridis* Holloway,1985** (Noctuidae) Synonym(s): *purpuridis* Holloway,1985
Range (in code): **TH Ntt Hba Bor Swk**
- 63852. *Lophoptera quadrinotata* (Walker,1864)** (Noctuidae) Synonym(s): *quadrinotata* Walker,1864; *aequilinea* Walker,1864
Range (in code): **MY Bor Swk TH CMa Dst MY IN ID Ja**
- 63853. *Lophoptera squammigera* Guenée,1852** (Noctuidae) Synonym(s): *squammigera* Guenée,1852; *costata* Moore,[1885]
Range (in code): **IN ID Clb Mlc PH AU QAU NSw PG Bsm SB NH NC LO TH CMa Int MM LA VN NP LK PK CN KR TW JP PH Sum Bli Ja Clb Tim Mlc Bsm**
Bionomy: Larva on *Mallotus japonicus*, *Briedelia* (Euphorbiaceae), *Shorea* (Dipterocarpaceae), *Grewia* (Tiliaceae) (Park, et al.,2005).
- 63854. *Lophoptera tripartita* (Swinhoe,1902)** (Noctuidae) Synonym(s): *tripartita* Swinhoe,1902
Range (in code): **MY Prk Bor TH Knc ID Sum Ja Clb Sda Bru PG**
- 63855. *Lophotarsia flava* Laporte,1970** (Noctuidae) Synonym(s): *flava* Laporte,1970
Range (in code): **UG**
- 63856. *Lophotarsia girmai* Laporte,1975** (Noctuidae) Synonym(s): *girmai* Laporte,1975
Range (in code): **ET ET29**
- 63857. *Lophotarsia isis* Laporte,1970** (Noctuidae) Synonym(s): *isis* Laporte,1970
Range (in code): **GA**
- 63858. *Lophotarsia minuta* Hampson,1914** (Noctuidae) Synonym(s): *minuta* Hampson,1914
Range (in code): **NG**
- 63859. *Lophotarsia ochroprocta* Hampson,1902** (Noctuidae) Synonym(s): *ochroprocta* Hampson,1902
Range (in code): **ZA Nta Kzu Est**
- 63860. *Lophotarsia ochroptera* Berio,1973** (Noctuidae) Synonym(s): *ochroptera* Berio,1973
Range (in code): **ZR**
- 63861. *Lophotarsia uniformis* Berio,1966** (Noctuidae) Synonym(s): *uniformis* Berio,1966; *lichenosa* Pinhey,1968
Range (in code): **ZR ZW Vum**
- 63862. *Lophotarsia vicina* Berio,1966** (Noctuidae) Synonym(s): *vicina* Berio,1966
Range (in code): **SN**
- 63863. *Lophotavia* Hampson,1926** (Noctuidae) Synonym(s): *Lophotavia* Hampson,1926
Range (in code): **ZA**
- 63864. *Lophotavia globulipes* (Walker,1865)** (Noctuidae) Synonym(s): *globulipes* Walker,1865
Range (in code): **ZA SL YE EG ET TZ BW Nga**

- 63865. Lophotavia incivilis (Walker,1865)** (Noctuidae) Synonym(s): *incivilis* Walker,1865, *merulina* Mabille,1890; *nigrocyanea* De Joannis,1906 _ Range (in code): **MG MU**
- 63866. Lophotavia pulcherrima (Holland,1894)** (Noctuidae) Synonym(s): *pulcherrima* Holland,1894; *prunicolora* Hampson,1910 _ Range (in code): **GA Ogo SL**
- 63867. Lophoterges (Fibigeres) atlas L.Ronkay,2005** (Noctuidae) Synonym(s): *atlas* L.Ronkay,2005 _ Range (in code): **MA DZ Orn Sbd**
- 63868. Lophoterges (Fibigeres) hoerhammeri (Wagner,1931)** (Noctuidae) Synonym(s): *hoerhammeri* Wagner,1931 _ Original Reference: *Lithocampa millierei* var. *hoerhammeri* Wagner,1931, Int. ent. Z. 25: 367. Holotype ♂: [Turkey]: Ak-chehir (ZSM). Range (in code): **GR AL MK TR IR Elb Th Plr Dam**
- 63869. Lophoterges (Fibigeres) mariannae Fibiger,2001** (Noctuidae) Synonym(s): *mariannae* Fibiger,2001 _ Range (in code): **IR Elb Mz Plr Dam**
- 63870. Lophoterges (Fibigeres) millierei (Staudinger,1871)** (Noctuidae) Synonym(s): *millierei* Staudinger,1871 _ Range (in code): **DZ Sbd Hrh PT ES Mu FR** _ Bionomy: Larva on *Lonicera implexa* (Calle et al., 2000).
- 63871. Lophoterges (Fibigeres) millierei fibigeri G.Ronkay & L.Ronkay,1995** (Noctuidae) Synonym(s): *fibigeri* G.Ronkay & L.Ronkay,1995 _ Range (in code): **FR**
- 63872. Lophoterges (Tibeterges) hoenei Draudt,1950** (Noctuidae) Synonym(s): *hoenei* Draudt,1950 _ Range (in code): **CN Sz Btn**
- 63873. Lophoterges (Variterges) aksuensis A.Bang-Haas,1912.** (Noctuidae) Synonym(s): *aksuensis* A.Bang-Haas,1912 _ Original Reference: *Lithocampa millierei* var. *aksuensis* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 157. Holotype ♂: [China], Uighur A.R., Aksu (MNHU, Berlin). Range (in code): **CN Ui Au Kl**
- 63874. Lophoterges (Variterges) centralasiae (Staudinger,1901)** (Noctuidae) Synonym(s): *centralasiae* Staudinger,1901 _ Range (in code): **UZ Fe N-A KK TeA T-A Ik Osh KG Aa TJ CN Ui**
- 63875. Lophoterges (Variterges) radians L.Ronkay,2005** (Noctuidae) Synonym(s): *radians* L.Ronkay,2005 _ Range (in code): **AF Nu PK Bl Qu TJ Pm Chr Sfk KK UZ Br**
- 63876. Lophoterges (Variterges) varians L.Ronkay,2005** (Noctuidae) Synonym(s): *variens* L.Ronkay,2005 _ Range (in code): **KG Ssn TrA MN At UZ**
- 63877. Lophoterges (s.str.) fatua (Püngeler,1904)** (Noctuidae) Synonym(s): *fatua* Püngeler,1904 _ Original Reference: *Lithocampa fatua* Püngeler,1904, Dt. ent. Z., Iris 16: 288, pl.6 fig.4. Type(s): [China], Kuku Noor. Range (in code): **CN Ts Kno Gn**
- 63878. Lophoterges fidia Draudt,1950** (Noctuidae) Synonym(s): *fidia* Draudt,1950 _ Range (in code): **CN Yu Ats**
- 63879. Lophothripa vitea (Swinhoe,1885)** (Noctuidae) Synonym(s): *vitea* Swinhoe,1885 _ Range (in code): **MY Bor AU QAU SB**
- 63880. Lophotidia brunnescens Pinhey,1968** (Noctuidae) Synonym(s): *brunnescens* Pinhey,1968 _ Range (in code): **ZA ZW YE Sna**
- 63881. Lophotyna albirena (Moore,1867)** (Noctuidae) Synonym(s): *albirena* Moore,1867 _ Range (in code): **IN Clc Djl**
- 63882. Lophotyna albosignata (Moore,1881)** (Noctuidae) Synonym(s): *albosignata* Moore,1881 _ Range (in code): **IN**
- 63883. Lophotyna hoenei Boursin,1956** (Noctuidae) Synonym(s): *hoenei* Boursin,1956 _ Range (in code): **CN Yu**
- 63884. Lophotyna khumbuensis Owada,1981** (Noctuidae) Synonym(s): *khumbuensis* Owada,1981 _ Range (in code): **NP**
- 63885. Lophpruza semiscripta (Mabille,1893)** (Noctuidae) Synonym(s): *semiscripta* Mabille,1893 _ Range (in code): **ZA**
- 63886. Loscopia scolopacina (Esper,1788)** (Noctuidae) Synonym(s): *scolopacina* Esper,1788 _ Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Ing MD UA BY**
- 63887. Loxioda alternans Hampson,1926** (Noctuidae) Synonym(s): *alternans* Hampson,1926 _ Range (in code): **GH**
- 63888. Loxioda assimilis Wileman & West,1928** (Noctuidae) Synonym(s): *assimilis* Wileman & West,1928 _ Range (in code): **PH Luz**
- 63889. Loxioda coniventris Strand,1915** (Noctuidae) Synonym(s): *coniventris* Strand,1915 _ Range (in code): **EG**

- 63890. *Loxioda dilutalis* (Snellen,1884)** (Noctuidae) Synonym(s): *dilutalis* Snellen,1884
Range (in code): ID Ja
- 63891. *Loxioda dissimilis* (Moore,1882)** (Noctuidae) Synonym(s): *dissimilis* Moore,1882
Range (in code): IN Meg Cpj
- 63892. *Loxioda ectherma* Hampson,1926** (Noctuidae) Synonym(s): *ectherma* Hampson,1926
Range (in code): NG
- 63893. *Loxioda fasciosa* (Moore,1882)** (Noctuidae) Synonym(s): *fasciosa* Moore,1882 - Range (in code): IN SI Djl
- 63894. *Loxioda hampsoni* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *hampsoni* Bethune-Baker,1906 - Range (in code): PG
- 63895. *Loxioda mediofascia* (Swinhoe,1902)** (Noctuidae) Synonym(s): *mediofascia* Swinhoe,1902 - Range (in code): MY Bor Swk
- 63896. *Loxioda ochrota* (Hampson,1909)** (Noctuidae) Synonym(s): *ochrota* Hampson,1909
Range (in code): ZA UG
- 63897. *Loxioda oxyperas* Hampson,1926** (Noctuidae) Synonym(s): *oxyperas* Hampson,1926
Range (in code): IN BD Ben
- 63898. *Loxioda parva* Sugi,1982** (Noctuidae) Synonym(s): *parva* Sugi,1982 - Range (in code): JP
- 63899. *Loxioda shumara* (Swinhoe,1901)** (Noctuidae) Synonym(s): *shumara* Swinhoe,1901
Range (in code): MY Bor Swk
- 63900. *Loxioda similis* (Moore,1882)** (Noctuidae) Synonym(s): *similis* Moore,1882; *ochreifascia* Hampson,1891; *lutealis* Snellen,1894 - Range (in code): IN NI SI Djl ID Ja TH Nan Dpk CN
- 63901. *Loxioda similis* (Moore,1882)** (Noctuidae) Synonym(s): *similis* Moore,1882; *lutealis* Snellen,1884; *ochreifascia* Hampson,1891 - Range (in code): IN NI SI Djl ID Ja
- 63902. *Luceria aurantilineata* (Hampson,1896)** (Noctuidae) Synonym(s): *aurantilineata* Hampson,1896 - Range (in code): LK
- 63903. *Luceria bipartita* Rothschild,1915** (Noctuidae) Synonym(s): *bipartita* Rothschild,1915
Range (in code): ID Ij Snw
- 63904. *Luceria cooki* Holloway,1977** (Noctuidae) Synonym(s): *cooki* Holloway,1977 - Range (in code): NF
- 63905. *Luceria emarginata* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *emarginata* D.S.Fletcher,1961 - Range (in code): UG Rz
- 63906. *Luceria fletcheri* Inoue,1958** (Noctuidae) Synonym(s): *fletcheri* Inoue,1958 - Range (in code): JP
- 63907. *Luceria icasta* D.S.Fletcher,1957** (Noctuidae) Synonym(s): *icasta* D.S.Fletcher,1957
Range (in code): SB
- 63908. *Luceria nigerrimalis* (Fryer,1912)** (Noctuidae) Synonym(s): *nigerrimalis* Fryer,1912
Range (in code): SC
- 63909. *Luceria ocularis* (Moore,1877)** (Noctuidae) Synonym(s): *ocularis* Moore,1877; *africana* D.S.Fletcher,1961 - Range (in code): GH WS PC AU MY IN Adm
- 63910. *Luceria opiliusalis* Walker,1859** (Noctuidae) Synonym(s): *opiliusalis* Walker,1859; *pallida* Hampson,1891 - Range (in code): MY Bor Swk IN NI
- 63911. *Luceria pamphaea* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *pamphaea* D.S.Fletcher,1961 - Range (in code): UG
- 63912. *Luceria roseocinnamomea* Rothschild,1915** (Noctuidae) Synonym(s): *roseocinnamomea* Rothschild,1915 - Range (in code): ID Ij Snw
- 63913. *Luperina dayensis* Oberthür,1891** (Noctuidae) Synonym(s): *dayensis* Oberthür,1891; *irritaria* A.Bang-Haas,1912; *rotroui* Rothschild,1920 - Range (in code): DZ Btina Abe Ges Bsk Sbd FR IT Si
- 63914. *Luperina diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892
Original Reference: *Apamea dumerilii* var. *diversa* Staudinger,1892, Dt. ent. Z., Iris 4: 284-285.
Syntypes: [Türkei]: Amasia, Diarbekir. Range (in code): TR Cc AM Geg Eri CY IQ IR Km Ksh Elb Th LB Bei EG Sn
- 63915. *Luperina diversa diversa* (Staudinger,1892)** (Noctuidae) Synonym(s): *diversa* Staudinger,1892
Original Reference: *Apamea dumerilii* var. *diversa* Staudinger,1892, Dt. ent. Z., Iris 4: 284. Syntypes: [Türkei]: Amasia, Diarbekir. Range (in code): TR CY IQ IR Km Ksh Elb Th LB Bei EG Sn

- 63916. *Luperina diversa terteriani* Ronkay & Varga, 1985** (Noctuidae) Synonym(s): *terteriani* Ronkay & Varga, 1985. Range (in code): Cc AM Geg Eri
- 63917. *Luperina dumerilii* (Duponchel, 1826)** (Noctuidae) Synonym(s): *dumerilii* Duponchel, 1826; *amenata* Germar, [1842]; *sancta* Staudinger, 1892; *armoricana* Culot, 1909; *aequalis* Schawerda, 1911; *uniformis* W. Warren, 1911; *adriatica* Stauder, 1913; *hirsuta* F. Wagner, 1931; *indistincta* Rebel, 1933; *hartigi* L. Ronkay & Varga, 1985. Original Reference: *Noctua dumerilii* Duponchel, 1826, Hist. nat. Lépid. Pap. Fr. 6: 277. Type(s): Paris. Range (in code): MA DZ Dhm TN Perr Bttna PT ES Co Sa Si IT MT GB BE DE CH RO YU BG GR Cr TR RU Cc Da CY IQ Dia IL Pa Jt JO
- 63918. *Luperina farsiensis* Fibiger & Zahiri, 2005** (Noctuidae) Synonym(s): *farsiensis* Fibiger & Zahiri, 2005. Original Reference: *Luperina farsiensis* Fibiger & Zahiri, 2005, Noct. Eur. 8: 68, figs. Holotype ♂: Iran, Fars Kazerun Govkoshak leg. Abai (PPDRI). Range (in code): IR Fa
- 63919. *Luperina grzimeki* Hacker, 1989** (Noctuidae) Synonym(s): *grzimeki* Hacker, 1989. Original Reference: *Luperina grzimeki* Hacker, 1989, Atalanta 19 (1/4): 174-176, figs. Holotype ♂: Aegpten: Mariput, El Agomi, 16.ix.1974, leg. Zouhar (ZSM). Range (in code): EG
- 63920. *Luperina imbellis* (Staudinger, 1888)** (Noctuidae) Synonym(s): *imbellis* Staudinger, 1888. Range (in code): UZ Smk
- 63921. *Luperina kravchenkoi* Fibiger & Müller, 2005** (Noctuidae) Synonym(s): *kravchenkoi* Fibiger & Müller, 2005. Original Reference: *Luperina kravchenkoi* Fibiger & Müller, 2005, Noct. Eur. 8: 76, figs. Holotype ♂: Israel, Golan Heights, El Rom, leg. Kravchenko (coll. M. Fibiger). Range (in code): IL Pa Gol
- 63922. *Luperina kruegeri* Turati, 1912** (Noctuidae) Synonym(s): *kruegeri* Turati, 1912; *siegeli* Berio, [1986]. Range (in code): Sa IT?
- 63923. *Luperina nickerlii* (Freyer, 1845)** (Noctuidae) Synonym(s): *nickerlii* Freyer, 1845; *graslini* Oberthür, 1908; *niccerli* Hampson, 1908; *tardenota* Joannis, 1925; *albarracina* Schwingenschuss, 1962. Range (in code): DZ Bttna Afl Sbd Abe PT Py ES Si IT IE GB DE CZ SS BG
- 63924. *Luperina powelli* (Culot, 1912)** (Noctuidae) Synonym(s): *powelli* Culot, 1912; *pseudoderthisa* Rothschild, 1914. Original Reference: *Apamea nickerlii* var. *powelli* Culot, 1912, Noct. Geom. Eur. 1: 140, pl. 25 fig. 10. Type: Algeria, Géryville. Range (in code): DZ Sbd Ges Abe Afl Eba
- 63925. *Luperina rjabovi* (Kljutschko, 1967)** (Noctuidae) Synonym(s): *rjabovi* Kljutschko, 1967. Original Reference: *Palluperina rjabovi* Kljutschko, 1967, Ent. Obozr. 46: 871. Holotype: [Russia]: Daghestan. Range (in code): Cc RU Da TR IL Pa
- 63926. *Luperina rubella* (Duponchel, 1835)** (Noctuidae) Synonym(s): *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938. Original Reference: *Orthosia rubella* Duponchel, 1835, Hist. nat. Lépid. Pap. Fr. Suppl. 3: 249. Type(s): S. France. Range (in code): DZ LY FR IT CH RO MK YU BG GR TR RU UA Cm LB IL Pa He TM Kp IR Elb Th Kdv
- 63927. *Luperina rubella rhusia* (Püngeler, 1900)** (Noctuidae) Synonym(s): *rhusia* Püngeler, 1900. Range (in code): TM Kp MK GR BG RO TR UA Cm GG AZ AM Cc IR LB IL Pa He
- 63928. *Luperina rubella rubella* (Duponchel, 1835)** (Noctuidae) Synonym(s): *mediosignata* Turati, 1930; *sericea* Caradja, 1932; *thurneri* Schawerda, 1938. Original Reference: *Orthosia rubella* Duponchel, 1835, Hist. nat. Lépid. Pap. Fr. Suppl. 3: 249. Type(s): S. France. Range (in code): DZ LY FR IT CH RO YU RU
- 63929. *Luperina samni* (Sohn-Rethel, 1929)** (Noctuidae) Synonym(s): *samni* Sohn-Rethel, 1929. Range (in code): IT
- 63930. *Luperina taurica* (Kljutschko, 1967)** (Noctuidae) Synonym(s): *taurica* Kljutschko, 1967. Range (in code): RU Cc Da UA
- 63931. *Luperina testacea* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *testacea* [Denis & Schiffermüller], 1775; *lunatostrigata* Haworth, 1809; *unca* Haworth, 1809; *x-notata* Haworth, 1809; *aflouensis* Rothschild, 1920; *amaliae* F. Wagner, 1926; *curoi* Berio, 1993. Original Reference: *Noctua testacea* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 81. Type(s): [Austria]: Vienna district. Range (in code): MA DZ Afl PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc AZ Kir
- 63932. *Luperina tiberina* (Sohn-Rethel, 1929)** (Noctuidae) Synonym(s): *tiberina* Sohn-Rethel, 1929; *sohnretheli* Draudt, 1931. Range (in code): IT
- 63933. *Lycimna polymesata* Walker, 1860** (Noctuidae) Synonym(s): *polymesata* Walker, 1860. Range (in code): BD Syl TH CMa Fn Php MM LA CN NP IN
- 63934. *Lycophorus ankarensis* (Rebel, 1931)** (Noctuidae) Synonym(s): *ankarensis* Rebel, 1931; *wichgrafi* Corti & Draudt, 1933; *#ankariensis* Hacker, 2001. Original Reference: *Episema ankarensis* Rebel, 1931, Annln naturh. Mus. Wien 46: 7. Syntypes: Turkey: Ankara. Range (in code): TR SY LB Bsa

- 63935. *Lycophorus tischendorfi* (Püngeler,1915)** (Noctuidae) **Synonym(s):** *tischendorfi* Püngeler,1915 (nec 1925!); *flagrans* Püngeler,1925; *libanotica* Corti & Draudt,1933. **Original Reference:** *Euxoa tischendorfi* Püngeler,1915, Dt. ent. Z., Iris 29: pl.3 figs.21,22. **Syntypes:** Syrien: Aleppo (cf. Koçak,1991, Misc. Pap. 10: 1). **Range (in code):** **JO LB Bsa SY Hal TR Cc AM SA**
- 63936. *Lycophorus villosus* (Alpheraky,1887)** (Noctuidae) **Synonym(s):** *villosus* Alpheraky,1887; *benigna* Corti,1926. **Range (in code):** **RU Cc Da Mah TM Kp IR Fa Th Dam Elb IQ**
- 63937. *Lycophotia cissigma* (Ménétriés,1859)** (Noctuidae) **Synonym(s):** *cissigma* Ménétriés,1859; *umbra* Staudinger,1892. **Range (in code):** **RU Ur Sb Us Am KP KR JP FR ES Py**
- 63938. *Lycophotia erythrina* (Herrich-Schäffer,1852)** (Noctuidae) **Synonym(s):** *erythrina* Herrich-Schäffer,1852; *dalmatina* Wagner,1923; *#vulpecula* Wagner,1923; *corsicina* Schawerda,1931; *#arcana* Schawerda,1931. **Range (in code):** **PT ES FR Co Sa IT CH? YU**
- 63939. *Lycophotia molothina* (Esper,1789)** (Noctuidae) **Synonym(s):** *molothina* Esper,1789; *ericae* Boisduval,1840; *velum* Germar,[1842]. **Range (in code):** **PT ES FR Co IT? BE NL DE AT PL CZ RO BG**
- 63940. *Lycophotia molothina molothina* (Esper,1789)** (Noctuidae) **Synonym(s):** *molothina* Esper,1789; *ericae* Boisduval,1840; *velum* Germar,[1842]. **Range (in code):** **BE NL DE AT PL CZ RO BG**
- 63941. *Lycophotia molothina occidentalis* (Bellier,1860)** (Noctuidae) **Synonym(s):** *occidentalis* Bellier,1860; *andalusica* Schawerda,1934. **Range (in code):** **FR ES Co**
- 63942. *Lycophotia porphyrea* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *porphyrea* [Denis & Schiffermüller],1775; *lepida* Esper,1786 nec Cr.,[1779]; *strigula* Thunberg,1788 (praeocc.); *varia* Villers,1789; *concinna* Esper,1790; *picta* Fabricius,1794; *arnicae* Fabricius,1794; *ericae* Donovan,1801 (praeocc.); *marmorea* Graslin,1863. **Original Reference:** *Noctua porphyrea* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 83. **Type(s):** [Austria]: Vienna district. **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Cc Kr MD UA BY**
- 63943. *Lygephila (Katyusha) longicoecum* Kononenko & Fibiger,2008** (Noctuidae) **Synonym(s):** *longicoecum* Kononenko & Fibiger,2008. **Range (in code):** **RU**
- 63944. *Lygephila (s.str.) alaica* Remm,1983** (Noctuidae) **Synonym(s):** *alaica* Remm,1983. **Range (in code):** **TJ**
- 63945. *Lygephila (s.str.) angustipennis* (W.Warren,1913)** (Noctuidae) **Synonym(s):** *angustipennis* W.Warren,1913. **Range (in code):** **Ch**
- 63946. *Lygephila (s.str.) angustissima* (Draudt,1950)** (Noctuidae) **Synonym(s):** *angustissima* Draudt,1950. **Range (in code):** **CN Yu**
- 63947. *Lygephila (s.str.) caeca* (Staudinger,1896)** (Noctuidae) **Synonym(s):** *caeca* Staudinger,1896. **Range (in code):** **MN U-B**
- 63948. *Lygephila (s.str.) colorata* Babics & L.Ronkay,2009** (Noctuidae) **Synonym(s):** *colorata* Babics & L.Ronkay,2009. **PK Kk Gg Sha Gup Ch**
- 63949. *Lygephila (s.str.) craccae* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999. **Original Reference:** *Noctua craccae* Fabricius,1787, *Mant. Ins.* 2: 154, nr.137. **Type(s):** [Wien]. **Range (in code):** **MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag KG Tk Dj Ii KK Ik T-A CY Smt Bjo Mng Lag Kir Bne Mrv** **Bionomy:** Larva on *Astragalus*, *Coronilla*, *Genista*, *Lathyrus*, *Ulex*, *Vicia* (Calle et al., 2000).
- 63950. *Lygephila (s.str.) craccae centralasiae* (Sheljuzhko,1955)** (Noctuidae) **Synonym(s):** *centralasiae* Sheljuzhko,1955. **Range (in code):** **KG Tk Dj Ii KK Ik T-A**
- 63951. *Lygephila (s.str.) craccae craccae* (Fabricius,1787)** (Noctuidae) **Synonym(s):** *#craccae* [Denis & Schiffermüller],1775; *craccae* Fabricius,1787; *nigricollis* Villers,1789; *riata* Rungs,1952; *caliginosa* Schawerda,1931; *herrerai* Yela,1990; *#craccae* Hacker & Kautt,1999. **Original Reference:** *Noctua craccae* Fabricius,1787, *Mant. Ins.* 2: 154, nr.137. **Type(s):** [Wien]. **Range (in code):** **MA PT ES Mu FR Co Sa Si IT GB BE LU DE CH AT PL CZ HU RO YU BG GR Cr CY TR AZ AM GG Cc IQ Ry LB Bsa DK NO SE FI EE LV LT RU Cc Ro Kr St Nt Ich Ing Da MD UA BY IR Fa By Yas Ke Ss Lo Kh Mz Elb Th Dam Kz Yas Skh Kd Snj Lo Yz CN Ui Chk AF Pag**
- 63952. *Lygephila (s.str.) decolor* (A.Bang-Haas,1912)** (Noctuidae) **Synonym(s):** *decolor* A.Bang-Haas,1912. **Range (in code):** **CN Ui Yk M-A**
- 63953. *Lygephila (s.str.) dorsigera* (Walker,1865)** (Noctuidae) **Synonym(s):** *dorsigera* Walker,1865; *cucullata* Moore,1882; *orientalis* Butler,1886. **Range (in code):** **AF PK Haz Mre LK Pdy IN NP TH Nan**

- 63954. *Lygephila* (s.str.) *dubatolovi* Fibiger, Kononenko & Nilsson, 2008** (Noctuidae)
Synonym(s): *dubatolovi* Fibiger, Kononenko & Nilsson, 2008 _ Range (in code): RU Us CN
- 63955. *Lygephila* (s.str.) *emaculata* (Graeser, 1892)** (Noctuidae) Synonym(s): *emaculata* Graeser, 1892 _ Range (in code): RU Prj Us
- 63956. *Lygephila* (s.str.) *fereidun* Wiltshire, 1961** (Noctuidae) Synonym(s): *fereidun* Wiltshire, 1961 _ Range (in code): IR Elb Th
- 63957. *Lygephila* (s.str.) *fonti* Yela & Calle, [1990]** (Noctuidae) Synonym(s): *fonti* Yela & Calle, [1990] _ Range (in code): ES
- 63958. *Lygephila* (s.str.) *glycyrrhizae* (Rambur, 1866)** (Noctuidae) Synonym(s): *glycyrrhizae* Rambur, 1866 _ Range (in code): ES
- 63959. *Lygephila* (s.str.) *herrerai* Yela, 1990** (Noctuidae) Synonym(s): *herrerai* Yela, 1990
Range (in code): ES
- 63960. *Lygephila* (s.str.) *ichinosawana* (Matsumura, 1925)** (Noctuidae) Synonym(s): *ichinosawana* Matsumura, 1925 _ Range (in code): RU Sh
- 63961. *Lygephila* (s.str.) *lubrica* (Freyer, 1842)** (Noctuidae) Synonym(s): *lubrica* Freyer, 1842
Range (in code): RU Cc Ro Da IR Fa KK Ik TeA Skm KG Tk Dj Tu
- 63962. *Lygephila* (s.str.) *lubrica lubrica* (Freyer, 1846)** (Noctuidae) Synonym(s): *lubrica* Freyer, 1842 _ Range (in code): RU Cc Ro Da IR Fa
- 63963. *Lygephila* (s.str.) *lubrica lubrosa* (Staudinger, 1901)** (Noctuidae) Synonym(s): *lubrosa* Staudinger, 1901 _ Range (in code): KK Ik TeA Skm KG Tk Dj Tu
- 63964. *Lygephila* (s.str.) *ludicra* (Hübner, 1790)** (Noctuidae) Synonym(s): *ludicra* Hübner, 1790
Original Reference: Phalaena ludicra Hübner, 1790, Beitr. Gesch. Schmett. 2(4): 95, 128, Taf.(4)3 fig.R. Range (in code): IT AT CZ SK HU BG TR RU Cc Ich Ing Da MD UA BY CN Ui Arc Kun Yu Ats KK Ik Na T-S
- 63965. *Lygephila* (s.str.) *lupina* (Graeser, 1890)** (Noctuidae) Synonym(s): *lupina* Graeser, 1890
Range (in code): RU Rjk Sb
- 63966. *Lygephila* (s.str.) *lusoria* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus, 1758; *orobi* Duponchel, 1821; *lathyri* Boisduval, [1828] Original Reference: Phalaena lusoria Linnaeus, 1758, Syst. Nat. (Edn.10)1: 506. Type(s): Germania. Range (in code): FR Sa Si IT CH AT PL CZ SK HU RO YU BG GR TR IL Pa LT RU MD UA BY Cc GG AZ AM IR IQ AF KK Bionomy: Larva on Vicia, Astragalus (Spuler, 1907).
- 63967. *Lygephila* (s.str.) *lusoria amasina* (Staudinger, 1879)** (Noctuidae) Synonym(s): *amasina* Staudinger, 1879; *sublutea* W. Warren, 1913. Original Reference: Toxocampa lusoria var. amasina Staudinger, 1879, Horae Soc. ent. ross. 14: 428. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): Cc GG AZ AM TR IL Pa IR IQ
- 63968. *Lygephila* (s.str.) *lusoria lusoria* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *lusoria* Linnaeus, 1758; *orobi* Duponchel, 1821; *lathyri* Boisduval, [1828] Original Reference: Phalaena lusoria Linnaeus, 1758, Syst. Nat. (Edn.10)1: 506. Type(s): Germania. Range (in code): FR Sa Si IT CH AT PL CZ SK HU RO YU BG GR LT RU MD UA BY AF KK
- 63969. *Lygephila* (s.str.) *maxima* (Bremer, 1861)** (Noctuidae) Synonym(s): *maxima* Bremer, 1861 _ Range (in code): RU Am Us
- 63970. *Lygephila* (s.str.) *mommereti* (Berio, 1940)** (Noctuidae) Synonym(s): *mommereti* Berio, 1940 _ Range (in code): ER ERo4
- 63971. *Lygephila* (s.str.) *pallida* (A. Bang-Haas, 1907)** (Noctuidae) Synonym(s): *pallida* A. Bang-Haas, 1907 Original Reference: Toxocampa pallida A. Bang-Haas, 1907, Dt. ent. Z., Iris 20: 77. Syntypes: Aintab [Gaziantep]; Zeitun [Süleymanli]. Range (in code): TR
- 63972. *Lygephila* (s.str.) *pastinum* (Treitschke, 1826)** (Noctuidae) Synonym(s): *pastinum* Treitschke, 1826; *astragali* Herrich-Schäffer, 1851; *dilutior* Staudinger, 1892. Original Reference: Ophiusa pastinum Treitschke, 1826, Schmett. Eur. 5(3): 297. Syntypes: Wien. Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Cc Kr St Kb Nt Ich Ing Da MD UA Cm BY KG
- 63973. *Lygephila* (s.str.) *procax* (Hübner, [1813])** (Noctuidae) Synonym(s): *procax* Hübner, [1813]; *limosa* Treitschke, 1826; *nigricostata* Graeser, 1890 Original Reference: Noctua procax Hübner, [1813], Samml. eur. Schmett., Noctuae: Taf. 109, fig. 510. Type(s): [Europa]. Range (in code): IT CH CZ SK HU YU BG GR RU Sb Am MD UA BY TR IR Mz Elb Gl KG Tk Dj
- 63974. *Lygephila* (s.str.) *robusta* Babics & L. Ronkay, 2009** (Noctuidae) Synonym(s): *robusta* Babics & L. Ronkay, 2009 _ NP

- 63975. *Lygephila* (s.str.) *salax* (Guenée,1852)** (Noctuidae) **Synonym(s):** *salax* Guenée,1852; *immitis* Walker,[1857]. **Range (in code):** **SL ZA Ec Cap Wm Wb Tva Lpo**
- 63976. *Lygephila* (s.str.) *schachtii* Behounek & Hacker,1986** (Noctuidae) **Synonym(s):** *schachtii* Behounek & Hacker,1986 **Original Reference:** *Lygephila schachtii* Behounek & Hacker,1986, Entomofauna 7: 42, figs. Holotype ♂: Türkiye: Hakkari: Sat Dağları, Vargös,1700m 4-8.8.1983, leg. Schacht (coll.Behounek). **Range (in code):** **TR IR By**
- 63977. *Lygephila* (s.str.) *stenoptera* (Rebel,1907)** (Noctuidae) **Synonym(s):** *stenoptera* Rebel,1907 **Range (in code):** **Sk**
- 63978. *Lygephila* (s.str.) *subpicata* Wiltshire,1971** (Noctuidae) **Synonym(s):** *subpicata* Wiltshire,1971 **Range (in code):** **TR Cc IR Fa Lo Ke Elb Th Kdj Kaz Sse Kz Yas**
- 63979. *Lygephila* (s.str.) *viciae* (Hübner,[1822])** (Noctuidae) **Synonym(s):** *viciae* Hübner,[1822]; *coronillae* Herrich-Schäffer,1851; *stigmata* Wileman,1911; *violaceogrisea* Draudt,1950 **Original Reference:** *Noctua viciae* Hübner,[1822], Samml. eur. Schmiett. Noct.3: Tab.146 fig.671-673. Syntypes: Europa. **Range (in code):** **FR Sa Si? IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Ing Da MD UA BY CN Yu Ats**
- 63980. *Lygephila* (s.str.) *vicioides* (Hampson,1926)** (Noctuidae) **Synonym(s):** *vicioides* Hampson,1926 **Range (in code):** **IN Hp Kul**
- 63981. *Lygephila* (s.str.) *victoria* (Grote,1874)** (Noctuidae) **Synonym(s):** *victoria* Grote,1874 **Range (in code):** **CA**
- 63982. *Lygephila* (s.str.) *vulcanica* (Butler,1881)** (Noctuidae) **Synonym(s):** *vulcanica* Butler,1881 **Range (in code):** **JP**
- 63983. *Lygniodes* *ciliata* (Moore,1867)** (Noctuidae) **Synonym(s):** *ciliata* Moore,1867; *fuscescens* Leech,1900 **Range (in code):** **TH Knc CMa Dst VN IN BD CN ID Sum**
- 63984. *Lygniodes* *endoleucus* (Guérin-Ménéville,[1844])** (Noctuidae) **Synonym(s):** *endoleucus* Guérin-Ménéville,[1844] **Range (in code):** **TH Rng Nrt Kao MY MM IN CN ID Ja Sum Clb**
- 63985. *Lygniodes* *hypoleuca* Guenée,1852** (Noctuidae) **Synonym(s):** *hypoleuca* Guenée,1852 **Range (in code):** **TH CMa Cmz Cz10 Nan Dpk Knc KH VN NP IN BD Syl CN TW**
- 63986. *Lygniodes* *plateni* Pagenstecher,1890** (Noctuidae) **Synonym(s):** *plateni* Pagenstecher,1890 **Original Reference:** *Lygniodes plateni* Pagenstecher,1890, Dt. ent. Z., Iris 3: 18-19. Syntypes 1♂ 1♀: [Philippines]: Palawan. **Range (in code):** **PH Pal**
- 63987. *Lygniodes* *vampyrus* (Fabricius,1794)** (Noctuidae) **Synonym(s):** *vampyrus* Fabricius,1794; *reducens* Walker,[1858]; *disparans* Walker,1858; *e-antiqua* Hampson,1891 **Original Reference:** *Noctua vampyrus* Fabricius,1794, Ent. Syst. 3 (2): 14. **Range (in code):** **LK Pdy IN NI TH CMa CDo**
- 63988. *Lyncestis* *amphix* (Cramer,1777)** (Noctuidae) **Synonym(s):** *amphix* Cramer,1777 **Range (in code):** **SA**
- 63989. *Lysimelia* *lysimeleoides* (Hampson,1893)** (Noctuidae) **Synonym(s):** *lysimeleoides* Hampson,1893 **Range (in code):** **LK**
- 63990. *Lysimelia* sp.** (Noctuidae) **Synonym(s):** **Range (in code):** **TH Ntt Hba**
- 63991. *Macaldenia* *palumba* (Guenée,1852)** (Noctuidae) **Synonym(s):** *palumba* Guenée,1852; *colligens* Walker,1865 **Range (in code):** **TH CMa Int MY MM VN IN NP CN TW PH ID Sum Ja Bor Clb AU** **Bionomy:** Larva on *Atalanta*, *Citrus*, *Paramyrgna* (Rutaceae) (Holloway & Miller,2003).
- 63992. *Macdunnoughia* (*Purplusia*) *tetragona* (Walker,1857)** (Noctuidae) **Synonym(s):** *tetragona* Walker,1857; *zayuensis* Chou & Lu,1982 **Range (in code):** **IN CN Ti TH CMa Php Mae Pai Agk VN NP TW**
- 63993. *Macdunnoughia* (*Sclerogenia*) *jessica* (Butler,1878)** (Noctuidae) **Synonym(s):** *jessica* Butler,1878 **Original Reference:** *Plusia jessica* Butler,1878, Ann. Mag. nat. Hist. (5) 1: 201. **Range (in code):** **VN Ton Tda IN CN PH**
- 63994. *Macdunnoughia* *confusa* (Stephens,1850)** (Noctuidae) **Synonym(s):** *confusa* Stephens,1850; *gutta* Guenée,1852. **Range (in code):** **PT ES Mu FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Mng Smt Bjo Lag AZ Kir AM Cc IQ Agh Sbn IR Ha Gh Elb Mz Th LB Bei DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi MD UA BY CN Ui Ku KG Tk Dj KK Osh AF Nu Pli Srb Ab Mak Ak Kdj Ar Gh GlS Qz Zj Es Kz Der** **Bionomy:** Larva on *Achillea*, *Matricaria*, *Mentha* (Calle et al., 2000).
- 63995. *Maceda* *mansueta* Walker,1857** (Noctuidae) **Synonym(s):** *mansueta* Walker,1857 **Range (in code):** **WS SB PG AU MY IN**
- 63996. *Maceda* *savura* *paniensis* Holloway,1979** (Noctuidae) **Synonym(s):** *paniensis* Holloway,1979 **Range (in code):** **NC FJ NH**

- 63997. Machaeropalpus fasciatus Tams,1935** (Noctuidae) Synonym(s): *fasciatus* Tams,1935
Range (in code): **WS**
- 63998. Macrochilo cribrumalis (Hübner,1793)** (Noctuidae) Synonym(s): *cribrumalis* Hübner,1793
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU Cc Ro Kc MD UA BY IR Mz**
- 63999. Madanola fuscocandida Hacker,2012** (Noctuidae) Synonym(s): *fuscocandida* Hacker,2012
Range (in code): **MG**
- 64000. Maguda immundalis (Walker,1865)** (Noctuidae) Synonym(s): *immundalis* Walker,1865
Range (in code): **MY Bor Swk**
- 64001. Maguda palpalis (Walker,1865)** (Noctuidae) Synonym(s): *palpalis* Walker,1865
Range (in code): **SI LK**
- 64002. Malagonia acypera (Hampson,1902)** (Noctuidae) Synonym(s): *acypera* Hampson,1902
Range (in code): **IN Ass TH Nan Dpk**
- 64003. Maliattha arefacta (Butler,1879)** (Noctuidae) Synonym(s): *arefacta* Butler,1879; *basalis* Moore,1882
Range (in code): **IN SI Djl JP CN**
- 64004. Maliattha baetica (Swinhoe,1890)** (Noctuidae) Synonym(s): *baetica* Swinhoe,1890
Range (in code): **MM Rgo**
- 64005. Maliattha bilineata (Hampson,1898)** (Noctuidae) Synonym(s): *bilineata* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 64006. Maliattha curvilinea W.Warren,1913** (Noctuidae) Synonym(s): *curvilinea* W.Warren,1913
Range (in code): **IN Tn NI**
- 64007. Maliattha inconcisoides Holloway,1979** (Noctuidae) Synonym(s): *inconcisoides* Holloway,1979
Range (in code): **NC**
- 64008. Maliattha lacteata W.Warren,1913** (Noctuidae) Synonym(s): *lacteata* W.Warren,1913
Range (in code): **IN Pj**
- 64009. Maliattha marginalis (Walker,[1863])** (Noctuidae) Synonym(s): *marginalis* Walker,[1863]; *stolasa* Swinhoe,1905
Range (in code): **MY Bor Swk IN Ass Meg Khs**
- 64010. Maliattha melanesiensis G.S.Robinson,1975** (Noctuidae) Synonym(s): *melanesiensis* G.S.Robinson,1975
Range (in code): **FJ**
- 64011. Maliattha phaeozona (Hampson,1910)** (Noctuidae) Synonym(s): *signifera* Hampson,1900 nec Wlk.; *phaeozona* Hampson,1910
Range (in code): **CX TH CMa CuO**
- 64012. Maliattha picata (Butler,1889)** (Noctuidae) Synonym(s): *picata* Butler,1889
Range (in code): **IN Hp Drm**
- 64013. Maliattha quadripartita (Walker,1865)** (Noctuidae) Synonym(s): *quadripartita* Walker,1865
Range (in code): **IN Mh Nsk**
- 64014. Maliattha ritsemae Snellen,1880** (Noctuidae) Synonym(s): *ritsemae* Snellen,1880; *albofusca* Pagenstecher,1888
Range (in code): **ID Sum Ja Amb Clb PH PG AU WS TO NC LO NF PF NH**
- 64015. Maliattha separata Walker,1863** (Noctuidae) Synonym(s): *separata* Walker,1863; *renalis* Moore,1882
Range (in code): **TH CMa MY Bor Swk IN Clc Hp Drm**
- 64016. Maliattha signifera (Walker,[1858])** (Noctuidae) Synonym(s): *signifera* Walker,[1858]; *subfixa* Walker,1866; *rufigrisea* W.Warren,1913; *basitincta* W.Warren,1913
Range (in code): **AU QAU TH KP KR TW CN IN Mh Nsk**
- 64017. Maliattha subterminalis W.Warren,1913** (Noctuidae) Synonym(s): *subterminalis* W.Warren,1913
Range (in code): **ID Ja**
- 64018. Maliattha tegulata (Butler,1889)** (Noctuidae) Synonym(s): *tegulata* Butler,1889
Range (in code): **IN Hp Drm**
- 64019. Maliattha vialis (Moore,1882)** (Noctuidae) Synonym(s): *vialis* Moore,1882; *bella* Staudinger,1888; *hasiana* W.Warren,1913; *#vialana* Strand,1917
Range (in code): **IN Hp Drm Ass Meg Khs SI Djl**
- 64020. Mamestra brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata* Staudinger,1889.
Original Reference: *Phalaena brassicae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa].
Range (in code): **PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR GG AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA BY PK AF KG Tk Dj KK Ax Ik UZ Fe Sb Am Prj Us CN Ch IN Kul Hp Pj Dlh Sml Ti Drm PK IR Elb Gh Kz JP Thu Smt Tbl Lag Kir Mng**
- 64021. Mamestra brassicae brassicae (Linnaeus,1758)** (Noctuidae) Synonym(s): *brassicae* Linnaeus,1758; *omicron* Geoffroy,1785; *albidilinea* Haworth,1809; *andalusica* Staudinger,1871; *decolorata*

- Staudinger, 1889.* Original Reference: *Phalaena brassicae* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa]. Range (in code): **PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA BY PK AF KG Tk Dj KK Ax Ik UZ Fe Sb Am Prj Us CN Ch IN Kul Hp Pj Dlh Sml Ti Drm PK IR Elb Gh Kz JP Thu Smt Tbl Lag Kir Mng**
- 64022. Manga melanodonta (Hampson, 1910)** (Noctuidae) Synonym(s): *melanodonta Hampson, 1910* Range (in code): **ZA**
- 64023. Manoba adriennae Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *adriennae Laszlo, G. Ronkay & Witt, 2010* Range (in code): **TH Nan**
- 64024. Manoba allani Holloway, 2003** (Noctuidae) Synonym(s): *allani Holloway, 2003* Range (in code): **MY Bor Sbh KBa Swk**
- 64025. Manoba argentaloides Holloway, 2003** (Noctuidae) Synonym(s): *argentaloides Holloway, 2003* Range (in code): **MY Bor Swk Sbh KBa ID Crm**
- 64026. Manoba briggsi Holloway, 2003** (Noctuidae) Synonym(s): *briggsi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64027. Manoba brunellus (Hampson, 1893)** (Noctuidae) Synonym(s): *brunellus Hampson, 1893; achromia Hampson, 1909; corticella Van Eecke, 1926; pseudohypena Inoue, 1982* Range (in code): **JP Ri TW ID Sum AU QAu Bsm PG Hw MY Bor**
- 64028. Manoba bulli Holloway, 2003** (Noctuidae) Synonym(s): *bulli Holloway, 2003* Range (in code): **MY Bor Swk**
- 64029. Manoba carrei Holloway, 2003** (Noctuidae) Synonym(s): *carrei Holloway, 2003* Range (in code): **MY Bor Swk**
- 64030. Manoba chamberlaini Holloway, 2003** (Noctuidae) Synonym(s): *chamberlaini Holloway, 2003* Range (in code): **MY Bor Swk**
- 64031. Manoba chamberlaini Holloway, 2003** (Noctuidae) Synonym(s): *chamberlaini Holloway, 2003* Range (in code): **MY Bor Swk**
- 64032. Manoba chirgwini Holloway, 2003** (Noctuidae) Synonym(s): *chirgwini Holloway, 2003* Range (in code): **MY Bor Swk**
- 64033. Manoba coadei Holloway, 2003** (Noctuidae) Synonym(s): *coadei Holloway, 2003* Range (in code): **MY Bor Swk**
- 64034. Manoba cowleyi Holloway, 2003** (Noctuidae) Synonym(s): *cowleyi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64035. Manoba coxi Holloway, 2003** (Noctuidae) Synonym(s): *coxi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64036. Manoba coxi Holloway, 2003** (Noctuidae) Synonym(s): *coxi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64037. Manoba fasciatus (Hampson, 1894)** (Noctuidae) Synonym(s): *fasciatus Hampson, 1894* Range (in code): **IN Nag**
- 64038. Manoba gilletti Holloway, 2003** (Noctuidae) Synonym(s): *gilletti Holloway, 2003* Range (in code): **MY Bor Swk**
- 64039. Manoba goodfieldi Holloway, 2003** (Noctuidae) Synonym(s): *goodfieldi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64040. Manoba greenwoodi Holloway, 2003** (Noctuidae) Synonym(s): *greenwoodi Holloway, 2003* Range (in code): **MY Bor Swk**
- 64041. Manoba gyulaipeteri Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *gyulaipeteri Laszlo, G. Ronkay & Witt, 2010* Range (in code): **TH CMa Fn**
- 64042. Manoba harthani (Holloway, 1976)** (Noctuidae) Synonym(s): *harthani Holloway, 1976* Range (in code): **MY Bor Sbh KBa**
- 64043. Manoba implens Walker, 1863** (Noctuidae) Synonym(s): *implens Walker, 1863; junctilinea Hampson, 1901* Range (in code): **ID Sum MY Bor PH**
- 64044. Manoba lativittata (Moore, 1888)** (Noctuidae) Synonym(s): *lativittata Moore, 1888* Range (in code): **IN SI Djl**
- 64045. Manoba lilliptiana (Inoue, 1998)** (Noctuidae) Synonym(s): *lilliptiana Inoue, 1998* Range (in code): **NP**
- 64046. Manoba major (Hampson, 1891)** (Noctuidae) Synonym(s): *major Hampson, 1891; formosana Wileman & West, 1929; caesiopennys Inoue, 1982* Range (in code): **MY Bor BN TW JP Ri MM SG NC FJ**

- 64047. *Manoba marshalli* Holloway,2003** (Noctuidae) Synonym(s): *marshalli* Holloway,2003
Range (in code): **MY Bor Swk**
- 64048. *Manoba melanomedia* (Inoue,1991)** (Noctuidae) Synonym(s): *melanomedia* Inoue,1991
Range (in code): **TW MY Bor**
- 64049. *Manoba melanomedia* (Inoue,1991)** (Noctuidae) Synonym(s): *melanomedia* Inoue,1991
Range (in code): **TW**
- 64050. *Manoba melanota* (Hampson,1900)** (Noctuidae) Synonym(s): *melanota* Hampson,1900
Range (in code): **IN SI**
- 64051. *Manoba phaeochroa* (Hampson,1900)** (Noctuidae) Synonym(s): *phaeochroa* Hampson,1900
Range (in code): **IN SI**
- 64052. *Manoba potterorum* Holloway,2003** (Noctuidae) Synonym(s): *potterorum* Holloway,2003
Range (in code): **MY Bor Swk**
- 64053. *Manoba punctilineata* (Hampson,1896)** (Noctuidae) Synonym(s): *punctilineata* Hampson,1896
Range (in code): **IN MM MY Bor Swk ID Clb PH**
- 64054. *Manoba rennicki* Holloway,2003** (Noctuidae) Synonym(s): *rennicki* Holloway,2003
Range (in code): **MY Bor Sbh**
- 64055. *Manoba ronkaylaszloi* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *ronkaylaszloi* Laszlo, G.Ronkay & Witt,2010
Range (in code): **TH CMa CDo**
- 64056. *Manoba shrimptoni* Holloway,2003** (Noctuidae) Synonym(s): *shrimptoni* Holloway,2003
Range (in code): **MY Bor Sbh KBa**
- 64057. *Manoba subfuscataria* (Inoue,1998)** (Noctuidae) Synonym(s): *subfuscataria* Inoue,1998
Range (in code): **NP**
- 64058. *Manoba subtribei* Han & Li,2008** (Noctuidae) Synonym(s): *subtribei* Han & Li,2008
Range (in code): **CN Yu**
- 64059. *Manoba suffusata* (Wileman & West,1929)** (Noctuidae) Synonym(s): *suffusata* Wileman & West,1929
Range (in code): **TW MY Bor Sbh VN MM TH ID Sum**
- 64060. *Manoba tessellata* (Hampson,1896)** (Noctuidae) Synonym(s): *tessellata* Hampson,1896;
marmorea Talbot,1926
Range (in code): **IN Ass Meg Khs ID Crm Sum Ja Bli MY Bor Swk TW**
- 64061. *Manoba tribei* Holloway,2003** (Noctuidae) Synonym(s): *tribei* Holloway,2003
Range (in code): **MY Bor Swk**
- 64062. *Manoba tristicta* (Hampson,1900)** (Noctuidae) Synonym(s): *tristicta* Hampson,1900
Range (in code): **IN SI**
- 64063. *Marapana pulverata* (Guenée,1852)** (Noctuidae) Synonym(s): *pulverata* Guenée,1852;
raralis Walker,[1859]; *truncatalis* Walker,[1866]
Range (in code): **IN LK ID Ja TH CMa Int VN MM CN MY Clb PG**
- 64064. *Maraschia grisescens* Osthelder,1933** (Noctuidae) Synonym(s): *grisescens* Osthelder,1933
Original Reference: *Maraschia grisescens* Osthelder,1933, Mitt. münch. ent. Ges. 23: 76-77.
Syntypes 2♂ 1♀: [Türkei]: Maraş.
Range (in code): **MK HV BG GR Cr RU TR IR Fa IQ Brs TM Kp**
Bionomy: Larva on *Acer pseudoplatanus* (Kasy,1958).
- 64065. *Maraschia grisescens caspica* (Kuznetsov,1958)** (Noctuidae) Synonym(s): *caspica* Kuznetsov,1958
Range (in code): **TM Kp**
- 64066. *Maraschia hissarensis* Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *hissarensis* Varga & L.Ronkay,1991
Range (in code): **TJ Pm**
- 64067. *Maraschia secunda* Hacker,1990** (Noctuidae) Synonym(s): *secunda* Hacker,1990
Range (in code):
- 64068. *Marathyssa albidisca* (Hampson,1905)** (Noctuidae) Synonym(s): *albidisca* Hampson,1905
Range (in code): **ZA**
- 64069. *Marathyssa cistellatrix* (Wallengren,1860)** (Noctuidae) Synonym(s): *cistellatrix* Wallengren,1860
Range (in code): **ZA**
- 64070. *Marathyssa cuneata* (Saalmüller,1891)** (Noctuidae) Synonym(s): *cuneata* Saalmüller,1891
Range (in code): **ZA**
- 64071. *Marca griseonigralis* Viette,1954** (Noctuidae) Synonym(s): *griseonigralis* Viette,1954
Range (in code): **MG**
- 64072. *Marca proclinata* Saalmüller,1891** (Noctuidae) Synonym(s): *proclinata* Saalmüller,1891;
arcuata Bethune-Baker,1911
Range (in code): **ZA MG KE Nai**
- 64073. *Marca tristalis* Viette,1956** (Noctuidae) Synonym(s): *tristalis* Viette,1956
Range (in code): **MG**

- 64074. *Marca univocalis* Viette,1956** (Noctuidae) Synonym(s): *univocalis* Viette,1956 _ Range
(in code): **MG**
- 64075. *Marcillada rubricosa* Walker,1865** (Noctuidae) Synonym(s): *rubricosa* Walker,1865;
hepatica Moore,1882 _ Range (in code): **KH IN SI DjI TH CMa Fn Php**
- 64076. *Marcipa accentifera* Pelletier,1975** (Noctuidae) Synonym(s): *accentifera* Pelletier,1975
Range (in code): **ZR**
- 64077. *Marcipa achyropa* Viette,1958** (Noctuidae) Synonym(s): *achyropa* Viette,1958 _ Range
(in code): **MG**
- 64078. *Marcipa acuta* A.E.Prout,1927** (Noctuidae) Synonym(s): *acuta* A.E.Prout,1927 _ Range
(in code): **ST**
- 64079. *Marcipa acutancula* Pelletier,1975** (Noctuidae) Synonym(s): *acutancula* Pelletier,1975
Range (in code): **ZR Skr**
- 64080. *Marcipa aequatorialis* Pelletier,1975** (Noctuidae) Synonym(s): *aequatorialis* Pelletier,1975
Range (in code): **GA**
- 64081. *Marcipa alternata* Gaede,1939** (Noctuidae) Synonym(s): *alternata* Gaede,1939 _ Range
(in code): **ZA ZW**
- 64082. *Marcipa amaba* Hampson,1926** (Noctuidae) Synonym(s): *amaba* Hampson,1926
Range (in code): **GH**
- 64083. *Marcipa amaniensis* Pelletier,1978** (Noctuidae) Synonym(s): *amaniensis* Pelletier,1978
Range (in code): **TZ Usa Tnga Ani**
- 64084. *Marcipa angulina* (Mabille,1881)** (Noctuidae) Synonym(s): *angulina* Mabille,1881
Range (in code): **CG**
- 64085. *Marcipa apicalis* Hampson,1926** (Noctuidae) Synonym(s): *apicalis* Hampson,1926
Range (in code): **NG Lgo**
- 64086. *Marcipa argillacea* (Holland,1894)** (Noctuidae) Synonym(s): *argillacea* Holland,1894
Range (in code): **GA**
- 64087. *Marcipa argyrosema* Hampson,1926** (Noctuidae) Synonym(s): *argyrosema*
Hampson,1926 _ Range (in code): **GH**
- 64088. *Marcipa argyrosemioides* Pelletier,1975** (Noctuidae) Synonym(s): *argyrosemioides*
Pelletier,1975 _ Range (in code): **GA**
- 64089. *Marcipa bergeri* Pelletier,1975** (Noctuidae) Synonym(s): *bergeri* Pelletier,1975 _ Range
(in code): **ZR**
- 64090. *Marcipa bernardii* Pelletier,1974** (Noctuidae) Synonym(s): *bernardii* Pelletier,1974
Range (in code): **GA**
- 64091. *Marcipa bistriata* Pelletier,1978** (Noctuidae) Synonym(s): *bistriata* Pelletier,1978
Range (in code): **NE**
- 64092. *Marcipa brunnescens* Pelletier,1978** (Noctuidae) Synonym(s): *brunnescens* Pelletier,1978
Range (in code): **LR**
- 64093. *Marcipa bullifera* Viette,1958** (Noctuidae) Synonym(s): *bullifera* Viette,1958 _ Range
(in code): **MG**
- 64094. *Marcipa callaxantha* (Kenrick,1917)** (Noctuidae) Synonym(s): *callaxantha* Kenrick,1917
Range (in code): **MG**
- 64095. *Marcipa camerunica* Pelletier,1978** (Noctuidae) Synonym(s): *camerunica* Pelletier,1978
Range (in code): **CM**
- 64096. *Marcipa carcassoni* Pelletier,1975** (Noctuidae) Synonym(s): *carcassoni* Pelletier,1975
Range (in code): **ZA KE**
- 64097. *Marcipa catoxantha* (Holland,1894)** (Noctuidae) Synonym(s): *catoxantha* Holland,1894
Range (in code): **GA**
- 64098. *Marcipa contorta* Viette,1958** (Noctuidae) Synonym(s): *contorta* Viette,1958 _ Range
(in code): **MG**
- 64099. *Marcipa crocataria* Pelletier,1978** (Noctuidae) Synonym(s): *crocataria* Pelletier,1978
Range (in code): **CM**
- 64100. *Marcipa curvilinea* Pelletier,1978** (Noctuidae) Synonym(s): *curvilinea* Pelletier,1978
Range (in code): **GA**
- 64101. *Marcipa dargei* Pelletier,1978** (Noctuidae) Synonym(s): *dargei* Pelletier,1978 _ Range
(in code): **CM**

- 64102. *Marcipa dentimacula* Pelletier,1978** (Noctuidae) **Synonym(s):** *dentimacula* Pelletier,1978
Range (in code): **GA**
- 64103. *Marcipa dimera* Hampson,1926** (Noctuidae) **Synonym(s):** *dimera* Hampson,1926
Range (in code): **NG Caa**
- 64104. *Marcipa disrupta* Hampson,1926** (Noctuidae) **Synonym(s):** *disrupta* Hampson,1926
Range (in code): **GH**
- 64105. *Marcipa douala* Pelletier,1975** (Noctuidae) **Synonym(s):** *douala* Pelletier,1975 - **Range (in code):** **CM**
- 64106. *Marcipa dubia* Pelletier,1978** (Noctuidae) **Synonym(s):** *dubia* Pelletier,1978 - **Range (in code):** **NG Wrr**
- 64107. *Marcipa endoselene* Hampson,1926** (Noctuidae) **Synonym(s):** *endoselene* Hampson,1926
Range (in code): **GH**
- 64108. *Marcipa eucrines* (Bethune-Baker,1911)** (Noctuidae) **Synonym(s):** *eucrines* Bethune-Baker,1911 - **Range (in code):** **NG**
- 64109. *Marcipa flavealis* Pelletier,1978** (Noctuidae) **Synonym(s):** *flavealis* Pelletier,1978
Range (in code): **CM**
- 64110. *Marcipa flavilinea* Pelletier,1978** (Noctuidae) **Synonym(s):** *flavilinea* Pelletier,1978
Range (in code): **CM**
- 64111. *Marcipa gabonensis* Pelletier,1978** (Noctuidae) **Synonym(s):** *gabonensis* Pelletier,1978
Range (in code): **GA**
- 64112. *Marcipa heterospila* (Hampson,1910)** (Noctuidae) **Synonym(s):** *heterospila* Hampson,1910 - **Range (in code):** **ZA ZM**
- 64113. *Marcipa holmi* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *holmi* D.S.Fletcher,1961
Range (in code): **CM**
- 64114. *Marcipa inscripta* Walker,1855** (Noctuidae) **Synonym(s):** *inscripta* Walker,1855;
transversata Holland,1894 - **Range (in code):** **SL GA Ogo**
- 64115. *Marcipa insulata* (Walker,1865)** (Noctuidae) **Synonym(s):** *insulata* Walker,1865
Range (in code): **LK**
- 64116. *Marcipa kasai* Pelletier,1978** (Noctuidae) **Synonym(s):** *kasai* Pelletier,1978 - **Range (in code):** **ZR**
- 64117. *Marcipa kirdii* Pelletier,1975** (Noctuidae) **Synonym(s):** *kirdii* Pelletier,1975 - **Range (in code):** **CM**
- 64118. *Marcipa liberta* Viette,1958** (Noctuidae) **Synonym(s):** *liberta* Viette,1958 - **Range (in code):** **MG**
- 64119. *Marcipa lutearia* Pelletier,1978** (Noctuidae) **Synonym(s):** *lutearia* Pelletier,1978
Range (in code): **CM**
- 64120. *Marcipa maculifera* (Mabille,1881)** (Noctuidae) **Synonym(s):** *maculifera* Mabille,1881
Range (in code): **CG**
- 64121. *Marcipa maculiferoides* (Strand,1914)** (Noctuidae) **Synonym(s):** *maculiferoides* Strand,1914 - **Range (in code):** **CM**
- 64122. *Marcipa madagascariensis* Pelletier,1978** (Noctuidae) **Synonym(s):** *madagascariensis* Pelletier,1978 - **Range (in code):** **MG**
- 64123. *Marcipa madegassa* Viette,1958** (Noctuidae) **Synonym(s):** *madegassa* Viette,1958
Range (in code): **MG**
- 64124. *Marcipa magniplaga* Hampson,1926** (Noctuidae) **Synonym(s):** *magniplaga* Hampson,1926 - **Range (in code):** **GH**
- 64125. *Marcipa makokouensis* Pelletier,1978** (Noctuidae) **Synonym(s):** *makokouensis* Pelletier,1978 - **Range (in code):** **GA**
- 64126. *Marcipa mariaeclearae* Pelletier,1975** (Noctuidae) **Synonym(s):** *mariaeclarae* Pelletier,1975
Range (in code): **GA**
- 64127. *Marcipa mediana* Hampson,1926** (Noctuidae) **Synonym(s):** *mediana* Hampson,1926
Range (in code): **ZA MW Mje**
- 64128. *Marcipa miraja* Viette,1958** (Noctuidae) **Synonym(s):** *miraja* Viette,1958 - **Range (in code):** **MG**
- 64129. *Marcipa molybdea* Hampson,1926** (Noctuidae) **Synonym(s):** *molybdea* Hampson,1926
Range (in code): **NG**

- 64130. *Marcipa monosema* Hampson, 1926** (Noctuidae) **Synonym(s):** *monosema* Hampson, 1926
Range (in code): **NG**
- 64131. *Marcipa nigropunctifera* D.S.Fletcher & Viette, 1955** (Noctuidae) **Synonym(s):** *nigropunctifera* D.S.Fletcher & Viette, 1955
Range (in code): **GN**
- 64132. *Marcipa nimba* Pelletier, 1978** (Noctuidae) **Synonym(s):** *nimba* Pelletier, 1978
Range (in code): **LR**
- 64133. *Marcipa noel* Viette, 1966** (Noctuidae) **Synonym(s):** *noel* Viette, 1966
Range (in code): **MG**
- 64134. *Marcipa nyei* Pelletier, 1978** (Noctuidae) **Synonym(s):** *nyei* Pelletier, 1978
Range (in code): **CM**
- 64135. *Marcipa orientalis* Pelletier, 1978** (Noctuidae) **Synonym(s):** *orientalis* Pelletier, 1978
Range (in code): **TZ Usa Tnga Ani**
- 64136. *Marcipa pammicta* (Bethune-Baker, 1911)** (Noctuidae) **Synonym(s):** *pammicta* Bethune-Baker, 1911
Range (in code): **AO**
- 64137. *Marcipa phaeodonta* Hampson, 1926** (Noctuidae) **Synonym(s):** *phaeodonta* Hampson, 1926
Range (in code): **ZA MW Mje**
- 64138. *Marcipa pinheyi* Pelletier, 1975** (Noctuidae) **Synonym(s):** *pinheyi* Pelletier, 1975
Range (in code): **UG Etb**
- 64139. *Marcipa plantei* Pelletier, 1978** (Noctuidae) **Synonym(s):** *plantei* Pelletier, 1978
Range (in code): **CF**
- 64140. *Marcipa pulchra* Pelletier, 1978** (Noctuidae) **Synonym(s):** *pulchra* Pelletier, 1978
Range (in code): **LR**
- 64141. *Marcipa pyramidalis* (Hampson, 1910)** (Noctuidae) **Synonym(s):** *pyramidalis* Hampson, 1910
Range (in code): **ZA ZM**
- 64142. *Marcipa rotundiplaga* Gaede, 1939** (Noctuidae) **Synonym(s):** *rotundiplaga* Gaede, 1939
Range (in code): **CM**
- 64143. *Marcipa rougeoti* Pelletier, 1975** (Noctuidae) **Synonym(s):** *rougeoti* Pelletier, 1975
Range (in code): **ET ET204**
- 64144. *Marcipa ruptisigna* Hampson, 1926** (Noctuidae) **Synonym(s):** *ruptisigna* Hampson, 1926
Range (in code): **NG**
- 64145. *Marcipa secticonia* Hampson, 1926** (Noctuidae) **Synonym(s):** *secticonia* Hampson, 1926
Range (in code): **SL**
- 64146. *Marcipa semilunata* Pelletier, 1978** (Noctuidae) **Synonym(s):** *semilunata* Pelletier, 1978
Range (in code): **GA**
- 64147. *Marcipa silvicola* Viette, 1966** (Noctuidae) **Synonym(s):** *silvicola* Viette, 1966
Range (in code): **MG**
- 64148. *Marcipa splendens* Pelletier, 1975** (Noctuidae) **Synonym(s):** *splendens* Pelletier, 1975
Range (in code): **GA**
- 64149. *Marcipa talusina* (Schaus, 1893)** (Noctuidae) **Synonym(s):** *talusina* Schaus, 1893
Range (in code): **SL**
- 64150. *Marcipa trista* Pelletier, 1978** (Noctuidae) **Synonym(s):** *trista* Pelletier, 1978
Range (in code): **TZ Usa Tnga Ani**
- 64151. *Marcipa truncata* Pelletier, 1978** (Noctuidae) **Synonym(s):** *truncata* Pelletier, 1978
Range (in code): **CI**
- 64152. *Marcipa viettei* Pelletier, 1975** (Noctuidae) **Synonym(s):** *viettei* Pelletier, 1975
Range (in code): **CM**
- 64153. *Marcipa vuattouxi* Pelletier, 1978** (Noctuidae) **Synonym(s):** *vuattouxi* Pelletier, 1978
Range (in code): **CI**
- 64154. *Marcipa xanthomochla* D.S.Fletcher, 1963** (Noctuidae) **Synonym(s):** *xanthomochla* D.S.Fletcher, 1963
Range (in code): **NG**
- 64155. *Marcipalina albescens* (Pelletier, 1975)** (Noctuidae) **Synonym(s):** *albescens* Pelletier, 1975
Range (in code): **CI**
- 64156. *Marcipalina berioi* (Pelletier, 1975)** (Noctuidae) **Synonym(s):** *berioi* Pelletier, 1975
Range (in code): **ZR**
- 64157. *Marcipalina clenchi* (Pelletier, 1975)** (Noctuidae) **Synonym(s):** *clenchi* Pelletier, 1975
Range (in code): **CM**

- 64158. *Marcipalina confluens* (Hampson,1926)** (Noctuidae) Synonym(s): *confluens* Hampson,1926 _ Range (in code): GH
- 64159. *Marcipalina conjuncta* (Gaede,1939)** (Noctuidae) Synonym(s): *conjuncta* Gaede,1939 Range (in code): ZR
- 64160. *Marcipalina detersa* (Holland,1894)** (Noctuidae) Synonym(s): *detersa* Holland,1894 Range (in code): GA Ogo
- 64161. *Marcipalina grisescens* Pelletier,1978** (Noctuidae) Synonym(s): *grisescens* Pelletier,1978 Range (in code): UG
- 64162. *Marcipalina hayesi* (Pelletier,1975)** (Noctuidae) Synonym(s): *hayesi* Pelletier,1975 Range (in code): UG
- 64163. *Marcipalina laportei* (Pelletier,1975)** (Noctuidae) Synonym(s): *laportei* Pelletier,1975 Range (in code): GA
- 64164. *Marcipalina lineata* Pelletier,1978** (Noctuidae) Synonym(s): *lineata* Pelletier,1978 Range (in code): CM
- 64165. *Marcipalina lutea* Pelletier,1978** (Noctuidae) Synonym(s): *lutea* Pelletier,1978 _ Range (in code): GA
- 64166. *Marcipalina melanoconia* (Hampson,1926)** (Noctuidae) Synonym(s): *melanoconia* Hampson,1926 _ Range (in code): GH
- 64167. *Marcipalina minima* Pelletier,1978** (Noctuidae) Synonym(s): *minima* Pelletier,1978 Range (in code): CF
- 64168. *Marcipalina modesta* Pelletier,1979** (Noctuidae) Synonym(s): *modesta* Pelletier,1979 Range (in code): CM
- 64169. *Marcipalina obscura* Pelletier,1978** (Noctuidae) Synonym(s): *obscura* Pelletier,1978 Range (in code): UG Etb
- 64170. *Marcipalina pustulata* (Holland,1894)** (Noctuidae) Synonym(s): *pustulata* Holland,1894 Range (in code): GA Ogo
- 64171. *Marcipalina rubra* Pelletier,1978** (Noctuidae) Synonym(s): *rubra* Pelletier,1978 Range (in code): UG
- 64172. *Marcipalina ruptisignoides* Pelletier,1978** (Noctuidae) Synonym(s): *ruptisignoides* Pelletier,1978 _ Range (in code): GA
- 64173. *Marcipalina submarginalis* (Gaede,1939)** (Noctuidae) Synonym(s): *submarginalis* Gaede,1939 _ Range (in code): ZR
- 64174. *Marcipalina tanzaniensis* (Pelletier,1975)** (Noctuidae) Synonym(s): *tanzaniensis* Pelletier,1975 _ Range (in code): TZ Usa Tnga
- 64175. *Marcipalina triangulifera* (Holland,1894)** (Noctuidae) Synonym(s): *triangulifera* Holland,1894 _ Range (in code): GA
- 64176. *Marcipalina umbrosa* (Holland,1894)** (Noctuidae) Synonym(s): *umbrosa* Holland,1894 Range (in code): GA Ogo
- 64177. *Marcipalina violacea* (Pelletier,1974)** (Noctuidae) Synonym(s): *violacea* Pelletier,1974 Range (in code): GA
- 64178. *Marcipopsis aureolimbata* Berio,1966** (Noctuidae) Synonym(s): *aureolimbata* Berio,1966 Range (in code): MG
- 64179. *Marcipopsis bicolor* Viette,1972** (Noctuidae) Synonym(s): *bicolor* Viette,1972 _ Range (in code): MG
- 64180. *Marcipopsis concinna* Berio,1966** (Noctuidae) Synonym(s): *concinna* Berio,1966 Range (in code): MG
- 64181. *Marcipopsis proxima* Berio,1966** (Noctuidae) Synonym(s): *proxima* Berio,1966 Range (in code): MG
- 64182. *Marcipopsis uniformis* Berio,1966** (Noctuidae) Synonym(s): *uniformis* Berio,1966 Range (in code): MG
- 64183. *Margelana brunnea* Fibiger, Zahiri & Kononenko,2007** (Noctuidae) Synonym(s): *brunnea* Fibiger, Zahiri & Kononenko,2007 Original Reference: Margelana brunnea Fibiger, Zahiri & Kononenko,2007, Zootaxa 1503: 14-19, figs.1,2,5,8. Holotype ♂: Iran: Prov. Golestan, Golestan National Park, Almeh 1650m (HMIM). Range (in code): IR Kh
- 64184. *Margelana flavidior* Wagner,1831** (Noctuidae) Synonym(s): *flavidior* Wagner,1831 Original Reference: Margelana flavidior Wagner,1831, Int. ent. Z. 25: 36. Type: Turkey, Akşehir. Range (in code): IL Pa TR Cc IR TM AF Gbh

- 64185. Margelana ochrea Brandt,1941** (Noctuidae) Synonym(s): *ochrea Brandt,1941*; #*ochracea* Lehmann, Hacker et al.,1998 Original Reference: Margelana flavidior ssp. ochrea Brandt,1941, Mitt. münch. ent. Ges. 31: 850-851. Syntypes: Iran: [Khorassan]: Kouh i Binaloud bei Meched, 2500-3000m. Range (in code): **IR Kh KuB Msh Elb Th Kdv TJ Pm Chr**
- 64186. Margelana pamirica Sukhareva,1979** (Noctuidae) Synonym(s): *pamirica Sukhareva,1979* Range (in code): **TJ Pm**
- 64187. Margelana versicolor Staudinger,1888** (Noctuidae) Synonym(s): *versicolor Staudinger,1888* Range (in code): **TR IR Kh Elb Th Kdj IQ TM Kp**
- 64188. Marsipiophora calopepla Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *calopepla Varga & L.Ronkay,1991* Range (in code): **MN**
- 64189. Marsipiophora christophi (Erschoff,1874)** (Noctuidae) Synonym(s): *christophi Erschoff,1874* Range (in code): **IR Ss Lo Chh Hz B-A TM UZ KG Tk Dj**
- 64190. Masca abactalis Walker,[1859]** (Noctuidae) Synonym(s): *abactalis Walker,[1859]*; *leucogastralis Walker,[1866]*; *platypoda R.Felder & Rogenhofer,1874* Range (in code): **SG MY TH Knc ID Sum Ja Amb Tim Flo Clb Mlc Crm Wg Ij PG PH JP MM VN**
- 64191. Massaga hesparia (Cramer,1775)** (Noctuidae) Synonym(s): *hesparia Cramer,1775*; *delicia Butler,1868*; *demena Druce,1894* Range (in code): **CG SL NG Caa GH CM**
- 64192. Massaga maritona Butler,1868** (Noctuidae) Synonym(s): *maritona Butler,1868* Range (in code): **SL**
- 64193. Massaga monteirona Butler,1874** (Noctuidae) Synonym(s): *monteirona Butler,1874*; *metallica Mabille,1878* Range (in code): **CG AO**
- 64194. Massaga noncoba Kiriakoff,1974** (Noctuidae) Synonym(s): *noncoba Kiriakoff,1974* Range (in code): **GH**
- 64195. Massaga tenuifascia Hampson,1910** (Noctuidae) Synonym(s): *tenuifascia Hampson,1910* Range (in code): **ZR**
- 64196. Massaga virescens Butler,1874** (Noctuidae) Synonym(s): *virescens Butler,1874*; *angustifascia Rothschild,1896* Range (in code): **NG Caa ZA Ec**
- 64197. Massaga xenia Jordan,1913** (Noctuidae) Synonym(s): *xenia Jordan,1913* Range (in code): **CM Bit**
- 64198. Matopo actinophora Hampson,1909** (Noctuidae) Synonym(s): *actinophora Hampson,1909* Range (in code): **KE**
- 64199. Matopo berhanoui Laporte,1984** (Noctuidae) Synonym(s): *berhanoui Laporte,1984* Range (in code): **ET**
- 64200. Matopo heterochroa Hampson,1916** (Noctuidae) Synonym(s): *heterochroa Hampson,1916* Range (in code): **SO**
- 64201. Matopo inangulata Hampson,1909** (Noctuidae) Synonym(s): *inangulata Hampson,1909* Range (in code): **ZA ZW Bul**
- 64202. Matopo oberthueri Viette,1965** (Noctuidae) Synonym(s): *oberthueri Viette,1965*; *macrocula Berio,1966* Range (in code): **MG**
- 64203. Matopo plurilineata Berio,1955** (Noctuidae) Synonym(s): *plurilineata Berio,1955* Range (in code): **MG**
- 64204. Matopo scutulata Janse,1917** (Noctuidae) Synonym(s): *scutulata Janse,1917* Range (in code): **ZA Tva**
- 64205. Matopo selecta (Walker,1865)** (Noctuidae) Synonym(s): *selecta Walker,1865*; *lobifera Moore,1881* Range (in code): **IN Bba**
- 64206. Matopo subarida Viette,1976** (Noctuidae) Synonym(s): *subarida Viette,1976* Range (in code): **MG**
- 64207. Matopo tamsi Kiriakoff,1954** (Noctuidae) Synonym(s): *tamsi Kiriakoff,1954* Range (in code): **ZR**
- 64208. Matopo typica Distant,1898** (Noctuidae) Synonym(s): *typica Distant,1898* Range (in code): **ZA Tva Gau Pre Ec Ans Tra**
- 64209. Maurilia albirivula Hampson,1905** (Noctuidae) Synonym(s): *albirivula Hampson,1905* Range (in code): **NG Caa**
- 64210. Maurilia arcuata (Walker,[1858])** (Noctuidae) Synonym(s): *arcuata Walker,[1858]*; *lubina Möschler,1883* Range (in code): **ZA ZW Har Nta Kzu Dbn Ec Tra Grh KE ET CG**
- 64211. Maurilia atrirena Hampson,1918** (Noctuidae) Synonym(s): *atrirena Hampson,1918* Range (in code): **NG Caa**

- 64212. Maurilia conjuncta Gaede,1915** (Noctuidae) Synonym(s): *conjuncta* Gaede,1915 _ Range (in code): TG
- 64213. Maurilia dalama Swinhoe,1918** (Noctuidae) Synonym(s): *dalama* Swinhoe,1918 Range (in code): AU QAU
- 64214. Maurilia fortis Swinhoe,1918** (Noctuidae) Synonym(s): *fortis* Swinhoe,1918 _ Range (in code): PG
- 64215. Maurilia gilva Swinhoe,1919** (Noctuidae) Synonym(s): *gilva* Swinhoe,1919 _ Range (in code): AU
- 64216. Maurilia griveaudi Viette,1982** (Noctuidae) Synonym(s): *griveaudi* Viette,1982 _ Range (in code): MG
- 64217. Maurilia heterochroa Hampson,1905** (Noctuidae) Synonym(s): *heterochroa* Hampson,1905; *lunata* Gaede,1915; *suffusa* Gaede,1915; *obscura* Berio,1966 _ Range (in code): NG Caa CM
- 64218. Maurilia iconica (Walker,1857)** (Noctuidae) Synonym(s): *iconica* Walker,1857; *cervina* Walker,1866; *instabilis* Butler,1889; *bifascia* Gaede,1915; *tunicata* Swinhoe,1918; *undaira* Swinhoe,1918; *fortis* Swinhoe,1918; *dalama* Swinhoe,1919; *gilva* Swinhoe,1919; *elima* Swinhoe,1919; *iconicoides* Gaede,1938; *subiconica* Kobes,1997 Original Reference: Anomis iconica Walker,1857, List Specimens lepid. Insects Colln Br. Mus. 13: 992. Range (in code): WS PG AU MY Bor BN LK IN MM TO NC TH CMa CDo ID Sum Crm Bionomy: Larva on Vatica, Shorea (Dipterocarpaceae), Terminalia, Anogeissus (Combretaceae), Tectona (Verbenaceae), Saccharum (Poaceae) (Mathur,1942 et seq.).
- 64219. Maurilia makandro Viette,1982** (Noctuidae) Synonym(s): *makandro* Viette,1982 Range (in code): MG
- 64220. Maurilia malgassica Viette,1965** (Noctuidae) Synonym(s): *malgassica* Viette,1965 Range (in code): MG
- 64221. Maurilia mandraka Viette,1982** (Noctuidae) Synonym(s): *mandraka* Viette,1982 Range (in code): MG
- 64222. Maurilia mikea Viette,1982** (Noctuidae) Synonym(s): *mikea* Viette,1982 _ Range (in code): MG
- 64223. Maurilia namiongensis Strand,1915** (Noctuidae) Synonym(s): *namiongensis* Strand,1915 Range (in code): CM
- 64224. Maurilia pallidipennis W.Warren,1916** (Noctuidae) Synonym(s): *pallidipennis* W.Warren,1916 _ Range (in code): IN SI
- 64225. Maurilia phaea Hampson,1905** (Noctuidae) Synonym(s): *phaea* Hampson,1905 Range (in code): NG Caa
- 64226. Maurilia purpurea (Kenrick,1917)** (Noctuidae) Synonym(s): *purpurea* Kenrick,1917 Range (in code): MG
- 64227. Maurilia rufirena Hampson,1918** (Noctuidae) Synonym(s): *rufirena* Hampson,1918 Range (in code): NG Lgo
- 64228. Maurilia semicircularis Strand,1915** (Noctuidae) Synonym(s): *semicircularis* Strand,1915 Range (in code): CM
- 64229. Maurilia tunicata Swinhoe,1918** (Noctuidae) Synonym(s): *tunicata* Swinhoe,1918 Range (in code): AU QAU
- 64230. Maurilia undaira Swinhoe,1918** (Noctuidae) Synonym(s): *undaira* Swinhoe,1918 Range (in code): SG MY Bor Sbh ID Sum Crm PG
- 64231. Maxera arizanensis (Wileman,1914)** (Noctuidae) Synonym(s): *arizanensis* Wileman,1914 Range (in code): TW
- 64232. Maxera atripunctata (Hampson,1910)** (Noctuidae) Synonym(s): *atripunctata* Hampson,1910 _ Range (in code): ZA ZM
- 64233. Maxera bathyscia D.S.Fletcher,1961** (Noctuidae) Synonym(s): *bathyscia* D.S.Fletcher,1961 Range (in code): UG Rz
- 64234. Maxera brachypecten Hampson,1926** (Noctuidae) Synonym(s): *brachypecten* Hampson,1926 _ Range (in code): ZA CM Bit
- 64235. Maxera brunneoasperus (Griveaud & Viette,1961)** (Noctuidae) Synonym(s): *brunneoasperus* Griveaud & Viette,1961 _ Range (in code): MG
- 64236. Maxera digoniata (Hampson,1902)** (Noctuidae) Synonym(s): *digoniata* Hampson,1902 Range (in code): ZA Nta Kzu Kkf
- 64237. Maxera discosticta (Hampson,1898)** (Noctuidae) Synonym(s): *discosticta* Hampson,1898 Range (in code): IN Ass Meg Khs

- 64238. Maxera euryptera Hampson,1926** (Noctuidae) Synonym(s): *euryptera* Hampson,1926
Range (in code): **CM Bit**
- 64239. Maxera inclusa (Strand,1912)** (Noctuidae) Synonym(s): *inclusa* Strand,1912 _ Range (in code): **TZ**
- 64240. Maxera laportei Viette,1979** (Noctuidae) Synonym(s): *laportei* Viette,1979 _ Range (in code): **MG**
- 64241. Maxera lophocera (Hampson,1910)** (Noctuidae) Synonym(s): *lophocera* Hampson,1910
Range (in code): **ZM**
- 64242. Maxera marchalii (Boisduval,1833)** (Noctuidae) Synonym(s): *marchalii* Boisduval,1833; *nigriceps* Walker,1858; *nigrifrontalis* Walker,[1859]; *kerima* R.Felder & Rogenhofer,1874; *pallidula* Butler,1875; *marmorea* Hampson,1891; *nigrocollaris* Saalmüller,1891. _ Range (in code): **SL NG ET MW Zom BW Nga ZA Nta Kzu Ec YE Ad**
- 64243. Maxera nova Viette,1956** (Noctuidae) Synonym(s): *nova* Viette,1956 _ Range (in code): **MG**
- 64244. Maxera zygia (Wallengren,1863)** (Noctuidae) Synonym(s): *zygia* Wallengren,1863; *vestispica* Wallengren,1863; *fuscescens* Walker,1865; *larvata* Walker,1865; *morosa* Walker,1865; *obumbrata* Walker,1865. _ Range (in code): **ZA Nta Kzu Dbn Ec Tra**
- 64245. Mazuca elegantissima Janse,1939** (Noctuidae) Synonym(s): *elegantissima* Janse,1939
Range (in code): **ZA**
- 64246. Mazuca haemographa Hampson,1910** (Noctuidae) Synonym(s): *haemographa* Hampson,1910 _ Range (in code): **GH**
- 64247. Mazuca roseistriga D.S.Fletcher,1963** (Noctuidae) Synonym(s): *roseistriga* D.S.Fletcher,1963 _ Range (in code): **ZA**
- 64248. Mazuca strigicincta Walker,1866** (Noctuidae) Synonym(s): *strigicincta* Walker,1866; *concinula* Mabille,1878; *litrata* Butler,1881; *hebraica* Aurivillius,1891 _ Range (in code): **ZA NG CM MW ZM**
- 64249. Mecistoptera sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Knc**
- 64250. Mecodina agrestis Swinhoe,1890** (Noctuidae) Synonym(s): *agrestis* Swinhoe,1890; *ethnica* Swinhoe,1890 _ Range (in code): **IN Knr MM Rgo**
- 64251. Mecodina albodentata (Swinhoe,1895)** (Noctuidae) Synonym(s): *albodentata* Swinhoe,1895 _ Range (in code): **IN Khs Ass Meg TH Knc Nrt Kao MY VN NP ID Clb PH CN TW JP**
- 64252. Mecodina analis Swinhoe,1890** (Noctuidae) Synonym(s): *analis* Swinhoe,1890 _ Range (in code): **IN Ass Khs MM Rgo**
- 64253. Mecodina cyanodonta Hampson,1902** (Noctuidae) Synonym(s): *cyanodonta* Hampson,1902 _ Range (in code): **IN Ass Meg Khs TH CMa Fn Php**
- 64254. Mecodina diastriga Hampson,1926** (Noctuidae) Synonym(s): *diastriga* Hampson,1926
Range (in code): **ID Ja Sum Bor IN**
- 64255. Mecodina hybrida A.E.Prout,1926** (Noctuidae) Synonym(s): *hybrida* A.E.Prout,1926
Range (in code): **MY Bor TH Ntt Hba**
- 64256. Mecodina leucosticta Hampson,1926** (Noctuidae) Synonym(s): *leucosticta* Hampson,1926
Range (in code): **MY Bor BN ID Sum Clb**
- 64257. Mecodina odontophora (Swinhoe,1895)** (Noctuidae) Synonym(s): *odontophora* Swinhoe,1895 _ Range (in code): **IN Ass Khs TH Cbi Nrt Kao KH PH**
- 64258. Mecodina ophiusalis Walker,[1859]** (Noctuidae) Synonym(s): *ophiusalis* Walker,[1859]
Range (in code): **LK**
- 64259. Mecodina poaphiloides (Walker,1864)** (Noctuidae) Synonym(s): *poaphiloides* Walker,1864; *sumatrana* Kobes,1984 _ Range (in code): **MY Bor TH Cbi ID Sum**
- 64260. Mecodina praecipua (Walker,1865)** (Noctuidae) Synonym(s): *praecipua* Walker,1865; *nara* R.Felder & Rogenhofer,1874; *amboinica* Pagenstecher,1884 _ Range (in code): **IN NI Adm LK ID Amb Ja Tim Ij TH Cbi Nrt Kao PG PH JP**
- 64261. Mecodina sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH**
- 64262. Mecodina subcostalis (Walker,1865)** (Noctuidae) Synonym(s): *subcostalis* Walker,1865
Range (in code): **CN TH Nrt Kao NP IN TW KP KR**
- 64263. Mecodina umbrosa (Hampson,1893)** (Noctuidae) Synonym(s): *umbrosa* Hampson,1893
Range (in code): **IN Ass Khs LK**
- 64264. Megalodes eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845
Original Reference: *Cosmia eximia* Freyer,1845, *Neuere Beitr. Schmett.* 5: 104. Tab. 442 fig. 3.
Type(s): [Türkei]: europäische Türkei. Range (in code): **GR TR Cc GG AM RU Da IR Fa Ab Oru Ak**

- Shf Mak Ksh Km Kd Sqq IQ IL Js Pa JO LB Bei** Bionomy: Larva on Malva, Althea (Malvaceae) (Staudinger,1879).
- 64265. Megalodes eximia eximia (Freyer,1845)** (Noctuidae) Synonym(s): *eximia* Freyer,1845 Original Reference: *Cosmia eximia* Freyer,1845, Neuere Beitr. Schmett. 5: 104. Tab. 442 fig. 3. Type(s): [Türkei]: europäische Türkei. Range (in code): **GR Cc GG TR AM RU Da** Bionomy: Larva on Malva, Althea (Malvaceae) (Staudinger,1879).
- 64266. Megalodes eximia prolixa Draudt,1933** (Noctuidae) Synonym(s): *prolixa* Draudt,1933 Original Reference: *Megalodes prolixa* Draudt,1933, Ent. Rdsch. 50: 187. Syntypes: Palestina: Jerusalem. Range (in code): **IL Js Pa SY JO LB Bei**
- 64267. Megalodes eximia tengistana Brandt,1938** (Noctuidae) Synonym(s): *tengistana* Brandt,1938 Original Reference: *Megalodes tengistana* Brandt,1938, Ent. Rdsch. 55: 553, fig. 190. Syntypes: Iran: Tschurum. Range (in code): **IQ IR Fa Ab Oru Mak Ksh Km Kd Sqq**
- 64268. Meganephria araucanica Hampson,1909** (Noctuidae) Synonym(s): *araucanica* Hampson,1909 Range (in code): **CL**
- 64269. Meganephria bimaculosa (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804]. Original Reference: *Phalaena bimaculosa* Linnaeus,1767, Syst. Nat. (Edn.12)1: 856. Type(s): Germany. Range (in code): **ES FR IT GB DE CH AT PL CZ SK HU YU BG GR TR Cc RU Ro Kr IR Ab Oru** Bionomy: Larva on Ulmus (Ulmaceae), Prunus (Rosaceae) (Beck,1960).
- 64270. Meganephria bimaculosa bimaculosa (Linnaeus,1767)** (Noctuidae) Synonym(s): *bimaculosa* Linnaeus,1767; *italica* Esper,[1791]; *binubeculosa* Esper,[1804]. Original Reference: *Phalaena bimaculosa* Linnaeus,1767, Syst. Nat. (Edn.12)1: 856. Type(s): Germany. Range (in code): **ES FR IT GB DE CH AT PL CZ SK HU YU BG GR RU Ro Kr Cc**
- 64271. Meganephria bimaculosa pontica Draudt,1936** (Noctuidae) Synonym(s): *pontica* Draudt,1936 Original Reference: *Meganephria bimaculosa* ssp. *pontica* Draudt,1936, Ent. Rdsch. 53: 492, Taf. iv d3. Syntypes: [Türkei]: Akschehir (Sultan Dag). Range (in code): **TR Cc**
- 64272. Meganephria debilis Warnecke,1933** (Noctuidae) Synonym(s): *debilis* Warnecke,1933 Range (in code): **RU Sb**
- 64273. Meganephria extensa (Butler,1879)** (Noctuidae) Synonym(s): *extensa* Butler,1879; *cinerea* Butler,1881 Range (in code): **JP CN**
- 64274. Meganephria funesta (Leech,1889)** (Noctuidae) Synonym(s): *funesta* Leech,1889 Range (in code): **JP**
- 64275. Meganephria kononenkoi Poole,1989** (Noctuidae) Synonym(s): *cinerea* Kononenko,1978 *nec Butl.*,1879; *kononenkoi* Poole,1989 Range (in code): **RU Us CN**
- 64276. Meganephria tancrei (Graeser,1889)** (Noctuidae) Synonym(s): *tancrei* Graeser,1889 Range (in code): **RU Sb**
- 64277. Meganola aarviki Hacker,2012** (Noctuidae) Synonym(s): *aarviki* Hacker,2012 Range (in code): **KE**
- 64278. Meganola agassizi Hacker,2012** (Noctuidae) Synonym(s): *agassizi* Hacker,2012 Range (in code): **KE**
- 64279. Meganola albiscripta Laszlo, G.Ronkay & Witt,2005** (Noctuidae) Synonym(s): *albiscripta* Laszlo, G.Ronkay & Witt,2005 Original Reference: *Meganola albiscripta* Laszlo, G.Ronkay & Witt,2005, Entomofauna 26 (11): 210-219, figs. Holotype ♂: Nord-Vietnam: Mt. Fan-si-pan, Cha Pa 2400m leg. Sinjaev & Simonov (MWM). Range (in code): **VN Fan Ton**
- 64280. Meganola albocandia Hacker,2012** (Noctuidae) Synonym(s): *albocandia* Hacker,2012 Range (in code): **GH**
- 64281. Meganola albomarmorea Hacker,2012** (Noctuidae) Synonym(s): *albomarmorea* Hacker,2012; ? *xanthomorpha* Hacker,2012 Range (in code): **TZ Ruv Usa Tnga**
- 64282. Meganola albula ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *albula* [Denis & Schiffermüller],1775 Original Reference: *Noctua albula* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG Hsk GR TR IR Mz DK SE LT RU Kb Cc Sb MD UA BY** Bionomy: Larva on Mentha aquatica ([Denis & Schiffermüller],1775 et seq.).
- 64283. Meganola allardi Hacker,2012** (Noctuidae) Synonym(s): *allardi* Hacker,2012 Range (in code): **CI**
- 64284. Meganola alterocosta Toulgoet,1982** (Noctuidae) Synonym(s): *alterocosta* Toulgoet,1982 Range (in code): **MG**
- 64285. Meganola amaniella Hacker,2012** (Noctuidae) Synonym(s): *amaniella* Hacker,2012 Range (in code): **TZ Tnga Ani Usa ZR Kvu KE Kkm**

- 64286. *Meganola amphigrapha* Hacker,2012** (Noctuidae) Synonym(s): *amphigrapha* Hacker,2012 -- **UG KE**
- 64287. *Meganola angola* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *angola* Bethune-Baker,1911 -- **Range (in code): AO ZR Lbu KE Nai ET Oro UG CI**
- 64288. *Meganola anisographa* Hacker,2012** (Noctuidae) Synonym(s): *anisographa* Hacker,2012 **KE**
- 64289. *Meganola antennata* Hacker,2012** (Noctuidae) Synonym(s): *antennata* Hacker,2012 **TZ Uzu Tnga Usa Iri Pwa Mgr KE Nai ZR**
- 64290. *Meganola antevaginalis* Hacker,2012** (Noctuidae) Synonym(s): *antevaginalis* Hacker,2012 -- **TZ Mgr Iri**
- 64291. *Meganola apiensis* Holloway,2003** (Noctuidae) Synonym(s): *apiensis* Holloway,2003 **Range (in code): MY Bor Swk**
- 64292. *Meganola arcanalis* Toulgoet,1961** (Noctuidae) Synonym(s): *arcanalis* Toulgoet,1961 **MG**
- 64293. *Meganola arenbergeri* Hacker,2012** (Noctuidae) Synonym(s): *nanula* Wiltshire,1961 *nec* Toulg.,1954; *arenbergeri* Hacker,2012 **Original Reference: Meganola arenbergeri** Hacker,2012, *Esperiana* 17: 229 (nom. nov. pro *nanula* Wiltshire,1961 *nec* Toulgoet,1954). **Range (in code): AF Kab Nu Bsg Sen IR Kd Ch PK Nwf Swa Haz MLk**
- 64294. *Meganola argentisoma* Hacker,2012** (Noctuidae) Synonym(s): *argentisoma* Hacker,2012 **MW Mje**
- 64295. *Meganola argentofusca* Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *argentofusca* Hacker & Hoppe,2012 -- **GO Bio**
- 64296. *Meganola argyrographa* Hacker,2012** (Noctuidae) Synonym(s): *argyrographa* Hacker,2012 -- **TZ Iri Mgr Ulu KE Kkm**
- 64297. *Meganola argyrolepis* (Hampson,1907)** (Noctuidae) Synonym(s): *argyrolepis* Hampson,1907 -- **ZW TZ ZR Lbu BI ZA Nta Kzu**
- 64298. *Meganola argyrolepis drymoetes* Hacker,2012** (Noctuidae) Synonym(s): *drymoetes* Hacker,2012 -- **ZR Lbu BI**
- 64299. *Meganola argyrolepis marleyi* (Van Son,1933)** (Noctuidae) Synonym(s): *marleyi* Van Son,1933 -- **Range (in code): ZW ZA Nta Kzu**
- 64300. *Meganola argyromorpha* Hacker,2012** (Noctuidae) Synonym(s): *argyromorpha* Hacker,2012 -- **TZ Usa Mgr UG SL ZA Stj Ec Grh**
- 64301. *Meganola argyropasta* (Hampson,1914)** (Noctuidae) Synonym(s): *argyropasta* Hampson,1914 -- **Range (in code): GH**
- 64302. *Meganola ascripta* (Hampson,1894)** (Noctuidae) Synonym(s): *ascripta* Hampson,1894 **Range (in code): IN Ker Ass Nag TH CMa Kob Nan Bou Pua VN Far TW MY Bor**
- 64303. *Meganola asperalis* Villers,1789** (Noctuidae) Synonym(s): *asperalis* Villers,1789 **Original Reference: Phalaena asperalis** de Villers, 1789, *Linn. Ent.* 2: 451. **Range (in code):**
- 64304. *Meganola aulombardialis* Hacker,2012** (Noctuidae) Synonym(s): *aulombardialis* Hacker,2012 -- **YE Sna**
- 64305. *Meganola bifuscatalis* Toulgoet,1982** (Noctuidae) Synonym(s): *bifuscatalis* Toulgoet,1982 **MG**
- 64306. *Meganola bilineatalis* (Toulgoet,1961)** (Noctuidae) Synonym(s): *bilineatalis* Toulgoet,1961 **MG**
- 64307. *Meganola bioconia* Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *bioconia* Hacker & Hoppe,2012 -- **GO Bio CM**
- 64308. *Meganola bipartita* (Van Son,1933)** (Noctuidae) Synonym(s): *bipartita* Van Son,1933 **Range (in code): ZA Mpu Brb Gau Lpo Tva MZ NA AO KE Tvt TZ Mgr Iri Dss Pwa Uzu ET ET09 Oro Snp SU UG RW ZR Lbu YE MR BF NG CM**
- 64309. *Meganola bipartita reubeni* (Agassiz,2009)** (Noctuidae) Synonym(s): *reubeni* Agassiz,2009 -- **KE Tvt TZ Mgr Iri Dss Pwa Uzu ET ET09 Oro Snp SU UG RW ZR Lbu YE MR BF NG CM**
- 64310. *Meganola bispermutata* Hacker,2012** (Noctuidae) Synonym(s): *bispermutata* Hacker,2012 -- **ZA Ec Spb Tva Lpo Ltr Stj Nta Kzu Dbn ZW**
- 64311. *Meganola brachystegia* Hacker,2012** (Noctuidae) Synonym(s): *brachystegia* Hacker,2012 **MW Mje**
- 64312. *Meganola brachyvalva* Hacker,2012** (Noctuidae) Synonym(s): *brachyvalva* Hacker,2012 **ZR Lbu**
- 64313. *Meganola bryophiloides* (Butler,1882)** (Noctuidae) Synonym(s): *bryophiloides* Butler,1882; *respersa* Saalmüller,1884 -- **MG**
- 64314. *Meganola caligilinea* Hacker,2012** (Noctuidae) Synonym(s): *caligilinea* Hacker,2012 **ZR Lbu**

- 64315. *Meganola calligrapha* Laszlo, G.Ronkay & Witt,2005** (Noctuidae) **Synonym(s):** *calligrapha Laszlo, G.Ronkay & Witt,2005* **Original Reference:** *Meganola calligrapha* Laszlo, G.Ronkay & Witt,2005, Entomofauna 26 (11): 208-210, figs. Holotype ♂ N.Thailand: Chiang Mai Prov., between Chiang Dao and Kariang, 900m 26.x.2002, leg. B.Herczig & G.Ronkay (MWM). **Range (in code):** NP TH CMa Sop CDo Nan Bou Mae Pai Fn Php TW MY Bor Swk
- 64316. *Meganola canocolorata* Hacker,2012** (Noctuidae) **Synonym(s):** *canocolorata Hacker,2012* CI
- 64317. *Meganola canovirgata* Hacker,2012** (Noctuidae) **Synonym(s):** *canovirgata Hacker,2012* TZ Tnga Usa Ani MW Mje UG ZR Lsb
- 64318. *Meganola captiva* Hacker,2012** (Noctuidae) **Synonym(s):** *captiva Hacker,2012* _YE
- 64319. *Meganola carcharicosa* Hacker,2012** (Noctuidae) **Synonym(s):** *carcharicosa Hacker,2012* TZ Tnga Usa Ani
- 64320. *Meganola carolinae* (Van Son,1933)** (Noctuidae) **Synonym(s):** *carolinae Van Son,1933* **Range (in code):** ZA Tva
- 64321. *Meganola cerographa* Hacker,2012** (Noctuidae) **Synonym(s):** *cerographa Hacker,2012* ET Oro
- 64322. *Meganola chalcographa* Hacker,2012** (Noctuidae) **Synonym(s):** *chalcographa Hacker,2012* _KE Nai
- 64323. *Meganola chia* (Holland,1894)** (Noctuidae) **Synonym(s):** *chia Holland,1894* _CM GA Ogo
- 64324. *Meganola chionea* (Hampson,1911)** (Noctuidae) **Synonym(s):** *chionea Hampson,1911* **Original Reference:** *Nola chionea* Hampson,1911, Ann. Mag. nat. Hist. (8) 8: 398. Type ♂: S. Nigeria: Ilesha (Humprey). **Range (in code):** NG CI GH ZR
- 64325. *Meganola chromatographa* Hacker,2012** (Noctuidae) **Synonym(s):** *chromatographa Hacker,2012* _BF
- 64326. *Meganola ciliana* Hacker,2012** (Noctuidae) **Synonym(s):** *ciliana Hacker,2012* _ZR Lsb
- 64327. *Meganola cirrhographa* Hacker & Hoppe,2012** (Noctuidae) **Synonym(s):** *cirrhographa Hacker & Hoppe,2012* _GO Bio CG
- 64328. *Meganola coffeana* Hacker,2012** (Noctuidae) **Synonym(s):** *coffeana Hacker,2012* _ET Oro Snnp KE
- 64329. *Meganola conspicillaris* (D.S.Fletcher,1962)** (Noctuidae) **Synonym(s):** *conspicillaris D.S.Fletcher,1962* **Range (in code):** UG
- 64330. *Meganola convexalis* (Toulgoet,1961)** (Noctuidae) **Synonym(s):** *convexalis Toulgoet,1961; griveaudalis Toulgoet,1961* _MG
- 64331. *Meganola cornuata* Hacker,2012** (Noctuidae) **Synonym(s):** *cornuata Hacker,2012* _BF
- 64332. *Meganola costiplagiata* (Hampson,1918)** (Noctuidae) **Synonym(s):** *costiplagiata Hampson,1918* _MW
- 64333. *Meganola costisquamosa* (Toulgoet,1954)** (Noctuidae) **Synonym(s):** *costisquamosa Toulgoet,1954* _MG
- 64334. *Meganola cramboidalis* Toulgoet,1982** (Noctuidae) **Synonym(s):** *cramboidalis Toulgoet,1982* _MG
- 64335. *Meganola cretacea* (Hampson,1914)** (Noctuidae) **Synonym(s):** *cretacea Hampson,1914; cretaceoides Poole,1989* **Range (in code):** GH CI NG
- 64336. *Meganola cryptochra* Hacker,2012** (Noctuidae) **Synonym(s):** *cryptochra Hacker,2012* CM
- 64337. *Meganola cuneifera* (Walker,1862)** (Noctuidae) **Synonym(s):** *cuneifera Walker,1862; ruficostata Hampson,1896* **Range (in code):** MY Bor Swk Sbh IN SI VN TH CMa CDo Nan Bou
- 64338. *Meganola dananae* Hacker,2012** (Noctuidae) **Synonym(s):** *dananae Hacker,2012* _CI
- 64339. *Meganola decaryi* (Toulgoet,1955)** (Noctuidae) **Synonym(s):** *decaryi Toulgoet,1955* MG
- 64340. *Meganola decima* Hacker,2012** (Noctuidae) **Synonym(s):** *decima Hacker,2012* _ZR Kvu
- 64341. *Meganola denticulatalis* Hacker,2012** (Noctuidae) **Synonym(s):** *denticulatalis Hacker,2012* _SD BF CI ET Snnp YE YEo2
- 64342. *Meganola deprinsiella* Hacker,2012** (Noctuidae) **Synonym(s):** *deprinsiella Hacker,2012* RW
- 64343. *Meganola derrae* Hacker,2012** (Noctuidae) **Synonym(s):** *derrae Hacker,2012* _KE
- 64344. *Meganola despicillaris* Hacker,2012** (Noctuidae) **Synonym(s):** *despicillaris Hacker,2012* CI
- 64345. *Meganola diagrapha* Hacker,2012** (Noctuidae) **Synonym(s):** *diagrapha Hacker,2012* BF NG ?ZR Lbu

- 64346. Meganola dicranographa Hacker,2012** (Noctuidae) Synonym(s): *dicranographa Hacker,2012* __BF NG
- 64347. Meganola dilutalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *dilutalis Toulgoet,1961* MG
- 64348. Meganola diplodactyla Hacker,2012** (Noctuidae) Synonym(s): *diplodactyla Hacker,2012* ZM ZR Lbu
- 64349. Meganola diplozona (Hampson,1914)** (Noctuidae) Synonym(s): *diplozona Hampson,1914* Range (in code): KE Nai
- 64350. Meganola dissoluta Hacker,2012** (Noctuidae) Synonym(s): *dissoluta Hacker,2012* __NG
- 64351. Meganola dochmographa (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *dochmographa D.S.Fletcher,1958* _ Range (in code): UG Rz RW KE Nai Kkm TZ Kmj Usa Tnga ET Oro MW ZR BI
- 64352. Meganola drepanucha (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *drepanucha D.S.Fletcher,1958* _ Range (in code): UG Rz TZ
- 64353. Meganola eburneana Hacker,2012** (Noctuidae) Synonym(s): *eburneana Hacker,2012* CI
- 64354. Meganola efflucta Hacker,2012** (Noctuidae) Synonym(s): *efflucta Hacker,2012* __MG
- 64355. Meganola elaeagni (Shchetkin,1980)** (Noctuidae) Synonym(s): *elaeagni Shchetkin,1980* q TJ Dsb
- 64356. Meganola elegantula Hacker,2012** (Noctuidae) Synonym(s): *elegantula Hacker,2012* RW
- 64357. Meganola elgonia Hacker,2012** (Noctuidae) Synonym(s): *elgonia Hacker,2012* __KE Elg RW
- 64358. Meganola endoscota (Hampson,1914)** (Noctuidae) Synonym(s): *endoscota Hampson,1914* Range (in code): GH CI ZR Kvu
- 64359. Meganola endoscota endoscota (Hampson,1914)** (Noctuidae) Synonym(s): *endoscota Hampson,1914* q __GH CI
- 64360. Meganola endoscota undosaria Hacker,2012** (Noctuidae) Synonym(s): *undosaria Hacker,2012* q __ZR Kvu
- 64361. Meganola erythrinalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *erythrinalis Toulgoet,1961* __MG
- 64362. Meganola ethiopica Hacker,2012** (Noctuidae) Synonym(s): *ethiopica Hacker,2012* __ET ET09 Oro Snp
- 64363. Meganola euryochra (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *euryochra D.S.Fletcher,1958* __UG Rz
- 64364. Meganola euthygrapha Hacker,2012** (Noctuidae) Synonym(s): *euthygrapha Hacker,2012* q __KE
- 64365. Meganola fibigerialis Hacker,2012** (Noctuidae) Synonym(s): *fibigerialis Hacker,2012* TZ Pwa Mgr ET Snp
- 64366. Meganola florianhackeri Hacker,2012** (Noctuidae) Synonym(s): *florianhackeri Hacker,2012* __KE Elg Kya TZ Iri Pwa Kmj Aus RW CI ET Oro Snp
- 64367. Meganola fontainei Hacker,2012** (Noctuidae) Synonym(s): *fontainei Hacker,2012* __ZR Lbu CG CI BI
- 64368. Meganola forsteri Hacker,2012** (Noctuidae) Synonym(s): *forsteri Hacker,2012* __KE Kkm TZ
- 64369. Meganola foviferoides (Poole,1989)** (Noctuidae) Synonym(s): *fovifera Hampson,1911 nec Hamp.,1903; foviferoides Poole,1989* _ Range (in code): ZW GH
- 64370. Meganola fulvolurida Hacker,2012** (Noctuidae) Synonym(s): *fulvolurida Hacker,2012* UG ZR
- 64371. Meganola funebris (Toulgoet,1961)** (Noctuidae) Synonym(s): *funebris Toulgoet,1961* MG
- 64372. Meganola furvitincta (Hampson,1914)** (Noctuidae) Synonym(s): *furvitincta Hampson,1914* __SL NG BF CI GH
- 64373. Meganola fuscocolorata Hacker,2012** (Noctuidae) Synonym(s): *fuscocolorata Hacker,2012* __TZ
- 64374. Meganola fuscotriata Hacker,2012** (Noctuidae) Synonym(s): *fuscotriata Hacker,2012* ZR
- 64375. Meganola fuscovirgata Hacker,2012** (Noctuidae) Synonym(s): *fuscovirgata Hacker,2012* TZ Ruv
- 64376. Meganola gallicola Wiltshire,1949** (Noctuidae) Synonym(s): *gallicola Wiltshire,1949* EG Bionomy: Larva feeds in galls on *Acacia arabica* (Wiltshire,1949).

- 64377. Meganola galsworthyi** Laszlo, G.Ronkay & Witt,2010 (Noctuidae) Synonym(s): *galsworthyi* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa
- 64378. Meganola genitaliana** Hacker,2012 (Noctuidae) Synonym(s): *genitaliana* Hacker,2012 KE Nai Kkm TZ
- 64379. Meganola geoffmartini** Laszlo, G.Ronkay & Witt,2010 (Noctuidae) Synonym(s): *geoffmartini* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa CDo
- 64380. Meganola gibeauxi** Toulgoet,1982 (Noctuidae) Synonym(s): *gibeauxi* Toulgoet,1982 MG
- 64381. Meganola gigantula** (Staudinger,1879) (Noctuidae) Synonym(s): *gigantula* Staudinger,1879 Original Reference: Roeselia gigantula Staudinger,1879, Horae Soc. ent. ross. 14: 328. Type ♀: [Türkei]: Amasia (NHMU). Range (in code): SK MK BG GR TR IQ
- 64382. Meganola gondwana** Hacker,2012 (Noctuidae) Synonym(s): *gondwana* Hacker,2012 NA Dmr Bnd
- 64383. Meganola griseodentata** Hacker & Hoppe,2012 (Noctuidae) Synonym(s): *griseodentata* Hacker & Hoppe,2012 _ TZ
- 64384. Meganola hausmanni** Hacker,2012 (Noctuidae) Synonym(s): *hausmanni* Hacker,2012 TZ Uzu Iri Usa Mgr UG ZR ET Oro Snp
- 64385. Meganola heinrichi** Hacker,2012 (Noctuidae) Synonym(s): *heinrichi* Hacker,2012 _ TZ Mru Kmj Iri ET Oro Snp Ble
- 64386. Meganola hesperigrapha** Hacker,2012 (Noctuidae) Synonym(s): *hesperigrapha* Hacker,2012 _ NG
- 64387. Meganola heteromorpha** Hacker,2012 (Noctuidae) Synonym(s): *heteromorpha* Hacker,2012 _ UG
- 64388. Meganola heteroscota** (Toulgoet,1954) (Noctuidae) Synonym(s): *heteroscota* Toulgoet,1954 _ MG
- 64389. Meganola hollowayi** Laszlo, G.Ronkay & Witt,2010 (Noctuidae) Synonym(s): *hollowayi* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa CDo
- 64390. Meganola holoscota** (Hampson,1920) (Noctuidae) Synonym(s): *holoscota* Hampson,1920 Range (in code): ZA Kzu Nta Kkf
- 64391. Meganola honeyi** Laszlo, G.Ronkay & Witt,2010 (Noctuidae) Synonym(s): *honeyi* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa
- 64392. Meganola hypenoides** (Talbot,1929) (Noctuidae) Synonym(s): *hypenoides* Talbot,1929 q ST
- 64393. Meganola igorkostjuki** Laszlo, G.Ronkay & Witt,2010 (Noctuidae) Synonym(s): *igorkostjuki* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH CMa
- 64394. Meganola illaudata** (D.S.Fletcher,1958) (Noctuidae) Synonym(s): *illaudata* D.S.Fletcher,1958 _ UG Rz ET Oro Snp TZ ZR GO Bio
- 64395. Meganola implicata** Laszlo, G.Ronkay & Witt,2007 (Noctuidae) Synonym(s): *implicata* Laszlo, G.Ronkay & Witt,2007 _ Range (in code): TH Mae Nan Pua CMa Fn Int Sop
- 64396. Meganola impura** (Mann,1862) (Noctuidae) Synonym(s): *impura* Mann,1862; *wiltshirei* Warnecke,1939 Original Reference: Nola impura Mann,1862, Wien. ent. Monatschr. 6: 368, Taf.3 fig.3. Type ♂: [Turkey]: Brussa [Bursa Prov.] (NHMU). Range (in code): GR TR CY LB Bei IL Pa Hf SY T-S CN Ui Ku
- 64397. Meganola impura centralis** (Warnecke,1938) (Noctuidae) Synonym(s): *centralis* Warnecke,1938; *silvicola* Shchetkin,1957 Original Reference: Nola impura centralis Warnecke,1938, Ent. Rdsch. 55: 295. Lectotype ♂: [Uighur Ili]: "Kuldscha" (NHMU). Range (in code): T-S CN Ui Ku TJ
- 64398. Meganola impura impura** (Mann,1862) (Noctuidae) Synonym(s): *impura* Mann,1862; *wiltshirei* Warnecke,1939 Original Reference: Nola impura Mann,1862, Wien. ent. Monatschr. 6: 368, Taf.3 fig.3. Type ♂: [Turkey]: Brussa [Bursa Prov.] (NHMU). Range (in code): GR TR CY LB Bei IL Pa SY
- 64399. Meganola incana** (Saalmüller,1884) (Noctuidae) Synonym(s): *incana* Saalmüller,1884 MG
- 64400. Meganola incertalis** Toulgoet,1982 (Noctuidae) Synonym(s): *incertalis* Toulgoet,1982 MG
- 64401. Meganola inculta** Hacker,2012 (Noctuidae) Synonym(s): *inculta* Hacker,2012 _ ZR Lbu Kvu
- 64402. Meganola inexpectalis** (Toulgoet,1961) (Noctuidae) Synonym(s): *inexpectalis* Toulgoet,1961 _ MG

- 64403. *Meganola inexplicabilis* Hacker,2012** (Noctuidae) **Synonym(s):** *inexplicabilis* Hacker,2012 _ **TZ Mgr**
- 64404. *Meganola infumatalis* Toulgoet,1982** (Noctuidae) **Synonym(s):** *infumatalis* Toulgoet,1982 **MG**
- 64405. *Meganola infuscata* (Hampson,1903)** (Noctuidae) **Synonym(s):** *infuscata* Hampson,1903
Range (in code): **ZA Tva Lpo Spb Ltr Nta Kzu ZW Uma**
- 64406. *Meganola infuscatalis* (Toulgoet,1961)** (Noctuidae) **Synonym(s):** *infuscatalis* Toulgoet,1961 _ **MG**
- 64407. *Meganola ingeminata* Hacker,2012** (Noctuidae) **Synonym(s):** *ingeminata* Hacker,2012 **KE Kkm Nai**
- 64408. *Meganola insolitalis* Toulgoet,1982** (Noctuidae) **Synonym(s):** *insolitalis* Toulgoet,1982 **MG**
- 64409. *Meganola integralis* Toulgoet,1982** (Noctuidae) **Synonym(s):** *integralis* Toulgoet,1982 **MG**
- 64410. *Meganola interrupta* Hacker,2012** (Noctuidae) **Synonym(s):** *interrupta* Hacker,2012 **UG**
- 64411. *Meganola introfusca* Hacker,2012** (Noctuidae) **Synonym(s):** *introfusca* Hacker,2012 **qq KE Kkm UG**
- 64412. *Meganola iringa* Hacker,2012** (Noctuidae) **Synonym(s):** *iringa* Hacker,2012 _ **TZ Iri**
- 64413. *Meganola jacobi* (Agassiz,2009)** (Noctuidae) **Synonym(s):** *jacobi* Agassiz,2009 _ **KE**
- 64414. *Meganola janegoaterae* Goater & Hacker,2012** (Noctuidae) **Synonym(s):** *janegoaterae* Goater & Hacker,2012 _ **TZ Tnga Usa Ani MW**
- 64415. *Meganola kaduna* Hacker,2012** (Noctuidae) **Synonym(s):** *kaduna* Hacker,2012 _ **GH NG**
- 64416. *Meganola kakamega* Hacker,2012** (Noctuidae) **Synonym(s):** *kakamega* Hacker,2012 **KE Kkm**
- 64417. *Meganola karischiella* Hacker,2012** (Noctuidae) **Synonym(s):** *karischiella* Hacker,2012 **ZR Kasa**
- 64418. *Meganola katanga* Hacker,2012** (Noctuidae) **Synonym(s):** *katanga* Hacker,2012 _ **ZR Lbu Kga**
- 64419. *Meganola kennedyi* (D.S.Fletcher,1958)** (Noctuidae) **Synonym(s):** *kennedyi* D.S.Fletcher,1958 _ **Range (in code): UG Rz**
- 64420. *Meganola kenrickialis* Hacker,2012** (Noctuidae) **Synonym(s):** *kenrickialis* Hacker,2012 **MG**
- 64421. *Meganola kolbi* (Daniel,1935)** (Noctuidae) **Synonym(s):** *kolbi* Daniel,1935; *taurica* Daniel,1935; *pannonica* Kovacs,1947 **Original Reference:** *Roeselia strigula kolbi* Daniel,1935, Dt. ent. Z., Iris 49: 33. Lectotype ♂: Hungary, designated by de Freina & Witt (1984). **Range (in code):** **HU RO BG GR AT CZ IQ TR JO IR Kd Fa Km AF Sfk** **Bionomy:** Larva on *Quercus* (Fagaceae) (Hacker et al.,2012).
- 64422. *Meganola kriuegeri* Hacker,2012** (Noctuidae) **Synonym(s):** *kriuegeri* Hacker,2012 **OM Dh YE Hd SO Mga TZ Mgr KE ET Oro Snp ER**
- 64423. *Meganola kuehnei* Hacker,2012** (Noctuidae) **Synonym(s):** *kuehnei* Hacker,2012 _ **RW**
- 64424. *Meganola latifusca* Hacker,2012** (Noctuidae) **Synonym(s):** *latifusca* Hacker,2012 _ **TZ**
- 64425. *Meganola latiscripta* Laszlo, G.Ronkay & Witt,2005** (Noctuidae) **Synonym(s):** *latiscripta* Laszlo, G.Ronkay & Witt,2005 _ **Range (in code): VN CN Hn**
- 64426. *Meganola legraini* Hacker,2012** (Noctuidae) **Synonym(s):** *legraini* Hacker,2012 _ **CM GO Bio RW UG ZR**
- 64427. *Meganola legraini argentitincta* Hacker,2012** (Noctuidae) **Synonym(s):** *argentitincta* Hacker,2012 _ **RW UG ZR**
- 64428. *Meganola leifaarviki* Hacker,2012** (Noctuidae) **Synonym(s):** *leifaarviki* Hacker,2012 **TZ**
- 64429. *Meganola leucalea* (Hampson,1907)** (Noctuidae) **Synonym(s):** *leucalea* Hampson,1907
Range (in code): **ZA Tva Lpo Gau Pre Slpp Mgr Nel Mpu ZA14 Mal Wm Mdd Nyl ZR Lbu BI TZ KE**
- 64430. *Meganola leucographa* (D.S.Fletcher,1958)** (Noctuidae) **Synonym(s):** *leucographa* D.S.Fletcher,1958 _ **Range (in code): UG Rz BF GH SL**
- 64431. *Meganola leucometabola* Hacker,2012** (Noctuidae) **Synonym(s):** *leucometabola* Hacker,2012 _ **ET Snp Oro UG ZR**
- 64432. *Meganola leucosigna* Hacker,2012** (Noctuidae) **Synonym(s):** *leucosigna* Hacker,2012 **UG KE Kkm CM GH**
- 64433. *Meganola lindemanna* (D.S.Fletcher,1962)** (Noctuidae) **Synonym(s):** *lindemanna* D.S.Fletcher,1962 _ **Range (in code): TZ Km j Aus**

- 64434. Meganola longisigna Hacker,2012** (Noctuidae) Synonym(s): *longisigna* Hacker,2012
ET Oro Snp TZ Mgr Uzu KE Kkm MW CM ZR Lbu BI NG CI
- 64435. Meganola loxodentata Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *loxodentata*
Hacker & Hoppe,2012 q __GO Bio
- 64436. Meganola loxoleuca (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *loxoleuca*
D.S.Fletcher,1958 q __UG Rz KE Kkm Nai TZ Tnga Usa Ani ET Snp Oro ZR Kvu RW
- 64437. Meganola loxostriata Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *loxostriata*
Hacker & Hoppe,2012 __GO Bio
- 64438. Meganola lucia (Van Son,1933)** (Noctuidae) Synonym(s): *lucia* Van Son,1933 _ Range
(in code): ZA Nta Kzu Tva
- 64439. Meganola lupii Hacker & Hausmann,2012** (Noctuidae) Synonym(s): *lupii* Hacker &
Hausmann,2012 __ET Oro
- 64440. Meganola mabiriaria Hacker,2012** (Noctuidae) Synonym(s): *mabiriaria* Hacker,2012
UG
- 64441. Meganola maculafusca Hacker,2012** (Noctuidae) Synonym(s): *maculafusca* Hacker,2012
BF NG ET Snp
- 64442. Meganola magnificaria Hacker,2012** (Noctuidae) Synonym(s): *magnificaria* Hacker,2012
TZ Kmj Iri Tnga Usa Ani KE Nai Kkm
- 64443. Meganola malgassica (kenrick,1917)** (Noctuidae) Synonym(s): *malgassica* kenrick,1917;
pseudomajor Toulgoet,1965; *marojeju* Toulgoet,1982 __MG
- 64444. Meganola matengona Hacker,2012** (Noctuidae) Synonym(s): *matengona* Hacker,2012
TZ Ruv
- 64445. Meganola medialis (Toulgoet,1961)** (Noctuidae) Synonym(s): *medialis* Toulgoet,1961
MG
- 64446. Meganola mediofracta (Toulgoet,1964)** (Noctuidae) Synonym(s): *mediofracta*
Toulgoet,1964 __MG
- 64447. Meganola mediofusca Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s):
mediofusca Laszlo, G.Ronkay & Witt,2007 _ Range (in code): TW VN Ton Tda NP
- 64448. Meganola mediolinealis (Toulgoet,1961)** (Noctuidae) Synonym(s): *mediolinealis*
Toulgoet,1961 __MG
- 64449. Meganola megistosoma Hacker,2012** (Noctuidae) Synonym(s): *megistosoma* Hacker,2012
MW
- 64450. Meganola melanographica Hacker,2012** (Noctuidae) Synonym(s): *melanographica*
Hacker,2012 __UG RW ZR Itu
- 64451. Meganola melanosomalis Hacker,2012** (Noctuidae) Synonym(s): *melanosomalis*
Hacker,2012 __GH
- 64452. Meganola melanosticta (Hampson,1914)** (Noctuidae) Synonym(s): *melanosticta*
Hampson,1914 __KE Nai Kkm Elg TZ Kmj UG RW ZR CM NG
- 64453. Meganola meloui Hacker,2012** (Noctuidae) Synonym(s): *meloui* Hacker,2012 __MG
- 64454. Meganola meniscographa Hacker,2012** (Noctuidae) Synonym(s): *meniscographa*
Hacker,2012 __TZ Ruv
- 64455. Meganola meridianissima Hacker,2012** (Noctuidae) Synonym(s): *meridianissima*
Hacker,2012 __ZA Wca
- 64456. Meganola mesonephele (Hampson,1914)** (Noctuidae) Synonym(s): *mesonephele*
Hampson,1914 _ Range (in code): GH CI NG TZ Usa Ani Tnga
- 64457. Meganola mesonephele puerula Hacker,2012** (Noctuidae) Synonym(s): *puerula*
Hacker,2012 __TZ Usa Ani Tnga
- 64458. Meganola mesoscota (Hampson,1909)** (Noctuidae) Synonym(s): *mesoscota*
Hampson,1909 _ Range (in code): ZA Tva Lpo Mpu Wri Grk Ec Cto Plt ZA14
- 64459. Meganola mesoscotoides Hacker,2012** (Noctuidae) Synonym(s): *mesoscotoides*
Hacker,2012 __TZ MW
- 64460. Meganola mesothermoides (Poole,1989)** (Noctuidae) Synonym(s): *mesotherma*
Hampson,1914 nec Hamp.,1909; *mesothermoides* Poole,1989 __GH CI ZR
- 64461. Meganola microfascia Hacker,2012** (Noctuidae) Synonym(s): *microfascia* Hacker,2012
ZR
- 64462. Meganola millotalis (Toulgoet,1965)** (Noctuidae) Synonym(s): *millotalis* Toulgoet,1965
MG
- 64463. Meganola mineti Hacker,2012** (Noctuidae) Synonym(s): *mineti* Hacker,2012 _ TZ ZR
Lbu
- 64464. Meganola minorata (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *minorata*
D.S.Fletcher,1958 __UG Rz TZ Kmj Usa KE Nai Kkm Kya RW ZR Lbu BI GO Bio

- 64465. Meganola modestalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *modestalis* Toulgoet,1961
MG
- 64466. Meganola monofascia (D.S.Fletcher,1962)** (Noctuidae) Synonym(s): *#monofascia* Van Son,1933; *monofascia* D.S.Fletcher,1962 _ Range (in code): ZA Tva Lpo Mal Gau Slpp
- 64467. Meganola murzinialis Hacker,2012** (Noctuidae) Synonym(s): *murzinialis* Hacker,2012
CG
- 64468. Meganola myriostigma (Van Son,1933)** (Noctuidae) Synonym(s): *myriostigma* Van Son,1933 _ Range (in code): ZA Nta Kzu Kkf Mpu Tva ZA14
- 64469. Meganola nanographa Hacker,2012** (Noctuidae) Synonym(s): *nanographa* Hacker,2012
UG
- 64470. Meganola nanula (Toulgoet,1954)** (Noctuidae) Synonym(s): *nanula* Toulgoet,1954
MG
- 64471. Meganola nigeriensis Hacker,2012** (Noctuidae) Synonym(s): *nigeriensis* Hacker,2012
NG
- 64472. Meganola nigristriga (Van Son,1933)** (Noctuidae) Synonym(s): *nigristriga* Van Son,1933
Range (in code): ZA Tva Lpo Mpu Brb Nta Kzu Ec Grh Stj Tst
- 64473. Meganola nigromixtalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *nigromixtalis* Toulgoet,1961 _ _MG
- 64474. Meganola nigroradiata (Debauche,1942)** (Noctuidae) Synonym(s): *nigroradiata* Debauche,1942 _ ZR Kvu UG Rz
- 64475. Meganola nitida (Hampson,1894)** (Noctuidae) Synonym(s): *nitida* Hampson,1894
Range (in code): MM Peg NP IN SI
- 64476. Meganola nitidoides Holloway,2003** (Noctuidae) Synonym(s): *nitidoides* Holloway,2003
Range (in code): MY Bor Swk BN
- 64477. Meganola nivalitincta Hacker,2012** (Noctuidae) Synonym(s): *nivalitincta* Hacker,2012
ZR Kvu
- 64478. Meganola nivitalis (Toulgoet,1965)** (Noctuidae) Synonym(s): *nivitalis* Toulgoet,1965
MG
- 64479. Meganola nivosa Hacker,2012** (Noctuidae) Synonym(s): *nivosa* Hacker,2012 _ TZ Mru
UG KE Kya ZR
- 64480. Meganola nona Hacker,2012** (Noctuidae) Synonym(s): *nona* Hacker,2012 _ ZR Lbu
- 64481. Meganola nudalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *nudalis* Toulgoet,1961
MG
- 64482. Meganola nyungwe Hacker,2012** (Noctuidae) Synonym(s): *nyungwe* Hacker,2012 q
RW
- 64483. Meganola obliquivittata Hacker,2012** (Noctuidae) Synonym(s): *obliquivittata* Hacker,2012 _ _MG
- 64484. Meganola obscuritata Hacker,2012** (Noctuidae) Synonym(s): *obscuritata* Hacker,2012
BI CG ZR Lbu
- 64485. Meganola ochrographa (Hampson,1907)** (Noctuidae) Synonym(s): *ochrographa* Hampson,1907 _ Range (in code): UG Etb KE Kkm ET Oro Snnp
- 64486. Meganola ochromorpha Hacker,2012** (Noctuidae) Synonym(s): *ochromorpha* Hacker,2012 _ ZR Lbu MW
- 64487. Meganola ochrostomata Hacker,2012** (Noctuidae) Synonym(s): *ochrostomata* Hacker,2012 _ TZ
- 64488. Meganola octava Hacker,2012** (Noctuidae) Synonym(s): *octava* Hacker,2012 _ KE
- 64489. Meganola odontographa Hacker,2012** (Noctuidae) Synonym(s): *odontographa* Hacker,2012 _ BF CI NG
- 64490. Meganola odzala Hacker,2012** (Noctuidae) Synonym(s): *odzala* Hacker,2012 _ CG Brv
- 64491. Meganola oleaginalis (Toulgoet,1972)** (Noctuidae) Synonym(s): *oleaginalis* Toulgoet,1972
MG
- 64492. Meganola oligostigma Hacker,2012** (Noctuidae) Synonym(s): *oligostigma* Hacker,2012
ZA Ec
- 64493. Meganola onychosoma Hacker,2012** (Noctuidae) Synonym(s): *onychosoma* Hacker,2012
KE Kkm ZR Itu UG AO
- 64494. Meganola oreodrymona Hacker,2012** (Noctuidae) Synonym(s): *oreodrymona* Hacker,2012 _ RW
- 64495. Meganola pachygrapha Hacker,2012** (Noctuidae) Synonym(s): *pachygrapha* Hacker,2012
- 64496. Meganola palaeographa Hacker,2012** (Noctuidae) Synonym(s): *palaeographa* Hacker,2012 _ TZ Iri Uzu

- 64497. *Meganola pallidifusca* Hacker,2012** (Noctuidae) Synonym(s): *pallidifusca* Hacker,2012 q __ZA Nta Kzu
- 64498. *Meganola palpalis* (Toulgoet,1961)** (Noctuidae) Synonym(s): *palpalis* Toulgoet,1961 MG
- 64499. *Meganola panvirgata* Hacker, Hoppe & Karisch,2012** (Noctuidae) Synonym(s): *panvirgata* Hacker, Hoppe & Karisch,2012 q __GO Bio
- 64500. *Meganola paraforsteri* Hacker,2012** (Noctuidae) Synonym(s): *paraforsteri* Hacker,2012 CG UG ZR Itu AO
- 64501. *Meganola parafuscatalis* Hacker,2012** (Noctuidae) Synonym(s): *parafuscatalis* Hacker,2012 __MG
- 64502. *Meganola paramesoscota* Hacker,2012** (Noctuidae) Synonym(s): *paramesoscota* Hacker,2012 q __UG
- 64503. *Meganola parastrigula* Hacker,2012** (Noctuidae) Synonym(s): *parastrigula* Hacker,2012 NG
- 64504. *Meganola parundosaria* Hacker,2012** (Noctuidae) Synonym(s): *parundosaria* Hacker,2012 q __TZ
- 64505. *Meganola patricia* (Van Son,1933)** (Noctuidae) Synonym(s): *patricia* Van Son,1933
Range (in code): ZA Tva Lpo Ec ZA14
- 64506. *Meganola paulianalis* (Toulgoet,1961)** (Noctuidae) Synonym(s): *paulianalis* Toulgoet,1961 __MG
- 64507. *Meganola pedata* (D.S.Fletcher,1962)** (Noctuidae) Synonym(s): *pedata* D.S.Fletcher,1962 TZ Kmj Mgr Iri Usa KE Kkm
- 64508. *Meganola peksi* Hacker,2012** (Noctuidae) Synonym(s): *peksi* Hacker,2012 __CI
- 64509. *Meganola pellographa* Hacker,2012** (Noctuidae) Synonym(s): *pellographa* Hacker,2012 TZ KE
- 64510. *Meganola perangulata* Hacker,2012** (Noctuidae) Synonym(s): *perangulata* Hacker,2012 TZ Tnga Usa Ani
- 64511. *Meganola perfusca* (Hampson,1911)** (Noctuidae) Synonym(s): *perfusca* Hampson,1911
Original Reference: Nola perfusca Hampson,1911, Ann. Mag. nat. Hist. (8) 8: 398. Syntypes: S.Nigeria Lagos (Lamborn). Range (in code): NG Lgo GH BF CI
- 64512. *Meganola perfuscata* Hacker,2012** (Noctuidae) Synonym(s): *perfuscata* Hacker,2012 BF
- 64513. *Meganola persuffusca* Hacker,2012** (Noctuidae) Synonym(s): *persuffusca* Hacker,2012 BF
- 64514. *Meganola phaeographa* Hacker,2012** (Noctuidae) Synonym(s): *phaeographa* Hacker,2012 UG
- 64515. *Meganola pictalis* Toulgoet,1982** (Noctuidae) Synonym(s): *pictalis* Toulgoet,1982 __MG
- 64516. *Meganola picturata* (Mabille,1899)** (Noctuidae) Synonym(s): *picturata* Mabille,1899 MG
- 64517. *Meganola plagioleuca* Hacker,2012** (Noctuidae) Synonym(s): *plagioleuca* Hacker,2012 q RW
- 64518. *Meganola poliographa* Hacker,2012** (Noctuidae) Synonym(s): *poliographa* Hacker,2012 UG
- 64519. *Meganola polioleuca* Hacker,2012** (Noctuidae) Synonym(s): *polioleuca* Hacker,2012 SU
- 64520. *Meganola poliosoma* Hacker,2012** (Noctuidae) Synonym(s): *poliosoma* Hacker,2012 CM
- 64521. *Meganola poliotis* (Hampson,1907)** (Noctuidae) Synonym(s): *poliotis* Hampson,1907
Range (in code): ZA Tva Gau Pre Lpo Pie
- 64522. *Meganola poliovittata* Hacker,2012** (Noctuidae) Synonym(s): *poliovittata* Hacker,2012 ET Oro
- 64523. *Meganola polizari* Hacker,2012** (Noctuidae) Synonym(s): *polizari* Hacker,2012 __BF NG TG
- 64524. *Meganola polychroma* (Toulgoet,1956)** (Noctuidae) Synonym(s): *polychroma* Toulgoet,1956 __MG
- 64525. *Meganola praefica* (Saalmüller,1884)** (Noctuidae) Synonym(s): *praefica* Saalmüller,1884 MG KM
- 64526. *Meganola proceropteryx* Hacker,2012** (Noctuidae) Synonym(s): *proceropteryx* Hacker,2012 __TZ Mgr
- 64527. *Meganola psarographa* Hacker,2012** (Noctuidae) Synonym(s): *psarographa* Hacker,2012 UG

- 64528. *Meganola pseudofuscata* Hacker,2012** (Noctuidae) Synonym(s): *pseudofuscata* Hacker,2012 __TZ
- 64529. *Meganola pseudomesoscota* Hacker,2012** (Noctuidae) Synonym(s): *pseudomesoscota* Hacker,2012 __KE Kya
- 64530. *Meganola pumilofusca* Hacker,2012** (Noctuidae) Synonym(s): *pumilofusca* Hacker,2012 q UG Kmp ET Oro ZR Kvu
- 64531. *Meganola pyrrhomorpha* Hacker,2012** (Noctuidae) Synonym(s): *pyrrhomorpha* Hacker,2012 __ET Oro Snp
- 64532. *Meganola pyrrhosoma* Hacker,2012** (Noctuidae) Synonym(s): *pyrrhosoma* Hacker,2012 GH
- 64533. *Meganola reubeni* Agassiz,2009** (Noctuidae) Synonym(s): *reubeni* Agassiz,2009 Range (in code): MR KE UG ET TZ
- 64534. *Meganola rhyssomorpha* Hacker,2012** (Noctuidae) Synonym(s): *rhyssomorpha* Hacker,2012 __CI
- 64535. *Meganola ronkayiana* Hacker,2012** (Noctuidae) Synonym(s): *ronkayiana* Hacker,2012 ZR UG
- 64536. *Meganola rubiginealis* (Toulgoet,1961)** (Noctuidae) Synonym(s): *rubiginealis* Toulgoet,1961 __MG
- 64537. *Meganola rubiginotincta* Hacker,2012** (Noctuidae) Synonym(s): *rubiginotincta* Hacker,2012 __UG RW
- 64538. *Meganola ruficostata* (Hampson,1896)** (Noctuidae) Synonym(s): *ruficostata* Hampson,1896 Range (in code): BT NP TH CMa CDo
- 64539. *Meganola rufomixtalis* (Toulgoet,1961)** (Noctuidae) Synonym(s): *rufomixtalis* Toulgoet,1961 __MG
- 64540. *Meganola saalmuelleri* (Toulgoet,1961)** (Noctuidae) Synonym(s): *saalmuelleri* Toulgoet,1961 __MG KM
- 64541. *Meganola sambara* Hacker,2012** (Noctuidae) Synonym(s): *sambara* Hacker,2012 MW
- 64542. *Meganola scripta* (Moore,1888)** (Noctuidae) Synonym(s): *scripta* Moore,1888 Original Reference: *Roeselia scripta* Moore,1888, Proc. zool. Soc. London 1888: 393. Syntypes: [India]: Darjeeling. Range (in code): IN Hp Dlh Drm Kgr SI Djl PK Ch Haz Mre NP TH CMa Kob Fn Nan Pua VN Fan Ton CN
- 64543. *Meganola scripta csoevarii* Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *csoevarii* Laszlo, G.Ronkay & Witt,2007 Range (in code): CN
- 64544. *Meganola scriptoides* Holloway,2003** (Noctuidae) Synonym(s): *scriptoides* Holloway,2003 Range (in code): MY Bor Swk TH CMa Nan Pua Bou Pfa
- 64545. *Meganola semifuscata* Hacker,2012** (Noctuidae) Synonym(s): *semifuscata* Hacker,2012 TZ
- 64546. *Meganola septima* Hacker,2012** (Noctuidae) Synonym(s): *septima* Hacker,2012 __UG ET Oro Snp Ble ET181 TZ Pwa KE ZR Lbu Kvu Skr CG BI
- 64547. *Meganola seydeli* Hacker,2012** (Noctuidae) Synonym(s): *seydeli* Hacker,2012 __ZR Lbu
- 64548. *Meganola simillima* Hacker,2012** (Noctuidae) Synonym(s): *simillima* Hacker,2012 ET Oro
- 64549. *Meganola simplicifacta* Hacker,2012** (Noctuidae) Synonym(s): *simplicifacta* Hacker,2012 GH
- 64550. *Meganola simulata* Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s): *simulata* Laszlo, G.Ronkay & Witt,2007 Range (in code): ID Sum
- 64551. *Meganola sogalis* (Toulgoet,1965)** (Noctuidae) Synonym(s): *sogalis* Toulgoet,1965 MG
- 64552. *Meganola spermophaga* (D.S.Fletcher,1962)** (Noctuidae) Synonym(s): *spermophaga* D.S.Fletcher,1962; #*spermophaga* Hacker,2012 Range (in code): UG Kmp ZR Lbu Itu BI KE Nai TZ ET Snp Oro NG BF CI GH
- 64553. *Meganola spherographa* Hacker,2012** (Noctuidae) Synonym(s): *spherographa* Hacker,2012 __NG CI SL
- 64554. *Meganola steniphona* (Van Son,1933)** (Noctuidae) Synonym(s): *niphostena* Hampson,1902 (praeocc.); *steniphona* Van Son,1933 Range (in code): ZA Nta Kzu Dbn
- 64555. *Meganola stenochra* Hacker,2012** (Noctuidae) Synonym(s): *stenochra* Hacker,2012 ZR Kvu
- 64556. *Meganola stictographa* Hacker,2012** (Noctuidae) Synonym(s): *stictographa* Hacker,2012 UG ET Oro Snp

- 64557. *Meganola stigmatolalis* Hacker,2012** (Noctuidae) Synonym(s): *stigmatolalis* Hacker,2012
ET Snp ET277
- 64558. *Meganola stigmatophora* Hacker,2012** (Noctuidae) Synonym(s): *stigmatophora* Hacker,2012 __TZ
- 64559. *Meganola strigula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s):
#strigula [Denis & Schiffermüller],1775 Original Reference: Noctua strigula [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district. Range (in code): MA PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU SS MK BG GR Cr TR IR Fa IQ Dk DK NO SE FI EE LV LT RU Sr VI Ur Cc MD UA BY Bionomy: Larva on Quercus robur ([Denis & Schiffermüller],1775; Wiltshire,1957).
- 64560. *Meganola subbalis* (Zeller,1852)** (Noctuidae) Synonym(s): *subbalis* Zeller,1852
Original Reference: Roeselia subbalis Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 78-79. Type ♂: [South Africa]: Rondebosch. Range (in code): ZA
- 64561. *Meganola subderrae* Hacker,2012** (Noctuidae) Synonym(s): *subderrae* Hacker,2012
KE Kkm UG
- 64562. *Meganola subfuscigera* Hacker,2012** (Noctuidae) Synonym(s): *subfuscigera* Hacker,2012
MG
- 64563. *Meganola subnitida* Laszlo, G.Ronkay & Witt,2007** (Noctuidae) Synonym(s):
subnitida Laszlo, G.Ronkay & Witt,2007 Range (in code): TH CMA CDo Nan MY
- 64564. *Meganola subnivosa* Hacker,2012** (Noctuidae) Synonym(s): *subnivosa* Hacker,2012
TZ Tnga Usa Ani
- 64565. *Meganola subpraefica* Hacker,2012** (Noctuidae) Synonym(s): *subpraefica* Hacker,2012
MG
- 64566. *Meganola subterminalis* Hacker,2012** (Noctuidae) Synonym(s): *subterminalis* Hacker,2012 __ZR Lbu
- 64567. *Meganola sulaki* Hacker,2012** (Noctuidae) Synonym(s): *sulaki* Hacker,2012 q __UG
- 64568. *Meganola swierstrai* (Van Son,1933)** (Noctuidae) Synonym(s): *swierstrai* Van Son,1933
Range (in code): ZA Tva Lpo Hae Nta Kzu
- 64569. *Meganola tabbertiella* Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *tabbertiella* Hacker & Hoppe,2012 __GH
- 64570. *Meganola tarka* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *tarka* Laszlo, G.Ronkay & Witt,2010 Range (in code): TH Cbi
- 64571. *Meganola tarkabarka* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s):
tarkabarka Laszlo, G.Ronkay & Witt,2010 Range (in code): TH Nan
- 64572. *Meganola tenuimorpha* Hacker,2012** (Noctuidae) Synonym(s): *tenuimorpha* Hacker,2012
UG KE Kkm Kya Mru TZ RW MW ZR CM
- 64573. *Meganola tenuimorpha bursoides* Hacker,2012** (Noctuidae) Synonym(s): *bursoides* Hacker,2012 __CM
- 64574. *Meganola tephrographa* Hacker,2012** (Noctuidae) Synonym(s): *tephrographa* Hacker,2012 __UG TZ Iri GO Bio
- 64575. *Meganola tessellalis* Toulgoet,1982** (Noctuidae) Synonym(s): *tessellalis* Toulgoet,1982
MG
- 64576. *Meganola tigrivirgata* Hacker,2012** (Noctuidae) Synonym(s): *tigrivirgata* Hacker,2012 q
RW ZR Itu
- 64577. *Meganola togatulalis* (Hübner,1796)** (Noctuidae) Synonym(s): *togatulalis* Hübner,1796;
togatulana Duponchel,1845 Original Reference: Pyralis togatulalis Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.20 fig.131. Type(s): Europa. Range (in code): MA Ifr DZ Khk TN DhM PT ES Mu FR Co Sa Si IT BE NL DE CH PL CZ SK HU YU BG GR TR LT RU MD UA BY CY IL Pa LB Bsa IQ IR Ak Ab Bionomy: Larva on Quercus (Fagaceae), Prunus (Rosaceae) (Calle et al., 2000).
- 64578. *Meganola togatulella* Hacker,2012** (Noctuidae) Synonym(s): *togatulella* Hacker,2012 q
UG
- 64579. *Meganola toulgoetiella* Hacker,2012** (Noctuidae) Synonym(s): *toulgoetiella* Hacker,2012
MG
- 64580. *Meganola trianguloquelina* (Van Eecke,1920)** (Noctuidae) Synonym(s):
trianguloquelina Van Eecke,1920 Range (in code): ID Ja
- 64581. *Meganola trigonographa* Hacker,2012** (Noctuidae) Synonym(s): *trigonographa* Hacker,2012 __BF
- 64582. *Meganola unilineata* Hacker,2012** (Noctuidae) Synonym(s): *unilineata* Hacker,2012 q
ET Snp
- 64583. *Meganola usambarana* Hacker,2012** (Noctuidae) Synonym(s): *usambarana* Hacker,2012
TZ Usa Tnga Iri Kmj RW UG ZR Lbu

- 64584. *Meganola uwinka* Hacker, 2012** (Noctuidae) Synonym(s): *uwinka* Hacker, 2012 __ **RW**
- 64585. *Meganola varia* (Saalmüller, 1884)** (Noctuidae) Synonym(s): *varia* Saalmüller, 1884
Range (in code): **MG**
- 64586. *Meganola venosalis* (Toulgoet, [1954])** (Noctuidae) Synonym(s): *venosalis* Toulgoet, [1954] __ **MG**
- 64587. *Meganola venustula* (Toulgoet, 1954)** (Noctuidae) Synonym(s): *venustula* Toulgoet, 1954
MG
- 64588. *Meganola viettealis* Toulgoet, 1982** (Noctuidae) Synonym(s): *viettealis* Toulgoet, 1982
MG
- 64589. *Meganola vieui* (Toulgoet, 1961)** (Noctuidae) Synonym(s): *vieui* Toulgoet, 1961 __ **MG**
- 64590. *Meganola vingerhoedti* Hacker, 2012** (Noctuidae) Synonym(s): *vingerhoedti* Hacker, 2012
RW
- 64591. *Meganola virunga* Hacker, 2012** (Noctuidae) Synonym(s): *virunga* Hacker, 2012 __ **RW**
- 64592. *Meganola xantholeuca* Hacker, 2012** (Noctuidae) Synonym(s): *xantholeuca* Hacker, 2012
CI NG
- 64593. *Meganola xanthomorpha* Hacker, 2012** (Noctuidae) Synonym(s): *xanthomorpha* Hacker, 2012 __ **TZ Usa Tnga Ani Uzu Mgr**
- 64594. *Meganola yakovlevi* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *yakovlevi* Laszlo, G. Ronkay & Witt, 2010 __ Range (in code): **TH CMa**
- 64595. *Meganola zernyi* Hacker, 2012** (Noctuidae) Synonym(s): *zernyi* Hacker, 2012 __ **TZ**
- 64596. *Meganola zolotuhini* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *zolotuhini* Laszlo, G. Ronkay & Witt, 2010 __ Range (in code): **TH CMa Fn**
- 64597. *Meganocytycia armata* Hreblay & L. Ronkay, 1998** (Noctuidae) Synonym(s): *armata* Hreblay & L. Ronkay, 1998 __ Range (in code):
- 64598. *Meganocytycia brevicornis* Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *brevicornis* Hreblay & L. Ronkay, 1999 __ Range (in code): **VN Lci Fan Ton**
- 64599. *Meganocytycia fansipana* Hreblay, Peregovits & L. Ronkay, 1999** (Noctuidae) Synonym(s): *fansipana* Hreblay, Peregovits & L. Ronkay, 1999 __ Range (in code): **VN Lci Ton Fan**
- 64600. *Meganocytycia forcipata* Hreblay & L. Ronkay, 1998** (Noctuidae) Synonym(s): *forcipata* Hreblay & L. Ronkay, 1998 __ Range (in code): **NP**
- 64601. *Meganocytycia salaka* Hreblay & L. Ronkay, 1999** (Noctuidae) Synonym(s): *salaka* Hreblay & L. Ronkay, 1999 __ Range (in code): **NP**
- 64602. *Megathripa rufimedia* (Hampson, 1905)** (Noctuidae) Synonym(s): *rufimedia* Hampson, 1905 __ Range (in code): **ZA**
- 64603. *Mekrania obliquialis* Wiltshire, 1982** (Noctuidae) Synonym(s): *obliquialis* Wiltshire, 1982
Range (in code): **SA**
- 64604. *Mekrania punctalis* Brandt, 1941** (Noctuidae) Synonym(s): *punctalis* Brandt, 1941
Original Reference: *Mekrania punctalis* Brandt, 1941, Mitt. münch. ent. Ges. 31: 856-857, fig. 55.
Syntypes: Iran: [Belutchistan]: Bender Tchahbahar. Range (in code): **IR Ss Chh**
- 64605. *Melanchra diaolica* Plante, 1990** (Noctuidae) Synonym(s): *diaolica* Plante, 1990 __ Range (in code): **Ch NP IN Snn**
- 64606. *Melanchra persicariae* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788]. Original Reference: *Phalaena persicariae* Linnaeus, 1761, Fauna Suecica (2): 319. Type(s): Schweden. Range (in code): **DZ Afl Lbs Btina PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR CY DK NO SE FI EE LV LT RU Cc Ro St Kr Kb Kc Nt Ich Ing Da Sb Prj Us GG Lag AM MD UA BY CN T-T Sz Ui Ii KK Ik IR Elb Gh JP** Bionomy: Larva on Rumex, Pteris, Chrysanthemum (Hampson, 1905).
- 64607. *Melanchra persicariae cypriaca* Hacker & Wimmer, 1990** (Noctuidae) Synonym(s): *cypriaca* Hacker & Wimmer, 1990 __ Range (in code): **CY Cc TR**
- 64608. *Melanchra persicariae persicariae* (Linnaeus, 1761)** (Noctuidae) Synonym(s): *persicariae* Linnaeus, 1761; *sambuci* Hufnagel, 1766; *graphica* Geoffroy, 1785; *accipitrina* Esper, [1788]. Original Reference: *Phalaena persicariae* Linnaeus, 1761, Fauna Suecica (2): 319. Type(s): Schweden. Range (in code): **DZ Afl Lbs Btina PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Ro St Kr Kb Kc Nt Ich Ing Da MD UA BY AM GG Lag**
- 64609. *Melanchra pisi* (Linnaeus, 1758)** (Noctuidae) Synonym(s): *pisi* Linnaeus, 1758; *rukavaarae* Hoffmann, 1893; *pardoi* Agenjo, 1945. Original Reference: *Phalaena pisi* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 517. Type(s): [Europa]. Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ**

- SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Kb Nt Ich Da Sb Prj Us MD UA BY CN UI
Kun KK Ik MN U-B DsA TrA Ax Na **Bionomy:** Larva on Pteris, Cytisus, Scabiosa (Hampson,1905).
- 64610. *Melanephia metarhabdota* Hampson,1926** (Noctuidae) **Synonym(s):** *metarhabdota* Hampson,1926 **Range (in code):** **ZA**
- 64611. *Melanephia nigrescens* (Wallengren,1856)** (Noctuidae) **Synonym(s):** *nigrescens* Wallengren,1856; *inquieta* Walker,[1857]; *teretipalpa* Wallengren,1860; *sofala* R.Felder & Rogenhofer,1874 **Range (in code):** **ZA Ec Ans KE**
- 64612. *Melanephia trista* (Snellen,1872)** (Noctuidae) **Synonym(s):** *trista* Snellen,1872; *melanophaes* Bethune-Baker,1911 **Range (in code):** **ZA**
- 64613. *Melanographia flexilineata* (Hampson,1898)** (Noctuidae) **Synonym(s):** *flexilineata* Hampson,1898 **Range (in code):** **MY Bor IN CN**
- 64614. *Meliaba pelopsalis* Walker,[1859]** (Noctuidae) **Synonym(s):** *pelopsalis* Walker,[1859]; *insignis* Aurivillius,1910 **Range (in code):** **ZA Nta Kzu Dbn TZ Kmj**
- 64615. *Melionica albipuncta* (Gaede,1916)** (Noctuidae) **Synonym(s):** *albipuncta* Gaede,1916 **Range (in code):** **KE**
- 64616. *Melionica berthae* Schaus,1893** (Noctuidae) **Synonym(s):** *berthae* Schaus,1893 **Range (in code):** **SL**
- 64617. *Melionica citrinea* Berio,1970** (Noctuidae) **Synonym(s):** *citrinea* Berio,1970 **Range (in code):** **ZR**
- 64618. *Melionica fletcheri* Berio,1973** (Noctuidae) **Synonym(s):** *fletcheri* Berio,1973 **Range (in code):** **TZ Iko**
- 64619. *Melionica rubella* Berio,1973** (Noctuidae) **Synonym(s):** *rubella* Berio,1973 **Range (in code):** **TZ Iko**
- 64620. *Melipotis albisigna* (Wileman & South,1920)** (Noctuidae) **Synonym(s):** *albisigna* Wileman & South,1920 **Range (in code):** **PH Luz**
- 64621. *Melipotis albiterminalis* (Draudt & Gaede,1944)** (Noctuidae) **Synonym(s):** *albiterminalis* Draudt & Gaede,1944 **Range (in code):** **PE**
- 64622. *Melipotis amphix* (Cramer,1777)** (Noctuidae) **Synonym(s):** *amphix* Cramer,1777; *lativitta* Moore,1882 **Range (in code):** **ZA NA Dmr IN Up AU**
- 64623. *Melipotis diascota* (Hampson,1916)** (Noctuidae) **Synonym(s):** *diascota* Hampson,1916 **Range (in code):** **SO**
- 64624. *Melipotis metaleuca* (Hampson,1896)** (Noctuidae) **Synonym(s):** *metaleuca* Hampson,1896 **Range (in code):** **IN**
- 64625. *Melipotis mimica* (Gaede,1939)** (Noctuidae) **Synonym(s):** *mimica* Gaede,1939 **Range (in code):** **ZA KE**
- 64626. *Melipotis separata* (Walker,1858)** (Noctuidae) **Synonym(s):** *separata* Walker,1858 **Range (in code):** **MX**
- 64627. *Melipotis trujillensis* Dognin,1912** (Noctuidae) **Synonym(s):** *trujillensis* Dognin,1912 **Range (in code):** **PE**
- 64628. *Melipotis unilinea* Swinhoe,1885** (Noctuidae) **Synonym(s):** *unilinea* Swinhoe,1885 **Range (in code):** **IN Poo**
- 64629. *Melipotis voeltzkowi* (Viette,1965)** (Noctuidae) **Synonym(s):** *voeltzkowi* Viette,1965 **Range (in code):** **MG**
- 64630. *Melipotis walkeri* Butler,1892** (Noctuidae) **Synonym(s):** *walkeri* Butler,1892 **Range (in code):** **PE**
- 64631. *Meneptera diopis* (Hampson,1905)** (Noctuidae) **Synonym(s):** *diopis* Hampson,1905 **Range (in code):** **ZA**
- 64632. *Mentaxya albifrons* (Geyer,1837)** (Noctuidae) **Synonym(s):** *albifrons* Geyer,1837; *amatura* Geyer,1837. **Range (in code):** **ZA ET ET24**
- 64633. *Mentaxya arabica* Wiltshire,1980** (Noctuidae) **Synonym(s):** *arabica* Wiltshire,1980 **Range (in code):** **SA**
- 64634. *Mentaxya atritegulata* (Hampson,1902)** (Noctuidae) **Synonym(s):** *atritegulata* Hampson,1902 **Original Reference:** *Agrotis atritegulata* Hampson,1902, Ann. S. Afr. Mus. 2: 261. Type ♂: South Africa: Transvaal (BMNH). **Range (in code):** **ZA Tva**
- 64635. *Mentaxya basilewskyi* (Berio,1955)** (Noctuidae) **Synonym(s):** *basilewskyi* Berio,1955 **Range (in code):** **ZR Kvu**
- 64636. *Mentaxya bergeri* (Berio,1955)** (Noctuidae) **Synonym(s):** *bergeri* Berio,1955 **Range (in code):** **ZR Kvu**

- 64637. *Mentaxya bruneli* Laporte,1975** (Noctuidae) Synonym(s): *bruneli* Laporte,1975 _ Range (in code): ET ET196 ET60 ET204
- 64638. *Mentaxya camerunensis* Laporte,1975** (Noctuidae) Synonym(s): *camerunensis* Laporte,1975 _ Range (in code): CM
- 64639. *Mentaxya cumulata* (Walker,1865)** (Noctuidae) Synonym(s): *cumulata* Walker,1865 _ Range (in code): ZA
- 64640. *Mentaxya fletcheri* (Berio,1955)** (Noctuidae) Synonym(s): *fletcheri* Berio,1955 _ Range (in code): ZA Nta Kzu Dbn
- 64641. *Mentaxya fouqueae* Laporte,1974** (Noctuidae) Synonym(s): *fouqueae* Laporte,1974 _ Range (in code): ET ET60
- 64642. *Mentaxya grisea* Laporte,1973** (Noctuidae) Synonym(s): *grisea* Laporte,1973 _ Range (in code): NG
- 64643. *Mentaxya ignicollis* (Walker,1857)** (Noctuidae) Synonym(s): *ignicollis* Walker,1857; *mesosema* Hampson,1911; *igneticta* Hampson,1918. _ Range (in code): ZA ET ET24 Kfa We Sw Gau Tva Nta Kzu
- 64644. *Mentaxya ikondae* Berio,1972** (Noctuidae) Synonym(s): *ikondae* Berio,1972 _ Range (in code): TZ Iko
- 64645. *Mentaxya inconstans* Laporte,1984** (Noctuidae) Synonym(s): *inconstans* Laporte,1984 _ Range (in code): ET ET45 ET86
- 64646. *Mentaxya indigna* (Herrich-Schäffer,[1854])** (Noctuidae) Synonym(s): *indigna* Herrich-Schäffer,[1854] _ Range (in code): ZA Ec
- 64647. *Mentaxya lacteifrons* Laporte,1984** (Noctuidae) Synonym(s): *lacteifrons* Laporte,1984 _ Range (in code): ET ET204
- 64648. *Mentaxya leroyi* (Berio,1955)** (Noctuidae) Synonym(s): *leroyi* Berio,1955 _ Range (in code): ZR Kvu
- 64649. *Mentaxya metathoracica* (Berio,1939)** (Noctuidae) Synonym(s): *metathoracica* Berio,1939 _ Range (in code): ER
- 64650. *Mentaxya minor* Berio,1977** (Noctuidae) Synonym(s): *minor* Berio,1977 _ Range (in code): ZR
- 64651. *Mentaxya muscosa* Geyer,1837** (Noctuidae) Synonym(s): *muscosa* Geyer,1837; *aeramen* R.Felder & Rogenhofer,1874. _ Range (in code): ZA Tva Mpu Brb
- 64652. *Mentaxya nigromaculata* Laporte,1984** (Noctuidae) Synonym(s): *nigromaculata* Laporte,1984 _ Range (in code): KE
- 64653. *Mentaxya percurvata* (Berio,1955)** (Noctuidae) Synonym(s): *percurvata* Berio,1955 _ Range (in code): ZA Kvu
- 64654. *Mentaxya pujoli* Laporte,1973** (Noctuidae) Synonym(s): *pujoli* Laporte,1973 _ Range (in code): CF
- 64655. *Mentaxya rimosa* (Guenée,1852)** (Noctuidae) Synonym(s): *rimosa* Guenée,1852; *varia* Walker,1865; *decipiens* R.Felder & Rogenhofer,1874. _ Range (in code): ZA
- 64656. *Mentaxya sandrae* Laporte,1974** (Noctuidae) Synonym(s): *sandrae* Laporte,1974 _ Range (in code): ET ET93 ET196 ET204
- 64657. *Mentaxya strictirena* Berio,1974** (Noctuidae) Synonym(s): *strictirena* Berio,1974 _ Range (in code): TZ Iko
- 64658. *Mentaxya suffusalis* Laporte,1973** (Noctuidae) Synonym(s): *suffusalis* Laporte,1973 _ Range (in code): CM
- 64659. *Mentaxya thomasi* Laporte,1984** (Noctuidae) Synonym(s): *thomasi* Laporte,1984 _ Range (in code): KE
- 64660. *Mentaxya torrianii* Laporte,1977** (Noctuidae) Synonym(s): *torrianii* Laporte,1977 _ Range (in code): GA
- 64661. *Mentaxya trisellata* Viette,1958** (Noctuidae) Synonym(s): *trisellata* Viette,1958 _ Range (in code): MG
- 64662. *Mentaxya trissellatoides* Laporte,1973** (Noctuidae) Synonym(s): *trissellatoides* Laporte,1973 _ Range (in code): CM ET ET86 ET93 ET196
- 64663. *Mentaxya vuattouxi* Laporte,1972** (Noctuidae) Synonym(s): *vuattouxi* Laporte,1972 _ Range (in code): CI
- 64664. *Mepantadrea simia* (Saalmüller,1891)** (Noctuidae) Synonym(s): *simia* Saalmüller,1891 _ Range (in code): ZA MG

- 64665. *Mervia kuznetzovi Daristheva, 1961*** (Noctuidae) Synonym(s): *kuznetzovi Daristheva, 1961*
Range (in code): **TM Mrw** Bionomy: Larva on *Lycium rutenicum* (Daricheva, 1961).
- 64666. *Mesaegle gouzzakouli Dumont, 1922*** (Noctuidae) Synonym(s): *gouzzakouli Dumont, 1922*
Original Reference: *Mesaegle gouzzakouli Dumont, 1922, Bull. Soc. ent. Fr. 1922: 243.* Syntypes ♂♂: [Algeria], Hamada d'El Golea, towards Ouargla (MNHN, Paris). Range (in code): **DZ Gle Ogl**
- 64667. *Mesapamea (Resapamea) hedeni (Graeser, 1888)*** (Noctuidae) Synonym(s): *hedeni Graeser, 1888; radiosa Graeser, 1892; subornata Staudinger, 1896.* Original Reference: *Hadena hedeni Graeser, 1888, Berl. ent. Z. 32: 333.* Type(s): Amurland. Range (in code): **TR RU Cc Ro Kb MN KG At Am T-S KK TeA Skm TrA CN Ui**
- 64668. *Mesapamea (Resapamea) hedeni hedeni (Graeser, 1888)*** (Noctuidae) Synonym(s): *hedeni Graeser, 1888; radiosa Graeser, 1892; subornata Staudinger, 1896.* Original Reference: *Hadena hedeni Graeser, 1888, Berl. ent. Z. 32: 333.* Type(s): Amurland. Range (in code): **RU Cc Ro Kb MN KG At Am T-S KK TeA Skm TrA CN Ui**
- 64669. *Mesapamea (Resapamea) hedeni vargai Hacker, 1988*** (Noctuidae) Synonym(s): *vargai Hacker, 1988* Original Reference: *Mesapamea hedeni ssp. vargai Hacker, 1988, Atalanta 18 (3/4): 351, Taf. 2 figs. 5, 6.* Holotype ♂: [Türkei]: Erzurum Prov.: Kopdağı Geçidi, 2400m, 10-14.vii.1983, (leg. Thomas, coll. Peks). Range (in code): **TR**
- 64670. *Mesapamea (s.str.) calcirena (Püngeler, 1902)*** (Noctuidae) Synonym(s): *calcirena Püngeler, 1902* Range (in code): **KK Skm**
- 64671. *Mesapamea (s.str.) didyma (Esper, [1788])*** (Noctuidae) Synonym(s): *didyma Esper, [1788]; secalella Remm, 1983.* Original Reference: *Phalaena didyma Esper, [1788], Die Schmett. 4: 378, Taf. 126 Noct. 47 fig. 7* Type(s): Erlangen. Range (in code): **ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Smt Bjo Mng AZ Kir Cc DK NO SE FI EE LV LT RU Ro Kr Kb Nt MD UA BY**
- 64672. *Mesapamea (s.str.) moderata (Eversmann, 1843)*** (Noctuidae) Synonym(s): *moderata Eversmann, 1843* Range (in code): **RU Ur CN Ui Ch**
- 64673. *Mesapamea (s.str.) secalis (Linnaeus, 1758)*** (Noctuidae) Synonym(s): *secalis Linnaeus, 1758* Original Reference: *Phalaena secalis Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 519.* Type(s): [Europa]. Range (in code): **MA DZ Berr Abe Sét Lbs DhM BtNa TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY IR Fa IQ KG Tk Dj CY LB Cc AM Nyu AZ Adz** Bionomy: Larva on *Dactylis glomerata* (Poaceae).
- 64674. *Mesapamea (s.str.) vaskeni Varga, 1979*** (Noctuidae) Synonym(s): *vaskeni Varga, 1979* Original Reference: *Mesapamea vaskeni Varga, 1979, Z. ArbGem. öst. Ent. 31 (1/2): 11-12, figs.* Holotype ♂: Armenische SSR: Geghard, 1700m leg. Kasy & Vartian. Range (in code): **TR Cc AM Geg GG**
- 64675. *Mesapamea (s.str.) vaskeni kazbekiana Ronkay & Varga, 1985*** (Noctuidae) Synonym(s): *kazbekiana Ronkay & Varga, 1985* Original Reference: *Mesapamea vaskeni ssp. kazbekiana Ronkay & Varga, 1985, Z. ArbGem. öst. Ent. 36 (3/4): 91, Taf. 1 fig. 14.* Holotype ♂: [Georgia]: UdSSR, Grusien: Kazbegi 1900m (leg. Ronkay) (NWMB). Range (in code): **Cc GG**
- 64676. *Mesapamea (s.str.) vaskeni vaskeni Varga, 1979*** (Noctuidae) Synonym(s): *vaskeni Varga, 1979* Original Reference: *Mesapamea vaskeni Varga, 1979, Z. ArbGem. öst. Ent. 31 (1/2): 11-12, figs.* Holotype ♂: Armenische SSR: Geghard, 1700m leg. Kasy & Vartian. Range (in code): **TR AM Geg Cc GG**
- 64677. *Mesapamea remmi Rezbanyai-Reser, 1985*** (Noctuidae) Synonym(s): *remmi Rezbanyai-Reser, 1985* Range (in code): **ES IT GB DE CH AT CZ**
- 64678. *Mesogenea costimacula Hampson, 1926*** (Noctuidae) Synonym(s): *costimacula Hampson, 1926* Range (in code): **ZA**
- 64679. *Mesogenea persinuosa Hampson, 1910*** (Noctuidae) Synonym(s): *persinuosa Hampson, 1910* Range (in code): **ZA**
- 64680. *Mesogenea varians Hampson, 1902*** (Noctuidae) Synonym(s): *variens Hampson, 1902* Range (in code): **ZW Har**
- 64681. *Mesogona acetosellae (Goeze, 1781)*** (Noctuidae) Synonym(s): *#acetosellae [Denis & Schiffermüller], 1775; acetosellae Goeze, 1781; vorbrodti Wehrli, 1917; grisea Dannehl, 1929; pallida Dannehl, 1929; segoviensis Calle, 1982; #clarescens Calle, 1982* Original Reference: *Phalaena acetosellae Goeze, 1781, Ent. Beytr. 3(3): 218, nr. 175.* Range (in code): **PT ES FR Si IT BE DE CH AT PL CZ SK HU RO YU BG GR TR RU Ro Kr St Da Sb At Cc GG Smt Bjo AM MD UA BY KG** Bionomy: Larva on *Prunus spinosa*, *Quercus* (Blaschke, 1914).

- 64682. Mesogona acetosellae anatolica Fibiger & Schepler, 1997** (Noctuidae) Synonym(s): *anatolica* Fibiger & Schepler, 1997 Original Reference: Mesogona acetosellae ssp. anatolica Fibiger & Schepler, 1997, [in] Fibiger, Noctuidae Europaeae 3: 204, fig. 106. Holotype ♂: Turkey: Kars Prov., Kağızman 1500m. Range (in code): **TR Cc**
- 64683. Mesogona oxalina (Hübner, [1803])** (Noctuidae) Synonym(s): *oxalina* Hübner, [1803] Original Reference: Noctua oxalina Hübner, [1803], Samml. eur. Schmett., Noct. 2: Taf. 45, figs. 219. Type: [Europa]. Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Ich Da MD UA BY**
- 64684. Mesologia algaini Wiltshire, 1983** (Noctuidae) Synonym(s): *algaini* Wiltshire, 1983 Range (in code):
- 64685. Mesologia furuncula ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *furuncula* [Denis & Schiffermüller], 1775; *spoliaticula* [Denis & Schiffermüller], 1775; *bicoloria* Villers, 1789; *vinctuncula* Hübner, [1803]; *humeralis* Haworth, 1809; *terminalis* Haworth, 1809; *rufuncula* Haworth, 1809 Original Reference: Noctua furuncula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): **DZ Abe DhM Mii TN PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR AZ Zu Tlh AM GG Cc AZ Kir DK NO SE FI EE LV LT RU Ro Kb Ing Da MD UA BY AF IR LB Bei CN**
- 64686. Mesologia literosa (Haworth, [1809])** (Noctuidae) Synonym(s): *literosa* Haworth, [1809]; *erraticula* Hübner, [1813]; *onochyna* Herrich-Schäffer, 1856; *subarcta* Staudinger, 1898; *faroulti* Rothschild, 1914; *powelli* Oberthür, 1918; *hispanica* Heydemann, 1942; *minorasia* Rezbanyai-Leser, 1998; *siciliana* Rezbanyai-Leser, 1998 Original Reference: Noctua literosa Haworth, [1809], Lepid. Br.: 213. Type(s): England. Range (in code): **MA DZ Ges ES FR Si IT IE GB BE NL CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ro St Kb Kr Nt Ich Ing Da MD UA BY IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Mrv Lo Mia IQ AF IL Pa Js Hf SY UZ AZ AM GG Cc IQ LB Bei TJ Pm KK Ax TrA** Bionomy: Larva feeds on Elymus arenaria, Dactylis glomerata, Carex (Poaceae) (Spuler, 1903).
- 64687. Mesologia literosa kutchilou (Brandt, 1939)** (Noctuidae) Synonym(s): *kutchilou* Brandt, 1939 Original Reference: Oligia literosa ssp. kutchilou Brandt, 1939, Ent. Rdsch. 56: 88. Type ♂: Iran: Fars: Com×e. Range (in code): **IR Fa Th Kh KuB Zj Mz Elb Dam Snj Kd Mrv Lo Mia AF**
- 64688. Mesoplus contrita (Christoph, 1884)** (Noctuidae) Synonym(s): *contrita* Christoph, 1884 Range (in code): **TM Kp CN Ui AF Hr Dwe Arh IR Ke Hz B-A Ana**
- 64689. Mesoplus pachyspila Boursin, 1968** (Noctuidae) Synonym(s): *pachyspila* Boursin, 1968 Range (in code): **AF**
- 64690. Mesorhynchaglaea pacifica Sugi, 1980** (Noctuidae) Synonym(s): *pacifica* Sugi, 1980 Range (in code):
- 64691. Mesosciera picta Hampson, 1926** (Noctuidae) Synonym(s): *picta* Hampson, 1926 Range (in code): **ZA**
- 64692. Mesotrosta signalis (Treitschke, 1829)** (Noctuidae) Synonym(s): *signalis* Treitschke, 1829 Range (in code): **AT SK HU RO YU AL BG RU Cc Ro St** Bionomy: Larva on Inula (Hacker, 1989).
- 64693. Metachrostis batanga (Draudt, 1950)** (Noctuidae) Synonym(s): *batanga* Draudt, 1950 Range (in code): **CN Ti Bt Sz**
- 64694. Metachrostis brunea (Hampson, 1891)** (Noctuidae) Synonym(s): *brunea* Hampson, 1891 Range (in code): **IN NI**
- 64695. Metachrostis contigens Moore, 1888** (Noctuidae) Synonym(s): *contigens* Moore, 1888 Range (in code): **IN Hp Drm**
- 64696. Metachrostis costiplaga W. Warren, 1903** (Noctuidae) Synonym(s): *costiplaga* W. Warren, 1903 Range (in code): **EG**
- 64697. Metachrostis dardouini (Boisduval, 1840)** (Noctuidae) Synonym(s): *dardouini* Boisduval, 1840; *velox* Treitschke nec Hbn., [1813]; *mendacula* Freyer, 1841; *dilutior* Schwingenschuss, 1926 Original Reference: Bryophila dardouini Boisduval, 1840, Gen. Ind. Meth. Eur. Lepid.: 96. Range (in code): **PT ES FR IT CH AT SK HU RO YU BG GR Cr TR Cc AZ Nv Ord Kir IR Ab Oru Fa Kaz Kh Msh TM Kp CY IL Pa JO LB**
- 64698. Metachrostis dardouini dilucida (Osthelder, 1933)** (Noctuidae) Synonym(s): *dilucida* Osthelder, 1933 Range (in code): **TR CY IL Pa JO LB IR Ab Oru Fa Kaz Kh Msh**
- 64699. Metachrostis decora (Walker, 1869)** (Noctuidae) Synonym(s): *decora* Walker, 1869 Range (in code): **ZA CG**
- 64700. Metachrostis djakonovi Kononenko & Matov, 2009** (Noctuidae) Synonym(s): *djakonovi* Kononenko & Matov, 2009 Range (in code): **KG MN**
- 64701. Metachrostis egens (Moore, [1884])** (Noctuidae) Synonym(s): *egens* Moore, [1884] Range (in code): **LK**

- 64702. *Metachrostis fasciata* (Hampson,1891)** (Noctuidae) **Synonym(s):** *fasciata* Hampson,1891
Range (in code): **IN NI**
- 64703. *Metachrostis hoenei* Kononenko & Matov,2009** (Noctuidae) **Synonym(s):** *hoenei* Kononenko & Matov,2009 **Range (in code):** **CN Ti Sz**
- 64704. *Metachrostis melabela* (Hampson,1910)** (Noctuidae) **Synonym(s):** *melabela* Hampson,1910 **Range (in code):** **PK Bl Qu TJ Pm Chr**
- 64705. *Metachrostis miasma* (Hampson,1891)** (Noctuidae) **Synonym(s):** *miasma* Hampson,1891; *tegulata* Wileman & West,1929 **Range (in code):** **PH Luz IN NI JP CN ID Clb NC AU**
- 64706. *Metachrostis nannata* (Hampson,1910)** (Noctuidae) **Synonym(s):** *nannata* Hampson,1910 **Range (in code):** **IN**
- 64707. *Metachrostis parvisi* (Berio,1940)** (Noctuidae) **Synonym(s):** *parvisi* Berio,1940
Range (in code): **ER**
- 64708. *Metachrostis paurograpta* Butler,1886** (Noctuidae) **Synonym(s):** *paurograpta* Butler,1886 **Range (in code):** **AU**
- 64709. *Metachrostis pectinata* Hampson,1907** (Noctuidae) **Synonym(s):** *pectinata* Hampson,1907 **Range (in code):** **LK**
- 64710. *Metachrostis quinararia* (Moore,1881)** (Noctuidae) **Synonym(s):** *quinararia* Moore,1881
Original Reference: *Leptosia quinararia* Moore,1881, Proc. zool. Soc. London 1881: 371. Type: India [Uttar Pradesh]: Allahabad. **Range (in code):** **IN Up Meg Ass Khs Mh Bba Mhw PK Bl Qu Sd Krc YE YE60 SD MA DZ TN LY**
- 64711. *Metachrostis sefidi* (Brandt,1938)** (Noctuidae) **Synonym(s):** *sefidi* Brandt,1938
Original Reference: *Leptosia sefidi* Brandt,1938, Ent. Rdsch. 55: 558, figs. 140-142. Syntypes: Iran: [Fars]: Fort Mian-Kotal. **Range (in code):** **IR Fa Hz Ss IQ TR AF Srb OM**
- 64712. *Metachrostis sinevi* Kononenko & Matov,2009** (Noctuidae) **Synonym(s):** *sinevi* Kononenko & Matov,2009 **Range (in code):** **RU Us**
- 64713. *Metachrostis velocior* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *velocior* Staudinger,1892 **Range (in code):** **Si BG GR Cr TR CY LB Bsa Bei IL Pa Js SY JO**
- 64714. *Metachrostis velocior deserta* (Amsel,1935)** (Noctuidae) **Synonym(s):** *deserta* Amsel,1935 **Range (in code):** **CY LB Bsa Bei IL Pa Js SY JO**
- 64715. *Metachrostis velocior velocior* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *velocior* Staudinger,1892 **Range (in code):** **Si BG GR Cr TR IL Pa Hf**
- 64716. *Metachrostis velox* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *velox* Hübner,[1813]; *griseimargo* W. Warren,1912; *mendacularis* Treitschke,1829; *tarda* Turati,1926; *velocissima* Turati,1926; *rubescens* Schwingenschuss,1930 **Original Reference:** *Noctua velox* Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.108 fig.507. Type(s): Europa. **Range (in code):** **Cn MA DZ Bsa Perr Hmk DhM Ges Sbd Rbt TN Gf LY EG PT ES Mu FR Sa Si IT MT YU MK AL BG GR Cr TR AM Cc LB Bei IL Pa Hf JO CY IR Fa Hz B-A**
- 64717. *Metachrostis velox vinacea* De Joannis,1931** (Noctuidae) **Synonym(s):** *vinacea* De Joannis,1931 **Range (in code):** **MA**
- 64718. *Metagarista maenas* (Herrich-Schäffer,1853)** (Noctuidae) **Synonym(s):** *maenas* Herrich-Schäffer,1853 **Range (in code):**
- 64719. *Metagarista subcrocea* Wiltshire,1983** (Noctuidae) **Synonym(s):** *subcrocea* Wiltshire,1983 **Range (in code):** **YE SA**
- 64720. *Metagarista triphaenoides* Walker,1854** (Noctuidae) **Synonym(s):** *triphaenoides* Walker,1854 **Range (in code):** **GH**
- 64721. *Metalopha (Antholopha) gloriosa* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933.
Original Reference: *Metalopha gloriosa* Staudinger,1892, Dt. ent. Z.,Iris 4: 314. Syntypes: [Türkei]: Aintab[=Gaziantep]; Hadjin[=Saimbeyli]. [Israel]:Jerusalem. **Range (in code):** **TR Cc IL Hf Js Pa IQ**
- 64722. *Metalopha (Antholopha) gloriosa gloriosa* (Staudinger,1892)** (Noctuidae)
Synonym(s): *gloriosa* Staudinger,1892; *#intradeleta* Osthelder,1933; *#extradeleta* Osthelder,1933; *#grisea* Osthelder,1933. **Original Reference:** *Metalopha gloriosa* Staudinger,1892, Dt. ent. Z.,Iris 4: 314. Syntypes: [Türkei]: Aintab[=Gaziantep]; Hadjin[=Saimbeyli]. [Israel]:Jerusalem. **Range (in code):** **TR Cc IL Js Pa**
- 64723. *Metalopha (Antholopha) gloriosa victorina* Ronkay,1990** (Noctuidae) **Synonym(s):** *victorina* Ronkay,1990 **Range (in code):** **TR**

- 64724. Metalopha (s.str.) ingloria Draudt,1933** (Noctuidae) Synonym(s): *ingloria Draudt,1933; splendida Amsel,1933* Original Reference: Metalopha ingloria Draudt,1933, Ent. Rdsch. 50: 159-160, Taf.2 fig.5. Syntypes: Palaestina: Jerusalem (Dilb). Range (in code): IL Js Pa LB SY JO
- 64725. Metalopha (s.str.) ionodoxa Ronkay,1990** (Noctuidae) Synonym(s): *ionodoxa Ronkay,1990* Original Reference: Metalopha ionodoxa Ronkay,1990, Esperiana 1: 206, figs. Holotype ♂: Turkey, Ağrı prov., Büyük Ağrı Dağı (Ararat), 4 6 1989, leg. A.Podlussany (HNHM, Budapest). Range (in code): TR Arr IR Ak Tbz Cc AM Eri
- 64726. Metalopha (s.str.) ionodoxa euchalcina Ronkay,1990** (Noctuidae) Synonym(s): *euchalcina Ronkay,1990* Range (in code): IR Ak Tbz
- 64727. Metalopha (s.str.) ionodoxa ionodoxa Ronkay,1990** (Noctuidae) Synonym(s): *ionodoxa Ronkay,1990* Original Reference: Metalopha ionodoxa Ronkay,1990, Esperiana 1: 206, figs. Holotype ♂: Turkey, Ağrı prov., Büyük Ağrı Dağı (Ararat), 4 6 1989, leg. A.Podlussany (HNHM, Budapest). Range (in code): TR Arr Cc AM Eri
- 64728. Metalopha (s.str.) kashmirensis (Hampson,1894)** (Noctuidae) Synonym(s): *kashmirensis Hampson,1894* Range (in code): PK Swa Ch AF Hr
- 64729. Metalopha (s.str.) liturata (Christoph,1887)** (Noctuidae) Synonym(s): *liturata Christoph,1887; plusina Staudinger,1892.* Original Reference: Megalodes liturata Christoph,1887, [in] Romanoff, Mem. Lep. 3:89. Syntypes: [Iran]: Shahrud. [Turkmenistan]: Aschabad. Range (in code): IR Sae Elb Th Kdj Ab Mak Ak Mar Ha Hz B-A Fa Ss TM TR IQ Fk AF Ca Hr Arh AE SA SY JO
- 64730. Metalopha (s.str.) liturata liturata (Christoph,1887)** (Noctuidae) Synonym(s): *liturata Christoph,1887; plusina Staudinger,1892.* Original Reference: Megalodes liturata Christoph,1887, [in] Romanoff, Mem. Lep. 3:89. Syntypes: [Iran]: Shahrud. [Turkmenistan]: Aschabad. Range (in code): IR Sae Elb Th Kdj Ab Mak Ak Mar Ha Hz B-A Fa Ss TM TR IQ Fk AF Hr Arh AE SA SY JO
- 64731. Metanola gladstonei Van Son,1933** (Noctuidae) Synonym(s): *gladstonei Van Son,1933* Range (in code): ZA
- 64732. Metaphoenia plagifera (Walker,1864)** (Noctuidae) Synonym(s): *plagifera Walker,1864* Range (in code): MY Bor Swk TH Nan Dpk VN ID TW
- 64733. Metlaouia oberthueri (Culot,[1910])** (Noctuidae) Synonym(s): *oberthueri Culot,[1910]; autumnna Chrétien,1911.* Original Reference: Simyra oberthueri Culot,[1910], Noctuelles Géometres Eur. 1: 26, pl.3 fig.1. Type (s): Algeria, Aflou (BMNH). Range (in code): DZ Afi TN Gf
- 64734. Metopistis erschoffi (Christoph,1884)** (Noctuidae) Synonym(s): *erschoffi Christoph,1884* Original Reference: Phothedes erschoffi Christoph,1884, [in] Romanoff, Mém. Lépid. 1: 133, pl.8 fig.8. Type ♂: [Turkmenistan], Ashkabad (ZI, St. Petersburg). Range (in code): TM Kp IR
- 64735. Metopistis picturata (Rothschild,1909)** (Noctuidae) Synonym(s): *picturata Rothschild,1909* Original Reference: Cleophana picturata Rothschild,1909, Ent. Z., Stuttg. 23 (32): 142. Type ♀: Algerien: "Mraier, südliche Sahara". Range (in code): SA IR Ss Chh DZ Mri Bsk Tou Sfr Ogl Onc
- 64736. Metopoceras (Tritomoceras) albarracina Hampson,1918** (Noctuidae) Synonym(s): *albarracina Hampson,1918* Range (in code): ES Mu
- 64737. Metopoceras (Tritomoceras) khalildja Oberthür,1884** (Noctuidae) Synonym(s): *khalildja Oberthür,1884; chalidja Hampson,1906; gypsata Turati,1922* Original Reference: Metopoceras khalildja Oberthür,1884, Etud. ent. 9: 38, pl.3 fig.1 Syntypes 2 ex. Algeria, Sebdou (BMNH). Range (in code): DZ Sbd Khh Tun Berr Btina Hmk Ges ES Mu Si
- 64738. Metopoceras (s.str.) delicata (Staudinger,1898)** (Noctuidae) Synonym(s): *delicata Staudinger,1898; gauckleri Püngeler,1905.* Original Reference: Nudifrons delicata Staudinger,1898, Dt. ent. Z., iris 10: 291. Synypes: Jerusalem? Range (in code): IL Js Pa Jt TR IQ Agh SY JO
- 64739. Metopoceras (s.str.) eutychna Rebel,1948** (Noctuidae) Synonym(s): *eutychna Rebel,1948* Original Reference: Metopoceras eutychna Rebel,1948, Z. Wien. ent. Ges. 32: 51. Type ♀: Aegypten, "St.Katrine (Priesn.)". Range (in code): EG Sn IL Pa JO IR Hz B-A
- 64740. Metopoceras (s.str.) felicina (Donzel,1844)** (Noctuidae) Synonym(s): *felicina Donzel,1844; calderana Pinker,1965; purpurariae Pinker,1974* Original Reference: Polia felicina Donzel,1844, Annls Soc. ent. Fr. (2) 2: 199, pl.6 fig.2. Type: Marseilles. Range (in code): DZ Hmk Orn Hrh BSa Ges Abe Sbd MA PT ES Mu FR
- 64741. Metopoceras (s.str.) ioptera Wiltshire,1977** (Noctuidae) Synonym(s): *ioptera Wiltshire,1977* Range (in code): OM

- 64742. Metopoceras (s.str.) omar (Oberthür,1887)** (Noctuidae) Synonym(s): *omar Oberthür,1887* Original Reference: Cleophana omar Oberthür,1887, Bull. Soc. ent. Fr. 1887: 57. Type: Tunisia, Oued Leber. Range (in code): **TN MR MA DZ Hes Sfr Ges BSa Lgt Onç Gha Kdr Ceg Bsk Ktr Cst Khk Hmk Hrh Abe Agi Ah Si IT TR EG Sn LB Bei CY IQ Amr IR Mz Fa Ss Elb Gor Bu Hz B-A IL Pa Hf SY JO TM**
- 64743. Metopoceras (s.str.) omar caspica Alpheraky,1895** (Noctuidae) Synonym(s): *caspica Alpheraky,1895* Range (in code): **IQ Amr TM IR Mz Fa Ss Elb Gor Bu Hz B-A**
- 64744. Metopoceras (s.str.) omar felix Standfuss,1893** (Noctuidae) Synonym(s): *felix Standfuss,1893; sacra Staudinger,1895.* Range (in code): **TR IR Fa LB Bei IL Pa SY JO EG Sn CY**
- 64745. Metopoceras (s.str.) philbyi Wiltshire,1980** (Noctuidae) Synonym(s): *philbyi Wiltshire,1980* Range (in code): **SA Hj SA5o As IL Pa JO YE**
- 64746. Metopoceras (s.str.) pilleti Boursin,1932** (Noctuidae) Synonym(s): *pilleti Boursin,1932* Range (in code): **SY**
- 64747. Metopoceras (s.str.) popovi Wiltshire,1980** (Noctuidae) Synonym(s): *popovi Wiltshire,1980* Range (in code): **OM Dh**
- 64748. Metopoceras (s.str.) solituda (Brandt,1938)** (Noctuidae) Synonym(s): *solituda Brandt,1938* Original Reference: Synthymia solituda Brandt,1938, Ent. Rdsch. 55: 553, figs. 165-166. Syntypes: Iran: Dalaki. Range (in code): **IR Fa Ss**
- 64749. Metopoceras canroberti (Oberthür,1918)** (Noctuidae) Synonym(s): *codeti Hampson,1906 nec Obth.,1881; canroberti Oberthür,1918; duseutrei Oberthür,1922; agnellus Schwingenschuss,1935* Original Reference: Erythrophaea canroberti Oberthür,1918, Etud. lép. comp. 16: 182, fig.4130. Type: Algérie, El-Outaya (BMNH). Range (in code): **MR MA DZ Bsk Sbd Out Ah Ajj TN YE**
- 64750. Metopoceras morosa Rothschild,1914** (Noctuidae) Synonym(s): *morosa Rothschild,1914* Original Reference: Metopoceras morosa Rothschild,1914, Novit. zool. 21: 326. Type: Algeria, "Guelt-es-Stel". Range (in code): **DZ Ges**
- 64751. Metopodicha antherici (Christoph,1884)** (Noctuidae) Synonym(s): *antherici Christoph,1884* Range (in code): **TM Kp UZ IR Clu Mz**
- 64752. Metopodicha ernesti Draudt,1936** (Noctuidae) Synonym(s): *ernesti Draudt,1936; achaemenica Wiltshire,1941* Original Reference: Metopodicha ernesti Draudt,1936, Ent. Rdsch. 53: 492, Taf. iv 5c. Type: [Türkei]: Achyr-Dagh (Marasch). Range (in code): **TR IR Fa IQ**
- 64753. Metopodicha longicornis Boursin,1957** (Noctuidae) Synonym(s): *longicornis Boursin,1957* Range (in code): **AF Khi**
- 64754. Metoponrhis albirena (Christoph,1887)** (Noctuidae) Synonym(s): *albirena Christoph,1887* Original Reference: Photodes albirena Christoph,1887, [in] Romanoff, Mém. Lép. 3: 87. Lectotype ♂: [Turkmenistan]: Askhabad, designated by Rjabov, [in] Wiltshire,1979 (ZI). Range (in code): **TR Cc IR Es Elb Th Ha Kd Sq Bjr Zj Fa IQ Hjo TM Kp**
- 64755. Metoponrhis albirena albirena (Christoph,1887)** (Noctuidae) Synonym(s): *albirena Christoph,1887* Original Reference: Photodes albirena Christoph,1887, [in] Romanoff, Mém. Lép. 3: 87. Lectotype ♂: [Turkmenistan]: Askhabad, designated by Rjabov, [in] Wiltshire,1979 (ZI). Range (in code): **TR Cc IR Es Elb Th Ha IQ Hjo TM Kp**
- 64756. Metoponrhis fuscipars (Hampson,1926)** (Noctuidae) Synonym(s): *fuscipars Hampson,1926* Range (in code): **IN**
- 64757. Metoponrhis fuscipars fuscipars (Hampson,1926)** (Noctuidae) Synonym(s): *fuscipars Hampson,1926* Range (in code): **IN**
- 64758. Metoponrhis karakumensis (Gerasimov,1931)** (Noctuidae) Synonym(s): *karakumensis Gerasimov,1931* Original Reference: Armada karakumensis Gerasimov,1931, Mitt. münch. ent. Ges. 21 (2): 62. Type: [Turkmenistan]: Karakum (ZI). Range (in code): **TM Kp IR AF UZ Br**
- 64759. Metoponrhis karakumensis karakumensis (Gerasimov,1931)** (Noctuidae) Synonym(s): *karakumensis Gerasimov,1931* Original Reference: Armada karakumensis Gerasimov,1931, Mitt. münch. ent. Ges. 21 (2): 62. Type: [Turkmenistan]: Karakum (ZI). Range (in code): **TM Kp UZ Br**
- 64760. Metoponrhis karakumensis kasyi Wiltshire,1971** (Noctuidae) Synonym(s): *kasyi Wiltshire,1971* Original Reference: Metoponrhis karakumensis ssp. kasyi Wiltshire,1971, 640. Holotype ♂: Iran: N.O.Iran: Jusufabad (NHMW). Range (in code): **IR Kh AF**
- 64761. Metoponrhis marginata (Hampson,1898)** (Noctuidae) Synonym(s): *marginata Hampson,1898* Range (in code): **LK SD ET NG**

- 64762. *Metoponrhis marginata marginata* (Hampson,1898)** (Noctuidae) **Synonym(s):** *marginata* Hampson,1898 **Range (in code):** **LK**
- 64763. *Metoponrhis marginata remanei* Wiltshire,1974** (Noctuidae) **Synonym(s):** *remanei* Wiltshire,1974 **Range (in code):** **SD ET NG**
- 64764. *Metoponrhis rungsi* Lucas,1936** (Noctuidae) **Synonym(s):** *rungsii* Lucas,1936 **Range (in code):** **MA**
- 64765. *Metoponrhis rungsi rungsi* Lucas,1936** (Noctuidae) **Synonym(s):** *rungsii* Lucas,1936 **Range (in code):** **MA**
- 64766. *Metopoplus alboflavicola* Stshetkin,1965** (Noctuidae) **Synonym(s):** *alboflavicola* Stshetkin,1965 **Range (in code):** **TM**
- 64767. *Metopoplus boursini* Brandt,1938** (Noctuidae) **Synonym(s):** *boursini* Brandt,1938 **Original Reference:** *Metopoplus boursini* Brandt,1938, Ent. Rdsch. 55: 552, figs. 118-122. **Syntypes:** Iran. **Range (in code):** **IR Fa Kd Snj Com TR IQ**
- 64768. *Metopoplus excelsa* (Christoph,1885)** (Noctuidae) **Synonym(s):** *excelsa* Christoph,1885 **Original Reference:** *Clidia excelsa* Christoph,1885 [in] Romanoff, Mém. Lépid. 2: Taf.13 fig.4. **Type(s):** [Iran]: Schahkuh. **Range (in code):** **TR IR Elb Th Lo Kd Snj Cc AM RU Da AZ IL Pa He**
- 64769. *Miaromima aquila* (Holloway,1982)** (Noctuidae) **Synonym(s):** *aquila* Holloway,1982 **Range (in code):** **ID Sum MY Bor Swk**
- 64770. *Miaromima columbina* (W.Warren,1914)** (Noctuidae) **Synonym(s):** *columbina* W.Warren,1914; *zygospila* Zerny,1916; *albiorbis* Hampson,1918 **Range (in code):** **ID Sum MY Bor**
- 64771. *Miaromima cornucopia* (Hampson,1891)** (Noctuidae) **Synonym(s):** *cornucopia* Hampson,1891; *ocellata* W.Warren,1914 **Range (in code):** **IN ID Sum MY Bor Swk**
- 64772. *Miaromima naessigi* (Kobes,1989)** (Noctuidae) **Synonym(s):** *naessigi* Kobes,1989 **Range (in code):** **IN MY Bor Swk ID Sum**
- 64773. *Miaromima pangolina* (Holloway,1982)** (Noctuidae) **Synonym(s):** *pangolina* Holloway,1982 **Range (in code):** **MY Bor Swk ID Sum Clb Bru IN Adm? TH CMa Cmz Cz10** **Bionomy:** Larva on Terminalia (Combretaceae) (Bhumannavar et al.,1991).
- 64774. *Michelliana afroalpina* Laporte,1976** (Noctuidae) **Synonym(s):** *afroalpina* Laporte,1976 **Range (in code):** **ET ET45**
- 64775. *Micragrotis acydonta* Hampson,1903** (Noctuidae) **Synonym(s):** *acydonta* Hampson,1903 **Range (in code):** **KE**
- 64776. *Micragrotis alluaudi* Laporte,1984** (Noctuidae) **Synonym(s):** *alluaudi* Laporte,1984 **Range (in code):** **KE**
- 64777. *Micragrotis cinerosa* Bethune-Baker,1911** (Noctuidae) **Synonym(s):** *cinerosa* Bethune-Baker,1911 **Range (in code):** **ZA KE Nai**
- 64778. *Micragrotis exusta* Hampson,1903** (Noctuidae) **Synonym(s):** *exusta* Hampson,1903 **Range (in code):** **ZW Har**
- 64779. *Micragrotis intendens* (Walker,1857)** (Noctuidae) **Synonym(s):** *intendens* Walker,1857 **Range (in code):** **ZA Tva Gau Pre**
- 64780. *Micragrotis interstriata* (Hampson,1902)** (Noctuidae) **Synonym(s):** *interstriata* Hampson,1902 **Original Reference:** *Agrotis interstriata* Hampson,1902, Ann. S. Afr. Mus. 2: 264. **Syntypes:** [Zimbabwe]: Mashonaland: Salisbury (Marshall); South Africa: Natal: Karkloof, Weenen (Marshall); Cape Colony: Transkei (Miss F.Barrett) (BMNH). **Range (in code):** **ZW Har ZA Ec Tra Nta Kzu Kkf Wnn**
- 64781. *Micragrotis lacteata* Hampson,1903** (Noctuidae) **Synonym(s):** *lacteata* Hampson,1903 **Range (in code):** **KE**
- 64782. *Micragrotis marwitzi* Gaede,1935** (Noctuidae) **Synonym(s):** *marwitzi* Gaede,1935 **Range (in code):** **ZA**
- 64783. *Micragrotis microstigma* Hampson,1903** (Noctuidae) **Synonym(s):** *microstigma* Hampson,1903 **Range (in code):** **ZW Har**
- 64784. *Micragrotis nigrisigna* Hampson,1911** (Noctuidae) **Synonym(s):** *nigrisigna* Hampson,1911 **Range (in code):** **MW**
- 64785. *Micragrotis prosarca* Hampson,1903** (Noctuidae) **Synonym(s):** *prosarca* Hampson,1903 **Range (in code):** **ZW Har**
- 64786. *Micragrotis puncticostata* (Hampson,1902)** (Noctuidae) **Synonym(s):** *puncticostata* Hampson,1902 **Original Reference:** *Agrotis puncticostata* Hampson,1902, Ann. S. Afr. Mus. 2:

263. Syntypes ♂♂: [Kenya]: British East Africa: Athi R. (Betton); South Africa: Natal: Estcourt (Hutchinson) (BMNH). Range (in code): KE ZA Nta Kzu Est
- 64787. *Micragrotis rufescens* Hampson, 1903** (Noctuidae) Synonym(s): *rufescens* Hampson, 1903
Range (in code): ZA Ec Ans
- 64788. *Micragrotis strigibasis* (Hampson, 1902)** (Noctuidae) Synonym(s): *strigibasis* Hampson, 1902 Original Reference: *Agrotis strigibasis* Hampson, 1902, Ann. S. Afr. Mus. 2: 264-265. Syntypes: [Kenya]: British East Africa: Athi-ya-Mawe (Betton); [Zimbabwe]: Mashonaland: Salisbury [Harare] (Marshall); South Africa: Cape Colony: Annshaw (Miss F. Barrett) (BMNH).
Range (in code): KE ZW Har ZA Ec Ans
- 64789. *Micraxyilia annulus* Berio, 1972** (Noctuidae) Synonym(s): *annulus* Berio, 1972 Range (in code): TZ Iko
- 64790. *Micraxyilia antemedialis* Laporte, 1975** (Noctuidae) Synonym(s): *antemedialis* Laporte, 1975 Range (in code): ET ET204
- 64791. *Micraxyilia brosi* Berio, 1993** (Noctuidae) Synonym(s): *brosi* Berio, 1993 Range (in code): KE
- 64792. *Micraxyilia delicatula* (Berio, 1939)** (Noctuidae) Synonym(s): *delicatula* Berio, 1939
Range (in code): ER
- 64793. *Micraxyilia distalis* Berio, 1962** (Noctuidae) Synonym(s): *distalis* Berio, 1962 Range (in code): ZR
- 64794. *Micraxyilia gigas* Berio, 1972** (Noctuidae) Synonym(s): *gigas* Berio, 1972 Range (in code): TZ Iko
- 64795. *Micraxyilia hypericoides* Berio, 1962** (Noctuidae) Synonym(s): *hypericoides* Berio, 1962
Range (in code): ET
- 64796. *Micraxyilia nyei* Berio, 1964** (Noctuidae) Synonym(s): *nyei* Berio, 1964 Range (in code): GH
- 64797. *Micraxyilia transfixa* Berio, 1962** (Noctuidae) Synonym(s): *transfixa* Berio, 1962 Range (in code): RW
- 64798. *Micraxyilia varians* Berio, 1972** (Noctuidae) Synonym(s): *variens* Berio, 1972 Range (in code): ZR
- 64799. *Micreremites azumai* Sugi, 1982** (Noctuidae) Synonym(s): *azumai* Sugi, 1982 Range (in code): JP
- 64800. *Micreremites rasalis* W. Warren, 1891** (Noctuidae) Synonym(s): *rasalis* W. Warren, 1891
Range (in code): IN Hp Drm LK
- 64801. *Micreremites tausigna* (Hampson, 1898)** (Noctuidae) Synonym(s): *tausigna* Hampson, 1898 Range (in code): BT IN Ass Meg Khs
- 64802. *Micreremites umbrosa* (Hampson, 1898)** (Noctuidae) Synonym(s): *umbrosa* Hampson, 1898 Range (in code): IN Hp Drm
- 64803. *Micriantha decorata* (Frivaldsky, 1845)** (Noctuidae) Synonym(s): *decorata* Frivaldsky, 1845; *violacea* Herrich-Schäffer, [1851] Original Reference: *Heliothis decorata* Frivaldsky, 1845, Evk. Kiral. Magy. Term. Tars 1: 186, Taf. 3 fig. 2. Type: Türkiye, Bursa. Range (in code): TR
- 64804. *Microthripa buxtoni* Tams, 1935** (Noctuidae) Synonym(s): *buxtoni* Tams, 1935 Range (in code): WS
- 64805. *Microxestis wutzdorffi* (Püngeler, 1907)** (Noctuidae) Synonym(s): *wutzdorffi* Püngeler, 1907 Original Reference: *Euxestis wutzdorffi* Püngeler, 1907, Dt. ent. Z., Iris 19: 223, pl. vii fig. 5. Type: Palästina: Jordantal. Range (in code): EG IL Pa SA As YE
- 64806. *Mimasura dhofarica* Wiltshire, 1984** (Noctuidae) Synonym(s): *dhofarica* Wiltshire, 1984
Range (in code): OM Dh
- 64807. *Mimasura innotata* Hampson, 1910** (Noctuidae) Synonym(s): *innotata* Hampson, 1910
Range (in code): ZA
- 64808. *Mimasura larseni* Wiltshire, 1984** (Noctuidae) Synonym(s): *larseni* Wiltshire, 1984
Range (in code): OM Dh
- 64809. *Mimasura quadripuncta* Hampson, 1910** (Noctuidae) Synonym(s): *quadripuncta* Hampson, 1910 Range (in code): ZA
- 64810. *Mimasura tripunctoides* Poole, 1989** (Noctuidae) Synonym(s): *tripuncta* Hampson, 1902 (*praeocc.*); *tripunctoides* Poole, 1989 Range (in code): ZA

- 64811. *Mimasura unipuncta* (Hampson,1902)** (Noctuidae) **Synonym(s):** *unipuncta* Hampson,1902 **Range (in code):** **ZA**
- 64812. *Mimeugoa bifasciata* (Hampson,1894)** (Noctuidae) **Synonym(s):** *bifasciata* Hampson,1894; *edentifascia* Hampson,1895 **Original Reference:** *Anachrostis bifasciata* Hampson,1894, Fauna Br. India (Moths) 2: 100. **Range (in code):** **SI IN Hp Sml PK Haz Mre TH LA**
- 64813. *Mimeusemia accurata* (Swinhoe,1890)** (Noctuidae) **Synonym(s):** *accurata* Swinhoe,1890 **Original Reference:** *Eusemia accurata* Swinhoe,1890, Proc. zool. Soc. London 1889: 401. Type ♀: [Myanmar]: Burma. **Range (in code):** **MM TH Knc**
- 64814. *Mimeusemia albicilia* Hampson,1894** (Noctuidae) **Synonym(s):** *albicilia* Hampson,1894 **Range (in code):** **MM**
- 64815. *Mimeusemia albigutta* (Karsch,1895)** (Noctuidae) **Synonym(s):** *albigutta* Karsch,1895; *geraldi* Kirby,1896 **Range (in code):** **UG**
- 64816. *Mimeusemia amanda* Kishida,1993** (Noctuidae) **Synonym(s):** *amanda* Kishida,1993 **Range (in code):** **TH**
- 64817. *Mimeusemia basalis* (Walker,1854)** (Noctuidae) **Synonym(s):** *basalis* Walker,1854; *#siccima* Strand,1912 **Range (in code):** **TH Knc LA MM IN SI NP BD**
- 64818. *Mimeusemia centralis* (Rothschild,1896)** (Noctuidae) **Synonym(s):** *centralis* Rothschild,1896 **Range (in code):** **AU QAU**
- 64819. *Mimeusemia ceylonica* Hampson,1893** (Noctuidae) **Synonym(s):** *ceylonica* Hampson,1893 **Range (in code):** **LK**
- 64820. *Mimeusemia davidsoni* Swinhoe,1899** (Noctuidae) **Synonym(s):** *davidsoni* Swinhoe,1899 **Range (in code):** **IN Knr**
- 64821. *Mimeusemia econia* Hampson,1900** (Noctuidae) **Synonym(s):** *econia* Hampson,1900 **Range (in code):** **CX**
- 64822. *Mimeusemia hainana* Jordan,1908** (Noctuidae) **Synonym(s):** *hainana* Jordan,1908 **Range (in code):** **CN Hn**
- 64823. *Mimeusemia lombokensis* Rothschild,1897** (Noctuidae) **Synonym(s):** *lombokensis* Rothschild,1897 **Range (in code):** **ID Lb Ja**
- 64824. *Mimeusemia perakana* Rothschild,1896** (Noctuidae) **Synonym(s):** *perakana* Rothschild,1896 **Range (in code):** **MY Prk Bor**
- 64825. *Mimeusemia persimilis* Butler,1875** (Noctuidae) **Synonym(s):** *persimilis* Butler,1875 **Range (in code):** **JP RU Us KP KR CN**
- 64826. *Mimeusemia peshwa* Moore,1858** (Noctuidae) **Synonym(s):** *peshwa* Moore,1858; *peshva* Hampson,1901 **Range (in code):** **IN SI Kgr Hp LK**
- 64827. *Mimeusemia postica* (Walker,1862)** (Noctuidae) **Synonym(s):** *postica* Walker,1862; *tara* Swinhoe,1892 **Range (in code):** **MY Bor Swk SG TH Nrt Kao VN ID Sum PH Neg Ley**
- 64828. *Mimeusemia proerosia* (Druce,1893)** (Noctuidae) **Synonym(s):** *proerosia* Druce,1893; *vitticollis* Rothschild,1896; *obiensis* Rothschild,1898 **Range (in code):** **ID Kai Bru Crm Ob PG Fg**
- 64829. *Mimeusemia puciolia* (Druce,1895)** (Noctuidae) **Synonym(s):** *puciolia* Druce,1895 **Range (in code):** **ID Clb**
- 64830. *Mimeusemia vittata* (Butler,1875)** (Noctuidae) **Synonym(s):** *vittata* Butler,1875 **Range (in code):** **ID Ja**
- 64831. *Mimeusemia wilemani* Hampson,1911** (Noctuidae) **Synonym(s):** *wilemani* Hampson,1911 **Range (in code):** **TW**
- 64832. *Mimleucania perstriata* Hampson,1909** (Noctuidae) **Synonym(s):** *perstriata* Hampson,1909 **Range (in code):** **ZA**
- 64833. *Miniodes discolor* Guenée,1852** (Noctuidae) **Synonym(s):** *discolor* Guenée,1852 **Range (in code):** **ZA Nta Kzu Dbn SL NE CI**
- 64834. *Minucia bimaculata* Osthelder,1933** (Noctuidae) **Synonym(s):** *bimaculata* Osthelder,1933 **Original Reference:** *Minucia bimaculata* Osthelder,1933, Mitt. münch. ent. Ges. 23: 95-96. Syntypes: [Türkei]: Kahramanmaraş, Yeşildere (ZSM). **Range (in code):** **TR IQ IR Fa Hz B-A** **Bionomy:** Larva on *Pistacia mutica* (Anacardiaceae), *Quercus* (Fagaceae) (Wiltshire,1957; et seq.).
- 64835. *Minucia bimaculata bimaculata* Osthelder,1933** (Noctuidae) **Synonym(s):** *bimaculata* Osthelder,1933 **Range (in code):** **TR**
- 64836. *Minucia bimaculata pulchrior* Wiltshire,1957** (Noctuidae) **Synonym(s):** *pulchrior* Wiltshire,1957 **Original Reference:** *Minucia bimaculata* ssp. *pulchrior* Wiltshire,1957,

- Lepidoptera of Iraq: 93, fig. Holotype ♂: S.W.Iran Firuzabad, Tang-Ab (coll. Wiltshire). Range (in code): IR Fa Hz B-A Bionomy: Larva on Pistacia mutica (Anacardiaceae) (Wiltshire,1957).
- 64837. Minucia confinis (Wallengren,1856)** (Noctuidae) Synonym(s): confinis Wallengren,1856
Range (in code): ZA
- 64838. Minucia finitima (Wallengren,1856)** (Noctuidae) Synonym(s): finitima Wallengren,1856
Range (in code): ZA
- 64839. Minucia maculata (Wallengren,1856)** (Noctuidae) Synonym(s): maculata Wallengren,1856 Range (in code): ZA
- 64840. Mionides lichenea Hampson,1902** (Noctuidae) Synonym(s): lichenea Hampson,1902; #lichinea Janse,1937 Range (in code): ZA Nta Kzu Est
- 64841. Mitrophrys ansorgei (Rothschild,1897)** (Noctuidae) Synonym(s): ansorgei Rothschild,1897 Range (in code): ZA KE UG
- 64842. Mitrophrys barnsi Joicey & Talbot,1921** (Noctuidae) Synonym(s): barnsi Joicey & Talbot,1921; jordani Kiriakoff,1955 Range (in code): ZR Kga
- 64843. Mitrophrys gynandra Jordan,1913** (Noctuidae) Synonym(s): gynandra Jordan,1913
Range (in code): AO
- 64844. Mitrophrys kenyamagaribae Stoneham,1963** (Noctuidae) Synonym(s): kenyamagaribae Stoneham,1963 Range (in code): KE
- 64845. Mitrophrys latreilli (Herrich-Schäffer,[1853])** (Noctuidae) Synonym(s): latreilli Herrich-Schäffer,[1853] Range (in code): ZA MW Zom ZW SN GM
- 64846. Mitrophrys magna (Walker,1854)** (Noctuidae) Synonym(s): magna Walker,1854; abyssinica Hampson,1901; obliquisigna Hampson,1901; kibwezensis Strand,1909; mesia Jordan,1913 Range (in code): SL KE Kib SD SDo8
- 64847. Mitrophrys menete (Cramer,[1775])** (Noctuidae) Synonym(s): menete Cramer,[1775]; formosa Fabricius,1787; boisdualii Boisdual,1874; rubida R.Felder,1874 Range (in code): SL ET
- 64848. Mixomelia adda (Swinhoe,1902)** (Noctuidae) Synonym(s): adda Swinhoe,1902
Range (in code): MY Prk
- 64849. Mixomelia albapex (Hampson,1895)** (Noctuidae) Synonym(s): albapex (Hampson,1895
Range (in code): IN Nag
- 64850. Mixomelia albeola (Rothschild,1915)** (Noctuidae) Synonym(s): albeola Rothschild,1915
Range (in code): ID Ij Snw
- 64851. Mixomelia aroa (Bethune-Baker,1908)** (Noctuidae) Synonym(s): aroa Bethune-Baker,1908 Range (in code): PG Aro
- 64852. Mixomelia cidaroides (Hampson,1891)** (Noctuidae) Synonym(s): cidaroides Hampson,1891 Range (in code): IN NI
- 64853. Mixomelia decipiens Hampson,1898** (Noctuidae) Synonym(s): decipiens Hampson,1898
Range (in code): IN Ass Meg Khs
- 64854. Mixomelia duplexa (Moore,1882)** (Noctuidae) Synonym(s): duplexa Moore,1882
Range (in code): IN SI Djl
- 64855. Mixomelia duplicinota (Hampson,1895)** (Noctuidae) Synonym(s): duplicinota Hampson,1895 Range (in code): IN Hp Sml Drm SI
- 64856. Mixomelia erecta (Moore,1882)** (Noctuidae) Synonym(s): erecta Moore,1882 Range (in code): IN SI Djl
- 64857. Mixomelia palumbina (Butler,1889)** (Noctuidae) Synonym(s): palumbina Butler,1889
Range (in code): IN Hp Drm
- 64858. Mixomelia relata (Hampson,1891)** (Noctuidae) Synonym(s): relata Hampson,1891
Range (in code): IN NI LK
- 64859. Mixomelia saccharivora (Butler,1889)** (Noctuidae) Synonym(s): saccharivora Butler,1889 Range (in code): IN Hp Drm
- 64860. Mixomelia sp.** (Noctuidae) Synonym(s): Range (in code): TH Ntt Hba
- 64861. Mniopamea gandhara Hacker & Peks,1992** (Noctuidae) Synonym(s): gandhara Hacker & Peks,1992 Range (in code): PK Bt Bbu
- 64862. Mniopamea kashmirensis Hacker & Peks,1992** (Noctuidae) Synonym(s): kashmirensis Hacker & Peks,1992 Range (in code): Ch IN
- 64863. Mniopamea timida (Staudinger,1888)** (Noctuidae) Synonym(s): timida Staudinger,1888
Range (in code): UZ Fe KK

- 64864. *Mniothripa argenteopurpurea* Gaede, 1937** (Noctuidae) **Synonym(s):** *argenteopurpurea* Gaede, 1937 **Range (in code):** **SG MY Bor Sbh ?PG Afk ID Ij**
- 64865. *Mniothripa bradleyi* D.S.Fletcher, 1957** (Noctuidae) **Synonym(s):** *bradleyi* D.S.Fletcher, 1957 **Range (in code):** **MY Bor BN SB ID Crm PG FJ**
- 64866. *Mniothripa fletcheri* Holloway, 2003** (Noctuidae) **Synonym(s):** *fletcheri* Holloway, 2003 **Range (in code):** **MY Bor Swk**
- 64867. *Mniothripa lichenigera* (Hampson, 1905)** (Noctuidae) **Synonym(s):** *lichenigera* Hampson, 1905 **Range (in code):** **WS PG SG MY Bor Swk IN OW**
- 64868. *Mniothripa translucens* Holloway, 2003** (Noctuidae) **Synonym(s):** *translucens* Holloway, 2003 **Range (in code):** **MY Bor BN SG**
- 64869. *Mniotype adusta* (Esper, [1790])** (Noctuidae) **Synonym(s):** *adusta* Esper, [1790]; *duplex* Haworth, 1809; *valida* Hübner, [1813]; *vultarina* Freyer, 1832; *chardinyi* Duponchel, [1838]; *pavida* Boisduval, 1840; *baltica* Hering, 1846; *vulturinea* Herrich-Schäffer, [1850]; *vicina* Alpherakya, 1882; *grisescens* Standfuss, 1893; *aterrima* Costantin., 1916; *carpathica* Kaucki **Original Reference:** *Phalaena adusta* Esper, [1790], Die Schmett. 4(2): 483, Taf. 149, fig. 1, 2. **Syntypes:** [Germany]: Frankfurt. **Range (in code):** **PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag AZ Kir DK NO SE FI EE LV LT RU Ro St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Arc Chk AF Adr KK TeA Ax TrA PK Thu IN Hp Dlh** **Bionomy:** Larva on *Galium mollugo*, *Solidago* (Blaschke, 1914).
- 64870. *Mniotype adusta adjuncta* (Moore, 1881)** (Noctuidae) **Synonym(s):** *adjuncta* Moore, 1881 **Original Reference:** *Hadena adjuncta* Moore, 1881, Proc. zool. Soc. Lond. 1881: 357. **Type(s):** India: N.W. Himalaya, Dalhousie (BMNH). **Range (in code):** **IN Hp Dlh PK Thu**
- 64871. *Mniotype anilis* (Boisduval, 1840)** (Noctuidae) **Synonym(s):** *anilis* Boisduval, 1840 **Range (in code):** **FR Co Sa IT**
- 64872. *Mniotype aphanes* (Boursin, 1960)** (Noctuidae) **Synonym(s):** *aphanes* Boursin, 1960 **Range (in code):** **AF Pag**
- 64873. *Mniotype bathensis* (Lutzu, 1901)** (Noctuidae) **Synonym(s):** *bathensis* Lutzu, 1901 **Range (in code):** **PL SE FI EE LV LT RU MD UA BY**
- 64874. *Mniotype buxtoni* (Rothschild, 1921)** (Noctuidae) **Synonym(s):** *buxtoni* Rothschild, 1921 **Range (in code):** **IR Ss IQ**
- 64875. *Mniotype clavata* Hreblay & L.Ronkay, 1999** (Noctuidae) **Synonym(s):** *clavata* Hreblay & L.Ronkay, 1999 **Range (in code):** **NP**
- 64876. *Mniotype compitalis* (Draudt, 1909)** (Noctuidae) **Synonym(s):** *compitalis* Draudt, 1909; *leptitanus* Turati, 1924. **Range (in code):** **EG LY Cy**
- 64877. *Mniotype csanadii* Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) **Synonym(s):** *csanadii* Hreblay, Peregovits & L.Ronkay, 1999 **Range (in code):** **NP**
- 64878. *Mniotype deluccai* (Berio, 1976)** (Noctuidae) **Synonym(s):** *deluccai* Berio, 1976 **Range (in code):** **MT**
- 64879. *Mniotype fabulosa* Benedek & L.Ronkay, 2002** (Noctuidae) **Synonym(s):** *fabulosa* Benedek & L.Ronkay, 2002 **Range (in code):** **IR Ss**
- 64880. *Mniotype falcifera* Hreblay & L.Ronkay, 1999** (Noctuidae) **Synonym(s):** *falcifera* Hreblay & L.Ronkay, 1999 **Range (in code):** **NP**
- 64881. *Mniotype fulva* (Rothschild, 1914)** (Noctuidae) **Synonym(s):** *fulva* Rothschild, 1914; *maribelae* Perez-Lopez & Morente-Benitez, 1996 **Original Reference:** *Meganephria oxyacanthae fulva* Rothschild, 1914, Novit. zool. 21: 329. **Type:** Algeria, "Guelt-es-Stel". **Range (in code):** **MA TN DZ Perr Ges Bsk ES**
- 64882. *Mniotype inthanoni* Hreblay & L.Ronkay, 1999** (Noctuidae) **Synonym(s):** *inthanoni* Hreblay & L.Ronkay, 1999 **Original Reference:** *Mniotype inthanoni* Hreblay & L.Ronkay, 1999, Esperiana 7: 551, figs. **Holotype** ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m leg. M.Hreblay (coll.Hreblay). **Range (in code):** **TH CMa Int**
- 64883. *Mniotype inthanoni inthanoni* Hreblay & L.Ronkay, 1999** (Noctuidae) **Synonym(s):** *inthanoni* Hreblay & L.Ronkay, 1999 **Original Reference:** *Mniotype inthanoni* Hreblay & L.Ronkay, 1999, Esperiana 7: 551, figs. **Holotype** ♂: Thailand: Chiang Mai, Doi Inthanon NP, 2300m leg. M.Hreblay (coll.Hreblay). **Range (in code):** **TH CMa Int**
- 64884. *Mniotype johanna* (Staudinger, 1898)** (Noctuidae) **Synonym(s):** *johanna* Staudinger, 1898; *grisea* D.Lucas, 1908 **Original Reference:** *Polia johanna* Staudinger, 1898, Dt. ent. Z., Iris 10: 281, Taf. iv fig. 19. **Syntypes:** Jordanthal, **Lectotype** ♂, designated by Hacker (2001: 211) (NHMU). **Range (in code):** **TN JO IL Jt Pa**

- 64885. Mniotype lama (Staudinger,1900)** (Noctuidae) Synonym(s): *lama* Staudinger,1900
Range (in code): **UZ Fe KG Aa T-S CN Ui Kl Yk M-A KK TJ Pm Chr**
- 64886. Mniotype lama dubiosa (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *dubiosa* A.Bang-Haas,1912
Original Reference: *Hadena lama* var. *dubiosa* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 149. Syntypes: [Uighur İli]: Yarkend, Mustagata. Range (in code): **CN Ui Kl Yk M-A**
- 64887. Mniotype leucocyma (Hampson,1907)** (Noctuidae) Synonym(s): *leucocyma* Hampson,1907
Range (in code): **Ch**
- 64888. Mniotype mucronata (Moore,1882)** (Noctuidae) Synonym(s): *mucronata* Moore,1882
Range (in code): **NP TH CMa Php Fn**
- 64889. Mniotype olivascens (Draudt,1950)** (Noctuidae) Synonym(s): *olivascens* Draudt,1950
Range (in code): **CN Yu**
- 64890. Mniotype solieri (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1940
Original Reference: *Hadena solieri* Boisduval,1940, Genera Index Méth. Eur. Lépid.: 120. Syntypes: S.France, Sicilie. Range (in code): **MA DZ Abe BSa Ktr Bsk Lbs Btina Hmk DhM Bdj Hrh Agi Clo Co Si IT GB CH AT YU AL BG GR DK TR**
- 64891. Mniotype solieri solieri (Boisduval,1840)** (Noctuidae) Synonym(s): *solieri* Boisduval,1940
Original Reference: *Hadena solieri* Boisduval,1940, Genera Index Méth. Eur. Lépid.: 120. Syntypes: S.France, Sicilie. Range (in code): **MA DZ Clo Abe BSa Ktr Bsk Lbs Btina Hmk DhM Bdj Hrh Agi Co Si IT GB CH AT YU AL BG GR DK TR**
- 64892. Mniotype spinosa (Chrétien,1911)** (Noctuidae) Synonym(s): *spinosa* Chrétien,1911
Original Reference: *Hadena spinosa* Chrétien,1911, Annls Soc. ent. Fr. 79 (1910): 501-502. Syntypes ♂♀: Tunis, Gafsa. Range (in code): **DZ TN Gf PT ES FR Co Sa IT**
- 64893. Mniotype vartianorum Varga,1979** (Noctuidae) Synonym(s): *vartianorum* Varga,1979
Range (in code): **PK Swa**
- 64894. Mniotype xylinoides (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *xylinoides* A.Bang-Haas,1912
Range (in code): **KK**
- 64895. Mocis conveniens (Walker,1858)** (Noctuidae) Synonym(s): *conveniens* Walker,1858; *detersa* Walker,1865.
Range (in code): **ZA Nta Kzu Dbn ZW Har Ec YE Ad ZR NG SD SL KE**
- 64896. Mocis frugalis (Fabricius,1775)** (Noctuidae) Synonym(s): *frugalis* Fabricius,1775; *lycopodia* Geyer,1837; *translata* Walker,1865.
Original Reference: *Noctua frugalis* Fabricius,1775, Syst. Ent.: 601. Type: India. Range (in code): **PC NC ZA Nta Kzu Dbn NG ZR MG ET ET24 YE Ad IN Mh Nsk LK Kndy Tcm MM TW Bor Ja ID AU WS FJ TO EL NH PG MY TH CMa Dst Cmz Cuo Cuo1 LA KH PK PH Boh CV ST NE SD EG SO ZM MW ZW MG KM MU SC SA BH OM NP SI VN CN JP ID MY QAU NSW**
Bionomy: Larva on Coix lacrima, Cyperus rotundus, Oriza sativa, Saccarum officinarum (Poaceae), Glycine max (Fabaceae) (Kuroko & Lewvanich,1995).
- 64897. Mocis mayeri (Boisduval,1833)** (Noctuidae) Synonym(s): *mayeri* Boisduval,1833; *pellita* Guenée,1852; *jugal* Walker,1858; *mutuata* Walker,1858; *associata* Walker,1865; *diffundens* Walker,1865; *inconcisa* Walker,1865; *subaenescens* Walker,1869.
Range (in code): **ZA**
- 64898. Mocis mutuaria (Walker,1858)** (Noctuidae) Synonym(s): *mutuaria* Walker,1858; *judicans* Walker,1858; *insulsa* Wallengren,1860; *torpida* Walker,1865; *nigrimacula* Mabille,1879.
Range (in code): **ZA Nta Kzu Kkf KE ZW Har**
- 64899. Mocis proverai Zilli,2000** (Noctuidae) Synonym(s): *proverai* Zilli,2000
Range (in code): **CI BF GH NG CM CG SD KE TZ MG ZR SA YE BH**
- 64900. Mocis trifasciata (Stephens,1830)** (Noctuidae) Synonym(s): *trifasciata* Stephens,1830
Range (in code): **PG Bsm ID Mlc NC LO SB NH WS TO FJ PF Ms WS PC NH PG AU**
- 64901. Mokfanola crustacea Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *crustacea* Laszlo, G.Ronkay & Witt,2010
Range (in code): **TH CMa**
- 64902. Molvena caledonica Holloway,1979** (Noctuidae) Synonym(s): *caledonica* Holloway,1979
Range (in code): **NC**
- 64903. Moma alpium (Osbeck,1778)** (Noctuidae) Synonym(s): *alpium* Osbeck,1778; *orion* Esper,1791; *murrhina* Graeser,1889; *designata* Turati,1923; *kolthoffi* Bryk,1949
Original Reference: *Phalaena alpium* Osbeck,1778, Götheb. Wet. Sam. Handl. Westensk. Afd. 1: 52. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc AM GG Smt Bjo Ro Kr MD UA BY IR Elb Mz KP KR CN Krl Us Sb JP TW**
Bionomy: Larva on Quercus, Fagus, Betula, Populus (Hacker,1989).
- 64904. Moma burmana (Berio,1973)** (Noctuidae) Synonym(s): *burmana* Berio,1973
Range (in code): **MM Kch Kam TH CMa Php**
- 64905. Mormecia lachnogyia Tams,1935** (Noctuidae) Synonym(s): *lachnogyia* Tams,1935
Range (in code): **WS**

- 64906. Mormo maura (Linnaeus,1758)** (Noctuidae) Synonym(s): *maura* Linnaeus,1758; *lemur* Meinecke,1775; *usta* Fourcroy,1785; *deusta* Geoffroy,1799; *cypriaca* Hacker,1996 Original Reference: *Phalaena maura* Linnaeus,1758, Syst. Nat. (Edn.10): 512. Type(s): Mauritania. Range (in code): MA DZ Ges Dzc Dhm Hrh Sbd Abe Lbs TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY AM GG Bjo Smt Lag AZ Kir Cc TR DK RU Kr MD UA BY IL Hf Pa IQ Shq LB Bsa TM IR Bionomy: Larva on Rubus, Crataegus (Rosaceae); Rumex (Polygonaceae); Lamium, Stellaria (Lamiaceae); Salix (Salicaceae) (Hampson,1908; Wiltshire,1957; Hacker,1989; Calle et al., 2000).
- 64907. Mosopia eudoxusalis (Walker,[1858])** (Noctuidae) Synonym(s): *eudoxusalis* Walker,[1858]; *assiusalis* Walker,[1859] Range (in code): MY Swk MY TH CMa Dst ID Sum
- 64908. Mosopia megaspila Walker,[1866]** (Noctuidae) Synonym(s): *megaspila* Walker,[1866] Range (in code): MY Bor Swk
- 64909. Mosopia sp.1** (Noctuidae) Synonym(s): Range (in code): TH Ntt Hba
- 64910. Mosopia sp.2** (Noctuidae) Synonym(s): Range (in code): TH Pgg
- 64911. Mudaria luteiprosa Holloway,1989** (Noctuidae) Synonym(s): *luteiprosa* Holloway,1989 Range (in code): TH Ray Cbi Yal Bionomy: Larva on Durio zibethinus [durian] (Bombacaceae) (Lewvanich,2001).
- 64912. Mudaria major W.Warren** (Noctuidae) Synonym(s): Range (in code): TH CMa CDo
- 64913. Mudaria variabilis Roepke,1916** (Noctuidae) Synonym(s): *variabilis* Roepke,1916 Range (in code): ID Ja TH Ubo Bionomy: Larva on Ceiba pentandra [kapok] (Bombacaceae) (Lewvanich,2001).
- 64914. Myalila typica Strand,1909** (Noctuidae) Synonym(s): *typica* Strand,1909 Range (in code): ZA
- 64915. Mycteroplus puniceago (Boisduval,1840)** (Noctuidae) Synonym(s): *puniceago* Boisduval,1840 Range (in code): RO BG RU Ro St Da Kyi AM Cc TM K-K Bionomy: Larva on Atriplex, Chenopodium (Hacker,1989).
- 64916. Mythimna (Aletia) affinis (Warnecke,1930)** (Noctuidae) Synonym(s): *affinis* Warnecke,1930 Range (in code):
- 64917. Mythimna (Aletia) albiradosa (Eversmann,1852)** (Noctuidae) Synonym(s): *albiradosa* Eversmann,1852 Range (in code): RU Ur Sb At KK Ik CN Ui Ii
- 64918. Mythimna (Aletia) albiradosa albiradosa (Eversmann,1852)** (Noctuidae) Synonym(s): *albiradosa* Eversmann,1852 Range (in code): RU Ur Sb At KK Ik CN Ui Ii
- 64919. Mythimna (Aletia) alopecuri (Boisduval,1840)** (Noctuidae) Synonym(s): *alopecuri* Boisduval,1840; *syriaca* Osthelder,1933 Original Reference: *Leucania alopecuri* Boisduval,1840, Genera Index meth. Eur. Lep.:132. Type(s): [Russia]: Taganrog. Range (in code): FR RO YU BG GR RU Cc Ro St Ich Ing Da MD UA TR CY IQ TM KG IL Pa JO
- 64920. Mythimna (Aletia) andereggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840 Range (in code): ES FR IT DE CH AT CZ YU B-H AL BG GR RU Cc Ro Kr Kb Nt Ich Da TR KK Ik T-A
- 64921. Mythimna (Aletia) anderreggii anderreggii (Boisduval,1840)** (Noctuidae) Synonym(s): *andereggii* Boisduval,1840 Range (in code): ES FR IT DE CH AT CZ YU B-H AL BG GR RU Cc Ro TR KK Ik
- 64922. Mythimna (Aletia) anderreggii lineata (Eversmann,1842)** (Noctuidae) Synonym(s): *lineata* Eversmann,1842 Range (in code): RU Cc Kr Kb Nt Ich Da KK T-A
- 64923. Mythimna (Aletia) anderreggii pseudocomma (Rebel & Zerny,1931)** (Noctuidae) Synonym(s): *pseudocomma* Rebel & Zerny,1931 Range (in code):
- 64924. Mythimna (Aletia) atrata (Remm & Viidalepp,1979)** (Noctuidae) Synonym(s): *atrata* Remm & Viidalepp,1979; *jutka* Hreblay,1989 Range (in code): RU Tv MN
- 64925. Mythimna (Aletia) bistrigata (Moore,1881)** (Noctuidae) Synonym(s): *bistrigata* Moore,1881; *albipatagis* Chang,1991 Range (in code): CN
- 64926. Mythimna (Aletia) caelebs (Grünberg,1910)** (Noctuidae) Synonym(s): *caelebs* Grünberg,1910 Range (in code): SA
- 64927. Mythimna (Aletia) citrinotata (Hampson,1905)** (Noctuidae) Synonym(s): *citrinotata* Hampson,1905; *brandti* Boursin,1963 Range (in code): IR Fa Hz Ss B-A
- 64928. Mythimna (Aletia) clarior Hreblay,1992** (Noctuidae) Synonym(s): *clarior* Hreblay,1992 Range (in code): MN CN Ui Kml KG Tk Dj KK Ik
- 64929. Mythimna (Aletia) congrua (Hübner,[1817])** (Noctuidae) Synonym(s): *congrua* Hübner,[1817]; *annicola* Rambur,1829. Original Reference: *Noctua congrua* Hübner,[1817], Samml.

- eur. Schmett., Noct. 2:Taf.135, fig.616. Type: [Europa]. Range (in code): **DZ Hrh Hmk Gue Abe ES FR Co Sa Si IT DE PL YU AL BG GR TR IL Pa SY IQ Bgd GG AZ Len AM Cc RU Kr Uch IR Mz Elb Fa TM**
- 64930. Mythimna (Aletia) conigera ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. Original Reference: *Noctua conigera* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 84. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ AM Cc IR Mz Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da MD UA BY CN Ui Arc KK TeA TrA Ax Na**
- 64931. Mythimna (Aletia) consanguis (Guenée,1852)** (Noctuidae) Synonym(s): *consanguis* Guenée,1852 Original Reference: *Hadena consanguis* Guenée,1852, [in] Boisduval & Guenée, Hist. Nat. Ins., Noct. 2: 97. Type(s): Inde centrale. Range (in code): **ID Sum Ja AU QAU Bri NSw Syd NC ZR EG Sk SY Pmy TR KE ET ZA Nta Kzu Est Dbn Wca Cto Tra Ec ZW Har IN Kul Hp Kma Pj Sml Drm SI NI LK MU JP CN**
- 64932. Mythimna (Aletia) deserticola (Bartel,1903)** (Noctuidae) Synonym(s): *deserticola* Bartel,1903 Original Reference: *Leucania deserticola* Bartel,1903, Dt. ent. Z., Iris 15:204. Syntypes: [Russia]: Südural: Orenburg. Range (in code): **RU Ur TR**
- 64933. Mythimna (Aletia) distincta (Moore,1881)** (Noctuidae) Synonym(s): *distincta* Moore,1881 Range (in code): **IN SI Dj Up Bhi Kil**
- 64934. Mythimna (Aletia) exanthemata (Moore,1888)** (Noctuidae) Synonym(s): *exanthemata* Moore,1888 Range (in code): **IN Hp Up Bhi Kgr**
- 64935. Mythimna (Aletia) flavostigma (Bremer,1861)** (Noctuidae) Synonym(s): *flavo-stigma* Bremer,1861; *macaria* Rebel,1916. Original Reference: *Xanthia flavo-stigma* Bremer,1861, Bull. Acad. Imp. Sci. St.Petersburg 3:488. Syntypes: [Russia]: Ussuri. Range (in code): **RU Prj Us CY CN JP**
- 64936. Mythimna (Aletia) formosana (Butler,1880)** (Noctuidae) Synonym(s): *formosana* Butler,1880 Range (in code): **IN Up Bhi TW**
- 64937. Mythimna (Aletia) fraterna (Moore,1888)** (Noctuidae) Synonym(s): *fraterna* Moore,1888 Range (in code): **IN Up Bhi Hp Kgr TH**
- 64938. Mythimna (Aletia) impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910 Original Reference: *Noctua impura* Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.85, fig.396. Type: [Europa]. Range (in code): **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kc St Ich Ing Ur Sb Am MD UA BY IR Elb Th CN Ui Ku Au Ga Ti Ts Kno KK Ik TrA Na TJ Pm AF JP**
- 64939. Mythimna (Aletia) impura dungana (Alpheraky,1882)** (Noctuidae) Synonym(s): *dungana* Alpheraky,1882 Range (in code): **IR Elb CN Ui Ku Arc Au Ga KK Ik TrA Na TJ Pm AF**
- 64940. Mythimna (Aletia) impura impura (Hübner,[1808])** (Noctuidae) Synonym(s): *impura* Hübner,[1808]; *fuliginosa* Haworth,1809; *punctina* Haworth,1809; *amurensis* Staudinger,1892; *transbaikalis* Staudinger,1892; *fuscipennis* W.Warren,1910 Original Reference: *Noctua impura* Hübner,[1808], Samml. eur. Schmett., Noct.2: Taf.85, fig.396. Type: [Europa]. Range (in code): **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr Kc St Ich Ing MD UA BY CN Ui**
- 64941. Mythimna (Aletia) inframicans (Hampson,1893)** (Noctuidae) Synonym(s): *inframicans* Hampson,1893 Range (in code): **ZA**
- 64942. Mythimna (Aletia) intertexta (Chang,1991)** (Noctuidae) Synonym(s): *intertexta* Chang,1991 Range (in code): **TW IN Up Bhi**
- 64943. Mythimna (Aletia) intolerabilis Hreblay,1992** (Noctuidae) Synonym(s): *intolerabilis* Hreblay,1992 Original Reference: *Mythimna (Aletia) intolerabilis* Hreblay,1992, Esperiana 3: 522-524, figs. Holotype ♂: China: [Uighur A.R.]: N-Sinkiang, Wu-lu-mu-ch'i [Urumchi] (coll. Plante). Range (in code): **CN Ui Um**
- 64944. Mythimna (Aletia) l-album (Linnaeus,1767)** (Noctuidae) Synonym(s): *l-album* Linnaeus,1767; *penicillata* Moore,1881 Original Reference: *Phalaena l-album* Linnaeus,1767, Syst. Nat. (Edn.12)1: 850. Type(s): [Europa]. Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE LV RU Ur MD UA BY IR Fa Ke Lo Es Ha Ss Gh Elb Th Dam Kdj Ab Kz Yas AF Gbh PK IN Pj Sml Dlh Hp Kul Up Bhi SI NP CY IQ LB Bei Bsa IL Pa KK KG CN UZ Tk Dj Ax N-A Ro St Kr Kb Nt Ich Da Thu Smt Bjo Lag Kir Nv Ord Oru Sdt Kd Bne Gls Kh Agi Anna Ges Lgt Blid Bsk BtNa Lbs Khh DhM Prr Abe Sbd Afl BSA Hrh**
- 64945. Mythimna (Aletia) laevusta (Berio,1955)** (Noctuidae) Synonym(s): *laevusta* Berio,1955 Range (in code): **ZA**

- 64946. Mythimna (Aletia) larseni Wiltshire,1985** (Noctuidae) Synonym(s): *larseni* Wiltshire,1985 Range (in code): SA ET ET24
- 64947. Mythimna (Aletia) lineatissima (W.Warren,1912)** (Noctuidae) Synonym(s): *lineatissima* W.Warren,1912 Range (in code): TH CMA
- 64948. Mythimna (Aletia) melania (Staudinger,1889)** (Noctuidae) Synonym(s): *melania* Staudinger,1889 Original Reference: *Leucania melania* Staudinger,1889, Stettin ent. Ztg. 50: 48. Syntypes: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): KK Ik Ax TeA CN Ui Au Kml AF Pag TJ Pm Chr
- 64949. Mythimna (Aletia) obscura (Moore,1882)** (Noctuidae) Synonym(s): *rudis* Moore,1881; *obscura* Moore,1882; ? *corrugata* Hampson,1894; *nepos* Leech,1900; ? *undina* Draudt,1950 Range (in code): IN SI Dj Up Bhi Nnt Kil Mhh TH
- 64950. Mythimna (Aletia) octogesima Wiltshire,1982** (Noctuidae) Synonym(s): *octogesima* Wiltshire,1982 Range (in code):
- 64951. Mythimna (Aletia) operosa (Saalmüller,1891)** (Noctuidae) Synonym(s): *operosa* Saalmüller,1891 Range (in code): ZA
- 64952. Mythimna (Aletia) pallens (Linnaeus,1758)** (Noctuidae) Synonym(s): *pallens* Linnaeus,1758; *ectypa* Hübner,[1803]; *rufescens* Haworth,1803; *arcuata* Stephens,1829; *ochracea* Stephens,1829; *suffusa* Stephens,1829. Original Reference: *Phalaena pallens* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s): Europa. Range (in code): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG AZ Len AM Cc IQ Bgd DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Kyi Sb Am Prj Us MD UA BY CN Ti Ts Kno Ui Ii MN Uli UZ Fe Br KK Ik TrA TeA Na US Nh Ny Msc Cf CA
- 64953. Mythimna (Aletia) panarista (D.S.Fletcher,1963)** (Noctuidae) Synonym(s): *panarista* D.S.Fletcher,1963 Range (in code): ZA
- 64954. Mythimna (Aletia) prominens Walker,1856** (Noctuidae) Synonym(s): *prominens* Walker,1856; *hispanica* Bellier,1863 Range (in code): ZA PT ES FR Sa IT MT GR TR IR Hz Ss Fa
- 64955. Mythimna (Aletia) proxima (Leech,1900)** (Noctuidae) Synonym(s): *proxima* Leech,1900 Range (in code):
- 64956. Mythimna (Aletia) pudorina ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *pudorina* [Denis & Schiffermüller],1775; *impudens* Hübner,[1803]. Original Reference: *Noctua pudorina* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ro Kr St Da Ur Sr Sb Am Prj Us AM Cc GG Lag MD UA BY KK Na JP Bionomy: Larva on Phragmites (Hampson,1905).
- 64957. Mythimna (Aletia) pyrausta (Hampson,1913)** (Noctuidae) Synonym(s): *pyrausta* Hampson,1913 Range (in code): ZA
- 64958. Mythimna (Aletia) reversa (Moore,[1885])** (Noctuidae) Synonym(s): *reversa* Moore,[1885] Range (in code): LK IN Up Bhi
- 64959. Mythimna (Aletia) rufulosa Wiltshire,1986** (Noctuidae) Synonym(s): *rufulosa* Wiltshire,1986 Range (in code):
- 64960. Mythimna (Aletia) sassanidica (Hacker,1986)** (Noctuidae) Synonym(s): *sassanidica* Hacker,1986 Original Reference: *Aletia sassanidica* Hacker,1986, Spixiana 9 (1): 43-44, figs. Holotype ♂: Türkei:Tokat / Sivas: Çamlıbel geçidi, 1700-1900m, 11.-30.vi.1980 (leg. & coll. de Freina). Range (in code): TR Cc RU St Nt Da IR Elb Plr Th
- 64961. Mythimna (Aletia) scirpi (Duponchel,1836)** (Noctuidae) Synonym(s): *scirpi* Duponchel,1836; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *cyper* Boisduval,1840; *fuscilinea* Graslin,1852; *syriaca* Osthelder,1933. Original Reference: *Leucania scirpi* Duponchel,1836, Hist. nat. Lépid. Pap. France, Suppl.3: 349. Syntypes: [France]: Montpellier; Korsica. Range (in code): PT Co Sa Si IT MT BE LU DE AT CZ RO AL GR TR IL Hf Pa CY TM Kp
- 64962. Mythimna (Aletia) sicula (Treitschke,1835)** (Noctuidae) Synonym(s): *sicula* Treitschke,1835; *cyper* Boisduval,1840; *dactylidis* Boisduval,1840; *montium* Boisduval,1840; *albivena* Graslin,1852; *fuscilinea* Graslin,1852; *belgiensis* Derenne,1931; *bavarica* Forster & Wohlfahrt,1971 Original Reference: *Leucania sicula* Treitschke,1835, Schmett. Eur. 10(2): 90. Type(s): [Italy]: Palermo. Range (in code): Abe Sbd MA DZ Ah Ges Gue BtNa Bsk Agi DhM Tun Dzc Ahr Hmk Hrh Mzg TN PT ES FR Co Sa Si IT MT BE NL DE CH YU AL BG GR Cr TR CY YE YE47
- 64963. Mythimna (Aletia) straminea (Treitschke,1825)** (Noctuidae) Synonym(s): *straminea* Treitschke,1825 Original Reference: *Leucania straminea* Treitschke,1825, Schmett. Eur. 5 (2): 297. Lectotype ♂: Österreich (UNHM). Range (in code): MA ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Kr Kc Ich Da MD UA BY LB Beq IR Elb Gh Enz

- 64964. Mythimna (Aletia) tincta (Walker,1858)** (Noctuidae) Synonym(s): *tincta* Walker,1858
Range (in code): **ZA Nta Kzu Est**
- 64965. Mythimna (Aletia) umbriger (Saalmüller,1891)** (Noctuidae) Synonym(s): *umbriger* Saalmüller,1891
Range (in code): **ES GR ZA**
- 64966. Mythimna (Aletia) umbriger palaeartica (Boursin & Rungs,1952)** (Noctuidae)
Synonym(s): *palaeartica* Boursin & Rungs,1952
Range (in code):
- 64967. Mythimna (Aletia) velutina (Eversmann,1856)** (Noctuidae) Synonym(s): *velutina* Eversmann,1846
Range (in code): **RU Ur Sb At Am Prj Us KK Ik T-S MN U-B**
- 64968. Mythimna (Aletia) velutina velutina (Eversmann,1846)** (Noctuidae) Synonym(s): *velutina* Eversmann,1846
Range (in code): **RU Ur Sb At Am Prj Us KK Ik T-S MN U-B**
- 64969. Mythimna (Aletia) vitellina (Hübner,[1808])** (Noctuidae) Synonym(s): *vitellina* Hübner,[1808]; *#vitellina* Lederer,1870; *decolorata* Dannehl,1929; *saturation* Dannehl,1929; *grisea* Dannehl,1929.
Original Reference: *Noctua vitellina* Hübner,[1808], Samml. eur. Schmett.,Noct.2: Taf.81, fig.379. Type: [Europa]. Range (in code): **Cn MA MR DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Brs Ry Rwz Dia Agh DK RU At MD UA BY PK Ch NP IN Pj Kul CN IR Lo Es Ha Kh Fa Mz Elb Th Kdj AF Hr UZ Fe KK Ik TM KG TJ CY AZ Bak GG Cc LB Bsa SY JO IL Pa T-A Kp N-A Br Ro Kr St Kc Kb Nt Ing Ich Da Tbl Smt Bjo Bku Kir Gls Agi Blid Khh Gue Ges Btina BSa Anna Orn Abe Sfr Sbd DhM Sét Hrh Hmk**
- 64970. Mythimna (Aletia) vitellina thomasi Hacker, Hreblay & Plante,1992** (Noctuidae)
Synonym(s): *thomasi* Hacker, Hreblay & Plante,1992
Range (in code): **PK IN Pj Kul NP**
- 64971. Mythimna (Aletia) vulpecula (Eversmann,1852)** (Noctuidae) Synonym(s): *velutina* Eversmann,1846
Range (in code): **RU MD UA BY**
- 64972. Mythimna (Anapoma) riparia (Rambur,1829)** (Noctuidae) Synonym(s): *riparia* Rambur,1829
Range (in code): **MA DZ Sfr Btina Abe PT ES FR Co Sa Si IT YU AL BG GR Cr TR CY IR Mz Elb Gls Kh TM IL Pa SY**
- 64973. Mythimna (Hyphilare) abdita Hreblay & Yoshimatsu,1998** (Noctuidae)
Synonym(s): *abdita* Hreblay & Yoshimatsu,1998
Range (in code): **ID Ij Gth Afk ID Sum NP?**
- 64974. Mythimna (Hyphilare) albipuncta (Fabricius,1787)** (Noctuidae) Synonym(s): *#albipuncta* [Denis & Schiffermüller],1775; *albipuncta* (Fabricius,1787; *rufotincta* Wagner,1921. Original Reference: *Noctua albipuncta* Fabricius,1787, Mant. Ins. 2: 178, nr.275. Type(s): [Wien]. Range (in code): **Hrh Dzc Abe Sbd Sét Khh Blid DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Smt Bku Lag AZ Kir Nv Ord AM Cc DK SE FI LV RU Ro Kr St Kc Kb Nt Ich Ing Kyi Da MD UA BY IR Mz Elb Th Gh Gls Kdj Dam TM Kp** Bionomy: Larva on *Helescharis palustris* (Blaschke,1914).
- 64975. Mythimna (Hyphilare) albiviata (Hampson,1913)** (Noctuidae) Synonym(s): *albipuncta* W.Warren,1912 nec [Denis & Schiff.],1775; *albiviata* Hampson,1913
Range (in code): **PG PH Mno Luz**
- 64976. Mythimna (Hyphilare) albiviata amplia (Calora,1966)** (Noctuidae) Synonym(s): *amplia* Calora,1966
Range (in code): **PH Mno Luz**
- 64977. Mythimna (Hyphilare) albostrata Hreblay & Yoshimatsu,1998** (Noctuidae)
Synonym(s): *albostrata* Hreblay & Yoshimatsu,1998
Range (in code): **CN Sz T-T Fkn**
- 64978. Mythimna (Hyphilare) albovenosa Hreblay,1999** (Noctuidae) Synonym(s): *albovenosa* Hreblay,1999
Range (in code): **IN**
- 64979. Mythimna (Hyphilare) argentata Hreblay & Yoshimatsu,1998** (Noctuidae)
Synonym(s): *argentata* Hreblay & Yoshimatsu,1998
Range (in code): **TW**
- 64980. Mythimna (Hyphilare) argentea Yoshimatsu,1994** (Noctuidae) Synonym(s): *fasciata* Leech,1889 nec Mre.,1881; *argentea* Yoshimatsu,1994
Range (in code): **CN TkG VN TH CMa Fn Php**
- 64981. Mythimna (Hyphilare) argentifera Hreblay,1998** (Noctuidae) Synonym(s): *argentifera* Hreblay,1998
Range (in code): **ID Sum**
- 64982. Mythimna (Hyphilare) binigrata (W.Warren,1912)** (Noctuidae) Synonym(s): *binigrata* W.Warren,1912
Range (in code):
- 64983. Mythimna (Hyphilare) biscornuta Hreblay & Legrain & Yoshimatsu,1998** (Noctuidae) Synonym(s): *biscornuta* Hreblay & Legrain & Yoshimatsu,1998
Range (in code): **ID Sum**
- 64984. Mythimna (Hyphilare) borneana Yoshimatsu,1995** (Noctuidae) Synonym(s): *borneana* Yoshimatsu,1995
Range (in code): **MY Bor**
- 64985. Mythimna (Hyphilare) brevia Hreblay & Legrain,1998** (Noctuidae) Synonym(s): *brevia* Hreblay & Legrain,1998
Range (in code): **PG**
- 64986. Mythimna (Hyphilare) brunneicoccinea (Calora,1966)** (Noctuidae) Synonym(s): *brunneicoccinea* Calora,1966
Range (in code):

- 64987. Mythimna (Hyphilare) celebina Hreblay,1998** (Noctuidae) *Synonym(s): celebina Hreblay,1998* - Range (in code): ID Clb
- 64988. Mythimna (Hyphilare) consimilis (Moore,1882)** (Noctuidae) *Synonym(s): consimilis Moore,1882; lineatissima W.Warren,1912* - Range (in code): TH CMa Fn Php Kob
- 64989. Mythimna (Hyphilare) conversa Hreblay & Yoshimatsu,1998** (Noctuidae) *Synonym(s): conversa Hreblay & Yoshimatsu,1998* - Range (in code): ID Sum
- 64990. Mythimna (Hyphilare) dharma (Moore,1881)** (Noctuidae) *Synonym(s): dharma Moore,1881* - Range (in code): IN SI DjI TH CMa Fn Php MAI Sop Kop Mae Pai Nan Pua Bou VN Lci Ton Fan ID Sum
- 64991. Mythimna (Hyphilare) ferrago (Fabricius,1787)** (Noctuidae) *Synonym(s): ferrago Fabricius,1787; lithargyria Esper,[1788]; grisea Stephens,1829; anargyria Boisduval,1840; argyristis Rambur,1858; meridionalis Dannehl,1926* Original Reference: Noctua ferrago Fabricius,1787, Mant. Ins. 2: 160, nr.170. Type(s): [Germany]; Kiliae [=Kiel]. Range (in code): DZ MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ IR Fa Mz Elb Th Dam Gh DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Ing Da At Sb Ur MD UA BY CN Ui Kun TM KK TrA KG LB IL Pa PK Gg Ch Kag Hu Swa GG AZ AM Cc Smt Bjo Mng Lag Kir Haz Abe Sbd Sét DhM TN
- 64992. Mythimna (Hyphilare) ferrago caliginata Hreblay,1999** (Noctuidae) *Synonym(s): caliginata Hreblay,1999* - Range (in code): PK Gg Ch Haz Kag Hu Swa
- 64993. Mythimna (Hyphilare) foranea (Draudt,1950)** (Noctuidae) *Synonym(s): foranea Draudt,1950* - Range (in code): CN
- 64994. Mythimna (Hyphilare) formosicola Yoshimatsu,1994** (Noctuidae) *Synonym(s): formosicola Yoshimatsu,1994* - Range (in code): TW
- 64995. Mythimna (Hyphilare) grata Hreblay,1996** (Noctuidae) *Synonym(s): grata Hreblay,1996* - Range (in code):
- 64996. Mythimna (Hyphilare) hirashimai Yoshimatsu,1994** (Noctuidae) *Synonym(s): hirashimai Yoshimatsu,1994* - Range (in code):
- 64997. Mythimna (Hyphilare) honeyi (Yoshimatsu,1990)** (Noctuidae) *Synonym(s): honeyi Yoshimatsu,1990* - Range (in code): PH Mno Luz
- 64998. Mythimna (Hyphilare) ignifera Hreblay,1998** (Noctuidae) *Synonym(s): ignifera Hreblay,1998* - Range (in code): TH CMa Php Fn Nan Pua Kob Nor IN Meg Ass Khs VN Ton Lci
- 64999. Mythimna (Hyphilare) ignita (Hampson,1905)** (Noctuidae) *Synonym(s): ignita Hampson,1905* - Range (in code): IN Ass Meg Khs IN Hp VN Ton TH CMa Kob Nor Fn Php Nan Pua Agk
- 65000. Mythimna (Hyphilare) ignorata Hreblay & Yoshimatsu,1998** (Noctuidae) *Synonym(s): ignorata Hreblay & Yoshimatsu,1998* - Range (in code): TH CMa Php Fn Nan Pua Bou CN Kwa
- 65001. Mythimna (Hyphilare) ignota Hreblay,1998** (Noctuidae) *Synonym(s): ignota Hreblay,1998* - Range (in code): TH CMa Php Fn
- 65002. Mythimna (Hyphilare) intermediata (Yoshimatsu,1990)** (Noctuidae) *Synonym(s): intermediata Yoshimatsu,1990* - Range (in code): PH Luz
- 65003. Mythimna (Hyphilare) javacorna Hreblay & Legrain,1998** (Noctuidae) *Synonym(s): javacorna Hreblay & Legrain,1998* - Range (in code): ID Ja Bli Flo Tim
- 65004. Mythimna (Hyphilare) kerala Hreblay & Legrain,1999** (Noctuidae) *Synonym(s): kerala Hreblay & Legrain,1999* - Range (in code): IN
- 65005. Mythimna (Hyphilare) larga Hreblay,1998** (Noctuidae) *Synonym(s): larga Hreblay,1998* - Range (in code): ID Sum
- 65006. Mythimna (Hyphilare) lasiomera (Hampson,1895)** (Noctuidae) *Synonym(s): lasiomera Hampson,1895; sumatrana Swinhoe,1915* - Range (in code): ID Sum Ja
- 65007. Mythimna (Hyphilare) liebherri (Yoshimatsu,1991)** (Noctuidae) *Synonym(s): liebherri Yoshimatsu,1991* - Range (in code):
- 65008. Mythimna (Hyphilare) litoralis (Curtis,1827)** (Noctuidae) *Synonym(s): litoralis Curtis,1827* - Range (in code): PT ES FR IE GB BE NL DE PL DK SE RU
- 65009. Mythimna (Hyphilare) manopi Hreblay,1998** (Noctuidae) *Synonym(s): manopi Hreblay,1998* - Range (in code): TH CMa Php Fn Mae Nan Bou Pua Sop Kob Wia Nor NP
- 65010. Mythimna (Hyphilare) maxima Hreblay,1998** (Noctuidae) *Synonym(s): maxima Hreblay,1998* - Range (in code): PH Mno Luz
- 65011. Mythimna (Hyphilare) mediana (Moore,1881)** (Noctuidae) *Synonym(s): mediana Moore,1881* - Range (in code): IN NP

- 65012. Mythimna (Hyphilare) metaphaea (Hampson,1905)** (Noctuidae) **Synonym(s):** *metaphaea Hampson,1905* _ **Range (in code): IN Tn Pln**
- 65013. Mythimna (Hyphilare) moorei (Swinhoe,1902)** (Noctuidae) **Synonym(s):** *moorei Swinhoe,1902* _ **Range (in code): PK Haz Kag NP TH CMa Phu ID Sum**
- 65014. Mythimna (Hyphilare) moriutii Yoshimatsu & Hreblay,1996** (Noctuidae) **Synonym(s):** *moriutii Yoshimatsu & Hreblay,1996* _ **Original Reference:** *Mythimna (Hyphilare) moriutii Yoshimatsu & Hreblay,1996, Trans. lepid. Soc. Japan 47 (1): 13-16, figs. Holotype ♂: Thailand, Chiang Mai, Doi Inthanon 1300m , S.Moriuti,T.Saito & Y.Arita leg. Range (in code): TH CMa Int*
- 65015. Mythimna (Hyphilare) munnari Hreblay,1999** (Noctuidae) **Synonym(s):** *munari Hreblay,1999* _ **Range (in code): IN**
- 65016. Mythimna (Hyphilare) nepalina Hreblay & Yoshimatsu,1994** (Noctuidae) **Synonym(s):** *nepalina Hreblay & Yoshimatsu,1994* _ **Range (in code): NP**
- 65017. Mythimna (Hyphilare) nepos (Leech,1900)** (Noctuidae) **Synonym(s):** *nepos Leech,1900; major Draudt,1950; pseudaletiana Berio,1973* _ **Range (in code): TH**
- 65018. Mythimna (Hyphilare) obscurographa Hreblay,1999** (Noctuidae) **Synonym(s):** *obscurographa Hreblay,1999* _ **Range (in code): TH CMa Kob Php Fn Nor**
- 65019. Mythimna (Hyphilare) perirrorata (W.Warren,1913)** (Noctuidae) **Synonym(s):** *perirrorata W.Warren,1913* _ **Range (in code):**
- 65020. Mythimna (Hyphilare) purpurpatagis (Chang,1991)** (Noctuidae) **Synonym(s):** *purpurpatagis Chang,1991* _ **Range (in code):**
- 65021. Mythimna (Hyphilare) quasimodo Hreblay,1998** (Noctuidae) **Synonym(s):** *quasimodo Hreblay,1998* _ **Range (in code): ID Sum**
- 65022. Mythimna (Hyphilare) radiata (Bremer,1861)** (Noctuidae) **Synonym(s):** *radiata Bremer,1861; stellata Hampson,1905* _ **Range (in code): RU Am CN JP**
- 65023. Mythimna (Hyphilare) reversa (Moore,1884)** (Noctuidae) **Synonym(s):** *reversa Moore,1884* _ **Range (in code): IN Hp Sml TH VN ID Sum Ij PH Luz Mno Neg Ceb PG AU QAU**
- 65024. Mythimna (Hyphilare) reversa fortior (W.Warren,1912)** (Noctuidae) **Synonym(s):** *fortior W.Warren,1912* _ **Range (in code): ID Ij AU QAU**
- 65025. Mythimna (Hyphilare) rudis (Moore,1888)** (Noctuidae) **Synonym(s):** *rudis Moore,1888* _ **Range (in code):**
- 65026. Mythimna (Hyphilare) rushanensis Yoshimatsu,1994** (Noctuidae) **Synonym(s):** *rushanensis Yoshimatsu,1994* _ **Range (in code): TW**
- 65027. Mythimna (Hyphilare) siamensis Hreblay,1998** (Noctuidae) **Synonym(s):** *siamensis Hreblay,1998* _ **Range (in code): TH CMa Fn Php Phu VN Ton Lci Fan**
- 65028. Mythimna (Hyphilare) similissima Hreblay & Yoshimatsu,1996** (Noctuidae) **Synonym(s):** *similissima Hreblay & Yoshimatsu,1996* _ **Range (in code):**
- 65029. Mythimna (Hyphilare) simplex (Leech,1889)** (Noctuidae) **Synonym(s):** *simplex Leech,1889* _ **Range (in code): JP CN TH CMa Wia Nan Bou Pua ID Sum TW IN NI NP PH Mno Luz PG**
- 65030. Mythimna (Hyphilare) simplex corrugata (Hampson,1894)** (Noctuidae) **Synonym(s):** *corrugata Hampson,1894* _ **Range (in code): NP**
- 65031. Mythimna (Hyphilare) simplex curta Hreblay,1998** (Noctuidae) **Synonym(s):** *curta Hreblay,1998* _ **Range (in code): PH Mno Luz PG**
- 65032. Mythimna (Hyphilare) simplex incognita Draudt,1934** (Noctuidae) **Synonym(s):** *impuncta Staudinger,1892; incognita Draudt,1934* _ **Range (in code):**
- 65033. Mythimna (Hyphilare) simplex japonica Yoshimatsu,1994** (Noctuidae) **Synonym(s):** *japonica Yoshimatsu,1994* _ **Range (in code): JP**
- 65034. Mythimna (Hyphilare) simplex semiusta (Hampson,1891)** (Noctuidae) **Synonym(s):** *semiusta Hampson,1891* _ **Range (in code): IN NI**
- 65035. Mythimna (Hyphilare) simplex simplex (Leech,1889)** (Noctuidae) **Synonym(s):** *simplex Leech,1889* _ **Range (in code): CN TH CMa Wia Nan Bou Pua ID Sum TW**
- 65036. Mythimna (Hyphilare) tibetensis Hreblay,1998** (Noctuidae) **Synonym(s):** *tibetensis Hreblay,1998* _ **Range (in code): CN Ti IN SI**
- 65037. Mythimna (Hyphilare) tricornata Hreblay, Legrain & Yoshimatsu,1998** (Noctuidae) **Synonym(s):** *tricornata Hreblay, Legrain & Yoshimatsu,1998* _ **Range (in code): MM TH Nan CMa Fn Php Kob Sop MAI Bou Smn Pua Dpk Agk IN Meg Khs Ass Nag ID Ja Sum PH Luz VN Ton Lci HK**

- 65038. Mythimna (Hyphilare) undina (Draudt,1950)** (Noctuidae) Synonym(s): undina Draudt,1950 - Range (in code):
- 65039. Mythimna (Hyphilare) v-album (Hampson,1891)** (Noctuidae) Synonym(s): v-album Hampson,1891 - Range (in code): IN
- 65040. Mythimna (Morphopoliana) altiphila Hreblay & Legrain,1996** (Noctuidae) Synonym(s): altiphila Hreblay & Legrain,1996 - Range (in code): ET
- 65041. Mythimna (Morphopoliana) atritorna (Hampson,1911)** (Noctuidae) Synonym(s): atritorna Hampson,1911 - Range (in code): NG
- 65042. Mythimna (Morphopoliana) graditornalis Berio,1970** (Noctuidae) Synonym(s): graditornalis Berio,1970 - Range (in code): ZR
- 65043. Mythimna (Morphopoliana) languida (Walker,1858)** (Noctuidae) Synonym(s): consanguis auct. nec Gn.,1852; languida Walker,1858; zachii Bohatsch,1880; abbas Bethune-Baker,1894; arbia Boursin & Rungs,1952. Original Reference: Hadenia languida Walker,1858, List Specimens lepid. Insects Colln Br. Mus. 15: 1728. Syntypes: [South Africa]: Natal. Range (in code): DZ MT PT FR GR Cr TR EG EGo5 ZA Nta LB Beq Bei IL Pa SY JO IR Fa Ss IQ CY
- 65044. Mythimna (Morphopoliana) mauritiusi Hreblay,1998** (Noctuidae) Synonym(s): mauritiusi Hreblay,1998 - Range (in code): MU MG
- 65045. Mythimna (Morphopoliana) montigena Hreblay & Legrain,1996** (Noctuidae) Synonym(s): montigena Hreblay & Legrain,1996 - Range (in code): TZ
- 65046. Mythimna (Morphopoliana) natalensis (Butler,1875)** (Noctuidae) Synonym(s): natalensis Butler,1875 - Range (in code): ZA Nta Kzu Tva Lpo ZW MW ZA MZ YE UG
- 65047. Mythimna (Morphopoliana) plantei Hreblay & Yoshimatsu,1996** (Noctuidae) Synonym(s): plantei Hreblay & Yoshimatsu,1996 - Range (in code): TW
- 65048. Mythimna (Morphopoliana) poliastris (Hampson,1902)** (Noctuidae) Synonym(s): poliastris Hampson,1902 - Range (in code): KE Nai ZW Har ZA Tva Gau Pre Ec Tra
- 65049. Mythimna (Morphopoliana) thailandica Hreblay,1998** (Noctuidae) Synonym(s): thailandica Hreblay,1998 - Range (in code): TH CMa Sop Kop Php Fn MAI Nan Pua
- 65050. Mythimna (Pseudaletia) idisana (Franclemont,1951)** (Noctuidae) Synonym(s): idisana Franclemont,1951 - Range (in code):
- 65051. Mythimna (Pseudaletia) moireri (Plante,1993)** (Noctuidae) Synonym(s): moireri Plante,1993 - Range (in code): PG
- 65052. Mythimna (Pseudaletia) pallidicosta (Hampson,1894)** (Noctuidae) Synonym(s): albicosta Moore,1882 (praeocc.); pallidicosta Hampson,1894 - Range (in code): IN SI LK Up Bhi ID Sum PH
- 65053. Mythimna (Pseudaletia) pallidicosta brevipennis (W.Warren,1913)** (Noctuidae) Synonym(s): brevipennis W.Warren,1913 - Range (in code): LK ID Sum PH
- 65054. Mythimna (Pseudaletia) pallidicosta pallidicosta (Hampson,1894)** (Noctuidae) Synonym(s): albicosta Moore,1882 (praeocc.); pallidicosta Hampson,1894 - Range (in code):
- 65055. Mythimna (Pseudaletia) pallidicosta saturata (W.Warren,1913)** (Noctuidae) Synonym(s): saturata W.Warren,1913 - Range (in code): PH ID Sum LK
- 65056. Mythimna (Pseudaletia) separata (Walker,1865)** (Noctuidae) Synonym(s): separata Walker,1865 - Range (in code): CN IN Up Bhi Nnt Kil Mhh
- 65057. Mythimna (Pseudaletia) teneri Hreblay,1999** (Noctuidae) Synonym(s): teneri Hreblay,1999 - Range (in code): ID Ja
- 65058. Mythimna (Pseudaletia) unipuncta (Haworth,[1809])** (Noctuidae) Synonym(s): unipuncta Haworth,[1809]; extranea Guenée,1852; antica Walker,1856; tseki Koutsaftikis,1974. Original Reference: Noctua unipuncta Haworth,[1809], Lep. Br. 2: 174. Type(s): England. Range (in code): Md Cn DZ MA TN PT ES FR Co Sa Si IT MT IS IE GB NL LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR DK SE RU Ur Sb At Am Us MD UA BY AF Gbh Pli Srb Kab CN JP Ch IN Pj Kul PK Mre Cp Hp Drm SI Clc Bba ID Ja AU NSW Syd NZ CA US Ny Ilm Alb NMx Arz Tx Kan Col MX GT Prj CR PA BR AR VE CU PU Az Flo CY IL Pa LB Bsa SY Hal JO ZA Nta Kzu IR Mz Elb Th GlS Dam Kd Sqq Bne Lo Cc Ro St Kb Kc Nt Ich Cp Haz YE Ad DhM Abe
- 65059. Mythimna (s.str.) albomarginata (Wileman & South,1920)** (Noctuidae) Synonym(s): albomarginata Wileman & South,1920 - Range (in code): PH Luz ID Sum TH CMa Fn Php Nan Pua NP TW
- 65060. Mythimna (s.str.) aurotrigoni Hreblay,1998** (Noctuidae) Synonym(s): aurotrigoni Hreblay,1998 - Range (in code): TH CMa Fn Php Kob
- 65061. Mythimna (s.str.) bani (Sugi,1977)** (Noctuidae) Synonym(s): bani Sugi,1977 - Range (in code): CN TW KR

- 65062. Mythimna (s.str.) bicolorata (Plante,1992)** (Noctuidae) **Synonym(s):** *bicolorata* Plante,1992 **_ Range (in code):** **TH CMa Php Fn Kob Nor Nan Pua CN Kwa**
- 65063. Mythimna (s.str.) cameroni Hreblay & Yoshimatsu,1998** (Noctuidae) **Synonym(s):** *cameroni* Hreblay & Yoshimatsu,1998 **_ Range (in code):** **MY Pah Cmh**
- 65064. Mythimna (s.str.) Chiangmai Hreblay & Yoshimatsu,1998** (Noctuidae) **Synonym(s):** *Chiangmai* Hreblay & Yoshimatsu,1998 **_ Range (in code):** **TH CMa Mae Sop Kob Php Fn Nor Nan Pua MAI Dst Bkm Pki VN**
- 65065. Mythimna (s.str.) decisissima (Walker,1865)** (Noctuidae) **Synonym(s):** *decisissima* Walker,1865 **_ Range (in code):** **TH**
- 65066. Mythimna (s.str.) denticula (Hampson,1893)** (Noctuidae) **Synonym(s):** *denticula* Hampson,1893 **_ Range (in code):** **LK**
- 65067. Mythimna (s.str.) godavariensis (Yoshimoto,1992)** (Noctuidae) **Synonym(s):** *godavariensis* Yoshimoto,1992 **_ Range (in code):** **NP**
- 65068. Mythimna (s.str.) khasiensis Hreblay & Legrain,1998** (Noctuidae) **Synonym(s):** *khasiensis* Hreblay & Legrain,1998 **_ Range (in code):** **IN Ass Meg Khs**
- 65069. Mythimna (s.str.) legraini (Plante,1992)** (Noctuidae) **Synonym(s):** *legraini* Plante,1992 **_ Range (in code):** **TH CMa Fn Php VN Lei Fan Ton**
- 65070. Mythimna (s.str.) placida Butler,1878** (Noctuidae) **Synonym(s):** *placida* Butler,1878 **_ Range (in code):** **JP**
- 65071. Mythimna (s.str.) stueningi (Plante,1992)** (Noctuidae) **Synonym(s):** *stueningi* Plante,1992 **_ Range (in code):** **CN**
- 65072. Mythimna (s.str.) suavina Hreblay,1998** (Noctuidae) **Synonym(s):** *suavina* Hreblay,1998 **_ Range (in code):** **MM TH CMa Fn Php**
- 65073. Mythimna (s.str.) subplacida (Sugi,1977)** (Noctuidae) **Synonym(s):** *subplacida* Sugi,1977 **_ Range (in code):** **TW**
- 65074. Mythimna (s.str.) turca (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *turca* Linnaeus,1761; *volupia* Hufnagel,1766; *camuna* Turati,1914. **_ Range (in code):** **ES FR Co Sa? IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LV LT RU Cc AZ Kir Ro Kc MD UA BY JP** **Bionomy:** Larva on *Luzula* (Warren,1910).
- 65075. Mythimna algerica (Oberthür,1918)** (Noctuidae) **Synonym(s):** *algerica* Oberthür,1918 **Original Reference:** *Leucania algerica* Oberthür,1918, *Etud. Lépid. comp.* 16: 19, pl.xcl fig.4045, 4046. Type: Algérie, Batna. **_ Range (in code):** **DZ Btina Hrh Sfr ES**
- 65076. Mythimna favicolor (Barrett,1896)** (Noctuidae) **Synonym(s):** *favicolor* Barrett,1896 **_ Range (in code):** **GB NL DE**
- 65077. Mythimna flammea (Curtis,1828)** (Noctuidae) **Synonym(s):** *flammea* Curtis,1828 **Original Reference:** *Melia flammea* Curtis,1828, *Brit. Ent.* 5: 50 (201). **_ Range (in code):** **FR IT GB BE NL DE AT SK HU RO BG DK SE FI EE LV LT RU Cc Ro Ich Da MD UA BY**
- 65078. Mythimna joannisi Boursin & Rungs,1952** (Noctuidae) **Synonym(s):** *joannisi* Boursin & Rungs,1952 **_ Range (in code):** **MA PT ES FR Co Sa IT GR IR Hz B-A**
- 65079. Mythimna joannisi arbia (Boursin & Rungs,1952)** (Noctuidae) **Synonym(s):** *arbia* Boursin & Rungs,1952 **_ Range (in code):** **MA PT ES FR Co Sa IT GR IR Hz B-A**
- 65080. Mythimna opaca (Staudinger,1899)** (Noctuidae) **Synonym(s):** *opaca* Staudinger,1899 **_ Range (in code):** **RU Ur**
- 65081. Mythimna sokotrensis Hreblay,1996** (Noctuidae) **Synonym(s):** *sokotrensis* Hreblay,1996 **_ Range (in code):** **YE Sk ET ET24**
- 65082. Naarda flavisignata Vari,1962** (Noctuidae) **Synonym(s):** *flavisignata* Vari,1962 **_ Range (in code):** **ZA**
- 65083. Naarda leucopis Hampson,1902** (Noctuidae) **Synonym(s):** *leucopis* Hampson,1902 **_ Range (in code):** **ZA Ec Tra**
- 65084. Naarda melanomma Hampson,1902** (Noctuidae) **Synonym(s):** *melanomma* Hampson,1902 **_ Range (in code):** **ZA**
- 65085. Naarda xanthopis Hampson,1902** (Noctuidae) **Synonym(s):** *xanthopis* Hampson,1902 **_ Range (in code):** **ZA**
- 65086. Nacna javensis (W.Warren,1912)** (Noctuidae) **Synonym(s):** *javensis* W.Warren,1912 **_ Range (in code):** **ID Ja**
- 65087. Nacna malachistis (Oberthür,1880)** (Noctuidae) **Synonym(s):** *malachistis* Oberthür,1880 **_ Range (in code):** **RU Us Ask KP KR JP**

- 65088. *Nacna prasinaria* (Walker,1865)** (Noctuidae) Synonym(s): *prasinaria* Walker,1865
Range (in code): **IN SI Djl NP CN TH VN**
- 65089. *Nacna pulchripicta* (Walker,1865)** (Noctuidae) Synonym(s): *pulchripicta* Walker,1865
Range (in code): **NP**
- 65090. *Nacna smaragdina* (Draudt,1937)** (Noctuidae) Synonym(s): *smaragdina* Draudt,1937
Range (in code): **CN She**
- 65091. *Nacna splendens* (Moore,1888)** (Noctuidae) Synonym(s): *splendens* Moore,1888
Range (in code): **IN Hp Drm Up Nnt Bhi NP TH Knc CMa CDo Pki Dst Dso8 VN CN TW**
- 65092. *Nacna sugitanii* (Nagano,1918)** (Noctuidae) Synonym(s): *sugitanii* Nagano,1918
Range (in code): **JP**
- 65093. *Naenia typica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *typica* Linnaeus,1758; *filicis* Goeze,1781; *venosa* Hübner,[1803]; *excusa* Esper,[1805]; *claricolor* Schawerda,1928. Original Reference: *Phalaena typica* Linnaeus,1758, Syst. Nat. (Ed.10)1: 518. Type(s): [Europa]. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ro Kr St MD UA BY Cc AM AZ Kir Lag GG IR Sb At KK Ik**
- 65094. *Nagadeba celenoalis* (Walker,1858)** (Noctuidae) Synonym(s): *celenoalis* Walker,1858
Range (in code):
- 65095. *Nagadeba cinerea* Hampson,1895** (Noctuidae) Synonym(s): *cinerea* Hampson,1895; *curvilineata* Hampson,1895 _ Range (in code): **SI Adm Nag BT IN**
- 65096. *Nagadeba indecoralis* Walker,1865** (Noctuidae) Synonym(s): *indecoralis* Walker,1865; *ianthina* Swinhoe,1890 _ Range (in code): **LK IN NI ID Ja MM**
- 65097. *Nagadeba polia* (Hampson,1891)** (Noctuidae) Synonym(s): *polia* Hampson,1891
Range (in code): **LK Pdy IN NI**
- 65098. *Nagadeba szetschwanensis* Draeseke,1928** (Noctuidae) Synonym(s): *szetschwanensis* Draeseke,1928 _ Range (in code): **CN Sz**
- 65099. *Naganoella timandra* (Alpheraky,1897)** (Noctuidae) Synonym(s): *timandra* Alpheraky,1897; *pvilcherina* Nagano,1918 _ Range (in code): **JP KP KR CN RU Us TH CMa Dst**
- 65100. *Nagia amplificans* (Walker,1858)** (Noctuidae) Synonym(s): *amplificans* Walker,1858
Range (in code): **ZA Nta Kzu**
- 65101. *Nagia evanescens* Hampson,1926** (Noctuidae) Synonym(s): *evanescens* Hampson,1926
Range (in code): **NG Caa**
- 65102. *Nagia godfreyi* Tams,1924** (Noctuidae) Synonym(s): *godfreyi* Tams,1924 _ Range (in code): **TH CMa Int**
- 65103. *Nagia gravipes* Walker,1858** (Noctuidae) Synonym(s): *gravipes* Walker,1858 _ Range (in code): **ZA SL**
- 65104. *Nagia homotona* Hampson,1926** (Noctuidae) Synonym(s): *homotona* Hampson,1926
Range (in code): **GH**
- 65105. *Nagia linteola* (Guenée,1852)** (Noctuidae) Synonym(s): *linteola* Guenée,1852; *pilipes* Guenée,1852; *syba* Guenée,1852; *ecclesiastica* Butler,1874; *leucocelis* Mabille,1879; *accolytis* Hampson,1926; *hieratica* Hampson,1926; *monastica* Hampson,1926; *proselytis* Hampson,1926; *magaruna* De Joannis,1932; *homotica* Tams,1935 _ Range (in code): **ZA WS MU PG TO MG AU ET MH CC TH CMa Dst Mth MM VN IN NP LK ID Bor YE RE**
- 65106. *Nagia melipotica* Hampson,1926** (Noctuidae) Synonym(s): *melipotica* Hampson,1926
Range (in code): **ZA Nta Kzu Dbn**
- 65107. *Nagia microsema* Hampson,1926** (Noctuidae) Synonym(s): *microsema* Hampson,1926
Range (in code): **GH**
- 65108. *Nagia monosema* Hampson,1926** (Noctuidae) Synonym(s): *monosema* Hampson,1926
Range (in code): **GH**
- 65109. *Nagia natalensis* (Hampson,1902)** (Noctuidae) Synonym(s): *natalensis* Hampson,1902
Range (in code): **ZA Nta Kzu**
- 65110. *Nagia pseudonatalensis* (Strand,1912)** (Noctuidae) Synonym(s): *pseudonatalensis* Strand,1912 _ Range (in code): **TZ**
- 65111. *Nagia sacerdotis* Hampson,1926** (Noctuidae) Synonym(s): *sacerdotis* Hampson,1926
Range (in code): **ZA Tva Lpo**
- 65112. *Nagia subalbida* Hampson,1926** (Noctuidae) Synonym(s): *subalbida* Hampson,1926
Range (in code): **ZA Tva Lpo Ly**
- 65113. *Nagia subterminalis* Wileman & South,1921** (Noctuidae) Synonym(s): *subterminalis* Wileman & South,1921 _ Range (in code): **PH Luz**

- 65114. *Nagia vadoni* Viette,1968** (Noctuidae) Synonym(s): *vadoni* Viette,1968 _ Range (in code): MG
- 65115. *Namangana adela* (Hampson,1902)** (Noctuidae) Synonym(s): *adela* Hampson,1902
Range (in code): ZA BW
- 65116. *Namangana atripars* Hampson,1909** (Noctuidae) Synonym(s): *atripars* Hampson,1909
Range (in code): ZA Ec
- 65117. *Namangana thyatiroides* Hampson,1918** (Noctuidae) Synonym(s): *thyatiroides* Hampson,1918 _ Range (in code): ZA MZ
- 65118. *Nanaguna aenea* (Swinhoe,1884)** (Noctuidae) Synonym(s): *aenea* Swinhoe,1884
Range (in code): PK Krc Sd
- 65119. *Nanaguna albisecta* Hampson,1905** (Noctuidae) Synonym(s): *albisecta* Hampson,1905
Original Reference: Nanaguna albisecta Hampson,1905, Ann. Mag. nat. Hist. (7) 16: 583-584.
Type ♀: [Sri Lanka]: Ceylon, Puttalam (BMNH). Range (in code): LK IN Meg Ass Khs ID
- 65120. *Nanaguna breviscula* Walker,1863** (Noctuidae) Synonym(s): *breviuscula* Walker,1863; *valida* Walker,1863; *rudis* Walker,1864; *xyloglypta* Lucas,1890; *nigridisca* Hampson,1891; *floccifera* Hampson,1894 _ Range (in code): TH CMA CDo MY Bor Swk AU QAU IN NI Nag Ass MM Tns
- 65121. *Nanaguna brunnea* Hampson,1905** (Noctuidae) Synonym(s): *brunnea* Hampson,1905
Range (in code): IN Meg Ass Khs
- 65122. *Nanaguna erastioides* (Walker,1862)** (Noctuidae) Synonym(s): *erastioides* Walker,1862
Range (in code): MY Bor Swk
- 65123. *Nanaguna herbida* (Walker,1864)** (Noctuidae) Synonym(s): *herbida* Walker,1864
Range (in code): MY Bor Swk
- 65124. *Nanaguna variegata* (Hampson,1894)** (Noctuidae) Synonym(s): *variegata* Hampson,1894
Range (in code): IN Ass Nag MM Tns
- 65125. *Nanaguna vittalis* (Walker,1866)** (Noctuidae) Synonym(s): *vittalis* Walker,1866
Range (in code): MY Bor Swk
- 65126. *Nanola hluchyi* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *hluchyi* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): TH Nan
- 65127. *Narangodes haemorrhanta* Hampson,1910** (Noctuidae) Synonym(s): *haemorrhanta* Hampson,1910 _ Range (in code): TH CMA CDo PKi
- 65128. *Narangodes nigridiscata* (Swinhoe,1901)** (Noctuidae) Synonym(s): *nigridiscata* Swinhoe,1901 _ Range (in code): AU QAU
- 65129. *Narangodes nudariodes* (Hampson,1918)** (Noctuidae) Synonym(s): *nudariodes* Hampson,1918 _ Range (in code): PH Luz
- 65130. *Neachrostita bipuncta* Sugi,1982** (Noctuidae) Synonym(s): *bipuncta* Sugi,1982 _ Range (in code): JP
- 65131. *Neachrostita brunneiplaga* (Swinhoe,1905)** (Noctuidae) Synonym(s): *brunneiplaga* Swinhoe,1905 _ Range (in code): IN Ass Meg Khs
- 65132. *Neachrostita diapera* (Hampson,1926)** (Noctuidae) Synonym(s): *diapera* Hampson,1926
Range (in code): ID Bor
- 65133. *Neachrostita inconstans* (Moore,1888)** (Noctuidae) Synonym(s): *inconstans* Moore,1888
Range (in code): IN Hp Drm
- 65134. *Neachrostita kasyi* Wiltshire,1971** (Noctuidae) Synonym(s): *kasyi* Wiltshire,1971
Range (in code): AF Pag
- 65135. *Neachrostita leechi* Wileman,1915** (Noctuidae) Synonym(s): *leechi* Wileman,1915
Range (in code): TW
- 65136. *Neachrostita limbata* Wileman,1915** (Noctuidae) Synonym(s): *limbata* Wileman,1915
Range (in code): TW
- 65137. *Neachrostita lobbichleri* Wiltshire,1968** (Noctuidae) Synonym(s): *lobbichleri* Wiltshire,1968
Original Reference: Neachrostita lobbichleri Wiltshire,1968, Entomologist 101: 166, Pl.2 fig.6, Gen. fig.3. Holotype ♂: [Pakistan]: N.W.Karakoram, Hunza-Nagar Dabaié, 3000m, 25.vii.1959, F.Lobbichler leg. (ZSM). Range (in code): PK Gg Hu
- 65138. *Neachrostita purpureoflava* Sugi,1982** (Noctuidae) Synonym(s): *purpureoflava* Sugi,1982
Range (in code): JP
- 65139. *Neachrostita undulata* (Hampson,1893)** (Noctuidae) Synonym(s): *undulata* Hampson,1893 _ Range (in code): LK

- 65140. Neaxestis acutangula Hampson,1902** (Noctuidae) Synonym(s): *acutangula* Hampson,1902; #*actuangua* Hampson,1902 _ Range (in code): **ZA Ans Ec**
- 65141. Neaxestis aviuncis Wiltshire,1984** (Noctuidae) Synonym(s): *aviuncis* Wiltshire,1984
Range (in code): **ZA**
- 65142. Neaxestis griseata Hampson,1902** (Noctuidae) Synonym(s): *griseata* Hampson,1902
Range (in code): **ZW Uma**
- 65143. Neaxestis irrorata (Hampson,1910)** (Noctuidae) Synonym(s): *irrorata* Hampson,1910
Range (in code): **ZA**
- 65144. Neaxestis mesogonia (Hampson,1905)** (Noctuidae) Synonym(s): *mesogonia* Hampson,1905 _ Range (in code): **ET SD GM MR**
- 65145. Neaxestis montivalva Wiltshire,1986** (Noctuidae) Synonym(s): *montivalva* Wiltshire,1986
Range (in code): **SA**
- 65146. Neaxestis piperita (Hampson,1905)** (Noctuidae) Synonym(s): *piperita* Hampson,1905
Range (in code): **NG**
- 65147. Neaxestis rhoda Hampson,1905** (Noctuidae) Synonym(s): *rhoda* Hampson,1905
Range (in code): **ZA Tva Lpo Spb Mdk ZW**
- 65148. Nechesia albotentata Walker,1862** (Noctuidae) Synonym(s): *albotentata* Walker,1862
Range (in code): **MY Bor Swk**
- 65149. Negeta abbreviata (Walker,1862)** (Noctuidae) Synonym(s): *abbreviata* Walker,1862; *becki* Kobes,1997 _ Range (in code): **MY Bor Swk Sbh KBa ID Sum**
- 65150. Negeta aureata Holloway,2003** (Noctuidae) Synonym(s): *aureata* Holloway,2003
Range (in code): **MY Bor BN ID Sum Klt**
- 65151. Negeta contrariata Walker,1862** (Noctuidae) Synonym(s): *contrariata* Walker,1862; *signata* Walker,[1863]; *reversa* Walker,[1863]; *leucospila* Walker,1865; *apicalis* Moore,1887; *costalis* Gaede,1938; *disalis* Gaede,1938; *subterminalis* Gaede,1938 _ Range (in code): **MY Bor AU SB Bsm**
- 65152. Negeta luminosa (Walker,1858)** (Noctuidae) Synonym(s): *luminosa* Walker,1858
Range (in code): **ZA NG MR YE SL**
- 65153. Negeta montanata Holloway,2003** (Noctuidae) Synonym(s): *montanata* Holloway,2003
Range (in code): **MY Bor Sbh KBa**
- 65154. Negeta nivea (Hampson,1902)** (Noctuidae) Synonym(s): *nivea* Hampson,1902 _ Range (in code): **ZW Har**
- 65155. Negeta purpurascens Hampson,1912** (Noctuidae) Synonym(s): *purpurascens* Hampson,1912 _ Range (in code): **GH MR**
- 65156. Negeta ruficeps (Hampson,1902)** (Noctuidae) Synonym(s): *ruficeps* Hampson,1902
Range (in code): **ZA**
- 65157. Negeta semialba Hampson,1918** (Noctuidae) Synonym(s): *semialba* Hampson,1918
Range (in code): **ZA**
- 65158. Negritothripa aureata Holloway,2003** (Noctuidae) Synonym(s): *aureata* Holloway,2003
Range (in code): **MY Bor Swk BN**
- 65159. Negritothripa confluens (Mell,1943)** (Noctuidae) Synonym(s): *confluens* Mell,1943
Range (in code): **MY Bor ID Ja**
- 65160. Negritothripa hampsoni (Wileman,1911)** (Noctuidae) Synonym(s): *hampsoni* Wileman,1911 _ Range (in code): **JP**
- 65161. Negritothripa orbifera (Hampson,1894)** (Noctuidae) Synonym(s): *orbifera* Hampson,1894; *confluens* Mell,1943 _ Range (in code): **CN TH CMa CDo**
- 65162. Negritothripa telisai Holloway,2003** (Noctuidae) Synonym(s): *telisai* Holloway,2003
Range (in code): **MY Bor BN**
- 65163. Nekrasovia crassicornis (Boursin,1960)** (Noctuidae) Synonym(s): *crassicornis* Boursin,1960 _ Range (in code): **AF TJ KK T-S UZ**
- 65164. Neochrostis diplogramma Hampson,1902** (Noctuidae) Synonym(s): *diplogramma* Hampson,1902 _ Range (in code): **ZA**
- 65165. Neocucullia albisignata Janse,1939** (Noctuidae) Synonym(s): *albisignata* Janse,1939
Range (in code): **ZA**
- 65166. Neoeriocera mitrula (Guenée,1852)** (Noctuidae) Synonym(s): *mitrula* Guenée,1852
Range (in code):
- 65167. Neogalea sunia (Guenée,1852)** (Noctuidae) Synonym(s): *sunia* Guenée,1852; *esula* Druce,1889; *braziliensis* Hampson,1905; *longfieldae* Hayes,1975 [ssp.] _ Range (in code): **US SCa Lou MX GP MQ BR AR ZA AU QAu NSw NC NF Hw GS**

- 65168. Neonola mesosticta Hampson,1900** (Noctuidae) Synonym(s): *mesosticta Hampson,1900*
Range (in code): **Bor MY**
- 65169. Neostichtis nigricostata (Hampson,1908)** (Noctuidae) Synonym(s): *nigricostata Hampson,1908* - Range (in code): **SL MU ZA Mpu ZA14 Tva Lpo Hae Spb Tsh**
- 65170. Nereisana oranaria (Lucas,1849)** (Noctuidae) Synonym(s): *oranaria Lucas,1849*
Range (in code): **DZ Orn**
- 65171. Netrocerocora quadrangula (Eversmann,1844)** (Noctuidae) Synonym(s): *quadrangula Eversmann,1844; coraxa Püngeler,1898; oblongula Staudinger,1901; quadriplaga Bartel,1902*
Range (in code): **EE RU Nt Ich Da Ur TR UA Cm BY AM AZ GG Cc TM DsA KG Sb At MN CN Ui KI KK Ik Ax**
- 65172. Neurois atrovirens (Walker,1865)** (Noctuidae) Synonym(s): *atrovirens Walker,1865*
Range (in code): **MM Rgo IN SI**
- 65173. Neurois nigroviridis (Walker,1865)** (Noctuidae) Synonym(s): *nigroviridis Walker,1865*
Range (in code): **IN SI**
- 65174. Neurois renalba (Moore,1882)** (Noctuidae) Synonym(s): *renalba Moore,1882* - Range (in code): **IN SI**
- 65175. Nezonycta obtusa Varga & Ronkay,1991** (Noctuidae) Synonym(s): *obtusa Varga & Ronkay,1991* Original Reference: *Nezonycta obtusa Varga & Ronkay,1991, Acta zool. Hung 37: 275-279, Pl.ii figs.16-17. Holotype ♂: Turkey: Prov. Sivas: Gürün, 1500m, 25.iv.1989 leg. G. Fabian & L.Ronkay (HNHM).* Range (in code): **TR IR Fa Es**
- 65176. Nezonycta pusilla (Püngeler,1900)** (Noctuidae) Synonym(s): *pusilla Püngeler,1900*
Original Reference: *Thargelia pusilla Püngeler,1900, Dt. ent. Z., Iris 13: 118-119, Taf.iv fig.10. Type ♂: [Turkmenistan]: "Aschabad".* Range (in code): **TM Kp AF Gbh TJ Pm TR IR Fa Sse Gh Elb Dam Ke KE Yz**
- 65177. Nicevillea epiplemoides Hampson,1895** (Noctuidae) Synonym(s): *epiplemoides Hampson,1895* - Range (in code): **TH Ntt Hba MM Tns**
- 65178. Nigramma elongata (Hulsaert,1924)** (Noctuidae) Synonym(s): *elongata Hulsaert,1924*
Range (in code): **PH**
- 65179. Nigramma firmamentum Berio,1973** (Noctuidae) Synonym(s): *firmamentum Berio,1973*
Range (in code): **MM**
- 65180. Nigramma lignea Wileman & South,1920** (Noctuidae) Synonym(s): *lignea Wileman & South,1920* - Range (in code): **PH Luz**
- 65181. Nigramma malgassica Kenrick,1917** (Noctuidae) Synonym(s): *malgassica Kenrick,1917*
Range (in code): **MG**
- 65182. Nigramma polionota (Hampson,1905)** (Noctuidae) Synonym(s): *polionota Hampson,1905* - Range (in code): **PG SB NH NC FJ WS**
- 65183. Nigramma quadratifera Walker,1863** (Noctuidae) Synonym(s): *quadratifera Walker,1863; dorsalis Walker,1863; bryophilina Felder & Rogenhofer,1874; albomixta Strand,1917* - Range (in code): **LK Dck Pdy**
- 65184. Nimasia brachyura Wiltshire,1982** (Noctuidae) Synonym(s): *brachyura Wiltshire,1982*
Range (in code):
- 65185. Njalkanola bimaculata (Van Eecke,1920)** (Noctuidae) Synonym(s): *bimaculata Van Eecke,1920* - Range (in code): **ID Ja**
- 65186. Nocthadena griseoviridis Laporte,1976** (Noctuidae) Synonym(s): *griseoviridis Laporte,1976* - Range (in code): **ET ET45**
- 65187. Noctua (Divaena) haywardi (Tams,1926)** (Noctuidae) Synonym(s): *haywardi Tams,1926; balcanica Slivov,1985* Original Reference: *Lycophotia haywardi Tams,1926, Entomologist's Rec. J. Var. 38: 129-130, pl. Holotype ♂: Cyprus: Platres, June 1921 (Captain K.J.Hayward) (BMNH).* Range (in code): **HU B-H MK YU BG GR Cr TR CY UA Cm**
- 65188. Noctua (Euschesis) interjecta (Hübner,[1803])** (Noctuidae) Synonym(s): *interjecta Hübner,[1803].* Original Reference: *Noctua interjecta Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.23, fig.107. Type: [Europa].* Range (in code): **PT ES FR Co Sa Si DK SE IT IE GB BE NL LU DE CH AT PL CZ HU YU AL BG GR TR IR GlS**
- 65189. Noctua (Euschesis) interjecta interjecta (Hübner,[1803])** (Noctuidae) Synonym(s): *interjecta Hübner,[1803].* Original Reference: *Noctua interjecta Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.23, fig.107. Type: [Europa].* Range (in code): **PT ES FR Co Sa Si DK SE IT IE GB BE NL LU DE CH AT PL CZ HU YU AL BG GR TR IR GlS**

- 65190. Noctua (Euschesis) janthina ([Denis & Schiffermüller],1775)** (Noctuidae)
Synonym(s): *janthina* [Denis & Schiffermüller],1775; *flavomaculata* Goeze,1781; *altica* Geoffroy,1785; *latimarginata* Röber,1900; *algirica* Oberthür,1918; *intermedia* Rothschild,1920 Original Reference:
Noctua janthina [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district. Range (in code): **DZ Abe Agi Anna Dhm TN PT ES FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI LV LT RU Ro Kr Kb Nt Ich Ing Da Der MD UA Cm BY LB IQ IR Elb Mz Dam Cc AZ Kir**
- 65191. Noctua (Lampra) fimbriata (Schreber,1759)** (Noctuidae) Synonym(s): *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. Original Reference:
Phalaena fimbriata Schreber,1759, Nova Species Insectorum: 13, fig.9. Type(s): [Deutschland]: Halae [=Halle]. Range (in code): **DZ Clo Dhm TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Ro Nov Kr St Kb Kc Nt Ich Ing Da MD UA Ode Cm BY AM GG Smt Bjo AZ Kir Cc IR Gl**
- 65192. Noctua (Lampra) tirrenica (Biebing, Speidel & Hanigk,1983)** (Noctuidae)
Synonym(s): *tirrenica* Biebing, Speidel & Hanigk,1983 Range (in code): **ES FR Co Sa Si IT CH YU AL BG GR TR**
- 65193. Noctua (Latanoctua) orbona (Hufnagel,1766)** (Noctuidae) Synonym(s): *orbona* Hufnagel,1766; *subsequa* [Denis & Schiffermüller],1775; *caroni* Lempke,1964. Original Reference:
Phalaena orbona Hufnagel,1766, Berl. Mag. 3(3): 304. Type(s): [Germany]: Berlin. Range (in code): **MA DZ TN LY PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da MD UA Cm BY IR Lo By Yas Zj Elb Th Kdj Kd LB Bsa SY IQ GG Smt Akh Bjo Tbl AZ Hkd Kir Nv Ord AM Cc TM UZ N-A AF Kh LU KG Uk KK Osh TJ Pm Chr Tbl Smt Bjo Lag Kir Nv Ord Bne Ges Clo**
- 65194. Noctua (Paranoctua) carvalhoi (Pinker,1983)** (Noctuidae) Synonym(s): *carvalhoi* Pinker,1983 Range (in code): **Az**
- 65195. Noctua (Paranoctua) comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901. Original Reference: *Noctua comes* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.111, fig.521 Type:[Europa]. Range (in code): **MA DZ Dzc Hrh Abe Sbd Lbs Dhm Tun Btina TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT IR Lo Ke Fa Enz Gh Ab Kz Km Kd Lo Mz Gl Elb Kh IQ SY LB Bsa IL Hf Pa JO AM GG Tbl Cc RU Ro Kr St Kb Da Der**
- 65196. Noctua (Paranoctua) comes comes (Hübner,[1813])** (Noctuidae) Synonym(s): *orbona* Fabricius,1787 nec Hufn.,1767; *comes* Hübner,[1813]; *adsequa* Treitschke,1825; *prosequa* Treitschke,1825; *bergensis* Sp.-Schn.,1901. Original Reference: *Noctua comes* Hübner,[1813], Samml. eur. Schmett., Noct. 2: Taf.111, fig.521 Type:[Europa]. Range (in code): **DE AT**
- 65197. Noctua (Paranoctua) comes loeberbaueri Burmann & Tarmann,1986** (Noctuidae) Synonym(s): *loeberbaueri* Burmann & Tarmann,1986 Original Reference: *Noctua comes* ssp. *loeberbaueri* Burmann & Tarmann,1986, Annln naturh. Mus. Wien 88/89: 729, Taf.1 figs.7-10. Holotype ♂: Austria superior, Traunstein (TLFI). Range (in code): **AT**
- 65198. Noctua (Paranoctua) comes scotophila Burmann & Tarmann,1986** (Noctuidae)
Synonym(s): *scotophila* Burmann & Tarmann,1986 Original Reference: *Noctua comes* ssp. *scotophila* Burmann & Tarmann,1986, Annln naturh. Mus. Wien 88/89: 728, Taf.1 figs.3-6. Holotype ♂: Austria occ., Nordtirol, Ruine Fragenstein oberhalb Zirl, 650-800m (TLFI). Range (in code): **AT**
- 65199. Noctua (Paranoctua) interposita (Hübner,1790)** (Noctuidae) Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963 Range (in code): **ES FR Co IT DE CH AT PL CZ SK HU RO YU AL BG GR DK FI RU Ro Kr St Kb Kc Inch Ing Da TR Cc AM GG**
- 65200. Noctua (Paranoctua) interposita interposita (Hübner,1790)** (Noctuidae)
Synonym(s): *interposita* Hübner,1790; *consequa* Hübner,[1803]; *sarmata* Rambur,1871; *nigra* Pieszczyk,1908; *baraudi* Boursin,1963; *lajonquierrei* Boursin,1963; *terracotta* Boursin,1963 Range (in code): **ES FR Co IT DE CH AT PL CZ SK HU RO YU AL BG GR DK FI RU Ro Kr St Kb Kc Inch Ing Da TR Cc AM GG**
- 65201. Noctua (Paranoctua) warreni (Lödl,1987)** (Noctuidae) Synonym(s): *warreni* Lödl,1987 Original Reference: *Noctua warreni* Lödl,1987, Nota lepid. 10 (3): 164-173, 12 figs. Holotype ♂: Cypren: Platraes. Range (in code): **CY TR**
- 65202. Noctua (s.str.) atlantica (W.Warren,1905)** (Noctuidae) Synonym(s): *atlantica* W.Warren,1905 Range (in code): **Az**

- 65203. *Noctua (s.str.) janthe* (Borkhausen,1792)** (Noctuidae) Synonym(s): *janthe* Borkhausen,1792; *algorica* Oberthür,1918; *intermedia* Rothschild,1920 _ Range (in code): MA DZ TN ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK YU AL TR DK NO SE FI EE LV
- 65204. *Noctua (s.str.) pronuba* (Linnaeus,1758)** (Noctuidae) Synonym(s): *pronuba* Linnaeus,1758; *connuba* Hübner,[1822]; *innuba* Treitschke,1825; *hoegei* Herrich-Schäffer,1861; *nigra* Krausse,1912 *nec* Piesz.,1908; *decolorata* Turati,1923. Original Reference: *Phalaena pronuba* Linnaeus,1758, Syst. Nat. (Edn.10)1: 512. Type(s): [Europa]. Range (in code): MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd CY TR DK NO SE FI EE LV LT RU Nov Sr MD UA Cm BY IR Fa Mz Gh Elb Th Kd Bu Dlk IQ Agh Dy Kbl Kro AF PK IN GG Tbl Bjo AZ Kir AM Cc Sb Ur LB Bsa IL Hf Pa JO Sn Az Cn UZ Br Ro Kr St Kc Kb Nt Ing Kyi Da Tbl Smt Bjo Lag Kir Bne Gls Btma Agi Dhbm Bdj BSa Khk Orn Anna Abe Sbd Afl Knt Hrh Mzg
- 65205. *Noctua (s.str.) tertia* Mentzer, Moberg & Fibiger,1991** (Noctuidae) Synonym(s): *tertia* Mentzer, Moberg & Fibiger,1991 Original Reference: *Noctua tertia* Mentzer, Moberg & Fibiger,1991, Nota lepid. 14 (1): 37-39, figs. Holotype ♂: Bulgaria: SW Bulgaria, Kozuch pr. Petric, 17.ix.1983 (leg. & coll. E. v. Mentzer). Range (in code): IT YU AL BG GR TR Cc IR Elb CY
- 65206. *Nodaria acrosema* Turner,1902** (Noctuidae) Synonym(s): *acrosema* Turner,1902 Range (in code): WS PG AU
- 65207. *Nodaria brachialis* (Zeller,1852)** (Noctuidae) Synonym(s): *brachialis* Zeller,1852 Original Reference: *Herminia brachialis* Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 14-16. Type ♂: [South Africa]: Natal. Range (in code): ZA Nta Kzu
- 65208. *Nodaria cingala* Moore,1885** (Noctuidae) Synonym(s): *cingala* Moore,1885 _ Range (in code): LK
- 65209. *Nodaria cornicalis* (Fabricius,1794)** (Noctuidae) Synonym(s): *cornicalis* Fabricius,1794; *externalis* Guenée,1854; *cinerealis* Walker,1865; *indecisa* Walker,1865; *indistincta* Butler,1880; *laevicula* Swinhoe,1889 Original Reference: *Phalaena cornicalis* Fabricius,1794, Ent. Syst. 3 (2): 229. Type: India. Range (in code): ZA MR MA DZ Agi Bdj Dhbm TN BSa Perr Rbt Blid Sbd TW JP IN MM Bor MY
- 65210. *Nodaria discisigna* Moore,1883** (Noctuidae) Synonym(s): *discisigna* Moore,1883; *lunifera* Moore,1885 _ Range (in code): LK SI
- 65211. *Nodaria flavifusca* Hampson,1895** (Noctuidae) Synonym(s): *flavifusca* Hampson,1895 Range (in code): IN Nag
- 65212. *Nodaria melaleuca* Hampson,1902** (Noctuidae) Synonym(s): *melaleuca* Hampson,1902 Range (in code): ZA
- 65213. *Nodaria nodosalis* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *nodosalis* Herrich-Schäffer,[1851]; *aethiopalis* Herrich-Schäffer,[1851]; *hispanalis* Guenée,1854; *aesopusalis* Walker,[1859]; *#nododalis* Hacker,1992. Original Reference: *Herminia nodosalis* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur.: 385, Noctuides pl.118 fig.605 [1852]. Type(s): [Italy]: Sizilien. Range (in code): MA DZ Clo TN PT ES Mu FR Co Sa Si IT MT HV B-H YU AL GR Cr TR LB Bei IL Pa ZA UG SA YE
- 65214. *Nodaria parallela* Bethune-Baker,1911** (Noctuidae) Synonym(s): *parallela* Bethune-Baker,1911 Original Reference: *Nodaria parallela* Bethune-Baker,1911, Ann. mag. nat. Hist. (8) 8 [15 October ex stamp]: 537. Type ♂: [Angola]: Malange (coll. Bethune-Baker). Range (in code): AO
- 65215. *Nola (Angensteinia) amhara* Hacker,2012** (Noctuidae) Synonym(s): *amhara* Hacker,2012 _ ET ET09 Ble Oro Amh KE Elg
- 65216. *Nola (Angensteinia) harithya* (Wiltshire,1990)** (Noctuidae) Synonym(s): *harithya* Wiltshire,1990 _ SA As SA74
- 65217. *Nola (Angensteinia) melaleuca* (Hampson,1901)** (Noctuidae) Synonym(s): *melaleuca* Hampson,1901 _ Range (in code): UG TZ Mru KE
- 65218. *Nola (Angensteinia) ornatulana* Hacker,2012** (Noctuidae) Synonym(s): *ornatulana* Hacker,2012 _ ZA Ec Grh Kny
- 65219. *Nola (Angensteinia) primigena* Hacker,2012** (Noctuidae) Synonym(s): *primigena* Hacker,2012 _ KE
- 65220. *Nola (Angensteinia) pseudomelanoscelis* Hacker,2012** (Noctuidae) Synonym(s): *pseudomelanoscelis* Hacker,2012 _ UG ET ET181 Oro Snp KE Kkm
- 65221. *Nola (Angensteinia) ucdiya* Wiltshire,1990** (Noctuidae) Synonym(s): *ucdiya* Wiltshire,1990 _ SA
- 65222. *Nola (Mecothrix) abyssinica* Hacker,2012** (Noctuidae) Synonym(s): *abyssinica* Hacker,2012 _ ET ET09 ET181 ET281 Snp Oro RW MW ZR Kvu UG TZ Mru Usa Tnga Kmj Iri KE Nai Kkm Kya Tet ZA Mpu Brb

- 65223. Nola (Mecothrix) abyssinica abyssinica Hacker,2012** (Noctuidae) Synonym(s): *abyssinica* Hacker,2012 -- **ET ET09 ET181 ET281 Oro Snp RW MW ZR Kvu UG TZ Mru Usa Tnga Kmj Iri KE Nai Kkm Kya Tet**
- 65224. Nola (Mecothrix) abyssinica subiridescens Hacker,2012** (Noctuidae) Synonym(s): *subiridescens* Hacker,2012 -- **ZA Mpu Brb**
- 65225. Nola (Mecothrix) adelpha (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *adelpha* D.S.Fletcher,1958 -- **Range (in code): UG Rz KE TZ Kmj ET Ble**
- 65226. Nola (Mecothrix) aegyptiaca Snellen,1875** (Noctuidae) Synonym(s): *aegyptiaca* Snellen,1875 -- **Original Reference: Nola aegyptiaca Snellen,1875, Tijdschr. Ent. 18: 67-68, pl. 6 fig.3 Type: Egypte: Cairo. Range (in code): CY EG EG11 JO Amm TZ Mru Mgr Usa SO ET ET09 SD Wme KE BF YE YE68 Hd**
- 65227. Nola (Mecothrix) aegyptiaca bischofi Hacker,2012** (Noctuidae) Synonym(s): *bischofi* Hacker,2012 -- **YE YE68 Hd**
- 65228. Nola (Mecothrix) aegyptiaca sahelica Hacker,2012** (Noctuidae) Synonym(s): *sahelica* Hacker,2012 -- **TZ Mru Mgr Usa SO ET ET09 SD Wme KE BF**
- 65229. Nola (Mecothrix) afroalpina Hacker,2012** (Noctuidae) Synonym(s): *afroalpina* Hacker,2012 -- **KE Elg**
- 65230. Nola (Mecothrix) balealpina Hacker,2012** (Noctuidae) Synonym(s): *balealpina* Hacker,2012 -- **ET Ble Oro**
- 65231. Nola (Mecothrix) bittermanni Hacker,2012** (Noctuidae) Synonym(s): *bittermanni* Hacker,2012 -- **YE Sna ET ET09**
- 65232. Nola (Mecothrix) brachymorpha Hacker,2012** (Noctuidae) Synonym(s): *brachymorpha* Hacker,2012 -- **TZ**
- 65233. Nola (Mecothrix) cana Hacker,2012** (Noctuidae) Synonym(s): *cana* Hacker,2012 -- **NA MZ ZA Tva Mpu Brb Gau Nta Kzu Lpo**
- 65234. Nola (Mecothrix) denauxi Orhant,2003** (Noctuidae) Synonym(s): *denauxi* Orhant,2003 -- **RE**
- 65235. Nola (Mecothrix) destituta Hacker,2012** (Noctuidae) Synonym(s): *destituta* Hacker,2012 -- **ET Oro**
- 65236. Nola (Mecothrix) flaviciliata (Hampson,1901)** (Noctuidae) Synonym(s): *flaviciliata* Hampson,1901 -- **Range (in code): SL**
- 65237. Nola (Mecothrix) guillermeti Orhant,2003** (Noctuidae) Synonym(s): *guillermeti* Orhant,2003 -- **RE**
- 65238. Nola (Mecothrix) herbuloti De Toulgoet,1982** (Noctuidae) Synonym(s): *herbuloti* De Toulgoet,1982 -- **Range (in code): RE**
- 65239. Nola (Mecothrix) iridescens (Van Son,1933)** (Noctuidae) Synonym(s): *iridescens* Van Son,1933 -- **Range (in code): ZA Wca Tva Ste Kny Nta Kzu Lpo ZW**
- 65240. Nola (Mecothrix) lobmayeri Hacker,2012** (Noctuidae) Synonym(s): *lobmayeri* Hacker,2012 -- **KE Elg**
- 65241. Nola (Mecothrix) melalopha Hampson,1900** (Noctuidae) Synonym(s): *melalopha* Hampson,1900 -- **Range (in code): GH GA**
- 65242. Nola (Mecothrix) mineti Hacker,2002** (Noctuidae) Synonym(s): *mineti* Hacker,2002 -- **MG**
- 65243. Nola (Mecothrix) obliquilinealis (Toulgoet,1972)** (Noctuidae) Synonym(s): *obliquilinealis* Toulgoet,1972 -- **MG**
- 65244. Nola (Mecothrix) omphalota (Hampson,1903)** (Noctuidae) Synonym(s): *omphalota* Hampson,1903 -- **Range (in code): NG Caa SL CI GH ET Oro ET181 TZ Mgr**
- 65245. Nola (Mecothrix) omphalota euroetes Hacker,2012** (Noctuidae) Synonym(s): *euroetes* Hacker,2012 -- **ET Oro ET181 TZ Mgr**
- 65246. Nola (Mecothrix) phaeocraspis (Hampson,1909)** (Noctuidae) Synonym(s): *phaeocraspis* Hampson,1909; *megasema* Hampson,1914 -- **Range (in code): NG CI BF GH ZA**
- 65247. Nola (Mecothrix) poliophasma (D.S.Fletcher,1958)** (Noctuidae) Synonym(s): *poliophasma* D.S.Fletcher,1958 -- **Range (in code): UG Rz TZ Usa Tnga Uzu Mru Mgr ET Snp ET09 Oro KE Nai Kkm ZR CG**
- 65248. Nola (Mecothrix) toulgoetiana Hacker & Hoppe,2012** (Noctuidae) Synonym(s): *toulgoetiana* Hacker & Hoppe,2012 -- **GO Bio**
- 65249. Nola (Mecothrix) triangulalis (Toulgoet,1961)** (Noctuidae) Synonym(s): *triangulalis* Toulgoet,1961 -- **MG**
- 65250. Nola (Mecothrix) undulata (D.S.Fletcher,1962)** (Noctuidae) Synonym(s): *undulata* D.S.Fletcher,1962 -- **Range (in code): TZ Mru**

- 65251. Nola (Mecothrix) usambara Hacker,2012** (Noctuidae) Synonym(s): *usambara Hacker,2012* _ **TZ Usa Tnga Uzu Mgr Pwa**
- 65252. Nola (Mecothrix) vidoti (Legrand,1965)** (Noctuidae) Synonym(s): *vidoti Legrand,1965 SC*
- 65253. Nola (s.str.) aarviki Hacker,2012** (Noctuidae) Synonym(s): *aarviki Hacker,2012* _ **TZ Mgr**
- 65254. Nola (s.str.) acutula Püngeler,1902** (Noctuidae) Synonym(s): *acutula Püngeler,1902*
Original Reference: Nola acutula Püngeler,1902, Dt. ent. Z., Iris 15: 159, Taf.vi fig.8. Syntypes 2♂
1♀: [Uighur A.R.]: "Aksu". Range (in code): **CN Ui Au TJ UZ TM**
- 65255. Nola (s.str.) aerugula (Hübner,1793)** (Noctuidae) Synonym(s): *aerugula Hübner,1793; centonalis Hübner,1796; centonana Hübner,[1825]; littoralis Paux,1901; contrarialis Heydemann,1934; trituberculana Heslop,1959.* _ Range (in code): **ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO MK BG DK NO SE FI EE LV LT RU MD UA BY TR GG Tbl Bjo Mng Smt Akh Cc AZ Nv Ord IR Mz**
Bionomy: Larva on Trifolium, Lotus, Medicago (Fabaceae) (Revell,1979).
- 65256. Nola (s.str.) afrotaeniata Hacker,2012** (Noctuidae) Synonym(s): *afrotaeniata Hacker,2012* _ **ET ET277 TZ Mru Mgr KE Nai CM CG NA**
- 65257. Nola (s.str.) algeriae Hacker,2012** (Noctuidae) Synonym(s): *algeriae Hacker,2012 ZA Wca*
- 65258. Nola (s.str.) angensteini Hacker,2012** (Noctuidae) Synonym(s): *angensteini Hacker,2012 ET RW*
- 65259. Nola (s.str.) angulata (Moore,1888)** (Noctuidae) Synonym(s): *angulata Moore,1888*
Original Reference: Roeselia angulata Moore,1888, Proc. zool. Soc. London 1888: 393. Holotype ♂: India, Kanara (BMNH). Range (in code): **IN Hp Drm Knr LK Pdy NP PK Mre N-G Abb Swa Mdy AF Srb**
- 65260. Nola (s.str.) aulombardiella Hacker,2012** (Noctuidae) Synonym(s): *aulombardiella Hacker,2012* _ **YE Sna**
- 65261. Nola (s.str.) barbertonensis (Van Son,1933)** (Noctuidae) Synonym(s): *barbertonensis Van Son,1933* _ Range (in code): **ZA Mpu Tva Brb Nta Kzu Nha Srn Kkf Umk Ec Elo Mal ZA14 Nca**
- 65262. Nola (s.str.) biangulata (Toulgoet,1954)** (Noctuidae) Synonym(s): *biangulata Toulgoet,1954* _ **MG KM TZ Usa Mru KE Nai Tet ET ET09 Oro RW ZR Lbu**
- 65263. Nola (s.str.) biangulata usambai Fibiger & Legrain,2009** (Noctuidae) Synonym(s): *usambai Fibiger & Legrain,2009* _ **TZ Usa Mru KE Nai Tet ET ET09 Oro RW ZR Lbu**
- 65264. Nola (s.str.) borbonica Guillermet,2005** (Noctuidae) Synonym(s): *borbonica Guillermet,2005* _ Range (in code): **RE**
- 65265. Nola (s.str.) chaetosoma Hacker,2012** (Noctuidae) Synonym(s): *chaetosoma Hacker,2012 TZ Mgr Usa Tnga*
- 65266. Nola (s.str.) chlamitulalis (Hübner,[1813])** (Noctuidae) Synonym(s): *chlamitulalis Hübner,[1813]; chlamydulana Duponchel,[1845]* Original Reference: Pyralis chlamitulalis Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab. 25 fig.160. Type(s): Europa. Range (in code): **DZ Agi Gue ES Mu FR Co Sa Si IT DE CH AT SK HU BG GR Cr MK TR LB Bei IL Hf Pa CY IR Mz EG UA Cm** Bionomy: Larva on Odontites, Scabiosa, Teucrium (Calle et al., 2000).
- 65267. Nola (s.str.) cicatricalis (Treitschke,1835)** (Noctuidae) Synonym(s): *cicatricalis Treitschke,1835; tuberculalis Mann,1857* Original Reference: Hercyna cicatricalis Treitschke,1835, Schmett. Eur. 10(3): 39. Range (in code): **ES FR Sa IT DE CH AT PL CZ SS SK HU RO BG GR TR RU Sr Cc Da Vl**
- 65268. Nola (s.str.) crambiformis Rebel,[1903]** (Noctuidae) Synonym(s): *crambiformis Rebel,[1903]* Original Reference: Nola crambiformis Rebel,[1903], [in] Bartel,M., Dt. ent. Z., Iris 15: 223-224. Cotypes 2♀: Russia, Orenburg. **RU Or At Ur UZ KG Uk DsA**
- 65269. Nola (s.str.) crinomorpha Hacker,2012** (Noctuidae) Synonym(s): *crinomorpha Hacker,2012* _ **TZ Uzu**
- 65270. Nola (s.str.) cristatula (Hübner,1793)** (Noctuidae) Synonym(s): *cristatula Hübner,1793; cristulalis Hübner,1796; cristulana Hübner,[1825].* _ Range (in code): **ES FR Co IT MT DE CH AT PL CZ SK HU YU BG GR TR Cc GG Tbl** Bionomy: Larva on Mentha aquatica, Teucrium chamaedrys (Lamiaceae) (Fibiger et al.,2009).
- 65271. Nola (s.str.) cucullatella (Linnaeus,1758)** (Noctuidae) Synonym(s): *cucullatella Linnaeus,1758; ludvigella Müller,1764; palliola [Denis & Schiffermüller],1775; pygmaria Fabricius,1794; palliolalis Hübner,1796; cucullatalis Haworth,1811; cucullatana Hübner,[1825]; fuliginalis Stephens,1834* Original Reference: Phalaena cucullatella Linnaeus,1758, Syst. Nat. (Edn.10)1: 537. Type(s): [Europa]. Range (in code): **MA TN ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG GR TR DK NO SE FI EE LV LT RU VI Sr Ro Ur IL Pa Js MD UA BY IR Elb Mz**

- 65272. *Nola* (s.str.) *derrae* Hacker,2012** (Noctuidae) **Synonym(s):** *derrae* Hacker,2012 _ **YE**
Sna Ad ET ET281
- 65273. *Nola* (s.str.) *dresnayi* (Warnecke,1946)** (Noctuidae) **Synonym(s):** *dresnayi* Warnecke,1946 _ **Range (in code): FR**
- 65274. *Nola* (s.str.) *duercki* (Zerny,1935)** (Noctuidae) **Synonym(s):** *duercki* Zerny,1935
Range (in code): MA
- 65275. *Nola* (s.str.) *eberti* Hacker,2012** (Noctuidae) **Synonym(s):** *eberti* Hacker,2012 _ **AF Sfk**
- 65276. *Nola* (s.str.) *eupithecialis* (Debauche,1942)** (Noctuidae) **Synonym(s):** *eupithecialis* Debauche,1942 _ **Range (in code): ZR Kvu**
- 65277. *Nola* (s.str.) *fraterna* (Moore,1888)** (Noctuidae) **Synonym(s):** *fraterna* Moore,1888
Range (in code): AF Nu Srb Kab IN Hp Klu Kgr PK Swa Nwf Hyb Wa MM Adm TH MY Bor AU QAU
Bionomy: Larva on Rhizophora (Rhizophoraceae) (Holloway,2003).
- 65278. *Nola* (s.str.) *harouni* (Wiltshire,1951)** (Noctuidae) **Synonym(s):** *harouni* Wiltshire,1951
Original Reference: Celama harouni Wiltshire,1951, J. Bombay nat. Hist. Soc. 49: 653, fig.
Holotype ♂: Iraq: Basra. **Range (in code): GR Pl Cr Rd TR IQ Dk Agh Bsr Bgd LB Bei JO TR CY IR Kd**
Bionomy: Larva on Tamarix (Wiltshire,1957; Heydemann et al.,1963).
- 65279. *Nola* (s.str.) *holsatica* Sauber,1916** (Noctuidae) **Synonym(s):** *holsatica* Sauber,1916
DE DK BE NL
- 65280. *Nola* (s.str.) *hoppei* Hacker,2012** (Noctuidae) **Synonym(s):** *hoppei* Hacker,2012 _ **GO**
Bio
- 65281. *Nola* (s.str.) *imitata* (Van Son,1933)** (Noctuidae) **Synonym(s):** *imitata* Van Son,1933
Range (in code): ZW Maz Uma Hfo Har ZA Tva Gau Pre Lpo Spb Wp Mdt TZ Usa Tnga KE Nai Kkm
Tvt
- 65282. *Nola* (s.str.) *imitata* *knudlarseni* Hacker,2012** (Noctuidae) **Synonym(s):** *knudlarseni* Hacker,2012 _ **Range (in code): TZ Tnga Usa KE Nai Kkm Tvt**
- 65283. *Nola* (s.str.) *impudica* Christoph,1893** (Noctuidae) **Synonym(s):** *impudica* Christoph,1893
Original Reference: *Nola impudica* Christoph,1893, Dt. ent. Z., Iris 6: 88. Type: [Azerbaijan]:
Ordubad (BMNH). **Range (in code): AZ Nv Ord Cc TR TM IR Elb Th Kdj**
- 65284. *Nola* (s.str.) *impudica* *herczigi* Hacker,2012** (Noctuidae) **Synonym(s):** *herczigi* Hacker,2012
Original Reference: *Nola impudica* ssp. *herczigi* Hacker,2012, Esperiana 17: 36,
figs. **Holotype** ♂: Turkey, Prov. Urfa, Halfeti 500m, 15-18 iv 1990, leg. Herczig & G.Ronkay.
Range (in code): TR
- 65285. *Nola* (s.str.) *impudica* *impudica* Christoph,1893** (Noctuidae) **Synonym(s):** *impudica* Christoph,1893
Original Reference: *Nola impudica* Christoph,1893, Dt. ent. Z., Iris 6: 88. Type:
[Azerbaijan]: Ordubad (BMNH). **Range (in code): AZ Nv Ord Cc TM IR Elb Th Kdj**
- 65286. *Nola* (s.str.) *infantula* Kitt,1926** (Noctuidae) **Synonym(s):** *infantula* Kitt,1926 _ **AET FR**
Co IT Sa ES DZ Si LY TN Tun MA Ifr
- 65287. *Nola* (s.str.) *jarzabekae* Hacker,2012** (Noctuidae) **Synonym(s):** *jarzabekae* Hacker,2012
ET Oro
- 65288. *Nola* (s.str.) *jourdani* (Legrand,1965)** (Noctuidae) **Synonym(s):** *jourdani* Legrand,1965
SC
- 65289. *Nola* (s.str.) *kaduna* Hacker,2012** (Noctuidae) **Synonym(s):** *kaduna* Hacker,2012 _ **NG**
CI
- 65290. *Nola* (s.str.) *karelica* (Tengström,1869)** (Noctuidae) **Synonym(s):** *karelica* Tengström,1869; *inconspicua* Alpheraky,1882; *amuricola* Warnecke,1938 _ **Range (in code): NO SE FI EE**
LV LT TR Cc RU Am CN Ui Ku
- 65291. *Nola* (s.str.) *karelica* *karelica* (Tengström,1869)** (Noctuidae) **Synonym(s):** *karelica* Tengström,1869; *inconspicua* Alpheraky,1882; *amuricola* Warnecke,1938 _ **Range (in code): NO SE FI EE**
LV LT RU Am CN Ui Ku
- 65292. *Nola* (s.str.) *karelica* *tigranula* Püngeler,1902** (Noctuidae) **Synonym(s):** *tigranula* Püngeler,1902
Original Reference: *Nola tigranula* Püngeler,1902, Dt. ent. Z., Iris 15: 141, pl.6
fig.9. **Holotype** ♀. [Turkey]: Kasikoparan; Kulp [Gaziler] **Range (in code): TR Cc**
- 65293. *Nola* (s.str.) *kihonda* Hacker,2012** (Noctuidae) **Synonym(s):** *kihonda* Hacker,2012
TZ Mgr
- 65294. *Nola* (s.str.) *kreuteli* (Vartian,1963)** (Noctuidae) **Synonym(s):** *kreuteli* Vartian,1963
Original Reference: Celama kreuteli Vartian,1963, Z. wien. ent. Z. 48: 131. **Range (in code): AF**
Kab Gbh Bm Pag Sfk Slg
- 65295. *Nola* (s.str.) *legraini* Hacker,2012** (Noctuidae) **Synonym(s):** *legraini* Hacker,2012 _ **ZA**
Ec Grh

- 65296. Nola (s.str.) leptomorpha Hacker,2012** (Noctuidae) **Synonym(s):** *leptomorpha Hacker,2012* **--TZ Mgr**
- 65297. Nola (s.str.) lugubris Hacker,2012** (Noctuidae) **Synonym(s):** *lugubris Hacker,2012*
Range (in code): **UG Elg**
- 65298. Nola (s.str.) meridionalis Wallengren,1875** (Noctuidae) **Synonym(s):** *meridionalis Wallengren,1875* **Range (in code):** **ZA Tva Gau Pre**
- 65299. Nola (s.str.) mikumi Hacker,2012** (Noctuidae) **Synonym(s):** *mikumi Hacker,2012* **--TZ Mgr Ani Tnga**
- 65300. Nola (s.str.) minimalis Hacker,2012** (Noctuidae) **Synonym(s):** *minimalis Hacker,2012*
ZA Ste Ec
- 65301. Nola (s.str.) paramelanoscelis Hacker,2012** (Noctuidae) **Synonym(s):** *paramelanoscelis Hacker,2012* **--ET Snp TZ**
- 65302. Nola (s.str.) parasomata Hacker,2012** (Noctuidae) **Synonym(s):** *parasomata Hacker,2012* **--TZ**
- 65303. Nola (s.str.) parwana (Ebert,1973)** (Noctuidae) **Synonym(s):** *parwana Ebert,1973*
Range (in code): **AF Kbb Pnj**
- 65304. Nola (s.str.) psaromorpha Hacker,2012** (Noctuidae) **Synonym(s):** *psaromorpha Hacker,2012* **--UG**
- 65305. Nola (s.str.) ronkayorum Beshkov,2006** (Noctuidae) **Synonym(s):** *ronkayorum Beshkov,2006* **Original Reference:** Nola ronkayorum Beshkov,2006, Phegea 34 (1): 18-31, figs. Holotype ♀: Bulgaria: Eastern Rhodopi Mts. leg. Beshkov et al. (NMNHS). **Range (in code):** **BG TR**
- 65306. Nola (s.str.) rotundalis Toulgoet,1982** (Noctuidae) **Synonym(s):** *rotundalis Toulgoet,1982*
Range (in code): **MG**
- 65307. Nola (s.str.) socotrensis (Hampson,1901)** (Noctuidae) **Synonym(s):** *socotrensis Hampson,1901* **Range (in code):** **AET Sk ET Oro TZ Uzu Mgr Usa Ulg Ani KE Tvt CM SL GH ZA Wca Mpu Tva SZ NA MZ BW MW ZR Lbu BH SA SA63 YE Sna YE3o OM Dh PK Txl IR Ss Km Ksh**
- 65308. Nola (s.str.) socotrensis dilmuna (Wiltshire,1961)** (Noctuidae) **Synonym(s):** *dilmuna Wiltshire,1961* **--BH SA SA63 YE Sna YE3o OM Dh PK Txl IR Ss Km Ksh**
- 65309. Nola (s.str.) socotrensis socotrensis (Hampson,1901)** (Noctuidae) **Synonym(s):** *socotrensis Hampson,1901* **Range (in code):** **Sk AET**
- 65310. Nola (s.str.) socotrensis vansonii Hacker,2012** (Noctuidae) **Synonym(s):** *vansonii Hacker,2012* **--ET Oro TZ Mgr Usa Ulg Ani Uzu KE Tvt CM SL GH ZA Wca Mpu Tva SZ NA MZ BW MW ZR Lbu**
- 65311. Nola (s.str.) sphaeromorpha Hacker,2012** (Noctuidae) **Synonym(s):** *sphaeromorpha Hacker,2012* **--ET Oro**
- 65312. Nola (s.str.) squalida Staudinger,1871** (Noctuidae) **Synonym(s):** *squalida Staudinger,1871; muscalis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1948* **Original Reference:** Nola squalida Staudinger,1871, Berl. ent. Z. 1870: 102. Type: Andalusia (Malaga). **Range (in code):** **MA DZ Bsk Ges TN AL ES An FR Sa Si IT DE AL GR CY TR LB Bei IL Pa PK TJ AF Kab Nu Bsg Srb Pli UZ Fe Man IR Kz Fa Shr Kh Shz EG EG11 AE OM IQ Bgd Bsr Sbn Agh CN TW LK Pdy** **Bionomy:** Larva on Tamarix (Wiltshire,1957; Heydemann et al.,1963); Quercus calliprinos, Q. ithaburensis (Fagaceae) (Bytinski-Salz & Sternlicht,1967: et seq).
- 65313. Nola (s.str.) stictomorpha Hacker,2012** (Noctuidae) **Synonym(s):** *stictomorpha Hacker,2012* **--YE Sna**
- 65314. Nola (s.str.) synethes D.S.Fletcher,1958** (Noctuidae) **Synonym(s):** *synethes D.S.Fletcher,1958* **Range (in code):** **UG Rz ET Oro KE Kkm Nak TZ Mru Mgr RW ZR Lbu**
- 65315. Nola (s.str.) taeniata Snellen,1875** (Noctuidae) **Synonym(s):** *taeniata Snellen,1875; candida Butler,1879; fragilis Swinhoe,1890; mesozona Lucas,1890* **Range (in code):** **IN MM Rgo JP Ri ID Sum Clb MY Bor Sbh KBa AU ZA JP Ri VN TH PH AF Srb PK Nwf RU Us KP KR** **Bionomy:** Larva on Fimbristylis (Cyperaceae), Ziziphus (Rhamnaceae) (Piepers & Snellen,1904 et seq.).
- 65316. Nola (s.str.) tarzanae (Legrand,1965)** (Noctuidae) **Synonym(s):** *tarzanae Legrand,1965*
Range (in code): **Mea Ald**
- 65317. Nola (s.str.) transvirgata Hacker,2012** (Noctuidae) **Synonym(s):** *transvirgata Hacker,2012* **--NA ZW**
- 65318. Nola (s.str.) trini Fibiger & Legrain,2009** (Noctuidae) **Synonym(s):** *trini Fibiger & Legrain,2009* **--AE**
- 65319. Nola (s.str.) tutulella Zerny,1927** (Noctuidae) **Synonym(s):** *tutulella Zerny,1927*
Range (in code): **AET PT ES MA Azr Ifr DZ Ski TN Tun**

- 65320. Nola (s.str.) tutulella viedmai (Vives,1990)** (Noctuidae) Synonym(s): *viedmai* Vives,1990 _ Range (in code): AET MA Azr Ifr DZ Ski TN Tun
- 65321. Nola (s.str.) udzungwa Hacker,2012** (Noctuidae) Synonym(s): *udzungwa* Hacker,2012 TZ Mru Mgr Uzu
- 65322. Nola (s.str.) venusta (Brandt,1938)** (Noctuidae) Synonym(s): *venusta* Brandt,1938 Range (in code): IR Fa Sse Com
- 65323. Nola achromata Hampson,1900** (Noctuidae) Synonym(s): *achromata* Hampson,1900 Range (in code): SB
- 65324. Nola achromia Hampson,1909** (Noctuidae) Synonym(s): *achromia* Hampson,1909 Range (in code): AU QAU Kda
- 65325. Nola albifurca Hampson,1914** (Noctuidae) Synonym(s): *albifurca* Hampson,1914 Range (in code): PH Luz
- 65326. Nola analis (Wileman & West,1928)** (Noctuidae) Synonym(s): *analis* Wileman & West,1928 _ Range (in code): LK
- 65327. Nola anpingicola (Strand,1917)** (Noctuidae) Synonym(s): *anpingicola* Strand,1917 Range (in code): TW
- 65328. Nola aphyla (Hampson,1900)** (Noctuidae) Synonym(s): *aphyla* Hampson,1900 _ Range (in code): US Cf
- 65329. Nola argentalis (Moore,1867)** (Noctuidae) Synonym(s): *argentalis* Moore,1867 _ Range (in code): IN SI DjI
- 65330. Nola argentea (Lucas,1890)** (Noctuidae) Synonym(s): *argentea* Lucas,1890 _ Range (in code): AU QAU Bri
- 65331. Nola aroa (Bethune-Baker,1904)** (Noctuidae) Synonym(s): *aroa* Bethune-Baker,1904 Range (in code): PG Aro
- 65332. Nola artata Schaus,1912** (Noctuidae) Synonym(s): *artata* Schaus,1912 _ Range (in code): CR
- 65333. Nola astigma Hampson,1894** (Noctuidae) Synonym(s): *astigma* Hampson,1894 _ Range (in code): IN SI Mpr Nag
- 65334. Nola atrocincta Inoue,1998** (Noctuidae) Synonym(s): *atrocincta* Inoue,1998 _ Range (in code): CN
- 65335. Nola bananae Holland,1920** (Noctuidae) Synonym(s): *bananae* Holland,1920 _ Range (in code): ZR
- 65336. Nola baracoa Schaus,1921** (Noctuidae) Synonym(s): *baracoa* Schaus,1921 _ Range (in code): CU
- 65337. Nola basirufa (Joannis,1928)** (Noctuidae) Synonym(s): *basirufa* Joannis,1928 _ Range (in code): VN Ton
- 65338. Nola benguetensis Wileman,1916** (Noctuidae) Synonym(s): *benguetensis* Wileman,1916 Range (in code): PH Luz
- 65339. Nola bifascialis (Walker,[1865])** (Noctuidae) Synonym(s): *bifascialis* Walker,[1865]; *liparisalis* Walker,1865 _ Range (in code): MY Bor Swk CN
- 65340. Nola bitransversata Holloway,1979** (Noctuidae) Synonym(s): *bitransversata* Holloway,1979 _ Range (in code): NC
- 65341. Nola brunellus (Hampson,1893)** (Noctuidae) Synonym(s): *brunellus* Hampson,1893 Range (in code): LK
- 65342. Nola calcicola Holloway,2003** (Noctuidae) Synonym(s): *calcicola* Holloway,2003 Range (in code): MY Bor Swk
- 65343. Nola callis (Van Eecke,1920)** (Noctuidae) Synonym(s): *callis* Van Eecke,1920 _ Range (in code): ID Ja
- 65344. Nola canioralis (Walker,1863)** (Noctuidae) Synonym(s): *canioralis* Walker,1863 Range (in code): MY Bor Sbh KBa Swk ID Clb
- 65345. Nola celidota (Wileman & West,1928)** (Noctuidae) Synonym(s): *celidota* Wileman & West,1928 _ Range (in code): PH Mno
- 65346. Nola cingalesa Moore,[1882]** (Noctuidae) Synonym(s): *cingalesa* Moore,[1882]; *culaca* Swinhoe,1891 _ Range (in code): LK
- 65347. Nola classeyi Holloway,2003** (Noctuidae) Synonym(s): *classeyi* Holloway,2003 _ Range (in code): MY Bor BN
- 65348. Nola confusalis (Herrich-Schäffer,1847)** (Noctuidae) Synonym(s): *confusalis* Herrich-Schäffer,1847; *fumosalis* Daniel,1957. _ Range (in code): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT

- PL CZ SK HU BG TR DK NO SE FI EE LV LT RU Sb Sr Ur MD UA BY JP** Bionomy: Larva on Fagus, Quercus (Fagaceae), Alnus, Betula (Hacker et al.,2012).
- 65349. Nola coremata Holloway,2003** (Noctuidae) Synonym(s): *coremata* Holloway,2003
Range (in code): **MY Bor Swk**
- 65350. Nola cretacea (Hampson,1901)** (Noctuidae) Synonym(s): *cretacea* Hampson,1901
Range (in code): **IN Bba Mh LK**
- 65351. Nola crustalis (Van Eecke,1926)** (Noctuidae) Synonym(s): *crustalis* Van Eecke,1926
Range (in code): **ID Sum**
- 65352. Nola curvilinea (Wileman & South,1919)** (Noctuidae) Synonym(s): *curvilinea* Wileman & South,1919 Range (in code): **PH Mno**
- 65353. Nola dentilinea (Hampson,1909)** (Noctuidae) Synonym(s): *dentilinea* Hampson,1909
Range (in code): **LK**
- 65354. Nola diagona Hampson,1911** (Noctuidae) Synonym(s): *diagona* Hampson,1911 Original Reference: Nola diagona Hampson,1911, Ann. Mag. Nat. Hist. (8) 8: 399. Type ♀: [Indonesia]: Fak-Fak (Pratt). Range (in code): **ID Ij Fak**
- 65355. Nola disticta (Hampson,1900)** (Noctuidae) Synonym(s): *disticta* Hampson,1900
Range (in code): **BT**
- 65356. Nola distributa (Walker,1862)** (Noctuidae) Synonym(s): *distributa* Walker,1862
Range (in code): **MY Bor Swk**
- 65357. Nola duplicilinea (Hampson,1900)** (Noctuidae) Synonym(s): *duplicilinea* Hampson,1900; *pseudastigma* Van Eecke,1920; *indefinita* Roepke,1948 Range (in code): **MY Bor ID Sum Ja Crm PH IN SI**
- 65358. Nola ebatoi (Inoue,1970)** (Noctuidae) Synonym(s): *ebatoi* Inoue,1970 Range (in code): **JP**
- 65359. Nola elsa Schaus,1921** (Noctuidae) Synonym(s): *elsa* Schaus,1921 Range (in code): **GT**
- 65360. Nola emi (Inoue,1956)** (Noctuidae) Synonym(s): *emi* Inoue,1956 Range (in code): **JP**
- 65361. Nola encausta (Hampson,1900)** (Noctuidae) Synonym(s): *encausta* Hampson,1900
Range (in code): **IN Nag**
- 65362. Nola endotherma (Hampson,1918)** (Noctuidae) Synonym(s): *endotherma* Hampson,1918
Range (in code): **IN Meg Ass Khs**
- 65363. Nola erythrostigmata Hampson,1894** (Noctuidae) Synonym(s): *erythrostigmata* Hampson,1894; *mediozonata* Hampson,1896 Range (in code): **IN MY Bor CN**
- 65364. Nola euryzonata (Hampson,1900)** (Noctuidae) Synonym(s): *euryzonata* Hampson,1900
Range (in code): **MY Bor ID Sum Bli**
- 65365. Nola exumbrata Inoue,1976** (Noctuidae) Synonym(s): *exumbrata* Inoue,1976 Range (in code): **JP Ri**
- 65366. Nola faircloughi Holloway,2003** (Noctuidae) Synonym(s): *faircloughi* Holloway,2003
Range (in code): **MY Bor BN**
- 65367. Nola fasciata (Walker,1866)** (Noctuidae) Synonym(s): *fasciata* Walker,1866; *nigrifascia* Hampson,1891; *platygona* Lower,1897 Range (in code): **LK Pdy MY Bor TW PG ID Sla** Bionomy: Larva on Lantana (Verbenaceae) (Piepers & Snellen,1904).
- 65368. Nola fasciatoides Poole,1989** (Noctuidae) Synonym(s): *fasciatus* Hampson,1894 *nec* Wlk.,1866; *fasciatoides* Poole,1989 Range (in code): **IN Nag**
- 65369. Nola fenula Van Eecke,1926** (Noctuidae) Synonym(s): *fenula* Van Eecke,1926 Range (in code): **ID Sum**
- 65370. Nola fijiensis G.D.Robinson,1975** (Noctuidae) Synonym(s): *fijiensis* G.D.Robinson,1975
Range (in code): **FJ**
- 65371. Nola fisheri Holloway,2003** (Noctuidae) Synonym(s): *fisheri* Holloway,2003 Range (in code): **MY Bor BN**
- 65372. Nola flexuosa Poujade,1886** (Noctuidae) Synonym(s): *flexuosa* Poujade,1886; *sikkima* Moore,1888 Range (in code): **CN Ti IN SI Djl**
- 65373. Nola formosalesa (Wileman & West,1928)** (Noctuidae) Synonym(s): *formosalesa* Wileman & West,1928 Range (in code): **TW**
- 65374. Nola fortulalis (Van Eecke,1926)** (Noctuidae) Synonym(s): *fortulalis* Van Eecke,1926
Range (in code): **ID Sum**
- 65375. Nola furvitincta (Hampson,1914)** (Noctuidae) Synonym(s): *furvitincta* Hampson,1914
Range (in code): **SL**

- 65376. *Nola fuscantea* (Van Eecke,1920)** (Noctuidae) Synonym(s): *fuscantea* Van Eecke,1920
Range (in code): **ID Ja**
- 65377. *Nola fuscata* Wileman & West,1928** (Noctuidae) Synonym(s): *fuscata* Wileman & West,1928 _ Range (in code): **PH Mno**
- 65378. *Nola fuscibasalis* (Bethune-Baker,1904)** (Noctuidae) Synonym(s): *fuscibasalis* Bethune-Baker,1904 _ Range (in code): **LK**
- 65379. *Nola fuscibasis* (Bethune-Baker,1904)** (Noctuidae) Synonym(s): *fuscibasis* Bethune-Baker,1904 _ Range (in code): **PG**
- 65380. *Nola fuscimarginalis* Wileman,1914** (Noctuidae) Synonym(s): *fuscimarginalis* Wileman,1914 _ Range (in code): **TW**
- 65381. *Nola geminata* (Mabille,1900)** (Noctuidae) Synonym(s): *geminata* Mabille,1900
Range (in code): **MG**
- 65382. *Nola grisescens* (Bethune-Baker,1908)** (Noctuidae) Synonym(s): *grisescens* Bethune-Baker,1908 _ Range (in code): **PG**
- 65383. *Nola hampsoni* Kirby,1892** (Noctuidae) Synonym(s): *minuta* Hampson,1891 nec Dru.,1885; *hampsoni* Kirby,1892 _ Range (in code): **IN NI**
- 65384. *Nola helpsi* Holloway,2003** (Noctuidae) Synonym(s): *helpsi* Holloway,2003 _ Range (in code): **MY Bor BN**
- 65385. *Nola implens* (Walker,[1863])** (Noctuidae) Synonym(s): *implens* Walker,[1863] _ Range (in code): **MY Bor Swk**
- 65386. *Nola indefinita* (Roepke,1948)** (Noctuidae) Synonym(s): *indefinita* Roepke,1948
Range (in code): **ID Sum**
- 65387. *Nola insularum* (Collenette,1928)** (Noctuidae) Synonym(s): *insularum* Collenette,1928
Range (in code): **NC RA**
- 65388. *Nola internella* (Walker,[1865])** (Noctuidae) Synonym(s): *internella* Walker,[1865]; *pascua* Swinhoe,1885; *quadrinaculata* Heylaerts,1892 _ Range (in code): **MY Bor Swk IN Poo Bba Mh**
- 65389. *Nola jarvisi* Holloway,2003** (Noctuidae) Synonym(s): *jarvisi* Holloway,2003 _ Range (in code): **MY Bor Swk BN**
- 65390. *Nola kiflisigna* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *kiflisigna* Laszlo, G.Ronkay & Witt,2010 _ Range (in code): **TH CMa CDo**
- 65391. *Nola kruegeri* Turati,1911** (Noctuidae) Synonym(s): *kruegeri* Turati,1911; *cruegeri* Hampson,1914 _ Range (in code): **Sa IT**
- 65392. *Nola laticincta* Hampson,1896** (Noctuidae) Synonym(s): *laticincta* Hampson,1896
Range (in code): **BT**
- 65393. *Nola latifascialis* (Walker,[1866])** (Noctuidae) Synonym(s): *latifascialis* Walker,[1866]
Range (in code): **MY Bor Swk**
- 65394. *Nola lativittata* (Moore,1888)** (Noctuidae) Synonym(s): *lativittata* Moore,1888 _ Range (in code): **IN SI DjI**
- 65395. *Nola lechriolalis* Hacker,2012** (Noctuidae) Synonym(s): *lechriolalis* Hacker,2012 _ **KE Nak**
- 65396. *Nola leucoscopula* (Hampson,1907)** (Noctuidae) Synonym(s): *leucoscopula* Hampson,1907 _ Range (in code): **LK**
- 65397. *Nola lichenosa* Robinson,1975** (Noctuidae) Synonym(s): *lichenosa* Robinson,1975
Range (in code): **FJ NH NC**
- 65398. *Nola liparisalis* (Walker,1865)** (Noctuidae) Synonym(s): *liparisalis* Walker,1865
Range (in code): **MM SG MY Bor Swk**
- 65399. *Nola lucidalis* (Walker,1864)** (Noctuidae) Synonym(s): *lucidalis* Walker,1864; *dimidiata* Snellen,1875; *nephodes* Hampson,1914 _ Range (in code): **IN LK Nwp MY Bor Swk TW ID Ja PH**
- 65400. *Nola lutulenta* (Wileman & West,1928)** (Noctuidae) Synonym(s): *lutulenta* Wileman & West,1928 _ Range (in code): **PH Luz**
- 65401. *Nola luzonalesa* (Wileman & West,1928)** (Noctuidae) Synonym(s): *luzonalesa* Wileman & West,1928 _ Range (in code): **PH Luz**
- 65402. *Nola major* Hampson,1891** (Noctuidae) Synonym(s): *major* Hampson,1891 _ Range (in code): **IN LK MM SG NH NC TW**
- 65403. *Nola major formosana* Wileman & West,1929** (Noctuidae) Synonym(s): *formosana* Wileman & West,1929 _ Range (in code): **TW**

- 65404. *Nola marginata* Hampson, 1895** (Noctuidae) Synonym(s): *marginata* Hampson, 1895; *marginata* Hampson, 1896; *umbrata* Wileman, 1916; *crustalis* Van Eecke, 1926 _ Range (in code): **BT ID Sum Bli MY Bor Sbh KBa IN MM TW**
- 65405. *Nola marmorea* (Talbot, 1926)** (Noctuidae) Synonym(s): *marmorea* Talbot, 1926 _ Range (in code): **MY Bor Swk**
- 65406. *Nola marshallae* Holloway, 2003** (Noctuidae) Synonym(s): *marshallae* Holloway, 2003 Range (in code): **MY Bor**
- 65407. *Nola melanoscelis* (Hampson, 1914)** (Noctuidae) Synonym(s): *melanoscelis* Hampson, 1914 **GH ZA SL CM Lbu ZR TZ Mgr Kmj KE Mru Nai UG ET ET09**
- 65408. *Nola melanota* Hampson, 1900** (Noctuidae) Synonym(s): *melanota* Hampson, 1900 Range (in code): **IN SI**
- 65409. *Nola mesomelana* (Hampson, 1900)** (Noctuidae) Synonym(s): *mesomelana* Hampson, 1900; *taeniatoides* Seitz, 1913 _ Range (in code): **SI IN ID Sum Ja Bli MY Bor Sbh KBa**
- 65410. *Nola mesosticta* (Hampson, 1900)** (Noctuidae) Synonym(s): *mesosticta* Hampson, 1900; *celidota* Wileman & West, 1928 _ Range (in code): **IN MY Bor SG PH ID Crm PG**
- 65411. *Nola mesotherma* Hampson, 1909** (Noctuidae) Synonym(s): *mesotherma* Hampson, 1909 Range (in code): **LK**
- 65412. *Nola minna* Butler, 1881** (Noctuidae) Synonym(s): *minna* Butler, 1881; *hyemalis* Stretch, 1885 Range (in code): **US Cf**
- 65413. *Nola musculalis* Saalmüller, 1880** (Noctuidae) Synonym(s): *musculalis* Saalmüller, 1880 **MG**
- 65414. *Nola negrita* Hampson, 1894** (Noctuidae) Synonym(s): *negrita* Hampson, 1894 _ Range (in code): **IN**
- 65415. *Nola negrosensis* Wileman & West, 1929** (Noctuidae) Synonym(s): *negrosensis* Wileman & West, 1929 _ Range (in code): **PH Neg**
- 65416. *Nola nigrisparsa* Hampson, 1896** (Noctuidae) Synonym(s): *nigrisparsa* Hampson, 1896 Range (in code): **BT**
- 65417. *Nola nigrolineata* (Van Eecke, 1926)** (Noctuidae) Synonym(s): *nigrolineata* Van Eecke, 1926 _ Range (in code): **ID Sum**
- 65418. *Nola ochrolopha* (Hampson, 1911)** (Noctuidae) Synonym(s): *ochrolopha* Hampson, 1911 Original Reference: *Celama ochrolopha* Hampson, 1911, Ann. Mag. nat. Hist. (8) 8: 397. Type ♀: Sikkim (Möller). Range (in code): **MY Bor IN SI**
- 65419. *Nola opalina* (Walker, 1862)** (Noctuidae) Synonym(s): *opalina* Walker, 1862; *basimicans* Hampson, 1894 _ Range (in code): **MM PH ID Ja MY Bor PG**
- 65420. *Nola pascua* (Swinhoe, 1885)** (Noctuidae) Synonym(s): *pascua* Swinhoe, 1885 _ Range (in code): **IN Poo LK Pdy**
- 65421. *Nola pauai* Wileman & West, 1928** (Noctuidae) Synonym(s): *pauai* Wileman & West, 1928 Range (in code): **PH Luz**
- 65422. *Nola peguense* (Hampson, 1894)** (Noctuidae) Synonym(s): *peguense* Hampson, 1894 Range (in code): **MM Peg CN**
- 65423. *Nola picurka* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *picurka* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): **TH Fn**
- 65424. *Nola pinratana* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *pinratana* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): **TH CMa Fn**
- 65425. *Nola poecila* (Wileman & West, 1928)** (Noctuidae) Synonym(s): *poecila* Wileman & West, 1928 _ Range (in code): **PH Luz**
- 65426. *Nola polia* (Hampson, 1900)** (Noctuidae) Synonym(s): *polia* Hampson, 1900 _ Range (in code): **IN SI**
- 65427. *Nola politzari* Hacker, 2012** (Noctuidae) Synonym(s): *politzari* Hacker, 2012 _ **BF**
- 65428. *Nola praefica* Saalmüller, 1884** (Noctuidae) Synonym(s): *praefica* Saalmüller, 1884 Range (in code): **ZA Nta Kzu Srn Kkf Ec Tra MG**
- 65429. *Nola promelaena* Hampson, 1914** (Noctuidae) Synonym(s): *promelaena* Hampson, 1914 Range (in code): **TW**
- 65430. *Nola pumila* Snellen, 1875** (Noctuidae) Synonym(s): *pumila* Snellen, 1875; *spretta* Butler, 1880; *tetrophthalma* Meyrick, 1889 _ Range (in code): **ID Clb Ja MY Bor**
- 65431. *Nola pura* (Fletcher, 1957)** (Noctuidae) Synonym(s): *pura* Fletcher, 1957 _ Range (in code): **SB**

- 65432. *Nola quadrimaculata* Heylaerts, 1892** (Noctuidae) Synonym(s): *quadrimaculata* Heylaerts, 1892 _ Range (in code): IN MY Bor AU QAU SB
- 65433. *Nola quilimanensis* Strand, 1920** (Noctuidae) Synonym(s): *quilimanensis* Strand, 1920 _ Range (in code): ZA
- 65434. *Nola robusta* (Wileman & West, 1928)** (Noctuidae) Synonym(s): *robusta* Wileman & West, 1928 _ Range (in code): PH Luz
- 65435. *Nola rufa* (Hampson, 1900)** (Noctuidae) Synonym(s): *rufa* Hampson, 1900 _ Range (in code): LK
- 65436. *Nola rufimixta* (Hampson, 1909)** (Noctuidae) Synonym(s): *rufimixta* Hampson, 1909 _ Range (in code): LK
- 65437. *Nola sakishimana* Inoue, 2001** (Noctuidae) Synonym(s): *sakishimana* Inoue, 2001 _ Range (in code): JP Ri
- 65438. *Nola samoana* (Hampson, 1914)** (Noctuidae) Synonym(s): *samoana* Hampson, 1914 _ Range (in code): WS TO NC
- 65439. *Nola sarniensis* (Van Son, 1933)** (Noctuidae) Synonym(s): *sarniensis* Van Son, 1933 _ Range (in code): ZA Nta Kzu Dbn Srn Umk Ptw
- 65440. *Nola scabralis* (Walker, 1865)** (Noctuidae) Synonym(s): *scabralis* Walker, 1865 _ Original Reference: Tribunta scabralis Walker, 1865, List Specimens lepid. Insects Colln. Br. Mus. 34: 1507. Type: Australia: N.S.Wales. Range (in code): AU NSw NC
- 65441. *Nola scriptrix* (Van Eecke, 1926)** (Noctuidae) Synonym(s): *scriptrix* Van Eecke, 1926 _ Range (in code): ID Sum
- 65442. *Nola semidolosa* (Walker, [1863])** (Noctuidae) Synonym(s): *semidolosa* Walker, [1863]; *aroa* Bethune-Baker, 1904; *murina* Rothschild, 1916 _ Range (in code): MY Bor ID Sum Clb Bli SB PG Bsm
- 65443. *Nola serratalva* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) Synonym(s): *serratalva* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): TH CMA CDo
- 65444. *Nola sijthoffi* Van Eecke, 1920** (Noctuidae) Synonym(s): *sijthoffi* Van Eecke, 1920; *sumatrana* Van Eecke, 1926 _ Range (in code): ID Sum Ja MY Bor Swk
- 65445. *Nola simplex* Wileman & West, 1929** (Noctuidae) Synonym(s): *simplex* Wileman & West, 1929 _ Range (in code): TW
- 65446. *Nola solvita* Schaus, 1896** (Noctuidae) Synonym(s): *solvita* Schaus, 1896 _ BR Pran Spa
- 65447. *Nola spinivesica* Holloway, 2003** (Noctuidae) Synonym(s): *spinivesica* Holloway, 2003 _ Range (in code): IN ID MY Bor Swk Bli
- 65448. *Nola streptographia* (Hampson, 1900)** (Noctuidae) Synonym(s): *streptographia* Hampson, 1900 _ Range (in code): LK
- 65449. *Nola subchlamydula* Staudinger, 1870** (Noctuidae) Synonym(s): *subchlamydula* Staudinger, 1870; *lathonialis* Millière, 1872; *kruegeri* Turati, 1911; *praetextula* Chrétien, 1923; *infantula* Kitt, 1926; *derasa* Zerny, 1933; *albidula* Zerny, 1934 _ Original Reference: Nola subchlamydula Staudinger, 1870, Horae Soc. ent. ross. 7: 107-109, Tab. 1 figs. 6, 7. Syntypes ♂♀: Griechenland: Attica. Range (in code): MA DZ Afl Lbs Hrh TN ES Mu FR Co Sa IT BE DE CH AT YU BG GR Cr TR LB Bei Bsa IR Fa IQ Cc RU Ao Da UA Cm Bionomy: Larva on Lavandula stoechas, Salvia, Teucrium chamaedrys (Lamiaceae) (Freina & Witt, 1987).
- 65450. *Nola submelanoscelis* Hacker, 2012** (Noctuidae) Synonym(s): *submelanoscelis* Hacker, 2012 _ ZA Kzu Nta Dbn Umk ZW
- 65451. *Nola suffusa* (Hampson, 1900)** (Noctuidae) Synonym(s): *suffusa* Hampson, 1900 _ Range (in code): IN SI
- 65452. *Nola sumatranoides* Poole, 1989** (Noctuidae) Synonym(s): *sumatrana* Roepke, 1948; *nec* Eeck., 1926; *sumatranoides* Poole, 1989 _ Range (in code): ID Sum
- 65453. *Nola sylpha* (Dyar, 1914)** (Noctuidae) Synonym(s): *sylpha* Dyar, 1914 _ PA
- 65454. *Nola taiwana* Wileman & South, 1916** (Noctuidae) Synonym(s): *taiwana* Wileman & South, 1916 _ Range (in code): TW
- 65455. *Nola tarrawayi* Holloway, 2003** (Noctuidae) Synonym(s): *tarrawayi* Holloway, 2003 _ Range (in code): MY Bor Swk
- 65456. *Nola tenebrosa* Hampson, 1896** (Noctuidae) Synonym(s): *tenebrosa* Hampson, 1896 _ Range (in code): BT
- 65457. *Nola tetrodon* Joannis, 1928** (Noctuidae) Synonym(s): *tetrodon* Joannis, 1928 _ Range (in code): VN Ton

- 65458. *Nola thymula* Millière, 1867** (Noctuidae) **Synonym(s):** *thymula* Millière, 1867 _ Range (in code): **AET MA Ifr DZ Ges Bttna Ktr Orn ES Mu FR IT** Bionomy: Larva on Thymus (Calle et al., 2000).
- 65459. *Nola tincta* Wileman & South, 1919** (Noctuidae) **Synonym(s):** *tincta* Wileman & South, 1919 Range (in code): **PH Mno**
- 65460. *Nola tineoides* (Walker, [1858])** (Noctuidae) **Synonym(s):** *tineoides* Walker, [1858]; *partitalis* Walker, [1866]; *caffra* Wallengren, 1875 _ Range (in code): **ZA Tva Nta Kzu Ec NA**
- 65461. *Nola tornotis* (Meyrick, 1887)** (Noctuidae) **Synonym(s):** *tornotis* Meyrick, 1887 _ Range (in code): **WS NH AU**
- 65462. *Nola transecta* Hampson, 1901** (Noctuidae) **Synonym(s):** *transecta* Hampson, 1901 Range (in code): **SL**
- 65463. *Nola transversata* G.D. Robinson, 1975** (Noctuidae) **Synonym(s):** *transversata* G.D. Robinson, 1975 _ Range (in code): **FJ**
- 65464. *Nola transwallacea* Holloway, 2003** (Noctuidae) **Synonym(s):** *transwallacea* Holloway, 2003 _ Range (in code): **MY Bor BN ID Clb Crm**
- 65465. *Nola triparallelinea* Van Eecke, 1920** (Noctuidae) **Synonym(s):** *triparallelinea* Van Eecke, 1920 _ Range (in code): **ID Ja**
- 65466. *Nola tripuncta* Wileman, 1910** (Noctuidae) **Synonym(s):** *tripuncta* Wileman, 1910 Range (in code): **TW**
- 65467. *Nola trocha* Dognin, 1897** (Noctuidae) **Synonym(s):** *trocha* Dognin, 1897 _ **EC**
- 65468. *Nola tumulifera* Hampson, 1893** (Noctuidae) **Synonym(s):** *tumulifera* Hampson, 1893 Range (in code): **LK Pdy**
- 65469. *Nola umbrata* (Wileman, 1916)** (Noctuidae) **Synonym(s):** *umbrata* Wileman, 1916 Range (in code): **TW**
- 65470. *Nola vesicularis* Van Eecke, 1926** (Noctuidae) **Synonym(s):** *vesicularis* Van Eecke, 1926 Range (in code): **ID Sum**
- 65471. *Nola vicina* (Roepke, 1948)** (Noctuidae) **Synonym(s):** *vicina* Roepke, 1948 _ Range (in code): **ID Sum**
- 65472. *Nola vulgaris* Druce, 1885** (Noctuidae) **Synonym(s):** *vulgaris* Druce, 1885 _ **CR**
- 65473. *Nola wernerthomasi* Laszlo, G. Ronkay & Witt, 2010** (Noctuidae) **Synonym(s):** *wernerthomasi* Laszlo, G. Ronkay & Witt, 2010 _ Range (in code): **TH CMa Fn**
- 65474. *Nola wilsonae* Holloway, 2003** (Noctuidae) **Synonym(s):** *wilsonae* Holloway, 2003 _ **MY Swk Bor**
- 65475. *Nola yegua* Schaus, 1921** (Noctuidae) **Synonym(s):** *yegua* Schaus, 1921 _ Range (in code): **GT**
- 65476. *Nola yoshinensis* (Wileman & West, 1929)** (Noctuidae) **Synonym(s):** *yoshinensis* Wileman & West, 1929 _ Range (in code): **JP**
- 65477. *Nola zeteci* Dyar, 1914** (Noctuidae) **Synonym(s):** *zeteci* Dyar, 1914 _ **PA**
- 65478. *Nolidia brandbergensis* Hacker, 2012** (Noctuidae) **Synonym(s):** *brandbergensis* Hacker, 2012 _ **NA**
- 65479. *Nolidia chionographa* Hacker, 2012** (Noctuidae) **Synonym(s):** *chionographa* Hacker, 2012 **YE**
- 65480. *Nolidia concinna* (Hampson, 1918)** (Noctuidae) **Synonym(s):** *concinna* Hampson, 1918 **MW Mje**
- 65481. *Nolidia continua* Hacker, 2012** (Noctuidae) **Synonym(s):** *continua* Hacker, 2012 _ **TZ Usa Mru**
- 65482. *Nolidia dallastai* Hacker, 2012** (Noctuidae) **Synonym(s):** *dallastai* Hacker, 2012 _ **KE**
- 65483. *Nolidia decrepita* Hacker, 2012** (Noctuidae) **Synonym(s):** *decrepita* Hacker, 2012 _ **KE Nai NA**
- 65484. *Nolidia deuteranana* Hacker, 2012** (Noctuidae) **Synonym(s):** *deuteranana* Hacker, 2012 **GH**
- 65485. *Nolidia elachistodes* Hacker, 2012** (Noctuidae) **Synonym(s):** *elachistodes* Hacker, 2012 **TZ Usa Ani Tnga**
- 65486. *Nolidia elachistomorpha* Hacker, 2012** (Noctuidae) **Synonym(s):** *elachistomorpha* Hacker, 2012 _ **TZ Iri Uzu**
- 65487. *Nolidia euryomorpha* Hacker, 2012** (Noctuidae) **Synonym(s):** *euryomorpha* Hacker, 2012 **TZ Iri Uzu**
- 65488. *Nolidia felicis* Hacker, 2012** (Noctuidae) **Synonym(s):** *felicis* Hacker, 2012 _ **YE**

- 65489. *Nolidia gladstoni* (van Son,1933)** (Noctuidae) **Synonym(s):** *gladstoni van Son,1933*
ZA Ec Cto
- 65490. *Nolidia improvisa* Hacker,2012** (Noctuidae) **Synonym(s):** *improvisa Hacker,2012* **_ _KE**
Nai UG RW ET Oro Snnp
- 65491. *Nolidia longinqua* Hacker,2012** (Noctuidae) **Synonym(s):** *longinqua Hacker,2012* **_ _BF**
- 65492. *Nolidia microlopha* (Hampson,1900)** (Noctuidae) **Synonym(s):** *microlopha Hampson,1900* **_ _GH**
- 65493. *Nolidia minimalis* Hacker,2012** (Noctuidae) **Synonym(s):** *minimalis Hacker,2012* **_ _TZ**
Ani Usa Tnga
- 65494. *Nolidia nanoxantha* Hacker,2012** (Noctuidae) **Synonym(s):** *nanoxantha Hacker,2012*
TZ Ani Tnga Usa
- 65495. *Nolidia nigeriensis* Hacker,2012** (Noctuidae) **Synonym(s):** *nigeriensis Hacker,2012*
NG
- 65496. *Nolidia notonana* Hacker,2012** (Noctuidae) **Synonym(s):** *notonana Hacker,2012* **_ _ZA**
Wca
- 65497. *Nolidia paurosticta* Hacker,2012** (Noctuidae) **Synonym(s):** *paurosticta Hacker,2012*
CI
- 65498. *Nolidia platygrapha* Hacker,2012** (Noctuidae) **Synonym(s):** *platygrapha Hacker,2012*
ET Amh
- 65499. *Nolidia polionana* Hacker,2012** (Noctuidae) **Synonym(s):** *polionana Hacker,2012* **_ _TZ**
Iri Uzu
- 65500. *Nolidia pumilalis* Hacker,2012** (Noctuidae) **Synonym(s):** *pumilalis Hacker,2012* **_ _TZ**
Ani Usa Tnga Mgr Iri Uzu Pwa KE CM
- 65501. *Nolidia townsendi* (Tams,1935)** (Noctuidae) **Synonym(s):** *townsendi Tams,1935*
Range (in code): KE Kkm TZ Mru ET YE Sna SA As
- 65502. *Nolidia townsendi manakhana* Hacker,2012** (Noctuidae) **Synonym(s):** *manakhana Hacker,2012* **_ _YE Sna SA As**
- 65503. *Nolidia townsendi townsendi* (Tams,1935)** (Noctuidae) **Synonym(s):** *townsendi Tams,1935* **_ _KE Kkm TZ Mru ET**
- 65504. *Nolidia transitoria* (Van Son,1933)** (Noctuidae) **Synonym(s):** *transitoria Van Son,1933*
Range (in code): ZA Tva Lpo Pie Mal Mpu ZA14
- 65505. *Nolidia unipuncta* Van Son,1933** (Noctuidae) **Synonym(s):** *unipuncta Van Son,1933*
Range (in code): ZA Nta Kzu Tva Lpo Ste Ec Wca Nca
- 65506. *Nonagria intestata* Walker,1856** (Noctuidae) **Synonym(s):** *intestata Walker,1856*
Range (in code): ZA
- 65507. *Nonagria puengeleri* (Schawerda,1924)** (Noctuidae) **Synonym(s):** *puengeleri Schawerda,1924; albipuncta O.Bang-Haas,1927* **_ Range (in code): RU Us IL Pa IQ Amr**
- 65508. *Nonagria puengeleri pringlei* (Wiltshire,1958)** (Noctuidae) **Synonym(s):** *pringlei Wiltshire,1958* **_ Range (in code): IL Pa IQ Amr**
- 65509. *Nonagria puengeleri puengeleri* (Schawerda,1924)** (Noctuidae) **Synonym(s):** *puengeleri Schawerda,1924; albipuncta O.Bang-Haas,1927* **_ Range (in code): RU Us**
- 65510. *Nonagria typhae* (Thunberg,1784)** (Noctuidae) **Synonym(s):** *typhae Thunberg,1784; arundinis Fabricius,1787.* **_ Range (in code): MA DZ TN LY EG PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Cc Ro St Ich Da MD UA BY LB IL Pa IQ Bsr IR Ss AF CN Ui li** **Bionomy:** Larva on Typha stem (Thunberg,1784).
- 65511. *Numeniastes selenis* D.S.Fletcher,1963** (Noctuidae) **Synonym(s):** *selenis D.S.Fletcher,1963* **_ Range (in code): UG Rz ET ET196 ET168**
- 65512. *Nycteola asiatica* (Krulikovsky,1904)** (Noctuidae) **Synonym(s):** *asiatica Krulikovsky,1904; populana Patočka,1953; hungarica Kovacs,1954.* **Original Reference:** *Sarothrips revayana* var. *asiatica* Krulikovsky,1904, *Revue Ent. Russk.* 4: 91. **Type(s):** [Turkmenistan]: Transkaspian. **Range (in code): ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU B-H MK BG GR TR GG Smt Akh JO DK SE FI EE LV LT RU Ur At Sb Prj Us Am Cc Ro Kr St Nt Ich Da MD UA BY IQ IR Ke Kh Elb Th Gh Kd Bne Mrv Lo Mz TM Kp AF Pag PK NP CN Ui li T-S Mc KK Ax TeA Skm KG Tk Aa Dj KP KR JP**
- 65513. *Nycteola canaphaea* Holloway,2003** (Noctuidae) **Synonym(s):** *canaphaea Holloway,2003*
Range (in code): MY Bor Swk
- 65514. *Nycteola canoides* Holloway,1979** (Noctuidae) **Synonym(s):** *canoides Holloway,1979*
Range (in code): NC
- 65515. *Nycteola columbana* (Turner,1925)** (Noctuidae) **Synonym(s):** *columbana Thurner,1925; gallicana Aubert,1957; #apicistrigata Dufay,1958.* **Original Reference:** *Sarothrips reveyana*

- columbana Thurner,1925, Entomologist's Rec. J. Var. 37: 77. Type(s): France: Haute Loire. Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT CH RO YU MK BG GR Cr TR CY LB Bsa RU Cc Kr** Bionomy: Larva on Quercus (Calle et al., 2000).
- 65516. Nycteola costalis Sugi,1959** (Noctuidae) Synonym(s): *costalis Sugi,1959* Range (in code): **JP KP KR**
- 65517. Nycteola degenerana (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana Hübner,[1799]* Range (in code): **FR Sa? Si? IT NL DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU Am Prj Us MD UA BY JP**
- 65518. Nycteola degenerana degenerana (Hübner,[1799])** (Noctuidae) Synonym(s): *degenerana Hübner,[1799]* Range (in code): **FR Sa? Si? IT NL DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU Am Prj Us MD UA BY JP**
- 65519. Nycteola degenerana eurasatica Dufay,1961** (Noctuidae) Synonym(s): *eurasatica Dufay,1961* Range (in code): **RU Cc Ro Kr St Nt Ich Da**
- 65520. Nycteola eremostola Dufay,1961** (Noctuidae) Synonym(s): *eremostola Dufay,1961* Original Reference: *Nycteola eremostola* Dufay,1961, Dt. ent. Z. (N.F.) 8: 436. Holotype ♂: [Kasachstan]: Saisan. Range (in code): **KG Tar Ssn TR**
- 65521. Nycteola gandzhana Obratzov,1954** (Noctuidae) Synonym(s): *gandzhana Obratzov,1954* Range (in code): **Cc AZ**
- 65522. Nycteola indica (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *indica R.Felder & Rogenhofer,1874; grisea Hampson,1891; pallescens Hampson,1893; strigivenata Hampson,1895; atrithorax Gaede,1937* Range (in code): **IN LK MM MY Bor Swk Sbh KBa AU**
- 65523. Nycteola indicatana (Walker,1863)** (Noctuidae) Synonym(s): *indicatana Walker,1863* Range (in code): **IN SG MY Bor ID Ja Clb SB** Bionomy: Larva on Eugenia (Myrtaceae), Lagerstroemia (Lythraceae) (Yunus & Ho,1980 et seq.).
- 65524. Nycteola kebea (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kebea Bethune-Baker,1906* Range (in code): **PG MY Bor Sbh KBa Swk ID Crm Clb Sum Ja PH PG**
- 65525. Nycteola kuldzhana Obratzov,1954** (Noctuidae) Synonym(s): *kuldzhana Obratzov,1954* Range (in code): **RU KG Uk CN Ui Au Ku KK Ax**
- 65526. Nycteola malachitis (Hampson,1912)** (Noctuidae) Synonym(s): *malachitis Hampson,1912* Range (in code): **ZA**
- 65527. Nycteola mesoplaga (Hampson,1905)** (Noctuidae) Synonym(s): *mesoplaga Hampson,1905* Range (in code): **IN ID Clb MY SG Bor Swk** Bionomy: Larva on Eugenia (Myrtaceae) (Yunus & Ho,1980).
- 65528. Nycteola pseudoindica Holloway,2003** (Noctuidae) Synonym(s): *pseudoindica Holloway,2003* Range (in code): **MY Pen SG Bor BN ID Ja**
- 65529. Nycteola pseudonilotica Holloway,1979** (Noctuidae) Synonym(s): *pseudonilotica Holloway,1979* Range (in code): **NC**
- 65530. Nycteola revayana (Scopoli,1772)** (Noctuidae) Synonym(s): *revayana Scopoli,1772; duplana Fabricius,1777; ilicana Fabricius,1781; fasciatum Retzius,1783; punctana Thunberg,1784; anglica Fourcroy,1785; rivagana Fabricius,1787; ramosana Hübner,1793; undulana Hübner,[1799]; bifasciana Donovan,1801 nec Hbn.,1787* Original Reference: *Phalaena (Tortrix) revayana* Scopoli,1772, Annu. hist. nat. Leipzig 5: 116. Type(s): [Slovakia]: "Schemnitz". Range (in code): **MA DZ Abe Btina Sbd Sfr Hmk Gue Dhm TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Cc Kr Kb Da Tv MD UA BY CY IR Fa Gls Kh IL Pa LB Bsa KG Ssn** Bionomy: Larva on Quercus (Fabaceae) (Beck,1960).
- 65531. Nycteola siculana (Fuchs,1899)** (Noctuidae) Synonym(s): *siculana Fuchs,1899; cuneana Patočka,1953; pseudodilutana Obratzov,1954.* Original Reference: *Sarrothripus undulana* var. *siculana* Fuchs,1899, Jb. Nassau. Ver. Naturk. 52: 128. Type(s): Sizilien. Range (in code): **MA DZ TN PT ES Mu FR Co Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE EE LV LT RU Cc Ro MD UA** Bionomy: Larva on Populus, Salix (Hacker,1989; Calle et al., 2000).
- 65532. Nycteola sinuosa (Moore,1888)** (Noctuidae) Synonym(s): *sinuosa Moore,1888* Range (in code): **IN CN HK MY Bor Sbh ID Ja** Bionomy: Larva on Pterocarya (Juglandaceae) (Gardner,1948).
- 65533. Nyctycia albivariiegata Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *albivariiegata Hreblay, Peregovits & L.Ronkay,1999* Range (in code): **VN Lci**
- 65534. Nyctycia attila Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *attila Hreblay & L.Ronkay,1999* Original Reference: *Nyctycia attila* Hreblay & L.Ronkay,1999, Esperiana 7: 537, figs. Holotype ♂: Thailand: Chiang Mai, 20km NW Sop Kha, 2km S of Kop Dong, 1800m, 5 xii 1998, leg. M.Hreblay (coll.Hreblay). Range (in code): **TH CMa Sop Fn Php**

- 65535. *Nyctycia consimilis* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *consimilis* Hreblay & L.Ronkay,1998 _ Range (in code): NP
- 65536. *Nyctycia dissimilis* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *dissimilis* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): TH CMa Int
- 65537. *Nyctycia endoi* (Owada,1983)** (Noctuidae) Synonym(s): *endoi* Owada,1983 _ Range (in code): VN Lci TH CMa
- 65538. *Nyctycia endoi hiemalis* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *hiemalis* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci TH CMa
- 65539. *Nyctycia flavipicta* (Hampson,1894)** (Noctuidae) Synonym(s): *flavipicta* Hampson,1894 _ Range (in code): TH CMa Int
- 65540. *Nyctycia flavipicta zita* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *zita* Hreblay & L.Ronkay,1999 _ Range (in code): TH CMa Int
- 65541. *Nyctycia ionochlora* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *ionochlora* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci TH CMa
- 65542. *Nyctycia karma* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *karma* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 65543. *Nyctycia laci* L.Ronkay,1990** (Noctuidae) Synonym(s): *laci* L.Ronkay,1990 _ Range (in code): NP
- 65544. *Nyctycia lama* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *lama* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 65545. *Nyctycia mesomelana* (Hampson,1902)** (Noctuidae) Synonym(s): *mesomelana* Hampson,1902; *variabilis* Owada,1983 _ Range (in code): TW
- 65546. *Nyctycia mesomelana formosana* Kobayashi & Hreblay,1998** (Noctuidae) Synonym(s): *formosana* Kobayashi & Hreblay,1998 _ Range (in code): TW
- 65547. *Nyctycia nigriclava* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *nigriclava* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 65548. *Nyctycia niveifera* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *niveifera* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): TH CMa
- 65549. *Nyctycia nivescens* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *nivescens* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN
- 65550. *Nyctycia pectinata* Draudt,1950** (Noctuidae) Synonym(s): *pectinata* Draudt,1950 _ Range (in code): CN Yu Ats
- 65551. *Nyctycia persimilis* (Hampson,1894)** (Noctuidae) Synonym(s): *persimilis* Hampson,1894 _ Range (in code): IN Hp Drm
- 65552. *Nyctycia plagiogramma* Hampson,1906** (Noctuidae) Synonym(s): *plagiogramma* Hampson,1906 _ Range (in code): IN Hp Sml
- 65553. *Nyctycia stenoptera* (Sugi,1959)** (Noctuidae) Synonym(s): *stenoptera* Sugi,1959 _ Range (in code): VN Lci NP TW
- 65554. *Nyctycia stenoptera minori* Kobayashi,1998** (Noctuidae) Synonym(s): *minori* Kobayashi,1998 _ Range (in code): TW
- 65555. *Nyctycia stenoptera pygmaea* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *pygmaea* Hreblay & L.Ronkay,1999 _ Range (in code): NP
- 65556. *Nyctycia stenoptera violascens* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *violascens* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): VN Lci
- 65557. *Nyctycia szabokyi* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *szabokyi* Hreblay, Peregovits & L.Ronkay,1999 _ Range (in code): TH Mae CMa
- 65558. *Nyctycia vernalis* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *vernalis* Hreblay & L.Ronkay,1998 _ Range (in code):
- 65559. *Nyodes acatharta* (Hampson,1913)** (Noctuidae) Synonym(s): *acatharta* Hampson,1913 _ Range (in code): ZA Nta Kzu Dbn
- 65560. *Nyodes argentea* (Berio,1970)** (Noctuidae) Synonym(s): *argentea* Berio,1970 _ Range (in code): ZR Kga
- 65561. *Nyodes auriferoides* Laporte,1972** (Noctuidae) Synonym(s): *auriferoides* Laporte,1972 _ Range (in code): AO
- 65562. *Nyodes aurora* Laporte,1972** (Noctuidae) Synonym(s): *aurora* Laporte,1972 _ Range (in code): ZR Kvu

- 65563. *Nyodes bafouti* Laporte,1972** (Noctuidae) Synonym(s): *bafouti* Laporte,1972 _ Range (in code): CM
- 65564. *Nyodes barlowi* Laporte,1972** (Noctuidae) Synonym(s): *barlowi* Laporte,1972 _ Range (in code): MW Mja
- 65565. *Nyodes barnsi* A.E.Prout,1921** (Noctuidae) Synonym(s): *barnsi* A.E.Prout,1921 _ Range (in code): TZ
- 65566. *Nyodes basilewskyi* Laporte,1972** (Noctuidae) Synonym(s): *basilewskyi* Laporte,1972 _ Range (in code): ZR Kvu
- 65567. *Nyodes bergeri* Laporte,1972** (Noctuidae) Synonym(s): *bergeri* Laporte,1972 _ Range (in code): ZR Skr
- 65568. *Nyodes bernardii* Laporte,1972** (Noctuidae) Synonym(s): *bernardii* Laporte,1972 _ Range (in code): GA
- 65569. *Nyodes biardi* Laporte,1984** (Noctuidae) Synonym(s): *biardi* Laporte,1984 _ Range (in code): ET
- 65570. *Nyodes brevicornis* (Walker,[1857])** (Noctuidae) Synonym(s): *brevicornis* Walker,[1857]; *tarara* Holland,1893 _ Range (in code): CG ZR
- 65571. *Nyodes bryodes* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *bryodes* D.S.Fletcher,1961 _ Range (in code): UG Rz
- 65572. *Nyodes callichlora* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *callichlora* D.S.Fletcher,1961 _ Range (in code): ZR Kvu
- 65573. *Nyodes chlorobapta* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *chlorobapta* D.S.Fletcher,1961 _ Range (in code): UG Rz
- 65574. *Nyodes dargei* Laporte,1972** (Noctuidae) Synonym(s): *dargei* Laporte,1972 _ Range (in code): CM
- 65575. *Nyodes diffusa* Laporte,1972** (Noctuidae) Synonym(s): *diffusa* Laporte,1972 _ Range (in code): RW
- 65576. *Nyodes dufayi* Laporte,1970** (Noctuidae) Synonym(s): *dufayi* Laporte,1970 _ Range (in code): GA
- 65577. *Nyodes fletcheri* Laporte,1970** (Noctuidae) Synonym(s): *fletcheri* Laporte,1970 _ Range (in code): GA
- 65578. *Nyodes gabonensis* Laporte,1970** (Noctuidae) Synonym(s): *gabonensis* Laporte,1970 _ Range (in code): GA
- 65579. *Nyodes gazelli* Laporte,1970** (Noctuidae) Synonym(s): *gazelli* Laporte,1970 _ Range (in code): ZR Kvu
- 65580. *Nyodes hecqui* Laporte,1972** (Noctuidae) Synonym(s): *hecqui* Laporte,1972 _ Range (in code): ZR
- 65581. *Nyodes herbuloti* Laporte,1973** (Noctuidae) Synonym(s): *herbuloti* Laporte,1973 _ Range (in code): ZR Kvu
- 65582. *Nyodes isabellae* Laporte,1971** (Noctuidae) Synonym(s): *isabellae* Laporte,1971 _ Range (in code): GO Bio
- 65583. *Nyodes jucunda* Laporte,1973** (Noctuidae) Synonym(s): *jucunda* Laporte,1973 _ Range (in code): KE
- 65584. *Nyodes kilimandjaronis* Laporte,1979** (Noctuidae) Synonym(s): *kilimandjaronis* Laporte,1979 _ Range (in code): TZ Kmj
- 65585. *Nyodes lemairei* Laporte,1972** (Noctuidae) Synonym(s): *lemairei* Laporte,1972 _ Range (in code): CM
- 65586. *Nyodes lowai* Laporte,1972** (Noctuidae) Synonym(s): *lowai* Laporte,1972 _ Range (in code): ZR Kvu
- 65587. *Nyodes lutescens* (Herrich-Schäffer,[1854])** (Noctuidae) Synonym(s): *lutescens* Herrich-Schäffer,[1854]; *rangeri* Laporte,1973 _ Range (in code): ZA Ec UG Rz
- 65588. *Nyodes makokoui* Laporte,1970** (Noctuidae) Synonym(s): *makokoui* Laporte,1970 _ Range (in code): GA
- 65589. *Nyodes marginata* Laporte,1977** (Noctuidae) Synonym(s): *marginata* Laporte,1977 _ Range (in code): CM
- 65590. *Nyodes mariae* Laporte,1972** (Noctuidae) Synonym(s): *mariae* Laporte,1972 _ Range (in code): CM

- 65591. *Nyodes mochlosema* (D.S.Fletcher,1961)** (Noctuidae) **Synonym(s):** *mochlosema* D.S.Fletcher,1961 - Range (in code): ZR Kvu
- 65592. *Nyodes nigra* Laporte,1970** (Noctuidae) **Synonym(s):** *nigra* Laporte,1970 - Range (in code): GA
- 65593. *Nyodes nigriodes* Laporte,1977** (Noctuidae) **Synonym(s):** *nigriodes* Laporte,1977 - Range (in code): CM
- 65594. *Nyodes njombe* Laporte,1972** (Noctuidae) **Synonym(s):** *njombei* Laporte,1972 - Range (in code): TZ
- 65595. *Nyodes panconita* (D.S.Fletcher,1961)** (Noctuidae) **Synonym(s):** *panconita* D.S.Fletcher,1961 - Range (in code): UG Rz
- 65596. *Nyodes paulis* Laporte,1973** (Noctuidae) **Synonym(s):** *paulis* Laporte,1973 - Range (in code): ZR
- 65597. *Nyodes pelletieri* Laporte,1971** (Noctuidae) **Synonym(s):** *pelletieri* Laporte,1971 - Range (in code): ZR Kvu
- 65598. *Nyodes petersi* Laporte,1971** (Noctuidae) **Synonym(s):** *petersi* Laporte,1971 - Range (in code): TZ
- 65599. *Nyodes prasinodes* (A.E.Prout,1921)** (Noctuidae) **Synonym(s):** *prasinodes* A.E.Prout,1921 - Range (in code): ZM ZA
- 65600. *Nyodes punctata* (Gaede,1934)** (Noctuidae) **Synonym(s):** *punctata* Gaede,1934 - Range (in code): CM ZA
- 65601. *Nyodes punctifera* Laporte,1973** (Noctuidae) **Synonym(s):** *punctifera* Laporte,1973 - Range (in code): ZR Kvu RW
- 65602. *Nyodes rufifusa* (Hampson,1918)** (Noctuidae) **Synonym(s):** *rufifusa* Hampson,1918 - Range (in code): MW Mja
- 65603. *Nyodes rufifusoides* Laporte,1973** (Noctuidae) **Synonym(s):** *rufifusoides* Laporte,1973 - Range (in code): TZ
- 65604. *Nyodes sandersi* Laporte,1972** (Noctuidae) **Synonym(s):** *sandersi* Laporte,1972 - Range (in code): GH
- 65605. *Nyodes semliki* Laporte,1971** (Noctuidae) **Synonym(s):** *semliki* Laporte,1971 - Range (in code): ZR
- 65606. *Nyodes sophiae* Laporte,1970** (Noctuidae) **Synonym(s):** *sophiae* Laporte,1970 - Range (in code): GA
- 65607. *Nyodes steeli* Laporte,1971** (Noctuidae) **Synonym(s):** *steeli* Laporte,1971 - Range (in code): CM
- 65608. *Nyodes subfuscata* (Berio,1970)** (Noctuidae) **Synonym(s):** *subfuscata* Berio,1970 - Range (in code): ZR
- 65609. *Nyodes sublutescens* Laporte,1972** (Noctuidae) **Synonym(s):** *sublutescens* Laporte,1972 - Range (in code): CM Bit
- 65610. *Nyodes subnigra* Laporte,1973** (Noctuidae) **Synonym(s):** *subnigra* Laporte,1973 - Range (in code): UG
- 65611. *Nyodes succincta* Berio,1973** (Noctuidae) **Synonym(s):** *succincta* Berio,1973 - Range (in code): TZ Iko
- 65612. *Nyodes suppurifera* (Berio,1970)** (Noctuidae) **Synonym(s):** *suppurifera* Berio,1970 - Range (in code): UG
- 65613. *Nyodes tamsi* Laporte,1973** (Noctuidae) **Synonym(s):** *tamsi* Laporte,1973 - Range (in code): GO Bio
- 65614. *Nyodes thomae* (A.E.Prout,1927)** (Noctuidae) **Synonym(s):** *thomae* A.E.Prout,1927 - Range (in code): ST
- 65615. *Nyodes toucheti* Laporte,1973** (Noctuidae) **Synonym(s):** *toucheti* Laporte,1973 - Range (in code): CM
- 65616. *Nyodes viettei* Laporte,1970** (Noctuidae) **Synonym(s):** *viettei* Laporte,1970 - Range (in code): GA
- 65617. *Nyodes vigrinis* Laporte,1970** (Noctuidae) **Synonym(s):** *vigrinis* Laporte,1970 - Range (in code): GA
- 65618. *Nyodes virescens* (Butler,1879)** (Noctuidae) **Synonym(s):** *virescens* Butler,1879; *ochrargyra* Mabille,1890 - Range (in code): MG

- 65619. *Nyodes viridirufa* (Hampson,1918)** (Noctuidae) **Synonym(s):** *viridirufa* Hampson,1918
Range (in code): **KE ZA**
- 65620. *Nyodes vitanvali* Laporte,1970** (Noctuidae) **Synonym(s):** *vitanvali* Laporte,1970
Range (in code): **GA**
- 65621. *Nyssocnemis eversmanni* (Lederer,1853)** (Noctuidae) **Synonym(s):** *obesa* Eversmann,1846 nec Bsd.,1829; *eversmanni* Lederer,1853
Range (in code): **RU Sb At Am CN Mc**
- 65622. *Obana indecisa* (Walker,[1863])** (Noctuidae) **Synonym(s):** *indecisa* Walker,[1863]
Range (in code): **MY Bor Swk**
- 65623. *Obana plagiostola* (Hampson,1896)** (Noctuidae) **Synonym(s):** *plagiostola* Hampson,1896
Range (in code): **BT**
- 65624. *Obana solomonensis* W.Warren,1913** (Noctuidae) **Synonym(s):** *solomonensis* W.Warren,1913; *irrufata* W.Warren,1913
Range (in code): **SB**
- 65625. *Obana vagipennata* Walker,1862** (Noctuidae) **Synonym(s):** *vagipennata* Walker,1862
Range (in code): **MY Bor Swk**
- 65626. *Ochrocalama xanthia* (Hampson,1905)** (Noctuidae) **Synonym(s):** *xanthia* Hampson,1905
Range (in code): **ZA Nta Kzu ZW**
- 65627. *Ochropleura altivagans* Varga,1979** (Noctuidae) **Synonym(s):** *altivagans* Varga,1979
Range (in code): **PK**
- 65628. *Ochropleura arctica* Kononenko,1981** (Noctuidae) **Synonym(s):** *arctica* Kononenko,1981
Range (in code): **RU At**
- 65629. *Ochropleura clarivena* (Püngeler,1900)** (Noctuidae) **Synonym(s):** *clarivena* Püngeler,1900
Original Reference: *Agrotis clarivena* Püngeler,1900, Dt. ent. Z., Iris 13: 116-117, Taf.iv fig.8. Syntypes: [China]: "Kuku-Noor".
Range (in code): **CN Ts Kno**
- 65630. *Ochropleura deptera* Laporte,1977** (Noctuidae) **Synonym(s):** *deptera* Laporte,1977
Range (in code): **ET**
- 65631. *Ochropleura gaedei* Berio,1972** (Noctuidae) **Synonym(s):** *gaedei* Berio,1972
Range (in code): **TZ**
- 65632. *Ochropleura lasciva* (Staudinger,1888)** (Noctuidae) **Synonym(s):** *lasciva* Staudinger,1888
Original Reference: *Agrotis lasciva* Staudinger,1888, Stettin ent. Ztg. 49: 14. Syntypes: [Kirgisistan]: "Alai", [Uzbekistan]: "Samarkand" (MNHU, Berlin).
Range (in code): **KK UZ Smk AF Adr**
- 65633. *Ochropleura leucogaster* (Freyer,1831)** (Noctuidae) **Synonym(s):** *leucogaster* Freyer,1831
Original Reference: *Noctua leucogaster* Freyer,1831, Neuere Beitr. Schmett. 1: 38, Tab.21, fig.1. Type(s): [Austria]: Wien.
Range (in code): **TN DhM PT ES FR Co Sa Si IT MT GB DE CH AT RO YU AL BG GR Cr TR LB IL Hf Pa SY RU ZA ET ET24 ET86**
- 65634. *Ochropleura nivisparsa* (Butler,1889)** (Noctuidae) **Synonym(s):** *placida* Moore,1882 nec Grt.,1876; *nivisparsa* Butler,1889
Range (in code): **Ch PK Haz Mre Abb IN Hp Drm Gs Clc**
- 65635. *Ochropleura plecta* (Linnaeus,1761)** (Noctuidae) **Synonym(s):** *plecta* Linnaeus,1761; *unimacula* Staudinger,1859; *anderssoni* Lampa,1885; *glaucimacula* Graeser,[1889]; *unupplecta* Bryk,1942.
Original Reference: *Phalaena plecta* Linnaeus,1761, Fauna Suecica (2): 321. Type(s): Sweden.
Range (in code): **MA DZ TN LY EG PT ES Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Akh Smt Bjo Mng Tbl Lag Cc AZ Kir Hkd DK NO SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY LB SY IQ IR Gh Elb Mz AF TM KK KG**
- 65636. *Ochropleura subplumbea* (Staudinger,[1896])** (Noctuidae) **Synonym(s):** *subplumbea* Staudinger,[1896]
Original Reference: *Agrotis subplumbea* (Staudinger,[1896], Dt. ent. Z., Iris 8: 310. Syntypes 4♂ 1♀: "zwischen Lob Noor und Kuku Noor".
Range (in code): **CN Ui Ts Ln Kno**
- 65637. *Ochropleura vicaria* Walker,[1857]** (Noctuidae) **Synonym(s):** *vicaria* Walker,[1857]
Range (in code): **ZA**
- 65638. *Ochropleura xanthiodes* (Hampson,1903)** (Noctuidae) **Synonym(s):** *xanthiodes* Hampson,1903
Range (in code): **IN Ch**
- 65639. *Ochrotrigona triangulifera* (Hampson,1895)** (Noctuidae) **Synonym(s):** *triangulifera* Hampson,1895
Range (in code): **TH Knc MY VN BT IN SI Ass CN**
- 65640. *Odice arcuinna* (Hübner,1790)** (Noctuidae) **Synonym(s):** *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
Original Reference: *Phalaena arcuinna* Hübner,1790, Beitr. Gesch. Schmett. 2(4): 93, Taf.2, fig.O.
Range (in code): **IT AT CZ SK HU RO YU BG GR Cr TR RU Cc AM AZ Bak Kir Ro Nt Da IR Ke Mz Elb Dam Th KG Tu Tk Dj KK Skm KK CN MN KP KR**
- 65641. *Odice arcuinna arcuinna* (Hübner,[1790])** (Noctuidae) **Synonym(s):** *arcuinna* Hübner,1790; *inamoena* Hübner,[1803].
Original Reference: *Phalaena arcuinna* Hübner,1790, Beitr.

- Gesch. Schmett. 2(4): 93, Taf.2, fig.O. Range (in code): IT AT CZ SK HU RO YU BG GR Cr TR RU Cc AM Kir AZ Ro Bak Nt Da IR Ke Mz Elb Dam Th
- 65642. *Odice arcuinna argillacea* (Tauscher,1809)** (Noctuidae) Synonym(s): argillacea Tauscher,1809 Range (in code): KG Tu Tk Dj KK Skm
- 65643. *Odice blandula* (Rambur,1858)** (Noctuidae) Synonym(s): blandula Rambur,1858 Range (in code): PT ES Mu
- 65644. *Odice jucunda* (Hübner,[1813])** (Noctuidae) Synonym(s): jucunda Hübner,[1813]; sepulchralis Treitschke,1829 Range (in code): DZ Abe Ges Sbd Sfr PT ES Mu FR IT
- 65645. *Odice keyserlingi* (Bienert,1870)** (Noctuidae) Synonym(s): keyserlingi Bienert,1870 Range (in code): IR Kh
- 65646. *Odice kuelekana* (Staudinger,1871)** (Noctuidae) Synonym(s): kuelekana Staudinger,1871 Range (in code): TR Cc
- 65647. *Odice mukallai* Fibiger & Hacker,2002** (Noctuidae) Synonym(s): mukallai Fibiger & Hacker,2002 Range (in code): YE
- 65648. *Odice pergrata* (Rambur,1858)** (Noctuidae) Synonym(s): pergrata Rambur,1858 Range (in code): PT ES Mu
- 65649. *Odice suava* (Hübner,[1813])** (Noctuidae) Synonym(s): suava Hübner,[1813]. Original Reference: Noctua suava Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.125 fig.578. Type(s): Europa. Range (in code): MA DZ Rbt Dhm Perr Blid Hmk Sbd Bsk Gf TN PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr TR Cc LB KG Tk Dj
- 65650. *Odice suava bithynica* (Schwingenschuss,1940)** (Noctuidae) Synonym(s): bithynica Schwingenschuss,1940. Range (in code): TR Cc LB
- 65651. *Odice suava suava* (Hübner,[1813])** (Noctuidae) Synonym(s): suava Hübner,[1813] Original Reference: Noctua suava Hübner,[1813], Samml. eur. Schmett. 4, Noctuae: Tab.125 fig.578. Type(s): Europa. Range (in code): PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr KG Tk Dj
- 65652. *Odontelia arbusculae* Sukhareva,1970** (Noctuidae) Synonym(s): arbusculae Sukhareva,1970 Range (in code): UZ
- 65653. *Odontelia margiana* (Püngeler,1901)** (Noctuidae) Synonym(s): margiana Püngeler,1901 Range (in code): IL Pa JO SA AF TM Mrw
- 65654. *Odontelia regina* Varga & Ronkay,1991** (Noctuidae) Synonym(s): regina Varga & Ronkay,1991 Range (in code): AF
- 65655. *Odontestis ? dubiosa* (Brandt,1941)** (Noctuidae) Synonym(s): dubiosa Brandt,1941 Original Reference: Calpe ? dubiosa Brandt,1941, Mitt. münch. ent. Ges. 31: 855-856, fig.53. Syntypes 2♀: Iran: [Belutschistan]: Bender Tchahbahar. Range (in code): IR Ss
- 65656. *Odontestis cyphonota* Hampson,1912** (Noctuidae) Synonym(s): cyphonota Hampson,1912 Range (in code): GH
- 65657. *Odontestis fuscicon* (Hampson,1910)** (Noctuidae) Synonym(s): fuscicon Hampson,1910 Range (in code): ZA MZ
- 65658. *Odontestis mesonephele* (Bethune-Baker,1909)** (Noctuidae) Synonym(s): mesonephele Bethune-Baker,1909 Range (in code): CG
- 65659. *Odontestis murina* Wiltshire,1988** (Noctuidae) Synonym(s): murina Wiltshire,1988 Range (in code): SA
- 65660. *Odontestis prosticta* (Holland,1894)** (Noctuidae) Synonym(s): prosticta Holland,1894 Range (in code): GA Ogo
- 65661. *Odontestis striata* Hampson,1912** (Noctuidae) Synonym(s): striata Hampson,1912 Range (in code): ZA ZM ZW MR KE ET Sk
- 65662. *Odontestra albivitta* Hampson,1905** (Noctuidae) Synonym(s): albivitta Hampson,1905 Range (in code): KE Kky
- 65663. *Odontestra altitudinis* Laporte,1973** (Noctuidae) Synonym(s): altitudinis Laporte,1973 Range (in code): CM
- 65664. *Odontestra atuntseana* Draudt,1950** (Noctuidae) Synonym(s): atuntseana Draudt,1950 Range (in code): CN Yu Ats
- 65665. *Odontestra avitta* Fawcett,1917** (Noctuidae) Synonym(s): avitta Fawcett,1917 Range (in code): KE
- 65666. *Odontestra balachowskyi* Laporte,1974** (Noctuidae) Synonym(s): balachowskyi Laporte,1974 Range (in code): DJ DJ44
- 65667. *Odontestra conformis* Hampson,1918** (Noctuidae) Synonym(s): conformis Hampson,1918 Range (in code): ZA Ec

- 65668. *Odontestra ferox* Berio,1973** (Noctuidae) **Synonym(s):** *ferox* Berio,1973 _ **Range (in code): TZ Iko**
- 65669. *Odontestra goniosema* Hampson,1913** (Noctuidae) **Synonym(s):** *goniosema* Hampson,1913 _ **Range (in code): NG Minn**
- 65670. *Odontestra malgassica* Viette,1969** (Noctuidae) **Synonym(s):** *malgassica* Viette,1969 **Range (in code): MG**
- 65671. *Odontestra potanini* (Alpheraky,1895)** (Noctuidae) **Synonym(s):** *potanini* Alpheraky,1895 _ **Range (in code): CN Sz IN Hp Sml Dlh Drm**
- 65672. *Odontestra pseudosubgothica* Berio,1964** (Noctuidae) **Synonym(s):** *pseudosubgothica* Berio,1964 _ **Range (in code): KE Nai**
- 65673. *Odontestra richinii* Berio,1940** (Noctuidae) **Synonym(s):** *richinii* Berio,1940 _ **Range (in code): ER**
- 65674. *Odontestra roseomarginata* Draudt,1950** (Noctuidae) **Synonym(s):** *roseomarginata* Draudt,1950 _ **Range (in code): CN Sz**
- 65675. *Odontestra simillima* (Moore,1881)** (Noctuidae) **Synonym(s):** *simillima* Moore,1881 **Original Reference:** *Neuria simillima* Moore,1881, Proc. zool. Soc. London 1881: 344. Type: "Solun, Punjab" coll. Moore. **Range (in code): SI IN Hp Sml**
- 65676. *Odontestra submarginalis* (Walker,1869)** (Noctuidae) **Synonym(s):** *submarginalis* Walker,1869; *incisa* Moore,1881; *auripicta* Butler,1889 **Original Reference:** *Heliophobus submarginalis* Walker,1869, Char. undescr. Het.: 32. Type ♀. **Range (in code): IN Hp Drm Kul PK Haz Cte**
- 65677. *Odontestra unguiculata* Berio,1940** (Noctuidae) **Synonym(s):** *unguiculata* Berio,1940 **Range (in code): ZR**
- 65678. *Odontestra variegata* Berio,1940** (Noctuidae) **Synonym(s):** *variegata* Berio,1940 **Range (in code): ER**
- 65679. *Odontestra vitta* Berio,1974** (Noctuidae) **Synonym(s):** *vitta* Berio,1974 _ **Range (in code): ET ET09**
- 65680. *Odontestra vittigera* (Hampson,1902)** (Noctuidae) **Synonym(s):** *vittigera* Hampson,1902 **Range (in code): KE ZA Nta Kzu**
- 65681. *Odontodes aleuca* Guenée,1852** (Noctuidae) **Synonym(s):** *aleuca* Guenée,1852; *bolinoides* Walker,1858; *subfasciata* Walker,1865; *quadristrigata* Walker,1865; *ferruginea* Walker,1869; *edemoides* Walker,1869 _ **Range (in code): IN PK Haz Mre TH CMa Int CDo MY LA VN MM NP CN ID Sum Bor**
- 65682. *Odontodes griseifusa* Wileman & West,1928** (Noctuidae) **Synonym(s):** *griseifusa* Wileman & West,1928 _ **Range (in code): PH Luz**
- 65683. *Odontodes metamelaena* Hampson,1905** (Noctuidae) **Synonym(s):** *metamelaena* Hampson,1905 _ **Range (in code): ID Ij**
- 65684. *Odontodes pallidifimbria* W.Warren,1916** (Noctuidae) **Synonym(s):** *pallidifimbria* W.Warren,1916; *eugramma* A.E.Prout,1928 _ **Range (in code): ID Sum TH Ntt Hba MY Bor Pen**
- 65685. *Odontodes seranensis* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *seranensis* A.E.Prout,1922; *subfusca* A.E.Prout,1928 _ **Range (in code): ID Crm Sum TH MM MY ID Bru PH Bionomy**; Larva on *Shorea robusta* (Dipterocarpaceae) (Holloway,1985).
- 65686. *Odontodes uniformis* Berio,1957** (Noctuidae) **Synonym(s):** *uniformis* Berio,1957 **Range (in code): SG MY**
- 65687. *Odontoretha featheri* Hampson,1916** (Noctuidae) **Synonym(s):** *featheri* Hampson,1916 **Range (in code): ZA SO**
- 65688. *Odontoretha gigas* Laporte,1984** (Noctuidae) **Synonym(s):** *gigas* Laporte,1984 _ **Range (in code): DJ**
- 65689. *Oedebasis ovipennis* Hampson,1902** (Noctuidae) **Synonym(s):** *ovipennis* Hampson,1902 **Range (in code): ZA MZ Del**
- 65690. *Oederastris ectorhoda* Hampson,1902** (Noctuidae) **Synonym(s):** *ectorhoda* Hampson,1902 _ **Range (in code): ZA ZW**
- 65691. *Oederemia confucii* (Alpheraky,1892)** (Noctuidae) **Synonym(s):** *confucii* Alpheraky,1892 **Range (in code): CN**
- 65692. *Oederemia diadela* Hampson,1908** (Noctuidae) **Synonym(s):** *diadela* Hampson,1908 **Range (in code): KK Ax**
- 65693. *Oederemia esox* Draudt,1950** (Noctuidae) **Synonym(s):** *esox* Draudt,1950 _ **Range (in code): CN**

- 65694. Oederemia gracilis Draudt,1931** (Noctuidae) Synonym(s): *gracilis* Draudt,1931 _ Range (in code): KK Ik
- 65695. Oederemia lithoplasta Hampson,1908** (Noctuidae) Synonym(s): *lithoplasta* Hampson,1908 _ Range (in code): UZ
- 65696. Oederemia miltina (Püngeler,1902)** (Noctuidae) Synonym(s): *miltina* Püngeler,1902 Range (in code): KK Ax
- 65697. Oederemia octogesima Boursin,1960** (Noctuidae) Synonym(s): *octogesima* Boursin,1960 Range (in code): AF Pag Kab
- 65698. Oediblemma trogoptera Hampson,1918** (Noctuidae) Synonym(s): *trogoptera* Hampson,1918 _ Range (in code): ZA Tva Gau Pre
- 65699. Oedicodia grisescens Berio,1947** (Noctuidae) Synonym(s): *grisescens* Berio,1947 Range (in code): ET ET87
- 65700. Oedicodia jarsisi Wiltshire,1984** (Noctuidae) Synonym(s): *jarsisi* Wiltshire,1984 Range (in code): SA
- 65701. Oedicodia melanographa Hampson,1916** (Noctuidae) Synonym(s): *melanographa* Hampson,1916 _ Range (in code): SO
- 65702. Oedicodia pallescens Wiltshire,1989** (Noctuidae) Synonym(s): *pallescens* Wiltshire,1989 Range (in code): SA
- 65703. Oedicodia rubrofusca Berio,1947** (Noctuidae) Synonym(s): *rubrofusca* Berio,1947 Range (in code): SO
- 65704. Oedicodia strigipennis Hampson,1916** (Noctuidae) Synonym(s): *strigipennis* Hampson,1916 _ Range (in code): SO
- 65705. Oedicodia violascens Hampson,1910** (Noctuidae) Synonym(s): *violascens* Hampson,1910 Range (in code): KE
- 65706. Oediconia negrottoi Berio,1977** (Noctuidae) Synonym(s): *negrottoi* Berio,1977 _ Range (in code): SO
- 65707. Oedicroaspis subfervida Hampson,1912** (Noctuidae) Synonym(s): *subfervida* Hampson,1912 _ Range (in code): ZA KE
- 65708. Oediplexia mesophaea Hampson,1908** (Noctuidae) Synonym(s): *mesophaea* Hampson,1908 _ Range (in code): TZ Kmj
- 65709. Oglasa annulisigna Hampson,1926** (Noctuidae) Synonym(s): *annulisigna* Hampson,1926 Range (in code): GH
- 65710. Oglasa ansorgei (Bethune-Baker,1913)** (Noctuidae) Synonym(s): *ansorgei* Bethune-Baker,1913 _ Range (in code): AO
- 65711. Oglasa arcuata (Fabricius,1787)** (Noctuidae) Synonym(s): *arcuata* Fabricius,1787; *lunifera* Hampson,1893 Original Reference: Noctua arcuata Fabricius,1787, Mantissa Insectorum 2: 145. Type: Tranquebariae. Range (in code): ZA IN
- 65712. Oglasa aroa (Bethune-Baker,1908)** (Noctuidae) Synonym(s): *aroa* Bethune-Baker,1908 Range (in code): PG Aro
- 65713. Oglasa atristipata Hampson,1926** (Noctuidae) Synonym(s): *atristipata* Hampson,1926 Range (in code): GH
- 65714. Oglasa aulota Hampson,1926** (Noctuidae) Synonym(s): *aulota* Hampson,1926 _ Range (in code): NG
- 65715. Oglasa auximena Viette,1958** (Noctuidae) Synonym(s): *auximena* Viette,1958 _ Range (in code): MG
- 65716. Oglasa bifidalis (Leech,1889)** (Noctuidae) Synonym(s): *bifidalis* Leech,1889 _ Range (in code): JP
- 65717. Oglasa biscornuta (Wiltshire,1984)** (Noctuidae) Synonym(s): *biscornuta* Wiltshire,1984 Range (in code): SA
- 65718. Oglasa bisignata (Hampson,1907)** (Noctuidae) Synonym(s): *bisignata* Hampson,1907 Range (in code): LK
- 65719. Oglasa calimani Berio,1939** (Noctuidae) Synonym(s): *calimani* Berio,1939 _ Range (in code): ER
- 65720. Oglasa chavanei Viette,1965** (Noctuidae) Synonym(s): *chavanei* Viette,1965 _ Range (in code): MG
- 65721. Oglasa clearcha (Fawcett,1916)** (Noctuidae) Synonym(s): *clearchus* Fawcett,1916 Range (in code): SO ZA

- 65722. *Oglasa closteroides* (Walker,[1866])** (Noctuidae) **Synonym(s):** *closteroides* Walker,[1866]
Range (in code): **MY Bor**
- 65723. *Oglasa confluens* Hampson,1926** (Noctuidae) **Synonym(s):** *confluens* Hampson,1926
Range (in code): **ZA Tva Lpo Wb**
- 65724. *Oglasa connectens* Hampson,1926** (Noctuidae) **Synonym(s):** *connectens* Hampson,1926
Range (in code): **PH Luz**
- 65725. *Oglasa consanguis* (Leech,1900)** (Noctuidae) **Synonym(s):** *consanguis* Leech,1900
Range (in code): **TH CMA CDo**
- 65726. *Oglasa contigua* Wileman & West,1929** (Noctuidae) **Synonym(s):** *contigua* Wileman & West,1929
Range (in code): **PH Luz**
- 65727. *Oglasa cornuta* (Hampson,1902)** (Noctuidae) **Synonym(s):** *cornuta* Hampson,1902
Range (in code): **ZA**
- 65728. *Oglasa costimacula* Wileman,1915** (Noctuidae) **Synonym(s):** *costimacula* Wileman,1915;
typica Strand,1920
Range (in code): **TW TH Knc Nan Dpk IN**
- 65729. *Oglasa costisignata* Hampson,1926** (Noctuidae) **Synonym(s):** *costisignata* Hampson,1926
Range (in code): **MY Bor**
- 65730. *Oglasa defixa* (Walker,1862)** (Noctuidae) **Synonym(s):** *defixa* Walker,1862
Range (in code): **MY Bor Swk TH CMA Dst**
- 65731. *Oglasa dia* Viette,1972** (Noctuidae) **Synonym(s):** *dia* Viette,1972
Range (in code): **MG**
- 65732. *Oglasa diagonalis* Hampson,1926** (Noctuidae) **Synonym(s):** *diagonalis* Hampson,1926
Range (in code): **GH**
- 65733. *Oglasa diasticta* Hampson,1926** (Noctuidae) **Synonym(s):** *diasticta* Hampson,1926
Range (in code): **MY Bor Swk**
- 65734. *Oglasa fulviceps* (Hampson,1894)** (Noctuidae) **Synonym(s):** *fulviceps* Hampson,1894
Range (in code): **IN Hp Sml**
- 65735. *Oglasa fusciterminata* (Hampson,1898)** (Noctuidae) **Synonym(s):** *fusciterminata* Hampson,1898
Range (in code): **IN SI**
- 65736. *Oglasa griselda* Hampson,1926** (Noctuidae) **Synonym(s):** *griselda* Hampson,1926
Range (in code): **GH**
- 65737. *Oglasa hollandi* Gaede,1939** (Noctuidae) **Synonym(s):** *hollandi* Gaede,1939
Range (in code): **SL**
- 65738. *Oglasa holophaea* Hampson,1926** (Noctuidae) **Synonym(s):** *holophaea* Hampson,1926
Range (in code): **NG**
- 65739. *Oglasa hypenoides* (Moore,1881)** (Noctuidae) **Synonym(s):** *hypenoides* Moore,1881;
cosmiodes Hampson,1895; *sambawana* Swinhoe,1916
Original Reference: *Cosmia hypenoides* Moore,1881, Proc. zool. Soc. Lond. 1881: 354, pl.38 fig.19. Type: India: [Meghalaya]: Parisnath Hills.
Range (in code): **ID Sba IN LK TH VN NP BT**
- 65740. *Oglasa iselaea* Viette,1958** (Noctuidae) **Synonym(s):** *iselaea* Viette,1958
Range (in code): **MG**
- 65741. *Oglasa junctisigna* Hampson,1926** (Noctuidae) **Synonym(s):** *junctisigna* Hampson,1926
Range (in code): **PG**
- 65742. *Oglasa lagusalis* Walker,[1859]** (Noctuidae) **Synonym(s):** *lagusalis* Walker,[1859]; *notabilis* Walker,[1863]
Range (in code): **Bor Swk MY**
- 65743. *Oglasa maculosa* Walker,[1863]** (Noctuidae) **Synonym(s):** *maculosa* Walker,[1863]
Range (in code): **MY Bor Swk**
- 65744. *Oglasa mediopalens* Wileman & South,1917** (Noctuidae) **Synonym(s):** *mediopalens* Wileman & South,1917
Range (in code): **TW**
- 65745. *Oglasa microsema* Hampson,1926** (Noctuidae) **Synonym(s):** *microsema* Hampson,1926
Range (in code): **GH**
- 65746. *Oglasa nana* (Walker,1869)** (Noctuidae) **Synonym(s):** *nana* Walker,1869
Range (in code): **ZA CG**
- 65747. *Oglasa nilotica* (Wiltshire,1977)** (Noctuidae) **Synonym(s):** *niloticus* Wiltshire,1977
Range (in code): **SD**
- 65748. *Oglasa obliquisigna* Hampson,1926** (Noctuidae) **Synonym(s):** *obliquisigna* Hampson,1926
Range (in code): **MM TH Knc Nan Dpk**
- 65749. *Oglasa pachynemesis* Hampson,1926** (Noctuidae) **Synonym(s):** *pachynemesis* Hampson,1926
Range (in code): **MY Bor Swk**

- 65750. *Oglaa parallela* Hampson,1926** (Noctuidae) Synonym(s): *parallela* Hampson,1926
Range (in code): **ZA MW**
- 65751. *Oglaa phaeonephele* Hampson,1926** (Noctuidae) Synonym(s): *phaeonephele* Hampson,1926
Range (in code): **NG Caa**
- 65752. *Oglaa plagiata* D.S.Fletcher & Viette,1955** (Noctuidae) Synonym(s): *plagiata* D.S.Fletcher & Viette,1955
Range (in code): **CM Bit**
- 65753. *Oglaa plagiata* Gaede,1939** (Noctuidae) Synonym(s): *plagiata* Gaede,1939
Range (in code): **CM**
- 65754. *Oglaa renilinea* Gaede,1939** (Noctuidae) Synonym(s): *renilinea* Gaede,1939
Range (in code): **ZA KE**
- 65755. *Oglaa retracta* (Hampson,1907)** (Noctuidae) Synonym(s): *retracta* Hampson,1907
Range (in code): **LK**
- 65756. *Oglaa rufimedia* Hampson,1926** (Noctuidae) Synonym(s): *rufimedia* Hampson,1926
Range (in code): **NG**
- 65757. *Oglaa tamsi* Gaede,1939** (Noctuidae) Synonym(s): *tamsi* Gaede,1939
Range (in code): **ZA GH**
- 65758. *Oglaa tessellata* Hampson,1926** (Noctuidae) Synonym(s): *tessellata* Hampson,1926
Range (in code): **NG Caa**
- 65759. *Oglaa trigona* (Hampson,1891)** (Noctuidae) Synonym(s): *trigona* Hampson,1891
Range (in code): **IN NI**
- 65760. *Oglasodes atrisignata* Hampson,1926** (Noctuidae) Synonym(s): *atrisignata* Hampson,1926
Range (in code): **GH**
- 65761. *Oglasodes bisinuata* Hampson,1926** (Noctuidae) Synonym(s): *bisinuata* Hampson,1926
Range (in code): **GH**
- 65762. *Oglasodes nyasica* Hampson,1926** (Noctuidae) Synonym(s): *nyasica* Hampson,1926
Range (in code): **MW Mje**
- 65763. *Ogovia aliena* (Holland,1920)** (Noctuidae) Synonym(s): *aliena* Holland,1920; *hesperia* Hampson,1926
Range (in code): **ZR GH**
- 65764. *Ogovia alticola* Laporte,1974** (Noctuidae) Synonym(s): *alticola* Laporte,1974
Range (in code): **CM**
- 65765. *Ogovia bolengensis* (Holland,1920)** (Noctuidae) Synonym(s): *bolengensis* Holland,1920
Range (in code): **ZR**
- 65766. *Ogovia ebenai* Viette,1965** (Noctuidae) Synonym(s): *ebenai* Viette,1965
Range (in code): **MG**
- 65767. *Ogovia pudens* (Holland,1894)** (Noctuidae) Synonym(s): *pudens* Holland,1894
Range (in code): **ZA GA Ogo**
- 65768. *Ogovia tavetensis* Holland,1892** (Noctuidae) Synonym(s): *tavetensis* Holland,1892
Range (in code): **ZA KE**
- 65769. *Oligarcha coryphaea* (Püngeler,1900)** (Noctuidae) Synonym(s): *coryphaea* Püngeler,1900
Original Reference: *Agrotis coryphaea* Püngeler,1900, Dt. ent. Z., Iris 13: 118, Taf.iv fig.4. Type ♀: [China]: "Kuku-Noor".
Range (in code): **CN Ts Kno**
- 65770. *Oligia agelasta* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *agelasta* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 65771. *Oligia albilinea* Laporte,1973** (Noctuidae) Synonym(s): *albilinea* Laporte,1973
Range (in code): **CM**
- 65772. *Oligia albirivula* Hampson,1908** (Noctuidae) Synonym(s): *albirivula* Hampson,1908
Range (in code): **IN Ass Meg Khs**
- 65773. *Oligia ambigua* (Walker,1858)** (Noctuidae) Synonym(s): *ambigua* Walker,1858; *exsiccata* Wallengren,1860; *ikondae* Berio,1974
Range (in code): **ZA Nta Kzu Dbn Srn Rie Tva Lpo Pil Ec ZW UG KE NG TZ**
- 65774. *Oligia ambiguella* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *ambiguella* D.S.Fletcher,1961
Range (in code): **UG**
- 65775. *Oligia anomalata* Berio,1977** (Noctuidae) Synonym(s): *anomalata* Berio,1977
Range (in code): **CN Kwa**
- 65776. *Oligia arborea* (Barnes & McDunnough,1912)** (Noctuidae) Synonym(s): *arborea* Barnes & McDunnough,1912
Range (in code): **US Arz**
- 65777. *Oligia atrivitta* Hampson,1914** (Noctuidae) Synonym(s): *atrivitta* Hampson,1914
Range (in code): **GH**

- 65778. *Oligia brunneonigra* Laporte,1973** (Noctuidae) Synonym(s): *brunneonigra* Laporte,1973
Range (in code): **CM**
- 65779. *Oligia chlorostigma* (Harvey,1876)** (Noctuidae) Synonym(s): *chlorostigma* Harvey,1876;
viridimusca Smith,1899 _ Range (in code): **US Tx**
- 65780. *Oligia confusa* Janse,1937** (Noctuidae) Synonym(s): *confusa* Janse,1937 _ Range (in code): **ZA Tva Gau Pre Nta Kzu Kra Ktz**
- 65781. *Oligia cupricolor* Laporte,1973** (Noctuidae) Synonym(s): *cupricolor* Laporte,1973
Range (in code): **CM**
- 65782. *Oligia decinerea* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *decinerea* D.S.Fletcher,1961
Range (in code): **KE**
- 65783. *Oligia dinawa* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *dinawa* Bethune-Baker,1906 _ Range (in code): **PG**
- 65784. *Oligia dubia* (Heydemann,1942)** (Noctuidae) Synonym(s): *dubia* Heydemann,1942
Range (in code): **IT CH AT HU RU Cc Kc Nt Kr Da**
- 65785. *Oligia fasciuncula* (Haworth,1809)** (Noctuidae) Synonym(s): *fasciuncula* Haworth,1809
Range (in code): **PT ES FR IT? IE GB BE NL LU DE CH AT PL CZ RO YU BG DK NO SE FI LV LT RU MD UA BY**
- 65786. *Oligia fodinae* (Oberthür,1880)** (Noctuidae) Synonym(s): *fodinae* Oberthür,1880;
subfasciata Butler,1881 _ Range (in code): **RU Us Ask**
- 65787. *Oligia h-notata* Berio,1976** (Noctuidae) Synonym(s): *h-notata* Berio,1976 _ Range (in code): **ZR**
- 65788. *Oligia hypothermes* Hampson,1908** (Noctuidae) Synonym(s): *hypothermes* Hampson,1908 _ Range (in code): **GH**
- 65789. *Oligia hypoxantha* Hampson,1914** (Noctuidae) Synonym(s): *hypoxantha* Hampson,1914
Range (in code): **GH**
- 65790. *Oligia infima* Laporte,1973** (Noctuidae) Synonym(s): *infima* Laporte,1973 _ Range (in code): **CM**
- 65791. *Oligia instructa* (Walker,1865)** (Noctuidae) Synonym(s): *instructa* Walker,1865; *rubrescens* Walker,1865 _ Range (in code): **ZA Wca Cto Ste**
- 65792. *Oligia intermedia* Berio,1976** (Noctuidae) Synonym(s): *intermedia* Berio,1976 _ Range (in code): **ZA ZW**
- 65793. *Oligia latra* Berio,1976** (Noctuidae) Synonym(s): *latra* Berio,1976 _ Range (in code): **ZR**
- 65794. *Oligia latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775 _ Original Reference: Noctua latruncula [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AM Eri DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA BY LB Bsa IR Mz Cc GG SY**
Bionomy: Larva on *Dactylis glomerata* (Bretherton et al.,1983).
- 65795. *Oligia latruncula grisescens* (Heydemann,1932)** (Noctuidae) Synonym(s): *grisescens* Heydemann,1932; *erewani* Fazekas,1984. _ Range (in code): **TR Cc AM Eri LB Bsa SY IR Mz GG**
- 65796. *Oligia latruncula latruncula* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *latruncula* [Denis & Schiffermüller],1775 _ Original Reference: Noctua latruncula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA BY**
- 65797. *Oligia leleupi* Berio,1976** (Noctuidae) Synonym(s): *leleupi* Berio,1976 _ Range (in code): **TZ**
- 65798. *Oligia leuconephra* Hampson,1908** (Noctuidae) Synonym(s): *leuconephra* Hampson,1908
Range (in code): **RU Us**
- 65799. *Oligia longidens* Berio,1976** (Noctuidae) Synonym(s): *longidens* Berio,1976 _ Range (in code): **ZR**
- 65800. *Oligia melandonta* Hampson,1908** (Noctuidae) Synonym(s): *melandonta* Hampson,1908
Range (in code): **NG Caa**
- 65801. *Oligia multiplicata* Berio,1976** (Noctuidae) Synonym(s): *multiplicata* Berio,1976
Range (in code): **TZ Iko**
- 65802. *Oligia pachydetis* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *pachydetis* D.S.Fletcher,1961 _ Range (in code): **UG Rz**

- 65803. *Oligia parathermes* Bethune-Baker, 1911** (Noctuidae) **Synonym(s):** *parathermes* Bethune-Baker, 1911 **Range (in code):** **UG Etb**
- 65804. *Oligia perpusilla* Berio, 1976** (Noctuidae) **Synonym(s):** *perpusilla* Berio, 1976 **Range (in code):** **ZR**
- 65805. *Oligia pseudodubia* Rezbanyai-Reser, 1997** (Noctuidae) **Synonym(s):** *pseudodubia* Rezbanyai-Reser, 1997 **Original Reference:** *Oligia pseudodubia* Rezbanyai-Reser, 1997, Ent. Ber., Luzern 37: 151-152, figs. Holotype : Russia: NW-Kaukasus, Dombai 1600m. **Range (in code):** **TR Cc GG RU**
- 65806. *Oligia rufata* Kardakoff, 1928** (Noctuidae) **Synonym(s):** *rufata* Kardakoff, 1928 **Range (in code):** **RU Us**
- 65807. *Oligia rufilinea* Laporte, 1973** (Noctuidae) **Synonym(s):** *rufilinea* Laporte, 1973 **Range (in code):** **CM**
- 65808. *Oligia rufulonigra* Laporte, 1973** (Noctuidae) **Synonym(s):** *rufulonigra* Laporte, 1973 **Range (in code):** **CM**
- 65809. *Oligia rufulus* Laporte, 1973** (Noctuidae) **Synonym(s):** *rufulus* Laporte, 1973 **Range (in code):** **CM**
- 65810. *Oligia rufulusoides* Laporte, 1973** (Noctuidae) **Synonym(s):** *rufulusoides* Laporte, 1973 **Range (in code):** **CM**
- 65811. *Oligia scriptonigra* Laporte, 1973** (Noctuidae) **Synonym(s):** *scriptonigra* Laporte, 1973 **Range (in code):** **CM**
- 65812. *Oligia scriptonova* Berio, 1976** (Noctuidae) **Synonym(s):** *scriptonova* Berio, 1976 **Range (in code):** **TZ Iko**
- 65813. *Oligia semidiaphana* Berio, 1976** (Noctuidae) **Synonym(s):** *semidiaphana* Berio, 1976 **Range (in code):** **TZ Iko**
- 65814. *Oligia stenopterygioides* Berio, 1976** (Noctuidae) **Synonym(s):** *stenopterygioides* Berio, 1976 **Range (in code):** **ZR**
- 65815. *Oligia strigilis* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** *strigilis* Linnaeus, 1758; *praeduncula* [Denis & Schiffermüller], 1775. **Original Reference:** *Phalaena strigilis* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa. **Range (in code):** **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR AZ AM GG Lag Cc DK NO SE FI EE LV LT RU Ro St Kr Kc Nt MD UA BY**
- 65816. *Oligia subambigua* (D.S.Fletcher, 1961)** (Noctuidae) **Synonym(s):** *subambigua* D.S.Fletcher, 1961 **Range (in code):** **ZA**
- 65817. *Oligia suleiman* Rezbanyai-Reser, 1997** (Noctuidae) **Synonym(s):** *suleiman* Rezbanyai-Reser, 1997 **Original Reference:** *Oligia suleiman* Rezbanyai-Reser, 1997, Ent. Ber., Luzern 37: 154-155, fig. Holotype: N. Iran: Pers. sept., Elburs Gebirge, Sardab Tal Vandarban, 2500-2700m. **Range (in code):** **TR IR Mz**
- 65818. *Oligia tonsa* (Grote, 1880)** (Noctuidae) **Synonym(s):** *tonsa* Grote, 1880; *subjuncta* Smith, 1898 **Range (in code):** **US Ne**
- 65819. *Oligia turcia* Rezbanyai-Reser, 1997** (Noctuidae) **Synonym(s):** *turcia* Rezbanyai-Reser, 1997 **Original Reference:** *Oligia turcia* Rezbanyai-Reser, 1997, Ent. Ber., Luzern 37: 153-154, fig. Holotype: Türkei: [Ankara Prov.]: Kızılcahamam, 925m. **Range (in code):** **TR Cc**
- 65820. *Oligia vandarban* Rezbanyai-Reser, 1997** (Noctuidae) **Synonym(s):** *vandarban* Rezbanyai-Reser, 1997 **Original Reference:** *Oligia vandarban* Rezbanyai-Reser, 1997, Ent. Ber., Luzern 37: 155-156, fig. Holotype: N. Iran: Pers. sept., Elburs Gebirge, Sardab Tal Vandarban, 1900-2200m. **Range (in code):** **IR Elb Mz Gls GG Cc**
- 65821. *Oligia versicolor* (Borkhausen, 1792)** (Noctuidae) **Synonym(s):** *versicolor* Borkhausen, 1792; *vojnitsi* Kovacs, 1967; *nerminae* Koçak, 1982. **Original Reference:** *Phalaena versicolor* Borkhausen, 1792, Naturg. Eur. Schmett. 4: 188. Syntypes: Deutschland: Hessen. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE EE RU Cc Da MD UA BY**
- 65822. *Olivenebula oberthueri* (Staudinger, 1892)** (Noctuidae) **Synonym(s):** *oberthueri* Staudinger, 1892 **Range (in code):** **RU Vv Us**
- 65823. *Olivenebula subsericata* (Herrich-Schäffer, 1861)** (Noctuidae) **Synonym(s):** *subsericata* Herrich-Schäffer, 1861; *elisabethae* De Lattin, 1951; *bobitsi* Beck, 1996. **Original Reference:** *Polyphaenis subsericata* Herrich-Schäffer, 1861, Neue Schmett. 3: 26, fig. 124. Type(s): [Griechenland]: Rhodus. **Range (in code):** **MK BG GR Rd Cr TR Cc IQ Rwz IR LB CY IL Pa Hf SY JO**

- 65824. *Olivenebula xanthochloris* (Boisduval,1840)** (Noctuidae) Synonym(s): *xanthochloris* Boisduval,1840; *alliacea* Germar,1842; *graslini* Culot,1913 _ Range (in code): **TN Dhm DZ ES Mu FR Si IT**
Bionomy: Larva on Cichorium, Viola (Calle et al., 2000).
- 65825. *Olulis absimilis* Hampson,1898** (Noctuidae) Synonym(s): *absimilis* Hampson,1898
Range (in code): **IN Ass Meg Khs**
- 65826. *Olulis iuga* (Swinhoe,1901)** (Noctuidae) Synonym(s): *iuga* Swinhoe,1901 _ Range (in code): **MY Bor Swk**
- 65827. *Olulis japonica* Sugi,1982** (Noctuidae) Synonym(s): *japonica* Sugi,1982 _ Range (in code): **JP**
- 65828. *Olulis lactigutta* (Hampson,1907)** (Noctuidae) Synonym(s): *lactigutta* Hampson,1907
Range (in code): **LK**
- 65829. *Olulis megalopis* Hampson,1926** (Noctuidae) Synonym(s): *megalopis* Hampson,1926
Range (in code): **SG TH Ntt Hba MY**
- 65830. *Olulis methaema* Hampson,1926** (Noctuidae) Synonym(s): *methaema* Hampson,1926
Range (in code): **PH Luz**
- 65831. *Olulis puncticinctalis* Walker,1863** (Noctuidae) Synonym(s): *puncticinctalis* Walker,1863; *lignulina* Walker,1863; *lignigeralis* Walker,1864 _ Range (in code): **MY Bor Swk**
- 65832. *Olulis rosacea* Bethune-Baker,1908** (Noctuidae) Synonym(s): *rosacea* Bethune-Baker,1908 _ Range (in code): **PG**
- 65833. *Olulis shigakii* Sugi,1982** (Noctuidae) Synonym(s): *shigakii* Sugi,1982 _ Range (in code): **JP**
- 65834. *Omia banghaasi* Stauder,1930** (Noctuidae) Synonym(s): *banghaasi* Stauder,1930
Range (in code): **ES IT**
- 65835. *Omia cyclopea* (Graslin,1837)** (Noctuidae) Synonym(s): *cyclopea* Graslin,1837 _ Range (in code): **DZ Dja Orn Sbd Cst Lbs Ktr ES An Grn FR Co IT**
- 65836. *Omia cymbalariae* (Hübner,[1809])** (Noctuidae) Synonym(s): *cymbalariae* Hübner,[1809]
Range (in code): **ES FR IT CH AT RO YU**
- 65837. *Omia oberthuri* Allard,1867** (Noctuidae) Synonym(s): *oberthuri* Allard,1867 Original Reference: *Omia oberthuri* Allard,1867, Annls Soc. ent. Fr. (4) 3: 320, pl.6 figs. 3a,b. Syntypes: Algérie, Lambesa. Range (in code): **DZ Lbs**
- 65838. *Omia raphaeli* Kettner,2004** (Noctuidae) Synonym(s): *raphaeli* Kettner,2004 _ Range (in code): **TR**
- 65839. *Ommatophora burrowsi* A.E.Prout,1922** (Noctuidae) Synonym(s): *burrowsi* A.E.Prout,1922 _ Range (in code): **ID Crm**
- 65840. *Ommatophora fulvastra* Guenée,1852** (Noctuidae) Synonym(s): *fulvastra* Guenée,1852
Range (in code): **PH Luz TH MY ID Bor Clb Ij PG**
- 65841. *Ommatophora luminosa* (Cramer,1780)** (Noctuidae) Synonym(s): *luminosa* Cramer,1780 Original Reference: *Phalaena luminosa* Cramer,1780, Uitl. Kapellen 3: 147, pl.274 fig.D. Type: [Indonesia]: Java. Range (in code): **ID Ja TH Tng CMa Int CN IN Ass MM KH VN TW LK MY PH Bor Sum Ja Bli Flo Clb PG**
- 65842. *Omphalestra caelebs* (Grünberg,1910)** (Noctuidae) Synonym(s): *caelebs* Grünberg,1910
Range (in code): **ZA**
- 65843. *Omphalestra geraea* (Hampson,1907)** (Noctuidae) Synonym(s): *geraea* Hampson,1907
Range (in code): **ZA**
- 65844. *Omphalestra mesoglauca* (Hampson,1902)** (Noctuidae) Synonym(s): *mesoglauca* Hampson,1902 _ Range (in code): **ZA Nta Kzu Dbn Ans Ec**
- 65845. *Omphalestra mesomelana* (Hampson,1902)** (Noctuidae) Synonym(s): *mesomelana* Hampson,1902 Original Reference: *Agrotis mesomelana* Hampson,1902, Ann. S. Afr. Mus. 2: 263. Syntypes ♂♀: South Africa: Natal: Estcourt (Hutchinson), Transkei (Miss F.Barrett) (BMNH). Range (in code): **ZA Ec Tra Nta Kzu Est**
- 65846. *Omphaloceps daria* (Druce,1895)** (Noctuidae) Synonym(s): *daria* Druce,1895 _ Range (in code): **ZA**
- 65847. *Omphalophana anatolica* (Lederer,1857)** (Noctuidae) Synonym(s): *anatolica* Lederer,1857 _ Range (in code): **Sa Si IT DE YU MK AL BG GR Rd Cr TR AM Cc IR Fa Ss Hz B-A IQ Dy IL Pa**
- 65848. *Omphalophana antirrhinii* (Hübner,[1803])** (Noctuidae) Synonym(s): *antirrhinii* Hübner,[1803] Original Reference: *Noctua antirrhinii* Hübner,[1803], Samml. eur. Schmett., Noct. 2: Taf.52, fig.253. Type: [Europa]. Range (in code): **ES FR Si IT DE AT PL CZ SK HU RO YU**

- AL BG GR TR IR Elb Th Fa Lo Kz Yas UA Lo IQ LB Bsa IL Pa Hf JO GG Lag AZ AM Cc RU Ro Ing Da Der**
Bionomy: Larva on *Scabiosa leucantha* (Dipsacaceae); *Antirrhinum* (Scrophulariaceae)
(Lederer,1865; et seq.).
- 65849. Omphalophana antirrhinii antirrhinii (Hübner,[1803])** (Noctuidae) Synonym(s):
antirrhinii Hübner,[1803] Original Reference: *Noctua antirrhinii* Hübner,[1803], Samml. eur.
Schmett., Noct. 2: Taf.52, fig.253. Type: [Europa]. Range (in code): **ES FR Si IT DE AT PL CZ SK**
HU RO YU AL BG GR UA GG AZ AM Cc RU Ro Ing Da
- 65850. Omphalophana antirrhinii asiatica Osthelder,1933** (Noctuidae) Synonym(s):
asiatica Osthelder,1933 Range (in code): **TR IQ IR Elb Th Fa Lo Kz Yas LB Bsa IL Pa Hf JO**
- 65851. Omphalophana durnalayana Osthelder,1933** (Noctuidae) Synonym(s): *durnalayana*
Osthelder,1933 Original Reference: *Omphalophana durnalayana* Osthelder,1933, Mitt. münch.
ent. Ges. 23: 52-53. Syntypes: [Türkei]: Maraş, Düldül Dag. Range (in code): **TR Cc IQ**
- 65852. Omphalophana pauli (Staudinger,1892)** (Noctuidae) Synonym(s): *pauli*
Staudinger,1892; adamantina Blachier,1905 Original Reference: *Cleophana pauli* Staudinger,1892,
Dt. ent. Z., Iris 4: 306-308, Taf.iv fig.4. Syntypes 2♂ 1♀: [Israel]: Jerusalem (Paulus leg.);
Lectotype ♂, designated by Hacker,2001, Esperiana 8: pl.9 fig.2 (NHMU). Range (in code): **MA**
Rbt DZ TN LY IL Pa Js JO TR
- 65853. Omphalophana serrata (Treitschke,1835)** (Noctuidae) Synonym(s): *serrata*
Treitschke,1835; arctata Guenée,1852; *pallidior* Rothschild,1913 Range (in code): **DZ Khh Agi Hmk Khh**
Hrh Bttna TN DhM PT ES Sa Si IT
- 65854. Omphalophana serratula (Staudinger,1888)** (Noctuidae) Synonym(s): *serratula*
Staudinger,1888 Range (in code): **UZ Fe KK Ax Skm T-A CN Ui Ku**
- 65855. Omphalophana serrulata L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s):
serrulata L.Ronkay & Gyulai,2006 Range (in code): **IR By Skh Lo**
- 65856. Omphalophana turcomana Ronkay, Varga & Hreblay,1998** (Noctuidae)
Synonym(s): *turcomana* Ronkay, Varga & Hreblay,1998 Range (in code): **UZ TM Kp TJ**
- 65857. Omphaloscelis lunosa (Haworth,1809)** (Noctuidae) Synonym(s): *lunosa* Haworth,1809;
neurodes Herrich-Schäffer,1845 Range (in code): **DZ Ges Afl PT ES FR IT IE GB BE NL LU DE DK**
- 65858. Oncocnemis arenbergeri Hacker & Lödl,1989** (Noctuidae) Synonym(s): *arenbergeri*
Hacker & Lödl,1989 Range (in code): **CY TR**
- 65859. Oncocnemis asema Boursin,1957** (Noctuidae) Synonym(s): *asema* Boursin,1957
Range (in code): **AF**
- 65860. Oncocnemis beri Gyulai & Hreblay,1992** (Noctuidae) Synonym(s): *beri* Gyulai &
Hreblay,1992 Range (in code): **UZ KG AF**
- 65861. Oncocnemis campicola Lederer,1853** (Noctuidae) Synonym(s): *campicola* Lederer,1853;
#campiola Ebert,1978 Range (in code): **TR RU Sr At MN**
- 65862. Oncocnemis confusa (Freyer,[1839])** (Noctuidae) Synonym(s): *confusa* Freyer,[1839].
Original Reference: *Amphipyra confusa* Freyer,[1839], Neuere Beitr. Schmett. 4: 26. Type(s):
[Russia]: Sarepta. Range (in code): **IR Ha Zj Th Elb Kd Snj Lo TR Cc AM IQ Shq RU IL He Pa UA**
- 65863. Oncocnemis confusa persica Ebert,1978** (Noctuidae) Synonym(s): *persica* Ebert,1978
Original Reference: *Oncocnemis confusa* ssp. *persica* Ebert,1978, Beitr. naturk. Forsch. SüdwDtl.
37: 199-200. Holotype ♂: N-Iran: Elburs Mts., Mazandaran, Polur Demavend 2500m leg. Ebert
& Falkner (LNK). Range (in code): **IR Ha Zj Th Elb Kd Snj Lo TR Cc IL He Pa**
- 65864. Oncocnemis erythropsis Brandt,1938** (Noctuidae) Synonym(s): *erythropsis* Brandt,1938
Original Reference: *Oncocnemis erythropsis* Brandt,1938, Ent. Rdsch. 55: 517, figs. 70-74.
Syntypes: Iran: [Fars]: Fort Sine Sefid, Com×e. Range (in code): **IR Fa Com Sse Th Km Ksh**
- 65865. Oncocnemis exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta* Christoph,1887;
iranica Schwingenschuss,1937 Range (in code): **TR Cc TM Kp CN Ui IR Kh Fa By Elb Th Dam Km Kd**
Snj Mrv Lo Fa Com TJ Pm Chr AF IN Ld MN
- 65866. Oncocnemis exacta exacta Christoph,1887** (Noctuidae) Synonym(s): *exacta*
Christoph,1887; iranica Schwingenschuss,1937 Range (in code): **TM Kp CN Ui IR Kh Fa Com By Th Lo**
Dam Km Kd Snj Mrv TJ Pm Chr AF IN Ld
- 65867. Oncocnemis exacta mongolica Staudinger,1897** (Noctuidae) Synonym(s): *mongolica*
Staudinger,1897 Original Reference: *Oncocnemis exacta* var. *mongolica* Staudinger,1897, Dt.
ent. Z., Iris 9: 260. Syntypes: Mongolia: Schurangin-gol. Range (in code): **MN**
- 65868. Oncocnemis exacta vanensis Hreblay & Ronkay,1992** (Noctuidae) Synonym(s):
vanensis Hreblay & Ronkay,1992 Original Reference: *Oncocnemis exacta* ssp. *vanensis* Hreblay &

- Ronkay, 1992, Acta zool. Hung. 38 (1/2): 37, pl.1 figs. 5,6. Holotype ♂: Türkiye: Bitlis Prov.: Tatvan (NHN Budapest). Range (in code): TR Cc IL He Pa
- 65869. *Oncocnemis fuscipicta* Wiltshire, 1976** (Noctuidae) Synonym(s): *fuscipicta* Wiltshire, 1976 Original Reference: *Oncocnemis fuscipicta* Wiltshire, 1976, Z. ArbGem. öst. Ent. 27: 77-79, figs. Holotype ♂: Iraq: Kurdistan: Shaqlawa 2500ft. 13.x.1953 (coll. Wiltshire). Range (in code): TR IQ Shq
- 65870. *Oncocnemis idioglypha* Brandt, 1938** (Noctuidae) Synonym(s): *idioglypha* Brandt, 1938 Original Reference: *Oncocnemis* [sic!] *idioglypha* Brandt, 1938, Ent. Rdsch. 55: 518, figs. 65-69. Syntypes: Iran: [Fars]: Comxe. Range (in code): IR Fa Com
- 65871. *Oncocnemis mixtazona* Hreblay & L.Ronkay, 1992** (Noctuidae) Synonym(s): *mixtazona* Hreblay & L.Ronkay, 1992; *honeyi* G.Ronkay, L.Ronkay, Gyulai & Hacker, 2010 [ssp.] Range (in code): TM AF Wk TJ Pm PK Sha Nar Bt Deo IN Hp
- 65872. *Oncocnemis nigricula* (Eversmann, 1847)** (Noctuidae) Synonym(s): *nigricula* Eversmann, 1847 Original Reference: *Hadena nigricula* Eversmann, 1847, Bull. Soc. imp. Nat. Moscou 20: 79. Syntypes: [Russia]: Südrussland: Orenburg, Ural. Range (in code): ES TR AM Cc Arg RU Nt Ich Ing Da Ce Sb Kj Mnu MN KG Uk
- 65873. *Oncocnemis nigricula araratica* G.Ronkay & L.Ronkay, 1995** (Noctuidae) Synonym(s): *araratica* G.Ronkay & L.Ronkay, 1995 Original Reference: *Oncocnemis nigricula* ssp. *araratica* G.Ronkay & L.Ronkay, 1995, Noct. Eur. 7: 54, pl.3 figs. 23,24; gen figs. 45,46,149. Holotype ♀: Armenia: Aragats Mts. (TMB). Range (in code): Cc AM Arg TR RU Ce Nt Ich Ing Da
- 65874. *Oncocnemis nigricula eberti* Agenjo, 1984** (Noctuidae) Synonym(s): *eberti* Agenjo, 1984 Range (in code): ES
- 65875. *Oncocnemis penthina* Boursin, 1963** (Noctuidae) Synonym(s): *penthina* Boursin, 1963 Range (in code): AF Pag Kab
- 65876. *Oncocnemis rhodophaea* Ebert, 1978** (Noctuidae) Synonym(s): *rhodophaea* Ebert, 1978 Range (in code): AF Pag Kab
- 65877. *Oncocnemis senica* (Eversmann, 1856)** (Noctuidae) Synonym(s): *senica* Eversmann, 1856; *literata* Bremer, 1864; *x-signata* Staudinger, 1898; *boursini* Ronkay, 1988. Range (in code): RU At Ur Am AF
- 65878. *Oncocnemis strioligera* Lederer, 1853** (Noctuidae) Synonym(s): *strioligera* Lederer, 1853 Original Reference: *Oncocnemis strioligera* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 368. Type(s): [Russia]: Altai. Range (in code): RU KG At KK TrA Ax TJ Pm Chr CN Ui IR Kh Lo TR Cc IL Pa He
- 65879. *Oncocnemis strioligera anatolica* Hacker, [1987]** (Noctuidae) Synonym(s): *anatolica* Hacker, [1987] Original Reference: *Oncocnemis strioligera* ssp. *anatolica* Hacker, [1987], Atalanta 17 (1/4): 17. Holotype ♂: Türkiye: [Karaman Prov.]: Sertavul Geçidi, 28km S. Karaman, 1550m, 3.ix.1983 (leg. & coll. Hacker). Range (in code): TR Cc IL Pa He
- 65880. *Oncocnemis strioligera strioligera* Lederer, 1853** (Noctuidae) Synonym(s): *strioligera* Lederer, 1853 Original Reference: *Oncocnemis strioligera* Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 368. Type(s): [Russia]: Altai. Range (in code): RU KG At KK TrA Ax TJ Pm Chr CN Ui IR Kh Lo
- 65881. *Oncocnemis x-scripta* Sugi, 1986** (Noctuidae) Synonym(s): *x-scripta* Sugi, 1986 Range (in code): AF
- 65882. *Oncotibialis flava* Janse, 1938** (Noctuidae) Synonym(s): *flava* Janse, 1938 Range (in code): ZA
- 65883. *Ophisma albitermia* (Hampson, 1910)** (Noctuidae) Synonym(s): *albitermia* Hampson, 1910 Range (in code): ZA
- 65884. *Ophisma exuleata* Möschler, 1883** (Noctuidae) Synonym(s): *exuleata* Möschler, 1883 Range (in code): ZA Ec
- 65885. *Ophisma gravata* Guenée, 1852** (Noctuidae) Synonym(s): *gravata* Guenée, 1852 Range (in code): AU QAU NSw NC IN LK Dck CN PH PG
- 65886. *Ophisma gravata pallens* (Lucas, 1892)** (Noctuidae) Synonym(s): *pallens* Lucas, 1892 Range (in code): AU QAU NSw NC
- 65887. *Ophisma lunulifera* Walker, 1865** (Noctuidae) Synonym(s): *lunulifera* Walker, 1865 Range (in code): ZA
- 65888. *Ophisma pallescens* (Walker, [1863])** (Noctuidae) Synonym(s): *pallescens* Walker, [1863]; *violetta* Pagenstecher, 1896 Range (in code): ID Clb Bor Swk Crm Clb Flo Tim MY TH Tng PH PG

- 65889. *Ophiuche ferriscitalis* (Walker,1865)** (Noctuidae) Synonym(s): *ferriscitalis* Walker,1865
Range (in code): **WS FJ PG AU MY IN**
- 65890. *Ophiusa (Trichanua) dianaris* (Guenée,1852)** (Noctuidae) Synonym(s): *dianaris* Guenée,1852; *tempica* Möschler,1884 _ Range (in code): **ZA Lpo Tva Spb Mdk ET Sk Ec Kny Nta Kzu Est**
- 65891. *Ophiusa (Trichanua) mejanesi* (Guenée,1852)** (Noctuidae) Synonym(s): *mejanesi* Guenée,1852 _ Range (in code): **ZA Lpo Tva Spb Mdk**
- 65892. *Ophiusa alorensis* (Gaede,1938)** (Noctuidae) Synonym(s): *alorensis* Gaede,1938
Range (in code): **ID Alo**
- 65893. *Ophiusa ambigua* (Gerstaecker,1871)** (Noctuidae) Synonym(s): *ambigua* Gerstaecker,1871
Range (in code): **ZA TZ Zz**
- 65894. *Ophiusa anomala* (Berio,1955)** (Noctuidae) Synonym(s): *anomala* Berio,1955 _ Range (in code): **MG**
- 65895. *Ophiusa arfaki* Bethune-Baker,1910** (Noctuidae) Synonym(s): *arfaki* Bethune-Baker,1910
Range (in code): **ID Ij Afk**
- 65896. *Ophiusa aviceps* W.Warren,1915** (Noctuidae) Synonym(s): *aviceps* W.Warren,1915
Range (in code): **PG**
- 65897. *Ophiusa cancellata* Saalmüller,1891** (Noctuidae) Synonym(s): *cancellata* Saalmüller,1891
Range (in code): **MG**
- 65898. *Ophiusa cuneilineata* W.Warren,1915** (Noctuidae) Synonym(s): *cuneilineata* W.Warren,1915 _ Range (in code): **LO**
- 65899. *Ophiusa curvilimes* W.Warren,1915** (Noctuidae) Synonym(s): *curvilimes* W.Warren,1915
Range (in code): **ID Ja**
- 65900. *Ophiusa dargei* Laporte,1977** (Noctuidae) Synonym(s): *dargei* Laporte,1977 _ Range (in code): **KE**
- 65901. *Ophiusa david* (Holland,1894)** (Noctuidae) Synonym(s): *david* Holland,1894 _ Range (in code): **GA Ogo**
- 65902. *Ophiusa davidoides* (Strand,1918)** (Noctuidae) Synonym(s): *davidoides* Strand,1918
Range (in code): **ZR**
- 65903. *Ophiusa despecta* (Holland,1894)** (Noctuidae) Synonym(s): *despecta* Holland,1894
Range (in code): **GA Ogo**
- 65904. *Ophiusa dilecta* Walker,1865** (Noctuidae) Synonym(s): *dilecta* Walker,1865 _ Range (in code): **ZA Nta Kzu SL**
- 65905. *Ophiusa discriminans* (Walker,1858)** (Noctuidae) Synonym(s): *discriminans* Walker,1858; *pygospila* Snellen,1880; *sublutea* Bethune-Baker,1906; *intacta* Hampson,1913 _ Range (in code): **AU ID Kai Mlc Sum Ja Clb PG Bsm NH NC LK IN PH LK TH? VN**
- 65906. *Ophiusa disjungens* (Walker,1858)** (Noctuidae) Synonym(s): *disjungens* Walker,1858
Range (in code): **AU LO LK TH Bnk CMa Dst CDo VN TW CN JP KP KR PH ID Ja Sum Tim Flo PG TO FJ WS NH NC**
- 65907. *Ophiusa disjungens indiscriminata* (Hampson,1893)** (Noctuidae) Synonym(s): *indiscriminata* Hampson,1893 _ Range (in code): **IN LK TH Bnk CMa Dst CDo VN TW CN JP KP KR PH ID Ja Sum Tim Flo PG**
- 65908. *Ophiusa disjungens tongaensis* (Hampson,1913)** (Noctuidae) Synonym(s): *tongaensis* Hampson,1913 _ Range (in code): **TO FJ WS NH NC AU LO**
- 65909. *Ophiusa fijiensis* (Robinson,1969)** (Noctuidae) Synonym(s): *fijiensis* Robinson,1969
Range (in code): **FJ**
- 65910. *Ophiusa finifascia* (Walker,1858)** (Noctuidae) Synonym(s): *finifascia* Walker,1858; *amplior* Walker,1858; *lilaceofasciata* Pagenstecher,1907. _ Range (in code): **ZA Kzu Nta**
- 65911. *Ophiusa flavociliata* (Aurivillius,1925)** (Noctuidae) Synonym(s): *flavociliata* Aurivillius,1925 _ Range (in code): **CM**
- 65912. *Ophiusa flexilinea* W.Warren,1915** (Noctuidae) Synonym(s): *flexilinea* W.Warren,1915
Range (in code): **SB**
- 65913. *Ophiusa gonoptera* Hampson,1910** (Noctuidae) Synonym(s): *gonoptera* Hampson,1910
Range (in code): **ZM**
- 65914. *Ophiusa grandidieri* (Viette,1966)** (Noctuidae) Synonym(s): *grandidieri* Viette,1966
Range (in code): **MG**
- 65915. *Ophiusa hituensis* (Pagenstecher,1884)** (Noctuidae) Synonym(s): *hituensis* Pagenstecher,1884 _ Range (in code): **ID Kai Mlc Clb AU QAU PG Bsm SB NH NC**

- 65916. *Ophiusa hopei* Boisduval,1833** (Noctuidae) Synonym(s): *hopei* Boisduval,1833 _ Range (in code): MG
- 65917. *Ophiusa hypoxantha* (Hampson,1918)** (Noctuidae) Synonym(s): *hypoxantha* Hampson,1918 _ Range (in code): ZA MW Mja
- 65918. *Ophiusa inangulata* (Gaede,1917)** (Noctuidae) Synonym(s): *inangulata* Gaede,1917 _ Range (in code): TZ Usa
- 65919. *Ophiusa indistincta* (Moore,1882)** (Noctuidae) Synonym(s): *indistincta* Moore,1882; *fervida* Butler,1883 _ Range (in code): IN Khs Ass Meg LA TH Nan Dpk
- 65920. *Ophiusa legendrei* Viette,1966** (Noctuidae) Synonym(s): *legendrei* Viette,1966 _ Range (in code): MZ
- 65921. *Ophiusa lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *inconspicua* W.Warren,1913; *chosensis* Bryk,1949. Original Reference: *Phalaena lunaris* Goeze,1781, Ent. Beytr. 3(3): 224. Range (in code): DZ Sbd Btna Lbs Khh Ahr Agi PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Cc Ro Kr St Kb Nt Inc Kyi Da MD UA BY CY IR JO IL Pa AM Cc Bionomy: Larva on Quercus (Fagaceae) (Robinson et al.,2005).
- 65922. *Ophiusa lunaris lunaris* (Goeze,1781)** (Noctuidae) Synonym(s): *#lunaris* [Denis & Schiffermüller],1775; *lunaris* Goeze,1781; *undosa* Goeze,1781; *ventrilabris* Fabricius,1787; *tarsiplumalis* Hübner,1796; *inconspicua* W.Warren,1913; *chosensis* Bryk,1949. Original Reference: *Phalaena lunaris* Goeze,1781, Ent. Beytr. 3(3): 224. Range (in code): PT ES Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU Cc Ro Kr St Kb Nt Inc Kyi Da MD UA BY CY IR JO IL Pa AM Cc Bionomy: Larva on Quercus (Fagaceae) (Robinson et al.,2005).
- 65923. *Ophiusa lunaris maura* (Oberthür,1884)** (Noctuidae) Synonym(s): *maura* Oberthür,1884 _ Range (in code): DZ Sbd Btna Lbs Khh Ahr Agi
- 65924. *Ophiusa mabiliei* (Viette,1974)** (Noctuidae) Synonym(s): *mabiliei* Viette,1974 _ Range (in code): MG
- 65925. *Ophiusa mejanesi* Guenée,1852** (Noctuidae) Synonym(s): *mejanesi* Guenée,1852 _ Range (in code): SN
- 65926. *Ophiusa melaconisia* Hampson,1905** (Noctuidae) Synonym(s): *melaconisia* Hampson,1905 _ Range (in code): ZA ZW
- 65927. *Ophiusa nocturnia* Hampson,1902** (Noctuidae) Synonym(s): *nocturnia* Hampson,1902 _ Range (in code): ZA Tva Ec Ans Tra
- 65928. *Ophiusa olista* (Swinhoe,1893)** (Noctuidae) Synonym(s): *olistia* Swinhoe,1893 _ Range (in code): CN IN NP TH CMa CDo Php MAL Wia Nan Dpk VN TW JP KP KR PH
- 65929. *Ophiusa overlaeti* (Berio,1956)** (Noctuidae) Synonym(s): *overlaeti* Berio,1956 _ Range (in code): ZR
- 65930. *Ophiusa parcemacula* (Lucas,1891)** (Noctuidae) Synonym(s): *parcemacula* Lucas,1891 _ Range (in code): AU PG NC
- 65931. *Ophiusa profana* Walker,1858** (Noctuidae) Synonym(s): *profana* Walker,1858 _ Range (in code): BR Para
- 65932. *Ophiusa pseudotirhaca* (Berio,1956)** (Noctuidae) Synonym(s): *pseudotirhaca* Berio,1956 _ Range (in code): ZA ZR
- 65933. *Ophiusa punctiquadrata* (Berio,1974)** (Noctuidae) Synonym(s): *punctiquadrata* Berio,1974 _ Range (in code): TZ Iko
- 65934. *Ophiusa rectificata* (Berio,1941)** (Noctuidae) Synonym(s): *rectificata* Berio,1941 _ Range (in code): ER
- 65935. *Ophiusa recurvata* (Hampson,1913)** (Noctuidae) Synonym(s): *recurvata* Hampson,1913 _ Range (in code): GH
- 65936. *Ophiusa reducta* (Mabille,1880)** (Noctuidae) Synonym(s): *reducta* Mabille,1880 _ Range (in code): MG
- 65937. *Ophiusa rogata* (Berio,1954)** (Noctuidae) Synonym(s): *rogata* Berio,1954 _ Range (in code): ZR
- 65938. *Ophiusa rufescens* (Hampson,1913)** (Noctuidae) Synonym(s): *rufescens* Hampson,1913 _ Range (in code): SL
- 65939. *Ophiusa salita* Distant,1898** (Noctuidae) Synonym(s): *salita* Distant,1898 _ Range (in code): ZA Tva Gau Pre Jh

- 65940. *Ophiusa selenaris* (Guenée,1852)** (Noctuidae) **Synonym(s):** *selenaris* Guenée,1852; *obhaerens* Walker,1858; *welwitschi* R.Felder & Rogenhofer,1874 **_ Range (in code):** **ZA Ec Kny Tra NG Caa**
- 65941. *Ophiusa simplex* Berio,1978** (Noctuidae) **Synonym(s):** *simplex* Berio,1978 **_ Range (in code):** **KE**
- 65942. *Ophiusa stassarti* (Hacker & Legrain,2002)** (Noctuidae) **Synonym(s):** *stassarti* Hacker & Legrain,2002 **_ Range (in code):** **SA**
- 65943. *Ophiusa subdiversa* A.E.Prout,1919** (Noctuidae) **Synonym(s):** *subdiversa* A.E.Prout,1919 **_ Range (in code):** **GM**
- 65944. *Ophiusa tettensis* (Hopffer,1857)** (Noctuidae) **Synonym(s):** *tettensis* Hopffer,1857; *expedita* Walker,1858; *cameronis* Plötz,1880. **_ Range (in code):** **ZA TZ UG KE**
- 65945. *Ophiusa tirhaca* (Cramer,[1777])** (Noctuidae) **Synonym(s):** *tirhaca* Cramer,[1777]; *#tirrhaea* Fabricius,1781; *vesta* Esper,1789; *olivacea* Villers,1789; *auricularis* Hübner,[1803]; *separans* Walker,1858; *hottentota* Guenée,1852; *clementi* Swinhoe,1918; *#demarginata* Heydemann et al.,1963; *obscura* Pinker & Bacallado,1978 **_ Original Reference:** *Phalaena tirhaca* Cramer,[1777], Utitl. Kapellen 2:116. **Type(s):** [South Africa]: Kap Horn. **_ Range (in code):** **Cn MA MR DZ TN LY PT ES Mu FR Co Sa Si IT CH AT RO YU BG GR Rd Cr TR CY SY Hal Pmy LB IL Pa JO EG Sn Sk SD ET ET24 ER SO KE ZA Tva Lpo Spb Mdk Gau Pre Wb Ec ZW Har MD IR Hz Fa Kaz Mia IQ Bgd AF PK TH Knc CMA Int CDo MY TW Sum PH IN ID Clb Mlc NC JP AU MG SC Kz Yas Cuo DhM Ges BSa Bdj Perr Abe Hrh Orn Ah Ajj** **Bionomy:** Larva on *Armeniaca*, *Cupressus*, *Cystus*, *Myrtus*, *Pistacia*, *Punica*, *Rhus* (Mann,1862; Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 65946. *Ophiusa trapezium* (Guenée,1852)** (Noctuidae) **Synonym(s):** *trapezium* Guenée,1852; *circumferens* Walker,1865; *cognata* Walker,1865; *adusta* Moore,1882; *prunicolor* Moore,[1885]; *kebea* Bethune-Baker,1906 **_ Range (in code):** **IN Aaa Meg Cpj BD Syl LK ID Sum Ja Tim Flo Bsm PG Bsm AU QAU NC TH CMA LA VN NP CN TW JP PH**
- 65947. *Ophiusa triphaenoides* (Walker,1858)** (Noctuidae) **Synonym(s):** *triphaenoides* Walker,1858; *cuprea* Moore,1867 **_ Range (in code):** **TH CMA Int CDo VN NP IN BD CN TW JP KP KR ID Sum**
- 65948. *Ophiusa tumidilinea* Walker,1858** (Noctuidae) **Synonym(s):** *tumidilinea* Walker,1858 **_ Range (in code):** **IN TH**
- 65949. *Ophiusa tumiditermina* Hampson,1910** (Noctuidae) **Synonym(s):** *tumiditermina* Hampson,1910; *fumida* Hampson,1913; *hampsoni* Holland,1920. **_ Range (in code):** **ZA ZM**
- 65950. *Ophiusa umbrilinea* Hampson,1902** (Noctuidae) **Synonym(s):** *umbrilinea* Hampson,1902 **_ Range (in code):** **NA Dmr**
- 65951. *Ophiusa verecunda* (Holland,1894)** (Noctuidae) **Synonym(s):** *verecunda* Holland,1894 **_ Range (in code):** **GA Ogo**
- 65952. *Ophiusa violascens* Hampson,1902** (Noctuidae) **Synonym(s):** *violascens* Hampson,1902 **_ Range (in code):** **ZA Nta Kzu Dbn**
- 65953. *Ophiusa violisparsa* (A.E.Prout,1919)** (Noctuidae) **Synonym(s):** *violisparsa* A.E.Prout,1919 **_ Range (in code):** **ZA CM Bit**
- 65954. *Ophiusa wiskotti* (Püngeler,1902)** (Noctuidae) **Synonym(s):** *wiskotti* Püngeler,1902; *viscotti* Hampson,1913. **_ Original Reference:** *Pseudophia wiskotti* Püngeler,1902, Dt. ent. Z., Iris 14: 332. **Syntypes:** Palaestina: Totes Meer. **_ Range (in code):** **IL Pa JO**
- 65955. *Ophiusa xylochroa* (Druce,1912)** (Noctuidae) **Synonym(s):** *xylochroa* Druce,1912 **_ Range (in code):** **ZR**
- 65956. *Ophthalmis basalis* Rothschild,1896** (Noctuidae) **Synonym(s):** *basalis* Rothschild,1896 **_ Range (in code):** **ID Sla**
- 65957. *Ophthalmis cincta* (Boisduval,1874)** (Noctuidae) **Synonym(s):** *cincta* Boisduval,1874; *zelleri* Butler,1887 **_ Range (in code):** **ID Trn**
- 65958. *Ophthalmis darna* (Druce,1894)** (Noctuidae) **Synonym(s):** *darna* Druce,1894 **_ Range (in code):** **ID Tim**
- 65959. *Ophthalmis eriopis* (Herrich-Schäffer,1853)** (Noctuidae) **Synonym(s):** *eriopis* Herrich-Schäffer,1853; *carminata* Rothschild,1896 **_ Range (in code):** **MG**
- 65960. *Ophthalmis floresiana* (Rothschild,1897)** (Noctuidae) **Synonym(s):** *floresiana* Rothschild,1897 **_ Range (in code):** **ID Flo**
- 65961. *Ophthalmis funebris* (Moore,1872)** (Noctuidae) **Synonym(s):** *funebris* Moore,1872; *vithoroides* Leech,1890 **_ Range (in code):** **IN SI CN**
- 65962. *Ophthalmis haemorrhoidalis* (Guérin-Méneville,1832)** (Noctuidae) **Synonym(s):** *haemorrhoidalis* Guérin-Méneville,1832 **_ Range (in code):** **PG Nlr NBr**

- 65963. *Ophthalmis lincea* (Cramer,1779)** (Noctuidae) Synonym(s): *lincea* Cramer,1779; *bambucina* Eschscholtz,1830; *formosa* Montr.,1856; *linceoides* Boisduval,1874; *aliensis* Butler,1887; *leucapex* Strand,1911; *biakensis* Strand,1912 _ Range (in code): **ID Amb Crm Bia SB PH PG Nlr**
- 65964. *Ophthalmis milete* (Cramer,1775)** (Noctuidae) Synonym(s): *milete* Cramer,1775; *melite* Walker,1854; *mutata* Walker,1864; *fenestrata* Walker,1864; *conferta* Walker,1864; *rosenbergi* R.Felder & Rogenhofer,1874; *roeberi* Ribbe,1889 _ Range (in code): **ID Sum Ja Bli Lb Sbw Clb**
- 65965. *Ophthalmis privata* (Walker,1864)** (Noctuidae) Synonym(s): *privata* Walker,1864; *pagenstecheri* Röber,1886 _ Range (in code): **ID Crm**
- 65966. *Ophthalmis proxanthia* Hampson,1901** (Noctuidae) Synonym(s): *proxanthia* Hampson,1901 _ Range (in code): **ID Bru**
- 65967. *Ophthalmis swinhoei* (Semper,1899)** (Noctuidae) Synonym(s): *swinhoei* Semper,1899 _ Range (in code): **PH**
- 65968. *Opigena albifurca* (Erschoff,1877)** (Noctuidae) Synonym(s): *albifurca* Erschoff,1877; *costata* Staudinger,1877 nec Grt.,1876 _ Original Reference: *Agrotis albifurca* Erschoff,1877, Horae Soc. ent. ross. 12: 337. Range (in code): **CN Ui Kml Kl T-S Ju KK Ik RU Sb At MN U-B Uli KG Sp Tar**
- 65969. *Opigena huberi* Hacker,1999** (Noctuidae) Synonym(s): *huberi* Hacker,1999 _ Original Reference: *Opigena huberi* Hacker,1999, Esperiana 7: 426-428, figs. Holotype ♂: Türkiye: Prov. Erzurum: Palandöken Dağı 4km S. Erzurum, 2200m, 8.ix.1985 (leg. & coll. Hacker). Range (in code): **TR IR Elb Th**
- 65970. *Opigena polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792; *#polygena* Hacker & Weigert,1986 _ Original Reference: *Noctua polygona* Fabricius,1787, Mant. Ins. 2: 176, nr.267. Type(s): [Wien]. Range (in code): **ES FR IT NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc AM Eri TR IR Elb Kh Kd Bne Mrv Fa Ha Zj Mz Th Dam CN Ti NP IN Sb KK Na**
- 65971. *Opigena polygona chersotimorpha* Ronkay & Varga,1985** (Noctuidae) Synonym(s): *chersotimorpha* Ronkay & Varga,1985 _ Original Reference: *Opigena polygona* ssp. *chersotimorpha* Ronkay & Varga,1985, Z. ArbGem. öst. Ent. 36 (3/4): 86-87, Taf.1. figs.1,2. Holotype ♂: [Armenia]: Armenische SSR, Geghard, 40km O. v. Erewan, 1700m, (leg. Kasy & Vartian) (coll.Vartian). Range (in code): **Cc AM Eri TR IR Elb Th Dam Kh Kd Bne Mrv Fa Ha Zj Mz**
- 65972. *Opigena polygona obscurata* Sohn-Rethel,1929** (Noctuidae) Synonym(s): *obscurata* Sohn-Rethel,1929 _ Range (in code): **KK Na**
- 65973. *Opigena polygona polygona* (Fabricius,1787)** (Noctuidae) Synonym(s): *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. Original Reference: *Noctua polygona* Fabricius,1787, Mant. Ins. 2: 176, nr.267. Type(s): [Wien]. Range (in code): **ES FR IT NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CN Ti NP IN Sb**
- 65974. *Oporophylla ustulata* Westwood,1848** (Noctuidae) Synonym(s): *ustulata* Westwood,1848; *despicillator* Guenée,1852 _ Range (in code): **BD Syl IN TH Nan Dpk CMa Mta Hnd**
- 65975. *Opsyra chalcoela* (Hampson,1902)** (Noctuidae) Synonym(s): *chalcoela* Hampson,1902 _ Range (in code): **IN SI CN**
- 65976. *Oraesia ? cerne* (Fawcett,1916)** (Noctuidae) Synonym(s): *cerne* Fawcett,1916 _ Original Reference: *Calpe cerne* Fawcett,1916, Proc. zool. Soc. London 1916: 723, pl.1 fig.22. Range (in code): **GN**
- 65977. *Oraesia aeneofusa* (Hampson,1926)** (Noctuidae) Synonym(s): *aeneofusa* Hampson,1926 _ Range (in code): **PA**
- 65978. *Oraesia albescens* (Gaede,1940)** (Noctuidae) Synonym(s): *albescens* Gaede,1940 _ Original Reference: *Calpe albescens* Gaede,1940, [in] Seitz,A., Die Gross-Schmett. Erde 15: 332, pl.38 (h). Range (in code):
- 65979. *Oraesia argyrolampra* (Hampson,1926)** (Noctuidae) Synonym(s): *argyrolampra* Hampson,1926 _ Range (in code): **CO**
- 65980. *Oraesia argyrosema* (Hampson,1926)** (Noctuidae) Synonym(s): *argyrosema* Hampson,1926 _ Range (in code): **BR**
- 65981. *Oraesia emarginata* (Fabricius,1794)** (Noctuidae) Synonym(s): *emarginata* Fabricius,1794; *metallescens* Guenée,1852; *tentans* Walker,[1858]; *alliciens* Walker,[1858] _ Range (in code): **ZA OM IN TH VN MY LK NP PK CN TW KP KR JP RU Us PG ID PH**
- 65982. *Oraesia excavata* (Butler,1878)** (Noctuidae) Synonym(s): *excavata* Butler,1878 _ Range (in code): **JP TH PH TW CN KP KR JP**

- 65983. Oraesia glaucocheila (Hampson,1926)** (Noctuidae) Synonym(s): *glaucocheila* Hampson,1926 _ Range (in code): BR
- 65984. Oraesia igneiceps (Hampson,1926)** (Noctuidae) Synonym(s): *igneiceps* Hampson,1926 _ Range (in code): GY
- 65985. Oraesia provocans Walker,[1858]** (Noctuidae) Synonym(s): *provocans* Walker,[1858]; *hartmanni* Möschler,1883; *cuprea* Saalmüller,1891 _ Original Reference: *Oraesia provocans* Walker,[1858], List Specimens lepid. Insects Colln Br. Mus. 12: 943. Range (in code): NG Caa MZ
Del ZA Nta Kzu Ec Tra IN LK
- 65986. Oraesia rectistria Guenée,1852** (Noctuidae) Synonym(s): *rectistria* Guenée,1852 _ Original Reference: *Oraesia rectistria* Guenée,1852, [in] Boissduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 6: 363. Range (in code): IN NP CN LA TH Nan Dpk CMa Fn Php
- 65987. Oraesia triobliqua (Saalmüller,1880)** (Noctuidae) Synonym(s): *triobliqua* Saalmüller,1880 _ Range (in code): ZA
- 65988. Oraesia wintgensii (Strand,1909)** (Noctuidae) Synonym(s): *wintgensii* Strand,1909 _ Original Reference: *Calpe wintgensii* Strand,1909, Dt. ent. Z., Iris 22: 116. Range (in code): RW
ZA
- 65989. Orbona fragariae (Vieweg,1790)** (Noctuidae) Synonym(s): *#brunnea* [Denis & Schiffermüller],1775; *brunnea* Goeze,1781 *nec* Hufnagel,1767; *lucifera* Esp.,[1789]; *arvensis* Gmelin,[1790]; *carnea* Thunberg,1792; *fragariae* Borkhausen,1792; *serotina* Ochsenheimer,1816. _ Original Reference: *Noctua fragariae* Vieveg,1790, Tabl. Verz. Brand. Schmett. 2: 56. Range (in code): IT DE CH AT PL SK HU
RO BG RU Cc Ro Kr St MD UA BY JP
- 65990. Orectis euprepiata Dannehl,1933** (Noctuidae) Synonym(s): *euprepiata* Dannehl,1933 _ Range (in code): GR IT
- 65991. Orectis massiliensis (Millière,1864)** (Noctuidae) Synonym(s): *massiliensis* Millière,1864; *euprepiata* Dannehl,1933. _ Range (in code): FR Si IT
- 65992. Orectis proboscidata (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907. _ Original Reference: *Helia proboscidata* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2:430. Syntypes: Ungarn. Range (in code): IT AT HU
RO YU AL BG GR Cr TR Cc RU MD UA BY
- 65993. Oria flavescens (Hampson,1902)** (Noctuidae) Synonym(s): *flavescens* Hampson,1902 _ Range (in code): ZA Ec Ans
- 65994. Oria musculosa (Hübner,[1808])** (Noctuidae) Synonym(s): *musculosa* Hübner,[1808]; *laeta* Alpheraky,1889. _ Original Reference: *Noctua musculosa* Hübner,[1808], Samml. eur. Schmett. 4, Noctuae: Tab.78 fig.363. Type(s): Europa. Range (in code): Cn MA DZ Hrh Hmk Agi
Btina Tun Ges Gue Khk Ktr Abe Orn Sbd BSa Dje TN EG PT ES FR Sa Si IT MT GB BE DE CH? AT PL CZ
SK HU RO YU AL BG GR Cr CY Rd TR IR Fa Shr Elb Th TM DK RU Cc Ro Kr St Ich Da MD UA BY AF
Hr TJ Pm IQ Agh LB IL Hf Js Pa SY Dms JO
- 65995. Oria myodea (Rambur,1858)** (Noctuidae) Synonym(s): *myodea* Rambur,1858 _ Range (in code): PT ES FR
- 65996. Orohadena (Bryohadena) nekrasovi L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *nekrasovi* L.Ronkay, Varga & Gyulai,2002 _ Range (in code): TJ
- 65997. Orohadena (s.str.) presbytis Hampson,1910** (Noctuidae) Synonym(s): *presbytis* Hampson,1910 _ Range (in code): CN Ui Kml
- 65998. Orohadena (s.str.) xanthophanes (Boursin,1943)** (Noctuidae) Synonym(s): *xanthophanes* Boursin,1943 _ Original Reference: *Pseudohadena arvicola* f./ssp. *xanthophanes* Boursin,1943, Revue f. Ent. 10 (3): 82, pl.ii fig.13. Holotype ♂: Arménie: Elindzha 2500m, ouest du lac de Goktcha, 4.vii.34 (NHMW). Range (in code): Cc AM CN Ui Alt KG Tk Dj PK Hu Gg
- 65999. Orohadena (s.str.) xanthophanes rhodocyanea Boursin,1963** (Noctuidae) Synonym(s): *rhodocyanea* Boursin,1963 _ Original Reference: *Pseudohadena xanthophanes* ssp. *rhodocyanea* Boursin,1963, Bull. mens. Soc. linn. Lyon 33: 261. Holotype ♂: [China: Uighur A.R.]: "Asie centrale, Altyn-Tagh (chaîne de montagnes bordant le Takla-makan au sud) (coll. Museum de Paris)". Range (in code): CN Ui Alt KG Tk Dj
- 66000. Orohadena (s.str.) xanthophanes weigerti Hacker,2001** (Noctuidae) Synonym(s): *weigerti* Hacker,2001 _ Range (in code): PK Hu Gg
- 66001. Orohadena (s.str.) xanthophanes xanthophanes (Boursin,1943)** (Noctuidae) Synonym(s): *xanthophanes* Boursin,1943 _ Original Reference: *Pseudohadena arvicola* f./ssp. *xanthophanes* Boursin,1943, Revue f. Ent. 10 (3): 82, pl.ii fig.13. Holotype ♂: Arménie: Elindzha 2500m, ouest du lac de Goktcha, 4.vii.34 (NHMW). Range (in code): Cc AM

- 66002. *Orohadena cardinalis* L.Ronkay, Varga & Gyulai,2002** (Noctuidae) Synonym(s): *cardinalis* L.Ronkay, Varga & Gyulai,2002 _ Range (in code): **AF HK**
- 66003. *Oroplexia garza* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *#garza* Hreblay & L.Ronkay,1999 _ Range (in code): **NP**
- 66004. *Orthosia (Cororthosia) ella* (Butler,1878)** (Noctuidae) Synonym(s): *ella* Butler,1878 Range (in code): **RU**
- 66005. *Orthosia (Dioszeghyana) schmidtii* (Diószeghy,1935)** (Noctuidae) Synonym(s): *schmidtii* Diószeghy,1935 Original Reference: *Orthosia schmidtii* Diószeghy,1935, Mitt. Siebenbürg. Ver. Nat. Weiss. 83: 128, Taf.1. Syntypes: Rumänien: Transsylvanien: Borosjeno [=Ineu]. Range (in code): **SK HU RO YU BG GR TR**
- 66006. *Orthosia (Dioszeghyana) schmidtii pinkeri* Hreblay & Varga,1993** (Noctuidae) Synonym(s): *pinkerii* Hreblay & Varga,1993 Original Reference: *Dioszeghyana schmidtii* ssp. *pinkerii* Hreblay & Varga,1993, Acta zool. Hung. 39(1/4): 81-82. Holotype ♂: Türkei: Prov. Ankara, Dutözü köyü, 1300m, 1.v.1989, leg. & coll. Hreblay. Range (in code): **TR**
- 66007. *Orthosia (Dioszeghyana) schmidtii schmidtii* (Diószeghy,1935)** (Noctuidae) Synonym(s): *schmidtii* Diószeghy,1935 Original Reference: *Orthosia schmidtii* Diószeghy,1935, Mitt. Siebenbürg. Ver. Nat. Weiss. 83: 128, Taf.1. Syntypes: Rumänien: Transsylvanien: Borosjeno [=Ineu]. Range (in code): **SK HU RO YU BG GR**
- 66008. *Orthosia (Euchoristea) limbata* (Butler,1879)** (Noctuidae) Synonym(s): *limbata* Butler,1879 Original Reference: *Apamea limbata* Butler,1879, Ann. Mag. nat. Hist. (5) 4: 360. Range (in code): **NP TH CMa Int**
- 66009. *Orthosia (Euchoristea) limbata atrata* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *atrata* Hreblay & L.Ronkay,1999 _ Range (in code): **TH CMa Int**
- 66010. *Orthosia (Euchoristea) limbata himalaya* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *himalaya* Hreblay & L.Ronkay,1998 _ Range (in code): **NP**
- 66011. *Orthosia (Euchoristea) limbata limbata* (Butler,1879)** (Noctuidae) Synonym(s): *limbata* Butler,1879 Original Reference: *Apamea limbata* Butler,1879, Ann. Mag. nat. Hist. (5) 4: 360. Range (in code):
- 66012. *Orthosia (Monima) cerasi* (Fabricius,1775)** (Noctuidae) Synonym(s): *cerasi* Fabricius,1775; *stabilis* [Denis & Schiffermüller],1775; *obliqua* de Villers,1789; *junctus* Haworth,1803; *pallida* Haworth,1809; *rufannulata* Haworth,1809. Original Reference: *Noctua cerasi* Fabricius,1775, Syst. Ent.: 600. Syntypes: [England]: Angliae; [Germany]: Germaniae. Range (in code): **DZ Agi PT ES An FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV MK BG GR TR DK NO SE FI EE LV LT RU Ro Kr Nt Da MD UA BY Cc GG AZ IL Pa IR KG**
- 66013. *Orthosia (Monima) dalmatica* (Wagner,1909)** (Noctuidae) Synonym(s): *dalmatica* Wagner,1909 Original Reference: *Taeniocampa cerasi* var. *dalmatica* Wagner,1909, Ent. Z., Frankf. a.M. 23: 18. Lectotype ♂: Dalmatia: Zara (Hreblay, 1993: 74). Range (in code): **YU BG GR TR**
- 66014. *Orthosia (Monima) dalmatica ivani* Gyulai,1993** (Noctuidae) Synonym(s): *ivani* Gyulai,1993 Original Reference: *Orthosia ivani* Gyulai,1993, Entomofauna 14 (20): 329-339, figs. Holotype ♂: Turkey, Bursa Prov., Plaj 5.4. 1989, leg.I.Gyulai (coll. P.Gyulai). Range (in code): **GR TR**
- 66015. *Orthosia (Monima) imitabilis* Hreblay,1993** (Noctuidae) Synonym(s): *imitabilis* Hreblay,1993 Original Reference: *Orthosia (Monima) imitabilis* Hreblay,1993, Acta zool. Hung. 39 (1/4): 76-77, figs. Holotype ♂: USSR, Türümneia, Kopet DagMts., 800-900m, 5km NW of Tutlikala, 22.iv.1991 G.Csorba, G. Fabian, B. Herczig, M.Hreblay, G. Ronkay (coll. Hreblay). Range (in code): **TM Kp IR Elb Mz**
- 66016. *Orthosia (Monima) opima* (Hübner,[1809])** (Noctuidae) Synonym(s): *opima* Hübner,[1809] _ Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Ur Sb At MD UA BY KG DsA** Bionomy: Larva on *Salix*, *Rosa* (Hampson,1905).
- 66017. *Orthosia (Monima) populeti* (Fabricius,1781)** (Noctuidae) Synonym(s): *populeti* Fabricius,1781; *populi* Ström,1783; *subplumbeus* Haworth,1803; *intermedia* Stephens,1829; *ocularis* Freyer,1833; *tremuleti* Tetens,1876. Original Reference: *Bombyx populeti* Fabricius,1781, Spec. Ins. 2: 201. Type(s): [Norway]: Norwegiae. Range (in code): **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 66018. *Orthosia (Monima) pulverulenta* (Esper,[1786])** (Noctuidae) Synonym(s): *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803].

Original Reference: Phalaena pulverulenta Esper,[1786], Die Schmett. 3:386, Tab. 76, figs.5,6. Syntypes: [Germany]: [Erlangen]. Range (in code): **DZ Lbs PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Tbl Cc Ro Kr MD UA BY KG IL Pa LB JO**

66019. Orthosia (Monima) pulverulenta illustris Hreblay,1993 (Noctuidae) Synonym(s): *illustris Hreblay,1993* Original Reference: Orthosia (Monima) cruda ssp. *illustris* Hreblay,1993, Acta zool. Hung. 39 (1/4): 78-79, figs. Holotype ♂: Türkiye: Adana Prov., 5km W of Damlama 15.iv.1990 (leg. & coll. Hreblay). Range (in code): **TR IL Pa LB JO**

66020. Orthosia (Monima) sordescens Hreblay,1993 (Noctuidae) Synonym(s): *sordescens Hreblay,1993* Original Reference: Orthosia (Monima) sordescens Hreblay,1993, Acta zool. Hung. 39: 79-80, figs. Holotype ♂: Russia: N.Kaukasus, Stavropol, leg. Tikhonov (coll. M.Hreblay). Range (in code): **RU TM Kp**

66021. Orthosia (Semiophora) gothica (Linnaeus,1758) (Noctuidae) Synonym(s): *gothica Linnaeus,1758; nunatrum [Denis & Schiffermüller],1775; gothicina Herrich-Schäffer,[1849].* Original Reference: Phalaena gothica Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): [Europa]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt Da MD UA BY JP**

66022. Orthosia (s.l.) albiceps (Hampson,1894) (Noctuidae) Synonym(s): *albiceps Hampson,1894* Range (in code): **SI IN TH CMa Int Php Fn VN Lci Ton Fan**

66023. Orthosia (s.str.) faqiri Hreblay & Plante,1994 (Noctuidae) Synonym(s): *faqiri Hreblay & Plante,1994* Range (in code): **PK**

66024. Orthosia (s.str.) feda Hreblay & Plante,1994 (Noctuidae) Synonym(s): *feda Hreblay & Plante,1994* Range (in code): **PK Ch Gg Asr**

66025. Orthosia (s.str.) incerta (Hufnagel,1766) (Noctuidae) Synonym(s): *incerta Hufnagel,1766; instabilis [Denis & Schiffermüller],1775; collinita Esper,[1790]; contracta Esper,[1790]; trigutta Esper,[1790]; nebulosus Haworth,1803; subsetaceus Haworth,1803; angustus Haworth,1803; fuscatus Haworth,1803; pallida Lampa,1885 nec Hw.,1809; pallidior Staudinger,1901 nec Stgr.,1888* Original Reference: Phalaena incerta Hufnagel,1766, Berl. Mag. 3 (3): 298. Type(s): [Germany]: Berlin. Range (in code): **MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr Nt Da Sb At MD UA BY CN Ui Ku KK Ik Ax Fe UZ KG DsA JP IN Pj Hp Sml IQ CY LB IR Elb Th** Bionomy: Larva on Quercus, Populus (Hampson,1905).

66026. Orthosia (s.str.) malickyi Hacker,1992 (Noctuidae) Synonym(s): *malickyi Hacker,1992* Original Reference: Orthosia malickyi Hacker,1992, Esperiana 3: 187, figs. Holotype ♂: Nordthailand: Doi Inthanon, 2300m, 6.1.1990, leg. Chantaramongkol & Malicky (coll. Hacker). Range (in code): **TH CMa Int**

66027. Orthosia (s.str.) picata (A.Bang-Haas,1912) (Noctuidae) Synonym(s): *picata A.Bang-Haas,1912* Range (in code): **KG Tk Dj KK T-A**

66028. Orthosia (s.str.) reshoefti Hreblay,1994 (Noctuidae) Synonym(s): *reshoefti Hreblay,1994* Range (in code): **AF**

66029. Orthosia (s.str.) ronkayorum Volynkin & Titov,2014 (Noctuidae) Synonym(s): *ronkayorum Volynkin & Titov,2014* Range (in code): **KG**

66030. Orthosia cypriaca Hacker,1996 (Noctuidae) Synonym(s): *cypriaca Hacker,1996* Range (in code): **LB IL Pa JO CY TR**

66031. Orthosia gracilis (Fabricius,1787) (Noctuidae) Synonym(s): *#gracilis [Denis & Schiffermüller],1775; gracilis Fabricius,1787; lepida Brahm,1791; sparsus Haworth,1803; pallidior Staudinger,1888.* Original Reference: Noctua gracilis Fabricius,1787, Mant. Ins. 2: 148, nr.98. Type(s): [Wien]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT AM Cc GG Lag RU Ro Kr Nt Am Prj Us MD UA BY CN Ui Khr KG Tk Dj JP** Bionomy: Larva on Salix, Carduus, Lysimachia (Hampson,1905).

66032. Orthosia harutai Yoshimoto,1993 (Noctuidae) Synonym(s): *harutai Yoshimoto,1993* Range (in code):

66033. Orthosia huberti Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *huberti Hreblay & L.Ronkay,1999* Range (in code): **VN Ton Lci Fan**

66034. Orthosia macilenta Hreblay & L.Ronkay,1998 (Noctuidae) Synonym(s): *macilenta Hreblay & L.Ronkay,1998* Range (in code):

66035. Orthosia malickyi Hacker,1993 (Noctuidae) Synonym(s): *malickyi Hacker,1993* Range (in code): **TH CMa Int VN Lci Ton Fan**

- 66036. *Orthosia mediofusca* Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *mediofusca* Hreblay & L.Ronkay, 1999 _ Range (in code): TH CMa Php Fn
- 66037. *Orthosia peregovitsi* Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *peregovitsi* Hreblay & L.Ronkay, 1999 _ Range (in code): VN Ton Lci Fan
- 66038. *Orthosia rubricosa* (Esper, [1786])** (Noctuidae) Synonym(s): *#miniosa* [Denis & Schiffermüller], 1775; *rubricosa* Esper, [1786]. Original Reference: *Phalaena rubricosa* Esper, [1786], Die Schmett. 2 (3): 381, Tab. 75 figs. 3-4. Syntypes: [Germany]: [Erlangen], [Mittelfranken]: Neustadt. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt Ich Da MD UA BY Bionomy: Larva on Quercus (Fagaceae) (Kemal, 2008).
- 66039. *Ortopla commutanda* W. Warren, 1891** (Noctuidae) Synonym(s): *commutanda* W. Warren, 1891 _ Range (in code):
- 66040. *Ortopla iarbasalis* Walker, [1859]** (Noctuidae) Synonym(s): *iarbasalis* Walker, [1859] Range (in code): MY Bor Swk ID Sum VN TH Phr
- 66041. *Ortopla lindsayi* (Hampson, 1891)** (Noctuidae) Synonym(s): *lindsayi* Hampson, 1891 Range (in code):
- 66042. *Ortopla noduna* (Swinhoe, 1905)** (Noctuidae) Synonym(s): *noduna* Swinhoe, 1905 Range (in code): LK
- 66043. *Ortopla relinquenda* (Walker, [1858])** (Noctuidae) Synonym(s): *relinquenda* Walker, [1858] _ Range (in code): IN VN TH Knc
- 66044. *Oruza cariosa* (Lucas, 1894)** (Noctuidae) Synonym(s): *cariosa* Lucas, 1894 _ Range (in code): WS AU QAU ID Alo PG NC FJ
- 66045. *Oruza kavatcha* Holloway, 1979** (Noctuidae) Synonym(s): *kavatcha* Holloway, 1979 Range (in code): NC
- 66046. *Oruza latifera* (Walker, 1869)** (Noctuidae) Synonym(s): *latifera* Walker, 1869 _ Range (in code): ZA
- 66047. *Oruza narabuta* Holloway, 1979** (Noctuidae) Synonym(s): *narabuta* Holloway, 1979 Range (in code): NH
- 66048. *Osmanosizikia vulnerata* (Butler, 1878)** (Noctuidae) Synonym(s): *vulnerata* Butler, 1878; *christophi* Staudinger, 1888 nec Alph., 1888; *doerriesi* Staudinger, 1892 _ Range (in code): RU Us Sb JP Hdo
- 66049. *Ostheldera arne* L.Ronkay & Varga, 1994** (Noctuidae) Synonym(s): *arne* L.Ronkay & Varga, 1994 Original Reference: *Ostheldera arne* L.Ronkay & Varga, 1994, Acta zool. hung. 40: 162-163, figs. Holotype ♂: Turkey: Hakkari Prov., 5 km S of Hakkari, 1800m 12.10.1986 leg. A. Moberg, J. Hillman (coll. Fibiger). Range (in code): TR
- 66050. *Ostheldera gracilis* (Osthelder, 1933)** (Noctuidae) Synonym(s): *gracilis* Osthelder, 1933 Original Reference: *Pfeifferella gracilis* Osthelder, 1933, Mitt. münch. ent. Ges. 23: 54. Syntypes: [Turkey]: Maraş. Range (in code): TR IQ IR IL He Pa
- 66051. *Ostheldera kondara* Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *kondara* Varga & L.Ronkay, 1991 _ Range (in code): TJ AF
- 66052. *Ostheldera minna* L.Ronkay & Varga, 1994** (Noctuidae) Synonym(s): *minna* L.Ronkay & Varga, 1994 Original Reference: *Ostheldera minna* L.Ronkay & Varga, 1994, Acta zool. hung. 40: 164-165, 167, figs. Holotype ♂: [Turkmenistan]: "USSR, Turkmenia, Kopet-Dagh Mts., 1000m, Kurkulab 6 km SW of Germob (HNHM Budapest). Range (in code): TM Kp Ger
- 66053. *Ostheldera persa* L.Ronkay & Varga, 1994** (Noctuidae) Synonym(s): *persa* L.Ronkay & Varga, 1994 Original Reference: *Ostheldera persa* L.Ronkay & Varga, 1994, Acta zool. hung. 40: 163, figs. Holotype ♂: [Iran]: Persia: Hunaifagan, Fars, leg. coll. Wiltshire (BMNH). Range (in code): IR Fa
- 66054. *Outaya grisescens* Chrétien, 1911** (Noctuidae) Synonym(s): *grisescens* Chrétien, 1911 Range (in code): TN Gf
- 66055. *Ovios capensis* (Herrich-Schäffer, [1854])** (Noctuidae) Synonym(s): *capensis* Herrich-Schäffer, [1854]; *septentrionis* Hampson, 1910 _ Range (in code): ZA Tva Ec Mpu Brb Nta Kzu Dbn Ptw Rie Kkf Umk
- 66056. *Owadaglaea barna* Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *barna* Hreblay & L.Ronkay, 1998 _ Range (in code):
- 66057. *Owadaglaea chloromixta* Hacker & L.Ronkay, 1996** (Noctuidae) Synonym(s): *chloromixta* Hacker & L.Ronkay, 1996 _ Range (in code):

- 66058. Owadaglaea dominiki Benedek, Borth & Saldaitis, 2012** (Noctuidae) Synonym(s): *dominiki Benedek, Borth & Saldaitis, 2012* Range (in code):
- 66059. Owadaglaea elongata Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *elongata Hreblay & L.Ronkay, 1998* Range (in code): **TH CMa Int VN Lei Fan Ton**
- 66060. Owadaglaea elongata annamica Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *annamica Hreblay & L.Ronkay, 1999* Range (in code): **VN Lei Fan Ton**
- 66061. Owadaglaea elongata siamica Hreblay & L.Ronkay, 1999** (Noctuidae) Synonym(s): *siamica Hreblay & L.Ronkay, 1999* Range (in code): **TH CMa Int**
- 66062. Owadaglaea expallida Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *expallida Hreblay & L.Ronkay, 1998* Range (in code):
- 66063. Owadaglaea fuscipicta Hacker & L.Ronkay, 1996** (Noctuidae) Synonym(s): *fuscipicta Hacker & L.Ronkay, 1996* Range (in code): **NP**
- 66064. Owadaglaea fuscipicta fuscipicta Hacker & L.Ronkay, 1996** (Noctuidae) Synonym(s): *fuscipicta Hacker & L.Ronkay, 1996* Range (in code):
- 66065. Owadaglaea hackeri Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *hackeri Hreblay & L.Ronkay, 1998* Range (in code): **NP**
- 66066. Owadaglaea kulmani Benedek, Borth & Saldaitis, 2012** (Noctuidae) Synonym(s): *kulmani Benedek, Borth & Saldaitis, 2012* Range (in code): **NP**
- 66067. Owadaglaea lucida Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *lucida Hreblay & L.Ronkay, 1998* Range (in code):
- 66068. Owadaglaea michellaeae Benedek, Borth & Saldaitis, 2012** (Noctuidae) Synonym(s): *michellaeae Benedek, Borth & Saldaitis, 2012* Range (in code):
- 66069. Owadaglaea moorei (Hacker & L.Ronkay, 1998)** (Noctuidae) Synonym(s): *moorei Hacker & L.Ronkay, 1998* Range (in code): **NP**
- 66070. Owadaglaea nigriclava (Boursin, 1957)** (Noctuidae) Synonym(s): *nigriclava Boursin, 1957* Range (in code):
- 66071. Owadaglaea nigricomma Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *nigricomma Hreblay & L.Ronkay, 1998* Range (in code):
- 66072. Owadaglaea reta Benedek, Borth & Saldaitis, 2012** (Noctuidae) Synonym(s): *reta Benedek, Borth & Saldaitis, 2012* Range (in code): **CN Sz**
- 66073. Owadaglaea reticulata Hreblay, Peregovits & L.Ronkay, 1999** (Noctuidae) Synonym(s): *reticulata Hreblay, Peregovits & L.Ronkay, 1999* Range (in code): **VN Lei Fan Ton**
- 66074. Owadaglaea triangulifera Hreblay & L.Ronkay, 1998** (Noctuidae) Synonym(s): *triangulifera Hreblay & L.Ronkay, 1998* Range (in code): **NP**
- 66075. Owadaglaea yoshimotoi Hacker, 1996** (Noctuidae) Synonym(s): *yoshimotoi Hacker, 1996* Range (in code): **NP**
- 66076. Oxaeanus brontesalis (Walker, [1859])** (Noctuidae) Synonym(s): *brontesalis Walker, [1859]; sumatrensis Walker, [1866]; scopigeralis Moore, 1867* Range (in code): **TH Nrt Kao CMa Int LA CN IN BD ID Sum Bor Swk MY**
- 66077. Oxaeanus picticilia (Hampson, 1896)** (Noctuidae) Synonym(s): *picticilia Hampson, 1896* Range (in code): **TH Nan Dpk IN Mgh Ass Meg Khs ID Sum**
- 66078. Oxicesta chamoenices Herrich-Schäffer, 1845** (Noctuidae) Synonym(s): *nervosa Villers, 1789 nec Retz., 1783; chamoenices Herrich-Schäffer, 1845; chamaesyces Guenée, 1852* Range (in code): **FR IT YU**
- 66079. Oxicesta geographica (Fabricius, 1787)** (Noctuidae) Synonym(s): *geographica Fabricius, 1787* Original Reference: *Noctua geographica Fabricius, 1787, Mantissa Insectorum 2: 167. Type: Austria.* Range (in code): **FR IT PL SK HU RO YU BG RU Cc Ro St MD UA BY TM** Bionomy: Larva on Euphorbia cyparissias (Hacker, 1989).
- 66080. Oxicesta serratae Zerny, 1927** (Noctuidae) Synonym(s): *serratae Zerny, 1927* Range (in code): **ES Mu FR** Bionomy: Larva on Euphorbia serrata (Euphorbiaceae) (Calle et al., 2000).
- 66081. Oxyodes billeti De Joannis, 1900** (Noctuidae) Synonym(s): *billeti De Joannis, 1900* Range (in code): **TH MY VN Ton NP IN CN CMa Int Knc ID Sum Ja Bor**
- 66082. Oxyodes scrobiculata (Fabricius, 1775)** (Noctuidae) Synonym(s): *scrobiculata Fabricius, 1775; clytia Stoll, [1782]; vittata Fabricius, 1794; ochreata Rothschild, 1915; samoana Tams, 1935; tanymekes Tams, 1935; novaehebridensis Viette, 1951; obscurior Holloway, 1979* Original Reference: *Noctua scrobiculata Fabricius, 1775, Syst. Ent.: 252. Type(s): "India Orientalii".* Range (in code): **TH CMa Cuo Cuo1 Cuo7 Cz10 Cmz CDo Dst Dso9 Int Phr Nrt Knc Shu Bnk Cph Cbi Pht Cbu MY VN LK Dck Pdy IN NP CN TW JP KP KR ID Sum Sba Tim Flo PG WS NH NC FJ PH** Bionomy: Larva on Nephelium

- lappaceum [rambutan], Litchi chinensis [litchi], Dimocarpis longan (Sapindaceae), Senna surathensis (Fabaceae) (Kuroko, Lewvanich,1993).
- 66083. Oxytripia orbiculosa (Esper,1799)** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
Range (in code): [ES HU RO YU AL GR TR RU Cc Ro Ich](#)
- 66084. Oxytripia orbiculosa noctivolans Pinker,1980** (Noctuidae) Synonym(s): *noctivolans* Pinker,1980
Original Reference: *Oxytripia noctivolans* Pinker,1980, Z. ArbGem. öst. Ent. 31: 71, figs. Holotype ♂: Türkei: Gürün, 1700m (leg & coll. Pinker). Range (in code): [TR](#)
- 66085. Oxytripia orbiculosa orbiculosa (Esper,[1799])** (Noctuidae) Synonym(s): *orbiculosa* Esper,1799
Range (in code): [ES HU RO YU AL GR RU Cc Ro Ich](#)
- 66086. Oxytripia stephania Sutton,[1964]** (Noctuidae) Synonym(s): *stephania* Sutton,[1964]; *danilevskyi* Miljanovsky,1973. Range (in code): [IR Elb Th AZ Cc AM TR](#)
- 66087. Ozarba abscissa (Walker,1858)** (Noctuidae) Synonym(s): *abscissa* Walker,1858; *partita* Mabille,1880. Range (in code): [ZA Ec MG](#)
- 66088. Ozarba abscondita Hampson,1918** (Noctuidae) Synonym(s): *abscondita* Hampson,1918
Range (in code): [PE](#)
- 66089. Ozarba acantholipina Draudt,1950** (Noctuidae) Synonym(s): *acantholipina* Draudt,1950
Range (in code): [CN Yu Lik](#)
- 66090. Ozarba accincta (Distant,1898)** (Noctuidae) Synonym(s): *accincta* Distant,1898
Range (in code): [ZA Tva Gau Pre](#)
- 66091. Ozarba acclivis (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *acclivis* R.Felder & Rogenhofer,1874; *perssoni* Wallengren,1875. Range (in code): [ZA Tva](#)
- 66092. Ozarba adducta Berio,1940** (Noctuidae) Synonym(s): *adducta* Berio,1940
Range (in code): [ER](#)
- 66093. Ozarba africana Berio,1940** (Noctuidae) Synonym(s): *africana* Berio,1940
Range (in code): [ZW Har](#)
- 66094. Ozarba alberti Wiltshire,1994** (Noctuidae) Synonym(s): *alberti* Wiltshire,1994
Range (in code): [SA](#)
- 66095. Ozarba albimarginata (Hampson,1896)** (Noctuidae) Synonym(s): *albimarginata* Hampson,1896
Original Reference: *Metachrostis albimarginata* Hampson,1896, Fauna Br. India (moths) 4: 515. Syntypes: India: Bhuj, Cutch. Range (in code): [ZA Fs IN Cu Guj PK Sd Krc](#)
- 66096. Ozarba albomediovittata Berio,1937** (Noctuidae) Synonym(s): *albomediovittata* Berio,1937
Range (in code): [SO](#)
- 66097. Ozarba algaini Wiltshire,1983** (Noctuidae) Synonym(s): *algaini* Wiltshire,1983
Range (in code): [SA](#)
- 66098. Ozarba aloisiabudiae Berio,1937** (Noctuidae) Synonym(s): *aloisiabudiae* Berio,1937
Range (in code): [SO](#)
- 66099. Ozarba apicalis Hampson,1910** (Noctuidae) Synonym(s): *apicalis* Hampson,1910
Range (in code): [KE](#)
- 66100. Ozarba atrifera Hampson,1910** (Noctuidae) Synonym(s): *atrifera* Hampson,1910; *khadrafica* Wiltshire,1980. Range (in code): [ZA OM KE](#)
- 66101. Ozarba badia (Swinhoe,1886)** (Noctuidae) Synonym(s): *badia* Swinhoe,1886
Range (in code): [IN](#)
- 66102. Ozarba bicoloria Gaede,1915** (Noctuidae) Synonym(s): *bicoloria* Gaede,1915
Range (in code): [NA](#)
- 66103. Ozarba binorbis Hampson,1910** (Noctuidae) Synonym(s): *binorbis* Hampson,1910
Range (in code): [ZA Tva](#)
- 66104. Ozarba bipars Hampson,1891** (Noctuidae) Synonym(s): *bipars* Hampson,1891
Range (in code): [IN NI](#)
- 66105. Ozarba bipartita (Hampson,1902)** (Noctuidae) Synonym(s): *bipartita* Hampson,1902
Range (in code): [ZW Har KE](#)
- 66106. Ozarba bisexualis Hampson,1910** (Noctuidae) Synonym(s): *bisexualis* Hampson,1910
Range (in code): [ZW Uma](#)
- 66107. Ozarba boursini Berio,1940** (Noctuidae) Synonym(s): *boursini* Berio,1940
Range (in code): [ET ET236](#)
- 66108. Ozarba capreolana Rebel,1948** (Noctuidae) Synonym(s): *capreolana* Rebel,1948
Range (in code): [EG JE](#)

- 66109. Ozarba captata Berio,1940** (Noctuidae) Synonym(s): *captata* Berio,1940 _ Range (in code): ER
- 66110. Ozarba chionoperas Hampson,1918** (Noctuidae) Synonym(s): *chionoperas* Hampson,1918
Range (in code): ZA Tva Gau Pre
- 66111. Ozarba chryseiplaga Hampson,1910** (Noctuidae) Synonym(s): *chryseiplaga* Hampson,1910 _ Range (in code): ZR Kga
- 66112. Ozarba cinerea (Aurivillius,1879)** (Noctuidae) Synonym(s): *cinerea* Aurivillius,1879
Range (in code): NA
- 66113. Ozarba consanguis (Hampson,1902)** (Noctuidae) Synonym(s): *consanguis* Hampson,1902; *marwitzi* Gaede,1916. _ Range (in code): BW TZ
- 66114. Ozarba contempta (Walker,1858)** (Noctuidae) Synonym(s): *contempta* Walker,1858
Range (in code): ZA
- 66115. Ozarba corniculans (Wallengren,1860)** (Noctuidae) Synonym(s): *corniculans* Wallengren,1860; *figurata* Walker,1865. _ Range (in code): ZA ET ET24
- 66116. Ozarba corniculantis Berio,1950** (Noctuidae) Synonym(s): *corniculantis* Berio,1950
Range (in code): ZA Nta Kzu
- 66117. Ozarba cryptica Berio,1940** (Noctuidae) Synonym(s): *cryptica* Berio,1940 _ Range (in code): ER
- 66118. Ozarba cryptochrysea (Hampson,1902)** (Noctuidae) Synonym(s): *cryptochrysea* Hampson,1902; *centralis* Pagenstecher,1907. _ Range (in code): MZ Del MG
- 66119. Ozarba cupreofascia Le Cerf,1922** (Noctuidae) Synonym(s): *apicalis* Le Cerf,1911 *nec* Hamps.,1910; *cupreofascia* Le Cerf,1922 _ Range (in code): KE
- 66120. Ozarba cyanopasta Hampson,1910** (Noctuidae) Synonym(s): *cyanopasta* Hampson,1910
Range (in code): ZA Tva Lpo Wri
- 66121. Ozarba damarensis Berio,1940** (Noctuidae) Synonym(s): *damarensis* Berio,1940
Range (in code): ZA CF
- 66122. Ozarba debrosi Wiltshire,1983** (Noctuidae) Synonym(s): *debrosi* Wiltshire,1983
Range (in code): SA
- 66123. Ozarba densa (Walker,1865)** (Noctuidae) Synonym(s): *densa* Walker,1865 _ Range (in code): ZA Tva Gau Pre Jh
- 66124. Ozarba devylderi Berio,1940** (Noctuidae) Synonym(s): *devylderi* Berio,1940 _ Range (in code): ZA CF
- 66125. Ozarba fasciata (Wallengren,1860)** (Noctuidae) Synonym(s): *fasciata* Wallengren,1860
Range (in code): ZA Ec
- 66126. Ozarba festiva Berio,1950** (Noctuidae) Synonym(s): *festiva* Berio,1950 _ Range (in code): ZA Tva Gau Pre
- 66127. Ozarba flavipennis Hampson,1910** (Noctuidae) Synonym(s): *flavipennis* Hampson,1910
Range (in code): ZA Ec Ans
- 66128. Ozarba fuscescens Rebel,1948** (Noctuidae) Synonym(s): *fuscescens* Rebel,1948 _ Range (in code): EG JE
- 66129. Ozarba gaedei Berio,1940** (Noctuidae) Synonym(s): *gaedei* Berio,1940 _ Range (in code): NA
- 66130. Ozarba gobabis Berio,1940** (Noctuidae) Synonym(s): *gobabis* Berio,1940 _ Range (in code): NA
- 66131. Ozarba heliastis (Hampson,1902)** (Noctuidae) Synonym(s): *heliastis* Hampson,1902
Range (in code): ZA Lpo Tva Spb Mdk Ec Tra KE Tet
- 66132. Ozarba hemimelaena Hampson,1910** (Noctuidae) Synonym(s): *hemimelaena* Hampson,1910; *transversa* Pagenstecher,1907. _ Range (in code): ZA MG
- 66133. Ozarba hemiochra Hampson,1910** (Noctuidae) Synonym(s): *hemiochra* Hampson,1910; *hemileuca* Wiltshire,1982. _ Range (in code): KE SO SA ZA Tva Gau Jh
- 66134. Ozarba hemipolia Hampson,1910** (Noctuidae) Synonym(s): *hemipolia* Hampson,1910
Range (in code): ZA Ec Tra
- 66135. Ozarba hypoxantha (Wallengren,1860)** (Noctuidae) Synonym(s): *hypoxantha* Wallengren,1860; *vultuosa* Distant,1898. _ Range (in code): ZA Ec Tva Mpu Brb Pre Gau Nta Kzu Est
- 66136. Ozarba illimitata W.Warren,1914** (Noctuidae) Synonym(s): *illimitata* W.Warren,1914
Range (in code): ZA

- 66137. Ozarba inobtrusa (Hampson,1902)** (Noctuidae) Synonym(s): *inobtrusa* Hampson,1902
Range (in code): **ZA**
- 66138. Ozarba inopinata Berio,1940** (Noctuidae) Synonym(s): *inopinata* Berio,1940 _ Range (in code): **ZA CF**
- 66139. Ozarba isocampta Hampson,1910** (Noctuidae) Synonym(s): *isocampta* Hampson,1910
Range (in code): **ZA Tva**
- 66140. Ozarba jansei Berio,1940** (Noctuidae) Synonym(s): *jansei* Berio,1940 _ Range (in code): **ZW**
- 66141. Ozarba madanda (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *madanda* R.Felder & Rogenhofer,1874; *dignata* Möschler,1883. _ Range (in code): **ZA**
- 66142. Ozarba malaisei Berio,1940** (Noctuidae) Synonym(s): *malaisei* Berio,1940 _ Range (in code): **ZA CF**
- 66143. Ozarba marabensis Wiltshire,1980** (Noctuidae) Synonym(s): *marabensis* Wiltshire,1980
Range (in code): **SA**
- 66144. Ozarba mesozonata Hampson,1916** (Noctuidae) Synonym(s): *mesozonata* Hampson,1916
Range (in code): **SO**
- 66145. Ozarba metachrysea Hampson,1910** (Noctuidae) Synonym(s): *metachrysea* Hampson,1910 _ Range (in code): **ZW Har**
- 66146. Ozarba moldavicola mesopotamica Schawerda,1923** (Noctuidae) Synonym(s): *mesopotamica* Schawerda,1923 _ Range (in code): **TR IQ Mos**
- 66147. Ozarba mortua Berio,1940** (Noctuidae) Synonym(s): *mortua* Berio,1940 _ Range (in code): **ER**
- 66148. Ozarba nairobiensis Berio,1977** (Noctuidae) Synonym(s): *nairobiensis* Berio,1977
Range (in code): **KE Nai**
- 66149. Ozarba negrotti Berio,1940** (Noctuidae) Synonym(s): *negrotti* Berio,1940 _ Range (in code): **SO Mga**
- 66150. Ozarba nicotrai Berio,1950** (Noctuidae) Synonym(s): *nicotrai* Berio,1950 _ Range (in code): **SO Mga**
- 66151. Ozarba nigroviridis (Hampson,1902)** (Noctuidae) Synonym(s): *nigroviridis* Hampson,1902 _ Range (in code): **ZA ZM**
- 66152. Ozarba nyanza (R.Felder & Rogenhofer,[1875])** (Noctuidae) Synonym(s): *nyanza* R.Felder & Rogenhofer,[1875] _ Range (in code): **ZA**
- 66153. Ozarba ochritincta Wileman & South,1916** (Noctuidae) Synonym(s): *ochritincta* Wileman & South,1916 _ Range (in code): **TW**
- 66154. Ozarba ochrozona Hampson,1910** (Noctuidae) Synonym(s): *ochrozona* Hampson,1910
Range (in code): **GH**
- 66155. Ozarba olimcorniculans Berio,1940** (Noctuidae) Synonym(s): *olimcorniculans* Berio,1940
Range (in code): **ZA**
- 66156. Ozarba orthogramma Hampson,1914** (Noctuidae) Synonym(s): *orthogramma* Hampson,1914 _ Range (in code): **NG Minn**
- 66157. Ozarba orthozona (Hampson,1902)** (Noctuidae) Synonym(s): *orthozona* Hampson,1902
Range (in code): **ZA**
- 66158. Ozarba ovata Berio,1977** (Noctuidae) Synonym(s): *ovata* Berio,1977 _ Range (in code): **ZR**
- 66159. Ozarba parvula Berio,1940** (Noctuidae) Synonym(s): *parvula* Berio,1940 _ Range (in code): **SO Mga**
- 66160. Ozarba perplexa Saalmüller,1891** (Noctuidae) Synonym(s): *perplexa* Saalmüller,1891
Range (in code): **ZA**
- 66161. Ozarba persinua Berio,1940** (Noctuidae) Synonym(s): *persinua* Berio,1940 _ Range (in code): **ZA CF**
- 66162. Ozarba phaea (Hampson,1902)** (Noctuidae) Synonym(s): *phaea* Hampson,1902
Range (in code): **ZA Ec Ans SA**
- 66163. Ozarba phaea ampullata Wiltshire,1988** (Noctuidae) Synonym(s): *ampullata* Wiltshire,1988 _ Range (in code): **SA**
- 66164. Ozarba phaeochroa Hampson,1910** (Noctuidae) Synonym(s): *phaeochroa* Hampson,1910
Range (in code): **ZR Kga**
- 66165. Ozarba phlebitis Hampson,1910** (Noctuidae) Synonym(s): *phlebitis* Hampson,1910
Range (in code): **PK Sd Krc IN Up Mh Bba**

- 66166. Ozarba pluristriata Berio,1937** (Noctuidae) Synonym(s): *pluristriata* Berio,1937
Range (in code): **SO**
- 66167. Ozarba prolai Berio,1977** (Noctuidae) Synonym(s): *prolai* Berio,1977 _ Range (in code): **TZ Dss**
- 66168. Ozarba punctigera Walker,1865** (Noctuidae) Synonym(s): *punctigera* Walker,1865
Range (in code): **ZA AU QAU**
- 66169. Ozarba punctithorax Berio,1940** (Noctuidae) Synonym(s): *punctithorax* Berio,1940
Range (in code): **ZA Nta Kzu Wnn**
- 66170. Ozarba regia W.Warren,1914** (Noctuidae) Synonym(s): *regia* W.Warren,1914 _ Range (in code): **ZA Ec Cto Nta Kzu**
- 66171. Ozarba reussi Strand,1911** (Noctuidae) Synonym(s): *reussi* Strand,1911 _ Range (in code): **TZ Dss**
- 66172. Ozarba rosescens Hampson,1910** (Noctuidae) Synonym(s): *rosescens* Hampson,1910
Range (in code): **UG Eth**
- 66173. Ozarba rougeoti Berio,1984** (Noctuidae) Synonym(s): *rougeoti* Berio,1984 _ Range (in code): **DJ**
- 66174. Ozarba rubrivena Hampson,1910** (Noctuidae) Synonym(s): *rubrivena* Hampson,1910
Range (in code): **NG Lgo**
- 66175. Ozarba scorpio Berio,1935** (Noctuidae) Synonym(s): *scorpio* Berio,1935 _ Range (in code): **SO**
- 66176. Ozarba semiluctuosa Berio,1937** (Noctuidae) Synonym(s): *semiluctuosa* Berio,1937
Range (in code): **SO**
- 66177. Ozarba semipurpurea (Hampson,1902)** (Noctuidae) Synonym(s): *semipurpurea* Hampson,1902 _ Range (in code): **ZW Har ZA Ec Cto Ans**
- 66178. Ozarba semitorrida Hampson,1916** (Noctuidae) Synonym(s): *semitorrida* Hampson,1916
Range (in code): **SO**
- 66179. Ozarba separabilis Berio,1940** (Noctuidae) Synonym(s): *separabilis* Berio,1940 _ Range (in code): **ZA ER**
- 66180. Ozarba socotrana Hampson,1910** (Noctuidae) Synonym(s): *socotrana* Hampson,1910
Range (in code): **YE Sk**
- 66181. Ozarba subterminalis Hampson,1910** (Noctuidae) Synonym(s): *subterminalis* Hampson,1910 _ Range (in code): **ZW Har**
- 66182. Ozarba subtilimba Berio,1963** (Noctuidae) Synonym(s): *subtilimba* Berio,1963 _ Range (in code): **UG Rz**
- 66183. Ozarba subtilis Berio,1966** (Noctuidae) Synonym(s): *subtilis* Berio,1966 _ Range (in code): **ZR**
- 66184. Ozarba subtusfimbriata Berio,1940** (Noctuidae) Synonym(s): *subtusfimbriata* Berio,1940
Range (in code): **ZA**
- 66185. Ozarba terminipuncta (Hampson,1899)** (Noctuidae) Synonym(s): *terminipuncta* Hampson,1899 _ Range (in code): **YE Sk**
- 66186. Ozarba terribilis Berio,1940** (Noctuidae) Synonym(s): *terribilis* Berio,1940 _ Range (in code): **ER**
- 66187. Ozarba timida Berio,1940** (Noctuidae) Synonym(s): *timida* Berio,1940; *cervina* Rebel,1948
Range (in code): **ER SA EG JE**
- 66188. Ozarba toxotis Hampson,1910** (Noctuidae) Synonym(s): *toxotis* Hampson,1910 _ Range (in code): **MW**
- 66189. Ozarba tricuspis Hampson,1910** (Noctuidae) Synonym(s): *tricuspis* Hampson,1910
Range (in code): **KE**
- 66190. Ozarba uberosa Hampson,1910** (Noctuidae) Synonym(s): *uberosa* Hampson,1910
Range (in code): **IN Poo**
- 66191. Ozarba varia (Walker,1865)** (Noctuidae) Synonym(s): *varia* Walker,1865; *mustelina* Wallengren,1875. _ Range (in code): **YE Ad ZA Tva Gau Pre BW KE ZW**
- 66192. Ozarba variabilis Berio,1940** (Noctuidae) Synonym(s): *variabilis* Berio,1940; *elaphina* Rebel,1948. _ Range (in code): **ER EG JE**
- 66193. Ozarba variegata Le Cerf,1911** (Noctuidae) Synonym(s): *variegata* Le Cerf,1911 _ Range (in code): **KE**

- 66194. *Ozarba venata* Butler,1889** (Noctuidae) **Synonym(s):** *venata* Butler,1889 _ **Range (in code):** **IN Hp Drm**
- 66195. *Paectes canescens* Tams,1935** (Noctuidae) **Synonym(s):** *canescens* Tams,1935 _ **Range (in code):** **WS**
- 66196. *Paectes cristatrix* (Guenée,1852)** (Noctuidae) **Synonym(s):** *cristatrix* Guenée,1852 **Range (in code):** **TH CMa Dst VN IN LK CN TW PH Pal ID PG AU QAU SB NC FJ TO**
- 66197. *Paectes cristatrix fijiensis* Robinson,1975** (Noctuidae) **Synonym(s):** *fijiensis* Robinson,1975 _ **Range (in code):** **FJ TO**
- 66198. *Paectes roseovincta* (W.Warren,1914)** (Noctuidae) **Synonym(s):** *roseovincta* W.Warren,1914; *euphiles* A.E.Prout,1928 _ **Range (in code):** **ID Sum SG Bor Swk MY TH Ntt Hba**
- 66199. *Paectes subapicalis* (Walker,[1858])** (Noctuidae) **Synonym(s):** *subapicalis* Walker,[1858]; *recurrens* Walker,1858 _ **Range (in code):** **IN Ch Lho Snm Roh TH CMa Int VN MM NP AF PK Sd Krc MY Bor** **Bionomy:** Larva on Tectona (Verbenaceae), Shorea (Dipterocarpaceae) (Holloway,1985).
- 66200. *Paida pulchra* (Trimen,1863)** (Noctuidae) **Synonym(s):** *pulchra* Trimen,1863; *gordoni* Butler,1879 _ **Range (in code):** **ZA Nta Kzu Dbn Vf Bul Tva ZW NA**
- 66201. *Palaeagrotis inops* (Lederer,1853)** (Noctuidae) **Synonym(s):** *inops* Lederer,1853 **Original Reference:** *Hadena inops* Lederer,1853, Verh. zool.- bot. Ver. Wien 3: 371, pl.3 fig.2. **Type(s):** Russia: Siberia. **Range (in code):** **KK RU Sb**
- 66202. *Palaeamathes serrulata* Gyulai, L.Ronkay & Saldaitis,2011** (Noctuidae) **Synonym(s):** *serrulata* Gyulai, L.Ronkay & Saldaitis,2011 _ **Range (in code):** **CN Sz**
- 66203. *Pamirorea eberti* L.Ronkay & Varga,1990** (Noctuidae) **Synonym(s):** *eberti* L.Ronkay & Varga,1990 _ **Range (in code):** **AF**
- 66204. *Pamparama abuzuhairai* (Wiltshire,1986)** (Noctuidae) **Synonym(s):** *abuzuhairai* Wiltshire,1986 _ **Range (in code):** **SA**
- 66205. *Pamparama acuta* (Freyer,[1837])** (Noctuidae) **Synonym(s):** *acuta* Freyer,[1837]; *producta* Lederer,1857; *pygmaea* Staudinger,1871. **Original Reference:** *Acronicta acuta* Freyer,[1837], Neue. Beitr. Schmett. 3:88, Tab.255 fig.3. **Type(s):** [Turkey]: Konstantinopel [=Istanbul]. **Range (in code):** **GR TR LB Bei IQ Cc AM AZ CY IL Pa Js JO IR Th Elb Kdj Ab Hz B-A**
- 66206. *Pamparama sinaica* (Wiltshire,1948)** (Noctuidae) **Synonym(s):** *sinaica* Wiltshire,1948 **Range (in code):** **EG Sn**
- 66207. *Panchrysia aurea* (Hübner,[1803])** (Noctuidae) **Synonym(s):** *deaurata* Esper,[1787] *nec* Goeze,1981; *chryson* Borkhausen,1792 *nec* Esp.,[1789]; *aurea* Hübner,[1803]. _ **Range (in code):** **PT ES FR Co Si IT LU DE CH AT PL CZ SK HU RO YU BG GR TR RU Cc Ro Kr Nt Ich Da MD UA BY KK TrA IR Ak Th**
- 66208. *Panchrysia v-argenteum* (Esper,[1798])** (Noctuidae) **Synonym(s):** *v-argenteum* Esper,[1798]; *mya* Hübner,[1821] _ **Range (in code):** **ES FR IT LU DE CH AT RO YU BG GR RU Ur**
- 66209. *Panchrysia v-argenteum dives* (Eversmann,1844)** (Noctuidae) **Synonym(s):** *dives* Eversmann,1844 _ **Range (in code):** **RU Ur**
- 66210. *Panchrysia v-argenteum pantheon* Varga & Ronkay,1984** (Noctuidae) **Synonym(s):** *pantheon* Varga & Ronkay,1984 _ **Range (in code):**
- 66211. *Panchrysia v-argenteum v-argenteum* (Esper,[1798])** (Noctuidae) **Synonym(s):** *v-argenteum* Esper,[1798]; *mya* Hübner,[1821] _ **Range (in code):** **ES FR IT LU DE CH AT RO YU BG GR**
- 66212. *Pandesma anysa* Guenée,1852** (Noctuidae) **Synonym(s):** *anyisa* Guenée,1852 _ **Range (in code):** **IN MM TH CMa Int CDo VN NP PK JP ID**
- 66213. *Pandesma muricolor* Berio,1966** (Noctuidae) **Synonym(s):** *muricolor* Berio,1966 **Range (in code):** **ZA**
- 66214. *Pandesma quenavadi* Guenée,1852** (Noctuidae) **Synonym(s):** *quenavadi* Guenée,1852; *jubra* Swinhoe,1889 _ **Range (in code):** **PK Cp LK MM Rng BD Syl TH**
- 66215. *Pandesma satanas* Berio,1968** (Noctuidae) **Synonym(s):** *satanas* Berio,1968 _ **Range (in code):** **IN**
- 66216. *Pandesma submurina* Walker,1865** (Noctuidae) **Synonym(s):** *submurina* Walker,1865 **Range (in code):** **AU**
- 66217. *Pandesma tempica* Möschler,1883** (Noctuidae) **Synonym(s):** *tempica* Möschler,1883 **Range (in code):** **ZA**
- 66218. *Panemeria tenebrata* (Scopoli,1763)** (Noctuidae) **Synonym(s):** *tenebrata* Scopoli,1763 **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY**

- 66219. Panemeria tenebromorpha Rakosy, Hentscholek & Huber,1996** (Noctuidae)
Synonym(s): *tenebromorpha Rakosy, Hentscholek & Huber,1996* _ Range (in code): GR
- 66220. Pangrapta albiseriata Hampson,1926** (Noctuidae) Synonym(s): *albiseriata Hampson,1926* _ Range (in code): Bor Klt ID TH Ntt Hba
- 66221. Pangrapta albistigma (Hampson,1898)** (Noctuidae) Synonym(s): *albistigma Hampson,1898* _ Range (in code): IN Ass Meg Khs NP TW TH Nan Dpk
- 66222. Pangrapta griseola Staudinger,1892** (Noctuidae) Synonym(s): *griseola Staudinger,1892*
Range (in code): TH Php Fn CN KP KR RU Us
- 66223. Pangrapta melacleptra Hampson,1926** (Noctuidae) Synonym(s): *melacleptra Hampson,1926* _ Range (in code): ZA
- 66224. Pangrapta metagona (Walker,1864)** (Noctuidae) Synonym(s): *metagona Walker,1864*
Range (in code): TH Nan Dpk MY Bor Swk
- 66225. Pangrapta pannosa (Moore,1882)** (Noctuidae) Synonym(s): *pannosa Moore,1882; duplicilinea Hampson,1895; griseistriga Bethune-Baker,1906* _ Range (in code): TH Nan Dpk CMa Dst MY VN IN NP SI Djl Ass Nag ID Bor Ja Sum Clb TW PG
- 66226. Pangrapta paragona Holloway,2005** (Noctuidae) Synonym(s): *paragona Holloway,2005*
Range (in code): TH Ntt Hba MY BN Bor Swk PH
- 66227. Pangrapta shivula (Guenée,1852)** (Noctuidae) Synonym(s): *shivula Guenée,1852; xylochroma Walker,1858; grisangula Hampson,1893* _ Range (in code): BD Syl IN NI TH VN PH
- 66228. Pangrapta sp.1** (Noctuidae) Synonym(s): _ Range (in code): TH CMa Dst MY
- 66229. Pangrapta sp.2** (Noctuidae) Synonym(s): _ Range (in code): TH CMa Dst
- 66230. Pangrapta sp.4** (Noctuidae) Synonym(s): _ Range (in code): TH CMa Int
- 66231. Pangrapta talusalis (Walker,[1859])** (Noctuidae) Synonym(s): *talusalis Walker,[1859]*
Range (in code): IN TH
- 66232. Panolis exquisita Draudt,1950** (Noctuidae) Synonym(s): *variegata Wileman,1914 nec Stgr.,1871; exquisita Draudt,1950; variegatoides Poole,1989* _ Range (in code): CN TW
- 66233. Panolis flammea ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *flammea [Denis & Schiffermüller],1775* _ Original Reference: Noctua flammea [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district. Range (in code): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Da MD UA BY JP
- 66234. Panolis pinicortex Draudt,1950** (Noctuidae) Synonym(s): *pinicortex Draudt,1950*
Range (in code): CN Yu TW
- 66235. Panthea coenobita (Esper,1785)** (Noctuidae) Synonym(s): *coenobita Esper,1785*
Range (in code): IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 66236. Panthea roberti De Joannis,1928** (Noctuidae) Synonym(s): *roberti De Joannis,1928*
Range (in code): VN Ton
- 66237. Pantydia anderson (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *anderson R.Felder & Rogenhofer,1874; #andersoni Hampson,1902* _ Range (in code): ZA Nta Kzu Ec Ans Kny
- 66238. Pantydia bicolora (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *bicolora Bethune-Baker,1906* _ Range (in code): PG Aro
- 66239. Pantydia discisigna (Hampson,1894)** (Noctuidae) Synonym(s): *discisigna Hampson,1894*
Range (in code): IN SI
- 66240. Pantydia dufayi Laporte,1975** (Noctuidae) Synonym(s): *dufayi Laporte,1975* _ Range (in code): ET ET24 ET196
- 66241. Pantydia klossi Rothschild,1915** (Noctuidae) Synonym(s): *klossi Rothschild,1915*
Range (in code): ID Ij Snw
- 66242. Pantydia metaphaea (Hampson,1912)** (Noctuidae) Synonym(s): *metaphaea Hampson,1912* _ Range (in code): LK
- 66243. Pantydia metaspila (Walker,1858)** (Noctuidae) Synonym(s): *metaspila Walker,1858; pallidilinea Walker,1858; moolla Swinhoe,1885; sordida Butler,1886* _ Range (in code): TH IN Poo LK ID PG NC NH FJ SB PH CN TW JP AU
- 66244. Pantydia scissa (Walker,1865)** (Noctuidae) Synonym(s): *scissa Walker,1865* _ Range (in code): ZR ZA
- 66245. Papestra biren (Goeze,1781)** (Noctuidae) Synonym(s): *biren Goeze,1781; glauca Kleemann,1792; lappo Duponchel,1827; aperta Geyer,[1832]; quadripes Zetterstedt,[1839]; poliostigma*

- Hampson, 1894; tanensis Fuchs, 1899; paupercula Püngeler, 1902; frustrata McDunnough, 1946.* Original Reference: *Phalaena biren* Goetze, 1781, Ent. Beytr. 3(3): 206. Type(s): -. Range (in code): ES FR Sa? IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG TR Cc DK NO SE FI EE LV LT RU Kb Nt Am Ya Kmt MD UA BY Ch CN Ui Au Li KK Ik Ax Bionomy: Larva on *Salix*, *Tussilago* (Hampson, 1905).
- 66246. *Papestra florianii* Gyulai, L. Ronkay & Saldaitis, 2011** (Noctuidae) Synonym(s): *florianii* Gyulai, L. Ronkay & Saldaitis, 2011 Range (in code): CN Sz
- 66247. *Parabrachylomia chretieni* (Rothschild, 1914)** (Noctuidae) Synonym(s): *chretieni* Rothschild, 1914; *emir Oberthür, 1919* Range (in code): DZ Ges Lbs Sbd Hmk
- 66248. *Paracentropus cyrus* (Brandt, 1938)** (Noctuidae) Synonym(s): *cyrus* Brandt, 1938 Original Reference: *Scythocentropus cyrus* Brandt, 1938, Ent. Rdsch. 55: 523, figs. 92-95. Syntypes: Iran: [Fars]: Fort Sine Sefid. Range (in code): IR Fa Sse
- 66249. *Parachalciope benitensis* (Holland, 1894)** (Noctuidae) Synonym(s): *benitensis* Holland, 1894 Range (in code): ZA
- 66250. *Parachalciope euclidicola* (Walker, 1858)** (Noctuidae) Synonym(s): *euclidicola* Walker, 1858; *furcifera* Hampson, 1902 Range (in code): ZA Nta Kzu
- 66251. *Parachalciope mahura* (R. Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *mahura* R. Felder & Rogenhofer, 1874; *ditrigona* Hampson, 1910; *#nahura* Janse, 1917 Range (in code): ZA
- 66252. *Paracolax tristalis* (Fabricius, 1794)** (Noctuidae) Synonym(s): *tristalis* Fabricius, 1794; *derivalis* Hübner, 1796. Original Reference: *Phalaena tristalis* Fabricius, 1794, Ent. Syst. 3(2): 224. Lectotype: Italy (Mikkola, 1981, Ent. scand. 12: 436). Range (in code): ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Kir Len AM GG Smt Bjo Lag Cc IR Mz Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY
- 66253. *Paracrama dulcissima* (Walker, [1863])** (Noctuidae) Synonym(s): *dulcissima* Walker, [1863]; *rectomarginata* Hampson, 1891; *aurea* Strand, 1917; *flammans* Strand, 1917 Range (in code): LK Pdy MY Bor Swk SB PG Bsm
- 66254. *Paracrama latimargo* W. Warren, 1916** (Noctuidae) Synonym(s): *latimargo* W. Warren, 1916; *angustimargo* W. Warren, 1916 Range (in code): LK MY Bor Sbh KBa ID Shw Clb SB Bsm PG AU QAU TW Ja Bli Bionomy: Larva on *Durio* (Bombacaceae) (Holloway, 2003).
- 66255. *Paracroria griseocincta* (Hampson, 1902)** (Noctuidae) Synonym(s): *griseocincta* Hampson, 1902 Range (in code): ZA Tva Lpo Spb Mdk
- 66256. *Paracroria major* Janse, 1938** (Noctuidae) Synonym(s): Range (in code): ZA
- 66257. *Paradiarsia coturnicola* (Graeser, 1892)** (Noctuidae) Synonym(s): *coturnicola* Graeser, 1892; *herzi* Christoph, 1893 Range (in code): RU Am Sb At Sj MN
- 66258. *Paradiarsia coturnicola altaica* Hacker, 1998** (Noctuidae) Synonym(s): *altaica* Hacker, 1998 Range (in code): RU At
- 66259. *Paradiarsia coturnicola coturnicola* (Graeser, 1892)** (Noctuidae) Synonym(s): *coturnicola* Graeser, 1892; *herzi* Christoph, 1893 Range (in code): RU Am Sb Sj MN
- 66260. *Paradiarsia glareosa* (Esper, 1788)** (Noctuidae) Synonym(s): *glareosa* Esper, 1788; *decempunctata* Villers, 1789; *i-geminum* Duponchel, 1826 Range (in code): MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE
- 66261. *Paradiarsia littoralis* (Packard, 1867)** (Noctuidae) Synonym(s): *littoralis* Packard, 1867 Range (in code): US
- 66262. *Paradiarsia punicea* (Hübner, [1803])** (Noctuidae) Synonym(s): *punicea* Hübner, [1803]; *exustiformis* Matsumura, 1925 Range (in code): FR IT BE DE CH AT PL SK BG FI EE LV LT RU MD UA Cm BY Sb At Sh Am Us MN JP Hkk KP KR
- 66263. *Paraegle digramma* Boursin, 1961** (Noctuidae) Synonym(s): *digramma* Boursin, 1961 Range (in code): AF Srb Kab
- 66264. *Paraegle ochracea* (Erschoff, 1874)** (Noctuidae) Synonym(s): *ochracea* Erschoff, 1874 Original Reference: *Metoponia ochracea* Erschoff, 1874, [in] Fedtschenko, Travels in Turkestan 2(5), Lepidoptera: 53, pl. 3 fig. 52. Type(s): [Usbekistan]: Kisil-kum desert. Range (in code): UZ TR IR Fa Kd Mrv AF Hr
- 66265. *Paraegle subochracea* (Staudinger, 1892)** (Noctuidae) Synonym(s): *subochracea* Staudinger, 1892 Original Reference: *Metoponia ochracea* var. *subochracea* Staudinger, 1892, Dt. ent. Z., Iris 4: 324. Syntypes 20♂♀: [Türkei]: Mardin. Range (in code): TR IQ Mos Hjo IR Ab Sdt Km
- 66266. *Paraegle tessellata* Gerasimov, 1931** (Noctuidae) Synonym(s): *tessellata* Gerasimov, 1931 Range (in code):
- 66267. *Paraegocera confluens* (Weymer, 1892)** (Noctuidae) Synonym(s): *confluens* Weymer, 1892 Range (in code): ZA

- 66268. *Paragria sesamiodes* Hampson,1926** (Noctuidae) **Synonym(s):** *sesamiodes* Hampson,1926
Range (in code): **ZA**
- 66269. *Paralephana angulata* Viette,1966** (Noctuidae) **Synonym(s):** *angulata* Viette,1966
Range (in code): **MG**
- 66270. *Paralephana argyresthia* Hampson,1926** (Noctuidae) **Synonym(s):** *argyresthia* Hampson,1926
Range (in code): **ZA MZ**
- 66271. *Paralephana bisignata* Hampson,1926** (Noctuidae) **Synonym(s):** *bisignata* Hampson,1926
Range (in code): **CM Bit**
- 66272. *Paralephana camptocera* Hampson,1926** (Noctuidae) **Synonym(s):** *camptocera* Hampson,1926
Range (in code): **NG**
- 66273. *Paralephana catalai* Viette,1954** (Noctuidae) **Synonym(s):** *catalai* Viette,1954
Range (in code): **MG**
- 66274. *Paralephana congoana* Gaede,1939** (Noctuidae) **Synonym(s):** *congoana* Gaede,1939
Range (in code): **ZR**
- 66275. *Paralephana consocia* Hampson,1926** (Noctuidae) **Synonym(s):** *consocia* Hampson,1926
Range (in code): **SL**
- 66276. *Paralephana costisignata* Hampson,1926** (Noctuidae) **Synonym(s):** *costisignata* Hampson,1926
Range (in code): **SL**
- 66277. *Paralephana curvilinea* Hampson,1926** (Noctuidae) **Synonym(s):** *curvilinea* Hampson,1926
Range (in code): **CM Bit**
- 66278. *Paralephana decaryi* Viette,1954** (Noctuidae) **Synonym(s):** *decaryi* Viette,1954
Range (in code): **MG**
- 66279. *Paralephana descarpentiersi* Viette,1954** (Noctuidae) **Synonym(s):** *descarpentiersi* Viette,1954
Range (in code): **MG**
- 66280. *Paralephana exangulata* Gaede,1939** (Noctuidae) **Synonym(s):** *exangulata* Gaede,1939
Range (in code): **CM**
- 66281. *Paralephana ferox* Viette,1958** (Noctuidae) **Synonym(s):** *ferox* Viette,1958
Range (in code): **MG**
- 66282. *Paralephana finipunctula* (Holland,1894)** (Noctuidae) **Synonym(s):** *finipunctula* Holland,1894
Range (in code): **GA Ogo**
- 66283. *Paralephana flavilinea* Hampson,1926** (Noctuidae) **Synonym(s):** *flavilinea* Hampson,1926
Range (in code): **GH**
- 66284. *Paralephana incurvata* Hampson,1926** (Noctuidae) **Synonym(s):** *incurvata* Hampson,1926
Range (in code): **NG**
- 66285. *Paralephana jugalis* Viette,1958** (Noctuidae) **Synonym(s):** *jugalis* Viette,1958
Range (in code): **MG**
- 66286. *Paralephana lakasy* Viette,1979** (Noctuidae) **Synonym(s):** *lakasy* Viette,1979
Range (in code): **MG**
- 66287. *Paralephana leucopis* Hampson,1926** (Noctuidae) **Synonym(s):** *leucopis* Hampson,1926
Range (in code): **NG**
- 66288. *Paralephana linos* Viette,1972** (Noctuidae) **Synonym(s):** *linos* Viette,1972
Range (in code): **MG**
- 66289. *Paralephana lobata* Hampson,1926** (Noctuidae) **Synonym(s):** *lobata* Hampson,1926
Range (in code): **ZR**
- 66290. *Paralephana mesoscia* Hampson,1926** (Noctuidae) **Synonym(s):** *mesoscia* Hampson,1926
Range (in code): **CM Bit**
- 66291. *Paralephana metaphaera* Hampson,1926** (Noctuidae) **Synonym(s):** *metaphaera* Hampson,1926
Range (in code): **NG Caa**
- 66292. *Paralephana monogona* Hampson,1926** (Noctuidae) **Synonym(s):** *monogona* Hampson,1926
Range (in code): **GH**
- 66293. *Paralephana nigriciliata* Hampson,1926** (Noctuidae) **Synonym(s):** *nigriciliata* Hampson,1926
Range (in code): **GH**
- 66294. *Paralephana nigripalpis* Hampson,1926** (Noctuidae) **Synonym(s):** *nigripalpis* Hampson,1926
Range (in code): **GH**
- 66295. *Paralephana obliqua* Hampson,1926** (Noctuidae) **Synonym(s):** *obliqua* Hampson,1926
Range (in code): **GH**

- 66296. *Paralephana patagiata* Hampson,1926** (Noctuidae) Synonym(s): *patagiata* Hampson,1926 _ Range (in code): NG Lgo
- 66297. *Paralephana poliotis* Hampson,1926** (Noctuidae) Synonym(s): *poliotis* Hampson,1926 _ Range (in code): ZA MG
- 66298. *Paralephana purpurascens* Hampson,1926** (Noctuidae) Synonym(s): *purpurascens* Hampson,1926 _ Range (in code): MG
- 66299. *Paralephana pyxinodes* Viette,1958** (Noctuidae) Synonym(s): *pyxinodes* Viette,1958 _ Range (in code): MG
- 66300. *Paralephana rectilinea* Hampson,1926** (Noctuidae) Synonym(s): *rectilinea* Hampson,1926 _ Range (in code): CM Bit
- 66301. *Paralephana salmonea* Viette,1966** (Noctuidae) Synonym(s): *salmonea* Viette,1966 _ Range (in code): MG
- 66302. *Paralephana sarcochroa* Hampson,1926** (Noctuidae) Synonym(s): *sarcochroa* Hampson,1926 _ Range (in code): GH
- 66303. *Paralephana subpurpurascens* Viette,1954** (Noctuidae) Synonym(s): *subpurpurascens* Viette,1954 _ Range (in code): MG
- 66304. *Paralephana syntripta* Viette,1958** (Noctuidae) Synonym(s): *syntripta* Viette,1958 _ Range (in code): MG
- 66305. *Paralephana talacai* Viette,1982** (Noctuidae) Synonym(s): *catalai* Viette,1966 nec 1954; *talacai* Viette,1982 _ Range (in code): MG
- 66306. *Paralephana umbrata* Griveaud & Viette,1961** (Noctuidae) Synonym(s): *umbrata* Griveaud & Viette,1961 _ Range (in code): MG
- 66307. *Paralephana uniplagiata* Viette,1966** (Noctuidae) Synonym(s): *uniplagiata* Viette,1966 _ Range (in code): MG
- 66308. *Paralephana westi* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *westi* D.S.Fletcher,1961 _ Range (in code): UG Rz
- 66309. *Parallelia abnegans* (Walker,1858)** (Noctuidae) Synonym(s): *abnegans* Walker,1858 _ Range (in code): ZA ET ET204
- 66310. *Parallelia albilinea* (Hampson,1918)** (Noctuidae) Synonym(s): *albilinea* Hampson,1918 _ Range (in code): ZA
- 66311. *Parallelia angularis* (Boisduval,1833)** (Noctuidae) Synonym(s): *angularis* Boisduval,1833; *camerunica* Holland,1894 _ Range (in code): ZA Nta Kzu MU MG RE KE CM GM
- 66312. *Parallelia arctotaenia* (Guenée,1852)** (Noctuidae) Synonym(s): *arctotaenia* Guenée,1852 _ Range (in code): BD Syl TH CMa Cuo Cuo9 KH VN MM NP IN LK CN TW JP KP KR RU Us PH Neg ID Ja Sbw MY Bor PG FJ NH AU
- 66313. *Parallelia chiliensis* (Guenée,1852)** (Noctuidae) Synonym(s): *chiliensis* Guenée,1852 _ Range (in code): ZA
- 66314. *Parallelia conjunctura* (Walker,1858)** (Noctuidae) Synonym(s): *conjunctura* Walker,1858 _ Range (in code): ZA
- 66315. *Parallelia cuneilineata* (Warren)** (Noctuidae) Synonym(s): _ Range (in code): NC NH
- 66316. *Parallelia derogans* (Walker,1858)** (Noctuidae) Synonym(s): *derogans* Walker,1858 _ Range (in code): ZA MW Zom Nta Kzu Ec
- 66317. *Parallelia erectata* (Hampson,1902)** (Noctuidae) Synonym(s): *erectata* Hampson,1902 _ Range (in code): ZA
- 66318. *Parallelia lateritica* Holloway,1979** (Noctuidae) Synonym(s): *lateritica* Holloway,1979 _ Range (in code): NC
- 66319. *Parallelia latifascia* (W.Warren,1888)** (Noctuidae) Synonym(s): *latifascia* W.Warren,1888 _ Original Reference: Dysgonia latifascia W.Warren,1888, Proc. zool. Soc. Lond. 1888: 316. Type ♂: [Pakistan]: Campbellpore, July 20,1886. Range (in code): ZA PK Pj Cp Haz Mre
- 66320. *Parallelia macrorhyncha* (Hampson,1913)** (Noctuidae) Synonym(s): *macrorhyncha* Hampson,1913 _ Range (in code): ZA
- 66321. *Parallelia orbata* Berio,1955** (Noctuidae) Synonym(s): *orbata* Berio,1955 _ Range (in code): IQ Amr SD
- 66322. *Parallelia properans* (Walker,1858)** (Noctuidae) Synonym(s): *properans* Walker,1858 _ Range (in code): ZA

- 66323. *Parallelia properata* Walker,1858** (Noctuidae) Synonym(s): *properata* Walker,1858
Range (in code): **TH CMa CDo**
- 66324. *Parallelia propyrrha* (Walker,1858)** (Noctuidae) Synonym(s): *propyrrha* Walker,1858
Range (in code): **AU QAU NSw PG Bsm SB Re NH NC**
- 66325. *Parallelia proxima* (Hampson,1902)** (Noctuidae) Synonym(s): *proxima* Hampson,1902
Range (in code): **ZA Nta Kzu**
- 66326. *Parallelia rigidistria* (Guenée,1852)** (Noctuidae) Synonym(s): *rigidistria* Guenée,1852;
calefasciens Walker,1858; *correctata* Walker,1865 - Range (in code): **IN BD Syl LK TH MY KH VN TW**
PH ID Sum Bor Clb Mlc Sda PG SB
- 66327. *Parallelia rogenhoferi* (Bohatsch,1880)** (Noctuidae) Synonym(s): *rogenhoferi*
Bohatsch,1880; *mirabilis* Romanoff,1885; *triangulata* Swinhoe,1889. - Range (in code): **IQ IR Mz Elb TM**
UZ Br RU Cc Da Gun AZ Bak PK LB Bei IL Pa Bionomy: Larva on *Tamarix* (Wiltshire,1939).
- 66328. *Parallelia solomonensis* Hampson,1913** (Noctuidae) Synonym(s): *solomonensis*
Hampson,1913 - Range (in code): **SB PG Bsm NC AU QAU NH**
- 66329. *Parallelia solomonensis bicacuminata* Holloway,1979** (Noctuidae) Synonym(s):
bicacuminata Holloway,1979 - Range (in code): **NC**
- 66330. *Parallelia solomonensis hebridesia* Holloway,1979** (Noctuidae) Synonym(s):
hebridesia Holloway,1979 - Range (in code): **NH**
- 66331. *Parallelia solomonensis papuana* Holloway,1979** (Noctuidae) Synonym(s): *papuana*
Holloway,1979 - Range (in code): **PG AU QAU**
- 66332. *Parallelia solomonensis solomonensis* Hampson,1913** (Noctuidae) Synonym(s):
solomonensis Hampson,1913 - Range (in code): **SB**
- 66333. *Parallelia triplocyma* (Hampson,1913)** (Noctuidae) Synonym(s): *triplocyma*
Hampson,1913 - Range (in code): **ZA**
- 66334. *Parallelia uvarovi* Wiltshire,1949** (Noctuidae) Synonym(s): *uvarovi* Wiltshire,1949
Range (in code): **SA**
- 66335. *Parallelia vitiensis* (Butler,1886)** (Noctuidae) Synonym(s): *vitiensis* Butler,1886
Range (in code): **ID Clb Mlc PG Bsm SB NH NC WS TO FJ**
- 66336. *Parallelula palumbiodes* (Hampson,1902)** (Noctuidae) Synonym(s): *palumbiodes*
Hampson,1902 - Range (in code): **ZA Nta Kzu Dbn**
- 66337. *Paramathes picata* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *picata* A.Bang-
Haas,1912; *nona* Oberthür,1913 Original Reference: *Agrotis picata* A.Bang-Haas,1912, Dt. ent. Z.,
Iris 26: 140. Type: Algerien, Batna (MNHU Berlin). Range (in code): **MA Rf DZ Btina Afl Ges TN**
- 66338. *Paranyctycia minima* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *minima*
Hreblay & L.Ronkay,1999 Original Reference: *Paranyctycia minima* Hreblay & L.Ronkay,1999,
Esperiana 7: 544, figs. Holotype ♂: Thailand: Chiang Mai, 20km NW Sop Kha, 1800m, leg.
M.Hreblay (coll.Hreblay). Range (in code): **TH CMa Sop MAI Fn**
- 66339. *Paranyctycia miraculosa* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae)
Synonym(s): *miraculosa* Hreblay, Peregovits & L.Ronkay,1999 - Range (in code): **VN Lci**
- 66340. *Paranyctycia orbiculosa* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s):
orbiculosa Hreblay & L.Ronkay,1998 - Range (in code):
- 66341. *Paranyctycia rubiculosa* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s):
rubiculosa Hreblay & L.Ronkay,1999 Original Reference: *Paranyctycia rubiculosa* Hreblay &
L.Ronkay,1999, *Esperiana* 7: 543-544, figs. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon NP,
2300m, leg. T.Csovari & L.Mikus (coll.Hreblay). Range (in code): **TH CMa Int Fn Php Sop**
- 66342. *Parascotia detersa* (Staudinger,1892)** (Noctuidae) Synonym(s): *detersa* Staudinger,1892
Original Reference: *Boletobia detersa* Staudinger,1892, Dt. ent. Z., *Iris* 4: 333. Syntypes:
[Türkei]: Antiochia [=Antakya], Hadjin [=Saimbeyli], Taurus. Range (in code): **Cr TR LB Bsa CY**
IR Km
- 66343. *Parascotia fuliginaria* (Linnaeus,1761)** (Noctuidae) Synonym(s): *fuliginaria*
Linnaeus,1761; *lunulata* Fabricius,1775; *carbonaria* Denis & Schiffermüller,1775; *lignaria* Fabricius,1794
Original Reference: *Phalaena fuliginaria* Linnaeus,1761, *Fauna Suecica*: 327. Type(s): Sweden:
Suecia. Range (in code): **ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK**
NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kc Ich MD UA BY Bionomy: Larva on *Parmelia*
(*Parmeliaceae*), *Polyporus* (*Polyporaceae*) [Fungi] (Hofmann,1893).
- 66344. *Parascotia lorai* Agenjo,1967** (Noctuidae) Synonym(s): *lorai* Agenjo,1967 - Range (in
code): **ES**

- 66345. *Parascotia nisseni* Turati,1905** (Noctuidae) Synonym(s): *nisseni* Turati,1905 _ Range (in code): **DZ Agi DhM TN Hmk Hrh PT ES FR Co Sa Si**
- 66346. *Parascotia robiginosa* (Staudinger,1892)** (Noctuidae) Synonym(s): *robiginosa* Staudinger,1892 Original Reference: Boletobia robiginosa Staudinger,1892, Dt. ent. Z., Iris 4: 332. Syntypes: [Türkei]: Amasia, Hadjin [=Saimbeyli], Maraş. Range (in code): **TR CY**
- 66347. *Parastichtis suspecta* (Hübner,[1817])** (Noctuidae) Synonym(s): *suspecta* Hübner,[1817] Original Reference: Noctua suspecta Hübner,[1817], Samml. eur. Schmett. 4, Noctuae: Tab.138 fig.633. Type(s): Europa. Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Smt Bjo DK NO SE FI EE LV LT RU Ro Kb Ich Ing MD UA BY KK TrA**
- 66348. *Paratuerta featheri* Fawcett,1915** (Noctuidae) Synonym(s): *featheri* Fawcett,1915; *abrupta* Rothschild,1924 _ Range (in code): **SO**
- 66349. *Paratuerta featheri* Fawcett,1915** (Noctuidae) Synonym(s): *featheri* Fawcett,1915 Range (in code): **ZA**
- 66350. *Paratuerta laminifera* (Saalmüller,1878)** (Noctuidae) Synonym(s): *laminifera* Saalmüller,1878 _ Range (in code): **MG KM**
- 66351. *Paratuerta laminifera comorana* Viette,1966** (Noctuidae) Synonym(s): *comorana* Viette,1966 _ Range (in code): **KM**
- 66352. *Paratuerta laminifera laminifera* (Saalmüller,1878)** (Noctuidae) Synonym(s): *laminifera* Saalmüller,1878 _ Range (in code): **MG**
- 66353. *Paratuerta marshalli* Hampson,1902** (Noctuidae) Synonym(s): *marshalli* Hampson,1902 Range (in code): **ZW Har**
- 66354. *Paratuerta marshalli* Hampson,1902** (Noctuidae) Synonym(s): *marshalli* Hampson,1902 Range (in code): **ZA Tva Mpu Brb ZW Har**
- 66355. *Paratuerta undulata* Berio,1970** (Noctuidae) Synonym(s): *undulata* Berio,1970 _ Range (in code): **ZR Kvu**
- 66356. *Paraxestia flavicaudata* (W.Warren,1888)** (Noctuidae) Synonym(s): *flavicaudata* W.Warren,1888 Original Reference: Amphipyra flavicaudata W.Warren,1888, Proc. zool. Soc. Lond. 1888: 312-313. Syntypes 8♀: [Pakistan]: Thundiani. Range (in code): **PK Thu**
- 66357. *Paraxestia ochrothrix* Boursin,1954** (Noctuidae) Synonym(s): *ochrothrix* Boursin,1954 Range (in code): **CN Yu Ats**
- 66358. *Paraxestis rufescens* Hampson,1902** (Noctuidae) Synonym(s): *rufescens* Hampson,1902 Range (in code): **ZA Nta Kzu Dbn**
- 66359. *Parca africanaria* Wiltshire,1986** (Noctuidae) Synonym(s): *africanaria* Wiltshire,1986 Range (in code): **ZA**
- 66360. *Pardasena atmocyma* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *atmocyma* D.S.Fletcher,1961 _ Range (in code): **UG**
- 66361. *Pardasena atripuncta* Hampson,1912** (Noctuidae) Synonym(s): *atripuncta* Hampson,1912 Range (in code): **ZA Nta Kzu Dbn**
- 66362. *Pardasena beauvallonensis* Legrand,1965** (Noctuidae) Synonym(s): *beauvallonensis* Legrand,1965 _ Range (in code): **SC**
- 66363. *Pardasena fletcheri* Berio,1977** (Noctuidae) Synonym(s): *fletcheri* Berio,1977 _ Range (in code): **KE Mb**
- 66364. *Pardasena lativia* Hampson,1912** (Noctuidae) Synonym(s): *lativia* Hampson,1912 Range (in code): **GH**
- 66365. *Pardasena melanosticta* Hampson,1912** (Noctuidae) Synonym(s): *melanosticta* Hampson,1912 _ Range (in code): **KE Tet**
- 66366. *Pardasena minorella* Walker,1866** (Noctuidae) Synonym(s): *minorella* Walker,1866 Range (in code): **ZA SL**
- 66367. *Pardasena minorella* Walker,1866** (Noctuidae) Synonym(s): *minorella* Walker,1866 Range (in code): **SL**
- 66368. *Pardasena miochroa* (Hampson,1905)** (Noctuidae) Synonym(s): *miochroa* Hampson,1905 _ Range (in code): **CO**
- 66369. *Pardasena nolalana* Berio,1957** (Noctuidae) Synonym(s): *nolalana* Berio,1957 _ Range (in code): **ZR Kga**
- 66370. *Pardasena punctata* Hampson,1902** (Noctuidae) Synonym(s): *punctata* Hampson,1902 Range (in code): **ZA Nta Kzu Dbn**

- 66371. *Pardasena punctilinea* Hampson, 1918** (Noctuidae) **Synonym(s):** *punctilinea* Hampson, 1918 **Range (in code):** **ZA MW Mje**
- 66372. *Pardasena roselioides* (Walker, 1858)** (Noctuidae) **Synonym(s):** *roselioides* Walker, 1858; *brunnescens* Hampson, 1905 **Range (in code):** **SL MW**
- 66373. *Pardasena virgulana* (Mabille, 1880)** (Noctuidae) **Synonym(s):** *virgulana* Mabille, 1880; *nigroscripta* Hampson, 1905 **Range (in code):** **MT ZA MG KE Kky**
- 66374. *Pardoxia graellsii* (Feisthamel, 1837)** (Noctuidae) **Synonym(s):** *graellsii* Feisthamel, 1837; *innocens* Walker, 1858; *fimbriata* Walker, 1865 **Range (in code):** **ZW Har SL ET MU YE Ad YE47 ZA Tva Mpu Brb Nta Kzu Est ES Mu FR TR IQ Agh IN PK Cp Krc MM** **Bionomy:** Larva on Malva (Calle et al., 2000).
- 66375. *Pareuplexia chalybeata* (Moore, 1867)** (Noctuidae) **Synonym(s):** *chalybeata* Moore, 1867; *spectabilis* Poujade, 1887 **Range (in code):** **IN BD Ben CN Ti**
- 66376. *Pareuplexia dissimulans* W. Warren, 1911** (Noctuidae) **Synonym(s):** *dissimulans* W. Warren, 1911 **Range (in code):** **PK**
- 66377. *Pareuplexia erythriris* (Hampson, 1908)** (Noctuidae) **Synonym(s):** *erythriris* Hampson, 1908 **Range (in code):** **IN Ass Meg Khs**
- 66378. *Pareuplexia flammifera* W. Warren, 1911** (Noctuidae) **Synonym(s):** *flammifera* W. Warren, 1911 **Range (in code):** **IN SI**
- 66379. *Pareuplexia harfordi* (Hampson, 1894)** (Noctuidae) **Synonym(s):** *harfordi* Hampson, 1894 **Range (in code):** **IN Hp Sml**
- 66380. *Pareuplexia humilis* W. Warren, 1911** (Noctuidae) **Synonym(s):** *humilis* W. Warren, 1911 **Range (in code):** **IN Ass Meg Khs**
- 66381. *Pareuplexia luteistigma* W. Warren, 1911** (Noctuidae) **Synonym(s):** *luteistigma* W. Warren, 1911 **Range (in code):** **IN SI Djl**
- 66382. *Pareuplexia metallica* (Walker, 1865)** (Noctuidae) **Synonym(s):** *metallica* Walker, 1865 **Range (in code):** **IN SI Djl**
- 66383. *Pareuplexia nigrigula* W. Warren, 1911** (Noctuidae) **Synonym(s):** *nigrigula* W. Warren, 1911 **Range (in code):** **IN Ass Meg Khs**
- 66384. *Pareuplexia nitida* W. Warren, 1911** (Noctuidae) **Synonym(s):** *nitida* W. Warren, 1911 **Range (in code):** **IN Hp Kma**
- 66385. *Pareuplexia pallidimargo* W. Warren, 1911** (Noctuidae) **Synonym(s):** *pallidimargo* W. Warren, 1911 **Range (in code):** **IN**
- 66386. *Pareuplexia prolifera* (Walker, 1856)** (Noctuidae) **Synonym(s):** *prolifera* Walker, 1856 **Range (in code):** **AU NSw VAu ZA? Nta? Kzu? Dbn?**
- 66387. *Pareuplexia quadripuncta* W. Warren, 1911** (Noctuidae) **Synonym(s):** *quadripuncta* W. Warren, 1911 **Range (in code):** **IN SI**
- 66388. *Pareuplexia ruficosta* W. Warren, 1911** (Noctuidae) **Synonym(s):** *ruficosta* W. Warren, 1911 **Range (in code):** **IN SI**
- 66389. *Pareuplexia rufistigma* W. Warren, 1911** (Noctuidae) **Synonym(s):** *rufistigma* W. Warren, 1911 **Range (in code):** **IN SI**
- 66390. *Parexarnis ala* (Staudinger, 1881)** (Noctuidae) **Synonym(s):** *ala* Staudinger, 1881 **Range (in code):** **TR Cc AZ Nv Ord KG Tk Dj KK TrA**
- 66391. *Parexarnis chlorophaia* (Boursin, 1940)** (Noctuidae) **Synonym(s):** *chlorophaia* Boursin, 1940 **Original Reference:** *Rhyacia chlorophaia* Boursin, 1940, Mitt. münch. ent. Ges. 30: 493, Taf. ix fig. 31. Holotype ♂: [Turkmenistan]: "Umgebung von Askhabad (Turkestan)" (coll. Boursin). **Range (in code):** **TM Kp**
- 66392. *Parexarnis damnata* (Draudt, 1937)** (Noctuidae) **Synonym(s):** *damnata* Draudt, 1937 **Range (in code):** **IR Elb Th Fa Dam Kdj Mz TR Cc**
- 66393. *Parexarnis figulina* (Draudt, 1936)** (Noctuidae) **Synonym(s):** *figulina* Draudt, 1936 **Original Reference:** *Agrotis figulina* Draudt, 1936, Ent. Rdsch. 53: 467, Taf. iv c3. Type ♀: [Türkei]: Ak-Schehir, Sultan Dag. **Range (in code):** **TR**
- 66394. *Parexarnis fugax* (Treitschke, 1825)** (Noctuidae) **Synonym(s):** *fugax* Treitschke, 1825. **Range (in code):** **ES FR IT? AT PL CZ SK HU RO YU BG GR DK RU Cc St Nt Da Kyi TM CN Ui**
- 66395. *Parexarnis laetifica* (Staudinger, 1889)** (Noctuidae) **Synonym(s):** *laetifica* Staudinger, 1889 **Original Reference:** *Agrotis ala* var. ? *laetifica* Staudinger, 1889, Stettin ent. Ztg. 50: 29-30. Syntypes ♂♂: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). **Range (in code):** **KK Ik CN Ui Kml**

- 66396. Parexarnis obsoleta (Corti,1933)** (Noctuidae) Synonym(s): *obsoleta* Corti,1933; *obsoleta* Corti & Draudt,1933 Original Reference: *Agrotis candida obsoleta* Corti,1933, Dt. ent. Z., Iris 47: 68. Syntypes: Lebanon: Bescharre,1400m. Range (in code): **LB Bsa**
- 66397. Parexarnis sollers (Christoph,1877)** (Noctuidae) Synonym(s): *sollers* Christoph,1877 Range (in code): **IR Fa Ke By Yas Lo Ss Elb Kdj Es AF Hr Pli Bark Gbh Ca Dwe UZ**
- 66398. Parexarnis squalida (Guenée,1852)** (Noctuidae) Synonym(s): *squalida* Guenée,1852 Range (in code): **FI RU Cc Kb Nt Ich Ing Da Sr Ur MD UA BY TR IR Fa Mz**
- 66399. Parexarnis taurica (Staudinger,1879)** (Noctuidae) Synonym(s): *taurica* Staudinger,1879; *pseudosollers* Boursin,1940. Original Reference: *Agrotis birivia* var.? *taurica* Staudinger,1879, Horae Soc. ent. ross. 14: 370-371. Type ♀: [Türkei]: "aus dem Taurus" (leg. Haberhauer). Range (in code): **TR Cc RU Nt Ich Ing Da IR Mz Elb Kdj Fa IQ Mos**
- 66400. Parexarnis violetta (Staudinger,1888)** (Noctuidae) Synonym(s): *violetta* Staudinger,1888 Original Reference: *Agrotis violetta* Staudinger,1888, Stettin ent. Ztg. 49: 3-4. Syntypes 2♀: [Uzbekistan]: Samarkand; [Kirgizistan]: Alexander Gebirge (Maurer leg.). Range (in code): **UZ KK Ax**
- 66401. Parolulis absimilis (Hampson,1898)** (Noctuidae) Synonym(s): *absimilis* Hampson,1898 Range (in code): **MY Bor IN**
- 66402. Parolulis grisescens Holloway,2005** (Noctuidae) Synonym(s): *grisescens* Holloway,2005 Range (in code): **Bor BN**
- 66403. Parolulis olivescens (Hampson,1907)** (Noctuidae) Synonym(s): *olivescens* Hampson,1907 Range (in code): **LK IN TH Ntt Hba**
- 66404. Parolulis renalis (Moore,1885)** (Noctuidae) Synonym(s): *renalis* Moore,1885 Range (in code): **LK**
- 66405. Parolulis sp.** (Noctuidae) Synonym(s): Range (in code): **TH Ntt Hba**
- 66406. Paroruza lateritia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *lateritia* R.Felder & Rogenhofer,1874 Range (in code): **ZA**
- 66407. Paroruza subductata (Walker,1861)** (Noctuidae) Synonym(s): *subductata* Walker,1861 Range (in code): **ZA**
- 66408. Pataeta carbo (Guenée)** (Noctuidae) Synonym(s): Range (in code): **AU PG ID Amb LO NC FJ**
- 66409. Pataeta transversata Berio,1966** (Noctuidae) Synonym(s): *transversata* Berio,1966 Range (in code): **ZA**
- 66410. Penicillaria chalybsa Hampson,1891** (Noctuidae) Synonym(s): *chalybsa* Hampson,1891 Range (in code): **IN NI LK Cbo**
- 66411. Penicillaria ethiopica (Hampson,1920)** (Noctuidae) Synonym(s): *ethiopica* Hampson,1920 Range (in code): **ZA**
- 66412. Penicillaria maculata Butler,1869** (Noctuidae) Synonym(s): *maculata* Butler,1869 Range (in code): **IN Hp Drm TH CMa Int Dst VN CN TW JP NC NH** Bionomy: Larva on Semecarpus (Anacardiaceae) (Holloway,1985).
- 66413. Penicillaria maculata richardsoni Holloway,1979** (Noctuidae) Synonym(s): *richardsoni* Holloway,1979 Range (in code): **NC NH**
- 66414. Penicillaria nugatrix Guenée,1852** (Noctuidae) Synonym(s): *nugatrix* Guenée,1852; *jacosatrix* Guenée,1852 Range (in code): **IN ID Ja Sum Bor Clb TH Tng CMa CDo Bnk Knc Srt Npt KH VN CN TW NP LK Dck Pdy Adm AU NH NC TO FJ PH JP Hw** Bionomy: Larva on Mangifera indica, Bouea macrophylla (Anacardiaceae), Tamarindus indica (Fabaceae) (Kuroko, Lewvanich,1993).
- 66415. Penicillaria simplex (Walker,1865)** (Noctuidae) Synonym(s): *simplex* Walker,1865 Range (in code): **TH CMa Php MY VN IN CN NP ID Sum Bor Clb Crm PG TW**
- 66416. Percalpe canadensis (Bethune,1865)** (Noctuidae) Synonym(s): *canadensis* Bethune,1865; *purpurascens* Walker,1865; *sobria* Walker,1865 Range (in code): **CA**
- 66417. Perciana dentatus (Hampson,1894)** (Noctuidae) Synonym(s): *dentatus* Hampson,1894 Range (in code):
- 66418. Perciana marmorea Walker,1865** (Noctuidae) Synonym(s): *marmorea* Walker,1865 Range (in code): **IN**
- 66419. Perciana sp.** (Noctuidae) Synonym(s): Range (in code): **TH Nan Dpk**
- 66420. Pericyma albidens (Walker,1865)** (Noctuidae) Synonym(s): *albidens* Walker,1865 Range (in code):

- 66421. *Pericyma albidentaria* (Freyer,1842)** (Noctuidae) Synonym(s): *albidentaria* Freyer,1842
Original Reference: *Acidalia albidentaria* Freyer,1842, Neuere Beitr. Schmett. 4:115, Tab.354 fig.1. Type(s): [Russia]: Südrussland. Range (in code): **GR TM Kp Fe UZ AF Hr Pli Srb Gbh Bd IQ Bgd Amr Bsr kut SY Pa IL Pa Hf LB CY TR CN Ui Ku Ga KG Tk Tks Dj Aa RU Cc GG Tbl Ro St Ich Da Der Sr AZ Nv Ord IR Mz GlS LY** Bionomy: Larva on Alhagi (Romanoff,1885; Hofmann,1893 et seq.).
- 66422. *Pericyma atrifusa* (Hampson,1902)** (Noctuidae) Synonym(s): *atrifusa* Hampson,1902
Range (in code): **ZA BW Nga Lpo Tvo Spb Mdk SD Wme KE**
- 66423. *Pericyma cafraria* (Möschler,1883)** (Noctuidae) Synonym(s): *cafraria* Möschler,1883
Range (in code): **ZA**
- 66424. *Pericyma cruegeri* (Butler,1886)** (Noctuidae) Synonym(s): *cruegeri* Butler,1886
Range (in code): **AU TH Cbi Knc CMA Cuo Cuo6 Cnz Cz10 Php Dst Utt Nna Sso MY LA VN MM NP IN CN TW JP PH ID Sum Bor PG** Bionomy: Larva on Nephelium lappaceum [rambutan] (Sapindaceae), Acacia catechu [cutch tree] (Fabaceae), Delonyx regia (Caesalpinioideae), Hibiscus rosa-chinensis [shoe flower] (Malvaceae), Duranta erecta [thian thong] (Verbenaceae) (Kuroko & Lewvanich,1993).
- 66425. *Pericyma deducta* (Walker,[1858])** (Noctuidae) Synonym(s): *deducta* Walker,[1858]
Range (in code): **ZA**
- 66426. *Pericyma glaucinans* (Guenée,1852)** (Noctuidae) Synonym(s): *glaucinans* Guenée,1852; *ligilla* Guenée,1852; *infligens* Walker,[1858]; *solita* Walker,[1858]; *antica* Walker,1865; *validula* Walker,1865
Range (in code): **ID Ja Clb BD Syl TH VN MM NP IN OM MY PH TW** Bionomy: Larva on Sesbania grandifolia (Fabaceae) (Kuroko & Lewvanich,1993).
- 66427. *Pericyma mendax* (Walker,[1858])** (Noctuidae) Synonym(s): *mendax* Walker,[1858]; *cilipes* Walker,[1858]; *delineosa* Walker,1858; *disjuncta* Walker,1865. Range (in code): **ZA Nta Kzu Dbn KE ZR SD ET ET24 IN LK MM TW ID Ja**
- 66428. *Pericyma metaleuca* Hampson,1913** (Noctuidae) Synonym(s): *metaleuca* Hampson,1913
Range (in code):
- 66429. *Pericyma metaleuca obscura* Wiltshire,1980** (Noctuidae) Synonym(s): *obscura* Wiltshire,1980 Range (in code):
- 66430. *Pericyma polygramma* Hampson,1913** (Noctuidae) Synonym(s): *polygramma* Hampson,1913 Range (in code): **ZA**
- 66431. *Pericyma scandulata* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *scandulata* R.Felder & Rogenhofer,1874 Range (in code): **ZA BW Nga SD Nta Kzu Est**
- 66432. *Pericyma signata* Brandt,1939** (Noctuidae) Synonym(s): *signata* Brandt,1939 Range (in code): **IR Ss**
- 66433. *Pericyma squalens* Lederer,1855** (Noctuidae) Synonym(s): *squalens* Lederer,1855
Range (in code): **CY TR IQ kut Agh Tkr Amr IR Th Elb Ahz Kh Fa Ab Mak Ke Mia Kaz Kd Lo Km Snj Bjr Chh Hz B-A Bu Dlk AF Pli TM KW SA EG EG11 EG61 LB Bei IL Pa JO** Bionomy: Larva on Alhagi, Prosopis (Wiltshire,1957).
- 66434. *Pericyma umbrina* (Guenée,1852)** (Noctuidae) Synonym(s): *umbrina* Guenée,1852; *albicincta* Guenée,1852; *hypophaea* Guenée,1852; *plumipes* Walker,1865; *continua* Walker,1865. Range (in code): **ZA SO AF Nu Bsg Srb PK Cp IN Up Ddu SI TH Knc LA NP ID Sum Ja** Bionomy: Larva on Acacia catechu (Fabaceae) (Kuroko & Lewvanich,1993).
- 66435. *Peridroma goughi* D.S.Fletcher,1963** (Noctuidae) Synonym(s): *goughi* D.S.Fletcher,1963
Range (in code): **ZA**
- 66436. *Peridroma saucia* (Hübner,[1808])** (Noctuidae) Synonym(s): *saucia* Hübner,[1808]; *majuscula* Haworth,1809; *margaritosa* Haworth,1809; *aequa* Hübner,[1813]; *orophila* Geyer,1837; *inermis* Harrison,1841; *infusata* Blanchard,1852; *stictica* Blanchard,1852; *ambrosioides* Walker,[1857]; *impacta* Walker,[1857]; *intecta* Walker,[1857]; *angulifera* Wallengren,1860; *ortonii* Packard,1869; *phillipsi* Caspari,1899; *ochronota* Hampson,1903; *cyrnaea* Spuler,1908; *tenebricosa* Schawerda,1929. Original Reference: *Noctua saucia* Hübner,[1808], Samml. eur. Schmett., Noct. 2: Taf.81, fig.378. Type: [Europa]. Range (in code): **MA DZ TN DhM Ges Abe Bsk Ktr Blid Agi BSa BtNa Tlm PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR GG Smt Bjo Lag AZ AM Cc IR Ra Mz Elb Lo GlS LB Bsa DK NO SE FI LT RU Ro Kr St MD UA BY PK Hu IN Up Bhi IL Hf Pa SY JO ZA Hrh Mzg**
- 66437. *Perigrapha* (Anorthoa) *munda* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#munda* [Denis & Schiffermüller],1775 Original Reference: *Noctua munda* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 76. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR**

- DK SE FI EE LV LT RU Cc Ro Kr MD UA KG JP** Bionomy: Larva on *Pyrus communis* ([Denis & Schiffermüller], 1775 et seq.).
- 66438. *Perigrapha (Anorthoa) rubrocinerea* Hreblay & L.Ronkay, 1998** (Noctuidae)
Synonym(s): *rubrocinerea* Hreblay & L.Ronkay, 1998 Range (in code): NP
- 66439. *Perigrapha (Opacographa) cilissa* Püngeler, 1917** (Noctuidae) Synonym(s): *cilissa* Püngeler, 1917 Original Reference: *Perigrapha cilissa* Püngeler, 1917, Mitt. münch. ent. Ges. 8: 19.
Type ♀: [Türkei]: Taurus. Range (in code): TR IQ
- 66440. *Perigrapha (Opacographa) draudti* Hacker, 1992** (Noctuidae) Synonym(s): *draudti* Hacker, 1992 Original Reference: *Perigrapha draudti* Hacker, 1992, Esperiana 3: 185-186, figs.
Holotype ♂: Nordthailand: Doi Inthanon Lichtfalle, Bang Khun Klang 1200m, 21.1.1990, leg. Chantaromongkol & Malicky (coll. Hacker). Range (in code): TH CMa Int
- 66441. *Perigrapha (Opacographa) flora* Hreblay, 1996** (Noctuidae) Synonym(s): *flora* Hreblay, 1996 Range (in code): TM IR Ke
- 66442. *Perigrapha (Opacographa) mithras* (Wiltshire, 1941)** (Noctuidae) Synonym(s): *mithras* Wiltshire, 1941 Range (in code): IR Fa Ke
- 66443. *Perigrapha (Opacographa) mundoides* (Boursin, 1940)** (Noctuidae) Synonym(s): *mundoides* Boursin, 1940 Original Reference: *Monima rorida* ssp. *mundoides* Boursin, 1940, Mitt. münch. ent. Ges. 30: 501. Holotype ♀: Lebanon: Toura (LNK). Range (in code): LB IL Pa JO
Bionomy: Larva on ? *Paliurus spina-christi* (Hacker, 2001).
- 66444. *Perigrapha (Opacographa) rorida* (Frivaldsky, 1835)** (Noctuidae) Synonym(s): *rorida* Frivaldsky, 1835; *ganimetae* Kornosor & Lödl, 1990 Original Reference: *Orthosia rorida* Frivaldsky, 1835, Tarsas. Tud. Akad. Evkönyv. 2: 272. Type(s): Balkans. Range (in code): ES FR Co Sa IT YU MK AL BG GR Cr Rd TR IQ Cc GG Tbl
- 66445. *Perigrapha (Opacographa) rorida rorida* (Frivaldsky, 1835)** (Noctuidae)
Synonym(s): *rorida* Frivaldsky, 1835; *ganimetae* Kornosor & Lödl, 1990. Original Reference: *Orthosia rorida* Frivaldsky, 1835, Tarsas. Tud. Akad. Evkönyv. 2: 272. Type(s): Balkans. Range (in code): ES FR Co Sa IT YU MK AL BG GR Rd Cr TR LB IQ
- 66446. *Perigrapha (Opacographa) rorida sieversi* (Romanoff, 1885)** (Noctuidae)
Synonym(s): *sieversi* Romanoff, 1885 Range (in code): Cc GG Tbl
- 66447. *Perigrapha (Opacographa) sellongi* (Fibiger, Hacker & Moberg, 1994)** (Noctuidae)
Synonym(s): *sellongi* Fibiger, Hacker & Moberg, 1994 Range (in code): Cr
- 66448. *Perigrapha (Opacographa) uniformis* Draudt, 1950** (Noctuidae) Synonym(s): *uniformis* Draudt, 1950 Range (in code): CN
- 66449. *Perigrapha (Opacographa) wimmeri* Hacker, 1996** (Noctuidae) Synonym(s): *wimmeri* Hacker, 1996 Original Reference: *Perigrapha (Opacographa) wimmeri* Hacker, 1996, Esperiana 4: 297, figs. Holotype ♂: Zypern: Umg. Paphos, leg. Wimmer (coll. Hacker). Range (in code): CY
- 66450. *Perigrapha (Opacographa) wolfi* (Hacker, 1988)** (Noctuidae) Synonym(s): *wolfi* Hacker, 1988 Original Reference: *Orthosia wolfi* Hacker, 1988, Atalanta 18: 345-346, Taf.2 fig.2. Holotype ♀: Türkei: Hakkari Prov. Tanin Tanin Westseite, Elkek Geçidi 1820m, 5km nnö Uludere, 11.v.1985, leg. Wolf (coll. Hacker). Range (in code): TR
- 66451. *Perigrapha (Rororthosia) gyuriani* Benedek & L.Ronkay, 2001** (Noctuidae)
Synonym(s): *gyuriani* Benedek & L.Ronkay, 2001 Range (in code): IR Fa Ss B-A Ke Es
- 66452. *Perigrapha (s.str.) annau* Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *annau* Varga & L.Ronkay, 1991 Range (in code): TM Kp IR Kh
- 66453. *Perigrapha (s.str.) asymmetrica* Varga, 1990** (Noctuidae) Synonym(s): *asymmetrica* Varga, 1990 Range (in code): TJ
- 66454. *Perigrapha (s.str.) benedeki* G.Ronkay, L.Ronkay & Hacker, 2010** (Noctuidae)
Synonym(s): *benedeki* G.Ronkay, L.Ronkay & Hacker, 2010 Range (in code): IR Fa
- 66455. *Perigrapha (s.str.) centralasiae* Bartel, 1906** (Noctuidae) Synonym(s): *centralasiae* Bartel, 1906; *duktana* Draudt, 1934 Range (in code): TM Kp TJ UZ Fe
- 66456. *Perigrapha (s.str.) circumducta* (Lederer, 1855)** (Noctuidae) Synonym(s): *circumducta* Lederer, 1855 Range (in code): RU At MN KG Tk Uk CN Ui Au
- 66457. *Perigrapha (s.str.) circumducta pallescens* Draudt, 1934** (Noctuidae) Synonym(s): *pallescens* Draudt, 1934 Range (in code): CN Ui Au

- 66458. Perigrapha (s.str.) fuscipicta G.Ronkay, L.Ronkay, Gyulai & Hacker,2010** (Noctuidae) Synonym(s): *fuscipicta* G.Ronkay, L.Ronkay, Gyulai & Hacker,2010 _ Range (in code): CN She
- 66459. Perigrapha (s.str.) gyulaipeteri G.Ronkay, L.Ronkay & Hacker,2010** (Noctuidae) Synonym(s): *gyulaipeteri* G.Ronkay, L.Ronkay & Hacker,2010 _ Range (in code): CN Fkn
- 66460. Perigrapha (s.str.) heidi Hreblay,1996** (Noctuidae) Synonym(s): *heidi* Hreblay,1996 Range (in code): TJ
- 66461. Perigrapha (s.str.) i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966. Original Reference: Noctua i-cinctum [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district. Range (in code): FR IT AT CZ SK HU RO YU BG GR TR RU Cc St Da TM Kp
- 66462. Perigrapha (s.str.) i-cinctum gepida Hreblay,1996** (Noctuidae) Synonym(s): *gepida* Hreblay,1996 _ Range (in code): FR
- 66463. Perigrapha (s.str.) i-cinctum hethitica Hacker,1992** (Noctuidae) Synonym(s): *hethitica* Hacker,1992 Original Reference: Perigrapha i-cinctum ssp. hethitica Hacker,1992, Esperiana 3: 438, figs. Holotype ♂: Türkiye: Sivas Prov., Âamlıbel geçidi, 1650m, (leg. Kautt, coll. Hacker). Range (in code): TR
- 66464. Perigrapha (s.str.) i-cinctum i-cinctum ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *i-cinctum* [Denis & Schiffermüller],1775; *cincta* Fabricius,1787; *slovenica* Michieli,1966. Original Reference: Noctua i-cinctum [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 78. Type(s): [Austria]: Vienna district. Range (in code): FR IT AT CZ SK HU RO YU BG GR RU Cc St Da TM Kp
- 66465. Perigrapha (s.str.) nyctotimia Boursin,1969** (Noctuidae) Synonym(s): *nyctotimia* Boursin,1969 _ Range (in code): AF Pag Bm
- 66466. Perigrapha (s.str.) scriptobella Hreblay,1996** (Noctuidae) Synonym(s): *scriptobella* Hreblay,1996 _ Range (in code): TM Kp
- 66467. Perigrapha (s.str.) yasawii Volynkin, Titov & Knyazev,2014** (Noctuidae) Synonym(s): *yasawii* Volynkin, Titov & Knyazev,2014 Original Reference: Perigrapha (s.str.) yasawii Volynkin, Titov & Knyazev,2014, Zootaxa 3856 (2): 292-296, figs. Holotype ♂: S.Kazakhstan, 39km WSW of Turkestan city 180m, 14 iv 2014 (ZISP). Range (in code): KG Tks
- 66468. Periphanes delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. Original Reference: Phalaena delphinii Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): [Europa]. Range (in code): MA TN DZ BSa Sbd ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TIH AF Hr UZ Fe KK KG TJ UZ N-A SY IL Pa Bionomy: Larva on flowers and seed of Delphinium, Consolida, Acontium (Linnaeus,1758; Hampson,1903; Hacker,2001).
- 66469. Periphanes delphinii delphinii (Linnaeus,1758)** (Noctuidae) Synonym(s): *delphinii* Linnaeus,1758; *darollesi* Oberthür,1876; *delphini* Hampson,1903. Original Reference: Phalaena delphinii Linnaeus,1758, Syst. Nat. (Edn.10)1: 518. Type(s): [Europa]. Range (in code): MA TN DZ BSa Sbd ES FR IT GB NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Akh Cc AM LV LT RU Ro St Ich Kyi Da Ur MD UA BY IR Fa Ss Elb Th Dam Ab Mak IQ TIH AF Hr UZ Fe KK KG TJ SY IL Pa
- 66470. Periphanes delphinii tekke L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *tekke* L.Ronkay, Varga & Hreblay,1998 _ Range (in code): UZ N-A
- 66471. Periphanes treitschkii (Frivaldszky,1835)** (Noctuidae) Synonym(s): *treitschkii* Frivaldszky,1835. Original Reference: Heliotis treitschkii Frivaldszky,1835, Tarsas. tud. Akad. Evkönyv. 2:273. Syntypes: [Bulgaria]: Slivno. Range (in code): YU MK AL BG Slv GR TR Cc RU St Da IR By Yas Kz Ab Mak LB Bsa IL Pa Bionomy: Larva on Scutellaria peregrina (Lamiaceae) (Rebel,1903).
- 66472. Periphanes victorina (Sodoffsky,1849)** (Noctuidae) Synonym(s): *victorina* Sodoffsky,1849 Original Reference: Heliothis victorina Sodoffsky,1849, Stettin ent. Ztg. 10:130. Syntypes: Kaukasus. Range (in code): RO YU BG GR TR GG Cc RU St Da AZ Nv Ord Der Bionomy: Larva on Salvia at Amasia (Staudinger,1879).
- 66473. Periplusia cinerascens Holland,1894** (Noctuidae) Synonym(s): *cinerascens* Holland,1894 Range (in code): ZA
- 66474. Phaeothripa morena (Swinhoe,1901)** (Noctuidae) Synonym(s): *morena* Swinhoe,1901 Range (in code): MY Bor Swk ID Ja

- 66475. *Phalaenoides ardescens* (Butler,1884)** (Noctuidae) Synonym(s): *ardescens* Butler,1884
Range (in code): **AU NAu QAU**
- 66476. *Phalaenoides basiplaga* Rothschild,1900** (Noctuidae) Synonym(s): *basiplaga* Rothschild,1900 _ Range (in code): **PG**
- 66477. *Phalaenoides glycinae* Lewin,1805** (Noctuidae) Synonym(s): *glycinae* Lewin,1805
Range (in code): **AU NSw VAu**
- 66478. *Phalaenoides goldiei* (Druce,1894)** (Noctuidae) Synonym(s): *goldiei* Druce,1894
Range (in code): **PG**
- 66479. *Phalaenoides inconspicua* Rothschild,1896** (Noctuidae) Synonym(s): *inconspicua* Rothschild,1896 _ Range (in code): **PG**
- 66480. *Phalaenoides kuehni* Rothschild,1900** (Noctuidae) Synonym(s): *kuehni* Rothschild,1900
Range (in code): **ID Dm**
- 66481. *Phalaenoides maculosus* Rothschild,1896** (Noctuidae) Synonym(s): *maculosus* Rothschild,1896 _ Range (in code): **AU QAU**
- 66482. *Phalaenoides megisto* (Boisduval,1832)** (Noctuidae) Synonym(s): *megisto* Boisduval,1832; *pyraliformis* Walker,1864 _ Range (in code): **PG**
- 66483. *Phalaenoides mutans* Rothschild,1901** (Noctuidae) Synonym(s): *mutans* Rothschild,1901
Range (in code): **PG**
- 66484. *Phalaenoides neurogramma* (Meyrick,1889)** (Noctuidae) Synonym(s): *neurogramma* Meyrick,1889 _ Range (in code): **PG**
- 66485. *Phalaenoides polysticta* (Butler,1875)** (Noctuidae) Synonym(s): *polysticta* Butler,1875
Range (in code): **AU NSw WAu**
- 66486. *Phalaenoides praslini* (Boisduval,1832)** (Noctuidae) Synonym(s): *praslini* Boisduval,1832 _ Range (in code): **PG Nlr**
- 66487. *Phalaenoides resplendens* Rothschild & Jordan,1903** (Noctuidae) Synonym(s): *resplendens* Rothschild & Jordan,1903 _ Range (in code): **PG**
- 66488. *Phalaenoides restricta* Rothschild,1897** (Noctuidae) Synonym(s): *restricta* Rothschild,1897 _ Range (in code): **PG NBr**
- 66489. *Phalaenoides tetrapleura* (Meyrick,1891)** (Noctuidae) Synonym(s): *tetrapleura* Meyrick,1891; *albamedia* Lucas,1891; *macleani* Swinhoe,1892 _ Range (in code): **AU QAU**
- 66490. *Phalaenoides tristifica* (Hübner,1819)** (Noctuidae) Synonym(s): *tristifica* Hübner,1819; *lewini* Boisduval,1832; *ephyra* Angas,1847 _ Range (in code): **TA AU NSw VAu**
- 66491. *Phalerodes cauta* (Hampson,1902)** (Noctuidae) Synonym(s): *cauta* Hampson,1902
Range (in code): **NG ZA Nta Kzu Mv Dbn Ec Ans ZW Har**
- 66492. *Phalga sinuosa* Moore,1881** (Noctuidae) Synonym(s): *sinuosa* Moore,1881; *viridinota* Swinhoe,1895 _ Range (in code): **IN SI Djl Meg Ass Khs TH VN CN ID Bor MY Sda Clb PH**
Bionomy: Larva on Spondias (Anacardiaceae) (Holloway,1985).
- 66493. *Phanaspa aegonalis* (Walker,[1866])** (Noctuidae) Synonym(s): *aegonalis* Walker,[1866]
Range (in code): **ZA**
- 66494. *Phanaspa derasalis* (Guenée,1854)** (Noctuidae) Synonym(s): *derasalis* Guenée,1854
Range (in code): **ZA**
- 66495. *Phanaspa dilatatalis* Walker,[1866]** (Noctuidae) Synonym(s): *dilatatalis* Walker,[1866]; *#dilatatalis* Hampson,1902 _ Range (in code): **ZA**
- 66496. *Phanaspa namaqualis* (Guenée,1854)** (Noctuidae) Synonym(s): *namaqualis* Guenée,1854
Range (in code): **ZA**
- 66497. *Phidrimana amurensis* (Staudinger,1892)** (Noctuidae) Synonym(s): *amurensis* Staudinger,1892; *sabulosa* Graeser,1892. _ Range (in code): **RU Or Ur Us Prj Am**
- 66498. *Phleboeis petersi* (Christoph,1887)** (Noctuidae) Synonym(s): *petersi* Christoph,1887
Original Reference: *Phleboeis petersi* Christoph,1887, Stettin ent. Ztg. 48: 164. Syntypes: [Turkmenistan]: "Askhabat". Range (in code): **TM Kp**
- 66499. *Phlegetonia albiceps* (Hampson,1894)** (Noctuidae) Synonym(s): *albiceps* Hampson,1894; *picticolor* Hampson,1896; *ioda* Swinhoe,1899 _ Range (in code): **IN NI LK MM Tns MY TH Pgg Bor TW**
- 66500. *Phlegetonia apicifascia* (Hampson,1894)** (Noctuidae) Synonym(s): *apicifascia* Hampson,1894; *mediofusca* Bethune-Baker,1906; *dinawa* Bethune-Baker,1906 _ Range (in code): **IN Bba PG TH CMa Php MY VN LK ID Bor Sum PG SB PH**
- 66501. *Phlegetonia atripars* (Hampson,1912)** (Noctuidae) Synonym(s): *atripars* Hampson,1912
Range (in code): **ID Ja Sda TH Ntt Hba MY SB**

- 66502. *Phlegetonia bifacies* Walker, 1858** (Noctuidae) **Synonym(s):** *bifacies* Walker, 1858; *impleta* Walker, 1865 **Range (in code):** **LK Dck Pdy**
- 66503. *Phlegetonia carnea* (W. Warren, 1914)** (Noctuidae) **Synonym(s):** *carnea* W. Warren, 1914 **Range (in code):** **IN**
- 66504. *Phlegetonia delatrix* (Guenée, 1852)** (Noctuidae) **Synonym(s):** *delatrix* Guenée, 1852; *infida* Walker, [1858]; *plusioides* Walker, 1865; *impleta* Walker, 1865; *praetexta* R. Felder & Rogenhofer, 1874; *#intda* Kononenko & Pinratana, 2005 **Range (in code):** **LK Pdy Dck IN TH LA VN MM MY ID Sum Bli Ja Shw FJ PG WS NH Ms GO Nia NC RA TW PH JP AU Hw** **Bionomy:** Larva on *Eugenia cumini* (Myrtaceae), *Sandoricum koetjape* (Meliaceae) (Kuroko & Lewvanich, 1993).
- 66505. *Phlegetonia gilvicolor* (Mabille, 1900)** (Noctuidae) **Synonym(s):** *gilvicolor* Mabille, 1900; *callichroma* Distant, 1901 **Original Reference:** *Eutelia gilvicolor* Mabille, 1900, *Annls Soc. ent. Fr.* 1900: 732. Lectotype ♂: Africa orientalis (designated by Viette, 1968, *Bull. Br. Mus. nat. Hist. (Ent.)* 21: 412) (BMNH). **Range (in code):** **ZA Tva Ly Lpo Spb Mdk MZ Del**
- 66506. *Phlegetonia holocausta* Hampson, 1905** (Noctuidae) **Synonym(s):** *holocausta* Hampson, 1905 **Range (in code):** **NG AET**
- 66507. *Phlegetonia operatrix* (Wallengren, 1860)** (Noctuidae) **Synonym(s):** *operatrix* Wallengren, 1860 **Range (in code):** **ZA**
- 66508. *Phlegetonia subocellata* (Walker, [1863])** (Noctuidae) **Synonym(s):** *subocellata* Walker, [1863] **Range (in code):** **MY Bor Swk TH CMa Dst LA VN MM IN LK ID Sum Bli Ja Shw Tim Flo Sda Mlc PG PH TW**
- 66509. *Phlegetonia sugii* (Holloway, 1985)** (Noctuidae) **Synonym(s):** *sugii* Holloway, 1985 **Range (in code):** **IN NP SI TH CMa Int**
- 66510. *Phlogophora indica* Moore, 1867** (Noctuidae) **Synonym(s):** *indica* Moore, 1867 **Original Reference:** *Phlogophora indica* Moore, 1867, *Proc. zool. Soc. London* 1867: 57. Type: India: Bengal (coll. A.E. Russell). **Range (in code):** **IN NP MY ID Clb TH CMa CDo Pki**
- 66511. *Phlogophora melanistis* (Hampson, 1908)** (Noctuidae) **Synonym(s):** *melanistis* Hampson, 1908 **Range (in code):**
- 66512. *Phlogophora meticulosa* (Linnaeus, 1758)** (Noctuidae) **Synonym(s):** *meticulosa* Linnaeus, 1758; *lamii* Schadeewald, 1993 **Original Reference:** *Phalaena meticulosa* Linnaeus, 1758, *Syst. Nat. (Edn. 10)* 1: 513. Type(s): [Europa]. **Range (in code):** **MA DZ Abe Ges Btina DhM Hrh TN PT ES Mu FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Smt Lag AZ Kir IQ Agh CY LB IL Hf Pa IR Gh Elb Clu Mz DK NO SE FI EE LV LT RU Ro St Kr Kc Kb Nt Ich Da MD UA BY** **Bionomy:** Larva on *Chrysanthemum*, *Cyclamen*, *Dahlia*, *Lamium*, *Plantago*, *Primula*, *Urtica*, *Viola* (Calle et al., 2000).
- 66513. *Phlogophora plumbeola* (Hampson, 1894)** (Noctuidae) **Synonym(s):** *plumbeola* Hampson, 1894 **Range (in code):**
- 66514. *Phlogophora rostrifera* (W. Warren, 1912)** (Noctuidae) **Synonym(s):** *rostrifera* W. Warren, 1912 **Range (in code):**
- 66515. *Phlogophora scita* (Hübner, 1790)** (Noctuidae) **Synonym(s):** *scita* Hübner, 1790 **Original Reference:** *Noctua scita* Hübner, 1790, *Beitr. Gesch. Schmett.* 2(2): (35) Taf. (2) 1, fig. A. Type(s): [Europa]. **Range (in code):** **FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR RU Ro Kr St Nt Ich Ing Da AM Cc GG Lag Smt Bku Mng IR Elb Th Diz**
- 66516. *Phlogophora szecsenyii* Hreblay & L. Ronkay, 1998** (Noctuidae) **Synonym(s):** *szecsenyii* Hreblay & L. Ronkay, 1998 **Range (in code):** **NP VN Ton TH Nan Pua**
- 66517. *Phoebophilus amoenus* Staudinger, 1888** (Noctuidae) **Synonym(s):** *amoenus* Staudinger, 1888 **Range (in code):** **UZ Fe KK Ik TeA TrA CN Ui Ku**
- 66518. *Phoebophilus veternosus* (Püngeler, 1907)** (Noctuidae) **Synonym(s):** *veternosa* Püngeler, 1907 **Range (in code):** **RU Ur TM Kp IR Kh KuB UZ N-A AF**
- 66519. *Photodes captiuncula* (Treitschke, 1825)** (Noctuidae) **Synonym(s):** *captiuncula* Treitschke, 1825; *unica* Freyer, 1858; *tincta* Kane, 1895; *delattini* Varga, 1970 *nec* Wiltshire, 1953; *kasyi* Varga, 1970. **Original Reference:** *Apamea captiuncula* Treitschke, 1825, *Schmett. Eur.* 5(2): 96. Type(s): Steiermark. **Range (in code):** **ES FR IT IE GB DE CH AT PL CZ SK HU RO YU BG TR GG Smt Bku Cc DK SE FI EE LV RU Kb Ing MD UA BY**
- 66520. *Photodes elymi* (Treitschke, 1825)** (Noctuidae) **Synonym(s):** *elymi* Treitschke, 1825 **Range (in code):** **KK Ik TeA CN Ui Kml**
- 66521. *Photodes elymi procera* (Staudinger, 1889)** (Noctuidae) **Synonym(s):** *procera* Staudinger, 1889 **Range (in code):** **KK Ik TeA CN Ui Kml**

- 66522. Photodes extrema (Hübner,[1809])** (Noctuidae) Synonym(s): *extrema* Hübner,[1809]; *concolor* Guenée,1852; *calamoxantha* Varga,1982. Range (in code): **FR GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU Cc St CN Ui Ku KG Tk Dj KK TeA**
- 66523. Photodes fluxa (Hübner,[1809])** (Noctuidae) Synonym(s): *fluxa* Hübner,[1809] Original Reference: *Noctua fluxa* Hübner,[1809], Samml. eur. Schmett. 4, Noctuae: Tab. 88 fig.413. Type(s): Europa. Range (in code): **FR Sa? Si? IT GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr TR Cc DK NO SE FI EE LV LT RU Kr St Kb Kyi MD UA BY KK Ax**
- 66524. Photodes fluxa hellmanni (Eversmann,1843)** (Noctuidae) Synonym(s): *hellmanni* Eversmann,1843 Range (in code): **KK Ax**
- 66525. Photodes improba (Staudinger,[1900])** (Noctuidae) Synonym(s): *improba* Staudinger,[1900] Original Reference: *Tapinostola improba* Staudinger,[1900], Dt. ent. Z., Iris 12: 343. Type ♂: [China: Uighur A.R.]: Chamyl [Kumul]. Range (in code): **CN Ui T-S Kml**
- 66526. Photodes minima (Haworth,1809)** (Noctuidae) Synonym(s): *minima* Haworth,1809; *arcuosa* Haworth,1809. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 66527. Photodes stigmatica (Eversmann,1855)** (Noctuidae) Synonym(s): *stigmatica* Eversmann,1855; *lagunica* Graeser,1889. Range (in code): **RU Ur Sb Am KK TeA**
- 66528. Photodes urbahni (Boursin,1956)** (Noctuidae) Synonym(s): *urbahni* Boursin,1956 Original Reference: *Arenostola urbahni* Boursin,1956, Mitt. münch. ent. Ges. 46: 306-307, Taf.xiii. Holotype ♂: [Kirgizistan]: "Issyk-Kul m." Range (in code): **KK Ik TJ Pm Kyz**
- 66529. Phragmatiphila insularis (Turati,1913)** (Noctuidae) Synonym(s): *insularis* Turati,1913 Range (in code): **Sa**
- 66530. Phragmatiphila nexa (Hübner,[1808])** (Noctuidae) Synonym(s): *nexa* Hübner,[1808]; *insularis* Turati,1913. Range (in code): **FR Co IT NL DE CH AT PL CZ SK HU DK SE FI EE LV LT RU MD UA BY**
- 66531. Phylapora canescens (Duponchel,1826)** (Noctuidae) Synonym(s): *canescens* Duponchel,1826; *pumicosa* Geyer,[1832]; *asphodeli* Rambur,1832; *plumbea* Staudinger,1895; *plumbina* Osthelder,1933. Original Reference: *Noctua canescens* Duponchel,1826, Hist. nat. Lépid. pap. France 6:422. Syntypes: [France]: Castelnauary. Range (in code): **PT ES Co Sa Si IT MT CH YU AL BG GR Cr Rd TR IQ IL Pa Js Hf LB JO CY IR Km Fa Shr Bu Dlk** Bionomy: Larva on Calendula, *Asphodelus aestivus* (Kirby,1903; Spuler,1905; Hampson,1906; Wiltshire,1957).
- 66532. Phyllodes consobrina Westwood,1848** (Noctuidae) Synonym(s): *consobrina* Westwood,1848; *perspicillator* Guenée,1852 Range (in code): **LK Kndy IN SI Ass BD Syl TH Phr MY ID Ja Bor Sum CN Ti JP VN PH**
- 66533. Phyllodes eyndhovii (Vollenhoven,1858)** (Noctuidae) Synonym(s): *eyndhovii* Vollenhoven,1858; *semilinea* Walker,[1863]; *fasciata* Moore,1867 Range (in code): **IN BD ID Ja Bor Swk MY TH CMa Int VN BT CN TW Sum PH Pal**
- 66534. Phyllodes imperialis Druce,1888** (Noctuidae) Synonym(s): *imperialis* Druce,1888 Range (in code): **NC PG Bsm AU QAU NH**
- 66535. Phyllodes imperialis dealbata Holloway,1979** (Noctuidae) Synonym(s): *dealbata* Holloway,1979 Range (in code): **NC**
- 66536. Phyllophila atripars Hampson,1914** (Noctuidae) Synonym(s): *atripars* Hampson,1914 Range (in code): **KE Nai**
- 66537. Phyllophila corgatha Berio,1984** (Noctuidae) Synonym(s): *corgatha* Berio,1984 Range (in code): **ET ET204**
- 66538. Phyllophila flavitermina (Hampson,1902)** (Noctuidae) Synonym(s): *flavitermina* Hampson,1902 Range (in code): **ZA Ec Ans**
- 66539. Phyllophila griseola (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *griseola* R.Felder & Rogenhofer,1874; *leucostigmata* Hampson,1902 Range (in code): **ZA Ec Tra**
- 66540. Phyllophila melacheila (Staudinger,[1896])** (Noctuidae) Synonym(s): *melacheila* Staudinger,[1896] Original Reference: *Erastria ? melacheila* Staudinger,[1896], Dt. ent. Z., Iris 8: 299. Type ♀: [Türkei, Hatay Prov.]: Kleinasien: Akbes. Range (in code): **TR**
- 66541. Phyllophila oblitterata (Rambur,1833)** (Noctuidae) Synonym(s): *oblitterata* Rambur,1833; *wimmerii* Treitschke,1835; *recta* Eversmann,1844; *cretacea* Butler,1879; *venerica* Bryk,1949. Original Reference: *Anthophila oblitterata* Rambur,1833, Annls Soc. ent. Fr. 2: 27, pl.2 fig.17. Type(s): Corsica. Range (in code): **ES FR Co IT DE CH AT CZ SK HU RO YU AL GR TR IR Mz Elb Th Clu RU AZ Kir GG Lag Cc Ro St Ich Da MD UA BY CN Ui Ku KG Tk Dj Aa KP KR JP** Bionomy: Larva on *Artemisia scoparia* (Romanoff,1885).

- 66542. *Phyllophila richinii* Berio,1940** (Noctuidae) **Synonym(s):** *richinii* Berio,1940 _ **Range (in code): ER**
- 66543. *Phyllophila rufescens* Hampson,1910** (Noctuidae) **Synonym(s):** *rufescens* Hampson,1910
Range (in code): ZA Ec
- 66544. *Phyllophila torrefacta* (Distant,1898)** (Noctuidae) **Synonym(s):** *torrefacta* Distant,1898
Range (in code): ZA Tva Gau Pre
- 66545. *Phyllophila yangtsea* Draudt,1950** (Noctuidae) **Synonym(s):** *yangtsea* Draudt,1950
Range (in code): CN Sz
- 66546. *Phytometra africana* (Snellen,1872)** (Noctuidae) **Synonym(s):** *africana* Snellen,1872
Range (in code): ZA
- 66547. *Phytometra carnea* (A.E.Prout,1922)** (Noctuidae) **Synonym(s):** *carnea* A.E.Prout,1922
Range (in code): ZA
- 66548. *Phytometra duplicalis* (Walker,[1866])** (Noctuidae) **Synonym(s):** *duplicalis* Walker,[1866]; *allecta* Schaus,1893. _ **Range (in code): ZA**
- 66549. *Phytometra fragilis* (Butler,1875)** (Noctuidae) **Synonym(s):** *fragilis* Butler,1875
Range (in code): ZA
- 66550. *Phytometra haemaceps* (Hampson,1910)** (Noctuidae) **Synonym(s):** *haemaceps* Hampson,1910 _ **Range (in code): ZA**
- 66551. *Phytometra helesusalis* (Walker,[1859])** (Noctuidae) **Synonym(s):** *helesusalis* Walker,[1859]; *muraenula* Wallengren,1875. _ **Range (in code): ZA**
- 66552. *Phytometra heliriusalis* (Walker,[1859])** (Noctuidae) **Synonym(s):** *heliriusalis* Walker,[1859]. _ **Range (in code): ZA**
- 66553. *Phytometra hesuensis* Wiltshire,1983** (Noctuidae) **Synonym(s):** *hesuensis* Wiltshire,1983
Range (in code):
- 66554. *Phytometra hypopsamma* (Hampson,1926)** (Noctuidae) **Synonym(s):** *hypopsamma* Hampson,1926 _ **Range (in code): ZA**
- 66555. *Phytometra magalium* Townsend,1958** (Noctuidae) **Synonym(s):** *magalium* Townsend,1958 _ **Range (in code):**
- 66556. *Phytometra opsiphora* (Hampson,1926)** (Noctuidae) **Synonym(s):** *opsiphora* Hampson,1926 _ **Range (in code): ZA**
- 66557. *Phytometra pyralomima* Wiltshire,1961** (Noctuidae) **Synonym(s):** *pyralomima* Wiltshire,1961 _ **Range (in code):**
- 66558. *Phytometra sacraria* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *sacraria* R.Felder & Rogenhofer,1874 _ **Range (in code): ZA**
- 66559. *Phytometra sanctiflorentis* (Boisduval,1834)** (Noctuidae) **Synonym(s):** *sanctiflorentis* Boisduval,1834; *aurantiacus* Rothschild,1920; *luna* Zerny,1927 _ **Range (in code): TN Dh PT ES Mu IT?**
- 66560. *Phytometra silona* (Schaus,1893)** (Noctuidae) **Synonym(s):** *silona* Schaus,1893
Range (in code): ZA
- 66561. *Phytometra subflavalis* (Walker,[1866])** (Noctuidae) **Synonym(s):** *subflavalis* Walker,[1866]; *terminalis* Mabille,1890. _ **Range (in code): ZA ET**
- 66562. *Phytometra viridaria* (Clerck,1759)** (Noctuidae) **Synonym(s):** *#viridaria* Clerck,1759; *purpurata* Linnaeus,1761; *lanceata* Scopoli,1763; *aenea* [Denis & Schiffermüller],1775; *olivacea* Vieweg,1790; *latruncula* Esper,[1791]; *hoffmann*, Stauder,1915; *lutaigira* Schawerda,1924
Original Reference: [Phalaena] viridaria Clerck,1759, Icones Insectorum rariorum : Taf.9 fig.12. Type(s): Sweden.
Range (in code): MA DZ Hrh Ahr PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Arr AM AZ GG Smt Bjo Lag Ro Kr Nt Ich MD UA BY Sb At KG Tar CN Ui Ii KK Ik UZ Fe
- 66563. *Piliplectus chinensis* Draeseke,1931** (Noctuidae) **Synonym(s):** *chinensis* Draeseke,1931
Range (in code): CN
- 66564. *Piliplectus cyclopis* Hampson,1912** (Noctuidae) **Synonym(s):** *cyclopis* Hampson,1912
Original Reference: *Piliplectus cyclopis* Hampson,1912, J. Bombay nat. Hist. Soc. 21: 1234.
Range (in code): LK
- 66565. *Piliplectus prunifera* (Hampson,1894)** (Noctuidae) **Synonym(s):** *prunifera* Hampson,1894 _ **Range (in code): LK Kndy**
- 66566. *Piliplectus taiwanus* Wileman,1915** (Noctuidae) **Synonym(s):** *taiwanus* Wileman,1915
Range (in code): TW
- 66567. *Pinacoplus didymogramma* (Erschoff,1874)** (Noctuidae) **Synonym(s):** *didymogramma* Erschoff,1874 _ **Range (in code): UZ AF Arh**

- 66568. Pinacoplus eberti Boursin,1968** (Noctuidae) Synonym(s): *eberti Boursin,1968* _ Range (in code): **AF**
- 66569. Pindara illibata (Fabricius,1775)** (Noctuidae) Synonym(s): *illibata Fabricius,1775; peropaca Hübner,[1831]; laetabilis Guenée,1852* _ Original Reference: *Noctua illibata Fabricius,1775, Syst. Ent.: 592.* Type(s): India. Range (in code): **TH CMa Int MY LA KH VN NP IN LK Pdy CN TW JP PH ID Sum Bor Tim Flo Clb Mlc Crm Bia PG AU** _ Bionomy: Larva on Bischofia (Euphorbiaceae), Elaeocarpus (Elaeocarpaceae) (Holloway & Miller,2003).
- 66570. Pindara prisca (Walker,1858)** (Noctuidae) Synonym(s): *prisca Walker,1858* _ Range (in code): **NH NC FJ WS TO**
- 66571. Pisara opalina Walker,1862** (Noctuidae) Synonym(s): *opalina Walker,1862; canioralis Walker,1863; basimicans Hampson,1894* _ Range (in code): **MM Peg MY Bor Swk**
- 66572. Plagiograptia gertae Holloway,2003** (Noctuidae) Synonym(s): *gertae Holloway,2003* _ Range (in code): **MY Bor Sbh**
- 66573. Plagiograptia lutzi Holloway,2003** (Noctuidae) Synonym(s): *lutzi Holloway,2003* _ Range (in code): **MY Bor BN**
- 66574. Plagiograptia macrodonta Hampson,1907** (Noctuidae) Synonym(s): *macrodonta Hampson,1907* _ Range (in code): **IN MY Bor ID Sum** _ Bionomy: Larva on Lophopetalum (Celastraceae) (Holloway,2003).
- 66575. Plagiograptia pseudocondensa Holloway,2003** (Noctuidae) Synonym(s): *pseudocondensa Holloway,2003* _ Range (in code): **MY Bor Swk**
- 66576. Platyja minutipuncta (Swinhoe,1901)** (Noctuidae) Synonym(s): *minutipuncta Swinhoe,1901* _ Range (in code): **IN MY SG TH ID PH**
- 66577. Platyja suffumata (Guenée,1852)** (Noctuidae) Synonym(s): *suffumata Guenée,1852* _ Range (in code): **ID Ja Sda Bor MY TH**
- 66578. Platyja umminia (Cramer,1780)** (Noctuidae) Synonym(s): *umminia Cramer,1780; subunita Guenée,1852; drepanoides Walker,1858; trajeta Walker,1869; falcata R.Felder & Rogenhofer,1874* _ Range (in code): **ID Clb Ja MY CN HK TH Knc Nrt Kao VN LA MM IN BD LK Hn TW Bor Sbw Adm Mlc PG PH AU QAU**
- 66579. Platyjionia mediorufa (Hampson,1894)** (Noctuidae) Synonym(s): *mediorufa Hampson,1894* _ Range (in code): **IN TH CMa Int Dst Knc MY Bor**
- 66580. Platyjionia sada (Swinhoe,1903)** (Noctuidae) Synonym(s): *sada Swinhoe,1903* _ Range (in code): **MY**
- 66581. Plecoptera albipuncta Viette,1970** (Noctuidae) Synonym(s): *albipuncta Viette,1970* _ Range (in code): **MG**
- 66582. Plecoptera androconiata Hampson,1926** (Noctuidae) Synonym(s): *androconiata Hampson,1926* _ Range (in code): **NG**
- 66583. Plecoptera annexa (Distant,1898)** (Noctuidae) Synonym(s): *annexa Distant,1898* _ Range (in code): **ZA Tva Gau Jh**
- 66584. Plecoptera approximans Hampson,1926** (Noctuidae) Synonym(s): *approximans Hampson,1926* _ Range (in code): **KE**
- 66585. Plecoptera arctinotata (Walker,1866)** (Noctuidae) Synonym(s): *arctinotata Walker,1866; biguttata Walker,1865.* _ Range (in code): **ZA Ec Tra Ans**
- 66586. Plecoptera aspila Hampson,1903** (Noctuidae) Synonym(s): *aspila Hampson,1903* _ Range (in code): **ZA ZM**
- 66587. Plecoptera bilinealis (Leech,1889)** (Noctuidae) Synonym(s): *bilinealis Leech,1889* _ Range (in code): **TH CMa Dst Dso9 IN NP CN**
- 66588. Plecoptera chalciope Strand,1918** (Noctuidae) Synonym(s): *chalciope Strand,1918* _ Range (in code): **ZA ZR**
- 66589. Plecoptera chrysocephala Hampson,1926** (Noctuidae) Synonym(s): *chrysocephala Hampson,1926* _ Range (in code): **CN**
- 66590. Plecoptera costinotata Wileman & West,1929** (Noctuidae) Synonym(s): *costinotata Wileman & West,1929* _ Range (in code): **PH Luz**
- 66591. Plecoptera delos (Viette,1972)** (Noctuidae) Synonym(s): *delos Viette,1972* _ Range (in code): **MG**
- 66592. Plecoptera dentilinea Hampson,1926** (Noctuidae) Synonym(s): *dentilinea Hampson,1926* _ Range (in code): **UG**

- 66593. Plecoptera diaperas Hampson,1926** (Noctuidae) Synonym(s): *diaperas* Hampson,1926
Range (in code): **BT**
- 66594. Plecoptera dimorpha Gaede,1939** (Noctuidae) Synonym(s): *dimorpha* Gaede,1939
Range (in code): **TZ**
- 66595. Plecoptera diplogramma Hampson,1926** (Noctuidae) Synonym(s): *diplogramma* Hampson,1926 - Range (in code): **KE**
- 66596. Plecoptera diplosticha Hampson,1926** (Noctuidae) Synonym(s): *diplosticha* Hampson,1926 - Range (in code): **TZ**
- 66597. Plecoptera divergens Bryk,1915** (Noctuidae) Synonym(s): *divergens* Bryk,1915 - Range (in code): **TZ**
- 66598. Plecoptera fasciata (Hampson,1891)** (Noctuidae) Synonym(s): *fasciata* Hampson,1891
Range (in code): **IN Rj**
- 66599. Plecoptera ferrilineata Swinhoe,1891** (Noctuidae) Synonym(s): *ferrilineata* Swinhoe,1891; *ferrilineata* Hampson,1898 (*praeocc.*) - Range (in code): **IN Ass Meg Khs**
- 66600. Plecoptera flava (Bremer & Grey,1853)** (Noctuidae) Synonym(s): *flava* Bremer & Grey,1853 - Range (in code): **CN Pkn TH CMa Int**
- 66601. Plecoptera flaviceps (Hampson,1902)** (Noctuidae) Synonym(s): *flaviceps* Hampson,1902
Range (in code): **ZA ZW Har**
- 66602. Plecoptera flavilinea Hampson,1910** (Noctuidae) Synonym(s): *flavilinea* Hampson,1910
Range (in code): **ZM**
- 66603. Plecoptera flecherana Viette,1966** (Noctuidae) Synonym(s): *flecherana* Viette,1966
Range (in code): **MG**
- 66604. Plecoptera geminilinea Hampson,1926** (Noctuidae) Synonym(s): *geminilinea* Hampson,1926 - Range (in code): **NG Caa**
- 66605. Plecoptera grisea Hampson,1910** (Noctuidae) Synonym(s): *grisea* Hampson,1910
Range (in code): **ZM**
- 66606. Plecoptera griseifusa (Hampson,1895)** (Noctuidae) Synonym(s): *griseifusa* Hampson,1895 - Range (in code): **IN Nag**
- 66607. Plecoptera holostoma Swinhoe,1895** (Noctuidae) Synonym(s): *holostoma* Swinhoe,1895
Range (in code): **IN Meg Cpj**
- 66608. Plecoptera hypoxantha Hampson,1926** (Noctuidae) Synonym(s): *hypoxantha* Hampson,1926 - Range (in code): **KE Tvt**
- 66609. Plecoptera infuscata Hampson,1910** (Noctuidae) Synonym(s): *infuscata* Hampson,1910
Range (in code): **ZA ZM**
- 66610. Plecoptera infuscata Hampson,1910** (Noctuidae) Synonym(s): *infuscata* Hampson,1910
Range (in code): **ZM**
- 66611. Plecoptera inquinata (Lederer,1857)** (Noctuidae) Synonym(s): *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 - Original Reference: *Madopa inquinata* Lederer,1857, Wien. ent. Monatschr.1:98. Type(s): [Lebanon]: Beirut. Range (in code): **TN LB Bei Bsa IL Pa TR Cc AZ Kir Nv Ord IQ R wz IR Fa Ke Lo Ss Kaz Mia Sse Kz Yas SY Pmy**
- 66612. Plecoptera lacinia (Saalmüller,1880)** (Noctuidae) Synonym(s): *lacinia* Saalmüller,1880
Range (in code): **MG**
- 66613. Plecoptera laniata Hampson,1910** (Noctuidae) Synonym(s): *laniata* Hampson,1910
Range (in code): **ZA ZM**
- 66614. Plecoptera mainty Viette,1972** (Noctuidae) Synonym(s): *mainty* Viette,1972 - Range (in code): **MG**
- 66615. Plecoptera major (Holland,1894)** (Noctuidae) Synonym(s): *major* Holland,1894
Range (in code): **GA**
- 66616. Plecoptera megarthra Hampson,1910** (Noctuidae) Synonym(s): *megarthra* Hampson,1910 - Range (in code): **ZM**
- 66617. Plecoptera melalepis Hampson,1910** (Noctuidae) Synonym(s): *melalepis* Hampson,1910
Range (in code): **ZA ZM**
- 66618. Plecoptera melanoscia Hampson,1910** (Noctuidae) Synonym(s): *melanoscia* Hampson,1910 - Range (in code): **ZA KE Nai**
- 66619. Plecoptera mesostriga Hampson,1926** (Noctuidae) Synonym(s): *mesostriga* Hampson,1926 - Range (in code): **NG Minn**

- 66620. *Plecoptera misera* (Butler,1883)** (Noctuidae) Synonym(s): *misera* Butler,1883; *tandoana* Bethune-Baker,1911. _ Range (in code): **ZA IN AO**
- 66621. *Plecoptera mollardi* D.S.Fletcher & Viette,1955** (Noctuidae) Synonym(s): *mollardi* D.S.Fletcher & Viette,1955 _ Range (in code): **GN**
- 66622. *Plecoptera nebulifera* (Walker,[1863])** (Noctuidae) Synonym(s): *nebulifera* Walker,[1863] _ Range (in code): **MY Bor Swk**
- 66623. *Plecoptera nephelephora* Hampson,1926** (Noctuidae) Synonym(s): *nephelephora* Hampson,1926 _ Range (in code): **IN Ben Cle**
- 66624. *Plecoptera nigrilunata* Gaede,1939** (Noctuidae) Synonym(s): *nigrilunata* Gaede,1939 _ Range (in code): **CM**
- 66625. *Plecoptera nimba* D.S.Fletcher & Viette,1955** (Noctuidae) Synonym(s): *nimba* D.S.Fletcher & Viette,1955 _ Range (in code): **GN**
- 66626. *Plecoptera oculata* (Moore,1882)** (Noctuidae) Synonym(s): *oculata* Moore,1882; *junceae* Swinhoe,1884 _ Range (in code): **IN BD Bba TH CMA Fn Php Nan LA NP PK**
- 66627. *Plecoptera ovaliplaga* (W.Warren,1914)** (Noctuidae) Synonym(s): *ovaliplaga* W.Warren,1914 _ Range (in code): **ZA ZW Har**
- 66628. *Plecoptera pallidimargo* Hampson,1926** (Noctuidae) Synonym(s): *pallidimargo* Hampson,1926 _ Range (in code): **TH CMA Int LK**
- 66629. *Plecoptera poderis* (Wallengren,1863)** (Noctuidae) Synonym(s): *poderis* Wallengren,1863 _ Range (in code): **ZA**
- 66630. *Plecoptera polymorpha* Hampson,1926** (Noctuidae) Synonym(s): *polymorpha* Hampson,1926 _ Range (in code): **SO**
- 66631. *Plecoptera punctilineata* Hampson,1910** (Noctuidae) Synonym(s): *punctilineata* Hampson,1910 _ Range (in code): **ZA ZM**
- 66632. *Plecoptera quaesita* (Swinhoe,1885)** (Noctuidae) Synonym(s): *quaesita* Swinhoe,1885; *fetna* Swinhoe,1915; *lobelia* Swinhoe,1915 _ Original Reference: Remigia quaesita Swinhoe,1885, Proc. zool. Soc. Lond. 1885: 468. Range (in code): **LK IN Bba Adm MY Bor Sbh KBa ID Hlm AU**
- 66633. *Plecoptera quinquelinea* (Walker,1865)** (Noctuidae) Synonym(s): *quinquelinea* Walker,1865 _ Range (in code): **LK**
- 66634. *Plecoptera recens* (Saalmüller,1891)** (Noctuidae) Synonym(s): *recens* Saalmüller,1891 _ Range (in code): **MG**
- 66635. *Plecoptera recta* (Pagenstecher,1886)** (Noctuidae) Synonym(s): *recta* Pagenstecher,1886; *erica* Swinhoe,1891 _ Range (in code): **ID Crm TH Knc MY IN VN Bor**
- 66636. *Plecoptera reflexa* Guenée,1852** (Noctuidae) Synonym(s): *reflexa* Guenée,1852; *gammoides* Walker,1858; *simplex* Walker,1858; *hamifera* Walker,1865 _ Range (in code): **IR Ke Fa Mia Kaz Kz Yas Skh IQ Bsr Agh AF Srb AE IL Pa TH CMA CDo IN PK Cp** _ Bionomy: Larva on Dahlbergia sissoo (Gardner,1941).
- 66637. *Plecoptera resistans* (Walker,1858)** (Noctuidae) Synonym(s): *resistans* Walker,1858 _ Range (in code): **ZA CG**
- 66638. *Plecoptera reussi* Bryk,1915** (Noctuidae) Synonym(s): *reussi* Bryk,1915 _ Range (in code): **TZ Dss**
- 66639. *Plecoptera reversa* (Walker,1865)** (Noctuidae) Synonym(s): *reversa* Walker,1865 _ Range (in code): **CG**
- 66640. *Plecoptera rufirena* (Hampson,1902)** (Noctuidae) Synonym(s): *rufirena* Hampson,1902 _ Range (in code): **ZW Har ZA Tva Lpo**
- 66641. *Plecoptera sakalava* (Viette,1976)** (Noctuidae) Synonym(s): *sakalava* Viette,1976 _ Range (in code): **MG**
- 66642. *Plecoptera sarcistis* Hampson,1910** (Noctuidae) Synonym(s): *sarcistis* Hampson,1910 _ Range (in code): **ZA ZM**
- 66643. *Plecoptera sexlinea* (Walker,1865)** (Noctuidae) Synonym(s): *sexlinea* Walker,1865 _ Range (in code): **LK**
- 66644. *Plecoptera siderogramma* Hampson,1926** (Noctuidae) Synonym(s): *ferrilineata* Hampson,1898 nec Hamps.,1895; *siderogramma* Hampson,1926 _ Range (in code): **IN Ass Meg Khs**
- 66645. *Plecoptera* sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH CMA Dst**
- 66646. *Plecoptera stigmatica* (W.Warren,1912)** (Noctuidae) Synonym(s): *stigmatica* W.Warren,1912 _ Range (in code): **IN Ass Meg Khs TH CMA Dst**

- 66647. *Plecoptera stuhlmanni* (Pagenstecher,1893)** (Noctuidae) Synonym(s): *stuhlmanni* Pagenstecher,1893 _ Range (in code): **ZA KE**
- 66648. *Plecoptera subpallida* (W.Warren,1912)** (Noctuidae) Synonym(s): *subpallida* W.Warren,1912 _ Range (in code): **CN Hn**
- 66649. *Plecoptera thermozona* Hampson,1910** (Noctuidae) Synonym(s): *thermozona* Hampson,1910 _ Range (in code): **ZA ZM**
- 66650. *Plecoptera trichophora* Hampson,1910** (Noctuidae) Synonym(s): *trichophora* Hampson,1910 _ Range (in code): **ZA ZM**
- 66651. *Plecoptera tripalis* (Wallengren,1863)** (Noctuidae) Synonym(s): *tripalis* Wallengren,1863 _ Range (in code): **ZA**
- 66652. *Plecoptera uniformis* (Moore,1882)** (Noctuidae) Synonym(s): *uniformis* Moore,1882 _ Range (in code): **IN Clc**
- 66653. *Plecoptera violacea* (Pagenstecher,1884)** (Noctuidae) Synonym(s): *violacea* Pagenstecher,1884; *crinigera* Swinhoe,1897; *antigona* Holland,1900; *grisea* W.Warren,1912 *nec* Hamps.,1910; *taeniata* W.Warren,1912 _ Range (in code): **ID Bru Tim Amb MY**
- 66654. *Plecoptera xanthopera* (Hampson,1894)** (Noctuidae) Synonym(s): *xanthopera* Hampson,1894 _ Range (in code): **MM**
- 66655. *Plecoptera zonaria* (Distant,1898)** (Noctuidae) Synonym(s): *zonaria* Distant,1898 _ Range (in code): **ZA Tva Gau Pre Mpu Brb**
- 66656. *Plecopterodes deprivata* W.Warren,1914** (Noctuidae) Synonym(s): *deprivata* W.Warren,1914 _ Range (in code): **ZA**
- 66657. *Plecopterodes exigua* Gaede,1914** (Noctuidae) Synonym(s): *exigua* Gaede,1914 _ Range (in code): **BW**
- 66658. *Plecopterodes gendolfi* Berio,1939** (Noctuidae) Synonym(s): *gendolfi* Berio,1939 _ Range (in code): **ER**
- 66659. *Plecopterodes heterochroa* (Hampson,1910)** (Noctuidae) Synonym(s): *heterochroa* Hampson,1910 _ Range (in code): **ZA ZM**
- 66660. *Plecopterodes lutosa* (Grünberg,1910)** (Noctuidae) Synonym(s): *lutosa* Grünberg,1910 _ Range (in code): **ZA**
- 66661. *Plecopterodes melliflua* (Holland,1897)** (Noctuidae) Synonym(s): *melliflua* Holland,1897; *calida* Hampson,1902; *punctata* Berio,1984. _ Range (in code): **ET KE ZA Nta Kzu Dbn**
- 66662. *Plecopterodes moderata* (Wallengren,1860)** (Noctuidae) Synonym(s): *moderata* Wallengren,1860; *alypophanes* Bethune-Baker,1911; *variabilis* Mabilie,1890. _ Range (in code): **ZA Lpo Tva Spb Mdk SL SN NG SD KE ZW Har BW Nga NA Dmr MZ Del Ec Ans**
- 66663. *Plecopterodes molybdena* Berio,1954** (Noctuidae) Synonym(s): *molybdena* Berio,1954 _ Range (in code): **ET**
- 66664. *Plecopterodes molybdopasta* (Hampson,1910)** (Noctuidae) Synonym(s): *molybdopasta* Hampson,1910 _ Range (in code): **ZA ZM**
- 66665. *Plecopterodes synethes* Hampson,1913** (Noctuidae) Synonym(s): *synethes* Hampson,1913 _ Range (in code): **KE Nai**
- 66666. *Pleurona falcata* Walker,1866** (Noctuidae) Synonym(s): *falcata* Walker,1866; *simillima* Swinhoe,1917 _ Original Reference: *Pleurona falcata* Walker,1866, List Spec. lepid. Ins. Colln Br. Mus. 35: 1564. Range (in code): **IN TH CMa Cz1o Int LA NP ID PH MM Adm Bor MY Bli Clb**
- 66667. *Pleuronodes arida* (Hampson,1902)** (Noctuidae) Synonym(s): *arida* Hampson,1902. _ Range (in code): **ZA**
- 66668. *Pleuronodes lepticyma* (Hampson,1909)** (Noctuidae) Synonym(s): *lepticyma* Hampson,1909; *#leptocyma* Gaede,1940. _ Range (in code): **ZA**
- 66669. *Pleuronodes trogopera* (Hampson,1910)** (Noctuidae) Synonym(s): *trogopera* Hampson,1910; *odorino* Bryk,1915. _ Range (in code): **ZA**
- 66670. *Plotheia exacta* (Semper,1900)** (Noctuidae) Synonym(s): *exacta* Semper,1900 _ Range (in code): **PH MY Bor Sbh KBa ID Clb PG AU QAU**
- 66671. *Plotheia viridalis* (Pagenstecher,1888)** (Noctuidae) Synonym(s): *viridalis* Pagenstecher,1888; *cuprescens* Hampson,1912 _ Range (in code): **MY Bor Sbh ID Clb Amb PG**
- 66672. *Plusia festucae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *festucae* Linnaeus,1758; *aureoargentea* Retzius,1783; *yokohamensis* Bryk,1949; *japonibia* Bryk,1949 _ Original Reference: *Phalaena festucae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): [Europa]. Range (in code): **DZ Anna PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL GR TR IR Ab Ak Mak Bzg Ar Kh Es**

Fa Bk Shr Dam Gh Th Elb Dam DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kc St Kb Nt Ich Da Kyi
MD UA BY KK Ax TrA

66673. *Plusia putnami* (Grote,1873) (Noctuidae) Synonym(s): *putnami* Grote,1873 - Range (in code): FR IT GB BE NL DE CH AT PL CZ RO BG DK NO SE FI EE LV LT RU MD UA BY

66674. *Plusia putnami gracilis* (Lempke,1966) (Noctuidae) Synonym(s): *gracilis* Lempke,1966
Range (in code):

66675. *Plusidia cheiranthi* (Tauscher,1809) (Noctuidae) Synonym(s): *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* W.Warren,1913. Original Reference: Noctua cheiranthi Tauscher,1809, Mém. Soc. imp. Nat. Moscou 2: 322, pl.20 fig.6. Type(s): Russia: Waskuntschatskoi. Range (in code): IT PL CZ SK RO YU BG TR AZ Kir Cc EE LV LT RU Ro Kr St Ich MD UA BY IR Ab Oru

66676. *Plusiodonta achalcea* Hampson,1926 (Noctuidae) Synonym(s): *achalcea* Hampson,1926
Range (in code): ZA

66677. *Plusiodonta auripicta* (Moore,1882) (Noctuidae) Synonym(s): *auripicta* Moore,1882
Range (in code): IN SI Djl BT CN TH Nan Dpk ID

66678. *Plusiodonta coelonota* (Kollar,[1844]) (Noctuidae) Synonym(s): *coelonota* Kollar,[1844]; *chalytoides* Guenée,1852; *conducens* Walker,1858 - Range (in code): IN ID Ja LK MY VN NP Sum Tim Flo CN TH CMa Fn Php JP KP KR

66679. *Plusiodonta commoda* Walker,1865 (Noctuidae) Synonym(s): *commoda* Walker,1865
Range (in code): SL MW Zom ZW Har ZA

66680. *Plusiodonta natalensis* Walker,1865 (Noctuidae) Synonym(s): *natalensis* Walker,1865; *detracta* Walker,1865; *tripartita* Walker,1865; *nummaria* R.Felder & Rogenhofer,1874 - Range (in code): ZA Nta Kzu Mv

66681. *Plusiodonta nictites* Hampson,1902 (Noctuidae) Synonym(s): *nictites* Hampson,1902
Range (in code): ZA Ec Tra

66682. *Plusiodonta wahlbergi* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *wahlbergi* R.Felder & Rogenhofer,1874; *africana* Holland,1894. - Range (in code): ZA Nta Kzu Dbn

66683. *Plusiopalpa adrasta* (R.Felder & Rogenhofer,1874) (Noctuidae) Synonym(s): *adrasta* R.Felder & Rogenhofer,1874; *crassipalpus* Hampson,1894; *shisa* Strand,1920 - Range (in code): TH CMa Dst MY IN NP TW ID Sum Ja Bor Tim Flo Sbw Clb Bli PG Bsm Nlr PH Luz KP KR JP Bionomy: Larva on Mikania (Asteraceae) (Holloway,1985).

66684. *Plusiopalpa dichora* Holland,1894 (Noctuidae) Synonym(s): *dichora* Holland,1894
Range (in code): ZA YE

66685. *Plusiophaes argosticta* D.S.Fletcher,1961 (Noctuidae) Synonym(s): *argosticta* D.S.Fletcher,1961 - Range (in code): ZA

66686. *Plusiophaes bipuncta* (Hampson,1902) (Noctuidae) Synonym(s): *bipuncta* Hampson,1902 - Range (in code): ZA Nta Kzu Dbn

66687. *Plusiotricha fletcheri* Dufay,1972 (Noctuidae) Synonym(s): *fletcheri* Dufay,1972
Range (in code): ZA

66688. *Plusiotricha livida* Holland,1894 (Noctuidae) Synonym(s): *livida* Holland,1894
Range (in code): ZA

66689. *Poecilonola littoralis* Van Son,1933 (Noctuidae) Synonym(s): *littoralis* Van Son,1933
Range (in code): ZA Nta Kzu Dbn Ptw

66690. *Poeta denotalis* Walker,1865 (Noctuidae) Synonym(s): *denotalis* Walker,1865 - Range (in code): MY Bor Swk

66691. *Poeta quadrinotata* (Walker,1865) (Noctuidae) Synonym(s): *quadrinotata* Walker,1865
Range (in code): IN Nag Adm LK MM Mm TH Knc

66692. *Polia altaica* (Lederer,1855) (Noctuidae) Synonym(s): *altaica* Lederer,1855 - Range (in code): RU Ur Sb At UZ Fe KK Ik TeA Skm Ax CN Ui Ii MN

66693. *Polia bombycina* (Hufnagel,1766) (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. Original Reference: Phalaena bombycina Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AZ Kir DK NO SE FI EE LV LT RU Ur Am CN Ui Ii Sb KK Ax KG TrA Aa UZ KuA TeA Ik Na MD UA BY JP RU Ro St Kr Kb Nt Ich Ing Da Us Vv Ask KP KR CN MN Sh Sj DsA Tk Dj Lps Ssn Ket Bionomy: Larva on Sonchus, Achillea, Polygonum (Hampson,1905); Betula, Ononis spinosa, Taraxacum, Vaccinium myrtillus (Blaschke,1914).

- 66694. *Polia bombycina bombycina* (Hufnagel,1766)** (Noctuidae) Synonym(s): *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. Original Reference: Phalaena bombycina Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR AM GG Cc DK NO SE FI EE LV LT RU Ro St Kr Kb Nt Ich Ing Da Ur CN Ui Ii Sb Am**
- 66695. *Polia bombycina grisea* (Butler,1878)** (Noctuidae) Synonym(s): *grisea* Butler,1878; *adjuncta* Staudinger,1888; *etrica* Graeser,1889; *advenina* Bryk,1949; *korealgene* Bryk,1949. Range (in code): **JP RU Us Vv Ask KP KR CN Sh**
- 66696. *Polia bombycina mongolica* (Staudinger,1896)** (Noctuidae) Synonym(s): *mongolica* Staudinger,1896. Range (in code): **MN RU Sj DsA KG Tk Dj Lps Ssn Ket**
- 66697. *Polia bombycina psammochroa* Varga,1974** (Noctuidae) Synonym(s): *psammochroa* Varga,1974. Range (in code): **MN**
- 66698. *Polia bombycina puengeleri* Lehmann,1998** (Noctuidae) Synonym(s): *puengeleri* Lehmann,1998. Range (in code): **KK Ax KG TrA Aa UZ KuA TeA Ik Na**
- 66699. *Polia conspicua* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *conspicua* A.Bang-Haas,1912. Range (in code): **FI**
- 66700. *Polia enodata* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *enodata* A.Bang-Haas,1912. Range (in code): **TJ Pm Chr**
- 66701. *Polia hepatica* (Clerck,1759)** (Noctuidae) Synonym(s): *hepatica* Clerck,1759; *socia* Hufnagel,1766; *petrificata* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *petrificosa* Hübner,[1803]; *petrolignea* Hübner,[1821]; *incognita* Butler,1885. Original Reference: [Phalaena] hepatica Clerck,1759, Icon. Ins. rariorum Pl.8, fig.3. Type: Schweden. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Cc Ro Nt Kr Sb At Ur Am MD UA BY MN U-B** Bionomy: Larva on Betula, Vaccinium (Hampson,1905).
- 66702. *Polia lamuta* (Herz,1903)** (Noctuidae) Synonym(s): *lamuta* Herz,1903. Range (in code): **SE FI**
- 66703. *Polia malchani* (Draudt,1934)** (Noctuidae) Synonym(s): *malchani* Draudt,1934. Range (in code): **RU Ur**
- 66704. *Polia mortua* (Staudinger,1888)** (Noctuidae) Synonym(s): *mortua* Staudinger,1888; *nigerrima* W.Warren,1888; *afra* Graeser,1888; *kala* Swinhoe,1900; *szetschwana* Draeseke,1928; *minorita* Bryk,1948. Original Reference: Mamestra mortua Staudinger,1888, Stettin ent. Ztg. 49: 249. Type ♀: [Russia]: Askold. Range (in code): **RU Us Ask CN IN PK Thu**
- 66705. *Polia nebulosa* (Hufnagel,1766)** (Noctuidae) Synonym(s): *nebulosa* Hufnagel,1766; *bimaculosa* Esper,1788 *nec* Linn.,1767; *thapsi* Brahm,1791; *grandis* Donovan,1801; *plebeja* Hübner,[1803]. Original Reference: Phalaena nebulosa Hufnagel,1766, Berl. Mag. 4(2): 418. Type(s): [Germany]: Berlin. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU Kr St Ro Kc Kb Nt Ich Ing Da Sb At Prj Us MD UA BY CN Ti Ii Ui MN Uli JP KP KR KG Tar KK Ik TrA DsA GG Smt Akh Cc Bjo Lag AZ Kir** Bionomy: Larva on Betula, Salix, Ulmus (Hampson,1905).
- 66706. *Polia richardsoni* (Curtis,1834)** (Noctuidae) Synonym(s): *richardsoni* Curtis,1834. Range (in code): **NO SE FI**
- 66707. *Polia sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. Original Reference: Phalaena sagittigera Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. Range (in code): **DZ BtNa Lbs ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Da Sb At MD UA BY Ur KG At Tab DsA CN Ui Ii**
- 66708. *Polia sagittigera sagittigera* (Hufnagel,1766)** (Noctuidae) Synonym(s): *sagittigera* Hufnagel,1766; *leucophaea* [Denis & Schiffermüller],1775; *fulminea* Fabricius,1781; *vestigialis* Esper,[1785]; *ravida* Esper,[1789]; *pyrenaica* Oberthür,1884; *incana* Millière,1885. Original Reference: Phalaena sagittigera Hufnagel,1766, Berl. Mag. 3(3): 410. Type(s): [Germany]: Berlin. Range (in code): **DZ BtNa Lbs ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Sb At MD UA BY Ur KG At Tab DsA CN Ui Ii**
- 66709. *Polia sagittigera uighur* Koçak & Kemal,2001** (Noctuidae) Synonym(s): *bombycina* Eversmann,1847 *nec* Hufn.,1766; *uighur* Koçak & Kemal,2001. Original Reference: *Polia sagittigera* ssp. *uighur* Koçak & Kemal,2001, Cent. ent. Stud., Misc. Pap. 78/79: 11 (nomen novum pro *bombycina* Eversmann,1847 *nec* Hufnagel,1766). Range (in code): **TR RU Ro Kr St Kb Nt Ich Ing Da Cc Ur KG At Tab DsA CN Ui**

- 66710. Polia scotochlora Kollar,[1844]** (Noctuidae) Synonym(s): *scotochlora* Kollar,[1844]
Original Reference: Polia scotochlora Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4 (2): 482. Type: Kaschmir. Range (in code): **PK Thu Ch**
- 66711. Polia serratilinea Ochsenheimer,1816** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinker* Varga,1974. Original Reference: Polia serratilinea Ochsenheimer,1816, Schmett. Eur. 4: 74. Type(s): -. Range (in code): **FR IT BE CH AT CZ SK YU BG GR TR GG Smt Akh AZ Iag AM Cc IR Zj IR Elb Kdv Dam Mz RU Ro Kb Nt Ich Ing Da Ur KK TeA TrA TJ Pm Chr**
- 66712. Polia serratilinea serratilinea (Treitschke,1825)** (Noctuidae) Synonym(s): *serratilinea* Ochsenheimer,1816; *helvetica* Schawerda,1925; *kowatschevi* Drenowski,1931; *pinker* Varga,1974. Original Reference: Polia serratilinea Ochsenheimer,1816, Schmett. Eur. 4: 74. Type(s): -. Range (in code): **FR IT BE CH AT CZ SK YU BG GR TR GG Smt Akh AZ Iag AM Cc IR Zj**
- 66713. Polia serratilinea spalax (Alpheraky,1897)** (Noctuidae) Synonym(s): *spalax* Alpheraky,1897 Range (in code): **RU Cc Ro Kb Nt Ich Ing Da Ur At Sb CN Ui IR Elb Kdv Dam Mz KK TeA TrA**
- 66714. Polia serratilinea tenebricosa Hacker & Weigert,1990** (Noctuidae) Synonym(s): *tenebricosa* Hacker & Weigert,1990 Range (in code): **TJ Pm Chr**
- 66715. Polia vespertilio (Draudt,1934)** (Noctuidae) Synonym(s): *vespertilio* Draudt,1934 Range (in code): **RU Ur**
- 66716. Poliofoca gebenna (Swinhoe,1903)** (Noctuidae) Synonym(s): *gebenna* Swinhoe,1903 Range (in code): **TH Ntt Hba MY PH**
- 66717. Polychrysis esmeralda (Oberthür,1880)** (Noctuidae) Synonym(s): *esmeralda* Oberthür,1880 Range (in code): **RU KK TrA Ax**
- 66718. Polychrysis moneta (Fabricius,1787)** (Noctuidae) Synonym(s): *moneta* Fabricius,1787; *argyritis* Esper,1787; *napelli* Villers,1789 Original Reference: Noctua moneta Fabricius,1787, Mantissa Insectorum 2: 162. Type: Austria. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Ro Kr Ich MD UA BY GG Smt Akh Cc TR** Bionomy: Larva on Aconitum napellus, A. lycoctonum (Warren,1913).
- 66719. Polydesma boarmoides Guenée,1852** (Noctuidae) Synonym(s): *boarmoides* Guenée,1852; *mastrucata* R.Felder & Rogenhofer,1874 Range (in code): **ZA IN Ch ID Ja Nk TH CMa Int Cuo Cuo7 VN MM NP CN TW JP KP KR PH NC NH WS FJ Tw AU** Bionomy: Larva on Litchi chinensis (Sapindaceae) (Kuroko & Lewvanich,1993).
- 66720. Polydesma sagulata Wallengren,1875** (Noctuidae) Synonym(s): *sagulata* Wallengren,1875 Range (in code): **ZA**
- 66721. Polydesma scriptilis Guenée,1852** (Noctuidae) Synonym(s): *scriptilis* Guenée,1852; *otiosa* Guenée,1852; *brevipalpis* Walker,[1858]; Range (in code): **ZA NA Dmr IN**
- 66722. Polydesma sexmaculata Berio,1971** (Noctuidae) Synonym(s): *sexmaculata* Berio,1971 Range (in code): **ZA**
- 66723. Polydesma umbricola Boisduval,1833** (Noctuidae) Synonym(s): *umbricola* Boisduval,1833; *collutrix* Geyer,1837; *landula* Guenée,1852; *determinata* Wallengren,1863; *#colutrix* Hampson,1916 Range (in code): **NG Caa EG KE MW Zom ZW Har ZA Tva Lpo Nta Kzu Est MG TW IN LK MM Adm SG MY**
- 66724. Polymixis (Bischoffia) alaschja Hacker,1996** (Noctuidae) Synonym(s): *alaschja* Hacker,1996 Original Reference: Polymixis alaschja Hacker,1996, Esperiana 4: 299-300, figs. Holotype ♂: Zypern: Troodos Gebirge, s.d. Lania, 600m, 24.x.1989 leg. Arenberger (coll. Hacker). Range (in code): **CY**
- 66725. Polymixis (Bischoffia) apora (Staudinger,1898)** (Noctuidae) Synonym(s): *apora* Staudinger,1898 Range (in code): **IQ Rwz LB Bei IL Js Pa** Bionomy: Larva on Sonchus, Taraxacum (Asteraceae) (Wiltshire,1935).
- 66726. Polymixis (Bischoffia) bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850] Original Reference: Polia bischoffi Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:265. Type(s): [Turkey]: Konstantinopel [=Istanbul]; Lectotype: İzmir. Range (in code): **GR Sms Ae TR SY LB Bei IQ**
- 66727. Polymixis (Bischoffia) bischoffi bischoffi (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bischoffi* Herrich-Schäffer,[1850] Original Reference: Polia bischoffi Herrich-Schäffer,[1850], Syst. Bearb. Schmett. Eur. 2:265. Type(s): [Turkey]: Konstantinopel [=Istanbul]. Range (in code): **GR Sms Ae TR SY LB Bei IQ**

- 66728. Polymixis (Bischoffia) culoti (Schawerda,1921)** (Noctuidae) Synonym(s): *culoti* Schawerda,1921 Original Reference: *Hadena bischoffi* var. *culoti* Schawerda,1921, Mitt. münch. ent. Ges. 11: 71. Range (in code): **YU AL GR Cr**
- 66729. Polymixis (Bischoffia) culoti cretica L.Ronkay & Varga,1986** (Noctuidae) Synonym(s): *cretica* L.Ronkay & Varga,1986 Range (in code): **GR Cr**
- 66730. Polymixis (Bischoffia) culoti culoti (Schawerda,1921)** (Noctuidae) Synonym(s): *culoti* Schawerda,1921 Original Reference: *Hadena bischoffi* var. *culoti* Schawerda,1921, Mitt. münch. ent. Ges. 11: 71. Range (in code): **YU AL GR**
- 66731. Polymixis (Bousinixis) pamiridia Boursin,1968** (Noctuidae) Synonym(s): *pamiridia* Boursin,1968 Range (in code): **AF Pm TJ Chr**
- 66732. Polymixis (Bousinixis) polymorpha Boursin,1960** (Noctuidae) Synonym(s): *polymorpha* Boursin,1960 Range (in code): **AF Slg**
- 66733. Polymixis (Bousinixis) stictineura Boursin,1960** (Noctuidae) Synonym(s): *stictineura* Boursin,1960 Range (in code): **AF Slg**
- 66734. Polymixis (Bousinixis) zophodes Boursin,1960** (Noctuidae) Synonym(s): *zophodes* Boursin,1960 Range (in code): **AF Slg**
- 66735. Polymixis (Brandticola) dubiosa (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938 Original Reference: Antitype *dubiosa* Brandt,1938, Ent. Rdsch. 55: 518, fig. 89. Holotype ♂: Iran: [Tehran]: Keredj (NRS). Range (in code): **IR Fa Th Kdj Elb Hz Ss Lo B-A TR**
- 66736. Polymixis (Brandticola) dubiosa dubiosa (Brandt,1938)** (Noctuidae) Synonym(s): *dubiosa* Brandt,1938 Original Reference: Antitype *dubiosa* Brandt,1938, Ent. Rdsch. 55: 518, fig. 89. Holotype ♂: Iran: [Tehran]: Keredj (NRS). Range (in code): **TR IR Fa Th Elb Kdj**
- 66737. Polymixis (Brandticola) dubiosa roseotincta (Brandt,1941)** (Noctuidae) Synonym(s): *roseotincta* Brandt,1941 Original Reference: Antitype *dubiosa* ssp. *roseotincta* Brandt,1941, Mitt. münch. ent. Ges. 31: 847-848. Syntypes: Iran: Soultanabad, Laristan Sardze Umg. Range (in code): **IR Hz Ss**
- 66738. Polymixis (Eremophysa) acharis (Püngeler,1901)** (Noctuidae) Synonym(s): *acharis* Püngeler,1901; *intermissa* Boursin,1944. Range (in code): **AF CN Ui Au KG Tk KK TeA Ax TJ Pm Chr**
- 66739. Polymixis (Eremophysa) acharis acharis (Püngeler,1901)** (Noctuidae) Synonym(s): *acharis* Püngeler,1901; *intermissa* Boursin,1944 Range (in code): **CN Ui Au KG Tk KK TeA Ax TJ Pm Chr**
- 66740. Polymixis (Eremophysa) acharis afghana (Boursin,1963)** (Noctuidae) Synonym(s): *afghana* Boursin,1963. Range (in code): **AF Bd Pag**
- 66741. Polymixis (Eremophysa) apothaina (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938 Original Reference: *Sidemia apothaina* Brandt,1938, Ent. Rdsch. 55: 522-523, figs. 82-84. Syntypes ♂: Iran: [Tehran]: Keredj. Range (in code): **TR IR Hz Th Kdj Elb Km Ksh JO IQ AF Srb AZ Nv Ngm Drh Dz Cc TM Kp**
- 66742. Polymixis (Eremophysa) apothaina apothaina (Brandt,1938)** (Noctuidae) Synonym(s): *apothaina* Brandt,1938 Original Reference: *Sidemia apothaina* Brandt,1938, Ent. Rdsch. 55: 522-523, figs. 82-84. Syntypes ♂: Iran: [Tehran]: Keredj. Range (in code): **IR Th Elb Kdj IQ AF Srb Cc AZ Nv Ngm Drh Dz TM Kp**
- 66743. Polymixis (Eremophysa) apothaina exspectata (Hacker,[1987])** (Noctuidae) Synonym(s): *exspectata* Hacker,[1987] Original Reference: *Eremophysa apothaina* ssp. *exspectata* Hacker,[1987], Atalanta 18: 143, Taf. 3 figs.3-6. Holotype ♂: Türkei: Prov. Kars, Araç-Tal [Aras], 7km ö. Karakurt, 1600m 27.ix.1986 (leg. & coll. Hacker). Range (in code): **TR Cc JO**
- 66744. Polymixis (Eremophysa) apothaina laristana (Brandt,1941)** (Noctuidae) Synonym(s): *laristana* Brandt,1941 Original Reference: *Sidemia apothaina* ssp. *laristana* Brandt,1941, Mitt. münch. ent. Ges. 31: 850. Syntypes: Iran: Lorestan: Sardze Umg. Range (in code): **IR Hz**
- 66745. Polymixis (Eremophysa) argillosa Boursin,1970** (Noctuidae) Synonym(s): *argillosa* Boursin,1970 Range (in code): **AF**
- 66746. Polymixis (Eremophysa) calamistis (Hampson,1906)** (Noctuidae) Synonym(s): *calamistis* Hampson,1906 Range (in code): **Ch Dra IN**
- 66747. Polymixis (Eremophysa) epiphlebs (Turati & C.G.Krüger,1936)** (Noctuidae) Synonym(s): *epiphlebs* Turati & C.G.Krüger,1936 Range (in code): **LY Cy IL Pa**

- 66748. Polymixis (Eremophysa) gracilis (Brandt,1941)** (Noctuidae) Synonym(s): *gracilis* Brandt,1941 Original Reference: Sidemia gracilis Brandt,1941, Mitt. münch. ent. Ges. 31: 849, fig.35. Syntypes: Iran: Lorestan: Sardze Umg.; Bender Tchahbahar. Range (in code): **IR Hz Ss Lo**
- 66749. Polymixis (Eremophysa) hedygramma (Brandt,1941)** (Noctuidae) Synonym(s): *hedygramma* Brandt,1941 Original Reference: Sidemia hedygramma Brandt,1941, Mitt. münch. ent. Ges. 31: 849, fig.36. Syntypes: Iran: Lorestan: Sardze Umg.; Bender Tchahbahar. Range (in code): **IR Hz Ss Lo**
- 66750. Polymixis (Eremophysa) omanensis (Boursin,1970)** (Noctuidae) Synonym(s): *omanensis* Boursin,1970 Range (in code): **OM**
- 66751. Polymixis (Eremophysa) roehrei Boursin,1961** (Noctuidae) Synonym(s): *roehrei* Boursin,1961 Range (in code): **AF Gbh**
- 66752. Polymixis (Eremophysa) scrophulariae (Wiltshire,1952)** (Noctuidae) Synonym(s): *scrophulariae* Wiltshire,1952 Range (in code): **IR Fa**
- 66753. Polymixis (Eumichtis) aurora (Turati,1924)** (Noctuidae) Synonym(s): *aurora* Turati,1924; *glaisi* D.Lucas,1932 Range (in code): **MA EG TN Gf LY Cy**
- 66754. Polymixis (Eumichtis) aurora aegyptica Wiltshire,1947** (Noctuidae) Synonym(s): *aegyptica* Wiltshire,1947 Range (in code): **EG**
- 66755. Polymixis (Eumichtis) aurora aurora (Turati,1924)** (Noctuidae) Synonym(s): *aurora* Turati,1924; *glaisi* D.Lucas,1932 Range (in code): **TN Gf LY Cy**
- 66756. Polymixis (Eumichtis) aurora commixta (Rungs,1942)** (Noctuidae) Synonym(s): *commixta* Rungs,1942 Range (in code): **MA**
- 66757. Polymixis (Eumichtis) dyssymetrica Rungs,1967** (Noctuidae) Synonym(s): *dyssymetrica* Rungs,1967 Range (in code): **MA**
- 66758. Polymixis (Eumichtis) dyssymetrica dyssymetrica Rungs,1967** (Noctuidae) Synonym(s): *dyssymetrica* Rungs,1967 Range (in code): **MA**
- 66759. Polymixis (Eumichtis) fiorii (Boursin,1940)** (Noctuidae) Synonym(s): *fiorii* Boursin,1940 Range (in code): **LY**
- 66760. Polymixis (Eumichtis) fiorii fiorii (Boursin,1940)** (Noctuidae) Synonym(s): *fiorii* Boursin,1940 Range (in code): **LY**
- 66761. Polymixis (Eumichtis) lea (Staudinger,1898)** (Noctuidae) Synonym(s): *lea* Staudinger,1898 Range (in code): **JO IL Jt Pa LB EG Sn**
- 66762. Polymixis (Eumichtis) lichenea (Hübner,[1813])** (Noctuidae) Synonym(s): *lichenea* Hübner,[1813]; *viridicincta* Freyer,1831; *tephra* Geyer,[1832]; *aetna* Turati,1908; *apennina* Dannehl,1929 Range (in code): **MA DZ Ges BtNa Hrh Abe Afl TN ES FR Co Sa Si IT IE GB BE NL DK**
- 66763. Polymixis (Eumichtis) lichenea lichenea (Hübner,[1813])** (Noctuidae) Synonym(s): *lichenea* Hübner,[1813]; *viridicincta* Freyer,1831; *tephra* Geyer,[1832]; *aetna* Turati,1908; *apennina* Dannehl,1929 Range (in code): **ES FR Co Sa Si IT IE DK**
- 66764. Polymixis (Eumichtis) lichenea mirabilis (Rungs,1940)** (Noctuidae) Synonym(s): *mirabilis* Rungs,1940; *annibalella* D.Lucas,1950 Range (in code): **MA DZ Ges BtNa Hrh Abe Afl TN**
- 66765. Polymixis (Eumichtis) lichenea scillonea (Richardson,1958)** (Noctuidae) Synonym(s): *scillonea* Richardson,1958; *septentrionalis* Lempke,1954 Range (in code): **GB NL BE**
- 66766. Polymixis (Eumichtis) pirkadatka L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *pirkadatka* L.Ronkay & Gyulai,2006 Range (in code): **IR Es**
- 66767. Polymixis (Eumichtis) rupicola (Turati,1924)** (Noctuidae) Synonym(s): *rupicola* Turati,1924 Range (in code): **LY Cy**
- 66768. Polymixis (Eumichtis) rupicola rupicola (Turati,1924)** (Noctuidae) Synonym(s): *rupicola* Turati,1924 Range (in code): **LY Cy**
- 66769. Polymixis (Eumichtis) susica (Rungs,1950)** (Noctuidae) Synonym(s): *susica* Rungs,1950 Range (in code): **MA**
- 66770. Polymixis (Eumichtis) susica susica (Rungs,1950)** (Noctuidae) Synonym(s): *susica* Rungs,1950 Range (in code): **MA**
- 66771. Polymixis (Eumichtis) variabilis (Stertz,1915)** (Noctuidae) Synonym(s): *variabilis* Stertz,1915; *concolor* Oberthür,1918; *rosea* Rothschild,1920 Original Reference: Dasystemum variabilis Stertz,1915, Dt. ent. Z., Iris 29: 128, Taf.3 figs.19,20. Type: Algerien, Guelt-es-Stel. Range (in code): **DZ Eba Ges Lbs**
- 66772. Polymixis (Eumichtis) variabilis variabilis (Stertz,1915)** (Noctuidae) Synonym(s): *variabilis* Stertz,1915; *concolor* Oberthür,1918; *rosea* Rothschild,1920 Range (in code): **DZ**

- 66773. Polymixis (Parabrachionycha) atossa (Wiltshire,1941)** (Noctuidae) Synonym(s): *atossa* Wiltshire,1941; *limula* Sukhareva,1978; *derrai* Hacker,1990; *centralasiae* Hacker & Behounek,1990
Range (in code): **IR Fa TR Cc TM Kp TJ Pm Chr RU Ur**
- 66774. Polymixis (Parabrachionycha) malickyi Hacker & Fibiger,1992** (Noctuidae) Synonym(s): *malickyi* Hacker & Fibiger,1992 Range (in code): **Cr**
- 66775. Polymixis (Parabrachionycha) trisignata (Ménétriés,1847)** (Noctuidae) Synonym(s): *trisignata* Ménétriés,1847; *leuconota* Herrich-Schäffer,[1850]; *nasamonius* Turati,1924
Range (in code): **LY RO MK BG GR Cr Rd TR Cc AZ Kir RU Ro UA TM CY LB IL Pa Hf JO SY UZ Fe AF IR Elb Th Gl**
- 66776. Polymixis (s.str.) ancepsoides Poole,1989** (Noctuidae) Synonym(s): *anceps* Staudinger,1898 nec Stph.,1850; *ancepsoides* Poole,1989 Range (in code): **JO IL Jt Pa TR CY**
- 66777. Polymixis (s.str.) argillaceago (Hübner,[1822])** (Noctuidae) Synonym(s): *argillaceago* Hübner,[1822]; *venusta* Boisduval,1829 Range (in code): **PT ES FR IT**
- 66778. Polymixis (s.str.) boursini (Rungs,1949)** (Noctuidae) Synonym(s): *boursini* Rungs,1949
Range (in code): **MA**
- 66779. Polymixis (s.str.) bousseau (D.Lucas,1934)** (Noctuidae) Synonym(s): *bousseau* D.Lucas,1934; *rhododactyla* Zerny,1934 Range (in code): **MA DZ Tlm**
- 66780. Polymixis (s.str.) bousseau bousseau (D.Lucas,1934)** (Noctuidae) Synonym(s): *bousseau* D.Lucas,1934; *rhododactyla* Zerny,1934 Range (in code): **MA DZ Tlm**
- 66781. Polymixis (s.str.) chrysographa (F.Wagner,1931)** (Noctuidae) Synonym(s): *chrysographa* F.Wagner,1931 Range (in code): **TR Cc AZ Nv Ngm**
- 66782. Polymixis (s.str.) crinomima (Wiltshire,1946)** (Noctuidae) Synonym(s): *crinomima* Wiltshire,1946 Range (in code): **IR Fa Km TR TM Kp**
- 66783. Polymixis (s.str.) csorbagabori L.Ronkay, Varga & Hreblay,1998** (Noctuidae) Synonym(s): *csorbagabori* L.Ronkay, Varga & Hreblay,1998 Range (in code): **TR**
- 66784. Polymixis (s.str.) dubia (Duponchel,1836)** (Noctuidae) Synonym(s): *dubia* Duponchel,1836; *caerulescens* Boisduval,1840; *typhonias* Millière,1882; *randoui* Stertz,1902; *luna* Schwingenschuss,1930; *mus* Boursin,1934 Range (in code): **DZ Btma Abe Bsk TN Gf PT ES FR IT CH**
Bionomy: Larva on *Diplotaxis pendula* [Brassicaceae] (Chrétien,1917).
- 66785. Polymixis (s.str.) flavicincta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schiffermüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790] Original Reference: *Noctua flavicincta* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s):* [Austria]: Vienna district. Range (in code): **MA DZ Masc Blid Btma Abe Hrh TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE**
Bionomy: Larva on *Prunus cerasus* ([Denis & Schiffermüller],1775 et seq.).
- 66786. Polymixis (s.str.) flavicincta calvescens (Boisduval,1840)** (Noctuidae) Synonym(s): *calvescens* Boisduval,1840; *enceladaea* Turati,1909 Range (in code): **IT Si**
- 66787. Polymixis (s.str.) flavicincta caroli Plante,1975** (Noctuidae) Synonym(s): *caroli* Plante,1975 Range (in code): **DZ Masc Blid Btma Abe Hrh**
- 66788. Polymixis (s.str.) flavicincta flavicincta ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#flavicincta* [Denis & Schiffermüller],1775; *dysodea* Esper,[1790]; *major* Esper,[1790] Original Reference: *Noctua flavicincta* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 72. Type(s):* [Austria]: Vienna district. Range (in code): **FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE**
- 66789. Polymixis (s.str.) flavicincta lajonquierei Boursin,1963** (Noctuidae) Synonym(s): *lajonquierei* Boursin,1963 Range (in code): **PT ES**
- 66790. Polymixis (s.str.) flavicincta laportei Plante,1975** (Noctuidae) Synonym(s): *laportei* Plante,1975 Range (in code): **MA**
- 66791. Polymixis (s.str.) flavicincta meridionalis (Boisduval,1840)** (Noctuidae) Synonym(s): *meridionalis* Boisduval,1840 Range (in code): **FR Co**
- 66792. Polymixis (s.str.) germana (Rothschild,1914)** (Noctuidae) Synonym(s): *germana* Rothschild,1914; *rosinata* Oberthür,1918 Original Reference: Antitype *germana* Rothschild,1914, *Novit. zool. 21: 330. Type:* Algeria, "Guelt-es-Stel". Range (in code): **DZ Ges**
- 66793. Polymixis (s.str.) iatnana Hacker,1996** (Noctuidae) Synonym(s): *iatnana* Hacker,1996
Range (in code): **CY**
- 66794. Polymixis (s.str.) ivanchiki Pekarsky,2012** (Noctuidae) Synonym(s): *ivanchiki* Pekarsky,2012 Range (in code): **LB Bei IL Pa Js TR IR Km Ksh**

- 66795. Polymixis (s.str.) jabaliya (Wiltshire,1987)** (Noctuidae) Synonym(s): *jabaliya* Wiltshire,1987 _ Range (in code): OM
- 66796. Polymixis (s.str.) juditha (Staudinger,1898)** (Noctuidae) Synonym(s): *juditha* Staudinger,1898 _ Range (in code): IL Jt Pa JP EG Sn
- 66797. Polymixis (s.str.) manisadjiani (Staudinger,1881)** (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 _ Original Reference: Polia manisadjiani Staudinger,1881, Horae Soc. ent. ross. 16: 73. Syntypes ♂♀: [Türkei]: Amasia. Range (in code): TR Cc AM LB Bsa Pa IL CY
- 66798. Polymixis (s.str.) manisadjiani manisadjiani (Staudinger,1882)** (Noctuidae) Synonym(s): *manisadjiani* Staudinger,1881 _ Original Reference: Polia manisadjiani Staudinger,1881, Horae Soc. ent. ross. 16: 73. Syntypes ♂♀: [Türkei]: Amasia. Range (in code): TR Cc
- 66799. Polymixis (s.str.) manisadjiani salamis Fibiger, Nilsson & Svendsen,1999** (Noctuidae) Synonym(s): *salamis* Fibiger, Nilsson & Svendsen,1999 _ Range (in code): CY
- 66800. Polymixis (s.str.) manisadjiani schwingenschussi (Draudt,1937)** (Noctuidae) Synonym(s): *schwingenschussi* Draudt,1937 _ Range (in code): LB Bsa IL Pa
- 66801. Polymixis (s.str.) manisadjiani vardikiani Ronkay & Varga,1986** (Noctuidae) Synonym(s): *vardikiani* Ronkay & Varga,1986; #*vardikiana* Baisch et al.,1998. _ Range (in code): Cc AM TR
- 66802. Polymixis (s.str.) perchrysa Hacker & Ronkay,1992** (Noctuidae) Synonym(s): *perchrysa* Hacker & Ronkay,1992 _ Original Reference: Polymixis (Myxinia) perchrysa Hacker & Ronkay,1992, Esperiana 3: 488-489, figs. Holotype ♂: Turkey: Ağrı Prov., Karasu- Aras Dağları, 7km E Aydıntepe 13.x.1989 (G.Csorba & R. Ronkay leg.) (coll. Ronkay). Range (in code): SY Bld Cc AM TR
- 66803. Polymixis (s.str.) philippsi (Püngeler,1911)** (Noctuidae) Synonym(s): *philippsi* Püngeler,1911 _ Original Reference: Antitype (Polia) philippsi Püngeler,1911, [in] Stichel et al., 160, fig.9. Syntypes 10♂ 10♀: [Iran]: Persia: Sultanabad. Range (in code): IR TM Kp Cc AZ Nv Ngm Dz TR
- 66804. Polymixis (s.str.) polymita (Linnaeus,1761)** (Noctuidae) Synonym(s): *viridiobscura* Goeze,1781; *ridens* Hübner,[1803]; *aithalodes* Dannehl,1929 _ Original Reference: Phalaena polymita Linnaeus,1761, Fauna Suec. (Edn.2): 321. Type(s): Schweden. Range (in code): FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU Cc Ro
- 66805. Polymixis (s.str.) rebecca (Staudinger,1892)** (Noctuidae) Synonym(s): *rebecca* Staudinger,1892 _ Original Reference: Polia rebecca Staudinger,1892, Dt. ent. Z., Iris 4: 282-283. Syntypes ♂♀: [Israel]: Jerusalem (Paulus leg.). Range (in code): IL Js Hf Pa LB JO EG Sn
- 66806. Polymixis (s.str.) rjabovi (Boursin,1944)** (Noctuidae) Synonym(s): *rjabovi* Boursin,1944 _ Original Reference: Crino rjabovi Boursin,1944, Revue Fr. Ent. 10 (3): 77-78, pl.ii figs.1,17. Holotype ♂: [Azerbaidjan]: Negram sur l'Araxe 17.x.31 M.Rjabov leg. (NHMW). Range (in code): SY Bld Cc AZ Nv Ngm TR
- 66807. Polymixis (s.str.) rosinae (Bohatsch,1910)** (Noctuidae) Synonym(s): *rosinae* Bohatsch,1910; *paradisiaca* Boursin,1944; *gilva* Sukhareva,1976; *paravarga* L.Ronkay,1990; *himalaya* Hacker & Weigert,1990 _ Original Reference: Leucochlaena rosinae Bohatsch,1910, Jb. ent. Ver. Wien 19: 163. Syntypes: [Turkey: Iğdır]: Kulp (Russ. Armenien) [sic!]. Range (in code): TR Cc AZ Nv Dz Ngm IR Elb Th Kdv Kdj TM PK Bt Bbu
- 66808. Polymixis (s.str.) rufocincta (Geyer,1828)** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. _ Original Reference: Noctua rufocincta Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 2, Noctuae: Taf.160, figs.747-748. Syntypes: Fiume [=Rijeka]. Range (in code): FR Sa Si IT CH AT HU RO YU AL BG GR Cr Rd TR Cc AZ Kir CY LB Bsa IL Pa Hf JO IR Fa RU Kr Nt Da Kap
- 66809. Polymixis (s.str.) rufocincta flavidior (W.Warren,1911)** (Noctuidae) Synonym(s): *flavidior* W.Warren,1911 _ Range (in code): TR Cc AZ Kir LB IL Bsa Pa JO IR Fa
- 66810. Polymixis (s.str.) rufocincta rufocincta (Geyer,[1828])** (Noctuidae) Synonym(s): *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. _ Original Reference: Noctua rufocincta Geyer,[1828], [in] Hübner, Samml. eur. Schmett. 2, Noctuae: Taf.160, figs.747-748. Syntypes: Fiume [=Rijeka]. Range (in code): FR Sa Si IT CH AT RO YU AL BG GR Cr RU Kr Nt Da Cc Kap
- 66811. Polymixis (s.str.) rungsi Plante,1975** (Noctuidae) Synonym(s): *rungsii* Plante,1975 _ Range (in code): MA
- 66812. Polymixis (s.str.) rungsi rungsi Plante,1975** (Noctuidae) Synonym(s): *rungsii* Plante,1975 _ Range (in code): MA

- 66813. Polymixis (s.str.) serpentina (Treitschke,1825)** (Noctuidae) Synonym(s): *serpentina* Treitschke,1825 Original Reference: Miselia serpentina Treitschke,1825, Schmett. Eur. 5(1):399. Syntypes: [Croatia]: Fiume [=Rijeka]. Range (in code): **IT SS HV YU AL BG GR Cr Rd TR IL Pa Hf LB**
- 66814. Polymixis (s.str.) sublutea (Turati,1909)** (Noctuidae) Synonym(s): *sublutea* Turati,1909 Range (in code): **DZ MA IT Si**
- 66815. Polymixis (s.str.) sublutea sublutea (Turati,1909)** (Noctuidae) Synonym(s): *sublutea* Turati,1909 Range (in code): **IT Si DZ**
- 66816. Polymixis (s.str.) sublutea viettei Plante,1975** (Noctuidae) Synonym(s): *viettei* Plante,1975 Range (in code): **MA**
- 66817. Polymixis (s.str.) subvenusta (Püngeler,1906)** (Noctuidae) Synonym(s): *subvenusta* Püngeler,1906; *deliciosa* Oberthür,1907; *discalis* Rothschild,1912 Original Reference: Antitype subvenusta Püngeler,1906, Dt. ent. Z., Iris 19: 9. Syntypes: Jerusalem. Range (in code): **DZ Ges Sbd Btna MA SA SY IL Js Pa Jo**
- 66818. Polymixis (s.str.) xanthomista (Hübner,[1819])** (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929 Range (in code): **MA DZ Sbd PT ES FR Sa? Si IT IE GB DE CH AT PL CZ SK HU RO BG GR Rd TR Cc**
- 66819. Polymixis (s.str.) xanthomista chehebia Rungs,1972** (Noctuidae) Synonym(s): *chehebia* Rungs,1972 Range (in code): **MA**
- 66820. Polymixis (s.str.) xanthomista hadenina Rungs,1972** (Noctuidae) Synonym(s): *hadenina* Rungs,1972 Range (in code): **MA**
- 66821. Polymixis (s.str.) xanthomista maftouha Rungs,1967** (Noctuidae) Synonym(s): *maftouha* Rungs,1967 Range (in code): **MA**
- 66822. Polymixis (s.str.) xanthomista rmedia Rungs,1967** (Noctuidae) Synonym(s): *rmedia* Rungs,1967 Range (in code): **MA**
- 66823. Polymixis (s.str.) xanthomista xanthomista (Hübner,[1819])** (Noctuidae) Synonym(s): *xanthomista* Hübner,[1819]; *nigrocincta* Treitschke,1825; *nivescens* Staudinger,1861; *nivea* Dannehl,1929 Range (in code): **PT ES FR Sa? Si IT IE GB DE CH AT PL CZ SK HU RO BG GR Rd TR Cc**
- 66824. Polymixis (s.str.) zagrobia (Wiltshire,1941)** (Noctuidae) Synonym(s): *zagrobia* Wiltshire,1941 Range (in code): **IR Fa**
- 66825. Polymixis aphrodite Fibiger,1997** (Noctuidae) Synonym(s): *aphrodite* Fibiger,1997 Range (in code): **TR CY SY? Hal?**
- 66826. Polymixis calligrapha Benedek & L.Ronkay,2002** (Noctuidae) Synonym(s): *calligrapha* Benedek & L.Ronkay,2002 Range (in code): **PK Hz**
- 66827. Polymixis fibrillata L.Ronkay & Gyulai,2006** (Noctuidae) Synonym(s): *fibrillata* L.Ronkay & Gyulai,2006 Range (in code): **IR**
- 66828. Polymixis gemmea (Treitschke,1825)** (Noctuidae) Synonym(s): *gemmea* Treitschke,1825 Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK YU DK NO SE FI EE LV LT RU MD UA BY**
- 66829. Polymixis mandchurica Boursin,1970** (Noctuidae) Synonym(s): *mandchurica* Boursin,1970 Range (in code): **CN Mc RU Us KP**
- 66830. Polymixis viridula (Staudinger,1895)** (Noctuidae) Synonym(s): *viridula* Staudinger,1895 Range (in code): **CN Ui Ln Ts Kno**
- 66831. Polyorycta pudica (Snellen,1880)** (Noctuidae) Synonym(s): *pudica* Snellen,1880; *acantioides* Moore,1882; *interrupta* Moore,1885 Range (in code): **IN LK**
- 66832. Polyphaenis hemiphaenis Boursin,1970** (Noctuidae) Synonym(s): *hemiphaenis* Boursin,1970 Range (in code): **AF**
- 66833. Polyphaenis monophaeenis Brandt,1938** (Noctuidae) Synonym(s): *monophaeenis* Brandt,1938; *#unicoloris* Brandt,1938. Original Reference: Polyphaenis monophaeenis Brandt,1938, Ent. Rdsch. 55: 548, figs.133-137. Syntypes: Iran. Range (in code): **IR By Fa Km Kd Snj Mrv Lo Mia TR**
- 66834. Polyphaenis propinqua Staudinger,[1896]** (Noctuidae) Synonym(s): *propinqua* Staudinger,[1896] Original Reference: Polyphaenis sericata var. propinqua Staudinger,[1896], Dt. ent. Z., Iris 8: 298-299. Syntypes 2♂: [Türkei, Hatay Prov.]: Kleinasien: Akbes. Range (in code): **TR LB Bsa Bei IL Pa SY JO** Bionomy: Larva on Lonicera (Wiltshire,1935).
- 66835. Polyphaenis viridis (De Villers,1789)** (Noctuidae) Synonym(s): *sericata* Esper,[1787] nec ; *viridis* De Villers,1789. Range (in code): **PT ES Mu FR Si IT DE CH AT PL SK HU RO YU AL BG GR**

- Cr TR Cc AM IL Pa RU Kr MD UA BY** Bionomy: Larva on Ligustrum vulgare, Cornus, Lonicera (Hacker,1989).
- 66836. Polypogon caffrarium (Möschler,1883)** (Noctuidae) Synonym(s): *caffrarium* Möschler,1883 Range (in code): **ZA**
- 66837. Polypogon flavicrinalis (Andreas,1910)** (Noctuidae) Synonym(s): *flavicrinalis* Andreas,1910; *gigantea* Turati,1911; *neglecta* Krausse,1912; *authumnalis* Turati,1913; *flavicrinalis* Rothschild,1920 *nec* Andr.,1910; *flavicrinaloides* Poole,1989 Original Reference: *Herminia flavicrinalis* Andreas,1910, Ent. Z. 24 (29): 160-161. Syntypes ♂♂: "Algerien, Umgebung von Stora (Provinz Constantine)". Range (in code): **DZ Cst TN DhM BSa Hrh Agi Phv ES Sa**
- 66838. Polypogon fractale (Guenée,1854)** (Noctuidae) Synonym(s): *fractale* Guenée,1854 Range (in code): **ZA**
- 66839. Polypogon grisealis ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nemoralis* Fabricius,1775 *nec* Scop.,1763; *grisealis* [Denis & Schiffermüller],1775; *sulzeriana* Scopoli,1786; *nemorum* Fabricius,1798; *nemoratus* Haworth,1809 Original Reference: *Pylalis grisealis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Kr St Kb Kc Nt Ich MD UA BY**
- 66840. Polypogon gryphalis (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *gryphalis* Herrich-Schäffer,1851; *parallela* Wileman,1911 *nec* Beth.-Baker.,1911; *romana* Draudt,1936 Range (in code): **FR IT DE CH HU RO YU BG RU Cc Kr GG Lag MD UA BY JP**
- 66841. Polypogon lunalis (Scopoli,1763)** (Noctuidae) Synonym(s): *lunalis* Scopoli,1763 Original Reference: *Phalaena lunalis* Scopoli,1763, Entomologia Carniolica: 241. Type(s): Carniolia. Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR IR GLs DK NO SE FI LV LT RU Cc Ro Kr St Nt Ich Da MD UA BY**
- 66842. Polypogon nigricaria (Osthelder,1933)** (Noctuidae) Synonym(s): *nigricaria* Osthelder,1933 Original Reference: *Herminia nigricaria* Osthelder,1933, Mitt. münch. ent. Ges. 23: 101-102. Syntypes 2♂ 4♀: [Türkei]: Dülül Dag. Range (in code): **TR Cc**
- 66843. Polypogon plumigeralis (Hübner,[1825])** (Noctuidae) Synonym(s): *plumigeralis* Hübner,[1825]; *crinalis* Treitschke,1829. Original Reference: *Pechipogo plumigeralis* Hübner,[1825], Verz. bekannt. Schmett.: 345. Type(s): Europa. Range (in code): **DZ Clo Agi Hrh Dzc DhM TN BSa Blid Abe Sbd PT ES FR Co Sa Si IT MT GB CH AT PL RO YU AL BG GR Cr TR LB IL Pa SY IR AF RU Cc AZ Nv Ord Kc Kr Da MD UA BY**
- 66844. Polypogon proxima (Christoph,1893)** (Noctuidae) Synonym(s): *proxima* Christoph,1893 Original Reference: *Herminia proxima* Christoph,1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Aserbaidjan]: Ordubad. Range (in code): **TR Cc AZ Nv Ord IR Fa Shr IQ**
- 66845. Polypogon proxima anahita (Wiltshire,1952)** (Noctuidae) Synonym(s): *anahita* Wiltshire,1952 Original Reference: *Herminia proxima* ssp. *anahita* Wiltshire,1952, Bull. Soc. Fouad I Ent. 36: 200-201, pl. fig.26. Holotype: Iran, Fars, near Shiraz, Qalat 7000ft. 1.v.50 leg. & coll.Wiltshire. Range (in code): **IR Fa Shr**
- 66846. Polypogon proxima proxima (Christoph,1893)** (Noctuidae) Synonym(s): *proxima* Christoph,1893 Original Reference: *Herminia proxima* Christoph,1893, Dt. ent. Z., Iris 6: 94. Syntypes: [Aserbaidjan]: Ordubad. Range (in code): **TR Cc AZ Ord Nv**
- 66847. Polypogon reticulatis (Leech,1900)** (Noctuidae) Synonym(s): *reticulatis* Leech,1900 Range (in code): **CN TH CMa Int VN TW JP RU Us Sh**
- 66848. Polypogon schwingenschussi (Wagner,1937)** (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1937; *elbursalis* Draudt,1937. Range (in code): **IR Th Elb Kdj Fa Kaz Mia Kz Yas Skh Lo By TR**
- 66849. Polypogon strigilata (Linnaeus,1758)** (Noctuidae) Synonym(s): *strigilata* Linnaeus,1758; *#barbalis* Clerck,1759; *palpalis* Fabricius,1775; *pectitalis* Hübner,1796; *barbatus* Fabricius,1798; *palpata* Haworth,1809. Original Reference: *Phalaena strigilata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 528. Type(s): Europa. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Cc Ro Kr St Kb MD UA BY**
- 66850. Polypogon tarsicrinalis (Knoch,1782)** (Noctuidae) Synonym(s): *tarsicrinalis* Knoch,1782; *tarsicrinatus* Haworth,1809 Range (in code): **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR Elb Mz Clu DK SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr Kb Nt Ich MD UA BY**
- 66851. Polypogon tarsipennalis (Treitschke,1835)** (Noctuidae) Synonym(s): *tarsipennalis* Treitschke,1835 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Kr Kb Nt Ich Ing Da MD UA BY**

- 66852. *Polypogon tentacularia* (Linnaeus,1758)** (Noctuidae) Synonym(s): *tentacularia* Linnaeus,1758 Original Reference: *Phalaena tentacularia* Linnaeus,1758, Syst. Nat. (Edn.10)1: 522. Type(s): Europa. Range (in code): **ES FR Co Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Cc Ro Kr St Kc Ich Ing Da MD UA BY**
- 66853. *Polypogon tenuialis* (Rebel,1899)** (Noctuidae) Synonym(s): *tenuialis* Rebel,1899 Range (in code): **FR IT DE CH AT HU RO YU BG TR**
- 66854. *Polypogon vermiculata* (Leech,1900)** (Noctuidae) Synonym(s): *vermiculata* Leech,1900 Range (in code): **CN Mou Ch Sri**
- 66855. *Polypogon zelleralis* (Wocke,1850)** (Noctuidae) Synonym(s): *zelleralis* Wocke,1850; *tarsicristalis* Herrich-Schäffer,1851. Original Reference: *Herminia zelleralis* Wocke,1850, Z. Ent., Breslau: pl.4 fig.14. Range (in code): **ES FR Co Si IT GB DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc RU MD UA BY**
- 66856. *Polytela cliens* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894 Original Reference: *Euphasia cliens* R.Felder & Rogenhofer,1874, Reise öst. Freg. Novara 2 (2): Taf.58, 48. Type: No locality (BMNH). Range (in code): **CV Cn MR MA IR Fa Ss Hz NG NE ET SD IL Pa JO YE Ad IN NI Tn** Bionomy: Larva on *Dipcadi serotinum* (Asparagaceae), *Pancratium tortuosum* (Amarylladaceae) (Hampson,1896; Sheljuzhko,1960; Hacker & Schmitz,1996).
- 66857. *Polytela cliens aethiopica* Sheljuzhko,1960** (Noctuidae) Synonym(s): *aethiopica* Sheljuzhko,1960 Original Reference: *Polytela cliens* ssp. *aethiopica* Sheljuzhko,1960, Opusc. zool. 45: 5, figs.4a,b. Holotype: Ethiopia, Uollege Prov., Jubdo-Bir-Bir (ZSM). SA YE ET OM
- 66858. *Polytela cliens cliens* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *cliens* R.Felder & Rogenhofer,1874; *orientalis* Hampson,1894 Original Reference: *Euphasia cliens* R.Felder & Rogenhofer,1874, Reise öst. Freg. Novara 2 (2): Taf.58, 48. Type: No locality (BMNH). IR Fa Ss Hz IN NI Tn
- 66859. *Polytela cliens duhemi* Rungs,1942** (Noctuidae) Synonym(s): *duhemi* Rungs,1942 Original Reference: *Polytela cliens* ssp. *duhemi* Rungs,1942, Bull. Mus. nat. Hist. Nat. Paris 3 (60): 164, Taf.1, 3,5. Holotype ♂: Marokko, El-Auin-du-Dra (MNHN Paris). MA NE NG SD TD SN BF
- 66860. *Polytela cliens tanit* Rungs,1972** (Noctuidae) Synonym(s): *tanit* Rungs,1972 MR MA
- 66861. *Polytela gloriosae* (Fabricius,1781)** (Noctuidae) Synonym(s): *gloriosae* Fabricius,1781 Original Reference: *Bombyx gloriosae* Fabricius,1781, Spec. Ins. 2: 205. Range (in code): **IN Mh Nsk Bba NI LK Kndy Pdy**
- 66862. *Polytelodes florifera* (Walker,1858)** (Noctuidae) Synonym(s): *florifera* Walker,1858 Range (in code): **ZA**
- 66863. *Porcellanola ayuthaya* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *ayuthaya* Laszlo, G.Ronkay & Witt,2010 Range (in code): **TH CMa Pfa**
- 66864. *Porcellanola chakri* Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *chakri* Laszlo, G.Ronkay & Witt,2006 Range (in code): **TH CMa Fn Mae Nan Pua**
- 66865. *Porcellanola langtangi* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *langtangi* Laszlo, G.Ronkay & Witt,2010 Range (in code): **NP**
- 66866. *Porcellanola lanna* Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *lanna* Laszlo, G.Ronkay & Witt,2006 Range (in code): **TH CMa Fn Php MAI**
- 66867. *Porcellanola minna* Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *minna* Laszlo, G.Ronkay & Witt,2006 Range (in code): **TH Nan Pua CMa Php Fn**
- 66868. *Porcellanola sukhothai* Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *sukhothai* Laszlo, G.Ronkay & Witt,2006 Range (in code): **TH CMa Php Fn Nan Pua**
- 66869. *Porcellanola thai* Laszlo, G.Ronkay & Witt,2006** (Noctuidae) Synonym(s): *thai* Laszlo, G.Ronkay & Witt,2006 Range (in code): **TH Mae CMa Dst Qs LA**
- 66870. *Porcellanola thonburi* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *thonburi* Laszlo, G.Ronkay & Witt,2010 Range (in code): **TH Mae**
- 66871. *Porcellanola uthong* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *uthong* Laszlo, G.Ronkay & Witt,2010 Range (in code): **TH CMa**
- 66872. *Potnyctycia frontieri* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *frontieri* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lei**
- 66873. *Powellinia boetica* (Boisduval,[1837])** (Noctuidae) Synonym(s): *boetica* Boisduval,[1837]; *noctambulatrix* Chrétien,1911; *orana* Oberthür,1912 (preocc.); *mateui* Rungs,1952; *variata* Rungs,1952 (preocc.) Range (in code): **MA DZ Sbd Eba Orn TN Gf ES IQ Agh Mj Qg Kbl IR Fa Cc GG TR**

- 66874. *Powellinia carthalina* (Christoph,1893)** (Noctuidae) Synonym(s): *carthalina* Christoph,1893 Original Reference: *Agrotis carthalina* Christoph,1893, Dt. ent. Z., Iris 6: 91. Syntypes: Transcaucasia: Tabitzkhuri et Masram. Range (in code): **Cc GG AM TR**
- 66875. *Powellinia lasserrei* (Oberthür,1881)** (Noctuidae) Synonym(s): *lasserreii* Oberthür,1881; *sabura* Mabilie,1888; *ptolemaidea* Turati,1924 Original Reference: *Luperina lasserrei* Oberthür,1881, Etud. Ent. 6: 86, Tab.11 figs.13, 14. Syntypes: Algeria: Magenta, Sebdou (Lassere leg.) (BMNH). Range (in code): **MA DZ Mage Sbd Ges Bttna Afl Tun Gab TN Gf Cn ES MT DZ TN LY EG TR IL Hf Pa LB SY Hal CY JO IQ Agh Bgd Kq TM Kp IR Kz**
- 66876. *Powellinia lasserrei unctus* (Christoph,1887)** (Noctuidae) Synonym(s): *unctus* Christoph,1887 Original Reference: ? *Heliophobus unctus* Christoph,1887, Stettin ent. Ztg. 48: 164. Type ♂: [Turkmenistan]: "Askhabat". Range (in code): **TM Kp**
- 66877. *Powellinia margelanoides* (Boursin,1944)** (Noctuidae) Synonym(s): *margelanoides* Boursin,1944 Original Reference: *Agrotis margelanoides* Boursin,1944, Revue fr. Ent. 10: 159, fig. Holotype: [Israel]: mer Morte. Range (in code): **IL Pa JO SA IQ BH**
- 66878. *Powellinia pictifascia* (Hampson,1896)** (Noctuidae) Synonym(s): *pictifascia* Hampson,1896 Original Reference: *Heliothis pictifascia* Hampson,1896, Proc. zool. Soc. London 1896: 259, Pl.x fig.8. Type ♀: [Somalia]: "Zaila, Somaliland (Nurse)". Range (in code): **ER SO Zai EG JE SA**
- 66879. *Powellinia pictifascia aridior* Wiltshire,1980** (Noctuidae) Synonym(s): *aridior* Wiltshire,1980 Range (in code): **SA**
- 66880. *Powellinia pictifascia elbaensis* Rebel,1948** (Noctuidae) Synonym(s): *elbaensis* Rebel,1948 Range (in code): **EG JE**
- 66881. *Powellinia pictifascia pictifascia* (Hampson,1896)** (Noctuidae) Synonym(s): *pictifascia* Hampson,1896 Original Reference: *Heliothis pictifascia* Hampson,1896, Proc. zool. Soc. London 1896: 259, Pl.x fig.8. Type ♀: [Somalia]: "Zaila, Somaliland (Nurse)". Range (in code): **ER SO Zai**
- 66882. *Powellinia pierreti* (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messaouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894 Original Reference: *Episema pierreti* Bugnion,1837, Annls Soc. ent. Fr. 6: 441. Type: Egypt: Alexandria. Range (in code): **MA DZ Anna Ges Afl Sbd TN LY IR Kz IQ Agh Bgd Bji IL Pa JO ES**
- 66883. *Powellinia pierreti matritensis* (Vasquez,1905)** (Noctuidae) Synonym(s): *matritensis* Vasquez,1905 Original Reference: *Heliophobus pierreti matritensis* Vasquez,1905, Boln R. Soc. esp. Hist. nat. 5: 115-116. Type: Spain: Madrid: Rivas. Range (in code): **ES**
- 66884. *Powellinia pierreti pierreti* (Bugnion,1837)** (Noctuidae) Synonym(s): *pierreti* Bugnion,1837; *messaouda* Oberthür,1884; *marsdeni* Bethune-Baker,1894 Original Reference: *Episema pierreti* Bugnion,1837, Annls Soc. ent. Fr. 6: 441. Type: Egypt: Alexandria. Range (in code): **MA DZ Anna Ges Afl Sbd TN LY IR Kz IQ Agh Bgd Bji IL Pa JO**
- 66885. *Praestilbia armeniaca* Staudinger,1892** (Noctuidae) Synonym(s): *armeniaca* Staudinger,1892; *#designata* Bytinski-Salz,1936 Original Reference: *Praestilbia armeniaca* Staudinger,1892, Dt. ent. Z., Iris 4: 288-289, Taf.iii fig.10. Syntypes: [Türkei]: Amasia; [Griechenland]: Parnass. Range (in code): **MK HV AL BG GR TR LB Ale**
- 66886. *Premusia intrahens* Walker,1858** (Noctuidae) Synonym(s): *intrahens* Walker,1858, *zibellina* R.Felder & Rogenhofer,1874; *smaragdina* Walker,1858 Range (in code): **MY Bor Swk TH Nan Dpk VN ID Sum**
- 66887. *Prionofrontia erygidia* Hampson,1902** (Noctuidae) Synonym(s): *erygidia* Hampson,1902 Range (in code): **ZA Nta Kzu**
- 66888. *Prionofrontia ochrosia* Hampson,1926** (Noctuidae) Synonym(s): *ochrosia* Hampson,1926 Range (in code): **ZA**
- 66889. *Prionofrontia strigata* Hampson,1926** (Noctuidae) Synonym(s): *strigata* Hampson,1926 Range (in code): **ZA**
- 66890. *Pristanepa platti* Hampson,1926** (Noctuidae) Synonym(s): *platti* Hampson,1926 Range (in code): **ZA**
- 66891. *Proconis abrostoloides* Hampson,1902** (Noctuidae) Synonym(s): *abrostoloides* Hampson,1902 Range (in code): **ZA Ec Ans**
- 66892. *Proconis arabica* Wiltshire,1949** (Noctuidae) Synonym(s): *arabica* Wiltshire,1949 Range (in code): **ZA**
- 66893. *Procrateria basifascia* Pinhey,1968** (Noctuidae) Synonym(s): *basifascia* Pinhey,1968 Range (in code): **ZA**

- 66894. Procrateria noloides Hampson,1905** (Noctuidae) Synonym(s): *noloides* Hampson,1905
Range (in code): **ZA**
- 66895. Procrateria pterota Hampson,1909** (Noctuidae) Synonym(s): *pterota* Hampson,1909
Range (in code): **ZA**
- 66896. Progonia grisea (Hampson,1905)** (Noctuidae) Synonym(s): *grisea* Hampson,1905
Range (in code): **ZA**
- 66897. Progonia luctuosa (Hampson,1902)** (Noctuidae) Synonym(s): *luctuosa* Hampson,1902
Range (in code): **ZA**
- 66898. Progonia oileusalis (Walker,1858)** (Noctuidae) Synonym(s): *oileusalis* Walker,1858
Range (in code): **WS IN**
- 66899. Progonia perarcuata (Hampson,1902)** (Noctuidae) Synonym(s): *perarcuata* Hampson,1902
Range (in code): **ZA**
- 66900. Proruaca harmonica Distant,1901** (Noctuidae) Synonym(s): *harmonica* Distant,1901
Original Reference: Proruaca harmonica Distant,1901, Entomologist 34: 284. Type(s): [South Africa]: Pretoria. Range (in code): **ZA Tva Gau Pre**
- 66901. Proruaca recurrens Hampson,1902** (Noctuidae) Synonym(s): *recurrens* Hampson,1902
Original Reference: Proruaca recurrens Hampson,1902, Ann. S. Afr. Mus. 2: 360-361. Type ♀: South Africa: N'Gamiland (Lugard leg.) (BMNH). Range (in code): **BW Nga**
- 66902. Prospalta spicea (Guenée,1852)** (Noctuidae) Synonym(s): *spicea* Guenée,1852; *pyrochroma* Walker,1858; *firina* Swinhoe,1885
Range (in code): **TH CMA**
- 66903. Protarache melaphora Hampson,1910** (Noctuidae) Synonym(s): *melaphora* Hampson,1910
Range (in code): **ZA**
- 66904. Protarchanara abrupta (Eversmann,1854)** (Noctuidae) Synonym(s): *abrupta* Eversmann,1854; *contumax* Püngeler,1902; *johni* Püngeler,1914
Range (in code): **RU KK CN Ui Alt KG Tk Dj MN**
- 66905. Protarchanara brevilinea (Fenn,1864)** (Noctuidae) Synonym(s): *brevilinea* Fenn,1864; *manteufeli* Pfau,1955; *impudica* Staudinger,1892 [ssp.]
Range (in code): **FR GB NL DE DK SE FI EE LV LT RU Ro Kyi Da Cc RO KG Ur Sb Us Am**
- 66906. Protarchanara mythimnoida Volynkin, Matov & Gyulai,2014** (Noctuidae) Synonym(s): *mythimnoida* Volynkin, Matov & Gyulai,2014
Range (in code): **MN KG Aa At**
- 66907. Protexarnis confinis (Staudinger,1881)** (Noctuidae) Synonym(s): *confinis* Staudinger,1881; *aucta* Alpheraky,1892; *barbara* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933; *velifera* Corti & Draudt,1933; *anthracina* Boursin,1964.
Original Reference: Agrotis confinis Staudinger,1881, Stettin ent. Ztg. 42: 422. Syntypes: Russia: Saisan, Lepsa. Range (in code): **KG DsA TR Cc CN Ts Kno Ui Kml**
- 66908. Protexarnis confusa (Alpheraky,1882)** (Noctuidae) Synonym(s): *confusa* Alpheraky,1882
Original Reference: Agrotis confusa Alpheraky,1882, Horae Soc. ent. ross. 17: 61, pl.2 fig.47. [Uighur |li]: |li, Korla. Range (in code): **CN Ui Ju li KI MN Uli UZ Fe KG Tk KK TeA TJ Pm Chr**
- 66909. Protexarnis dormitans Corti & Draudt,1933** (Noctuidae) Synonym(s): *dormitans* Corti & Draudt,1933
Range (in code): **CN Ts Kno**
- 66910. Protexarnis opisoleuca (Staudinger,1881)** (Noctuidae) Synonym(s): *opisoleuca* Staudinger,1881; *inermis* Corti & Draudt,1933.
Original Reference: Agrotis opisoleuca Staudinger,1881, Stettin ent. Ztg. 42: 423. Syntypes 2♂ 1♀: [Iran]: Shahkuh. Range (in code): **IR Kh KuB TR Cc**
- 66911. Protexarnis paralia Corti & Draudt,1933** (Noctuidae) Synonym(s): *paralia* Corti & Draudt,1933
Range (in code): **CN Ui Alt Ts Kno**
- 66912. Protexarnis persica (Staudinger,1897)** (Noctuidae) Synonym(s): *persica* Staudinger,1897
Original Reference: persica Staudinger,1897 Range (in code): **IR Mz Elb Dam Se TM**
- 66913. Protexarnis photophila (Guenée,1852)** (Noctuidae) Synonym(s): *photophila* Guenée,1852; *ignipeta* Oberthür,1876; *undulans* Moore,1878
Range (in code): **DZ Onç Gha Sfr ES Cn**
- 66914. Protexarnis sollertina Corti & Draudt,1933** (Noctuidae) Synonym(s): *sollertina* Corti & Draudt,1933
Range (in code): **CN Ui Au**
- 66915. Protexarnis squalidiformis (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *squalidiformis* Corti & Draudt,1933; *susplicax* Corti & Draudt,1933.
Original Reference: Rhyacia squalidiformis Corti & Draudt,1933, [in] Seitz, Die Gross-Schmett. Erde 3 (suppl.): 69, Pl.gi. Type(s): [Türkei]: Amasia. Range (in code): **TR**
- 66916. Protexarnis subuniformis (Corti & Draudt,1933)** (Noctuidae) Synonym(s): *subuniformis* Corti & Draudt,1933; *vacillans* Corti & Draudt,1933.
Range (in code): **CN Ui Alt Ti**

- 66917. *Protexarnis vestilina* Kozhantshikov, 1937** (Noctuidae) *Synonym(s): vestilina Kozhantshikov, 1937* - Range (in code): CN Ui Au
- 66918. *Protodeltote pygarga* (Hufnagel, 1766)** (Noctuidae) *Synonym(s): pygarga Hufnagel, 1766* Original Reference: Phalaena pygarga Hufnagel, 1766, Berl. Mag. 3(3): 308. Type(s): Germany: Berlin. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR IR Gh Elb Mz Th TR GG Smt Akh Cc DK NO SE FI EE LV LT RU Ro Kr Kc St Nt Ich Ing Da MD UA BY
- 66919. *Protolampra sobrina* (Duponchel, [1843])** (Noctuidae) *Synonym(s): sobrina Duponchel, [1843]; mista Freyer, [1844]; lapponica Freyer, 1845; gruneri Guenée, 1852* - Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Cc Kb Da MD UA BY Sb At Kmt KP KR
- 66920. *Protomeceras mimicaria* (Oberthür, 1887)** (Noctuidae) *Synonym(s): mimicaria Oberthür, 1887* Original Reference: Cimelia mimicaria Oberthür, 1887, Bull. Soc. ent. Fr. 1887: 58. Type: Sebdom. Range (in code): MA DZ Sbd
- 66921. *Protoseudyra flava* (Leech, 1900)** (Noctuidae) *Synonym(s): flava Leech, 1900* - Range (in code): CN
- 66922. *Protoseudyra picta* (Hampson, 1894)** (Noctuidae) *Synonym(s): picta Hampson, 1894* Range (in code): IN SI Ass CN
- 66923. *Protoseudyra secunda* (Leech, 1900)** (Noctuidae) *Synonym(s): secunda Leech, 1900* Range (in code): CN
- 66924. *Proxenus hospes* (Freyer, [1831])** (Noctuidae) *Synonym(s): hospes Freyer, [1831]* Range (in code): PT ES Mu FR Co Sa Si IT GB DE CH AT AL BG GR Cr TR DK IR Gh Mz RU Cc Kr Bionomy: Larva on Plantago (Calle et al., 2000).
- 66925. *Proxenus lepigone* (Möschler, 1860)** (Noctuidae) *Synonym(s): lepigone Möschler, 1860* Original Reference: Hydrilla lepigone Möschler, 1860, Wien. ent. Monatschr. 4: 273. Range (in code): FR IT? AT CZ SK HU RO YU GG Smt Akh Lag Cc RU Ro Kr St Ich Kyi Da SE FI IR KG Tk Dj JP
- 66926. *Proxenus lepigone banghaasi* (F. Wagner, 1913)** (Noctuidae) *Synonym(s): banghaasi F. Wagner, 1913* - Range (in code): KG Tk Dj
- 66927. *Pseudagoma pinheyi* Kiriakoff, 1975** (Noctuidae) *Synonym(s): pinheyi Kiriakoff, 1975* Range (in code): ZA
- 66928. *Pseudaletia separata* (Walker, 1865)** (Noctuidae) *Synonym(s): separata Walker, 1865* Range (in code): IN AU NC
- 66929. *Pseudalypia crotchii* Edwards, 1874** (Noctuidae) *Synonym(s): crotchii Edwards, 1874; atrata Edwards, 1884* - Range (in code): US Cf
- 66930. *Pseudalypia geronimo* Barnes, 1900** (Noctuidae) *Synonym(s): geronimo Barnes, 1900* Range (in code): US Arz
- 66931. *Pseudenargia deleta* (Osthelder, 1933)** (Noctuidae) *Synonym(s): deleta Osthelder, 1933; #badiofasciata Draudt, 1936; basilissa Brandt, 1938. Original Reference: Enargia regina ssp. deleta Osthelder, 1933, Mitt. münch. ent. Ges. 23: 78. Syntypes: Türkei: Maraş. Range (in code): TR Cc IQ LB IL Pa IR Elb Th Fa Sse Shr*
- 66932. *Pseudenargia regina* (Staudinger, 1892)** (Noctuidae) *Synonym(s): regina Staudinger, 1892* Original Reference: Cosmia regina Staudinger, 1892, Dt. ent. Z., Iris 4: 297-299, Taf. iv fig. 2. Syntypes: [Türkei]: Amasia, Gjaur Dagħ [Maraş] (MNHU, Berlin). Range (in code): DZ DhM TN TR Cc LB IL Pa JO IQ Brs Ry Rwz Dia
- 66933. *Pseudenargia troodosi* Svendsen, Nielsson & Fibiger, 1999** (Noctuidae) *Synonym(s): troodosi Svendsen, Nielsson & Fibiger, 1999* - Range (in code): CY
- 66934. *Pseudenargia ulicis* (Staudinger, 1859)** (Noctuidae) *Synonym(s): ulicis Staudinger, 1859; algerica Culot, 1914; rufescentior Rothschild, 1914* - Range (in code): DZ BtNa Ges Lbs PT ES An Grn FR
- 66935. *Pseudeustrotia candidula* ([Denis & Schiffermüller], 1775)** (Noctuidae) *Synonym(s): candidula [Denis & Schiffermüller], 1775; pusilla Vieweg, 1789* Original Reference: Noctua candidula [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. Type(s): [Austria]: Vienna district. Range (in code): IT DE CH AT PL CZ SK HU RO YU BG GR GG AZ AM Cc TR DK SE FI EE LV LT RU Ro Kr Kb St Kc Nt Ich Ing MD UA BY
- 66936. *Pseudeustrotia deceptor* (Scopoli, 1763)** (Noctuidae) *Synonym(s): deceptor Scopoli, 1763; tineodes Hufnagel, 1766; atratula [Denis & Schiffermüller], 1775* Original Reference: Phalaena deceptor Scopoli, 1763, Entomologia Carniolica: 214. Type(s): Carniolia. Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE RU Cc Ro MD UA BY

- 66937. *Pseudoluperina pozzii* (Curo,1883)** (Noctuidae) Synonym(s): *pozzii* Curo,1883; *standfussi* Wiskott,1884; *niccaensis* Culot,1913; *kozhantshikovi* Püngeler,1914; *amplificata* Hacker,1990 _ Range (in code): **FR IT DE CH AT HU YU RO TM TR KG**
- 66938. *Pseudoarcte melanis* (Mabille,1890)** (Noctuidae) Synonym(s): *melanis* Mabille,1890 _ Range (in code): **ZA**
- 66939. *Pseudochalcia aranka* Hacker & L.Ronkay,1992** (Noctuidae) Synonym(s): *aranka* Hacker & L.Ronkay,1992 _ Range (in code): **KG TrA**
- 66940. *Pseudochalcia inconspicua* (Graeser,1892)** (Noctuidae) Synonym(s): *inconspicua* Graeser,1892 _ Original Reference: *Plusia inconspicua* Graeser,1892, Berl. ent. Z. 37: 315-316. Syntypes 2♂ 1♀: [Kirgizistan]: Alexander Gebirge. Range (in code): **KK Ik Ax**
- 66941. *Pseudochalcia shugnana* (Sheljuzhko,1929)** (Noctuidae) Synonym(s): *shugnana* Sheljuzhko,1929 _ Range (in code): **TJ Pm Chr AF Bd**
- 66942. *Pseudocopicucullia dimorpha* (Staudinger,1897)** (Noctuidae) Synonym(s): *dimorpha* Staudinger,1897 _ Range (in code): **MN Uli**
- 66943. *Pseudocopicucullia jakesi* (G.Ronkay & L.Ronkay,1988)** (Noctuidae) Synonym(s): *jakesi* G.Ronkay & L.Ronkay,1988 _ Original Reference: *Cucullia* (*Pseudocopicucullia*) *jakesi* G.Ronkay & L.Ronkay,1988, Annls hist.-nat. Mus. natn. hung. 80: 94-95, figs. Holotype ♂: Iraq Shibchah stone desert 260m, 150km SW of Najaf, O.Jakes leg. IQ Njf
- 66944. *Pseudocopicucullia melanoglossa* (Berio,1934)** (Noctuidae) Synonym(s): *melanoglossa* Berio,1934 _ Range (in code): **DZ Ajj EG LY**
- 66945. *Pseudocopicucullia syrtana* (Mabille,1888)** (Noctuidae) Synonym(s): *syrtana* Mabille,1888; *#cyrtana* Rothschild,1913 _ Original Reference: *Cucullia syrtana* Mabille,1888, Bull. Soc. ent. Fr. 1888: 11. Lectotype ♀: Tunesien: Gabes, designated by Viette & D.S.Fletcher (1968). Range (in code): **Cn MR MA DZ Ajj Hes Ktr Dhm Kdr Mri Nbr Ceg BSa Gha Bsk TN Gab LY EG Sn SA MT GR CY IR Hz Ss IQ Agh Njf IL Pa JO**
- 66946. *Pseudocopicucullia syrtana hesperidum* Rothschild,1913** (Noctuidae) Synonym(s): *hesperidum* Rothschild,1913 _ Range (in code): **Cn**
- 66947. *Pseudocopicucullia syrtana iranica* Brandt,1941** (Noctuidae) Synonym(s): *iranica* Brandt,1941 _ Original Reference: *Pseudocopicucullia syrtana* ssp. *iranica* Brandt,1941, Mitt. münch. ent. Ges. 31: 847. Syntypes: Iran: Laristan and Bender Tchahbahar. Range (in code): **IR Hz Ss IQ Njf**
- 66948. *Pseudocopicucullia syrtana syrtana* (Mabille,1888)** (Noctuidae) Synonym(s): *syrtana* Mabille,1888; *#cyrtana* Rothschild,1913 _ Original Reference: *Cucullia syrtana* Mabille,1888, Bull. Soc. ent. Fr. 1888: 11. Lectotype ♀: Tunesien: Gabes, designated by Viette & D.S.Fletcher (1968). Range (in code): **DZ Ajj Hes Ktr Dhm Kdr Mri Nbr Ceg BSa Gha Bsk TN Gab MT GR IL Pa CY JO MR MA DZ TN LY EG Sn**
- 66949. *Pseudogiria angulata* (Bethune-Baker,1909)** (Noctuidae) Synonym(s): *angulata* Bethune-Baker,1909 _ Range (in code): **ZA**
- 66950. *Pseudogyrtana hemicyclops* Hampson,1926** (Noctuidae) Synonym(s): *hemicyclops* Hampson,1926 _ Range (in code): **Bor Swk MY TH Nan Dpk**
- 66951. *Pseudogyrtana marmorea* Wileman & South,1916** (Noctuidae) Synonym(s): *marmorea* Wileman & South,1916 _ Range (in code): **TW**
- 66952. *Pseudogyrtana modesta* (Moore,1884)** (Noctuidae) Synonym(s): *modesta* Moore,1884; *grisea* Hampson,1893 _ Range (in code): **LK**
- 66953. *Pseudogyrtana ochreopuncta* Wileman & South,1916** (Noctuidae) Synonym(s): *ochreopuncta* Wileman & South,1916 _ Range (in code): **TW**
- 66954. *Pseudogyrtana perversa* (Walker,1863)** (Noctuidae) Synonym(s): *perversa* Walker,1863; *stipata* Walker,1863; *confusa* Wileman,1911 _ Range (in code): **LK JP**
- 66955. *Pseudohadena* (*Jaxartia*) *anatine* Pekarsky,2012** (Noctuidae) Synonym(s): *anatine* Pekarsky,2012 _ Range (in code): **KG**
- 66956. *Pseudohadena* (*Jaxartia*) *cymatodes* (Boursin,1954)** (Noctuidae) Synonym(s): *cymatodes* Boursin,1954 _ Range (in code): **RU KG**
- 66957. *Pseudohadena* (*Jaxartia*) *deserticola* Ronkay, Fabian & Varga,1995** (Noctuidae) Synonym(s): *deserticola* Ronkay, Fabian & Varga,1995 _ Range (in code): **TM Kp**
- 66958. *Pseudohadena* (*Jaxartia*) *elinguis* Püngeler,1914** (Noctuidae) Synonym(s): *elinguis* Püngeler,1914 _ Range (in code): **KG TM UZ**

- 66959. Pseudohadena (Jaxartia) evanida Püngeler, 1914** (Noctuidae) Synonym(s): *evanida* Püngeler, 1914 Original Reference: Pseudohadena evanida Püngeler, 1914, Dt. ent. Z., Iris 28: 44-45, Taf.ii fig.5. Syntypes 2♂: [Kazakhstan]: "Syr-Daria, Baigacum". Range (in code): **KG UZ**
- 66960. Pseudohadena (Jaxartia) evanida psammoxantha Ronkay, Fabian & Varga, 1995** (Noctuidae) Synonym(s): *psammoxantha* Ronkay, Fabian & Varga, 1995 Range (in code): **KG**
- 66961. Pseudohadena (Jaxartia) gorbunovi Pekarsky, 2012** (Noctuidae) Synonym(s): *gorbunovi* Pekarsky, 2012 Range (in code): **KG**
- 66962. Pseudohadena (Jaxartia) jordana (Staudinger, 1900)** (Noctuidae) Synonym(s): *jordana* Staudinger, 1900 Range (in code): **JO Jt IL Pa EG Sn IQ**
- 66963. Pseudohadena (Jaxartia) magnitudinis Hacker & Ebert, 2002** (Noctuidae) Synonym(s): *magnitudinis* Hacker & Ebert, 2002 Range (in code): **IR Es**
- 66964. Pseudohadena (Jaxartia) pseudamoena (Boursin, 1943)** (Noctuidae) Synonym(s): *pseudamoena* Boursin, 1943 Original Reference: Pseudopseustis pseudamoena Boursin, 1943, Revue fr. Ent. 10 (3): 81, pl.ii fig.12 Holotype ♂: [Azerbaijan]: Dzhuga près Dzhulfa, 3.xi.31 M.Rjabov leg. (NHMW). Range (in code): **Cc AZ Nv Dz IQ Bgd**
- 66965. Pseudohadena (Jaxartia) striolata (Filipjev, 1949)** (Noctuidae) Synonym(s): *striolata* Filipjev, 1949; *miatleuski* Bergmann & Thöny, 1996 Range (in code): **KG TM**
- 66966. Pseudohadena (Jaxartia) zahedana Shirvani, L.Ronkay, 2008** (Noctuidae) Synonym(s): *zahedana* Shirvani, L.Ronkay, 2008 Range (in code): **IR Ss**
- 66967. Pseudohadena (Pseudopseustis) crassicornis Boursin, 1940** (Noctuidae) Synonym(s): *crassicornis* Boursin, 1940 Range (in code): **DZ Tou**
- 66968. Pseudohadena (Pseudopseustis) tellieri (D.Lucas, 1907)** (Noctuidae) Synonym(s): *tellieri* D.Lucas, 1907; *diacrisioides* Rothschild, 1914 Range (in code): **TN Gf DZ BtNa Bsk Agi Ges**
- 66969. Pseudohadena (s.str.) argyllostigma Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *argyllostigma* Varga & L.Ronkay, 1991 Range (in code): **RU Sb No**
- 66970. Pseudohadena (s.str.) armata (Alpheraky, 1887)** (Noctuidae) Synonym(s): *armata* Alpheraky, 1887 Range (in code): **CN Ui**
- 66971. Pseudohadena (s.str.) impedita (Christoph, 1887)** (Noctuidae) Synonym(s): *impedita* Christoph, 1887 Range (in code): **TM Kp TR Cc IR Fa Shr Se Ss**
- 66972. Pseudohadena (s.str.) seposita Püngeler, 1914** (Noctuidae) Synonym(s): *seposita* Püngeler, 1914 Original Reference: Pseudohadena seposita Püngeler, 1914, Dt. ent. Z., Iris 28: 45-46, Taf.ii figs.2,3. Syntypes 2♂ 1♀: [Kazakhstan]: "Syr-Daria, Baigacum". Range (in code): **TM KG Bai**
- 66973. Pseudoips prasinana (Linnaeus, 1758)** (Noctuidae) Synonym(s): *prasinana* Linnaeus, 1758; *fagana* Fabricius, 1781; *sylvana* Fabricius, 1794; *britannica* W.Warren, 1913. Original Reference: Phalaena prasinana Linnaeus, 1758, Systema Naturae (Edn 10) 1: 530. Lectotype ♀: Europe, designated by Nye (1975) (UZM, Copenhagen). Range (in code): **NO DK SE FI EE LT PL CZ SK DE NL GB IE BE LU FR ES PT Sa Si IT CH AT HU YU RO BG AL GR TR CY RU Cc GG Smt Bjo Lag Ro Kr Kb Da Nt IR Gls**
- 66974. Pseudoligia lucifer L.Ronkay & Gyulai, 2006** (Noctuidae) Synonym(s): *lucifer* L.Ronkay & Gyulai, 2006 Range (in code): **IR**
- 66975. Pseudoligia similiaria (Ménétriés, 1849)** (Noctuidae) Synonym(s): *similiaria* Ménétriés, 1849 Range (in code): **UZ**
- 66976. Pseudomathes volloni (D.Lucas, 1907)** (Noctuidae) Synonym(s): *volloni* D.Lucas, 1907 Original Reference: Amathes volloni D.Lucas, 1907, Bull. Soc. ent. Fr. 1907: 342. Type: South Tunisia, Kebili. Range (in code): **DZ Bsk Afi TN** Bionomy: Larva on Traganum, Suaeda (Salsolaceae) (Chrétien, 1917).
- 66977. Pseudomicrodes ecrufa (Hampson, 1905)** (Noctuidae) Synonym(s): *ecrufa* Hampson, 1905 Range (in code): **ZA**
- 66978. Pseudomicrodes fuscipars Hampson, 1910** (Noctuidae) Synonym(s): *fuscipars* Hampson, 1910 Range (in code): **ZA**
- 66979. Pseudomicrodes mediorufa Hampson, 1910** (Noctuidae) Synonym(s): *mediorufa* Hampson, 1910 Range (in code): **ZA**
- 66980. Pseudomicrodes ochrocraspis Hampson, 1910** (Noctuidae) Synonym(s): *ochrocraspis* Hampson, 1910 Range (in code): **ZA**
- 66981. Pseudopais nigrobasalis Bartel, 1903** (Noctuidae) Synonym(s): *nigrobasalis* Bartel, 1903 Range (in code): **MW**

- 66982. *Pseudopanolis puengeleri* (Standfuss,1912)** (Noctuidae) Synonym(s): *puengeleri* Standfuss,1912 Original Reference: *Taeniocampa puengeleri* Standfuss,1912, Mitt. Schweiz. ent. Ges. 12: 69, Taf.7 figs.1,2. Syntypes: Algerien, Blida les Glacieres. Range (in code): **MA Ifr DZ Blid** Bionomy: Larva on neddles of Cedrus (Rungs, 1979-1981).
- 66983. *Pseudosphetta fisisigna* Hampson,1926** (Noctuidae) Synonym(s): *fisisigna* Hampson,1926 Range (in code): **SG MY TH Ntt Hba ID Sum Bor**
- 66984. *Pseudozarba bipartita* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *bipartita* Herrich-Schäffer,1850 Original Reference: *Apamea bipartita* Herrich-Schäffer,1850, Syst. Bearb. Schmett. Eur. 2: 285. Type: Sizilien. Range (in code): **TN Sfx SD SO PT ES An Mu FR Co Sa Si IT MT GR BG TR IR Hz B-A**
- 66985. *Pseudozarba mesozona* (Hampson,1896)** (Noctuidae) Synonym(s): *mesozona* Hampson,1896; *mediana* Staudinger,1898 Original Reference: *Xanthoptera mesozona* Hampson,1896, Proc. zool. Soc. London 1896: 261, Pl.x fig.9. Type ♀: [Yemen]: "Aden (Yerbury)". Range (in code): **IL Pa Jt IR Lo Bu Dlk Hz B-A SA EG ER YE Ad OM AE Sk**
- 66986. *Pseudozarba mianoides* (Hampson,1893)** (Noctuidae) Synonym(s): *mianoides* Hampson,1893 Range (in code): **LK Pdy KE SO TZ Zz**
- 66987. *Pseudozarba opella* (Swinhoe,1885)** (Noctuidae) Synonym(s): *opella* Swinhoe,1885; *orthopetes* Meyrick,1897 Original Reference: *Acontia opella* Swinhoe,1885, Proc. zool. Soc. Lond. 1885: 456, pl.27 fig.16. Type: India: Poona. Range (in code): **CV ER ET GM GH KE NE NG SO ZA SD ZW IN Mh Bba Poo Hp Sml Cu PK Sd Krc Cp Swa Kkar AU QAU**
- 66988. *Pseudozarba orthozona* Wiltshire,1984** (Noctuidae) Synonym(s): *orthozona* Wiltshire,1984 Range (in code): **NA SA**
- 66989. *Psimada quadripennis* Walker,1858** (Noctuidae) Synonym(s): *quadripennis* Walker,1858; *? javana* C.Felder & Rogenhofer,1874 Original Reference: *Psimada quadripennis* Walker,1858, List Specimens lepid. Ins. Colln Br. Mus. 15: 1828. Range (in code): **IN Knr Adm MM TH Knc CMa Cnz Cz10 Dst VN LK Adm ID Ja Clb PH TW CN**
- 66990. *Pterocyclophora ridleyi* Hampson,1893** (Noctuidae) Synonym(s): *ridleyi* Hampson,1893 Range (in code): **MY SG TH Ntt Hba ID Bor Ja Mlc Crm**
- 66991. *Pterogonia aurigutta* (Walker,1858)** (Noctuidae) Synonym(s): *aurigutta* Walker,1858; *striatura* Moore,1887; *irrorata* Dudgeon,1905 Range (in code): **IN Adm LK MY Bor Swk TH CMa CDO**
- 66992. *Pterogonia cardinalis* Holloway,1976** (Noctuidae) Synonym(s): *cardinalis* Holloway,1976 Range (in code): **MY Bor Swk Sbh KBa ID Sum PG AU QAU**
- 66993. *Pterogonia nubes* (Hampson,1893)** (Noctuidae) Synonym(s): *nubes* Hampson,1893; *nerissa* Swinhoe,1902 Range (in code): **LK IN ID Sum Clb PH MY Bor Swk**
- 66994. *Pteronycta adnanensis* Wiltshire,1980** (Noctuidae) Synonym(s): *adnanensis* Wiltshire,1980 Range (in code): **SA**
- 66995. *Pteronycta fasciata* Fawcett,1918** (Noctuidae) Synonym(s): *fasciata* Fawcett,1918; *fasciata* Hampson,1926 nec Fawc.,1918; *hastifera* Hering,1926. Range (in code): **ZA**
- 66996. *Pteronycta fractilinea* Pinhey,1968** (Noctuidae) Synonym(s): *fractilinea* Pinhey,1968 Range (in code): **ZA**
- 66997. *Pteronycta postalbida* Gaede,1939** (Noctuidae) Synonym(s): *postalbida* Gaede,1939 Range (in code): **ZA**
- 66998. *Pteronycta smythi* Gaede,1939** (Noctuidae) Synonym(s): *smythi* Gaede,1939 Range (in code): **ZA**
- 66999. *Ptisciana seminivea* Walker,1865** (Noctuidae) Synonym(s): *seminivea* Walker,1865; *lilacina* Moore,1888 Range (in code): **IN MY Bor ID Sum Clb PH** Bionomy: Larva on Macaranga (Euphorbiaceae) (Holloway,2003).
- 67000. *Ptyonota carissima* (Wileman & West,1929)** (Noctuidae) Synonym(s): *carissima* Wileman & West,1929; *rudanga* Kobes,1994 Range (in code): **PH ID Clb Sum MY Bor BN**
- 67001. *Ptyonota formosa* Hampson,1894** (Noctuidae) Synonym(s): *formosa* Hampson,1894 Range (in code): **MM Tns ID Sum Bli SG MY Bor BN**
- 67002. *Ptyorhyncha argyrestis* Hampson,1895** (Noctuidae) Synonym(s): *argyrestis* Hampson,1895 Range (in code): **BT TH CMa Int MM IN**
- 67003. *Pulcheria catomelas* Alpheraky,1887** (Noctuidae) Synonym(s): *catomelas* Alpheraky,1887 Range (in code): **CN Ui Ga**
- 67004. *Pulcheria cinescens* Draudt,1934** (Noctuidae) Synonym(s): *cinescens* Draudt,1934 Range (in code):

- 67005. *Pyraloides spodia* Rebel,1948** (Noctuidae) **Synonym(s):** *spodia* Rebel,1948 - Range (in code): **EG JE**
- 67006. *Pyrocleptria cora* (Eversmann,1837)** (Noctuidae) **Synonym(s):** *cora* Eversmann,1837 Original Reference: *Heliothis cora* Eversmann,1837, Bull. Soc. nat. Moscou 1837: 47. Range (in code): **RO BG RU Ur Cc TR**
- 67007. *Pyrrhia exprimens* (Walker,1857)** (Noctuidae) **Synonym(s):** *exprimens* Walker,1857 Range (in code): **FI EE**
- 67008. *Pyrrhia purpurina* (Esper,[1804])** (Noctuidae) **Synonym(s):** *purpurina* Esper,[1804]. Range (in code): **AT CZ SK HU RO YU BG GR RU Cc Ro**
- 67009. *Pyrrhia umbra* (Hufnagel,1766)** (Noctuidae) **Synonym(s):** *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902. Original Reference: *Phalaena umbra* Hufnagel,1766, Berl. Mag. 3(3): 294. **Type(s):** [Germany]; Berlin. Range (in code): **ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Elb Th DK NO SE FI EE LV LT RU Ro Kr St Kb Ich Ing Da MD UA BY KG Tk Dj KK TeA Ik**
- 67010. *Pyrrhia umbra melanura* Hreblay & L.Ronkay,1999** (Noctuidae) **Synonym(s):** *melanura* Hreblay & L.Ronkay,1999 - Range (in code): **NP**
- 67011. *Pyrrhia umbra nepalina* Hreblay & L.Ronkay,1999** (Noctuidae) **Synonym(s):** *nepalina* Hreblay & L.Ronkay,1999 - Range (in code): **NP**
- 67012. *Radara prunescens* (Hampson,1902)** (Noctuidae) **Synonym(s):** *prunescens* Hampson,1902 - Range (in code): **ZA**
- 67013. *Radara subcupralis* (Walker,[1866])** (Noctuidae) **Synonym(s):** *subcupralis* Walker,[1866]; *transcissa* Walker,[1866]; *obliquifasciata* Moore,1882; *frequens* Holland,1894. - Range (in code): **ZA**
- 67014. *Radara thermeola* Hampson,1926** (Noctuidae) **Synonym(s):** *thermeola* Hampson,1926 Range (in code): **ZA**
- 67015. *Radara vacillans* Walker,1862** (Noctuidae) **Synonym(s):** *vacillans* Walker,1862; *capensis* Walker,1862; *divisalis* Walker,[1866]; *transmissa* Heyden,1891. - Range (in code): **ZA**
- 67016. *Raddea sherpa* Hreblay & L.Ronkay,1998** (Noctuidae) **Synonym(s):** *sherpa* Hreblay & L.Ronkay,1998 - Range (in code): **NP**
- 67017. *Ramadasa fumipennis* W.Warren,1916** (Noctuidae) **Synonym(s):** *fumipennis* W.Warren,1916 - Range (in code): **MY Prk**
- 67018. *Ramadasa pavo* (Walker,1856)** (Noctuidae) **Synonym(s):** *pavo* Walker,1856 - Range (in code): **LK Pdy MY TH CMa Dst Dso8**
- 67019. *Ramadasa plumbeola* W.Warren,1916** (Noctuidae) **Synonym(s):** *plumbeola* W.Warren,1916 - Range (in code): **IN Ass Meg**
- 67020. *Ramesodes divisa* (Hampson,1902)** (Noctuidae) **Synonym(s):** *divisa* Hampson,1902 Range (in code): **ZA Nta Kzu Ec Tra**
- 67021. *Ramesodes micropis* Hampson,1910** (Noctuidae) **Synonym(s):** *micropis* Hampson,1910 Range (in code): **ZA**
- 67022. *Raparna erubescens* (A.Bang-Haas,1910)** (Noctuidae) **Synonym(s):** *erubescens* A.Bang-Haas,1910 Original Reference: *Prothymna erubescens* A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 40. Range (in code): **DZ MA SA OM AE IL Pa JO IR Ss Hz B-A AF**
- 67023. *Raparna erubescens grisescens* Wiltshire,1967** (Noctuidae) **Synonym(s):** *grisescens* Wiltshire,1967 - Range (in code): **AF**
- 67024. *Raparna horciusalis* (Walker,1859)** (Noctuidae) **Synonym(s):** *horciusalis* Walker,1859; *tantilla* Swinhoe,1885; *unicoloris* Swinhoe,1886 - Range (in code): **IN Mhw TH Nan Dpk**
- 67025. *Raparna tritonias* Hampson,1902** (Noctuidae) **Synonym(s):** *tritonias* Hampson,1902 Range (in code): **ZA**
- 67026. *Raphia approximata* Alpheraky,1887** (Noctuidae) **Synonym(s):** *approximata* Alpheraky,1887 - Range (in code): **UZ Tas KK Skm**
- 67027. *Raphia hybris* (Hübner,[1813])** (Noctuidae) **Synonym(s):** *hybris* Hübner,[1813] - Range (in code): **DZ Abe PT ES Mu FR** Bionomy: Larva on Populus (Calle et al., 2000).
- 67028. *Recoropha beata* (Staudinger,1892)** (Noctuidae) **Synonym(s):** *beata* Staudinger,1892 Original Reference: *Metopoceras* (?) *beata* Staudinger,1892, Dt. ent. Z., Iris 4: 274, Taf. iiifig. 9. **Type** 1♀: [Türkei]: Hadjin, 20.Juni 1890 (Manissadjian leg.). Range (in code): **TR IR Ab Oru Fa Km Ab IQ IL Pa SY Dms**

- 67029. Recoropha canteneri (Duponchel,1833)** (Noctuidae) **Synonym(s):** *canteneri* Duponchel,1833; *insueta* Herrich-Schäffer,1850; *pallidior* Rothschild,1913; *satanas* Boursin,1962 - Range (in code): **MR MA DZ Ges BSa Sbd Clo PT ES Mu FR IT**
- 67030. Recoropha hreblayi Hacker & L.Ronkay,2002** (Noctuidae) **Synonym(s):** *hreblayi* Hacker & L.Ronkay,2002 Original Reference: *Recoropha hreblayi* Hacker & L.Ronkay,2002, *Esperiana* 9: 254-255, figs. Holotype ♂: Türkiye: Prov. Hakkari, oberhalb Oğul, 2100m (16km S. Hakkari), 29.vi.1984, leg. F.Wolf (coll. Hacker). Range (in code): **TR IR Km Kd Snj Sah Ab**
- 67031. Rema costimacula (Guenée,1852)** (Noctuidae) **Synonym(s):** *costimacula* Guenée,1852; *triangulata* Walker,1865; *arvisignata* A.E.Prout,1924 - Range (in code): **BD Syl IN ID Sum TH Tng CMa Dst Cuo Cuo1 MY LA CN TW**
- 67032. Rema tetraspila Walker,1865** (Noctuidae) **Synonym(s):** *tetraspila* Walker,1865 - Range (in code): **IN SI Djl NP TH Knc**
- 67033. Remigia alterna (Walker,1858)** (Noctuidae) **Synonym(s):** *alterna* Walker,1858; *nebuligera* Butler,1886 - Range (in code): **AU**
- 67034. Remigia annetta Butler,1878** (Noctuidae) **Synonym(s):** *annetta* Butler,1878; *arabesca* Bryk,1949 - Range (in code): **KP KR JP**
- 67035. Remigia conveniens Walker,1858** (Noctuidae) **Synonym(s):** *conveniens* Walker,1858; *detersa* Walker,1865 - Range (in code): **ZR SL**
- 67036. Remigia diplocyma (Hampson,1913)** (Noctuidae) **Synonym(s):** *diplocyma* Hampson,1913 Range (in code): **BR**
- 67037. Remigia discios (Kollar,[1844])** (Noctuidae) **Synonym(s):** *discios* Kollar,[1844]; *#lteriorata* W.Warren,1913 Original Reference: *Ophiusa discios* Kollar,[1844], [in] Hügel's Kaschmir 4: 477. Syntypes: Himalayas. Range (in code): **Ch PK Swa Sgl**
- 67038. Remigia dolosa (Butler,1880)** (Noctuidae) **Synonym(s):** *dolosa* Butler,1880; *nigrisigna* Leech,1889 - Range (in code): **JP TW**
- 67039. Remigia inornata (Holland,1894)** (Noctuidae) **Synonym(s):** *inornata* Holland,1894 Range (in code):
- 67040. Remigia undata (Fabricius,1775)** (Noctuidae) **Synonym(s):** *undata* Fabricius,1775; *archesia* Cramer,1780; *virbia* Cramer,1780; *gregalis* Guenée,1852; *bifasciata* Walker,1865; *philippiensis* Strand,1917; *uberia* Wileman,1923 Original Reference: *Noctua undata* Fabricius,1775, *Syst. Ent.*: 600. Type(s): India orientalis. Range (in code): **PK K-P SL CM ZR KE ZW Har MU RU Sb Us CN TW JP IN Mh Nsk LK MM Adm Nk ID Ja Bor Swk Sda Sum Tim Flo Sbw PG PC ZA Nta Kzu Dbn TH CMa Cuo Cuo1 Knc Rng KH VN NP PH**
- 67041. Remigia undifera (Hampson,1913)** (Noctuidae) **Synonym(s):** *undifera* Hampson,1913 Range (in code): **EC**
- 67042. Rhabdophera arefacta (Swinhoe,1884)** (Noctuidae) **Synonym(s):** *arefacta* Swinhoe,1884; *messrae* Staudinger,1898. - Range (in code): **PK Sd Krc IL Pa Jt JO Sn EG IQ Amr Agh IR Hz** Bionomy: Larva on *Prosopis stephaniana* (Wiltshire,1944).
- 67043. Rhabinopteryx subtilis (Mabille,1888)** (Noctuidae) **Synonym(s):** *subtilis* Mabille,1888; *renatalis* Rebel,1909 nec Obth.; *luridalis* Rebel,1911. Original Reference: *Epimecia subtilis* Mabille,1888, *Bull. Soc. ent. Fr.* 1888: 51. Type: Gabes. Range (in code): **MA DZ Onç Hes Ges Berr Ceg BSa Tou Bsk Sfr TN Gab LY MT TN EG Sn SA JO IL Pa IQ Kbl Bgd IR** Bionomy: Larva on *Plantago albicans* (Dumont,1927).
- 67044. Rhabinopteryx turanica (Erschoff,1874)** (Noctuidae) **Synonym(s):** *turanica* Erschoff,1874 - Range (in code): **UZ KG CN Ui AF Hr**
- 67045. Rhanidophora agrippa Druce,1899** (Noctuidae) **Synonym(s):** *agrippa* Druce,1899 Range (in code): **ZA**
- 67046. Rhanidophora aurantiaca Hampson,1902** (Noctuidae) **Synonym(s):** *aurantiaca* Hampson,1902 - Range (in code): **ZA Nta Kzu Dbn**
- 67047. Rhanidophora cinctigutta (Walker,1862)** (Noctuidae) **Synonym(s):** *cinctigutta* Walker,1862 - Range (in code): **ZA Nta Kzu Kkf KE MW Zom**
- 67048. Rhanidophora enucleata Mabille,1900** (Noctuidae) **Synonym(s):** *enucleata* Mabille,1900 Range (in code): **ZA**
- 67049. Rhanidophora flavigutta Hampson,1926** (Noctuidae) **Synonym(s):** *flavigutta* Hampson,1926 - Range (in code): **ZA**
- 67050. Rhanidophora odontophora Hampson,1926** (Noctuidae) **Synonym(s):** *odontophora* Hampson,1926 - Range (in code): **ZA**

- 67051. Rhanidophora phedonia (Stoll,1781)** (Noctuidae) Synonym(s): *phedonia* Stoll,1781
Range (in code): ZA Nta Kzu Est Ec
- 67052. Rhanidophora ridens Hampson,1902** (Noctuidae) Synonym(s): *ridens* Hampson,1902
Range (in code): ZA Tva Lpo Spb Mdk KE MZ Del
- 67053. Rhesala goleta (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *goleta* R.Felder & Rogenhofer,1874
Range (in code): ZA
- 67054. Rhesala grisea (Hampson,1916)** (Noctuidae) Synonym(s): *grisea* Hampson,1916
Range (in code): ZA SO
- 67055. Rhesala imparata Walker,1858** (Noctuidae) Synonym(s): *imparata* Walker,1858; *diminutiva* Walker,[1866]; *alboluta* Moore,1882; *cervina* Moore,1882
Range (in code): IN
- 67056. Rhesala moestalis (Walker,[1866])** (Noctuidae) Synonym(s): *moestalis* Walker,[1866]; *erebina* Butler,1879; *figurata* Moore,1885; *malgassica* Heyden,1891; *formosana* Strand,1920; *ragazzii* Berio,1936
Original Reference: Magulaba moestalis Walker,[1866], List spec. lepid. Ins. Colln Br. Mus. 34: 1127. Type: Sierra Leone (BMNH). Range (in code): MG ZA SL ET YE Ad JP PK Cp TW LK
- 67057. Rhesala sp.1** (Noctuidae) Synonym(s):
Range (in code): TH Ntt Hba
- 67058. Rhesala sp.2** (Noctuidae) Synonym(s):
Range (in code): TH CMa Int
- 67059. Rhesala sp.3** (Noctuidae) Synonym(s):
Range (in code): TH Knc
- 67060. Rhesala sp.4** (Noctuidae) Synonym(s):
Range (in code): TH Nan Dpk
- 67061. Rhesalides natalensis Hampson,1926** (Noctuidae) Synonym(s): *natalensis* Van Son,1966
Range (in code): ZA
- 67062. Rhinognatha albofasciatus (Rothschild,1920)** (Noctuidae) Synonym(s): *albofasciatus* Rothschild,1920
Range (in code): ID Sum
- 67063. Rhinognatha scopigera (Moore,1885)** (Noctuidae) Synonym(s): *scopigera* Moore,1885; *nubifascia* Hampson,1893
Range (in code): LK
- 67064. Rhiza (Graphantha) gnorima (Püngeler,1907)** (Noctuidae) Synonym(s): *gnorima* Püngeler,1907
Range (in code): TM Kp AM Geg Cc RU Kc MN
- 67065. Rhiza (Graphantha) gnorima gnorima (Püngeler,1907)** (Noctuidae) Synonym(s): *gnorima* Püngeler,1907
Range (in code): TM Kp
- 67066. Rhiza (Graphantha) gnorima hololampra (Ronkay & Varga,1989)** (Noctuidae) Synonym(s): *hololampra* Ronkay & Varga,1989
Original Reference: Pseudohadena gnorima ssp. hololampra Ronkay & Varga,1989, Acta zool. Hung. 35: 349-350, figs.12-13. Holotype ♂: [Armenia]: "Russisch Armenien, Geghard, 1700m, 40km östl. Eriwan" (Kasy & Vartian leg.) (coll. Vartian). Range (in code): AM Geg Cc RU Kc
- 67067. Rhiza (Graphantha) gnorima peregovitsi (Ronkay & Varga,1989)** (Noctuidae) Synonym(s): *pergovitsi* Ronkay & Varga,1989
Original Reference: Pseudohadena gnorima ssp. peregovitsi Ronkay & Varga,1989, Acta zool. Hung. 35: 350-351, figs.14-15. Holotype ♂: Mongolia, Govi Altay Aimak, Mts. Adz Bogd Uul, valley Ih gol, 2100m, leg. Peregovits & Varga (HNHM). Range (in code): MN
- 67068. Rhiza (Graphantha) laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887
Original Reference: Chloantha laciniosa Christoph,1887,[in] Romanoff, Mém. lépid. 3: 77, pl.4 fig.4. Syntypes: [Turkmenistan]: Germob. Range (in code): TM Kp Ger IR Ke Kh AF KK Ik TeA TR Cc KG Tk Dj
- 67069. Rhiza (Graphantha) laciniosa hethitica Ronkay & Varga,1989** (Noctuidae) Synonym(s): *hethitica* Ronkay & Varga,1989
Original Reference: Pseudohadena laciniosa ssp. hethitica Ronkay & Varga,1989, Acta zool. Hung. 35: 346-347, figs. Holotype ♂: [Turkey]: Asia min. c., [Akşehir] Ak-Ch.-Tschiftlik (HNHM). Range (in code): TR Cc
- 67070. Rhiza (Graphantha) laciniosa laciniosa (Christoph,1887)** (Noctuidae) Synonym(s): *laciniosa* Christoph,1887
Original Reference: Chloantha laciniosa Christoph,1887,[in] Romanoff, Mém. lépid. 3: 77, pl.4 fig.4. Syntypes: [Turkmenistan]: Germob. Range (in code): TM Kp Ger IR Ke AF KK Ik TeA KG Tk Dj
- 67071. Rhiza (Graphantha) laciniosa odontographa Ronkay & Varga,1989** (Noctuidae) Synonym(s): *odontographa* Ronkay & Varga,1989
Range (in code): IR Kh
- 67072. Rhiza (Gryphadena) indigna (Christoph,1887)** (Noctuidae) Synonym(s): *indigna* Christoph,1887; *restricta* Sukhareva,1976.
Original Reference: Agrotis indigna Christoph,1887, Stettin ent. Ztg. 48: 164. Syntypes ♂♀: [Turkmenistan]: "Germob". Range (in code): RU Cc Da TM Kp
- 67073. Rhiza (Gryphadena) minuta Püngeler,[1900]** (Noctuidae) Synonym(s): *minuta* Püngeler,[1900]; *sengana* Brandt,1941; *pseudocommoda* Boursin,1963
Original Reference:

- Pseudohadena minuta* Püngeler,[1900], Dt. ent. Z., Iris 12 293. Syntypes: [Turkmenistan]: Merw; [Kazachstan]: Ili Gebiet. Range (in code): **KG Uk Tk TM Mrw IR Ss Kuh Elb Th**
- 67074. Rhiza (s.str.) commoda Staudinger,1889** (Noctuidae) Synonym(s): *indigna auct. nec* Chr.,1887; *commoda Staudinger,1889*; *manifesta Christoph,1893* Original Reference: *Rhiza commoda* Staudinger,1889, Stettin ent. Ztg. 50: 44-45. Syntypes 4♂ 3♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **ES TR KK Ik Cc AZ Nv Ord CN Ui Au Ga IL Pa JO IR Kh AF PK Hu Gg**
- 67075. Rhiza (s.str.) idumaea (Püngeler,1902)** (Noctuidae) Synonym(s): *idumaea* Püngeler,1902 Range (in code): **IL Pa**
- 67076. Rhiza (s.str.) schlumbergeri (Püngeler,1905)** (Noctuidae) Synonym(s): *schlumbergeri* Püngeler,1905 Range (in code): **IR Ss KG RU Ao TM TJ CN Ui Alt**
- 67077. Rhiza (s.str.) sergia (Püngeler,1901)** (Noctuidae) Synonym(s): *sergia* Püngeler,1901 Range (in code): **UZ Fe CN Ui Au MN**
- 67078. Rhiza (s.str.) stenoptera (Boursin,1970)** (Noctuidae) Synonym(s): *stenoptera* Boursin,1970 Range (in code): **KG Uk RU Ur**
- 67079. Rhizedra lutosa (Hübner,[1803])** (Noctuidae) Synonym(s): *lutosa* Hübner,[1803]; *crassicornis* Haworth,1809; *pilicornis* Haworth,1812; *vectis* Curtis,1833; *bathyerga* Boie,1835; *?pallidipennis* W.Warren,1911 Original Reference: *Noctua lutosa* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.48 fig.232. Type(s): Europa. Range (in code): **ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cc IQ TR DK NO SE FI EE LV LT RU Cc Ro Ich Da Sb MD UA BY KK Ik TM Kp CN Ui Kun MN KP KR JP** Bionomy: Larva on *Phragmites communis* (Hacker,1989).
- 67080. Rhodochlaena botonga (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *botonga* R.Felder & Rogenhofer,1874; *perrubra* Hampson,1902 Range (in code): **ZA Ec Tra**
- 67081. Rhodochlaena cuneifera Hampson,1910** (Noctuidae) Synonym(s): *cuneifera* Hampson,1910 Range (in code): **ZR Kga**
- 67082. Rhodochlaena descarpentriesi Laporte,1975** (Noctuidae) Synonym(s): *descarpentriesi* Laporte,1975 Range (in code): **KE**
- 67083. Rhodochlaena dinshoense Laporte,1974** (Noctuidae) Synonym(s): *dinshoense* Laporte,1974 Range (in code): **ET ET86**
- 67084. Rhodotarache roseofusca W.Warren,1914** (Noctuidae) Synonym(s): *roseofusca* W.Warren,1914 Range (in code): **ZA**
- 67085. Rhyacia (Anchorhyacia) evartianae Varga,1990** (Noctuidae) Synonym(s): *evartianae* Varga,1990 Range (in code): **AF**
- 67086. Rhyacia (Anchorhyacia) gabori Varga,1996** (Noctuidae) Synonym(s): *gabori* Varga,1996 Range (in code): **TM Kp IR Fa Ss**
- 67087. Rhyacia (Anchorhyacia) nyctimerina (Staudinger,1888)** (Noctuidae) Synonym(s): *nyctimerina* Staudinger,1888; *rehnensis* Wagner,1937. Original Reference: *Agrotis nyctimerina* Staudinger,1888, Stettin ent. Ztg. 1888: 6. Range (in code): **IR Elb KK Ik Ax CN Ui Ii**
- 67088. Rhyacia (Anchorhyacia) oromys Varga,1990** (Noctuidae) Synonym(s): *oromys* Varga,1990 Range (in code): **AF**
- 67089. Rhyacia (Anchorhyacia) oxytheca Boursin,1957** (Noctuidae) Synonym(s): *oxytheca* Boursin,1957 Range (in code): **IR Zj AF Bd PK IN**
- 67090. Rhyacia (Anchorhyacia) psammia (Püngeler,1906)** (Noctuidae) Synonym(s): *psammia* Püngeler,1906 Original Reference: *Agrotis psammia* Püngeler,1906, Dt. ent. Z., Iris 19: 88. Range (in code): **GR TR AM Eri Cc RU Ich Ing Da KK Ik IR Zj Fa Mz Lo Elb Th Dam Ss LB Bsa IQ KK Ik CN Ui Kl Au PK**
- 67091. Rhyacia (Anchorhyacia) psammia nyctimerides (O.Bang-Haas,1922)** (Noctuidae) Synonym(s): *nyctimerides* O.Bang-Haas,1922; *stavroitiacus* Tuleschkoff,1951; *alagesica* Boursin,1962; *#nyctomerides* Hacker,[1987] Original Reference: *Agrotis nyctimerina* var. *nyctimerides* O.Bang-Haas,1922, Dt. ent. Z., Iris 36: 5. Type(s): Issyk-Kul. Range (in code): **GR TR AM Eri Cc RU Ich Ing Da KK Ik IR Zj Fa Mz Lo Elb Th Dam Ss LB IQ KK Ik CN Ui Kl Au**
- 67092. Rhyacia (Anchorhyacia) psammia roseoflava (Corti,1933)** (Noctuidae) Synonym(s): *roseoflava* Corti,1933 Range (in code): **LB Bsa**
- 67093. Rhyacia (Anchorhyacia) similis (Staudinger,1888)** (Noctuidae) Synonym(s): *similis* Staudinger,1888; *polita* Alpherakj,1882; *astuta* Corti,1928. Range (in code): **KK Ax Ik KG Ssn CN Ui Ku**
- 67094. Rhyacia (Anchorhyacia) subdecora (Staudinger,1888)** (Noctuidae) Synonym(s): *subdecora* Staudinger,1888 Original Reference: *Agrotis subdecora* Staudinger,1888, Stettin ent.

- Ztg. 49: 7. Syntypes 4♂: [Uzbekistan]: Margelan (Haberhauer leg.). Range (in code): TM Kp UZ IR Zj AF Bd
- 67095. Rhyacia (Anchorhyacia) subdecora xanthopasta Boursin,1963** (Noctuidae)
Synonym(s): *xanthopasta Boursin,1963* Range (in code):
- 67096. Rhyacia (Dichorhyacia) fabiani Varga,1996** (Noctuidae) Synonym(s): *fabiani Varga,1996* Range (in code): TM Kp
- 67097. Rhyacia (Dichorhyacia) ignobilis (Staudinger,1888)** (Noctuidae) Synonym(s): *ignobilis Staudinger,1888; thapsina Püngeler,1906; asella Püngeler,1906.* Original Reference: Agrotis ignobilis Staudinger,1888, Stettin ent. Ztg. 49: 7-8. Syntypes 3♂: [Kirgizistan]: Issyk-Kul (Tancre leg.). Range (in code): KK Ax Ik Fe TeA TrA TJ Pm Chr UZ AF Adr
- 67098. Rhyacia (Epipsilia) boursini (Rungs,1972)** (Noctuidae) Synonym(s): *Epipsilia boursini (Rungs,1972)* Range (in code): MA
- 67099. Rhyacia (Epipsilia) cervantes (Reisser,1935)** (Noctuidae) Synonym(s): *cervantes Reisser,1935; #gyulaipetri Varga,1975* Original Reference: Rhyacia cervantes Reisser,1935, Ent. Rdsch. 53: 41. Range (in code): DZ MA ES Si YU BG GR TR IR Elb Th
- 67100. Rhyacia (Epipsilia) cervantes pseudolatens (Zerny,1935)** (Noctuidae) Synonym(s): *pseudolatens Zerny,1935* Range (in code): DZ MA
- 67101. Rhyacia (Epipsilia) cervantes vargai (Fibiger,1993)** (Noctuidae) Synonym(s): *vargai Fibiger,1993* Range (in code): GR BG
- 67102. Rhyacia (Epipsilia) grisescens (Fabricius,1794)** (Noctuidae) Synonym(s): *grisescens Fabricius,1794; ignicola Hübner,[1813]; corrosa Herrich-Schäffer,1850; defasciata Wendlandt,1902; fasciata Vorbrodt,1917; albescens Rohn-Rethel,1929; coralita Hospital,1948; obscurata Feichtenberger,1962; lucida Feichtenberger,1962* Original Reference: Noctua grisescens Fabricius,1794, Ent. Syst. 3 (2): 110. Range (in code): PT ES IT DE CH AT PL CZ SK RO YU AL BG GR DK NO SE FI RU Kb Nt Ich Da MD UA BY KG TrA Aa KK Ik Cc GG
- 67103. Rhyacia (Epipsilia) grisescens grisescens (Fabricius,1794)** (Noctuidae)
Synonym(s): *grisescens Fabricius,1794; ignicola Hübner,[1813]; corrosa Herrich-Schäffer,1850; defasciata Wendlandt,1902; fasciata Vorbrodt,1917; albescens Rohn-Rethel,1929; coralita Hospital,1948; obscurata Feichtenberger,1962; lucida Feichtenberger,1962* Original Reference: Noctua grisescens Fabricius,1794, Ent. Syst. 3 (2): 110. Range (in code): PT ES IT DE CH AT PL CZ SK RO YU AL BG GR RU Kb Nt Ich Da MD UA BY KG TrA Aa KK Ik Cc GG
- 67104. Rhyacia (Epipsilia) grisescens septentrionalis (Fibiger,1993)** (Noctuidae)
Synonym(s): *septentrionalis Fibiger,1993* Range (in code): DK NO SE FI
- 67105. Rhyacia (Epipsilia) latens (Hübner,[1809])** (Noctuidae) Synonym(s): *latens Hübner,[1809]; murina Freyer,1842; latitans Guenée,1852; apennina Sohn-Rethel,1929.* Original Reference: Noctua latens Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf.89, fig.419. Type: [Europa]. Range (in code): ES Si? IT DE CH AT PL CZ SK HU RO YU BG GR TR Cc RU Nt MD UA BY IR Mz Se
- 67106. Rhyacia (Epipsilia) latens hyrcana (Staudinger,1900)** (Noctuidae) Synonym(s): *hyrcana Staudinger,1900; pontica Draudt,1936.* Original Reference: Agrotis grisescens var. hyrcana Staudinger,1900, Dt. ent. Z., Iris 12: 340. Syntypes: [Iran]: Hadschyabad, Schahkuh. Range (in code): IR Mz Se TR Cc
- 67107. Rhyacia (Epipsilia) lhasen (Le Cerf,1932)** (Noctuidae) Synonym(s): *lhasen Le Cerf,1932* Range (in code): MA
- 67108. Rhyacia (Epipsilia) proterva Püngeler,1904** (Noctuidae) Synonym(s): *proterva Püngeler,1904* Range (in code): CN Ui Alt
- 67109. Rhyacia (Ororhyacia) hampsoni (A.Bang-Haas,1910)** (Noctuidae) Synonym(s): *hampsoni A.Bang-Haas,1910* Original Reference: Agrotis (Epipsilia) hampsoni A.Bang-Haas,1910, Dt. ent. Z., Iris 24: 34. Range (in code): CN Ui Ju
- 67110. Rhyacia (Standfussrhyacia) admiranda Gyulai & Ronkay,2001** (Noctuidae)
Synonym(s): *admiranda Gyulai & Ronkay,2001* Range (in code): CN Ts
- 67111. Rhyacia (Standfussrhyacia) chimaera (Hacker & Varga,1990)** (Noctuidae)
Synonym(s): *chimaera Hacker & Varga,1990* Range (in code): Ch IN
- 67112. Rhyacia (Standfussrhyacia) horroreas Varga,2011** (Noctuidae) Synonym(s): *horroreas Varga,2011* Range (in code): PK Bt Deo
- 67113. Rhyacia (Standfussrhyacia) illustris Hacker & Kautt,1996** (Noctuidae)
Synonym(s): *illustris Hacker & Kautt,1996* Range (in code): IN Hp
- 67114. Rhyacia (Standfussrhyacia) junonia (Staudinger,1881)** (Noctuidae) Synonym(s): *junonia Staudinger,1881; alaina Staudinger,1888* Original Reference: Agrotis junonia

- Staudinger, 1881, Stettin ent. Ztg. 42: 415-416. Type ♂: [Kazachstan]: "Saisan" (MNHUB). Range (in code): **KG Ssn AF Bd CN Ui Au Kl UZ Fe KK Ik Ax TeA Al**
- 67115. Rhyacia (Standfussrhyacia) junonia alexandrina (Corti & Draudt, 1933)** (Noctuidae) Synonym(s): *alexandrina* Corti & Draudt, 1933 Range (in code): **KK Ax**
- 67116. Rhyacia (Standfussrhyacia) junonia calamochroa Varga, 1973** (Noctuidae) Synonym(s): *calamochroa* Varga, 1973 Range (in code): **AF Bd**
- 67117. Rhyacia (Standfussrhyacia) junonia junonia (Staudinger, 1881)** (Noctuidae) Synonym(s): *junonia* Staudinger, 1881; *alaina* Staudinger, 1888 Original Reference: *Agrotis junonia* Staudinger, 1881, Stettin ent. Ztg. 42: 415-416. Type ♂: [Kazachstan]: "Saisan" (MNHUB). Range (in code): **KG Ssn KK Ik TeA Al UZ Fe CN Ui Kl**
- 67118. Rhyacia (Standfussrhyacia) karakoreas Hacker & Varga, 1990** (Noctuidae) Synonym(s): *karakoreas* Hacker & Varga, 1990 Range (in code): **PK Gg Nlt**
- 67119. Rhyacia (Standfussrhyacia) mirabilis Boursin, 1954** (Noctuidae) Synonym(s): *mirabilis* Boursin, 1954 Range (in code): **NP CN Sz Btn**
- 67120. Rhyacia (Standfussrhyacia) mirabilis mirabilis Boursin, 1954** (Noctuidae) Synonym(s): *mirabilis* Boursin, 1954 Range (in code): **CN Sz Btn**
- 67121. Rhyacia (Standfussrhyacia) mirabilis nepalensis Boursin, 1964** (Noctuidae) Synonym(s): *nepalensis* Boursin, 1964 Range (in code): **NP**
- 67122. Rhyacia (Standfussrhyacia) oreas (Püngeler, 1904)** (Noctuidae) Synonym(s): *oreas* Püngeler, 1904 Range (in code): **CN Ui Alt Au**
- 67123. Rhyacia (Standfussrhyacia) peksi Hacker & Varga, 1990** (Noctuidae) Synonym(s): *peksi* Hacker & Varga, 1990 Range (in code): **Ld IN**
- 67124. Rhyacia (Standfussrhyacia) schistochroa Varga, 1973** (Noctuidae) Synonym(s): *schistochroa* Varga, 1973 Range (in code): **MN**
- 67125. Rhyacia (Standfussrhyacia) unicornis Varga, 2011** (Noctuidae) Synonym(s): *unicornis* Varga, 2011 Range (in code): **CN Ui Bc**
- 67126. Rhyacia (Stenorhyacia) caradrinoides (Staudinger, 1896)** (Noctuidae) Synonym(s): *caradrinoides* Staudinger, 1896; *hydrillodes* Alpheraky, 1897. Range (in code): **MN Uli RU At Ur Sb Sh KG**
- 67127. Rhyacia (Stenorhyacia) electra (Staudinger, 1888)** (Noctuidae) Synonym(s): *electra* Staudinger, 1888; *thianschanica* Staudinger, [1900]; *griseoalba* Kozhantshikov, 1937 Original Reference: *Agrotis electra* Staudinger, 1888, Stettin ent. Ztg. 49: 6-7. Syntypes 1♂ 1♀: [Uzbekistan]: Margelan (Alai). Range (in code): **UZ Man TJ Pm Chr CN Ui Li Ku Kml KK TeA**
- 67128. Rhyacia (s.str.) achtalensis Kozhantshikov, 1929** (Noctuidae) Synonym(s): *achtalensis* Kozhantshikov, 1929 Range (in code): **Cc GG**
- 67129. Rhyacia (s.str.) afghanidia (Boursin, 1968)** (Noctuidae) Synonym(s): *afghanidia* Boursin, 1968 Range (in code): **AF Kbb BdA**
- 67130. Rhyacia (s.str.) arenacea (Hampson, 1907)** (Noctuidae) Synonym(s): *arenacea* Hampson, 1907; *pseudosimulans* Kozhantshikov, 1929. Original Reference: *Epipsilia arenacea* Hampson, 1907, Ann. Mag. nat. Hist. (7) 19: 245. Type: Pakistan: Quetta. Range (in code): **BG RU Ing Kyi Sb UA Cm AM GG Tbl UZ TM Kp CY TR PK Qu BI IR Mz Fa Shr Ke Ss Elb Th Kdj Kh AF Hr Gbh Pag Bm Cc AZ Kir Kp TM UZ N-A KK TrA Ik Fe CN Ui Li Ch LB Bsa IL Pa Hf JO**
- 67131. Rhyacia (s.str.) auguroides (Rothschild, 1914)** (Noctuidae) Synonym(s): *auguroides* Rothschild, 1914; *pseudosimulans* Kozhantshikov, 1929 Range (in code): **DZ Ges UZ Tas**
- 67132. Rhyacia (s.str.) decorata (Staudinger, 1881)** (Noctuidae) Synonym(s): *decorata* Staudinger, 1881 *nec* Butl., 1879 Original Reference: *Agrotis decorata* Staudinger, 1881, Stettin ent. Ztg. 42: 414. Type ♂: [Kazachstan]: "Tarbagatai". Range (in code): **KG Tar**
- 67133. Rhyacia (s.str.) diplogramma (Hampson, 1903)** (Noctuidae) Synonym(s): *diplogramma* Hampson, 1903 Original Reference: *Episilia diplogramma* Hampson, 1903, Cat. Lepid. Phalaenae Br. Mus. 3: 508-509, pl. lxxiii fig. 26. Type ♀: W. Turkestan: Ashabad (BMNH). Range (in code): **TM Kp**
- 67134. Rhyacia (s.str.) geochroa (Boursin, 1940)** (Noctuidae) Synonym(s): *geochroa* Boursin, 1940 Range (in code): **CN Gn Rth**
- 67135. Rhyacia (s.str.) helvetina (Boisduval, 1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval, 1833; *livia* Freyer, 1836 Original Reference: *Noctua helvetina* Boisduval, 1833, Annls Soc. ent. Fr. 1833: 376. Syntypes: Valais Alps. Range (in code): **MA ES FR IT DE CH AT GR TR IR Fa Mz Elb Th RU Da Cc KG Tk Dj Li**

- 67136. *Rhyacia (s.str.) helvetina banghaasi* Boursin,1940** (Noctuidae) Synonym(s): *gilva* A.Bang-Haas,1910 nec Donz.,1837; *banghaasi* Boursin,1940 Original Reference: *Rhyacia helvetina* ssp. *bang-haasi* Boursin,1940, Mitt. münch. ent. Ges. 30: 495 (nomen novum pro *gilva* Bang-Haas,1910 nec Donzel,1837). Syntypes: [Türkei]: "Aintab" [Gaziantep] (MNHUB). Range (in code): **TR**
- 67137. *Rhyacia (s.str.) helvetina deliciosa* Brandt,1938** (Noctuidae) Synonym(s): *deliciosa* Brandt,1938 Original Reference: *Rhyacia helvetina* ssp. *deliciosa* Brandt,1938, Ent. Rdsch. 55: 503. Syntypes : Iran: [Fars]: Barm i Firuz. Range (in code): **IR Fa**
- 67138. *Rhyacia (s.str.) helvetina helvetina* (Boisduval,1833)** (Noctuidae) Synonym(s): *helvetina* Boisduval,1833; *livia* Freyer,1836 Original Reference: *Noctua helvetina* Boisduval,1833, Annls Soc. ent. Fr. 1833: 376. Syntypes: Valais Alps. Range (in code): **ES FR IT DE CH AT GR KG Tk Dj li**
- 67139. *Rhyacia (s.str.) helvetina lhasen* Le Cerf,1932** (Noctuidae) Synonym(s): *lhasen* Le Cerf,1932 Range (in code): **MA**
- 67140. *Rhyacia (s.str.) helvetina rjabovi* Boursin,1940** (Noctuidae) Synonym(s): *rjabovi* Boursin,1940. Original Reference: *Rhyacia helvetina* ssp. *rjabovi* Boursin,1940, Mitt. münch. ent. Ges. 30: 495, Taf.viii fig.27. Holotype ♀: [Russia]: Daghestan: Bazar-Djuzi (prope Khanaluk), 3000m (leg. Rjabov, coll. Boursin) (LNK). Range (in code): **RU Da Cc TR IR Mz Elb Th**
- 67141. *Rhyacia (s.str.) helvetina schepleri* Fibiger,1993** (Noctuidae) Synonym(s): *schepleri* Fibiger,1993 Range (in code): **GR**
- 67142. *Rhyacia (s.str.) homichlodes* Boursin,1954** (Noctuidae) Synonym(s): *homichlodes* Boursin,1954 Range (in code): **CN Yu Ats**
- 67143. *Rhyacia (s.str.) ledereri* (Erschoff,1870)** (Noctuidae) Synonym(s): *ledereri* Erschoff,1870; *mus* Alpheraky,1882; *punctinotata* W.Warren,1914. Range (in code): **RU Ur Sb Am Ir Irk CN Ui Ju Ku Ti li T-S KK Ik MN Uli IN Ld**
- 67144. *Rhyacia (s.str.) lucipeta* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *lucipeta* [Denis & Schiffermüller],1775. Original Reference: *Noctua lucipeta* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 71. Type(s): [Austria]: Vienna district. Range (in code): **DZ Blid ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Zj Elb Th Ab Dam IQ RU St Nt MD UA BY**
- 67145. *Rhyacia (s.str.) mansour* Le Cerf,1933** (Noctuidae) Synonym(s): *mansour* Le Cerf,1933 Range (in code): **MA**
- 67146. *Rhyacia (s.str.) mimouna* Le Cerf,1933** (Noctuidae) Synonym(s): *mimouna* Le Cerf,1933 Range (in code): **MA**
- 67147. *Rhyacia (s.str.) musculus* (Staudinger,1889)** (Noctuidae) Synonym(s): *musculus* Staudinger,1889; *citillus* Alpheraky,1889. Original Reference: *Agrotis musculus* Staudinger,1889, Stettin ent. Ztg. 50: 30-31. Syntypes ♂♂: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): **KK Ik**
- 67148. *Rhyacia (s.str.) parnassiphila* (Staudinger,1881)** (Noctuidae) Synonym(s): *parnassiphila* Staudinger,1881 Original Reference: *Agrotis parnassiphila* Staudinger,1881, Stettin ent. Ztg. 42: 414-415. Type ♂: [Kazachstan]: "Ala Tau" (MNHUB). Range (in code): **KG DsA**
- 67149. *Rhyacia (s.str.) pseudolatens* Schwingenschuss,1935** (Noctuidae) Synonym(s): *pseudolatens* Schwingenschuss,1935 Range (in code): **MA**
- 67150. *Rhyacia (s.str.) quadrangula* (Zetterstedt,1839)** (Noctuidae) Synonym(s): *quadrangula* Zetterstedt,1839; *rava* Herrich-Schäffer,1852; *umbratus* Packard,1867; *clemens* Smith,1890; *pallidifrons* Hampson,1903 Range (in code): **Grl IS CA Lbr US Cf KG Tk TJ Pm Chr**
- 67151. *Rhyacia (s.str.) reticulata* Kozhantshikov,1923** (Noctuidae) Synonym(s): *reticulata* Kozhantshikov,1923 Range (in code): **RU Kj Mnu**
- 67152. *Rhyacia (s.str.) scythropa* Boursin,1963** (Noctuidae) Synonym(s): *scythropa* Boursin,1963 Range (in code): **AF Pag**
- 67153. *Rhyacia (s.str.) simulans* (Hufnagel,1766)** (Noctuidae) Synonym(s): *simulans* Hufnagel,1766; *tristis* Fabricius,1775; *pyrophila* [Denis & Schiffermüller],1775; *radicea* Esper,[1789]; *obscurata* Staudinger,1901; *augurides* Rothschild,1914 Original Reference: *Phalaena simulans* Hufnagel,1766, Berl. Mag. 3 (3): 396. Type(s): [Germany]: Berlin. Range (in code): **DZ Ges MA TN PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR GG Tbl AZ Kir AM Cc TR Arr LB Bsa DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Ing Kyi Da Sb At To MD UA BY UZ Fe KK Ik CN Ui li**
- 67154. *Rhynchaglaea discoidea* Hreblay, Peregovits & L.Ronkay,1999** (Noctuidae) Synonym(s): *discoidea* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci TH Cma**

- 67155. *Rhynchaglaea fuscipennis* Sugi,1958** (Noctuidae) Synonym(s): *fuscipennis* Sugi,1958
Range (in code): JP
- 67156. *Rhynchaglaea hemixantha* Sugi,1980** (Noctuidae) Synonym(s): *hemixantha* Sugi,1980;
leucocollaris Hreblay & L.Ronkay,1998 Range (in code): TW
- 67157. *Rhynchaglaea scitula* (Butler,1879)** (Noctuidae) Synonym(s): *scitula* Butler,1879;
kumamotonis Matsumura,1926; *albibasis* Draudt,1934 Range (in code): JP KR
- 67158. *Rhynchaglaea taiwana* Sugi,1980** (Noctuidae) Synonym(s): *taiwana* Sugi,1980; *shyrshana*
Chang,1991 Range (in code): TW
- 67159. *Rhynchina abducalis* (Walker,[1859])** (Noctuidae) Synonym(s): *abducalis* Walker,[1859]
Range (in code): AF Nu Bsg
- 67160. *Rhynchina albidula* W.Warren,1913** (Noctuidae) Synonym(s): *albidula* W.Warren,1913
Range (in code): IN Ch
- 67161. *Rhynchina albiluna* Hampson,1902** (Noctuidae) Synonym(s): *albiluna* Hampson,1902
Range (in code): IN SI
- 67162. *Rhynchina albiscripta* Hampson,1916** (Noctuidae) Synonym(s): *albiscripta*
Hampson,1916 Range (in code): SO
- 67163. *Rhynchina angulifascia* Moore,1882** (Noctuidae) Synonym(s): *angulifascia* Moore,1882
Range (in code): IN Hp Dlh Mus
- 67164. *Rhynchina angustalis* (W.Warren,1888)** (Noctuidae) Synonym(s): *angustalis*
W.Warren,1888 PK Abb Original Reference: *Hypena angustalis* W.Warren,1888, Proc. zool. Soc.
Lond. 1888: 317. Type ♀: [Pakistan]: Dumtanar nr. Abbotabad October 11,1886. Range (in code):
- 67165. *Rhynchina angustata* Butler,1889** (Noctuidae) Synonym(s): *angustata* Butler,1889
Range (in code): IN Hp Drm
- 67166. *Rhynchina barbarae* Lödl,1997** (Noctuidae) Synonym(s): *barbarae* Lödl,1997 Range
(in code): IN
- 67167. *Rhynchina caerulescens* Butler,1889** (Noctuidae) Synonym(s): *caerulescens* Butler,1889
Range (in code): IN Hp Drm Dlh SI Pj
- 67168. *Rhynchina canariensis* Pinker,1962** (Noctuidae) Synonym(s): *canariensis* Pinker,1962;
robusta Pinker,1962. Range (in code): Cn
- 67169. *Rhynchina claudiae* Lödl,1998** (Noctuidae) Synonym(s): *claudiae* Lödl,1998 Range
(in code): CN Yu Lik
- 67170. *Rhynchina columbaris* Butler,1889** (Noctuidae) Synonym(s): *columbaris* Butler,1889
Range (in code): IN Hp Drm
- 67171. *Rhynchina comias* Meyrick,1902** (Noctuidae) Synonym(s): *comias* Meyrick,1902
Range (in code): PG
- 67172. *Rhynchina coniodes* Vari,1962** (Noctuidae) Synonym(s): *coniodes* Vari,1962 Range
(in code): ZA Tva Kru
- 67173. *Rhynchina crassisquamata* Hampson,1910** (Noctuidae) Synonym(s): *crassisquamata*
Hampson,1910 Range (in code): ZM
- 67174. *Rhynchina cretacea* (W.Warren,1913)** (Noctuidae) Synonym(s): *cretacea* W.Warren,1913
Range (in code): Ch Gs IN Hp Dlh
- 67175. *Rhynchina desquammata* Hampson,1920** (Noctuidae) Synonym(s): *desquammata*
Hampson,1920 Range (in code): TW
- 67176. *Rhynchina endoleuca* Hampson,1916** (Noctuidae) Synonym(s): *endoleuca* Hampson,1916
Range (in code): SO
- 67177. *Rhynchina equalisella* (Walker,1863)** (Noctuidae) Synonym(s): *equalisella* Walker,1863;
caesa Distant,1898. Range (in code): ZA Tva Pre Gau Wb
- 67178. *Rhynchina ferreipars* Hampson,1907** (Noctuidae) Synonym(s): *ferreipars* Hampson,1907
Range (in code): CN IN Mh Bba
- 67179. *Rhynchina heinrichharrereri* Lödl,1998** (Noctuidae) Synonym(s): *heinrichharrereri*
Lödl,1998 Range (in code): NP
- 67180. *Rhynchina herbuloti* Viette,1965** (Noctuidae) Synonym(s): *herbuloti* Viette,1965
Range (in code): MG
- 67181. *Rhynchina ides* Bethune-Baker,1908** (Noctuidae) Synonym(s): *ides* Bethune-Baker,1908
Range (in code): PG
- 67182. *Rhynchina innotata* W.Warren,1910** (Noctuidae) Synonym(s): *innotata* W.Warren,1910
Range (in code): Ch IN PK Swa Mdy

- 67183. *Rhynchina leucodonta* Hampson, 1910** (Noctuidae) Synonym(s): *leucodonta* Hampson, 1910 _ Range (in code): ZM ZA MG MW TZ SN GM GH NG MR
- 67184. *Rhynchina leucogonia* Hampson, 1912** (Noctuidae) Synonym(s): *leucogonia* Hampson, 1912 _ Range (in code): IN Tn
- 67185. *Rhynchina lignicolor* (Hampson, 1898)** (Noctuidae) Synonym(s): *lignicolor* Hampson, 1898 _ Range (in code): IN Hp Sml NP
- 67186. *Rhynchina lithinata* Wileman & West, 1930** (Noctuidae) Synonym(s): *lithinata* Wileman & West, 1930 _ Range (in code): PH Luz
- 67187. *Rhynchina martonhreblyi* Lödl, 1999** (Noctuidae) Synonym(s): *martonhreblyi* Lödl, 1999 _ Range (in code): TH
- 67188. *Rhynchina meeki* Bethune-Baker, 1908** (Noctuidae) Synonym(s): *meeki* Bethune-Baker, 1908 _ Range (in code): PG
- 67189. *Rhynchina michaelhaeupli* Lödl & Gaal, 1998** (Noctuidae) Synonym(s): *michaelhaeupli* Lödl & Gaal, 1998 _ Range (in code): CN Yu Lik
- 67190. *Rhynchina obliquialis* (Kollar, [1844])** (Noctuidae) Synonym(s): *obliquialis* Kollar, 1844; *masuralis* Guenée, 1854; *cramboides* Butler, 1879; *morosa* Butler, 1879. _ Range (in code): PK Thu K-P IN Hp JP SA IQ
- 67191. *Rhynchina palidinota* Hampson, 1907** (Noctuidae) Synonym(s): *palidinota* Hampson, 1907 _ Range (in code): IN SI
- 67192. *Rhynchina paliscia* Bethune-Baker, 1911** (Noctuidae) Synonym(s): *paliscia* Bethune-Baker, 1911 _ Range (in code): NG NG
- 67193. *Rhynchina panczelosi* Lödl, 2000** (Noctuidae) Synonym(s): *panczelosi* Lödl, 2000 _ Range (in code): NP
- 67194. *Rhynchina perangulata* Hampson, 1916** (Noctuidae) Synonym(s): *perangulata* Hampson, 1916 _ Range (in code): SO ZA
- 67195. *Rhynchina pervulgaris* Swinhoe, 1885** (Noctuidae) Synonym(s): *pervulgaris* Swinhoe, 1885; *xylina* Swinhoe, 1886. _ Range (in code): IN Mh Bba Poo Mp
- 67196. *Rhynchina pionealis* Guenée, 1854** (Noctuidae) Synonym(s): *pionealis* Guenée, 1854 _ Range (in code): PK Swa IN Hp Drm
- 67197. *Rhynchina plusioides* (Butler, 1889)** (Noctuidae) Synonym(s): *plusioides* Butler, 1889; *curvatula* W. Warren, 1913 _ Range (in code): IN Hp Drm PK Swa Haz Mre Pj Ch AF Nu
- 67198. *Rhynchina poecilopa* Vari, 1962** (Noctuidae) Synonym(s): *poecilopa* Vari, 1962 _ Range (in code): ZA Gau Pre Tva
- 67199. *Rhynchina poliopera* Hampson, 1902** (Noctuidae) Synonym(s): *poliopera* Hampson, 1902; *ituriensis* A.E. Prout, 1921 _ Range (in code): ZA Cap Ec Ans
- 67200. *Rhynchina rivuligera* Butler, 1889** (Noctuidae) Synonym(s): *rivuligera* Butler, 1889; *angustata* Butler, 1889 _ Range (in code): IN Hp Drm Ass Meg Khs TH
- 67201. *Rhynchina sagittata* Butler, 1889** (Noctuidae) Synonym(s): *sagittata* Butler, 1889 _ Original Reference: *Rhynchina sagittata* Butler, 1889, Illustr. lepid. Het. Br. Mus. 7: 83, pl. 133 figs. 10, 11. Range (in code): IN Hp Drm PK Haz Mre Pj Swa Klm Ch Gs Dlh
- 67202. *Rhynchina sahariensis* Rothschild, 1921** (Noctuidae) Synonym(s): *sahariensis* Rothschild, 1921 _ Range (in code): NE
- 67203. *Rhynchina sigillata* (Butler, 1889)** (Noctuidae) Synonym(s): *sigillata* Butler, 1889 _ Range (in code): IN Hp Drm Dlh
- 67204. *Rhynchina striga* (R. Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *striga* R. Felder & Rogenhofer, 1874 _ Range (in code): IN Hp Drm Ch Sml PK Swa Mdy Haz Cte MM CN Ti
- 67205. *Rhynchina susannae* Lödl, 1998** (Noctuidae) Synonym(s): *susannae* Lödl, 1998 _ Range (in code): NP
- 67206. *Rhynchina talhamica* Wiltshire, 1982** (Noctuidae) Synonym(s): *talhamica* Wiltshire, 1982; *bettoni* Wiltshire, 1982. _ Range (in code): SA
- 67207. *Rhynchina talhamica talhamica* Wiltshire, 1982** (Noctuidae) Synonym(s): *talhamica* Wiltshire, 1982; *bettoni* Wiltshire, 1982. _ Range (in code): SA
- 67208. *Rhynchina taruensis* Butler, 1898** (Noctuidae) Synonym(s): *taruensis* Butler, 1898 _ Range (in code): KE
- 67209. *Rhynchina tenuipalpis* Hampson, 1891** (Noctuidae) Synonym(s): *tenuipalpis* Hampson, 1891 _ Range (in code): IN NI Tn

- 67210. *Rhynchina tinctalis* (Zeller,1852)** (Noctuidae) Synonym(s): *tinctalis* Zeller,1852; *echionalis* Walker,[1859]; *albistriga* Mabille,1900. Original Reference: *Hypena tinctalis* Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 9-10. Type ♀: [South Africa]: Natal. Range (in code): **SL ZA Nta Kzu**
- 67211. *Rhynchina tripunctigera* Berio,1977** (Noctuidae) Synonym(s): *tripunctigera* Berio,1977 Range (in code): **TW**
- 67212. *Rhynchina uniformis* Butler,1889** (Noctuidae) Synonym(s): *uniformis* Butler,1889 Range (in code): **IN Hp Drm Sml PK Abb Pj**
- 67213. *Rhynchina vartianae* (Wiltshire,1971)** (Noctuidae) Synonym(s): *vartianae* Wiltshire,1971 Range (in code): **AF Nu PK Swa Mdy**
- 67214. *Rhynchopalpus argentalis* (Moore,1867)** (Noctuidae) Synonym(s): *argentalis* Moore,1867 Range (in code): **IN SI**
- 67215. *Rhynchopalpus brunellus* Hampson,1893** (Noctuidae) Synonym(s): *brunellus* Hampson,1893; *achromia* Hampson,1909 Range (in code): **LK Pdy AU QAU**
- 67216. *Rhynchopalpus harthani* Holloway,1976** (Noctuidae) Synonym(s): *harthani* Holloway,1976 Range (in code): **MY**
- 67217. *Rhynchopalpus lilliptiana* Inoue,1998** (Noctuidae) Synonym(s): *lilliptiana* Inoue,1998 Range (in code): **NP**
- 67218. *Rhynchopalpus subfuscatoria* Inoue,1998** (Noctuidae) Synonym(s): *subfuscatoria* Inoue,1998 Range (in code): **NP**
- 67219. *Rhynchoplexia rubra* (Hampson,1894)** (Noctuidae) Synonym(s): *rubra* Hampson,1894; *ferruginea* Hreblay & L.Ronkay,1998 Range (in code): **IN SI**
- 67220. *Rhypagla lacernaria* (Hübner,[1813])** (Noctuidae) Synonym(s): *lacernaria* Hübner,[1813]; *glarea* Treitschke,1826; *cretula* Freyer,1842 Original Reference: *Geometra lacernaria* Hübner,[1813], Samml. eur. Schm. 5, Geometrae: Tab.82 fig.422. Type(s): Europa. Range (in code): **DZ ES Mu FR IT YU AL BG GR Cr TR GG Cc AM AZ Nv Ord IR Es Fa Kaz Kz Yas Kd Kh Elb Th IQ TIH CY LB IL Pa JO** Bionomy: Larva on *Phlomis* (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 67221. *Riadhia diehli* Wiltshire,1961** (Noctuidae) Synonym(s): *diehli* Wiltshire,1961 Range (in code): **SA**
- 67222. *Rileyiana fovea* (Treitschke,1825)** (Noctuidae) Synonym(s): *fovea* Treitschke,1825 Range (in code): **IT? AT SK HU RO YU BG GR TR**
- 67223. *Risoba avola* Bethune-Baker,1906** (Noctuidae) Synonym(s): *avola* Bethune-Baker,1906; *magna* A.E.Prout,1922; *ochracea* A.E.Prout,1922 Range (in code): **MY Bor Sbh KBa PH Luz PG ID Mlc**
- 67224. *Risoba basalis* Moore,1881** (Noctuidae) Synonym(s): *basalis* Moore,1881; *#viridimargo* W.Warren,1913 Range (in code): **LK IN VN TW PH MY Bor Sbh KBa** Bionomy: Larva on *Quisqualis* (Combretaceae), *Melastoma*, *Osbeckia* (Melastomataceae) (Mell,1943 et seq.).
- 67225. *Risoba caeruleata* Holloway,2003** (Noctuidae) Synonym(s): *caeruleata* Holloway,2003 Range (in code): **MY Bor BN Swk**
- 67226. *Risoba calaina* Zerny,1916** (Noctuidae) Synonym(s): *calaina* Zerny,1916; *obliqua* A.E.Prout,1921; *#philippinensis* A.E.Prout,1921; *amabilis* Roepke,1938 Range (in code): **ID Sum MY Bor PH**
- 67227. *Risoba calainigrata* Holloway,2003** (Noctuidae) Synonym(s): *calainigrata* Holloway,2003 Range (in code): **MY Bor BN**
- 67228. *Risoba chlora* Hampson,1912** (Noctuidae) Synonym(s): *chlora* Hampson,1912 Range (in code): **MY SG**
- 67229. *Risoba diplogramma* Hampson,1912** (Noctuidae) Synonym(s): *diplogramma* Hampson,1912 Range (in code): **ZA**
- 67230. *Risoba diversipennis* (Walker,1858)** (Noctuidae) Synonym(s): *diversipennis* Walker,1858 Range (in code): **IN PG MY Bor BN** Bionomy: Larva on *Melastoma* (Melastomataceae) (Mell,1943 et seq.).
- 67231. *Risoba glauca* Hampson,1912** (Noctuidae) Synonym(s): *glauca* Hampson,1912 Range (in code): **MY Bor**
- 67232. *Risoba guichardi* Holloway,2003** (Noctuidae) Synonym(s): *guichardi* Holloway,2003 Range (in code): **MY Bor Sbh**
- 67233. *Risoba harmani* Holloway,2003** (Noctuidae) Synonym(s): *harmani* Holloway,2003 Range (in code): **MY Bor BN**

- 67234. *Risoba jucunda* (Walker,1862)** (Noctuidae) Synonym(s): *jucunda* Walker,1862 _ Range (in code): ID Sum MY Bor Sbh KBa
- 67235. *Risoba martinii* Holloway,2003** (Noctuidae) Synonym(s): *martinii* Holloway,2003 Range (in code): MY Bor Sbh BN
- 67236. *Risoba obliqua* A.E.Prout,1921** (Noctuidae) Synonym(s): *obliqua* A.E.Prout,1921; *philippinensis* A.E.Prout,1921 _ Range (in code): MY Bor Swk PH
- 67237. *Risoba obscurivialis* Holloway,2003** (Noctuidae) Synonym(s): *obscurivialis* Holloway,2003 _ Range (in code): IN Ass Meg Khs ID Sum Bli Clb SG MY BN Bor Sbh KBa
- 67238. *Risoba obstructa* Moore,1881** (Noctuidae) Synonym(s): *obstructa* Moore,1881 _ Range (in code): ZA BW Nga KE CN IN LK Dek Cbo Kndy MM MY Bor ID Ja TH CMA CDo
- 67239. *Risoba olivens* Bethune-Baker,1906** (Noctuidae) Synonym(s): *olivens* Bethune-Baker,1906 Range (in code): JP MY Bor Sbh KBa BN ID Sum Clb Bru Crm PG Bionomy: Larva on Pterocarya (Juglandaceae), Melastoma (Melastomataceae), Myrica (Myricaceae), Quisqualis (Combretaceae) (Mell,1943 et seq.).
- 67240. *Risoba orientalis* Holloway,1976** (Noctuidae) Synonym(s): *orientalis* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 67241. *Risoba repugnans* (Walker,1856)** (Noctuidae) Synonym(s): *repugnans* Walker,1856; *literata* Moore,1881; *albistriata* Pagenstecher,1888 _ Range (in code): LK IN MY Bor ID Clb SB PG Bionomy: Larva on Melastoma (Melastomataceae) (Holloway,2003).
- 67242. *Risoba samarinda* Holloway,2003** (Noctuidae) Synonym(s): *samarinda* Holloway,2003 Range (in code): MY Bor Sbh ID Klt Sum Clb
- 67243. *Risoba sticticraspis* Hampson,1912** (Noctuidae) Synonym(s): *sticticraspis* Hampson,1912 Range (in code): ZA
- 67244. *Risoba thalasscura* Holloway,2003** (Noctuidae) Synonym(s): *thalasscura* Holloway,2003 Range (in code): MY Bor Sbh BN
- 67245. *Risoba vialis* Moore,1881** (Noctuidae) Synonym(s): *vialis* Moore,1881 _ Range (in code): MY Bor Sbh KBa IN ID Clb PH
- 67246. *Risoba viridangulata* Holloway,2003** (Noctuidae) Synonym(s): *viridangulata* Holloway,2003 _ Range (in code): ID Ja Sum MY Bor
- 67247. *Risoba vitellina* (Moore,1882)** (Noctuidae) Synonym(s): *vitellina* Moore,1882 _ Range (in code): IN
- 67248. *Risoba walshae* Holloway,2003** (Noctuidae) Synonym(s): *walshae* Holloway,2003 Range (in code): ID Klt
- 67249. *Rivula basalis* Hampson,1891** (Noctuidae) Synonym(s): *basalis* Hampson,1891 _ Range (in code): IN NI TH Nan Dpk VN MM IN LK JP Oki
- 67250. *Rivula dipterygosoma* Tams,1935** (Noctuidae) Synonym(s): *diptrygosoma* Tams,1935 Range (in code): WS
- 67251. *Rivula leucanoides* (Walker,[1863])** (Noctuidae) Synonym(s): *leucanoides* Walker,[1863]; *biatomea* Moore,1883 _ Range (in code): MY Bor Swk TH Knc Nan Dpk LK CN TW JP KP KR
- 67252. *Rivula lophosoma* Hampson,1926** (Noctuidae) Synonym(s): *lophosoma* Hampson,1926 Range (in code): ZA
- 67253. *Rivula ochrea* (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *ochrea* Bethune-Baker,1911 AO
- 67254. *Rivula parallella* (Hampson,1902)** (Noctuidae) Synonym(s): *parallella* Hampson,1902 Range (in code): ZA
- 67255. *Rivula polynesiana* Hampson,1926** (Noctuidae) Synonym(s): *polynesiana* Hampson,1926 Range (in code): WS TO
- 67256. *Rivula sericealis* (Scopoli,1763)** (Noctuidae) Synonym(s): *sericealis* Scopoli,1763; *munda* Hufnagel,1767; *lunatralis* Denis & Schiffermüller,1775; *leeana* Fabricius,1777; *ocellaris* Thunberg,1784; *centralis* Villers,1789; *distincta* Rothschild,1920 Original Reference: Phalaena sericealis Scopoli,1763, Entomologia Carniolica: 242. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): DZ Clo Hmk Agi Abe Sbd PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ AM GG Tbl Smt Bjo Lag Der Cc IQ Amr DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Da MD UA BY CN Ui Ku Kun IR Elb Mz Gh
- 67257. *Rivula striatura* Swinhoe,1895** (Noctuidae) Synonym(s): *striatura* Swinhoe,1895 Range (in code): IN Ass Meg Khs TH Nan Dpk VN NP TW
- 67258. *Rivula tanitalis* Rebel,1912** (Noctuidae) Synonym(s): *tanitalis* Rebel,1912 _ Range (in code): MA DZ Cr TR CY GR IR Fa Kaz Kd Snj Km Ss SA YE EG EGo5 IQ Kq Agh BH LB IL Pa

- 67259. Rivula vicarialis Walker,[1866]** (Noctuidae) Synonym(s): *vicarialis* Walker,[1866]
Range (in code): **ZA**
- 67260. Rothia agrius (Herrich-Schäffer,1853)** (Noctuidae) Synonym(s): *agrius* Herrich-Schäffer,1853 - Range (in code): **MG**
- 67261. Rothia aisha (Kirby,1891)** (Noctuidae) Synonym(s): *aisha* Kirby,1891; *catarhodia* Holland,1898 - Original Reference: *Xanthospilopteryx aisha* Kirby,1891, Trans. ent. Soc. London 1891: 291, pl.15 fig.3. Type: Kenia: Masai. Range (in code): **KE**
- 67262. Rothia contigua (Walker,1854)** (Noctuidae) Synonym(s): *contigua* Walker,1854; *fabricata* Karsch,1895 - Range (in code): **GN**
- 67263. Rothia dayremi (Oberthür,1909)** (Noctuidae) Synonym(s): *dayremi* Oberthür,1909
Range (in code): **MG**
- 67264. Rothia distigma (Mabille,1897)** (Noctuidae) Synonym(s): *distigma* Mabille,1897
Range (in code): **MG**
- 67265. Rothia holli (Oberthür,1909)** (Noctuidae) Synonym(s): *holli* Oberthür,1909 - Range (in code): **MG**
- 67266. Rothia hypopyrrha (Butler,1878)** (Noctuidae) Synonym(s): *hypopyrrha* Butler,1878
Range (in code): **MG**
- 67267. Rothia lasti Rothschild,1896** (Noctuidae) Synonym(s): *lasti* Rothschild,1896 - Range (in code): **MG**
- 67268. Rothia mariae Swinhoe,1904** (Noctuidae) Synonym(s): *mariae* Swinhoe,1904 - Range (in code): **UG**
- 67269. Rothia micropales Butler,1879** (Noctuidae) Synonym(s): *micropales* Butler,1879
Range (in code): **MG**
- 67270. Rothia nigrescens Rothschild,1896** (Noctuidae) Synonym(s): *nigrescens* Rothschild,1896
Range (in code): **MG**
- 67271. Rothia pales (Guérin-Ménéville,1844)** (Noctuidae) Synonym(s): *pales* Guérin-Ménéville,1844 - Range (in code): **MG**
- 67272. Rothia panganica Karsch,1898** (Noctuidae) Synonym(s): *panganica* Karsch,1898; *rhaeoides* Kiriakoff,1974 - Range (in code): **TZ MW Mje**
- 67273. Rothia pedasus (Herrich-Schäffer,1853)** (Noctuidae) Synonym(s): *pedasus* Herrich-Schäffer,1853 - Range (in code): **MG**
- 67274. Rothia pentelia (Druce,1887)** (Noctuidae) Synonym(s): *pentelia* Druce,1887 - Range (in code): **MZ Del**
- 67275. Rothia powelli (Oberthür,1909)** (Noctuidae) Synonym(s): *powelli* Oberthür,1909
Range (in code): **MG**
- 67276. Rothia rhaeo (Druce,1894)** (Noctuidae) Synonym(s): *rhaeo* Druce,1894; *alluaudi* Mabille,1897 - Range (in code): **ZA MG**
- 67277. Rothia simyra Westwood,1877** (Noctuidae) Synonym(s): *simyra* Westwood,1877
Range (in code): **MG**
- 67278. Rothia subterminalis Hampson,1911** (Noctuidae) Synonym(s): *subterminalis* Hampson,1911 - Range (in code): **TZ**
- 67279. Rothia tranquilla (Butler,1880)** (Noctuidae) Synonym(s): *tranquilla* Butler,1880; *epipales* Mabille,1884 - Range (in code): **MG**
- 67280. Rothia virguncula (Mabille,1879)** (Noctuidae) Synonym(s): *virguncula* Mabille,1879; *metagrius* Butler,1880 - Range (in code): **MG**
- 67281. Rothia watersi (Butler,1884)** (Noctuidae) Synonym(s): *watersi* Butler,1884 - Range (in code): **MG**
- 67282. Rothia westwoodi Butler,1879** (Noctuidae) Synonym(s): *westwoodi* Butler,1879 - Range (in code): **MG**
- 67283. Rothia xanthopyga (Mabille,1890)** (Noctuidae) Synonym(s): *xanthopyga* Mabille,1890
Range (in code): **TZ Zz**
- 67284. Rothia zea (Herrich-Schäffer,1853)** (Noctuidae) Synonym(s): *zea* Herrich-Schäffer,1853
Range (in code): **MG**
- 67285. Rougeotia abyssinica (Hampson,1918)** (Noctuidae) Synonym(s): *abyssinica* Hampson,1918 - Original Reference: *Aspidifrontia abyssinica* Hampson,1918, Novit. Zool. 25: 122. Type: Ethiopia: Abyssinia. Range (in code): **ET**

- 67286. *Rougeotia aethiopica* Laporte,1974** (Noctuidae) **Synonym(s):** *aethiopica* Laporte,1974
Range (in code): **ET ET86**
- 67287. *Rougeotia calumniosa* (Berio,1939)** (Noctuidae) **Synonym(s):** *calumniosa* Berio,1939
Range (in code): **ER**
- 67288. *Rougeotia ludovica* Laporte,1974** (Noctuidae) **Synonym(s):** *ludovica* Laporte,1974
Range (in code): **ET**
- 67289. *Rougeotia ludovicoides* Laporte,1977** (Noctuidae) **Synonym(s):** *ludovicoides* Laporte,1977
Range (in code): **ET ET86**
- 67290. *Rougeotia obscura* Laporte,1974** (Noctuidae) **Synonym(s):** *obscura* Laporte,1974
Range (in code): **ET ET86**
- 67291. *Rougeotia ocellai* Berio,1978** (Noctuidae) **Synonym(s):** *ocellai* Berio,1978 - **Range (in code):** **KE**
- 67292. *Rougeotia praetexta* (Townsend,1956)** (Noctuidae) **Synonym(s):** *praetexta* Townsend,1956 - **Range (in code):** **KE**
- 67293. *Rougeotia roseogrisea* Laporte,1974** (Noctuidae) **Synonym(s):** *roseogrisea* Laporte,1974
Range (in code): **ET**
- 67294. *Rougeotia rougeoti* Laporte,1984** (Noctuidae) **Synonym(s):** *rougeoti* Laporte,1984
Range (in code): **ET ET45**
- 67295. *Rougeotiana rogator* (Bryk,1915)** (Noctuidae) **Synonym(s):** *rogator* Bryk,1915 - **Range (in code):** **NG Caa**
- 67296. *Rougeotiana xanthoperas* (Hampson,1926)** (Noctuidae) **Synonym(s):** *xanthoperas* Hampson,1926 - **Range (in code):** **GH**
- 67297. *Ruttenstorferia bipartita* (Moore,1882)** (Noctuidae) **Synonym(s):** *bipartita* Moore,1882
Range (in code): **IN Meg Ass Khs TH Nan Dpk**
- 67298. *Saalmuellerana media* (Walker,1857)** (Noctuidae) **Synonym(s):** *media* Walker,1857;
latifasciata Moore,1881; *virata* Swinhoe,1885 - **Range (in code):** **ZA IN Poo Mpr**
- 67299. *Saalmuellerana schoenheiti* (Strand,1912)** (Noctuidae) **Synonym(s):** *schoenheiti* Strand,1912 - **Range (in code):** **ZA TZ**
- 67300. *Saaluncifera lamottei* Laporte,1972** (Noctuidae) **Synonym(s):** *lamottei* Laporte,1972
Range (in code): **ZR**
- 67301. *Saaluncifera uncinata* Berio,1966** (Noctuidae) **Synonym(s):** *uncinata* Berio,1966
Range (in code): **MG**
- 67302. *Saigonita paradoxa* Kiriakoff,1971** (Noctuidae) **Synonym(s):** *paradoxa* Kiriakoff,1971
Original Reference: *Saigonita paradoxa* Kiriakoff,1971, *Lambillionea* 71: 7. **Holotype:** Vietnam: Saigon. **Range (in code):** **VN Sgn**
- 67303. *Saltia acrophylax* Tams,1952** (Noctuidae) **Synonym(s):** *acrophylax* Tams,1952 - **Range (in code):** **TZ**
- 67304. *Saltia edwardsi* Tams,1952** (Noctuidae) **Synonym(s):** *edwardsi* Tams,1952 - **Range (in code):** **KE Elg**
- 67305. *Saragossa bergi* (Kuznetsov,1908)** (Noctuidae) **Synonym(s):** *bergi* Kuznetsov,1908
Range (in code):
- 67306. *Saragossa porosa* (Eversmann,1854)** (Noctuidae) **Synonym(s):** *porosa* Eversmann,1854
Original Reference: *Orthosia porosa* Eversmann,1854, *Bull. Moscou* 1854: 186. **Range (in code):** **HU RO RU Cc Ro St Da Sr Ur KK Ik**
- 67307. *Saragossa seeboldi* Staudinger,1900** (Noctuidae) **Synonym(s):** *seeboldi* Staudinger,1900
Range (in code): **DZ BtNa Ges Abe Sbd ES**
- 67308. *Saragossa seeboldi arabum* Culot,1911** (Noctuidae) **Synonym(s):** *arabum* Culot,1911
Original Reference: *Saragossa seeboldi* var. *arabum* Culot,1911, *Noct. Geom. Eur.* (1) 1: 112, pl.19 fig.12. Type: Algérie, Sebdu. **Range (in code):** **DZ BtNa Ges Abe Sbd**
- 67309. *Saragossa siccanorum* (Staudinger,1870)** (Noctuidae) **Synonym(s):** *siccanorum* Staudinger,1870
Original Reference: *Mamestra siccanorum* Staudinger,1870, *Berl. ent. Z.* 14: 114. Syntypes: [Russia]: Sarepta. **Range (in code):** **RO UA RU Cc Ro Kyi Da Sr TR IL Pa LB TM Kp IQ Agh IR Es Ke AF MN CN**
- 67310. *Saragossa siccanorum albescens* Gyulai & Varga,2002** (Noctuidae) **Synonym(s):** *albescens* Gyulai & Varga,2002 - **Range (in code):** **IR Es**
- 67311. *Saragossa siccanorum poecilographa* Varga & Ronkay,1991** (Noctuidae)
Synonym(s): *poecilographa* Varga & Ronkay,1991 - **Range (in code):** **IL Pa LB TR IQ Agh IR Ke**

- 67312. *Saragossa siccanorum siccanorum* (Staudinger,1870)** (Noctuidae) **Synonym(s):** *siccanorum* Staudinger,1870 **Original Reference:** *Mamestra siccanorum* Staudinger,1870, Berl. ent. Z. 14: 114. Syntypes: [Russia]: Sarepta. **Range (in code):** **RO UA RU Cc Ro Kyi Da Sr TM Kp AF MN CN**
- 67313. *Saragossa uralica* Hacker & Fibiger,2002** (Noctuidae) **Synonym(s):** *uralica* Hacker & Fibiger,2002 **Range (in code):** **RU Ur**
- 67314. *Sarbanissa albifascia* (Walker,1865)** (Noctuidae) **Synonym(s):** *albifascia* Walker,1865 **Original Reference:** *Catocala albifascia* Walker,1865, List 33: 933. Type: [Myanmar]: Moulmein. **Range (in code):** **MM Mm ID Sum Bor IN Bba SI Adm CN TH Pgg Rng**
- 67315. *Sarbanissa bala* (Moore,1865)** (Noctuidae) **Synonym(s):** *bala* Moore,1865 **Range (in code):** **IN SI TH CMa CDo MM NP**
- 67316. *Sarbanissa catacoloides* (Walker,1862)** (Noctuidae) **Synonym(s):** *catacoloides* Walker,1862 **Range (in code):** **MY Bor Swk TH CMa Cuo Cuo7 CDo CD2 Knc Pap Mro LA VN MM IN NP ID Sum Ja Bli**
- 67317. *Sarbanissa dissimilis* (Swinhoe,1890)** (Noctuidae) **Synonym(s):** *dissimilis* Swinhoe,1890 **Range (in code):** **MM TH VN NP IN**
- 67318. *Sarbanissa flavida* Leech,1890** (Noctuidae) **Synonym(s):** *flavida* Leech,1890 **Range (in code):** **CN**
- 67319. *Sarbanissa insocia* Walker,1865** (Noctuidae) **Synonym(s):** *insocia* Walker,1865; *catocalina* Walker,1866; *exiguifascia* Swinhoe,1892 **Range (in code):** **IN SI Djl NP TH**
- 67320. *Sarbanissa interposita* Hampson,1910** (Noctuidae) **Synonym(s):** *interposita* Hampson,1910 **Range (in code):** **CN**
- 67321. *Sarbanissa longipennis* (Walker,1865)** (Noctuidae) **Synonym(s):** *longipennis* Walker,1865 **Range (in code):** **TH Nan Dpk VN MM BD Syl IN SI Ass**
- 67322. *Sarbanissa mandarina* Leech,1890** (Noctuidae) **Synonym(s):** *mandarina* Leech,1890 **Range (in code):** **CN**
- 67323. *Sarbanissa nepcha* (Moore,1867)** (Noctuidae) **Synonym(s):** *nepcha* Moore,1867 **Range (in code):** **IN SI**
- 67324. *Sarbanissa subalba* (Leech,1890)** (Noctuidae) **Synonym(s):** *subalba* Leech,1890 **Range (in code):** **TH CMa CDo CN VN MM NP**
- 67325. *Sarbanissa subflava* Moore,1877** (Noctuidae) **Synonym(s):** *subflava* Moore,1877; *jankowskii* Alpheraky,1897 **Range (in code):** **CN KP KR RU Sb JP**
- 67326. *Sarbanissa transiens* (Walker,1856)** (Noctuidae) **Synonym(s):** *transiens* Walker,1856; *aegocerooides* R.Felder,1874 **Range (in code):** **IN MM ID Sum Ja Bli TH Knc Nan Dpk CMa CDo VN MY NP Bor**
- 67327. *Sarbanissa tricycla* Sugi,1993** (Noctuidae) **Synonym(s):** *tricycla* Sugi,1993 **Range (in code):** **NP TH CMa CDo**
- 67328. *Sarbanissa venosa* (Moore,1879)** (Noctuidae) **Synonym(s):** *venosa* Moore,1879 **Range (in code):** **IN Pj SI Djl TH Knc**
- 67329. *Sarbanissa venusta* Leech,1889** (Noctuidae) **Synonym(s):** *venusta* Leech,1889 **Range (in code):** **KP KR CN**
- 67330. *Sarbanissa vitalis* (Jordan,1926)** (Noctuidae) **Synonym(s):** *vitalis* Jordan,1926 **Original Reference:** *Seudyra vitalis* Jordan,1926, Novit. zool. 33: 377. Type: [Vietnam]: Annam. **Range (in code):** **VN Ann TH Phr**
- 67331. *Sarbena hollowayi* Laszlo, Ronkay, Witt,2004** (Noctuidae) **Synonym(s):** *hollowayi* Laszlo, Ronkay, Witt,2004 **Original Reference:** *Sarbena hollowayi* Laszlo, Ronkay, Witt,2004, Entomofauna 25 (18): 285-291, figs. Holotype ♂: Vietnam: Nghe An, Distr. Que Phong, Ban Khom, 280m (MWM). **Range (in code):** **VN Fan IN Ass SI TH Nna Kao PH Pal ID Sum Clb Cm Ij MY PG SB**
- 67332. *Sarbena inouei* Laszlo, Ronkay, Witt,2004** (Noctuidae) **Synonym(s):** *inouei* Laszlo, Ronkay, Witt,2004 **Range (in code):** **PH Ceb Bal Mdo**
- 67333. *Sarbena ketipati* Laszlo, Ronkay, Witt,2004** (Noctuidae) **Synonym(s):** *ketipati* Laszlo, Ronkay, Witt,2004 **Range (in code):** **ID Bli**
- 67334. *Sarbena lignifera* Walker,1862** (Noctuidae) **Synonym(s):** *lignifera* Walker,1862 **Original Reference:** *Sarbena lignifera* Walker,1862, J. Proc. Linn. Soc. (Zool.) 6: 137. Lectotype ♂: Borneo, Sarawak, designated by Swinhoe. **Range (in code):** **MY Bor Swk PH Bal TH CMa CDo CD1 Nan Bnl**

- 67335. Sarbena sumatrana Laszlo, Ronkay, Witt, 2004** (Noctuidae) Synonym(s): *sumatrana* Laszlo, Ronkay, Witt, 2004 _ Range (in code): ID Sum Ja
- 67336. Sarbena ustipennis (Hampson, 1895)** (Noctuidae) Synonym(s): *ustipennis* Hampson, 1895 _ Range (in code): BT TH CMa Pfa Nan Bnl TW JP
- 67337. Sarmatia interitalis Guenée, 1854** (Noctuidae) Synonym(s): *interitalis* Guenée, 1854; *aemusalis* Walker, 1862; *incongrualis* Walker, [1866]. _ Range (in code): ZA
- 67338. Sarmatia talhouki Wiltshire, 1982** (Noctuidae) Synonym(s): *talhouki* Wiltshire, 1982 _ Range (in code): SA
- 67339. Saroba ceylonica (Walker, 1865)** (Noctuidae) Synonym(s): *ceylonica* Walker, 1865; *cascalis* Swinhoe, 1891; *asulca* Swinhoe, 1918 _ Range (in code): LK IN Khs Ass Tvc
- 67340. Saroba cyanescens Hampson, 1926** (Noctuidae) Synonym(s): *cyanescens* Hampson, 1926 _ Range (in code): ZA
- 67341. Saroba finipalpis (Walker, 1858)** (Noctuidae) Synonym(s): *finipalpis* Walker, 1858 _ Range (in code): TH Ntt Hba VN MY LK ID Sum Ja Bor PH
- 67342. Saroba ochreisparsa (Hampson, 1895)** (Noctuidae) Synonym(s): *ochreisparsa* Hampson, 1895 _ Range (in code): IN Nag
- 67343. Saroba pansa Swinhoe, 1902** (Noctuidae) Synonym(s): *pansa* Swinhoe, 1902 _ Range (in code): MY TH Sgk Hya PSu
- 67344. Saroba pustulifera (Walker, 1865)** (Noctuidae) Synonym(s): *pustulifera* Walker, 1865 _ Range (in code): TH Knc CMa Dst Dso7 VN IN Sum PH BT IN Nag LK
- 67345. Sarobela litterata (Pagenstecher, 1888)** (Noctuidae) Synonym(s): *litterata* Pagenstecher, 1888; *biplagiata* Butler, 1889; *aurotincta* Hampson, 1893; *spectabilis* Turner, 1936 _ Range (in code): AU QAU LK IN Hp ID Amb Sum TH LA PH TW
- 67346. Sarobides antedecens Walker, 1864** (Noctuidae) Synonym(s): *antedecens* Walker, 1864 _ Range (in code): TH Nrt Kao Bor Swk MY
- 67347. Sarobides inconclusa Walker, [1863]** (Noctuidae) Synonym(s): *inconclusa* Walker, [1863] _ Range (in code): TH CMa Ntt Hba Nrt Kao MM VN CN MY IN ID Bor Swk Clb SB PG PH
- 67348. Sasunaga annularis Kobes, 1983** (Noctuidae) Synonym(s): *annularis* Kobes, 1983 _ Range (in code): ID Sum
- 67349. Sasunaga longiplaga W. Warren, 1912** (Noctuidae) Synonym(s): *longiplaga* W. Warren, 1912; *basiplaga* W. Warren, 1912 _ Range (in code): IN Mh Nsk Ass Khs MY PG ID Ij Wg
- 67350. Sasunaga oenistis (Hampson, 1908)** (Noctuidae) Synonym(s): *oenistis* Hampson, 1908 _ Range (in code): ID Clb FJ
- 67351. Sasunaga tenebrosa (Moore, 1867)** (Noctuidae) Synonym(s): *tenebrosa* Moore, 1867; *albistrigata* W. Warren, 1913; *bistriga* W. Warren, 1913; *interstrigata* W. Warren, 1913; *longistriata* W. Warren, 1913; *dura* Strand, 1916; *kala* Strand, 1916 _ Range (in code): IN Mh Nsk AU PG NC SB NH FJ TH CMa CDo
- 67352. Savara contraria Walker, 1862** (Noctuidae) Synonym(s): *contraria* Walker, 1862 _ Range (in code): MY Bor Swk TH Tng MY VN BT IN ID Sum Ja Clb PG Bsm SB
- 67353. Scambina roseipicta (Druce, 1911)** (Noctuidae) Synonym(s): *roseipicta* Druce, 1911 _ Range (in code): ZA
- 67354. Schausia confluens (Weymer, 1892)** (Noctuidae) Synonym(s): *confluens* Weymer, 1892; *darocana* Druce, 1895 _ Range (in code): TZ Zz ZA
- 67355. Schausia coryndoni (Rothschild, 1896)** (Noctuidae) Synonym(s): *coryndoni* Rothschild, 1896; *separata* Weymer, 1896 _ Range (in code): TZ ZA Tva Nta Kzu Mpu Brb ZW Vf
- 67356. Schausia cosmetica (Karsch, 1898)** (Noctuidae) Synonym(s): *cosmetica* Karsch, 1898 _ Range (in code): CM
- 67357. Schausia costistrigata Bethune-Baker, 1917** (Noctuidae) Synonym(s): *costistrigata* Bethune-Baker, 1917 _ Range (in code): CM
- 67358. Schausia dambuza Kiriakoff, 1975** (Noctuidae) Synonym(s): *dambuza* Kiriakoff, 1975 _ Range (in code): ZR Shb
- 67359. Schausia daria (Druce, 1895)** (Noctuidae) Synonym(s): *daria* Druce, 1895; *triplagiata* Rothschild, 1896; *dispar* Kirby, 1896; *meraca* Karsch, 1898 _ Range (in code): TZ ZM ZW NA
- 67360. Schausia gladiatoria (Holland, 1893)** (Noctuidae) Synonym(s): *gladiatoria* Holland, 1893 _ Range (in code): GA Ogo
- 67361. Schausia greenawayae Stoneham, 1963** (Noctuidae) Synonym(s): *greenawayae* Stoneham, 1963 _ Range (in code): KE

- 67362. *Schausia langazana* Kiriakoff,1974** (Noctuidae) **Synonym(s):** *langazana* Kiriakoff,1974
Range (in code): **ZA**
- 67363. *Schausia leona* (Schaus,1893)** (Noctuidae) **Synonym(s):** *leona* Schaus,1893; *congoana* Jordan,1908
Range (in code): **SL NE CG**
- 67364. *Schausia mantatisi* Kiriakoff,1975** (Noctuidae) **Synonym(s):** *mantatisi* Kiriakoff,1975
Range (in code): **ZR**
- 67365. *Schausia memnonia* (Karsch,1895)** (Noctuidae) **Synonym(s):** *memnonia* Karsch,1895
Range (in code): **SN GA TG NE CM**
- 67366. *Schausia mkabi* Kiriakoff,1974** (Noctuidae) **Synonym(s):** *mkabi* Kiriakoff,1974
Range (in code): **SD**
- 67367. *Schausia transiens* (Hampson,1901)** (Noctuidae) **Synonym(s):** *transiens* Hampson,1901
Range (in code): **NG Caa**
- 67368. *Schausia triangularis* (Mabille,1893)** (Noctuidae) **Synonym(s):** *triangularis* Mabille,1893; *astrapeus* Holland,1893
Range (in code): **CM**
- 67369. *Schinia cardui* (Hübner,1790)** (Noctuidae) **Synonym(s):** *cardui* Hübner,1790; *purpurata* Staudinger,1901; *majellana* Dannehl,1933.
Original Reference: *Phalaena cardui* Hübner,1790, Beitr. Gesch. Schmett. 2(4): 84,127, Taf.4, fig.B.
Range (in code): **ES FR IT DE CH AT CZ SK HU RO YU AL BG TR AZ Kir Cc RU Ro**
- 67370. *Schinia chanzyi* (Oberthür,1876)** (Noctuidae) **Synonym(s):** *chanzyi* Oberthür,1876; *chansyi* Hampson,1903
Range (in code): **DZ BSa Ges**
- 67371. *Schinia cognata* (Freyer,[1833])** (Noctuidae) **Synonym(s):** *cognata* Freyer,[1833]
Original Reference: *Heliothis cognata* Freyer,[1833], Neuere Beitr. Schmett. 2: 24, Tab. 110, fig.1.
Type(s): Ungarn.
Range (in code): **IT? AT CZ SK HU RO YU BG GR TR Cc RU MD UA BY**
- 67372. *Schinia imperialis* (Staudinger,1871)** (Noctuidae) **Synonym(s):** *imperialis* Staudinger,1871
Range (in code): **RU Kr Kc Kb Nt Da Kus Cc GG Smt Bku Mng AM TR**
Bionomy: Larva on the capsules of *Cephalaria procera* (Hampson,1903).
- 67373. *Schinia multiplex* (Draudt,1935)** (Noctuidae) **Synonym(s):** *multiplex* Draudt,1935
Range (in code):
- 67374. *Schinia purpurascens* (Tauscher,1809)** (Noctuidae) **Synonym(s):** *purpurascens* Tauscher,1809; *pulehra* Eversmann,1842
Range (in code): **RU Sr Ur TR Cc GG Smt Akh Aba CN Ts Kno**
Bionomy: Larva on the capsules of *Cephalaria tartarica* (Hampson,1903).
- 67375. *Schinia scutatus* (Staudinger,1895)** (Noctuidae) **Synonym(s):** *scutatus* Staudinger,1895
Range (in code): **MN**
- 67376. *Schinia scutosa* ([Denis & Schiffermüller],1775)** (Noctuidae) **Synonym(s):** *#scutosa* [Denis & Schiffermüller],1775; *nuchalis* Grote,1878
Original Reference: *Noctua scutosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 89. **Type(s):** [Austria]: Vienna district.
Range (in code): **MA DZ TN EG ES FR IT MT IE GB NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR GG AM AZ Cc DK NO SE FI EE LV LT RU Ro Kr St Kb Kc Nt Ich Ing Da Kyi Sb At Us MD UA BY KK TrA T-A KG Tk Aa UZ N-A CN Ui Ku Kgs Ch IN Gs Dra Kul Pj Rw KP KR US Mon Col Kan AF PK IR Mz Gls Elb Ab Mak IL Pa Sn JP Tbl Smt Bjo Kir Der BSa Ges**
Bionomy: Larva on *Artemisia campestris* ([Denis & Schiffermüller],1775; Hampson,1903).
- 67377. *Schistorhynx argentistriga* Hampson,1898** (Noctuidae) **Synonym(s):** *argentistriga* Hampson,1898
Range (in code): **IN Meg Ass Khs**
- 67378. *Schistorhynx lobata* A.E.Prout,1925** (Noctuidae) **Synonym(s):** *lobata* A.E.Prout,1925
Range (in code): **MY Bor Swk TH Nan Dpk ID Sum Bli PG**
- 67379. *Schizognorisma rhodostola* L.Ronkay & Varga,1999** (Noctuidae) **Synonym(s):** *rhodostola* L.Ronkay & Varga,1999
Range (in code): **PK**
- 67380. *Schoeyenia arctica* Aurivillius,1883** (Noctuidae) **Synonym(s):** *arctica* Aurivillius,1883
Range (in code): **RU Ns**
- 67381. *Schrankia balneorum* (Alpheraky,1880)** (Noctuidae) **Synonym(s):** *balneorum* Alpheraky,1880; *bosporella* Budashkin & Kljuchko,1990
Original Reference: *Hypenodes balneorum* Alpheraky,1880, Horae Soc. ent. ross. 15: 137. **Syntypes:** Russia: nördliche Caucasus.
Range (in code): **Cm Cc Ur TR AM AZ GG RU IQ Agh TM Kp**
- 67382. *Schrankia costaestrigalis* (Stephens,1834)** (Noctuidae) **Synonym(s):** *costaestrigalis* Stephens,1834; *hartigi* Berio,1991.
Range (in code): **Cn MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU Cc St Kr Kc Ich MD UA BY LB GG Smt Bjo Lag YE LB JO JP AU NZ NF**

- 67383. *Schrankia intermedialis* Reid,1972** (Noctuidae) Synonym(s): *intermedialis* Reid,1972
Range (in code): **GB SE**
- 67384. *Schrankia taenialis* (Hübner,[1809])** (Noctuidae) Synonym(s): *taenialis* Hübner,[1809]; *albistrigatis* Haworth,[1809] Original Reference: *Pyralis taenialis* Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.23 fig.151. Type(s): Europa. Range (in code): **Cn FR Sa Si GB BE NL DE CH AT PL CZ SK HU RO YU BG TR Cc AM AZ IR GlS DK SE LV LT RU MD UA BY IL Pa**
- 67385. *Sciatta remota* (Druce,1887)** (Noctuidae) Synonym(s): *remota* Druce,1887 - Range (in code):
- 67386. *Sciomesa argocyma* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *argocyma* D.S.Fletcher,1961 - Range (in code): **UG Rz**
- 67387. *Sciomesa betschi* Viette,1967** (Noctuidae) Synonym(s): *betschi* Viette,1967 - Range (in code): **MG**
- 67388. *Sciomesa constantini* Laporte,1984** (Noctuidae) Synonym(s): *constantini* Laporte,1984
Range (in code): **ET ET86**
- 67389. *Sciomesa cyclophora* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *cyclophora* D.S.Fletcher,1961 - Range (in code): **UG Rz**
- 67390. *Sciomesa ethecopari* Laporte,1975** (Noctuidae) Synonym(s): *ethecopari* Laporte,1975
Range (in code): **ET ET204**
- 67391. *Sciomesa jemjemensis* Laporte,1984** (Noctuidae) Synonym(s): *jemjemensis* Laporte,1984
Range (in code): **ET ET88 ET204**
- 67392. *Sciomesa mesophaea* (Hampson,1910)** (Noctuidae) Synonym(s): *mesophaea* Hampson,1910 - Range (in code): **TZ**
- 67393. *Sciomesa mesoscia* (Hampson,1918)** (Noctuidae) Synonym(s): *mesoscia* Hampson,1918
Range (in code): **ZA Nta Kzu Dbn**
- 67394. *Sciomesa mirifica* Laporte,1984** (Noctuidae) Synonym(s): *mirifica* Laporte,1984
Range (in code): **ET ET86**
- 67395. *Sciomesa nyei* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *nyei* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 67396. *Sciomesa oberthueri* Viette,1967** (Noctuidae) Synonym(s): *oberthueri* Viette,1967
Range (in code): **MG**
- 67397. *Sciomesa ochroneura* D.S.Fletcher,1963** (Noctuidae) Synonym(s): *ochroneura* D.S.Fletcher,1963 - Range (in code): **ZR**
- 67398. *Sciomesa piscator* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *piscator* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 67399. *Sciomesa renibifida* Berio,1973** (Noctuidae) Synonym(s): *renibifida* Berio,1973 - Range (in code): **TZ Iko**
- 67400. *Sciomesa scotochroa* (Hampson,1914)** (Noctuidae) Synonym(s): *scotochroa* Hampson,1914 - Range (in code): **ZA Tva Gau Pre**
- 67401. *Sciomesa secata* Berio,1977** (Noctuidae) Synonym(s): *secata* Berio,1977 - Range (in code): **ET ET09**
- 67402. *Sciomesa sjoestedti* (Aurivillius,1925)** (Noctuidae) Synonym(s): *sjoestedti* Aurivillius,1925 - Range (in code): **ZR**
- 67403. *Sciomesa venata* D.S.Fletcher,1961** (Noctuidae) Synonym(s): *venata* D.S.Fletcher,1961
Range (in code): **UG Rz**
- 67404. *Sclereuxoa paradoxalis* (Berio,1974)** (Noctuidae) Synonym(s): *paradoxalis* Berio,1974
Range (in code): **ZA TZ Iko**
- 67405. *Sclerogenia jessica* (Butler,1878)** (Noctuidae) Synonym(s): *jessica* Butler,1878; *serena* Butler,1879 - Range (in code): **JP TH CMa Php Agk MAI VN MM IN Pj Ass NP PK CN TW JP RU Us**
- 67406. *Scodionyx mysticus* Staudinger,1900** (Noctuidae) Synonym(s): *mysticus* Staudinger,1900; *boursini* Warnecke,1937; *balboi* C.G.Krüger,1939; *lepineyi* Rungs,1943. Original Reference: *Scodionyx mysticus* Staudinger,1900, Dt. ent. Z., Iris 12: 397. Syntypes: Palaestina: Totes Meer. Range (in code): **MR MA DZ Ah TD SD SA OM YE EG IL JO Pa** Bionomy: Larva on *Acacia raddiana* (Fabaceae) (Wiltshire,1948).
- 67407. *Scoliopteryx aksuana* Sheljuzhko,1955** (Noctuidae) Synonym(s): *aksuana* Sheljuzhko,1955 - Range (in code): **CN Ui Au**
- 67408. *Scoliopteryx libatrix* (Linnaeus,1758)** (Noctuidae) Synonym(s): *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatricus* Haworth,1809 Original

- Reference: *Phalaena libatrix* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 507. Type(s): [Europa]. Range (in code): **MA DZ Abe TN PT ES Mu FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Lag AZ Kir Cc IQ LB Bsa Bei DK NO SE FI EE LV LT RU Ro Kr Kc St Kb Nt Ich Sb MD UA BY KK Ax IR Elb Mz CN KP KR JP TW** Bionomy: Larva on *Salix*, *Populus* (Salicaceae) (Poda, 1761; Wiltshire, 1957).
- 67409. *Scopariopsis grisea* Strand, 1909** (Noctuidae) Synonym(s): *grisea* Strand, 1909 Range (in code): **CM**
- 67410. *Scopariopsis pallidegrisea* Strand, 1909** (Noctuidae) Synonym(s): *pallidegrisea* Strand, 1909 Range (in code): **TZ**
- 67411. *Scopariopsis viridigrisea* Strand, 1909** (Noctuidae) Synonym(s): *viridigrisea* Strand, 1909 Range (in code): **CM**
- 67412. *Scotocampa crassipuncta* (Püngeler, 1905)** (Noctuidae) Synonym(s): *crassipuncta* Püngeler, 1905 Range (in code): **CN Ui Au**
- 67413. *Scotocampa indigesta* Staudinger, 1888** (Noctuidae) Synonym(s): *indigesta* Staudinger, 1888 Range (in code): **CN Ui Ku KG Aa Tk Dj TrA**
- 67414. *Scotocampa sheljuzhkoi* Gyulai & L.Ronkay, 2002** (Noctuidae) Synonym(s): *sheljuzhkoi* Gyulai & L.Ronkay, 2002 Range (in code): **MN**
- 67415. *Scotochrosta pulla* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller], 1775 Original Reference: *Noctua pulla* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 76. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Si IT DE CH AT CZ SK HU RO YU BG GR Cr TR RU Cc Kr MD UA BY** Bionomy: Larva on *Quercus robur* ([Denis & Schiffermüller], 1775 et seq.).
- 67416. *Scotochrosta pulla caerulea* (Schwingenschuss, 1938)** (Noctuidae) Synonym(s): *caerulea* Schwingenschuss, 1938 Range (in code): **TR**
- 67417. *Scotochrosta pulla pulla* ([Denis & Schiffermüller], 1775)** (Noctuidae) Synonym(s): *#pulla* [Denis & Schiffermüller], 1775 Original Reference: *Noctua pulla* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 76. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Si IT DE CH AT CZ SK HU RO YU BG GR Cr RU Cc Kr MD UA BY**
- 67418. *Scotogramma agrotiformis* (Hampson, 1896)** (Noctuidae) Synonym(s): *agrotiformis* Hampson, 1896 Original Reference: *Hadena agrotiformis* Hampson, 1896, *Moths Ind.* 4: 508. Syntypes: Ceylon (BMNH); Cat *Phalaenae*: 31, pl.lxxix fig.6. Range (in code): **LK**
- 67419. *Scriptoplusia nigriluna* (Walker, 1858)** (Noctuidae) Synonym(s): *nigriluna* Walker, 1858; *hokowensis* Chou & Lu, 1979; *kuznetsovi* Kljutschko, 1993 Range (in code): **VN CN LK IN TH NP TW JP** Bionomy: Larva on *Acalypha* (Euphorbiaceae) (Holloway, 1985).
- 67420. *Scriptoplusia pulchristigma* Behounek & Ronkay, 1994** (Noctuidae) Synonym(s): *pulchristigma* Behounek & Ronkay, 1994 Range (in code): **NP IN TH Nan Dpk**
- 67421. *Scrobiger a albomarginata* (Moore, 1872)** (Noctuidae) Synonym(s): *albomarginata* Moore, 1872; *fimbriata* Boisduval, 1874; *flavicincta* Boisduval, 1874; *opheltes* Druce, 1885; *candidemarginata* Poujade, 1891 Range (in code): **TH Cbi Phr CMa Int LA MM NP IN Adm CN VN Ann PH**
- 67422. *Scrobiger a amatrix* (Westwood, 1848)** (Noctuidae) Synonym(s): *amatrix* Westwood, 1848; *aruna* Moore, 1858; *chinensis* Jordan, 1907; *media* Jordan, 1912 Range (in code): **VN Ton IN Ass SI Djl CN NP TH Phr**
- 67423. *Scrobiger a hesperioides* (Walker, 1862)** (Noctuidae) Synonym(s): *hesperioides* Walker, 1862; *tricolor* Butler, 1875; *pulchra* Butler, 1875; *staudingeri* Oberthür, 1894 Range (in code): **MY Bor Swk**
- 67424. *Scrobiger a niveifasciata* Rothschild, 1896** (Noctuidae) Synonym(s): *niveifasciata* Rothschild, 1896 Range (in code): **MY Bor**
- 67425. *Scrobiger a proxima* (Walker, 1854)** (Noctuidae) Synonym(s): *proxima* Walker, 1854; *hesperioides* Walker, 1862; *clymene* Boisduval, 1874; *pulchra* Butler, 1875; *tricolor* Butler, 1875; *staudingeri* Oberthür, 1894 Range (in code): **IN MY Bor Swk Ass ID Sum TH CMa**
- 67426. *Scrobiger a semperi* (R.Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *semperi* R.Felder & Rogenhofer, 1874 Range (in code): **PH ID Clb**
- 67427. *Scrobiger a vacillans* (Walker, 1864)** (Noctuidae) Synonym(s): *vacillans* Walker, 1864; *eudamoides* Butler, 1875; *taeniata* Rothschild, 1903 Range (in code): **ID Clb**
- 67428. *Scrobiger a vulcanica* (Butler, 1875)** (Noctuidae) Synonym(s): *vulcanica* Butler, 1875; *glossatrix* Westwood, 1881; *melania* De Joannis, 1900 Original Reference: *Eusemia vulcanica* Butler, 1875, *Entomologist's mon. Mag.* 12: 123. Type ♂: [Myanmar]: Burma. Range (in code): **TH CMa Int VN Ton MM**

- 67429. *Scythocentropus eberti* Hacker,2001** (Noctuidae) Synonym(s): *eberti* Hacker,2001
Range (in code): **IL Pa Jer JO Amm IR Ke**
- 67430. *Scythocentropus inquinatus* (Mabille,1888)** (Noctuidae) Synonym(s): *inquinata* Mabille,1888; *mercedes* Pinker,1974 Original Reference: *Hadena inquinata* Mabille,1888, Bull. Soc. ent. Fr. 1888: 43. Type: Gabes. Range (in code): **Cn MR MA DZ Ajj Ges Bsk Gf TN Gab LY MT TN IQ Agh Bgd IR Hz Lo PK IN IL Pa SY JO EG Sn TR?**
- 67431. *Scythocentropus scripturosa* (Eversmann,1854)** (Noctuidae) Synonym(s): *scripturosa* Eversmann,1854 Range (in code): **RU Cc Ich CN Ui Ku**
- 67432. *Scythocentropus misella* (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907 Original Reference: *Margelana misella* Püngeler,1907, Dt. ent. Z., Iris 19: 219. Syntypes: [Uighur Ili]: Iligebiet, Kuldja. Range (in code): **TR CN Ui Ku RU Ur Cc AM Eri AZ Nv Dz Da Kap**
- 67433. *Scythocentropus misella daghestanica* (Boursin,1944)** (Noctuidae) Synonym(s): *daghestanica* Boursin,1944 Original Reference: *Ecbolema misella* ssp. *daghestanica* Boursin,1944, Revue fr. Ent. 10 (3): 81, pl.ii fig.11, pl.iii fig.6. Holotype ♂: [Russia]: Daghestan: Kaptshugai (District de Temir-Khan-Schura), 30.ix.26 (NHMW). Range (in code): **RU Da Kap Cc**
- 67434. *Scythocentropus misella misella* (Püngeler,1907)** (Noctuidae) Synonym(s): *misella* Püngeler,1907 Original Reference: *Margelana misella* Püngeler,1907, Dt. ent. Z., Iris 19: 219. Syntypes: [Uighur Ili]: Iligebiet, Kuldja. Range (in code): **TR CN Ui Ku RU Ur Cc AM Eri AZ Nv Dz**
- 67435. *Sedina buettneri* (O.Hering,1858)** (Noctuidae) Synonym(s): *buettneri* O.Hering,1858; *bloomeri* Heinemann,1859; *moltrechti* O.Bang-Haas,1927; *pumilana* Bryk,1942 Range (in code): **FR GB BE NL LU DE CH AT PL CZ SK HU RO BG DK SE FI EE LV LT RU Cc Ro Ich Ur At Krl Us MD UA BY JP** Bionomy: Larva on *Carex acutiformis* (Hacker,1989).
- 67436. *Selca latifascialis* Walker,1865** (Noctuidae) Synonym(s): *latifascialis* Walker,1865
Range (in code): **MY Bor Swk**
- 67437. *Selenistis annulella* (Hampson,1902)** (Noctuidae) Synonym(s): *annulella* Hampson,1902
Range (in code): **ZA**
- 67438. *Selenoperas caustiplaga* (Hampson,1896)** (Noctuidae) Synonym(s): *caustiplaga* Hampson,1896; *fulviplaga* W.Warren,1913 Range (in code): **MY BT IN TH Knc ID Bor Ja Clb PH**
- 67439. *Selepa celtis* Moore,1858** (Noctuidae) Synonym(s): *celtis* Moore,1858 Range (in code): **LK Cbo TH CMa Sbu Bnk Cbi Chc MY Bor** Bionomy: Larva on *Combretum quadrangulare*, *Terminalia bellirica* [beleric myrobalan] (Combretaceae), *Sandoricum koetjape* [santol] (Meliaceae), *Pithecellobium dulce* [Manila tamarind], *Bauhinia purpurea* [orchid tree] (Fabaceae), *Lagerstroemia indica* [crape myrtle], *L. speciosa*, *L. balansae* [ta baek] (Lythraceae), *Antidesma velutinsum* [mamao khwai] (Euphorbiaceae), *Careya sphaerica* [kra don] (Lecythidaceae) (Lewvanich,2001).
- 67440. *Selepa discigera* (Walker,1864)** (Noctuidae) Synonym(s): *discigera* Walker,1864; *strigifera* Moore,1885; *caniceps* Gaede,1937; *hampsoni* Gaede,1937; *walkeri* Gaede,1937 Range (in code): **LK Cbo Pdy CN HK PH MY Bor Swk Sbh PG AU QAu** Bionomy: Larva on *Stillingia* (Euphorbiaceae), *Ficus* (Moraceae), *Rhus* (Anacardiaceae) (Mell,1943 et seq.).
- 67441. *Selepa docilis* Butler,1881** (Noctuidae) Synonym(s): *docilis* Butler,1881; *canofusa* Hampson,1905 Range (in code): **IR Hz Ss ZA Ec Ans Nta Kzu Dbn SD SD95 NG PK Sd Krc IN Mh Bba LK**
- 67442. *Selepa leucogonia* (Hampson,1905)** (Noctuidae) Synonym(s): *leucogonia* Hampson,1905
Range (in code): **ZA KE GA**
- 67443. *Selepa molybdea* Hampson,1912** (Noctuidae) Synonym(s): *molybdea* Hampson,1912; *#singaporensis* Strand,1917; *#discocellularis* Strand,1917 Range (in code): **SG MY**
- 67444. *Selepa murphyi* Holloway,2003** (Noctuidae) Synonym(s): *murphyi* Holloway,2003
Range (in code): **MY Bor BN SG**
- 67445. *Selepa nigralba* (Hampson,1895)** (Noctuidae) Synonym(s): *nigralba* Hampson,1895
Range (in code): **IN MY Bor Swk BN ID Clb SB PG** Bionomy: Larva on *Castanopsis* (Fagaceae) (Samuelson & Miller,1996).
- 67446. *Selepa ocellata* Holloway,2003** (Noctuidae) Synonym(s): *ocellata* Holloway,2003
Range (in code): **MY Bor BN**
- 67447. *Selepa oranga* Swinhoe,1918** (Noctuidae) Synonym(s): *oranga* Swinhoe,1918 Range (in code): **MY Bor Swk BN**

- 67448. *Selepa plumbeata* Hampson,1912** (Noctuidae) Synonym(s): *plumbeata* Hampson,1912
Range (in code): **LK IN MY Bor Swk BN** Bionomy: Larva on Anacardium (Anacardiaceae) (Holloway,2003).
- 67449. *Selepa rufescens* Hampson,1912** (Noctuidae) Synonym(s): *rufescens* Hampson,1912
Range (in code): **ZA**
- 67450. *Selepa transvalica* Hampson,1912** (Noctuidae) Synonym(s): *transvalica* Hampson,1912
Range (in code): **ZA Lpo Tva Spb Mdk**
- 67451. *Semiothisops macariata* (Hampson,1902)** (Noctuidae) Synonym(s): *macariata* Hampson,1902 Range (in code): IN SI NP Adm ID Sum Clb PH TW TH Knc Pgg CMa Dst Dso9
- 67452. *Sergiusia pentelia* (Druce,1887)** (Noctuidae) Synonym(s): *pentelia* Druce,1887 Range (in code): ZA
- 67453. *Serrodus campana* Guenée,1852** (Noctuidae) Synonym(s): *campana* Guenée,1852; *nigha* Guenée,1852; *callipepla* A.E.Prout,1929 Range (in code): BD Syl ID Ja TH CMA Int Chy Nrt Sbu Bnk Cbi VN IN LK NP CN TW JP KP KR RU Us PG WS FJ NH NC AU PH Bionomy: Larva on Nephelium lappaceum [rambutan], Schleicheria oleosa [Ceylan oak], Lepisanthes rubiginosa [ma huat], Sapindus rarak [ma kham di kwai] (Sapindaceae) (Kuroko & Lewvanich,1993).
- 67454. *Serrodus flavicincta* Hampson,1926** (Noctuidae) Synonym(s): *flavicincta* Hampson,1926
Range (in code): **ZA**
- 67455. *Serrodus partita* (Fabricius,1775)** (Noctuidae) Synonym(s): *partita* Fabricius,1775; *inara* Cramer,[1780]; *basinigrum* Walker,1858; *korana* R.Felder & Rogenhofer,1874. Original Reference: Noctua partita Fabricius,1775; Syst. Ent.: 604. Type(s): India. Range (in code): WS IN ZA SL ZR KE Nta Kzu Est Ec Tra IN LK MM TH Bor Ja ID MY AU LO MG Bionomy: Larva on Nephelium hypoleucum (Sapindaceae) (Kuroko & Lewvanich,1993).
- 67456. *Serrodus trispila* (Mabille,1890)** (Noctuidae) Synonym(s): *trispila* Mabille,1890
Range (in code): **ZA ET ET29**
- 67457. *Sesamia albicolor* Janse,1939** (Noctuidae) Synonym(s): *albicolor* Janse,1939 Range (in code): ZA
- 67458. *Sesamia albivena* Hampson,1902** (Noctuidae) Synonym(s): *albivena* Hampson,1902
Range (in code): **ZW Har**
- 67459. *Sesamia atlantica* Boursin,1944** (Noctuidae) Synonym(s): *atlantica* Boursin,1944
Range (in code): **MA**
- 67460. *Sesamia botanephaga* Tams & Bowden,1953** (Noctuidae) Synonym(s): *botanephaga* Tams & Bowden,1953 Range (in code): ZA
- 67461. *Sesamia boursini* (Wiltshire,1957)** (Noctuidae) Synonym(s): *boursini* Wiltshire,1957
Original Reference: Epipsammia boursini Wiltshire,1957, Lepidoptera of Iraq: 83-84, pl.II fig. 20, text-fig.5. Holotype ♂: Iraq: Shaqlawa, 17.iv.53 (coll. Wiltshire). Range (in code): IQ Shq
- 67462. *Sesamia calamistis* Hampson,1910** (Noctuidae) Synonym(s): *calamistis* Hampson,1910
Range (in code): **ZA AO**
- 67463. *Sesamia christophi* Hacker,1998** (Noctuidae) Synonym(s): *christophi* Hacker,1998
Range (in code): **TM Kp**
- 67464. *Sesamia coniota* Hampson,1902** (Noctuidae) Synonym(s): *coniota* Hampson,1902
Range (in code): **ZW Har**
- 67465. *Sesamia cretica* Lederer,1857** (Noctuidae) Synonym(s): *cretica* Lederer,1857; *cyrnaea* Mabille,1866; *fraterna* Moore,1882; *striata* Staudinger,1888; *pecki* Tams,1938 Original Reference: *Sesamia cretica* Lederer,1857, Noct. Eur.:124. Type(s): [Greece]: Creta: Candia. Range (in code): Cn MR MA DZ Abe Prr Sbd Dhm TN LY EG ES FR Co Sa Si IT MT DE YU AL BG GR Cr TR IR Mz Hz B-A Ss Fa Elb Mz Th Kdj RU Cc Ro Kr Nt Ich Ing Da AF Srb EG Sn SA IL Hf Pa LB JO SY IQ Bgd Agh SD ET SO TM UZ IN Hp ZA Bionomy: Larva on Zea mays, Sorghum halepense, Pennisetum typhoideum, Saccharum spontaneum, Saccharum aegyptiacum, Idhrah sufra (Balachowsky & Mesnil,1936; Wiltshire,1957; Hacker,1989).
- 67466. *Sesamia epunctifera* Hampson,1902** (Noctuidae) Synonym(s): *epunctifera* Hampson,1902
Range (in code): **ZA Ec Ans KE**
- 67467. *Sesamia excelsa* Laporte,1976** (Noctuidae) Synonym(s): *excelsa* Laporte,1976 Range (in code): ET ET45
- 67468. *Sesamia geyri* (Strand,1915)** (Noctuidae) Synonym(s): *geyri* Strand,1915 Range (in code): EG
- 67469. *Sesamia ilonae* Hacker,2001** (Noctuidae) Synonym(s): *ilonae* Hacker,2001 Range (in code): IL Pa

- 67470. *Sesamia incerta* (Walker,1856)** (Noctuidae) **Synonym(s):** *incerta* Walker,1856 _ **Range (in code):** **ZA**
- 67471. *Sesamia inferens* (Walker,1856)** (Noctuidae) **Synonym(s):** *inferens* Walker,1856; *transquilaris* Butler,1880; *gracilis* Butler,1880; *innocens* Butler,1881. _ **Range (in code):** **AF IR LK IN TW CN JP ZA**
- 67472. *Sesamia jansei* Tams & Bowden,1953** (Noctuidae) **Synonym(s):** *jansei* Tams & Bowden,1953 _ **Range (in code):** **ZA**
- 67473. *Sesamia lacteola* (Christoph,1893)** (Noctuidae) **Synonym(s):** *lacteola* Christoph,1893
Original Reference: *Leucania lacteola* ? Christoph,1893, Dt. ent. Z., Iris 6: 92. Type: [Turkey: Iğdır Prov.]: Kasikoparan. **Range (in code):** **TR Cc**
- 67474. *Sesamia mesosticha* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *mesosticha* D.S.Fletcher,1961 _ **Range (in code):** **KE UG**
- 67475. *Sesamia monodi* Rungs,1963** (Noctuidae) **Synonym(s):** *monodi* Rungs,1963 _ **Range (in code):** **SN**
- 67476. *Sesamia nonagrioides* (Lefèbvre,1827)** (Noctuidae) **Synonym(s):** *vuteria sensu auct nec* Stl.; *nonagrioides* Lefèbvre,1827; *hesperica* Rambur,1839; *sacchari* Wollaston,1858; *gracilis* Rebel,1898.
Original Reference: *Cossus nonagrioides* Lefèbvre,1827, Mém. Soc. linn. Paris 6: 98-99, pl.5 fig.3. Type(s): Sicilia: Palermo. **Range (in code):** **Az Md Cn MR MA DZ Abe Blid Sbd Clo TN LY EG PT ES Mu FR Co Sa Si IT MT AT YU AL BG GR Cr TR IL Pa YE SO ZA** **Bionomy:** Larva on *Zea mays*, *Oryza sativa*, *Saccharum officinarum*, *Triticum sativum*, *Hordeum hexastichum*, *Andropogon sorghum*, *A. citriodora*, *Sorghum cernuum*, *S. saccharatum*, *Avena sativa*, *Pennisetum purpureum*, *Typha*, *Arundo*, *Phragmites*, *Imperata*.
- 67477. *Sesamia plagiographa* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *plagiographa* D.S.Fletcher,1961 _ **Range (in code):** **UG**
- 67478. *Sesamia poephaga* Tams & Bowden,1953** (Noctuidae) **Synonym(s):** *poephaga* Tams & Bowden,1953 _ **Range (in code):** **ZA**
- 67479. *Sesamia roseoflammata* Pinhey,1956** (Noctuidae) **Synonym(s):** *roseoflammata* Pinhey,1956 _ **Range (in code):** **ZW KE**
- 67480. *Sesamia royi* Laporte,1973** (Noctuidae) **Synonym(s):** *royi* Laporte,1973 _ **Range (in code):** **CM**
- 67481. *Sesamia rubritincta* Hampson,1902** (Noctuidae) **Synonym(s):** *rubritincta* Hampson,1902
Range (in code): **ZA**
- 67482. *Sesamia rufescens* Hampson,1910** (Noctuidae) **Synonym(s):** *rufescens* Hampson,1910
Range (in code): **ZA**
- 67483. *Sesamia rungsi* Boursin,1957** (Noctuidae) **Synonym(s):** *rungs* Boursin,1957 _ **Range (in code):** **AF Nu IR Hz B-A Fa**
- 67484. *Sesamia sciagrapha* D.S.Fletcher,1961** (Noctuidae) **Synonym(s):** *sciagrapha* D.S.Fletcher,1961 _ **Range (in code):** **UG**
- 67485. *Sesamia simplaria* Rungs,1962** (Noctuidae) **Synonym(s):** *simplaria* Rungs,1962 _ **Range (in code):** **MG**
- 67486. *Sesamia steniptera* Hampson,1914** (Noctuidae) **Synonym(s):** *steniptera* Hampson,1914
Range (in code): **ZA**
- 67487. *Sesamia stictica* Berio,1976** (Noctuidae) **Synonym(s):** *stictica* Berio,1976 _ **Range (in code):** **ZR**
- 67488. *Sesamia sylvata* Janse,1939** (Noctuidae) **Synonym(s):** *sylvata* Janse,1939 _ **Range (in code):** **ZA**
- 67489. *Sesamia taenioleuca* (Wallengren,1866)** (Noctuidae) **Synonym(s):** *taenioleuca* Wallengren,1866 _ **Range (in code):** **ZA ZW Har**
- 67490. *Sesamia uniformis* (Dudgeon,1905)** (Noctuidae) **Synonym(s):** *uniformis* Dudgeon,1905
Range (in code): **IN EG**
- 67491. *Sesamia vanharteni* Hacker & Fibiger,2001** (Noctuidae) **Synonym(s):** *vanharteni* Hacker & Fibiger,2001 _ **Range (in code):** **YE**
- 67492. *Sesamia viettei* Rungs,1954** (Noctuidae) **Synonym(s):** *viettei* Rungs,1954 **MG** _ **Range (in code):**
- 67493. *Sesamia wiltshirei* Rungs,1963** (Noctuidae) **Synonym(s):** *wiltshirei* Rungs,1963 _ **Range (in code):** **EG Sn**
- 67494. *Setoctena bothrophora* (Hampson,1907)** (Noctuidae) **Synonym(s):** *bothrophora* Hampson,1907 _ **Range (in code):** **LK TH CMa CDo**

- 67495. *Setoctena dentula* (Lederer,1869)** (Noctuidae) Synonym(s): *dentula* Lederer,1869; *angulifera* Moore,1881; *innubila* Swinhoe,1886 Original Reference: Euxestis *dentula* Lederer,1869, Horae Soc. ent. ross. 6: 89, pl.5 fig.8. Type ♂: Iran: Astrabad (Gorgarn), leg. Haberhauer. Range (in code): **JO Amm TR IR Mz Gls Th Elb Gor Ss Kuh TM AF PK IN Mhw IQ Amr Akr Sbn**
- 67496. *Setoctena endoglauca* (Hampson,1910)** (Noctuidae) Synonym(s): *endoglauca* Hampson,1910 Range (in code): **ZA**
- 67497. *Setoctena ledereri* Wallengren,1863** (Noctuidae) Synonym(s): *ledereri* Wallengren,1863 Original Reference: *Setoctena ledereri* Wallengren,1863, Wien. ent. Monatschr. 7: 144. Type ♂: [South Africa]: R.Swakop (NR, Stockholm). Range (in code): **ZA Ec**
- 67498. *Setoctena piperitella* (Strand,1909)** (Noctuidae) Synonym(s): *piperitella* Strand,1909; *carniola* Hampson,1912. Range (in code): **ZA**
- 67499. *Setoctena stalii* Wallengren,1863** (Noctuidae) Synonym(s): *stalii* Wallengren,1863 Range (in code): **ZA**
- 67500. *Shargacucullia* (Brevicucullia) *brevipennis* (Hampson,1894)** (Noctuidae) Synonym(s): *brevipennis* Hampson,1894 IN Hp SI DjI
- 67501. *Shargacucullia* (Falcicucullia) *eugrapha* (Boursin,1941)** (Noctuidae) Synonym(s): *eugrapha* Boursin,1941 CN Yu Ti
- 67502. *Shargacucullia* (Falcicucullia) *falcata* (G.Ronkay & L.Ronkay,1988)** (Noctuidae) Synonym(s): *falcata* G.Ronkay & L.Ronkay,1988 Range (in code): **AF Sfk PK Swa**
- 67503. *Shargacucullia* (Falcicucullia) *griseugrapha* (Ronkay,1998)** (Noctuidae) Synonym(s): *griseugrapha* Ronkay,1998 CN Ti
- 67504. *Shargacucullia* (Falcicucullia) *mediogrisea* (W.Warren,1911)** (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1911 CN Yu Sz MM TH VN SI BT IN Meg Khs
- 67505. *Shargacucullia* (Falcicucullia) *nepalensis* G.Ronkay & L.Ronkay,1998** (Noctuidae) Synonym(s): *nepalensis* G.Ronkay & L.Ronkay,1998 NP
- 67506. *Shargacucullia* (Falcicucullia) *sinopsis* (Boursin,1941)** (Noctuidae) Synonym(s): *sinopsis* Boursin,1941 CN Yu Ti
- 67507. *Shargacucullia* (Prenanthcucullia) *armena* G.Ronkay & L.Ronkay,1986** (Noctuidae) Synonym(s): *armena* G.Ronkay & L.Ronkay,1986 Range (in code): **Cc AM TR**
- 67508. *Shargacucullia* (Prenanthcucullia) *prenanthis* (Boisduval,1840)** (Noctuidae) Synonym(s): *prenanthis* Boisduval,1840; *ceramanthea* Freyer,1844. Original Reference: *Cucullia prenanthis* Boisduval,1840, Genera Index Meth. Eur. Lépid.: 154. Syntypes: [France]: Alpes Delph. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU BG TR LB IR Gls RU Cc Kr Kc St Nt MD UA AM Eri TM Kp**
- 67509. *Shargacucullia* (Prenanthcucullia) *prenanthis mosaica* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *mosaica* G.Ronkay, L.Ronkay & Gyulai,2011 Cc AM Eri TR TM Kp
- 67510. *Shargacucullia* (Prenanthcucullia) *szeokekalmani* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *szeokekalmani* G.Ronkay, L.Ronkay & Gyulai,2011 IR Kd Snj
- 67511. *Shargacucullia* (Stigmatocucullia) *expansa* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *expansa* G.Ronkay, L.Ronkay & Gyulai,2011 PK TJ
- 67512. *Shargacucullia* (Stigmatocucullia) *maria* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *maria* G.Ronkay, L.Ronkay & Gyulai,2011 PK Ch Ld IN
- 67513. *Shargacucullia* (Stigmatocucullia) *naumanni* G.Ronkay & L.Ronkay,1992** (Noctuidae) Synonym(s): *naumanni* G.Ronkay & L.Ronkay,1992 AF Bd
- 67514. *Shargacucullia* (Stigmatocucullia) *notodontina* (Boursin,1934)** (Noctuidae) Synonym(s): *notodontina* Boursin,1934 CN Ui Au Kl Ku
- 67515. *Shargacucullia* (Stigmatocucullia) *stigmatophora* (Hampson,1894)** (Noctuidae) Synonym(s): *stigmatophora* Hampson,1894 PK Mre IN
- 67516. *Shargacucullia* (Verbascullia) *adriennei* G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *adriennei* G.Ronkay, L.Ronkay & Gyulai,2011 LY DZ Orn BSa TN
- 67517. *Shargacucullia* (Verbascullia) *verbasci* (Linnaeus,1758)** (Noctuidae) Synonym(s): *verbasci* Linnaeus,1758 Original Reference: *Phalaena verbasci* Linnaeus,1758, Syst. Nat. (Edn.10): 515. Type(s): [Europa]. Range (in code): **PT ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG Tbl Smt Bjo AZ Nv Ord AM Cc CY LB SY DK SE LV LT RU Ro Kr St MD UA BY IQ IR Agh Fa Gor Elb Th Dam Kh AF TM Kp MA DZ Ght BSa Ktr Khh Hrh**

- Agi Btna Hmk Ahr Afl TN LY Cy IL Pa JO UZ KG Aa TJ Pm KK** Bionomy: Larva on Celsia, Scrophularia, Verbascum tripolitanum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 67518. Shargacucullia (Verbascullia) verbasci oberthueri (Culot,1909)** (Noctuidae) Synonym(s): *oberthueri* Culot,1909; *oberthueri* Rothschild,1911 Range (in code): **MA TN DZ Ght BSa Ktr KhH Hrh Agi Btna Hmk Ahr Afl TN LY Cy IL Pa JO**
- 67519. Shargacucullia (Verbascullia) verbasci orientalis G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *orientalis* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **UZ KG Aa TJ Pm KK**
- 67520. Shargacucullia (Verbascullia) verbasci posterobscura G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *posterobscura* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **TM IR Kh**
- 67521. Shargacucullia (s.str.) asadvartiani G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *asadvartiani* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **AF Kab Pag PK Qu Bl**
- 67522. Shargacucullia (s.str.) asgharshirvanii G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *asgharshirvanii* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **IR Ha Yz Ke Kd Snj Ak Ab Kh Fa Ss**
- 67523. Shargacucullia (s.str.) barthae Boursin,1933** (Noctuidae) Synonym(s): *barthae* Boursin,1933; *kurthuberi* G.Ronkay, L.Ronkay, P.Gyulai,2011 Original Reference: *Cucullia barthae* Boursin,1933, Mitt. münch. ent. Ges. 23 (1): 11-13, figs. Holotype ♀: [Türkei]: Syria sept., Taurus, Marasch (ZSM). Range (in code): **TR Cc LB Bsa Bei IL Pa Hf CY IQ IR Elb SY JO AM AZ** Bionomy: Larva on Scrophularia (Wiltshire,1957).
- 67524. Shargacucullia (s.str.) blattariae (Esper,[1790])** (Noctuidae) Synonym(s): *blattariae* Esper,[1790]; *minogenica* Rebel,1916; *eugeniae* Beck,1989 Range (in code): **DZ Sbd Si? IT AT PL HU RO HV YU AL BG GR Cr TR RU AZ Nv Ord Cc Nt MD UA BY IL Pa Hf JO** Bionomy: Larva on Scrophularia (at Amasia), S. canina (Scrophulariaceae) (Staudinger,1879; et seq.).
- 67525. Shargacucullia (s.str.) canariensis (Pinker,1969)** (Noctuidae) Synonym(s): *canariensis* Pinker,1969 Range (in code): **Cn**
- 67526. Shargacucullia (s.str.) caninae (Rambur,1833)** (Noctuidae) Synonym(s): *caninae* Rambur,1833 Range (in code): **MA PT ES FR Co Sa Si IT CH** Bionomy: Larva on Scrophularia canina (Scrophulariaceae) (Rambur,1833).
- 67527. Shargacucullia (s.str.) celsiphaga (Boursin,1940)** (Noctuidae) Synonym(s): *celsiphaga* Boursin,1940 Range (in code): **MA**
- 67528. Shargacucullia (s.str.) erythrocephala (Wagner,1914)** (Noctuidae) Synonym(s): *erythrocephala* Wagner,1914 Range (in code): **ES Mu TN Tun MA** Bionomy: Larva on Scrophularia (Calle et al., 2000).
- 67529. Shargacucullia (s.str.) faucicola (Wiltshire,1943)** (Noctuidae) Synonym(s): *faucicola* Wiltshire,1943 Range (in code): **IR Fa**
- 67530. Shargacucullia (s.str.) gozmanyi G.Ronkay & L.Ronkay,1994** (Noctuidae) Synonym(s): *gozmanyi* G.Ronkay & L.Ronkay,1994 Range (in code): **AT DE SS HV SK HU RO BG TR**
- 67531. Shargacucullia (s.str.) kasyi (Wiltshire,1976)** (Noctuidae) Synonym(s): *kasyi* Wiltshire,1976 Original Reference: *Cucullia kasyi* Wiltshire,1976, Z. ArbGem. öst. Ent. 27: 75-77 fig. Holotype ♂: S.Iran: Roodan nr. Bander Abbas, 9.iii.1973 (NHMW). Range (in code): **IR Hz B-A**
- 67532. Shargacucullia (s.str.) kurthuberi G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *kurthuberi* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **TR**
- 67533. Shargacucullia (s.str.) lychnitis (Rambur,1833)** (Noctuidae) Synonym(s): *lychnitis* Rambur,1833 Original Reference: *Cucullia lychnitis* Rambur,1833, Annls Soc. ent. Fr. 2:17. Type(s): France: Corse. Range (in code): **LY ES Mu FR Co Sa Si IT MT GB BE DE CH AT PL CZ SK HU RO YU BG GR TR LB Bei Bsa Zah DK SE FI EE LT RU Cc Ro Kr St Kc Nt Ich Ing Da MD UA BY IQ IL Pa AZ Cc SY Dms IR Ab Kd Lo Yz Fa Km TM Kp** Bionomy: Larva on Celsia, Scrophularia, Verbascum (Staudinger,1879; Wiltshire,1957; Calle et al., 2000).
- 67534. Shargacucullia (s.str.) lychnitis mysteriosa G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *mysteriosa* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **TR LB Bsa AZ Cc SY Dms IR Ab Kd Lo Yz Fa Km TM Kp**
- 67535. Shargacucullia (s.str.) macewani (Wiltshire,1949)** (Noctuidae) Synonym(s): *macewani* Wiltshire,1949 Range (in code): **SA IL Pa YE**
- 67536. Shargacucullia (s.str.) nekrasovi G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *nekrasovi* G.Ronkay, L.Ronkay & Gyulai,2011 Range (in code): **TJ Pm Chr KK KG TM**
- 67537. Shargacucullia (s.str.) osthelderi Boursin,1933** (Noctuidae) Synonym(s): *osthelderi* Boursin,1933 Original Reference: *Cucullia osthelderi* Boursin,1933, Mitt. münch. ent. Ges. 23 (1): 8-10, figs. Holotype ♀: [Türkei]: Syria sept., Taurus, Marasch (ZSM). Range (in code): **TR**

- 67538. Shargacucullia (s.str.) reisseri (Boursin,1933)** (Noctuidae) Synonym(s): *reisseri* Boursin,1933 _ Range (in code): ES Mu FR MA TN Bionomy: Larva on Verbascum (Calle et al., 2000).
- 67539. Shargacucullia (s.str.) scrophulariae ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *scrophulariae* [Denis & Schiffermüller],1775; *rivulorum* Guenée,1852 _ Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Lag AZ Kir AM Cc DK SE EE LV LT RU Ro Kr Ich MD UA BY Bionomy: Larva on Scrophularia at Amasia (Staudinger,1879).
- 67540. Shargacucullia (s.str.) scrophulariphaga (Rambur,1833)** (Noctuidae) Synonym(s): *scrophulariphaga* Rambur,1833 _ Range (in code): DZ BtNa Co Sa
- 67541. Shargacucullia (s.str.) scrophulariphila (Staudinger,1859)** (Noctuidae) Synonym(s): *scrophulariphila* Staudinger,1859 _ Range (in code): MA TN DZ KhH Sfr ES Py FR
- 67542. Shargacucullia (s.str.) scrophulariphila mauretanica (Boursin,1933)** (Noctuidae) Synonym(s): *mauretanica* Boursin,1933 _ MA TN
- 67543. Shargacucullia (s.str.) scrophulariphila scrophulariphila (Staudinger,1859)** (Noctuidae) Synonym(s): *scrophulariphila* Staudinger,1859 _ ES Py FR
- 67544. Shargacucullia (s.str.) strigicosta Boursin,1940** (Noctuidae) Synonym(s): *strigicosta* Boursin,1940 Original Reference: *Cucullia strigicosta* Boursin,1940, Mitt. münch. ent. Ges. 30: 501-502, Taf.ix figs.46,48. Holotype ♂: Iraq: Baghdad: Djebel Darawishka 250m, Kizil-Robat nr. Khannikin (Wiltshire leg.) (coll.Boursin). Range (in code): EG Sn IL Pa IQ Bgd Jd IR Elb Th Kdj Fa Kh Hz B-A RU Cc Da Kus Ich Ceo TR Bionomy: Larva on Scrophularia (Wiltshire, 1941, 1957).
- 67545. Shargacucullia (s.str.) thapsiphaga (Treitschke,1826)** (Noctuidae) Synonym(s): *lanceolata* Villers,1789; *thapsiphaga* Treitschke,1826 _ Range (in code): DZ BtNa Hrh ES FR Co Sa Si IT MT CH AT PL CZ SK HU RO YU BG GR TR RU Cc Da AZ AM GG Tbl Lag Cc St Kb Kc MD UA BY IR Ke Fa CN Ui CY LB Bsa Bei Zah TM Kp IQ
- 67546. Shargacucullia (s.str.) thapsiphaga anceps Staudinger,1881** (Noctuidae) Synonym(s): *anceps* Staudinger,1881; *albescens* Wiltshire,1968 (preocc.); *albicans* Wiltshire,1976 Original Reference: *Cucullia anceps* Staudinger,1881, Horae Soc. ent. ross. 16: 78. Syntypes: [Turkey]: Amasia. Range (in code): TR IR Ke Fa CN Ui CY LB Bsa Bei Zah Cc AZ AM TM Kp IQ
- 67547. Shargacucullia (s.str.) thapsiphaga belaherczigi G.Ronkay, L.Ronkay & Gyulai,2011** (Noctuidae) Synonym(s): *belaherczigi* G.Ronkay, L.Ronkay & Gyulai,2011 _ RU Cc Da GG AM
- 67548. Shargacucullia (s.str.) tropicarabica (Wiltshire,1949)** (Noctuidae) Synonym(s): *tropicarabica* Wiltshire,1949 _ SA HJ
- 67549. Shargacucullia (s.str.) xylophana (Boursin,1934)** (Noctuidae) Synonym(s): *xylophana* Boursin,1934 _ Range (in code): CN Ui Ku PK Nwf Gg AF KK TrA UZ N-A
- 67550. Shargacucullia (s.str.) zerkowitzi (Boursin,1934)** (Noctuidae) Synonym(s): *zerkowitzi* Boursin,1934 _ Range (in code): TM Arw UZ N-A
- 67551. Sidemia spilogramma (Rambur,1871)** (Noctuidae) Synonym(s): *spilogramma* Rambur,1871 _ Range (in code): RO RU Cc Ro St UA
- 67552. Sidemia spodopteroles Hampson,1908** (Noctuidae) Synonym(s): *spodopteroles* Hampson,1908 _ Range (in code): ZA
- 67553. Sideridis (Aneda) rivularis (Fabricius,1775)** (Noctuidae) Synonym(s): *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. Original Reference: *Noctua rivularis* Fabricius,1775, Syst. Ent.: 613. Type(s): [Germany]: Sachsen. Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR GG Lag Smt Bjo AM Cc DK NO SE FI EE LV LT RU Ro St Kb Nt Ich Ing Da Am Prj Us MD UA BY KG TJ KK Ik Ax TrA UZ CN JP Bionomy: Larva on leaves, seed-capsules of *Silene*, *Lychnis* (Hampson,1905; Warren,1909).
- 67554. Sideridis (Conisania) arida (Lederer,1855)** (Noctuidae) Synonym(s): *arida* Lederer,1855 _ Range (in code): RU Ur KJ Mnu
- 67555. Sideridis (Conisania) capsivora (Draudt,1933)** (Noctuidae) Synonym(s): *capsivora* Draudt,1933 _ Range (in code): TR Cc RU Nt Ich Da IR Fa Elb Th Ha Avd TM Kp
- 67556. Sideridis (Conisania) evestigata (Draudt,1936)** (Noctuidae) Synonym(s): *evestigata* Draudt,1936 Original Reference: *Epia evestigata* Draudt,1936, Ent. Rdsch. 53: 490-491. Holotype ♀: [Türkei]: Ankara (leg. Noack); Co-type: Siwas (leg. Zukowsky). Range (in code): TR
- 67557. Sideridis (Conisania) leineri (Freyer,1836)** (Noctuidae) Synonym(s): *leineri* Freyer,1836 _ Range (in code): DE AT PL CZ SK HU RO YU BG DK SE LV LT RU Ur MD UA BY AZ

- Kir Cc MN KK TrA** Bionomy: Larva on *Artemisia campestris*, *A. maritima* (Asteraceae) (Warren,1910).
- 67558. Sideridis (Conisania) leineri bovina (Staudinger,1888)** (Noctuidae) Synonym(s): *bovina* Staudinger,1888 Range (in code): **KK TrA**
- 67559. Sideridis (Conisania) leineri furcata (Eversmann,1837)** (Noctuidae) Synonym(s): *furcata* Eversmann,1837 Range (in code): **RU**
- 67560. Sideridis (Conisania) poelli (Stertz,1915)** (Noctuidae) Synonym(s): *poelli* Stertz,1915 Range (in code): **IT CH AT RO RU Cc Da**
- 67561. Sideridis (Conisania) poelli ostrogovichi Draudt,1933** (Noctuidae) Synonym(s): *ostrogovichi* Draudt,1933 Range (in code): **RU Cc Da**
- 67562. Sideridis (Conisania) renati (Oberthür,1890)** (Noctuidae) Synonym(s): *renati* Oberthür,1890; *magdalene* Oberthür,1896; *vitensis* Fernandez,1933 Range (in code): **ES FR IT GR BG**
- 67563. Sideridis (Conisania) renati meszarosi Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *meszarosi* Varga & L.Ronkay,1991 Range (in code): **GR BG**
- 67564. Sideridis (Conisania) verhulsti Gyulai & L.Ronkay,1995** (Noctuidae) Synonym(s): *verhulsti* Gyulai & L.Ronkay,1995 Range (in code): **CN Gn Ti IN Hp**
- 67565. Sideridis (Conisania) vidua (Staudinger,1888)** (Noctuidae) Synonym(s): *vidua* Staudinger,1888 Range (in code): **IR Fa Lo By Yas UZ Fe N-A KK Ik**
- 67566. Sideridis (Conisania) xanthothrix Boursin,1960** (Noctuidae) Synonym(s): *xanthothrix* Boursin,1960 Range (in code): **TJ Pm AF Adr**
- 67567. Sideridis (Dianthivora) implexa (Hübner,[1809])** (Noctuidae) Synonym(s): *implexa* Hübner,[1809]; *fallovi* Oberthür,1876 Original Reference: *Noctua implexa* Hübner,[1809], Samml. eur. Schmett. Noct.2: Taf.88 fig.414. Type(s): Europa. Range (in code): **MA DZ BtNa KhH Ahr Ges Sbd Abe TN LY ES HU RO YU MK BG GR TR IL Pa Hf LB Bei Cc GG RU Ro MD UA BY**
- 67568. Sideridis (Haderonidis) costigerodes (Poole,1989)** (Noctuidae) Synonym(s): *costigera* Moore,1881 *nec* Wlk.,1858; *costigerodes* Poole,1989 Range (in code): **IN Hp Up Bhi**
- 67569. Sideridis (Luteohadena) andalusica (Staudinger,1859)** (Noctuidae) Synonym(s): *andalusica* Staudinger,1859; *gedrensis* Schawerda,1924. Range (in code): **PT ES FR IE GB**
- 67570. Sideridis (Luteohadena) andalusica barrettii (Doubleday,1864)** (Noctuidae) Synonym(s): *barrettii* Doubleday,1864 Range (in code): **IE GB**
- 67571. Sideridis (Luteohadena) literata (Fischer v. Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. Range (in code): **RU MD UA BY TR TM Kp IR GlS Kh TJ PK KG Uk AF**
- 67572. Sideridis (Luteohadena) literata literata (Fischer de Waldheim,1840)** (Noctuidae) Synonym(s): *literata* Fischer v. Waldheim,1840; *suffusa* De Freina,1983. Range (in code): **RU MD UA BY TM Kp IR GlS Kh TJ PK KG Uk AF**
- 67573. Sideridis (Luteohadena) literata subfusca Hacker,1996** (Noctuidae) Synonym(s): *subfusca* Hacker,1996 Original Reference: *Conisania (Luteohadena) literata* ssp. *subfusca* Hacker,1996, *Esperiana* 5: 643-644 Taf.Y fig.2. Holotype ♂: Türkiye: Prov.Ankara: Lake Tuz Gölü, 8km N. İreflikoçhisar 1100m, 5-6.v.1989 (leg. Fabian & Ronkay) (HNHM). Range (in code): **TR**
- 67574. Sideridis (Luteohadena) luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. Original Reference: *Noctua luteago* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 86. Type(s): [Austria]: Vienna district. Range (in code): **DZ Hrh FR AD Co Si IT MT GB DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd FI LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY TR IR Fa Kh Elb Th IQ LB Bsa SY GG Tbl Bjo Smt Kir Cc AZ AM KK KG** Bionomy: Larva on the root of *Silene maritima* and *S. inflata* (Staudinger,1881).
- 67575. Sideridis (Luteohadena) luteago behouneki Freina,1983** (Noctuidae) Synonym(s): *behouneki* Freina,1983 Range (in code): **FR Co Sa IT**
- 67576. Sideridis (Luteohadena) luteago luteago ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luteago* [Denis & Schiffermüller],1775; *brunneago* Esper,[1804]; *nigrescens* Wagner,1926 (*praeocc.*); *ottomana* Koçak,1990. Original Reference: *Noctua luteago* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 86. Type(s): [Austria]: Vienna district. Range (in code): **IT Co Si MT GB AT PL CZ SK HU RO YU AL BG GR Cr FI LV LT RU Ro Kr St Kb Nt Ich Ing Da MD UA BY TR Cc GG Tbl Bjo Smt Kir AM KK KG IR Kh**
- 67577. Sideridis (Luteohadena) luteago meridionalis (Brandt,1938)** (Noctuidae) Synonym(s): *meridionalis* Brandt,1938 Original Reference: *Harmodia luteago* ssp. *meridionalis*

- Brandt, 1938, Ent. Rdsch. 55: 505. Syntypes: Iran: [Fars]: Fort Sine Sefid. Range (in code): IR Fa Th Elb TR Cc AZ LB SY
- 67578. Sideridis (Luteohadena) luteago olbiena (Geyer, [1834])** (Noctuidae) Synonym(s): *olbiena* (Geyer, [1834]; *seibelii* Fuchs, 1898; *dignensis* Turner, 1933. Range (in code): FR AD CH DE
- 67579. Sideridis (Luteohadena) zernyi (Draudt, 1934)** (Noctuidae) Synonym(s): *zernyi* Draudt, 1934 Range (in code): MA
- 67580. Sideridis (s.str.) demotica (Püngeler, 1902)** (Noctuidae) Synonym(s): *demotica* Püngeler, 1902 Original Reference: Mamestra demotica Püngeler, 1902, Dt. ent. Z., Iris 15: 148, taf. 5 figs. 8, 9. Type ♂: [China: Uighur A.R.]: Aksu. Range (in code): TM CN Ui Au
- 67581. Sideridis (s.str.) egena (Lederer, 1853)** (Noctuidae) Synonym(s): *egena* Lederer, 1853; ? *stoliczkana* Moore, 1878 Original Reference: Haden a egen a Lederer, 1853, Verh. zool.- bot. Ver. Wien 3: 371. Syntypes: [Kasachstan]: Kirghisensteppe; [Russia]: Sibirien. Range (in code): TR KG Tk Dj KK Ik Skm TeA RU Sb UA RU Ro Nt Ing Kyi Da MN NP CN Ui Yk IR Elb Dam Th AZ Kir Cc
- 67582. Sideridis (s.str.) lampira (Schawerda, 1913)** (Noctuidae) Synonym(s): *evidens* Hübner, [1808] nec Thunb., 1784; *lampira* Schawerda, 1913; *anapheles* Nye, 1975 Original Reference: Leucania evidens var. lampira Schawerda, 1913, Verh. zool.-bot. Ges. Wien 63: 157. Syntypes: [Bosnia-Herzegovina]: Bosnien, Herzegowina, Mojstrana. Range (in code): FR IT DE CH AT CZ SK HU RO YU BG GR TR Cc RU St MD UA BY IR Elb Th Diz
- 67583. Sideridis (s.str.) peculiaris (Staudinger, 1888)** (Noctuidae) Synonym(s): *peculiaris* Staudinger, 1888 Range (in code): UZ
- 67584. Sideridis (s.str.) simplex (Staudinger, 1889)** (Noctuidae) Synonym(s): *simplex* Staudinger, 1889; *amydra* Püngeler, 1901; *roborowskii* Filipjev, 1928; *nepalensis* Boursin, 1964 Original Reference: Polia simplex Staudinger, 1889, Stettin ent. Ztg. 50: 39-40. Syntypes 2♂ 3♀: [Kirgizistan]: "südlich vom Issykul" (Rückbeil leg.). Range (in code): KK Ik CN Ui Ku Kl Au Pm TJ Ti Ch MN Uli U-B Ts Kno UZ Fe NP
- 67585. Sideridis (s.str.) submarginalis (Walker, 1869)** (Noctuidae) Synonym(s): *submarginalis* Walker, 1869 Range (in code): IN Up Bhi Nnt
- 67586. Sideridis (s.str.) turbida (Esper, [1790])** (Noctuidae) Synonym(s): *turbida* Esper, [1790]; *albicolon* Hübner, [1813] Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc Arr GG Tbl DK NO SE FI LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY IR Elb Gh KG Tk Dj KK Na TrA Bionomy: Larva on Nicotiana tabacum, Plantago, Taraxacum officinale (Blaschke, 1914).
- 67587. Sideridis ? stoliczkana (Moore, 1878)** (Noctuidae) Synonym(s): *stoliczkana* Moore, 1878 Original Reference: Haden a stoliczkana Moore, 1878, Ann. Mag. nat. Hist. (5) 1 (3): 234. Type: [Uighur Ili]: Yarkund, Kufelang. Range (in code): CN Ui Yk
- 67588. Siglophora bella Butler, 1892** (Noctuidae) Synonym(s): *bella* Butler, 1892 Range (in code): MY Bor Sbh BN ID Sum
- 67589. Siglophora cymographa Hampson, 1912** (Noctuidae) Synonym(s): *cymographa* Hampson, 1912 Range (in code): ID Sum MY Bor
- 67590. Siglophora ferreilutea Hampson, 1895** (Noctuidae) Synonym(s): *ferreilutea* Hampson, 1895 Range (in code): MY Bor Swk BN IN CN JP
- 67591. Siglophora haematica Hampson, 1905** (Noctuidae) Synonym(s): *haematica* Hampson, 1905 Range (in code): MY Bor ID Sum
- 67592. Siglophora haemoxantha Zerny, 1916** (Noctuidae) Synonym(s): *haemoxantha* Zerny, 1916 Range (in code): MY Bor BN PH ID Sum Bli
- 67593. Siglophora hayata Kobes, 1997** (Noctuidae) Synonym(s): *hayata* Kobes, 1997 Range (in code): MY Bor ID Sum
- 67594. Siglophora langei Kobes, 1989** (Noctuidae) Synonym(s): *langei* Kobes, 1989 Range (in code): ID Sum MY Bor
- 67595. Siglophora malickyi Kobes, 1997** (Noctuidae) Synonym(s): *malickyi* Kobes, 1997 Range (in code): MY Bor Klt ID Sum
- 67596. Siglophora sanguinolenta (Moore, 1888)** (Noctuidae) Synonym(s): *sanguinolenta* Moore, 1888 Range (in code): TH CMa Cmz Cz10
- 67597. Sigmuncus arcuata (Hampson, 1897)** (Noctuidae) Synonym(s): *arcuata* Hampson, 1897; *camptobasis* Hampson, 1897 Range (in code): IN SI Ass Meg Khs TH CMa Dst MY LK ID Sum Sda Bor PH

- 67598. *Simplicia bimarginata* (Walker,[1863])** (Noctuidae) Synonym(s): *bimarginata* Walker,[1863]; *infausta* R.Felder & Rogenhofer,1874; *moorei* Swinhoe,1919 Range (in code): **TH CMa Dst Dso8 Pap Mro Nan Dpk MY LK ID Sum Bor Clb PG PH TW**
- 67599. *Simplicia butesalis* Walker,[1859]** (Noctuidae) Synonym(s): *butesalis* Walker,[1859]; *cinerealis* Walker,[1866] Range (in code): **AU TH ID Sum PG Bsm SB NC MY Bor Swk IN SI NI LK Aru**
- 67600. *Simplicia caeneusalis* (Walker,[1859])** (Noctuidae) Synonym(s): *caeneusalis* Walker,[1859]; *robustalis* Walker,1866 *nec* Gn.,1854; *simulata* Moore,1882; *obiana* Swinhoe,1919; *lautokiensis* A.E.Prout,1933; *ryukyuensis* Sugi,1965; *buffetti* Holloway,1977 Original Reference: *Sophronia caeneusalis* Walker,[1859], List Specimens lepid. Insects Colln Br. Mus. 16: 94. Type: Australia. Range (in code): **TH Nan CMa Dst LA VN CN JP Ri KP KR ID Bor PG NF SB NH NC Ob WS Hw PF Ms RA FJ AU IN LK MM**
- 67601. *Simplicia extinctalis* (Zeller,1852)** (Noctuidae) Synonym(s): *extinctalis* Zeller,1852 Original Reference: *Herminia extinctalis* Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 13-14. Syntypes: [South Africa]: Caffra. Range (in code): **ZA**
- 67602. *Simplicia inflexalis* Guenée,1854** (Noctuidae) Synonym(s): *inflexalis* Guenée,1854 Range (in code): **ZA**
- 67603. *Simplicia lautokiensis* A.E.Prout,1933** (Noctuidae) Synonym(s): *lautokiensis* A.E.Prout,1933 Range (in code): **WS FJ**
- 67604. *Simplicia marginata* (Moore,1882)** (Noctuidae) Synonym(s): *marginata* Moore,1882 Range (in code): **IN SI Djl TH CMa Int MY LA VN TW**
- 67605. *Simplicia mistacalis* (Guenée,1854)** (Noctuidae) Synonym(s): *mistacalis* Guenée,1854; *marginata* Moore,1882; *subterminalis* Draeseke,1928 Range (in code): **IN SI Djl TH MY VN IN LK ID Sum PG CN Kwa TW JP**
- 67606. *Simplicia rectalis* (Eversmann,1842)** (Noctuidae) Synonym(s): *rectalis* Eversmann,1842 Range (in code): **IT DE CH AT PL CZ SK HU RO YU BG GR TR AZ AM GG Cc LV LT RU Ro St MD UA BY**
- 67607. *Simplicia* sp.1** (Noctuidae) Synonym(s): Range (in code): **TH CMa Fn Php**
- 67608. *Simplicia* sp.2** (Noctuidae) Synonym(s): Range (in code): **TH CMa Php**
- 67609. *Simplicia telamusalis* (Walker,[1859])** (Noctuidae) Synonym(s): *telamusalis* Walker,[1859] Range (in code): **ZA**
- 67610. *Simplicia xanthoma* A.E.Prout,1928** (Noctuidae) Synonym(s): *xanthoma* A.E.Prout,1928; *pseudoniphona* Sugi,1965 Range (in code): **MY Bor JP TH Nan Dpk ID Sba CN TW Ri KP KR**
- 67611. *Simyra albovenosa* (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781; *venosa* Borkhausen,1792; *atomina* Haworth,1809. Original Reference: *Phalaena albovenosa* Goeze,1781, Ent. Beytr. 3(3): Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU Nsx BG GR TR DK SE FI EE LV LT RU Cc Ro St Kr Kyi MD UA BY CN Ui Khr IR Elb Gh**
- 67612. *Simyra albovenosa albovenosa* (Goeze,1781)** (Noctuidae) Synonym(s): *albovenosa* Goeze,1781 Original Reference: *Phalaena albovenosa* Goeze,1781, Ent. Beytr. 3(3): Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU Nsx BG GR DK SE FI EE LV LT RU Cc Ro St Kr Kyi MD UA BY CN Ui Khr**
- 67613. *Simyra albovenosa cretacea* (F.Wagner,1929)** (Noctuidae) Synonym(s): *cretacea* F.Wagner,1929 Range (in code): **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Gh**
- 67614. *Simyra conspersa* (Moore,1881)** (Noctuidae) Synonym(s): *conspersa* Moore,1881 Range (in code): **IN Clc Mpr Mp BD SI TH Phi** Bionomy: Larva on *Nelumbo nucifera* [sacred lotus] (*Nelumbonaceae*) (Lewvanich,2001).
- 67615. *Simyra dentinosa* Freyer,1839** (Noctuidae) Synonym(s): *dentinosa* Freyer,1839; *leucaspis* Fischer v. Waldheim,1840; *zeliha* Kornosor & Lödl,1990 Original Reference: *Simyra dentinosa* Freyer,1839, Neuere Beitr. Schmett. 3: 97, Tab. 263 fig.2,3. Type(s): [Türkei]: Konstantinopel [Istanbul]. Range (in code): **RO MK AL BG GR RU Ro Kr St Nt Da MD UA TR Cc GG IL Pa LB SY Dms Hal JO IQ IR Ss AF Hr TM** Bionomy: Larva on *Euphorbia macroclada*, *E. myrsinites*, *E. esuloides* (*Euphorbiaceae*) (Staudinger,1879; Zerny,1933; Hacker,1989; Koçak & Kemal, in litt.).
- 67616. *Simyra nervosa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *nervosa* [Denis & Schiffermüller],1775. Original Reference: *Noctua nervosa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 85. Type(s): [Austria]: Vienna district. Range (in code): **FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR LT RU Cc Ro Ich Da MD UA BY IR Fa Th Es Ss AF CN Ui Ti MN KG Tk Dj KK TeA TrA TM Kp UZ**

- 67617. *Simyra nervosa argentacea* Herrich-Schäffer, 1848** (Noctuidae) **Synonym(s):** *argentacea* Herrich-Schäffer, 1848. Range (in code):
- 67618. *Simyra nervosa expressa* A. Bang-Haas, 1912** (Noctuidae) **Synonym(s):** *expressa* A. Bang-Haas, 1912. Range (in code): **CN Ui KG Tk Dj KK TeA TrA TM Kp UZ**
- 67619. *Simyra nervosa lactea* Hacker & Kautt, 1999** (Noctuidae) **Synonym(s):** *lactea* Hacker & Kautt, 1999. Original Reference: *Simyra nervosa* ssp. *lactea* Hacker & Kautt, 1999, *Esperiana* 7: 429 figs. Holotype ♂: Iran: Fars: vic. Eqlid, 2300m (coll. Hacker, ZSM). Range (in code): **IR Fa Th Es Ss**
- 67620. *Simyra nervosa nervosa* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *nervosa* [Denis & Schiffermüller], 1775. Original Reference: *Noctua nervosa* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 85. Type(s): [Austria]: Vienna district. Range (in code): **FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR LT RU Cc Ro Ich Da MD UA BY**
- 67621. *Simyra renimaculata* (Osthelder, 1932)** (Noctuidae) **Synonym(s):** *renimaculata* Osthelder, 1932. Original Reference: *Arsilonche renimaculata* Osthelder, 1932, *Mitt. münch. ent. Ges.* 22 (2): 83-84. Syntypes ♂♂: [Türkei]: Marasch, Döldül Dag (ZSM). Range (in code): **TR IR Gh Elb**
- 67622. *Simyra sincera* W. Warren, 1914** (Noctuidae) **Synonym(s):** *sincera* W. Warren, 1914. Range (in code):
- 67623. *Simyra splendida* Staudinger, 1888** (Noctuidae) **Synonym(s):** *splendida* Staudinger, 1888. Range (in code): **KG Tk Dj**
- 67624. *Sinarella aegrota* (Butler, 1879)** (Noctuidae) **Synonym(s):** *aegrota* Butler, 1879; *stigmatophora* Bryk, 1948. Range (in code): **KP KR**
- 67625. *Sinarella discisigna* (Moore, 1883)** (Noctuidae) **Synonym(s):** *discisigna* Moore, 1883. Range (in code): **IN SI DjI TH CMA Int NP**
- 67626. *Sinarella interrupta* (Wileman, 1915)** (Noctuidae) **Synonym(s):** *interrupta* Wileman, 1915. Range (in code): **TW TH CMA Int**
- 67627. *Singara diversalis* Walker, 1865** (Noctuidae) **Synonym(s):** *diversalis* Walker, 1865. Range (in code): **BD Syl TH CMA Int Dst VN IN CN ID Bor PG**
- 67628. *Sinna calospila* Walker, 1865** (Noctuidae) **Synonym(s):** *calospila* Walker, 1865; *haemacta* Snellen, 1885. Range (in code): **MY Bor ID Sum Ja**
- 67629. *Sinna floralis* Hampson, 1905** (Noctuidae) **Synonym(s):** *floralis* Hampson, 1905. Range (in code): **MY Bor Sbh ID Sum TH CMA Cuo**
- 67630. *Sinna graciosa* Kononenko & Speidel, 1999** (Noctuidae) **Synonym(s):** *graciosa* Kononenko & Speidel, 1999. Range (in code): **CN**
- 67631. *Spaelotis clandestina* (Harris, 1841)** (Noctuidae) **Synonym(s):** *clandestina* Harris, 1841; *unicolor* Walker, 1856; *nigriceps* Walker, 1865. Range (in code): **US CA IT DE CH? AT? RO DK NO SE FI EE LV LT RU MD UA BY**
- 67632. *Spaelotis dardistana* Hacker & Peks, 1992** (Noctuidae) **Synonym(s):** *dardistana* Hacker & Peks, 1992. Original Reference: *Spaelotis dardistana* Hacker & Peks, 1992, *Esperiana* 3: 154-155, figs. Holotype ♀: Nordpakistan, Hunza, Nilt 2000m 2.x.1988 (leg. & coll. Hacker). Range (in code): **PK Hu Ch**
- 67633. *Spaelotis degeniata* (Christoph, 1876)** (Noctuidae) **Synonym(s):** *degeniata* Christoph, 1876. Original Reference: *Agrotis degeniata* Christoph, 1876, *Horae Soc. ent. ross.* 12: 244. Type: Iran: Schahkuh. Range (in code): **IR Elb Shh TR Cc KG Tk UZ N-A**
- 67634. *Spaelotis demavendi* (F. Wagner, 1937)** (Noctuidae) **Synonym(s):** *demavendi* F. Wagner, 1937. Original Reference: *Rhyacia demavendi* F. Wagner, 1937, *Z. öst. EntVer.* 22: 61. Syntypes: Iran: Elbursgebirge. Range (in code): **IR Mz Th Elb Dam Plr Zj Fa Lo Kh KuB Ss TR Cc**
- 67635. *Spaelotis deplorata* (Staudinger, 1897)** (Noctuidae) **Synonym(s):** *deplorata* Staudinger, 1897; *defuncta* Staudinger, 1897; *spania* Püngeler, 1906. Range (in code): **RU Ur MN KG Tk TM Sb CN Ui AF PK KK Ax Na TJ Pm Chr UZ N-A IR Ke**
- 67636. *Spaelotis dominans* (Corti & Draudt, 1933)** (Noctuidae) **Synonym(s):** *dominans* Corti & Draudt, 1933. Range (in code): **RU Ur KG Uk**
- 67637. *Spaelotis ravida* ([Denis & Schiffermüller], 1775)** (Noctuidae) **Synonym(s):** *ravida* [Denis & Schiffermüller], 1775; *austera* Esper, [1789]; *obducta* Esper, [1789]; *bigramma* Esper, [1790]; *obscura* Brahm, 1791 nec Cramer, 1780; *salva* Corti & Draudt, 1933. Original Reference: *Noctua ravida* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 80. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG**

- GR TR Arr AM AZ Kir Lag GG Tbl Smt Bjo Mng Cc IR Lo Es Th Elb Dam Kh DK NO SE FI EE LV LT RU
Ro St Nt Ich Ing Kyi Da MD UA BY CN Ui Chk Tek Ju AF Bark KG Tk Dj KK Ax UZ N-A
- 67638. *Spaelotis ravida ravida* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *ravida* [Denis & Schiffermüller],1775; *austera* Esper,[1789]; *obducta* Esper,[1789]; *bigramma* Esper,[1790]; *obscura* Brahm,1791 *nec* Cramer,1780; *salva* Corti & Draudt,1933. Original Reference: *Noctua ravida* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 80. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Arr AM AZ Kir Lag GG Tbl Smt Bjo Mng Cc IR Lo Es Th Elb Dam DK NO SE FI EE LV LT RU Ro St Nt Ich Ing Kyi Da MD UA BY CN Ui Chk Tek Ju AF Bark KG Tk Dj KK Ax UZ N-A
- 67639. *Spaelotis ravida stabulorum* (Bienert,1870)** (Noctuidae) Synonym(s): *stabulorum* Bienert,1870 Range (in code): IR Kh AF Bark
- 67640. *Spaelotis restricta* Boursin,1968** (Noctuidae) Synonym(s): *restricta* Boursin,1968 Range (in code): AF Bd
- 67641. *Spaelotis scotopsis* Boursin,1963** (Noctuidae) Synonym(s): *scotopsis* Boursin,1963 Range (in code): AF Kbb
- 67642. *Spaelotis senna* (Freyer,1829)** (Noctuidae) Synonym(s): *senna* Freyer,1829; *senna* Geyer,[1832] *nec* Frr.,1829; *germanica* Spuler,1905; *violetta* Schawerda,1934 Range (in code): MA ES FR IT CH CZ MK AL BG GR TR IR Elb Mz Dam LB Bsa Cc AZ TM
- 67643. *Spaelotis senna contorta* (Rebel & Zerny,[1932])** (Noctuidae) Synonym(s): *contorta* Rebel & Zerny,[1932]; *eisenbergeri* Hartig,1934; *iranica* Draudt,1938 Original Reference: *Agrotis contorta* Rebel & Zerny,[1932], Denkskr. Akad. Wiss. Wien 103: 89. Range (in code): IT AL BG GR MK TR IR Elb Mz Dam LB Bsa Cc AZ TM
- 67644. *Spaelotis solida* (Erschoff,1870)** (Noctuidae) Synonym(s): *solida* Erschoff,1870 Range (in code): KG
- 67645. *Spaelotis suecica* (Aurivillius,1890)** (Noctuidae) Synonym(s): *suecica* Aurivillius,1890 Range (in code): SE
- 67646. *Spaelotis valida* (Walker,1865)** (Noctuidae) Synonym(s): *valida* Walker,1865 Original Reference: *Graphiphora valida* Walker,1865, List spec. lepid. Colln. Br. Mus. 33: 711. Type ♀: [China]: Shanghai (BMNH). Range (in code): CN PK Thu
- 67647. *Spectronissa parallela* Sugi,1996** (Noctuidae) Synonym(s): *parallela* Sugi,1996 Range (in code): TH IN
- 67648. *Speia vuteria* (Stoll,1790)** (Noctuidae) Synonym(s): *vuteria* Stoll,1790 Original Reference: *Phalaena vuteria* Stoll,1790, [in] Cramer, Uitl. Kapellen (Suppl.): 161, pl.36 fig.5. Type: Cape. Range (in code): ZA
- 67649. *Speiredonia mutabilis* (Fabricius,1794)** (Noctuidae) Synonym(s): *mutabilis* Fabricius,1794; *anops* Guenée,1852 Range (in code): TH Bnk VN IN TW PH ID Sum Tim Flo Clb SB NH NC TO FJ AU
- 67650. *Speiredonia zamis* (Stoll,1790)** (Noctuidae) Synonym(s): *zamis* Stoll,1790; *diops* Walker,1858; *retrahens* Walker,1858; *albifascia* Walker,1865; *conspicua* R.Felder & Rogenhofer,1874; *sumbana* Swinhoe,1918; *layardi* Hampson,1926 Range (in code): IN Adm Sba LK AU NC TH KH VN TW BD ID Sum Ja Mlc Clb Sda Flo Tim PH Luz Pal
- 67651. *Sphetta apicalis* Walker,1865** (Noctuidae) Synonym(s): *apicalis* Walker,1865; *biocellata* Moore,1879 Range (in code): IN NI SI Bba LK ID Bli
- 67652. *Sphingomorpha chlorea* (Cramer,1779)** (Noctuidae) Synonym(s): *chlorea* Cramer,1779; *rapta* Fabricius,1787; *sipyla* Guenée,1852; *monteironis* Butler,1875 Original Reference: *Phalaena chlorea* Cramer,1779, Uitl. Kapellen 2: 12, pl.104 C. Type(s): Surinam [patria falsa]. Range (in code): ZA Tva Lpo Spb Mdk Lj Nta Kzu Ec Ans YE Ad ET ET60 ET204 SL NG ZR AO SD ER KE MW ZW Har UG IN LK NP AE OM SA MM TH CMa Dst Qs Qso2 Cbi EG Sn Bionomy: Larva on Acacia, Azanza, Burkea, Sclerocarya (Hacker,2001).
- 67653. *Sphingomorpha marshalli* Hampson,1902** (Noctuidae) Synonym(s): *marshalli* Hampson,1902 Range (in code): ZW Har Uma
- 67654. *Sphragifera rejecta* (Fabricius,1775)** (Noctuidae) Synonym(s): *rejecta* Fabricius,1775; *bimacula* Walker,1857; *stigmata* Hampson,1891; *obsolescens* W.Warren,1913 Range (in code): CN HK IN TH CMa CDo
- 67655. *Spininola armata* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *armata* Laszlo, G.Ronkay & Witt,2010 Range (in code): TH CMa Pfa
- 67656. *Spininola fuscibasalis* (Hampson,1896)** (Noctuidae) Synonym(s): *fuscibasalis* Hampson,1896 Range (in code):

- 67657. *Spininola loxoscia* (Hampson,1900)** (Noctuidae) Synonym(s): *loxoscia* Hampson,1900
Range (in code): **IN SI**
- 67658. *Spininola trilinea* (Marumo,1923)** (Noctuidae) Synonym(s): *trilinea* Marumo,1923
Range (in code):
- 67659. *Spininola vesicularis* (Van Eecke,1926)** (Noctuidae) Synonym(s): *vesicularis* Van Eecke,1926
Range (in code):
- 67660. *Spirama glaucescens* (Butler,1893)** (Noctuidae) Synonym(s): *glaucescens* Butler,1893
Range (in code): **ZW Har**
- 67661. *Spirama griseisigna* (Hampson,1913)** (Noctuidae) Synonym(s): *griseisigna* Hampson,1913
Range (in code): **ZA**
- 67662. *Spirama helicina* (Hübner,1831)** (Noctuidae) Synonym(s): *helicina* Hübner,1831; *japonica* Guenée,1852; *aegrota* Butler,1881
Range (in code): **JP TH Nrt Kao CMa Int Cuo Cuo7 VN IN NP ID Ja Sum CN TW KP KR RU Us**
- 67663. *Spirama inconspicua* (Herrich-Schäffer,[1854])** (Noctuidae) Synonym(s): *inconspicua* Herrich-Schäffer,[1854]
Range (in code): **ZA**
- 67664. *Spirama miniata* (Wallengren,1856)** (Noctuidae) Synonym(s): *miniata* Wallengren,1856
Range (in code): **ZA**
- 67665. *Spirama retorta* (Clerk,1764)** (Noctuidae) Synonym(s): *retorta* Clerk,1764; *spiralis* Fabricius,1775; *nyctea* Fabricius,1798; *chimista* Kollar,[1844]; *suffumosa* Guenée,1852; *isabella* Guenée,1852; *cohaerens* Walker,1858; *martha* Butler,1878; *simplicior* Butler,1881; *jinchuena* Butler,1883; *inaequalis* Butler,1883
Range (in code): **TH CMa Cmz Cz10 Cz11 Int CDo Php MM VN KH NP IN PK BD LK Pdy ID CN TW JP KP KR PH Luz Ch BD Syl**
- 67666. *Spirama triloba* Guenée,1852** (Noctuidae) Synonym(s): *triloba* Guenée,1852; *mollis* Guenée,1852; *modesta* Moore,1882; *rosacea* Butler,1889
Range (in code): **IN LK**
- 67667. *Spodoptera apterum* (Walker,1865)** (Noctuidae) Synonym(s): *apertura* Walker,1865; *synstictis* Hampson,1896; *leucophlebia* Hampson,1902.
Range (in code): **ZA Nta Kzu Kkf ET ET24 ET139**
- 67668. *Spodoptera cilium* Guenée,1852** (Noctuidae) Synonym(s): *cilium* Guenée,1852; *cycloides* Guenée,1852; *capicola* Herrich-Schäffer,[1854]; *latebrosa* Lederer,1855; *insignata* Walker,1857; *orbicularis* Walker,1857; *praeterita* Walker,1857; *procedens* Walker,1857; *obliterans* Walker,1862; *infixa* Walker,1862; *insulsa* Walker,1865; *imperviata* Walker,1865; *retrahens* Walker,1870.
Original Reference: *Spodoptera cilium* Guenée,1852, [in] Boisduval & Guenée, Hist. nat. Ins. Noct. 1: 156. Type(s): Indie (MNHNP).
Range (in code): **DZ Bsk PT ES Mu FR Co Sa? Si IT MT GB BG Cr TR IL Pa Hf LB Bei Bsa IQ Bsr Amr Agh Bgd IR Km Hz CY PK Bl Qu Haz Cte AF Srb IN ZA Nta Kzu Est Wca Cto Ec ZW Har KE TH Bnk**
Bionomy: Larva on *Cynodon dactylon* [Bermuda grass], *Axonopus compressus* [carpet grass] (Poaceae) (Lewvanich,2001).
- 67669. *Spodoptera exemptum* (Walker,[1857])** (Noctuidae) Synonym(s): *exempta* Walker,[1857]; *bipars* Walker,[1857]; *ingloria* Walker,1858.
Range (in code): **ZA NC ET ET24**
- 67670. *Spodoptera exiguum* (Hübner,[1808])** (Noctuidae) Synonym(s): *exigua* Hübner,[1808]; *fulgens* Geyer,[1832]; *pygmaea* Rambur,1834; *junceti* Zeller,1847; *caradrinoides* Walker,1856; *flavimaculata* Harvey,1876; *venosa* Butler,1880; *sebhana* Austaut,1880; *antipodea* W.Warren,1914; *protector* De Laever,1985.
Original Reference: *Noctua exigua* Hübner,[1808], Samml. eur. Schmett. Noct.2, Taf.78 fig.362. Type(s): Europa.
Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR GG AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY CY LB Bsa IQ Agh Bgd Qr Amr KW PK Bl Qu AF Hr Gbh Srb Arh Dwe Kab ZA Gau Pre Tva Nta Kzu Dbn Est ZW IL Hf Rd Pa IR TH Fa Lo By Kz Yas Ke Hz B-A Ss Ha Kh Ab Oru Mz Elb Dam Kdj Kh Gh Bu Dlk Ro St Kb Nt Ich Ing Da ET ET24 YE Ad CV Az Md Cn Hw CA US Cp Rw Ges Ktr Agi Lgt BSa Gha Gtt Omy Ogl Gle Khh Blid Sét Abe Bsk Perr Sfr Btina Hmk DhM Hrh Onç Ah Ajj**
Bionomy: Larva on *Zygophyllum simplex* (Hampson,1896); also pest on *Vicia faba*, *Gossypium*, *Hibiscus esculentus* in Iraq (Wiltshire,1957).
- 67671. *Spodoptera littoralis* (Boisduval,1833)** (Noctuidae) Synonym(s): *littoralis* Boisduval,1833; *retina* Freyer,1845; *testaceoides* Guenée,1852; *metriodes* Bethune-Baker,1911.
Original Reference: *Hadena littoralis* Boisduval,1833, Faune ent. Madagascar: 91, Taf.13 fig.8. Syntypes: Maurica, Bourbon, Madagascar.
Range (in code): **ET ET24 ZA PT ES Mu FR Co Sa Si IT MT GB NL DE CH AL GR Cr TR CY DK SE FI IQ IR Ke Bu Dlk Hz B-A IL Pa Hf YE Ad**
- 67672. *Spodoptera litura* (Fabricius,1775)** (Noctuidae) Synonym(s): *litura* Fabricius,1775
Original Reference: *Noctua litura* Fabricius,1775, Syst. Ent.: 601. Type(s): India orientalis.
Range (in code): **DZ Out Perr Ktr Bsk Abe OM IR Fa Hz Ss IQ Agh Bgd Amr Bsr Qr EG NC WS PC FJ TO NH SB PG AU MY IN Mh Nsk Cn JP TH CMa Cuo Cuo1 Cuo7**
Bionomy: Larva on *Datura metel* [thorn apple], *Nicotiana tabacum* [tobacco] (Solanaceae), *Brassica* (Brassicaceae), *Rosa* [rose]

(Rosaceae), *Nymphaea* [lotus] (Nymphaeaceae), *Vigna radiata* [mung bean] (Fabaceae), *Citrus maxima* [pomelo] (Rutaceae), *Epipremnum aureum* [taro vine] (Araceae), *Zinnia violacea* [baan chuen] (Asteraceae), *Euphorbia millii* [poi sian], *Ricinus communis* [castor oil] (Euphorbiaceae) (Lewvanich,2001).

- 67673. *Spodoptera mauritium* (Boisduval,1833)** (Noctuidae) Synonym(s): *mauritica* Boisduval,1833 _ Range (in code): **WS PC FJ TO NH SB PG AU MY TH CMa CDo IN NC IR Hz B-A ET ET24 SO Zai YE YE60**
- 67674. *Spodoptera mauritium acronyctoides* Guenée,1852** (Noctuidae) Synonym(s): *acronyctoides* Guenée,1852 _ Range (in code): **TH CMa CDo NC**
- 67675. *Spodoptera pectens* Guenée,1852** (Noctuidae) Synonym(s): *pectens* Guenée,1852 _ Range (in code): **TH ET ET24**
- 67676. *Spodoptera pectinicornis* (Hampson,1895)** (Noctuidae) Synonym(s): *pectinicornis* Hampson,1895 _ Range (in code): **LK TH**
- 67677. *Spodoptera trituratorum* (Walker,[1857])** (Noctuidae) Synonym(s): *trituratorum* Walker,[1857] _ Range (in code): **ZA**
- 67678. *Spudaea rutililla* (Esper,[1791])** (Noctuidae) Synonym(s): *rutililla* Esper,[1791] _ Range (in code): **MA DZ Btina TN PT ES FR Co Sa Si IT BE NL LU DE CH PL CZ SK HU**
- 67679. *Standfussiana dalmata* (Staudinger,1901)** (Noctuidae) Synonym(s): *dalmata* Staudinger,1901 _ Range (in code): **ES FR IT CH YU**
- 67680. *Standfussiana dalmata dalmata* (Staudinger,1901)** (Noctuidae) Synonym(s): *dalmata* Staudinger,1901 _ Range (in code): **ES FR IT CH YU**
- 67681. *Standfussiana defessa* (Lederer,1858)** (Noctuidae) Synonym(s): *defessa* Lederer,1858 _ Original Reference: *Agrotis defessa* Lederer,1858, Wien. ent. Monatschr. 2: 144, Taf.2 fig.8. Syntypes 3♂: Libanon: "Gipfel des Libanon". _ Range (in code): **LB Bsa IL Pa He SY Dms IR Lo Kh Cr**
- 67682. *Standfussiana defessa defessa* (Lederer,1858)** (Noctuidae) Synonym(s): *defessa* Lederer,1858 _ Range (in code): **LB Bsa IL Pa He SY Dms IR Lo Kh**
- 67683. *Standfussiana defessa sturanyi* (Rebel,1906)** (Noctuidae) Synonym(s): *Agrotis sturanyi* Rebel,1906, Verh. zool.- bot. Ges. Wien 56: 232. Syntypes: Kreta: Aphendi Christos, 2100m. _ Range (in code): **Cr**
- 67684. *Standfussiana herbuloti* Plante,1985** (Noctuidae) Synonym(s): *herbuloti* Plante,1985 _ Range (in code): **NP**
- 67685. *Standfussiana insulicola* (Turati,1919)** (Noctuidae) Synonym(s): *insulicola* Turati,1919 _ Range (in code): **Co Sa**
- 67686. *Standfussiana lucerneae* (Linnaeus,1758)** (Noctuidae) Synonym(s): *lucerneae* Linnaeus,1758 _ Original Reference: *Phalaena lucerneae* Linnaeus,1758, Syst. Nat. (Edn.10)1: 510. Type(s): Europa. _ Range (in code): **ES FR IT IS IE GB DE CH AT PL CZ SK RO YU AL MK BG GR TR IR Elb Kh Lo Ha Mz Es Th DK NO SE FI RU Cc Kb Da Kus MD UA BY AZ LB Bsa CY**
- 67687. *Standfussiana lucerneae elbursica* Boursin,1963** (Noctuidae) Synonym(s): *elbursica* Boursin,1963 _ Range (in code): **IR Elb Kh Lo Ha Mz Es Th**
- 67688. *Standfussiana lucerneae illyria* (Rebel & Zerny,1931)** (Noctuidae) Synonym(s): *illyria* Rebel & Zerny,1931 _ Range (in code): **AL MK GR BG TR**
- 67689. *Standfussiana lucerneae kuruschicola* (Boursin,1940)** (Noctuidae) Synonym(s): *kuruschicola* Boursin,1940 _ Original Reference: *Rhyacia lucerneae* ssp. *kuruschicola* Boursin,1940, Mitt. münch. ent. Ges. 30: 495, Taf.9 f.37. Holotype ♂: [Russia]: Daghestan: Kurusch, 2500m. _ Range (in code): **RU Kb Da Kus Cc AZ TR**
- 67690. *Standfussiana lucerneae makaria* Svendsen, Fibiger & Nilsson,1999** (Noctuidae) Synonym(s): *makaria* Svendsen, Fibiger & Nilsson,1999 _ Range (in code): **CY**
- 67691. *Standfussiana nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948. _ Original Reference: *Agrotis nictymera* Boisduval,[1837], Icon. Hist. Lépid. Eur. 2: Taf.78, figs.1,2. Type(s): Europa. _ Range (in code): **FR IT? CH GR CY TR Cc AM RU Kb Nt Da IR Elb Th Mz**
- 67692. *Standfussiana nictymera koinistra* Nilsson, Svendsen & Fibiger,1999** (Noctuidae) Synonym(s): *koinistra* Nilsson, Svendsen & Fibiger,1999 _ Range (in code): **CY**
- 67693. *Standfussiana nictymera nictymera* (Boisduval,[1837])** (Noctuidae) Synonym(s): *nictymera* Boisduval,[1837]; *carriei* Boursin,1948. _ Original Reference: *Agrotis nictymera* Boisduval,[1837], Icon. Hist. Lépid. Eur. 2: Taf.78, figs.1,2. Type(s): Europa. _ Range (in code): **FR IT? CH GR**

- 67694. *Standfussiana nictymera osmana* (F.Wagner,1929)** (Noctuidae) **Synonym(s):** *osmana* F.Wagner,1929 **Range (in code):** **TR Cc AM RU Kb Nt Da IR Elb Th Mz**
- 67695. *Standfussiana socors* (Corti,1925)** (Noctuidae) **Synonym(s):** *socors* Corti,1925 **Range (in code):** **KG Tk Dj KK Ax UZ N-A**
- 67696. *Standfussiana turbeti* (Le Cerf,1932)** (Noctuidae) **Synonym(s):** *turbeti* Le Cerf,1932 **Range (in code):** **MA**
- 67697. *Standfussiana wiskotti* (Standfuss,1888)** (Noctuidae) **Synonym(s):** *wiskotti* Standfuss,1888 **Range (in code):** **FR IT CH AT**
- 67698. *Staurophora celsia* (Linnaeus,1758)** (Noctuidae) **Synonym(s):** *celsia* Linnaeus,1758 **Range (in code):** **IT DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Cc Ro MD UA BY**
- 67699. *Stemmaphora viola* Staudinger,1888** (Noctuidae) **Synonym(s):** *viola* Staudinger,1888 **Range (in code):**
- 67700. *Stenodrina aeschista* Boursin,1937** (Noctuidae) **Synonym(s):** *aeschista* Boursin,1937; *#aeshita* Poltavsky & Nekrasov,2002 **Original Reference:** *Stenodrina aeschista* Boursin,1937, Ent. Rdsch. 54: 430. Holotype ♂: Turkey: Amasia (coll. Boursin). **Range (in code):** **TR IQ IR Elb RU Cc Kb Da Der**
- 67701. *Stenodrina agramma* Brandt,1938** (Noctuidae) **Synonym(s):** *agramma* Brandt,1938 **Original Reference:** *Stenodrina agramma* ? Brandt,1938, Ent. Rdsch. 55: 549, fig. 187. Syntypes : Iran: [Fars]: Com×e. **Range (in code):** **IR Fa**
- 67702. *Stenodrina eudiopsis* Boursin,1960** (Noctuidae) **Synonym(s):** *eudiopsis* Boursin,1960 **Range (in code):** **AF Nu Bsg**
- 67703. *Stenodrina paupera* (Christoph,1885)** (Noctuidae) **Synonym(s):** *paupera* Christoph,1885; *nitida* Püngeler,1914 **Original Reference:** *Caradrina paupera* Christoph,1885, [in] Romanoff, Mém. lépid. 2: 56, pl.iii fig.4. Type ♂: [Armenia]: Erivan, 12 Aout (ZIP). **Range (in code):** **Cc AM Eri CN Ui Kml**
- 67704. *Stenoecia dos* (Freyer,[1838])** (Noctuidae) **Synonym(s):** *dos* Freyer,[1838] **Original Reference:** *Heliothis dos* Freyer,[1838], Neuere Beitr. Schmett. 3: 98, pl.263 fig.4. Syntypes: [Türkei]: Constantinople [Istanbul]. **Range (in code):** **YU TR**
- 67705. *Stenoecia raphaeli* Kettner,2004** (Noctuidae) **Synonym(s):** *raphaeli* Kettner,2004 **Range (in code):** **TR**
- 67706. *Stenoloba acutivalva* Han & Kononenko,2009** (Noctuidae) **Synonym(s):** *acutivalva* Han & Kononenko,2009 **Range (in code):** **CN Hn**
- 67707. *Stenoloba albiangulata* (Mell,1943)** (Noctuidae) **Synonym(s):** *albiangulata* Mell,1943 **Range (in code):** **CN Sz Hn Fkn VN**
- 67708. *Stenoloba albibasis* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *albibasis* Behounek & Kononenko,2010 **Range (in code):**
- 67709. *Stenoloba albipicta* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *albipicta* Kononenko & L.Ronkay,2001 **Range (in code):** **CN Yu Lik**
- 67710. *Stenoloba albistriata* Kononenko & L.Ronkay,2000** (Noctuidae) **Synonym(s):** *albistriata* Kononenko & L.Ronkay,2000 **Range (in code):** **VN Ton**
- 67711. *Stenoloba basiviridis* Draudt,1950** (Noctuidae) **Synonym(s):** *basiviridis* Draudt,1950 **Range (in code):** **CN Fkn Hn**
- 67712. *Stenoloba benedeki* L.Ronkay,2001** (Noctuidae) **Synonym(s):** *benedeki* L.Ronkay,2001 **Range (in code):** **VN Ton Fan CN**
- 67713. *Stenoloba benjamini* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *benjamini* Behounek & Kononenko,2010 **Range (in code):**
- 67714. *Stenoloba brunneola* (Draudt,1950)** (Noctuidae) **Synonym(s):** *brunneola* Draudt,1950 **Range (in code):** **CN Yu Lik**
- 67715. *Stenoloba chlolographa* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *chlolographa* Kononenko & L.Ronkay,2001 **Range (in code):** **NP**
- 67716. *Stenoloba clara* (Leech,1889)** (Noctuidae) **Synonym(s):** *clara* Leech,1889 **Range (in code):** **JP KP KR CN Hun Ti**
- 67717. *Stenoloba dentilinea* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *dentilinea* Behounek & Kononenko,2010 **Range (in code):**
- 67718. *Stenoloba dominula* Kononenko & L.Ronkay,2000** (Noctuidae) **Synonym(s):** *dominula* Kononenko & L.Ronkay,2000 **Range (in code):** **CN Fkn**
- 67719. *Stenoloba elegans* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *elegans* A.E.Prout,1928 **Range (in code):**

- 67720. *Stenoloba futii* Kononenko & L.Ronkay,2000** (Noctuidae) **Synonym(s):** *futii* Kononenko & L.Ronkay,2000 _ Range (in code):
- 67721. *Stenoloba futioides* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *futioides* Behounek & Kononenko,2010 _ Range (in code):
- 67722. *Stenoloba glauca* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *glauca* Kononenko & L.Ronkay,2001; *kyutehparki* Sohn & Han,2005; *ronkayi* Sohn & Tzuoo,2012 *nec* Behoun. & Konon.,2010 _ Range (in code): VN Ton Fan KR CN TW
- 67723. *Stenoloba hystrix* Sohn,2012** (Noctuidae) **Synonym(s):** *hystrix* Sohn,2012 _ Range (in code): VN
- 67724. *Stenoloba javaensis* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *javaensis* Behounek & Kononenko,2010 _ Range (in code): ID Ja
- 67725. *Stenoloba lampra* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *lampra* Kononenko & L.Ronkay,2001 _ Range (in code): VN Ton Fan
- 67726. *Stenoloba lanceola* L.Ronkay,2001** (Noctuidae) **Synonym(s):** *lanceola* L.Ronkay,2001 _ Range (in code): VN Ton Fan CN
- 67727. *Stenoloba lichenosella* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *lichenosella* Kononenko & L.Ronkay,2001 _ Range (in code): VN CN Fkn Yu
- 67728. *Stenoloba manleyi* (Leech,1889)** (Noctuidae) **Synonym(s):** *manleyi* Leech,1889 _ Range (in code): JP
- 67729. *Stenoloba manleyi ryukyuensis* Kononenko & Ronkay,2000** (Noctuidae) **Synonym(s):** *ryukyuensis* Kononenko & Ronkay,2000 _ Range (in code): JP
- 67730. *Stenoloba marina* Draudt,1950** (Noctuidae) **Synonym(s):** *marina* Draudt,1950 _ Range (in code): CN Ti Sz Hun Fkn
- 67731. *Stenoloba matovi* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *matovi* Behounek & Kononenko,2010 _ Range (in code):
- 67732. *Stenoloba micochracea* Pekarsky, Dvorak & G.Ronkay,2013** (Noctuidae) **Synonym(s):** *micochracea* Pekarsky, Dvorak & G.Ronkay,2013 _ LA
- 67733. *Stenoloba mossy* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *mossy* Behounek & Kononenko,2010 _ Range (in code):
- 67734. *Stenoloba motuoensis* Han & Lu,2007** (Noctuidae) **Synonym(s):** *motuoensis* Han & Lu,2007 _ Range (in code): CN
- 67735. *Stenoloba nigrabasis* B.S.Chang,1991** (Noctuidae) **Synonym(s):** *nigrabasis* B.S.Chang,1991 _ TW
- 67736. *Stenoloba oculata* Draudt,1950** (Noctuidae) **Synonym(s):** *oculata* Draudt,1950 _ Range (in code): CN Hun Sz JP KP KR
- 67737. *Stenoloba oculatoides* Han & Kononenko,2009** (Noctuidae) **Synonym(s):** *oculatoides* Han & Kononenko,2009 _ Range (in code): CN Yu
- 67738. *Stenoloba olivacea* (Wileman,1914)** (Noctuidae) **Synonym(s):** *olivacea* Wileman,1914 _ Range (in code):
- 67739. *Stenoloba pendleburyi* Holloway,2009** (Noctuidae) **Synonym(s):** *pendleburyi* Holloway,2009 _ Range (in code):
- 67740. *Stenoloba pinratanai* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *pinratanai* Behounek & Kononenko,2010 _ Range (in code): TH
- 67741. *Stenoloba plumbeoculata* Pekarsky, Dvorak & G.Ronkay,2013** (Noctuidae) **Synonym(s):** *plumbeoculata* Pekarsky, Dvorak & G.Ronkay,2013 _ CN Sz
- 67742. *Stenoloba pulla* L.Ronkay,2001** (Noctuidae) **Synonym(s):** *pulla* L.Ronkay,2001 _ Range (in code): VN CN Yu
- 67743. *Stenoloba robusta* A.E.Prout,1928** (Noctuidae) **Synonym(s):** *robusta* A.E.Prout,1928 _ Range (in code): MY Bor Swk
- 67744. *Stenoloba ronkayi* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *ronkayi* Behounek & Kononenko,2010 _ Range (in code): VN Ton
- 67745. *Stenoloba rufosagitta* Kononenko & L.Ronkay,2001** (Noctuidae) **Synonym(s):** *rufosagitta* Kononenko & L.Ronkay,2001 _ Range (in code): CN TW Sz Fkn Hun VN
- 67746. *Stenoloba rufosagittoides* Han & Kononenko,2009** (Noctuidae) **Synonym(s):** *rufosagittoides* Han & Kononenko,2009 _ Range (in code): CN Sz
- 67747. *Stenoloba sacculata* Behounek & Kononenko,2010** (Noctuidae) **Synonym(s):** *sacculata* Behounek & Kononenko,2010 _ Range (in code):

- 67748. *Stenoloba siamensis* Behounek & Kononenko, 2010** (Noctuidae) Synonym(s): *siamensis* Behounek & Kononenko, 2010 _ Range (in code): TH
- 67749. *Stenoloba solaris* Pekarsky & Saldaitis, 2013** (Noctuidae) Synonym(s): *solaris* Pekarsky & Saldaitis, 2013 _ Range (in code): CN Yu
- 67750. *Stenoloba speideli* Kononenko & L.Ronkay, 2001** (Noctuidae) Synonym(s): *speideli* Kononenko & L.Ronkay, 2001 _ Range (in code): VN Ton Fan
- 67751. *Stenoloba subsolaris* Pekarsky, Dvorak & G.Ronkay, 2013** (Noctuidae) Synonym(s): *subsolaris* Pekarsky, Dvorak & G.Ronkay, 2013 _ CN Sz
- 67752. *Stenoloba tonkina* Kononenko & L.Ronkay, 2001** (Noctuidae) Synonym(s): *tonkina* Kononenko & L.Ronkay, 2001 _ Range (in code): VN Ton Fan
- 67753. *Stenoloba umbrifera* Hampson, 1918** (Noctuidae) Synonym(s): *umbrifera* Hampson, 1918 _ Range (in code): CN Sz
- 67754. *Stenoloba viridescens* Kononenko & L.Ronkay, 2001** (Noctuidae) Synonym(s): *viridescens* Kononenko & L.Ronkay, 2001 _ Range (in code): VN CN Yu
- 67755. *Stenoloba viridibasis* Han & Kononenko, 2009** (Noctuidae) Synonym(s): *viridibasis* Han & Kononenko, 2009 _ Range (in code): CN Yu
- 67756. *Stenoloba viridibrunnea* Behounek & Kononenko, 2010** (Noctuidae) Synonym(s): *viridibrunnea* Behounek & Kononenko, 2010 _ Range (in code):
- 67757. *Stenoloba viridicollar* Pekarsky, 2011** (Noctuidae) Synonym(s): *viridicollar* Pekarsky, 2011 _ Range (in code): CN Sz
- 67758. *Stenoloba viridimicta* Hampson, 1910** (Noctuidae) Synonym(s): *viridimicta* Hampson, 1910 _ Range (in code): IN Meg CN Yu
- 67759. *Stenoloba viridinivea* Han & Kononenko, 2009** (Noctuidae) Synonym(s): *viridinivea* Han & Kononenko, 2009 _ Range (in code): CN Yu
- 67760. *Stenoloba wolfgangi* Behounek & Kononenko, 2010** (Noctuidae) Synonym(s): *wolfgangi* Behounek & Kononenko, 2010 _ Range (in code):
- 67761. *Stenoloba yunley* Han & Kononenko, 2009** (Noctuidae) Synonym(s): *yunley* Han & Kononenko, 2009 _ Range (in code): CN Yu
- 67762. *Stenopterygia monostigma* (Saalmüller, 1891)** (Noctuidae) Synonym(s): *monostigma* Saalmüller, 1891 _ Range (in code): ZA
- 67763. *Stenopterygia subcurva* (Walker, 1857)** (Noctuidae) Synonym(s): *subcurva* Walker, 1857; *postica* Walker, 1857; *calida* Walker, 1862; *sikkima* Moore, 1882; *monostigma* Saalmüller, 1891 _ Range (in code): LK SI IN MY Bor MG ZA Nta Kzu Tva Mpu Tst Pre Gau Ec Pnz
- 67764. *Stenosticta grisea* Hampson, 1912** (Noctuidae) Synonym(s): *grisea* Hampson, 1912 _ Range (in code): ZA
- 67765. *Stenosticta sibensis* Wiltshire, 1977** (Noctuidae) Synonym(s): *sibensis* Wiltshire, 1977 _ Range (in code):
- 67766. *Stictoptera acutangulata* Gaede, 1937** (Noctuidae) Synonym(s): *acutangulata* Gaede, 1937 _ Range (in code): PG
- 67767. *Stictoptera aequisepta* Turner, 1933** (Noctuidae) Synonym(s): *aequisepta* Turner, 1933 _ Range (in code): AU QAU
- 67768. *Stictoptera albipuncta* Hampson, 1912** (Noctuidae) Synonym(s): *albipuncta* Hampson, 1912 _ Range (in code): PG Keb
- 67769. *Stictoptera albonotata* Wileman & West, 1912** (Noctuidae) Synonym(s): *albonotata* Wileman & West, 1912 _ Range (in code): PH Luz
- 67770. *Stictoptera anaemia* Hampson, 1905** (Noctuidae) Synonym(s): *anaemia* Hampson, 1905 _ Range (in code): SB
- 67771. *Stictoptera anca* Swinhoe, 1919** (Noctuidae) Synonym(s): *anca* Swinhoe, 1919 _ Range (in code): IN Ass Meg Khs
- 67772. *Stictoptera antemarginata* Saalmüller, 1880** (Noctuidae) Synonym(s): *antemarginata* Saalmüller, 1880 _ Range (in code): ZA MG
- 67773. *Stictoptera arcuata* Bethune-Baker, 1914** (Noctuidae) Synonym(s): *arcuata* Bethune-Baker, 1914 _ Range (in code): PG Keb
- 67774. *Stictoptera bakeri* A.E.Prout, 1924** (Noctuidae) Synonym(s): *bakeri* A.E.Prout, 1924 _ Range (in code): ID Ij Wey
- 67775. *Stictoptera bisexualis* Hampson, 1912** (Noctuidae) Synonym(s): *bisexualis* Hampson, 1912 _ Range (in code): PG Dnw

- 67776. *Stictoptera columba* (Walker,1856)** (Noctuidae) **Synonym(s):** *columba* Walker,1856
Range (in code): TH CMa Dst KH MY IN ID Sum Bor Clb Sda PG PH **Bionomy:** Larva on Garsinia mangostana (Clusiaceae) (Kuroko & Lewvanich,1993).
- 67777. *Stictoptera commutata* Swinhoe,1917** (Noctuidae) **Synonym(s):** *commutata* Swinhoe,1917
Range (in code): PG Keb
- 67778. *Stictoptera confluens* (Walker,[1858])** (Noctuidae) **Synonym(s):** *confluens* Walker,[1858]
Range (in code): ZA
- 67779. *Stictoptera conturbata* (Walker,1869)** (Noctuidae) **Synonym(s):** *conturbata* Walker,1869;
sanctae A.E.Prout,1927 **Range (in code):** ST CG
- 67780. *Stictoptera cucullioides* Guenée,1852** (Noctuidae) **Synonym(s):** *cucullioides* Guenée,1852;
subobliqua Walker,[1858]; *variabilis* Moore,1882; *timesia* Swinhoe,1893 **Range (in code):** TH CMa Dst
CDo MY SG KH VN MM IN LK CN JP ID Sum Ja Bor Clb Crm Mlc PG Amb Bsm PH AU Hw
Bionomy: Larva on Garsinia mangostana (Clusiaceae), Mesua, Callophyllum (Holloway,1985;
Kuroko & Lewvanich,1993).
- 67781. *Stictoptera describens* (Walker,1857)** (Noctuidae) **Synonym(s):** *describens* Walker,1857
Range (in code): IN ID Clb Mlc PG AU QAU NH NC FJ
- 67782. *Stictoptera dispar* Swinhoe,1917** (Noctuidae) **Synonym(s):** *dispar* Swinhoe,1917
Range (in code): PG Keb
- 67783. *Stictoptera esmeralda* Holloway,1976** (Noctuidae) **Synonym(s):** *esmeralda*
Holloway,1976 **Range (in code):** MY Bor Sbh KBa
- 67784. *Stictoptera ferrifera* (Walker,[1863])** (Noctuidae) **Synonym(s):** *ferrifera* Walker,[1863];
poliata Swinhoe,1917; *melancholica* A.E.Prout,1922 **Range (in code):** MY Swk SG TH Ntt Hba PH Luz
Crm ID LA VN CN Bor Tim Flo Sda Clb Mlc
- 67785. *Stictoptera fuscostrigata* A.E.Prout,1926** (Noctuidae) **Synonym(s):** *fuscostrigata*
A.E.Prout,1926 **Range (in code):** ID Bru
- 67786. *Stictoptera gabri* (Berio,1970)** (Noctuidae) **Synonym(s):** *gabri* Berio,1970 **Range (in code):** ZA ZR
- 67787. *Stictoptera genuflexa* Berio,1973** (Noctuidae) **Synonym(s):** *genuflexa* Berio,1973
Range (in code): MM Kam
- 67788. *Stictoptera grisea* Moore,1867** (Noctuidae) **Synonym(s):** *grisea* Moore,1867; *variegata*
Hampson,1912; *fasciimargo* A.E.Prout,1922 **Range (in code):** IN SI Djl Bor Swk MY TH CMa MAI Int
Php Nan Dpk SG LA VN CN NP ID Tim Flo Clb Sda Crm Mlc
- 67789. *Stictoptera griveaudi* Laporte,1970** (Noctuidae) **Synonym(s):** *griveaudi* Laporte,1970
Range (in code): CI
- 67790. *Stictoptera hampsoni* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *hampsoni* A.E.Prout,1922
Range (in code): ID Crm
- 67791. *Stictoptera hemiphaea* Wileman & West,1928** (Noctuidae) **Synonym(s):** *hemiphaea*
Wileman & West,1928 **Range (in code):** PH Luz
- 67792. *Stictoptera hepatica* Rebel,1915** (Noctuidae) **Synonym(s):** *hepatica* Rebel,1915 **Range (in code):** WS
- 67793. *Stictoptera indescibens* A.E.Prout,1922** (Noctuidae) **Synonym(s):** *indescibens*
A.E.Prout,1922 **Range (in code):** ID Crm
- 67794. *Stictoptera macromma* Snellen,1880** (Noctuidae) **Synonym(s):** *macromma* Snellen,1880;
striata Hampson,1894; *ochrota* Hampson,1912; *atrifera* Hampson,1912; *polysticta* A.E.Prout,1924 **Range (in code):** ID Clb IN SI Hp Sml SG PG TH CMa Int MY VN NP Tim Flo PH
- 67795. *Stictoptera melanistis* Hampson,1912** (Noctuidae) **Synonym(s):** *melanistis* Hampson,1912
Range (in code): PG
- 67796. *Stictoptera microthyris* Hampson,1912** (Noctuidae) **Synonym(s):** *microthyris*
Hampson,1912 **Range (in code):** ID Ij Fak
- 67797. *Stictoptera mimica* W.Warren,1914** (Noctuidae) **Synonym(s):** *mimica* W.Warren,1914
Range (in code): PG
- 67798. *Stictoptera multistriata* Hampson,1912** (Noctuidae) **Synonym(s):** *multistriata*
Hampson,1912 **Range (in code):** PG Keb
- 67799. *Stictoptera obalaui* Bethune-Baker,1916** (Noctuidae) **Synonym(s):** *obalaui* Bethune-Baker,1916 **Range (in code):** FJ
- 67800. *Stictoptera obliquitaenia* W.Warren,1914** (Noctuidae) **Synonym(s):** *obliquitaenia*
W.Warren,1914 **Range (in code):** ID Ij Snw

- 67801. Stictoptera ochreigrisea** W.Warren,1914 (Noctuidae) Synonym(s): *ochreigrisea* W.Warren,1914 _ Range (in code): **ID Ij Snw**
- 67802. Stictoptera pammeces** Turner,1920 (Noctuidae) Synonym(s): *pammeces* Turner,1920 Range (in code): **AU QAU Cai**
- 67803. Stictoptera parva** A.E.Prout,1922 (Noctuidae) Synonym(s): *parva* A.E.Prout,1922 Range (in code): **ID Crm**
- 67804. Stictoptera pectinata** Kenrick,1917 (Noctuidae) Synonym(s): *pectinata* Kenrick,1917 Range (in code): **MG**
- 67805. Stictoptera phryganeoides** (Walker,1859) (Noctuidae) Synonym(s): *phryganeoides* Walker,1859 _ Range (in code): **SG MY**
- 67806. Stictoptera plumbeotincta** A.E.Prout,1921 (Noctuidae) Synonym(s): *plumbeotincta* A.E.Prout,1921 _ Range (in code): **PG Ls**
- 67807. Stictoptera poecilosoma** Saalmüller,1880 (Noctuidae) Synonym(s): *poecilosoma* Saalmüller,1880 _ Range (in code): **MG**
- 67808. Stictoptera repleta** (Walker,[1863]) (Noctuidae) Synonym(s): *repleta* Walker,[1863]; *richardi* Pagenstecher,1885 _ Range (in code): **MY Bor Swk ID Nia**
- 67809. Stictoptera rhabdota** A.E.Prout,1927 (Noctuidae) Synonym(s): *rhabdota* A.E.Prout,1927; *#camerunica* Berio,1957 _ Range (in code): **ST CM**
- 67810. Stictoptera semialba** (Walker,[1863]) (Noctuidae) Synonym(s): *semialba* Walker,[1863] Range (in code): **MY Bor Swk**
- 67811. Stictoptera signifera** (Walker,[1858]) (Noctuidae) Synonym(s): *signifera* Walker,[1858]; *ferromixta* Walker,[1863]; *humeralis* Walker,[1863]; *nigrilinea* Walker,[1863]; *transversa* Snellen,1877; *griseata* Hampson,1912; *poiensis* A.E.Prout,1926 _ Range (in code): **MY Bor Swk ID Ja TH CMa Int VN CN ID Sum Clb Flo PG PH** Bionomy: Larva on *Garsinia mangostana* (Clusiaceae) (Kuroko & Lewvanich,1993).
- 67812. Stictoptera stygia** Hampson,1912 (Noctuidae) Synonym(s): *stygia* Hampson,1912 Range (in code): **PG Keb**
- 67813. Stictoptera suffusa** Wileman & West,1928 (Noctuidae) Synonym(s): *suffusa* Wileman & West,1928 _ Range (in code): **PH Luz**
- 67814. Stictoptera swinhoei** Bethune-Baker,1908 (Noctuidae) Synonym(s): *swinhoei* Bethune-Baker,1908; *swinhoei* Hampson,1912 _ Range (in code): **PG Dnw**
- 67815. Stictoptera tongluana** Swinhoe,1917 (Noctuidae) Synonym(s): *tongluana* Swinhoe,1917; *talagi* Swinhoe,1918 _ Range (in code): **SB**
- 67816. Stictoptera trajiciens** (Walker,[1858]) (Noctuidae) Synonym(s): *trajiciens* Walker,[1858] Range (in code): **LK IN TH LA VN PH ID Sda Sum Clb PG** Bionomy: Larva on *Garcinia indica*, G. kandis (Holloway,1985).
- 67817. Stictoptera tridentifera** Holloway,1979 (Noctuidae) Synonym(s): *tridentifera* Holloway,1979 _ Range (in code): **NC**
- 67818. Stictoptera vitiensis** Hampson,1912 (Noctuidae) Synonym(s): *vitiensis* Hampson,1912 Range (in code): **FJ**
- 67819. Stictoptera wetterensis** Swinhoe,1917 (Noctuidae) Synonym(s): *wetterensis* Swinhoe,1917 Range (in code): **ID Wt**
- 67820. Stictoptera whiteheadi** W.Warren,1914 (Noctuidae) Synonym(s): *whiteheadi* W.Warren,1914 _ Range (in code): **PH Mdo**
- 67821. Stigmoplusia acalypta** Dufay,1972 (Noctuidae) Synonym(s): *acalypta* Dufay,1972 Range (in code): **CF**
- 67822. Stigmoplusia allocota** Dufay,1972 (Noctuidae) Synonym(s): *allocota* Dufay,1972 Range (in code): **GA**
- 67823. Stigmoplusia antsalova** (Dufay,1968) (Noctuidae) Synonym(s): *antsalova* Dufay,1968 Range (in code): **MG**
- 67824. Stigmoplusia chalcoides** (Dufay,1968) (Noctuidae) Synonym(s): *chalcoides* Dufay,1968 Range (in code): **ZA MG**
- 67825. Stigmoplusia epistilba** Dufay,1972 (Noctuidae) Synonym(s): *epistilba* Dufay,1972 Range (in code): **UG**
- 67826. Stigmoplusia megista** Dufay,1975 (Noctuidae) Synonym(s): *megista* Dufay,1975 Range (in code): **CM Yau**

- 67827. *Stigmoplusia paraplesia* Dufay,1972** (Noctuidae) Synonym(s): *paraplesia* Dufay,1972
Range (in code): **ZW Uma**
- 67828. *Stilbia algerica* Culot,1914** (Noctuidae) Synonym(s): *algerica* Culot,1914 Original Reference: *Stilbia algerica* Culot,1914, Noct. Geom. Eur. (1) 2: 45, pl.45 fig.18. Type: Algérie, Géryville. Range (in code): **DZ Ges Afl Eba**
- 67829. *Stilbia andalusiaca* Staudinger,1892** (Noctuidae) Synonym(s): *andalusiaca* Staudinger,1892 Original Reference: *Stilbia anomala* var. *andalusiaca* Staudinger,1892, Dt. ent. Z., Iris 4: 289-290. Syntypes: [Spanien]: Andalusien: Granada. Range (in code): **PT ES An Grn MA Rbt**
- 67830. *Stilbia anomala* (Haworth,1812)** (Noctuidae) Synonym(s): *anomala* Haworth,1812; *hybridata* Hübner,[1819]; *stagnicola* Treitschke,1825; *insularis* Fuchs,1903 Range (in code): **PT ES FR IT Si IE GB DE NO**
- 67831. *Stilbia bongiovannii* Turati,1924** (Noctuidae) Synonym(s): *bongiovannii* Turati,1924
Range (in code): **LY Cy**
- 67832. *Stilbia calberlae* (Failla-Tedaldi,1890)** (Noctuidae) Synonym(s): *calberlae* Failla-Tedaldi,1890; *boursini* Rungs,1967 Range (in code): **MA FR IT Si**
- 67833. *Stilbia faillae* Püngeler,1891** (Noctuidae) Synonym(s): *faillae* Püngeler,1891; *sicula* Staudinger,1892 Range (in code): **FR Si IT**
- 67834. *Stilbia nissenii* Stertz,1914** (Noctuidae) Synonym(s): *nissenii* Stertz,1914 Range (in code): **DZ Ges**
- 67835. *Stilbia philopalidis* Graslin,1852** (Noctuidae) Synonym(s): *philopalidis* Graslin,1852
Range (in code): **ES Mu FR**
- 67836. *Stilbia syriaca* Staudinger,1892** (Noctuidae) Synonym(s): *syriaca* Staudinger,1892
Original Reference: *Stilbia anomala* var. *syriaca* Staudinger,1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Libanon]: Beirut. Range (in code): **IL Pa LB Bei JO**
- 67837. *Stilbia turatii* D.Lucas,1910** (Noctuidae) Synonym(s): *turatii* D.Lucas,1910 Original Reference: *Stilbia turatii* D.Lucas,1910, Bull. Soc. ent. Fr. 1910: 272. Type: Algérie, El Tarf. Range (in code): **DZ TN DhM**
- 67838. *Stilbina (Lukaschia) olympica* Dierl & Povolny,1970** (Noctuidae) Synonym(s): *olympica* Dierl & Povolny,1970 Range (in code): **GR**
- 67839. *Stilbina (s.str.) hypaenides* Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892 Original Reference: *Stilbina hypaenides* Staudinger,1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Lebanon]: Beirut; [Israel]: Jerusalem; Lectotype ♂: Jerusalem (NHMU) [illustrated in Esperiana 8: Taf.12 figs.4,5♂♀]. Range (in code): **LB Bei IL Js Hf Pa TR IQ Ry Rwz Dia Brs IR Gh Elb Mz Clu Lo CY SY JO**
- 67840. *Stilbina (s.str.) hypaenides hypaenides* Staudinger,1892** (Noctuidae) Synonym(s): *hypaenides* Staudinger,1892 Original Reference: *Stilbina hypaenides* Staudinger,1892, Dt. ent. Z., Iris 4: 290. Syntypes: [Lebanon]: Beirut; [Israel]: Jerusalem; Lectotype ♂: Jerusalem (NHMU) [illustrated in Esperiana 8: Taf.12 figs.4,5♂♀]. Range (in code): **LB Bei IL Js Hf Pa IQ Ry Rwz Dia Brs IR Gh Elb Mz Clu Lo CY SY JO**
- 67841. *Stilbina (s.str.) hypaenides ssp.*** (Noctuidae) Synonym(s): Range (in code): **TR**
- 67842. *Stilbina (s.str.) koreana* Draudt,1934** (Noctuidae) Synonym(s): *koreana* Draudt,1934
Range (in code): **KP KR**
- 67843. *Stilbina (s.str.) numida* (Oberthür,1890)** (Noctuidae) Synonym(s): *numida* Oberthür,1890; *mirabilis* Turati,1924 Original Reference: *Hypeuthina numida* Oberthür,1890, Etud. Ent. 13: 27, pl.6 fig.41. Type: Algeria, Magenta. Range (in code): **DZ Ges Abe Prr Btma Mage LY Cy**
- 67844. *Stilbotis babaulti* Laporte,1984** (Noctuidae) Synonym(s): *babaulti* Laporte,1984
Range (in code): **ZR Kvu**
- 67845. *Stilbotis basalis* Berio,1978** (Noctuidae) Synonym(s): *basalis* Berio,1978 Range (in code): **KE**
- 67846. *Stilbotis berioi* Laporte,1984** (Noctuidae) Synonym(s): *berioi* Laporte,1984 Range (in code): **ET**
- 67847. *Stilbotis dubium* Berio,1939** (Noctuidae) Synonym(s): *dubium* Berio,1939 Range (in code): **ER**
- 67848. *Stilbotis ezanai* Laporte,1984** (Noctuidae) Synonym(s): *ezanai* Laporte,1984 Range (in code): **ET ET204**

- 67849. *Stilbotis fumigera* Laporte,1977** (Noctuidae) **Synonym(s):** *fumigera* Laporte,1977
Range (in code): **ET ET86**
- 67850. *Stilbotis georgyi* Laporte,1984** (Noctuidae) **Synonym(s):** *georgyi* Laporte,1984 **Range (in code):** **KE**
- 67851. *Stilbotis ikondae* Berio,1972** (Noctuidae) **Synonym(s):** *ikondae* Berio,1972 **Range (in code):** **TZ Iko**
- 67852. *Stilbotis isopleuroides* (Berio,1966)** (Noctuidae) **Synonym(s):** *isopleuroides* Berio,1966
Range (in code): **ZR**
- 67853. *Stilbotis jouanini* Laporte,1975** (Noctuidae) **Synonym(s):** *jouanini* Laporte,1975
Range (in code): **KE**
- 67854. *Stilbotis nigra* Berio,1962** (Noctuidae) **Synonym(s):** *nigra* Berio,1962 **Range (in code):** **ZR Kvu RW**
- 67855. *Stilbotis nigroides* Berio,1972** (Noctuidae) **Synonym(s):** *nigroides* Berio,1972 **Range (in code):** **TZ Iko**
- 67856. *Stilbotis perspicua* Berio,1974** (Noctuidae) **Synonym(s):** *perspicua* Berio,1974 **Range (in code):** **TZ Iko**
- 67857. *Stilbotis perstriata* Berio,1972** (Noctuidae) **Synonym(s):** *perstriata* Berio,1972 **Range (in code):** **TZ Iko**
- 67858. *Stilbotis pseudasciodes* Berio,1977** (Noctuidae) **Synonym(s):** *pseudasciodes* Berio,1977
Range (in code): **TZ Iko**
- 67859. *Stilbotis rubra* Berio,1977** (Noctuidae) **Synonym(s):** *rubra* Berio,1977 **Range (in code):** **ZR**
- 67860. *Stilbotis ungemachi* Laporte,1984** (Noctuidae) **Synonym(s):** *ungemachi* Laporte,1984
Range (in code): **ET ET285**
- 67861. *Stomafrontia albifasciata* Hampson,1905** (Noctuidae) **Synonym(s):** *albifasciata* Hampson,1905 **Range (in code):** **ZA**
- 67862. *Strongylosia semiflava* Hampson,1926** (Noctuidae) **Synonym(s):** *semiflava* Hampson,1926 **Range (in code):** **ZA**
- 67863. *Suerkenola longiventris* (Poujade,1886)** (Noctuidae) **Synonym(s):** *longiventris* Poujade,1886; *suffida* Swinhoe,1919 **Range (in code):** **CN Sz Ti**
- 67864. *Sundwarda dohertyi* (Druce,1901)** (Noctuidae) **Synonym(s):** *dohertyi* Druce,1901; *efulgida* Swinhoe,1901 **Range (in code):** **TH CMA Int Dst Mth Cmz Cz11 Bor Swk MY**
- 67865. *Supernola subrufa* Hampson,1918** (Noctuidae) **Synonym(s):** *subrufa* Hampson,1918
Range (in code): **MY Bor Sbh KBa**
- 67866. *Syagrana eremica* Wiltshire,1980** (Noctuidae) **Synonym(s):** *eremica* Wiltshire,1980
Range (in code):
- 67867. *Sydiva stoliczkae* (R.Felder & Rogenhofer,1874)** (Noctuidae) **Synonym(s):** *stoliczkae* R.Felder & Rogenhofer,1874; *nigrolinea* Moore,1882 **Range (in code):** **PK Thu IN Hp Dlh Ch Sd**
- 67868. *Syfanina bieti* (Oberthür,1897)** (Noctuidae) **Synonym(s):** *bieti* Oberthür,1897 **Range (in code):** **CN**
- 67869. *Syfanina dejeani* Oberthür,1893** (Noctuidae) **Synonym(s):** *dejeani* Oberthür,1893
Range (in code): **CN**
- 67870. *Syfanina dubernardi* Oberthür,1893** (Noctuidae) **Synonym(s):** *dubernardi* Oberthür,1893
Range (in code): **CN Gn**
- 67871. *Syfanina girardeau* Oberthür,1893** (Noctuidae) **Synonym(s):** *girardeau* Oberthür,1893
Range (in code): **CN**
- 67872. *Syfanina oberthueri* Alpheraky,1895** (Noctuidae) **Synonym(s):** *oberthueri* Alpheraky,1895
Range (in code): **CN**
- 67873. *Syfanioidea schencki* Bartel,1903** (Noctuidae) **Synonym(s):** *schencki* Bartel,1903; *leighi* Joordan,1906; *schencki* Hampson,1920 **Range (in code):** **ZA Nta Kzu Est Stj Ec**
- 67874. *Sympis rufibasis* Guenée,1852** (Noctuidae) **Synonym(s):** *rufibasis* Guenée,1852 **Range (in code):** **TH Knc Kph CMA CDo CD2 Cmz Cz10 Pap Mro Nrt Sbu Nna Chc Cbi Phc Trat Cph Tng LA KH VN MM NP IN LK CN TW PH ID Ja Bor Sum Bli Tim Flo Sbw Clb Amb Mlc Crm** **Bionomy:** Larva on *Nephelium lappaceum* [rambutan], *N. hypoleucum* [kho laen], *Litchi chinensis* [litchi], *Dimocarpis longan* (Sapindaceae) (Kuroko, Lewvanich,1993; Lewvanich,2001).
- 67875. *Sympistis funebris* (Hübner,[1809])** (Noctuidae) **Synonym(s):** *funebris* Hübner,[1809]
Range (in code): **FR IT CH AT NO SE FI RU MD UA BY**

- 67876. *Sympistis heliophila* (Paykull,1793)** (Noctuidae) Synonym(s): *heliophila* Paykull,1793
Range (in code): **NO SE FI RU MD UA BY**
- 67877. *Sympistis lapponica* (Thunberg,1791)** (Noctuidae) Synonym(s): *lapponica* Thunberg,1791
Range (in code): **NO SE FI RU MD UA BY**
- 67878. *Sympistis nigrita* (Boisduval,1840)** (Noctuidae) Synonym(s): *nigrita* Boisduval,1840
Range (in code): **FR IT DE CH AT NO SE FI RU At Sb**
- 67879. *Sympistis nigrita sibirica* (Alpheraky,1895)** (Noctuidae) Synonym(s): *sibirica* Alpheraky,1895 - Range (in code): **RU Sb At**
- 67880. *Syncalama mimica* Hampson,1910** (Noctuidae) Synonym(s): *mimica* Hampson,1910
Range (in code): **ZA**
- 67881. *Syncalama turneri* Tams,1930** (Noctuidae) Synonym(s): *turneri* Tams,1930 - Range (in code): **ZA**
- 67882. *Syngrapha ain* (Hochenwarth,1785)** (Noctuidae) Synonym(s): *ain* Hochenwarth,1785
Range (in code): **FR IT DE CH AT PL CZ SK HU FI RU MD UA BY** Bionomy: Larva on Larix decidua, Pinus (Blaschke,1914).
- 67883. *Syngrapha devergans* (Hübner,[1813])** (Noctuidae) Synonym(s): *devergans* Hübner,[1813] - Range (in code): **FR IT CH AT YU BG RU MD UA BY**
- 67884. *Syngrapha diasema* (Boisduval,1829)** (Noctuidae) Synonym(s): *diasema* Boisduval,1829
Range (in code): **DK NO SE FI CN Ui T-S**
- 67885. *Syngrapha interrogationis* (Linnaeus,1758)** (Noctuidae) Synonym(s): *interrogationis* Linnaeus,1758; *aurosignata* Donovan,1808 Original Reference: *Phalaena interrogationis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 513. Type(s): Europa. Range (in code): **ES FR IT IS IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc Ro St Kb Kc Nt Ich Da MD UA BY**
- 67886. *Syngrapha microgamma* (Hübner,[1823])** (Noctuidae) Synonym(s): *microgamma* Hübner,[1823] - Range (in code): **DE PL SK RO NO SE FI EE LV LT RU MD UA BY**
- 67887. *Syngrapha parilis* (Hübner,[1809])** (Noctuidae) Synonym(s): *parilis* Hübner,[1809]
Range (in code): **NO SE FI**
- 67888. *Syntheta nigerrima* (Guenée,1852)** (Noctuidae) Synonym(s): *nigerrima* Guenée,1852
Range (in code): **AU NC**
- 67889. *Synthymia exsiccata* W.Warren,1905** (Noctuidae) Synonym(s): *exsiccata* W.Warren,1905
Range (in code): **SD**
- 67890. *Synthymia fixa* (Fabricius,1787)** (Noctuidae) Synonym(s): *fixa* Fabricius,1787; *quadrifasciata* Villers,1789 nec Cl.,1759; *monogramma* Hübner,[1808]; *#diffusa* Strand,1912; *#suffusa* Strand,1912; *australis* Oberthür,1918 Original Reference: *Noctua fixa* Fabricius,1787, Mantissa Insectorum 2: 147. Type: Gibraltar. Range (in code): **DZ Abe Sbd Eba PT ES Mu FR Sa Si IT MT NL YU** Bionomy: Larva on Psoralea bituminosa (Fabaceae) (Calle et al., 2000).
- 67891. *Sypnoides albilinea* Walker,1858** (Noctuidae) Synonym(s): *albilinea* Walker,1858
Range (in code): **TH IN NP ID Sum**
- 67892. *Sypnoides chinensis* Berio,1958** (Noctuidae) Synonym(s): *chinensis* Berio,1958 - Range (in code): **CN TH Nan**
- 67893. *Sypnoides kirby* (Butler,1881)** (Noctuidae) Synonym(s): *kirby* Butler,1881 - Range (in code): **TH Nan Dpk SI Djl IN CN**
- 67894. *Sypnoides mandarina* (Leech,1900)** (Noctuidae) Synonym(s): *mandarina* Leech,1900
Range (in code): **CN**
- 67895. *Sypnoides martina* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *martina* R.Felder & Rogenhofer,1874 - Range (in code): **TH CMa Int MM ID Sum Bor PH**
- 67896. *Sypnoides pannosa* (Moore,1882)** (Noctuidae) Synonym(s): *pannosa* Moore,1882
Range (in code): **IN Ass Meg Khs TH CMa Int Nan Dpk NP CN TW ID Sum Bor**
- 67897. *Sypnoides rholatinum* A.E.Prout,1926** (Noctuidae) Synonym(s): *rholatinum* A.E.Prout,1926 - Range (in code): **TH Bor Swk MY**
- 67898. *Tachosa acronyctoides* Walker,1869** (Noctuidae) Synonym(s): *acronyctoides* Walker,1869
Range (in code): **ZA CG ET ET204**
- 67899. *Tadaxa bijungens* (Walker,1865)** (Noctuidae) Synonym(s): *bijungens* Walker,1865
Range (in code): **LK**
- 67900. *Tadaxa lintona* (Swinhoe,1901)** (Noctuidae) Synonym(s): *lintona* Swinhoe,1901 - Range (in code):
- 67901. *Talhoukia feifae* Wiltshire,1986** (Noctuidae) Synonym(s): *feifae* Wiltshire,1986 - Range (in code): **SA As**

- 67902. *Tamba apicata* (Hampson,1902)** (Noctuidae) Synonym(s): *apicata* Hampson,1902
Range (in code): **IN TH TW MY Bor**
- 67903. *Tamba bartelsi* Kobes,1977** (Noctuidae) Synonym(s): *bartelsi* Kobes,1977 _ Range (in code): **ID Sum TH Ntt Hba**
- 67904. *Tamba basiscrita* (Walker,1864)** (Noctuidae) Synonym(s): *basiscrita* Walker,1864; *mindoro* R.Felder & Rogenhofer,1874 _ Range (in code): **TH CMa Dst Bor Swk MY**
- 67905. *Tamba coeoruleobasis* Kobes,1989** (Noctuidae) Synonym(s): *coeoruleobasis* Kobes,1989
Range (in code): **ID Sum**
- 67906. *Tamba cosmoloma* A.E.Prout,1926** (Noctuidae) Synonym(s): *cosmoloma* A.E.Prout,1926
Range (in code): **MY Bor Swk ID Sum TH Knc**
- 67907. *Tamba decolor* (Walker,1865)** (Noctuidae) Synonym(s): *decolor* Walker,1865; *submicacea* Walker,1869 _ Range (in code): **Up IN LK TH Ntt Hba ID Ja Clb**
- 67908. *Tamba diaphora* A.E.Prout,1932** (Noctuidae) Synonym(s): *diaphora* A.E.Prout,1932
Range (in code): **VN Ton TH Ntt Hba MY**
- 67909. *Tamba dichroma* A.E.Prout,1932** (Noctuidae) Synonym(s): *dichroma* A.E.Prout,1932
Range (in code): **MY TH Ntt Hba**
- 67910. *Tamba euryodia* A.E.Prout,1932** (Noctuidae) Synonym(s): *euryodia* A.E.Prout,1932
Range (in code): **MY TH Hba Ntt CMa Dst**
- 67911. *Tamba griseipars* Hampson,1926** (Noctuidae) Synonym(s): *griseipars* Hampson,1926
Range (in code): **BT TH CMa Int**
- 67912. *Tamba igniflua* (Wileman & South,1917)** (Noctuidae) Synonym(s): *igniflua* Wileman & South,1917 _ Range (in code):
- 67913. *Tamba ionomera* Hampson,1926** (Noctuidae) Synonym(s): *ionomera* Hampson,1926
Range (in code): **PH Luz TH Tng MY ID Sum Bli Bor**
- 67914. *Tamba lahera* Swinhoe,1897** (Noctuidae) Synonym(s): *lahera* Swinhoe,1897 _ Range (in code): **TH Ntt Hba MY SG**
- 67915. *Tamba lala* (Swinhoe,1900)** (Noctuidae) Synonym(s): *lala* Swinhoe,1900 _ Range (in code): **SG MY TH Nan Dpk VN MY ID Bor Clb**
- 67916. *Tamba lineifera* (Walker,1865)** (Noctuidae) Synonym(s): *lineifera* Walker,1865; *sondaicus* Snellen,1877 _ Range (in code): **ID Sum LK**
- 67917. *Tamba mnionomera* Hampson,1926** (Noctuidae) Synonym(s): *mnionomera* Hampson,1926 _ Range (in code): **TH Ntt Hba ID Bli**
- 67918. *Tamba multiplaga* (Swinhoe,1901)** (Noctuidae) Synonym(s): *multiplaga* Swinhoe,1901
Range (in code): **IN TH Pgg LA**
- 67919. *Tamba nagadeboides* (Strand,1920)** (Noctuidae) Synonym(s): *nagadeboides* Strand,1920
Range (in code): **TW**
- 67920. *Tamba nigrilinea* (Walker,1869)** (Noctuidae) Synonym(s): *nigrilinea* Walker,1869; *ochrodes* Swinhoe,1899 _ Range (in code): **MM Rgo Adm**
- 67921. *Tamba nigrilineata* (Wileman,1915)** (Noctuidae) Synonym(s): *nigrilineata* Wileman,1915
Range (in code): **TW TH**
- 67922. *Tamba occidinawa* Holloway,2005** (Noctuidae) Synonym(s): *occidinawa* Holloway,2005
Range (in code): **MY Bor TH Ntt Hba ID Sum**
- 67923. *Tamba ochra* A.E.Prout,1932** (Noctuidae) Synonym(s): *ochra* A.E.Prout,1932 _ Range (in code): **AQu Bor MY TH Ntt Hba**
- 67924. *Tamba pallidiplaga* (Swinhoe,1905)** (Noctuidae) Synonym(s): *pallidiplaga* Swinhoe,1905
Range (in code): **MY TH Ntt Hba**
- 67925. *Tamba reduplicalis* Walker,[1866]** (Noctuidae) Synonym(s): *reduplicalis* Walker,[1866]
Range (in code): **IN SI TH?**
- 67926. *Tamba roseopurpurea* Sugi,1982** (Noctuidae) Synonym(s): *roseopurpurea* Sugi,1982
Range (in code): **JP**
- 67927. *Tamba sidonalis* (Swinhoe,1917)** (Noctuidae) Synonym(s): *sidonalis* Swinhoe,1917
Range (in code): **TH Pgg Ntt Hba MY**
- 67928. *Tamba sobana* Kobes,1989** (Noctuidae) Synonym(s): *sobana* Kobes,1989 _ Range (in code): **ID Sum**
- 67929. *Tamba submicacea* Walker,1869** (Noctuidae) Synonym(s): *submicacea* Walker,1869; *punctistigma* Hampson,1895 _ Range (in code): **IN TH MY Bor ID Sum**

- 67930. Tamba taiwana Yoshimoto,2002** (Noctuidae) Synonym(s): *taiwana Yoshimoto,2002*
Range (in code): **TW**
- 67931. Tamba usurpatalis (Walker,1858)** (Noctuidae) Synonym(s): *usurpatalis Walker,1858*
Range (in code): **LK MM TH Tng ID**
- 67932. Tamba venusta (Hampson,1898)** (Noctuidae) Synonym(s): *venusta Hampson,1898*
Range (in code):
- 67933. Tamba vinolia (Hampson,1895)** (Noctuidae) Synonym(s): *vinolia Hampson,1895*
Range (in code): **IN SI TH CMa Dst**
- 67934. Tamba walshae Holloway,2005** (Noctuidae) Synonym(s): *walshae Holloway,2005*
Range (in code): **MY Bor Swk BN ID**
- 67935. Tambana albiplaga (W.Warren,1912)** (Noctuidae) Synonym(s): *albiplaga W.Warren,1912*
Range (in code): **IN Meg Ass Khs TH CMa Int VN**
- 67936. Tambana arctoides Speidel & Kononenko,1998** (Noctuidae) Synonym(s): *arctoides Speidel & Kononenko,1998* _ Range (in code): **VN Ton Lci Fan MM Kch Kam**
- 67937. Tambana behouneki Speidel & Kononenko,1998** (Noctuidae) Synonym(s): *behouneki Speidel & Kononenko,1998* _ Range (in code): **VN Lci Fan Ton Tda CN TH CMa Php**
- 67938. Tambana bella (Mell,1935)** (Noctuidae) Synonym(s): *bella Mell,1935; chekiana Draudt,1937; quadrata Berio,1973* _ Range (in code): **CN Yu Fkn MM Kch Kam VN Ton Fan Lci**
- 67939. Tambana burmana (Berio,1973)** (Noctuidae) Synonym(s): *burmana Berio,1973*
Range (in code): **MM Kam Kch**
- 67940. Tambana endoxantha (Hampson,1894)** (Noctuidae) Synonym(s): *endoxantha Hampson,1894; #entoxantha Speidel & Kononenko,1998* _ Range (in code): **IN Ass Pj SI NP Hp Sml TH CMa Int LA VN**
- 67941. Tambana glauca (Hampson,1898)** (Noctuidae) Synonym(s): *glauca Hampson,1898*
Range (in code): **IN Meg**
- 67942. Tambana klapperichii (Mell,1958)** (Noctuidae) Synonym(s): *klapperichii Mell,1958*
Range (in code): **CN**
- 67943. Tambana naumanni Speidel & Kononenko,1998** (Noctuidae) Synonym(s): *naumanni Speidel & Kononenko,1998* _ Range (in code): **CN Fkn She Shs Kwa VN Fan Ton Lci**
- 67944. Tambana plumbea (Butler,1881)** (Noctuidae) Synonym(s): *plumbea Butler,1881; ripleyi Holland,1889* _ Range (in code): **JP**
- 67945. Tambana ronnyi (Thöny,1996)** (Noctuidae) Synonym(s): *ronnyi Thöny,1996* _ Range (in code): **VN Ton Fan Lci**
- 67946. Tambana sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Knc CMa Php**
- 67947. Tambana subflava (Wileman,1911)** (Noctuidae) Synonym(s): *subflava Wileman,1911; albitessellata Hampson,1913* _ Range (in code): **IN Meg TH CMa Fn Php Nan NP VN Ton Lci Fan TW CN Fkn**
- 67948. Tambana succinta Berio,1973** (Noctuidae) Synonym(s): *succinta Berio,1973* _ Range (in code): **MM Kch Kam TH? VN Lci Fan Ton**
- 67949. Tambana variegata Moore,1882** (Noctuidae) Synonym(s): *variegata Moore,1882*
Range (in code): **IN SI Djl MM Kam Kch NP VN CN**
- 67950. Tamsia hieroglyphica (Swinhoe,1902)** (Noctuidae) Synonym(s): *hieroglyphica Swinhoe,1902* _ Range (in code): **TH**
- 67951. Tamsola tarda Wiltshire,1946** (Noctuidae) Synonym(s): *tarda Wiltshire,1946* Original Reference: *Tamsola tarda Wiltshire,1946, Entomologist's Rec. J. Var. 58: 31. Holotype: Iraq: Rowanduz Gorge.* Range (in code): **IQ Rwz**
- 67952. Tanocryx pinheyi Viette,1973** (Noctuidae) Synonym(s): *pinheyi Viette,1973* _ Range (in code): **ZA**
- 67953. Tarachephia hueberi (Erschoff,1874)** (Noctuidae) Synonym(s): *hueberi Erschoff,1874*
Range (in code): **TR IR Ss Ahz Elb Mz Th Kdj Bu Dlk Hz B-A IQ Amr Agh AF TM Kp UZ**
- 67954. Tathorhynchus camerounica Hayes,1980** (Noctuidae) Synonym(s): *camerounica Hayes,1980; #camerouica Hayes,1980* Original Reference: *Tathorhynchus camerouica Hayes,1980, Proc. Br. Ent. nat. Hist. Soc. 1980: 29, figs.17,18,27. Holotype ♂: Cameroun: Mt. Cameroon, Mann's Quelle, 7400ft. M.Steele leg.* Range (in code): **CM**
- 67955. Tathorhynchus exsiccatus (Lederer,1855)** (Noctuidae) Synonym(s): *exsiccata Lederer,1855; vinctalis Walker,[1866]; angustiorata Grote,1882; fallax Swinhoe,1902; #exiccata Wiltshire,1941; greuteri Koutsaftikis,1973* Original Reference: *Spintherops exsiccata Lederer,1855, Verh. zool.-bot. Ver. Wien 5: 204, pl.2 fig.12. Type ♂: Lebanon: Beirut (MNHUB).* Range (in code): **Cn MA DZ**

Ah Ajj Ges Abe Sfr BSa Bsk PT ES FR Sa Si IT MT GB YU GR Cr TR IR Fa Hz Ss Ke Kh Elb Th Dam Mia
Kaz B-A AF Hr Gbh PK Swa Sgl Cp CY IQ Bsy Kbl LB Bei Bsa IL Pa EG OM AE SA YE Ad UZ Br ZA US
Mai Col AU NF NZ AR

- 67956. Tathorhynchus exsiccatus fallax Swinhoe,1902** (Noctuidae) Synonym(s): *fallax Swinhoe,1902* Original Reference: Tathorhynchus fallax Swinhoe,1902, Ann. Mag. nat. Hist. (7) 9: 423. Type ♀: Australia: Roebourne (BMNH). Range (in code): AU NF NZ
- 67957. Tathorhynchus homogyna Hampson,1902** (Noctuidae) Synonym(s): *homogyna Hampson,1902* Range (in code): ZA ZW Har MG AO ET KE MW MZ ZW BW RW SD TZ UG ZR
- 67958. Tathorhynchus homogyna malagasy Viette,1967** (Noctuidae) Synonym(s): *malagasy Viette,1967* Range (in code): MG
- 67959. Tathorhynchus leucobasis Bethune-Baker,1911** (Noctuidae) Synonym(s): *leucobasis Bethune-Baker,1911* Range (in code): ZA SD TZ KE Nai ET ET196
- 67960. Tathorhynchus nigra (Viette,1954)** (Noctuidae) Synonym(s): *nigra Viette,1954* Range (in code): MG
- 67961. Tathorhynchus philbyi Wiltshire,1986** (Noctuidae) Synonym(s): *philbyi Wiltshire,1986* Range (in code): SA
- 67962. Tathorhynchus plumbea (Distant,1898)** (Noctuidae) Synonym(s): *plumbea Distant,1898* Range (in code): ZA Tva Gau Pre LS MW MZ
- 67963. Tathorhynchus troberti (Guenée,1852)** (Noctuidae) Synonym(s): *troberti Guenée,1852* Range (in code): CV
- 67964. Tathothripa continua (Walker,1862)** (Noctuidae) Synonym(s): *continua Walker,1862; deflexa Walker,1862; includens Walker,1862; leucorrhiza R.Felder & Rogenhofer,1875; #subdeflexa Strand,1917* Range (in code): IN MY Bor Swk ID Sum Clb PG Bionomy: Larva on Coffea (Rubiaceae) (Yunus & Ho,1980).
- 67965. Tathothripa nigricristata W.Warren,1912** (Noctuidae) Synonym(s): *nigricristata W.Warren,1912* Range (in code): ID Ij
- 67966. Tatorinia bilinea (Holland,1894)** (Noctuidae) Synonym(s): *bilinea Holland,1894* Range (in code): GA
- 67967. Tatorinia fumipennis (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *fumipennis R.Felder & Rogenhofer,1874; burrowsii Butler,1875* Range (in code): ZA Nta Kzu Dbn
- 67968. Tatorinia pallidipennis Hampson,1926** (Noctuidae) Synonym(s): *pallidipennis Hampson,1926* Range (in code): NG
- 67969. Tatorinia rufipennis Hampson,1926** (Noctuidae) Synonym(s): *rufipennis Hampson,1926* Range (in code): NG
- 67970. Taveta eucosmia Hampson,1926** (Noctuidae) Synonym(s): *eucosmia Hampson,1926* Range (in code): ZA
- 67971. Tavia instruens Walker,1858** (Noctuidae) Synonym(s): *instruens Walker,1858* Range (in code): ZA
- 67972. Tavia latebra Hampson,1926** (Noctuidae) Synonym(s): *latebra Hampson,1926* Range (in code): ZA
- 67973. Tavia nycterina (Boisduval,1833)** (Noctuidae) Synonym(s): *nycterina Boisduval,1833; instruens Walker,1858* Range (in code): ZA Nta Kzu Dbn Ec Tra MG ZR
- 67974. Taviodes discomma Hampson,1926** (Noctuidae) Synonym(s): *discomma Hampson,1926* Range (in code): CI
- 67975. Taviodes fulvescens Hampson,1926** (Noctuidae) Synonym(s): *fulvescens Hampson,1926* Range (in code): BT TH CMa Int NP
- 67976. Taviodes subjecta (Walker,1865)** (Noctuidae) Synonym(s): *subjecta Walker,1865* Range (in code): ZA Ec
- 67977. Tegiapa larentiodes (A.E.Prout,1922)** (Noctuidae) Synonym(s): *larentiodes A.E.Prout,1922* Range (in code): ZA
- 67978. Teinoptera culminifera Calberla,1891** (Noctuidae) Synonym(s): *culminifera Calberla,1891; kraussi Rebel,1895; craussi Hampson,1906; #brunnea Rothschild,1913; #alboochracea Rothschild,1913; mahuzzim Oberthür,1913; #intermedia Rothschild,1920* Original Reference: Teinoptera culminifera Calberla,1891, Dt. ent. Z., Iris 4: 46. Syntypes 2♂ 1♀: Palestine, El-Arisch desert. Range (in code): MR MA DZ Hes BSa Lgt DhM Ges Eal Ear Onç Gha Tou Ogl Gle Omy TN LY SA IL Pa JO EG Sn

- 67979. *Teinoptera gafsana* (Blachier,1905)** (Noctuidae) Synonym(s): *gafsana* Blachier,1905; *gassana* Hampson,1906; *albina* A.Bang-Haas,1907; *#intermedia* Rothschild,1920; *pianii* C.G.Krüger,1933
Range (in code): **MA DZ Ah Mri Heh Bsk BSa Onç Gha Tun Gle TN Gf LY IQ Kbl SA IL Pa**
- 67980. *Teinoptera lunaki* (Boursin,1940)** (Noctuidae) Synonym(s): *lunaki* Boursin,1940
Range (in code): **MK YU BG GR**
- 67981. *Teinoptera lunaki boursini* (Pinker,1945)** (Noctuidae) Synonym(s): *boursini* Pinker,1945 Range (in code): **GR**
- 67982. *Teinoptera lunaki lunaki* (Boursin,1940)** (Noctuidae) Synonym(s): *lunaki* Boursin,1940
Range (in code): **MK YU**
- 67983. *Teinoptera lunaki moreana* (Turner,1967)** (Noctuidae) Synonym(s): *moreana* Turner,1967 Range (in code): **GR**
- 67984. *Teinoptera oliva* (Staudinger,[1895])** (Noctuidae) Synonym(s): *oliva* Staudinger,[1895]
Original Reference: Cleophana oliva Staudinger,[1895], Dt. ent. Z., Iris 7: 279. Syntypes 20♂♀: [Türkei]: nördl. Kleinasien (Paphlagonien), Kastamuni, Tosie (Tusia). Range (in code): **GR TR**
- 67985. *Teinoptera olivina* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,[1852] Original Reference: Cleophana olivina Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 6 (Nachtrag): 57, Taf.113, fig. 578. Type(s): [Turkey]: Kleinasien. Range (in code): **ES FR IT CH YU MK AL BG GR TR Cc**
- 67986. *Teinoptera olivina delibatica* (G.Ronkay & L.Ronkay,1995)** (Noctuidae) Synonym(s): *delibatica* G.Ronkay & L.Ronkay,1995 Range (in code): **GR TR Cc**
- 67987. *Teinoptera olivina olivina* (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *olivina* Herrich-Schäffer,[1852] Range (in code): **YU MK AL BG GR TR Cc**
- 67988. *Teinoptera olivina pseudoliva* (Pinker,1980)** (Noctuidae) Synonym(s): *pseudoliva* Pinker,1980 Range (in code): **GR TR Cc**
- 67989. *Tephralia vausema* Hampson,1926** (Noctuidae) Synonym(s): *vausema* Hampson,1926
Range (in code): **ZA**
- 67990. *Tephriopsis divulsa* (Walker,1865)** (Noctuidae) Synonym(s): *divulsa* Walker,1865
Range (in code): **BD Syl IN NP TH Ntt Hba Nan Dpk**
- 67991. *Tetracme truncataria* (Walker,1861)** (Noctuidae) Synonym(s): *truncataria* Walker,1861
Range (in code): **ZA**
- 67992. *Thalatha argentea* W.Warren,1912** (Noctuidae) Synonym(s): *argentea* W.Warren,1912
Range (in code): **PG**
- 67993. *Thalatha artificiosa* Turner,1936** (Noctuidae) Synonym(s): *artificiosa* Turner,1936
Range (in code): **AU**
- 67994. *Thalatha ekeikei* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *ekeikei* Bethune-Baker,1906 Range (in code): **PG**
- 67995. *Thalatha hippolopha* Turner,1936** (Noctuidae) Synonym(s): *hippolopha* Turner,1936
Range (in code): **AU**
- 67996. *Thalatha japonica* Sugi,1982** (Noctuidae) Synonym(s): *japonica* Sugi,1982 Range (in code): **JP**
- 67997. *Thalatha kebeae* (Bethune-Baker,1906)** (Noctuidae) Synonym(s): *kebeae* Bethune-Baker,1906; *cebeae* Hampson,1909 Range (in code): **PG**
- 67998. *Thalatha melanophrica* Turner,1922** (Noctuidae) Synonym(s): *melanophrica* Turner,1922
Range (in code): **AU**
- 67999. *Thalatha melanostrota* Hampson,1916** (Noctuidae) Synonym(s): *melanostrota* Hampson,1916 Range (in code): **SO**
- 68000. *Thalatha occidentis* Hampson,1911** (Noctuidae) Synonym(s): *occidens* Hampson,1911
Range (in code): **NG**
- 68001. *Thalatha psorallina* Lower,1903** (Noctuidae) Synonym(s): *psorallina* Lower,1903
Range (in code): **AU**
- 68002. *Thalatha sinens* (Walker,1857)** (Noctuidae) Synonym(s): *sinens* Walker,1857; *accreta* W.Warren,1913; *ioleuca* A.E.Prout,1928 Range (in code): **IN Up Bhi MM TH Cbi LA CN ID Sum Bor MY PH PG**
- 68003. *Thalathoides conjecturalis* (Swinhoe,1890)** (Noctuidae) Synonym(s): *conjecturalis* Swinhoe,1890 Range (in code): **MM Rgo TH CMa Cmz Cz10 Knc VN IN LK ID Bor Sum Clb PH Luz MY** Bionomy: Larva on Oleaceae (Kobes,1995).
- 68004. *Thalpophila matura* (Hufnagel,1766)** (Noctuidae) Synonym(s): *matura* Hufnagel,1766; *texta* Esper,[1787]; *cytherea* Fabricius,1794; *provincialis* Culot,1912. Original Reference: *Phalaena*

- matura Hufnagel, 1766, Berl. Mag. 3(4): 414. Type(s): Germany: Berlin. Range (in code): **PT ES Mu FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Cc Ro Kr St Ich Da GG Smt Bjo IR MD UA BY** Bionomy: Larva on Lolium, Poa (Hacker, 1989; Calle et al., 2000).
- 68005. *Thalophila vitalba* (Freyer, 1834)** (Noctuidae) Synonym(s): *vitalba* Freyer, 1834; *amathusia* Rambur, 1871 Original Reference: *Hadena vitalba* Freyer, 1834, Neuere Beitr. Schmett.: 48. Range (in code): **MA DZ Dhm Agi TN FR ES Si IT MT** Bionomy: Larva on Lolium, Poa (Hacker, 1989; Calle et al., 2000).
- 68006. *Thargelia arenicola* Stshetkin, 1965** (Noctuidae) Synonym(s): *arenicola* Stshetkin, 1965 Range (in code): **UZ KG**
- 68007. *Thargelia attila* L.Ronkay & Gyulai, 2006** (Noctuidae) Synonym(s): *attila* L.Ronkay & Gyulai, 2006 Range (in code): **IR Ab Khy**
- 68008. *Thargelia balazsi* L.Ronkay & Gyulai, 2006** (Noctuidae) Synonym(s): *balazsi* L.Ronkay & Gyulai, 2006 Range (in code): **IR Ke**
- 68009. *Thargelia distincta* (Christoph, 1884)** (Noctuidae) Synonym(s): *distincta* Christoph, 1884; *megastigma* W. Warren, 1909. Range (in code): **TM Kp CN Ui**
- 68010. *Thargelia fissilis* (Christoph, 1884)** (Noctuidae) Synonym(s): *fissilis* Christoph, 1884 Range (in code): **TM Kp CN Ui**
- 68011. *Thargelia gigantea* Rebel, 1909** (Noctuidae) Synonym(s): *gigantea* Rebel, 1909; *griseola* Rothschild, 1913; *grazianii* C.G. Krüger, 1933. Original Reference: *Thargelia gigantea* Rebel, 1909, Verh. naturw. Ver. Karlsruhe 21: 132. Type: Aegypten, Sinai. Range (in code): **EG Sn DZ Bsk Hdr Mri Tou Gle LY Cy IL Pa**
- 68012. *Thargelia haloxyleti* Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *haloxyleti* Varga & L.Ronkay, 1991 Range (in code): **MN**
- 68013. *Thargelia leucostigma* Varga & L.Ronkay, 1991** (Noctuidae) Synonym(s): *leucostigma* Varga & L.Ronkay, 1991 Range (in code): **MN**
- 68014. *Thargelia sitiens* Püngeler, 1914** (Noctuidae) Synonym(s): *sitiens* Püngeler, 1914 Range (in code): **KG**
- 68015. *Thargelia spinipes* Sukhareva, 1970** (Noctuidae) Synonym(s): *spinipes* Sukhareva, 1970 Range (in code): **TM Rpt**
- 68016. *Thargelia tranquilla* Sukhareva, 1970** (Noctuidae) Synonym(s): *tranquilla* Sukhareva, 1970 Range (in code): **KG**
- 68017. *Thecobathra lambda* Moriuti, 1963** (Noctuidae) Synonym(s): *lambda* Moriuti, 1963 Range (in code): **TH TW**
- 68018. *Thiacidas postica* Walker, 1855** (Noctuidae) Synonym(s): *postica* Walker, 1855; *cheituna* Brandt, 1939 Original Reference: *Thiacidas postica* Walker, 1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1028. Type: Nepal. Range (in code): **NP IR Ahz Hz Ss Chh Bu Dlk B-A IQ**
- 68019. *Tholera cespitis* (Goeze, 1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller], 1775; *cespitis* Goeze, 1781; *hordei* Schrank, 1801; *autumnalis* Curtis, 1827; *confinis* Stephens, 1829; *desylessi* Boisduval, 1840; *chloris* Milliere, 1883; *decolor* Sohn, 1896. Original Reference: *Phalaena cespitis* Goeze, 1781, Ent. Beytr. 3(3): 217, nr. 155. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr MD UA BY At**
- 68020. *Tholera cespitis armena* Hacker, [1987]** (Noctuidae) Synonym(s): *armena* Hacker, [1987] Original Reference: *Tholera cespitis* ssp. *armena* Hacker, [1987], Atalanta 17 (1/4): 42, Taf. 12 figs. 13, 14, Taf. 13 fig. 19. Holotype ♂: [Türkei]: Prov. Erzurum, Palandöken Dağı 4 km S. Erzurum, 2200 m, 8. ix. 1985 (leg. & coll. Hacker). Range (in code): **TR**
- 68021. *Tholera cespitis cespitis* (Goeze, 1781)** (Noctuidae) Synonym(s): *#cespitis* [Denis & Schiffermüller], 1775; *cespitis* Goeze, 1781; *hordei* Schrank, 1801; *autumnalis* Curtis, 1827; *confinis* Stephens, 1829; *desylessi* Boisduval, 1840; *chloris* Milliere, 1883; *decolor* Sohn, 1896. Original Reference: *Phalaena cespitis* Goeze, 1781, Ent. Beytr. 3(3): 217, nr. 155. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Kr MD UA BY At**
- 68022. *Tholera decimalis* (Poda, 1761)** (Noctuidae) Synonym(s): *decimalis* Poda, 1761; *popularis* Fabricius, 1775; *lolii* Esper, [1785]; *typicoides* Donovan, 1811; *nervosa* Zerny, 1927; *chebka* Rungs, 1940 Original Reference: *Phalaena decimalis* Poda, 1761, Insecta Musei Graecensis: 92. Type(s): [Austria]: Graz. Range (in code): **MA PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Smt Bjo Tbl AZ AM Cc DK NO SE FI EE LV LT RU Ro Kr St Kc MD UA BY**
- 68023. *Tholera hilaris* (Staudinger, 1901)** (Noctuidae) Synonym(s): *hilaris* Staudinger, 1901; *gracilis* Kostrowicki, 1963 Range (in code): **TR RU Ich IL Js Pa JO Cc GG AZ AM IR Kh Nys**

- 68024. Tholeropsis decimata Berio,1977** (Noctuidae) Synonym(s): *decimata* Berio,1977
Range (in code): **ET ET09**
- 68025. Tholeropsis uncinata Berio,1977** (Noctuidae) Synonym(s): *uncinata* Berio,1977
Range (in code): **ET ET09**
- 68026. Thria decaryi Viette,1966** (Noctuidae) Synonym(s): *decaryi* Viette,1966; *malgassica* Berio,1966
Range (in code): **MG**
- 68027. Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): *anysa* auct.; *robusta* Walker,[1858]; *fugitiva* Walker,[1858]; *opposita* Wallengren,1865; *sennaarensis* R.Felder & Rogenhofer,1874; *grandis* Staudinger,1877; *terrigena* Christoph,1877; *similata* Moore,1883; *distincta* Rothschild,1920; *asiria* Wiltshire,1988; *omana* Wiltshire,1988; *sokotrana* Wiltshire,1988
Original Reference: *Thria robusta* Walker,[1858], List Specimens lepid. Insects Colln Br. Mus. 13: 1112. Syntypes: South Africa. Range (in code): **Cn MA DZ Ath Ah Ajj Abe Sfr TN PT ES LY EG Sn IL Pa LB SY JO IT MT GR CY TR IQ Agh Bgd kut Amr IR Fa Qz Elb Th Dam Mia Kaz Kd Snj Mrv Lo Km Ss Hz Mz Glz Kh B-A Ke SA As OM Sk AF PK TM Kp KK ID Ja ZA Nta Kzu Est Tva NA Dmr KE YE Ad SD ET ET24 IN LK MM** Bionomy: Larva on *Albizia lebek*, *Populus euphratica* (Wiltshire,1948, 1957); *Acacia* (Fabaceae) (Rungs,1981).
- 68028. Thriponea muricata Hulstaert,1924** (Noctuidae) Synonym(s): *muricata* Hulstaert,1924
Range (in code): **PH Luz**
- 68029. Throana amyntoralis Walker,[1859]** (Noctuidae) Synonym(s): *amyntoralis* Walker,[1859]
Range (in code): **MY Bor Swk**
- 68030. Throana blechrodes (Turner,1903)** (Noctuidae) Synonym(s): *blechrodes* Turner,1903
Range (in code): **AU QAU Cai**
- 68031. Throana callista A.E.Prout,1926** (Noctuidae) Synonym(s): *callista* A.E.Prout,1926
Range (in code): **MY Bor Swk**
- 68032. Throana flavizonata Hampson,1926** (Noctuidae) Synonym(s): *flavizonata* Hampson,1926
Range (in code): **MY Bor Sbh**
- 68033. Throana ionodes Hampson,1926** (Noctuidae) Synonym(s): *ionodes* Hampson,1926
Range (in code): **MY Bor Swk**
- 68034. Throana klossi A.E.Prout,1932** (Noctuidae) Synonym(s): *klossi* A.E.Prout,1932
Range (in code): **MY Sgo**
- 68035. Throana lasiocera Hampson,1926** (Noctuidae) Synonym(s): *lasiocera* Hampson,1926
Range (in code): **SG MY**
- 68036. Throana pectinifer (Hampson,1898)** (Noctuidae) Synonym(s): *pectinifer* Hampson,1898
Range (in code): **IN Clc**
- 68037. Throana rufipicta Hampson,1926** (Noctuidae) Synonym(s): *rufipicta* Hampson,1926
Range (in code): **MY Bor Swk**
- 68038. Throana sp.** (Noctuidae) Synonym(s):
Range (in code): **TH Ntt Hba**
- 68039. Throana xyloglypta (Lucas,1890)** (Noctuidae) Synonym(s): *xyloglypta* Lucas,1890
Range (in code): **AU QAU Bri**
- 68040. Thyas arcifera (Hampson,1913)** (Noctuidae) Synonym(s): *arcifera* Hampson,1913
Range (in code): **ZA KE**
- 68041. Thyas coronata (Fabricius,1775)** (Noctuidae) Synonym(s): *coronata* Fabricius,1775; *leonina* Fabricius,1775; *ancilla* Fabricius,1794; *magica* Hübner,[1831]; *ponderosa* Mabille,1879
Original Reference: *Noctua coronata* Fabricius,1775, Syst. Ent.: 596. Type(s): China. Range (in code): **MG IN CN MY VN MM NP BD LK TH CMA Cu01 Cu07 Int Fn Phr Lmp Tak Knc Nna Bnk Chc Rat Sbu TW JP ID Sum Ja Bor Clb Ij PG NC NH WS FJ PH GIB GU AU PF PC** Bionomy: Larva on *Nephelium lappaceum* (Sapindaceae), *Quisqualis conferta*, *Combretum quadrangulare* (Combretaceae), *Tectona grandis* (Lamiaceae), *Archangelissa flava* (Menispermaceae), *Litsea glutinosa* (Lauraceae) (Kuroko & Lewvanich,1993).
- 68042. Thyas honesta Hübner,1824** (Noctuidae) Synonym(s): *honesta* Hübner,1824
Range (in code): **TH Nrt Kao CMA Cu0 Cu7 Int MY SG KH VN MM NP IN Adm LK ID Sum Bor Ja Tim Flo Crm PH TW CN JP**
- 68043. Thyas javanica (Gaede,1917)** (Noctuidae) Synonym(s): *javanica* Gaede,1917
Range (in code): **ID Ja**
- 68044. Thyas joiceyi (A.E.Prout,1924)** (Noctuidae) Synonym(s): *joiceyi* A.E.Prout,1924
Range (in code): **ID Sum**
- 68045. Thyas junio (Dalman,1823)** (Noctuidae) Synonym(s): *juno* Dalman,1823; *elegans* Hoeven,1840; *multicolor* Guenée,1852; *bella* Bremer & Grey,1853; *renalis* Bryk,1948
Range (in code): **TH Nrt Kao CMA Int Dst Dso8 MY VN LA KH IN NP CN KP KR JP ID PH TW RU Us PK Abb**

- 68046. *Thyas metaphaea* (Hampson,1913)** (Noctuidae) Synonym(s): *metaphaea* Hampson,1913
Range (in code): NG
- 68047. *Thyas meterythra* (Hampson,1918)** (Noctuidae) Synonym(s): *meterythra* Hampson,1918
Range (in code): MW Mje
- 68048. *Thyas miniacea* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *miniacea* R.Felder & Rogenhofer,1874 - Range (in code): NH FJ WS AU QAU PG Bsm ID Ja Mlc SB NC
- 68049. *Thyas miniacea regia* Lucas,1894** (Noctuidae) Synonym(s): *regia* Lucas,1894 - Range (in code): AU QAU PG Bsm ID Ja Mlc SB
- 68050. *Thyas miniacea rubrior* Holloway,1979** (Noctuidae) Synonym(s): *rubrior* Holloway,1979
Range (in code): NC
- 68051. *Thyas nubilata* (Holland,1920)** (Noctuidae) Synonym(s): *nubilata* Holland,1920
Range (in code): ZR
- 68052. *Thyas ochrobrunnea* (L.B.Prout,1919)** (Noctuidae) Synonym(s): *ochrobrunnea* L.B.Prout,1919 - Range (in code): MY Pen
- 68053. *Thyas parallelipeda* (Guenée,1852)** (Noctuidae) Synonym(s): *parallelipeda* Guenée,1852; *saalmülleri* Mabille,1879 - Range (in code): ZA SN MG
- 68054. *Thyas rubricata* (Holland,1894)** (Noctuidae) Synonym(s): *rubricata* Holland,1894; *daseia* Fawcett,1902; *ignicans* Hampson,1902 - Range (in code): ZA Nta Kzu GH GA Ogo
- 68055. *Thyatirina achatina* (Weymer,1896)** (Noctuidae) Synonym(s): *achatina* Weymer,1896
Range (in code): ZA
- 68056. *Thyrostipa sphaeriophora* (Moore,1867)** (Noctuidae) Synonym(s): *sphaeriophora* Moore,1867; *#sphaeriphora* Kononenko & Pinratana,2005 - Range (in code): IN BT NP TH Nan Dpk MY CN ID Sum Ja Bor
- 68057. *Thysanoplusia* (Daubeiplusia) *daubei* (Boisduval,1840)** (Noctuidae) Synonym(s): *daubei* Boisduval,1840; *ciliaris* Walker,[1858] - Range (in code): MA DZ Bsk Abe Bdj Ktr TN Gf LY EG ES Mu FR Co Sa Si IT MT GR Cr TR AF Nu Bsg IL Pa SY Hal LB CY IR Fa Ss Hz B-A Km Kz Bu Hz Ke IQ Bgd Agh Bsr PK SI Gg IN NP CN JP TW TH Cma Php GM SN ZA ZW ZR Bionomy: Larva on Daucus carota [Apiaceae] (Chrétien,1917); Chondrilla, Cichorium intybus, Sonchus (Calle et al., 2000).
- 68058. *Thysanoplusia* (Daubeiplusia) *lectula* (Walker,1858)** (Noctuidae) Synonym(s): *lectula* Walker,1858; *calitura* R.Felder & Rogenhofer,1874; *longisigna* Chou & Lu,1979 - Range (in code): TH VN Ton Tda IN NP CN JP LK PG Bionomy: Larva on Mentha (Lamiaceae) (Holloway,1985).
- 68059. *Thysanoplusia* (s.str.) *brechlini* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *brechlini* Behounek & L.Ronkay,1999 - Range (in code): ID Bli Flo Tim Clb
- 68060. *Thysanoplusia* (s.str.) *cernyi* Behounek & L.Ronkay,1999** (Noctuidae) Synonym(s): *cernyi* Behounek & L.Ronkay,1999 - Range (in code): PH Luz
- 68061. *Thysanoplusia* (s.str.) *intermixta* (W.Warren,1913)** (Noctuidae) Synonym(s): *intermixta* W.Warren,1913; *brachycalcea* Hampson,1913 - Range (in code): MA Mzg CN Sz IN NI TH Cma Php VN Ton Tda NP LK MY ID Sum Bor Ja PH TW JP KP KR RU Us AU
- 68062. *Thysanoplusia* (s.str.) *orichalcea* (Fabricius,1775)** (Noctuidae) Synonym(s): *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. Original Reference: Noctua orichalcea Fabricius,1775, Syst. Ent.: 607. Range (in code): Az Md MA DZ Cn PT ES Mu FR Sa Si IT MT IE GB NL DE CH YU BG GR Cr TR CY IL Pa LB Ch KG AF Nu Bsg Srb Hr Kab Gbh ZA Tva Lpo Spb Mdk Gau Pre Jh SH KE ZW Har Nta Kzu Dbn Mv Ec Grh MU SA JP CN TW IN LK NC NZ TH Nrt Kao VN LA MY ID PG PH NP PK SA YE AU Cc IR Gh Mz GlS Th Kh Fa Hz Elb Gor Dam Thu Cn AZ Kir DJ DJ44 ET KE Mh Nsk Abe Orn Sét Agi Btina Bsk Bionomy: Larva on Coreopsis, Chrysanthemum, Foeniculum, Salvia (Warren,1913; Calle et al., 2000).
- 68063. *Thysanoplusia* (s.str.) *reticulata* (Moore,1882)** (Noctuidae) Synonym(s): *reticulata* Moore,1882; *brevistriata* Chou & Lu,1979 - Range (in code): CN IN SI TH Knc MY VN Ton Tda NP TW PH ID Sum Clb
- 68064. *Thysanoplusia* *rostrata* (D.S.Fletcher,1963)** (Noctuidae) Synonym(s): *rostrata* D.S.Fletcher,1963 - Range (in code): ZR UG KE Nai TZ ET ET24 ET45 ET60 ET86 ET196 Ble
- 68065. *Thysanoplusia* *sestertia* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *sestertia* R.Felder & Rogenhofer,1874 - Range (in code): ZA Nta Kzu Kkf Ec Kny ET ET60 ET196 ET204 ZR
- 68066. *Timora adamsoni* Pinhey,1956** (Noctuidae) Synonym(s): *adamsoni* Pinhey,1956
Range (in code): KE
- 68067. *Timora albisticta* Janse,1917** (Noctuidae) Synonym(s): *albisticta* Janse,1917 - Range (in code): ZA

- 68068. *Timora crofti* Pinhey,1956** (Noctuidae) Synonym(s): *crofti* Pinhey,1956 _ Range (in code): KE
- 68069. *Timora daphoena* Hampson,1910** (Noctuidae) Synonym(s): *daphoena* Hampson,1910
Range (in code): ZA ZM
- 68070. *Timora diarhoda* Hampson,1909** (Noctuidae) Synonym(s): *diarhoda* Hampson,1909
Range (in code): ZA Tva
- 68071. *Timora feildi* (Erschoff,1874)** (Noctuidae) Synonym(s): *feildi* Erschoff,1874 _ Range (in code): KG
- 68072. *Timora irrorata* (Moore,1881)** (Noctuidae) Synonym(s): *irrorata* Moore,1881 _ Range (in code): IN SI DjI
- 68073. *Timora margarita* Le Cerf,1911** (Noctuidae) Synonym(s): *margarita* Le Cerf,1911
Range (in code): UG
- 68074. *Timora sanguinolenta* (Moore,1881)** (Noctuidae) Synonym(s): *sanguinolenta* Moore,1881
Original Reference: Dorika sanguinolenta Moore,1881, Proc. zool. Soc. Lond. 1881: 363. Type ♀: India: Bombay (BMNH). Range (in code): PK Abb IN Bba
- 68075. *Timora senegalensis* (Guenée,1852)** (Noctuidae) Synonym(s): *senegalensis* Guenée,1852
Range (in code): SN
- 68076. *Timora showaki* Pinhey,1956** (Noctuidae) Synonym(s): *showaki* Pinhey,1956 _ Range (in code): SD
- 68077. *Timora turtur* Berio,1939** (Noctuidae) Synonym(s): *turtur* Berio,1939 _ Range (in code): ER
- 68078. *Timora umbrifascia* Hampson,1913** (Noctuidae) Synonym(s): *umbrifascia* Hampson,1913
Range (in code): NG
- 68079. *Timora unifascia* Bethune-Baker,1911** (Noctuidae) Synonym(s): *unifascia* Bethune-Baker,1911 _ Range (in code): NG
- 68080. *Timora uniformis* W.Warren,1913** (Noctuidae) Synonym(s): *uniformis* W.Warren,1913
Range (in code): IN Ass
- 68081. *Timora zavattarii* Berio,1944** (Noctuidae) Synonym(s): *zavattarii* Berio,1944 _ Range (in code): ET
- 68082. *Tinolius eburneiguttus* Walker,1855** (Noctuidae) Synonym(s): *eburneigutta* Walker,1855
Range (in code): BD Syl TH Cbi CMa Cuo Cuo6 Lmp Phr Chy Knc Pkk Cbu Cbi Phe MY MM VN CN NP IN LK Kndy Pdy Bionomy: Larva on Thunbergia grandifolia [Bengal clock vine] (Acanthaceae) (Lewvanich,2001).
- 68083. *Tinolius hypsanus* Swinhoe,1889** (Noctuidae) Synonym(s): *hypsana* Swinhoe,1889
Original Reference: Tinolius hypsana Swinhoe,1889, Proc. zool. Soc. Lond. 1889: 405. Type: North India, Sikkim. Range (in code): IN SI TH CMa Int CDo LA VN NP
- 68084. *Tinolius quadrimaculatus* Walker,[1865]** (Noctuidae) Synonym(s): *quadrimaculata* Walker,[1865]; *zingha* Swinhoe,1890 _ Range (in code): TH CMa CDo Pgg Pap Mro MM KH VN CN
- 68085. *Tinolius sundensis* Hampson,1926** (Noctuidae) Synonym(s): *sundensis* Hampson,1926
Range (in code): ID Bli
- 68086. *Tipasa nebulosella* Walker,1863** (Noctuidae) Synonym(s): *nebulosella* Walker,1863
Range (in code): MY Bor Swk
- 68087. *Tipasa* sp.** (Noctuidae) Synonym(s): _ Range (in code): TH Ntt Hba
- 68088. *Tiracola aureata* Holloway,1989** (Noctuidae) Synonym(s): *aureata* Holloway,1989
Range (in code): MY Bor TH CMa CDo
- 68089. *Tiracola circularis* Holloway,1979** (Noctuidae) Synonym(s): *circularis* Holloway,1979
Range (in code): NC
- 68090. *Tiracola magusina* Draudt,1950** (Noctuidae) Synonym(s): *magusina* Draudt,1950
Range (in code): CN Yu Lik
- 68091. *Tiracola plagiata* (Walker,1857)** (Noctuidae) Synonym(s): *plagiata* Walker,1857; *#nigriclathrata* W.Warren,1915 _ Range (in code): WS PC TO PG AU MY TH CMa Cuo Cuo6 IN Ass Meg Khs LK Kndy Pdy NC
- 68092. *Tiracola rufimargo* W.Warren,1912** (Noctuidae) Synonym(s): *rufimargo* W.Warren,1912; *#derufata* W.Warren,1915; *#albifusca* W.Warren,1915 _ Range (in code): WS PG ID Ij Gth
- 68093. *Tiracola rufimargo samoensis* Tams,1935** (Noctuidae) Synonym(s): *samoensis* Tams,1935 _ Range (in code): WS

- 68094. Tiracola tabwemasana Holloway,1979** (Noctuidae) Synonym(s): *tabwemasana Holloway,1979* Range (in code): **NH**
- 68095. Tiruvaca subcostalis (Walker,1865)** (Noctuidae) Synonym(s): *subcostalis Walker,1865* Range (in code): **PG MY IN TH Tng CMa Int MM ID Sum Ja Bor Clb SB PH** Bionomy: Larva on *Nephelium lappaceum* (Sapindaceae), *Durio zibethinus* (Bombacaceae) (Kuroko & Lewvanich,1993).
- 68096. Titulcia confictella Walker,1864** (Noctuidae) Synonym(s): *confictella Walker,1864; quensta Swinhoe,1893* Range (in code): **MY Bor IN TW TH CMa Dst Dso9 MM ID Sum PH Pal**
- 68097. Titulcia eximia Walker,1864** (Noctuidae) Synonym(s): *eximia Walker,1864* Range (in code): **MY Bor ID Sum MM Mrg**
- 68098. Titulcia meterythra Hampson,1905** (Noctuidae) Synonym(s): *meterythra Hampson,1905* Range (in code): **MY Bor ID Sum**
- 68099. Titulcia rufimargo Hampson,1912** (Noctuidae) Synonym(s): *rufimargo Hampson,1912* Range (in code): **MY Bor Swk ID Sum Ja**
- 68100. Toana acidalica Hampson,1910** (Noctuidae) Synonym(s): *acidalica Hampson,1910* Range (in code): **SL**
- 68101. Toana atridiscata Pinhey,1968** (Noctuidae) Synonym(s): *atridiscata Pinhey,1968* Range (in code): **ZW Uma**
- 68102. Toana caustipennis Hampson,1910** (Noctuidae) Synonym(s): *caustipennis Hampson,1910* Range (in code): **IN Ass Meg Khs**
- 68103. Toana craspedica Hampson,1910** (Noctuidae) Synonym(s): *craspedica Hampson,1910* Range (in code): **GH**
- 68104. Toana flaviceps Hampson,1918** (Noctuidae) Synonym(s): *flaviceps Hampson,1918* Range (in code): **ZA KE Kky**
- 68105. Toana nigrilineata Hampson,1916** (Noctuidae) Synonym(s): *nigrilineata Hampson,1916* Range (in code): **SO**
- 68106. Tochara creberrima (Walker,1858)** (Noctuidae) Synonym(s): *creberrima Walker,1858; pyralina Moore,1877; obliqua Moore,1882; salea Swinhoe,1919; gilloloensis Swinhoe,1919* Range (in code): **BD Syl Adm IN Ass Meg Khs PG Mlc Ja Sum Bor Clb Fg TW TH CMa Int**
- 68107. Toerpenola laticincta (Hampson,1896)** (Noctuidae) Synonym(s): *laticincta Hampson,1896* Range (in code): **BT**
- 68108. Toerpenola siamica Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *siamica Laszlo, G.Ronkay & Witt,2010* Range (in code): **TH CMa Pfa**
- 68109. Tolna complicata (Butler,1880)** (Noctuidae) Synonym(s): *complicata Butler,1880* Range (in code): **ZA Ec Kny MG**
- 68110. Tolna demavulata Strand,1913** (Noctuidae) Synonym(s): *demavulata Strand,1913* Range (in code): **ZA**
- 68111. Tolna limula (Möschler,1883)** (Noctuidae) Synonym(s): *limula Möschler,1883* Range (in code): **ZA Wca Plt**
- 68112. Tolna macrosema Hampson,1913** (Noctuidae) Synonym(s): *macrosema Hampson,1913* Range (in code): **ZA**
- 68113. Tolna sinifera Hampson,1913** (Noctuidae) Synonym(s): *sinifera Hampson,1913* Range (in code): **ZA NG ET ET204**
- 68114. Tolna synoides (Butler,1878)** (Noctuidae) Synonym(s): *synoides Butler,1878* Range (in code): **ZA**
- 68115. Tolna variegata (Hampson,1905)** (Noctuidae) Synonym(s): *variegata Hampson,1905* Range (in code): **ZA**
- 68116. Tolpia myops Hampson,1907** (Noctuidae) Synonym(s): *myops Hampson,1907* Range (in code):
- 68117. Tolpia suffuscalis (Swinhoe,1887)** (Noctuidae) Synonym(s): *suffuscalis Swinhoe,1887* Range (in code): **ZA**
- 68118. Trachea atriplaga Hampson,1911** (Noctuidae) Synonym(s): *atriplaga Hampson,1911* Range (in code): **UG**
- 68119. Trachea atriplicis (Linnaeus,1758)** (Noctuidae) Synonym(s): *atriplicis Linnaeus,1758* Original Reference: *Phalaena atriplicis Linnaeus,1758, Syst. Nat. (Edn.10)1: 517. Type(s): [Europa]. Range (in code):* **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Bjo Lag Smt Akh Cc AZ Kir IR Gh Elb Mz DK NO SE FI EE LV LT RU Ro Kr St Kb Nt Ich Kyi MD**

- UA BY KR KP JP** Bionomy: Larva on Atriplex, Chenopodium, Polygonum, Rumex (Linnaeus,1758; Hacker,1989).
- 68120. Trachea auriplena (Walker,1857)** (Noctuidae) Synonym(s): *auriplena* Walker,1857
Original Reference: Eurois auriplena Walker,1857, List spec. lepid. Ins. Colln. Br. Mus. 11: 557.
Type ♀: [Sri Lanka]: Ceylon (BMNH). Range (in code): **LK Pdy IN Up Bhi PK Thu Ch**
- 68121. Trachea brunneicosta Joicey & Talbot,1915** (Noctuidae) Synonym(s): *brunneicosta* Joicey & Talbot,1915 Range (in code): **ID Ij**
- 68122. Trachea chlorochrysa Berio,1937** (Noctuidae) Synonym(s): *chlorochrysa* Berio,1937
Range (in code): **ST**
- 68123. Trachea conjuncta Wileman,1914** (Noctuidae) Synonym(s): *conjuncta* Wileman,1914
Range (in code): **TW**
- 68124. Trachea euryscia Hampson,1918** (Noctuidae) Synonym(s): *euryscia* Hampson,1918
Range (in code): **GH**
- 68125. Trachea leucochlora Boursin,1970** (Noctuidae) Synonym(s): *leucochlora* Boursin,1970
Range (in code): **CN Ui**
- 68126. Trachea luzonensis Wileman & South,1920** (Noctuidae) Synonym(s): *luzonensis* Wileman & South,1920 Range (in code): **PH Luz**
- 68127. Trachea macrophthalma Berio,1976** (Noctuidae) Synonym(s): *macrophthalma* Berio,1976
Range (in code): **ZR**
- 68128. Trachea mancilla Schaus,1921** (Noctuidae) Synonym(s): *mancilla* Schaus,1921 Range (in code): **GT**
- 68129. Trachea oxylus (Fawcett,1917)** (Noctuidae) Synonym(s): *oxylus* Fawcett,1917 Range (in code): **KE**
- 68130. Trachea tessellata A.E.Prout,1925** (Noctuidae) Synonym(s): *tessellata* A.E.Prout,1925
Range (in code): **MY**
- 68131. Trachea viridisparsa Laporte,1972** (Noctuidae) Synonym(s): *viridisparsa* Laporte,1972
Range (in code): **GA Ogo**
- 68132. Tracheplexia albimacula Janse,1937** (Noctuidae) Synonym(s): *albimacula* Janse,1937
Range (in code): **ZA Nta Kzu Dbn Ktz**
- 68133. Tracheplexia amaranta (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *amaranta* R.Felder & Rogenhofer,1874 Range (in code): **UG Tva ZA Nta Kzu Dbn Ec Stj Srn Esw Pil Mpu Lem**
- 68134. Tracheplexia leguerni Laporte,1984** (Noctuidae) Synonym(s): *leguerni* Laporte,1984
Range (in code): **ET**
- 68135. Tracheplexia lucia (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *lucia* R.Felder & Rogenhofer,1874; *occidentalis* Laporte,1973 Range (in code): **KE ZA Ec Kny Tra Mpu Brb Wv Gau Pre Tva Lpo Spb Ltr**
- 68136. Tracheplexia richinii Berio,1973** (Noctuidae) Synonym(s): *richinii* Berio,1973 Range (in code): **ER**
- 68137. Tracheplexia schista D.S.Fletcher,1961** (Noctuidae) Synonym(s): *schista* D.S.Fletcher,1961 Range (in code): **UG RZ**
- 68138. Trichanarta fasciata (Chen Yi & Xin,1982)** (Noctuidae) Synonym(s): *fasciata* Chen Yi & Xin,1982 Range (in code): **CN Ti**
- 68139. Trichanarta ladakensis (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *ladakensis* R.Felder & Rogenhofer,1874 Range (in code): **CN Ti Ld Ts Kno IN**
- 68140. Trichanarta mausi (Püngeler,1904)** (Noctuidae) Synonym(s): *mausi* Püngeler,1904
Original Reference: Anarta mausi Püngeler,1904, Dt. ent. Z., Iris 19: 130. Syntypes: [China: Uighur A.R.]: Altyn-Tagh (MNHU). Range (in code): **CN Ui Alt**
- 68141. Tricheurois nigrocuprea (Moore,1867)** (Noctuidae) Synonym(s): *nigrocuprea* Moore,1867; ? *brunnea* Chen,1992 Range (in code): **CN Ti**
- 68142. Trichopalpina zethesia Hampson,1926** (Noctuidae) Synonym(s): *zethesia* Hampson,1926
Range (in code): **ZA**
- 68143. Trichoplusia acosmia Dufay,1972** (Noctuidae) Synonym(s): *acosmia* Dufay,1972
Range (in code): **ZA**
- 68144. Trichoplusia arachnoides (Distant,1901)** (Noctuidae) Synonym(s): *arachnoides* Distant,1901
Original Reference: Plusia arachnoides Distant,1901, Entomologist 34: 285.
Type(s): [South Africa]: Pretoria. Range (in code): **ZA Tva Gau Pre ET ET287 ZR BI CM SN MG**

- 68145. *Trichoplusia asapheia* Dufay,1977** (Noctuidae) Synonym(s): *asapheia* Dufay,1977
Original Reference: *Trichoplusia asapheia* Dufay,1977, [in] P.-C.Rougeot, Mém.Mus. Nat. Hist. Nat. (N.S.) A (Zool.) 105: 49-51, pl.5 fig.49. Holotype ♂: Ethiopie: env. de Koffole, 1800-2000m, 9.xi.1973 (MNHNP). Range (in code): **ET ET196 TZ ZW Vum**
- 68146. *Trichoplusia aspila* Dufay,1958** (Noctuidae) Synonym(s): *aspila* Dufay,1958 - Range (in code): **CM ET ET60 ET196 ET204 ZR UG KE TZ**
- 68147. *Trichoplusia callista* Dufay,1972** (Noctuidae) Synonym(s): *callista* Dufay,1972 - Range (in code): **ZA**
- 68148. *Trichoplusia capnista* Dufay,1972** (Noctuidae) Synonym(s): *capnista* Dufay,1972
Range (in code): **ZA**
- 68149. *Trichoplusia chalcedona* (Hampson,1902)** (Noctuidae) Synonym(s): *chalcedona* Hampson,1902 - Range (in code): **ZA Nta Kzu Est ET ET24 SA**
- 68150. *Trichoplusia circumscripta* (Freyer,1831)** (Noctuidae) Synonym(s): *circumscripta* Freyer,1831 - Range (in code): **FR Sa Si IT GR Cr TR CY LB Bsa**
- 68151. *Trichoplusia cupreomicans* (Hampson,1909)** (Noctuidae) Synonym(s): *cupreomicans* Hampson,1909 - Range (in code): **ZA**
- 68152. *Trichoplusia dolera* Dufay,1977** (Noctuidae) Synonym(s): *dolera* Dufay,1977 Original Reference: *Trichoplusia dolera* Dufay,1977, [in] P.-C.Rougeot, Mém.Mus. Nat. Hist. Nat. (N.S.) A (Zool.) 105: 47-49, pl.5 fig.46. Holotype ♂: Ethiopie: env. de Koffole, 1800-2000m, 319.x.1973 (MNHNP). Range (in code): **ET ET09 ET60 ET204 ET196**
- 68153. *Trichoplusia epicharis* Dufay,1972** (Noctuidae) Synonym(s): *epicharis* Dufay,1972
Range (in code): **ZA**
- 68154. *Trichoplusia exquisatella* (Strand,1916)** (Noctuidae) Synonym(s): *exquisatella* Strand,1916 - Range (in code): **IR Fa Ke Es Yz Ss**
- 68155. *Trichoplusia exquisita* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *exquisita* R.Felder & Rogenhofer,1874 - Range (in code): **ZA Tva Gau Pre Jh Nta Kzu Ec Tra AF Srb DJ DJ44 ZW MG IR PK**
- 68156. *Trichoplusia glyceia* Dufay,1972** (Noctuidae) Synonym(s): *glyceia* Dufay,1972 -0
Range (in code): **ZA**
- 68157. *Trichoplusia gorilla* (Holland,1894)** (Noctuidae) Synonym(s): *gorilla* Holland,1894
Range (in code): **ZA**
- 68158. *Trichoplusia indicator* (Walker,[1858])** (Noctuidae) Synonym(s): *indicator* Walker,[1858]; *g-roseum* Guenée,1862. - Range (in code): **ZA ZR ZW MG RE MU KE NG**
- 68159. *Trichoplusia laportei* Dufay,1972** (Noctuidae) Synonym(s): *laportei* Dufay,1972
Range (in code): **ZA CM ET ET196 ET204 BI KE TZ ZW**
- 68160. *Trichoplusia molybdina* (Dufay,1968)** (Noctuidae) Synonym(s): *molybdina* Dufay,1968
Range (in code): **ZA**
- 68161. *Trichoplusia ni* (Hübner,[1803])** (Noctuidae) Synonym(s): *ni* Hübner,[1803]; *humilis* Walker,1858; *extrahens* Walker,1858; *brassicae* Riley,1870; *echinocystidis* Strecker,1874; *deserticola* Rothschild,1913 Original Reference: *Noctua ni* Hübner,[1803], Samml. eur. Schmett. 4, Noctuae: Tab.58 fig. 284. Type(s): Europa. Range (in code): **MA DZ TN LY PT ES Mu FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE RU EG IL Hf Pa LB Bsa JO SY SA IQ Kq Agh Amr IR Fa By Yas Lo Kh Elb GG AM AZ Cc Af Bsg Nu Kab Hr Pli Srb Gbh Ca Arh Dwe PK IN KP KR CN US CA CU ZA MX Cn MD UA BP CV WZ Cfo JP MG NZ Hw TH VN NP Elb Mz Th Kz Clu Dam Plr Kdj Ab Sdt Skh Kd Bne Snj B-A Hz Kaz Mia Ss Chh Ke UZ Br Ro Kr St Kb Nt Ich Ing Da DJ DJ44 Cp Tbl Smt Bjo Kir Der Hal Sbd Blid Afl Bsk Agi Hrh Sfr Perr BSA Ktr Dzc Abe Orn Gle Btina Hmk DhM Tun Mzg Onç Ah Ath Bionomy: Larva on Chenopodium, Crepis, Nicotiana, Reseda, Rumex, Senecio, Solanum, Taraxacum, Urtica (Calle et al., 2000).**
- 68162. *Trichoplusia petraea* Dufay,1958** (Noctuidae) Synonym(s): *petraea* Dufay,1958
Range (in code): **UG KE Nai ET ET29**
- 68163. *Trichoplusia roseofasciata* (Carcasson,1965)** (Noctuidae) Synonym(s): *roseofasciata* Carcasson,1965 - Range (in code): **ZW MW ZR CI TZ CM ET ET204**
- 68164. *Trichoplusia spoliata* (Walker,[1858])** (Noctuidae) Synonym(s): *spoliata* Walker,[1858]
Range (in code): **ZA**
- 68165. *Trichoplusia tetrastigma* (Hampson,1910)** (Noctuidae) Synonym(s): *tetrastigma* Hampson,1910 - Range (in code): **YE ZA Nta Kzu Dbn**
- 68166. *Trichoplusia vittata* (Wallengren,1856)** (Noctuidae) Synonym(s): *vittata* Wallengren,1856; *transfixa* Walker,[1858]; *commidendri* Wollaston,1879. - Range (in code): **ZA Tva Lpo**

Spb Mdk Nta Kzu Mv [GB] KE DJ DJ44 ET ET29 ET196 ET204 JP CN IR Hz IN LK ID Ja AU FJ MG MU RE SH

- 68167. *Trichoridia albiluna* Hampson,1906** (Noctuidae) Synonym(s): *albiluna* Hampson,1906
Range (in code): CN Ti NP
- 68168. *Trichoridia canosparsa* (Hampson,1894)** (Noctuidae) Synonym(s): *canosparsa* Hampson,1894
Range (in code):
- 68169. *Trichoridia chengai* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *chengai* Hreblay & L.Ronkay,1998
Range (in code):
- 68170. *Trichoridia cuprescens* (Hampson,1906)** (Noctuidae) Synonym(s): *cuprescens* Hampson,1906
Range (in code):
- 68171. *Trichoridia dentata* (Hampson,1894)** (Noctuidae) Synonym(s): *dentata* Hampson,1894
Range (in code): NP IN SI
- 68172. *Trichoridia denticula* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *denticula* Hreblay & L.Ronkay,1999
Range (in code): NP
- 68173. *Trichoridia eristicum* (Püngeler,1906)** (Noctuidae) Synonym(s): *eristicum* Püngeler,1906
Range (in code): CN Ui Au
- 68174. *Trichoridia flavicans* (Draudt,1950)** (Noctuidae) Synonym(s): *flavicans* Draudt,1950
Range (in code): CN
- 68175. *Trichoridia fuscicuprea* Hreblay & L.Ronkay,1998** (Noctuidae) Synonym(s): *fuscicuprea* Hreblay & L.Ronkay,1998
Range (in code):
- 68176. *Trichoridia herchatra* (Swinhoe,1893)** (Noctuidae) Synonym(s): *herchatra* Swinhoe,1893
Range (in code):
- 68177. *Trichoridia langtangensis* Yoshimoto,1995** (Noctuidae) Synonym(s): *langtangensis* Yoshimoto,1995
Range (in code):
- 68178. *Trichoridia luna* Hreblay & L.Ronkay,1999** (Noctuidae) Synonym(s): *luna* Hreblay & L.Ronkay,1999
Range (in code): NP
- 68179. *Trichoridia sikkimensis* (Moore,1881)** (Noctuidae) Synonym(s): *sikkimensis* Moore,1881
Range (in code): SI IN
- 68180. *Trichosea champa* (Moore,1879)** (Noctuidae) Synonym(s): *champa* Moore,1879
Original Reference: Moma champa Moore,1879, Proc. zool. Soc. Lond. 1879: 403, pl.33 fig.2.
Syntypes: India: [Himachal Pradesh]: Dharmasala (BMNH). Range (in code): PK Thu IN Hp Drm Kgr Khs Ass LK TH VN Ton Fan Lei NP CN TW JP KP KR RU Us
- 68181. *Trichosea diffusa* Sugi,1986** (Noctuidae) Synonym(s): *diffusa* W.Warren,1909; *diffusa* Sugi,1986
Range (in code): IN Ass SI NP TH CMa Php TW
- 68182. *Trichosea funebris* Berio,1973** (Noctuidae) Synonym(s): *funebris* Berio,1973; *gerri* Thöny,1996
Range (in code): MM Kch Kam VN Ton Fan Lei
- 68183. *Trichosea ludifica* (Linnaeus,1758)** (Noctuidae) Synonym(s): *ludifica* Linnaeus,1758
Range (in code): ES FR IT DE CH AT PL CZ SK HU YU BG SE FI EE LV LT RU MD UA BY
- 68184. *Trichosea mjobergi* (A.E.Prout,1926)** (Noctuidae) Synonym(s): *mjobergi* A.E.Prout,1926
Range (in code): MY Bor Swk TH CMa
- 68185. *Trichosea obsolescens* (Hampson,1913)** (Noctuidae) Synonym(s): *obsolescens* Hampson,1913
Range (in code): PK Haz Mre IN Hp Kul Kgr
- 68186. *Trichosilia plumbea* (Alpheraky,1887)** (Noctuidae) Synonym(s): *plumbea* Alpheraky,1887; *arschanica* Corti & Draudt,1933.
Original Reference: *Agrotis birivia* var. *plumbea* Alpheraky,1887, Stettin ent. Z. 48: 168. Syntypes: [Uighur |li]: Turkestan, |li. Range (in code): RU Cc Nt Kb CN Ui Arc Uz Fe MN Uli KK TeA Ax TrA
- 68187. *Trichospolas arterialis* Draudt,1936** (Noctuidae) Synonym(s): *arterialis* Draudt,1936.
Original Reference: *Trichospolas arterialis* Draudt,1936, Ent. Rdsch. 53: 470, Taf. iv e2. Syntypes 1♂ 1♀: [Russia]: Daghestan, St. Kum-Torkale (Rjabov leg.). Range (in code): RU Da Cc
- 68188. *Trigonodes cephise* (Cramer,1780)** (Noctuidae) Synonym(s): *cephise* Cramer,1780; *maxima* Guenée,1852; *saina* Swinhoe,1918
Range (in code): IN ID Nia Sum Ja Clb AU WS NC TH VN KH PG SB NH TO FJ
- 68189. *Trigonodes exportata* Guenée,1852** (Noctuidae) Synonym(s): *exportata* Guenée,1852
Range (in code): ET
- 68190. *Trigonodes hyppasia* (Cramer,1779)** (Noctuidae) Synonym(s): *hyppasia* Cramer,1779; *deliana* Stoll,1791; *anfractuosa* Boisduval,1834; *acutata* Guenée,1852; *inacuta* Guenée,1852; *compar* Walker,[1858]
Range (in code): ZA Tva Lpo Spb Mdk Ec AU NSw Lhw TO NF NC SD ET ET204 KE MZ Del MG MU YE Ad CN TW IN LK Cbo MM ID Ja Tnm Sum Bor Sbw TH Tng CMa Int Cuo Cu07 KH VN NP PK Cp IR NF SC
Bionomy: Larva on *Nephelium lappaceum* (Sapindaceae) (Kuroko & Lewvanich,1993).

- 68191. *Trigonophora crassicornis* (Oberthür,1918)** (Noctuidae) Synonym(s): *crassicornis* Oberthür,1918; *obscura* Rothschild,1920 - Range (in code): **DZ Lbs Btna ES FR**
- 68192. *Trigonophora flammea* (Esper,1785)** (Noctuidae) Synonym(s): *flammea* Esper,1785; *empyrea* Hübner,[1803]. - Range (in code): **MA DZ Lbs Btna Abe TN PT ES FR Co Sa Si IT IE GB CH AT YU GR RU MD UA BY**
- 68193. *Trigonophora jodea* (Herrich-Schäffer,1850)** (Noctuidae) Synonym(s): *jodea* Herrich-Schäffer,1850; *schaefferi* Oberthür,1918 - Range (in code): **PT ES FR**
- 68194. *Triorbis annulata* (Swinhoe,1890)** (Noctuidae) Synonym(s): *annulata* Swinhoe,1890 - Range (in code): **MM MY Bor PH**
- 68195. *Triorbis aureovitta* Hampson,1902** (Noctuidae) Synonym(s): *aureovitta* Hampson,1902 - Range (in code): **MY Bor IN ID Sum Clb PH Pal** - Bionomy: Larva on *Garcinia* (Guttiferae) (Holloway,2003).
- 68196. *Trisateles emortualis* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *emortualis* [Denis & Schiffermüller],1775 - Original Reference: *Pyrallis emortualis* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 120*. Type(s): [Austria]: Vienna district. - Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR IR Elb Mz Clu Th DK NO SE FI EE LV LT RU GG Lag Cc Kr Kb Nt Ich Ing**
- 68197. *Trissernis greeni* Holloway,1977** (Noctuidae) Synonym(s): *greeni* Holloway,1977 - Range (in code): **NC NF NH**
- 68198. *Trisulana berenice* (Fawcett,1916)** (Noctuidae) Synonym(s): *berenice* Fawcett,1916 - Range (in code): **ZA**
- 68199. *Trisulana cerurodes* Hampson,1916** (Noctuidae) Synonym(s): *cerurodes* Hampson,1916 - Range (in code): **ET YE**
- 68200. *Trisulana cerurodes asiriensis* Hacker & Fibiger,2002** (Noctuidae) Synonym(s): *asiriensis* Hacker & Fibiger,2002 - Range (in code): **YE**
- 68201. *Trisulana senex* Bethune-Baker,1911** (Noctuidae) Synonym(s): *senex* Bethune-Baker,1911 - Range (in code): **ZA**
- 68202. *Trisuloides luteifascia* Hampson,1894** (Noctuidae) Synonym(s): *luteifascia* Hampson,1894 - Range (in code): **IN Meg Ass Khs NP CN TH CMa Int**
- 68203. *Trisuloides sericea* Butler,1881** (Noctuidae) Synonym(s): *sericea* Butler,1881; *catocalina* Moore,1883; *pallidimacula* W.Warren,1912; *trigonoleuca* A.E.Prout,1922; *hawkeri* A.E.Prout & Talbot,1924 - Original Reference: *Trisuloides sericea* Butler,1881, *Ann. Mag. nat. Hist.* (5) 7: 36. Syntypes: India: [Meghalaya]: W.Bengal (BMNH). - Range (in code): **TH CMa CDo Knc VN MM IN Ben Meg SI Djl PK NP CN TW JP SI Djl ID Crm Bru**
- 68204. *Trogocraspis durbanica* Hampson,1918** (Noctuidae) Synonym(s): *durbanica* Hampson,1918 - Range (in code): **ZA**
- 68205. *Tropiditamba lepraota* (Hampson,1898)** (Noctuidae) Synonym(s): *lepraota* Hampson,1898; *pallidiplaga* Swinhoe,1905; *grandis* Turner,1933 - Range (in code): **AU QAU Kda MY TH Cbi SG IN Meg Ass Khs LK ID Sum Clb Bor Mlc Crm PG**
- 68206. *Tshodanola gabriella* Laszlo, G.Ronkay & Witt,2010** (Noctuidae) Synonym(s): *gabriella* Laszlo, G.Ronkay & Witt,2010 - Range (in code): **CN**
- 68207. *Tuerta chrysochlora* Walker,1869** (Noctuidae) Synonym(s): *chrysochlora* Walker,1869 - Range (in code): **CG**
- 68208. *Tuerta chrysochlora* Walker,1869** (Noctuidae) Synonym(s): *chrysochlora* Walker,1869 - Range (in code): **ZR**
- 68209. *Tuerta cyanopasta* Hampson,1907** (Noctuidae) Synonym(s): *cyanopasta* Hampson,1907 - Range (in code): **KE**
- 68210. *Tuerta cyanopasta* Hampson,1907** (Noctuidae) Synonym(s): *cyanopasta* Hampson,1907 - Range (in code): **KE**
- 68211. *Tuerta dispar* (Rothschild,1896)** (Noctuidae) Synonym(s): *dispar* Rothschild,1896 - Range (in code): **CG KE**
- 68212. *Tuerta hemicycla* Hampson,1904** (Noctuidae) Synonym(s): *hemicycla* Hampson,1904 - Range (in code): **BS**
- 68213. *Tuerta insulica* Hampson,1909** (Noctuidae) Synonym(s): *insulica* Hampson,1909 - Range (in code): **TT**
- 68214. *Tuerta liturata* (Aurivillius,1892)** (Noctuidae) Synonym(s): *liturata* Aurivillius,1892; *aziyade* Vuill.,1892 - Range (in code): **SL GH CM**

- 68215. *Tuerta lycaon* (Druce,1897)** (Noctuidae) Synonym(s): *lycaon* Druce,1897 _ Range (in code): EC
- 68216. *Tuerta pastocyana* Berio,1940** (Noctuidae) Synonym(s): *pastocyana* Berio,1940
Original Reference: *Tuerta pastocyana* Berio,1940, Mem. Soc. ent. Ital. 19: 127. Type: Somalia.
Range (in code): SO
- 68217. *Tuerta pastocyana* Berio,1940** (Noctuidae) Synonym(s): *pastocyana* Berio,1940 _ Range (in code): SO
- 68218. *Tuerta platensis* (Berg,1882)** (Noctuidae) Synonym(s): *platensis* Berg,1882 _ Range (in code): AR Bue
- 68219. *Tuerta rema* Druce,1910** (Noctuidae) Synonym(s): *rema* Druce,1910 _ Range (in code): TZ
- 68220. *Tuerta rufodiscalis* (Rothschild,1896)** (Noctuidae) Synonym(s): *rufodiscalis* Rothschild,1896 _ Range (in code): MG
- 68221. *Tuerta ruspina* Aurivillius,1909** (Noctuidae) Synonym(s): *ruspina* Aurivillius,1909
Range (in code): CG
- 68222. *Tuerta sabulosa* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *sabulosa* R.Felder & Rogenhofer,1874; *noctuiiformis* Möschler,1890 _ Range (in code): GT US NMx Arz Cf MX PR
- 68223. *Tuerta semyrion* (Herrich-Schäffer,1853)** (Noctuidae) Synonym(s): *semyrion* Herrich-Schäffer,1853; *chrysospila* Walker,1866 _ Range (in code): ID Sum PH
- 68224. *Tumidifrontia castaneotincta* Hampson,1902** (Noctuidae) Synonym(s): *castaneotincta* Hampson,1902 _ Range (in code): ZW Har
- 68225. *Tumidifrontia roseitincta* Hampson,1918** (Noctuidae) Synonym(s): *roseitincta* Hampson,1918 _ Range (in code): MW Mje
- 68226. *Turacina ceratopyga* (Püngeler,1902)** (Noctuidae) Synonym(s): *ceratopyga* Püngeler,1902
Original Reference: *Bryophila ceratopyga* Püngeler,1902, Dt. ent.Z., Iris 15: 149-150, Taf.v fig.16. Syntypes 2♀: [Turkmenistan]: Merw (MNHUB). Range (in code): TM Mrw
- 68227. *Turanica haeretica* (Püngeler,1902)** (Noctuidae) Synonym(s): *haeretica* Püngeler,1902
Original Reference: *Polia haeretica* Püngeler,1902, Dt. ent. Z., Iris 15: 153-154, Taf.v fig.12. Syntypes 2♂: [Turkmenistan]: Aschabad (MNHUB) Range (in code): TM Kp CN Ui
- 68228. *Tyana pustulifera* Walker,1866** (Noctuidae) Synonym(s): *pustulifera* Walker,1866
Range (in code): TH CMa CDo
- 68229. *Tycomarptes adami* Laporte,1974** (Noctuidae) Synonym(s): *adami* Laporte,1974
Range (in code): ET ET86
- 68230. *Tycomarptes aethiopica* Laporte,1974** (Noctuidae) Synonym(s): *aethiopica* Laporte,1974
Range (in code): ET ET45
- 68231. *Tycomarptes berioi* Laporte,1974** (Noctuidae) Synonym(s): *berioi* Laporte,1974
Range (in code): ET ET60
- 68232. *Tycomarptes bipuncta* Laporte,1974** (Noctuidae) Synonym(s): *bipuncta* Laporte,1974
Range (in code): ET ET60
- 68233. *Tycomarptes bipunctatoides* Laporte,1974** (Noctuidae) Synonym(s): *bipunctatoides* Laporte,1974 _ Range (in code): ET ET204
- 68234. *Tycomarptes gelladarum* Rougeot & Laporte,1983** (Noctuidae) Synonym(s): *gelladarum* Rougeot & Laporte,1983 _ Range (in code): ET Gdr
- 68235. *Tycomarptes inferior* (Guenée,1852)** (Noctuidae) Synonym(s): *inferior* Guenée,1852; *renisigna* Walker,1857; *inculta* Walker,1862; *contracta* Walker,1865; *ficita* Walker,1865; *servilis* Walker,1865; *submoesta* Möschler,1883 _ Range (in code): ZA Tva Gau Pre ZW Har MZ Del Ntz Kzu Est Dbn Ec ET ET86
- 68236. *Tycomarptes journiaci* Laporte,1977** (Noctuidae) Synonym(s): *journiaci* Laporte,1977
Range (in code): ET ET45
- 68237. *Tycomarptes limoni* Laporte,1974** (Noctuidae) Synonym(s): *limoni* Laporte,1974
Range (in code): ET ET196
- 68238. *Tycomarptes mauensis* Laporte,1984** (Noctuidae) Synonym(s): *mauensis* Laporte,1984
Range (in code): KE
- 68239. *Tycomarptes praetermissa* (Walker,1857)** (Noctuidae) Synonym(s): *praetermissa* Walker,1857; *depulsa* Walker,1857. _ Range (in code): ZA Ec
- 68240. *Tycomarptes semyensis* Rougeot & Laporte,1983** (Noctuidae) Synonym(s): *semyensis* Rougeot & Laporte,1983 _ Range (in code): ET Gdr

- 68241. Tycomarptes thibauti Laporte,1974** (Noctuidae) Synonym(s): *thibauti Laporte,1974*
Range (in code): **ET ET60**
- 68242. Tycomarptes tortirena (A.E.Prout,1921)** (Noctuidae) Synonym(s): *tortirena A.E.Prout,1921* Range (in code): **UG Rz**
- 68243. Tycracona obliqua Moore,1882** (Noctuidae) Synonym(s): *obliqua Moore,1882* Range (in code): **IN Ass SI Djl TH Nan LA VN NP CN TW ID Sum** Bionomy: Larva on lichens (Sugi,1985).
- 68244. Tympanistes rufimacula W.Warren,1916** (Noctuidae) Synonym(s): *rufimacula W.Warren,1916* Original Reference: *Tympanistes rufimacula W.Warren,1916, Novit. zool. 23: 220.* Type: India: Assam. Range (in code): **IN Ass TH CMa CDo**
- 68245. Tyta luctuosa ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *luctuosa [Denis & Schiffermüller],1775; italica Fabricius,1781; atra Goeze,1781 nec Linn.,1767; astroites Fourcroy,1785; maculosa Villers,1789* Original Reference: *Noctua luctuosa [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Wiener Gegend: 90.* Type(s): [Austria]: Wien. Range (in code): **MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd TR GG AZ Len AM Cc CY IL Pa Hf LB SY JO IR Ab Oru Jal Fa Es Ha Kh Elb Mz Dam Th Ab Km Kd DK SE FI EE LV LT RU MD UA BY At KG Tks Tk Dj KK Ik TrA Osh UZ CN Ui Kun Ku AF IQ Agh Ro Kr St Kb Nt Ich Kyi Da Sdt Bjr Zj Agi Btna Hmk Abe Hrh Perr Sét Tiz Dzc DhM Rbt** Bionomy: Larva on *Convolvulus arvensis* (Convolvulaceae), *Malva* (Malvaceae), *Linum* (Linaceae), *Plantago* (Plantaginaceae) (Spuler,1906; Calle et al., 2000).
- 68246. Tytroca alabuensis Wiltshire,1970** (Noctuidae) Synonym(s): *alabuensis Wiltshire,1970*
Range (in code): **ET**
- 68247. Tytroca dispar (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar Püngeler,1904*
Range (in code): **MA DZ Ah Ajj SD LY EG Sn IL Pa JO SA As OM SO SD TD IR Hz Ss B-A CN Ui**
- 68248. Tytroca dispar dispar (Püngeler,1904)** (Noctuidae) Synonym(s): *dispar Püngeler,1904*
Range (in code): **LY EG Sn IL Pa JO SA As OM SO SD TD IR Hz Ss CN Ui**
- 68249. Tytroca dispar margarita Powell & Rungs,1942** (Noctuidae) Synonym(s): *margarita Powell & Rungs,1942* Range (in code): **MR MA**
- 68250. Tytroca dispar puengeleri Rothschild,1915** (Noctuidae) Synonym(s): *puengeleri Rothschild,1915; dallonii Le Cerf,1935; puengeleri Wiltshire,1970.* Range (in code): **DZ Ah Ajj SD**
- 68251. Tytroca fasciolata (W.Warren & Rothschild,1905)** (Noctuidae) Synonym(s): *fasciolata W.Warren & Rothschild,1905; subsimilis W.Warren,1913; impar Hampson,1913* Range (in code): **DZ Rhr Ath Omy Gtt MA IR Hz B-A SD SD08 IN Bba Pj** Bionomy: Larva on *Acacia raddiana*, *A.gummifera* (Fabaceae) (Rungs,1942).
- 68252. Tytroca leucoptera (Hampson,1896)** (Noctuidae) Synonym(s): *leucoptera Hampson,1896; balnearia Distant,1898* Original Reference: *Hypaetra leucoptera Hampson,1896, Proc. zool. Soc. London 1896: 264, pl.10 fig.1.* Type: [Yemen]: "Aden". Range (in code): **MA SD MR DZ Ah Ajj Omy IL Pa YE Ad SA SA63 SO ZA Tva Lpo ZW Har**
- 68253. Tytroca metaxantha (Hampson,1902)** (Noctuidae) Synonym(s): *metaxantha Hampson,1902* Range (in code): **ZA Dmr NA Ec**
- 68254. Ugia affinis (Snellen,1895)** (Noctuidae) Synonym(s): *affinis Snellen,1895* Range (in code): **ID Sum**
- 68255. Ugia albilinea Hampson,1926** (Noctuidae) Synonym(s): *albilinea Hampson,1926*
Range (in code): **ZA KE**
- 68256. Ugia amaponda (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *amaponda R.Felder & Rogenhofer,1874; loxogramma Hampson,1902; #loxigramma Pinhey,1975* Range (in code): **ZA Nta Kzu Dbn ZW Har Uma**
- 68257. Ugia calescens (Holland,1894)** (Noctuidae) Synonym(s): *calescens Holland,1894*
Range (in code): **GA Ogo**
- 68258. Ugia cinerea (Holland,1894)** (Noctuidae) Synonym(s): *cinerea Holland,1894* Range (in code): **GA Ogo**
- 68259. Ugia disjungens Walker,1858** (Noctuidae) Synonym(s): *disjungens Walker,1858; signifera Walker,[1858]* Range (in code): **SG MY Bor Swk**
- 68260. Ugia disjungens Walker,1858** (Noctuidae) Synonym(s): *disjungens Walker,1858; insuspecta Glasworthy,1997* Range (in code): **SG CN HK MY TH Rng**
- 68261. Ugia duplicilinea Hampson,1926** (Noctuidae) Synonym(s): *duplicilinea Hampson,1926*
Range (in code): **NG**
- 68262. Ugia egcarsia (Bethune-Baker,1911)** (Noctuidae) Synonym(s): *egcarsia Bethune-Baker,1911* Range (in code): **AO**

- 68263. *Ugia eugrapha* (Swinhoe,1907)** (Noctuidae) Synonym(s): *eugrapha* Swinhoe,1907
Range (in code): [ID Sum Ja Ged TH Ntt Hba](#)
- 68264. *Ugia flavida* Gaede,1940** (Noctuidae) Synonym(s): *flavida* Gaede,1940 _ [Range \(in code\): CM](#)
- 68265. *Ugia geometroides* (Holland,1894)** (Noctuidae) Synonym(s): *geometroides* Holland,1894
Range (in code): [GA Ogo](#)
- 68266. *Ugia hecate* (Holland,1894)** (Noctuidae) Synonym(s): *hecate* (Holland,1894 _ [Range \(in code\): GA Ogo](#)
- 68267. *Ugia mascusalis* Walker,[1859]** (Noctuidae) Synonym(s): *mascusalis* Walker,[1859]
Range (in code): [SL](#)
- 68268. *Ugia minima* Gaede,1940** (Noctuidae) Synonym(s): *minima* Gaede,1940 _ [Range \(in code\): CM](#)
- 68269. *Ugia roseata* Gaede,1940** (Noctuidae) Synonym(s): *roseata* Gaede,1940 _ [Range \(in code\): CM](#)
- 68270. *Ugia rufilinea* Hampson,1926** (Noctuidae) Synonym(s): *rufilinea* Hampson,1926
Range (in code): [SL](#)
- 68271. *Ugia serrilinea* Hampson,1926** (Noctuidae) Synonym(s): *serrilinea* Hampson,1926
Range (in code): [MY Bor Swk ID Sum Ij PG TH Cbi](#)
- 68272. *Ugia sestia* (Holland,1894)** (Noctuidae) Synonym(s): *sestia* Holland,1894 _ [Range \(in code\): GA Ogo](#)
- 68273. *Ugia stigmaphora* Hampson,1926** (Noctuidae) Synonym(s): *stigmaphora* Hampson,1926
Range (in code): [NG](#)
- 68274. *Ugia straminilinea* Hampson,1926** (Noctuidae) Synonym(s): *straminilinea* Hampson,1926
Range (in code): [NG](#)
- 68275. *Ugia sundana* Hampson,1924** (Noctuidae) Synonym(s): *sundana* Hampson,1924; *albertii* Kobes,1989 _ [Range \(in code\): ID Sum Ja TH Tng](#)
- 68276. *Ugia taeniata* (Holland,1894)** (Noctuidae) Synonym(s): *taeniata* Holland,1894 _ [Range \(in code\): ZA GA Ogo](#)
- 68277. *Ugia umbrina* (Holland,1894)** (Noctuidae) Synonym(s): *umbrina* Holland,1894 _ [Range \(in code\): GA Ogo](#)
- 68278. *Uighuria marki* (Hreblay & Ronkay,2000)** (Noctuidae) Synonym(s): *marki* Hreblay & Ronkay,2000 _ [Range \(in code\): TW](#)
- 68279. *Uighuria pulla* (Hreblay & Ronkay,2000)** (Noctuidae) Synonym(s): *pulla* Hreblay & Ronkay,2000 _ [Range \(in code\): TW](#)
- 68280. *Uighuria satellitia* (Hreblay & Ronkay,2000)** (Noctuidae) Synonym(s): *satellititia* Hreblay & Ronkay,2000 _ [Range \(in code\): TW](#)
- 68281. *Ulochlaena ferruginea* Gaede,1915** (Noctuidae) Synonym(s): *ferruginea* Gaede,1915
Range (in code): [ZA](#)
- 68282. *Ulochlaena fumea* (Hampson,1902)** (Noctuidae) Synonym(s): *fumea* Hampson,1902
Range (in code): [ZA Ec Tra](#)
- 68283. *Ulochlaena gemmifera* Hacker,2001** (Noctuidae) Synonym(s): *gemmifera* Hacker,2001
Range (in code): [IL Pa](#)
- 68284. *Ulochlaena hirta* (Hübner,[1813])** (Noctuidae) Synonym(s): *hirta* Hübner,[1813]
Original Reference: *Noctua hirta* Hübner,[1813], Samml. eur. Schmett. Noct. 2: Taf.128 fig. 591.
Type(s): Europa. [Range \(in code\): DZ Mage Btina Afl FR Si IT CH RO YU BG GR RU Ro St Da Kyi MD UA TR Cc GG Smt Bjo Tbl Da Der AZ Kir SY JO IR Ab Oru Elb Th Plr GlS TM Kp](#)
- 68285. *Ulochlaena reducta* Gaede,1915** (Noctuidae) Synonym(s): *reducta* Gaede,1915 _ [Range \(in code\): ZA](#)
- 68286. *Ulochlaena sagittata* Gaede,1915** (Noctuidae) Synonym(s): *sagittata* Gaede,1915
Range (in code): [ZA](#)
- 68287. *Ulochlaena schaeferi* Gaede,1915** (Noctuidae) Synonym(s): *schaeferi* Gaede,1915
Range (in code): [ZA](#)
- 68288. *Ulochlaena superba* Alpheraky,1892** (Noctuidae) Synonym(s): *superba* Alpheraky,1892
Range (in code): [CN Ui Ti](#)
- 68289. *Ulotrichopus catocala* (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): *catocala* R.Felder & Rogenhofer,1874; *caupona* Möschler,1884 _ [Range \(in code\): ZA Tva Nta Kzu Est Ec Qt](#)

- 68290. Ulotrichopus glaucescens Hampson,1913** (Noctuidae) Synonym(s): *glaucescens* Hampson,1913 _ Range (in code): ZA
- 68291. Ulotrichopus leucopastus Hampson,1913** (Noctuidae) Synonym(s): *leucopastus* Hampson,1913 _ Range (in code): ZA SA
- 68292. Ulotrichopus lucidus Pinhey,1968** (Noctuidae) Synonym(s): *lucidus* Pinhey,1968 _ Range (in code): ZA
- 68293. Ulotrichopus mesoleucus (Walker,1858)** (Noctuidae) Synonym(s): *mesoleucus* Walker,1858; *tortuosus* Wallengren,1866 _ Range (in code): ZA Nta Kzu Ec
- 68294. Ulotrichopus nigricans Laporte,1973** (Noctuidae) Synonym(s): *nigricans* Laporte,1973 _ Range (in code): ZA
- 68295. Ulotrichopus primulinus (Hampson,1902)** (Noctuidae) Synonym(s): *primulinus* Hampson,1902 _ Range (in code): ZA BW Nga Nta Kzu Est
- 68296. Ulotrichopus tessmanni Gaede,1936** (Noctuidae) Synonym(s): *tessmanni* Gaede,1936 _ Range (in code): ZA
- 68297. Ulotrichopus tinctipennis (Hampson,1902)** (Noctuidae) Synonym(s): *tinctipennis* Hampson,1902 _ Range (in code): NA SD EG DJ YE SA AE OM IL Pa ZA BW Nga Dmr
- 68298. Ulotrichopus tinctipennis stertzi (Püngeler,1907)** (Noctuidae) Synonym(s): *stertzi* Püngeler,1907; *arabica* Rebel,1907. Original Reference: *Audea stertzi* Püngeler,1907, Dt. ent. Z., Iris 19: 225. Syntypes: Palaestina, Totes Meer. Range (in code): IL Pa
- 68299. Ulotrichopus tinctipennis tinctipennis (Hampson,1902)** (Noctuidae) Synonym(s): *tinctipennis* Hampson,1902. _ Range (in code): NA BW DJ SD EG YE SA AE OM
- 68300. Ulotrichopus variegatus (Hampson,1902)** (Noctuidae) Synonym(s): *variegatus* Hampson,1902 _ Range (in code): ZA Nta Kzu
- 68301. Uncula tristigmatias (Hampson,1902)** (Noctuidae) Synonym(s): *tristigmatias* Hampson,1902 _ Range (in code): ZA
- 68302. Uraba lugens Walker,1863** (Noctuidae) Synonym(s): *lugens* Walker,1863 _ Range (in code):
- 68303. Urbona albescens (Moore,1882)** (Noctuidae) Synonym(s): *albescens* Moore,1882 _ Range (in code): IN
- 68304. Urbona dentilinealis (Moore,1877)** (Noctuidae) Synonym(s): *dentilinealis* Moore,1877 _ Range (in code): IN Adm MY Bor Swk ID Sum
- 68305. Urbona leucophaea (Walker,[1863])** (Noctuidae) Synonym(s): *leucophaea* Walker,[1863] Original Reference: *Acontia leucophaea* Walker,[1863], J. linn. Soc. (Zool.) 7: 49. Range (in code): IN MY Bor Swk ID Ja Bli
- 68306. Urbona sublineata Walker,1862** (Noctuidae) Synonym(s): *sublineata* Walker,1862 _ Range (in code): IN MM MY Bor
- 68307. Usambaranola fibigeri Hacker,2012** (Noctuidae) Synonym(s): *fibigeri* Hacker,2012 TZ Usa Ani Tnga
- 68308. Usbeca cornuta Püngeler,1914** (Noctuidae) Synonym(s): *cornuta* Püngeler,1914 Original Reference: *Usbeca cornuta* Püngeler,1914, Dt. ent. Z., Iris 28: 46, Taf.ii fig.15. Syntypes 3♂ 1♀: [Kazakhstan]: "Syr-Daria, Baigacum". Range (in code): UZ KG Bai
- 68309. Valeria carducha (Wiltshire,1957)** (Noctuidae) Synonym(s): *carducha* Wiltshire,1957 Original Reference: Antitype *carducha* Wiltshire,1957, Lepidoptera of Iraq: 72-73, Pl.iv fig.15, text-fig.4. Holotype ♂: Iraq: Kurdistan: Shaqlawa, 2500ft, 7-11.iv.53 (coll.Wiltshire). Range (in code): IQ Shq IR Fa
- 68310. Valeria jaspidea (Villers,1789)** (Noctuidae) Synonym(s): *jaspidea* Villers,1789 _ Range (in code): PT ES FR IT DE CH AT YU
- 68311. Valeria kartalea Kuhna & Schmitz,1997** (Noctuidae) Synonym(s): *kartalea* Kuhna & Schmitz,1997; *thomaswitti* Kravchenko, Speidel, Seplyarkaya & Müller,2007; *josefmooseri* Kravchenko, Speidel, Seplyarkaya & Müller,2007 Original Reference: *Valeria kartalea* Kuhna & Schmitz,1997, Jb. naturw. Ver. Wuppertal 5: 94-99. Holotype ♂: Türkei: Gaziantep Prov., 30km W Gaziantep [Yamaçoba], 1100m (coll.Kuhna). Range (in code): TR IL Pa
- 68312. Valeria oleagina (Esper,[1786])** (Noctuidae) Synonym(s): *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. Original Reference: *Phalaena Bombyx oleagina* Esper,[1786], Die Schmett. 2(3): 300, Tab.60, fig.4. Range (in code): FR Sa Si IT MT DE CH AT PL CZ SK HU RO YU BG GR TR IQ LB Bionomy: Larva on *Prunus spinosa*, Crataegus (Rosaceae) (Hacker,2001).

- 68313. *Valeria oleagina oleagina* (Esper,[1786])** (Noctuidae) **Synonym(s):** *#oleagina* [Denis & Schiffermüller],1775; *oleagina* Esper,[1786]. **Original Reference:** *Phalaena Bombyx oleagina* Esper,[1786], Die Schmett. 2(3): 300, Tab.60, fig.4. **Range (in code):** **FR Sa Si IT MT DE CH AT PL CZ SK HU RO YU BG GR**
- 68314. *Valeria oleagina syriaca* Osthelder,1933** (Noctuidae) **Synonym(s):** *syriaca* Osthelder,1933 **Original Reference:** *Valeria oleagina* ssp. *syriaca* Osthelder,1933, Mitt. münch. ent. Ges. 23: 60. Syntypes 8♂ 1♀: [Türkei]: Maraş. **Range (in code):** **TR IQ LB** **Bionomy:** Larva on *Prunus spinosa*, *Crataegus* (Rosaceae) (Hacker,2001).
- 68315. *Valeria schreieri* Hacker & Ebert,2002** (Noctuidae) **Synonym(s):** *schreieri* Hacker & Ebert,2002 **Original Reference:** *Valeria schreieri* Hacker & Ebert,2002, Esperiana 9: 252-253, figs. Holotype ♂: Iran: Fars: Kazeroun, Gavkoshok, 30.xi.1975 leg. L.T. (SMNK). **Range (in code):** **IR Fa**
- 68316. *Valerietta boursini* De Freina & Hacker,1985** (Noctuidae) **Synonym(s):** *boursini* De Freina & Hacker,1985 **Original Reference:** *Valerietta boursini* De Freina & Hacker,1985, Entomofauna 6 (19): 254-256, Abb. 18,20. Holotype ♂: [Türkei]: "Kleinasien: Prov. Hakkari, Zab-Tal, 25km SW Beytüşşebap, 1350m", 5.6.82 (leg. De Freina, coll. Hacker) [the given locality is incorrect]. **Range (in code):** **TR**
- 68317. *Valerietta bulgarica* (Drenowski,1953)** (Noctuidae) **Synonym(s):** *bulgarica* Drenowski,1953 **Original Reference:** *Crypsedra niphopasta* ssp. *bulgarica* Drenowski,1953, Bull. Inst. Zool. Acad. Bulg. Sci. 2: 373-376. Neotype ♂: Bulgaria, Arkutino, 3.viii.1973, leg. Z. Varga (coll. Hreblay) (designated by Hreblay,1992, Esperiana 3: 237). **Range (in code):** **BG**
- 68318. *Valerietta forsteri* Draudt,1938** (Noctuidae) **Synonym(s):** *forsteri* Draudt,1938 **Original Reference:** *Valerietta forsteri* Draudt,1938, Mitt. münch. ent. Ges. 28: 30. Holotype ♂: N-Iran: Elbursgebirge, Vandarban (ZSM). **Range (in code):** **IR Elb Mz Clu Vdb**
- 68319. *Valerietta niphopasta* (Hampson,1906)** (Noctuidae) **Synonym(s):** *niphopasta* Hampson,1906 **Original Reference:** *Lamprostieta niphopasta* Hampson,1906, Cat. lepid. Phalaenae Br. Mus. 6: 313. Syntypes: [Turkey]: Syria: Akbes (BMNH). **Range (in code):** **TR**
- 68320. *Valeriodes aurantiaca* Hreblay & Plante,1995** (Noctuidae) **Synonym(s):** *aurantiaca* Hreblay & Plante,1995 **Range (in code):**
- 68321. *Valeriodes auroviridis* Hreblay & L.Ronkay,1999** (Noctuidae) **Synonym(s):** *auroviridis* Hreblay & L.Ronkay,1999 **Range (in code):** **NP**
- 68322. *Valeriodes chlorota* (Hampson,1909)** (Noctuidae) **Synonym(s):** *chlorota* Hampson,1909; *aestivalis* Hreblay & L.Ronkay,1998 **Range (in code):**
- 68323. *Valeriodes cyanelinea* (Hampson,1894)** (Noctuidae) **Synonym(s):** *cyanelinea* Hampson,1894 **Range (in code):**
- 68324. *Valeriodes heterocampa* (Moore,1882)** (Noctuidae) **Synonym(s):** *heterocampa* Moore,1882 **Range (in code):**
- 68325. *Valeriodes icamba* (Swinhoe,1893)** (Noctuidae) **Synonym(s):** *icamba* Swinhoe,1893 **Range (in code):**
- 68326. *Valeriodes viridinigra* (Hampson,1896)** (Noctuidae) **Synonym(s):** *viridinigra* Hampson,1896 **Range (in code):**
- 68327. *Vandamia bicincta* (Hampson,1904)** (Noctuidae) **Synonym(s):** *bicincta* Hampson,1904 **ZA Ec**
- 68328. *Vandamia lightfooti* Van Son,1933** (Noctuidae) **Synonym(s):** *lightfooti* Van Son,1933 **Range (in code):** **ZA Ec Wca**
- 68329. *Vandamia mariepi* Van Son,1933** (Noctuidae) **Synonym(s):** *mariepi* Van Son,1933 **Range (in code):** **ZA Tva Nta Kzu Srn**
- 68330. *Vandamia meyi* Hacker,2012** (Noctuidae) **Synonym(s):** *meyi* Hacker,2012 **ZA Nca**
- 68331. *Vandamia porphyriana* Hacker,2012** (Noctuidae) **Synonym(s):** *porphyriana* Hacker,2012 **ZA Nta Kzu Drb**
- 68332. *Vandamia sertalis* (Toulgoet,1982)** (Noctuidae) **Synonym(s):** *sertalis* Toulgoet,1982 **MG**
- 68333. *Vandamia stellenboschi* Hacker,2012** (Noctuidae) **Synonym(s):** *stellenboschi* Hacker,2012 **ZA Ec Ste**
- 68334. *Vandamia tabularis* Hacker,2012** (Noctuidae) **Synonym(s):** *tabularis* Hacker,2012 **ZA Wca**
- 68335. *Vandamia typica* Van Son,1933** (Noctuidae) **Synonym(s):** *typica* Van Son,1933 **Range (in code):** **ZA Tva Ec Nta Kzu Pie**

- 68336. Varganola flavibasis (Hampson,1900)** (Noctuidae) Synonym(s): *flavibasis* Hampson,1900 Range (in code): LK
- 68337. Veia homopteroides Walker,[1863]** (Noctuidae) Synonym(s): *homopteroides* Walker,[1863] Range (in code): MY Bor Swk TH Ntt Hba
- 68338. Vestura minereusalis (Walker,1859)** (Noctuidae) Synonym(s): *minereusalis* Walker,1859; *adeba* Swinhoe,1904 Range (in code): MY Bor Swk SG TH Ntt Hba Nrt Kao CN ID Sum
- 68339. Victrix (Moureia) microglossa (Rambur,1858)** (Noctuidae) Synonym(s): *microglossa* Rambur,1858; *subplumbeola* Culot,1912; *cinnamomina* Rothschild,1914 Range (in code): MR MA NE DZ Ah Ges Eba Abe Sbd Afl Lbs PT ES An Mu
- 68340. Victrix (Poliobrya) fabiani Varga & L.Ronkay,1989** (Noctuidae) Synonym(s): *fabiani* Varga & L.Ronkay,1989 Range (in code): MN
- 68341. Victrix (Poliobrya) frigidalis Varga & L.Ronkay,1991** (Noctuidae) Synonym(s): *frigidalis* Varga & L.Ronkay,1991 Range (in code): MN
- 68342. Victrix (Poliobrya) patula (Püngeler,1907)** (Noctuidae) Synonym(s): *patula* Püngeler,1907 Range (in code): CN Ui KI
- 68343. Victrix (Poliobrya) umovii (Eversmann,1846)** (Noctuidae) Synonym(s): *umovii* Eversmann,1846 Range (in code): PL NO SE FI EE LV LT RU Cc Ro Sb UA
- 68344. Victrix (Rasihia) boursini (Draudt,1936)** (Noctuidae) Synonym(s): *boursini* Draudt,1936 Original Reference: Oedibrya boursini Draudt,1936, Ent. Rdsch. 53: 459, Taf.d4. Syntypes 3♂: [Türkei]: Wan, Dorf Kelitschik, 2000m (destroyed). Range (in code): TR Cc IR
- 68345. Victrix (Rasihia) chloroxantha (Boursin,1957)** (Noctuidae) Synonym(s): *chloroxantha* Boursin,1957 Range (in code): AF Pag
- 68346. Victrix (Rasihia) commixta (W.Warren,1909)** (Noctuidae) Synonym(s): *commixta* W.Warren,1909 Original Reference: Metachrostis commixta W.Warren,1909, [in] Seitz, Gross-Schmett. Erde 3: 22-23 (4i). Syntypes 1♂ 1♀: Nord-Afghanistan: Provinz Kuliab (Tring Mus.) Range (in code): AF TR
- 68347. Victrix (Rasihia) conspersa (Christoph,1893)** (Noctuidae) Synonym(s): *conspersa* Christoph,1893; *forsteri* Brandt,1941. Original Reference: Bryophila conspersa Christoph,1893, Dt. ent. Z., Iris 6: 89. Type(s): [Turkmenistan]: Aschabad. Range (in code): TM Kp IR Kh KuB
- 68348. Victrix (Rasihia) duelduelica (Osthelder,1932)** (Noctuidae) Synonym(s): *duelduelica* Osthelder,1932. Original Reference: Bryophila tabora ssp. düldülica Osthelder,1932, Mitt. münch. ent. Ges. 22 (2): 86-87. Syntypes: [Türkei]: Marasch, Düldül Dag (ZSM). Range (in code): TR
- 68349. Victrix (Rasihia) hackeri Varga & Ronkay,1991** (Noctuidae) Synonym(s): *hackeri* Varga & Ronkay,1991 Original Reference: Victrix (Rasihia) hackeri Varga & Ronkay,1991, Nota lepid. 14 (2): 168-170, figs. Holotype ♂: Turkey: Bitlis Prov., Basor-Tal, 1400m, 25km SW Bitlis, 16.ix.1985, Hacker leg. (coll. Hacker). Range (in code): TR Cc AM Geg
- 68350. Victrix (Rasihia) illustris Varga & Ronkay,1991** (Noctuidae) Synonym(s): *illustris* Boursin,1969; *illustris* Varga & Ronkay,1991. Original Reference: Victrix (Rasihia) illustris Varga & Ronkay,1991, Nota lep.d 14 (2): 157-159 [f. illustris Boursin,1969 raised to specific rank!]. Range (in code): AF Nu Bkt
- 68351. Victrix (Rasihia) klapperichi Hacker,2001** (Noctuidae) Synonym(s): *klapperichi* Hacker,2001 Original Reference: Victrix klapperichi Hacker,2001, Esperiana 8: 31, pl.2 fig.8. Holotype ♂: "O-Jordanien, Amman, 800m, 1.10.1957, leg. J.Klapperich (LSNK)". Range (in code): JO
- 68352. Victrix (Rasihia) lichenodes Boursin,1969** (Noctuidae) Synonym(s): *lichenodes* Boursin,1969 Original Reference: Victrix lichenodes Boursin,1969, Entomops 15: 234. Holotype ♂: Afghanistan, Nuristan 1800m 25km N Barikot, leg. Vartian (MNHW). Range (in code): AF Nu Bkt PK Klm Swa Sgl
- 68353. Victrix (Rasihia) macrosema (Boursin,1957)** (Noctuidae) Synonym(s): *macrosema* Boursin,1957 Range (in code): IR Elb Th Kdj
- 68354. Victrix (Rasihia) marginelota (de Joannis,1888)** (Noctuidae) Synonym(s): *marginelota* de Joannis,1888 Original Reference: Bryophila marginelota de Joannis,1888, Annls Soc. ent. Fr. 1888: 271. Type(s): Syrie: Beyrouth. Range (in code): LB Bei IL Pa
- 68355. Victrix (Rasihia) sassanica Wiltshire,1961** (Noctuidae) Synonym(s): *sassanica* Wiltshire,1961 Range (in code): IR Fa Shr

- 68356. *Victrix (Rasihia) tabora* (Staudinger,1892)** (Noctuidae) Synonym(s): *tabora* Staudinger,1892 Original Reference: Bryophila tabora Staudinger,1892, Dt. ent. Z., Iris 4: 264-265. Type ♀: [Türkei]: Aintab [= Gaziantep], 5 September (Manissadjian leg.). Range (in code): **TR IQ Mos IR Fa Km Ksh Lo Com IL Pa**
- 68357. *Victrix (s.str.) agenjoi* (Fernández,1931)** (Noctuidae) Synonym(s): *agenjoi* Fernández,1931 Range (in code): **ES**
- 68358. *Victrix (s.str.) artaxias* Varga & Ronkay,1989** (Noctuidae) Synonym(s): *artaxias* Varga & Ronkay,1989 Original Reference: *Victrix (s.str.) artaxias* Varga & Ronkay,1989; *Nota lep.d* 12 (1): 77-78, figs. Holotype ♂: Armenia: Geghard, 1700m 3-11.9.1975, leg. & coll. Vartian (in the hellenistic nema of Armenian King, Artashes I, founder of Unit. Arm. Kingdom in the 2nd century). Range (in code): **TR Cc AM Geg**
- 68359. *Victrix (s.str.) gracilis* (Wagner,1931)** (Noctuidae) Synonym(s): *gracilis* Wagner,1931 Original Reference: *Amelina gracilis* Wagner,1931, Int. ent. Z. 25: 369. Type ♂: Akshehir (destroyed). Neotype ♂: [Turkey: Ankara Prov.]: Asia min., Tuz Gölü, N-Ufer, 4-10.9.1971, Friedel leg. (ZSM). Range (in code): **TR**
- 68360. *Victrix (s.str.) karsiana* Staudinger,1879** (Noctuidae) Synonym(s): *karsiana* Staudinger,1879 Original Reference: *Victrix karsiana* Staudinger,1879, [in] Romanoff, Horae Soc. ent. ross. 14: 490, pl.3 fig.2 Type: [Türkei], Kars (MNHU, Berlin). Range (in code): **TR Cc AM Eri Arg Svn Geg AF**
- 68361. *Victrix (s.str.) karsiana karsiana* Staudinger,1879** (Noctuidae) Synonym(s): *karsiana* Staudinger,1879 Original Reference: *Victrix karsiana* Staudinger,1879, [in] Romanoff, Horae Soc. ent. ross. 14: 490, pl.3 fig.2 Type: [Türkei], Kars (MNHU, Berlin). Range (in code): **TR Cc AM Eri Arg Svn Geg AF**
- 68362. *Victrix (s.str.) karsiana lithoxys* Ronkay & Varga,1989** (Noctuidae) Synonym(s): *lithoxys* Ronkay & Varga,1989 Original Reference: *Victrix (s.str.) karsiana* ssp. *lithoxys* Ronkay & Varga,1989, *Nota lepid.* 12 (1): 74-75, figs. 9-10. Holotype ♂: [Turkey]: Asia min. Kızılcahamam, Aamkoru, 1400m, 25-27.8.1971, Friedel leg. (ZSM). Range (in code): **TR**
- 68363. *Victrix (s.str.) pinkeri* Hacker & Lödl,1989** (Noctuidae) Synonym(s): *pinker* Hacker & Lödl,1989 Range (in code): **TR**
- 68364. *Victrix precisa* (W.Warren,1909)** (Noctuidae) Synonym(s): *precisa* W.Warren,1909; *salmonia* Culot,1912; *subperla* Rothschild,1914; *incomposita* Lucas,1950 Range (in code): **DZ Sbd Ges MA Orn Prr Abe**
- 68365. *Vietteania catadela* (D.S.Fletcher,1961)** (Noctuidae) Synonym(s): *catadela* D.S.Fletcher,1961 Range (in code): **KE**
- 68366. *Vietteania griveaudi* Viette,1978** (Noctuidae) Synonym(s): *griveaudi* Viette,1978 Range (in code): **KM**
- 68367. *Vietteania homoeoptera* (Hampson,1918)** (Noctuidae) Synonym(s): *homoeoptera* Hampson,1918; *inangulata* Gaede,1935 Range (in code): **MW KE**
- 68368. *Vietteania longirostris* (Berio,1940)** (Noctuidae) Synonym(s): *longirostris* Berio,1940 Range (in code): **ET ET45 ET86 ER**
- 68369. *Vietteania pinna* (Saalmüller,1891)** (Noctuidae) Synonym(s): *pinna* Saalmüller,1891 Range (in code): **ZA**
- 68370. *Vietteania pyrostroma* (Hampson,1907)** (Noctuidae) Synonym(s): *pyrostroma* Hampson,1907 Range (in code): **UG**
- 68371. *Vietteania torrentium* (Guenée,1852)** (Noctuidae) Synonym(s): *torrentium* Guenée,1852; *intestata* Walker,1856; *infima* Wallengren,1875; *bazyae* Möschler,1884; *parvula* Kenrick,1917; *homochroma* Rungs,1955; *tenebrata* Rungs,1955; *#torrentium* Poole,1989 Range (in code): **ZW Har ZA Wca Ec Cto Tva Gau Pre Nta Kzu Est Dbn MG**
- 68372. *Westermannia araeogramma* Hampson,1905** (Noctuidae) Synonym(s): *araeogramma* Hampson,1905 Range (in code): **ZA**
- 68373. *Westermannia argentea* Hampson,1891** (Noctuidae) Synonym(s): *argentea* Hampson,1891 Range (in code): **IN ID Mlc Sum MY Bor Sbh KBa Swk** Bionomy: Larva on Terminalia (Combretaceae) (Holloway,2003).
- 68374. *Westermannia argyrolaga* Hampson,1905** (Noctuidae) Synonym(s): *argyrolaga* Hampson,1905 Range (in code): **ZA**
- 68375. *Westermannia convergens* Hampson,1902** (Noctuidae) Synonym(s): *convergens* Hampson,1902 Range (in code): **ZA Ans Ec**

- 68376. *Westermannia elliptica* Bryk,1913** (Noctuidae) Synonym(s): *elliptica* Bryk,1913; *obscura* Wileman,1914; *albiceps* Matsumura,1931; *rajata* Kobes,1988 _ Range (in code): **TW ID Sum MY Bor Sbh**
- 68377. *Westermannia oediopaga* Hampson,1910** (Noctuidae) Synonym(s): *oediopaga* Hampson,1910 _ Range (in code): **ZA**
- 68378. *Westermannia pangolina* Holloway,1982** (Noctuidae) Synonym(s): *pangolina* Holloway,1982 _ Range (in code): **ID PH Clb Adm TH CMa**
- 68379. *Westermannia poupa* Holloway,1979** (Noctuidae) Synonym(s): *poupa* Holloway,1979 _ Range (in code): **NC**
- 68380. *Westermannia roseitincta* Pinhey,1968** (Noctuidae) Synonym(s): *roseitincta* Pinhey,1968 _ Range (in code): **ZA**
- 68381. *Westermannia superba* Hübner,1823** (Noctuidae) Synonym(s): *superba* Hübner,1823; *westermanni* Guenée,1852; *gloriosa* Hampson,1912 _ Range (in code): **ZA MY Bor Swk SG ID Klt Sum TH CMa CDo CD2 Dst Dso9 IN LK Pdy PH Pal** Bionomy: Larva on Lagerstroemia (Lythraceae), Terminalia, Anogeissus (Combretaceae) (Gardner,1948 et seq.).
- 68382. *Westermannia triangularis* Moore,1877** (Noctuidae) Synonym(s): *triangularis* Moore,1877; *sumatrana* Strand,1913 _ Range (in code): **IN Adm MY Bor Sbh ID Klt Sum Clb PH**
- 68383. *Weymeria athene* (Karsch,1892)** (Noctuidae) Synonym(s): *athene* Karsch,1892 _ Range (in code): **TZ**
- 68384. *Wiltshireola disrupta* (Wiltshire,1952)** (Noctuidae) Synonym(s): *disrupta* Wiltshire,1952 _ Range (in code): **IR Fa**
- 68385. *Wiltshireola praecipua* Hacker & Kravchenko,2001** (Noctuidae) Synonym(s): *praecipua* Hacker & Kravchenko,2001 _ Range (in code): **IL Pa He**
- 68386. *Wittstrotia fansipani* Behounek & Speidel,2005** (Noctuidae) Synonym(s): *fansipani* Behounek & Speidel,2005 _ Range (in code): **VN Lci Ton Fan**
- 68387. *Wittstrotia flavannamica* Behounek & Speidel,2005** (Noctuidae) Synonym(s): *flavannamica* Behounek & Speidel,2005 _ Range (in code): **VN Tda Ton Lci Fan**
- 68388. *Wittstrotia flavannamica flavannamica* Behounek & Speidel,2005** (Noctuidae) Synonym(s): *flavannamica* Behounek & Speidel,2005 _ Range (in code): **VN Tda Ton Lci Fan**
- 68389. *Wittstrotia fukiensis* (Daniel,1955)** (Noctuidae) Synonym(s): *fukiensis* Daniel,1955 _ Range (in code): **CN Fkn**
- 68390. *Wittstrotia nunta* Kemal, Leksawasdi & Koçak,2006** (Noctuidae) Synonym(s): *nunta* Kemal, Leksawasdi & Koçak,2006 _ Original Reference: *Wittstrotia flavannamica* ssp. *nunta* Kemal, Leksawasdi & Koçak,2006, Cent. ent. Stud., Misc. Pap. 99: 5-6. Holotype ♀: N.Thailand: Chiang Mai, Chiang Dao, San Pakia RFD, Watershed Station, 28.iv.-1.v.1994, leg. I.J.Kitching leg. (Cesa). Range (in code): **TH CMa CDo Int Fn Php**
- 68391. *Wittstrotia taroko* Speidel & Behounek,2005** (Noctuidae) Synonym(s): *taroko* Speidel & Behounek,2005 _ Range (in code): **TW**
- 68392. *Xanthanomis fuscifrons* (Walker,[1863])** (Noctuidae) Synonym(s): *fuscifrons* Walker,[1863] _ Range (in code): **MY Bor Swk**
- 68393. *Xanthanomis* sp.** (Noctuidae) Synonym(s): _ Range (in code): **TH Tng MY Bor**
- 68394. *Xanthia* (Cirrhia) *austauti* Oberthür,1881** (Noctuidae) Synonym(s): *austauti* Oberthür,1881; *algorica* A.Bang-Haas,1912; *batnensis* Culot,1917; *monilifera* Culot,1917; *rosina* Culot,1917 _ Original Reference: *Xanthia austauti* Oberthür,1881, Etud. Ent. 6: 87, pl.1 fig.3. Type: Algérie, Sidi-bel-Abbès (Austaut leg.). Range (in code): **PT ES DZ Abe Btma BSa Afl Bdj Ges**
- 68395. *Xanthia* (Cirrhia) *gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775 _ Original Reference: *Noctua gilvago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ Btma ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kyi MD UA BY Ch IQ Agh IR Gl**
- 68396. *Xanthia* (Cirrhia) *gilvago bathi* (Döring,1934)** (Noctuidae) Synonym(s): *bathi* Döring,1934 _ Range (in code): **IQ Agh**
- 68397. *Xanthia* (Cirrhia) *gilvago gilvago* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *gilvago* [Denis & Schiffermüller],1775 _ Original Reference: *Noctua gilvago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ Btma ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU GG Smt Bjo Lag Cc Ro Kr St Kyi MD UA BY**

- 68398. *Xanthia (Cirrha) ocellaris (Borkhausen,1792)*** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803]. Original Reference: *Phalaena ocellaris* Borkhausen,1792, Naturg. eur. Schmett. 4: 647. Type(s). Range (in code): **MA DZ Sbd PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU MK BG GR TR LB SY IR Ab Oru Fa Shr Es DK SE FI RU Cc Ro Kr St Ich MD UA BY Sb TM CN KP KR** Bionomy: Larva on Populus (Hampson,1906).
- 68399. *Xanthia (Cirrha) ocellaris ocellaris (Borkhausen,1792)*** (Noctuidae) Synonym(s): *ocellaris* Borkhausen,1792; *palleago* Hübner,[1803]. Original Reference: *Phalaena ocellaris* Borkhausen,1792, Naturg. eur. Schmett. 4: 647. Type(s). Range (in code): **MA DZ Sbd PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB DK SE FI RU Cc Ro Kr St Ich MD UA BY**
- 68400. *Xanthia (Tiliacea) aurago ([Denis & Schiffermüller],1775)*** (Noctuidae) Synonym(s): *aurago* [Denis & Schiffermüller],1775; *rutilago* [Denis & Schiffermüller],1775 ; *fuscata* Esper,1788 nec Hufn.,1766 Original Reference: *Noctua aurago* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 68401. *Xanthia (Tiliacea) citrigo (Linnaeus,1758)*** (Noctuidae) Synonym(s): *citrigo* Linnaeus,1758; *flavastrigata* Retzius,1783 Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc Ro Nt St Ich MD UA BY**
- 68402. *Xanthia (Tiliacea) cypreago (Hampson,1906)*** (Noctuidae) Synonym(s): *cypreago* Hampson,1906 Original Reference: *Cosmia cypreago* Hampson,1906, Cat. Lepid. Phalaenae Br. Mus. 6: 506. Type(s): Cyprus. Range (in code): **Si IT MK BG GR Cr CY TR IL Pa**
- 68403. *Xanthia basalis* Walker,1862** (Noctuidae) Synonym(s): *basalis* Walker,1862 Range (in code): **ZA**
- 68404. *Xanthia castanea (Osthelder,1933)*** (Noctuidae) Synonym(s): *#castanea* W.Warren,1911; *castanea* Osthelder,1933; *pontica* Kljutshko,1968 Range (in code): **RO YU BG GR Cr CY TR LB IL Pa RU UA Cm** Bionomy: Larva on *Quercus coccifera* (Wiltshire,1948).
- 68405. *Xanthia glaucozona Hreblay, Peregovits & L.Ronkay,1999*** (Noctuidae) Synonym(s): *glaucozona* Hreblay, Peregovits & L.Ronkay,1999 Range (in code): **VN Lci TH CMa**
- 68406. *Xanthia icteritia (Hufnagel,1766)*** (Noctuidae) Synonym(s): *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. Original Reference: *Phalaena icteritia* Hufnagel,1766, Berl. Mag. 3 (3): 296. Type(s): Germany: Berlin. Range (in code): **MA PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc IR Ab Elb Th DK NO SE FI EE LV LT RU Ro Kr Kb St Nt Ich Ing Kyi Da MD UA BY JP** Bionomy: Larva on flowers of *Salix caprea* (Salicaceae) (Kemal & Koçak,2010).
- 68407. *Xanthia sulphurago ([Denis & Schiffermüller],1775)*** (Noctuidae) Synonym(s): *#fulvago* Clerk,1759; *sulphurago* [Denis & Schiffermüller],1775; *ochrago* Fabricius,1791; *#sulfurago* Poltavsky & Nekrasov,2002 Original Reference: *Noctua sulphurago* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 86. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK HU RO YU BG GR TR SE RU Cc Kr Da GG Smt Bjo MD UA Cm BY**
- 68408. *Xanthia togata (Esper,1788)*** (Noctuidae) Synonym(s): *lutea* Ström,1783; *flavago* Fabricius,1787; *togata* Esper,1788; *rubago* Donovan,1801; *silago* Hübner,[1803]. Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR AZ Kır Cc DK NO SE FI EE LV LT RU Kr Kb Nt Ich MD UA BY**
- 68409. *Xanthodes albago (Fabricius,1794)*** (Noctuidae) Synonym(s): *albago* Fabricius,1794; *malvae* Esper,[1796]; *stramen* Guenée,1852; *impurata* Walker,1857; *impellens* Walker,1858; *inefficiens* Walker,1858. Original Reference: *Noctua albago* Fabricius,1794, Ent. Syst. 3 (2): 74. Type: Transquebarie. Range (in code): **MR MA DZ Agi Bsk Ktr Perr Abe Clo ET ZA Tva Gau Pre ES Mu FR Sa Si IT MT AL GR Cr TR IR IQ AF LB Bei IN TW LK CN KP KR JP AU** Bionomy: Larva on *Malva moschata*, *Lavathera olbia* (Hoffman,1893; Spuler,1903; Hampson,1912).
- 68410. *Xanthodes congenita (Hampson)*** (Noctuidae) Synonym(s): Range (in code): **IN MM ID Ja AU NC**
- 68411. *Xanthodes intersepta* Guenée,1852** (Noctuidae) Synonym(s): *intersepta* Guenée,1852 Range (in code): **TH**
- 68412. *Xanthodes transversa (Guenée,1852)*** (Noctuidae) Synonym(s): *transversa* Guenée,1852 Range (in code): **TH Chc Bnk Sbi Roi Sak** Bionomy: Larva on *Hibiscus sabdariffa* [roselle], *Abelmoschus moschatus* [cha mod ton], *Abutilon indicum* [chinese bell flower] (Malvaceae), *Solanum torvum* [ma khuea phuang] (Solanaceae) (Lewvanich,2001).

- 68413. *Xanthomanthis cornelia* (Staudinger,1888)** (Noctuidae) Synonym(s): *cornelia* Staudinger,1888; *honrathii* Graeser,[1889] _ Range (in code): **RU Am CN TH CMa MAI Php KP KR**
- 68414. *Xanthomera leucoglène* (Mabille,1880)** (Noctuidae) Synonym(s): *leucoglène* Mabille,1880 _ Range (in code): **ZA**
- 68415. *Xanthothrix callicore* (Staudinger,1871)** (Noctuidae) Synonym(s): *callicore* Staudinger,1871 _ Range (in code): **TR**
- 68416. *Xenochroa annae* (Swinhoe,1904)** (Noctuidae) Synonym(s): *annae* Swinhoe,1904
Range (in code): **ID Sum Clb MY Bor Swk** Bionomy: Larva on Eugenia (Myrtaceae) (Yunus & Ho,1980).
- 68417. *Xenochroa argentipunctata* (Holloway,1976)** (Noctuidae) Synonym(s): *argentipunctata* Holloway,1976 _ Range (in code): **ID Sum MY Bor**
- 68418. *Xenochroa argentipurpurea* (Holloway,1976)** (Noctuidae) Synonym(s): *argentipurpurea* Holloway,1976 _ Range (in code): **MY Bor Sbh KBa**
- 68419. *Xenochroa argentiviridis* (Holloway,1976)** (Noctuidae) Synonym(s): *argentiviridis* Holloway,1976 _ Range (in code): **MY Bor**
- 68420. *Xenochroa balteata* (W.Warren,1912)** (Noctuidae) Synonym(s): *balteata* W.Warren,1912
Range (in code): **ID Sum MY Bor Swk**
- 68421. *Xenochroa biviata* (Hampson,1905)** (Noctuidae) Synonym(s): *biviata* Hampson,1905
Range (in code): **ID Sum MY Bor**
- 68422. *Xenochroa calva* (W.Warren,1916)** (Noctuidae) Synonym(s): *calva* W.Warren,1916; *lentilineata* Hampson,1918; *flavidirubra* Hampson,1918 _ Range (in code): **MY Bor Sbh KBa BN ID Sum**
- 68423. *Xenochroa careoides* (W.Warren,1912)** (Noctuidae) Synonym(s): *careoides* W.Warren,1912; *nigrimacula* Kobes,1997 _ Range (in code): **ID Sum PH Pal IN Adm CN Hn MY Bor**
- 68424. *Xenochroa chlorostigma* (Hampson,1893)** (Noctuidae) Synonym(s): *chlorostigma* Hampson,1893; *tumidistigma* W.Warren,1916; *#borneonis* Strand,1917; *#sikkimensis* Strand,1917 _ Range (in code): **LK IN SI PH MY Bor BN Sbh KBa ID Clb** Bionomy: Larva on Eugenia, Syzygium (Myrtaceae), Memecylon (Melastomataceae), Camellia (Theaceae) (Mathur,1942 et seq.).
- 68425. *Xenochroa costiplaga* (Swinhoe,1893)** (Noctuidae) Synonym(s): *costiplaga* Swinhoe,1893; *tarika* Swinhoe,1901; *#fakfakensis* Strand,1917; *defuscata* A.E.Prout,1922 _ Range (in code): **MY Bor Sbh KBa PG ID Ij Crm Bru Mlc** Bionomy: Larva on Cynometra (Fabaceae) (Yunus & Ho,1980).
- 68426. *Xenochroa diluta* (W.Warren,1912)** (Noctuidae) Synonym(s): *diluta* W.Warren,1912; *latera* Kobes,1997 _ Range (in code): **ID Sum MY Bor Swk Sbh KBa**
- 68427. *Xenochroa dohora* Kobes,1997** (Noctuidae) Synonym(s): *dohora* Kobes,1997 _ Range (in code): **IN ?Ass ID Sum MY Bor**
- 68428. *Xenochroa ferrinigra* (Holloway,1976)** (Noctuidae) Synonym(s): *ferrinigra* Holloway,1976 _ Range (in code): **MY Bor**
- 68429. *Xenochroa ferriviridis* (Holloway,1976)** (Noctuidae) Synonym(s): *ferriviridis* Holloway,1976; *ochreoviridis* Holloway,1976 _ Range (in code): **MY Bor**
- 68430. *Xenochroa fulvescens* (W.Warren,1912)** (Noctuidae) Synonym(s): *fulvescens* W.Warren,1912; *obliquifascia* A.E.Prout,1928; *rubiginosa* Roepke,1935; *javana* Roepke,1935 _ Range (in code): **MY Bor Swk Sbh KBa ID Ja Kai**
- 68431. *Xenochroa fuscomarginata* (Hampson,1894)** (Noctuidae) Synonym(s): *fuscomarginata* Hampson,1894; *nexilla* Hampson,1912; *bironga* Kobes,1997 _ Range (in code): **MY Bor Swk Sbh MM Mrg SG ID Sum**
- 68432. *Xenochroa fuscata* (A.E.Prout,1928)** (Noctuidae) Synonym(s): *fuscata* A.E.Prout,1928
Range (in code): **ID Sum MY Bor Swk BN**
- 68433. *Xenochroa leucocraspis* (Hampson,1905)** (Noctuidae) Synonym(s): *leucocraspis* Hampson,1905 _ Range (in code): **MY Bor Sbh**
- 68434. *Xenochroa mathilda* (Swinhoe,1904)** (Noctuidae) Synonym(s): *mathilda* Swinhoe,1904
Range (in code): **MY Bor Swk BN ID Klt Sum**
- 68435. *Xenochroa mediogrisea* (W.Warren,1912)** (Noctuidae) Synonym(s): *mediogrisea* W.Warren,1912 _ Range (in code): **MY Bor**
- 68436. *Xenochroa minima* (W.Warren,1912)** (Noctuidae) Synonym(s): *minima* W.Warren,1912
Range (in code): **MY Pen**
- 68437. *Xenochroa notodontina* R.Felder & Rogenhofer,1874** (Noctuidae) Synonym(s): *notodontina* R.Felder & Rogenhofer,1874; *egens* A.E.Prout,1924 _ Range (in code): **ID Sum Ja MY Bor BN**

- 68438. *Xenochroa obvia* (Hampson,1912)** (Noctuidae) **Synonym(s):** *obvia* Hampson,1912
Range (in code): **MY Bor ID Sum PH**
- 68439. *Xenochroa plesiogramma* (A.E.Prout,1926)** (Noctuidae) **Synonym(s):** *plesiogramma* A.E.Prout,1926; *zonata* Roepke,1935 **Range (in code):** **MY Bor Swk Sbh KBa ID Sum Ja**
- 68440. *Xenochroa pryeri* (Druce,1911)** (Noctuidae) **Synonym(s):** *pryeri* Druce,1911 **Range (in code):** **ID Sum MY Bor**
- 68441. *Xenochroa purpurea* (Hampson,1891)** (Noctuidae) **Synonym(s):** *purpurea* Hampson,1891; *devia* Hampson,1912; *infundibulata* W.Warren,1916 **Range (in code):** **IN MY Bor Swk ID Sum**
- 68442. *Xenochroa purpureolineata* (Hampson,1918)** (Noctuidae) **Synonym(s):** *purpureolineata* Hampson,1918; *aetha* A.E.Prout,1928 **Range (in code):** **ID Sum MY Bor**
- 68443. *Xenochroa ronkayi* Kobes,1997** (Noctuidae) **Synonym(s):** *ronkayi* Kobes,1997 **Range (in code):** **ID Sum**
- 68444. *Xenochroa rubrifusa* (Hampson,1905)** (Noctuidae) **Synonym(s):** *rubrifusa* Hampson,1905 **Range (in code):** **ID Sum MY Bor**
- 68445. *Xenochroa transpurpuralis* (Holloway,1976)** (Noctuidae) **Synonym(s):** *transpurpuralis* Holloway,1976 **Range (in code):** **ID Sum MY Bor Sbh KBa**
- 68446. *Xenochroa trilineata* (W.Warren,1912)** (Noctuidae) **Synonym(s):** *trilineata* W.Warren,1912; *trichotmeta* A.E.Prout,1924; *ferribrunnea* Holloway,1976 **Range (in code):** **IN MY Bor ID Sum**
- 68447. *Xenochroa verticata* (W.Warren,1916)** (Noctuidae) **Synonym(s):** *verticata* W.Warren,1916; *padangensis* Roepke,1935 **Range (in code):** **MY Bor Sbh ID Sum Klt**
- 68448. *Xenochroa xanthia* (Hampson,1902)** (Noctuidae) **Synonym(s):** *xanthia* Hampson,1902; *#xanthiana* Strand,1917; *xanthiana* Gaede,1937 **Range (in code):** **IN ID Sum MY SG Bor PH Pal**
- 68449. *Xenophysa agnostica* Varga,1989** (Noctuidae) **Synonym(s):** *junctimacula* Staudinger,1901 *nec* Chr.,1887; *agnostica* Varga,1989 **Range (in code):** **UZ Fe AF KK TJ Pm Chr**
- 68450. *Xenophysa argyrogramma* Varga,1985** (Noctuidae) **Synonym(s):** *argyrogramma* Varga,1985 **Range (in code):** **AF**
- 68451. *Xenophysa boursini* Varga,1985** (Noctuidae) **Synonym(s):** *boursini* Varga,1985 **Range (in code):** **AF**
- 68452. *Xenophysa huberi* Varga,1989** (Noctuidae) **Synonym(s):** *huberi* Varga,1989 **Original Reference:** *Xenophysa huberi* Varga,1989, Z.ArbGem. öst. Ent. 41 (1/2): 4-5, figs. Holotype ♂: Türkei East. Başkale Umgb. 2900m. Güseldere Pass 30.vi-7.vii.1984 leg. Kurt Huber (coll.Huber). **Range (in code):** **TR**
- 68453. *Xenophysa junctimacula* (Christoph,1887)** (Noctuidae) **Synonym(s):** *junctimacula* Christoph,1887; *cacumena* Brandt,1938. **Original Reference:** *Agrotis junctimacula* Christoph,1887, [in] Romanoff,N.M., Mém. lépid. 3: 57, Taf.3 fig.11. Syntypes: [Iran]: Schahkuh; [Turkmenistan]: Aschabad. **Range (in code):** **TR IR Fa Th Elb Kh KuB Mz AF TM Kp CN Ts Kno UZ Fe Smk**
- 68454. *Xenophysa junctimacula afghanorea* Varga,1975** (Noctuidae) **Synonym(s):** *afghanorea* Varga,1975 **Range (in code):** **AF**
- 68455. *Xenophysa monastica* Boursin,1969** (Noctuidae) **Synonym(s):** *monastica* Boursin,1969 **Original Reference:** *Xenophysa monastica* Boursin,1969, Entomops 15: 224-225, figs. Holotype ♂: Afghanistan central, Dasht-i Nawar, Hokak, 2950m (coll. Vartian).: **Range (in code):** **AF Kbb BdA**
- 68456. *Xenophysa naumanni* Varga,1989** (Noctuidae) **Synonym(s):** *naumanni* Varga,1989 **Range (in code):** **AF Bd**
- 68457. *Xenophysa paradoxa* Varga,1989** (Noctuidae) **Synonym(s):** *paradoxa* Varga,1989 **Range (in code):** **AF Bd**
- 68458. *Xenophysa poecilogramma* Varga,1985** (Noctuidae) **Synonym(s):** *poecilogramma* Varga,1985 **Range (in code):** **AF KK Na TJ**
- 68459. *Xenophysa sharhu* Varga,1989** (Noctuidae) **Synonym(s):** *sharhu* Varga,1989 **Range (in code):** **MN**
- 68460. *Xenophysa vargai* Hacker,1998** (Noctuidae) **Synonym(s):** *vargai* Hacker,1998 **Range (in code):** **KK TeA**
- 68461. *Xenophysa xenogramma* Boursin,1969** (Noctuidae) **Synonym(s):** *xenogramma* Boursin,1969 **Original Reference:** *Xenophysa xenogramma* Boursin,1969, Entomops 15: 223-224, figs. Holotype ♂: Afghanistan central, Band-i Amir, 3000m (coll. Vartian).: **Range (in code):** **AF BdA**

- 68462. *Xenotrachea albidisca* (Moore,1867)** (Noctuidae) Synonym(s): *albidisca* Moore,1867; *nivescens* Butler,1889 Range (in code): **IN Up Bhi**
- 68463. *Xenotrachea chrysochlora* (Hampson,1908)** (Noctuidae) Synonym(s): *chrysochlora* Hampson,1908 Range (in code): **IN Hp Up Bhi Drm**
- 68464. *Xestia (Anomogyna) alpicola* (Zetterstedt,1839)** (Noctuidae) Synonym(s): *alpicola* Zetterstedt,1839; *hyperborea* Zetterstedt,1839; *aquilonaris* Zetterstedt,1839; *norvegica* Strand,1904 Range (in code): **FR IT IE GB DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY**
- 68465. *Xestia (Anomogyna) caelebs* (Staudinger,[1896])** (Noctuidae) Synonym(s): *caelebs* Staudinger,[1896] Original Reference: *Agrotis caelebs* Staudinger,[1896], Dt. ent. Z., Iris 8 82): 313-314. Syntypes 5♂: [Uighur A.R.]: "im Innern Tibets, zwischen Lob Noor und Kuku Noor" (leg. Rückbeil). Range (in code): **CN Ui Ts Kno Ln**
- 68466. *Xestia (Anomogyna) rhaetica* (Staudinger,1871)** (Noctuidae) Synonym(s): *rhaetica* Staudinger,1871 Range (in code): **FR IT DE CH AT PL CZ SK RO NO SE FI EE**
- 68467. *Xestia (Anomogyna) sincera* (Herrich-Schäffer,1851)** (Noctuidae) Synonym(s): *sincera* Herrich-Schäffer,1851 Range (in code): **FR IT DE CH AT PL CZ NO SE FI EE LV LT RU MD UA BY**
- 68468. *Xestia (Anomogyna) speciosa* (Hübner,[1813])** (Noctuidae) Synonym(s): *speciosa* Hübner,[1813] Range (in code): **FR IT DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV RU AT**
- 68469. *Xestia (Megasema) ashworthii* (Doubleday,1855)** (Noctuidae) Synonym(s): *ashworthii* Doubleday,1855 Original Reference: *Agrotis ashworthii* Doubleday,1855, Zool. 1855: 4749. Range (in code): **ES FR Si? IT GB DE CH AT PL CZ SK RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Kb Nt Ich Ing Da MD UA BY** Bionomy: Larva on *Helianthemum*, *Hieracium*; *Salix* (Salicaceae) (Hampson,1903).
- 68470. *Xestia (Megasema) ashworthii artvina* De Freina & Hacker,1985** (Noctuidae) Synonym(s): *artvina* De Freina & Hacker,1985 Original Reference: *Xestia ashworthii* ssp. *artvina* De Freina & Hacker,1985, Entomofauna 6 (19): 245-246, Abb.3. Holotype ♂: [Türkei]: Kleinasien: Artvin 5km E, Heveg (=Yaylalar), 1800m, 3-8.8.83 (leg. De Freina & coll. Hacker). Range (in code): **TR Cc**
- 68471. *Xestia (Megasema) ashworthii candelarum* (Staudinger,1871)** (Noctuidae) Synonym(s): *candelarum* Staudinger,1871; *nivescens* Rebel,1907. Original Reference: *Agrotis candelarum* Staudinger,1871, [in] Staudinger & Wocke, Cat. lepid. Eur. Faunengeb. (2): 82. Range (in code): **TR Cc RU Kb Nt Ich Ing Da**
- 68472. *Xestia (Megasema) c-nigrum* (Linnaeus,1758)** (Noctuidae) Synonym(s): *c-nigrum* Linnaeus,1758; *nunatrum* Esper,[1786]; *singularis* Esper,[1786]; *degenerata* Staudinger,1889; *depravata* A.Bang-Haas,1912; *kurilana* Bryk,1942; *ignorata* Eitschberger,1972. Original Reference: *Phalaena c-nigrum* Linnaeus,1758, Syst. Nat. (Edn.10)1: 516. Type(s): Europa. Range (in code): **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY IR Kh Gh Elb Mz Kdj KK Ax Ik UZ N-A CN Ui Ku Ga Sz T-T IN Hp Drm Kul NI SI Up Bhi Nnt Kil PK Pj Cp KP KR JP CA Nsc US Ny Iln MX GG AZ Ro Kr St Kb Kc Nt Ich Ing Da Kyi Smt Bjo Tbl Kir Lag Swa Sgl Yek DZ Blid Agi Abe DhM Hrh Dzc TN**
- 68473. *Xestia (Megasema) ditrapezium* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *#ditrapezium* [Denis & Schiffermüller],1775 Original Reference: *Noctua ditrapezium* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 312. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE LV LT RU Ro Kr St Nt Ich Ing Da MD UA BY IR Elb** Bionomy: Larva on *Melampyrum arvensis* ([Denis & Schiffermüller],1775 et seq.).
- 68474. *Xestia (Megasema) triangulum* (Hufnagel,1766)** (Noctuidae) Synonym(s): *triangulum* Hufnagel,1766; *rhomboidea* Esper,[1790]. Original Reference: *Phalaena triangulum* Hufnagel,1766, Berl. Mag. 3(3): 306. Type(s): [Germany]: Berlin. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU AL GR TR DK NO SE FI EE LV LT RU Ro Kr Kb Nt Ing Da MD UA BY AM AZ GG Smt Bjo Mng Cc KK TrA Ax IR GlS**
- 68475. *Xestia (Megasema) triangulum ehrmanni* Hacker & Ebert,2002** (Noctuidae) Synonym(s): *ehrmanni* Hacker & Ebert,2002; *#diadochica* Hacker & Ebert,2002 Original Reference: *Xestia triangulum* ssp. *ehrmanni* Hacker & Ebert,2002, Esperiana 9: 253, fig.34. Holotype ♀: N-Iran, Masandaran, Golestan Wald, 60km E Gonbad-Qabus 510m, 8 vii 1972, leg.Ebert & Falkner (SMNK) [same material also renamed on page 296 as "diadochica"]. Range (in code): **IR GlS Elb**
- 68476. *Xestia (Pachnobia) alaskae* (Grote,1876)** (Noctuidae) Synonym(s): *alaskae* Grote,1876; *alasca* Hampson,1903; *singularis* Kononenko,1981 Range (in code): **CA Yuk US Als RU Sb**

- 68477. *Xestia (Pachnobia) banghaasi* (Corti & Draudt,1933) (Noctuidae) Synonym(s):**
banghaasi Corti & Draudt,1933 _ **RU Sj**
- 68478. *Xestia (Pachnobia) fabulosa* (Ferguson,1965) (Noctuidae) Synonym(s):** *fabulosa*
Ferguson,1965 _ **US CA Nh Qb Nfl Lbr Yuk BCo Ws Col**
- 68479. *Xestia (Pachnobia) fuscogrisea* Kononenko,1984 (Noctuidae) Synonym(s):**
fuscogrisea Kononenko,1984 _ **RU Mgd**
- 68480. *Xestia (Pachnobia) imperita* (Hübner,[1813]) (Noctuidae) Synonym(s):** *imperita*
Hübner,[1813]; *comparata* Möschler,1862; *discincta* Walker,1856; *saxigena* Morrison,1875; *arufa* Smith,1905
CA US Nh Nfl Lbr Yuk BCo Wy Col
- 68481. *Xestia (Pachnobia) intermedia* (Kononenko,1981) (Noctuidae) Synonym(s):**
intermedia Kononenko,1981 _ **RU Sb US Als CA Yuk**
- 68482. *Xestia (Pachnobia) kolymae* (Herz,1903) (Noctuidae) Synonym(s):** *kolymae* Herz,1903;
veruta Corti & Draudt,1933; *helenae* Corti & Draudt,1933 _ **RU Sj CA Yuk**
- 68483. *Xestia (Pachnobia) lorezi* (Staudinger,1891) (Noctuidae) Synonym(s):** *lorezi*
Staudinger,1891 _ **Range (in code): IT? DE CH AT NO SE FI RU MD UA BY**
- 68484. *Xestia (Pachnobia) lyngei* (Rebel,1923) (Noctuidae) Synonym(s):** *lyngei* Rebel,1923
RU Ns Sb Mgd US Als CA Yuk FI
- 68485. *Xestia (Pachnobia) magadanensis* Kononenko & Lafontaine,1983 (Noctuidae)**
Synonym(s): *magadanensis* Kononenko & Lafontaine,1983 _ **RU Mgd**
- 68486. *Xestia (Pachnobia) mixta* (Walker,1856) (Noctuidae) Synonym(s):** *mixta* Walker,1856;
livalis Smith,1910 _ **CA Nfl Abt Lbr**
- 68487. *Xestia (Pachnobia) quieta* (Hübner,[1813]) (Noctuidae) Synonym(s):** *quieta*
Hübner,[1813]; *rigida* Walker,1857; *schoenherri* Zetterstedt,[1839] _ **Range (in code): FI RU Sb Yuk Mnt**
CA Nnv
- 68488. *Xestia (Pachnobia) senescens* (Staudinger,1881) (Noctuidae) Synonym(s):** *senescens*
Staudinger,1881; *kungessi* Alpheraky,1882; *senilis* Staudinger,1888; *cungessi* Hampson,1908 **Original**
Reference: *Agrotis senescens* Staudinger,1881, Stettin ent. Ztg. 1881: 416. **Range (in code): KG**
Ssn Fe KK TeA Ax UZ Man RU At Sb Am CN Ui Ku Kun
- 68489. *Xestia (Pachnobia) speciosa* (Hübner,[1813]) (Noctuidae) Synonym(s):** *speciosa*
Hübner,[1813]; *schoenherri* Herrich-Schäffer,[1852] nec Zett.,1839; *obscura* Frey,1880 _ **CH FI Lap FI RU Sh**
Lap MN CN Us Sb KP KR JP CA Abt BCo US Ws Mon Col
- 68490. *Xestia (Pachnobia) speciosa apopitia* (Benjamin,1933) (Noctuidae) Synonym(s):**
apopitia Benjamin,1933 _ **CA Abt BCo US Ws Mon Col**
- 68491. *Xestia (Pachnobia) speciosa arctica* (Zetterstedt,1839) (Noctuidae) Synonym(s):**
arctica Zetterstedt,1839; *aegrota* Alpheraky,1897; *janae* Herz,1903; *topsenti* Oberthür,1921; *sachalinensis*
Matsumura,1925; *rybachiensis* Kotzsch,1933; *aklavicensis* Benjamin,1933; *baltica* Valle,1940 _ **FI RU Sh Lap**
MN CN
- 68492. *Xestia (Pachnobia) speciosa modesta* (Warnecke,1962) (Noctuidae) Synonym(s):**
modesta (Warnecke,1962) _ **CH**
- 68493. *Xestia (Pachnobia) speciosa speciosa* (Hübner,[1813]) (Noctuidae) Synonym(s):**
speciosa Hübner,[1813]; *schoenherri* Herrich-Schäffer,[1852] nec Zett.,1839; *obscura* Frey,1880 _ **CH FI Lap**
- 68494. *Xestia (Pachnobia) speciosa ussurica* Kononenko,1984 (Noctuidae) Synonym(s):**
ussurica Kononenko,1984 _ **RU Us Sb KP KR JP**
- 68495. *Xestia (Pachnobia) tecta* (Hübner,[1808]) (Noctuidae) Synonym(s):** *tecta*
Hübner,[1808]; *ampla* Hübner,[1809]; *roosta* Smith,1903; *nolens* Corti & Draudt,1933 _ **Range (in code): NO**
SE FI RU At Ur Sb CA Als
- 68496. *Xestia (s.str.) agathina* (Duponchel,1827) (Noctuidae) Synonym(s):** *agathina*
Duponchel,1827 _ **Range (in code): MA PT ES FR IT IE GB BE NL DE CH PL DK EE** **Bionomy:**
Larva on *Calluna*, *Erica arborea*, *E. tetralix*, *E. cinerea*, *E. multiflora* (Blaschke,1914).
- 68497. *Xestia (s.str.) albuncula* (Eversmann,1851) (Noctuidae) Synonym(s):** *albuncula*
Eversmann,1851 _ **Range (in code): RU**
- 68498. *Xestia (s.str.) argyrea* (Boursin,1969) (Noctuidae) Synonym(s):** *argyrea* Boursin,1969
Original Reference: *Amathes argyrea* Boursin,1969, Entomops 15: 219-221, figs. Holotype ♂:
Afghanistan: Band-i- Amir, 3600m (coll. Vartian). **Range (in code): AF Bda Kbb**
- 68499. *Xestia (s.str.) atrata* (Morrison,1874) (Noctuidae) Synonym(s):** *atrata* Morrison,1874
Range (in code): SE
- 68500. *Xestia (s.str.) baja* ([Denis & Schiffermüller],1775) (Noctuidae) Synonym(s):** *baja*
[Denis & Schiffermüller],1775 **Original Reference:** *Noctua baja* [Denis & Schiffermüller], 1775,
Ankündigung syst. Werkes Schmett. Wienergegend: 77. Type(s): [Austria]: Vienna district. **Range**
(in code): PT ES Mu FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt
Bjo Lag DK SE FI EE LV LT RU Ro Kr St Kc Kb Nt Ich Ing Da MD UA BY IR Gh Mz Elb Dam KK Skm Ax

- 68501. *Xestia* (s.str.) *borealis* (Nordström,1933)** (Noctuidae) Synonym(s): *borealis* Nordström,1933 - Range (in code): SE FI
- 68502. *Xestia* (s.str.) *brachiptera* (Kononenko,1981)** (Noctuidae) Synonym(s): *brachiptera* Kononenko,1981 - Range (in code): RU MD UA BY
- 68503. *Xestia* (s.str.) *brunneopicata* (Matsumura,1925)** (Noctuidae) Synonym(s): *brunneopicata* Matsumura,1925 - Range (in code): FI
- 68504. *Xestia* (s.str.) *castanea* (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949. Original Reference: Phalaena (Noctua) *castanea* Esper,[1798], Die Schmett. 4 (2): Taf. 187, figs. 8-11. Syntypes: [Germany]: Erlangen. Range (in code): MA PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY LB SY JO IL Pa
- 68505. *Xestia* (s.str.) *castanea castanea* (Esper,[1798])** (Noctuidae) Synonym(s): *castanea* Esper,[1798]; *neglecta* Hübner,[1803]; *cerasina* Freyer,1840; *xanthe* Woodf.,1901; *obsolescens* W.Petersen,1905; *alliatai* Hartig,1949. Original Reference: Phalaena (Noctua) *castanea* Esper,[1798], Die Schmett. 4 (2): Taf. 187, figs. 8-11. Syntypes: [Germany]: Erlangen. Range (in code): MA PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY LB SY
- 68506. *Xestia* (s.str.) *cohaesa* (Herrich-Schäffer,[1849])** (Noctuidae) Synonym(s): *cohaesa* Herrich-Schäffer,[1849] Original Reference: Caradrina *cohaesa* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 2:209. Syntypes: Südeuropa. Range (in code): Sa Si IT RO YU BG GR Cr TR RU Cc GG Lag Ich IQ IR Elb Th Fa SY IL Pa JO CY
- 68507. *Xestia* (s.str.) *collina* (Boisduval,1840)** (Noctuidae) Synonym(s): *collina* Boisduval,1840; *montana* Freyer,1845; *kenteana* Staudinger,1892; *eversmanni* Petersen,1905; *peterseni* Krulikowsky,1909; *nigromaculata* Hoffmann,1917; *roegeri* Schawerda,1919; *loebeli* Rebel,1920 - Range (in code): FR IT DE CH AT PL CZ SK HU RO YU BG NO SE FI EE LV RU Cc Kr Ing Ur Sb Am Us MD UA BY MN CN
- 68508. *Xestia* (s.str.) *consanguinea* (Moore,1881)** (Noctuidae) Synonym(s): *consanguinea* Moore,1881 Original Reference: Ochroleura *consanguinea* Moore,1881, Proc. zool. Soc. London 1881: 353. Syntypes: India, Dahlhousie, Solun. Range (in code): IN Hp Dlh Up Nnt Ch Sml Drm Dra PK Thu Haz Mre Pj Swa Sgl Yek CN Ti
- 68509. *Xestia* (s.str.) *costaestrigea* (Staudinger,[1896])** (Noctuidae) Synonym(s): *costaestrigea* Staudinger,[1896] Original Reference: Agrotis *costaestrigea* Staudinger,[1896], Dt. ent. Z., Iris 8: 305-306, Taf.v fig.14. Syntypes 3♂: "zwischen LobNoor und Kuku Noor". Range (in code): CN Ui Ts Ln Kno
- 68510. *Xestia* (s.str.) *distensa* (Eversmann,1851)** (Noctuidae) Synonym(s): *distensa* Eversmann,1851 - Range (in code): SE FI RU At
- 68511. *Xestia* (s.str.) *dyris* (Zerny,1934)** (Noctuidae) Synonym(s): *dyris* Zerny,1934 - Range (in code): MA
- 68512. *Xestia* (s.str.) *elisabetha* Gyulai, L.Ronkay & Saldaitis,2013** (Noctuidae) Synonym(s): *elisabetha* Gyulai, L.Ronkay & Saldaitis,2013 - Range (in code): CN Sz
- 68513. *Xestia* (s.str.) *erschoffi* (Staudinger,1897)** (Noctuidae) Synonym(s): *ledereri* Staudinger,1888 nec Ersch.; *erschoffi* Staudinger,1897 Original Reference: Agrotis *erschoffi* Staudinger,1897, Dt. ent. Z., Iris 9: 248. Range (in code): UZ Fe Man Smk KK TeA Ax
- 68514. *Xestia* (s.str.) *gelida* (Sparre-Schneider,1883)** (Noctuidae) Synonym(s): *gelida* Sparre-Schneider,1883 - Range (in code): NO SE FI
- 68515. *Xestia* (s.str.) *kecskerago* Gyulai & L.Ronkay,2006** (Noctuidae) Synonym(s): *kecskerago* Gyulai & L.Ronkay,2006 - Range (in code): IR Elb Dam Th
- 68516. *Xestia* (s.str.) *kermesina* (Mabille,1869)** (Noctuidae) Synonym(s): *kermesina* Mabille,1869; *cermesina* Hampson,1903; *grisea* Fernandez,1908; *albida* Ribbe,1912; *darroensis* Ribbe,1912; *astigmata* Rothschild,1914; *flavida* Oberthür,1918; *divitefimbriata* Oberthür,1918; *delectans* Oberthür,1918; *uclesina* Fernandez,1918; *sylvicola* Turati,1930; *#viridibrunnea* Bytinski-Salz,1937 Original Reference: Noctua *kermesina* Mabille,1869, Annls Soc. ent. Fr. (4) 9: 55, pl.2 fig.10. Type: Corsica. Range (in code): MA DZ Btina Afl Lbs Ges TN LY PT ES FR Co Sa TR
- 68517. *Xestia* (s.str.) *kollari* (Lederer,1853)** (Noctuidae) Synonym(s): *kollari* Lederer,1853; *collari* Hampson,1903 - Range (in code): RU Ur Us Kmt Sb Am KP KR JP MN CN
- 68518. *Xestia* (s.str.) *laetabilis* (Zetterstedt,1839)** (Noctuidae) Synonym(s): *laetabilis* Zetterstedt,1839 - Range (in code): NO SE FI RU MD UA BY
- 68519. *Xestia* (s.str.) *liquidaria* (Eversmann,1844)** (Noctuidae) Synonym(s): *liquidaria* Eversmann,1844 - Range (in code): RU Ur MD UA BY

- 68520. *Xestia* (s.str.) *lycophotoides* (Rothschild,1914)** (Noctuidae) Synonym(s): *lycophotoides* Rothschild,1914; *straminea* Rothschild,1914; *inconspicua* Rothschild,1914 - Range (in code): **DZ Ges**
- 68521. *Xestia* (s.str.) *lyngei* (Rebel,1923)** (Noctuidae) Synonym(s): *lyngei* Rebel,1923 - Range (in code): **NO SE FI**
- 68522. *Xestia* (s.str.) *morandinii* Gyulai, L.Ronkay & Saldaitis,2011** (Noctuidae) Synonym(s): *morandinii* Gyulai, L.Ronkay & Saldaitis,2011 - Range (in code): **CN Sz**
- 68523. *Xestia* (s.str.) *nisseni* (Rothschild,1912)** (Noctuidae) Synonym(s): *nisseni* Rothschild,1912; *durandi* Lucas,1932 - Range (in code): **DZ Ges TN DhM**
- 68524. *Xestia* (s.str.) *ochreago* (Hübner,[1809])** (Noctuidae) Synonym(s): *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. Original Reference: *Noctua ochreago* Hübner,[1809], Samml. eur. Schmett., Noct. 2: Taf. 92, fig.431. Type: [Europa]. Range (in code): **ES FR IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Bku Kus RU Kr St Kb Nt Ich Da**
- 68525. *Xestia* (s.str.) *palaestinensis* (Kalchberg,[1898])** (Noctuidae) Synonym(s): *palaestinensis* Kalchberg,[1898] Original Reference: *Agrotis xanthographa* var. *palaestinensis* Kalchberg,[1898], Dt. ent. Z., Iris 10 (1897): 168. Syntypes: "Haifa". Range (in code): **GR Cr TR IL Pa Hf JO IR IQ Brs Ry Dia Rwz CY LB SY**
- 68526. *Xestia* (s.str.) *pallidago* (Staudinger,1900)** (Noctuidae) Synonym(s): *pallidago* Staudinger,1900 Original Reference: *Xanthia pallidago* Staudinger,1900, Dt. ent. Z., Iris 12: 377. Syntype: [Turkey]: Zeitun [=Süleymanli]. Range (in code): **TR Cc IR Elb Th**
- 68527. *Xestia* (s.str.) *perigrapha* (Püngeler,1900)** (Noctuidae) Synonym(s): *perigrapha* Püngeler,1900 - Range (in code): **CN Ts Kno**
- 68528. *Xestia* (s.str.) *picata* (A.Bang-Haas,1912)** (Noctuidae) Synonym(s): *picata* A.Bang-Haas,1912 Original Reference: *Agrotis picata* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 140-141. Type ♀: "Batna (Algier)". Range (in code): **DZ BtNa**
- 68529. *Xestia* (s.str.) *quieta* (Hübner,[1813])** (Noctuidae) Synonym(s): *quieta* Hübner,[1813] Range (in code): **NO SE FI**
- 68530. *Xestia* (s.str.) *rhomboidea* (Esper,[1790])** (Noctuidae) Synonym(s): *rhomboidea* Esper,[1790]; *stigmatica* Hbn.,[1813]. Original Reference: *Phalaena rhomboidea* Esper,[1790], Die Schmett. 4(2/1): 485, Taf.149, fig.3. Type(s): [Germany]: Schwaben, Unteressendorf. Range (in code): **ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE EE LV LT RU Ro Kr St Nt Ich Ing Da MD UA BY**
- 68531. *Xestia* (s.str.) *rimas* Gyulai, L.Ronkay & Saldaitis,2013** (Noctuidae) Synonym(s): *rimas* Gyulai, L.Ronkay & Saldaitis,2013 - Range (in code): **CN Sz**
- 68532. *Xestia* (s.str.) *sareptana* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 Original Reference: *Noctua sareptana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 359. Syntypes: [Russia]: Sarepta. Range (in code): **RU IR Fa LB IL Pa TR Cc AM**
- 68533. *Xestia* (s.str.) *sareptana sareptana* (Herrich-Schäffer,[1851])** (Noctuidae) Synonym(s): *sareptana* Herrich-Schäffer,[1851]; *iobaphes* Boursin,1936 Original Reference: *Noctua sareptana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 2: 359. Syntypes: [Russia]: Sarepta. Range (in code): **RU IR Fa LB TR AM Cc**
- 68534. *Xestia* (s.str.) *semiherbida* (Walker,1857)** (Noctuidae) Synonym(s): *semiherbida* Walker,1857 - Range (in code): **IN Up Bhi Kil**
- 68535. *Xestia* (s.str.) *sexstrigata* (Haworth,1809)** (Noctuidae) Synonym(s): *sexstrigata* Haworth,1809 - Range (in code): **PT ES FR Si? IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE LV LT RU Cc Ro Kr Ing**
- 68536. *Xestia* (s.str.) *trifida* (Fischer v. Waldheim,1820)** (Noctuidae) Synonym(s): *trifida* Fischer v. Waldheim,1820. Original Reference: *Noctua trifida* Fischer v. Waldheim,1820, Entomographie de la Russie: 200. Syntypes: Russia: Sarepta. Range (in code): **PT ES Sa? RO RU Cc Ro Da Ich TR**
- 68537. *Xestia* (s.str.) *viridiscens* (Turati,1919)** (Noctuidae) Synonym(s): *viridiscens* Turati,1919 Range (in code): **FR IT CH? AT YU**
- 68538. *Xestia* (s.str.) *xanthographa* ([Denis & Schiffermüller],1775)** (Noctuidae) Synonym(s): *xanthographa* [Denis & Schiffermüller],1775; *tetragona* Haworth,1809; *budensis* Freyer,1838; *elutior* Alpheraky,1887; *funerea* Gauckler,1901; *trumani* Smith,1903; *praecipuina* Rothschild,1914; *almohada* F.Wagner,1918; *faroulti* Rothschild,1920; *lepida* Constantini,1922; *algorica* Corti & Draudt,1933 Original Reference: *Noctua xanthographa* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 83. Type(s): [Austria]: Vienna district. Range (in code): **MA DZ Ges Lbs**

Dhm Btna Abe Perr TN PT ES An FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU Mo Cc Ro Kr St Nt Ich MD UA BY IQ Agh Bgd IR Elb Kh Nys UZ Fe Tas EG Sn JO IL Hf Pa LB CA BCo US Ws Org

68539. Xestia coronata Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *coronata Hreblay & L.Ronkay,1999* _ Range (in code): NP

68540. Xestia elisabetha Gyulai, L.Ronkay & Saldaitis,2013 (Noctuidae) Synonym(s): *elisabetha Gyulai, L.Ronkay & Saldaitis,2013* _ Range (in code): CN Sz

68541. Xestia forsteri (Boursin,1955) (Noctuidae) Synonym(s): *forsteri Boursin,1955* _ Range (in code): NP

68542. Xestia infantilis (Staudinger,[1896]) (Noctuidae) Synonym(s): *infantilis Staudinger,[1896]* _ Original Reference: Agrotis infantilis Staudinger,[1896], Dt. ent. Z., Iris 8: 305. Syntypes 2♂: "zwischen Lob Noor und Kuku Noor". Range (in code): CN Ui Ts Ln Kno

68543. Xestia renalis (Moore,1881) (Noctuidae) Synonym(s): *renalis Moore,1881* _ Range (in code): ZA IN Mhh Up

68544. Xestia trifurcata Hreblay & L.Ronkay,1999 (Noctuidae) Synonym(s): *trifurcata Hreblay & L.Ronkay,1999* _ Range (in code): NP

68545. Xylena apicimacula Yoshimoto,1993 (Noctuidae) Synonym(s): *apicimacula Yoshimoto,1993* _ Range (in code): NP

68546. Xylena exsoleta (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta Linnaeus,1758; exoleta Fabricius,1787; impudica Staudinger,1888; canaria Pinker,1969* _ Original Reference: Phalaena exsoleta Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Type(s): [Europa]. Range (in code): Cn Md MA DZ Sbd Blid Ges Sfr Hrh Afl TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Tbl Cc IQ IR Kh AF LB IL Js Pa DK NO SE FI EE LV LT RU Ro Kr St Da MD UA BY CN Ti KK Ik KG Ssn Tar Lps UZ Smk Fe _ Bionomy: Larva on Alisma plantago-aquatica (Alismataceae); Allium cepa (Alliaceae); Anthriscus sylvestris (Apiaceae); Asparagus (Asparagaceae); Beta vulgaris, Spinacia oleracea (Chenopodiaceae); Brassica rapa, Hesperis matronalis (Brassicaceae); Caltha palustris (Ranunculaceae); Carduus, Leucanthemum vulgare, Taraxacum officinale (Asteraceae); Epilobium angustifolium (Oenagraceae); Galium verum (Rubiaceae); Humulus lupulus (Cannabaceae); Iris pseudacorus (Iridaceae); Lathyrus pratensis, Pisum sativum (Fabaceae); Linum usitatissimum (Linaceae); Malus pumila, Rubus idaeus, Prunus (Rosaceae); Rumex longifolius (Polygonaceae); Papaver (Papaveraceae); Phlox (Polemoniaceae); Salix (Salicaceae); Sempervivum (Crassulaceae); Vaccinium myrtillus (Ericaceae), Vitis (Vitaceae); Ononis (Boraginaceae); Euphorbia (Euphorbiaceae); Rheum ribes (Polygalaceae) (Hampson,1906; Spuler,1907; et seq.).

68547. Xylena exsoleta exsoleta (Linnaeus,1758) (Noctuidae) Synonym(s): *exsoleta Linnaeus,1758; exoleta Fabricius,1787; impudica Staudinger,1888; canaria Pinker,1969* _ Original Reference: Phalaena exsoleta Linnaeus,1758, Syst. Nat. (Edn.10) 1: 515. Type(s): [Europa]. Range (in code): Cn Md MA DZ Blid Ges Sfr Hrh Afl TN PT ES FR Sa Si IT MT IS IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR GG Smt Bjo Tbl Cc IQ IR Kh AF LB IL Js Pa DK NO SE FI EE LV LT RU Ro Kr St Da MD UA BY CN Ti KK Ik KG Ssn Tar Lps UZ Smk Fe _ Bionomy: Larva on Alisma plantago-aquatica (Alismataceae); Allium cepa (Alliaceae); Anthriscus sylvestris (Apiaceae); Asparagus (Asparagaceae); Beta vulgaris, Spinacia oleracea (Chenopodiaceae); Brassica rapa, Hesperis matronalis (Brassicaceae); Caltha palustris (Ranunculaceae); Carduus, Leucanthemum vulgare, Taraxacum officinale (Asteraceae); Epilobium angustifolium (Oenagraceae); Galium verum (Rubiaceae); Humulus lupulus (Cannabaceae); Iris pseudacorus (Iridaceae); Lathyrus pratensis, Pisum sativum (Fabaceae); Linum usitatissimum (Linaceae); Malus pumila, Rubus idaeus, Prunus (Rosaceae); Rumex longifolius (Polygonaceae); Papaver (Papaveraceae); Phlox (Polemoniaceae); Salix (Salicaceae); Sempervivum (Crassulaceae); Vaccinium myrtillus (Ericaceae), Vitis (Vitaceae); Ononis (Boraginaceae); Euphorbia (Euphorbiaceae); Rheum ribes (Polygalaceae) (Hampson,1906; Spuler,1907; et seq.).

68548. Xylena lunifera W.Warren,1910 (Noctuidae) Synonym(s): *lunifera W.Warren,1910; #lunigera W.Warren,1910* _ Original Reference: Xylina lunifera W.Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 127-128 (31e). Type ♂: [Türkei]: Amasia (Tring Mus.). Range (in code): MA ES RO YU BG GR TR Cc SY Ltk AM

68549. Xylena lunifera lunifera W.Warren,1910 (Noctuidae) Synonym(s): *lunifera W.Warren,1910; #lunigera W.Warren,1910* _ Original Reference: Xylina lunifera W.Warren,1910, [in] Seitz, Gross-Schmett. Erde 3: 127-128 (31e). Type ♂: [Türkei]: Amasia (Tring Mus.). Range (in code): ES RO YU BG GR TR Cc SY Ltk AM

- 68550. *Xylena minima* Hacker,1992** (Noctuidae) Synonym(s): *minima* Hacker,1992 Original Reference: *Xylena minima* Hacker,1992, *Esperiana* 3: 189-191,figs. Holotype ♂: Nordthailand: Doi Inthanon, Lichtfalle, Bang Khun Klang 1200m, 21.1.1990, leg. Chantaromongkol & Malicky (coll. Hacker). Range (in code): **TH CMa Int**
- 68551. *Xylena nihonica* Höne,1917** (Noctuidae) Synonym(s): *nihonica* Höne,1917; *japonica* Höne,1917 Range (in code): **JP KR** Bionomy: Larva on *Prunus vedoensis* (Rosaceae), *Symplocos glauca*, *Clevers japonica*, *Camellia japonica*; *Quercus glauca* (Fagaceae) (Nishihara,1995).
- 68552. *Xylena tatajiana* Chang,1991** (Noctuidae) Synonym(s): *tatajiana* Chang,1991 Range (in code): **NP**
- 68553. *Xylena tatajiana pectinicornis* (Hreblay & Ronkay,1998)** (Noctuidae) Synonym(s): *pectinicornis* Hreblay & Ronkay,1998 Range (in code): **NP**
- 68554. *Xylena vetusta* (Hübner,[1813])** (Noctuidae) Synonym(s): *vetusta* Hübner,[1813] Original Reference: *Noctua vetusta* Hübner,[1813], *Samml. eur. Schmett.*, Noct. 2: Taf.97, fig.459. Type: [Europa]. Range (in code): **MA DZ Bsk PT ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB CY IL Pa DK NO SE FI EE LV LT RU Cc Ro Kr St MD UA BY At Sb MN CN** Bionomy: Larva on *Melilotus macrocarpa numidica* (Fabaceae) (Chrétien,1917).
- 68555. *Xylocampa areola* (Esper,[1789])** (Noctuidae) Synonym(s): *areola* Esper,[1789]; *lithorhiza* Borkhausen,1792; *operosa* Hübner,[1808] Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL BG DK NO SE RU MD UA BY** Bionomy: Larva on *Lonicera*.
- 68556. *Xylocampa mustapha* (Oberthür,1910)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1910; *mustapha* Oberthür,1920 Original Reference: *Cladocera mustapha* Oberthür,1910, *Bull. Soc. ent. Fr.* (19): 353-354. Syntypes: Algérie, Constantine. Range (in code): **DZ Cst Lbs Agi Blid Hrh Ges MA Si IT IQ TR LB IL Js Pa JO** Bionomy: Larva on *Lonicera* [for *areola*] (Wiltshire,1957).
- 68557. *Xylocampa mustapha hethitica* Kobes & Pinker,1976** (Noctuidae) Synonym(s): *hethitica* Kobes & Pinker,1976 Original Reference: *Xylocampa mustapha* ssp. *hethitica* Kobes & Pinker,1976, *Ent. Z., Frankf. a. m.* 86 (23): 249, fig. Holotype ♂: Türkiye, Kızılcahamam (NHMW). Range (in code): **TR IQ LB IL Js Pa JO** Bionomy: Larva on *Lonicera* [for *areola*] (Wiltshire,1957).
- 68558. *Xylocampa mustapha italica* Parenzan,1982** (Noctuidae) Synonym(s): *italica* Parenzan,1982 Range (in code): **IT**
- 68559. *Xylocampa mustapha mustapha* (Oberthür,1910)** (Noctuidae) Synonym(s): *mustapha* Oberthür,1910; *mustapha* Oberthür,1920 Original Reference: *Cladocera mustapha* Oberthür,1910, *Bull. Soc. ent. Fr.* (19): 353-354. Syntypes: Algérie, Constantine. Range (in code): **DZ Cst Lbs Agi Blid Hrh Ges MA**
- 68560. *Xylocampa mustapha srira* Rungs,1957** (Noctuidae) Synonym(s): *srira* Rungs,1957 Range (in code): **MA**
- 68561. *Xylomoia apameaoides* (Hacker,1989)** (Noctuidae) Synonym(s): *apameaoides* Hacker,1989 Original Reference: *Photodes apameaoides* Hacker,1989, *Atalanta* 19 (1/4): 174, Taf.3 figs. 5,8a. Holotype ♂: Türkiye: Hakkari Prov.: 15km nw Yüksekova, vic. Suüstü (=Sakitan), 1900m. 15-16.vii.1980, leg. de Freina, coll. Hacker. Range (in code): **TR Cc IR Elb Th Kd Bne**
- 68562. *Xylomoia graminea* (Graeser,1889)** (Noctuidae) Synonym(s): *graminea* Graeser,1889; *separata* Staudinger,1892 Range (in code): **PL RU Cc Ro MD UA BY**
- 68563. *Xylomoia retinax* Mikkola,1998** (Noctuidae) Synonym(s): *retinax* Mikkola,1998 Range (in code): **RU Ur**
- 68564. *Xylomoia strix* Mikkola,1980** (Noctuidae) Synonym(s): Range (in code): **FI LV RU MD UA BY**
- 68565. *Yepcalphis dilectissima* (Walker,1858)** (Noctuidae) Synonym(s): *dilectissima* Walker,1858; *limacodina* R.Felder,1874; *cingalesa* W.Warren,1913; *suffusa* W.Warren,1913; *insulicola* W.Warren,1913 Range (in code): **LK Cho PH Neg TH CMa Dst Cz10 Cnz**
- 68566. *Zalaca anticalis* Walker,[1866]** (Noctuidae) Synonym(s): *anticalis* Walker,[1866] Range (in code): **ZA**
- 68567. *Zalaca snelleni* (Wallengren,1875)** (Noctuidae) Synonym(s): *snelleni* Wallengren,1875 Range (in code): **ZA**
- 68568. *Zebeeba falsalis* (Herrich-Schäffer,[1839])** (Noctuidae) Synonym(s): *falsalis* Herrich-Schäffer,[1839]; *?dardounula* Millière,1871 Original Reference: *Hypena falsalis* Herrich-Schäffer,[1839], [in] Panzer, *Faunae Ins. Germ.* (166): fig.1. Type: Sicily. Range (in code): **DZ Hes**

- Agi Gue Hmk Hrh Ges Abe Sbd TN PT ES Mu FR Co Sa Si IT MT YU MK AL BG GR Cr TR CY LB Bsa IL Pa Hf SY** Bionomy: Larva on Asparagus, Pistacia (Fibiger et al.,2010).
- 68569. Zekelita (Ravalita) amseli Wiltshire,1961** (Noctuidae) Synonym(s): *amseli* Wiltshire,1961 Range (in code): **AF Srb Hr Nu Bsg**
- 68570. Zekelita (Ravalita) amseloides Hacker & Ebert,2002** (Noctuidae) Synonym(s): *amseloides* Hacker & Ebert,2002 Original Reference: Zekelita amseloides Hacker & Ebert,2002, Esperiana 9: 268, figs. Holotype ♂: NW-Iran, 8km w. Rezaiyeh [Urmia] 1400m 2 vi 1975 leg. Amsel (SMNK). Range (in code): **IR Ab Oru Kd Snj**
- 68571. Zekelita (Ravalita) ravalis (Herrich-Schäffer,[1852])** (Noctuidae) Synonym(s): *ravalis* Herrich-Schäffer,[1852]; *revolutalis* Zeller,1852; *eremialis* Swinhoe,1889 nec Walk.,1859; *centralis* Staudinger,1892; *syriacalis* Staudinger,1892; *extorris* W. Warren,1913; *#pallida* Schawerda,1929; *#transcaspica* Brandt,1941. Original Reference: Hypena ravalis Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 2: 425. Type(s): [Türkei]: Amasia. Range (in code): **GR RU AZ Kir Cc Ich Da Der TR CY IL Pa LB Bei IQ Mos Dia Ry Rwz Brs Agh Amr KG KK PK Sd IN AF Hr Blh Gbh Srb Pli Bd Fz Kab EG BH JO SY IR Ak Shf Fa Ss Kh Elb Gh Mz Kd Bjz Zj Ke Hz B-A TM Kp UZ Tas Fe N-A ZA** Bionomy: Larva on ? Alhagi (Wiltshire,1957).
- 68572. Zekelita (Rhynchodontodes) antiqualis (Hübner,[1809])** (Noctuidae) Synonym(s): *antiqualis* Hübner,[1809]; *anatolica* Wagner,1931; *#antiquis* Zukowsky,1941 Original Reference: Pyralis antiqualis Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.23 fig.152. Type(s): Europa. Range (in code): **Si IT RO YU AL BG GR Cr CY TR AM GG Lag AZ Nv Ord RU Cc Ro St Kr LB Bsa IL Pa JO IR Ab Oru Sdt Mrv Bne Km Kd Ssq AF**
- 68573. Zekelita (Rhynchodontodes) antistropa (Vari,1962)** (Noctuidae) Synonym(s): *antistropa* Vari,1962 Range (in code): **ZA Tva**
- 68574. Zekelita (Rhynchodontodes) diagonalis (Alpheraky,1882)** (Noctuidae) Synonym(s): *diagonalis* Alpheraky,1882 Range (in code): **CN Ui Ku Fe UZ N-A**
- 68575. Zekelita (Rhynchodontodes) larseni Wiltshire,1983** (Noctuidae) Synonym(s): *larseni* Wiltshire,1983 Range (in code):
- 68576. Zekelita (Rhynchodontodes) mardinalis (Staudinger,1892)** (Noctuidae) Synonym(s): *mardinalis* Staudinger,1892 Original Reference: Hypena mardinalis Staudinger,1892, Dt. ent. Z., Iris 4: 336-337. Syntypes 13♂: [Türkei]: Mardin. Range (in code): **TR**
- 68577. Zekelita (Rhynchodontodes) murinaceus Stshetkin,1965** (Noctuidae) Synonym(s): *murinaceus* Stshetkin,1965 Range (in code): **TJ**
- 68578. Zekelita (Rhynchodontodes) orientis (Brandt,1938)** (Noctuidae) Synonym(s): *orientis* Brandt,1938 Original Reference: Hypenodes orientis Brandt,1938, Ent. Rdsch. 55: 569, figs. 152,153. Syntypes : Iran: Tschurum. Range (in code): **IR Fa Ss Kaz Chh Hz B-A**
- 68579. Zekelita (Rhynchodontodes) orientis richteri Wiltshire,1961** (Noctuidae) Synonym(s): *richteri* Wiltshire,1961 Range (in code): **IR**
- 68580. Zekelita (Rhynchodontodes) pallida Draudt,1936** (Noctuidae) Synonym(s): *pallida* Draudt,1936 Range (in code): **IQ Mos**
- 68581. Zekelita (Rhynchodontodes) ravulalis (Staudinger,1879)** (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879 Range (in code): **RU Cc Da Der Arp AZ Kir IR Mz Glz Kh KG Tks**
- 68582. Zekelita (Rhynchodontodes) ravulalis ravulalis (Staudinger,1879)** (Noctuidae) Synonym(s): *ravulalis* Staudinger,1879 Range (in code): **RU Cc Da Der Arp AZ Kir IR Mz Glz Kh KG Tks**
- 68583. Zekelita (Rhynchodontodes) sagittalis Rebel,1948** (Noctuidae) Synonym(s): *sagittalis* Rebel,1948 Range (in code): **EG JE**
- 68584. Zekelita (Rhynchodontodes) schwingenschussi (Wagner,1913)** (Noctuidae) Synonym(s): *schwingenschussi* Wagner,1913 Range (in code): **KG Tk Dj Ii**
- 68585. Zekelita (Rhynchodontodes) separata W. Warren,1913** (Noctuidae) Synonym(s): *separata* W. Warren,1913 Range (in code): **UZ**
- 68586. Zekelita (Rhynchodontodes) soricalis (Püngeler,1909)** (Noctuidae) Synonym(s): *soricalis* Püngeler,1909 Range (in code): **CN Ui Au**
- 68587. Zethes bella Draudt,1950** (Noctuidae) Synonym(s): *bella* Draudt,1950 Range (in code): **CN**
- 68588. Zethes brandti Janzon,1977** (Noctuidae) Synonym(s): *nemea* Brandt,1938 (p.p.); *nemea* sensu Koçak,1977; *brandti* Janzon,1977. Original Reference: Zethes brandti Janzon,1977, Ent. scand.

- 8: 173-175, figs. Holotype ♂: Iran: Fars: Chiraz-Kazeroun , Fort Sine Sefid, 2200m (coll.Brandt).
Range (in code): IR Fa Mia Kaz Kz Yas Ss Kuh TR PK Cls
- 68589. Zethes insularis Rambur,1833** (Noctuidae) Synonym(s): *insularis Rambur,1833*
Original Reference: Zethes insularis Rambur,1833, Annls Soc. ent. Fr. 2: 29. Syntypes: [France]:
Korsica. Range (in code): MA DZ Orn Hrh Hmk Dzc Ges Sfr TN LY PT ES Mu FR Co Sa Si IT YU BG
GR Rd TR CY IR Fa Mia Kaz Sse Ke By Kz Yas Lo IQ Ssa LB Bei IL Pa Hf SY JO
- 68590. Zethes monotonus Wiltshire,1969** (Noctuidae) Synonym(s): *monotonus Wiltshire,1969*
Range (in code): AF UZ
- 68591. Zethes narghisa Brandt,1938** (Noctuidae) Synonym(s): *narghisa Brandt,1938* Original
Reference: Zethes narghisa Brandt,1938, Ent. Rdsch. 55: 568, figs. 149-151. Syntypes ♂♀: Iran:
[Fars]: Fort Sine-Sefid, Mian-Kotal. Range (in code): TR IR Fa Kaz Mia Com Sse Ss Kuh
- 68592. Zethes nemea Brandt,1938** (Noctuidae) Synonym(s): *nemea Brandt,1938* Original
Reference: Zethes nemea Brandt,1938, Ent. Rdsch. 55: 568-569, figs. 144-148. Syntypes : Iran:
[Fars]: Fort Sine-Sefid, Mian-Kotal. Range (in code): IR Fa Ke Es By Yas Kz Km Kaz Mia Ss Kuh
- 68593. Zethes pistazina Weisert,2000** (Noctuidae) Synonym(s): *pistazina Weisert,2000*
Original Reference: Zethes pistacina Weisert,2000, Z. ArbGem. Öst. Ent. 52: 61-64, figs.
Holotype ♂: Central-Asia, Kirghisien Kr. Prov. Kara-Kul, s.Arslanbab, Pistazienwald 1190m
8.7.1988 leg. & coll. F.Weisert. Range (in code): KK
- 68594. Zethes propinquus Christoph,1885** (Noctuidae) Synonym(s): *propinquus Christoph,1885*
Range (in code): Cc GG Lag TM Kp
- 68595. Zethesides bettoni (Butler,1898)** (Noctuidae) Synonym(s): *bettoni Butler,1898* Range
(in code): KE
- 68596. Zethesides hesperioides (Guenée,1852)** (Noctuidae) Synonym(s): *hesperioides*
Guenée,1852 Range (in code): AU ID Ja TH CMa Php
- 68597. Zonoplusia ochreata (Walker,1865)** (Noctuidae) Synonym(s): *ochreata Walker,1865;*
cornucopiae Snellen,1880 Range (in code): LK ID Clb TH CMa CDo CD2 Php MY KH VN NP IN CN
TW JP KP KR PH Sum Tim Flo Sda AU Bionomy: Larva on Polygonum (Polygonaceae)
(Holloway,1985).
- 68598. Achaera ochribasis (Hampson,1910)** (Notodontidae) Synonym(s): *ochribasis*
Hampson,1910 Range (in code): ZA
- 68599. Acmeshachia albifasciata (Moore,1879)** (Notodontidae) Synonym(s): *albifasciata*
Moore,1879 Range (in code): SI CN Ti VN Ton Fan
- 68600. Acmeshachia gigantea (Elwes,1890)** (Notodontidae) Synonym(s): *gigantea Elwes,1890;*
takamukui Matsumura,1929 Range (in code): PK IN Ass SI NP MM CN TH VN Ton Fan TW
- 68601. Acrasiella curvilinea (Swinhoe,1907)** (Notodontidae) Synonym(s): *curvilinea*
Swinhoe,1907 Range (in code): ZA
- 68602. Afrocerura leonensis bifasciata (Janse,1920)** (Notodontidae) Synonym(s): *bifasciata*
Janse,1920 Range (in code): ZA
- 68603. Afrogluphisia demas Kiriakoff,1970** (Notodontidae) Synonym(s): *demas Kiriakoff,1970*
Range (in code): ZA
- 68604. Afroplitis dasychirina (Gaede,1928)** (Notodontidae) Synonym(s): *dasychirina*
Gaede,1928 Range (in code): ZA NA YE
- 68605. Afroplitis phyllocampa (Trimen,1909)** (Notodontidae) Synonym(s): *phyllocampa*
Trimen,1909 Range (in code): ZA
- 68606. Afroplitis pylades (Kiriakoff,1955)** (Notodontidae) Synonym(s): *pylades Kiriakoff,1955*
Range (in code): ZA
- 68607. Allata (Celeia) sikkima (Moore,1879)** (Notodontidae) Synonym(s): *sikkima Moore,1879*
Range (in code): SI ID Sum MY CN VN Ann Ton Bao M-c
- 68608. Allata (Celeia) violaceus Schintlmeister,1997** (Notodontidae) Synonym(s): *violaceus*
Schintlmeister,1997 Range (in code): VN Ton M-c N-l Ann Bao TH Srt
- 68609. Allata (Pseudallata) laticostalis (Hampson,1900)** (Notodontidae) Synonym(s): *laticostalis Hampson,1900*
Range (in code): IN AF PK CN VN Ton Fan N-l M-c
- 68610. Allata (s.str.) argentifera Walker,1862** (Notodontidae) Synonym(s): *argentifera*
Walker,1862 Original Reference: Allata argentifera Walker,1862, J. linn. Soc. Lond., Zool. 6:
140. Type(s): [Malaysia]: Borneo: Sawarak. Range (in code): SI NP LK TH VN Ton Tda N-l MY ID
Sum Bor PH Pal Mno Clb

- 68611. Allata (s.str.) benderi Dierl,1976** (Notodontidae) *Synonym(s): benderi Dierl,1976*
Original Reference: Allata benderi Dierl,1976, Ent. Z., Frankf. a. M. 86: 209. Holotype ♂: Sumatra. Range (in code): MY Bor ID Sum PH Pal TH VN Ton M-c B-e Bao Ann Tgi Cuc Fan
- 68612. Allata racquela Schintlmeister,1993** (Notodontidae) *Synonym(s): racquela Schintlmeister,1993*
Original Reference: Allata racquela Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109, Range (in code): PH Ceb Luz Mdo
- 68613. Allodonta (Hexafrenum) apicalis (Kiriakoff,1974)** (Notodontidae) *Synonym(s): apicalis Kiriakoff,1974*
Range (in code): ID Sum ?TH CMa Dst Ds10
- 68614. Allodonta (Hexafrenum) argillacea (Kiriakoff,1963)** (Notodontidae) *Synonym(s): argillacea Kiriakoff,1963*
Range (in code): CN Hn VN Ton Cuc Tda Fan M-c
- 68615. Allodonta (Hexafrenum) argillacea minutus Schintlmeister,2008** (Notodontidae) *Synonym(s): minutus Schintlmeister,2008*
Range (in code): CN Hn
- 68616. Allodonta (Hexafrenum) austrocollaris Holloway,1983** (Notodontidae) *Synonym(s): austrocollaris Holloway,1983*
Range (in code): MY Bor Swk
- 68617. Allodonta (Hexafrenum) avis Schintlmeister & Fang,2001** (Notodontidae) *Synonym(s): avis Schintlmeister & Fang,2001*
Range (in code): CN Yu VN
- 68618. Allodonta (Hexafrenum) avis mysterae Schintlmeister,2008** (Notodontidae) *Synonym(s): mysterae Schintlmeister,2008*
Range (in code): CN
- 68619. Allodonta (Hexafrenum) avis navus Schintlmeister,2008** (Notodontidae) *Synonym(s): navus Schintlmeister,2008*
Range (in code): VN Ton
- 68620. Allodonta (Hexafrenum) collaris (Swinhoe,1904)** (Notodontidae) *Synonym(s): collaris Swinhoe,1904*
Range (in code): IN Meg Khs
- 68621. Allodonta (Hexafrenum) ferinus Schintlmeister,1994** (Notodontidae) *Synonym(s): ferinus Schintlmeister,1994*
Range (in code): PH Pal
- 68622. Allodonta (Hexafrenum) hainanensis Wu & Fang,2004** (Notodontidae) *Synonym(s): hainanensis Wu & Fang,2004*
Range (in code): CN Hn
- 68623. Allodonta (Hexafrenum) kalixt Schintlmeister,1997** (Notodontidae) *Synonym(s): kalixt Schintlmeister,1997*
Range (in code): VN Ton Fan Tgi Tda
- 68624. Allodonta (Hexafrenum) leucodera (Staudinger,1887)** (Notodontidae) *Synonym(s): leucodera Staudinger,1887; elongata Oberthür,1911; yunnana Kiriakoff,1964; yamamotoi Nakamura,1978*
Range (in code): CN Yu Fkn RU Us TW JP
- 68625. Allodonta (Hexafrenum) longivitta Gaede,1930** (Notodontidae) *Synonym(s): longivitta Gaede,1930*
Range (in code): IN SI Djl
- 68626. Allodonta (Hexafrenum) macarius Schintlmeister,1997** (Notodontidae) *Synonym(s): macarius Schintlmeister,1997*
Range (in code): NP VN Ton Fan
- 68627. Allodonta (Hexafrenum) maculifer Matsumura,1925** (Notodontidae) *Synonym(s): maculifer Matsumura,1925; basipuncta Matsumura,1929*
Range (in code): TW
- 68628. Allodonta (Hexafrenum) maculifer maculifer Matsumura,1925** (Notodontidae) *Synonym(s): maculifer Matsumura,1925; basipuncta Matsumura,1929*
Range (in code): TW
- 68629. Allodonta (Hexafrenum) maternalis Schintlmeister,1993** (Notodontidae) *Synonym(s): maternalis Schintlmeister,1993*
Original Reference: Hexafrenum maternalis Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): PH Pal Mno
- 68630. Allodonta (Hexafrenum) maternalis maternalis Schintlmeister,1993** (Notodontidae) *Synonym(s): maternalis Schintlmeister,1993*
Original Reference: Hexafrenum maternalis Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): PH Pal
- 68631. Allodonta (Hexafrenum) maternalis pseudomaterialis Schintlmeister,1993** (Notodontidae) *Synonym(s): pseudomaterialis Schintlmeister,1993*
Original Reference: Hexafrenum maternalis ssp. pseudomaterialis Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): PH Mno
- 68632. Allodonta (Hexafrenum) muluensis Holloway,1971** (Notodontidae) *Synonym(s): muluensis Holloway,1971*
Range (in code): MY Bor Swk
- 68633. Allodonta (Hexafrenum) nigricollaris Holloway,1976** (Notodontidae) *Synonym(s): nigricollaris Holloway,1976*
Range (in code): MY Bor KBa Sbh
- 68634. Allodonta (Hexafrenum) niveicollare (Sugi,1992)** (Notodontidae) *Synonym(s): niveicollare Sugi,1992*
Range (in code): NP
- 68635. Allodonta (Hexafrenum) otium Schintlmeister & Fang,2001** (Notodontidae) *Synonym(s): otium Schintlmeister & Fang,2001*
Range (in code): CN

- 68636. Allodonta (Hexafrenum) paliki Schintlmeister,1997** (Notodontidae) Synonym(s): *paliki Schintlmeister,1997* _ Range (in code): VN Ton Tda
- 68637. Allodonta (Hexafrenum) pseudosikkima Sugi,1992** (Notodontidae) Synonym(s): *pseudosikkima Sugi,1992* _ Range (in code): NP SI TH VN Ton Fan Tda
- 68638. Allodonta (Hexafrenum) rufa (Hampson,1893)** (Notodontidae) Synonym(s): *rufa Hampson,1893* _ Range (in code): IN Nag
- 68639. Allodonta (Hexafrenum) sibylla (Schintlmeister,2007)** (Notodontidae) Synonym(s): *sibylla Schintlmeister,2007* _ Range (in code): TH CMa Dst VN
- 68640. Allodonta (Hexafrenum) sibylla exigua (Schintlmeister,2007)** (Notodontidae) Synonym(s): *exigua Schintlmeister,2007* _ Range (in code): VN
- 68641. Allodonta (Hexafrenum) sp.** (Notodontidae) Synonym(s): Original Reference: Hexafrenum sp.: Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108. Range (in code): PH Pal
- 68642. Allodonta (Hexafrenum) synthesina Schintlmeister,1993** (Notodontidae) Synonym(s): *synthesina Schintlmeister,1993* Original Reference: Hexafrenum synthesina Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): PH Mno
- 68643. Allodonta (Hexafrenum) unicolor (Kiriakoff,1974)** (Notodontidae) Synonym(s): *unicolor Kiriakoff,1974* _ Range (in code): IN Kma Bhi Nnt
- 68644. Allodonta (Hexafrenum) vittata Gaede,1930** (Notodontidae) Synonym(s): *vittata Gaede,1930* _ Range (in code): IN Sum
- 68645. Allodonta (s.str.) horishana (Matsumura,1925)** (Notodontidae) Synonym(s): *horishana Matsumura,1925* _ Range (in code): TW
- 68646. Allodonta (s.str.) peniculus (Bryk,1949)** (Notodontidae) Synonym(s): *peniculus Bryk,1949* _ Range (in code): MM Kam Kch
- 68647. Allodonta (s.str.) plebeja (Oberthür,1880)** (Notodontidae) Synonym(s): *plebeja Oberthür,1880; tristis Staudinger,1887; coreana Matsumura,1924* _ Range (in code): RU Us KP KR
- 68648. Allodonta (s.str.) viola (Schintlmeister,1997)** (Notodontidae) Synonym(s): *viola Schintlmeister,1997* _ Range (in code): VN Ton Fan
- 68649. Allodontodes tenebrosa (Moore,1866)** (Notodontidae) Synonym(s): *tenebrosa Moore,1866; furva Wileman,1910; tenebrosella Strand,1916; discoidalis Matsumura,1920; taiwana Marumo,1920* Range (in code): IN SI Djl VN Ton Bac N-I CN Hnn TW
- 68650. Ambadra angustifolia Schintlmeister,2013** (Notodontidae) Synonym(s): *gracilis Kobayashi,2011 nec Hollow.,2011; angustifolia Schintlmeister,2013* _ Range (in code): ID Clb
- 68651. Ambadra barlowi (Schintlmeister,1994)** (Notodontidae) Synonym(s): *barlowi Schintlmeister,1994* _ Range (in code): MY
- 68652. Ambadra camiguinana Kobayashi,2011** (Notodontidae) Synonym(s): *camiguinana Kobayashi,2011* _ Range (in code): PH Mno
- 68653. Ambadra celebensis (Roepke,1943)** (Notodontidae) Synonym(s): *celebensis Roepke,1943* Range (in code): ID Clb
- 68654. Ambadra discocellularis (Kiriakoff,1974)** (Notodontidae) Synonym(s): *discocellularis Kiriakoff,1974* _ Range (in code): ID Sum
- 68655. Ambadra exigua Kobayashi,2011** (Notodontidae) Synonym(s): *exigua Kobayashi,2011* Range (in code): TH Nna
- 68656. Ambadra fajardoi Schintlmeister,1993** (Notodontidae) Synonym(s): *fajardoi Schintlmeister,1993* Original Reference: Turnaca (Ambadra) fajardoi Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 119, figs. Holotype ♂: Philippinen, N. Palawan, S. Vicente (NHM). Range (in code): PH Pal
- 68657. Ambadra fortunatorum (Schintlmeister,1993)** (Notodontidae) Synonym(s): *fortunatorum Schintlmeister,1993* Original Reference: Turnaca (s.str.) fortunatorum Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 120, figs. Holotype ♂: Philippinen, N. Palawan, S. Vicente (NHM). Range (in code): PH Pal
- 68658. Ambadra furcata (Dierl,1984)** (Notodontidae) Synonym(s): *furcata Dierl,1984* _ Range (in code): ID Sum
- 68659. Ambadra gracilis Holloway,2011** (Notodontidae) Synonym(s): *gracilis Holloway,2011* Range (in code): MY Bor Swk
- 68660. Ambadra irinae Schintlmeister & Lourens,2010** (Notodontidae) Synonym(s): *irinae Schintlmeister & Lourens,2010* _ Range (in code): PH Mno Ley

- 68661. Ambadra irinae complicata Schintlmeister & Lourens,2010** (Notodontidae)
Synonym(s): *complicata* Schintlmeister & Lourens,2010 _ Range (in code): PH Ley
- 68662. Ambadra macula Kobayashi,2011** (Notodontidae) Synonym(s): *macula* Kobayashi,2011
Range (in code): ID Clb
- 68663. Ambadra melanostriga (Schintlmeister,1994)** (Notodontidae) Synonym(s):
melanostriga Schintlmeister,1994 _ Range (in code): ID Sum
- 68664. Ambadra modesta Schintlmeister,2007** (Notodontidae) Synonym(s): *modesta*
Schintlmeister,2007 _ Range (in code): CN Hn IN Adm
- 68665. Ambadra modesta andamana Schintlmeister,2007** (Notodontidae) Synonym(s):
andamana Schintlmeister,2007 _ Range (in code): IN Adm
- 68666. Ambadra montana Holloway,1982** (Notodontidae) Synonym(s): *montana* Holloway,1982
Range (in code): MY Bor Sbh KBa
- 68667. Ambadra nigridorsalis Schintlmeister,1997** (Notodontidae) Synonym(s): *nigridorsalis*
Schintlmeister,1997 _ Range (in code): VN Ton Tda Cuc M-c Bao
- 68668. Ambadra offula (Schintlmeister,1997)** (Notodontidae) Synonym(s): *offula*
Schintlmeister,1997 _ Range (in code): VN B-e Bao Ton Tda
- 68669. Ambadra owadai Kobayashi,2011** (Notodontidae) Synonym(s): *owadai* Kobayashi,2011
Range (in code): MY Pah
- 68670. Ambadra pallida (Heylaerts,1891)** (Notodontidae) Synonym(s): *pallida* Heylaerts,1891
Range (in code): ID Ja
- 68671. Ambadra pantaena (Schaus,1928)** (Notodontidae) Synonym(s): *pantaena* Schaus,1928
Original Reference: Turnaca pantaena Schaus,1928, Proc. U.S. natn. Mus. 73(19): 88. Type(s):
Luzon. Range (in code): PH Luz
- 68672. Ambadra parva Kobayashi,2011** (Notodontidae) Synonym(s): *parva* Kobayashi,2011
Range (in code): ID Clb
- 68673. Ambadra punctata (Holloway,1983)** (Notodontidae) Synonym(s): *punctata*
Holloway,1983; *altipunctata* Holloway,1983 _ Range (in code): BN Bor MY Swk
- 68674. Ambadra sibena Schintlmeister,1993** (Notodontidae) Synonym(s): *sibena*
Schintlmeister,1993 Original Reference: Turnaca (Ambadra) sibena Schintlmeister,1993, Nachr.
ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Mno
- 68675. Ambadra suriga Schaus,1928** (Notodontidae) Synonym(s): *suriga* Schaus,1928
Original Reference: Turnaca (Ambadra) suriga Schaus,1928, Proc. U.S. natn. Mus. 73(19): 88.
Type(s): Mindanao. Range (in code): MY Bor ID Clb PH Mno
- 68676. Amphiphalera leuconephra Hampson,1910** (Notodontidae) Synonym(s): *leuconephra*
Hampson,1910 _ Range (in code): ZA
- 68677. Amphiphalera nigripuncta Kiriakoff,1975** (Notodontidae) Synonym(s): *nigripuncta*
Kiriakoff,1975 _ Range (in code): ZA
- 68678. Amyops ingens Karsch,1895** (Notodontidae) Synonym(s): *ingens* Karsch,1895 _ Range
(in code): ZA Tva Lpo Spb Mdk MZ BW ZW ZM MW Bionomy: Larva on Terminalia
(Combretaceae) (Pinhey,1975).
- 68679. Antheua anodonta (Hampson,1910)** (Notodontidae) Synonym(s): *anodonta*
Hampson,1910 _ Range (in code): ZA
- 68680. Antheua aurifodinae (Distant,1902)** (Notodontidae) Synonym(s): *aurifodinae*
Distant,1902 Original Reference: Rigema aurifodinae Distant,1902, Entomologist 35: 212.
Syntypes: [South Africa]: Transvaal: Johannesburg, Pretoria (Pret. Mus.). Range (in code): ZA
Gau Tva Jh Pre
- 68681. Antheua aurivilliusi Kiriakoff,1964** (Notodontidae) Synonym(s): *aurivilliusi*
Kiriakoff,1964 _ Range (in code): ZA
- 68682. Antheua consanguinea Distant,1903** (Notodontidae) Synonym(s): *consanguinea*
Distant,1903 _ Range (in code): ZA Tva Mpu Ly
- 68683. Antheua croceipuncta Hampson,1910** (Notodontidae) Synonym(s): *croceipuncta*
Hampson,1910 _ Range (in code): ZA
- 68684. Antheua dimorpha Janse,1920** (Notodontidae) Synonym(s): *dimorpha* Janse,1920
Range (in code): ZA
- 68685. Antheua encausta (Hampson,1910)** (Notodontidae) Synonym(s): *encausta* Hampson,1910
Range (in code): ZA

- 68686. *Antheua extenuata* Walker, 1869** (Notodontidae) Synonym(s): *extenuata* Walker, 1869
Range (in code): **ZA**
- 68687. *Antheua insignata* Gaede, 1928** (Notodontidae) Synonym(s): *insignata* Gaede, 1928
Range (in code): **ZA**
- 68688. *Antheua mixta* Janse, 1920** (Notodontidae) Synonym(s): *mixta* Janse, 1920 - Range (in code): **ZA**
- 68689. *Antheua ornata* (Walker, 1865)** (Notodontidae) Synonym(s): *ornata* Walker, 1865; *quisola* Strand, 1912 - Range (in code): **ZA Tva Gau Pre Nta Kzu Ec Tra Wb**
- 68690. *Antheua servula* (Drury, 1773)** (Notodontidae) Synonym(s): *servula* Drury, 1773
Range (in code): **IN PK NP LK MM VN Ann Sgn Pha**
- 68691. *Antheua simplex* Walker, 1855** (Notodontidae) Synonym(s): *simplex* Walker, 1855; *ephippiata* Wallengren, 1860 - Range (in code): **ZA Tva Gau Pre**
- 68692. *Antheua tricolor* Walker, 1855** (Notodontidae) Synonym(s): *tricolor* Walker, 1855; *varia* Walker, 1855. - Range (in code): **ZA Lpo Tva Spb Mdk Mpu Wv**
- 68693. *Antheua trimacula* Kiriakoff, 1954** (Notodontidae) Synonym(s): *trimacula* Kiriakoff, 1954
Range (in code): **ZA**
- 68694. *Antheua woerdeni* (Snellen, 1872)** (Notodontidae) Synonym(s): *woerdeni* Snellen, 1872
Range (in code): **ZA Tva Gau Pre Mpu Ly GN**
- 68695. *Antheuella flavida* (Hampson, 1910)** (Notodontidae) Synonym(s): *flavida* Hampson, 1910
Range (in code): **ZA**
- 68696. *Antheuella incana* (Janse, 1920)** (Notodontidae) Synonym(s): *incana* Janse, 1920
Range (in code): **ZA**
- 68697. *Antheuella psolometopa* (Tams, 1929)** (Notodontidae) Synonym(s): *psolometopa* Tams, 1929 - Range (in code): **ZA**
- 68698. *Anticleapa varii* Kiriakoff, 1970** (Notodontidae) Synonym(s): *varii* Kiriakoff, 1970
Range (in code): **ZA**
- 68699. *Antiphalera bilineata* (Hampson, 1896)** (Notodontidae) Synonym(s): *bilineata* Hampson, 1896 - Range (in code): **BT NP SI VN Ton Fan Tda**
- 68700. *Antiphalera philippoi* Schintlmeister, 1997** (Notodontidae) Synonym(s): *philippoi* Schintlmeister, 1997 - Range (in code): **VN Ton Fan Tgi**
- 68701. *Antizana sparsata* Gaede, 1928** (Notodontidae) Synonym(s): *sparsata* Gaede, 1928
Range (in code): **ZA**
- 68702. *Archigargetta viridigrisea* (Hampson, 1898)** (Notodontidae) Synonym(s): *viridigrisea* Hampson, 1898; *clothus* Swinhoe, 1899; *fuscolis* Gaede, 1930; *tornalis* Kiriakoff, 1974 - Range (in code): **SI IN ID Sum Adm ID Sum Ja Bli Clb PH Pal Bor MY**
- 68703. *Archistilbia cineracea* Kiriakoff, 1954** (Notodontidae) Synonym(s): *cineracea* Kiriakoff, 1954 - Range (in code): **ZA**
- 68704. *Archistilbia varii* Kiriakoff, 1970** (Notodontidae) Synonym(s): *varii* Kiriakoff, 1970
Range (in code): **ZA**
- 68705. *Arciera phragmatoecioides* (Rothschild, 1917)** (Notodontidae) Synonym(s): *phragmatoecioides* Rothschild, 1917 - Range (in code): **ZA**
- 68706. *Armiana argus* (Schintlmeister, 1989)** (Notodontidae) Synonym(s): *argus* Schintlmeister, 1989 - Range (in code): **CN Yu She**
- 68707. *Armiana armata* (Kiriakoff, 1974)** (Notodontidae) Synonym(s): *armata* Kiriakoff, 1974
Range (in code): **ID Sum MY Bor**
- 68708. *Armiana dabashanica* Schintlmeister, 2002** (Notodontidae) Synonym(s): *dabashanica* Schintlmeister, 2002 - Range (in code): **CN She**
- 68709. *Armiana decurrens* (Moore, 1879)** (Notodontidae) Synonym(s): *decurrens* Moore, 1879
Range (in code):
- 68710. *Armiana discoidalis* (Gaede, 1930)** (Notodontidae) Synonym(s): *discoidalis* Gaede, 1930
Range (in code): **VN Ton Bac N-l**
- 68711. *Armiana distinea* (Schintlmeister, 1997)** (Notodontidae) Synonym(s): *distinea* Schintlmeister, 1997 - Range (in code): **VN Ton Fan M-c**
- 68712. *Armiana eustachus* (Schintlmeister, 1997)** (Notodontidae) Synonym(s): *eustachus* Schintlmeister, 1997 - Range (in code): **VN Ton Tda Fan N-l CN Fkn**
- 68713. *Armiana guanyin* (Schintlmeister & Fang, 2001)** (Notodontidae) Synonym(s): *guanyin* Schintlmeister & Fang, 2001 - Range (in code): **CN**

- 68714. Armiana lativitta Walker,1862** (Notodontidae) Synonym(s): *lativitta Walker,1862*
Range (in code): **MY Bor Swk Sbh KBa ID Sum Ja**
- 68715. Armiana malayana (Schintlmeister,1994)** (Notodontidae) Synonym(s): *malayana Schintlmeister,1994*
Range (in code): **MY Pah VN Ton MM CN Yu**
- 68716. Armiana marcellus Schintlmeister,1997** (Notodontidae) Synonym(s): *marcellus Schintlmeister,1997*
Range (in code):
- 68717. Armiana margarethae (Kiriakoff,1959)** (Notodontidae) Synonym(s): *margarethae Kiriakoff,1959*
Range (in code): **CN Yu MM Kam**
- 68718. Armiana metaphaea (Walker,1865)** (Notodontidae) Synonym(s): *metaphaea Walker,1865*
Range (in code): **LK**
- 68719. Armiana niveipicta (Kiriakoff,1962)** (Notodontidae) Synonym(s): *niveipicta Kiriakoff,1962*
Range (in code): **CN Fkn**
- 68720. Armiana niveipicta niveipicta (Kiriakoff,1962)** (Notodontidae) Synonym(s): *niveipicta Kiriakoff,1962*
Range (in code): **CN Fkn**
- 68721. Armiana notia (Schintlmeister,1997)** (Notodontidae) Synonym(s): *notia Schintlmeister,1997*
Range (in code): **VN N-I**
- 68722. Armiana nubila (Kiriakoff,1962)** (Notodontidae) Synonym(s): *nubila Kiriakoff,1962*
Range (in code): **CN VN Ton Tda**
- 68723. Armiana ochracea (Moore,1879)** (Notodontidae) Synonym(s): *ochracea Moore,1879*
Range (in code): **NP SI Djl IN TH VN Ton Tda CN**
- 68724. Armiana odrana (Schaus,1928)** (Notodontidae) Synonym(s): *odrana Schaus,1928*
Original Reference: *Pydna odrana* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 86. Type(s): Mindanao. Range (in code): **PH Luz Mno Pal**
- 68725. Armiana pallida Heylaerts,1891** (Notodontidae) Synonym(s): *pallida Heylaerts,1891*
Range (in code): **ID Ja**
- 68726. Armiana polonia (Schintlmeister,1997)** (Notodontidae) Synonym(s): *polonia Schintlmeister,1997*
Range (in code): **VN**
- 68727. Armiana postfusca (Kiriakoff,1962)** (Notodontidae) Synonym(s): *postfusca Kiriakoff,1962*
Range (in code):
- 68728. Armiana retrofusca (De Joannis,1907)** (Notodontidae) Synonym(s): *retrofusca De Joannis,1907*
Range (in code): **CN VN Ton Fan**
- 68729. Armiana rogatus Schintlmeister,1997** (Notodontidae) Synonym(s): *rogatus Schintlmeister,1997*
Range (in code): **VN Ton Fan**
- 68730. Armiana sabulosa (Kiriakoff,1962)** (Notodontidae) Synonym(s): *sabulosa Kiriakoff,1962*
Range (in code): **PH Luz MY Bor ID Sum VN Ton Tgi B-e Tda Cuc**
- 68731. Armiana sabulosa luzonica (Schintlmeister,1993)** (Notodontidae) Synonym(s): *luzonica Schintlmeister,1993*
Original Reference: *Ceira sabulosa ssp. luzonica* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106. Range (in code): **PH Luz**
- 68732. Armiana sabulosa sabulosa (Kiriakoff,1962)** (Notodontidae) Synonym(s): *sabulosa Kiriakoff,1962*
Range (in code): **ID Sum MY Bor**
- 68733. Armiana sabulosa tonkina (Schintlmeister,1997)** (Notodontidae) Synonym(s): *tonkina Schintlmeister,1997*
Range (in code): **VN Ton Tgi B-e Tda Cuc**
- 68734. Armiana seacona (Swinhoe,1916)** (Notodontidae) Synonym(s): *seacona Swinhoe,1916*
Range (in code): **VN Ton Bac N-I**
- 68735. Armiana semperi Schintlmeister,1993** (Notodontidae) Synonym(s): *semperi Schintlmeister,1993*
Original Reference: *Ceira semperi* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, Range (in code): **PH Luz**
- 68736. Armiana sordida (Roepke,1943)** (Notodontidae) Synonym(s): *sordida Roepke,1943*
Range (in code): **ID Sum Ja MY Bor**
- 68737. Armiana sp.** (Notodontidae) Synonym(s): Range (in code): **TH CMa**
- 68738. Armiana ubalvia (Schaus,1928)** (Notodontidae) Synonym(s): *ubalvia Schaus,1928*
Original Reference: *Pydna ubalvia* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 86. Type(s): Luzon. Range (in code): **PH Luz Pan**
- 68739. Atrasana excellens (Strand,1912)** (Notodontidae) Synonym(s): *excellens Strand,1912*
Range (in code): **ZA**
- 68740. Atrasana grisea (Gaede,1928)** (Notodontidae) Synonym(s): *grisea Gaede,1928*
Range (in code): **ZA**

- 68741. *Atrasana nigrosignata* Kiriakoff,1975** (Notodontidae) **Synonym(s):** *nigrosignata* Kiriakoff,1975 **Range (in code):** **ZA**
- 68742. *Atrasana pinheyi* Kiriakoff,1962** (Notodontidae) **Synonym(s):** *pinheyi* Kiriakoff,1962 **Range (in code):** **ZA**
- 68743. *Atrasana postica* Walker,1856** (Notodontidae) **Synonym(s):** *postica* Walker,1856 **Range (in code):** **ZA**
- 68744. *Atrasana rectilinea* (Gaede,1928)** (Notodontidae) **Synonym(s):** *rectilinea* Gaede,1928 **Range (in code):** **ZA**
- 68745. *Atrasana uncifera* (Hampson,1910)** (Notodontidae) **Synonym(s):** *uncifera* Hampson,1910 **Range (in code):** **ZA**
- 68746. *Baradesa lithosiodes* Moore,1883** (Notodontidae) **Synonym(s):** *lithosiodes* Moore,1883 **Range (in code):** **SI NP CN Ti Yu VN Ton Fan**
- 68747. *Baradesa lithosiodes gigantea* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *gigantea* Schintlmeister,1997 **Range (in code):** **VN Ton Fan**
- 68748. *Baradesa lithosiodes lithosiodes* Moore,1883** (Notodontidae) **Synonym(s):** *lithosiodes* Moore,1883 **Range (in code):** **SI NP CN Ti Yu**
- 68749. *Baradesa omissa* Rothschild,1917** (Notodontidae) **Synonym(s):** *omissa* Rothschild,1917 **Range (in code):** **SI IN ID Sum MY TH VN Bao Ton Fan M-c CN Yu Tkg Kwa**
- 68750. *Batempa plana* Kiriakoff,1962** (Notodontidae) **Synonym(s):** *plana* Kiriakoff,1962 **Range (in code):** **ZA**
- 68751. *Benbowia callista* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *callista* Schintlmeister,1997 **Range (in code):** **VN CN Ton Tda Cuc Fan M-c Far B-e**
- 68752. *Benbowia camilla* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *camilla* Schintlmeister,1997 **Range (in code):** **CN Sz SI NP IN VN Ton Fan M-c TH CMa Int Djl**
- 68753. *Benbowia elisabethae* Dierl,1981** (Notodontidae) **Synonym(s):** *elisabethae* Dierl,1981 **Range (in code):** **ID Sum**
- 68754. *Benbowia orientalis* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *orientalis* Schintlmeister,1993 **Original Reference:** *Benbowia orientalis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 127 figs. Holotype ♂: Philippines: Mindanao: Bukidnon, 40km NW Maramag, Dalongdong, 800m, leg. Cerny & Schintlmeister (coll. Schintlmeister). **Range (in code):** **PH Luz Mno**
- 68755. *Benbowia orientalis orientalis* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *orientalis* Schintlmeister,1993 **Original Reference:** *Benbowia orientalis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 127 figs. Holotype ♂: Philippines: Mindanao: Bukidnon, 40km NW Maramag, Dalongdong, 800m, leg. Cerny & Schintlmeister (coll. Schintlmeister). **Range (in code):** **PH Mno**
- 68756. *Benbowia orientalis septentrionalis* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *septentrionalis* Schintlmeister,1993 **Original Reference:** *Benbowia orientalis* ssp. *septentrionalis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, 128, figs. Holotype ♂: Philippines: Luzon: Quezon, Quezon Forest Nat. Park leg. Cerny & Schintlmeister (coll. Schintlmeister). **Range (in code):** **PH Luz**
- 68757. *Benbowia takamukuanus* (Matsumura,1925)** (Notodontidae) **Synonym(s):** *takamukuanus* Matsumura,1925 **Range (in code):** **TW**
- 68758. *Benbowia virescens* (Moore,1879)** (Notodontidae) **Synonym(s):** *virescens* Moore,1879 **Original Reference:** *Stauropus virescens* Moore,1879, Proc. zool. Soc. Lond. 1879: 404. Type(s): [India]: Darjeeling. **Range (in code):** **IN SI Djl MY ID Sum Bor PH Pal VN Bao**
- 68759. *Besaia (Achepydna) albifusa* (Wileman,1914)** (Notodontidae) **Synonym(s):** *albifusa* Wileman,1914; *albibasalis* Matsumura,1929 **Range (in code):**
- 68760. *Besaia (Achepydna) goergneri* Schintlmeister,1989** (Notodontidae) **Synonym(s):** *goergneri* Schintlmeister,1989 **Range (in code):**
- 68761. *Besaia (Achepydna) obliqua* (Hampson,1897)** (Notodontidae) **Synonym(s):** *obliqua* Hampson,1897 **Range (in code):**
- 68762. *Besaia (Achepydna) virgata* (Wileman,1914)** (Notodontidae) **Synonym(s):** *virgata* Wileman,1914; *formosicola* **Range (in code):**
- 68763. *Besaia (Curuzza) bryki* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *bryki* Schintlmeister,1997 **Range (in code):** **VN Ton Fan**

- 68764. Besaia (Curuzza) eburnea (Bryk,1949)** (Notodontidae) Synonym(s): *eburnea* Bryk,1949
Range (in code): **MM VN Ton Fan M-c**
- 68765. Besaia (Curuzza) frugalis (Leech,1898)** (Notodontidae) Synonym(s): *frugalis* Leech,1898
Range (in code):
- 68766. Besaia (Curuzza) leechi Schintlmeister,1997** (Notodontidae) Synonym(s): *leechi* Schintlmeister,1997
Range (in code): **VN Ton Fan**
- 68767. Besaia (Curuzza) symphorian Schintlmeister,1997** (Notodontidae) Synonym(s): *symphorian* Schintlmeister,1997
Range (in code): **VN Ton Fan**
- 68768. Besaia (Mimopydna) anaemica (Kiriakoff,1962)** (Notodontidae) Synonym(s): *anaemica* Kiriakoff,1962
Range (in code): **CN VN Ton Fan Tda**
- 68769. Besaia (Mimopydna) essa (Swinhoe,1896)** (Notodontidae) Synonym(s): *essa* Swinhoe,1896
Range (in code): **SI VN Ton Fan**
- 68770. Besaia (Mimopydna) insignis (Leech,1898)** (Notodontidae) Synonym(s): *insignis* Leech,1898
Range (in code):
- 68771. Besaia (Mimopydna) magna Schintlmeister,1997** (Notodontidae) Synonym(s): *magna* Schintlmeister,1997
Range (in code): **VN Ton Fan**
- 68772. Besaia (Mimopydna) pallida (Butler,1877)** (Notodontidae) Synonym(s): *pallida* Butler,1877; *bansai* Bryk,1942
Range (in code):
- 68773. Besaia (Mimopydna) sikkima (Moore,1879)** (Notodontidae) Synonym(s): *sikkima* Moore,1879
Range (in code): **IN SI NP CN VN TW**
- 68774. Besaia (Mimopydna) sikkima kishidai Schintlmeister,1989** (Notodontidae) Synonym(s): *kishidai* Schintlmeister,1989
Range (in code):
- 68775. Besaia (Mimopydna) sikkima sikkima (Moore,1879)** (Notodontidae) Synonym(s): *sikkima* Moore,1879
Range (in code): **IN SI NP CN VN TW**
- 68776. Besaia (Mimopydna) sikkima stueningi Schintlmeister,1989** (Notodontidae) Synonym(s): *stueningi* Schintlmeister,1989
Range (in code):
- 68777. Besaia (Ogulina) apicalis Kiriakoff,1962** (Notodontidae) Synonym(s): *apicalis* Kiriakoff,1962
Range (in code):
- 68778. Besaia (Ogulina) argentilinea (Cai,1982)** (Notodontidae) Synonym(s): *argentilinea* Cai,1982
Range (in code):
- 68779. Besaia (Ogulina) atrivittata (Hampson,1900)** (Notodontidae) Synonym(s): *atrivittata* Hampson,1900
Range (in code):
- 68780. Besaia (Ogulina) castor (Kiriakoff,1963)** (Notodontidae) Synonym(s): *castor* Kiriakoff,1963
Range (in code):
- 68781. Besaia (Ogulina) crenelata (Swinhoe,1896)** (Notodontidae) Synonym(s): *crenelata* Swinhoe,1896
Range (in code): **IN CN VN Tda Ton Fan N-I**
- 68782. Besaia (Ogulina) eupatagia (Hampson,1893)** (Notodontidae) Synonym(s): *eupatagia* Hampson,1893
Range (in code): **IN SI Djl**
- 68783. Besaia (Ogulina) melanius Schintlmeister,1997** (Notodontidae) Synonym(s): *melanius* Schintlmeister,1997
Range (in code): **VN Ton Fan B-e**
- 68784. Besaia (Ogulina) plusioides (Bryk,1949)** (Notodontidae) Synonym(s): *plusioides* Bryk,1949; *pulchra* Cai,1982
Range (in code):
- 68785. Besaia (Ogulina) pollux (Kiriakoff,1963)** (Notodontidae) Synonym(s): *pollux* Kiriakoff,1963
Range (in code):
- 68786. Besaia (Ogulina) subserena sinica (Kiriakoff,1962)** (Notodontidae) Synonym(s): *sinica* Kiriakoff,1962
Range (in code):
- 68787. Besaia (s.str.) albidostriata (Bryk,1949)** (Notodontidae) Synonym(s): *albidostriata* Bryk,1949
Range (in code): **MM Ton Tda Fan VN**
- 68788. Besaia (s.str.) argenteodivisa (Kiriakoff,1962)** (Notodontidae) Synonym(s): *argenteodivisa* Kiriakoff,1962
Range (in code):
- 68789. Besaia (s.str.) aurantistriga (Kiriakoff,1962)** (Notodontidae) Synonym(s): *aurantistriga* Kiriakoff,1962
Range (in code):
- 68790. Besaia (s.str.) brunneisticta (Bryk,1949)** (Notodontidae) Synonym(s): *brunneisticta* Bryk,1949
Range (in code): **MM VN**
- 68791. Besaia (s.str.) dives (Kiriakoff,1962)** (Notodontidae) Synonym(s): *dives* Kiriakoff,1962
Range (in code):

- 68792. Besaia (s.str.) goddrica (Schaus,1928)** (Notodontidae) Synonym(s): *goddrica* Schaus,1928; *simplicior* Gaede,1930 _ Range (in code): CN TH VN Ton Tda Fan
- 68793. Besaia (s.str.) griseodivisa (Bryk,1949)** (Notodontidae) Synonym(s): *griseodivisa* Bryk,1949 _ Range (in code): MM VN Ton Tda Fan
- 68794. Besaia (s.str.) inconspicua (Wileman,1914)** (Notodontidae) Synonym(s): *inconspicua* Wileman,1914 _ Range (in code):
- 68795. Besaia (s.str.) isis Schintlmeister,1997** (Notodontidae) Synonym(s): *isis* Schintlmeister,1997 _ Range (in code): VN Ton Fan Tda
- 68796. Besaia (s.str.) isolde Schintlmeister,1997** (Notodontidae) Synonym(s): *isolde* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 68797. Besaia (s.str.) kolmani Schintlmeister,1997** (Notodontidae) Synonym(s): *kolmani* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 68798. Besaia (s.str.) meo Schintlmeister,1997** (Notodontidae) Synonym(s): *meo* Schintlmeister,1997 _ Range (in code): VN Ton Tda Far
- 68799. Besaia (s.str.) nebulosa Wileman,1914** (Notodontidae) Synonym(s): *nebulosa* Wileman,1914 _ Range (in code):
- 68800. Besaia (s.str.) pyraloides (Kiriakoff,1962)** (Notodontidae) Synonym(s): *pyraloides* Kiriakoff,1962 _ Range (in code):
- 68801. Besaia (s.str.) rubiginea (Walker,1865)** (Notodontidae) Synonym(s): *rubiginea* Walker,1865 _ Range (in code): IN SI DjI
- 68802. Besaia (s.str.) sideridis (Kiriakoff,1962)** (Notodontidae) Synonym(s): *sideridis* Kiriakoff,1962 _ Range (in code):
- 68803. Besaia (s.str.) sordida (Wileman,1914)** (Notodontidae) Synonym(s): *sordida* Wileman,1914; *suisharyonis* Strand,1915 _ Range (in code):
- 68804. Besaia (s.str.) tamurensis Nakamura,1974** (Notodontidae) Synonym(s): *tamurensis* Nakamura,1974 _ Range (in code):
- 68805. Besaia (s.str.) tristan Schintlmeister,1997** (Notodontidae) Synonym(s): *tristan* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 68806. Besaia (s.str.) yunnana (Kiriakoff,1962)** (Notodontidae) Synonym(s): *yunnana* Kiriakoff,1962 _ Range (in code): CN Yu VN Ton Tda Fan
- 68807. Besaia (s.str.) zoe Schintlmeister,1997** (Notodontidae) Synonym(s): *zoe* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 68808. Besida vinvalva Schaus,1928** (Notodontidae) Synonym(s): *vinvalva* Schaus,1928
Original Reference: Besida vinvalva Schaus,1928, Proc. U.S. natn. Mus. 73(19): 83. Type(s): Mindanao. Range (in code): PH Ceb Luz Mdo Mno Pal
- 68809. Besida xylinata Walker,1865** (Notodontidae) Synonym(s): *xylinata* Walker,1865; *#albiplaga* Gaede,1930
Original Reference: Besida xylinata Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 456. Type(s): [Indonesia]: Java. Range (in code): TH ID Sum Ja Clb PH Pal VN Ton Bac N-I
- 68810. Betashachia angustipennis Matsumura,1925** (Notodontidae) Synonym(s): *angustipennis* Matsumura,1925; *cineraria* Kiriakoff,1963 _ Range (in code): TW CN VN M-c Tda Fan Ton TH ID Sum
- 68811. Betashachia angustipennis angustipennis Matsumura,1925** (Notodontidae) Synonym(s): *angustipennis* Matsumura,1925; *cineraria* Kiriakoff,1963 _ Range (in code): TW CN VN M-c Tda Fan Ton TH
- 68812. Betashachia angustipennis tropica Kiriakoff** (Notodontidae) Synonym(s): *tropica* Kiriakoff _ Range (in code): ID Sum
- 68813. Betashachia senescens (Kiriakoff,1963)** (Notodontidae) Synonym(s): *senescens* Kiriakoff,1963 _ Range (in code): KP KR CN VN Ton Fan
- 68814. Betashachia substyxana (Kiriakoff,1963)** (Notodontidae) Synonym(s): *substyxana* Kiriakoff,1963 _ Range (in code):
- 68815. Bilulua strigata Kiriakoff,1954** (Notodontidae) Synonym(s): *strigata* Kiriakoff,1954
Range (in code): ZA
- 68816. Bireta dorsisuffusa Kiriakoff,1962** (Notodontidae) Synonym(s): *dorsisuffusa* Kiriakoff,1962 _ Range (in code): CN
- 68817. Bireta endophaea (Hampson,1904)** (Notodontidae) Synonym(s): *endophaea* Hampson,1904 _ Range (in code): IN

- 68818. Bireta longivitta Walker, 1856** (Notodontidae) Synonym(s): *longivitta* Walker, 1856; *xanthophila* Walker, 1865 Original Reference: Bireta longivitta Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 7: 1754. Range (in code): **IN NP MM Rgo SI TH CN VN Ton Fan M-c**
- 68819. Bisolita rubrifascia (Hampson, 1910)** (Notodontidae) Synonym(s): *rubrifascia* Hampson, 1910 Range (in code): **ZA**
- 68820. Bisolita strigata (Aurivillius, 1906)** (Notodontidae) Synonym(s): *strigata* Aurivillius, 1906 Range (in code): **ZA**
- 68821. Blakaia marmorata Kiriakoff, 1967** (Notodontidae) Synonym(s): *marmorata* Kiriakoff, 1967 Range (in code): **MY Bor VN Cuc B-e Tgi ID Clb**
- 68822. Brykia horsfieldi (Moore, 1859)** (Notodontidae) Synonym(s): *horsfieldi* Moore, 1859 Range (in code): **MY Bor ID Sum Ja VN Tgi M-c Cuc Fan**
- 68823. Brykia horsfieldi horsfieldi (Moore, 1859)** (Notodontidae) Synonym(s): *horsfieldi* Moore, 1859 Range (in code): **MY Bor ID Sum Ja**
- 68824. Brykia horsfieldi mapalia Schintlmeister, 1997** (Notodontidae) Synonym(s): *mapalia* Schintlmeister, 1997 Range (in code): **VN Ton Tgi M-c Cuc Fan**
- 68825. Calyptronotum gualberta (Schaus, 1928)** (Notodontidae) Synonym(s): *gualberta* Schaus, 1928 Original Reference: Fentonia gualberta Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 77. Type(s): Mindanao. Range (in code): **PH Luz Mno**
- 68826. Calyptronotum singapura (Gaede, 1930)** (Notodontidae) Synonym(s): *singapura* Gaede, 1930; *confusum* Roepke, 1944 Original Reference: Pseudofentonia singapura Gaede, 1930, [in] Seitz, Großschmett. Erde 10: 624. Type(s): Singapur. Range (in code): **SG BN Swk Bor MY**
- 68827. Catastygne tricolor (Gaede, 1928)** (Notodontidae) Synonym(s): *tricolor* Gaede, 1928 Range (in code): **ZA**
- 68828. Catochria catocoloides Herrich-Schäffer, [1855]** (Notodontidae) Synonym(s): *catocoloides* Herrich-Schäffer, [1855] Range (in code): **ZA**
- 68829. Catochria postflava Kiriakoff, 1955** (Notodontidae) Synonym(s): *postflava* Kiriakoff, 1955 Range (in code): **ZA**
- 68830. Cerasana anceps Walker, 1862** (Notodontidae) Synonym(s): *anceps* Walker, 1862; *lutea* Pagenstecher, 1890 [ssp.] Original Reference: Cerasana anceps Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 123. Type(s): [Malaysia]: Borneo: Sarawak. Range (in code): **MY Bor Swk ID Sum PH Pal TH Yal**
- 68831. Cerasana anceps ursulae Schintlmeister, 2004** (Notodontidae) Synonym(s): *ursulae* Schintlmeister, 2004 Range (in code): **TH Yal**
- 68832. Cerasana basipuncta (Semper, 1896)** (Notodontidae) Synonym(s): *basipuncta* Semper, 1896 Original Reference: Nadata basipuncta Semper, 1896, Reisen Archipel Philipp. Semper (2): 410. Syntypes: Mindanao, Bohol. Range (in code): **PH Boh Luz Mdo Mno**
- 68833. Cerasana pagenstecheri Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *pagenstecheri* Schintlmeister & Lourens, 2010 Range (in code): **TH Cph ID Sum**
- 68834. Cerasana pagenstecheri lechneri Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *lechneri* Schintlmeister & Lourens, 2010 Range (in code): **TH Cph**
- 68835. Cerasana rubripuncta Joannis, 1900** (Notodontidae) Synonym(s): *rubripuncta* Joannis, 1900; *lemeemagdalenae* Lemee & Tams, 1950 Range (in code): **CN Yu VN Cuc Ton Tda M-c B-e Fan**
- 68836. Cerasana ulrikae Schintlmeister, 2004** (Notodontidae) Synonym(s): *ulrikae* Schintlmeister, 2004 Range (in code): **PH Mdo**
- 68837. Cerura (Apocerura) basirectilinea Sugi, 1993** (Notodontidae) Synonym(s): *basirectilinea* Sugi, 1993 Range (in code): **NP**
- 68838. Cerura (Apocerura) erminea (Esper, 1783)** (Notodontidae) Synonym(s): *erminea* Esper, 1783 Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG EE LV LT RU Us Vv MD UA BY CN TW MM**
- 68839. Cerura (Apocerura) erminea birmanica Bryk, 1949** (Notodontidae) Synonym(s): *birmanica* Bryk, 1949 Range (in code): **MM**
- 68840. Cerura (Apocerura) erminea candida (Staudinger, 1892)** (Notodontidae) Synonym(s): *candida* Staudinger, 1892 Range (in code): **RU Us Vv**
- 68841. Cerura (Apocerura) erminea erminea (Esper, 1783)** (Notodontidae) Synonym(s): *erminea* Esper, 1783 Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG EE LV LT RU MD UA BY**

- 68842. Cerura (Apocerura) erminea formosana Matsumura,1929** (Notodontidae)
Synonym(s): *formosana* Matsumura,1929 Range (in code): TW
- 68843. Cerura (Apocerura) erminea menciana Moore,1877** (Notodontidae) Synonym(s):
menciana Moore,1877 Range (in code): CN
- 68844. Cerura (Apocerura) roesleri De Lattin, Becker, Bender,1974** (Notodontidae)
Synonym(s): *roesleri* De Lattin, Becker, Bender,1974 Range (in code): IN Hp Sml
- 68845. Cerura (Neocerura) liturata (Walker,1855)** (Notodontidae) Synonym(s): *liturata* Walker,1855 Original Reference: Cerura liturata Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 988. Syntypes: [Bangladesh]: Sylhet, [India]: Madras. Range (in code): LK Kndy Pdy IN NP MM TH VN CN TW PH Luz ID Sum Ja Bli Bor Ton Tda Tgi Cuc Fan N-I M-c
- 68846. Cerura (Neocerura) liturata arikana (Matsumura,1927)** (Notodontidae)
Synonym(s): *arikana* Matsumura,1927; *baibarana* Matsumura,1927. Range (in code): TW
- 68847. Cerura (Neocerura) liturata liturata (Walker,1855)** (Notodontidae) Synonym(s): *liturata* Walker,1855 Original Reference: Cerura liturata Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 988. Syntypes: [Bangladesh]: Sylhet, [India]: Madras. Range (in code): LK Kndy Pdy IN NP MM TH VN CN PH Luz ID Sum Ja Bli Bor Ton Tda Tgi Cuc Fan N-I M-c
- 68848. Cerura (s.str.) amseli De Lattin, Becker & Roesler,1974** (Notodontidae)
Synonym(s): *amseli* De Lattin, Becker & Roesler,1974 Original Reference: Cerura vinula ssp. amseli De Lattin, Becker, Roesler,1974, Ent. Z., Frankf. a. M. 84 (9): 88-90, fig. Holotype ♂: Afghanistan: Koh-i-Baba, Panjao Umg., leg. Ebert (ZSM). Range (in code): AF Kbb Pnj Blh Hr Kab Sfk Pag Slg PK Bl Qu TJ Pm Chr
- 68849. Cerura (s.str.) amseli pamira Schintlmeister,2008** (Notodontidae) Synonym(s): *pamira* Schintlmeister,2008 Range (in code): TJ Pm Chr
- 68850. Cerura (s.str.) delavoiei (Gaschet,1876)** (Notodontidae) Synonym(s): *delavoiei* Gaschet,1876 Original Reference: Cerura vinula var. delavoiei Gaschet,1876, Annls Soc. ent. Fr. (5) 6: 522. Type: Algeria, El-Esman. Range (in code): MA Tgr Azr DZ Cn Khb Orn Mage Agi Ges Btina Ght
- 68851. Cerura (s.str.) delavoiei canariensis Pinker,1968** (Notodontidae) Synonym(s): *canariensis* Pinker,1968 Range (in code): CN
- 68852. Cerura (s.str.) delavoiei delavoiei (Gaschet,1876)** (Notodontidae) Synonym(s): *delavoiei* Gaschet,1876 Original Reference: Cerura vinula var. delavoiei Gaschet,1876, Annls Soc. ent. Fr. (5) 6: 522. Type: Algeria, El-Esman. Range (in code): MA Tgr Azr DZ Ght Khb Orn Mage Agi Ges Btina
- 68853. Cerura (s.str.) felina Butler,1877** (Notodontidae) Synonym(s): *felina* Butler,1877; *askolda* Oberthür,1880 Range (in code): JP RU Us
- 68854. Cerura (s.str.) himalayana Moore,1888** (Notodontidae) Synonym(s): *himalayana* Moore,1888 Original Reference: Cerura himalayana Moore,1888, Proc. zool. Soc. London 1888: 400-401. Syntypes ♂♀: India: Dharmasala. Larva on willow (Hocking) (BMNH). Range (in code): IR Ss AF Nu Bsg Kab IN Hp Drm
- 68855. Cerura (s.str.) hreblayi Schintlmeister,2008** (Notodontidae) Synonym(s): *hreblayi* Schintlmeister,2008 Range (in code): TM K-K Kp
- 68856. Cerura (s.str.) iberica (Templado & Ortiz,1966)** (Notodontidae) Synonym(s): *iberica* Templado & Ortiz,1966 Range (in code): PT ES
- 68857. Cerura (s.str.) intermedia (Teich,1896)** (Notodontidae) Synonym(s): *intermedia* Teich,1896 Range (in code): Cc TR IR Ha Es Kz IQ Er Shq Bgd PK Bionomy: Larva on Populus euphraticus (Salicaceae) (Wiltshire,1939).
- 68858. Cerura (s.str.) kautti Schintlmeister,2008** (Notodontidae) Synonym(s): *kautti* Schintlmeister,2008 Range (in code): IR Ke
- 68859. Cerura (s.str.) przewalskii (Alpheraky,1882)** (Notodontidae) Synonym(s): *przewalskii* Alpheraky,1882 Original Reference: Harpyia przewalskii Alpheraky,1882, Horae Soc. ent. ross. 17: 38-40, Tab.I fig.37. Syntypes ♂: [China: Uighur A.R.]: "Khorgosse". Range (in code): CN Ui Khr Um Ga
- 68860. Cerura (s.str.) przewalskii przewalskii (Alpheraky,1882)** (Notodontidae)
Synonym(s): *przewalskii* Alpheraky,1882 Original Reference: Harpyia przewalskii Alpheraky,1882, Horae Soc. ent. ross. 17: 38-40, Tab.I fig.37. Syntypes ♂: [China: Uighur A.R.]: "Khorgosse". Range (in code): CN Ui Khr Um Ga
- 68861. Cerura (s.str.) viidaleppi Schintlmeister,2008** (Notodontidae) Synonym(s): *viidaleppi* Schintlmeister,2008 Range (in code): TJ

- 68862. Cerura (s.str.) vinula (Linnaeus,1758)** (Notodontidae) **Synonym(s):** *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 **Original Reference:** *Phalaena vinula* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. **Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR GG Smt Bjo Mng Lag AM AZ Kir Cc TR DK NO SE FI EE LV LT RU Kb Teb MD UA BY IQ Agh IR Ab Oru Ak Shf Kh AF Nu Bsg Kab CN Ui Khr Um**
- 68863. Cerura (s.str.) vinula benderi De Lattin, Becker, Roesler,1974** (Notodontidae) **Synonym(s):** *benderi* De Lattin, Becker, Roesler,1974 **Original Reference:** *Cerura vinula* ssp. *benderi* De Lattin, Becker, Roesler,1974, Ent. Z., Frankf. a. M. 84 (9): 86-88, figs. Holotype ♂: Miramare, Rhodos, 22.4.1962, leg.Tams (BMNH). **Range (in code):** **Rd GR**
- 68864. Cerura (s.str.) vinula estonica (Huene,1905)** (Notodontidae) **Synonym(s):** *estonica* Huene,1905 **Range (in code):** **EE LV LT**
- 68865. Cerura (s.str.) vinula irakana (Heydemann Schulte & Remane,1963)** (Notodontidae) **Synonym(s):** *irakana* Heydemann Schulte & Remane,1963 **Original Reference:** *Cerura vinula* ssp. *irakana* Heydemann Schulte & Remane,1963, Mitt. münch. ent. Ges. 53: 90-91. Holotype ♂: Iraq: Abu-Ghraib (coll. Heydemann). **Range (in code):** **TR IQ Agh**
- 68866. Cerura (s.str.) vinula phantoma (Dalman,1823)** (Notodontidae) **Synonym(s):** *phantoma* Dalman,1823 **Range (in code):** **SE**
- 68867. Cerura (s.str.) vinula vinula (Linnaeus,1758)** (Notodontidae) **Synonym(s):** *vinula* Linnaeus,1758; *minax* Hübner,[1803]; *teberdina* Kornejev,1939 **Original Reference:** *Phalaena vinula* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 499. **Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR Cc Smt Bjo Mng Lag GG AZ Kir DK NO SE FI RU Kc Teb MD UA BY IR AF Nu Bsg Kab CN Ui Khr Um**
- 68868. Cerura (s.str.) zolotuhini Schintlmeister,2008** (Notodontidae) **Synonym(s):** *zolotuhini* Schintlmeister,2008 **Range (in code):** **TJ**
- 68869. Cerurella natalensis Kiriakoff,1962** (Notodontidae) **Synonym(s):** *natalensis* Kiriakoff,1962 **Range (in code):** **ZA**
- 68870. Cerurina marshalli (Hampson,1910)** (Notodontidae) **Synonym(s):** *marshalli* Hampson,1910 **Range (in code):** **ZA**
- 68871. Chadisra bipars Walker,1862** (Notodontidae) **Synonym(s):** *bipars* Walker,1862 **Range (in code):** **IN NP LK MY ID Sum Ja Bor TW TH VN Ton Fan M-c Tda B-e N-I Cuc**
- 68872. Chadisra bipartita (Matsumura,1925)** (Notodontidae) **Synonym(s):** *bipartita* Matsumura,1925 **Range (in code):** **TW ID Ja Sum JP CN NP SI TH IN VN Ton Fan Tda B-e Tgi Cuc N-I M-c**
- 68873. Chadisra calapana (Semper,1898)** (Notodontidae) **Synonym(s):** *calapana* Semper,1898 **Range (in code):** **PH Mdo**
- 68874. Chadisra luzonensis Kiriakoff,1970** (Notodontidae) **Synonym(s):** *luzonensis* Kiriakoff,1970 **Range (in code):** **MY Bor ID Ja PH Luz Mdo Mno Pal Pan**
- 68875. Chalepa arausius Schintlmeister,2007** (Notodontidae) **Synonym(s):** *arausius* Schintlmeister,2007 **Range (in code):** **TH CMa Int**
- 68876. Chalepa arcania Schintlmeister,2007** (Notodontidae) **Synonym(s):** *arcania* Schintlmeister,2007 **Range (in code):** **CN Yu**
- 68877. Chalepa aroides (Swinhoe,1896)** (Notodontidae) **Synonym(s):** *aroides* Swinhoe,1896 **Range (in code):** **IN Meg Khs Cpj**
- 68878. Chalepa bela (Swinhoe,1894)** (Notodontidae) **Synonym(s):** *bela* Swinhoe,1894 **Range (in code):** **IN Meg Khs Cpj**
- 68879. Chalepa binotata Kiriakoff,1959** (Notodontidae) **Synonym(s):** *binotata* Kiriakoff,1959 **Range (in code):** **MM Kch Kam**
- 68880. Chalepa hauensteini Schintlmeister,2007** (Notodontidae) **Synonym(s):** *hauensteini* Schintlmeister,2007 **Range (in code):** **TH CMa Int**
- 68881. Chalepa ingae Schintlmeister,2007** (Notodontidae) **Synonym(s):** *ingae* Schintlmeister,2007 **Range (in code):** **TH CMa Int**
- 68882. Chalepa rosiora (Schintlmeister,2007)** (Notodontidae) **Synonym(s):** *rosiora* Schintlmeister,2007 **Range (in code):** **VN**
- 68883. Chalepa tenebralis (Hampson,1896)** (Notodontidae) **Synonym(s):** *tenebralis* Hampson,1896 **Range (in code):** **IN SI**
- 68884. Changea notitiae Schintlmeister,2008** (Notodontidae) **Synonym(s):** *notitiae* Schintlmeister,2008 **Range (in code):** **CN KwT**

- 68885. *Changea siamensis* Schintlmeister, 2007** (Notodontidae) **Synonym(s):** *siamensis* Schintlmeister, 2007 **Range (in code):** **TH Kao**
- 68886. *Changea yangguifei* Schintlmeister & Fang, 2001** (Notodontidae) **Synonym(s):** *yangguifei* Schintlmeister & Fang, 2001 **Range (in code):** **CN Sz**
- 68887. *Chlorocallope calliope* (Hampson, 1910)** (Notodontidae) **Synonym(s):** *calliope* Hampson, 1910 **Range (in code):** **ZA**
- 68888. *Chlorocallope subvernalis* Kiriakoff, 1958** (Notodontidae) **Synonym(s):** *subvernalis* Kiriakoff, 1958 **Range (in code):** **ZA**
- 68889. *Chlorochadisra viridipulverea* (Gaede, 1928)** (Notodontidae) **Synonym(s):** *viridipulverea* Gaede, 1928 **Range (in code):** **ZA**
- 68890. *Clostera anachoreta* (Fabricius, 1787)** (Notodontidae) **Synonym(s):** *#anachoreta* [Denis & Schiffermüller], 1775; *anachoreta* Fabricius, 1787; *pallida* Staudinger, 1887 *nec* Wlk., 1855; *albidior* Pfütze, 1901; *erema* Bryk, 1942; *lundquisti* Bryk, 1942; *mahatma* Bryk, 1949 **Original Reference:** *Bombyx anachoreta* Fabricius, 1787, Mantissa Insectorum 2: 120. Type: Austria, on Salix, Populus. **Range (in code):** **ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY AF Pag Bm Sfk TW LK**
- 68891. *Clostera anastomosis* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963 **Range (in code):** **ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Am Us Ask MD UA BY KG Ssn CN Ui Ku Au Fkn Yu Lik Sz Ats T-T Sz**
- 68892. *Clostera anastomosis anastomosis* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *anastomosis* Linnaeus, 1758; *alticaudagrisea* Retzius, 1783; *orientalis* Fixsen, 1887; *kononis* Matsumura, 1929; *insignior* Kiriakoff, 1963 **Range (in code):** **ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY CN Ui Ku Au Am Fkn Yu Lik Sz Ats T-T Sz**
- 68893. *Clostera anastomosis tristis* (Staudinger, 1887)** (Notodontidae) **Synonym(s):** *tristis* Staudinger, 1887 **Original Reference:** *Pygaera anastomosis* var. *tristis* Staudinger, 1887, Stettin ent. Ztg. 48: 102. Syntypes 5♂: Russia: Askold; [Kazakhstan]: Saisan ["ganz dunkel...Hfl. ganz schwarz"]. **Range (in code):** **RU Us Ask KG Ssn**
- 68894. *Clostera angularis* (Snellen, 1895)** (Notodontidae) **Synonym(s):** *angularis* Snellen, 1895 **Range (in code):** **ID Sum Ja Bor MY PH Pal VN Ann Bao**
- 68895. *Clostera cupreata* (Butler, 1886)** (Notodontidae) **Synonym(s):** *cupreata* Butler, 1886 **Original Reference:** *Ichthyura cupreata* Butler, 1886, Proc. zool. Soc. Lond. 1886: 387. Type: [Pakistan]: Campbellpore, 26th July 1885. **Range (in code):** **PK Cp Pj AF Srb Jla**
- 68896. *Clostera curtula* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783 **Original Reference:** *Phalaena curtula* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 503. **Range (in code):** **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Hsk GR TR Cc GG Smt Bjo Lag AZ Kir DK NO SE FI EE LV LT RU MD UA BY CN Ui Ku**
- 68897. *Clostera curtula canescens* Graeser, 1892** (Notodontidae) **Synonym(s):** *canescens* Graeser, 1892 **Range (in code):** **CN Ui Ku**
- 68898. *Clostera curtula curtula* (Linnaeus, 1758)** (Notodontidae) **Synonym(s):** *curtula* Linnaeus, 1758; *albicaudaalba* Retzius, 1783 **Range (in code):** **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG Hsk GR TR Cc GG Smt Bjo Lag AZ Kir DK NO SE FI EE LV LT RU MD UA BY**
- 68899. *Clostera distinguenda* Kiriakoff, 1962** (Notodontidae) **Synonym(s):** *distinguenda* Kiriakoff, 1962 **Range (in code):** **ZA**
- 68900. *Clostera dorsalis* (Walker, 1862)** (Notodontidae) **Synonym(s):** *dorsalis* Walker, 1862; *geminata* Gaede, 1930 **Original Reference:** *Ichthyura dorsalis* Walker, 1862, J. linn. Soc. Lond., Zool. 6: 134. Type(s): Borneo. **Range (in code):** **Bor MY ID Sum**
- 68901. *Clostera ferruginosa* (Gaede, 1934)** (Notodontidae) **Synonym(s):** *ferruginosa* Gaede, 1934 **Range (in code):** **ZA**
- 68902. *Clostera formosa* Kiriakoff, 1962** (Notodontidae) **Synonym(s):** *formosa* Kiriakoff, 1962 **Range (in code):** **ZA**
- 68903. *Clostera fulgurita* (Walker, 1865)** (Notodontidae) **Synonym(s):** *fulgurita* Walker, 1865 **Original Reference:** *Ichthyura fulgurita* Walker, 1865; List Specimens lepid. Insects Colln Br. Mus. 32: 433. Type: E. India. **Range (in code):** **IN NP MM TH VN Ton Fan Cuc M-c Tda Tgi M-c B-c MY Bor ID Sum Ja Clb CN Yu Hn**
- 68904. *Clostera hildora* (Schaus, 1928)** (Notodontidae) **Synonym(s):** *hildora* Schaus, 1928 **Original Reference:** *Clostera hildora* Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 90. Type(s): Luzon. **Range (in code):** **PH Luz**

- 68905. Clostera lentisignata (Hampson,1910)** (Notodontidae) Synonym(s): *lentisignata* Hampson,1910 _ Range (in code): ZA
- 68906. Clostera modesta (Staudinger,1889)** (Notodontidae) Synonym(s): *modesta* Staudinger,1889; *moderata* Graeser,1892; *akulini* Oberthür,1910 _ Range (in code): KK Ik Ax UZ Fe
- 68907. Clostera nubila Kiriakoff,1962** (Notodontidae) Synonym(s): *nubila* Kiriakoff,1962 _ Range (in code): ZA
- 68908. Clostera obscurior (Staudinger,1887)** (Notodontidae) Synonym(s): *obscurior* Staudinger,1887 _ Original Reference: Pygaera pigra var. *obscurior* Staudinger,1887, Stettin ent. Ztg. 48: 102. Syntypes: [China: Uighur A.R.]: Kuldja. Range (in code): CN Ui Ku
- 68909. Clostera pallida (Walker,1855)** (Notodontidae) Synonym(s): *pallida* Walker,1855; *rufa* Luh,1947; *larga* Bryk,1949 _ Range (in code): IN NP MM CN Yu Lik Sz VN Ton Fan
- 68910. Clostera pigra (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 _ Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo AZ Kir AM Cc DK NO SE FI EE LV LT RU MD UA BY IQ CN Ui Ku Bionomy: Larva on Populus, Salix (Wiltshire,1957).
- 68911. Clostera pigra pigra (Hufnagel,1766)** (Notodontidae) Synonym(s): *pigra* Hufnagel,1766; *reclusa* [Denis & Schiffermüller],1775; *alticaudafurcata* Retzius,1783; *suffusa* Stephens,1835; *superior* Rangnow,1935; *#flavidior* Bytinski-Salz,1936 _ Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Tbl Smt Bjo AZ Kir AM Cc DK NO SE FI EE LV LT RU MD UA BY
- 68912. Clostera pigra staudingeri Koçak,1980** (Notodontidae) Synonym(s): *ferruginea* Staudinger,1901 nec Mre,1865; *staudingeri* Koçak,1980 _ Original Reference: *Clostera pigra* ssp. *staudingeri* Koçak,1980, Commun Fac. Sci. Univ. Ankara (C3) 24: 8 (nomen novum pro *Pygaera pigra* var. *ferruginea* Staudinger,1901 nec *Ichthyura ferruginea* Moore,1865). Range (in code): CN Ui Ku IQ Agh
- 68913. Clostera powelli (Oberthür,1915)** (Notodontidae) Synonym(s): *powelli* Oberthür,1915 _ Range (in code): MA DZ
- 68914. Clostera restitura (Walker,1865)** (Notodontidae) Synonym(s): *restitura* Walker,1865; *indica* Moore,1865 _ Original Reference: *Ichthyura restitura* Walker,1865, List Specimens lepid Insects Colln Br. Mus. 32: 433-434. Type ♂: [Sri Lanka]: Ceylon. Range (in code): LK Kndy Pdy IN Ben TW CN TH CMa CM07 MY VN Ton Far B-e Tgi Cuc ID Sum Bor Ja Bionomy: Larva on *Flacourtia cataphracta* (Moore,1865); *Casearia* (Gardner,1943), *Elaeocarpus* (Sevastopulo,1940); *Salix*, *Populus* (Browne,1968); *Salix tetrasperma* (Salicaceae) from Thailand (Kemal & Koçak,2012).
- 68915. Clostera roseotincta (Janse,1920)** (Notodontidae) Synonym(s): *roseotincta* Janse,1920 _ Range (in code): ZA
- 68916. Clostera semilunata Kiriakoff,1971** (Notodontidae) Synonym(s): *semilunata* Kiriakoff,1971 _ Range (in code): ZA
- 68917. Clostera transecta (Dudgeon,1889)** (Notodontidae) Synonym(s): *transecta* Dudgeon,1889 _ Range (in code): IN TH CN Yu
- 68918. Clostera violacearia (Janse,1920)** (Notodontidae) Synonym(s): *violacearia* Janse,1920 _ Range (in code): ZA
- 68919. Clostera vumba Kiriakoff,1981** (Notodontidae) Synonym(s): *vumba* Kiriakoff,1981 _ Range (in code): ZW Vum
- 68920. Cnethodonta grisescens Staudinger,1887** (Notodontidae) Synonym(s): *grisescens* Staudinger,1887 _ Range (in code):
- 68921. Cnethodonta grisescens baibarana Matsumura,1929** (Notodontidae) Synonym(s): *baibarana* Matsumura,1929 _ Range (in code):
- 68922. Cnethodonta grisescens grisescens Staudinger,1887** (Notodontidae) Synonym(s): *grisescens* Staudinger,1887 _ Range (in code):
- 68923. Cnethodonta japonica Sugi,1980** (Notodontidae) Synonym(s): *japonica* Sugi,1980 _ Range (in code): JP
- 68924. Cnethodonta pustulifer (Oberthür,1911)** (Notodontidae) Synonym(s): *pustulifer* Oberthür,1911 _ Range (in code): VN Fan Ton Tgi M-c CN
- 68925. Cnethodonta pustulifer albescens Schintlmeister,1997** (Notodontidae) Synonym(s): *albescens* Schintlmeister,1997 _ Range (in code): VN Fan Ton Tgi M-c
- 68926. Cnethodonta pustulifer pustulifer (Oberthür,1911)** (Notodontidae) Synonym(s): *pustulifer* Oberthür,1911 _ Range (in code): CN

- 68927. *Cophocosma nigrilinea* (Leech,1899)** (Notodontidae) **Synonym(s):** *nigrilinea* Leech,1899
Range (in code): **VN Ton N-I Bac**
- 68928. *Coscodaca acharista* (West,1932)** (Notodontidae) **Synonym(s):** *acharista* West,1932
Original Reference: *Spatalia acharista* West,1932, Novit. zool. 37: 210. **Type(s):** Luzon. **Range (in code):** **PH Luz**
- 68929. *Crambometra derelicta* Prout,1915** (Notodontidae) **Synonym(s):** *derelicta* Prout,1915
Range (in code): **ZA**
- 68930. *Crambometra gladstoni* (Janse,1920)** (Notodontidae) **Synonym(s):** *gladstoni* Janse,1920
Range (in code): **ZA**
- 68931. *Crambometra vandenbergae* Kiriakoff,1981** (Notodontidae) **Synonym(s):** *vandenbergae* Kiriakoff,1981
Range (in code): **ZA**
- 68932. *Cyphanta chortochroa* Hampson,[1893]** (Notodontidae) **Synonym(s):** *chortochroa* Hampson,[1893]
Range (in code): **IN NP VN Ton Fan**
- 68933. *Cyphanta xanthochlora* Walker,1865** (Notodontidae) **Synonym(s):** *xanthochlora* Walker,1865
Range (in code): **NP SI MM VN Ton Fan**
- 68934. *Damata dicyma* Wiltshire,1958** (Notodontidae) **Synonym(s):** *dicyma* Wiltshire,1958
Range (in code): **AF Nu Bsg**
- 68935. *Damata longipennis* Walker,1855** (Notodontidae) **Synonym(s):** *longipennis* Walker,1855
Range (in code): **JP TW CN Yu SI IN**
- 68936. *Damata longipennis formosicola* Matsumura,1929** (Notodontidae) **Synonym(s):** *formosicola* Matsumura,1929; *japona* Bryk,1949
Range (in code): **JP TW**
- 68937. *Damata longipennis longipennis* Walker,1855** (Notodontidae) **Synonym(s):** *longipennis* Walker,1855
Range (in code): **CN Yu SI IN**
- 68938. *Dasychirella cinderella* Kiriakoff,1970** (Notodontidae) **Synonym(s):** *cinderella* Kiriakoff,1970
Range (in code): **ZA**
- 68939. *Deinarchia agramma* (Hampson,1910)** (Notodontidae) **Synonym(s):** *agramma* Hampson,1910
Range (in code): **ZA**
- 68940. *Desmeocraera analis* Kiriakoff,1954** (Notodontidae) **Synonym(s):** *analis* Kiriakoff,1954
Range (in code): **ZA ZW Uma ZR**
- 68941. *Desmeocraera analis* Kiriakoff,1954** (Notodontidae) **Synonym(s):** *analis* Kiriakoff,1954
Range (in code): **ZR**
- 68942. *Desmeocraera analis strigata* Kiriakoff,1968** (Notodontidae) **Synonym(s):** *strigata* Kiriakoff,1968
Range (in code): **ZA ZW Uma**
- 68943. *Desmeocraera atribasalis* (Hampson,1910)** (Notodontidae) **Synonym(s):** *atribasalis* Hampson,1910
Range (in code): **ZA**
- 68944. *Desmeocraera basalis* Distant,1899** (Notodontidae) **Synonym(s):** *basalis* Distant,1899
Original Reference: *Desmeocraera basalis* Distant,1899, Ann. Mag. nat. Hist. 7 (4): 361. **Range (in code):** **ZA Nta Kzu Tva Lpo Spb Mdk Mpu Ly ZW BW MZZM MW AO TZ KE SD**
- 68945. *Desmeocraera canescens* Janse,1920** (Notodontidae) **Synonym(s):** *canescens* Janse,1920
Range (in code): **ZA ZW**
- 68946. *Desmeocraera clenchi* Kiriakoff,1958** (Notodontidae) **Synonym(s):** *clenchi* Kiriakoff,1958
Range (in code): **ZR**
- 68947. *Desmeocraera congoana* Aurivillius,1900** (Notodontidae) **Synonym(s):** *congoana* Aurivillius,1900
Range (in code): **ZA CG**
- 68948. *Desmeocraera decorata* (Wichgraf,1922)** (Notodontidae) **Synonym(s):** *decorata* Wichgraf,1922; *neavei* Tams,1925; *lithocolla* Tams,1932
Range (in code): **ZA AO MZ ZW ZM MW KE**
- 68949. *Desmeocraera dorsalis* Kiriakoff,1981** (Notodontidae) **Synonym(s):** *dorsalis* Kiriakoff,1981
Range (in code): **ZA**
- 68950. *Desmeocraera falsa* (Holland,1893)** (Notodontidae) **Synonym(s):** *falsa* Holland,1893
Range (in code): **NG**
- 68951. *Desmeocraera forsteri* Kiriakoff,1973** (Notodontidae) **Synonym(s):** *forsteri* Kiriakoff,1973
Original Reference: *Desmeocraera forsteri* Kiriakoff,1973, Mitt. münch. ent. Ges. 63: 82. Holotype: Tanzania. **Range (in code):** **TZ**
- 68952. *Desmeocraera griseoviridis* Hampson,1910** (Notodontidae) **Synonym(s):** *griseoviridis* Hampson,1910
Range (in code): **ZA Ec Cto**
- 68953. *Desmeocraera interpellatrix* (Wallengren,1860)** (Notodontidae) **Synonym(s):** *interpellatrix* Wallengren,1860
Range (in code): **ZA**

- 68954. *Desmeocraera jansei* Kiriakoff, 1958** (Notodontidae) Synonym(s): *varia* Janse, 1920 nec Wlk.; *jansei* Kiriakoff, 1958 _ Range (in code): **ZA Nta Kzu**
- 68955. *Desmeocraera kirkoffi* Thiaucourt, 1977** (Notodontidae) Synonym(s): *kirkoffi* Thiaucourt, 1977 _ Range (in code): **ET**
- 68956. *Desmeocraera latex* (Druce, 1901)** (Notodontidae) Synonym(s): *latex* Druce, 1901 _ Range (in code): **ZA**
- 68957. *Desmeocraera leucophaea* Gaede, 1928** (Notodontidae) Synonym(s): *leucophaea* Gaede, 1928 _ Range (in code): **CM**
- 68958. *Desmeocraera leucosticta* (Hampson, 1910)** (Notodontidae) Synonym(s): *leucosticta* Hampson, 1910 _ Range (in code): **NE**
- 68959. *Desmeocraera luteosticta* Kiriakoff, 1968** (Notodontidae) Synonym(s): *luteosticta* Kiriakoff, 1968 _ Range (in code): **ZA ZW Vum Uma**
- 68960. *Desmeocraera mawa* Kiriakoff, 1979** (Notodontidae) Synonym(s): *mawa* Kiriakoff, 1979
Original Reference: *Desmeocraera mawa* Kiriakoff, 1979, Spixiana 2 (3): 277. Holotype: Nigeria.
Range (in code): **NG**
- 68961. *Desmeocraera mkabi* Kiriakoff, 1979** (Notodontidae) Synonym(s): *mkabi* Kiriakoff, 1979
Range (in code): **NG**
- 68962. *Desmeocraera moza* Kiriakoff, 1962** (Notodontidae) Synonym(s): *moza* Kiriakoff, 1962
Range (in code): **ZA MZ**
- 68963. *Desmeocraera nugatrix* Felder, 1874** (Notodontidae) Synonym(s): *nugatrix* Felder, 1874
Range (in code): **ZA**
- 68964. *Desmeocraera octoginta* (Hampson, 1910)** (Notodontidae) Synonym(s): *octoginta* Hampson, 1910 _ Range (in code): **ZA Nta Kzu Tva Ec ZR**
- 68965. *Desmeocraera oliva* Kiriakoff, 1968** (Notodontidae) Synonym(s): *oliva* Kiriakoff, 1968
Range (in code): **ZA UG**
- 68966. *Desmeocraera platti* Janse, 1920** (Notodontidae) Synonym(s): *platti* Janse, 1920
Range (in code): **ZA Nta Kzu Tva BW**
- 68967. *Desmeocraera sincera* Kiriakoff, 1958** (Notodontidae) Synonym(s): *sincera* Kiriakoff, 1958 _ Range (in code): **NG GH**
- 68968. *Desmeocraera tanzanica* Kiriakoff, 1973** (Notodontidae) Synonym(s): *tanzanica* Kiriakoff, 1973 _ Range (in code): **TZ**
- 68969. *Desmeocraera tripuncta* Janse, 1920** (Notodontidae) Synonym(s): *tripuncta* Janse, 1920
Range (in code): **ZA Ec Nta Kzu Tva BW KE**
- 68970. *Desmeocraera tripuncta kenyae* Kiriakoff, 1958** (Notodontidae) Synonym(s): *kenyae* Kiriakoff, 1958 _ Range (in code): **KE**
- 68971. *Desmeocraera tripuncta tripuncta* Janse, 1920** (Notodontidae) Synonym(s): *tripuncta* Janse, 1920 _ Range (in code): **ZA Ec Nta Kzu Tva BW**
- 68972. *Desmeocraera vernalis* Distant, 1897** (Notodontidae) Synonym(s): *vernalis* Distant, 1897
Range (in code): **ZA Tva Mpu Brb Ly Nta Kzu CM**
- 68973. *Desmeocraera weberiana* Kiriakoff, 1958** (Notodontidae) Synonym(s): *weberiana* Kiriakoff, 1958 _ Range (in code): **CM ZR**
- 68974. *Desmeocraera zombae* Kiriakoff, 1958** (Notodontidae) Synonym(s): *zombae* Kiriakoff, 1958 _ Range (in code): **ZA**
- 68975. *Dicranura tsvetajevi* Schintlmeister & Sviridov, 1986** (Notodontidae) Synonym(s): *tsvetajevi* Schintlmeister & Sviridov, 1986 _ Range (in code):
- 68976. *Dicranura ulmi* ([Denis & Schiffermüller], 1775)** (Notodontidae) Synonym(s): *#ulmi* [Denis & Schiffermüller], 1775; *discors* Fabricius, 1798; *modica* Dannehl, 1929; *istriaca* Bytinski-Salz, 1939.
Original Reference: *Noctua ulmi* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 66. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Sa IT CH AT CZ SK HU RO YU AL BG GR TR Cc GG Tbl Aj IR Gl** Bionomy: Larva on *Ulmus campestris* ([Denis & Schiffermüller], 1775; Romanoff, 1885, et seq.).
- 68977. *Disracha persimilis* (Hampson, 1910)** (Notodontidae) Synonym(s): *persimilis* Hampson, 1910 _ Range (in code): **ZA**
- 68978. *Drapetides uniformis* (Swinhoe, 1907)** (Notodontidae) Synonym(s): *uniformis* Swinhoe, 1907 _ Range (in code): **ZA**
- 68979. *Drymonia dodonea* ([Denis & Schiffermüller], 1775)** (Notodontidae) Synonym(s): *#dodonea* [Denis & Schiffermüller], 1775; *trimacula* Esper, [1785]; *lunata* Villers, 1789; *poltawskii* Schintlmeister, 1981; *wagneri* De Freina, 1981
Original Reference: *Bombyx dodonea* [Denis &

- Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): [Austria]: Vienna district. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE EE LV LT RU MD UA BY Cc AZ Len Kir GG Smt Bjo Lag** Bionomy: Larva on Quercus robur ([Denis & Schiffermüller], 1775 et seq.).
- 68980. Drymonia japonica (Wileman, 1911)** (Notodontidae) Synonym(s): *japonica* Wileman, 1911 Range (in code): **JP**
- 68981. Drymonia moyerii (Ebert, 1971)** (Notodontidae) Synonym(s): *moyerii* Ebert, 1971; *#moyerii* Guttleb & Wieser, 2002 Range (in code): **IR GLs**
- 68982. Drymonia obliterated (Esper, [1785])** (Notodontidae) Synonym(s): *obliterated* Esper, [1785]; *melagone* Borkhausen, 1790; *deleta* Brahm, 1790; *esmera* De Freina, 1981 Range (in code): **ES FR IT BE NL DE CH AT PL CZ SK RO YU BG TR Cc DK**
- 68983. Drymonia querna (Fabricius, 1787)** (Notodontidae) Synonym(s): *#querna* [Denis & Schiffermüller], 1775; *querna* Fabricius, 1787; *sausalica* Daniel, 1968; *meridioitalica* Hartig, 1970; *danieli* Hartig, 1970 Original Reference: Bombyx querna Fabricius, 1787, Mantissa Insectorum 2: 122. Type: Austria. Range (in code): **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR**
- 68984. Drymonia querna djezina O. Bang-Haas, 1937** (Notodontidae) Synonym(s): *djezina* O. Bang-Haas, 1937 Range (in code): **TR**
- 68985. Drymonia ruficornis (Hufnagel, 1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel, 1766; *confusa* Hufnagel, 1767; *chaonia* [Denis & Schiffermüller], 1775; *roboris* Fabricius, 1777; *ilicis* Fabricius, 1793; *roboreus* Haworth, 1803; *querneus* Haworth, 1803 Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Cc Len DK NO SE EE LV LT RU MD UA BY** Bionomy: Larva on Quercus (Fagaceae).
- 68986. Drymonia ruficornis concolor Daniel, 1939** (Notodontidae) Synonym(s): *concolor* Daniel, 1939; *anadolua* De Freina, 1983. Range (in code): **TR** Bionomy: Larva on Quercus (Fagaceae).
- 68987. Drymonia ruficornis ruficornis (Hufnagel, 1766)** (Notodontidae) Synonym(s): *ruficornis* Hufnagel, 1766; *confusa* Hufnagel, 1767; *chaonia* [Denis & Schiffermüller], 1775; *roboris* Fabricius, 1777; *ilicis* Fabricius, 1793; *roboreus* Haworth, 1803; *querneus* Haworth, 1803 Range (in code): **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE EE LV LT RU MD UA BY Cc AZ Len** Bionomy: Larva on Quercus (Fagaceae).
- 68988. Drymonia velitaris (Hufnagel, 1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel, 1766; *austera* [Denis & Schiffermüller], 1775; *bifasciata* Villers, 1789 Range (in code): **PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Smt Bjo Lag Mng AM**
- 68989. Drymonia velitaris pontica (Rebel, 1908)** (Notodontidae) Synonym(s): *pontica* Rebel, 1908 Range (in code): **Cc TR**
- 68990. Drymonia velitaris velitaris (Hufnagel, 1766)** (Notodontidae) Synonym(s): *velitaris* Hufnagel, 1766; *austera* [Denis & Schiffermüller], 1775; *bifasciata* Villers, 1789 Range (in code): **PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cc AM GG Smt Bjo Lag Mng**
- 68991. Dudusa intermedia Sugi, 1987** (Notodontidae) Synonym(s): *intermedia* Sugi, 1987; *#intermediata* Hutacharern & Tubtim, 1995 Range (in code): **TH VN Ton Tda**
- 68992. Dudusa minor Schintlmeister, 1993** (Notodontidae) Synonym(s): *minor* Schintlmeister, 1993 Original Reference: Dudusa minor Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 110 Taf. Holotype ♂: Philippinen: Luzon: Quezon: Tanawan. Range (in code): **PH Luz Mdo Mno**
- 68993. Dudusa nobilis Walker, 1865** (Notodontidae) Synonym(s): *nobilis* Walker, 1865; *baibarana* Matsumura, 1929; *distincta* Mell, 1930. Range (in code): **TH VN Ton Tda Cuc CN Kwa TW**
- 68994. Dudusa sphingiformis Moore, 1872** (Notodontidae) Synonym(s): *sphingiformis* Moore, 1872; *coreana* Nakatomi, 1977; *birmana* Bryk, 1949; *tsushimana* Nakamura, 1978 Range (in code): **IN MM NP VN Ton Fan JP KP KR TW CN Tkg Sz Yu Fkn She Ahw Hpe Pkn Stg**
- 68995. Dudusa synopla Swinhoe, 1907** (Notodontidae) Synonym(s): *synopla* Swinhoe, 1907; *rufobrunnea* Mell, 1930; *fumosa* Matsumura, 1925; *horishana* Matsumura, 1929. Range (in code): **IN SI MM TH CN Kwa Fkn Tkg MY VN Tda Ton Fan Bor Pal PH TW ID Sum**
- 68996. Dudusa vethi borneensis Roepke, 1943** (Notodontidae) Synonym(s): *borneensis* Roepke, 1943 Original Reference: Dudusa borneensis Roepke, 1943, Tijdschr. Ent. 36: 79. Holotype: Borneo. Range (in code): **MY Bor PH Pal**
- 68997. Egonociades basistriata Kiriakoff, 1963** (Notodontidae) Synonym(s): *basistriata* Kiriakoff, 1963 Range (in code): **CN Fkn Tkg**
- 68998. Egonociades discosticta (Hampson, 1900)** (Notodontidae) Synonym(s): *discosticta* Hampson, 1900 Range (in code): **IN Ass SI VN Ton Tda Fan**

- 68999. Eguria auritracta Moore, 1865** (Notodontidae) Synonym(s): *auritracta* Moore, 1865; *auritractata* Hampson, 1892 _ Range (in code): TH CMa CDo
- 69000. Eguria ornata (Oberthür, 1884)** (Notodontidae) Synonym(s): *ornata* Oberthür, 1884; *macrodonata* Butler, 1885 _ Range (in code): RU Us CN TW
- 69001. Elaphrodes duplex (Gaede, 1928)** (Notodontidae) Synonym(s): *duplex* Gaede, 1928 _ Range (in code): ZA
- 69002. Ellida viridimixta (Bremer, 1861)** (Notodontidae) Synonym(s): *viridimixta* Bremer, 1861 _ Range (in code): RU Us KP KR JP VN Ton Fan CN
- 69003. Epicerulella imitans Kiriakoff, 1981** (Notodontidae) Synonym(s): *imitans* Kiriakoff, 1981 _ Range (in code): ZA
- 69004. Epicerura pergrisea (Hampson, 1910)** (Notodontidae) Synonym(s): *pergrisea* Hampson, 1910 _ Range (in code): ZA
- 69005. Epicerura steniptera (Hampson, 1910)** (Notodontidae) Synonym(s): *steniptera* Hampson, 1910 _ Range (in code): ZA
- 69006. Epidonta brunneomixta (Mabille, 1897)** (Notodontidae) Synonym(s): *brunneomixta* Mabille, 1897 _ Range (in code): ZA
- 69007. Epistauropus apiculatus (Rothschild, 1917)** (Notodontidae) Synonym(s): *apiculatus* Rothschild, 1917 _ Original Reference: Stauropus apiculatus Rothschild, 1917, Novit. zool. 24: 245. Type(s): [Malaysia]: Penang. Range (in code): PH Luz Mno Pal
- 69008. Euanthia venosa Kiriakoff, 1962** (Notodontidae) Synonym(s): *venosa* Kiriakoff, 1962 _ Range (in code): ZA
- 69009. Eubreyeria dasychiroides (Janse, 1920)** (Notodontidae) Synonym(s): *dasychiroides* Janse, 1920 _ Range (in code): ZA
- 69010. Euhampsonia cristata (Butler, 1877)** (Notodontidae) Synonym(s): *cristata* Butler, 1877 _ Range (in code): JP RU Us KP KR MM TW CN Ahw Hph Hun Kgs Kig Lng Shs She Sz Yu Tkg Stg Jn Mc
- 69011. Euhampsonia formosana (Matsumura, 1925)** (Notodontidae) Synonym(s): *formosana* Matsumura, 1925 _ Range (in code): TW
- 69012. Euhampsonia niveiceps (Walker, 1865)** (Notodontidae) Synonym(s): *niveiceps* Walker, 1865 _ Range (in code): IN CN Hpe She Sz Tkg
- 69013. Euhampsonia serratifera Sugi, 1994** (Notodontidae) Synonym(s): *serratifera* Sugi, 1994 _ Range (in code): TH MM VN Ton Fan M-c CN
- 69014. Euhampsonia sinjaevi Schintlmeister, 1997** (Notodontidae) Synonym(s): *sinjaevi* Schintlmeister, 1997 _ Range (in code): VN Ton Fan
- 69015. Euhampsonia splendida (Oberthür, 1881)** (Notodontidae) Synonym(s): *splendida* Oberthür, 1881; *chosennadata* Bryk, 1949 _ Range (in code): RU Sb Am Us KP KR JP CN Ahw Hpe Mc Hph Jn Lng She Shs Tkg Hun
- 69016. Eujansea afra (Bethune-Baker, 1911)** (Notodontidae) Synonym(s): *afra* Bethune-Baker, 1911; *noctuiiformis* Janse, 1920 _ Original Reference: Cleapa afra Bethune-Baker, 1911, Ann. Mag. nat. Hist. (8) 7 (42): 559. Type ♂: "Gunnal, West Africa" (coll. Bethune-Baker). Range (in code): ZA
- 69017. Eujansea crenata (Kiriakoff, 1962)** (Notodontidae) Synonym(s): *crenata* Kiriakoff, 1962 _ Original Reference: Cleapa crenata Kiriakoff, 1962, Tijdschr. Ent. 105: 244-245, fig. 7. Holotype ♂: Angola, Cacolo 1400m AO
- 69018. Eurystaura brunnae Janse, 1920** (Notodontidae) Synonym(s): *brunnae* Janse, 1920 _ Range (in code): ZA
- 69019. Eurystaura griseitincta (Hampson, 1910)** (Notodontidae) Synonym(s): *griseitincta* Hampson, 1910 _ Range (in code): ZA
- 69020. Eurystauridia iphis Kiriakoff, 1968** (Notodontidae) Synonym(s): *iphis* Kiriakoff, 1968 _ Range (in code): ZA
- 69021. Eurystauridia medialis (Gaede, 1928)** (Notodontidae) Synonym(s): *medialis* Gaede, 1928 _ Range (in code): ZA
- 69022. Eurystauridia triangularis (Gaede, 1928)** (Notodontidae) Synonym(s): *triangularis* Gaede, 1928 _ Range (in code): ZA
- 69023. Eushachia aurata (Moore, 1879)** (Notodontidae) Synonym(s): *aurata* Moore, 1879 _ Range (in code): SI IN MM TW CN VN Ton Fan
- 69024. Eushachia nigrofasciata (Hampson, 1892)** (Notodontidae) Synonym(s): *nigrofasciata* Hampson, 1892 _ Range (in code): SI IN CN VN Cuc Tda Ton Fan

- 69025. Eushachia nigrofasciata insido Schintlmeister,1989** (Notodontidae) Synonym(s): *insido Schintlmeister,1989* - Range (in code): CN
- 69026. Eushachia nigrofasciata nigrofasciata (Hampson,1892)** (Notodontidae) Synonym(s): *nigrofasciata Hampson,1892* - Range (in code): SI IN VN Cuc Tda Ton Fan
- 69027. Eutimia marpissa Wallengren,1858** (Notodontidae) Synonym(s): *marpissa Wallengren,1858* - Range (in code): ZA
- 69028. Fentonia baibarana Matsumura,1929** (Notodontidae) Synonym(s): *baibarana Matsumura,1929* - Range (in code): TW TH VN Ton Fan Tda CN
- 69029. Fentonia excurvata (Hampson,1893)** (Notodontidae) Synonym(s): *excurvata Hampson,1893* - Range (in code): SI IN NP VN Ton Fan Tgi Bao Tda
- 69030. Fentonia subnigrescens Kiriakoff,1963** (Notodontidae) Synonym(s): *subnigrescens Kiriakoff,1963* - Range (in code): CN VN Ton Fan Tda TH
- 69031. Fentonina exacta Kiriakoff,1962** (Notodontidae) Synonym(s): *exacta Kiriakoff,1962* - Range (in code): ZA
- 69032. Fentonina punctum Gaede,1928** (Notodontidae) Synonym(s): *punctum Gaede,1928* - Range (in code): ZA
- 69033. Formofentonia orbifer (Hampson,1893)** (Notodontidae) Synonym(s): *orbifer Hampson,1893; #orbivifera Hutacharern & Tuhtim,1995* - Range (in code): IN TW ID Clb Ja Sum Bor PH Mno Pal CN Sz TH CMa CDo
- 69034. Formofentonia orbifer madena (Schaus,1928)** (Notodontidae) Synonym(s): *madena Schaus,1928* - Original Reference: Chadisra madena Schaus,1928, Proc. U.S. natn. Mus. 73(19): 81. Type(s): Java. Range (in code): PH Mno Pal
- 69035. Formofentonia orbifer orbifer (Hampson,1893)** (Notodontidae) Synonym(s): *orbifer Hampson,1893; #orbivifera Hutacharern & Tuhtim,1995* - Range (in code): IN ID Clb Ja Sum Bor CN Sz TH CMa CDo
- 69036. Formofentonia orbifer rotundata Matsumura,1925** (Notodontidae) Synonym(s): *rotundata Matsumura,1925* - Range (in code): TW
- 69037. Franzdaniela fasciata Sugi,1992** (Notodontidae) Synonym(s): *fasciata Sugi,1992* - Range (in code): NP VN Ton Fan
- 69038. Furcula aeruginosa (Christoph,1873)** (Notodontidae) Synonym(s): *aeruginosa Christoph,1873* - Range (in code): KG Uk RU Sb Sj At Bn Tv Or Sr Ao Ro TrA Aa Il CN Ui Ku Au T-S MN
- 69039. Furcula aeruginosa aeruginosa (Christoph,1873)** (Notodontidae) Synonym(s): *aeruginosa Christoph,1873* - Range (in code): KG Uk RU Or Sr Ao Ro
- 69040. Furcula aeruginosa ludovicior (Gaede,1933)** (Notodontidae) Synonym(s): *ludovicior Gaede,1933* - Range (in code): CN Ui T-S
- 69041. Furcula aeruginosa mongolica Schintlmeister,1998** (Notodontidae) Synonym(s): *mongolica Schintlmeister,1998* - Range (in code): MN
- 69042. Furcula aeruginosa petri (Alpheraky,1882)** (Notodontidae) Synonym(s): *petri Alpheraky,1882; ludoviciae Püngeler,1901* - Range (in code): KG TrA Aa Il CN Ui Ku Au RU Tv
- 69043. Furcula aeruginosa sibirica (Daniel,1965)** (Notodontidae) Synonym(s): *sibirica Daniel,1965* - Range (in code): RU Sb Sj At Bn
- 69044. Furcula bicuspis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicuspis Borkhausen,1790; borealis Boisduval,1829; infumata Staudinger,1887; transiens Krulikowsky,1909* - Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Krl
- 69045. Furcula bicuspis bicuspis (Borkhausen,1790)** (Notodontidae) Synonym(s): *bicuspis Borkhausen,1790; borealis Boisduval,1829; infumata Staudinger,1887; transiens Krulikowsky,1909* - Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 69046. Furcula bicuspis kurilensis (Matsumura,1929)** (Notodontidae) Synonym(s): *kurilensis Matsumura,1929* - Range (in code): RU Krl
- 69047. Furcula bifida (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina Goeze,1781 nec Gz.,1781; bifida Brahm,1787; latifascia Curtis,1827; arcuata Stephens,1828; mucronata Meigen,1830; urocera Boisduval,1840; lype Seifers,1933; beida Rungs,1956* - Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Smt DK NO SE FI EE LV LT RU Ur At Cc Sj MD UA BY KG MN
- 69048. Furcula bifida bifida (Brahm,1787)** (Notodontidae) Synonym(s): *hermelina Goeze,1781 nec Gz.,1781; bifida Brahm,1787; latifascia Curtis,1827; arcuata Stephens,1828; mucronata Meigen,1830; urocera*

Boisduval,1840; lype Seifers,1933; beida Rungs,1956 Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Bku Smt DK NO SE FI EE LV LT RU Ur At Cc MD UA BY

69049. Furcula danieli Schintlmeister,1998 (Notodontidae) Synonym(s): danieli Schintlmeister,1998 Range (in code): TJ UZ TM Kp IR Kh Msh

69050. Furcula furcula (Linnaeus,1761) (Notodontidae) Synonym(s): #furcula Clerck,1759; furcula Linnaeus,1761; salicis Lamarck,1816; nordlandica Daniel,1965; atlantica Daniel,1965. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV B-H MK YU AL BG GR TR DK NO SE FI EE LV LT RU GG Lag Cc MD UA BY KG AF Fz AZ Tlh Kir Len Nv AM Alg RU Da IR Elb Clu Mz Th JP Hkk KP KR CN Shs RU Sb Sj At Krl MN Am Ya Us Sh

69051. Furcula furcula ajatar (Schilde,1874) (Notodontidae) Synonym(s): borealis Bohemann,1849 nec Bsd.,1829; ajatar Schilde,1874; saltensis Schöyen,1881; pluto Rangnow,1935; styx Rangnow,1935. Range (in code): DK NO SE FI EE LV LT

69052. Furcula furcula altaica Schintlmeister,1998 (Notodontidae) Synonym(s): altaica Schintlmeister,1998 Range (in code): RU At

69053. Furcula furcula forficula (Fischer v. Waldheim,1820) (Notodontidae) Synonym(s): forficula Fischer v. Waldheim,1820 Range (in code): RO HV MK B-H YU AL BG GR RU MD UA TR KG

69054. Furcula furcula furcula (Linnaeus,1761) (Notodontidae) Synonym(s): #furcula Clerck,1759; furcula Linnaeus,1761; salicis Lamarck,1816; nordlandica Daniel,1965; atlantica Daniel,1965. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RU BY

69055. Furcula furcula fuscina (Hübner,[1800]) (Notodontidae) Synonym(s): fuscina Hübner,[1800]; salicis Lenz,1924 nec Lamarck,1816. Range (in code):

69056. Furcula furcula intercalaris (Groum-Grshimailo,1899) (Notodontidae) Synonym(s): intercalaris Groum-Grshimailo,1899 Range (in code): CN Shs

69057. Furcula furcula persica (Gaede,1933) (Notodontidae) Synonym(s): persica Gaede,1933; pseudobicuspis Daniel,1935 Range (in code): Cc AZ Tlh Len Nv AM Alg RU Da IR Elb Clu Mz Th

69058. Furcula furcula pulviger (Staudinger,1901) (Notodontidae) Synonym(s): pulviger Staudinger,1901; songuldakensis Daniel,1938; caucasica Schintlmeister,1981 Range (in code): TR Cc GG Lag AM Di Geg Kir RU Kr

69059. Furcula furcula sangaica (Moore,1877) (Notodontidae) Synonym(s): sangaica Moore,1877; lanigera Butler,1877; japonica Grünberg,1912; urupura Bryk,1941. Range (in code): AF Fz JP Hkk KP KR CN RU Sb Sj Krl MN Am Ya Us Sh

69060. Furcula furcula turcica Schintlmeister,1998 (Notodontidae) Synonym(s): turcica Schintlmeister,1998 Original Reference: Furcula furcula ssp. turcica Schintlmeister,1998, Entomofauna 19 (5): 79-80, pl.1 figs.4-6. Holotype ♂: Turkey: Aksehir, 1000m, leg. Czipka (MWM). Range (in code): TR

69061. Furcula gorbunovi Schintlmeister,1998 (Notodontidae) Synonym(s): gorbunovi Schintlmeister,1998 Range (in code): TJ KK Pm

69062. Furcula interrupta (Christoph,1867) (Notodontidae) Synonym(s): interrupta Christoph,1867; leucotera Stichel,1911; sureyae Rebel,1933; hoeferi Bytinski-Salz,1936; leucotera Lenek,1969; #syreyae Schintlmeister,1989. Original Reference: Harpyia interrupta Christoph,1867, Stettin ent. Ztg. 28: 233-234. Syntypes ♂♀: Russia, Sarepta. Range (in code): TR IR Ha Cc AZ Nv Ord Kir Elb Th Kdj Tbz IQ Shq Bgd IL Pa LB Bsa Bei SY Hms CY RU Sr UZ Fe Man CN Ui Ku

69063. Furcula interrupta clarior (Wiltshire,1943) (Notodontidae) Synonym(s): clarior Wiltshire,1943 Range (in code): IQ Shq Bgd IR Ha

69064. Furcula interrupta interrupta (Christoph,1867) (Notodontidae) Synonym(s): interrupta Christoph,1867; leucotera Stichel,1911; sureyae Rebel,1933; hoeferi Bytinski-Salz,1936; leucotera Lenek,1969; #syreyae Schintlmeister,1989. Original Reference: Harpyia interrupta Christoph,1867, Stettin ent. Ztg. 28: 233-234. Syntypes ♂♀: Russia, Sarepta. Range (in code): RU Sr Cc AZ Nv Ord Kir TR IR Elb Th Kdj Tbz

69065. Furcula interrupta syra Groum-Grshimailo,1899 (Notodontidae) Synonym(s): syra Groum-Grshimailo,1899 Range (in code): RU Sr IL Pa LB Bei Bsa SY Hms TR UZ Fe Man CN Ui Ku Bionomy: Larva on Populus in Lebanon (Wiltshire,1943).

69066. Furcula interspersa (Rothschild,1917) (Notodontidae) Synonym(s): interspersa Rothschild,1917 Original Reference: Cerura bifida ssp. interspersa Rothschild,1917, Novit. zool. 24: 348. Syntypes: Algeria, Batna, Khenchela, Bou Saada (Tring Mus.). Range (in code): MA DZ BSa Khb Bttn TN

69067. Furcula mimonovi Schintlmeister,1998 (Notodontidae) Synonym(s): mimonovi Schintlmeister,1998 Range (in code): UZ TJ KG

- 69068. Furcula nicetia (Schaus,1928)** (Notodontidae) **Synonym(s):** *nicetia Schaus,1928; malaisei Bryk,1949* Range (in code): **CN Yu Ats Lji Sz T-T MM**
- 69069. Furcula pakistana Schintlmeister,1998** (Notodontidae) **Synonym(s):** *pakistan Schintlmeister,1998* Range (in code): **PK Ch Gg Asr Ld Ngr Haz Kag Swa Blk IN Hp**
- 69070. Furcula schintlmeisteri Koçak & Kemal,2015** (Notodontidae) **Synonym(s):** *turbida Brandt,1938 nec Wlk.,1865; schintlmeisteri Koçak & Kemal,2015[due to primary homonymy]* Range (in code): **IR Fa Dlk Brz** Bionomy: Larva on Populus (Salicaceae) (Wiltshire,1943,1957).
- 69071. Furcula schintlmeisteri schintlmeisteri Koçak & Kemal,2015** (Notodontidae) **Synonym(s):** *turbida Brandt,1938 nec Wlk.,1865; schintlmeisteri Koçak & Kemal,2015 [due to primary homonymy]* Range (in code): **IR Fa Dlk Brz** [see page 3]
- 69072. Furcula terminata (Wiltshire,1958)** (Notodontidae) **Synonym(s):** *terminata Wiltshire,1958* Range (in code): **AF PK Ch UZ Fe KG Ii KK Osh Na RU Tv T-S**
- 69073. Furcula tibetana Schintlmeister,1998** (Notodontidae) **Synonym(s):** *tibetana Schintlmeister,1998* Range (in code): **CN Ti** Bionomy: Larva on Populus in Lebanon (Wiltshire,1943).
- 69074. Galona serena Karsch,1895** (Notodontidae) **Synonym(s):** *serena Karsch,1895* Range (in code): **ZA**
- 69075. Gangarides dharma Moore,1865** (Notodontidae) **Synonym(s):** *dharma Moore,1865; puerariae Mell,1922* Range (in code): **IN MM CN Fkn Kwa Hpe Hph Mou T-T Kgs Kig Lng She Sz Yu Tkg TH CMA CDo VN Cuc Tda Ton Fan B-e M-c Bao Tgi KR**
- 69076. Gangarides dharma coreana Matsumura,1924** (Notodontidae) **Synonym(s):** *coreana Matsumura,1924* Range (in code): **KR**
- 69077. Gangarides flavescens Schintlmeister,1997** (Notodontidae) **Synonym(s):** *flavescens Schintlmeister,1997* Original Reference: Gangarides flavescens Schintlmeister,1997, Entomofauna Suppl.9 (4): 54, figs. Holotype ♂: N. Vietnam: Tam Dao, 60km NW Hanoi, 900m, secondary forest, 1-5.v.1993, leg. Sinjaev (coll. Schintlmeister). Range (in code): **VN Tda M-c Ton Fan TH CMA MM**
- 69078. Gangarides rosea (Walker,1865)** (Notodontidae) **Synonym(s):** *rosea Walker,1865* Original Reference: Apona rosea Walker,1865, List Specimens lepid. Insects Colln Br. Mus. 32: 513. Type(s): Himalaya. Range (in code): **SI ID Sum MY PH Pal VN Ton Tda Bao**
- 69079. Gangarides rufinus Schintlmeister,1997** (Notodontidae) **Synonym(s):** *rufinus Schintlmeister,1997* Original Reference: Gangarides rufinus Schintlmeister,1997, Entomofauna Suppl.9 (4): 53, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 19.vii.1989 leg.Cotton (coll. Schintlmeister). Range (in code): **TH CMA Dst Cmz Cz10 Nan VN Ton Fan MM Tns**
- 69080. Gangarides sugii Schintlmeister,1993** (Notodontidae) **Synonym(s):** *sugii Schintlmeister,1993* Original Reference: Gangarides sugii Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 112, Taf. Holotype ♂: Philippinen: Mindanao: Bukidnon, 800m. Range (in code): **PH Luz Mno**
- 69081. Gangarides vardena (Swinhoe,1882)** (Notodontidae) **Synonym(s):** *vardena Swinhoe,1882* Range (in code): **ID Sum MY Bor TH VN Bao Bac**
- 69082. Gangarides vittipalpis (Walker,1869)** (Notodontidae) **Synonym(s):** *vittipalpis Walker,1869; irregularis Schintlmeister,1994* Range (in code): **IN VN Ton Tda Cuc M-c Tgi B-e MY TH SI**
- 69083. Gangaridopsis citrina (Wileman,1911)** (Notodontidae) **Synonym(s):** *citrina Wileman,1911* Range (in code):
- 69084. Gangaridopsis dercetis Schintlmeister,1989** (Notodontidae) **Synonym(s):** *dercetis Schintlmeister,1989* Range (in code): **CN Fkn Hph Hpe Hun Kig Tkg**
- 69085. Gargetta costigera Walker,1865** (Notodontidae) **Synonym(s):** *costigera Walker,1865* Range (in code): **TH CMA CDo VN Ton Bac N-I**
- 69086. Gargetta divisa Gaede,1930** (Notodontidae) **Synonym(s):** *divisa Gaede,1930* Range (in code): **IN NP MM VN Ton Tda MY ID Sum Bor Luz PH**
- 69087. Gargetta eucharis Schintlmeister,1997** (Notodontidae) **Synonym(s):** *eucharis Schintlmeister,1997* Range (in code): **VN M-c**
- 69088. Gargetta hampsoni Schintlmeister,1981** (Notodontidae) **Synonym(s):** *hampsoni Schintlmeister,1981* Range (in code): **ID Sum TH CMA CDo**
- 69089. Gargetta nagaensis Hampson,1892** (Notodontidae) **Synonym(s):** *nagaensis Hampson,1892; #hagaensis Schintlmeister,1997* Original Reference: Gargetta nagaensis Hampson,1892, Fauna Br. India (Moths) 1: 135. Type ♂: India: Naga Hills, 6000ft (Doherty) (coll. Elwes). Range (in code): **IN Nag VN Ton Bac N-I CN Yu Tkg Kig**

- 69090. *Ginshachia bronacha* (Schaus,1928)** (Notodontidae) Synonym(s): *bronacha* Schaus,1928
Original Reference: *Spatialia bronacha* Schaus,1928, Proc. U. S. Nat. Mus. 73 (19): 73. Type: Java.
Range (in code): [ID Ja MY TH CMa Dst Dso9](#)
- 69091. *Ginshachia bronacha aritai* Nakamura,1976** (Notodontidae) Synonym(s): *aritai* Nakamura,1976
Range (in code): [TH CMa Dst Dso9 MY](#)
- 69092. *Ginshachia bronacha bronacha* (Schaus,1928)** (Notodontidae) Synonym(s): *bronacha* Schaus,1928
Original Reference: *Spatialia bronacha* Schaus,1928, Proc. U. S. Nat. Mus. 73 (19): 73. Type: Java. Range (in code): [ID Ja](#)
- 69093. *Ginshachia gemmifera* (Moore,1877)** (Notodontidae) Synonym(s): *gemmifera* Moore,1877; *elongata* Matsumura,1929
Range (in code): [IN SI TW](#)
- 69094. *Ginshachia phoebe* Schintlmeister,1989** (Notodontidae) Synonym(s): *phoebe* Schintlmeister,1989
Range (in code): [CN VN Ton Fan N-l](#)
- 69095. *Ginshachia sumatrensis* (Gaede,1930)** (Notodontidae) Synonym(s): *sumatrensis* Gaede,1930
Range (in code): [ID Sum](#)
- 69096. *Gluphisia crenata* (Esper,1785)** (Notodontidae) Synonym(s): *crenata* Esper,1785; *rurea* Fabricius,1787; *varia* Fabricius,1794; *crenosa* Hübner,[1803]; *amurensis* Grünberg,1912
Range (in code): [ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Am MD UA BY](#)
- 69097. *Gluphisia oxiana* (Djakonov,1929)** (Notodontidae) Synonym(s): *oxiana* Djakonov,1929
Original Reference: *Paragluphisia oxiana* Djakonov,1929, Ann. Mus. Zool. Acad. Sci.USSR 27: 220, pl.15 figs.1-9, pl.15 fig.12. Syntypes: [Turkestan/Usbekistan]: Amu Darja. Range (in code): [UZ TM](#)
- 69098. *Gonoclostera argentata* (Oberthür,1914)** (Notodontidae) Synonym(s): *argentata* Oberthür,1914
Range (in code): [CN TH VN Ton Fan Bao Ann Tda](#)
- 69099. *Graphodonta fulva* (Kiriakoff,1962)** (Notodontidae) Synonym(s): *fulva* Kiriakoff,1962
Range (in code): [ZA](#)
- 69100. *Hagapteryx mirabilior* (Oberthür,1911)** (Notodontidae) Synonym(s): *mirabilior* Oberthür,1911
Range (in code): [RU Us JP KP KR CN VN Ton Fan M-c](#)
- 69101. *Hampsonita esmeralda* (Hampson,1910)** (Notodontidae) Synonym(s): *Hampsonita esmeralda* Hampson,1910
Range (in code): [ZA](#)
- 69102. *Haplozana nigrolineata* Aurivillius,1901** (Notodontidae) Synonym(s): *nigrolineata* Aurivillius,1901
Range (in code): [ZA](#)
- 69103. *Harpyia longipennis* (Walker,1855)** (Notodontidae) Synonym(s): *longipennis* Walker,1855; *formosicola* Matsumura,1929
Range (in code): [TW IN NP CN MM TH VN Ton Tda Fan](#)
- 69104. *Harpyia microsticta* (Swinhoe,1892)** (Notodontidae) Synonym(s): *microsticta* Swinhoe,1892; *dicyma* Wiltshire,1958
Range (in code): [TW IN NP CN MM TH VN Ton Tda Fan](#)
- 69105. *Harpyia microsticta baibarana* Matsumura,1927** (Notodontidae) Synonym(s): *baibarana* Matsumura,1927
Range (in code): [TW IN NP CN MM TH VN Ton Tda Fan](#)
- 69106. *Harpyia microsticta microsticta* (Swinhoe,1892)** (Notodontidae) Synonym(s): *microsticta* Swinhoe,1892; *dicyma* Wiltshire,1958
Range (in code): [TW IN NP CN MM TH VN Ton Tda Fan](#)
- 69107. *Harpyia milhauseri* (Fabricius,1775)** (Notodontidae) Synonym(s): *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932
Original Reference: *Bombyx milhauseri* Fabricius,1775; Syst. Ent.: 577. Type(s): [Germania]: Dresden.
Range (in code): [PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV LT RU MD UA BY IQ](#) Bionomy: Larva on Quercus (Staudinger,1879).
- 69108. *Harpyia powelli* (Oberthür,1912)** (Notodontidae) Synonym(s): *powelli* Oberthür,1912; *occidentalis* Rungs,1973
Original Reference: *Hybocampa powelli* Oberthür,1912, Bull. Soc. ent. Fr. 1912: 339. Type: Algeria, Lambessa. Range (in code): [DZ Btina Lbs](#)
- 69109. *Harpyia tokui* (Oberthür,1912)** (Notodontidae) Synonym(s): *tokui* Oberthür,1912; *monochroma* Tshistjakov,1979
Range (in code): [DZ Btina Lbs](#)
- 69110. *Harpyia umbrosa* (Staudinger,1892)** (Notodontidae) Synonym(s): *umbrosa* Staudinger,1892
Range (in code): [DZ Btina Lbs](#)
- 69111. *Hemifentonia mandschurica* (Oberthür,1911)** (Notodontidae) Synonym(s): *mandschurica* Oberthür,1911; *fasciculata* Filipjev,1927; *styxana* Schaus,1928; *inconspicua* Kiriakoff,1963.
Range (in code): [CN Mc RU](#)
- 69112. *Heraia thalassina* (Hampson,1910)** (Notodontidae) Synonym(s): *thalassina* Hampson,1910
Range (in code): [ZA](#)

- 69113. *Higena distincta* Schintlmeister,1993** (Notodontidae) Synonym(s): *distincta* Schintlmeister,1993 Original Reference: *Higena distincta* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **ID Sum**
- 69114. *Higena plumigera* Matsumura,1925** (Notodontidae) Synonym(s): *plumigera* Matsumura,1925 Range (in code): **TW VN Ton Tda M-c Tgi**
- 69115. *Higena similis* Schintlmeister,1993** (Notodontidae) Synonym(s): *similis* Schintlmeister,1993 Original Reference: *Higena similis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Ceb Pal Luz Mno Mdo**
- 69116. *Higena similis cebuensis* Schintlmeister,1993** (Notodontidae) Synonym(s): *cebuensis* Schintlmeister,1993 Original Reference: *Higena similis* ssp. *cebuensis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Ceb**
- 69117. *Higena similis luzonensis* Schintlmeister,1993** (Notodontidae) Synonym(s): *luzonensis* Schintlmeister,1993 Original Reference: *Higena similis* ssp. *luzonensis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Luz**
- 69118. *Higena similis mindanaensis* Schintlmeister,1993** (Notodontidae) Synonym(s): *mindanaensis* Schintlmeister,1993 Original Reference: *Higena similis* ssp. *mindanaensis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Mno**
- 69119. *Higena similis mindorensis* Schintlmeister,1993** (Notodontidae) Synonym(s): *mindorensis* Schintlmeister,1993 Original Reference: *Higena similis* ssp. *mindorensis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Mdo**
- 69120. *Higena similis similis* Schintlmeister,1993** (Notodontidae) Synonym(s): *similis* Schintlmeister,1993 Original Reference: *Higena similis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): **PH Pal**
- 69121. *Himeropteryx miraculosa* Staudinger,1887** (Notodontidae) Synonym(s): *miraculosa* Staudinger,1887; *yui* Okano,1960 Range (in code): **RU Am TW**
- 69122. *Hiradonta angustipennis* Nakatomi & Kishida,1984** (Notodontidae) Synonym(s): *angustipennis* Nakatomi & Kishida,1984 Range (in code): **TW VN Ton M-c N-I**
- 69123. *Homocentridia picta* (Hampson,1900)** (Notodontidae) Synonym(s): *picta* Hampson,1900 Range (in code): **IN Ass NP VN Ton Fan M-c**
- 69124. *Homocentridia picta alius* Schintlmeister,1997** (Notodontidae) Synonym(s): *alius* Schintlmeister,1997 Range (in code): **VN Ton Fan M-c**
- 69125. *Homocentridia picta picta* (Hampson,1900)** (Notodontidae) Synonym(s): *picta* Hampson,1900 Range (in code): **IN Ass NP**
- 69126. *Hupodonta corticalis* Butler,1877** (Notodontidae) Synonym(s): *corticalis* Butler,1877 Range (in code): **JP RU Us KP KR TW CN VN Ton Fan**
- 69127. *Hupodonta pulcherima* (Moore,1865)** (Notodontidae) Synonym(s): *pulcherima* Moore,1865 Range (in code): **SI IN NP VN Ton Fan**
- 69128. *Hyperaeschra pallida* Butler,1880** (Notodontidae) Synonym(s): *pallida* Butler,1880; *ochropis* Hampson,1910 Original Reference: *Hyperaeschra pallida* Butler,1880, Ann. Mag. nat. Hist. (5) 6: 65. Type(s): [India]: Darjeeling. Range (in code): **SI LK IN Djl TH CMa CDo CN Fkn Kig Yu VN Ton Fan M-c Tgi Tda N-I ID Sum PH Luz Ley Mno**
- 69129. *Induba nigrescens* Kiriakoff,1975** (Notodontidae) Synonym(s): *nigrescens* Kiriakoff,1975 Range (in code): **ZA**
- 69130. *Iostaura jansei* Kiriakoff,1970** (Notodontidae) Synonym(s): *jansei* Kiriakoff,1970 Range (in code): **ZA**
- 69131. *Iridoplitis iridescens* Kiriakoff,1955** (Notodontidae) Synonym(s): *iridescens* Kiriakoff,1955 Range (in code): **ZA**
- 69132. *Janthinisca badia* Kiriakoff,1979** (Notodontidae) Synonym(s): *badia* Kiriakoff,1979 Range (in code): **ZA**
- 69133. *Janthinisca linda* Kiriakoff,1979** (Notodontidae) Synonym(s): *linda* Kiriakoff,1979 Range (in code): **ZA**
- 69134. *Jozinia leonina* Kiriakoff,1970** (Notodontidae) Synonym(s): *leonina* Kiriakoff,1970 Range (in code): **ZA**
- 69135. *Kamalia amoa* (Holloway,1979)** (Notodontidae) Synonym(s): *amoia* Holloway,1979 Range (in code): **NC**
- 69136. *Kamalia australis* (Scott,1865)** (Notodontidae) Synonym(s): *australis* Scott,1865 Range (in code):

- 69137. *Kamalia harutai* (Sugi,1982)** (Notodontidae) **Synonym(s):** *harutai* Sugi,1982 _ Range (in code):
- 69138. *Kamalia kandyia* (Moore,1883)** (Notodontidae) **Synonym(s):** *kandyia* Moore,1883
Range (in code): LK
- 69139. *Kamalia kandyia ronii* (Schintlmeister,2002)** (Notodontidae) **Synonym(s):** *ronii* Schintlmeister,2002 _ Range (in code):
- 69140. *Kamalia malaysiana* (Holloway,1982)** (Notodontidae) **Synonym(s):** *malaysiana* Holloway,1982 _ Range (in code): ID Nia ID Sum Ja Bli Sbw TH MM PH Pal MY Pah Bor Sbh KBa BN Swk
- 69141. *Kamalia malaysiana jakli* (Schintlmeister,2002)** (Notodontidae) **Synonym(s):** *jakli* Schintlmeister,2002 _ Range (in code): ID Ja Bli Sbw
- 69142. *Kamalia malaysiana malaysiana* (Holloway,1982)** (Notodontidae) **Synonym(s):** *malaysiana* Holloway,1982 _ Range (in code): MY Pah Bor Sbh KBa BN Swk
- 69143. *Kamalia malaysiana niasica* (Schintlmeister,1994)** (Notodontidae) **Synonym(s):** *niasica* Schintlmeister,1994 _ Range (in code): ID Nia
- 69144. *Kamalia malaysiana palawana* (Schintlmeister,2002)** (Notodontidae) **Synonym(s):** *palawana* Schintlmeister,2002 _ Range (in code): PH Pal
- 69145. *Kamalia minahassae* (Holloway,1982)** (Notodontidae) **Synonym(s):** *minahassae* Holloway,1982 _ Range (in code): ID Clb
- 69146. *Kamalia multipunctata* (Bethune-Baker,1904)** (Notodontidae) **Synonym(s):** *multipunctata* Bethune-Baker,1904 _ Range (in code):
- 69147. *Kamalia priapus* (Schintlmeister,1997)** (Notodontidae) **Synonym(s):** *priapus* Schintlmeister,1997 _ Range (in code): IN Mh Nsk VN Ton Tda Cuc Tgi Fan N-l M-c MM KH TH Cma Lam Knc CN KwT Hun TW Hn
- 69148. *Kamalia priapus dayongi* (Schintlmeister & Fang,2001)** (Notodontidae) **Synonym(s):** *dayongi* Schintlmeister & Fang,2001 _ Range (in code): CN Hn
- 69149. *Kamalia priapus priapus* (Schintlmeister,1997)** (Notodontidae) **Synonym(s):** *priapus* Schintlmeister,1997 _ Range (in code): IN Mh Nsk VN Ton Tda Cuc Tgi Fan N-l M-c MM KH TH Cma Lam Knc CN KwT Hun TW
- 69150. *Kamalia robusta* (Schintlmeister,1993)** (Notodontidae) **Synonym(s):** *robusta* Schintlmeister,1993
Original Reference: Cerura (s.str.) *robusta* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106. Range (in code): PH Luz Mdo Pan Ley Neg
- 69151. *Kamalia rosea* (Schintlmeister,1993)** (Notodontidae) **Synonym(s):** *rosea* Schintlmeister,1993
Original Reference: Cerura (s.str.) *rosea* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, Range (in code): PH Luz Mno
- 69152. *Kamalia subrosea* (Matsumura,1927)** (Notodontidae) **Synonym(s):** *subrosea* Matsumura,1927 _ Range (in code): TW
- 69153. *Kamalia tattakana* (Matsumura,1927)** (Notodontidae) **Synonym(s):** *tattakana* Matsumura,1927; *magniguttata* Nakamura,1978 _ Range (in code): JP VN TW CN Ton Fan M-c
- 69154. *Kamalia timorensis* (Kiriakoff,1970)** (Notodontidae) **Synonym(s):** *timorensis* Kiriakoff,1970 _ Range (in code): ID Tim
- 69155. *Khasidonta picta* (Hampson,1900)** (Notodontidae) **Synonym(s):** *picta* Hampson,1900
Original Reference: Notodonta *picta* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 42. Type: India: Khasia Hills. Range (in code): IN Meg Ass Khs TH
- 69156. *Lasioceros aroa* Bethune-Baker,1904** (Notodontidae) **Synonym(s):** *aroa* Bethune-Baker,1904 _ Range (in code): PG NC
- 69157. *Lasioceros curvaria luzonica* (Semper,1896)** (Notodontidae) **Synonym(s):** *luzonica* Semper,1896 _ Range (in code): PH Luz Mdo
- 69158. *Leucodonta bicoloria* ([Denis & Schiffermüller],1775)** (Notodontidae) **Synonym(s):** *bicoloria* [Denis & Schiffermüller],1775; *tormentaria* Goeze,1781; *albida* Boisduval,1834; *teneana* Matsumura,1920; *nivalis* Matsumura,1925; *nipponica* Matsumura,1931; *citrominus* Nakamura,1978
Original Reference: Bombyx *bicoloria* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): [Austria]: Vienna district. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 69159. *Leucolopha undulifera* Hampson,1896** (Notodontidae) **Synonym(s):** *undulifera* Hampson,1896 _ Range (in code): IN Ass CN Sz
- 69160. *Leucophalera latipennis* (Butler,1896)** (Notodontidae) **Synonym(s):** *latipennis* Butler,1896 _ Range (in code): ZA

- 69161. *Liccana argyrosticta* (Kiriakoff,1962)** (Notodontidae) **Synonym(s):** *argyrosticta* Kiriakoff,1962 **Range (in code):**
- 69162. *Liccana terminicana* (Kiriakoff,1962)** (Notodontidae) **Synonym(s):** *terminicana* Kiriakoff,1962 **Range (in code):**
- 69163. *Liccana terminicana substraminea* (Kiriakoff,1962)** (Notodontidae) **Synonym(s):** *substraminea* Kiriakoff,1962 **Range (in code):**
- 69164. *Liccana terminicana terminicana* (Kiriakoff,1962)** (Notodontidae) **Synonym(s):** *terminicana* Kiriakoff,1962 **Range (in code):**
- 69165. *Liparopsis dymrna* Schaus,1928** (Notodontidae) **Synonym(s):** *dymrna* Schaus,1928 **Original Reference:** *Liparopsis dymrna* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 84. **Type(s):** Mindanao. **Range (in code):** **PH Luz Mno**
- 69166. *Liparopsis formosana* Wileman,1914** (Notodontidae) **Synonym(s):** *formosana* Wileman,1914 **Range (in code):** **TW CN VN Ton Fan**
- 69167. *Loda lunae* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *lunae* Schintlmeister,1993 **Original Reference:** *Loda lunae* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, **Range (in code):** **PH Luz**
- 69168. *Lophontesia fusca* Okano,1960** (Notodontidae) **Synonym(s):** *fusca* Okano,1960 **Range (in code):** **TW**
- 69169. *Lopiena decorata* Kiriakoff,1975** (Notodontidae) **Synonym(s):** *decorata* Kiriakoff,1975 **Range (in code):** **ZA**
- 69170. *Macrurocampa marthesia* (Cramer,1780)** (Notodontidae) **Synonym(s):** *marthesia* Cramer,1780; *tesella* Packard,1864; *turbida* Walker,1865; *elongata* Grote & Robinson,1867 **Range (in code):** **US CA**
- 69171. *Maguila maguila* (Schaus,1928)** (Notodontidae) **Synonym(s):** *maguila* Schaus,1928 **Original Reference:** *Fentonia maguila* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 80. **Type(s):** Philippines: Mindanao: Surigao. **Range (in code):** **PH Mno**
- 69172. *Medanella subterminalis* Kiriakoff,1974** (Notodontidae) **Synonym(s):** *subterminalis* Kiriakoff,1974 **Original Reference:** *Medanella subterminalis* Kiriakoff,1974, Veröff. zool. StSamml. Münch. 17: 401, text-fig.20, pl.4 fig.2. **Holotype** ♂: Sumatra: Dolok Merangir. **Range (in code):** **ID Sum PH Pal MY Bor TH VN Ton M-c Tda**
- 69173. *Megaceramis lamprolepis* Hampson,1893** (Notodontidae) **Synonym(s):** *lamprolepis* Hampson,1893; *#lamprosticta* Schintlmeister,1997 **Original Reference:** *Megaceramis lamprolepis* Hampson,1893, Fauna Br. India (Moths) 1: 167-168. **Type** ♂: "Sikkim" (coll. Elwes). **Range (in code):** **SI NP VN Ton Fan**
- 69174. *Megashachia brunnea* Cai,1985** (Notodontidae) **Synonym(s):** *brunnea* Cai,1985 **Original Reference:** *Megashachia brunnea* Cai,1985, Acta Ent. Sinica 28: 314, fig.1. **Holotype:** S.E.China. **Range (in code):** **CN Fkn Kwa Hn Yu Kgs TH CMa Fn Agk Loe VN Ton Fan**
- 69175. *Megashachia brunnea equidarum* (Bänziger,1988)** (Notodontidae) **Synonym(s):** *equidarum* Bänziger,1988 **Original Reference:** *Tarsolepis equidarum* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 25-26, figs. **Holotype** ♂: Thailand: Chiang Mai Prov., Fang Distr. Doi Ang Khang, 1450m, 15. iv.1986 Bänziger leg. (DEFACU). **Range (in code):** **TH CMa Fn Agk Loe**
- 69176. *Megashachia fulgurifera* (Walker,1858)** (Notodontidae) **Synonym(s):** *fulgurifera* Walker,1858; *takamukuana* Matsumura,1929. **Range (in code):** **IN Ass TW VN Ton Bac N-I**
- 69177. *Mesophalera ananai* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *ananai* Schintlmeister,1997 **Range (in code):** **VN Ton Fan**
- 69178. *Mesophalera bruno* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *bruno* Schintlmeister,1997 **Range (in code):** **VN Ton Fan N-I Tda CN Fkn TW TH CMa Dst**
- 69179. *Mesophalera lundbladi* Kiriakoff,1959** (Notodontidae) **Synonym(s):** *lundbladi* Kiriakoff,1959 **Range (in code):** **MM VN Ton Fan Tda**
- 69180. *Mesophalera philippinica* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *philippinica* Schintlmeister,1993 **Original Reference:** *Mesophalera philippinica* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, **Range (in code):** **PH Luz Mno**
- 69181. *Mesophalera philippinica mindanaensis* Schintlmeister,1993** (Notodontidae) **Synonym(s):** *mindanaensis* Schintlmeister,1993 **Original Reference:** *Mesophalera philippinica* ssp. *mindanaensis* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, **Range (in code):** **PH Mno**

- 69182. Mesophalera philippinica philippinica Schintlmeister,1993** (Notodontidae)
Synonym(s): *philippinica Schintlmeister,1993* Original Reference: Mesophalera philippinica Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, Range (in code): PH Luz
- 69183. Mesophalera sigmatoides Kiriakoff,1963** (Notodontidae) Synonym(s): *sigmatoides Kiriakoff,1963* Range (in code): CN VN Ton Fan
- 69184. Metaschalis disrupta (Moore,1879)** (Notodontidae) Synonym(s): *disrupta Moore,1879*
Range (in code): SI IN ID Sum MY TH CN VN Ton Tda N-I M-c Fan
- 69185. Metascrancia jansei Kiriakoff,1970** (Notodontidae) Synonym(s): *jansei Kiriakoff,1970*
Range (in code): ZA
- 69186. Metopteryx (Helga) infans (Kiriakoff,1964)** (Notodontidae) Synonym(s): *infans Kiriakoff,1964* Range (in code): ZA
- 69187. Metopteryx (Metopteryx) cinerea (Janse,1920)** (Notodontidae) Synonym(s): *cinerea Janse,1920* Range (in code): ZA
- 69188. Metopteryx (Metopteryx) mus (Gaede,1928)** (Notodontidae) Synonym(s): *mus Gaede,1928* Range (in code): ZA
- 69189. Metopteryx (Metopteryx) rattus (Kiriakoff,1970)** (Notodontidae) Synonym(s): *rattus Kiriakoff,1970* Range (in code): ZA
- 69190. Micromelalopha albifrons Schintlmeister,1989** (Notodontidae) Synonym(s): *albifrons Schintlmeister,1989* Range (in code): CN Kwa VN Ton Tda B-e
- 69191. Micromelalopha argentea Schintlmeister,1993** (Notodontidae) Synonym(s): *argentea Schintlmeister,1993* Original Reference: Micromelalopha argentea Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109, Range (in code): PH Luz Mno
- 69192. Micromelalopha baibarana Matsumura,1929** (Notodontidae) Synonym(s): *baibarana Matsumura,1929* Range (in code): TW VN Ton Cuc M-c B-e PH Luz Bor Sum ID MY
- 69193. Micromelalopha capreolus Schintlmeister,1997** (Notodontidae) Synonym(s): *capreolus Schintlmeister,1997* Range (in code): VN Ton Cuc
- 69194. Micromelalopha celebese palawana Schintlmeister,1993** (Notodontidae)
Synonym(s): *palawana Schintlmeister,1993* Original Reference: Micromelalopha celebese ssp. palawana Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109, Range (in code): PH Pal
- 69195. Micromelalopha elachista (West,1932)** (Notodontidae) Synonym(s): *elachista West,1932*
Original Reference: Ichtyura elachista West,1932, Novit. zool. 37: 214. Type(s): Luzon. Range (in code): PH Luz
- 69196. Micromelalopha longijuxta Schintlmeister,1997** (Notodontidae) Synonym(s): *longijuxta Schintlmeister,1997* Range (in code): VN Ton Fan M-c Tda
- 69197. Micromelalopha pamina Schintlmeister,1993** (Notodontidae) Synonym(s): *pamina Schintlmeister,1993* Original Reference: Micromelalopha pamina Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 109, Range (in code): PH Luz
- 69198. Micromelalopha simonovi Schintlmeister,1997** (Notodontidae) Synonym(s): *simonovi Schintlmeister,1997* Range (in code): VN Ton Tda M-c B-e Far Fan
- 69199. Micromelalopha undulata (Hampson,1891)** (Notodontidae) Synonym(s): *undulata Hampson,1891; afghanus Ebert,1968; similis Dierl,1978* Range (in code): AF PK Swa Klm
- 69200. Micromelalopha vicina Kiriakoff,1963** (Notodontidae) Synonym(s): *vicina Kiriakoff,1963* Range (in code): CN VN Ton Tda Bao Ann Fan M-c Cuc
- 69201. Microphalera yoshimotoi Kishida,1984** (Notodontidae) Synonym(s): *yoshimotoi Kishida,1984* Range (in code): TW
- 69202. Miostaupus mioides (Hampson,1904)** (Notodontidae) Synonym(s): *mioides Hampson,1904* Range (in code): IN NP MM VN Ton Fan Tgi CN
- 69203. Miostaupus mioides caerulescens Kiriakoff,1963** (Notodontidae) Synonym(s): *caerulescens Kiriakoff,1963* Range (in code): CN
- 69204. Miostaupus mioides mioides (Hampson,1904)** (Notodontidae) Synonym(s): *mioides Hampson,1904* Range (in code): IN NP MM VN Ton Fan Tgi
- 69205. Neodrymonia (Epistaupus) terminalis (Kiriakoff,1963)** (Notodontidae)
Synonym(s): *terminalis Kiriakoff,1963; anmashanensis Kishida,1994* Range (in code): CN TW VN Ton Fan Tda
- 69206. Neodrymonia (Libido) voluptuosa (Bryk,1949)** (Notodontidae) Synonym(s): *voluptuosa Bryk,1949* Range (in code): MM VN Ton Fan

- 69207. Neodrymonia (Pantherinus) bipunctata (Okano,1960)** (Notodontidae)
Synonym(s): *bipunctata* Okano,1960 _ Range (in code): VN Ton Fan N-I TW CN
- 69208. Neodrymonia (Pantherinus) bipunctata bipunctata (Okano,1960)**
(Notodontidae) Synonym(s): *bipunctata* Okano,1960 _ Range (in code): TW CN
- 69209. Neodrymonia (Pantherinus) bipunctata gestor Schintlmeister,1997**
(Notodontidae) Synonym(s): *gestor* Schintlmeister,1997 _ Range (in code): VN Ton Fan N-I
- 69210. Neodrymonia (Pantherinus) okanoi Schintlmeister,1997** (Notodontidae)
Synonym(s): *okanoi* Schintlmeister,1997 _ Range (in code): VN Ton Tgi Tda Fan N-I
- 69211. Neodrymonia (Polystictina) maculata (Moore,1879)** (Notodontidae) Synonym(s):
maculata Moore,1879 _ Range (in code): SI NP TH VN Ton Fan M-c Tgi Far TW CN
- 69212. Neodrymonia (s.str.) elisabethae Holloway & Bender,1985** (Notodontidae)
Synonym(s): *elisabethae* Holloway & Bender,1985 _ Range (in code): ID Sum MY CN IN TH VN Ton Tda Fan M-c
- 69213. Neodrymonia (s.str.) fuscus Schintlmeister,1997** (Notodontidae) Synonym(s):
fuscus Schintlmeister,1997 _ Range (in code): VN Ann Bao
- 69214. Neodrymonia (s.str.) griseus Schintlmeister,1997** (Notodontidae) Synonym(s):
griseus Schintlmeister,1997 _ Range (in code): VN Ton Fan Tda
- 69215. Neodrymonia (s.str.) mendax Schintlmeister,1989** (Notodontidae) Synonym(s):
mendax Schintlmeister,1989 _ Range (in code): CN VN Ton Tda
- 69216. Neodrymonia (s.str.) pseudobasalis Schintlmeister,1997** (Notodontidae)
Synonym(s): *pseudobasalis* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 69217. Neodrymonia (s.str.) seriatopunctata (Matsumura,1925)** (Notodontidae)
Synonym(s): *seriatopunctata* Matsumura,1925 _ Range (in code): TW CN VN Ton Fan Tda TH NP SI
- 69218. Neoharpyia pulcherrima (Brandt,1938)** (Notodontidae) Synonym(s): *pulcherrima*
Brandt,1938 _ Original Reference: Cerura pulcherrima Brandt,1938, Ent. Rdsch. 55: 673-674, Taf. iv figs. 17,18. Syntypes: Iran: Chiraz, Fort Sine-Sefid, Comèe. Range (in code): IR Fa TR IQ Shq PK AF Nu Srb Bsg _ Bionomy: Larva on Salix ? acutifolia (De Freina,1983).
- 69219. Neoharpyia pulcherrima nuristana Wiltshire,1958** (Notodontidae) Synonym(s):
nuristana Wiltshire,1958 _ Range (in code): AF Nu Bsg Srb
- 69220. Neoharpyia pulcherrima pulcherrima (Brandt,1938)** (Notodontidae) Synonym(s):
pulcherrima Brandt,1938 _ Original Reference: Cerura pulcherrima Brandt,1938, Ent. Rdsch. 55: 673-674, Taf. iv figs. 17,18. Syntypes: Iran: Chiraz, Fort Sine-Sefid, Comèe. Range (in code): IR Fa TR IQ Shq PK
- 69221. Neoharpyia verbasci (Fabricius,1798)** (Notodontidae) Synonym(s): *verbasci*
Fabricius,1798 _ Range (in code): PT ES FR
- 69222. Neola octofera Holloway,1979** (Notodontidae) Synonym(s): *octofera* Holloway,1979
Range (in code): NC
- 69223. Neola semiaurata Walker,1855** (Notodontidae) Synonym(s): *semiaurata* Walker,1855
Range (in code): AU QAU NSW
- 69224. Neopheosia fasciata (Moore,1888)** (Notodontidae) Synonym(s): *fasciata* Moore,1888;
formosana Okano,1959 _ Original Reference: Pheosia fasciata Moore,1888, Proc. zool. Soc. Lond. 1888: 401. Type(s): [India]: Dharmasala. Range (in code): PH Mno Pan IN Hp Drm SI ID Bru Clb Sum Bor MY Luz Pal MM TH CMA Qs Qs15 VN Ton Fan Tda TW JP CN
- 69225. Neopheosia fasciata fasciata (Moore,1888)** (Notodontidae) Synonym(s): *fasciata*
Moore,1888; *formosana* Okano,1959 _ Original Reference: Pheosia fasciata Moore,1888, Proc. zool. Soc. Lond. 1888: 401. Type(s): [India]: Dharmasala. Range (in code): IN Hp Drm SI ID Bru Clb Sum Bor MY Luz Pal MM TH CMA Qs Qs15 VN Ton Fan Tda TW JP CN
- 69226. Neopheosia fasciata obscura Schintlmeister,1993** (Notodontidae) Synonym(s):
obscura Schintlmeister,1993 _ Original Reference: Neopheosia fasciata ssp. obscura Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, 132, Pls. Holotype ♂: Philippinen: Mindanao, Bukidnon, Dalondong, leg. Cerny & Schintlmeister (coll. Schintlmeister). Range (in code): PH Mno Pan
- 69227. Nephodonta dubiosa (Kiriakoff,1963)** (Notodontidae) Synonym(s): *dubiosa*
Kiriakoff,1963 _ Range (in code): CN Fkn VN Ton Fan M-c TW
- 69228. Nephodonta tsushimensis Sugi,1980** (Notodontidae) Synonym(s): *tsushimensis*
Sugi,1980 _ Range (in code):

- 69229. *Nerice dispar* (Cai,1979)** (Notodontidae) Synonym(s): *dispar* Cai,1979 Original
Reference: Chokaia *dispar* Cai,1979, Acta Ent. Sinica 22: 464. Holotype: China. Range (in code):
CN VN Ton Fan TH
- 69230. *Netria arisemna* (Turner,1931)** (Notodontidae) Synonym(s): *arisemna* Turner,1931
Range (in code): PG AU QAU Cai
- 69231. *Netria bipartita* Schintlmeister,2006** (Notodontidae) Synonym(s): *bipartita*
Schintlmeister,2006 Range (in code): ID Clb Hm PH Neg Luz Mdo Pan Ley Mno
- 69232. *Netria bipartita bipartita* Schintlmeister,2006** (Notodontidae) Synonym(s): *bipartita*
Schintlmeister,2006 Range (in code): ID Clb
- 69233. *Netria bipartita philippina* Schintlmeister,2006** (Notodontidae) Synonym(s):
philippina Schintlmeister,2006 Range (in code): PH Neg Luz Mdo Pan Ley Mno
- 69234. *Netria bipartita tarasovi* Schintlmeister,2006** (Notodontidae) Synonym(s): *tarasovi*
Schintlmeister,2006 Range (in code): ID Hm
- 69235. *Netria carentis* Schintlmeister,2006** (Notodontidae) Synonym(s): *carentis*
Schintlmeister,2006 Range (in code): ID Sum Mw MY Sgo Bor Swk
- 69236. *Netria griseata* (Hampson,1892)** (Notodontidae) Synonym(s): *griseata* Hampson,1892
Range (in code): LK IN NI
- 69237. *Netria insularis* Schintlmeister,2006** (Notodontidae) Synonym(s): *insularis*
Schintlmeister,2006 Range (in code): ID Wt Tnm
- 69238. *Netria jakli* Schintlmeister,2006** (Notodontidae) Synonym(s): *jakli* Schintlmeister,2006
Range (in code): ID Ja Bli
- 69239. *Netria livornis* Schintlmeister,2006** (Notodontidae) Synonym(s): *livornis*
Schintlmeister,2006 Range (in code): TH Lam MAI Fn Php Int Nan Dst CN Yu VN Fan Ton
- 69240. *Netria longisacci* Schintlmeister,2006** (Notodontidae) Synonym(s): *longisacci*
Schintlmeister,2006 Range (in code): ID Sbw Lb
- 69241. *Netria multispinae* Schintlmeister,2006** (Notodontidae) Synonym(s): *multispinae*
Schintlmeister,2006 Range (in code): IN Ben SI Djl Meg Ass Khs Slo NP MM Cnh Tns VN Ton LA
TH CMA Int Bou Php Wia Fn Pfa Dst Pai Kao Rng Knc Phy CN Yu Sz Fkn Hun Hbe Hn TW ID Sum MY
Cmh SG Bor Sbh KBa
- 69242. *Netria multispinae multispinae* Schintlmeister,2006** (Notodontidae) Synonym(s):
multispinae Schintlmeister,2006 Range (in code): IN Ben SI Djl Meg Ass Khs Slo NP MM Cnh Tns VN
Ton LA TH CMA Int Bou Php Wia Fn Pfa Dst Pai Kao Rng Knc Phy CN Yu TW ID Sum MY Cmh SG Bor
Sbh KBa
- 69243. *Netria multispinae nigrescens* Schintlmeister,2006** (Notodontidae) Synonym(s):
nigrescens Schintlmeister,2006 Range (in code): CN Sz Fkn Hun Hbe Hn
- 69244. *Netria palawana* Schintlmeister,2006** (Notodontidae) Synonym(s): *palawana*
Schintlmeister,2006 Range (in code): PH Pal
- 69245. *Netria speideli* Schintlmeister,2006** (Notodontidae) Synonym(s): *speideli*
Schintlmeister,2006 Range (in code): VN B-e Ton Tda M-c TH CMA Agk Kao Nan Rng LA MM Tns
- 69246. *Netria torajae* Schintlmeister,2006** (Notodontidae) Synonym(s): *torajae*
Schintlmeister,2006 Range (in code): ID Clb
- 69247. *Netria viridescens* Walker,1855** (Notodontidae) Synonym(s): *viridescens* Walker,1855
Range (in code): ID Mlk Clb Ja Sum MY Sgo SG Bor IN LK Kndy SI Up Ben Djl Ass Meg Slo Khs NP
PH Pal Luz TH Mae CMA Int Fn CDo Nan Agk Bnl Bou Dst Kao Knc MAI Pap Pfa Rng MM VN Bao B-e
Ton Tda M-c CN Kwa Fkn Kig Kgs Tkg Yu
- 69248. *Netria viridescens continentalis* Schintlmeister,2006** (Notodontidae) Synonym(s):
continentalis Schintlmeister,2006 Range (in code): IN SI Up Ben Djl Ass Meg Slo Khs NP CN Hun Hn
Sha Kwa Fkn Kig Kgs Tkg TW TH Mae CMA Int Fn CDo Nan Agk Bnl Bou Dst Kao Knc MAI Pap Pfa Rng
VN Bao B-e Ton Tda M-c LA KH
- 69249. *Netria viridescens pallidabasis* Schintlmeister,2006** (Notodontidae) Synonym(s):
pallidabasis Schintlmeister,2006 Range (in code): PH Pal
- 69250. *Netria viridescens suffusca* Schintlmeister,2006** (Notodontidae) Synonym(s):
suffusca Schintlmeister,2006 Range (in code): MM CN Yu
- 69251. *Netria viridescens viridescens* Walker,1855** (Notodontidae) Synonym(s): *viridescens*
Walker,1855 Range (in code): MY Sgo SG Bor ID Sum Ja
- 69252. *Niganda eckweileri* Schintlmeister,1989** (Notodontidae) Synonym(s): *eckweileri*
Schintlmeister,1989 Range (in code): CN
- 69253. *Niganda radialis* (Gaede,1930)** (Notodontidae) Synonym(s): *radialis* Gaede,1930;
#radialisi Schintlmeister,1997 Range (in code): IN NP TH VN M-c MY

- 69254. Niganda strigifascia Moore, 1879** (Notodontidae) Synonym(s): *strigifascia* Moore, 1879; *coelestis* Kiriakoff, 1962 _ Range (in code): **ID Sum Ja IN VN Ton Fan B-e**
- 69255. Niganda strigifascia insularis Kiriakoff, 1960** (Notodontidae) Synonym(s): *insularis* Kiriakoff, 1960 _ Range (in code): **ID Sum Ja**
- 69256. Niganda strigifascia strigifascia Moore, 1879** (Notodontidae) Synonym(s): *strigifascia* Moore, 1879; *coelestis* Kiriakoff, 1962 _ Range (in code): **IN VN Ton Fan B-e**
- 69257. Notocerura spiritalis (Distant, 1899)** (Notodontidae) Synonym(s): *spiritalis* Distant, 1899 _ Range (in code): **ZA**
- 69258. Notodonta derbendica (Daniel, 1965)** (Notodontidae) Synonym(s): *derbendica* Daniel, 1965; *gigantea* Schintlmeister, 1981 _ Range (in code): **TR AM GG Bku Smt Lag Cc RU Kr IR Elb Th**
- 69259. Notodonta dromedarius (Linnaeus, 1758)** (Notodontidae) Synonym(s): *dromedarius* Linnaeus, 1758; *dromedarulus* Haworth, 1803; *zebu* Donovan, 1807; *perfusca* Stephens, 1828; *frigida* Rangnow, 1932; *westfalica* Brandt, 1936; *schintlmeisteri* Witt, 1980 _ Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Tbl DK NO SE FI EE LV LT RU MD UA BY**
- 69260. Notodonta dromedarius ponticus Witt, 1980** (Notodontidae) Synonym(s): *ponticus* Witt, 1980 _ Range (in code): **TR**
- 69261. Notodonta griseotincta Wileman, 1910** (Notodontidae) Synonym(s): *griseotincta* Wileman, 1910; *horishana* Matsumura, 1925; *mushensis* Matsumura, 1929 _ Range (in code): **TW**
- 69262. Notodonta torvus (Hübner, [1803])** (Notodontidae) Synonym(s): *tritophus* Esper, 1786 nec Denis & Schiff., 1775; *torva* Hübner, [1803]; *balsaminifera* Brahm, 1791; *simpliaria* Graef, 1881; *lappona* Rangnow, 1923; *sugitanii* Matsumura, 1924; *musculus* Kiriakoff, 1963; *tarburi* Eitschberger, 1981 _ Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY**
- 69263. Notodonta tritophus ([Denis & Schiffermüller], 1775)** (Notodontidae) Synonym(s): *#tritophus* [Denis & Schiffermüller], 1775; *phoebe* Siebert, 1790; *perfuscus* Haworth, 1803; *irfana* De Freina, 1983. Original Reference: Bombyx tritophus [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 63. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Lag DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus tremula (Salicaceae) ([Denis & Schiffermüller], 1775 et seq.).
- 69264. Notodonta valeria Saldaitis & Ivinskis, 2013** (Notodontidae) Synonym(s): *valeria* Saldaitis & Ivinskis, 2013 _ Range (in code): **CN Sz Ts**
- 69265. Notodonta ziczac (Linnaeus, 1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus, 1758; *venosa* Fourcroy, 1785; *monticola* Dannehl, 1925; *lapponica* Rangnow, 1935; *dimorpha* Rangnow, 1935; *reisseri* Rungs, 1956 _ Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Am MD UA BY Ju KG Aa T-S TeA KK CN Ui Kön**
- 69266. Notodonta ziczac pallida Grünberg, 1912** (Notodontidae) Synonym(s): *pallida* Grünberg, 1912 Original Reference: Notodonta ziczac ssp. pallida Grünberg, 1912, [in] Seitz, A., Gross-Schmett. Erde 2: 300 (45g). Lectotype ♀: Uighur A.R.: Juldus [=Kaidu He]. Range (in code): **CN Ui Kön Ju KG Aa T-S TeA KK**
- 69267. Notodonta ziczac ziczac (Linnaeus, 1758)** (Notodontidae) Synonym(s): *ziczac* Linnaeus, 1758; *venosa* Fourcroy, 1785; *monticola* Dannehl, 1925; *lapponica* Rangnow, 1935; *dimorpha* Rangnow, 1935; *reisseri* Rungs, 1956 _ Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR DK NO SE FI EE LV LT TR RU MD UA BY KG**
- 69268. Notoxantha sesamiodes Hampson, 1910** (Notodontidae) Synonym(s): *sesamiodes* Hampson, 1910 _ Range (in code): **ZA**
- 69269. Odontoperas heterogyna (Hampson, 1910)** (Notodontidae) Synonym(s): *heterogyna* Hampson, 1910 _ Range (in code): **ZA**
- 69270. Odontoperas obliquilinea (Bethune-Baker, 1911)** (Notodontidae) Synonym(s): *obliquilinea* Bethune-Baker, 1911 _ Range (in code): **ZA**
- 69271. Odontoperas rosacea Kiriakoff, 1959** (Notodontidae) Synonym(s): *rosacea* Kiriakoff, 1959 _ Range (in code): **ZA**
- 69272. Odontosia carmelita (Esper, [1789])** (Notodontidae) Synonym(s): *carmelita* Esper, [1789] _ Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 69273. Odontosia sieversii (Ménétriés, 1856)** (Notodontidae) Synonym(s): *sieversii* Ménétriés, 1856 _ Range (in code): **PL CZ SK NO SE FI EE LV LT RU MD UA BY**
- 69274. Odontosiana tephroxantha (Püngeler, 1900)** (Notodontidae) Synonym(s): *tephroxantha* Püngeler, 1900; *schistacea* Kiriakoff, 1963 Original Reference: Notodonta tephroxantha

- Püngeler, 1900, Dt. ent. Z., Iris 13: 116, Taf. iv fig. 5. Type ♂: [China]: "Kuku-Noor". Range (in code): CN Ts Kno Shs
- 69275. Omichlis diversa Schintlmeister, 1993** (Notodontidae) Synonym(s): *diversa* Schintlmeister, 1993 Original Reference: Omichlis diversa Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Luz Mno
- 69276. Omichlis rufotincta Hampson, 1895** (Notodontidae) Synonym(s): *rufotincta* Hampson, 1895 Range (in code): NP SI MM TH VN Ton Fan Far B-e M-c
- 69277. Omichlis similis Schintlmeister, 1993** (Notodontidae) Synonym(s): *similis* Schintlmeister, 1993 Original Reference: Omichlis similis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Pal
- 69278. Oraura aurora Kiriakoff, 1962** (Notodontidae) Synonym(s): *aurora* Kiriakoff, 1962 Range (in code):
- 69279. Oraura longipennis (Moore, 1881)** (Notodontidae) Synonym(s): *longipennis* Moore, 1881; *uncinata* Semper, 1902; *ordgara* Schaus, 1928 Range (in code): IN LK Adm CN MY Bor VN M-c Ton Tda Tgi ID Sum Ja Bli MY Pen PH Pal Luz Mdo Pan Neg Mno
- 69280. Oraura schausi Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *schausi* Schintlmeister & Lourens, 2010 Range (in code): PH Mno
- 69281. Oxoia smaragdiplena (Walker, 1862)** (Notodontidae) Synonym(s): *smaragdiplena* Walker, 1862 Original Reference: Exaereta smaragdiplena Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 134. Type(s): [Malaysia: Borneo]: Sarawak. Range (in code): MY Bor ID Sum PH Luz Mno Pal
- 69282. Palaeostauropus oblitterata (Wileman & South, 1917)** (Notodontidae) Synonym(s): *oblitterata* Wileman & South, 1917 Range (in code):
- 69283. Parachadisra atrifusa (Hampson, 1897)** (Notodontidae) Synonym(s): *atrifusa* Hampson, 1897 Range (in code): IN CN VN Ton Fan
- 69284. Paradiastema pulverea Hampson, 1910** (Notodontidae) Synonym(s): *pulverea* Hampson, 1910 Range (in code): ZA
- 69285. Paradrymonia vittata (Staudinger, 1892)** (Notodontidae) Synonym(s): *vittata* Staudinger, 1892 Original Reference: Notodonta vittata Staudinger, 1892, Dt. ent. Z., Iris 4: 262-264. Type 1♀: [Türkei]: Hadjin (Antitaurus), 14 Mai 1888 (Manissadjian's collector). Range (in code): IT RO YU MK AL BG Vrn GR TR IR Gl's Kh
- 69286. Paradrymonia vittata bulgarica De Freina, 1983** (Notodontidae) Synonym(s): *bulgarica* De Freina, 1983 Range (in code): BG Vrn
- 69287. Paradrymonia vittata streckfussi (Honrath, 1892)** (Notodontidae) Synonym(s): *streckfussi* Honrath, 1892 Range (in code): IT RO YU MK AL BG GR TR
- 69288. Paradrymonia vittata vittata (Staudinger, 1892)** (Notodontidae) Synonym(s): *vittata* Staudinger, 1892 Original Reference: Notodonta vittata Staudinger, 1892, Dt. ent. Z., Iris 4: 262-264. Type 1♀: [Türkei]: Hadjin (Antitaurus), 14 Mai 1888 (Manissadjian's collector). Range (in code): TR
- 69289. Paraptilon notabilis Schintlmeister, 1997** (Notodontidae) Synonym(s): *notabilis* Schintlmeister, 1997 Range (in code): VN Ton M-c Fan
- 69290. Pararethona hierax (Distant, 1897)** (Notodontidae) Synonym(s): *hierax* Distant, 1897 Range (in code): ZA Tva Gau Pre Mpu Ly
- 69291. Parasinga lichenina (Butler, 1880)** (Notodontidae) Synonym(s): *lichenina* Butler, 1880 Original Reference: Somera lichenina Butler, 1880, Ann. Mag. nat. Hist. (5)7: 67. Type(s): Borneo. Range (in code): MY Bor
- 69292. Parasinga viridescens Schintlmeister, 1993** (Notodontidae) Synonym(s): *viridescens* Schintlmeister, 1993 Original Reference: Parasinga viridescens Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, Range (in code): PH Luz Mno
- 69293. Parastaura divisa Gaede, 1928** (Notodontidae) Synonym(s): *divisa* Gaede, 1928 Range (in code): ZA
- 69294. Peratodonta gypsita (Kiriakoff, 1968)** (Notodontidae) Synonym(s): *gypsita* Kiriakoff, 1968 Range (in code): ZA
- 69295. Peridea aliena (Staudinger, 1892)** (Notodontidae) Synonym(s): *aliena* Staudinger, 1892; *nitobei* Matsumura, 1909 Range (in code):
- 69296. Peridea anceps (Goeze, 1781)** (Notodontidae) Synonym(s): *anceps* Goeze, 1781; *trepida* Esper, 1786; *serrata* Thunberg, 1792; *tremula* Hübner, [1800]; *baetica* Zerny, 1927; *agenjoi* Schawerda, 1938;

- mesatlantica* Rungs,1940; *albertiana* Witt,1974. _ Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc AM DK NO SE EE LV LT RU MD UA BY**
- 69297. *Peridea basilinea* (Wileman,1911)** (Notodontidae) **Synonym(s):** *basilinea* Wileman,1911
Range (in code):
- 69298. *Peridea dichroma* Kiriakoff,1959** (Notodontidae) **Synonym(s):** *dichroma* Kiriakoff,1959
Range (in code): **MM VN Ton Fan**
- 69299. *Peridea elzet* Kiriakoff,1963** (Notodontidae) **Synonym(s):** *elzet* Kiriakoff,1963 _ Range (in code):
- 69300. *Peridea gigantea* Butler,1877** (Notodontidae) **Synonym(s):** *gigantea* Butler,1877
Range (in code):
- 69301. *Peridea graeseri* (Staudinger,1892)** (Notodontidae) **Synonym(s):** *graeseri* Staudinger,1892; *ishidae* Matsumura,1909; *arnoldi* Oberthür,1911 _ Range (in code): **TW**
- 69302. *Peridea graeseri graeseri* (Staudinger,1892)** (Notodontidae) **Synonym(s):** *graeseri* Staudinger,1892; *ishidae* Matsumura,1909; *arnoldi* Oberthür,1911 _ Range (in code):
- 69303. *Peridea graeseri tayal* Kishida,1987** (Notodontidae) **Synonym(s):** *tayal* Kishida,1987
Range (in code): **TW**
- 69304. *Peridea grahami* (Schaus,1928)** (Notodontidae) **Synonym(s):** *grahami* Schaus,1928; *scutellaris* Bryk,1949 _ Range (in code): **MM CN VN Ton Fan**
- 69305. *Peridea himalayana* Kiriakoff,1974** (Notodontidae) **Synonym(s):** *himalayana* Kiriakoff,1974 _ Range (in code): **IN Hp Kma**
- 69306. *Peridea hoenei* Kiriakoff,1963** (Notodontidae) **Synonym(s):** *hoenei* Kiriakoff,1963
Range (in code):
- 69307. *Peridea interrupta* Kiriakoff,1963** (Notodontidae) **Synonym(s):** *interrupta* Kiriakoff,1963
Range (in code):
- 69308. *Peridea korbi* (Rebel,1918)** (Notodontidae) **Synonym(s):** *korbi* Rebel,1918 _ Range (in code): **RO MK BG GR TR IR IQ Shq SY Hal**
- 69309. *Peridea korbi herculeana* (Popescu-Gorj & Capuse,1963)** (Notodontidae)
Synonym(s): *herculeana* Popescu-Gorj & Capuse,1963; *pinkeriana* Witt,1974. _ Range (in code): **RO MK BG GR TR**
- 69310. *Peridea korbi korbi* (Rebel,1918)** (Notodontidae) **Synonym(s):** *korbi* Rebel,1918
Range (in code): **TR IR IQ Shq SY Hal**
- 69311. *Peridea lativitta* (Wileman,1911)** (Notodontidae) **Synonym(s):** *lativitta* Wileman,1911; *pacifica* Moltrecht,1914; *coreana* Matsumura,1922 _ Range (in code): **KP KR**
- 69312. *Peridea moltrechti* (Oberthür,1911)** (Notodontidae) **Synonym(s):** *moltrechti* Oberthür,1911; *rotundata* Matsumura,1920; *kotschubeji* Sheljuzhko,1926. _ Range (in code):
- 69313. *Peridea moorei* Hampson,[1893]** (Notodontidae) **Synonym(s):** *sikkima* Moore,1879 *nec* Mr.,1865; *moorei* Hampson,[1893]; *ochreipennis* Nakamura,1973 _ Range (in code): **IN SI NP MY TW CN VN Ton Fan M-c TH**
- 69314. *Peridea moorei moorei* Hampson,[1893]** (Notodontidae) **Synonym(s):** *sikkima* Moore,1879 *nec* Mr.,1865; *moorei* Hampson,[1893]; *ochreipennis* Nakamura,1973 _ Range (in code): **IN SI NP MY TW CN VN Ton Fan M-c TH**
- 69315. *Peridea murina* Kiriakoff,1974** (Notodontidae) **Synonym(s):** *murina* Kiriakoff,1974
Original Reference: *Peridea murina* Kiriakoff,1974, Veröff. zool. Staatsamml. München 17: 402-403, figs. Holotype ♂: Nord-Iran: Gorgantal, 50km östl. Mindudasht, 460m leg. & coll. E.Vartian
Range (in code): **IR Elb Gor**
- 69316. *Peridea oberthueri* (Staudinger,1892)** (Notodontidae) **Synonym(s):** *oberthueri* Staudinger,1892; *takasagoensis* Matsumura,1929 _ Range (in code):
- 69317. *Peridea swata* Kiriakoff,1974** (Notodontidae) **Synonym(s):** *swata* Kiriakoff,1974; *pseudolativitta* Dierl,1978 _ Range (in code): **PK Swa Nwf IN Up Nnt**
- 69318. *Peridea witti* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *witti* Schintlmeister,1997
Range (in code): **VN Ton M-c Tgi Fan**
- 69319. *Periergos* (Hunyada) *hunyada* (Swinhoe,1903)** (Notodontidae) **Synonym(s):** *hunyada* Swinhoe,1903 _ Range (in code): **ID Ja Sum Bor MY VN B-e PH Luz**
- 69320. *Periergos* (Hunyada) *septentrionalis* Schintlmeister,1997** (Notodontidae)
Synonym(s): *septentrionalis* Schintlmeister,1997 _ Range (in code): **VN Ton Fan**
- 69321. *Periergos* (Rosiora) *aroides* (Swinhoe,1896)** (Notodontidae) **Synonym(s):** *aroides* Swinhoe,1896 _ Range (in code): **SI IN Ass VN Ton Fan Tda**

- 69322. Periergos (Rosiora) bela (Swinhoe,1894)** (Notodontidae) Synonym(s): *bela* Swinhoe,1894 _ Range (in code): IN Ass VN Ton Fan
- 69323. Periergos (Rosiora) rosiora Schintlmeister,1997** (Notodontidae) Synonym(s): *rosiora* Schintlmeister,1997 _ Range (in code): NP VN Far Ton Tgi M-c Fan
- 69324. Periergos (s.str.) afonini Schintlmeister,1997** (Notodontidae) Synonym(s): *afonini* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 69325. Periergos (s.str.) beo Schintlmeister,1997** (Notodontidae) Synonym(s): *beo* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 69326. Periergos (s.str.) decertatio Schintlmeister,1997** (Notodontidae) Synonym(s): *decertatio* Schintlmeister,1997 _ Range (in code): VN Tgi Ton Fan
- 69327. Periergos (s.str.) harutai Sugi,1994** (Notodontidae) Synonym(s): *harutai* Sugi,1994 _ Range (in code): SI VN Ton Tda Fan M-c
- 69328. Periergos (s.str.) kamadena (Moore,1865)** (Notodontidae) Synonym(s): *kamadena* Moore,1865; *orientalis* Kiriakoff,1959 _ Range (in code): MM SI VN Ton Fan
- 69329. Periergos (s.str.) orest Schintlmeister,1997** (Notodontidae) Synonym(s): *orest* Schintlmeister,1997 _ Range (in code): VN Ton Fan Tda B-e Tgi M-c
- 69330. Periergos (s.str.) rusatus Schintlmeister,1997** (Notodontidae) Synonym(s): *rusatus* Schintlmeister,1997 _ Range (in code): VN M-c Ton Fan
- 69331. Periergos (s.str.) testacea (Walker,1856)** (Notodontidae) Synonym(s): *testacea* Walker,1856 _ Range (in code): VN Bao IN MY ID Sum Ja
- 69332. Periergos albidostriata (Bryk,1949)** (Notodontidae) Synonym(s): *albidostriata* Bryk,1949
Original Reference: Pydna albidostriata Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kam Kch
- 69333. Periergos alboflavida (Bryk,1949)** (Notodontidae) Synonym(s): *alboflavida* Bryk,1949
Original Reference: Pydna alboflavida Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69334. Periergos brunneosticta (Bryk,1949)** (Notodontidae) Synonym(s): *brunneosticta* Bryk,1949
Original Reference: Pydna brunneosticta Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69335. Periergos dispar (Kiriakoff,1962)** (Notodontidae) Synonym(s): *dispar* Kiriakoff,1962
Range (in code):
- 69336. Periergos eburnea (Bryk,1949)** (Notodontidae) Synonym(s): *eburnea* Bryk,1949
Original Reference: Pydna eburnea Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69337. Periergos kamadena** (Notodontidae) Synonym(s): _ Range (in code): MM
- 69338. Periergos kamadena orientalis (Kiriakoff,1959)** (Notodontidae) Synonym(s): *orientalis* Kiriakoff,1959 _ Range (in code): MM
- 69339. Periergos magna (Matsumura,1920)** (Notodontidae) Synonym(s): *magna* Matsumura,1920; *horishana* Matsumura,1925; *confusus* Kiriakoff,1962. _ Range (in code):
- 69340. Periergos mediodivisa (Bryk,1949)** (Notodontidae) Synonym(s): *mediodivisa* Bryk,1949
Original Reference: Pydna mediodivisa Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69341. Periergos nigrovittata (Aurivillius,1921)** (Notodontidae) Synonym(s): *nigrovittata* Aurivillius,1921 _ Range (in code): KE Elg
- 69342. Periergos orpheus Schintlmeister,1989** (Notodontidae) Synonym(s): *orpheus* Schintlmeister,1989 _ Range (in code):
- 69343. Periergos plusioides (Bryk,1949)** (Notodontidae) Synonym(s): *plusioides* Bryk,1949
Original Reference: Pydna plusioides Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69344. Periergos prominens (Bryk,1949)** (Notodontidae) Synonym(s): *prominens* Bryk,1949
Original Reference: Pydna prominens Bryk,1949, Ark. f. Zool. 42 (19): Type: [Myanmar]: Burma, Kambaiti 2000m, leg. Malaise (SNM). Range (in code): MM Kch Kam
- 69345. Periergos spinosa (Holloway,1983)** (Notodontidae) Synonym(s): *spinosa* Holloway,1983
Range (in code):
- 69346. Periergos straminea** (Notodontidae) Synonym(s): _ Range (in code): RU Krl
- 69347. Periergos straminea harakiri (Bryk,1942)** (Notodontidae) Synonym(s): *harakiri* Bryk,1942 _ Range (in code): RU Krl

- 69348. *Periphalera albicauda* (Bryk,1949)** (Notodontidae) **Synonym(s):** *albicauda* Bryk,1949
Range (in code): **MM TH CN VN Ton Fan M-c**
- 69349. *Periphalera melanius* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *melanius* Schintlmeister,1997
Range (in code): **VN Ton Fan**
- 69350. *Phalera acutoides* Holloway,1983** (Notodontidae) **Synonym(s):** *acutoides* Holloway,1983
Range (in code): **IN Mh Nsk**
- 69351. *Phalera albocalceolata* (Bryk,1949)** (Notodontidae) **Synonym(s):** *albocalceolata* Bryk,1949
Range (in code): **MM VN Ton Fan**
- 69352. *Phalera alpherakyi* Leech,1898** (Notodontidae) **Synonym(s):** *alpherakyi* Leech,1898
Range (in code): **CN VN Ton Fan**
- 69353. *Phalera argenteolepis* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *argenteolepis* Schintlmeister,1997
Range (in code): **VN Ton Fan N-I TH Dst CMa Knc**
- 69354. *Phalera atrata* (Grünberg,1907)** (Notodontidae) **Synonym(s):** *atrata* Grünberg,1907
Range (in code): **ZA**
- 69355. *Phalera bucephala* (Linnaeus,1758)** (Notodontidae) **Synonym(s):** *bucephala* Linnaeus,1758; *lunula* Retzius,1783 *nec* Hufn.,1766 *non* Strm,1768. **Original Reference:** *Phalaena bucephala* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 508. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Lag DK NO SE FI EE LV LT RU MD UA BY**
- 69356. *Phalera bucephalina* Staudinger,1901** (Notodontidae) **Synonym(s):** *bucephalina* Staudinger,1901
Original Reference: *Phalera bucephala* var. *bucephalina* Staudinger,1901, Cat. lepid. Palaearc. Faunengeb. 3 (1): 111. Type: Tangier. **Range (in code):** **MA Tgr TN Dhm ES**
- 69357. *Phalera bucephaloides* (Ochsenheimer,1810)** (Notodontidae) **Synonym(s):** *bucephaloides* Ochsenheimer,1810
Range (in code): **ES FR Co IT AT CZ SK HU RO YU AL BG GR TR IQ Shq LB Bsa IL Pa Hf**
Bionomy: Larva on Quercus (Wiltshire, 1936, 1957).
- 69358. *Phalera bucephaloides bucephaloides* (Ochsenheimer,1810)** (Notodontidae) **Synonym(s):** *bucephaloides* Ochsenheimer,1810
Range (in code): **ES FR Co IT AT CZ SK HU RO YU AL BG GR**
- 69359. *Phalera bucephaloides syriaca* Zerny,1933** (Notodontidae) **Synonym(s):** *syriaca* Zerny,1933
Original Reference: *Phalera bucephaloides* ssp. *syriaca* Zerny,1933, Dt. ent. Z., Iris 47: 62-63. Syntypes: Libanon: Bscharre; Palestina: Haifa (NHMW). **Range (in code):** **LB Bsa IL Pa Hf TR IQ Shq**
- 69360. *Phalera combusta* (Walker,1855)** (Notodontidae) **Synonym(s):** *combusta* Walker,1855
Original Reference: *Phalera combusta* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 5: 1092. Type(s): India. **Range (in code):** **IN Mh Nsk PK Sd Krc Haz Cte PH Neg ID Ja Sum Bor MY VN Ton N-I Bao Ann Fan Han MM TW CN**
- 69361. *Phalera cossioides* Walker,1863** (Notodontidae) **Synonym(s):** *cossioides* Walker,1863
Range (in code): **IN TH LA CN VN Ton Tda M-c Bao Ann**
- 69362. *Phalera eminens* Schintlmeister,1997** (Notodontidae) **Synonym(s):** *eminens* Schintlmeister,1997
Range (in code): **CN Yu MM TH CMa VN Ton Fan**
- 69363. *Phalera erconvalda* Schaus,1928** (Notodontidae) **Synonym(s):** *erconvalda* Schaus,1928
Original Reference: *Phalera erconvalda* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 78. Type(s): Luzon. **Range (in code):** **PH Luz**
- 69364. *Phalera flavescens* (Bremer & Grey,1852)** (Notodontidae) **Synonym(s):** *flavescens* Bremer & Grey,1852
Range (in code): **VN Ton N-I Bac**
- 69365. *Phalera goniophora* Hampson,1910** (Notodontidae) **Synonym(s):** *goniophora* Hampson,1910
Range (in code): **IN NP CN TH VN Ton Tda M-c Fan**
- 69366. *Phalera grotei* Moore,1859** (Notodontidae) **Synonym(s):** *grotei* Moore,1859
Range (in code): **IN NP MM MY Bor ID Sum VN Ton M-c Fan Tda Bao Ann KP KR CN TH**
- 69367. *Phalera imitata* Druce,1896** (Notodontidae) **Synonym(s):** *imitata* Druce,1896
Range (in code): **ZA**
- 69368. *Phalera imitata imitata* Druce,1896** (Notodontidae) **Synonym(s):** *imitata* Druce,1896
Range (in code): **ZA**
- 69369. *Phalera lignitea* Mabille,1900** (Notodontidae) **Synonym(s):** *lignitea* Mabille,1900
Range (in code): **ZA**
- 69370. *Phalera lydenburgi* Distant,1899** (Notodontidae) **Synonym(s):** *lydenburgi* Distant,1899
Range (in code): **ZA Tva Mpu Ly**

- 69371. *Phalera mangholda* Schaus,1928** (Notodontidae) Synonym(s): *mangholda* Schaus,1928
Original Reference: *Phalera mangholda* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 79. Type(s):
Mindanao. Range (in code): PH Mno
- 69372. *Phalera melantata* West,1932** (Notodontidae) Synonym(s): *melantata* West,1932
Original Reference: *Phalera melantata* West,1932, Novit. zool. 37: 212. Type(s): Luzon. Range (in code): PH Luz
- 69373. *Phalera niveomaculata* Kiriakoff,1963** (Notodontidae) Synonym(s): *niveomaculata* Kiriakoff,1963 Range (in code): CN VN Ton Tda Fan M-c
- 69374. *Phalera parivala* Moore,1859** (Notodontidae) Synonym(s): *parivala* Moore,1859
Range (in code): PK Swa Alp IN NP MM TH CMa CDo Dst Dso7 VN Ton Fan M-c CN
- 69375. *Phalera sundana* Holloway,1982** (Notodontidae) Synonym(s): *sundana* Holloway,1982
Range (in code): ID Sum Ja Bli PH Ceb Luz Mno Pal
- 69376. *Phalera surigaona* Schaus,1928** (Notodontidae) Synonym(s): *surigaona* Schaus,1928
Original Reference: *Phalera surigaona* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 83. Type(s):
Mindanao. Range (in code): PH Luz Mdo Mno Pal
- 69377. *Phalera torpida* Walker,1865** (Notodontidae) Synonym(s): *torpida* Walker,1865
Range (in code): IN TH VN Ton Tda M-c Cuc CN
- 69378. *Phalerodonta inclusa* (Hampson,1910)** (Notodontidae) Synonym(s): *inclusa* Hampson,1910 Range (in code): SI NP VN Ton Fan
- 69379. *Phalerodonta manleyi* (Leech,1889)** (Notodontidae) Synonym(s): *manleyi* Leech,1889;
formosana Okano,1960 Range (in code): TW JP
- 69380. *Pheosia buddista* (Püngeler,1899)** (Notodontidae) Synonym(s): *buddista* Püngeler,1899;
gelupka Gaede,1934 Range (in code): CN Gn Yu Ts Fkn T-T Btn Ats Amd
- 69381. *Pheosia gnoma* (Fabricius,1777)** (Notodontidae) Synonym(s): *gnoma* Fabricius,1777;
dictaeoides Esper,[1789] Original Reference: *Bombyx gnoma* Fabricius,1777, Genera Ins.: 279.
Type(s): Hamburg. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 69382. *Pheosia grummi* (Christoph,1885)** (Notodontidae) Synonym(s): *grummi* Christoph,1885;
brandti O.Bang-Haas,1936; *#murina* O.Bang-Haas,1936 Range (in code): Cc AZ Nv Ord IR Ab Shf Elb Mz Th Kdj RU
- 69383. *Pheosia jullieni* Oberthür,1911** (Notodontidae) Synonym(s): *jullieni* Oberthür,1911;
karategina Stshetkin Range (in code): CN Ui
- 69384. *Pheosia teheranica* Daniel,1965** (Notodontidae) Synonym(s): *teheranica* Daniel,1965
Range (in code): IR Elb Th
- 69385. *Pheosia tremula* (Linnaeus,1761)** (Notodontidae) Synonym(s): *#tremula* Clerck,1759;
tremula Linnaeus,1761; *dictaea* Linnaeus,1767; *turcica* De Freina,1979; *#turica* Schintlmeister,1989 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Bjo Smt Bku DK NO SE FI EE LV LT RU MD UA BY
- 69386. *Pheosiopsis* (Cauphucia) *optata* Schintlmeister,1997** (Notodontidae) Synonym(s): *optata* Schintlmeister,1997 Range (in code): VN Ton Fan
- 69387. *Pheosiopsis* (Oligaeschra) *li* Schintlmeister,1997** (Notodontidae) Synonym(s): *li* Schintlmeister,1997 Range (in code): VN Ton M-c
- 69388. *Pheosiopsis* (Schintlmeistera) *lupanaria* Schintlmeister,1997** (Notodontidae)
Synonym(s): *lupanaria* Schintlmeister,1997 Range (in code): VN Ton Fan Tda
- 69389. *Pheosiopsis* (Suzukiana) *alishanensis* Kishida,1990** (Notodontidae) Synonym(s): *alishanensis* Kishida,1990 Range (in code): TW
- 69390. *Pheosiopsis* (Suzukiana) *cinerea* (Butler,1879)** (Notodontidae) Synonym(s): *cinerea* Butler,1879 Range (in code): TW JP
- 69391. *Pheosiopsis* (Suzukiana) *cinerea cinerea* (Butler,1879)** (Notodontidae)
Synonym(s): *cinerea* Butler,1879 Range (in code): JP
- 69392. *Pheosiopsis* (Suzukiana) *cinerea formosana* (Okano,1959)** (Notodontidae)
Synonym(s): *formosana* Okano,1959 Range (in code): TW
- 69393. *Pheosiopsis* (Suzukiana) *gefion* Schintlmeister,1997** (Notodontidae) Synonym(s): *gefion* Schintlmeister,1997 Range (in code): VN Ton Fan
- 69394. *Pheosiopsis* (Suzukiana) *gerola* Schintlmeister,1997** (Notodontidae) Synonym(s): *gerola* Schintlmeister,1997 Range (in code): VN Ton Fan
- 69395. *Pheosiopsis* (Suzukiana) *irrorata* (Moore,1879)** (Notodontidae) Synonym(s): *irrorata* Moore,1879 Range (in code): SI NP CN VN Ton Fan M-c

- 69396. Pheosiopsis (Suzukiana) lusciniola (Nakamura,1973)** (Notodontidae) **Synonym(s):** *lusciniola* Nakamura,1973 - Range (in code): TW
- 69397. Pheosiopsis (s.str.) dierli Sugi,1992** (Notodontidae) **Synonym(s):** *dierli* Dierl,1977 *nec* Kiriak.,1974; *dierli* Sugi,1992 - Range (in code): TH CMa Dst Mth CDo NP SI VN Ton Fan Tda
- 69398. Pheosiopsis (s.str.) gaedei Schintlmeister,1989** (Notodontidae) **Synonym(s):** *gaedei* Schintlmeister,1989 - Range (in code): CN VN Ton Fan
- 69399. Pheosiopsis (s.str.) gilda Schintlmeister,1997** (Notodontidae) **Synonym(s):** *gilda* Schintlmeister,1997 - Range (in code): VN Ton Fan TH Nan CMa Int
- 69400. Pheosiopsis (s.str.) norina Schintlmeister,1989** (Notodontidae) **Synonym(s):** *norina* Schintlmeister,1989 - Range (in code): CN VN Ton Fan M-c
- 69401. Pheosiopsis (s.str.) pallidogriseus Schintlmeister,1997** (Notodontidae) **Synonym(s):** *pallidogriseus* Schintlmeister,1997 - Range (in code): VN Ton Tda
- 69402. Pheosiopsis (s.str.) viresco Schintlmeister,1997** (Notodontidae) **Synonym(s):** *viresco* Schintlmeister,1997 - Range (in code): VN Ton Fan Tda
- 69403. Phycidopsis albobittata Hampson,1893** (Notodontidae) **Synonym(s):** *albobittata* Hampson,1893 - Range (in code): IN Ass Khs LK CN TW PH Pal JP ID Ja
- 69404. Phycidopsis philippinica Schintlmeister,1993** (Notodontidae) **Synonym(s):** *philippinica* Schintlmeister,1993 Original Reference: *Phycidopsis philippinica* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Ceb Luz Mdo Mno Sam
- 69405. Phycitimorpha congruata Janse,1920** (Notodontidae) **Synonym(s):** *congruata* Janse,1920 - Range (in code): ZA
- 69406. Phycitimorpha stigmatica Janse,1920** (Notodontidae) **Synonym(s):** *stigmatica* Janse,1920 - Range (in code): ZA
- 69407. Phyllaliodes agramma Hampson,1910** (Notodontidae) **Synonym(s):** *agramma* Hampson,1910 - Range (in code): ZA
- 69408. Phyllaliodes poliostrata Hampson,1910** (Notodontidae) **Synonym(s):** *poliostrata* Hampson,1910 - Range (in code): ZA
- 69409. Pinheyia lymantrioides Kiriakoff,1971** (Notodontidae) **Synonym(s):** *lymantrioides* Kiriakoff,1971 - Range (in code): ZA
- 69410. Plastystaura glis Kiriakoff,1968** (Notodontidae) **Synonym(s):** *glis* Kiriakoff,1968 Range (in code): ZA
- 69411. Plastystaura murina Kiriakoff,1965** (Notodontidae) **Synonym(s):** *murina* Kiriakoff,1965 Range (in code): ZA
- 69412. Polelassothys plumitarsus Janse,1920** (Notodontidae) **Synonym(s):** *plumitarsus* Janse,1920 - Range (in code): ZA
- 69413. Polienus capillatus (Wallengren,1875)** (Notodontidae) **Synonym(s):** *capillatus* Wallengren,1875 - Range (in code): ZA Tva
- 69414. Polienus fuscatus Janse,1920** (Notodontidae) **Synonym(s):** *fuscatus* Janse,1920 Range (in code): ZA
- 69415. Polienus nigrosparsus Janse,1920** (Notodontidae) **Synonym(s):** *nigrosparsus* Janse,1920 Range (in code): ZA
- 69416. Polienus rubritinctus (Hampson,1910)** (Notodontidae) **Synonym(s):** - Range (in code): ZA
- 69417. Porsica benderoides Schintlmeister,1993** (Notodontidae) **Synonym(s):** *benderoides* Schintlmeister,1993 Original Reference: *Porsica benderoides* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Luz
- 69418. Porsica curvaria (Hampson,1892)** (Notodontidae) **Synonym(s):** *curvaria* Hampson,1892 Range (in code): ID Sum Clb MY Bor PH Luz IN SI CN Tkg
- 69419. Porsica ingens Walker,1866** (Notodontidae) **Synonym(s):** *ingens* Walker,1866 - Range (in code): IN Ass Meg Khs VN Ton Tda M-c Fan MY Bor BN ID Sum
- 69420. Porsica ingens ingens Walker,1866** (Notodontidae) **Synonym(s):** *ingens* Walker,1866 Range (in code): IN Ass Meg Khs
- 69421. Porsica ingens inopinata Holloway,1983** (Notodontidae) **Synonym(s):** *inopinata* Holloway,1983 - Range (in code): VN Ton Tda M-c Fan MY Bor BN ID Sum
- 69422. Porsica intermediata Schintlmeister,1993** (Notodontidae) **Synonym(s):** *intermediata* Schintlmeister,1993 Original Reference: *Porsica intermediata* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105, Range (in code): PH Mno

- 69423. Porsica punctifascia (Hampson,1897)** (Notodontidae) Synonym(s): *punctifascia Hampson,1897* Original Reference: Gargetta punctifascia Hampson,1897, J. Bombay nat. Hist. Soc. 11: 281. Type: India: Assam. Range (in code): **IN Ass VN Bao M-c MY ID Sum PH Mno**
- 69424. Psalisodes atrifasciata Hampson,1910** (Notodontidae) Synonym(s): *atrifasciata Hampson,1910* Range (in code): **ZA**
- 69425. Psalisodes defasciata Gaede,1928** (Notodontidae) Synonym(s): *defasciata Gaede,1928* Range (in code): **ZA**
- 69426. Psalisodes dimorpha Kiriakoff,1968** (Notodontidae) Synonym(s): *dimorpha Kiriakoff,1968* Range (in code): **ZA**
- 69427. Psegmaphora tripunctata Gaede,1930** (Notodontidae) Synonym(s): *tripunctata Gaede,1930* Range (in code): **ID Sum Bor MY VN Far Ton Cuc**
- 69428. Pseudallata laticostalis (Hampson,1900)** (Notodontidae) Synonym(s): *laticostalis Hampson,1900* Original Reference: Spatalia laticostalis Hampson,1900, J. Bombay nat. Hist. Soc. 13: 43, pl.B fig.15. Range (in code): **IN Meg Ass Khs TH**
- 69429. Pseudodryas herbuloti Thiaucourt,2006** (Notodontidae) Synonym(s): *herbuloti Thiaucourt,2006* Range (in code):
- 69430. Pseudofentonia (Calyptronotum) singapura Gaede,1930** (Notodontidae) Synonym(s): *singapura Gaede,1930* Range (in code): **TH MM PH Neg Luz MY SG ID Sum Bor VN Ton B-e Tgi**
- 69431. Pseudofentonia (Disparia) diluta (Hampson,1910)** (Notodontidae) Synonym(s): *diluta Hampson,1910* Range (in code): **IN Ass MM NP SI TH ID MY Bor Sum Ja TW JP CN VN Ton Tda Fan B-e Tgi M-c**
- 69432. Pseudofentonia (Disparia) diluta abraama (Schaus,1928)** (Notodontidae) Synonym(s): *abraama Schaus,1928* Range (in code): **CN VN Ton Tda Fan B-e Tgi M-c**
- 69433. Pseudofentonia (Disparia) diluta diluta (Hampson,1910)** (Notodontidae) Synonym(s): *diluta Hampson,1910* Range (in code): **IN Ass MM NP SI TH**
- 69434. Pseudofentonia (Disparia) diluta sordida (Wileman,1911)** (Notodontidae) Synonym(s): *sordida Wileman,1911* Range (in code): **JP**
- 69435. Pseudofentonia (Disparia) diluta sundana (Roepke,1944)** (Notodontidae) Synonym(s): *sundana Roepke,1944* Range (in code): **ID MY Bor Sum Ja**
- 69436. Pseudofentonia (Disparia) diluta variegata (Wileman,1910)** (Notodontidae) Synonym(s): *variegata Wileman,1910; formosana Wileman,1911* Range (in code): **TW**
- 69437. Pseudofentonia (Disparia) dua Schintlmeister,1997** (Notodontidae) Synonym(s): *dua Schintlmeister,1997* Range (in code): **VN Ton Fan Tda Cuc**
- 69438. Pseudofentonia (Disparia) medioalbida (Nakamura,1973)** (Notodontidae) Synonym(s): *medioalbida Nakamura,1973* Range (in code): **TW**
- 69439. Pseudofentonia (Disparia) mediopallens (Sugi,1989)** (Notodontidae) Synonym(s): *mediopallens Sugi,1989* Original Reference: Disparia mediopallens Sugi,1989, Tinea 12: 220. Holotype: Thailand. Range (in code): **MM TH VN Ton Fan Tda**
- 69440. Pseudofentonia (Disparia) nigrofasciata (Wileman,1910)** (Notodontidae) Synonym(s): *nigrofasciata Wileman,1910; wilemani Matsumura,1925* Range (in code): **TW**
- 69441. Pseudofentonia (Lanna) brechlini Schintlmeister,1997** (Notodontidae) Synonym(s): *brechlini Schintlmeister,1997* Range (in code): **VN Ton Fan**
- 69442. Pseudofentonia (Lanna) obliquiplaga (Moore,1879)** (Notodontidae) Synonym(s): *obliquiplaga Moore,1879* Range (in code): **SI MM TH CMa CDo VN Ton Fan Tda**
- 69443. Pseudofentonia (Vietnamina) tiga Schintlmeister,1997** (Notodontidae) Synonym(s): *tiga Schintlmeister,1997* Range (in code): **VN Ton Fan**
- 69444. Pseudofentonia (Viridifentonia) plagiviridis (Moore,1879)** (Notodontidae) Synonym(s): *plagiviridis Moore,1879; #plagifera Schintlmeister,1997* Range (in code): **SI NP MM CN VN Ton Fan TH CRa CMa**
- 69445. Pseudofentonia (Viridifentonia) plagiviridis maximum Schintlmeister,1997** (Notodontidae) Synonym(s): *maximum Schintlmeister,1997* Range (in code): **VN Ton Fan TH CRa CMa**
- 69446. Pseudofentonia (Viridifentonia) plagiviridis plagiviridis (Moore,1879)** (Notodontidae) Synonym(s): *plagiviridis Moore,1879; #plagifera Schintlmeister,1997* Range (in code): **SI NP MM CN**

- 69447. Pseudofentonia (s.str.) argentifera (Moore,1866)** (Notodontidae) Synonym(s): *argentifera* Moore,1866; *kezukai* Nakamura,1973 _ Range (in code): VN Ton Fan NP SI IN Ass MM TW ID Sum
- 69448. Pseudofentonia (s.str.) argentifera antilavus Schintlmeister,1997** (Notodontidae) Synonym(s): *antilavus* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 69449. Pseudofentonia (s.str.) argentifera argentifera (Moore,1866)** (Notodontidae) Synonym(s): *argentifera* Moore,1866; *kezukai* Nakamura,1973 _ Range (in code): NP SI IN Ass MM TW ID Sum
- 69450. Pseudorethona albicans (Walker,1855)** (Notodontidae) Synonym(s): *albicans* Walker,1855 _ Range (in code): ZA
- 69451. Pseudoscraucia africana (Walker,1855)** (Notodontidae) Synonym(s): *africana* Walker,1855 _ Range (in code): ZA
- 69452. Pseudosomera inexpecta Schintlmeister,1989** (Notodontidae) Synonym(s): *inexpecta* Schintlmeister,1989 _ Original Reference: Pseudosomera inexpecta Schintlmeister,1989, Tinea 12: 219. Holotype: Thailand. Range (in code): TH VN Ton Tda Fan
- 69453. Pseudosomera noctuiformis Bender & Steiniger,1984** (Notodontidae) Synonym(s): *noctuiformis* Bender & Steiniger,1984 _ Range (in code): ID Sum TW VN Ton Fan
- 69454. Pseudostauropus ocularis (Semper,1898)** (Notodontidae) Synonym(s): *ocularis* Semper,1898 _ Range (in code): PH Boh Luz Mno Pal
- 69455. Pseudostauropus plagosus Gaede,1930** (Notodontidae) Synonym(s): *plagosus* Gaede,1930 _ Original Reference: Pseudostauropus plagosus Gaede,1930, [in] Seitz, Großschmett. Erde 10: 631. Type(s): Malaya. Range (in code): MY
- 69456. Pseudoteleclita centristicta (Hampson,1898)** (Notodontidae) Synonym(s): *centristicta* Hampson,1898 _ Range (in code): SI LK TH VN Ton Fan Tgi M-c MM NP
- 69457. Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) Synonym(s): *#palpina* Clerck,1759; *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. _ Range (in code): DZ Anna PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag Smt Bjo AZ Kir DK NO SE FI EE LV LT RU MD UA BY
- 69458. Pterostoma palpinum ponticum (Staudinger & Rebel,1901)** (Notodontidae) Synonym(s): *ponticum* Staudinger & Rebel,1901 _ Range (in code): Cc TR
- 69459. Pterostoma pterostomina (Kiriakoff,1963)** (Notodontidae) Synonym(s): *pterostomina* Kiriakoff,1963 _ Range (in code): CN VN Ton Cuc Tgi M-c Fan
- 69460. Ptilodon autumnalis Schintlmeister,1997** (Notodontidae) Synonym(s): *autumnalis* Schintlmeister,1997 _ Range (in code): VN Ton Fan
- 69461. Ptilodon capucina (Linnaeus,1758)** (Notodontidae) Synonym(s): *capucina* Linnaeus,1758; *camelina* Linnaeus,1758 _ Range (in code): PT ES IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Bjo Bku DK NO SE FI EE LV LT RU Sb Am Us MD UA BY KP KR JP
- 69462. Ptilodon cucullina ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *cucullina* [Denis & Schiffermüller],1775; *cuculla* Esper _ Original Reference: Bombyx cucullina [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 311. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo Smt Lag DK EE LV LT
- 69463. Ptilodon flavistigma (Moore,1879)** (Notodontidae) Synonym(s): *flavistigma* Moore,1879 _ Range (in code): SI IN NP CN VN Ton Fan M-c
- 69464. Ptilodon hoegei (Graeser,1892)** (Notodontidae) Synonym(s): *hoegei* Graeser,1892 _ Range (in code): RU Us TW
- 69465. Ptilodon saerdabensis Daniel,1938** (Notodontidae) Synonym(s): *saerdabensis* Daniel,1938; *#caerdaensis* Gutleb & Wieser,2002 _ Range (in code): IR Elb Mz Gl
- 69466. Ptilodon saturata (Walker,1865)** (Notodontidae) Synonym(s): *saturata* Walker,1865 _ Range (in code): SI IN NP BT MM VN CN Ton Fan Tda M-c
- 69467. Ptilophora kashgara Moore,1878** (Notodontidae) Synonym(s): *kashgara* Moore,1878 _ Original Reference: Ptilophora kashgara Moore,1878, Ann. Mag. nat. Hist. (5) 1: 231. Syntypes: [China: Uighur A.R.]: Turkistan or.: Kasghar. Range (in code): CN Ui Ga
- 69468. Ptilophora plumigera ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *#plumigera* [Denis & Schiffermüller],1775; *variegata* Villers,1789 nec Sc.,1763 _ Original Reference: Bombyx plumigera [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 61. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si IT GB BE NL LU DE CH AT PL CZ SK

- HU RO BG DK NO SE FI EE LV LT RU MD UA BY IR GlS** Bionomy: Larva on *Acer campestre* ([Denis & Schiffermüller],1775 et seq.).
- 69469. Pydnella griseicollis (Kiriakoff,1962)** (Notodontidae) Synonym(s): *griseicollis* Kiriakoff,1962 Range (in code):
- 69470. Pydnella rosacea (Hampson,1896)** (Notodontidae) Synonym(s): *rosacea* Hampson,1896; *monticola* Roepke,1943 Range (in code): **IN MM CN VN Ton Fan Cuc Tgi ID Ja Sum TH CMA Dst Dso8 CDo**
- 69471. Pygaera timon (Hübner,[1803])** (Notodontidae) Synonym(s): *timon* Hübner,[1803] Range (in code): **PL CZ SK SE FI EE LV LT RU MD UA BY**
- 69472. Quista albicostata (Hampson,1910)** (Notodontidae) Synonym(s): *albicostata* Hampson,1910 Range (in code): **ZA**
- 69473. Quista cinereomixta Kiriakoff,1959** (Notodontidae) Synonym(s): *cinereomixta* Kiriakoff,1959 Range (in code): **ZA**
- 69474. Rachia cryptocephala (Bryk,1949)** (Notodontidae) Synonym(s): *cryptocephala* Bryk,1949 Range (in code): **MM TH VN Ton Fan**
- 69475. Rachia lineata (Matsumura,1925)** (Notodontidae) Synonym(s): *lineata* Matsumura,1925 Range (in code): **TW**
- 69476. Rachia nodyna (Swinhoe,1907)** (Notodontidae) Synonym(s): *nodyna* Swinhoe,1907 Range (in code): **IN NP MM SI VN Ton Fan**
- 69477. Rachia plumosa Moore,1892** (Notodontidae) Synonym(s): *plumosa* Moore,1892 Range (in code): **IN NP CN Ti Yu**
- 69478. Rachia striata Hampson,1892** (Notodontidae) Synonym(s): *striata* Hampson,1892 Range (in code): **SI NP TH VN Ton Fan**
- 69479. Rachiades albomaculata (Okano,1958)** (Notodontidae) Synonym(s): *albomaculata* Okano,1958 Range (in code): **TW VN M-c Ton N-l**
- 69480. Rachiades danieli Sugi,1992** (Notodontidae) Synonym(s): *danieli* Sugi,1992 Range (in code): **NP**
- 69481. Rachiades lichenicolor (Oberthür,1911)** (Notodontidae) Synonym(s): *lichenicolor* Oberthür,1911 Range (in code): **CN Sz T-T**
- 69482. Rachiades siamensis Sugi,1993** (Notodontidae) Synonym(s): *siamensis* Sugi,1993 Range (in code): **TH**
- 69483. Ramesa albistriga Moore,1879** (Notodontidae) Synonym(s): *albistriga* Moore,1879 Range (in code): **BT IN SI TW TH CMA CDo**
- 69484. Ramesa bhutanica (Bänziger,1988)** (Notodontidae) Synonym(s): *bhutanica* Bänziger,1988 Original Reference: *Poncetia bhutanica* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 32-37, figs. Holotype ♂: Bhutan: Dudgeon, 2500m ft. 14.vii.1895 (BMNH). Range (in code): **BT IN Meg Ass Khs**
- 69485. Ramesa bovocolosugens (Bänziger,1988)** (Notodontidae) Synonym(s): *bovocolosugens* Bänziger,1988 Original Reference: *Poncetia bovocolosugens* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 37, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep-Pui NP, Huay Kao [Zoo], 350m 22.ix.1973, Bänziger leg. (DEFACU). Range (in code): **TH CMA Dst Cnz Knc VN Ton Tda**
- 69486. Ramesa doisuthepica (Bänziger,1988)** (Notodontidae) Synonym(s): *doisuthepica* Bänziger,1988 Original Reference: *Poncetia doisuthepica* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 37-38, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep-Pui NP, 1150m 12.xi.1987, Bänziger leg. (DEFACU). Range (in code): **TH CMA Dst**
- 69487. Ramesa huaykaeoensis (Bänziger,1988)** (Notodontidae) Synonym(s): *huaykaeoensis* Bänziger,1988 Original Reference: *Poncetia huaykaeoensis* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 28-32, figs. Holotype ♂: Thailand: Chiang Mai Prov., Doi Suthep Pui NP, Huay Kao [Zoo], 350m 11.x.73, Bänziger leg. (DEFACU). Range (in code): **TH CMA Dst CDo VN Ton Tda**
- 69488. Ramesa lacrimisaddicta (Bänziger,1989)** (Notodontidae) Synonym(s): *lacrimisaddicta* Bänziger,1989 Original Reference: *Poncetia lacrimisaddicta* Bänziger,1989, Nat. Hist. Bull. Siam Soc. 37: 32-37, figs. Holotype ♂: Thailand: Chiang Mai Prov., Chiang Dao Distr. Doi Chiang Dao 1150m, 1.vi.1988, Bänziger leg. (DEFACU). Range (in code): **TH CMA CDo**
- 69489. Ramesa siamica (Bänziger,1988)** (Notodontidae) Synonym(s): *siamica* Bänziger,1988 Original Reference: *Poncetia siamica* Bänziger,1988, Nat. Hist. Bull. Siam Soc. 36: 27-28, figs.

- Holotype ♂: Thailand: Chiang Mai Prov., Chiang Dao, NW Pass 1150m 25.vi.1986, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo Fn Agk Dst VN Ton Fan
- 69490. *Ramesa tosta* Walker, 1855** (Notodontidae) Synonym(s): *tosta* Walker, 1855 - Range (in code): IN VN Tgi CN JP TW
- 69491. *Rasemia dasychira* (Hampson, 1910)** (Notodontidae) Synonym(s): *dasychira* Hampson, 1910 - Range (in code): ZA
- 69492. *Rasemia euzopherodes* (Hampson, 1910)** (Notodontidae) Synonym(s): *euzopherodes* Hampson, 1910 - Range (in code): ZA
- 69493. *Rasemia macrodonta* (Hampson, 1909)** (Notodontidae) Synonym(s): *macrodonta* Hampson, 1909 - Range (in code): ZA
- 69494. *Rhegmatothila alpina* (Bellier, 1880)** (Notodontidae) Synonym(s): *alpina* Bellier, 1880; *burgensis* Fernandez, 1934. Original Reference: Clostera alpina Bellier, 1880, Annls Soc. ent. Fr. 5 (10): 375-376, fig. Syntypes ♂♀: France, Digne, Basses-Alpes. Range (in code): ES FR BG GR TR
- 69495. *Rhegmatothila alpina alpina* (Bellier, 1880)** (Notodontidae) Synonym(s): *alpina* Bellier, 1880; *burgensis* Fernandez, 1934. Original Reference: Clostera alpina Bellier, 1880, Annls Soc. ent. Fr. 5 (10): 375-376, fig. Syntypes ♂♀: France, Digne, Basses-Alpes. Range (in code): ES FR
- 69496. *Rhegmatothila alpina osmana* Friedel, 1967** (Notodontidae) Synonym(s): *osmana* Friedel, 1967 Original Reference: Rhegmatothila alpina ssp. osmana Friedel, 1967, Z. wien. ent. Ges. 52: 82. Holotype ♂: Türkei: Ankara: Kızılcahamam. Range (in code): TR BG GR
- 69497. *Rhegmatothila richelloi* Hartig, 1939** (Notodontidae) Synonym(s): *richelloi* Hartig, 1939 Range (in code): Sa
- 69498. *Rhenea mediata* (Walker, 1865)** (Notodontidae) Synonym(s): *mediata* Walker, 1865 Range (in code): ZA
- 69499. *Rhenea rufescens* Kiriakoff, 1954** (Notodontidae) Synonym(s): *rufescens* Kiriakoff, 1954 Range (in code): ZA
- 69500. *Rheneina buceros* Kiriakoff, 1971** (Notodontidae) Synonym(s): *buceros* Kiriakoff, 1971 Range (in code): ZA
- 69501. *Riebeeckia whittakeri* Kiriakoff, 1981** (Notodontidae) Synonym(s): *whittakeri* Kiriakoff, 1981 - Range (in code): ZA
- 69502. *Rodneya caudata* Kiriakoff, 1967** (Notodontidae) Synonym(s): *caudata* Kiriakoff, 1967 Range (in code): ID Sum MY Bor VN Bao MM
- 69503. *Rodneya cernyi* Schintlmeister, 1993** (Notodontidae) Synonym(s): *cernyi* Schintlmeister, 1993 Original Reference: Rodneya cernyi Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, Range (in code): PH Luz Pal
- 69504. *Rodneya laurae* Witt & Speidel, 2007** (Notodontidae) Synonym(s): *laurae* Witt & Speidel, 2007 Original Reference: Rodneya laurae Witt & Speidel, 2007, Entomofauna 28 (13): 150, figs. Holotype ♂: Pakistan, NWFP, S.Waziristan nr. Tanai vill. 1500-2500m leg. V. Gurko (MWM). Range (in code): PK Wa
- 69505. *Rosama auritracta* (Moore, 1865)** (Notodontidae) Synonym(s): *auritracta* Moore, 1865 Range (in code): IN CN VN Ann Bao Ton N-I Far
- 69506. *Rosama plusioides* Moore, 1879** (Notodontidae) Synonym(s): *plusioides* Moore, 1879 Range (in code): SI IN NP CN VN Ton Fan Far Tgi B-e Bao Ann ID Sum
- 69507. *Rosinella rosinaria* (Hampson, 1910)** (Notodontidae) Synonym(s): *rosinaria* Hampson, 1910 - Range (in code): ZA
- 69508. *Saliocleta barasamphia* Schaus, 1928** (Notodontidae) Synonym(s): *barasamphia* Schaus, 1928 Original Reference: Saliocleta barasamphia Schaus, 1928, Proc. U.S. natn. Mus. 73(19): 87. Type(s): Luzon. Range (in code): PH Luz
- 69509. *Saliocleta dejoannisi* Schintlmeister, 1997** (Notodontidae) Synonym(s): *dejoannisi* Schintlmeister, 1997 - Range (in code): VN Ton Fan
- 69510. *Saliocleta fabula* Schintlmeister, 1997** (Notodontidae) Synonym(s): *fabula* Schintlmeister, 1997 - Range (in code): VN M-c Cuc Ton Tda N-I SI IN Dj
- 69511. *Saliocleta nonagrioides* Walker, 1862** (Notodontidae) Synonym(s): *nonagrioides* Walker, 1862 Original Reference: Saliocleta nonagrioides Walker, 1862, J. linn. Soc. Lond. (Zool.) 6: 124. Type(s): [Malaysia]: Borneo: Sarawak. Range (in code): MY Bor
- 69512. *Saliocleta nubila* Kiriakoff, 1962** (Notodontidae) Synonym(s): *nubila* Kiriakoff, 1962 Range (in code):

- 69513. *Salioclata widagdoi* Schintlmeister, 1994** (Notodontidae) Synonym(s): *widagdoi* Schintlmeister, 1994 _ Range (in code): ID Sum VN Ton Tda
- 69514. *Sarimara bicolor* (Distant, 1899)** (Notodontidae) Synonym(s): *bicolor* Distant, 1899
Range (in code): ZA
- 69515. *Sarimara peringueyi* (Janse, 1920)** (Notodontidae) Synonym(s): *peringueyi* Janse, 1920
Range (in code): ZA
- 69516. *Sarimara pinheyi* Kiriakoff, 1962** (Notodontidae) Synonym(s): *pinheyi* Kiriakoff, 1962
Range (in code): ZA
- 69517. *Sarimara quarta* Kiriakoff, 1962** (Notodontidae) Synonym(s): *quarta* Kiriakoff, 1962
Range (in code): ZA
- 69518. *Scalmicauda oneili* Janse, 1920** (Notodontidae) Synonym(s): *oneili* Janse, 1920 _ Range (in code): ZA
- 69519. *Scalmicauda tessmanni* Strand, 1911** (Notodontidae) Synonym(s): *tessmanni* Strand, 1911
Range (in code): ZA
- 69520. *Scrancia atrifrons* Hampson, 1910** (Notodontidae) Synonym(s): *atrifrons* Hampson, 1910
Range (in code): ZA
- 69521. *Scrancia brunnescens* Gaede, 1928** (Notodontidae) Synonym(s): *brunnescens* Gaede, 1928
Range (in code): ZA
- 69522. *Scrancia daneili* Kiriakoff, 1962** (Notodontidae) Synonym(s): *daneili* Kiriakoff, 1962
Range (in code): ZA
- 69523. *Scrancia discomma* Jordan, 1916** (Notodontidae) Synonym(s): *discomma* Jordan, 1916
Range (in code): ZA
- 69524. *Scrancia elanus* Kiriakoff, 1971** (Notodontidae) Synonym(s): *elanus* Kiriakoff, 1971
Range (in code): ZA
- 69525. *Scrancia galactoperoides* Kiriakoff, 1965** (Notodontidae) Synonym(s): *galactoperoides* Kiriakoff, 1965 _ Range (in code): ZA
- 69526. *Scrancia milvus* Kiriakoff, 1971** (Notodontidae) Synonym(s): *milvus* Kiriakoff, 1971
Range (in code): ZA
- 69527. *Scrancia pinheyi* Kiriakoff, 1965** (Notodontidae) Synonym(s): *pinheyi* Kiriakoff, 1965
Range (in code): ZA
- 69528. *Scrancia stictica* Hampson, 1910** (Notodontidae) Synonym(s): *stictica* Hampson, 1910
Range (in code): ZA
- 69529. *Scrancia subscrancia* Kiriakoff, 1970** (Notodontidae) Synonym(s): *subscrancia* Kiriakoff, 1970 _ Range (in code): ZA
- 69530. *Semidonta basalis* (Moore, 1865)** (Notodontidae) Synonym(s): *basalis* Moore, 1865; *bidens* Oberthür, 1911 _ Range (in code): IN NP TH TW CN Ti VN Ton Fan Tda
- 69531. *Semidonta familiaris* (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *familiaris* Schintlmeister, 1993 _ Original Reference: Hyperaeschrella familiaris Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): PH Luz Mdo Pal Neg
- 69532. *Semidonta kosemponica* (Strand, 1916)** (Notodontidae) Synonym(s): *kosemponica* Strand, 1916; *costiguttatus* Matsumura, 1925 _ Range (in code): TW CN VN Ton Tda Tgi Fan M-c
- 69533. *Semidonta nigribasis* (Hampson, 1892)** (Notodontidae) Synonym(s): *nigribasis* Hampson, 1892 _ Range (in code): AF IN LK CN ID Ja Bli PH Pal
- 69534. *Semidonta nigribasis dentata* (Hampson, 1893)** (Notodontidae) Synonym(s): *dentata* Hampson, 1893 _ Range (in code): IN LK
- 69535. *Semidonta nigribasis insulicola* (Kiriakoff, 1967)** (Notodontidae) Synonym(s): *insulicola* Kiriakoff, 1967 _ Range (in code): ID Ja Bli PH Pal
- 69536. *Semidonta nigribasis nigribasis* (Hampson, 1892)** (Notodontidae) Synonym(s): *nigribasis* Hampson, 1892 _ Range (in code): AF IN CN
- 69537. *Semidonta occidentalis* (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *occidentalis* Schintlmeister, 1993 _ Original Reference: Hyperaeschrella occidentalis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 108, Range (in code): ID Clb
- 69538. *Semidonta sororcula* Schintlmeister & Laurens, 2010** (Notodontidae) Synonym(s): *sororcula* Schintlmeister & Laurens, 2010 _ Range (in code): PH Mno Ley Sam
- 69539. *Shachia circumscripta* (Butler, 1885)** (Notodontidae) Synonym(s): *circumscripta* Butler, 1885; *subrosea* Matsumura, 1919 _ Range (in code):

- 69540. *Simesia balachowskyi* Kiriakoff,1973** (Notodontidae) Synonym(s): *balachowskyi* Kiriakoff,1973 _ Range (in code): SO
- 69541. *Simesia dasychiroides* (Butler,1898)** (Notodontidae) Synonym(s): *dasychiroides* Butler,1898; *critobulus* Fawcett,1916; *concolor* Janse,1920 _ Range (in code): ZA SO
- 69542. *Simesia olmi* (Berio,1937)** (Notodontidae) Synonym(s): *olmi* Berio,1937 _ Range (in code): SO
- 69543. *Snellentia divaricata* (Gaede,1930)** (Notodontidae) Synonym(s): *divaricata* Gaede,1930 _ Range (in code): VN Ton N-I Bac
- 69544. *Somera virens* Dierl,1976** (Notodontidae) Synonym(s): *virens* Dierl,1976 _ Original Reference: Somera virens Dierl,1976, Ent. Z., Frankf. a. M. 86: 84. Holotype: Sumatra. Range (in code): IN Meg Ass Khs SI Djl BT VN Ton Fan M-c Bao Tda Cuc N-I TH CMA Int ID Sum MM Tns MY Bor
- 69545. *Somera virens virens* Dierl,1976** (Notodontidae) Synonym(s): *virens* Dierl,1976 _ Original Reference: Somera virens Dierl,1976, Ent. Z., Frankf. a. M. 86: 84. Holotype: Sumatra. Range (in code): ID Sum MM Tns MY Bor
- 69546. *Somera virens watsoni* Schintlmeister,1997** (Notodontidae) Synonym(s): *watsoni* Schintlmeister,1997 _ Original Reference: Somera virens ssp. watsoni Schintlmeister,1997, Entomofauna Suppl. 9 (4): 99-100, Pl. Holotype ♂: Assam, Cerrapunji, Oct. 1893 (BMNH). Range (in code): IN Meg Ass Khs SI Djl BT VN Ton Fan M-c Bao Tda Cuc N-I TH CMA Int
- 69547. *Somera viridifusca* Walker,1855** (Notodontidae) Synonym(s): *viridifusca* Walker,1855 _ Range (in code): IN LK TW ID Clb PH Luz Pal Mno Bor MY Sum Ja NP TH TW VN Ton Fan Tgi Cuc M-c Tda N-I
- 69548. *Somera viridifusca celebica* Schintlmeister,1993** (Notodontidae) Synonym(s): *celebica* Schintlmeister,1993 _ Original Reference: Somera viridifusca ssp. celebica Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105,114, Taf. Holotype ♂: Sulawesi: Tompoe, Paloe. Range (in code): ID Clb
- 69549. *Somera viridifusca luzonensis* Schintlmeister,1993** (Notodontidae) Synonym(s): *luzonensis* Schintlmeister,1993 _ Original Reference: Somera viridifusca ssp. luzonensis Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl.12: 105,113, Taf. Holotype ♂: Philippinen: Luzon: Benguet. Range (in code): PH Luz Mno
- 69550. *Somera viridifusca sumatrana* Schintlmeister,1993** (Notodontidae) Synonym(s): *sumatrana* Schintlmeister,1993 _ Original Reference: Somera viridifusca ssp. sumatrana Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 105,113 Taf. Holotype ♂: Indonesia:Sumatra:Pakkat Range (in code): ID Sum
- 69551. *Somera viridifusca viridifusca* Walker,1855** (Notodontidae) Synonym(s): *viridifusca* Walker,1855 _ Range (in code): IN LK TW ID PH Pal Bor MY Sum Ja NP TH TW VN Ton Fan Tgi Cuc M-c Tda N-I
- 69552. *Spatalia argentina* ([Denis & Schiffermüller],1775)** (Notodontidae) Synonym(s): *argentina* [Denis & Schiffermüller],1775 _ Original Reference: Bombyx argentina [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 62, Tab. Ia-b fig.2. Type(s): [Austria]: Vienna district. Range (in code): ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IQ LB Bsa Bionomy: Larva on Quercus robur ([Denis & Schiffermüller],1775 et seq.).
- 69553. *Spatalia dives* Oberthür,1884** (Notodontidae) Synonym(s): *dives* Oberthür,1884; *angustipennis* Okano,1959 _ Range (in code): RU Us TW
- 69554. *Spatalia procne* Schintlmeister,1989** (Notodontidae) Synonym(s): *procne* Schintlmeister,1989 _ Range (in code): CN VN Ton Fan
- 69555. *Spatalina argentata* (Moore,1879)** (Notodontidae) Synonym(s): *argentata* Moore,1879 _ Range (in code): NP SI VN Ton Fan
- 69556. *Spatalina birmalina* (Bryk,1949)** (Notodontidae) Synonym(s): *birmalina* Bryk,1949 _ Range (in code): MM VN Ton Fan N-I
- 69557. *Spatalina ferruginosa* (Moore,1879)** (Notodontidae) Synonym(s): *ferruginosa* Moore,1879 _ Range (in code): SI NP MM CN VN Ton Fan TH CMA CDo
- 69558. *Spatalina umbrosa* (Leech,1898)** (Notodontidae) Synonym(s): *umbrosa* Leech,1898; *desiccata* Kiriakoff,1963 _ Range (in code): NP SI MM TH CN VN Ton Fan Ann Bao Tda Tgi M-c Cuc
- 69559. *Stauroplitis briachisia* (Schaus,1928)** (Notodontidae) Synonym(s): *briachisia* Schaus,1928 _ Original Reference: Stauropus briachisia Schaus,1928, Proc. U.S. natn. Mus. 73(19): 75. Type(s): Mindanao. Range (in code): PH Mno

- 69560. *Stauropus affinis* Rothschild, 1917** (Notodontidae) *Synonym(s): affinis Rothschild, 1917*
Range (in code): ID Ij
- 69561. *Stauropus alternus* Walker, 1855** (Notodontidae) *Synonym(s): alternus Walker, 1855; indicus Moore, 1879* *Range (in code): LK Kndy Pdy PH Ceb Luz Mdo Mno Pal Pan IN Sum Bor MY TW VN CN MM ID Ja Flo Sba Wt Clb TH*
- 69562. *Stauropus alternus alternus* Walker, 1855** (Notodontidae) *Synonym(s): alternus Walker, 1855; indicus Moore, 1879* *Range (in code): LK Kndy Pdy IN Ja Clb Sum Bor MY TW VN CN MM ID TH*
- 69563. *Stauropus alternus brunneus* Schintlmeister, 1991** (Notodontidae) *Synonym(s): brunneus Schintlmeister, 1991* *Original Reference: Stauropus alternus ssp. brunneus Schintlmeister, 1991, Nachr. ent. Ver., Apollo, Suppl. 12: 106, Range (in code): PH Ceb Luz Mdo Mno Pal Pan*
- 69564. *Stauropus alternus hofmanae* Schintlmeister, 2003** (Notodontidae) *Synonym(s): hofmanae Schintlmeister, 2003* *Range (in code): ID Ja Flo Sba Wt*
- 69565. *Stauropus alternus sulawesianus* Schintlmeister, 2003** (Notodontidae) *Synonym(s): sulawesianus Schintlmeister, 2003* *Range (in code): ID Clb*
- 69566. *Stauropus basalis* Moore, 1877** (Notodontidae) *Synonym(s): basalis Moore, 1877; taczanowskii Oberthür, 1879; mediolinea Rothschild, 1917; koreharpyia Bryk, 1948* *Range (in code): RU Am KP KR JP VN Ton Fan Tda CN TW*
- 69567. *Stauropus basalis basalis* Moore, 1877** (Notodontidae) *Synonym(s): basalis Moore, 1877; taczanowskii Oberthür, 1879; mediolinea Rothschild, 1917; koreharpyia Bryk, 1948* *Range (in code): RU Am KP KR JP VN Ton Fan Tda CN*
- 69568. *Stauropus basalis usuguronis* Matsumura, 1934** (Notodontidae) *Synonym(s): usuguronis Matsumura, 1934* *Range (in code): TW*
- 69569. *Stauropus berberisae* Moore, 1888** (Notodontidae) *Synonym(s): berberisae Moore, 1888; limitaris Ebert, 1968* *Original Reference: Stauropus berberisae Moore, 1888, Proc. zool. Soc. London 1888: 400. Syntypes: India: Dharmasala (Hocking) (BMNH). Range (in code): IN Hp Drm AF Sfk PK*
- 69570. *Stauropus evanescens* Gaede, 1930** (Notodontidae) *Synonym(s): evanescens Gaede, 1930*
Range (in code): ID Ij
- 69571. *Stauropus fagi* (Linnaeus, 1758)** (Notodontidae) *Synonym(s): fagi Linnaeus, 1758*
Original Reference: Phalaena fagi Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 508. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Lag AZ AM Cc IR GlS DK NO SE FI EE LV LT RU Sb Us MD UA BY KG CN JP Hkk
- 69572. *Stauropus fagi fagi* (Linnaeus, 1758)** (Notodontidae) *Synonym(s): fagi Linnaeus, 1758*
Original Reference: Phalaena fagi Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 508. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Bjo Smt Lag AZ AM Cc DK NO SE FI EE LV LT RU MD UA BY
- 69573. *Stauropus fagi persimilis* Butler, 1879** (Notodontidae) *Synonym(s): persimilis Butler, 1879* *Range (in code): JP*
- 69574. *Stauropus hannemanni* Schintlmeister, 1991** (Notodontidae) *Synonym(s): hannemanni Schintlmeister, 1991* *Original Reference: Stauropus hannemanni Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106 Range (in code): PH Luz Pal Mno*
- 69575. *Stauropus hannemanni similis* Schintlmeister, 1991** (Notodontidae) *Synonym(s): similis Schintlmeister, 1991* *Original Reference: Stauropus hannemanni ssp. similis Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 106, Range (in code): PH Mno*
- 69576. *Stauropus loki* Schintlmeister, 2003** (Notodontidae) *Synonym(s): loki Schintlmeister, 2003* *Range (in code): ID Flo*
- 69577. *Stauropus major* Van Eecke, 1929** (Notodontidae) *Synonym(s): major Van Eecke, 1929*
Original Reference: Stauropus major Van Eecke, 1929, Zool. Meded., Leiden 12: 166. Type(s): Sumatra. Range (in code): ID Sum PH Pal MY Bor Bli MM TH VN Ton Tda Bao
- 69578. *Stauropus nephodes* West, 1932** (Notodontidae) *Synonym(s): nephodes West, 1932*
Original Reference: Stauropus nephodes West, 1932, Novit. zool. 37: 212. Type(s): Luzon. Range (in code): PH Luz
- 69579. *Stauropus nigropunctatus* Schintlmeister, 1997** (Notodontidae) *Synonym(s): nigropunctata Schintlmeister, 1997* *Range (in code): VN Ton Tda*
- 69580. *Stauropus picteti* Oberthür, 1911** (Notodontidae) *Synonym(s): picteti Oberthür, 1911*
Range (in code): CN

- 69581. *Stauropus pratti* Bethune-Baker, 1904** (Notodontidae) Synonym(s): *pratti* Bethune-Baker, 1904 _ Range (in code): PG
- 69582. *Stauropus schaarschmidtii* Schintlmeister, 2003** (Notodontidae) Synonym(s): *schaarschmidtii* Schintlmeister, 2003 _ Range (in code): ID Ij
- 69583. *Stauropus sikkimensis* Moore, 1865** (Notodontidae) Synonym(s): *sikkimensis* Moore, 1865 _ Range (in code): TW IN SI Djl CN Yu NP MM VN Ton Fan TH
- 69584. *Stauropus sikkimensis erdmanni* Schintlmeister, 1989** (Notodontidae) Synonym(s): *erdmanni* Schintlmeister, 1989 _ Range (in code): CN Yu
- 69585. *Stauropus sikkimensis lushanus* Okano, 1960** (Notodontidae) Synonym(s): *lushanus* Okano, 1960 _ Range (in code): TW
- 69586. *Stauropus sikkimensis sikkimensis* Moore, 1865** (Notodontidae) Synonym(s): *sikkimensis* Moore, 1865 _ Range (in code): IN SI Djl NP MM VN Ton Fan TH
- 69587. *Stauropus teikichiana* Matsumura, 1929** (Notodontidae) Synonym(s): *teikichiana* Matsumura, 1929 _ Range (in code): TW JP CN VN Ton Fan Tda
- 69588. *Stauropus thiaucorti* Schintlmeister, 2003** (Notodontidae) Synonym(s): *thiaucorti* Schintlmeister, 2003 _ Range (in code): IN LK
- 69589. *Stauropus viridissimus* Bethune-Baker, 1904** (Notodontidae) Synonym(s): *viridissimus* Bethune-Baker, 1904; *amboynica* Oberthür, 1911; *habrochlora* Turner, 1922 _ Range (in code): ID Amb Hm Crm PG
- 69590. *Stauropus viridissimus naumanni* Schintlmeister, 2003** (Notodontidae) Synonym(s): *naumanni* Schintlmeister, 2003 _ Range (in code): ID Amb Hm
- 69591. *Stemmatophalera semiflava* (Hampson, 1910)** (Notodontidae) Synonym(s): *semiflava* Hampson, 1910 _ Range (in code): ZA
- 69592. *Stenadonta radialis* Gaede, 1930** (Notodontidae) Synonym(s): *radialis* Gaede, 1930 _ Range (in code): IN TH CMa CDo
- 69593. *Stenostaura elaphra* Wiltshire, 1982** (Notodontidae) Synonym(s): *elaphra* Wiltshire, 1982 _ Range (in code): SA As YE
- 69594. *Stenostaura elegans* Kiriakoff, 1970** (Notodontidae) Synonym(s): *elegans* Kiriakoff, 1970 _ Range (in code): ZA
- 69595. *Stenostaura impetita* (Walker, 1865)** (Notodontidae) Synonym(s): *impetita* Walker, 1865 _ Range (in code): ZA
- 69596. *Stenostaura malangae* (Bethune-Baker, 1911)** (Notodontidae) Synonym(s): *malangae* Bethune-Baker, 1911 _ Range (in code): ZA
- 69597. *Stenostaura minutissima* Kiriakoff, 1970** (Notodontidae) Synonym(s): *minutissima* Kiriakoff, 1970 _ Range (in code): ZA
- 69598. *Stenostaura rhodesiae* (Kiriakoff, 1965)** (Notodontidae) Synonym(s): *rhodesiae* Kiriakoff, 1965 _ Range (in code): ZA
- 69599. *Stenostaura subtilis* Kiriakoff, 1970** (Notodontidae) Synonym(s): *subtilis* Kiriakoff, 1970 _ Range (in code): ZA
- 69600. *Stenostaura varians* (Kiriakoff, 1962)** (Notodontidae) Synonym(s): *variens* Kiriakoff, 1962 _ Range (in code): ZA
- 69601. *Stigmatophorina hammamelis* Mell, 1922** (Notodontidae) Synonym(s): *hammamelis* Mell, 1922 _ Range (in code): CN Ahw Fkn Hph Kwa Hun Kig Kgs Sz Yu Tkg VN Ton Bac N-l
- 69602. *Subscrancia albobrunnea* Kiriakoff, 1970** (Notodontidae) Synonym(s): *albobrunnea* Kiriakoff, 1970 _ Range (in code): ZA
- 69603. *Subscrancia nigra* (Aurivillius, 1904)** (Notodontidae) Synonym(s): *nigra* Aurivillius, 1904 _ Range (in code): ZA
- 69604. *Sumeria dipotamica* Tams, 1938** (Notodontidae) Synonym(s): *dipotamica* Tams, 1938 _ Range (in code): IQ Bsr Bgd Agh SA OM AE YE IR Ss Hz
- 69605. *Sumeria dipotamica dipotamica* Tams, 1938** (Notodontidae) Synonym(s): *dipotamica* Tams, 1938 _ Range (in code): IQ Bsr Bgd Agh SA YE IR Ss Hz
- 69606. *Sumeria dipotamica flavoalata* Fischer & Saldaitis, 2005** (Notodontidae) Synonym(s): *flavoalata* Fischer & Saldaitis, 2005 _ Range (in code): OM AE
- 69607. *Synete olivaceofusca* (Rothschild, 1917)** (Notodontidae) Synonym(s): *olivaceofusca* Rothschild, 1917 _ Range (in code): ZA
- 69608. *Syntypistis amamiensis* (Nakatomi, 1981)** (Notodontidae) Synonym(s): *amamiensis* Nakatomi, 1981 _ Range (in code):

- 69609. Syntypistis basivirens (Schintlmeister,1993)** (Notodontidae) Synonym(s): *basivirens* Schintlmeister,1993 Original Reference: Quadricalcarifera basivirens Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, Range (in code): PH Luz
- 69610. Syntypistis chambae (Kiriakoff,1970)** (Notodontidae) Synonym(s): *chambae* Kiriakoff,1970; *stauropoides* Kiriakoff,1974 Range (in code): IN Hp Dlh PK Swa Mdy
- 69611. Syntypistis charistera (West,1932)** (Notodontidae) Synonym(s): *charistera* West,1932 Range (in code): MY ID Sum Bor Clb VN Bao Ann PH Luz Mno Pal Pan
- 69612. Syntypistis charistera charistera (West,1932)** (Notodontidae) Synonym(s): *charistera* West,1932 Range (in code): PH Luz Mno Pal Pan
- 69613. Syntypistis charistera fraseriana Kiriakoff** (Notodontidae) Synonym(s): Range (in code): MY ID Sum Bor
- 69614. Syntypistis charistera minima (Schintlmeister,1997)** (Notodontidae) Synonym(s): *minima* Schintlmeister,1997 Range (in code): VN Bao Ann
- 69615. Syntypistis charistera rhypara** (Notodontidae) Synonym(s): Range (in code): ID Clb
- 69616. Syntypistis comatus (Leech,1898)** (Notodontidae) Synonym(s): *comatus* Leech,1898; *viridimacula* Matsumura,1922; *consentrica* Matsumura,1927. Range (in code): CN ID Sum MY Bor PH Luz Mno IN MM TH VN Ton Fan Tda Cuc M-c N-I TW
- 69617. Syntypistis cupreonitens Kiriakoff,1963** (Notodontidae) Synonym(s): *cupreonitens* Kiriakoff,1963 Range (in code): CN VN Ton Fan
- 69618. Syntypistis cyanea (Leech,1888)** (Notodontidae) Synonym(s): *cyanea* Leech,1888; *himiko* Nakamura,1956; *franciscana* Kiriakoff,1963. Range (in code): CN KP KR JP TW VN Ton Fan Tda
- 69619. Syntypistis cyanea cyanea (Leech,1888)** (Notodontidae) Synonym(s): *cyanea* Leech,1888; *himiko* Nakamura,1956; *franciscana* Kiriakoff,1963. Range (in code): CN KP KR JP TW VN Ton Fan Tda
- 69620. Syntypistis cyanea izuensis (Nakamura & Kishida,1977)** (Notodontidae) Synonym(s): *izuensis* Nakamura & Kishida,1977 Range (in code):
- 69621. Syntypistis defector (Schintlmeister,1997)** (Notodontidae) Synonym(s): *defector* Schintlmeister,1997 Range (in code): VN Ton Tda Fan B-e
- 69622. Syntypistis doloka (Kiriakoff,1967)** (Notodontidae) Synonym(s): *doloka* Kiriakoff,1967 Range (in code): ID Sum TH CMa CDo
- 69623. Syntypistis fasciata (Moore,1879)** (Notodontidae) Synonym(s): *fasciata* Moore,1879; *comatus* Leech,1898 Range (in code): CN Sz IN TH CMa Dst Dso8 MY TW
- 69624. Syntypistis fasciata fasciata (Moore,1879)** (Notodontidae) Synonym(s): *fasciata* Moore,1879; *comatus* Leech,1898 Range (in code): CN Sz IN TH CMa Dst Dso8
- 69625. Syntypistis fasciata malayana (Nakamura,1976)** (Notodontidae) Synonym(s): *malayana* Nakamura,1976 Original Reference: Quadricalcarifera fasciata ssp. malayana Nakamura,1976, Trans. lepid. Soc. Japan 27: 39. Range (in code): MY
- 69626. Syntypistis fasciata umbrosa (Matsumura,1927)** (Notodontidae) Synonym(s): *umbrosa* Matsumura,1927 Range (in code): TW
- 69627. Syntypistis hebe (Schintlmeister,1997)** (Notodontidae) Synonym(s): *hebe* Schintlmeister,1997 Range (in code): VN Ton Fan Tda
- 69628. Syntypistis hercules (Schintlmeister,1997)** (Notodontidae) Synonym(s): *hercules* Schintlmeister,1997 Range (in code): VN Ton Fan Tda
- 69629. Syntypistis iole (Schintlmeister,1997)** (Notodontidae) Synonym(s): *iole* Schintlmeister,1997 Range (in code): VN Ton Fan Tda Tgi Cuc
- 69630. Syntypistis jupiter (Schintlmeister,1997)** (Notodontidae) Synonym(s): *jupiter* Schintlmeister,1997 Range (in code): CN Hn Yu VN Ton Tda Fan TH Nan IN Ass
- 69631. Syntypistis nachiensis (Marumo,1920)** (Notodontidae) Synonym(s): *nachiensis* Marumo,1920 Range (in code):
- 69632. Syntypistis nigribasalis (Wileman,1910)** (Notodontidae) Synonym(s): *nigribasalis* Wileman,1910; *saitonis* Matsumura,1927; *notoprocta* Yang,1995 Range (in code): MY Bor ID Sum PH Luz Pal Mno Clb TW VN Ton Fan M-c Tda TH
- 69633. Syntypistis nigribasalis nigribasalis (Wileman,1910)** (Notodontidae) Synonym(s): *nigribasalis* Wileman,1910; *saitonis* Matsumura,1927; *notoprocta* Yang,1995 Range (in code): TW VN Ton Fan M-c Tda TH
- 69634. Syntypistis nigribasalis tropica (Kiriakoff,1974)** (Notodontidae) Synonym(s): *tropica* Kiriakoff,1974 Range (in code): MY Bor ID Sum PH Luz Pal Mno Clb

- 69635. Syntypistis palladina (Schaus,1928)** (Notodontidae) Synonym(s): *palladina* Schaus,1928
Original Reference: *Stauropus palladina* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 76. Type(s): Mindanao. Range (in code): **MY Bor ID Sum PH Mno Pan**
- 69636. Syntypistis pallidifascia (Hampson,1893)** (Notodontidae) Synonym(s): *pallidifascia* Hampson,1893; *centrobrunnea* Matsumura,1927; *concentrica* Matsumura,1927; *ovalis* Van Eecke,1929
Original Reference: *Stauropus pallidifascia* Hampson,1893, Fauna Br. India (Moths) 1: 151. Type(s): Himalaya. Range (in code): **JP IN SI LK PG ID Clb Bor MY Sum PH Luz Mno Mdo VN TH TW CN Ton Tda Cuc B-e Fan**
- 69637. Syntypistis pallidifascia iriomotensis Nakatomi,1980** (Notodontidae) Synonym(s): *iriomotensis* Nakatomi,1980 Range (in code): **JP**
- 69638. Syntypistis pallidifascia juttamariae Schintlmeister & Laurens,2010** (Notodontidae) Synonym(s): *juttamariae* Schintlmeister & Laurens,2010 Range (in code): **PH Mdo**
- 69639. Syntypistis pallidifascia pallidifascia (Hampson,1893)** (Notodontidae) Synonym(s): *pallidifascia* Hampson,1893; *centrobrunnea* Matsumura,1927; *concentrica* Matsumura,1927
Original Reference: *Stauropus pallidifascia* Hampson,1893, Fauna Br. India (Moths) 1: 151. Type(s): Himalaya. Range (in code): **IN SI LK PG ID Clb Bor MY Sum PH Luz Mno VN TH TW CN Ton Tda Cuc B-e Fan**
- 69640. Syntypistis pamelae Schintlmeister,1993** (Notodontidae) Synonym(s): *pamelae* Schintlmeister,1993
Original Reference: *Quadricalcarifera pamelae* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 107, Range (in code): **PH Luz Mno**
- 69641. Syntypistis parcevirens (Joannis,1929)** (Notodontidae) Synonym(s): *parcevirens* Joannis,1929; *sporadochlorus* Joannis,1949 Range (in code): **MM VN Ton Fan CN**
- 69642. Syntypistis perdix (Moore,1879)** (Notodontidae) Synonym(s): *perdix* Moore,1879
Original Reference: *Dasychira perdix* Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 58. Type: N. India. Range (in code): **IN NP TH VN Ton Fan Tda TW CN Yu**
- 69643. Syntypistis perdix confusa (Wileman,1910)** (Notodontidae) Synonym(s): *confusa* Wileman,1910; *kikuchii* Matsumura,1927; *horishana* Matsumura,1920. Range (in code): **TW CN Yu**
- 69644. Syntypistis perdix perdix (Moore,1879)** (Notodontidae) Synonym(s): *perdix* Moore,1879
Original Reference: *Dasychira perdix* Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 58. Type: N. India. Range (in code): **IN NP TH VN Ton Fan Tda**
- 69645. Syntypistis pryeri (Leech,1889)** (Notodontidae) Synonym(s): *pryeri* Leech,1889; *lama* Oberthür,1911; *sugitanii* Matsumura,1920; *coreana* Matsumura,1922 Range (in code): **JP**
- 69646. Syntypistis punctatella (Motschulsky,1861)** (Notodontidae) Synonym(s): *punctatella* Motschulsky,1861; *nigromaculata* Matsumura,1920; *nigroguttata* Matsumura,1921 Range (in code): **JP**
- 69647. Syntypistis scensus Schintlmeister,1997** (Notodontidae) Synonym(s): *scensus* Schintlmeister,1997
Original Reference: *Quadricalcarifera scensus* Schintlmeister,1997, Entomofauna Suppl.9 (4): 95, Pls. Holotype ♂: N. Vietnam, Mai-chau, 25km SE Moc-chau, 1400m, 20° 50'N 104° 40'E, 14-18.xi.1994, leg. Sinjaev & Simonov (coll. Schintlmeister). Range (in code): **VN Ton M-c Tgi Fan TH CMA**
- 69648. Syntypistis spitzeri (Schintlmeister,1987)** (Notodontidae) Synonym(s): *spitzeri* Schintlmeister,1987
Original Reference: *Quadricalcarifera spitzeri* Schintlmeister,1987, Entomofauna 8 (5): 55-57, fig. Holotype ♂: Vietnam sept., Tam Dao, 950m, 23.v.1982 leg. K.Spitzer. Range (in code): **VN Ton Fan Cuc Tda CN Kig TH**
- 69649. Syntypistis sporadochlorus (Bryk,1949)** (Notodontidae) Synonym(s): *sporadochlorus* Bryk,1949; *synechochlora* Kiriakoff,1963; *plebeja* Kiriakoff,1963. Range (in code): **JP**
- 69650. Syntypistis subgeneris (Strand,1915)** (Notodontidae) Synonym(s): *subgeneris* Strand,1915 Range (in code): **JP KP KR TW CN SI VN Ton Fan Tda Bao Tgi**
- 69651. Syntypistis subgeneris japonica (Nakatomi,1981)** (Notodontidae) Synonym(s): *japonica* Nakatomi,1981 Range (in code): **JP**
- 69652. Syntypistis subgeneris subgeneris (Strand,1915)** (Notodontidae) Synonym(s): *subgeneris* Strand,1915 Range (in code): **KP KR TW CN SI VN Ton Fan Tda Bao Tgi**
- 69653. Syntypistis subgriseoviridis (Kiriakoff,1963)** (Notodontidae) Synonym(s): *subgriseoviridis* Kiriakoff,1963 Range (in code): **JP**
- 69654. Syntypistis umbrosa (Matsumura,1927)** (Notodontidae) Synonym(s): *umbrosa* Matsumura,1927; *okurai* Okano,1960; *unicolor* Kiriakoff,1974; *hasegawai* Nakamura,1976
Original Reference: *Quadricalcarifera umbrosa* Matsumura,1927, J. Coll. Agric. Hokkaido Imp. Univ. 19:

6. Type(s): Taiwan. Range (in code): **TW PK Swa Mdy IN Up VN Ton Fan Tgi N-l M-c Tda Cuc B-e ID Sum MY Bor PH Pal CN Fkn Kwa Hn Sz Yu**
- 69655. Syntypistis unicolor (Kiriakoff,1974)** (Notodontidae) Synonym(s): *unicolor* Kiriakoff,1974 Range (in code):
- 69656. Syntypistis viridipicta (Wileman,1910)** (Notodontidae) Synonym(s): *viridipicta* Wileman,1910; *marginalis* Matsumura,1920; *kusukusuana* Matsumura,1929; *lineata* Okano,1960; *meridioviridis* Kiriakoff,1963; *viridigutta* Kiriakoff,1963; *doloka* Kiriakoff,1967; *eusebia* Kiriakoff,1974. Original Reference: *Stauropus viridipicta* Wileman,1910, Entomologist 43: 312. Type: Taiwan. Range (in code): **TW IN SI Djl TH ID Bor MY Sum MM VN Ton Fan Tda M-c Tgi Bao CN**
- 69657. Syntypistis witoldi (Schintlmeister,1997)** (Notodontidae) Synonym(s): *witoldi* Schintlmeister,1997 Range (in code): **CN Yu VN Ton Fan TH MM**
- 69658. Syntypistis wunna (Schintlmeister,1997)** (Notodontidae) Synonym(s): *wunna* Schintlmeister,1997 Range (in code): **VN Ton M-c Fan TH CMA**
- 69659. Tarsolepsis elephantorum Bänziger,1986** (Notodontidae) Synonym(s): *elephantorum* Bänziger,1986 Original Reference: *Tarsolepsis elephantorum* Bänziger,1986, Nat. Hist. Bull. Siam Soc. 36: 19-25, figs. Holotype ♂: Thailand: Chiang Mai Prov., Huay Kaeo, Zoo, foot of Doi Suthep 350m, 16.v.1973, Bänziger leg. (DEFACU). Range (in code): **TH CMA Dst Cmz VN M-c**
- 69660. Tarsolepsis inscius Schintlmeister,1997** (Notodontidae) Synonym(s): *inscius* Schintlmeister,1997 Range (in code): **CN Yu VN Cuc M-c**
- 69661. Tarsolepsis japonica Wileman & South,1917** (Notodontidae) Synonym(s): *japonica* Wileman & South,1917; *inouei* Okano,1958 Range (in code): **JP TW KP KR CN Ahw Fkn Kwa Hun Kgs Kig Tkg**
- 69662. Tarsolepsis javana Swinhoe,1907** (Notodontidae) Synonym(s): *javana* Swinhoe,1907 Range (in code): **ID Ja**
- 69663. Tarsolepsis kochi Semper,1896** (Notodontidae) Synonym(s): *kochi* Semper,1896 Original Reference: *Tarsolepsis kochi* Semper,1896, Reisen Archipel Philipp. Semper (2): 409. Syntypes: Mindanao. Range (in code): **PH Mno VN CN Yu**
- 69664. Tarsolepsis malayana Nakamura,1976** (Notodontidae) Synonym(s): *malayana* Nakamura,1976 Range (in code): **ID Sum Bor MY VN Ton Tda M-c TH MM**
- 69665. Tarsolepsis remicauda Butler,1872** (Notodontidae) Synonym(s): *remicauda* Butler,1872 Original Reference: *Tarsolepsis remicauda* Butler,1872, Ann. Mag. nat. Hist. (4) 10: 125, pl.8. Type: Java. Range (in code): **ID Ja VN Ton Tda CN Yu TH Knc NP Pal PH Bor Bru MY Sum Clb PG MM**
- 69666. Tarsolepsis remicauda captura Schintlmeister,1997** (Notodontidae) Synonym(s): *captura* Schintlmeister,1997 Range (in code): **VN Ton Tda CN TH Knc**
- 69667. Tarsolepsis sommeri (Hübner,1821)** (Notodontidae) Synonym(s): *sommeri* Hübner,1821 Range (in code): **TH PH MY Bor**
- 69668. Tarsolepsis splendida Schintlmeister,1993** (Notodontidae) Synonym(s): *splendida* Schintlmeister,1993 Original Reference: *Tarsolepsis splendida* Schintlmeister,1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 110-111, Taf. Holotype ♂: Philippinen: N-Luzon: Talubin. Range (in code): **PH Ceb Luz Mno Pan**
- 69669. Tarsolepsis taiwana Wileman,1910** (Notodontidae) Synonym(s): *taiwana* Wileman,1910 Original Reference: *Tarsolepsis taiwana* Wileman,1910, Entomologist 43: 188. Syntypes: Taiwan; Lectotype ♂: Rantaizan, 7600ft. Range (in code): **TW CN Fkn Sz VN Ton Fan**
- 69670. Teinophalera elongata (Rothschild,1917)** (Notodontidae) Synonym(s): *elongata* Rothschild,1917 Range (in code): **IN Ass TH VN Ton Fan**
- 69671. Teleclita cathana (Schaus,1928)** (Notodontidae) Synonym(s): *cathana* Schaus,1928; *sundana* Holloway,1983 Original Reference: *Neopheosia cathana* Schaus,1928, Proc. U.S. natn. Mus. 73(19): 81. Syntypes: Mindanao, Luzon. Range (in code): **PH Luz Mno Pal SG MY Bor ID Sum**
- 69672. Teleclita didyma Schintlmeister & Laurens,2010** (Notodontidae) Synonym(s): *didyma* Schintlmeister & Laurens,2010 Range (in code): **PH Mno Ley Luz Sam**
- 69673. Teleclita strigata (Moore,1879)** (Notodontidae) Synonym(s): *strigata* Moore,1879 Range (in code): **SI NP TH VN Bao IN LK TH ID Sum Bli**
- 69674. Tensha delineivena (Swinhoe,1894)** (Notodontidae) Synonym(s): *delineivena* Swinhoe,1894 Range (in code): **IN VN Ton Fan Cuc Tda Tgi M-c Bao MY ID Sum**
- 69675. Tensha striatella Matsumura,1925** (Notodontidae) Synonym(s): *striatella* Matsumura,1925 Range (in code): **TW**

- 69676. *Thaila cinerascens* Kiriakoff,1974** (Notodontidae) Synonym(s): *cinerascens* Kiriakoff,1974
Original Reference: *Thaila cinerascens* Kiriakoff,1974, Veröff. zool. Staatssamml. München 17: 415-416, figs. Holotype ♂: Siam (Thailand): Khzo Yzi, ii.1973, leg. E.Diehl (coll.Bender). Range (in code): TH
- 69677. *Togarishachia albistriga* (Moore,1879)** (Notodontidae) Synonym(s): *albistriga* Moore,1879; *kanshireiensis* Wileman,1914; *argentopicta* Matsumura,1925; *sphingoides* Van Eecke,1929.
Range (in code): IN SI ID Sum Ja VN Ton Fan Tda Cuc TW CN Fkn Yu Ti Sz Kig Kwa TH CMa Fn Agk CDo
- 69678. *Togaritensha curvilinea* (Wileman,1911)** (Notodontidae) Synonym(s): *curvilinea* Wileman,1911; *acuta* Matsumura,1929. Range (in code): TW CN VN Ton Fan
- 69679. *Torona argentea* Schintlmeister,1997** (Notodontidae) Synonym(s): *argentea* Schintlmeister,1997 Range (in code): VN Ton Tda Fan CN
- 69680. *Torona argenteodivisa* (Kiriakoff,1962)** (Notodontidae) Synonym(s): *argenteodivisa* Kiriakoff,1962 Range (in code): CN Yu Lik
- 69681. *Torona aristion* Schintlmeister,1997** (Notodontidae) Synonym(s): *aristion* Schintlmeister,1997 Range (in code): VN Ton Fan
- 69682. *Torona astrae* (Schintlmeister & Fang,2001)** (Notodontidae) Synonym(s): *astrae* Schintlmeister & Fang,2001 Range (in code): CN She
- 69683. *Torona beta* Schintlmeister,1989** (Notodontidae) Synonym(s): *beta* Schintlmeister,1989
Range (in code): CN VN Ton Fan Tda Cuc
- 69684. *Torona dorsisuffusa* (Kiriakoff,1962)** (Notodontidae) Synonym(s): *dorsisuffusa* Kiriakoff,1962 Range (in code):
- 69685. *Torona elutus* Schintlmeister,2007** (Notodontidae) Synonym(s): *elutus* Schintlmeister,2007 Range (in code): TH CMa
- 69686. *Torona ereptor* Schintlmeister,1989** (Notodontidae) Synonym(s): *ereptor* Schintlmeister,1989 Range (in code):
- 69687. *Torona ferrifera* Walker,1865** (Notodontidae) Synonym(s): *ferrifera* Walker,1865; *junctura* Moore,1879; *adjutrea* Schaus,1928. Range (in code): IN SI Djl Ass Meg
- 69688. *Torona formosana* Nakamura,1973** (Notodontidae) Synonym(s): *formosana* Nakamura,1973 Range (in code): TW
- 69689. *Torona fortis* Kobayashi & Kishida,2008** (Notodontidae) Synonym(s): *fortis* Kobayashi & Kishida,2008 Range (in code): CN Kwa
- 69690. *Torona ihlei* Schintlmeister,2007** (Notodontidae) Synonym(s): *ihlei* Schintlmeister,2007
Range (in code): TH Sak
- 69691. *Torona juncturina* (Kiriakoff,1959)** (Notodontidae) Synonym(s): *juncturina* Kiriakoff,1959 Range (in code): MM Kch Kam VN Ton Fan
- 69692. *Torona lucida* Schintlmeister,2008** (Notodontidae) Synonym(s): *lucida* Schintlmeister,2008 Range (in code): MM Kch
- 69693. *Torona morozovi* Saldaitis & Ivinskis,2011** (Notodontidae) Synonym(s): *morozovi* Saldaitis & Ivinskis,2011 Range (in code): CN Sz
- 69694. *Torona opis* Schintlmeister,2008** (Notodontidae) Synonym(s): *opis* Schintlmeister,2008
Range (in code): Cn KwT
- 69695. *Torona plumosa* (Leech,1889)** (Notodontidae) Synonym(s): *plumosa* Leech,1889
Range (in code):
- 69696. *Torona sinensis* (Kiriakoff,1962)** (Notodontidae) Synonym(s): *sinensis* Kiriakoff,1962
Range (in code): CN
- 69697. *Torona straminea* (Moore,1877)** (Notodontidae) Synonym(s): *straminea* Moore,1877; *southerlandii* Holland,1889; *harakiri* Bryk,1942 Range (in code):
- 69698. *Torona symmetricus* (Schintlmeister,1997)** (Notodontidae) Synonym(s): *symmetricus* Schintlmeister,1997 Range (in code): VN Ton Fan
- 69699. *Torona theodosius* (Schintlmeister,1997)** (Notodontidae) Synonym(s): *theodosius* Schintlmeister,1997 Range (in code): VN Ton Tda Fan
- 69700. *Torona triangularis* (Kiriakoff,1962)** (Notodontidae) Synonym(s): *triangularis* Kiriakoff,1962 Range (in code): CN VN Ton Tda Fan
- 69701. *Trabanta gilvescens* Kiriakoff,1962** (Notodontidae) Synonym(s): *gilvescens* Kiriakoff,1962
ZR Skr
- 69702. *Trabanta ignobilis* (Holland,1893)** (Notodontidae) Synonym(s): *ignobilis* Holland,1893
GA Ogo CM

- 69703. *Trabanta nigripuncta* (Rothschild,1917) (Notodontidae) Synonym(s):** *nigripuncta* Rothschild,1917 _ **GH ZR**
- 69704. *Trabanta rufescens* Kiriakoff,1962 (Notodontidae) Synonym(s):** *rufescens* Kiriakoff,1962 **ZR Skr**
- 69705. *Trabanta rufisquamata* (Hampson,1910) (Notodontidae) Synonym(s):** *rufisquamata* Hampson,1910 _ **GH ZR**
- 69706. *Trotonotus bettoni* Butler,1898 (Notodontidae) Synonym(s):** *bettoni* Butler,1898 **Range (in code): ZA**
- 69707. *Turnacoides basipuncta* Gaede,1928 (Notodontidae) Synonym(s):** *basipuncta* Gaede,1928 **Range (in code): ZA**
- 69708. *Ulinodes costalis* Kiriakoff,1968 (Notodontidae) Synonym(s):** *costalis* Kiriakoff,1968 **Range (in code): ZA**
- 69709. *Uropia meticolodina* (Oberthür,1884) (Notodontidae) Synonym(s):** *meticolodina* Oberthür,1884; *hamamelis* Mell,1931 _ **Range (in code):**
- 69710. *Wilemanus hamata* (Cai,1979) (Notodontidae) Synonym(s):** *hamata* Cai,1979 _ **Range (in code): CN VN Ton Hlg**
- 69711. *Zaranga pannosa* Moore,1884 (Notodontidae) Synonym(s):** *pannosa* Moore,1884; *citrinaria* Gaede,1930 **Original Reference:** *Zaranga pannosa* Moore,1884, Trans. ent. Soc. London, 1884: 357. Type: India. **Range (in code): PK SI IN KR CN Gn She Shs Tkg Sz Yu TW NP VN Ton Tda Fan JP**
- 69712. *Zaranga permanga* (Butler,1881) (Notodontidae) Synonym(s):** *permanga* Butler,1881; *ziozankeana* Matsumura,1909 _ **Range (in code):**
- 69713. *Zaranga tukuringra* Streltsov & Yakovlev,2007 (Notodontidae) Synonym(s):** *tukuringra* Streltsov & Yakovlev,2007 _ **Range (in code): RU Am**
- 69714. *Zerafia drymonides* Strand,1915 (Notodontidae) Synonym(s):** *drymonides* Strand,1915 **Range (in code): SD**
- 69715. *Zerafia laportei* Thiaucourt,1984 (Notodontidae) Synonym(s):** *laportei* Thiaucourt,1984 **Original Reference:** *Zerafia laportei* Thiaucourt,1984, Mém. Mus. natn. Hist. nat. Paris (A) 128: 12-13, Pl.8 fig.104, textfig.1. Holotype ♀: Djibouti: Randa. **Range (in code): DJ**
- 69716. *Agonopterix adpersella* (Kollar,1832) (Oecophoridae) Synonym(s):** *adpersella* Kollar,1832; *athamanticella* Heinemann,1870; *amanthicella* Staudinger,1901; *sabulatella* Turati,1919; *karmeliella* Amsel,1933 _ **Range (in code): ES FR Co Sa Si IT MT DE CH AT CZ SK HU RO YU GR Cr TR IR Fa Elb Th TM RU LB Bsa IL Pa**
- 69717. *Agonopterix alpigena* (Frey,1870) (Oecophoridae) Synonym(s):** *alpigena* Frey,1870; *salevensis* Frey,1880; *ragonoti* Rebel,1889 _ **Range (in code): FR IT DE CH AT YU** **Bionomy:** Larva on *Laserpitium siler* (Apiaceae) (Parenti,2000).
- 69718. *Agonopterix alstromeriana* (Clerck,1759) (Oecophoridae) Synonym(s):** *alstromeriana* Clerck,1759; *monilella* [Denis & Schiffermüller],1775; *puella* Hübner,1796; *alstroemeri* Haworth,1811; *alstroemerella* Hübner,[825]; *albidella* Eversmann,1844; *alstroemeriella* Doubleday,1859 _ **Range (in code): PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur MD UA BY IR Kh** **Bionomy:** Larva on *Conium maculatum* (Apiaceae) (Parenti,2000).
- 69719. *Agonopterix angelicella* (Hübner,[1813]) (Oecophoridae) Synonym(s):** *angelicella* Hübner,[1813] _ **Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 69720. *Agonopterix arctica* (Strand,1902) (Oecophoridae) Synonym(s):** *arctica* Strand,1902 **Range (in code): NO SE FI RU MD UA BY**
- 69721. *Agonopterix arenella* ([Denis & Schiffermüller],1775) (Oecophoridae) Synonym(s):** *arenella* [Denis & Schiffermüller],1775; *gilvella* Hübner,1796; *gilvosa* Haworth,1811; *immaculana* Stephens,1834 **Original Reference:** *Tinea arenella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. **Range (in code): DZ Cst PT FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY Cc** **Bionomy:** Larva on *Carduus*, *Cirsium*, *Serratula*, *Arctium*, *Centaurea* (Asteraceae) (Parenti,2000; et seq.).
- 69722. *Agonopterix assimilella* (Treitschke,1832) (Oecophoridae) Synonym(s):** *assimilella* Treitschke,1832; *irrorella* Stephens,1834; *reticulatella* Bruand,1850 _ **Range (in code): PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE EE LV LT RU MD UA BY Cc** **Bionomy:** Larva on *Cytisus*, *Genista* (Fabaceae) (Parenti,2000).
- 69723. *Agonopterix astrantiae* (Heinemann,1870) (Oecophoridae) Synonym(s):** *astrantiae* Heinemann,1870 _ **Range (in code): FR IT IE GB DE CH AT PL CZ SK HU DK NO SE FI LV RU MD UA BY**

- 69724. Agonopterix atomella** ([Denis & Schiffermüller],1775) (Oecophoridae)
Synonym(s): *atomella* [Denis & Schiffermüller],1775; *atomosa* Haworth,1811 Original Reference: *Tinea atomella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 137.
Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU GR TR DK SE RU LB Bsa IL Hf Pa
- 69725. Agonopterix babaella** Amsel,1972 (Oecophoridae) Synonym(s): *babaella* Amsel,1972
Range (in code): AF Pnj Slg
- 69726. Agonopterix banatica** Georgesco,1965 (Oecophoridae) Synonym(s): *banatica* Georgesco,1965 Range (in code): RO
- 69727. Agonopterix bipunctosa** (Curtis,1850) (Oecophoridae) Synonym(s): *bipunctosa* Curtis,1850 Range (in code): GB PL SE LV
- 69728. Agonopterix broennoeensis** Strand,1920 (Oecophoridae) Synonym(s): *broennoeensis* Strand,1920 Range (in code): NO SE FI
- 69729. Agonopterix budashkini** Lvovsky,1998 (Oecophoridae) Synonym(s): *budashkini* Lvovsky,1998 Range (in code): UA Cm
- 69730. Agonopterix cachritis** (Staudinger,1859) (Oecophoridae) Synonym(s): *cachritis* Staudinger,1859; *epicachritis* Ragonot,1895 Range (in code): DZ ES Sa DZ LB Bei TR
- 69731. Agonopterix cadurciella** (Chrétien,1914) (Oecophoridae) Synonym(s): *cadurciella* Chrétien,1914 Range (in code): FR
- 69732. Agonopterix canuflavella** (Hannemann,1953) (Oecophoridae) Synonym(s): *canuflavella* Hannemann,1953 Original Reference: *Agonopteryx canuflavella* Hannemann,1953, *Mitt. zool. Mus. Berl.* 29: 292. Range (in code): DZ
- 69733. Agonopterix capreolella** (Zeller,1839) (Oecophoridae) Synonym(s): *capreolella* Zeller,1839; *caprella* Stainton,1849 Range (in code): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL TR DK NO SE FI EE LV LT RU MD UA BY Cc TM
- 69734. Agonopterix carduella** (Hübner,[1817]) (Oecophoridae) Synonym(s): *carduella* Hübner,[1817] Range (in code): ES FR Sa IT GB DE CH AT PL CZ SK HU AL RU MD UA BY
- 69735. Agonopterix cervariella** (Constant,1885) (Oecophoridae) Synonym(s): *cervariella* Constant,1885 Range (in code): FR IT CH AT YU TR
- 69736. Agonopterix Chiangmaiensis** Saito,1987 (Oecophoridae) Synonym(s): *Chiangmaiensis* Saito,1987 Range (in code): TH CMa Int Pki
- 69737. Agonopterix chironiella** (Constant,1893) (Oecophoridae) Synonym(s): *chironiella* Constant,1893 Range (in code): ES FR Si IT
- 69738. Agonopterix ciliella** (Stainton,1849) (Oecophoridae) Synonym(s): *ciliella* Stainton,1849; *annexella* Zeller,1868 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 69739. Agonopterix cnicella** (Treitschke,1832) (Oecophoridae) Synonym(s): *cnicella* Treitschke,1832 Range (in code): MA ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK RO YU AL GR Cr TR Cc DK EE RU MD UA BY IR Mz Gls Kh Bionomy: Larva on *Eryngium amethystinum*, *E. campestre* (Apiaceae) (Parenti,2000).
- 69740. Agonopterix comitella** (Lederer,1855) (Oecophoridae) Synonym(s): *comitella* Lederer,1855 Range (in code): GR Cr TR LB
- 69741. Agonopterix communis** (Meyrick,1920) (Oecophoridae) Synonym(s): *communis* Meyrick,1920 Range (in code): ZA
- 69742. Agonopterix compacta** (Meyrick,1914) (Oecophoridae) Synonym(s): *compacta* Meyrick,1914 Range (in code): ZA
- 69743. Agonopterix conterminella** (Zeller,1839) (Oecophoridae) Synonym(s): *conterminella* Zeller,1839 Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY CA BCo Bionomy: Larva on *Salix* (Salicaceae) (Parenti,2000).
- 69744. Agonopterix costaemaculella** (Christoph,1882) (Oecophoridae) Synonym(s): *costaemaculella* Christoph,1882 Range (in code): CN RU Us MM Tns Kch Kam
- 69745. Agonopterix costaemaculella burmana** Lvovsky,1998 (Oecophoridae) Synonym(s): *burmana* Lvovsky,1998 Range (in code): MM Tns Kch Kam
- 69746. Agonopterix crassiventrella** (Rebel,1891) (Oecophoridae) Synonym(s): *crassiventrella* Rebel,1891 Range (in code): YU
- 69747. Agonopterix crypsicosma** (Meyrick,1920) (Oecophoridae) Synonym(s): *crypsicosma* Meyrick,1920 Range (in code): ZA

- 69748. *Agonopterix cuillerella* Amsel,1972** (Oecophoridae) **Synonym(s):** *cuillerella* Amsel,1972
Range (in code): **AF Pnj**
- 69749. *Agonopterix curvipunctosa* (Haworth,[1811])** (Oecophoridae) **Synonym(s):** *curvipunctosa* Haworth,[1811]; *zephyrella* Hübner,[1813]; *granulosella* Stainton,1854; *doubledayella* Bruand,1859; *amasina* Mann,1861. **Range (in code):** **ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE RU MD UA BY Cc**
- 69750. *Agonopterix cyrniella* (Rebel,1929)** (Oecophoridae) **Synonym(s):** *cyrniella* Rebel,1929
Range (in code): **FR Co**
- 69751. *Agonopterix dideganella* Amsel,1972** (Oecophoridae) **Synonym(s):** *dideganella* Amsel,1972 **Range (in code):** **IR Ss**
- 69752. *Agonopterix daronicella* (Wocke,1849)** (Oecophoridae) **Synonym(s):** *daronicella* Wocke,1849 **Range (in code):** **FR IT AT PL CZ SK HU RO YU AL BG RU MD UA BY**
- 69753. *Agonopterix dryocrates* (Meyrick,1921)** (Oecophoridae) **Synonym(s):** *dryocrates* Meyrick,1921 **Range (in code):** **ZA Nta Kzu Kkf**
- 69754. *Agonopterix dubatolovi* Lvovsky,1995** (Oecophoridae) **Synonym(s):** *dubatolovi* Lvovsky,1995 **Range (in code):** **RU Am Daur**
- 69755. *Agonopterix dimitrescui* Georgesco,1965** (Oecophoridae) **Synonym(s):** *dimitrescui* Georgesco,1965 **Range (in code):** **RO**
- 69756. *Agonopterix echinopella* (Chrétien,1907)** (Oecophoridae) **Synonym(s):** *echinopella* Chrétien,1907; *liodryas* Meyrick,1921; *cryptiptila* Meyrick,1923 **Original Reference:** *Depressaria echinopella* Chrétien,1907, Bull. Soc. ent. Fr. 1907: 276. Type: Algérie, Biskra. **Range (in code):** **DZ Bsk IL Pa Js** **Bionomy:** Larva on *Echinops spinosus* (Asteraceae) (Chrétien,1907).
- 69757. *Agonopterix ferocella* (Chrétien,1910)** (Oecophoridae) **Synonym(s):** *ferocella* Chrétien,1910 **Range (in code):** **FR IT TR**
- 69758. *Agonopterix ferulae* (Zeller,1847)** (Oecophoridae) **Synonym(s):** *ferulae* Zeller,1847; *ferulella* Herrich-Schäffer,1862 **Range (in code):** **FR Si IT**
- 69759. *Agonopterix fruticosella* (Walsingham,1903)** (Oecophoridae) **Synonym(s):** *fruticosella* Walsingham,1903 **Range (in code):** **ES FR**
- 69760. *Agonopterix funebrella* Caradja,1920** (Oecophoridae) **Synonym(s):** *funebrella* Caradja,1920 **Original Reference:** *Agonopterix funebrella* Caradja,1920, Dt. ent. Z., Iris 34: 131. Type: [Kazakhstan]: Uralsk. **Range (in code):** **KG Uk IQ Hjo**
- 69761. *Agonopterix furvella* (Treitschke,1832)** (Oecophoridae) **Synonym(s):** *furvella* Treitschke,1832 **Range (in code):** **FR Co IT DE AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY** **Bionomy:** Larva on *Dictamnus albus* (Rutaceae) (Parenti,2000).
- 69762. *Agonopterix glyphidopa* (Meyrick,1928)** (Oecophoridae) **Synonym(s):** *glyphidopa* Meyrick,1928 **Range (in code):** **ZA**
- 69763. *Agonopterix goughi* (Bradley,1958)** (Oecophoridae) **Synonym(s):** *goughi* Bradley,1958
Range (in code): **ZA**
- 69764. *Agonopterix graecella* Hannemann,1976** (Oecophoridae) **Synonym(s):** *graecella* Hannemann,1976 **Range (in code):** **IT GR**
- 69765. *Agonopterix grammatopa* (Meyrick,1920)** (Oecophoridae) **Synonym(s):** *grammatopa* Meyrick,1920 **Range (in code):** **ZA**
- 69766. *Agonopterix heracleana* (Linnaeus,1758)** (Oecophoridae) **Synonym(s):** *heracliana* Linnaeus,1758; *punctata* Clerck,1759; *applana* Fabricius,1777; *cerefolii* Retzius,1783; *vinalis* Villers,1789; *applanella* Fabricius,1798; *umbellella* Coquebert,1801 nec F.,1798; *heraclei* Haworth,1811; *cicutella* Hübner,[1813]; *heraceliella* Hübner,[1825]; *heracleella* Zetterstedt,1839 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 69767. *Agonopterix hippomarathri* (Nickerl,1864)** (Oecophoridae) **Synonym(s):** *hippomarathri* Nickerl,1864 **Range (in code):** **MA FR Sa IT CH AT CZ SK HU RU MD UA BY**
- 69768. *Agonopterix homogenes* (Meyrick,1920)** (Oecophoridae) **Synonym(s):** *homogenes* Meyrick,1920 **Range (in code):** **ZA**
- 69769. *Agonopterix hypericella* (Hübner,1796)** (Oecophoridae) **Synonym(s):** *hypericella* Hübner,1796 **Range (in code):** **IT DE CH AT PL CZ SK RO NO SE FI LV LT RU MD UA BY** **Bionomy:** Larva on *Hypericum* (Guttiferae) (Parenti,2000).
- 69770. *Agonopterix iliensis* (Rebel,1936)** (Oecophoridae) **Synonym(s):** *iliensis* Rebel,1936
Range (in code): **Sa IT CN Ui Ii**
- 69771. *Agonopterix imbutella* Christoph,1888** (Oecophoridae) **Synonym(s):** *imbutella* Christoph,1888 **Range (in code):** **TR IL Js**

- 69772. *Agonopterix inoxiella* Hannemann, 1959** (Oecophoridae) Synonym(s): *inoxiella* Hannemann, 1959 _ Range (in code): GR
- 69773. *Agonopterix invenustella* (Hannemann, 1953)** (Oecophoridae) Synonym(s): *invenustella* Hannemann, 1953 _ Original Reference: Agonopteryx invenustella Hannemann, 1953, Mitt. zool. Mus. Berl. 29: 293. Range (in code): DZ
- 69774. *Agonopterix irrorata* (Staudinger, 1870)** (Oecophoridae) Synonym(s): *irrorata* Staudinger, 1870; *rubrociliella* Ragonot, 1877; *anthriscella* Brown, 1886 _ Range (in code): FR Si CH GR Cr TR RU UA Cm LB Bsa o
- 69775. *Agonopterix kaekeritziana* (Linnaeus, 1767)** (Oecophoridae) Synonym(s): *kaekeritziana* Linnaeus, 1767; *litorella* [Denis & Schiffermüller], 1775; *hirudinella* Goeze, 1783; *sparmanniana* Swederus, 1787; *flavella* Hübner, 1796; *bimaculella* Schrank, 1802 *nec* Thunb., 1784; *flavosa* Haworth, 1811; *montanella* Lhomme, 1929. _ Range (in code): ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV RU MD UA BY _ Bionomy: Larva on Centaurea, Cirsium, Inula (Asteraceae) (Parenti, 2000).
- 69776. *Agonopterix kuznetzovi* Lvovsky, 1983** (Oecophoridae) Synonym(s): *kuznetzovi* Lvovsky, 1983 _ Range (in code): GB RU MD UA BY
- 69777. *Agonopterix laterella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *laterella* [Denis & Schiffermüller], 1775 _ Original Reference: Tinea laterella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. Range (in code): ES FR Sa IT BE NL DE CH AT PL CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY
- 69778. *Agonopterix latipennella* (Zerny, 1934)** (Oecophoridae) Synonym(s): *latipennella* Zerny, 1934 _ Range (in code): TR LB Bsa
- 69779. *Agonopterix leucadensis* (Rebel, 1932)** (Oecophoridae) Synonym(s): *leucadensis* Rebel, 1932 _ Range (in code): GR
- 69780. *Agonopterix ligusticella* (Chrétien, 1908)** (Oecophoridae) Synonym(s): *ligusticella* Chrétien, 1908 _ Range (in code): PT FR
- 69781. *Agonopterix liodryas* (Meyrick, 1921)** (Oecophoridae) Synonym(s): *liodryas* Meyrick, 1921 _ Range (in code): IL N Zr Pa
- 69782. *Agonopterix liturosa* (Haworth, 1811)** (Oecophoridae) Synonym(s): *litorella* Hübner, 1796 *nec* [Denis & Schiff.], 1775; *liturosa* Haworth, 1811; *huebneri* Bradley, 1966 _ Range (in code): DZ PT ES FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU Sb MD UA BY _ Bionomy: Larva on Hypericum.
- 69783. *Agonopterix melancholica* (Rebel, 1917)** (Oecophoridae) Synonym(s): *melancholica* Rebel, 1917 _ Range (in code): RO RU MD UA BY
- 69784. *Agonopterix metamelopa* (Meyrick, 1931)** (Oecophoridae) Synonym(s): *metamelopa* Meyrick, 1931 _ Range (in code): CN Kwa
- 69785. *Agonopterix miyanella* Amsel, 1972** (Oecophoridae) Synonym(s): *miyanella* Amsel, 1972 _ Range (in code): IR Fa
- 69786. *Agonopterix multiplicella* (Erschoff, 1877)** (Oecophoridae) Synonym(s): *multiplicella* Erschoff, 1877 _ Range (in code): SK EE LV LT RU MD UA BY
- 69787. *Agonopterix nanatella* (Stainton, 1849)** (Oecophoridae) Synonym(s): *nanatella* Stainton, 1849 _ Range (in code): PT FR Sa IT IE GB BE NL DE CH AT CZ HU YU GR TR RU MD UA BY KG Uk Cc
- 69788. *Agonopterix neoxesta* (Meyrick, 1918)** (Oecophoridae) Synonym(s): *neoxesta* Meyrick, 1918 _ Range (in code): ZA Nta Kzu Esw Nha
- 69789. *Agonopterix nervosa* (Haworth, [1811])** (Oecophoridae) Synonym(s): *nervosa* Haworth, [1811]; *costosa* Haworth, 1811; *depunctella* Hübner, [1825]; *boieella* Freyer, 1835; *costella* Doubleday, 1859; *nervosella* Doubleday, 1859; *nervosella* Bruand, 1859; *costosella* Bruand, 1859; *dryadoxena* Meyrick, 1920; *blackmori* Busck, 1922; *venosata* Kautz, 1930 _ Range (in code): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY
- 69790. *Agonopterix nodiflorella* (Millière, 1866)** (Oecophoridae) Synonym(s): *nodiflorella* Millière, 1866 _ Range (in code): ES FR Sa Si IT CH YU TR LB Bsa SA
- 69791. *Agonopterix novaspersella* (Spuler, 1910)** (Oecophoridae) Synonym(s): *aspersella* Constant, 1888 *nec* Koll., 1832; *novaspersella* Spuler, 1910; *autocnista* Meyrick, 1921 _ Range (in code): ES FR Co Si RO IQ Shq
- 69792. *Agonopterix occaecata* (Meyrick, 1921)** (Oecophoridae) Synonym(s): *occaeata* Meyrick, 1921 _ Range (in code): LB Bei

- 69793. Agonopterix ocellana (Fabricius,1775)** (Oecophoridae) Synonym(s): *ocellana* Fabricius,1775; *characterella* [Denis & Schiffermüller],1775; *signella* Hübner,1796; *signana* Hübner,1796; *signosa* Haworth,1811; *characterosa* Haworth,1811; *rubrolineella* Bruand,1850; *ocellella* Doubleday,1859 Original Reference: *Pylalis ocellana* Fabricius,1775; Syst. Ent.: 652. Type(s): Anglia. Range (in code): **DZ Elt PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Salix (Salicaceae).
- 69794. Agonopterix oinochroa (Turati,1879)** (Oecophoridae) Synonym(s): *oinochroa* Turati,1879 Range (in code): **ES IT CH AT CZ SK HU YU**
- 69795. Agonopterix ordubadensis Hannemann,1959** (Oecophoridae) Synonym(s): *ordubadensis* Hannemann,1959 Original Reference: *Agonopterix ordubadensis* Hannemann,1959, Dt. ent. Z., N.F. 6 (1/3): 34-36, 1-2 Abb. Holotype ♂: [Azerbaidzhan]: "Armenia ross., Ordubad, 1882" leg. Christoph (coll.Toll, Katowice) Range (in code): **Cc AZ Nv Ord**
- 69796. Agonopterix pallorella (Zeller,1839)** (Oecophoridae) Synonym(s): *pallorella* Zeller,1839; *subpallorella* Staudinger,1871 Range (in code): **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU LB Bsa** Bionomy: Larva on Centaurea, Serratula (Asteraceae) (Parenti,2000).
- 69797. Agonopterix panjaoella Amsel,1972** (Oecophoridae) Synonym(s): *panjaoella* Amsel,1972 Range (in code): **AF Pnj**
- 69798. Agonopterix parilella (Treitschke,1835)** (Oecophoridae) Synonym(s): *parilella* Treitschke,1835; *humereella* Duponchel,1840 Range (in code): **FR IT LU DE CH AT PL CZ SK HU RO YU SE EE LV LT RU MD UA BY** Bionomy: Larva on Peucedanum, Selinum, Seseli (Apiaceae) (Parenti,2000).
- 69799. Agonopterix pavida (Meyrick,1913)** (Oecophoridae) Synonym(s): *pavida* Meyrick,1913 Original Reference: *Depressaria pavida* Meyrick,1913, Exot. Microlepid. 1: 114. Type ♀: [Turkey]: Asia Minor: Taurus Mts. (BMNH). Range (in code): **TR**
- 69800. Agonopterix perstrigella (Chrétien,1925)** (Oecophoridae) Synonym(s): *perstrigella* Chrétien,1925 Range (in code): **ES FR**
- 69801. Agonopterix petasitis (Standfuss,1851)** (Oecophoridae) Synonym(s): *petasitis* Standfuss,1851; *petasites* Herrich-Schäffer,1854; *theophilella* Bruand,1855; *petasitella* Herrich-Schäffer,1862; *petasitae* Heinemann,1870 Range (in code): **FR IT DE CH AT PL CZ SK HU RO RU MD UA BY**
- 69802. Agonopterix propinquella (Treitschke,1835)** (Oecophoridae) Synonym(s): *propinquella* Treitschke,1835 Range (in code): **ES FR Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY Cc**
- 69803. Agonopterix pupillana (Wocke,1887)** (Oecophoridae) Synonym(s): *pupillana* Wocke,1887 Range (in code): **IT AT**
- 69804. Agonopterix purpurea (Haworth,[1811])** (Oecophoridae) Synonym(s): *purpurea* Haworth,[1811] Range (in code): **MA PT ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IR DK SE LV LT RU MD UA BY Cc TM Kp**
- 69805. Agonopterix putridella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *putridella* [Denis & Schiffermüller],1775 Original Reference: *Tinea putridella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district. Range (in code): **FR GB DE CH AT CZ HU RO KG Uk**
- 69806. Agonopterix quadripunctata (Wocke,1857)** (Oecophoridae) Synonym(s): *quadripunctata* Wocke,1857 Range (in code): **IT DE PL CZ SK NO SE FI EE LV RU MD UA BY**
- 69807. Agonopterix ramosella Stainton,1867** (Oecophoridae) Synonym(s): *ramosella* Stainton,1867 Range (in code): **TR Cc GG**
- 69808. Agonopterix remota (Meyrick,1921)** (Oecophoridae) Synonym(s): *remota* Meyrick,1921 Original Reference: *Depressaria remota* Meyrick,1921, Exot. Microlepid. 2: 392. Type ♂: [Israel]: "Palestine, Haifa" (BMNH). Range (in code): **IL Hf Pa**
- 69809. Agonopterix rimulella (Caradja,1920)** (Oecophoridae) Synonym(s): *rimulella* Caradja,1920 Range (in code): **RU**
- 69810. Agonopterix rotundella (Douglas,1846)** (Oecophoridae) Synonym(s): *rotundella* Douglas,1846; *peloritanaella* Zeller,1847 Range (in code): **PT ES Grn FR Sa Si IT IE GB BE DE CH AT PL CZ SK HU GR TR**
- 69811. Agonopterix rutana (Fabricius,1794)** (Oecophoridae) Synonym(s): *rutana* Fabricius,1794; *retiferella* Zeller,1850; *griseirubidella* Bruand,1850; *rutella* Heydenreich,1851; *syriaca* Caradja,1920. Original Reference: *Pylalis rutana* Fabricius,1794, Ent. Syst. 3 (2): 286. Range (in code): **PT ES FR Co Sa Si IT MT CH YU GR Cr TR LB Bei IR Kh AF Hr**

- 69812. *Agonopterix salangella* Amsel, 1972** (Oecophoridae) Synonym(s): *salangella* Amsel, 1972
Range (in code): **AF Slg**
- 69813. *Agonopterix scopariella* (Heinemann, 1870)** (Oecophoridae) Synonym(s): *scopariella* Heinemann, 1870; *calycotomella* Amsel, 1958
Range (in code): **DZ Anna PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK RO YU GR Cr CY DK NO SE EE RU MD UA Cm BY**
Bionomy: Larva on *Calycotome villosa* [Keçiboğan] (Fabaceae) from Cyprus (Amsel, 1958).
- 69814. *Agonopterix selini* (Heinemann, 1870)** (Oecophoridae) Synonym(s): *selini* Heinemann, 1870
Range (in code): **ES FR IT DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Peucedanum cervaria*, *P. palustre*, *Selinum carvifolia* (Apiaceae) (Heinemann, 1870; et seq.).
- 69815. *Agonopterix senecionis* (Nickerl, 1864)** (Oecophoridae) Synonym(s): *senecionis* Nickerl, 1864; *cotoneastri* Nickerl, 1864; *sarracenella* Rössler, 1866; *marmotella* Frey, 1868
Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO LT RU MD UA BY**
- 69816. *Agonopterix seraphimella* (Chrétien, 1929)** (Oecophoridae) Synonym(s): *seraphimella* Chrétien, 1929
Range (in code): **FR**
- 69817. *Agonopterix siamensis* Saito, 1987** (Oecophoridae) Synonym(s): *siamensis* Saito, 1987
Range (in code): **TH Nna Kao CMa**
- 69818. *Agonopterix silerella* (Stainton, 1865)** (Oecophoridae) Synonym(s): *silerella* Stainton, 1865
Range (in code): **IT CH AT CZ**
- 69819. *Agonopterix squamosa* (Mann, 1864)** (Oecophoridae) Synonym(s): *squamosa* Mann, 1864
Range (in code): **ES Grn Bar FR Si IT YU TR**
- 69820. *Agonopterix straminella* (Staudinger, 1870)** (Oecophoridae) Synonym(s): *straminella* Staudinger, 1870
Range (in code): **ES FR GR**
- 69821. *Agonopterix subpropinquella* (Stainton, 1849)** (Oecophoridae) Synonym(s): *subpropinquella* Stainton, 1849; *rhodochrella* Herrich-Schäffer, [1854]; *thoracica* Lederer, 1855; *sublutella* Staudinger, 1859; *variabilis* Heinemann, 1870; *crispella* Lhomme, 1929; *amilcarella* Lucas, 1951.
Range (in code): **DZ Phv PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ HU YU AL GR Cr TR LB Bei DK SE LV RU MD UA BY IR Fa Shr SA YE**
- 69822. *Agonopterix subumbellana* Hannemann, 1959** (Oecophoridae) Synonym(s): *subumbellana* Hannemann, 1959
Original Reference: *Agonopterix subumbellana* Hannemann, 1959, Dt. ent. Z., N.F. 6 (1/3): 42, Abb. 12, 13. Holotype ♂: [Turkey]: "Armenia ross. Kasicoporan [Kazıkoparan], 1.viii.1882 leg. Christoph (coll. Toll, Katowice).
Range (in code): **Cc TR**
- 69823. *Agonopterix thapsiella* (Zeller, 1847)** (Oecophoridae) Synonym(s): *thapsiella* Zeller, 1847; *feruliphila* Millière, 1866; *linolotella* Lhomme, 1929
Range (in code): **DZ Bsk TN Gf PT ES FR Sa Si MT HU GR Cr TR Cc**
Bionomy: Larva on *Ferula vesceritensis*, *Thapsia garganica* (Chrétien, 1917).
- 69824. *Agonopterix thurneri* (Rebel, 1941)** (Oecophoridae) Synonym(s): *thurneri* Rebel, 1941
Range (in code): **MK**
- 69825. *Agonopterix triallactis* (Meyrick, 1935)** (Oecophoridae) Synonym(s): *triallactis* Meyrick, 1935
Range (in code): **MA**
- 69826. *Agonopterix tschorbadjiewi* (Rebel, 1916)** (Oecophoridae) Synonym(s): *tschorbadjiewi* Rebel, 1916
Range (in code): **BG**
- 69827. *Agonopterix umbellana* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *umbellana* Fabricius, 1794
Range (in code): **PT ES FR IT IE GB NL DE CH CZ SK DK**
- 69828. *Agonopterix vendettella* (Chrétien, 1908)** (Oecophoridae) Synonym(s): *vendettella* Chrétien, 1908; *kotalella* Amsel, 1972
Range (in code): **Cn Co MT SK IR Fa**
- 69829. *Agonopterix xyleuta* (Meyrick, 1913)** (Oecophoridae) Synonym(s): *xyleuta* Meyrick, 1913
Original Reference: *Depressaria xyleuta* Meyrick, 1913, Exot. Microlepid. 1: 115. Type ♂: [Turkey]: Asia Minor: Taurus Mts. (BMNH).
Range (in code): **TR IQ Ama Dk Ry Mos**
- 69830. *Agonopterix yeatiana* (Fabricius, 1781)** (Oecophoridae) Synonym(s): *yeatiana* Fabricius, 1781; *albidana* Donovan, 1806; *putrida* Haworth, 1811; *yeatsii* Haworth, 1811; *yeatseana* Stephens, 1834; *ventosella* Reutti, 1853; *altricornella* Mann, 1855; *yeatiella* Doubleday, 1859; *oglatella* Chrétien, 1915
Original Reference: *Phalaena Pyralis yeatiana* Fabricius, 1781, Spec. Ins. 2: 286. Type(s): Anglia.
Range (in code): **Cn TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK SE LV RU MD UA BY Cc**
- 69831. *Agroecodes comata* Meyrick, 1937** (Oecophoridae) Synonym(s): *comata* Meyrick, 1937
Range (in code): **ZA**
- 69832. *Alabonia chapmani* Walsingham, 1903** (Oecophoridae) Synonym(s): *chapmani* Walsingham, 1903
Range (in code): **ES**

- 69833. Alabonia coarctata (Walsingham,1881)** (Oecophoridae) Synonym(s): *coarctata* Walsingham,1881 _ Range (in code): **ZA Nta Kzu Spr**
- 69834. Alabonia geoffrella (Linnaeus,1767)** (Oecophoridae) Synonym(s): *geoffrella* Linnaeus,1767; *geoffreyella* Fabricius,1781; *cramerella* Cramer,1782; *geoffroyi* Haworth,1828; *gruneriella* Heydenreich,1851 _ Range (in code): **FR Si IT GB BE NL LU DE CH AT RO YU**
- 69835. Alabonia herculeella Walsingham,1903** (Oecophoridae) Synonym(s): *herculeella* Walsingham,1903 _ Range (in code): **PT ES**
- 69836. Alabonia staintoniella (Zeller,1850)** (Oecophoridae) Synonym(s): *staintoniella* Zeller,1850 _ Range (in code): **PT ES FR IT CH AT PL CZ SK HU RO YU AL BG TR Cc GG RU MD UA BY**
- 69837. Alabonia superior Rebel,1917** (Oecophoridae) Synonym(s): *superior Rebel,1917* _ Range (in code): **RO YU AL**
- 69838. Amphipseustis disputanda Meyrick,1921** (Oecophoridae) Synonym(s): *disputanda* Meyrick,1921 _ Range (in code): **ZA Tva Lpo Wo**
- 69839. Amphisbatis incongruella (Stainton,1849)** (Oecophoridae) Synonym(s): *incongruella* Stainton,1849 _ Range (in code): **ES FR GB BE NL DE CH AT PL CZ SK HU DK NO SE LV LT RU MD UA BY**
- 69840. Amseloecia arabica Povolny,1983** (Oecophoridae) Synonym(s): *arabica* Povolny,1983 _ Range (in code): **SA As**
- 69841. Anchinia cristalis (Scopoli,1763)** (Oecophoridae) Synonym(s): *cristalis* Scopoli,1763; *verrucella* [Denis & Schiffermüller],1775; *hepaticella* Hübner,1796; *verrucea* Haworth,1811; *cneorella* Hübner,[1813] _ Range (in code): **ES FR IT BE LU DE CH AT PL CZ SK HU SE EE LV LT RU MD UA BY**
- 69842. Anchinia daphnella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *#daphnella* [Denis & Schiffermüller],1775; *rufella* Panzer,1804 _ Original Reference: *Tinea daphnella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU BG NO SE FI EE LV LT RU MD UA BY**
- 69843. Anchinia dolomiella Mann,1877** (Oecophoridae) Synonym(s): *dolomiella* Mann,1877 _ Range (in code): **IT AT**
- 69844. Anchinia furculata Meyrick,1924** (Oecophoridae) Synonym(s): *furculata* Meyrick,1924 _ Range (in code): **ZA**
- 69845. Anchinia grandis Stainton,1867** (Oecophoridae) Synonym(s): *grandis* Stainton,1867 _ Range (in code): **TR** _ Bionomy: Larva on *Rhododendron ponticum* (Staudinger,1880).
- 69846. Anchinia grisescens Frey,1856** (Oecophoridae) Synonym(s): *grisescens* Frey,1856; *isolatella* Herrich-Schäffer,1856; *austriaca* Frey,1880 _ Range (in code): **FR IT CH AT**
- 69847. Anchinia laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854 _ Range (in code): **ES FR IT CH AT HU YU BG GR TR IR Ab Kd Fa Km AF Sfk**
- 69848. Anchinia laureolella afghanica Lvovsky,1997** (Oecophoridae) Synonym(s): *afghanica* Lvovsky,1997 _ Original Reference: *Anchinia laureolella* ssp. *afghanica* Lvovsky,1997, Atalanta 28 (1/2): 174, fig. Holotype ♂: SO-Afghanistan: Safed Koh, S-Seite Shahidan 2700m 21.vi.1966 leg. H.G.Amsel (LNK). Range (in code): **AF Sfk**
- 69849. Anchinia laureolella iranica Lvovsky,1997** (Oecophoridae) Synonym(s): *iranica* Lvovsky,1997 _ Original Reference: *Anchinia laureolella* ssp. *iranica* Lvovsky,1997, Atalanta 28 (1/2): 173-174, fig. Holotype ♂: W-Iran: 51km. westl. Kermanshah, 1500m Quercetum, 17.vi.1975, leg. H.G.Amsel (LNK). Range (in code): **IR Ab Kd Fa Km**
- 69850. Anchinia laureolella laureolella Herrich-Schäffer,1854** (Oecophoridae) Synonym(s): *laureolella* Herrich-Schäffer,1854 _ Range (in code): **ES FR IT CH AT HU YU BG GR TR**
- 69851. Anchinia oenochares Meyrick,1920** (Oecophoridae) Synonym(s): *oenochares* Meyrick,1920 _ Range (in code): **ZA**
- 69852. Apachea barberella (Busck,1902)** (Oecophoridae) Synonym(s): *barberella* Busck,1902 _ **US Arz**
- 69853. Aplota kadeniella (Herrich-Schäffer,1851)** (Oecophoridae) Synonym(s): *kadeniella* Herrich-Schäffer,1851 _ Range (in code): **FR IT DE CH AT PL CZ RO YU FI LV RU MD UA BY**
- 69854. Aplota palpella (Haworth,1828)** (Oecophoridae) Synonym(s): *palpella* Haworth,1828 _ Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ DK NO SE RU MD UA BY**
- 69855. Areocosma orsobela Meyrick,1917** (Oecophoridae) Synonym(s): *orsobela* Meyrick,1917 _ Range (in code): **ZA**

- 69856. Ashinaga eophthalma (Meyrick,1931)** (Oecophoridae) Synonym(s): *eophthalma* Meyrick,1931 _ Range (in code): CN
- 69857. Ashinaga longimana Matsumura,1929** (Oecophoridae) Synonym(s): *longimana* Matsumura,1929 _ Range (in code): TW TH CMa
- 69858. Aulotropa pentasticta Meyrick,1918** (Oecophoridae) Synonym(s): *pentasticta* Meyrick,1918 _ Range (in code): ZA Nta Kzu Nha
- 69859. Batia decurrens (Meyrick,1918)** (Oecophoridae) Synonym(s): *decurrens* Meyrick,1918 _ Range (in code): ZA Nta Kzu Umk
- 69860. Batia inexpectella Jäckh,1972** (Oecophoridae) Synonym(s): *inexpectella* Jäckh,1972 _ Range (in code): FR IT
- 69861. Batia internella Jäckh,1972** (Oecophoridae) Synonym(s): *internella* Jäckh,1972 _ Range (in code): FR Si IT GB NL DE CH AT PL CZ SK HU DK NO SE
- 69862. Batia lambdella (Donovan,1793)** (Oecophoridae) Synonym(s): *lambdella* Donovan,1793 _ Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK
- 69863. Batia lunaris (Haworth,[1828])** (Oecophoridae) Synonym(s): *lunaris* Haworth,[1828] _ Range (in code): PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR RU MD UA BY
- 69864. Batia lutosella Jäckh,1972** (Oecophoridae) Synonym(s): *lutosella* Jäckh,1972 _ Range (in code): GR
- 69865. Bisigna procerella ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *procerella* [Denis & Schiffermüller],1775; *atriplagata* Park & Park,1998 _ Original Reference: Tinea procerella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY
- 69866. Borkhausenien ? cinerariella Mann,1859** (Oecophoridae) Synonym(s): *cinerariella* Mann,1859 _ Range (in code): TR
- 69867. Borkhausenien ? coeruleopicta Christoph,1888** (Oecophoridae) Synonym(s): *coeruleopicta* Christoph,1888 _ Range (in code): TR
- 69868. Borkhausenien ? haasi Rebel,1902** (Oecophoridae) Synonym(s): *haasi* Rebel,1902 _ Range (in code): TR
- 69869. Borkhausenien fuscescens (Haworth,1828)** (Oecophoridae) Synonym(s): *fuscescens* Haworth,1828 _ Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL DK NO SE FI EE LV LT RU MD UA BY
- 69870. Borkhausenien greoensis Rebel,1937** (Oecophoridae) Synonym(s): *greoensis* Rebel,1937 _ Range (in code): ES
- 69871. Borkhausenien intumescens Meyrick,1921** (Oecophoridae) Synonym(s): *intumescens* Meyrick,1921 _ Range (in code): ZA Ec Pel
- 69872. Borkhausenien luridicomella (Herrich-Schäffer,1856)** (Oecophoridae) Synonym(s): *luridicomella* Herrich-Schäffer,1856 _ Range (in code): IT BE NL DE CH AT PL CZ SK RO DK NO SE FI LV LT RU MD UA BY
- 69873. Borkhausenien minutella (Linnaeus,1758)** (Oecophoridae) Synonym(s): *minutella* Linnaeus,1758 _ Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 69874. Borkhausenien nefrax Hodges,1974** (Oecophoridae) Synonym(s): *nefrax* Hodges,1974 _ Range (in code): ES FR
- 69875. Borkhausenien ostheldereri Rebel,1935** (Oecophoridae) Synonym(s): *osthelderi* Rebel,1935 _ Range (in code): TR
- 69876. Borkhausenien predotai Hartig,1936** (Oecophoridae) Synonym(s): *predotai* Hartig,1936 _ Range (in code): ES
- 69877. Borkhausenien trigutta (Christoph,1888)** (Oecophoridae) Synonym(s): *trigutta* Christoph,1888 _ Original Reference: Oecophora trigutta Christoph,1888, Horae Soc. ent. ross. 22: 314. Syntypes ♂♂: [Georgia]: Borshom. Range (in code): TR Cc GG Bjo
- 69878. Briarostoma pyrrhopsamma Meyrick,1920** (Oecophoridae) Synonym(s): *pyrrhopsamma* Meyrick,1920 _ Range (in code): ZA
- 69879. Buvatina iremella Junnilainen & Nupponen,1999** (Oecophoridae) Synonym(s): *iremella* Junnilainen & Nupponen,1999 _ Range (in code): RU Ur
- 69880. Buvatina obscurella (Brandt,1937)** (Oecophoridae) Synonym(s): *obscurella* Brandt,1937 _ Range (in code): SE FI RU MD UA BY

- 69881. Buvatina stroemella (Fabricius,1779)** (Oecophoridae) Synonym(s): *stroemella Fabricius,1779* _ Range (in code): FR DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY
- 69882. Buvatina tineiformis Leraut,1984** (Oecophoridae) Synonym(s): *tineiformis Leraut,1984* _ Range (in code): FR SK
- 69883. Cacochoa permixtella (Herrich-Schäffer,[1855])** (Oecophoridae) Synonym(s): *permixtella Herrich-Schäffer,[1855]* _ Range (in code): ES Grn FR Co Sa IT AT YU GR Cr TR
- 69884. Caenorycta anholochrysa Diakonoff,1966** (Oecophoridae) Synonym(s): *anholochrysa Diakonoff,1966* _ Range (in code): ID Clb TH
- 69885. Callima mikkolai Lvovsky,1995** (Oecophoridae) Synonym(s): *mikkolai Lvovsky,1995* _ Range (in code): TN
- 69886. Carcina quercana (Fabricius,1775)** (Oecophoridae) Synonym(s): *quercana Fabricius,1775* _ Original Reference: Pyralis quercana Fabricius,1775; Syst. Ent.: 652. Type(s): Saxonia, on Quercus. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR LB Bsa DK NO SE FI RU MD UA BY
- 69887. Casmara exculta (Meyrick,1914)** (Oecophoridae) Synonym(s): *exculta Meyrick,1914* _ Range (in code): IN Ass TH MY BN Bor Sbh
- 69888. Ceranthes apellodora Meyrick,1926** (Oecophoridae) Synonym(s): *apellodora Meyrick,1926* _ Range (in code): ZA
- 69889. Ceranthes syncrotaula Meyrick,1926** (Oecophoridae) Synonym(s): *syncrotaula Meyrick,1926* _ Range (in code): ZA
- 69890. Ceranthes thiota Meyrick,1918** (Oecophoridae) Synonym(s): *thiota Meyrick,1918* _ Range (in code): ZA Nta Kzu Nkw
- 69891. Chalcocolona cyananthes (Meyrick,1911)** (Oecophoridae) Synonym(s): *cyananthes Meyrick,1911* _ Range (in code): ZA Mdt Tva Lpo
- 69892. Chalcorectis agroplecta Meyrick,1937** (Oecophoridae) Synonym(s): *agroplecta Meyrick,1937* _ Range (in code): ZA
- 69893. Chemidolophus lavernellus Walsingham,1881** (Oecophoridae) Synonym(s): *lavernellus Walsingham,1881* _ Range (in code): ZA
- 69894. Choronomia isoxysta Meyrick,1926** (Oecophoridae) Synonym(s): *isoxysta Meyrick,1926* _ Range (in code): ZA
- 69895. Coesyra balantias Meyrick,1908** (Oecophoridae) Synonym(s): *balantias Meyrick,1908* _ Range (in code): ZA Nta Kzu Wnn
- 69896. Coesyra campylotis Meyrick,1914** (Oecophoridae) Synonym(s): *campylotis Meyrick,1914* _ Range (in code): ZA
- 69897. Coesyra centrobola Meyrick,1914** (Oecophoridae) Synonym(s): *centrobola Meyrick,1914* _ Range (in code): ZA
- 69898. Coesyra rutila Meyrick,1912** (Oecophoridae) Synonym(s): *rutila Meyrick,1912* _ Range (in code): ZA
- 69899. Colchia zagulajevi Lvovsky,1995** (Oecophoridae) Synonym(s): *zagulajevi Lvovsky,1995* _ Range (in code): Cc GG Btm
- 69900. Commonina haemalea (Turner,1916)** (Oecophoridae) Synonym(s): *haemalea Turner,1916* _ Range (in code): AU
- 69901. Commonina picimacula (Turner,1935)** (Oecophoridae) Synonym(s): *picimacula Turner,1935* _ Range (in code): AU
- 69902. Crassa tinctella (Hübner,1796)** (Oecophoridae) Synonym(s): *tinctella Hübner,1796* _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 69903. Crassa unitella (Hübner,1796)** (Oecophoridae) Synonym(s): *unitella Hübner,1796* _ Range (in code): ES FR IT GB BE NL LU DE AT PL CZ SK HU RO AL DK NO SE LT RU MD UA BY
- 69904. Crossotocera wagnerella Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella Zerny,1930* _ Original Reference: Crossotocera wagnerella Zerny,1930, [in] Wagner, Int. ent. Z. 25(2): 20. Syntypes 2♂ 1♀: [Türkei]: Akschehir [Akşehir]. Range (in code): RO BG GR TR CY SY
- 69905. Crossotocera wagnerella tripunctella Amsel,1958** (Oecophoridae) Synonym(s): *tripunctella Amsel,1958* _ Original Reference: Crossotocera wagnerella ssp. tripunctella Amsel,1958, Z. wien. ent. Ges. 43: 74. Holotype ♂: Cypern, Prodromos 4000ft. 14.8.1949, leg. Wiltshire. Range (in code): CY
- 69906. Crossotocera wagnerella wagnerella Zerny,1930** (Oecophoridae) Synonym(s): *wagnerella Zerny,1930* _ Original Reference: Crossotocera wagnerella Zerny,1930, [in] Wagner,

- Int. ent. Z. 25(2): 20. Syntypes 2♂ 1♀: [Türkei]: Akschehir [Akşehir]. Range (in code): RO BG GR TR SY
- 69907. *Cryptolechia acutiuscula* Wang,2004** (Oecophoridae) Synonym(s): *acutiuscula* Wang,2004 Range (in code): CN Kwt
- 69908. *Cryptolechia aliena* Diakonoff,1952** (Oecophoridae) Synonym(s): *aliena* Diakonoff,1952 Range (in code): MM
- 69909. *Cryptolechia concaviuscula* Wang,2004** (Oecophoridae) Synonym(s): *concaviuscula* Wang,2004 Range (in code): CN Kwt
- 69910. *Cryptolechia denticulata* Wang,2004** (Oecophoridae) Synonym(s): *denticulata* Wang,2004 Range (in code): CN Kwt
- 69911. *Cryptolechia eoa* Meyrick,1910** (Oecophoridae) Synonym(s): *eo*a Meyrick,1910 Range (in code): IN Ass
- 69912. *Cryptolechia furcellata* Wang,2004** (Oecophoridae) Synonym(s): *furcellata* Wang,2004 Range (in code): CN Kwt
- 69913. *Cryptolechia hamatilis* Wang,2004** (Oecophoridae) Synonym(s): *hamatilis* Wang,2004 Range (in code): CN Kwt
- 69914. *Cryptolechia latifascia* Wang,2004** (Oecophoridae) Synonym(s): *latifascia* Wang,2004 Range (in code): CN Kwt
- 69915. *Cryptolechia leptopa* Diakonoff,1952** (Oecophoridae) Synonym(s): *leptopa* Diakonoff,1952 Range (in code): MM
- 69916. *Cryptolechia murcidella* Christoph,1877** (Oecophoridae) Synonym(s): *IR* Original Reference: *Cryptolechia murcidella* Christoph,1877, Horae Soc. ent. ross. 12: 294, pl.8 fig.67. Type: Persien. Range (in code):
- 69917. *Cryptolechia muscosa* Wang,2004** (Oecophoridae) Synonym(s): *muscosa* Wang,2004 Range (in code): CN Kwt
- 69918. *Cryptolechia ochracella* (Turati,1930)** (Oecophoridae) Synonym(s): *ochracella* Turati,1930 Original Reference: *Rhinosia ochracella* Turati,1930, Mem. Soc. ent. ital. 9: 212. Type: Rodi. Range (in code): Rd
- 69919. *Cryptolechia orthrarcha* Meyrick,1930** (Oecophoridae) Synonym(s): *orthrarcha* Meyrick,1930 Original Reference: *Cryptolechia orthrarcha* Meyrick,1930, Exot. Microlepid. 3: 578-579. Type ♀: Algeria, Zebch near Sebdu, August (leg.Powell). Range (in code): DZ Sbd
- 69920. *Cryptolechia proximideflecta* Wang,2004** (Oecophoridae) Synonym(s): *proximideflecta* Wang,2004 Range (in code): CN Kwt
- 69921. *Cryptolechia rigidella* (Chrétien,1915)** (Oecophoridae) Synonym(s): *rigidellum* Chrétien,1915; *zeroudellum* Chrétien,1915 Original Reference: *Hypsipselon rigidellum* Chrétien,1915, Annls Soc. ent. Fr. 84: 328, fig. Type: [Algérie]: Biskra. Range (in code): DZ Bsk
- 69922. *Cryptolechia sareptensis* Möschler,1862** (Oecophoridae) Synonym(s): *sareptensis* Möschler,1862 Original Reference: *Cryptolechia sareptensis* Möschler,1862, Wien. ent. Monatschr. 6: 141, Taf.1 fig.14. Range (in code): RU Sr HU
- 69923. *Cryptolechia solifasciaria* Wang,2004** (Oecophoridae) Synonym(s): *solifasciaria* Wang,2004 Range (in code): CN Kwt
- 69924. *Cryptolechia spinifera* Wang,2004** (Oecophoridae) Synonym(s): *spinifera* Wang,2004 Range (in code): CN Kwt
- 69925. *Cryptolechia stramineella* Zeller,1852** (Oecophoridae) Synonym(s): *stramineella* Zeller,1852; *eariasella* Walker,1864; *straminella* Walker,1864 Range (in code): ZA
- 69926. *Cryptolechia zeloxantha* Meyrick,1934** (Oecophoridae) Synonym(s): *zeloxantha* Meyrick,1934 Range (in code): CN
- 69927. *Crystallogenes chalcoschista* Meyrick,1937** (Oecophoridae) Synonym(s): *chalcoschista* Meyrick,1937 Range (in code): ZA
- 69928. *Dasytroma salicella* (Hübner,1796)** (Oecophoridae) Synonym(s): *salicella* Hübner,1796; *salicis* Haworth,1828; *rufocrinitalis* Zetterstedt,1839 Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU MD UA BY
- 69929. *Decantha borkhausenii* (Zeller,1839)** (Oecophoridae) Synonym(s): *borkhausenii* Zeller,1839 Range (in code): FR DE CH AT PL CZ SK HU RO GR NO SE FI EE LV RU MD UA BY
- 69930. *Decantha iagathella* (Walsingham,1903)** (Oecophoridae) Synonym(s): *iagathella* Walsingham,1903 Range (in code): ES
- 69931. *Decantha luquetiella* Vives Moreno,1986** (Oecophoridae) Synonym(s): *luquetiella* Vives Moreno,1986 Range (in code): ES

- 69932. *Denisia albimaculea* (Haworth,1828)** (Oecophoridae) Synonym(s): *albimaculea* Haworth,1828; *albilabris* Zeller,1850; *albimaculella* Doubleday,1859; *albilabrella* Herrich-Schäffer,1852; *lathoniella* Millière,1876; *schmidii* Saalmüller,1881; *corsicella* Caradja,1920 _ Range (in code): **FR Sa IT GB BE NL LU DE PL CZ RO YU DK SE**
- 69933. *Denisia aragonella* (Chrétien,1903)** (Oecophoridae) Synonym(s): *aragonella* Chrétien,1903 _ Range (in code): **ES**
- 69934. *Denisia augustella* (Hübner,1796)** (Oecophoridae) Synonym(s): *augustella* Hübner,1796; *augusta* Haworth,1828; *tiliicolella* Bruand,1859 _ Range (in code): **PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK**
- 69935. *Denisia curlettii* Lvovsky & Koster,1996** (Oecophoridae) Synonym(s): *curlettii* Lvovsky & Koster,1996 _ Range (in code): **TN**
- 69936. *Denisia fiduciella* (Rebel,1935)** (Oecophoridae) Synonym(s): *fiduciella* Rebel,1935 _ Range (in code): **ES**
- 69937. *Denisia graslinella* (Staudinger,1871)** (Oecophoridae) Synonym(s): *graslinella* Staudinger,1871 _ Range (in code): **FR**
- 69938. *Denisia luctuosella* (Duponchel,1840)** (Oecophoridae) Synonym(s): *luctuosella* Duponchel,1840 _ Range (in code): **FR IT PL CZ SK HU**
- 69939. *Denisia luticiliella* (Erschoff,1877)** (Oecophoridae) Synonym(s): *luticiliella* Erschoff,1877 _ Range (in code): **LV LT RU Cc**
- 69940. *Denisia muellerrutzi* (Amsel,1939)** (Oecophoridae) Synonym(s): *muellerrutzi* Amsel,1939 _ Range (in code): **Co Sa**
- 69941. *Denisia nubilosella* (Herrich-Schäffer,1854)** (Oecophoridae) Synonym(s): *nubilosella* Herrich-Schäffer,1854 _ Range (in code): **FR IT DE CH AT PL CZ SK RO**
- 69942. *Denisia pyrenaica* Leraut,1989** (Oecophoridae) Synonym(s): *pyrenaica* Leraut,1989 _ Range (in code): **FR**
- 69943. *Denisia ragonotella* (Constant,1885)** (Oecophoridae) Synonym(s): *ragonotella* Constant,1885; *reducta* Walsingham,1901 _ Range (in code): **FR Co Sa YU?**
- 69944. *Denisia rhaetica* (Frey,1856)** (Oecophoridae) Synonym(s): *rhaetica* Frey,1856; *engadinella* Herrich-Schäffer,1856 _ Range (in code): **FR IT CH AT CZ SK GR**
- 69945. *Denisia similella* (Hübner,1796)** (Oecophoridae) Synonym(s): *similella* Hübner,1796 _ Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY**
- 69946. *Denisia stipella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *stipella* Linnaeus,1758; *accessella* [Denis & Schiffermüller],1775; *sulphurella* Hübner,[1813]; *tigrella* Hübner,[1813]; *westermannella* Zetterstedt,1839; *stipivicinella* Bruand,1859; *haydenella* Chambers,1877 _ Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 69947. *Denisia subaquileia* (Stainton,1849)** (Oecophoridae) Synonym(s): *subaquileia* Stainton,1849; *subaquilella* Herrich-Schäffer,1855; *britannicella* Herrich-Schäffer,1855 _ Range (in code): **ES FR GB**
- 69948. *Depressaria absynthiella* Herrich-Schäffer,1865** (Oecophoridae) Synonym(s): *absynthiella* Herrich-Schäffer,1865 _ Range (in code): **Cn FR IT DE CH AT CZ HU RO YU AL BG GR RU Sb At MD UA Cm BY** Bionomy: Larva on *Aetemisias absinthium*, *A.canareiensis*, *A.frigida* (Herrich-Schäffer,1865; et seq.).
- 69949. *Depressaria adustatella* Turati,1927** (Oecophoridae) Synonym(s): *adustatella* Turati,1927; *delphinias* Meyrick,1936; *subtenebricosa* Hannemann,1953 _ Range (in code): **MA DZ LY PT ES Sa**
- 69950. *Depressaria afghanella* Amsel,1972** (Oecophoridae) Synonym(s): *afghanella* Amsel,1972 _ Range (in code): **AF Pnj**
- 69951. *Depressaria albipunctella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *albipunctella* [Denis & Schiffermüller],1775; *albipuncta* Haworth,1811; *aegopodiella* Hübner,[1825] Original Reference: *Tinea albipunctella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmets. Wienergegend*: 319. Type(s): [Austria]: Vienna district. Range (in code): **Dz PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE LT RU MD UA BY Cc GG AZ Nv Ord** Bionomy: Larva on *Anthriscus*, *Chaerophyllum*, *Conium*, *Torilis*, *Pimpinella*, *Seseli*, *Daucus* (Apiaceae) (Lvovsky,2001).
- 69952. *Depressaria altaica* Zeller,1854** (Oecophoridae) Synonym(s): *altaica* Zeller,1854 _ Range (in code): **RU At TJ** Bionomy: Larva on *Prangos pabularia* (Apiaceae) (Lvovsky,2001).
- 69953. *Depressaria amblyopa* Meyrick,1921** (Oecophoridae) Synonym(s): *amblyopa* Meyrick,1921 _ Original Reference: *Depressaria amblyopa* Meyrick,1921, *Exot. Microlepid.* 2:

- 392-393. Syntypes 2♀: [Turkey]: "Asia minor, Alma Dag; [Israel] Palestine, Haifa". Range (in code): TR IL Hf Pa
- 69954. *Depressaria arabica* Amsel, 1972** (Oecophoridae) Synonym(s): arabica Amsel, 1972
Range (in code): SA SA63
- 69955. *Depressaria artemisiae* Nickerl, 1864** (Oecophoridae) Synonym(s): artemisiae Nickerl, 1864
Range (in code): FR Si IT LU DE CH AT PL CZ SK HU DK NO SE FI LV LT RU Sb At Am Us MD UA BY KK MN CA Bionomy: Larva on Artemisia (Nickerl, 1864).
- 69956. *Depressaria artemisiae orientella* Lvovsky, 2001** (Oecophoridae) Synonym(s): orientella Lvovsky, 2001
Range (in code): RU Am Us
- 69957. *Depressaria assalella* Chrétien, 1915** (Oecophoridae) Synonym(s): assalella Chrétien, 1915
Original Reference: *Depressaria assalella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 343. Type: [Tunisia]: "Gafsa, en mai". Range (in code): TN Gf
- 69958. *Depressaria badiella* (Hübner, 1796)** (Oecophoridae) Synonym(s): badiella Hübner, 1796; badia Haworth, 1811; aurantiella Tutt, 1893; frigidella Turati, 1919
Range (in code): LY Cy PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU YU GR TR DK NO SE FI EE LV LT RU Sb Sh MD UA BY MN KG Cc AM AZ GG Bionomy: Larva on Heracleum (Apiaceae), Pastinaca; Sonchus, Taraxacum, Hypochaeris (Asteraceae) (Spuler, 1908; Jacobs, 1951, et seq.).
- 69959. *Depressaria beckmanni* Heinemann, 1870** (Oecophoridae) Synonym(s): beckmanni Heinemann, 1870
Range (in code): ES FR IT DE CH AT SK AL GR FI IQ Shq IR Gl Kh
- 69960. *Depressaria bupleurella* Heinemann, 1870** (Oecophoridae) Synonym(s): bupleurella Heinemann, 1870
Range (in code): FR IT DE CH AT PL CZ RO RU MD UA BY KG KP KR Bionomy: Larva on Bupleurum falcatum (Apiaceae) (Heinemann, 1870).
- 69961. *Depressaria cervicella* Herrich-Schäffer, 1854** (Oecophoridae) Synonym(s): cervicella Herrich-Schäffer, 1854
Range (in code): ES IT AT CZ HU YU TR RU Ya IR MN
- 69962. *Depressaria chaerophylli* Zeller, 1839** (Oecophoridae) Synonym(s): chaerophylli Zeller, 1839
Range (in code): LY Cy ES FR IT GB BE NL DE CH AT PL CZ SK HU RO GR TR SE FI EE LV LT RU MD UA BY Cc GG AM IL Pa Bionomy: Larva on Chaerophyllum bulbosum, Anthriscus (Apiaceae) (Zeller, 1839; et seq.).
- 69963. *Depressaria chlorothorax* Meyrick, 1921** (Oecophoridae) Synonym(s): chlorothorax Meyrick, 1921
Original Reference: *Depressaria chlorothorax* Meyrick, 1921, *Exot. Microlepid.* 2: 392. Type ♀: [Israel]: "Palestine, Nazareth" (BMNH). Range (in code): IL Nzr Pa
- 69964. *Depressaria clausulata* Meyrick, 1911** (Oecophoridae) Synonym(s): clausulata Meyrick, 1911
Range (in code): ZA Tra Ngg
- 69965. *Depressaria coenosella* Zerny, 1939** (Oecophoridae) Synonym(s): coenosella Zerny, 1939
Range (in code): IR Elb Plr Dam
- 69966. *Depressaria corticinella* Zeller, 1854** (Oecophoridae) Synonym(s): corticinella Zeller, 1854; uhrykella Fuchs, 1903.
Range (in code): ES Co HU RO YU TR
- 69967. *Depressaria daucella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): #daucella [Denis & Schiffermüller], 1775; rubricella [Denis & Schiffermüller], 1775; apiella Hübner, 1796; apiana Haworth, 1802; apiosa Haworth, 1811
Original Reference: *Tinea daucella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 137. Type(s): [Austria]: Vienna district.
Range (in code): DZ ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK AL GR DK NO SE LV LT RU Sb Ya Am Us MD UA BY Cc AZ KG US Bionomy: Larva on Daucus carota, Pastinaca, Cicuta, Oenanthe, Sium, Chaerophyllum, Petroselinum, Apium (Apiaceae) ([Denis & Schiffermüller], 1775 et seq.).
- 69968. *Depressaria daucivorella* Ragonot, 1889** (Oecophoridae) Synonym(s): daucivorella Ragonot, 1889; mesopotamica Amsel, 1949
Range (in code): FR IT CH AT IR Elb IQ CY
- 69969. *Depressaria depressana* (Fabricius, 1775)** (Oecophoridae) Synonym(s): depressana Fabricius, 1775; anethana Brahm, 1791; depressella Fabricius, 1798; bluntii Curtis, 1828; collarella Zetterstedt, 1839.
Original Reference: *Pyralis depressana* Fabricius, 1775; *Syst. Ent.*: 655. Type(s): not mentioned.
Range (in code): DZ ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb To At Us MD UA BY IR Fa Th Kdj Cc GG AZ AM KG KK TJ MN CA On Qb Bionomy: Larva on Pimpinella, Peucedanum, Daucus, Pastinaca, Heracleum, Angelica, Libanotis, Coriandrum, Foeniculum, Carum, Anethum (Apiaceae) (Lvovsky, 2001).
- 69970. *Depressaria depressana amasiella* Staudinger, 1879** (Oecophoridae) Synonym(s): amasiella Staudinger, 1879.
Original Reference: *Depressaria depressella* var. *amasiella* Staudinger, 1879, *Horae Soc. ent. ross.* 15: 300. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): TR IR Fa Th Kdj Bionomy: Larva on Apiaceae (Staudinger, 1879).

- 69971. *Depressaria despoliatella* Erschoff, 1874** (Oecophoridae) Synonym(s): *despoliatella* Erschoff, 1874 _ Range (in code): **KG Tks TR**
- 69972. *Depressaria deverrella* Chrétien, 1915** (Oecophoridae) Synonym(s): *deverrella* Chrétien, 1915; *duplicatella* Chrétien, 1915 _ Original Reference: *Depressaria deverrella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 342. Syntypes: [Algérie]: Biskra; [Tunisia]: Gafsa. Range (in code): **DZ Bsk TN Gf FR** _ Bionomy: Larva on *Deverra scoparia*, *D. tortuosa* [Apiaceae] (Chrétien, 1915).
- 69973. *Depressaria discipunctella* Herrich-Schäffer, 1854** (Oecophoridae) Synonym(s): *discipunctella* Herrich-Schäffer, 1854 _ Range (in code): **MR MA ES FR Si IT GB BE NL DE SK RO YU BG GR TR LB Bei Bsa AF Blh MN IR Th Elb UA Cm Cc GG AZ KG TM UZ SA** _ Bionomy: Larva on *Heracleum*, *Peucedanum*, *Pastinaca*, *Angelica*, *Coriandrum*, *Ferula* (Apiaceae) (Lvovsky, 2001).
- 69974. *Depressaria djakonovi* Lvovsky, 1981** (Oecophoridae) Synonym(s): *djakonovi* Lvovsky, 1981 _ Range (in code): **RU Us**
- 69975. *Depressaria douglasella* Stainton, 1849** (Oecophoridae) Synonym(s): *douglasella* Stainton, 1849 _ Range (in code): **MA PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG MK GR TR DK SE LV RU Da MD UA Cc AM AZ TM** _ Bionomy: Larva on *Daucus*, *Carum*, *Libanotis*, *Anthriscus*, *Pastinaca* (Apiaceae) (Lvovsky, 2001).
- 69976. *Depressaria emeritella* Stainton, 1849** (Oecophoridae) Synonym(s): *emeritella* Stainton, 1849 _ Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU DK SE FI LV LT RU Sb MD UA BY Cc GG** _ Bionomy: Larva on *Tanacetum vulgare* (Asteraceae) (Lvovsky, 2001).
- 69977. *Depressaria erinaceella* Staudinger, 1870** (Oecophoridae) Synonym(s): *erinaceella* Staudinger, 1870; *sardoniella* Rebel, 1936 _ Range (in code): **PT ES FR Sa Si YU**
- 69978. *Depressaria eryngiella* Millière, 1881** (Oecophoridae) Synonym(s): *eryngiella* Millière, 1881; *campestrella* Chrétien, 1896; *deliciosella* Turati, 1924; *obolucha* Meyrick, 1936 _ Range (in code): **ES FR IR Ss Fa IQ Hjo UA Cm TM Kp UZ KG** _ Bionomy: Larva on *Eryngium campestre* (Apiaceae) (Millière, 1881).
- 69979. *Depressaria erzurumella* Lvovsky, 1996** (Oecophoridae) Synonym(s): *erzurumella* Lvovsky, 1996 _ Range (in code): **TR**
- 69980. *Depressaria falkovitshi* Lvovsky, 1990** (Oecophoridae) Synonym(s): *falkovitshi* Lvovsky, 1990 _ Range (in code): **RU Sb Am Us KG**
- 69981. *Depressaria filipjevi* Lvovsky, 1981** (Oecophoridae) Synonym(s): *filipjevi* Lvovsky, 1981 _ Range (in code): **RU Sb At Am Sh Us JP Hkk** _ Bionomy: Larva on *Artemisia* (Lvovsky, 2001)
- 69982. *Depressaria floridella* Mann, 1864** (Oecophoridae) Synonym(s): *floridella* Mann, 1864 _ Original Reference: *Depressaria floridella* Mann, 1864, *Wien. ent. Monatschr.* 8: 186, Taf. 4 fig. 14. Type(s): [Türkei]: Brussa [Bursa]. Range (in code): **GR TR IL Hf Pa**
- 69983. *Depressaria fuscipedella* Chrétien, 1915** (Oecophoridae) Synonym(s): *fuscipedella* Chrétien, 1915 _ Original Reference: *Depressaria fuscipedella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 343. Type: [Algérie]: "Frenda (Oran), en juillet". Range (in code): **DZ Orn**
- 69984. *Depressaria fuscovirgatella* Heinemann, 1967** (Oecophoridae) Synonym(s): *fuscovirgatella* Heinemann, 1967; *pagmanella* Amsel, 1972 _ Range (in code): **RU Da Cc AM TM Kp KG Tk IR Kh KuB AF Pag Kab MN**
- 69985. *Depressaria galinae* Lvovsky, 1990** (Oecophoridae) Synonym(s): *galinae* Lvovsky, 1990 _ Range (in code): **TM Kp UZ**
- 69986. *Depressaria gallicella* Chrétien, 1908** (Oecophoridae) Synonym(s): *gallicella* Chrétien, 1908 _ Range (in code): **FR CH**
- 69987. *Depressaria genistella* Walsingham, 1903** (Oecophoridae) Synonym(s): *genistella* Walsingham, 1903 _ Range (in code): **ES**
- 69988. *Depressaria golovushkini* Lvovsky, 1995** (Oecophoridae) Synonym(s): *golovushkini* Lvovsky, 1995 _ Range (in code): **RU Am Daur**
- 69989. *Depressaria halophilella* Chrétien, 1908** (Oecophoridae) Synonym(s): *halophilella* Chrétien, 1908 _ Range (in code): **FR Si**
- 69990. *Depressaria hannemanniana* Lvovsky, 1990** (Oecophoridae) Synonym(s): *hannemanniana* Lvovsky, 1990 _ Range (in code): **Cc RU Da TM UZ KG TR CN Ui Ku MN** _ Bionomy: Larva on *Ferula litwinowiana* (Apiaceae) (Lvovsky, 2001).
- 69991. *Depressaria heydenii* Zeller, 1854** (Oecophoridae) Synonym(s): *heydenii* Zeller, 1854 _ Range (in code): **FR IT DE CH AT PL SK RO** _ Bionomy: Larva on *Heracleum*, *Laserpitium*, *Meum*, *Pimpinella*, *Torilis* (Apiaceae) (Parenti, 2000).

- 69992. *Depressaria hirtipalpis* Zeller, 1854** (Oecophoridae) Synonym(s): *hirtipalpis* Zeller, 1854
Range (in code): ES HV GR TR IR Elb Kdv Cc AZ Nv Bionomy: Larva on *Salvia officinalis* (Lamiaceae) (Lvovsky, 2001).
- 69993. *Depressaria hofmanni* Stainton, 1861** (Oecophoridae) Synonym(s): *hofmanni* Stainton, 1861
Range (in code): ES FR Si IT DE CH AT CZ SK GR TR RU Ur Or Sb Ya Bionomy: Larva on *Libanotis*, *Pastinaca* (Apiaceae) (Lvovsky, 2001).
- 69994. *Depressaria incognitella* Hannemann, 1990** (Oecophoridae) Synonym(s): *incognitella* Hannemann, 1990
Range (in code): FR
- 69995. *Depressaria indecorella* Rebel, 1917** (Oecophoridae) Synonym(s): *indecorella* Rebel, 1917
Range (in code): RU Ur Or KG Uk
- 69996. *Depressaria indelibatella* Hannemann, 1971** (Oecophoridae) Synonym(s): *indelibatella* Hannemann, 1971
Range (in code): KG Tk MN
- 69997. *Depressaria irregularis* Matsumura, 1931** (Oecophoridae) Synonym(s): *irregularis* Matsumura, 1931
Range (in code): RU Am Us JP Bionomy: Larva on *Quercus mongolica* (Fagaceae) (Lvovsky, 2001).
- 69998. *Depressaria ivinskisi* Lvovsky, 1990** (Oecophoridae) Synonym(s): *ivinskisi* Lvovsky, 1990
Range (in code): TJ IR Elb
- 69999. *Depressaria jugurthella* (Lucas, 1849)** (Oecophoridae) Synonym(s): *jugurthella* Lucas, 1849
Range (in code): DZ Cst
- 70000. *Depressaria lacticapitella* Klimesch, 1942** (Oecophoridae) Synonym(s): *lacticapitella* Klimesch, 1942
Range (in code): AT
- 70001. *Depressaria leucocephala* Snellen, 1884** (Oecophoridae) Synonym(s): *leucocephala* Snellen, 1884
Range (in code): IT CH AT NO SE FI EE LV LT RU MD UA BY
- 70002. *Depressaria libanotidella* Schläger, 1849** (Oecophoridae) Synonym(s): *libanotidella* Schläger, 1849; *laserpitii* Nickerl, 1864
Range (in code): ES FR Sa Si IT LU DE CH AT PL CZ SK HU RO YU SE FI EE RU MD UA Bionomy: Larva on *Libanotis pyrenaica* [Seseli *libanotis*], *Laserpitium prutenicum* (=L. *Hirsutum*) (Apiaceae) (Hannemann, 1995).
- 70003. *Depressaria macrotrichella* Rebel, 1917** (Oecophoridae) Synonym(s): *macrotrichella* Rebel, 1917
Range (in code): EG AF IR Fa Shr
- 70004. *Depressaria manglisiella* Lvovsky, 1981** (Oecophoridae) Synonym(s): *manglisiella* Lvovsky, 1981
Original Reference: *Depressaria manglisiella* Lvovsky, 1981, *Trudy zool. Leningr.* 103: 78, figs. Holotype: [Georgia]: Manglis. Range (in code): GG Mng Cc
- 70005. *Depressaria marcella* Rebel, 1901** (Oecophoridae) Synonym(s): *marcella* Rebel, 1901; *cuprinella* Walsingham, 1907; *marcidella* Walsingham, 1907; *cruenta* Meyrick, 1920; *chneuriella* Lucas, 1940
Range (in code): MA DZ TN PT ES FR Sa Si MT HU YU BG GR TR IL Pa Hf IR Km
- 70006. *Depressaria millefoliella* Chrétien, 1908** (Oecophoridae) Synonym(s): *millefoliella* Chrétien, 1908
Range (in code): FR
- 70007. *Depressaria moya* Clarke, 1947** (Oecophoridae) Synonym(s): *moya* Clarke, 1947
Range (in code): US
- 70008. *Depressaria nemolella* Svensson, 1982** (Oecophoridae) Synonym(s): *nemolella* Svensson, 1982
Range (in code): SE
- 70009. *Depressaria obolucha* Meyrick, 1936** (Oecophoridae) Synonym(s): *obolucha* Meyrick, 1936
Original Reference: *Depressaria obolucha* Meyrick, 1936, *Exot. Microlepid.* 5: 51. Type ♀: Iraq: Ser Amadia, 6000ft., August (E.P. Wiltshire leg.). Range (in code): IQ Dk Ama
- 70010. *Depressaria olerella* Zeller, 1854** (Oecophoridae) Synonym(s): *olerella* Zeller, 1854
Range (in code): FR IT GB BE DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY Cc
- 70011. *Depressaria orthobathra* Meyrick, 1918** (Oecophoridae) Synonym(s): *orthobathra* Meyrick, 1918
Range (in code): ZA Nta Kzu Umk Nkw
- 70012. *Depressaria panurga* Meyrick, 1920** (Oecophoridae) Synonym(s): *panurga* Meyrick, 1920
Range (in code): ZA
- 70013. *Depressaria pastinacella* (Duponchel, 1838)** (Oecophoridae) Synonym(s): *pastinacella* Duponchel, 1838
Range (in code): ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Cc AF US Bionomy: Larva on *Pastinaca*, *Daucus*, *Apium*, *Heracleum* (Apiaceae) (Duponchel, 1838 et seq.).
- 70014. *Depressaria pavidia* Meyrick, 1913** (Oecophoridae) Synonym(s): *pavidia* Meyrick, 1913
Original Reference: *Depressaria pavidia* Meyrick, 1913, *Exot. Microlepid.* 1: 114. Type ♂: [Turkey]: "Asia Minor: Taurus Mts." Range (in code): TR

- 70015. *Depressaria peniculatella* Turati,1922** (Oecophoridae) **Synonym(s):** *peniculatella* Turati,1922 **Range (in code):** **ES**
- 70016. *Depressaria pantheri* Rebel,1904** (Oecophoridae) **Synonym(s):** *pantheri* Rebel,1904 **Range (in code):** **AL BG**
- 70017. *Depressaria peregrinella* Hannemann,1967** (Oecophoridae) **Synonym(s):** *peregrinella* Hannemann,1967 **Range (in code):** **IR Fa Sse**
- 70018. *Depressaria pimpinellae* Zeller,1839** (Oecophoridae) **Synonym(s):** *pimpinellae* Zeller,1839; *pimpinella* Duponchel,[1843]; *pimpinellella* Duponchel,[1845]; *reichlini* Heinemann,1870 **Range (in code):** **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO TR Cc DK NO SE FI EE LV LT RU MD UA BY**
- 70019. *Depressaria prospicua* Meyrick,1914** (Oecophoridae) **Synonym(s):** *prospicua* Meyrick,1914 **Range (in code):** **ZA**
- 70020. *Depressaria pulcherrimella* Stainton,1849** (Oecophoridae) **Synonym(s):** *pulcherrimella* Stainton,1849 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT TR RU MD UA BY**
- 70021. *Depressaria radiosquamella* Walsingham,1898** (Oecophoridae) **Synonym(s):** *radiosquamella* Walsingham,1898 **Range (in code):** **Co**
- 70022. *Depressaria rhodochlora* Meyrick,1923** (Oecophoridae) **Synonym(s):** *rhodochlora* Meyrick,1923 **Range (in code):** **CY**
- 70023. *Depressaria rhodoscelis* Meyrick,1920** (Oecophoridae) **Synonym(s):** *rhodoscelis* Meyrick,1920 **Range (in code):** **ZA**
- 70024. *Depressaria riadella* Amsel,1972** (Oecophoridae) **Synonym(s):** *riadella* Amsel,1972 **Range (in code):** **SA SA63**
- 70025. *Depressaria ruticola* Christoph,1873** (Oecophoridae) **Synonym(s):** *ruticola* Christoph,1873 **Original Reference:** *ruticola* Christoph,1873, Horae Soc. ent. ross. 10: 52-53, pl.1 fig.12. Type: Iran: Schahrud. **Range (in code):** **IR Srd IQ Mos IL Pa** **Bionomy:** Larva on Ruta (Rutaceae) from Iran (Christoph,1873).
- 70026. *Depressaria silesiaca* Heinemann,1870** (Oecophoridae) **Synonym(s):** *silesiaca* Heinemann,1870 **Range (in code):** **IT GB CH AT PL CZ RO NO SE FI EE LV**
- 70027. *Depressaria sordidatella* Tengström,1848** (Oecophoridae) **Synonym(s):** *sordidatella* Tengström,1848; *weirella* Stainton,1849. **Range (in code):** **Si IT GB NL DE CH AT PL CZ SK DK TR NO SE FI EE LV LT RU MD UA BY IR Fa Shr Gls**
- 70028. *Depressaria subnervosa* Oberthür,1888** (Oecophoridae) **Synonym(s):** *subnervosa* Oberthür,1888 **Original Reference:** *Depressaria subnervosa* Oberthür,1888, Etud. Ent. 12: 42, pl.6 fig.27. Syntypes: Algérie, Lambèse (Bleuse leg.). **Range (in code):** **DZ Lbs**
- 70029. *Depressaria tenebricosa* Zeller,1854** (Oecophoridae) **Synonym(s):** *tenebricosa* Zeller,1854 **Range (in code):** **PT ES Co Sa Si IT YU GR Cr TR IL Hf Pa**
- 70030. *Depressaria ultimella* Stainton,1849** (Oecophoridae) **Synonym(s):** *ultimella* Stainton,1849 **Range (in code):** **FR IE GB BE NL DE AT PL CZ SK HU RO GR DK SE EE LV RU MD UA BY KG Uk**
- 70031. *Depressaria ululana* Rössler,1866** (Oecophoridae) **Synonym(s):** *ululana* Rössler,1866 **Range (in code):** **PT FR DE CH RO YU**
- 70032. *Depressaria velox* Staudinger,1859** (Oecophoridae) **Synonym(s):** *velox* Staudinger,1859; *tortuosella* Chrétien,1908 **Range (in code):** **ES FR GR IR Elb Th**
- 70033. *Depressaria veneficella* Zeller,1847** (Oecophoridae) **Synonym(s):** *veneficella* Zeller,1847 **Range (in code):** **TN Gf ES Sa Si MT RO GR Cr TR LB Bsa** **Bionomy:** Larva on Thapsia garganica (Chrétien,1917).
- 70034. *Depressaria venustella* Hannemann,1990** (Oecophoridae) **Synonym(s):** *venustella* Hannemann,1990 **Range (in code):** **Si**
- 70035. *Depressaria zelleri* Staudinger,1879** (Oecophoridae) **Synonym(s):** *zelleri* Staudinger,1879 **Original Reference:** *Depressaria zelleri* Staudinger,1879, Horae Soc. ent. ross. 15: 300-301. Syntypes 3♂ 1♀: [Türkei]: Amasia (Caraman). **Range (in code):** **IT TR**
- 70036. *Deuterogonia angoonae* Saito,1987** (Oecophoridae) **Synonym(s):** *angoonae* Saito,1987 **Range (in code):** **TH CMa**
- 70037. *Deuterogonia pudorina* (Wocke,1857)** (Oecophoridae) **Synonym(s):** *pudorina* Wocke,1857 **Range (in code):** **DE AT PL CZ SK HU LV LT RU MD UA BY**
- 70038. *Diocosma callichroa* Meyrick,1909** (Oecophoridae) **Synonym(s):** *callichroa* Meyrick,1909 **Range (in code):** **ZA**

- 70039. Diocosma ceramopis Meyrick, 1909** (Oecophoridae) Synonym(s): *ceramopis* Meyrick, 1909. Range (in code): ZA
- 70040. Diocosma eotrocha Meyrick, 1918** (Oecophoridae) Synonym(s): *eotrocha* Meyrick, 1918. Range (in code): ZA Nta Kzu
- 70041. Diocosma molybdela Meyrick, 1917** (Oecophoridae) Synonym(s): *molybdela* Meyrick, 1917. Range (in code): ZA
- 70042. Diocosma obliquestrigella (Walsingham, 1881)** (Oecophoridae) Synonym(s): *obliquestrigella* Walsingham, 1881. Range (in code): ZA
- 70043. Diocosma tricycla Meyrick, 1909** (Oecophoridae) Synonym(s): *tricycla* Meyrick, 1909. Range (in code): ZA Gau Pre Tva Lpo Spb
- 70044. Diocosma zarifa Meyrick, 1921** (Oecophoridae) Synonym(s): *zarifa* Meyrick, 1921. Range (in code): ZA Wca
- 70045. Diurnea fagella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *#fagella* [Denis & Schiffermüller], 1775; *pilosella* Thunberg, 1788; *atomana* Brahm, 1791; *fagi* Fabricius, 1798; *disparella* Schrank, 1802; *dormoyella* Duponchel, 1838; *nolckenella* Millière, 1881. Original Reference: *Tinea fagella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR Cc DK NO SE FI EE LV LT RU Sb MD UA BY
- 70046. Diurnea lipsiella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *lipsiella* [Denis & Schiffermüller], 1775; *phryganella* Hübner, 1796; *autumnalis* Fabricius, 1798; *novembris* Haworth, 1811; *phryganea* Haworth, 1811. Original Reference: *Tinea lipsiella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 138. Type(s): [Austria]: Vienna district. Range (in code): PT FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY TM Kp
- 70047. Doxomeris diaxantha Meyrick, 1917** (Oecophoridae) Synonym(s): *diaxantha* Meyrick, 1917. Range (in code): ZA
- 70048. Endrosis psammodora Meyrick, 1921** (Oecophoridae) Synonym(s): *psammodora* Meyrick, 1921. Range (in code): ZA Tva Gau Pre
- 70049. Endrosis sarcitrella (Linnaeus, 1758)** (Oecophoridae) Synonym(s): *sarcitrella* Linnaeus, 1758; *luridella* Scopoli, 1763; *lacteella* [Denis & Schiffermüller], 1775; *scapulata* Fourcroy, 1785; *betulinella* Fabricius, 1787; *scapulatella* Villers, 1789; *atratus* Panzer, 1804; *sarcitea* Haworth, 1828; *kennicottella* Clemens, 1860; *subditella* Walker, 1863; *antarctica* Staudinger, 1899. Range (in code): ES FR Co Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY ZA RE SH US Cf Org Ws
- 70050. Epicallima atrofasciella (Lvovsky, 1988)** (Oecophoridae) Synonym(s): *atrofasciella* Lvovsky, 1988. Range (in code): ID Sum
- 70051. Epicallima bruandella (Ragonot, 1889)** (Oecophoridae) Synonym(s): *bruandella* Ragonot, 1889. Range (in code): FR SK HU RO
- 70052. Epicallima formosella ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *formosella* [Denis & Schiffermüller], 1775. Original Reference: *Tinea formosella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 140. Type(s): [Austria]: Vienna district. Range (in code): DZ PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Rd TR CY GG Btm Lag Sok AZ Len AM Eri Cc IL Pa Hf SE EE LV LT RU MD UA BY
- 70053. Epicallima formosella caucasica Lvovsky, 1995** (Oecophoridae) Synonym(s): *caucasica* Lvovsky, 1995. Range (in code): Cc GG Btm Lag Sok AZ Len AM Eri
- 70054. Epicallima icterinella (Mann, 1867)** (Oecophoridae) Synonym(s): *icterinella* Mann, 1867. Range (in code): YU BG GR TR IQ Shq
- 70055. Epicallima mercedella (Staudinger, 1859)** (Oecophoridae) Synonym(s): *mercedella* Staudinger, 1859. Range (in code): PT ES
- 70056. Epicallima parazeucta (Meyrick)** (Oecophoridae) Synonym(s): *parazeucta* Meyrick. Range (in code):
- 70057. Epiphraetis aulica Meyrick, 1912** (Oecophoridae) Synonym(s): *aulica* Meyrick, 1912. Range (in code): ZA
- 70058. Epiphraetis crocoplecta Meyrick, 1913** (Oecophoridae) Synonym(s): *crocoplecta* Meyrick, 1913. Range (in code): ZA Tva Mpu Tst
- 70059. Epiphraetis imbellis Meyrick, 1914** (Oecophoridae) Synonym(s): *imbellis* Meyrick, 1914. Range (in code): ZA

- 70060. *Epiphractis rubricata* Meyrick, 1913** (Oecophoridae) Synonym(s): *rubricata* Meyrick, 1913
Range (in code): **ZA Tva Gau Pre Mpu Wv Brb Nta Kzu Pt看**
- 70061. *Epiphractis sarcopa* (Meyrick, 1909)** (Oecophoridae) Synonym(s): *sarcopa* Meyrick, 1909
Range (in code): **ZA Tva Gau Pre**
- 70062. *Epiphractis thysanarcha* Meyrick, 1918** (Oecophoridae) Synonym(s): *thysanarcha* Meyrick, 1918
Range (in code): **ZA Tva Gau Pre**
- 70063. *Eratophyes amasiella* (Herrich-Schäffer, [1855])** (Oecophoridae) Synonym(s): *amasiella* Herrich-Schäffer, [1855]; *aleatrix* Diakonoff, 1975.
Range (in code): **NL DE DK TR**
- 70064. *Erotis hesperanthes* Meyrick, 1921** (Oecophoridae) Synonym(s): *hesperanthes* Meyrick, 1921
Range (in code): **ZW Uma**
- 70065. *Erotis* sp.:** (Oecophoridae) Synonym(s):
Range (in code): **MY BN Bor Sbh TH**
- 70066. *Esperia imitatrix* (Zeller, 1847)** (Oecophoridae) Synonym(s): *imitatrix* Zeller, 1847
Original Reference: *Dasycera imitatrix* Zeller, 1847, Isis 1847: 35. Syntypes: "Rhodus, Flos, Mermeriza".
Range (in code): **GR Cr Rd TR LB Bei**
- 70067. *Esperia intermediella* (Stainton, 1867)** (Oecophoridae) Synonym(s): *intermediella* Stainton, 1867
Range (in code): **TR**
- 70068. *Esperia krueperella* (Staudinger, 1871)** (Oecophoridae) Synonym(s): *krueperella* Staudinger, 1871; *ethnica* Gozmany, 1956.
Range (in code): **Si RO GR**
- 70069. *Esperia oliviella* (Fabricius, 1794)** (Oecophoridae) Synonym(s): *oliviella* Fabricius, 1794
Range (in code): **PT ES FR Si IT GB BE NL DE CH AT CZ SK HU RO YU AL BG GR TR RU MD UA BY**
- 70070. *Esperia sulphurella* (Fabricius, 1775)** (Oecophoridae) Synonym(s): *sulphurella* Fabricius, 1775
Original Reference: *Alucita sulphurella* Fabricius, 1775, Syst. Ent.: 670. Type(s): "Anglia".
Range (in code): **DZ Anna PT ES FR Sa Si IT MT IE GB BE NL DE AT RO GR TR**
- 70071. *Eucleodora chalybeela* Walsingham, 1881** (Oecophoridae) Synonym(s): *chalybeela* Walsingham, 1881
Range (in code): **ZA ET ET88 Sw**
- 70072. *Eucleodora ingrata* Meyrick, 1913** (Oecophoridae) Synonym(s): *ingrata* Meyrick, 1913
Range (in code): **ZA Tva Mpu Tst Brb**
- 70073. *Eulechria phaeopsamma* Meyrick, 1883** (Oecophoridae) Synonym(s): *phaeopsamma* Meyrick, 1883
Range (in code): **ZA**
- 70074. *Eutorna diluvialis* Meyrick, 1913** (Oecophoridae) Synonym(s): *diluvialis* Meyrick, 1913
Range (in code): **ZA Tva Mpu Brb**
- 70075. *Exaeretia allisella* Stainton, 1849** (Oecophoridae) Synonym(s): *allisella* Stainton, 1849; *lechriosema* Meyrick, 1928
Range (in code): **IE GB BE DE CH PL CZ SK RO DK NO SE FI EE LV LT RU Sb Us Mgd MD UA BY MN CN**
Bionomy: Larva on *Artemisia vulgaris* (Asteraceae) (Parenti, 2000).
- 70076. *Exaeretia amurella* Lvovsky, 1990** (Oecophoridae) Synonym(s): *amurella* Lvovsky, 1990
Range (in code): **RU Am MN**
- 70077. *Exaeretia boreella* Lvovsky, 1990** (Oecophoridae) Synonym(s): *boreella* Lvovsky, 1990
Range (in code): **RU Kmt Ya**
- 70078. *Exaeretia ciniflonella* (Lienig & Zeller, 1846)** (Oecophoridae) Synonym(s): *ciniflonella* Lienig & Zeller, 1846; *smolandiae* Palm, 1943
Range (in code): **IT GB LU DE CH AT PL SK NO SE FI EE LV RU Cc Sb Sh Kmt MD UA BY CN US Als Arz Cf GG**
- 70079. *Exaeretia conciliatella* (Rebel, 1892)** (Oecophoridae) Synonym(s): *conciliatella* Rebel, 1892
Range (in code): **Si GR**
- 70080. *Exaeretia culcitella* (Herrich-Schäffer, 1854)** (Oecophoridae) Synonym(s): *culcitella* Herrich-Schäffer, 1854
Range (in code): **IT DE AT CZ SK HU RU Or Cm MK**
- 70081. *Exaeretia daurella* Lvovsky, 1998** (Oecophoridae) Synonym(s): *daurella* Lvovsky, 1998
Range (in code): **RU**
- 70082. *Exaeretia eremella* (Amsel, 1972)** (Oecophoridae) Synonym(s): *eremella* Amsel, 1972
Range (in code): **SA SA63**
- 70083. *Exaeretia fuscicostella* (Christoph, 1887)** (Oecophoridae) Synonym(s): *fuscicostella* Christoph, 1887; *marmaricellus* Turati, 1924
Range (in code): **KG TM Kp UZ KK LY SA IR AF Hr PK**
- 70084. *Exaeretia fuscogriseella* Hannemann, 1990** (Oecophoridae) Synonym(s): *fuscogriseella* Hannemann, 1990
Range (in code): **RU At Sj**
- 70085. *Exaeretia indubitatella* (Hannemann, 1971)** (Oecophoridae) Synonym(s): *indubitatella* Hannemann, 1971
Range (in code): **RU At Yv MN**

- 70086. *Exaeretia kozhantshikovi* Lvovsky, 2013** (Oecophoridae) **Synonym(s):** *kozantshikovi* Lvovsky, 2013 **Range (in code):** **RU Us**
- 70087. *Exaeretia ledereri* (Zeller, 1854)** (Oecophoridae) **Synonym(s):** *ledereri* Zeller, 1854; *homochroella* Erschoff, 1874; *xyleuta* Meyrick, 1913 **Range (in code):** **YU TR Cc GG AM AZ CY IL Pa LB Bsa KG IR Fa Shr Th IQ TM UZ TJ AF Pli Pag Kab CN Ui Ku**
- 70088. *Exaeretia lepidella* (Christoph, 1872)** (Oecophoridae) **Synonym(s):** *lepidella* Christoph, 1872 **Range (in code):** **RU Om Or Sr Da Cc At KG Uk MN**
- 70089. *Exaeretia lutosella* (Herrich-Schäffer, [1854])** (Oecophoridae) **Synonym(s):** *lutosella* Herrich-Schäffer, [1854] **Range (in code):** **MA PT ES Co Sa IT RO YU TR Cm SY IL Pa**
- 70090. *Exaeretia melanarcha* (Meyrick, 1913)** (Oecophoridae) **Synonym(s):** *melanarcha* Meyrick, 1913 **Range (in code):** **ZA Tva Mpu Brb**
- 70091. *Exaeretia mongolicella* (Christoph, 1882)** (Oecophoridae) **Synonym(s):** *mongolicella* Christoph, 1882; *leucostictella* Rebel, 1917 **Range (in code):** **LT RU At Am Us MN KR CN**
- 70092. *Exaeretia montuosella* (Hannemann, 1876)** (Oecophoridae) **Synonym(s):** *montuosella* Hannemann, 1876 **Range (in code):** **TM Kp AF Kab**
- 70093. *Exaeretia nebulosella* (Caradja, 1920)** (Oecophoridae) **Synonym(s):** *nebulosella* Caradja, 1920 **Range (in code):** **RU Sr Ao KG Uk**
- 70094. *Exaeretia nigromaculata* Hannemann, 1989** (Oecophoridae) **Synonym(s):** *nigromaculata* Hannemann, 1989 **Range (in code):** **GR TR TJ**
- 70095. *Exaeretia niviferella* (Christoph, 1872)** (Oecophoridae) **Synonym(s):** *niviferella* Christoph, 1872 **Range (in code):** **RU Cc Da KG Uk Aa CN Ui Ku Cm AZ**
- 70096. *Exaeretia praeustella* (Rebel, 1917)** (Oecophoridae) **Synonym(s):** *praeustella* Rebel, 1917 **Range (in code):** **SE LV RU Sb EE LT UA PL HU MN**
- 70097. *Exaeretia preisseckeri* (Rebel, 1937)** (Oecophoridae) **Synonym(s):** *preisseckeri* Rebel, 1937 **Range (in code):** **IT AT SK HU BG**
- 70098. *Exaeretia sutschanensis* (Hannemann, 1953)** (Oecophoridae) **Synonym(s):** *sutschanensis* Hannemann, 1953 **Range (in code):** **RU Am Us KP**
- 70099. *Exaeretia trimenella* (Walsingham, 1881)** (Oecophoridae) **Synonym(s):** *trimenella* Walsingham, 1881 **Range (in code):** **ZA Ngg Tra**
- 70100. *Exaeretia vladimiri* Lvovsky, 1984** (Oecophoridae) **Synonym(s):** *vladimiri* Lvovsky, 1984 **Range (in code):** **TM Kp KG UZ**
- 70101. *Fabiola callipetala* Meyrick, 1921** (Oecophoridae) **Synonym(s):** *callipetala* Meyrick, 1921 **Range (in code):** **ZW Uma**
- 70102. *Fabiola pokornyi* (Nickerl, 1864)** (Oecophoridae) **Synonym(s):** *pokornyi* Nickerl, 1864 **Range (in code):** **CZ SK HU YU AL BG GR TR**
- 70103. *Fuchsia huertasi* Vives Moreno, 1995** (Oecophoridae) **Synonym(s):** *huertasi* Vives Moreno, 1995 **Range (in code):** **ES**
- 70104. *Fuchsia luteella* (Heinemann, 1870)** (Oecophoridae) **Synonym(s):** *luteella* Heinemann, 1870 **Range (in code):** **AT SK RO YU**
- 70105. *Goidanichiana jourdheuillella* (Ragonot, 1875)** (Oecophoridae) **Synonym(s):** *jourdheuillella* Ragonot, 1875 **Range (in code):** **ES FR DE CH**
- 70106. *Harpella eseliensis* ? Rebel, 1908** (Oecophoridae) **Synonym(s):** *eseliensis* Rebel, 1908 **Original Reference:** *Harpella eseliensis* Rebel, 1908, Verh. zool.- bot. Ges. Wien 58: (84)-(85). **Type ♀:** [Türkei]: [Giresun Prov.]: "Eseli" [Eynesil] (NHMW). **Range (in code):** **TR**
- 70107. *Harpella forficella* (Scopoli, 1763)** (Oecophoridae) **Synonym(s):** *forficella* Scopoli, 1763 **Range (in code):** **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 70108. *Harpella scolopistis* Meyrick, 1921** (Oecophoridae) **Synonym(s):** *scolopistis* Meyrick, 1921 **Range (in code):** **ZA**
- 70109. *Hednophora pyritis* Meyrick, 1911** (Oecophoridae) **Synonym(s):** *pyritis* Meyrick, 1911 **Range (in code):** **ZA Lpo Tva Hae**
- 70110. *Herrichia excelsella* Staudinger, 1871** (Oecophoridae) **Synonym(s):** *excelsella* Staudinger, 1871 **Range (in code):** **PT ES FR Si DE CH AT**
- 70111. *Hofmannophila pseudospretella* (Stainton, 1849)** (Oecophoridae) **Synonym(s):** *pseudospretella* Stainton, 1849; *punctipinguinella* Bruand, 1856; *improbella* Walker, 1869 **Range (in code):** **PT ES FR Co IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY ZA** **Bionomy:** Larva on stored cereals, dried fruits, seeds, fabrics, furs, etc. (Parenti, 2000).

- 70112. *Holoscolia berytella* Rebel, 1902** (Oecophoridae) Synonym(s): *berytella* Rebel, 1902; *monticolella* Zerny, 1934 _ Range (in code): **TR LB Bei Bsa**
- 70113. *Holoscolia homaima* Gozmany, 1954** (Oecophoridae) Synonym(s): *homaima* Gozmany, 1954 _ Original Reference: *Holoscolia homaima* Gozmany, 1954, Ann. hist.-nat. Mus. natn. hung. 46: 280. Range (in code): **AL**
- 70114. *Holoscolia huebneri* Koçak, 1980** (Oecophoridae) Synonym(s): *forficella* Hübner, [1813] nec Thunb., 1794; *huebneri* Koçak, 1980 _ Original Reference: *Holoscolia huebneri* Koçak, 1980, Comm. fac. Sci. Univ. Ankara (C) 24 (2): 13 (nom. nov. pro *forficella* Hübner, [1813] nec Thunb., 1794). Range (in code): **FR Si IT BE DE AT CZ SK HU RO YU AL BG GR TR RU MD UA BY KG UK**
- 70115. *Holoscolia majorella* Rebel, 1902** (Oecophoridae) Synonym(s): *majorella* Rebel, 1902 _ Range (in code): **Cr TR**
- 70116. *Horridopalpus dictamnella* (Treitschke, 1835)** (Oecophoridae) Synonym(s): *dictamnella* Treitschke, 1835 _ Range (in code): **IT DE AT CZ HU RO YU BG**
- 70117. *Horridopalpus hystricella* (Möschler, 1860)** (Oecophoridae) Synonym(s): *hystricella* Möschler, 1860 _ Range (in code): **SK RU MD UA BY**
- 70118. *Horridopalpus moranella* (Chrétien, 1907)** (Oecophoridae) Synonym(s): *moranella* Chrétien, 1907; *arabica* Amsel, 1972 _ Original Reference: *Depressaria moranella* Chrétien, 1907, Bull. Soc. ent. Fr. 1907: 277-279. Syntypes: Algérie, Biskra. Range (in code): **DZ Bsk TN Gf YU IR Fa Shr** Bionomy: Larva on *Haplophyllum tuberculatum* (en arabe Chedjeret er rih) (Chrétien, 1907).
- 70119. *Horridopalpus radiatus* (Staudinger, 1879)** (Oecophoridae) Synonym(s): *radiata* Staudinger, 1879 _ Original Reference: *Depressaria radiata* Staudinger, 1879, Horae Soc. ent. ross. 15: 302-303. Syntypes: [Türkei]: Amasia (Caraman). Range (in code): **TR**
- 70120. *Hypereallia citrinalis* (Scopoli, 1763)** (Oecophoridae) Synonym(s): *citrinalis* Scopoli, 1763; *christiannana* Linnaeus, 1767; *thoracella* Goeze, 1783; *thoracica* Fourcroy, 1785; *christiannella* Hübner, [1824]; *christiannella* Hübner, [1825]; *christiannini* Zeller, 1839 _ Range (in code): **ES FR Si IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Sb MN MD UA BY**
- 70121. *Hypereallia sincera* Meyrick, 1909** (Oecophoridae) Synonym(s): *sincera* Meyrick, 1909 _ Range (in code): **ZA Tva Gau Pre**
- 70122. *Hypereallia subreticulata* Walsingham, 1881** (Oecophoridae) Synonym(s): *subreticulata* Walsingham, 1881 _ Range (in code): **ZA**
- 70123. *Hypersymmoca faecivorella* Chrétien, 1917** (Oecophoridae) Synonym(s): *faecivorella* Chrétien, 1917 _ Original Reference: *Hypersymmoca faecivorella* Chrétien, 1917, Anns Soc. ent. Fr. 85: 485-486. Syntypes: Tunisie, Gafsa. Range (in code): **DZ TN Gf** Bionomy: Larva on *Artemisia campestris*, *Thymus numidicus* (Chrétien, 1917).
- 70124. *Hypersymmoca psammocryptis* Meyrick, 1923** (Oecophoridae) Synonym(s): *psammocryptis* Meyrick, 1923 _ Range (in code): **EG**
- 70125. *Idioglossa argodora* Meyrick, 1913** (Oecophoridae) Synonym(s): *argodora* Meyrick, 1913 _ Range (in code): **IN**
- 70126. *Idioglossa bigemma* Walsingham, 1881** (Oecophoridae) Synonym(s): *bigemma* Walsingham, 1881 _ Range (in code): **ZA Kzu Nta Dbn**
- 70127. *Idioglossa metallochrysa* Turner, 1917** (Oecophoridae) Synonym(s): *metallochrysa* Turner, 1917 _ Range (in code): **AU QAU Kda**
- 70128. *Idioglossa miraculosa* Frey & Boll, 1878** (Oecophoridae) Synonym(s): *miraculosa* Frey & Boll, 1878; *americella* Walsingham, 1882 _ Range (in code): **US**
- 70129. *Idioglossa polliacola* Sugisima & Arita, 2000** (Oecophoridae) Synonym(s): *polliacola* Sugisima & Arita, 2000 _ Range (in code): **JP**
- 70130. *Idioglossa thailandica* Sugisima, 2004** (Oecophoridae) Synonym(s): *thailandica* Sugisima, 2004 _ Original Reference: *Idioglossa thailandica* Sugisima, 2004, Trans. lepid. Soc. Japan 55 (1): 29-32, figs. 1, 2, 4, 5. Holotype ♂: Thailand, Kanchanaburi, Tham Than Lot 800m (UOP). Range (in code): **TH Knc**
- 70131. *Idioglossa triacma* Meyrick, 1913** (Oecophoridae) Synonym(s): *triacma* Meyrick, 1913 _ Range (in code): **IN**
- 70132. *Idioglossa triumphalis* Meyrick, 1918** (Oecophoridae) Synonym(s): *triumphalis* Meyrick, 1918 _ Range (in code): **ZA KE**
- 70133. *Irepacma lannathaiensis* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *lannathaiensis* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): **TH CMA**
- 70134. *Irepacma meksongseei* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *meksongseei* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): **TH Nna Kao**

- 70135. *Irepacma pakiensis* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s): *pakiensis* Moriuti, Saito & Lewvanich, 1985 - Range (in code): TH CM Hnd Int Nna Kao
- 70136. *Irepacma pingensis* Moriuti, Saito & Lewvanich, 1989** (Oecophoridae) Synonym(s): *pingensis* Moriuti, Saito & Lewvanich, 1989 - Range (in code): TH CMa Dst Hnd Pki Int
- 70137. *Irepacma torrida* (Meyrick, 1894)** (Oecophoridae) Synonym(s): *torrida* Meyrick, 1894
Original Reference: Phaeosaces torrida Meyrick, 1894, Trans. ent. Soc. London 1894: 19.
Syntypes 3♂♂: [Myanmar]: Upper Burma: Koni. Range (in code): MM Kni TH CMa Pki Dst Int Loe Rng
- 70138. *Isocrita eremasta* Meyrick, 1914** (Oecophoridae) Synonym(s): *eremasta* Meyrick, 1914
Range (in code): ZA
- 70139. *Isocrita ithyodoxa* Meyrick, 1920** (Oecophoridae) Synonym(s): *ithyodoxa* Meyrick, 1920
Range (in code): ZA
- 70140. *Isocrita phlyctidopa* Meyrick, 1921** (Oecophoridae) Synonym(s): *phlyctidopa* Meyrick, 1921
Range (in code): MZ Mag
- 70141. *Isocrita protophanes* Meyrick, 1927** (Oecophoridae) Synonym(s): *protophanes* Meyrick, 1927 - Range (in code): ZA
- 70142. *Isocrita psalactis* Meyrick, 1912** (Oecophoridae) Synonym(s): *psalactis* Meyrick, 1912
Range (in code): ZA Tva Gau Pre
- 70143. *Isocrita stolarcha* Meyrick, 1909** (Oecophoridae) Synonym(s): *stolarcha* Meyrick, 1909
Range (in code): ZA
- 70144. *Karwandania chimabacchella* Amsel, 1959** (Oecophoridae) Synonym(s): *chimabacchella* Amsel, 1959 - Range (in code): IR Ss
- 70145. *Kasyniana indistinctella* (Rebel, 1902)** (Oecophoridae) Synonym(s): *indistinctella* Rebel, 1902 - Range (in code): PT ES
- 70146. *Kasyniana xenias* (Meyrick, 1891)** (Oecophoridae) Synonym(s): *xenias* Meyrick, 1891
Range (in code): PT ES
- 70147. *Lactistica geranodes* Meyrick, 1907** (Oecophoridae) Synonym(s): *geranodes* Meyrick, 1907
Range (in code): IN Ass
- 70148. *Lactistica pentoni* Stringer, 1928** (Oecophoridae) Synonym(s): *pentoni* Stringer, 1928
Original Reference: Lactistica pentoni Stringer, 1928, Ann. Mag. nat. Hist. (10) 1: 572. Syntypes: Western Himalaya, Almora. Range (in code): IN Ass Meg Khs MM NP IN
- 70149. *Lasiomactra acharista* Meyrick, 1921** (Oecophoridae) Synonym(s): *acharista* Meyrick, 1921 - Range (in code): MZ Mag
- 70150. *Levipalpus hepatariella* (Lienig & Zeller, 1846)** (Oecophoridae) Synonym(s): *hepatariella* Lienig & Zeller, 1846 - Range (in code): FR Sa IT GB NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY KG Uk
- 70151. *Linoclostis gonatias* Meyrick, 1908** (Oecophoridae) Synonym(s): *gonatias* Meyrick, 1908
Range (in code): IN TH
- 70152. *Luquetia abchasiella* Lvovsky, 1995** (Oecophoridae) Synonym(s): *abchasiella* Lvovsky, 1995 - Range (in code): Cc GG Abk
- 70153. *Luquetia lobella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *lobella* [Denis & Schiffermüller], 1775
Original Reference: Tinea lobella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district.
Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE LT RU MD UA BY
Bionomy: Larva on Prunus spinosa (Rosaceae) (Parenti, 2000).
- 70154. *Martyringa xeraula* (Meyrick, 1910)** (Oecophoridae) Synonym(s): *xeraula* Meyrick, 1910; *kuwanii* Heinrich, 1920; *ravicapitis* Hodges, 1960 - Range (in code): IN CN KP KR JP US TH CMa CDo
- 70155. *Meloteles xanthodoxa* Meyrick, 1920** (Oecophoridae) Synonym(s): *xanthodoxa* Meyrick, 1920 - Range (in code): ZA
- 70156. *Metachanda citrodesma* (Meyrick, 1911)** (Oecophoridae) Synonym(s): *citrodesma* Meyrick, 1911 - Range (in code): ZA
- 70157. *Metachanda oxtacma* Meyrick, 1928** (Oecophoridae) Synonym(s): *oxtacma* Meyrick, 1928
Range (in code): ZA
- 70158. *Metachanda trimetropa* Meyrick, 1937** (Oecophoridae) Synonym(s): *trimetropa* Meyrick, 1937 - Range (in code): ZA
- 70159. *Metalampra caucasica* Lvovsky, 1995** (Oecophoridae) Synonym(s): *caucasica* Lvovsky, 1995 - Range (in code): Cc AZ Len Tlh Da Der RU

- 70160. *Metalampra cinnamomea* (Zeller,1839)** (Oecophoridae) Synonym(s): *cinnamomea* Zeller,1839 _ Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY
- 70161. *Metalampra diminutella* (Rebel,1931)** (Oecophoridae) Synonym(s): _ Range (in code): AT HU YU AL
- 70162. *Metalampra italica* Baldizzzone,1977** (Oecophoridae) Synonym(s): _ Range (in code): IT
- 70163. *Minetia adamczewskii* (Toll,1956)** (Oecophoridae) Synonym(s): *adamczewskii* Toll,1956 Range (in code): FR AT SK HU RU MD UA BY
- 70164. *Minetia criella* (Treitschke,1835)** (Oecophoridae) Synonym(s): *criella* Treitschke,1835 Range (in code): FR IT DE AT SK HU YU
- 70165. *Minetia crinitella* Herrich-Schäffer,[1855]** (Oecophoridae) Synonym(s): *crinitella* Herrich-Schäffer,[1855] _ Range (in code): TR
- 70166. *Minetia crinitus* (Fabricius,1798)** (Oecophoridae) Synonym(s): *crinitus* Fabricius,1798 Range (in code): ES FR IT CH AT CZ SK HU RO BG RU MD UA BY
- 70167. *Minetia labiosella* (Hübner,[1810])** (Oecophoridae) Synonym(s): *labiosella* Hübner,[1810] Range (in code): IT AT SK HU YU BG
- 70168. *Muhabbeta nigrella* (Kusnetsov,1984)** (Oecophoridae) Synonym(s): *nigrella* Kusnetsov,1984 _ Range (in code): RU
- 70169. *Neomariania incertella* (Rebel,1940)** (Oecophoridae) Synonym(s): *incertella* Rebel,1940 Range (in code): Az
- 70170. *Neomariania oecophorella* (Rebel,1940)** (Oecophoridae) Synonym(s): *oecophorella* Rebel,1940 _ Range (in code): Az
- 70171. *Neomariania partinicensis* (Rebel,1937)** (Oecophoridae) Synonym(s): *partinicensis* Rebel,1937 _ Range (in code): ES FR Si MT GR Cr
- 70172. *Neomariania rebeli* (Walsingham,1894)** (Oecophoridae) Synonym(s): *rebeli* Walsingham,1894 _ Range (in code): PT Md Cn
- 70173. *Neomariania scriptella* (Rebel,1940)** (Oecophoridae) Synonym(s): *scriptella* Rebel,1940 Range (in code): Az
- 70174. *Ocyphron oxyphylla* Meyrick,1921** (Oecophoridae) Synonym(s): *oxyphylla* Meyrick,1921 Range (in code): ZW Uma
- 70175. *Ocystola* Meyrick,1885** (Oecophoridae) Synonym(s): *Ocystola* Meyrick,1885 _ Range (in code):
- 70176. *Ocystola chionoxatha* Meyrick,1931** (Oecophoridae) Synonym(s): *chionoxatha* Meyrick,1931 _ Range (in code): JP
- 70177. *Ocystola proxena* Meyrick,1914** (Oecophoridae) Synonym(s): *proxena* Meyrick,1914 Range (in code): ZA
- 70178. *Oecophora* (Oecophoreola) *kindermanni* (Herrich-Schäffer,[1852])** (Oecophoridae) Synonym(s): *kindermanni* Herrich-Schäffer,[1852] _ Range (in code): RO B-H YU AL TR
- 70179. *Oecophora* (s.str.) *bractella* (Linnaeus,1758)** (Oecophoridae) Synonym(s): *bractella* Linnaeus,1758 _ Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE RU MD UA BY
- 70180. *Opsigenes parastacta* Meyrick,1918** (Oecophoridae) Synonym(s): *parastacta* Meyrick,1918 _ Range (in code): ZA Nta Kzu Umk
- 70181. *Orophia ammopleura* (Meyrick,1920)** (Oecophoridae) Synonym(s): *ammopleura* Meyrick,1920 _ Range (in code): ZA
- 70182. *Orophia ammopleura* (Meyrick,1920)** (Oecophoridae) Synonym(s): *ammopleura* Meyrick,1920 _ Range (in code): ZA
- 70183. *Orophia castella* (Zeller,1852)** (Oecophoridae) Synonym(s): *castella* Zeller,1852 Range (in code): ZA
- 70184. *Orophia denisella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *denisella* [Denis & Schiffermüller],1775; *carmelitella* Hübner,1793; *monasticella* Fischer von Rösslerstamm,1843; *obscuratella* Bauer,1917; *candidella* Bauer,1917 Original Reference: Tinea denisella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district. Range (in code): ES FR Co Si IT DE CH AT CZ SK HU RO YU TR RU MD UA BY
- 70185. *Orophia eariasella* (Walker,1864)** (Oecophoridae) Synonym(s): *eariasella* Walker,1864 Range (in code): ZA

- 70186. *Orophia ferrugella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *ferrugella* [Denis & Schiffermüller],1775; *coriacella* Hübner,1796 Original Reference: *Tinea ferrugella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district. Range (in code): **ES FR IT BE LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 70187. *Orophia hadromacha* (Meyrick,1937)** (Oecophoridae) Synonym(s): *hadromacha* Meyrick,1937 Range (in code): **ZA**
- 70188. *Orophia haeresiella* (Wallengren,1875)** (Oecophoridae) Synonym(s): *haeresiella* Wallengren,1875 Range (in code): **ZA**
- 70189. *Orophia languidula* (Meyrick,1921)** (Oecophoridae) Synonym(s): *languidula* Meyrick,1921 Range (in code): **MZ**
- 70190. *Orophia mendosella* (Zeller,1868)** (Oecophoridae) Synonym(s): *mendosella* Zeller,1868 Range (in code): **IT AT**
- 70191. *Orophia ochroxyla* (Meyrick,1937)** (Oecophoridae) Synonym(s): *ochroxyla* Meyrick,1937 Range (in code): **ZA**
- 70192. *Orophia pachystoma* (Meyrick,1921)** (Oecophoridae) Synonym(s): *pachystoma* Meyrick,1921 Range (in code): **ZW Uma**
- 70193. *Orophia roseoflavida* (Walsingham,1881)** (Oecophoridae) Synonym(s): *roseoflavida* Walsingham,1881 Range (in code): **ZA**
- 70194. *Orophia sareptensis* Möschler,1862** (Oecophoridae) Synonym(s): *sareptensis* Möschler,1862 Range (in code): **HU RU Sr**
- 70195. *Orophia sordidella* (Hübner,1796)** (Oecophoridae) Synonym(s): *sordidella* Hübner,1796; *uhrikmeszarosi* Szent-Ivány,1942 Range (in code): **DZ Anna Cst PT ES FR IT BE NL LU DE CH AT CZ SK HU RO YU GR TR RU MD UA Da Cc GG AZ**
- 70196. *Orophia straminella* (Zeller,1852)** (Oecophoridae) Synonym(s): *straminella* Zeller,1852 Range (in code): **ZA**
- 70197. *Orophia tetrasticta* (Meyrick,1917)** (Oecophoridae) Synonym(s): *tetrasticta* Meyrick,1917 Range (in code): **ZA**
- 70198. *Orophia tranquilla* (Meyrick,1927)** (Oecophoridae) Synonym(s): *tranquilla* Meyrick,1927 Range (in code): **ZA**
- 70199. *Orophia transfuga* (Meyrick,1911)** (Oecophoridae) Synonym(s): *transfuga* Meyrick,1911 Range (in code): **ZA Wo Tva Lpo**
- 70200. *Orophia xanthosarca* (Meyrick,1917)** (Oecophoridae) Synonym(s): *xanthosarca* Meyrick,1917 Range (in code): **ZA Tva**
- 70201. *Orophia zernyi* (Szent-Ivány,1942)** (Oecophoridae) Synonym(s): *zernyi* Szent-Ivány,1942; *apicisignella* Klimesch,1942 Range (in code): **HV**
- 70202. *Orygocera recordata* Meyrick,1921** (Oecophoridae) Synonym(s): *recordata* Meyrick,1921 Range (in code): **MZ Mag**
- 70203. *Oxyscopa dealbata* Meyrick,1926** (Oecophoridae) Synonym(s): *dealbata* Meyrick,1926 Range (in code): **ZA**
- 70204. *Paradeuterogetonia siamica* Saito,1989** (Oecophoridae) Synonym(s): *siamica* Saito,1989 Range (in code): **TH Loe**
- 70205. *Paralecta antistola* Meyrick,1930** (Oecophoridae) Synonym(s): *antistola* Meyrick,1930 Range (in code): **MY TH**
- 70206. *Parapleuris oxycrena* Meyrick,1937** (Oecophoridae) Synonym(s): *oxycrena* Meyrick,1937 Range (in code): **ZA**
- 70207. *Periacma angkhangensis* Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *angkhangensis* Moriuti, Saito & Lewvanich,1985 Range (in code): **TH CMa Agk**
- 70208. *Periacma changkhanensis* Moriuti, Saito & Lewvanich,1985** (Oecophoridae) Synonym(s): *changkhanensis* Moriuti, Saito & Lewvanich,1985 Range (in code): **TH CMa**
- 70209. *Periacma chlorodesma* Meyrick,1894** (Oecophoridae) Synonym(s): *chlorodesma* Meyrick,1894 Original Reference: *Periacma chlorodesma* Meyrick,1894, Trans. ent. Soc. Lond. 1894: 22. Type ♂: [Myanmar]: Upper Burma: Koni. Range (in code): **MM Kni TH CMa Msv Loe**
- 70210. *Periacma erewanensis* Moriuti, Saito & Lewvanich,1987** (Oecophoridae) Synonym(s): *erewanensis* Moriuti, Saito & Lewvanich,1987 Range (in code): **TH Knc**
- 70211. *Periacma isanensis* Moriuti, Saito & Lewvanich,1989** (Oecophoridae) Synonym(s): *isanensis* Moriuti, Saito & Lewvanich,1989 Range (in code): **TH Loe**

- 70212. Periacma kanchaburiensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *kanchaburiensis* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Knc
- 70213. Periacma kunai Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s):
kunai Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH
- 70214. Periacma maekhongensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *maekhongensis* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH
- 70215. Periacma nakhonnayokensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *nakhonnayokensis* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Nna Loe
- 70216. Periacma nualsriae Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s):
nualsriae Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Knc
- 70217. Periacma orthiodes Meyrick, 1894** (Oecophoridae) Synonym(s): *orthiodes* Meyrick, 1894
Range (in code): MM Kni TH CMa Agk Pki Int Loe Msv
- 70218. Periacma phrohmi Moriuti, Saito & Lewvanich, 1987** (Oecophoridae) Synonym(s):
phrohmi Moriuti, Saito & Lewvanich, 1987 _ Range (in code): TH CMa Fn
- 70219. Periacma rumakomi Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *rumakomi* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Knc Loe
- 70220. Periacma siamensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s):
siamensis Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Nna Kao
- 70221. Periacma thamthanlotensis Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *thamthanlotensis* Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Pkk Cbi Knc Cbi
- 70222. Periacma turbulenta Meyrick, 1910** (Oecophoridae) Synonym(s): *turbulenta* Meyrick, 1910
Range (in code): TH CMa Int IN Ass
- 70223. Periacma wongsirii Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) Synonym(s):
wongsirii Moriuti, Saito & Lewvanich, 1985 _ Range (in code): TH Knc Cbi
- 70224. Philametris aethalopa Meyrick, 1924** (Oecophoridae) Synonym(s): *aethalopa*
Meyrick, 1924 _ Range (in code): ZA
- 70225. Philobota chalinitis Meyrick, 1909** (Oecophoridae) Synonym(s): *chalinitis* Meyrick, 1909
Range (in code): ZA
- 70226. Philobota dryinota Meyrick, 1914** (Oecophoridae) Synonym(s): *dryinota* Meyrick, 1914
Range (in code): ZA
- 70227. Philobota erastis Meyrick, 1910** (Oecophoridae) Synonym(s): *erastis* Meyrick, 1910
Range (in code): ZA
- 70228. Philobota tectifera Meyrick, 1909** (Oecophoridae) Synonym(s): *tectifera* Meyrick, 1909
Range (in code): ZA
- 70229. Philobota virgo Walsingham, 1891** (Oecophoridae) Synonym(s): *virgo* Walsingham, 1891
Range (in code): ZA
- 70230. Phratriodes curvisignis Meyrick, 1926** (Oecophoridae) Synonym(s): *curvisignis*
Meyrick, 1926 _ Range (in code): ZA
- 70231. Picrogenes bactrospila Meyrick, 1917** (Oecophoridae) Synonym(s): *bactrospila*
Meyrick, 1917 _ Range (in code): ZA
- 70232. Pisinidea exsuperans Meyrick, 1920** (Oecophoridae) Synonym(s): *exsuperans*
Meyrick, 1920 _ Range (in code): ZA
- 70233. Plesiosticha acida (Meyrick, 1911)** (Oecophoridae) Synonym(s): *acida* Meyrick, 1911
Range (in code): ZA Tva Lpo Hae
- 70234. Plesiosticha endocentra (Meyrick, 1914)** (Oecophoridae) Synonym(s): *endocentra*
Meyrick, 1914 _ Range (in code): ZA
- 70235. Plesiosticha galactaea (Meyrick, 1908)** (Oecophoridae) Synonym(s): *galactaea*
Meyrick, 1908 _ Range (in code): ZA Tva Gau Pre
- 70236. Pleurota (Macropalpula) marginella ([Denis & Schiffermüller], 1775)**
(Oecophoridae) Synonym(s): *marginella* [Denis & Schiffermüller], 1775; *rostellia* Hübner, 1796 Original
Reference: *Tinea marginella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett.*
Wienergegend: 319. Type(s): [Austria]: Vienna district. Range (in code): IT DE CH AT CZ SK HU
RO HV GR RU MD UA
- 70237. Pleurota (Macropalpula) tuvella Lvovsky, 1992** (Oecophoridae) Synonym(s): *tuvella*
Lvovsky, 1992 _ Range (in code): RU Tv

- 70238. *Pleurota (Protasis) creticella* Rebel, 1916** (Oecophoridae) Synonym(s): *creticella* Rebel, 1916 Original Reference: *Pleurota creticella* Rebel, 1916, *Annln naturh. Mus. Wien* 30: 163-165, pl.4 fig.20. Syntypes 6♂: Creta. Range (in code): **Cr**
- 70239. *Pleurota (Protasis) glitzella* (Staudinger, 1883)** (Oecophoridae) Synonym(s): *glitzella* Staudinger, 1883 Range (in code): **ES**
- 70240. *Pleurota (Protasis) pleurotella* (Staudinger, 1871)** (Oecophoridae) Synonym(s): *pleurotella* Staudinger, 1871 Range (in code): **ES**
- 70241. *Pleurota (Protasis) punctella* (Costa, [1836])** (Oecophoridae) Synonym(s): *punctella* Costa, [1846]; *monostictella* Heydenreich, 1851 Range (in code): **PT ES FR Si IT AT CH SS B-H HV TR**
- 70242. *Pleurota (s.str.) acutella* Chrétien, 1922** (Oecophoridae) Synonym(s): *acutella* Chrétien, 1922 Range (in code): **MA**
- 70243. *Pleurota (s.str.) acutella dissimilella* Amsel, 1956** (Oecophoridae) Synonym(s): *dissimilella* Amsel, 1956 Range (in code): **MA**
- 70244. *Pleurota (s.str.) albarracina* Rebel, 1917** (Oecophoridae) Synonym(s): *albarracina* Rebel, 1917 Range (in code): **ES**
- 70245. *Pleurota (s.str.) algeriella* Baker, 1885** (Oecophoridae) Synonym(s): *algeriella* Baker, 1885 Original Reference: *Pleurota algeriella* Baker, 1885, *Entomologist's mon. Mag.* 21: 269-270. Syntypes: Algeria, Guelma. Range (in code): **DZ Gue TN Gf**
- 70246. *Pleurota (s.str.) amaniella* Mann, 1873** (Oecophoridae) Synonym(s): *amaniella* Mann, 1873 Original Reference: *Pleurota amaniella* Mann, 1873, *Verh. zool.- bot. Ges. Wien* 23: 573-574. Type ♂: [Türkei]: [İçel Prov.]: "Gülek" (NHMW). Range (in code): **YU TR**
- 70247. *Pleurota (s.str.) amaurodoxa* Meyrick, 1935** (Oecophoridae) Synonym(s): *amaurodoxa* Meyrick, 1935 Range (in code): **ES**
- 70248. *Pleurota (s.str.) aorsella* Christoph, 1872** (Oecophoridae) Synonym(s): *aorsella* Christoph, 1872 Range (in code): **RU Sr KG UK**
- 70249. *Pleurota (s.str.) arduella* Rebel, 1906** (Oecophoridae) Synonym(s): *arduella* Rebel, 1906 Range (in code): **GR**
- 70250. *Pleurota (s.str.) argodonta* Meyrick, 1913** (Oecophoridae) Synonym(s): *argodonta* Meyrick, 1913 Range (in code): **TN DZ MA**
- 70251. *Pleurota (s.str.) aristella* (Linnaeus, 1767)** (Oecophoridae) Synonym(s): *aristella* Linnaeus, 1767; *corniculata* Villers, 1789; *cornicella* Villers, 1789; *schlaegerella* Zeller, 1847; *argenticistrigella* Mann, 1854; *cyrniella* Mann, 1855 Original Reference: *Phalaena aristella* Linnaeus, 1767, *Syst. Nat.* (12.Ed.) 1 (2): 894. Type: "Lusitania". Range (in code): **PT ES FR Co Sa Si IT BE DE AT CZ SK HU RO YU AL BG GR TR RU MD UA BY Cc AZ KG Ssn**
- 70252. *Pleurota (s.str.) armeniella* Caradja, 1920** (Oecophoridae) Synonym(s): *armeniella* Caradja, 1920 Original Reference: *Pleurota armeniella* Caradja, 1920, *Dt. ent. Z., Iris* 34: 123. Syntypes 2♂: [Türkei]: Kasikoparan (coll. Caradja). Range (in code): **Cc TR**
- 70253. *Pleurota (s.str.) bicostella* (Clerck, 1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck, 1759; *bipunctella* Hübner, 1793; *bicostatus* Fabricius, 1798 Original Reference: [Phalaena] *bicostella* Clerck, 1759, *Icones Ins.*: pl.3 fig.15. Range (in code): **TN Gf DZ MZ AF Kab Bm IR Kh Fa PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY**
- 70254. *Pleurota (s.str.) bicostella andalusica* H.Back, 1973** (Oecophoridae) Synonym(s): *andalusica* H.Back, 1973 Range (in code): **ES An**
- 70255. *Pleurota (s.str.) bicostella aragonella* Chrétien, 1925** (Oecophoridae) Synonym(s): *aragonella* Chrétien, 1925 Range (in code): **PT ES**
- 70256. *Pleurota (s.str.) bicostella asiatica* H.Back, 1973** (Oecophoridae) Synonym(s): *asiatica* H.Back, 1973 Range (in code): **AF Kab Bm IR Kh Fa**
- 70257. *Pleurota (s.str.) bicostella bicostella* (Clerck, 1759)** (Oecophoridae) Synonym(s): *bicostella* Clerck, 1759; *bipunctella* Hübner, 1793; *bicostatus* Fabricius, 1798 Original Reference: [Phalaena] *bicostella* Clerck, 1759, *Icones Ins.*: pl.3 fig.15. Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY**
- 70258. *Pleurota (s.str.) bicostella illucidella* Chrétien, 1915** (Oecophoridae) Synonym(s): *illucidella* Chrétien, 1915 Original Reference: *Pleurota illucidella* Chrétien, 1915, *Annls Soc. ent. Fr.* 84: 336. Type: [Tunisia]: "Gafsa, en avril". Range (in code): **TN Gf DZ MZ**
- 70259. *Pleurota (s.str.) bicostella lepigrei* Lucas, 1937** (Oecophoridae) Synonym(s): *lepigrei* Lucas, 1937 Range (in code): **MA**

- 70260. *Pleurota* (s.str.) *brevispinella* (Zeller,1847)** (Oecophoridae) Synonym(s): *brevispinella* Zeller,1847 Original Reference: *Anchinia brevispinella* Zeller,1847, Isis 1847 (11): 822-823. Type: Syracus. Range (in code): **Si IT? HU Cr Cc AM KG Uk**
- 70261. *Pleurota* (s.str.) *chalepensis* Rebel,1917** (Oecophoridae) Synonym(s): *chalepensis* Rebel,1917 Range (in code): **Cr**
- 70262. *Pleurota* (s.str.) *christophi* Lvovskiy,1992** (Oecophoridae) Synonym(s): *christophi* Lvovskiy,1992 Original Reference: *Pleurota* (s.str.) *christophi* Lvovskiy,1992, Ent. Obozr. 71 (3): 638. Holotype ♂: Azerbaidjan, Ordubad 24 vi 1881 (Christoph); Paratypes (2♂) from NE Turkey, Kazıkoparan (Chr. leg.) (ZIN). Range (in code): **AZ Nv Cc Ord TR**
- 70263. *Pleurota* (s.str.) *contignatella* Christoph,1872** (Oecophoridae) Synonym(s): *contignatella* Christoph,1872; *kirghizica* Lvovsky,1992 [ssp.] Range (in code): **RU Sr KG Uk KK**
- 70264. *Pleurota* (s.str.) *contristatella* Mann,1867** (Oecophoridae) Synonym(s): *contristatella* Mann,1867 Original Reference: *Pleurota contristatella* Mann,1867, Verh. zool.- bot. Ges. Wien 17: 851-852. Syntypes ♂♂: "Insel Syra". Range (in code): **IT Sa Si GR Cr TR Cc AM**
- 70265. *Pleurota* (s.str.) *cumaniella* Rebel,1906** (Oecophoridae) Synonym(s): *cumaniella* Rebel,1906 Original Reference: *Pleurota contristella* ssp. *cumaniella* Rebel,1906, Dt. ent. Z., Iris 19: 236. Syntypes: Rumaenien, Stanca. Range (in code): **RO BG**
- 70266. *Pleurota* (s.str.) *delattinia* H.Back,1973** (Oecophoridae) Synonym(s): *delattinia* H.Back,1973 Range (in code): **IR Es**
- 70267. *Pleurota* (s.str.) *dentata* Wang & Li,2003** (Oecophoridae) Synonym(s): *dentata* Wang & Li,2003 Range (in code): **CN**
- 70268. *Pleurota* (s.str.) *drucella* (Walsingham,1881)** (Oecophoridae) Synonym(s): *drucella* Walsingham,1881 Range (in code): **ZA**
- 70269. *Pleurota* (s.str.) *elegans* Stainton,1867** (Oecophoridae) Synonym(s): *elegans* Stainton,1867; *tesserapunctella* Amsel,1933; *taepperi* Amsel,1935 Original Reference: *Pleurota elegans* Stainton,1867, Tin. Syr. Asia Min.: 47. Lectotype ♂, Plains of Jordan, designated by Sattler in Back (1973: 133). Range (in code): **IL Pa Hf Js JO**
- 70270. *Pleurota* (s.str.) *eremica* H.Back,1973** (Oecophoridae) Synonym(s): *eremica* H.Back,1973 Original Reference: *Pleurota eremica* H.Back,1973, Untersuch. Syst. Zoogeogr. *Pleurota*: 108-109. Holotype ♂: Iraq, Rutba (Kasy). Range (in code): **IQ Rba**
- 70271. *Pleurota* (s.str.) *ericella* (Duponchel,1839)** (Oecophoridae) Synonym(s): *ericella* Duponchel,1839; *imitatrix* Herrich-Schäffer,1854; *imitatricella* Herrich-Schäffer,1862; *aenella* Lhomme,1949 Original Reference: *Palpula ericella* Duponchel,1839, Hist. nat. Lépid. Pap. Fr. 11: 234-235, pl.294 fig.3. Syntypes: France, Paris. Range (in code): **PT ES FR Sa RO GB IT DE? GR TR**
- 70272. *Pleurota* (s.str.) *eximia* Lederer,1861** (Oecophoridae) Synonym(s): *eximia* Lederer,1861; *galaticella* Staudinger,1880 Original Reference: *Pleurota eximia* Lederer,1861, Wien. ent. Monatschr. 5: 154, Taf.2 fig.5. Type(s): [Türkei]: Mersin. Range (in code): **Cc TR ES**
- 70273. *Pleurota* (s.str.) *falkovitshi* Lvovsky,1992** (Oecophoridae) Synonym(s): *falkovitshi* Lvovsky,1992 Range (in code): **UZ TM Kp**
- 70274. *Pleurota* (s.str.) *filigerella* Mann,1867** (Oecophoridae) Synonym(s): *filigerella* Mann,1867 Original Reference: *Pleurota filigerella* Mann,1867, Verh. zool.- bot. Ges. Wien 17: 851. yntypes 2♂: Dalmatien, Budua (NHMW). Range (in code): **HV AL GR**
- 70275. *Pleurota* (s.str.) *flavella* Turati,1922** (Oecophoridae) Synonym(s): *flavella* Turati,1922 Range (in code): **LY Cy**
- 70276. *Pleurota* (s.str.) *flavescens* Turati,1924** (Oecophoridae) Synonym(s): *flavescens* Turati,1924; *margaritifera* Turati,1924 Range (in code): **LY Cy**
- 70277. *Pleurota* (s.str.) *gallicella* Huemer & Luquet,1995** (Oecophoridae) Synonym(s): *gallicella* Huemer & Luquet,1995 Original Reference: *Pleurota gallicella* Huemer & Luquet,1995, Alexanor 19: 56, figs. Holotype ♂: Südfrankreich, Oraison (TLMF Innsbruck). Range (in code): **MA PT ES FR**
- 70278. *Pleurota* (s.str.) *generosella* Rebel,1900** (Oecophoridae) Synonym(s): *generosella* Rebel,1900; *alexandrina* Meyrick,1935 Original Reference: *Pleurota generosella* Rebel,1900, Dt. ent. Z., Iris 13: 168. Lectotype ♂, Türkiye, Diyarbakır, designated by Back (1973: 167). Range (in code): **TR IQ Mos Kbl IR Elb Th IL Pa**
- 70279. *Pleurota* (s.str.) *gnathella* H.Back,1973** (Oecophoridae) Synonym(s): *gnathella* H.Back,1973 Range (in code): **IR Fa**

- 70280. *Pleurota* (s.str.) *goundafella* Zerny,1935** (Oecophoridae) Synonym(s): *goundafella* Zerny,1935 _ Range (in code): MA Rbt
- 70281. *Pleurota* (s.str.) *grisea* Amsel,1951** (Oecophoridae) Synonym(s): *grisea* Amsel,1951 _ Range (in code): Sa
- 70282. *Pleurota* (s.str.) *hastiformis* Walsingham,1905** (Oecophoridae) Synonym(s): *hastiformis* Walsingham,1905 _ Range (in code): DZ Ktr FR
- 70283. *Pleurota* (s.str.) *hebetella* Ragonot,1889** (Oecophoridae) Synonym(s): *hebetella* Ragonot,1889 _ Range (in code): PT ES
- 70284. *Pleurota* (s.str.) *honorella* (Hübner,[1813])** (Oecophoridae) Synonym(s): *honorella* Hübner,[1813]; *heydenreichella* Herrich-Schäffer,[1855]; *obsoletella* Caradja,1920 _ Range (in code): PT ES FR
- 70285. *Pleurota* (s.str.) *indecorella* Rebel,1917** (Oecophoridae) Synonym(s): *indecorella* Rebel,1917 _ Range (in code): LB Bei
- 70286. *Pleurota* (s.str.) *insignella* Zerny,1935** (Oecophoridae) Synonym(s): *insignella* Zerny,1935 _ Range (in code): MA
- 70287. *Pleurota* (s.str.) *irakella* Amsel,1959** (Oecophoridae) Synonym(s): *irakella* Amsel,1959 _ Range (in code): IQ Hjo Ry Er
- 70288. *Pleurota* (s.str.) *issicella* Staudinger,1880** (Oecophoridae) Synonym(s): *issicella* Staudinger,1880 _ Original Reference: *Pleurota* *issicella* Staudinger,1879, Horae Soc. ent. ross. 15: 344-345. Syntypes 3♂: [Türkei]: Mersin (leg. & coll. Lederer). Range (in code): TR KG At RU
- 70289. *Pleurota* (s.str.) *kostjuki* Lvovsky,1990** (Oecophoridae) Synonym(s): *kostjuki* Lvovsky,1990 _ Range (in code): RU CN
- 70290. *Pleurota* (s.str.) *largella* (Lederer,1855)** (Oecophoridae) Synonym(s): *largella* Lederer,1855 _ Original Reference: *Anchinia* *largella* Lederer,1855, Verh. zool.-bot Ges. Wien 5: 230, Taf.5 fig.2. Syntypes 2♂: "Beirut". Range (in code): LB Bei
- 70291. *Pleurota* (s.str.) *lineata* Toll,1947** (Oecophoridae) Synonym(s): *lineata* Toll,1947 _ Original Reference: *Pleurota* *lineata* Toll,1947, Z. Wien. ent. Ges. 32: 114, Taf.4 fig.24. Type ♂: Iran: Kuh-i-Mirabi Gebirge (coll. Toll). Range (in code): IR Kh
- 70292. *Pleurota* (s.str.) *macrosella* Rebel,1900** (Oecophoridae) Synonym(s): *macrosella* Rebel,1900 _ Original Reference: *Pleurota* *macrosella* Rebel,1900, Dt. ent. Z., Iris 13: 167. Lectotype ♂: Algeria, Lambessa, designated by Back (1973: 198). Range (in code): DZ Lbs
- 70293. *Pleurota* (s.str.) *magna* H.Back,1973** (Oecophoridae) Synonym(s): *magna* H.Back,1973 _ Range (in code): LB?
- 70294. *Pleurota* (s.str.) *mauretanica* Bethune-Baker,1888** (Oecophoridae) Synonym(s): *mauretanica* Bethune-Baker,1888 _ Original Reference: *Pleurota* *mauretanica* Bethune-Baker,1888, Trans. ent. Soc. London 1888 (1): 120. Syntypes 1♂ 1♀: Algeria, Sebdou. Range (in code): DZ Sbd
- 70295. *Pleurota* (s.str.) *media* H.Back,1973** (Oecophoridae) Synonym(s): *media* H.Back,1973 _ Range (in code): IR Th Elb
- 70296. *Pleurota* (s.str.) *metricella* (Zeller,1847)** (Oecophoridae) Synonym(s): *metricella* Zeller,1847 _ Original Reference: *Anchinia* *metricella* Zeller,1847, Isis 1847: 34, 822. Lectotype ♂: [Griechenland]: Rhodos, designated by Back,1973: 205. Range (in code): FR IT? RO BG GR Rd TR Cc IR Elb Kdv Dam Mz Gor Srd Shh IL Pa Jt JO
- 70297. *Pleurota* (s.str.) *metricella montana* H.Back,1973** (Oecophoridae) Synonym(s): *montana* H.Back,1973 _ Range (in code): IR Elb Kdv Dam Mz Gor Srd Shh
- 70298. *Pleurota* (s.str.) *metricella submetricella* Stainton,1867** (Oecophoridae) Synonym(s): *submetricella* Stainton,1867 _ Range (in code): IL Pa Jt JO
- 70299. *Pleurota* (s.str.) *minimella* Rebel,1902** (Oecophoridae) Synonym(s): *minimella* Rebel,1902 _ Range (in code): TJ
- 70300. *Pleurota* (s.str.) *monotonia* Filipjev,1930** (Oecophoridae) Synonym(s): *monotonia* Filipjev,1930 _ Range (in code): RU Mnu
- 70301. *Pleurota* (s.str.) *montalbella* Zerny,1934** (Oecophoridae) Synonym(s): *montalbella* Zerny,1934 _ Original Reference: *Pleurota* *montalbella* Zerny,1934, Dt. ent. Z., Iris 48: 22-23, Taf.1 figs. 12,13. Syntypes: Libanon: Bscharre. Range (in code): LB Bsa
- 70302. *Pleurota* (s.str.) *neotes* Walsingham,1911** (Oecophoridae) Synonym(s): *neotes* Walsingham,1911 _ Range (in code): DZ
- 70303. *Pleurota* (s.str.) *neurograpta* Filipjev,1930** (Oecophoridae) Synonym(s): *neurograpta* Filipjev,1930 _ Range (in code): RU Sj

- 70304. *Pleurota* (s.str.) *nitens* Staudinger, 1871** (Oecophoridae) Synonym(s): *nitens* Staudinger, 1871 Original Reference: *Pleurota nitens* Staudinger, 1871, Horae Soc. ent. ross. 7: 260-261, pl.iii fig.12. Syntypes ♂♀: Griechenland. Range (in code): **DZ Bsk Hes Ktr YU GR IR Gls Kh** Bionomy: Larva on *Helianthemum sessiliflorum*, *Salvia aegyptiaca*, *Statice limonium* (Chrétien, 1917).
- 70305. *Pleurota* (s.str.) *nobilella* Rebel, 1900** (Oecophoridae) Synonym(s): *nobilella* Rebel, 1900 Original Reference: *Pleurota honorella* var. *nobilella* Rebel, 1900, Dt. ent. Z., Iris 13: 169. Syntypes 1♂ 1♀: Spanien: Murcia. Range (in code): **PT ES Mu**
- 70306. *Pleurota* (s.str.) *obtusella* Rebel, 1917** (Oecophoridae) Synonym(s): *obtusella* Rebel, 1917 Original Reference: *Pleurota obtusella* Rebel, 1917, Verh. zool.- bot. Ges. Wien 67: (53). Type ♂: [China: Uighur A.R.]: "Tuldja 84" [Kuldja] (NHMW). Range (in code): **CN Ui Ku**
- 70307. *Pleurota* (s.str.) *ochreostrigella* Baker, 1885** (Oecophoridae) Synonym(s): *ochreostrigella* Baker, 1885 Original Reference: *Pleurota ochreostrigella* Baker, 1885, Entomologist's mon. Mag. 21: 269. Syntypes: Algeria, Guelma. Range (in code): **DZ**
- 70308. *Pleurota* (s.str.) *oranella* Bethune-Baker, 1888** (Oecophoridae) Synonym(s): *oranella* Bethune-Baker, 1888 Original Reference: *Pleurota oranella* Bethune-Baker, 1888, Trans. ent. Soc. London 1888 (1): 120-121. Syntypes 10♂ 1♀: Algeria, Sebdou. Range (in code): **DZ Sbd**
- 70309. *Pleurota* (s.str.) *ordubadella* Lvovsky, 1992** (Oecophoridae) Synonym(s): *ordubadella* Lvovsky, 1992; #*ardubadella* Lvovsky, 1993 Range (in code): **Nv Cc Ord AZ**
- 70310. *Pleurota* (s.str.) *pentapolitella* Turati, 1924** (Oecophoridae) Synonym(s): *pentapolitella* Turati, 1924 Range (in code): **LY Cy**
- 70311. *Pleurota* (s.str.) *persica* H. Back, 1973** (Oecophoridae) Synonym(s): *persica* H. Back, 1973 Range (in code): **IR Ss**
- 70312. *Pleurota* (s.str.) *planella* (Staudinger, 1859)** (Oecophoridae) Synonym(s): *planella* Staudinger, 1859 Original Reference: *Anchinia planella* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 246. Syntypes: Spanien: "Bei Granada und Chiclana". Range (in code): **PT ES An FR Si IT YU AL BG GR**
- 70313. *Pleurota* (s.str.) *planella* (Staudinger, 1859)** (Oecophoridae) Synonym(s): *planella* Staudinger, 1859; *sublustrella* Mann, 1872 Original Reference: *Anchinia planella* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 246. Syntypes: Spain, "bei Granada und Chiclana". Range (in code): **ES GR An Grn TR**
- 70314. *Pleurota* (s.str.) *platyrrhoa* Meyrick, 1923** (Oecophoridae) Synonym(s): *platyrrhoa* Meyrick, 1923 Range (in code): **IL Pa Js**
- 70315. *Pleurota* (s.str.) *protasella* Staudinger, 1883** (Oecophoridae) Synonym(s): *protasella* Staudinger, 1883; *protosella* auct. Original Reference: *Pleurota protasella* Staudinger, 1883, Stettin ent. Ztg. 44: 184-185. Syntypes 4♂: Spanien, "Sierra de Alfacar bei Granada". Range (in code): **PT ES Grn An FR GR**
- 70316. *Pleurota* (s.str.) *proteella* Staudinger, 1880** (Oecophoridae) Synonym(s): *proteella* Staudinger, 1880; *malatya* H. Back, 1973; *atrostriata* Lvovsky, 1992 Original Reference: *Pleurota proteella* Staudinger, 1880, Horae Soc. ent. ross. 15: 340. Syntypes 4♂ 1♀: [Libanon]: Beirut (leg. & coll. Zach). Range (in code): **TR LB Bei Bsa FR IT CH AT HU CZ SK RO BG RU Sr At Cm Cc GG Tbl AM Eri KG Aa**
- 70317. *Pleurota* (s.str.) *pungitiella* Herrich-Schäffer, [1854]** (Oecophoridae) Synonym(s): *pungitiella* Herrich-Schäffer, [1854] Original Reference: *Pleurota pungitiella* Herrich-Schäffer, [1854], Syst. Bearb. Schmett. Eur. 5: 146. Type(s): Istrien: Monte Maggiore. Range (in code): **ES FR IT HU RO YU AL BG GR TR Cc RU MD UA BY**
- 70318. *Pleurota* (s.str.) *pyropella* ([Denis & Schiffermüller], 1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller], 1775 Original Reference: *Tinea pyropella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. Range (in code): **DZ PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc LB Bsa CY RU MD UA BY** Bionomy: Larva on *Salvia* (Mann, 1862).
- 70319. *Pleurota* (s.str.) *pyropella armenica* H. Back, 1973** (Oecophoridae) Synonym(s): *armenica* H. Back, 1973 Original Reference: *Pleurota pyropella* ssp. *armenica* H. Back, 1973, Unters. Syst. Zoogeogr. *Pleurota*: 56. Holotype ♂: Türkei, vic. Göle [Ardahan Prov.], leg. Achtelig & Naumann (SBS). Range (in code): **Cc TR**
- 70320. *Pleurota* (s.str.) *pyropella candia* H. Back, 1973** (Oecophoridae) Synonym(s): *candia* H. Back, 1973 Range (in code): **Cr**

- 70321. *Pleurota* (s.str.) *pyropella iberica* H.Back,1973** (Oecophoridae) Synonym(s): *iberica* H.Back,1973 _ Range (in code): **PT ES**
- 70322. *Pleurota* (s.str.) *pyropella idalia* Meyrick,1923** (Oecophoridae) Synonym(s): *idalia* Meyrick,1923 _ Range (in code): **CY**
- 70323. *Pleurota* (s.str.) *pyropella libanotica* H.Back,1973** (Oecophoridae) Synonym(s): *libanotica* H.Back,1973 _ Range (in code): **LB Bsa**
- 70324. *Pleurota* (s.str.) *pyropella pyropella* ([Denis & Schiffermüller],1775)** (Oecophoridae) Synonym(s): *pyropella* [Denis & Schiffermüller],1775 _ Original Reference: *Tinea pyropella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): [Austria]: Vienna district. Range (in code):
- 70325. *Pleurota* (s.str.) *pyropella semicanella* Constant,1884** (Oecophoridae) Synonym(s): *semicanella* Constant,1884 _ Range (in code): **Co Sa**
- 70326. *Pleurota* (s.str.) *pyropella siciliana* H.Back,1973** (Oecophoridae) Synonym(s): *siciliana* H.Back,1973 _ Range (in code): **Si**
- 70327. *Pleurota* (s.str.) *sefrainella* Chrétien,1915** (Oecophoridae) Synonym(s): *sefrainella* Chrétien,1915 _ Original Reference: *Pleurota sefrainella* Chrétien,1915, Anns Soc. ent. Fr. 84: 336-337. Type: [Algérie]: "Ain-Sefra (Oran), en avril". Range (in code): **DZ Sfr**
- 70328. *Pleurota* (s.str.) *semiticella* Amsel,1959** (Oecophoridae) Synonym(s): *semiticella* Amsel,1959 _ Range (in code): **JO EG EG11**
- 70329. *Pleurota* (s.str.) *simplex* Staudinger,1880** (Oecophoridae) Synonym(s): *simplex* Staudinger,1880 _ Original Reference: *Pleurota simplex* Staudinger,1879, Horae Soc. ent. ross. 15: 345-346. Syntypes 2♂ 1♀: Libanon: Beirut. Range (in code): **TR LB Bei**
- 70330. *Pleurota* (s.str.) *sobriella* (Staudinger,1859)** (Oecophoridae) Synonym(s): *sobriella* Staudinger,1859 _ Range (in code): **ES An**
- 70331. *Pleurota* (s.str.) *sparella* (Lederer,1855)** (Oecophoridae) Synonym(s): *sparella* Lederer,1855; *karmeliella* Amsel,1935 _ Range (in code): **LB Bei Bsa Bmm IL Hf Pa TR**
- 70332. *Pleurota* (s.str.) *staintoniella* Bethune-Baker,1888** (Oecophoridae) Synonym(s): *staintoniella* Bethune-Baker,1888 _ Original Reference: *Pleurota staintoniella* Bethune-Baker,1888, Trans. ent. Soc. London 1888 (1): 119-120. Syntypes 6♂ 2♀: Algeria, Sebdu. Range (in code): **DZ Sbd**
- 70333. *Pleurota* (s.str.) *subpyropella* Staudinger,1880** (Oecophoridae) Synonym(s): *subpyropella* Staudinger,1880 _ Original Reference: *Pleurota subpyropella* Staudinger,1880, Horae Soc. ent. ross. 15: 336-337. Syntypes 3♂: [Türkei]: Amasia. Range (in code): **Cc TR**
- 70334. *Pleurota* (s.str.) *syriaca* Staudinger,1880** (Oecophoridae) Synonym(s): *syriaca* Staudinger,1880 _ Original Reference: *Pleurota schlaegeriella* var. *syriaca* Staudinger,1879, Horae Soc. ent. ross. 15: 339. Syntypes 6♂ 2♀: [Libanon]: Beirut (leg. & coll. Lederer u. Zach). Range (in code): **Cc TR LB Bei**
- 70335. *Pleurota* (s.str.) *syrtium* Turati,1924** (Oecophoridae) Synonym(s): *syrtium* Turati,1924 _ Range (in code): **LY Cy**
- 70336. *Pleurota* (s.str.) *teligerella* (Staudinger,1859)** (Oecophoridae) Synonym(s): *teligerella* Staudinger,1859 _ Original Reference: *Anchinia teligerella* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 246. Syntypes ♂♀: Spanien, "Granada und Chiclana". Range (in code): **ES Grn An**
- 70337. *Pleurota* (s.str.) *terreella* Turati,1926** (Oecophoridae) Synonym(s): *terreella* Turati,1926 _ Range (in code): **LY Cy**
- 70338. *Pleurota* (s.str.) *tetrargyra* Meyrick,1928** (Oecophoridae) Synonym(s): *tetrargyra* Meyrick,1928 _ Range (in code): **IL Pa Js**
- 70339. *Pleurota* (s.str.) *tingitana* H.Back,1973** (Oecophoridae) Synonym(s): *tingitana* H.Back,1973 _ Range (in code): **MA**
- 70340. *Pleurota* (s.str.) *transcaucasica* Lvovskiy,1992** (Oecophoridae) Synonym(s): *transcaucasica* Lvovskiy,1992; #*transcausica* Lvovskiy,1993 _ Range (in code): **AZ Nv Ord Cc**
- 70341. *Pleurota* (s.str.) *trichomella* Turati,1926** (Oecophoridae) Synonym(s): *trichomella* Turati,1926; #*argentiferella* Turati,1926 _ Range (in code): **LY Cy**
- 70342. *Pleurota* (s.str.) *tristatella* Staudinger,1871** (Oecophoridae) Synonym(s): *tristatella* Staudinger,1871 _ Original Reference: *Pleurota tristatella* Staudinger,1871, Horae Soc ent. ross. 7: 262. Syntypes 2♂: Griechenland, Naxos (leg.Krüper). Range (in code): **TR GR Nx**
- 70343. *Pleurota* (s.str.) *tristictella* Seebold,1898** (Oecophoridae) Synonym(s): *tristictella* Seebold,1898 _ Range (in code): **TR**

- 70344. *Pleurota* (s.str.) *vittalba* Staudinger,1871** (Oecophoridae) Synonym(s): *vittalba* Staudinger,1871 Original Reference: *Pleurota vittalba* Staudinger,1871, Horae Soc. ent. ross. 7: 258-259, pl.iii fig.11. Syntypes ♂♂: Griechenland, Parnass. Range (in code): **MK AL GR**
- 70345. *Pleurota* (s.str.) *wiltshirei* Amsel,1949** (Oecophoridae) Synonym(s): *wiltshirei* Amsel,1949 Original Reference: *Pleurota wiltshirei* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 317, pl.ix fig.62. Syntypes: Iraq: Kerbela desert, Ahwaz. Range (in code): **IR Ahz IQ Mos Nw Kbl**
- 70346. *Pleurota* (s.str.) *wiltshirei* *ninua* H.Back,1973** (Oecophoridae) Synonym(s): *ninua* H.Back,1973 Range (in code): **IQ Mos Nw**
- 70347. *Pleurota* (s.str.) *wiltshirei* *wiltshirei* Amsel,1949** (Oecophoridae) Synonym(s): *wiltshirei* Amsel,1949 Original Reference: *Pleurota wiltshirei* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 317, pl.ix fig.62. Syntypes: Iraq: Kerbela desert, Ahwaz. Range (in code): **IR Ahz IQ Kbl**
- 70348. *Pleurota* (s.str.) *zhdankoi* Lvovsky,1992** (Oecophoridae) Synonym(s): *zhdankoi* Lvovsky,1992 Range (in code): **KK KuA**
- 70349. *Pleurota* sp.n. *Kemal* & *Koçak*,2015** (Oecophoridae) Synonym(s): **TR**
- 70350. *Porthmologa* *deltophanes* Meyrick,1918** (Oecophoridae) Synonym(s): *deltophanes* Meyrick,1918 Range (in code): **MZ Blv**
- 70351. *Promalactis* *amphicopa* Meyrick,1908** (Oecophoridae) Synonym(s): *amphicopa* Meyrick,1908 Original Reference: *Promalactis amphicopa* Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 808. Type: India: Assam. Range (in code): **IN Ass**
- 70352. *Promalactis* *balikpapan* Lvovsky,2000** (Oecophoridae) Synonym(s): *balikpapan* Lvovsky,2000 Range (in code): **ID Bor Klt**
- 70353. *Promalactis* *brevivalva* Lvovsky,2000** (Oecophoridae) Synonym(s): *brevivalva* Lvovsky,2000 Range (in code): **ID Sum**
- 70354. *Promalactis* *caniceps* Lvovsky,2000** (Oecophoridae) Synonym(s): *caniceps* Lvovsky,2000 Range (in code): **NP**
- 70355. *Promalactis* *clinometra* Meyrick,1908** (Oecophoridae) Synonym(s): *clinometra* Meyrick,1908 Original Reference: *Promalactis clinometra* Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 809. Type: [Sri Lanka]: Ceylon. Range (in code): **LK**
- 70356. *Promalactis* *diehli* Lvovsky,2000** (Oecophoridae) Synonym(s): *diehli* Lvovsky,2000 Range (in code): **ID Sum**
- 70357. *Promalactis* *dierli* Lvovsky,2000** (Oecophoridae) Synonym(s): *dierli* Lvovsky,2000 Range (in code): **NP**
- 70358. *Promalactis* *dolokella* Lvovsky,2000** (Oecophoridae) Synonym(s): *dolokella* Lvovsky,2000 Range (in code): **ID Sum**
- 70359. *Promalactis* *geometrica* Meyrick,1913** (Oecophoridae) Synonym(s): *geometrica* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 70360. *Promalactis* *hoenei* Lvovsky,2000** (Oecophoridae) Synonym(s): *hoenei* Lvovsky,2000 Range (in code): **CN Hun**
- 70361. *Promalactis* *irinae* Lvovsky,2000** (Oecophoridae) Synonym(s): *irinae* Lvovsky,2000 Range (in code): **ID Ja**
- 70362. *Promalactis* *jacobsoni* Lvovsky,2000** (Oecophoridae) Synonym(s): *jacobsoni* Lvovsky,2000 Range (in code): **ID Sum**
- 70363. *Promalactis* *javana* Lvovsky,2000** (Oecophoridae) Synonym(s): *javana* Lvovsky,2000 Range (in code): **ID Ja**
- 70364. *Promalactis* *jezonica* (Matsumura,1931)** (Oecophoridae) Synonym(s): *jezonica* Matsumura,1931 Range (in code): **JP**
- 70365. *Promalactis* *jongi* Lvovsky,2000** (Oecophoridae) Synonym(s): *jongi* Lvovsky,2000 Range (in code): **MY Bor ID Klt Sbh KBa**
- 70366. *Promalactis* *kalimantana* Lvovsky,2000** (Oecophoridae) Synonym(s): *kalimantana* Lvovsky,2000 Range (in code): **ID Bor Klt**
- 70367. *Promalactis* *lungtanella* Lvovsky,2000** (Oecophoridae) Synonym(s): *lungtanella* Lvovsky,2000 Range (in code): **CN**
- 70368. *Promalactis* *mentawirella* Lvovsky,2000** (Oecophoridae) Synonym(s): *mentawirella* Lvovsky,2000 Range (in code): **ID Bor Klt**
- 70369. *Promalactis* *merangirella* Lvovsky,2000** (Oecophoridae) Synonym(s): *merangirella* Lvovsky,2000 Range (in code): **ID Sum**

- 70370. Promalactis multimaculella Lvovsky,2000** (Oecophoridae) Synonym(s): *multimaculella Lvovsky,2000* _ Range (in code): **ID Ja**
- 70371. Promalactis nabokovi Lvovsky,2000** (Oecophoridae) Synonym(s): *nabokovi Lvovsky,2000* _ Range (in code): **ID Sum**
- 70372. Promalactis nataliae Lvovsky,2000** (Oecophoridae) Synonym(s): *nataliae Lvovsky,2000* _ Range (in code): **ID Sum**
- 70373. Promalactis naumanni Lvovsky,2000** (Oecophoridae) Synonym(s): *naumanni Lvovsky,2000* _ Range (in code): **ID Bor Klt**
- 70374. Promalactis palawanella Lvovsky,2000** (Oecophoridae) Synonym(s): *palawanella Lvovsky,2000* _ Range (in code): **PH Pal**
- 70375. Promalactis raptitalella Lvovsky,2000** (Oecophoridae) Synonym(s): *raptitalella Lvovsky,2000* _ Range (in code): **NP**
- 70376. Promalactis recurva Meyrick,1914** (Oecophoridae) Synonym(s): *recurva Meyrick,1914* _ Range (in code): **ZA Tva Gau Pre**
- 70377. Promalactis roesleri Lvovsky,2000** (Oecophoridae) Synonym(s): *roesleri Lvovsky,2000* _ Range (in code): **ID Sum**
- 70378. Promalactis scalmotoma Meyrick,1918** (Oecophoridae) Synonym(s): *scalmotoma Meyrick,1918* _ Range (in code): **ZA Nta Kzu Esw**
- 70379. Promalactis semantris (Meyrick,1906)** (Oecophoridae) Synonym(s): *semantris Meyrick,1906* _ Range (in code): **IN LK TW CN**
- 70380. Promalactis sp.:** (Oecophoridae) Synonym(s): _ Range (in code): **MY TH**
- 70381. Promalactis sphaerograptia Meyrick,1937** (Oecophoridae) Synonym(s): *sphaerograptia Meyrick,1937* _ Range (in code): **ZA**
- 70382. Promalactis spintheritis Meyrick,1908** (Oecophoridae) Synonym(s): *spintheritis Meyrick,1908* _ Range (in code): **IN Ass**
- 70383. Promalactis splendidella (Amsel,1935)** (Oecophoridae) Synonym(s): *splendidella Amsel,1935* _ Range (in code): **IL Pa TR CY**
- 70384. Promalactis sponsalis Meyrick,1920** (Oecophoridae) Synonym(s): *sponsalis Meyrick,1920* _ Range (in code): **IN**
- 70385. Promalactis submentawirella Lvovsky,2000** (Oecophoridae) Synonym(s): *submentawirella Lvovsky,2000* _ Range (in code): **ID Bor Klt**
- 70386. Promalactis sumatrana Lvovsky,2000** (Oecophoridae) Synonym(s): *sumatrana Lvovsky,2000* _ Range (in code): **ID Sum**
- 70387. Promalactis teleutopa Meyrick,1934** (Oecophoridae) Synonym(s): *teleutopa Meyrick,1934* _ Range (in code): **CN**
- 70388. Promalactis thiasitis Meyrick,1908** (Oecophoridae) Synonym(s): *thiasitis Meyrick,1908* _ Range (in code): **IN LK**
- 70389. Promalactis unistrianaella Lvovsky,2000** (Oecophoridae) Synonym(s): *unistrianaella Lvovsky,2000* _ Range (in code): **ID Sum**
- 70390. Promalactis venustella (Christoph,1882)** (Oecophoridae) Synonym(s): *venustella Christoph,1882* _ Range (in code): **RU Am IN SI DjI**
- 70391. Promalactis veridica Meyrick,1913** (Oecophoridae) Synonym(s): *veridica Meyrick,1913* _ Range (in code): **ZA Tva Gau Pre**
- 70392. Promalactis wegneri Lvovsky,2000** (Oecophoridae) Synonym(s): *wegneri Lvovsky,2000* _ Range (in code): **ID Ja**
- 70393. Protomacha conservata Meyrick,1918** (Oecophoridae) Synonym(s): *conservata Meyrick,1918* _ Range (in code): **ZA Ec Pel**
- 70394. Protomacha sosigona Meyrick,1920** (Oecophoridae) Synonym(s): *sosigona Meyrick,1920* _ Range (in code): **ZA**
- 70395. Pseudatemelia aeneella Rebel,1910** (Oecophoridae) Synonym(s): *aeneella Rebel,1910* _ Range (in code): **YU B-H**
- 70396. Pseudatemelia amparoella Vives Moreno,1986** (Oecophoridae) Synonym(s): *Pseudatemelia amparoella Vives Moreno,1986* _ Range (in code): **PT ES**
- 70397. Pseudatemelia colurnella (Mann,1867)** (Oecophoridae) Synonym(s): *colurnella Mann,1867* _ Range (in code): **IT CH**
- 70398. Pseudatemelia detrimentella (Staudinger,1859)** (Oecophoridae) Synonym(s): *detrimentella Staudinger,1859* _ Range (in code): **PT ES**

- 70399. *Pseudatemelia elsaе* Svensson, 1982** (Oecophoridae) **Synonym(s):** *elsaе* Svensson, 1982
Range (in code): **AT PL NO SE FI EE LV LT RU MD UA BY**
- 70400. *Pseudatemelia filiella* (Staudinger, 1859)** (Oecophoridae) **Synonym(s):** *filiella* Staudinger, 1859; *blidella* Chrétien, 1915
Original Reference: *Oecophora filiella* Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 247. Type: Spain, Granada. **Range (in code):** **ES An Grn DZ Blid**
- 70401. *Pseudatemelia flavifrontella* ([Denis & Schiffermüller], 1775)** (Oecophoridae)
Synonym(s): *flavifrontella* [Denis & Schiffermüller], 1775
Original Reference: *Tinea flavifrontella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 143. Type(s): [Austria]: Vienna district. **Range (in code):** **ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 70402. *Pseudatemelia fuscifrontella* (Constant, 1885)** (Oecophoridae) **Synonym(s):** *fuscifrontella* Constant, 1885
Range (in code): **Co Sa**
- 70403. *Pseudatemelia josephinae* (Toll, 1956)** (Oecophoridae) **Synonym(s):** *josephinae* Toll, 1956
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 70404. *Pseudatemelia langohri* Palm, 1990** (Oecophoridae) **Synonym(s):** *langohri* Palm, 1990
Range (in code): **FR**
- 70405. *Pseudatemelia latipennella* (Jäckh, 1959)** (Oecophoridae) **Synonym(s):** *latipennella* Jäckh, 1959
Range (in code): **FR BE NL LU DE AT CZ SK DK**
- 70406. *Pseudatemelia lavandulae* (Mann, 1855)** (Oecophoridae) **Synonym(s):** *lavandulae* Mann, 1855
Range (in code): **Co Sa**
- 70407. *Pseudatemelia pallidella* Jäckh, 1972** (Oecophoridae) **Synonym(s):** *pallidella* Jäckh, 1972
Range (in code): **IT**
- 70408. *Pseudatemelia sordida* (Staudinger, 1879)** (Oecophoridae) **Synonym(s):** *sordida* Staudinger, 1879
Original Reference: *Oecophora sordida* Staudinger, 1879, Horae Soc. ent. ross. 15: 350-351. Type ♂: [Türkei]: Amasia (Jenikeui-Hochebene). **Range (in code):** **TR**
- 70409. *Pseudatemelia subgilvida* (Walsingham, 1901)** (Oecophoridae) **Synonym(s):** *subgilvida* Walsingham, 1901
Range (in code): **Co**
- 70410. *Pseudatemelia subochreella* (Doubleday, 1859)** (Oecophoridae) **Synonym(s):** *subochreella* Doubleday, 1859
Range (in code): **ES FR Si IT GB BE NL DE CH AT CZ SK HU RO AL DK SE Cc GG AZ Da**
- 70411. *Pseudatemelia xanthosoma* (Rebel, 1900)** (Oecophoridae) **Synonym(s):** *xanthosoma* Rebel, 1900
Range (in code): **PT ES**
- 70412. *Rhoecoptera gigas* (Walsingham, 1891)** (Oecophoridae) **Synonym(s):** *gigas* Walsingham, 1891
Range (in code): **ZA**
- 70413. *Ripeacma chandratati* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *chandratati* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH CMa**
- 70414. *Ripeacma Chiangmaiensis* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae)
Synonym(s): *Chiangmaiensis* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH CMa Agk**
- 70415. *Ripeacma nangae* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) **Synonym(s):** *nangae* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH CMa Dst Int Agk Pki Hnd**
- 70416. *Ripeacma oini* Moriuti, Saito & Lewvanich, 1987** (Oecophoridae) **Synonym(s):** *oini* Moriuti, Saito & Lewvanich, 1987
Range (in code): **TH Pgg**
- 70417. *Ripeacma phaulkonae* Moriuti, Saito & Lewvanich, 1987** (Oecophoridae)
Synonym(s): *phaulkonae* Moriuti, Saito & Lewvanich, 1987
Range (in code): **TH Nna Kao CMa Dst**
- 70418. *Ripeacma ruae* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) **Synonym(s):** *ruae* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH**
- 70419. *Ripeacma tirawati* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) **Synonym(s):** *tirawati* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH Nna Kao CMa Pki Cbi**
- 70420. *Ripeacma yaiensis* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) **Synonym(s):** *yaiensis* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH Nna Kao Cbi Phu Rng**
- 70421. *Ripeacma yamadai* Moriuti, Saito & Lewvanich, 1985** (Oecophoridae) **Synonym(s):** *yamadai* Moriuti, Saito & Lewvanich, 1985
Range (in code): **TH Nna Kao CMa Dst Cbi**
- 70422. *Saropla dryozona* Meyrick, 1913** (Oecophoridae) **Synonym(s):** *dryozona* Meyrick, 1913
Range (in code): **ZA Tva Mpu Tst**
- 70423. *Schiffermuelleria helminthias* Meyrick, 1918** (Oecophoridae) **Synonym(s):** *helminthias* Meyrick, 1918
Range (in code): **ZA Nta Kzu Umk**

- 70424. *Schiffermuelleria irroratella* (Staudinger,1879)** (Oecophoridae) **Synonym(s):** *irroratella* Staudinger,1879 **Original Reference:** *Oecophora irroratella* Staudinger,1879, Horae Soc. ent. ross. 15: 351-352. Type ♂: [Türkei]: Amasia (Jenikeui-Hochebene). **Range (in code):** **TR**
- 70425. *Schiffermuelleria pedicata* Meyrick,1918** (Oecophoridae) **Synonym(s):** *pedicata* Meyrick,1918 **Range (in code):** **ZA Nta Kzu Mlm Dmm**
- 70426. *Schiffermuelleria schaefferella* (Linnaeus,1758)** (Oecophoridae) **Synonym(s):** *schaefferella* Linnaeus,1758; *hermannella* Fabricius,1781; *lucidula* Fourcroy,1785. **Range (in code):** **ES FR IT LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK LV RU MD UA BY**
- 70427. *Schiffermuellerina grandis* (Desvignes,1842)** (Oecophoridae) **Synonym(s):** *grandis* Desvignes,1842 **Range (in code):** **FR IT GB DE CH AT SK HU RO**
- 70428. *Scotodryas holocausta* Turner,1932** (Oecophoridae) **Synonym(s):** *holocausta* Turner,1932 **Range (in code):** **AU QAU**
- 70429. *Selidoris deligata* (Meyrick,1921)** (Oecophoridae) **Synonym(s):** *deligata* Meyrick,1921 **Range (in code):** **ZA Wca Cto**
- 70430. *Semioscopis avellanella* (Hübner,1793)** (Oecophoridae) **Synonym(s):** *avellanella* Hübner,1793 **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Betula (Betulaceae); Carpinus (Corylaceae); Tilia cordata (Tiliaceae) (Parenti,2000).
- 70431. *Semioscopis oculella* (Thunberg,1794)** (Oecophoridae) **Synonym(s):** ? *alienella* [Denis & Schiffermüller,1775; *oculella* Thunberg,1794; *anella* Hübner,1796 nec [Denis & Schiffer.],1775 **Range (in code):** **FR IT BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Betula (Betulaceae) (Parenti,2000).
- 70432. *Semioscopis orientella* (Rebel,1893)** (Oecophoridae) **Synonym(s):** *orientella* Rebel,1893 **Range (in code):** **AL GR**
- 70433. *Semioscopis osthelderi* Rebel,1935** (Oecophoridae) **Synonym(s):** *osthelderi* Rebel,1935 **Range (in code):** **TR**
- 70434. *Semioscopis steinkellneriana* ([Denis & Schiffermüller],1775)** (Oecophoridae) **Synonym(s):** *steinkellneriana* [Denis & Schiffermüller],1775; *steinkellneri* Haworth,1811; *steinkellnerella* Hübner,[1825]; *steinkellneriella* Guenée,1845 **Original Reference:** *Tortrix steinkellneriana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): [Austria]: Vienna district. **Range (in code):** **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Crataegus, Prunus spinosa, Sorbus (Rosaceae); Fraxinus (Oleaceae) (Parenti,2000).
- 70435. *Semioscopis strigulana* (Fabricius,1787)** (Oecophoridae) **Synonym(s):** *#strigulana* [Denis & Schiffermüller],1775; *strigulana* Fabricius,1787; *avellanella* Hübner,1793; *atomella* Thunberg,1794 nec [Denis & Schiffer.],1775; *consimilella* Hübner,[1825]; *strigulella* Herrich-Schäffer,1862 **Range (in code):** **IT DE CH AT PL CZ SK HU RO NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Populus tremula (Salicaceae) (Parenti,2000).
- 70436. *Tachystola acroxantha* (Meyrick,1885)** (Oecophoridae) **Synonym(s):** *acroxantha* Meyrick,1885 **Range (in code):** **GB**
- 70437. *Tanyzancla diorycta* Meyrick,1920** (Oecophoridae) **Synonym(s):** *diorycta* Meyrick,1920 **Range (in code):** **ZA Ec Wth**
- 70438. *Tanyzancla semistricta* Meyrick,1920** (Oecophoridae) **Synonym(s):** *semistricta* Meyrick,1920 **Range (in code):** **ZA Wca Cto**
- 70439. *Telechrysis tripuncta* (Haworth,[1828])** (Oecophoridae) **Synonym(s):** *tripuncta* Haworth,[1828]; *tripunctella* Stephens,1834; *scyllaella* Costa,[1836]; *tresignella* Zeller,1839; *trimaculella* Duponchel,[1840] **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV RU MD UA BY Cc**
- 70440. *Teratopsis Walsingham*,1881** (Oecophoridae) **Synonym(s):** *Teratopsis* Walsingham,1881 **Range (in code):** **ZA**
- 70441. *Teratopsis tunicella* Walsingham,1881** (Oecophoridae) **Synonym(s):** *tunicella* Walsingham,1881 **Range (in code):** **ZA**
- 70442. *Thamnocrana haemorrhhoa* Meyrick,1927** (Oecophoridae) **Synonym(s):** *haemorrhhoa* Meyrick,1927 **Range (in code):** **ZA**
- 70443. *Thyestarcha acrogypsa* Meyrick,1917** (Oecophoridae) **Synonym(s):** *acrogypsa* Meyrick,1917 **Range (in code):** **ZA**
- 70444. *Thyestarcha edax* Meyrick,1912** (Oecophoridae) **Synonym(s):** *edax* Meyrick,1912 **Range (in code):** **ZA**

- 70445. *Tonica argessa* Diakonoff,[1968]** (Oecophoridae) Synonym(s): *argessa* Diakonoff,[1968]
Range (in code): **PH Luz**
- 70446. *Tonica barrowi* Bingham,1907** (Oecophoridae) Synonym(s): *barrowi* Bingham,1907
Range (in code): **MM IN Adm TH MY** Bionomy: Larva probably on *Bombax ceiba* (kapok) (Bombacaceae) (Robinson et al.,1994).
- 70447. *Tonica terasella* Walker,1864** (Oecophoridae) Synonym(s): *terasella* Walker,1864
Original Reference: *Tonica terasella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 29: 788. Range (in code): **IN MY Bor TH**
- 70448. *Tubuliferola synchrozella* Jäckh,1959** (Oecophoridae) Synonym(s): *synchrozella* Jäckh,1959 _ Range (in code): **CH IT FR DE AT**
- 70449. *Urodeta hibernella* (Staudinger,1859)** (Oecophoridae) Synonym(s): *hibernella* Staudinger,1859; *cisticolella* Stainton,1869 _ Range (in code): **ES PT FR MA TN** Bionomy: Larva on *Cistus monspeliensis* (Cistaceae) (Stainton,1869).
- 70450. *Xenophanta ecliptis* Meyrick,1914** (Oecophoridae) Synonym(s): *ecliptis* Meyrick,1914
Range (in code): **ZA**
- 70451. *Eosopostega armigera* Puplesis & G.S.Robinson,1999** (Opotegidae) Synonym(s): *armigera* Puplesis & G.S.Robinson,1999 _ Range (in code): **ID Mlc Ob**
- 70452. *Opotega afghani* Davis,1989** (Opotegidae) Synonym(s): *afghani* Davis,1989 _ Range (in code): **AF Kab**
- 70453. *Opotega amphimitra* Meyrick,1913** (Opotegidae) Synonym(s): *amphimitra* Meyrick,1913 _ Range (in code): **ZA Tva Mpu Brb**
- 70454. *Opotega chalcophylla* Meyrick,1910** (Opotegidae) Synonym(s): *chalcophylla* Meyrick,1910 _ Range (in code): **IN Meg Ass NP SI Khs**
- 70455. *Opotega cirrhacma* Meyrick,1911** (Opotegidae) Synonym(s): *cirrhacma* Meyrick,1911
Range (in code): **ZA Tva Wo**
- 70456. *Opotega cretatella* Chrétien,1915** (Opotegidae) Synonym(s): *cretatella* Chrétien,1915
Original Reference: *Opotega cretatella* Chrétien,1915, Annls Soc. ent. Fr. 84: 364. Type: [Algérie]: "Biskra, en avril". Range (in code): **DZ Bsk**
- 70457. *Opotega diplardis* Meyrick,1921** (Opotegidae) Synonym(s): *diplardis* Meyrick,1921
Range (in code): **ZA**
- 70458. *Opotega granifera* Meyrick,1913** (Opotegidae) Synonym(s): *granifera* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 70459. *Opotega idiocoma* Meyrick,1918** (Opotegidae) Synonym(s): *idiocoma* Meyrick,1918
Range (in code): **ZA Nta Kzu Umk**
- 70460. *Opotega melitardis* Meyrick,1918** (Opotegidae) Synonym(s): *melitardis* Meyrick,1918
Range (in code): **ZA Nta Kzu Umk**
- 70461. *Opotega orophoxantha* Meyrick,1921** (Opotegidae) Synonym(s): *orophoxantha* Meyrick,1921 _ Range (in code): **ZW Uma**
- 70462. *Opotega pelocrossa* Meyrick,1928** (Opotegidae) Synonym(s): *pelocrossa* Meyrick,1928
Range (in code): **ZA**
- 70463. *Opotega phaeosoma* Meyrick,1928** (Opotegidae) Synonym(s): *phaeosoma* Meyrick,1928
Range (in code): **ZA**
- 70464. *Opotega praefusca* Meyrick,1913** (Opotegidae) Synonym(s): *praefusca* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 70465. *Opotega radiosa* Meyrick,1913** (Opotegidae) Synonym(s): *radiosa* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Tst**
- 70466. *Opotega salaciella* (Treitschke,1833)** (Opotegidae) Synonym(s): *salaciella* Treitschke,1833; *reliquella* Zeller,1848 _ Range (in code): **ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Chu MD UA BY**
- 70467. *Opotega spatulella* Herrich-Schäffer,[1855]** (Opotegidae) Synonym(s): *spatulella* Herrich-Schäffer,[1855]; *nepticulella* Bruand,1859; *bimaculatella* Rothschild,1912; *costantiniella* Costantini,1923; *angulata* Gerasimov,1930; *heringiella* Mariani,1937 _ Range (in code): **PT ES FR Co Sa Si IT GB AT SK HU RO YU BG GR TR Cc RU MD UA BY** Bionomy: Larva on *Salix* and barkmines (Salicaceae) (Puplesis & Diskus,2003).
- 70468. *Opotega symbolica* Meyrick,1914** (Opotegidae) Synonym(s): *symbolica* Meyrick,1914
Range (in code): **ZA Nta Kzu Srn**
- 70469. *Opotega tincta* Meyrick,1918** (Opotegidae) Synonym(s): *tincta* Meyrick,1918 _ Range (in code): **ZA Nta Kzu Umk**

- 70470. Opostegidae sp.:** (Opostegidae) Synonym(s): Range (in code): TH
- 70471. Opostegoides argentsoma Puplesis & G.S.Robinson,1999** (Opostegidae)
Synonym(s): *argentsoma Puplesis & G.S.Robinson,1999* Range (in code): ID Bor Klt
- 70472. Opostegoides auriptera Puplesis & G.S.Robinson,1999** (Opostegidae) Synonym(s):
auriptera Puplesis & G.S.Robinson,1999 Range (in code): TH Kao Nna
- 70473. Opostegoides cameroni Puplesis & G.S.Robinson,1999** (Opostegidae) Synonym(s):
cameroni Puplesis & G.S.Robinson,1999 Range (in code): MY Cmh
- 70474. Opostegoides epistolaris (Meyrick,1911)** (Opostegidae) Synonym(s): *epistolaris Meyrick,1911* Range (in code): IN NI
- 70475. Opostegoides flavimacula Puplesis & G.S.Robinson,1999** (Opostegidae)
Synonym(s): *flavimacula Puplesis & G.S.Robinson,1999* Range (in code): MY Cmh
- 70476. Opostegoides gorgonea Puplesis & G.S.Robinson,1999** (Opostegidae) Synonym(s):
gorgonea Puplesis & G.S.Robinson,1999 Range (in code): MY Cmh
- 70477. Opostegoides index (Meyrick,1922)** (Opostegidae) Synonym(s): *index Meyrick,1922*
Range (in code): IN Ass
- 70478. Opostegoides longipedicella Puplesis & G.S.Robinson,1999** (Opostegidae)
Synonym(s): *longipedicella Puplesis & G.S.Robinson,1999* Range (in code): IN Ass
- 70479. Opostegoides malaysiensis Davis,1989** (Opostegidae) Synonym(s): *malaysiensis Davis,1989* Range (in code): MY Cmh
- 70480. Opostegoides menthinella (Mann,1855)** (Opostegidae) Synonym(s): *menthinella Mann,1855; snelleni Nolcken,1882* Range (in code): ES FR Co Sa GR
- 70481. Opostegoides nephelozona (Meyrick,1915)** (Opostegidae) Synonym(s): *nephelozona Meyrick,1915* Range (in code): LK
- 70482. Opostegoides pelorrhoea (Meyrick,1915)** (Opostegidae) Synonym(s): *pelorrhoea Meyrick,1915* Range (in code): IN Ass NP
- 70483. Opostegoides sp.** (Opostegidae) Synonym(s): Range (in code): Bor BN
- 70484. Opostegoides sp.** (Opostegidae) Synonym(s): Range (in code): IN
- 70485. Opostegoides sp.** (Opostegidae) Synonym(s): Range (in code): IN Bba
- 70486. Opostegoides sp.** (Opostegidae) Synonym(s): Range (in code): IN NI
- 70487. Opostegoides sp.** (Opostegidae) Synonym(s): Range (in code): NP
- 70488. Opostegoides spinifera Puplesis & G.S.Robinson,1999** (Opostegidae) Synonym(s):
spinifera Puplesis & G.S.Robinson,1999 Range (in code): ID Clb
- 70489. Opostegoides tetraea (Meyrick,1907)** (Opostegidae) Synonym(s): *tetraea Meyrick,1907*
Range (in code): LK
- 70490. Opostegoides thailandica Puplesis & G.S.Robinson,1999** (Opostegidae)
Synonym(s): *thailandica Puplesis & G.S.Robinson,1999* Range (in code): TH Loc
- 70491. Opostegoides uvida (Meyrick,1915)** (Opostegidae) Synonym(s): *uvida Meyrick,1915*
Range (in code): LK
- 70492. Pseudopostega alleni Puplesis & G.S.Robinson,1999** (Opostegidae) Synonym(s):
alleni Puplesis & G.S.Robinson,1999 Range (in code): TH Utt
- 70493. Pseudopostega amphivittata Puplesis & G.S.Robinson,1999** (Opostegidae)
Synonym(s): *amphivittata Puplesis & G.S.Robinson,1999* Range (in code): ID Clb
- 70494. Pseudopostega auritella (Hübner,[1813])** (Opostegidae) Synonym(s): *auritella Hübner,[1813]* Range (in code): FR GB BE NL DE AT PL CZ SK HU RO TR DK SE FI LV LT RU MD UA BY
- 70495. Pseudopostega bellicosa (Meyrick,1911)** (Opostegidae) Synonym(s): *bellicosa Meyrick,1911* Range (in code): ZA Tva Gau Pre
- 70496. Pseudopostega chalcopepla (Walsingham,1908)** (Opostegidae) Synonym(s):
chalcopepla Walsingham,1908 Range (in code): MA TN PT ES FR Bionomy: Larva on ?Rosmarinus (Nieukerken et al.,2004).
- 70497. Pseudopostega clastozona (Meyrick,1913)** (Opostegidae) Synonym(s): *clastozona Meyrick,1913; #clastozoma Davis,1989.* Range (in code): ZA Tva Mpu Brb
- 70498. Pseudopostega crepusculella (Zeller,1839)** (Opostegidae) Synonym(s): *crepusculella Zeller,1839; lvovskyi Kozlov,1985* Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR MK TR IL Cc GG DK NO SE FI EE LV LT RU Chu MD UA BY
- 70499. Pseudopostega epactaea (Meyrick,1907)** (Opostegidae) Synonym(s): *epactaea Meyrick,1907* Range (in code): LK IN NI TW ID Ja

- 70500. *Pseudopostega euryntis* (Meyrick,1907)** (Opostegidae) **Synonym(s):** *euryntis* Meyrick,1907 **Range (in code):** **IN NI**
- 70501. *Pseudopostega frigida* (Meyrick,1906)** (Opostegidae) **Synonym(s):** *frigida* Meyrick,1906 **Range (in code):** **LK NP TH CMa ID Sba**
- 70502. *Pseudopostega fungina* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *fungina* Puplesis & G.S.Robinson,1999 **Range (in code):** **IN Pus**
- 70503. *Pseudopostega indonesica* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *indonesica* Puplesis & G.S.Robinson,1999 **Range (in code):** **ID Clb Sba**
- 70504. *Pseudopostega javae* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *javae* Puplesis & G.S.Robinson,1999 **Range (in code):** **ID Ja**
- 70505. *Pseudopostega machaerias* (Meyrick,1907)** (Opostegidae) **Synonym(s):** *machaerias* Meyrick,1907 **Range (in code):** **LK TH Knc**
- 70506. *Pseudopostega myxodes* (Meyrick,1916)** (Opostegidae) **Synonym(s):** *myxodes* Meyrick,1916 **Range (in code):** **IN ID Tim Sba** **Bionomy:** Larva on *Cordia myxa* (Boraginaceae) (Puplesis & Robinson,1999).
- 70507. *Pseudopostega nepalensis* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *nepalensis* Puplesis & G.S.Robinson,1999 **Range (in code):** **NP**
- 70508. *Pseudopostega nigrimaculella* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *nigrimaculella* Puplesis & G.S.Robinson,1999 **Range (in code):** **TH Loe**
- 70509. *Pseudopostega parvilineata* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *parvilineata* Puplesis & G.S.Robinson,1999 **Range (in code):** **ID Clb**
- 70510. *Pseudopostega saturella* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *saturella* Puplesis & G.S.Robinson,1999 **Range (in code):** **ID Flo Ja Sba TH Nna Kao**
- 70511. *Pseudopostega similantis* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *similantis* Puplesis & G.S.Robinson,1999 **Range (in code):** **TW ID Sba**
- 70512. *Pseudopostega* sp.** (Opostegidae) **Synonym(s):** **Range (in code):** **NP**
- 70513. *Pseudopostega* sp.** (Opostegidae) **Synonym(s):** **Range (in code):** **PH Taw**
- 70514. *Pseudopostega spilodes* (Meyrick,1915)** (Opostegidae) **Synonym(s):** *spilodes* Meyrick,1915 **Range (in code):** **IN NI**
- 70515. *Pseudopostega strigulata* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *strigulata* Puplesis & G.S.Robinson,1999 **Range (in code):** **IN Ass**
- 70516. *Pseudopostega subviolacea* (Meyrick,1920)** (Opostegidae) **Synonym(s):** *subviolacea* Meyrick,1920 **Range (in code):** **IN Guj**
- 70517. *Pseudopostega sumbae* Puplesis & G.S.Robinson,1999** (Opostegidae) **Synonym(s):** *sumbae* Puplesis & G.S.Robinson,1999 **Range (in code):** **ID Sba**
- 70518. *Pseudopostega velifera* (Meyrick,1920)** (Opostegidae) **Synonym(s):** *velifera* Meyrick,1920 **Range (in code):** **IN Bba**
- 70519. *Pseudopostega zelopa* (Meyrick,1905)** (Opostegidae) **Synonym(s):** *zelopa* Meyrick,1905 **Range (in code):** **LK IN Meg Ass Khs NP TH Utt ID Tim Sba**
- 70520. *Ogygiodes caliginosa* Issiki & Stringer,1932** (Palaeosetidae) **Synonym(s):** *caliginosa* Issiki & Stringer,1932 **Range (in code):** **TW**
- 70521. *Ogygiodes eurata* Issiki & Stringer,1932** (Palaeosetidae) **Synonym(s):** *eurata* Issiki & Stringer,1932 **Range (in code):** **TW**
- 70522. *Ogygiodes issikii* Davis,1995** (Palaeosetidae) **Synonym(s):** *issikii* Davis,1995 **Range (in code):** **TW**
- 70523. *Ogygiodes luangensis* Kristensen,1995** (Palaeosetidae) **Synonym(s):** *luangensis* Kristensen,1995 **Range (in code):** **TH**
- 70524. *Colias euxanthe* C.Felder & R.Felder,1865** (Pieridae) **Synonym(s):** *euxanthe* C.Felder & R.Felder,1865; *hermina* Butler,1871 **Range (in code):** **PE Lma**
- 70525. *Colias euxanthe euxanthe* C.Felder & R.Felder,1865** (Pieridae) **Synonym(s):** *euxanthe* C.Felder & R.Felder,1865; *hermina* Butler,1871 **Range (in code):** **PE Lma**
- 70526. *Colias euxanthe stuebeli* Reissinger,1972** (Pieridae) **Synonym(s):** *stuebeli* Reissinger,1972 **Original Reference:** *Colias euxanthe* ssp. *stuebeli* Reissinger,1972, *Atalanta* 4(1) (B): 60-62, figs. Holotype ♂: Peru: Cutervo, 2700m 2.x.1970 (coll. Reissinger). **Range (in code):** **PE**
- 70527. *Piercolias coropunae* (Dyar,1913)** (Pieridae) **Synonym(s):** *coropunae* Dyar,1913 **Range (in code):** **PE**

- 70528. Piercolias forsteri Field & Herrera,1977** (Pieridae) Synonym(s): *forsteri* Field & Herrera,1977 _ Range (in code): BO
- 70529. Piercolias huanaco (Staudinger,1894)** (Pieridae) Synonym(s): *huanaco* Staudinger,1894
Original Reference: Trifurcula huanaco Staudinger,1894, Dt. ent. Z., Iris 7(1): 43, 56-59, Taf.1
figs.7,16,18. Lectotype ♂: Bolivia: Prov. Ayopayo, Huallatani near Cocapata, designated by Field
& Herrera,1977 (MKHUB). Range (in code): BO
- 70530. Prodidactis mystica (Meyrick,1918)** (Prodidactidae) Synonym(s): *mystica* Meyrick,1918
Range (in code): ZA Ntz Kzu Dbn Tra Tva Lpo Mpu Brn Spb Gau Pre Wo Mal Grk
- 70531. Incurvaria koerneriella (Zeller,1839)** (Prodoxidae) Synonym(s): *koerneriella* Zeller,1839;
albicostella Duponchel,[1845] Original Reference: Tinea koerneriella Zeller,1839, Isis 1839: 183.
Syntypes: Wien. Range (in code): FR IT BE NL LU DE CH AT PL CZ SK HU YU TR DK SE RU MD UA BY
- 70532. Lampronia aeneella (Heinemann,1870)** (Prodoxidae) Synonym(s): *aeneella*
Heinemann,1870 _ Range (in code): AT RU Chu MD UA BY
- 70533. Lampronia aeripennella (Rebel,1889)** (Prodoxidae) Synonym(s): *aeripennella*
Rebel,1889 _ Range (in code): FR IT AT SE FI
- 70534. Lampronia altaica Zagulyaev,1992** (Prodoxidae) Synonym(s): *altaica* Zagulyaev,1992
Range (in code): RU At
- 70535. Lampronia argillella (Zeller,1851)** (Prodoxidae) Synonym(s): *argillella* Zeller,1851
Original Reference: Incurvaria argillella Zeller,1851, Linn. Ent. 5: 311. Syntypes: [Osterreich]:
Wien. Range (in code): AT SK RU MD UA BY
- 70536. Lampronia capitella (Clerck,1759)** (Prodoxidae) Synonym(s): *capitella* Clerck,1759
Range (in code): FR GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE LV LT RU Chu
- 70537. Lampronia corticella (Linnaeus,1758)** (Prodoxidae) Synonym(s): *corticella*
Linnaeus,1758; *rubicella* Bjerkander,1781. _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV
- 70538. Lampronia flavimitrella (Hübner,[1817])** (Prodoxidae) Synonym(s): *flavimitrella*
Hübner,[1817] _ Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Chu MD UA BY
- 70539. Lampronia fuscataella (Tengström,1848)** (Prodoxidae) Synonym(s): *fuscataella*
Tengström,1848 _ Range (in code): ES FR GB BE NL DE AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY
- 70540. Lampronia intermediella (Heinemann,1870)** (Prodoxidae) Synonym(s): *intermediella*
Heinemann,1870 _ Range (in code): DE AT SK RO
- 70541. Lampronia luzella (Hübner,[1817])** (Prodoxidae) Synonym(s): *luzella* Hübner,[1817]
Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI LV LT RU MD UA BY
- 70542. Lampronia morosa Zeller,1852** (Prodoxidae) Synonym(s): *morosa* Zeller,1852 _ Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE RU MD UA BY
- 70543. Lampronia novempunctata Nielsen,1982** (Prodoxidae) Synonym(s): *novempunctata*
Nielsen,1982 _ Range (in code): NP
- 70544. Lampronia provectella (Heyden,1865)** (Prodoxidae) Synonym(s): *provectella*
Heyden,1865 _ Range (in code): FR IT DE CH AT PL CZ SK YU RU MD UA BY
- 70545. Lampronia psychidella (Millière,1854)** (Prodoxidae) Synonym(s): *psychidella*
Millière,1854 _ Range (in code): FR
- 70546. Lampronia pubicornis (Haworth,1828)** (Prodoxidae) Synonym(s): *pubicornis*
Haworth,1828 _ Range (in code): ES FR Si IE GB DE AT SK HU RO
- 70547. Lampronia quinquepunctata Nielsen,1982** (Prodoxidae) Synonym(s): *quinquepunctata*
Nielsen,1982 _ Range (in code): NP
- 70548. Lampronia redimitella (Lienig & Zeller,1846)** (Prodoxidae) Synonym(s): *redimitella*
Lienig & Zeller,1846 _ Range (in code): DE PL CZ SE FI EE LV LT RU MD UA BY
- 70549. Lampronia rupella ([Denis & Schiffermüller],1775)** (Prodoxidae) Synonym(s):
rupella [Denis & Schiffermüller],1775 Original Reference: Tinea rupella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]:
Vienna district. Range (in code): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT
- 70550. Lampronia splendidella (Heinemann,1870)** (Prodoxidae) Synonym(s): *splendidella*
Heinemann,1870 _ Range (in code): DE CH AT PL SK RO RU MD UA BY

- 70551. *Lampronia standfussiella* Zeller, 1852** (Prodoxidae) Synonym(s): *standfussiella* Zeller, 1852 _ Range (in code): FR IT DE CH AT PL SK FI RU MD UA BY
- 70552. *Lampronia stangei* Rebel, 1903** (Prodoxidae) Synonym(s): *stangei* Rebel, 1903 _ Range (in code): IT
- 70553. *Vespina slovaciella* Zagulyaev & Tokár, 1990** (Prodoxidae) Synonym(s): *slovaciella* Zagulyaev & Tokár, 1990 _ Range (in code): SK
- 70554. *Prototheora biserrata* Davis, 1996** (Prototheoridae) Synonym(s): *biserrata* Davis, 1996 _ Range (in code): ZA
- 70555. *Prototheora cooperi* Janse, 1942** (Prototheoridae) Synonym(s): *cooperi* Janse, 1942 _ Range (in code): ZA
- 70556. *Prototheora corvifera* (Meyrick, 1920)** (Prototheoridae) Synonym(s): *corvifera* Meyrick, 1920 _ Range (in code): ZA
- 70557. *Prototheora drackensbergae* Davis, 1996** (Prototheoridae) Synonym(s): *drackensbergae* Davis, 1996 _ Range (in code): ZA
- 70558. *Prototheora geniculata* Davis, 1996** (Prototheoridae) Synonym(s): *geniculata* Davis, 1996 _ Range (in code): ZA
- 70559. *Prototheora merga* Davis, 1996** (Prototheoridae) Synonym(s): *merga* Davis, 1996 _ Range (in code): ZA
- 70560. *Prototheora monoglossa* Meyrick, 1924** (Prototheoridae) Synonym(s): *monoglossa* Meyrick, 1924 _ Range (in code): ZA
- 70561. *Prototheora parachlora* (Meyrick, 1919)** (Prototheoridae) Synonym(s): *parachlora* Meyrick, 1919 _ Range (in code): ZA
- 70562. *Prototheora petrosema* Meyrick, 1917** (Prototheoridae) Synonym(s): *petrosema* Meyrick, 1917 _ Original Reference: Prototheora petrosema Meyrick, 1917, Ann. Transv. Mus. 17: 19. Range (in code): ZA Wca
- 70563. *Prototheora quadricornis* Meyrick, 1920** (Prototheoridae) Synonym(s): *quadricornis* Meyrick, 1920 _ Range (in code): ZA
- 70564. *Prototheora serruligera* Meyrick, 1920** (Prototheoridae) Synonym(s): *serruligera* Meyrick, 1920 _ Range (in code): ZA
- 70565. *Acanthoecia larminati* (Heylaerts, 1904)** (Psychidae) Synonym(s): *larminati* Heylaerts, 1904; #*laminati* Robinson et al., 1994 _ Range (in code): IN MM TH VN ID Sum Bionomy: Larva on *Camellia sinensis* (Theaceae) (Robinson et al., 1994).
- 70566. *Acanthopsyche atra* (Linnaeus, 1767)** (Psychidae) Synonym(s): *atra* Linnaeus, 1767; *stigmatella* Zetterstedt, 1839; *opacella* Herrich-Schäffer, 1846. _ Range (in code): ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO TR GG Smt Akh Cc AM DK NO SE FI EE LV LT RU Pt VI At Sb To Mo Ur Sj UA KG
- 70567. *Acanthopsyche bipars* (Walker, 1865)** (Psychidae) Synonym(s): *bipars* Walker, 1865 _ Range (in code): IN Bba ID Sum
- 70568. *Acanthopsyche bipars weyersi* (Heylaerts, 1885)** (Psychidae) Synonym(s): *weyersi* Heylaerts, 1885 _ Original Reference: Kophene weyersi Heylaerts, 1885, Bull. Soc. ent. Belg. 1885: 169. Type: [Indonesia]: Sumatra. Range (in code): ID Sum
- 70569. *Acanthopsyche cabrerai* (Rebel, 1894)** (Psychidae) Synonym(s): *cabrerai* Rebel, 1894 _ Range (in code): Cn
- 70570. *Acanthopsyche cabrerai palmensis* Van Regteren Altena, 1949** (Psychidae) Synonym(s): *palmensis* Van Regteren Altena, 1949 _ Range (in code): Cn
- 70571. *Acanthopsyche desertella* Kozhantshikov, 1956** (Psychidae) Synonym(s): *desertella* Kozhantshikov, 1956 _ Range (in code): TJ
- 70572. *Acanthopsyche ecksteini* (Lederer, 1855)** (Psychidae) Synonym(s): *ecksteini* Lederer, 1855; *erksteiniella* Bruand, 1858. _ Range (in code): IT CZ SK HU RO BG RU Cc GG Tbl TM
- 70573. *Acanthopsyche hampsoni* (Bethune-Baker, 1894)** (Psychidae) Synonym(s): *hampsoni* Bethune-Baker, 1894 _ Range (in code): EG
- 70574. *Acanthopsyche incana* Kozhantshikov, 1956** (Psychidae) Synonym(s): *incana* Kozhantshikov, 1956 _ Range (in code): RU Ur
- 70575. *Acanthopsyche meridionalis* C.G. Krüger, 1939** (Psychidae) Synonym(s): *meridionalis* C.G. Krüger, 1939 _ Range (in code): LY
- 70576. *Acanthopsyche minima* Hampson, 1900** (Psychidae) Synonym(s): *minima* Hampson, 1900 _ Original Reference: Acanthopsyche minima Hampson, 1900, J. Bombay nat. Hist. Soc. 13: 226. Type: [Sri Lanka]: Ceylon. Range (in code): LK TH

- 70577. *Acanthopsyche muralis* Hättenschwiler, 2004** (Psychidae) **Synonym(s):** *muralis* Hättenschwiler, 2004 **Range (in code):** **CN**
- 70578. *Acanthopsyche siederi* Szöcs, 1961** (Psychidae) **Synonym(s):** *siederi* Szöcs, 1961 **Range (in code):** **HU**
- 70579. *Acanthopsyche uralensis* (Freyer, 1852)** (Psychidae) **Synonym(s):** *uralensis* Freyer, 1852 **Range (in code):** **GR BG RU Ur Or VI**
- 70580. *Acanthopsyche uralensis demissa* (Lederer, 1863)** (Psychidae) **Synonym(s):** *demissa* Lederer, 1863 **Range (in code):** **BG**
- 70581. *Acanthopsyche zelleri* (Mann, 1855)** (Psychidae) **Synonym(s):** *zelleri* Mann, 1855 **Original Reference:** *Psyche zelleri* Mann, 1855, *Verh. zool.- bot. Ges. Wien* 5: 756, Taf. 2 fig. 1-8. **Range (in code):** **ES IT RO HV AL**
- 70582. *Acanthopsyche zernyi* Bourgogne, 1954** (Psychidae) **Synonym(s):** *zernyi* Bourgogne, 1954 **Range (in code):** **TZ**
- 70583. *Acentra subvestalis* (Wehrli, 1933)** (Psychidae) **Synonym(s):** *subvestalis* Wehrli, 1933 **Range (in code):** **AT CZ SK RU MD UA BY**
- 70584. *Acentra vestalis* (Staudinger, 1871)** (Psychidae) **Synonym(s):** *vestalis* Staudinger, 1871 **Range (in code):** **FR HU RO RU MD UA BY**
- 70585. *Amatissa albitarsia* Hampson, 1910** (Psychidae) **Synonym(s):** *albitarsia* Hampson, 1910 **Range (in code):**
- 70586. *Amicta caliginosa* C.G. Krüger, 1939** (Psychidae) **Synonym(s):** *caliginosa* C.G. Krüger, 1939 **Range (in code):**
- 70587. *Amicta mauretanica* Rothschild, 1913** (Psychidae) **Synonym(s):** *mauretanica* Rothschild, 1913 **Original Reference:** *Amicta murina* ssp. *mauretanica* Rothschild, 1913, *Novit. zool.* 20: 133-134. **Syntypes:** Algeria, El-Arich, betw. Ghardaia and Tougourt; Bou-Saada. **Range (in code):** **MA DZ BSa Ear Gha Tou** **Bionomy:** Larva on *Retama ractam* (Rothschild, 1913).
- 70588. *Amicta mauretanica mauretanica* Rothschild, 1913** (Psychidae) **Synonym(s):** *mauretanica* Rothschild, 1913 **Original Reference:** *Amicta murina* ssp. *mauretanica* Rothschild, 1913, *Novit. zool.* 20: 133-134. **Syntypes:** Algeria, El-Arich, betw. Ghardaia and Tougourt; Bou-Saada. **Range (in code):** **MA DZ BSa Ear Gha Tou**
- 70589. *Amicta murina* (Klug, 1832)** (Psychidae) **Synonym(s):** *murina* Klug, 1832 **Range (in code):** **IL Pa EG AE IQ**
- 70590. *Amicta murina falkneri* Koçak, 1980** (Psychidae) **Synonym(s):** *albescens* Staudinger, 1900 *nec* Obth., 1883; *falkneri* Koçak, 1980 **Range (in code):** **IQ**
- 70591. *Amicta murina murina* (Klug, 1832)** (Psychidae) **Synonym(s):** *murina* Klug, 1832 **Range (in code):** **IL Pa EG AE**
- 70592. *Amicta quadrangularis* (Christoph, 1873)** (Psychidae) **Synonym(s):** *quadrangularis* Christoph, 1873; *nigrescens* Staudinger, 1899 **Range (in code):** **TM IR Elb Cc AM AZ Kir TR SY EG SA YE Sk MA** **Bionomy:** Larva on *Alhagi camelorum*, *Kochia* (Romanoff, 1885).
- 70593. *Amicta sericata* Hättenschwiler & Alemansoor, 2006** (Psychidae) **Synonym(s):** *sericata* Hättenschwiler & Alemansoor, 2006 **Original Reference:** *Amicta sericata* Hättenschwiler & Alemansoor, 2006, *Nota lepid.* 29 (1/2): 81-87, figs. **Holotype** ♂: Iran: Farz Prov., Qatrouyeh, Neyriz 1640m 5 ix 2004, ex larva (Coll. Naturmuseum Luzern). **Range (in code):** **IR Fa**
- 70594. *Apteronia crenulella* (Bruand, 1853)** (Psychidae) **Synonym(s):** *crenulella* Bruand, 1853 **Range (in code):** **DZ PT ES FR DE CH AT PL BG Cc RU Da UA IR Elb KK Ik LB Bsa**
- 70595. *Apteronia gracilis* (Speyer, 1886)** (Psychidae) **Synonym(s):** *gracilis* Speyer, 1886 **Range (in code):** **MA DZ ES**
- 70596. *Apteronia helicinella* (Herrich-Schäffer, 1846)** (Psychidae) **Synonym(s):** *helicinella* Herrich-Schäffer, 1846 **Range (in code):** **ES Si IT MT GR**
- 70597. *Apteronia helicoidella* (Vallot, 1827)** (Psychidae) **Synonym(s):** *helicoidella* Vallot, 1827; *resedella* Vallot, 1843; *helix* Siebold, [1851]. **Range (in code):** **PT ES FR IT BE LU DE CH AT PL CZ SK HU RO AL BG GR Cr TR SE FI LT RU MD UA BY Cc AZ Nv Ord GG Bjo IR Kh**
- 70598. *Apteronia nylanderi* (Wehrli, 1927)** (Psychidae) **Synonym(s):** *nylanderi* Wehrli, 1927 **Range (in code):** **ES FR**
- 70599. *Apteronia orientalis* Kozhantshikov, 1956** (Psychidae) **Synonym(s):** *orientalis* Kozhantshikov, 1956 **Range (in code):** **GG Cc**
- 70600. *Apteronia pusilla* (Speyer, 1886)** (Psychidae) **Synonym(s):** *pusilla* Speyer, 1886 **Range (in code):** **ES**

- 70601. Apterona stauderi Wehrli,1923** (Psychidae) Synonym(s): *stauderi Wehrli,1923* _ Range (in code): IT
- 70602. Auchmophila kordofensis Rebel,1907** (Psychidae) Synonym(s): *kordofensis Rebel,1907* Range (in code): SD Kdf SA YE
- 70603. Australoplacodoma bicolorata Sobczyk & Mey,2007** (Psychidae) Synonym(s): *bicolorata Sobczyk & Mey,2007* _ Range (in code): NA
- 70604. Bacotia claustralla (Bruand,1845)** (Psychidae) Synonym(s): *claustralla Bruand,1845* Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK SE RU MD UA BY
- 70605. Bambalina consorta (Templeton,1847)** (Psychidae) Synonym(s): *consorta Templeton,1847* Original Reference: *Oiketicus* (Cryptothelea) *consorta* Templeton,1847, Trans. ent. Soc. London 5: 40, pl.5 figs.5,7. Range (in code): LK MY Bor JP
- 70606. Bankesia conspurcatella (Zeller,1850)** (Psychidae) Synonym(s): *conspurcatella Zeller,1850* _ Range (in code): PT ES FR Co IT
- 70607. Bankesia defoliella (Constant,1895)** (Psychidae) Synonym(s): *defoliella Constant,1895* Range (in code): FR
- 70608. Bankesia douglasii (Stainton,1854)** (Psychidae) Synonym(s): *douglasii Stainton,1854* Range (in code): FR GB BE NL
- 70609. Bankesia montanella (Walsingham,1899)** (Psychidae) Synonym(s): *montanella Walsingham,1899* _ Range (in code): Co
- 70610. Bankesia pallida (Staudinger,1879)** (Psychidae) Synonym(s): *pallida Staudinger,1879* Original Reference: *Talaeporia pallida* Staudinger,1879, Horae Soc. ent. ross. 15: 268. Type ♂: [Türkei]: Amasia. Range (in code): TR
- 70611. Bijugis apistella (Rebel,1917)** (Psychidae) Synonym(s): *apistella Rebel,1917* _ Range (in code): IT
- 70612. Bijugis bombycella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *bombycella [Denis & Schiffermüller],1775* Original Reference: *Tinea bombycella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT DE CH AT PL CZ SK HU RO AL BG GR TR RU MD UA BY
- 70613. Bijugis pectinella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *pectinella [Denis & Schiffermüller],1775* Original Reference: *Tinea pectinella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district. Range (in code): ES FR IT AT PL CZ SK HU RO YU BG GR TR RU MD UA BY
- 70614. Bijugis sikkimensis Heylaerts,1890** (Psychidae) Synonym(s): *sikkimensis Heylaerts,1890* Original Reference: *Bijugis sikkimensis* Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., xi-xii. Type ♂: India: "Ooty" (coll.Elwes). Range (in code): IN SI
- 70615. Bijugis songarica Kozhantshikov,1956** (Psychidae) Synonym(s): *songarica Kozhantshikov,1956* _ Range (in code): KG TrA
- 70616. Bijugis subgrisea Kozhantshikov,1956** (Psychidae) Synonym(s): *subgrisea Kozhantshikov,1956* _ Range (in code): RU Sb
- 70617. Brachycyttarus fasciatus Dierl,1971** (Psychidae) Synonym(s): *fasciatus Dierl,1971* Range (in code): NP TH MY Bionomy: Larva on *Canna* (Cannaceae), *Coffea liberica* (coffee) (Rubiaceae), *Thunbergia* (Acanthaceae), *Aleurites montana* (Euphorbiaceae), *Musa* (Musaceae) (Robinson et al.,1994).
- 70618. Brachycyttarus griseus De Joannis,1929** (Psychidae) Synonym(s): *griseus De Joannis,1929* _ Range (in code): TH VN Ton MY Bor Shh Bionomy: Larva on *Oryza sativa* (rice) (Poaceae), *Musa sapientum* (banana) (Musaceae), *Nipa fruticans*, *Elaeis guineensis* (Palmaceae), *Alpinia* (Zingiberaceae) (Robinson et al.,1994).
- 70619. Brevantennia adriatica (Rebel,1919)** (Psychidae) Synonym(s): *adriatica Rebel,1919* Range (in code): YU
- 70620. Brevantennia pinkeri Sieder,1964** (Psychidae) Synonym(s): *pinkeri Sieder,1964* Range (in code): ES
- 70621. Brevantennia reliqua Sieder,1953** (Psychidae) Synonym(s): *reliqua Sieder,1953* Range (in code): AT
- 70622. Brevantennia siederi (Sauter,1954)** (Psychidae) Synonym(s): *siederi Sauter,1954* Range (in code): IT CH
- 70623. Brevantennia styriaca Meier,1957** (Psychidae) Synonym(s): *styriaca Meier,1957* Range (in code): AT

- 70624. *Brevantennia triglavensis* (Rebel,1919)** (Psychidae) Synonym(s): *triglavensis* Rebel,1919
Range (in code): **IT AT**
- 70625. *Bruandia comitella* (Bruand,1853)** (Psychidae) Synonym(s): *comitella* Bruand,1853
Range (in code): **FR IT DE CH AT HU RO YU BG**
- 70626. *Bruandia elongatella* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *elongatella* Kozhantshikov,1956 _ Range (in code): **RU**
- 70627. *Bruandia norvegica* (Schöyen,1880)** (Psychidae) Synonym(s): *norvegica* Schöyen,1880
Range (in code): **NO SE FI**
- 70628. *Bruandia raiblensis* (Mann,1870)** (Psychidae) Synonym(s): *raiblensis* Mann,1870
Range (in code): **FR IT AT YU**
- 70629. *Bruandia reticulatella* (Bruand,1853)** (Psychidae) Synonym(s): *reticulatella* Bruand,1853
Range (in code): **FR IT SK RO HV Cr TR** Bionomy: Larva on tree lichens (Hofmann,1893).
- 70630. *Canephora acuta* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *acuta* Kozhantshikov,1956 _ Range (in code): **Cc AZ Kir**
- 70631. *Canephora acutipennis* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *acutipennis* Kozhantshikov,1956 _ Range (in code): **Cc AM**
- 70632. *Canephora aethiopica* (Bourgogne,1991)** (Psychidae) Synonym(s): *aethiopica* Bourgogne,1991 Original Reference: *Oiketicoidea aethiopica* Bourgogne,1991, in Rougeot, Annls Soc. ent. Fr. (N.S.) 27 (4): 411-412, fig. Holotype ♂: Ethiopie: Wollo, Lalibela (MNHP). Range (in code): **ET WI**
- 70633. *Canephora armena* (Heylaerts,1885)** (Psychidae) Synonym(s): *armena* Heylaerts,1885
Range (in code): **Cc AM AZ Kir TR**
- 70634. *Canephora borealis* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *borealis* Kozhantshikov,1956 _ Range (in code): **Cc RU Da**
- 70635. *Canephora caucasica* (A.Bang-Haas,1912)** (Psychidae) Synonym(s): *caucasica* A.Bang-Haas,1912; *subgrisea* Kozhantshikov,1956. Original Reference: *Amicta caucasica* A.Bang-Haas,1912, Dt. ent. Z., Iris 26: 109. Syntypes: [Azerbaijan]: "Kaukasus (Elisabethpol)". Range (in code): **TR Cc AZ Kir IR Elb** Bionomy: Larva on Lathyrus, Vicia (de Freina,1983).
- 70636. *Canephora demarchata* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *demarchata* Kozhantshikov,1956 _ Range (in code):
- 70637. *Canephora eganai* (Agenjo,1962)** (Psychidae) Synonym(s): *eganai* Agenjo,1962
Range (in code): **ES**
- 70638. *Canephora eldarica* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *eldarica* Kozhantshikov,1956 _ Range (in code): **Cc AZ**
- 70639. *Canephora febretha* (Boyer de Fonscolombe,1835)** (Psychidae) Synonym(s): *febretha* Boyer de Fonscolombe,1835 _ Range (in code): **MA PT ES B-I FR Si GR Rd TR EG IL Pa LB**
- 70640. *Canephora heptapotamica* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *heptapotamica* Kozhantshikov,1956 _ Range (in code): **KG Tk Dj**
- 70641. *Canephora hirsuta* (Poda,1761)** (Psychidae) Synonym(s): *hirsuta* Poda,1761; *dubia* Scopoli,1763; *unicolor* Hufnagel,1766; *xylophthorum* Pallas,1767; *vestita* Fabricius,1775; *fasciculifera* Fourcroy,1785; *quercus* Schrank,1802; *vestitella* Hübner,[1825]; *asiatica* Staudinger,1887. _ Range (in code): **PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU Pt Mo Ti Om To Ro Tgn Cm Ao Or Ur UA Da Pr Nr Sr Am Prj Us Vv Bn Cc GG Bjo Sok UZ Fe Man Osh KK At KG CN Mc KP KR JP Hkk TH**
- 70642. *Canephora iliensis* Wehrli,1933** (Psychidae) Synonym(s): *iliensis* Wehrli,1933 _ Range (in code): **KG TrA Aa Ii DsA**
- 70643. *Canephora inquinata* (Lederer,1858)** (Psychidae) Synonym(s): *inquinata* Lederer,1858
Range (in code): **LB Bei IL Pa**
- 70644. *Canephora jordana* (Staudinger,1899)** (Psychidae) Synonym(s): *jordana* Staudinger,1899 _ Range (in code): **IL Pa JO**
- 70645. *Canephora leoi* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *leoi* Kozhantshikov,1956
Range (in code):
- 70646. *Canephora lutea* (Staudinger,1871)** (Psychidae) Synonym(s): *lutea* Staudinger,1871
Range (in code): **Si IT HV AL BG GR Cr TR RU Cc AM Eri GG Tbl Nv Ord AZ IQ SY LB IL Pa**
- 70647. *Canephora minuta* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *minuta* Kozhantshikov,1956 _ Range (in code): **Cc AM Eri**
- 70648. *Canephora nigripilosa* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *nigripilosa* Kozhantshikov,1956 _ Range (in code):

- 70649. *Canephora nivellei* (Oberthür,1922)** (Psychidae) **Synonym(s):** *nivellei* Oberthür,1922
Range (in code):
- 70650. *Canephora orophila* (Wehrli,1928)** (Psychidae) **Synonym(s):** *orophila* Wehrli,1928
Range (in code):
- 70651. *Canephora plotnikovi* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *plotnikovi* Kozhantshikov,1956 Range (in code): **TJ Pm UZ Smk**
- 70652. *Canephora senex* (Staudinger,1871)** (Psychidae) **Synonym(s):** *senex* Staudinger,1871
Range (in code): **RO YU BG TR Cc RU Da**
- 70653. *Canephora shahkuhensis* (Heylaerts,1885)** (Psychidae) **Synonym(s):** *shahkuhensis* Heylaerts,1885 Range (in code): **IR Elb Shh IQ TM Kp**
- 70654. *Canephora simulans* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *simulans* Kozhantshikov,1956 Range (in code): **RU Ur KG Sp Sau**
- 70655. *Canephora* sp.?** (Psychidae) **Synonym(s):** Range (in code): **TR** Bionomy: Larva on *Ferula* sp. (de Freina,1983).
- 70656. *Canephora squamopilosa* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *squamopilosa* Kozhantshikov,1956 Range (in code):
- 70657. *Canephora staudingeri* (Heylaerts,1889)** (Psychidae) **Synonym(s):** *#staudingeri* Heylaerts,1889; *staudingeri* Heylaerts,1889 Original Reference: *Chalia staudingeri* [sic!] Heylaerts,1889, Annls. Soc. ent. Belg. 33: Bull., lvi. Type: [Tadjikistan]: Turkestan Rossica, Kara Kasuk, altit. 12000 p. Range (in code): **UZ Fe TJ Pm**
- 70658. *Canephora subgrisea* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *subgrisea* Kozhantshikov,1956 Range (in code): **Cc AZ AM**
- 70659. *Canephora taurica* (Wehrli,1932)** (Psychidae) **Synonym(s):** *taurica* Wehrli,1932
Range (in code): **TR**
- 70660. *Canephora tedaldii* (Heylaerts,1881)** (Psychidae) **Synonym(s):** *tedaldii* Heylaerts,1881
Range (in code): **PT ES Si IT MT**
- 70661. *Canephora theodori* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *theodori* Kozhantshikov,1956 Range (in code):
- 70662. *Canephora unicolorata* (Kozhantshikov,1956)** (Psychidae) **Synonym(s):** *unicolorata* Kozhantshikov,1956 Range (in code): **Cc AM Eri**
- 70663. *Canephora villosa* (Brandt,1938)** (Psychidae) **Synonym(s):** *villosa* Brandt,1938
Original Reference: *Amicta villosa* Brandt,1938, Ent. Rdsch. 55: 698, figs.423-424. Syntypes: Iran: [Fras]: Fort Sine Sefid. Range (in code): **IR Fa Sse IQ**
- 70664. *Canephora villosella* (Ochsenheimer,1810)** (Psychidae) **Synonym(s):** *villosella* Ochsenheimer,1810 Range (in code): **ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK SE FI EE LV LT RU Pt Mo Tt Ur Or At Ir MD UA BY KG Ssn AZ Nv Ord GG Tbl Kir Hkd Cc LB Bsa**
- 70665. *Canephora villosella quadratica* (De Freina,1983)** (Psychidae) **Synonym(s):** *quadratica* De Freina,1983. Original Reference: *Pachytelia villosella* ssp. *quadratica* De Freina,1983, Mitt. münch. ent. Ges. 72 (1982): 70-71, Abb.8c-d. Holotype ♂: [Türkei]: Antalya Termessos, 900-1000m (coll. Freina). Range (in code): **TR**
- 70666. *Canephora villosella villosella* (Ochsenheimer,1810)** (Psychidae) **Synonym(s):** *villosella* Ochsenheimer,1810 Range (in code): **ES FR Co Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Pt Mo Tt Ur Or At Ir MD UA BY KG Ssn AZ Nv Ord GG Tbl Kir Hkd Cc**
- 70667. *Chalioides ferevitrea* De Joannis,1929** (Psychidae) **Synonym(s):** *ferevitrea* De Joannis,1929 Range (in code): **TH VN Ton**
- 70668. *Chalioides vitrea* Swinhoe,1892** (Psychidae) **Synonym(s):** *vitrea* Swinhoe,1892 Range (in code): **LK TH**
- 70669. *Cremastopsyche pendula* De Joannis,1929** (Psychidae) **Synonym(s):** *pendula* De Joannis,1929 Range (in code): **TH VN Ton**
- 70670. *Cryptothelea fuscescens* (Snellen,1879)** (Psychidae) **Synonym(s):** *fuscescens* Snellen,1879
Original Reference: *Oeceticus fuscescens* Snellen,1879, Tijdschr. Ent. 22: 117, pl.9 figs.7,7,a-b. Type: Java. Range (in code): **ID Ja TH**
- 70671. *Cryptothelea leonina* (Tams,1924)** (Psychidae) **Synonym(s):** *leonina* Tams,1924
Original Reference: *Amatissa leonina* Tams,1924, J. Nat. Hist. Soc. Siam 6: 278, fig. Type: [Thailand]: Siam. Range (in code): **TH MY Bor Sbh ID Sum Ja** Bionomy: Larva on *Theobroma cacao* (Cocoa) (Sterculiaceae) (Robinson et al.,1994).

- 70672. *Dahlica achajensis* (Sieder,1966)** (Psychidae) Synonym(s): *achajensis* Sieder,1966
Range (in code): GR
- 70673. *Dahlica argenterae* (Wehrli,1924)** (Psychidae) Synonym(s): *argenterae* Wehrli,1924
Range (in code): FR
- 70674. *Dahlica caspari* Herrmann,1984** (Psychidae) Synonym(s): *caspari* Herrmann,1984
Range (in code): FR
- 70675. *Dahlica charlottae* (Meier,1957)** (Psychidae) Synonym(s): *charlottae* Meier,1957
Range (in code): DE CH AT NO SE FI EE LV
- 70676. *Dahlica colchica* (Kozlov,1985)** (Psychidae) Synonym(s): *colchica* Kozlov,1985 - Range (in code): Cc GG
- 70677. *Dahlica dorotheae* Herrmann,1981** (Psychidae) Synonym(s): *dorotheae* Herrmann,1981
Range (in code): FR
- 70678. *Dahlica fennicella* (Suomalainen,1980)** (Psychidae) Synonym(s): *fennicella* Suomalainen,1980 - Range (in code): FI
- 70679. *Dahlica fumosella* (Heinemann,1870)** (Psychidae) Synonym(s): *fumosella* Heinemann,1870 - Range (in code): FR BE NL DE CH AT DK NO SE FI EE LV LT
- 70680. *Dahlica generosensis* (Sauter,1954)** (Psychidae) Synonym(s): *generosensis* Sauter,1954
Range (in code): IT CH AT
- 70681. *Dahlica goppensteinensis* (Sauter,1954)** (Psychidae) Synonym(s): *goppensteinensis* Sauter,1954 - Range (in code): CH
- 70682. *Dahlica inconspicuella* (Stainton,1843)** (Psychidae) Synonym(s): *inconspicuella* Stainton,1843 - Range (in code): GB HU
- 70683. *Dahlica klimeschi* (Sieder,1953)** (Psychidae) Synonym(s): *klimeschi* Sieder,1953
Range (in code): IT AT
- 70684. *Dahlica larella* (Chrétien,1906)** (Psychidae) Synonym(s): *larella* Chrétien,1906 - Range (in code): ES
- 70685. *Dahlica leoi* (Dierl,1970)** (Psychidae) Synonym(s): *leoi* Dierl,1970 - Range (in code): IT CH
- 70686. *Dahlica lichenella* (Linnaeus,1761)** (Psychidae) Synonym(s): *lichenella* Linnaeus,1761
Range (in code): FR IT GB BE NL DE CH AT PL CZ HU RO DK SE FI EE RU MD UA BY
- 70687. *Dahlica marmorella* Herrmann,1988** (Psychidae) Synonym(s): *marmorella* Herrmann,1988 - Range (in code): FR
- 70688. *Dahlica nickerlii* (Heinemann,1870)** (Psychidae) Synonym(s): *nickerlii* Heinemann,1870
Range (in code): DE CZ SK HU
- 70689. *Dahlica pseudoachajensis* (Stengel,1990)** (Psychidae) Synonym(s): *pseudoachajensis* Stengel,1990 - Range (in code): GR
- 70690. *Dahlica rebeli* (Wehrli,1924)** (Psychidae) Synonym(s): *rebeli* Wehrli,1924 - Range (in code): ES FR
- 70691. *Dahlica rianella* Hättenschwiler,1981** (Psychidae) Synonym(s): *rianella* Hättenschwiler,1981 - Range (in code): ES
- 70692. *Dahlica sauteri* (Hättenschwiler,1977)** (Psychidae) Synonym(s): *sauteri* Hättenschwiler,1977 - Range (in code): FR NL LU DE CH AT
- 70693. *Dahlica seileri* (Sauter,1954)** (Psychidae) Synonym(s): *seileri* Sauter,1954 - Range (in code): CH
- 70694. *Dahlica siculella* (Rebel,1919)** (Psychidae) Synonym(s): *siculella* Rebel,1919 - Range (in code): Si
- 70695. *Dahlica simplonica* (Hättenschwiler,1977)** (Psychidae) Synonym(s): *simplonica* Hättenschwiler,1977 - Range (in code): CH
- 70696. *Dahlica ticinensis* (Hättenschwiler,1977)** (Psychidae) Synonym(s): *ticinensis* Hättenschwiler,1977 - Range (in code): CH
- 70697. *Dahlica triquetrella* (Hübner,[1813])** (Psychidae) Synonym(s): *triquetrella* Hübner,[1813]
Original Reference: Tinea triquetrella Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.55 fig.273. Type(s): Europa. Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK RO YU GR TR DK NO SE FI EE LV LT RU Pt Sb Us Prj
- 70698. *Dahlica vaudella* Hättenschwiler,1990** (Psychidae) Synonym(s): *vaudella* Hättenschwiler,1990 - Range (in code): CH
- 70699. *Dahlica wagneri* (Gozmany,1952)** (Psychidae) Synonym(s): *wagneri* Gozmany,1952
Range (in code): RO

- 70700. *Dahlica wehrlii* (Müller-Rutz,1928)** (Psychidae) Synonym(s): *wehrlii* Müller-Rutz,1928
Range (in code): **CH**
- 70701. *Dahlica wockei* (Heinemann,1870)** (Psychidae) Synonym(s): *wocke* Heinemann,1870
Range (in code): **DE PL**
- 70702. *Dappula tertia* (Templeton,1847)** (Psychidae) Synonym(s): *tertia* Templeton,1847;
templetonii Westwood,1854 _ Range (in code): **LK IN MY Bor Sbh CN HK ID Ja Sum Clb Ij FJ**
- 70703. *Dasaratha canarensis* Hampson** (Psychidae) Synonym(s): *canarensis* Hampson
Range (in code): **IN Knr**
- 70704. *Dasaratha himalayana* Moore,1888** (Psychidae) Synonym(s): *himalayana* Moore,1888
Range (in code): **IN Pj Drm Hp**
- 70705. *Degia imparata* Walker,1862** (Psychidae) Synonym(s): *imparata* Walker,1862; *immodica*
Meyrick,1936; lepta West,1932 _ Range (in code): **ID Sum TH Kbi PH MY**
- 70706. *Diplodoma adpersella* Heinemann,1870** (Psychidae) Synonym(s): *adpersella*
Heinemann,1870 _ Range (in code): **IT DE AT CZ HU RO**
- 70707. *Diplodoma adzharica* Zagulyaev,1985** (Psychidae) Synonym(s): *adzharica*
Zagulyaev,1985 _ Range (in code): **Cc GG**
- 70708. *Diplodoma caucasica* Zagulyaev,1985** (Psychidae) Synonym(s): *caucasica* Zagulyaev,1985
Range (in code): **RU Cc**
- 70709. *Diplodoma kasachstanica* Zagulyaev,1987** (Psychidae) Synonym(s): *kasachstanica*
Zagulyaev,1987 _ Range (in code): **KG TrA Aa**
- 70710. *Diplodoma laichartingella* (Goeze,1783)** (Psychidae) Synonym(s): *laichartingella*
Goeze,1783; herminata Fourcroy,1785; *herminatella* Villers,1789; *marginepunctella* Stephens,1835; *siderella*
Zeller,1839. _ Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR**
DK NO SE FI EE LV LT RU Ur Mnu Kj MD UA BY
- 70711. *Diplodoma taurica* Zagulyaev,1985** (Psychidae) Synonym(s): *taurica* Zagulyaev,1985
Range (in code): **RU MD UA BY**
- 70712. *Dissoctena albidella* Rebel,1902** (Psychidae) Synonym(s): *albidella* Rebel,1902 _ Range
(in code): **PT ES Mu**
- 70713. *Dissoctena granigerella* Staudinger,1859** (Psychidae) Synonym(s): *granigerella*
Staudinger,1859 _ Range (in code): **DZ Eba PT ES FR TR**
- 70714. *Dissoctenioides schwingenschussi* Rebel,1934** (Psychidae) Synonym(s):
schwingenschussi Rebel,1934 _ Range (in code):
- 70715. *Eochorica balcanica* (Rebel,1919)** (Psychidae) Synonym(s): *balcanica* Rebel,1919; *troughti*
Amsel,1955; #balcania De Freina,1994 _ Range (in code): **RO MK AL BG GR TR JO**
- 70716. *Eosolenobia grisea* Filipjev,1924** (Psychidae) Synonym(s): *grisea* Filipjev,1924 _ Range
(in code): **RU Sb Ir Irk**
- 70717. *Eosolenobia manni* (Zeller,1852)** (Psychidae) Synonym(s): *manni* Zeller,1852 _ Range
(in code): **AT PL CZ SK HU RO TR**
- 70718. *Eosolenobia suifunella* (Christoph,1881)** (Psychidae) Synonym(s): *suifunella*
Christoph,1881 _ Range (in code): **RU Prj Us**
- 70719. *Eosolenobia zuchari* Dierl,1984** (Psychidae) Synonym(s): *zuchari* Dierl,1984 _ Range
(in code):
- 70720. *Eotaleporia lusitaniella* (Amsel,1955)** (Psychidae) Synonym(s): *lusitaniella* Amsel,1955
Range (in code): **PT ES**
- 70721. *Epichnopterix alpina* Heylaerts,1900** (Psychidae) Synonym(s): *alpina* Heylaerts,1900
Range (in code): **IT CH AT**
- 70722. *Epichnopterix ardua* Mann,1867** (Psychidae) Synonym(s): *ardua* Mann,1867 _ Range
(in code): **IT AT PL SK Cc GG AM**
- 70723. *Epichnopterix crimaecana* Kozhantshikov,1956** (Psychidae) Synonym(s): *crimaecana*
Kozhantshikov,1956 _ Range (in code): **UA Cm**
- 70724. *Epichnopterix heringi* Heinemann,1859** (Psychidae) Synonym(s): *heringi*
Heinemann,1859 _ Range (in code): **DE PL**
- 70725. *Epichnopterix kovacsi* Sieder,1955** (Psychidae) Synonym(s): *kovacsi* Sieder,1955
Range (in code): **IT CH AT HU YU BG**
- 70726. *Epichnopterix montana* Heylaerts,1900** (Psychidae) Synonym(s): *montana*
Heylaerts,1900 _ Range (in code): **IT CH AT**
- 70727. *Epichnopterix montanella* Heylaerts,1900** (Psychidae) Synonym(s): *montanella*
Heylaerts,1900 _ Range (in code): **FR**

- 70728. *Epichnopterix moskvensis* Solyanikov, 2001** (Psychidae) **Synonym(s):** *moskvensis* Solyanikov, 2001 **Range (in code):** **RU**
- 70729. *Epichnopterix plumella* ([Denis & Schiffermüller], 1775)** (Psychidae) **Synonym(s):** *plumella* [Denis & Schiffermüller], 1775; *pulla* Esper, [1785] **Original Reference:** *Tinea plumella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 133. **Type(s):** [Austria]: Vienna district. **Range (in code):** **PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR AL BG GR DK EE LV LT Cc RU Mo Tt Ur Or At Kuz Am To Da MD UA BY**
- 70730. *Epichnopterix pontbrillantella* (Bruand, 1858)** (Psychidae) **Synonym(s):** *pontbrillantella* Bruand, 1858 **Range (in code):** **FR IT DE CH AT**
- 70731. *Epichnopterix sieboldi* (Reutti, 1853)** (Psychidae) **Synonym(s):** *sieboldi* Reutti, 1853 **Range (in code):** **ES FR DE CH AT PL CZ GR RU MD UA BY**
- 70732. *Eudissoctena atlanticella* (Chrétien, 1922)** (Psychidae) **Synonym(s):** *atlanticella* Chrétien, 1922 **Original Reference:** *Melasina atlanticella* Chrétien, 1922, *Etud. lép. comp.* 19 (1): 374. **Range (in code):** **MA**
- 70733. *Eudissoctena maurella* Rebel, 1935** (Psychidae) **Synonym(s):** *maurella* Rebel, 1935 **Original Reference:** *Eudissoctena maurella* Rebel, 1935, *Dt. ent. Z., Iris* 48: 156, pl.3 fig.5. **Type:** Morocco. **Range (in code):** **MA DZ**
- 70734. *Eudissoctena minimella* Rebel, 1935** (Psychidae) **Synonym(s):** *minimella* Rebel, 1935 **Original Reference:** *Eudissoctena minimella* Rebel, 1935, *Dt. ent. Z., Iris* 48: 156, pl.3 fig.1. **Type:** Morocco. **Range (in code):** **MA DZ**
- 70735. *Eudissoctena minorella* Rebel, 1935** (Psychidae) **Synonym(s):** *minorella* Rebel, 1935 **Original Reference:** *Eudissoctena minorella* Rebel, 1935, *Dt. ent. Z., Iris* 48: 155, pl.3 figs.2,3. **Type:** Morocco. **Range (in code):** **MA DZ**
- 70736. *Eudissoctena paulusella* (Caradja)** (Psychidae) **Synonym(s):** **Range (in code):** **IL Pa**
- 70737. *Eumasia libanotica* Zagulyaev, 1995** (Psychidae) **Synonym(s):** *libanotica* Zagulyaev, 1995 **Range (in code):** **LB Bei**
- 70738. *Eumasia parietariella* (Heydenreich, 1851)** (Psychidae) **Synonym(s):** *parietariella* Heydenreich, 1851; *crepusculella* Müller-Rutz, 1920. **Range (in code):** **TN Gf PT ES FR Co IT DE CH AT CZ RO YU AL BG GR TR LB Bei RU MD UA BY**
- 70739. *Eumasia syriaca* (Caradja, 1920)** (Psychidae) **Synonym(s):** *syriaca* Caradja, 1920 **Original Reference:** *Dysmasia syriaca* Caradja, 1920, *Dt. ent. Z., Iris* 34: 172-173. **Syntypes:** [Libanon]: Beirut; [Türkei: Marasch]: Zeitun [=Süleymanlı]. **Range (in code):** **TR IL LB Bei**
- 70740. *Eumelasina ardua* Kozhantshikov, 1956** (Psychidae) **Synonym(s):** *ardua* Kozhantshikov, 1956 **Range (in code):** **RU Ur**
- 70741. *Eumelasina arguta* Kozhantshikov, 1956** (Psychidae) **Synonym(s):** *arguta* Kozhantshikov, 1956 **Range (in code):** **Cc AZ Nv Ord**
- 70742. *Eumelasina multivenosa* (Kozhantshikov, 1956)** (Psychidae) **Synonym(s):** *multivenosa* Kozhantshikov, 1956 **Range (in code):** **RU Am**
- 70743. *Eumelasina pliginskii* Kozhantshikov, 1956** (Psychidae) **Synonym(s):** *pliginskii* Kozhantshikov, 1956 **Range (in code):** **UA Cm**
- 70744. *Eumeta cervina* (Druce, 1888)** (Psychidae) **Synonym(s):** *cervina* Druce, 1888 **Range (in code):** **MZ**
- 70745. *Eumeta crameri* (Westwood, 1854)** (Psychidae) **Synonym(s):** *crameri* Westwood, 1854 **Range (in code):** **BD IN NZ PR**
- 70746. *Eumeta minuscula* Butler, 1881** (Psychidae) **Synonym(s):** *minuscula* Butler, 1881 **Range (in code):** **TH IN SI CN JP MY TW** **Bionomy:** Larva on *Lantana* (Verbenaceae), *Araucaria cunninghamii* (Araucariaceae), *Averrhoa carambola* (Oxalidaceae), *Coffea liberica* (Rubiaceae), *Psidium guajava* (guava), *Eugenia jambos* (jambu, malay apple) (Myrtaceae) (Robinson et al., 1994).
- 70747. *Eumeta variegata* (Snellen, 1879)** (Psychidae) **Synonym(s):** *variegata* Snellen, 1879; *layardii* Moore, 1881; *pryeri* Leech, 1888; *sikkima* Moore, 1891; *wallacei* Swinhoe, 1892 **Range (in code):** **RU JP TW PH PG IN NI SI LK CN TH CMa Dst Mth MY Bor Swk ID Clb Amb Sum Ja**
- 70748. *Eurukuttarus decemvena* Hampson, 1892** (Psychidae) **Synonym(s):** *decemvena* Hampson, 1892 **Range (in code):** **Ch**
- 70749. *Eurukuttarus laniata* (Hampson, 1905)** (Psychidae) **Synonym(s):** *laniata* Hampson, 1905 **Range (in code):** **LK**

- 70750. *Eurukuttarus melanostola* (Hampson,1896)** (Psychidae) Synonym(s): *melanostola* Hampson,1896 _ Range (in code): IN
- 70751. *Eurukuttarus nigra* (Hampson,1893)** (Psychidae) Synonym(s): *nigra* Hampson,1893 _ Range (in code): IN Ch
- 70752. *Eurukuttarus pileatus* Hampson,1891** (Psychidae) Synonym(s): *pileatus* Hampson,1891 _ Range (in code): IN NI
- 70753. *Eurukuttarus takahashii* (Sonan,1935)** (Psychidae) Synonym(s): *takahashii* Sonan,1935 _ Range (in code): TW
- 70754. *Heliopsychidea graecella* (Millière,1866)** (Psychidae) Synonym(s): *graecella* Millière,1866 _ Range (in code): YU AL BG GR
- 70755. *Kalliesia irana* Sobczyk,2004** (Psychidae) Synonym(s): *irana* Sobczyk,2004 _ Original Reference: Kalliesia irana Sobczyk,2004, Nota lepid. 27: 22-25, figs. Holotype ♂: Iran, Prov. Boyer Ahmad, Va-Kohgiluyeh, Gardaneh, Meymand 2550m 9-10.vi.2002 leg.A.Kallies & A.Hofmann (CTS). Range (in code): IR By
- 70756. *Kophene butleri* Heylaerts,1886** (Psychidae) Synonym(s): *butleri* Heylaerts,1886 _ Range (in code): ID Sum
- 70757. *Kophene cuprea* Moore,1879** (Psychidae) Synonym(s): *cuprea* Moore,1879 _ Range (in code): IN Clc TH MY Bor BN Swk ID Sum
- 70758. *Kophene minor* Moore,1879** (Psychidae) Synonym(s): *minor* Moore,1879 _ Range (in code): IN Clc
- 70759. *Kophene snelleni* Heylaerts,1890** (Psychidae) Synonym(s): *snelleni* Heylaerts,1890 _ Original Reference: Kophene snelleni Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., xii-xiii. Type ♂: [India]: "Assam superior". Range (in code): IN Ass TH
- 70760. *Kotochalia junodi* (Heylaert,1890)** (Psychidae) Synonym(s): *junodi* Heylaert,1890 _ Range (in code): SA YE Bionomy: Larva on Acacia sp. (Bourgogne,1986)
- 70761. *Kurentzovia aragacella* Solyanikov,2001** (Psychidae) Synonym(s): *aragacella* Solyanikov,2001 _ Range (in code): Cc AM
- 70762. *Lepidosciptera dellabeffai* (Hartig,1936)** (Psychidae) Synonym(s): *dellabeffai* Hartig,1936 _ Range (in code): IT
- 70763. *Lepidosciptera hirsutella* ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *hirsutella* [Denis & Schiffermüller],1775 _ Original Reference: Tinea hirsutella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): [Austria]: Vienna district. Range (in code): Co Sa IT DE AT RU MD UA BY
- 70764. *Lepidosciptera plumistrella* (Hübner,1793)** (Psychidae) Synonym(s): *plumistrella* Hübner,1793 _ Range (in code): FR IT CH AT RO RU MD UA BY
- 70765. *Lepidosciptera turatii* (Hartig,1936)** (Psychidae) Synonym(s): *turatii* Hartig,1936 _ Range (in code): IT
- 70766. *Loebelia crassicornis* (Staudinger,1870)** (Psychidae) Synonym(s): *crassicornis* Staudinger,1870 _ Range (in code): IT AL BG MK GR
- 70767. *Luffia ferchaultella* (Stephens,1850)** (Psychidae) Synonym(s): *ferchaultella* Stephens,1850 _ Range (in code): FR IT IE GB BE NL LU
- 70768. *Luffia lapidella* (Goeze,1783)** (Psychidae) Synonym(s): *lapidella* Goeze,1783 _ Range (in code): PT ES FR Co IT GB CH YU GR
- 70769. *Luffia rebeli* Walsingham,1908** (Psychidae) Synonym(s): *rebeli* Walsingham,1908 _ Range (in code): Cn
- 70770. *Mahasena andamana* Moore,1877** (Psychidae) Synonym(s): *andamana* Moore,1877 _ Range (in code): IN Adm
- 70771. *Mahasena corbetti* Tams,1928** (Psychidae) Synonym(s): *corbetti* Tams,1928 _ Original Reference: Mahasena corbetti Tams,1928, Ann. Mag. Nat. Hist. (10) 1: 632. Type: Malaya. Range (in code): TH MY ID Sum Ja Bor BN Sbh WS SB Bionomy: Larva on Elaeis guineensis (oil palm) (Palmaceae), Calliandra (Fabaceae), Durio zibethinus (durian) (Bombacaceae), Citrus grandis (pomelo) (Rutaceae) (Robinson et al.,1994).
- 70772. *Mahasena graminivora* Hampson,1895** (Psychidae) Synonym(s): *graminivora* Hampson,1895 _ Range (in code): IN Clc
- 70773. *Mahasena hockingi* Moore,1888** (Psychidae) Synonym(s): *hockingi* Moore,1888; *theivora* Dudgeon,1905 _ Range (in code): IN SI Hp Drm

- 70774. Mahasena kotoensis Sonan,1935** (Psychidae) Synonym(s): *kotoensis* Sonan,1935
Range (in code): **TW**
- 70775. Mahasena nitobei Matsumura,1931** (Psychidae) Synonym(s): *nitobei* Matsumura,1931
Range (in code): **JP**
- 70776. Mahasena oolona Sonan,1935** (Psychidae) Synonym(s): *oolona* Sonan,1935 - Range (in code): **TW**
- 70777. Mahasena poliotricha Hampson,1910** (Psychidae) Synonym(s): *poliotricha* Hampson,1910 - Range (in code): **IN Hp Kgr**
- 70778. Megalophanes brachycornis (Kozhantshikov,1956)** (Psychidae) Synonym(s): *brachycornis* Kozhantshikov,1956 - Range (in code): **UA Cm**
- 70779. Megalophanes hampsoni (Bethune-Baker,1894)** (Psychidae) Synonym(s): *hampsoni* Bethune-Baker,1894 - Range (in code): **EG**
- 70780. Megalophanes nigrimanus (Walker,1870)** (Psychidae) Synonym(s): *nigrimanus* Walker,1870 - Range (in code): **EG**
- 70781. Megalophanes stettinensis (Hering,1846)** (Psychidae) Synonym(s): *stettinensis* Hering,1846 - Range (in code): **DE PL CZ SK**
- 70782. Megalophanes turatii (Staudinger,1877)** (Psychidae) Synonym(s): *turatii* Staudinger,1877 - Range (in code): **IT CH AT**
- 70783. Megalophanes viciella ([Denis & Schiffermüller],1775)** (Psychidae) Synonym(s): *viciella* [Denis & Schiffermüller],1775; *orientalis* Dierl,1977. Original Reference: *Tinea viciella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133, Tab I a-b, fig.7. Type(s): [Austria]: Vienna district. Range (in code): **IT BE DE AT PL CZ SK HU RO YU AL BG GR TR EE LT RU Or Da At Cc MD UA Cm BY KG Uk**
- 70784. Mekla deficiens (Walker,1862)** (Psychidae) Synonym(s): *deficiens* Walker,1862; ? *holmesi* Watt & Mann,1898 - Range (in code): **IN Ass ID Sum MY TH Kbi**
- 70785. Metisa aethiops (Hampson,1910)** (Psychidae) Synonym(s): *aethiops* Hampson,1910; *fumosa* Janse,1919 - Range (in code): **ZA**
- 70786. Metisa atra De Joannis,1929** (Psychidae) Synonym(s): *atra* De Joannis,1929 - Range (in code): **VN Ton**
- 70787. Metisa canarensis Hampson** (Psychidae) Synonym(s): - Range (in code):
- 70788. Metisa canifrons Hampson,1895** (Psychidae) Synonym(s): *canifrons* Hampson,1895
Range (in code): **IN SI**
- 70789. Metisa griseoalba (Bourgogne,1937)** (Psychidae) Synonym(s): *griseoalba* Bourgogne,1937
Range (in code): **VN**
- 70790. Metisa heylaerti (Junod,1898)** (Psychidae) Synonym(s): *heylaerti* Junod,1898
Range (in code): **ZA**
- 70791. Metisa himalayana (Moore,1888)** (Psychidae) Synonym(s): *himalayana* Moore,1888
Range (in code): **IN Hp Drm Pj**
- 70792. Metisa hypoleuca (Hampson,1896)** (Psychidae) Synonym(s): *hypoleuca* Hampson,1896
Range (in code): **LK**
- 70793. Metisa jansei Bourgogne,1973** (Psychidae) Synonym(s): *jansei* Bourgogne,1973 - Range (in code): **ZA Tva Lpo**
- 70794. Metisa moorei (Heylaerts,1890)** (Psychidae) Synonym(s): *moorei* Heylaerts,1890
Original Reference: *Kophene moorei* Heylaerts,1890, Annls. Soc. ent. Belg. 34: Bull., xi. Type ♂: India: "Bangalore". Range (in code): **IN**
- 70795. Metisa nainiagini David,1964** (Psychidae) Synonym(s): *nainiagini* David,1964 - Range (in code): **IN**
- 70796. Metisa plana Walker,1855** (Psychidae) Synonym(s): *plana* Walker,1855 Original Reference: *Metisa plana* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 4: 957. Type: Ceylon. Range (in code): **TH LK**
- 70797. Metisa saccharivora (Sonan,1935)** (Psychidae) Synonym(s): *saccharivora* Sonan,1935
Range (in code): **TW**
- 70798. Montanima karavankensis (Höfner,1888)** (Psychidae) Synonym(s): *karavankensis* Höfner,1888 - Range (in code): **IT AT AL**
- 70799. Montanima predotae (Sieder,1949)** (Psychidae) Synonym(s): *predotae* Sieder,1949
Range (in code): **AL GR**

- 70800. *Montanima venetiana* Meier,1964** (Psychidae) Synonym(s): *venetiana* Meier,1964
Range (in code): IT
- 70801. *Muhabbetkemalia katani* (Das,1956)** (Psychidae) Synonym(s): *katani* Das,1956
Original Reference: Psomocolax katani Das,1956, Ann. Mag. nat. Hist. (12) 9: 527, fig. Type: India: Assam. Range (in code): IN Ass TH
- 70802. *Muhabbetkemalia rhabdophora* (Hampson,1893)** (Psychidae) Synonym(s): *rhabdophora* Hampson,1893 Original Reference: Monda rhabdophora Hampson,1893, Illustr. lepid. Het. Br. Mus. 9: 66, pl.159. Type: Ceylon (BMNH). Range (in code): LK
- 70803. *Narycia astrella* (Herrich-Schäffer,1851)** (Psychidae) Synonym(s): *astrella* Herrich-Schäffer,1851 Range (in code): ES FR DE CH AT PL CZ SK HU GR
- 70804. *Narycia duplicella* (Goeze,1783)** (Psychidae) Synonym(s): *duplicella* Goeze,1783; *monilifera* Geoffroy,1785. Range (in code): PT ES FR IT GB BE NL LU DE CH AT CZ SK HU RO YU DK SE LT RU Sr MD UA BY KG UK
- 70805. *Narycia infernalis* Herrmann,1986** (Psychidae) Synonym(s): *infernalis* Herrmann,1986
Range (in code): FR
- 70806. *Neocoloneura fragilis* (Barnes & McDunnough,1916)** (Psychidae) Synonym(s): *fragilis* Barnes & McDunnough,1916 Range (in code):
- 70807. *Oiketicus tertius* Templeton,1847** (Psychidae) Synonym(s): *tertius* Templeton,1847; *templetonii* Westwood,1854 Range (in code): LK HK CN IN Knr NI MY Bor ID Clb
- 70808. *Oreopsyche desertorum* Turati,1927** (Psychidae) Synonym(s): *desertorum* Turati,1927
Range (in code): LY Cy
- 70809. *Oreopsyche tenella* (Speyer,1862)** (Psychidae) Synonym(s): *tenella* Speyer,1862; *zermattensis* Frey,1880 Range (in code): ES FR IT CH AT?
- 70810. *Oreopsyche vorbrodtella* (Wehrli,1920)** (Psychidae) Synonym(s): *vorbrodtella* Wehrli,1920 Range (in code): IT CH
- 70811. *Pagodiella hekmeyeri* (Heylaerts,1885)** (Psychidae) Synonym(s): *hekmeyeri* Heylaerts,1885 Original Reference: Eumeta hekmeyeri Heylaerts,1885, Ann. Soc. ent. Belg. 29: lix. Type: Java. Range (in code): ID Ja TH
- 70812. *Paranarychia albomaculatella* Saigusa,1961** (Psychidae) Synonym(s): *albomaculatella* Saigusa,1961 Range (in code): JP
- 70813. *Peloponnesia culminella* Sieder,1961** (Psychidae) Synonym(s): *culminella* Sieder,1961
Range (in code): GR
- 70814. *Peloponnesia glaphyrella* (Rebel,1906)** (Psychidae) Synonym(s): *glaphyrella* Rebel,1906; *megaspiliella* Sieder,1959. Range (in code): GR
- 70815. *Penestoglossa dardoinella* (Millière,1863)** (Psychidae) Synonym(s): *dardoinella* Millière,1863; *laticorella* Mann,1873; *incerta* Millière,1876; *symmathetica* Meyrick,1938 Range (in code): DZ Anna TN Tun ES FR Co Sa IT MT HV GR
- 70816. *Penestoglossa marocanella* (Lucas,1933)** (Psychidae) Synonym(s): *marocanella* Lucas,1933; *mauretanica* Rebel,1940. Range (in code): MA DZ
- 70817. *Penestoglossa pyrenaella* Herrmann,2006** (Psychidae) Synonym(s): *pyrenaella* Herrmann,2006 Range (in code): FR Py
- 70818. *Penestoglossa tauricella* Rebel,1935** (Psychidae) Synonym(s): *tauricella* Rebel,1935
Range (in code): TR
- 70819. *Phalacropterix apiformis* (Rossi,1790)** (Psychidae) Synonym(s): *apiformis* Rossi,1790; *fucella* Hübner,[1810]; *apiformella* Bruand,1853 Range (in code): FR Co Sa Si IT MT AT?
- 70820. *Phalacropterix bruandi* (Lederer,1855)** (Psychidae) Synonym(s): *bruandi* Lederer,1855
Range (in code): TR LB Bei Bsa
- 70821. *Phalacropterix calberlae* (Heylaerts,1890)** (Psychidae) Synonym(s): *calberlae* Heylaerts,1890 Range (in code): PT ES FR Bionomy: Larva on Vaccinium (Meyer,1919).
- 70822. *Phalacropterix graminifera* (Fourcroy,1785)** (Psychidae) Synonym(s): *graminifera* Fourcroy,1785; *millieriella* Lederer,1853; *constancella* Bruand,1853 Range (in code): PT ES FR IT
- 70823. *Phalacropterix graslinella* (Boisduval,1852)** (Psychidae) Synonym(s): *graslinella* Boisduval,1852; *atribombycella* Bruand,1853 Range (in code): FR IT BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY
- 70824. *Phalacropterix praecellens* (Staudinger,1870)** (Psychidae) Synonym(s): *praecellens* Staudinger,1870 Range (in code): ES IT CH AT YU GR
- 70825. *Placodoma anatolica* Sobczyk,2013** (Psychidae) Synonym(s): *anatolica* Sobczyk,2013
Range (in code): TR

- 70826. *Placodoma armeniaca* Sobczyk,2013** (Psychidae) Synonym(s): *armeniaca* Sobczyk,2013
Range (in code): **AM Cc**
- 70827. *Placodoma brandbergensis* Sobczyk & Mey,2007** (Psychidae) Synonym(s): *brandbergensis* Sobczyk & Mey,2007 - Range (in code): **NA**
- 70828. *Placodoma calpella* Sobczyk,2013** (Psychidae) Synonym(s): *calpella* Sobczyk,2013
Range (in code): **ES An Gi**
- 70829. *Placodoma fulva* Sobczyk & Mey,2007** (Psychidae) Synonym(s): *fulva* Sobczyk & Mey,2007 - Range (in code): **ZA**
- 70830. *Placodoma gaedikei* Sobczyk,2013** (Psychidae) Synonym(s): *gaedikei* Sobczyk,2013
Range (in code): **JO**
- 70831. *Placodoma haettenschwileri* Sobczyk,2013** (Psychidae) Synonym(s): *haettenschwileri* Sobczyk,2013 - Range (in code): **OM**
- 70832. *Placodoma minima* Sobczyk,2013** (Psychidae) Synonym(s): *minima* Sobczyk,2013
Range (in code): **YE**
- 70833. *Placodoma mustapha* Sobczyk,2013** (Psychidae) Synonym(s): *mustapha* Sobczyk,2013
Range (in code): **MA**
- 70834. *Placodoma oasella* Chrétien,1915** (Psychidae) Synonym(s): *oasella* Chrétien,1915
Range (in code): **TN Gf**
- 70835. *Placodoma palaestinella* (Rebel,1902)** (Psychidae) Synonym(s): *palaestinella* Rebel,1902; *epiphraeta* Meyrick,1921; *diaphraeta* Meyrick,1922 - Range (in code): **IL Hf Pa Js**
- 70836. *Placodoma praeclara* Sobczyk,2013** (Psychidae) Synonym(s): *praeclara* Sobczyk,2013
Range (in code): **IL Pa JO SY Dms**
- 70837. *Placodoma pseudoragonoti* Sobczyk,2013** (Psychidae) Synonym(s): *pseudoragonoti* Sobczyk,2013 - Range (in code): **MA**
- 70838. *Placodoma ragonoti* (Rebel,1900)** (Psychidae) Synonym(s): *ragonoti* Rebel,1900
Range (in code): **ES Mu**
- 70839. *Placodoma subaquila* Sobczyk,2013** (Psychidae) Synonym(s): *subaquila* Sobczyk,2013
Range (in code): **OM**
- 70840. *Placodoma tifrit* Sobczyk,2013** (Psychidae) Synonym(s): *tifrit* Sobczyk,2013 - Range (in code): **MA**
- 70841. *Placodoma veletaella* Sobczyk,2013** (Psychidae) Synonym(s): *veletaella* Sobczyk,2013
Range (in code): **ES**
- 70842. *Placodoma vista* Mey,2011** (Psychidae) Synonym(s): *vista* Mey,2011 - Range (in code): **ZA**
- 70843. *Placodoma wernoi* Sobczyk,2013** (Psychidae) Synonym(s): *wernoi* Sobczyk,2013
Range (in code): **MA**
- 70844. *Placodoma yemenella* Sobczyk,2013** (Psychidae) Synonym(s): *yemenella* Sobczyk,2013
Range (in code): **SA As YE**
- 70845. *Postsolenobia banatica* (Hering,1922)** (Psychidae) Synonym(s): *banatica* Hering,1922
Range (in code): **HU RO**
- 70846. *Postsolenobia juliella* (Rebel,1919)** (Psychidae) Synonym(s): *juliella* Rebel,1919
Range (in code): **IT**
- 70847. *Postsolenobia thomanni* (Rebel,1936)** (Psychidae) Synonym(s): *thomanni* Rebel,1936
Range (in code): **CH HU**
- 70848. *Praesolenobia clathrella* (Fischer v. Röslerstamm,1837)** (Psychidae) Synonym(s): *clathrella* Fischer v. Röslerstamm,1837 - Range (in code): **AT PL SK HU**
- 70849. *Praesolenobia desertella* (Rebel,1919)** (Psychidae) Synonym(s): *desertella* Rebel,1919
Range (in code): **RU Ur Or**
- 70850. *Proutia betulina* (Zeller,1839)** (Psychidae) Synonym(s): *betulina* Zeller,1839; *salicicolella* Bruand,1853; *rouasti* Heylaerts,1879; *eppingella* Tutt,1900. - Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO AL SE RU VI Mo Tt Cc AZ MD UA BY KG DsA**
- 70851. *Proutia breviserrata* Sieder,1963** (Psychidae) Synonym(s): *breviserrata* Sieder,1963
Range (in code): **AT BG**
- 70852. *Proutia rotunda* Suomalainen,1990** (Psychidae) Synonym(s): *rotunda* Suomalainen,1990
Range (in code): **DE DK SE FI EE LV LT**
- 70853. *Pseudobankesia alpestrella* (Heinemann,1870)** (Psychidae) Synonym(s): *alpestrella* Heinemann,1870 - Range (in code): **FR IT CH**

- 70854. *Pseudobankesia arahova* Stengel,1990** (Psychidae) Synonym(s): *arahova* Stengel,1990
Range (in code): GR
- 70855. *Pseudobankesia casaella* Hättenschwiler,1994** (Psychidae) Synonym(s): *casaella* Hättenschwiler,1994
Range (in code): ES FR
- 70856. *Pseudobankesia caucasica* (Kozhantshikov,1956)** (Psychidae) Synonym(s): *caucasica* Kozhantshikov,1956
Range (in code): GG Smt Bjo Cc
- 70857. *Pseudobankesia contractella* Hättenschwiler,1994** (Psychidae) Synonym(s): *contractella* Hättenschwiler,1994
Range (in code): IT CH
- 70858. *Pseudobankesia darwini* Stengel,1990** (Psychidae) Synonym(s): *darwini* Stengel,1990
Range (in code): GR
- 70859. *Pseudobankesia dioszeghyi* (Rebel,1938)** (Psychidae) Synonym(s): *dioszeghyi* Rebel,1938
Range (in code): RO
- 70860. *Pseudobankesia gramatella* (Lhomme,1938)** (Psychidae) Synonym(s): *gramatella* Lhomme,1938
Range (in code): FR
- 70861. *Pseudobankesia macedoniella* (Rebel,1919)** (Psychidae) Synonym(s): *macedoniella* Rebel,1919
Range (in code): YU AL
- 70862. *Pseudobankesia vernella* (Constant,1899)** (Psychidae) Synonym(s): *vernella* Constant,1899
Range (in code): FR
- 70863. *Pseudofumea umbrosella* Rebel,1934** (Psychidae) Synonym(s): *umbrosella* Rebel,1934
Range (in code): MA
- 70864. *Psyche casta* (Pallas,1767)** (Psychidae) Synonym(s): *casta* Pallas,1767; *nitidella* Hübner,1793; *germanica* Chapman,1900; *minor* Chapman,1900; *bowerella* Chapman,1900; *mitterdella* Chapman,1900; *niphonica* Hori,1926; *ussuriensis* Kozhantschikov,1956.
Range (in code): DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Mo Tt Da Prj Us MD UA BY Cc GG Tbl AZ Nv Ord JP
- 70865. *Psyche caucasica* (Solyanikov,1991)** (Psychidae) Synonym(s): *caucasica* Solyanikov,1991
Range (in code): RU Kr Cc AM
- 70866. *Psyche crassiorella* (Bruand,[1851])** (Psychidae) Synonym(s): *crassiorella* Bruand,[1851]; *intermediella* Bruand,1853; *affinis* Reutti,1853; *subflavella* Milliere,1876; *ciliella* Chapman,1900; *danieli* Siedler,1958.
Range (in code): PT ES FR Sa Si IT GB NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 70867. *Psyche ghilarovi* (Solyanikov,1991)** (Psychidae) Synonym(s): *ghilarovi* Solyanikov,1991
Range (in code): Cc GG Tbl RU Kr Mah Da AM
- 70868. *Psyche libanotica* (Zerny,1933)** (Psychidae) Synonym(s): *libanotica* Zerny,1933
Range (in code): LB
- 70869. *Psyche pyrenaea* (Bourgogne,1961)** (Psychidae) Synonym(s): *pyrenaea* Bourgogne,1961; *occidentalis* Bourgogne,1961
Range (in code): ES FR
- 70870. *Psyche rassei* (Siedler,1975)** (Psychidae) Synonym(s): *rassei* Siedler,1975
Original Reference: Massonia [sic] rassei Siedler,1975, Ent. Ber., Amst. 35: 150-153, figs. 6. Holotype ♂: Turkia: Büyük-Ada [Istanbul], leg. Rasse (6.iv.1975) (coll.?).
Range (in code): TR
- 70871. *Psyche samoana* (Tams,1935)** (Psychidae) Synonym(s): *samoana* Tams,1935
Range (in code): WS
- 70872. *Psyche syriaca* (Rebel,1917)** (Psychidae) Synonym(s): *syriaca* Rebel,1917; *sorrentina* Wehrli,1933
Range (in code): SY
- 70873. *Psyche taiwana* (Wileman & South,1917)** (Psychidae) Synonym(s): *taiwana* Wileman & South,1917
Range (in code): TW
- 70874. *Psyche talgarica* (Solyanikov,1991)** (Psychidae) Synonym(s): *talgarica* Solyanikov,1991
Range (in code): KG Aa TrA
- 70875. *Psyche tshatkcalica* (Solyanikov,1991)** (Psychidae) Synonym(s): *tshatkcalica* Solyanikov,1991
Range (in code): UZ Tas
- 70876. *Psychidea balcanica* (Wehrli,1933)** (Psychidae) Synonym(s): *balcanica* Wehrli,1933
Range (in code): RO YU BG
- 70877. *Psychidea nudella* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *nudella* Ochsenheimer,1810
Range (in code): ES FR DE AT PL CZ SK HU AL BG
- 70878. *Psychidopsis alpherakii* (Heylaerts,1881)** (Psychidae) Synonym(s): *alpherakii* Heylaerts,1881
Range (in code): CN Ui Ku KG Ssn
- 70879. *Psychidopsis flavescens* (Heylaerts,1881)** (Psychidae) Synonym(s): *flavescens* Heylaerts,1881
Range (in code): CN Ui Ku KG Tk DsA

- 70880. *Psychidopsis flavescens flavescens* (Heylaerts,1881)** (Psychidae) Synonym(s): *flavescens* Heylaerts,1881 - Range (in code): KG Tk DsA
- 70881. *Psychidopsis flavescens kuldshaensis* (Heylaerts,1881)** (Psychidae) Synonym(s): *kuldshaensis* Heylaerts,1881 - Range (in code): CN Ui Ku
- 70882. *Pteroma alternata* Dyar,1912** (Psychidae) Synonym(s): *alternata* Dyar,1912 - Range (in code): MX
- 70883. *Pteroma dealbata* Dierl,1971** (Psychidae) Synonym(s): *dealbata* Dierl,1971 - Range (in code): NP
- 70884. *Pteroma langkawiensis* De Freina,1993** (Psychidae) Synonym(s): *langkawiensis* De Freina,1993 - Range (in code): MY Lkw
- 70885. *Pteroma nipae* (Bourgogne,1937)** (Psychidae) Synonym(s): *nipae* Bourgogne,1937 - Range (in code): VN
- 70886. *Pteroma pendula* (De Joannis,1929)** (Psychidae) Synonym(s): *pendula* De Joannis,1929 - Range (in code): MY Bor VN Ton
- 70887. *Pteroma plagiophleps* Hampson,1892** (Psychidae) Synonym(s): *plagiophleps* Hampson,1892 - Range (in code): LK
- 70888. *Ptilamicta erythropyga* Kozhantshikov,1956** (Psychidae) Synonym(s): *erythropyga* Kozhantshikov,1956 - Range (in code): Cc AZ Nv Ord
- 70889. *Ptilocephala* (Bourgognia) *colossa* (A.Bang-Haas,1907)** (Psychidae) Synonym(s): *colossa* A.Bang-Haas,1907 - Range (in code): PT ES
- 70890. *Ptilocephala* (Bourgognia) *leschenaulti* (Staudinger,1860)** (Psychidae) Synonym(s): *leschenaulti* Staudinger,1860; *nigricans* Staudinger,1871 - Range (in code): PT ES FR
- 70891. *Ptilocephala* (Bourgognia) *lessei* (Bourgogne,1954)** (Psychidae) Synonym(s): *lessei* Bourgogne,1954 - Range (in code): ES FR
- 70892. *Ptilocephala* (Bourgognia) *matthesi* (Bourgogne,1954)** (Psychidae) Synonym(s): *matthesi* Bourgogne,1954 - Range (in code): PT ES
- 70893. *Ptilocephala* (Bourgognia) *melanura* (Bourgogne,1954)** (Psychidae) Synonym(s): *melanura* Bourgogne,1954 - Range (in code): PT ES
- 70894. *Ptilocephala* (Bourgognia) *silphella* (Millière,1871)** (Psychidae) Synonym(s): *silphella* Millière,1871 - Range (in code): ES FR IT
- 70895. *Ptilocephala* (Deuterohyalina) *albida* (Esper,[1786])** (Psychidae) Synonym(s): *albida* Esper,[1786] - Range (in code): PT ES FR IT CH BG GR TR
- 70896. *Ptilocephala* (Deuterohyalina) *biroi* (Rebel,1909)** (Psychidae) Synonym(s): *biroi* Rebel,1909 - Range (in code): HV B-H
- 70897. *Ptilocephala* (Deuterohyalina) *desertorum* (Turati,1927)** (Psychidae) Synonym(s): *desertorum* Turati,1927 - Range (in code): LY Cy
- 70898. *Ptilocephala* (Deuterohyalina) *kahri* (Lederer,1857)** (Psychidae) Synonym(s): *kahri* Lederer,1857 - Range (in code): Si IT RU MD UA BY
- 70899. *Ptilocephala* (Deuterohyalina) *malvinella* (Millière,1858)** (Psychidae) Synonym(s): *malvinella* Millière,1858 - Range (in code): ES
- 70900. *Ptilocephala* (Deuterohyalina) *pyrenaella* (Herrich-Schäffer,1852)** (Psychidae) Synonym(s): *pyrenaella* Herrich-Schäffer,1852 - Range (in code): ES FR IT CH
- 70901. *Ptilocephala* (Deuterohyalina) *vesubiella* (Millière,1872)** (Psychidae) Synonym(s): *vesubiella* Millière,1872 - Range (in code): FR IT
- 70902. *Ptilocephala* (Deuterohyalina) *wockeï* (Standfuss,1882)** (Psychidae) Synonym(s): *wockeï* Standfuss,1882 - Range (in code): IT
- 70903. *Ptilocephala* (gr.4) *plumifera* (Ochsenheimer,1810)** (Psychidae) Synonym(s): *plumifera* Ochsenheimer,1810; *mediterranea* Lederer,1853. - Range (in code): MA DZ PT ES FR IT BE NL DE CH AT PL CZ SK HU RO AL BG TR RU VI Sr Ur MD UA Cm KG Ssn Cc AM Eri GG Tbl AZ Nv Kir
- 70904. *Ptilocephala* (gr.4) *triaena* (Bourgogne,1940)** (Psychidae) Synonym(s): *triaena* Bourgogne,1940 - Range (in code): ES
- 70905. *Ptilocephala* (s.str.) *agrostidis* (Schränk,1802)** (Psychidae) Synonym(s): *agrostidis* Schränk,1802 - Range (in code): ES FR IT DE AT
- 70906. *Ptilocephala* (s.str.) *ardanazi* (Agenjo,1954)** (Psychidae) Synonym(s): *ardanazi* Agenjo,1954 - Range (in code): ES
- 70907. *Ptilocephala* (s.str.) *fulminella* (Millière,1865)** (Psychidae) Synonym(s): *fulminella* Millière,1865 - Range (in code): ES

- 70908. *Ptilocephala* (s.str.) *moncaunella* (Chapman,1903)** (Psychidae) **Synonym(s):** *moncaunella* Chapman,1903 _ Range (in code): ES
- 70909. *Ptilocephala* (s.str.) *monteiroi* (Bourgogne,1953)** (Psychidae) **Synonym(s):** *monteiroi* Bourgogne,1953 _ Range (in code): PT ES
- 70910. *Ptilocephala* (s.str.) *muscella* ([Denis & Schiffermüller],1775)** (Psychidae) **Synonym(s):** *muscella* [Denis & Schiffermüller],1775 Original Reference: *Tinea muscella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 133. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR IT DE AT CZ SK HU RO BG TR RU Or Sr Ur Vi Tt Sb Ir MD UA BY Cc
- 70911. *Ptilocephala* (s.str.) *sicheliella* (Bruand,1858)** (Psychidae) **Synonym(s):** *sicheliella* Bruand,1858 _ Range (in code): PT ES FR IT
- 70912. *Ptilocephala* *piae* Hättenschwiler,1996** (Psychidae) **Synonym(s):** *piae* Hättenschwiler,1996 _ Range (in code): ES
- 70913. *Pygmaeotinea* *crisostomella* Amsel,1957** (Psychidae) **Synonym(s):** *crisostomella* Amsel,1957 _ Range (in code): PT
- 70914. *Rebelia* *bavarica* Wehrli,1926** (Psychidae) **Synonym(s):** *bavarica* Wehrli,1926 _ Range (in code): DE AT
- 70915. *Rebelia* *ferruginans* Rebel,1937** (Psychidae) **Synonym(s):** *ferruginans* Rebel,1937 Range (in code): CH
- 70916. *Rebelia* *herrichiella* Strand,1912** (Psychidae) **Synonym(s):** *herrichiella* Strand,1912 Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO RU MD UA BY
- 70917. *Rebelia* *kruegeri* Turati,1914** (Psychidae) **Synonym(s):** *kruegeri* Turati,1914 _ Range (in code): IT CH AT SK
- 70918. *Rebelia* *macedonica* Pinker,1956** (Psychidae) **Synonym(s):** *macedonica* Pinker,1956 Range (in code): MK
- 70919. *Rebelia* *majorella* Rebel,1910** (Psychidae) **Synonym(s):** *majorella* Rebel,1910 _ Range (in code): AT
- 70920. *Rebelia* *nocturnella* (Alpheraky,1876)** (Psychidae) **Synonym(s):** *nocturnella* Alpheraky,1876 _ Range (in code): RU Ur Or Sr Da Ir Irk Cc UA Cm Vi Mnu Kj Ro Tgn HU HV
- 70921. *Rebelia* *perlucidella* (Bruand,1853)** (Psychidae) **Synonym(s):** *perlucidella* Bruand,1853 Range (in code): RO YU BG
- 70922. *Rebelia* *sapho* (Millière,1864)** (Psychidae) **Synonym(s):** *sapho* Millière,1864 _ Range (in code): IT CH AT PL CZ SK HU YU AL BG
- 70923. *Rebelia* *styriaca* Rebel,1937** (Psychidae) **Synonym(s):** *styriaca* Rebel,1937 _ Range (in code): AT
- 70924. *Rebelia* *surientella* (Bruand,1858)** (Psychidae) **Synonym(s):** *surientella* Bruand,1858; *suriens* Bruand,1859 _ Range (in code): ES FR IT DE AT PL CZ HU B-H AL TR
- 70925. *Rebelia* *thomanni* Rebel,1937** (Psychidae) **Synonym(s):** *thomanni* Rebel,1937 _ Range (in code): IT CH AT
- 70926. *Reisseronia* (Tsikalasia) *malickyi* Hauser,1996** (Psychidae) **Synonym(s):** *malickyi* Hauser,1996 _ Range (in code): Cr GR
- 70927. *Reisseronia* (Tsikalasia) *muscaelutum* Kurz, Kurz & Zeller-Lukashort,2006** (Psychidae) **Synonym(s):** *muscaelutum* Kurz, Kurz & Zeller-Lukashort,2006 _ Range (in code): IT
- 70928. *Reisseronia* (Tsikalasia) *satanella* Kurz, Kurz & Zeller-Lukashort,2006** (Psychidae) **Synonym(s):** *satanella* Kurz, Kurz & Zeller-Lukashort,2006 _ Range (in code): IT
- 70929. *Reisseronia* (Tsikalasia) *tshetverikovi* Solanikov,1990** (Psychidae) **Synonym(s):** *tshetverikovi* Solanikov,1990 _ Range (in code): UA Cm
- 70930. *Reisseronia* *arnscheidi* Weidlich,2006** (Psychidae) **Synonym(s):** *arnscheidi* Weidlich,2006 _ Range (in code): RO
- 70931. *Reisseronia* *flavociliella* (Mann,1864)** (Psychidae) **Synonym(s):** *flavociliella* Mann,1864 Range (in code): GR TR
- 70932. *Reisseronia* *gertrudae* Sieder,1962** (Psychidae) **Synonym(s):** *gertrudae* Sieder,1962 Range (in code): AT
- 70933. *Reisseronia* *hofmanni* (Heylaerts,1879)** (Psychidae) **Synonym(s):** *hofmanni* Heylaerts,1879 _ Range (in code): Si IT
- 70934. *Reisseronia* *magna* Hättenschwiler,1982** (Psychidae) **Synonym(s):** *magna* Hättenschwiler,1982 _ Range (in code): GR

- 70935. *Reisseronia nigrociliella* (Rebel,1934)** (Psychidae) **Synonym(s):** *nigrociliella* Rebel,1934
Range (in code): **BG GR**
- 70936. *Reisseronia pusilella* (Rebel,1941)** (Psychidae) **Synonym(s):** *pusilella* Rebel,1941
Range (in code): **YU BG GR UA Cm**
- 70937. *Reisseronia staudingeri* (Heylaerts,1879)** (Psychidae) **Synonym(s):** *staudingeri* Heylaerts,1879
Range (in code): **RU**
- 70938. *Reisseronia tarnierella* (Bruand,1853)** (Psychidae) **Synonym(s):** *tarnierella* Bruand,1853; *myrmidonella* Bruand,1853
Range (in code): **FR IT BE NL**
- 70939. *Sciopetris amseli* Sieder,1959** (Psychidae) **Synonym(s):** *amseli* Sieder,1959
Range (in code): **AF Hr**
- 70940. *Sciopetris hartigi* Sieder,1976** (Psychidae) **Synonym(s):** *hartigi* Sieder,1976
Range (in code): **Sa**
- 70941. *Sciopetris karsholti* Hättenschwiler,1996** (Psychidae) **Synonym(s):** *#karsholti* Hättenschwiler,1996
Original Reference: *Sciopetris karsholti* Hättenschwiler,1996, *Nota lepid.* 19 (1/2): 107-112. Holotype: Tunisia [unavailable, as it is proposed conditionally].
Range (in code): **TN**
- 70942. *Sciopetris melitensis* Rebel,1919** (Psychidae) **Synonym(s):** *melitensis* Rebel,1919
Range (in code): **MT**
- 70943. *Sciopetris pretiosa* (Stainton,1872)** (Psychidae) **Synonym(s):** *pretiosa* Stainton,1872
Range (in code): **MA**
- 70944. *Sciopetris technica* Meyrick,1891** (Psychidae) **Synonym(s):** *technica* Meyrick,1891
Range (in code): **DZ Cst**
- 70945. *Siederia alpicolella* (Rebel,1919)** (Psychidae) **Synonym(s):** *alpicolella* Rebel,1919; *saxatilis* Siedler,1954; *meieri* Siedler,1955
Range (in code): **ES FR IT CH AT RO**
- 70946. *Siederia listerella* (Linnaeus,1758)** (Psychidae) **Synonym(s):** *listerella* Linnaeus,1758; *cembrella* Linnaeus,1761; *cembrae* Haworth,1811; *listeri* Haworth,1828; *cembralis* Guenée,1854.
Range (in code): **DK NO SE FI EE LV LT RU BY TJ**
- 70947. *Siederia meierella* (Sieder,1956)** (Psychidae) **Synonym(s):** *meierella* Sieder,1956
Range (in code): **IT AT**
- 70948. *Siederia pineti* (Zeller,1852)** (Psychidae) **Synonym(s):** *pineti* Zeller,1852; *pinetella* Herrich-Schäffer,1855
Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU**
- 70949. *Siederia rupicolella* (Sauter,1954)** (Psychidae) **Synonym(s):** *rupicolella* Sauter,1954
Range (in code): **DE CH AT NO SE FI EE LV**
- 70950. *Solemasia araxella* Zagulyaev,1995** (Psychidae) **Synonym(s):** *araxella* Zagulyaev,1995
Range (in code): **Cc AZ Nv Ord AM**
- 70951. *Sterrhopterix fusca* (Haworth,1809)** (Psychidae) **Synonym(s):** *fusca* Haworth,1809; *calvella* Ochsenheimer,1810; *fuscella* Meigen,1832; *gozmanyi* Kovacs,1953
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG NO SE FI EE LV LT RU MD UA BY**
- 70952. *Sterrhopterix standfussi* (Wocke,1851)** (Psychidae) **Synonym(s):** *standfussi* Wocke,1851
Range (in code): **IT DE CH AT CZ SK RO NO SE FI EE LV LT RU MD UA BY**
- 70953. *Stichobasis helicinoides* (Heylaerts,1879)** (Psychidae) **Synonym(s):** *helicinoides* Heylaerts,1879
Range (in code): **SK GR**
- 70954. *Stichobasis mima* Bourgogne,1939** (Psychidae) **Synonym(s):** *mima* Bourgogne,1939
Original Reference: *Stichobasis mima* Bourgogne,1939, *Bull. Soc. ent. Fr.* 1939:199-200, fig.1. Holotype ♂: [Lebanon]: "Ghazir (Syrie)" (MNHNP).
Range (in code): **LB**
- 70955. *Taleporia autumnella* Rebel,1919** (Psychidae) **Synonym(s):** *autumnella* Rebel,1919
Range (in code): **YU**
- 70956. *Taleporia borealis* Wocke,1862** (Psychidae) **Synonym(s):** *borealis* Wocke,1862
Range (in code): **NO SE FI RU MD UA BY**
- 70957. *Taleporia euxina* Zagulyaev,1997** (Psychidae) **Synonym(s):** *euxina* Zagulyaev,1997
Range (in code): **RU Cc Kr**
- 70958. *Taleporia improvisella* Staudinger,1859** (Psychidae) **Synonym(s):** *improvisella* Staudinger,1859
Range (in code): **ES**
- 70959. *Taleporia pallidella* (Zagulyaev,1997)** (Psychidae) **Synonym(s):** *pallidella* Zagulyaev,1997
Range (in code): **RU Cc Kr**
- 70960. *Taleporia politella* (Ochsenheimer,1816)** (Psychidae) **Synonym(s):** *politella* Ochsenheimer,1816; *lefeviella* Duponchel,1842; *minorella* Duponchel,1842
Range (in code): **ES FR IT CH AT PL CZ SK HU RO AL EE RU MD UA BY**

- 70961. Taleporia pseudoimprovisella Freina & Witt,1984** (Psychidae) **Synonym(s):** *pseudoimprovisella* Freina & Witt,1984 _ Range (in code): **TR**
- 70962. Taleporia tubulosa (Retzius,1783)** (Psychidae) **Synonym(s):** *tubulosa* Retzius,1783; *pseudobombycella* Hübner,1796; *glabrella* Ochsenheimer,1816; *tessellea* Haworth,1828; *tesserella* Stephens,1829; *anderreggella* Duponchel,1842; *guenei* Zeller,1852; *hirta* Bartosova & Duskova,1958 _ Original Reference: Phalaena tubulosa Retzius,1783, Genera et Species Insectorum: 44. **Type(s):** [Europe]. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Or Ao Sr Ur MD UA BY KG Uk** _ Bionomy: Larva feeds on Lichen (Parmelia [Parmeliaceae, Fungi]) (Wikipedia).
- 70963. Typhonia beatricis Hättenschwiler,2000** (Psychidae) **Synonym(s):** *beatricis* Hättenschwiler,2000 _ Range (in code): **CH**
- 70964. Typhonia christenseni (Hättenschwiler,1990)** (Psychidae) **Synonym(s):** *christenseni* Hättenschwiler,1990 _ Range (in code): **GR**
- 70965. Typhonia korbi (Rebel,1906)** (Psychidae) **Synonym(s):** *korbi* Rebel,1906 _ Range (in code): **RU Am Vv**
- 70966. Typhonia kuldjaensis (Caradja,1920)** (Psychidae) **Synonym(s):** *kuldjaensis* Caradja,1920 _ Original Reference: Melasina punctata var. kuldjaensis Caradja,1920, Dt. ent. Z., Iris 34: 165. **Type(s):** [China: Uighur A.R.]: "Kuldja". Range (in code): **CN Ui Ku KK KuA Na**
- 70967. Typhonia lugubris (Hübner,1793)** (Psychidae) **Synonym(s):** *lugubris* Hübner,1793; *ciliaris* Ochsenheimer,1810; *lugubris* Hübner,[1808] nec Fabricius,1777; *aequalis* Osthelder,1938 _ Range (in code): **PT ES FR IT DE CH AT SK RO YU AL BG GR TR Cc RU MD UA BY IR Mz Elb**
- 70968. Typhonia philippinensis Sobczyk,2012** (Psychidae) **Synonym(s):** *philippinensis* Sobczyk,2012 _ Range (in code): **PH Luz**
- 70969. Typhonia punctata (Herrich-Schäffer,[1855])** (Psychidae) **Synonym(s):** *punctata* Herrich-Schäffer,[1855] _ Range (in code): **RU TR Cc GG**
- 70970. Typhonia seyrigiella (Viette,1954)** (Psychidae) **Synonym(s):** *seyrigiella* Viette,1954 _ Range (in code): **MG**
- 70971. Typhonia trougti (Amsel,1955)** (Psychidae) **Synonym(s):** *trougti* Amsel,1955 _ Range (in code): **JO**
- 70972. Typhonia witti Sobczyk,2012** (Psychidae) **Synonym(s):** *witti* Sobczyk,2012 _ Range (in code): **ID Klt Bor**
- 70973. Urobarba arabica (Wiltshire,1949)** (Psychidae) **Synonym(s):** *arabica* Wiltshire,1949 _ Range (in code): **SA Hj SA39 AE**
- 70974. Urobarba exacta (De Joannis,1929)** (Psychidae) **Synonym(s):** *exacta* De Joannis,1929 _ Range (in code): **VN Ton**
- 70975. Urobarba longicauda (W.Warren,1888)** (Psychidae) **Synonym(s):** *longicauda* W.Warren,1888 _ Original Reference: Psyche longicauda W.Warren,1888, Proc. zool. Soc. London 1888: 299. **Type:** [Pakistan]: Campbellpore. Range (in code): **AF PK Cp Pj OM AE YE**
- 70976. Whittleia retiella (Newman,1847)** (Psychidae) **Synonym(s):** *retiella* Newman,1847 _ Range (in code): **FR GB BE NL DK SE**
- 70977. Whittleia schwingenschussi Rebel,1910** (Psychidae) **Synonym(s):** *schwingenschussi* Rebel,1910 _ Range (in code): **AT**
- 70978. Whittleia undulella (Fischer v. Röslerstamm,1837)** (Psychidae) **Synonym(s):** *undulella* Fischer v. Röslerstamm,1837 _ Range (in code): **SK HU RU MD UA BY**
- 70979. Anathyrza macroxyla Meyrick,1920** (Pterolonchidae) **Synonym(s):** *macroxyla* Meyrick,1920 _ Range (in code): **ZA Wca Cto Nta Kzu Ptb Ec Ste Kny**
- 70980. Kruegerius terebratus (Meyrick,1924)** (Pterolonchidae) **Synonym(s):** *terebratus* Meyrick,1924 _ Range (in code): **ZA Ec Ste**
- 70981. Pterolonche (Agenjius) lutescentella Chrétien,1922** (Pterolonchidae) **Synonym(s):** *lutescentella* Chrétien,1922 _ Range (in code): **PT ES**
- 70982. Pterolonche (Gomezustillus) kurdistanella Amsel,1959** (Pterolonchidae) **Synonym(s):** *kurdistanella* Amsel,1959 _ Original Reference: Pterolonche kurdistanella Amsel,1959, Bull. Soc. ent. Egypte 43: 61-62, figs. Monotype ♂: Iraq: Shaqlawa. Range (in code): **IQ Shq**
- 70983. Pterolonche (Gomezustillus) pulverulenta Zeller,1847** (Pterolonchidae) **Synonym(s):** *pulverulenta* Zeller, 1847 _ Range (in code): **DZ Gea PT ES An Si IT MT AT RO BG TR**
- 70984. Pterolonche (Gomezustillus) traugottolseniella Vives Moreno,1986** (Pterolonchidae) **Synonym(s):** *traugottolseniella* Vives Moreno,1986 _ Range (in code): **PT ES**

- 70985. Pterolonche (Gomezbastillus) vallettae Amsel, 1955** (Pterolonchidae) Synonym(s): *vallettae* Amsel, 1955 Range (in code): **MT**
- 70986. Pterolonche (s.str.) albescens Zeller, 1847** (Pterolonchidae) Synonym(s): *albescens* Zeller, 1847 Range (in code): **PT ES FR Co Sa Si IT MT HU RO YU BG GR TR LB BSa IL Pa**
- 70987. Pterolonche (s.str.) gozmaniella Vives Moreno, 1984** (Pterolonchidae) Synonym(s): *gozmaniella* Vives Moreno, 1984 Range (in code): **PT ES**
- 70988. Pterolonche (s.str.) inspersa Staudinger, 1859** (Pterolonchidae) Synonym(s): *inspersa* Staudinger, 1859; *gracilis* Rebel, 1916 Range (in code): **MA PT ES FR Sa IT AT RO MD UA B-H HV SS YU MK SK HU BG GR Cr TR RU Kyi** Bionomy: Larva root borers on *Centaurea cineraria*, *C. diffusa*, *C. friderici*, *C. maculosa*, *C. vallesiaca* (Asteraceae) (Heppner, 1997).
- 70989. Adaina gentilis Meyrick, 1911** (Pterophoridae) Synonym(s): *gentilis* Meyrick, 1911 Range (in code): **ZA Tva Gau Pre Nta Kzu Ptb Dbn**
- 70990. Adaina microdactyla (Hübner, [1813])** (Pterophoridae) Synonym(s): *microdactyla* Hübner, [1813]; *carphodactylus* Stephens, 1834; *subflavescens* Meyrick, 1930; *montivola* Meyrick, 1937; *madecasseus* Gibeaux, 1994 Range (in code): **MA PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU HV RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Kdj Fa Gor GlS IL Jt Pa Cc GG Btm Aj CN Yu KwT TW JP SB TZ MW VN PH PG SB NP ID TH Int CMa MG** Bionomy: Larva on *Eupatorium cannabinum* (Beirne, 1954).
- 70991. Adaina periarga Meyrick, 1913** (Pterophoridae) Synonym(s): *periarga* Meyrick, 1913 Range (in code): **ZA Tva Mpu Brb Nta Kzu NA LS MW Zom**
- 70992. Adaina propria Meyrick, 1921** (Pterophoridae) Synonym(s): *propria* Meyrick, 1921 Range (in code): **MZ Mag**
- 70993. Agdistis aberdareana Arenberger, 1988** (Pterophoridae) Synonym(s): *aberdareana* Arenberger, 1988 Range (in code): **AET KE**
- 70994. Agdistis adactyla (Hübner, [1819])** (Pterophoridae) Synonym(s): *adactyla* Hübner, [1819]; *huebneri* Curtis, 1834; *delphinensella* Bruand, 1858; *shaanxisis* Qin & Zheng, 1997. Range (in code): **AET MA DZ Phv TN Gf LY Cy ES FR Si IT DE CH AT PL CZ SK HU RO MK BG GR TR LV LT RU Ir Irk Tt Mnu Kj Cc AM Eri MD UA BY PK KG Uk TrA Aa TJ TM BdZ CN Ui Ku IMn Gn Pkn Hph She NHu LB BSa IL Pa IR Elb Th Gor GlS Mz Amo Se Fa AF Ca Pli MN** Bionomy: Larva on *Artemisia campestris*, *A. scoparia*, *Chenopodium fruticosum*, *Erica cinerea*, *Santolina chamaecyparissus* (Chrétien, 1917; et seq.).
- 70995. Agdistis adenensis Amsel, 1961** (Pterophoridae) Synonym(s): *adenensis* Amsel, 1961 Range (in code): **YE Ad OM IR Kz Se Hz Bu BH**
- 70996. Agdistis africana Arenberger, 1996** (Pterophoridae) Synonym(s): *africana* Arenberger, 1996 Range (in code): **AET**
- 70997. Agdistis arabica Amsel, 1958** (Pterophoridae) Synonym(s): *arabica* Amsel, 1958 Range (in code): **AET TN EG SD SD95 IL Pa IR Ss Bu Hz PK Krc BH SA YE Ad OM SO Mga**
- 70998. Agdistis arenbergeri Gielis, 1986** (Pterophoridae) Synonym(s): *arenbergeri* Gielis, 1986 Range (in code): **AET ZA**
- 70999. Agdistis asthenes Bigot, 1970** (Pterophoridae) Synonym(s): *asthenes* Bigot, 1970 Range (in code): **MN**
- 71000. Agdistis balchashensis Zagulyaev, 1997** (Pterophoridae) Synonym(s): *balchashensis* Zagulyaev, 1997 Range (in code): **KG**
- 71001. Agdistis bellissima Arenberger, 1975** (Pterophoridae) Synonym(s): *bellissima* Arenberger, 1975 Range (in code): **AET EG EG11 JO TN MA SA YE**
- 71002. Agdistis bennetii (Curtis, 1833)** (Pterophoridae) Synonym(s): *bennetii* Curtis, 1833 Range (in code): **ES FR Co Sa IT GB BE NL DE RO YU HV AL DK**
- 71003. Agdistis betica Arenberger, 1978** (Pterophoridae) Synonym(s): *betica* Arenberger, 1978. Original Reference: *Agdistis betica* Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 79-80, Abb. 5-6. Holotype ♂: Hispania: Prov. Malaga: Tarifa- Algeciras (coll. Arenberger). Range (in code): **ES Mu**
- 71004. Agdistis bifurcatus Agenjo, 1952** (Pterophoridae) Synonym(s): *bifurcatus* Agenjo, 1952 Range (in code): **AET Cn CV MA TN PT ES**
- 71005. Agdistis bigoti Arenberger, 1976** (Pterophoridae) Synonym(s): *bigoti* Arenberger, 1976 Range (in code): **GR Cr**
- 71006. Agdistis bouyeri Gielis, 2008** (Pterophoridae) Synonym(s): *bouyeri* Gielis, 2008 Range (in code): **AET AO**

- 71007. *Agdistis cappadociensis* Fazekas, 2000** (Pterophoridae) Synonym(s): *cappadociensis* Fazekas, 2000 Original Reference: *Agdistis cappadociensis* Fazekas, 2000, NachrBl. bayer. Ent. 49 (1/2): 5-7, figs. Holotype ♀: Turkey, Sivas Prov. Gürün 1500m 29 v 1990 leg. Szaboby (NHMH). Range (in code): **TR**
- 71008. *Agdistis caradjai* Arenberger, 1975** (Pterophoridae) Synonym(s): *caradjai* Arenberger, 1975; *dagestanica* Zagulyaev & Filippova, 1976. Original Reference: *Agdistis caradjai* Arenberger, 1975, Trav. Mus. Hist. nat. Gr. Antipa 16: 205-206, fig. 2. Holotype ♂: Türkiye: Kasikoparan, Korb leg. (MGAB). Range (in code): **TR RU Da Cc IR Se Srd**
- 71009. *Agdistis cathae* Arenberger, 1999** (Pterophoridae) Synonym(s): *cathae* Arenberger, 1999 Range (in code): **YE Sna**
- 71010. *Agdistis clara* Arenberger, 1986** (Pterophoridae) Synonym(s): *clara* Arenberger, 1986 Range (in code): **AET ZA**
- 71011. *Agdistis cretifera* Meyrick, 1909** (Pterophoridae) Synonym(s): *cretifera* Meyrick, 1909 Range (in code): **AET ZA**
- 71012. *Agdistis criocephala* Meyrick, 1909** (Pterophoridae) Synonym(s): *criocephala* Meyrick, 1909 Range (in code): **AET ZA**
- 71013. *Agdistis cypriota* Arenberger, 1983** (Pterophoridae) Synonym(s): *cypriota* Arenberger, 1983 Range (in code): **AET TN CY TR**
- 71014. *Agdistis darwini* Arenberger, 2009** (Pterophoridae) Synonym(s): *darwini* Arenberger, 2009 Range (in code): **AET**
- 71015. *Agdistis delicatulella* Chrétien, 1917** (Pterophoridae) Synonym(s): *delicatulella* Chrétien, 1917. Range (in code): **AET TN Gf Co IT**
- 71016. *Agdistis dentalis* Arenberger, 1986** (Pterophoridae) Synonym(s): *dentalis* Arenberger, 1986 Range (in code): **AET ZA**
- 71017. *Agdistis dimetra* Meyrick, 1924** (Pterophoridae) Synonym(s): *dimetra* Meyrick, 1924 Range (in code): **AET ZA**
- 71018. *Agdistis eberti* Arenberger, 2009** (Pterophoridae) Synonym(s): *eberti* Arenberger, 2009 Range (in code): **AET**
- 71019. *Agdistis espunae* Arenberger, 1978** (Pterophoridae) Synonym(s): *espunae* Arenberger, 1978. Original Reference: *Agdistis espunae* Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 75-77, Abb. 1-2. Holotype ♂: Hispania: Prov. Murcia: Alhama de Murcia (coll. Arenberger). Range (in code): **ES Mu**
- 71020. *Agdistis facetus* Bigot, 1969** (Pterophoridae) Synonym(s): *facetus* Bigot, 1969 Range (in code): **AET ZR MW**
- 71021. *Agdistis falkovitshi* Zagulyaev, 1986** (Pterophoridae) Synonym(s): *falkovitshi* Zagulyaev, 1986 Range (in code): **IR TM Rpt Td Bdz RU Da Cc**
- 71022. *Agdistis flavissima* Caradja, 1920** (Pterophoridae) Synonym(s): *flavissima* Caradja, 1920 Original Reference: *Agdistis ingens* var. *flavissima* Caradja, 1920, Dt. ent. Z., Iris 34: 87. Type ♂: [China: Uighur A.R.]: "Chamil Hami", [=Kumul], leg. Tancre (MGAB). Range (in code): **TM CN Ui Kml**
- 71023. *Agdistis frankeniae* (Zeller, 1847)** (Pterophoridae) Synonym(s): *frankeniae* Zeller, 1847; *lerinsis* Millière, 1876; *bahrlutia* Amsel, 1955; *tondeuri* Bigot, 1963; *rupestris* Bigot, 1974; *rjabovi* Zagulyaev & Filippova, 1976; *kulunda* Ustjuzhanin, 1991; *urmijensis* Zagulyaev, 1996 Original Reference: *Adactyla frankeniae* Zeller, 1847, Isis 12: 900-902. Type: Sizilien, Messina (BMNH). Range (in code): **Cn MA Rbt TN Gf Tun LY Cy DZ Agt Bsk PT ES Mu FR Co Sa Si IT MT RO GR Cr TR RU Da Cc No Sr MD UA BY EG CY IL Jt Pa JO Amm IR Ak Msw Ar Se Mz SA KG Uk Ind** Bionomy: Larva on *Frankenia pallida*, *F. thymifolia* (Chrétien, 1917).
- 71024. *Agdistis furcata* Arenberger, 1996** (Pterophoridae) Synonym(s): *furcata* Arenberger, 1996 Range (in code): **AET ZA**
- 71025. *Agdistis gerasimovi* Zagulyaev & Blumental, 1994** (Pterophoridae) Synonym(s): *gerasimovi* Zagulyaev & Blumental, 1994; *detruncatum* Zagulyaev & Blumental, 1994; *tigrovaja* Arenberger, 2001 Range (in code): **UZ Br TJ**
- 71026. *Agdistis gibberipennis* Arenberger, 1996** (Pterophoridae) Synonym(s): *gibberipennis* Arenberger, 1996 Range (in code): **AET**
- 71027. *Agdistis gittia* Arenberger, 1988** (Pterophoridae) Synonym(s): *gittia* Arenberger, 1988 Range (in code): **ES Grn**
- 71028. *Agdistis glaseri* Arenberger, 1978** (Pterophoridae) Synonym(s): *glaseri* Arenberger, 1978. Original Reference: *Agdistis glaseri* Arenberger, 1978, Z. ArbGem. öst. Ent. 29 (3/4): 77-79,

- Abb.3-4. Holotype ♂: Hispania: Prov. Murcia: Alhama de Murcia (coll. Arenberger). Range (in code): ES Mu
- 71029. Agdistis hakimah Arenberger,1985** (Pterophoridae) Synonym(s): *hakimah Arenberger,1985* Range (in code): SA Hj SA39 BH
- 71030. Agdistis halodelta Meyrick,1925** (Pterophoridae) Synonym(s): *halodelta Meyrick,1925; lippensi Amsel,1955* Range (in code): EG EG11 IL Pa TN
- 71031. Agdistis hartigi Arenberger,1973** (Pterophoridae) Synonym(s): *hartigi Arenberger,1973.* Range (in code): TN Gab ES Mu Sa GR
- 71032. Agdistis heydeni (Zeller,1852)** (Pterophoridae) Synonym(s): *heydeni Zeller,1852; canariensis Rebel,1896; excrucata Meyrick,1920.* Range (in code): Cn DZ TN PT ES FR Co Sa Si IT PL AL BG GR Cr TR SY IL Hf Js Pa LB Bsa CY
- 71033. Agdistis huemeri Arenberger,2002** (Pterophoridae) Synonym(s): *huemeri Arenberger,2002* Range (in code): IR Es GlS TM Kp
- 71034. Agdistis infumata Meyrick,1912** (Pterophoridae) Synonym(s): *infumata Meyrick,1912* Range (in code): AET ZA
- 71035. Agdistis ingens Christoph,1887** (Pterophoridae) Synonym(s): *ingens Christoph,1887.* Range (in code): RU Ao Sr MN TJ KK T-S KG Uk UZ TM Kp BdZ CN Gn AF
- 71036. Agdistis insidiatrix Meyrick,1936** (Pterophoridae) Synonym(s): *insidiatrix Meyrick,1936* Range (in code): YE Sk IR Se
- 71037. Agdistis intermedia Caradja,1920** (Pterophoridae) Synonym(s): *intermedia Caradja,1920; hungarica Amsel,1955.* Original Reference: Agdistis tamaricis var. intermedia Caradja,1920, Dt. ent. Z., Iris 34: 88. Syntypes 18♂♀: [Türkei]: Ak Chehir; Lectotype ♂: Kazachstan: Uralsk, designated by Arenberger,1995: 211 (MGAB). Range (in code): HU RO TR KG Uk RU Da Cc
- 71038. Agdistis iranica Alipanah & Ustjuzhanin,2007** (Pterophoridae) Synonym(s): *iranica Alipanah & Ustjuzhanin,2007* Range (in code): IR Es
- 71039. Agdistis karabachia Zagulyaev,1990** (Pterophoridae) Synonym(s): *karabachia Zagulyaev,1990* Range (in code): Cc AZ TR
- 71040. Agdistis karakalensis Zagulyaev,1990** (Pterophoridae) Synonym(s): *karakalensis Zagulyaev,1990* Range (in code): TJ TM K-K IR Se
- 71041. Agdistis karischi Arenberger,1996** (Pterophoridae) Synonym(s): *karischi Arenberger,1996* Range (in code): AET ZA
- 71042. Agdistis kazachstanica Ustjuzhanin & Kovtunovich,2014** (Pterophoridae) Synonym(s): *kazachstanica Ustjuzhanin & Kovtunovich,2014* Range (in code): KG
- 71043. Agdistis kenyana Arenberger,1988** (Pterophoridae) Synonym(s): *kenyana Arenberger,1988* Range (in code): AET KE
- 71044. Agdistis korana Arenberger,1988** (Pterophoridae) Synonym(s): *korana Arenberger,1988* Range (in code): AET KE
- 71045. Agdistis linnaei Gielis,2008** (Pterophoridae) Synonym(s): *linnaei Gielis,2008* Range (in code): KE TZ
- 71046. Agdistis lomholdti Gielis,1990** (Pterophoridae) Synonym(s): *lomholdti Gielis,1990* Range (in code): ZA
- 71047. Agdistis maghrebi Arenberger,1976** (Pterophoridae) Synonym(s): *maghrebi Arenberger,1976* Original Reference: Agdistis maghrebi Arenberger,1976, Dt. ent. Z. 23: 64-65. Holotype ♂: Algeria, Hassi Babah (Algier) (NHMW). Range (in code): DZ Agi
- 71048. Agdistis malitiosa Meyrick,1909** (Pterophoridae) Synonym(s): *malitiosa Meyrick,1909* Range (in code): ZA Tva Gau Pre Nta Kzu Wnn Dbn Mlp LS ET TZ UG RW ZW ZM ZR KE Nai MW
- 71049. Agdistis malleana Arenberger,1988** (Pterophoridae) Synonym(s): *malleana Arenberger,1988* Range (in code): ZA
- 71050. Agdistis manicata Staudinger,1859** (Pterophoridae) Synonym(s): *manicata Staudinger,1859; gigas Turati,1924; lutescens Turati,1927; tunesiella Amsel,1955; fiorii Bigot,1960.* Range (in code): TN Gf LY Cy MA ES FR MT KG Uk
- 71051. Agdistis melitensis Amsel,1954** (Pterophoridae) Synonym(s): *melitensis Amsel,1954.* Original Reference: Agdistis melitensis Amsel,1954, Bull. Soc. Fouad I Ent. 38: 52-53, fig.2. Holotype ♂: Malta: Salina (coll. Delucca). Range (in code): TN Gf ES Sa Si IT MT
- 71052. Agdistis meridionalis (Zeller,1847)** (Pterophoridae) Synonym(s): *meridionalis Zeller,1847; staticis Millière,1875; portlandica Tutt,1906; clivicola Meyrick,1920; tyrrhenica Amsel,1952; prolai*

- Hartig,1953. _ Range (in code): Cn MA TN Gf DZ Bsk ES Mu FR Co Sa Si IT MT GB YU HV AL GR TR CY IL Pa Hf Bionomy: Larva on *Statice limonium*, *S.delicatula* (Chrétien,1917).
- 71053. Agdistis mevlaniella Arenberger,1972** (Pterophoridae) Synonym(s): mevlaniella Arenberger,1972 Original Reference: Agdistis mevlaniella Arenberger,1972, Beitr. naturk. Forsch. SüdwDtl. 31: 151,152. Holotype ♂: [Türkei]: Asia minor, Salzsteppe, Konya 1100m leg. M. & E. Arenberger (coll. Arenberger). Range (in code): TR RU Da Cc TJ
- 71054. Agdistis meyi Arenberger,2008** (Pterophoridae) Synonym(s): meyi Arenberger,2008 Range (in code): AET ZA
- 71055. Agdistis minima Walsingham,1900** (Pterophoridae) Synonym(s): minima Walsingham,1900 Range (in code): Sk
- 71056. Agdistis namibiana Arenberger,1988** (Pterophoridae) Synonym(s): namibiana Arenberger,1988 Range (in code): NA
- 71057. Agdistis nanodes Meyrick,1906** (Pterophoridae) Synonym(s): nanodes Meyrick,1906; sindicola Amsel,1968; debilis Bigot,1968. Range (in code): LK BH SA OM Dh YE IR Bu Hz Ss PK Krc EG EG11
- 71058. Agdistis neglecta Arenberger,1976** (Pterophoridae) Synonym(s): frankeniae sensu Bigot,1960; neglecta Arenberger,1976; Range (in code): MA DZ ES Mu B-I FR Co Sa IT
- 71059. Agdistis nigra Amsel,1955** (Pterophoridae) Synonym(s): nigra Amsel,1955 Range (in code): IL Hf Pa CY
- 71060. Agdistis notabilis Gielis & Karsholt,2009** (Pterophoridae) Synonym(s): notabilis Gielis & Karsholt,2009 Range (in code): AET CV
- 71061. Agdistis nyasa Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): nyasa Kovtunovich & Ustjuzhanin,2014 Range (in code): MW
- 71062. Agdistis obstinata Meyrick,1920** (Pterophoridae) Synonym(s): obstinata Meyrick,1920 Range (in code): ET KE UG SA As
- 71063. Agdistis olei Arenberger,1976** (Pterophoridae) Synonym(s): olei Arenberger,1976 Range (in code): BH IR Kz Hz Fa Ss OM SA SAo8
- 71064. Agdistis pala Arenberger,1986** (Pterophoridae) Synonym(s): pala Arenberger,1986 Range (in code): ZA
- 71065. Agdistis paralia (Zeller,1847)** (Pterophoridae) Synonym(s): paralia Zeller,1847 Original Reference: Adactyla paralia Zeller,1847, Isis 12: 899. Range (in code): TN Gf MA DZ ES FR Sa Si MT YU GR IL Jt Pa CN Gn
- 71066. Agdistis parvella Amsel,1958** (Pterophoridae) Synonym(s): parvella Amsel,1958 Range (in code): SA OM IR Hz
- 71067. Agdistis picardi Bigot,1964** (Pterophoridae) Synonym(s): picardi Bigot,1964 Range (in code): AET MG
- 71068. Agdistis piccolo Gielis,1990** (Pterophoridae) Synonym(s): piccolo Gielis,1990 Range (in code): ZA
- 71069. Agdistis protai Arenberger,1973** (Pterophoridae) Synonym(s): protai Arenberger,1973 Range (in code): Sa IT CY TR
- 71070. Agdistis protecta Arenberger,1999** (Pterophoridae) Synonym(s): protecta Arenberger,1999 Range (in code): TM IR Hz Gls Kh
- 71071. Agdistis pseudocanariensis Arenberger,1973** (Pterophoridae) Synonym(s): pseudocanariensis Arenberger,1973. Range (in code): Cn MA ES Mu
- 71072. Agdistis pseudomeyi Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonym(s): pseudomeyi Kovtunovich & Ustjuzhanin,2015 Range (in code): AET ZA
- 71073. Agdistis pustulalis Walker,1864** (Pterophoridae) Synonym(s): pustulalis Walker,1864 Range (in code): ZA
- 71074. Agdistis pygmaea Amsel,1955** (Pterophoridae) Synonym(s): minima Amsel,1954 nec Wals.,1900; pygmaea Amsel,1955 Range (in code): IL Jf Pa
- 71075. Agdistis quagga Arenberger,2009** (Pterophoridae) Synonym(s): quagga Arenberger,2009 Range (in code): AET ZA
- 71076. Agdistis reciprocans Meyrick,1924** (Pterophoridae) Synonym(s): reciprocans Meyrick,1924 Range (in code): ZA
- 71077. Agdistis riftvalleyi Arenberger,2001** (Pterophoridae) Synonym(s): riftvalleyi Arenberger,2001 Range (in code): AET KE YE
- 71078. Agdistis rjabovi Zagulyaev & Filippova,1976** (Pterophoridae) Synonym(s): rjabovi Zagulyaev & Filippova,1976 Range (in code): RU Da Cc KG

- 71079. Agdistis rubasiensis Zagulyaev,1985** (Pterophoridae) Synonym(s): *rubasiensis Zagulyaev,1985* _ Range (in code): RU
- 71080. Agdistis ruhanga Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonym(s): *ruhanga Kovtunovich & Ustjuzhanin,2015* _ AET ZA
- 71081. Agdistis sabokyi Fazekas,2000** (Pterophoridae) Synonym(s): *sabokyi Fazekas,2000*
Original Reference: Agdistis sabokyi Fazekas,2000, NachrBl. bayer. Ent. 49 (1/2): 2-5, figs.
Holotype ♂: Turkey, Ankara Prov., 9km N Şereflikoçhisar 1000m. (NHMH). Range (in code): TR
- 71082. Agdistis salsolae Walsingham,1908** (Pterophoridae) Synonym(s): *salsolae Walsingham,1908* _ Range (in code): Cn
- 71083. Agdistis santahelenae Wollaston,1879** (Pterophoridae) Synonym(s): *santahelenae Wollaston,1879* _ Range (in code): ZA SH
- 71084. Agdistis satanas Millièrre,1876** (Pterophoridae) Synonym(s): *satanas Millièrre,1876; nanus Turati,1924; pseudosatanas Amsel,1952.* _ Range (in code): MA LY DZ TN ES Mu FR Co Sa Si IT MT DE RO BG AL GR Cr TR RU MD UA BY
- 71085. Agdistis sergeii Kovtunovich & Ustjuzhanin,2015** (Pterophoridae) Synonym(s): *sergeii Kovtunovich & Ustjuzhanin,2015* _ ZA AET
- 71086. Agdistis singula Arenberger,1995** (Pterophoridae) Synonym(s): *singula Arenberger,1995*
Range (in code): RU No
- 71087. Agdistis sissia Arenberger,1987** (Pterophoridae) Synonym(s): *sissia Arenberger,1987*
Original Reference: Agdistis sissia Arenberger,1987, Z. ArbGem. öst. Ent. 38 (3/4) 1986: 103, figs.1,2. Holotype ♂: Türkei: [Antalya Pr.]: Alanya, 12.8.85 leg. Wimmer (coll. Arenberger).
Range (in code): AM Cc TR IR Es AZ
- 71088. Agdistis sphinx Walsingham,1907** (Pterophoridae) Synonym(s): *sphinx Walsingham,1907*
Range (in code): MA DZ Bsk TN Gf LY Cy Bionomy: Larva on Limoniastrum guyonianum (Chrétien,1917).
- 71089. Agdistis spinosa Arenberger,1986** (Pterophoridae) Synonym(s): *spinosa Arenberger,1986*
Range (in code): ZA
- 71090. Agdistis swakopi Arenberger,2009** (Pterophoridae) Synonym(s): *swakopi Arenberger,2009* _ Range (in code): AET ZA
- 71091. Agdistis symmetrica Amsel,1955** (Pterophoridae) Synonym(s): *symmetrica Amsel,1955*
Range (in code): MT TN
- 71092. Agdistis tamaricis (Zeller,1847)** (Pterophoridae) Synonym(s): *tamaricis Zeller,1847; bagdadiensis Amsel,1949; xinjiangsis Qin & Zheng,1997.* Original Reference: Adactyla tamaricis Zeller,1847, Isis 1847: 899. Range (in code): Cn CV MA TN LY DZ PT ES Mu FR Co Sa Si IT MT DE CH RO YU MK BG GR Cr TR RU St Sr MD UA BY IR Mz Elb Th Kz Sde Gls Ss Hz IQ Bgd CN Ui Au IMn Kgs She Gn Hph Stg TW CY IL Jr Jf Hf JO Amm AF Kab PK Krc Pes UZ Br TM Kp BH SA SA63 Hj SA39 EG EG05 EG11 SD GH YE Bionomy: Larva on Tamarix gallica, Myricaria germanica (sensu auctorum).
- 71093. Agdistis tenera Arenberger,1976** (Pterophoridae) Synonym(s): *tenera Arenberger,1976*
Range (in code): IR Hz BH YE
- 71094. Agdistis tihamae Arenberger,1999** (Pterophoridae) Synonym(s): *tihamae Arenberger,1999* _ Range (in code): YE
- 71095. Agdistis toliarensis Bigot,1987** (Pterophoridae) Synonym(s): *toliarensis Bigot,1987*
Range (in code): AET MG
- 71096. Agdistis tsumkwe Arenberger,2001** (Pterophoridae) Synonym(s): *tsumkwe Arenberger,2001* _ Range (in code): AET ZA
- 71097. Agdistis tugai Altermatt,2008** (Pterophoridae) Synonym(s): *tugai Altermatt,2008*
Range (in code): TJ
- 71098. Agdistis turkestanica Zagulyaev,1990** (Pterophoridae) Synonym(s): *turkestanica Zagulyaev,1990* _ Range (in code): KG Aa
- 71099. Agdistis uncirectangula Hao & Li,2003** (Pterophoridae) Synonym(s): *uncirectangula Hao & Li,2003* _ Range (in code): CN NHu
- 71100. Agdistis unguica Arenberger,1988** (Pterophoridae) Synonym(s): *unguica Arenberger,1988* _ Range (in code): ZA Nta Kzu Mlp Eca
- 71101. Agdistis urmijensis Zagulyaev,1995** (Pterophoridae) Synonym(s): *urmijensis Zagulyaev,1995* Original Reference: Agdistis urmijensis Zagulyaev,1995, Ent. Obozr. 74 (1): 117-119. Holotype ♀: Iran: Khaidar-Abad, Urmia 29-30.v.1916 Andrievskii leg. (ZIN). Range (in code): IR Ab Oru

- 71102. Agdistis varii Kovtunovich & Ustjuzhanin, 2009** (Pterophoridae) Synonym(s): *varii* Kovtunovich & Ustjuzhanin, 2009 _ Range (in code): **ZA Mpu Tva MW**
- 71103. Agdistis wolframii Kovtunovich & Ustjuzhanin, 2015** (Pterophoridae) Synonym(s): *wolframii* Kovtunovich & Ustjuzhanin, 2015 _ AET ZA
- 71104. Agdistis yemenica Arenberger, 1999** (Pterophoridae) Synonym(s): *yemenica* Arenberger, 1999 _ Range (in code): **YE YE68**
- 71105. Amblyptilia acanthadactyla (Hübner, [1813])** (Pterophoridae) Synonym(s): *acanthadactyla* Hübner, [1813]; *odontodactyla* Charpentier, 1821; *calaminthae* Frey, 1886; *tetralicella* Hofmann, 1895; *phoenicodactyla* Chrétien, 1915 _ Range (in code): **MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO BG GR Cr DK NO SE EE LV LT RU MD UA BY TR CY IR Cc GG Sok Abk** Bionomy: Larva on *Stachys sylvatica*, *Ononis natrix*, *O. repens*, *O. spinosa*, *Mentha*, *Euphrasia*, *Salvia*, *Teucrium scorodonia*, *Calluna vulgaris*, *Geranium robertianum*, *Bartsia*, *Erica tetralix*, *Carlina*, *Lavandula stoechas*, *Vaccinium oxycoccus*, *Jurinea*, *Nepeta* (auct.).
- 71106. Amblyptilia direptalis (Walker, 1864)** (Pterophoridae) Synonym(s): *direptalis* Walker, 1864; *amblydectis* Meyrick, 1932 _ Range (in code): **ZA Nta Kzu Dbn Est KE TZ MW ZW ET ET88 Sw**
- 71107. Amblyptilia punctidactyla (Haworth, 1811)** (Pterophoridae) Synonym(s): *punctidactyla* Haworth, 1811; *cosmodactyla* Hübner, [1819]; *ulodactyla* Zetterstedt, 1839; *stachydalis* Frey, 1870; *nivea* Bankes, 1906; *moerens* Snellen, 1884; *jezoensis* Matsumura, 1931; *bella* Yano, 1963. Original Reference: *Alucita punctidactyla* Haworth, 1811, *Lepid. Br.* 3: 479. Range (in code): **PT ES FR IT IE GB DE CH AT PL CZ SK HU RO YU BG Cr DK NO SE FI EE LV LT RU MD UA BY CN Kgs JP** Bionomy: Larva on *Stachys sylvatica*, *Aquilegia vulgaris*, *Geranium pratense*, *Erodium cicutarium*, *Salvia glutinosa*, *Primula*, *Ononis spinosa*, *Prunella* (sensu auctorum).
- 71108. Apoxyptilus anthites (Meyrick, 1936)** (Pterophoridae) Synonym(s): *anthites* Meyrick, 1936 Range (in code): **KE TZ UG ZA MW** Bionomy: Larva feeds on buds of *Dombeya emarginata* (Malvaceae) (Meyrick, 1936).
- 71109. Apoxyptilus uzumarus Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) Synonym(s): *uzumarus* Kovtunovich & Ustjuzhanin, 2014 _ Range (in code): **MW UG**
- 71110. Arcoptilia gizan Arenberger, 1985** (Pterophoridae) Synonym(s): *gizan* Arenberger, 1985 Range (in code): **SA Jz**
- 71111. Arcoptilia malawica Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) Synonym(s): *malawica* Kovtunovich & Ustjuzhanin, 2014 _ Range (in code): **MW**
- 71112. Arcoptilia pongola Ustjuzhanin & Kovtunovich, 2010** (Pterophoridae) Synonym(s): *pongola* Ustjuzhanin & Kovtunovich, 2010 _ Range (in code): **AET ZA Nta Kzu**
- 71113. Asiaephorus longicucullus Gielis, 2000** (Pterophoridae) Synonym(s): *longicucullus* Gielis, 2000 _ Range (in code): **TH NP IN Ass JP**
- 71114. Asiaephorus sythoffi (Snellen, 1903)** (Pterophoridae) Synonym(s): *sythoffi* Snellen, 1903 Range (in code): **ID Ja TH Nan ID IN**
- 71115. Bipunctiphorus dimorphus (Fletcher, 1910)** (Pterophoridae) Synonym(s): *dimorpha* Fletcher, 1910; *patriarcha* Meyrick, 1912; *etiennei* Gibeaux, 1994 _ Range (in code): **ZA Nta Kzu SC RE ZW MW**
- 71116. Buckeria negotiosus (Meyrick, 1926)** (Pterophoridae) Synonym(s): *negotiosus* Meyrick, 1926; *vanderwolfi* Gielis, 2008 _ Range (in code): **ZA Nta Kzu Dbn**
- 71117. Buckleria girardi Gibeaux, 1992** (Pterophoridae) Synonym(s): *girardi* Gibeaux, 1992 Range (in code): **GN MW**
- 71118. Buckleria paludum (Zeller, 1839)** (Pterophoridae) Synonym(s): *paludum* Zeller, 1839; *paludidactylus* Bruand, 1859; *paludicola* Flethcer, 1907; *dolichos* Matsumura, 1931. _ Range (in code): **ES FR GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Am MD UA BY IN Ass Khs Meg Slo LK CN TW JP Hkk** Bionomy: Larva on *Drosera rotundifolia*, *D. burmanni*, *D. spatulata*, *D. indica* (Droseraceae) (Arenberger, 2002).
- 71119. Buszkoiana capnodactyla (Zeller, 1841)** (Pterophoridae) Synonym(s): *capnodactylus* Zeller, 1841 Original Reference: *Pterophorus capnodactylus* Zeller, 1841, *Isis Oken* 1841: 765, 774. Range (in code): **IT BE NL DE AT PL CZ SK HU YU BG TR DK SE RU** Bionomy: Larva on *Petasites hybridus* (Asteraceae) (Wolf, 1953; Spronck, 2001).
- 71120. Calyciphora acarnella (Walsingham, 1898)** (Pterophoridae) Synonym(s): *acarnella* Walsingham, 1898 _ Range (in code): **FR IT Co Sa**
- 71121. Calyciphora adamas (Constant, 1895)** (Pterophoridae) Synonym(s): *adamas* Constant, 1895 _ Range (in code): **PT ES FR IT**

- 71122. Calyciphora albodactyla (Fabricius,1794)** (Pterophoridae) Synonym(s): *albodactyla* Fabricius,1794; *xerodactyla* Zeller,1841; *sicula* Fuchs,1901. Range (in code): **ES FR Si IT DE AT PL CZ SK YU HV MK BG GR TR NO SE FI RU Irk Ir UA IR**
- 71123. Calyciphora golestonica Alipanah & Ustjuzhanin,2005** (Pterophoridae) Synonym(s): *golestonica* Alipanah & Ustjuzhanin,2005 Original Reference: *Calyciphora golestonica* Alipanah & Ustjuzhanin,2005, Ent. fenn. 16: 10-12, figs. Holotype ♂: Iran, Golestan Prov., Golestan NP, Almeh 1650m A.Pazuki leg. (HMIM, PPDRI). Range (in code): **IR Elb Gl**
- 71124. Calyciphora homiodactyla (Kasy,1960)** (Pterophoridae) Synonym(s): *homiodactyla* Kasy,1960 Range (in code): **FR CZ YU BG GR RU Sr MD UA BY TR**
- 71125. Calyciphora maraschella Zagulyaev,1986** (Pterophoridae) Synonym(s): *maraschella* Zagulyaev,1986 Original Reference: *Calyciphora maraschella* Zagulyaev,1986, Trudy zool. Inst. Leningr. 4: 176, 180, Taf.202 figs.1-4. Holotype ♂: Turkey, "Marasch" (MGAB). Range (in code): **TR**
- 71126. Calyciphora nephelodactyla (Eversmann,1844)** (Pterophoridae) Synonym(s): *nephelodactyla* Eversmann,1844; *apollina* Millière,1882; *extensa* Zagulyaev,1986. Range (in code): **ES FR IT CH AT PL CZ SK YU BG GR RU Sr Tt MD UA BY TR Cc GG Bjo IR**
- 71127. Calyciphora sesamitis (Meyrick,1905)** (Pterophoridae) Synonym(s): *sesamitis* Meyrick,1905 Original Reference: *Alucita sesamitis* Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 582. Type ♂: "Koni, Burma". Range (in code): **MM IN Ch Snn AF Nu**
- 71128. Calyciphora xanthodactyla (Treitschke,1833)** (Pterophoridae) Synonym(s): *xanthodactyla* Treitschke,1833 Range (in code): **MA SK HU MK TR RU**
- 71129. Capperia agadirensis Arenberger,2002** (Pterophoridae) Synonym(s): *agadirensis* Arenberger,2002 Range (in code): **MA Agd**
- 71130. Capperia bonneaui Bigot,1987** (Pterophoridae) Synonym(s): *bonneaui* Bigot,1987 Range (in code): **ES**
- 71131. Capperia britanniodactyla (Gregson,1869)** (Pterophoridae) Synonym(s): *britanniodactyla* Gregson,1869; *teucris* Jordan,1869. Range (in code): **ES FR Co GB BE NL DE AT TR RU St** Bionomy: Larva on *Teucrium scorodonia* (Beirne,1954; et seq.)
- 71132. Capperia celeusi (Frey,1886)** (Pterophoridae) Synonym(s): *celeusi* Frey,1886; *intercisus* Meyrick,1930; *belutschistanella* Amsel,1959; *karakalensis* Gibeaux,1997. Original Reference: *Oxyptilus celeusi* Frey,1886, Stettin ent. Ztg. 47: 18. Lectotype ♀: Deutschland: Bayern, designated by Arenberger,2002 (BMNH). Range (in code): **ES FR IT DE CH AT CZ SK HU YU HV MK B-H AL BG GR TR Cc CY RU Kc Teb MD UA Cm BY TM Kp K-K IR Ss Irs LB Bsa** Bionomy: Larva on *Teucrium chamaedrys* (Frey,1886 et seq.).
- 71133. Capperia fletcheri Adamczewski,1951** (Pterophoridae) Synonym(s): *fletcheri* Adamczewski,1951 Range (in code): **IL Js Pa TR**
- 71134. Capperia fusca (Hofmann,1898)** (Pterophoridae) Synonym(s): *fusca* Hofmann,1898; *marrubii* Adamczewski,1951 Range (in code): **ES FR IT BE DE CH AT CZ SK YU HV BG GR Cr TR IR Gl** Bionomy: Larva on *Stachys alpina*, *Marrubium vulgare* (Hofmann,1898; Adamczewski,1951; et seq.).
- 71135. Capperia hellenica Adamczewski,1951** (Pterophoridae) Synonym(s): *hellenica* Adamczewski,1951 Range (in code): **MT ES FR IT YU GR TR LB Bei AF Kab** Bionomy: Larva on *Stachys recta* (Nel & Prola,1989).
- 71136. Capperia jozana (Matsumura,1931)** (Pterophoridae) Synonym(s): *jozana* Matsumura,1931 Range (in code): **JP Hkk**
- 71137. Capperia lorana (Fuchs,1895)** (Pterophoridae) Synonym(s): *loranus* Fuchs,1895; *sequanensis* Gibeaux,1990 Range (in code): **BE FR DE AT CZ SK RU** Bionomy: Larva on ? *Teucrium botrys* (Arenberger,1990).
- 71138. Capperia maratonica Adamczewski,1951** (Pterophoridae) Synonym(s): *maratonica* Adamczewski,1951 Range (in code): **ES FR Sa IT RO HV YU BG GR TR RU Kb Teb TM UA Cm Cc AM Eri IL Hf Pa** Bionomy: Larva on *Teucrium scordium* ssp. *scordioides* (Buszko,1979; et seq.).
- 71139. Capperia marginella (Zeller,1847)** (Pterophoridae) Synonym(s): *marginella* Zeller,1847 Range (in code): **Si GR Cr TR IR LB Bsa KG**
- 71140. Capperia polonica Adamczewski,1951** (Pterophoridae) Synonym(s): *polonica* Adamczewski,1951 Range (in code): **FR Co Sa GR TR** Bionomy: Larva on *Teucrium flavum* (Bigot & Picard,1986; et seq.).

- 71141. *Capperia salanga* Arenberger, 1995** (Pterophoridae) **Synonym(s):** *salanga* Arenberger, 1995 **Range (in code):** **TR AF Slg Srb Kbb Pnj Pag Kab Pli IR Elb Kdj Th UZ TM Kp K-K TJ**
- 71142. *Capperia sequanensis* Gibeaux, 1991** (Pterophoridae) **Synonym(s):** *sequanensis* Gibeaux, 1991 **Range (in code):** **FR**
- 71143. *Capperia tamsi* Adamczewski, 1951** (Pterophoridae) **Synonym(s):** *tamsi* Adamczewski, 1951 **Original Reference:** *Capperia tamsi* Adamczewski, 1951, Bull. Br. Mus. nat. Hist. (Ent.) 1 (5): 368-370, fig. Holotype ♂: [Turkey]: Alma Dag (BMNH). **Range (in code):** **ES SY TR**
- 71144. *Capperia taurica* Zagulyaev, 1987** (Pterophoridae) **Synonym(s):** *taurica* Zagulyaev, 1987; *irkutica* Arenberger, 1989. **Range (in code):** **RU Ir Irk VI At Bry Tv UA Cm TJ Dsb**
- 71145. *Capperia trichodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) **Synonym(s):** *trichodactyla* [Denis & Schiffermüller], 1775; *leonuri* Stange, 1882; *affinis* Müller-Rutz, 1933. **Original Reference:** *Alucita trichodactyla* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 145. Type(s): [Austria]: Vienna district. **Range (in code):** **ES DE CH AT PL CZ SK HU MK RO BG GR Cr TR FI LV LT RU Or No At Tv Irk Am Prj Us Krl Blg Bry MD UA BY CN Mc JP** **Bionomy:** Larva on *Leonurus cardiaca* (Mittelberger, 1912; et seq.).
- 71146. *Capperia washbourni* Adamczewski, 1951** (Pterophoridae) **Synonym(s):** *washbourni* Adamczewski, 1951 **Range (in code):** **TR SY Hal GR IL Jr Pa IR Elb Th AF TM K-K**
- 71147. *Capperia zelleri* Adamczewski, 1951** (Pterophoridae) **Synonym(s):** *zelleri* Adamczewski, 1951 **Range (in code):** **IT Si**
- 71148. *Cnaemidophorus rhododactylus* (Fabricius, 1787)** (Pterophoridae) **Synonym(s):** *#rhododactyla* [Denis & Schiffermüller], 1775; *rhododactylus* Fabricius, 1787; *koreana* Matsumura, 1931; *#rhododactyls* Arenberger, 1998 **Range (in code):** **DZ Eba PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc AM Eri IR Ab Mak Gls Kd Bne Es Kh Ha Zj LB Bsa DK NO SE FI EE LV LT RU Us TJ UZ MD UA BY Ld Ch CN Ui KP KR JP** **Bionomy:** Larva on *Rosa canina*, *R. spinosissima* (sensu auctorum).
- 71149. *Cosmoclostis auxileuca* (Meyrick, 1908)** (Pterophoridae) **Synonym(s):** *auxileuca* Meyrick, 1908 **Range (in code):** **IN Meg Ass Khs**
- 71150. *Cosmoclostis brachybela* T.B.Fletcher, 1947** (Pterophoridae) **Synonym(s):** *brachybela* T.B.Fletcher, 1947; *pesseuta* Janse, 1917 **Range (in code):** **ZA Tva Lpo Nta Kzu Wnn Brb Mpu Mlp**
- 71151. *Cosmoclostis chalconota* T.B.Fletcher, 1947** (Pterophoridae) **Synonym(s):** *chalconota* T.B.Fletcher, 1947 **Range (in code):** **UG Kmp**
- 71152. *Cosmoclostis leucomochla* T.B.Fletcher, 1947** (Pterophoridae) **Synonym(s):** *leucomochla* T.B.Fletcher, 1947 **Range (in code):** **LK MM TH CMa**
- 71153. *Cosmoclostis pesseuta* Meyrick, 1906** (Pterophoridae) **Synonym(s):** *pesseuta* Meyrick, 1906; *premnicola* T.B.Fletcher, 1932. **Range (in code):** **LK IN Meg Ass Khs Drm Hp Bi Pus TH Nna** **Bionomy:** Larva on *Premna latifolia* (Verbenaceae) (Arenberger, 2002).
- 71154. *Cosmoclostis schouteni* Gielis, 1990** (Pterophoridae) **Synonym(s):** *schouteni* Gielis, 1990 **Range (in code):** **CI NG**
- 71155. *Crassuncus colubratu*s (Meyrick, 1909)** (Pterophoridae) **Synonym(s):** *colubratu*s Meyrick, 1909 **Range (in code):** **ZA MW**
- 71156. *Crassuncus ecstaticus* (Meyrick, 1932)** (Pterophoridae) **Synonym(s):** *ecstaticus* Meyrick, 1932; *chappuisi* Gibeaux, 1994 **Range (in code):** **UG KE MW**
- 71157. *Crassuncus livingstoni* Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) **Synonym(s):** *livingstoni* Kovtunovich & Ustjuzhanin, 2014 **Range (in code):** **MW ZM**
- 71158. *Crassuncus pacifica* (Meyrick, 1911)** (Pterophoridae) **Synonym(s):** *pacifica* Meyrick, 1911; *ambitiosus* Meyrick, 1911; *purus* Meyrick, 1913 **Range (in code):** **ZA Tva Lpo Gau Pre Mpu Brb SZ MW ZW**
- 71159. *Crassuncus planiunci* (Arenberger, Gurko & Binyason, 2011)** (Pterophoridae) **Synonym(s):** *planiunci* Arenberger, Gurko & Binyason, 2011 **Range (in code):** **AET SU Lob**
- 71160. *Crassuncus timidus* (Meyrick, 1908)** (Pterophoridae) **Synonym(s):** *timidus* Meyrick, 1908 **Range (in code):** **AET ZA Nta Kzu Kkf TZ ZW MW**
- 71161. *Crocodyoscelus ferrugineum* Walsingham, 1897** (Pterophoridae) **Synonym(s):** *ferrugineum* Walsingham, 1897 **Range (in code):** **NG ZR UG MW**
- 71162. *Crombruggia distans* (Zeller, 1847)** (Pterophoridae) **Synonym(s):** *distans* Zeller, 1847; *distantidactyla* Bruand, 1858; *geodactylus* Fuchs, 1903; *lactucae* Fletcher, 1920; *clarisignis* Myerick, 1924; *buvati* Bigot & Picard, 1988; *pravieli* Bigot & Picard, 1989; *gibeauxi* Bigot et al., 1990; *supplementum* Gibeaux, 1997. **Original Reference:** *Pterophorus distans* Zeller, 1847, Isis 1847: 902-903. Lectotype ♂: Syracus,

designated by Hannemann (1975, Dt. ent. Z. n.f. 22: 186) (BMNH). Range (in code): **Cn MA Azr Ouk Ifr DZ Lbs Hsb TN PT ES Grn FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO SS HV YU B-H MK AL BG GR TR DK NO SE FI RU Sb MD UA Cm GG Tbl AM Eri AZ IR Elb Kdj Th Mz Kz Gor Yas Nss BY AF Pag Kab Pli Sfk Kot Bkt Nu Hr PK Swa Mdy Ch KG UZ Smk TM Kp K-K CN Ui IN Up Hp NP SI BT Cm VI Ur At Ir Irk Bry Ik Smk Ass Khs N-A Swa Kma Snm Djl Cc KK KuA** Bionomy: Larva on *Sonchus arvensis*, *S.asper*, *Andryala pinnatifida*, *A.integrifolia*, *A.sinuata*, *Crepis tectorum*, *C.capillaris*, *C.virens*, *C.succisaefolia*, *C.conyzaefolia*, *C.grandiflora*, *C.albida*, *Hieracium pilosella*, *Picris hieracioides*, *Lactuca*, *Cichorium* (sensu auct.).

71163. *Crombrugghia kollari* (Stainton,1851) (Pterophoridae) Synonym(s): *kollari* Stainton,1851 Range (in code): **FR Co ES IT CH AT TR IR Gor RU Ur**

71164. *Crombrugghia laeta* (Zeller,1847) (Pterophoridae) Synonym(s): *laetus* Zeller,1847; *loetidactyla* Bruand,1858; *andryalae* Millière,1863; *andryaladactylus* Millière,1863; *lantoscanus* Millière,1882. Range (in code): **MA TN DZ Bsk LY Cn PT ES FR Co Sa Si IT MT GB YU B-H HV MK AL BG GR TR Cc LB Bei IQ Shq IR Kz TM Kp K-K** Bionomy: Larva on *Andryala sinuata* (Chrétien,1917).

71165. *Crombrugghia propedistans* (Bigot & Picard,1988) (Pterophoridae) Synonym(s): *propedistans* Bigot & Picard,1988 Range (in code): **PT FR Co IT CZ RO GR TR**

71166. *Crombrugghia reichli* Arenberger,1998 (Pterophoridae) Synonym(s): *reichli* Arenberger,1998 Range (in code): **CY TR**

71167. *Crombrugghia tristis* (Zeller,1839) (Pterophoridae) Synonym(s): *tristis* Zeller,1839; *tristidactyla* Bruand,1858; *adamczewskii* Bigot & Picard,1988. Range (in code): **PT ES FR Si IT DE AT PL CZ SK HU HV YU BG TR LT RU No At Kb IL Js Pa SY Hal**

71168. *Crombrugghia wahlbergi* (Zeller,1851) (Pterophoridae) Synonym(s): *wahlbergi* Zeller,1851; *rutilalis* Walker,1864; *pyrrhodes* Meyrick,1889. Range (in code): **ZA**

71169. *Deuterocopus albipunctatus* T.B.Fletcher,1910 (Pterophoridae) Synonym(s): *albipunctatus* T.B.Fletcher,1910 Range (in code): **KP KR CN Kgs Tkg JP Ri Kyu** Bionomy: Larva on *Vitis thunbergi*, *V.trifolia*, *V.vinifera*, *Ampelopsis brevipedunculata* (Vitaceae) (Arenberger,2002).

71170. *Deuterocopus melanotus* T.B.Fletcher,1910 (Pterophoridae) Synonym(s): *melanotus* T.B.Fletcher,1910; *lophopteryx* T.B.Fletcher,1910. Range (in code): **LK TW MY ID Clb Amb TH**

71171. *Deuterocopus planetus* Meyrick,1908 (Pterophoridae) Synonym(s): *planetus* Meyrick,1908 Range (in code): **TH IN Meg Ass Khs LK MM TH Mae ID Kai Tim P-T PG** Bionomy: Larva on *Leea sambucine* (Leeaceae) (Arenberger,2002).

71172. *Deuterocopus sokotranus* Rebel,1907 (Pterophoridae) Synonym(s): *sokotranus* Rebel,1907; *viticola* Meyrick,1911; *triannulatus* Meyrick,1913; *deltotilus* Meyrick,1930; *henrioti* Bigot & Boireau,2006 Range (in code): **Sk YE Sna OM Dh SO NG JP Ri TW TH CMa MM IN LK ID Sba Sbw ZA Nta NG SO PG AU QAU CI UG MW ZM ZW MZ** Bionomy: Larva on *Vitis lanata*, *V.trifolia*, *V.quadrangularis* (Vitaceae) (Arenberger,2002).

71173. *Diacrotricha fasciola* Zeller,1852 (Pterophoridae) Synonym(s): *fasciola* Zeller,1852 Range (in code): **CN Kgs TW PH Mdo MM Bor Swk ID Ja Sum IN Meg Ass Khs Clc LK TH CMa PG**

71174. *Diacrotricha lanceata* (Arenberger,1985) (Pterophoridae) Synonym(s): *lanceata* Arenberger,1985 Range (in code): **SA OM Dh**

71175. *Emmeline amseli* (Bigot,1967) (Pterophoridae) Synonym(s): *amseli* Bigot,1967 Range (in code): **ZR**

71176. *Emmeline argoteles* (Meyrick,1922) (Pterophoridae) Synonym(s): *argoteles* Meyrick,1922; *jezonicus* Matsumura,1931; *komabensis* Matsumura,1931; *menoko* Matsumura,1931; *yanagawanus* Matsumura,1931. Range (in code): **FR Co IT DE CH AT SK HU BG IL Pa Cc GG Aj Btm IR Fa Kaz Mz CN Kgs Sz Hpe JP IN** Bionomy: Larva on *Calystegia japonica*, *C.soldanella*, *C. sepium*, *Ipomoea batatas edulis* (sensu auctorum).

71177. *Emmeline bigoti* Gibeaux,1990 (Pterophoridae) Synonym(s): *bigoti* Gibeaux,1990 Range (in code): **KE**

71178. *Emmeline monodactyla* (Linnaeus,1758) (Pterophoridae) Synonym(s): *monodactyla* Linnaeus,1758; *sibiricus* Caradja,1920. Original Reference: *Phalaena Alucita monodactyla* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Type(s): Europa. Range (in code): **Cn Md MZ DZ TN LY Cy PT ES FR Co Sa Si IT MT IC IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK SS AL BG GR Cr TR CY IL Pa JO Zq LB Bsa Bei AM DK NO SE FI EE LV LT RU MD UA BY KG Uk CN Ui Ku Pkn Hph Stg She Ts SY Hal IQ Dia Bgd Mo Kc Teb Cc Cm Sr Sb Ur St No VI Bn Aa Lps KK Ik Al TM Kp TJ UZ Man AF Sfk Kot Shah Srb Kab Hr Dwe Pli Bark Blh Bd Fz Bsg PK Swa Haz IN Ch Ld SA SA63 YE Sna EG EG11 US Cf Tgo IR Elb Kdj Th Gor Gh Clu Kz Dzf Ha Lo Es Ke Jrf Ab Oru Khy Ak Tbz Zj Kh Msh Se Gls MA Ifr Ouk Anna Bsk Ski Cst Clo Sfx Tun** Bionomy: Larva on *Convolvulus arvensis*,

C.spithamaea, C.microphyllus, C.cantabrica, C.althaeoides, C.floridus, Calystegia sepium, C.soldanella, Calluna, Erica, Vaccinium, Chenopodium, Antirrhinum, Ipomoea batatas, I.hispida, I.purpurea, Hyocymus niger, Datura.

- 71179. Emmelina pseudojezonica Derra,1987** (Pterophoridae) Synonym(s): *pseudojezonica Derra,1987* _ Range (in code): **FR**
- 71180. Eucapperia bullifera (Meyrick,1918)** (Pterophoridae) Synonym(s): *bullifera Meyrick,1918; longiductus Gibeaux,1992; continentalis Gielis,2008* _ Range (in code): **ZA Nta Kzu Esw TZ MG MW Zom SZ**
- 71181. Exelastis atomosa (Walsingham,1885)** (Pterophoridae) Synonym(s): *atomosa Walsingham,1885* _ Range (in code): **IR Hz NP AE IN Bba ZA ET TZ UG MW KE SZ MG**
- 71182. Exelastis caroli Gielis,2008** (Pterophoridae) Synonym(s): *caroli Gielis,2008* _ Range (in code): **KE**
- 71183. Exelastis crepuscularis (Meyrick,1909)** (Pterophoridae) Synonym(s): *crepuscularis Meyrick,1909* _ Range (in code): **ZA Nca Tva Lpo Spb Wmb Nta Kzu Dbn SZ ZW ZM MW**
- 71184. Exelastis crudipennis (Meyrick,1932)** (Pterophoridae) Synonym(s): *crudipennis Meyrick,1932; bergeri Bigot,1969* _ Range (in code): **UG ZA ZW MW ZR CM GA MG KM**
- 71185. Exelastis montischristi (Walsingham,1897)** (Pterophoridae) Synonym(s): *montischristi Walsingham,1897; cervinicolor Barnes & McDunnough,1913* _ Range (in code): **AET US FI JM PR GS TZ ZA Nta Kzu SZ ZR MW KE NA ET ZM ZW NG**
- 71186. Exelastis pavidus (Meyrick,1908)** (Pterophoridae) Synonym(s): *pavidus Meyrick,1908* _ Range (in code): **ZA**
- 71187. Exelastis phlyctaenias (Meyrick,1911)** (Pterophoridae) Synonym(s): *phlyctaenias Meyrick,1911* _ Range (in code): **ZA TZ MW MG RE ET PH**
- 71188. Exelastis pumilio (Zeller,1873)** (Pterophoridae) Synonym(s): *pumilio Zeller,1873; liophanes Meyrick,1886; gilvidorsis Hedemann,1896; tenax Meyrick,1913* _ Range (in code): **TW IN MG US Tx TH Nst Loe RE ZA Tva Mpu Brb Nta Kzu Ptb Dbn Gau Pre MW**
- 71189. Exelastis vuattouxi Bigot,1970** (Pterophoridae) Synonym(s): *vuattouxi Bigot,1970* _ Range (in code): **AET CI NG ZA Nta Kzu Dbn ZW MW SZ**
- 71190. Fuscoptilia emarginata (Snellen,1884)** (Pterophoridae) Synonym(s): *emarginata Snellen,1884; nakanensis Matsumura,1931; sapporensis Matsumura,1931.* _ Range (in code): **RU CN KP KR JP** Bionomy: Larva on Lespedeza bicolor.
- 71191. Fuscoptilia hoenei Arenberger,1999** (Pterophoridae) Synonym(s): *hoenei Arenberger,1999* _ Range (in code): **CN Yu**
- 71192. Fuscoptilia jarosi Arenberger,1991** (Pterophoridae) Synonym(s): *jarosi Arenberger,1991* _ Range (in code): **CN KP KR**
- 71193. Fuscoptilia sinuata (Qin & Zheng,1997)** (Pterophoridae) Synonym(s): *sinuata Qin & Zheng,1997* _ Range (in code): **CN Yu She**
- 71194. Geina didactyla (Linnaeus,1758)** (Pterophoridae) Synonym(s): *didactyla Linnaeus,1758; brunneodactyla Millière,1854.* _ Range (in code): **ES FR IT DE AT PL CZ SK HU B-H RO BG TR DK NO SE FI EE LV LT RU Tt Or Om No At MD UA BY KG Uk**
- 71195. Gillmeria armeniaca (Zagulyaev,1984)** (Pterophoridae) Synonym(s): *armeniaca Zagulyaev,1984* Original Reference: *Platyptilia armeniaca Zagulyaev,1984, Dokl. Akad. Nauk. armyan SSR 79 (1): 46, figs. Holotype: Armenia (ZML).* _ Range (in code): **IR Ak Mz Th Kdj Kdv Elb Cc AM Eri RU KG**
- 71196. Gillmeria irakella (Amsel,1959)** (Pterophoridae) Synonym(s): *irakella Amsel,1959* _ Range (in code): **TR IR IQ Hjo**
- 71197. Gillmeria macrornis (Meyrick,1930)** (Pterophoridae) Synonym(s): *macrornis Meyrick,1930; kerzhneri Zagulyaev & Pentschukowskaja,1972.* Original Reference: *Platyptilia macrornis Meyrick,1930, Exot. microlepid. 3: 567. Lectotype: Turkestan oriental, Prov. Semirechensee, Fort Narine [Kazakhstan], designated by Arenberger,2002.* _ Range (in code): **KG Tk Nrk CN She Sz Ui MN RU At**
- 71198. Gillmeria ochrodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *tetradactyla Linnaeus,1758; ochrodactyla [Denis & Schiffermüller],1775; dichrodactylus Mühligh,1863; bosniaca Rebel,1904* _ Range (in code): **FR IT GB BE NL LU DE CH? AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc AM CN Ui** Bionomy: Larva on Tanacetum vulgare (Asteraceae) (Gielis,1996).
- 71199. Gillmeria pallidactyla (Haworth,1811)** (Pterophoridae) Synonym(s): *pallidactyla Haworth,1811; marginidactylus Fitch,1854; nebulaedactylus Fitch,1854; bertrami Rössler,1864; bischoffi Zeller,1867; cervinidactylus Packard,1873; adustus Walsingham,1880; chapmani Tutt,1896; sachalinensis*

- Matsumura, 1931.* _ Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU BG GR DK NO SE FI EE LV LT RU MD UA BY CN TR IR Ak Ma Ha US BR**
- 71200. *Gypsochares astragalotes* (Meyrick, 1890)** (Pterophoridae) Synonym(s): *astragalotes* Meyrick, 1890 _ Range (in code): **ZA Nta Kzu Dbn**
- 71201. *Gypsochares aulotes* (Meyrick, 1911)** (Pterophoridae) Synonym(s): *aulotes* Meyrick, 1911 Range (in code): **ZA ZW MW**
- 71202. *Gypsochares baptodactylus* (Zeller, 1850)** (Pterophoridae) Synonym(s): *baptodactylus* Zeller, 1850; *dactylographa* Turati, 1927. _ Range (in code): **LY PT ES Co Sa IT HV TR** Bionomy: Larva on *Helichrysum italicum*, *H. stoechas*, *H. angustifolium*, *H. italicum* (Asteraceae) (L'Homme, 1939).
- 71203. *Gypsochares bigoti* Gibeaux & Nel, 1989** (Pterophoridae) Synonym(s): *bigoti* Gibeaux & Nel, 1989 _ Range (in code): **ES Mu FR**
- 71204. *Gypsochares catharotes* (Meyrick, 1908)** (Pterophoridae) Synonym(s): *catharotes* Meyrick, 1908 _ Range (in code): **PK CN TH CMa Int Nan IN Meg Ass Khs NP**
- 71205. *Gypsochares kukti* Arenberger, 1990** (Pterophoridae) Synonym(s): *kukti* Arenberger, 1990 Range (in code): **IN Ld**
- 71206. *Gypsochares londti* Ustjuzhanin & Kovtunovich, 2010** (Pterophoridae) Synonym(s): *londti* Ustjuzhanin & Kovtunovich, 2010 _ Range (in code): **ZA AET Kzu Nta Esw Dbn**
- 71207. *Gypsochares murphy* Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) Synonym(s): *murphy* Kovtunovich & Ustjuzhanin, 2014 _ Range (in code): **MW ZM**
- 71208. *Gypsochares nielswolffi* Gielis & Arenberger, 1992** (Pterophoridae) Synonym(s): *nielswolffi* Gielis & Arenberger, 1992 _ Range (in code): **MD**
- 71209. *Hellinsia acuminata* (Meyrick, 1920)** (Pterophoridae) Synonym(s): *acuminata* Meyrick, 1920 _ Range (in code): **ZA Ec Wth Nta Kzu Dbn LS MW**
- 71210. *Hellinsia adumbrata* (Walsingham, 1881)** (Pterophoridae) Synonym(s): *adumbrata* Walsingham, 1881 _ Range (in code): **ZA Nta Kzu Wnn Ptw**
- 71211. *Hellinsia aegyptiaca* (Rebel, 1914)** (Pterophoridae) Synonym(s): *aegyptiaca* Rebel, 1914 Range (in code): **EG EG11 EG33 EG40**
- 71212. *Hellinsia albidactyla* (Yano, 1963)** (Pterophoridae) Synonym(s): *albidactyla* Yano, 1963 Range (in code): **CN Mc Jn KP KR RU Vv JP**
- 71213. *Hellinsia aldabrensis* (T.B. Fletcher, 1910)** (Pterophoridae) Synonym(s): *aldabrensis* T.B. Fletcher, 1910 _ Range (in code): **ZA ZW MW SC Ald**
- 71214. *Hellinsia ammonias* (Meyrick, 1909)** (Pterophoridae) Synonym(s): *ammonias* Meyrick, 1909 _ Range (in code): **ZA Tva Gau Pre**
- 71215. *Hellinsia aruna* (Arenberger, 1991)** (Pterophoridae) Synonym(s): *aruna* Arenberger, 1991 Range (in code): **CN Yu NP SI IN**
- 71216. *Hellinsia bhutanensis* Arenberger, 1995** (Pterophoridae) Synonym(s): *bhutanensis* Arenberger, 1995 _ Range (in code): **CN BT**
- 71217. *Hellinsia callida* (Meyrick, 1913)** (Pterophoridae) Synonym(s): *callida* Meyrick, 1913 Range (in code): **ZA Tva Mpu Brb**
- 71218. *Hellinsia carphodactyla* (Hübner, [1813])** (Pterophoridae) Synonym(s): *carphodactylus* Hübner, [1813]; *citridactylus* Stephens, 1834; *infirma* Heydenreich, 1851; *buphthalmi* Hofmann, 1898; *inulaevorus* Gibeaux, 1989; *alpinus* Gibeaux & Picard, 1992 _ Range (in code): **MA DZ Bsk TN Gf PT ES FR Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU SS HV B-H MK AL BG TR EE RU Ro Tgn Tt MD UA BY IR Gls** Bionomy: Larva on *Inula conyza*, *I. viscosa*, *I. bifrons*, *I. montana*, *I. hirta*, *Buphthalmum salicifolium*, *Carlina vulgaris* (Chrétien, 1917; et seq.).
- 71219. *Hellinsia chewa* Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) Synonym(s): *chewa* Kovtunovich & Ustjuzhanin, 2014 _ Range (in code): **MW**
- 71220. *Hellinsia chrysocomae* (Ragonot, 1875)** (Pterophoridae) Synonym(s): *chrysocomae* Ragonot, 1875; *bowesi* Whalley, 1960; *gozmanyi* Bigot, 1970. _ Range (in code): **FR GB DE RU Kb Cc Teb Ir Irk MD UA BY KK Na AF Kbb Pnj MN**
- 71221. *Hellinsia colubrata* (Meyrick, 1909)** (Pterophoridae) Synonym(s): *colubrata* Meyrick, 1909 Range (in code): **ZA Tva Gau Pre**
- 71222. *Hellinsia distincta* (Herrich-Schäffer, 1855)** (Pterophoridae) Synonym(s): *distinctus* Herrich-Schäffer, 1855; *sibiricus* Caradja, 1921; *zermattensis* Müller-Rutz, 1930; *acutus* Yano, 1963. Original Reference: *Pterophorus distinctus* Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 5: 379. Range (in code): **FR Si IT BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV RU At Ir Irk Sh**

- MD UA BY KK Ax Na CN Mc Jn AF IN Ch Ld JP** Bionomy: Larva on *Omalotheca sylvatica*, *Gnaphalium dioicum*, *Artemisia absinthium* (sensu auct.).
- 71223. *Hellinsia emmelinoida* Gielis, 2008** (Pterophoridae) Synonym(s): *emmelinoida* Gielis, 2008 Range (in code): **TZ**
- 71224. *Hellinsia excors* (Meyrick, 1930)** (Pterophoridae) Synonym(s): *excors* Meyrick, 1930 Range (in code): **CN Mc RU Vv Ask**
- 71225. *Hellinsia fletcheri* Arenberger, 1992** (Pterophoridae) Synonym(s): *fletcheri* Arenberger, 1992 Range (in code): **CN IN Meg Ass Khs Slo**
- 71226. *Hellinsia furfurosa* (Meyrick, 1911)** (Pterophoridae) Synonym(s): *furfurosa* Meyrick, 1911 Range (in code): **ZA Tva Gau Pre**
- 71227. *Hellinsia fuscomarginata* Arenberger, 1991** (Pterophoridae) Synonym(s): *fuscomarginata* Arenberger, 1991 Range (in code): **CN Sz IN Djl SI NP**
- 71228. *Hellinsia gypsotes* (Meyrick, 1936)** (Pterophoridae) Synonym(s): *gypsotes* Meyrick, 1936 Range (in code): **CN Stg**
- 71229. *Hellinsia harpactes* (Meyrick, 1908)** (Pterophoridae) Synonym(s): *harpactes* Meyrick, 1908 Range (in code): **CN NP IN Meg Ass Khs**
- 71230. *Hellinsia illuta* (Meyrick, 1917)** (Pterophoridae) Synonym(s): *illuta* Meyrick, 1917 Range (in code): **ZA Nta Kzu Dbn**
- 71231. *Hellinsia improba* (Meyrick, 1934)** (Pterophoridae) Synonym(s): *improba* Meyrick, 1934 Range (in code): **CN Kwa**
- 71232. *Hellinsia innocens* (Snellen, 1884)** (Pterophoridae) Synonym(s): *innocens* Snellen, 1884 Range (in code): **RU Ir Irk**
- 71233. *Hellinsia inulae* (Zeller, 1852)** (Pterophoridae) Synonym(s): *inulae* Zeller, 1852; *coniodactylus* Staudinger, 1859; *alpinus* Gibeaux & Picard, 1992. Range (in code): **Cn MA Rbt Tgr DZ Bsk Anna TN Gf LY PT ES An Mu FR MT DE AT PL CZ SK HU YU HV MK BG GR Cr TR CY LB Bsa IL Jf js Jt JO Zq Pa RU MD UA BY EG CN Stg Ui UZ Man** Bionomy: Larva on *Inula britannica*, *I. salicina*, *I. montana*, *I. hirta*, *Dittrichia viscosa* (sensu auct.).
- 71234. *Hellinsia inulaevora* (Gibeaux, 1989)** (Pterophoridae) Synonym(s): *inulaevora* Gibeaux, 1989 Range (in code): **FR IT**
- 71235. *Hellinsia invidiosa* (Meyrick, 1911)** (Pterophoridae) Synonym(s): *invidiosa* Meyrick, 1911 Range (in code): **ZA Gau Tva Pre KE MW ZW**
- 71236. *Hellinsia ishiyamana* (Matsumura, 1931)** (Pterophoridae) Synonym(s): *ishiyamana* Matsumura, 1931 Range (in code): **CN Tkg JP Hkk**
- 71237. *Hellinsia katangae* Gielis, 2009** (Pterophoridae) Synonym(s): *katangae* Gielis, 2009 Range (in code): **ZR Kga TZ MW**
- 71238. *Hellinsia kuwayamai* (Matsumura, 1931)** (Pterophoridae) Synonym(s): *kuwayamai* Matsumura, 1931 Range (in code): **CN Lng Mc Jn TW JP Hkk**
- 71239. *Hellinsia laciniata* Arenberger, 1991** (Pterophoridae) Synonym(s): *laciniata* Arenberger, 1991 Range (in code): **CN NP**
- 71240. *Hellinsia lacteola* (Yano, 1963)** (Pterophoridae) Synonym(s): *lacteola* Yano, 1963 Range (in code): **CN Shs Kgs KP KR JP**
- 71241. *Hellinsia lienigiana* (Zeller, 1852)** (Pterophoridae) Synonym(s): *lienigianus* Zeller, 1852; *melinodactylus* Herrich-Schäffer, 1855; *scarodactylus* Becker, 1861; *serindibanus* Moore, 1886; *victorianus* Strand, 1913; *catharodactylus* Caradja, 1920; *hirosakianus* Matsumura, 1931; *mutuurai* Yano, 1963. Range (in code): **FR IT GB BE NL DE AT PL CZ SK HU RO YU HV BG IR Elb Kdj Th DK NO SE FI EE LV LT RU Ro Tgn Am Prj Us Ask Sh Krl MD UA BY CN Kig She Fkn Kwt Tkg Stg Hun TW KP KR JP Ri Kyu IN LK ZR MG MU ZA PG**
- 71242. *Hellinsia madecassea* (Bigot, 1964)** (Pterophoridae) Synonym(s): *madecasseus* Bigot, 1964; *devius* Bigot, 1964; *lolibai* Arenberger, 2011 Range (in code): **AET SU Lob ZR MG TZ ZA Nta Kzu Dbn Hwk Kkf ZW MW**
- 71243. *Hellinsia mongolica* (Zagulyaev & Pentschukowskaja, 1972)** (Pterophoridae) Synonym(s): *mongolicus* Zagulyaev & Pentschukowskaja, 1972 Range (in code): **CN MN RU Tv Mgd**
- 71244. *Hellinsia namizimu* Kovtunovich & Ustjuzhanin, 2014** (Pterophoridae) Synonym(s): *namizimu* Kovtunovich & Ustjuzhanin, 2014 Range (in code): **ZM MW**
- 71245. *Hellinsia nigridactyla* (Yano, 1961)** (Pterophoridae) Synonym(s): *nigridactyla* Yano, 1961 Range (in code): **JP CN Mc Fkn**
- 71246. *Hellinsia osteodactylus* (Zeller, 1841)** (Pterophoridae) Synonym(s): *microdactyla* Zetterstedt, 1839 nec Hübn., [1813]; *osteodactylus* Zeller, 1841; *trimmatodactylus* Christoph, 1872; *cinerariae* Millière, 1874; *chrysocomae* Ragonot, 1875; *korbi* Caradja, 1920; *turbidellus* Caradja, 1920; *sophronistes*

Meyrick,1938. _ Range (in code): MA DZ PT ES FR Sa Si IT GB LU DE CH AT PL CZ SK HU RO YU SS HV B-H MK BG TR DK NO SE FI EE LV LT RU Sr Mo Pt VI Kb Teb No At Prj Us MD UA BY Cc GG Tbl Mng KG Uk CN Stg Shs NHu Mc Sz Yu Ui MN KP KR JP Hkk _ Bionomy: Larva on Solidago virgaurea, Senecio bicolor, S.nemoralis, S.fuchsii, Aster linosyris, Achillea millefolium, Artemisia vulgaris (sensu auct.).

71247. Hellinsia pacifica (Meyrick,1911) (Pterophoridae) Synonym(s): *pacifica* Meyrick,1911; *ambitosus* Meyrick,1911 _ Range (in code): ZA Tva Mdt Gau Pre

71248. Hellinsia pectodactyla (Staudinger,1859) (Pterophoridae) Synonym(s): *pectodactylus* Staudinger,1859; *angustus* Walsingham,1880; *stramineus* Walsingham,1880; *melanoschisma* Walsingham,1908. _ Range (in code): Cn MA ES FR Sa HU GR Cr CY RU MD UA BY KG Aa TrA IR Ke AF Pm Adr PK CN US

71249. Hellinsia procontias (Meyrick,1908) (Pterophoridae) Synonym(s): *procontias* Meyrick,1908 _ Range (in code): CN IN Meg Ass Khs

71250. Hellinsia pura (Meyrick,1913) (Pterophoridae) Synonym(s): *pura* Meyrick,1913 _ Range (in code): ZA Tva Mpu Brb

71251. Hellinsia scholastica (Meyrick,1924) (Pterophoridae) Synonym(s): *scholastica* Meyrick,1924 _ Range (in code): IL Pa

71252. Hellinsia shillongi Kovtunovich,2001 (Pterophoridae) Synonym(s): *shillongi* Kovtunovich,2001 _ Range (in code): IN Ass Slo

71253. Hellinsia sichuana Arenberger,1992 (Pterophoridae) Synonym(s): *sichuana* Arenberger,1992 _ Range (in code): CN Sz Kwt

71254. Hellinsia siniaei Kovtunovich,2001 (Pterophoridae) Synonym(s): *siniaei* Kovtunovich,2001 _ Range (in code): IN

71255. Hellinsia sordidata (Meyrick,1912) (Pterophoridae) Synonym(s): *sordidata* Meyrick,1912 _ Range (in code): ZA

71256. Hellinsia sphenites (Meyrick,1913) (Pterophoridae) Synonym(s): *sphenites* Meyrick,1913 _ Range (in code): ZA Nta Kzu Dbn

71257. Hellinsia subnotata (Walker,1875) (Pterophoridae) Synonym(s): *subnotata* Walker,1875 _ Range (in code): ZA

71258. Hellinsia tephradactyla (Hübner,[1813]) (Pterophoridae) Synonym(s): *tephradactylus* Hübner,[1813]; *inframaculella* Bruand,1850. _ Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU SS B-H MK YU BG GR DK NO SE FI EE LV LT RU Mo Tt Cc GG Bjo

71259. Hellinsia timida (Meyrick,1908) (Pterophoridae) Synonym(s): *timida* Meyrick,1908 _ Range (in code): ZA

71260. Hellinsia triadias (Meyrick,1908) (Pterophoridae) Synonym(s): *triadias* Meyrick,1908 _ Range (in code): CN IN Meg Ass Khs

71261. Hellinsia tripunctata (Walsingham,1881) (Pterophoridae) Synonym(s): *tripunctata* Walsingham,1881; *laqueata* Meyrick,1913. _ Range (in code): ZA Tva Mpu Tst Brb

71262. Hellinsia tripunctatus (Walsingham,1881) (Pterophoridae) Synonym(s): *tripunctatus* Walsingham,1881; *serpens* Meyrick,1909; *laqueatus* Meyrick,1913 _ Range (in code): ZA Eca Nta Kzu Dbn Mlp Dbn

71263. Hellinsia umrani Kovtunovich,2001 (Pterophoridae) Synonym(s): *umrani* Kovtunovich,2001 _ Range (in code): IN

71264. Hellinsia wrangeliensis (Zagulyaev,1985) (Pterophoridae) Synonym(s): *wrangeliensis* Zagulyaev,1985 _ Range (in code): RU

71265. Intercapperia scindia Arenberger,1988 (Pterophoridae) Synonym(s): *scindia* Arenberger,1988 _ Range (in code): Ch Ld Snn IN

71266. Lantanophaga pusillidactyla (Walker,1864) (Pterophoridae) Synonym(s): *pusillidactyla* Walker,1864; *brevipennis* Zeller,1864; *technidion* Zeller,1877; *hemimetra* Meyrick,1886; *amphiloga* Meyrick,1909; *lantana* Busck,1914; *lantanadactyla* Amsel,1951. _ Range (in code): Md Cn EC PE ZA CN JM MG MA TH CMa Nna Hw JM RE ID Ja MA ZA Nta Kzu Dbn MW _ Bionomy: Larva on Lantana camara (Amsel,1951).

71267. Marasmarcha asiatica (Rebel,1902) (Pterophoridae) Synonym(s): *asiatica* Rebel,1902 _ Range (in code): CN IR Fa Km Th Yz Kh Hz Ab Oru Kz Zj Es

71268. Marasmarcha bengtssoni (Gielis,2009) (Pterophoridae) Synonym(s): *bengtssoni* Gielis,2009 _ Range (in code): ZR MW Mje

71269. Marasmarcha bonaespei (Walsingham,1881) (Pterophoridae) Synonym(s): *bonaespei* Walsingham,1881; *verax* Meyrick,1909 _ Range (in code): NA ZA Tva Gau Pre Nta Kzu Mlp Esw Wnn

- 71270. *Marasmarcha cinnamomea* (Staudinger,1870)** (Pterophoridae) Synonym(s): *cinnamomea* Staudinger,1870; *glycyrrhizae* Zagulyaev,1969. Range (in code): **CN Cc AM RU UZ**
- 71271. *Marasmarcha corniculata* (Meyrick,1913)** (Pterophoridae) Synonym(s): *corniculata* Meyrick,1913 Range (in code): **ZA Mpu Tva Tst Nta Kzu Wnn ZR CM GA MG KM**
- 71272. *Marasmarcha ehrenbergiana* Zeller,1841** (Pterophoridae) Synonym(s): *ehrenbergiana* Zeller,1841; *decolorum* Caradja,1920. Range (in code): **TR IR Ab Sdt Mms Ak Tbz Kd Bne Km Sqq Snj Lo Zj Qz KG**
- 71273. *Marasmarcha empedota* (Meyrick,1908)** (Pterophoridae) Synonym(s): *empedota* Meyrick,1908 Range (in code): **ZA Gau Tva Pre Nta Kzu**
- 71274. *Marasmarcha glycyrrhizavora* Zheng & Qin,1997** (Pterophoridae) Synonym(s): *glycyrrhizavora* Zheng & Qin,1997 Range (in code): **CN She NHu**
- 71275. *Marasmarcha iranica* Arenberger,1999** (Pterophoridae) Synonym(s): *iranica* Arenberger,1999 Original Reference: *Marasmarcha iranica* Arenberger,1999, *Quadrifina* 2: 223, figs. Holotype: NW Iran, 30km südl. Rezaiyeh, 10 6 1975, H.G.Amsel leg. (LNK). Range (in code): **IR Ab Oru Ke Es**
- 71276. *Marasmarcha lamborni* Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *lamborni* Kovtunovich & Ustjuzhanin,2014 Range (in code): **MW ZM**
- 71277. *Marasmarcha leucocrossa* Meyrick,1936** (Pterophoridae) Synonym(s): *leucocrossa* Meyrick,1936 Original Reference: *Marasmarcha leucocrossa* Meyrick,1936, *Exot. Microlepid.* 5: 64. Syntypes 3♂♀: Iraq: Diana (2800ft.) (E.P.Wiltshire leg.). Range (in code): **IQ Dia**
- 71278. *Marasmarcha locharcha* (Meyrick,1924)** (Pterophoridae) Synonym(s): *locharcha* Meyrick,1924 Range (in code): **ZW TZ MW ZM**
- 71279. *Marasmarcha lunaedactyla* (Haworth,[1811])** (Pterophoridae) Synonym(s): *lunaedactyla* Haworth,[1811]; *phaeodactyla* Hübner,[1813]; *agrorum* Herrich-Schäffer,1855; *fauna* Millière,1876; *altaica* Krulikowsky,1906; *tuttodactyla* Chapman,1906 Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR TR SE FI EE RU MD UA BY**
- 71280. *Marasmarcha oxydactyla* (Staudinger,1859)** (Pterophoridae) Synonym(s): *oxydactyla* Staudinger,1859; *wulschlegeli* Müller-Rutz,1914 Range (in code): **ES FR IT CH AT**
- 71281. *Marasmarcha pulchra* (Christoph,1885)** (Pterophoridae) Synonym(s): *pulchra* Christoph,1885; *#uralski* Bang-Haas Range (in code): **TM Kp Noc Krn IR Gh Kh AF Kab Hr KG UK**
- 71282. *Marasmarcha rhypodactyla* (Staudinger,1871)** (Pterophoridae) Synonym(s): *rhypodactyla* Staudinger,1871; *uralski* Caradja,1920. Range (in code): **RU Ao KG Uk IR Ab Oru Km Ke LB IQ**
- 71283. *Marasmarcha rubriacuta* (Gielis,2009)** (Pterophoridae) Synonym(s): *rubriacuta* Gielis,2009 Range (in code): **ZR MW**
- 71284. *Marasmarcha samarcandica* Gerasimov,1930** (Pterophoridae) Synonym(s): *samarcandica* Gerasimov,1930 Range (in code): **KG UZ Smk**
- 71285. *Marasmarcha sisyrodes* Meyrick,1921** (Pterophoridae) Synonym(s): *sisyrodes* Meyrick,1921; *proterischna* Meyrick,1935 Range (in code): **ZW Uma ZR CM MW**
- 71286. *Marasmarcha spinosa* Meyrick,1925** (Pterophoridae) Synonym(s): *spinosa* Meyrick,1925 Range (in code): **CN Kwa**
- 71287. *Marasmarsha colossa* Caradja,1920** (Pterophoridae) Synonym(s): *colossa* Caradja,1920 Original Reference: *Marasmarsha colossa* Caradja,1920, *Dt. ent. Z.*, *Iris* 34: 84. Syntypes 2♂ 1♀: [China: Uighur A.R.]: "Schamil Hami" [Kumul] (leg. Tancré). Range (in code): **RU CN Ui Kml UZ**
- 71288. *Megalorhipida angusta* Arenberger,2002** (Pterophoridae) Synonym(s): *angusta* Arenberger,2002 Range (in code): **YE**
- 71289. *Megalorhipida fissa* Arenberger,2002** (Pterophoridae) Synonym(s): *fissa* Arenberger,2002 Range (in code): **YE**
- 71290. *Megalorhipida leptomerus* (Meyrick,1886)** (Pterophoridae) Synonym(s): *leptomerus* Meyrick,1886 Range (in code): **RE OM YE ZA Nta Kzu SC KE ZR TZ MW SZ**
- 71291. *Megalorhipida leucodactyla* (Fabricius,1794)** (Pterophoridae) Synonym(s): *leucodactylus* Fabricius,1794; *defectalis* Walker,1864; *congrualis* Walker,1864; *oxydactyla* Walker,1864; *hawaiiensis* Butler,1881; *ochrodactyla* Fish,1881; *centetes* Meyrick,1886; *compsochondes* Meyrick,1886; *ralumensis* Pagenstecher,1900; *derelictus* Meyrick,1926; *palaestinensis* Amsel,1935 Original Reference: *Pterophorus leucodactylus* Fabricius,1794, *Ent. syst.* 3 (2): 346. Lectotype ♂: "Americae mer. gram.", designated by Karsholt & Gielis,1995 (ZMUC). Range (in code): **CI MA PT ES JO IL Pa IR Elb Kdj Th Kh Ss SA SA63 As OM YE Sna Ad Sk CN Kgs Fkn YH IN KE UG SC MW RE MU MG ZA Tva Lpo Hae Nta Kzu Mlp Wnn SL SO ZR NG TD CI GM GN CV TH CMA Mae MY PK Krc Ru Pes IN LK SB PG AU QAU US Hw MX EC MX BR PA PE PMo AR CO CL PR JM BS Tx Arz FI** Bionomy: Larva on *Boerhavia*

- repens, *B. diffusa*, *Okenia hypogaea* (Nyctaginaceae), *Acacia neovernicosa* (Fabaceae), *Amaranthus* (Amaranthaceae), *Mimosa* (Mimosaceae) (Fletcher, 1909; Arenberger, 2002).
- 71292. *Megalorhipida subtilis* (Rebel, 1907)** (Pterophoridae) Synonym(s): *subtilis* Rebel, 1907; *maceratus* Meyrick, 1909. Range (in code): **Sk YE Ad MW Zom Mje ZA Nta Kzu SZ MZ ZW**
- 71293. *Megalorhipida tessmanni* (Strand, 1912)** (Pterophoridae) Synonym(s): *tessmanni* Strand, 1912; *aguessei* Bigot, 1964; *luqueti* Gibeaux, 1964. Range (in code): **AET CM GN MG ZA Nta Kzu Dbn Ptb RE YE MW ZW**
- 71294. *Megalorhipida vivax* (Meyrick, 1909)** (Pterophoridae) Synonym(s): *vivax* Meyrick, 1909. Range (in code): **ZA Tva Gau Pre Mpu Brb Nta Kzu GM MW LS SZ ZW**
- 71295. *Merrifieldia alaica* (Caradja, 1920)** (Pterophoridae) Synonym(s): *alaica* Caradja, 1920. Original Reference: *Alucita alaica* Caradja, 1920, Dt. ent. Z., Iris 34: 81-82. Lectotype ♂: "Alai" (MGAB). Range (in code): **KK Ik Tls Al AF Pag Kab Pic**
- 71296. *Merrifieldia baliodactyla* (Zeller, 1841)** (Pterophoridae) Synonym(s): *baliodactyla* Zeller, 1841; *tridactylus* Stephens, 1834; *daliiodactylus* Bruand, 1850; *meridionalis* Staudinger, 1880. Range (in code): **MA PT ES Grn FR IT GB BE NL LU DE CH AT PL CZ SK RO YU HV B-H MK AL BG GR Cr TR LB Bsa IL Pa DK NO SE FI EE LV LT RU Mo Kb Teb Cc MD UA BY CN Ui Ku KG TrA KK KuA** Bionomy: Larva on *Origanum vulgare*.
- 71297. *Merrifieldia brandti* (Arenberger, 1981)** (Pterophoridae) Synonym(s): *brandti* Arenberger, 1981. Range (in code): **TR IR Fa Sse Kz Kaz Elb Kdj Th**
- 71298. *Merrifieldia bystropoginis* (Walsingham, 1908)** (Pterophoridae) Synonym(s): *bystropoginis* Walsingham, 1908. Range (in code): **Cn**
- 71299. *Merrifieldia calcaria* (Lederer, 1870)** (Pterophoridae) Synonym(s): *calcaria* Lederer, 1870. Range (in code): **TR RU Cb Sjm KG Uk IR Gor Gls Fa Sse Se Elb Shh TM Kp K-K**
- 71300. *Merrifieldia cana* Arenberger, 1990** (Pterophoridae) Synonym(s): *cana* Arenberger, 1990. Range (in code): **MA Azr**
- 71301. *Merrifieldia caspia* (Lederer, 1870)** (Pterophoridae) Synonym(s): *caspia* Lederer, 1870. Range (in code): **TR IR Gls Kh Elb Gor Fa KuB Msh TM Kp UZ Fe Smk Nmg Man KK Osh Ik CN Ui Ku IN Ld Ik RU**
- 71302. *Merrifieldia chordodactyla* (Staudinger, 1859)** (Pterophoridae) Synonym(s): *chordodactyla* Staudinger, 1859. Range (in code): **PT ES Alm Mlg Grn**
- 71303. *Merrifieldia deprinsi* Arenberger, 1990** (Pterophoridae) Synonym(s): *deprinsi* Arenberger, 1990. Original Reference: *Merrifieldia deprinsi* Arenberger, 1990, A. ArbGem. öst. Ent. 42 (3/4): 67, figs. 2, 4. Holotype ♂: Türkiye, Bitlis Prov. Kuzgunkiran geçidi, 2-11.8 1988 Oorschot, de Prins & A. Riemis (coll. de Prins). Range (in code): **TR**
- 71304. *Merrifieldia diwani* (Arenberger, 1981)** (Pterophoridae) Synonym(s): *diwani* Arenberger, 1981. Range (in code): **IR Zj Fa Kaz TR**
- 71305. *Merrifieldia farsi* (Arenberger, 1981)** (Pterophoridae) Synonym(s): *farsi* Arenberger, 1981. Range (in code): **IR Fa Das AZ Cc Nv Ord**
- 71306. *Merrifieldia garrigae* (Bigot & Picard, 1989)** (Pterophoridae) Synonym(s): *garrigae* Bigot & Picard, 1989. Range (in code): **FR Co**
- 71307. *Merrifieldia hedemanni* (Rebel, 1896)** (Pterophoridae) Synonym(s): *hedemanni* Rebel, 1896. Range (in code): **Cn**
- 71308. *Merrifieldia huberti* Arenberger, 1999** (Pterophoridae) Synonym(s): *huberti* Arenberger, 1999. Range (in code): **KK**
- 71309. *Merrifieldia icterodactyla* (Mann, 1855)** (Pterophoridae) Synonym(s): *icterodactyla* Mann, 1855. Range (in code): **Co Sa LT**
- 71310. *Merrifieldia leucodactyla* ([Denis & Schiffermüller], 1775)** (Pterophoridae) Synonym(s): *#leucodactyla* [Denis & Schiffermüller], 1775; *theiodactyla* Hübner, [1825]; *wernickei* Wocke, 1897; *fitzi* Rebel, 1912; *flavella* Chrétien, 1923; *dryogramma* Meyrick, 1930. Range (in code): **MA DZ Tni Tis PT ES FR Sa? Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU MK HV B-H SS BG GR TR DK SE FI LV RU Kc Teb Cc MD UA BY CN Shs KG Uk SA AF MN** Bionomy: Larva on *Thymus vulgaris*, *T. serpyllum*, *T. pulegioides*, *T. praecox arcticus*, *Origanum vulgare*, *Pulmonaria officinalis* (Lamiaceae) ([Denis & Schiffermüller], 1775 et seq.).
- 71311. *Merrifieldia lyrae* (Arenberger, 1983)** (Pterophoridae) Synonym(s): *lyrae* Arenberger, 1983. Range (in code): **GR**
- 71312. *Merrifieldia malacodactyla* (Zeller, 1847)** (Pterophoridae) Synonym(s): *malacodactyla* Zeller, 1847; *meridionalis* Staudinger, 1880; *indocta* Meyrick, 1913; *subtilis* Caradja, 1920; *parca* Meyrick, 1921; *subcretosa* Meyrick, 1922; *phaeoschista* Meyrick, 1923; *luteodactyla* Turati, 1926; *rayatella* Amsel, 1959; *insularis*

- Bigot, 1961; livadiensis Zagulyaev & Filippova, 1976; transdanubinus Fazekas, 1986; garrigae Bigot & Picard, 1989; moulignieri Nel, 1991; inopinata Bigot, Nel & Picard, 1993* Original Reference: *Pterophorus malacodactylus* Zeller, 1847, Isis 10 (12): 905-906. Lectotype ♂: Italia, Rom, designated by Arenberger (1981) (BMNH). Range (in code): **MA DZ Bsk TN DhM LY Cy PT ES Mu FR Co Sa Si IT MT SK HU RO YU HV B-H MK SS BG GR Cr Rd CY TR Cc RU MD UA Cm BY LB Bei Bsa Bmm SY Hal Dms IL Hf Js Pa IQ Ry Hjo IR Ab Oru GlS Ke Elb Kdj Shr Fa AF Srb Kab Sfk Kot Nu SA As** Bionomy: larva on Calamintha nepeta, Lavandula stoechas, L. angustifolia, L. latifolia, Mentha pulegium, Nepeta nepetella, Origanum vulgare, Rosmarinus officinalis, Thymus herba-barona (Lamiaceae) (Gielis, 1996; trematerra et al., 2006).
- 71313. Merrifieldia menthae (Chrétien, 1925)** (Pterophoridae) Synonym(s): *menthae* Chrétien, 1925 Range (in code): **ES FR Co**
- 71314. Merrifieldia moulignieri Nel, 1991** (Pterophoridae) Synonym(s): *moulignieri* Nel, 1991 Range (in code): **FR Co**
- 71315. Merrifieldia neli Bigot & Picard, 1989** (Pterophoridae) Synonym(s): *neli* Bigot & Picard, 1989 Range (in code): **ES FR**
- 71316. Merrifieldia particiliata (Walsingham, 1908)** (Pterophoridae) Synonym(s): *particiliata* Walsingham, 1908 Range (in code): **Cn**
- 71317. Merrifieldia phlomidactyla (Wasserthal, 1970)** (Pterophoridae) Synonym(s): *phlomidactyla* Wasserthal, 1970 Range (in code): **GR**
- 71318. Merrifieldia probolias (Meyrick, 1891)** (Pterophoridae) Synonym(s): *probolias* Meyrick, 1891 Original Reference: *Pterophorus probolias* Meyrick, 1891, Entomologist's mon. Mag. 27: 12. Type ♀: Algeria, El Kantara (BMNH). Range (in code): **DZ Bsk Ktr MA TN Gf** Bionomy: Larva on Lavandula multifida (Chrétien, 1917).
- 71319. Merrifieldia rayatella (Amsel, 1959)** (Pterophoridae) Synonym(s): *rayatella* Amsel, 1959 Range (in code): **IQ Hjo**
- 71320. Merrifieldia semiodactyla (Mann, 1855)** (Pterophoridae) Synonym(s): *semiodactyla* Mann, 1855 Range (in code): **Co Sa**
- 71321. Merrifieldia spicidactyla (Chrétien, 1923)** (Pterophoridae) Synonym(s): *spicidactyla* Chrétien, 1923 Range (in code): **PT ES FR**
- 71322. Merrifieldia tridactyla (Linnaeus, 1758)** (Pterophoridae) Synonym(s): *tridactyla* Linnaeus, 1758; *tetradactyla* Linnaeus, 1758; *niveidactylus* Stephens, 1829; *fuscolimbatus* Duponchel, 1844; *icterodactyla* Mann, 1855; *exilidactyla* Buszko, 1975. Original Reference: *Phalaena tridactyla* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 542. Lectotype ♂: Europa, designated by Robinson & Schmidt-Nielsen (1983) (coll. Linn. Soc., London). Range (in code): **MA Ifr DZ PT ES Mu FR Sa IT Co IE GB BE NL LU DE CH AT PL CZ SK HU YU HV MK BG GR TR DK SE FI EE LV LT RU At Kb Teb Cc Sb MD UA BY IR Mak Ab Kd Sqq Avd Ha KG Uk AF** Bionomy: Larva on Calamintha nepeta glandulosa, Thymus vulgaris, T. serpyllum, T. praecox, Mentha longifolia, M. suaveolens (Lamiaceae) (Arenberger, 1995).
- 71323. Nippoptilia minor Hori, 1933** (Pterophoridae) Synonym(s): *minor* Hori, 1933 Range (in code): **TH Nna JP CN AU**
- 71324. Nippoptilia regula (Meyrick, 1906)** (Pterophoridae) Synonym(s): *regula* Meyrick, 1906; *issiki* Yano, 1961 Range (in code): **JP LK TH CMa Mae NP IN Ass MY VN AU**
- 71325. Nippoptilia vitis (Sasaki, 1913)** (Pterophoridae) Synonym(s): *vitis* Sasaki, 1913 Range (in code): **JP**
- 71326. Ochyrotica africana (Bigot, 1969)** (Pterophoridae) Synonym(s): *africana* Bigot, 1969 Range (in code): **MW Zom ZR GA UG TZ**
- 71327. Ochyrotica bjoernstadti Gielis, 2008** (Pterophoridae) Synonym(s): *bjoernstadti* Gielis, 2008 Range (in code): **TZ**
- 71328. Ochyrotica connexiva (Walsingham, 1891)** (Pterophoridae) Synonym(s): *connexiva* Walsingham, 1891 Range (in code): **IN Meg Ass Khs MM Krh BT TH TW**
- 71329. Ochyrotica yanoi Arenberger, 1988** (Pterophoridae) Synonym(s): *yanoi* Arenberger, 1988 Range (in code): **JP Ri TW CN Hn VN Ton ID Sum IN Tn NI**
- 71330. Oidaematophorus buphthalmi (Hofmann, 1898)** (Pterophoridae) Synonym(s): *buphthalmi* Hofmann, 1898 Range (in code): **FR DE AT**
- 71331. Oidaematophorus cinerariae (Millière, 1874)** (Pterophoridae) Synonym(s): *cinerariae* Millière, 1874 Range (in code): **FR Co**
- 71332. Oidaematophorus coniodactylus (Staudinger, 1859)** (Pterophoridae) Synonym(s): *coniodactylus* Staudinger, 1859. Range (in code): **PT ES FR Co Sa Si IT GR**

- 71333. *Oidaematophorus constanti* (Ragonot,1876)** (Pterophoridae) Synonym(s): *constanti* Ragonot,1876 _ Range (in code): ES FR Sa DE AT CZ SK HU SS B-H RO RU
- 71334. *Oidaematophorus didactylites* (Ström,1783)** (Pterophoridae) Synonym(s): *didactylites* Ström,1783; *scarodactyla* Hübner,[1813]; *icarodactyla* Treitschke,1833; *catharodactylus* Caradja,1921. Original Reference: Alucita didactylites Ström,1783, Nye Saml. Danske Vidensk. Selsk. Skrift. 2: 89. Range (in code): FR IT BE NL DE CH AT PL CZ SK HU BG TR DK NO SE FI EE LV LT RU Pt Kb Teb Ur Mo Ir Irk Sr Nr Sjm MD UA BY CN Mc Jn She Cc GG Kzb KG Bionomy: Larva on Hieracium umbellatum, H.lachenalii, H.pilosella, H.boreale, H.murorum, H.prenanthoides, H.amplexicaule, Artemisia campestris (sensu auct.).
- 71335. *Oidaematophorus giganteus* (Mann,1855)** (Pterophoridae) Synonym(s): *giganteus* Mann,1855 _ Range (in code): PT FR Co Sa Si IT
- 71336. *Oidaematophorus iwatensis* (Matsumura,1931)** (Pterophoridae) Synonym(s): *iwatensis* Matsumura,1931 _ Range (in code): CN Lng Mc Jn JP
- 71337. *Oidaematophorus lithodactylus* (Treitschke,1833)** (Pterophoridae) Synonym(s): *lithodactylus* Treitschke,1833; *septodactylus* Treitschke,1833; *similidactylus* Dale,1834; *lithoxyloactylus* Duponchel,[1840]. _ Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H BG GR TR DK NO SE FI EE LV RU Or Tt St Ir Irk Kb Teb MD UA BY CN Ui JP Kyu Hkk IR Kd Mrv Bionomy: Larva on Inula conyza, I.salicina, I.germanica, I.montana, I.hirta, Pulicaria dycaria, Conyza squarrosa, Bupthalmum salicifolium (sensu auct.).
- 71338. *Oidaematophorus minutella* Li,2002** (Pterophoridae) Synonym(s): *minutella* Li,2002 Range (in code): CN Kwt
- 71339. *Oidaematophorus rogenhoferi* (Mann,1871)** (Pterophoridae) Synonym(s): *rogenhoferi* Mann,1871 _ Range (in code): ES FR IT DE CH AT NO SE FI RU At Am Prj Us MD UA BY CN Mc KK Ik Na Al Bionomy: Larva on Erigeron alpinus E.acer angulosus, E.acer politus, E.glabratus, E.uniflorus, Inula montana (sensu auct.).
- 71340. *Oidaematophorus rubifusca* Li,2002** (Pterophoridae) Synonym(s): *rubifusca* Li,2002 Range (in code): CN Kwt
- 71341. *Oidaematophorus vafradactylus* Svensson,1966** (Pterophoridae) Synonym(s): *vafradactylus* Svensson,1966 _ Range (in code): SE EE
- 71342. *Oxyptilus caryornis* Meyrick,1935** (Pterophoridae) Synonym(s): *caryornis* Meyrick,1935 Range (in code): CN Tkg
- 71343. *Oxyptilus chrysodactylus* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *chrysodactylus* [Denis & Schiffermüller],1775; *hieracii* Zeller,1841; *hieracidactyla* Bruand,1858; *perunovi* Ustjuzhanin,1996. Original Reference: Alucita chrysodactyla [Denis & Schiffermüller],1775, Ankündigung syst. Werkes. Schmett. Wienergegend: 320. Type(s): Austria: Wien. Range (in code): ES Mu FR IT BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Kb Teb At To Ir Irk Bry Ya No Am Sh Vv Prj Us MD UA BY CN Mc JP Hkk Bionomy: Larva on Hieracium umbellatum, H.sabaudum, Picris hieracioides, Teucrium scorodonium (sensu auct.).
- 71344. *Oxyptilus ericetorum* (Stainton,1851)** (Pterophoridae) Synonym(s): *ericetorum* Stainton,1851; *ericetidactyla* Bruand,1859. Original Reference: Pterophorus ericetorum Stainton,1851, Suppl. Cat. Br. Tineidae and Pterophoridae: 28. Range (in code): FR IT BE DE CH AT PL CZ SK RO B-H BG GR TR DK NO SE FI EE LV LT RU At No Kb MD UA BY
- 71345. *Oxyptilus erythrodactylus* T.B.Fletcher,1911** (Pterophoridae) Synonym(s): *erythrodactylus* T.B.Fletcher,1911 _ Range (in code): ZA Tva Lpo Nta Kzu
- 71346. *Oxyptilus gibeauxi* Bigot, Nel & Picard,1990** (Pterophoridae) Synonym(s): *gibeauxi* Bigot, Nel & Picard,1990 _ Range (in code): FR IT BE DE AT PL RO
- 71347. *Oxyptilus jaeckhi* Bigot & Picard,1992** (Pterophoridae) Synonym(s): *jaeckhi* Bigot & Picard,1992 _ Range (in code): FR Co IT Bionomy: Larva on Cichorium intybus (Asteraceae), Lactuca virosa (Nel,1995).
- 71348. *Oxyptilus mycites* Meyrick,1914** (Pterophoridae) Synonym(s): *mycites* Meyrick,1914 Range (in code): TW
- 71349. *Oxyptilus parvidactylus* (Haworth,[1811])** (Pterophoridae) Synonym(s): *parvidactylus* Haworth,[1811]; *microdactylus* Samouelle,1819; *obscurus* Zeller,1841; *hemididactylus* Selys-Longchamps,1845; *dentellus* Zeller,1852; *obscuridactyla* Bruand,1859; *hofmannseggii* Möschler,1866; *maroocanensis* Amsel,1956. Range (in code): MA PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU SS YU B-H HV MK RO BG AL GR TR DK NO SE FI EE LV LT RU Sr St Kb MD UA Cm BY KG Uk Cc AM Eri LB Bsa Bmm IL Hf Pa IR Gor Mz Th Dam Elb Bionomy: Larva on Pilosella (Corley et al.,2007).
- 71350. *Oxyptilus pilosellae* (Zeller,1841)** (Pterophoridae) Synonym(s): *pilosellae* Zeller,1841; *pilosellidactyla* Bruand,1859; *bohemannii* Wallengren,1862. _ Range (in code): ES Mu FR IT GB BE NL LU

- DE CH AT PL CZ SK HU RO SS YU B-H HV MK BG GR TR DK NO SE FI EE LV LT RU Tt No At MD UA
BY CN Kgs IR Gor Elb Kdj KG Lps Bionomy: Larva on Hieracium pilosella (Zeller,1841).
- 71351. Oxyptilus regulus Meyrick,1906** (Pterophoridae) Synonym(s): *regulus* Meyrick,1906
Original Reference: Oxyptilus regulus Meyrick,1906, J. Bombay nat. Hist. Soc. 17: 135. Type: Sri Lanka. Range (in code): NP TH IN LK VN AU Bionomy: Larva on Vitis (Vitaceae) (Robinson et al.,1994).
- 71352. Oxyptilus vibrans Meyrick,1921** (Pterophoridae) Synonym(s): *vibrans* Meyrick,1921
Range (in code): ZA Ec Elo
- 71353. Oxyptilus zhengi Hao, Li & Wang,2002** (Pterophoridae) Synonym(s): *zhengi* Hao, Li & Wang,2002 Range (in code): CN Hpe
- 71354. Paracapperia anatolica (Caradja,1920)** (Pterophoridae) Synonym(s): *anatolica* Caradja,1920. Original Reference: Capperia anatolica Caradja,1920, Dt. ent. Z., Iris 34: 79. Syntypes 6♂♀: [Türkei]: "Ak Chehir". Range (in code): Cc GG Im Kta TR SY Hal IR TJ Dsb Kd
- 71355. Paracapperia esuriens (Meyrick,1932)** (Pterophoridae) Synonym(s): *esuriens* Meyrick,1932; *infernus* Meyrick,1939 Original Reference: Oxyptilus esuriens Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 108. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): ET ET88 Sw TZ ZR KE ZA Nta Kzu MW ZW
- 71356. Paraplatyptilia carelica (Zagulyaev,1983)** (Pterophoridae) Synonym(s): *carelica* Zagulyaev,1983 Range (in code): RU MD UA BY
- 71357. Paraplatyptilia metzneri (Zeller,1841)** (Pterophoridae) Synonym(s): *metzneri* Zeller,1841; *bolli* Frey,1856; *gaji* Zagulyaev,1983 Range (in code): FR IT DE CH AL BG TR IR RU At MD UA BY KG Uk MN Sb Cc CN Ui Kl
- 71358. Paraplatyptilia sahlbergi (Poppius,1906)** (Pterophoridae) Synonym(s): *sahlbergi* Poppius,1906 Range (in code): RU MD UA BY
- 71359. Paraplatyptilia sibirica (Zagulyaev,1983)** (Pterophoridae) Synonym(s): *sibirica* Zagulyaev,1983 Range (in code): RI Sb
- 71360. Paraplatyptilia terminalis (Erschoff,1877)** (Pterophoridae) Synonym(s): *terminalis* Erschoff,1877 Range (in code): RU Sb At Sj At CN Ui Ku
- 71361. Picardia eparches (Meyrick,1931)** (Pterophoridae) Synonym(s): *eparches* Meyrick,1931
Range (in code): UG KE MW ZW
- 71362. Picardia leza Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *leza* Kovtunovich & Ustjuzhanin,2014 Range (in code): MW
- 71363. Picardia orchatias (Meyrick,1908)** (Pterophoridae) Synonym(s): *orchatias* Meyrick,1908; *imerinae* Bigot,1964 Range (in code): ZA Nta Kzu Dbn MG
- 71364. Picardia raymondi Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *raymondi* Kovtunovich & Ustjuzhanin,2014 Range (in code): MW
- 71365. Picardia tumbuka Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *tumbuka* Kovtunovich & Ustjuzhanin,2014 Range (in code): MW
- 71366. Platyptilia aarviki Gielis,2008** (Pterophoridae) Synonym(s): *aarviki* Gielis,2008
Range (in code): KE
- 71367. Platyptilia ainonis Matsumura,1931** (Pterophoridae) Synonym(s): *ainonis* Matsumura,1931 Range (in code): CN Shs JP
- 71368. Platyptilia amphiloga Meyrick,1909** (Pterophoridae) Synonym(s): *amphiloga* Meyrick,1909 Range (in code): ZA
- 71369. Platyptilia barbarae Ustjuzhanin & Kovtunovich,2010** (Pterophoridae)
Synonym(s): *barbarae* Ustjuzhanin & Kovtunovich,2010 Range (in code): AET ZA Kzu Nta
- 71370. Platyptilia benitensis Strand,1912** (Pterophoridae) Synonym(s): *benitensis* Strand,1912
Range (in code): CM MW Zom
- 71371. Platyptilia calodactyla ([Denis & Schiffermüller],1775)** (Pterophoridae)
Synonym(s): *calodactyla* [Denis & Schiffermüller],1775; *petradactyla* Hübner,[1819]; *zetterstedtii* Zeller,1841; *taeniadactylus* South,1882; *doronicella* Fuchs,1902; *leucorrhincha* Meyrick,1902. Original Reference: Alucita calodactyla [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 146. Type(s): [Austria]: Vienna district. Range (in code): ES IT GB BE NL DE CH AT PL CZ SK YU TR IR Elb Th Se Srd BG DK NO SE FI EE LV LT RU MD UA BY CN
- 71372. Platyptilia carduidactyla (Riley,1869)** (Pterophoridae) Synonym(s): *carduidactyla* Riley,1869 Range (in code): US CN Tkg Kgs

- 71373. *Platyptilia chondrodactyla* Caradja,1920** (Pterophoridae) Synonym(s): *chondrodactyla* Caradja,1920 Original Reference: *Platyptilia chondrodactyla* Caradja,1920, Dt. ent. Z., Iris 34: 80. Syntypes 5♂♂: [Türkei: Van Prov.]: Wansee (leg. Korb). Range (in code): **TR**
- 71374. *Platyptilia chosokeiella* Strand,1822** (Pterophoridae) Synonym(s): *chosokeiella* Strand,1822 Range (in code): **TW**
- 71375. *Platyptilia cinnamomea* Staudinger,1870** (Pterophoridae) Synonym(s): *cinnamomea* Staudinger,1870 Range (in code): **RU KG UK**
- 71376. *Platyptilia citropleura* Meyrick,1907** (Pterophoridae) Synonym(s): *citropleura* Meyrick,1907 Range (in code): **TW LK**
- 71377. *Platyptilia daemonica* Meyrick,1932** (Pterophoridae) Synonym(s): *daemonica* Meyrick,1932 Original Reference: *Platyptilia daemonica* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 109. Syntypes 5♂♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): **ET ET88 Sw**
- 71378. *Platyptilia diversicilia* Filipjev,1931** (Pterophoridae) Synonym(s): *diversicilia* Filipjev,1931 Range (in code): **RU MD UA BY**
- 71379. *Platyptilia farfarella* Zeller,1867** (Pterophoridae) Synonym(s): *farfarella* Zeller,1867; *molopias* Meyrick,1906; *periacia* Meyrick,1910; *claripicta* Fletcher,1910; *gonodactyla* Hori,1934 nec [Denis & Schiff.],1775; *petila* Yano,1963 Original Reference: *Platyptilus farfarellus* Zeller,1867, Stettin ent. Ztg. 28: 334. Syntypes 1♂ 5♀: Poland, Meseritz (collected near Tussilago farfara). Range (in code): **AET ZA Kzu Nta Mlp Dbn MG SC MU UG KE TZ NG LK ES FR Si IT NL DE CH AT PL SK HU RO AL BG GR TR IR Ak Sbl Ar Ab Mak RU MD UA BY TW JP SB SZ ST ID PH MW**
- 71380. *Platyptilia gonodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) Synonym(s): *gonodactyla* [Denis & Schiffermüller],1775; *megalodactyla* [Denis & Schiffermüller],1775; *diptera* Sulzer,1776; *trigonodactyla* Haworth,1811; *farfara* Gregson,1885; *albidior* Caradja,1920. Original Reference: *Alucita gonodactyla* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG UK CN UI Mc MN PK IN**
- 71381. *Platyptilia iberica* Rebel,1935** (Pterophoridae) Synonym(s): *iberica* Rebel,1935 Range (in code): **ES FR**
- 71382. *Platyptilia implacata* Meyrick,1932** (Pterophoridae) Synonym(s): *implacata* Meyrick,1932 Original Reference: *Platyptilia implacata* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 109. Syntypes 2♂♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): **ET ET88 Sw**
- 71383. *Platyptilia isodactylus* (Zeller,1852)** (Pterophoridae) Synonym(s): *isodactylus* Zeller,1852 Range (in code): **ES FR IE GB NL DE CH DK RU MD UA BY**
- 71384. *Platyptilia kozanica* Fazekas,2003** (Pterophoridae) Synonym(s): *kozanica* Fazekas,2003 Original Reference: *Platyptilia kozanica* Fazekas,2003, Folia coml. 12: 7-8, 2 Abb. Holotype ♀: Turkey, Prov. Seyhan [Adana], Kozan 10km N, 1989 v.5., leg. Cs.Szaboky (KNS). Range (in code): **TR**
- 71385. *Platyptilia longalis* (Walker,1864)** (Pterophoridae) Synonym(s): *longalis* Walker,1864 Range (in code): **ZA Nta Kzu Dbn Mlp MW SZ**
- 71386. *Platyptilia manchurica* Buszko,1977** (Pterophoridae) Synonym(s): *manchurica* Buszko,1977 Range (in code): **CN Mc**
- 71387. *Platyptilia miantodactylus* (Zeller,1841)** (Pterophoridae) Synonym(s): *miantodactylus* Zeller,1841 Range (in code): **FR HU BG GR RU MD UA BY**
- 71388. *Platyptilia molopias* Meyrick,1906** (Pterophoridae) Synonym(s): *molopias* Meyrick,1906; *benitensis* Strand,1912 Range (in code): **ZA Tva Gau Pre Wo Hae Nta Kzu Hwk KE Nai MG MU UG ST TZ NG IN TH Nan CMa Loe LK PH**
- 71389. *Platyptilia monophaea* Meyrick,1920** (Pterophoridae) Synonym(s): *monophaea* Meyrick,1920; *#morophaea* Meyrick,1932 Original Reference: *Platyptilia monophaea* Meyrick,1920, Voy. All. Jean. Afr. Orient. 2: 38. Type: Mt. Kenya. Range (in code): **KE ET ET88 Sw MW**
- 71390. *Platyptilia mugesse* Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *mugesse* Kovtunovich & Ustjuzhanin,2014 Range (in code): **MW**
- 71391. *Platyptilia nemoralis* (Zeller,1841)** (Pterophoridae) Synonym(s): *nemoralis* Zeller,1841; *nemoralidactyla* Bruand,1859; *graaftii* Zeller,1873; *sinuosa* Yano,1960. Original Reference: *Platyptilus nemoralis* Zeller,1841, Isis 1841 (10): 778. Range (in code): **FR IT BE NL LU DE CH AT PL CZ SK HU BG TR IR Th FI EE RU Sb MD UA BY CN UI JP**

- 71392. *Platyptilia odiosa* Meyrick,1912** (Pterophoridae) **Synonym(s):** *odiosa* Meyrick,1912
Range (in code): **ZA**
- 71393. *Platyptilia periacta* Meyrick,1910** (Pterophoridae) **Synonym(s):** *periacta* Meyrick,1910
Range (in code): **ZA**
- 71394. *Platyptilia resoluta* Meyrick,1937** (Pterophoridae) **Synonym(s):** *resoluta* Meyrick,1937
Range (in code): **CN**
- 71395. *Platyptilia sabia* (R.Felder & Rogenhofer,1875)** (Pterophoridae) **Synonym(s):** *sabia* R.Felder & Rogenhofer,1875 - **Range (in code):** **ZA Gau Tva Pre LS ZW ZM ZR TZ ET SZ MW**
- 71396. *Platyptilia sedata* Meyrick,1932** (Pterophoridae) **Synonym(s):** *sedata* Meyrick,1932
Range (in code): **Ch**
- 71397. *Platyptilia suigensis* Matsumura,1931** (Pterophoridae) **Synonym(s):** *suigensis* Matsumura,1931 - **Range (in code):** **CN KP KR**
- 71398. *Platyptilia tesseradactyla* (Linnaeus,1761)** (Pterophoridae) **Synonym(s):** *tesseradactyla* Linnaeus,1761; *fischeri* Zeller,1841; *hibernica* Tutt,1906. - **Range (in code):** **ES FR Si IT IE BE DE CH AT PL CZ SK HU RO YU BG GR IR Ha DK NO SE FI EE LV LT RU MD UA BY KG UK**
- 71399. *Platyptilia ussuriensis* Caradja,1920** (Pterophoridae) **Synonym(s):** *ussuriensis* Caradja,1920 - **Range (in code):** **RU Us Prj Vv CN**
- 71400. *Platyptilia vesta* (Ustjuzhanin,1996)** (Pterophoridae) **Synonym(s):** *vesta* Ustjuzhanin,1996 - **Range (in code):** **CN RU**
- 71401. *Porritia galactodactyla* ([Denis & Schiffermüller],1775)** (Pterophoridae) **Synonym(s):** *galactodactyla* [Denis & Schiffermüller],1775; *albodactylus* Fabricius,1794. **Original Reference:** *Alucita galactodactyla* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 320. Type(s): [Austria]: Vienna district.* **Range (in code):** **FR IT MT GB BE NL DE AT PL CZ SK HU RO DK SE LV RU Or Ti MD UA BY TR**
- 71402. *Porritia imbecilla* (Meyrick,1925)** (Pterophoridae) **Synonym(s):** *imbecilla* Meyrick,1925
Range (in code): **EG EG11 SA As IL Pa**
- 71403. *Postplatyptilia caribica* Gielis,2006** (Pterophoridae) **Synonym(s):** *caribica* Gielis,2006
Range (in code): **DM PR**
- 71404. *Prichotilus tara* Ustjuzhanin & Kovtunovich,2011** (Pterophoridae) **Synonym(s):** *tara* Ustjuzhanin & Kovtunovich,2011; *tanzanicus* Gielis,2011 - **Range (in code):** **MW TZ**
- 71405. *Prichotilus yakovlevi* Ustjuzhanin & Kovtunovich,2011** (Pterophoridae) **Synonym(s):** *yakovlevi* Ustjuzhanin & Kovtunovich,2011 - **Range (in code):** **MW**
- 71406. *Procapperia amira* Arenberger,1988** (Pterophoridae) **Synonym(s):** *amira* Arenberger,1988 **Original Reference:** *Procapperia amira* Arenberger,1988, *Z. ArbGem. öst. Ent.* 39: 66-68, Abb.5-6. Holotype ♂: Afghanistan centr. Band-e-Amir 2800m 16 7 1971 lweg. Holzschuh (coll.Arenberger). **Range (in code):** **IR Kh AF Bda**
- 71407. *Procapperia ankaraica* Fazekas,2003** (Pterophoridae) **Synonym(s):** *ankaraica* Fazekas,2003 **Original Reference:** *Procapperia ankaraica* Fazekas,2003, *Folia comloensis* 12: 18, Abb. 19,20. Holotype ♂: Turkey, Ankara prov. Dutözü köyü 1300m 1 v 1989 leg Szaboky (coll.KNS). **Range (in code):** **TR**
- 71408. *Procapperia hackeri* Arenberger,2002** (Pterophoridae) **Synonym(s):** *hackeri* Arenberger,2002 - **Range (in code):** **YE Sna**
- 71409. *Procapperia insomnis* (Townsend,1956)** (Pterophoridae) **Synonym(s):** *insomnis* Townsend,1956 - **Range (in code):** **KE YE NA ZW MW**
- 71410. *Procapperia kuldschaensis* (Rebel,1914)** (Pterophoridae) **Synonym(s):** *kuldschaensis* Rebel,1914; *asiatica* Zagulyaev,1986. **Original Reference:** *Oxyptilus kuldschaensis* Rebel,1914; *Dt. ent. Z., Iris* 28: 272. Type: [China: Uighur A.R.]: Kuldja (coll.MGAB). **Range (in code):** **TR UA Cm RU At Tv Sj Sb AF Kab Pag Sfk Shah Kbb Pnj PK Kag Haz TM KK TeA Na Tls Ik UZ Smk KG TrA Aa Ket MN CN Ui Ku Cc GG Im Kta**
- 71411. *Procapperia linariae* (Chrétien,1922)** (Pterophoridae) **Synonym(s):** *linariae* Chrétien,1922; *croatica* Adamczewski,1951. - **Range (in code):** **MA ES FR HV BG GR TR IR Ak Ar Gor Gls Shh Es Ke Yz Th Elb UA KG**
- 71412. *Procapperia maculata* (Constant,1865)** (Pterophoridae) **Synonym(s):** *maculata* Constant,1865; *croatica* Adamczewski,1951. **Original Reference:** *Oxyptilus maculatus* Constant,1865, *Annls Soc. ent. Fr. (4)* 5: 193-194. Lectotype ♂, France, designated by Gibeaux (1990) (MNHNP). **Range (in code):** **FR IT HV BG TR RU Kb Teb Kis GG Tbl UA Cm Cc AM Eri** **Bionomy:** 06R 24H 36D 42B 58G

- 71413. Procapperia orientalis Arenberger,1988** (Pterophoridae) Synonym(s): *orientalis* Arenberger,1988 Original Reference: Procapperia orientalis Arenberger,1988, Z. ArbGem. öst. Ent. 40 (1/2): 24-26. Holotype ♂: Kaschmir, Bandipur (coll.Arenberger). Range (in code): **IN Ch UZ Al KK Na TJ**
- 71414. Procapperia pelecynes (Meyrick,1908)** (Pterophoridae) Synonym(s): *pelecynes* Meyrick,1908 Range (in code): **CN Hun JP Kyu NP IN Meg Ass Khs Slo LK SI BT** Bionomy: Larva on Scutellaria indica, S.discolor (sensu auct.).
- 71415. Pselnophorus heterodactylus (Müller,1764)** (Pterophoridae) Synonym(s): *heterodactylus* Müller,1764; *brachydactylus* Kollar,1832; *aetodactylus* Duponchel,1840. Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H BG GR DK NO SE FI EE LV LT RU UA Cm KG Uk**
- 71416. Pselnophorus jaechi (Arenberger,1993)** (Pterophoridae) Synonym(s): *jaechi* Arenberger,1993; *meruensis* Gielis,2008 Range (in code): **KE TZ**
- 71417. Pselnophorus japonicus Marumo,1923** (Pterophoridae) Synonym(s): *japonicus* Marumo,1923; *hirayamai* Matsumura,1931. Range (in code): **TW JP**
- 71418. Pselnophorus pachyceros Meyrick,1921** (Pterophoridae) Synonym(s): *pachyceros* Meyrick,1921 Range (in code): **ZA Tva Mpu Brb Nta Kzu MZ ZW MW**
- 71419. Pselnophorus poggei (Mann,1862)** (Pterophoridae) Synonym(s): *poggei* Mann,1862; *minutus* Alpheraky,1876; *borzhomi* Zagulyaev,1987. Range (in code): **TR Cc GG Bjo RU Kb Teb St Pja UA Cm IR Mz Elb Gor Gl**
- 71420. Pselnophorus vilis (Butler,1881)** (Pterophoridae) Synonym(s): *vilis* Butler,1881; *amurensis* Christoph,1882. Range (in code): **CN Kgs Tkg RU Am Vv Sh Prj Us Ask JP Hkk** Bionomy: Larva on Ligularia tussilaginea, Petasites japonicus (sensu auct.).
- 71421. Pselnophorus zulu Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonym(s): *zulu* Ustjuzhanin & Kovtunovich,2010 Range (in code): **ZA AET Kzu Nta**
- 71422. Pseudoxyptilus secutor (Meyrick,1911)** (Pterophoridae) Synonym(s): *secutor* Meyrick,1911; *variegatus* Meyrick,1920 Range (in code): **ZA Nta Kzu Gau Tva Pre Ltr Spb LS ZM ZW MW**
- 71423. Pseudoxyptila tectonica (Meyrick,1914)** (Pterophoridae) Synonym(s): *tectonica* Meyrick,1914 Range (in code): **TW**
- 71424. Pterophorus africanus Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonym(s): *africanus* Ustjuzhanin & Kovtunovich,2010 Range (in code): **AET ZA Nta Kzu Fs LS MW**
- 71425. Pterophorus albidus (Zeller,1852)** (Pterophoridae) Synonym(s): *albidus* Zeller,1852; *endogramma* Meyrick,1922; *endophaea* Meyrick,1930; *suffata* Yano,1963 Range (in code): **ZA Nta Tva Nta Kzu Dbn Ptb MG RE ZW ZR CI FJ JP Ri GM NG TD KE SO UG SU Lob TZ ET VN Zz SB PG ID Sum Clb TH Knc AU QAU NH PH ID Ij MW BW**
- 71426. Pterophorus attenuatus Hao, Kendrick & Li,2008** (Pterophoridae) Synonym(s): *attenuatus* Hao, Kendrick & Li,2008 Range (in code): **CN**
- 71427. Pterophorus candidalis (Walker,1864)** (Pterophoridae) Synonym(s): *candidalis* Walker,1864 Range (in code): **ZA Nta Kzu Est Wnn TW IN ID Ja SL KE TZ CM TD CI ET ZR BI GH GA MW Mje**
- 71428. Pterophorus ceraunia (Bigot,1969)** (Pterophoridae) Synonym(s): *ceraunia* Bigot,1969 Range (in code): **ZR CM MG MW ZW Mje BJ**
- 71429. Pterophorus dallastai Gielis,1991** (Pterophoridae) Synonym(s): *dallastai* Gielis,1991 Range (in code): **ZA Zom MW**
- 71430. Pterophorus elaeopus (Meyrick,1908)** (Pterophoridae) Synonym(s): *elaeopus* Meyrick,1908 Range (in code): **IN Meg Ass Khs TH Knc MY ID Sum**
- 71431. Pterophorus endophaeus Meyrick,1930** (Pterophoridae) Synonym(s): *endophaeus* Meyrick,1930 Range (in code): **ZA**
- 71432. Pterophorus flavus Arenberger,1991** (Pterophoridae) Synonym(s): *flavus* Arenberger,1991 Range (in code): **CN Ti NP IN Up**
- 71433. Pterophorus indocta (Meyrick,1913)** (Pterophoridae) Synonym(s): *indocta* Meyrick,1913 Original Reference: Alucita indocta Meyrick,1913, Exot. Microlepid. 1: 111. Type ♂: [Lebanon]: "Syria, Beirut". Range (in code): **LB Bei**
- 71434. Pterophorus ischnodactylus (Treitschke,1835)** (Pterophoridae) Synonym(s): *ischnodactyla* Treitschke,1835; *actinodactyla* Chrétien,1891; *eburnella* Amsel,1968. Original Reference: Alucita ischnodactyla Treitschke,1835, [in] Ochsenheimer, Schmett. Eur. 10 (3): 223. Lectotype ♂: Ungarn, designated by Arenberger,1995:48 (TMB). Range (in code): **DZ LY ES FR Co Si IT MT**

BE AT HU RO YU MK HV B-H AL BG GR Rd TR RU MD UA Cm BY IL Jer Pa IQ Bgd SA SA63 OM BH
PK Krc MN ZA Fs Blo IR

- 71435. *Pterophorus lacteipennis* (Walker,1864)** (Pterophoridae) Synonym(s): *lacteipennis* Walker,1864; *similalis* Walker,1864; *malacensis* Zeller,1877. _ Range (in code): TH TW MY Bor Klt Clb Crm ID PG AU SB MM Tns Krh Swk SG QAU
- 71436. *Pterophorus leucadactylus* (Walker,1864)** (Pterophoridae) Synonym(s): *leucadactylus* Walker,1864 _ Original Reference: *Aciptilus leucadactylus* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 949. Lectotype ♂: "Ceylon", designated by Arenberger,1995:49 (BMNH). Range (in code): LK IN Meg Ass Khs TH CMa ID Sum Bor
- 71437. *Pterophorus melanopodus* (T.B.Fletcher,1907)** (Pterophoridae) Synonym(s): *melanopodus* T.B.Fletcher,1907 _ Range (in code): LK IN Meg Ass Khs TH SG TW PG
- 71438. *Pterophorus molanensis* Li,2002** (Pterophoridae) Synonym(s): *molanensis* Li,2002 Range (in code): CN Kwt
- 71439. *Pterophorus nigropunctatus* Arenberger,1989** (Pterophoridae) Synonym(s): *nigropunctatus* Arenberger,1989 _ Range (in code): IN Meg Ass Khs TH
- 71440. *Pterophorus niveodactylus* (Pagenstecher,1900)** (Pterophoridae) Synonym(s): *niveodactyla* Pagenstecher,1900; *nivea* Snellen,1907. _ Range (in code): CN Fkn TW ID Ja SB Bionomy: Larva on *Ipomoea batatas*, *I. hispida*, *I. purpurea*.
- 71441. *Pterophorus pentadactylus* (Linnaeus,1758)** (Pterophoridae) Synonym(s): *pentadactylus* Linnaeus,1758; *tridactyla* Scopoli,1763; *sulphurea* Staudinger,1880. _ Original Reference: *Alucita pentadactyla* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 542. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR DK NO SE FI EE LV LT RU Kb Teb No St Us Prj Sr Tt MD UA Cm BY SY Hal Cc Kc Teb AM AZ GG IR Ab Oru Gor Gls Mz Gh Nos TM KG Tk Dj TrA Aa CN Ui Ku Yu Sz Mc Jn TW _ Bionomy: Larva on *Convolvulus arvensis*, *Calystegia sepium* (Convolvulaceae) (sensu auct.).
- 71442. *Pterophorus rhyparias* (Meyrick,1908)** (Pterophoridae) Synonym(s): *rhyparias* Meyrick,1908; *centrocrates* Meyrick,1933 _ Range (in code): ZA Nta Kzu Dbn ZR KE TZ ET MG UG MW ZW
- 71443. *Pterophorus spissa* (Bigot,1969)** (Pterophoridae) Synonym(s): *spissa* Bigot,1969 Range (in code): ZR GH NG CM MW ZW Zom
- 71444. *Pterophorus subalternans* Lederer,1869** (Pterophoridae) Synonym(s): *subalternans* Lederer,1869 _ Original Reference: *Pterophorus* (*Aciptilus*) *subalternans* Lederer,1869, Horae Soc. ent. ross. 6: 93, Taf.v fig.15. Syntypes 3 ex.: Iran: Astrabad (Gorgan) leg. Haberhauer; Türkei: Brussa [Bursa]. Range (in code): TR IR Gor
- 71445. *Pterophorus taklamakanus* Arenberger,1995** (Pterophoridae) Synonym(s): *taklamakanus* Arenberger,1995 _ Original Reference: *Pterophorus taklamakanus* Arenberger,1995, Microlepid. Palaearkt. 9: 45-46, Taf.1 fig.2. Holotype ♂: [China: Uighur A.R.]: "Lob-Nor" (BMNH). Range (in code): CN Ui Ln
- 71446. *Pterophorus terrenus* Meyrick,1936** (Pterophoridae) Synonym(s): *terrenus* Meyrick,1936 _ Original Reference: *Pterophorus terrenus* Meyrick,1936, Exot. Microlepid. 5: 64. Syntypes 4♀: Iraq: Diana (2800ft.), Rayat (4000ft.) (E.P.Wiltshire leg.). Range (in code): IQ Ry Dia
- 71447. *Pterophorus tinsuki* Kovtunovich,2001** (Pterophoridae) Synonym(s): *tinsuki* Kovtunovich,2001 _ Range (in code): IN
- 71448. *Pterophorus volgensis* (Möschler,1862)** (Pterophoridae) Synonym(s): *volgensis* Möschler,1862 _ Range (in code): RU Ur Sr Or KG Uk
- 71449. *Puerphorus olbiadactylus* (Millière,1859)** (Pterophoridae) Synonym(s): *olbiadactylus* Millière,1859; *hemiargus* Meyrick,1908; *dactilographa* Turati,1927. _ Range (in code): Cn MA DZ Ges TN PT ES And Grn Mu FR Co Sa Si IT MT GR Cr CY LB Bsa IL Pa Js Hf JO IR Fa AF Kab TR _ Bionomy: Larva on *Phagnalom rupestre*, *P. saxatile* (L'Homme,1939; Nel,1987).
- 71450. *Sphenarches anisodactylus* (Walker,1864)** (Pterophoridae) Synonym(s): *anisodactyla* Walker,1864; *diffusalis* Walker,1864; *synophrys* Meyrick,1886; *croesus* Strand,1913; *pygmaeana* Strand,1913; *rishwani* Makhan,1994 _ Range (in code): CN Tkg IN Djl NI SC RE MG TZ CM ZR GM GN NG LK ZA Nta Kzu TD MW SZ CI MG BR PR PA PE PY FJ ST TO NC GU NP JP LK TW MY ID AU US Tx FI SB NC NH PG VN MY TH CMa IR Ab Oru _ Bionomy: Larva on *Dolichos lablab*, *Cajanus cajan*, *Lagenaria leucantha*, *Makino*, *Caperonia*, *Thalia geniculata* (sensu auct.).
- 71451. *Sphenarches bifurcatus* Gielis,2009** (Pterophoridae) Synonym(s): *bifurcatus* Gielis,2009 Range (in code): ZR MW

- 71452. *Sphenarches caffer* (Zeller,1852)** (Pterophoridae) Synonym(s): *caffer* Zeller,1852; *walkeri* Walsingham,1881. Range (in code): **CN Tkg ZA Nta Kzu Dbn TH MG MW RW** Bionomy: Larva on *Dolichos lablab*, *Cajanus cajan* (sensu auct.).
- 71453. *Sphenarches mulanje* Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *mulanje* Kovtunovich & Ustjuzhanin,2014 Range (in code): **MW Mje**
- 71454. *Sphenarches zanclistes* (Meyrick,1905)** (Pterophoridae) Synonym(s): *zanclistes* Meyrick,1905 Range (in code): **IN MM Meg Ass Khs Djl NP LK TH Mae Cma ID Sum**
- 71455. *Stangeia siceliota* (Zeller,1847)** (Pterophoridae) Synonym(s): *siceliota* Zeller,1847; *ononidis* Zeller,1852; *ononydactyla* Bruand,1858; *siceliotidactyla* Bruand,1858. Original Reference: *Pterophorus siceliota* Zeller,1847, *Isis* 1847 (12): 907. Range (in code): **MA DZ TN DZ Cn PT ES Mu FR Co Sa Si IT YU MK HV BG GR Cr CY TR Cc AM Eri SY Dms LB Bei Bsa Bmm JO Zq Amm IL Js Jt Pa AF Srb IR IQ Bgd SA As OM YE CN Hun** Bionomy: Larva on *Cistus monspeliensis*, *C.albidus*, *C.salviaefolius* (Cistaceae), *Dittrichia viscosa*, *D.graveolens*, *Helichrysum angustifolium* (Asteraceae) (Arenberger,2002).
- 71456. *Stangeia xerodes* (Meyrick,1886)** (Pterophoridae) Synonym(s): *xerodes* Meyrick,1886; *esakii* Hori,1936; *dryites* Meyrick,1936. Range (in code): **JP Ri LK TH Mae ID Ja AU QAU SAU Ade FJ PG ZA Nta Kzu Dbn** Bionomy: Larva on *Erioglossum* (Sapindaceae) (Arenberger,2002).
- 71457. *Stenodacma cognata* Gielis,2009** (Pterophoridae) Synonym(s): *cognata* Gielis,2009 Range (in code): **ZR TZ MW**
- 71458. *Stenodacma pyrrhodes* (Meyrick,1889)** (Pterophoridae) Synonym(s): *pyrrhodes* Meyrick,1889; *kinbane* Matsumura,1931. Range (in code): **LK CN Kgs TW KP KR JP Kyu VN TH Cma Mae IN Hp Ass Meg Khs Slo Drm NP SI BT PK Swa Haz AU QAU** Bionomy: Larva on *Oxalis corniculata* (Oxalidaceae) (Arenberger,2002).
- 71459. *Stenodacma richardi* Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonym(s): *richardi* Ustjuzhanin & Kovtunovich,2010 Range (in code): **AET ZA Nta Kzu Mlp UG KE MW ZW**
- 71460. *Stenodacma wahlbergi* (Zeller,1851)** (Pterophoridae) Synonym(s): *wahlbergi* Zeller,1851; *rutilalis* Walker,1864; *rutilans* Wollaston,1879; *iranella* Amsel,1959 Range (in code): **SH CN Kwt TW IN LK MW Zom TZ KE MG ZW ZA Tva Nta Kzu Pre Gau SZ RE TZ KM RE MU SC MU SC AU SA SA63 IR Ss PK** Bionomy: Larva on *Ipomoea batatas* (Convolvulaceae), *Vitis indica* (Vitaceae), *Vernonia appendiculata* (Asteraceae) (Gibeaux,1994).
- 71461. *Stenoptilia admiranda* Yano,1963** (Pterophoridae) Synonym(s): *admiranda* Yano,1963 Range (in code): **CN Kig RU JP**
- 71462. *Stenoptilia aktashiensis* Gibeaux,1997** (Pterophoridae) Synonym(s): *aktashiensis* Gibeaux,1997 Range (in code): **TM KK TeA KG UZ Tas TJ**
- 71463. *Stenoptilia alaii* Gibeaux,1995** (Pterophoridae) Synonym(s): *alaii* Gibeaux,1995 Range (in code): **KG TrA TJ**
- 71464. *Stenoptilia alpinalis* Burmann,1954** (Pterophoridae) Synonym(s): *alpinalis* Burmann,1954 Range (in code): **AT**
- 71465. *Stenoptilia altaica* Arenberger,2002** (Pterophoridae) Synonym(s): *altaica* Arenberger,2002 Range (in code): **RU At**
- 71466. *Stenoptilia amseli* Arenberger,1990** (Pterophoridae) Synonym(s): *amseli* Arenberger,1990 Original Reference: *Stenoptilia amseli* Arenberger,1990, *Nota lepid.* 13 (2/3): 98, figs. Holotype: Saudi Arabia: Asirgebirge, 5km s of Namas. Range (in code): **SA As YE Sna**
- 71467. *Stenoptilia annadactyla* Sutter,1988** (Pterophoridae) Synonym(s): *annadactyla* Sutter,1988; *annickana* Gibeaux,1989. Range (in code): **FR IT DE AT CZ SK HU**
- 71468. *Stenoptilia arida* (Zeller,1847)** (Pterophoridae) Synonym(s): *arida* Zeller,1847; *oxyactis* Meyrick,1921; *elkefi* Arenberger,1984; *kopetdagi* Zagulyaev,2002 Original Reference: *Pterophorus aridus* Zeller,1847, *Isis* 1847: 904. Lectotype ♂: Sizilien, Messina, designated by Gibeaux (1987) (NHML). Range (in code): **Cn MA DZ TN ES FR Co Sa Si IT HV GR Cr BG TR IR Ak Gh Elb Mz Gor Cc AM JO CY IL Pa Js TM Kp AF Kab YE Sna** Bionomy: Larva on *Scabiosa atropurpurea*, *Pterocephalus virens* (Dipsacaceae); *Misopates oruntium*, *Cymbalaria muralis* (Scrophulariaceae) (Arenberger,2005).
- 71469. *Stenoptilia atlanticola* Zerny,1935** (Pterophoridae) Synonym(s): *atlanticola* Zerny,1935 Range (in code): **MA**
- 71470. *Stenoptilia bigoti* Gibeaux,1986** (Pterophoridae) Synonym(s): *bigoti* Gibeaux,1986 Range (in code): **ES FR IT**

- 71471. *Stenoptilia bipunctidactyla* (Scopoli,1763)** (Pterophoridae) **Synonym(s):** *bipunctidactyla* Scopoli,1763; *mictodactyla* [Denis & Schiffermüller],1775; *#pallida* Tutt,1906; *arida* Caradja,1920 nec Zell.,1847. **Original Reference:** *Phalaena bipunctidactyla* Scopoli,1763, Ent. Carn.: 257. Neotype ♀: [Slovenia]: Krain, designated by Arenberger,1988 (NHMW). **Range (in code):** **MA Rbt DZ Bsk Ges Gue TN Sfx LY Cn PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU UA At Tv Sb Us Cc AM Eri IL Pa IQ Mos SY Dms JO Amm EG IR Elb Ak Th KG Uk LB Bsa** **Bionomy:** Larva on *Scabiosa columbaria*, *S. ochroleuca*, *Succisa pratensis*, *Knautia arvensis* (Dipsacaceae); *Globularia alypum* (Globulariaceae) (Nel,1987).
- 71472. *Stenoptilia brigantiensis* Nel & Gibeaux,1992** (Pterophoridae) **Synonym(s):** *brigantiensis* Nel & Gibeaux,1992 **Range (in code):** **FR**
- 71473. *Stenoptilia buvati* Nel & Gibeaux,1992** (Pterophoridae) **Synonym(s):** *buvati* Nel & Gibeaux,1992 **Range (in code):** **FR**
- 71474. *Stenoptilia caradjai* Gibeaux,1995** (Pterophoridae) **Synonym(s):** *caradjai* Gibeaux,1995 **Range (in code):** **TJ KG TrA Aa TM**
- 71475. *Stenoptilia caroli* Arenberger,1988** (Pterophoridae) **Synonym(s):** *caroli* Arenberger,1988 **Range (in code):** **CN IN BT NP Ch**
- 71476. *Stenoptilia cebennica* Nel & Gibeaux,1991** (Pterophoridae) **Synonym(s):** *cebennica* Nel & Gibeaux,1991 **Range (in code):** **FR**
- 71477. *Stenoptilia cerdanica* Nel & Gibeaux,1991** (Pterophoridae) **Synonym(s):** *cerdanica* Nel & Gibeaux,1991 **Range (in code):** **FR**
- 71478. *Stenoptilia coenei* Gielis,2000** (Pterophoridae) **Synonym(s):** *coenei* Gielis,2000 **Range (in code):** **KK TeA Dln**
- 71479. *Stenoptilia convexa* Arenberger,1998** (Pterophoridae) **Synonym(s):** *convexa* Arenberger,1998 **Range (in code):** **RU Kb Cc**
- 71480. *Stenoptilia coprodactyla* (Stainton,1851)** (Pterophoridae) **Synonym(s):** *coprodactyla* Stainton,1851; *zalocrossa* Meyrick,1907. **Range (in code):** **ES FR IT DE CH AT PL SK HU RO YU AL BG TR RU B-H HV GR Cc At Tv Us**
- 71481. *Stenoptilia cyrnea* Nel,1991** (Pterophoridae) **Synonym(s):** *cyrnea* Nel,1991 **Range (in code):** **Co**
- 71482. *Stenoptilia dubatolovi* Ustjuzhanin,2001** (Pterophoridae) **Synonym(s):** *dubatolovi* Ustjuzhanin,2001 **Range (in code):** **TM**
- 71483. *Stenoptilia eborinodactyla* Zagulyaev,1986** (Pterophoridae) **Synonym(s):** *eborinodactyla* Zagulyaev,1986 **Range (in code):** **RU**
- 71484. *Stenoptilia etcetera* Arenberger,1998** (Pterophoridae) **Synonym(s):** *etcetera* Arenberger,1998 **Range (in code):** **KK**
- 71485. *Stenoptilia friedeli* Arenberger,1984** (Pterophoridae) **Synonym(s):** *friedeli* Arenberger,1984 **Range (in code):** **MA**
- 71486. *Stenoptilia gallobritannidactyla* Gibeaux,1985** (Pterophoridae) **Synonym(s):** *gallobritannidactyla* Gibeaux,1985 **Range (in code):** **GB Co Sa ES DZ MA PT FR**
- 71487. *Stenoptilia gibeauxi* Nel,1989** (Pterophoridae) **Synonym(s):** *gibeauxi* Nel,1989 **Range (in code):** **Co**
- 71488. *Stenoptilia graphodactyla* (Treitschke,1833)** (Pterophoridae) **Synonym(s):** *graphodactyla* Treitschke,1833. **Range (in code):** **PT ES IT DE CH AT PL CZ SK YU BG MK AL RU Cc MD UA BY CN Ui She** **Bionomy:** Larva on *Gentiana lutea*, *G. verna*, *G. clusii*, *G. asclepiadea*, *G. pneumonanthe* (sensu auct.).
- 71489. *Stenoptilia gratiolae* Gibeaux & Nel,1990** (Pterophoridae) **Synonym(s):** *gratiolae* Gibeaux & Nel,1990 **Range (in code):** **NO SE PT FR IT BE DE CH AT PL SK HU RO HV BG JO Amm RU Cc Sb UA Cm**
- 71490. *Stenoptilia grisescens* Schawerda,1933** (Pterophoridae) **Synonym(s):** *grisescens* Schawerda,1933; *csanadyi* Gozmany,1959 **Range (in code):** **FR Co Sa Py IT MA EG SY**
- 71491. *Stenoptilia hahni* Arenberger,1989** (Pterophoridae) **Synonym(s):** *hahni* Arenberger,1989 **Range (in code):** **ES**
- 71492. *Stenoptilia hautatlasii* Arenberger,2002** (Pterophoridae) **Synonym(s):** *hautatlasii* Arenberger,2002 **Range (in code):** **MA**
- 71493. *Stenoptilia himachala* Arenberger,1999** (Pterophoridae) **Synonym(s):** *himachala* Arenberger,1999 **Original Reference:** *Stenoptilia himachala* Arenberger,1999, *Quadrifina* 2: 218, figs. Holotype: India: Himachal Pradesh, Paervati Valley. **Range (in code):** **IN Hp BT**

- 71494. *Stenoptilia inexpectata* Gibeaux,1995** (Pterophoridae) Synonym(s): *inexpectata* Gibeaux,1995 _ Range (in code): **KG TeA UZ RU Us TM Kp**
- 71495. *Stenoptilia inopinata* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *inopinata* Bigot & Picard,2002 _ Range (in code): **FR ES GR Cr SA Co Sa IT MA**
- 71496. *Stenoptilia islandicus* (Staudinger,1857)** (Pterophoridae) Synonym(s): *islandicus* Staudinger,1857 _ Range (in code): **IS GB NO SE FI RU MD UA BY**
- 71497. *Stenoptilia jacutica* Ustjuzhanin,1996** (Pterophoridae) Synonym(s): *jacutica* Ustjuzhanin,1996 _ Range (in code): **RU Ya**
- 71498. *Stenoptilia johnistella* Ustjuzhanin & Kovtunovich,2010** (Pterophoridae) Synonym(s): *johnistella* Ustjuzhanin & Kovtunovich,2010 _ Range (in code): **AET ZA Nta Kzu SZ MW**
- 71499. *Stenoptilia juniper* Kovtunovich & Ustjuzhanin,2014** (Pterophoridae) Synonym(s): *juniper* Kovtunovich & Ustjuzhanin,2014 _ Range (in code): **MW**
- 71500. *Stenoptilia kasyi* Arenberger,2002** (Pterophoridae) Synonym(s): *kasyi* Arenberger,2002 _ Range (in code): **MA**
- 71501. *Stenoptilia kiitulo* Gielis,2008** (Pterophoridae) Synonym(s): *kiitulo* Gielis,2008 _ Range (in code): **TZ MW**
- 71502. *Stenoptilia kirghizica* Zagulyaev,2002** (Pterophoridae) Synonym(s): *kirghizica* Zagulyaev,2002 _ Range (in code): **KK**
- 71503. *Stenoptilia kurushensis* Kovtunovich,2000** (Pterophoridae) Synonym(s): *kurushensis* Kovtunovich,2000 _ Range (in code): **RU Cc Da**
- 71504. *Stenoptilia latistriga* Rebel,1916** (Pterophoridae) Synonym(s): *latistriga* Rebel,1916 _ Range (in code): **CN**
- 71505. *Stenoptilia leuconephes* Meyrick,1886** (Pterophoridae) Synonym(s): *leuconephes* Meyrick,1886 _ Range (in code):
- 71506. *Stenoptilia lucasi* Arenberger,1990** (Pterophoridae) Synonym(s): *lucasi* Arenberger,1990
Original Reference: *Stenoptilia lucasi* Arenberger,1990, *Nota lepid.* 13 (2/3): 101-106, figs. Holotype ♀: Asia min. or. Develi, 1700m Erciyes Dagħ, leg. Friedel (coll. Arenberger). Range (in code): **CY GR TR IR Th**
- 71507. *Stenoptilia luteocinerea* (Snellen,1884)** (Pterophoridae) Synonym(s): *luteocinerea* Snellen,1884 _ Range (in code): **RU Am**
- 71508. *Stenoptilia lutescens* (Herrich-Schäffer,1855)** (Pterophoridae) Synonym(s): *lutescens* Herrich-Schäffer,1855; *arvernica* Peyerimhoff,1875; *grandis* Chapman,1908. _ Range (in code): **ES FR Sa IT CH YU AL**
- 71509. *Stenoptilia madyana* Arenberger,1999** (Pterophoridae) Synonym(s): *madyana* Arenberger,1999
Original Reference: *Stenoptilia madyana* Arenberger,1999, *Quadrifina* 2: 219, figs. Holotype: Pakistan, Swat, Madyan 1400m leg.C.Holzschuh (coll. Arenberger). Range (in code): **PK Swa Haz Mdy**
- 71510. *Stenoptilia mannii* (Zeller,1852)** (Pterophoridae) Synonym(s): *mannii* Zeller,1852; *megalochra* Meyrick,1930 _ Range (in code): **MA FR MK BG GR TR RU IR Ab Mmş Ar Elb Th Cc GG AM Eri UA Cm CN Ui Ku LB IQ UZ KK** Bionomy: Larva on *Nepeta nuda* (Lamiaceae) (Nel,1995).
- 71511. *Stenoptilia mariae-luisae* Bigot & Picard,2002** (Pterophoridae) Synonym(s): *mariae-luisae* Bigot & Picard,2002 _ Range (in code): **DZ ES FR Ct GR DZ TN Cr TR IT** Bionomy: Larva on *Kickxia spuria* (Scrophulariaceae) (Bigot & Picard,2002).
- 71512. *Stenoptilia mercantourica* Nel & Gibeaux,1991** (Pterophoridae) Synonym(s): *mercantourica* Nel & Gibeaux,1991 _ Range (in code): **FR**
- 71513. *Stenoptilia meyeri* Gielis,1997** (Pterophoridae) Synonym(s): *meyeri* Gielis,1997 _ Range (in code): **Az**
- 71514. *Stenoptilia millieridactyla* (Bruand,1861)** (Pterophoridae) Synonym(s): *millieridactyla* Bruand,1861; *saxifragae* T.B.Fletcher,1940. _ Range (in code): **MA ES FR Co IT SE IE GB**
- 71515. *Stenoptilia mimula* Gibeaux,1985** (Pterophoridae) Synonym(s): *mimula* Gibeaux,1985 _ Range (in code): **FR**
- 71516. *Stenoptilia molleti* Gibeaux,1992** (Pterophoridae) Synonym(s): *molleti* Gibeaux,1992 _ Range (in code): **PK Bt Deo**
- 71517. *Stenoptilia murzini* Gibeaux,1995** (Pterophoridae) Synonym(s): *murzini* Gibeaux,1995 _ Range (in code): **KG TeA UZ KK**

- 71518. *Stenoptilia naryna* Arenberger & Buchsbaum, 2000** (Pterophoridae) Synonym(s): *naryna* Arenberger & Buchsbaum, 2000 Range (in code): **KG KK Na** Bionomy: Larva on *Scabiosa atropurpurea* (Nel, 1987, Arenberger & Jaksic, 1991, Gielis, 1996).
- 71519. *Stenoptilia natalensis* Ustjuzhanin & Kovtunovich, 2010** (Pterophoridae) Synonym(s): *natalensis* Ustjuzhanin & Kovtunovich, 2010 Range (in code): **AET ZA Nta Kzu LS MW**
- 71520. *Stenoptilia nepetellae* Bigot & Picard, 1983** (Pterophoridae) Synonym(s): *nepetellae* Bigot & Picard, 1983 Range (in code): **FR**
- 71521. *Stenoptilia nolckeni* (Tengström, 1869)** (Pterophoridae) Synonym(s): *nolckeni* Tengström, 1869 Range (in code): **RU KK KuA**
- 71522. *Stenoptilia nurolhaki* Amsel, 1967** (Pterophoridae) Synonym(s): *nurolhaki* Amsel, 1967 Range (in code): **AF**
- 71523. *Stenoptilia parnasia* Arenberger, 1986** (Pterophoridae) Synonym(s): *parnasia* Arenberger, 1986 Range (in code): **GR TR AM Cc IR Ke TM**
- 71524. *Stenoptilia pelidnodactyla* (Stein, 1837)** (Pterophoridae) Synonym(s): *pelidnodactyla* Stein, 1837 Range (in code): **ES FR IT MT BE LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU Ya At MD UA BY CN Ui**
- 71525. *Stenoptilia petraea* Meyrick, 1907** (Pterophoridae) Synonym(s): *petraea* Meyrick, 1907 Original Reference: *Stenoptilia petraea* Meyrick, 1907, Trans. ent. Soc. London 1907: 504. Type: India: Palni Hills. Range (in code): **ET Sw ET88 ET70 IN Tn Pln**
- 71526. *Stenoptilia pinkeri* Arenberger, 1984** (Pterophoridae) Synonym(s): *pinkeri* Arenberger, 1984 Original Reference: *Stenoptilia pinkeri* Arenberger, 1984, Z. ArbGem. öst. Ent. 36 (1/2): 11-13, figs. 6, 7. Holotype ♂: Türkei, [Sivas Prov.]: Gürün (leg. & coll. Arenberger). Range (in code): **TR**
- 71527. *Stenoptilia plagiodactyla* (Stainton, 1851)** (Pterophoridae) Synonym(s): *plagiodactyla* Stainton, 1851 Range (in code): **FR AT HU GB Co ES CH DE IT CZ YU B-H BG RO TR**
- 71528. *Stenoptilia platanodes* Meyrick, 1914** (Pterophoridae) Synonym(s): *platanodes* Meyrick, 1914 Range (in code): **TW**
- 71529. *Stenoptilia pneumonanthus* (Büttner, 1880)** (Pterophoridae) Synonym(s): *pneumonanthus* Büttner, 1880; *nelorum* Gibeaux, 1989; *arenbergeri* Gibeaux, 1990. Range (in code): **FR GB BE NL DE CH AT PL SK BG DK SE RU Cc At Ya Sb CN Ui Shs**
- 71530. *Stenoptilia poculi* Arenberger, 1998** (Pterophoridae) Synonym(s): *poculi* Arenberger, 1998 Range (in code): **RU Kb Cc**
- 71531. *Stenoptilia pterodactyla* (Linnaeus, 1761)** (Pterophoridae) Synonym(s): *pterodactyla* Linnaeus, 1761; *fuscus* Retzius, 1783; *fuscodactyla* Haworth, 1811; *ptilodactyla* Hübner, [1813]; *palludicola* Wallengren, 1862; *#pallida* Tutt, 1906 Original Reference: *Phalaena pterodactyla* Linnaeus, 1761, Fauna Suec. (Edn. 12): 371. Lectotype ♂: Schweden (LSL). Range (in code): **ES FR Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL MK BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl IR Mz Elb AM KG Ur Or Sb To CN Ui T-S US**
- 71532. *Stenoptilia reisseri* Rebel, 1935** (Pterophoridae) Synonym(s): *reisseri* Rebel, 1935 Range (in code): **ES FR**
- 71533. *Stenoptilia sanaa* Arenberger, 1999** (Pterophoridae) Synonym(s): *sanaa* Arenberger, 1999 Range (in code): **YE Sna**
- 71534. *Stenoptilia scabiodactyla* (Gregson, 1869)** (Pterophoridae) Synonym(s): *scabiodactyla* Gregson, 1869 Range (in code): **FR**
- 71535. *Stenoptilia scoprodactyla* Zagulyaev, 1986** (Pterophoridae) Synonym(s): *scoprodactyla* Zagulyaev, 1986 Original Reference: *Stenoptilia scoprodactyla* Zagulyaev, 1986, Trudy zool. Inst., Leningr. 67: 85-87, figs. Holotype ♂: "Thian-Chan", Alpheraky leg. (ZIANP). Range (in code): **CN Ui T-S**
- 71536. *Stenoptilia serotina* (Zeller, 1852)** (Pterophoridae) Synonym(s): *serotina* Zeller, 1852; *picardi* Gibeaux, 1986. Range (in code): **FR CZ IL Pa Hf**
- 71537. *Stenoptilia stenodactyla* Turati & Fiori, 1930** (Pterophoridae) Synonym(s): *stenodactyla* Turati & Fiori, 1930 Range (in code): **GR**
- 71538. *Stenoptilia stigmatodactyla* (Zeller, 1852)** (Pterophoridae) Synonym(s): *stigmatodactyla* Zeller, 1852 Range (in code): **MA TN DZ ES FR Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR RU MD UA BY Cc AM Eri Cr IL Pa IR Ak Sah Th Elb Kdj Kdv Zj At Sb Ya** Bionomy: Larva on *Thymus vulgaris*, *Scabiosa ochroleuca*, *S. lucida*, *Knautia arvensis* (Buszko, 1986; Nel, 1987, et seq.).

- 71539. *Stenoptilia stigmatoides* Sutter & Skyva,1992** (Pterophoridae) **Synonym(s):** *stigmatoides* Sutter & Skyva,1992 **Range (in code): SK HU**
- 71540. *Stenoptilia succisae* Gibeaux & Nel,1991** (Pterophoridae) **Synonym(s):** *succisae* Gibeaux & Nel,1991 **Range (in code): FR DK DE AT** **Bionomy:** Larva on *Succisa pratensis* (Gibeaux & Nel,1991).
- 71541. *Stenoptilia turlani* Gibeaux,1993** (Pterophoridae) **Synonym(s):** *turlani* Gibeaux,1993 **Range (in code): FR**
- 71542. *Stenoptilia transversata* Gibeaux,1995** (Pterophoridae) **Synonym(s):** *transversata* Gibeaux,1995 **Range (in code): RU KG TeA KK**
- 71543. *Stenoptilia tyropiesta* Meyrick,1932** (Pterophoridae) **Synonym(s):** *tyropiesta* Meyrick,1932 **Original Reference:** *Stenoptilia tyropiesta* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 109. Type ♂: [Ethiopia]: Mt. Chillalo (BMNH). **Range (in code): ET Sw ET70**
- 71544. *Stenoptilia veronicae* Karvonen,1932** (Pterophoridae) **Synonym(s):** *veronicae* Karvonen,1932 **Range (in code): PL NO SE FI LV RU MD UA BY**
- 71545. *Stenoptilia viettei* Gibeaux,1994** (Pterophoridae) **Synonym(s):** *viettei* Gibeaux,1994 **Range (in code): MG MW**
- 71546. *Stenoptilia wagneri* Zerny,1940** (Pterophoridae) **Synonym(s):** *wagneri* Zerny,1940 **Range (in code): IR Elb Dam**
- 71547. *Stenoptilia zophodactyla* (Duponchel,1838)** (Pterophoridae) **Synonym(s):** *zophodactyla* Duponchel,1838; *loewii* Zeller,1847; *oreodactyla* Bruand,1850; *loividactyla* Bruand,1859; *canalis* Walker,1864; *semicostatus* Zeller,1873. **Original Reference:** *Pterophorus zophodactylus* Duponchel,1838, Hist. Nat. Lép. 11: 668, Taf.314 fig.4. Lectotype ♀: France, Pyrénées-Orient., designated by Hannemann (1975) (MNHN). **Range (in code): MA DZ TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Rd Cr CY HV SS MK TR IR Gh DK SE RU MD UA BY LB Bei IL Pa SA Cc AM At Sb Ya MN CN Ti Sz VN Ton IN LK TH CMa JP ZA Tva Gau Pre Nta Kzu Dbn ZR MG KE PH NZ MX EC PY AU US Tx MW Blid DhM** **Bionomy:** Larva on *Centaureum erythraea*, *C.minus*, *C.pulchellum*, *C.vulgare*, *Blackstonia perfoliata*, *Erythraea linarifolia*, *Gentiana germanica*, *Eustoma russelianum* (*Gentianaceae*) (Arenberger,2005).
- 71548. *Stenoptilodes taprobanes* (R.Felder & Rogenhofer,1875)** (Pterophoridae) **Synonym(s):** *taprobanes* R.Felder & Rogenhofer,1875; *brachymorpha* Meyrick,1888; *seeboldi* Hofmann,1898; *crenulata* Barnes & McDunnough,1913; *phaenicodactyla* Chrétien,1915; *terlizzii* Turati,1926; *zavattarii* Hartig,1953; *legrandi* Bigot,1962. **Original Reference:** *Amblyptilia taprobanes* R.Felder & Rogenhofer,1875, Reise österr. Fregatte Novara, Lep. Het.: pl.140 fig.54. Type: India (BMNH). **Range (in code): TD SY LY SC NG ZA Nta Kzu Dbn PT ES FR Si IT MT BG GR Cr CY TR IR IL FI CN Kwt Kwa MM JP TH Nst CMa IN LK US Hw MW** **Bionomy:** Larva on *Centipeda minima*, *Spergularia media*, *Celsia coromandeliana*, *Antirrhinum*, *Clinopodium vulgare*, *Vaccinium*, *Campylanthus salsoloides*, *Plectranthus* (sensu auct.).
- 71549. *Tabulaephorus afghanus* (Arenberger,1981)** (Pterophoridae) **Synonym(s):** *afghanus* Arenberger,1981 **Range (in code): AF Bd Pag Kab**
- 71550. *Tabulaephorus decipiens* (Lederer,1870)** (Pterophoridae) **Synonym(s):** *decipiens* Lederer,1870; *tristanae* Zagulyaev,1986 **Range (in code): IR Gor Se GlS Shh Elb RU Kc Teb Cc AM KK**
- 71551. *Tabulaephorus djebeli* (Arenberger,1981)** (Pterophoridae) **Synonym(s):** *djebeli* Arenberger,1981 **Range (in code): IR GlS Kh KuB**
- 71552. *Tabulaephorus hissaricus* (Zagulyaev,1986)** (Pterophoridae) **Synonym(s):** *hissaricus* Zagulyaev,1986 **Range (in code): UZ TJ**
- 71553. *Tabulaephorus marptys* (Christoph,1872)** (Pterophoridae) **Synonym(s):** *marptys* Christoph,1872; *kaszabi* Bigot,1967. **Range (in code): CN MN RU Sr Or**
- 71554. *Tabulaephorus narynus* Arenberger,1993** (Pterophoridae) **Synonym(s):** *narynus* Arenberger,1993 **Range (in code): KK Na**
- 71555. *Tabulaephorus parthicus* (Lederer,1870)** (Pterophoridae) **Synonym(s):** *parthicus* Lederer,1870 **Original Reference:** *Pterophorus parthicus* Lederer,1870, Horae Soc. ent. ross. 8: 27, Taf.2 fig.16. Type: Iran: Astrabad (leg. Haberhauer). **Range (in code): IR Gor Elb Kdj Fa Kz Shh Kh Ke Jrf Bk Es Kaz GlS TR Cc AZ Nv Ord SY Hal IL Pa JO Amm AF Ca**
- 71556. *Tabulaephorus punctinervis* (Constant,1885)** (Pterophoridae) **Synonym(s):** *punctinervis* Constant,1885; *tyrrhenica* Amsel,1954 **Original Reference:** *Aciptilia punctinervis* Constant,1885, Anns Soc. ent. Fr. (6) 5: 14-16, pl.1 fig.15. Syntypes: [France, Provence, Fréjus], "Collines de l'Estérel". **Range (in code): Cn DZ Lbs Afl Eba Sbd PT ES Mu FR Sa Si IT TR CY LY Cy**

- 71557. *Tabulaephorus thomasi* Arenberger,1993** (Pterophoridae) Synonym(s): *thomasi* Arenberger,1993 _ Range (in code): AF Pnj BdA Kbb
- 71558. *Tabulaephorus tyrrhenica* (Amsel,1954)** (Pterophoridae) Synonym(s): *tyrrhenica* Amsel,1954 _ Range (in code): Co Sa
- 71559. *Tabulaephorus ussuriensis* (Caradja,1920)** (Pterophoridae) Synonym(s): *ussuriensis* Caradja,1920 _ Range (in code): RU Prj Us Vv CN
- 71560. *Tetraschalis arachnodes* Meyrick,1887** (Pterophoridae) Synonym(s): *arachnodes* Meyrick,1887 _ Range (in code): CN AU
- 71561. *Tetraschalis cretalis* (Meyrick,1908)** (Pterophoridae) Synonym(s): *cretalis* Meyrick,1908; *kiiensis* Matsumura,1931. _ Range (in code): CN Tkg JP
- 71562. *Tetraschalis ischnites* Meyrick,1908** (Pterophoridae) Synonym(s): *ischnites* Meyrick,1908 _ Range (in code): IN Meg Ass Khs
- 71563. *Tetraschalis mikado* (Hori,1933)** (Pterophoridae) Synonym(s): *mikado* Hori,1933 _ Range (in code): JP
- 71564. *Tetraschalis ochrias* Meyrick,1908** (Pterophoridae) Synonym(s): *ochrias* Meyrick,1908 _ Range (in code): IN Meg Ass Khs MY ID Ja PH PG Kai
- 71565. *Titanoptilus melanodonta* Hampson,1905** (Pterophoridae) Synonym(s): *melanodonta* Hampson,1905 _ Range (in code): UG MW
- 71566. *Titanoptilus serrulatus* Meyrick,1935** (Pterophoridae) Synonym(s): *serrulatus* Meyrick,1935 _ Range (in code): NG MW
- 71567. *Titanoptilus stenodactylus* (T.B.Fletcher,1911)** (Pterophoridae) Synonym(s): *stenodactylus* T.B.Fletcher,1911; *patellatus* Meyrick,1913; *laniger* Bigot,1969 _ Range (in code): ZA Nta Kzu Dbn ZW ZR TZ KM SZ KE MW
- 71568. *Trichoptilus animosus* Meyrick,1921** (Pterophoridae) Synonym(s): *animosus* Meyrick,1921 _ Range (in code): ZA Nta Kzu Ric
- 71569. *Trichoptilus bidens* Meyrick,1930** (Pterophoridae) Synonym(s): *bidens* Meyrick,1930 _ Range (in code): IN Meg Ass Khs TH
- 71570. *Trichoptilus cryphias* Meyrick,1912** (Pterophoridae) Synonym(s): *cryphias* Meyrick,1912 _ Range (in code): ZA Tva Nta Kzu Ptb MW
- 71571. *Trichoptilus festus* Meyrick,1920** (Pterophoridae) Synonym(s): *festus* Meyrick,1920; *animosus* Meyrick,1921 _ Range (in code): ZA Wca Cto Kzu Nta Dbn NA
- 71572. *Trichoptilus infernus* Meyrick,1938** (Pterophoridae) Synonym(s): *infernus* Meyrick,1938 _ Range (in code): AO
- 71573. *Trichoptilus pelias* Meyrick,1908** (Pterophoridae) Synonym(s): *pelias* Meyrick,1908 _ Range (in code): IN Meg Ass Khs LK
- 71574. *Trichoptilus regalis* (T.B.Fletcher,1909)** (Pterophoridae) Synonym(s): *regalis* T.B.Fletcher,1909; *chordites* Meyrick,1913. _ Range (in code): CN Yu LK IN ID Ja TH Mae Bionomy: Larva on *Caesalpinia sappan* (Fabaceae) (Arenberger,2002).
- 71575. *Trichoptilus varius* Meyrick,1909** (Pterophoridae) Synonym(s): *varius* Meyrick,1909 _ Range (in code): ZA Tva Gau Pre
- 71576. *Trichoptilus viduus* Meyrick,1917** (Pterophoridae) Synonym(s): *viduus* Meyrick,1917 _ Range (in code): ZA
- 71577. *Vietteilus vigen* (R.Felder & Rogenhofer,1875)** (Pterophoridae) Synonym(s): *vigen* R.Felder & Rogenhofer,1875; *africae* Walsingham,1881; *maligna* Meyrick,1913; *borbonica* Viette,1957 _ Range (in code): AET RE ZA Nta Kzu NZ MW Zom RW KE
- 71578. *Walsinghiamiella illustris* (Townsend,1958)** (Pterophoridae) Synonym(s): *illustris* Townsend,1958 _ Range (in code): ZA KE MW
- 71579. *Walsinghiamiella niniella* Gielis,2011** (Pterophoridae) Synonym(s): *niniella* Gielis,2011 _ Range (in code): TZ MW
- 71580. *Walsinghiamiella orichalcias* (Meyrick,1916)** (Pterophoridae) Synonym(s): *orichalcias* Meyrick,1916 _ Range (in code): MW Mje SZ AO TZ ZM KE
- 71581. *Walsinghiamiella vibrans* (Meyrick,1921)** (Pterophoridae) Synonym(s): *vibrans* Meyrick,1921 _ Range (in code): Elo Nta ZA AO TZ MW
- 71582. *Wheeleria elbursi* (Arenberger,1981)** (Pterophoridae) Synonym(s): *elbursi* Arenberger,1981 _ Range (in code): IR Elb Kdj Th Ab Bzg Mak Clu Fa Kaz TR
- 71583. *Wheeleria ivae* (Kasy,1960)** (Pterophoridae) Synonym(s): *ivae* Kasy,1960 Original Reference: *Aciptilia ivae* Kasy,1960, Z. Wien. ent. Ges. 45: 183-185, fig. Holotype ♂:

- [Mazedonien]: "Westmazedonien: Drenovo bei Kavadar" (coll. Kasy). Range (in code): **MK BG GR TR LB Bei CY Bsa SY Dms Hal**
- 71584. *Wheeleria kabuli* (Arenberger,1981)** (Pterophoridae) Synonym(s): *kabuli* Arenberger,1981 Range (in code): **AF Kab Kbb Pnj Sfk Kot Shah Srb IR Mz Elb Th Plr**
- 71585. *Wheeleria kasachstanica* Arenberger,1995** (Pterophoridae) Synonym(s): *kasachstanica* Arenberger,1995 Range (in code): **KG TrA Aa KK TeA**
- 71586. *Wheeleria leptosamma* (Meyrick,1925)** (Pterophoridae) Synonym(s): *leptosamma* Meyrick,1925 Range (in code): **EG**
- 71587. *Wheeleria lyrae* (Arenberger,1983)** (Pterophoridae) Synonym(s): *lyrae* Arenberger,1983 Range (in code): **GR**
- 71588. *Wheeleria obsoleta* (Zeller,1841)** (Pterophoridae) Synonym(s): *obsoleta* Zeller,1841; *confusa* Herrich-Schäffer,1855; *desertorum* Zeller,1867; *gonoscia* Meyrick,1922; *marrubii* Wasserthal,1970. Range (in code): **FR Sa Si IT AT CZ SK HU RO YU B-H HV MK BG GR TR Cc RU Or MD UA BY IL Jt Js Pa SY Hal Dms Ltk IR Fa Shr Ha Kdj Elb Th Dam Gor GlS Se Ar Es Ab Mak Km Hz JrF Kh TM Kp CY JO Zq**
- 71589. *Wheeleria parviflorella* (Arenberger,1981)** (Pterophoridae) Synonym(s): *parviflorella* Arenberger,1981 Range (in code): **AF Pag Kab Kbb Pnj Sfk Kot Srb Gz** Bionomy: Larva on *Stachys parviflora* [Lamiaceae] (Arenberger,1981).
- 71590. *Wheeleria phlomidis* (Staudinger,1871)** (Pterophoridae) Synonym(s): *phlomidis* Staudinger,1871 Original Reference: *Aciptilus phlomidis* Staudinger,1871, *Horae Soc. ent. ross.* 7: 282, Taf.3 fig.19. Lectotype ♂: Russia, Sarepta [Krasnoarmeysk] (ZMHB), designated by Arenberger (1995). Range (in code): **GR TR Cc IR Clu By Yas Skh Ab Oru Mak Km Kd Sqq Lo Kz Qz Hz Fa Elb Kdj Th Shr Ksh Bne Snj SY Hal Dms IL Jt Pa JO Amm Zq KG RU Ro Tgn Sr Uk** Bionomy: Larva on *Phlomis orientalis* [Lamiaceae] (Staudinger,1871,1880; Arenberger,1981).
- 71591. *Wheeleria raphiodactyla* (Rebel,1901)** (Pterophoridae) Synonym(s): *raphiodactyla* Rebel,1901 Range (in code): **PT ES Cue Abr Snv FR**
- 71592. *Wheeleria sobeidae* (Arenberger,1981)** (Pterophoridae) Synonym(s): *sobeidae* Arenberger,1981 Original Reference: *Pterophorus sobeidae* Arenberger,1981, *Z. ArbGem. öst. Ent.* 32 (3/4): 103-105, figs.7,8. Holotype ♂: Iran, Elburs-Gebirge, südseite 20km. nördkl. Teheran leg.Holzschuh (coll.Arenberger). Range (in code): **IR Elb Th By Es Lo Plr Kdj Skh Yas Ss Mz Dam AF Sfk Kot TR**
- 71593. *Wheeleria spilodactyla* (Curtis,1827)** (Pterophoridae) Synonym(s): *spilodactyla* Curtis,1827; *marrubii* Heydenreich,1851; *xerodactylus* Herrich-Schäffer,1855 *nec* Zell.,1841; *tuneta* Staudinger,1892; *calamodactyla* Zerny,1935 Original Reference: *Pterophorus spilodactyla* Curtis,1827, *Brit. Ent.* 4: folio 161. Type: England (NMVM). Range (in code): **MA Ifr DZ Agi Orn Ski Phv Lbs Dja Agi LY Cy TN Tun PT ES Grn Mu FR Co Sa IT GB BE NL DE AT PL YU TR Cc RU MD UA BY IR Elb Dam Kdv Plr Gor GlS** Bionomy: Larva on *Marrubium* (Staudinger,1880).
- 71594. *Xyroptila africana* Bigot,1969** (Pterophoridae) Synonym(s): *africana* Bigot,1969 Range (in code): **AET ZR**
- 71595. *Xyroptila masaia* Kovtunovich & Ustjuzhanin,2006** (Pterophoridae) Synonym(s): *masaia* Kovtunovich & Ustjuzhanin,2006 Range (in code): **KE MW ZM ZW**
- 71596. *Xyroptila oenophanes* Meyrick,1908** (Pterophoridae) Synonym(s): *oenophanes* Meyrick,1908 Range (in code): **IN Bba Mh**
- 71597. *Xyroptila ruvenzori* Kovtunovich & Ustjuzhanin,2006** (Pterophoridae) Synonym(s): *ruvenzori* Kovtunovich & Ustjuzhanin,2006 Range (in code): **UG Rz MW GH**
- 71598. *Xyroptila siami* Kovtunovich & Ustjuzhanin,2006** (Pterophoridae) Synonym(s): *siami* Kovtunovich & Ustjuzhanin,2006 Range (in code): **TH Mae CMa MM CN**
- 71599. "*Botys*" *vastalis* Christoph,1887** (Pyralidae) Synonym(s): *vastalis* Christoph,1887 Original Reference: *Botys vastalis* Christoph,1887, [in] Romanoff, *Mém. lépid.* 3: 33-34, pl.ii fig.5. Lectotype ♂: "Caucasus ♂, Orudbad, 5.6.83 Chr.275 *vastalis*", designated by Munroe (1970, *Can. ent.* 102: 1035). Range (in code): **AZ Nv Ord Cc GG Bjo**
- 71600. "*Cryptoblabes*" *ferrealis* Lower,1902** (Pyralidae) Synonym(s): *ferrealis* Lower,1902 Range (in code): **AU**
- 71601. "*Cymoriza*" *gigantalis* Janse,1924** (Pyralidae) Synonym(s): *gigantalis* Janse,1924 Range (in code): **ID Crm**
- 71602. "*Cymoriza*" *isorrhhoa* Meyrick,1936** (Pyralidae) Synonym(s): *isorrhhoa* Meyrick,1936 Range (in code): **PG Wit**

- 71603. "Cymoriza" paroalis Schaus,1906** (Pyralidae) Synonym(s): *paroalis Schaus,1906*
Range (in code): BR
- 71604. "Epicrocis" mesembrina (Meyrick,1887)** (Pyralidae) Synonym(s): *mesembrina Meyrick,1887* Range (in code): AU
- 71605. "Epicrocis" poliochyta (Turner,1924)** (Pyralidae) Synonym(s): *poliochyta Turner,1924*
Range (in code): AU
- 71606. "Masthala" favillalella Walker,1864** (Pyralidae) Synonym(s): *favillalella Walker,1864*
Range (in code): AU
- 71607. "Pempelia" oculiferella (Meyrick,1879)** (Pyralidae) Synonym(s): *oculiferella Meyrick,1879* Range (in code): AU
- 71608. "Salebria" eucometis (Meyrick,1882)** (Pyralidae) Synonym(s): *eucometis Meyrick,1882; squamicornis Butler,1886; arenosa Butler,1886; holozona Lower,1903* Range (in code): AU
- 71609. Abachausia grisea Balinsky,1994** (Pyralidae) Synonym(s): *grisea Balinsky,1994*
Range (in code): NA Abc ZA Tva Gau Pre
- 71610. Abachausia grisea grisea Balinsky,1994** (Pyralidae) Synonym(s): *grisea Balinsky,1994*
Range (in code): NA Abc ZA Tva Gau Pre
- 71611. Abareia amaurodes (Turner,1947)** (Pyralidae) Synonym(s): *amaurodes Turner,1947*
Range (in code): AU
- 71612. Abegesta concha Munroe,1964** (Pyralidae) Synonym(s): *concha Munroe,1964* Range (in code): US Arz
- 71613. Abegesta reluctalis (Hulst,1886)** (Pyralidae) Synonym(s): *reluctalis Hulst,1886* Range (in code): US Arz
- 71614. Abegesta remellalis (Druce,1899)** (Pyralidae) Synonym(s): *remellalis Druce,1899*
Range (in code): MX
- 71615. Aboetheta pteridonoma Turner,1914** (Pyralidae) Synonym(s): *pteridonoma Turner,1914*
Range (in code): AU
- 71616. Acentria ephemerella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ephemerella [Denis & Schiffermüller],1775; nivea Olivier,1791; phryganea Hübner,[1803]; sembris Hübner,1808; ephemerella Hübner,1819; hansonii Stephens,1833; nivosa Stephens,1834; garnonsii Curtis,1834; newae Kolenati,1858; latipennis Möschler,1860; obscurus Tengström,1869; badensis Nolcken,1869; germanicus Nolcken,1869* Original Reference: Tinea ephemerella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): [Austria]: Vienna district. Range (in code): PT ES FR Sa IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY CA Bionomy: Larva on Ceratophyllum (Ceratophyllaceae), Elodea (Hydrocharitaceae), Potamogetonaceae, Characeae (Green algae) (Parenti,2000).
- 71617. Achantodes cerusicosta Guenée,1852** (Pyralidae) Synonym(s): *cerusicosta Guenée,1852*
Range (in code): CO
- 71618. Achroia grisella (Fabricius,1794)** (Pyralidae) Synonym(s): *grisella Fabricius,1794; aluearia Fabricius,1798; cinereola Hübner,[1803]; alvea Haworth,1811; alveariella Guenée,1845; anticella Walker,1863; obscurevittella Ragonot,1901; #major Dufrane,1930.* Original Reference: Tinea grisella Fabricius,1794, Ent. syst. (3) 2: 289. Type(s): -. Range (in code): DZ Bsk PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR YE LB IL KK Ax DK NO SE FI EE LV LT RU MD UA BY LK US KP KR TW CN JP IN Clc LK AU ZA Bionomy: Larva on wax, organic detritus in bee-hives, dried fruits, dried insects (Parenti,2000).
- 71619. Achroia innotata Walker,1864** (Pyralidae) Synonym(s): *innotata Walker,1864; lankella Corbet & Tams,1943 [ssp.]* Range (in code): ZA TH IN LK MY ID Sum Ja BN Bor Swk
- 71620. Achyra affinitalis (Lederer,1863)** (Pyralidae) Synonym(s): *affinitalis Lederer,1863; ustalis Walker,[1866]; turbidalis Walker,[1866]; sordida Butler,1886* Range (in code): AU
- 71621. Achyra bifidalis (Fabricius,1794)** (Pyralidae) Synonym(s): *bifidalis Fabricius,1794; inornatalis Walker,[1866]; evanidalis Berg,1875; obsoletalis Berg,1875; orbitalis Hampson,1899 nec Feld.,1875; stolidalis Schaus,1940* Range (in code): AR PR DO
- 71622. Achyra brasiliensis (Capps,1967)** (Pyralidae) Synonym(s): *brasiliensis Capps,1967*
Range (in code): BR
- 71623. Achyra caffralis (Hampson,1910)** (Pyralidae) Synonym(s): *caffralis Hampson,1910*
Range (in code): ZA
- 71624. Achyra coelatalis (Walker,1859)** (Pyralidae) Synonym(s): *coelatalis Walker,1859; massalis Walker,1859; nodiferalis Gaede,1917; aurantiaca Rothschild,1921; fredii Amsel,1961* Original Reference: Dosara coelatalis Walker,1859, List Spec. lepid. Ins. Colln. Br. Mus. 19: 829. Syntypes: [Sri

- Lanka]: Ceylon (BMNH). Range (in code): **BW ZR GH KE LS MG NA SC TZ ZM ZW ZA RE NE LK AU QAU TW PK Cp Sd Krc AF Gbh Srb Pag IR Fa Shr**
- 71625. *Achyra eneanalis* (Schaus,1923)** (Pyralidae) Synonym(s): *eneanalis* Schaus,1923
Range (in code): **GS**
- 71626. *Achyra llaguenalis* Munroe,1978** (Pyralidae) Synonym(s): *llaguenalis* Munroe,1978
Range (in code): **PE**
- 71627. *Achyra murcialis* (Ragonot,1895)** (Pyralidae) Synonym(s): *murcialis* Ragonot,1895
Original Reference: *Pyrausta murcialis* Ragonot,1895, Annl. Soc. ent. Fr. 1895 (Bull.): 23. Type: Hispania m. (Murcia). Range (in code): **ES Mu**
- 71628. *Achyra nigrirenalis* (Hampson,1913)** (Pyralidae) Synonym(s): *nigrirenalis* Hampson,1913
Range (in code): **AU**
- 71629. *Achyra nudalis* (Hübner,1796)** (Pyralidae) Synonym(s): *nudalis* Hübner,1796; *interpunctalis* Hübner,1796; *unipunctalis* Duponchel,1831; *bipunctalis* Duponchel,1832; *pauciferalis* Walker,1865; *nodalis* Gundlach,1891; *ochromorpha* Lower,1901
Original Reference: *Pyralis nudalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.90. Type(s): Europa. Range (in code): **DZ Clo PT ES FR Co Sa Si IT MT HU YU B-H AL BG GR Cr CY TR Cc Ce Gro Ao GG Tbl Len AZ Kir Nv Ord YE IL Pa Hf LB IR Es Fa Shr Th Elb Kdj Kz Sde Ana Ke Put Mz IQ Bgd AF Hr Ca Blh Pli Arh Dwe Fz Bkt PK Sd Krc CN Ui MN LK IN ZA SA NE ZR KE**
Bionomy: Larva on *Amaranthus graecizans* (Wiltshire,1957; Amsel,1959).
- 71630. *Achyra occidentalis* (Packard,1873)** (Pyralidae) Synonym(s): *occidentalis* Packard,1873
Range (in code): **US Cf**
- 71631. *Achyra piuralis* (Capps,1967)** (Pyralidae) Synonym(s): *piuralis* Capps,1967
Range (in code): **PE**
- 71632. *Achyra protealis* (W.Warren,1892)** (Pyralidae) Synonym(s): *protealis* W.Warren,1892
Range (in code): **PE**
- 71633. *Achyra rantalis* (Guenée,1854)** (Pyralidae) Synonym(s): *rantalis* Guenée,1854; *siriusalis* Walker,1859; *murcialis* Walker,1859; *nestusalis* Walker,1859; *diotimealis* Walker,1859; *crinisalis* Walker,1859; *intractella* Walker,1863; *crinitalis* Lederer,1863; *posticata* Grote & C.T.Robinson,1867; *subfulvalis* Herrich-Schäffer,1871; *communis* Grote,1876; *nodalis* Gundlach,1881; *viscendalis* Möschler,1890; *collucidalis* Möschler,1890; *#visendalis* Hampson,1899; *caffrei* Flint & Mallcoch,1920
Range (in code): **US DO CU PR**
- 71634. *Achyra serrulata* (Turner,1932)** (Pyralidae) Synonym(s): *serrulata* Turner,1932
Range (in code): **AU**
- 71635. *Achyra similalis* (Guenée,1854)** (Pyralidae) Synonym(s): *similalis* Guenée,1854; *ferruginea* W.Warren,1892; *garalis* Schaus,1906
Range (in code): **UY CL BR**
- 71636. *Acicys cladaropa* Turner,1911** (Pyralidae) Synonym(s): *cladaropa* Turner,1911
Range (in code): **AU**
- 71637. *Acigona aculeata* (Hampson,1903)** (Pyralidae) Synonym(s): *aculeata* Hampson,1903
Range (in code): **IN SI**
- 71638. *Acolastodes oenotripta* Meyrick,1934** (Pyralidae) Synonym(s): *oenotripta* Meyrick,1934
Range (in code): **WS FJ**
- 71639. *Acritonia comeella* Amsel,1954** (Pyralidae) Synonym(s): *comeella* Amsel,1954
Original Reference: *Acritonia comeella* Amsel,1954, Ark. Zool. (2) 6: 271, figs. 61, 199. Holotype ♂: Iran, Fars, Comé (SMNH). Range (in code): **IR Fa TR**
- 71640. *Acrobasis acrobassella* (Rebel,1926)** (Pyralidae) Synonym(s): *acrobassella* Rebel,1926; *talhouki* Amsel,1958.
Range (in code): **EG SA IR Ss Irs**
- 71641. *Acrobasis advenella* (Zincken,1818)** (Pyralidae) Synonym(s): *advenella* Zincken,1818; *rhenella* Stephens,1834; *consociella* Duponchel,1836; *recurvella* Guenée,1845
Range (in code): **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR DK NO SE FI EE LV LT RU MD UA BY TR**
Bionomy: Larva on *Crataegus*, *Prunus spinosa*, *Sorbus aria*, *S. aucuparia* (Rosaceae) (Huemer,1988).
- 71642. *Acrobasis africanella* Balinsky,1994** (Pyralidae) Synonym(s): *africanella* Balinsky,1994
Range (in code): **NA Abc ZA Tra Tva Lpo Pot Gau Jh Pre**
- 71643. *Acrobasis africanella africanella* Balinsky,1994** (Pyralidae) Synonym(s): *africanella* Balinsky,1994
Range (in code): **NA Abc ZA Tra Tva Lpo Pot Gau Jh Pre**
- 71644. *Acrobasis aicha* Asselbergs,1998** (Pyralidae) Synonym(s): *aicha* Asselbergs,1998
Range (in code): **MA**
- 71645. *Acrobasis alexandra* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *alexandra* Roesler & Küppers,1981
Range (in code): **ID Sum**

- 71646. *Acrobasis amplexella* Ragonot,1887** (Pyralidae) **Synonym(s):** *amplexella* Ragonot,1887
Range (in code): **US**
- 71647. *Acrobasis angustella* Grote,1880** (Pyralidae) **Synonym(s):** *angustella* Grote,1880
Range (in code): **US Ny**
- 71648. *Acrobasis aphidivora* (Meyrick,1934)** (Pyralidae) **Synonym(s):** *aphidivora* Meyrick,1934
Range (in code): **ID Ja**
- 71649. *Acrobasis aqualidella* Christoph,1881** (Pyralidae) **Synonym(s):** *aqualidella* Christoph,1881
Range (in code):
- 71650. *Acrobasis atelogramma* (Meyrick,1937)** (Pyralidae) **Synonym(s):** *atelogramma* Meyrick,1937
Range (in code): **IN MY ID Sum Ja**
- 71651. *Acrobasis atrisquamella* Ragonot,1887** (Pyralidae) **Synonym(s):** *atrisquamella* Ragonot,1887; *nigrisquamella* Amsel,1954
Original Reference: *Acrobasis atrisquamella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 228. **Syntypes:** [Turkey]: Malatia. **Range (in code):** **TR IR Fa IQ Ssa IL LB Bei**
- 71652. *Acrobasis aurorella* Ely,1910** (Pyralidae) **Synonym(s):** *aurorella* Ely,1910
Range (in code): **US**
- 71653. *Acrobasis automorpha* (Meyrick,1886)** (Pyralidae) **Synonym(s):** *automorpha* Meyrick,1886
Range (in code): **PG**
- 71654. *Acrobasis baharaca* (Roesler,1987)** (Pyralidae) **Synonym(s):** *baharaca* Roesler,1987
Range (in code): **AF**
- 71655. *Acrobasis betulella* Hulst,1890** (Pyralidae) **Synonym(s):** *betulella* Hulst,1890; *hebescella* Hulst,1890
Range (in code): **US Ny**
- 71656. *Acrobasis betulivorella* Neunzig,1975** (Pyralidae) **Synonym(s):** *betulivorella* Neunzig,1975
Range (in code): **US**
- 71657. *Acrobasis bifidella* (Leech,1889)** (Pyralidae) **Synonym(s):** *bifidella* Leech,1889; *sarcothorax* Meyrick,1937
Range (in code): **JP KP KR CN**
- 71658. *Acrobasis birgitella* (Roesler,1975)** (Pyralidae) **Synonym(s):** *birgitella* Roesler,1975
Range (in code): **CN TW**
- 71659. *Acrobasis bithynella* Zeller,1848** (Pyralidae) **Synonym(s):** *bithynella* Zeller,1848; *minuscule* Turati,1930; *witteella* Roesler,1969.
Original Reference: *Acrobasis bithynella* Zeller,1848, *Isis* 1848: 611. Type ♂: [Türkei]: "Brussa in Kleinasien" (Loew). **Range (in code):** **DZ Lbs PT ES FR Co Sa Si IT YU Cr TR LB**
- 71660. *Acrobasis bithynella bithynella* Zeller,1848** (Pyralidae) **Synonym(s):** *bithynella* Zeller,1848; *minuscule* Turati,1930; *witteella* Roesler,1969.
Original Reference: *Acrobasis bithynella* Zeller,1848, *Isis* 1848: 611. Type ♂: [Türkei]: "Brussa in Kleinasien" (Loew). **Range (in code):** **TR**
- 71661. *Acrobasis bithynella oblitterella* Staudinger,1859** (Pyralidae) **Synonym(s):** *oblitterella* Staudinger,1859; *rubidella* Ragonot,1887; *rufella* Turati,1913; *sublutella* Turati,1913; *plumbatella* Turati,1913; *turatii* Schawerda,1921; *noctiptera* Schawerda,1937.
Range (in code): **ES**
- 71662. *Acrobasis blanchardorum* Neunzig,1973** (Pyralidae) **Synonym(s):** *blanchardorum* Neunzig,1973
Range (in code): **US Tx**
- 71663. *Acrobasis bouchirella* (Amsel,1951)** (Pyralidae) **Synonym(s):** *bouchirella* Amsel,1951
Original Reference: *Rhodophaea bouchirella* Amsel,1951, *Ark. Zool.* 1 (36): 541, fig. 26. **Syntypes** 2♂ 1♀: Iran: "Tchouroum". **Range (in code):** **IR Bu**
- 71664. *Acrobasis caliginella* (Hulst,1878)** (Pyralidae) **Synonym(s):** *caliginella* Hulst,1878; *caliginoidella* Dyar,1905; *cruza* Opler,1977; *durata* Opler,1977; *yuba* Opler,1977
Range (in code): **US Cf**
- 71665. *Acrobasis canella* Yamanaka,2003** (Pyralidae) **Synonym(s):** *canella* Yamanaka,2003
Range (in code): **JP**
- 71666. *Acrobasis cantonella* (Caradja,1925)** (Pyralidae) **Synonym(s):** *cantonella* Caradja,1925; *griseotincta* Caradja,1939
Range (in code): **CN**
- 71667. *Acrobasis carpinivorella* Neunzig,1970** (Pyralidae) **Synonym(s):** *carpinivorella* Neunzig,1970
Range (in code): **US**
- 71668. *Acrobasis caryae* Grote,1881** (Pyralidae) **Synonym(s):** *caryae* Grote,1881
Range (in code): **US**
- 71669. *Acrobasis caryaevorella* Dyar,1908** (Pyralidae) **Synonym(s):** *caryaevorella* Dyar,1908
Range (in code): **US Tx**
- 71670. *Acrobasis caryalbella* Ely,1913** (Pyralidae) **Synonym(s):** *caryalbella* Ely,1913
Range (in code): **US**

- 71671. *Acrobasis caryivorella* Ragonot,1887** (Pyralidae) Synonym(s): *caryivorella* Ragonot,1887; *comacornella* Hulst,1900 Range (in code): US Tx
- 71672. *Acrobasis caulivorella* Neunzig,1970** (Pyralidae) Synonym(s): *caulivorella* Neunzig,1970 Range (in code): US FI
- 71673. *Acrobasis celticola* Staudinger,1879** (Pyralidae) Synonym(s): *celticola* Staudinger,1879 Original Reference: *Acrobasis celticola* Staudinger,1879, Horae Soc. ent. ross. 15: 207-208. Syntypes 1♂ 3♀: [Türkei]: Amasia: Kerasdere. Range (in code): TR
- 71674. *Acrobasis celtifoliella* Yamanaka,2004** (Pyralidae) Synonym(s): *celtifoliella* Yamanaka,2004 Range (in code): JP
- 71675. *Acrobasis centunculella* (Mann,1859)** (Pyralidae) Synonym(s): *centunculella* Mann,1859 Original Reference: Myelois centunculella Mann,1859, Wien. ent. Monatschr. 3: 165. Type(s): Sicilia. Range (in code): ES Mu FR Si IT RO YU BG GR TR Bionomy: Larva on *Fumana ericoides*, *Helianthemum* (Cistaceae) (Parenti,2000).
- 71676. *Acrobasis cirroferella* Hulst,1892** (Pyralidae) Synonym(s): *cirroferella* Hulst,1892; *myricella* Barnes & McDunnough,1917 Range (in code): US Tx FI
- 71677. *Acrobasis comptella* Ragonot,1887** (Pyralidae) Synonym(s): *comptella* Ragonot,1887; *fria* Opler,1977; *neva* Opler,1977; *kofa* Opler,1977 Range (in code): US Cf Arz
- 71678. *Acrobasis consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthueri* Lucas,1914. Original Reference: *Tinea consociella* Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.48 fig.328. Type(s): Europa. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY TR TM Kp
- 71679. *Acrobasis consociella consociella* (Hübner,[1813])** (Pyralidae) Synonym(s): *consociella* Hübner,[1813]; *consocialis* Hübner,[1825]; *tumidella* Duponchel,1836; *oberthueri* Lucas,1914. Original Reference: *Tinea consociella* Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.48 fig.328. Type(s): Europa. Range (in code): PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY TM Kp
- 71680. *Acrobasis consociella jessica* Roesler,1988** (Pyralidae) Synonym(s): *jessica* Roesler,1988 Original Reference: *Acrobasis consociella* ssp. *jessica* Roesler,1988, Entomofauna 9 (8): 214-216. Holotype ♂: [Türkei]: Anatolia, Kızılcahamam leg.C.Holzschuh (LNK). Range (in code): TR
- 71681. *Acrobasis consociella nuragha* Roesler,1988** (Pyralidae) Synonym(s): *nuragha* Roesler,1988 Original Reference: *Acrobasis consociella* ssp. *nuragha* Roesler,1988, Entomofauna 9 (8): 211-214. Holotype ♂: Z-Sardinien, Gennargentu, Belvi, 3km N. v. Aritzo, Corylus-Plantage, 750m (LNK). Range (in code): Sa
- 71682. *Acrobasis corethropus* (Turner,1904)** (Pyralidae) Synonym(s): *corethropus* Turner,1904 Range (in code): AU
- 71683. *Acrobasis curvella* (Ragonot,1893)** (Pyralidae) Synonym(s): *curvella* Ragonot,1893 Range (in code): RU Am Prj Us
- 71684. *Acrobasis cymindella* (Ragonot,1893)** (Pyralidae) Synonym(s): *cymindella* Ragonot,1893 Range (in code): RU Vv
- 71685. *Acrobasis dharma* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *dharma* Roesler & Küppers,1981 Range (in code): ID Sum
- 71686. *Acrobasis dichromella* (Ragonot,1893)** (Pyralidae) Synonym(s): *dichromella* Ragonot,1893 Range (in code):
- 71687. *Acrobasis diversicolor* Ragonot,1893** (Pyralidae) Synonym(s): *diversicolor* Ragonot,1893 Range (in code): ZA Nta Kzu Est
- 71688. *Acrobasis dulcella* (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848 Original Reference: *Rhodophaea dulcella* Zeller,1848, Isis 1848: 663. Range (in code): ES FR Si IT DE AT SK HU RO YU AL BG GR RU MD UA BY Cc AM TR IQ Shq LB Bsa IR Gh Enz Srd Elb Mz Kh
- 71689. *Acrobasis dulcella anatolica* (Caradja,1910)** (Pyralidae) Synonym(s): *anatolica* Caradja,1910; *suberastricola* Rothschild,1921; *persella* Zerny,1939 Range (in code): Cc AM TR IQ Shq LB Bsa IR Gh Enz Srd Elb Mz Kh
- 71690. *Acrobasis dulcella dulcella* (Zeller,1848)** (Pyralidae) Synonym(s): *dulcella* Zeller,1848 Original Reference: *Rhodophaea dulcella* Zeller,1848, Isis 1848: 663. Range (in code): ES FR Si IT DE AT SK HU RO YU AL BG GR RU MD UA BY
- 71691. *Acrobasis eburnella* (Amsel,1954)** (Pyralidae) Synonym(s): *eburnella* Amsel,1954 Range (in code): IR Fa

- 71692. *Acrobasis encaustella* (Ragonot,1893)** (Pyralidae) Synonym(s): *encaustella* Ragonot,1893; *confluella* Caradja,1916 _ Range (in code):
- 71693. *Acrobasis epaxia* (Turner,1947)** (Pyralidae) Synonym(s): *epaxia* Turner,1947 _ Range (in code): AU
- 71694. *Acrobasis erastriella* (Ragonot,1887)** (Pyralidae) Synonym(s): *erastriella* Ragonot,1887; *semistrigella* Mabilie,1908; *lella* Chrétien,1911 _ Original Reference: *Rhodophaea erastriella* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 227. Syntypes: [Azerbaidjan]: "Ordubad (Haute-Arménie)". Range (in code): DZ Onç TN Ce AZ Nv Ord TR
- 71695. *Acrobasis ereboscopya* (Lower,1903)** (Pyralidae) Synonym(s): *ereboscopya* Lower,1903 Range (in code): AU
- 71696. *Acrobasis eva* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *eva* Roesler & Küppers,1981 _ Range (in code): ID Sum IN
- 71697. *Acrobasis farsella* (Amsel,1950)** (Pyralidae) Synonym(s): *farsella* Amsel,1950 _ Range (in code): IR Fa Mia
- 71698. *Acrobasis ferruginella* (Wileman,1911)** (Pyralidae) Synonym(s): *ferruginella* Wileman,1911; *decolorata* Caradja,1938 _ Range (in code):
- 71699. *Acrobasis frankella* Roesler,1975** (Pyralidae) Synonym(s): *frankella* Roesler,1975 Range (in code):
- 71700. *Acrobasis getuliella* (Zerny,1914)** (Pyralidae) Synonym(s): *getuliella* Zerny,1914; *wiltshirei* Amsel,1958 _ Original Reference: *Rhodophaea getuliella* Zerny,1914, Annln naturh. Mus. Wien 28: 318, Taf.xxv fig.19. Syntypes ♂: [Italien]: Sizilien; ♀: Istrien: Pola (NHMW). Range (in code): Si YU CY
- 71701. *Acrobasis glaucella* Staudinger,1859** (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1910. _ Original Reference: *Acrobasis glaucella* Staudinger,1859, Stettin ent. Ztg. 20: 255. Syntypes: Spain: Granada. Range (in code): DZ Lbs LY Cy PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr CY RU MD UA BY TR IL Pa Hf IR Ab Ak Elb Fa LB Bsa Bionomy: Larva on Quercus (Fagaceae) (Parenti,2000).
- 71702. *Acrobasis glaucella glarella* Turati,1926** (Pyralidae) Synonym(s): *glarella* Turati,1926; *burmanni* Roesler,1969 _ Range (in code): LY Cy
- 71703. *Acrobasis glaucella glaucella* Staudinger,1859** (Pyralidae) Synonym(s): *glaucella* Staudinger,1859; *fallouella* Ragonot,1871; *anatolica* Caradja,1916. _ Range (in code): PT ES FR Co Sa Si IT DE CH AT CZ SK HU RO YU BG GR Cr CY RU MD UA BY TR IL Pa LB Bsa
- 71704. *Acrobasis glaucella medea* Roesler,1988** (Pyralidae) Synonym(s): *medea* Roesler,1988 Original Reference: *Acrobasis glaucella* ssp. *medea* Roesler,1988, Entomofauna 9 (8): 216-219. Holotype ♂: NW-Iran: 100km str. Mahabad- Sardascht, 1300m, Quercetum, Amsel leg (LNK). Range (in code): IR Ab Ak Elb Fa
- 71705. *Acrobasis hemiargyralis* (Hampson,1908)** (Pyralidae) Synonym(s): *hemiargyralis* Hampson,1908 _ Range (in code):
- 71706. *Acrobasis hemichlaena* (Meyrick,1887)** (Pyralidae) Synonym(s): *hemichlaena* Meyrick,1887 _ Range (in code): AU
- 71707. *Acrobasis hollandella* (Ragonot,1893)** (Pyralidae) Synonym(s): *hollandella* Ragonot,1893; *scabrilineella* Ragonot,1893 _ Range (in code): JP
- 71708. *Acrobasis injunctella* (Christoph,1881)** (Pyralidae) Synonym(s): *injunctella* Christoph,1881; *yuennanella* Caradja,1937 _ Range (in code): RU Prj Us CN Yu
- 71709. *Acrobasis khachella* (Amsel,1950)** (Pyralidae) Synonym(s): *khachella* Amsel,1950 Range (in code): IR Ss
- 71710. *Acrobasis klimeschi* Roesler,1978** (Pyralidae) Synonym(s): *klimeschi* Roesler,1978 Range (in code): Cn
- 71711. *Acrobasis legatea* (Haworth,[1811])** (Pyralidae) Synonym(s): *legatea* Haworth,[1811]; *legatella* Hübner,1796 nec [Den. & Schiff.],1775; *legatalis* Hübner,[1825]; *naumannii* Roesler,1969 _ Original Reference: *Phycis legatea* Haworth,[1811], Lepid. Br (3): 492. Type: Britain. Range (in code): TN Gf ES FR GB Co Si IT DE CH AT CZ SK HU RO YU GR Cr RU MD UA BY TR LB Bsa IL Pa Hf
- 71712. *Acrobasis lienpingialis* (Caradja,1925)** (Pyralidae) Synonym(s): *lienpingialis* Caradja,1925 _ Range (in code): CN
- 71713. *Acrobasis mabilleella* (D.Lucas,1909)** (Pyralidae) Synonym(s): *mabilleella* D.Lucas,1909 Range (in code): TN IR Kz Sde
- 71714. *Acrobasis marmorea* (Haworth,[1811])** (Pyralidae) Synonym(s): *marmorea* Haworth,[1811]; *epelydella* Zeller,1839; *marmorella* Doubleday,1859; *lugens* Staudinger,1881 _ Range (in

- code): **TN PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR Cr DK NO SE LV RU MD UA BY TR IL Pa Js Jt** Bionomy: Larva on *Prunus spinosa*, ? *Sorbus*, ? *Crataegus* (Rosaceae) (Huemer,1988).
- 71715. *Acrobasis mienshani* Caradja,1939** (Pyralidae) Synonym(s): *mienshani* Caradja,1939 Range (in code): **CN**
- 71716. *Acrobasis minorella* (Caradja,1910)** (Pyralidae) Synonym(s): *minorella* Caradja,1910 Original Reference: *Ephestia bacillella* var. *minorella* Caradja,1910, Dt. ent. Z., Iris 24: 120. Syntypes 2♂: [Algeria]: "Biskra" (coll. Caradja). Range (in code): **DZ Bsk**
- 71717. *Acrobasis minutalis* Asselbergs,2008** (Pyralidae) Synonym(s): *minutalis* Asselbergs,2008 Range (in code): **AE**
- 71718. *Acrobasis mirabiella* (Toll,1948)** (Pyralidae) Synonym(s): *mirabiella* Toll,1948; *senganella* Amsel,1950 Original Reference: *Anoristia mirabiella* Toll,1948, Z. wien. ent. Ges. 32 (1947): 108-109, Taf.4 fig.7, Taf.5 fig.29. Type ♀: Nordost-Persien, Kuh-i-Mirabi. Range (in code): **IR Kh Ke Ss**
- 71719. *Acrobasis mniaropis* (Turner,1904)** (Pyralidae) Synonym(s): *mniaropis* Turner,1904 Range (in code): **AU**
- 71720. *Acrobasis modisequa* Meyrick,1934** (Pyralidae) Synonym(s): *modisequa* Meyrick,1934 Range (in code): **ID Sum Ja**
- 71721. *Acrobasis nigribasalis* Amsel,1954** (Pyralidae) Synonym(s): *nigribasalis* Amsel,1954 Original Reference: *Acrobasis nigribasalis* Amsel,1954, Ark. Zool. 6 (16): 300, figs. 37, 139, 140, 249. Type ♂: Iran: Fars: Pusht-i-Bam, 4000ft., 4.5.1950 (leg. Wiltshire). Range (in code): **IR Fa**
- 71722. *Acrobasis niveicinctella* (Ragonot,1887)** (Pyralidae) Synonym(s): *niveicinctella* Ragonot,1887; *iranalis* Amsel,1950 Original Reference: *Rhodophaea niveicinctella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 227. Syntypes: [Turkmenistan]: Achal-Tekke. Range (in code): **TM Kp TR IR Fa Mia Kz Com Shr**
- 71723. *Acrobasis obliqua* (Zeller,1847)** (Pyralidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927. Original Reference: *Myelois obliqua* Zeller,1847, Isis 1847: 31. Type ♂: [Greece]: Rhodus. Range (in code): **PT Cn ES FR Co Sa Si IT CH YU AL GR Rd CY TR IL Pa LB Bsa**
- 71724. *Acrobasis obliqua clusinella* Zeller,1848** (Pyralidae) Synonym(s): *clusinella* Zeller,1848; *glycerella* Staudinger,1859; *cistella* Milliere,1859; *youngi* Rothschild,1925. Original Reference: *Acrobasis clusinella* Zeller,1848, Isis 1848: 610-611. Syntypes: [Italia]: "Toscana". Range (in code): **IT**
- 71725. *Acrobasis obliqua malombra* Roesler,1988** (Pyralidae) Synonym(s): *malombra* Roesler,1988 Original Reference: *Acrobasis obliqua* ssp. *malombra* Roesler,1988, Entomofauna 9 (8): 204-206. Holotype ♂: Canarische Ins.: Teneriffa, leg. Pinker (LNK). Range (in code): **Cn**
- 71726. *Acrobasis obliqua obliqua* (Zeller,1847)** (Pyralidae) Synonym(s): *obliqua* Zeller,1847; *cinerascens* Turati,1927. Original Reference: *Myelois obliqua* Zeller,1847, Isis 1847: 31. Type ♂: [Greece]: Rhodus. Range (in code): **PT ES FR Co Sa Si IT CH YU AL GR TR IL LB**
- 71727. *Acrobasis obrutella* (Christoph,1881)** (Pyralidae) Synonym(s): *obrutella* Christoph,1881; *bellulella* Ragonot,1893; *rufofusellus* Caradja,1931 Range (in code): **RU Sb JP ID Sum**
- 71728. *Acrobasis obtusella* (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusa* Haworth,1811; *obtusalis* Hübner,[1825]. Original Reference: *Tinea obtusella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.31 fig.215. Type(s): Europa. Range (in code): **PT ES FR Sa IT MT BE DE CH AT PL CZ SK HU RO YU BG GR RU MD UA BY SY LB Bsa TR IL Js Pa** Bionomy: Larva on *Malus*, *Prunus domestica*, *P. spinosa*, *Pyrus communis* (Rosaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae) (Huemer,1988).
- 71729. *Acrobasis obtusella obtusella* (Hübner,1796)** (Pyralidae) Synonym(s): *obtusella* Hübner,1796; *obtusa* Haworth,1811; *obtusalis* Hübner,[1825]. Original Reference: *Tinea obtusella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.31 fig.215. Type(s): Europa. Range (in code): **PT ES FR Sa IT MT BE DE CH AT PL CZ SK HU RO YU BG GR RU MD UA BY SY LB**
- 71730. *Acrobasis obtusella ottomana* Caradja,1916** (Pyralidae) Synonym(s): *ottomana* Caradja,1916 Original Reference: *Acrobasis obtusella* var. *ottomana* Caradja,1916, Dt. ent. Z., Iris 30: 15. Syntypes: [Türkei]: Konia, Hadjin; [Israel]: Jerusalem. Range (in code): **TR LB Bsa IL Js Pa**
- 71731. *Acrobasis olivalis* (Hampson,1896)** (Pyralidae) Synonym(s): *olivalis* Hampson,1896 Range (in code): **IN AU**
- 71732. *Acrobasis paradichromella* Yamanaka,1980** (Pyralidae) Synonym(s): *paradichromella* Yamanaka,1980 Range (in code):

- 71733. *Acrobasis persicella* (Amsel,1951)** (Pyralidae) Synonym(s): *persicella* Amsel,1951; *pagmanalis* Amsel,1961 Range (in code): IR Fa Shr Mia AF Pag
- 71734. *Acrobasis porphyrella* (Duponchel,1836)** (Pyralidae) Synonym(s): *porphyrella* Duponchel,1836 Original Reference: Phycis porphyrella Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 191, pl.279, fig.2. Type(s): Corsica. Range (in code): TN PT ES FR Co Sa IT YU RU Bionomy: Larva on Erica arborea, E. scoparia (Ericaceae) (Parenti,2000).
- 71735. *Acrobasis praefectella* (Zerny,1936)** (Pyralidae) Synonym(s): *praefectella* Zerny,1936; *chirazella* Amsel,1951 Range (in code): MA IR Fa Shr
- 71736. *Acrobasis pseudodichromella* (Yamanaka,1980)** (Pyralidae) Synonym(s): *pseudodichromella* Yamanaka,1980 Range (in code):
- 71737. *Acrobasis pumilella* Rebel,1927** (Pyralidae) Synonym(s): *pumilella* Rebel,1927 Range (in code): EG
- 71738. *Acrobasis pyrivorella* (Matsumura,1899)** (Pyralidae) Synonym(s): *pyrivorella* Matsumura,1899; *pauperculella* Wileman,1911; *pyrivora* Gerasimov,1926 Range (in code):
- 71739. *Acrobasis quarcella* Roesler,1987** (Pyralidae) Synonym(s): *quarcella* Roesler,1987 Range (in code): Cc AM Bionomy: Larva on Celtis glabrata (Roesler,1987).
- 71740. *Acrobasis ramosella* Walker,1866** (Pyralidae) Synonym(s): *ramosella* Walker,1866 Range (in code): ZA
- 71741. *Acrobasis regina* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *regina* Roesler & Küppers,1981 Range (in code): ID Sum
- 71742. *Acrobasis repandana* (Fabricius,1798)** (Pyralidae) Synonym(s): *repandana* Fabricius,1798; *tumidella* Zincken,1818; *zelleri* Ragonot,1888. Original Reference: *Pyralis repandana* Fabricius,1798, Ent. Syst. Suppl.: 478. Type: Europa. Range (in code): PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR Bionomy: Larva on Quercus (Fagaceae) (Parenti,2000).
- 71743. *Acrobasis romanella* (Millière,1870)** (Pyralidae) Synonym(s): *romanella* Millière,1870; *singularis* Staudinger,1876; *guilhemella* Lucas,1909; *predotai* Hartig,1941. Range (in code): PT ES FR Co Sa Si IT
- 71744. *Acrobasis rufilimbalis* (Wileman,1911)** (Pyralidae) Synonym(s): *rufilimbalis* Wileman,1911 Range (in code): JP
- 71745. *Acrobasis rufizonella* (Ragonot,1887)** (Pyralidae) Synonym(s): *rufizonella* Ragonot,1887; *rubiginella* Inoue,1982 Range (in code): JP
- 71746. *Acrobasis sirani* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *sirani* Roesler & Küppers,1981 Range (in code): ID Sum
- 71747. *Acrobasis sodalella* Zeller,1848** (Pyralidae) Synonym(s): *sodalella* Zeller,1848 Original Reference: *Acrobasis sodalella* Zeller,1848, Isis 1848: 615. Type: [Italia]: "Toscana". Range (in code): PT ES FR Si IT BE NL DE CH AT CZ SK HU RO YU AL BG GR CY? Cc AM DK NO SE FI RU MD UA BY
- 71748. *Acrobasis squalidella* (Christoph,1881)** (Pyralidae) Synonym(s): *squalidella* Christoph,1881; *tokiella* Ragonot,1893; *trigonalis* Wileman,1911 Range (in code): JP
- 71749. *Acrobasis suavella* (Zincken,1818)** (Pyralidae) Synonym(s): *suavella* Zincken,1818; *fascia* Stephens,1829; *porphyrea* Stephens,1834; *supposita* Heinrich,1940 Range (in code): ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI RU MD UA BY Bionomy: Larva on Crataegus, Prunus spinosa, Sorbus (Rosaceae) (Huemer,1988).
- 71750. *Acrobasis subflavella* (Inoue,1982)** (Pyralidae) Synonym(s): *subflavella* Inoue,1982 Range (in code):
- 71751. *Acrobasis susanna* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *susanna* Roesler & Küppers,1981 Range (in code): ID Sum
- 71752. *Acrobasis tricolorella* Inoue,1982** (Pyralidae) Synonym(s): *tricolorella* Inoue,1982 Range (in code): JP
- 71753. *Acrobasis tumidana* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tumidana* [Denis & Schiffermüller],1775; *tumidalis* Hübner,[1825]; *rubrotibiella* Fischer v. Roeslerstamm,1839. Original Reference: Tortrix tumidana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 103. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE LT RU MD UA BY TR IR Kd Lo Bionomy: Larva on Quercus (Fagaceae) (Parenti,2000).
- 71754. *Acrobasis tumidana gilva* Roesler,1987** (Pyralidae) Synonym(s): *gilva* Roesler,1987 Range (in code): GR IR Kd Lo

- 71755. *Acrobasis tumidana sarda* Roesler,1987** (Pyralidae) Synonym(s): *sarda* Roesler,1987
Range (in code): **Sa**
- 71756. *Acrobasis xanthogramma* (Staudinger,1870)** (Pyralidae) Synonym(s): *xanthogramma* Staudinger,1870; *zizyphella* Rebel,1914; *pumilella* Rebel,1926; *arenella* Dufrane,1955. Range (in code): **DZ Bsk TN Gf MA EG ES IL Pa JO IR Ss Bmp Irs** Bionomy: Larva on *Zizyphus lotus* (Rebel,1914; Chrétien,1917).
- 71757. *Acrobasis xanthogramma jordanella* (Amsel,1935)** (Pyralidae) Synonym(s): *jordanella* Amsel,1935 Range (in code): **JO**
- 71758. *Acrobasis zacharias* Roesler,1988** (Pyralidae) Synonym(s): *zacharias* Roesler,1988
Original Reference: *Acrobasis zacharias* Roesler,1988, Entomofauna 9 (8): 207-211, Abb. 3,5. Holotype ♂: Afghanistan: Nuristan: Bashgultal, 1100m J.Klapperich leg. (LNK). Range (in code): **SA AF**
- 71759. *Acrobasis zamantha* Roesler,1987** (Pyralidae) Synonym(s): *zamantha* Roesler,1987
Original Reference: *Trachycera zamantha* Roesler,1987, Ent. Z., Frankf. a. M. 97 (21): 310-312, fig. Holotype ♂: Iran: S-Iran, Miyan Kotal, 1900m östl., Kazerun Amsel leg. (LNK). Range (in code): **IR Elb Th Kdj Fa Kd Km JO**
- 71760. *Acropentias aureus* (Butler,1878)** (Pyralidae) Synonym(s): *aureus* Butler,1878; *straminea* Butler,1879; *obtusalis* Christoph,1881 Range (in code): **RU Am CN KP JP TW**
- 71761. *Acteniopsis kurdistanella* Amsel,1959** (Pyralidae) Synonym(s): *kurdistanella* Amsel,1959; *#unicolorella* Amsel,1961. Original Reference: *Acteniopsis kurdistanella* Amsel,1959, Bull. Soc. ent. Egypte 43: 51, pl.3 fig.2, pl.10 fig.5. Holotype ♂: Irak: Hajji Omran. Range (in code): **IR Elb Th Kdj Fa Sse Com IQ Hjo**
- 71762. *Acteniopsis robustus* Asselbergs,2010** (Pyralidae) Synonym(s): *robustus* Asselbergs,2010
Range (in code): **AE**
- 71763. *Addyme ferrorubella* (Walker,1864)** (Pyralidae) Synonym(s): *ferrorubella* Walker,1864; *pyrrhoptera* Lower,1896; *ardentella* Hampson,1901 Range (in code): **AU**
- 71764. *Addyme inductalis* (Walker,1863)** (Pyralidae) Synonym(s): *inductalis* Walker,1863
Range (in code): **IN LK JP TW MY Bor ID Sum Ja Clb FJ NH**
- 71765. *Addyme werkodara* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *werkodara* Roesler & Küppers,1979 Range (in code): **ID Sum**
- 71766. *Adelpherupa aethiopicalis* Maes,2004** (Pyralidae) Synonym(s): *aethiopicalis* Maes,2004
Range (in code): **ET**
- 71767. *Adelpherupa albescens* Hampson,1919** (Pyralidae) Synonym(s): *albescens* Hampson,1919
Range (in code): **ZA MW ZR**
- 71768. *Adelpherupa costipunctalis* Maes,2004** (Pyralidae) Synonym(s): *costipunctalis* Maes,2004; *#costipunctalis* Maes,2004 Original Reference: *Adelpherupa costipunctalis* Maes,2004, J. nat. Hist. 36: 1716-1719, figs. Holotype ♂: Malawi: Chilwa Likangala (ABSRC). Range (in code): **MW**
- 71769. *Adelpherupa elongalis* Maes,2004** (Pyralidae) Synonym(s): *elongalis* Maes,2004
Range (in code): **NG ZR ET UG KE Na AO SD MW Zom**
- 71770. *Adelpherupa flavescens* Hampson,1919** (Pyralidae) Synonym(s): *flavescens* Hampson,1919; *aurantiacus* Rothschild,1926 Range (in code): **UG SD NG MW SN BJ**
- 71771. *Adelpherupa lialuiensis* Maes,2004** (Pyralidae) Synonym(s): *lialuiensis* Maes,2004
Range (in code): **ZM**
- 71772. *Adelpherupa pontica* Maes,2004** (Pyralidae) Synonym(s): *pontica* Maes,2004 Range (in code): **CM ZR UG Rz MW**
- 71773. *Adelpherupa terreus* (Zeller,1877)** (Pyralidae) Synonym(s): *terreus* Zeller,1877
Range (in code): **MG**
- 71774. *Adelpherupa typicota* (Meyrick,1933)** (Pyralidae) Synonym(s): *typicota* Meyrick,1933; *gymnastica* Meyrick,1934 Range (in code): **ZA ZR TZ**
- 71775. *Adoxobotys cacidus* (Dyar,1918)** (Pyralidae) Synonym(s): *cacidus* Dyar,1918 Range (in code): **MX**
- 71776. *Adoxobotys cristobalis* Munroe,1978** (Pyralidae) Synonym(s): *cristobalis* Munroe,1978
Range (in code): **MX**
- 71777. *Adoxobotys discordalis* (Dyar,1914)** (Pyralidae) Synonym(s): *discordalis* Dyar,1914
Range (in code): **MX Vcr**
- 71778. *Aedioidina quaternalis* (Lederer,1863)** (Pyralidae) Synonym(s): *quaternalis* Lederer,1863
Original Reference: *Aedioides quaternalis* Lederer,1863, Wien. ent. Monatschr. 7: 434, 483,

- Taf.17 fig.1. Syntypes 1♂ 1♀: [Indonesia]: Amboina (coll. Felder). Range (in code): IN AU QAU ID Amb Ja TW
- 71779. Aeglotis argentalis (Christoph,1887)** (Pyrilidae) Synonym(s): *argentalis* Christoph,1887
Original Reference: ?*Anaeglis argentalis* Christoph,1887, [in] Romanoff, Mém. Lépid. 3: 106-109, Pl.5 fig.6. Type ♂: [Turkmenistan]: "Kisil-Arwat". Range (in code): IR Elb Kdj Th Ha Fa Com TM Kp K-A IQ Hjo Er TR PK Swa Kkar SdS
- 71780. Aenigmodes pentascia (Meyrick,1936)** (Pyrilidae) Synonym(s): *pentascia* Meyrick,1936
Range (in code): VE
- 71781. Aeschremon belutschistanalis Amsel,1959** (Pyrilidae) Synonym(s): *belutschistanalis* Amsel,1959 Range (in code): IR Ss Irs
- 71782. Aeschremon conchylialis (Christoph,1872)** (Pyrilidae) Synonym(s): *conchylialis* Christoph,1872 Range (in code): RU
- 71783. Aeschremon desertalis Asselbergs,2008** (Pyrilidae) Synonym(s): *desertalis* Asselbergs,2008 Range (in code): AE
- 71784. Aeschremon disparalis Herrich-Schäffer,[1855]** (Pyrilidae) Synonym(s): *disparalis* Herrich-Schäffer,[1855]; #*indistinctalis* Amsel,1961 Range (in code): DZ Cst YU GR TR SY IQ Bgd IR Elb Th Kdj Srd Kdv Gor Ss Chh Fa Shr Irs Mkr Cc GG Tbl Kir AZ Nv Ord Lag Bak AF Ca Hr Anh Arh KK Ik IN Bionomy: Larva on Capparis (Wiltshire,1957).
- 71785. Aeschremon kabylalis (Rebel,1902)** (Pyrilidae) Synonym(s): *kabylalis* Rebel,1902; *nigronaevalis* Mabille,1906 Original Reference: *Tegostoma kabylalis* Rebel,1902, Dt. ent. Z., Iris 15 (1): 107-108. Syntypes ♂♀: Algeria, Biskra. Range (in code): DZ Bsk Orn TN Gf
- 71786. Aeschremon ochrealis Asselbergs,2008** (Pyrilidae) Synonym(s): *ochrealis* Asselbergs,2008 Range (in code): AE
- 71787. Aeschremon similis Asselbergs,2008** (Pyrilidae) Synonym(s): *similis* Asselbergs,2008 Range (in code): AE
- 71788. Aeschremon tenalis Amsel,1961** (Pyrilidae) Synonym(s): *tenalis* Amsel,1961 Range (in code): IR Ss Chh
- 71789. Aethaloessa calidalis (Guenée,1854)** (Pyrilidae) Synonym(s): *calidalis* Guenée,1854; *octavialis* Walker,1859; *fulvidalis* Wallengren,1860; *secutalis* Walker,[1866]; *witalis* R.Felder & Rogenhofer,1875; *aurantiaca* Hampson,1912 Original Reference: *Glyphodes calidalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 294. Type(s): "Cote de Coromandel". Neotype ♂:"Indes.Orient" (MNHN), designated by Whalley,1961. Range (in code): TH CMa Cu01 Cu07 PH Luz IN LK SC MY SG MM TW ID Ja Sum Bor Amb Aru Clb Bli Crm WS PG NBr Nlr SB AU QAU NSW PF
- 71790. Aethaloessa calidalis calidalis (Guenée,1854)** (Pyrilidae) Synonym(s): *calidalis* Guenée,1854; *octavialis* Walker,1859; *fulvidalis* Wallengren,1860; *secutalis* Walker,[1866]; *witalis* R.Felder & Rogenhofer,1875; *aurantiaca* Hampson,1912 Original Reference: *Glyphodes calidalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 294. Type(s): "Cote de Coromandel". Neotype ♂:"Indes.Orient" (MNHN), designated by Whalley,1961. Range (in code): IN LK SC
- 71791. Aethaloessa calidalis tiphalis (Walker,1859)** (Pyrilidae) Synonym(s): *tiphalis* Walker,1859; *fulvidalis* Wallengren,1860; *witalis* R.Felder & Rogenhofer,1874; *aurantiaca* Hampson,1912 Original Reference: *Syngamia tiphalis* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 17: 335. Type ♂: [Indonesia]: Celebes. Range (in code): TH CMa Cu01 Cu07 SG MY MM TW ID Ja Sum Bor Clb Amb Aru Bli Crm WS PG NBr Nlr SB PH Luz AU QAU NSW PF
- 71792. Aethaloessa floralis (Zeller,1852)** (Pyrilidae) Synonym(s): *floralis* Zeller,1852; *merionealis* Walker,1859. Original Reference: *Stenia floralis* Zeller,1852, K. svenska Vetensk. Akad. Handl. 1852: 60-61. Type ♀: [South Africa]: Natal. Range (in code): ZA Nta Kzu AO KE UG CM SL NG GH ZR MG
- 71793. Aethaloessa rufula Whalley,1961** (Pyrilidae) Synonym(s): *rufula* Whalley,1961 Original Reference: *Aethaloessa rufula* Whalley,1961, Bull. Br. Mus. (nat. Hist.) Ent. 10(3): 107, figs. Type ♂: Solomon Islands: N.Bougainville: Arawa. Range (in code): SB Hon Rs PG Bgv Dmp Adl Wd Wit NHa ID Clb Amb NH
- 71794. Aethiophysa acutipennis Munroe,1964** (Pyrilidae) Synonym(s): *acutipennis* Munroe,1964 Range (in code): BR
- 71795. Aethiophysa consimilis Munroe,1964** (Pyrilidae) Synonym(s): *consimilis* Munroe,1964 Range (in code): US
- 71796. Aethiophysa crambidalis (Snellen,1887)** (Pyrilidae) Synonym(s): *crambidalis* Snellen,1887 Range (in code):

- 71797. Aethiophysa delicata** Munroe,1964 (Pyralidae) Synonym(s): *delicata* Munroe,1964
Range (in code): US FI
- 71798. Aethiophysa dichordalis** (Hampson,1912) (Pyralidae) Synonym(s): *dichordalis* Hampson,1912 Range (in code): SR
- 71799. Aethiophysa dimotalis** (Walker,[1866]) (Pyralidae) Synonym(s): *dimotalis* Walker,[1866] Range (in code): HN
- 71800. Aethiophysa dualis** (Barnes & McDunnough,1914) (Pyralidae) Synonym(s): *dualis* Barnes & McDunnough,1914 Range (in code): US Tx
- 71801. Aethiophysa falcatalis** (Hampson,1895) (Pyralidae) Synonym(s): *falcatalis* Hampson,1895 Range (in code): GD
- 71802. Aethiophysa invisalis** (Guenée,1854) (Pyralidae) Synonym(s): *invisalis* Guenée,1854; *lentiflualis* Zeller,1872 Range (in code): US Tx GF
- 71803. Aethiophysa savoralis** (Schaus,1920) (Pyralidae) Synonym(s): *savoralis* Schaus,1920
Range (in code): CU
- 71804. Aethiophysa surinamensis** Munroe,1964 (Pyralidae) Synonym(s): *surinamensis* Munroe,1964 Range (in code): SR
- 71805. Aetholix flavibasalis** (Guenée,1854) (Pyralidae) Synonym(s): *flavibasalis* Guenée,1854; *cingalesa* Hampson,1893 Range (in code): AU TH
- 71806. Afromyelois communis** Balinsky,1991 (Pyralidae) Synonym(s): *communis* Balinsky,1991
Range (in code):
- 71807. Afromyelois communis communis** Balinsky,1991 (Pyralidae) Synonym(s): *communis* Balinsky,1991 Range (in code):
- 71808. Afromylea natalica** Balinsky,1994 (Pyralidae) Synonym(s): *natalica* Balinsky,1994
Range (in code): ZA Nta Kzu Nkw
- 71809. Afromylea natalica natalica** Balinsky,1994 (Pyralidae) Synonym(s): *natalica* Balinsky,1994 Range (in code): ZA Nta Kzu Nkw
- 71810. Afropsipyla pictella** Balinsky,1994 (Pyralidae) Synonym(s): *pictella* Balinsky,1994
Range (in code): NA Abc
- 71811. Afropsipyla pictella pictella** Balinsky,1994 (Pyralidae) Synonym(s): *pictella* Balinsky,1994 Range (in code): NA Abc
- 71812. Afropsipyla similis** Balinsky,1994 (Pyralidae) Synonym(s): *similis* Balinsky,1994
Range (in code): ZA Tva Gau Jh
- 71813. Afropsipyla similis similis** Balinsky,1994 (Pyralidae) Synonym(s): *similis* Balinsky,1994
Range (in code): ZA Tva Gau Jh
- 71814. Afroscoparia australis** Nuss,2003 (Pyralidae) Synonym(s): *australis* Nuss,2003
Range (in code): ZA Tva Lpo LS
- 71815. Afroscoparia contemptalis** (Walker,[1866]) (Pyralidae) Synonym(s): *contemptalis* Walker,[1866] Original Reference: Scoparia contemptalis Walker,[1866], List Specimens lepid. Insects Colln Br. Mus. 34 (Suppl.4): 1499-1500. Type ♂: [South Africa]: Cape (BMNH). Range (in code): ZA Cto Wca
- 71816. Agassiziella albidivisa** (W.Warren,1896) (Pyralidae) Synonym(s): *albidivisa* W.Warren,1896 Range (in code): IN Ass Meg Khs TH CMa Fn Nna Kao Knc Cbi Pgg TW
- 71817. Agassiziella angulipennis** (Hampson,1891) (Pyralidae) Synonym(s): *angulipennis* Hampson,1891; *angulipenne* Hampson,1896 Original Reference: Oligostigma angulipennis Hampson,1891, Ill. Het. 8: 139, pl.155 fig.6. Range (in code): IN NI TH Knc Rng LK GB
- 71818. Agassiziella fuscifusale** (Hampson,1893) (Pyralidae) Synonym(s): *fuscifusale* Hampson,1893 Original Reference: Oligostigma fuscifusale Hampson,1893, Ill. typ. Spec. Het. Br. Mus. 9: 117, pl.174 fig.28. Type ♀: [Sri Lanka]: Ceylon Range (in code): LK IN Ass TH Cbi
- 71819. Agassiziella picalis** (Guenée,1854) (Pyralidae) Synonym(s): *picalis* Guenée,1854; *picalis* Hampson,1893 Range (in code): TH Nna Kao Knc LK IN
- 71820. Agastophanes zophoxysta** Turner,1937 (Pyralidae) Synonym(s): *zophoxysta* Turner,1937
Range (in code): AU QAU KY
- 71821. Agathodes bibundalis** Strand,1913 (Pyralidae) Synonym(s): *bibundalis* Strand,1913
Range (in code): CM
- 71822. Agathodes caliginosalis** Snellen,1895 (Pyralidae) Synonym(s): *caliginosalis* Snellen,1895
Range (in code): ID Ja TH CMa Cuo Cuo9

- 71823. *Agathodes dufayi* Rougeot, 1977** (Pyralidae) Synonym(s): *dufayi* Rougeot, 1977 _ Range (in code): ET
- 71824. *Agathodes incoloralis* (Hampson, 1918)** (Pyralidae) Synonym(s): *incoloralis* Hampson, 1918 _ Range (in code): ZM KE
- 71825. *Agathodes isabella* Viette, 1989** (Pyralidae) Synonym(s): *isabella* Viette, 1989 _ Range (in code): MG
- 71826. *Agathodes minimalis* Hampson, 1912** (Pyralidae) Synonym(s): *minimalis* Hampson, 1912 _ Range (in code): NG
- 71827. *Agathodes modicalis* Guenée, 1854** (Pyralidae) Synonym(s): *modicalis* Guenée, 1854; *integralis* Walker, 1865 _ Range (in code): ZA ID Ja
- 71828. *Agathodes musivalis* Guenée, 1854** (Pyralidae) Synonym(s): *musivalis* Guenée, 1854; *chrysalis* Hampson, 1908 _ Range (in code): ZA Tva Lpo Spb ZW ZM UG SO MZ MU MW MG RE KE ZR KM
- 71829. *Agathodes ostentalis* (Geyer, 1838)** (Pyralidae) Synonym(s): *ostentalis* Geyer, 1838 _ Range (in code): PH Luz Ceb Mno IN LK MM Adm Sum Ja Shw ID Clb Crm PG QAU AU CN TW TH ZA ZR KM
- 71830. *Agathodes paliscia* Turner, 1908** (Pyralidae) Synonym(s): *paliscia* Turner, 1908 _ Range (in code): AU
- 71831. *Agathodes rebeli* Tams, 1935** (Pyralidae) Synonym(s): *rebeli* Tams, 1935 _ Range (in code): WS FJ
- 71832. *Agathodes thomensis* Castel-Branco, 1973** (Pyralidae) Synonym(s): *thomensis* Castel-Branco, 1973 _ Range (in code): ST
- 71833. *Agdistopsis sinhala* (T.B.Fletcher, 1909)** (Pyralidae) Synonym(s): *sinhala* T.B.Fletcher, 1909 _ Original Reference: Agdistis sinhala Fletcher, 1909, Spolia Zeylanica 6(21): 8. Range (in code): LK SG TW
- 71834. *Aglossa aglossalis* (Ragonot, 1892)** (Pyralidae) Synonym(s): *aglossalis* Ragonot, 1892; *exigualis* Chrétien, 1911; *africana* Rothschild, 1921; *latidorsalis* Turati, 1929; *exsculpta* Meyrick, 1937 _ Range (in code): MR DZ Omy TN Gf LY Cy IQ Mos IR Ss Chh Irs Fa Ana Ke OM KW PK Sd Krc YE Ad SA AE NE
- 71835. *Aglossa asiatica* Erschoff, 1871** (Pyralidae) Synonym(s): *asiatica* Erschoff, 1871; *abdidalis* Christoph, 1873; *maceralis* Chrétien, 1891; *indistincta* Corbet & Tams, 1943 _ Original Reference: Aglossa pinguinalis asiatica Erschoff, 1871, Horae Soc. ent. ross. 8: 317. Range (in code): TR LB EG Cr IR Elb Th Kdj Ha Adv Fa Shr Sse IL Hf Pa CY AF PK UZ Smk
- 71836. *Aglossa brabanti* Ragonot, 1884** (Pyralidae) Synonym(s): *brabanti* Ragonot, 1884 _ Original Reference: Aglossa brabanti Ragonot, 1884, Annls Soc. ent. Fr. 1884 (Bull.): v-vi. Type ♂: France, Aubenas, près Reillanne (Basses-Alpes) (leg.E.Brabant). Range (in code): DZ Eba Afl PT Py ES Mu FR Bss
- 71837. *Aglossa caprealis* (Hübner, [1809])** (Pyralidae) Synonym(s): *caprealis* Hübner, [1809]; *capreolatus* Haworth, 1809; *#cuprealis* Hübner, [1825]; *aenalis* Costa, 1836; *domalis* Guenée, 1854; *incultella* Walker, 1866; *enthealis* Hulst, 1886 _ Original Reference: Pyralis caprealis Hübner, [1809], Samml. eur. Schmett. 6, Pyralides: Tab. 23 fig. 153 Type(s): Europa. Range (in code): MA Az Md DZ Agi Clo Omy PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ HU RO YU AL BG GR CY TR EG IL Pa Hf IR Elb Th Kdj Fa Com LB Cc GG Bjo Kir AZ Nv Ord CN AU _ Bionomy: Larva on stored cereals, grass-seeds, dried vegetable, animal refuse (Parenti, 2000).
- 71838. *Aglossa capsalis* (Chrétien, 1911)** (Pyralidae) Synonym(s): *capsalis* Chrétien, 1911 _ Range (in code): TN Gf
- 71839. *Aglossa dimidiata* (Haworth, 1809)** (Pyralidae) Synonym(s): *dimidiata* Haworth, 1809 _ Range (in code): DZ Ges GB IN MM CN KP RU Sb JP TW VN
- 71840. *Aglossa exsucealis* Lederer, 1863** (Pyralidae) Synonym(s): *exsucealis* Lederer, 1863; *ommatalis* Hampson, 1906 _ Original Reference: Aglossa exsucealis Lederer, 1863, Wien. ent. Monatschr. 1863: 341, pl. 7 fig. 10. Type: Beirut (ZMB). Range (in code): LB Bei CY
- 71841. *Aglossa ferrealis* Hampson, 1906** (Pyralidae) Synonym(s): *ferrealis* Hampson, 1906 _ Range (in code): ZA
- 71842. *Aglossa formosa* Butler, 1875** (Pyralidae) Synonym(s): *formosa* Butler, 1875 _ Range (in code): ZA
- 71843. *Aglossa fuliginosalis* (Zerny, 1927)** (Pyralidae) Synonym(s): *fuliginosalis* Zerny, 1927 _ Range (in code): ES FR
- 71844. *Aglossa gracilalis* Rebel, 1914** (Pyralidae) Synonym(s): *gracilalis* Rebel, 1914 _ TN EG

- 71845. *Aglossa inconspicua* Butler,1875** (Pyralidae) Synonym(s): *inconspicua* Butler,1875
Range (in code): **ZA**
- 71846. *Aglossa incultalis* Zeller,1852** (Pyralidae) Synonym(s): *incultalis* Zeller,1852 - Range (in code): **ZA**
- 71847. *Aglossa infuscalis* Hampson,1906** (Pyralidae) Synonym(s): *infuscalis* Hampson,1906
Range (in code): **ZA**
- 71848. *Aglossa oblitalis* Turati,1930** (Pyralidae) Synonym(s): *oblitalis* Turati,1930 - Range (in code): **LY Cy**
- 71849. *Aglossa ocellaris* Lederer,1863** (Pyralidae) Synonym(s): *ocellaris* Lederer,1863; *ocelliferalis* Hampson,1906; *circozyga* Meyrick,1937 - Range (in code): **ZR UG**
- 71850. *Aglossa phaealis* Hampson,1906** (Pyralidae) Synonym(s): *phaealis* Hampson,1906
Range (in code): **ZA**
- 71851. *Aglossa pinguinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinguinalis* Linnaeus,1758; *marmorella* Geoffroy,1785; *marmoratella* Villers,1789; *pinguiculatus* Haworth,1809; *pinguinatus* Haworth,1809; *rubralis* Hampson,1900; *guicciardii* Constantino,1922; *sanaensis* Rebel,1930; *maroccana* Schmidt,1934
Original Reference: *Phalaena pinguinalis* Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 224). Range (in code): **MA DZ Onç Gha Gea Ges PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR AF Hr DK NO SE FI EE LV LT RU MD UA BY IR Ab Oru EG CY IQ Bgd IL JO LB YE Sna Ax KK Na AF Ca UZ Smk PK BI Qu Mre Haz IN CN AU** Bionomy: Larva on cereal refuse, dried seeds, dried vegetable, animal dung (Parenti,2000).
- 71852. *Aglossa pulveralis* (Hampson,1900)** (Pyralidae) Synonym(s): *pulveralis* Hampson,1900; *tenebrosalis* Rothschild,1915 - Range (in code): **DZ Onç Bsk**
- 71853. *Aglossa rabatalis* (Joannis,1923)** (Pyralidae) Synonym(s): *rabatalis* Joannis,1923; *atlassica* Schmidt,1934; *ifniensis* Schmidt,1934 Original Reference: *Agriope rabatalis* Joannis,1923, Bull. Soc. ent. Fr. 1922: 306-307, fig. Type ♂: Maroc, Rabat (A.Théry). Range (in code): **MA Rbt TN DZ Agi**
- 71854. *Aglossa rhodalis* Hampson,1906** (Pyralidae) Synonym(s): *rhodalis* Hampson,1906; *rubrovittata* Grünberg,1910 Original Reference: *Aglossa rhodalis* Hampson,1906, Ann. Mag. nat. Hist. (7) 17): 218. Type: [South Africa]: Cape colony. Range (in code): **DZ Idl Eal Onç ZA NA**
- 71855. *Aglossa rubralis* Hampson,1900** (Pyralidae) Synonym(s): *rubralis* Hampson,1900; *lateritalis* Turati,1921; *lividalis* Turati,1921 - Range (in code): **DZ Agi Tou Ogl Hga Abe Ajj Gle Omy Bsk TN Gf IL Pa LY Cy**
- 71856. *Aglossa signicostalis* Staudinger,1871** (Pyralidae) Synonym(s): *signicostalis* Staudinger,1871; *arcuatalis* Zerny,1914; *nigripennis* Turati,1919 - Range (in code): **IT HU RO MK BG SK GR LB Bsa IL Pa Hf TR**
- 71857. *Aglossa steralis* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *steralis* R.Felder & Rogenhofer,1875 - Range (in code): **ZA**
- 71858. *Aglossa subpurpuralis* (Chrétien,1915)** (Pyralidae) Synonym(s): *subpurpuralis* Chrétien,1915 Original Reference: *Agriope (Aglossa) subpurpuralis* Chrétien,1915, Annls Soc. ent. Fr. 84: 291-292. Type ♀: Tunisia, Gafsa. Range (in code): **TN Gf MA Agd**
- 71859. *Aglossa suppunctalis* De Joannis,1927** (Pyralidae) Synonym(s): *suppunctalis* De Joannis,1927 - Range (in code): **ZA MZ**
- 71860. *Aglossa tanya* Corbet & Tams,1943** (Pyralidae) Synonym(s): *tanya* Corbet & Tams,1943
Range (in code): **PK Mre**
- 71861. *Aglossa thamii* Leraut,2003** (Pyralidae) Synonym(s): *thamii* Leraut,2003 - Range (in code): **MA**
- 71862. *Aglossa thermochroa* Hampson,1916** (Pyralidae) Synonym(s): *thermochroa* Hampson,1916 - Range (in code): **ZA**
- 71863. *Aglossa tinealis* Leraut,2007** (Pyralidae) Synonym(s): *tinealis* Leraut,2007 - Range (in code): **NA**
- 71864. *Aglossodes aurora* (Fawcett,1916)** (Pyralidae) Synonym(s): *aurora* Fawcett,1916
Range (in code): **MW**
- 71865. *Aglossodes prionophoralis* Ragonot,1891** (Pyralidae) Synonym(s): *prionophoralis* Ragonot,1891; *natalensis* Janse,1922 - Range (in code): **ZA**
- 71866. *Agrioglypta deliciosa* Walker,1859** (Pyralidae) Synonym(s): *deliciosa* Walker,1859
Range (in code): **AU**
- 71867. *Agrioglypta eurytusalis* (Walker,1859)** (Pyralidae) Synonym(s): *eurytusalis* Walker,1859; *opalalis* Hampson,1891; *episcopalalis* Meyrick,1938 - Range (in code): **AU**

- 71868. *Agrioglypta excelsalis* (Walker,[1866])** (Pyrilidae) Synonym(s): *excelsalis* Walker,[1866]
Range (in code): **PH Luz Sum Nia Bor Clb PG SB AU ID**
- 71869. *Agrioglypta itysalis* (Walker,1859)** (Pyrilidae) Synonym(s): *itysalis* Walker,1859;
piepersialis Snellen,[1880]; *malayana* Butler,1880 - Range (in code): **MY TW PH Boh Ceb IN LK MM**
Prk Sum Adm Nk Ja Bor ID TW Sgr PG QAU AU
- 71870. *Agrioglypta zelimalis* (Walker,1859)** (Pyrilidae) Synonym(s): *zelimalis* Walker,1859;
nyctalis Snellen,[1880] - Range (in code): **AU**
- 71871. *Agriphila aeneociliella* (Eversmann,1844)** (Pyrilidae) Synonym(s): *aeneociliella*
Eversmann,1844; *quadridellus* Lederer,1853; *bivittellus* Wileman,1911; *trifidalis* Wileman,1911 - Range (in code): **PL RO DK LV LT RU Sb Ur MD UA BY JP Hkk CN Mc KP KR**
- 71872. *Agriphila argentistrigella* (Ragonot,1888)** (Pyrilidae) Synonym(s): *argentistrigella*
Ragonot,1888; *lybistridellus* Turati,1924; *nebrodellus* Zerny,1914; *monica* Bleszynski,1956; *bipunctellus*
Lucas,1956. - Range (in code): **MA DZ LY Cy ES FR Si**
- 71873. *Agriphila argentistrigella argentistrigella* (Ragonot,1888)** (Pyrilidae) Synonym(s):
argentistrigella Ragonot,1888; *lybistridellus* Turati,1924; *nebrodellus* Zerny,1914; *monica* Bleszynski,1956;
bipunctellus Lucas,1956. - Range (in code): **MA DZ LY Cy Si**
- 71874. *Agriphila argentistrigella osseella* (Hampson,1900)** (Pyrilidae) Synonym(s):
osseella Hampson,1900 - Range (in code): **ES FR**
- 71875. *Agriphila atlantica* (Wollaston,1858)** (Pyrilidae) Synonym(s): *atlantica* Wollaston,1858
Range (in code): **Md**
- 71876. *Agriphila biarmica* (Tengström,1865)** (Pyrilidae) Synonym(s): *biarmica* Tengström,1865;
illatella Fuchs,1902; *alpina* Bleszynski,1957. - Range (in code): **IT CH AT NO SE FI EE LV RU BY CA**
- 71877. *Agriphila bleszynskiella* Amsel,1961** (Pyrilidae) Synonym(s): *bleszynskiella* Amsel,1961
Original Reference: *Agriphila bleszynskiella* Amsel,1961, Ark. Zool. (2) 13: 326, figs., Taf.1 fig.137.
Holotype ♂: Iran: Pir-i-Zan, 7000ft. Range (in code): **IR Fa TR AF Srb**
- 71878. *Agriphila brionella* (Zerny,1914)** (Pyrilidae) Synonym(s): *brioniella* Zerny,1914;
#subbrioniella Amsel,1959. Original Reference: *Crambus brioniellus* Zerny,1914, Annln naturh.
Mus. Wien 28: 298, Taf.xxv figs.4,5. Lectotype ♂: Brioni grande, Istrien (NHMW). Range (in code): **FR Sa Si IT SK HU RO YU AL BG Cr CY TR RU MD UA Cm IQ SY LB Bei**
- 71879. *Agriphila cyrenaicella* (Ragonot,1887)** (Pyrilidae) Synonym(s): *cyrenaicella*
Ragonot,1887; *alexandriensis* Bethune-Baker,1894; *permixtellus* Kalchberg,1897. - Range (in code): **TN LY**
Cy ES Sa Si GR Cr IQ Mos IR JO IL Hf Pa EG EG EG05
- 71880. *Agriphila dalmatinella* (Hampson,1900)** (Pyrilidae) Synonym(s): *dalmatinella*
Hampson,1900 Original Reference: *Crambus dalmatinellus* Hampson,1900, Trans. ent. Soc.
Lond. 1900: 369-370. Lectotype ♂: Dalmatia: Lissa (coll. Staudinger). Range (in code): **IT HV B-H**
BG GR Cc GG Lag
- 71881. *Agriphila deliella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *deliella* Hübner,[1813]; *delialis*
Hübner,[1825] Original Reference: *Tinea deliella* Hübner,[1813], Samml. eur. Schmett. Tineae:
Taf.60 figs.402, 403. Syntypes: [Europa]. Range (in code): **DZ Lbs PT ES FR Sa Si IT BE NL DE CH**
AT PL CZ SK HU RO YU BG DK SE EE LV LT RU MD UA BY TR AF
- 71882. *Agriphila deliella asiatica* Bleszynski,1965** (Pyrilidae) Synonym(s): *#asiatica*
Caradja,1910; *asiatica* Bleszynski,1965. - Range (in code): **AF**
- 71883. *Agriphila deliella deliella* (Hübner,[1813])** (Pyrilidae) Synonym(s): *deliella*
Hübner,[1813]; *delialis* Hübner,[1825] Original Reference: *Tinea deliella* Hübner,[1813], Samml.
eur. Schmett. Tineae: Taf.60 figs.402, 403. Syntypes: [Europa]. Range (in code): **FR Sa Si IT BE**
NL DE CH AT PL CZ SK HU RO YU BG DK SE EE LV LT RU MD UA BY TR
- 71884. *Agriphila deliella hispanodeliella* Bleszynski,1959** (Pyrilidae) Synonym(s):
hispanodeliella Bleszynski,1959 - Range (in code): **PT ES**
- 71885. *Agriphila geniculea* (Haworth,[1811])** (Pyrilidae) Synonym(s): *geniculea* Haworth,[1811];
imistella Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839. Original Reference:
Palparia geniculea Haworth,[1811], Lep. Brit.: 489. Type ♂: England. Range (in code): **DZ Lbs PT**
ES An Grn Snv FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE RU MD UA
BY TR JO IL Pa Hf LB
- 71886. *Agriphila geniculea andalusiella* (Caradja,1910)** (Pyrilidae) Synonym(s): *andalusiella*
Caradja,1910 - Range (in code): **PT ES An Grn Snv FR IT DZ Lbs**
- 71887. *Agriphila geniculea geniculea* (Haworth,[1811])** (Pyrilidae) Synonym(s): *geniculea*
Haworth,[1811]; *imistella* Hübner,[1813]; *angulatellus* Duponchel,1836; *suspectellus* Zeller,1839. Original
Reference: *Palparia geniculea* Haworth,[1811], Lep. Brit.: 489. Type ♂: England. Range (in code):
Co Sa Si IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE RU MD UA BY TR JO IL LB

- 71888. *Agriphila hungarica* (Schmidt,1909)** (Pyralidae) Synonym(s): *hungarica* Schmidt,1909
Range (in code): AT SK HU RO
- 71889. *Agriphila himalayensis* Ganey,1984** (Pyralidae) Synonym(s): *himalayensis* Ganey,1984
Range (in code): PK Haz Nar IN
- 71890. *Agriphila impurella* (Hampson,1896)** (Pyralidae) Synonym(s): *impurella* Hampson,1896
Range (in code): AF Ch IN Kgr Hp
- 71891. *Agriphila indivisella* (Turati & Zanon,1922)** (Pyralidae) Synonym(s): *indivisella* Turati & Zanon,1922 - Range (in code): LY Cy
- 71892. *Agriphila inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. Original Reference: *Tinea inquinatella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): DZ Eba PT ES An Snv FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Tt MD UA BY IR JO IL Pa Hf Bionomy: Larva on Festuca, Poa (Poaceae), *Barbula muralis* (Bryaceae) (Parenti,2000).
- 71893. *Agriphila inquinatella elbursella* (Zerny,1939)** (Pyralidae) Synonym(s): *elbursellus* Zerny,1939 Original Reference: *Crambus elbursellus* Zerny,1939, Z. öst. EntVer. 24: 131, Taf.11 f.1. Holotype ♂: [Iran]: Pelur 2000m. Range (in code): IR Plr Elb
- 71894. *Agriphila inquinatella inquinatella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *inquinatella* [Denis & Schiffermüller],1775; ? *arbustella* Schrank,1802; *nevadensis* Caradja,1910. Original Reference: *Tinea inquinatella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): DZ Eba PT ES An Snv FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK NO SE FI EE LV LT RU Tt MD UA BY JO IL Pa Hf
- 71895. *Agriphila latistria* (Haworth,[1811])** (Pyralidae) Synonym(s): *latistria* Haworth,[1811]; *gueneellus* Duponchel,1836; *monotaeniellus* Herrich-Schäffer,[1852]; *vectifer* Zeller,1863; *vallicolella* Costa,1885. Original Reference: *Palparia latistria* Haworth,[1811], Lep. Br.: 485. Type ♂: England. Range (in code): DZ Lbs PT ES FR Co Sa Si IT GB BE NL DE YU BG GR Cr DK NO SE RU MD UA BY TR IQ
- 71896. *Agriphila melike* Kemal & Koçak,2004** (Pyralidae) Synonym(s): *asiatica* Ganey & Hacker,1984 nec Carad.,1910; *melike* Kemal & Koçak,2004 Original Reference: *Agriphila melike* Kemal & Koçak,2004, Cent. ent. Stud., Misc. Pap. 88/89: 15 (nomen novum pro *Agriphila asiatica* Ganey & Hacker,1984 (Nota lepid. 7 (3): 238-240, figs. Holotype ♂: Türkiye: Adana: Feke, 1100m) nec Bleszynski,1965. Range (in code): TR
- 71897. *Agriphila microselasella* Bleszynski,1959** (Pyralidae) Synonym(s): *microselasella* Bleszynski,1959 Original Reference: *Agriphila microselasella* Bleszynski,1959, Beitr. naturk. Forsch. SWDtl. 18: 112, fig.7 Taf.3 figs.1,2. Holotype ♂: Iran: Hamadan: Sultanabad. Range (in code): IR Ha Elb Kdj Th Nss
- 71898. *Agriphila paleatella* (Zeller,1847)** (Pyralidae) Synonym(s): *paleatellus* Zeller,1847 Original Reference: *Crambus paleatellus* Zeller,1847, Isis 1847: 754. Type ♂: [Turkey]: Kleinasien: Smyrna [=Izmir]. Range (in code): Co? Si B-H GR TR GG Cc
- 71899. *Agriphila poliella* (Treitschke,1832)** (Pyralidae) Synonym(s): *poliella* Treitschke,1832; *amseli* Ganey & Hacker,1984 - Range (in code): FR Sa Si GB DE AT PL CZ SK HU RO BG TR DK SE FI EE LV LT RU Ur Tt Sr Mnu Kj Da Cc MD UA Cm BY KG
- 71900. *Agriphila reisseri* Bleszynski,1965** (Pyralidae) Synonym(s): *reisseri* Bleszynski,1965 Range (in code): Cr
- 71901. *Agriphila satakei* Okano,1962** (Pyralidae) Synonym(s): *satakei* Okano,1962 - Range (in code): JP Hkk
- 71902. *Agriphila selasella* (Hübner,[1813])** (Pyralidae) Synonym(s): *selasella* Hübner,[1813]; *obtusellus* Stephens,1834 - Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU Kj Mnu MD UA BY KG Bionomy: Larva on Festuca, Glyceria, Hordeum, Poa, Puccinella (Poaceae) (Parenti,2000).
- 71903. *Agriphila straminella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *straminella* [Denis & Schiffermüller],1775 *marginella* Stephens,1834. Original Reference: *Tinea straminella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT

- RU Tt Ur Am Cc AM MD UA BY KG Tk Dj CA** Bionomy: Larva on Festuca, Poa (Poaceae), *Barbula muralis* [Pottiaceae, Bryophyta] (Parenti,2000).
- 71904. Agriphila tersella (Lederer,1855)** (Pyralidae) Synonym(s): *tersellus* Lederer,1855; *graphellus* Constant,1884; *hungaricus* Schmidt,1909; *austellus* Chrétien,1913; *uniformellus* Caradja,1918; *chneouri* Lucas,1942. Original Reference: *Crambus tersellus* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 220, Taf.4 fig.6. Type ♂: Libanon: Beirut. Range (in code): **Cn MA TN DZ Bsk Anna PT ES FR Sa Si IT YU BG GR RO HU AT IL Pa Hf LB Bei IR IQ TR TM Kp Cc GG AM AZ**
- 71905. Agriphila tolli (Bleszynski,1952)** (Pyralidae) Synonym(s): *tollis* Bleszynski,1952 Original Reference: *Crambus tolli* Bleszynski,1952, Z. Wien. ent. Ges. 37: 149, Taf.16 figs.2,5. Holotype ♂: Dalmatien: Ragusa. Range (in code): **Co Si IT AT CZ SK HU RO YU HV AL BG GR Cr CY TR SY IQ Mos Shq IR RU MD UA Cm** Bionomy: Larva on Poaceae (Parenti,2000).
- 71906. Agriphila tolli beieri Bleszynski,1955** (Pyralidae) Synonym(s): *beieri* Bleszynski,1955; *#beyeri* Amsel,1961 Original Reference: *Agriphila dalmatinella* ssp. *beieri* Bleszynski,1955, Z. Wien. ent. Ges. 40: 294, figs.4-6. Holotype ♂: Iraq: Mosul. Range (in code): **IQ Mos Shq Cr CY TR IR Th Kdj UZ Smk**
- 71907. Agriphila trabeatella (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *trabeatellus* Herrich-Schäffer,[1848]; *divisellus* Joannis,1888. Original Reference: *Crambus trabeatellus* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4:57; 5: Taf.22 fig.158. Type ♀: [Italia]: Sizilien. Range (in code): **Cn DZ LY Cy PT ES FR Co Sa Si IT MT GR Cr TR LB Bei**
- 71908. Agriphila trabeatella canariensis (Rebel,1892)** (Pyralidae) Synonym(s): *canariensis* Rebel,1892 Range (in code): **Cn**
- 71909. Agriphila trabeatella trabeatella (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *trabeatellus* Herrich-Schäffer,[1848]; *divisellus* Joannis,1888. Original Reference: *Crambus trabeatellus* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4:57; 5: Taf.22 fig.158. Type ♀: [Italia]: Sizilien. Range (in code): **DZ LY Cy PT ES FR Co Sa Si IT MT GR Cr TR LB Bei**
- 71910. Agriphila tristella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinnella* Schrank,1802; *fuscinnellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919. Original Reference: *Tinea tristella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **PT ES An Grn Mu FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc TM DK NO SE FI EE LV LT RU Tt Ur Kj Mnu MD UA BY IN PK Pj KG Tk Dj** Bionomy: Larva on Deschampsia, Poa (Poaceae) (Parenti,2000).
- 71911. Agriphila tristella pseudotristella (Zerny,1943)** (Pyralidae) Synonym(s): *pseudotristella* Zerny,1943 Range (in code): **Si**
- 71912. Agriphila tristella tristella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tristella* [Denis & Schiffermüller],1775; *ferruginella* Thunberg,1788; *paleella* Hübner,1796; *aquilella* Hübner,1796; *moerens* Fabricius,1798; *fuscinnella* Schrank,1802; *fuscinnellus* Stephens,1834; *ribbeellus* Caradja,1910; *discistrigatus* Hampson,1919. Original Reference: *Tinea tristella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district. Range (in code): **PT ES An Grn Mu FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc TM DK NO SE FI EE LV LT RU Tt Ur Kj Mnu MD UA BY IN PK Pj KG Tk Dj**
- 71913. Agriphila vasilevi Ganey,1983** (Pyralidae) Synonym(s): *vasilevi* Ganey,1983 Range (in code): **BG**
- 71914. Agriphiloides longipalpellus Bleszynski,1965** (Pyralidae) Synonym(s): *longipalpellus* Bleszynski,1965 Original Reference: *Agriphiloides longipalpellus* Bleszynski,1965, Microlepid. Palaearct. 1: 400, Taf., figs. Holotype ♂: [Türkei]: Syrien, Akbes [Antakya Pr.]. Range (in code): **TR**
- 71915. Agrotera amathealis (Walker,1859)** (Pyralidae) Synonym(s): *amathealis* Walker,1859; *ornatalis* Walker,[1866] Range (in code): **AU**
- 71916. Agrotera basinotata Hampson,1891** (Pyralidae) Synonym(s): *basinotata* Hampson,1891 Range (in code): **IN TW AU TH CMa Qs Cuo Cuo7 CDo CD2 Pap Mro**
- 71917. Agrotera citrina Hampson,1898** (Pyralidae) Synonym(s): *citrina* Hampson,1898 Range (in code): **ZA**
- 71918. Agrotera discinotata Swinhoe,1894** (Pyralidae) Synonym(s): *discinotata* Swinhoe,1894 Range (in code): **IN TW**
- 71919. Agrotera effertalis Walker,1859** (Pyralidae) Synonym(s): *effertalis* Walker,1859 Range (in code): **PH Luz LK MM MY Bor Clb Amb ID AU QAU**

- 71920. *Agrotera fumosa* Hampson,1898** (Pyralidae) Synonym(s): *fumosa* Hampson,1898
Range (in code): **ZA**
- 71921. *Agrotera glycyphanes* Turner,1913** (Pyralidae) Synonym(s): *glycyphanes* Turner,1913
Range (in code): **AU**
- 71922. *Agrotera ignepicta* Hampson,1898** (Pyralidae) Synonym(s): *ignepicta* Hampson,1898
Range (in code): **AU**
- 71923. *Agrotera leucostola* Hampson,1896** (Pyralidae) Synonym(s): *leucostola* Hampson,1896
Range (in code): **IN TW**
- 71924. *Agrotera nemoralis* (Scopoli,1763)** (Pyralidae) Synonym(s): *nemoralis* Scopoli,1763
Original Reference: Phalaena nemoralis Scopoli,1763, Entomologia Carniolica: 242. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK TR SE FI LV LT RU MD UA BY IR Gh Tgo CN KP JP TW** Bionomy: Larva on *Betula nana* (Betulaceae), *Carpinus* (Corylaceae), *Castanea*, *Quercus* (Fagaceae) (Prenti,2000).
- 71925. *Agrotera ornata* Wileman & South,1917** (Pyralidae) Synonym(s): *ornata* Wileman & South,1917 Range (in code): **TW**
- 71926. *Agrotera pictalis* (W.Warren,1896)** (Pyralidae) Synonym(s): *pictalis* W.Warren,1896
Range (in code): **AU**
- 71927. *Agrotera scissalis* Walker,1865** (Pyralidae) Synonym(s): *scissalis* Walker,1865 Range (in code): **TH LK IN**
- 71928. *Alophia combustella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *combustella* Herrich-Schäffer,[1855]; *incinerella* Caradja,1910. Range (in code): **DZ Bsk TN Gf PT ES Mu FR Sa Si IT MT HU RO YU GR Tyg TR IR CY IL Pa Hf Js LB Bsa JO RU MD UA BY** Bionomy: Larva in galls on *Pistacia atlantica* (Chrétien,1917).
- 71929. *Alphacrambus prodontellus* (Hampson,1919)** (Pyralidae) Synonym(s): *prodontellus* Hampson,1919 Range (in code): **KE ZA Tva Lpo**
- 71930. *Alphacrambus prodontellus prodontellus* (Hampson,1919)** (Pyralidae) Synonym(s): *prodontellus* Hampson,1919 Range (in code): **KE ZA Tva Lpo**
- 71931. *Alphacrambus razowskii* (Bleszynski,1961)** (Pyralidae) Synonym(s): *razowskii* Bleszynski,1961 Range (in code): **ZA Ec KE**
- 71932. *Alphacrambus razowskii razowskii* (Bleszynski,1961)** (Pyralidae) Synonym(s): *razowskii* Bleszynski,1961 Range (in code): **ZA Ec KE**
- 71933. *Ambetilia crucifera* Balinsky,1994** (Pyralidae) Synonym(s): *crucifera* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 71934. *Ambia albiflavalis* Hampson,1917** (Pyralidae) Synonym(s): *albiflavalis* Hampson,1917
Range (in code): **NG**
- 71935. *Ambia albobasalis* Caradja,1933** (Pyralidae) Synonym(s): *albobasalis* Caradja,1933
Range (in code): **CN Kwa**
- 71936. *Ambia albomaculalis* (Hampson,1897)** (Pyralidae) Synonym(s): *albomaculalis* Hampson,1897 Range (in code): **CI**
- 71937. *Ambia amoyalis* Caradja,1925** (Pyralidae) Synonym(s): *amoyalis* Caradja,1925 Range (in code): **CN**
- 71938. *Ambia atristrigalis* Hampson,1897** (Pyralidae) Synonym(s): *atristrigalis* Hampson,1897
Range (in code): **ID Amb Fg PG**
- 71939. *Ambia aulacophora* Hampson,1897** (Pyralidae) Synonym(s): *aulacophora* Hampson,1897
Range (in code): **PG Fg**
- 71940. *Ambia caerulata* Hampson,1893** (Pyralidae) Synonym(s): *caerulata* Hampson,1893; *cyanealis* Hampson,1903 Range (in code): **LK**
- 71941. *Ambia cataclystalis* Hampson,1897** (Pyralidae) Synonym(s): *cataclystalis* Hampson,1897
Range (in code): **ID Sum Pla**
- 71942. *Ambia chalcichroalis* Hampson,1906** (Pyralidae) Synonym(s): *chalcichroalis* Hampson,1906 Range (in code): **ZA**
- 71943. *Ambia cilianalis* Schaus,1924** (Pyralidae) Synonym(s): *cilianalis* Schaus,1924 Range (in code): **PA**
- 71944. *Ambia colonalis* (Bremer,1864)** (Pyralidae) Synonym(s): *colonalis* Bremer,1864; *locuples* Butler,1889; *dives* Butler,1889 Range (in code): **RU Am TW CN Kwa IN Hp Drm**

- 71945. *Ambia complicata* W.Warren,1896** (Pyralidae) **Synonym(s):** *complicata* W.Warren,1896
Range (in code): **IN Ass**
- 71946. *Ambia cymophoralis* Hampson,1917** (Pyralidae) **Synonym(s):** *cymophoralis* Hampson,1917
Range (in code): **Ls PG**
- 71947. *Ambia damescalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *damescalis* Guenée,1854;
bocusalis Walker,1859
Range (in code): **BR**
- 71948. *Ambia debalis* (Druce,1896)** (Pyralidae) **Synonym(s):** *debalis* Druce,1896
Range (in code): **GT CR PA Cq**
- 71949. *Ambia dendalis* (Druce,1896)** (Pyralidae) **Synonym(s):** *dendalis* Druce,1896
Range (in code): **GT**
- 71950. *Ambia dohrni* E.Hering,1903** (Pyralidae) **Synonym(s):** *dohrni* E.Hering,1903
Range (in code): **ID Sum**
- 71951. *Ambia elphegalis* Schaus,1924** (Pyralidae) **Synonym(s):** *elphegalis* Schaus,1924
Range (in code): **GY**
- 71952. *Ambia endophthalma* Meyrick,1894** (Pyralidae) **Synonym(s):** *endophthalma* Meyrick,1894
Range (in code): **Bor MY ID**
- 71953. *Ambia flavalis* W.Warren,1889** (Pyralidae) **Synonym(s):** *flavalis* W.Warren,1889
Range (in code): **PA BR**
- 71954. *Ambia fulvicolor* Hampson,1917** (Pyralidae) **Synonym(s):** *fulvicolor* Hampson,1917
Range (in code): **PG**
- 71955. *Ambia fulvobasalis* (Snellen,1880)** (Pyralidae) **Synonym(s):** *fulvobasalis* Snellen,1880
Range (in code): **MY Bor ID Clb**
- 71956. *Ambia fusalis* Hampson,1906** (Pyralidae) **Synonym(s):** *fusalis* Hampson,1906
Range (in code): **ID Bli**
- 71957. *Ambia iambealis* (Walker,1859)** (Pyralidae) **Synonym(s):** *iambealis* Walker,1859; *fulvalis* Hampson,1893; *#iambesalis* Hampson,1897; *albiflavicalis* W.Warren,1906
Range (in code): **IN Ass LK**
- 71958. *Ambia interstrigalis* Hampson,1897** (Pyralidae) **Synonym(s):** *interstrigalis* Hampson,1897
Range (in code): **ID Amb Fg PG**
- 71959. *Ambia iriusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *iriusalis* Walker,1859; *irialis* Meyrick,1894
Range (in code): **MY ID Bor Pla Sum**
- 71960. *Ambia jonesalis* (Schaus,1906)** (Pyralidae) **Synonym(s):** *jonesalis* Schaus,1906
Range (in code): **BR**
- 71961. *Ambia klossi* Rothschild,1915** (Pyralidae) **Synonym(s):** *klossi* Rothschild,1915
Range (in code): **ID Ij**
- 71962. *Ambia leucochrysa* Meyrick,1894** (Pyralidae) **Synonym(s):** *leucochrysa* Meyrick,1894
Range (in code): **Bor MY ID**
- 71963. *Ambia leucoplaca* Meyrick,1897** (Pyralidae) **Synonym(s):** *leucoplaca* Meyrick,1897
Range (in code): **ID PG Fg Sgr**
- 71964. *Ambia lipocosmalis* (Snellen,1900)** (Pyralidae) **Synonym(s):** *lipocosmalis* Snellen,1900
Range (in code): **ID Sum Ja**
- 71965. *Ambia lobophoralis* Hampson,1896** (Pyralidae) **Synonym(s):** *lobophoralis* Hampson,1896
Range (in code): **IN Ass SI Pla ID**
- 71966. *Ambia magnificalis* Swinhoe,1895** (Pyralidae) **Synonym(s):** *magnificalis* Swinhoe,1895; *interruptalis* W.Warren,1896
Range (in code): **IN Meg Ass Khs**
- 71967. *Ambia marginalis* Moore,1887** (Pyralidae) **Synonym(s):** *marginalis* Moore,1887; *albicomma* Swinhoe,1894; *fulvalis* W.Warren,1896 *nec* Hamps.,1893
Range (in code): **IN SI Ass CN ID MY Bor**
- 71968. *Ambia melanalis* Hampson,1906** (Pyralidae) **Synonym(s):** *melanalis* Hampson,1906
Range (in code): **ZA**
- 71969. *Ambia melanistis* Hampson,1917** (Pyralidae) **Synonym(s):** *melanistis* Hampson,1917
Range (in code): **TW**
- 71970. *Ambia mesoscotalis* Hampson,1906** (Pyralidae) **Synonym(s):** *mesoscotalis* Hampson,1906
Range (in code): **ID Ban PG Ls**
- 71971. *Ambia naumanni* Speidel & Stüning,2005** (Pyralidae) **Synonym(s):** *naumanni* Speidel & Stüning,2005
Range (in code): **CN Yu Lik**
- 71972. *Ambia novaguineensis* Kenrick,1912** (Pyralidae) **Synonym(s):** *novaguineensis* Kenrick,1912
Range (in code): **PG**

- 71973. *Ambia obliquistriga* Rothschild,1915** (Pyralidae) Synonym(s): *obliquistriga* Rothschild,1915 _ Range (in code): ID Ij
- 71974. *Ambia oedizonalis* Hampson,1906** (Pyralidae) Synonym(s): *oedizonalis* Hampson,1906 _ Range (in code): JM
- 71975. *Ambia oligalis* Hampson,1906** (Pyralidae) Synonym(s): *oligalis* Hampson,1906 _ Range (in code): PG Ls Goo
- 71976. *Ambia palliolatalis* Swinhoe,1890** (Pyralidae) Synonym(s): *palliolatalis* Swinhoe,1890; *#palliotatalis* Hampson,1897 _ Range (in code): IN Ass MM
- 71977. *Ambia parachrysis* Meyrick,1935** (Pyralidae) Synonym(s): *parachrysis* Meyrick,1935 _ Range (in code): FJ
- 71978. *Ambia pedionoma* West,1931** (Pyralidae) Synonym(s): *pedionoma* West,1931 _ Range (in code): PH
- 71979. *Ambia picalis* Hampson,1897** (Pyralidae) Synonym(s): *picalis* Hampson,1897 _ Range (in code): BR
- 71980. *Ambia poritialis* (Walker,1859)** (Pyralidae) Synonym(s): *poritialis* Walker,1859 _ Range (in code): IN LK ID Sum Ja Clb
- 71981. *Ambia ptolycusalis* Walker,1859** (Pyralidae) Synonym(s): *ptolycusalis* Walker,1859; *eromenalis* Snellen,1880; *parallelalis* Sauber,1902 _ Range (in code): AU QAU PH ID Clb Bor MY
- 71982. *Ambia punctimarginata* Rothschild,1915** (Pyralidae) Synonym(s): *punctimarginata* Rothschild,1915 _ Range (in code): ID Ij
- 71983. *Ambia rhabdotalis* Hampson,1897** (Pyralidae) Synonym(s): *rhabdotalis* Hampson,1897 _ Range (in code): ID Amb
- 71984. *Ambia rothschildi* Klima,1937** (Pyralidae) Synonym(s): *marginalis* Rothschild,1915 *nec* Mre.,1887; *rothschildi* Klima,1937 _ Range (in code): ID Ij
- 71985. *Ambia rufitincta* Hampson,1917** (Pyralidae) Synonym(s): *rufitincta* Hampson,1917 _ Range (in code): PE
- 71986. *Ambia schistochaeta* Tams,1935** (Pyralidae) Synonym(s): *schistochaeta* Tams,1935 _ Range (in code): WS
- 71987. *Ambia semifascialis* (W.Warren,1896)** (Pyralidae) Synonym(s): *semifascialis* W.Warren,1896 _ Range (in code): IN Meg Ass Khs
- 71988. *Ambia sufetulodes* Hampson,1917** (Pyralidae) Synonym(s): *sufetulodes* Hampson,1917 _ Range (in code): PE
- 71989. *Ambia tendicularis* Rebel,1915** (Pyralidae) Synonym(s): *tendicularis* Rebel,1915 _ Range (in code): WS FJ
- 71990. *Ambia tenebrosalis* Hampson,1896** (Pyralidae) Synonym(s): *tenebrosalis* Hampson,1896 _ Range (in code): LK
- 71991. *Ambia tenella* Hampson,1897** (Pyralidae) Synonym(s): *tenella* Hampson,1897 _ Range (in code): PE
- 71992. *Ambia thyridialis* (Lederer,1855)** (Pyralidae) Synonym(s): *thyridialis* Lederer,1855
Original Reference: Nymphula thyridialis Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 220-221, Taf.4 fig.2. Type ♀: [Lebanon]: "Beirut" (F.Zach). Range (in code): TR LB Ghz Bei IL Pa EG
- 71993. *Ambia tigridalis* Hampson,1897** (Pyralidae) Synonym(s): *tigridalis* Hampson,1897 _ Range (in code): ID Pla
- 71994. *Ambia trichostylalis* Hampson,1897** (Pyralidae) Synonym(s): *trichostylalis* Hampson,1897 _ Range (in code): ID Clb
- 71995. *Ambia vagilinealis* Hampson,1906** (Pyralidae) Synonym(s): *vagilinealis* Hampson,1906 _ Range (in code): ID Ij PG Ls
- 71996. *Ambia xantholeuca* Hampson,1896** (Pyralidae) Synonym(s): *xantholeuca* Hampson,1896 _ Range (in code): LK MY Bor ID
- 71997. *Ambluncus nervosellus* Amsel,1954** (Pyralidae) Synonym(s): *nervosellus* Amsel,1954 _ Range (in code): AE IR Ss Chh
- 71998. *Amechedia herlina* Roesler,1989** (Pyralidae) Synonym(s): *herlina* Roesler,1989
Original Reference: Amechedia herlina Roesler,1989, Ent. Z. Frankf. a. M. 99: 169-172, figs. Holotype ♀: W-Iran: Lorestan, Dorud, 5km SE Saravand "Kohyeh" 2300m, Ebert & Falkner leg. (LNK). Range (in code): IR Lo
- 71999. *Amechedia pagmanella* Amsel,1961** (Pyralidae) Synonym(s): *pagmanella* Amsel,1961 _ Range (in code): AF Bd Hr Kab Pm Pnj Pag Slg PK Swa Klm UZ Fe Man

- 72000. Amechedia pascha Roesler, 1989** (Pyralidae) Synonym(s): *pascha* Roesler, 1989
Original Reference: Amechedia pascha Roesler, 1989, Ent. Z. Frankf. a. M. 99: 172-175, figs.
Holotype ♂: NO-Afghanistan: Badakhshan, Umg. Baharak, Pejuj 1750m (LNK). Range (in code): AF Bd
- 72001. Ammatucha piti Roesler, 1983** (Pyralidae) Synonym(s): *piti* Roesler, 1983 Range (in code): ID Sum
- 72002. Ammatucha porisada (Roesler & Küppers, 1979)** (Pyralidae) Synonym(s): *porisada* Roesler & Küppers, 1979 Range (in code): ID Sum
- 72003. Ammatucha semiirrorella (Hampson, 1896)** (Pyralidae) Synonym(s): *semiirrorella* Hampson, 1896; *lathria* Turner, 1922 Range (in code): BT IN Meg Ass Khs Nag LK ID Sum AU
- 72004. Amphiderita prospila Turner, 1925** (Pyralidae) Synonym(s): *prospila* Turner, 1925 Range (in code): AU
- 72005. Amphithrix sublineatella (Staudinger, 1859)** (Pyralidae) Synonym(s): *sublineatella* Staudinger, 1859
Original Reference: Nephopteryx sublineatella Staudinger, 1859, Stettin ent. Ztg. 20 (7/9): 223. Range (in code): PT ES Mu FR Co Si YU IL LB CY
- 72006. Amselia heringi (Amsel, 1935)** (Pyralidae) Synonym(s): *heringi* Amsel, 1935 Range (in code): IL Jf Pa IR Ss BH KW MA SA SA39 AE
- 72007. Amselia leucozonellus (Hampson, 1896)** (Pyralidae) Synonym(s): *leucozonellus* Hampson, 1896 Range (in code): YE Ad
- 72008. Anaclastis apicistrigellus (Meyrick, 1879)** (Pyralidae) Synonym(s): *apicistrigellus* Meyrick, 1879 Range (in code): AU
- 72009. Anageshna primordialis (Dyar, 1906)** (Pyralidae) Synonym(s): *primordialis* Dyar, 1906 Range (in code): US
- 72010. Analcina penticha Turner, 1911** (Pyralidae) Synonym(s): *penticha* Turner, 1911 Range (in code): AU
- 72011. Analthes semitritalis Lederer, 1863** (Pyralidae) Synonym(s): *semitritalis* Lederer, 1863 Range (in code): PH Luz SI IN CN Bor Amb Mi ID
- 72012. Analyta albicillalis Lederer, 1863** (Pyralidae) Synonym(s): *albicillalis* Lederer, 1863 Range (in code): AU
- 72013. Analyta calligrammalis Mabille, 1879** (Pyralidae) Synonym(s): *calligrammalis* Mabille, 1879 Range (in code): ZA Tva Lpo Kru Pma
- 72014. Analyta melanopalis (Guenée, 1854)** (Pyralidae) Synonym(s): *melanopalis* Guenée, 1854; *auxialis* Swinhoe, 1886
Original Reference: Leucinodes melanopalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 224. Type ♀: "Inde centrale". Range (in code): AF IN
- 72015. Anania (Eurrhpara) hortulata (Linnaeus, 1758)** (Pyralidae) Synonym(s): *hortulata* Linnaeus, 1758; *urticata* Linnaeus, 1761; *urticalis* [Denis & Schiffermüller], 1775; *flavicauda* Retzius, 1783; *hortulana* Fourcroy, 1785.
Original Reference: Phalaena hortulata Linnaeus, 1758, Syst. Nat. (Edn.10)1: 529. Type(s): [Europa]. Range (in code): PT ES FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU To MD UA BY KG Tk Dj Ii DsA TrA Cc GG Bjo Mng Lag Kir AZ
Bionomy: Larva on Urtica dioica (Urticaceae), Mentha, Marrubium vulgare, Stachys, Ballota (Lamiaceae), Convolvulus (Convolvulaceae) (Linnaeus, 1758; Parenti, 2000).
- 72016. Anania (Opsibotys) fuscalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *fuscalis* [Denis & Schiffermüller], 1775
Original Reference: Pyralis fuscalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY KG Tk Dj Ii
Bionomy: Larva on Urtica (Urticaceae), Lathyrus (Fabaceae), Melampyrum, Pedicularis, Rhinanthus (Scrophulariaceae); Solidago (Asteraceae) (Parenti, 2000).
- 72017. Anania (Opsibotys) fuscobrunnealis (South, 1901)** (Pyralidae) Synonym(s): *fuscobrunnealis* South, 1901 Range (in code): CN
- 72018. Anania (Perinephela) lancealis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *lancealis* [Denis & Schiffermüller], 1775; *glabralis* Fabricius, 1794; *palustrata* Fabricius, 1794; *longalis* Haworth, 1811
Original Reference: Pyralis lancealis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY CN Yu Sz TW Hkk Krl
Bionomy:

Larva on Sium (Apiaceae), Stachys (Lamiaceae), Eupatorium cannabinum, Senecio (Asteraceae) (Parenti,2000).

- 72019. Anania (Perinephela) lancealis bergmanni Munroe & Mutuura,1968** (Pyralidae)
Synonym(s): *bergmanni* Munroe & Mutuura,1968 _ Range (in code): RU Krl
- 72020. Anania (Perinephela) lancealis honshuensis Munroe & Mutuura,1968** (Pyralidae)
Synonym(s): *honshuensis* Munroe & Mutuura,1968 _ Range (in code): JP
- 72021. Anania (Perinephela) lancealis lancealis ([Denis & Schiffermüller],1775)** (Pyralidae)
Synonym(s): *lancealis* [Denis & Schiffermüller],1775 _ Original Reference: Pyralis lancealis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY
- 72022. Anania (Perinephela) lancealis pryeri Munroe & Mutuura,1968** (Pyralidae)
Synonym(s): *pryeri* Munroe & Mutuura,1968 _ Range (in code): JP Hkk
- 72023. Anania (Perinephela) lancealis sinensis Munroe & Mutuura,1968** (Pyralidae)
Synonym(s): *sinensis* Munroe & Mutuura,1968 _ Range (in code): CN Yu Sz
- 72024. Anania (Perinephela) lancealis taiwanensis Munroe & Mutuura,1968** (Pyralidae)
Synonym(s): *taiwanensis* Munroe & Mutuura,1968 _ Range (in code): TW
- 72025. Anania (Phlyctaenia) acutalis (Dognin,1905)** (Pyralidae)
Synonym(s): *acutalis* Dognin,1905 _ Range (in code): EC
- 72026. Anania (Phlyctaenia) adiposalis (Dognin,1910)** (Pyralidae)
Synonym(s): *adiposalis* Dognin,1910 _ Range (in code): CO
- 72027. Anania (Phlyctaenia) bifossata (Hampson,1918)** (Pyralidae)
Synonym(s): *bifossata* Hampson,1918 _ Range (in code): PE
- 72028. Anania (Phlyctaenia) cervinalis (W.Warren,1892)** (Pyralidae)
Synonym(s): *cervinalis* W.Warren,1892 _ Range (in code): BR
- 72029. Anania (Phlyctaenia) contentalis (Schaus,1912)** (Pyralidae)
Synonym(s): *contentalis* Schaus,1912 _ Range (in code): CR
- 72030. Anania (Phlyctaenia) coronata (Hufnagel,1767)** (Pyralidae)
Synonym(s): *coronata* Hufnagel,1767; *sambucalis* [Denis & Schiffermüller],1775; *aureomaculata* Goeze,1781; *sambuci* Retzius,1783; *sambucata* Fabricius,1787. _ Original Reference: Phalaena coronata Hufnagel,1767, Berl. Mag. 4: 616, nr.97. Type(s): Germania: Berlin. Range (in code): DZ Clo PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc GG Bjo Lag Mng AZ Kir DK NO SE FI EE LV LT RU MD UA BY US _ Bionomy: Larva on Fraxinus, Ligustrum, Syringa (Oleaceae), Convolvulus (Convolvulaceae), Sambucus (Caprifoliaceae) (Parenti,2000).
- 72031. Anania (Phlyctaenia) coronata tertialis (Guenée,1854)** (Pyralidae)
Synonym(s): *tertialis* Guenée,1854; *plectilis* Grote & C.T.Robinson,1867; *syringicola* Packard,1870 _ Range (in code): US
- 72032. Anania (Phlyctaenia) desistalis (Walker,1862)** (Pyralidae)
Synonym(s): *desistalis* Walker,1862 _ Range (in code): BR
- 72033. Anania (Phlyctaenia) flavipartalis (Hampson,1918)** (Pyralidae)
Synonym(s): *flavipartalis* Hampson,1918 _ Range (in code): CO
- 72034. Anania (Phlyctaenia) fovifera (Hampson,1913)** (Pyralidae)
Synonym(s): *fovifera* Hampson,1913 _ Range (in code): CU
- 72035. Anania (Phlyctaenia) glaucostigmalis (Hampson,1918)** (Pyralidae)
Synonym(s): *glaucostigmalis* Hampson,1918 _ Range (in code): CO
- 72036. Anania (Phlyctaenia) ieralis (Kaye,1925)** (Pyralidae)
Synonym(s): *ieralis* Kaye,1925 _ Range (in code): TT
- 72037. Anania (Phlyctaenia) leuschneri Munroe,1976** (Pyralidae)
Synonym(s): *leuschneri* Munroe,1976 _ Range (in code): US
- 72038. Anania (Phlyctaenia) lobibasalis (Hampson,1918)** (Pyralidae)
Synonym(s): *lobibasalis* Hampson,1918 _ Range (in code): EC
- 72039. Anania (Phlyctaenia) lutealis (W.Warren,1892)** (Pyralidae)
Synonym(s): *lutealis* W.Warren,1892 _ Range (in code): BR
- 72040. Anania (Phlyctaenia) monospila (Hampson,1913)** (Pyralidae)
Synonym(s): *monospila* Hampson,1913 _ Range (in code): BR Rja
- 72041. Anania (Phlyctaenia) perlucidalis (Hübner,[1809])** (Pyralidae)
Synonym(s): *perlucidalis* Hübner,[1809] _ Original Reference: Pyralis perlucidalis Hübner,[1809], Samml. eur.

- Schmett. 6, Pyralides: Tab. 22 fig. 143. Type(s): Europa. Range (in code): **FR GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY**
- 72042. *Anania (Phlyctaenia) stachydalis* (Germar,1821)** (Pyralidae) Synonym(s): *stachydalis* Germar,1821 Range (in code): **ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU MD UA BY**
- 72043. *Anania (Phlyctaenia) subochrealis* (Dognin,1905)** (Pyralidae) Synonym(s): *subochrealis* Dognin,1905 Range (in code): **EC**
- 72044. *Anania (Phlyctaenia) teinopalpia* (Hampson,1913)** (Pyralidae) Synonym(s): *teinopalpia* Hampson,1913 Range (in code): **PE**
- 72045. *Anania (Phlyctaenia) tripartalis* (Hampson,1899)** (Pyralidae) Synonym(s): *tripartalis* Hampson,1899 Range (in code): **PE**
- 72046. *Anania (s.str.) amaniensis* (Maes,1997)** (Pyralidae) Synonym(s): *amaniensis* Maes,1997 Range (in code): **TZ**
- 72047. *Anania (s.str.) ankola* (Maez,1997)** (Pyralidae) Synonym(s): *ankola* Maez,1997 Range (in code): **UG**
- 72048. *Anania (s.str.) bryalis* (Hampson,1918)** (Pyralidae) Synonym(s): *bryalis* Hampson,1918 Range (in code): **KE**
- 72049. *Anania (s.str.) camerounensis* (Maez,1997)** (Pyralidae) Synonym(s): *camerounensis* Maez,1997 Range (in code): **CM**
- 72050. *Anania (s.str.) coclesalis* (Walker,1859)** (Pyralidae) Synonym(s): *coclesalis* Walker,1859 Range (in code): **CN Hn**
- 72051. *Anania (s.str.) crocealis* (Hübner,1796)** (Pyralidae) Synonym(s): *crocealis* Hübner,1796 Original Reference: *Pyralis crocealis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.11 fig.71 Type(s): Europa. Range (in code): **ES FR Co Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LV RU MD UA BY CY TR IR**
- 72052. *Anania (s.str.) delicatalis* (South,1901)** (Pyralidae) Synonym(s): *delicatalis* South,1901 Range (in code): **CN**
- 72053. *Anania (s.str.) elutalis* (Kenrick,1917)** (Pyralidae) Synonym(s): *elutalis* Kenrick,1917 Range (in code): **MG**
- 72054. *Anania (s.str.) epicroca* (Lower,1903)** (Pyralidae) Synonym(s): *epicroca* Lower,1903 Range (in code): **AU**
- 72055. *Anania (s.str.) epipaschialis* (Hampson,1912)** (Pyralidae) Synonym(s): *epipaschialis* Hampson,1912 Range (in code): **SL**
- 72056. *Anania (s.str.) flavicolor* (Munroe & Mutuura,1971)** (Pyralidae) Synonym(s): *flavicolor* Munroe & Mutuura,1971 Range (in code): **TW**
- 72057. *Anania (s.str.) funebris* (Ström,1768)** (Pyralidae) Synonym(s): *funebris* Ström,1768; *octomaculata* Linnaeus,1771; *funeraria* Müller,1764; *atralis* Fabricius,1775; *guttalis* [Denis & Schiffermüller],1775; *octomaculalis* Treitschke,1828. Range (in code): **ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Tk Dj Ii Cc GG Bjo Bku** Bionomy: Larva on *Cytisus*, *Genista* (Fabaceae), *Solidago virgaurea* (Asteraceae) (Parenti,2000).
- 72058. *Anania (s.str.) impunctata* (W.Warren,1897)** (Pyralidae) Synonym(s): *impunctata* W.Warren,1897 Range (in code): **ZA**
- 72059. *Anania (s.str.) ledereri* (Amsel,1956)** (Pyralidae) Synonym(s): *ledereri* Amsel,1956 Range (in code): **VE**
- 72060. *Anania (s.str.) lippensi* (Maez,1997)** (Pyralidae) Synonym(s): *lippensi* Maez,1997 Range (in code): **CM**
- 72061. *Anania (s.str.) luctualis* (Hübner,1793)** (Pyralidae) Synonym(s): *luctualis* Hübner,1793 Range (in code): **FR IT CH AT PL SK HU RO YU RU MD UA BY** Bionomy: Larva on *Cimifuga europaea* (Ranunculaceae) (Parenti,2000).
- 72062. *Anania (s.str.) mysippusalis* (Walker,1859)** (Pyralidae) Synonym(s): *mysippusalis* Walker,1859; *humilis* Lederer,1863 Range (in code): **US**
- 72063. *Anania (s.str.) nereidalis* (Lederer,1863)** (Pyralidae) Synonym(s): *nereidalis* Lederer,1863 Range (in code):
- 72064. *Anania (s.str.) oberthuri* (Turati,1913)** (Pyralidae) Synonym(s): *oberthuri* Turati,1913 Range (in code): **Co Sa**
- 72065. *Anania (s.str.) perflavalis* (Hampson,1913)** (Pyralidae) Synonym(s): *perflavalis* Hampson,1913 Range (in code): **AU**

- 72066. *Anania* (s.str.) *profusalis* (W.Warren,1896)** (Pyralidae) **Synonym(s):** *profusalis* W.Warren,1896 **Range (in code):** **IN Ass Meg Kha**
- 72067. *Anania* (s.str.) *ruwenzoriensis* (Maez,1997)** (Pyralidae) **Synonym(s):** *ruwenzoriensis* Maez,1997 **Range (in code):** **UG Rz**
- 72068. *Anania* (s.str.) *subfumalis* (Munroe & Mutuura,1971)** (Pyralidae) **Synonym(s):** *subfumalis* Munroe & Mutuura,1971; *continentalis* Munroe & Mutuura,1971 TW CN Hun **Range (in code):**
- 72069. *Anania* (s.str.) *teneralis* (Caradja,1939)** (Pyralidae) **Synonym(s):** *teneralis* Caradja,1939; *tsinglingalis* Munroe & Mutuura,1971 CN Sz **Range (in code):**
- 72070. *Anania* (s.str.) *terrealis* (Treitschke,1829)** (Pyralidae) **Synonym(s):** *terrealis* Treitschke,1829 **Range (in code):** **PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY AF**
- 72071. *Anania* (s.str.) *testacealis* (Zeller,1847)** (Pyralidae) **Synonym(s):** *testacealis* Zeller,1847 **Range (in code):** **ES FR Co Sa Si IT MT AT CZ SK HU RO YU GR Cr TR IL Pa Hf CY**
- 72072. *Anania* (s.str.) *vicinalis* (South,1901)** (Pyralidae) **Synonym(s):** *vicinalis* South,1901 **Range (in code):** **CN**
- 72073. *Anania* *ademonalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *ademonalis* Walker,1859 **Range (in code):** **BR Rja**
- 72074. *Anania* *antigastridia* (Hampson,1899)** (Pyralidae) **Synonym(s):** *antigastridia* Hampson,1899 **Range (in code):** **MX**
- 72075. *Anania* *arenacea* (W.Warren,1892)** (Pyralidae) **Synonym(s):** *arenacea* W.Warren,1892 **Range (in code):** **BR Rja**
- 72076. *Anania* *aurea* (Butler,1875)** (Pyralidae) **Synonym(s):** *aurea* Butler,1875 **Range (in code):** **ZA**
- 72077. *Anania* *caudatella* (Dyar,1913)** (Pyralidae) **Synonym(s):** *caudatella* Dyar,1913 **Range (in code):** **MX**
- 72078. *Anania* *epanthisma* (Dyar,1914)** (Pyralidae) **Synonym(s):** *epanthisma* Dyar,1914 **Range (in code):** **PA**
- 72079. *Anania* *federalis* (Capps,1967)** (Pyralidae) **Synonym(s):** *federalis* Capps,1967 **Range (in code):** **MX**
- 72080. *Anania* *ferruginealis* (W.Warren,1892)** (Pyralidae) **Synonym(s):** *ferruginealis* W.Warren,1892 **Range (in code):** **BR Rja**
- 72081. *Anania* *hyalactis* (Dognin,1905)** (Pyralidae) **Synonym(s):** *hyalactis* Dognin,1905 **Range (in code):** **EC**
- 72082. *Anania* *inclusalis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *inclusalis* Walker,[1866]; *fuscocilialis* Snellen,1875 **Range (in code):** **HN CO**
- 72083. *Anania* *intinctalis* (Dyar,1920)** (Pyralidae) **Synonym(s):** *intinctalis* Dyar,1920 **Range (in code):** **MX**
- 72084. *Anania* *labeculalis* (Hulst,1886)** (Pyralidae) **Synonym(s):** *labeculalis* Hulst,1886 **Range (in code):** **US Arz**
- 72085. *Anania* *leucocraspia* (Hampson,1899)** (Pyralidae) **Synonym(s):** *leucocraspia* Hampson,1899 **Range (in code):** **BR Rja**
- 72086. *Anania* *luteorubralis* (Caradja,1916)** (Pyralidae) **Synonym(s):** *luteorubralis* Caradja,1916 **Original Reference:** *Pyrausta luteorubralis* Caradja,1916, Dt. ent. Z., Iris 30: 34-35. Type ♂: [Uighur ili]: "Juldus". **Range (in code):** **CN Ui Ju**
- 72087. *Anania* *lysanderalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *lysanderalis* Walker,1859 **Range (in code):** **BR Rja**
- 72088. *Anania* *melastictalis* (Hampson,1913)** (Pyralidae) **Synonym(s):** *melastictalis* Hampson,1913 **Range (in code):** **PE**
- 72089. *Anania* *nerissalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *nerissalis* Walker,1859; *nocmonalis* Walker,1859; *paolinalis* W.Warren,1892 **Range (in code):** **BR Rja**
- 72090. *Anania* *nullalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *nullalis* Guenée,1854 **Range (in code):** **BR**
- 72091. *Anania* *ochrofascialis* (Christoph,1882)** (Pyralidae) **Synonym(s):** *ochrofascialis* Christoph,1882; *retowskyi* Möschler,1888; *bilinea* Bethune-Baker,1894; *younesalis* Chrétien,1915; *#ochrifascialis* Wiltshire,1957. **Original Reference:** *Metasia ochrofascialis* Christoph,1882, Horae Soc. ent. ross. 17: 121-122. Syntypes: [Azerbaijan]: Ordubat, Elisabethpol [Kirovabad]. **Range (in code):** **RU Cc Da UA Cm AZ Kir Nv Ord IQ EG TN Gf IR Ss AE**

- 72092. *Anania otiosalis* (Lederer,1863)** (Pyralidae) Synonym(s): *otiosalis* Lederer,1863
Range (in code): BR
- 72093. *Anania trichoglossa* (Meyrick,1936)** (Pyralidae) Synonym(s): *trichoglossa* Meyrick,1936
Range (in code): BO
- 72094. *Anania verbascata* (Fabricius,1787)** (Pyralidae) Synonym(s): *#verbascalis* [Denis & Schiffermüller],1775; *verbascata* Fabricius,1787; *parvalis* Osthelder,1934. Range (in code): DZ Clo PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf IQ Shq DK SE FI EE LV LT Cc GG Lag Tbl Mng Kir AZ IR Mz Gh Tgo Bionomy: Larva on *Teucrium* (Lamiaceae), *Scrophularia*, *Verbascum* (Scrophulariaceae) (Parenti,2000).
- 72095. *Anarpia incertalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *incertalis* Duponchel,1832; *pyrenealis* Duponchel,1842; *incertella* Duponchel,[1845]; *pyrenaeella* Duponchel,[1845]; *pyrenaicalis* Guenée,1846; *phycophanes* Meyrick,1937; *rupestris* Meyrick,1937 Range (in code): MA DZ Bttna TN PT ES Py FR Co Sa Si IT YU GR Cr TR Cc AZ Nv Ord Eri AM RU IR Elb Mz Dam Kh IL Pa Js LB Bsa CY B-H SY JO AF UZ KG KK IQ Rwz
- 72096. *Anarpia iranella* (Zerny,1939)** (Pyralidae) Synonym(s): *iranella* Zerny,1939; *alvandella* Amsel,1961 Original Reference: *Scoparia phaeoleuca* ssp. *iranella* Zerny,1939, Z. wien. ent. Ver. 24 (12): 171, pl.xi fig.7. Lectotype ♂: Iran: Elbourz, Col de Kendevan, 2800m (NMW). Range (in code): IR Elb Th Ha Avd IR Kdv Dam Shh
- 72097. *Anartula confusa* Wileman & South,1917** (Pyralidae) Synonym(s): *confusa* Wileman & South,1917 Range (in code): TW
- 72098. *Anassodes mesozonalis* (Hampson,1917)** (Pyralidae) Synonym(s): *mesozonalis* Hampson,1917 Range (in code): AU
- 72099. *Anchylobela acidnias* (Turner,1904)** (Pyralidae) Synonym(s): *acidnias* Turner,1904
Range (in code): AU
- 72100. *Anchylobela dyseimata* (Turner,1913)** (Pyralidae) Synonym(s): *dyseimata* Turner,1913; *acrophaea* Turner,1913 Range (in code): AU
- 72101. *Anchylobela haplodes* Turner,1947** (Pyralidae) Synonym(s): *haplodes* Turner,1947
Range (in code): AU
- 72102. *Anchylobela holophaea* (Turner,1905)** (Pyralidae) Synonym(s): *holophaea* Turner,1905
Range (in code): AU
- 72103. *Anchylobela nitens* (Butler,1886)** (Pyralidae) Synonym(s): *nitens* Butler,1886 Range (in code): AU
- 72104. *Anchylobela phaulodes* (Turner,1947)** (Pyralidae) Synonym(s): *phaulodes* Turner,1947
Range (in code): AU
- 72105. *Ancylodes argentescens* (Hampson,1912)** (Pyralidae) Synonym(s): *argentescens* Hampson,1912 Range (in code): IN
- 72106. *Ancylodes dealbatella* (Erschoff,1874)** (Pyralidae) Synonym(s): *dealbatella* Erschoff,1874; *staminella* Christoph,1877; *nervulatella* Turati,1926; *subgoliathella* Caradja,1937; *kerbelella* Amsel,1949; *gigantella* Roesler,1965 Range (in code): Cn ES MA DZ Bsk TN Gf LY Cy EG SD SA SA63 BH IL Pa Hf Jt JO LB SY Dms TR IQ Kbl IR Th Elb Mz AF Gbh Srb Pli PK Gg Ch MN UZ Smk TM Kp Krn RU Sr Uk KG Ind CN Yu SI
- 72107. *Ancylodes dunensis* Rose,1981** (Pyralidae) Synonym(s): *dunensis* Rose,1981 Range (in code): IN
- 72108. *Ancylodes fulvimarginella* (Hampson,1903)** (Pyralidae) Synonym(s): *fulvimarginella* Hampson,1903 Range (in code): IN
- 72109. *Ancylodes ilella* Swinhoe,1884** (Pyralidae) Synonym(s): *ilella* Swinhoe,1884 Range (in code): IN PK Krc Sd Hyd
- 72110. *Ancylodes lapsalis* (Walker,1859)** (Pyralidae) Synonym(s): *lapsalis* Walker,1859
Range (in code): IN LK TW AU QAU
- 72111. *Ancylodes microstictella* (Hampson,1903)** (Pyralidae) Synonym(s): *microstictella* Hampson,1903 Range (in code): IN
- 72112. *Ancylodes mysorella* (Ragonot,1888)** (Pyralidae) Synonym(s): *mysorella* Ragonot,1888
Range (in code): IN
- 72113. *Ancylodes niveicostella* (Hampson,1896)** (Pyralidae) Synonym(s): *niveicostella* Hampson,1896 Range (in code): IN
- 72114. *Ancylodes obscuralis* (Hampson,1903)** (Pyralidae) Synonym(s): *obscuralis* Hampson,1903 Range (in code): IN
- 72115. *Ancylodes octella* (Hampson,1899)** (Pyralidae) Synonym(s): *octella* Hampson,1899
Range (in code): IN

- 72116. *Ancylodes pallens* Ragonot,1887** (Pyralidae) **Synonym(s):** *pallens* Ragonot,1887; *lactealis* Rothschild,1915; *banghaasiella* Caradja,1917; *#fuscella* Amsel,1958. **Original Reference:** *Ancylodes pallens* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 250. Lectotype ♂: [Spain]: Chiclana (designated by Roesler,1973, *Microlepid. palaearkt.* 4: 105) (ZMB). **Range (in code):** **Cn MA DZ Sfr TN Gf LY Cy ES MT YU HV GR Rd EG TR IL Pa Hf Jer IR Fa AF Ca Kab Srb IQ Mos SY LB Bei SA SA63 SD SD91 BH**
- 72117. *Ancylodes penicillata* Turner,1905** (Pyralidae) **Synonym(s):** *penicillata* Turner,1905 **Range (in code):** **AU**
- 72118. *Ancylodes pygmaeella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *pygmaeella* Hampson,1896 **Range (in code):** **IN**
- 72119. *Ancylodes resticula* (Hampson,1896)** (Pyralidae) **Synonym(s):** *resticula* Hampson,1896 **Range (in code):** **IN**
- 72120. *Ancylodes singhalella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *singhalella* Ragonot,1888 **Range (in code):** **IN**
- 72121. *Ancylolomia agraphella* Hampson,1919** (Pyralidae) **Synonym(s):** *agrappella* Hampson,1919 **Range (in code):** **ID Tim**
- 72122. *Ancylolomia albicostalis* Hampson,1919** (Pyralidae) **Synonym(s):** *albicostalis* Hampson,1919 **Range (in code):** **ZA**
- 72123. *Ancylolomia arabella* Bleszynski,1965** (Pyralidae) **Synonym(s):** *arabella* Bleszynski,1965 **Range (in code):** **SA Hj SA50 SA74**
- 72124. *Ancylolomia argentata* Moore,1886** (Pyralidae) **Synonym(s):** *argentata* Moore,1886 **Range (in code):** **IN LK MY Bor**
- 72125. *Ancylolomia argentovittata* Aurivillius,1910** (Pyralidae) **Synonym(s):** *argentovittata* Aurivillius,1910 **Range (in code):** **KE TZ**
- 72126. *Ancylolomia atrifasciata* Hampson,1919** (Pyralidae) **Synonym(s):** *atريفasciata* Hampson,1919 **Range (in code):** **KE**
- 72127. *Ancylolomia auripaleella* Marion,1954** (Pyralidae) **Synonym(s):** *auripaleella* Marion,1954 **Range (in code):** **MG**
- 72128. *Ancylolomia basistriga* Moore,1886** (Pyralidae) **Synonym(s):** *basistriga* Moore,1886 **Range (in code):** **LK**
- 72129. *Ancylolomia bituberosella* Amsel,1959** (Pyralidae) **Synonym(s):** *bituberosella* Amsel,1959; *#bituberosella* Bleszynski,1965 **Original Reference:** *Ancylolomia bituberosella* Amsel,1959, *Stuttg. Beitr. Naturk.* 28: 11, figs. Type ♂: Iran: Iranshar (LNK). **Range (in code):** **IR Ss Irs AF PK BI Sd Krc Pj IN LK ID Clb Ja Bli MY Sum PH Luz**
- 72130. *Ancylolomia caffra* Zeller,1877** (Pyralidae) **Synonym(s):** *caffra* Zeller,1877 **Range (in code):** **ZA Ec**
- 72131. *Ancylolomia caffra caffra* Zeller,1877** (Pyralidae) **Synonym(s):** *caffra* Zeller,1877 **Range (in code):** **ZA Ec o**
- 72132. *Ancylolomia capensis* Zeller,1852** (Pyralidae) **Synonym(s):** *capensis* Zeller,1852; *chrysolinealis* Fawcett,1917; *cinerifusa* Joannis,1927 **Range (in code):** **ZA Ec**
- 72133. *Ancylolomia capensis capensis* Zeller,1852** (Pyralidae) **Synonym(s):** *capensis* Zeller,1852; *chrysolinealis* Fawcett,1917; *cinerifusa* Joannis,1927 **Range (in code):** **ZA Ec**
- 72134. *Ancylolomia castaneata* Hampson,1919** (Pyralidae) **Synonym(s):** *castaneata* Hampson,1919 **Range (in code):** **ZA Tva Lpo**
- 72135. *Ancylolomia castaneata castaneata* Hampson,1919** (Pyralidae) **Synonym(s):** *castaneata* Hampson,1919 **Range (in code):** **ZA Tva Lpo o**
- 72136. *Ancylolomia cervicella* Bleszynski,1970** (Pyralidae) **Synonym(s):** *cervicella* Bleszynski,1970 **Range (in code):** **IN Hp Drm LK PK Pj Cp**
- 72137. *Ancylolomia chrysargyria* Hampson,1919** (Pyralidae) **Synonym(s):** *chrysargyria* Hampson,1919 **Range (in code):** **NG**
- 72138. *Ancylolomia chrysographella* (Kollar,[1844])** (Pyralidae) **Synonym(s):** *chrysographella* Kollar,[1844]; *responsella* Walker,1863; *xylina* Walker,1863; *basistriga* Moore,1886; *cassimella* Swinhoe,1886; *#bassistriga* Bleszynski & Collins,1962. **Range (in code):** **YE Ad PK Cp IN NI Bba Mhw Sml Hp NP LK MM TH MY CN KP JP TW ZA Nwe Rth**
- 72139. *Ancylolomia claudia* Bassi,2013** (Pyralidae) **Synonym(s):** *claudia* Bassi,2013 **Range (in code):** **TZ KE**
- 72140. *Ancylolomia confusella* Turati,1929** (Pyralidae) **Synonym(s):** *confusella* Turati,1929 **Range (in code):** **LY Cy o**

- 72141. *Ancylolomia croesus* Hampson,1919** (Pyralidae) Synonym(s): *croesus* Hampson,1919
Range (in code): **KE**
- 72142. *Ancylolomia disparalis* (Hübner,[1825])** (Pyralidae) Synonym(s): *disparella* Hübner,[1813] nec Schr.,1802; *disparalis* Hübner,[1825]; *contritellus* Zeller,1847; *hipponella* Ragonot,1888; *rabatella* Lucas,1937; *griseella* Amsel,1951; *powelli* Lucas,1954. _ Range (in code): **MA DZ Ges PT ES FR Sa Si IT HU GR TR**
- 72143. *Ancylolomia dives* Hampson,1919** (Pyralidae) Synonym(s): *dives* Hampson,1919
Range (in code): **IN Bel**
- 72144. *Ancylolomia drosogramma* Meyrick,1936** (Pyralidae) Synonym(s): *drosogramma* Meyrick,1936 _ Range (in code): **ZR**
- 72145. *Ancylolomia elisa* Bassi,2013** (Pyralidae) Synonym(s): *elisa* Bassi,2013 _ Range (in code): **GH**
- 72146. *Ancylolomia elongata* Lucas,1917** (Pyralidae) Synonym(s): *elongata* Lucas,1917; *nigrilinea* Joannis,1923; *maroccana* Amsel,1951. _ Range (in code): **MA DZ**
- 72147. *Ancylolomia endophaealis* Hampson,1910** (Pyralidae) Synonym(s): *endophaealis* Hampson,1910 _ Range (in code): **ZR**
- 72148. *Ancylolomia felderella* Bleszynski,1970** (Pyralidae) Synonym(s): *felderella* Bleszynski,1970 _ Range (in code): **IN Bel Ass Meg Khs**
- 72149. *Ancylolomia fulvitinctalis* Hampson,1919** (Pyralidae) Synonym(s): *fulvitinctalis* Hampson,1919 _ Range (in code): **UG**
- 72150. *Ancylolomia gracilis* Fawcett,1917** (Pyralidae) Synonym(s): *gracilis* Fawcett,1917
Range (in code): **KE ZR**
- 72151. *Ancylolomia gracilis gracilis* Fawcett,1917** (Pyralidae) Synonym(s): *gracilis* Fawcett,1917
Range (in code): **KE**
- 72152. *Ancylolomia gracilis stenochta* Meyrick,1934** (Pyralidae) Synonym(s): *stenochta* Meyrick,1934 _ Range (in code): **ZR**
- 72153. *Ancylolomia holochrea* Hampson,1919** (Pyralidae) Synonym(s): *holochrea* Hampson,1919 _ Range (in code): **NG**
- 72154. *Ancylolomia indica* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *indica* R.Felder & Rogenhofer,1875 _ Range (in code): **IN Cle Kul Ass Tn Poo NI AF PK Krc Ch IR Bba MY TH Nan LK MM ID Ja SA CN Hn**
- 72155. *Ancylolomia inornata* Staudinger,1870** (Pyralidae) Synonym(s): *inornata* Staudinger,1870; *anaryrella* Chrétien,1896; *malacellus* Mabilie,1906; *confusella* Turati,1929; *rabatellus* Lucas,1939. _ Range (in code): **MA DZ Ajj TN Gf LY Cy PT ES An Si IT MT PK Krc**
- 72156. *Ancylolomia intricata* Bleszynski,1970** (Pyralidae) Synonym(s): *intricata* Bleszynski,1970
Range (in code): **IN Ass Drm Hp Slo**
- 72157. *Ancylolomia irrorata* Hampson,1919** (Pyralidae) Synonym(s): *irrorata* Hampson,1919
Range (in code): **NG**
- 72158. *Ancylolomia japonica* Zeller,1877** (Pyralidae) Synonym(s): *japonica* Zeller,1877
Range (in code): **JP Kyu KP KR RU Prj Us CN Hn Yu Gn Stg Fkn Kwa TW**
- 72159. *Ancylolomia kuznetzovi* Bleszynski,1965** (Pyralidae) Synonym(s): *kuznetzovi* Bleszynski,1965 _ Range (in code): **TM**
- 72160. *Ancylolomia laverna* Bleszynski,1970** (Pyralidae) Synonym(s): *laverna* Bleszynski,1970
Range (in code): **IN MM**
- 72161. *Ancylolomia lentifascialis* Hampson,1919** (Pyralidae) Synonym(s): *lentifascialis* Hampson,1919 _ Range (in code): **ZA Tva Lpo**
- 72162. *Ancylolomia lentifascialis lentifascialis* Hampson,1919** (Pyralidae) Synonym(s): *lentifascialis* Hampson,1919 _ Range (in code): **ZA Tva Lpo**
- 72163. *Ancylolomia likiangella* Bleszynski,1970** (Pyralidae) Synonym(s): *likiangella* Bleszynski,1970 _ Range (in code): **CN Yu**
- 72164. *Ancylolomia locupletella* (Kollar,[1844])** (Pyralidae) Synonym(s): *locupletella* Kollar,[1844] _ Range (in code): **Ch IN Hp Sml Djl Ass LK**
- 72165. *Ancylolomia melanella* Hampson,1919** (Pyralidae) Synonym(s): *melanella* Hampson,1919
Range (in code): **TZ Dss ZA Nta Kzu Dbn Tva ZW**
- 72166. *Ancylolomia melanothoracica* Hampson,1919** (Pyralidae) Synonym(s): *melanothoracica* Hampson,1919 _ Range (in code): **TZ**
- 72167. *Ancylolomia micropalpella* Amsel,1951** (Pyralidae) Synonym(s): *micropalpella* Amsel,1951 _ Range (in code): **IR Ss SA SA63 BH AE**

- 72168. *Ancylolomia minutella* Turati,1926** (Pyralidae) Synonym(s): *minutella* Turati,1926
Range (in code): **LY Cy**
- 72169. *Ancylolomia mirabilis* Wallengren,1876** (Pyralidae) Synonym(s): *mirabilis* Wallengren,1876
Range (in code): **ZA**
- 72170. *Ancylolomia mirabilis mirabilis* Wallengren,1876** (Pyralidae) Synonym(s): *mirabilis* Wallengren,1876
Range (in code): **ZA**
- 72171. *Ancylolomia obscurella* Joannis,1927** (Pyralidae) Synonym(s): *obscurella* Joannis,1927
Range (in code): **MZ ZA**
- 72172. *Ancylolomia ophiralis* Hampson,1919** (Pyralidae) Synonym(s): *ophiralis* Hampson,1919
Range (in code): **NG**
- 72173. *Ancylolomia orchidea* Bleszynski,1970** (Pyralidae) Synonym(s): *orchidea* Bleszynski,1970
Range (in code): **PH Luz**
- 72174. *Ancylolomia palpella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palpella* [Denis & Schiffermüller],1775; *sovinskyi* Krulikovsky,1909
Original Reference: *Tinea palpella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **DZ Lbs Cst PT ES FR IT BE AT SK HU RO YU AL BG GR CY RU MD UA BY IR IQ Shq Amr Mos IL Pa Js LB TR Cc EG TM Kp KG**
- 72175. *Ancylolomia palpella gracilella* Caradja,1916** (Pyralidae) Synonym(s): *gracilella* Caradja,1916
Original Reference: *Ancylolomia gracilella* Caradja,1916, Dt. ent. Z., Iris 30: 5. Lectotype ♂: [Kazakhstan]: Aulie-Ata (MGAB). Range (in code): **KG TM**
- 72176. *Ancylolomia palpella syriaca* Rebel,1911** (Pyralidae) Synonym(s): *syriaca* Rebel,1911; *mesopotamica* Rebel,1918; *affinis* Rothschild,1921.
Original Reference: *Ancylolomia syriaca* Rebel,1911, Verh. zool.-bot. Ges. 61: (165). Lectotype ♂: [Iraq]: Mesopotamien: Mosul (NHMW). Range (in code): **IR IQ Shq Amr Mos IL Pa LB TR Cc**
- 72177. *Ancylolomia paraetoniella* Turati,1924** (Pyralidae) Synonym(s): *paraetoniella* Turati,1924
Range (in code): **LY Cy DZ IL Pa**
- 72178. *Ancylolomia pectinatella* (Zeller,1847)** (Pyralidae) Synonym(s): *pectinatellus* Zeller,1847
Original Reference: *Crambus pectinatellus* Zeller,1847, Isis 1847: 747. Type ♂: Sizilien. Range (in code): **Si IT MT HU YU BG GR Cr TR IL Pa Js Hf JO LB IQ Mos IR Ahz CY SY**
- 72179. *Ancylolomia pectinifera* Hampson,1910** (Pyralidae) Synonym(s): *pectinifera* Hampson,1910
Range (in code): **ZA**
- 72180. *Ancylolomia pectinifera pectinifera* Hampson,1910** (Pyralidae) Synonym(s): *pectinifera* Hampson,1910
Range (in code): **ZA**
- 72181. *Ancylolomia perfasciata* Hampson,1919** (Pyralidae) Synonym(s): *perfasciata* Hampson,1919
Range (in code): **ZA MG**
- 72182. *Ancylolomia planicosta* Martin,1953** (Pyralidae) Synonym(s): *planicosta* Martin,1953
Range (in code): **RW ZA**
- 72183. *Ancylolomia prepiella* Hampson,1919** (Pyralidae) Synonym(s): *prepiella* Hampson,1919
Range (in code): **ZA**
- 72184. *Ancylolomia prepiella prepiella* Hampson,1919** (Pyralidae) Synonym(s): *prepiella* Hampson,1919
Range (in code): **ZA**
- 72185. *Ancylolomia punctistrigella* (Mabille,1880)** (Pyralidae) Synonym(s): *punctistrigella* Mabille,1880
Range (in code): **MG**
- 72186. *Ancylolomia rabatella* Lucas,1937** (Pyralidae) Synonym(s): *rabatella* Lucas,1937
Range (in code): **MA**
- 72187. *Ancylolomia rotaxella* Bleszynski,1965** (Pyralidae) Synonym(s): *rotaxella* Bleszynski,1965
Range (in code): **CN**
- 72188. *Ancylolomia sansibarica* Zeller,1877** (Pyralidae) Synonym(s): *sansibarica* Zeller,1877
Range (in code): **TZ**
- 72189. *Ancylolomia saundersiella* Zeller,1863** (Pyralidae) Synonym(s): *saundersiella* Zeller,1863; *biplagella* Moore,1872; *obstitella* Swinhoe,1885
Original Reference: *Ancylolomia saundersiella* Zeller,1863, Chil. Cramb. Genera et Species: 10. Neotype ♀: India: Bombay, designated by Bleszynski,1970 (BMNH) Range (in code): **IN Mh Bba Poo**
- 72190. *Ancylolomia simplella* Joannis,1913** (Pyralidae) Synonym(s): *simplella* Joannis,1913
Range (in code): **ET ZA**

- 72191. *Ancylolomia simplella simplella* Joannis,1913** (Pyralidae) **Synonym(s):** *simplella* Joannis,1913 **_ Range (in code):** **ET ZA**
- 72192. *Ancylolomia taprobanensis* Zeller,1877** (Pyralidae) **Synonym(s):** *taprobanensis* Zeller,1877 **_ Range (in code):** **LK IN Bel Ass Meg Khs ID Ja**
- 72193. *Ancylolomia taprobanensis chrysanthema* Bleszynski,1970** (Pyralidae) **Synonym(s):** *chrysanthema* Bleszynski,1970 **_ Range (in code):** **IN Ass Meg Khs**
- 72194. *Ancylolomia taprobanensis javae* Bleszynski,1970** (Pyralidae) **Synonym(s):** *javae* Bleszynski,1970 **_ Range (in code):** **ID Ja**
- 72195. *Ancylolomia taprobanensis taprobanensis* Zeller,1877** (Pyralidae) **Synonym(s):** *taprobanensis* Zeller,1877 **_ Range (in code):** **LK IN Bel**
- 72196. *Ancylolomia tentaculella* (Hübner,1796)** (Pyralidae) **Synonym(s):** *tentaculella* Hübner,1796; *irakella* Amsel,1949. **Original Reference:** *Tinea tentaculella* Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.33 fig.230. Type(s): Europa. **_ Range (in code):** **PT ES FR Co Sa Si IT MT GB CH RO YU AL BG GR Cr TR RU Ur MD UA Cm BY CY Cc GG Lag JO IL Pa Hf Js Jt IQ Dia IR LB**
- 72197. *Ancylolomia tripolitella* Rebel,1909** (Pyralidae) **Synonym(s):** *tripolitella* Rebel,1909 **_ Range (in code):** **ES Sa MT LY Cy DZ SY JO BH KW**
- 72198. *Ancylolomia uniformella* Hampson,1896** (Pyralidae) **Synonym(s):** *uniformella* Hampson,1896 **_ Range (in code):** **IN Ap Sd Hyd PK**
- 72199. *Ancylolomia westwoodi* Zeller,1863** (Pyralidae) **Synonym(s):** *westwoodi* Zeller,1863 **_ Range (in code):** **AU NAu Dwn QAU IR Ss AF PK Krc IN NI Bba Pj LK MY ID Ja Sum Bli Clb**
- 72200. *Ancylolomia westwoodi bitubirosella* Amsel,1959** (Pyralidae) **Synonym(s):** *bitubirosella* Amsel,1959 **_ Range (in code):** **IR Ss AF PK Krc Pj NI Bba IN LK ID Clb Bli Ja MY Sum**
- 72201. *Ancylolomia westwoodi westwoodi* Zeller,1863** (Pyralidae) **Synonym(s):** *westwoodi* Zeller,1863 **_ Range (in code):** **AU NAu Dwn QAU**
- 72202. *Ancylosis aeola* Balinsky,1987** (Pyralidae) **Synonym(s):** *aeola* Balinsky,1987 **_ Range (in code):** **ZA Tva Gau Pre Rtb**
- 72203. *Ancylosis aeola aeola* Balinsky,1987** (Pyralidae) **Synonym(s):** *aeola* Balinsky,1987 **_ Range (in code):** **ZA Tva Gau Pre Rtb**
- 72204. *Ancylosis albicosta* (Staudinger,1870)** (Pyralidae) **Synonym(s):** *albicosta* Staudinger,1870; *delimitella* Ragonot,1887; *niveicostella* Ragonot,1901. **Original Reference:** *Myelois albicosta* Staudinger,1870, Berl. ent. Z. 14: 202. Type ♂: Russland: Sarepta (ZMB). **_ Range (in code):** **MA LY Cy RO RU Sr Or MD UA BY TR KG Uk Ind TM Kp K-K AF Hr Kbb IR Elb Th CN Ui Ga**
- 72205. *Ancylosis albicostella* Amsel,1951** (Pyralidae) **Synonym(s):** *albicostella* Amsel,1951 **Original Reference:** *Ancylosis albicostella* Amsel,1951, Ark. Zool. (2) 1: 530, fig.8, 56. Holotype ♂: Iran: Tchouroum, 1000m (leg. Brandt), (NRS) ["Tchouroum" was wrongly attributed to Turkey in Globiz]. **_ Range (in code):** **IR Fa Shr IQ Shq**
- 72206. *Ancylosis albidella* Ragonot,1888** (Pyralidae) **Synonym(s):** *albidella* Ragonot,1888 **Original Reference:** *Ancylosis albidella* Ragonot,1888, Nouv. gen. Phycit. 1888: 30. Syntypes: [Uzbekistan]: Margelan. **_ Range (in code):** **HU SK ES Hv UZ Man CN Ui Ku MN**
- 72207. *Ancylosis anarchica* Roesler,1970** (Pyralidae) **Synonym(s):** *anarchica* Roesler,1970 **_ Range (in code):** **MN**
- 72208. *Ancylosis ancylodella* Roesler,1973** (Pyralidae) **Synonym(s):** *ancylodella* Roesler,1973 **_ Range (in code):** **AF Ca Hr SA SA63**
- 72209. *Ancylosis ancylopsis* Roesler,1970** (Pyralidae) **Synonym(s):** *ancylopsis* Roesler,1970 **_ Range (in code):** **MN**
- 72210. *Ancylosis anguinosa* Zeller,1848** (Pyralidae) **Synonym(s):** *anguinosella* Zeller,1848; *ledereriella* Herrich-Schäffer,1852. **Original Reference:** *Ancylosis anguinosa* Zeller,1848, Isis 1848: 743. Type ♀: [Russia]: Sarepta (BMNH). **_ Range (in code):** **RU Sr KG Ind**
- 72211. *Ancylosis arenaceella* Amsel,1968** (Pyralidae) **Synonym(s):** *arenaceella* Amsel,1968 **_ Range (in code):** **PK Krc Sd IN**
- 72212. *Ancylosis arenosella* (Staudinger,1859)** (Pyralidae) **Synonym(s):** *arenosella* Staudinger,1859; *angusta* Staudinger,1870; *arenicola* Ragonot,1901; *variabilis* Rothschild,1913; *invalidella* Turati,1930; *hederalis* Amsel,1935; *michaelella* Lucas,1939; *subflavella* Lucas,1946; *trifasciatella* Lucas,1948; *buckwelli* Lucas,1954. **Original Reference:** *Anerastia arenosella* Staudinger,1859, Stettin ent. Ztg. 1859: 227. Type ♂: Spanien: Andalusia: Chiclana (ZMB). **_ Range (in code):** **Cn MA DZ Ah Heh Onç Orn Bsk Sfx TN LY Cy EG EG11 SA SA63 IL Jf Pa ES Co**
- 72213. *Ancylosis arianella* Roesler,1973** (Pyralidae) **Synonym(s):** *arianella* Roesler,1973 **_ Range (in code):** **CN Stg**

- 72214. Ancylosis arimanella (Amsel,1951)** (Pyralidae) Synonym(s): *arimanella* Amsel,1951
Range (in code): **IR Kz Com Fa**
- 72215. Ancylosis aspilatella (Ragonot,1887)** (Pyralidae) Synonym(s): *aspilatella* Ragonot,1887;
simplicella Chrétien,1910; *calligonella* Dumont,1926. _ Range (in code): **DZ Onç Tou Bsk TN EG Sn RU Ur**
IR Elb Kj Th Ss Ana Ke TM Kp K-K AF AE
- 72216. Ancylosis atrisparsella (Hampson,1901)** (Pyralidae) Synonym(s): *atriparsella*
Hampson,1901; *#atriparsella* Balinsky,1994 _ Range (in code): **KG Tk Dj ZA Tva Mpu Brb Fs Wca Ec**
Fra Kny Stj ZW Umv Bul Gau Rtb Pre
- 72217. Ancylosis bicolorella (Roesler,1973)** (Pyralidae) Synonym(s): *bicolorella* Roesler,1973
Range (in code): **PK Gg**
- 72218. Ancylosis biflexella (Lederer,1855)** (Pyralidae) Synonym(s): *biflexella* Lederer,1855;
pilosella Zeller,1867; *brabantella* D.Lucas,1907; *similis* Rothschild,1915; *medicalba* Rothschild,1921; *latakiella*
Amsel,1952; *fuscella* Amsel,1961. _ Original Reference: Myelois biflexella Lederer,1855, Verh. zool.-
bot. Ges. Wien 5: 222, t.4 fig.10. Type ♀: [Libanon]: Beirut (ZMB). Range (in code): **Cn MA DZ Ah**
Tou Ogl Omy Gle Bsk TN Gf LY Cy EG EG11 YE SA SA63 SD BH IL Hf Jf Js Pa CY SY Ltk IR Ss Irs Ahz
LB Bei
- 72219. Ancylosis bohemani (Zeller,1852)** (Pyralidae) Synonym(s): *bohemani* Zeller,1852
Range (in code): **ZA Gau Rtb Pre Tva Nta Kzu**
- 72220. Ancylosis bouhraouai Leraut,2014** (Pyralidae) Synonym(s): *bouhraouai* Leraut,2014
DZ Gha Gle TN
- 72221. Ancylosis boursinella Roesler,1970** (Pyralidae) Synonym(s): *boursinella* Roesler,1970
Range (in code): **MN**
- 72222. Ancylosis brunneella (Chrétien,1911)** (Pyralidae) Synonym(s): *brunneella* Chrétien,1911
Original Reference: Staudingeria brunneella Chrétien,1911, Bull. Soc. ent. Fr. 1911: 54. Type ♂:
Algerie: Biskra (MNHNP). Range (in code): **MA DZ Bsk TN LY ES EG EG11 Sn SD SA SA63 IL Jt Pa**
- 72223. Ancylosis brunneonervella Roesler,1970** (Pyralidae) Synonym(s): *brunneonervella*
Roesler,1970 _ Range (in code): **MN**
- 72224. Ancylosis bulganella (Roesler,1970)** (Pyralidae) Synonym(s): *bulganella* Roesler,1970
Range (in code): **MN**
- 72225. Ancylosis calcariella Ragonot,1901** (Pyralidae) Synonym(s): *calcariella* Ragonot,1901;
illineella Chrétien,1911 _ Range (in code): **MA DZ Gtt Bsk Onç Tou TN Gf Gab ES**
- 72226. Ancylosis candidatella (Lederer,1858)** (Pyralidae) Synonym(s): *candidatella*
Lederer,1858; *fathmella* Oberthür,1888; *tenuigranella* Ragonot,1890. _ Original Reference: Myelois
candidatella Lederer,1858, Wien. ent. Monatschr. 2: 149, Taf.4 fig.6. Syntypes ♂♀: Syrien:
Damask. Range (in code): **MA DZ Bsk TN SY Dms IL Pa Hf LB Bei IQ Mos Kbl Bgd IR Ahz Fa Elb Th**
Ss Ke Aba TR Th Elb TM Kp K-K KW AF Hr Ca Kbb Srb
- 72227. Ancylosis canella Roesler,1973** (Pyralidae) Synonym(s): *canella* Roesler,1973 _ Range
(in code): **AF Kab Pag IR Ss**
- 72228. Ancylosis canella canella Roesler,1973** (Pyralidae) Synonym(s): *canella* Roesler,1973
Range (in code): **IR Ss**
- 72229. Ancylosis canella kasyella Roesler,1973** (Pyralidae) Synonym(s): *kasyella* Roesler,1973
Range (in code): **AF Kab Pag**
- 72230. Ancylosis capensis Ragonot,1888** (Pyralidae) Synonym(s): *capensis* Ragonot,1888
Range (in code): **ZA Nca Kim Fs Blo Gau Jh Tva Pre Slpp Ec Grh NA Abc**
- 72231. Ancylosis cinnamomella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilutella* Tr.,1832
[n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887;
roseopennella Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella*
Tur.,1924. _ Original Reference: Phycis cinnamomella Duponchel,1836, Hist. nat. Lépid.
Papillons Fr. 10: 190, Pl.279, f.4. Type(s): France: Montpellier. Range (in code): **DZ TN Gf PT ES**
Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR NO SE FI LV MD RU Or Sb Ur
UA BY KG Uk Ind TM TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb Kj Th Fa Ha
Ss AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S Cc AZ Kir MN Mri Eba MA Ifr Ouk _ Bionomy: Larva on
Sedum (Crassulaceae), *Globularia* (Globulariaceae), *Artemisia* (Asteraceae) (Parenti,2000).
- 72232. Ancylosis cinnamomella atlasica Leraut,2014** (Pyralidae) Synonym(s): *atlasica*
Leraut,2014 _ **MA Ifr Ouk**
- 72233. Ancylosis cinnamomella bichordella (Ragonot,1887)** (Pyralidae) Synonym(s):
bichordella Ragonot,1887; *lividella* Ragonot,1887; *flammella* Ragonot,1887; *cephella* Ragonot,1901; *ciliciella*
Caradja,1910; *nigrella* Caradja,1916; *persicolella* Amsel,1951; *ormuzdella* Amsel,1954; *ecbataniella* Amsel,1961.
_ Original Reference: Heterographis bichordella Ragonot,1887, Annls Soc. ent. Fr. 1887: 246.

- Type: Iran: Schahrud. Range (in code): TR LB Bei Bsa SY Dms IL Hf Js JO IQ Shq Mos Bsr EG EG11 IR Elb KJ Th Fa Ha Ss Put AF Kab Kbb Pag CN Ui Ku UZ Man KK T-S KG Uk Cc AZ Kir RU Or Sb Ur
- 72234. Ancylosis cinnamomella byzacaenicella Ragonot,1887** (Pyralidae) Synonym(s): *byzacaenicella* Ragonot,1887 Range (in code): **DZ TN**
- 72235. Ancylosis cinnamomella cinnamomella (Duponchel,1836)** (Pyralidae) Synonym(s): *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauryella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopennella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. Original Reference: Phycis *cinnamomella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 190, Pl.279, f.4. Type(s): France: Montpellier. Range (in code): **DZ Mri PT ES Mu FR Co Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL MK BG GR TR NO SE FI LV RU MD UA BY IR KG Uk Ind TM**
- 72236. Ancylosis cinnamomella nigrorubella Roesler,1970** (Pyralidae) Synonym(s): *nigrorubella* Roesler,1970 Range (in code): **MN**
- 72237. Ancylosis cinnamomella rondoui Leraut,2014** (Pyralidae) Synonym(s): *rondoui* Leraut,2014 Range (in code): **FR**
- 72238. Ancylosis citrinella (Ragonot,1887)** (Pyralidae) Synonym(s): *citrinella* Ragonot,1887; *agraphella* Ragonot,1901 Original Reference: Syria *citrinella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 244. Type ♂: [Turkmenistan]: Askhabad (ZIANL). Range (in code): **DZ Ajj TN EG RU Ur KG Uk TM Kp**
- 72239. Ancylosis convergens (Erschoff,1874)** (Pyralidae) Synonym(s): *convergens* Erschoff,1874; *dideganella* Roesler,1973. Range (in code): **UZ T-G**
- 72240. Ancylosis convexella (Lederer,1855)** (Pyralidae) Synonym(s): *convexella* Lederer,1855; *albicieliella* Staudinger,1859; *favorinella* Zeller,1867 Original Reference: Myelois *convexella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 222, t.4 fig.9. Lectotype ♂: Libanon: Beirut (designated by Roesler,1973, Microlepid. palaearkt. 4: 401) (ZMB). Range (in code): **Cn MA DZ Ajj Bsk Onç TN Gf LY Cy ES Mu MT YU GR IR Mz Elb Th Ke Fa Ana TM Kp IL Hf Js Pa JO TR IQ Bgd Kbl Mos Dia Bsr BH EG EG11 Sn LB Bei SD SA SA63 CY AF Ca Srb Kab PK Bl Qu Krc**
- 72241. Ancylosis costistrigella (Ragonot,1890)** (Pyralidae) Synonym(s): *costistrigella* Ragonot,1890 Range (in code): **MA DZ Bsk TN Gf LY BH IL Js Jer Pa SD Ksl IR Ss AF Srb AE** Bionomy: Larva on *Salvia aegyptiaca* (Lamiaceae) (Chrétien,1917).
- 72242. Ancylosis deserticola (Staudinger,1870)** (Pyralidae) Synonym(s): *deserticola* Staudinger,1870 Original Reference: Myelois *deserticola* Staudinger,1870, Berl. ent. Z. 14: 201. Type ♂: Russland: Sarepta (ZMB). Range (in code): **DZ Eal Onç Gha ES HU RO BG TR SA SA63 EG EG11 SD IL Jf Jer Hf Pa SY Dms LB Bei IR Elb Th Ss IQ RU Ur Or Sr Sb KG Uk TM Kp UZ Br AF Kab Srb PK Bl Qu**
- 72243. Ancylosis detersella (Hampson,1926)** (Pyralidae) Synonym(s): *detersella* Hampson,1926 Range (in code): **ZA Wca**
- 72244. Ancylosis dideganella Roesler,1973** (Pyralidae) Synonym(s): *dideganella* Roesler,1973 Range (in code): **IR Fa**
- 72245. Ancylosis dryadella (Ragonot,1887)** (Pyralidae) Synonym(s): *dryadella* Ragonot,1887; *sefidella* Amsel,1951. Original Reference: Heterographis *dryadella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 246. Lectotype ♂: [Kazachstan]: Saisan (designated by Roesler,1973, Microlepid. palaearkt. 4: 333) (ZMB). Range (in code): **RU CN Ui Ku T-S KG Tar Ssn Uk UZ Man IR Elb KJ Th Fa AF Hr**
- 72246. Ancylosis dumetella (Ragonot,1887)** (Pyralidae) Synonym(s): *dumetella* Ragonot,1887; *albinotella* Ragonot,1887; *alvandella* Amsel,1961. Original Reference: Heterographis *dumetella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 247. Type ♂: [China]: Kuldja (ZIANL). Range (in code): **DZ Onç CN Ui Ku T-S TM Kp TR IR Ha Adv Th Elb Fa AF Kab Pag Ca Hr Bd KK**
- 72247. Ancylosis eremicola (Amsel,1935)** (Pyralidae) Synonym(s): *eremicola* Amsel,1935; *#nigricella* Amsel,1959. Range (in code): **IL Jf Pa SA SA63 BH KW IR Kz Ss Irs Sde IQ**
- 72248. Ancylosis euclastella (Ragonot,1887)** (Pyralidae) Synonym(s): *euclastella* Ragonot,1887 Original Reference: Heterographis *euclastella* Ragonot,1887, Annls. Soc. ent. Fr. 1887: 247. Holotype ♂: [China: Uighur A.R.]: "Culdja" [Kuldja] (MNHNP). Range (in code): **CN Ui Ku**
- 72249. Ancylosis eugraphella Balinsky,1987** (Pyralidae) Synonym(s): *eugraphella* Balinsky,1987 Range (in code): **ZA Fs Blo Nha**
- 72250. Ancylosis eugraphella eugraphella Balinsky,1987** (Pyralidae) Synonym(s): *eugraphella* Balinsky,1987 Range (in code): **ZA Fs Blo Nha**
- 72251. Ancylosis eurhoda Balinsky,1989** (Pyralidae) Synonym(s): *eurhoda* Balinsky,1989 Range (in code): **ZW Tva Bul ZA Nta Kzu Srn Mpu Brb**

- 72252. Ancylosis eurhoda eurhoda Balinsky,1989** (Pyralidae) Synonym(s): *eurhoda Balinsky,1989* Range (in code): ZW Tva Bul ZA Nta Kzu Srn Mpu Brb
- 72253. Ancylosis externella Roesler,1971** (Pyralidae) Synonym(s): *externella Roesler,1971* Range (in code): IR Fa
- 72254. Ancylosis faustinella (Zeller,1867)** (Pyralidae) Synonym(s): *faustinella Zeller,1867; staudingeri Christoph,1877; rubripictella Hampson,1896; thalerella Mabilie,1908; variabilis Rothschild,1915; airensis Rothschild,1921; bilineella Amsel,1935; damascenella Amsel,1952.* Original Reference: Euzophera faustinella Zeller,1867, Stettin ent. Ztg. 28(10/12): 380-381. Type ♀: Jordanthal (BMNH). Range (in code): Cn MA TN DZ Ath Bsk Ogl Ah LY Cy SD MT RU JO IL Js Jf Pa AZ Nv Ord Cc TR EG EG11 Sn SA SA63 SA39 YE BH SY Dms LB Bei Bsa NE Air KG Uk IQ Mos Bsr IR Elb Th Fa Ss Irs Kz Sde Kh TM Krn Kp AF Kab Srb Ca Hr PK Bl Qu Pj Lh IN MN
- 72255. Ancylosis fronticornella Roesler,1973** (Pyralidae) Synonym(s): *fronticornella Roesler,1973* Range (in code): AF Pag Kbb Ca Kab PK Bl Qu
- 72256. Ancylosis fuscovenella Ragonot,1887** (Pyralidae) Synonym(s): *fuscovenella Ragonot,1887* Original Reference: Ancyloides fuscovenella Ragonot,1887, Annls. Soc. ent. Fr. 1887: 250. Holotype ♂: [China: Uighur A.R.]: Kouldja (MNHNP). Range (in code): CN Ui Ku
- 72257. Ancylosis geminella (Amsel,1961)** (Pyralidae) Synonym(s): *geminella Amsel,1961* Original Reference: Heterographis geminella Amsel,1961, Ark. Zool. (2)13: 351, Taf.11 fig.158, pl.345 fig.35. Type ♂: Iran: Chiraz. Range (in code): IR Elb Th Kj Fa La Ss TR EG EG07
- 72258. Ancylosis glaphyria Balinsky,1987** (Pyralidae) Synonym(s): *glaphyria Balinsky,1987* Range (in code): ZA Tva Gau Pre Jh Fs Blo NA ZW Har
- 72259. Ancylosis glaphyria glaphyria Balinsky,1987** (Pyralidae) Synonym(s): *glaphyria Balinsky,1987* Range (in code): ZA Tva Gau Pre Jh Fs Blo NA ZW Har
- 72260. Ancylosis gozmanyella Roesler,1970** (Pyralidae) Synonym(s): *gozmanyella Roesler,1970* Range (in code): MN
- 72261. Ancylosis gracilella Ragonot,1887** (Pyralidae) Synonym(s): *gracilella Ragonot,1887; subcandidatella Ragonot,1887; monostictella Ragonot,1887; casella Chrétien,1910; lybistinella Turati,1924; dowsoniella Richards & Thomson,1932.* Original Reference: Heterographis gracilella Ragonot,1887, Annls Soc. ent. Fr. 1887: 248. Syntypes: [Turkmenistan]: Krasnowodsk, [Usbekistan]: Namangan; [Uighur Ili]: Kuldja. Range (in code): MA TN DZ Bsk LY Cy EG EG11 BH SA SA63 SD MT MK UZ KW JO IL Hf Js Jer Jt Pa LB Bei SY TR Cc IQ Mos Bgd Amr Bsr Kbl IR Elb Th Fa Ahz Ss Kz Sde Aba Ke AF Kab Pag Ca Hr PK Gg TM Krn UZ Fe Man CN Ui Ku
- 72262. Ancylosis griseomixtella (Ragonot,1887)** (Pyralidae) Synonym(s): *griseomixtella Ragonot,1887* Original Reference: Ancyloides griseomixtella Ragonot,1887, Annls. Soc. ent. Fr. 1887: 250. Holotype ♂: [China: Uighur A.R.]: "Culdja" [Kuldja] (MNHNP). Range (in code): TM Krn CN Ui Ku
- 72263. Ancylosis harmoniella (Ragonot,1887)** (Pyralidae) Synonym(s): *harmoniella Ragonot,1887; ochrotaeniella Ragonot,1887; fulminantella Turati,1922; rosabella Turati,1930; diffusella Turati,1930; incanella Turati,1930.* Original Reference: Heterographis harmoniella Ragonot,1887, Annls Soc. ent. Fr. 1887: 247. Syntypes: [Algerie]: Gabes, Biskra. Range (in code): MA DZ Gab Bsk TN Gf LY Cy MT EG EG11 Sn SD SA SA63 IQ Kbl Bsr TR IR Th Elb Fa IL Js Jf SY Dms LB Bei Bsa AF Kab Kbb Bd Cc AZ Nv Ord
- 72264. Ancylosis hecestella Roesler,1970** (Pyralidae) Synonym(s): *hecestella Roesler,1970* Range (in code): MN
- 72265. Ancylosis hellenica (Staudinger,1870)** (Pyralidae) Synonym(s): *hellenica Staudinger,1870; deliciosella Caradja,1910* Original Reference: Myelois rhodochrella var.? hellenica Staudinger,1870, Horae Soc. ent. ross. 7: 209210. Tab.2 fig.18. Syntypes 4♂: Griechenland: Attica. Range (in code): LY Cy EG EG11 SD SA SA63 MK BG GR CY TR Cc IQ Shq Bgd Mos IL Hf Js Jer Jf Pa JO IR Elb Kj Th Fa Shr Ss Irs Ana Ke Ahz LB Bei Bsa SY Dms TM Kp AF Hr Kab Srb PK Nwf Bl Qu Gg Hu UZ Br
- 72266. Ancylosis holophaella (Rebel,1903)** (Pyralidae) Synonym(s): *holophaella Rebel,1903; desertella Lucas,1909; holophaella Caradja,1910; obscurior Caradja,1910; calcariellina Rothschild,1913; griseolella Rothschild,1915.* Original Reference: Staudingeria holophaella Rebel,1903, Verh. zool- bot. Ges. Wien 53: 407-408. Type ♀: Algeria, "Ouargl. Ghard.". Range (in code): MA DZ Bsk Onç Gha TN Gf LY Cy EG IR Ss Irs Chh
- 72267. Ancylosis hosanna Roesler,1970** (Pyralidae) Synonym(s): *hosanna Roesler,1970* Range (in code): MN
- 72268. Ancylosis ianthemis (Meyrick,1887)** (Pyralidae) Synonym(s): *ianthemis Meyrick,1887; epiterpes Turner,1904* Range (in code): AU

- 72269. Ancylosis imitella Hampson,1901** (Pyralidae) Synonym(s): *imitella* Hampson,1901
Range (in code): **MA DZ TN LY Cn ES FR Co Sa Si AL**
- 72270. Ancylosis inangulella W.Warren,1914** (Pyralidae) Synonym(s): *inangulella* W.Warren,1914
Range (in code): **ZA**
- 72271. Ancylosis interjectella (Ragonot,1888)** (Pyralidae) Synonym(s): *interjectella* Ragonot,1888
Range (in code): **ZA Tva Gau Pre Mpu Brb Rtb Nta Kzu Umk NA Abc ZW Bul**
- 72272. Ancylosis iranella Ragonot,1887** (Pyralidae) Synonym(s): *iranella* Ragonot,1887; *turaniella* Ragonot,1887.
Original Reference: Ancylosis iranella Ragonot,1887, Annls Soc. ent. Fr. 1887: 251-252. Type(s): [Iran]: Schahkuh. Range (in code): **Cc TR IR Th Elb Shh Kdv IL Hf Pa LB Bei IQ Bsr KK TM Kp**
- 72273. Ancylosis karachiella (Amsel,1968)** (Pyralidae) Synonym(s): *karachiella* Amsel,1968
Range (in code): **IN PK Krc Sd**
- 72274. Ancylosis kaszabi Roesler,1970** (Pyralidae) Synonym(s): *kaszabi* Roesler,1970
Range (in code): **MN**
- 72275. Ancylosis kazerunella Roesler,1973** (Pyralidae) Synonym(s): *kazerunella* Roesler,1973
Range (in code): **IR Fa AF Ca**
- 72276. Ancylosis khuzistanella Amsel,1959** (Pyralidae) Synonym(s): *khuzistanella* Amsel,1959
Range (in code): **IR Ss**
- 72277. Ancylosis khuzistanella benderella Amsel,1961** (Pyralidae) Synonym(s): *benderella* Amsel,1961
Range (in code): **IR Ss**
- 72278. Ancylosis labeculella (Ragonot,1887)** (Pyralidae) Synonym(s): *labeculella* Ragonot,1887
DZ TN Bionomy: Larva on Limoniastrum guyonianum (Plumbaginaceae) (Leraut, 2014).
- 72279. Ancylosis lacteicostella (Ragonot,1887)** (Pyralidae) Synonym(s): *lacteicostella* Ragonot,1887; *fulvobasella* Ragonot,1887; *aegyptiacella* Ragonot,1901; *spatzi* Rothschild,1915.
Original Reference: Heterographis lacteicostella Ragonot,1887, Annls Soc. ent. Fr. 1887: 248. Type(s): [Usbekistan]: Marghilan. Range (in code): **MA DZ Bsk Lbs Gha Ah TN EG SD SA SA63 KW YE IL Jf Hf Pa IQ Bgd Amr IR Lo Ss Se Elb AF TR Cc UZ Man Fe RU Ur CN Ui Ku AE** Bionomy: Larva on Halogeton sativus (Chenopodiaceae) (Rungs,1979).
- 72280. Ancylosis leucocephala (Staudinger,1879)** (Pyralidae) Synonym(s): *leucocephala* Staudinger,1879
Original Reference: Myelois leucocephala Staudinger,1879, Stettin. ent. Ztg. 1879: 326. Syntypes ♂: [Kirgizistan]: Naryn (ZMB). Range (in code): **DZ LY Cy EG IL Jf Hf Pa RO RU Ur Sr Or KG Uk KK Na IR Elb Th AF Hr Kab Srb Ca UZ Br MN CN Stg Ui Ku**
- 72281. Ancylosis limoniella (Chrétien,1911)** (Pyralidae) Synonym(s): *limoniella* Chrétien,1911; *eremita* Gozmany,1951.
Original Reference: Syria limoniella Chrétien,1911, Bull. Soc. ent. Fr. 16: 34. Syntypes ♂: Algerie: Biskra (MNHN). Range (in code): **Cn MA DZ Bsk Orn Ajj TN LY Cy EG EG11 YE SA SA63 SD IL Hf Pa IR Elb Th AF**
- 72282. Ancylosis luederitzella Balinsky,1989** (Pyralidae) Synonym(s): *luederitzella* Balinsky,1989
Range (in code): **NA ZA Wca**
- 72283. Ancylosis luederitzella luederitzella Balinsky,1989** (Pyralidae) Synonym(s): *luederitzella* Balinsky,1989
Range (in code): **NA ZA Wca**
- 72284. Ancylosis maculifera Staudinger,1870** (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
Original Reference: Ancylosis ? maculifera Staudinger,1870, Berl. ent. Z. 14: 198. Lectotype ♂: Russland: Sarepta (Roesler, 1973: 342). Range (in code): **MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG UK MN CN Ui Ku RU Ur Sr Or Am TW CN Yu**
- 72285. Ancylosis maculifera maculifera Staudinger,1870** (Pyralidae) Synonym(s): *maculifera* Staudinger,1870; *ifraneella* Lucas,1954.
Original Reference: Ancylosis ? maculifera Staudinger,1870, Berl. ent. Z. 14: 198. Lectotype ♂: Russland: Sarepta (Roesler, 1973: 342). Range (in code): **MA DZ TN Gf LY ES RO BG MD UA BY TR Cc IR Elb Th EG Sn IL Js Pa LB Bei IQ Mos Bsr AF Pag Kab Bd Srb KG UK MN CN Ui Ku RU Ur Sr Or**
- 72286. Ancylosis maculifera signosella Ragonot,1887** (Pyralidae) Synonym(s): *signosella* Ragonot,1887; *formosae* Strand,1922; *longipennella* Caradja,1937.
Range (in code): **RU Am TW CN Yu KG UK TR**
- 72287. Ancylosis magnifica (Butler,1875)** (Pyralidae) Synonym(s): *magnifica* Butler,1875
Range (in code): **ZA Tva Gau Jh Nyl Pre Fs Blo Ec Wca NA Abc ZW Swm**
- 72288. Ancylosis melanophlebia Balinsky,1989** (Pyralidae) Synonym(s): *melanophlebia* Balinsky,1989
Range (in code): **ZA Tva Gau Pre Ptc**

- 72289. Ancylosis melanophlebia melanophlebia Balinsky,1989** (Pyrilidae) **Synonym(s):** *melanophlebia Balinsky,1989* Range (in code): **ZA Tva Gau Pre Ptc**
- 72290. Ancylosis mimeugraphella Balinsky,1989** (Pyrilidae) **Synonym(s):** *mimeugraphella Balinsky,1989* Range (in code): **NA ZA Tva Wb Slpp Gau Ec Wca Nta Kzu Esw**
- 72291. Ancylosis minimella Lucas,1911** (Pyrilidae) **Synonym(s):** *minimella Lucas,1911* Range (in code): **DZ TN**
- 72292. Ancylosis monella Roesler,1973** (Pyrilidae) **Synonym(s):** *monella Roesler,1973* Range (in code): **AF Srb Hr IR Elb Th**
- 72293. Ancylosis mongoliella Roesler,1970** (Pyrilidae) **Synonym(s):** *mongoliella Roesler,1970* Range (in code): **MN**
- 72294. Ancylosis montana Balinsky,1989** (Pyrilidae) **Synonym(s):** *montana Balinsky,1989* Range (in code): **ZA Ec Tra LS Ec NA**
- 72295. Ancylosis montana montana Balinsky,1989** (Pyrilidae) **Synonym(s):** *montana Balinsky,1989* Range (in code): **ZA Ec Tra LS Ec NA**
- 72296. Ancylosis morbosella Staudinger,1879** (Pyrilidae) **Synonym(s):** *morbosella Staudinger,1879; anderskyella Caradja,1910* Original Reference: *Ancylosis morbosella Staudinger,1879, Horae Soc. ent. ross. 15: 218-219. Syntypes 5♂ 3♀: [Türkei]: Amasia: Kerasdere, Caraman; Lectotype ♂: Amasia (designated by Roesler,1973, Microlepid. palaearkt. 4: 473) (ZMB). Range (in code):* **DZ FR RU Ur TR Cc AF Kbb CN Ui Au KG Ind**
- 72297. Ancylosis muliebris (Meyrick,1937)** (Pyrilidae) **Synonym(s):** *muliebris Meyrick,1937; macedonica Schawerda,1937.* Original Reference: *Trissonca muliebris Meyrick,1937, Exot. Microlepid. 5: 70. Type ♀: Iraq: Mosul (BMNH). Range (in code):* **DZ TN MK TR SA SA63 EG Sn IL Js Pa JO IQ Mos KW IR Elb Kj Th Fa Ss Irs Ana Ke AF Kab UZ Smk**
- 72298. Ancylosis myosella Ragonot,1901** (Pyrilidae) **Synonym(s):** *myosella Ragonot,1901* Range (in code): **DZ TN EG**
- 72299. Ancylosis namibiella Balinsky,1987** (Pyrilidae) **Synonym(s):** *namibiella Balinsky,1987* Range (in code): **NA ZA MII LS**
- 72300. Ancylosis nervosella (Zerny,1914)** (Pyrilidae) **Synonym(s):** *nervosella Zerny,1914; transcasiella Amsel,1958.* Original Reference: *Ancylodes nervosella Zerny,1914, Annln naturh. Mus. Wien 28: 306-307, Taf.xxv fig.8. Type ♂: [Kazachstan]: Uralsk (NHMW). Range (in code):* **RU Ur KG Uk TM Rpt MN**
- 72301. Ancylosis nervosella bajanlegella Roesler,1970** (Pyrilidae) **Synonym(s):** *bajanlegella Roesler,1970* Range (in code): **MN**
- 72302. Ancylosis nervosella nervosella (Zerny,1914)** (Pyrilidae) **Synonym(s):** *nervosella Zerny,1914; transcasiella Amsel,1958.* Original Reference: *Ancylodes nervosella Zerny,1914, Annln naturh. Mus. Wien 28: 306-307, Taf.xxv fig.8. Type ♂: [Kazachstan]: Uralsk (NHMW). Range (in code):* **RU Ur KG Uk TM Rpt**
- 72303. Ancylosis nigripunctella (Staudinger,1879)** (Pyrilidae) **Synonym(s):** *nigripunctella Staudinger,1879; wockeella Ragonot,1887; carnibasalis Hampson,1896.* Original Reference: *Myelois nigripunctella Staudinger,1879, Stettin ent. Ztg. 1879: 327. Type ♂: [Kirghizistan]: Naryn (ZMB). Range (in code):* **DZ Gha TN EG EG11 MT RU TR KK KG Tk CN Ui Ku YE Ad IR Ss**
- 72304. Ancylosis nigronevella Roesler,1970** (Pyrilidae) **Synonym(s):** *nigronevella Roesler,1970* Range (in code): **MN**
- 72305. Ancylosis niphicosta Roesler,1970** (Pyrilidae) **Synonym(s):** *niphicosta Roesler,1970* Range (in code): **MN**
- 72306. Ancylosis nubeculella (Ragonot,1887)** (Pyrilidae) **Synonym(s):** *nubeculella Ragonot,1887* Original Reference: *Heterographis nubeculella Ragonot,1887, Annls Soc. ent. Fr. 1887: 247. Type ♂: [Aserbaidjan]: Ordubad. Range (in code):* **TN Gf Cc AZ Nv Ord TR SD SA SA63 IR Ss PK Krc AF Srb AE**
- 72307. Ancylosis oblitella (Zeller,1848)** (Pyrilidae) **Synonym(s):** *oblitella Zeller,1848; homographis Hampson,1930; ischnopsis Meyrick,1937; major Lucas,1948; ochraella Lucas,1948; boitella Lucas,1950; calaritalella Amsel,1951; indistinctella Lucas,1955.* Original Reference: *Ephestia oblitella Zeller,1848, Isis 1848: 597. Lectotype ♂: Russland: Sarepta (Roesler,1973: 440). Range (in code):* **MA TN DZ Bsk LY Cy PT ES FR Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO HV MK B-H YU AL BG GR CY DK LV RU Sr MD UA BY TR LB Bei IL Jf Js Hf Pa IQ Mos Bgd Dia IR Elb Th Mz Kh Msh SA SA63 EG AF Hr PK Gg KG Uk TM Kp MN NP** Bionomy: *Larva on Acacia tortilis, A. farnesiana, Suaeda maritima (Chrétien,1917; Glaser,1960).*

- 72308. Ancylosis obscurella Balinsky,1989** (Pyralidae) Synonym(s): *obscurella Balinsky,1989*
Range (in code): **ZA Gau Tva Mpu Pre Wv**
- 72309. Ancylosis obscurella obscurella Balinsky,1989** (Pyralidae) Synonym(s): *obscurella Balinsky,1989* - Range (in code): **ZA Gau Tva Mpu Pre Wv**
- 72310. Ancylosis obscuripunctella Roesler,1973** (Pyralidae) Synonym(s): *nigripunctella Amsel,1949 nec Stgr.,1879; obscuripunctella Roesler,1973.* Original Reference: Ancylosis (Syria) obscuripunctella Roesler,1973, Microlepid. palaearkt. 4: 664 (nomen novum pro nigripunctella Amsel,1949 nec Staudinger,1879). Type ♂: Iran: Belutschistan: Iranshar, 800m (LNK). Range (in code): **IR Ss Irs Bmp PK Bl Qu SA SA63**
- 72311. Ancylosis ocellella (Hampson,1901)** (Pyralidae) Synonym(s): *ocellella Hampson,1901*
Range (in code): **ZA**
- 72312. Ancylosis ochracea (Staudinger,1870)** (Pyralidae) Synonym(s): *ochracea Staudinger,1870*
Original Reference: Myelois ochracea Staudinger,1870, Berl. ent. Z. 1870:204. Type ♂: Spanien: Barcelona (ZMB). Range (in code): **DZ Gle ES Cl Bar**
- 72313. Ancylosis ochraceella Asselbergs,2008** (Pyralidae) Synonym(s): *ochraceella Asselbergs,2008* - Range (in code): **AE**
- 72314. Ancylosis ochricostella Ragonot,1887** (Pyralidae) Synonym(s): *ochricostella Ragonot,1887* Original Reference: Ancylosis ochricostella Ragonot,1887, Annls Soc. ent. Fr. 1887: 252. Type(s): [Turkmenistan]: Ashkhabad. Range (in code): **TM Kp TR AF Hr CN Ui Ku**
- 72315. Ancylosis olfae Leraut,2014** (Pyralidae) Synonym(s): *olfae Leraut,2014* - **DZ TN**
- 72316. Ancylosis pakistanella (Amsel,1968)** (Pyralidae) Synonym(s): *pakistanella Amsel,1968*
Range (in code): **PK Krc Sd IN**
- 72317. Ancylosis pallida (Staudinger,1870)** (Pyralidae) Synonym(s): *pallida Staudinger,1870*
Original Reference: Myelois pallida Staudinger,1870, Berl. ent. Z. 14: 202. Type ♀: Russland: Sarepta (ZMB). Range (in code): **RO GR RU Sr Or MD UA BY SA SA63 IR Elb Th Kh TR CN Ui Ga KG Uk AF Hr Kab T-S KK Na MN**
- 72318. Ancylosis pallidimarginalis (Rothschild,1915)** (Pyralidae) Synonym(s): *pallidimarginalis Rothschild,1915* Original Reference: Diviana pallidimarginalis Rothschild,1915, Novit. zool. 22 (2): 240-241. Syntypes ♂♀: Algeria, Oued Nça, Hassi Dinar, Touggourt. Range (in code): **DZ Onç Hdr Gha Tou**
- 72319. Ancylosis pamira Filipjev,1931** (Pyralidae) Synonym(s): *pamira Filipjev,1931* - Range (in code): **TJ Pm**
- 72320. Ancylosis partitella (Ragonot,1887)** (Pyralidae) Synonym(s): *partitella Ragonot,1887; adustella Ragonot,1887; fractifasciella Ragonot,1890; kebiliella Lucas,1909; combustella Chrétien,1910.* Original Reference: Staudingeria partitella Ragonot,1887, Annls Soc. ent. Fr. 1887: 249. Type ♂: [Azerbaidjan]: Ordubad (MNHNP). Range (in code): **MA TN Gf DZ Ah Ajj Bsk MT LY Cy SD EG SA SA63 IL SY Dms AE IQ Bgd Kbl IR Elb Th Ss Irs Sde Kz Ana Ke Ahz BH Cc AZ Nv Ord KG Uk AF Ca Hr CN Ui Ku Ga TM Kp UZ KW MN**
- 72321. Ancylosis pectinatella (Ragonot,1887)** (Pyralidae) Synonym(s): *pectinatella Ragonot,1887*
Original Reference: Heterographis pectinatella Ragonot,1887, Annls Soc. ent. Fr. 1887: 245-246. Type(s): [Usbekistan]: Marghilan (ZMB). Range (in code): **DZ TN LY Cy Sk LB Bei BH KK ES UZ Man TR**
- 72322. Ancylosis perfervida Balinsky,1989** (Pyralidae) Synonym(s): *perfervida Balinsky,1989*
Range (in code): **ZA Ec Tva Lpo Wo Gau Jh Mpu Wv Pre Pel Nta Kzu Umk Mdd**
- 72323. Ancylosis perfervida perfervida Balinsky,1989** (Pyralidae) Synonym(s): *perfervida Balinsky,1989* - Range (in code): **ZA Ec Tva Lpo Wo Gau Jh Mpu Wv Pre Pel Nta Kzu Umk Mdd**
- 72324. Ancylosis persicella (Amsel,1961)** (Pyralidae) Synonym(s): *persicella Amsel,1961*
Range (in code): **IR Ss**
- 72325. Ancylosis platynephes Joannis,1927** (Pyralidae) Synonym(s): *platynephes Joannis,1927*
Range (in code): **ZA**
- 72326. Ancylosis plumbatella (Ragonot,1888)** (Pyralidae) Synonym(s): *plumbatella Ragonot,1888* - Range (in code): **SA SA63 RU CN Ui TM Kp KG Uk AF Hr**
- 72327. Ancylosis psammicola Roesler,1970** (Pyralidae) Synonym(s): *psammicola Roesler,1970*
Range (in code): **MN**
- 72328. Ancylosis pseudocandidatella (Amsel,1935)** (Pyralidae) Synonym(s): *pseudocandidatella Amsel,1935* - Range (in code): **IL Jer Pa**
- 72329. Ancylosis pyrethrella (Herrich-Schäffer,1860)** (Pyralidae) Synonym(s): *pyrethrella Herrich-Schäffer,1860; strictella Mann,1861; ignibasella Ragonot,1887; inflammatella Ragonot,1901; trilineata*

- Amsel, 1961.* Original Reference: *Acrobasis pyrethrella* Herrich-Schäffer, 1860, Neue Schmett. Eur. 1860: 12, fig. 80. Lectotype ♂: Alexander Gebirge. Range (in code): **RO RU MD UA BY IR Ab Sro Oru Elb Srd Mz IL Pa Hf TR KG Uk Ind LB Bei IL SA SA63 IQ Mos AF Hr TM Kp KK Ax UZ Fe Man**
- 72330. *Ancylosis reginella* Roesler, 1970** (Pyralidae) Synonym(s): *reginella* Roesler, 1970 Range (in code): **MN**
- 72331. *Ancylosis rhodochrella* (Herrich-Schäffer, 1855)** (Pyralidae) Synonym(s): *rhodochrella* Herrich-Schäffer, 1855; *delicatella* Möschler, 1860; *ciliatella* Zeller, 1872; *lucida* W. Warren, 1888; *microstictella* Hampson, 1903; *ciliella* Amsel, 1961. Original Reference: *Pyralis rhodochrella* Herrich-Schäffer, 1855, Syst. Bearb. Schmett. Eur. 6: 147. Type ♂: [Algerien]: Lambessa. Range (in code): **DZ Lbs Orn PT ES RU MD UA BY DZ SA SA63 SD TR Cc IL Hf Js Jf Pa LB Bsa SY Dms EG EG11 CY IR Elb KJ Th Kh Msh Fa Shr Cc AM Eri IQ Bsr Mos AF Hr Kab Pag Srb Bd PK Cp IN**
- 72332. *Ancylosis roscidella* (Eversmann, 1844)** (Pyralidae) Synonym(s): *roscidella* Eversmann, 1844; *cinerella* Stainton, 1859; *ephedrella* Herrich-Schäffer, 1860; *neglectella* Heinemann, 1864; *blandella* Ragonot, 1887; *zohrella* Oberthür, 1888; *carnea* W. Warren, 1888; *bartelevella* Caradja, 1910; *benderella* Amsel, 1961. Range (in code): **MA DZ Bsk TN Gf LY Cy EG EG11 SA SA63 SD BH ES Mu RO YU HV MK AL BG GR TR RU Sr Or Sb IL Hf Js Jt LB Bei Bsa JO SY Dms KG Uk Ind IQ Bsr IR Elb Th KJ Ss AF Hr Kbb Srb PK Ch Cp Cc AZ Nv Ord MN Sb TM CN Ui T-S**
- 72333. *Ancylosis rubrocolorella* Roesler, 1970** (Pyralidae) Synonym(s): *rubrocolorella* Roesler, 1970 Range (in code): **MN**
- 72334. *Ancylosis rufifasciella* (Hampson, 1901)** (Pyralidae) Synonym(s): *rufifasciella* Hampson, 1901 Range (in code): **AU**
- 72335. *Ancylosis rufociliella* Ragonot, 1888** (Pyralidae) Synonym(s): *rufociliella* Ragonot, 1888 Range (in code): **ZA**
- 72336. *Ancylosis rufomixtella* (Zerny, 1914)** (Pyralidae) Synonym(s): *rufomixtella* Zerny, 1914 Original Reference: *Heterographis rufomixtella* Zerny, 1914, Annln naturh. Mus. Wien 28: 307, Taf. xxv fig. 9. Type ♂: [Uzbekistan]: Ferghana Prov.: Usgent (ex coll. Bang-Haas). Range (in code): **UZ Fe**
- 72337. *Ancylosis rufulella* Hartig, 1936** (Pyralidae) Synonym(s): *rufulella* Hartig, 1936 Range (in code): **DZ TN**
- 72338. *Ancylosis sabulosella* (Staudinger, 1879)** (Pyralidae) Synonym(s): *sabulosella* Staudinger, 1879; *decolorella* Ragonot, 1901. Range (in code): **DZ Bsk TN RU Ur MD UA BY KG Uk Ind UZ Fe Man IR Elb Th Mz AF Ca PK Krc TM Kp**
- 72339. *Ancylosis samaritanella* (Zeller, 1867)** (Pyralidae) Synonym(s): *samaritanella* Zeller, 1867; *urbicella* Erschoff, 1874; *biligulella* Ragonot, 1887; *flavescentella* Chrétien, 1910; *diminutella* Chrétien, 1910; *cinnamomeifascia* Rothschild, 1915; *lacroixella* Lucas, 1939; *brevipalpella* Amsel, 1954. Original Reference: *Euzophera samaritanella* Zeller, 1867, Stettin ent. Ztg. 28(10/12): 379-380. Syntypes 2♀: Jordanthal. Range (in code): **Cn MA DZ Hdr Bsk Gha TN LY Cy EG EG11 Sn SD SA SA63 PT ES RU Sr Or MD UA BY KG Uk Ind JO LB Bei Bsa IL Hf Js Jf Pa TR TM Kp Sn IR Elb Th Fa IQ BH AF Srb Ca Hr Kbb PK Bl Qu Cc AZ Nv Ord CN Ui Ku**
- 72340. *Ancylosis sareptalla* (Herrich-Schäffer, 1861)** (Pyralidae) Synonym(s): *sareptalla* Herrich-Schäffer, 1861; *barbella* Lederer, 1863; *albidella* Ragonot, 1888 Original Reference: *Epischnia sareptalla* Herrich-Schäffer, 1861, Neue Schmett. Eur. 1861: 28, fig. 145. Type ♀: Russland: Sarepta. Range (in code): **ES An FR Si IT CH AT CZ SK HU RO YU AL BG GR RU Or Sr MD UA BY TR IL Hf Pa LB Bei Bsa SY Dms KG Uk MN PK Gg AF UZ Br**
- 72341. *Ancylosis sareptella gulbaharensis* Roesler, 1973** (Pyralidae) Synonym(s): *gulbaharensis* Roesler, 1973 Range (in code): **AF**
- 72342. *Ancylosis similis* Balinsky, 1987** (Pyralidae) Synonym(s): *similis* Balinsky, 1987 Range (in code): **ZA Tva Gau Pre Nta Kzu Nha Buf Ptc Rtb Ec Wca**
- 72343. *Ancylosis similis similis* Balinsky, 1987** (Pyralidae) Synonym(s): *similis* Balinsky, 1987 Range (in code): **ZA Tva Gau Pre Nta Kzu Nha Buf Ptc Rtb Ec Wca**
- 72344. *Ancylosis smeczella* Roesler, 1973** (Pyralidae) Synonym(s): *smeczella* Roesler, 1973 Range (in code): **IR Ss Elb Th AF Hr Ca PK Bl Qu UZ Br**
- 72345. *Ancylosis soederbomi* (Caradja, 1934)** (Pyralidae) Synonym(s): *soederbomi* Caradja, 1934 Range (in code): **MN**
- 72346. *Ancylosis spectrifasciella* (Ragonot, 1887)** (Pyralidae) Synonym(s): *spectrifasciella* Ragonot, 1887 Range (in code): **TM Kp**
- 72347. *Ancylosis steppicola* (Caradja, 1937)** (Pyralidae) Synonym(s): *steppicola* Caradja, 1937 Range (in code): **TM K-A AF Ca CN Stg MN**

- 72348. Ancylosis suboblitella (Ragonot,1888)** (Pyralidae) Synonym(s): *suboblitella* Ragonot,1888; *unipunctella* Hampson,1896; *battella* Turati,1924. Range (in code): SD LY Cy YE Ad IN SI PK
- 72349. Ancylosis subpyrethrella (Ragonot,1888)** (Pyralidae) Synonym(s): *subpyrethrella* Ragonot,1888 Range (in code): DZ ZA
- 72350. Ancylosis sulcatella (Christoph,1877)** (Pyralidae) Synonym(s): *sulcatella* Christoph,1877 Range (in code): IL Hf Pa TN DZ TM Krn
- 72351. Ancylosis sulcatella sulcatella Christoph,1877** (Pyralidae) Synonym(s): *sulcatella* Christoph,1877 Range (in code): IL Hf Pa TN DZ TM Krn
- 72352. Ancylosis sulcatella venosella (Lucas,1908)** (Pyralidae) Synonym(s): *venosella* Lucas,1908 Range (in code): TN DZ
- 72353. Ancylosis syriopsidis Roesler,1970** (Pyralidae) Synonym(s): *syriopsidis* Roesler,1970 Range (in code): MN
- 72354. Ancylosis syrtella (Ragonot,1887)** (Pyralidae) Synonym(s): *syrtella* Ragonot,1887; *costalbella* Amsel,1954. Original Reference: *Heterographis syrtella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 246. Type ♀: Tunis: Gabxs (MNHNP). Range (in code): MA DZ TN LY IL Js Pa IR Elb Kj Th Fa Ha Kh RU IQ Bsr AF CN Ui Ga KG Uk Ind
- 72355. Ancylosis terpnella (Roesler,1965)** (Pyralidae) Synonym(s): *terpnella* Roesler,1965 Range (in code): DZ EG
- 72356. Ancylosis thalerella (Mabille,1908)** (Pyralidae) Synonym(s): *thalerella* Mabille,1908 TN
- 72357. Ancylosis thiosticha Turner,1947** (Pyralidae) Synonym(s): *thiosticha* Turner,1947 Range (in code): AU
- 72358. Ancylosis transcaspica (Amsel,1955)** (Pyralidae) Synonym(s): *transcaspica* Amsel,1955 Original Reference: *Syria transcaspica* Amsel,1955, *Bull. Inst. r. Sci. nat. Belg.* (83) 31: 43, t.5 fig.4. Holotype ♂: [Turkmenistan]: Transcaspia, Repetek (MNMB). Range (in code): TM Rpt AF Srb
- 72359. Ancylosis trilineatella (Hampson,1896)** (Pyralidae) Synonym(s): *trilineatella* Hampson,1896 Range (in code): PK Pj Lh IN
- 72360. Ancylosis tripunctella Roesler,1973** (Pyralidae) Synonym(s): *tripunctella* Roesler,1973 Range (in code): UZ Br
- 72361. Ancylosis turaniella Ragonot,1887** (Pyralidae) Synonym(s): *turaniella* Ragonot,1887 Original Reference: *Ancylosis turaniella* Ragonot,1887, *N. Amer. Phycit.* 1887: 30. Type ♂: [Turkmenistan]: Achal Tekke (MNHNP). Range (in code): TR TM Kp AF Kbb
- 72362. Ancylosis umbrilimbella (Ragonot,1901)** (Pyralidae) Synonym(s): *umbrilimbella* Ragonot,1901; *holella* Lucas,1909; *thirieti* Lucas,1937; *sfaxella* Lucas,1949; *concavella* Amsel,1949 Range (in code): MA DZ TN EG Sn IL Js Pa SA SA63 BH KW IQ Mos Bsr Kbl Bgd IR Elb Th Fa Ss Irs Ahz Kz Th IN TM Kp PK Pj Mln IN
- 72363. Ancylosis uncinatella (Ragonot,1890)** (Pyralidae) Synonym(s): *uncinatella* Ragonot,1890; *navasi* De Joannis,1907. Original Reference: *Hypographia uncinatella* Ragonot,1890, *Bull. Soc. ent. Fr.* 1890: 110. Type ♂: Algerie: Lambése (ZMB). Range (in code): DZ Eba Lbs MA TN Gf ES Cue Grn LY EG EG11 IL Pa
- 72364. Ancylosis unicolorella Roesler,1970** (Pyralidae) Synonym(s): *unicorella* Roesler,1970 Range (in code): MN
- 72365. Ancylosis ustella Ragonot,1887** (Pyralidae) Synonym(s): *ustella* Ragonot,1887; *talebella* Oberthür,1888; *maroccanella* D.Lucas,1933 Original Reference: *Ancylosis ustella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 252. Type: Algérie, Sebdou. Range (in code): MA Ifr DZ Bsk Sbd Hdr Onc Lbs TN Gf LY Cy ES
- 72366. Ancylosis ustella diremptella Ragonot,1887** (Pyralidae) Synonym(s): *diremptella* Ragonot,1887; *praestanella* Lucas,1946 Original Reference: *Ancylosis diremptella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 252. Lectotype ♂: Spanien: Sierra de Alfacar (designated by Roesler,1973, *Microlepid. Palaearkt.* 4: 303) (ZMB). Range (in code): MA DZ TN LY Cy ES
- 72367. Ancylosis ustocapitella (Hampson,1901)** (Pyralidae) Synonym(s): *ustocapitella* Hampson,1901 Range (in code): ZA Nta Kzu
- 72368. Ancylosis variabilis (Rothschild,1913)** (Pyralidae) Synonym(s): *variabilis* Rothschild,1913 MA DZ TN LY EG SD
- 72369. Ancylosis versicolorella (Ragonot,1887)** (Pyralidae) Synonym(s): *versicolorella* Ragonot,1887 Original Reference: *Staudingeria versicolorella* Ragonot,1887, *Annls Soc. ent. Fr.*

- 1887: 249. Lectotype ♂: [Turkmenistan]: Krasnowodsk (designated by Roesler, 1973, Microlepid. palaearkt. 4: 480) (MNHN). Range (in code): ES TM Krn Kp BH IN
- 72370. Ancylosis xylinella (Staudinger, 1870)** (Pyralidae) Synonym(s): *xylinella* Staudinger, 1870; *sablonella* Rothschild, 1915; *molochinella* Zerny, 1929. Original Reference: Myelois *xylinella* Staudinger, 1870, Berl. ent. Z. 14: 203. Lectotype ♂: Russland: Sarepta. Range (in code): MA DZ Ah TN LY EG EG11 SA SA63 PT ES RU Sr Or Sb Am MD UA BY CN Ui Ku T-S MN KG Uk Ind TM Kp IR Elb Th Fa Ss Chh Irs TR IL Hf Pa LB Bei IQ Mos AF Ca Kab Hr PK Gg Sb
- 72371. Ancylosis yerburii (Butler, 1884)** (Pyralidae) Synonym(s): *yerburii* Butler, 1884; *innotalis* Hampson, 1899; *costalbella* Mabille, 1906; *rubronervella* Mabille, 1906; *pallidicostella* Chrétien, 1910; *pruinosa* Chrétien, 1911; *strictipennis* Rothschild, 1915; *cinnamomella* Rothschild, 1915; *vinosparsella* Turati, 1924; *ruehli* Gozmany, 1959; *khuzistanella* Amsel, 1959; *benderella* Amsel, 1961. Original Reference: Mella *yerburii* Butler, 1884, Proc. zool. Soc. Lond. 1884: 502. Type ♀: [Yemen]: Aden (BMNH). Range (in code): MA DZ Ah Ajj Heh Bsk M'z TN Gf Gab LY Cy SD Sk YE Ad Sk EG Sn IL Jt Jer Jf Js Hf Pa SA BH IR Kz Sde Ss CY Bionomy: Larva on Limoniastrum guyonianum [Plumbaginaceae] (Chrétien, 1917).
- 72372. Ancylosoma substratellum (Christoph, 1877)** (Pyralidae) Synonym(s): *substratella* Christoph, 1877. Original Reference: Myelois *substratella* Christoph, 1877, Horae Soc. ent. ross. 12: 285, t. 8 fig. 57. Type ♀: Russia: Sarepta (ZIANL). Range (in code): RU Ur KG Uk Cc AM IR
- 72373. Anemosa exanthes (Meyrick, 1885)** (Pyralidae) Synonym(s): *exanthes* Meyrick, 1885. Range (in code): AU
- 72374. Anemosa isadasalis Walker, 1859** (Pyralidae) Synonym(s): *isadasalis* Walker, 1859. Range (in code): AU
- 72375. Anephoptyx designella Amsel, 1955** (Pyralidae) Synonym(s): *designella* Amsel, 1955. Range (in code): IQ
- 72376. Anerastia brunneavittella Ragonot, 1888** (Pyralidae) Synonym(s): *brunneavittella* Ragonot, 1888. Range (in code): IN
- 72377. Anerastia castanealis Hampson, 1912** (Pyralidae) Synonym(s): *castanealis* Hampson, 1912. Range (in code): IN
- 72378. Anerastia celsella (Walker, 1863)** (Pyralidae) Synonym(s): *celsella* Walker, 1863. Range (in code): IN
- 72379. Anerastia flaveolella Ragonot, 1887** (Pyralidae) Synonym(s): *flaveolella* Ragonot, 1887. Original Reference: *Anerastia flaveolella* Ragonot, 1887, Annls Soc. ent. Fr. 1887: 260. Type: [Uzbekistan]: "Marghilan". Range (in code): DZ Bsk TN Gf ZA UZ Man
- 72380. Anerastia incarnatella (Ragonot, 1887)** (Pyralidae) Synonym(s): *incarnatella* Ragonot, 1887; *dubia* Gerasimov, 1929. Range (in code): HU RU VI Sr
- 72381. Anerastia kafiella Hartig, 1937** (Pyralidae) Synonym(s): *kafiella* Hartig, 1937. Range (in code): AF Bd
- 72382. Anerastia lotella (Hübner, [1813])** (Pyralidae) Synonym(s): *lotella* Hübner, [1813]; *incarnata* Staudinger, 1879. Original Reference: *Tinea lotella* Hübner, [1813], Samml. eur. Schmett. 8, Tineae: Tab. 48 fig. 334. Type(s): Europa. Range (in code): DZ Bsk TN Gf PT ES FR Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO GR? DK NO SE FI EE LV LT RU MD UA BY TR IR KK KG Tk Dj
- 72383. Anerastia metallactis Meyrick, 1887** (Pyralidae) Synonym(s): *metallactis* Meyrick, 1887. Range (in code): AU
- 72384. Anerastia stictella Hampson, 1908** (Pyralidae) Synonym(s): *stictella* Hampson, 1908. Range (in code): IN
- 72385. Anerastia stramineipennis Strand, 1919** (Pyralidae) Synonym(s): *stramineipennis* Strand, 1919. Range (in code): TW
- 72386. Anerosoma apicipunctella (Caradja, 1925)** (Pyralidae) Synonym(s): *apicipunctella* Caradja, 1925. Range (in code): CN
- 72387. Anexophana robinsonalis Viette, 1960** (Pyralidae) Synonym(s): *robinsonalis* Viette, 1960. Range (in code): MG
- 72388. Angustalius ditaeniellus Marion, 1954** (Pyralidae) Synonym(s): *ditaeniellus* Marion, 1954. Range (in code): MG
- 72389. Angustalius malacelloides (Bleszynski, 1955)** (Pyralidae) Synonym(s): *malacelloides* Bleszynski, 1955. Range (in code): AU IN LK VN Ton CN Kwa MY NZ TA ID Ja
- 72390. Angustalius malacelloides javaicus (Bleszynski, 1955)** (Pyralidae) Synonym(s): *malacelloides* Bleszynski, 1955. Range (in code): ID Ja
- 72391. Angustalius malacellus (Duponchel, 1836)** (Pyralidae) Synonym(s): *malacellus* Duponchel, 1836. Original Reference: *Crambus malacellus* Duponchel, 1836, Hist. nat. Lépid.

- Papillons Fr. 10: 61 Taf.270 fig.5. Type ♀: Spanien: Malaga. Range (in code): PT ES Grn An FR Sa Si IT HV SS GR Cr CY TR SY IL Js LB Bei Cc GG ET ZA MG IR ET PH TW AU
- 72392. *Angustalius malacellus hapaliscus* (Zeller,1852)** (Pyralidae) Synonym(s): *hapaliscus* Zeller,1852; *concinellus* Walker,1863 Range (in code): ET ZA MG
- 72393. *Anobostra discimacula* Hampson,1917** (Pyralidae) Synonym(s): *discimacula* Hampson,1917 Range (in code): ZA
- 72394. *Anobostra punctilimbalis* (Ragonot,1891)** (Pyralidae) Synonym(s): *punctilimbalis* Ragonot,1891; *signaticosta* De Joannis,1927 Range (in code): ZA
- 72395. *Anomocrambus homerus* Bleszynski,1961** (Pyralidae) Synonym(s): *homerus* Bleszynski,1961 Range (in code): ZA Nta Kzu
- 72396. *Anomocrambus homerus homerus* Bleszynski,1961** (Pyralidae) Synonym(s): *homerus* Bleszynski,1961 Range (in code): ZA Nta Kzu
- 72397. *Anonaepestis bengalella* Ragonot,1894** (Pyralidae) Synonym(s): *bengalella* Ragonot,1894 Range (in code): TH Nrt Cbu Ray IN LK BT SG MY ID Sum Ja Bor Sbh AU Bionomy: Larva bores fruit of *Annona muricata*, *A.squamosa* [custard apple] (Annonaceae) (Robinson et al.,1994; Lewvanich,2001).
- 72398. *Anonaepestis tamsi* Bradley,1965** (Pyralidae) Synonym(s): *tamsi* Bradley,1965 Range (in code): CF CM
- 72399. *Anoristia umbrifasciella* Ragonot,1887** (Pyralidae) Synonym(s): *umbrifasciella* Ragonot,1887; *conchylrella* Ragonot,1887 Original Reference: *Anoristia umbrifasciella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 236. Type: [Uzbekistan]: Namangan. Range (in code): UZ Fe Nmg CN Ui Ku Khr
- 72400. *Anoristia venosella* (Moore,1878)** (Pyralidae) Synonym(s): *venosella* Moore,1878 Range (in code): IN
- 72401. *Anthophilopsis baphialis* (Staudinger,1870)** (Pyralidae) Synonym(s): *baphialis* Staudinger,1870; *plumbiferalis* Christoph,1877; *#baphiale* Caradja,1916; *#oleaginalis* Amsel,1970 Original Reference: *Anthophilodes baphialis* Staudinger,1870, Horae Soc. ent. ross. 7: 183-184, pl.2 fig.7. Type: Grichenland, Athen. Range (in code): GR TR Cc IL Pa Hf TM Kp IR Ahz Ss Chh Bu Shr Com Fa Enz Gls Irs Ana Ke Gh Tgo KW IQ Bgd Kbl Mos Ry Amr EG EG11 AF Hr In Bmu Dwe Srb Gbh Pli Ca Kab Blh Arh Cc GG Tbl AZ Kir Bak Da Der AM Eri
- 72402. *Anthophilopsis moeschleri* (Christoph,1862)** (Pyralidae) Synonym(s): *moeschleri* Christoph,1862 Original Reference: *Thalpochares moeschleri* Christoph,1862, Stettin ent. Ztg. 23: 220-221. Type: Südrussland. Range (in code): RU TM Kp TR IR Th Kdj Fa Se Cc AM Eri AZ GG Kir Nv Ord Bak Tbl IL Pa Js CY AF Kab Arh Dwe Gbh Srb Pic Pli Pag KG Uk
- 72403. *Anthophilopsis uniforma* Amsel,1951** (Pyralidae) Synonym(s): *uniforma* Amsel,1951; *#grisea* Amsel,1970 Range (in code): AF Dwe Arh Kab Srb Gbh Pag
- 72404. *Antigastra catalaunalis* (Duponchel,1833)** (Pyralidae) Synonym(s): *catalaunalis* Duponchel,1833; *venosalis* Walker,[1866]; *#sionensis* Caradja,1929 Range (in code): PT ES FR BE Co Sa Si IT MT GB CH CZ HU YU GR DK CY LB Bsa IQ Bgd Dia IR Fa Shr Elb Th Mz Kdj Ss Irs Ke Ana AF Srb Dwe Kab Gbh Hr Bkt TR YE Sk EG IL Hf Pa AE IN CN TW JP AU ZA NA Bionomy: Larva on *Antirrhinum*, *Linaria*, *Kickxia elatine* (Scrophulariaceae), *Sesamum indicum* (Pedaliaceae), (Hallaman & Sanchez,1982; Murria & King,1999).
- 72405. *Antigastra morysalis* (Walker,1859)** (Pyralidae) Synonym(s): *morysalis* Walker,1859 Range (in code): ZA
- 72406. *Anydraula glycerialis* (Walker,1859)** (Pyralidae) Synonym(s): *glycerialis* Walker,1859 Range (in code): AU NSw
- 72407. *Anydraula pericempa* (Turner,1915)** (Pyralidae) Synonym(s): *pericempa* Turner,1915 Range (in code): AU NAu Dwn
- 72408. *Aphomia albifusa* Hampson,1917** (Pyralidae) Synonym(s): *albifusa* Hampson,1917 Range (in code): ID Clb
- 72409. *Aphomia argentia* Whalley,1964** (Pyralidae) Synonym(s): *argentina* Whalley,1964 Original Reference: *Aphomia argentia* Whalley,1964, Acta zool. cracov. 9(10): 597, pl.xvi fig.22. Holotype ♂: [Zimbabwe]: Northern Rhodesia: Broken Hill (TMP). Range (in code): ZW
- 72410. *Aphomia aurora* (Snellen,1875)** (Pyralidae) Synonym(s): *aurora* Snellen,1875 Range (in code): PH Mno PG
- 72411. *Aphomia baryptera* (Lower,1901)** (Pyralidae) Synonym(s): *baryptera* Lower,1901 Range (in code): AU

- 72412. *Aphomia caffralis* Hampson,1917** (Pyrilidae) **Synonym(s):** *caffralis* Hampson,1917
Original Reference: *Aphomia caffralis* Hampson,1917, Novit. zool. 24: 42. Syntypes: [South Africa]: Transvaal, Kranspruit; [Free Orange State], Bloemfontein. **Range (in code):** **ZA Fs Tva Lpo**
- 72413. *Aphomia caffralis caffralis* Hampson,1917** (Pyrilidae) **Synonym(s):** *caffralis* Hampson,1917
Original Reference: *Aphomia caffralis* Hampson,1917, Novit. zool. 24: 42. Syntypes: [South Africa]: Transvaal, Kranspruit; [Free Orange State], Bloemfontein. **Range (in code):** **ZA Fs Tva Lpo**
- 72414. *Aphomia cephalonica* (Stainton,1866)** (Pyrilidae) **Synonym(s):** *cephalonica* Stainton,1866; *oeconomellus* Mann,1872; *translineella* Hampson,1901; *theobromae* Dyar,1913; *lineata* Legrand,1965
Original Reference: *Melissoblastes* ? *cephalonica* Stainton,1866, Entomologist's mon. Mag. 2:172. Lectotype ♀: Gt.Britain (Whalley,1964: 579). **Range (in code):** **DZ Bsk ES FR Si IT MT GB BE NL DE CH CZ SK RO BG GR TR DK NO SE FI LV LK ID Ja Kai ZA BR TW RE WS FJ PG AU IN OW NW TH MY ID BN Bor Swk PR** **Bionomy:** Larva on stored cereals, oilseeds, dried fruit, nuts, seeds, spices (Parenti,2000); *Cicer arietinum* (Fabaceae) (Robinson et al.,2007).
- 72415. *Aphomia curvicostella* (Zerny,1914)** (Pyrilidae) **Synonym(s):** *curvicostellus* Zerny,1914
Original Reference: *Melissoblastes curvicostellus* Zerny,1914, Annln naturh. Mus. Wien 28: 295-296, Taf.xxv fig.1. Syntypes 4♂: [Kazakhstan]: Uralsk (NHMW). **Range (in code):** **RU Or TM Kp KG Uk**
- 72416. *Aphomia distictella* Hampson,1917** (Pyrilidae) **Synonym(s):** *distictella* Hampson,1917
Original Reference: *Aphomia distictella* Hampson,1917, Novit. zool. 24: 41. Type ♂: [South Africa]: Natal (A.J.Spiller). **Range (in code):** **ZA Nta Kzu**
- 72417. *Aphomia distictella distictella* Hampson,1917** (Pyrilidae) **Synonym(s):** *distictella* Hampson,1917
Original Reference: *Aphomia distictella* Hampson,1917, Novit. zool. 24: 41. Type ♂: [South Africa]: Natal (A.J.Spiller). **Range (in code):** **ZA Nta Kzu**
- 72418. *Aphomia erumpens* Lucas,1898** (Pyrilidae) **Synonym(s):** *erumpens* Lucas,1898
Range (in code): **AU**
- 72419. *Aphomia foedella* (Zeller,1839)** (Pyrilidae) **Synonym(s):** *foedella* Zeller,1839
Range (in code): **DZ Cst CZ SK HU RO RU Cc**
- 72420. *Aphomia grisea* Turati,1913** (Pyrilidae) **Synonym(s):** *grisea* Turati,1913
Range (in code): **FR Co IT Sa**
- 72421. *Aphomia gularis* (Zeller,1877)** (Pyrilidae) **Synonym(s):** *gularis* Zeller,1877; *modesta* Butler,1879; *tenebrosus* Butler,1879
Original Reference: *Melissoblastes gularis* Zeller,1877, Horae Soc. ent. ross. 13: 74. Type: Japan. **Range (in code):** **FR Si IT GB BE NL DE CH HU DK NO SE FI LV TR AU** **Bionomy:** Larva on stored nuts, cereals, oilseeds, dried fruit (Parenti,2000).
- 72422. *Aphomia homochroa* (Turner,1905)** (Pyrilidae) **Synonym(s):** *homochroa* Turner,1905
Range (in code): **AU**
- 72423. *Aphomia isodema* (Meyrick,1886)** (Pyrilidae) **Synonym(s):** *isodema* Meyrick,1886
Range (in code): **FJ**
- 72424. *Aphomia monochroa* (Hampson,1912)** (Pyrilidae) **Synonym(s):** *monochroa* Hampson,1912
Range (in code): **LK IN**
- 72425. *Aphomia murina* (Wallengren,1875)** (Pyrilidae) **Synonym(s):** *murina* Wallengren,1875
Range (in code): **ZA**
- 72426. *Aphomia odontella* (Hampson,1901)** (Pyrilidae) **Synonym(s):** *odontella* Hampson,1901
Range (in code): **IN LK**
- 72427. *Aphomia opticogramma* (Meyrick,1936)** (Pyrilidae) **Synonym(s):** *opticogramma* Meyrick,1936
Original Reference: *Melissoblastes opticogramma* Meyrick,1936, Exot. Microlep. 5: 22. Syntypes 4♂: Lebanon, Shweir, leg. & coll. Wiltshire. **Range (in code):** **LB Shw**
- 72428. *Aphomia pimelodes* Meyrick,1936** (Pyrilidae) **Synonym(s):** *pimelodes* Meyrick,1936
Range (in code): **ZA**
- 72429. *Aphomia poliocyma* Turner,1937** (Pyrilidae) **Synonym(s):** *policyma* Turner,1937
Range (in code): **AU NSw Syd**
- 72430. *Aphomia rosella* (Hampson,1898)** (Pyrilidae) **Synonym(s):** *rosella* Hampson,1898
Range (in code): **IN Ass Meg**
- 72431. *Aphomia sabella* (Hampson,1901)** (Pyrilidae) **Synonym(s):** *sabella* Hampson,1901
Original Reference: *Arenipses sabella* Hampson,1901, [in] Romanoff, Mém. lépid. 8: xli (key), 501, pl.24 fig.1. Type: Persian Gulf. **Range (in code):** **DZ Eal Bsk Phv IR Bu Ss Irs Srw OM ES Alc IQ Bgd Amr EG EG11 KW SA Sk AE**

- 72432. *Aphomia sociella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *sociella* Linnaeus,1758; *colonella* Linnaeus,1758; *tribunella* [Denis & Schiffermüller],1775; *viridella* Goeze,1783; *inaequalis* Villers,1789; *socia* Fabricius,1798; *bipunctana* Curtis,1828; *asiatica* Caradja,1916; *pedemontana*, *eritrella* Della Beffa,1941. Original Reference: Phalaena sociella Linnaeus,1758, Syst. Nat. (Edn.10)1: 534. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 231). Range (in code): **DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CY IR Elb Th Kdv Dam KG Tk Dj CN Ui Au Ku AU** Bionomy: Larva on old cells, debris and larvae in nests of wasps and humble-bees (Parenti,2000).
- 72433. *Aphomia unicolor* (Staudinger,1870)** (Pyralidae) Synonym(s): *unicolor* Staudinger,1870; *murciella* Zerny,1914 Original Reference: *Melissoblastes unicolor* Staudinger,1870, Horae Soc. ent. ross. 7: 212. Type ♂: Greece. Range (in code): **DZ ES An Mu GR BG IT Si TR RU CY KG Uk**
- 72434. *Aphomia vinotincta* (Hampson,1908)** (Pyralidae) Synonym(s): *vinotincta* Hampson,1908 Range (in code): **LK IN**
- 72435. *Aphrophantis velifera* Meyrick,1933** (Pyralidae) Synonym(s): *velifera* Meyrick,1933; *tridentata* Meyrick,1934 Range (in code): **FJ**
- 72436. *Aphyletes nigrisparsella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nigrisparsella* Ragonot,1887; *derbentella* Caradja,1910 Range (in code): **Cc RU AM KK Ik CN Ui Kl Ku Ga**
- 72437. *Aphytoceros hollandiae* Munroe,1968** (Pyralidae) Synonym(s): *hollandiae* Munroe,1968 Range (in code): **ID Ij**
- 72438. *Aphytoceros lucusalis* (Walker,1859)** (Pyralidae) Synonym(s): *lucusalis* Walker,1859; *histrionalis* Lederer,1863 Range (in code): **AU**
- 72439. *Apoblepta epicharis* Turner,1911** (Pyralidae) Synonym(s): *epicharis* Turner,1911 Range (in code): **AU**
- 72440. *Apogeshna acestalis* (Walker,1859)** (Pyralidae) Synonym(s): *acestalis* Walker,1859; *phaerusalis* Walker,1859; *sagralis* Druce,1896; *#phoerusalis* Hampson,1899 Range (in code): **DO HN MX**
- 72441. *Apogeshna infirmalis* (Möschler,1886)** (Pyralidae) Synonym(s): *infirmalis* Möschler,1886; *#infimalis* Hampson,1897 Range (in code): **JM**
- 72442. *Apogeshna stenialis* (Guenée,1854)** (Pyralidae) Synonym(s): *stenialis* Guenée,1854; *australis* Hulst,1886 Range (in code): **US FI**
- 72443. *Apomyelois bicolorata* Balinsky,1991** (Pyralidae) Synonym(s): *bicolorata* Balinsky,1991 Range (in code): **ZA**
- 72444. *Apomyelois bicolorata bicolorata* Balinsky,1991** (Pyralidae) Synonym(s): *bicolorata* Balinsky,1991 Range (in code): **ZA**
- 72445. *Apomyelois bistriatella* (Hulst,1887)** (Pyralidae) Synonym(s): *bistriatella* Hulst,1887 Range (in code): **GB Co NL DE CZ SK DK NO SE FI EE LV LT RU MD UA BY**
- 72446. *Apomyelois ceratoniae* (Zeller,1839)** (Pyralidae) Synonym(s): *ceratoniae* Zeller,1839; *ceratoniella* Fischer Röslerstamm,1839; *pryerella* Vaughan,1870; *tuerckheimiella* Sorhagen,1881; *dentilinella* Hampson,1896; *psarella* Hampson,1903; *rivularis* W.Warren & Rothschild,1905; *oporedestella* Dyar,1911; *phoenicis* Durrant,1915; *durandi* Lucas,1950 Original Reference: *Myelois ceratoniae* Zeller,1839, Isis 1839: 176. Type(s): Österreich: Laibach (BMNH). Range (in code): **TN Gf DZ Gha Bsk SD PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT CZ HU RO YU AL BG GR Cr CY TR IR IL Pa Hf KK Ax DK NO SE FI LV RU MD UA BY SD ZA AU ID Sum US FI IN SI Ass** Bionomy: Larva on dried fruits, seeds, nuts (Beirne,1954).
- 72447. *Apomyelois cognata* (Staudinger,1871)** (Pyralidae) Synonym(s): *cognata* Staudinger,1871 Range (in code): **GR RU Sr CY?**
- 72448. *Apomyelois demawendella* (Zerny,1939)** (Pyralidae) Synonym(s): *demawendella* Zerny,1939 Range (in code): **IR Elb Mz Kh**
- 72449. *Apomyelois ehrendorferi* (Malicky & Roesler,1970)** (Pyralidae) Synonym(s): *ehrendorferi* Malicky & Roesler,1970 Range (in code): **Sa**
- 72450. *Apomyelois schaeuffelella* Amsel,1959** (Pyralidae) Synonym(s): *schaeuffelella* Amsel,1959 Range (in code): **IR Gh Tgo**
- 72451. *Apomyelois warna* Roesler & Küppers,1981** (Pyralidae) Synonym(s): *warna* Roesler & Küppers,1981 Range (in code): **ID Sum**
- 72452. *Aponia Munroe,1964*** (Pyralidae) Synonym(s): *Aponia* Munroe,1964 Range (in code):
- 72453. *Aponia aponianalis* (Druce,1899)** (Pyralidae) Synonym(s): *aponianalis* Druce,1899 Range (in code): **MX**
- 72454. *Aponia insularis* Munroe,1964** (Pyralidae) Synonym(s): *insularis* Munroe,1964 Range (in code): **CU**

- 72455. *Aponia itzalis* Munroe,1964** (Pyalidae) Synonym(s): *itzalis* Munroe,1964 _ Range (in code): **MX Yc**
- 72456. *Aponia major* Munroe,1964** (Pyalidae) Synonym(s): *major* Munroe,1964 _ Range (in code): **NI**
- 72457. *Aponia minnithalis* (Druce,1895)** (Pyalidae) Synonym(s): *minnithalis* Druce,1895 Range (in code): **PA**
- 72458. *Aporocosmus lamprodeta* (Meyrick,1886)** (Pyalidae) Synonym(s): *lamprodeta* Meyrick,1886; *bracteatus* Butler,1886; *argyresthalis* Hampson,1913 _ Range (in code): **AU**
- 72459. *Aporodes floralis* (Hübner,[1809])** (Pyalidae) Synonym(s): *floralis* Hübner,[1809]; *stygalis* Treitschke,1829; *siculis* Duponchel,1833; *conversalis* Duponchel,1834; *meleagrisalis* Walker,1859; *transversalis* Moore,1878; *grisealis* Caradja,1916; *#florealis* Rebel,1939 Original Reference: *Pyalis floralis* Hübner,[1809], Samml. eur. Schmett. 6, Pyalides: Tab.22 fig.142. Type(s): Europa. Range (in code): **TN Sfx PT ES FR Co Sa Si IT MT DE AT CZ SK HU RO YU AL BG GR Rd Cr TR Cc IR Ahz Kdj Th Elb Nss Fa Shr Com Ss Kh Chh Qz Men IQ Mos Bgd Kbl Shq Ssa Amr GG IL Pa LB YE CY LB AF Ca Hr Bmu Pli Blh Gbh Srb Anh Fz Dwe Kab Arh Sen Pnj Bark Pag Ca Asm CN Ui Yk PK Sd Krc Cp Hf Cc GG Bjo Tbl Kir Da Der AZ IN Mh Bba Kz Sde Irs PL KG Tks Mz DZ Clo Ajj MA** Bionomy: Larva on *Cynara cardunculus* (Asteraceae), *Convolvulus arvensis* (Convolvulaceae) (Slamka,1997).
- 72460. *Aporodes pygmaealis* Amsel,1961** (Pyalidae) Synonym(s): *#pygmaealis* Amsel,1961 Range (in code): **IR Elb Kdj**
- 72461. *Aproceratia rhexogramma* (Meyrick,1937)** (Pyalidae) Synonym(s): *rhexogramma* Meyrick,1937 _ Range (in code): **IQ Ry Hjo IR Fa**
- 72462. *Apyrausta persicalis* Amsel,1951** (Pyalidae) Synonym(s): *persicalis* Amsel,1951 Original Reference: *Apyrausta persicalis* Amsel,1951, Ark. Zool. 1 (36): 552. Syntypes 5♂: Iran: [Fars]: Sine Sefid, Come. Range (in code): **IR Fa Sse Com Shr**
- 72463. *Araeomorpha diplopa* (Lower,1903)** (Pyalidae) Synonym(s): *diplopa* Lower,1903; *atmota* Turner,1908; *elaphra* Turner,1915 _ Range (in code): **AU NSw QAU**
- 72464. *Araeomorpha limnophila* Turner,1937** (Pyalidae) Synonym(s): *limnophila* Turner,1937 Range (in code): **AU**
- 72465. *Araeopaschia demotis* (Meyrick,1887)** (Pyalidae) Synonym(s): *demotis* Meyrick,1887 Range (in code): **AU WAu Gtn**
- 72466. *Araeopaschia normalis* (Hampson,1906)** (Pyalidae) Synonym(s): *normalis* Hampson,1906 _ Range (in code): **AU**
- 72467. *Araeopaschia rufescentalis* Hampson,1906** (Pyalidae) Synonym(s): *rufescentalis* Hampson,1906 _ Range (in code): **AU WAu Gtn**
- 72468. *Archernis callixantha* Meyrick,1886** (Pyalidae) Synonym(s): *callixantha* Meyrick,1886; *aereoflavalis* W.Warren,1896 _ Range (in code): **AU**
- 72469. *Archernis flavidalis* Hampson,1908** (Pyalidae) Synonym(s): *flavidalis* Hampson,1908 Range (in code): **ZA**
- 72470. *Archiphestia adpiscinella* (Chrétien,1911)** (Pyalidae) Synonym(s): *adpiscinella* Chrétien,1911; *pholeacola* Dumont,1932; *menonoma* Schmidt,1934; *murciella* Amsel,1955 _ Range (in code): **DZ Bsk MA TN Gf ES Mu IL Pa IR Fa AF Srb**
- 72471. *Archigalleria proavitella* (Rebel,1882)** (Pyalidae) Synonym(s): *proavitella* Rebel,1882; *teneriffella* Caradja,1916; *#teneriffella* Rebel,1917 _ Range (in code): **Cn** Bionomy: Larva on *Euphorbia canariensis* (Rebel,1906; Roesler,1993).
- 72472. *Arcola malloi* (Pastrana,1961)** (Pyalidae) Synonym(s): *malloi* Pastrana,1961 _ Range (in code): **AU**
- 72473. *Ardekanopsis griseella* Amsel,1954** (Pyalidae) Synonym(s): *griseella* Amsel,1954 Range (in code): **IR Fa**
- 72474. *Ardjuna ariana* Roesler & Küppers,1979** (Pyalidae) Synonym(s): *ariana* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 72475. *Ardjuna kresna* Roesler & Küppers,1979** (Pyalidae) Synonym(s): *kresna* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 72476. *Arenochroa flavalis* (Fernald,1894)** (Pyalidae) Synonym(s): *flavalis* Fernald,1894; *unipunctalis* Walker,1928 _ Range (in code): **UD Cf Arz**
- 72477. *Arescoptera idiotypa* Turner,1911** (Pyalidae) Synonym(s): *idiotypa* Turner,1911 Range (in code): **AU**
- 72478. *Argentochiloides meridionalis* Bassi,1999** (Pyalidae) Synonym(s): *meridionalis* Bassi,1999 _ Range (in code): **ZA**

- 72479. *Argentochoiloides xanthodorsellus* Bleszysnki, 1961** (Pyralidae) **Synonym(s):** *xanthodorsellus Bleszysnki, 1961* - Range (in code): TZ
- 72480. *Argyractis accra* (Strand, 1912)** (Pyralidae) **Synonym(s):** *accra Strand, 1912* - Range (in code): CI
- 72481. *Argyractis aclistalis* Dyar, 1914** (Pyralidae) **Synonym(s):** *aclistalis Dyar, 1914* - Range (in code): PA
- 72482. *Argyractis aealis* (Walker, 1859)** (Pyralidae) **Synonym(s):** *aealis Walker, 1859; gemmiferalis Lederer, 1863* - Range (in code): PA VE MX BR Rja
- 72483. *Argyractis aeglesalis* Walker, 1859** (Pyralidae) **Synonym(s):** *aeglesalis Walker, 1859* - Range (in code): BR Rja
- 72484. *Argyractis aengusalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *aengusalis Schaus, 1924* - Range (in code): BR Rja
- 72485. *Argyractis albibasalis* Schaus, 1912** (Pyralidae) **Synonym(s):** *albibasalis Schaus, 1912* - Range (in code): CR PA
- 72486. *Argyractis albipunctalis* (Hampson, 1897)** (Pyralidae) **Synonym(s):** *albipunctalis Hampson, 1897* - Range (in code): MG
- 72487. *Argyractis albulalis* Hampson, 1906** (Pyralidae) **Synonym(s):** *albulalis Hampson, 1906* - Range (in code): JM
- 72488. *Argyractis alemundalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *alemundalis Schaus, 1924* - Range (in code): CR
- 72489. *Argyractis alvealis* (R. Felder & Rogenhofer, 1874)** (Pyralidae) **Synonym(s):** *alvealis R. Felder & Rogenhofer, 1874* - Range (in code): BR
- 72490. *Argyractis amethystina* Schaus, 1912** (Pyralidae) **Synonym(s):** *amethystina Schaus, 1912* - Range (in code): CR
- 72491. *Argyractis annulalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *annulalis Guenée, 1854* - Range (in code): MX GT HN CR PA VE BR
- 72492. *Argyractis argentilinealis* Hampson, 1897** (Pyralidae) **Synonym(s):** *argentilinealis Hampson, 1897* - Range (in code): BR
- 72493. *Argyractis argyrophora* Hampson, 1917** (Pyralidae) **Synonym(s):** *argyrophora Hampson, 1917* - Range (in code): CO
- 72494. *Argyractis aroalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *aroalis Schaus, 1924* - Range (in code): VE
- 72495. *Argyractis auspicatalis* Schaus, 1912** (Pyralidae) **Synonym(s):** *auspicatalis Schaus, 1912* - Range (in code): CR PA
- 72496. *Argyractis axis* (Hampson, 1895)** (Pyralidae) **Synonym(s):** *axis Hampson, 1895* - Range (in code): PE
- 72497. *Argyractis aztecalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *aztecalis Schaus, 1924* - Range (in code): MX
- 72498. *Argyractis benezetalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *benezetalis Schaus, 1924* - Range (in code): BR
- 72499. *Argyractis brunneodora* Dyar, 1914** (Pyralidae) **Synonym(s):** *brunneodora Dyar, 1914* - Range (in code): PA
- 72500. *Argyractis brunneosuffusa* Hampson, 1917** (Pyralidae) **Synonym(s):** *brunneosuffusa Hampson, 1917* - Range (in code): EC
- 72501. *Argyractis cabimalis* Dyar, 1914** (Pyralidae) **Synonym(s):** *cabimalis Dyar, 1914* - Range (in code): PA
- 72502. *Argyractis caesoalis* (Walker, 1859)** (Pyralidae) **Synonym(s):** *caesoalis Walker, 1859* - Range (in code): BR
- 72503. *Argyractis callista* Forbes, 1922** (Pyralidae) **Synonym(s):** *callista Forbes, 1922* - Range (in code): US Tx
- 72504. *Argyractis capensis* Hampson, 1906** (Pyralidae) **Synonym(s):** *capensis Hampson, 1906* - Range (in code): ZA Ec Nta Kzu ZW
- 72505. *Argyractis castusalis* Schaus, 1924** (Pyralidae) **Synonym(s):** *castusalis Schaus, 1924* - Range (in code): MX Jpa
- 72506. *Argyractis catenalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *catenalis Guenée, 1854* - Range (in code): MX PA BR

- 72507. *Argyractis cathanalis* Schaus,1924** (Pyralidae) Synonym(s): *cathanalis* Schaus,1924
Range (in code): **CR**
- 72508. *Argyractis chalcistis* Dognin,1910** (Pyralidae) Synonym(s): *chalcistis* Dognin,1910
Range (in code): **PE**
- 72509. *Argyractis chejalalis* Schaus,1924** (Pyralidae) Synonym(s): *chejalalis* Schaus,1924
Range (in code): **GT**
- 72510. *Argyractis chrysopalis* Hampson,1906** (Pyralidae) Synonym(s): *opulentalis* Druce,1896
nec Led.,1863 (p.p.); *chrysopalis* Hampson,1906 _ Range (in code): **MX**
- 72511. *Argyractis cineralis* Schaus,1906** (Pyralidae) Synonym(s): *cineralis* Schaus,1906
Range (in code): **MX**
- 72512. *Argyractis climacusalis* Schaus,1924** (Pyralidae) Synonym(s): *climacusalis* Schaus,1924
Range (in code): **PE**
- 72513. *Argyractis coloralis* (Guenée,1854)** (Pyralidae) Synonym(s): *coloralis* Guenée,1854
Range (in code): **MU**
- 72514. *Argyractis conallalis* Schaus,1924** (Pyralidae) Synonym(s): *conallalis* Schaus,1924
Range (in code): **GY**
- 72515. *Argyractis constellalis* (Hampson,1897)** (Pyralidae) Synonym(s): *constellalis*
Hampson,1897 _ Range (in code): **CO BR**
- 72516. *Argyractis cuprescens* Hampson,1917** (Pyralidae) Synonym(s): *cuprescens* Hampson,1917
Range (in code): **EC**
- 72517. *Argyractis cyloialis* Schaus,1906** (Pyralidae) Synonym(s): *cyloialis* Schaus,1906
Range (in code): **MX**
- 72518. *Argyractis danaealis* Hampson,1906** (Pyralidae) Synonym(s): *opulentalis* Druce,1896 *nec*
Led.,1863; danaealis Hampson,1906 _ Range (in code): **MX**
- 72519. *Argyractis decoralis* Dognin,1905** (Pyralidae) Synonym(s): *decoralis* Dognin,1905
Range (in code): **EC**
- 72520. *Argyractis dodalis* Schaus,1924** (Pyralidae) Synonym(s): *dodalis* Schaus,1924 _ Range
(in code): **GY**
- 72521. *Argyractis dualalis* Gaede,1916** (Pyralidae) Synonym(s): *dualalis* Gaede,1916 _ Range
(in code): **CM**
- 72522. *Argyractis esperanzalis* Schaus,1924** (Pyralidae) Synonym(s): *esperanzalis* Schaus,1924
Range (in code): **CR**
- 72523. *Argyractis euryxantha* Meyrick,1936** (Pyralidae) Synonym(s): *euryxantha* Meyrick,1936
Range (in code): **ZR**
- 72524. *Argyractis flavivittalis* Hampson,1917** (Pyralidae) Synonym(s): *flavivittalis* Hampson,1917
Range (in code): **PE**
- 72525. *Argyractis fulvicinctalis* (Hampson,1897)** (Pyralidae) Synonym(s): *fulvicinctalis*
Hampson,1897 _ Range (in code): **JM**
- 72526. *Argyractis gontranalis* Schaus,1924** (Pyralidae) Synonym(s): *gontranalis* Schaus,1924
Range (in code): **MX**
- 72527. *Argyractis gordianalis* Schaus,1924** (Pyralidae) Synonym(s): *gordianalis* Schaus,1924
Range (in code): **PE BR**
- 72528. *Argyractis gratalis* (Walker,1865)** (Pyralidae) Synonym(s): *gratalis* Walker,1865; *cerrusalis*
R.Felder & Rogenhofer,1874 _ Range (in code): **MX GT CR PA CO GY BR HT**
- 72529. *Argyractis guadarensis* Schaus,1906** (Pyralidae) Synonym(s): *guadarensis* Schaus,1906
Range (in code): **MX**
- 72530. *Argyractis hamiferalis* Hampson,1906** (Pyralidae) Synonym(s): *hamiferalis*
Hampson,1906 nec Walker,1859 _ Range (in code): **MX PA**
- 72531. *Argyractis harpalis* (Snellen,1901)** (Pyralidae) Synonym(s): *harpalis* Snellen,1901
Range (in code): **MX GT CR PA**
- 72532. *Argyractis herminalis* Schaus,1906** (Pyralidae) Synonym(s): *herminalis* Schaus,1906
Range (in code): **MX**
- 72533. *Argyractis iasusalis* (Walker,1859)** (Pyralidae) Synonym(s): *iasusalis* Walker,1859;
phoxopteralis Snellen,1901 _ Range (in code): **BR**
- 72534. *Argyractis inaurata* (Cramer,1782)** (Pyralidae) Synonym(s): *inaurata* Cramer,1782
Range (in code): **SR**

- 72535. *Argyractis insulalis* (Walker,1862)** (Pyralidae) Synonym(s): *insulalis* Walker,1862
Range (in code): **HT BR**
- 72536. *Argyractis jalapalis* Schaus,1906** (Pyralidae) Synonym(s): *jalapalis* Schaus,1906; *orizabalis* Schaus,1906 - Range (in code): **MX**
- 72537. *Argyractis lanceolalis* (Hampson,1897)** (Pyralidae) Synonym(s): *lanceolalis* Hampson,1897 - Range (in code): **BR**
- 72538. *Argyractis laurentialis* Schaus,1924** (Pyralidae) Synonym(s): *laurentialis* Schaus,1924
Range (in code): **GY**
- 72539. *Argyractis leucistis* Dognin,1906** (Pyralidae) Synonym(s): *leucistis* Dognin,1906
Range (in code): **EC**
- 72540. *Argyractis leucogonialis* Hampson,1906** (Pyralidae) Synonym(s): *cerrussalis* Druce,1896
nec Feld. & Rog.,1874; *leucogonialis* Hampson,1906 - Range (in code): **PA Cq**
- 72541. *Argyractis leucostola* Hampson,1917** (Pyralidae) Synonym(s): *leucostola* Hampson,1917
Range (in code): **MW**
- 72542. *Argyractis leucostrialis* Hampson,1906** (Pyralidae) Synonym(s): *leucostrialis* Hampson,1906 - Range (in code): **SL**
- 72543. *Argyractis liconalis* Dyar,1914** (Pyralidae) Synonym(s): *liconalis* Dyar,1914 - Range (in code): **PA**
- 72544. *Argyractis lithocharis* Meyrick,1936** (Pyralidae) Synonym(s): *lithocharis* Meyrick,1936
Range (in code): **ZR**
- 72545. *Argyractis lithorma* Meyrick,1936** (Pyralidae) Synonym(s): *lithorma* Meyrick,1936
Range (in code): **ZR**
- 72546. *Argyractis lophosomal* Hampson,1906** (Pyralidae) Synonym(s): *lophosomal* Hampson,1906 - Range (in code): **BR Rja**
- 72547. *Argyractis lucianalis* Schaus,1924** (Pyralidae) Synonym(s): *lucianalis* Schaus,1924
Range (in code): **CR**
- 72548. *Argyractis lulesalis* Schaus,1924** (Pyralidae) Synonym(s): *lulesalis* Schaus,1924 - Range (in code): **AR**
- 72549. *Argyractis maguilalis* Schaus,1924** (Pyralidae) Synonym(s): *maguilalis* Schaus,1924
Range (in code): **BR**
- 72550. *Argyractis malayalis* Hampson,1906** (Pyralidae) Synonym(s): *malayalis* Hampson,1906
Range (in code): **MY**
- 72551. *Argyractis malcusalis* Schaus,1924** (Pyralidae) Synonym(s): *malcusalis* Schaus,1924
Range (in code):
- 72552. *Argyractis maronialis* Schaus,1924** (Pyralidae) Synonym(s): *maronialis* Schaus,1924
Range (in code): **GY**
- 72553. *Argyractis melanograpta* Hampson,1917** (Pyralidae) Synonym(s): *melanograpta* Hampson,1917 - Range (in code): **GY**
- 72554. *Argyractis metazonalis* Hampson,1906** (Pyralidae) Synonym(s): *metazonalis* Hampson,1906 - Range (in code): **BR**
- 72555. *Argyractis micropalis* Hampson,1906** (Pyralidae) Synonym(s): *micropalis* Hampson,1906
Range (in code): **MX Tbo**
- 72556. *Argyractis mignonalis* Dyar,1914** (Pyralidae) Synonym(s): *mignonalis* Dyar,1914
Range (in code): **PA**
- 72557. *Argyractis mimicalis* Hampson,1917** (Pyralidae) Synonym(s): *mimicalis* Hampson,1917
Range (in code): **SL NG**
- 72558. *Argyractis multipicta* (Dyar,1914)** (Pyralidae) Synonym(s): *multipicta* Dyar,1914
Range (in code): **PA**
- 72559. *Argyractis nandinalis* Hampson,1906** (Pyralidae) Synonym(s): *nandinalis* Hampson,1906
Range (in code): **KE**
- 72560. *Argyractis necomalis* Dyar,1914** (Pyralidae) Synonym(s): *necomalis* Dyar,1914 - Range (in code): **PA**
- 72561. *Argyractis nigerialis* Hampson,1906** (Pyralidae) Synonym(s): *nigerialis* Hampson,1906
Range (in code): **NG**
- 72562. *Argyractis nigrifusalis* Dognin,1911** (Pyralidae) Synonym(s): *nigrifusalis* Dognin,1911
Range (in code): **CO**

- 72563. *Argyractis niphoplagalalis* Hampson, 1897** (Pyralidae) Synonym(s): *niphoplagalalis* Hampson, 1897 - Range (in code): PA DM
- 72564. *Argyractis nitens* Schaus, 1912** (Pyralidae) Synonym(s): *nitens* Schaus, 1912 - Range (in code): CR
- 72565. *Argyractis nyasalis* Hampson, 1917** (Pyralidae) Synonym(s): *nyasalis* Hampson, 1917 - Range (in code): MW
- 72566. *Argyractis nymphulalis* Hampson, 1906** (Pyralidae) Synonym(s): *nymphulalis* Hampson, 1906 - Range (in code): ZA Nta Kzu
- 72567. *Argyractis odoalis* Schaus, 1924** (Pyralidae) Synonym(s): *Schaus, 1924* - Range (in code): BR
- 72568. *Argyractis pantheralis* (Walker, 1859)** (Pyralidae) Synonym(s): *pantheralis* Walker, 1859 - Range (in code): BR
- 72569. *Argyractis parthenodalis* Hampson, 1906** (Pyralidae) Synonym(s): *parthenodalis* Hampson, 1906 - Range (in code): AR
- 72570. *Argyractis parvissimalis* Schuas, 1912** (Pyralidae) Synonym(s): *parvissimalis* Schuas, 1912 - Range (in code): CR
- 72571. *Argyractis pavonialis* (Hampson, 1897)** (Pyralidae) Synonym(s): *pavonialis* Hampson, 1897 - Range (in code): BR PE GP
- 72572. *Argyractis pentopalis* Hampson, 1906** (Pyralidae) Synonym(s): *pentopalis* Hampson, 1906 - Range (in code): SL ZA
- 72573. *Argyractis periopis* Hampson, 1910** (Pyralidae) Synonym(s): *periopis* Hampson, 1910 - Range (in code): ZW ZA
- 72574. *Argyractis pervenustalis* (Hampson, 1897)** (Pyralidae) Synonym(s): *pervenustalis* Hampson, 1897 - Range (in code): CI
- 72575. *Argyractis phaeopastalis* Hampson, 1917** (Pyralidae) Synonym(s): *phaeopastalis* Hampson, 1917 - Range (in code): CO
- 72576. *Argyractis plusialis* (Herrich-Schäffer, 1871)** (Pyralidae) Synonym(s): *plusialis* Herrich-Schäffer, 1871 - Range (in code): CU
- 72577. *Argyractis premalis* (Druce, 1896)** (Pyralidae) Synonym(s): *premalis* Druce, 1896 - Range (in code): MX Tbo BR AR
- 72578. *Argyractis productalis* Hampson, 1917** (Pyralidae) Synonym(s): *productalis* Hampson, 1917 - Range (in code): PE
- 72579. *Argyractis psalmoidalis* Schaus, 1924** (Pyralidae) Synonym(s): *psalmoidalis* Schaus, 1924 - Range (in code): CU
- 72580. *Argyractis puralis* Schaus, 1912** (Pyralidae) Synonym(s): *puralis* Schaus, 1912 - Range (in code): CR
- 72581. *Argyractis pyropalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *pyropalis* Guenée, 1854 - Range (in code): BR
- 72582. *Argyractis rinconadalis* Schaus, 1924** (Pyralidae) Synonym(s): *rinconadalis* Schaus, 1924 - Range (in code): MX
- 72583. *Argyractis sambesica* (Strand, 1909)** (Pyralidae) Synonym(s): *sambesica* Strand, 1909 - Range (in code): ZW ZA
- 72584. *Argyractis samealis* (R. Felder & Rogenhofer, 1874)** (Pyralidae) Synonym(s): *samealis* R. Felder & Rogenhofer, 1874 - Range (in code): CO
- 72585. *Argyractis schistopalis* Hampson, 1906** (Pyralidae) Synonym(s): *schistopalis* Hampson, 1906 - Range (in code): MX
- 72586. *Argyractis schwarzalis* Schaus, 1924** (Pyralidae) Synonym(s): *schwarzalis* Schaus, 1924 - Range (in code): GT
- 72587. *Argyractis serapionalis* Schaus, 1924** (Pyralidae) Synonym(s): *serapionalis* Schaus, 1924 - Range (in code): GT
- 72588. *Argyractis sinitalis* Schaus, 1906** (Pyralidae) Synonym(s): *sinitalis* Schaus, 1906 - Range (in code): MX
- 72589. *Argyractis subornata* (Hampson, 1897)** (Pyralidae) Synonym(s): *subornata* Hampson, 1897 - Range (in code): BR
- 72590. *Argyractis supercilialis* (Hampson, 1897)** (Pyralidae) Synonym(s): *supercilialis* Hampson, 1897 - Range (in code): MG

- 72591. *Argyractis symphonalis* (Dyar,1914)** (Pyralidae) Synonym(s): *symphonalis* Dyar,1914
Range (in code): **PA**
- 72592. *Argyractis tamanalis* Schaus,1924** (Pyralidae) Synonym(s): *tamanalis* Schaus,1924
Range (in code): **CO**
- 72593. *Argyractis tapajosalis* Schaus,1924** (Pyralidae) Synonym(s): *tapajosalis* Schaus,1924
Range (in code): **BR**
- 72594. *Argyractis tessimalis* Dyar,1926** (Pyralidae) Synonym(s): *tessimalis* Dyar,1926 _ Range (in code): **MX Tbo**
- 72595. *Argyractis tetropalis* Hampson,1906** (Pyralidae) Synonym(s): *tetropalis* Hampson,1906
Range (in code): **NG**
- 72596. *Argyractis trespasalis* Dyar,1926** (Pyralidae) Synonym(s): *trespasalis* Dyar,1926
Range (in code): **MX Tbo**
- 72597. *Argyractis triopalis* Hampson,1906** (Pyralidae) Synonym(s): *triopalis* Hampson,1906
Range (in code): **SL NG**
- 72598. *Argyractis tristalis* Schaus,1912** (Pyralidae) Synonym(s): *tristalis* Schaus,1912 _ Range (in code): **CR**
- 72599. *Argyractis triumphalis* Schaus,1912** (Pyralidae) Synonym(s): *triumphalis* Schaus,1912
Range (in code): **CR PA**
- 72600. *Argyractis ulfridalis* Schaus,1924** (Pyralidae) Synonym(s): *ulfridalis* Schaus,1924
Range (in code): **DM**
- 72601. *Argyractis valstanal* Schaus,1924** (Pyralidae) Synonym(s): *valstanal* Schaus,1924
Range (in code): **VE Mra**
- 72602. *Argyractis volcanalis* Schaus,1912** (Pyralidae) Synonym(s): *volcanalis* Schaus,1912
Range (in code): **CR**
- 72603. *Argyractis zamoralis* Schaus,1924** (Pyralidae) Synonym(s): *zamoralis* Schaus,1924
Range (in code): **EC**
- 72604. *Argyria antonialis* Schaus,1922** (Pyralidae) Synonym(s): *antonialis* Schaus,1922
Range (in code): **CO**
- 72605. *Argyria argentana* (Martyn,1797)** (Pyralidae) Synonym(s): *argentana* Martyn,1797; *nummulalis* Hübner,1818; *subaenescens* Walker,1863; *fuscipes* Zeller,1863 _ Range (in code): **US**
- 72606. *Argyria argentisparsalis* Hampson,1896** (Pyralidae) Synonym(s): *argentisparsalis* Hampson,1896 _ Range (in code): **LK**
- 72607. *Argyria argyrodis* Dyar,1914** (Pyralidae) Synonym(s): *argyrodis* Dyar,1914 _ Range (in code): **PA**
- 72608. *Argyria auratella* (Clemens,1860)** (Pyralidae) Synonym(s): *auratella* Clemens,1860; *pulchella* Walker,1863 _ Range (in code): **US**
- 72609. *Argyria centrifugens* Dyar,1914** (Pyralidae) Synonym(s): *centrifugens* Dyar,1914
Range (in code): **PA**
- 72610. *Argyria consortalis* Dyar,1909** (Pyralidae) Synonym(s): *consortalis* Dyar,1909 _ Range (in code): **US Fl**
- 72611. *Argyria critica* Forbes,1920** (Pyralidae) Synonym(s): *critica* Forbes,1920 _ Range (in code): **US**
- 72612. *Argyria croceicinctella* (Walker,1863)** (Pyralidae) Synonym(s): *croceicinctella* Walker,1863; *tingurialis* Dyar,1913 _ Range (in code): **VE PE**
- 72613. *Argyria croceivittella* (Walker,1863)** (Pyralidae) Synonym(s): *croceivittella* Walker,1863
Range (in code): **BR**
- 72614. *Argyria diplomachalis* Dyar,1914** (Pyralidae) Synonym(s): *diplomachalis* Dyar,1914
Range (in code): **PR**
- 72615. *Argyria divisella* Walker,1866** (Pyralidae) Synonym(s): *divisella* Walker,1866 _ Range (in code):
- 72616. *Argyria duplicilinea* Hampson,1919** (Pyralidae) Synonym(s): *duplicilinea* Hampson,1919
Range (in code): **SL**
- 72617. *Argyria eromenalis* Hampson,1919** (Pyralidae) Synonym(s): *eromenalis* Hampson,1919
Range (in code): **Sbw ID**
- 72618. *Argyria examinalis* (Meyrick,1931)** (Pyralidae) Synonym(s): *examinalis* Meyrick,1931
Range (in code): **GY**

- 72619. *Argyria furvicornis* Zeller, 1877** (Pyralidae) Synonym(s): *furvicornis* Zeller, 1877 _ Range (in code):
- 72620. *Argyria gonogramma* Dyar, 1915** (Pyralidae) Synonym(s): *gonogramma* Dyar, 1915 _ Range (in code): BM
- 72621. *Argyria hannemanni* Bleszynski, 1960** (Pyralidae) Synonym(s): *hannemanni* Bleszynski, 1960 _ Range (in code): BO
- 72622. *Argyria heringi* Bleszynski, 1960** (Pyralidae) Synonym(s): *heringi* Bleszynski, 1960 _ Range (in code): GY
- 72623. *Argyria holocrassa* Meyrick, 1902** (Pyralidae) Synonym(s): *holocrassa* Meyrick, 1902
Original Reference: *Argyria holocrassa* Meyrick, 1902, Entomologist's mon. 38: 176. Range (in code): YE Ad
- 72624. *Argyria insons* R. Felder & Rogenhofer, 1875** (Pyralidae) Synonym(s): *insons* R. Felder & Rogenhofer, 1875 _ Range (in code):
- 72625. *Argyria interruptella* Walker, 1866** (Pyralidae) Synonym(s): *interruptella* Walker, 1866; *inficitella* Walker, 1866; *obliquella* Zeller, 1877; *candida* Butler, 1881
Original Reference: *Argyria interruptella* Walker, 1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1763. Range (in code): CN KP KP JP TW
- 72626. *Argyria kadenii* Zeller, 1863** (Pyralidae) Synonym(s): *kadenii* Zeller, 1863 _ Range (in code): VE
- 72627. *Argyria lacteella* (Fabricius, 1794)** (Pyralidae) Synonym(s): *lacteella* Fabricius, 1794; *albana* Fabricius, 1798 _ Range (in code):
- 72628. *Argyria lucidella* (Zeller, 1839)** (Pyralidae) Synonym(s): *lucidella* Zeller, 1839 _ Range (in code): BR
- 72629. *Argyria lusella* (Zeller, 1863)** (Pyralidae) Synonym(s): *lusella* Zeller, 1863 _ Range (in code):
- 72630. *Argyria marginepunctalis* (Hampson, 1896)** (Pyralidae) Synonym(s): *marginepunctalis* Hampson, 1896 _ Range (in code): IN Pj Up Mus
- 72631. *Argyria mesodonta* Zeller, 1877** (Pyralidae) Synonym(s): *mesodonta* Zeller, 1877 _ Range (in code): BO
- 72632. *Argyria mesodonta mesodonta* Zeller, 1877** (Pyralidae) Synonym(s): *mesodonta* Zeller, 1877 _ Range (in code): BO
- 72633. *Argyria mesodonta submesodonta* Bleszynski, 1960** (Pyralidae) Synonym(s): *submesodonta* Bleszynski, 1960 _ Range (in code): BO
- 72634. *Argyria mesogramma* Dyar, 1914** (Pyralidae) Synonym(s): *mesogramma* Dyar, 1914
Range (in code):
- 72635. *Argyria mesozonalis* Hampson, 1919** (Pyralidae) Synonym(s): *mesozonalis* Hampson, 1919
Range (in code): PE BO
- 72636. *Argyria nivalis* (Drury, 1773)** (Pyralidae) Synonym(s): *nivalis* Drury, 1773; *argentata* Emmons, 1854; *microchysella* Walker, 1863. _ Range (in code): US PA
- 72637. *Argyria nivalis fimbrialis* Dyar, 1914** (Pyralidae) Synonym(s): *fimbrialis* Dyar, 1914
Range (in code): PA
- 72638. *Argyria nivalis nivalis* (Drury, 1773)** (Pyralidae) Synonym(s): *nivalis* Drury, 1773; *argentata* Emmons, 1854; *microchysella* Walker, 1863. _ Range (in code): US PA
- 72639. *Argyria opposita* Zeller, 1877** (Pyralidae) Synonym(s): *opposita* Zeller, 1877 _ Range (in code): PA
- 72640. *Argyria oxytoma* Meyrick, 1932** (Pyralidae) Synonym(s): *oxytoma* Meyrick, 1932 _ Range (in code): AR
- 72641. *Argyria plumbeolinealis* (Hampson, 1896)** (Pyralidae) Synonym(s): *plumbeolinealis* Hampson, 1896
Original Reference: *Platytes plumbeolinealis* Hampson, 1896, Proc. zool. Soc. Lond. 1895: 947. Range (in code): IN Pj Ass Meg Khs LK TW
- 72642. *Argyria polyniphas* Meyrick, 1932** (Pyralidae) Synonym(s): *polyniphas* Meyrick, 1932
Range (in code): FJ
- 72643. *Argyria pontiella* Zeller, 1877** (Pyralidae) Synonym(s): *pontiella* Zeller, 1877 _ Range (in code): PA
- 72644. *Argyria pusillalis* (Hübner, 1818)** (Pyralidae) Synonym(s): *pusillalis* Hübner, 1818; *abronalis* Walker, 1859 _ Range (in code): PA

- 72645. *Argyria pusillalis multifacta* Dyar,1914** (Pyrilidae) Synonym(s): *multifacta* Dyar,1914
Range (in code): PA
- 72646. *Argyria pusillalis pusillalis* (Hübner,1818)** (Pyrilidae) Synonym(s): *pusillalis* Hübner,1818; *abronalis* Walker,1859 - Range (in code):
- 72647. *Argyria quevedella* Schaus,1922** (Pyrilidae) Synonym(s): *quevedella* Schaus,1922
Range (in code): EC
- 72648. *Argyria rileyella* Dyar,1914** (Pyrilidae) Synonym(s): *rileyella* Dyar,1914 - Range (in code):
- 72649. *Argyria rufisignella* (Zeller,1872)** (Pyrilidae) Synonym(s): *rufisignella* Zeller,1872; *#rufisignalis* Schaus,1940 - Range (in code): US Tx
- 72650. *Argyria schausella* Dyar,1914** (Pyrilidae) Synonym(s): *schausella* Dyar,1914 - Range (in code): CR
- 72651. *Argyria senatoria* Meyrick,1932** (Pyrilidae) Synonym(s): *senatoria* Meyrick,1932
Range (in code): FJ
- 72652. *Argyria sordipes* Zeller,1877** (Pyrilidae) Synonym(s): *sordipes* Zeller,1877 - Range (in code): AR
- 72653. *Argyria strophaea* Meyrick,1905** (Pyrilidae) Synonym(s): *strophaea* Meyrick,1905
Range (in code): NZ
- 72654. *Argyria subtilis* Felder,1874** (Pyrilidae) Synonym(s): *subtilis* Felder,1874 - Range (in code): CO
- 72655. *Argyria supposita* Dyar,1914** (Pyrilidae) Synonym(s): *supposita* Dyar,1914 - Range (in code): MX
- 72656. *Argyria tenuistrigella* Schaus,1922** (Pyrilidae) Synonym(s): *tenuistrigella* Schaus,1922
Range (in code):
- 72657. *Argyria vesta* Bleszynski,1962** (Pyrilidae) Synonym(s): *obliquella* Dyar,1914 nec Zeller,1877; *vesta* Bleszynski,1962. - Range (in code):
- 72658. *Argyria vestalis* Butler,1878** (Pyrilidae) Synonym(s): *vestalis* Butler,1878 - Range (in code): JM
- 72659. *Argyria xanthoguma* Dyar,1914** (Pyrilidae) Synonym(s): *xanthoguma* Dyar,1914
Range (in code): PA
- 72660. *Argyria xiphotoma* Meyrick,1938** (Pyrilidae) Synonym(s): *xiphotoma* Meyrick,1938
Range (in code): ID Ja
- 72661. *Argyrophorodes angolensis* Agassiz,2012** (Pyrilidae) Synonym(s): *angolensis* Agassiz,2012 - Range (in code): AO ZR ZM
- 72662. *Argyrophorodes luteivittalis* (Mabille,1880)** (Pyrilidae) Synonym(s): *luteivittalis* Mabille,1880 - Range (in code): MG
- 72663. *Argyrophorodes suttoni* Agassiz,2012** (Pyrilidae) Synonym(s): *suttoni* Agassiz,2012
Range (in code): ZR
- 72664. *Argyrorhabda leucomera* Hampson,1926** (Pyrilidae) Synonym(s): *leucomera* Hampson,1926 Original Reference: *Argyrorhabda leucomera* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 634. Holotype ♂: [Zimbabwe]: S. Rhodesia: Saw-mills (Janse); [South Africa]: Transvaal: Eukeldoorn (Janse). Range (in code): ZW ZA Tva Lpo
- 72665. *Argyrorhabda leucomera leucomera* Hampson,1926** (Pyrilidae) Synonym(s): *leucomera* Hampson,1926 Original Reference: *Argyrorhabda leucomera* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 634. Holotype ♂: [Zimbabwe]: S. Rhodesia: Saw-mills (Janse); [South Africa]: Transvaal: Eukeldoorn (Janse). Range (in code): ZW ZA Tva Lpo
- 72666. *Arimania komaroffi* (Ragonot,1888)** (Pyrilidae) Synonym(s): *komaroffi* Ragonot,1888; *amanella* Zerny,1934; *diplocapna* Meyrick,1937; *amanella* Zerny,1935 Original Reference: *Salebria komaroffi* Ragonot,1888, Nouv. gen.: 18. Type(s): Transcaucasie. Range (in code): DZ Onç IR Fa IQ Rwz Brs Dia Shq Ssa TR Cc AZ Len AM Bionomy: Larva on Quercus, Fraxinus (Wiltshire,1948); *Pistacia vera*, *P. khinjuk* (Samet,1985; Mehrnejad & Speidel,2011).
- 72667. *Arippara indicator* Walker,1863** (Pyrilidae) Synonym(s): *indicator* Walker,1863; *disticta* Turner,1904 - Range (in code): TW KP KR CN JP IN Ass MY Bor Swk AU QAU ID Sum Ja
- 72668. *Arippara indicator marginata* (Walker,1865)** (Pyrilidae) Synonym(s): *marginata* Walker,1865; *rufescens* Butler,1879; *eogenalis* Snellen,1880; *assamica* Moore,1888; *olivalis* Caradja,1927; *hoenei* Caradja,1931 - Range (in code): IN CN JP Sum Ass

- 72669. *Arippara salmo* (Hampson,1891)** (Pyralidae) Synonym(s): *salmo* Hampson,1891
Range (in code): **IN NI LK**
- 72670. *Arippara vibicalis* (Lederer,1863)** (Pyralidae) Synonym(s): *vibicalis* Lederer,1863;
roborealis Swinhoe,1885 _ Range (in code): **LK IN NI Bba Mh**
- 72671. *Arnia nervosalis* Guenée,1849** (Pyralidae) Synonym(s): *nervosalis* Guenée,1849
Original Reference: *Arnia nervosalis* Guenée,1849, [in] Lucas, Expl. scient. algér.: 152, pl.4 fig.6.
Type ♂: Algérie. Range (in code): **DZ PT ES FR Co Sa Si MT**
- 72672. *Arsenaria caidalis* (Hampson,1900)** (Pyralidae) Synonym(s): *caidalis* Hampson,1900;
strobilacalis Chrétien,1911 _ Range (in code): **DZ Bsk TN Gf MA AE**
- 72673. *Arsenaria dattinii* (Ragonot,1887)** (Pyralidae) Synonym(s): *dattinii* Ragonot,1887; *rara*
Amsel,1935 _ Range (in code): **MA Ifr DZ Bsk Orn TN Gab IL Pa**
- 72674. *Arsenaria hyrcanalis* (Amsel,1951)** (Pyralidae) Synonym(s): *hyrcanalis* Amsel,1951
Range (in code): **IR AE**
- 72675. *Arsenaria indistinctalis* (Amsel,1949)** (Pyralidae) Synonym(s): *indistinctalis* Amsel,1949
Range (in code): **IR Ss Kh**
- 72676. *Arsenaria indistinctalis mystica* (Amsel,1977)** (Pyralidae) Synonym(s): *mystica*
Amsel,1977 _ Range (in code): **IR Kh**
- 72677. *Arsenaria kebilialis* (D.Lucas,1907)** (Pyralidae) Synonym(s): *kebilialis* D.Lucas,1907;
rungsalis Leraut,2004 _ Range (in code): **MA DZ MR TN**
- 72678. *Arsenaria sanctalis* (Hampson,1900)** (Pyralidae) Synonym(s): *sanctalis* Hampson,1900
Range (in code): **SY**
- 72679. *Arsenaria strictalis* (Amsel,1949)** (Pyralidae) Synonym(s): *strictalis* Amsel,1949
Range (in code): **IR Ss Chh PK BI**
- 72680. *Arsenaria vesceritalis* Chrétien,1913** (Pyralidae) Synonym(s): *vesceritalis* Chrétien,1913
Range (in code): **MA DZ Bsk**
- 72681. *Arsenaria wiltshirei* (Amsel,1949)** (Pyralidae) Synonym(s): *wiltshirei* Amsel,1949
Original Reference: *Constantia wiltshirei* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 300-301, pls.
6,12 figs.39,92. Syntypes 5♂: Iraq: Kerbela desert. Range (in code): **IQ Bgd Kbl IR Kz Sde**
- 72682. *Arsissa afghana* (Hartig,1937)** (Pyralidae) Synonym(s): *afghana* Hartig,1937; *dimorphella*
Amsel,1970. _ Range (in code): **AF Bd KhM Anj Pag Zeb**
- 72683. *Arsissa aksuella* (Caradja,1910)** (Pyralidae) Synonym(s): *aksuella* Caradja,1910
Range (in code): **IR Fa CN Ui Au**
- 72684. *Arsissa atlantica* Asselbergs,2009** (Pyralidae) Synonym(s): *atlantica* Asselbergs,2009
Range (in code): **Cn**
- 72685. *Arsissa divaricella* (Ragonot,1887)** (Pyralidae) Synonym(s): *divaricella* Ragonot,1887;
#aurantiacella Caradja,1910; *velocella* Toll,1948; *firusella* Amsel,1961. Original Reference: *Bradyrrhoa*
divaricella Ragonot,1887, Annls Soc. ent. Fr. (6)7: 240. Type(s): [Usbekistan]: Samarkand
(MNHNP). Range (in code): **UZ Smk TR Cc GG IR Fa Sse Com Ha Ss Kh Th Elb Kdj Nss Km Kd Lo Zj**
SA SA63
- 72686. *Arsissa haberhaueri* (Ragonot,1893)** (Pyralidae) Synonym(s): *haberhaueri* Ragonot,1893
Range (in code): **UZ Man Fe KG Tk Dj Ii**
- 72687. *Arsissa leucomixtella* (Ragonot,1887)** (Pyralidae) Synonym(s): *leucomixtella*
Ragonot,1887; *bicornutella* Amsel,1961. _ Range (in code): **Cc GG Tbl IR Fa Th LB Ale**
- 72688. *Arsissa milka* Roesler,1990** (Pyralidae) Synonym(s): *milka* Roesler,1990 _ Range (in
code): **IR Kd Th**
- 72689. *Arsissa miridella* (Ragonot,1893)** (Pyralidae) Synonym(s): *miridella* Ragonot,1893;
pallorella Amsel,1961; *#incertella* Amsel,1970. Original Reference: *Pristophora miridella*
Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: 244, Pl.11 fig.24. Type ♂: [Turquie]: "Mardin [anc.
miride]". Range (in code): **TR IR Fa AF Hr**
- 72690. *Arsissa pempeliella* (Zerny,1936)** (Pyralidae) Synonym(s): *pempeliella* Zerny,1936
Range (in code): **MA**
- 72691. *Arsissa pupillatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *pupillatella* Ragonot,1887
Range (in code): **TM Kp**
- 72692. *Arsissa ramosella* (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *ramosella*
Herrich-Schäffer,[1855]; *albiramosella* Caradja,1916; *caradjaella* Zerny,1939. Original Reference: *Pyralis*
ramosella Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 6:148, Taf.21 fig.146. Type(s):

- [Türkei]: Amasia. Range (in code): **TR RU Sr LB Bei IR Elb Th Kdv Kd Fa Ha Zj Kh Shh Ab TM Kp Cc AM AF Hr Kab Kbb Pnj Srb Slg**
- 72693. *Arsissa transvaalica* Balinsky,1991** (Pyralidae) Synonym(s): *transvaalica* Balinsky,1991
Range (in code): **ZA Tva**
- 72694. *Arsissa transvaalica transvaalica* Balinsky,1991** (Pyralidae) Synonym(s): *transvaalica* Balinsky,1991
Range (in code): **ZA Tva**
- 72695. *Arthroschista hilaralis* (Walker,1859)** (Pyralidae) Synonym(s): *hilaralis* Walker,1859; *aquosalis* Snellen,[1880]
Range (in code): **AU**
- 72696. *Arxama atralis* (Hampson,1897)** (Pyralidae) Synonym(s): *atralis* Hampson,1897
Range (in code): **MY**
- 72697. *Arxama cretacealis* Hampson,1906** (Pyralidae) Synonym(s): *cretacealis* Hampson,1906
Range (in code): **SB AU**
- 72698. *Arxama monetalis* (Snellen,1880)** (Pyralidae) Synonym(s): *monetalis* Snellen,1880
Range (in code): **Cib Pla ID**
- 72699. *Arxama ochrocealis* Hampson,1906** (Pyralidae) Synonym(s): *ochrocealis* Hampson,1906
Range (in code): **MY Bor**
- 72700. *Arxama subcervinalis* Walker,1865** (Pyralidae) Synonym(s): *subcervinalis* Walker,1865
Range (in code): **ID Crm**
- 72701. *Asalebria* (Exophora) *adiudicata* Asselbergs,2008** (Pyralidae) Synonym(s): *adiudicata* Asselbergs,2008
Range (in code): **AE**
- 72702. *Asalebria* (Exophora) *alida* Roesler,1988** (Pyralidae) Synonym(s): *alida* Roesler,1988
Range (in code): **IR Ss**
- 72703. *Asalebria* (Exophora) *exasperata* (Staudinger,1879)** (Pyralidae) Synonym(s): *exasperata* Staudinger,1879; *#exaspersata* Roesler,1988
Original Reference: Myelois ? *exasperata* Staudinger,1879, Horae Soc. ent. ross. 15: 217-218. Syntypes 1♂: [Türkei]: Amasia: Jenikeui-Hochebene; 1♀: Taurus. Range (in code): **TR Cc AM Eri IR Ha Kd**
- 72704. *Asalebria* (Exophora) *florella* (Mann,1862)** (Pyralidae) Synonym(s): *florella* Mann,1862; *chiclanensis* Staudinger,1870; *syriella* Amsel,1954; *joesti* Amsel,1954; *vartianae* Roesler,1969
Original Reference: *Nephopteryx florella* Mann,1862, Wien. ent. Monatschr. 6: 391, Taf.3 fig.10. Lectotype ♂: [Croatia: Dalmatia]: "Spalato" [Split] designated by Roesler,1993, Microlepid. Palaeart. 8: 183 (NHMW). Range (in code): **MA DZ TN Gf PT ES Grn Mu An Sa Co IT FR DE RU RO BG HV DI MK AL GR Kf Tyg TR LB Bsa TR SY Ltk IL Hf Pa Cr**
Bionomy: Larva on *Genista scoparius* (Fabaceae) (Roesler,1993).
- 72705. *Asalebria* (Exophora) *rascala* Roesler,1988** (Pyralidae) Synonym(s): *rascala* Roesler,1988
Range (in code): **AF Kab**
- 72706. *Asalebria* (Exophora) *tutulla* Roesler,1988** (Pyralidae) Synonym(s): *tutulla* Roesler,1988
Range (in code): **AF Kab**
- 72707. *Asalebria* (s.str.) *amphipyrrha* (Meyrick,1937)** (Pyralidae) Synonym(s): *amphipyrrha* Meyrick,1937
Original Reference: *Salebria* (?) *amphipyrrha* Meyrick,1937, Exot. Microlepid. 5: 67. Syntypes 3♀: Iraq; Diana, Ser Amadia (E.P.Wiltshire leg.). Range (in code): **IQ Dia Ama**
- 72708. *Asalebria* (s.str.) *geminella* (Eversmann,1844)** (Pyralidae) Synonym(s): *geminella* Eversmann,1844
Original Reference: *Myelophila geminella* Eversmann,1844, Fauna lepid. Volga-Ural.: 564. Type: Russia: Ural. Range (in code): **PT ES HU TR RU Ur KG Uk**
- 72709. *Asalebria* (s.str.) *pseudoflorella* (Schmidt,1934)** (Pyralidae) Synonym(s): *pseudoflorella* Schmidt,1934
Original Reference: *Nephopteryx pseudoflorella* Schmidt,1934, Boln. R. Soc. esp. Hist. nat. 33 (10): 400, pl.27 fig.3. Syntypes: Spain: Prov. Murcia, Sierra de Espuna, A.Schmidt leg. Range (in code): **ES Mu TR**
- 72710. *Asalebria* (s.str.) *venustella* (Ragonot,1887)** (Pyralidae) Synonym(s): *venustella* Ragonot,1887; *hilarella* Caradja,1916; *palella* Caradja,1916
Original Reference: *Salebria venustella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 231-232. Syntypes: [Russie]: Sarepta; [Kasachstan]: Saisan. Range (in code): **PT ES Mu FR Sa RU Sr TR Cc AM Eri IR Ss TM Kp KG Tar Ssn CN Ui Au Ku MN**
Bionomy: Larva on *Genista scoparius* (Fabaceae) (Roesler,1993).
- 72711. *Asarta aethiopella* (Duponchel,1836)** (Pyralidae) Synonym(s): *aethiopella* Duponchel,1836; *helveticella* Zeller,1839; *majella* Constantini,1922.
Original Reference: *Phycis aethiopella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 283. Syntypes: [Schweiz]: La Montagne de la Fourche (Furka Pass). Range (in code): **FR IT DE CH AT SK RO B-H MK YU AL BG**

- 72712. *Asarta albarracinella* Leraut & Luquet, 1991** (Pyrilidae) Synonym(s): *albarracinella* Leraut & Luquet, 1991 _ Range (in code): ES
- 72713. *Asarta alpicolella* (Zeller, 1839)** (Pyrilidae) Synonym(s): *alpicolella* Zeller, 1839 _ Range (in code): FR CH
- 72714. *Asarta alticola* (Hampson, 1930)** (Pyrilidae) Synonym(s): *alticola* Hampson, 1930
Original Reference: Anousterounia alticola Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 80. Type ♂: Cashmir: Rupshu, Taga-Lunga-La, 17500ft. (BMNH). Range (in code): Ch
- 72715. *Asarta ciliciella* Staudinger, 1879** (Pyrilidae) Synonym(s): *ciliciella* Staudinger, 1879
Original Reference: Asarta ciliciella Staudinger, 1879, Horae Soc. ent. ross. 15: 201-202. Syntypes 2♂♂: [Türkei]: Taurus: Ketschyebe. Range (in code): TR
- 72716. *Asarta firusella* Amsel, 1961** (Pyrilidae) Synonym(s): *firusella* Amsel, 1961 Original Reference: Asarta firusella Amsel, 1961, Ark. Zool. (2) (13-17) 5: 358, pl. 9 fig. 263, pl. 349 textfig. 47. Holotype ♂: Iran: Fars: Str. Ardekan- Talochosroe, Comé (Barm-i-Firus), 3750m (NRS). Range (in code): IR Fa
- 72717. *Asarta fuliginosa* (Turner, 1941)** (Pyrilidae) Synonym(s): *fuliginosa* Turner, 1941
Range (in code): AU
- 72718. *Asarta kotschi* Hartig, 1937** (Pyrilidae) Synonym(s): *kotschi* Hartig, 1937 _ Range (in code): AF KhM
- 72719. *Asarta nigrella* Hampson, 1903** (Pyrilidae) Synonym(s): *nigrella* Hampson, 1903; *korbi* Caradja, 1910; *pyrenaica* Hampson, 1929. Original Reference: Asarta nigrella Hampson, 1903, Ann. Mag. nat. Hist. 11: 58. Lectotype ♀: Spanien: Kastilien (designated by Roesler, 1973, Microlepid. palaearkt. 4: 35) (BMNH). Range (in code): PT ES Cue FR
- 72720. *Asartodes monspesulalis* (Duponchel, 1834)** (Pyrilidae) Synonym(s): *monspesulalis* Duponchel, 1834 _ Range (in code): PT ES FR
- 72721. *Asartodes zapateri* (Ragonot, 1882)** (Pyrilidae) Synonym(s): *zapateri* Ragonot, 1882; *nigrella* Hampson, 1903; *korbi* Caradja, 1910; *pyrenaica* Hampson, 1929. Original Reference: Asarta zapateri Ragonot, 1882, Bull. Soc. ent. Fr. 1882: 65. Lectotype ♂: Spanien: Albarracin, designated by Agenjo, 1973, [in] Roesler, Microlepid. Palaeart. 4: 33 (Mus. Madrid). Range (in code): PT ES FR
- 72722. *Asclerobia flavitinctella* (Ragonot, 1863)** (Pyrilidae) Synonym(s): *flavitinctella* Ragonot, 1863 _ Range (in code): AU
- 72723. *Aspithroides minuta* Balinsky, 1994** (Pyrilidae) Synonym(s): *minuta* Balinsky, 1994
Range (in code): ZA Nta Kzu Pel
- 72724. *Aspithroides minuta minuta* Balinsky, 1994** (Pyrilidae) Synonym(s): *minuta* Balinsky, 1994 _ Range (in code): ZA Nta Kzu Pel
- 72725. *Assara albicostalis* Walker, 1863** (Pyrilidae) Synonym(s): *albicostalis* Walker, 1863; *subterebrillum* Snellen, 1880; *niveicostella* Hampson, 1896. _ Range (in code): Ch Skd NP CN Kwa IN LK ID Ja Clb PG AU WS FJ MY Bor Swk PH TH Bionomy: Larva on seeds of Neobalanocarpus heimii, Shorea macroptera (Dipterocarpaceae), Mangifera indica (mango), Anacardium occidentale (Anacardiaceae), Elettaria cardamomum (Zingiberaceae), Punica (Punicaceae), Albizia (Fabaceae), Ananas (pineapple) (Bromeliaceae) (Robinson et al., 1994).
- 72726. *Assara aterpes* (Turner, 1913)** (Pyrilidae) Synonym(s): *aterpes* Turner, 1913 _ Range (in code): AU
- 72727. *Assara cataxutha* (Turner, 1947)** (Pyrilidae) Synonym(s): *cataxutha* Turner, 1947
Range (in code): AU
- 72728. *Assara cedrella* (Hampson, 1903)** (Pyrilidae) Synonym(s): *cedrella* Hampson, 1903
Range (in code): IN
- 72729. *Assara chionopleura* (Turner, 1947)** (Pyrilidae) Synonym(s): *chionopleura* Turner, 1947
Range (in code): AU
- 72730. *Assara conicolella* (Constant, 1884)** (Pyrilidae) Synonym(s): *conicolella* Constant, 1884
Original Reference: Euzophera conicolella Constant, 1884, Annls Soc. ent. Fr. 4: 209. Lectotype ♂: Frankreich: Alpes Maritimes (designated by Roesler, 1973, Microlepid. palaearkt. 4: 141) (MNHN). Range (in code): TN PT ES Mu FR Co CY Bionomy: Larva in cones of Pinus halepensis (Pinaceae) (Corley et al., 2007).
- 72731. *Assara exiguella* (Caradja, 1926)** (Pyrilidae) Synonym(s): *exiguella* Caradja, 1926; *albicostella* Inoue, 1959. _ Range (in code): CN Yu JP

- 72732. Assara formosana Yoshiyasu,1991** (Pyalidae) Synonym(s): *formosana* Yoshiyasu,1991
Original Reference: Assara formosana Yoshiyasu,1991, Tyo to Ga 42 (4): 261, figs. Holotype: Taiwan: Naston Haien, Puli. Range (in code): **TW**
- 72733. Assara hoenella Roesler,1965** (Pyalidae) Synonym(s): *hoenella* Roesler,1965 Range (in code): **CN Hun Tkg Kgs JP**
- 72734. Assara holophragma (Meyrick,1887)** (Pyalidae) Synonym(s): *holophragma* Meyrick,1887; *epigrammella* Ragonot,1893 Range (in code): **AU**
- 72735. Assara incredibilis Roesler,1973** (Pyalidae) Synonym(s): *incredibilis* Roesler,1973
Range (in code): **CN Yu**
- 72736. Assara korbi (Caradja,1910)** (Pyalidae) Synonym(s): *korbi* Caradja,1910 Range (in code): **RU Am CN She Tkg JP**
- 72737. Assara leucarma (Meyrick,1879)** (Pyalidae) Synonym(s): *leucarma* Meyrick,1879
Range (in code): **AU**
- 72738. Assara melanomita (Turner,1947)** (Pyalidae) Synonym(s): *melanomita* Turner,1947
Range (in code): **AU**
- 72739. Assara microdoxa (Meyrick,1846)** (Pyalidae) Synonym(s): *microdoxa* Meyrick,1846; *leptoptila* Turner,1947 Range (in code): **AU**
- 72740. Assara odontosema (Turner,1913)** (Pyalidae) Synonym(s): *odontosema* Turner,1913
Range (in code): **AU**
- 72741. Assara pinivora (Meyrick,1933)** (Pyalidae) Synonym(s): *pinivora* Meyrick,1933
Range (in code): **IN Ch**
- 72742. Assara proleuca (Lower,1903)** (Pyalidae) Synonym(s): *proleuca* Lower,1903; *hemichionea* Turner,1913 Range (in code): **AU**
- 72743. Assara quadriguttella (Walker,1866)** (Pyalidae) Synonym(s): *quadriguttella* Walker,1866
Range (in code): **AU**
- 72744. Assara semifictile (Turner,1913)** (Pyalidae) Synonym(s): *semifictile* Turner,1913
Range (in code): **AU**
- 72745. Assara seminivale (Turner,1904)** (Pyalidae) Synonym(s): *seminivale* Turner,1904
Range (in code): **AU**
- 72746. Assara seminivalis (Turner,1904)** (Pyalidae) Synonym(s): *seminivalis* Turner,1904
Range (in code): **SK IN LK VN Ton ID Sum Bor AU QAU**
- 72747. Assara subarcuella (Meyrick,1879)** (Pyalidae) Synonym(s): *subarcuella* Meyrick,1879
Range (in code): **AU**
- 72748. Assara terebrella (Zincken,1818)** (Pyalidae) Synonym(s): *terebrella* Zincken,1818
Original Reference: Phycis terebrella Zincken,1818, Germar's Mag. Ent. 3: 62. Type(s): Deutschland: Braunschweig. Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Ur Sb MD UA BY JP** Bionomy: Larva on Abies, Picea, Pinus (Pinaceae) (Parenti,2000).
- 72749. Assara tuberculosa (Meyrick,1933)** (Pyalidae) Synonym(s): *tuberculosa* Meyrick,1933
Range (in code): **IN**
- 72750. Assara turciella Roesler,1973** (Pyalidae) Synonym(s): *turciella* Roesler,1973 Original Reference: Assara turciella Roesler,1973, Microlepid. Palaearct. 4: 142, Pls. Holotype ♂: [Türkei]: Asia minor, Mersin: Dünen, 25km SW v. Mersin leg. F.Kasy (NHMW). Range (in code): **TR**
- 72751. Astrapometis saburalis (Walker,1859)** (Pyalidae) Synonym(s): *saburalis* Walker,1859
Range (in code): **AU WAu Aby**
- 72752. Ategumia adipalis (Lederer,1863)** (Pyalidae) Synonym(s): *adipalis* Lederer,1863; *notatalis* Walker,[1866]; *cuprinalis* Moore,1877 Range (in code): **IN LK MM TW JP AU**
- 72753. Atelocentra chloraspis Meyrick,1884** (Pyalidae) Synonym(s): *chloraspis* Meyrick,1884
Range (in code): **AU**
- 72754. Atomopteryx coelodactyla (Zeller,1863)** (Pyalidae) Synonym(s): *coelodactyla* Zeller,1863; *lindigi* R.Felder & Rogenhofer,1875; *zelleri* Butler,1883; *dubitalis* Maassen,1890; *#caelodactyla* Hampson,1899; *#coeldactyla* D.S.Fletcher & Nye,1984 Range (in code): **VE CO CL EC**
- 72755. Atomopteryx doeri Walsingham,1891** (Pyalidae) Synonym(s): *doeri* Walsingham,1891
Range (in code): **BR Rja**
- 72756. Atomopteryx erschoffiana (Zeller,1877)** (Pyalidae) Synonym(s): *erschoffiana* Zeller,1877
Range (in code): **CO**

- 72757. *Atomopteryx incalis* (Hampson,1913)** (Pyralidae) **Synonym(s):** *incalis* Hampson,1913
Range (in code): **PE**
- 72758. *Atomopteryx perelongata* (Hampson,1913)** (Pyralidae) **Synonym(s):** *perelongata* Hampson,1913
Range (in code): **PE**
- 72759. *Atomopteryx peruviana* (Zeller,1877)** (Pyralidae) **Synonym(s):** *peruviana* Zeller,1877
Range (in code): **PE**
- 72760. *Atomopteryx pterophoralis* (Walker,1866)** (Pyralidae) **Synonym(s):** *pterophoralis* Walker,1866
Range (in code): **DO**
- 72761. *Atomopteryx serpentifera* (Hampson,1913)** (Pyralidae) **Synonym(s):** *serpentifera* Hampson,1913
Range (in code): **BS**
- 72762. *Atomopteryx solanalis* (Barnes & McDunnough,1913)** (Pyralidae) **Synonym(s):** *solanalis* Barnes & McDunnough,1913
Range (in code): **US FI**
- 72763. *Atomopteryx unicolor* (E.Hering,1906)** (Pyralidae) **Synonym(s):** *unicolor* E.Hering,1906
Range (in code): **PE**
- 72764. *Atralata albofascialis* (Treitschke,1829)** (Pyralidae) **Synonym(s):** *albofascialis* Treitschke,1829; *minutalis* Speyer,1868
Original Reference: *Ennychia albofascialis* Treitschke,1829, [in] Ochsenheimer, Schmett. Eur. 7: 196. Syntypes: "Ungarn" (Kindermann leg.).
Range (in code): **PT ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO HV MK BG TR Cc SE EE LV RU Sb Ya UA Cm BY**
Bionomy: Larva on Erigeron, Inula (Asteraceae) (Parenti,2000).
- 72765. *Atritas achima* Roesler,1987** (Pyralidae) **Synonym(s):** *achima* Roesler,1987
Range (in code): **SA As SD Ksl**
- 72766. *Atritas aranka* Roesler,1987** (Pyralidae) **Synonym(s):** *aranka* Roesler,1987
Range (in code): **ET Hrr ET87 SA SA63**
- 72767. *Auchmophoba tynnota* Turner,1913** (Pyralidae) **Synonym(s):** *tynnota* Turner,1913
Range (in code): **AU**
- 72768. *Audeoudia grisella* Joannis,1927** (Pyralidae) **Synonym(s):** *grisella* Joannis,1927
Range (in code): **ZA**
- 72769. *Aulacoptera fuscintervalis* Swinhoe,1905** (Pyralidae) **Synonym(s):** *fuscintervalis* Swinhoe,1905
Range (in code): **IN Ass ID WS FJ SB PG MY**
- 72770. *Aurana actiosella* Walker,1863** (Pyralidae) **Synonym(s):** *actiosella* Walker,1863; *lentalis* Swinhoe,1885
Original Reference: *Aurana actiosella* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 122.
Range (in code): **AU AC IN Mh Bba PK Sd Krc LK TW**
- 72771. *Aurana ctiosaella* Walker,1863** (Pyralidae) **Synonym(s):** *ctiosaella* Walker,1863
Range (in code): **IN**
- 72772. *Aurana vinaceella* (Inoue,1963)** (Pyralidae) **Synonym(s):** *vinaceella* Inoue,1963
Range (in code): **JP ID Sum**
- 72773. *Aureocramboides apollo* Bleszynski,1961** (Pyralidae) **Synonym(s):** *apollo* Bleszynski,1961
Range (in code): **KE**
- 72774. *Aureopteryx argentistriata* (Hampson,1917)** (Pyralidae) **Synonym(s):** *argentistriata* Hampson,1917
Range (in code): **CO**
- 72775. *Aureopteryx calistoalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *calistoalis* Walker,1859
Range (in code): **BR**
- 72776. *Aureopteryx glorialis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *glorialis* Schaus,1920
Range (in code): **GF**
- 72777. *Aureopteryx infuscatalis* Munroe,1964** (Pyralidae) **Synonym(s):** *infuscatalis* Munroe,1964
Range (in code): **BO**
- 72778. *Aurotalis nigrisquamalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *nigrisquamalis* Hampson,1919
Range (in code): **ZA**
- 72779. *Aurotalis similis* Bassi,1999** (Pyralidae) **Synonym(s):** *similis* Bassi,1999
Range (in code): **ZA**
- 72780. *Austropaschia porrigens* Hampson,1916** (Pyralidae) **Synonym(s):** *porrigens* Hampson,1916
Range (in code): **AU**
- 72781. *Autarotis euryala* Meyrick,1886** (Pyralidae) **Synonym(s):** *euryala* Meyrick,1886
Range (in code): **FJ**
- 72782. *Autarotis mivellus* (Meyrick,1879)** (Pyralidae) **Synonym(s):** *mivellus* Meyrick,1879
Range (in code): **AU**

- 72783. Autarotis polioleuca (Turner,1911)** (Pyralidae) Synonym(s): *polioleuca* Turner,1911
Range (in code): **AU**
- 72784. Authaeretis exaereta Tams,1935** (Pyralidae) Synonym(s): *exaereta* Tams,1935
Range (in code): **WS**
- 72785. Autocharis albiplaga (Hampson,1913)** (Pyralidae) Synonym(s): *albiplaga* Hampson,1913
Range (in code): **ZA**
- 72786. Autocharis fessalis (Swinhoe,1886)** (Pyralidae) Synonym(s): *fessalis* Swinhoe,1886;
amethystina Swinhoe,1894
Range (in code): **ZA AE YE Ad PK Sd Krc IN Mhw ID Adm BT Ass Khs Cpj MM PG AU QAU TW**
- 72787. Autocharis hedyphaes (Turner,1913)** (Pyralidae) Synonym(s): *hedyphaes* Turner,1913
Range (in code): **AU**
- 72788. Autocharis jacobsalis (Marion & Viette,1956)** (Pyralidae) Synonym(s): *jacobsalis* Marion & Viette,1956
Range (in code): **ZA**
- 72789. Autocharis miltosoma (Turner,1937)** (Pyralidae) Synonym(s): *miltosoma* Turner,1937
Range (in code): **AU**
- 72790. Autocharis mimetica (Lower,1903)** (Pyralidae) Synonym(s): *mimetica* (Lower,1903)
Range (in code): **AU**
- 72791. Autocharis sarobialis Amsel,1970** (Pyralidae) Synonym(s): *sarobialis* Amsel,1970
Range (in code): **AF Srb**
- 72792. Autocharis sinualis (Hampson,1899)** (Pyralidae) Synonym(s): *sinualis* Hampson,1899
Range (in code): **ZA**
- 72793. Auxacia bilineella (Ragonot,1887)** (Pyralidae) Synonym(s): *bilineella* Ragonot,1887
Range (in code): **Cc AZ Nv Ord SA SA63 KW IL Pa IQ Mos IR Fa Elb Th Mak Ab AF Hr Ca PK Bl Qu TM Kp K-K Krn UZ Fe Man MN**
- 72794. Auxolophotis ioxanthias Meyrick,1933** (Pyralidae) Synonym(s): *ioxanthias* Meyrick,1933
Range (in code): **FJ**
- 72795. Axiocrita cataphanes Turner,1913** (Pyralidae) Synonym(s): *cataphanes* Turner,1913
Range (in code): **AU**
- 72796. Azanicola adspersa Balinsky,1991** (Pyralidae) Synonym(s): *adspersa* Balinsky,1991
Range (in code):
- 72797. Azanicola adspersa adspersa Balinsky,1991** (Pyralidae) Synonym(s): *adspersa* Balinsky,1991
Range (in code):
- 72798. Bacotoma camillusalis (Walker,1859)** (Pyralidae) Synonym(s): *camillusalis* Walker,1859
Range (in code): **AU**
- 72799. Baeoptila ellipes Tams,1935** (Pyralidae) Synonym(s): *ellipes* Tams,1935
Range (in code): **WS**
- 72800. Baeoptila leptorrhoda (Turner,1908)** (Pyralidae) Synonym(s): *leptorrhoda* Turner,1908
Range (in code): **AU QAU**
- 72801. Baeoptila oculalis (Hampson,1897)** (Pyralidae) Synonym(s): *oculalis* Hampson,1897;
stictochroa Turner,1915
Range (in code): **AU NSW**
- 72802. Baeoptila selenias Turner,1908** (Pyralidae) Synonym(s): *selenias* Turner,1908
Range (in code): **AU QAU**
- 72803. Bahiria defecta Balinsky,1994** (Pyralidae) Synonym(s): *defecta* Balinsky,1994
Range (in code): **ZW Har**
- 72804. Bahiria defecta defecta Balinsky,1994** (Pyralidae) Synonym(s): *defecta* Balinsky,1994
Range (in code): **ZW Har**
- 72805. Bahiria durbanica Balinsky,1994** (Pyralidae) Synonym(s): *durbanica* Balinsky,1994
Range (in code): **ZA Nta Kzu Dbn Umk MZ Blv**
- 72806. Bahiria durbanica durbanica Balinsky,1994** (Pyralidae) Synonym(s): *durbanica* Balinsky,1994
Range (in code): **ZA Nta Kzu Dbn Umk MZ Blv**
- 72807. Bahiria flavicosta Balinsky,1994** (Pyralidae) Synonym(s): *flavicosta* Balinsky,1994
Range (in code): **ZA Mpu Brb Pil Tva Lpo Spb Suw**
- 72808. Bahiria flavicosta flavicosta Balinsky,1994** (Pyralidae) Synonym(s): *flavicosta* Balinsky,1994
Range (in code): **ZA Mpu Brb Pil Tva Lpo Spb Suw**
- 72809. Bahiria latevalvata Balinsky,1994** (Pyralidae) Synonym(s): *latevalvata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre Jh**
- 72810. Bahiria latevalvata latevalvata Balinsky,1994** (Pyralidae) Synonym(s): *latevalvata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre Jh**

- 72811. Bahiria macrognatha Balinsky,1994** (Pyrilidae) Synonym(s): *macrognatha Balinsky,1994*
Range (in code): ZA Ec
- 72812. Bahiria macrognatha macrognatha Balinsky,1994** (Pyrilidae) Synonym(s): *macrognatha Balinsky,1994* - Range (in code): ZA Ec
- 72813. Bahiria maculans Liu & Li,2013** (Pyrilidae) Synonym(s): *maculans Liu & Li,2013*
Range (in code): CN
- 72814. Bahiria magna Balinsky,1994** (Pyrilidae) Synonym(s): *magna Balinsky,1994* - Range (in code): ZW Uma NA Abc ZA Tra Tva Lpo Pie Wo Rtb Gau
- 72815. Bahiria magna magna Balinsky,1994** (Pyrilidae) Synonym(s): *magna Balinsky,1994*
Range (in code): ZW Uma NA Abc ZA Tra Tva Lpo Pie Wo Rtb Gau
- 72816. Bahiria maytenella Yamanaka,2004** (Pyrilidae) Synonym(s): *maytenella Yamanaka,2004*
Range (in code): JP CN Hn
- 72817. Bahiria similis Balinsky,1994** (Pyrilidae) Synonym(s): *similis Balinsky,1994* - Range (in code): ZW Har
- 72818. Bahiria similis similis Balinsky,1994** (Pyrilidae) Synonym(s): *similis Balinsky,1994*
Range (in code): ZW Har
- 72819. Bahiria ximenianata Balinsky,1994** (Pyrilidae) Synonym(s): *ximenianata Balinsky,1994*
Range (in code): ZA Tva Gau Pre
- 72820. Bahiria ximenianata ximenianata Balinsky,1994** (Pyrilidae) Synonym(s): *ximenianata Balinsky,1994* - Range (in code): ZA Tva Gau Pre
- 72821. Balaenifrons homopteridia Hampson,1896** (Pyrilidae) Synonym(s): *homopteridia Hampson,1896* - Range (in code): MM Krh
- 72822. Balanomis encyclia Meyrick,1887** (Pyrilidae) Synonym(s): *encyclia Meyrick,1887*
Range (in code): AU
- 72823. Banepa atkinsoni Moore,1888** (Pyrilidae) Synonym(s): *atkinsoni Moore,1888* - Range (in code): IN SI
- 72824. Bapara agasta (Turner,1911)** (Pyrilidae) Synonym(s): *agasta Turner,1911* - Range (in code): AU
- 72825. Barbifrontia hemileucella Hampson,1901** (Pyrilidae) Synonym(s): *hemileucella Hampson,1901; niphostibes Turner,1904* - Range (in code): AU
- 72826. Barbutodes albizziae (Tams,1941)** (Pyrilidae) Synonym(s): *albizziae Tams,1941*
Range (in code): UG CI
- 72827. Barbutodes lantzi Leraut,2013** (Pyrilidae) Synonym(s): *lantzi Leraut,2013* - Range (in code): ZR CI
- 72828. Barisoa intensalis Möschler,1886** (Pyrilidae) Synonym(s): *intensalis Möschler,1886*
Range (in code): JM
- 72829. Bassiknysna jansei (Bassi,1999)** (Pyrilidae) Synonym(s): *jansei Bassi,1999* - Range (in code): ZA
- 72830. Batiana remotella Walker,1866** (Pyrilidae) Synonym(s): *remotella Walker,1866*
Range (in code): AU
- 72831. Bazaria dulanensis Du & Yan,2009** (Pyrilidae) Synonym(s): *dulanensis Du & Yan,2009*
Range (in code): CN
- 72832. Bazaria gilvella (Ragonot,1887)** (Pyrilidae) Synonym(s): *gilvella Ragonot,1887*
Original Reference: Anoristia gilvella Ragonot,1887, Annl. Soc. ent. Fr. (6)7: 236. Lectotype ♂: [Turkmenistan]: Krasnowodsk (Roesler, 1993: 107). Range (in code): Cn MA DZ Bsk Ajj TN Gf LY Cy EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man CN Ui Ku Bionomy: Larva on Anabasis aphylla (Chenopodiaceae) (Chrétien,1917).
- 72833. Bazaria gilvella gilvella (Ragonot,1887)** (Pyrilidae) Synonym(s): *gilvella Ragonot,1887*
Original Reference: Anoristia gilvella Ragonot,1887, Annl. Soc. ent. Fr. (6)7: 236. Lectotype ♂: [Turkmenistan]: Krasnowodsk (Roesler, 1993: 107). Range (in code): EG EG11 Sn IL Pa TR IQ Kbl KW Cc AM TM Krn UZ Man CN Ui Ku
- 72834. Bazaria gilvella oasella (Caradja,1910)** (Pyrilidae) Synonym(s): *oasella Caradja,1910; fusella Chrétien,1913; anabasella Chrétien,1917* - Range (in code): Cn MA DZ Bsk TN Gf LY Cy
Bionomy: Larva on Anabasis aphylla (Chenopodiaceae) (Chrétien,1917).
- 72835. Bazaria kuranella (Amsel,1970)** (Pyrilidae) Synonym(s): *kuranella Amsel,1970* - Range (in code): IR Th AF Bd Bqu

- 72836. Bazaría leucochrella (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *leucochrella* Herrich-Schäffer,[1855]. Original Reference: *Pempelia leucochrella* Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 5: 150, figs. Type(s): [Türkei]: Amasia. Range (in code): **TR IR Ha KJ Th Elb Kd EG**
- 72837. Bazaría lixiviella (Erschoff,1874)** (Pyralidae) Synonym(s): *lixiviella* Erschoff,1874; *trilineella* Ragonot,1887; *palaestinensis* Amsel,1935. Range (in code): **UZ Fe Smk Man IL Pa IR Ss PK AE**
- 72838. Bazaría nomiella (Ragonot,1887)** (Pyralidae) Synonym(s): *nomiella* Ragonot,1887; *atrisparsella* Ragonot,1887. Original Reference: *Anoristia nomiella* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 236. Lectotype ♂: Transcaucasien: Eldar (designated by Roesler,1993, Microlepid. palaearkt. 8: 102) (MNHN). Range (in code): **Cc AZ Kir AM TR TM Kp KG Tk Dj**
- 72839. Bazaría pempeliella Ragonot,1893** (Pyralidae) Synonym(s): *pempeliella* Ragonot,1893; *ochriplaga* Rebel,1909; *djiroftella* Amsel,1959; *afghanella* Amsel,1970 Original Reference: *Bazaría pempeliella* Ragonot,1893, [in] Romanoff, Mém. lépid. 7: 454, Pl. 17 fig.22. Lectotype ♂: [Turkmenistan]: "Transkaspien: Krasnowodsk" (MNHN). Range (in code): **MA DZ Bsk Gf TN EG Sn IL Pa SA JO IR Ss Ana Ke AF Hr Ca TM Krn UZ Fe AE**
- 72840. Bazaría polichomriella (Amsel,1970)** (Pyralidae) Synonym(s): *polichomriella* Amsel,1970 Range (in code): **AF**
- 72841. Bazaría ruscionella Ragonot,1888** (Pyralidae) Synonym(s): *ruscionella* Ragonot,1888; *semirossella* Chrétien,1911. Original Reference: *Bazaría ruscionella* Ragonot,1888, Nouv. gen. Phycit. 1888: 456. Holotype ♂: S-Frankreich: Perpignan (MNHN). Range (in code): **DZ TN Gf ES Mu FR** Bionomy: Larva on *Atriplex halimus* (Chenopodiaceae) (Roesler,1993).
- 72842. Bazaría sieversi (Christoph,1877)** (Pyralidae) Synonym(s): *sieversi* Christoph,1877 Original Reference: *Myelois sieversi* Christoph,1877, Horae Soc. ent. ross. 12: 288, pl.8 fig.60. Range (in code): **RU Sr Cc AZ Nv Ord TM Kp Krn K-K IR Elb Kdj Th AF Hr**
- 72843. Bazaría turensis Ragonot,1887** (Pyralidae) Synonym(s): *turensis* Ragonot,1887 Original Reference: *Bazaría turensis* Ragonot,1887, Annls Soc. ent. Fr. 1887: 234. Syntypes: [Algeria]: Biskra; [Turkmenistan]: Krasnowodsk. Range (in code): **MR DZ Bsk TN Gf RU TM Krn TR Cc AM KG IR Elb Th CN** Bionomy: Larva on *Nitraria schoberi*, *N. tridentata* (Zygophyllaceae) (Chrétien,1917; Roesler,1993).
- 72844. Belutchistania squamalis Amsel,1951** (Pyralidae) Synonym(s): *squamalis* Amsel,1951 Range (in code): **IR Ss Chh AE**
- 72845. Benderia talhouki Amsel,1949** (Pyralidae) Synonym(s): *talhouki* Amsel,1949 Original Reference: *Benderia talhouki* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 248, pl.3 fig.18. Range (in code): **IR Ss Chh PK BI**
- 72846. Bepea pyraustalis (Strand,1918)** (Pyralidae) Synonym(s): *pyraustalis* Strand,1918 Range (in code): **TW**
- 72847. Bepea tranquillalis (Lederer,1863)** (Pyralidae) Synonym(s): *tranquillalis* Lederer,1863; *affinis* Rothschild,1916 Range (in code): **PG ID Trn**
- 72848. Berastagia dissolutella (Snellen,1880)** (Pyralidae) Synonym(s): *dissolutella* Snellen,1880 Original Reference: *Cryptoblabes dissolutella* Snellen,1880, Reise in Midden Sumatra Nat. Hist. Lepid. 1880: 81. Type: Sumatra. Range (in code): **AU IN Ass Nag ID Sum**
- 72849. Biafra concinnella Ragonot,1888** (Pyralidae) Synonym(s): *concinnella* Ragonot,1888; *rhodinella* Ragonot,1888; *pyromerella* Hampson,1918; *taxiarcha* Meyrick,1935; *haemocharis* Meyrick,1937 Range (in code): **ZA**
- 72850. Biafra separatella Ragonot,1888** (Pyralidae) Synonym(s): *separatella* Ragonot,1888; *pallidicosta* Hampson,1896; *vectiferella* Ragonot,1901 Range (in code): **ZA**
- 72851. Bissetia berthella (Dyar,1911)** (Pyralidae) Synonym(s): *berthella* Dyar,1911 Range (in code): **BR**
- 72852. Bissetia leucomeralis (Hampson,1919)** (Pyralidae) Synonym(s): *leucomeralis* Hampson,1919 Range (in code): **SL**
- 72853. Bissetia poliella (Hampson,1919)** (Pyralidae) Synonym(s): *poliella* Hampson,1919 Range (in code): **TZ UG GH**
- 72854. Bissetia steniella (Hampson,1899)** (Pyralidae) Synonym(s): *steniellus* Hampson,1899; *griseoradians* De Joannis,1930; *trypetes* Bisset,1939 Range (in code): **IN VN Ton**
- 72855. Bissetia subfumalis (Hampson,1896)** (Pyralidae) Synonym(s): *subfumalis* Hampson,1896 Range (in code): **AU**

- 72856. *Bissetia tauromma* Kapur,1950** (Pyralidae) Synonym(s): *tauromma* Kapur,1950
Range (in code): **IN Pj MM TH**
- 72857. *Blepharomastix achroalis* (Hampson,1913)** (Pyralidae) Synonym(s): *achroalis* Hampson,1913 _ Range (in code): **JM**
- 72858. *Blepharomastix adustalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *adustalis* R.Felder & Rogenhofer,1875 _ Range (in code): **CO**
- 72859. *Blepharomastix aguirrealis* (Schaus,1940)** (Pyralidae) Synonym(s): *aguirrealis* Schaus,1940 _ Range (in code): **PR**
- 72860. *Blepharomastix apertisigna* (Hampson,1912)** (Pyralidae) Synonym(s): *terricolalis* Druce,1895 nec Möschl.,1881; *apertisigna* Hampson,1912 _ Range (in code): **MX**
- 72861. *Blepharomastix aphenice* (Hampson,1907)** (Pyralidae) Synonym(s): *aphenice* Hampson,1907 _ Range (in code): **MX**
- 72862. *Blepharomastix astenialis* (Dyar,1922)** (Pyralidae) Synonym(s): *astenialis* Dyar,1922
Range (in code): **MX**
- 72863. *Blepharomastix bademusalis* (Schaus,1924)** (Pyralidae) Synonym(s): *bademusalis* Schaus,1924 _ Range (in code): **PE**
- 72864. *Blepharomastix batracalis* (Guenée,1854)** (Pyralidae) Synonym(s): *batracalis* Guenée,1854; #*batrachalis* Hampson,1899 _ Range (in code): **BR**
- 72865. *Blepharomastix benetinctalis* (Dyar,1914)** (Pyralidae) Synonym(s): *benetinctalis* Dyar,1914 _ Range (in code): **MX**
- 72866. *Blepharomastix beuvealis* (Schaus,1924)** (Pyralidae) Synonym(s): *beuvealis* Schaus,1924
Range (in code): **GF**
- 72867. *Blepharomastix biannulalis* (Hampson,1907)** (Pyralidae) Synonym(s): *biannulalis* Hampson,1907 _ Range (in code): **BR Rja**
- 72868. *Blepharomastix branealis* (Schaus,1924)** (Pyralidae) Synonym(s): *branealis* Schaus,1924
Range (in code): **JM**
- 72869. *Blepharomastix caclamalis* (Schaus,1924)** (Pyralidae) Synonym(s): *caclamalis* Schaus,1924 _ Range (in code): **CO**
- 72870. *Blepharomastix carthaghalis* (Schaus,1924)** (Pyralidae) Synonym(s): *carthaghalis* Schaus,1924 _ Range (in code): **PE**
- 72871. *Blepharomastix caulealis* (Schaus,1924)** (Pyralidae) Synonym(s): *caulealis* Schaus,1924
Range (in code): **GT**
- 72872. *Blepharomastix cayugalis* (Schaus,1912)** (Pyralidae) Synonym(s): *cayugalis* Schaus,1912
Range (in code): **GT**
- 72873. *Blepharomastix cirrosalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *cirrosalis* R.Felder & Rogenhofer,1875 _ Range (in code): **BR**
- 72874. *Blepharomastix coatepecensis* Druce,1895** (Pyralidae) Synonym(s): *coatepecensis* Druce,1895 _ Range (in code): **MX**
- 72875. *Blepharomastix coeneusalis* (Walker,1859)** (Pyralidae) Synonym(s): *coeneusalis* Walker,1859 _ Range (in code): **HN**
- 72876. *Blepharomastix colubralis* (Guenée,1854)** (Pyralidae) Synonym(s): *colubralis* Guenée,1854; *electralis* Walker,1859 _ Range (in code): **GF**
- 72877. *Blepharomastix costaliparilis* Munroe,1995** (Pyralidae) Synonym(s): *costalis* Hampson,1907 nec Wlk.,[1866]; *costaliparilis* Munroe,1995 _ Range (in code): **GT**
- 72878. *Blepharomastix costalis* (Walker,[1866])** (Pyralidae) Synonym(s): *costalis* Walker,[1866] _ Range (in code): **VE**
- 72879. *Blepharomastix cronanalis* (Schaus,1924)** (Pyralidae) Synonym(s): *cronanalis* Schaus,1924 _ Range (in code): **PE**
- 72880. *Blepharomastix crusalis* Druce,1895** (Pyralidae) Synonym(s): *crusalis* Druce,1895
Range (in code): **MX**
- 72881. *Blepharomastix cylonalis* (Druce,1895)** (Pyralidae) Synonym(s): *cylonalis* Druce,1895
Range (in code): **GT**
- 72882. *Blepharomastix dadalis* (Druce,1895)** (Pyralidae) Synonym(s): *dadalis* Druce,1895
Range (in code): **CR**
- 72883. *Blepharomastix diaphanalis* (Schaus,1920)** (Pyralidae) Synonym(s): *diaphanalis* Schaus,1920 _ Range (in code): **GT**

- 72884. *Blepharomastix eborinalis* Snellen,1899** (Pyralidae) Synonym(s): *eborinalis* Snellen,1899 _ Range (in code): PA
- 72885. *Blepharomastix epistenialis* (Klima,1939)** (Pyralidae) Synonym(s): *stenialis* Hampson,1912 nec Gn.,1854; *epistenialis* Klima,1939 _ Range (in code): PE
- 72886. *Blepharomastix fusalis* (Hampson,1917)** (Pyralidae) Synonym(s): *fusalis* Hampson,1917 _ Range (in code): CO
- 72887. *Blepharomastix fuscilunalis* (Hampson,1907)** (Pyralidae) Synonym(s): *fuscilunalis* Hampson,1907 _ Range (in code): CR
- 72888. *Blepharomastix garzettalis* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *garzettalis* R.Felder & Rogenhofer,1875 _ Range (in code): BR
- 72889. *Blepharomastix gigantalis* Druce,1895** (Pyralidae) Synonym(s): *gigantalis* Druce,1895 _ Range (in code): GT
- 72890. *Blepharomastix glaucinalis* (Hampson,1917)** (Pyralidae) Synonym(s): *glaucinalis* Hampson,1917 _ Range (in code): BO
- 72891. *Blepharomastix glaucoleuca* (Hampson,1913)** (Pyralidae) Synonym(s): *glaucoleuca* Hampson,1913; *antinephes* Meyrick,1936 _ Range (in code): PE BO
- 72892. *Blepharomastix griseicosta* (Hampson,1918)** (Pyralidae) Synonym(s): *griseicosta* Hampson,1918 _ Range (in code): PE
- 72893. *Blepharomastix guianalis* (Schaus,1924)** (Pyralidae) Synonym(s): *guianalis* Schaus,1924 _ Range (in code): GF
- 72894. *Blepharomastix haedulalis* (Hulst,1886)** (Pyralidae) Synonym(s): *haedulalis* Hulst,1886; *astigmalis* Hampson,1899; *irregularis* Dyar,1913; *#irregularis* Klima,1939 _ Range (in code): US Tx MX
- 72895. *Blepharomastix herreralis* (Schaus,1924)** (Pyralidae) Synonym(s): *herreralis* Schaus,1924 _ Range (in code): GT
- 72896. *Blepharomastix hydrothionalis* (Snellen,1875)** (Pyralidae) Synonym(s): *hydrothionalis* Snellen,1875 _ Range (in code): CO
- 72897. *Blepharomastix hyperochalis* (Dyar,1914)** (Pyralidae) Synonym(s): *hyperochalis* Dyar,1914 _ Range (in code): PA
- 72898. *Blepharomastix ianthealis* (Walker,1859)** (Pyralidae) Synonym(s): *ianthealis* Walker,1859 _ Range (in code): CO
- 72899. *Blepharomastix indentata* (Hampson,1912)** (Pyralidae) Synonym(s): *indentata* Hampson,1912 _ Range (in code): CR
- 72900. *Blepharomastix ineffectalis* (Walker,1862)** (Pyralidae) Synonym(s): *ineffectalis* Walker,1862 _ Range (in code): BR
- 72901. *Blepharomastix inflexalis* (Hampson,1912)** (Pyralidae) Synonym(s): *inflexalis* Hampson,1912 _ Range (in code): MX
- 72902. *Blepharomastix insolitalis* (Walker,1862)** (Pyralidae) Synonym(s): *insolitalis* Walker,1862 _ Range (in code): PH Luz Mno Nk Bor MY IN ID
- 72903. *Blepharomastix interruptalis* (Hampson,1907)** (Pyralidae) Synonym(s): *interruptalis* Hampson,1907 _ Range (in code): EC
- 72904. *Blepharomastix irroratalis* (Hampson,1907)** (Pyralidae) Synonym(s): *irroratalis* Hampson,1907 _ Range (in code): GT
- 72905. *Blepharomastix lacertalis* (Guenée,1854)** (Pyralidae) Synonym(s): *lacertalis* Guenée,1854 _ Range (in code): BR
- 72906. *Blepharomastix leuconephralis* (Hampson,1918)** (Pyralidae) Synonym(s): *leuconephralis* Hampson,1918 _ Range (in code): CO
- 72907. *Blepharomastix leucophaea* (Hampson,1912)** (Pyralidae) Synonym(s): *leucophaea* Hampson,1912 _ Range (in code): PA
- 72908. *Blepharomastix marialis* (Schaus,1924)** (Pyralidae) Synonym(s): *marialis* Schaus,1924 _ Range (in code): GT
- 72909. *Blepharomastix melitealis* (Walker,1859)** (Pyralidae) Synonym(s): *melitealis* Walker,1859 _ Range (in code): BR
- 72910. *Blepharomastix monocamptalis* (Hampson,1918)** (Pyralidae) Synonym(s): *monocamptalis* Hampson,1918 _ Range (in code): CO
- 72911. *Blepharomastix mononalis* (Dyar,1918)** (Pyralidae) Synonym(s): *mononalis* Dyar,1918 _ Range (in code): MX

- 72912. *Blepharomastix obscura* (W.Warren,1889)** (Pyralidae) Synonym(s): *obscura* W.Warren,1889 _ Range (in code): BR
- 72913. *Blepharomastix obscuralis* Snellen,1899** (Pyralidae) Synonym(s): *obscuralis* Snellen,1899 _ Range (in code): PA
- 72914. *Blepharomastix pacificalis* (Schaus,1912)** (Pyralidae) Synonym(s): *pacificalis* Schaus,1912 _ Range (in code): CR
- 72915. *Blepharomastix pallidipennis* (W.Warren,1889)** (Pyralidae) Synonym(s): *pallidipennis* W.Warren,1889 _ Range (in code): BR
- 72916. *Blepharomastix poasalis* (Schaus,1912)** (Pyralidae) Synonym(s): *poasalis* Schaus,1912 _ Range (in code): CR
- 72917. *Blepharomastix primolalis* (Schaus,1924)** (Pyralidae) Synonym(s): *primolalis* Schaus,1924 _ Range (in code): SR
- 72918. *Blepharomastix prophaealis* (Dognin,1913)** (Pyralidae) Synonym(s): *prophaealis* Dognin,1913 _ Range (in code): PE
- 72919. *Blepharomastix pseudoranal*is (Barnes & McDunnough,1914)** (Pyralidae) Synonym(s): *pseudoranal*is Barnes & McDunnough,1914 _ Range (in code): US
- 72920. *Blepharomastix pulverulalis* Druce,1895** (Pyralidae) Synonym(s): *pulverulalis* Druce,1895 _ Range (in code): GT
- 72921. *Blepharomastix ranalis* (Guenée,1854)** (Pyralidae) Synonym(s): *ranalis* Guenée,1854; *archasialis* Walker,1859; *ofellusalis* Walker,1859; *strictalis* Walker,[1866]; *gracilis* Grote & Robinson,1867 _ Range (in code): US Arz MX
- 72922. *Blepharomastix ranalis datialis* Druce,1895** (Pyralidae) Synonym(s): *datialis* Druce,1895; *occidentalis* Haimbach,1908 _ Range (in code): MX US Arz
- 72923. *Blepharomastix ranalis ranalis* (Guenée,1854)** (Pyralidae) Synonym(s): *ranalis* Guenée,1854; *archasialis* Walker,1859; *ofellusalis* Walker,1859; *strictalis* Walker,[1866]; *gracilis* Grote & Robinson,1867 _ Range (in code): US
- 72924. *Blepharomastix randalis* (Druce,1895)** (Pyralidae) Synonym(s): *randalis* Druce,1895 _ Range (in code): MX
- 72925. *Blepharomastix rufilinealis* (Hampson,1918)** (Pyralidae) Synonym(s): *rufilinealis* Hampson,1918 _ Range (in code): EC
- 72926. *Blepharomastix sabulosa* (Hampson,1913)** (Pyralidae) Synonym(s): *sabulosa* Hampson,1913 _ Range (in code): MX
- 72927. *Blepharomastix saponalis* (Guenée,1854)** (Pyralidae) Synonym(s): *saponalis* Guenée,1854 _ Range (in code): GF
- 72928. *Blepharomastix saurialis* (Guenée,1854)** (Pyralidae) Synonym(s): *saurialis* Guenée,1854 _ Range (in code): GF
- 72929. *Blepharomastix schistisemalis* (Hampson,1912)** (Pyralidae) Synonym(s): *schistisemalis* Hampson,1912 _ Range (in code): AR
- 72930. *Blepharomastix semifuscalis* (Hampson,1907)** (Pyralidae) Synonym(s): *semifuscalis* Hampson,1907 _ Range (in code): EC
- 72931. *Blepharomastix stenialis* (Dyar,1914)** (Pyralidae) Synonym(s): *stenialis* Dyar,1914 _ Range (in code): MX
- 72932. *Blepharomastix stenothyris* (Meyrick,1936)** (Pyralidae) Synonym(s): *stenothyris* Meyrick,1936 _ Range (in code): PA
- 72933. *Blepharomastix strigivenalis* (Hampson,1918)** (Pyralidae) Synonym(s): *strigivenalis* Hampson,1918 _ Range (in code): EC
- 72934. *Blepharomastix styxalis* (Schaus,1924)** (Pyralidae) Synonym(s): *styxalis* Schaus,1924 _ Range (in code): GF
- 72935. *Blepharomastix turiafalis* (Schaus,1924)** (Pyralidae) Synonym(s): *turiafalis* Schaus,1924 _ Range (in code): PE
- 72936. *Blepharomastix veritalis* (Dyar,1914)** (Pyralidae) Synonym(s): *veritalis* Dyar,1914 _ Range (in code): PA
- 72937. *Blepharomastix vestalialis* Snellen,1875** (Pyralidae) Synonym(s): *vestalialis* Snellen,1875 _ Range (in code): CO
- 72938. *Blepharomastix vilialis* (Guenée,1854)** (Pyralidae) Synonym(s): *vilialis* Guenée,1854 _ Range (in code): BR Rja
- 72939. *Blepharomastix zethealis* (Schaus,1912)** (Pyralidae) Synonym(s): *zethealis* Schaus,1912 _ Range (in code): CR

- 72940. *Blepharucha zaide* (Stoll,[1790])** (Pyalidae) Synonym(s): *zaide* Stoll,[1790]; *cruoralis* Zeller,1852; *dilaceratalis* Walker,1865 Range (in code): **ZA**
- 72941. *Bocchoris acamasalis* (Walker,1859)** (Pyalidae) Synonym(s): *acamasalis* Walker,1859 Range (in code): **IN LK CN ID Ja TW**
- 72942. *Bocchoris aptalis* (Walker,1865)** (Pyalidae) Synonym(s): *aptalis* Walker,1865 Range (in code): **IN CN TW JP**
- 72943. *Bocchoris artificialis* (Lederer,1863)** (Pyalidae) Synonym(s): *artificialis* Lederer,1863; *inscitalis* Walker,[1866]; *abstrusalis* Moore,1882 Range (in code): **PH Luz Boh IN Ja Clb ID BR TW AU**
- 72944. *Bocchoris bleusei* (Oberthür,1887)** (Pyalidae) Synonym(s): *bleusei* Oberthür,1887 Original Reference: *Synclera bleusei* Oberthür,1887, Bull. Soc. ent. Fr. 1887: lxxxii. Type: Algérie, Biskra. Range (in code): **Cn DZ Bsk Hes Onç LY Cy TN Gf IR Ss Irs** Bionomy: Larva on *Daemia cordata* (Asclepiadaceae) (Chrétien,1917).
- 72945. *Bocchoris inspersalis* (Zeller,1852)** (Pyalidae) Synonym(s): *inspersalis* Zeller,1852; *afflictalis* Guenée,1854; *bootanalis* Walker,1865; *stellalis* Butler,1879; *pusaensis* Bhattacharjee,1973 Range (in code): **SA IN LK MM ID Ja CN TW JP ZA**
- 72946. *Bocchoris nuclealis* De Joannis,1927** (Pyalidae) Synonym(s): *nuclealis* De Joannis,1927 Range (in code): **ZA**
- 72947. *Bocchoris onychinalis* (Guenée,1854)** (Pyalidae) Synonym(s): *onychinalis* Guenée,1854; *astomalis* R.Felder & Rogenhofer,1875; *braurealis* Walker,1859 Original Reference: *Asopia onychinalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 205. Type ♂: [India]: "Cote de Coromandel". Range (in code): **AC YE Ad PK Sd Krc LK IN MY ID Bor MM TW AU**
- 72948. *Bocchoris telphusalis* (Walker,1859)** (Pyalidae) Synonym(s): *telphusalis* Walker,1859 Range (in code): **IN MY Bor ID Sum TW JP**
- 72949. *Bocchoris tenera* (Butler,1883)** (Pyalidae) Synonym(s): *tenera* Butler,1883 Original Reference: *Hydrocampa tenera* Butler,1883, Proc. zool. Soc. Lond. 1883: 167. Type: [Pakistan]: near Kurrachee. Range (in code): **ZA LK IN PK Sd Krc**
- 72950. *Boeotarcha divisa* (Lucas,1894)** (Pyalidae) Synonym(s): *divisa* Lucas,1894 Range (in code): **AU**
- 72951. *Boeotarcha martinalis* (Walker,1859)** (Pyalidae) Synonym(s): *martinalis* Walker,1859 Range (in code): **PH Luz MM**
- 72952. *Boeotarcha taenialis* (Snellen,1880)** (Pyalidae) Synonym(s): *taenialis* Snellen,1880 Range (in code): **AU**
- 72953. *Boreophila badakschanalis* Amsel,1970** (Pyalidae) Synonym(s): *badakschanalis* Amsel,1970 Range (in code): **AF Bd**
- 72954. *Boreophila ehippialis* (Zetterstedt,1839)** (Pyalidae) Synonym(s): *ehippialis* Zetterstedt,1839 Range (in code): **NO SE FI RU MD UA BY**
- 72955. *Boreophila manualis* (Geyer,[1832])** (Pyalidae) Synonym(s): *manualis* Geyer,[1832] Range (in code): **ES FR IT DE CH AT HU RO YU AL BG GR SE RU MD UA BY KG Tk Dj Ii** Bionomy: Larva on *Achillea millefolium* (Asteraceae) (Parenti,2000).
- 72956. *Borosia aegyptiaca* Gozmany,1959** (Pyalidae) Synonym(s): *aegyptiaca* Gozmany,1959 Original Reference: *Borosia aegyptiaca* Gozmany,1959, Annls hist.-nat. Mus. natn. hung. 51: 363. Holotype ♂: Egypt, "Marsa el Alam on the Red Sea" (HNHM). Range (in code): **EG**
- 72957. *Bostra albilineata* (W.Warren,1891)** (Pyalidae) Synonym(s): *albilineata* W.Warren,1891 Original Reference: *Stemmatophora albilineata* W.Warren,1891, Ann. Mag. nat. Hist. (6) 7: 437-438. Syntypes 1♂ 1♀: [South Africa]: "Natal". Range (in code): **ZA Nta Kzu**
- 72958. *Bostra arida* (Butler,1881)** (Pyalidae) Synonym(s): *arida* Butler,1881 Original Reference: *Rhodaria arida* Butler,1881, Proc. zool. Soc. London 1881: 621-622. Syntypes 5 ex.: [Pakistan]: "Kurrachee". Range (in code): **PK Sd Krc**
- 72959. *Bostra balux* Swinhoe,1884** (Pyalidae) Synonym(s): *balux* Swinhoe,1884 Range (in code): **PK Sd Krc**
- 72960. *Bostra bifascialis* Amsel,1950** (Pyalidae) Synonym(s): *bifascialis* Amsel,1950 Original Reference: *Bostra bifascialis* Amsel,1950, Ark. Zool. 1 (17): 243-244, figs.34,74. Syntypes 3♂: Iran: [Fars]: Comé, Fort Mian-Kotal. Range (in code): **IR Fa Com Shr**
- 72961. *Bostra carnicolor* W.Warren,1914** (Pyalidae) Synonym(s): *carnicolor* W.Warren,1914 Range (in code): **ZA**
- 72962. *Bostra coenochroa* Hampson,1917** (Pyalidae) Synonym(s): *coenochroa* Hampson,1917 Range (in code): **ZA MW Mje**

- 72963. *Bostra conflualis* Hampson,1906** (Pyralidae) Synonym(s): *conflualis* Hampson,1906
Range (in code): **ZA Ec Grh**
- 72964. *Bostra conspicualis* W.Warren,1911** (Pyralidae) Synonym(s): *conspicualis* W.Warren,1911
Range (in code): **ZA Lpo Tva Ltr Spb Ec Cto**
- 72965. *Bostra dipectinialis* Hampson,1906** (Pyralidae) Synonym(s): *dipectinialis* Hampson,1906;
evillensis Ghesquière,1942 Range (in code): **ZA ZR ZW**
- 72966. *Bostra exustalis* (Guenée,1854)** (Pyralidae) Synonym(s): *exustalis* Guenée,1854 Range (in code): **ZA**
- 72967. *Bostra farsalis* Amsel,1950** (Pyralidae) Synonym(s): *farsalis* Amsel,1950 Range (in code): **IR Fa Com**
- 72968. *Bostra ferrealis* Hampson,1906** (Pyralidae) Synonym(s): *ferrealis* Hampson,1906
Range (in code): **ZA Mpu Brb Tva**
- 72969. *Bostra fumosa* De Joannis,1927** (Pyralidae) Synonym(s): *fumosa* De Joannis,1927
Range (in code): **ZA MZ**
- 72970. *Bostra fuscella* Amsel,1959** (Pyralidae) Synonym(s): *fuscella* Amsel,1959 **Original**
Reference: *Bostra fuscella* Amsel,1959, Stuttg. Beitr. Naturk. 28: 22, Taf.1 fig.19. Holotype ♀:
Iran: [Balutschistan]: Iranshar. Range (in code): **IR Kdj Th Elb Fa Shr Ss Irs Chh Ke Ana**
- 72971. *Bostra glaucalis* Hampson,1906** (Pyralidae) Synonym(s): *glaucalis* Hampson,1906
Range (in code): **ZA Spb Tva Lpo TZ**
- 72972. *Bostra homsalis* Amsel,1952** (Pyralidae) Synonym(s): *homsalis* Amsel,1952 Range (in code): **SY Hms**
- 72973. *Bostra indicator* (Walker,1863)** (Pyralidae) Synonym(s): *indicator* Walker,1863; *marginata* Walker,1865; *rufescens* Butler,1879; *eogenalis* Snellen,1880; *assamica* Moore,1888; *disticha* Turner,1904; *bipyra* Strand,1920; *olivalis* Caradja,1927; *hoenei* Caradja,1931 Range (in code): **IN Ass Meg MY Bor Swk ID Sum KP JP TW AU QAU CN**
- 72974. *Bostra lateritialis* (Guenée,1854)** (Pyralidae) Synonym(s): *lateritialis* Guenée,1854
Range (in code): **ZA**
- 72975. *Bostra maculilinea* Hampson,1917** (Pyralidae) Synonym(s): *maculilinea* Hampson,1917
Range (in code): **ZA**
- 72976. *Bostra marginalis* Rothschild,1921** (Pyralidae) Synonym(s): *marginalis* Rothschild,1921
Range (in code): **IQ Bgd Amr PK Sd Krc**
- 72977. *Bostra mucidalis* (Guenée,1854)** (Pyralidae) Synonym(s): *mucidalis* Guenée,1854
Range (in code): **ZA**
- 72978. *Bostra noctuina* Butler,1875** (Pyralidae) Synonym(s): *noctuina* Butler,1875 Range (in code): **ZA Nta Kzu**
- 72979. *Bostra obsoletalis* (Mann,1864)** (Pyralidae) Synonym(s): *obsoletalis* Mann,1864; *tunesialis* Caradja,1916; *palaestinensis* Amsel,1935; *buckwelli* Lucas,1954 **Original Reference:** *Stemmatophora obsoletalis* Mann,1864, Wien. ent. Monatschr. 8: 179 Taf.4 fig.5 Syntypes 2♂ 1♀: [Türkei]: Brussa [Bursa]. Range (in code): **Cn DZ Cst Orn TN MA PT ES FR Co Sa Si IT MT YU BG GR CY TR IL Pa IR Elb Mz Kh** **Bionomy:** Larva on dried vegetable matter (Parenti,2000).
- 72980. *Bostra pallidicolor* Hampson,1917** (Pyralidae) Synonym(s): *pallidicolor* Hampson,1917
Range (in code): **ZA Gau Tva Pre**
- 72981. *Bostra pallidifrons* Hampson,1917** (Pyralidae) Synonym(s): *pallidifrons* Hampson,1917
Range (in code): **ZA ZW**
- 72982. *Bostra perrubida* Hampson,1910** (Pyralidae) Synonym(s): *perrubida* Hampson,1910
Range (in code): **ZA ZW**
- 72983. *Bostra pseudospaniella* Amsel,1951** (Pyralidae) Synonym(s): *pseudospaniella* Amsel,1951
Range (in code): **IR Fa Shr**
- 72984. *Bostra puncticostalis* Hampson,1898** (Pyralidae) Synonym(s): *puncticostalis* Hampson,1898 Range (in code): **ZA Gau Pre Tva**
- 72985. *Bostra pyroxantha* Hampson,1906** (Pyralidae) Synonym(s): *pyroxantha* Hampson,1906
Range (in code): **ZA ZW**
- 72986. *Bostra rufimarginalis* Hampson,1906** (Pyralidae) Synonym(s): *rufimarginalis* Hampson,1906; *flavicostalis* W.Warren,1914 Range (in code): **ZA Ec Cto**
- 72987. *Bostra sentalis* Hampson,1906** (Pyralidae) Synonym(s): *sentalis* Hampson,1906
Range (in code): **ZA**
- 72988. *Bostra tenebralis* Hampson,1906** (Pyralidae) Synonym(s): *tenebralis* Hampson,1906
Range (in code): **ZA UG**

- 72989. *Bostra tripartita* W.Warren,1897** (Pyralidae) Synonym(s): *tripartita* W.Warren,1897
Range (in code): **ZA Nta Kzu Wnn**
- 72990. *Bostra vetustalis* (Zeller,1852)** (Pyralidae) Synonym(s): *vetustalis* Zeller,1852 - Range (in code): **ZA**
- 72991. *Bostra xanthorhodal* Hampson,1906** (Pyralidae) Synonym(s): *xanthorhodal* Hampson,1906 - Range (in code): **ZA Nta Kzu Dbn Tva Lpo Spb**
- 72992. *Botyodes asialis* Guenée,1854** (Pyralidae) Synonym(s): *asialis* Guenée,1854; *#liliputalis* Strand,1913 Original Reference: *Botyodes asialis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: Syntypes: "Inde centrale, Bengale, Népal". Range (in code): **LK MM TH NP Swk SG MY Bor TW PH Luz Boh CmM IN Sum Ja Clb Amb ID AU ZA** Bionomy: Larva on Ficus (Moraceae) (Robinson et al.,1994).
- 72993. *Botyodes borneensis* Munroe,1960** (Pyralidae) Synonym(s): *borneensis* Munroe,1960 Original Reference: *Botyodes borneensis* Munroe,1960, Can. Ent. 92: 166, figs. Holotype ♀: [Malaysia; Sabah]: Mt. Kinabalu, Borneo (BMNH). Range (in code): **MY Bor Sbh KBa**
- 72994. *Botyodes caldusalis* (Walker,1859)** (Pyralidae) Synonym(s): *caldusalis* Walker,1859
Range (in code): **IN ID Ja SG TW**
- 72995. *Botyodes crocopteralis* Hampson,1898** (Pyralidae) Synonym(s): *crocopteralis* Hampson,1898 - Range (in code): **TH NP SI MM**
- 72996. *Botyodes diniasalis* (Walker,1859)** (Pyralidae) Synonym(s): *diniasalis* Walker,1859; *kosemponis* Strand,1918; *capnocalis* Caradja,1925 Original Reference: *Botys diniasalis* Walker,1859, List Spec. lepid. Ins. Colln. Br. Mus. 19: 649-650. Type: China: Shanghai. Range (in code): **AF Shah Kot Bkt Srb PK Cls IN MM CN Kgs KP KR TW ZA Tva Lpo Kru**
- 72997. *Botyodes principalis* Leech,1889** (Pyralidae) Synonym(s): *principalis* Leech,1889
Range (in code): **IN TW JP NP CN**
- 72998. *Bradina aaronalis* Schaus,1924** (Pyralidae) Synonym(s): *aaronalis* Schaus,1924 - Range (in code): **GT**
- 72999. *Bradina acrospila* (Meyrick,1886)** (Pyralidae) Synonym(s): *acrospila* Meyrick,1886
Range (in code): **WS FJ TO**
- 73000. *Bradina admixtalis* (Walker,1859)** (Pyralidae) Synonym(s): *admixtalis* Walker,1859; *panaeusalis* Walker,1859; *tabidalis* Lederer,1863; *sodalis* Lederer,1863; *leptogastralis* Walker,[1866]; *avuncularis* Saalmüller,1880; *pallidalis* W.Warren,1896 - Range (in code): **PH Luz ZA IN Nk JP Crm Amb ID PG LK MM TW AU**
- 73001. *Bradina atopalis* (Walker,1859)** (Pyralidae) Synonym(s): *atopalis* Walker,1859; *damasalis* Walker,1859 - Range (in code): **CN JP TW**
- 73002. *Bradina ceramica* Rothschild,1915** (Pyralidae) Synonym(s): *ceramica* Rothschild,1915
Range (in code): **ID Crm**
- 73003. *Bradina chlorionalis* Tams,1935** (Pyralidae) Synonym(s): *chlorionalis* Tams,1935
Range (in code): **WS**
- 73004. *Bradina diagonalis* Guenée,1854** (Pyralidae) Synonym(s): *diagonalis* Guenée,1854
Range (in code): **IN MM TH CMa Qs CDo CD2 ID Sum Ja Sbw**
- 73005. *Bradina erilitoides* Strand,1919** (Pyralidae) Synonym(s): *erilitoides* Strand,1919
Range (in code): **TW**
- 73006. *Bradina leptolopha* Tams,1935** (Pyralidae) Synonym(s): *leptolopha* Tams,1935 - Range (in code): **WS**
- 73007. *Bradina leucura* Hampson,1897** (Pyralidae) Synonym(s): *leucura* Hampson,1897
Range (in code): **WS FJ SB**
- 73008. *Bradina mannusalis* (Walker,1859)** (Pyralidae) Synonym(s): *mannusalis* Walker,1859
Range (in code): **AU**
- 73009. *Bradina melanoperas* Hampson,1896** (Pyralidae) Synonym(s): *melanoperas* Hampson,1896 - Range (in code): **MM TW**
- 73010. *Bradina modestalis* (Lederer,1863)** (Pyralidae) Synonym(s): *modestalis* Lederer,1863
Range (in code): **WS EL SB PG MY**
- 73011. *Bradina neuralis* Hampson,1907** (Pyralidae) Synonym(s): *neuralis* Hampson,1907
Range (in code): **WS**
- 73012. *Bradina parbattoides* Tams,1935** (Pyralidae) Synonym(s): *parbattoides* Tams,1935
Range (in code): **WS**
- 73013. *Bradina pycnolopha* Tams,1935** (Pyralidae) Synonym(s): *pycnolopha* Tams,1935
Range (in code): **WS**

- 73014. *Bradina semnopa* (Meyrick,1886)** (Pyrilidae) Synonym(s): *sempnopa* Meyrick,1886
Range (in code): **WS FJ**
- 73015. *Bradyrrhoa adrianae* Asselbergs,2002** (Pyrilidae) Synonym(s): *adrianae* Asselbergs,2002
Range (in code): **ES**
- 73016. *Bradyrrhoa cantenerella* (Duponchel,1837)** (Pyrilidae) Synonym(s): *cantenerella* Duponchel,1837; *ravella* Heydenreich,1851; *subflavella* Ragonot,1887; *sardicolella* Schawerda,1936; *variegatella* Lucas,1948; *brunneella* Lucas,1955
Original Reference: Phycis cantenerella Duponchel,1837, Hist. nat. Lépid. Papillons Fr. 10: 347, Pl.284, fig.8. Type ♂: France: Korsika. Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT CH YU MK GR TR Cc AM KK Na**
- 73017. *Bradyrrhoa confiniella* Zeller,1848** (Pyrilidae) Synonym(s): *confiniella* Zeller,1848; *remotella* Mann,1867; *nubigerella* Ragonot,1893; *ifraneella* Lucas,1956; *ebertella* Roesler,1969
Original Reference: *Bradyrrhoa confiniella* Zeller,1848, Isis 1848: 683. Lectotype ♂: Libanon: Beirut (Roesler, 1993: 92). Range (in code): **MA Co Si IT MT YU AL BG GR Cr TR SY IL Pa LB Bei CY RU MD UA Cm BY**
- 73018. *Bradyrrhoa gilveolella* (Treitschke,1833)** (Pyrilidae) Synonym(s): *gilveolella* Treitschke,1833
Original Reference: Phycis gilveolella Treitschke,1833, Schmett. Eur. 9(2): 271. Type(s): Ungarn. Range (in code): **Si RO YU AL MK BG GR TR IR Ab Cc AM Eri RU MD UA Cm BY KK Na AU**
Bionomy: Larva on *Chondrilla ambigua* (= *C. pauciflora*), *C. brevisrostris*, *C. cyanorostris*, *C. juncea*, *C. kuznetsovi*, *C. mujunkumensis* (Asteraceae) (Roesler,1993).
- 73019. *Bradyrrhoa luteola* (La Harpe,1860)** (Pyrilidae) Synonym(s): *luteola* La Harpe,1860
Range (in code): **ES Si**
- 73020. *Bradyrrhoa marianella* Ragonot,1887** (Pyrilidae) Synonym(s): *marianella* Ragonot,1887; *andryalella* Chrétien,1911; *lyratella* Chrétien,1926
Range (in code): **TN ES FR**
Bionomy: Larva on *Andryala lyrata* (= *A. ragusina*), *A. spartioides* (Asteraceae) (Chrétien,1911, 1926; Roesler,1993).
- 73021. *Bradyrrhoa mesobaphella* Ragonot,1888** (Pyrilidae) Synonym(s): *mesobaphella* Ragonot,1888
Original Reference: *Bradyrrhoa mesobaphella* Ragonot,1888, Nouv. gen. esp. Phycit. Galler. 1888: 26. Lectotype ♀: [Turquie]: Kasikoparan (Roesler, 1993: 83). Range (in code): **Cc TR**
- 73022. *Bradyrrhoa trapezella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcedoniella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
Original Reference: Phycis trapezella Duponchel,1836, Hist. Nat. Lépid. Papillons Fr. 10: 186, pl. 278, fig.8. Type ♂: France: Montpellier (MNHN). Range (in code): **Cn TN DhM FR Co Sa Si IT HV YU MK BG GR TR TM**
Bionomy: Larva on *Andryala pinnatifida* (Asteraceae) (Roesler,1993).
- 73023. *Bradyrrhoa trapezella ochrospilella* Rebel,1892** (Pyrilidae) Synonym(s): *ochrospilella* Rebel,1892
Original Reference: *Bradyrrhoa ochrospilella* Rebel,1892, Annln naturh. Mus. Wien 7: 258, t.17 fig.13. Holotype ♂: Kanaren: Mogan (NHMW). Range (in code): **Cn**
- 73024. *Bradyrrhoa trapezella trapezella* (Duponchel,1836)** (Pyrilidae) Synonym(s): *trapezella* Duponchel,1836; *cinerella* Duponchel,1836; *saxeella* Zeller,1848; *chalcedoniella* Herrisch-Schäffer,1851; *seniella* Staudinger,1879; *petryi* Schawerda,1933.
Original Reference: Phycis trapezella Duponchel,1836, Hist. Nat. Lépid. Papillons Fr. 10: 186, pl. 278, fig.8. Type ♂: France: Montpellier (MNHN). Range (in code): **TN DhM FR Co Sa Si IT HV YU MK BG GR TR TM**
- 73025. *Brevicella emarginata* Kenrick,1912** (Pyrilidae) Synonym(s): *emarginata* Kenrick,1912
Range (in code): **ID Ij PG**
- 73026. *Brihaspa atrostigmella* Moore,1868** (Pyrilidae) Synonym(s): *atrostigmella* Moore,1868
Range (in code): **SI IN MM Krh TH CMa Dst Ds10 BD BT CN VN**
- 73027. *Brihaspa bisangulata* Hampson,1896** (Pyrilidae) Synonym(s): *bisangulata* Hampson,1896
Range (in code): **SI IN**
- 73028. *Brihaspa chrysostoma* (Zeller,1852)** (Pyrilidae) Synonym(s): *chrysostoma* Zeller,1852; *nigropunctella* Pagenstecher,1893
Range (in code): **ZA**
- 73029. *Burmanna marmorella* (South,1901)** (Pyrilidae) Synonym(s): *marmorella* South,1901
Range (in code): **CN Sz T-T**
- 73030. *Cabotella inconspicua* Balinsky,1994** (Pyrilidae) Synonym(s): *inconspicua* Balinsky,1994
Range (in code): **ZA Tra**
- 73031. *Cabotella inconspicua inconspicua* Balinsky,1994** (Pyrilidae) Synonym(s): *inconspicua* Balinsky,1994
Range (in code): **ZA Tra**
- 73032. *Cactoblastis cactorum* (Berg,1885)** (Pyrilidae) Synonym(s): *cactorum* Berg,1885
Range (in code): **AU ZA**

- 73033. Cactoblastis doddi Heinrich,1939** (Pyralidae) Synonym(s): *doddi Heinrich,1939*
Range (in code): AU
- 73034. Cadarena sinuata (Fabricius,1781)** (Pyralidae) Synonym(s): *sinuata Fabricius,1781*;
marginata Stoll,1782 nec Linn.,1758; *#pudoraria Hübner,[1826]*; *marginalis Guenée,1854* Original
Reference: Phalaena sinuata Fabricius,1781, Spec. Ins. 2: 267. Type(s): Africa aequinoctiali, Mus.
Dom. Banks. Range (in code): ZA
- 73035. Cadra abstersella (Zeller,1847)** (Pyralidae) Synonym(s): *abstersella Zeller,1847*; *bacillella*
Ragonot,1887; *habenella Ragonot,1887*; *liguriella Amsel,1954* Original Reference: Myelois abstersella
Zeller,1847, Isis 1847: 763-764. Type: Sicilia. Range (in code): DZ Gha ES Mu FR Co Si IT MT YU
GR Cr TR IL Hf Pa LB Bei Bsa SY Dms
- 73036. Cadra acuta Horak,1994** (Pyralidae) Synonym(s): *acuta Horak,1994* Range (in code):
AU
- 73037. Cadra amselella Roesler,1965** (Pyralidae) Synonym(s): *amselella Roesler,1965* Range
(in code): AF Bsg Kab Nu Pag Bkt IL Js Pa
- 73038. Cadra calidella (Guenée,1845)** (Pyralidae) Synonym(s): *calidella Guenée,1845*; *#ficella*
Douglas,1851; *xanthotricha Staudinger,1859*. Original Reference: Ephestia calidella Guenée,1845,
Ind. Meth. 1845: 82. Type(s): France: Ins. Hyeres. Range (in code): DZ Bsk Ajj PT ES FR Si IT MT
IE GB NL DE CH AT CZ SK YU GR TR IQ Amr Bgd IL Pa Hf EG SA DK NO SE FI RU MD UA BY ZA
- 73039. Cadra cautella (Walker,1863)** (Pyralidae) Synonym(s): *cautella Walker,1863*; *defectella*
Walker,1864; *desuetella Walker,1866*; *passulella Barrett,1875*; *formosella Wileman & South,1918*; *rotundatella*
Turati,1930; *pelopis Turner,1947*; *irakella Amsel,1959* Original Reference: Pempelia cautella
Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 73. Type ♂: [Syri Lanka]: Ceylon.
Range (in code): Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU
RO YU HV MK AL BG GR Cr TR JO IL Hf Pa LB SY Dms Sk YE IQ Bgd Shq IR Fa Kz AF Srb Pic Nu Bsg
CY EG EG11 SD SA SA63 DK NO SE FI LV RU Sr Or MD UA BY ZA AU MG IN LK ID Ja CN TW TH JP
Bsr Amr Enz PH WS FJ SB OW NW Bionomy: Larva on dried fruits, beans, seeds (Parenti,2000).
- 73040. Cadra corniculata Horak,1994** (Pyralidae) Synonym(s): *corniculata Horak,1994*
Range (in code): AU
- 73041. Cadra delattinella Roesler,1965** (Pyralidae) Synonym(s): *delattinella Roesler,1965*
Original Reference: Cadra delattinella Roesler,1965, Inaugural- Diss. Saarbrücken 1964: 143.
Type ♂: [Türkei]: Anatolien: Akşehir. Range (in code): TR GR Cr LB Bei IR Elb Th Kdj Fa Shr AF Bd
Shv
- 73042. Cadra figulilella (Gregson,1871)** (Pyralidae) Synonym(s): *figulilella Gregson,1871*; *ficulella*
Barrett,1875; *milleri Zeller,1876*; *gypsella Ragonot,1887*; *venosella Turati,1926*; *ernestinella Turati,1927*; *#halfaella*
Roesler,1965. Original Reference: Ephestia figulilella Gregson,1871, Entomologist 5: 385.
Type(s): England: Liverpool. Range (in code): Cn MR MA DZ Bsk TN Gf LY Cy PT ES B-I FR Co Sa Si
IT MT GB BE NL DE CH AT CZ RO YU HV AL BG GR Cr TR CY LB IL JO Pa EG SD SA YE NO SE RU MD
UA BY IQ IR Elb Shh Mz AF PK NP Ch CN JP KP KR ZA AU Bionomy: Larva on Allium sativum
(Alliaceae); Capsicum (Fagaceae); Ceratonia siliqua (Fabaceae); Citrus reticulata (Rutaceae);
Ficus carica, Morus alba (Moraceae); Phoenix dactylifera (Palmae); Prunus armeniaca, P. avium
(Rosaceae); Saccharum (Poaceae); Vitis vinifera (Vitaceae) (Robinson et al.,2007).
- 73043. Cadra furcatella (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *furcatella Herrich-*
Schäffer,[1849] Original Reference: Homoeosoma furcatella Herrich-Schäffer,[1849], Syst.
Bearb. Schm. Eur. 4: 107. Type(s): Österreich: Alpeleck. Range (in code): IR Fa Elb LB IQ Cc AZ
GG AF Srb Pag Kab Pic Bd Nu Bsg Bkt UZ LY Cy Co Sa Si IT MA PT ES Mu An Py CZ SK AT HU RO HV
B-H YU MK BG AL GR Cr TR RU
- 73044. Cadra furcatella afflatella (Mann,1855)** (Pyralidae) Synonym(s): *afflatella Mann,1855*
Original Reference: Myelois afflatella Mann,1855, Verh. zool.- bot. Ges. Wien 5: 559. Type ♂:
Korsica (NHMW). Range (in code): FR Co Sa Si IT
- 73045. Cadra furcatella albidella Roesler,1964** (Pyralidae) Synonym(s): *albidella Roesler,1964*
Original Reference: Cadra furcatella ssp. albidella Roesler,1964, Boll. Ass. romana Ent. 19: 23.
Type ♀: Cyrenaica (coll. Krüger, Roma). Range (in code): LY Cy
- 73046. Cadra furcatella asiatella Roesler,1965** (Pyralidae) Synonym(s): *asiatella Roesler,1965*
Original Reference: Cadra furcatella ssp. asiatella Roesler,1965, Inaug.-Diss. Saarbrücken 1965:
142. Holotype ♂: Ost Afganistan: Sarobi, 1100m (LNK). Range (in code): AF Srb Pag Kab Pic Bd
Nu Bsg Bkt
- 73047. Cadra furcatella baptella (Ragonot,1887)** (Pyralidae) Synonym(s): *baptella*
Ragonot,1887; *zosteriella Ragonot,1887*; *interfusella Ragonot,1901*. Original Reference: Ephestia

- baptella Ragonot, 1887, *Annls Soc. ent. Fr.* (6) 7: 257. Holotype ♂: Iran: Schahkuh (ZMB). Range (in code): IR Fa Elb TR LB IQ Cc AZ GG AF UZ
- 73048. *Cadra furcatella calonella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *calonella* Ragonot, 1888; *buckwelli* Lucas, 1954 Original Reference: Ephestia calonella Ragonot, 1888, *Nouv. Gen. Phycit.* 1888: 36. Type(s): Spanien: Andalusien. Range (in code): MA PT ES Mu An Py FR
- 73049. *Cadra furcatella furcatella* (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *furcatella* Herrich-Schäffer, [1849]; *reductella* Mann, 1864; *inductella* Staudinger, 1879; *irroratella* Ragonot, 1887; *constrictella* Caradja, 1929; *zenggiella* Amsel, 1955. Original Reference: Homoeosoma furcatella Herrich-Schäffer, [1849], *Syst. Bearb. Schmett. Eur.* 4: 107. Type(s): Österreich: Alpeleck. Range (in code): CZ SK AT HU RO HV B-H YU MK BG AL GR Cr TR RU
- 73050. *Cadra glycyphloeas* (Meyrick, 1935)** (Pyralidae) Synonym(s): *glycyphloeas* Meyrick, 1935 Range (in code): PK BI
- 73051. *Cadra perfasciata* Horak, 1994** (Pyralidae) Synonym(s): *perfasciata* Horak, 1994 Range (in code): AU
- 73052. *Cadra reniformis* Horak, 1994** (Pyralidae) Synonym(s): *reniformis* Horak, 1994 Range (in code): AU
- 73053. *Cadra rugosa* Horak, 1994** (Pyralidae) Synonym(s): *rugosa* Horak, 1994 Range (in code): AU
- 73054. *Caffrocrambus alcibiades* Bleszynski, 1961** (Pyralidae) Synonym(s): *alcibiades* Bleszynski, 1961 Range (in code): ZA Ec
- 73055. *Caffrocrambus alcibiades alcibiades* Bleszynski, 1961** (Pyralidae) Synonym(s): *alcibiades* Bleszynski, 1961 Range (in code): ZA Ec
- 73056. *Caffrocrambus chalcimerus* (Hampson, 1919)** (Pyralidae) Synonym(s): *chalcimerus* Hampson, 1919 Range (in code): ZA
- 73057. *Caffrocrambus chalcimerus chalcimerus* (Hampson, 1919)** (Pyralidae) Synonym(s): *chalcimerus* Hampson, 1919 Range (in code): ZA
- 73058. *Caffrocrambus decolorelloides* Bleszynski, 1970** (Pyralidae) Synonym(s): *decolorelloides* Bleszynski, 1970 Range (in code): KE Nai
- 73059. *Caffrocrambus decolorellus* (Walker, 1866)** (Pyralidae) Synonym(s): *decolorellus* Walker, 1866 Range (in code): ZA Ec
- 73060. *Caffrocrambus dichotomellus* (Hampson, 1919)** (Pyralidae) Synonym(s): *dichotomellus* Hampson, 1919 Range (in code): ZA Ec
- 73061. *Caffrocrambus dichotomellus dichotomellus* (Hampson, 1919)** (Pyralidae) Synonym(s): *dichotomellus* Hampson, 1919 Range (in code): ZA Ec
- 73062. *Caffrocrambus leucofascialis* (Janse, 1922)** (Pyralidae) Synonym(s): *leucofascialis* Janse, 1922 Range (in code): ZA Tva Lpo Pre Wm
- 73063. *Caffrocrambus ochreus* Bleszynski, 1970** (Pyralidae) Synonym(s): *ochreus* Bleszynski, 1970 Range (in code): ZW Har KE Nai
- 73064. *Caffrocrambus sordidella* (Marion, 1957)** (Pyralidae) Synonym(s): *sordidella* Marion, 1957 Range (in code):
- 73065. *Caffrocrambus sordidellus* (Marion, 1957)** (Pyralidae) Synonym(s): *sordidellus* Marion, 1957 Range (in code):
- 73066. *Caffrocrambus undilineatus* (Hampson, 1919)** (Pyralidae) Synonym(s): *undilineatus* Hampson, 1919 Range (in code): ZA Tva Lpo Gau Pre KE
- 73067. *Caina deletella* Ragonot, 1893** (Pyralidae) Synonym(s): *deletella* Ragonot, 1893 Range (in code):
- 73068. *Caina inanitella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *inanitella* Ragonot, 1888 Original Reference: Anoristia inanitella Ragonot, 1888, *Nouv. gen. esp. Gall. Phycit.* 1888: 25. Type: India (MNHNP). Range (in code): IR Ss Pj IN Hp Kma ID Sum
- 73069. *Caina micrella* Ragonot, 1893** (Pyralidae) Synonym(s): *micrella* Ragonot, 1893 Original Reference: Caina micrella Ragonot, 1893, [in] Romanoff, *Mém. lépid.* 7: 465, pl.vi fig.25. Type: Pakistan, Multan. PK Mln DZ Ges
- 73070. *Calamochrous acutellus* (Eversmann, 1842)** (Pyralidae) Synonym(s): *acutellus* Eversmann, 1842; *acutalis* Guenée, 1854 Range (in code): YU HU Si RU TM IR Gh Tgo Mz
- 73071. *Calamochrous chilonalis* Lederer, 1863** (Pyralidae) Synonym(s): *chilonalis* Lederer, 1863 Range (in code): VE

- 73072. Calamochrous flavimarginalis Hampson,1913** (Pyralidae) **Synonym(s):** *flavimarginalis* Hampson,1913 **_ Range (in code): ZA**
- 73073. Calamochrous pallidalis Hampson,1900** (Pyralidae) **Synonym(s):** *pallidalis* Hampson,1900 **_ Range (in code): UZ Fe**
- 73074. Calamochrous pyraustalis Strand,1918** (Pyralidae) **Synonym(s):** *pyraustalis* Strand,1918 **_ Range (in code): TW**
- 73075. Calamochrous tranquillalis (Lederer,1863)** (Pyralidae) **Synonym(s):** *tranquillalis* Lederer,1863 **_ Range (in code): IN PG TW**
- 73076. Calamoschoena stictalis Hampson,1919** (Pyralidae) **Synonym(s):** *stictalis* Hampson,1919 **_ Range (in code): ZA**
- 73077. Calamotropa pulverivena Hampson,1918** (Pyralidae) **Synonym(s):** *pulverivena* Hampson,1918 **_ Range (in code): AU**
- 73078. Calamotropa abjectella Snellen,1872** (Pyralidae) **Synonym(s):** *abjectella* Snellen,1872 **_ Range (in code): PH Luz Boh Ja Clb ID ZA**
- 73079. Calamotropa aeneiciliella (Joannis,1930)** (Pyralidae) **Synonym(s):** *aeneiciliella* Joannis,1930 **_ Range (in code): VN Ton**
- 73080. Calamotropa agryppina Bleszynski,1961** (Pyralidae) **Synonym(s):** *agryppina* Bleszynski,1961 **_ Range (in code): TZ**
- 73081. Calamotropa albidalis (Hampson,1919)** (Pyralidae) **Synonym(s):** *albidalis* Hampson,1919 **_ Range (in code): SL SD**
- 73082. Calamotropa albistrigella (Hampson,1896)** (Pyralidae) **Synonym(s):** *albistrigella* Hampson,1896 **_ Range (in code):**
- 73083. Calamotropa alcesta Bleszynski,1961** (Pyralidae) **Synonym(s):** *alcesta* Bleszynski,1961 **_ Range (in code): IN Oi Djl Ass**
- 73084. Calamotropa anticella (Walker,1866)** (Pyralidae) **Synonym(s):** *anticellus* Walker,1866 **_ Original Reference:** *Ancylolomia ? anticellus* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1751. **_ Range (in code): ZA Nta Kzu IN LK AU NAU Dwn ID Sum TW**
- 73085. Calamotropa anticella anticella (Walker,1866)** (Pyralidae) **Synonym(s):** *anticellus* Walker,1866 **_ Original Reference:** *Ancylolomia ? anticellus* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1751. **_ Range (in code): ZA Nta Kzu IN LK AU NAU Dwn ID Sum TW**
- 73086. Calamotropa arachnophaga (Strand,1918)** (Pyralidae) **Synonym(s):** *arachnophaga* Strand,1918 **_ Range (in code): TW**
- 73087. Calamotropa argenteociliella Pagenstecher,1893** (Pyralidae) **Synonym(s):** *argenteociliella* Pagenstecher,1893 **_ Range (in code): MZ ZA**
- 73088. Calamotropa argenticilia (Hampson,1896)** (Pyralidae) **Synonym(s):** *argenticilia* Hampson,1896 **_ Range (in code): IN BT LK**
- 73089. Calamotropa argenticilia argenticilia (Hampson,1896)** (Pyralidae) **Synonym(s):** *argenticilia* Hampson,1896 **_ Range (in code): IN BT LK**
- 73090. Calamotropa argyrostola (Hampson,1919)** (Pyralidae) **Synonym(s):** *argyrostola* Hampson,1919 **_ Range (in code): ZA Nta Kzu**
- 73091. Calamotropa argyrostola argyrostola (Hampson,1919)** (Pyralidae) **Synonym(s):** *argyrostola* Hampson,1919 **_ Range (in code): ZA Nta Kzu**
- 73092. Calamotropa athena Bleszynski,1961** (Pyralidae) **Synonym(s):** *athena* Bleszynski,1961 **_ Range (in code): SL NG**
- 73093. Calamotropa atkinsoni (Zeller,1863)** (Pyralidae) **Synonym(s):** *atkinsoni* Zeller,1863; *fuscicostella* Snellen,1880; *holodryas* Meyrick,1933 **_ Range (in code): TH LK MY SG Swk PH IN Clc MM LK TH ID Clb Bor**
- 73094. Calamotropa atkinsoni atkinsoni (Zeller,1863)** (Pyralidae) **Synonym(s):** *atkinsoni* Zeller,1863; *fuscicostella* Snellen,1880; *holodryas* Meyrick,1933 **_ Range (in code): IN Clc MM LK TH ID Clb Bor**
- 73095. Calamotropa atkinsoni malaica Bleszynski,1961** (Pyralidae) **Synonym(s):** *malaica* Bleszynski,1961 **_ Range (in code): MY**
- 73096. Calamotropa aureliella (Fischer v. Röslerstamm,[1841])** (Pyralidae) **Synonym(s):** *aureliella* Fischer v. Röslerstamm,[1841]; *fulvilineata* Okano,1958. **_ Range (in code): FR IT DE CH AT PL CZ SK HU RO YU BG GR DK UZ Br KG Dj Tk RU Am Us Cc Ce Gro Kr UA JP CN Ui Au**
- 73097. Calamotropa aureliella kikuchii Okano,1960** (Pyralidae) **Synonym(s):** *kikuchii* Okano,1960 **_ Range (in code): JP**

- 73098. Calamotropha aureliella korbi (Caradja,1910)** (Pyralidae) Synonym(s): *korbi* Caradja,1910 _ Range (in code): RU Am
- 73099. Calamotropha azumai Bleszynski,1960** (Pyralidae) Synonym(s): *azumai* Bleszynski,1960 _ Range (in code): JP
- 73100. Calamotropha baibarella (Shibuya,1928)** (Pyralidae) Synonym(s): *baibarella* Shibuya,1928; *sattleri* Bleszynski,1961 _ Range (in code): TW
- 73101. Calamotropha bicornutella Bleszynski,1961** (Pyralidae) Synonym(s): *bicornutella* Bleszynski,1961 _ Range (in code): AO
- 73102. Calamotropha bradleyi Bleszynski,1960** (Pyralidae) Synonym(s): *bradleyi* Bleszynski,1960 _ Range (in code): ZA
- 73103. Calamotropha brevilinella (South,1901)** (Pyralidae) Synonym(s): *brevilinella* South,1901 _ Range (in code): CN Sz T-T
- 73104. Calamotropha brevistrigella (Caradja,1932)** (Pyralidae) Synonym(s): *brevistrigella* Caradja,1932 _ Range (in code): CN Kwa Hun JP
- 73105. Calamotropha caesella (Walker,1863)** (Pyralidae) Synonym(s): *caesella* Walker,1863; *famulella* Walker,1866 _ Range (in code): IN LK MM VN Ton
- 73106. Calamotropha caesella caesella (Walker,1863)** (Pyralidae) Synonym(s): *caesella* Walker,1863; *famulella* Walker,1866 _ Range (in code): IN LK MM VN Ton
- 73107. Calamotropha cleopatra Bleszynski,1961** (Pyralidae) Synonym(s): *cleopatra* Bleszynski,1961 _ Range (in code): TZ
- 73108. Calamotropha corticella (Hampson,1899)** (Pyralidae) Synonym(s): *corticella* Hampson,1899 _ Range (in code): IN Ass
- 73109. Calamotropha danutae Bleszynski,1961** (Pyralidae) Synonym(s): *danutae* Bleszynski,1961 _ Range (in code): TZ
- 73110. Calamotropha delatalis (Walker,1863)** (Pyralidae) Synonym(s): *delatalis* Walker,1863 _ Range (in code): LK AU
- 73111. Calamotropha diakonoffi Bleszynski,1961** (Pyralidae) Synonym(s): *diakonoffi* Bleszynski,1961 _ Range (in code): ZA Nta Kzu
- 73112. Calamotropha diakonoffi diakonoffi Bleszynski,1961** (Pyralidae) Synonym(s): *diakonoffi* Bleszynski,1961 _ Range (in code): ZA Nta Kzu
- 73113. Calamotropha dielota Meyrick,1886** (Pyralidae) Synonym(s): *dielota* Meyrick,1886 _ Range (in code): AU
- 73114. Calamotropha diodonta (Hampson,1919)** (Pyralidae) Synonym(s): *diodonta* Hampson,1919 _ Range (in code): NG CM
- 73115. Calamotropha discella (Walker,1863)** (Pyralidae) Synonym(s): *discella* Walker,1863; *mesoscia* Hampson,1919 _ Range (in code): ZA MG
- 73116. Calamotropha endopolia (Hampson,1912)** (Pyralidae) Synonym(s): *endopolia* Hampson,1912 _ Range (in code): IN LK
- 73117. Calamotropha formosella Bleszynski,1961** (Pyralidae) Synonym(s): *formosella* Bleszynski,1961 _ Range (in code): TW
- 73118. Calamotropha franki (Caradja,1931)** (Pyralidae) Synonym(s): *franki* Caradja,1931 _ Range (in code): CN Sz Fkn
- 73119. Calamotropha fulvifusalis (Hampson,1900)** (Pyralidae) Synonym(s): *fulvifusalis* Hampson,1900; *shibuyae* Matsumura,1927; *asagirii* Okano,1959. _ Range (in code): RU Am Prj Us JP Hkk
- 73120. Calamotropha fuscicostella Snellen,1880** (Pyralidae) Synonym(s): *fuscicostella* Snellen,1880 _ Range (in code): PH Luz ID Clb
- 73121. Calamotropha fuscilineatella (Lucas,1938)** (Pyralidae) Synonym(s): *fuscilineatella* Lucas,1938 _ Range (in code): MA PT Sa
- 73122. Calamotropha fuscivittalis (Hampson,1900)** (Pyralidae) Synonym(s): *fuscivittalis* Hampson,1900 _ Range (in code): ZW
- 73123. Calamotropha haplora (Turner,1911)** (Pyralidae) Synonym(s): *haplorus* Turner,1911 _ Original Reference: Crambus haplorus Turner,1911, Ann. Queensl. Mus. 10: 110. Range (in code): AU NAu Dwn
- 73124. Calamotropha heliocausta (Wallengren,1876)** (Pyralidae) Synonym(s): *heliocausta* Wallengren,1876 _ Range (in code): ZA Tva Lpo Nta Kzu
- 73125. Calamotropha heliocausta heliocausta (Wallengren,1876)** (Pyralidae) Synonym(s): *heliocausta* Wallengren,1876 _ Range (in code): ZA Tva Lpo Nta Kzu

- 73126. Calamotropha hierichuntica Zeller,1867** (Pyralidae) Synonym(s): *hierichuntica* Zeller,1867; *orontella* Ragonot,1895; *leucaniellus* Zerny,1914; *hackeri* Ganev,1985 Original Reference: *Calamotropha hierichuntica* Zeller,1867, Stettin ent. Ztg. 28: 368. Type ♂: Palestine: Jordantal. Range (in code): **JO IL Jt Pa Hf GR TR**
- 73127. Calamotropha holodryas (Meyrick,1933)** (Pyralidae) Synonym(s): *holodryas* Meyrick,1933 Range (in code): **IN**
- 73128. Calamotropha indica Bleszynski,1961** (Pyralidae) Synonym(s): *indica* Bleszynski,1961 Range (in code): **IN LK**
- 73129. Calamotropha janusella Bleszynski,1961** (Pyralidae) Synonym(s): *janusella* Bleszynski,1961 Range (in code): **ET**
- 73130. Calamotropha janusella janusella Bleszynski,1961** (Pyralidae) Synonym(s): *janusella* Bleszynski,1961 Range (in code): **ET**
- 73131. Calamotropha javaica Bleszynski,1961** (Pyralidae) Synonym(s): *javaica* Bleszynski,1961 Range (in code): **ID Ja**
- 73132. Calamotropha josettae Bleszynski,1961** (Pyralidae) Synonym(s): *josettae* Bleszynski,1961 Range (in code): **CN Sz**
- 73133. Calamotropha joskeaella Bleszynski,1961** (Pyralidae) Synonym(s): *joskeaella* Bleszynski,1961 Range (in code): **TZ**
- 73134. Calamotropha kuchleini Bleszynski,1961** (Pyralidae) Synonym(s): *kuchleini* Bleszynski,1961 Range (in code): **TZ**
- 73135. Calamotropha latella (Snellen,1890)** (Pyralidae) Synonym(s): *latella* Snellen,1890 Range (in code): **JP IN Ass Djl Drm Ass MM**
- 73136. Calamotropha lattini Bleszynski,1961** (Pyralidae) Synonym(s): *lattini* Bleszynski,1961 Range (in code): **TZ**
- 73137. Calamotropha leptogrammella (Meyrick,1879)** (Pyralidae) Synonym(s): *leptogrammellus* Meyrick,1879; *crossospila* Turner,1947 Range (in code): **AU**
- 73138. Calamotropha lupatus (Meyrick,1932)** (Pyralidae) Synonym(s): *lupatus* Meyrick,1932 Original Reference: *Crambus lupatus* Meyrick,1932, Exot. Microlepid. 4: 344. Type: Punjab. Range (in code): **IN Pj PK** Bionomy: Larva on *Typha angustata* (Typhaceae) (Robinson et al.,1994).
- 73139. Calamotropha martini Bleszynski,1961** (Pyralidae) Synonym(s): *martini* Bleszynski,1961 Range (in code): **UG**
- 73140. Calamotropha megalopunctata Bleszynski,1961** (Pyralidae) Synonym(s): *megalopunctata* Bleszynski,1961 Range (in code): **SD**
- 73141. Calamotropha megalopunctata megalopunctata Bleszynski,1961** (Pyralidae) Synonym(s): *megalopunctata* Bleszynski,1961 Range (in code): **SD**
- 73142. Calamotropha melanosticta (Hampson,1896)** (Pyralidae) Synonym(s): *melanostictus* Hampson,1896 Range (in code): **IN Nag LK**
- 73143. Calamotropha melanosticta melanosticta (Hampson,1896)** (Pyralidae) Synonym(s): *melanostictus* Hampson,1896 Range (in code): **IN Nag LK**
- 73144. Calamotropha melli (Caradja & Meyrick,1933)** (Pyralidae) Synonym(s): *melli* Caradja & Meyrick,1933 Range (in code): **CN Kwa LK**
- 73145. Calamotropha mesostrigalis (Hampson,1919)** (Pyralidae) Synonym(s): *mesostrigalis* Hampson,1919 Range (in code): **MZ**
- 73146. Calamotropha mimosa Bleszynski,1961** (Pyralidae) Synonym(s): *mimosa* Bleszynski,1961 Range (in code): **ZR**
- 73147. Calamotropha neurigrammalis (Hampson,1912)** (Pyralidae) Synonym(s): *neurigrammalis* Hampson,1912 Range (in code): **IN LK**
- 73148. Calamotropha nigripunctella (Leech,1889)** (Pyralidae) Synonym(s): *nigripunctella* Leech,1889; *hoenei* Caradja & Meyrick,1935. Range (in code): **CN Tkg KP KR JP Hkk**
- 73149. Calamotropha niveicostella (Hampson,1919)** (Pyralidae) Synonym(s): *niveicostella* Hampson,1919 Range (in code): **ZA Nta Kzu**
- 73150. Calamotropha obliterans (Walker,1863)** (Pyralidae) Synonym(s): *obliterans* Walker,1863; *condidifer* Walker,1863; *#candifer* Hampson,1896 Range (in code): **Bor MT PH Pal**
- 73151. Calamotropha oculalis (Snellen,1893)** (Pyralidae) Synonym(s): *oculalis* Snellen,1893 Original Reference: *Crambus oculalis* Snellen,1893, Tijdschr. Ent. 36: 64, pl.3 fig.6. Range (in code): **IN LK ID Ja PH**

- 73152. Calamotropha oculalis oculalis (Snellen,1893)** (Pyralidae) Synonym(s): *oculalis* Snellen,1893 Original Reference: Crambus oculalis Snellen,1893, Tijdschr. Ent. 36: 64, pl.3 fig.6. Range (in code): **LK ID Ja PH**
- 73153. Calamotropha okanoi Bleszynski,1961** (Pyralidae) Synonym(s): *okanoi* Bleszynski,1961 Range (in code): **JP Hkk CN Mc Jn Kgs Sz KP KR**
- 73154. Calamotropha paludella (Hübner,[1824])** (Pyralidae) Synonym(s): *paludella* Hübner,[1824]; *obtusellus* Stainton,1856; *paramattellus* Meyrick,1879; *carpherus* Hampson,1898; *nivellus* Rebel,1914; *calamosus* Hampson,1919; *durandi* Lucas,1931; *typhivorus* Meyrick,1932; *#digitatus* Osthelder,1937; *afghanistanica* Bleszynski,1959 Original Reference: *Tinea paludella* Hübner,[1824], Samml. eur. Schmett. Tineae: Taf.68, figs. 452,453. Syntypes: [Europa]. Range (in code): **PT ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IQ Bsr SY IR Ahz TM DK NO SE FI EE LV LT RU Am Prj Us MD UA BY KG Dj Tk IR Mz AF Srb PK Ch AU MG ZA Tva Pre CN Sz Kgs TW JP Kyu Hkk ID IN** Bionomy: Larva on Typha (Typhaceae) (Parenti,2000).
- 73155. Calamotropha psaltrias (Meyrick,1933)** (Pyralidae) Synonym(s): *psaltrias* Meyrick,1933 Range (in code): **ZR**
- 73156. Calamotropha pseudodielota Bleszynski,1961** (Pyralidae) Synonym(s): *pseudodielota* Bleszynski,1961 Range (in code): **IN LK**
- 73157. Calamotropha punctivenella (Hampson,1896)** (Pyralidae) Synonym(s): *punctivenella* Hampson,1896 Range (in code): **IN Ass LK VN Ton**
- 73158. Calamotropha punctivenella punctivenella (Hampson,1896)** (Pyralidae) Synonym(s): *punctivenella* Hampson,1896 Range (in code): **IN Ass LK VN Ton**
- 73159. Calamotropha purella (Leech,1889)** (Pyralidae) Synonym(s): *purella* Leech,1889; *flaviguttellus* Wileman & South,1917; *chionostola* Hampson,1919; *angulatus* Shibuya,1928; *inouei* Bleszynski,1959 Range (in code): **CN Mc TW JP Alo ID**
- 73160. Calamotropha purella aurifusalis (Caradja,1927)** (Pyralidae) Synonym(s): *aurifusalis* Caradja,1927 Range (in code): **CN Mc**
- 73161. Calamotropha robustella Snellen,1872** (Pyralidae) Synonym(s): *robustella* Snellen,1872 Range (in code): **PG**
- 73162. Calamotropha saturnella Bleszynski,1961** (Pyralidae) Synonym(s): *saturnella* Bleszynski,1961 Range (in code): **IN**
- 73163. Calamotropha schoenmanni Bleszynski,1961** (Pyralidae) Synonym(s): *schoenmanni* Bleszynski,1961 Range (in code): **TZ**
- 73164. Calamotropha schwarzi Bleszynski,1961** (Pyralidae) Synonym(s): *schwarzi* Bleszynski,1961 Range (in code): **IN LK**
- 73165. Calamotropha shichito (Marumo,1931)** (Pyralidae) Synonym(s): *shichito* Marumo,1931; *subfamulella* Caradja & Meyrick,1936. Range (in code): **JP CN Kgs Ahw**
- 73166. Calamotropha sienkiewiczzi Bleszynski,1961** (Pyralidae) Synonym(s): *sienkiewiczzi* Bleszynski,1961 Range (in code): **CN Sz Kgs**
- 73167. Calamotropha sp.** (Pyralidae) Synonym(s): Range (in code): **PH Boh**
- 73168. Calamotropha stachi Bleszynski,1961** (Pyralidae) Synonym(s): *stachi* Bleszynski,1961 Range (in code): **ZW**
- 73169. Calamotropha subalcesta Bleszynski,1961** (Pyralidae) Synonym(s): *subalcesta* Bleszynski,1961 Range (in code): **TW**
- 73170. Calamotropha subdiodonta Bleszynski,1961** (Pyralidae) Synonym(s): *subdiodonta* Bleszynski,1961 Range (in code): **GA**
- 73171. Calamotropha subfamulella (Caradja & Meyrick,1936)** (Pyralidae) Synonym(s): *subfamulella* Caradja & Meyrick,1936 Range (in code): **CN**
- 73172. Calamotropha subterminella (Wileman & South,1917)** (Pyralidae) Synonym(s): *subterminella* Wileman & South,1917 Range (in code): **TW**
- 73173. Calamotropha sumatraella Bleszynski,1961** (Pyralidae) Synonym(s): *sumatraella* Bleszynski,1961 Range (in code): **ID Sum**
- 73174. Calamotropha tonsalis (Walker,1863)** (Pyralidae) Synonym(s): *tonsalis* Walker,1863 Range (in code): **MY Bor**
- 73175. Calamotropha torpidella (Zeller,1852)** (Pyralidae) Synonym(s): *torpidella* Zeller,1852 Range (in code): **ZA**
- 73176. Calamotropha toxophora (Joannis,1927)** (Pyralidae) Synonym(s): *toxophorus* Joannis,1927 Range (in code): **MZ**

- 73177. Calamotropha tripartita (Hampson,1919)** (Pyralidae) Synonym(s): *tripartitus* Hampson,1919 _ Range (in code): ZA Nta Kzu
- 73178. Calamotropha tripartita tripartita (Hampson,1919)** (Pyralidae) Synonym(s): *tripartitus* Hampson,1919 _ Range (in code): ZA Nta Kzu
- 73179. Calamotropha unicolorella (Zeller,1863)** (Pyralidae) Synonym(s): *unicorellus* Zeller,1863; *abbreviatellus* Walker,1866 _ Original Reference: Chilo unicolorellus Zeller,1863, Chil. Cramb. Gen. Spec.: 7. Range (in code): LK IN Hp Drm Pj NI PH MY
- 73180. Calamotropha unicolorella unicolorella (Zeller,1863)** (Pyralidae) Synonym(s): *unicorellus* Zeller,1863; *abbreviatellus* Walker,1866 _ Original Reference: Chilo unicolorellus Zeller,1863, Chil. Cramb. Gen. Spec.: 7. Range (in code): LK IN Hp Drm Pj NI PH MY
- 73181. Calamotropha venera Bleszynski,1961** (Pyralidae) Synonym(s): *venera* Bleszynski,1961 _ Range (in code): IN
- 73182. Calamotropha venera venera Bleszynski,1961** (Pyralidae) Synonym(s): *venera* Bleszynski,1961 _ Range (in code): IN
- 73183. Calamotropha wallengreni Bleszynski,1961** (Pyralidae) Synonym(s): *wallengreni* Bleszynski,1961 _ Range (in code): ZA Tva Gau Pre
- 73184. Calamotropha wallengreni wallengreni Bleszynski,1961** (Pyralidae) Synonym(s): *wallengreni* Bleszynski,1961 _ Range (in code): ZA Tva Gau Pre
- 73185. Calamotropha xanthypa Bleszynski,1961** (Pyralidae) Synonym(s): *xanthypa* Bleszynski,1961 _ Range (in code): ZA Nta Kzu
- 73186. Calamotropha xanthypa xanthypa Bleszynski,1961** (Pyralidae) Synonym(s): *xanthypa* Bleszynski,1961 _ Original Reference: xanthypa Bleszynski,1961 Range (in code): ZA Nta Kzu
- 73187. Calamotropha yamanakai Inoue,1958** (Pyralidae) Synonym(s): *yamanakai* Inoue,1958 _ Range (in code): JP
- 73188. Calamotropodes grisella Janse,1922** (Pyralidae) Synonym(s): *grisella* Janse,1922 _ Range (in code): ZA
- 73189. Calguia aspiciella (Ragonot,1889)** (Pyralidae) Synonym(s): *aspiciella* Ragonot,1889 _ Range (in code): IN LK MY Bor TW
- 73190. Calguia defiguralis Walker,1863** (Pyralidae) Synonym(s): *defiguralis* Walker,1863; *auritipalpus* Moore,[1886]; *palpella* Ragonot,1888; *bistriella* Pagenstecher,1900; *crocogastra* Meyrick,1934 _ Range (in code): AU QAU PG Bsm WS MY IN LK ID Sum Ja Sbw
- 73191. Calguia deltophora (Lower,1903)** (Pyralidae) Synonym(s): *deltophora* Lower,1903; *leucomilta* Lower,1903 _ Range (in code): AU
- 73192. Calguia garuda Roesler & Küppers,1979** (Pyralidae) Synonym(s): *garuda* Roesler & Küppers,1979 _ Range (in code): ID Sum
- 73193. Calguia hapalanthes (Meyrick,1932)** (Pyralidae) Synonym(s): *hapalanthes* Meyrick,1932 _ Range (in code): FJ ID Sum MY
- 73194. Callionyma sarcodes Meyrick,1883** (Pyralidae) Synonym(s): *sarcodes* Meyrick,1883 _ Range (in code): AU
- 73195. Calomacalla metachryseis (Hampson,1906)** (Pyralidae) Synonym(s): *metachryseis* Hampson,1906 _ Range (in code): ZA NA
- 73196. Camptomastix hisbonalis (Walker,1859)** (Pyralidae) Synonym(s): *hisbonalis* Walker,1859; *pacalis* Leech,1889; *longipalpis* Butler,1889; *areolifera* Strand,1918 _ Range (in code): IN MY Bor CN JP TW AU
- 73197. Candioppe joannisella Ragonot,1888** (Pyralidae) Synonym(s): *joannisella* Ragonot,1888 _ Range (in code): ZA
- 73198. Candioppe sahariensis (Rothschild,1921)** (Pyralidae) Synonym(s): *sahariensis* Rothschild,1921; *pseudodiscomaculella* Amsel,1935 _ Range (in code): NG IL Pa IQ Mos
- 73199. Candioppe syntaractis (Turner,1904)** (Pyralidae) Synonym(s): *syntaractis* Turner,1904 _ Range (in code): AU QAU PH TW
- 73200. Candiopella dukei Balinsky,1994** (Pyralidae) Synonym(s): *dukei* Balinsky,1994 _ Range (in code): ZA Ec Tra
- 73201. Candiopella dukei dukei Balinsky,1994** (Pyralidae) Synonym(s): *dukei* Balinsky,1994 _ Range (in code): ZA Ec Tra
- 73202. Cangetta ammochroa Turner,1915** (Pyralidae) Synonym(s): *ammochroa* Turner,1915 _ Range (in code): AU

- 73203. Cangetta aurantiaca Hampson,1906** (Pyralidae) Synonym(s): *aurantiaca* Hampson,1906; *crocoptila* Turner,1937 _ Range (in code): AU
- 73204. Cangetta haematera (Turner,1937)** (Pyralidae) Synonym(s): *haematera* Turner,1937 _ Range (in code): AU
- 73205. Cangetta hartoghialis (Snellen,1872)** (Pyralidae) Synonym(s): *hartoghialis* Snellen,1872; *rectilinea* Moore,[1886]; *griseolalis* Hampson,1893 _ Range (in code): AU
- 73206. Cangetta tridentalis (Snellen,1872)** (Pyralidae) Synonym(s): *tridentalis* Snellen,1872 _ Range (in code): PG LK TW
- 73207. Canipsa poliochyta (Turner,1904)** (Pyralidae) Synonym(s): *poliochyta* Turner,1904 _ Range (in code): AU
- 73208. Canthelea africanella (Ragonot,1888)** (Pyralidae) Synonym(s): *africanella* Ragonot,1888 _ Range (in code): ZW Bul ZA Tva Fs Mdp Gau Pre Nta Kzu Imp Ktz Ec Ste
- 73209. Canthelea africanella africanella (Ragonot,1888)** (Pyralidae) Synonym(s): *africanella* Ragonot,1888 _ Range (in code): ZW Bul ZA Tva Fs Mdp Gau Pre Nta Kzu Imp Ktz Ec Ste
- 73210. Canthelea oegnusalis (Walker,1859)** (Pyralidae) Synonym(s): *oegnusalis* Walker,1859; *lateritalis* Walker,1863; *gratella* Walker,1863; *concolorella* Walker,1866; *stibiella* Snellen,1872; *punctigera* Butler,1880; *laxalis* Swinhoe,1885; *africana* Janse,1942 _ Range (in code): MG IN LK MM ID Sbw Sum Clb Amb IC SG PH TW CN AU ZA Tva Mpu Brb Pil Lds Dmm Gau Pre Nha Nta Kzu Esw Ptw Wv ZW
- 73211. Cantheleamima excisa Balinsky,1994** (Pyralidae) Synonym(s): *excisa* Balinsky,1994 _ Range (in code): ZW Wnk
- 73212. Cantheleamima excisa excisa Balinsky,1994** (Pyralidae) Synonym(s): *excisa* Balinsky,1994 _ Range (in code): ZW Wnk
- 73213. Canuza acmias Meyrick,1897** (Pyralidae) Synonym(s): *acmias* Meyrick,1897 _ Range (in code): AU
- 73214. Canuza euspilella Walker,1866** (Pyralidae) Synonym(s): *euspilella* Walker,1866; *mirabilella* Meyrick,1878 _ Range (in code): AU
- 73215. Caprinia felderi Lederer,1863** (Pyralidae) Synonym(s): *felderi* Lederer,1863 _ Range (in code): AU
- 73216. Cardamyla carinentalis Walker,1859** (Pyralidae) Synonym(s): *carinentalis* Walker,1859 _ Range (in code): AU
- 73217. Cardamyla didymalis Walker,1859** (Pyralidae) Synonym(s): *didymalis* Walker,1859; *#arctandalis* Lucas,1890. _ Range (in code): AU
- 73218. Cardamyla eurycroca Turner,1937** (Pyralidae) Synonym(s): *eurycroca* Turner,1937 _ Range (in code): AU
- 73219. Cardamyla hercophora (Meyrick,1884)** (Pyralidae) Synonym(s): *hercophora* Meyrick,1884 _ Range (in code): AU
- 73220. Cataclysta amboinalis Hampson,1917** (Pyralidae) Synonym(s): *amboinalis* Hampson,1917 _ Range (in code): ID Amb
- 73221. Cataclysta angulata Moore,1885** (Pyralidae) Synonym(s): *angulata* Moore,1885 _ Range (in code): LK TW
- 73222. Cataclysta anicitalis Schaus,1924** (Pyralidae) Synonym(s): *anicitalis* Schaus,1924 _ Range (in code): CU
- 73223. Cataclysta argyrochrysalis Mabille,1900** (Pyralidae) Synonym(s): *argyrochrysalis* Mabille,1900 _ Range (in code): MG
- 73224. Cataclysta argyrolepta Dyar,1914** (Pyralidae) Synonym(s): *argyrolepta* Dyar,1914 _ Range (in code): PA
- 73225. Cataclysta atriterminalis Hampson,1917** (Pyralidae) Synonym(s): *atriterminalis* Hampson,1917 _ Range (in code): ID Clb
- 73226. Cataclysta autobella Dyar,1914** (Pyralidae) Synonym(s): *autobella* Dyar,1914 _ Range (in code): PA
- 73227. Cataclysta azadasalis Schaus,1924** (Pyralidae) Synonym(s): *azadasalis* Schaus,1924 _ Range (in code): GY
- 73228. Cataclysta bijonalis Dyar,1914** (Pyralidae) Synonym(s): *bijonalis* Dyar,1914 _ Range (in code): PA
- 73229. Cataclysta blandialis (Walker,1859)** (Pyralidae) Synonym(s): *blandialis* Walker,1859; *patnalis* R.Felder & Rogenhofer,1875; *stipalis* Snellen,1880; *cuneifera* Moore,1885; *junctalis* Hampson,1891; *nigritalis* Hampson,1893; *mesorphna* Meyrick,1894; *xanthbathra* Meyrick,1894; *perirorata* Hampson,1917;

- #*bombayensis* Klima,1937 _ Range (in code): **IN Mh Bba Nl Clc Drm Hp LK MY Bor TW CN Kwa VN Ton JP ID Clb Sum Ja Amb PG AU FJ MZ CI MW ZW NG ZA Ec**
- 73230. *Cataclysta bronachalis* Schaus,1924** (Pyralidae) Synonym(s): *bronachalis* Schaus,1924
Range (in code): **CU PR**
- 73231. *Cataclysta callichromalis* Mabille,1878** (Pyralidae) Synonym(s): *callichromalis* Mabille,1878 _ Range (in code): **MG**
- 73232. *Cataclysta camptozonele* (Hampson,1897)** (Pyralidae) Synonym(s): *camptozonele* Hampson,1897 _ Range (in code): **AU**
- 73233. *Cataclysta cancellalis* (Dyar,1917)** (Pyralidae) Synonym(s): *cancellalis* Dyar,1917
Range (in code): **US Tx**
- 73234. *Cataclysta chalcitis* R.Felder & Rogenhofer,1874** (Pyralidae) Synonym(s): *chalcitis* R.Felder & Rogenhofer,1874 _ Range (in code): **BR**
- 73235. *Cataclysta chionostola* Hampson,1917** (Pyralidae) Synonym(s): *chionostola* Hampson,1917 _ Range (in code): **PE**
- 73236. *Cataclysta claudialis* Walker,1869** (Pyralidae) Synonym(s): *claudialis* Walker,1869
Range (in code): **US Il n FI NCa Dc Pns**
- 73237. *Cataclysta complicatalis* Dyar,1914** (Pyralidae) Synonym(s): *complicatalis* Dyar,1914
Range (in code): **PA**
- 73238. *Cataclysta croesusalis* Walker,1859** (Pyralidae) Synonym(s): *croesusalis* Walker,1859;
trigonalis Swinhoe,1895 _ Range (in code): **MY Bor Swk CN IN Ass Meg Kwa Khs**
- 73239. *Cataclysta croesusalis angustalis* Caradja,1925** (Pyralidae) Synonym(s): *angustalis* Caradja,1925 _ Range (in code): **CN Kwa**
- 73240. *Cataclysta cyanolitha* Meyrick,1886** (Pyralidae) Synonym(s): *cyanolitha* Meyrick,1886
Range (in code): **FJ**
- 73241. *Cataclysta dasymalis* Dyar,1926** (Pyralidae) Synonym(s): *dasymalis* Dyar,1926 _ Range (in code): **MX**
- 73242. *Cataclysta dialitha* Dyar,1914** (Pyralidae) Synonym(s): *dialitha* Dyar,1914 _ Range (in code): **PA**
- 73243. *Cataclysta divuisalis* Walker,1865** (Pyralidae) Synonym(s): *divuisalis* Walker,1865
Range (in code): **BR**
- 73244. *Cataclysta drusiusalis* Walker,1859** (Pyralidae) Synonym(s): *drusiusalis* Walker,1859;
drusialis Lederer,1863 _ Range (in code): **MY Bor FJ AU QAU**
- 73245. *Cataclysta euclidialis* Hampson,1906** (Pyralidae) Synonym(s): *euclidialis* Hampson,1906
Range (in code): **NG**
- 73246. *Cataclysta eumalis* Druce,1896** (Pyralidae) Synonym(s): *eumalis* Druce,1896 _ Range (in code): **GT PA Cq CR**
- 73247. *Cataclysta fuscalis* Hampson,1893** (Pyralidae) Synonym(s): *fuscalis* Hampson,1893;
nyctopis Meyrick,1894 _ Range (in code): **BT CN VN Ton LK MY Bor**
- 73248. *Cataclysta glycysalis* Dyar,1914** (Pyralidae) Synonym(s): *glycysalis* Dyar,1914 _ Range (in code): **PA CR GY**
- 73249. *Cataclysta guenealis* (Snellen,1875)** (Pyralidae) Synonym(s): *guenealis* Snellen,1875;
guenealis Hampson,1897; *trilinealis* W.Warren,1899 _ Range (in code): **BR AR**
- 73250. *Cataclysta hexalitha* Meyrick,1886** (Pyralidae) Synonym(s): *hexalitha* Meyrick,1886
Range (in code): **FJ**
- 73251. *Cataclysta ilialis* Walker,1859** (Pyralidae) Synonym(s): *ilialis* Walker,1859 _ Range (in code): **BR**
- 73252. *Cataclysta imitabilis* (Dyar,1917)** (Pyralidae) Synonym(s): *imitabilis* Dyar,1917 _ Range (in code): **US FI**
- 73253. *Cataclysta iolepta* Dyar,1914** (Pyralidae) Synonym(s): *iolepta* Dyar,1914 _ Range (in code): **PA**
- 73254. *Cataclysta lampetialis* Walker,1859** (Pyralidae) Synonym(s): *lampetialis* Walker,1859
Range (in code): **AU**
- 73255. *Cataclysta lemnata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *lemnata* Linnaeus,1758;
lemnalis [Denis & Schiffermüller],1775; *uliginata* Fabricius,1794; *confirmata* Krulikowsky,1909; *brunneospersa* Osthelder,1935. Original Reference: *Phalaena lemnata* Linnaeus,1758, Syst. Nat. (Ed.10)1: 529.
Type(s): [Europa]. Range (in code): **MA ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG AZ AM Len IR Gh Tgo**

- Bionomy:** Larva on Lemna (Lemnaceae) Typha (Typhaceae), Sparganium (Sparganiaceae) (Parenti,2000).
- 73256. *Cataclysta leroii* Strand,1914** (Pyralidae) Synonym(s): *leroii* Strand,1914 _ Range (in code): SD
- 73257. *Cataclysta magnificalis* (Hübner,1796)** (Pyralidae) Synonym(s): *magnificalis* Hübner,1796; *lamialis* Walker,1859; *heliopalisis* Clemens,1860; *helopalisis* Hampson,1897 _ Range (in code): US CA Msc Pns Ny Mai
- 73258. *Cataclysta mangholdalis* Schaus,1924** (Pyralidae) Synonym(s): *mangholdalis* Schaus,1924 Range (in code): EC
- 73259. *Cataclysta marginipuncta* Turner,1937** (Pyralidae) Synonym(s): *marginipuncta* Turner,1937 _ Range (in code): AU
- 73260. *Cataclysta medicinalis* Grote,1881** (Pyralidae) Synonym(s): *medicinalis* Grote,1881; *claudialis* Dyar,1906 _ Range (in code): US Ilm Mis Dc
- 73261. *Cataclysta melanolitha* (Turner,1908)** (Pyralidae) Synonym(s): *melanolitha* Turner,1908 Range (in code): AU QAU
- 73262. *Cataclysta melaternalis* Hampson,1906** (Pyralidae) Synonym(s): *melaternalis* Hampson,1906 _ Range (in code): BR
- 73263. *Cataclysta meropolis* (Walker,1859)** (Pyralidae) Synonym(s): *meropolis* Walker,1859; *actoralis* Walker,1859 _ Range (in code): Bor Swk MY
- 73264. *Cataclysta metastictalis* (Hampson,1917)** (Pyralidae) Synonym(s): *metastictalis* Hampson,1917 _ Range (in code): AU
- 73265. *Cataclysta midas* Butler,1881** (Pyralidae) Synonym(s): *midas* Butler,1881 _ Range (in code): RU Am Prj Us CN JP KP KR
- 73266. *Cataclysta minimalis* Herrich-Schäffer,1871** (Pyralidae) Synonym(s): *minimalis* Herrich-Schäffer,1871 _ Range (in code): CU
- 73267. *Cataclysta miralis* Möschler,1896** (Pyralidae) Synonym(s): *miralis* Möschler,1896 Range (in code): PR
- 73268. *Cataclysta moniligeralis* (Lederer,1863)** (Pyralidae) Synonym(s): *moniligeralis* Lederer,1863 _ Range (in code): US FI HN CO
- 73269. *Cataclysta nyasalis* Hampson,1917** (Pyralidae) Synonym(s): *nyasalis* Hampson,1917 Range (in code): MW ZA
- 73270. *Cataclysta obliquifascia* Hampson,1917** (Pyralidae) Synonym(s): *obliquifascia* Hampson,1917 _ Range (in code): BR
- 73271. *Cataclysta opulentalis* Lederer,1863** (Pyralidae) Synonym(s): *opulentalis* Lederer,1863; *divisalis* Walker,1865 _ Range (in code): US Pns Arz NMx MX CA BCo GY BR
- 73272. *Cataclysta peraltalis* Schaus,1912** (Pyralidae) Synonym(s): *peraltalis* Schaus,1912 Range (in code): CR
- 73273. *Cataclysta perirrorata* Hampson,1917** (Pyralidae) Synonym(s): *perirrorata* Hampson,1917 Range (in code): ZA
- 73274. *Cataclysta phocosalis* Schaus,1924** (Pyralidae) Synonym(s): *phocosalis* Schaus,1924 Range (in code): PE
- 73275. *Cataclysta polyrrapha* Turner,1937** (Pyralidae) Synonym(s): *polyrrapha* Turner,1937 Range (in code): AU
- 73276. *Cataclysta pomperialis* Druce,1896** (Pyralidae) Synonym(s): *pomperialis* Druce,1896 Range (in code): GT CR
- 73277. *Cataclysta psathyrodes* Turner,1908** (Pyralidae) Synonym(s): *psathyrodes* Turner,1908 Range (in code): AU QAU
- 73278. *Cataclysta pulcherialis* Druce,1896** (Pyralidae) Synonym(s): *pulcherialis* Druce,1896 Range (in code): CR
- 73279. *Cataclysta pusillalis* Saalmüller,1879** (Pyralidae) Synonym(s): *pusillalis* Saalmüller,1879 Range (in code): MG
- 73280. *Cataclysta romanalis* Druce,1896** (Pyralidae) Synonym(s): *romanalis* Druce,1896 Range (in code): MX
- 73281. *Cataclysta scalaris* Schaus,1906** (Pyralidae) Synonym(s): *scalaris* Schaus,1906 _ Range (in code): BR
- 73282. *Cataclysta schaefferalis* (Dyar,1906)** (Pyralidae) Synonym(s): *schaefferalis* Dyar,1906 Range (in code): US Arz

- 73283. *Cataclysta sumptuosalis* Möschler, 1890** (Pyralidae) Synonym(s): *sumptuosalis* Möschler, 1890 _ Range (in code): PR
- 73284. *Cataclysta tamsi* Klima, 1937** (Pyralidae) Synonym(s): *dialitha* Tams, 1935 nec Dy., 1914; *tamsi* Klima, 1937 _ Range (in code): WS
- 73285. *Cataclysta tessellalis* Hampson, 1897** (Pyralidae) Synonym(s): *tessellalis* Hampson, 1897 _ Range (in code): BR
- 73286. *Cataclysta trimacula* Hampson, 1891** (Pyralidae) Synonym(s): *trimacula* Hampson, 1891 _ Range (in code): IN NI
- 73287. *Cataclysta unilinealis* Dyar, 1914** (Pyralidae) Synonym(s): *unilinealis* Dyar, 1914 _ Range (in code): PA
- 73288. *Cataclysta vacuolata* Dyar, 1914** (Pyralidae) Synonym(s): *vacuolata* Dyar, 1914 _ Range (in code): PA
- 73289. *Cataclysta zelota* Dyar, 1914** (Pyralidae) Synonym(s): *zelota* Dyar, 1914 _ Range (in code): PA
- 73290. *Catagela adoceta* Common, 1960** (Pyralidae) Synonym(s): *adoceta* Common, 1960 _ Range (in code): AU
- 73291. *Catalaodes malgassicalis* Viette, 1953** (Pyralidae) Synonym(s): *malgassicalis* Viette, 1953 _ Range (in code): MG
- 73292. *Catamola funerea* (Walker, 1863)** (Pyralidae) Synonym(s): *funerea* Walker, 1863 _ Range (in code): AU
- 73293. *Catamola xanthomelalis* (Walker, 1863)** (Pyralidae) Synonym(s): *xanthomelalis* Walker, 1863 _ Range (in code): AU
- 73294. *Catancya brunnea* Hampson, 1919** (Pyralidae) Synonym(s): *brunnea* Hampson, 1919 _ Range (in code): AU
- 73295. *Cataonia erubescens* (Christoph, 1877)** (Pyralidae) Synonym(s): *erubescens* Christoph, 1877; *monocerialis* Ragonot, 1891; *mineti* Vives, 2001 _ Range (in code): MR ES MT GR TR TM Krn Kp IR Ss Chh AF Srb Bsg Dwe Gbh Asm
- 73296. *Cataonia mauritanica* Amsel, 1953** (Pyralidae) Synonym(s): *mauritanica* Amsel, 1953 _ Original Reference: Cataonia mauritanica Amsel, 1953, Bull. Inst. fr. Afr. noire 15 (4): 1447. Type: Mauritanien: Gabou. Range (in code): TR
- 73297. *Catapsephis apicipuncta* Hampson, 1898** (Pyralidae) Synonym(s): *apicipuncta* Hampson, 1898 _ Original Reference: Catapsephis apicipuncta Hampson, 1898, Proc. zool. Soc. London 1898: 612-613, fig. 11. Type: Papua New Guinea: Fergusson Is. (coll. Rothschild). Range (in code): PG Fg
- 73298. *Catastia kistrandella* Opheim, 1963** (Pyralidae) Synonym(s): *kistrandella* Opheim, 1963 _ Range (in code): NO SE FI RU MD UA BY
- 73299. *Catastia marginea* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *marginea* [Denis & Schiffermüller], 1775; *atrella* Fabricius, 1793; *auriciliella* Hübner, [1813]; *antiopella* Zincken, 1818; *auricella* Zetterstedt, 1839; *orcusella* Schawerda, 1908; *pindosella* Roesler, 1969 _ Original Reference: Noctua marginea [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 69. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): FR IT GB DE CH AT PL CZ SK HU RO YU B-H BG GR TR Cc AM NO SE FI RU MD UA BY Bionomy: Larva on Alchemilla vulgaris, Potentilla (Rosaceae) (Hannemann, 1964).
- 73300. *Catastia uniformis* (Hampson, 1903)** (Pyralidae) Synonym(s): *uniformis* Hampson, 1903 _ Range (in code): IN
- 73301. *Catharia pyrenaealis* (Duponchel, [1843])** (Pyralidae) Synonym(s): *pyrenaealis* Duponchel, 1843 _ Range (in code): FR IT CH AT CY IL Pa LB TR Bionomy: Larva on Silene rupestris (Caryophyllaceae) (Parenti, 2000).
- 73302. *Catharia simplonialis* (Heydenreich, 1851)** (Pyralidae) Synonym(s): *simplonialis* Heydenreich, 1851 _ Range (in code): FR
- 73303. *Catharylla contiguella* Zeller, 1863** (Pyralidae) Synonym(s): *contiguella* Zeller, 1863 _ Range (in code): US Tx
- 73304. *Catharylla interrupta* Zeller, 1866** (Pyralidae) Synonym(s): *interrupta* Zeller, 1866 _ Range (in code): VE
- 73305. *Cathyalia edidiehlia* Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *edidiehlia* Roesler & Küppers, 1981 _ Range (in code): ID Sum

- 73306. *Cathalia fulvella* Ragonot, 1888** (Pyralidae) Synonym(s): *fulvella* Ragonot, 1888; *erythrina* Hampson, 1896; *rufimarginella* Pagenstecher, 1900; *clitopa* Turner, 1947. Range (in code): **TH LK BN Sbh PG SB IN MY Bor ID Sum Ja Clb SB AU**
- 73307. *Cathalia gisela* Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *gisela* Roesler & Küppers, 1981 Range (in code): **ID Sum**
- 73308. *Cathalia pallicostalis* (Walker, 1863)** (Pyralidae) Synonym(s): *pallicostalis* Walker, 1863 Range (in code): **AU**
- 73309. *Cathalia pallicostella* Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *pallicostella* Roesler & Küppers, 1981 Range (in code): **ID Sum**
- 73310. *Catoptria acutangulella* (Herrich-Schäffer, [1847])** (Pyralidae) Synonym(s): *acutangulellus* Herrich-Schäffer, [1847]; *macedonica* Osthelder, 1951. Range (in code): **FR Si? IT MK AL BG GR**
- 73311. *Catoptria aetnella* (Zerny, 1943)** (Pyralidae) Synonym(s): *aetnella* Zerny, 1943 Range (in code): **Si**
- 73312. *Catoptria algeriensis* (Müller-Rutz, 1931)** (Pyralidae) Synonym(s): *algeriensis* Müller-Rutz, 1931 Range (in code): **MA DZ**
- 73313. *Catoptria amathusia* Bleszynski, 1965** (Pyralidae) Synonym(s): *amathusia* Bleszynski, 1965 Range (in code): **JP**
- 73314. *Catoptria aurora* Bleszynski, 1965** (Pyralidae) Synonym(s): *aurora* Bleszynski, 1965 Range (in code): **RU Am**
- 73315. *Catoptria bartella* (Barnes & McDunnough, 1918)** (Pyralidae) Synonym(s): *bartella* Barnes & McDunnough, 1918 Range (in code): **US Cf**
- 73316. *Catoptria biformella* (Rebel, 1893)** (Pyralidae) Synonym(s): *biformellus* Rebel, 1893 Original Reference: *Crambus biformellus* Rebel, 1893, Stettin ent. Ztg. 54 (1/3): 37-39. Syntypes ♂♀: Transcaucasia: Somlya (NHMW). Range (in code): **AL BG Rıl GR Cc GG**
- 73317. *Catoptria bolivari* (Agenjo, 1947)** (Pyralidae) Synonym(s): *bolivari* Agenjo, 1947 Range (in code): **ES Py FR**
- 73318. *Catoptria brachyrhabda* (Hampson, 1906)** (Pyralidae) Synonym(s): *brachyrhabda* Hampson, 1906 Range (in code): **SI**
- 73319. *Catoptria caucasica* (Alpheraky, 1878)** (Pyralidae) Synonym(s): *caucasica* Alpheraky, 1878 Original Reference: *Crambus caucasica* Alpheraky, 1878, Horae Soc. ent. ross. 10: 27. Range (in code): **Cc RU**
- 73320. *Catoptria ciliciella* (Rebel, 1893)** (Pyralidae) Synonym(s): *ciliciellus* Rebel, 1893; *#siliciellus* Ganev, 1996. Original Reference: *Crambus ciliciellus* Rebel, 1893, Stettin ent. Ztg. 54 (1/3): 39-41. Syntypes ♂♀: [Türkei]: "Cilicia (Gülek)"; Lectotype ♂ "Gülek", designated by Bleszynski, 1965: 300 (NHMW). Range (in code): **BG Cc TR**
- 73321. *Catoptria colchicella* (Lederer, 1870)** (Pyralidae) Synonym(s): *colchicellus* Lederer, 1870 Original Reference: *Crambus colchicellus* Lederer, 1870, Annls Soc ent. Belg. 13: 52, Taf. 2 fig. 9. Type ♀: [Georgien]: Achalziche. Range (in code): **TR Cc GG Akh Smt**
- 73322. *Catoptria combinella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *combinella* [Denis & Schiffermüller], 1775; *simplonellus* Duponchel, 1836. Original Reference: *Tinea combinella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 319. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT**
- 73323. *Catoptria conchella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *conchella* [Denis & Schiffermüller], 1775; *stentziellus* Treitschke, 1835. Original Reference: *Tinea conchella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district. Range (in code): **FR IT DE CH AT RO EE RU MD UA BY**
- 73324. *Catoptria confusella* (Staudinger, 1881)** (Pyralidae) Synonym(s): *confusellus* Staudinger, 1881 Original Reference: *Crambus confusellus* Staudinger, 1881, Horae Soc. ent. ross. 16: 82. Lectotype ♂: Böhmen: Prag (Bleszynski, 1965: 304). Range (in code): **ES AT CZ SK HU RO YU AL MK BG GR TR SY**
- 73325. *Catoptria corsicella* (Duponchel, 1836)** (Pyralidae) Synonym(s): *corsicellus* Duponchel, 1836 Range (in code): **Co Sa**
- 73326. *Catoptria dagestanica* Bleszynski, 1965** (Pyralidae) Synonym(s): *dagestanica* Bleszynski, 1965 Range (in code): **RU Da Cc**
- 73327. *Catoptria digitella* (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *digitellus* Herrich-Schäffer, [1849]; *petrosellus* Joannis, 1915; *hospitali* Agenjo, 1952 Range (in code): **ES FR AT?**

- 73328. *Catoptria dimorphella* (Staudinger,1881)** (Pyralidae) **Synonym(s):** *dimorphellus* Staudinger,1881; *haywardi* Rebel,1939; *aetnella* Zerny,1943; *wolffi* Ganév & Hacker,1984 **Original Reference:** *Crambus dimorphellus* Staudinger,1881, *Horae Soc. ent. ross.* 16: 81. **Lectotype** ♀: [Türkei]: Amasia (Bleszynski,1965: 282). **Range (in code): ES Si GR Cr TR CY LB Bei**
- 73329. *Catoptria domaviella* (Rebel,1904)** (Pyralidae) **Synonym(s):** *domaviellus* Rebel,1904 **Range (in code): B-H BG Ril AL**
- 73330. *Catoptria europaeica* Bleszynski,1965** (Pyralidae) **Synonym(s):** *europaeica* Bleszynski,1965 **Range (in code): FR IT**
- 73331. *Catoptria falsella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956. **Original Reference:** *Tinea falsella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 134. **Type(s):** [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CN Yu Ats** **Bionomy:** Larva on *Barbula muralis* (Bryaceae) (Parenti,2000).
- 73332. *Catoptria falsella falsella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *falsella* [Denis & Schiffermüller],1775; *abruptella* Thunberg,1794; *persephone* Bleszynski,1956. **Original Reference:** *Tinea falsella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 134. **Type(s):** [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code): PT ES FR Co Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY CN Yu Ats**
- 73333. *Catoptria falsella neutrella* (Turati,1911)** (Pyralidae) **Synonym(s):** *neutrella* Turati,1911 **Range (in code): Si**
- 73334. *Catoptria fenestratella* (Caradja,1928)** (Pyralidae) **Synonym(s):** *fenestratella* Caradja,1928 **Range (in code): RU At**
- 73335. *Catoptria fibigeri* Ganév,1987** (Pyralidae) **Synonym(s):** *fibigeri* Ganév,1987 **Range (in code): GR**
- 73336. *Catoptria fulgidella* (Hübner,[1813])** (Pyralidae) **Synonym(s):** *fulgidella* Hübner,[1813] **Range (in code): DZ Lbs Eba PT ES Snv An FR IT BE NL DE CH? AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU Ur Sr** **Bionomy:** Larva on *Festuca* (Poaceae), *Carex arenaria* (Cyperaceae), *Antennaria* (Asteraceae) (Parenti,2000).
- 73337. *Catoptria furcatella* (Zetterstedt,1839)** (Pyralidae) **Synonym(s):** *furcatellus* Zetterstedt,1839; *radiolellus* Herrich-Schäffer,[1848]; *lapponicellus* Duponchel,1844. **Range (in code): FR IT GB CH AT PL SK NO SE FI RU MD UA BY**
- 73338. *Catoptria furciferalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *furciferalis* Hampson,1900 **Range (in code): RU Prj Us Am CN Mc Jn Sz Ti Btn**
- 73339. *Catoptria gozmanyi* Bleszynski,1956** (Pyralidae) **Synonym(s):** *gozmanyi* Bleszynski,1956 **Range (in code): IT RO YU BG GR**
- 73340. *Catoptria harutai* Okano,1958** (Pyralidae) **Synonym(s):** *harutai* Okano,1958 **Range (in code): JP**
- 73341. *Catoptria hilarella* (Caradja,1925)** (Pyralidae) **Synonym(s):** *hilarellus* Caradja,1925 **Original Reference:** *Crambus hilarellus* Caradja,1925, *Dt. ent. Z., Iris* 39: 142. **Lectotype** ♂: [Türkei]: Zeitun [Süleymanli] (Bleszynski,1965: 282). **Range (in code): TR**
- 73342. *Catoptria hokusaii* Bleszynski,1965** (Pyralidae) **Synonym(s):** *hokusaii* Bleszynski,1965 **Range (in code): JP Hkk**
- 73343. *Catoptria hyalodiscella* (Caradja,1927)** (Pyralidae) **Synonym(s):** *hyalodiscella* Caradja,1927 **Range (in code): CN Sz**
- 73344. *Catoptria incertella* (Herrich-Schäffer,[1852])** (Pyralidae) **Synonym(s):** *incertellus* Herrich-Schäffer,[1852] **Original Reference:** [*Crambus*] *incertellus* Herrich-Schäffer,[1852], *Syst. Bearb. Schmett. Eur.* 4: Taf.23 fig.165; [1853], *ibid.* 6: 144. **Type** ♂: Armenien. **Range (in code): TR Cc GG Bjo AM MK IR Elb Mz**
- 73345. *Catoptria inouella* Bleszynski,1965** (Pyralidae) **Synonym(s):** *inouella* Bleszynski,1965 **Range (in code): JP**
- 73346. *Catoptria intermediella* (Müller-Rutz,1920)** (Pyralidae) **Synonym(s):** *intermediellus* Müller-Rutz,1920 **Range (in code): FR IT**
- 73347. *Catoptria kasyi* Bleszynski,1960** (Pyralidae) **Synonym(s):** *kasyi* Bleszynski,1960 **Range (in code): MK AL**

- 73348. *Catoptria laevigatella* (Lederer,1870)** (Pyralidae) Synonym(s): *laevigatellus* Lederer,1870; *semicanella* Fuchs,1903. Original Reference: Crambus laevigatellus Lederer,1870, Annls Soc. ent. Belg. 13: 52, Taf.2 fig.10 Lectotype ♂: [Georgien]: Achalziche (Bleszynski,1965: 299). Range (in code): **Cc GG Smt Akh TR BG LB Bei Da**
- 73349. *Catoptria languidella* (Zeller,1863)** (Pyralidae) Synonym(s): *languidellus* Zeller,1863 Range (in code): **IT CH AT YU AL BG GR Cc AM RU Mnu Kj KG DsA**
- 73350. *Catoptria latiradiella* (Walker,1863)** (Pyralidae) Synonym(s): *latiradiella* Walker,1863 Range (in code): **US CA**
- 73351. *Catoptria lithargyrella* (Hübner,1796)** (Pyralidae) Synonym(s): *lithargyrella* Hübner,1796 Original Reference: Tinea lithargyrella Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.33 fig.227. Type(s): Europa. Range (in code): **ES FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IR DK NO SE FI EE LV LT RU Ur Tt IR Mnu Kj Cc GG AM KK CN Ui**
- 73352. *Catoptria lolotiella* (Caradja,1927)** (Pyralidae) Synonym(s): *lolotiella* Caradja,1927 Range (in code): **CN Sz**
- 73353. *Catoptria luctiferella* (Hübner,[1813])** (Pyralidae) Synonym(s): *luctiferella* Hübner,[1813]; *luctiferalis* Hübner,[1825]; *luctuella* Herrich-Schäffer,[1855]. Range (in code): **FR IT DE CH AT RO BG**
- 73354. *Catoptria maculalis* (Zetterstedt,1839)** (Pyralidae) Synonym(s): *maculalis* Zetterstedt,1839; *cacuminellus* Zeller,1850. Range (in code): **IT DE CH AT CZ SK DK NO SE FI EE RU**
- 73355. *Catoptria majorella* (Drenowski,1925)** (Pyralidae) Synonym(s): *majorellus* Drenowski,1925 Range (in code): **BG**
- 73356. *Catoptria margaritella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *margaritella* [Denis & Schiffermüller],1775; *montanicella* Bleszynski,1948 Original Reference: Tinea margaritella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district. Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Tt Ur MD UA BY** Bionomy: Larva on Bryaceae (Parenti,2000).
- 73357. *Catoptria mediofasciella* (Zerny,1914)** (Pyralidae) Synonym(s): *mediofasciella* Zerny,1914 Original Reference: Crambus mediofasciellus Zerny,1914, Annln naturh. Mus. Wien 28: 297-298, Taf.xxv fig.3. Type ♂: Armenien (13. Juli, ex coll. Hansen). Range (in code): **Cc AM**
- 73358. *Catoptria mienshani* Bleszynski,1965** (Pyralidae) Synonym(s): *mienshani* Bleszynski,1965 Range (in code): **CN She Shs Gn Ti Btn**
- 73359. *Catoptria montivaga* (Inoue,1955)** (Pyralidae) Synonym(s): *montivaga* Inoue,1955 Range (in code): **JP**
- 73360. *Catoptria munroella* Bleszynski,1965** (Pyralidae) Synonym(s): *munroella* Bleszynski,1965 Range (in code): **JP**
- 73361. *Catoptria myella* (Hübner,1796)** (Pyralidae) Synonym(s): *myella* Hübner,1796; *epimyellus* Joannis,1935; *mellinella* De Lattin,1951. Original Reference: Tinea myella Hübner,1796, Samml. eur. Schmett. Tineae: 25, Taf.6 fig.37. Type(s): [Germany]: Augsburg. Range (in code): **FR IT LU DE CH AT SK RO YU BG GR**
- 73362. *Catoptria mytilella* (Hübner,[1805])** (Pyralidae) Synonym(s): *mytilella* Hübner,[1805]; *vilarrubiae* Agenjo,1954. Original Reference: Tinea mytilella Hübner,[1805], Samml. eur. Schmett. 8, Tineae: Tab.42 fig.287. Type(s): Europa. Range (in code): **ES FR Si IT BE LU DE CH AT PL CZ SK HU RO YU AL RU Sb BG GR CY TR Cc AM**
- 73363. *Catoptria mytilella hermes* Ganey,1987** (Pyralidae) Synonym(s): *hermes* Ganey,1987 Range (in code): **BG GR**
- 73364. *Catoptria nana* Okano,1959** (Pyralidae) Synonym(s): *nana* Okano,1959 Range (in code): **JP**
- 73365. *Catoptria olympica* Ganey,1983** (Pyralidae) Synonym(s): *olympica* Ganey,1983 Range (in code): **BG GR**
- 73366. *Catoptria oregonica* (Grote,1880)** (Pyralidae) Synonym(s): *oregonica* Grote,1880 Range (in code): **CA BCo**
- 73367. *Catoptria orientella* (Herrich-Schäffer,[1850])** (Pyralidae) Synonym(s): *orientellus* Herrich-Schäffer,[1850] Original Reference: [Crambus] orientellus Herrich-Schäffer,[1850], Schmett. Eur. 5: Taf.25 fig.175. Range (in code): **RO**
- 73368. *Catoptria orobiella* Huemer & Tarmann,1994** (Pyralidae) Synonym(s): *orobiella* Huemer & Tarmann,1994 Range (in code): **IT**

- 73369. *Catoptria osthelderi* (Lattin,1950)** (Pyralidae) Synonym(s): *osthelderi* Lattin,1950
Range (in code): **IT GB BE NL DE AT PL CZ SK HU RO YU BG RI DK SE**
- 73370. *Catoptria pandora* Bleszynski,1965** (Pyralidae) Synonym(s): *pandora* Bleszynski,1965
Range (in code): **CN Yu**
- 73371. *Catoptria pauperella* (Treitschke,1832)** (Pyralidae) Synonym(s): *pauperellus* Treitschke,1832
Range (in code): **SK RO YU AL**
- 73372. *Catoptria permiaca* (Petersen,1924)** (Pyralidae) Synonym(s): *permiacus* Petersen,1924; *antipinellus* Inoue,1955.
Range (in code): **FI EE LV LT RU Ur Am Prj Us BY CN Mc Jn Sz T-T KP KR JP**
- 73373. *Catoptria permutatella* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer,[1848]; *hercyniae* Heinemann,1854; *uralensis* Petersen,1924.
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Ur**
Bionomy: Larva on Bryaceae (Parenti,2000).
- 73374. *Catoptria permutatella kaisilai* (De Lattin,1951)** (Pyralidae) Synonym(s): *kaisilai* De Lattin,1951
Range (in code): **FI EE LV LT**
- 73375. *Catoptria permutatella permutatella* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *permutatellus* Herrich-Schäffer,[1848]; *hercyniae* Heinemann,1854; *uralensis* Petersen,1924.
Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE RU Ur**
- 73376. *Catoptria petrificella* (Hübner,1796)** (Pyralidae) Synonym(s): *petrificella* Hübner,1796; *coulonellus* Duponchel,1836; *taeniellus* Zeller,1839.
Range (in code): **ES Py FR IT DE CH AT CZ SK RO BG**
- 73377. *Catoptria pfeifferi* (Osthelder,1938)** (Pyralidae) Synonym(s): *pfeifferi* Osthelder,1938
Original Reference: Crambus pfeifferi Osthelder,1938, Mitt. münch. ent. Ges. 28: 18-20, Abb. Syntypes: [Iran]: Persien: Hecercal (2800-3200m), Särdaab-Tal (1000-3500m).
Range (in code): **IR Elb Th Mz Kdv Plr**
- 73378. *Catoptria pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
Original Reference: Phalaena pinella Linnaeus,1758, Syst. Nat. (Edn.10)1: 539. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 223).
Range (in code): **MA DZ TN PT ES C-M Cue FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB IR Gls DK NO SE FI EE LV LT RU Tt Ur Kj Mnu Ir Irk Vv Ask Sh MD UA BY JP Hkk KG Tk Dj**
Bionomy: Larva on Deschampsia (Poaceae), Carex (Cyperaceae), Eriophorum vaginatum (Bryaceae) (Parenti,2000).
- 73379. *Catoptria pinella albarracinella* (Agenjo,1954)** (Pyralidae) Synonym(s): *albarracinella* Agenjo,1954
Range (in code): **PT ES**
- 73380. *Catoptria pinella algeriella* (Lucas,1932)** (Pyralidae) Synonym(s): *algeriella* Lucas,1932
Range (in code): **DZ MA**
- 73381. *Catoptria pinella pinella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pinella* Linnaeus,1758; *virginella* Scopoli,1763.
Original Reference: Phalaena pinella Linnaeus,1758, Syst. Nat. (Edn.10)1: 539. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 223).
Range (in code): **PT ES C-M Cue FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB IR DK NO SE FI EE LV LT RU Tt Ur Kj Mnu Ir Irk Vv Ask Sh MD UA BY JP Hkk KG Tk Dj**
- 73382. *Catoptria pinella siciliella* Bleszynski,1965** (Pyralidae) Synonym(s): *siciliella* Bleszynski,1965
Range (in code): **Si**
- 73383. *Catoptria pinella telekiella* (Schmidt,1930)** (Pyralidae) Synonym(s): *telekiella* Schmidt,1930
Range (in code): **TN**
- 73384. *Catoptria profluxella* (Christoph,1887)** (Pyralidae) Synonym(s): *profluxella* Christoph,1887; *pseudociliella* Bleszynski,1957.
Range (in code): **Cc GG RU**
- 73385. *Catoptria pyramidella* (Treitschke,1832)** (Pyralidae) Synonym(s): *pyramidellus* Treitschke,1832; *cuneellus* Treitschke,1835; *adamantellus* Guenée,1845.
Range (in code): **FR IT DE CH AT BG**
- 73386. *Catoptria radiella* (Hübner,[1813])** (Pyralidae) Synonym(s): *radiella* Hübner,[1813]; *tristrigellus* Ragonot,1875; *radialis* Hübner,[1825]; *tatricella* Bleszynski,1955; *mouterdella* Marion,1962.
Range (in code): **ES FR IT CH AT CZ SK RO BG**
- 73387. *Catoptria satakei* (Okano,1962)** (Pyralidae) Synonym(s): *satakei* Okano,1962
Range (in code):
- 73388. *Catoptria spatulella* (Turati,1919)** (Pyralidae) Synonym(s): *spatulellus* Turati,1919
Range (in code): **IT**
- 73389. *Catoptria spatulelloides* Bleszynski,1965** (Pyralidae) Synonym(s): *spatulelloides* Bleszynski,1965
Range (in code): **IT**

- 73390. *Catoptria specularis* (Hübner,[1825])** (Pyralidae) Synonym(s): *specularis* Hübner,[1825]; *catoptrellus* Zeller,1863. Range (in code): FR Py IT DE CH AT YU RO
- 73391. *Catoptria spodiella* (Rebel,1916)** (Pyralidae) Synonym(s): *spodiella* Rebel,1916; *plumbellus* Caradja,1933. Range (in code): RU Sj Am Ir Irk
- 73392. *Catoptria staudingeri* (Zeller,1863)** (Pyralidae) Synonym(s): *staudingeri* Zeller,1863; *cuneolellus* Chrétien,1898. Range (in code): PT ES Py An Grn FR Si
- 73393. *Catoptria submontivaga* Bleszynski,1965** (Pyralidae) Synonym(s): *submontivaga* Bleszynski,1965 Range (in code): JP Hkk
- 73394. *Catoptria tibetica* Bleszynski,1965** (Pyralidae) Synonym(s): *tibetica* Bleszynski,1965 Range (in code): CN Sz T-T
- 73395. *Catoptria trichostoma* (Christoph,1858)** (Pyralidae) Synonym(s): *trichostomus* Christoph,1858 Range (in code): RU CA Lbr
- 73396. *Catoptria verella* (Zincken,1817)** (Pyralidae) Synonym(s): *verellus* Zincken,1817; *radiolana* Eversmann,1844. Original Reference: Chilo verellus Zincken,1817, Germar's Mag. Ent. 2: 81. Type(s): Deutschland: Braunschweig. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK SE LV LT RU Tt Am Bionomy: Larva on Bryaceae (Parenti,2000).
- 73397. *Catoptria viridiana* Bleszynski,1965** (Pyralidae) Synonym(s): *viridiana* Bleszynski,1965 Range (in code): JP
- 73398. *Catoptria witimella* Bleszynski,1965** (Pyralidae) Synonym(s): *witimella* Bleszynski,1965 Range (in code): RU Sb
- 73399. *Catoptria xerxes* (Sauber,1904)** (Pyralidae) Synonym(s): *xerxes* Sauber,1904 Original Reference: Crambus xerxes Sauber,1904, Verh. Ver. naturw. Unterh. Hamburg 12: 108. Lectotype ♂: [China: Uighur A.R.]: "Korla", leg. R.Tancré, 18.iii.1903 (LNK). Range (in code): CN Ui Kl Ku Ju
- 73400. *Catoptria zermattensis* (Frey,1870)** (Pyralidae) Synonym(s): *zermattensis* Frey,1870; *muellerrutzi* Wehrli,1924. Range (in code): FR IT CH
- 73401. *Caustella phoenicias* Hampson,1930** (Pyralidae) Synonym(s): *phoenicias* Hampson,1930 Range (in code): ZA
- 73402. *Cavipalpia argenticlavella* (Hampson,1901)** (Pyralidae) Synonym(s): *argenticlavella* Hampson,1901; *hemicallista* Lower,1902 Range (in code): AU
- 73403. *Cavipalpia translucidella* Ragonot,1893** (Pyralidae) Synonym(s): *translucidella* Ragonot,1893 Range (in code): IN PK Hyd Sd SI MY ID Sum Ja PH Luz
- 73404. *Centropseustis astrapora* Meyrick,1890** (Pyralidae) Synonym(s): *astrapora* Meyrick,1890 Range (in code): AU
- 73405. *Ceratarcha umbrosa* Swinhoe,1894** (Pyralidae) Synonym(s): *umbrosa* Swinhoe,1894 Range (in code): IN TW JP
- 73406. *Ceratotalama argosema* Meyrick,1932** (Pyralidae) Synonym(s): Range (in code): WS FJ
- 73407. *Cereophaqus futilalis* Dyar,1922** (Pyralidae) Synonym(s): *futilalis* Dyar,1922 Range (in code): AR
- 73408. *Ceroprepes atribasilaris* Du, Song & Yang,2005** (Pyralidae) Synonym(s): *atribasilaris* Du, Song & Yang,2005 Range (in code): CN
- 73409. *Ceroprepes fartakensis* (Rebel,1903)** (Pyralidae) Synonym(s): *fartakensis* Rebel,1903 Range (in code): SA
- 73410. *Ceroprepes jilongensis* Du, Song & Yang,2005** (Pyralidae) Synonym(s): *jilongensis* Du, Song & Yang,2005 Range (in code): CN
- 73411. *Ceroprepes lunata* Du, Song & Yang,2005** (Pyralidae) Synonym(s): *lunata* Du, Song & Yang,2005 Range (in code): CN
- 73412. *Ceroprepes naga* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *naga* Roesler & Küppers,1979 Range (in code): ID Sum IN TH Bionomy: Larva on Manilkara zapota [sapodilla] (Sapotaceae) (Robinson et al.,1994).
- 73413. *Ceroprepes ophthalmicella* (Christoph,1881)** (Pyralidae) Synonym(s): *ophthalmicella* Christoph,1881 Range (in code): RU Us KP KR CN JP TW PK Haz Mre
- 73414. *Ceroprepes patriciella* Zeller,1867** (Pyralidae) Synonym(s): *patriciella* Zeller,1867 Range (in code): IN Dj JP SI Pj Ch Sml Hp Ass Meg Khs LK ID Sum
- 73415. *Ceroprepes proximalis* Walker** (Pyralidae) Synonym(s): Range (in code): TH IN LK MY Sbh Bor Swk Clb ID

- 73416. Ceroprepes walterzeissi Roesler,1983** (Pyrilidae) **Synonym(s):** *walterzeissi* Roesler,1983
Range (in code): **ID Sum**
- 73417. Ceuthelea umtalensis Balinsky,1994** (Pyrilidae) **Synonym(s):** *umtalensis* Balinsky,1994
Range (in code): **ZW Uma**
- 73418. Ceuthelea umtalensis umtalensis Balinsky,1994** (Pyrilidae) **Synonym(s):** *umtalensis* Balinsky,1994
Range (in code): **ZW Uma**
- 73419. Ceuthobotys penai Munroe,1978** (Pyrilidae) **Synonym(s):** *penai* Munroe,1978
Range (in code): **PE**
- 73420. Ceutholopha isidis (Zeller,1867)** (Pyrilidae) **Synonym(s):** *isidis* Zeller,1867; *gilvibasella* Ragonot,1888; *aequalisella* Lucas,1948; *parallellineata* Lucas,1950. **Original Reference:** *Nephoptyx* (Ceutholopha) *isidis* Zeller,1867, Stettin ent. Ztg. 28 (10/12): 375-376. Type ♂: Aegypten: Manfalut. **Range (in code):** **TN DZ Bsk Cst Ajj MT MA Co EG LY Cy CY AF PK Krc Sd Swa Kkar IN LK IR Ss Irs Ana Ke AE NA ZA** **Bionomy:** Larva on *Acacia farnesiana*, *A.tortilis*, *Rhus oxyacantha* (Chrétien,1917).
- 73421. Ceutholopha petalocosma (Meyrick,1882)** (Pyrilidae) **Synonym(s):** *petalocosma* Meyrick,1882; *atimeta* Meyrick,1882; *sophronica* Turner,1904
Range (in code): **AU**
- 73422. Chabula acamasalis (Walker,1859)** (Pyrilidae) **Synonym(s):** *acamasalis* Walker,1859; *perspicualis* Walker,[1866]; *flexissimalis* Walker,[1866]; *strangulalis* Snellen,1880.
Range (in code): **AU**
- 73423. Chalcidoptera emissalis (Walker,[1866])** (Pyrilidae) **Synonym(s):** *emissalis* Walker,[1866]; *crinipes* R.Felder & Rogenhofer,1875; *rubra* Butler,1887; *pyrrhocosma* Meyrick,1894
Range (in code): **PH Luz LK IN Bor Ja Amb Aru SB ID AU**
- 73424. Chalcidoptera thermographa Hampson,1912** (Pyrilidae) **Synonym(s):** *rufilinealis* Hampson,1910; *thermographa* Hampson,1912
Range (in code): **ZA**
- 73425. Chalcoela iphitalis (Walker,1859)** (Pyrilidae) **Synonym(s):** *iphitalis* Walker,1859; *aurifera* Zeller,1872
Range (in code): **US Tx**
- 73426. Chalcoela pegasalis (Walker,[1866])** (Pyrilidae) **Synonym(s):** *pegasalis* Walker,[1866]; *principalis* Walker,[1866]; *egressalis* Walker,[1866]; *robinsonii* Grote,1871; *discedalis* Möschler,1890
Range (in code): **JM US PR**
- 73427. Charltona actinialis Hampson,1919** (Pyrilidae) **Synonym(s):** *actinialis* Hampson,1919
Range (in code): **NG**
- 73428. Charltona albimixtalis Hampson,1919** (Pyrilidae) **Synonym(s):** *albimixtalis* Hampson,1919; *villiersi* Marion,1957.
Range (in code): **GM NG**
- 73429. Charltona argyrastis Hampson,1919** (Pyrilidae) **Synonym(s):** *argyrastis* Hampson,1919
Range (in code): **KE**
- 73430. Charltona atrifascialis Hampson,1919** (Pyrilidae) **Synonym(s):** *atrifascialis* Hampson,1919
Range (in code):
- 73431. Charltona bivittellus (Moore,1872)** (Pyrilidae) **Synonym(s):** *bivittellus* Moore,1872
Range (in code): **IN Mh Bba**
- 73432. Charltona cervinellus (Moore,1872)** (Pyrilidae) **Synonym(s):** *cervinellus* Moore,1872; *interruptellus* Moore,1872
Range (in code): **IN Bba Mh Mhw Poo NI**
- 73433. Charltona chrysopasta Hampson,1910** (Pyrilidae) **Synonym(s):** *chrysopasta* Hampson,1910
Range (in code): **ZW**
- 73434. Charltona chrysopasta chrysopasta Hampson,1910** (Pyrilidae) **Synonym(s):** *chrysopasta* Hampson,1910
Range (in code): **ZW**
- 73435. Charltona consociellus (Walker,1863)** (Pyrilidae) **Synonym(s):** *consociellus* Walker,1863
Range (in code): **IN Clc**
- 73436. Charltona cramboides (Walker,1864)** (Pyrilidae) **Synonym(s):** *cramboides* Walker,1864
Range (in code): **IN**
- 73437. Charltona desistalis (Walker,1863)** (Pyrilidae) **Synonym(s):** *desistalis* Walker,1863
Range (in code): **LK IN**
- 73438. Charltona diatraeella (Hampson,1896)** (Pyrilidae) **Synonym(s):** *diatraeella* Hampson,1896
Original Reference: *Platytes diatraeella* Hampson,1896, Fauna Br. India (Moths) 4: 20. Syntypes: India: Khasis. **Range (in code):** **IN Ass Meg Khs**
- 73439. Charltona endothermalis Hampson,1919** (Pyrilidae) **Synonym(s):** *endothermalis* Hampson,1919
Range (in code): **IN**
- 73440. Charltona fusca Hampson,1903** (Pyrilidae) **Synonym(s):** *fusca* Hampson,1903
Range (in code): **IN LK**

- 73441. *Charltona inconspicuellus* (Moore,1872)** (Pyralidae) Synonym(s): *inconspicuellus* Moore,1872 _ Range (in code): IN Mh Bba
- 73442. *Charltona interstitialis* Hampson,1919** (Pyralidae) Synonym(s): *interstitialis* Hampson,1919 _ Range (in code): NG
- 73443. *Charltona kala* Swinhoe,1885** (Pyralidae) Synonym(s): *kala Swinhoe,1885* _ Range (in code): IN Mhw LK
- 73444. *Charltona laminata* Hampson,1895** (Pyralidae) Synonym(s): *laminata Hampson,1895* _ Range (in code): MM IN
- 73445. *Charltona ortellus* (Swinhoe,1886)** (Pyralidae) Synonym(s): *ortellus Swinhoe,1886* _ Range (in code): IN Sml Hp SI Mhw
- 73446. *Charltona plurivittalis* Hampson,1910** (Pyralidae) Synonym(s): *plurivittalis Hampson,1910* _ Range (in code): ZR ZA
- 73447. *Charltona rufalis* Hampson,1919** (Pyralidae) Synonym(s): *rufalis Hampson,1919* _ Range (in code): IN
- 73448. *Charltona synaula* Meyrick,1933** (Pyralidae) Synonym(s): *synaula Meyrick,1933* _ Range (in code): ZR
- 73449. *Charltona trichialis* (Hampson,1903)** (Pyralidae) Synonym(s): *trichialis Hampson,1903* _ Range (in code): IN
- 73450. *Charltona tritonella* (Hampson,1898)** (Pyralidae) Synonym(s): *tritonella Hampson,1898* _ Range (in code): ZA
- 73451. *Charltona tritonella tritonella* (Hampson,1898)** (Pyralidae) Synonym(s): *tritonella Hampson,1898* _ Range (in code): ZA
- 73452. *Charltona villiersi* Marion,1957** (Pyralidae) Synonym(s): *villiersi Marion,1957* _ Range (in code):
- 73453. *Charltoniada acrocapna* (Turner,1911)** (Pyralidae) Synonym(s): *acrocapna Turner,1911; difficilis Strand,1919; apicenotatus Hampson,1919; decorata De Joannis,1930* _ Range (in code): AU NAu Dwn TW VN Ton
- 73454. *Charltoniada apicella* (Hampson,1896)** (Pyralidae) Synonym(s): *apicella Hampson,1896; decorata De Joannis,1930* _ Range (in code): IN Meg Khs LK Ass VN Ton
- 73455. *Chilo agamemnon Bleszynski,1962*** (Pyralidae) Synonym(s): *agamemnon Bleszynski,1962* Original Reference: *Chilo agamemnon Bleszynski,1962, Acta zool. Cracov. 7: 119, figs. Holotype ♂: Aegypten.* _ Range (in code): ES EG EG11 IL Pa SD UG
- 73456. *Chilo albimarginalis* Hampson,1919** (Pyralidae) Synonym(s): *albimarginalis Hampson,1919* _ Range (in code): PE
- 73457. *Chilo aleniellus* (Strand,1913)** (Pyralidae) Synonym(s): *aleniella Strand,1913* _ Range (in code): UG NG GO Bio ZR CM
- 73458. *Chilo alfoldellus* Schaus,1922** (Pyralidae) Synonym(s): *alfoldellus Schaus,1922* _ Range (in code): BR
- 73459. *Chilo aracalis* Schaus,1934** (Pyralidae) Synonym(s): *aracalis Schaus,1934* _ Range (in code): BR
- 73460. *Chilo argentosus* Snellen,1893** (Pyralidae) Synonym(s): *argentosus Snellen,1893* _ Range (in code): AR
- 73461. *Chilo argyrolepius* (Hampson,1919)** (Pyralidae) Synonym(s): *argyrolepis Hampson,1919* _ Range (in code): TZ
- 73462. *Chilo argyropasta* Hampson,1919** (Pyralidae) Synonym(s): *argyropasta Hampson,1919; argentisparsalis Hampson,1919* _ Range (in code): ZA Nta Kzu Ec
- 73463. *Chilo argyropasta argyropasta* Hampson,1919** (Pyralidae) Synonym(s): *argyropasta Hampson,1919; argentisparsalis Hampson,1919* _ Range (in code): ZA Ec
- 73464. *Chilo argyropasta fuscata* (Janse,1922)** (Pyralidae) Synonym(s): *fuscata Janse,1922; pallidifascia Janse,1922* _ Range (in code): ZA Nta Kzu
- 73465. *Chilo argyrostolus* Hampson,1919** (Pyralidae) Synonym(s): *argyrostola Hampson,1919* _ Range (in code): VE
- 73466. *Chilo auricilius* Dudgeon,1905** (Pyralidae) Synonym(s): *auricilius Dudgeon,1905* Original Reference: *Chilo auricilia Dudgeon,1905, J. Bombay nat. Hist. Soc. 16 (3): 405. Type: India, N.Bihar, Burogah.* _ Range (in code): IN SI Djl Ass Meg BT LK ID Clb MY Bor Mlc
- 73467. *Chilo bandra* (Kapur,1950)** (Pyralidae) Synonym(s): *bandra Kapur,1950* _ Range (in code): IN Bba

- 73468. Chilo batri (T.B.Fletcher,1927)** (Pyralidae) **Synonym(s):** *batri* T.B.Fletcher,1927 _ Range (in code): IN Bi
- 73469. Chilo bostralis (Hampson,1919)** (Pyralidae) **Synonym(s):** *bostralis* Hampson,1919 Range (in code): UG
- 73470. Chilo chabilalis Schaus,1934** (Pyralidae) **Synonym(s):** *chabilalis* Schaus,1934 _ Range (in code): BR
- 73471. Chilo chiriquitensis (Zeller,1877)** (Pyralidae) **Synonym(s):** *chiriquitensis* Zeller,1877; *adelphilia* Dyar,1925 _ Range (in code): PA MX GT
- 73472. Chilo christophi Bleszynski,1965** (Pyralidae) **Synonym(s):** *christophi* Bleszynski,1965 Original Reference: Chilo christophi Bleszynski,1965, Microlepidoptera Palaearctica 1: 112, figs. Holotype ♀: [Russia]: Amurgebiet: Baranovka. Range (in code): RU Ur Am Prj Us Cc AZ Nv Ord IR Mz RO CN Ui Ku KK Ik KG Tk Dj Ii JP
- 73473. Chilo cinnamomellus Berg,1875** (Pyralidae) **Synonym(s):** *cinnamomellus* Berg,1875 Range (in code): AR
- 73474. Chilo costifusalis (Hampson,1919)** (Pyralidae) **Synonym(s):** *costifusalis* Hampson,1919 Range (in code): TZ MW ZR AO
- 73475. Chilo crypsimetallus (Turner,1911)** (Pyralidae) **Synonym(s):** *crypsimetalla* Turner,1911; *ochrileucalis* Hampson,1919; *crossostichus* Turner,1922 _ Range (in code): AU NAu QAU
- 73476. Chilo cynedradellus Schaus,1922** (Pyralidae) **Synonym(s):** *cynedradellus* Schaus,1922 Range (in code):
- 73477. Chilo demotellus Walker,1866** (Pyralidae) **Synonym(s):** *demotellus* Walker,1866; *idalis* Fernald,1896; *fernaldalis* Dyar & Heinrich,1927 _ Range (in code): US Ny PI NJ
- 73478. Chilo diffusilineus (De Joannis,1927)** (Pyralidae) **Synonym(s):** *diffusilinea* De Joannis,1927; *phaeosema* Martin,1958 _ Range (in code): MZ ET SD TZ MW ZW GN SN SL NG
- 73479. Chilo diletantellus Dyar,1912** (Pyralidae) **Synonym(s):** *diletantellus* Dyar,1912 _ Range (in code): MX
- 73480. Chilo duomita Dyar,1912** (Pyralidae) **Synonym(s):** *duomita* Dyar,1912 _ Range (in code): MX
- 73481. Chilo fernandalis Dyar & Heinrich,1927** (Pyralidae) **Synonym(s):** *fernandalis* Dyar & Heinrich,1927 _ Range (in code): US Ge
- 73482. Chilo gildasellus Schaus,1924** (Pyralidae) **Synonym(s):** *gildasellus* Schaus,1924 _ Range (in code): AR
- 73483. Chilo heracleus Zeller,1877** (Pyralidae) **Synonym(s):** *heracleus* Zeller,1877 _ Range (in code): BR
- 73484. Chilo hexhex (Dyar,1925)** (Pyralidae) **Synonym(s):** *hexhex* Dyar,1925 _ Range (in code): MX
- 73485. Chilo hyrax Bleszynski,1965** (Pyralidae) **Synonym(s):** *hyrax* Bleszynski,1965 Original Reference: Chilo hyrax Bleszynski,1965, Microlepidoptera Palaearctica 1: 108, figs. Holotype ♂: [Russia]: Ussuri. Range (in code): RU Prj Us KG Sp Mc CN JP
- 73486. Chilo hyrax hyrax Bleszynski,1965** (Pyralidae) **Synonym(s):** *hyrax* Bleszynski,1965 Original Reference: Chilo hyrax Bleszynski,1965, Microlepidoptera Palaearctica 1: 108, figs. Holotype ♂: [Russia]: Ussuri. Range (in code): RU Prj Us KG Sp Mc CN JP
- 73487. Chilo ikri (T.B.Fletcher,1927)** (Pyralidae) **Synonym(s):** *ikri* T.B.Fletcher,1927 _ Range (in code): IN Bi
- 73488. Chilo infuscatellus Snellen,1891** (Pyralidae) **Synonym(s):** *infuscatellus* Snellen,1891; *sticticraspis* Hampson,1919; *coniorta* Hampson,1919; *calamina* Hampson,1919; *shariinensis* Egughi,1933; *tadzhikiellus* Gerasimov,1949. Original Reference: Chilo infuscatellus Snellen,1891, Meded. Proefst. Kagok 1890: 94, Pl.1 figs.5-8. Lectotype ♂: [Indonesia]: Java. Range (in code): AF PK TJ MY IN MM TH KP KR ID Ja Tim VN TW CN RU PH
- 73489. Chilo ingloriellus Möschler,1881** (Pyralidae) **Synonym(s):** *ingloriellus* Möschler,1881 Range (in code): SR
- 73490. Chilo irrectellus Möschler,1881** (Pyralidae) **Synonym(s):** *irrectellus* Möschler,1881 Range (in code): SR
- 73491. Chilo izouensis Okano,1962** (Pyralidae) **Synonym(s):** *izouensis* Okano,1962 _ Range (in code): JP
- 73492. Chilo kanra T.B.Fletcher,1928** (Pyralidae) **Synonym(s):** *kanra* T.B.Fletcher,1928 Range (in code): IN

- 73493. Chilo lativittalis Dognin,1910** (Pyralidae) Synonym(s): *lativittalis Dognin,1910*; *latmiadelis Dognin,1923* _ Range (in code): AR
- 73494. Chilo loftini Dyar,1917** (Pyralidae) Synonym(s): *loftini Dyar,1917* _ Range (in code): US Arz
- 73495. Chilo louisadalis (Hampson,1919)** (Pyralidae) Synonym(s): *louisadalis Hampson,1919* _ Range (in code): PG Ls
- 73496. Chilo luniferalis Hampson,1896** (Pyralidae) Synonym(s): *luniferalis Hampson,1896* _ Range (in code): ET SD CF ZR
- 73497. Chilo luteellus (Motschulsky,1866)** (Pyralidae) Synonym(s): *lutellus Motschulsky,1860 nec [Denis & Schiff.],1775*; *luteellus Motschulsky,1866*; *concolorellus Christoph,1885*; *gensamellus Leech,1889*; *dubia Bethune-Baker,1894*; *boxanus Hering,1903*; *plumbosellus Chrétien,1910*; *molydellus Zerny,1935*; *molybdellus Zerny,1941* _ Original Reference: Schoenobius luteellus Motschulsky,1866, Bull. Moscou 39: 199. Neotype ♀: Japan: Honshu (Bleszynski, 1965: 106). Range (in code): DZ Bsk ES Sa IT HU BG GR Cr RO TR RU TM Kp IR Mz Shh Gh Tgo Cc AZ Len SY EG LB IQ Rwz AF Hr PK Cp CN Stg Ui Ku KP KR JP Hkk Kyu KG Tk Dj Ii KK Ik PH
- 73498. Chilo maculalis Predota,1934** (Pyralidae) Synonym(s): *maculalis Predota,1934* _ Range (in code): DZ
- 73499. Chilo marcellus Schaus,1913** (Pyralidae) Synonym(s): *marcella Schaus,1913* _ Range (in code): CR
- 73500. Chilo matanzalis Schaus,1922** (Pyralidae) Synonym(s): *matanzalis Schaus,1922* _ Range (in code): CU
- 73501. Chilo mercatorius Bleszynski,1970** (Pyralidae) Synonym(s): *mercatorius Bleszynski,1970* _ Range (in code): ZR
- 73502. Chilo mesoplagalis (Hampson,1919)** (Pyralidae) Synonym(s): *mesoplagalis Hampson,1919* _ Range (in code): SL NG UG SD GH
- 73503. Chilo morbidellus Dyar,1913** (Pyralidae) Synonym(s): *morbidellus Dyar,1913* _ Range (in code): GY
- 73504. Chilo opinionellus Dyar,1917** (Pyralidae) Synonym(s): *opinionellus Dyar,1917* _ Range (in code): US Arz
- 73505. Chilo orichalcociliellus (Strand,1911)** (Pyralidae) Synonym(s): *orichalcociliella Strand,1911* _ Range (in code): TZ KE ZA ZR MG
- 73506. Chilo partellus (Swinhoe,1885)** (Pyralidae) Synonym(s): *zonellus Swinhoe,1884 nec Zeller,1847*; *partellus Swinhoe,1885*; *lutulentalis Tams,1932* _ Original Reference: Crambus partellus Swinhoe,1885, Proc. zool. Soc. London 1885: 879. Lectotype ♂: [India]: Poona. Range (in code): UG MW ZA TZ SD SD91 AF PK Sd Krc LK IN Poo Bba BD TH TW IQ KM ID JP
- 73507. Chilo perfusalis (Hampson,1919)** (Pyralidae) Synonym(s): *perfusalis Hampson,1919* _ Range (in code): NG SN SL GH
- 73508. Chilo phaeosemus Martin,1958** (Pyralidae) Synonym(s): *phaeosema Martin,1958* _ Range (in code): ZW
- 73509. Chilo phragmitellus (Hübner,[1810])** (Pyralidae) Synonym(s): *phragmitellus Hübner,[1810]*; *rhombea Haworth,[1811]*. _ Original Reference: Tinea phragmitellus Hübner,[1810], Samml. eur. Schmett., Tineae: Taf.43 figs.297,298. Syntypes: [Europa]. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK DK NO SE FI EE LV RU MD UA BY TR IQ IR Enz CN Ui Stg JP Hkk _ Bionomy: Larva on Glyceria maxima, Phragmites (Poaceae) (Parenti,2000).
- 73510. Chilo plejadellus Zincken,1821** (Pyralidae) Synonym(s): *plejadellus Zincken,1821* _ Range (in code): US Ge Lou Ws Pns CA
- 73511. Chilo powelli Lucas,1943** (Pyralidae) Synonym(s): *powelli Lucas,1943* _ Range (in code): MA
- 73512. Chilo prophylactes Meyrick,1934** (Pyralidae) Synonym(s): *prophylactes Meyrick,1934* _ Range (in code): ZR ZA
- 73513. Chilo psammathis (Hampson,1919)** (Pyralidae) Synonym(s): *psammathis Hampson,1919* _ Range (in code): NG GH
- 73514. Chilo pulveratus (Wileman & South,1917)** (Pyralidae) Synonym(s): *pulverata Wileman & South,1917* _ Range (in code): TW
- 73515. Chilo pulverosellus Ragonot,1895** (Pyralidae) Synonym(s): *pulverosellus Ragonot,1895*; *brevipalpellus Zerny,1914*; *fernandezi Joannis,1932*; *lemarchandellus Lucas,1945*. _ Original Reference: Chilo pulverosellus Ragonot,1895, Bull. Soc. ent. Fr. 1895: xcvi. Type ♀: [Turquie]: Akbes.

- Range (in code): **FR IT BG RU Da Cc TR JO IL Js Jt Pa SY Dms TM UZ Br** Bionomy: Larva on Zea mays (Bodenheimer,1930; Bleszynski,1965).
- 73516. Chilo pulverulentus W.Warren** (Pyralidae) Synonym(s): Range (in code): IN Drm Ass Meg Khs
- 73517. Chilo puritellus Kearfott,1908** (Pyralidae) Synonym(s): *puritellus Kearfott,1908*
Range (in code): **US Arz**
- 73518. Chilo quirimbellus Bleszynski,1970** (Pyralidae) Synonym(s): *quirimbellus Bleszynski,1970*
Range (in code): **AO ZR**
- 73519. Chilo recalvus Wallengren,1876** (Pyralidae) Synonym(s): *recalvus Wallengren,1876*
Range (in code): **ZA Tva Lpo**
- 73520. Chilo recalvus recalvus Wallengren,1876** (Pyralidae) Synonym(s): *recalvus Wallengren,1876* Range (in code): ZA Tva Lpo
- 73521. Chilo saccharicola T.B.Fletcher,1928** (Pyralidae) Synonym(s): *saccharicola T.B.Fletcher,1928* Range (in code): IN
- 73522. Chilo sacchariphagus (Bojer,1873)** (Pyralidae) Synonym(s): *sacchariphagus Bojer,1873*
Range (in code): **IN**
- 73523. Chilo sacchariphagus indicus (Kapur,1950)** (Pyralidae) Synonym(s): *indicus Kapur,1950* Range (in code): IN
- 73524. Chilo semivittalis Dognin,1907** (Pyralidae) Synonym(s): *semivittalis Dognin,1907*
Range (in code): **PE**
- 73525. Chilo simplex (Butler,1880)** (Pyralidae) Synonym(s): *simplex Butler,1880; zonellus Swinhoe,1884; partellus Swinhoe,1885* Range (in code): CN IN TW JP PK Pj Krc Sd
- 73526. Chilo spatiosellus Möschler,1881** (Pyralidae) Synonym(s): *spatiosellus Möschler,1881*
Range (in code): **SR**
- 73527. Chilo subbivittalis (Gaede,1917)** (Pyralidae) Synonym(s): *subbivittalis Gaede,1917*
Range (in code):
- 73528. Chilo suppressalis Walker,1863** (Pyralidae) Synonym(s): *suppressalis Walker,1863; oryzae T.B.Fletcher,1928.* Range (in code): PT ES FR Co IQ Amr IR PK CN Kgs Sz Stg Fkn Kwa KP KR JP Hkk Kyu MY TH IN Pj Ass Clc LK IN TW Hw VN PH AU
- 73529. Chilo surinamellus Möschler,1881** (Pyralidae) Synonym(s): *surinamellus Möschler,1881*
Range (in code): **SR**
- 73530. Chilo tamsi Kapur,1950** (Pyralidae) Synonym(s): *tamsi Kapur,1950* Range (in code): IN
- 73531. Chilo terrenellus Pagenstecher,1900** (Pyralidae) Synonym(s): *terrenellus Pagenstecher,1900* Range (in code): PG Bsm AU
- 73532. Chilo thyrsis Bleszynski,1963** (Pyralidae) Synonym(s): *thyrsis Bleszynski,1963* Range (in code): TZ Dss KE Mb ZR UG ZW
- 73533. Chilo torquatellus De Joannis,1930** (Pyralidae) Synonym(s): *torquatellus De Joannis,1930*
Range (in code): **VN Ton**
- 73534. Chilo tumidicostalis (Hampson,1919)** (Pyralidae) Synonym(s): *tumidicostalis Hampson,1919; gemininotalis Hampson,1919* Range (in code): IN Ass Ben NP TH
- 73535. Chilo venatellus Schaus,1922** (Pyralidae) Synonym(s): *venatella Schaus,1922* Range (in code): BR
- 73536. Chilo vergillus Bleszynski,1970** (Pyralidae) Synonym(s): *vergillus Bleszynski,1970*
Range (in code): **IN**
- 73537. Chilo virgosa Hering,1903** (Pyralidae) Synonym(s): *virgosa Hering,1903* Range (in code): IN Sum
- 73538. Chilo williami (De Joannis,1927)** (Pyralidae) Synonym(s): *williami De Joannis,1927*
Range (in code): **MZ**
- 73539. Chilo xingu Bleszynski,1962** (Pyralidae) Synonym(s): *truncatellus Schaus,1922 nec Zett.,1839; xingu Bleszynski,1962* Range (in code):
- 73540. Chilo zacconius Bleszynski,1970** (Pyralidae) Synonym(s): *zacconius Bleszynski,1970*
Range (in code): **SN ML CI NG**
- 73541. Chilo zoriandellus Bleszynski,1970** (Pyralidae) Synonym(s): *zoriandellus Bleszynski,1970*
Range (in code): **KE**
- 73542. Chilochroma albicostalis (Hampson,1913)** (Pyralidae) Synonym(s): *albicostalis Hampson,1913; govinalis Schaus,1933* Range (in code): BR

- 73543. *Chilochroma interlinealis* (Dyar,1917)** (Pyralidae) Synonym(s): *interlinealis* Dyar,1917; *calamochrella* Amsel,1956 _ Range (in code): GY VE
- 73544. *Chilochroma tucumana* Munroe,1964** (Pyralidae) Synonym(s): *tucumana* Munroe,1964 _ Range (in code): AR
- 73545. *Chilochroma yucatana* Munroe,1964** (Pyralidae) Synonym(s): *yucatana* Munroe,1964 _ Range (in code): MX Yc
- 73546. *Chilocorsia punctinotalis* (Dognin,1905)** (Pyralidae) Synonym(s): *punctinotalis* Dognin,1905 _ Range (in code): EC
- 73547. *Chilomima clarkei* (Amsel,1956)** (Pyralidae) Synonym(s): *clarkei* Amsel,1956 _ Range (in code): VE
- 73548. *Chilopionea postcuneifera* Munroe,1964** (Pyralidae) Synonym(s): *postcuneifera* Munroe,1964 _ Range (in code): PE
- 73549. *Chilotraea auricilius* (Dudgeon,1905)** (Pyralidae) Synonym(s): *auricilius* Dudgeon,1905; *popescugorji* Bleszynski,1963 _ Range (in code): IN Bi Djl Ass NP BT TH LK ID Clb Bor Mlc Sgr TW PH
- 73550. *Chilotraea ceylonicus* (Hampson,1896)** (Pyralidae) Synonym(s): *ceylonica* Hampson,1896; *torquatellus* De Joannis,1930 _ Range (in code): LK CN Hn VN Ton IN
- 73551. *Chilotraea polychrysus* (Meyrick,1932)** (Pyralidae) Synonym(s): *polychrysa* Meyrick,1932 _ Range (in code): MY TH Bnk IN Ass Khs BD CN ID
- 73552. *Chilozela trapeziana* (Sepp,[1840])** (Pyralidae) Synonym(s): *trapeziana* Sepp,[1840]; *jatrophalis* Walker,1859; *bifilalis* Hampson,1913 _ Range (in code): SR GY
- 73553. *Chionobosca actinopis* Turner,1911** (Pyralidae) Synonym(s): *actinopis* Turner,1911 _ Range (in code): AU
- 73554. *Chloauges brunneomarginalis* (Kenrick,1907)** (Pyralidae) Synonym(s): *brunneomarginalis* Kenrick,1907 _ Range (in code): WS PG
- 73555. *Chloauges woodfordii* Butler,1885** (Pyralidae) Synonym(s): *woodfordii* Butler,1885 _ Range (in code): WS EL
- 73556. *Cholius leucopeplalis* (Hampson,1900)** (Pyralidae) Synonym(s): *leucopeplalis* Hampson,1900 _ Range (in code): UZ Smk
- 73557. *Cholius luteolaris* (Scopoli,1772)** (Pyralidae) Synonym(s): *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934. _ Range (in code): MA ES FR IT BE AT CZ SK HU RO YU MK BG GR TR LB Bsa RU MD UA BY
- 73558. *Choristostigma disputalis* (Barnes & McDunnough,1917)** (Pyralidae) Synonym(s): *disputalis* Barnes & McDunnough,1917 _ Range (in code): US Arz
- 73559. *Choristostigma elegantalis* W.Warren,1892** (Pyralidae) Synonym(s): *elegantalis* W.Warren,1892; *argalis* Fernald,1894 _ Range (in code): US Cf
- 73560. *Choristostigma erubescens* (Hampson,1899)** (Pyralidae) Synonym(s): *erubescens* Hampson,1899 _ Range (in code): MX
- 73561. *Choristostigma leucosalis* (Barnes & McDunnough,1914)** (Pyralidae) Synonym(s): *leucosalis* Barnes & McDunnough,1914 _ Range (in code): US Arz
- 73562. *Choristostigma patricolor* (Dyar,1914)** (Pyralidae) Synonym(s): *patricolor* Dyar,1914 _ Range (in code): MX
- 73563. *Choristostigma perpulchralis* (Hampson,1899)** (Pyralidae) Synonym(s): *perpulchralis* Hampson,1899; *chromophila* Dyar,1914; *microchroia* Dyar,1916; *#chromaphila* Munroe,1983 _ Range (in code): MX
- 73564. *Choristostigma roseopennalis* (Hulst,1886)** (Pyralidae) Synonym(s): *roseopennalis* Hulst,1886; *#roseipennalis* Hampson,1899 _ Range (in code): US Arz
- 73565. *Choristostigma zephyralis* (Barnes & McDunnough,1914)** (Pyralidae) Synonym(s): *zephyralis* Barnes & McDunnough,1914 _ Range (in code): US Cf
- 73566. *Christophia baliella* (Ragonot,1888)** (Pyralidae) Synonym(s): *baliella* Ragonot,1888 _ Range (in code): TM Kp
- 73567. *Christophia callipterella* (Ragonot,1887)** (Pyralidae) Synonym(s): *callipterella* Ragonot,1887 _ Range (in code): TM Kp MN
- 73568. *Christophia ectypella* (Ragonot,1888)** (Pyralidae) Synonym(s): *ectypella* Ragonot,1888 _ Range (in code): RU Sr
- 73569. *Christophia granulella* (Zerny,1914)** (Pyralidae) Synonym(s): *granulella* Zerny,1914
Original Reference: *Anoristia* (Centrometopia) *granulella* Zerny,1914, Annln naturh. Mus. Wien

- 28: 311, Taf.xxv fig.11. Type ♂: [China: Uighur A.R.]: Lob Noor (ex coll. Bang-Haas) (NHMW).
Range (in code): CN Ui Ln
- 73570. Christophia interruptella (Ragonot,1887)** (Pyralidae) Synonym(s): *interruptella* Ragonot,1887 Original Reference: Centrometopia interruptella Ragonot,1887, Annls Soc. ent. Fr. 1887: 237. Type: [Turkmenistan]: Askhabad. Range (in code): TM Kp
- 73571. Christophia litterella Ragonot,1887** (Pyralidae) Synonym(s): *litterella* Ragonot,1887 Original Reference: Christophia litterella Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 233. Syntypes 2♀: [Turkmenistan]: Askhabad (ZIANL). Range (in code): TM Kp
- 73572. Chrysocatharylla fusca Bassi,1999** (Pyralidae) Synonym(s): *fusca* Bassi,1999 Range (in code): ZA
- 73573. Chrysocatharylla lucasi Schouten,1994** (Pyralidae) Synonym(s): *lucasi* Schouten,1994; *bathurstella* Bassi,1999 Range (in code): ZA KE TZ
- 73574. Chrysocatharylla oenescentella (Hampson,1896)** (Pyralidae) Synonym(s): *oenescentellus* Hampson,1896 Range (in code): ZA Nta Kzu
- 73575. Chrysocatharylla oenescentella oenescentella (Hampson,1896)** (Pyralidae) Synonym(s): *oenescentellus* Hampson,1896 Range (in code): ZA Nta Kzu
- 73576. Chrysocrambus brutiellus Bassi,1985** (Pyralidae) Synonym(s): *brutiellus* Bassi,1985 Range (in code): IT
- 73577. Chrysocrambus chrysonuchelloides (Rothschild,1925)** (Pyralidae) Synonym(s): *chrysonuchelloides* Rothschild,1925; *maghrebellus* Marion,1950. Range (in code): MA
- 73578. Chrysocrambus craterellus (Scopoli,1763)** (Pyralidae) Synonym(s): *craterellus* Scopoli,1763; *rorella* Linnaeus,1767; *klimeschi* Toll,1938; *alpinus* Bleszynski,1958; *abruzzellus* Bleszynski,1958. Original Reference: Phalaena craterellus Scopoli,1763, Entomologia Carniolica: 246. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): DZ Cst Clo PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR RU Ur MD TR Cc Arr CY JO IR Kh LB Bsa
- 73579. Chrysocrambus craterellus defessellus (Toll,1948)** (Pyralidae) Synonym(s): *defessellus* Toll,1948 Original Reference: Crambus craterellus ssp. defessellus Toll,1948, Z. wien. ent. Ges. 32 (1947): 108, Taf.4 fig.2,3; Taf.5 fig.27. Syntypes 5♂ 1♀: Nordost-Persien, Kuh-i-Mirabi. Range (in code): IR Kh
- 73580. Chrysocrambus craterellus libani Bleszynski,1958** (Pyralidae) Synonym(s): *libani* Bleszynski,1958 Range (in code): LB Bsa
- 73581. Chrysocrambus dentuellus (Pierce & Metcalfe,1938)** (Pyralidae) Synonym(s): *dentuellus* Pierce & Metcalfe,1938 Range (in code): PT ES
- 73582. Chrysocrambus kobelti (Saalmüller,1885)** (Pyralidae) Synonym(s): *kobelti* Saalmüller,1885; *tingitanellus* Chrétien,1922. Original Reference: Crambus kobelti Saalmüller,1885, Stettin ent. Ztg. 46: 335-336. Type ♂: Algerien, Lambessa. Range (in code): MA DZ Lbs
- 73583. Chrysocrambus lambessellus (Caradja,1910)** (Pyralidae) Synonym(s): *lambessellus* Caradja,1910; *#ambustellus* Müller-Rutz,1931; *marioni* Whalley,1960. Range (in code): DZ Lbs
- 73584. Chrysocrambus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. Original Reference: Tinea linetella Fabricius,1781, Spec. Ins.2: 291. Lectotype ♂: Italia: Piemont (Bleszynski,1965: 344). Range (in code): ES FR Co Sa Si IT GB CH AT SK HU RO YU AL BG GR Cr TR SY JO IR Gh Tgo LB IQ CY Rd UZ Br CN Ui Cc AZ Len
- 73585. Chrysocrambus linetellus caspicus (Caradja,1910)** (Pyralidae) Synonym(s): *caspicus* Caradja,1910 Original Reference: Crambus craterellus var. caspicus Caradja,1910, Dt. ent. Z., Iris 24: 112. Syntypes: [Türkei]: "Kasikoparan"; [Azerbaidjan]: "Lenkoran". Range (in code): TR Cc AZ Len
- 73586. Chrysocrambus linetellus linetellus (Fabricius,1781)** (Pyralidae) Synonym(s): *linetellus* Fabricius,1781; *cassentiniellus* Herrich-Schäffer,[1848]; *distinctus* Müller-Rutz,1920; *chrysocrossis* Meyrick,1936; *#marioni* Dufrane,1960. Original Reference: Tinea linetella Fabricius,1781, Spec. Ins.2: 291. Lectotype ♂: Italia: Piemont (Bleszynski,1965: 344). Range (in code): ES FR Co Sa Si IT GB CH AT SK HU RO YU AL BG GR Cr TR SY JO LB CY Rd Cc AZ Len
- 73587. Chrysocrambus linetellus pseudocraterellus Bleszynski,1958** (Pyralidae) Synonym(s): *pseudocraterellus* Bleszynski,1958; *bleszynskii* Amsel,1959. Range (in code): LB Bsa IQ Hjo IR UZ Br CN Ui
- 73588. Chrysocrambus major Bleszynski,1965** (Pyralidae) Synonym(s): *#major* Müller-Rutz,1931; *major* Bleszynski,1965. Range (in code): DZ

- 73589. Chrysocrambus mauretanicus (Müller-Rutz,1931)** (Pyralidae) Synonym(s): *mauretanicus* Müller-Rutz,1931 _ Range (in code): MA DZ TN
- 73590. Chrysocrambus sardiniellus (Turati,1911)** (Pyralidae) Synonym(s): *sardiniellus* Turati,1911; *cornutellus* Pierce & Metcalfe,1938; *danutae* Bleszynski,1958. _ Range (in code): ES Sa
- 73591. Chrysocrambus similimellus (Müller-Rutz,1931)** (Pyralidae) Synonym(s): *similimellus* Müller-Rutz,1931; *#umbrosellus* Müller-Rutz,1931. _ Range (in code): TN DZ
- 73592. Chrysocrambus syriellus (Zerny,1934)** (Pyralidae) Synonym(s): *syriellus* Zerny,1934
Original Reference: Crambus syriellus Zerny,1934, Dt. ent. Z., Iris 448: 2, Taf.1 fig.3 Lectotype ♂: Libanon: Becharre (Bleszynski,1965: 357). Range (in code): LB Bsa Bei SY TR IL Pa JO IQ Hjo AF
- 73593. Chrysoteuchia argentistriella (Leech,1889)** (Pyralidae) Synonym(s): *argentistriella* Leech,1889 _ Range (in code): CN Mc Jn KP KR
- 73594. Chrysoteuchia atosignata (Zeller,1877)** (Pyralidae) Synonym(s): *atosignata* Zeller,1877; *niveirostralis* Caradja,1925. _ Range (in code): JP Hkk CN Yu Hun Kig Fkn Sz
- 73595. Chrysoteuchia culmella (Linnaeus,1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#hortellus* Zerny,1914; *#brunnea* Dufrane,1942. Original Reference: Phalaena culmella Linnaeus,1758, Syst. Nat. (Edn.10)1: 535. Lectotype ♂: [Europa] (Bleszynski,1965: 166). Range (in code): DZ PT ES Snv An Mu FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT MD UA BY IR UZ Br RU Ur Prj Us Am KG Tk Dj JP Hkk Bionomy: Larva on Festuca, Agrostis, Dactylis (Poaceae) (Parenti,2000).
- 73596. Chrysoteuchia culmella culmella (Linnaeus,1758)** (Pyralidae) Synonym(s): *culmella* Linnaeus,1758; *strigella* Fabricius,1781; *hortuella* Hübner,1796; *cespitella* Hübner,1796; *caricetalis* Hübner,[1825]; *#brunnea* Dufrane,1942. Original Reference: Phalaena culmella Linnaeus,1758, Syst. Nat. (Edn.10)1: 535. Lectotype ♂: [Europa] (Bleszynski,1965: 166). Range (in code): PT ES Snv An FR Co Sa Si IT LU CH AT PL CZ SK HU RO YU AL BG GR TR RU Mnu Kj Tt Ur MD UA BY IR
- 73597. Chrysoteuchia culmella montanella (Stephens,1834)** (Pyralidae) Synonym(s): *montanella* Stephens,1834; *hortibius* Strand,1920. _ Range (in code): GB BE NL DE DK NO SE FI EE LV LT
- 73598. Chrysoteuchia culmella sebdoui (Bleszynski,1962)** (Pyralidae) Synonym(s): *sebdoui* Bleszynski,1962 _ Range (in code): DZ Sbd
- 73599. Chrysoteuchia culmella uralaella (Krulikowsky,1909)** (Pyralidae) Synonym(s): *uralaella* Krulikowsky,1909 _ Range (in code): RU Ur
- 73600. Chrysoteuchia culmella ussuriella (Bleszynski,1962)** (Pyralidae) Synonym(s): *ussuriella* Bleszynski,1962 _ Range (in code): UZ Br RU Prj Us Am KG Tk Dj JP Hkk
- 73601. Chrysoteuchia daisetsuzana (Matsumura,1927)** (Pyralidae) Synonym(s): *daisetsuzana* Matsumura,1927 _ Range (in code): JP Hkk
- 73602. Chrysoteuchia diplogramma (Zeller,1863)** (Pyralidae) Synonym(s): *diplogramma* Zeller,1863; *textellus* Christoph,1881. _ Range (in code): RU Prj Us Vv CN JP
- 73603. Chrysoteuchia disasterella Bleszynski,1965** (Pyralidae) Synonym(s): *disasterella* Bleszynski,1965 _ Range (in code): CN She
- 73604. Chrysoteuchia distinctella (Leech,1889)** (Pyralidae) Synonym(s): *distinctella* Leech,1889
Range (in code): JP Hkk CN Mc Jn Fkn RU Prj Us Am Sh KP KR
- 73605. Chrysoteuchia dividella (Snellen,1890)** (Pyralidae) Synonym(s): *dividella* Snellen,1890
Original Reference: Crambus dividellus Snellen,1890, Trans. ent. Soc. London 1890: 645. Range (in code): IN SI MM
- 73606. Chrysoteuchia fractella (South,1901)** (Pyralidae) Synonym(s): *fractella* South,1901
Range (in code): CN Sz
- 73607. Chrysoteuchia fuliginosella (South,1901)** (Pyralidae) Synonym(s): *fuliginosella* South,1901 _ Range (in code): CN Sz
- 73608. Chrysoteuchia funebrella (Caradja,1937)** (Pyralidae) Synonym(s): *funebrella* Caradja,1937 _ Range (in code): CN Yu
- 73609. Chrysoteuchia gonoxes (Bleszynski,1962)** (Pyralidae) Synonym(s): *gonoxes* Bleszynski,1962 _ Range (in code): IN MM CN Yu
- 73610. Chrysoteuchia gregorella Bleszynski,1965** (Pyralidae) Synonym(s): *gregorella* Bleszynski,1965 _ Range (in code): RU Prj Us
- 73611. Chrysoteuchia hyalodiscella (Caradja,1927)** (Pyralidae) Synonym(s): *hyalodiscella* Caradja,1927 _ Range (in code): CN Sz T-T

- 73612. *Chrysoteuchia lolotiella* (Caradja,1927)** (Pyralidae) Synonym(s): *lolotiella* Caradja,1927
Range (in code): **CN Sz T-T**
- 73613. *Chrysoteuchia mandschurica* (Christoph,1881)** (Pyralidae) Synonym(s): *mandschurica* Christoph,1881
Range (in code): **RU Am Prj Us**
- 73614. *Chrysoteuchia moriokensis* (Okano,1958)** (Pyralidae) Synonym(s): *moriokensis* Okano,1958
Original Reference: *Crambus moriokensis* Okano,1958, *Tinea* 4: 259, figs.1,2. Range (in code): **JP**
- 73615. *Chrysoteuchia picturatella* (South,1901)** (Pyralidae) Synonym(s): *picturatella* South,1901
Range (in code): **CN Sz**
- 73616. *Chrysoteuchia porcelanella* (Motschulsky,1860)** (Pyralidae) Synonym(s): *porcelanella* Motschulsky,1860; *vigens* Butler,1879; *fucatellus* Christoph,1881. Range (in code): **RU Am Prj Us JP Hkk CN Mc Jn KP KR**
- 73617. *Chrysoteuchia pseudodiplogramma* (Okano,1962)** (Pyralidae) Synonym(s): *pseudodiplogramma* Okano,1962
Range (in code): **CN RU Prj Us JP Hkk**
- 73618. *Chrysoteuchia pyraustoides* (Erschoff,1877)** (Pyralidae) Synonym(s): *pyraustoides* Erschoff,1877
Original Reference: *Catastia pyraustoides* Erschoff,1877, *Horae Soc. ent. ross.* 12: 340. Lectotype ♀: [Russia]: Irkutsk (ZIANL), designated by Bleszynski,1965 (*Microlepid. Pal.* 1: 162). Range (in code): **RU Ir Irk Am Us Prj Ask Mnu Kj CN Ts Kno Sz T-T Ui Ln**
- 73619. *Chrysoteuchia yuennanella* (Caradja,1937)** (Pyralidae) Synonym(s): *yuennanella* Caradja,1937
Range (in code): **CN Yu**
- 73620. *Chrysothyridia invertalis* (Snellen,1877)** (Pyralidae) Synonym(s): *invertalis* Snellen,1877
Range (in code): **AU**
- 73621. *Ciliocera leucosarca* (Meyrick,1937)** (Pyralidae) Synonym(s): *leucosarca* Meyrick,1937
Original Reference: *Emmalocera leucosarca* Meyrick,1937, *Exot. Microlepid.* 5: 65. Type ♀: Iraq: Rayat (4000-7000ft), E.P.Wiltshire leg. Range (in code): **IQ Ry IR Elb Kdj**
- 73622. *Circobotys malaisei* Munroe & Mutuura,1970** (Pyralidae) Synonym(s): *malaisei* Munroe & Mutuura,1970
Range (in code): **MM**
- 73623. *Circobotys nycterina* Butler,1879** (Pyralidae) Synonym(s): *nycterina* Butler,1879
Range (in code):
- 73624. *Circobotys occultilinea* (Walker,1863)** (Pyralidae) Synonym(s): *occultilinea* Walker,1863; *petrosarca* Lower,1903; *apocrypha* Turner,1908
Range (in code): **AU**
- 73625. *Cirrhochrista annulifera* Hampson,1919** (Pyralidae) Synonym(s): *annulifera* Hampson,1919
Range (in code): **AU**
- 73626. *Cirrhochrista arcusalis* (Walker,1859)** (Pyralidae) Synonym(s): *arcusalis* Walker,1859; *rauma* Swinhoe,1900
Range (in code): **AU**
- 73627. *Cirrhochrista argentiplaga* W.Warren,1897** (Pyralidae) Synonym(s): *argentiplaga* W.Warren,1897
Range (in code): **ZA**
- 73628. *Cirrhochrista bracteolalis* Hampson,1893** (Pyralidae) Synonym(s): *bracteolalis* Hampson,1893
Range (in code): **SI IN NI LK TW PH**
- 73629. *Cirrhochrista brizoalis* (Walker,1859)** (Pyralidae) Synonym(s): *brizoalis* Walker,1859
Range (in code): **PK IN Mh Bba NI MY Bor Clb ID TW CN NP JP AU PH Ceb IN Amb**
- 73630. *Cirrhochrista caconalis* Swinhoe,1900** (Pyralidae) Synonym(s): *caconalis* Swinhoe,1900
Range (in code): **AU**
- 73631. *Cirrhochrista cyclophora* Lower,1903** (Pyralidae) Synonym(s): *cyclophora* Lower,1903
Range (in code): **AU**
- 73632. *Cirrhochrista fumipalpis* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *fumipalpis* R.Felder & Rogenhofer,1875
Range (in code): **SI IN Nag MM ID Mlc**
- 73633. *Cirrhochrista grabczewskyi* Hering,1903** (Pyralidae) Synonym(s): *grabczewskyi* Hering,1903; *conjuncta* Gaede,1917; *convoluta* Hampson,1919
Range (in code): **ZA Tva Lpo Ltr Spb**
- 73634. *Cirrhochrista kosemponialis* Strand,1919** (Pyralidae) Synonym(s): *kosemponialis* Strand,1919
Range (in code): **IN TW PH**
- 73635. *Cirrhochrista pulchellalis* Lederer,1863** (Pyralidae) Synonym(s): *pulchellalis* Lederer,1863; *aetherialis* Hampson
Range (in code): **LK ID Ja Amb**
- 73636. *Cirrhochrista punctulata* Hampson,1896** (Pyralidae) Synonym(s): *punctulata* Hampson,1896
Range (in code): **AU**
- 73637. *Cirrhochrista semibrunnea* Hampson,1896** (Pyralidae) Synonym(s): *semibrunnea* Hampson,1896
Range (in code): **BT**

- 73638. *Cissachroa callischema* Turner,1937** (Pyralidae) Synonym(s): *callischema* Turner,1937
Range (in code): **AU**
- 73639. *Citripestis eutrapphera* (Meyrick,1933)** (Pyralidae) Synonym(s): *eutrapphera* Meyrick,1933
Range (in code): **ID Sum Ja**
- 73640. *Citripestis sagittiferella* (Moore,1891)** (Pyralidae) Synonym(s): *sagittiferella* Moore,1891
Range (in code): **JP TW BT IN LK MY TH CMA Lop Chc Cbi Cph Nst Pbu SG Swk ID Sum Ja PG FJ**
Bionomy: Larva bores of fruit of Citrus limon [lemon], C.aurantiifolia [lime], C.grandis [pomelo]; C. reticulata [tangerine] (Rutaceae) (Khoo, Ooi & Ho,1991; Lewvanich,2001).
- 73641. *Classeya argyrodonta* (Hampson,1910)** (Pyralidae) Synonym(s): *argyrodonta* Hampson,1910; *diplophanes* Meyrick,1933 _ Range (in code): **ZW**
- 73642. *Classeya argyrodonta argyrodonta* (Hampson,1910)** (Pyralidae) Synonym(s): *argyrodonta* Hampson,1910; *diplophanes* Meyrick,1933 _ Range (in code): **ZW**
- 73643. *Classeya bicuspidalis* (Hampson,1919)** (Pyralidae) Synonym(s): *bicuspidalis* Hampson,1919 _ Range (in code): **ZA**
- 73644. *Classeya interstriatella* (Hampson,1896)** (Pyralidae) Synonym(s): *interstriatellus* Hampson,1896 _ Range (in code): **IN Pj Drm Hp**
- 73645. *Classeya niveifascinalis* (Hampson,1896)** (Pyralidae) Synonym(s): *niveifascinalis* Hampson,1896 _ Range (in code): **IN Ass NI**
- 73646. *Classeya placydioni* Bleszynski,1960** (Pyralidae) Synonym(s): *placydioni* Bleszynski,1960
Range (in code): **SN**
- 73647. *Classeya preissneri* Bleszynski,1964** (Pyralidae) Synonym(s): *preissneri* Bleszynski,1964
Range (in code): **CN Yu**
- 73648. *Classeya quadricuspis* (Hampson,1910)** (Pyralidae) Synonym(s): *quadricuspis* Hampson,1910 _ Range (in code): **ZR ZW ZA**
- 73649. *Classeya sinuosellus* (South,1901)** (Pyralidae) Synonym(s): *sinuosellus* South,1901
Range (in code): **CN Sz**
- 73650. *Classeya trichelites* (Meyrick,1936)** (Pyralidae) Synonym(s): *trichelites* Meyrick,1936
Range (in code): **ZA**
- 73651. *Clupeosoma astrigalis* Hampson,1917** (Pyralidae) Synonym(s): *astrigalis* Hampson,1917
Range (in code): **AU**
- 73652. *Clupeosoma lampra* Tams,1935** (Pyralidae) Synonym(s): *lampra* Tams,1935 _ Range (in code): **WS**
- 73653. *Clupeosoma pellucidalis* Snellen,1880** (Pyralidae) Synonym(s): *pellucidalis* Snellen,1880; *subrufalis* Rothschild,1915 _ Range (in code): **AU**
- 73654. *Clupeosoma photina* Tams,1935** (Pyralidae) Synonym(s): *photina* Tams,1935 _ Range (in code): **WS**
- 73655. *Cnaphalocrocis araealis* (Hampson,1912)** (Pyralidae) Synonym(s): *araealis* Hampson,1912 _ Range (in code): **AU**
- 73656. *Cnaphalocrocis bilinealis* (Hampson,1891)** (Pyralidae) Synonym(s): *bilinealis* Hampson,1891 _ Range (in code): **AU**
- 73657. *Cnaphalocrocis hexagona* (Lower,1903)** (Pyralidae) Synonym(s): *hexagona* Lower,1903
Range (in code): **AU**
- 73658. *Cnaphalocrocis loxodesma* (Turner,1915)** (Pyralidae) Synonym(s): *loxodesma* Turner,1915 _ Range (in code): **AU**
- 73659. *Cnaphalocrocis medinalis* (Guenée,1854)** (Pyralidae) Synonym(s): *medinalis* Guenée,1854; *nurscialis* Walker,1859
Original Reference: *Salbia medinalis* Guenée,1854, [in] Boissduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 201. Type ♀: "Indes Orientales?".
Range (in code): **RU Am CN TW KP JP PH Luz LK MM KR Bor Ja Clb Amb Mi ID PG US Tx WS NH NC AU MY TH CMA Cu0 Cu01 Cu07 IN VN PH OW** Bionomy: Larva on *Oryza sativa* (Poaceae) (Robinson et al.,1994).
- 73660. *Cnaphalocrocis patnalis* Bradley,1981** (Pyralidae) Synonym(s): *patnalis* Bradley,1981
Range (in code): **LK**
- 73661. *Cnaphalocrocis poeyalis* (Boissduval,1833)** (Pyralidae) Synonym(s): *poeyalis* Boissduval,1833; *venialis* Walker,1859; *marisalis* Walker,1859; *cicatricosa* Lederer,1863; *rectistrigosa* Snellen,1872; *minutalis* Mabilie,1880; *hampsoni* Rothschild,1921 _ Range (in code): **AE PG JP RE MU AU**
- 73662. *Cnaphalocrocis suspicalis* (Walker,1859)** (Pyralidae) Synonym(s): *suspicalis* Walker,1859; *convectalis* Walker,[1866]; *bifurcalis* Snellen,1880. _ Range (in code): **AU**

- 73663. Coelobathra ochromorpha (Lower,1902)** (Pyralidae) Synonym(s): *ochromorpha* Lower,1902; *eucrines* Turner,1908; *thelcteria* Turner,1913 _ Range (in code): AU
- 73664. Coenochroa ablutella (Zeller,1839)** (Pyralidae) Synonym(s): *ablutella* Zeller,1839; *flaveolella* Ragonot,1887; *stigmatellus* Ragonot,1888; *seeboldi* Ragonot,1894; *maiorella* Rothschild,1913; *buxtoni* Rothschild,1921 _ Original Reference: Anerastia ablutella Zeller,1839, Isis 1839: 177. Type: Italia, Sicilia. Range (in code): Cn Md MA Rbt DZ Ajj Bsk Onç Ogl Gle PT ES Grn FR Si IT RO YU BG GR Cr TR CY IQ Bgd Mos Kbl IR Mz Qz Ss Irs IL Hf Pa TE LB JO EG TM Kp AF UZ PK Sd Krc IN ZA AE
- 73665. Coenochroa incarnatella (Ragonot,1887)** (Pyralidae) Synonym(s): *incarnatella* Ragonot,1887 _ Range (in code): LB Bei RU
- 73666. Coenochroa nitidicostella (Ragonot,1887)** (Pyralidae) Synonym(s): *nitidicostella* Ragonot,1887 _ Range (in code): DZ Orn TN Gf GR? RU Sr IL Pa CN Ui Au
- 73667. Coenochroa spinifrontella (Ragonot,1888)** (Pyralidae) Synonym(s): *spinifrontella* Ragonot,1888 _ Range (in code): PK Sd Krc
- 73668. Coenodomus aglossalis (W.Warren,1896)** (Pyralidae) Synonym(s): *aglossalis* W.Warren,1896 _ Range (in code): IN Ass Meg Khs
- 73669. Coenodomus cornucalis (Kenrick,1907)** (Pyralidae) Synonym(s): *cornucalis* Kenrick,1907 _ Range (in code): PG
- 73670. Coenodomus dudgeoni Hampson,1896** (Pyralidae) Synonym(s): *dudgeoni* Hampson,1896 _ Range (in code): IN TW BT
- 73671. Coenodomus fumosalis Hampson,1903** (Pyralidae) Synonym(s): *fumosalis* Hampson,1903 _ Range (in code): IN Ass Meg Khs
- 73672. Coenodomus hampsoni West,1931** (Pyralidae) Synonym(s): *hampsoni* West,1931 _ Range (in code): PH Luz
- 73673. Coenodomus hockingi Walsingham,1888** (Pyralidae) Synonym(s): *hockingi* Walsingham,1888; *singularis* Neumoegen,1893; *anomala* Aurivillius,1894 _ Range (in code): IN Sml Kgr Hp SI Clc US Mai ID Ja TH
- 73674. Coenodomus melanochlora (Hampson,1916)** (Pyralidae) Synonym(s): *melanochlora* Hampson,1916 _ Range (in code): SG
- 73675. Coenodomus rotundinidus (Hampson,1887)** (Pyralidae) Synonym(s): *rotundinidus* Hampson,1887 _ Range (in code): IN NI
- 73676. Coenodomus rubrescens (Hampson,1903)** (Pyralidae) Synonym(s): *rubrescens* Hampson,1903 _ Range (in code): IN SI
- 73677. Coenodomus schausi (West,1931)** (Pyralidae) Synonym(s): *schausi* West,1931 _ Range (in code): PH Luz
- 73678. Coenodomus trichasema (Hampson,1916)** (Pyralidae) Synonym(s): *trichasema* Hampson,1916 _ Range (in code): LK
- 73679. Coleothrix crassitibiella Ragonot,1888** (Pyralidae) Synonym(s): *crassitibiella* Ragonot,1888 _ Range (in code): MY Bor ID Sum
- 73680. Coleothrix swinhoeella (Ragonot,1893)** (Pyralidae) Synonym(s): *swinhoeella* Ragonot,1893 _ Range (in code): TW MM IN LK MY Bor ID Sum Bli Clb PH Luz NH
- 73681. Cometura lirisalis (Walker,1859)** (Pyralidae) Synonym(s): *lirisalis* Walker,1859 _ Range (in code): PH Luz IN Bor ID FJ Vil
- 73682. Commotria albinervella Hampson,1918** (Pyralidae) Synonym(s): *albinervella* Hampson,1918 _ Range (in code): ZA
- 73683. Commotria albistria Janse,1922** (Pyralidae) Synonym(s): *albistria* Janse,1922 _ Range (in code): ZA
- 73684. Commotria castaneipars Hampson,1918** (Pyralidae) Synonym(s): *castaneipars* Hampson,1918 _ Range (in code): ZA
- 73685. Commotria enervella Hampson,1918** (Pyralidae) Synonym(s): *enervella* Hampson,1918 _ Range (in code): TW
- 73686. Commotria leucosparsalis Janse,1922** (Pyralidae) Synonym(s): *leucosparsalis* Janse,1922 _ Range (in code): ZA
- 73687. Commotria phlebicella Hampson,1918** (Pyralidae) Synonym(s): *phlebicella* Hampson,1918 _ Range (in code): ZA
- 73688. Commotria rhodoneura Hampson,1918** (Pyralidae) Synonym(s): *rhodoneura* Hampson,1918 _ Range (in code): ZA
- 73689. Commotria ruficolor Janse,1922** (Pyralidae) Synonym(s): *ruficolor* Janse,1922 _ Range (in code): ZA

- 73690. Comorta plinthina (Turner,1905)** (Pyralidae) Synonym(s): *plinthina* Turner,1905
Range (in code): **AU**
- 73691. Comorta zophopleura (Turner,1904)** (Pyralidae) Synonym(s): *zophopleura* Turner,1904
Range (in code): **AU**
- 73692. Conchylodes (Jseppia) concinnalis Hampson,1899** (Pyralidae) Synonym(s):
concinnalis Hampson,1899 _ Range (in code): **US**
- 73693. Conchylodes (Jseppia) erinalis (Walker,1859)** (Pyralidae) Synonym(s): *argentalis*
Cramer,1782 nec Fabr.,1781; *erinalis* Walker,1859; *magicalis* R.Felder & Rogenhofer,1875 _ Range (in code):
PA SR VE
- 73694. Conchylodes (Jseppia) hedonialis (Walker,1859)** (Pyralidae) Synonym(s): *hedonialis*
Walker,1859 _ Range (in code): **DO**
- 73695. Conchylodes (Jseppia) ovulalis (Guenée,1854)** (Pyralidae) Synonym(s): *ovulalis*
Guenée,1854 _ Range (in code): **CO**
- 73696. Conchylodes (Jseppia) platinalis Guenée,1854** (Pyralidae) Synonym(s): *platinalis*
Guenée,1854; *erminea* R.Felder & Rogenhofer,1875 _ Range (in code): **CO VE**
- 73697. Conchylodes (Jseppia) zebra (Sepp,1850)** (Pyralidae) Synonym(s): *zebra* Sepp,1850;
striginalis Guenée,1854 _ Original Reference: *Phalaena zebra* Sepp,1850, Natuurl. Hist. Surinaam.
Vlinders: 221, pl.99. Type(s): Surinam. Range (in code): **GF SR**
- 73698. Conchylodes (s.str.) bryophilalis Hampson,1899** (Pyralidae) Synonym(s):
bryophilalis Hampson,1899 _ Range (in code): **EC**
- 73699. Conchylodes (s.str.) diphteralis (Geyer,1832)** (Pyralidae) Synonym(s): *diphteralis*
Geyer,1832 _ Range (in code): **JM US**
- 73700. Conchylodes (s.str.) hebraealis Guenée,1854** (Pyralidae) Synonym(s): *hebraealis*
Guenée,1854 _ Range (in code): **HT**
- 73701. Conchylodes (s.str.) nolckenialis (Snellen,1875)** (Pyralidae) Synonym(s): *nolckenialis*
Snellen,1875 _ Range (in code): **MX BZ CO BR**
- 73702. Conchylodes (s.str.) salamisalis Druce,1895** (Pyralidae) Synonym(s): *salamisalis*
Druce,1895 _ Range (in code): **GT**
- 73703. Conchylodes aquaticalis (Guenée,1854)** (Pyralidae) Synonym(s): *aquaticalis*
Guenée,1854; *lacrinesalis* Walker,1859 _ Range (in code): **BR**
- 73704. Conchylodes arcifera Hampson,1912** (Pyralidae) Synonym(s): *arcifera* Hampson,1912
Range (in code): **GT**
- 73705. Conchylodes gammaphora Hampson,1912** (Pyralidae) Synonym(s): *gammaphora*
Hampson,1912 _ Range (in code): **MX**
- 73706. Conchylodes intricata Hampson,1912** (Pyralidae) Synonym(s): *intricata* Hampson,1912
Range (in code): **PA**
- 73707. Conchylodes nissenalis (Schaus,1924)** (Pyralidae) Synonym(s): *nissenalis* Schaus,1924
Range (in code): **PE**
- 73708. Conchylodes stictiperalis Hampson,1912** (Pyralidae) Synonym(s): *stictiperalis*
Hampson,1912 _ Range (in code): **BR**
- 73709. Conchylodes terminipuncta Hampson,1912** (Pyralidae) Synonym(s): *terminipuncta*
Hampson,1912 _ Range (in code): **MX**
- 73710. Conchylodes vincentalis Schaus,1924** (Pyralidae) Synonym(s): *vincentalis* Schaus,1924
Range (in code): **BO**
- 73711. Coniesta aculeata (Hampson,1903)** (Pyralidae) Synonym(s): *aculeata* Hampson,1903
Range (in code): **IN Bba SI Mys Bel**
- 73712. Coniesta albipennella (Hampson,1895)** (Pyralidae) Synonym(s): *albipennella*
Hampson,1895 _ Range (in code): **PK Haz Mre Pj IN Kgr Sml Hp Ass Khs Meg**
- 73713. Coniesta araealis (Hampson,1912)** (Pyralidae) Synonym(s): *araealis* Hampson,1912
Range (in code): **IN Pln Tn Nl**
- 73714. Coniesta belgaumensis Kapur,1950** (Pyralidae) Synonym(s): *belgaumensis* Kapur,1950
Range (in code): **IN Bel Mys**
- 73715. Coniesta diaperalis (Hampson,1919)** (Pyralidae) Synonym(s): *diaperalis* Hampson,1919
Range (in code): **BT IN Ass Meg Khs**
- 73716. Coniesta flavalis (Hampson,1919)** (Pyralidae) Synonym(s): *flavalis* Hampson,1919
Range (in code): **LK**

- 73717. Coniesta hampsoni** Kapur,1950 (Pyralidae) Synonym(s): *hampsoni* Kapur,1950
Range (in code): **IN NI**
- 73718. Coniesta lunilinealis** (Hampson,1919) (Pyralidae) Synonym(s): *lunilinealis* Hampson,1919
Range (in code): **LK**
- 73719. Coniesta rufulalis** (Hampson,1919) (Pyralidae) Synonym(s): *rufulalis* Hampson,1919
Range (in code): **MM**
- 73720. Coniesta strigulalis** (Hampson,1895) (Pyralidae) Synonym(s): *strigulalis* Hampson,1895
Range (in code): **LK IN Bel Mys**
- 73721. Conocrambus ammploceus** (Turner,1922) (Pyralidae) Synonym(s): *ammploceus* Turner,1922 _ Range (in code): **AU QAU**
- 73722. Conocrambus atrimictellus** Hampson,1919 (Pyralidae) Synonym(s): *atrimictellus* Hampson,1919 _ Range (in code): **PG**
- 73723. Conocrambus dileucellus** (Hampson,1896) (Pyralidae) Synonym(s): *dileucellus* Hampson,1896 _ Range (in code): **MY Bor**
- 73724. Conocrambus medioradiellus** (Hampson,1919) (Pyralidae) Synonym(s): *medioradiellus* Hampson,1919 _ Range (in code): **AU QAU**
- 73725. Conocrambus xuthochroa** (Turner,1947) (Pyralidae) Synonym(s): *xuthochroa* Turner,1947 _ Range (in code): **AU**
- 73726. Conogethes diminutiva** W.Warren,1896 (Pyralidae) Synonym(s): *diminutiva* W.Warren,1896 _ Range (in code): **AU**
- 73727. Conogethes ersealis** (Walker,1859) (Pyralidae) Synonym(s): *ersealis* Walker,1859
Range (in code): **AU**
- 73728. Conogethes haemactalis** Snellen,1890 (Pyralidae) Synonym(s): *haemactalis* Snellen,1890;
nubifera T.P.Lucas,1900 _ Range (in code): **AU**
- 73729. Conogethes pluto** (Butler,1887) (Pyralidae) Synonym(s): *pluto* Butler,1887 _ Range (in code): **AU TH CMa Dst Dso9**
- 73730. Conogethes punctiferalis** (Guenée,1854) (Pyralidae) Synonym(s): *punctiferalis* Guenée,1854; *detracta* Walker,1859; *nicippealis* Walker,1859; *guttatalis* Walker,[1866] _ Range (in code): **TH CN TW IN ID JP PH AU**
- 73731. Conogethes semifascialis** (Walker,[1866]) (Pyralidae) Synonym(s): *semifascialis* Walker,[1866]; *nigralis* W.Warren,1896; *jubata* T.P.Lucas,1900 _ Range (in code): **AU**
- 73732. Conogethes tharsalea** (Meyrick,1887) (Pyralidae) Synonym(s): *tharsalea* Meyrick,1887
Range (in code): **AU**
- 73733. Conotalis aurantifascia** (Hampson,1896) (Pyralidae) Synonym(s): *aurantifascia* Hampson,1896 _ Range (in code): **GM GH**
- 73734. Conotalis nigrisquamalis** Hampson,1919 (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1919 _ Range (in code): **ZA Tva Lpo Nta Kzu**
- 73735. Conotalis nigrisquamalis nigrisquamalis** Hampson,1919 (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1919 _ Range (in code): **ZA Tva Lpo Nta Kzu**
- 73736. Conotalis nigroradians** (Mabille,1899) (Pyralidae) Synonym(s): *nigroradians* Mabille,1899 _ Range (in code): **KM**
- 73737. Contrortipalpia masculina** Munroe,1964 (Pyralidae) Synonym(s): *masculina* Munroe,1964 _ Range (in code): **BR**
- 73738. Contrortipalpia santiagalis** (Schaus,1920) (Pyralidae) Synonym(s): *santiagalis* Schaus,1920 _ Range (in code): **CU**
- 73739. Copamyntis ceroprepiella** (Hampson,1901) (Pyralidae) Synonym(s): *ceroprepiella* Hampson,1901 _ Range (in code): **AU**
- 73740. Copamyntis infusella** (Meyrick,1879) (Pyralidae) Synonym(s): *infusella* Meyrick,1879;
bipartella Hampson,1896 _ Range (in code): **AU QAU BT SI IN Pj Meg Ass Khs LK MY ID Sum Ja**
- 73741. Copamyntis leptocosma** (Turner,1904) (Pyralidae) Synonym(s): *leptocosma* Turner,1904; *poliocrana* Lower,1905 _ Range (in code): **AU**
- 73742. Copamyntis obliquifasciella** (Hampson,1896) (Pyralidae) Synonym(s): *obliquifasciella* Hampson,1896 _ Range (in code): **TH IN LK MY ID Sum Ja Bor Sbh** Bionomy: Larva on leaves of *Cassia fistula*, *C.alata* (Fabaceae) (Robinson et al.,1994).
- 73743. Copamyntis prays** (Turner,1947) (Pyralidae) Synonym(s): *prays* Turner,1947 _ Range (in code): **AU**

- 73744. Copamyntis spodoptila (Turner,1913)** (Pyralidae) Synonym(s): *spodoptila* Turner,1913
Range (in code): **AU**
- 73745. Coptobasis lunalis (Guenée,1854)** (Pyralidae) Synonym(s): *lunalis* Guenée,1854; *thyasalis* Walker,1859; *contigualis* Walker,[1866]. Range (in code): **AU**
- 73746. Corcyra brunnea West,1931** (Pyralidae) Synonym(s): *brunnea* West,1931 Range (in code): **TW**
- 73747. Corcyra nidicolella Rebel,1914** (Pyralidae) Synonym(s): *nidicolella* Rebel,1914 Range (in code): **EG**
EG11
- 73748. Cornifrons albidiscalis Hampson,1916** (Pyralidae) Synonym(s): *albidiscalis* Hampson,1916 Range (in code): **ZA**
- 73749. Cornifrons phasma Dyar,1917** (Pyralidae) Synonym(s): *phasma* Dyar,1917; *chlorophasma* Dyar,1917 Range (in code): **US Cf**
- 73750. Cornifrons ulceratalis Lederer,1858** (Pyralidae) Synonym(s): *ulceratalis* Lederer,1858; *seriziatialis* Oberthür,1876 Original Reference: Cornifrons ulceratalis Lederer,1858, Wien. ent. Monatschr. 2: 147, Taf.4 fig.1. Type ♀: Syria: Damask? Range (in code): **DZ Rhr Bsk Gha Ceg Nbr Tou Ogl Heh Gle Gtt Ah Ajj TN Gf Cn ES Sa Si IT MT YU AL GR TR SY Dms SA EG IL Pa Hf Js JO LB IQ Bgd Dia Kbl KW IR Fa Ss Chh Kz Sde AF PK Sd Krc**
- 73751. Corynophora argentifascia (Hampson,1919)** (Pyralidae) Synonym(s): *argentifascia* Hampson,1919 Range (in code): **AU WAU**
- 73752. Corynophora lativittalis (Walker,1863)** (Pyralidae) Synonym(s): *lativittalis* Walker,1863; *halterellus* Zeller,1863 Range (in code): **AU**
- 73753. Corynophora torrentellus (Meyrick,1879)** (Pyralidae) Synonym(s): *torrentellus* Meyrick,1879 Range (in code): **AU SI IN MM Shn**
- 73754. Cosipara chiricahuae Munroe,1973** (Pyralidae) Synonym(s): *chiricahuae* Munroe,1973 Range (in code): **US Arz**
- 73755. Cosipara cyclophora (Dyar,1918)** (Pyralidae) Synonym(s): *cyclophora* Dyar,1918 Range (in code): **MX**
- 73756. Cosipara delphusa (Druce,1896)** (Pyralidae) Synonym(s): *delphusa* Druce,1896 Range (in code): **MX**
- 73757. Cosipara flexuosa (Dyar,1918)** (Pyralidae) Synonym(s): *flexuosa* Dyar,1918 Range (in code): **MX**
- 73758. Cosipara modulalis Munroe,1973** (Pyralidae) Synonym(s): *modulalis* Munroe,1973 Range (in code): **US Arz**
- 73759. Cosipara molliculella (Dyar,1929)** (Pyralidae) Synonym(s): *molliculella* Dyar,1929 Range (in code): **MX**
- 73760. Cosipara smithi (Druce,1896)** (Pyralidae) Synonym(s): *smithi* Druce,1896; *sabura* Druce,1896 Range (in code): **MX**
- 73761. Cosipara stereostigma (Dyar,1918)** (Pyralidae) Synonym(s): *stereostigma* Dyar,1918 Range (in code): **MX**
- 73762. Cosipara tricolor (Zeller,1872)** (Pyralidae) Synonym(s): *tricolor* Zeller,1872 Range (in code): **CO**
- 73763. Cosipara tricoloralis (Dyar,1904)** (Pyralidae) Synonym(s): *tricoloralis* Dyar,1904 Range (in code): **CA BCo**
- 73764. Cosmethella major Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *major* Munroe & Shaffer,1980 Original Reference: Cosmethella major Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 257, figs. Holotype ♀: Papua New Guinea: Mambare R., Biagi. Range (in code): **PG**
- 73765. Cosmethella minor Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *minor* Munroe & Shaffer,1980 Original Reference: Cosmethella minor Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 256-257, figs. Holotype ♀: Papua New Guinea: Wewak. Range (in code): **PG**
- 73766. Cosmethella unipectinalis (Hampson,1906)** (Pyralidae) Synonym(s): *unipectinalis* Hampson,1906 Original Reference: Vitessa unipectinalis Hampson,1906, Ann. Mag. nat. Hist. (7)17: 217. Lectotype ♂: Solomon Islands: Gizo I. (cf. Munroe & Shaffer,1980). Range (in code): **SB**
- 73767. Cosmopetrosis thetysalis (Walker,1859)** (Pyralidae) Synonym(s): *thetysalis* Walker,1859 Range (in code): **BR**
- 73768. Cotachena aluensis (Butler,1887)** (Pyralidae) Synonym(s): *aluensis* Butler,1887; *fenestralis* W.Warren,1895 Range (in code): **AU**

- 73769. Cotachena alysoni Whalley,1961** (Pyralidae) Synonym(s): *alysoni* Whalley,1961
Original Reference: *Cotachena alysoni* Whalley,1961, Bull. Br. Mus. (nat. Hist.) Ent. 10(3): 101, figs. Holotype ♂: China: Chang Yang. Range (in code): **CN MY LA TH SK IN JP Djl Ass Meg Khs Nag Slo SI**
- 73770. Cotachena fuscimarginalis Hampson,1916** (Pyralidae) Synonym(s): *fuscimarginalis* Hampson,1916 Range (in code): **AU**
- 73771. Cotachena hicana (Turner,1915)** (Pyralidae) Synonym(s): *hicana* Turner,1915 Range (in code): **AU**
- 73772. Cotachena histricalis (Walker,1859)** (Pyralidae) Synonym(s): *histricalis* Walker,1859; *trinotata* Butler,1887; *peratilis* W.Warren,1896; *orientalis* Rothschild,1915. Original Reference: *Botys histricalis* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 18: 655. Type ♂: [Sri Lanka]: Ceylon. Range (in code): **IN LK MM MY CN KP JP TW PH Hn ID Ja Sum Tal Mlc Bor Swk Clb PG Vu Ls Bsm AU SB**
- 73773. Cotachena pubescens (W.Warren,1892)** (Pyralidae) Synonym(s): *pubescens* W.Warren,1892 Original Reference: *Archernis pubescens* W.Warren,1892, Ann. Mag. nat. Hist. (6)9: 300. Lectotype ♂: [India]: Dharmasala. Range (in code): **IN Hp Drm MY CN KP KR JP Hn TW Bor Tim**
- 73774. Crambidiatraea castrensis (Dyar & Heinrich,1927)** (Pyralidae) Synonym(s): *castrensis* Dyar & Heinrich,1927 Range (in code): **GY**
- 73775. Crambidiatraea cayenella (Dyar & Heinrich,1927)** (Pyralidae) Synonym(s): *cayenella* Dyar & Heinrich,1927; *anathericola* Dyar & Heinrich,1927. Range (in code): **GY**
- 73776. Crambidiatraea enteriana (Box,1931)** (Pyralidae) Synonym(s): *enteriana* Box,1931 Range (in code): **AR**
- 73777. Crambidiatraea strigipennella (Dyar,1911)** (Pyralidae) Synonym(s): *strigipennella* Dyar,1911 Range (in code): **GY BR**
- 73778. Crambixon phoeostrigellus (Hampson,1903)** (Pyralidae) Synonym(s): *phoeostrigellus* Hampson,1903 Range (in code): **IN Ch**
- 73779. Crambixon zarathustra Bleszynski,1965** (Pyralidae) Synonym(s): *zarathustra* Bleszynski,1965 Range (in code): **AF Srb Hr**
- 73780. Crambostenia angustifimbrialis Swinhoe,1890** (Pyralidae) Synonym(s): *angustifimbrialis* Swinhoe,1890 Range (in code): **IN MM TW**
- 73781. Crambus abditus Philpott,1924** (Pyralidae) Synonym(s): *abditus* Philpott,1924 Range (in code): **NZ**
- 73782. Crambus acyperas Hampson,1919** (Pyralidae) Synonym(s): *acyperas* Hampson,1919 Range (in code): **UG**
- 73783. Crambus aethonellus Meyrick,1882** (Pyralidae) Synonym(s): *aethonellus* Meyrick,1882 Range (in code): **NZ**
- 73784. Crambus agitellus Clemens,1860** (Pyralidae) Synonym(s): *agitellus* Clemens,1860; *saluellus* Zeller,1863. Range (in code): **CA On Mnt US Ny Mai Ilm Tx Msc**
- 73785. Crambus agnesiellus Dyar,1914** (Pyralidae) Synonym(s): *agnesiellus* Dyar,1914 Range (in code): **PA**
- 73786. Crambus ainslieellus Klots,1942** (Pyralidae) Synonym(s): *ainslieellus* Klots,1942 Range (in code): **CA BCo Mnt US Ws Mon NDk Io Mai**
- 73787. Crambus albellus Clemens,1860** (Pyralidae) Synonym(s): *albellus* Clemens,1860 Range (in code): **US Mai Msc Ny Pns CA Lbr**
- 73788. Crambus albifrons Schaus,1914** (Pyralidae) Synonym(s): *albifrons* Schaus,1914 Range (in code): **CR o**
- 73789. Crambus albilineellus Fernald,1893** (Pyralidae) Synonym(s): *albilineellus* Fernald,1893 Range (in code): **US Cf**
- 73790. Crambus albiradialis Hampson,1919** (Pyralidae) Synonym(s): *albiradialis* Hampson,1919 Range (in code): **BR**
- 73791. Crambus alboclavellus Zeller,1863** (Pyralidae) Synonym(s): *alboclavellus* Zeller,1863 Range (in code): **US**
- 73792. Crambus alienellus (Germar & Kaulfuss,1817)** (Pyralidae) Synonym(s): *alienellus* Germar & Kaulfuss,1817; *zinckenellus* Sodoffsky,1830; *tigurinellus* Duponchel,1836; *ocellellus* Zetterstedt,1840. Range (in code): **CA Lbr FR IT DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Pt Da Sb Prj Us Cc MD UA BY**

- 73793. *Crambus alienellus labradoriensis* Christoph, 1858** (Pyralidae) **Synonym(s):** *labradoriensis* Christoph, 1858 **_ Range (in code): CA Lbr**
- 73794. *Crambus angulatus* Barnes & McDunnough, 1918** (Pyralidae) **Synonym(s):** *angulatus* Barnes & McDunnough, 1918; *diegonellus* Dyar, 1923 **_ Range (in code): US Cf**
- 73795. *Crambus angustatellus* Maassen, 1890** (Pyralidae) **Synonym(s):** *angustatellus* Maassen, 1890 **_ Range (in code): BO**
- 73796. *Crambus angustexon* Bleszynski, 1962** (Pyralidae) **Synonym(s):** *angustexon* Bleszynski, 1962 **_ Range (in code): MX**
- 73797. *Crambus angustipennis* (Zeller, 1877)** (Pyralidae) **Synonym(s):** *angustipennis* Zeller, 1877; *leucanialis* Butler, 1877 **_ Range (in code): NZ**
- 73798. *Crambus antimorus* Meyrick, 1901** (Pyralidae) **Synonym(s):** *antimorus* Meyrick, 1901 **_ Range (in code): NZ**
- 73799. *Crambus apicellus* Zeller, 1863** (Pyralidae) **Synonym(s):** *apicellus* Zeller, 1863 **_ Range (in code): NZ**
- 73800. *Crambus apselias* Meyrick, 1907** (Pyralidae) **Synonym(s):** *apselias* Meyrick, 1907 **_ Range (in code): NZ**
- 73801. *Crambus arachnophagus* Strand, 1919** (Pyralidae) **Synonym(s):** *arachnophagus* Strand, 1919 **Original Reference:** *Crambus arachnophagus* Strand, 1919, Stettin ent. Ztg. 79(2): 252. Type ♀: [Taiwan]: Formosa: Anping. **_ Range (in code): TW**
- 73802. *Crambus archimedes* Bleszynski, 1961** (Pyralidae) **Synonym(s):** *archimedes* Bleszynski, 1961 **Original Reference:** *Crambus archimedes* Bleszynski, 1961, Polski pismo ent. 31: 171-172, figs. Holotype ♂: "Masseru, Basutoland", R. Crawshay leg. (BMNH). **_ Range (in code): ZA Nta Kzu Tva Lpo**
- 73803. *Crambus archimedes archimedes* Bleszynski, 1961** (Pyralidae) **Synonym(s):** *archimedes* Bleszynski, 1961 **Original Reference:** *Crambus archimedes* Bleszynski, 1961, Polski pismo ent. 31: 171-172, figs. Holotype ♂: "Masseru, Basutoland", R. Crawshay leg. (BMNH). **_ Range (in code): ZA Nta Kzu Tva Lpo**
- 73804. *Crambus argentilineellus* Hampson, 1896** (Pyralidae) **Synonym(s):** *argentilineellus* Hampson, 1896 **_ Range (in code):**
- 73805. *Crambus argentistriellus* Leech, 1889** (Pyralidae) **Synonym(s):** *argentistriellus* Leech, 1889 **_ Range (in code): CN Mc**
- 73806. *Crambus argyrophorus* Butler, 1878** (Pyralidae) **Synonym(s):** *argyrophorus* Butler, 1878 **_ Range (in code): IN JP Hkk Kyu SI**
- 73807. *Crambus aristophanes* Bleszynski, 1961** (Pyralidae) **Synonym(s):** *aristophanes* Bleszynski, 1961 **_ Range (in code): KE**
- 73808. *Crambus athamas* Bleszynski, 1961** (Pyralidae) **Synonym(s):** *athamas* Bleszynski, 1961 **_ Range (in code): IN Ass**
- 73809. *Crambus atratellus* Hampson, 1919** (Pyralidae) **Synonym(s):** *atratellus* Hampson, 1919 **_ Range (in code):**
- 73810. *Crambus atristrigellus* Hampson, 1919** (Pyralidae) **Synonym(s):** *atristrigellus* Hampson, 1919 **_ Range (in code): JM**
- 73811. *Crambus atosignatus* Zeller, 1877** (Pyralidae) **Synonym(s):** *atosignatus* Zeller, 1877; *niveirostralis* Caradja, 1925; *atosignellus* Caradja, 1938; *#niveirostrellus* Caradja, 1938 **_ Range (in code): CN JP**
- 73812. *Crambus attis* Bassi, 2012** (Pyralidae) **Synonym(s):** *attis* Bassi, 2012 **_ Range (in code): ZA Gau Tva Lpo Mpu Kzu Nta SZ Fs**
- 73813. *Crambus aulistes* Meyrick, 1909** (Pyralidae) **Synonym(s):** *aulistes* Meyrick, 1909 **_ Range (in code): NZ**
- 73814. *Crambus aurantilineellus* Hampson, 1896** (Pyralidae) **Synonym(s):** *aurantilineellus* Hampson, 1896 **_ Range (in code):**
- 73815. *Crambus auronivellus* Fryer, 1912** (Pyralidae) **Synonym(s):** *auronivellus* Fryer, 1912 **_ Range (in code): SC**
- 73816. *Crambus autotoxellus* Dyar, 1914** (Pyralidae) **Synonym(s):** *autotoxellus* Dyar, 1914 **_ Range (in code): MX**
- 73817. *Crambus awemellus* McDunnough, 1921** (Pyralidae) **Synonym(s):** *awemellus* McDunnough, 1921 **_ Range (in code): CA**
- 73818. *Crambus bachi* Bassi, 2012** (Pyralidae) **Synonym(s):** *bachi* Bassi, 2012 **_ Range (in code): ET**

- 73819. *Crambus bellissimus* Bleszynski,1961** (Pyralidae) **Synonym(s):** *bellissimus* Bleszynski,1961
Range (in code): **ZA Kzu Nta**
- 73820. *Crambus bellissimus bellissimus* Bleszynski,1961** (Pyralidae) **Synonym(s):** *bellissimus* Bleszynski,1961
Range (in code): **ZA Kzu Nta**
- 73821. *Crambus berliozi* Bassi,2012** (Pyralidae) **Synonym(s):** *berliozi* Bassi,2012
Range (in code): **ZA Kzu Nta**
- 73822. *Crambus bidens* Zeller,1872** (Pyralidae) **Synonym(s):** *bidens* Zeller,1872
Range (in code): **US Ny Msc Org CA BCo**
- 73823. *Crambus bidentellus* Hampson,1919** (Pyralidae) **Synonym(s):** *bidentellus* Hampson,1919
Range (in code): **MX**
- 73824. *Crambus biguttellus* Forbes,1920** (Pyralidae) **Synonym(s):** *biguttellus* Forbes,1920
Range (in code): **US Lou PR**
- 73825. *Crambus bilineatus* Okano,1958** (Pyralidae) **Synonym(s):** *bilineatus* Okano,1958
Range (in code): **JP**
- 73826. *Crambus bipartellus* South,1901** (Pyralidae) **Synonym(s):** *bipartellus* South,1901
Range (in code): **CN MM**
- 73827. *Crambus bipartellus* South,1901** (Pyralidae) **Synonym(s):** *bipartellus* South,1901
Range (in code): **CN Sz Yu Fkn Tkg MM**
- 73828. *Crambus bizonellus* Hampson,1896** (Pyralidae) **Synonym(s):** *bizonellus* Hampson,1896
Range (in code): **CL**
- 73829. *Crambus bolterellus* Fernald,1887** (Pyralidae) **Synonym(s):** *bolterellus* Fernald,1887
Range (in code): **US Tx**
- 73830. *Crambus boninellus* Shibuya,1929** (Pyralidae) **Synonym(s):** *boninellus* Shibuya,1929
Range (in code): **JP Bo**
- 73831. *Crambus brachiiferus* Hampson,1919** (Pyralidae) **Synonym(s):** *brachiiferus* Hampson,1919
Range (in code): **TZ ZA**
- 73832. *Crambus brachyrabda* Hampson,1906** (Pyralidae) **Synonym(s):** *brachyrabda* Hampson,1906
Range (in code): **SI**
- 73833. *Crambus braunellus* Klots,1940** (Pyralidae) **Synonym(s):** *braunellus* Klots,1940
Range (in code): **US Cf**
- 73834. *Crambus brunneisquamatus* Hampson,1919** (Pyralidae) **Synonym(s):** *brunneisquamatus* Hampson,1919
Range (in code): **TZ**
- 73835. *Crambus calamellus* Hampson,1919** (Pyralidae) **Synonym(s):** *calamellus* Hampson,1919
Range (in code): **PY**
- 73836. *Crambus caliginosellus* Clemens,1860** (Pyralidae) **Synonym(s):** *caliginosellus* Clemens,1860
Range (in code): **US**
- 73837. *Crambus caligula* Bleszynski,1961** (Pyralidae) **Synonym(s):** *caligula* Bleszynski,1961
Range (in code): **KE ZR**
- 73838. *Crambus callirhous* Meyrick,1882** (Pyralidae) **Synonym(s):** *callirhous* Meyrick,1882
Range (in code): **NZ**
- 73839. *Crambus carolinellus* Haimbach,1915** (Pyralidae) **Synonym(s):** *carolinellus* Haimbach,1915
Range (in code): **US NCa**
- 73840. *Crambus cervinellus* Zeller,1863** (Pyralidae) **Synonym(s):** *cervinellus* Zeller,1863
Range (in code): **BR**
- 73841. *Crambus chalcostomus* Dyar,1916** (Pyralidae) **Synonym(s):** *chalcostomus* Dyar,1916
Range (in code): **MX**
- 73842. *Crambus chillanellus* Hampson,1919** (Pyralidae) **Synonym(s):** *chillanellus* Hampson,1919
Range (in code): **CL**
- 73843. *Crambus chillanicus* (Butler,1883)** (Pyralidae) **Synonym(s):** *chillanicus* Butler,1883
Range (in code): **CL**
- 73844. *Crambus chiloidellus* Barnes & McDunnough,1913** (Pyralidae) **Synonym(s):** *chiloidellus* Barnes & McDunnough,1913
Range (in code): **US Arz**
- 73845. *Crambus chrysoporellus* Hampson,1895** (Pyralidae) **Synonym(s):** *chrysoporellus* Hampson,1895
Range (in code):
- 73846. *Crambus cinereus* Hampson,1919** (Pyralidae) **Synonym(s):** *cinereus* Hampson,1919
Range (in code): **PG**

- 73847. *Crambus claviger* Staudinger, 1899** (Pyralidae) Synonym(s): *claviger* Staudinger, 1899
Range (in code):
- 73848. *Crambus coccophthorus* Bleszynski, 1962** (Pyralidae) Synonym(s): *coccophthorus* Bleszynski, 1962
Range (in code): JM
- 73849. *Crambus cockleellus* Kearfott, 1908** (Pyralidae) Synonym(s): *cockleellus* Kearfott, 1908
Range (in code): CA BCo
- 73850. *Crambus coloradellus* Fernald, 1893** (Pyralidae) Synonym(s): *coloradellus* Fernald, 1893
Range (in code): US Col
- 73851. *Crambus conopias* Meyrick, 1907** (Pyralidae) Synonym(s): *conopias* Meyrick, 1907
Range (in code): NZ
- 73852. *Crambus cormieri* Bleszynski, 1961** (Pyralidae) Synonym(s): *cormieri* Bleszynski, 1961
Range (in code): TZ
- 73853. *Crambus corrupta* (Butler, 1877)** (Pyralidae) Synonym(s): *corrupta* Butler, 1877
Range (in code): NZ
- 73854. *Crambus corylana* Clarke, 1936** (Pyralidae) Synonym(s): *corylana* Clarke, 1936
Range (in code): NZ
- 73855. *Crambus coryolanus* Bleszynski, 1961** (Pyralidae) Synonym(s): *coryolanus* Bleszynski, 1961
Range (in code): SI IN Djl Meg Ass Khs
- 73856. *Crambus craeneus* Meyrick, 1885** (Pyralidae) Synonym(s): *craeneus* Meyrick, 1885
Range (in code): NZ
- 73857. *Crambus cuprescens* Hampson, 1919** (Pyralidae) Synonym(s): *cuprescens* Hampson, 1919
Range (in code):
- 73858. *Crambus curtellus* Walker, 1863** (Pyralidae) Synonym(s): *curtellus* Walker, 1863
Range (in code):
- 73859. *Crambus cyclopicus* Meyrick, 1882** (Pyralidae) Synonym(s): *cyclopicus* Meyrick, 1882
Range (in code): NZ
- 73860. *Crambus cypridalis* Hulst, 1866** (Pyralidae) Synonym(s): *cypridalis* Hulst, 1866
Range (in code): US Ut
- 73861. *Crambus cyrilellus* Klots, 1942** (Pyralidae) Synonym(s): *cyrilellus* Klots, 1942
Range (in code): US NMx Arz
- 73862. *Crambus daeckellus* Haimbach, 1907** (Pyralidae) Synonym(s): *daeckellus* Haimbach, 1907
Range (in code): US Nje
- 73863. *Crambus daisetsuzana* Matsumura, 1927** (Pyralidae) Synonym(s): *daisetsuzana* Matsumura, 1927
Range (in code): JP
- 73864. *Crambus damotellus* Schaus, 1922** (Pyralidae) Synonym(s): *damotellus* Schaus, 1922
Range (in code): MX
- 73865. *Crambus decorellus* (Zincken, 1821)** (Pyralidae) Synonym(s): *decorellus* Zincken, 1821
Range (in code): US Mrl Msc Pns Ge Tx
- 73866. *Crambus delineatellus* Hampson, 1896** (Pyralidae) Synonym(s): *delineatellus* Hampson, 1896
Range (in code):
- 73867. *Crambus detomatellus* Möschler, 1890** (Pyralidae) Synonym(s): *detomatellus* Möschler, 1890
Range (in code): PR
- 73868. *Crambus dianiapha* Lower, 1902** (Pyralidae) Synonym(s): *dianiapha* Lower, 1902
Range (in code): AU
- 73869. *Crambus dianiphalis* Hampson, 1908** (Pyralidae) Synonym(s): *dianiphalis* Hampson, 1908
Range (in code): IN LK
- 73870. *Crambus diarhabdellus* Hampson, 1919** (Pyralidae) Synonym(s): *diarhabdellus* Hampson, 1919
Range (in code): SD TZ MG
- 73871. *Crambus diascia* Hampson, 1919** (Pyralidae) Synonym(s): *diascia* Hampson, 1919
Range (in code): PY
- 73872. *Crambus dicrenellus* Meyrick, 1882** (Pyralidae) Synonym(s): *dicrenellus* Meyrick, 1882
Range (in code): NZ
- 73873. *Crambus dielota* (Meyrick, 1886)** (Pyralidae) Synonym(s):
Range (in code): WS FJ AU
- 73874. *Crambus digrammellus* Hampson, 1919** (Pyralidae) Synonym(s): *digrammellus* Hampson, 1919
Range (in code): MX

- 73875. *Crambus diplogrammus* Zeller,1863** (Pyralidae) Synonym(s): *diplogrammus* Zeller,1863
Range (in code): **RU Am Prj Us CN JP**
- 73876. *Crambus diplorrhous* Meyrick,1885** (Pyralidae) Synonym(s): *diplorrhous* Meyrick,1885
Range (in code): **NZ**
- 73877. *Crambus dirutellus* Walker,1866** (Pyralidae) Synonym(s): *dirutellus* Walker,1866
Range (in code): **AU**
- 73878. *Crambus discludellus* Möschler,1890** (Pyralidae) Synonym(s): *discludellus* Möschler,1890
Range (in code): **PR**
- 73879. *Crambus dissectus* Grote,1880** (Pyralidae) Synonym(s): *dissectus* Grote,1880 _ Range (in code): **US Mai Ny**
- 73880. *Crambus distictellus* Hampson,1919** (Pyralidae) Synonym(s): *distictellus* Hampson,1919
Original Reference: *Crambus distictellus* Hampson,1919, Ann. Mag. nat. Hist. (9)3: 288. Range (in code): **TW**
- 73881. *Crambus dividellus* Snellen,1890** (Pyralidae) Synonym(s): *dividellus* Snellen,1890
Range (in code): **IN MM**
- 73882. *Crambus domingellus* Schaus,1922** (Pyralidae) Synonym(s): *domingellus* Schaus,1922
Range (in code): **PR**
- 73883. *Crambus dukiinfieldiellus* Schaus,1922** (Pyralidae) Synonym(s): *dukinfieldiellus* Schaus,1922 _ Range (in code):
- 73884. *Crambus edredellus* Schaus,1922** (Pyralidae) Synonym(s): *edredellus* Schaus,1922
Range (in code): **JM**
- 73885. *Crambus elegans* Clemens,1860** (Pyralidae) Synonym(s): *elegans* Clemens,1860; *terminellus* Zeller,1863. _ Range (in code): **US**
- 73886. *Crambus ellipticellus* Hampson,1919** (Pyralidae) Synonym(s): *ellipticellus* Hampson,1919
Range (in code): **ZA Nta Kzu TZ**
- 73887. *Crambus ellipticellus ellipticellus* Hampson,1919** (Pyralidae) Synonym(s): *ellipticellus* Hampson,1919 _ Range (in code): **ZA Nta Kzu TZ**
- 73888. *Crambus elongatus* Hampson,1919** (Pyralidae) Synonym(s): *elongatus* Hampson,1919
Range (in code): **CL**
- 73889. *Crambus elphegellus* Schaus,1922** (Pyralidae) Synonym(s): *elphegellus* Schaus,1922
Range (in code): **VE**
- 73890. *Crambus encophorus* Meyrick,1885** (Pyralidae) Synonym(s): *encophorus* Meyrick,1885
Range (in code): **NZ**
- 73891. *Crambus endoxantha* Hampson,1919** (Pyralidae) Synonym(s): *endoxantha* Hampson,1919
Range (in code): **ZA Tva Lpo**
- 73892. *Crambus endoxantha endoxantha* Hampson,1919** (Pyralidae) Synonym(s): *endoxantha* Hampson,1919 _ Range (in code): **ZA Tva Lpo**
- 73893. *Crambus ephorus* Meyrick,1885** (Pyralidae) Synonym(s): *ephorus* Meyrick,1885
Range (in code): **NZ**
- 73894. *Crambus ericellus* (Hübner,[1813])** (Pyralidae) Synonym(s): *ericellus* Hübner,[1813]
Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Corynephorus*, *Deschampsia* (Poaceae) (Parenti,2000).
- 73895. *Crambus euryptides* Bleszynski,1961** (Pyralidae) Synonym(s): *euryptides* Bleszynski,1961
Range (in code): **UG**
- 73896. *Crambus euryptellus* Berg,1877** (Pyralidae) Synonym(s): *euryptellus* Berg,1877 _ Range (in code): **AR**
- 73897. *Crambus expansellus* Zeller,1877** (Pyralidae) Synonym(s): *expansellus* Zeller,1877
Range (in code): **PA**
- 73898. *Crambus falcarius* Zeller,1872** (Pyralidae) Synonym(s): *falcarius* Zeller,1872 _ Range (in code): **CO**
- 73899. *Crambus falklandicellus* Hampson,1896** (Pyralidae) Synonym(s): *falklandicellus* Hampson,1896 _ Range (in code): **FK**
- 73900. *Crambus faunellus* Dyar,1911** (Pyralidae) Synonym(s): *faunellus* Dyar,1911 _ Range (in code): **BR**
- 73901. *Crambus fernandesellus* Hampson,1896** (Pyralidae) Synonym(s): *fernandesellus* Hampson,1896 _ Range (in code):

- 73902. *Crambus fissiradiellus* Walker,1863** (Pyralidae) Synonym(s): *fissiradiellus* Walker,1863
Range (in code):
- 73903. *Crambus flaviguttellus* Wileman & South,1917** (Pyralidae) Synonym(s): *flaviguttellus* Wileman & South,1917
Original Reference: *Crambus flaviguttellus* Wileman & South,1917, Entomologist 50: 148. Range (in code): **TW**
- 73904. *Crambus flexuosellus* Doubleday,1843** (Pyralidae) Synonym(s): *flexuosellus* Doubleday,1843
Range (in code):
- 73905. *Crambus fractellus* South,1901** (Pyralidae) Synonym(s): *fractellus* South,1901
Range (in code): **CN Sz**
- 73906. *Crambus frescobaldii* Bassi,2012** (Pyralidae) Synonym(s): *frescobaldii* Bassi,2012
Range (in code): **ZW**
- 73907. *Crambus fugitivellus* Hudson,1951** (Pyralidae) Synonym(s): *fugitivellus* Hudson,1951
Range (in code): **NZ**
- 73908. *Crambus fulvinotellus* Hampson,1919** (Pyralidae) Synonym(s): *fulvinotellus* Hampson,1919
Range (in code): **PG Ls**
- 73909. *Crambus funebrellus* Caradja & Meyrick,1937** (Pyralidae) Synonym(s): *funebrellus* Caradja & Meyrick,1937
Range (in code): **CN Yu**
- 73910. *Crambus gausapalis* Hulst,886** (Pyralidae) Synonym(s): *gausapalis* Hulst,886
Range (in code): **US Cf**
- 73911. *Crambus geminatellus* Zeller,1863** (Pyralidae) Synonym(s): *geminatellus* Zeller,1863
Range (in code): **US**
- 73912. *Crambus gestatellus* Möschler,1890** (Pyralidae) Synonym(s): *gestatellus* Möschler,1890
Range (in code): **PR**
- 73913. *Crambus girardellus* Clemens,1860** (Pyralidae) Synonym(s): *girardellus* Clemens,1860
Range (in code): **US**
- 73914. *Crambus gonoxes* Bleszynski,1962** (Pyralidae) Synonym(s): *gonoxes* Bleszynski,1962
Range (in code): **CN MM**
- 73915. *Crambus griseticellus* Hampson,1896** (Pyralidae) Synonym(s): *grisetinctellus* Hampson,1896
Range (in code): **BR**
- 73916. *Crambus guerini* Bleszynski,1961** (Pyralidae) Synonym(s): *guerini* Bleszynski,1961
Range (in code): **TZ**
- 73917. *Crambus hamellus* (Thunberg,1788)** (Pyralidae) Synonym(s): *hamellus* Thunberg,1788; *baccaestrius* Haworth,[1811]; *ensigerellus* Hübner,[1813].
Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Mo Tt Am Sh MD UA BY JP US Mai Als Col**
- 73918. *Crambus hamellus carpenterellus* Packard,1873** (Pyralidae) Synonym(s): *carpenterellus* Packard,1873
Range (in code): **US Col**
- 73919. *Crambus hamellus hamellus* (Thunberg,1788)** (Pyralidae) Synonym(s): *hamellus* Thunberg,1788; *baccaestrius* Haworth,[1811]; *ensigerellus* Hübner,[1813].
Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Mo Tt Am Sh MD UA BY JP US Mai Als**
- 73920. *Crambus hampsoni* Bleszynski,1961** (Pyralidae) Synonym(s): *mediofasciellus* Hampson,1919 nec Zny.,1914; *hampsoni* Bleszynski,1961.
Original Reference: *Crambus hampsoni* Bleszynski,1961, Polski pismo. ent. 31: 172-173 (nomen novum pro mediofasciellus Hampson,1919 nec Zerny,1914 [Catoptria]. Syntypes: [Kenya]: British East Africa: Nairobi, Escarpment and Athi ya Mawe (BMNH). Range (in code): **KE Nai**
- 73921. *Crambus haplotomus* Meyrick,1882** (Pyralidae) Synonym(s): *haplotomus* Meyrick,1882
Original Reference: *Crambus haplotomus* Meyrick,1882, N. Zeal. J. Sci. 1: 187. Range (in code): **NZ**
- 73922. *Crambus harpipterus* Dyar,1916** (Pyralidae) Synonym(s): *harpipterus* Dyar,1916
Original Reference: *Crambus harpipterus* Dyar,1916, Proc. U. S. nat. Mus. 51: 26. Range (in code): **MX**
- 73923. *Crambus harpophorus* Meyrick,1882** (Pyralidae) Synonym(s): *harpophorus* Meyrick,1882
Original Reference: *Crambus harpophorus* Meyrick,1882, N. Zeal. J. Sci. 1: 187. Range (in code): **NZ**
- 73924. *Crambus hastifer* Staudinger,1899** (Pyralidae) Synonym(s): *hastifer* Staudinger,1899
Range (in code):
- 73925. *Crambus hayachinensis* Okano,1957** (Pyralidae) Synonym(s): *hayachinensis* Okano,1957
Range (in code): **JP**

- 73926. *Crambus haytiellus* (Zincken,1821)** (Pyralidae) **Synonym(s):** *haytiellus* Zincken,1821
Range (in code): **JM US FI**
- 73927. *Crambus heliotes* Meyrick,1888** (Pyralidae) **Synonym(s):** *heliotes* Meyrick,1888
Range (in code): **NZ**
- 73928. *Crambus hemileucalis* Hampson,1896** (Pyralidae) **Synonym(s):** *hemileucalis* Hampson,1896
Original Reference: *Crambus hemileucalis* Hampson,1896, Fauna Br. India 4: 16. Type ♀: India: Manipur (Doherty leg.) (coll. Elwes). **Range (in code):** **IN Ass Mpr**
- 73929. *Crambus hemiochrellus* Zeller,1877** (Pyralidae) **Synonym(s):** *hemiochrellus* Zeller,1877
Range (in code): **US Tx**
- 73930. *Crambus hemixanthellus* Hampson,1896** (Pyralidae) **Synonym(s):** *hemixanthellus* Hampson,1896
Range (in code): **BR**
- 73931. *Crambus heringiellus* Herrich-Schäffer,[1848]** (Pyralidae) **Synonym(s):** *heringiellus* Herrich-Schäffer,[1848]; *#hemigiellus* Hampson,1896. **Original Reference:** *Crambus heringiellus* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 54, fig.142. **Range (in code):** **Sa Si IT DE PL DK NO SE FI EE LV LT RU Tt Ir Irk Pt MD UA BY IR MN U-B**
- 73932. *Crambus heterantes* Meyrick,1901** (Pyralidae) **Synonym(s):** *heterantes* Meyrick,1901
Range (in code): **NZ**
- 73933. *Crambus heteraulus* Meyrick,1905** (Pyralidae) **Synonym(s):** *heteraulus* Meyrick,1905
Range (in code): **NZ**
- 73934. *Crambus horistes* Meyrick,1902** (Pyralidae) **Synonym(s):** *horistes* Meyrick,1902
Range (in code):
- 73935. *Crambus hulstellus* Fernald,1885** (Pyralidae) **Synonym(s):** *hulstellus* Fernald,1885
Range (in code): **US Tx**
- 73936. *Crambus humidellus* Zeller,1877** (Pyralidae) **Synonym(s):** *humidellus* Zeller,1877; *yokohamae* Butler,1879; *splendidellus* Christoph,1881. **Range (in code):** **CN Mc JP RU Am Prj Us KP KR Sh Hkk Kyu**
- 73937. *Crambus hyacinthus* Bleszynski,1877** (Pyralidae) **Synonym(s):** *hyacinthus* Bleszynski,1877
Range (in code): **TW**
- 73938. *Crambus icarus* Bleszynski,1961** (Pyralidae) **Synonym(s):** *icarus* Bleszynski,1961
Range (in code): **KE**
- 73939. *Crambus immunellus* Zeller,1872** (Pyralidae) **Synonym(s):** *immunellus* Zeller,1872
Range (in code): **CO US Mss**
- 73940. *Crambus immunellus minor* Forbes,1920** (Pyralidae) **Synonym(s):** *minor* Forbes,1920
Range (in code): **US Mss**
- 73941. *Crambus intangens* Dyar,1914** (Pyralidae) **Synonym(s):** *intangens* Dyar,1914
Range (in code): **PA**
- 73942. *Crambus intermedius* Kearfott,1908** (Pyralidae) **Synonym(s):** *intermedius* Kearfott,1908
Original Reference: *Crambus intermedius* Kearfott,1908, Proc. U. S. nat. Mus. 35: 383. **Range (in code):** **US Tx Arz**
- 73943. *Crambus isochytus* Meyrick,1888** (Pyralidae) **Synonym(s):** *isochytus* Meyrick,1888
Range (in code): **NZ**
- 73944. *Crambus isshiki* Matsumura,1925** (Pyralidae) **Synonym(s):** *isshiki* Matsumura,1925
Range (in code): **RU Am Rjk Prj Us Vv CN Mc Jn**
- 73945. *Crambus johnsoni* Klots,1942** (Pyralidae) **Synonym(s):** *johnsoni* Klots,1942
Range (in code): **US NMx Arz**
- 73946. *Crambus kumatakellus* Shibuya,1928** (Pyralidae) **Synonym(s):** *kumatakellus* Shibuya,1928
Original Reference: *Crambus kumatakellus* Shibuya,1928, J. Coll. Agric. Hokkaido Imp. Univ. 22(1): 47, pl.4 f.1. Type ♂: [Taiwan]: Formosa: Kumataka. **Range (in code):** **TW**
- 73947. *Crambus kuzakaiensis* Okano,1960** (Pyralidae) **Synonym(s):** *kuzakaiensis* Okano,1960
Range (in code): **JP**
- 73948. *Crambus lacteella* Janse,1922** (Pyralidae) **Synonym(s):** *lacteella* Janse,1922
Original Reference: *Crambus lacteella* Janse,1922, Trans. ent. Soc. London 1922: 5. **Range (in code):** **ZA Tva Lpo**
- 73949. *Crambus lacteella lacteella* Janse,1922** (Pyralidae) **Synonym(s):** *lacteella* Janse,1922
Original Reference: *Crambus lacteella* Janse,1922, Trans. ent. Soc. London 1922: 5. **Range (in code):** **ZA Tva Lpo**

- 73950. *Crambus laqueatellus* Clemens, 1860** (Pyralidae) **Synonym(s):** *laqueatellus* Clemens, 1860; *semifusellus* Walker, 1863. **Range (in code):** **US**
- 73951. *Crambus lascaellus* Druce, 1896** (Pyralidae) **Synonym(s):** *lascaellus* Druce, 1896. **Range (in code):** **MX**
- 73952. *Crambus lathoniellus* (Zincken, 1817)** (Pyralidae) **Synonym(s):** *nemorellus* Hübner, [1813] *nec* Thunb., 1788; *lathoniellus* Zincken, 1817; *angustellus* Stephens, 1834; *alfacarellus* Staudinger, 1859; *altivolens* Schawerda, 1913; *marpurgensis* Strand, 1920. **Range (in code):** **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK RO YU B-H AL BG GR TR DK NO SE FI EE LV LT RU Tt Am MD UA BY TR** **Bionomy:** Larva on *Deschampsia cespitosa* (Poaceae) (Parenti, 2000).
- 73953. *Crambus leachellus* Zincken, 1818** (Pyralidae) **Synonym(s):** *leachellus* Zincken, 1818; *hastiferellus* Walker, 1863. **Range (in code):** **US CA**
- 73954. *Crambus leachellus rickseckerellus* Klots, 1940** (Pyralidae) **Synonym(s):** *rickseckerellus* Klots, 1940. **Range (in code):** **US**
- 73955. *Crambus lectus* Philpott, 1929** (Pyralidae) **Synonym(s):** *lectus* Philpott, 1929. **Range (in code):** **NZ**
- 73956. *Crambus leucofascialis* Janse, 1922** (Pyralidae) **Synonym(s):** *leucofascialis* Janse, 1922. **Range (in code):** **ZW**
- 73957. *Crambus leuconotus* Zeller, 1882** (Pyralidae) **Synonym(s):** *leuconotus* Zeller, 1882. **Range (in code):** **CO**
- 73958. *Crambus leucorhabdon* Hampson, 1919** (Pyralidae) **Synonym(s):** *leucorhabdon* Hampson, 1919. **Range (in code):**
- 73959. *Crambus leucoschalis* Hampson, 1898** (Pyralidae) **Synonym(s):** *leucoschalis* Hampson, 1898; *infradentatus* Hampson, 1919. **Range (in code):** **ZA Tva Gau Pre**
- 73960. *Crambus leucoschalis leucoschalis* Hampson, 1898** (Pyralidae) **Synonym(s):** *leucoschalis* Hampson, 1898; *infradentatus* Hampson, 1919. **Range (in code):** **ZA Tva Gau Pre**
- 73961. *Crambus ligonellus* Zeller, 1882** (Pyralidae) **Synonym(s):** *ligonellus* Zeller, 1882. **Range (in code):** **JM**
- 73962. *Crambus linearellus* Zeller, 1863** (Pyralidae) **Synonym(s):** *linearellus* Zeller, 1863. **Range (in code):** **US**
- 73963. *Crambus luridus* Hudson, 1923** (Pyralidae) **Synonym(s):** *luridus* Hudson, 1923. **Range (in code):** **NZ**
- 73964. *Crambus lybistidellus* Turati, 1924** (Pyralidae) **Synonym(s):** *lybistidellus* Turati, 1924. **Range (in code):** **LY Cy**
- 73965. *Crambus lyonsellus* Haimbach, 1915** (Pyralidae) **Synonym(s):** *lyonsellus* Haimbach, 1915. **Range (in code):** **US CA**
- 73966. *Crambus magnificus* Bleszynski, 1956** (Pyralidae) **Synonym(s):** *magnificus* Bleszynski, 1956. **Range (in code):** **CN Sz T-T Ti Btn**
- 73967. *Crambus melanolepis* Hampson, 1919** (Pyralidae) **Synonym(s):** *melanolepis* Hampson, 1919. **Range (in code):** **PE**
- 73968. *Crambus melchiellus* Druce, 1896** (Pyralidae) **Synonym(s):** *melchiellus* Druce, 1896. **Range (in code):** **MX**
- 73969. *Crambus melitastes* Meyrick, 1909** (Pyralidae) **Synonym(s):** *melitastes* Meyrick, 1909. **Range (in code):** **NZ**
- 73970. *Crambus meretricella* Schaus, 1913** (Pyralidae) **Synonym(s):** *meretricella* Schaus, 1913. **Range (in code):** **CR**
- 73971. *Crambus meristes* Meyrick, 1919** (Pyralidae) **Synonym(s):** *meristes* Meyrick, 1919; *#meritus* Philpott, 1929. **Range (in code):** **NZ**
- 73972. *Crambus mesombrellus* Hampson, 1919** (Pyralidae) **Synonym(s):** *mesombrellus* Hampson, 1919. **Range (in code):** **NG**
- 73973. *Crambus meus* Strand, 1919** (Pyralidae) **Synonym(s):** *meus* Strand, 1919. **Original Reference:** *Crambus meus* Strand, 1919, Stettin ent. Ztg. 79(2): 251. Type ♂: [Taiwan]: Formosa: Anping. **Range (in code):** **TW**
- 73974. *Crambus micralis* Hampson, 1919** (Pyralidae) **Synonym(s):** *micralis* Hampson, 1919. **Range (in code):** **CU**
- 73975. *Crambus microstrigatus* Hampson, 1919** (Pyralidae) **Synonym(s):** *microstrigatus* Hampson, 1919. **Range (in code):** **TZ**

- 73976. *Crambus midas* Bleszynski,1961** (Pyralidae) Synonym(s): *midas* Bleszynski,1961
Range (in code): AO
- 73977. *Crambus minuellus* Walker,1863** (Pyralidae) Synonym(s): *minuellus* Walker,1863
Range (in code): HN
- 73978. *Crambus moeschleralis* Schaus** (Pyralidae) Synonym(s): *moeschleralis* Schaus _ Range (in code): CU
- 73979. *Crambus monostictus* Hampson,1919** (Pyralidae) Synonym(s): *monostictus* Hampson,1919 _ Range (in code): TZ
- 73980. *Crambus mozarti* Bassi,2012** (Pyralidae) Synonym(s): *mozarti* Bassi,2012 _ Range (in code): TZ
- 73981. *Crambus multilinellus* Fernald,1887** (Pyralidae) Synonym(s): *multilinellus* Fernald,1887
Range (in code): US FI
- 73982. *Crambus multiradiellus* Hampson,1896** (Pyralidae) Synonym(s): *multiradiellus* Hampson,1896 _ Range (in code): BR
- 73983. *Crambus murellus* Dyar,1904** (Pyralidae) Synonym(s): *murellus* Dyar,1904 _ Range (in code): CA BCo
- 73984. *Crambus murinellus* Zeller,1863** (Pyralidae) Synonym(s): *murinellus* Zeller,1863
Range (in code): BR
- 73985. *Crambus narcissus* Bleszynski,1961** (Pyralidae) Synonym(s): *narcissus* Bleszynski,1961
Range (in code): CN Sz T-T
- 73986. *Crambus nephelestictus* De Joannis,1922** (Pyralidae) Synonym(s): *nephelestictus* De Joannis,1922 _ Range (in code): MZ
- 73987. *Crambus nephretete* Bleszynski,1961** (Pyralidae) Synonym(s): *nephretete* Bleszynski,1961
Range (in code): AO
- 73988. *Crambus nergaellus* Druce,1896** (Pyralidae) Synonym(s): *nergaellus* Druce,1896
Range (in code): MX
- 73989. *Crambus netuncus* Bassi,2012** (Pyralidae) Synonym(s): *netuncus* Bassi,2012 _ Range (in code): ET
- 73990. *Crambus neurellus* Hampson,1919** (Pyralidae) Synonym(s): *neurellus* Hampson,1919
Range (in code): KE
- 73991. *Crambus nevadellus* Kearfott,1908** (Pyralidae) Synonym(s): *nevadellus* Kearfott,1908
Range (in code): US Ne
- 73992. *Crambus nigriscriptellus* South,1901** (Pyralidae) Synonym(s): *nigriscriptellus* South,1901; *achilles* Bleszynski,1961 Original Reference: Crambus nigriscriptellus South,1901, Trans. ent. Soc. London 1901: 392. Range (in code): CN TkG Sz Kgs Yu
- 73993. *Crambus nigrivariialis* Gaede,1916** (Pyralidae) Synonym(s): *nigrivariialis* Gaede,1916
Range (in code): CM
- 73994. *Crambus niitakaensis* Marumo,1936** (Pyralidae) Synonym(s): *niitakaensis* Marumo,1936
Range (in code): TW
- 73995. *Crambus nitens* Turati,1930** (Pyralidae) Synonym(s): *nitens* Turati,1930 _ Range (in code): LY Cy
- 73996. *Crambus nivellus* (Kollar,[1844])** (Pyralidae) Synonym(s): *nivellus* Kollar,[1844]; *todarius* Butler,1883; *aurivittatus* Moore,1888. _ Range (in code): SI IN Ass Drm NP NI
- 73997. *Crambus nolckeniellus* Zeller,1872** (Pyralidae) Synonym(s): *nolckeniellus* Zeller,1872
Range (in code): CO
- 73998. *Crambus obscurefaciellus* Joannis,1927** (Pyralidae) Synonym(s): *obscurefaciellus* Joannis,1927 _ Range (in code): MZ ZA
- 73999. *Crambus obstructus* Meyrick,1911** (Pyralidae) Synonym(s): *obstructus* Meyrick,1911
Range (in code): NZ
- 74000. *Crambus occidentalis* Grote,1880** (Pyralidae) Synonym(s): *occidentalis* Grote,1880; *agricolellus* Dyar,1923 _ Range (in code): US Cf
- 74001. *Crambus offectalis* Hulst,1886** (Pyralidae) Synonym(s): *offectalis* Hulst,1886 _ Range (in code): US Col
- 74002. *Crambus oncobolus* Meyrick,1885** (Pyralidae) Synonym(s): *oncobolus* Meyrick,1885; *#oncolobus* Hampson,1896 _ Range (in code): NZ
- 74003. *Crambus oppositus* Philpott,1915** (Pyralidae) Synonym(s): *oppositus* Philpott,1915
Range (in code): NZ

- 74004. *Crambus ornatus* Philpott,1927** (Pyralidae) Synonym(s): *ornatus* Philpott,1927 _ Range (in code): NZ
- 74005. *Crambus oslarellus* Haimbach,1908** (Pyralidae) Synonym(s): *oslarellus* Haimbach,1908 Range (in code): US Col
- 74006. *Crambus ovidius* Bleszynski,1961** (Pyralidae) Synonym(s): *ovidius* Bleszynski,1961 Range (in code): ZR
- 74007. *Crambus palustrellus* Ragonot,1876** (Pyralidae) Synonym(s): *palustrellus* Ragonot,1876 Original Reference: *Crambus palustrellus* Ragonot,1876, Bull. Soc. ent. Fr. 1876: lxxviii. Lectotype ♂: France: Gascogne, designated by Bleszynski,1965: 208 (MNHNP). Range (in code): FR
- 74008. *Crambus paralycticus* Meyrick,1932** (Pyralidae) Synonym(s): *paralycticus* Meyrick,1932 Range (in code): FJ
- 74009. *Crambus paraxenus* Meyrick,1885** (Pyralidae) Synonym(s): *paraxenus* Meyrick,1885 Range (in code): NZ
- 74010. *Crambus paris* Bassi,2012** (Pyralidae) Synonym(s): *paris* Bassi,2012 _ Range (in code): ZA Nta Kzu
- 74011. *Crambus pascuella* (Linnaeus,1758)** (Pyralidae) Synonym(s): *pascuella* Linnaeus,1758; *scirpellus* Laharpe,1864; *fumipalpellus* Mann,1871; *acutulellus* Chrétien,1896. Original Reference: *Phalaena pascuella* Linnaeus,1758, Syst. Nat. (Edn.10)1: 535. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 222). Range (in code): PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu Kj Ir Irk Am Sh MD UA BY GG Cc AZ AM CN Ui Ku Gn Sz T-T KG Uk JP Hkk Kyu Bionomy: Larva on Poa (Poaceae) (Parenti,2000).
- 74012. *Crambus patulellus* Walker,1863** (Pyralidae) Synonym(s): *patulellus* Walker,1863 Range (in code): BR
- 74013. *Crambus pavidellus* Schaus,1913** (Pyralidae) Synonym(s): *pavidellus* Schaus,1913 Range (in code): CR
- 74014. *Crambus pedias* Meyrick,1885** (Pyralidae) Synonym(s): *pedias* Meyrick,1885 _ Range (in code): NZ
- 74015. *Crambus perdentellus* Hampson,1919** (Pyralidae) Synonym(s): *perdentellus* Hampson,1919 _ Range (in code): TZ
- 74016. *Crambus perlellus* (Scopoli,1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli,1763; *dealbellus* Thunberg,1788; *warringtonellus* Stainton,1849. Original Reference: *Phalaena perlella* Scopoli,1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): MA PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR GG AM Cc AZ KG Uk IR Shh Plr Dam KK AF Ch CN Ui Kml US Bionomy: Larva on Deschampsia, Festuca (Poaceae) (Parenti,2000).
- 74017. *Crambus perlellus aurellus* Zerny,1914** (Pyralidae) Synonym(s): *aurellus* Zerny,1914; *flavonitellus* Zerny,1935; *#auratus* Lucas,1956. Original Reference: *Crambus perlellus* var. *aurellus* Zerny,1914, Annln naturh. Mus. Wien 28: 301. Lectotype ♂: Iran: Schahkuh, designated by Bleszynski,1965, Micr. Pal. 1: 219 (NHMW). Range (in code): MA IR Elb Shh Dam Plr KG Uk
- 74018. *Crambus perlellus cupriacellus* Zerny,1914** (Pyralidae) Synonym(s): *cupriacellus* Zerny,1914 Original Reference: *Crambus cupriacellus* Zerny,1914, Annln naturh. Mus. Wien 28: 301. Type ♂: Armenien (24.Juli, ex coll. Hansen) (NHMW). Range (in code): Cc AM RU Da TR
- 74019. *Crambus perlellus hachimantaiensis* Okano,1957** (Pyralidae) Synonym(s): *hachimantaiensis* Okano,1957 _ Range (in code): JP
- 74020. *Crambus perlellus innotatellus* (Walker,1863)** (Pyralidae) Synonym(s): *innotatellus* Walker,1863; *sericinellus* Zeller,1863; *inornatellus* Clemens,1864 _ Range (in code): US
- 74021. *Crambus perlellus kirinellus* Bleszynski,1965** (Pyralidae) Synonym(s): *kirinellus* Bleszynski,1965 _ Range (in code): CN Mc Jn
- 74022. *Crambus perlellus monochromellus* Herrich-Schäffer,[1852]** (Pyralidae) Synonym(s): *monochromellus* Herrich-Schäffer,[1852]; *rostellus* Laharpe,1855. Original Reference: *Crambus monochromellus* Herrich-Schäffer,[1852], Syst. Bearb. Schmett. Eur. 4:Taf.23 fig.164; 6:145 [1855]. Type(s): [Austria]:Grossglockner. Range (in code): AT CH Cc GG AM AZ RU TR HU FI
- 74023. *Crambus perlellus nigerrimus* Caradja,1916** (Pyralidae) Synonym(s): *nigerrimus* Caradja,1916 Original Reference: *Crambus rostellus* var. *nigerrimus* Caradja,1916, Dt. ent. Z., Iris 30: 4. Lectotype ♂: Zentralasien: Karagaitau (Bleszynski,1965 M. P. 1:220). Range (in code): KK RU Sj

- 74024. *Crambus perlellus pamiri* Bleszynski, 1959** (Pyralidae) Synonym(s): *pamiri* Bleszynski, 1959 Original Reference: *Crambus perlellus* ssp. *pamiri* Bleszynski, 1959, Beitr. naturk. Forsch. SWDtl. 18(1): 114, Taf.3 f.4. Holotype ♂: Afghanistan: Andarab. Range (in code): AF Pm Adr Ch
- 74025. *Crambus perlellus perlellus* (Scopoli, 1763)** (Pyralidae) Synonym(s): *perlellus* Scopoli, 1763; *dealbellus* Thunberg, 1788; *warringtonellus* Stainton, 1849. Original Reference: *Phalaena perlella* Scopoli, 1763, Entomologia Carniolica: 243. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR GG KG UK IR Shh AM Cc KK
- 74026. *Crambus perlellus pseudorostellus* Müller-Rutz, 1923** (Pyralidae) Synonym(s): *pseudorostellus* Müller-Rutz, 1923 Range (in code): CH
- 74027. *Crambus perspicuus* Walker, 1870** (Pyralidae) Synonym(s): *perspicuus* Walker, 1870 Range (in code): EG SA
- 74028. *Crambus phaeostrigellus* Hampson, 1903** (Pyralidae) Synonym(s): *phaeostrogellus* Hampson, 1903 Range (in code): Ch
- 74029. *Crambus polingi* Kearfott, 1908** (Pyralidae) Synonym(s): *polingi* Kearfott, 1908 Range (in code): US Arz
- 74030. *Crambus porcellanellus* Motschulsky, 1866** (Pyralidae) Synonym(s): *porcellanellus* Motschulsky, 1866 Range (in code): CN Mc JP
- 74031. *Crambus praefectellus* (Zincken, 1821)** (Pyralidae) Synonym(s): *praefectellus* Zincken, 1821 Range (in code): US CA
- 74032. *Crambus pratellus* (Linnaeus, 1758)** (Pyralidae) Synonym(s): *pratellus* Linnaeus, 1758; *dumetellus* Hübner, [1813]; *saltalis* Hübner, [1825]. Original Reference: *Phalaena pratellus* Linnaeus, 1758, Syst. Nat. (Edn.10)1: 535. Lectotype ♂: [Europa] (Bleszynski, 1965: 209). Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Cc GG KG UK Bionomy: Larva on *Deschampsia cespitosa* (Poaceae) (Parenti, 2000).
- 74033. *Crambus profanellus* Walker, 1866** (Pyralidae) Synonym(s): *profanellus* Walker, 1866 Range (in code): MX
- 74034. *Crambus promethaeus* Bleszynski, 1961** (Pyralidae) Synonym(s): *promethaeus* Bleszynski, 1961 Range (in code): TZ
- 74035. *Crambus pseudargyrophorus* Okano, 1960** (Pyralidae) Synonym(s): *pseudargyrophorus* Okano, 1960 Range (in code): JP Hkk RU Am Prj Us
- 74036. *Crambus psychellus* Maassen, 1890** (Pyralidae) Synonym(s): *psychellus* Maassen, 1890 Range (in code): EC
- 74037. *Crambus pulchellus* Zeller, 1863** (Pyralidae) Synonym(s): *pulchellus* Zeller, 1863 Range (in code): US Il n Col
- 74038. *Crambus pulverulentellus* Zeller, 1872** (Pyralidae) Synonym(s): *pulverulentellus* Zeller, 1872 Range (in code): CO
- 74039. *Crambus punctellus* Hudson, 1951** (Pyralidae) Synonym(s): *punctellus* Hudson, 1951 Range (in code): NZ
- 74040. *Crambus pusionellus* Zeller, 1863** (Pyralidae) Synonym(s): *pusionellus* Zeller, 1863; *pustulella* Walker, 1866 Range (in code): VE
- 74041. *Crambus pythagoras* Bleszynski, 1961** (Pyralidae) Synonym(s): *pythagoras* Bleszynski, 1961 Range (in code): AO
- 74042. *Crambus quadrinotellus* Zeller, 1877** (Pyralidae) Synonym(s): *quadrinotellus* Zeller, 1877 Range (in code): PA
- 74043. *Crambus quinquareatus* Zeller, 1877** (Pyralidae) Synonym(s): *quinquareatus* Zeller, 1877 Range (in code): US Tx MX
- 74044. *Crambus racabellus* Druce, 1896** (Pyralidae) Synonym(s): *racabellus* Druce, 1896 Range (in code): MX
- 74045. *Crambus radicellus* Hampson, 1896** (Pyralidae) Synonym(s): *radicellus* Hampson, 1896 Range (in code): AR
- 74046. *Crambus ramosellus* Doubleday, 1843** (Pyralidae) Synonym(s): *ramosellus* Doubleday, 1843; *rangona* R. Felder & Rogenhofer, 1875 Range (in code): NZ
- 74047. *Crambus reductus* Janse, 1922** (Pyralidae) Synonym(s): *reductus* Janse, 1922 Original Reference: *Crambus reducta* Janse, 1922, Trans. ent. Soc. London 1922: 4. Range (in code): ZA Tva Lpo

- 74048. *Crambus reductus reductus* Janse,1922** (Pyralidae) **Synonym(s):** *reductus* Janse,1922
Original Reference: *Crambus reducta* Janse,1922, Trans. ent. Soc. London 1922: 4. **Range (in code):** **ZA Tva Lpo**
- 74049. *Crambus retusellus* Schaus,1913** (Pyralidae) **Synonym(s):** *retusellus* Schaus,1913
Range (in code): **CR**
- 74050. *Crambus rossinii* Bassi,2012** (Pyralidae) **Synonym(s):** *rossinii* Bassi,2012 **Range (in code):** **ZW**
- 74051. *Crambus rotarellus* Dyar,1927** (Pyralidae) **Synonym(s):** *rotarellus* Dyar,1927 **Range (in code):** **MX**
- 74052. *Crambus ruptifascia* Hampson,1919** (Pyralidae) **Synonym(s):** *ruptifascia* Hampson,1919
Range (in code): **MX**
- 74053. *Crambus sakayehamanus* Matsumura,1925** (Pyralidae) **Synonym(s):** *sakayehamanus* Matsumura,1925 **Range (in code):** **Sh RU**
- 74054. *Crambus sanfordellus* Klots,1942** (Pyralidae) **Synonym(s):** *sanfordellus* Klots,1942
Range (in code): **US FI**
- 74055. *Crambus santiagellus* Schaus,1922** (Pyralidae) **Synonym(s):** *santiagellus* Schaus,1922
Range (in code): **CU PR**
- 74056. *Crambus sargentellus* Klots,1942** (Pyralidae) **Synonym(s):** *sargentellus* Klots,1942
Range (in code): **US Arz NMx**
- 74057. *Crambus saristes* Meyrick,1909** (Pyralidae) **Synonym(s):** *saristes* Meyrick,1909
Range (in code): **NZ**
- 74058. *Crambus satrapellus* (Zincken,1821)** (Pyralidae) **Synonym(s):** *satrapellus* Zincken,1821;
aculeilellus Walker,1863; *elegantellus* Walker,1863. **Range (in code):** **BR US**
- 74059. *Crambus satrapellus aureorufus* Hampson,1919** (Pyralidae) **Synonym(s):** *aureorufus* Hampson,1919 **Range (in code):** **BR**
- 74060. *Crambus schedias* Meyrick,1911** (Pyralidae) **Synonym(s):** *schedias* Meyrick,1911
Range (in code): **NZ**
- 74061. *Crambus scitulus* Philpott,1926** (Pyralidae) **Synonym(s):** *scitulus* Philpott,1926 **Range (in code):** **NZ**
- 74062. *Crambus scoticus* Westwood,1845** (Pyralidae) **Synonym(s):** *scoticus* Westwood,1845;
uliginosellus Zeller,1850; *#infuscatellus* Caradja,1910 **Original Reference:** *Crambus scoticus* Westwood,1845, [in] Westwood & Humprey's, British Moths and their transformations 2: 236, Pl.116 fig.9. Type: Scotland. **Range (in code):** **ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR**
- 74063. *Crambus scutatus* Philpott,1917** (Pyralidae) **Synonym(s):** *scutatus* Philpott,1917 **Range (in code):** **NZ**
- 74064. *Crambus sebrus* Bleszynski,1961** (Pyralidae) **Synonym(s):** *sebrus* Bleszynski,1961
Range (in code): **TZ**
- 74065. *Crambus sectitermina* Hampson,1910** (Pyralidae) **Synonym(s):** *sectitermina* Hampson,1910 **Range (in code):** **ZW**
- 74066. *Crambus sericina* Zeller,1882** (Pyralidae) **Synonym(s):** *sericina* Zeller,1882 **Range (in code):** **CO**
- 74067. *Crambus seychellellus* T.B.Fletcher,1910** (Pyralidae) **Synonym(s):** *seychellellus* T.B.Fletcher,1910; *emmerezellus* Joannis,1915 **Range (in code):** **SC MU**
- 74068. *Crambus sibiricus* Alpheraky,1897** (Pyralidae) **Synonym(s):** *sibiricus* Alpheraky,1897
Original Reference: *Crambus pratellus* var. *sibirica* Alpheraky,1897, [in] Romanoff, Mém.lépid. 9: 346. **Range (in code):** **RU KJ Mnu Kmt Rjk JP**
- 74069. *Crambus silvellus* (Hübner,[1813])** (Pyralidae) **Synonym(s):** *silvellus* Hübner,[1813];
adippellus Zincken,1817; *#adippalis* Hübner,[1825]. **Original Reference:** *Tinea silvella* Hübner,[1813], Samml. eur. Schmett. Tineae, Pl.54 figs. 369-370. Syntypes: Europa. **Range (in code):** **FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Am Prj Us KJ Mnu MD UA BY CN Mc Yu Kwa JP**
- 74070. *Crambus simplex* (Butler,1877)** (Pyralidae) **Synonym(s):** *simplex* Butler,1877 **Range (in code):** **NZ**
- 74071. *Crambus sinaolellus* Schaus,1922** (Pyralidae) **Synonym(s):** *sinaolellus* Schaus,1922
Range (in code): **MX**
- 74072. *Crambus sinicolellus* Caradja,1926** (Pyralidae) **Synonym(s):** *sinicolellus* Caradja,1926
Range (in code): **CN Ahw Kgs**

- 74073. *Crambus siriellus* Meyrick,1882** (Pyralidae) Synonym(s): *siriellus* Meyrick,1882
Range (in code): **NZ**
- 74074. *Crambus sjoestedti* Aurivillius,1910** (Pyralidae) Synonym(s): *sjoestedti* Aurivillius,1910
Range (in code): **TZ ZA**
- 74075. *Crambus sonobei* Marumo,1936** (Pyralidae) Synonym(s): *sonobei* Marumo,1936
Range (in code): **JP**
- 74076. *Crambus sophistes* Meyrick,1905** (Pyralidae) Synonym(s): *sophistes* Meyrick,1905
Range (in code): **NZ**
- 74077. *Crambus sophronellus* Meyrick,1885** (Pyralidae) Synonym(s): *sophronellus* Meyrick,1885
Range (in code): **NZ**
- 74078. *Crambus sparsellus* Walker,1866** (Pyralidae) Synonym(s): *sparsellus* Walker,1866
Range (in code): **ZA**
- 74079. *Crambus sparsellus sparsellus* Walker,1866** (Pyralidae) Synonym(s): *sparsellus* Walker,1866 _ Range (in code): **ZA**
- 74080. *Crambus sperryellus* Klots,1940** (Pyralidae) Synonym(s): *sperryellus* Klots,1940
Range (in code): **US Cf**
- 74081. *Crambus spiculellus* Zeller,1877** (Pyralidae) Synonym(s): *spiculellus* Zeller,1877
Range (in code): **AR**
- 74082. *Crambus stilatus* Zeller,1877** (Pyralidae) Synonym(s): *stilatus* Zeller,1877 _ Range (in code): **AR**
- 74083. *Crambus straminellus* Hampson,1896** (Pyralidae) Synonym(s): *straminellus* Hampson,1896 _ Range (in code): **CL**
- 74084. *Crambus subaequalis* Zeller,1877** (Pyralidae) Synonym(s): *subaequalis* Zeller,1877
Range (in code): **AR**
- 74085. *Crambus sublicellus* Zeller,1863** (Pyralidae) Synonym(s): *sublicellus* Zeller,1863
Range (in code): **NZ**
- 74086. *Crambus subterminellus* Wileman & South,1917** (Pyralidae) Synonym(s): *subterminellus* Wileman & South,1917 Original Reference: *Crambus subterminellus* Wileman & South,1917, Entomologist 50: 148. Range (in code): **TW**
- 74087. *Crambus subtilellus* Zeller,1863** (Pyralidae) Synonym(s): *subtilellus* Zeller,1863
Range (in code): **BR**
- 74088. *Crambus sudanicola* Strand,1920** (Pyralidae) Synonym(s): *sudanicola* Strand,1920
Range (in code): **SD**
- 74089. *Crambus tactellus* Dyar,1914** (Pyralidae) Synonym(s): *tactellus* Dyar,1914 _ Range (in code): **PA**
- 74090. *Crambus tenuistrigatus* Zeller,1882** (Pyralidae) Synonym(s): *tenuistrigatus* Zeller,1882
Range (in code): **CO BR**
- 74091. *Crambus tenuistrigus* Hampson,1898** (Pyralidae) Synonym(s): *tenuistrigus* Hampson,1898 _ Range (in code): **ZA Tva Gau Pre**
- 74092. *Crambus tenuistrigus tenuistrigus* Hampson,1898** (Pyralidae) Synonym(s): *tenuistrigus* Hampson,1898 _ Range (in code): **ZA Tva Gau Pre**
- 74093. *Crambus tessellatus* Hampson,1919** (Pyralidae) Synonym(s): *tessellatus* Hampson,1919
Range (in code): **KE**
- 74094. *Crambus themistocles* Bleszynski,1961** (Pyralidae) Synonym(s): *themistocles* Bleszynski,1961 _ Range (in code): **ZA Nta Kzu**
- 74095. *Crambus themistocles themistocles* Bleszynski,1961** (Pyralidae) Synonym(s): *themistocles* Bleszynski,1961 _ Range (in code): **ZA Nta Kzu**
- 74096. *Crambus thersites* Bleszynski,1961** (Pyralidae) Synonym(s): *thersites* Bleszynski,1961
Range (in code): **KE**
- 74097. *Crambus tomanaellus* Marumo,1936** (Pyralidae) Synonym(s): *tomanaellus* Marumo,1936
Range (in code): **TW**
- 74098. *Crambus topiarius* Zeller,1866** (Pyralidae) Synonym(s): *topiarius* Zeller,1866; #toparius Hampson,1896; *vachelellus* Kearfott,1903 _ Range (in code): **CA US**
- 74099. *Crambus trichusalis* Hulst,1886** (Pyralidae) Synonym(s): *trichusalis* Hulst,1886
Range (in code): **US Ge**
- 74100. *Crambus tripsacas* Dyar,1921** (Pyralidae) Synonym(s): *tripsacas* Dyar,1921 _ Range (in code): **US Fl**

- 74101. *Crambus tuhualis* R.Felder & Rogenhofer,1875** (Pyralidae) **Synonym(s):** *tuhualis* R.Felder & Rogenhofer,1875 _ Range (in code): NZ
- 74102. *Crambus turbatellus* (Walker,1863)** (Pyralidae) **Synonym(s):** *turbatella* Walker,1863; *bipunctellus* Zeller,1863 _ Range (in code): CA US Ny Pns Oh Il
- 74103. *Crambus tutillus* McDunnough,1921** (Pyralidae) **Synonym(s):** *tutillus* McDunnough,1921 Range (in code): CA
- 74104. *Crambus undilineatus* Hampson,1919** (Pyralidae) **Synonym(s):** *undilineatus* Hampson,1919 _ Range (in code): ZA Tva Lpo
- 74105. *Crambus undilineatus undilineatus* Hampson,1919** (Pyralidae) **Synonym(s):** *undilineatus* Hampson,1919 _ Range (in code): ZA Tva Lpo
- 74106. *Crambus unistriatellus* Packard,1868** (Pyralidae) **Synonym(s):** *unistriatellus* Packard,1868; *exesus* Grote,1880 _ Range (in code): US CA
- 74107. *Crambus vagistrigellus* Joannis,1913** (Pyralidae) **Synonym(s):** *vagistrigellus* De Joannis,1913 _ Range (in code): ER
- 74108. *Crambus varii* Bassi,2012** (Pyralidae) **Synonym(s):** *varii* Bassi,2012 _ Range (in code): ZA
- 74109. *Crambus venalbellus* Joannis,1922** (Pyralidae) **Synonym(s):** *venalbellus* De Joannis,1922 Range (in code): MZ
- 74110. *Crambus viettellus* Bleszynski,1959** (Pyralidae) **Synonym(s):** *reductus* Viette,1959 *nec* Jns.,1922; *viettellus* Bleszynski,1959. _ Range (in code): ZA
- 74111. *Crambus violescentellus* Hampson,1896** (Pyralidae) **Synonym(s):** *violescentellus* Hampson,1896 _ Range (in code): BR
- 74112. *Crambus violettae* Bleszynski,1962** (Pyralidae) **Synonym(s):** *minimellus* Hampson,1919 *nec* Robins.,1871; *violettae* Bleszynski,1962 _ Range (in code): GY
- 74113. *Crambus virgatellus* Wileman,1911** (Pyralidae) **Synonym(s):** *virgatellus* Wileman,1911; *coreanus* Shibuya,1927 Original Reference: *Crambus virgatellus* Wileman,1911, Trans. ent. Soc. London 1911: 353, Pl.xxxi fig.19. Range (in code): JP CN Tk Kp KR
- 74114. *Crambus vittellus* Doubleday,1843** (Pyralidae) **Synonym(s):** *vittellus* Doubleday,1843; *nexalis* Walker,1863; *transcissalis* Walker,1863; *bissectellus* Zeller,1863; *incrassatellus* Zeller,1863; *vapidus* Butler,1877 _ Range (in code): NZ
- 74115. *Crambus vittiterminellus* Hampson,1919** (Pyralidae) **Synonym(s):** *vittiterminellus* Hampson,1919 _ Range (in code): TZ
- 74116. *Crambus vulgaris* Butler,1877** (Pyralidae) **Synonym(s):** *vulgaris* Butler,1877 _ Range (in code): NZ
- 74117. *Crambus watsonellus* Klots,1942** (Pyralidae) **Synonym(s):** *watsonellus* Klots,1942 Range (in code): US Mai Ny Nje Fl Oh
- 74118. *Crambus whalleyi* Bleszynski,1960** (Pyralidae) **Synonym(s):** *whalleyi* Bleszynski,1960 Range (in code): BR
- 74119. *Crambus whitmerellus* Klots,1942** (Pyralidae) **Synonym(s):** *whitmerellus* Klots,1942 Range (in code): CA Abt US Col Mon Wy Ut
- 74120. *Crambus whitmerellus browni* Klots,1942** (Pyralidae) **Synonym(s):** *browni* Klots,1942 Range (in code): CA Abt US Mon
- 74121. *Crambus xanthogrammus* Meyrick,1882** (Pyralidae) **Synonym(s):** *xanthogrammus* Meyrick,1882 _ Range (in code): NZ
- 74122. *Crambus xiphiellus* Zeller,1872** (Pyralidae) **Synonym(s):** *xiphiellus* Zeller,1872 _ Range (in code): CO
- 74123. *Crambus youngellus* Kearfott,1908** (Pyralidae) **Synonym(s):** *youngellus* Kearfott,1908 Range (in code): CA On
- 74124. *Crambus yuennanellus* Caradja & Meyrick,937** (Pyralidae) **Synonym(s):** *yuennanellus* Caradja & Meyrick,937 _ Range (in code): CN Yu
- 74125. *Crambus zebus* Bleszynski,1962** (Pyralidae) **Synonym(s):** *zebus* Bleszynski,1962 Range (in code): ZA Tva Lpo
- 74126. *Crambus zebus zebus* Bleszynski,1962** (Pyralidae) **Synonym(s):** *zebus* Bleszynski,1962 Range (in code): ZA Tva Lpo
- 74127. *Crambus zeellus* Fernald,1885** (Pyralidae) **Synonym(s):** *zeellus* Fernald,1885; *refotalis* Hulst,1886 _ Range (in code): US Mai Pns Il
- 74128. *Cremnophila flaviciliella* (Herrich-Schäffer,1855)** (Pyralidae) **Synonym(s):** *flaviciliella* Herrich-Schäffer,1855 _ Range (in code): ES IT CH AT

- 74129. *Cremnophila pyraustella* Zerny,1914** (Pyralidae) Synonym(s): *pyraustella* Zerny,1914
Original Reference: *Cremnophila* (?) *pyraustella* Zerny,1914, Annln naturh. Mus. Wien 28: 317, Taf.xxv fig.18. Type ♂: [China: Uighur A.R.]: Juldus (ex coll. Wagner). Range (in code): CN Ui Ju
- 74130. *Cremnophila sedakovella* (Eversmann,1851)** (Pyralidae) Synonym(s): *sedakovella* Eversmann,1851; *flaviciliella* Herrich-Schäffer,1855; *auranticiliella* Ragonot,1893 Range (in code): RU Om Sb AT CH IT ES
- 74131. *Cremnophila sedakovella* (Eversmann,1851)** (Pyralidae) Synonym(s): *sedakovella* Eversmann,1851 Range (in code): RU
- 74132. *Creobota apodectum* (Turner,1904)** (Pyralidae) Synonym(s): *apodectum* Turner,1904 Range (in code): AU
- 74133. *Creobota grossipunctella* (Ragonot,1888)** (Pyralidae) Synonym(s): *grossipunctella* Ragonot,1888; *coccophthora* Turner,1931 Range (in code): AU
- 74134. *Criophthona anerasmia* (Turner,1913)** (Pyralidae) Synonym(s): *anerasmia* Turner,1913 Range (in code): AU
- 74135. *Criophthona aridalis* Hampson,1913** (Pyralidae) Synonym(s): *aridalis* Hampson,1913 Range (in code): ZA
- 74136. *Criophthona baliocrossa* (Turner,1913)** (Pyralidae) Synonym(s): *baliocrossa* Turner,1913 Range (in code): AU
- 74137. *Criophthona celidota* (Turner,1913)** (Pyralidae) Synonym(s): *celidota* Turner,1913 Range (in code): AU
- 74138. *Criophthona ecista* (Turner,1913)** (Pyralidae) Synonym(s): *ecista* Turner,1913 Range (in code): AU
- 74139. *Criophthona finitima* Meyrick,1884** (Pyralidae) Synonym(s): *finitima* Meyrick,1884 Range (in code): AU
- 74140. *Criophthona haliaphra* Meyrick,1884** (Pyralidae) Synonym(s): *haliaphra* Meyrick,1884 Range (in code): AU
- 74141. *Criophthona sabulosalis* Hampson,1910** (Pyralidae) Synonym(s): *sabulosalis* Hampson,1910 Range (in code): ZA
- 74142. *Criophthona trileuca* Lower,1903** (Pyralidae) Synonym(s): *trileuca* Lower,1903 Range (in code): AU
- 74143. *Critonia phaeoneura* Hampson,1918** (Pyralidae) Synonym(s): *phaeoneura* Hampson,1918 Range (in code): TW
- 74144. *Crocidolomia luteolalis* Hampson,1893** (Pyralidae) Synonym(s): *luteolalis* Hampson,1893 Range (in code): AU
- 74145. *Crocidolomia pavonana* (Fabricius,1794)** (Pyralidae) Synonym(s): *pavonana* Fabricius,1794; *binotalis* Zeller,1852; *comalis* Guenée,1854; *incomalis* Guenée,1854; *quadripunctata* Shiraki,1913; *dentalis* Amsel,1951 Range (in code): AU NF TW PH Luz Boh ZA Lpo Tva Spb Mdk PK Sd Krc IN IR Ss Chh LK MM TH CMa Dst ID Sum Ja Clb Bli MY BN Swk Bor Bionomy: Larva on Brassica oleracea, B.rapa (Brassicaceae), Gossypium (Malvaceae), Cajanus cajan (Fabaceae) (Khoo, Ooi & Ho,1991).
- 74146. *Crocidolomia suffusalis* (Hampson,1891)** (Pyralidae) Synonym(s): *suffusalis* Hampson,1891; *illustris* Lucas,1892; *#sinensis* Caradja,1925 Range (in code): IN TW AU TH LK PG MY ID Ja Bli BN Sbh Bor Swk PH
- 74147. *Crocidophora caffralis* (Hampson,1910)** (Pyralidae) Synonym(s): *caffralis* Hampson,1910 Range (in code): ZA Tra ZW ZM KM
- 74148. *Crocidophora craspedalis* Hampson,1913** (Pyralidae) Synonym(s): *craspedalis* Hampson,1913 Range (in code): SL
- 74149. *Crocidophora elongalis* Viette,1978** (Pyralidae) Synonym(s): *elongalis* Viette,1978; *angazidzia* Viette,1981 Range (in code): MG KM
- 74150. *Crocidophora evenoralis* (Walker,1859)** (Pyralidae) Synonym(s): *evenoralis* Walker,1859 Range (in code): MM CN TW JP
- 74151. *Crocidophora flaviciliata* Hampson,1910** (Pyralidae) Synonym(s): *flaviciliata* Hampson,1910 Range (in code): AC TW JP
- 74152. *Crocidophora habisalis* (Walker,1859)** (Pyralidae) Synonym(s): *habisalis* Walker,1859 Range (in code): TH MY Bor ID TW
- 74153. *Crocidophora limbalis* Moore** (Pyralidae) Synonym(s): Range (in code): TH
- 74154. *Crocidophora nectariphila* Strand,1918** (Pyralidae) Synonym(s): *nectariphila* Strand,1918 Range (in code): TW

- 74155. *Crocidophora pallida* (Moore,1888)** (Pyralidae) Synonym(s): *pallida* Moore,1888
Range (in code): IN PH CN
- 74156. *Crocidophora phaealis* Hampson,1908** (Pyralidae) Synonym(s): *phaealis* Hampson,1908
Range (in code): IN
- 74157. *Crocidophora rufitinctalis* Hampson,1918** (Pyralidae) Synonym(s): *rufitinctalis* Hampson,1918
Range (in code): TW
- 74158. *Crocidophora sinisalis* (Walker,1859)** (Pyralidae) Synonym(s): *sinisalis* Walker,1859
Range (in code): ZR
- 74159. *Crocidophora velialis* (Gaede,1917)** (Pyralidae) Synonym(s): *velialis* Gaede,1917
Range (in code): KE
- 74160. *Crocydopora cinigerella* (Walker,1866)** (Pyralidae) Synonym(s): *cinigerella* Walker,1866; *stenopterella* Meyrick,1879
Range (in code): AU
- 74161. *Crypsiptya ceadesalis* (Walker,1859)** (Pyralidae) Synonym(s): *ceadesalis* Walker,1859
Range (in code): PH Luz IN LK Bor ID PG
- 74162. *Crypsiptya coclesalis* (Walker,1859)** (Pyralidae) Synonym(s): *coclesalis* Walker,1859; *itemalesalis* Walker,1859; *strenualis* Walker,[1866]; *interfusalis* Walker,[1866]; *lacrymalis* Leech,1889
Range (in code): AU TH Knc Bnk TW CN IN BT JP PH MY Bor ID Bionomy: Larva on leaf of *Bambusa* [Bamboo] (Poaceae), *Ludwigia hyssopifolia* [thian na] (Onagraceae) (Lewvanich,2001).
- 74163. *Crypsiptya ruficostalis* (Hampson,1918)** (Pyralidae) Synonym(s): *ruficostalis* Hampson,1918
Range (in code): ZA
- 74164. *Cryptadia xuthobela* Turner,1913** (Pyralidae) Synonym(s): *xuthobela* Turner,1913; *homophaea* Turner,1947; *paucinotata* Turner,1947
Range (in code): AU
- 74165. *Cryptarthria* sp.A** (Pyralidae) Synonym(s):
Range (in code): AU
- 74166. *Cryptoblabe adoceta* Turner,1904** (Pyralidae) Synonym(s): *adoceta* Turner,1904
Range (in code): AU
- 74167. *Cryptoblabe albocostalis* (Lucas,1892)** (Pyralidae) Synonym(s): *albocostalis* Lucas,1892; *#albicostalis* Turner,1947
Range (in code): AU
- 74168. *Cryptoblabe alphitias* Turner,1913** (Pyralidae) Synonym(s): *alphitias* Turner,1913
Range (in code): AU ID Sum
- 74169. *Cryptoblabe angustipennella* Ragonot,1888** (Pyralidae) Synonym(s): *angustipennella* Ragonot,1888
Range (in code): LK IN Pj Ch SI Ass Khs Meg Sml ID Sum Nia
- 74170. *Cryptoblabe bataka* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *bataka* Roesler & Küppers,1979
Range (in code): MY ID Sum
- 74171. *Cryptoblabe bistriga* (Haworth,1811)** (Pyralidae) Synonym(s): *bistriga* Haworth,1811; *rutilella* Zeller,1839; *obsoletella* Heinemann,1865; *loxiella* Ragonot,1887
Original Reference: *Phycis bistriga* Haworth,1811, Lep. Brit. (3): 496. Type: Britain. Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU
- 74172. *Cryptoblabe decima* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *decima* Roesler & Küppers,1979
Range (in code): ID Sum
- 74173. *Cryptoblabe elaeothrepta* Tams,1935** (Pyralidae) Synonym(s): *elaeothrepta* Tams,1935
Range (in code): WS
- 74174. *Cryptoblabe ephestialis* Hampson,1903** (Pyralidae) Synonym(s): *ephestialis* Hampson,1903
Range (in code): IN Ben LK MY ID Sum
- 74175. *Cryptoblabe euraphella* (Meyrick,1879)** (Pyralidae) Synonym(s): *euraphella* Meyrick,1879
Range (in code): AU
- 74176. *Cryptoblabe flavizonalis* Hampson,1912** (Pyralidae) Synonym(s): *flavizonalis* Hampson,1912
Range (in code): IN
- 74177. *Cryptoblabe gnidiella* (Millière,1867)** (Pyralidae) Synonym(s): *gnidiella* Millière,1867; *wockiana* Briosi,[1877]; *aliena* Swezey,1909
Original Reference: *Ephestia gnidiella* Millière,1867, Icon de chenilles 2: 308, pl.83 figs.4-9. Type: France. Range (in code): Cn PT ES FR Sa Si IT MT GB NL AT GR TR IL Pa Hf EG JO DK NO SE FI TH
- 74178. *Cryptoblabe hanuman* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *hanuman* Roesler & Küppers,1979
Range (in code): ID Sum
- 74179. *Cryptoblabe hemigypsa* Turner,1913** (Pyralidae) Synonym(s): *hemigypsa* Turner,1913; *vagella* sensu Ironside,1970
Range (in code): AU
- 74180. *Cryptoblabe kueppersi* Roesler,1983** (Pyralidae) Synonym(s): *kueppersi* Roesler,1983
Range (in code): ID Sum

- 74181. *Cryptoblabes lariciana* Mutuura,1959** (Pyralidae) Synonym(s): *lariciana* Mutuura,1959
Range (in code): **JP ID Sum**
- 74182. *Cryptoblabes lophopterella* (Hampson,1899)** (Pyralidae) Synonym(s): *lophopterella* Hampson,1899 _ Range (in code): **IN**
- 74183. *Cryptoblabes loxiella* Ragonot,1887** (Pyralidae) Synonym(s): *loxiella* Ragonot,1887
Original Reference: *Cryptoblabes loxiella* Ragonot,1887, Annls Soc. ent. Fr.1887: 226, pl.5 fig.4.
Range (in code): **FR IT DE AT RO YU RU Am JP**
- 74184. *Cryptoblabes mannheimsi* Roesler,1969** (Pyralidae) Synonym(s): *mannheimsi* Roesler,1969 _ Range (in code): **IN**
- 74185. *Cryptoblabes myosticta* (Hampson,1903)** (Pyralidae) Synonym(s): *myosticta* Hampson,1903 _ Range (in code): **IN**
- 74186. *Cryptoblabes petrucki* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *petrucki* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74187. *Cryptoblabes plagioleuca* Turner,1904** (Pyralidae) Synonym(s): *plagioleuca* Turner,1904; *centroleuca* Lower,1905; *ardescens* Meyrick,1929 _ Range (in code): **WS PC FJ NH AU SB ID Sum Ms RA**
- 74188. *Cryptoblabes poliella* (Lower,1905)** (Pyralidae) Synonym(s): *poliella* Lower,1905
Range (in code): **AU**
- 74189. *Cryptoblabes proleucella* Hampson,1896** (Pyralidae) Synonym(s): *proleucella* Hampson,1896 _ Range (in code): **WS MY Bor IN LK TW ID Sum Ja**
- 74190. *Cryptoblabes scotochroalis* Hampson,1912** (Pyralidae) Synonym(s): *scotochroalis* Hampson,1912 _ Range (in code): **IN**
- 74191. *Cryptoblabes sita* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *sita* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74192. *Cryptoblabes spodopetina* Tams,1935** (Pyralidae) Synonym(s): *spodopetina* Tams,1935
Range (in code): **WS**
- 74193. *Cryptoblabes sudasa* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *sudasa* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74194. *Cryptoblabes tiga* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *tiga* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74195. *Cryptoblabes trabeata* Meyrick,1932** (Pyralidae) Synonym(s): *trabeata* Meyrick,1932
Range (in code): **WS FJ**
- 74196. *Cryptobotys zoilusalis* (Walker,1859)** (Pyralidae) Synonym(s): *zoilusalis* Walker,1859; *micromphalis* Hampson,1912; *masculinalis* Barnes & McDunnough,1913 _ Range (in code): **HN MX US FI**
- 74197. *Cryptomyelois glaucobasis* (Lower,1903)** (Pyralidae) Synonym(s): *glaucobasis* Lower,1903 _ Range (in code): **AU**
- 74198. *Cryptomyelois irmhilda* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *irmhilda* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74199. *Cryptophycita deflanderella* (Ragonot,1893)** (Pyralidae) Synonym(s): *deflanderella* Ragonot,1893 _ Range (in code): **IN Ass LK MY Bor ID Sum Ja**
- 74200. *Cryptophycita excelsa* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *excelsa* Roesler & Küppers,1979 _ Range (in code): **ID Sum**
- 74201. *Cryptozophera euzopherella* (Ragonot,1889)** (Pyralidae) Synonym(s): *euzopherella* Ragonot,1889 _ Range (in code): **PG ID Sum**
- 74202. *Ctenomedes neuractis* Meyrick,1935** (Pyralidae) Synonym(s): *neuractis* Meyrick,1935
Range (in code): **IN ID Sum**
- 74203. *Ctenomeristis almella* (Meyrick,1879)** (Pyralidae) Synonym(s): *almella* Meyrick,1879
Range (in code): **AU**
- 74204. *Ctenomeristis kaltenbachii* Roesler,1983** (Pyralidae) Synonym(s): *kaltenbachii* Roesler,1983 _ Range (in code): **ID Sum**
- 74205. *Ctenomeristis subfuscella* (Hampson,1901)** (Pyralidae) Synonym(s): *subfuscella* Hampson,1901 _ Range (in code): **AU**
- 74206. *Ctenomeristis vojnitzi* Roesler,1983** (Pyralidae) Synonym(s): *vojnitzi* Roesler,1983
Range (in code): **ID Sum**
- 74207. *Culladia achroella* (Mabille,1899)** (Pyralidae) Synonym(s): *achroella* Mabille,1899
Range (in code): **MG SD TZ ET ZR KE MU RE ZA Nta Kzu Dbn**

- 74208. *Culladia admigratella* (Walker,1863)** (Pyralidae) Synonym(s): *admigratella* Walker,1863; *caesella* Walker,1863; *hastiferalis* Walker,[1866]. _ Range (in code): **AU MY Bor IN ID Sum Ja Clb Mlc PG TW PH Luz**
- 74209. *Culladia albimedialis* Hampson,1919** (Pyralidae) Synonym(s): *albimedialis* Hampson,1919
Range (in code): **AU QAU**
- 74210. *Culladia argentimaculatis* (Hampson,1919)** (Pyralidae) Synonym(s): *argentimaculatis* Hampson,1919 _ Range (in code): **BR**
- 74211. *Culladia assamella* Bleszynski,1970** (Pyralidae) Synonym(s): *assamella* Bleszynski,1970
Range (in code): **Ass IN**
- 74212. *Culladia belliferens* Dyar,1914** (Pyralidae) Synonym(s): *belliferens* Dyar,1914 _ Range (in code): **MX**
- 74213. *Culladia castrella* Schaus,1922** (Pyralidae) Synonym(s): *castrella* Schaus,1922 _ Range (in code): **BR**
- 74214. *Culladia cuneiferella* (Walker,1863)** (Pyralidae) Synonym(s): *cuneiferellus* Walker,1863
Range (in code): **AU NSw Syd NC NF NH LO QAU**
- 74215. *Culladia dentilinealis* Hampson,1919** (Pyralidae) Synonym(s): *dentilinealis* Hampson,1919
Range (in code): **IN Sml NP Pj**
- 74216. *Culladia elgonella* Bleszynski,1970** (Pyralidae) Synonym(s): *elgonella* Bleszynski,1970
Range (in code): **KE Elg UG ZR CM**
- 74217. *Culladia eucosmella* Dyar,1914** (Pyralidae) Synonym(s): *eucosmella* Dyar,1914; *argyriplagalis* Hampson,1919 _ Range (in code): **PA**
- 74218. *Culladia evae* Bleszynski,1970** (Pyralidae) Synonym(s): *evae* Bleszynski,1970 _ Range (in code): **PH Luz ID Ja PG CN Hn PW**
- 74219. *Culladia franscescella* Schaus,1922** (Pyralidae) Synonym(s): *franscescella* Schaus,1922
Range (in code): **BR**
- 74220. *Culladia habanella* Schaus,1922** (Pyralidae) Synonym(s): *habanella* Schaus,1922
Range (in code): **CU**
- 74221. *Culladia hanna* Bleszynski,1970** (Pyralidae) Synonym(s): *hanna* Bleszynski,1970
Range (in code): **PG NBr CN Hn ID Sum Ja SB**
- 74222. *Culladia inconspicuella* (Snellen,1872)** (Pyralidae) Synonym(s): *inconspicuella* Snellen,1872; *troglydytella* Snellen,1872 _ Range (in code): **GY CI SL LR KE Mb ET ZR SC ZA**
- 74223. *Culladia miria* Bleszynski,1970** (Pyralidae) Synonym(s): *miria* Bleszynski,1970 _ Range (in code): **ID Sum**
- 74224. *Culladia niphosella* Hampson,1908** (Pyralidae) Synonym(s): *niphosella* Hampson,1908
Range (in code): **TT**
- 74225. *Culladia paralytica* (Meyrick,1932)** (Pyralidae) Synonym(s): *paralytica* Meyrick,1932
Range (in code): **FJ**
- 74226. *Culladia pentaspila* (Zeller,1877)** (Pyralidae) Synonym(s): *pentaspila* Zeller,1877
Range (in code): **BR**
- 74227. *Culladia serranella* Bleszynski,1970** (Pyralidae) Synonym(s): *serranella* Bleszynski,1970
Range (in code): **ZA Ec Ans Grh**
- 74228. *Culladia suffusella* Hampson,1896** (Pyralidae) Synonym(s): *suffusella* Hampson,1896
Range (in code): **MG IN NI NP PH Luz**
- 74229. *Culladia tonkinella* Bleszynski,1970** (Pyralidae) Synonym(s): *tonkinella* Bleszynski,1970
Range (in code): **VN Ton ID Sum Ja**
- 74230. *Culladia troglodytella* (Snellen,1872)** (Pyralidae) Synonym(s): *troglydytella* Snellen,1872
Range (in code): **GN NG GH KE**
- 74231. *Culladiella generosa* (Meyrick,1936)** (Pyralidae) Synonym(s): *generosa* Meyrick,1936
o _ Range (in code): **ZR**
- 74232. *Culladiella sinuimargo* (Hampson,1919)** (Pyralidae) Synonym(s): *sinuimargo* Hampson,1919
Original Reference: *Culladia sinuimargo* Hampson,1919, Ann. Mag. nat. Hist. (9) 3: 277. Lectotype ♂: [South Africa: Gauteng]: "Pretoria", designated by Bleszynski,1970, Tijdschr. Ent. 113: 13 (BMNH). Range (in code): **ZA Tva Gau Pre KE**
- 74233. *Culladiella sinuimargo sinuimargo* (Hampson,1919)** (Pyralidae) Synonym(s): *sinuimargo* Hampson,1919
Original Reference: *Culladia sinuimargo* Hampson,1919, Ann. Mag. nat. Hist. (9) 3: 277. Lectotype ♂: [South Africa: Gauteng]: "Pretoria", designated by Bleszynski,1970, Tijdschr. Ent. 113: 13 (BMNH). Range (in code): **ZA Tva Gau Pre KE**

- 74234. *Culladiella subsinuimargo* Bleszynski, 1970** (Pyralidae) Synonym(s): *subsinuimargo* Bleszynski, 1970 _ Range (in code): SD
- 74235. *Cunibertoides nigripatagiata* Balinsky, 1991** (Pyralidae) Synonym(s): *nigripatagiata* Balinsky, 1991 _ Range (in code):
- 74236. *Cunibertoides nigripatagiata nigripatagiata* Balinsky, 1991** (Pyralidae) Synonym(s): *nigripatagiata* Balinsky, 1991 _ Range (in code):
- 74237. *Curena caustopa* (Turner, 1905)** (Pyralidae) Synonym(s): *caustopa* Turner, 1905; *indistinctalis* Rothschild, 1916 _ Range (in code): AU
- 74238. *Curena costipunctata* Shibuya, 1928** (Pyralidae) Synonym(s): *costipunctata* Shibuya, 1928 _ Range (in code): TW
- 74239. *Curena externalis* Walker, [1866]** (Pyralidae) Synonym(s): *externalis* Walker, [1866]; *cacaalis* Lucas, 1891 _ Range (in code): AU
- 74240. *Cyanaphycis bradleyella* Roesler, 1978** (Pyralidae) Synonym(s): *bradleyella* Roesler, 1978 _ Range (in code): IN
- 74241. *Cyanaphycis ferreotincta* (Hampson, 1912)** (Pyralidae) Synonym(s): *ferreotincta* Hampson, 1912 _ Range (in code): IN
- 74242. *Cybalomia arenalis* Hampson, 1913** (Pyralidae) Synonym(s): *arenalis* Hampson, 1913
Original Reference: *Cybalomia arenalis* Hampson, 1913, Ann. Mag. nat. Hist. (8) 11: 528-529.
Syntypes 2♀: Algeria, Biskra (Walsingham leg.). Range (in code): DZ Ceg Mri Bsk Tou
- 74243. *Cybalomia arenosalis* Rebel, 1912** (Pyralidae) Synonym(s): *arenosalis* Rebel, 1912 _ Range (in code): EG
- 74244. *Cybalomia azzalana* Rothschild, 1921** (Pyralidae) Synonym(s): *azzalana* Rothschild, 1921 _ Range (in code): NE
- 74245. *Cybalomia cervinalis* Hampson, 1908** (Pyralidae) Synonym(s): *cervinalis* Hampson, 1908 _ Range (in code): PK Pj Cp
- 74246. *Cybalomia fenestrata* Rothschild, 1921** (Pyralidae) Synonym(s): *fenestrata* Rothschild, 1921 _ Range (in code): NE
- 74247. *Cybalomia fractilinealis* (Christoph, 1873)** (Pyralidae) Synonym(s): *fractilinealis* Christoph, 1873 _ Range (in code): AF Hr IR TM Krn UZ Smk
- 74248. *Cybalomia fulvomixtalis* Zerny, 1914** (Pyralidae) Synonym(s): *fulvomixtalis* Zerny, 1914
Original Reference: *Cybalomia fulvomixtalis* Zerny, 1914, Annln naturh. Mus. Wien 28: 328, Taf. xxvi fig. 36. Syntypes ♂♀: [China: Uighur A.R.]: Kuldscha; [Uzbekistan]: Ferghana, Margelan. _ Range (in code): UZ Fe Man CN Ui Ku
- 74249. *Cybalomia gratiosalis* Christoph, 1887** (Pyralidae) Synonym(s): *gratiosalis* Christoph, 1887 _ Range (in code): AZ Nv Cc Ord
- 74250. *Cybalomia gyoti* (Rebel, 1909)** (Pyralidae) Synonym(s): *gyoti* Rebel, 1909; *#guyoti* Amsel, 1935 _ Range (in code): EG Sn
- 74251. *Cybalomia haplogramma* Meyrick, 1936** (Pyralidae) Synonym(s): *haplogramma* Meyrick, 1936 _ Range (in code): IQ Kbl
- 74252. *Cybalomia intermedialis* Chrétien, 1915** (Pyralidae) Synonym(s): *intermedialis* Chrétien, 1915
Original Reference: *Cybalomia intermedialis* Chrétien, 1915, Annls Soc. ent. Fr. 84: 294-295. Syntypes: Algeria, Biskra. Range (in code): DZ Bsk
- 74253. *Cybalomia lactealis* (Rothschild, 1915)** (Pyralidae) Synonym(s): *lactealis* Rothschild, 1915 _ Range (in code): DZ Ah
- 74254. *Cybalomia ledereri* Rothschild, 1921** (Pyralidae) Synonym(s): *ledereri* Rothschild, 1921 _ Range (in code): NE
- 74255. *Cybalomia lutosalis* (Mann, 1862)** (Pyralidae) Synonym(s): *lutosalis* Mann, 1862 _ Range (in code): Sa IT YU TR Bionomy: Larva on *Biscutella* (Brassicaceae) (Parenti, 2000).
- 74256. *Cybalomia pentadalis* (Lederer, 1855)** (Pyralidae) Synonym(s): *pentadalis* Lederer, 1855
Original Reference: *Botys pentadalis* Lederer, 1855, Verh. zool.- bot. Ges. Wien 5: 217-218, Taf. 3 fig. 13. Syntypes 20♂♀: Libanon: Beirut. Range (in code): GR CY TR Cc LB Bei TM Kp IR Ahz Fa Shr Th Kdj Kh IQ Kbl Bgd Bsr Amr JO IL Pa Js Hf PK Sd Krc
- 74257. *Cybalomia pulverosalis* Hampson** (Pyralidae) Synonym(s): _ Range (in code): TN Sfx
- 74258. *Cybalomia seghiralis* Chrétien, 1911** (Pyralidae) Synonym(s): *seghiralis* Chrétien, 1911
Original Reference: *Cybalomia seghiralis* Chrétien, 1911, Annls Soc. ent. Fr. 79: 524-525. Syntypes: [Algérie]: Biskra; [Tunisia]: Gafsa. Range (in code): DZ Bsk TN Gf

- 74259. *Cybalomia simplex* W.Warren & Rothschild,1905** (Pyralidae) Synonym(s): *simplex* W.Warren & Rothschild,1905 _ Range (in code): SD
- 74260. *Cybalomia simplicialis* (Rothschild,1915)** (Pyralidae) Synonym(s): *simplicialis* Rothschild,1915 _ Range (in code): DZ Ah
- 74261. *Cybalomia squamosa* (Hampson,1913)** (Pyralidae) Synonym(s): *squamosa* Hampson,1913 Range (in code): ZA
- 74262. *Cybalomia triplacogramma* Meyrick,1937** (Pyralidae) Synonym(s): *triplacogramma* Meyrick,1937 Original Reference: *Cybalomia triplacogramma* Meyrick,1937, Exot. Microlepid. 5: 106. Type ♀: Iraq: Rowanduz Gorge, September, E.P.Wiltshire leg. Range (in code): IQ Rwz IR Fa Shr Ss
- 74263. *Cydaeda (Noctuella) nepticalis* (Hofmann,[1898])** (Pyralidae) Synonym(s): *nepticalis* Hofmann,[1898] Original Reference: *Aporodes nepticalis* Hofmann,[1898], Dt. ent. Z., Iris 10: 236. Type ♂: [Türkei]: Angora [Ankara]. Range (in code): TR
- 74264. *Cydalima capriniodes* (Hampson,1912)** (Pyralidae) Synonym(s): *capriniodes* (Hampson,1912 _ Range (in code): IN Pj Bba Mh MM Tns Adm
- 74265. *Cydalima decipiens* (Hampson,1912)** (Pyralidae) Synonym(s): *decipiens* Hampson,1912 Range (in code): ID Crm
- 74266. *Cydalima diaphanalis* (Walker,[1866])** (Pyralidae) Synonym(s): *diaphanalis* Walker,[1866]; *margaronalis* Walker,[1866]; *plumifera* Butler,1882; *fuscinervalis* Snellen,1895 _ Range (in code): ID Aru Sum Ja AU PG NBr
- 74267. *Cydalima fuscinervalis* (Snellen,1895)** (Pyralidae) Synonym(s): *fuscinervalis* Snellen,1895 Range (in code): PH Mdo ID Sum Ja
- 74268. *Cydalima joiceyi* (Janse,1924)** (Pyralidae) Synonym(s): *joiceyi* Janse,1924 _ Range (in code): ID Crm
- 74269. *Cydalima laticostalis* (Guenée,1854)** (Pyralidae) Synonym(s): *laticostalis* Guenée,1854; *nitidicostalis* Guenée,1854; *conchylalis* Guenée,1854; *leodicealis* Guenée,1859. _ Range (in code): TH Nrt Chb Chb Tng Sup IN BD Syl LK CN MM Adm MY ID Sum Ja Sbh Bor Swk Clb Mlc PG AU WS NH
Bionomy: Larva on *Lansium domesticum* [langsat], *Aglaia dookkoo* [longkong] (Meliaceae) (Lewvanich,2001).
- 74270. *Cydalima mysteris* Meyrick,1886** (Pyralidae) Synonym(s): *mysteris* Meyrick,1886 Range (in code): NH
- 74271. *Cydalima perspectalis* (Walker,1859)** (Pyralidae) Synonym(s): *perspectalis* Walker,1859; *advenalis* Lederer,1863; *albifuscalis* Hampson,1899 _ Range (in code): RU CH NL GB FR CZ SK IT RO BE DE AT HU SS HV Cc Kr Ce Gro TR IN KP KR CN JP ID Ja Bionomy: Larva pest on *Buxus sempervirens* (auct.).
- 74272. *Cydalima pfeifferae* (Lederer,1863)** (Pyralidae) Synonym(s): *pfeifferae* Lederer,1863 Range (in code): SG ID Sum SI IN
- 74273. *Cydalima violalis* E.Hering,1901** (Pyralidae) Synonym(s): *violalis* E.Hering,1901 Range (in code): ID Sum
- 74274. *Cymoriza aetalis* Walker,1859** (Pyralidae) Synonym(s): *aetalis* Walker,1859; *lotialis* R.Felder & Rogenhofer,1874 _ Range (in code): BR
- 74275. *Cymoriza hoenei* Caradja,1933** (Pyralidae) Synonym(s): *hoenei* Caradja,1933 _ Range (in code): CN Kwa
- 74276. *Cymoriza interruptalis* (Wileman & South,1917)** (Pyralidae) Synonym(s): *interruptalis* Wileman & South,1917 _ Range (in code): TW
- 74277. *Cymoriza inthanonensis* Yoshiyasu,1985** (Pyralidae) Synonym(s): *inthanonensis* Yoshiyasu,1985 Original Reference: *Cymoriza inthanonensis* Yoshiyasu,1985, Akitu 76: 4, figs. 2-5. Holotype: Thailand: Chiang Mai, Doi Inthanon. Range (in code): TH CMa Int
- 74278. *Cymoriza irrectalis* Guenée,1854** (Pyralidae) Synonym(s): *irrectalis* Guenée,1854 Original Reference: *Cymoriza irrectalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: Syntypes 1♂ 1♀: "Indes orientales". Range (in code): IN TW BT SI CN ID Sum
- 74279. *Cymoriza taiwanalis* Shibuya,1928** (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928 Range (in code): TW
- 74280. *Cymoriza ustalis* (Walker,1865)** (Pyralidae) Synonym(s): *ustalis* Walker,1865; *fascialis* W.Warren,1896 _ Range (in code): IN Hp Drm Kul Ass Meg Khs SI ID Ja PG

- 74281. Cynaeda (Noctuelia) albidalis Hampson, 1913** (Pyralidae) Synonym(s): *albidalis* Hampson, 1913 Original Reference: Noctuelia albidalis Hampson, 1913, Ann. Mag. nat. Hist. (8) 12: 301. Type ♀: [Iraq]: "Persian Gulf, Fao. Range (in code): IQ
- 74282. Cynaeda (Noctuelia) annuliferalis Hampson, 1918** (Pyralidae) Synonym(s): *annuliferalis* Hampson, 1918 Range (in code): ZA
- 74283. Cynaeda (Noctuelia) escherichi Hofmann, [1898]** (Pyralidae) Synonym(s): *escherichi* Hofmann, [1898] Original Reference: Aporodes escherichi Hofmann, [1898], Dt. ent. Z., Iris 10: 234. Type ♀: [Türkei]: Angora [Ankara]. Range (in code): TR
- 74284. Cynaeda (Noctuelia) fuscineris Hampson, 1896** (Pyralidae) Synonym(s): *fuscineris* Hampson, 1896 Range (in code): PK Haz Mre
- 74285. Cynaeda (Noctuelia) hilgerti Rothschild, 1915** (Pyralidae) Synonym(s): *hilgerti* Rothschild, 1915 Original Reference: Noctuelia hilgerti Rothschild, 1915, Novit. zool. 22: 243. Type: Algeria, Hassi Dinar, S. of Touggourt. Range (in code): DZ Hdr
- 74286. Cynaeda (Noctuelia) mardinalis Staudinger, 1892** (Pyralidae) Synonym(s): *mardinalis* Staudinger, 1892 Original Reference: Noctuelia mardinalis Staudinger, 1892, Dt. ent. Z., Iris 5: Taf. 3 fig. 16; 1893, ibid. 6: 77. Syntypes ♂♀: [Türkei]: "Mardin (in Kurdistan)". Range (in code): TR
- 74287. Cynaeda (Noctuelia) rebeli Amsel, 1935** (Pyralidae) Synonym(s): *rebeli* Amsel, 1935 Range (in code): DZ IL Pa Bionomy: Larva on Salsola tetragona in Algeria (Amsel, 1966).
- 74288. Cynaeda (Noctuelia) simillella Rothschild, 1915** (Pyralidae) Synonym(s): *simillella* Rothschild, 1915 Original Reference: Noctuelia simillella Rothschild, 1915, Novit. zool. 22: 190. Type ♂: Algeria, Guelt-es-Stel (V. Faroult). DZ Ges
- 74289. Cynaeda (Noctuelia) superba (Freyer, [1844])** (Pyralidae) Synonym(s): *superba* Freyer, [1844]; *superbalis* Herrich-Schäffer, 1848; *petitjeanii* Oberthür, 1876 Original Reference: Cleophana superba Freyer, [1844], Neuere Beitr. Schmett. 5: 101, Taf. 441, fig. 2. Type(s): [Türkei]: europäische Türkei. Range (in code): DZ Lbs MK TR GG Cc Bjo AM LB IR Elb Shh Ha Kdj Th Fa Kdv IQ AF Shah
- 74290. Cynaeda (Noctuelia) yaminalis (Oberthür, 1888)** (Pyralidae) Synonym(s): *yaminalis* Oberthür, 1888 Original Reference: Aporodes yaminalis Oberthür, 1888, Etüd. Ent. 12: 35, pl. 6 fig. 35. Range (in code): DZ Bsk Sbd AF
- 74291. Cynaeda (Usgentia) quadridentale (Zerny, 1914)** (Pyralidae) Synonym(s): *quadridentale* Zerny, 1914 Original Reference: Tegostoma quadridentale Zerny, 1914, Annln naturh. Mus. Wien 28: 337-338, Taf. xxvi fig. 41. Type ♂: [Uzbekistan]: Fergana: Usgent. Range (in code): KK UZ Fe
- 74292. Cynaeda (Usgentia) vespertalis (Herrich-Schäffer, [1855])** (Pyralidae) Synonym(s): *vespertalis* Herrich-Schäffer, [1855]; *gilvalis* Zerny, 1914; *sordidalis* Zerny, 1914. Original Reference: Noctuelia vespertalis Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 140, figs. 121-123. Range (in code): Si GR LB TR Cc AM IR Kh Elb Th Kdj Fa Yz
- 74293. Cynaeda (s.str.) dentalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959 Original Reference: Pyralis dentalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): DZ Clo Lbs Ges TN Gf PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL EG KG Uk Tk Dj Ii Ui CN Ku TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor Cc GG Bjo Lag Kir AZ Mng Nv Ord Bionomy: Larva on Onosma stellulata, Anchusa officinalis, Echium vulgare, E. gaditanum (Boraginaceae) (Staudinger, 1879; et seq.).
- 74294. Cynaeda (s.str.) dentalis dentalis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *dentalis* [Denis & Schiffermüller], 1775; *ramalis* Fabricius, 1787; *radiata* Esper, 1788; *fulminans* Fabricius, 1794; *dilutalis* De Lattin, 1959 Original Reference: Pyralis dentalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): DZ Lbs Clo Ges TN Gf PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LT RU MD UA BY IL EG KG Tk Dj Ii Ui CN Ku TM Kp CY LB IR Elb Kdv Th Kdj Dam Gor Cc GG Bjo Lag Kir AZ Mng Nv Ord
- 74295. Cynaeda (s.str.) forsteri De Lattin, 1951** (Pyralidae) Synonym(s): *forsteri* De Lattin, 1951 Range (in code): RU

- 74296. *Cynaeda (s.str.) forsteri forsteri* De Lattin,1951** (Pyralidae) Synonym(s): *forsteri* De Lattin,1951 _ Range (in code): RU
- 74297. *Cynaeda (s.str.) furiosa* Hampson,1900** (Pyralidae) Synonym(s): *furiosa* Hampson,1900 _ Range (in code): IR Th Elb
- 74298. *Cynaeda (s.str.) furiosa amseli* De Lattin,1959** (Pyralidae) Synonym(s): *amseli* De Lattin,1959 _ Range (in code): IR Th Elb
- 74299. *Cynaeda (s.str.) furiosa furiosa* Hampson,1900** (Pyralidae) Synonym(s): *furiosa* Hampson,1900 _ Range (in code):
- 74300. *Cynaeda (s.str.) gigantea* (Staudinger,1879)** (Pyralidae) Synonym(s): *#gigantea* Wocke,1871; *gigantea* Staudinger,1879 _ Original Reference: Odontia dentalis v. gigantea Staudinger,1879, Horae Soc. ent. ross. 15: 165-166. Syntypes: [Türkei]: Amasia. Range (in code): FR CH HU YU GR Cr TR IQ Hjo Ssa IR Fa Shr Com Sse GlS IL Pa LB Bsa AF Slg Pnj Pag Adr KG Uk Bionomy: Larva on Echium italicum (Boraginaceae) (Koçak,1989, Priamus 5 (3): 95-97).
- 74301. *Cynaeda (s.str.) gigantea gigantea* (Staudinger,1879)** (Pyralidae) Synonym(s): *#gigantea* Wocke,1871; *gigantea* Staudinger,1879 _ Original Reference: Odontia dentalis v. gigantea Staudinger,1879, Horae Soc. ent. ross. 15: 165-166. Syntypes: [Türkei]: Amasia. Range (in code): FR CH HU YU GR Cr TR IQ Hjo Ssa IR Fa Shr Com Sse Elb Kdj Th GlS LB IL Pa LB Bsa AF Slg Pnj Pag Adr KG Uk
- 74302. *Cynaeda (s.str.) gigantea hilariella* Schawerda,1921** (Pyralidae) Synonym(s): *hilariella* Schawerda,1921; *mendicalis* De Lattin,1951 _ Range (in code): FR
- 74303. *Cypholomia amphiaula* Meyrick,1934** (Pyralidae) Synonym(s): *amphiaula* Meyrick,1934 _ Range (in code): ZR
- 74304. *Cypholomia crypsibela* Meyrick,1934** (Pyralidae) Synonym(s): *crypsibela* Meyrick,1934 _ Range (in code): ZR
- 74305. *Cypholomia leptodeta* Meyrick,1933** (Pyralidae) Synonym(s): *leptodeta* Meyrick,1933 _ Range (in code): ZR
- 74306. *Cyrtogramme melagynalis* (Agassiz,1978)** (Pyralidae) Synonym(s): *melagynalis* Agassiz,1978 _ Original Reference: Nymphula melagynalis Agassiz,1978, Entomologist's Gaz. 29 (3): 121, fig. Holotype: Sri Lanka. Range (in code): SL TH LK JP ID Sum Bli PH PG GB
- 74307. *Cyrtogramme turbata* (Butler,1881)** (Pyralidae) Synonym(s): *turbata* Butler,1881 _ Original Reference: Paraponyx turbata Butler,1881, Trans. ent. Soc. London 1881: 586. Type: Japan: Yokohama. Range (in code): JP
- 74308. *Dalakia uniformella* Amsel,1961** (Pyralidae) Synonym(s): *uniformella* Amsel,1961 _ Range (in code): IR AE
- 74309. *Daria coenosella* Ragonot,1888** (Pyralidae) Synonym(s): *coenosella* Ragonot,1888; *tshetverikovi* Kusnesov,1908. _ Range (in code): IQ Bgd IR Ke TM Krn UZ Fe Man RU KG Tk Dj Ii
- 74310. *Dasyscopa axeli* Nuss,1998** (Pyralidae) Synonym(s): *axeli* Nuss,1998 _ Range (in code): ID Sum
- 74311. *Dasyscopa barbipennis* (Hampson,1897)** (Pyralidae) Synonym(s): *barbipennis* Hampson,1897 _ Range (in code): MY
- 74312. *Dasyscopa homogenes* Meyrick,1894** (Pyralidae) Synonym(s): *homogenes* Meyrick,1894; *planilinearis* W.Warren,1896 _ Range (in code): IN Meg Ass Khs MY ID Sbw
- 74313. *Dasyscopa polysemalis* Hampson,1897** (Pyralidae) Synonym(s): *polysemalis* Hampson,1897 _ Range (in code): LO
- 74314. *Daulia afralis* Walker,1859** (Pyralidae) Synonym(s): *afralis* Walker,1859; *argentuosalis* Swinhoe,1890 _ Range (in code): IN MY Bor MM TW BT NI CN JP ID Sgr
- 74315. *Daulia argyrophoralis* Hampson,1907** (Pyralidae) Synonym(s): *argyrophoralis* Hampson,1907 _ Range (in code): AR
- 74316. *Daulia argyrostrotalis* Hampson,1912** (Pyralidae) Synonym(s): *argyrostrotalis* Hampson,1912 _ Range (in code): LK
- 74317. *Daulia aurantialis* Hampson,1896** (Pyralidae) Synonym(s): *aurantialis* Hampson,1896 _ Range (in code): IN Ass Nag
- 74318. *Daulia auriplumbea* (W.Warren,1914)** (Pyralidae) Synonym(s): *auriplumbea* W.Warren,1914 _ Range (in code): ZA
- 74319. *Daulia subaurealis* (Walker,1865)** (Pyralidae) Synonym(s): *subaurealis* Walker,1865 _ Range (in code): ZA Wca Cto
- 74320. *Dausara amethysta* Butler,1877** (Pyralidae) Synonym(s): *amethysta* Butler,1877 _ Range (in code): TH CMa MM MY SG ID Sum Bor Swk Sbh Klt PH PG

- 74321. Dausara Chiangmai Yoshiyasu, 1995** (Pyralidae) *Synonym(s): Chiangmai Yoshiyasu, 1995*
Original Reference: Dausara Chiangmai Yoshiyasu, 1995, Microlepid. Thailand 3: 96, figs.
Holotype: Thailand: Chiang Mai, Doi Pui. Range (in code): TH CMa Dst
- 74322. Dausara latiternalis Yoshiyasu, 1995** (Pyralidae) *Synonym(s): latiternalis Yoshiyasu, 1995*
Original Reference: Dausara latiternalis Yoshiyasu, 1995, Microlepid. Thailand 3: 95, figs. Holotype: Thailand: Nakhon Nayok, Khao Yai. Range (in code): TH Nna Kao
- 74323. Deanolis albizonalis Hampson, 1903** (Pyralidae) *Synonym(s): albizonalis Hampson, 1903*
Range (in code): TH Sup Bnk Pbu IN SI Djl Bionomy: Larva bores of fruit of Mangifera indica [mango], Bouea macrophylla [plum mango] (Anacardiaceae) (Lewvanich, 2001).
- 74324. Deanolis sublimbalis Snellen, 1899** (Pyralidae) *Synonym(s): sublimbalis Snellen, 1899*
Range (in code): IN MM TH CN BN Bor PH ID PG AU
- 74325. Deba surrectalis (Walker, 1865)** (Pyralidae) *Synonym(s): surrectalis Walker, 1865*
Range (in code): PH Luz Mno LK ID Ja Clb
- 74326. Decticogaster depalpalis (Strand, 1919)** (Pyralidae) *Synonym(s): depalpalis Strand, 1919*
Range (in code): TW
- 74327. Decticogaster janapalis (Walker, 1859)** (Pyralidae) *Synonym(s): janapalis Walker, 1859*
Range (in code): IN LK MM MY Bor ID PH TW AU
- 74328. Dectocera pseudolimbella Ragonot, 1887** (Pyralidae) *Synonym(s): pseudolimbella Ragonot, 1887*
Original Reference: Dectocera pseudolimbella Ragonot, 1887, Anns Soc. ent. Fr. 1887: 243. Type ♂: [Croatia]: Fiume (MNHN). Range (in code): HV
- 74329. Dejoannisia pallidella (Joannis, 1927)** (Pyralidae) *Synonym(s): pallidella Joannis, 1927*
Range (in code): ZA
- 74330. Delopterus basalis Janse, 1922** (Pyralidae) *Synonym(s): basalis Janse, 1922* Range (in code): ZA
- 74331. Delplanqueia cortella (Constant, 1884)** (Pyralidae) *Synonym(s): cortella Constant, 1884*
Range (in code): Co Sa IT
- 74332. Delplanqueia dilutella ([Denis & Schiffermüller], 1775)** (Pyralidae) *Synonym(s): dilutella [Denis & Schiffermüller], 1775; diluta Haworth, 1811; dilutalis Hübner, [1825]; adornatella Treitschke, 1835; subornatella Duponchel, 1837; serphylletorum Zeller, 1839; integella Staudinger, 1859; integrella Wocke, 1871; diffusa Staudinger, 1881; magna Amsel, 1953*
Original Reference: Tinea dilutella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES An FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Th MN
- 74333. Delplanqueia inscriptella (Duponchel, 1837)** (Pyralidae) *Synonym(s): inscriptella Duponchel, 1837* Range (in code): ES FR GR IT DZ
- 74334. Delplanqueia nobilella (Ragonot, 1887)** (Pyralidae) *Synonym(s): nobilella Ragonot, 1887; alibotuschella Drenowski, 1932* Range (in code): BG TM Kp
- 74335. Deltobotys brachypteralis (Hampson, 1913)** (Pyralidae) *Synonym(s): brachypteralis Hampson, 1913; lunilinealis Hampson, 1918; #levilinealis Amsel, 1956* Range (in code): PY EC VE
- 74336. Deltobotys citrodoxa (Meyrick, 1936)** (Pyralidae) *Synonym(s): citrodoxa Meyrick, 1936*
Range (in code): VE
- 74337. Deltobotys galba Munroe, 1964** (Pyralidae) *Synonym(s): galba Munroe, 1964* Range (in code): VE
- 74338. Denticera divisella (Duponchel, 1842)** (Pyralidae) *Synonym(s): divisella Duponchel, 1842; euphorbiella Zeller, 1846; albiricella Herrich-Schäffer, 1849; sardzeella Amsel, 1961.* Range (in code): MA DZ Ajj ES FR Sa Si IT MT YU BG GR TR IR IL Pa Hf IQ Rwz Dia Shq GM ZA Nta Kzu YE Ad PK Sd Krc LK Bionomy: Larvae feed gregariously on Euphorbia (Euphorbiaceae) (Hampson, 1896).
- 74339. Dentifovea fulvifascialis (Christoph, 1887)** (Pyralidae) *Synonym(s): fulvifascialis Christoph, 1887; foviferalis Hampson, 1900* Range (in code): GR LB Bei IL Pa AF Hr Srb Pli Pic TR IQ Rwz Bgd Brs IR Ahz Bu Se PK Sd Krc
- 74340. Dentifovea praecultalis (Rebel, 1896)** (Pyralidae) *Synonym(s): praecultalis Rebel, 1896*
Range (in code): Cn
- 74341. Dentitegumia afghanella Amsel, 1970** (Pyralidae) *Synonym(s): afghanella Amsel, 1970*
Range (in code): AF Ca Kab Srb Bm IR Ss PK Bl Qu
- 74342. Dentitegumia classica Roesler, 1989** (Pyralidae) *Synonym(s): classica Roesler, 1989*
Original Reference: Dentitegumia classica Roesler, 1989, Ent. Z., Frankf. a. M. 99: 294-296, fig. 7. Holotype ♂: [China: Uighur A.R.]: Aksu (NHMW). Range (in code): CN Ui Au

- 74343. *Dentitegumia dhana* Roesler,1989** (Pyralidae) **Synonym(s):** *dhana* Roesler,1989
Range (in code): **IR Ss**
- 74344. *Dentitegumia nigrigranella* (Ragonot,1890)** (Pyralidae) **Synonym(s):** *nigrigranella* Ragonot,1890; *comeella* Amsel,1961. **Range (in code):** **DZ Bsk TN Gf IL Pa Jer IQ Kbl Rba IR Ss Fa**
- 74345. *Dentitegumia sirjana* Roesler,1989** (Pyralidae) **Synonym(s):** *sirjana* Roesler,1989
Range (in code): **IR Ss**
- 74346. *Desmia discrepans* (Butler,1887)** (Pyralidae) **Synonym(s):** *discrepans* Butler,1887
Range (in code): **AU**
- 74347. *Deuterarcha xanthomela* Meyrick,1884** (Pyralidae) **Synonym(s):** *xanthomela* Meyrick,1884; *insignis* Butler,1886 **Range (in code):** **AU**
- 74348. *Deuterolia nipis* Dyar,1914** (Pyralidae) **Synonym(s):** *nipis* Dyar,1914 **Range (in code):** **MX**
- 74349. *Deuterophysa grisealis* Hampson,1917** (Pyralidae) **Synonym(s):** *grisealis* Hampson,1917
Range (in code): **ZA**
- 74350. *Diadexia anchylocrossa* Turner,1924** (Pyralidae) **Synonym(s):** *anchylocrossa* Turner,1924
Range (in code): **AU**
- 74351. *Diadexia argyropasta* Turner,1911** (Pyralidae) **Synonym(s):** *argyropasta* Turner,1911
Range (in code): **AU**
- 74352. *Diadexia parodes* Turner,1905** (Pyralidae) **Synonym(s):** *parodes* Turner,1905 **Range (in code):** **AU**
- 74353. *Dialepta micropolia* Turner,1913** (Pyralidae) **Synonym(s):** *micropolia* Turner,1913
Range (in code): **AU**
- 74354. *Diaphania albianalis* (Hampson,1918)** (Pyralidae) **Synonym(s):** *albianalis* Hampson,1918
Range (in code): **VE**
- 74355. *Diaphania albicincta* (Hampson,1899)** (Pyralidae) **Synonym(s):** *albicincta* Hampson,1899
Range (in code): **VE**
- 74356. *Diaphania argealis* (Walker,1859)** (Pyralidae) **Synonym(s):** *argealis* Walker,1859
Range (in code): **VE**
- 74357. *Diaphania arguta* (Lederer,1863)** (Pyralidae) **Synonym(s):** *arguta* Lederer,1863
Range (in code): **VE**
- 74358. *Diaphania aroalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *aroalis* Schaus,1920 **Range (in code):** **VE**
- 74359. *Diaphania beckeri* Clavijo & Munroe,1996** (Pyralidae) **Synonym(s):** *beckeri* Clavijo & Munroe,1996 **Range (in code):** **VE**
- 74360. *Diaphania clavata* (Hampson,1912)** (Pyralidae) **Synonym(s):** *clavata* Hampson,1912
Range (in code): **VE**
- 74361. *Diaphania contractalis* (Dognin,1903)** (Pyralidae) **Synonym(s):** *contractalis* Dognin,1903
Range (in code): **VE**
- 74362. *Diaphania culminalis* (Schaus,1924)** (Pyralidae) **Synonym(s):** *culminalis* Schaus,1924
Range (in code): **VE**
- 74363. *Diaphania elegans* (Möschler,1890)** (Pyralidae) **Synonym(s):** *elegans* Möschler,1890
Range (in code): **VE**
- 74364. *Diaphania eumeusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *eumeusalis* Walker,1859
Range (in code): **VE**
- 74365. *Diaphania euryzonalis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *euryzonalis* Hampson,1912 **Range (in code):** **VE**
- 74366. *Diaphania exclusalis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *exclusalis* Walker,[1866]
Range (in code): **VE**
- 74367. *Diaphania fuligalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *fuligalis* Schaus,1912
Range (in code): **VE**
- 74368. *Diaphania fumosalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *fumosalis* Guenée,1854
Range (in code): **VE**
- 74369. *Diaphania fuscicaudalis* (Möschler,1881)** (Pyralidae) **Synonym(s):** *fuscicaudalis* Möschler,1881 **Range (in code):** **VE**
- 74370. *Diaphania guenalis* (Snellen,1875)** (Pyralidae) **Synonym(s):** *guenalis* Snellen,1875
Range (in code): **VE**

- 74371. *Diaphania hemicitralis* (Hampson,1912)** (Pyrilidae) **Synonym(s):** *hemicitralis* Hampson,1912 **Range (in code):** **VE**
- 74372. *Diaphania hyalinata* (Linnaeus,1767)** (Pyrilidae) **Synonym(s):** *hyalinata* Linnaeus,1767 **Range (in code):** **VE**
- 74373. *Diaphania indica* (Saunders,1851)** (Pyrilidae) **Synonym(s):** *indica* Saunders,1851; *capensis* Zeller,1852; *gazorialis* Guenée,1854; *zygaenalis* Guenée,1854; *curcubitalis* Guenée,1862; *intermedialis* Dognin,1904. **Range (in code):** **VE ZA Tva Lpo Spb Lj MG SA AE AF Srb Gbh PH Luz Ceb Boh CmM KP TW JP AU WS FJ PG MY IR Ss Irs IN CN TH CMa Cuo Cu01 CDo CD2 Dst Dso9** **Bionomy:** Larva on Cucurbita, Luffa aegyptiaca, L.acutangula, Trichosanthes anguina, T.palmata (Cucurbitaceae), Gossypium herbaceum (Malvaceae), Erythrina corallodendron (Fabaceae) (Clarke,1986).
- 74374. *Diaphania infirmalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *infirmalis* Guenée,1854 **Range (in code):** **VE**
- 74375. *Diaphania latilimbalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *latilimbalis* Guenée,1854 **Range (in code):** **VE**
- 74376. *Diaphania lucidalis* (Hübner,1823)** (Pyrilidae) **Synonym(s):** *lucidalis* Hübner,1823 **Range (in code):** **VE**
- 74377. *Diaphania magdalenae* (Hampson,1899)** (Pyrilidae) **Synonym(s):** *magdalenae* Hampson,1899 **Range (in code):** **VE**
- 74378. *Diaphania mirabilis* (Druce,1902)** (Pyrilidae) **Synonym(s):** *mirabilis* Druce,1902 **Range (in code):** **VE**
- 74379. *Diaphania monothyrallis* (Hampson,1918)** (Pyrilidae) **Synonym(s):** *monothyrallis* Hampson,1918 **Range (in code):** **VE**
- 74380. *Diaphania nigricilialis* (Schaus,1912)** (Pyrilidae) **Synonym(s):** *nigricilialis* Schaus,1912 **Range (in code):** **VE**
- 74381. *Diaphania nitidalis* (Cramer,1781)** (Pyrilidae) **Synonym(s):** *nitidalis* Cramer,1781 **Range (in code):** **VE**
- 74382. *Diaphania oeditornalis* (Hampson,1912)** (Pyrilidae) **Synonym(s):** *oeditornalis* Hampson,1912 **Range (in code):** **VE**
- 74383. *Diaphania oleosalis* (Snellen,1875)** (Pyrilidae) **Synonym(s):** *oleosalis* Snellen,1875 **Range (in code):** **VE**
- 74384. *Diaphania orthozonalis* (Hampson,1912)** (Pyrilidae) **Synonym(s):** *orthozonalis* Hampson,1912 **Range (in code):** **VE**
- 74385. *Diaphania plumbidorsalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *plumbidorsalis* Guenée,1854 **Range (in code):** **VE**
- 74386. *Diaphania praxialis* (Druce,1895)** (Pyrilidae) **Synonym(s):** *praxialis* Druce,1895 **Range (in code):** **VE**
- 74387. *Diaphania purpurea* (Hampson,1912)** (Pyrilidae) **Synonym(s):** *purpurea* Hampson,1912 **Range (in code):** **VE**
- 74388. *Diaphania subtilalis* Amsel,1954** (Pyrilidae) **Synonym(s):** *subtilalis* Amsel,1954 **Range (in code):** **VE**
- 74389. *Diaphania superalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *superalis* Guenée,1854 **Range (in code):** **VE**
- 74390. *Diaphania taenialis* (Dognin,1905)** (Pyrilidae) **Synonym(s):** *taenialis* Dognin,1905 **Range (in code):** **VE**
- 74391. *Diaphania translucidalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *translucidalis* Guenée,1854 **Range (in code):** **VE**
- 74392. *Diasemia accalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *accalis* Walker,1859; *spilonotalis* Snellen,[1880] **Range (in code):** **IN SG CN TW JP AU**
- 74393. *Diasemia calcaralis* Strand,1918** (Pyrilidae) **Synonym(s):** *calcaralis* Strand,1918 **Range (in code):** **TW**
- 74394. *Diasemia completalis* Walker,[1866]** (Pyrilidae) **Synonym(s):** *completalis* Walker,[1866] **Range (in code):** **AU**
- 74395. *Diasemia disjectalis* (Zeller,1852)** (Pyrilidae) **Synonym(s):** *disjectalis* Zeller,1852 **Range (in code):** **ZA**
- 74396. *Diasemia impulsalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *impulsalis* Walker,1859 **Range (in code):** **TW**

- 74397. *Diasemia impulsalis taiwanalis* Shibuya, 1928** (Pyralidae) Synonym(s): *taiwanalis* Shibuya, 1928 - Range (in code): TW
- 74398. *Diasemia lepidoneuralis* Strand, 1918** (Pyralidae) Synonym(s): *lepidoneuralis* Strand, 1918 - Range (in code): TW
- 74399. *Diasemia monostigma* Hampson, 1913** (Pyralidae) Synonym(s): *monostigma* Hampson, 1913 - Range (in code): ZA
- 74400. *Diasemia reticularis* (Linnaeus, 1761)** (Pyralidae) Synonym(s): *reticularis* Linnaeus, 1761; *litterata* Scopoli, 1763 - Range (in code): PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Plantago (Plantaginaceae), Cichorium, Hieracium, Picris (Asteraceae) (Parenti, 2000).
- 74401. *Diasemia trigonalis* Hampson, 1913** (Pyralidae) Synonym(s): *trigonalis* Hampson, 1913 - Range (in code): ZA
- 74402. *Diasemiopsis ramburialis* (Duponchel, 1831)** (Pyralidae) Synonym(s): *ramburialis* Duponchel, 1831; *melaleucalis* Walker, 1859; *reconditalis* Walker, [1866]; *leucophaealis* Walker, [1866]. Original Reference: *Hydrocampa ramburialis* Duponchel, 1831, Hist. Nat. Lépid. Fr. 8: 344, Pl. 233 fig. 6. Type(s): Korsika. Range (in code): PT ES FR Co Sa Si IT MT GB BE NL CH AT RO YU AL BG GR Cr TR IR Mz Gls DK US IN AU QAU TW ZA
- 74403. *Diastictis incisalis* (Snellen, 1880)** (Pyralidae) Synonym(s): *incisalis* Snellen, 1880 - Range (in code): ZA
- 74404. *Diastictis incisalis* (Snellen, 1880)** (Pyralidae) Synonym(s): *incisalis* Snellen, 1880 - Range (in code): PK Sd Krc IN Poo LK ID Clb ZA
- 74405. *Diastictis tenera* (Butler, 1883)** (Pyralidae) Synonym(s): *tenera* Butler, 1883 - Range (in code): ZA
- 74406. *Diathrausta brevifascialis* (Wileman, 1911)** (Pyralidae) Synonym(s): *brevifascialis* Wileman, 1911 - Range (in code): JP TW
- 74407. *Diathrausta lypera* Tams, 1935** (Pyralidae) Synonym(s): *lypera* Tams, 1935 - Range (in code): WS
- 74408. *Diathrausta ochreipennis* (Butler, 1886)** (Pyralidae) Synonym(s): *ochreipennis* Butler, 1886 - Range (in code): AU
- 74409. *Diathrausta picata* (Butler, 1889)** (Pyralidae) Synonym(s): *picata* Butler, 1889 - Range (in code): AU
- 74410. *Diathrausta profundalis* Lederer, 1863** (Pyralidae) Synonym(s): *profundalis* Lederer, 1863 - Range (in code): IN LK TW
- 74411. *Diatraea albicrinella* Box, 1931** (Pyralidae) Synonym(s): *albicrinella* Box, 1931 - Range (in code): GY PE EC BR
- 74412. *Diatraea andina* Box, 1951** (Pyralidae) Synonym(s): *andina* Box, 1951 - Range (in code): VE
- 74413. *Diatraea argentina* Box, 1931** (Pyralidae) Synonym(s): *argentina* Box, 1931 - Range (in code): AR
- 74414. *Diatraea balboana* Box, 1956** (Pyralidae) Synonym(s): *balboana* Box, 1956 - Range (in code): PA
- 74415. *Diatraea bellifactella* Dyar, 1911** (Pyralidae) Synonym(s): *bellifactella* Dyar, 1911 - Range (in code): BR
- 74416. *Diatraea brucei* Hulst, 1895** (Pyralidae) Synonym(s): *brucei* Hulst, 1895 - Range (in code): US Col
- 74417. *Diatraea brunescens* Box, 1931** (Pyralidae) Synonym(s): *brunescens* Box, 1931; *incertella* Box, 1931 - Range (in code): VE BR
- 74418. *Diatraea busckella* Dyar & Heinrich, 1927** (Pyralidae) Synonym(s): *busckella* Dyar & Heinrich, 1927; *#falconiensis* Box, 1951; *#setariaeoides* Box, 1951 - Range (in code): PA
- 74419. *Diatraea busckella setariae* Box, 1951** (Pyralidae) Synonym(s): *setariae* Box, 1951 - Range (in code): VE
- 74420. *Diatraea colombiana* Box, 1956** (Pyralidae) Synonym(s): *colombiana* Box, 1956 - Range (in code): CO
- 74421. *Diatraea considerata* (Heinrich, 1931)** (Pyralidae) Synonym(s): *considerata* Heinrich, 1931 - Range (in code): MX
- 74422. *Diatraea crambidoides* (Grote, 1880)** (Pyralidae) Synonym(s): *crambidoides* Grote, 1880; *zeacolella* Dyar, 1911; *tripsacicola* Dyar, 1921 - Range (in code): US FI
- 74423. *Diatraea dyari* Box, 1930** (Pyralidae) Synonym(s): *dyari* Box, 1930 - Range (in code): AR

- 74424. *Diatraea evanescens* Dyar,1917** (Pyralidae) Synonym(s): *evanescens* Dyar,1917; *sobrinalis* Schaus,1922 _ Range (in code): US Lou GT
- 74425. *Diatraea flavipennella* Box,1931** (Pyralidae) Synonym(s): *flavipennella* Box,1931 _ Range (in code): BR
- 74426. *Diatraea fuscella* Schaus,1922** (Pyralidae) Synonym(s): *fuscella* Schaus,1922 _ Range (in code): CR
- 74427. *Diatraea gaga* Dyar,1922** (Pyralidae) Synonym(s): *gaga* Dyar,1922; *solipsa* Dyar,1915 _ Range (in code): PA
- 74428. *Diatraea guapilella* (Schaus,1913)** (Pyralidae) Synonym(s): *guapilella* Schaus,1913 _ Range (in code): CR
- 74429. *Diatraea guatemalaella* Schaus,1922** (Pyralidae) Synonym(s): *guatemalaella* Schaus,1922 _ Range (in code): GT
- 74430. *Diatraea idalis* Fernald,1896** (Pyralidae) Synonym(s): *idalis* Fernald,1896 _ Range (in code): US Nje
- 74431. *Diatraea impersonatella* (Walker,1863)** (Pyralidae) Synonym(s): *impersonatella* Walker,1863; *moorella* Dyar & Heinrich,1927 _ Range (in code): VE
- 74432. *Diatraea indigenella* Dyar & Heinrich,1927** (Pyralidae) Synonym(s): *indigenella* Dyar & Heinrich,1927 _ Range (in code): CO
- 74433. *Diatraea instructella* Dyar,1911** (Pyralidae) Synonym(s): *instructella* Dyar,1911 _ Range (in code): MX
- 74434. *Diatraea lentistrialis* Hampson,1919** (Pyralidae) Synonym(s): *lentistrialis* Hampson,1919 _ Range (in code):
- 74435. *Diatraea lisetta* (Dyar,1909)** (Pyralidae) Synonym(s): *lisetta* Dyar,1909; *cancellaris* Dyar,1914; *adulcia* Dyar,1916. _ Range (in code): US FI
- 74436. *Diatraea luteella* Box,1931** (Pyralidae) Synonym(s): *luteella* Box,1931 _ Range (in code): EC
- 74437. *Diatraea magnifactella* Dyar,1911** (Pyralidae) Synonym(s): *magnifactella* Dyar,1911 _ Range (in code): MX
- 74438. *Diatraea maritima* Box,1935** (Pyralidae) Synonym(s): *maritima* Box,1935 _ Range (in code): GY
- 74439. *Diatraea maronialis* Schaus,1922** (Pyralidae) Synonym(s): *maronialis* Schaus,1922 _ Range (in code): GY
- 74440. *Diatraea minimifacta* Dyar,1911** (Pyralidae) Synonym(s): *minimifacta* Dyar,1911 _ Range (in code): VE GY
- 74441. *Diatraea morobe* Dyar,1917** (Pyralidae) Synonym(s): *morobe* Dyar,1917 _ Range (in code): MX
- 74442. *Diatraea myersi* Box,1935** (Pyralidae) Synonym(s): *myersi* Box,1935 _ Range (in code): BR
- 74443. *Diatraea obliqualis* Hampson,1919** (Pyralidae) Synonym(s): *obliqualis* Hampson,1919 _ Range (in code):
- 74444. *Diatraea pedibarbata* Dyar,1911** (Pyralidae) Synonym(s): *pedibarbata* Dyar,1911 _ Range (in code): GY
- 74445. *Diatraea pittieri* Box,1951** (Pyralidae) Synonym(s): *pittieri* Box,1951 _ Range (in code): VE
- 74446. *Diatraea postlineella* Schaus,1922** (Pyralidae) Synonym(s): *postlineella* Schaus,1922 _ Range (in code): GT
- 74447. *Diatraea ragonoti* Box,1948** (Pyralidae) Synonym(s): *ragonoti* Box,1948 _ Range (in code): BR
- 74448. *Diatraea saccharalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *saccharalis* Fabricius,1794; *sacchari* Fabricius,1798; *leucaniellus* Walker,1863; *lineosellus* Walker,1863; *obliteratellus* Zeller,1863; *grenadensis* Dyar,1911; *continens* Dyar,1911; *#brasiliensis* Van Gorkum & De Waal,1913; *crambidoides* Holloway & Loftin,1919; *incomparella* Dyar & Heinrich,1927 _ Range (in code): US MX PA BR
- 74449. *Diatraea savannorum* Box,1935** (Pyralidae) Synonym(s): *savannorum* Box,1935 _ Range (in code): GY
- 74450. *Diatraea silvicola* Box,1951** (Pyralidae) Synonym(s): *silvicola* Box,1951 _ Range (in code): VE
- 74451. *Diatraea suffusella* Box,1931** (Pyralidae) Synonym(s): *suffusella* Box,1931 _ Range (in code): GY

- 74452. *Diatraea tabernella* Dyar,1911** (Pyralidae) Synonym(s): *tabernella* Dyar,1911 _ Range (in code): PA NI
- 74453. *Diatraea umbrialis* Schaus,1922** (Pyralidae) Synonym(s): *umbrialis* Schaus,1922 Range (in code): GY
- 74454. *Diatraea venosalis* (Dyar,1917)** (Pyralidae) Synonym(s): *venosalis* Dyar,1917 _ Range (in code): US Lou
- 74455. *Diatraea veracruzana* Box,1956** (Pyralidae) Synonym(s): *veracruzana* Box,1956 Range (in code): MX
- 74456. *Dichocrocis chlorophanta* (Butler,1878)** (Pyralidae) Synonym(s): *chlorophanta* Butler,1878 _ Range (in code): CN KP TW JP
- 74457. *Dichocrocis clytusalis* (Walker,1859)** (Pyralidae) Synonym(s): *clytusalis* Walker,1859 Range (in code): AU
- 74458. *Dichocrocis erixantha* (Meyrick,1886)** (Pyralidae) Synonym(s): *erixantha* Meyrick,1886 Range (in code): AU
- 74459. *Dichocrocis leptalis* Hampson,1903** (Pyralidae) Synonym(s): *leptalis* Hampson,1903 Range (in code): IN TH
- 74460. *Dichocrocis megillalis* Walker,1859** (Pyralidae) Synonym(s): *megillalis* Walker,1859 Range (in code): TH MY Bor Swk
- 74461. *Dichocrocis punctiferalis* (Guenée,1854)** (Pyralidae) Synonym(s): *punctiferalis* Guenée,1854; *detracta* Walker,1859; *nicippealis* Walker,1859; *guttatalis* Walker,[1866]. Original Reference: *Astura punctiferalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 320. Syntypes 1♂ 1♀: "Inde centrale". Range (in code): IN ID Ja CN TW KP JP PH Luz CmM Mno LK Sum Bor Sbw Sgr Clb Amb Crm PG Kai FJ Vil PW AU
- 74462. *Dichocrocis surusalis* (Walker,1859)** (Pyralidae) Synonym(s): *surusalis* Walker,1859 Range (in code): LK MY Bor SG PG CN TW JP
- 74463. *Dicymolomia diminutalis* W.Warren,1891** (Pyralidae) Synonym(s): *diminutalis* W.Warren,1891 _ Range (in code): PE
- 74464. *Dicymolomia grisea* Munroe,1972** (Pyralidae) Synonym(s): *grisea* Munroe,1972 Range (in code): US FI
- 74465. *Dicymolomia julianalis* (Walker,1859)** (Pyralidae) Synonym(s): *julianalis* Walker,1859; *decora* Zeller,1872 _ Range (in code): US Tx
- 74466. *Dicymolomia metalliferalis* (Packard,1873)** (Pyralidae) Synonym(s): *metalliferalis* Packard,1873; *sauberi* Hedemann,1883 _ Range (in code): US Cf
- 74467. *Dicymolomia metalophota* (Hampson,1897)** (Pyralidae) Synonym(s): *metalophota* Hampson,1897; *comsortalis* Dyar,1914; *argentipunctalis* Amsel,1956 _ Range (in code): JM BS PA VE
- 74468. *Dicymolomia micropunctalis* Munroe,1964** (Pyralidae) Synonym(s): *micropunctalis* Munroe,1964 _ Range (in code): US Cf
- 74469. *Dicymolomia opuntialis* Dyar,1908** (Pyralidae) Synonym(s): *opuntialis* Dyar,1908 Range (in code): US Cf
- 74470. *Dicymolomia rufifusalis* (Hampson,1912)** (Pyralidae) Synonym(s): *rufifusalis* Hampson,1912; *#rufifuscalis* Klima,1939 _ Range (in code): PA
- 74471. *Didia subramosella* Ragonot,1893** (Pyralidae) Synonym(s): *subramosella* Ragonot,1893; *#subamosella* Balinsky,1994 _ Range (in code): ZA
- 74472. *Didymostoma aurotinctalis* (Hampson,1898)** (Pyralidae) Synonym(s): *aurotinctalis* Hampson,1898 _ Range (in code): AU
- 74473. *Dilacinia badialis* Amsel,1961** (Pyralidae) Synonym(s): *badialis* Amsel,1961 Original Reference: *Dilacina* [sic!] *badialis* Amsel,1961, Ark. Zool. 13 (17): 432, Textabb. 132. Holotype ♂: Iran: Quli Kush, Wiltshire leg. Range (in code): IR AF Sar Kab Pic Bkt
- 74474. *Dinopleura lineata* Turner,1941** (Pyralidae) Synonym(s): *lineata* Turner,1941 _ Range (in code): AU
- 74475. *Dioryctria abietella* (Fabricius,1787)** (Pyralidae) Synonym(s): *#abietella* [Denis & Schiffermüller],1775; *abietella* Fabricius,1787 Original Reference: *Tinea abietella* Fabricius,1787, Mant. Ins. 2: 245. Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK NO SE FI EE LV LT RU MD UA BY Sb IN TH TW KP JP
- 74476. *Dioryctria aulloi* Barbey,1930** (Pyralidae) Synonym(s): *aulloi* Barbey,1930 _ Range (in code): ES IN CN Kwa
- 74477. *Dioryctria fanjingshana* Kuang & Li,2009** (Pyralidae) Synonym(s): *fanjingshana* Kuang & Li,2009 _ Range (in code): CN Kwt

- 74478. *Dioryctria mendacella* (Staudinger,1859)** (Pyralidae) Synonym(s): *mendacella* Staudinger,1859; *#mendecella* Rebel,1939 Original Reference: *Nephopteryx mendacella* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 222-223. Syntypes ♂♀: Spanien: Granada. Range (in code): **PT ES FR Co Si IT MT YU GR TR CY IL Pa Hf** Bionomy: Larva on Pinus (Pinaceae) (Parenti,2000).
- 74479. *Dioryctria peltieri* De Joannis,1908** (Pyralidae) Synonym(s): *peltieri* De Joannis,1908 Range (in code): **DZ Blid**
- 74480. *Dioryctria peyerimhoffi* De Joannis,1921** (Pyralidae) Synonym(s): *peyerimhoffi* De Joannis,1921 Range (in code): **DZ**
- 74481. *Dioryctria pineae* (Staudinger,1859)** (Pyralidae) Synonym(s): *pineae* Staudinger,1859 Original Reference: *Nephopteryx ? pineae* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 222. Syntypes ♂♀: Spanien: Chiclana. Range (in code): **PT ES FR Co Sa Si IT MT YU GR IL**
- 74482. *Dioryctria reniculelloides* Mutuura & Munroe,1973** (Pyralidae) Synonym(s): *reniculelloides* Mutuura & Munroe,1973 Range (in code): **CN Mc CA**
- 74483. *Dioryctria resiniphila* Segerer & Pröse,1997** (Pyralidae) Synonym(s): *resiniphila* Segerer & Pröse,1997 Range (in code): **GT TR CN UI**
- 74484. *Dioryctria robiniella* (Millière,1865)** (Pyralidae) Synonym(s): *robiniella* Millière,1865; *daeleyi* Mutuura & Munroe,1974 Range (in code): **IT ES FR HV MA DZ** Bionomy: Larva on Cupressus sempervirens (Siépi,1909; Speldel & Asselbergs,2000).
- 74485. *Dioryctria rubella* Hampson,1901** (Pyralidae) Synonym(s): *rubella* Hampson,1901 Range (in code): **ID Sum CN TH HK PH** Bionomy: Larva on Pinus merkusii (Pinaceae) (Robinson et al.,1994).
- 74486. *Dioryctria schuetzeella* Fuchs,1899** (Pyralidae) Synonym(s): *schuetzeella* Fuchs,1899 Range (in code): **FR IT GB BE NL LU DE CH AT CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 74487. *Dioryctria simplicella* Heinemann,1863** (Pyralidae) Synonym(s): *simplicella* Heinemann,1863; *mutatella* Fuchs,1903. Range (in code): **FR GB BE NL LU DE CH AT CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR**
- 74488. *Dioryctria sylvestrella* (Ratzeburg,1840)** (Pyralidae) Synonym(s): *sylvestrella* Ratzeburg,1840; *splendidella* sensu auct. Original Reference: *Tinea sylvestrella* Ratzeburg,1840, Forst. Ins. 2: 242, pl.15 fig.1. Syntypes: "Europa". Range (in code): **PT ES Mu FR Co Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY TH** Bionomy: Larva on Pinus (Pinaceae), Betula (Betulaceae) (Parenti,2000).
- 74489. *Dioryctria taiella* Amsel,1970** (Pyralidae) Synonym(s): *taiella* Amsel,1970 Original Reference: *Dioryctria taiella* Amsel,1970, Beitr. naturk. Forsch. Südwdtl. 29 (1): 87-88, figs. Holotype ♂: Afghanistan, Salang Pass 2100m (LNK). Range (in code): **AF Slg Kot Khi**
- 74490. *Dipha aphidivora* (Meyrick,1934)** (Pyralidae) Synonym(s): *aphidivora* Meyrick,1934 Range (in code): **IN LK MM TH TW MY Bor Swk ID Sum Ja Bli PH Luz PG**
- 74491. *Dipleurina lacustrata* (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845. Original Reference: *Phalaena lacustrata* Panzer,1804, Icon. Insect.: 194. Neotype ♂: Germany: Regensburg, designated by Leraut,1984 (LNK). Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR IR GlS Mz Th Cc GG Bjo Lag Ord Nv AZ AM Eri LB Bsa DK NO SE FI EE LV LT RU Prj Us MD UA BY CN**
- 74492. *Dipleurina lacustrata lacustrata* (Panzer,1804)** (Pyralidae) Synonym(s): *crataegella* sensu Hübner,1796 nec Linn.,1767; *lacustrata* Panzer,1804; *pusilla* Westwood,1845. Original Reference: *Phalaena lacustrata* Panzer,1804, Icon. Insect.: 194. Neotype ♂: Germany: Regensburg, designated by Leraut,1984 (LNK). Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB Bsa DK NO SE FI EE LV LT RU Prj Us MD UA BY CN**
- 74493. *Dipleurina lacustrata persica* Leraut,1984** (Pyralidae) Synonym(s): *persica* Leraut,1984 Original Reference: *Dipleurina lacustrata* ssp. *persica* Leraut,1984, Alexanor 13 (4): 173, fig.14. Holotype ♀: Iran: 7km sud de Chalus (NMHWW). Range (in code): **IR Mz Th Cc GlS GG AM Eri AZ Nv TR**
- 74494. *Dipleurinodes bueaensis* (Maes,1996)** (Pyralidae) Synonym(s): *bueaensis* Maes,1996 Range (in code): **CM**
- 74495. *Dipleurinodes comorensis* Leraut,1989** (Pyralidae) Synonym(s): *comorensis* Leraut,1989 Range (in code): **KM**
- 74496. *Dipleurinodes mineti* Leraut,1989** (Pyralidae) Synonym(s): *mineti* Leraut,1989 Range (in code): **MG**

- 74497. *Dipleurinodes nigra* Leraut,1989** (Pyralidae) Synonym(s): *nigra* Leraut,1989 _ Range (in code): KM
- 74498. *Dipleurinodes phaeopalpia* (Hampson,1917)** (Pyralidae) Synonym(s): *phaeopalpia* Hampson,1917 _ Range (in code): ZA Nta Kzu
- 74499. *Diplopseustis perieresalis* (Walker,1859)** (Pyralidae) Synonym(s): *perieresalis* Walker,1859; *minima* Butler,1881; *nana* W.Warren,1896 Original Reference: *Ambia perieresalis* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 19: 958. Type: Borneo: Sarawak (Oxford Univ. Mus.). Range (in code): GB Cn ES PT NL JP CN TW IN Ass Khs MY Bor Swk AU FJ NZ Bionomy: Larva on *Carex* (Speidel et al.,2007).
- 74500. *Diplopseustis prophetica* Meyrick,1884** (Pyralidae) Synonym(s): *prophetica* Meyrick,1884; *eucosmeta* Turner,1939 _ Range (in code): AU
- 74501. *Diploschistis stygiocrena* Meyrick,1937** (Pyralidae) Synonym(s): *stygiocrena* Meyrick,1937 _ Range (in code): ZR
- 74502. *Diplotalis metallescens* Hampson,1919** (Pyralidae) Synonym(s): *metallescens* Hampson,1919 _ Range (in code): NG
- 74503. *Diptychophora adpersella* Snellen,1893** (Pyralidae) Synonym(s): *adpersella* Snellen,1893 _ Range (in code): IN Drm Hp LK
- 74504. *Diptychophora aeolocnemis* Meyrick,1931** (Pyralidae) Synonym(s): *aeolocnemis* Meyrick,1931 _ Range (in code): GY
- 74505. *Diptychophora aganarcha* Meyrick,1933** (Pyralidae) Synonym(s): *aganarcha* Meyrick,1933 _ Range (in code): FJ
- 74506. *Diptychophora albilinealis* Hampson,1896** (Pyralidae) Synonym(s): *albilinealis* Hampson,1896 _ Range (in code): IN
- 74507. *Diptychophora amydra* Tams,1935** (Pyralidae) Synonym(s): *amydra* Tams,1935 Range (in code): WS
- 74508. *Diptychophora argenticilia* Hampson,1919** (Pyralidae) Synonym(s): *argenticilia* Hampson,1919 _ Range (in code): JM
- 74509. *Diptychophora auriscriptella* (Walker,1864)** (Pyralidae) Synonym(s): *auriscriptella* Walker,1864 _ Range (in code): NZ
- 74510. *Diptychophora azanalis* (Walker,1859)** (Pyralidae) Synonym(s): *azanalis* Walker,1859; *parvalis* Walker,1865; *kuhlweini* Zeller,1866 _ Range (in code): GY BR PE
- 74511. *Diptychophora bathrogramma* Meyrick,1933** (Pyralidae) Synonym(s): *bathrogramma* Meyrick,1933 _ Range (in code): FJ
- 74512. *Diptychophora bipunctella* (Walker,1866)** (Pyralidae) Synonym(s): *bipunctella* Walker,1866 _ Range (in code): NZ
- 74513. *Diptychophora calliptera* Tams,1935** (Pyralidae) Synonym(s): *calliptera* Tams,1935 Range (in code): WS
- 74514. *Diptychophora chrysochyta* Meyrick,1882** (Pyralidae) Synonym(s): *chrysochyta* Meyrick,1882; *#chrysochyta* Hampson,1896 _ Range (in code): NZ
- 74515. *Diptychophora cnemoptila* Meyrick,1931** (Pyralidae) Synonym(s): *cnemoptila* Meyrick,1931 _ Range (in code): GY
- 74516. *Diptychophora dialitha* Tams,1935** (Pyralidae) Synonym(s): *dialitha* Tams,1935 Range (in code): WS
- 74517. *Diptychophora elaina* Meyrick,1882** (Pyralidae) Synonym(s): *elaina* Meyrick,1882 Range (in code): NZ
- 74518. *Diptychophora epiphaea* Meyrick,1885** (Pyralidae) Synonym(s): *epiphaea* Meyrick,1885 Range (in code): NZ
- 74519. *Diptychophora equestris* Meyrick,1931** (Pyralidae) Synonym(s): *equestris* Meyrick,1931 Range (in code): IN Ass
- 74520. *Diptychophora euzonella* Hampson,1896** (Pyralidae) Synonym(s): *euzonella* Hampson,1896 Original Reference: *Diptychophora euzonella* Hampson,1896, Fauna Br. India (Moths) 4: 18. Syntypes: India: Khasis. Range (in code): IN Ass Meg Khs
- 74521. *Diptychophora excitata* Meyrick,1931** (Pyralidae) Synonym(s): *excitata* Meyrick,1931 Range (in code): PY
- 74522. *Diptychophora felix* Meyrick,1931** (Pyralidae) Synonym(s): *felix* Meyrick,1931 _ Range (in code): PY

- 74523. *Diptychophora fuscobasella* Snellen,1900** (Pyralidae) Synonym(s): *fuscobasella* Snellen,1900 _ Range (in code): ID Ja
- 74524. *Diptychophora griseolalis* Hampson,1896** (Pyralidae) Synonym(s): *griseolalis* Hampson,1896 _ Range (in code): IN Ben
- 74525. *Diptychophora harmonica* Meyrick,1888** (Pyralidae) Synonym(s): *harmonica* Meyrick,1888 _ Range (in code): NZ
- 74526. *Diptychophora helioctypa* Meyrick,1882** (Pyralidae) Synonym(s): *helioctypa* Meyrick,1882 _ Range (in code): NZ
- 74527. *Diptychophora herstanella* Schaus,1922** (Pyralidae) Synonym(s): *herstanella* Schaus,1922 _ Range (in code): PA
- 74528. *Diptychophora holanthes* Meyrick,1885** (Pyralidae) Synonym(s): *holanthes* Meyrick,1885 _ Range (in code): NZ
- 74529. *Diptychophora immitis* Meyrick,1931** (Pyralidae) Synonym(s): *immitis* Meyrick,1931 _ Range (in code): MM
- 74530. *Diptychophora interruptus* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *interruptus* R.Felder & Rogenhofer,1875 _ Range (in code): NZ
- 74531. *Diptychophora kuphitincta* Lucas,1898** (Pyralidae) Synonym(s): *kuphitincta* Lucas,1898 _ Range (in code): AU QAU
- 74532. *Diptychophora lepidella* (Walker,1866)** (Pyralidae) Synonym(s): *lepidella* Walker,1866; *gracilis* R.Felder & Rogenhofer,1875 _ Range (in code): NZ
- 74533. *Diptychophora leucanthes* Meyrick,1931** (Pyralidae) Synonym(s): *leucanthes* Meyrick,1931 _ Range (in code): PE
- 74534. *Diptychophora leucoxantha* Meyrick,1882** (Pyralidae) Synonym(s): *leucoxantha* Meyrick,1882 _ Range (in code): NZ
- 74535. *Diptychophora melistoma* Meyrick,1931** (Pyralidae) Synonym(s): *melistoma* Meyrick,1931 _ Range (in code): CN KwT
- 74536. *Diptychophora melli* Caradja & Meyrick,1933** (Pyralidae) Synonym(s): *melli* Caradja & Meyrick,1933 _ Range (in code): CN Kwa
- 74537. *Diptychophora metallifera* (Butler,1877)** (Pyralidae) Synonym(s): *metallifera* Butler,1877 _ Range (in code): NZ
- 74538. *Diptychophora microdora* Meyrick,1905** (Pyralidae) Synonym(s): *microdora* Meyrick,1905 _ Range (in code): NZ
- 74539. *Diptychophora minimalis* Hampson,1919** (Pyralidae) Synonym(s): *minimalis* Hampson,1919 _ Range (in code): SL
- 74540. *Diptychophora minutalis* Hampson,1893** (Pyralidae) Synonym(s): *minutalis* Hampson,1893; *#minutella* Hampson,1896 _ Range (in code): SI LK IN BT Hp Drm
- 74541. *Diptychophora mitis* Meyrick,1931** (Pyralidae) Synonym(s): *mitis* Meyrick,1931 _ Range (in code): IN
- 74542. *Diptychophora muscella* Fryer,1912** (Pyralidae) Synonym(s): *muscella* Fryer,1912 _ Range (in code): SC
- 74543. *Diptychophora nymphocharis* Meyrick,1932** (Pyralidae) Synonym(s): *nymphocharis* Meyrick,1932 _ Range (in code):
- 74544. *Diptychophora ochrophanes* Meyrick,1931** (Pyralidae) Synonym(s): *ochrophanes* Meyrick,1931 _ Range (in code): IN LK
- 74545. *Diptychophora octavianella* Zeller,1877** (Pyralidae) Synonym(s): *octavianella* Zeller,1877 _ Range (in code):
- 74546. *Diptychophora parorma* Meyrick,1925** (Pyralidae) Synonym(s): *parorma* Meyrick,1925 _ Range (in code): NZ
- 74547. *Diptychophora penetrata* Meyrick,1933** (Pyralidae) Synonym(s): *penetrata* Meyrick,1933 _ Range (in code): FJ
- 74548. *Diptychophora pictella* Schaus,1922** (Pyralidae) Synonym(s): *pictella* Schaus,1922 _ Range (in code): BR
- 74549. *Diptychophora planetopa* Meyrick,1923** (Pyralidae) Synonym(s): *planetopa* Meyrick,1923 _ Range (in code): NZ
- 74550. *Diptychophora praemialis* Meyrick,1931** (Pyralidae) Synonym(s): *praemialis* Meyrick,1931 _ Range (in code): FJ

- 74551. *Diptychophora pyrsophanes* Meyrick, 1882** (Pyralidae) **Synonym(s):** *pyrsophanes* Meyrick, 1882 **_ Range (in code): NZ**
- 74552. *Diptychophora rusticula* Meyrick, 1931** (Pyralidae) **Synonym(s):** *rusticula* Meyrick, 1931 **_ Range (in code):**
- 74553. *Diptychophora selenaea* Meyrick, 1885** (Pyralidae) **Synonym(s):** *selenaea* Meyrick, 1885 **_ Range (in code): NZ**
- 74554. *Diptychophora sericophthalma* Meyrick, 1933** (Pyralidae) **Synonym(s):** *sericophthalma* Meyrick, 1933 **_ Range (in code): FJ**
- 74555. *Diptychophora smithi* Druce, 1896** (Pyralidae) **Synonym(s):** *smithi* Druce, 1896 **_ Range (in code): MX**
- 74556. *Diptychophora straminella* Zeller, 1877** (Pyralidae) **Synonym(s):** *straminella* Zeller, 1877; *#straminiella* Hampson, 1896 **_ Range (in code): BR**
- 74557. *Diptychophora taphrophracta* Meyrick, 1934** (Pyralidae) **Synonym(s):** *taphrophracta* Meyrick, 1934 **_ Range (in code): CN Sz**
- 74558. *Diptychophora tripunctata* (Moore, 1888)** (Pyralidae) **Synonym(s):** *tripunctata* Moore, 1888 **_ Range (in code): IN SI**
- 74559. *Diptychophora tyriochrysa* Meyrick, 1933** (Pyralidae) **Synonym(s):** *tyriochrysa* Meyrick, 1933 **_ Range (in code): FJ**
- 74560. *Diptychophora xanthogramma* Meyrick, 1931** (Pyralidae) **Synonym(s):** *xanthogramma* Meyrick, 1931 **_ Range (in code): MY**
- 74561. *Discofrontia normella* Hampson, 1901** (Pyralidae) **Synonym(s):** *normella* Hampson, 1901 **_ Range (in code): ZA**
- 74562. *Discothyris ferruginata* (Moore, 1888)** (Pyralidae) **Synonym(s):** *ferruginata* Moore, 1888 **_ Range (in code): IN TW**
- 74563. *Ditrachyptera verruciferella* (Ragonot, 1888)** (Pyralidae) **Synonym(s):** *verruciferella* Ragonot, 1888 **_ Range (in code): ZA GM AE**
- 74564. *Doddiana analamalis* Viette, 1960** (Pyralidae) **Synonym(s):** *analamalis* Viette, 1960 **_ Range (in code): MG**
- 74565. *Doddiana callizona* (Lower, 1896)** (Pyralidae) **Synonym(s):** *callizona* Lower, 1896 **_ Range (in code): AU**
- 74566. *Doddiana cyanifusalis* Marion, 1955** (Pyralidae) **Synonym(s):** *cyanifusalis* Marion, 1955 **_ Range (in code): MG**
- 74567. *Dolicharthria bruguieralis* (Duponchel, 1833)** (Pyralidae) **Synonym(s):** *bruguieralis* Duponchel, 1833; *coniotalis* Hampson, 1903; *pseudobotys* Rothschild, 1913; *similalis* Rothschild, 1915; *bahrlutalis* Amsel, 1935; *mauretanica* D. Lucas, 1949 **_ Original Reference:** *Botys bruguieralis* Duponchel, 1833, [in] Godart, Hist. Nat. Lépid. Pap. Fr. 15: 320, Tab. 232 fig. 3. Syntypes: Nismes [sic!], Corsica. **_ Range (in code): DZ Rhr Clo Ah Omy Onç PT ES FR Co Sa Si IT MT RO YU AL BG GR Cr TR CY LB Bsa Bmm IL Pa Hf IQ Rwz Brs Ry Shq IR Fa Shr Sse Bu AF Pnj Kab Pli Gbh Srb Khi Adr Fz ZA**
- 74568. *Dolicharthria charonialis* (Walker, [1866])** (Pyralidae) **Synonym(s):** *charonialis* Walker, [1866] **_ Range (in code): RU Am CN KP JP TW**
- 74569. *Dolicharthria concoloralis* (Oberthür, 1876)** (Pyralidae) **Synonym(s):** *concoloralis* Oberthür, 1876 **_ Range (in code): DZ Bsk Lbs PT ES FR Sa? IT?**
- 74570. *Dolicharthria daralis* (Chrétien, 1911)** (Pyralidae) **Synonym(s):** *daralis* Chrétien, 1911; *heringi* Rebel, 1938 **_ Original Reference:** *Stenia daralis* Chrétien, 1911, Annls Soc. ent. Fr. 79: 523-524. Syntypes: Tunisia, Gafsa. **_ Range (in code): DZ Bsk MA Cn IL Pa Js TN Gf**
- 74571. *Dolicharthria desertalis* (Hampson, 1907)** (Pyralidae) **Synonym(s):** *desertalis* Hampson, 1907 **_ Range (in code): ZA**
- 74572. *Dolicharthria intervacatalis* (Christoph, 1877)** (Pyralidae) **Synonym(s):** *intervacatalis* Christoph, 1877; *psologramma* Meyrick, 1937 **_ Original Reference:** *Stenia intervacatalis* Christoph, 1877, Horae Soc. ent. ross. 12: 276-277, pl. 7 fig. 47. Syntypes ♂♀: [Iran]: Schahrud. **_ Range (in code): TR AZ Nv Ord Cc IR Elb Th Mz Srd Fa Shr IL Jt Pa IQ Rwz**
- 74573. *Dolicharthria lanceolalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *lanceolalis* Guenée, 1854; *eanesalis* Walker, 1859; *#lanceolatis* Wallengren, 1872 **_ Range (in code): ZA**
- 74574. *Dolicharthria metasialis* (Rebel, 1916)** (Pyralidae) **Synonym(s):** *metasialis* Rebel, 1916 **_ Range (in code): Cr**
- 74575. *Dolicharthria paediusalis* (Walker, 1859)** (Pyralidae) **Synonym(s):** *paediusalis* Walker, 1859; *poediusalis* Hampson, 1897 **_ Range (in code): ZA**

- 74576. *Dolicharthria punctalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *punctalis* [Denis & Schiffermüller],1775 **Original Reference:** *Pyralis punctalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code):** **TN Sfx Elk PT ES FR Co Sa Si IT GB NL DE CH AT CZ SK HU RO YU AL BG GR Cr CY TR DK SE FI EE IR Elb Mz Th Kdj Kdv Fa Sse Ss Kh Gh Tgo Pa IL AF Anh** **Bionomy:** Larva on Lotus, Trifolium (Fabaceae), Zostera (Potamogetonaceae) (Parenti,2000).
- 74577. *Dolicharthria signatalis* (Zeller,1852)** (Pyralidae) **Synonym(s):** *signatalis* Zeller,1852 **Range (in code):** **ZA**
- 74578. *Dolicharthria stigmatialis* (Herrich-Schäffer,[1848])** (Pyralidae) **Synonym(s):** *stigmatialis* Herrich-Schäffer,[1848] **Original Reference:** *Stenia stigmatialis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 14, fig.20. Type(s): [Türkei]: Konstantinopel [Istanbul]. **Range (in code):** **PT FR AT HU RO YU BG GR Cr TR RU MD UA BY LB Bsa**
- 74579. *Dolichobela celidograptus* Turner,1932** (Pyralidae) **Synonym(s):** *celidograptus* Turner,1932 **Range (in code):** **AU**
- 74580. *Doloessa castanella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *castanella* Hampson,1896 **Range (in code):** **TH AU SB MM IN Adm MY ID Ja Bli BN Bor** **Bionomy:** Larva on dead flowers of Cocos nucifera (Arecaceae) and in plant detritus (Robinson et al.,1994).
- 74581. *Doloessa constellata* Hampson,1898** (Pyralidae) **Synonym(s):** *constellata* Hampson,1898 **Range (in code):** **IN**
- 74582. *Doloessa figurana* (Walker,1863)** (Pyralidae) **Synonym(s):** *figurana* Walker,1863 **Range (in code):** **IN**
- 74583. *Doloessa hilaropsis* (Meyrick,1897)** (Pyralidae) **Synonym(s):** *hilaropsis* Meyrick,1897; *upsilon* Rothschild,1916 **Range (in code):** **AU**
- 74584. *Doloessa ochrociliella* (Ragonot,1893)** (Pyralidae) **Synonym(s):** *ochrociliella* Ragonot,1893; *plumbolineella* Hampson,1901 **Range (in code):** **IN AU**
- 74585. *Doloessa viridis* Zeller,1848** (Pyralidae) **Synonym(s):** *viridis* Zeller,1848; *figurana* Walker,1863; *ornata* Wileman,1910; *phthorogramma* Meyrick,1938 **Original Reference:** *Doloessa viridis* Zeller,1848, Isis (Oken) 1848: 860-861. Syntypes: [Indonesien]: "Java". **Range (in code):** **LK PH Boh ID Clb Ja Kai PG SB AU QAU TW TH CN HK MY SG Swk Bor FJ** **Bionomy:** Larva on Cocos nucifera (Arecaceae), Shorea (Dipterocarpaceae), Aglaia wallichii (Meliaceae) (Robinson et al.,1994).
- 74586. *Donacaula dodatellus* (Walker,1864)** (Pyralidae) **Synonym(s):** *dodatellus* Walker,1864 **Range (in code):** **TH IN LK JP MM MY ID Sum Ja Bli PH Clb**
- 74587. *Donacaula ignitalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *ignitalis* Hampson,1919 **Range (in code):** **ZA**
- 74588. *Donacaula mucronella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *mucronella* [Denis & Schiffermüller],1775 **Original Reference:** *Tinea mucronella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code):** **FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY KG Uk**
- 74589. *Donacaula nilotica* (Zeller,1867)** (Pyralidae) **Synonym(s):** *niloticus* Zeller,1867; *alpherakii* Staudinger,1874; *vescerellus* Chrétien,1910; *argophthalmus* Meyrick,1933; *nigrolineata* Popescu-Gorj & Draghia,1968 **Original Reference:** *Schoenobius niloticus* Zeller,1867, Stettin ent. Ztg. 28 (10/12): 367-368. Type ♂: Egypt: Alexandria [Iskenderiye]. **Range (in code):** **RO BG GR RU DZ Bsk EG EGo5 EG11 TR AZ Cc Kir IL Pa Hf Js JO IQ Mos IR Kh KG Uk UZ Br IN**
- 74590. *Donacaula phaeopastalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *phaeopastalis* Hampson,1919 **Range (in code):** **ZA**
- 74591. *Donacaula rufalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *rufalis* Hampson,1919 **Range (in code):** **ZA**
- 74592. *Donacoscaptes validus* Zeller,1877** (Pyralidae) **Synonym(s):** *validus* Zeller,1877 **Range (in code):** **PA BR**
- 74593. *Donacoscaptes aculeata* (Hampson,1903)** (Pyralidae) **Synonym(s):** *aculeata* Hampson,1903 **Range (in code):** **IN**
- 74594. *Donacoscaptes albipennella* (Hampson,1895)** (Pyralidae) **Synonym(s):** *albipennella* Hampson,1895 **Range (in code):** **IN**
- 74595. *Donacoscaptes araealis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *araealis* Hampson,1912 **Range (in code):** **IN**

- 74596. *Donagoscaptus belgaumensis* (Kapur,1950)** (Pyrilidae) Synonym(s): *belgaumensis* Kapur,1950 _ Range (in code): IN
- 74597. *Donagoscaptus diaperalis* (Hampson,1919)** (Pyrilidae) Synonym(s): *diaperalis* Hampson,1919 _ Range (in code): IN
- 74598. *Donagoscaptus flavalis* (Hampson,1919)** (Pyrilidae) Synonym(s): *flavalis* Hampson,1919 _ Range (in code): IN
- 74599. *Donagoscaptus forsteri* (Blezynski,1965)** (Pyrilidae) Synonym(s): *forsteri* Blezynski,1965
Original Reference: *Acigona forsteri* Bleszynski,1965, *Microlepidoptera Palaearctica* 1: 130, figs.
Holotype ♂: Pakistan: Chingi. Range (in code): IN PK Sd Krc
- 74600. *Donagoscaptus hampsoni* (Kapur,1950)** (Pyrilidae) Synonym(s): *hampsoni* Kapur,1950
Range (in code): IN
- 74601. *Donagoscaptus lunilinealis* (Hampson,1919)** (Pyrilidae) Synonym(s): *lunilinealis* Hampson,1919 _ Range (in code): IN
- 74602. *Donagoscaptus rufulalis* (Hampson,1919)** (Pyrilidae) Synonym(s): *rufulalis* Hampson,1919 _ Range (in code): IN
- 74603. *Donagoscaptus steniellus* (Hampson,1898)** (Pyrilidae) Synonym(s): *steniellus* Hampson,1898 _ Range (in code): IN
- 74604. *Donagoscaptus strigulalis* (Hampson,1895)** (Pyrilidae) Synonym(s): *strigulalis* Hampson,1895 _ Range (in code): IN
- 74605. *Donagoscaptus tauriomma* (Kapur,1950)** (Pyrilidae) Synonym(s): *tauriomma* Kapur,1950 _ Range (in code): IN
- 74606. *Doththa mesenterialis* Walker,1859** (Pyrilidae) Synonym(s): *mesenterialis* Walker,1859
Range (in code): WS PC FJ NH AU MY IN
- 74607. *Doththa plinthopa* (Meyrick,1886)** (Pyrilidae) Synonym(s): *plinthopa* Meyrick,1886
Range (in code): WS
- 74608. *Dracaenura adela* Tams,1935** (Pyrilidae) Synonym(s): *adela* Tams,1935 _ Range (in code): WS
- 74609. *Dracaenura agramma* Meyrick,1886** (Pyrilidae) Synonym(s): *agramma* Meyrick,1886
Range (in code): WS FJ
- 74610. *Dracaenura horochroa* Meyrick,1886** (Pyrilidae) Synonym(s): *horochroa* Meyrick,1886
Range (in code): AU
- 74611. *Drosophantis caeruleata* (Hampson,1893)** (Pyrilidae) Synonym(s): *caeruleata* Hampson,1893; *cyanealis* Hampson,1903; *corusca* Meyrick,1935 _ Range (in code): TH BT IN LK TW ID Sbw AU
- 74612. *Duponchelia caidalis* Oberthür,1888** (Pyrilidae) Synonym(s): *caidalis* Oberthür,1888
Range (in code): MA DZ Bsk Bionomy: Larva on *Acacia farnesiana*, *A.torrilis* (Chrétien,1917).
- 74613. *Duponchelia fovealis* (Zeller,1847)** (Pyrilidae) Synonym(s): *fovealis* Zeller,1847; *canuisalis* Millière,1869; *griseata* Butler,1875; *uniflexalis* Mabille,1880 _ Range (in code): Cn DZ Agi Bsk PT ES FR Co Sa Si IT MT NL BE DE YU GR Cr CY TR IL Pa Hf EG Hx Hp Ahz Fa Sse Ana Ke JO LB YE Ad IQ Bsr AE DK SE AF Srb ZA Nta Kzu ZR MZ Bionomy: Larva on *Frankenia pallida* (Chrétien,1917).
- 74614. *Duponchelia fumidalis* Turati,1934** (Pyrilidae) Synonym(s): *fumidalis* Turati,1934
Range (in code): LY Cy
- 74615. *Duzulla subhyalinalis* (Hampson,1900)** (Pyrilidae) Synonym(s): *subhyalinalis* Hampson,1900
Original Reference: *Phlyctaenodes subhyalinalis* Hampson,1900, *Trans. ent. Soc. London* 1900: 390. Syntypes: Jordan; [Pakistan]: Punjab, Cambellpore. Range (in code): IL Pa JO IR Ss PK Cp Pj IN AF Srb Arh Asm Bsg Kab
- 74616. *Dysallacta luzonica* Sauber,1902** (Pyrilidae) Synonym(s): *luzonica* Sauber,1902
Range (in code): PH Luz
- 74617. *Dysallacta megalopa* (Meyrick,1889)** (Pyrilidae) Synonym(s): *megalopa* Meyrick,1889; *ocellalis* Kenrick,1907; *ocellifera* Turner,1937 _ Range (in code): AU
- 74618. *Dysallacta mesozona* (Lower,1901)** (Pyrilidae) Synonym(s): *mesozona* Lower,1901
Range (in code): AU
- 74619. *Dysallacta negatalis* (Walker,1859)** (Pyrilidae) Synonym(s): *negatalis* Walker,1859; *monesusalis* Walker,1859; *phanasalis* Walker,1859 _ Range (in code): AU ZA TH CMa CDo Pki
- 74620. *Dysphyllia viridella* Ragonot,1888** (Pyrilidae) Synonym(s): *viridella* Ragonot,1888; *viridis* Saalmüller,1891 _ Range (in code): ZA Wca Kny
- 74621. *Ecbatania alvandella* Amsel,1961** (Pyrilidae) Synonym(s): *alvandella* Amsel,1961
Range (in code): IR Ha Kd Lo

- 74622. Ecbatania holopyrrhella (Ragonot,1888)** (Pyralidae) Synonym(s): *holopyrrhella* Ragonot,1888 Original Reference: *Bradyrrhoa holopyrrhella* Ragonot,1888, *Nouv. gen. esp. Phycit* Galler. 1888: 26. Neotype ♂: [Turquie]: Kasikoparan (Roesler,1993: 160). Range (in code): **Cc TR IR Elb Mz**
- 74623. Ecbatania steineri (Amsel,1970)** (Pyralidae) Synonym(s): *steineri* Amsel,1970 Range (in code): **AF Kbb Pnj**
- 74624. Ecbletodes psephenias Turner,1904** (Pyralidae) Synonym(s): *psephenias* Turner,1904; *arrhythmopis* Turner,1947 Range (in code): **AU**
- 74625. Eccopisa effractella Zeller,1848** (Pyralidae) Synonym(s): *effractella* Zeller,1848 Original Reference: *Eccopisa effractella* Zeller,1848, *Isis* 1848: 648. Type ♂: Italien: Toscana (BMNH). Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO B-H MK BG GR LV LT RU UA TR Cc AM IR Gh Tgo** Bionomy: Larva on *Corylus* (Corylaceae), *Malus sylvestris*, *Prunus* (Rosaceae) (Hannemann,1964).
- 74626. Eclipsiodes anthomera (Lower,1896)** (Pyralidae) Synonym(s): *anthomera* Lower,1896 Range (in code): **AU SAu NSw**
- 74627. Eclipsiodes crypsixantha Meyrick,1884** (Pyralidae) Synonym(s): *crypsixantha* Meyrick,1884 Range (in code): **AU QAU NSw**
- 74628. Eclipsiodes homora Turner,1908** (Pyralidae) Synonym(s): *homora* Turner,1908 Range (in code): **AU WAu**
- 74629. Eclipsiodes schizodesma (Lower,1899)** (Pyralidae) Synonym(s): *schizodesma* Lower,1899 Range (in code): **AU SAu NSw**
- 74630. Eclipsiodes semigilva Turner,1922** (Pyralidae) Synonym(s): *semigilva* Turner,1922 Range (in code): **AU VAu**
- 74631. Ecnomoneura sphaerotropha Turner,1942** (Pyralidae) Synonym(s): *sphaerotropha* Turner,1942 Range (in code): **AU**
- 74632. Ecpyrrhorhoe diffusalis (Guenée,1854)** (Pyralidae) Synonym(s): *carnealis* Dup.,1831 *nec* Treit.1829; *diffusalis* Guenée,1854; *affusalis* Guenée,1854; *tenuialis* Mann,1862. Original Reference: *Botys diffusalis* Guenée,1854, [in] Boisduval & Guenée, *Hist. nat. Insectes (Spec. gén. Lépid.)* 8: 340. Syntypes 2♂ 3♀: "Espagne, France mer., env. Nîmes et de Montpellier" (coll. Guenée & Lefebvre). Range (in code): **TN ES FR IT CH HU RO YU HV AL BG GR IL Pa Hf TR IR Fa Shr Com Ss Th Kdj Ha Mz LB Bsa AF Pic Kab Srb Bsg Pag PK Cp AE Cc GG Tbl Bjo AZ Kir Nv Ord AE**
- 74633. Ecpyrrhorhoe rubiginalis (Hübner,1796)** (Pyralidae) Synonym(s): *rubiginalis* Hübner,1796 Range (in code): **ES FR Co Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Bjo Lag Kir Mng Sok Da AZ IR Gh Tgo LT RU MD UA BY KG Tk Dj Ii** Bionomy: Larva on *Ballota*, *Galeopsis tetrahit*, *Stachys officinalis* (Lamiaceae) (Parenti,2000).
- 74634. Ecpyrrhorhoe rubiginalis microlimbialis Amsel,1959** (Pyralidae) Synonym(s): *microlimbialis* Amsel,1959 Range (in code): **IR Gh Tgo**
- 74635. Ectadiosoma straminea (Lucas,1892)** (Pyralidae) Synonym(s): *straminea* Lucas,1892; *geminalis* Hampson,1913; *pleurocapna* Turner,1937 Range (in code): **AU**
- 74636. Elachypteryx callidryas Turner,1922** (Pyralidae) Synonym(s): *callidryas* Turner,1922 Range (in code): **AU**
- 74637. Elachypteryx erebenna Turner,1908** (Pyralidae) Synonym(s): *erebenna* Turner,1908 Range (in code): **AU**
- 74638. Elbursia stocki Amsel,1950** (Pyralidae) Synonym(s): *stocki* Amsel,1950 Original Reference: *Elbursia stocki* Amsel,1950, *Ark. Zool.* (2) 1: 247, figs. 40, 81, 82 Holotype: Iran, Elbursgebirge, Keredj 1500m. IR Elb Kdj
- 74639. Eldana saccharina Walker,1855** (Pyralidae) Synonym(s): *saccharina* Walker,1855; *conipyga* Strand,1913 Range (in code): **ZA**
- 74640. Elegia fallax (Staudinger,1881)** (Pyralidae) Synonym(s): *fallax* Staudinger,1881; *atrifasciella* Ragonot,1887; *nigribasella* Ragonot,1895; *iozona* Meyrick,1937; *elegiella* Amsel,1953. Original Reference: *Nephopteryx fallax* Staudinger,1881, *Horae Soc. ent. ross.* 16: 83. Syntypes: [Türkei]: Kleinasien: Amasia. Range (in code): **PT ES FR Si IT SK HU RO YU BG GR TR Cc GG Lag IQ Dia Rwz** Bionomy: Larva on *Quercus suber* (Fagaceae) (Parenti,2000; et seq.).
- 74641. Elegia inconspicuella (Ragonot,1888)** (Pyralidae) Synonym(s): *inconspicuella* Ragonot,1888; *fuscidorsella* Ragonot,1888; *insulsella* Ragonot,1893 Range (in code): **ZA**
- 74642. Elegia similella (Zincken,1818)** (Pyralidae) Synonym(s): *similella* Zincken,1818 Original Reference: *Phycis similella* Zincken,1818, *Magazin Ent. (Germar)* 3: 172. Range (in

- code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on Quercus (Fagaceae) (Parenti,2000).
- 74643. Elethya minerva Bleszynski,1965** (Pyralidae) Synonym(s): *minerva Bleszynski,1965* Range (in code): **AF Hr**
- 74644. Elethya subscissa (Christoph,1877)** (Pyralidae) Synonym(s): *subscissa Christoph,1877; #subscissa Rebel,1901* Range (in code): **UZ Br**
- 74645. Elethya taishanensis (Caradja & Meyrick,1936)** (Pyralidae) Synonym(s): *taishanensis Caradja & Meyrick,1936* Range (in code): **CN Stg She**
- 74646. Eleusina homoeosomella Hampson,1901** (Pyralidae) Synonym(s): *homoeosomella Hampson,1901* Range (in code): **ZA**
- 74647. Elisabethinia cosmia Ghesquière,1942** (Pyralidae) Synonym(s): *cosmia Ghesquière,1942* Range (in code): **ZR**
- 74648. Eloeidiphilos adustalis (Hampson,1917)** (Pyralidae) Synonym(s): *adustalis Hampson,1917; aliberti Praviel,1938* Range (in code): **KE**
- 74649. Elophila acornutus Agassiz,2012** (Pyralidae) Synonym(s): *acornutus Agassiz,2012* Range (in code): **SD UG ZR**
- 74650. Elophila africalis (Hampson,1906)** (Pyralidae) Synonym(s): *africalis Hampson,1906* Range (in code): **ZM MW ZW MZ ZA NA BW AO SL CI BJ SN GH NE NG CM ZR KE TZ UG MG**
- 74651. Elophila aristodora (Turner,1908)** (Pyralidae) Synonym(s): *aristodora Turner,1908* Range (in code): **AU**
- 74652. Elophila circealis (Walker,1859)** (Pyralidae) Synonym(s): *circealis Walker,1859* Range (in code): **ZA**
- 74653. Elophila diffualis (Snellen,[1880])** (Pyralidae) Synonym(s): *diffualis Snellen,[1880]; enixalis Swinhoe,1885; linealis Moore,1888; nigrilbalis Caradja,1925; osculatrix Meyrick,1933* Range (in code): **IN TW CN JP ID Sum Ja PH TH Knc Cbi Bor MY AU QAU Bri GB**
- 74654. Elophila ealensis Agassiz,2012** (Pyralidae) Synonym(s): *ealensis Agassiz,2012* Range (in code): **ZR**
- 74655. Elophila hederalis Amsel,1935** (Pyralidae) Synonym(s): *hederalis Amsel,1935; auralis Osthelder,1935* Range (in code): **IL IQ Bsr IR Ahz Kz TR**
- 74656. Elophila manilensis (Hampson,1911)** (Pyralidae) Synonym(s): *manilensis Hampson,1911* Range (in code): **TH CMa Fn Nna Kao Cbi Bnk NP IN HK CN MM MY ID Ja Bor Swk Klt PH Luz Amb GB** Bionomy: Larva on Salvinia cucullata (Pteridophyta), Pistia stratiotes (Araceae) (Robinson et al.,1994).
- 74657. Elophila melagynalis (Agassiz,1978)** (Pyralidae) Synonym(s): *melagynalis Agassiz,1978* Range (in code): **LK TH Nna Kao Knc IN JP SL KE TZ**
- 74658. Elophila minima Agassiz,2012** (Pyralidae) Synonym(s): *minima Agassiz,2012* Range (in code): **NG UG ZA KE GH SL**
- 74659. Elophila nigrilbalis (Caradja,1925)** (Pyralidae) Synonym(s): *nigrilbalis Caradja,1925* Range (in code): **TH CMa Fn Knc CN VN TW JP**
- 74660. Elophila nymphaeata (Linnaeus,1758)** (Pyralidae) Synonym(s): *nymphaeata Linnaeus,1758; potamogata Linnaeus,1758; rivulata Scopoli,1763; nymphaealis [Denis & Schiffermüller],1775; potamogalis [Denis & Schiffermüller],1775; obscuralis Selys-Longchamps,1845; potamogetalis Reutti,1898* Original Reference: Phalaena nymphaeata Linnaeus,1758, Syst. Nat. (Edn.10)1: 529. Type(s): [Europa]. Range (in code): **MA DZ ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IL Pa DK NO SE FI EE LV LT RU MD UA BY IR Enz** Bionomy: Larva on Nuphar, Nymphaea (Nymphaeaceae) (Parenti,2000).
- 74661. Elophila oblitalis (Walker,1859)** (Pyralidae) Synonym(s): *oblitalis Walker,1859* Range (in code): **ZA Gau Tva BW**
- 74662. Elophila responsalis (Walker,[1866])** (Pyralidae) Synonym(s): *responsalis Walker,[1866]; marmorea Meyrick,1885* Range (in code): **IN MM LK VN Ton ID Sum Ja Clb Lb AU QAU NSw**
- 74663. Elophila rivulalis (Duponchel,1834)** (Pyralidae) Synonym(s): *rivulalis Duponchel,1834; #rivularis Klima,1937* Range (in code): **FR Co Sa Si IT BE NL DE AT PL HU YU GR**
- 74664. Ematheudes convexus J.C.Shaffer,1998** (Pyralidae) Synonym(s): *convexus J.C.Shaffer,1998* Range (in code): **NA Abc ZW Bul**
- 74665. Ematheudes crassinotellus Ragonot,1888** (Pyralidae) Synonym(s): *crassinotellus Ragonot,1888* Range (in code): **ZA**

- 74666. *Ematheudes crenulatus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *crenulatus* J.C.Shaffer,1998 _ Range (in code): ZR
- 74667. *Ematheudes dewittei* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *dewittei* J.C.Shaffer,1998 _ Range (in code): ZR
- 74668. *Ematheudes elysium* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *elysium* J.C.Shaffer,1998 _ Range (in code): ZA Fs
- 74669. *Ematheudes erectus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *erectus* J.C.Shaffer,1998 _ Range (in code): ZA Ec Grh Tva Gau Pre Wm Lpo
- 74670. *Ematheudes forficatus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *forficatus* J.C.Shaffer,1998 _ Range (in code): ZR
- 74671. *Ematheudes hamatus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *hamatus* J.C.Shaffer,1998 _ Range (in code): ZM AO ZR UG
- 74672. *Ematheudes hispidus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *hispidus* J.C.Shaffer,1998 _ Range (in code): ZA Tva Gau Pre Mpu ZW Bul
- 74673. *Ematheudes kenyaensis* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *kenyaensis* J.C.Shaffer,1998 _ Range (in code): KE Nai
- 74674. *Ematheudes lusingensis* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *lusingensis* J.C.Shaffer,1998 _ Range (in code): ZR
- 74675. *Ematheudes maculescens* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *maculescens* J.C.Shaffer,1998 _ Range (in code): ZA Wca
- 74676. *Ematheudes megacantha* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *megacantha* J.C.Shaffer,1998 _ Range (in code): ZR KE Nai ZM
- 74677. *Ematheudes michaelshafferi* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *michaelshafferi* J.C.Shaffer,1998 _ Range (in code): KE
- 74678. *Ematheudes miostictus* (Hampson,1918)** (Pyralidae) Synonym(s): *miostictus* Hampson,1918 _ Range (in code): SL
- 74679. *Ematheudes natalensis* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *natalensis* J.C.Shaffer,1998 _ Range (in code): ZA Kzu Nta Kkf Fs Tva Gau Pre Jh
- 74680. *Ematheudes neonepsia* Martin,1956** (Pyralidae) Synonym(s): *neonepsia* Martin,1956; *#neonepsis* Maes,2002 _ Range (in code): ZR UG ZW Har
- 74681. *Ematheudes neurias* (Hampson,1918)** (Pyralidae) Synonym(s): *neurias* Hampson,1918; *erythrograptus* Hampson,1918 _ Range (in code): ZA Tva Lpo Spb Tak ZW ZM Vf Bul
- 74682. *Ematheudes nigropunctatus* (Legrand,1965)** (Pyralidae) Synonym(s): *nigropunctatus* Legrand,1965 _ Range (in code): SC Ald MG
- 74683. *Ematheudes paleatellus* Ragonot,1888** (Pyralidae) Synonym(s): *paleatellus* Ragonot,1888 _ Range (in code): LS MW ZA Ec Elo Fs Gau Tva Jh Pre Nta Kzu Est Kmb Pto Dbn Hwk Kkf Mpu Wkk Nwe Rtb Wca ZM ET
- 74684. *Ematheudes persicellus* (Amsel,1961)** (Pyralidae) Synonym(s): *persicella* Amsel,1961 _ Range (in code): IR Fa
- 74685. *Ematheudes pollex* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *pollex* J.C.Shaffer,1998 _ Range (in code): ET
- 74686. *Ematheudes punctellus* (Treitschke,1833)** (Pyralidae) Synonym(s): *punctellus* Treitschke,1833; *pseudopunctellus* Ragonot,1888; *tunesiella* Ragonot,1892 _ Original Reference: Chilo punctellus Treitschke,1833, Treitschke,1833, [in] Ochsenheimer, Schmett. Eur. 9 (2): 268. Syntypes: "Ungarn und Sicilien". _ Range (in code): MA DZ Anna Cst Btina Phv Eba Bsk TN Gf PT ES FR Co Sa Si IT MT BE CH AT CZ SK HU RO YU AL BG GR Cr TR RU MD UA BY IR Elb Th Ha Fa Kdj Shr Sse Kh CY EG IL Pa Hf LB JO
- 74687. *Ematheudes quintuplex* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *quintuplex* J.C.Shaffer,1998 _ Range (in code): ZR
- 74688. *Ematheudes rhizolineatus* (Bradley,1980)** (Pyralidae) Synonym(s): *rhizolineatus* Bradley,1980 _ Range (in code): PK Sd Hyd
- 74689. *Ematheudes rhodochrous* (Hampson,1918)** (Pyralidae) Synonym(s): *rhodochrous* Hampson,1918; *brunneicostellus* Hampson,1918; *sarcoidus* Hampson,1918; *venatellus* Hampson,1918; *aulacodes* Meyrick,1933. _ Range (in code): ZA Nta Kzu Tug Tva Wri ZR ZW Vf Har
- 74690. *Ematheudes setigera* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *setigera* J.C.Shaffer,1998; *#setiger* Maes,2002 _ Range (in code): ZA Wca Tva Gau Pre Nta Kzu MZ Blv
- 74691. *Ematheudes sinuosus* J.C.Shaffer,1998** (Pyralidae) Synonym(s): *sinuosus* J.C.Shaffer,1998 _ Range (in code): ZA Tva Lpo Pie ZW Vf

- 74692. *Ematheudes straminellus* Snellen, 1872** (Pyrilidae) Synonym(s): *straminellus* Snellen, 1872; *lentistrigalis* Hampson, 1909 _ Range (in code): **ZA Nta Kzu UG Rz ZM ZW BI CM ZR GA CI KE Nai RW**
- 74693. *Ematheudes strictus* J.C.Shaffer, 1998** (Pyrilidae) Synonym(s): *strictus* J.C.Shaffer, 1998
Range (in code): **ZA Tva Mpu Wv**
- 74694. *Ematheudes togoensis* J.C.Shaffer, 1998** (Pyrilidae) Synonym(s): *togoensis* J.C.Shaffer, 1998 _ Range (in code): **TG**
- 74695. *Ematheudes toxalis* J.C.Shaffer, 1998** (Pyrilidae) Synonym(s): *toxalis* J.C.Shaffer, 1998
Range (in code): **ZA Ec Elo Nta Kzu Nha Ste Umk Wnn Mpu Mll Kru Tva Lpo Spb Wp Stj Tz Pf ZW MW**
- 74696. *Ematheudes triangularis* J.C.Shaffer, 1998** (Pyrilidae) Synonym(s): *triangularis* J.C.Shaffer, 1998; *#triangularis* Maes, 2002 _ Range (in code): **ZA Tva Gau Pre**
- 74697. *Ematheudes trimaculosus* J.C.Shaffer, 1998** (Pyrilidae) Synonym(s): *trimaculosus* J.C.Shaffer, 1998 _ Range (in code): **ZM AO**
- 74698. *Ematheudes varicellus* Ragonot, 1887** (Pyrilidae) Synonym(s): *varicella* Ragonot, 1887
Original Reference: *Ematheudes varicella* Ragonot, 1887, *Annls Soc. ent. Fr.* 1887: 258. Type: Marghilan. Range (in code): **UZ Fe Cc GG Tbl AM TR IR Shh**
- 74699. *Ematheudes vitellinellus* Ragonot, 1887** (Pyrilidae) Synonym(s): *vitellinella* Ragonot, 1887; *#vittelinella* Amsel, 1949. Original Reference: *Ematheudes vitellinella* Ragonot, 1887, *Annls Soc. ent. Fr.* 1887: 258. Type(s): [Georgien]: Grusie. Range (in code): **Cc GG TR IR Ahz IQ Bgd Shq**
- 74700. *Emmalocera anerastica* (Snellen, 1879)** (Pyrilidae) Synonym(s): *anerastica* Snellen, 1879; *latilimbella* Ragonot, 1890 _ Range (in code): **Co ES FR MA TN CN ID Sum AU**
- 74701. *Emmalocera apotomella* (Meyrick, 1879)** (Pyrilidae) Synonym(s): *apotomella* Meyrick, 1879 _ Range (in code): **AU**
- 74702. *Emmalocera approximella* (Hampson, 1918)** (Pyrilidae) Synonym(s): *approximella* Hampson, 1918 _ Range (in code): **AU**
- 74703. *Emmalocera aurifusellus* (Walker, 1866)** (Pyrilidae) Synonym(s): *aurifusellus* Walker, 1866 _ Range (in code): **IN**
- 74704. *Emmalocera biserialla* (Hampson, 1901)** (Pyrilidae) Synonym(s): *biseriella* Hampson, 1901; *xiphimella* Lower, 1903; *pleurosticha* Turner, 1904; *#xiphomela* Turner, 1947 _ Range (in code): **AU**
- 74705. *Emmalocera callirrhoda* (Turner, 1904)** (Pyrilidae) Synonym(s): *callirrhoda* Turner, 1904 _ Range (in code): **AU**
- 74706. *Emmalocera ctenucha* (Turner, 1913)** (Pyrilidae) Synonym(s): *ctenucha* Turner, 1913
Range (in code): **AU**
- 74707. *Emmalocera depressella* (Swinhoe, 1885)** (Pyrilidae) Synonym(s): *depressella* Swinhoe, 1885 _ Range (in code): **IN**
- 74708. *Emmalocera dimochla* (Turner, 1947)** (Pyrilidae) Synonym(s): *dimochla* Turner, 1947
Range (in code): **AU**
- 74709. *Emmalocera distictella* (Hampson, 1918)** (Pyrilidae) Synonym(s): *distictella* Hampson, 1918 _ Range (in code): **AU**
- 74710. *Emmalocera endopyrella* Hampson, 1918** (Pyrilidae) Synonym(s): *endopyrella* Hampson, 1918 _ Range (in code): **IN**
- 74711. *Emmalocera eremochroa* Hampson, 1918** (Pyrilidae) Synonym(s): *eremochroa* Hampson, 1918 _ Range (in code): **AU**
- 74712. *Emmalocera eurysticha* (Turner, 1904)** (Pyrilidae) Synonym(s): *eurysticha* Turner, 1904
Range (in code): **AU**
- 74713. *Emmalocera euryzona* (Meyrick, 1887)** (Pyrilidae) Synonym(s): *euryzona* Meyrick, 1887
Range (in code): **AU**
- 74714. *Emmalocera haploschema* (Turner, 1904)** (Pyrilidae) Synonym(s): *haploschema* Turner, 1904 _ Range (in code): **AU**
- 74715. *Emmalocera holochra* (Turner, 1904)** (Pyrilidae) Synonym(s): *holochra* Turner, 1904
Range (in code): **AU**
- 74716. *Emmalocera holorrhoda* (Hampson, 1908)** (Pyrilidae) Synonym(s): *holorrhoda* Hampson, 1908 _ Range (in code): **IN**
- 74717. *Emmalocera icasmopis* (Turner, 1904)** (Pyrilidae) Synonym(s): *icasmopis* Turner, 1904
Range (in code): **AU**

- 74718. *Emmalocera laminella* Hampson,1901** (Pyralidae) **Synonym(s):** *laminella* Hampson,1901
Range (in code):
- 74719. *Emmalocera laropis* (Turner,1913)** (Pyralidae) **Synonym(s):** *laropis* Turner,1913
Range (in code): **AU**
- 74720. *Emmalocera leucocincta* (Walker,1863)** (Pyralidae) **Synonym(s):** *leucocincta* Walker,1863
Range (in code): **SG MY Bor PH TW JP**
- 74721. *Emmalocera leucopleura* (Hampson,1918)** (Pyralidae) **Synonym(s):** *leucopleura* Hampson,1918
Range (in code):
- 74722. *Emmalocera longiramella* (Hampson,1901)** (Pyralidae) **Synonym(s):** *longiramella* Hampson,1901
Range (in code): **AU**
- 74723. *Emmalocera lucidicostella* Ragonot,1888** (Pyralidae) **Synonym(s):** *lucidicostella* Ragonot,1888
Original Reference: *Emmalocera lucidicostella* Ragonot,1888, *Nouv. gen. Phyc.* 1888: 38. Range (in code): **TR IN**
- 74724. *Emmalocera macrorrhynca* (Turner,1923)** (Pyralidae) **Synonym(s):** *macrorrhynca* (Turner,1923)
Range (in code): **AU**
- 74725. *Emmalocera marcida* (Turner,1923)** (Pyralidae) **Synonym(s):** *marcida* Turner,1923
Range (in code): **AU**
- 74726. *Emmalocera minoralis* (Turner,1903)** (Pyralidae) **Synonym(s):** *minoralis* Turner,1903
Range (in code): **AU**
- 74727. *Emmalocera monochromella* Ragonot,1888** (Pyralidae) **Synonym(s):** *monochromella* Ragonot,1888
Range (in code): **IR Elb Shh Mz**
- 74728. *Emmalocera neotomella* (Meyrick,1879)** (Pyralidae) **Synonym(s):** *neotomella* Meyrick,1879
Range (in code): **AU**
- 74729. *Emmalocera niphopleura* (Turner,1913)** (Pyralidae) **Synonym(s):** *niphopleura* Turner,1913
Range (in code): **AU**
- 74730. *Emmalocera niposema* (Turner,1913)** (Pyralidae) **Synonym(s):** *niposema* Turner,1913
Range (in code): **AU**
- 74731. *Emmalocera ochracealis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *ochracealis* Hampson,1912
Range (in code): **IN**
- 74732. *Emmalocera pelochroa* (Turner,1947)** (Pyralidae) **Synonym(s):** *pelochroa* Turner,1947
Range (in code): **AU**
- 74733. *Emmalocera platymocla* (Turner,1947)** (Pyralidae) **Synonym(s):** *platymocla* Turner,1947
Range (in code): **AU**
- 74734. *Emmalocera pleurochorda* (Turner,1913)** (Pyralidae) **Synonym(s):** *pleurochorda* Turner,1913
Range (in code): **AU**
- 74735. *Emmalocera promelaena* (Hampson,1896)** (Pyralidae) **Synonym(s):** *promelaena* Hampson,1896
Range (in code): **IN**
- 74736. *Emmalocera purpureotincta* (Hampson,1896)** (Pyralidae) **Synonym(s):** *purpureotincta* Hampson,1896
Range (in code): **IN**
- 74737. *Emmalocera radiatella* Hampson,1901** (Pyralidae) **Synonym(s):** *radiatella* Hampson,1901; *achrosta* Turner,1904
Range (in code): **AU**
- 74738. *Emmalocera rhabdota* (Turner,1904)** (Pyralidae) **Synonym(s):** *rhabdota* Turner,1904
Range (in code): **AU**
- 74739. *Emmalocera rhodoessa* (Turner,1904)** (Pyralidae) **Synonym(s):** *rhodoessa* Turner,1904
Range (in code): **AU**
- 74740. *Emmalocera roseistrigella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *roseistrigella* Hampson,1896
Range (in code): **IN**
- 74741. *Emmalocera stereosticha* (Turner,1905)** (Pyralidae) **Synonym(s):** *stereosticha* Turner,1905
Range (in code): **AU**
- 74742. *Emmalocera strigicostella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *strigicostella* Hampson,1896
Original Reference: *Polyocha strigicostella* Hampson,1896, *Proc. zool. Soc. London* 16: 270. Type: Lahej, leg. Nurse (BMNH). Range (in code): **YE YE47**
- 74743. *Emmalocera subconcinella* (Ragonot,1890)** (Pyralidae) **Synonym(s):** *subconcinella* Ragonot,1890
Range (in code): **IN**
- 74744. *Emmalocera syssema* (Turner,1913)** (Pyralidae) **Synonym(s):** *syssema* Turner,1913
Range (in code): **AU**

- 74745. Emmalocera thiomocla (Turner,1947)** (Pyalidae) Synonym(s): *thiomocla* Turner,1947
Range (in code): **AU**
- 74746. Emmalocera transecta (Turner,1947)** (Pyalidae) Synonym(s): *transecta* Turner,1947
Range (in code): **AU**
- 74747. Emmalocera umbricostella Ragonot,1888** (Pyalidae) Synonym(s): *umbricostella* Ragonot,1888
Range (in code): **IN MY Bor PH CN ID Ja KP TW**
- 74748. Emmalocera umbrivittella (Ragonot,1888)** (Pyalidae) Synonym(s): *umbrivittella* Ragonot,1888
Range (in code): **IN**
- 74749. Emmalocera unitella Joannis,1927** (Pyalidae) Synonym(s): *unitella* Joannis,1927
Range (in code): **MZ**
- 74750. Emphylica xanthocrossa Turner,1913** (Pyalidae) Synonym(s): *xanthocrossa* Turner,1913
Range (in code): **AU**
- 74751. Emporia grisescens Ragonot,1887** (Pyalidae) Synonym(s): *grisescens* Ragonot,1887
Range (in code): **DZ Bsk TN Gf**
- 74752. Emporia melanobasis Balinsky,1991** (Pyalidae) Synonym(s): *melanobasis* Balinsky,1991
Range (in code): **ZA**
- 74753. Emprepes belutschistanalis Amsel,1961** (Pyalidae) Synonym(s): *belutschistanalis* Amsel,1961
Range (in code): **IR Ss Chh**
- 74754. Emprepes chirazalis Amsel,1949** (Pyalidae) Synonym(s): *chirazalis* Amsel,1949
Range (in code): **IR Fa Shr**
- 74755. Emprepes flavomarginalis (Amsel,1951)** (Pyalidae) Synonym(s): *flavomarginalis* Amsel,1951
Original Reference: *Heliothela flavomarginalis* Amsel,1951, Ark. Zool. 1 (36): 555, figs. 52,86. Syntypes 4♂: Iran: Sardze. Range (in code): **IR Ss Irs AE**
- 74756. Emprepes mirabilis Amsel,1959** (Pyalidae) Synonym(s): *mirabilis* Amsel,1959
Range (in code): **IR Ss Irs**
- 74757. Emprepes palealis Amsel,1949** (Pyalidae) Synonym(s): *palealis* Amsel,1949; *comealis* Amsel,1951
Range (in code): **IR Fa Com**
- 74758. Emprepes pudicalis (Duponchel,1832)** (Pyalidae) Synonym(s): *pudicalis* Duponchel,1832; #*pudicale* Caradja,1917.
Range (in code): **MA DZ Bsk ES Mu FR**
- 74759. Emprepes russulalis (Christoph,1877)** (Pyalidae) Synonym(s): *russulalis* Christoph,1877; *baryscia* Meyrick,1937
Original Reference: *Hypotia russulalis* Christoph,1877, Horae Soc. ent. ross. 12 (1876): 263-264, Tab.vii fig.35. Syntypes 2♀: Iran, Schahrud. Range (in code): **DZ Bsk TN Gf IQ Dia Kbl IR Th Elb Kdj Srd Fa Shr Ss Irs Mkr KW AF Srb Hr Kab**
- 74760. Emprepes sudanalis (Zerny,1927)** (Pyalidae) Synonym(s): *sudanalis* Zerny,1927
Range (in code): **SD Kdf**
- 74761. Enchocnemidia squamopedalis (Guenée,1854)** (Pyalidae) Synonym(s): *squamopedalis* Guenée,1854
Original Reference: *Margarodes squamopedalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 309-310. Type ♂: [South Africa]: "Cap de Bonne-Espérance". Range (in code): **ZA PH Luz Gui Ceb Cts CmM Sum Nia Ja Cib Amb Crm Aru Kai Mi Flo ID PG**
- 74762. Enchocnemidia vertumnalis (Guenée,1854)** (Pyalidae) Synonym(s): *vertumnalis* Guenée,1854
Original Reference: *Margarodes vertumnalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 309. Type ♀: "Inde centrale". Range (in code): **PH Luz CmM Bor IN ID Clb Tal Flo PG AU QAU**
- 74763. Encryphodes aenictopa Turner,1913** (Pyalidae) Synonym(s): *aenictopa* Turner,1913
Range (in code): **AU**
- 74764. Encryphodes ethiopella Balinsky,1991** (Pyalidae) Synonym(s): *ethiopella* Balinsky,1991
Range (in code): **ZA**
- 74765. Endocrossis caldusalis (Walker,1859)** (Pyalidae) Synonym(s): *caldusalis* Walker,1859
Range (in code): **PH Mdo SI NP IN Ass MM Tns Mrg SG Ja Bor MY ID**
- 74766. Endocrossis flavibasalis (Moore,1867)** (Pyalidae) Synonym(s): *flavibasalis* Moore,1867
Range (in code): **PH Luz IN Ass TH MM Prk MY Sum Nia PG ID**
- 74767. Endocrossis quinquemaculalis Sauber,1902** (Pyalidae) Synonym(s): *quinquemaculalis* Sauber,1902
Range (in code): **PH Luz**
- 74768. Endolasia melanodes (Hampson,1930)** (Pyalidae) Synonym(s): *melanodes* Hampson,1930
Range (in code): **AU ID Sum**
- 74769. Endolasia melanoleuca Hampson,1896** (Pyalidae) Synonym(s): *melanoleuca* Hampson,1896
Range (in code): **IN**

- 74770. Endolasia transvaalica Hampson,1926** (Pyralidae) Synonym(s): *transvaalica* Hampson,1926 Original Reference: Endolasia transvaalica Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 630. Syntypes 4♂ 1♀: [South Africa]: "Transvaal: Nkweleni, Pretoria". Range (in code): **ZA Tva Lpo Gau Pre**
- 74771. Endolasia transvaalica transvaalica Hampson,1926** (Pyralidae) Synonym(s): *transvaalica* Hampson,1926 Original Reference: Endolasia transvaalica Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 630. Syntypes 4♂ 1♀: [South Africa]: "Transvaal: Nkweleni, Pretoria". Range (in code): **ZA Tva Lpo Gau Pre**
- 74772. Endosimilis stilbealis (Walker,1859)** (Pyralidae) Synonym(s): *stilbealis* Walker,1859; *heliopa* Meyrick,1884; *pyrocaustalis* Lower,1903 Range (in code):
- 74773. Endotricha admirabilis Kirpichnikova,2003** (Pyralidae) Synonym(s): *admirabilis* Kirpichnikova,2003 Range (in code): **CN Hnn RU Us**
- 74774. Endotricha affinitalis Hering,1901** (Pyralidae) Synonym(s): *affinitalis* Hering,1901 Range (in code): **ID Sum**
- 74775. Endotricha albicilia Hampson,1891** (Pyralidae) Synonym(s): *albicilia* Hampson,1891 Range (in code): **TH Cbi Nna Kao IN Adm LK**
- 74776. Endotricha altitudinalis (Viette,1957)** (Pyralidae) Synonym(s): *altitudinalis* Viette,1957 Range (in code): **ST**
- 74777. Endotricha anpingia Strand,1919** (Pyralidae) Synonym(s): *anpingia* Strand,1919 Range (in code): **TW**
- 74778. Endotricha approximalis Snellen,1895** (Pyralidae) Synonym(s): *approximalis* Snellen,1895; *xanthorhodal* Hampson,1916; *periphaea* Turner,1937 Range (in code): **AU PH FJ ID Ja CN Hn NH PG**
- 74779. Endotricha ardentalis Hampson,1896** (Pyralidae) Synonym(s): *ardentalis* Hampson,1896 Range (in code): **IN**
- 74780. Endotricha bradleyi Whalley,1962** (Pyralidae) Synonym(s): *bradleyi* Whalley,1962 Range (in code): **SB**
- 74781. Endotricha capnospila Meyrick,1932** (Pyralidae) Synonym(s): *capnospila* Meyrick,1932 Range (in code): **FJ**
- 74782. Endotricha chionocosma Turner,1904** (Pyralidae) Synonym(s): *chionocosma* Turner,1904 Range (in code): **AU**
- 74783. Endotricha conchylaria Whalley,1963** (Pyralidae) Synonym(s): *conchylaria* Whalley,1963 Range (in code): **ID Ob Mlc**
- 74784. Endotricha consobrinialis Zeller,1852** (Pyralidae) Synonym(s): *consobrinialis* Zeller,1852; *brunnea* W.Warren,1897; *dissimulans* W.Warren,1897; *jordana* Hampson,1900. Range (in code): **ZA KE SD GH IL Pa JO MG EG EG11 TZ**
- 74785. Endotricha consocia (Butler,1879)** (Pyralidae) Synonym(s): *consocia* Butler,1879 Range (in code): **CN Fkn Hph TH CMa Cmz Cz10 JP TW**
- 74786. Endotricha coreacealis Pagenstecher,1884** (Pyralidae) Synonym(s): *coreacealis* Pagenstecher,1884 Range (in code): **ID Amb PG**
- 74787. Endotricha costaemaculalis Christoph,1881** (Pyralidae) Synonym(s): *costaemaculalis* Christoph,1881 Original Reference: Endotricha costaemaculalis Christoph,1881, Bull. Soc. imp. Nat. Moscou 56: 4. Type: Russia, Siberia. Range (in code): **PK Haz Mre IN Hp Dlh CN Ti TW KP KR JP SI RU Us**
- 74788. Endotricha costaemaculalis costaemaculalis Christoph,1881** (Pyralidae) Synonym(s): *costaemaculalis* Christoph,1881 Original Reference: Endotricha costaemaculalis Christoph,1881, Bull. Soc. imp. Nat. Moscou 56: 4. Type: Russia, Siberia. Range (in code): **KP KR JP SI RU Us CN**
- 74789. Endotricha costaemaculalis formosensis Hampson,1916** (Pyralidae) Synonym(s): *formosensis* Hampson,1916 Range (in code): **TW**
- 74790. Endotricha costaemaculalis fuscifusalis Hampson,1896** (Pyralidae) Synonym(s): *fuscifusalis* Hampson,1896 Original Reference: Endotricha fuscifusalis Hampson,1896, Fauna Br. India (Moths) 4: 134. Syntypes: [Pakistan]: "Murree", [India]: "Dahlhousie" (BMNH). Range (in code): **PK Haz Mre IN Hp Dlh CN Ti**
- 74791. Endotricha decessalis Walker,1859** (Pyralidae) Synonym(s): *decessalis* Walker,1859 Range (in code): **MM CN Fkn SC LK IN Adm**
- 74792. Endotricha denticostalis Hampson,1906** (Pyralidae) Synonym(s): *denticostalis* Hampson,1906 Range (in code): **MY Bor**

- 74793. Endotricha dispergens Lucas,1891** (Pyralidae) Synonym(s): *dispergens* Lucas,1891
Range (in code): **AU**
- 74794. Endotricha dumalis Wang & Li,2005** (Pyralidae) Synonym(s): *dumalis* Wang & Li,2005
Range (in code): **CN**
- 74795. Endotricha dyschroa Turner,1918** (Pyralidae) Synonym(s): *dyschroa* Turner,1918
Range (in code): **NZ**
- 74796. Endotricha ellisoni Whalley,1963** (Pyralidae) Synonym(s): *ellisoni* Whalley,1963
Range (in code): **ZA ET UG KE**
- 74797. Endotricha encaustalis Hampson,1916** (Pyralidae) Synonym(s): *encaustalis* Hampson,1916
Range (in code): **PG**
- 74798. Endotricha erythralis Mabille,1900** (Pyralidae) Synonym(s): *erythralis* Mabille,1900;
rosellita Ghesquière,1942
Range (in code): **ZA CG MG Sk**
- 74799. Endotricha euphiles Turner,1932** (Pyralidae) Synonym(s): *euphiles* Turner,1932
Range (in code): **AU**
- 74800. Endotricha eximia Whalley,1963** (Pyralidae) Synonym(s): *eximia* Whalley,1963
Range (in code): **CN Sz IN Ass SI**
- 74801. Endotricha flammealis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flammealis* [Denis & Schiffermüller],1775; *adustalis* Turati,1905; *lutealis* Turati,1905; *carnealis* De Lattin,1951
Original Reference: *Pyralis flammealis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].
Range (in code): **DZ Clo TN PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ IL Hf Pa CY LB Cc GG IR Fa Sse Com Shr Mz Th Kdj Gor Gh Tgo TM Kp DK SE RU MD UA BY KG**
Bionomy: Larva on *Salix* (Salicaceae), *Quercus* (Fagaceae), *Agrimonia* (Rosaceae), *Lotus* (Fabaceae), *Vaccinium* (Ericaceae) (Parenti,2000).
- 74802. Endotricha flavifusalis W.Warren,1891** (Pyralidae) Synonym(s): *flavifusalis* W.Warren,1891
Range (in code): **CN Hn ID MY Bor Swk PG**
- 74803. Endotricha fuscobasalis Ragonot,1891** (Pyralidae) Synonym(s): *fuscobasalis* Ragonot,1891
Range (in code): **CN Ti IN Pj PK**
- 74804. Endotricha gregalis Pagenstecher,1900** (Pyralidae) Synonym(s): *gregalis* Pagenstecher,1900
Range (in code): **NBR**
- 74805. Endotricha hemicausta Turner,1904** (Pyralidae) Synonym(s): *hemicausta* Turner,1904
Range (in code): **AU**
- 74806. Endotricha hoenei Whalley,1963** (Pyralidae) Synonym(s): *hoenei* Whalley,1963
Range (in code): **CN Kwa**
- 74807. Endotricha hypogrammalis Hampson,1906** (Pyralidae) Synonym(s): *hypogrammalis* Hampson,1906
Range (in code): **CN JP TW**
- 74808. Endotricha icelusalis (Walker,1859)** (Pyralidae) Synonym(s): *icelusalis* Walker,1859;
rosealis Walker,1859
Range (in code): **CN Fkn Gn Kwa Hun Sz Yu JP**
- 74809. Endotricha ignealis Guenée,1854** (Pyralidae) Synonym(s): *ignealis* Guenée,1854; *docilialis* Walker,1859; *aethopa* Meyrick,1884
Range (in code): **AU**
- 74810. Endotricha inouei Yoshiyasu,1987** (Pyralidae) Synonym(s): *inouei* Yoshiyasu,1987
Original Reference: *Endotricha inouei* Yoshiyasu,1987, Tinea 12 (Suppl.): 200, figs. Holotype: Japan: Kyoto Pref.
Range (in code): **JP**
- 74811. Endotricha khaoyaiensis Yoshiyasu,1989** (Pyralidae) Synonym(s): *khaoyaiensis* Yoshiyasu,1989
Original Reference: *Endotricha khaoyaiensis* Yoshiyasu,1989, Microlepid. Thailand 2: 158, figs. Holotype: Nakhon Nayok: Khao Yai.
Range (in code): **TH Kao Nna**
- 74812. Endotricha kuznetsovi Whalley,1963** (Pyralidae) Synonym(s): *kuznetsovi* Whalley,1963
Range (in code): **CN Fkn Mc KP KR JP RU Us Am**
- 74813. Endotricha lobibasalis Hampson,1906** (Pyralidae) Synonym(s): *lobibasalis* Hampson,1906
Range (in code): **AU ID CN Hn PG**
- 74814. Endotricha loricata Moore,1888** (Pyralidae) Synonym(s): *loricata* Moore,1888; *ustalis* Hampson,1903 nec Snell.,1880
Range (in code): **PK LK IN Clc**
- 74815. Endotricha lunulata Wang & Li,2005** (Pyralidae) Synonym(s): *lunulata* Wang & Li,2005
Range (in code): **CN Hn Yu**
- 74816. Endotricha luteobasalis Caradja,1935** (Pyralidae) Synonym(s): *luteobasalis* Caradja,1935
Range (in code): **CN Yu Tkg**
- 74817. Endotricha luteogrisalis Hampson,1896** (Pyralidae) Synonym(s): *luteogrisalis* Hampson,1896
Range (in code): **CN Fkn Hn Yu IN**

- 74818. Endotricha luteopuncta Whalley,1963** (Pyralidae) Synonym(s): *luteopuncta* Whalley,1963
Range (in code): **SB**
- 74819. Endotricha mariana Whalley,1963** (Pyralidae) Synonym(s): *mariana* Whalley,1963
Range (in code): **GU**
- 74820. Endotricha medogana Wang & Li,2005** (Pyralidae) Synonym(s): *medogana* Wang & Li,2005 _ Range (in code): **CN Ti**
- 74821. Endotricha melanchroa Turner,1911** (Pyralidae) Synonym(s): *melanchroa* Turner,1911; *sareochroa* Hampson,1916. _ Range (in code): **AU**
- 74822. Endotricha melanobasis Hampson,1916** (Pyralidae) Synonym(s): *melanobasis* Hampson,1916 _ Range (in code): **TH Nna Kao CMa Int IN**
- 74823. Endotricha mesenterialis (Walker,1859)** (Pyralidae) Synonym(s): *mesenterialis* Walker,1859; *suffusalis* Walker,1859; *obscura* Butler,1886; *eoidalis* Snellen,1895 _ Range (in code): **IN LK MM TH Cbi Nna Loe CMa Fn ID Nk Ja MY CX JP TW AU PG Ls TO NH**
- 74824. Endotricha metacuralis Hampson,1916** (Pyralidae) Synonym(s): *metacuralis* Hampson,1916 _ Range (in code): **TW CN**
- 74825. Endotricha murecinalis Hampson,1916** (Pyralidae) Synonym(s): *murecinalis* Hampson,1916 _ Range (in code): **PG**
- 74826. Endotricha nicobaralis Hampson,1906** (Pyralidae) Synonym(s): *nicobaralis* Hampson,1906 _ Range (in code): **IN Nk MM CN Hn**
- 74827. Endotricha nigra Wang & Li,2005** (Pyralidae) Synonym(s): *nigra* Wang & Li,2005
Range (in code): **CN Fkn**
- 74828. Endotricha nigromaculata Whalley,1963** (Pyralidae) Synonym(s): *nigromaculata* Whalley,1963 _ Range (in code): **TH CMa Pki IN Khs Ass**
- 74829. Endotricha niveifimbrialis Hampson,1906** (Pyralidae) Synonym(s): *niveifimbrialis* Hampson,1906 _ Range (in code): **SL CM**
- 74830. Endotricha occidentalis Hampson,1916** (Pyralidae) Synonym(s): *occidentalis* Hampson,1916 _ Range (in code): **AU**
- 74831. Endotricha olivacealis (Bremer,1864)** (Pyralidae) Synonym(s): *olivacealis* Bremer,1864; *flavifimbrialis* W.Warren,1891 _ Range (in code): **MM CN Fkn Kwa Hn Hph Hun Sz Ti TW JP KP KR IN ID NP RU Us**
- 74832. Endotricha orthotis Meyrick,1894** (Pyralidae) Synonym(s): *orthotis* Meyrick,1894
Range (in code): **Sbw ID TW**
- 74833. Endotricha peterella Whalley,1963** (Pyralidae) Synonym(s): *peterella* Whalley,1963
Range (in code): **Cro**
- 74834. Endotricha portialis Walker,1859** (Pyralidae) Synonym(s): *portialis* Walker,1859; *aecusalis* Walker,1859; *rhodopteralis* W.Warren,1895; *acrobasis* Snellen,1892 _ Range (in code): **MY Bor ID Ja Bli Sum JP TW CN Fkn Hun**
- 74835. Endotricha psammitis Turner,1904** (Pyralidae) Synonym(s): *psammitis* Turner,1904; *lignitalis* Hampson,1916. _ Range (in code): **AU**
- 74836. Endotricha pulchella Hampson,1916** (Pyralidae) Synonym(s): *pulchella* Hampson,1916
Range (in code): **TW**
- 74837. Endotricha puncticostalis (Walker,[1866])** (Pyralidae) Synonym(s): *puncticostalis* Walker,[1866]; *ustalis* Snellen,1880; *listeri* Butler,1888 _ Range (in code): **TH Cbi Loe CMa Dst CX AU ID Clb PH**
- 74838. Endotricha punicea Whalley,1963** (Pyralidae) Synonym(s): *punicea* Whalley,1963
Range (in code): **CN Hph Ti**
- 74839. Endotricha purpurata Wang & Li,2005** (Pyralidae) Synonym(s): *purpurata* Wang & Li,2005 _ Range (in code): **CN**
- 74840. Endotricha pyrosalis Guenée,1854** (Pyralidae) Synonym(s): *pyrosalis* Guenée,1854; *sabirusalis* Walker,1859; *albifimbrialis* Walker,[1866]; *auroralis* Walker,[1866]; *robinia* Butler,1882. _ Range (in code): **AU TS**
- 74841. Endotricha pyrrhaema Hampson,1916** (Pyralidae) Synonym(s): *pyrrhaema* Hampson,1916 _ Range (in code): **ID Amb PG**
- 74842. Endotricha pyrrhocosma Turner,1911** (Pyralidae) Synonym(s): *pyrrhocosma* Turner,1911
Range (in code): **AU**
- 74843. Endotricha ragonoti Christoph,1893** (Pyralidae) Synonym(s): *ragonoti* Christoph,1893; *albincinctalis* Hampson,1903 _ Original Reference: *Endotricha ragonoti* Christoph,1893, Dt. ent. Z., Iris 6: 96. Type: "Montes Tianchan". Range (in code): **T-S CN Ui IN**

- 74844. Endotricha rogenhoferi Rebel,1892** (Pyrilidae) Synonym(s): *rogenhoferi Rebel,1892*
Range (in code): Cn
- 74845. Endotricha rosina Ghesquière,1942** (Pyrilidae) Synonym(s): *rosina Ghesquière,1942*
Range (in code): ZR
- 74846. Endotricha rufofimbrialis W.Warren,1891** (Pyrilidae) Synonym(s): *rufofimbrialis W.Warren,1891* Range (in code): MY Bor Swk IN
- 74847. Endotricha ruminalis (Walker,1859)** (Pyrilidae) Synonym(s): *ruminalis Walker,1859; ibycusalis Walker,1859; symphonialis Hampson,1893* Range (in code): IN LK MM TH Cbi Loe CMa Msv Dst Pki Fn TW JP
- 74848. Endotricha sandaraca Whalley,1963** (Pyrilidae) Synonym(s): *sandaraca Whalley,1963*
Range (in code): MY Bor KBa
- 74849. Endotricha sasakawai Yoshiyasu,1989** (Pyrilidae) Synonym(s): *sasakawai Yoshiyasu,1989* Original Reference: Endotricha sasakawai Yoshiyasu,1989, Microlepid. Thailand 2: 162, figs. Holotype: Nakhon Nayok: Khao Yai. Range (in code): TH Nna Kao CMa Dst Msv Pki
- 74850. Endotricha semirubrica Whalley,1963** (Pyrilidae) Synonym(s): *semirubrica Whalley,1963* Range (in code): MY Pah Bor Swk
- 74851. Endotricha separata Whalley,1963** (Pyrilidae) Synonym(s): *separata Whalley,1963*
Range (in code): Cro
- 74852. Endotricha similata (Moore,1888)** (Pyrilidae) Synonym(s): *similata Moore,1888*
Range (in code): TH Nna Kao IN CN Ti Sz Hph MM LK
- 74853. Endotricha simipunicea Wang & Li,2005** (Pyrilidae) Synonym(s): *simipunicea Wang & Li,2005* Range (in code): CN Tkg
- 74854. Endotricha simplex Janse,1924** (Pyrilidae) Synonym(s): *simplex Janse,1924* Range (in code): ID Mlc SB Rs
- 74855. Endotricha sondaicalis Snellen,1880** (Pyrilidae) Synonym(s): *sondaicalis Snellen,1880*
Range (in code): ID Clb
- 74856. Endotricha tamsi Whalley,1963** (Pyrilidae) Synonym(s): *tamsi Whalley,1963* Range (in code): ST
- 74857. Endotricha theonalis (Walker,1859)** (Pyrilidae) Synonym(s): *theonalis Walker,1859*
Range (in code): CN Kwa Hph Sz TW JP
- 74858. Endotricha thomealis (Viette,1957)** (Pyrilidae) Synonym(s): *thomealis Viette,1957*
Range (in code): ST
- 74859. Endotricha trichophoralis Hampson,1906** (Pyrilidae) Synonym(s): *trichophoralis Hampson,1906* Range (in code): SG MY Bor
- 74860. Endotricha valentis Kirpichnikova,2003** (Pyrilidae) Synonym(s): *valentis Kirpichnikova,2003* Range (in code): RU Us CN Yu
- 74861. Endotricha variabilis Janse,1924** (Pyrilidae) Synonym(s): *variabilis Janse,1924*
Range (in code): ID Mlc
- 74862. Endotricha viettealis Whalley,1963** (Pyrilidae) Synonym(s): *rosealis Viette,1957 nec Wlk.,1865; viettealis Whalley,1963* Range (in code): ST
- 74863. Endotricha vinolentalis Ragonot,1891** (Pyrilidae) Synonym(s): *vinolentalis Ragonot,1891*
Range (in code): CI GM CM SL GH KE
- 74864. Endotricha wilemani West,1931** (Pyrilidae) Synonym(s): *wilemani West,1931* Range (in code): PH
- 74865. Ennomosia geometridalis Amsel,1956** (Pyrilidae) Synonym(s): *geometridalis Amsel,1956*
Range (in code): VE
- 74866. Eodiatraea amazonica (Box,1931)** (Pyrilidae) Synonym(s): *amazonica Box,1931*
Range (in code): BR AR
- 74867. Eodiatraea amnemonella (Dyar,1911)** (Pyrilidae) Synonym(s): *amnemonella Dyar,1911*
Range (in code): BR
- 74868. Eodiatraea centrellus (Möschler,1883)** (Pyrilidae) Synonym(s): *sacchari Sepp,1848 nec Guild.,1828; centrellus Möschler,1883; canella Hampson,1895.* Range (in code):
- 74869. Eodiatraea rufescens (Box,1931)** (Pyrilidae) Synonym(s): *rufescens Box,1931* Range (in code): BO
- 74870. Eoophyla accra (Strand,1912)** (Pyrilidae) Synonym(s): *accra Strand,1912; dorophanes Meyrick,1937; alba Mey,2009* Range (in code): GH SL Bio CM AO UG ZR

- 74871. *Eoophyla argyrolinalis* (Hampson,1897)** (Pyralidae) Synonym(s): *argyrolinalis* Hampson,1897 - Range (in code): AU
- 74872. *Eoophyla aureolalis* (Snellen,1876)** (Pyralidae) Synonym(s): *aureolalis* Snellen,1876 - Range (in code): ID Sum Ja
- 74873. *Eoophyla basilissa* (Meyrick,1894)** (Pyralidae) Synonym(s): *basilissa* Meyrick,1894 - Range (in code): ID Sbw
- 74874. *Eoophyla belladotae* Agassiz,2012** (Pyralidae) Synonym(s): *belladotae* Agassiz,2012 - Range (in code): KE ZA ZM UG Etb
- 74875. *Eoophyla bicolensis* Speidel,2003** (Pyralidae) Synonym(s): *bicolensis* Speidel,2003 - Range (in code): PH Luz
- 74876. *Eoophyla callilithalis* Speidel,2003** (Pyralidae) Synonym(s): *callilithalis* Speidel,2003 - Range (in code): PH Pal
- 74877. *Eoophyla cameroonensis* Agassiz,2012** (Pyralidae) Synonym(s): *cameroonensis* Agassiz,2012 - Range (in code): CM
- 74878. *Eoophyla capensis* (Hampson,1906)** (Pyralidae) Synonym(s): *capensis* Hampson,1906; *sambesica* Strand,1909; *periopis* Hampson,1910 - Range (in code): ZA Vum Est Nta Kzu Dbn Tva Ans Tra NG KE Nai UG TZ MW Mje Zom ZM NA AO ZW MZ
- 74879. *Eoophyla carcassoni* Agassiz,2012** (Pyralidae) Synonym(s): *carcassoni* Agassiz,2012 - Range (in code): KE
- 74880. *Eoophyla ceratucha* (Meyrick,1894)** (Pyralidae) Synonym(s): *ceratucha* Meyrick,1894; *falcatalis* Snellen,1901 - Range (in code): TH CMa Fn Knc Cbi Rng ID Bor Ja Sum MY
- 74881. *Eoophyla cernyi* Speidel,2003** (Pyralidae) Synonym(s): *cernyi* Speidel,2003 - Range (in code): PH Pal
- 74882. *Eoophyla cervinalis* Speidel,2003** (Pyralidae) Synonym(s): *cervinalis* Speidel,2003 - Range (in code): PH Mno
- 74883. *Eoophyla citrialis* Agassiz,2012** (Pyralidae) Synonym(s): *citrialis* Agassiz,2012 - Range (in code): TZ
- 74884. *Eoophyla clasnaumanni* Speidel & Mey,2005** (Pyralidae) Synonym(s): *clasnaumanni* Speidel & Mey,2005 - Range (in code): TH Nan Pua
- 74885. *Eoophyla conjunctalis* (Wileman & South,1917)** (Pyralidae) Synonym(s): *conjunctalis* Wileman & South,1917 - Range (in code): TW
- 74886. *Eoophyla dentisigna* Agassiz,2012** (Pyralidae) Synonym(s): *dentisigna* Agassiz,2012 - Range (in code): SL ZR CM
- 74887. *Eoophyla discalis* (Hampson,1906)** (Pyralidae) Synonym(s): *discalis* Hampson,1906 - Range (in code): ID Clb
- 74888. *Eoophyla euprepialis* Agassiz,2012** (Pyralidae) Synonym(s): *euprepialis* Agassiz,2012 - Range (in code): ZR TZ
- 74889. *Eoophyla euryxantha* (Meyrick,1936)** (Pyralidae) Synonym(s): *euryxantha* Meyrick,1936 - Range (in code): ZR
- 74890. *Eoophyla excentrica* Mey & Speidel,1999** (Pyralidae) Synonym(s): *excentrica* Mey & Speidel,1999 - Range (in code): YE ET UG TZ
- 74891. *Eoophyla flavifascialis* (Hampson,1917)** (Pyralidae) Synonym(s): *flavifascialis* Hampson,1917 - Range (in code): ID Ij
- 74892. *Eoophyla fontis* Speidel,2003** (Pyralidae) Synonym(s): *fontis* Speidel,2003 - Range (in code): PH Sam
- 74893. *Eoophyla gibbosalis* (Guenée,1854)** (Pyralidae) Synonym(s): *gibbosalis* Guenée,1854 - Original Reference: Oligostigma gibbosalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 262-263. Syntypes 1♂ 1♀: "Indes orientales". Range (in code): IN ID Clb Sum Ja Sbw TW PH Luz
- 74894. *Eoophyla grandifuscalis* Agassiz,2012** (Pyralidae) Synonym(s): *grandifuscalis* Agassiz,2012 - Range (in code): NG CM
- 74895. *Eoophyla idiotis* (Meyrick,1894)** (Pyralidae) Synonym(s): *idiotis* Meyrick,1894 - Range (in code): ID Clb
- 74896. *Eoophyla inouei* Yoshiyasu,1979** (Pyralidae) Synonym(s): *inouei* Yoshiyasu,1979 - Range (in code): JP
- 74897. *Eoophyla interopalis* Agassiz,2012** (Pyralidae) Synonym(s): *interopalis* Agassiz,2012 - Range (in code): MW Mje ZA Nta Kzu Dbn MZ ZW TZ

- 74898. *Eoophyla kingstoni* Agassiz, 2012** (Pyrilidae) Synonym(s): *kingstoni* Agassiz, 2012
Range (in code): **MW**
- 74899. *Eoophyla leroii* (Strand, 1915)** (Pyrilidae) Synonym(s): *leroii* Strand, 1915; *lithocharis* Meyrick, 1936
Range (in code): **SD SL ZR UG NG BW**
- 74900. *Eoophyla leucostola* (Hampson, 1917)** (Pyrilidae) Synonym(s): *leucostola* Hampson, 1917
Range (in code): **MW Mje TZ**
- 74901. *Eoophyla leucostrialis* (Hampson, 1906)** (Pyrilidae) Synonym(s): *leucostrialis* Hampson, 1906
Range (in code): **SL**
- 74902. *Eoophyla leytenis* Speidel, 2003** (Pyrilidae) Synonym(s): *leytenis* Speidel, 2003
Range (in code): **PH Ley**
- 74903. *Eoophyla limalis* (Viette, 1957)** (Pyrilidae) Synonym(s): *limalis* Viette, 1957
Range (in code): **GO**
- 74904. *Eoophyla litoralis* Speidel, 2003** (Pyrilidae) Synonym(s): *litoralis* Speidel, 2003
Range (in code): **PH Luz**
- 74905. *Eoophyla longiplagialis* (Hampson, 1917)** (Pyrilidae) Synonym(s): *longiplagialis* Hampson, 1917
Range (in code): **ID Ij**
- 74906. *Eoophyla melanops* (Hampson, 1896)** (Pyrilidae) Synonym(s): *melanops* Hampson, 1896
Range (in code): **IN SI TH CMa Fn Int Agk**
- 74907. *Eoophyla metridora* (Meyrick, 1897)** (Pyrilidae) Synonym(s): *metridora* Meyrick, 1897
Range (in code): **ID Tal**
- 74908. *Eoophyla mimicalis* (Hampson, 1917)** (Pyrilidae) Synonym(s): *mimicalis* Hampson, 1917; *lithorma* Meyrick, 1936; *sphragidacma* Meyrick, 1937
Range (in code): **NG UG TZ MW ZR CM GH SL**
- 74909. *Eoophyla montanalis* Speidel, 2003** (Pyrilidae) Synonym(s): *montanalis* Speidel, 2003
Range (in code): **PH Luz**
- 74910. *Eoophyla munroei* Agassiz & Mey, 2011** (Pyrilidae) Synonym(s): *munroei* Agassiz & Mey, 2011
Range (in code): **ZA Ec**
- 74911. *Eoophyla myanmarica* Mey & Speidel, 2005** (Pyrilidae) Synonym(s): *myanmarica* Mey & Speidel, 2005
Range (in code): **MM Chn**
- 74912. *Eoophyla nandinalis* (Hampson, 1906)** (Pyrilidae) Synonym(s): *nandinalis* Hampson, 1906
Range (in code): **KE ZR Nai**
- 74913. *Eoophyla napoleoni* Speidel, 2003** (Pyrilidae) Synonym(s): *napoleoni* Speidel, 2003
Range (in code): **PH Sam**
- 74914. *Eoophyla naumanni* Speidel, 2003** (Pyrilidae) Synonym(s): *naumanni* Speidel, 2003
Range (in code): **PH Mno Luz Mdo Pal Ley**
- 74915. *Eoophyla nigerialis* (Hampson, 1906)** (Pyrilidae) Synonym(s): *nigerialis* Hampson, 1906; *dualalis* Gaede, 1916
Range (in code): **NG CM**
- 74916. *Eoophyla nigripilosa* Yoshiyasu, 1987** (Pyrilidae) Synonym(s): *nigripilosa* Yoshiyasu, 1987
Original Reference: *Eoophyla nigripilosa* Yoshiyasu, 1987, Microlepid. Thailand 1: 170, figs. Holotype: Thailand: Nakhon Nayok, Wang Ta Krai.
Range (in code): **TH Nna Cbi CMa Dst**
- 74917. *Eoophyla nussi* Speidel, 2003** (Pyrilidae) Synonym(s): *nussi* Speidel, 2003
Range (in code): **PH Luz**
- 74918. *Eoophyla nyasalis* (Hampson, 1917)** (Pyrilidae) Synonym(s): *nyasalis* Hampson, 1917; *kenyalis* Agassiz, 2012 [ssp.]
Range (in code): **MW Mje ET ZR KE TZ CM**
- 74919. *Eoophyla nymphulalis* (Hampson, 1906)** (Pyrilidae) Synonym(s): *nymphulalis* Hampson, 1906
Range (in code): **ZA Nta Kzu Est**
- 74920. *Eoophyla ochripicta* (Moore, 1889)** (Pyrilidae) Synonym(s): *ochripicta* Moore, 1889
Range (in code): **IN NI TH CMa Dst Fn Int CN**
- 74921. *Eoophyla pentopalis* (Hampson, 1906)** (Pyrilidae) Synonym(s): *pentopalis* Hampson, 1906
Range (in code): **SL**
- 74922. *Eoophyla peribocalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *peribocalis* Walker, 1859; *halialis* Walker, 1859; *sabrina* Pryer, 1875; *papulalis* Snellen, 1890
Range (in code): **YE Ad IN NI CN MM PK Swa**
- 74923. *Eoophyla pervenustalis* (Hampson, 1897)** (Pyrilidae) Synonym(s): *pervenustalis* Hampson, 1897
Range (in code): **KE UG AO ZR CM NG GH SL**
- 74924. *Eoophyla philippinensis* Speidel, 1998** (Pyrilidae) Synonym(s): *philippinensis* Speidel, 1998
Range (in code): **PH**

- 74925. *Eoophyla piscatorum* Agassiz,2012** (Pyrilidae) **Synonym(s):** *piscatorum* Agassiz,2012
Range (in code): **KE**
- 74926. *Eoophyla platyxantha* Agassiz,2012** (Pyrilidae) **Synonym(s):** *platyxantha* Agassiz,2012
Range (in code): **CM ZR**
- 74927. *Eoophyla principensis* Agassiz,2012** (Pyrilidae) **Synonym(s):** *principensis* Agassiz,2012
Range (in code): **ST**
- 74928. *Eoophyla pulchralis* Speidel,2003** (Pyrilidae) **Synonym(s):** *pulchralis* Speidel,2003
Range (in code): **PH Luz**
- 74929. *Eoophyla quezonensis* Speidel,2003** (Pyrilidae) **Synonym(s):** *quezonensis* Speidel,2003
Range (in code): **PH Luz**
- 74930. *Eoophyla quinqualis* (Snellen,1892)** (Pyrilidae) **Synonym(s):** *quinqualis* Snellen,1892
Range (in code): **ID Clb**
- 74931. *Eoophyla richteri* Speidel,2003** (Pyrilidae) **Synonym(s):** *richteri* Speidel,2003 **Range (in code):** **PH Luz Ley**
- 74932. *Eoophyla ruwenzoriensis* Agassiz,2012** (Pyrilidae) **Synonym(s):** *ruwenzoriensis* Agassiz,2012 **Range (in code):** **UG Rz**
- 74933. *Eoophyla samaritai* Speidel,2003** (Pyrilidae) **Synonym(s):** *samaritai* Speidel,2003
Range (in code): **PH Sam**
- 74934. *Eoophyla schintlmeisteri* Speidel,2003** (Pyrilidae) **Synonym(s):** *schintlmeisteri* Speidel,2003 **Range (in code):** **PH Luz**
- 74935. *Eoophyla scioxantha* (Meyrick,1937)** (Pyrilidae) **Synonym(s):** *scioxantha* Meyrick,1937
Range (in code): **CG ZR ZM ZA**
- 74936. *Eoophyla sejunctalis* (Snellen,1876)** (Pyrilidae) **Synonym(s):** *sejunctalis* Snellen,1876;
delicate Moore,1887 **Range (in code):** **LK IN Pj TH CMa Fn Nna Cbi Phu ID Sum**
- 74937. *Eoophyla simplicialis* (Snellen,1876)** (Pyrilidae) **Synonym(s):** *simplicialis* Snellen,1876
Range (in code): **ID Ja TH CMa Nna Cbi**
- 74938. *Eoophyla sinensis* (Hampson,1897)** (Pyrilidae) **Synonym(s):** *sinensis* Hampson,1897
Range (in code): **NP CN Sz TH CMa Int**
- 74939. *Eoophyla snelleni* Semper,1902** (Pyrilidae) **Synonym(s):** *snelleni* Semper,1902 **Range (in code):** **PH Luz Mno CmM**
- 74940. *Eoophyla stepheni* Agassiz,2012** (Pyrilidae) **Synonym(s):** *stepheni* Agassiz,2012
Range (in code): **ZM**
- 74941. *Eoophyla stresemanni* (Rothschild,1915)** (Pyrilidae) **Synonym(s):** *stresemanni* Rothschild,1915 **Range (in code):** **ID Crm**
- 74942. *Eoophyla tanzanica* Agassiz,2012** (Pyrilidae) **Synonym(s):** *tanzanica* Agassiz,2012
Range (in code): **TZ**
- 74943. *Eoophyla tetropalis* (Hampson,1906)** (Pyrilidae) **Synonym(s):** *tetropalis* Hampson,1906
Range (in code): **SL CI GH NG CM UG KE**
- 74944. *Eoophyla thaiensis* Yoshiyasu,1987** (Pyrilidae) **Synonym(s):** *thaiensis* Yoshiyasu,1987
Original Reference: *Eoophyla thaiensis* Yoshiyasu,1987, Microlepid. Thailand 1: 164, figs.
Holotype: Thailand: Phangnga, Nam Tok, Lam Pee. **Range (in code):** **TH Pgg CMa Fn Rng Cbi Cph Knc Phu**
- 74945. *Eoophyla trichostylalis* (Hampson,1897)** (Pyrilidae) **Synonym(s):** *trichostylalis* Hampson,1897 **Range (in code):** **ID Clb**
- 74946. *Eoophyla tripunctalis* (Snellen,1872)** (Pyrilidae) **Synonym(s):** *tripunctalis* Snellen,1872;
triopalis Hampson,1906 **Range (in code):** **CG SL NG SN GH GN CM**
- 74947. *Eoophyla wollastoni* (Rothschild,1915)** (Pyrilidae) **Synonym(s):** *wollastoni* Rothschild,1915 **Range (in code):** **ID Ij**
- 74948. *Eoophyla yeni* Speidel,2003** (Pyrilidae) **Synonym(s):** *yeni* Speidel,2003 **Range (in code):** **PH Pan Neg**
- 74949. *Eoparagyraetis florldalis* Lange,1956** (Pyrilidae) **Synonym(s):** *florldalis* Lange,1956
Range (in code): **US Fl**
- 74950. *Eoparagyraetis irroratalis* (Dyar,1917)** (Pyrilidae) **Synonym(s):** *irroratalis* Dyar,1917
Range (in code): **US Fl**
- 74951. *Eoparagyrytis plevie* (Dyar,1917)** (Pyrilidae) **Synonym(s):** *plevie* Dyar,1917 **Range (in code):** **MX US NCa**

- 74952. *Epacternis bicoloralis* Leraut,2013** (Pyralidae) Synonym(s): *bicoloralis* Leraut,2013
Range (in code): **CI**
- 74953. *Epacternis porphyraspis* Meyrick,1933** (Pyralidae) Synonym(s): *porphyraspis* Meyrick,1933
Range (in code):
- 74954. *Epactotena octogenalis* (Lederer,1863)** (Pyralidae) Synonym(s): *octogenalis* Lederer,1863.
Original Reference: Metasia octogenalis Lederer,1863, Wien. ent. Monatschr. 7: 421, 481, Taf. 15 fig.10. Type ♂: Syrien. Range (in code): **TR IR Ahz Ha JO IQ Ssa Dia Mos Ry Shq IL Pa Js Hf CY**
- 74955. *Epascestria argyrostacta* (Hampson,1910)** (Pyralidae) Synonym(s): *argyrostacta* Hampson,1910
Range (in code): **ZA**
- 74956. *Epascestria croesusalis* (Hampson,1913)** (Pyralidae) Synonym(s): *croesusalis* Hampson,1913
Range (in code): **ZA Nta Kzu**
- 74957. *Epascestria distictalis* (Hampson,1913)** (Pyralidae) Synonym(s): *distictalis* Hampson,1913
Range (in code): **ZA**
- 74958. *Epascestria euprepialis* (Hampson,1913)** (Pyralidae) Synonym(s): *euprepialis* Hampson,1913; *iotaenialis* Gaede,1917
Range (in code): **ZW Har ZA Tva Lpo**
- 74959. *Epascestria microdentalis* (Hampson,1913)** (Pyralidae) Synonym(s): *microdentalis* Hampson,1913
Range (in code): **ZA**
- 74960. *Epascestria pictalis* (Hampson,1913)** (Pyralidae) Synonym(s): *pictalis* Hampson,1913
Range (in code): **ZA Cto**
- 74961. *Epascestria pustulalis* (Hübner,[1823])** (Pyralidae) Synonym(s): *pustulalis* Hübner,[1823]; *orientalis* Caradja,1916
Original Reference: Pyralis pustulalis Hübner,[1823], Samml. eur. Schmett. 6, Pyralides: Tab.30 figs.191,192 Syntypes: Europa. Range (in code): **ES IT LU DE AT PL CZ SK HU RO YU BG GR Rd Cr TR LB Bei IQ Hjo Cc AM Eri AZ Kir SE LV LT RU MD UA BY IR Elb Th Kdj IL Pa Hf AF Pag**
Bionomy: Larva mines in Anchusa officinalis, Echium (Boraginaceae) (Wiltshire,1957; Parenti,2000).
- 74962. *Ephedrophila algerialis* (Hampson,1900)** (Pyralidae) Synonym(s): *algerialis* Hampson,1900
Original Reference: Ulotricha algerialis Hampson,1900, Trans. ent. Soc. London 1900: 377. Type: Algeria, Biskra. Range (in code): **DZ Gle Onç Bsk**
- 74963. *Ephedrophila jordanalis* (Rebel,1902)** (Pyralidae) Synonym(s): *jordanalis* Rebel,1902; *constantialis* Hampson,1906.
Original Reference: Lepidogma jordanalis Rebel,1902, Dt. ent. Z., Iris 15: 100, Taf.4 fig.2. Type ♂: Jordantal. Range (in code): **IL Pa Jt JO EG EG61**
- 74964. *Ephedrophila lucasi* (Mabille,1907)** (Pyralidae) Synonym(s): *lucasi* Mabille,1907
Original Reference: Ulotricha lucasi Mabille,1907, Bull. Soc. ent. Fr. 1907: 308. Syntypes ♂♀: Tunisie. Range (in code): **TN MA**
- 74965. *Ephelis cruentalis* (Geyer,[1832])** (Pyralidae) Synonym(s): *cruentalis* Geyer,[1832]; *bourjotalis* Duponchel,1833; *badialis* Treitschke,1835
Original Reference: Uresiphita cruentalis Geyer,[1832], [in] Hübner, Zuträge Samml. exot. Schmett. 4: 29, pl.[124], figs. 721,722. Range (in code): **FR Si IT YU BG GR Rd Cr TR LB Cc GG Tbl Mng Lag AM AZ IL Pa Hf EG IR Fa Sse Elb Th Kdj Nss Kdv Gor Kh IQ Ry Shq AF Adr Shv Kab KG Slu Syr**
- 74966. *Ephestia (Anagasta) abnormalella* (Ragonot,1887)** (Pyralidae) Synonym(s): *abnormalella* Ragonot,1887; *alphitopis* Meyrick,1937.
Range (in code): **IQ Ry AF Kab IR Fa UZ Man**
- 74967. *Ephestia (Anagasta) cypriusella* Roesler,1965** (Pyralidae) Synonym(s): *cypriusella* Roesler,1965
Original Reference: Ephestia (Anagasta) cypriusella Roesler,1965, Inaug.-Diss. Saarbrücken 1965: 118. Holotype ♂: Cyprus: Prodromos (LNK). Range (in code): **GR CY TR LB Bei**
- 74968. *Ephestia (Anagasta) gilvella* Roesler,1970** (Pyralidae) Synonym(s): *gilvella* Roesler,1970
Range (in code): **AF Pic IR Elb Th**
- 74969. *Ephestia (Anagasta) kuehniella* Zeller,1879** (Pyralidae) Synonym(s): *kuehniella* Zeller,1879; *fuscofasciella* Ragonot,1887; *gitoniella* Druce,1896; *lunella* Noel,1904; *ischnomorpha* Meyrick,1931; *#kueniella* Hutacharern & Tubtim,1995
Original Reference: Ephestia kuehniella Zeller,1879, Stettin ent. Ztg. 40: 466. Lectotype ♂: Deutschland: Halle (Roesler,1973: 618). Range (in code): **DZ Hdr MA TN Cn LY PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR CY IL Hf Pa LB EG Sk DK NO SE FI EE LV LT RU MD UA BY IR IQ AF Ch SA CN Kgs JP TH TW MX NZ AU ZA**
Bionomy: Larva on stored cereals, cereal products, stored nuts, dried fruits (Parenti,2000).
- 74970. *Ephestia (Anagasta) welseriella* (Zeller,1848)** (Pyralidae) Synonym(s): *welseriella* Zeller,1848; *modestella* Lederer,1863; *tephrinella* Lederer,1870; *rhenanella* Fuchs,1877; *suffusella* Ragonot,1901; *immodestella* Rebel,1916; *superbella* Lucas,1954; *capricola* Hampson,1927.
Original Reference: Myelois

- welseriella Zeller, 1848, Isis 1848: 673. Type(s): Ragusa. Range (in code): **LY Cy DZ MA TN Gf PT ES Mu FR Co Sa Si IT MT DE CH AT HU RO YU HV MK AL BG GR Cr TR IL Hf Pa LB Bsa Bei RU Cc GG AM AZ IR Mz Elb** Bionomy: Larva on *Allium cupani*, *A. flavum*, *A. roseum* (Liliaceae) (Chrétien, 1917).
- 74971. Ephestia (s.str.) cahiritella Zeller, 1867** (Pyralidae) Synonym(s): *cahiritella* Zeller, 1867 Range (in code): **PH Luz**
- 74972. Ephestia (s.str.) disparella Hampson, 1901** (Pyralidae) Synonym(s): *disparella* Hampson, 1901; *rectifasciella* Turati, 1913; *semicostella* Turati, 1934. Original Reference: *Ephestia disparella* Hampson, 1901, [in] Romanoff, Mém. lépid. 8: 298, pl. 34 fig. 25. Type ♂: [Turquie]: Bursa (NMW). Range (in code): **Cn MA DZ TN Gf LY Cy PT ES An Mu FR Co Sa IT YU HV MK B-H AL BG GR Cr TR Cc LB Bsa Bro Bmm IL Hf Js Jt Pa SY Dms**
- 74973. Ephestia (s.str.) elutella (Hübner, 1796)** (Pyralidae) Synonym(s): *elutella* Hübner, 1796; *semirufa* Haworth, 1811; *rufa* Haworth, 1811; *angusta* Haworth, 1811; *sericarium* Scott, 1859; *roxburghii* Gregson, 1873; *infumatella* Ragonot, 1887; *affusella* Ragonot, 1888; *icosiella* Ragonot, 1888; *amarella* Dyar, 1904; *pterogrisella* Roesler, 1965 Original Reference: *Tinea elutella* Hübner, 1796, Samml. eur. Schmett. 8, Tineae: Tab. 24 fig. 163. Type(s): Europa. Range (in code): **Md Cn MA DZ Anna TN LY Cy PT ES B-I FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU HV AL BG GR Cr TR Cc YE EG SD SA IL JO IR CY TM Kp IQ Amr DK NO SE FI EE LV LT RU MD UA BY KG Uk AF PK Ch NP CN KP KR JP TH TW AU ZA** Bionomy: Larva on stored cereals, dried fruits, nuts, oilseeds, tobacco (Parenti, 2000).
- 74974. Ephestia (s.str.) inquietella Zerny, 1932** (Pyralidae) Synonym(s): *inquietella* Zerny, 1932 Range (in code): **MA DZ ES An**
- 74975. Ephestia (s.str.) mistralella (Millière, 1874)** (Pyralidae) Synonym(s): *mistralella* Millière, 1874; *moebiusi* Rebel, 1906; *metoenella* Zerny, 1927. Range (in code): **MA PT ES Mu FR Co DE DK NO SE FI EE TR**
- 74976. Ephestia (s.str.) parasitella Staudinger, 1859** (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955. Range (in code): **MA DZ Eba PT ES** Bionomy: Larva on dried vegetable matter (Parenti, 2000).
- 74977. Ephestia (s.str.) parasitella parasitella Staudinger, 1859** (Pyralidae) Synonym(s): *parasitella* Staudinger, 1859; *bimaculella* Lucas, 1955. Range (in code): **MA DZ Eba PT ES**
- 74978. Ephestia (s.str.) unicolorella Staudinger, 1881** (Pyralidae) Synonym(s): *unicorella* Staudinger, 1881; *personata* Gerasimov, 1930; *intermediella* Amsel, 1961. Original Reference: *Ephestia unicolorella* Staudinger, 1881, Horae Soc. ent. ross. 16: 89. Syntypes 1♂ 4♀: [Türkei]: "Amasia" (leg. Johann). Range (in code): **FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG GR Cr CY TR RU Or IR Elb Th Fa Cc AZ Kir AF Bm Srb IL Hf Pa Js LB Bei Bsa SY Dms KG Uk**
- 74979. Ephestia (s.str.) woodiella Richards & Thomson, 1932** (Pyralidae) Synonym(s): *woodiella* Richards & Thomson, 1932 Range (in code): **PT ES FR GB BE NL DE CZ SK HU AT CH Sa Si IT YU GR RO MA DZ TN**
- 74980. Ephestiopsis bipunctalis (Hampson, 1896)** (Pyralidae) Synonym(s): *bipunctalis* Hampson, 1896 Range (in code): **BT ID Sum**
- 74981. Ephestiopsis brahma Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *brahma* Roesler & Küppers, 1981 Range (in code): **ID Sum**
- 74982. Ephestiopsis oenobarella (Meyrick, 1879)** (Pyralidae) Synonym(s): *oenobarella* Meyrick, 1879 Range (in code): **AU ID Sum**
- 74983. Ephestiopsis shiva Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *shiva* Roesler & Küppers, 1981 Range (in code): **ID Sum**
- 74984. Ephestiopsis vishnu Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *vishnu* Roesler & Küppers, 1981 Range (in code): **ID Sum**
- 74985. Ephormotris octopis Meyrick, 1933** (Pyralidae) Synonym(s): *octopis* Meyrick, 1933 Range (in code): **MY**
- 74986. Epichalcia amasiella Roesler, 1969** (Pyralidae) Synonym(s): *amasiella* Roesler, 1969 Range (in code): **TR**
- 74987. Epichilo irroralis (Hampson, 1919)** (Pyralidae) Synonym(s): *irroralis* Hampson, 1919 Range (in code): **KE**
- 74988. Epichilo parvellus Ragonot, 1888** (Pyralidae) Synonym(s): *parvellus* Ragonot, 1888 Range (in code): **IN**

- 74989. *Epichilo vartianae* Bleszynski,1965** (Pyralidae) Synonym(s): *vartianae* Bleszynski,1965
Original Reference: *Epichilo vartianae* Bleszynski,1965, *Microlepidoptera Palaearctica* 1: 160, figs. Holotype ♂: Pakistan: Karachi: Flughafen. Range (in code): PK Sd Krc IN
- 74990. *Epicorsia avilalis* Amsel,1954** (Pyralidae) Synonym(s): *avilalis* Amsel,1954 Range (in code): VE
- 74991. *Epicorsia catarinalis* Munroe,1958** (Pyralidae) Synonym(s): *catarinalis* Munroe,1958
Range (in code): BR
- 74992. *Epicorsia cerata* (Fabricius,1795)** (Pyralidae) Synonym(s): *cerata* Fabricius,1795
Range (in code): VI
- 74993. *Epicorsia chiapalis* Munroe,1958** (Pyralidae) Synonym(s): *chiapalis* Munroe,1958
Range (in code): MX
- 74994. *Epicorsia chicalis* Munroe,1978** (Pyralidae) Synonym(s): *chicalis* Munroe,1978 Range (in code): BZ
- 74995. *Epicorsia lucialis* Munroe,1958** (Pyralidae) Synonym(s): *lucialis* Munroe,1958 Range (in code): EC
- 74996. *Epicorsia lucialis baezalis* Munroe,1958** (Pyralidae) Synonym(s): *baezalis* Munroe,1958
Range (in code): EC
- 74997. *Epicorsia lucialis lucialis* Munroe,1958** (Pyralidae) Synonym(s): *lucialis* Munroe,1958
Range (in code):
- 74998. *Epicorsia mellinalis* Hübner,1818** (Pyralidae) Synonym(s): *mellinalis* Hübner,1818
Range (in code): BR
- 74999. *Epicorsia oedipodalis* (Guenée,1854)** (Pyralidae) Synonym(s): *oedipodalis* Guenée,1854;
butyrota Butler,1878 Range (in code): JM HT
- 75000. *Epicorsia parambalis* Munroe,1958** (Pyralidae) Synonym(s): *parambalis* Munroe,1958
Range (in code): EC
- 75001. *Epicrocis abbreviata* (Balinsky,1994)** (Pyralidae) Synonym(s): *abbreviata* Balinsky,1994
Range (in code): ZA Ly Lpo Tva
- 75002. *Epicrocis africanella* Ragonot,1888** (Pyralidae) Synonym(s): *africanella* Ragonot,1888
Range (in code): ZA
- 75003. *Epicrocis albigeralis* (Walker,1865)** (Pyralidae) Synonym(s): *albigeralis* Walker,1865;
varii Balinsky,1991 Range (in code): ZA
- 75004. *Epicrocis ancylosiformis* (Balinsky,1994)** (Pyralidae) Synonym(s): *ancylosiformis*
Balinsky,1994 Range (in code): ZA Tva Mwe
- 75005. *Epicrocis anthracanthes* Meyrick,1934** (Pyralidae) Synonym(s): *anthracanthes*
Meyrick,1934 Range (in code): CY
- 75006. *Epicrocis arcana* (Balinsky,1994)** (Pyralidae) Synonym(s): *arcana* Balinsky,1994
Range (in code): ZA Ec Elo
- 75007. *Epicrocis brevipalpata* (Balinsky,1994)** (Pyralidae) Synonym(s): *brevipalpata*
Balinsky,1994 Range (in code): ZA Ec Elo
- 75008. *Epicrocis brevipalpata brevipalpata* (Balinsky,1994)** (Pyralidae) Synonym(s):
brevipalpata Balinsky,1994 Range (in code): ZA Ec Elo
- 75009. *Epicrocis complicata* (Balinsky,1994)** (Pyralidae) Synonym(s): *complicata* Balinsky,1994
Range (in code): ZA Ec NA
- 75010. *Epicrocis complicata complicata* (Balinsky,1994)** (Pyralidae) Synonym(s):
complicata Balinsky,1994 Range (in code): ZA Ec NA
- 75011. *Epicrocis corielloides* (Balinsky,1994)** (Pyralidae) Synonym(s): *corielloides*
Balinsky,1994 Range (in code): ZW ZA Tva Gau Pre Slpp
- 75012. *Epicrocis corielloides corielloides* (Balinsky,1994)** (Pyralidae) Synonym(s):
corielloides Balinsky,1994 Range (in code): ZW ZA Tva Gau Pre Slpp
- 75013. *Epicrocis crassa* (Balinsky,1994)** (Pyralidae) Synonym(s): *crassa* Balinsky,1994
Range (in code): ZA Wca Cto
- 75014. *Epicrocis crassa crassa* (Balinsky,1994)** (Pyralidae) Synonym(s): *crassa* Balinsky,1994
Range (in code): ZA Wca Cto
- 75015. *Epicrocis ferrealis* (Hampson,1898)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1898
Range (in code): ZA Tva Fs Mdp Buf Gau Pre Kzu Nta Ktz
- 75016. *Epicrocis ferrealis ferrealis* (Hampson,1898)** (Pyralidae) Synonym(s): *ferrealis*
Hampson,1898 Range (in code): ZA Tva Fs Mdp Buf Gau Pre Kzu Nta Ktz

- 75017. *Epicrocis festivella* Zeller, 1848** (Pyralidae) Synonym(s): *festivella* Zeller, 1848; *ratoalis* Walker, 1859; *albigeralis* Walker, 1865; *tinealella* Walker, 1866; *joannisella* Ragonot, 1888 Original Reference: *Epicrocis festivella* Zeller, 1848, Isis 1848: 878. Type: [Indonesia]: Java. Range (in code): **AC LK IN ID Ja Sum MY TW ZA MG ZW TZ SD YE Ad PK Pj Ass Nag Meg Khs BT**
- 75018. *Epicrocis flavicosta* (Balinsky, 1994)** (Pyralidae) Synonym(s): *flavicosta* Balinsky, 1994 Range (in code): **ZA Tva Gau Pre Jh Buf Kzu Nta NA ZW Vf**
- 75019. *Epicrocis flavicosta flavicosta* (Balinsky, 1994)** (Pyralidae) Synonym(s): *flavicosta* Balinsky, 1994 Range (in code): **ZA Tva Gau Pre Jh Buf Kzu Nta NA ZW Vf**
- 75020. *Epicrocis furcilinea* (Balinsky, 1994)** (Pyralidae) Synonym(s): *furcilinea* Balinsky, 1994 Range (in code): **ZA Tva Mpu Brb**
- 75021. *Epicrocis furcilinea furcilinea* (Balinsky, 1994)** (Pyralidae) Synonym(s): *furcilinea* Balinsky, 1994 Range (in code): **ZA Tva Mpu Brb**
- 75022. *Epicrocis gracilis* (Balinsky, 1994)** (Pyralidae) Synonym(s): *gracilis* Balinsky, 1994 Range (in code): **NA Abc ZW Umv ZA Ec Stj**
- 75023. *Epicrocis gracilis gracilis* (Balinsky, 1994)** (Pyralidae) Synonym(s): *gracilis* Balinsky, 1994 Range (in code): **NA Abc ZW Umv ZA Ec Stj**
- 75024. *Epicrocis hilarella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *hilarella* Ragonot, 1888 Original Reference: *Oligochroa hilarella* Ragonot, 1888, Nouv. gen. esp. Phyt.: 22. Type: Hong Kong (ZMHUB). Range (in code): **PK Haz Mre LK CN JP TW SI IN Hp Sml Ass Meg Nag Khs Hn MM ID Sum Ja Bli**
- 75025. *Epicrocis holophaea* (Hampson, 1926)** (Pyralidae) Synonym(s): *holophaea* Hampson, 1926 Range (in code): **ZA**
- 75026. *Epicrocis imitans* (Balinsky, 1994)** (Pyralidae) Synonym(s): *imitans* Balinsky, 1994 Range (in code): **ZA Fs Blo**
- 75027. *Epicrocis imitans imitans* (Balinsky, 1994)** (Pyralidae) Synonym(s): *imitans* Balinsky, 1994 Range (in code): **ZA Fs Blo**
- 75028. *Epicrocis insolita* (Balinsky, 1994)** (Pyralidae) Synonym(s): *insolita* Balinsky, 1994 Range (in code): **ZA Wca Cto Nta Kzu**
- 75029. *Epicrocis insolita insolita* (Balinsky, 1994)** (Pyralidae) Synonym(s): *insolita* Balinsky, 1994 Range (in code): **ZA Wca Cto Nta Kzu**
- 75030. *Epicrocis intermedia* (Balinsky, 1994)** (Pyralidae) Synonym(s): *intermedia* Balinsky, 1994 Range (in code): **ZA Tva Mwe**
- 75031. *Epicrocis intermedia intermedia* (Balinsky, 1994)** (Pyralidae) Synonym(s): *intermedia* Balinsky, 1994 Range (in code): **ZA Tva Mwe**
- 75032. *Epicrocis laticostella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *laticostella* Ragonot, 1888 Range (in code): **ZA Tva Gau Pre**
- 75033. *Epicrocis laticostella laticostella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *laticostella* Ragonot, 1888 Range (in code): **ZA Tva Gau Pre**
- 75034. *Epicrocis metallopa* (Lower, 1898)** (Pyralidae) Synonym(s): *metallopa* Lower, 1898 Range (in code): **AU**
- 75035. *Epicrocis nigricans* (Ragonot, 1888)** (Pyralidae) Synonym(s): *nigricans* Ragonot, 1888 Range (in code): **ZA Nta Kzu Em**
- 75036. *Epicrocis nigricans nigricans* (Ragonot, 1888)** (Pyralidae) Synonym(s): *nigricans* Ragonot, 1888 Range (in code): **ZA Nta Kzu Em**
- 75037. *Epicrocis nigrilinea* (Joannis, 1927)** (Pyralidae) Synonym(s): *nigrilinea* Joannis, 1927 Range (in code): **ZA**
- 75038. *Epicrocis nigrinella* (Balinsky, 1994)** (Pyralidae) Synonym(s): *nigrinella* Balinsky, 1994 Range (in code): **NA ZA Ec**
- 75039. *Epicrocis nigrinella nigrinella* (Balinsky, 1994)** (Pyralidae) Synonym(s): *nigrinella* Balinsky, 1994 Range (in code): **NA ZA Ec**
- 75040. *Epicrocis noncapillata* (Balinsky, 1994)** (Pyralidae) Synonym(s): *noncapillata* Balinsky, 1994 Range (in code): **ZA Fs Mdp**
- 75041. *Epicrocis noncapillata noncapillata* (Balinsky, 1994)** (Pyralidae) Synonym(s): *noncapillata* Balinsky, 1994 Range (in code): **ZA Fs Mdp**
- 75042. *Epicrocis ornata* (Balinsky, 1994)** (Pyralidae) Synonym(s): *ornata* Balinsky, 1994 Range (in code): **NA Abc ZA Gau Pre Tva Lpo Pot**

- 75043. *Epicrocis ornata ornata* (Balinsky,1994)** (Pyralidae) Synonym(s): *ornata* Balinsky,1994
Range (in code): **NA Abc ZA Gau Pre Tva Lpo Pot**
- 75044. *Epicrocis ornatella* (Balinsky,1994)** (Pyralidae) Synonym(s): *ornatella* Balinsky,1994
Range (in code): **NA Abc**
- 75045. *Epicrocis ornatella ornatella* (Balinsky,1994)** (Pyralidae) Synonym(s): *ornatella* Balinsky,1994
Range (in code): **NA Abc**
- 75046. *Epicrocis piliferella* (Ragonot,1888)** (Pyralidae) Synonym(s): *piliferella* Ragonot,1888
Range (in code): **ZA**
- 75047. *Epicrocis plumbifasciata* (Balinsky,1994)** (Pyralidae) Synonym(s): *plumbifasciata* Balinsky,1994
Range (in code): **ZA Gau Pre Tva Nbs Ec**
- 75048. *Epicrocis plumbifasciata plumbifasciata* (Balinsky,1994)** (Pyralidae) Synonym(s): *plumbifasciata* Balinsky,1994
Range (in code): **ZA Gau Pre Tva Nbs Ec**
- 75049. *Epicrocis pseudodiscomaculella* (Amsel,1935)** (Pyralidae) Synonym(s): *pseudodiscomaculella* Amsel,1935; *candiopella* Amsel,1961
Range (in code): **ET Hrr IL Pa JO IR Fa SA SA63 IQ Mos AE**
- 75050. *Epicrocis pseudonatalensis* (Balinsky,1994)** (Pyralidae) Synonym(s): *pseudonatalensis* Balinsky,1994
Range (in code): **ZA Nta Kzu Umk**
- 75051. *Epicrocis pseudonatalensis pseudonatalensis* (Balinsky,1994)** (Pyralidae) Synonym(s): *pseudonatalensis* Balinsky,1994
Range (in code): **ZA Nta Kzu Umk**
- 75052. *Epicrocis punctata* (Balinsky,1994)** (Pyralidae) Synonym(s): *punctata* Balinsky,1994
Range (in code): **ZA Nta Kzu Tva Lpo Nyl Nha**
- 75053. *Epicrocis punctata punctata* (Balinsky,1994)** (Pyralidae) Synonym(s): *punctata* Balinsky,1994
Range (in code): **ZA Nta Kzu Tva Lpo Nyl Nha**
- 75054. *Epicrocis sacculata* (Balinsky,1994)** (Pyralidae) Synonym(s): *sacculata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 75055. *Epicrocis sacculata sacculata* (Balinsky,1994)** (Pyralidae) Synonym(s): *sacculata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 75056. *Epicrocis safadalis* (Asselbergs,2008)** (Pyralidae) Synonym(s): *safadalis* Asselbergs,2008
Range (in code): **AE**
- 75057. *Epicrocis saturatella* Mabilie,1879** (Pyralidae) Synonym(s): *saturatella* Mabilie,1879
Range (in code): **ZA**
- 75058. *Epicrocis siderella* (Ragonot,1888)** (Pyralidae) Synonym(s): *siderella* Ragonot,1888
Range (in code): **ZA**
- 75059. *Epicrocis spiculata* (Balinsky,1994)** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre Nta Kzu Umk ZW**
- 75060. *Epicrocis spiculata spiculata* (Balinsky,1994)** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre Nta Kzu Umk ZW**
- 75061. *Epicrocis stibiella* (Snellen,1872)** (Pyralidae) Synonym(s): *stibiella* Snellen,1872
Range (in code): **ZA**
- 75062. *Epicrocis striaticosta* (Joannis,1927)** (Pyralidae) Synonym(s): *striaticosta* Joannis,1927
Range (in code): **ZA**
- 75063. *Epicrocis vansoni* (Balinsky,1994)** (Pyralidae) Synonym(s): *vansoni* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 75064. *Epicrocis vansoni vansoni* (Balinsky,1994)** (Pyralidae) Synonym(s): *vansoni* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 75065. *Epicrocis vicinella* (Joannis,1927)** (Pyralidae) Synonym(s): *vicinella* Joannis,1927
Range (in code): **ZA**
- 75066. *Epiecia externella* Walker,1866** (Pyralidae) Synonym(s): *externella* Walker,1866
Range (in code): **AU**
- 75067. *Epiepischnia keredjella* Amsel,1954** (Pyralidae) Synonym(s): *keredjella* Amsel,1954
Range (in code): **IR Elb Kdj**
- 75068. *Epiepischnia minimella* Asselbergs,2008** (Pyralidae) Synonym(s): *minimella* Asselbergs,2008
Range (in code): **AE**
- 75069. *Epiepischnia pseudolydella* Amsel,1954** (Pyralidae) Synonym(s): *pseudolydella* Amsel,1954
Original Reference: *Epiepischnia pseudolydella* Amsel,1954, Ark. Zool. 6 (16): 308-309, Pls., figs. Holotype ♂: Iran: [Fars]: Sine-Sefid. Range (in code): **TR IQ Shq Hjo IR Fa Sse Elb Th Kdj**

- 75070. *Epilepia melanobasis* (Hampson,1906)** (Pyralidae) Synonym(s): *melanobasis* Hampson,1906 _ Range (in code): ZA
- 75071. *Epilepia melanobrunnea* (Janse,1922)** (Pyralidae) Synonym(s): *melanobrunnea* Janse,1922 _ Range (in code): ZA
- 75072. *Epilepia melanosparsalis* (Janse,1922)** (Pyralidae) Synonym(s): *melanosparsalis* Janse,1922; *confusa* Janse,1922 _ Range (in code): ZA
- 75073. *Epimetasia abbasalis* Amsel,1974** (Pyralidae) Synonym(s): *abbasalis* Amsel,1974
Original Reference: *Epimetasia abbasalis* Amsel,1974, Beitr. naturk. Forsch. SüdwDtl. 33: 197-198, Abb. 1a, Abb. 2 fig.4. Holotype ♀: Iran: S-Iran: Issin 240m, 5.4.1973, *Periploca aphylla*-Steppe leg. H.G.Amsel (LNK). Range (in code): IR Ss B-A
- 75074. *Epimetasia albalis* Amsel,1959** (Pyralidae) Synonym(s): *albalis* Amsel,1959 Original Reference: *Epimetasia albalis* Amsel,1959, Bull. Soc. ent. Egypte 43: 54, Taf.iii fig.5. Holotype ♂: Iraq: Shaqlawa, 30.9.1953 Wiltshire leg. Range (in code): IQ Shq
- 75075. *Epimetasia eoa* (Meyrick,1936)** (Pyralidae) Synonym(s): *eo*a Meyrick,1936 Original Reference: *Neoschoenobia eoa* Meyrick,1936, Exot. Microlepid. 5: 28. Type ♂: Iraq: Rayat, July (E.P.Wiltshire leg. & coll.). Range (in code): IR Ha Adv IQ Ry Shq Ssa Er TR
- 75076. *Epimetasia gregori* Amsel,1970** (Pyralidae) Synonym(s): *gregori* Amsel,1970 _ Range (in code): AF BdA Shv Bd Adr Pnj Pag Gbh Srb
- 75077. *Epimetasia gregori gregori* Amsel,1970** (Pyralidae) Synonym(s): *gregori* Amsel,1970
Range (in code): AF BdA Shv Bd Adr
- 75078. *Epimetasia gregori gulbaharalis* Amsel,1970** (Pyralidae) Synonym(s): *gulbaharalis* Amsel,1970 _ Range (in code): AF Gbh Srb
- 75079. *Epimetasia gregori panjaoalis* Amsel,1970** (Pyralidae) Synonym(s): *panjaoalis* Amsel,1970 _ Range (in code): AF Pnj Pag
- 75080. *Epimetasia monotona* (Amsel,1953)** (Pyralidae) Synonym(s): *monotona* Amsel,1953
Range (in code): MR
- 75081. *Epimetasia rufoarenalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *rufoarenalis* Rothschild,1913 Original Reference: *Calamochrous rufoarenalis* Rothschild,1913, Novit. zool. 20: 140. Syntypes 2♀: [Algeria]: "north of Ain Guettara". Range (in code): DZ Gtt
- 75082. *Epimetasia vestalis* (Ragonot,1894)** (Pyralidae) Synonym(s): *vestalis* Ragonot,1894; *vestalis* Hampson,1900; *rubrilinealis* Zerny,1939. Original Reference: *Metasiodes vestalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 173. Type ♂: [Turkey]: Mardin. Range (in code): TR IR Elb Mz
- 75083. *Epina alleni* (Fernald,1888)** (Pyralidae) Synonym(s): *alleni* Fernald,1888 _ Range (in code): MX
- 75084. *Epina dichromella* Walker,1866** (Pyralidae) Synonym(s): *dichromella* Walker,1866; *differentialis* Fernald,1888 _ Range (in code): US FI
- 75085. *Epipagis miltochristalis* (Hampson,1896)** (Pyralidae) Synonym(s): *miltochristalis* Hampson,1896 _ Range (in code): IN MM MY Bor ID TW AU
- 75086. *Epipagis roseocinctalis* (Hampson,1913)** (Pyralidae) Synonym(s): *roseocinctalis* Hampson,1913 _ Range (in code): ZA
- 75087. *Epipagis setinalis* Hampson,1918** (Pyralidae) Synonym(s): *setinalis* Hampson,1918
Range (in code): TW
- 75088. *Epiparthia constituta* Roesler,1989** (Pyralidae) Synonym(s): *constituta* Roesler,1989.
Original Reference: *Epiparthia constituta* Roesler,1989, Ent. Z., Frankf. a. M. 99: 2-5, Abb.1. Holotype ♂: Iran:Anbar-Abad (Djiroft) (LNK). Range (in code): IR Ss Fa Th IL Jer Pa JO AF Ca PK Bl Qu
- 75089. *Epiparthia dattinella* (Ragonot,1887)** (Pyralidae) Synonym(s): *dattinella* Ragonot,1887; *hampsoniella* Lucas,1909; *#dattinelle* Caradja,1910; *dilutalis* Rothschild,1913 _ Range (in code): MA DZ Bsk Ah Gf TN LY Cy IL Jer Pa Bionomy: Larva on *Reaumuria vermiculata* (Tamaricaceae) (Chrétien,1917).
- 75090. *Epiparthia rebeli* Roesler,1989** (Pyralidae) Synonym(s): *rebeli* Roesler,1989 Original Reference: *Epiparthia rebeli* Roesler,1989, Ent. Z., Frankf. a. M. 99: 6-9, Abb.5. Holotype ♂: Aegypten: Dakhla Oasis (NHMW). Range (in code): EG
- 75091. *Epiparthia simplicialis* (Rothschild,1921)** (Pyralidae) Synonym(s): *simplicialis* Rothschild,1921; *pallens* Amsel,1935. Original Reference: *Dattinia simplicialis* Rothschild,1921, J.

- Bombay Nat. Hist. Soc. 28: 177. Holotype ♂: Iraq: Amara, R. Tigris (BMNH). Range (in code): IQ Amr Bsr IR Th
- 75092. *Epiparthia vasta* Amsel, 1935** (Pyralidae) Synonym(s): *vasta* Amsel, 1935 Original Reference: *Epiparthia vasta* Amsel, 1935, Veröff. dt. Kolon. u. berseeMus. Bremen 1: 216, pl. 11 fig. 5. Holotype ♂: [Israel]: Jericho (LNK). Range (in code): IL Jer Pa
- 75093. *Epischidia albunculella* (Staudinger, 1879)** (Pyralidae) Synonym(s): *albunculella* Staudinger, 1879; *rhectogramma* Meyrick, 1937; *albunculella* Ragonot, 1901 Original Reference: *Myelois albunculella* Staudinger, 1879, Horae Soc. ent. ross. 15: 213-214. Syntypes 2♂♂: [Türkei]: Amasia: Kerasdere. Range (in code): TR IQ Ry IR Fa Mz Elb Pdv Plr Dam TM Kp
- 75094. *Epischnia adultella* Zeller, 1848** (Pyralidae) Synonym(s): *adultella* Zeller, 1848; *mongolica* Amsel, 1954 Original Reference: *Epischnia adultella* Zeller, 1848, Isis 1848: 739-740. Type ♂: "Caucasus" (Metzner coll.). Range (in code): TR CN Ui Ku MN U-B TM Kp Cc AM Da RU IR Elb Kdv
- 75095. *Epischnia albella* Amsel, 1953** (Pyralidae) Synonym(s): *albella* Amsel, 1953 Range (in code): EG IL Pa Jer AE
- 75096. *Epischnia alfacarella* Amsel, 1953** (Pyralidae) Synonym(s): *alfacarella* Amsel, 1953 Range (in code): ES
- 75097. *Epischnia ampliata* Heinemann, 1864** (Pyralidae) Synonym(s): *ampliata* Heinemann, 1864; *gregariella* Erschoff, 1877; *zophodiella* Ragonot, 1887 Range (in code): FR IT GR RU Am Ir
- 75098. *Epischnia asteris* Staudinger, 1870** (Pyralidae) Synonym(s): *asteris* Staudinger, 1870 Range (in code): FR IL TR
- 75099. *Epischnia asteriscella* (Millière, 1873)** (Pyralidae) Synonym(s): *asteriscella* Millière, 1873 Range (in code): FR Si IT
- 75100. *Epischnia banksiella* Richardson, 1888** (Pyralidae) Synonym(s): *banksiella* Richardson, 1888 Range (in code): GB
- 75101. *Epischnia castillella* Ragonot, 1894** (Pyralidae) Synonym(s): *castillella* Ragonot, 1894 Range (in code): ES
- 75102. *Epischnia christophori* Ragonot, 1887** (Pyralidae) Synonym(s): *christophori* Ragonot, 1887; *#chrystophori* Noack, 1960. Original Reference: *Epischnia christophori* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Syntypes: [Turkey]: Kazikoparan; [Turkmenistan]: Nuchur. Range (in code): Cc TR TM Kp IR LB Bei
- 75103. *Epischnia cretaciella* Mann, 1869** (Pyralidae) Synonym(s): *cretaciella* Mann, 1869; *demartinella* Turati, 1922. Original Reference: *Epischnia cretaciella* Mann, 1869, Verh. zool.-bot Ges. Wien 19: 380. Range (in code): YU GR RU TR Cc IL Pa IR Elb Kdj Fa Com Sse JO Cy LY
- 75104. *Epischnia cuculliella* Ragonot, 1887** (Pyralidae) Synonym(s): *cuculliella* Ragonot, 1887 Range (in code): YU RU Sr MD UA BY KG Uk TR Cc AZ Nv Ord IR Elb Kdv Dam Mz
- 75105. *Epischnia glyphella* Ragonot, 1887** (Pyralidae) Synonym(s): *glyphella* Ragonot, 1887 Original Reference: *Epischnia glyphella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Type: Russia: Sarepta. Range (in code): RU
- 75106. *Epischnia illotella* Zeller, 1839** (Pyralidae) Synonym(s): *illotella* Zeller, 1839 Original Reference: *Epischnia illotella* Zeller, 1839, Isis 1839: 178. Type(s): Sicilia. Range (in code): DZ Bsk Ges TN Gf PT ES Mu FR Co Sa Si IT MT DE SK RO YU MK AL GR Cr RU MD UA BY TR KG Uk CY IL Pa LB Bsa Bmm EG Bionomy: Larva on *Asteriscus*, *Inula viscosa* (Asteraceae) (Chrétien, 1917; et seq.).
- 75107. *Epischnia irraralis* (Hampson, 1908)** (Pyralidae) Synonym(s): *irraralis* Hampson, 1908 Range (in code): IN
- 75108. *Epischnia leucoloma* (Herrich-Schäffer, [1849])** (Pyralidae) Synonym(s): *leucoloma* Herrich-Schäffer, [1849] Original Reference: *Epischnia leucoloma* Herrich-Schäffer, [1849], Syst. Bearb. Schmett. Eur. 4: 89, fig. 126. Type(s): Türkei. Range (in code): ES IT YU GR TR RU CY LB Bei AM Cc EG
- 75109. *Epischnia leucomixtella* Ragonot, 1887** (Pyralidae) Synonym(s): *leucomixtella* Ragonot, 1887 Original Reference: *Epischnia leucomixtella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238-239. Type(s): [Georgien]: Tiflis. Range (in code): Cc GG Tbl TR
- 75110. *Epischnia masticella* Ragonot, 1887** (Pyralidae) Synonym(s): *masticella* Ragonot, 1887 Range (in code): IR
- 75111. *Epischnia muscidella* Ragonot, 1887** (Pyralidae) Synonym(s): *muscidella* Ragonot, 1887 Original Reference: *Epischnia muscidella* Ragonot, 1887, Anns Soc. ent. Fr. 1887: 238. Type(s): [Turkey]: Amasia. Range (in code): TR LB Bsa

- 75112. *Epischnia parvella* Amsel,1953** (Pyralidae) Synonym(s): *parvella* Amsel,1953 _ Range (in code): IL Js Pa
- 75113. *Epischnia peroni* Agenjo,1948** (Pyralidae) Synonym(s): *peroni* Agenjo,1948 _ Range (in code): PT ES MT
- 75114. *Epischnia plumbella* Ragonot,1887** (Pyralidae) Synonym(s): *plumbella* Ragonot,1887 Range (in code): Si
- 75115. *Epischnia prodromella* (Hübner,[1799])** (Pyralidae) Synonym(s): *prodromella* Hübner,[1799]; *#prodromella* Rebel,1939 Original Reference: *Tinea prodromella* Hübner,[1799], Samml. eur. Schmett. 8, Tineae: Tab. 37 fig.254. Type(s): Europa. Range (in code): DZ Bsk Ges TN Gf PT ES FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM SY IR Shh Gor Mz Elb IL Pa Hf LB CY TM Kp KG Uk RU MD UA BY Bionomy: Larva on Knautia, Scabiosa (Dipsacaceae); Centaurea (Asteraceae) (Chrétien,1917; et seq.).
- 75116. *Epischnia ragonotella* Rothschild,1915** (Pyralidae) Synonym(s): *ragonotella* Rothschild,1915 Original Reference: *Epischnia ragonotella* Rothschild,1915, Novit. zool. 22: 187. Type ♀: Algeria, Guelt-es-Stel (W.Rothschild & K.Jordan leg.). DZ Ges
- 75117. *Epischnia soritella* Lederer,1858** (Pyralidae) Synonym(s): *soritella* Lederer,1858 Original Reference: *Epischnia soritella* Lederer,1858, Wien. ent. Monatschr. 2: 150, Taf.4 fig.7. Syntypes 3♂ 1♀: Syria: Damask. Range (in code): TR SY Dms
- 75118. *Epischnia stenopterella* Rebel,1910** (Pyralidae) Synonym(s): *stenopterella* Rebel,1910 Original Reference: *Epischnia stenopterella* Rebel,1910, Dt. ent. Z., Iris 24: 2. Syntypes 1♂ 1♀: [Türkei]: Marasch. Range (in code): TR
- 75119. *Epischnopsis nervosella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nervosella* Ragonot,1887 _ Range (in code): TM IR Yz Fa Com Sse Elb Th Kdv Kh KuB LB Bsa IQ
- 75120. *Epischnopsis nervosella binaloudella* Amsel,1954** (Pyralidae) Synonym(s): *binaloudella* Amsel,1954 _ Range (in code): IR Elb Th Kdv Kh KuB
- 75121. *Epischnopsis nervosella libanoticella* Amsel,1953** (Pyralidae) Synonym(s): *masticella* auct nec Rag.; *libanoticella* Amsel,1953 _ Range (in code): LB Bsa
- 75122. *Epischnopsis oculatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *oculatella* Ragonot,1887 _ Range (in code): IR Srd Elb Yz
- 75123. *Episcythrastis tabidella* (Mann,1864)** (Pyralidae) Synonym(s): *tabidella* Mann,1864; *griseella* Ragonot,1887; *constanti* Ragonot,1893; *heringi* Hartig,1938; *demawendella* Zerny,1939 Original Reference: *Myelois tabidella* Mann,1864, Wien. ent. Monatschr. 8: 182, Taf.4 fig.9. Type ♂: [Türkei]: Brussa [Bursa]. Range (in code): ES FR Co Sa YU AL BG TR RU Sr Cc GG Tbl Bjo IR Elb Dam LB
- 75124. *Episcythrastis tetricella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *tetricella* [Denis & Schiffermüller],1775; *tetrix* Fabricius,1798; *chrysorrhoeella* Zincken,1818; *plumbaginella* Eversmann,1844; *amurensis* Ragonot,1887; *alternella* Lewin,1942 Original Reference: *Tinea tetricella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district. Range (in code): FR Co IT DE CH AT PL CZ SK HU RO YU BG TR NO SE FI EE LV LT RU Am MD UA BY
- 75125. *Episindris albimaculalis* Ragonot,1891** (Pyralidae) Synonym(s): *albimaculalis* Ragonot,1891 _ Range (in code): ZA
- 75126. *Epizonora bertrami* (Lucas,1939)** (Pyralidae) Synonym(s): *bertrami* Lucas,1939 Range (in code): MA DZ
- 75127. *Epizonora orphna* (Falkovitsh,1976)** (Pyralidae) Synonym(s): *orphna* Falkovitsh,1976 Range (in code): UZ
- 75128. *Epizonora poliopastalis* (Hampson,1906)** (Pyralidae) Synonym(s): *poliopastalis* Hampson,1906 _ Range (in code): DZ LY
- 75129. *Epizonora speciosalis* (Christoph,1885)** (Pyralidae) Synonym(s): *speciosalis* Christoph,1885 Original Reference: *Hypotia speciosalis* Christoph,1885, [in] Romanoff, Mém. Lépid. 2: 141, Pl.7 fig.8. Range (in code): TM AF Hr
- 75130. *Eporidia palliventralis* (Snellen,1880)** (Pyralidae) Synonym(s): *palliventralis* Snellen,1880 _ Range (in code): PH Luz Clb ID PG
- 75131. *Eranistis pandora* Meyrick,1909** (Pyralidae) Synonym(s): *pandora* Meyrick,1909 Range (in code): Kmd
- 75132. *Ercta scotialis* Hampson,1912** (Pyralidae) Synonym(s): *scotialis* Hampson,1912 _ Range (in code): ZA

- 75133. Eremographa sebasmia (Meyrick,1887)** (Pyralidae) Synonym(s): *sebasmia* (Meyrick,1887) Range (in code): AU
- 75134. Eristena bifurcalis (Pryer,1877)** (Pyralidae) Synonym(s): *bifurcalis* Pryer,1877 Range (in code): CN IN Ass MM TH Knc Nna Kao TW
- 75135. Eristena excisalis (Snellen,1900)** (Pyralidae) Synonym(s): *excisalis* Snellen,1900; *javanica* Strand,1914 Range (in code): ID Ja
- 75136. Eristena fulva Yoshiyasu,1987** (Pyralidae) Synonym(s): *fulva* Yoshiyasu,1987 Original Reference: Eristena fulva Yoshiyasu,1987, Microlepid. Thailand 1: 156, figs. Holotype: Thailand: Chiang Mai, Mae-Sa. Range (in code): TH CMA Msv
- 75137. Eristena gregaria Yoshiyasu,1984** (Pyralidae) Synonym(s): *gregaria* Yoshiyasu,1984 Original Reference: Eristena gregaria Yoshiyasu,1984, Tyo to Ga 35 (1): 1, figs. Holotype: Thailand: Chiang Mai, Fang. Range (in code): TH CMA Fn
- 75138. Eristena grisealis Rothschild,1915** (Pyralidae) Synonym(s): *grisealis* Rothschild,1915 Range (in code): PG
- 75139. Eristena marginalis (Rothschild,1916)** (Pyralidae) Synonym(s): *marginalis* Rothschild,1916 Range (in code): PG
- 75140. Eristena murinalis W.Warren,1896** (Pyralidae) Synonym(s): *murinalis* W.Warren,1896 Range (in code): IN Meg Ass Khs
- 75141. Eristena oligostigmalis Hampson,1906** (Pyralidae) Synonym(s): *oligostigmalis* Hampson,1906 Range (in code): IN Adm
- 75142. Eristena parvalis (Moore,1877)** (Pyralidae) Synonym(s): *parvalis* Moore,1877 Range (in code): IN Adm MY Bor
- 75143. Eristena postalbalis Hampson,1891** (Pyralidae) Synonym(s): *postalbalis* Hampson,1891 Range (in code): LK
- 75144. Eristena pulchellalis (Hampson,1893)** (Pyralidae) Synonym(s): *pulchellalis* Hampson,1893 Range (in code): LK IN Ass TH Nna Kao
- 75145. Eristena pumila Yoshiyasu,1987** (Pyralidae) Synonym(s): *pumila* Yoshiyasu,1987 Original Reference: Eristena pumila Yoshiyasu,1987, Microlepid. Thailand 1: 158, figs. Holotype: Thailand: Nakhon Nayok, Khao Yai. Range (in code): TH Kao Nna
- 75146. Eristena samaritai Speidel,2003** (Pyralidae) Synonym(s): *samaritai* Speidel,2003 Range (in code): PH Luz Sam Mno
- 75147. Eristena shafferi Murphy,1989** (Pyralidae) Synonym(s): *shafferi* Murphy,1989 Original Reference: Eristena shafferi Murphy,1989, Raffles Bull. zool. 37 (1/2): pl.1E figs.9,10. Holotype: Singapore, Mandai mangroves. Range (in code): MY SG
- 75148. Eristena straminealis Hampson,1903** (Pyralidae) Synonym(s): *straminealis* Hampson,1903 Range (in code): SI IN
- 75149. Eristena tanongchiti Yoshiyasu,1984** (Pyralidae) Synonym(s): *tanongchiti* Yoshiyasu,1984 Original Reference: Eristena tanongchiti Yoshiyasu,1984, Tyo to Ga 35 (1): 5, figs. Holotype: Thailand: Chanthaburi, Kao Soi Dao. Range (in code): TH Chi
- 75150. Eristena tenebrifera Hampson,1917** (Pyralidae) Synonym(s): *tenebrifera* Hampson,1917 Range (in code): PG
- 75151. Eristena tetralitha Hampson,1917** (Pyralidae) Synonym(s): *tetralitha* Hampson,1917 Range (in code): PG
- 75152. Eristena thalassalis Murphy,1989** (Pyralidae) Synonym(s): *thalassalis* Murphy,1989 Range (in code): SG MY
- 75153. Eristena trigonalis Hampson,1906** (Pyralidae) Synonym(s): *trigonalis* Hampson,1906 Range (in code): PG
- 75154. Ernophthora milicha Turner,1931** (Pyralidae) Synonym(s): *milicha* Turner,1931 Range (in code): AU
- 75155. Ernophthora phoenicias Meyrick,1887** (Pyralidae) Synonym(s): *phoenicias* Meyrick,1887; *actiosoides* Hampson,1896 Range (in code): AU
- 75156. Ernophthora schematica (Turner,1947)** (Pyralidae) Synonym(s): *schematica* Turner,1947 Range (in code): AU
- 75157. Erpis macularis Walker,1863** (Pyralidae) Synonym(s): *macularis* Walker,1863 Range (in code): Bor ID MY
- 75158. Ertzica impunctella (Sauber,1900)** (Pyralidae) Synonym(s): *impunctella* Sauber,1900 Range (in code): PH CmM

- 75159. Ertzica morosella (Walker,1863)** (Pyralidae) Synonym(s): *morosella* Walker,1863;
maximella Walker,1866 _ Range (in code): IN LK ID Ja
- 75160. Erupa argentescens Hampson,1896** (Pyralidae) Synonym(s): *argentescens* Hampson,1896
Range (in code): BR
- 75161. Erupa argentilinea Druce,1910** (Pyralidae) Synonym(s): *argentilinea* Druce,1910
Range (in code): CO
- 75162. Erupa bilineatella (Walker,1866)** (Pyralidae) Synonym(s): *bilineatella* Walker,1866
Range (in code): BR
- 75163. Erupa chiloides Walker,1864** (Pyralidae) Synonym(s): *chiloides* Walker,1864 _ Range (in code): BR
- 75164. Erupa chilopsisina Schaus,1922** (Pyralidae) Synonym(s): *chilopsisina* Schaus,1922
Range (in code): BR
- 75165. Erupa clanca Druce,1900** (Pyralidae) Synonym(s): *clanca* Druce,1900 _ Range (in code): CO
- 75166. Erupa congruella (Walker,1866)** (Pyralidae) Synonym(s): *congruella* Walker,1866;
virgatus R.Felder & Rogenhofer,1875 _ Range (in code): VE BR
- 75167. Erupa digrammica Hampson,1919** (Pyralidae) Synonym(s): *digrammica* Hampson,1919
Range (in code): PE
- 75168. Erupa discordella Schaus,1913** (Pyralidae) Synonym(s): *discordella* Schaus,1913
Range (in code): CR
- 75169. Erupa eambardella (Schaus,1922)** (Pyralidae) Synonym(s): *eambardella* Schaus,1922
Range (in code): EC
- 75170. Erupa evanidella Schaus,1913** (Pyralidae) Synonym(s): *evanidella* Schaus,1913 _ Range (in code): CR
- 75171. Erupa gigantea Druce,1900** (Pyralidae) Synonym(s): *gigantea* Druce,1900 _ Range (in code): CO
- 75172. Erupa gyges Druce,1900** (Pyralidae) Synonym(s): *gyges* Druce,1900 _ Range (in code): CO
- 75173. Erupa herstanella (Schaus,1922)** (Pyralidae) Synonym(s): *herstanella* Schaus,1922
Range (in code): CO
- 75174. Erupa huarmella Schaus,1922** (Pyralidae) Synonym(s): *huarmellus* Schaus,1922
Range (in code): PE
- 75175. Erupa impunctella Schaus,1922** (Pyralidae) Synonym(s): *impunctella* Schaus,1922
Range (in code): PY
- 75176. Erupa incoloralis Dyar,1914** (Pyralidae) Synonym(s): *incoloralis* Dyar,1914 _ Range (in code): PA
- 75177. Erupa invidella Schaus,1913** (Pyralidae) Synonym(s): *invidella* Schaus,1913 _ Range (in code): CR
- 75178. Erupa lactealis Hampson,1896** (Pyralidae) Synonym(s): *lactealis* Hampson,1896
Range (in code): BR
- 75179. Erupa luceria Druce,1902** (Pyralidae) Synonym(s): *luceria* Druce,1902 _ Range (in code): EC
- 75180. Erupa nampa Schaus,1929** (Pyralidae) Synonym(s): *nampa* Schaus,1929 _ Range (in code): BR
- 75181. Erupa nigrescentella Hampson,1896** (Pyralidae) Synonym(s): *nigrescentella* Hampson,1896 _ Range (in code): BR
- 75182. Erupa olorana Schaus,1934** (Pyralidae) Synonym(s): *olorana* Schaus,1934 _ Range (in code): BR
- 75183. Erupa parnahyba Schaus,1934** (Pyralidae) Synonym(s): *parnahyba* Schaus,1934
Range (in code): BR
- 75184. Erupa patara Druce,1902** (Pyralidae) Synonym(s): *patara* Druce,1902 _ Range (in code): EC
- 75185. Erupa plumbealis Hampson,1919** (Pyralidae) Synonym(s): *plumbealis* Hampson,1919
Range (in code): CO
- 75186. Erupa pravella Schaus,1913** (Pyralidae) Synonym(s): *pravella* Schaus,1913 _ Range (in code): CR

- 75187. *Erupa prodigealis* (Zeller,1877) (Pyralidae) Synonym(s):** *prodigealis* Zeller,1877
Range (in code): BR
- 75188. *Erupa puncticillialis* Hampson,1919 (Pyralidae) Synonym(s):** *puncticillialis* Hampson,1919
Range (in code): AR
- 75189. *Erupa rhaetia* Druce,1900 (Pyralidae) Synonym(s):** *rhaetia* Druce,1900 _ Range (in code): CO
- 75190. *Erupa ruptilineella* Hampson,1896 (Pyralidae) Synonym(s):** *ruptilineella* Hampson,1896
Range (in code): MX
- 75191. *Erupa schoenobina* Hampson,1919 (Pyralidae) Synonym(s):** *schoenobina* Hampson,1919
Range (in code): PE
- 75192. *Erupa similis* Druce,1899 (Pyralidae) Synonym(s):** *similis* Druce,1899 _ Range (in code): PA
- 75193. *Erupa somenella* Schaus,1922 (Pyralidae) Synonym(s):** *somenella* Schaus,1922 _ Range (in code):
- 75194. *Erupa titana* Druce,1910 (Pyralidae) Synonym(s):** *titana* Druce,1910 _ Range (in code): PE
- 75195. *Erupa titanialis* R.Felder & Rogenhofer,1875 (Pyralidae) Synonym(s):** *titanialis* R.Felder & Rogenhofer,1875 _ Range (in code): BR
- 75196. *Eschata aida* Bleszynski,1970 (Pyralidae) Synonym(s):** *aida* Bleszynski,1970 _ Range (in code): IN Ben
- 75197. *Eschata chrysargyria* (Walker,[1866]) (Pyralidae) Synonym(s):** *chrysargyria* Walker,[1866]; *argentata* Moore,1888; *radiata* Swinhoe,1906 _ Range (in code): IN Meg Ass Djl SI Khs Nag Mpr NI MM TH PH CN TW ID Crm
- 75198. *Eschata conspurcata* Moore,1888 (Pyralidae) Synonym(s):** *conspurcata* Moore,1888
Range (in code): IN SI Djl
- 75199. *Eschata diplophanes* Meyrick,1933 (Pyralidae) Synonym(s):** *diplophanes* Meyrick,1933
Range (in code): ZR
- 75200. *Eschata gelida* Walker,1856 (Pyralidae) Synonym(s):** *gelida* Walker,1856 _ Range (in code): IN SI Ass Meg Khs Djl
- 75201. *Eschata himalaica* Bleszynski,1965 (Pyralidae) Synonym(s):** *himalaica* Bleszynski,1965
Range (in code): IN Djl
- 75202. *Eschata irrorata* Hampson,1919 (Pyralidae) Synonym(s):** *irrorata* Hampson,1919
Range (in code): IN Ass
- 75203. *Eschata isabella* Bleszynski,1965 (Pyralidae) Synonym(s):** *isabella* Bleszynski,1965
Range (in code): CN Sz
- 75204. *Eschata melanocera* Hampson,1896 (Pyralidae) Synonym(s):** *melanocera* Hampson,1896
Range (in code): IN Nag
- 75205. *Eschata miranda* Bleszynski,1965 (Pyralidae) Synonym(s):** *miranda* Bleszynski,1965
Range (in code): CN TW
- 75206. *Eschata ochreipes* Hampson,1891 (Pyralidae) Synonym(s):** *ochreipes* Hampson,1891
Range (in code): IN NI
- 75207. *Eschata percandida* Swinhoe,1890 (Pyralidae) Synonym(s):** *percandida* Swinhoe,1890
Range (in code): IN
- 75208. *Eschata rembrandti* Bleszynski,1970 (Pyralidae) Synonym(s):** *rembrandti* Bleszynski,1970
Range (in code): IN Ass NI
- 75209. *Eschata rifici* Bleszynski,1965 (Pyralidae) Synonym(s):** *rifici* Bleszynski,1965 _ Range (in code): IN Djl
- 75210. *Eschata rococo* Bleszynski,1970 (Pyralidae) Synonym(s):** *rococo* Bleszynski,1970
Range (in code): IN Ass Meg Khs
- 75211. *Eschata shafferella* Bleszynski,1965 (Pyralidae) Synonym(s):** *shafferella* Bleszynski,1965
Range (in code): CN Sz IN Djl
- 75212. *Eschata smithi* Bleszynski,1970 (Pyralidae) Synonym(s):** *smithi* Bleszynski,1970
Range (in code): TH CMA
- 75213. *Eschata xanthocera* Hampson,1896 (Pyralidae) Synonym(s):** *xanthocera* Hampson,1896
Range (in code): LK IN
- 75214. *Eschata xanthorhyncha* Hampson,1896 (Pyralidae) Synonym(s):** *xanthorhyncha* Hampson,1896 _ Range (in code): LK IN

- 75215. *Essina atribasalis* Ragonot,1891** (Pyrilidae) Synonym(s): *atribasalis* Ragonot,1891
Range (in code): ZA
- 75216. *Ethopia crataeganea* Song & Wu,2007** (Pyrilidae) Synonym(s): *crataeganea* Song & Wu,2007
Range (in code): CN KwT
- 75217. *Ethopia flavibrunnea* Song & Wu,2007** (Pyrilidae) Synonym(s): *flavibrunnea* Song & Wu,2007
Range (in code): CN Hn Yu
- 75218. *Ethopia gigantea* Owada,1986** (Pyrilidae) Synonym(s): *gigantea* Owada,1986 Original Reference: *Ethopia gigantea* Owada,1986, Kontyu 54 (4): 618-623, 8 figs. Holotype ♂: Philippines, Palawan, 1985, ex Y.Nishiyama (NSMT). Range (in code): PH Pal
- 75219. *Ethopia roseilinea* Walker,1864** (Pyrilidae) Synonym(s): *roseilinea* Walker,1864; *aurora* Vollenhoven,1872
Range (in code):
- 75220. *Etiella behrii* (Zeller,1848)** (Pyrilidae) Synonym(s): *behrii* Zeller,1848; *subaurella* Walker,1866; *consociella* Walker,1866; *ochristrigella* Ragonot,1888
Range (in code): AU Ade WAu SAu NAu VAu NSw Syd Cbr QAU PG PMo NH MY ID Bor Tnm Sum TW CN
- 75221. *Etiella chrysoporella* Meyrick,1879** (Pyrilidae) Synonym(s): *chrysoporella* Meyrick,1879
Range (in code): AU Ade Cbr QAU SAu NAu WAu ID Tnm
- 75222. *Etiella furella* Strand,1919** (Pyrilidae) Synonym(s): *furella* Strand,1919
Range (in code): TW
- 75223. *Etiella grisea* Hampson,1903** (Pyrilidae) Synonym(s): *grisea* Hampson,1903; *drososcia* Meyrick,1929.
Range (in code): AU IN LK FJ NH SB Cri WAu ID Tnm GU WS PF
- 75224. *Etiella hobsoni* (Butler,1881)** (Pyrilidae) Synonym(s): *hobsoni* Butler,1881; *melanella* Hampson,1901.
Range (in code): TW AU Ade QAU NAu SAu PG NBr SB ID Sum Wt Tim
- 75225. *Etiella scitivittalis* (Walker,1863)** (Pyrilidae) Synonym(s): *scitivittalis* Walker,1863; *sincerella* Meyrick,1879.
Range (in code): AU QAU NSw Syd Ade Cbr
- 75226. *Etiella walsinghamella* Ragonot,1888** (Pyrilidae) Synonym(s): *walsinghamella* Ragonot,1888; *flavofasciella* Inoue,1959
Range (in code): AU Ade PG JP
- 75227. *Etiella zinckenella* (Treitschke,1832)** (Pyrilidae) Synonym(s): *marginella* Fabricius,1781 nec Den. & Schiff.,1775; *zinckenella* Treitschke,1832; *etiella* Treitschke,1835; *majorellus* Costa,1836; *colonnellus* Costa,1836; *dymnusalis* Walker,1859; *heraldella* Guenée,1862; *anticalis* Walker,1863; *indicatalis* Walker,1863; *hastiferella* Walker,1866; *decipiens* Staudinger,1870; *spartiella* Rondani,1876; *sabulinus* Butler,1879; *madagascariensis* Saalmüller,1880; *schisticolor* Zeller,1881; *villosella* Hulst,1887; *rubribasella* Hulst,1890; *#tiella* Pinhey,1975. Original Reference: *Phycis zinckenella* Treitschke,1832, [in] Ochsenheimer, Schmett. Eur. 9(1): 201. Lectotype ♀: "Sizilien" (TMB). Range (in code): PT ES FR Co Sa Si IT MT GB NL LU DE CH AT CZ SK HU RO YU AL BG GR TR DK RU MD UA BY IL JO LB IQ IR YE Sk CY EG KK Ax MG AF PK IN LK BT NP TH MM LA VN MY Bor ID Sum Ja AU CN Hn TW JP US CA CU PR EC GS PH PG SB NC WS DZ NA TN LY EG GW LB SL GA CM NG NE CI GM CF SD ET ER DJ SO KE UG YE TZ ZW RW BI MW AO NM SZ LS MG MZ ZA Tva Nta Gau Tva Lpo Spb Mdk BW SC ZR ZM TD WS FJ Pa Hf TH CMa Cmz Cz10 Cz11 ID Sum Shb AE Bionomy: Larva on Colutea, Lupinus, Phaseolus (Fabaceae) (Parenti,2000); *Cicer arietinum* (Fabaceae) (Robinson et al.,2007).
- 75228. *Euageta dianipha* (Lower,1902)** (Pyrilidae) Synonym(s): *dianipha* Lower,1902; *albimedialis* Hampson,1919; *arestodes* Turner,1947
Range (in code): AU QAU
- 75229. *Eucampyla etheiella* Meyrick,1882** (Pyrilidae) Synonym(s): *etheiella* Meyrick,1882; *inexplorata* Meyrick,1929
Range (in code): AU
- 75230. *Eucarphia anomala* Balinsky,1994** (Pyrilidae) Synonym(s): *anomala* Balinsky,1994
Range (in code): ZA Gau Pre Tva
- 75231. *Eucarphia anomala anomala* Balinsky,1994** (Pyrilidae) Synonym(s): *anomala* Balinsky,1994
Range (in code): ZA Gau Pre Tva
- 75232. *Eucarphia hemityrella* (De Joannis,1927)** (Pyrilidae) Synonym(s): *hemityrella* De Joannis,1927
Range (in code): ZA
- 75233. *Eucarphia leucomera* (Hampson,1926)** (Pyrilidae) Synonym(s): *leucomera* Hampson,1926
Range (in code): ZA
- 75234. *Eucarphia vinetella* (Fabricius,1787)** (Pyrilidae) Synonym(s): *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825]. Original Reference: *Tinea vinetella* Fabricius,1787, Mant. Ins. 2: 242. Type(s). Range (in code): FR IT DE AT HU YU RU Sr At Cc AM TR MD UA BY MN CN Shs Bionomy: Larva on *Potentilla arenaria* (Rosaceae) (Roesler,1993).
- 75235. *Eucarphia vinetella roseostriatella* (Caradja,1939)** (Pyrilidae) Synonym(s): *roseostriatella* Caradja,1939
Range (in code): CN Shs
- 75236. *Eucarphia vinetella solinfesta* Roesler,1993** (Pyrilidae) Synonym(s): *solinfesta* Roesler,1993
Range (in code): MN

- 75237. *Eucarphia vinetella vinetella* (Fabricius,1787)** (Pyralidae) Synonym(s): *vinetella* Fabricius,1787; *vinetorum* Fabricius,1798; *vinetalis* Hübner,[1825]. Original Reference: *Tinea vinetella* Fabricius,1787, Mant. Ins. 2: 242. Type(s). Range (in code): **FR IT DE AT HU YU RU Sr At Cc AM MD UA BY**
- 75238. *Euchromius anapiellus* (Zeller,1847)** (Pyralidae) Synonym(s): *anapiellus* Zeller,1847 Original Reference: *Crambus anapiellus* Zeller,1847, Isis 1847: 757. Lectotype ♀: [Italia]: Syracus. Range (in code): **MA Tgr Azr Rbt DZ Anna Dja Lbs TN PT ES FR Sa Si IT TR EG**
- 75239. *Euchromius aris* Schouten,1988** (Pyralidae) Synonym(s): *aris* Schouten,1988 Range (in code): **KE**
- 75240. *Euchromius bellus* (Hübner,1796)** (Pyralidae) Synonym(s): *bella* Hübner,1796; *bellalis* Hübner,[1825]. Original Reference: *Tinea bella* Hübner,1796, Samml. eur. Schmett., Tineae: 29, Taf.9 f.60. Type(s): Ungarn. Range (in code): **MA Ifr DZ Bsk ES An Mu FR Sa Si IT SK HU RO YU BG GR Cr TR RU Cc MD UA BY IQ Rwz Dia Brs Ama IR IL Pa JO Amm LB Bei EG PK BI Chm** Bionomy: Larva on Scabiosa (Dipsacaceae), Picris (Asteraceae).
- 75241. *Euchromius bleszynskiellus* Popescu-Gorj,1964** (Pyralidae) Synonym(s): *bleszynskiellus* Popescu-Gorj,1964; *roxanus* Bleszynski,1965 Original Reference: *Euchromius bleszynskiellus* Popescu-Gorj,1964, Z. Wien. ent. Ges. 49: 13, fig.1,2. Holotype ♀: Rumaenien: Periprava. Range (in code): **RO GR RU TR**
- 75242. *Euchromius brunnealis* (Hampson,1919)** (Pyralidae) Synonym(s): *brunnealis* Hampson,1919 Range (in code): **PH**
- 75243. *Euchromius cambridgei* (Zeller,1867)** (Pyralidae) Synonym(s): *cambridgei* Zeller,1867; *luciella* Chrétien,1907; *prototypa* Meyrick,1935; *congruentella* Amsel,1958; *szijartoi* Gozmany,1959; *ilkui* Gozmany,1959. Original Reference: *Eromene cambridgei* Zeller,1867, Stettin ent. Ztg. 28: 370. Type ♂: Egypt. Range (in code): **MA Cn DZ Bsk Gle Ktr Hes Lgt Elt Abe Sbd TN Gf Sfx LY PT ES FR Sa IT MT YU EG IL Jt Pa JO TR SD SA SA63 BH AE OM JO IR Ss AF PK Krc**
- 75244. *Euchromius confusus* Schouten,1992** (Pyralidae) Synonym(s): *confusus* Schouten,1992 Range (in code): **AF Pag Kab IR Fa TJ**
- 75245. *Euchromius cornus* Schouten,1990** (Pyralidae) Synonym(s): *cornus* Schouten,1990 Range (in code): **AU**
- 75246. *Euchromius delicatalis* (Hampson,1919)** (Pyralidae) Synonym(s): *delicatalis* Hampson,1919 Range (in code): **TZ ZA**
- 75247. *Euchromius diatraealis* (Dyar,1910)** (Pyralidae) Synonym(s): *diatraealis* Dyar,1910 Range (in code): **MX**
- 75248. *Euchromius discopis* (Hampson,1919)** (Pyralidae) Synonym(s): *discopis* Hampson,1919 Range (in code): **ZA Tva Gau Pre ZW BW NA**
- 75249. *Euchromius discopis discopis* (Hampson,1919)** (Pyralidae) Synonym(s): *discopis* Hampson,1919 Range (in code): **ZA Tva Gau Pre ZW BW NA**
- 75250. *Euchromius donum* Schouten,1988** (Pyralidae) Synonym(s): *donum* Schouten,1988 Range (in code): **ET**
- 75251. *Euchromius erum* Schouten,1988** (Pyralidae) Synonym(s): *erum* Schouten,1988 Range (in code): **KE ET**
- 75252. *Euchromius geminus* Schouten,1988** (Pyralidae) Synonym(s): *geminus* Schouten,1988 Range (in code): **KE Nai**
- 75253. *Euchromius gnathosellus* Schouten,1988** (Pyralidae) Synonym(s): *gnathosellus* Schouten,1988 Range (in code): **SN SL CI GH TG NG CF**
- 75254. *Euchromius gozmanyi* Bleszynski,1961** (Pyralidae) Synonym(s): *gozmanyi* Bleszynski,1961 Range (in code): **TN DhM DZ Afl Bsk Elt Abe Sbd Fzz MA PT ES FR Sa Si**
- 75255. *Euchromius gratiosellus* (Caradja,1910)** (Pyralidae) Synonym(s): *gratiosella* Caradja,1910 Original Reference: *Eromene ramburiella gratiosella* Caradja,1910, Dt. ent. Z., Iris 24:116. Lectotype ♂: [China]: Ostturkestan: Lob-Noor. Range (in code): **ES Co IT RU Sr KG Uk TR Cc CN Ui Ln IR Shh**
- 75256. *Euchromius hampsoni* (Rothschild,1921)** (Pyralidae) Synonym(s): *hampsoni* Rothschild,1921 Range (in code): **DZ NE**
- 75257. *Euchromius jaxartellus* (Erschoff,1874)** (Pyralidae) Synonym(s): *jaxartella* Erschoff,1874 Original Reference: *Eromene jaxartella* Erschoff,1874, [in] Fedtschenko, Reise nach Turkestan: 82. Type ♀: [Kasachstan]: Turkestan. Range (in code): **Cc AZ Nv Ord KG TR JO TM Kp UZ Br IR Kh CN Ui Ku AF Hr Srb**

- 75258. *Euchromius keredjellus* (Amsel,1949)** (Pyralidae) Synonym(s): *keredjella* Amsel,1949
Original Reference: Eremene keredjella Amsel,1949, Bull. Soc. Fouad I Ent. 33: 233, Taf.1 fig.1.
Holotype ♂: Iran: Elburs-Gebirge: Keredj. Range (in code): **IR Elb Kdj Th Fa Shr TR Cc AF Hr**
- 75259. *Euchromius klimeschi* Bleszynski,1961** (Pyralidae) Synonym(s): *klimeschi* Bleszynski,1961
Range (in code): **ZA Nta Kzu Wnn NA ZW MZ MG ZM ZR KE SO ET TZ**
- 75260. *Euchromius klimeschi klimeschi* Bleszynski,1961** (Pyralidae) Synonym(s): *klimeschi* Bleszynski,1961
Range (in code): **ZA Nta Kzu Wnn NA ZW MZ MG ZM ZR KE SO ET TZ**
- 75261. *Euchromius labellum* Schouten,1988** (Pyralidae) Synonym(s): *labellum* Schouten,1988
Range (in code): **KE**
- 75262. *Euchromius locustus* Schouten,1988** (Pyralidae) Synonym(s): *locustus* Schouten,1988
Range (in code): **ZM ZR TZ**
- 75263. *Euchromius malekalis* Amsel,1961** (Pyralidae) Synonym(s): *malekalis* Amsel,1961
Original Reference: *Euchromius malekalis* Amsel,1961, Ark. Zool. (2) 13: 330, fig.1; Taf.1 fig.139.
Holotype ♂: Iran: Belutschistan: Tahte Malek, 750m. Range (in code): **IR Ss JO**
- 75264. *Euchromius matador* Bleszynski,1966** (Pyralidae) Synonym(s): *matador* Bleszynski,1966
Range (in code): **TZ ZR**
- 75265. *Euchromius micralis* (Hampson,1919)** (Pyralidae) Synonym(s): *micralis* Hampson,1919
Range (in code): **PH**
- 75266. *Euchromius mouchai* Bleszynski,1961** (Pyralidae) Synonym(s): *mouchai* Bleszynski,1961
Original Reference: *Euchromius mouchai* Bleszynski,1961, Acta ent. Mus. nat. Pragae 34: 464, figs.9,10,18,24. Holotype ♂: [Russland]: Ross. m.: Sarepta. Range (in code): **Co Si RU Sr Cc GG Bjo Lag TR**
- 75267. *Euchromius mythus* Bleszynski,1970** (Pyralidae) Synonym(s): *mythus* Bleszynski,1970
Range (in code): **KE Nai TZ ZR MW MG KM ZW NA ZA Tva Gau Pre**
- 75268. *Euchromius nigrobasalis* Schouten,1988** (Pyralidae) Synonym(s): *nigrobasalis* Schouten,1988
Range (in code): **ZA Tva Gau Pre ZW**
- 75269. *Euchromius nivalis* (Caradja,1937)** (Pyralidae) Synonym(s): *nivalis* Caradja,1937
Range (in code): **CN Yu**
- 75270. *Euchromius ocellus* (Haworth,[1811])** (Pyralidae) Synonym(s): *ocellea* Haworth,[1811]; *cyrilli* Costa,1832; *fumiculella* Treitschke,1832; *texana* Robinson,1870; *gigantea* Turati,1924; *quadrii* Ahmad, Zaidi & Kamaluddin,1982
Original Reference: *Palparia ocellus* Haworth,[1811], Lep. Br.:486. Type ♂: England. Range (in code): **Md Cn MA DZ TN LY Cy PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Rd Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj Ii EG IL LB TM Kp YE Ad Sk IQ Kbl Bgd Amr IR Ahz Plr CY AF Hr IN Mh Poo PK Cp Pj Krc Sd Mhw AU US Tx UZ Br ET AE SO KE MT TZ CF UG MW SC MG MZ ZW Bul Har Nta Kzu Ec Ans Fs Blo Wca Cto Dbn Grh Lds Tva Lpo Pie Gau Pre Wnn Wr Ste Cer Grg BW NA AO GO NG NE BF GH SN FP Pag Gh Tgo Ss Irs Sde Kz Mz GlS Kh Pa Hf Onç Bsk Gf Ajj Ah**
- 75271. *Euchromius pavonialis* (Hampson,1896)** (Pyralidae) Synonym(s): *pavonialis* Hampson,1896
Range (in code): **YE Ad**
- 75272. *Euchromius pulverosus* (Christoph,1887)** (Pyralidae) Synonym(s): *pulverosa* Christoph,1887; *cochlearella* Amsel,1949
Original Reference: *Eromene pulverosa* Christoph,1887, [in] Romanoff,Mem. Lepid. 3: 47, Taf.2 f.14. Lectotype ♀: [Aserbaidjan]: Ordubad. Range (in code): **Cc Nv Ord AZ TR IQ Ry IR Elb Kdv Kdj Th SY IL Pa Js LB Bsa Bei**
- 75273. *Euchromius pygmaea* Hering,1903** (Pyralidae) Synonym(s): *pygmaea* Hering,1903
Range (in code): **ID Sum**
- 75274. *Euchromius ramburiellus* (Duponchel,1836)** (Pyralidae) Synonym(s): *ramburiellus* Duponchel,1836; *zonellus* Zeller,1847; *luteella* Caradja,1910; *#ramburellus* Rothschild,1924; *islamella* Amsel,1949.
Original Reference: *Crambus ramburiellus* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 83, pl.270 fig.8. Type ♀: Korsika: Ajaccio. Range (in code): **MA LY DZ Afl Sfr BSA Gle Ktr Gha Hes Lgt Sbd Abe Bsk Onç TN Sfx PT ES An Grn Mu FR Co Sa Si IT YU BG RU MD UA BY CN Ui KG Uk IL Pa Hf EG JO LB IR Fa Enz Ssh Sde Kz IQ Bsr Bgd Amr TR Cc**
- 75275. *Euchromius rayatellus* (Amsel,1949)** (Pyralidae) Synonym(s): *rayatella* Amsel,1949
Original Reference: *Eromene rayatella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 278-279, Taf.1 fig.4. Holotype ♂: Iraq: Kurdistan: Rayat, 5000ft. Range (in code): **ES IT YU BG GR Cr CY IQ Ry TR Cc RU Sr AF Pic Blh IL Jer Pa JO IR Mz UZ Br**
- 75276. *Euchromius roxanus* Bleszynski,1965** (Pyralidae) Synonym(s): *roxanus* Bleszynski,1965
Range (in code): **RU Ur**

- 75277. *Euchromius scobiolae* Bleszynski, 1965** (Pyralidae) Synonym(s): *scobiolae* Bleszynski, 1965 Original Reference: *Euchromius scobiolae* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 79-80, Taf. Holotype ♂: Afghanistan: Kuschk. Range (in code): **AF UZ Br**
- 75278. *Euchromius siuxellus* Ganév & Hacker, 1986** (Pyralidae) Synonym(s): *siuxellus* Ganév & Hacker, 1986 Original Reference: *Euchromius siuxellus* Ganév & Hacker, 1986, Z. ArbGem. Öst. Ent. 37 (3/4): 82-83. Abb. Holotype ♂: Türkei: Ankara Prov., Tuz Gölü N-Ufer 900m (in coll. Ganév). Range (in code): **TR**
- 75279. *Euchromius subcambridgei* Bleszynski, 1965** (Pyralidae) Synonym(s): *subcambridgei* Bleszynski, 1965 Original Reference: *Euchromius subcambridgei* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 78, Taf. 36 f. 30; Taf. 89 f. 30. Holotype ♂: Sudan: Hudeiba. Range (in code): **TN Sfx CV SD**
- 75280. *Euchromius sudanellus* Bleszynski, 1965** (Pyralidae) Synonym(s): *sudanellus* Bleszynski, 1965 Original Reference: *Euchromius sudanellus* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 79, Taf. Holotype ♂: Sudan N.E.: Port Sudan: Khor. Range (in code): **SD SD95**
- 75281. *Euchromius superbellus* (Zeller, 1849)** (Pyralidae) Synonym(s): *superbellus* Zeller, 1849; *wockeella* Zeller, 1863; *cypriusella* Amsel, 1958. Original Reference: *Crambus superbellus* Zeller, 1849, Stettin ent. Ztg. 10: 314. Holotype ♂: Italien: Toscana. Range (in code): **ES FR Co Sa Si IT AT? HU RO YU AL BG GR Cr RU MD UA BY TR Cc IL CY KG Uk UZ Br IR Elb Kdv Srd PK Pj**
- 75282. *Euchromius tanalis* Schouten, 1988** (Pyralidae) Synonym(s): *tanalis* Schouten, 1988 Range (in code): **KE ET**
- 75283. *Euchromius viettei* Bleszynski, 1961** (Pyralidae) Synonym(s): *viettei* Bleszynski, 1961; *karsholti* Ganév, 1987 Original Reference: *Euchromius viettei* Bleszynski, 1961, Acta ent. Mus. nat. Pragae 34: 455, figs. 3, 4, 14. Holotype ♂: [Saudi Arabia]: Hejaz: Djidda. Range (in code): **TD OM SA Hj SA39**
- 75284. *Euchromius vinculellus* (Zeller, 1847)** (Pyralidae) Synonym(s): *vinculellus* Zeller, 1847; *corsicalis* Hampson, 1919; *joiceyella* Schmidt, 1934; *bahrutella* Amsel, 1949. Original Reference: *Crambus vinculellus* Zeller, 1847, Isis 1847: 760. Lectotype ♂: Italien: Sizilien. Range (in code): **MA DZ Ah Hmk Ktr Sbd Abe Tmn TN DhM LY SD EG PT ES Co Sa Si IT TR GR IL Pa Hf LB IR Ahw IQ AF Srb AE KE NE Air**
- 75285. *Euchromius zagulajevi* Bleszynski, 1965** (Pyralidae) Synonym(s): *zagulajevi* Bleszynski, 1965 Original Reference: *Euchromius zagulajevi* Bleszynski, 1965, Microlepidoptera Palaearctica 1: 80, Taf. Holotype ♀: Turkestan: Karifnigan. Range (in code): **CN Ui**
- 75286. *Euchromius zephyrus* Bleszynski, 1962** (Pyralidae) Synonym(s): *zephyrus* Bleszynski, 1962 Range (in code): **SN ML CI GH NG**
- 75287. *Euclasta* (Proteuclasta) *bacescui* Popescu-Gorj & Constantinescu, 1977** (Pyralidae) Synonym(s): *bacescui* Popescu-Gorj & Constantinescu, 1977 Range (in code): **ZA Tva Nta Kzu Wm**
- 75288. *Euclasta* (Proteuclasta) *insularis* Viette, 1958** (Pyralidae) Synonym(s): *insularis* Viette, 1958 Range (in code): **CV**
- 75289. *Euclasta* (Proteuclasta) *mirabilis* Amsel, 1949** (Pyralidae) Synonym(s): *mirabilis* Amsel, 1949 Range (in code): **SO IR Ss Chh AE AF Srb Asm Bsg Nu PK**
- 75290. *Euclasta* (Proteuclasta) *mirabilis pinheyi* Popescu-Gorj & Constantinescu, 1977** (Pyralidae) Synonym(s): *pinheyi* Popescu-Gorj & Constantinescu, 1977 Range (in code): **SO**
- 75291. *Euclasta* (Proteuclasta) *pauli* Popescu-Gorj & Constantinescu, 1973** (Pyralidae) Synonym(s): *pauli* Popescu-Gorj & Constantinescu, 1973 Original Reference: *Proteuclasta* Munroe, 1958, Canad. Ent. 90 (4): 250-251. Type-species: *Pyrausta stötzneri* Caradja, 1927, by original designation. Range (in code): **ZA Ec Wca Wr**
- 75292. *Euclasta* (Proteuclasta) *stoetzneri* (Caradja, 1927)** (Pyralidae) Synonym(s): *stoetzneri* Caradja, 1927 Original Reference: *Pyrausta stötzneri* Caradja, 1927, Memle Sect. Stiint. Acad. rom. (3) 4: 415. Range (in code): **CN**
- 75293. *Euclasta* (Proteuclasta) *warreni* Distant, 1892** (Pyralidae) Synonym(s): *warreni* Distant, 1892; *hiracopis* Meyrick, 1933 Range (in code): **ZA Tva Gau Pre Jh Wnn Lpo Pma Pot Rtb Nwe Wb Nta Kzu ZW Har Bul ZM AO ZR BI KE TZ ET GH**
- 75294. *Euclasta* (s.str.) *amseli* Popescu-Gorj & Constantinescu, 1973** (Pyralidae) Synonym(s): *amseli* Popescu-Gorj & Constantinescu, 1973 Range (in code): **CN**
- 75295. *Euclasta* (s.str.) *defamatalis* (Walker, 1859)** (Pyralidae) Synonym(s): *defamatalis* Walker, 1859 Range (in code): **AF Srb Bsg Kot Kab Bkt PK Sfk IN Meg Ass Khs NI NP LK PH Boh MM TW TH MY**

- 75296. *Euclasta* (s.str.) *filigeralis* Lederer,1863** (Pyrilidae) Synonym(s): *filigeralis* Lederer,1863
Range (in code): **IN NI NP TH KH VN LA LK PH Pal Luz Ceb Sam**
- 75297. *Euclasta* (s.str.) *gigantalis* Viette,1957** (Pyrilidae) Synonym(s): *gigantalis* Viette,1957;
whalleyi Popescu-Gorj & Constantinescu,1973 Range (in code): **ZR ZW AO MW KE UG ET MG**
- 75298. *Euclasta* (s.str.) *maceratalis* Lederer,1863** (Pyrilidae) Synonym(s): *maceratalis* Lederer,1863 Range (in code): **AU Bri PG Fe QAU Tw ID Tim Ja Clb CN Tkg**
- 75299. *Euclasta* (s.str.) *montalbani* Popescu-Gorj & Constantinescu,1977** (Pyrilidae)
Synonym(s): *montalbani* Popescu-Gorj & Constantinescu,1977 Range (in code): **PH Luz ID Tim**
- 75300. *Euclasta* (s.str.) *sokotrensis* Popescu-Gorj & Constantinescu,1977** (Pyrilidae)
Synonym(s): *sokotrensis* Popescu-Gorj & Constantinescu,1977 Range (in code): **Sk**
- 75301. *Euclasta* (s.str.) *splendidalis* (Herrich-Schäffer,[1848])** (Pyrilidae) Synonym(s):
splendidalis Herrich-Schäffer,[1848] Original Reference: *Botys splendidalis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 32, fig.109. "aus der Türkei". This figure was selected as Lectotype by Popescu-Gorj & Constantinescu,1976). Range (in code): **TN Gf DZ Bsk MT MK RO BG GR TR GG AM RU Da TM Kp CY LB Bei IQ Shq Cc AZ Kir Len CN Ui Ku** Bionomy: Larva on *Periploca laevigata* [Apocynaceae] (Chrétien,1917).
- 75302. *Euclasta* (s.str.) *varii* Popescu-Gorj & Constantinescu,1973** (Pyrilidae)
Synonym(s): *varii* Popescu-Gorj & Constantinescu,1973 Original Reference: *Euclasta varii* Popescu-Gorj & Constantinescu,1973, Trav. Mus. Hist. nat. "Gr. Antipa" 15: 393-397, figs.1-2. Holotype ♂: Malawi: Nyassaland: Mt. Mlanje. Range (in code): **ES MW ZA Tva Nta Kzu Pto Dbn Gau Pm Pre MZ ZW ZM ZR SL TZ SN YE TN DZ LY**
- 75303. *Euctenospila* *casta* W.Warren,1892** (Pyrilidae) Synonym(s): *casta* W.Warren,1892
Range (in code): **ZA**
- 75304. *Eudaimonisma* *batchelorella* Lucas,1902** (Pyrilidae) Synonym(s): *batchelorella* Lucas,1902 Range (in code): **AU**
- 75305. *Eudonia* *aequalis* Kyrki & Svensson,1986** (Pyrilidae) Synonym(s): *aequalis* Kyrki & Svensson,1986 Range (in code): **SE FI**
- 75306. *Eudonia* *alpina* (Curtis,1850)** (Pyrilidae) Synonym(s): *borealis* Tengström,1848 nec Dup.,1836; *alpina* Curtis,1850; *gracilalis* Stainton,1855; *lugubralis* Walker,1865; *lapponica* Caradja,1917; *phycitinalis* Dyar,1929; *persimilalis* McDunnough,1961; *magdei* Munroe,1972; *japanalpina* Inoue,1982 Range (in code): **GB NO SE FI EE RU MD UA BY CA Als US JP**
- 75307. *Eudonia* *altissima* Leraut,1986** (Pyrilidae) Synonym(s): *altissima* Leraut,1986 Range (in code): **CN Yu**
- 75308. *Eudonia* *angustea* (Curtis,1827)** (Pyrilidae) Synonym(s): *angustea* Curtis,1827; *coarctata* Zeller,1846; *hesperella* Heydenreich,1851; *acuminatella* Stainton,1859; *napolitinalis* Milliere,1870; *vafra* Meyrick,1913; *imparilis* Dyar,1929 Range (in code): **Az Cn Md MA DZ TN Gf PT ES FR Co Sa Si IT MT IE GB YU MK GR TR Cc AZ Len GG Mng** Bionomy: Larva on *Barbula revoluta*, *Tortula muralis* (Musci) (Emmet,1979).
- 75309. *Eudonia* *antiquella* (Zetterstedt,[1839])** (Pyrilidae) Synonym(s): *antiquella* Zetterstedt,[1839] Range (in code): **NO**
- 75310. *Eudonia* *delunella* (Stainton,1849)** (Pyrilidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
Original Reference: *Eudorea delunella* Stainton,1849, Cat. Br. Tineidae & Pterophoridae: 3. Range (in code): **DZ MA PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK YU B-H BG CY GR DK RU Pja Sb MD UA BY LB Bei**
- 75311. *Eudonia* *delunella* *amicula* Leraut,1981** (Pyrilidae) Synonym(s): *amicula* Leraut,1981
Range (in code): **MA DZ**
- 75312. *Eudonia* *delunella* *delunella* (Stainton,1849)** (Pyrilidae) Synonym(s): *resinea* auct.; *delunella* Stainton,1849; *vandaliella* Herrich-Schäffer,1851; *vandalialis* Herrich-Schäffer,1862; *pernigralis* Turati,1923
Original Reference: *Eudorea delunella* Stainton,1849, Cat. Br. Tineidae & Pterophoridae: 3. Range (in code): **PT ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK YU B-H BG CY GR DK RU Sb MD UA BY**
- 75313. *Eudonia* *delunella* *orientalis* (Alpheraky,1878)** (Pyrilidae) Synonym(s): *orientalis* Alpheraky,1878 Original Reference: *Scoparia resinea* var. *orientalis* Alpheraky,1878, Horae Soc. ent. ross. 10: 26. Lectotype ♂: Russia: env. Piatigorsk, designated by Munroe,1970 (ZIP). Range (in code): **RU Pja**
- 75314. *Eudonia* *gracilineata* Nuss,2000** (Pyrilidae) Synonym(s): *gracilineata* Nuss,2000
Range (in code): **ZA**

- 75315. *Eudonia laetella* (Zeller,1846)** (Pyrilidae) Synonym(s): *laetella* Zeller,1846 **Original**
Reference: *Eudorea laetella* Zeller,1846, Linn. ent. 1: 298, fig.8. Syntypes: Polen: Glogau, Dantzig. Range (in code): **IT BE LU DE CH AT PL CZ SK HU RO YU GR NO SE FI EE LV LT RU MD UA BY**
- 75316. *Eudonia liebmanni* (Petry,1904)** (Pyrilidae) Synonym(s): *liebmanni* Petry,1904
Range (in code): **Co FR**
- 75317. *Eudonia lineola* (Curtis,1827)** (Pyrilidae) Synonym(s): *lineola* Curtis,1827 **Original**
Reference: *Eudorea lineola* Curtis,1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley,1963 (NMV,Melbourne). Range (in code): **MA DZ Cst PT ES FR Sa IE GB NL TR**
Bionomy: Larva on *Parmelia parietina* (Musci) (Emmet,1979).
- 75318. *Eudonia lineola lineola* (Curtis,1827)** (Pyrilidae) Synonym(s): *lineola* Curtis,1827
Original Reference: *Eudorea lineola* Curtis,1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley,1963 (NMV,Melbourne). Range (in code): **PT ES FR Sa IE GB NL TR**
- 75319. *Eudonia lineola virescens* (Rebel,1896)** (Pyrilidae) Synonym(s): *virescens* Rebel,1896;
rungsi Amsel,1952 Original Reference: *Scoparia virescens* Rebel,1896, Verh. zool.-bot. Ges. Wien 46: 174. Lectotype ♀: Marocco: Casablanca, designated by Leraut,1984 (MINGA,Bucharest)
Range (in code): **MA DZ**
- 75320. *Eudonia mercurella* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *mercurella* Linnaeus,1758;
mercurii Fabricius,1798; *mercurea* Haworth,1811; *mercurialis* Hübner,[1825]; *portlandica* Westwood,1845;
frequentella Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862 Original Reference:
Phalaena mercurella Linnaeus,1758, Syst. Nat. (Edn.10) 1: 538. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 220) (LS). Range (in code): **MA DZ Az PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY IR Elb Dam TR Cc AZ Nv Ord GG Bjo Lag Mng CN**
- 75321. *Eudonia mercurella mercurella* (Linnaeus,1758)** (Pyrilidae) Synonym(s): *mercurella* Linnaeus,1758; *mercurii* Fabricius,1798; *mercurea* Haworth,1811; *mercurialis* Hübner,[1825]; *portlandica* Westwood,1845; *frequentella* Stainton,1849; *concinella* Curtis,1850; *frequentalis* Herrich-Schäffer,1862
Original Reference: *Phalaena mercurella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 538. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 220) (LS). Range (in code): **MA DZ Az PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY IR Elb Dam TR CN**
- 75322. *Eudonia mercurella puella* Leraut,1982** (Pyrilidae) Synonym(s): *puella* Leraut,1982
Range (in code): **GR**
- 75323. *Eudonia murana* (Curtis,1827)** (Pyrilidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
Original Reference: *Eudorea murana* Curtis,1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley,1963 (NMV,Melbourne). Range (in code): **PT ES FR IT GB DE CH AT PL CZ SK HU RO YU GR TR Cc GG Bjo DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Hypnum cupressiforme*, *Bryum capillare*, *Grimmia pulvinata*, *Dicranum scoparium* (Musci) (Emmet,1979).
- 75324. *Eudonia murana derrai* Leraut,1982** (Pyrilidae) Synonym(s): *derrai* Leraut,1982
Range (in code): **IT**
- 75325. *Eudonia murana murana* (Curtis,1827)** (Pyrilidae) Synonym(s): *murana* Curtis,1827; *muralis* Doubleday,1850; *delphinatalis* Guenée,1854; *muranela* La Harpe,1855; *pseudomurana* Müller-Rutz,1925
Original Reference: *Eudorea murana* Curtis,1827, Brit. Ent. 4: 170. Lectotype ♂: Great Britain, designated by Whalley,1963 (NMV,Melbourne). Range (in code): **PT ES FR GB DE CH AT PL CZ SK HU RO YU GR TR Cc GG DK EE LV LT RU MD UA BY**
- 75326. *Eudonia murana tuoniana* Hofmann,1893** (Pyrilidae) Synonym(s): *tuoniana* Hofmann,1893; *ranica* Strand,1920 Range (in code): **NO SE FI**
- 75327. *Eudonia obsoleta* (Staudinger,1879)** (Pyrilidae) Synonym(s): *obsoleta* Staudinger,1879; *berytella* Rebel,1911; *syriaca* Caradja,1916; *coprista* Meyrick,1936; *unicornutella* Amsel,1958 Original
Reference: *Scoparia obsoleta* Staudinger,1879, Horae Soc. ent. ross. 15: 163. Syntypes 1♂ 2♀: [Türkei]: Amasia: Kerasdere. Range (in code): **CY LB Bei TR**
- 75328. *Eudonia paghmanella* Leraut,1985** (Pyrilidae) Synonym(s): *paghmanella* Leraut,1985
Range (in code): **AF Pag**
- 75329. *Eudonia petrophila* (Standfuss,1848)** (Pyrilidae) Synonym(s): *petrophila* Standfuss,1848; *vesuntialis* Guenée,1854 Range (in code): **ES FR IT DE CH AT PL CZ SK RO YU B-H AL**
- 75330. *Eudonia petrophila balcanica* (Rebel,1917)** (Pyrilidae) Synonym(s): *balcanica* Rebel,1917 Range (in code): **YU B-H AL**

- 75331. *Eudonia petrophila confusella* (La Harpe,1863)** (Pyralidae) Synonym(s): *confusella* La Harpe,1863; *amissella* Millière,1864 Range (in code): FR
- 75332. *Eudonia petrophila petrophila* (Standfuss,1848)** (Pyralidae) Synonym(s): *petrophila* Standfuss,1848; *vesuntialis* Guenée,1854 Range (in code): IT DE CH AT PL CZ SK RO
- 75333. *Eudonia petrophila reali* Leraut,1984** (Pyralidae) Synonym(s): *reali* Leraut,1984 Range (in code): ES FR
- 75334. *Eudonia phaeoleuca* (Zeller,1846)** (Pyralidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914 Original Reference: *Eudorea phaeoleuca* Zeller,1846, Linn. ent. 1: 306, pl.2 fig.13. Lectotype ♀: Romania: Banat, designated by Leraut,1982 (MNHUB). Range (in code): ES FR IT DE CH AT CZ SK RO YU B-H AL BG Rİ GR TR
- 75335. *Eudonia phaeoleuca brosi* Leraut,1982** (Pyralidae) Synonym(s): *brosi* Leraut,1982 Range (in code): FR
- 75336. *Eudonia phaeoleuca fuscella* (Turati,1914)** (Pyralidae) Synonym(s): *fuscella* Turati,1914 Range (in code): IT
- 75337. *Eudonia phaeoleuca nevadensis* (Zerny,1927)** (Pyralidae) Synonym(s): *nevadensis* Zerny,1927 Range (in code): ES An
- 75338. *Eudonia phaeoleuca phaeoleuca* (Zeller,1846)** (Pyralidae) Synonym(s): *phaeoleuca* Zeller,1846; *sciaphilella* La Harpe,1855; *bielnalis* Rougemont,1904; *gratiella* Turati,1914 Original Reference: *Eudorea phaeoleuca* Zeller,1846, Linn. ent. 1: 306, pl.2 fig.13. Lectotype ♀: Romania: Banat, designated by Leraut,1982 (MNHUB). Range (in code): FR DE CH AT CZ SK RO YU B-H AL BG Rİ GR TR
- 75339. *Eudonia phaeoleuca sororcula* Leraut,1982** (Pyralidae) Synonym(s): *sororcula* Leraut,1982 Original Reference: *Eudonia phaeoleuca* ssp. *sororcula* Leraut,1982, Alexanor 12 (6): [14], pl.2 fig.17; pl.7 fig.53. Holotype ♀: Turquie: Anatolie centrale, Aksehir [Sultandağları], 1-15.viii.1934, 1200-1500m, Osthelder leg. (ZSM). Range (in code): TR
- 75340. *Eudonia piroformis* (Amsel,1949)** (Pyralidae) Synonym(s): *piroformis* Amsel,1949 Original Reference: *Eudorea* (Scoparia) *piroformis* Amsel,1949, Bull. Soc. Ent. Fouad I 33: 295, pl.5 fig.35. Syntypes: Iraq: Berserini (Wiltshire leg. & coll.). Range (in code): IQ Brs
- 75341. *Eudonia polyphaealis* Hampson,1907** (Pyralidae) Synonym(s): *polyphaealis* Hampson,1907 Range (in code):
- 75342. *Eudonia senecaensis* Huemer & Leraut,1993** (Pyralidae) Synonym(s): *senecaensis* Huemer & Leraut,1993 Range (in code): FR
- 75343. *Eudonia speideli* Leraut,1982** (Pyralidae) Synonym(s): *speideli* Leraut,1982 Original Reference: *Eudonia speideli* Leraut,1982, Alexanor 12 (6): [10]-[12], pl.1 fig.11, pl.6 figs.44-47. Holotype ♀: Crete, Kalamafka, 8.x.72 (Malicky leg.) (LNK) Range (in code): Cr LB Bei JO Amm TR
- 75344. *Eudonia sudetica* (Zeller,1839)** (Pyralidae) Synonym(s): *sudetica* Zeller,1839; *livonica* Zeller,1846; *luzialis* Guenée,1854 Range (in code): ES FR IT DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Cc Da Kus MD UA BY
- 75345. *Eudonia truncicolella* (Stainton,1849)** (Pyralidae) Synonym(s): *truncicolella* Stainton,1849; *pallida* Bankes,1895 nec Curt.,1827; *#minor* Dufrane,1960; *#fusca* Dufrane,1960 Original Reference: *Eudorea truncicolella* Stainton,1849, Syst. Cat. Br. Tineidae & Pterophoridae: 2. Lectotype ♂: West Wickham, designated by Whalley,1963 (BMNH). Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG B-H TR Cc GG Tbl Bjo Bku Da Kus DK NO SE FI EE LV LT RU Ur Prj Us MD UA BY CN JP
- 75346. *Eudonia tyrophanta* (Meyrick,1932)** (Pyralidae) Synonym(s): *tyrophanta* Meyrick,1932 Range (in code): UG Rz
- 75347. *Eudonia vallesialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *vallesialis* Duponchel,1832 Range (in code): ES FR IT DE CH AT PL SK RO RU MD UA BY
- 75348. *Eufernaldia argenteonervella* Hulst,1900** (Pyralidae) Synonym(s): *argenteonervella* Hulst,1900 Range (in code): US Arz
- 75349. *Eufernaldia cadarella* (Druce,1896)** (Pyralidae) Synonym(s): *cadarella* Druce,1896 Range (in code): MX
- 75350. *Eufernaldia micralis* Hampson,1919** (Pyralidae) Synonym(s): *micralis* Hampson,1919 Range (in code): JM
- 75351. *Eufernaldia misgabella* (Druce,1896)** (Pyralidae) Synonym(s): *misgabella* Druce,1896 Range (in code): MX
- 75352. *Eufernaldia panamella* Schaus,1922** (Pyralidae) Synonym(s): *panamella* Schaus,1922 Range (in code): PA

- 75353. Eugauria albidentata (Hampson,1897)** (Pyralidae) **Synonym(s):** *albidentata* Hampson,1897; *compactalis* Snellen,1901 **Range (in code):** **TW ID Ja**
- 75354. Euglyphis procopia (Cramer,1782)** (Pyralidae) **Synonym(s):** *procopia* Cramer,1782 **Range (in code):** **PH Luz Ley Pao CmM Mno IN LK Nia Ja Sgr Amb ID CN MY SG**
- 75355. Euleucinodes conifrons Capps,1948** (Pyralidae) **Synonym(s):** *conifrons* Capps,1948 **Range (in code):** **PE**
- 75356. Eulophota bipars Joannis,1927** (Pyralidae) **Synonym(s):** *bipars* Joannis,1927 **Range (in code):** **ZA**
- 75357. Eulophota caustella (Hampson,1901)** (Pyralidae) **Synonym(s):** *caustella* Hampson,1901 **Original Reference:** *Pristarthria caustella* Hampson,1901, [in] Romanoff, Mém. Lépid. 8: 548, pl.57 fig.13. **Range (in code):** **ZA Mpu Brb Tva Wo Ec Ans**
- 75358. Eulophota floridella Joannis,1927** (Pyralidae) **Synonym(s):** *floridella* Joannis,1927 **Range (in code):** **ZA**
- 75359. Eulophota pretoriella Joannis,1927** (Pyralidae) **Synonym(s):** *pretoriella* Joannis,1927 **Range (in code):** **ZA Tva Gau Pre**
- 75360. Eulophota simplex Joannis,1927** (Pyralidae) **Synonym(s):** *simplex* Joannis,1927 **Range (in code):** **ZA**
- 75361. Eulophota zonata Hampson,1926** (Pyralidae) **Synonym(s):** *zonata* Hampson,1926 **Original Reference:** *Eulophota zonata* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 634. Syntypes 1♂ 1♀: [South Africa]: Cape Colony, Annshaw (Miss F.Barrett). **Range (in code):** **ZA Tra Ec ZW**
- 75362. Euparolia nipimidalis Dyar,1914** (Pyralidae) **Synonym(s):** *nipimidalis* Dyar,1914 **Range (in code):** **MX**
- 75363. Eupoca bifascialis (Walker,1863)** (Pyralidae) **Synonym(s):** *bifascialis* Walker,1863; *cinerea* W.Warren,1891 **Range (in code):** **BR**
- 75364. Eupoca chicalis (Schaus,1920)** (Pyralidae) **Synonym(s):** *chicalis* Schaus,1920 **Range (in code):** **GT**
- 75365. Eupoca definita Munroe,1964** (Pyralidae) **Synonym(s):** *definita* Munroe,1964 **Range (in code):** **BR**
- 75366. Eupoca leucolepia (Hampson,1898)** (Pyralidae) **Synonym(s):** *leucolepia* Hampson,1898 **Range (in code):** **BR**
- 75367. Eupoca micralis Munroe,1964** (Pyralidae) **Synonym(s):** *micralis* Munroe,1964 **Range (in code):** **MX**
- 75368. Eupoca polyorma (Meyrick,1936)** (Pyralidae) **Synonym(s):** *polyorma* Meyrick,1936 **Range (in code):** **VE**
- 75369. Eupoca sanctalis (Schaus,1912)** (Pyralidae) **Synonym(s):** *sanctalis* Schaus,1912 **Range (in code):** **CR**
- 75370. Eurhodope (Eurhobasis) aeneella (Zerny,1914)** (Pyralidae) **Synonym(s):** *aeneella* Zerny,1914 **Original Reference:** *Myelois aeneella* Zerny,1914, Annln naturh. Mus. Wien 28: 319-320. Syntypes 2♂: [Israel]: Haifa (leg. Lange, ex coll. Kalchberg) (NHMW). **Range (in code):** **IL Pa Hf**
- 75371. Eurhodope (Eurhobasis) cinerea (Staudinger,1879)** (Pyralidae) **Synonym(s):** *cinerea* Staudinger,1879; *buxtoni* Rothschild,1921 **Original Reference:** *Myelois cinerea* Staudinger,1879, Horae Soc. ent. ross. 15: 210. Syntypes: Cypern; [Lebanon]: Beirut. **Range (in code):** **LB Bei Bsa IL Pa Hf TR IQ Kbl Bgd Amr Bsr Shq IR Ahz Ke Ana AF Hr Pli Fz Blh CY**
- 75372. Eurhodope (Eurhobasis) lutescentella (Caradja,1916)** (Pyralidae) **Synonym(s):** *lutescentella* Caradja,1916 **Original Reference:** *Myelois lutescentella* Caradja,1916, Dt. ent. Z., Iris 30: 17. Syntypes 1♂ 2♀: [Türkei]: Mardin. **Range (in code):** **TR**
- 75373. Eurhodope (s.str.) basella Shibuya,1928** (Pyralidae) **Synonym(s):** *basella* Shibuya,1928 **Range (in code):** **TW**
- 75374. Eurhodope (s.str.) bellulella Ragonot,1893** (Pyralidae) **Synonym(s):** *bellulella* Ragonot,1893 **Range (in code):** **JP TW**
- 75375. Eurhodope (s.str.) cirrigerella (Zincken,1818)** (Pyralidae) **Synonym(s):** *cirrigerella* Zincken,1818; *infuscata* Staudinger,1879 **Range (in code):** **ES FR Si IT GB DE CH AT PL CZ SK RO YU BG GR DK SE EE LV LT RU MD UA BY**
- 75376. Eurhodope (s.str.) confusella (Walker,1866)** (Pyralidae) **Synonym(s):** *confusella* Walker,1866 **Range (in code):** **ZA**

- 75377. Eurhodope (s.str.) cruentella (Duponchel,1843)** (Pyrilidae) Synonym(s): *cruentella* Duponchel,1843; *alba* Caradja,1916 Range (in code): MA TN DZ Lbs ES An FR Cc AM
- 75378. Eurhodope (s.str.) fulgidella (Predota,1934)** (Pyrilidae) Synonym(s): *fulgidella* Predota,1934; *bella* Amsel,1954 Original Reference: Myelois fulgidella Predota,1934, Z. Ver. Nat. Beob. Wien 9 (1): 1. Type: Algeria. Range (in code): DZ IR Fa
- 75379. Eurhodope (s.str.) hyrcanella (Amsel,1954)** (Pyrilidae) Synonym(s): *hyrcanella* Amsel,1954 Original Reference: Eurhodope flavella ssp. hyrcanella Amsel,1954, Ark. Zool. 6 (16): 299, fig.247. Holotype ♂: Iran: Muk Pass (Fars) (leg. Wiltshire). Range (in code): IR Fa
- 75380. Eurhodope (s.str.) incensella (Staudinger,1859)** (Pyrilidae) Synonym(s): *incensella* Staudinger,1859; *flavella* Amsel,1954 Range (in code): DZ Orn Lbs Phv Gf TN ES IR
- 75381. Eurhodope (s.str.) incompta (Zeller,1847)** (Pyrilidae) Synonym(s): *incompta* Zeller,1847 Original Reference: Myelois incompta Zeller,1847, Isis 1847: 30. Syntypes 2♂ 1♀: [Turkey]: Mermeriza [Marmaris], Makri [Fethiye]. Range (in code): MK GR Cr TR CY IL Pa
- 75382. Eurhodope (s.str.) infixella (Walker,1866)** (Pyrilidae) Synonym(s): *infixella* Walker,1866 Range (in code): ZA
- 75383. Eurhodope (s.str.) karenkolla Shibuya,1928** (Pyrilidae) Synonym(s): *karenkolla* Shibuya,1928 Range (in code): TW
- 75384. Eurhodope (s.str.) maydina Roesler,1988** (Pyrilidae) Synonym(s): *maydina* Roesler,1988 Range (in code): IL Pa
- 75385. Eurhodope (s.str.) millierella (Ragonot,1893)** (Pyrilidae) Synonym(s): *millierella* Ragonot,1893 Range (in code): ES FR
- 75386. Eurhodope (s.str.) mira Amsel,1954** (Pyrilidae) Synonym(s): *mira* Amsel,1954 Range (in code): IR Fa Shr Elb Th
- 75387. Eurhodope (s.str.) monogrammos (Zeller,1867)** (Pyrilidae) Synonym(s): *monogrammos* Zeller,1867; *homochromella* Amsel,1961; *melanella* Roesler,1969 Original Reference: Myelois monogrammos Zeller,1867, Stettin ent. Ztg. 28(10/12): 376-377. Type ♀: Jordanthal. Range (in code): AL BG IQ JO IL Pa IR TR
- 75388. Eurhodope (s.str.) notulella (Ragonot,1888)** (Pyrilidae) Synonym(s): *notulella* Ragonot,1888 Range (in code): ZA
- 75389. Eurhodope (s.str.) nyctosia Balinsky,1991** (Pyrilidae) Synonym(s): *nyctosia* Balinsky,1991 Range (in code): ZA
- 75390. Eurhodope (s.str.) ohkunii Shibuya,1928** (Pyrilidae) Synonym(s): *ohkunii* Shibuya,1928 Range (in code): TW
- 75391. Eurhodope (s.str.) ortneri Hartig,1938** (Pyrilidae) Synonym(s): *ortneri* Hartig,1938 Range (in code): BG
- 75392. Eurhodope (s.str.) rosella (Scopoli,1763)** (Pyrilidae) Synonym(s): *rosella* Scopoli,1763; *pudoralis* Denis & Schiffermüller,1775; *pudorella* Hübner,1796; *pudorana* Frölich,1828 Original Reference: Phalaena rosella Scopoli,1763, Entomologia Carniolica: 245. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR Si IT BE DE CH AT PL CZ SK HU RO YU AL BG GR SE LT TR Cc KG Uk CN Ui Ln Bionomy: Larva on Knautia, Scabiosa columbaria (Dipsacaceae) (Parenti,2000).
- 75393. Eurhodope (s.str.) sielmannella Roesler,1969** (Pyrilidae) Synonym(s): *sielmannella* Roesler,1969 Original Reference: Eurhodope sielmannella Roesler,1969, Ent. Z., Frankf. a. M. 79 (18): 203-205, Abb. 3-4. Holotype ♂: Creta occid., 540m, Lakkoi (coll. Roesler). Range (in code): TR GR Cr
- 75394. Eurhythma argyphaea (Turner,1913)** (Pyrilidae) Synonym(s): *argyphaea* Turner,1913 Range (in code): AU NAu
- 75395. Eurhythma callipepla (Turner,1913)** (Pyrilidae) Synonym(s): *callipepla* Turner,1913 Range (in code): AU NAu
- 75396. Eurhythma cataxia (Turner,1913)** (Pyrilidae) Synonym(s): *cataxia* Turner,1913 Range (in code): AU NAu
- 75397. Eurhythma epargyra (Turner,1913)** (Pyrilidae) Synonym(s): *epargyra* Turner,1913 Range (in code): AU NAu
- 75398. Eurhythma latifasciella Turner,1904** (Pyrilidae) Synonym(s): *latifasciella* Turner,1904; *latifasciella* Hampson,1919. Range (in code): AU
- 75399. Eurhythma polyzelota (Turner,1913)** (Pyrilidae) Synonym(s): *polyzelota* Turner,1913 Range (in code): AU NAu

- 75400. *Eurhythmia xuthospila* (Turner,1913)** (Pyrilidae) Synonym(s): *xuthospila* Turner,1913
Range (in code): **AU NAu**
- 75401. *Eurrhyarodes bracteolalis* (Zeller,1852)** (Pyrilidae) Synonym(s): *bracteolalis* Zeller,1852; *plumbalis* Guenée,1854; *accesalis* Walker,1859; *stibialis* Snellen,1880; *#mambarelis* Strand,1920
Range (in code): **PH Luz IN NP LK CN JP Sgr Ja Clb ID AU MM MY Bor TW PG ZA**
- 75402. *Eurrhyarodes contortalis* (Hampson,1900)** (Pyrilidae) Synonym(s): *contortalis* Hampson,1900 Range (in code): **RU Am TW**
- 75403. *Eurrhyarodes nymphulalis* Strand,1918** (Pyrilidae) Synonym(s): *nymphulalis* Strand,1918 Range (in code): **TW**
- 75404. *Eurrhyarodes tricoloralis* (Zeller,1852)** (Pyrilidae) Synonym(s): *tricoloralis* Zeller,1852; *abnegatalis* Walker,1859; *confusalis* W.Warren,1896; *#tricoloris* Klima,1939 Range (in code): **TW PH Luz IN Adm LK Ja Sgr Amb ID AU QAU WS PC FJ SB MY OW ZA TH CMa Cu01 Cu07 PG AE**
- 75405. *Eurrhysis cacuminalis* (Eversmann,1843)** (Pyrilidae) Synonym(s): *cacuminalis* Eversmann,1843 Original Reference: *Ennychia cacuminalis* Eversmann,1843, Bull. Soc. imp. nat. Moscou 16: 554. Type: Russia: Ural. Range (in code): **BG GR TR LB RU Ur Eri AM Cc GG Bjo Mng**
- 75406. *Eurrhysis cacuminalis cacuminalis* (Eversmann,1843)** (Pyrilidae) Synonym(s): *cacuminalis* Eversmann,1843 Original Reference: *Ennychia cacuminalis* Eversmann,1843, Bull. Soc. imp. nat. Moscou 16: 554. Type: Russia: Ural. Range (in code): **RU Ur**
- 75407. *Eurrhysis cacuminalis multiguttalis* (Staudinger,1871)** (Pyrilidae) Synonym(s): *multiguttalis* Staudinger,1871 Original Reference: *Hercyna multiguttalis* Staudinger,1871, Horae Soc. ent. ross. 7: 200, Taf. 2 fig.16 Type: Griechenland. Range (in code): **BG GR TR Cc AM Eri**
- 75408. *Eurrhysis elbursana* (Amsel,1961)** (Pyrilidae) Synonym(s): *elbursana* Amsel,1961 Range (in code): **IR Elb Th Nss**
- 75409. *Eurrhysis gutturalis* (Herrich-Schäffer,1848)** (Pyrilidae) Synonym(s): *gutturalis* Herrich-Schäffer,1848 Original Reference: *Hercyna gutturalis* Herrich-Schäffer,1848, Syst. bearb. Schmett. Eur. 4: 16, pl.14 figs.96-97. Syntypes: Italia, Pratovecchio, Mann leg. Range (in code): **PT ES FR Co Sa Si IT SK RO YU BG GR TR** Bionomy: Larva on *Ulex argenteus*, *Genista triacanthos* (Fabaceae) (Dionisio,2007).
- 75410. *Eurrhysis pollinalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 Original Reference: *Pyralis pollinalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **MA DZ Lbs Sbd Clo TN ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo LB DK SE RU MD UA BY AU** Bionomy: Larva on *Cytisus*, *Genista*, *Lembotropis nigricans*, *Ononis* (Fabaceae) (Leraut & Luquet,1982; Parenti,2000).
- 75411. *Eurrhysis pollinalis filialis* (Zerny,1934)** (Pyrilidae) Synonym(s): *filialis* Zerny,1934 Original Reference: *Titanio pollinalis* ssp. *filialis* Zerny,1934, Dt. ent. Z., Iris 48: 11. Syntypes: Libanon: Zedern. Range (in code): **LB**
- 75412. *Eurrhysis pollinalis pollinalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *pollinalis* [Denis & Schiffermüller],1775; *bigutta* Esper,[1791]; *melissalis* Walker,1859; *flavinotalis* Grote,1881; *#obcaecatalis* Leraut & Luquet,1985 Original Reference: *Pyralis pollinalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE RU MD UA BY** Bionomy: Larva on *Cytisus*, *Genista*, *Lembotropis nigricans*, *Ononis* (Fabaceae) (Leraut & Luquet,1982; Parenti,2000).
- 75413. *Eurrhysis pollinalis rungsi* Leraut & Luquet,1982** (Pyrilidae) Synonym(s): *rungsii* Leraut & Luquet,1982 Original Reference: *Eurrhysis pollinalis* ssp. *rungsii* Leraut & Luquet,1982, Linneana Belg. 8 (12): 540-541, figs. Holotype ♀: Maroc: Grand Atlas, Oukaiméden (coll. Rungs). Range (in code): **MA ES**
- 75414. *Eurrhysis sartalis* (Hübner,[1813])** (Pyrilidae) Synonym(s): *sartalis* Hübner,[1813]. Original Reference: *Pyralis sartalis* Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab.27 fig. 173,174. Syntypes: Europa. Range (in code): **RO? RU TR**
- 75415. *Eurybela scotopis* Turner,1908** (Pyrilidae) Synonym(s): *scotopis* Turner,1908 Range (in code): **AU**

- 75416. Eurybela trophoessa (Turner,1908)** (Pyralidae) Synonym(s): *trophoessa* Turner,1908
Range (in code): AU
- 75417. Eurycreon imperialis Sauber,1902** (Pyralidae) Synonym(s): *imperialis* Sauber,1902
Range (in code): PH Luz
- 75418. Euryzonella latifascia (Hampson,1891)** (Pyralidae) Synonym(s): *latifascia* Hampson,1891
Range (in code): IN Khs Ass
- 75419. Euryzonella sichimensis (Hampson,1917)** (Pyralidae) Synonym(s): *sichimensis* Hampson,1917
Range (in code): IN SI Djl
- 75420. Eusabena miltochristalis (Hampson,1896)** (Pyralidae) Synonym(s): *miltochristalis* Hampson,1896; *equicalcaralis* Strand,1918
Range (in code): ZA
- 75421. Eusabena monotictalis (Hampson,1899)** (Pyralidae) Synonym(s): *monotictalis* Hampson,1899
Range (in code): AU
- 75422. Eusabena paraphragma (Meyrick,1889)** (Pyralidae) Synonym(s): *paraphragma* Meyrick,1889; *xanthialis* Hampson,1898
Range (in code): AU
- 75423. Eustixia pupula Hübner,[1823]** (Pyralidae) Synonym(s): *pupula* Hübner,[1823]
Range (in code): US
- 75424. Eutrichodes oenoealis (Walker,1859)** (Pyralidae) Synonym(s): *oenoealis* Walker,1859
Range (in code): TH MY BN Bor Klt ID
- 75425. Euzophera (Cymbalorissa) fuliginosella (Heinemann,1865)** (Pyralidae)
Synonym(s): *fuliginosella* Heinemann,1865; *polyxenella* Millière,1872. Original Reference:
Stenoptycha fuliginosella Heinemann,1865, Schmett. Dtl. Schweiz 1865: 192. Type(s):
Österreich: Wien. Range (in code): PT ES FR IT BE NL DE CH AT PL CZ SK HU RO YU MK BG GR TR
IR Mz Gh Tgo DK SE FI EE LV LT RU MD UA BY
- 75426. Euzophera (Quadrepista) ultimella Roesler,1973** (Pyralidae) Synonym(s):
ultimella Roesler,1973
Range (in code): AF Kbb Slg
- 75427. Euzophera (s.str.) afflictella Ragonot,1887** (Pyralidae) Synonym(s): *afflictella*
Ragonot,1887; *aethaloneuria* Filipjev,1924. Range (in code): RU Sb Am CN Tkg Hun Kgs She Stg
- 75428. Euzophera (s.str.) albicostalis Hampson,1903** (Pyralidae) Synonym(s): *albicostalis*
Hampson,1903; *albocostalis* Amsel,1949 Original Reference: *Euzophera albicostalis* Hampson,1903,
J. Bombay nat. Hist. Soc. 15: 24. Lectotype ♂: Kaschmir: Scind valley (designated by
Roesler,1973, Microlepid. palaearkt. 4: 198) (BMNH). Range (in code): RU Sr Ch IR Elb Ahz Kz Cc
GG Lag IQ Dy Qg AF Kab AZ IN
- 75429. Euzophera (s.str.) albipunctella Ragonot,1887** (Pyralidae) Synonym(s): *albipunctella*
Ragonot,1887 Original Reference: *Euzophera albipunctella* Ragonot,1887, Annls Soc. ent. Fr.
1887: 253. Type ♀: [China: Uighur A.R.]: Kuldscha (ZIANL). Range (in code): CN Ui Ku
- 75430. Euzophera (s.str.) alpherakyella Ragonot,1887** (Pyralidae) Synonym(s): *alpherakyella*
Ragonot,1887 Original Reference: *Euzophera alpherakyella* Ragonot,1887, Annls Soc. ent. Fr.
1887: 254. Type ♂: [China: Uighur A.R.]: Kuldscha (MNHN). Range (in code): IR Fa Elb KJ Th
AF Pag PK Gg Hu Ch TM Kp KG Uk Tk Dj CN Ui Ku T-S DsA
- 75431. Euzophera (s.str.) atuntsealis Roesler,1973** (Pyralidae) Synonym(s): *atuntsealis*
Roesler,1973 Original Reference: *Euzophera (s.str.) atuntsealis* Roesler,1973, Microlepid.
Palaearkt. 4: 203-204, figs. Holotype ♂: China: A-tun-tse (Nord Yunnan), leg. H.Höne (MGAB).
Range (in code): CN Yu Ats CN Yu Ats Tkg
- 75432. Euzophera (s.str.) batangensis Caradja,1939** (Pyralidae) Synonym(s): *batangensis*
Caradja,1939
Range (in code): CN Btn Yu Kgs Tkg Hun JP
- 75433. Euzophera (s.str.) bigella (Zeller,1848)** (Pyralidae) Synonym(s): *bigella* Zeller,1848;
stenoptycha Herrich-Schäffer,1855; *bisinuella* Ragonot,1887; *punicaeella* Moore,1891; *immundella* Ragonot,1901;
angulella Chrétien,1922; *renulella* Constantini,1922 Original Reference: *Ephestia bigella* Zeller,1848,
Isis 1848: 596. Type ♀: Italien: Toskana (BMNH). Range (in code): DZ TN MA PT ES Mu FR Co Si
IT MT GB BE DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR CY TR Cc IL Hf Jer Pa IR Th Fa Shh Ss
SY DK RU LB Bei IQ Mos AF NP UZ Br TM K-K Kp Bionomy: Larva on *Ulmus* (Ulmaceae), *Juglans*
(Juglandaceae), *Cydonia*, *Malus*, *Pirus*, *Prunus armeniaca* (Rosaceae), *Punica* (Punicaceae), *Salix*
(Salicaceae) (Huemer,1988; Parenti,2000).
- 75434. Euzophera (s.str.) cinerosella (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella*
Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimeleella* Zerny,1934. Original
Reference: *Myelois cinerosella* Zeller,1839, Isis 1839: 176. Type ♂: Deutschland: Stettin (BMNH).
Range (in code): ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE
LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv LB IL Hf Pa CY KG Uk Ind CN Ui Ku MN

- 75435. *Euzophera* (s.str.) *cinerosella cinerosella* (Zeller,1839)** (Pyralidae) Synonym(s): *cinerosella* Zeller,1839; *incanella* Eversmann,1844; *artemisiella* Stainton,1859; *pimelella* Zerny,1934. Original Reference: Myelois *cinerosella* Zeller,1839, Isis 1839: 176. Type ♂: Deutschland: Stettin (BMNH). Range (in code): **ES FR Si IT GB DE CH AT PL CZ SK HU RO B-H MK YU AL BG GR DK NO SE FI EE LV LT RU Ur St MD UA BY TR IR Elb Th Mz Dam Kdv IL Hf Pa CY LB KG Uk Ind**
- 75436. *Euzophera* (s.str.) *cinerosella politella* Ragonot,1887** (Pyralidae) Synonym(s): *politella* Ragonot,1887 Original Reference: *Euzophera politella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 253. Type ♂: [China: Uighur A.R.]: Kuldscha (MNHNP). Range (in code): **CN Ui Ku MN**
- 75437. *Euzophera* (s.str.) *cocciphaga Hampson,1908*** (Pyralidae) Synonym(s): *cocciphaga Hampson,1908* Range (in code): **IN SI Djl**
- 75438. *Euzophera* (s.str.) *colon* (Christoph,1881)** (Pyralidae) Synonym(s): *colon* Christoph,1881 Range (in code): **RU Vv**
- 75439. *Euzophera* (s.str.) *comeella* Roesler,1973** (Pyralidae) Synonym(s): *comeella* Roesler,1973 Original Reference: *Euzophera* (s.str.) *comeella* Roesler,1973, Microlepid. Palaearkt. 4: 206-207, figs. Holotype ♂: Iran: Fars: Str. Ardekan-Talochosroe, Comée, 2600m (LNK). Range (in code): **IR Fa Com**
- 75440. *Euzophera* (s.str.) *conquassata* Roesler,1970** (Pyralidae) Synonym(s): *conquassata* Roesler,1970 Range (in code): **MN**
- 75441. *Euzophera* (s.str.) *cornutella* (Roesler,1965)** (Pyralidae) Synonym(s): *cornutella* Roesler,1965 Range (in code): **CN Hun Yu**
- 75442. *Euzophera* (s.str.) *costivittella* Ragonot,1887** (Pyralidae) Synonym(s): *costivittella* Ragonot,1887 Original Reference: *Euzophera costivittella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 253. Type: Russia: Sarepta. Range (in code): **EE RU Sr MD UA BY TM Kp Cc AM IR Fa KK Al AF Srb**
- 75443. *Euzophera* (s.str.) *crassignatha* Balinsky,1994** (Pyralidae) Synonym(s): *crassignatha* Balinsky,1994 Range (in code): **ZA Nta Kzu Nkw**
- 75444. *Euzophera* (s.str.) *crassignatha crassignatha* Balinsky,1994** (Pyralidae) Synonym(s): *crassignatha* Balinsky,1994 Range (in code): **ZA Nta Kzu Nkw**
- 75445. *Euzophera* (s.str.) *crinita* Balinsky,1994** (Pyralidae) Synonym(s): *crinita* Balinsky,1994 Range (in code): **ZW Uma**
- 75446. *Euzophera* (s.str.) *crinita crinita* Balinsky,1994** (Pyralidae) Synonym(s): *crinita* Balinsky,1994 Range (in code): **ZW Uma**
- 75447. *Euzophera* (s.str.) *cullinannesis* (Balinsky,1991)** (Pyralidae) Synonym(s): *cullinannesis* Balinsky,1991 Range (in code): **ZA**
- 75448. *Euzophera* (s.str.) *derbendicola* Roesler,1973** (Pyralidae) Synonym(s): *derbendicola* Roesler,1973 Original Reference: *Euzophera* (s.str.) *derbendicola* Roesler,1973, Microlepid. Palaearkt. 4: 236-237, figs. Holotype ♀: Iran: Derbend, 25km N.v. Teheran, 2000m (NHMW). Range (in code): **IR Elb Th**
- 75449. *Euzophera* (s.str.) *diminutella* Ragonot,1901** (Pyralidae) Synonym(s): *diminutella* Ragonot,1901 Range (in code): **JP**
- 75450. *Euzophera* (s.str.) *eburnella* Amsel,1954** (Pyralidae) Synonym(s): *eburnella* Amsel,1954 Range (in code): **IR Fa Elb Th**
- 75451. *Euzophera* (s.str.) *empistocles* Roesler,1969** (Pyralidae) Synonym(s): *empistocles* Roesler,1969 Range (in code): **AF Kab Hr IL Pa**
- 75452. *Euzophera* (s.str.) *eureka* Roesler,1970** (Pyralidae) Synonym(s): *eureka* Roesler,1970 Range (in code): **MN**
- 75453. *Euzophera* (s.str.) *fibigerella* Asselbergs,1997** (Pyralidae) Synonym(s): *fibigerella* Asselbergs,1997 Original Reference: *Euzophera fibigerella* Asselbergs,1997, Nota lepid. 20 (3/4): 305-309, figs. Holotype ♂: Turkey, Gaziantep, 16km NE Kadirli 700m (ZMA). Range (in code): **TR**
- 75454. *Euzophera* (s.str.) *flagella* (Lederer,1869)** (Pyralidae) Synonym(s): *flagella* Lederer,1869 Original Reference: Myelois *flagella* Lederer,1869, Horae Soc. ent. ross. 6: 91, Taf.5 fig.12. Type ♂: [Iran]: Astrabad [Gorgan], leg. Haberhauer (ZMB). Range (in code): **IR Ha Shh Gor Srd TR IL Pa**
- 75455. *Euzophera* (s.str.) *flavicosta* Turner,1947** (Pyralidae) Synonym(s): *flavicosta* Turner,1947 Range (in code): **AU**
- 75456. *Euzophera* (s.str.) *formosella* (Rebel,1910)** (Pyralidae) Synonym(s): *formosella* Rebel,1910 Original Reference: Myelois *formosella* Rebel,1910, Dt. ent. Z., Iris 24: 5. Lectotype

- ♂: [Kazakhstan]: Indersky (designated by Roesler,1973, Microlep. palaearkt. 4: 24 (MGAB).
Range (in code): GR RU IQ Kbl IR Elb Th Fa CY SY AF Kbb BdA MN KG Uk Ind CN Ui Ku
- 75457. Euzophera (s.str.) fractilineella Roesler,1969** (Pyralidae) Synonym(s): *fractilineella* Roesler,1969 Range (in code): EG EG12
- 75458. Euzophera (s.str.) gobiella Roesler,1970** (Pyralidae) Synonym(s): *gobiella* Roesler,1970
Range (in code): MN
- 75459. Euzophera (s.str.) hemileuca Joannis,1927** (Pyralidae) Synonym(s): *hemileuca* Joannis,1927 Range (in code): ZA
- 75460. Euzophera (s.str.) hudeibella Roesler,1973** (Pyralidae) Synonym(s): *hudeibella* Roesler,1973
Original Reference: *Euzophera* (s.str.) *hudeibella* Roesler,1973, Microlepid. Palaearkt. 4: 209-210, figs. Holotype ♂: Sudan: Ed Damer, Hudeiba, 16.xi.1961 (ZSM). Range (in code): SD
- 75461. Euzophera (s.str.) hulli Asselbergs,2009** (Pyralidae) Synonym(s): *#hulli* Asselbergs,2009
Original Reference: *Euzophera* *hulli* Asselbergs,2009, Phegea 37 (2): 63-64. Holotype ♂: Turkey: Kayseri, Sultansazlığı 1183m (LPM) [unavailable as it is proposed provisionally]. Range (in code): TR
- 75462. Euzophera (s.str.) imperfectella Ragonot,1895** (Pyralidae) Synonym(s): *imperfectella* Ragonot,1895; *xyломорфа* Meyrick,1937. Original Reference: *Euzophera* *imperfectella* Ragonot,1895, Bull. Soc. ent. Fr. 1895: 100. Lectotype ♀: [Turquie]: Alexandrette [Iskenderun] (designated by Roesler,1973, Microlep. palaearkt. 4: 223) (MNHNP). Range (in code): TR IL HF Pa IQ Ry Shq IR Fa
- 75463. Euzophera (s.str.) kabulella Roesler,1973** (Pyralidae) Synonym(s): *kabulella* Roesler,1973
Original Reference: *Euzophera* (s.str.) *kabulella* Roesler,1973, Microlepid. Palaearkt. 4: 217-218, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2100m (NHMW). Range (in code): AF Pag Bm
- 75464. Euzophera (s.str.) lactiflora Meyrick,1937** (Pyralidae) Synonym(s): *lactiflora* Meyrick,1937
Original Reference: *Euzophera* *lactiflora* Meyrick,1937, Exot. Microlepid. 5: 72. Lectotype ♀: Iraq: Mosul, designated by Roesler,1973, Microlepid. palaearkt. 4: 240 (BMNH). Range (in code): IQ Mos AF
- 75465. Euzophera (s.str.) luculentella Ragonot,1888** (Pyralidae) Synonym(s): *luculentella* Ragonot,1888
Original Reference: *Euzophera* *luculentella* Ragonot,1888, Nouv. Gen. Phyct. 1888: 32. Type ♀: [Turquie]: Kasikoparan (ZIANL). Range (in code): TR Cc IR Fa SD SD45
- 75466. Euzophera (s.str.) lunulella (Costa,1836)** (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851. Original Reference: *Lispe* *lunulella* Costa,1836, Faun. Napoli Lepid. 1836: 3, pl.5 fig.5. Type(s): Italien. Range (in code): MA DZ TN Gf LY Cy SA ES Grn Mu FR Si IT MT LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl
- 75467. Euzophera (s.str.) lunulella lunulella (Costa,1836)** (Pyralidae) Synonym(s): *lunulella* Costa,1836; *corcyrella* Herrich-Schäffer,1851. Original Reference: *Lispe* *lunulella* Costa,1836, Faun. Napoli Lepid. 1836: 3, pl.5 fig.5. Type(s): Italien. Range (in code): MA DZ TN MT IT Si ES Grn Mu FR
- 75468. Euzophera (s.str.) lunulella trigeminata W.Warren & Rothschild,1905** (Pyralidae) Synonym(s): *trigeminata* W.Warren & Rothschild,1905; *orientella* Amsel,1954. Original Reference: *Euzophera* *trigeminata* W.Warren & Rothschild,1905, Novit. Zool. 12: 30, t.4 fig.6. Type ♀: Sudan: Nakheila (BMNH). Range (in code): LY Cy EG Sn SD Ksl SA SA63 MK AL GR Cr TR IR Ss Ana Ke IQ Kbl
- 75469. Euzophera (s.str.) mienshani Caradja,1939** (Pyralidae) Synonym(s): *mienshani* Caradja,1939 Range (in code): CN Shs
- 75470. Euzophera (s.str.) minima Balinsky,1994** (Pyralidae) Synonym(s): *minima* Balinsky,1994 Range (in code): ZA
- 75471. Euzophera (s.str.) minima minima Balinsky,1994** (Pyralidae) Synonym(s): *minima* Balinsky,1994 Range (in code): ZA
- 75472. Euzophera (s.str.) neomeniella Ragonot,1888** (Pyralidae) Synonym(s): *neomeniella* Ragonot,1888 Range (in code): ZA
- 75473. Euzophera (s.str.) nessebarella Soffner,1962** (Pyralidae) Synonym(s): *nessebarella* Soffner,1962
Original Reference: *Euzophera* *nessebarella* Soffner,1962, Dt. ent. Z. 9: 139. Holotype ♀: Bulgarien: Nessebar (ZMB). Range (in code): BG GR

- 75474. *Euzophera* (s.str.) *osseatella* (Treitschke,1832)** (Pyralidae) Synonym(s): *osseatella* Treitschke,1832; *arcuatella* Ragonot,1901. Original Reference: Phycis *osseatella* Treitschke,1832, Schmett. Eur. 9(1): 199. Lectotype ♂: Sicilien (designated by Whalley,1963: 100). Range (in code): **MA DZ Cst Bsk Gf TN LY Cy PT ES Co Sa Si IT GB NL B-H MK GR LB Bei IL Hf Jt Jf Pa SY TR EG EG11 CY IQ Mos IR Ss Irs Ana Ke**
- 75475. *Euzophera* (s.str.) *paghmanicola* Roesler,1973** (Pyralidae) Synonym(s): *paghmanicola* Roesler,1973 Original Reference: *Euzophera* (s.str.) *paghmanicola* Roesler,1973, Microlepid. Palaearkt. 4: 221-222, figs. Holotype ♂: Afghanistan: Paghman, 30km NW v. Kabul, 2200m (NHMW). Range (in code): **AF Pag Bm**
- 75476. *Euzophera* (s.str.) *perticella* Ragonot,1888** (Pyralidae) Synonym(s): *perticella* Ragonot,1888; *nilghirisella* Ragonot,1901. Range (in code): **IN SI Djl Clc Poo LK PK Lh**
- 75477. *Euzophera* (s.str.) *pinguis* (Haworth,[1811])** (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848. Original Reference: Phycis *pinguis* Haworth,[1811], Lepid. Br.: 493. Type(s): England. Range (in code): **MA DZ Anna Orn Bsk TN Gf PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA LB Bsa TR IR Fa Cc AM**
- 75478. *Euzophera* (s.str.) *pinguis concolorella* Ragonot,1892** (Pyralidae) Synonym(s): *concolorella* Ragonot,1892; *nelliella* Ragonot,1894; *#nelliella* Chrétien,1917 Original Reference: *Euzophera concolorella* Ragonot,1892, Dt. ent. Z., Iris 5: 297. Type ♂: Tunis (ZMB). Range (in code): **MA DZ Bsk Anna Orn TN Si PT ES**
- 75479. *Euzophera* (s.str.) *pinguis pinguis* (Haworth,[1811])** (Pyralidae) Synonym(s): *pinguis* Haworth,[1811]; *fischeri* Zeller,1846; *splendidella* Herrich-Schäffer,1848. Original Reference: Phycis *pinguis* Haworth,[1811], Lepid. Br.: 493. Type(s): England. Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA TR IR Fa LB Bsa Cc AM**
- 75480. *Euzophera* (s.str.) *plumbeifasceilla* Hampson,1896** (Pyralidae) Synonym(s): *plumbeifasceilla* Hampson,1896 Range (in code): **IN**
- 75481. *Euzophera* (s.str.) *pulchella* Ragonot,1887** (Pyralidae) Synonym(s): *pulchella* Ragonot,1887; *xylomorpha* Meyrick,1937 Original Reference: *Euzophera pulchella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 254. Lectotype ♂: Balkan (designated by Roesler,1973, Microlep. palaearkt. 4: 224) (ZMB). Range (in code): **B-H MK BG GR IQ Shq Ama Ry TR IL Hf Jf Pa**
- 75482. *Euzophera* (s.str.) *pyriella* Yang,1994** (Pyralidae) Synonym(s): *pyriella* Yang,1994 Original Reference: *Euzophera pyriella* Yang,1994, J. Huazhong Agr. Univ. 13 (6): 560-562, figs. Holotype ♂: China, Xinjiang, Korla (ICBAU). Range (in code): **CN Ui KI** Bionomy: Larva on *Pyrus* (Rosaceae) (Yang,1994).
- 75483. *Euzophera* (s.str.) *rubricetella* (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *rubricetella* Herrich-Schäffer,[1856] Original Reference: *Epischnia* (Tinea) *rubricetella* Herrich-Schäffer,[1856], Syst. Bearb. Schmett. Eur. 6: 147. Type(s): [Russland]: Ural. Range (in code): **RU Sr TR KG Uk IR Elb Mz**
- 75484. *Euzophera* (s.str.) *sordidella* Chrétien,1911** (Pyralidae) Synonym(s): *sordidella* Chrétien,1911 Range (in code): **MA DZ TN LY Cy EG SA SA63**
- 75485. *Euzophera* (s.str.) *specula* Joannis,1927** (Pyralidae) Synonym(s): *specula* Joannis,1927 Range (in code): **ZA**
- 75486. *Euzophera* (s.str.) *stramentella* Ragonot,1888** (Pyralidae) Synonym(s): *stramentella* Ragonot,1888 Range (in code): **ZA**
- 75487. *Euzophera* (s.str.) *subcribrella* Ragonot,1887** (Pyralidae) Synonym(s): *subcribrella* Ragonot,1887; *mercatrix* Meyrick,1937; *marginepunctella* Amsel,1959. Original Reference: *Euzophera subcribrella* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 255. Range (in code): **MA DZ TN Gf LY Cy ES MT EG EG11 SA SA63 IL Pa TM UZ Fe Nmg IQ Bgd Kbl IR Kz Sde**
- 75488. *Euzophera* (s.str.) *subnitidella* Ragonot,1887** (Pyralidae) Synonym(s): *subnitidella* Ragonot,1887; *striatella* Ragonot,1901. Range (in code): **UZ Man TM Kp IR Mz Elb**
- 75489. *Euzophera* (s.str.) *subterebrilla* Snellen,1880** (Pyralidae) Synonym(s): *subterebrilla* Snellen,1880 Range (in code): **PH Luz ID Clb PG**
- 75490. *Euzophera* (s.str.) *termivelata* Balinsky,1994** (Pyralidae) Synonym(s): *termivelata* Balinsky,1994 Range (in code): **ZA Nta Kzu Umk**
- 75491. *Euzophera* (s.str.) *termivelata termivelata* Balinsky,1994** (Pyralidae) Synonym(s): *termivelata* Balinsky,1994 Range (in code): **ZA Nta Kzu Umk**

- 75492. *Euzophera* (s.str.) *tetragramma* (Rebel,1910)** (Pyralidae) Synonym(s): *tetragramma* Rebel,1910 Original Reference: Myelois tetragramma Rebel,1910, Dt. ent. Z., Iris 24: 4. Lectotype ♂: Russia: Ural (designated by Roesler,1973, Microlep. palaearkt. 4: 226) (MGAB) Range (in code): **RU Ur Or KG Uk Ind**
- 75493. *Euzophera* (s.str.) *turdella* Roesler,1973** (Pyralidae) Synonym(s): *turdella* Roesler,1973 Original Reference: *Euzophera* (s.str.) *turdella* Roesler,1973, Microlepid. Palaearkt. 4: 231-232, figs. Holotype ♂: Z-Afghanistan: Koh-i-Baba, S-Seite Panjao, 2650m (LNK). Range (in code): **AF Kbb Pnj**
- 75494. *Euzophera* (s.str.) *umbrosella* (Staudinger,1879)** (Pyralidae) Synonym(s): *umbrosella* Staudinger,1879; *albogilvella* Ragonot,1887; *depauperatella* Ragonot,1901. Original Reference: Myelois *umbrosella* Staudinger,1879, Horae Soc. ent. ross. 15: 215-216. Syntypes 3♀♀: Cyprus (ZMB). Range (in code): **GR Cr CY TR IL Hf Js Pa Cc AZ Nv Ord LB Bei**
- 75495. *Euzophera* (s.str.) *verrucicola* (Hampson,1896)** (Pyralidae) Synonym(s): *verrucicola* Hampson,1896 Range (in code): **IN**
- 75496. *Euzophera* (s.str.) *villora* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *villora* R.Felder & Rogenhofer,1875; *decaamyrrylas* Viette,1953 Range (in code): **ZA**
- 75497. *Euzopherodes* *albicans* Hampson,1899** (Pyralidae) Synonym(s): *albicans* Hampson,1899 Original Reference: *Euzopherodes* *albicans* Hampson,1899, J. Bombay nat. Hist. Soc. 12: 475, fig. Range (in code): **AU IN LK TW**
- 75498. *Euzopherodes* *albistrigella* Hampson,1908** (Pyralidae) Synonym(s): *albistrigella* Hampson,1908 Range (in code): **IN**
- 75499. *Euzopherodes* *allocrossa* Lower,1903** (Pyralidae) Synonym(s): *allocrossa* Lower,1903; *concinella* Turner,1947 Range (in code): **AU**
- 75500. *Euzopherodes* *capicola* Balinsky,1994** (Pyralidae) Synonym(s): *capicola* Balinsky,1994 Range (in code): **ZA Ec**
- 75501. *Euzopherodes* *capicola capicola* Balinsky,1994** (Pyralidae) Synonym(s): *capicola* Balinsky,1994 Range (in code): **ZA Ec**
- 75502. *Euzopherodes* *charlottae* (Rebel,1914)** (Pyralidae) Synonym(s): *charlottae* Rebel,1914; *nigrolineella* Zerny,1936. Original Reference: *Euzophera* *charlottae* Rebel,1914, [in] Rothschild, Rovart. Lap. 21: 74. Type ♀: [Rumänien]: Tultscha. Range (in code): **MA FR AT CZ SK HU RO YU HV AL BG TR LB IL Js SY Dms**
- 75503. *Euzopherodes* *dendrophaga* Meyrick,1934** (Pyralidae) Synonym(s): *dendrophaga* Meyrick,1934 Range (in code): **IN**
- 75504. *Euzopherodes* *ephestialis* Hampson,1903** (Pyralidae) Synonym(s): *ephestialis* Hampson,1903 Range (in code): **IN**
- 75505. *Euzopherodes* *ephestialis* Hampson,1903** (Pyralidae) Synonym(s): *ephestialis* Hampson,1903 Range (in code): **SI IN Yu Ats**
- 75506. *Euzopherodes* *hemiphaea* Hampson,1908** (Pyralidae) Synonym(s): *hemiphaea* Hampson,1908 Range (in code): **IN**
- 75507. *Euzopherodes* *homocapna* Turner,1947** (Pyralidae) Synonym(s): *homocapna* Turner,1947 Range (in code): **AU**
- 75508. *Euzopherodes* *irroralis* Hampson,1903** (Pyralidae) Synonym(s): *irroralis* Hampson,1903 Range (in code): **IN**
- 75509. *Euzopherodes* *lecerfi* (Schmidt,1934)** (Pyralidae) Synonym(s): *lecerfi* Schmidt,1934 Range (in code): **MA**
- 75510. *Euzopherodes* *lutisignella* (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924. Original Reference: Myelois *lutisignella* Mann,1869, Verh. zool.- bot. Ges. 19: 381. Type ♂: Dalmatien: Ragusa. Range (in code): **Si RO RU YU B-H HV AL BG MK GR Cr LY Cy TR IL Hf Jer Pa LB Bei JO IQ Rwz IR Elb Th Kj Fa AF Pag Kbb Slg Cc AM UZ Smk TM Kp**
- 75511. *Euzopherodes* *lutisignella* *liturosella* (Erschoff,1874)** (Pyralidae) Synonym(s): *liturosella* Erschoff,1874 Original Reference: Myelois *liturosella* Erschoff,1874, [in] Fedtschenko, Reise in Turkestan (Lepidoptera) (3) 2: 89, 100. Lectotype ♂: "Samarkand" [Uzbekistan], designated by Roesler,1973, Microlepid. palaearkt. 4: 279 (ZIANL). Range (in code): **TR IL Hf Jer Pa LB Bei JO IQ Rwz IR Elb Th Kj Fa Shr AF Pag Kbb Slg Cc AM UZ Smk TM Kp**
- 75512. *Euzopherodes* *lutisignella* *lutisignella* (Mann,1869)** (Pyralidae) Synonym(s): *lutisignella* Mann,1869; *leonhardi* Rebel,1910; *scipionella* Turati,1924; *battella* Turati,1924. Original Reference:

- Myelois lutisignella Mann, 1869, Verh. zool.- bot. Ges. 19: 381. Type ♂: Dalmatien: Ragusa. Range (in code): **Si RO RU YU B-H HV AL BG MK TR GR Cr LY Cy**
- 75513. Euzopherodes oberlae Roesler, 1973** (Pyralidae) Synonym(s): *oberlae Roesler, 1973* Range (in code): **JP**
- 75514. Euzopherodes proleucalis Hampson, 1908** (Pyralidae) Synonym(s): *proleucalis Hampson, 1908; sinensis Caradja, 1927.* Range (in code): **CN KwT IN Hp Kgr**
- 75515. Euzopherodes pusilla (Mabille, 1906)** (Pyralidae) Synonym(s): *pusilla Mabille, 1906; cinnamomea Rothschild, 1915; keltella Amsel, 1935.* Original Reference: *Euzophera pusilla Mabille, 1906, Annls Soc. ent. Fr. 75: 35. Type: Algérie, Biskra.* Range (in code): **MA DZ Onç Bsk TN EG EG11 IL Js Jer Pa LB Bei**
- 75516. Euzopherodes sudanicola Roesler, 1973** (Pyralidae) Synonym(s): *sudanicola Roesler, 1973* Range (in code): **SD**
- 75517. Euzopherodes taprobalis Hampson, 1908** (Pyralidae) Synonym(s): *taprobalis Hampson, 1908* Range (in code): **IN**
- 75518. Euzopherodes vapidella (Mann, 1857)** (Pyralidae) Synonym(s): *vapidella Mann, 1857; tenebrosa Zeller, 1867; lutescentella Chrétien, 1911; xylobrunnea Amsel, 1951.* Original Reference: *Ephestia vapidella Mann, 1857, Wien. ent. Monatschr. 1: 171. Lectotype ♂: Fiume: Buccari (Roesler, 1973: 271).* Range (in code): **MA DZ TN Gf LY Cy PT ES Grn FR Sa Si MT CH AT HU RO YU HV B-H MK AL BG GR TR IL Hf Jt Js Pa JO LB Bei EG EG11 SA SA63 SD IR Ss**
- 75519. Euzopherodes vapidella maroccella (Roesler, 1965)** (Pyralidae) Synonym(s): *maroccella Roesler, 1965.* Original Reference: *Delattinia vapidella ssp. maroccella Roesler, 1965, Inaug.- Diss. Saarbrücken 1965: 29. Type ♂: Maroc, Salé (LNK).* Range (in code): **MA DZ ES Grn TN LY Cy EG**
- 75520. Euzopherodes vapidella vapidella (Mann, 1857)** (Pyralidae) Synonym(s): *vapidella Mann, 1857; tenebrosa Zeller, 1867; lutescentella Chrétien, 1911; xylobrunnea Amsel, 1951.* Original Reference: *Ephestia vapidella Mann, 1857, Wien. ent. Monatschr. 1: 171. Lectotype ♂: Fiume: Buccari (Roesler, 1973: 271).* Range (in code): **PT ES FR Sa Si MT CH AT HU RO YU HV B-H MK AL BG GR TR IL Hf Jt Js Pa JO LB EG EG11 SA SA63 SD IR Ss**
- 75521. Evergestella evincalis (Möschler, 1890)** (Pyralidae) Synonym(s): *evincalis Möschler, 1890* Range (in code): **PR**
- 75522. Evergestis aegyptiacalis Caradja, 1916** (Pyralidae) Synonym(s): *aegyptiacalis Caradja, 1916* Original Reference: *Evergestis aegyptiacalis Caradja, 1916, Dt. ent. Z., Iris 30: 24. Type ♂: Egypt: Kairo.* Range (in code): **EG EG11**
- 75523. Evergestis aenealis ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *aenealis [Denis & Schiffermüller], 1775; furvalis Hübner, 1796; rufimitralis Hübner, 1796; nigralis Schrank, 1802; mitralis Hübner, [1825]; obscura Toll, 1948* Original Reference: *Pyralis aenealis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848].* Range (in code): **ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Kh Plr Dam Elb Mz Nss DK NO SE FI EE LV LT RU MD UA BY KG DsA Tk Dj Ii** Bionomy: Larva on Brassicaceae (Parenti, 2000).
- 75524. Evergestis aenealis dimorphalis Osthelder, 1938** (Pyralidae) Synonym(s): *dimorphalis Osthelder, 1938* Range (in code): **IR Elb Mz**
- 75525. Evergestis affinis Amsel, 1951** (Pyralidae) Synonym(s): *affinis Amsel, 1951* Range (in code): **IR Fa Com**
- 75526. Evergestis africalis (Guenée, 1854)** (Pyralidae) Synonym(s): *africalis Guenée, 1854; zonalis La Harpe, 1860; vicarialis Walker, 1866; concisalis Walker, 1866; orbitalis Felder & Rogenhofer, 1875* Original Reference: *Pionea africalis Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 369-370. Type ♂: "Algérie".* Range (in code): **DZ Si ZA IR**
- 75527. Evergestis albifuscalis (Hampson, 1900)** (Pyralidae) Synonym(s): *albifuscalis Hampson, 1900* Range (in code): **UZ Nmg CN Ui Ku**
- 75528. Evergestis alborivularis (Eversmann, 1843)** (Pyralidae) Synonym(s): *alborivularis Eversmann, 1843; canalsesialis Hampson, 1913* Original Reference: *Ennychia alborivularis Eversmann, 1843, Bull. Soc. imp. Nat. Moscou 16 (3): 553-554. Type: Russia, Orenburg.* Range (in code): **RU Ur Or Sb Sj KG Uk ES B-H HU UA Cm BG Slv Bgz Stp TR**
- 75529. Evergestis allardalis (Oberthür, 1887)** (Pyralidae) Synonym(s): *allardalis Oberthür, 1887* Original Reference: *Orobena allardalis Oberthür, 1887, Annls Soc. ent. Fr. (6) 7 (Bull.): xcix. Syntypes: Algérie, Ain-Sefra (leg. L. Lahaye).* Range (in code): **DZ Sfr**

- 75530. Evergestis anartalis (Staudinger,1892)** (Pyralidae) Synonym(s): *anartalis* Staudinger,1892; *heliacalis* Zerny,1914 Original Reference: Maelinoptera (Hercyna ?) *anartalis* Staudinger,[1893], Dt. ent. Z., Iris 6: 72-73; *ibid.* (1892) 5: Taf. 3, fig. 17. Syntypes: "Alai, Margelan, Namangan, Osch, Alexandergebirge, Kuldja-Gebiet". Range (in code): **CN Ui Ku Kml UZ Fe Man Nmg KK Ax KG Tk Dj Ii**
- 75531. Evergestis angustalis (Barnes & McDunnough,1918)** (Pyralidae) Synonym(s): *angustalis* Barnes & McDunnough,1918 Range (in code): **US Arz Cf**
- 75532. Evergestis angustalis angustalis (Barnes & McDunnough,1918)** (Pyralidae) Synonym(s): *angustalis* Barnes & McDunnough,1918 Range (in code): **US Cf**
- 75533. Evergestis angustalis arizonae Munroe,1974** (Pyralidae) Synonym(s): *arizonae* Munroe,1974 Range (in code): **US Arz**
- 75534. Evergestis anticlina Munroe,1959** (Pyralidae) Synonym(s): *anticlina* Munroe,1959 Range (in code): **AR**
- 75535. Evergestis antofagastalis Munroe,1959** (Pyralidae) Synonym(s): *antofagastalis* Munroe,1959 Range (in code): **CL**
- 75536. Evergestis arcuatalis (Hampson,1900)** (Pyralidae) Synonym(s): *arcuatalis* Hampson,1900 Range (in code): **UZ Fe Man Smk**
- 75537. Evergestis aridalis Barnes & McDunnough,1914** (Pyralidae) Synonym(s): *aridalis* Barnes & McDunnough,1914 Range (in code): **US**
- 75538. Evergestis bamianalis Amsel,1970** (Pyralidae) Synonym(s): *bamianalis* Amsel,1970 Range (in code): **AF Bm**
- 75539. Evergestis bilinealis (Walker,1866)** (Pyralidae) Synonym(s): *bilinealis* Walker,1866 Range (in code): **CO**
- 75540. Evergestis blandalis (Guenée,1854)** (Pyralidae) Synonym(s): *blandalis* Guenée,1854 Original Reference: *Orobena blandalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 377-378. Type ♂: [Italia]: "Palermè". Range (in code): **Si**
- 75541. Evergestis borregalis Munroe,1974** (Pyralidae) Synonym(s): *borregalis* Munroe,1974 Range (in code): **US Cf**
- 75542. Evergestis boursini Amsel,1938** (Pyralidae) Synonym(s): *boursini* Amsel,1938 Original Reference: *Evergestis boursini* Amsel,1938, Dt. ent. Z., Iris 52: 158, Taf.4 Abb.10. Holotype ♂: [Türkei]: Sivas (in coll. Zukowsky). Range (in code): **TR IR Elb Th Kdj Nss**
- 75543. Evergestis brunnea Munroe,1959** (Pyralidae) Synonym(s): *brunnea* Munroe,1959 Range (in code): **PE**
- 75544. Evergestis caesialis Herrich-Schäffer,[1855]** (Pyralidae) Synonym(s): *caesialis* Herrich-Schäffer,[1855]; *mellealis* Zerny,1936 Range (in code): **MA Co? IT RO YU BG GR Cr TR IR Elb Shh Th Kdv Plr Dam Ha Adv Fa Com LB Bsa TN Kp IQ Ama AF Pag Pnj**
- 75545. Evergestis caesialis comealis Amsel,1961** (Pyralidae) Synonym(s): *comealis* Amsel,1961 Range (in code): **IR Fa Com**
- 75546. Evergestis comstocki Munroe,1974** (Pyralidae) Synonym(s): *comstocki* Munroe,1974 Range (in code): **US Cf**
- 75547. Evergestis consimilis W.Warren,1892** (Pyralidae) Synonym(s): *consimilis* W.Warren,1892 Range (in code): **US**
- 75548. Evergestis desertalis (Hübner,[1813])** (Pyralidae) Synonym(s): *desertalis* Hübner,[1813]; *vandalusialis* Herrich-Schäffer,[1855]; *avicennae* Tams,1925. Original Reference: *Pyralis desertalis* Hübner,[1813], Samml. eur. Schmett. 6, Pyralides: Tab.27 fig.171. Type(s): Europa. Range (in code): **MA Cn DZ Thh Ges Ah Gha Bsk Tou Ogl Heh Gle Omy Gtt LY Cy ES Mu Si MT RO BG TR EG EG11 IQ Dy IR Fa Shr Th Kdj Elb Kz Sde Ss Irs Cc AM Eri AZ Kir Nv Ord SA AF Pli Kab AE**
- 75549. Evergestis dilutalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *dilutalis* Herrich-Schäffer,[1848]; *ostrogovichi* Caradja,1929 Original Reference: *Botys dilutalis* Herrich-Schäffer,1849, Syst. Bearb. Schmett. Eur. 4: 37, pl.11 fig.71. Type: Russia. Range (in code): **RO RU UA Cm**
- 75550. Evergestis dischematalis Munroe,1995** (Pyralidae) Synonym(s): *dimorphalis* Munroe,1974 *nec* Osth.,1938; *dischematalis* Munroe,1995 Range (in code): **US Arz**
- 75551. Evergestis dognini Hampson,1918** (Pyralidae) Synonym(s): *obliquialis* Dognin,1905 *nec* Grt.,1883; *dognini* Hampson,1918 Range (in code): **PE**
- 75552. Evergestis dumerlei Leraut,2003** (Pyralidae) Synonym(s): *dumerlei* Leraut,2003 Range (in code): **MA**

- 75553. Evergestis dusmeti Agenjo,1955** (Pyralidae) Synonym(s): *dusmeti* Agenjo,1955; *#dumesti* Rungs,1979 Range (in code): **ES**
- 75554. Evergestis elbursalis Amsel,1961** (Pyralidae) Synonym(s): *elbursalis* Amsel,1961 Original Reference: Evergestis elbursalis Amsel,1961, Ark. Zool. 13 (17): 431, Taf. vii fig. 247. Holotype ♀: Iran: Südseite des Elburs, Wiltshire leg. Range (in code): **IR Elb Th**
- 75555. Evergestis exoticalis (Snellen,1875)** (Pyralidae) Synonym(s): *exoticalis* Snellen,1875; *squamalis* Dognin,1908 Range (in code): **CO PE**
- 75556. Evergestis extimalis (Scopoli,1763)** (Pyralidae) Synonym(s): *extimalis* Scopoli,1763; *margaritalis* [Denis & Schiffermüller],1775; *flavofusca* Retzius,1783; *mediella* Goeze,1783; *intermediata* Fourcroy,1785; *erucalis* Hübner,1796 Original Reference: Phalaena extimalis Scopoli,1763, Entomologia Carniolica: 241. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Lag** Bionomy: Larva on Brassica, Diplotaxis, Iberis, Sinapis, Sisymbrium (Brassicaceae) (Parenti,2000).
- 75557. Evergestis flavifuscalis Rebel,1903** (Pyralidae) Synonym(s): *flavifuscalis* Rebel,1903 Original Reference: Evergestis flavifuscalis Rebel,1903, Dt. ent. Z., Iris 16: 6-7. Syntypes ♂♀: Armenia: Erivan (Korb leg.); Gülek (Taurus) (Haberhauer leg.) (coll. Caradja). Range (in code): **Cc AM Eri TR**
- 75558. Evergestis forficalis (Linnaeus,1758)** (Pyralidae) Synonym(s): *forficalis* Linnaeus,1758; *trivialis* Scopoli,1763; *forficatus* Fabricius,1798; *sodalis* Butler,1878 Original Reference: Phalaena forficalis Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♂: [Europa] (Robinson & Nielsen, 1983: 210). Range (in code): **DZ Anna PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY IR GlS Kh AF Kot Kab Pag PK Haz Nar** Bionomy: Larva on Brassica, Raphanus, Armoracia, Sinapis, Apium (Brassicaceae) (Parenti,2000).
- 75559. Evergestis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761; *espanalis* Schawerda,1926 Original Reference: Phalaena frumentalis Linnaeus,1761, Fauna suecica: 351, no.1351. Type(s): Sweden. Range (in code): **PT ES FR Co Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Lag Tbl AZ Kir Len DK SE FI EE LV RU MD UA BY IR TM Kp KG Uk Tk Dj li CN Ui Ku Kml**
- 75560. Evergestis frumentalis asiaticalis (Ragonot,1894)** (Pyralidae) Synonym(s): *asiaticalis* Ragonot,1894 Range (in code): **TM Kp KG Uk Tk Dj li CN Ui Ku Kml**
- 75561. Evergestis frumentalis frumentalis (Linnaeus,1761)** (Pyralidae) Synonym(s): *frumentalis* Linnaeus,1761 Original Reference: Phalaena frumentalis Linnaeus,1761, Fauna suecica: 351, no.1351. Type(s): Sweden. Range (in code): **PT ES FR Co Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR Cc AM GG Lag DK SE FI EE LV RU MD UA BY IR**
- 75562. Evergestis funalis (Grote,1876)** (Pyralidae) Synonym(s): *funalis* Grote,1876 Range (in code): **US Cf**
- 75563. Evergestis funalis angelina Munroe,1974** (Pyralidae) Synonym(s): *angelina* Munroe,1974 Range (in code): **US Cf**
- 75564. Evergestis griseostrialis Sauber,1899** (Pyralidae) Synonym(s): *griseostrialis* Sauber,1899 Range (in code): **KK Ik**
- 75565. Evergestis grummi (Christoph,1885)** (Pyralidae) Synonym(s): *grummi* Christoph,1885; *paragrummi* Amsel,1951 Range (in code): **TM Noc AF BdA Pnj Kab Pag Slg Gbh IR Fa Com Sse Ha Adv Ss**
- 75566. Evergestis hazara Amsel,1970** (Pyralidae) Synonym(s): *hazara* Amsel,1970 Range (in code): **AF Pnj**
- 75567. Evergestis hordealis Chrétien,1915** (Pyralidae) Synonym(s): *hordealis* Chrétien,1915; *lambessalis* Oberthür,1922 Original Reference: Evergestis hordealis Chrétien,1915, Annls Soc. ent. Fr. 84: 293-294. Syntypes: Algeria, Lambèse. Range (in code): **MA DZ Lbs**
- 75568. Evergestis hyrcanalis Amsel,1961** (Pyralidae) Synonym(s): *hyrcanalis* Amsel,1961 Original Reference: Evergestis hyrcanalis Amsel,1961, Ark. Zool. 13 (17): 430, Taf. vii fig.244. Type ♀: Iran: Quli Kush, 8.6.1940, Wiltshire leg. Range (in code): **AF Kab Slg Pnj Sen BdA Pag Bd IR Fa**
- 75569. Evergestis infirmalis (Staudinger,1870)** (Pyralidae) Synonym(s): *infirmalis* Staudinger,1870; *helenalis* Staudinger,1870 Original Reference: Botys infirmalis Staudinger,1870, Horae Soc. ent. ross. 7: 190, Tab.2 fig. 13. Type ♂: Griechenland. Range (in code): **GR TR IR Elb Kdv Shh CN Ui Kml Au**
- 75570. Evergestis inglorialis Hampson,1918** (Pyralidae) Synonym(s): *inglorialis* Hampson,1918 Range (in code): **PE**

- 75571. Evergestis isatidalis (Duponchel,1833)** (Pyrilidae) Synonym(s): *isatidalis* Duponchel,1833; *conquisitalis* Guenée,1849 Range (in code): **MA Cn DZ Orn Anna TN Gf PT ES FR Co Sa Si IT MT YU GR JO IL Pa CY IQ Bgd IR Ss Bu Fa EG LY Cy TR** Bionomy: Larva on *Isatis tinctoria* (Chrétien,1917).
- 75572. Evergestis koepcke Munroe,1959** (Pyrilidae) Synonym(s): *koepcke Munroe,1959* Range (in code): **PE**
- 75573. Evergestis kukunorensis Sauber,1899** (Pyrilidae) Synonym(s): *kukunorensis* Sauber,1899 Range (in code): **CN Ts Kno**
- 75574. Evergestis laristanalis Amsel,1961** (Pyrilidae) Synonym(s): *laristanalis* Amsel,1961 Range (in code): **IR Ss Chh AE**
- 75575. Evergestis lichenalis Hampson,1900** (Pyrilidae) Synonym(s): *lichenalis* Hampson,1900 Range (in code): **KG Tar Ssn MN**
- 75576. Evergestis limbata (Linnaeus,1767)** (Pyrilidae) Synonym(s): *limbata* Linnaeus,1767; *praetextalis* Hübner,[1825]; *limbalis* Hübner,[1825] Original Reference: *Phalaena limbata* Linnaeus,1767, Syst. Nat. (Edn.12) 873 no.273. Type (s): Europa. Range (in code): **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK SE TR Cc AZ Kir GG Tbl Lag** Bionomy: Larva on *Alliaria*, *Isatis*, *Sisymbrium* (Brassicaceae), *Genista* (Fabaceae) (Parenti,2000).
- 75577. Evergestis limbata delimbata Osthelder,1940** (Pyrilidae) Synonym(s): *delimbata* Osthelder,1940 Original Reference: *Evergestis limbata* ssp. *delimbata* Osthelder,1940, Mitt. münch. ent. Ges. 30 (1): 113. Syntypes: [Türkei: Kahramanmaraş]: Maraş (ZSM). Range (in code): **TR**
- 75578. Evergestis lunulalis Barnes & McDunnough,1914** (Pyrilidae) Synonym(s): *lunulalis* Barnes & McDunnough,1914 Range (in code): **US Arz**
- 75579. Evergestis lupalis Zerny,1928** (Pyrilidae) Synonym(s): *lupalis* Zerny,1928; *poecilalis* Zerny,1935 Range (in code): **ES**
- 75580. Evergestis manglisalis Erschoff,1877** (Pyrilidae) Synonym(s): *manglisalis* Erschoff,1877 Range (in code): **Cc GG Mng Tbl Bjo AZ Kir AM Eri IR Ha Kh**
- 75581. Evergestis marionalis Leraut,2003** (Pyrilidae) Synonym(s): *marionalis* Leraut,2003 Original Reference: *Evergestis marionalis* Leraut,2003, Nouv. Revue Ent. (n.s.) 20 (2): 134-135, figs.4,7. Holotype: Spain, Juneda. Range (in code): **ES MT FR DZ MA TN**
- 75582. Evergestis merceti Agenjo,1933** (Pyrilidae) Synonym(s): *merceti* Agenjo,1933 Range (in code): **ES**
- 75583. Evergestis mimounalis (Oberthür,1922)** (Pyrilidae) Synonym(s): *mimounalis* Oberthür,1922; *distinctalis* Rungs,1975 Range (in code): **MA**
- 75584. Evergestis montis Maes,2012** (Pyrilidae) Synonym(s): *montis* Maes,2012 Range (in code): **CM**
- 75585. Evergestis mundalis (Guenée,1854)** (Pyrilidae) Synonym(s): *mundalis* Guenée,1854; *submundalis* Milliere,1882; *permundalis* Marion,1960 Original Reference: *Scopula mundalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 389. Syntypes: [France]: "Environs de Digne". Range (in code): **ES FR IT BG? GR TR**
- 75586. Evergestis nolentis Heinrich,1940** (Pyrilidae) Synonym(s): *nolentis* Heinrich,1940 Range (in code): **US Arz**
- 75587. Evergestis nomadalis (Lederer,1871)** (Pyrilidae) Synonym(s): *nomadalis* Lederer,1871 Original Reference: *Orobena nomadalis* Lederer,1871, Horae Soc. ent. ross. 8: 22-23, fig.10. Type ♀: Iran: Astrabad [Gorgan]. Range (in code): **IR Elb Th Nss Fa Sse TR Cc AZ Kir TM Kp RU Am KG DsA CN Ui Ku**
- 75588. Evergestis obliqualis (Grote,1883)** (Pyrilidae) Synonym(s): *obliqualis* Grote,1883 Range (in code): **US NMx**
- 75589. Evergestis obscuralis (Hampson,1912)** (Pyrilidae) Synonym(s): *obscuralis* Hampson,1912 Range (in code): **VE**
- 75590. Evergestis obsoletalis Filipjev,1931** (Pyrilidae) Synonym(s): *obsoletalis* Filipjev,1931 Range (in code): **TJ Pm AF Bd Anj BdA**
- 75591. Evergestis obsoletalis afghanalis Amsel,1970** (Pyrilidae) Synonym(s): *afghanalis* Amsel,1970 Range (in code): **AF Bd Anj BdA**
- 75592. Evergestis obsoletalis obsoletalis Filipjev,1931** (Pyrilidae) Synonym(s): *obsoletalis* Filipjev,1931 Range (in code): **TJ Pm**

- 75593. Evergestis orientalis (Eversmann,1851)** (Pyrilidae) Synonym(s): *orientalis* Eversmann,1851 Range (in code): **RU Sb CN Ui Yk T-S Kml Au MN Us Prj**
- 75594. Evergestis paghmanalis Amsel,1970** (Pyrilidae) Synonym(s): *paghmanalis* Amsel,1970 Range (in code): **AF Pag**
- 75595. Evergestis pallidata (Hufnagel,1767)** (Pyrilidae) Synonym(s): *pallidata* Hufnagel,1767; *straminalis* Hübner,1793; *stramentalis* Hübner,[1825] Original Reference: *Phalaena pallidata* Hufnagel,1767, Berl. Mag. 4: 618, nr.98. Type(s): Germania: Berlin. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Barbarea vulgaris*, *Brassica*, *Cardamine*, *Diplotaxis*, *Sinapis* (Brassicaceae) (Parenti,2000).
- 75596. Evergestis pechi (Bethune-Baker,1885)** (Pyrilidae) Synonym(s): *pechi* Bethune-Baker,1885 Range (in code): **DZ TN ES MT JO** Bionomy: Larva on *Sisymbrium irio*, *Diplotaxis pendula* (Brassicaceae) (Chrétien,1917).
- 75597. Evergestis perobliquialis Hampson,1906** (Pyrilidae) Synonym(s): *perobliquialis* Hampson,1906 Range (in code): **CN Ti**
- 75598. Evergestis petasalis Zerny,1939** (Pyrilidae) Synonym(s): *petasalis* Zerny,1939 Range (in code): **IR Elb Dam Th Kdj**
- 75599. Evergestis plumbofascialis (Ragonot,1894)** (Pyrilidae) Synonym(s): *plumbofascialis* Ragonot,1894 Range (in code): **ES RU Sj CN Ui Ii Kml**
- 75600. Evergestis politalis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *politalis* [Denis & Schiffermüller],1775; *pictoralis* Fabricius,1794; *bifascialis* Guenée,1849; *disperalis* Mann,1859; *bicoloralis* La Harpe,1861; *maroccana* Lucas,1955 Original Reference: *Pyalis politalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **MA DZ Bsk Lbs TN Gf Sfx PT ES FR Co Sa Si IT BE DE CH AT PL CZ SK HU RO YU BG TR IR GlS TM Kp KG Tk Dj Ii Cc AM Eri AZ Kir Nv Ord** Bionomy: Larva on *Biscutella laevigata* (Brassicaceae) (Parenti,2000).
- 75601. Evergestis renatalis (Oberthür,1887)** (Pyrilidae) Synonym(s): *renatalis* Oberthür,1887 Original Reference: *Orobena renatalis* Oberthür,1887, Annls Soc. ent. Fr. (6) 7 (Bull.): xcix. Syntypes: Algérie, Bou Saada, Lambèze, Biskra, Méchéria, Ain-Sefra, Géryville, etc. Range (in code): **TN Gf DZ Omy BSa Lbs Ges Eba Bsk Sfr**
- 75602. Evergestis rimosalis (Guenée,1854)** (Pyrilidae) Synonym(s): *rimosalis* Guenée,1854 Range (in code): **US**
- 75603. Evergestis russulatalis (Hampson,1900)** (Pyrilidae) Synonym(s): *russulatalis* Hampson,1900 Range (in code): **IR Elb Shh Srd Mz UZ Fe Nmg AF**
- 75604. Evergestis segetalis (Herrich-Schäffer,1851)** (Pyrilidae) Synonym(s): *segetalis* Herrich-Schäffer,1851; *blandalis* Guenée,1854; *rubidalbalis* Turati,1907 Range (in code): **DZ FR Si IT BG MK TR IR Elb Th Dam Nss Cc AZ Hkd**
- 75605. Evergestis serratalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *serratalis* Staudinger,1870 Original Reference: *Botys (Orobena) serratalis* Staudinger,1870, Horae Soc. ent. ross. 7: 193, Tab.2 fig.11. Type ♂: Griechenland: Parnass oder Acarnanien. Range (in code): **Si? MK Och GR TR**
- 75606. Evergestis shirazalis Amsel,1954** (Pyrilidae) Synonym(s): *shirazalis* Amsel,1954 Range (in code): **IR Fa Shr TM K-K**
- 75607. Evergestis simulatilis (Grote,1880)** (Pyrilidae) Synonym(s): *simulatilis* Grote,1880; *brunneogrisea* Edwards,1886 Range (in code): **US Col Arz**
- 75608. Evergestis sophialis (Fabricius,1787)** (Pyrilidae) Synonym(s): *sophialis* Fabricius,1787; *variegalis* Fabricius,1787; *sophiae* Fabricius,1798 Original Reference: *Phalaena sophialis* Fabricius,1787, Mant. Ins. 2: 217, nr. 277. Type(s): Österreich. Range (in code): **ES FR IT DE CH AT PL CZ SK RO YU AL BG GR TR Cc GG Bjo Nv AZ Ord Arr** Bionomy: Larva on *Descurainia sophia* (Fabricius,1787; Parenti,2000).
- 75609. Evergestis sorhageni (Sauber,1899)** (Pyrilidae) Synonym(s): *sorhageni* Sauber,1899; *obsoleta* Sauber,1899 Range (in code): **CN Ts Kno Ui Au Kl MN Kml**
- 75610. Evergestis spiniferalis (Staudinger,[1900])** (Pyrilidae) Synonym(s): *spiniferalis* Staudinger,[1900] Original Reference: *Orobena spiniferalis* Staudinger,[1900], Dt. ent. Z., Iris 12: 347-348. Syntypes: [China: Uighur A.R.]: Chamyl [Kumul]. Range (in code): **AF Slg Adr KG Tk NrK UZ Fe CN Ui Kml**
- 75611. Evergestis subfuscalis (Staudinger,1870)** (Pyrilidae) Synonym(s): *subfuscalis* Staudinger,1870 Original Reference: *Botys (Orobena) subfuscalis* Staudinger,1870, Horae Soc. ent.

- ross. 7: 192, Tab.2 f.9. Syntypes 3♂: Greece: Veluchi; [Türkei]: Amasia. Range (in code): YU BG GR IR Ha Adv Th Elb Nss Kdv TR Cc LB Bsa
- 75612. Evergestis subfuscalis pallidalis Zerny,1934** (Pyralidae) Synonym(s): *pallidalis Zerny,1934* Range (in code): LB Bsa
- 75613. Evergestis tenuiscriptalis Rebel,1903** (Pyralidae) Synonym(s): *tenuiscriptalis Rebel,1903* Original Reference: Evergestis tenuiscriptalis Rebel,1903, Dt. ent. Z., Iris 16: 6. Type ♂: Iran: "Poin Schakkuh" Funke leg. (NHMW). Range (in code): IR Shh Elb
- 75614. Evergestis umbrosalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *umbrosalis Fischer v. Röslerstamm,[1842]* Range (in code): ES Sa? GR TR LB IR Elb Th
- 75615. Evergestis vagabundalis (Christoph,1887)** (Pyralidae) Synonym(s): *vagabundalis Christoph,1887* Original Reference: Orobona vagabundalis Christoph,1887, Stettin ent. Ztg. 48: 166. Syntypes: [Turkmenistan]: "Askhabat". Range (in code): Cc AM TM IR Fa Kh Com AF Pli Kab
- 75616. Evergestis vinctalis Barnes & McDunnough,1914** (Pyralidae) Synonym(s): *vinctalis Barnes & McDunnough,1914* Range (in code): US NMx
- 75617. Exeristis asynopta Tams,1935** (Pyralidae) Synonym(s): *asynopta Tams,1935* Range (in code): WS
- 75618. Exeristis catharia Tams,1935** (Pyralidae) Synonym(s): *catharia Tams,1935* Range (in code): WS
- 75619. Exeristis pollostia Tams,1935** (Pyralidae) Synonym(s): *pollostia Tams,1935* Range (in code): WS
- 75620. Exsilirarcha graminea Salmon & Bradley,1956** (Pyralidae) Synonym(s): *graminea Salmon & Bradley,1956* Range (in code):
- 75621. Faveria albilinea (Joannis,1927)** (Pyralidae) Synonym(s): *albilinea Joannis,1927* Range (in code): ZA MZ
- 75622. Faveria cineracella (Amsel,1953)** (Pyralidae) Synonym(s): *cineracella Amsel,1953* Range (in code): IR AE
- 75623. Faveria dasyptera (Lower,1903)** (Pyralidae) Synonym(s): *dasyptera Lower,1903* Range (in code): AU QAU
- 75624. Faveria dionysia (Zeller,1846)** (Pyralidae) Synonym(s): *dionysia Zeller,1846; terrella Ragonot,1888; isoxyla Meyrick,1937* Range (in code): MA TN Gf DZ Bsk PT ES Si IT MT YU GR Cr CY TR IQ Mos Bgd IR Ahz Kz Ss Irs EG EG12 GM ZA Gau Ec Elo NA Tva Jh TZ Zz GM IL Pa Hf AE Bionomy: Larva on Cynodon dactylon (Poaceae) (Chrétien,1917).
- 75625. Faveria dubia (Balinsky,1994)** (Pyralidae) Synonym(s): *dubia Balinsky,1994* Range (in code): ZA Tva Gau Jh
- 75626. Faveria dubia dubia (Balinsky,1994)** (Pyralidae) Synonym(s): *dubia Balinsky,1994* Range (in code): ZA Tva Gau Jh
- 75627. Faveria fusca (Balinsky,1994)** (Pyralidae) Synonym(s): *fusca Balinsky,1994* Range (in code): ZA Wca Kny
- 75628. Faveria fusca fusca (Balinsky,1994)** (Pyralidae) Synonym(s): *fusca Balinsky,1994* Range (in code): ZA Wca Kny
- 75629. Faveria ignicephalis (Balinsky,1994)** (Pyralidae) Synonym(s): *ignicephalis Balinsky,1994* Range (in code): ZA Tva Lpo Wm Mdp Pre Gau Mpu Brb Ec ZW Har
- 75630. Faveria ignicephalis ignicephalis (Balinsky,1994)** (Pyralidae) Synonym(s): *ignicephalis Balinsky,1994* Range (in code): ZA Tva Lpo Wm Mdp Pre Gau Mpu Brb Ec ZW Har
- 75631. Faveria laiasalis Walker,1859** (Pyralidae) Synonym(s): *laiasalis Walker,1859; sublignalis Walker,1863; patulalis Walker,1863; stirigiferella Meyrick,1879; rufitinctella Meyrick,1879; epichrypha Turner,1904.* Range (in code): AU
- 75632. Faveria leucophaeella (Zeller,1867)** (Pyralidae) Synonym(s): *leucophaeella Zeller,1867; hyemalis Butler,1880; atratella Ragonot,1888; siderella Ragonot,1888; pernigerella Ragonot,1889.* Original Reference: Salebria leucophaeella Zeller,1867, Stettin ent. Ztg. 1867: 390. Type: Indien (BMNH). Range (in code): ZA MG IN BT SI Pj Ass Nag Meg Khs LK TW MM MY AU WS IN ID Sum Clb PG Bsm PH Luz
- 75633. Faveria majoralis (Hampson,1896)** (Pyralidae) Synonym(s): *majoralis Hampson,1896* Range (in code): IN Meg Ass Khs BT ID Sum
- 75634. Faveria minima (Balinsky,1994)** (Pyralidae) Synonym(s): *minima Balinsky,1994* Range (in code): ZA Tva Gau Pre
- 75635. Faveria minima minima (Balinsky,1994)** (Pyralidae) Synonym(s): *minima Balinsky,1994* Range (in code): ZA Tva Gau Pre

- 75636. *Faveria minuscula* (Balinsky,1994)** (Pyralidae) Synonym(s): *minuscula* Balinsky,1994
Range (in code): **ZA Tva Gau Slpp ZW Hfo**
- 75637. *Faveria minuscula minuscula* (Balinsky,1994)** (Pyralidae) Synonym(s): *minuscula* Balinsky,1994 Range (in code): **ZA Tva Gau Slpp ZW Hfo**
- 75638. *Faveria nigroanalis* (Amsel,1959)** (Pyralidae) Synonym(s): *nigroanalis* Amsel,1959
Original Reference: *Oligochroa nigroanalis* Amsel,1959, Bull. Soc. ent. Egypte 43: 49, Taf.x fig.2.
Holotype ♂: Iraq: Shaqlawa, 15.7.1953 leg. Wiltshire. Range (in code): **IQ Shq**
- 75639. *Faveria nonceracanthia* (Balinsky,1994)** (Pyralidae) Synonym(s): *nonceracanthia* Balinsky,1994 Range (in code): **ZW Bul ZA Fs**
- 75640. *Faveria nonceracanthia nonceracanthia* (Balinsky,1994)** (Pyralidae) Synonym(s): *nonceracanthia* Balinsky,1994 Range (in code): **ZW Bul ZA Fs**
- 75641. *Faveria o-nigra* (Balinsky,1994)** (Pyralidae) Synonym(s): *o-nigrum* Balinsky,1994; *onigra* Vari et al.,2002 Range (in code): **NA Abc**
- 75642. *Faveria o-nigra o-nigra* (Balinsky,1994)** (Pyralidae) Synonym(s): *o-nigrum* Balinsky,1994; *onigra* Vari et al.,2002 Range (in code): **NA Abc**
- 75643. *Faveria oppositalis* (Walker,1863)** (Pyralidae) Synonym(s): *oppositalis* Walker,1863; *caliginosella* Meyrick,1879 Range (in code): **AU NSW**
- 75644. *Faveria poliostrata* (Balinsky,1994)** (Pyralidae) Synonym(s): *poliostrata* Balinsky,1994
Range (in code): **ZA Gau Pre Nta Kzu Mpu Brb Tva Spb Ltr Lpo Kkf Nha ZA14**
- 75645. *Faveria poliostrata poliostrata* (Balinsky,1994)** (Pyralidae) Synonym(s): *poliostrata* Balinsky,1994 Range (in code): **ZA Gau Pre Nta Kzu Mpu Brb Tva Spb Ltr Lpo Kkf Nha ZA14**
- 75646. *Faveria pseudovasta* (Amsel,1961)** (Pyralidae) Synonym(s): *pseudovasta* Amsel,1961
Range (in code): **IR Kz Sde Ss Irs**
- 75647. *Faveria pulverulenta* (W.Warren,1888)** (Pyralidae) Synonym(s): *pulverulenta* W.Warren,1888 Original Reference: *Spermatophthora ? pulverulenta* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 336. Type ♀: [Pakistan]: Campbellpore, July 23 1886. Range (in code): **PK Cp**
- 75648. *Faveria sindella* (Ragonot,1893)** (Pyralidae) Synonym(s): *sindella* Ragonot,1893 Original Reference: *Oligochroa sindella* Ragonot,1893, [in] Romanoff, Mém. lépid. 7: 380, p.41 fig.16. Type: [Pakistan]: Sind. Range (in code): **PK Sd**
- 75649. *Faveria sordida* (Staudinger,1879)** (Pyralidae) Synonym(s): *sordida* Staudinger,1879; *atmologa* Meyrick,1937 Original Reference: *Pempelia sordida* Staudinger,1879, Horae Soc. ent. ross. 15: 196-197. Syntypes 14♂♂: [Türkei]: Amasia (Kerasdere). Range (in code): **TR LB Bei Nv Ord Cc AZ IQ Bgd Kbl Mos**
- 75650. *Faveria tchahabarella* (Amsel,1950)** (Pyralidae) Synonym(s): *tchahabarella* Amsel,1950
Original Reference: *Salebria tchahabarella* Amsel,1950, Ark. Zool. (2) 1: 232, figs. Holotype: Iran: Bandar-Tchahbahar. Range (in code): **IR Ss**
- 75651. *Faveria tchourouma* (Amsel,1961)** (Pyralidae) Synonym(s): *tchourouma* Amsel,1961
Range (in code): **IR AE**
- 75652. *Faveria tenebralis* (Hampson,1896)** (Pyralidae) Synonym(s): *tenebralis* Hampson,1896
Range (in code): **IN Meg Ass Khs SI ID Sum**
- 75653. *Faveria tephresella* (Amsel,1959)** (Pyralidae) Synonym(s): *tephresella* Amsel,1959 Range (in code): **IR Ss Irs**
- 75654. *Faveria tritalis* (Walker,1863)** (Pyralidae) Synonym(s): *tritalis* Walker,1863; *cygnosellus* Walker,1866; *vulgatella* Meyrick,1879; *cnephaeella* Meyrick,1879 Range (in code): **AU NSW**
- 75655. *Fernandocrambus baekstroemi* Aurivillius,1922** (Pyralidae) Synonym(s): *bäckströmi* Aurivillius,1922. Range (in code):
- 75656. *Fernandocrambus brunneus* Aurivillius,1922** (Pyralidae) Synonym(s): *brunneus* Aurivillius,1922 Range (in code):
- 75657. *Fernandocrambus fuscus* Aurivillius,1922** (Pyralidae) Synonym(s): *fuscus* Aurivillius,1922 Range (in code):
- 75658. *Filodes costivitalis* Guenée,1854** (Pyralidae) Synonym(s): *costivitalis* Guenée,1854; *productalis* Hampson,1899 Range (in code): **ZA**
- 75659. *Filodes fulvibasalis* Hampson,1898** (Pyralidae) Synonym(s): *fulvibasalis* Hampson,1898
Range (in code): **AU**
- 75660. *Filodes fulvidorsalis* (Hübner,1832)** (Pyralidae) Synonym(s): *fulvidorsalis* Hübner,1832
Range (in code): **RE ID Sbw TH CMa Dst Ds10**

- 75661. Flabellobasis capensis (Hampson,1901)** (Pyralidae) Synonym(s): *capensis* Hampson,1901 Range (in code): ZA
- 75662. Flabellobasis montana Balinsky,1991** (Pyralidae) Synonym(s): *montana* Balinsky,1991 Range (in code): ZA
- 75663. Flavocrambus aridellus (South,1901)** (Pyralidae) Synonym(s): *aridellus* South,1901 Original Reference: Crambus aridellus South,1901, Trans. ent. Soc. London 1901: 389, pl.14 fig.1. Type(s): China. Range (in code): CN Sz She Hpe
- 75664. Flavocrambus melaneurus (Hampson,1919)** (Pyralidae) Synonym(s): *melaneurus* Hampson,1919 Range (in code): IN Pj
- 75665. Flavocrambus picassensis Bleszynski,1965** (Pyralidae) Synonym(s): *picassensis* Bleszynski,1965 Range (in code): RU Ur Am Prj Us Aks Rjk
- 75666. Flavocrambus striatellus (Leech,1889)** (Pyralidae) Synonym(s): *striatellus* Leech,1889 Range (in code): JP Hkk Kyu
- 75667. Fossifrontia leuconeurella Hampson,1901** (Pyralidae) Synonym(s): *leuconeurella* Hampson,1901 Range (in code): AU
- 75668. Fregenia prolai Hartig,1947** (Pyralidae) Synonym(s): *prolai* Hartig,1947 Range (in code): IT
- 75669. Friedlanderia cicatricella (Hübner,[1824])** (Pyralidae) Synonym(s): *cicatricella* Hübner,[1824]; *strigellus* Treitschke,1833; *treitschkeella* Freyer,1836 nec Sodoffsky,1830. Original Reference: Tinea cicatricella Hübner,[1824], Samml. eur. Schmett. Tineae: Taf.48 fig.455. Type(s): [Europa]. Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG TR LT RU MD UA BY SY
- 75670. Friedlanderia phaeochorda (Turner,1911)** (Pyralidae) Synonym(s): *phaeochorda* Turner,1911; *strigatellus* Hampson,1919 Range (in code): AU WAu
- 75671. Gaana asperella (Ragonot,1893)** (Pyralidae) Synonym(s): *asperella* Ragonot,1893 Range (in code): ZA
- 75672. Gaana basiferella Walker,1866** (Pyralidae) Synonym(s): *basiferella* Walker,1866 Range (in code): ZA
- 75673. Gaana kurma (Roesler & Küppers,1981)** (Pyralidae) Synonym(s): *kurma* Roesler & Küppers,1981 Range (in code): ID Sum
- 75674. Gaana matsya (Roesler & Küppers,1981)** (Pyralidae) Synonym(s): *matsya* Roesler & Küppers,1981 Range (in code): ID Sum
- 75675. Gaana mesophaea (Hampson,1930)** (Pyralidae) Synonym(s): *mesophaea* Hampson,1930 Range (in code): ZA
- 75676. Gaana minima Balinsky,1994** (Pyralidae) Synonym(s): *minima* Balinsky,1994 Range (in code): ZA Nta Kzu Nkw
- 75677. Gaana narasinha (Roesler & Küppers,1981)** (Pyralidae) Synonym(s): *narasinha* Roesler & Küppers,1981 Range (in code): ID Sum
- 75678. Gaana nigralbella (Hampson,1899)** (Pyralidae) Synonym(s): *nigralbella* Hampson,1899 Range (in code): IN Meg Ass Khs ID Sum Ja
- 75679. Gaana quatra Balinsky,1994** (Pyralidae) Synonym(s): *quatra* Balinsky,1994 Range (in code): ZA Tva Lpo Nel
- 75680. Gaana vama (Roesler & Küppers,1981)** (Pyralidae) Synonym(s): *vama* Roesler & Küppers,1981 Range (in code): ID Sum
- 75681. Gaana varaha (Roesler & Küppers,1981)** (Pyralidae) Synonym(s): *varaha* Roesler & Küppers,1981 Range (in code): ID Sum
- 75682. Gaana viridella (Ragonot)** (Pyralidae) Synonym(s): *viridella* Ragonot Range (in code):
- 75683. Gadira acerella Walker,1866** (Pyralidae) Synonym(s): *acerella* Walker,1866; *mehanga* R.Felder & Rogenhofer,1875 Range (in code): NZ
- 75684. Gadira petraula (Meyrick,1882)** (Pyralidae) Synonym(s): *petraula* Meyrick,1882 Range (in code): AU
- 75685. Galleria mellonella (Linnaeus,1758)** (Pyralidae) Synonym(s): *mellonella* Linnaeus,1758; *cereana* Blom,1764; *cerella* Fabricius,1775; *cerea* Haworth,1811; *cerealis* Hübner,[1825]; *obliquella* Walker,1866; *austrina* R.Felder & Rogenhofer,1875; *#crombruggheella* Dufrane,1930. Original Reference: Phalaena mellonella Linnaeus,1758, Syst. Nat. (Edn.10)1: 537. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 219). Range (in code): PT DZ Anna Sbd ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Fa Th Elb Kdj LB IQ Agh IL Pa Hf

- EG Tls Ax Ik KK KG CY ZA AU TH MY SG Bor Sbh IN AE Bionomy: Larva on homeycombs in bee-hives (Parenti,2000).
75686. **Galleristhenia biangularis** (Turner,1941) (Pyralidae) Synonym(s): *biangularis* Turner,1941 Range (in code): AU QAU
75687. **Galleristhenia idioptila** (Turner,1915) (Pyralidae) Synonym(s): *idioptila* Turner,1915 Range (in code): AU NSW
75688. **Galleristhenia mellonidiella** Hampson,1917 (Pyralidae) Synonym(s): *mellonidiella* Hampson,1917 Range (in code): AU
75689. **Galleristhenia sporadica** (Turner,1947) (Pyralidae) Synonym(s): *sporadica* Turner,1947 Range (in code): AU
75690. **Gargela apicalis** (Pagenstecher,1900) (Pyralidae) Synonym(s): *apicalis* Pagenstecher,1900 Range (in code): PG
75691. **Gargela arcualis** Hampson,1906 (Pyralidae) Synonym(s): *arcualis* Hampson,1906 Range (in code): PG
75692. **Gargela chrysias** (Meyrick,1897) (Pyralidae) Synonym(s): *chrysias* Meyrick,1897 Range (in code): ID Amb Ban
75693. **Gargela cuprealis** Hampson,1906 (Pyralidae) Synonym(s): *cuprealis* Hampson,1906 Range (in code): Bor Pla
75694. **Gargela niphostola** Hampson,1917 (Pyralidae) Synonym(s): *niphostola* Hampson,1917 Range (in code): Fg
75695. **Gargela obliquivitta** Hampson,1917 (Pyralidae) Synonym(s): *obliquivitta* Hampson,1917 Range (in code): ID Bch
75696. **Gargela renatusalis** (Walker,1859) (Pyralidae) Synonym(s): *renatusalis* Walker,1859; *subpurella* Walker,1864; *ermineus* Moore,1864; *erminea* Meyrick,1887; *crambidalis* Snellen,1893; *renatalis* Meyrick,1894 Range (in code): IN MM CN LK MY ID Sum Bor Ja Sbw PG
75697. **Gargela trilinealis** (Hampson,1897) (Pyralidae) Synonym(s): *trilinealis* Hampson,1897 Range (in code): Fg
75698. **Gargela xanthocasis** (Meyrick,1897) (Pyralidae) Synonym(s): *xanthocasis* Meyrick,1897 Range (in code): IN ID Pla PG Fg
75699. **Gauna aegusalis** (Walker,1858) (Pyralidae) Synonym(s): *aegusalis* Walker,1858; *subferralis* Walker,[1866]. Range (in code): AU
75700. **Gauna endotrichalis** W.Warren,1895 (Pyralidae) Synonym(s): *endotrichalis* W.Warren,1895 Range (in code): IN TH CMa CDo Pki
75701. **Gauna flavibasalis** (Hampson,1906) (Pyralidae) Synonym(s): *flavibasalis* Hampson,1906; *hemineca* Turner,1911 Range (in code): AU
75702. **Gauna mediolineata** Hampson,1903 (Pyralidae) Synonym(s): *mediolineata* Hampson,1903 Range (in code): TH IN MY Bor Sbh
75703. **Gauna phaealis** (Hampson,1906) (Pyralidae) Synonym(s): *phaealis* Hampson,1906; *heterozyga* Turner,1937 Range (in code): AU
75704. **Geshna cannalis** (Quaintance,1898) (Pyralidae) Synonym(s): *cannalis* Quaintance,1898; *#camalis* Klima,1937 Range (in code): US FI
75705. **Gesneria centuriella** ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): *centuriella* [Denis & Schiffermüller],1775; *centurionalis* Hübner,[1825]; *numeralis* Zetterstedt,[1839]; *quadratella* Zetterstedt,[1839]; *centurialis* Guenée,1854; *obscura* Caradja,1919 Original Reference: *Tinea centuriella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): FR IT IS DE CH AT PL CZ SK HU RO BG NO SE FI RU MD UA BY Cc GG Bjo AZ Kir Sb Am Prj Us CA US Lbr Arz Msc Mon Ny Ut Col Als
75706. **Getulia fulviplagella** Hampson,1901 (Pyralidae) Synonym(s): *fulviplagella* Hampson,1901 Range (in code): ZA Ec Ans Fra NA
75707. **Getulia fulviplagella fulviplagella** Hampson,1901 (Pyralidae) Synonym(s): *fulviplagella* Hampson,1901 Range (in code): ZA Ec Ans Fra NA
75708. **Getulia institella** Ragonot,1888 (Pyralidae) Synonym(s): *institella* Ragonot,1888 Range (in code): ZA
75709. **Getulia institella institella** Ragonot,1888 (Pyralidae) Synonym(s): *institella* Ragonot,1888 Range (in code): ZA
75710. **Getulia maculosa** Balinsky,1994 (Pyralidae) Synonym(s): *maculosa* Balinsky,1994 Range (in code): ZA Ec Fra

- 75711. *Getulia maculosa maculosa* Balinsky,1994** (Pyrilidae) Synonym(s): *maculosa* Balinsky,1994 Range (in code): ZA Ec Fra
- 75712. *Getulia semifuscella* Ragonot,1893** (Pyrilidae) Synonym(s): *semifuscella* Ragonot,1893 Range (in code): ZA Tva Gau Pre Bul ZW
- 75713. *Getulia semifuscella semifuscella* Ragonot,1893** (Pyrilidae) Synonym(s): *semifuscella* Ragonot,1893 Range (in code): ZA Tva Gau Pre Bul ZW
- 75714. *Ghesquierellana hirtusalis* (Walker,1859)** (Pyrilidae) Synonym(s): *hirtusalis* Walker,1859; *pallas Meyrick,1936*; *#hirsutalis Pinhey,1975* Range (in code): ZA
- 75715. *Glaphyria acutalis* (W.Warren,1891)** (Pyrilidae) Synonym(s): *acutalis* W.Warren,1891 Range (in code): PE
- 75716. *Glaphyria albifascialis* (Hampson,1912)** (Pyrilidae) Synonym(s): *albifascialis* Hampson,1912 Range (in code): PE
- 75717. *Glaphyria amazonica* (Munroe,1964)** (Pyrilidae) Synonym(s): *amazonica* Munroe,1964 Range (in code): BR
- 75718. *Glaphyria argentipunctalis* (Amsel,1956)** (Pyrilidae) Synonym(s): *argentipunctalis* Amsel,1956 Range (in code): VE
- 75719. *Glaphyria badierana* (Fabricius,1794)** (Pyrilidae) Synonym(s): *badierana* Fabricius,1794; *#banderiana Wolcott,1924* Range (in code):
- 75720. *Glaphyria basiflavalis* Barnes & McDunnough,1913** (Pyrilidae) Synonym(s): *basiflavalis* Barnes & McDunnough,1913 Range (in code): US FI
- 75721. *Glaphyria bilinealis* (Walker,[1866])** (Pyrilidae) Synonym(s): *bilinealis* Walker,[1866] Range (in code): VE
- 75722. *Glaphyria cappsi* Munroe,1972** (Pyrilidae) Synonym(s): *cappsi* Munroe,1972 Range (in code): US FI
- 75723. *Glaphyria citronalis* (Druce,1899)** (Pyrilidae) Synonym(s): *citronalis* Druce,1899 Range (in code): MX
- 75724. *Glaphyria cymalis* (Dyar,1914)** (Pyrilidae) Synonym(s): *cymalis* Dyar,1914 Range (in code): PA
- 75725. *Glaphyria decisa* (Walker,[1866])** (Pyrilidae) Synonym(s): *decisa* Walker,[1866]; *pomonalis Schaus,1920* Range (in code): JM CU
- 75726. *Glaphyria distictalis* (Hampson,1912)** (Pyrilidae) Synonym(s): *distictalis* Hampson,1912 Range (in code): GF
- 75727. *Glaphyria dolatalis* (Möschler,1890)** (Pyrilidae) Synonym(s): *dolatalis* Möschler,1890 Range (in code): PR
- 75728. *Glaphyria flavidalis* (Hampson,1912)** (Pyrilidae) Synonym(s): *flavidalis* Hampson,1912; *condensata Meyrick,1933* Range (in code): PY AR
- 75729. *Glaphyria fulminalis* (Lederer,1863)** (Pyrilidae) Synonym(s): *fulminalis* Lederer,1863 Range (in code): US
- 75730. *Glaphyria glaphyralis* (Guenée,1854)** (Pyrilidae) Synonym(s): *glaphyralis* Guenée,1854; *stipatalis* Walker,[1866]; *albolineata Grote & Robinson,1867* Range (in code): US
- 75731. *Glaphyria himerta* (Munroe,1964)** (Pyrilidae) Synonym(s): *himerta* Munroe,1964 Range (in code): PE
- 75732. *Glaphyria leucostactalis* (Hampson,1912)** (Pyrilidae) Synonym(s): *leucostactalis* Hampson,1912 Range (in code): BR
- 75733. *Glaphyria leucostictalis* (Hampson,1895)** (Pyrilidae) Synonym(s): *leucostictalis* Hampson,1895 Range (in code): GD
- 75734. *Glaphyria matanzalis* (Schaus,1920)** (Pyrilidae) Synonym(s): *matanzalis* Schaus,1920 Range (in code): CU
- 75735. *Glaphyria micralis* (Guenée,1854)** (Pyrilidae) Synonym(s): *micralis* Guenée,1854 Range (in code): BR
- 75736. *Glaphyria moribundalis* (Dyar,1914)** (Pyrilidae) Synonym(s): *moribundalis* Dyar,1914 Range (in code): PA
- 75737. *Glaphyria ochrofusalis* (Amsel,1956)** (Pyrilidae) Synonym(s): *ochrofusalis* Amsel,1956 Range (in code): VE
- 75738. *Glaphyria oriola* (Dyar,1914)** (Pyrilidae) Synonym(s): *oriola* Dyar,1914 Range (in code): PA

- 75739. *Glaphyria peremptalis* (Grote,1878)** (Pyralidae) Synonym(s): *peremptalis* Grote,1878
Range (in code): US
- 75740. *Glaphyria polycyma* (Hampson,1898)** (Pyralidae) Synonym(s): *polycyma* Hampson,1898;
atmocharis Meyrick,1935 Range (in code): AR BR
- 75741. *Glaphyria potentialis* (Dyar,1914)** (Pyralidae) Synonym(s): *potentialis* Dyar,1914 Range (in code): PA
- 75742. *Glaphyria pupillalis* (Möschler,1886)** (Pyralidae) Synonym(s): *pupillalis* Möschler,1886
Range (in code): JM
- 75743. *Glaphyria rufescens* (Hampson,1912)** (Pyralidae) Synonym(s): *rufescens* Hampson,1912
Range (in code): PA
- 75744. *Glaphyria semiferralis* (Hampson,1898)** (Pyralidae) Synonym(s): *semiferralis*
Hampson,1898 Range (in code): GY BR
- 75745. *Glaphyria sesquistrictalis* Hübner,1823** (Pyralidae) Synonym(s): *sesquistrictalis*
Hübner,1823 Range (in code): US
- 75746. *Glaphyria tanamoalis* (Schaus,1920)** (Pyralidae) Synonym(s): *tanamoalis* Schaus,1920
Range (in code): CU
- 75747. *Glaphyria tripunctalis* (Amsel,1956)** (Pyralidae) Synonym(s): *tripunctalis* Amsel,1956
Range (in code): VE
- 75748. *Glaphyria xanthoperalis* (Hampson,1918)** (Pyralidae) Synonym(s): *xanthoperalis*
Hampson,1918 Range (in code): SR
- 75749. *Glaucobaris albilinealis* (Hampson,1896)** (Pyralidae) Synonym(s): *albilinealis*
Hampson,1896 Range (in code): IN
- 75750. *Glaucobaris albilinealis occidentalis* Gaskin,1988** (Pyralidae) Synonym(s):
occidentalis Gaskin,1988 Range (in code): IN
- 75751. *Glaucobaris alypophanes* (Turner,1904)** (Pyralidae) Synonym(s): *alypophanes*
Turner,1904; *diargema* Turner,1905 Range (in code): AU
- 75752. *Glaucobaris assamensis* Gaskin,1988** (Pyralidae) Synonym(s): *assamensis* Gaskin,1988
Range (in code): IN Ass
- 75753. *Glaucobaris barmanella* Gaskin,1988** (Pyralidae) Synonym(s): *barmanella* Gaskin,1988
Range (in code): IN
- 75754. *Glaucobaris bilinealis* (Amsel,1961)** (Pyralidae) Synonym(s): *bilinealis* Amsel,1961
Original Reference: *Pagmania bilinealis* Amsel,1961, Arkiv f. Zool. (2)13: 332 Taf.1 fig.14.
Holotype ♀: Afghanistan: Paghman Gebirge. Range (in code): AF Pag
- 75755. *Glaucobaris bilinealis bilinealis* (Amsel,1961)** (Pyralidae) Synonym(s): *bilinealis*
Amsel,1961 Original Reference: *Pagmania bilinealis* Amsel,1961, Arkiv f. Zool. (2)13: 332 Taf.1
fig.14. Holotype ♀: Afghanistan: Paghman Gebirge. Range (in code): AF Pag
- 75756. *Glaucobaris copernici* Blezynski,1965** (Pyralidae) Synonym(s): *copernici*
Blezynski,1965; *bengalensis* Gaskin,1988 Range (in code): CN Tkg IN Ass Meg Khs
- 75757. *Glaucobaris dilatella* (Meyrick,1879)** (Pyralidae) Synonym(s): *dilatella* Meyrick,1879
Range (in code): AU
- 75758. *Glaucobaris electra* Blezynski,1965** (Pyralidae) Synonym(s): *electra* Blezynski,1965
Range (in code): CN Tkg
- 75759. *Glaucobaris equestris* (Meyrick,1931)** (Pyralidae) Synonym(s): *equestris* Meyrick,1931
Range (in code): IN
- 75760. *Glaucobaris euchromiella* (Ragonot,1895)** (Pyralidae) Synonym(s): *euchromiella*
Ragonot,1895; *sinualis* Hampson,1900; *rebeli* Osthelder,1941. Original Reference: *Diptychophora*
euchromiella Ragonot,1895, Bull. Soc. ent. Fr. 1895: xcix. Holotype ♂: [Turquie]: Akbes
(MNHNP). Range (in code): GR Cr TR Cc AM IR Th Elb
- 75761. *Glaucobaris exsectella* (Christoph,1881)** (Pyralidae) Synonym(s): *exsectella*
Christoph,1881; *japonica* Inoue,1955. Range (in code): RU Am Prj Us JP Kyu
- 75762. *Glaucobaris fuscopinna* Gaskin,1988** (Pyralidae) Synonym(s): *fuscopinna* Gaskin,1988
Range (in code): IN
- 75763. *Glaucobaris griseolalis* (Hampson,1895)** (Pyralidae) Synonym(s): *griseolalis*
Hampson,1895 Range (in code): IN
- 75764. *Glaucobaris himalayana* Gaskin,1988** (Pyralidae) Synonym(s): *himalayana* Gaskin,1988
Range (in code): IN

- 75765. *Glaucocharis immitis* (Meyrick,1931)** (Pyralidae) Synonym(s): *immitis* Meyrick,1931
Range (in code): IN
- 75766. *Glaucocharis incisella* (Bleszynski,1970)** (Pyralidae) Synonym(s): *incisella* Bleszynski,1970 Range (in code): IN
- 75767. *Glaucocharis kangraensis* Gaskin,1988** (Pyralidae) Synonym(s): *kangraensis* Gaskin,1988 Range (in code): IN Hp Kgr
- 75768. *Glaucocharis khasiella* Gaskin,1988** (Pyralidae) Synonym(s): *khasiella* Gaskin,1988
Range (in code): IN Khs
- 75769. *Glaucocharis melistoma* (Meyrick,1931)** (Pyralidae) Synonym(s): *melistoma* Meyrick,1931 Range (in code): CN Sz
- 75770. *Glaucocharis microxantha* (Meyrick,1897)** (Pyralidae) Synonym(s): *microxantha* Meyrick,1897 Range (in code): AU
- 75771. *Glaucocharis minutalis* (Hampson,1893)** (Pyralidae) Synonym(s): *minutalis* Hampson,1893 Range (in code): IN
- 75772. *Glaucocharis mollereri* Gaskin,1988** (Pyralidae) Synonym(s): *mollereri* Gaskin,1988 Range (in code): IN
- 75773. *Glaucocharis molydocrossa* (Turner,1904)** (Pyralidae) Synonym(s): *molydocrossa* Turner,1904; *microcyma* Meyrick,1931 Range (in code): AU
- 75774. *Glaucocharis moriokensis* (Okano,1962)** (Pyralidae) Synonym(s): *moriokensis* Okano,1962 Range (in code): JP
- 75775. *Glaucocharis mutuurella* Bleszynski,1965** (Pyralidae) Synonym(s): *mutuurella* Bleszynski,1965 Range (in code): JP
- 75776. *Glaucocharis natalensis* Hampson,1919** (Pyralidae) Synonym(s): *natalensis* Hampson,1919 Range (in code): ZA Nta Kzu
- 75777. *Glaucocharis ochracealis* (Walker,[1866])** (Pyralidae) Synonym(s): *ochracealis* Walker,[1866]; *praematurella* Meyrick,1879 Range (in code): AU
- 75778. *Glaucocharis ochrophanes* (Meyrick,1931)** (Pyralidae) Synonym(s): *ochrophanes* Meyrick,1931 Range (in code): IN
- 75779. *Glaucocharis omeishani* Blezynski,1965** (Pyralidae) Synonym(s): *omeishani* Blezynski,1965 Range (in code): CN Sz
- 75780. *Glaucocharis parthenie* Blezynski,1965** (Pyralidae) Synonym(s): *parthenie* Blezynski,1965 Range (in code): CN Yu Kwa
- 75781. *Glaucocharis pilcheri* Gaskin,1988** (Pyralidae) Synonym(s): *pilcheri* Gaskin,1988 Range (in code): IN
- 75782. *Glaucocharis pogonias* (Turner,1911)** (Pyralidae) Synonym(s): *pogonias* Turner,1911
Range (in code): AU
- 75783. *Glaucocharis queenslandensis* (Gaskin,1975)** (Pyralidae) Synonym(s): *queenslandensis* Gaskin,1975 Range (in code): AU
- 75784. *Glaucocharis ramona* Blezynski,1965** (Pyralidae) Synonym(s): *ramona* Blezynski,1965
Range (in code): CN Yu
- 75785. *Glaucocharis rectifascialis* Gaskin,1988** (Pyralidae) Synonym(s): *rectifascialis* Gaskin,1988 Range (in code): IN
- 75786. *Glaucocharis rectifascialis indicalis* Gaskin,1988** (Pyralidae) Synonym(s): *indicalis* Gaskin,1988 Range (in code): IN
- 75787. *Glaucocharis rosanna* Blezynski,1965** (Pyralidae) Synonym(s): *rosanna* Blezynski,1965
Range (in code): CN Tkg
- 75788. *Glaucocharis rosannoides* Blezynski,1965** (Pyralidae) Synonym(s): *rosannoides* Blezynski,1965 Range (in code): CN Tkg
- 75789. *Glaucocharis rosannoides rosannoides* Blezynski,1965** (Pyralidae) Synonym(s): *rosannoides* Blezynski,1965 Range (in code): CN Tkg
- 75790. *Glaucocharis rusticula* (Meyrick,1931)** (Pyralidae) Synonym(s): *rusticula* Meyrick,1931
Range (in code): IN
- 75791. *Glaucocharis senekai* (Ganev,1987)** (Pyralidae) Synonym(s): *senekai* Ganev,1987 Range (in code): LY
- 75792. *Glaucocharis sikkimella* Gaskin,1988** (Pyralidae) Synonym(s): *sikkimella* Gaskin,1988
Range (in code): IN SI

- 75793. *Glaucocharis similis* Gaskin,1988** (Pyralidae) Synonym(s): *similis* Gaskin,1988 Range (in code): IN
- 75794. *Glaucocharis stenura* (Turner,1904)** (Pyralidae) Synonym(s): *stenura* Turner,1904 Range (in code): AU
- 75795. *Glaucocharis subalbilinealis* Blezynski,1965** (Pyralidae) Synonym(s): *subalbilinealis* Blezynski,1965 Range (in code): CN Tkg
- 75796. *Glaucocharis subnatalensis* (Bleszynski,1970)** (Pyralidae) Synonym(s): *subnatalensis* Bleszynski,1970 Original Reference: *Pareromene subnatalensis* Bleszynski,1970, Tijdschr. Ent. 113 (1): 2, fig.2. Holotype ♂: [South Africa]: "Natal" (BMNH). Range (in code): ZA Nta Kzu
- 75797. *Glaucocharis swanni* Gaskin,1988** (Pyralidae) Synonym(s): *swanni* Gaskin,1988 Range (in code): IN
- 75798. *Glaucocharis taphrophracta* (Meyrick,1934)** (Pyralidae) Synonym(s): *taphrophracta* Meyrick,1934 Range (in code): CN Sz
- 75799. *Glaucocharis torva* (Lucas,1898)** (Pyralidae) Synonym(s): *torva* Lucas,1898; *dialeuca* Turner,1904; *leucogramma* Turner,1913 Range (in code): AU
- 75800. *Glaucocharis tripunctata* (Moore,1888)** (Pyralidae) Synonym(s): *tripunctata* Moore,1888 Range (in code): IN Djl SI Meg Ass Khs
- 75801. *Glaucocharis tripunctata grahami* Gaskin,1988** (Pyralidae) Synonym(s): *grahami* Gaskin,1988 Range (in code): IN
- 75802. *Glaucocharis tripunctata pallescens* Gaskin,1988** (Pyralidae) Synonym(s): *pallescens* Gaskin,1988 Range (in code): IN
- 75803. *Glaucocharis vermeeri* Blezynski,1965** (Pyralidae) Synonym(s): *vermeeri* Blezynski,1965 Range (in code): JP Kyu Hkk
- 75804. *Glaucanoe deductalis* (Walker,1859)** (Pyralidae) Synonym(s): *deductalis* Walker,1859; *ausonialis* Snellen,1890; *fuscescens* W.Warren,1892; *murinus* Rothschild,1915; *kosemponialis* Strand,1918 Range (in code): AU
- 75805. *Glycythyma chrysorycta* (Meyrick,1884)** (Pyralidae) Synonym(s): *chrysorycta* Meyrick,1884; *contingens* Moore,1885 Range (in code): AU
- 75806. *Glycythyma leonina* (Butler,1886)** (Pyralidae) Synonym(s): *leonina* Butler,1886 Range (in code): AU
- 75807. *Glycythyma thymedes* Turner,1908** (Pyralidae) Synonym(s): *thymedes* Turner,1908 Range (in code): AU
- 75808. *Glycythyma xanthoscota* (Lower,1903)** (Pyralidae) Synonym(s): *xanthoscota* Lower,1903 Range (in code): AU
- 75809. *Glyphodes actorionalis* (Walker,1859)** (Pyralidae) Synonym(s): *actorionalis* Walker,1859; *jovialis* R.Felder & Rogenhofer,1875; *zelleri* Lederer,1863 Range (in code): ZA PH Luz Boh Cts Adm Sum Bor Clb Amb ID PG IN LK MY Bor Ja TW JP
- 75810. *Glyphodes actorionalis* Walker,1859** (Pyralidae) Synonym(s): *actorionalis* Walker,1859 Range (in code): TH TW CN JP IN ID MY PH
- 75811. *Glyphodes amicalis* (Swinhoe,1904)** (Pyralidae) Synonym(s): *amicalis* Swinhoe,1904; *bipindalis* Strand,1912; *ephyrnias* Meyrick,1933 Range (in code): ZA
- 75812. *Glyphodes amphipeda* (Meyrick,1939)** (Pyralidae) Synonym(s): *amphipeda* Meyrick,1939 Range (in code): ZA
- 75813. *Glyphodes aniferalis* Hampson,1909** (Pyralidae) Synonym(s): *aniferalis* Hampson,1909 Range (in code): ZA
- 75814. *Glyphodes apiospila* (Turner,1922)** (Pyralidae) Synonym(s): *apiospila* Turner,1922 Range (in code): AU
- 75815. *Glyphodes aurantivittalis* Munroe,1960** (Pyralidae) Synonym(s): *aurantivittalis* Munroe,1960 Range (in code): ID Sum
- 75816. *Glyphodes basifascialis* Hampson,1898** (Pyralidae) Synonym(s): *basifascialis* Hampson,1898 Original Reference: *Glyphodes basifascialis* Hampson,1898, Proc. zool. Soc. Lond. 1898: 743, pl.L fig.16. Syntypes: Australia: Bathurst (BMNH). Range (in code): AU NSw Bth
- 75817. *Glyphodes bicolor* (Swainson,[1821])** (Pyralidae) Synonym(s): *bicolor* Swainson,[1821]; *perspicillalis* Zeller,1852; *diurnalis* Guenée,1854; *parvalis* Walker,[1866] Range (in code): PH Luz ZA IN LK MM ID AU ZA
- 75818. *Glyphodes bitriangulalis* Gaede,1917** (Pyralidae) Synonym(s): *bitriangulalis* Gaede,1917 Range (in code): ZA

- 75819. Glyphodes bivitalis Guenée, 1854** (Pyrilidae) Synonym(s): *bivitalis* Guenée, 1854; *alitalis* Hulst, 1886 Original Reference: *Glyphodes bivitalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293-294. Type ♂: "Inde centrale". Range (in code): **TH CMa Dst Dso9 Phr Knc Pht Sbu Bnk Chc Ray Cbi MM MY SG BN Bor Sbh Swk Clb PH Luz IN Adm Sum Ja Bor ID MY Sbw Amb QAU AU LK MY CN BT NP TW** Bionomy: Larva on leaf of *Pithecellobium dulce* [Manila tamarind] (Fabaceae), *Ficus callophylla* [sai], *Ficus racemosa* [maduea utum phon] (Moraceae) (Lewvanich, 2001).
- 75820. Glyphodes caesalis Walker, 1859** (Pyrilidae) Synonym(s): *caesalis* Walker, 1859 Range (in code): **TH CMa Cuo Cuo1 Phr Sbu Cbu Rng Nst Nth Phc Sso IN LK** Bionomy: Larva bores of fruit of *Artocarpus heterophyllus* [jack fruit] (Moraceae) (Lewvanich, 2001).
- 75821. Glyphodes callipona (Turner, 1908)** (Pyrilidae) Synonym(s): *callipona* Turner, 1908 Range (in code): **AU**
- 75822. Glyphodes canthusalis (Walker, 1859)** (Pyrilidae) Synonym(s): *canthusalis* Walker, 1859; *luciferalis* Walker, 1866; *lora* Walker, 1866; *spectandalis* Snellen, 1895 Range (in code): **IN MY Bor Swk TW PG**
- 75823. Glyphodes canthusalis Walker, 1859** (Pyrilidae) Synonym(s): *canthusalis* Walker, 1859; *luciferalis* Walker, [1866]; *lora* Walker, 1866; *spectandalis* Snellen, 1895 Range (in code): **AU CN IN NP MY Bor ID**
- 75824. Glyphodes chrysialis (Stoll, 1790)** (Pyrilidae) Synonym(s): *chrysialis* Stoll, 1790; *ectargyralis* Hampson, 1898; *pentaphragma* Meyrick, 1936 Range (in code): **ZA NE ZR**
- 75825. Glyphodes conclusalis Walker, [1866]** (Pyrilidae) Synonym(s): *conclusalis* Walker, [1866] List 34: 1354. Range (in code): **TH CMa Cuo Cuo7**
- 75826. Glyphodes conjunctalis Walker, [1866]** (Pyrilidae) Synonym(s): *conjunctalis* Walker, [1866]; *ledereri* Butler, 1884 Range (in code): **AU ID Amb Mi PG**
- 75827. Glyphodes cosmarcha Meyrick, 1887** (Pyrilidae) Synonym(s): *cosmarcha* Meyrick, 1887 Range (in code): **AU**
- 75828. Glyphodes cramerisalis Guenée, 1854** (Pyrilidae) Synonym(s): *cramerisalis* Guenée, 1854. Original Reference: *Glyphodes cramerisalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293. Type(s): "Amboine". Range (in code): **PH Boh Sum Ja Clb Amb ID**
- 75829. Glyphodes crithealis (Walker, 1859)** (Pyrilidae) Synonym(s): *crithealis* Walker, 1859 Range (in code): **IN CN TW**
- 75830. Glyphodes diplocyba Hampson, 1912** (Pyrilidae) Synonym(s): *diplocyba* Hampson, 1912 Range (in code): **WS FJ TO**
- 75831. Glyphodes doleschalii Lederer, 1863** (Pyrilidae) Synonym(s): *doleschalii* Lederer, 1863 Range (in code): **AU ID Amb**
- 75832. Glyphodes eribotalis (Walker, 1859)** (Pyrilidae) Synonym(s): *eribotalis* Walker, 1859 Range (in code): **HD**
- 75833. Glyphodes flavizonalis Hampson, 1898** (Pyrilidae) Synonym(s): *flavizonalis* Hampson, 1898 Original Reference: *Glyphodes flavizonalis* Hampson, 1898, Proc. zool. Soc. Lond. 1898: 746. Syntypes: Australia: Queensland (Mackay) (BMNH). Range (in code): **AU QAU**
- 75834. Glyphodes margaritaria (Clerck, 1764)** (Pyrilidae) Synonym(s): *margaritaria* Clerck, 1764; *lineata* Lucas, 1894 Range (in code): **AU**
- 75835. Glyphodes microta Meyrick, 1889** (Pyrilidae) Synonym(s): *microta* Meyrick, 1889 Range (in code): **AU**
- 75836. Glyphodes multilinealis Kenrick, 1907** (Pyrilidae) Synonym(s): *multilinealis* Kenrick, 1907 Range (in code): **AU**
- 75837. Glyphodes multilinealis Kenrick, 1907** (Pyrilidae) Synonym(s): *multilinealis* Kenrick, 1907 Range (in code): **WS PC FJ NH PG MY IN**
- 75838. Glyphodes negatalis (Walker, 1859)** (Pyrilidae) Synonym(s): *negatalis* Walker, 1859; *monesusalis* Walker, 1859; *phanasalis* Walker, 1859 Range (in code): **AF Srb PK Pj IN Guj LK MM TW AU**
- 75839. Glyphodes onychinalis (Guenée, 1854)** (Pyrilidae) Synonym(s): *onychinalis* Guenée, 1854; *braurealis* Walker, 1859; *astomalis* R. Felder & Rogenhofer, 1875 Range (in code): **AU TH CMa**
- 75840. Glyphodes perpectalis Walker** (Pyrilidae) Synonym(s): Range (in code): **TH**
- 75841. Glyphodes praeifulgida Hering, 1903** (Pyrilidae) Synonym(s): *praeifulgida* Hering, 1903 Range (in code): **ZA**
- 75842. Glyphodes principalis Walker, 1865** (Pyrilidae) Synonym(s): *principalis* Walker, 1865 Range (in code): **TH ID Sum**

- 75843. *Glyphodes pryeri* Butler, 1879** (Pyrilidae) Synonym(s): *pryeri* Butler, 1879; *formosana* Shibuya, 1928 Range (in code): JP TW
- 75844. *Glyphodes pulverulentalis* Hampson, 1896** (Pyrilidae) Synonym(s): *pulverulentalis* Hampson, 1896 Range (in code): AU
- 75845. *Glyphodes pyloalis* Walker, 1859** (Pyrilidae) Synonym(s): *pyloalis* Walker, 1859; *sylpharis* Butler, 1878 Range (in code): ZA? CN
- 75846. *Glyphodes pyloalis* Walker, 1859** (Pyrilidae) Synonym(s): *pyloalis* Walker, 1859; *sylpharis* Butler, 1878 Original Reference: *Glyphodes pyloalis* Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 973. Range (in code): AF Bsg Srb Bkt IN LK MM CN TW JP
- 75847. *Glyphodes schafferorum* Viette, 1987** (Pyrilidae) Synonym(s): *schafferorum* Viette, 1987 Range (in code): ZA? MG
- 75848. *Glyphodes stolalis* Guenée, 1854** (Pyrilidae) Synonym(s): *stolalis* Guenée, 1854; *substolalis* Snellen, 1899 Original Reference: *Glyphodes stolalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 293. Type ♂: "Indien". Range (in code): TH MM MY Sum Ja BN Sbh Swk MY SB CN TW PH PG PH Luz Ceb IN LK Ja Bor ID Clb AU FJ Vil ZA
- 75849. *Glyphodes virginalis* (Rebel, 1915)** (Pyrilidae) Synonym(s): *virginalis* Rebel, 1915 Range (in code): WS
- 75850. *Glyptoteles leucacrinella* Zeller, 1848** (Pyrilidae) Synonym(s): *leucacrinella* Zeller, 1848; *macra* Staudinger, 1870. Original Reference: *Glyptoteles leucacrinella* Zeller, 1848, Isis 1848: 647. Type(s): Deutschland: Dresden. Range (in code): FR IT BE NL DE CH AT PL CZ SK HU RO YU LT RU Sr MD UA TR Bionomy: Larva on dry leaves of *Alnus*, plant litter (Parenti, 2000).
- 75851. *Goniophyetis lactealis* Hampson, 1916** (Pyrilidae) Synonym(s): *lactealis* Hampson, 1916 Range (in code): ZA
- 75852. *Goniorhynchus butyroza* (Butler, 1879)** (Pyrilidae) Synonym(s): *butyroza* Butler, 1879 Range (in code): CN JP TW
- 75853. *Gonodiscus amplalis* W. Warren, 1891** (Pyrilidae) Synonym(s): *amplalis* W. Warren, 1891 Range (in code): CL
- 75854. *Gonodiscus australiensis* Hampson, 1898** (Pyrilidae) Synonym(s): *australiensis* Hampson, 1898 Original Reference: *Gonodiscus australiensis* Hampson, 1898, Proc. zool. Soc. London 1898: 606-607, Pl. xlix fig. 1. Syntypes: "W. Australia, Sherlock R. (Clement leg.), Queensland, Coomoo (Barnard leg.)". Range (in code): AU QAU
- 75855. *Gozmanyia crassa* (Amsel, 1935)** (Pyrilidae) Synonym(s): *crassa* Amsel, 1935 Original Reference: *Ephestia crassa* Amsel, 1935, Veröff. dt. Kolon.- u. ■bersee-Mus. Bremen 1: 249, f. 24. Holotype ♂: [Israel]: Jericho (LNK). Range (in code): IL Pa Jer
- 75856. *Grammiphlebia striata* (Druce, 1902)** (Pyrilidae) Synonym(s): *striata* Druce, 1902 Range (in code): ZA
- 75857. *Guastica garengi* Roesler & Küppers, 1979** (Pyrilidae) Synonym(s): *garengi* Roesler & Küppers, 1979 Range (in code): ID Sum
- 75858. *Guastica semilutea* Walker, 1863** (Pyrilidae) Synonym(s): *semilutea* Walker, 1863 Range (in code): TH BN Sbh Bor Swk Klt Clb IN Ass BT LK SG MY ID Sum PG Bsm
- 75859. *Guastica* sp. A** (Pyrilidae) Synonym(s): Range (in code): AU
- 75860. *Guayana junctor* (Heinrich, 1956)** (Pyrilidae) Synonym(s): *junctor* Heinrich, 1956 Range (in code): GF
- 75861. *Gunungia rimba* Roesler & Küppers, 1979** (Pyrilidae) Synonym(s): *rimba* Roesler & Küppers, 1979 Range (in code): ID Sum
- 75862. *Gunungodes ilsa* Roesler & Küppers, 1981** (Pyrilidae) Synonym(s): *ilsa* Roesler & Küppers, 1981 Range (in code): ID Sum
- 75863. *Gymnancyla* (Dentinodia) *craticulella* (Ragonot, 1887)** (Pyrilidae) Synonym(s): *craticulella* Ragonot, 1887; *erschoffi* Ragonot, 1887. Original Reference: *Dentinodia craticulella* Ragonot, 1887, Annls. Soc. ent. Fr. 6 (7): 251. Type: "Marghilan". Range (in code): YU RU IR Elb Th Ss Kh Msh AF Bd Kbb Slg UZ Fe Man CN Ui Ku TM Kp KG Uk Ind
- 75864. *Gymnancyla* (Spermatophthora) *hornigii* (Lederer, 1852)** (Pyrilidae) Synonym(s): *hornigii* Lederer, 1852; *#hornigi* Hannemann, 1964. Original Reference: *Spermatophthora hornigii* Lederer, 1852, Verh. zool.- bot. Ver. Wien 2: 132. Lectotype ♂: Österreich: Wien (designated by Roesler, 1973, Microlepid. palaearkt. 4: 97) (NHMW). Range (in code): MA DZ TN LY Cy EG SD ES Mu FR IT DE AT PL CZ SK HU RO YU AL BG GR RU IQ Bsr Bgd Amr TR
- 75865. *Gymnancyla* (s.str.) *barbatella* Erschoff, 1874** (Pyrilidae) Synonym(s): *barbatella* Erschoff, 1874; *gobiella* Caradja, 1916. Range (in code): UZ Smk MN

- 75866. *Gymnancyla* (s.str.) *canella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *canella* [Denis & Schiffermüller],1775; *depositella* Zincken,1818; *canellaris* Hübner,[1825]. Original Reference: *Tinea canella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmiett. Wienergegend*: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): MA DZ Phv TN LY Cy EG SD ES Mu Cue FR Co IT MT GB BE NL LU DE CH AT PL CZ HU RO HV YU AL BG GR Cr TR KG Uk DK RU Ur Bionomy: Larva on *Salsola kali* (Chrétien,1917).
- 75867. *Gymnancyla* (s.str.) *iranella* Alipanah & Asselbergs,2014** (Pyralidae) Synonym(s): *iranella* Alipanah & Asselbergs,2014 Range (in code): IR Yz Bionomy: Larva on *Salsola* (Chenopodiaceae) (Alipanah et al.,2014).
- 75868. *Gymnancyla* (s.str.) *sfakesella* Chrétien,1911** (Pyralidae) Synonym(s): *sfakesella* Chrétien,1911; *merkalana* Lucas,1937; *candida* Gozmany,1960 Range (in code): MA DZ Bsk TN Gf Sfx ES EG
- 75869. *Hafisia lundbladi* Amsel,1950** (Pyralidae) Synonym(s): *lundbladi* Amsel,1950 Range (in code): Cr IR Com Fa
- 75870. *Hahncappsia alpinensis* (Capps,1967)** (Pyralidae) Synonym(s): *alpinensis* Capps,1967 Range (in code): US Arz
- 75871. *Hahncappsia autocratoralis* (Dyar,1912)** (Pyralidae) Synonym(s): *autocratoralis* Dyar,1912 Range (in code): MX
- 75872. *Hahncappsia cayugalis* (Capps,1967)** (Pyralidae) Synonym(s): *cayugalis* Capps,1967 Range (in code): GT
- 75873. *Hahncappsia chiapasalis* (Capps,1967)** (Pyralidae) Synonym(s): *chiapasalis* Capps,1967 Range (in code): MX
- 75874. *Hahncappsia cochisensis* (Capps,1967)** (Pyralidae) Synonym(s): *cochisensis* Capps,1967 Range (in code): US Arz
- 75875. *Hahncappsia coloradensis* (Grote & C.T.Robinson,1867)** (Pyralidae) Synonym(s): *coloradensis* Grote & C.T.Robinson,1867 Range (in code): US Col
- 75876. *Hahncappsia conisphora* (Hampson,1913)** (Pyralidae) Synonym(s): *conisphora* Hampson,1913 Range (in code): GT
- 75877. *Hahncappsia conisphoralis* (Capps,1967)** (Pyralidae) Synonym(s): *conisphoralis* Capps,1967 Range (in code): MX
- 75878. *Hahncappsia corozalis* (Capps,1967)** (Pyralidae) Synonym(s): *corozalis* Capps,1967 Range (in code): PA
- 75879. *Hahncappsia cynoalis* (Druce,1895)** (Pyralidae) Synonym(s): *cynoalis* Druce,1895 Range (in code): PA
- 75880. *Hahncappsia ecuadoralis* (Capps,1967)** (Pyralidae) Synonym(s): *ecuadoralis* Capps,1967 Range (in code): EC
- 75881. *Hahncappsia entephrialis* (Schaus,1912)** (Pyralidae) Synonym(s): *entephrialis* Schaus,1912 Range (in code): CR
- 75882. *Hahncappsia fordii* (Capps,1967)** (Pyralidae) Synonym(s): *fordii* Capps,1967 Range (in code): US Arz
- 75883. *Hahncappsia huachucalis* (Capps,1967)** (Pyralidae) Synonym(s): *huachucalis* Capps,1967 Range (in code): US Arz
- 75884. *Hahncappsia jacalensis* (Capps,1967)** (Pyralidae) Synonym(s): *jacalensis* Capps,1967 Range (in code): MX Hda
- 75885. *Hahncappsia jaliscalis* (Capps,1967)** (Pyralidae) Synonym(s): *jaliscalis* Capps,1967 Range (in code): MX
- 75886. *Hahncappsia jaralis* (Schaus,1920)** (Pyralidae) Synonym(s): *jaralis* Schaus,1920 Range (in code): MX
- 75887. *Hahncappsia lautalis* (Lederer,1863)** (Pyralidae) Synonym(s): *lautalis* Lederer,1863; *fallalis* Schaus,1924 Range (in code): BR CO
- 75888. *Hahncappsia macrospinalis* (Amsel,1956)** (Pyralidae) Synonym(s): *macrospinalis* Amsel,1956 Range (in code): VE
- 75889. *Hahncappsia mancalis* (Lederer,1863)** (Pyralidae) Synonym(s): *mancalis* Lederer,1863 Range (in code): US
- 75890. *Hahncappsia mancaloides* (Amsel,1956)** (Pyralidae) Synonym(s): *mancaloides* Amsel,1956 Range (in code): VE

- 75891. *Hahncappsia marculenta* (Grote & C.T.Robinson,1867)** (Pyralidae) **Synonym(s):** *marculenta* Grote & C.T.Robinson,1867 Range (in code): **US**
- 75892. *Hahncappsia marialis* (Capps,1967)** (Pyralidae) **Synonym(s):** *marialis* Capps,1967 Range (in code): **GT**
- 75893. *Hahncappsia mellinialis* (Druce,1899)** (Pyralidae) **Synonym(s):** *mellinialis* Druce,1899; *phrixalis* Dyar,1914 Range (in code): **MX Hda GT**
- 75894. *Hahncappsia neotropialis* (Capps,1967)** (Pyralidae) **Synonym(s):** *neotropialis* Capps,1967 Range (in code): **MX**
- 75895. *Hahncappsia nigripes* (Schaus,1920)** (Pyralidae) **Synonym(s):** *nigripes* Schaus,1920 Range (in code): **GT**
- 75896. *Hahncappsia pergilvalis* (Hulst,1886)** (Pyralidae) **Synonym(s):** *pergilvalis* Hulst,1886 Range (in code): **US Arz**
- 75897. *Hahncappsia potosiensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *potosiensis* Capps,1967 Range (in code): **MX**
- 75898. *Hahncappsia praxitalis* (Druce,1895)** (Pyralidae) **Synonym(s):** *praxitalis* Druce,1895 Range (in code): **MX**
- 75899. *Hahncappsia pseudoblitalis* (Capps,1967)** (Pyralidae) **Synonym(s):** *pseudoblitalis* Capps,1967 Range (in code): **US Arz**
- 75900. *Hahncappsia purulhalis* (Capps,1967)** (Pyralidae) **Synonym(s):** *purulhalis* Capps,1967 Range (in code): **GT**
- 75901. *Hahncappsia ramsdenalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *ramsdenalis* Schaus,1920 Range (in code): **CU**
- 75902. *Hahncappsia sacculalis* (Amsel,1956)** (Pyralidae) **Synonym(s):** *sacculalis* Amsel,1956 Range (in code): **VE**
- 75903. *Hahncappsia spinalis* (Amsel,1956)** (Pyralidae) **Synonym(s):** *spinalis* Amsel,1956 Range (in code): **VE**
- 75904. *Hahncappsia straminea* (Hampson,1913)** (Pyralidae) **Synonym(s):** *straminea* Hampson,1913; *venadialis* Capps,1967 Range (in code): **MX**
- 75905. *Hahncappsia suarezalis* Munroe,1978** (Pyralidae) **Synonym(s):** *suarzalis* Munroe,1978 Range (in code): **BO**
- 75906. *Hahncappsia volcanensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *volcanensis* Capps,1967 Range (in code): **GT**
- 75907. *Hahncappsia yucatanalis* (Capps,1967)** (Pyralidae) **Synonym(s):** *yucatanalis* Capps,1967 Range (in code): **MX Yc**
- 75908. *Haimbachia aculeata* (Hampson,1903)** (Pyralidae) **Synonym(s):** *aculeata* Hampson,1903 Range (in code): **SI IN ZA**
- 75909. *Haimbachia albiceps* (Hampson,1919)** (Pyralidae) **Synonym(s):** *albiceps* Hampson,1919; *metaphaealis* Hampson,1919 Range (in code): **ZA Tva Lpo**
- 75910. *Haimbachia albiceps albiceps* (Hampson,1919)** (Pyralidae) **Synonym(s):** *albiceps* Hampson,1919; *metaphaealis* Hampson,1919 Range (in code): **ZA Tva Lpo**
- 75911. *Haimbachia albipennella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *albipennella* Hampson,1896 Range (in code): **IN Pj Haz Mre PK**
- 75912. *Haimbachia albivenalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *albivenalis* Hampson,1919 Range (in code): **PY**
- 75913. *Haimbachia araealis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *araealis* Hampson,1912 Range (in code): **IN**
- 75914. *Haimbachia arenalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *arenalis* Hampson,1919 Range (in code): **AR**
- 75915. *Haimbachia atrisparsalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *atriisparsalis* Hampson,1919 Range (in code): **MX**
- 75916. *Haimbachia calamistis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *calamistis* Hampson,1919 Range (in code): **MX**
- 75917. *Haimbachia carnealis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *carnealis* Hampson,1919 Range (in code): **PY AR**
- 75918. *Haimbachia densella* (Zeller,1882)** (Pyralidae) **Synonym(s):** *densella* Zeller,1882; *multilineatella* Hulst,1887 Range (in code): **US Tx**

- 75919. *Haimbachia diaperalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *diaperalis* Hampson,1919 Range (in code): BT
- 75920. *Haimbachia discalis* Dyar & Heinrich,1927** (Pyralidae) **Synonym(s):** *discalis* Dyar & Heinrich,1927 Range (in code): MX
- 75921. *Haimbachia donzella* (Schaus,1922)** (Pyralidae) **Synonym(s):** *donzella* Schaus,1922 Range (in code): BR
- 75922. *Haimbachia dumptalis* Schaus,1922** (Pyralidae) **Synonym(s):** *dumptalis* Schaus,1922 Range (in code): GT
- 75923. *Haimbachia flavalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *flavalis* Hampson,1919 Range (in code): LK
- 75924. *Haimbachia flavilinealis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *flavilinealis* Hampson,1919 Range (in code): TZ
- 75925. *Haimbachia fulvescens* Hampson,1919** (Pyralidae) **Synonym(s):** *fulvescens* Hampson,1919 Range (in code): PE
- 75926. *Haimbachia fuscicilia* (Hampson,1910)** (Pyralidae) **Synonym(s):** *fuscicilia* Hampson,1910 Range (in code): ZW
- 75927. *Haimbachia gloriella* Schaus,1922** (Pyralidae) **Synonym(s):** *gloriella* Schaus,1922 Range (in code): MX
- 75928. *Haimbachia hampsoni* (Kapur,1950)** (Pyralidae) **Synonym(s):** *hampsoni* Kapur,1950 Range (in code): IN
- 75929. *Haimbachia ignefusalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *ignefusalis* Hampson,1919 Range (in code): IN
- 75930. *Haimbachia ignitalis* (Hampson,1896)** (Pyralidae) **Synonym(s):** *ignitalis* Hampson,1896 Range (in code): BR
- 75931. *Haimbachia infusella* (Walker,1863)** (Pyralidae) **Synonym(s):** *infusella* Walker,1863; *comparella* R.Felder & Rogenhofer,1875 Range (in code): CO BR
- 75932. *Haimbachia interlineata* (Zeller,1882)** (Pyralidae) **Synonym(s):** *interlineata* Zeller,1882 Range (in code): CO
- 75933. *Haimbachia leptigrammalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *leptigrammalis* Hampson,1919 Range (in code):
- 75934. *Haimbachia leucocraspis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *leucocraspis* Hampson,1919 Range (in code):
- 75935. *Haimbachia leucopleuralis* (Mabille,1899)** (Pyralidae) **Synonym(s):** *leucopleuralis* Mabille,1899 Range (in code): KM
- 75936. *Haimbachia lunilinealis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *lunilinealis* Hampson,1919 Range (in code): LK
- 75937. *Haimbachia maroniella* Dyar & Heinrich,1927** (Pyralidae) **Synonym(s):** *maroniella* Dyar & Heinrich,1927 Range (in code): GY
- 75938. *Haimbachia mlanjella* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *undilinealis* Hampson,1919 (p.p.); *mlanjella* Bleszynski,1961. Range (in code): TZ MW Mje
- 75939. *Haimbachia multipunctella* (Kearfott,1908)** (Pyralidae) **Synonym(s):** *multipunctella* Kearfott,1908 Range (in code): US Arz
- 75940. *Haimbachia obliquilineella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *obliquilineella* Hampson,1896 Range (in code): BR
- 75941. *Haimbachia obliquistrialis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *obliquistrialis* Hampson,1919 Range (in code):
- 75942. *Haimbachia paranella* (Schaus,1922)** (Pyralidae) **Synonym(s):** *paranella* Schaus,1922 Range (in code): BR
- 75943. *Haimbachia phlebitalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *phlebitalis* Hampson,1919 Range (in code): AR
- 75944. *Haimbachia pinosa* (Zeller,1882)** (Pyralidae) **Synonym(s):** *pinosa* Zeller,1882 Range (in code): CO
- 75945. *Haimbachia placidella* (Haimbach,1907)** (Pyralidae) **Synonym(s):** *placidella* Haimbach,1907 Range (in code): US Nje
- 75946. *Haimbachia prestonella* Schaus,1922** (Pyralidae) **Synonym(s):** *prestonella* Schaus,1922 Range (in code): MX

- 75947. *Haimbachia proalbivenalis* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *albivenalis* Hampson,1919 *nec* Hamps.,1919; *proalbivenalis* Bleszynski,1961 **Range (in code):** **GM IN Bba**
- 75948. *Haimbachia proalbivenalis belgaumensis* (Kapur,1950)** (Pyralidae) **Synonym(s):** *belgaumensis* Kapur,1950 **Range (in code):** **IN Bba**
- 75949. *Haimbachia proalbivenalis proalbivenalis* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *albivenalis* Hampson,1919 *nec* Hamps.,1919; *proalbivenalis* Bleszynski,1961 **Range (in code):** **GM**
- 75950. *Haimbachia proaraealis* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *araealis* Hampson,1919 *nec* Hamps,1912; *proaraealis* Bleszynski,1961 **Range (in code):** **ZA**
- 75951. *Haimbachia proaraealis proaraealis* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *araealis* Hampson,1919 *nec* Hamps,1912; *proaraealis* Bleszynski,1961 **Range (in code):** **ZA**
- 75952. *Haimbachia purpurealis* (Hampson,1896)** (Pyralidae) **Synonym(s):** *purpurealis* Hampson,1896 **Range (in code):**
- 75953. *Haimbachia quiriguella* Schaus,1922** (Pyralidae) **Synonym(s):** *quiriguella* Schaus,1922 **Range (in code):** **GT**
- 75954. *Haimbachia roseiceps* (Hampson,1896)** (Pyralidae) **Synonym(s):** *roseiceps* Hampson,1896 **Range (in code):** **BR**
- 75955. *Haimbachia ruffusalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *ruffusalis* Hampson,1919 **Range (in code):** **TZ**
- 75956. *Haimbachia rufistrigalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *rufistrigalis* Hampson,1919 **Range (in code):** **TZ**
- 75957. *Haimbachia rufulalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *rufulalis* Hampson,1919 **Range (in code):** **MM**
- 75958. *Haimbachia squamulella* (Zeller,1882)** (Pyralidae) **Synonym(s):** *squamulella* Zeller,1882 **Range (in code):** **US Tx**
- 75959. *Haimbachia strigulalis* (Hampson,1896)** (Pyralidae) **Synonym(s):** *strigulalis* Hampson,1896; *cantoniellus* Caradja,1926; *cantoniellus* Wu,1938 **Original Reference:** *Platytes strigulalis* Hampson,1896, Proc. zool. Soc. London 1895: 946. Syntypes: [Pakistan]: "Murree, Punjab"; [India]: "Nagas, Assam"; [Sri Lanka]: "Ceylon". **Range (in code):** **PK Mre Haz Pj Nag LK IN Ass CN**
- 75960. *Haimbachia subterminalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *subterminalis* Hampson,1919 **Range (in code):** **UG**
- 75961. *Haimbachia unipunctalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *unipunctalis* Hampson,1919 **Range (in code):** **ZA Tva Lpo**
- 75962. *Haimbachia unipunctalis unipunctalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *unipunctalis* Hampson,1919 **Range (in code):** **ZA Tva Lpo**
- 75963. *Haimbachia unipunctella* (Bleszynski,1961)** (Pyralidae) **Synonym(s):** *unipunctalis* Hampson,1919 *nec* Hamps,1919; *unipunctella* Bleszynski,1961 **Range (in code):** **BR**
- 75964. *Hannemanneia tacapella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *tacapella* Ragonot,1887 **Original Reference:** *Cataremna tacapella* Ragonot,1887, Annls. Soc. ent. Fr. 1887: 253. Type ♀: [Tunis]: Gabxs (MNHNP). **Range (in code):** **MA DZ TN LY Cy SD SA SA63 EG BH IL Pa IQ Mos IR TR ZA**
- 75965. *Hansreisseria gilvescens* (Rebel,1917)** (Pyralidae) **Synonym(s):** *gilvescens* Rebel,1917 **Original Reference:** *Scoparia gilvescens* Rebel,1917, Annln naturh. Mus. Wien 31: 49. Lectotype ♂: Canary Is. Tenerife, designated by Roesler,1973 (NMHW). **Range (in code):** **Cn**
- 75966. *Haritalodes derogata* (Fabricius,1775)** (Pyralidae) **Synonym(s):** *derogata* Fabricius,1775; *multilinealis* Guenée,1854; *salomealis* Walker,1859; *otysalis* Walker,1859; *basipunctalis* Bremer,1864; *anuligeralis* Walker,[1866]; *obliquialis* Lucas,1898 **Original Reference:** *Phalaena derogata* Fabricius,1775, Syst. Ent.: 641. Type(s): India orientalis. **Range (in code):** **ZA AU TH CMa Cu0 Cu07 CDo CD2 Sbu Bnk Sak AF Srb LK MY Bor ID Ja CN KP TW JP RU Sb WS FJ NC SB PG IN OW** **Bionomy:** Larva on leaf of *Gossypium herbaceum* [cotton], *Abelmoschus esculentus* [okra], *Hibiscus sabdariffa* [roselle], *Abutilon persicum* [kong khao ton] (Malvaceae); *Lagerstroemia balansae* [ta baek] (Lythraceae); *Musa* [banana] (Musaceae) (Lewvanich,2001).
- 75967. *Harraria rufipicta* Hampson,1930** (Pyralidae) **Synonym(s):** *rufipicta* Hampson,1930 **Original Reference:** *Harraria rufipicta* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 66-67. Type ♂: [Ethiopia]: Abyssinia: Harrar (Degen). **Range (in code):** **ET**
- 75968. *Hednota acontophora* (Meyrick,1882)** (Pyralidae) **Synonym(s):** *acontophora* Meyrick,1882 **Range (in code):** **AU QAU TS SAu NSw VAu**

- 75969. Hednota ancylosticha Koch,1966** (Pyralidae) Synonym(s): *ancylosticha* Koch,1966 Range (in code): AU
- 75970. Hednota argyroeles (Meyrick,1882)** (Pyralidae) Synonym(s): *argyroeles* Meyrick,1882; *#argyroelis* Hampson,1896 Range (in code): AU QAU
- 75971. Hednota asterias Meyrick,1887** (Pyralidae) Synonym(s): *asterias* Meyrick,1887 Range (in code): AU
- 75972. Hednota aurantiacus (Meyrick,1879)** (Pyralidae) Synonym(s): *aurantiacus* Meyrick,1879 Range (in code): AU QAU NSW
- 75973. Hednota bathrotricha (Lower,1902)** (Pyralidae) Synonym(s): *bathrotricha* Lower,1902 Range (in code): AU NSW
- 75974. Hednota bifractellus (Walker,1863)** (Pyralidae) Synonym(s): *bifractellus* Walker,1863 Range (in code): AU SAU
- 75975. Hednota bivittella (Donovan,1805)** (Pyralidae) Synonym(s): *vittella* Sveredus,1787 nec *Linnaeus*,1758; *bivittella* Donovan,1805; *trivittatus* Zeller,1863 Range (in code): AU
- 75976. Hednota cotylophora (Turner,1942)** (Pyralidae) Synonym(s): *cotylophora* Turner,1942 Range (in code): AU WAU
- 75977. Hednota crypsichroa Lower,1893** (Pyralidae) Synonym(s): *crypsichroa* Lower,1893; *discilunaris* Hampson,1919 Range (in code): AU VAU SAU
- 75978. Hednota cyclosema (Lower,1896)** (Pyralidae) Synonym(s): *cyclosema* Lower,1896 Range (in code): AU VAU SAU
- 75979. Hednota demissalis (Walker,1863)** (Pyralidae) Synonym(s): *demissalis* Walker,1863 Range (in code): AU WAU
- 75980. Hednota diacentra (Meyrick,1897)** (Pyralidae) Synonym(s): *diacentra* Meyrick,1897 Range (in code): AU VAU
- 75981. Hednota diargyra (Turner,1925)** (Pyralidae) Synonym(s): *diargyra* Turner,1925 Range (in code): AU
- 75982. Hednota dichospila (Turner,1937)** (Pyralidae) Synonym(s): *dichospila* Turner,1937 Range (in code): AU WAU
- 75983. Hednota empheres Koch,1966** (Pyralidae) Synonym(s): *empheres* Koch,1966 Range (in code): AU
- 75984. Hednota enchias (Meyrick,1897)** (Pyralidae) Synonym(s): *enchias* Meyrick,1897 Range (in code): AU VAU TS
- 75985. Hednota eremenopa (Lower,1903)** (Pyralidae) Synonym(s): *eremenopa* Lower,1903 Range (in code): AU VAU
- 75986. Hednota grammella (Zeller,1863)** (Pyralidae) Synonym(s): *grammellus* Zeller,1863; *enneagrammos* Meyrick,1879 Range (in code): AU NSW VAU TS
- 75987. Hednota hagnodes (Turner,1942)** (Pyralidae) Synonym(s): *hagnodes* Turner,1942 Range (in code): AU WAU
- 75988. Hednota haplotypa (Turner,1904)** (Pyralidae) Synonym(s): *haplotypa* Turner,1904 Range (in code): AU NSW
- 75989. Hednota hoplitella (Meyrick,1879)** (Pyralidae) Synonym(s): *hoplitellus* Meyrick,1879 Range (in code): AU NSW
- 75990. Hednota icelomorpha (Turner,1906)** (Pyralidae) Synonym(s): *icelomorpha* Turner,1906 Range (in code): AU
- 75991. Hednota impletella (Walker,1863)** (Pyralidae) Synonym(s): *impletellus* Walker,1863 Range (in code): AU TS
- 75992. Hednota invalidella (Meyrick,1879)** (Pyralidae) Synonym(s): *invalidellus* Meyrick,1879; *eucraspeda* Turner,1904 Range (in code): TS
- 75993. Hednota koojanensis Koch,1966** (Pyralidae) Synonym(s): *koojanensis* Koch,1966 Range (in code): AU
- 75994. Hednota leucophthalma (Meyrick,1882)** (Pyralidae) Synonym(s): *leucophthalma* Meyrick,1882 Range (in code): AU QAU VAU
- 75995. Hednota longipalpella (Meyrick,1879)** (Pyralidae) Synonym(s): *longipalpella* Meyrick,1879 Range (in code): AU QAU VAU
- 75996. Hednota macroura (Lower,1902)** (Pyralidae) Synonym(s): *macroura* Lower,1902 Range (in code): AU SAU

- 75997. Hednota megalarcha (Meyrick,1885)** (Pyralidae) **Synonym(s):** *megalarcha* Meyrick,1885 **Range (in code):** [AU NSW](#)
- 75998. Hednota mesochra (Lower,1896)** (Pyralidae) **Synonym(s):** *mesochra* Lower,1896 **Range (in code):** [AU](#)
- 75999. Hednota ocypetes Meyrick,1936** (Pyralidae) **Synonym(s):** *ocypetes* Meyrick,1936 **Range (in code):** [AU NSW](#)
- 76000. Hednota odontoides Koch,1966** (Pyralidae) **Synonym(s):** *odontoides* Koch,1966 **Range (in code):** [AU](#)
- 76001. Hednota opulentella (Zeller,1863)** (Pyralidae) **Synonym(s):** *opulentellus* Zeller,1863; *#opulentus* Hampson,1896 **Range (in code):** [AU NSW VAu TS](#)
- 76002. Hednota orthotypa (Turner,1904)** (Pyralidae) **Synonym(s):** *orthotypa* Turner,1904 **Range (in code):** [AU NSW](#)
- 76003. Hednota panselenella (Meyrick,1882)** (Pyralidae) **Synonym(s):** *panselenella* Meyrick,1882 **Range (in code):** [AU NSW VAu TS](#)
- 76004. Hednota panteucha (Meyrick,1885)** (Pyralidae) **Synonym(s):** *panteucha* Meyrick,1885 **Range (in code):** [AU](#)
- 76005. Hednota pedionoma (Meyrick,1885)** (Pyralidae) **Synonym(s):** *pedionoma* Meyrick,1885; *bilunaris* Hampson,1913 **Range (in code):** [AU NSW VAu SAu TS](#)
- 76006. Hednota peripeuces (Turner,1942)** (Pyralidae) **Synonym(s):** *peripeuces* Turner,1942 **Range (in code):** [AU WAu](#)
- 76007. Hednota perlatalis (Walker,1863)** (Pyralidae) **Synonym(s):** *perlatalis* Walker,1863 **Range (in code):** [TS](#)
- 76008. Hednota pleniferelus (Walker,1863)** (Pyralidae) **Synonym(s):** *pleniferelus* Walker,1863; *aurosus* R.Felder & Rogenhofer,1875 **Range (in code):** [AU QAU NSW VAu TS](#)
- 76009. Hednota polyargyra (Turner,1913)** (Pyralidae) **Synonym(s):** *polyargyra* Turner,1913 **Range (in code):** [AU NSW](#)
- 76010. Hednota recurvella (Walker,1863)** (Pyralidae) **Synonym(s):** *recurvellus* Walker,1863 **Range (in code):** [AU WAu](#)
- 76011. Hednota relatalis (Walker,1863)** (Pyralidae) **Synonym(s):** *relatalis* Walker,1863; *argyroneurus* Zeller,1863; *radialis* Hampson,1919 **Range (in code):** [AU QAU NSW VAu TS SAu](#)
- 76012. Hednota stenipteralis (Lower,1903)** (Pyralidae) **Synonym(s):** *stenipteralis* Lower,1903 **Range (in code):** [AU NSW VAu](#)
- 76013. Hednota tenuilineata Koch,1966** (Pyralidae) **Synonym(s):** *tenuilineata* Koch,1966 **Range (in code):** [AU](#)
- 76014. Hednota thologramma Meyrick,1836** (Pyralidae) **Synonym(s):** *thologramma* Meyrick,1836 **Range (in code):** [AU NSW](#)
- 76015. Hednota toxotis Meyrick,1887** (Pyralidae) **Synonym(s):** *toxotis* Meyrick,1887; *#toxotes* Hampson,1896 **Range (in code):** [AU Vau](#)
- 76016. Hednota trissomochla (Turner,1911)** (Pyralidae) **Synonym(s):** *trissomochla* Turner,1911 **Range (in code):** [AU NAu](#)
- 76017. Hednota urithrepta (Turner,1925)** (Pyralidae) **Synonym(s):** *urithrepta* Turner,1925; *#urithrepa* Bleszynski & Collins,1962 **Range (in code):** [AU NSW](#)
- 76018. Hednota xiphosema (Turner,1904)** (Pyralidae) **Synonym(s):** *xiphosema* Turner,1904 **Range (in code):** [AU Vau](#)
- 76019. Hednota xylophaea Meyrick,1887** (Pyralidae) **Synonym(s):** *xylophaea* Meyrick,1887 **Range (in code):** [AU SAu](#)
- 76020. Hednotodes callicroa Lower,1893** (Pyralidae) **Synonym(s):** *callicroa* Lower,1893 **Range (in code):** [AU](#)
- 76021. Hednotodes metaxantha (Hampson,1918)** (Pyralidae) **Synonym(s):** *metaxantha* Hampson,1918 **Range (in code):** [AU](#)
- 76022. Hedyleptopsis flava Munroe,1960** (Pyralidae) **Synonym(s):** *flava* Munroe,1960 **Range (in code):** [ID Clb](#)
- 76023. Helenoscoparia helenensis (Wollaston,1879)** (Pyralidae) **Synonym(s):** *helenensis* Wollaston,1879 **Range (in code):** [ZA SH](#)
- 76024. Helenoscoparia lucidalis (Walker,1875)** (Pyralidae) **Synonym(s):** *lucidalis* Walker,1875; *lusidalis* Hampson,1897 **Range (in code):** [ZA SH](#)

- 76025. Helenoscopia nigritalis (Walker,1875)** (Pyralidae) Synonym(s): *nigritalis* Walker,1875; *similis* Wollaston,1879 Range (in code): ZA SH
- 76026. Helenoscopia scintillulalis (Wollaston,1879)** (Pyralidae) Synonym(s): *scintillulalis* Wollaston,1879 Range (in code): ZA SH
- 76027. Helenoscopia transversalis (Wollaston,1879)** (Pyralidae) Synonym(s): *transversalis* Wollaston,1879 Range (in code): ZA SH
- 76028. Heliothela aterrima Turner,1937** (Pyralidae) Synonym(s): *aterrima* Turner,1937 Range (in code): AU
- 76029. Heliothela didymospila Turner,1915** (Pyralidae) Synonym(s): *didymospila* Turner,1915 Range (in code): AU
- 76030. Heliothela floricola Turner,1913** (Pyralidae) Synonym(s): *floricola* Turner,1913 Range (in code): AU
- 76031. Heliothela ophideresana (Walker,1863)** (Pyralidae) Synonym(s): *ophideresana* Walker,1863; *pusilla* Butler,1889; *kruegeri* Turati,1926 Range (in code): AU AF Srb Pag Arh Bkt LY Cy IR Ss AE ZA NG NA TZ MW MG LY SA OM YE IN LK
- 76032. Heliothela oreias Turner,1915** (Pyralidae) Synonym(s): *oreias* Turner,1915 Range (in code): AU
- 76033. Heliothela paracentra (Meyrick,1887)** (Pyralidae) Synonym(s): *paracentra* Meyrick,1887 Range (in code): AU
- 76034. Heliothela praegalliensis Frey,1880** (Pyralidae) Synonym(s): *praegalliensis* Frey,1880 Range (in code): FR CH
- 76035. Heliothela wulfeniana (Scopoli,1763)** (Pyralidae) Synonym(s): *wulfeniana* Scopoli,1763; *atralis* Hübner,1788 *nec* Fabr.,1775; *coerulealis* Caradja,1916; *huebneri* Koçak,1980 Original Reference: Phalaena wulfeniana Scopoli,1763, Entomologia Carniolica: 235. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR Si IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Gls GG Cc Bionomy: Larva on Lamiaceae, Viola (Violaceae) (Parenti,2000).
- 76036. Hellula ablactalis (Walker,1859)** (Pyralidae) Synonym(s): *ablactalis* Walker,1859 Range (in code): AF Bsg
- 76037. Hellula afghanalis (Amsel,1970)** (Pyralidae) Synonym(s): *afghanalis* Amsel,1970 Range (in code): AF Slg Pag BdA
- 76038. Hellula aqualis Barnes & McDunnough,1914** (Pyralidae) Synonym(s): *aqualis* Barnes & McDunnough,1914 Range (in code): US Arz
- 76039. Hellula hydralis Guenée,1854** (Pyralidae) Synonym(s): *hydralis* Guenée,1854; *crissusalis* Walker,1859; *optatusalis* Walker,1859; *subtrigonalis* Walker,[1866]. Range (in code): AU
- 76040. Hellula kempae Munroe,1972** (Pyralidae) Synonym(s): *kempae* Munroe,1972 Range (in code): US FI
- 76041. Hellula khorassanalisis (Amsel,1950)** (Pyralidae) Synonym(s): *khorassanalisis* Amsel,1950 Range (in code): IR Kh KuB AF Pnj BdA Pag
- 76042. Hellula paghmanalis (Amsel,1970)** (Pyralidae) Synonym(s): *paghmanalis* Amsel,1970 Range (in code): AF Pag
- 76043. Hellula phidilealis (Walker,1859)** (Pyralidae) Synonym(s): *phidilealis* Walker,1859; *trypheropa* Meyrick,1936 Range (in code): VE
- 76044. Hellula praefulvalis (Amsel,1970)** (Pyralidae) Synonym(s): *praefulvalis* Amsel,1970 Range (in code): AF BdA Slb Pli
- 76045. Hellula rogatalis (Hulst,1886)** (Pyralidae) Synonym(s): *rogatalis* Hulst,1886 Range (in code): US Tx
- 76046. Hellula simplicialis Herrich-Schäffer,1871** (Pyralidae) Synonym(s): *simplicialis* Herrich-Schäffer,1871 Range (in code): CU
- 76047. Hellula subbasalis (Dyar,1923)** (Pyralidae) Synonym(s): *subbasalis* Dyar,1923 Range (in code): US Cf
- 76048. Hellula undalis (Fabricius,1781)** (Pyralidae) Synonym(s): *undalis* Fabricius,1781; *lunulalis* Costa,1836; *alconalis* Walker,1859; *exemptalis* Walker,[1866]; *geyri* Rothschild,1915; *occidentalis* De Joannis,1930; *reniculus* Pajni & Rose,1977 Original Reference: Phalaena undalis Fabricius,1781, Spec. Ins. 2: 272. Type(s): Italia. Range (in code): TN Sfx PT ES FR Co Sa Si IT MT GB LU DE CH AT SK RO YU GR Cr YE IL Pa TR Sk IR Enz Qz Fa Bu Shr Sse Ss Irs Ana Ke Th Kdj Lgr Km CY LB Bei TM Kp JO IQ Bgd EG AF Hr Bmu Srb Gbh Dwe Bsg Bkt Kot PK Sd Krc Hw US SH IN LK CN PH Luz TW JP AE Cp Hf TH Cc GG Sok MY Bor BN Swk Sbh CV Md Cn AU QAu Bri Bth NSW Aby Gtn DZ Clo Bsk Gf Bionomy: Larva

on *Cleome arabica*, *Moricandia arvensis*, *M.suffruticosa*, *Diplotaxis pendula*, *Senebiera coronopus* (Chrétien,1917).

- 76049. Helonastes acentrus Common,1960** (Pyralidae) Synonym(s): *acentrus* Common,1960
Range (in code): **AU**
- 76050. Helvibotys freemani Munroe,1976** (Pyralidae) Synonym(s): *freemani* Munroe,1976
Range (in code): **US Tx**
- 76051. Helvibotys helvialis (Walker,1859)** (Pyralidae) Synonym(s): *helvialis* Walker,1859; *thycsalis* Walker,1859; *apertalis* Walker,[1866]; *citrina* Grote & C.T.Robinson,1867; *harpalis* Herrich-Schäffer,1871
Range (in code): **US CU**
- 76052. Helvibotys pseudohelvialis (Capps,1967)** (Pyralidae) Synonym(s): *pseudohelvialis* Capps,1967 Range (in code): **US Arz**
- 76053. Helvibotys pucilla (Druce,1895)** (Pyralidae) Synonym(s): *pucilla* Druce,1895; *subcostalis* Dyar,1912 Range (in code): **GT MX**
- 76054. Helvibotys sinaloensis (Capps,1967)** (Pyralidae) Synonym(s): *sinaloensis* Capps,1967
Range (in code): **MX**
- 76055. Heminomistis flagellalis (Hampson,1906)** (Pyralidae) Synonym(s): *flagellalis* Hampson,1906 Range (in code): **MY Bor TH**
- 76056. Hemiplatytes epia (Dyar,1912)** (Pyralidae) Synonym(s): *epia* Dyar,1912; *damon* Barnes & McDunnough,1918 Range (in code): **US Cf**
- 76057. Hemiplatytes prosenes (Dyar,1912)** (Pyralidae) Synonym(s): *prosenes* Dyar,1912 Range (in code): **US Cf**
- 76058. Hemiptocha agraphella Dognin,1905** (Pyralidae) Synonym(s): *agrappella* Dognin,1905
Range (in code): **AR**
- 76059. Hemiscopsis cinerea W.Warren,1892** (Pyralidae) Synonym(s): *cinerea* W.Warren,1892
Range (in code): **JP TW**
- 76060. Hemiscopsis lophopedalis Joannis,1927** (Pyralidae) Synonym(s): *lophopedalis* Joannis,1927 Range (in code): **ZA**
- 76061. Hemiscopsis sanguinea Bänziger,1987** (Pyralidae) Synonym(s): *sanguinea* Bänziger,1987
Original Reference: Hemiscopsis sanguinea Bänziger,1987, Revue suisse Zool. 94 (4): 678, figs. Holotype ♂: Thailand: Chiangmai, Doi Suthep, Khonthatharn Waterfall, 660m, Bänziger leg. (DEFACU). Range (in code): **TH CMa Dst CDo MY Prk ID Sum Ja Bor BN Klt**
- 76062. Hemiscopsis suffusalis (Walker,1865)** (Pyralidae) Synonym(s): *suffusalis* Walker,1865
Range (in code): **PH Boh Mno IN LK Nia Sum Bor Amb ID PG**
- 76063. Hemiscopsis violacea (Lucas,1892)** (Pyralidae) Synonym(s): *violacea* Lucas,1892; *nyctopa* Turner,1908 Range (in code): **AU**
- 76064. Hendecasis apicefulva Hampson,1916** (Pyralidae) Synonym(s): *apicefulva* Hampson,1916
Original Reference: Hendecasis apicefulva Hampson,1916, Ann. Mag. nat. Hist. (8) 18: 368-369. Type ♀: Br.E.Africa [Kenya]: Kikuyu Escarpment (Doherty). Range (in code): **KE Kky**
- 76065. Hendecasis apicefulva Hampson,1916** (Pyralidae) Synonym(s): *apicefulva* Hampson,1916
Range (in code): **ZA**
- 76066. Hendecasis apiciferalis Walker,1865** (Pyralidae) Synonym(s): *apiciferalis* Walker,1865
Range (in code): **CN**
- 76067. Hendecasis cretacea (Butler,1879)** (Pyralidae) Synonym(s): *cretacea* Butler,1879 Range (in code): **JP PK Sd Krc**
- 76068. Hendecasis diplogrammalis Hampson,1906** (Pyralidae) Synonym(s): *diplogrammalis* Hampson,1906 Range (in code): **ID Bli**
- 76069. Hendecasis duplifascialis (Hampson,1891)** (Pyralidae) Synonym(s): *duplifascialis* Hampson,1891 Range (in code): **AC LK TW TH IN PH AU**
- 76070. Hendecasis duplifascialis Hampson,1891** (Pyralidae) Synonym(s): *duplifascialis* Hampson,1891 Range (in code): **IN LK**
- 76071. Hendecasis fulviplaga Hampson,1916** (Pyralidae) Synonym(s): *fulviplaga* Hampson,1916
Original Reference: Hendecasis fulviplaga Hampson,1916, Ann. Mag. nat. Hist. (8) 18: 369. Type ♂: Br.E.Africa [Kenya]: Kikuyu Escarpment (Doherty). Range (in code): **KE Kky**
- 76072. Hendecasis melalophalis Hampson,1906** (Pyralidae) Synonym(s): *melalophalis* Hampson,1906 Range (in code): **AU**
- 76073. Heortia dominalis Lederer,1863** (Pyralidae) Synonym(s): *dominalis* Lederer,1863 Range (in code): **ID Crm Trn**

- 76074. *Heortia vitessoides* (Moore,[1885])** (Pyralidae) Synonym(s): *vitessoides* Moore,[1885]; *#vitissoides* Hutacharern & Tubtim,1995 Original Reference: *Heortia vitessoides* Moore,[1885], *Lepid Ceylon* 3: 256, Pl.178 figs. Type: Ceylon. Range (in code): **WS MM BN Bor Sbh Swk Klt AU CN IN LK TH CMa Cuo Cuo1 CDo BD2 Pap Mro ID Sum Nia MY NP CN AU QAU NH FJ** Bionomy: Larva on *Lagetta lintearia*, *Leucormia lanceolata* (Thymeleaceae) (Kaltenbach & Roesler,1989).
- 76075. *Heosphora ablepta* (Turner,1913)** (Pyralidae) Synonym(s): *ablepta* Turner,1913 Range (in code): **AU**
- 76076. *Heosphora achromatella* (Hampson,1918)** (Pyralidae) Synonym(s): *achromatella* Hampson,1918 Range (in code): **AU**
- 76077. *Heosphora anaemopis* (Turner,1913)** (Pyralidae) Synonym(s): *anaemopis* Turner,1913 Range (in code): **AU**
- 76078. *Heosphora baliora* (Turner,1913)** (Pyralidae) Synonym(s): *baliora* Turner,1913 Range (in code): **AU**
- 76079. *Heosphora colobela* (Turner,1947)** (Pyralidae) Synonym(s): *colobela* Turner,1947 Range (in code): **AU**
- 76080. *Heosphora desertella* (Hampson,1918)** (Pyralidae) Synonym(s): *desertella* Hampson,1918 Range (in code): **AU**
- 76081. *Heosphora enervella* (Hampson,1901)** (Pyralidae) Synonym(s): *enervella* Hampson,1901 Range (in code): **AU**
- 76082. *Heosphora erasmia* (Turner,1913)** (Pyralidae) Synonym(s): *erasmia* Turner,1913 Range (in code): **AU**
- 76083. *Heosphora grammivena* (Hampson,1918)** (Pyralidae) Synonym(s): *grammivena* Hampson,1918 Range (in code): **AU**
- 76084. *Heosphora leuconeura* (Turner,1913)** (Pyralidae) Synonym(s): *leuconeura* Turner,1913 Range (in code): **AU**
- 76085. *Heosphora minimella* (Hampson,1901)** (Pyralidae) Synonym(s): *minimella* Hampson,1901 Range (in code): **AU**
- 76086. *Heosphora neurica* (Turner,1913)** (Pyralidae) Synonym(s): *neurica* Turner,1913 Range (in code): **AU**
- 76087. *Heosphora psamathella* (Meyrick,1879)** (Pyralidae) Synonym(s): *psamathella* Meyrick,1879 Range (in code): **AU**
- 76088. *Heosphora ramulosella* Ragonot,1895** (Pyralidae) Synonym(s): *ramulosella* Ragonot,1895 Range (in code): **TR**
- 76089. *Heosphora rhodochros* (Turner,1947)** (Pyralidae) Synonym(s): *rhodochros* Turner,1947 Range (in code): **AU**
- 76090. *Heosphora tanybela* (Turner,1947)** (Pyralidae) Synonym(s): *tanybela* Turner,1947 Range (in code): **AU**
- 76091. *Heosphora virginella* (Meyrick,1879)** (Pyralidae) Synonym(s): *virginella* Meyrick,1879 Range (in code): **AU**
- 76092. *Heosphora xylodes* (Turner,1947)** (Pyralidae) Synonym(s): *xylodes* Turner,1947 Range (in code): **AU**
- 76093. *Hercynodes miegii* Ragonot,1895** (Pyralidae) Synonym(s): *miegii* Ragonot,1895 Original Reference: *Hercynodes miegii* Ragonot,1895, *Annls Soc. ent. Fr.* 64 (Bull.): xxiii. Range (in code): **ES**
- 76094. *Herpetogramma acyptera* (Hampson,1899)** (Pyralidae) Synonym(s): *acyptera* Hampson,1899 Range (in code): **MX**
- 76095. *Herpetogramma agavealis* (Walker,1859)** (Pyralidae) Synonym(s): *agavealis* Walker,1859 Range (in code): **DO**
- 76096. *Herpetogramma albicilia* (Hampson,1913)** (Pyralidae) Synonym(s): *albicilia* Hampson,1913 Range (in code): **PE**
- 76097. *Herpetogramma albivitta* (Hampson,1913)** (Pyralidae) Synonym(s): *albivitta* Hampson,1913; *haemaproctis* Hampson,1913 Range (in code): **PE**
- 76098. *Herpetogramma amselalis* Munroe,1995** (Pyralidae) Synonym(s): *grisealis* Amsel,1956 nec Sn.,1875; *amselalis* Munroe,1995 Range (in code): **VE**
- 76099. *Herpetogramma antillalis* (Schaus,1920)** (Pyralidae) Synonym(s): *antillalis* Schaus,1920 Range (in code): **DO**

- 76100. *Herpetogramma atrirenalis* (Hampson,1912)** (Pyralidae) Synonym(s): *atrirenalis* Hampson,1912 Range (in code): PY
- 76101. *Herpetogramma barbipalpalis* (Hampson,1918)** (Pyralidae) Synonym(s): *barbipalpalis* Hampson,1918 Range (in code): CO
- 76102. *Herpetogramma bermudalis* (Dyar,1915)** (Pyralidae) Synonym(s): *bermudalis* Dyar,1915 Range (in code): BM
- 76103. *Herpetogramma bipunctalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *bipunctalis* Fabricius,1794; *detritalis* Guenée,1854; *lycialis* Walker,1859; *philealis* Walker,1859; *repetialis* Grote,1880; *terricolalis* Möschler,1881 Range (in code): US DO VE SR
- 76104. *Herpetogramma cervinicosta* (Hampson,1918)** (Pyralidae) Synonym(s): *cervinicosta* Hampson,1918 Range (in code): CO
- 76105. *Herpetogramma cora* (Dyar,1914)** (Pyralidae) Synonym(s): *cora* Dyar,1914 Range (in code): MX
- 76106. *Herpetogramma cynaralis* (Walker,1859)** (Pyralidae) Synonym(s): *cynaralis* Walker,1859; *quadriguttalis* Walker,[1866]; *marginalis* Moore,1886; *epitrota* Meyrick,1887 Range (in code): AU PH Boh IN LK
- 76107. *Herpetogramma decora* (Dyar,1914)** (Pyralidae) Synonym(s): *decora* Dyar,1914 Range (in code): PA
- 76108. *Herpetogramma dilatipes* (Walker,[1866])** (Pyralidae) Synonym(s): *dilatipes* Walker,[1866]; *deformis* W.Warren,1896 Range (in code): AU
- 76109. *Herpetogramma emphatica* (Dyar,1926)** (Pyralidae) Synonym(s): *emphatica* Dyar,1926 Range (in code): MX
- 76110. *Herpetogramma exculta* (Lucas,1892)** (Pyralidae) Synonym(s): *exculta* Lucas,1892 Range (in code): AU
- 76111. *Herpetogramma fascinalis* (Amsel,1950)** (Pyralidae) Synonym(s): *fascinalis* Amsel,1950 Range (in code): IR Ss
- 76112. *Herpetogramma fimbrialis* (Dognin,1904)** (Pyralidae) Synonym(s): *fimbrialis* Dognin,1904 Range (in code): EC
- 76113. *Herpetogramma fluctuosalis* (Lederer,1863)** (Pyralidae) Synonym(s): *fluctuosalis* Lederer,1863; *ipomoealis* Capps,1964 Range (in code): US
- 76114. *Herpetogramma gnamptoceralis* (Hampson,1917)** (Pyralidae) Synonym(s): *gnamptoceralis* Hampson,1917 Range (in code): PA
- 76115. *Herpetogramma grisealis* (Snellen,1875)** (Pyralidae) Synonym(s): *grisealis* Snellen,1875 Range (in code): CO
- 76116. *Herpetogramma hipponalis* (Walker,1859)** (Pyralidae) Synonym(s): *hipponalis* Walker,1859; *pigresalis* Walker,1859; *systematica* Meyrick,1932 Range (in code): AU
- 76117. *Herpetogramma hirsuta* (Dognin,1903)** (Pyralidae) Synonym(s): *hirsuta* Dognin,1903 Range (in code): EC
- 76118. *Herpetogramma holochrysis* (Hampson,1913)** (Pyralidae) Synonym(s): *holochrysis* Hampson,1913 Range (in code): MX
- 76119. *Herpetogramma holophaea* (Hampson,1898)** (Pyralidae) Synonym(s): *holophaea* Hampson,1898 Range (in code): AU
- 76120. *Herpetogramma infuscalis* (Guenée,1854)** (Pyralidae) Synonym(s): *infuscalis* Guenée,1854; *pruinialis* Lederer,1863 Range (in code): BR
- 76121. *Herpetogramma innotalis* (Hampson,1899)** (Pyralidae) Synonym(s): *innotalis* Hampson,1899 Range (in code): VE
- 76122. *Herpetogramma junctalis* (Dyar,1910)** (Pyralidae) Synonym(s): *junctalis* Dyar,1910 Range (in code): MX
- 76123. *Herpetogramma licarsisalis* (Walker,1859)** (Pyralidae) Synonym(s): *licarsisalis* Walker,1859; *pharaxalis* Walker,1859; *immundalis* Walker,[1866]; *fumidalis* Walker,[1866]; *serotinalis* De Joannis,1888; *#licarsialis* Rebel,1939 Original Reference: Botys licarsisalis Walker,1859, List Specimens lepid Insects Colln Br. Mus. 18: 686. Type: Borneo, Sarawak (BMNH). Range (in code): Cn TR CY IL Pa Hf LB Bei EG EG11 IQ Bsr IR Fa Ahz Ss Irs Bmp AF Srb PK Sd Krc AE TW LK CN JP MY Bor Swk Ja ID MH FJ ZA WS TO SB PG AU IN TH
- 76124. *Herpetogramma mutualis* (Zeller,1852)** (Pyralidae) Synonym(s): *mutualis* Zeller,1852; *#mictualis* Zeller,1852 Range (in code): PH Luz ZA IN Sum Ja Clb Amb ID
- 76125. *Herpetogramma nigripalpis* (Hampson,1913)** (Pyralidae) Synonym(s): *nigripalpis* Hampson,1913 Range (in code): MX

- 76126. *Herpetogramma obscurior* Munroe,1963** (Pyralidae) Synonym(s): *obscurior* Munroe,1963 Range (in code): PE
- 76127. *Herpetogramma olivescens* (W.Warren,1892)** (Pyralidae) Synonym(s): *olivescens* W.Warren,1892 Range (in code): EC
- 76128. *Herpetogramma omphalobasis* (Hampson,1899)** (Pyralidae) Synonym(s): *omphalobasis* Hampson,1899 Range (in code): VE
- 76129. *Herpetogramma ottonalis* (Semper,1902)** (Pyralidae) Synonym(s): *ottonalis* Semper,1902 Range (in code): PH Luz
- 76130. *Herpetogramma pachycera* (Hampson,1899)** (Pyralidae) Synonym(s): *pachycera* Hampson,1899 Range (in code): MX
- 76131. *Herpetogramma phaeopteralis* (Guenée,1854)** (Pyralidae) Synonym(s): *phaeopteralis* Guenée,1854; *vecordalis* Guenée,1854; *vestalis* Walker,1859; *triarialis* Walker,1859; *ostreusalis* Walker,1859; *neloalis* Walker,1859; *abstrusalis* Walker,1859; *additalis* Walker,1862; *plebejalis* Lederer,1863; *cellatalis* Walker,1866; *tridentalis* Snellen,1872; *communalis* Snellen,1875; *intricatalis* Möschler,1890 nec Led.,1863; *#phoeopteralis* Hampson,1896; *#phacopteralis* Viette,1957 Range (in code): ZA PH Luz IN LK CN TW Ja PG AU ID MX HT JM BR VE CO PR
- 76132. *Herpetogramma piasusalis* (Walker,1859)** (Pyralidae) Synonym(s): *piasusalis* Walker,1859 Range (in code): AU
- 76133. *Herpetogramma platycapna* (Meyrick,1897)** (Pyralidae) Synonym(s): *platycapna* Meyrick,1897 Range (in code): AU
- 76134. *Herpetogramma retrorsalis* (Hampson,1918)** (Pyralidae) Synonym(s): *retrorsalis* Hampson,1918 Range (in code): EC
- 76135. *Herpetogramma salbialis* (Hampson,1899)** (Pyralidae) Synonym(s): *salbialis* Hampson,1899 Range (in code): MX
- 76136. *Herpetogramma schausi* Munroe,1995** (Pyralidae) Synonym(s): *grisealis* Schaus,1933 nec Sn.,1875; *schausi* Munroe,1995 Range (in code): BR
- 76137. *Herpetogramma semilaniata* (Hampson,1895)** (Pyralidae) Synonym(s): *semilaniata* Hampson,1895 Range (in code): VC
- 76138. *Herpetogramma servalis* Lederer,1863** (Pyralidae) Synonym(s): *servalis* Lederer,1863 Range (in code): BR
- 76139. *Herpetogramma straminea* (Hampson,1913)** (Pyralidae) Synonym(s): *straminea* Hampson,1913 Range (in code): MX
- 76140. *Herpetogramma straminealis* (Dognin,1905)** (Pyralidae) Synonym(s): *straminealis* Dognin,1905 Range (in code): EC
- 76141. *Herpetogramma stramineata* (Hampson,1912)** (Pyralidae) Synonym(s): *vitalis* Druce,1895 nec Gn.,1854; *stramineata* Hampson,1912 Range (in code): MX
- 76142. *Herpetogramma stultalis* (Walker,1859)** (Pyralidae) Synonym(s): *stultalis* Walker,1859; *basistrigalis* Walker,[1866]; *retractalis* Walker,[1866] Range (in code): AU
- 76143. *Herpetogramma submarginalis* (Swinhoe,1901)** (Pyralidae) Synonym(s): *submarginalis* Swinhoe,1901 Range (in code): AU
- 76144. *Herpetogramma subnitens* (Schaus,1920)** (Pyralidae) Synonym(s): *subnitens* Schaus,1920 Range (in code): TT
- 76145. *Herpetogramma tenella* (Hampson,1897)** (Pyralidae) Synonym(s): *tenella* Hampson,1897 Range (in code): PE
- 76146. *Herpetogramma zophosticta* (Turner,1915)** (Pyralidae) Synonym(s): *zophosticta* Turner,1915 Range (in code): AU
- 76147. *Heterochrosis holophaea* Hampson,1926** (Pyralidae) Synonym(s): *holophaea* Hampson,1926 Original Reference: *Heterochrosis holophaea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632-633. Holotype ♂: "Mashonaland: Salisbury (Marshall)". Range (in code):
- 76148. *Heterochrosis holophaea holophaea* Hampson,1926** (Pyralidae) Synonym(s): *holophaea* Hampson,1926 Original Reference: *Heterochrosis holophaea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632-633. Holotype ♂: "Mashonaland: Salisbury (Marshall)". Range (in code):
- 76149. *Heterochrosis molybdophora* (Lower,1903)** (Pyralidae) Synonym(s): *molybdophora* Lower,1903; *mediolinea* Turner,1947 Range (in code): AU
- 76150. *Heterochrosis oligochrodes* Hampson,1926** (Pyralidae) Synonym(s): *oligochrodes* Hampson,1926 Original Reference: *Heterochrosis oligochrodes* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 632. Holotype ♂: [South Africa]: "Transvaal: Pretoria (Janse)". Range (in code): KE ZA Tva Gau Pre

- 76151. *Heterochrosis oligochrodes oligochrodes* Hampson, 1926** (Pyralidae) **Synonym(s):** *oligochrodes* Hampson, 1926 **Original Reference:** *Heterochrosis oligochrodes* Hampson, 1926, Ann. Mag. nat. Hist. (9) 18: 632. Holotype ♂: [South Africa]: "Transvaal: Pretoria (Janse)". **Range (in code):** **KE ZA Tva Gau Pre**
- 76152. *Heterocnephes incisalis* Snellen, 1899** (Pyralidae) **Synonym(s):** *incisalis* Snellen, 1899 **Range (in code):** **PH Ceb Sum PG ID**
- 76153. *Heteromicta aegidia* (Meyrick, 1887)** (Pyralidae) **Synonym(s):** *aegidia* Meyrick, 1887 **Range (in code):** **AU**
- 76154. *Heteromicta alypeta* Turner, 1911** (Pyralidae) **Synonym(s):** *alypeta* Turner, 1911 **Range (in code):** **AU**
- 76155. *Heteromicta leucospila* (Lower, 1907)** (Pyralidae) **Synonym(s):** *leucospila* Lower, 1907 **Range (in code):** **AU**
- 76156. *Heteromicta melanomochla* (Hampson, 1917)** (Pyralidae) **Synonym(s):** *melanomochla* Hampson, 1917 **Range (in code):** **AU**
- 76157. *Heteromicta myrmecophila* (Turner, 1905)** (Pyralidae) **Synonym(s):** *myrmecophila* Turner, 1905; *myrmecophila* Turner, 1913 **Range (in code):** **AU**
- 76158. *Heteromicta nigricostella* Hampson, 1901** (Pyralidae) **Synonym(s):** *nigricostella* Hampson, 1901; *microsora* Turner, 1924 **Range (in code):** **AU**
- 76159. *Heteromicta ochraceella* Hampson, 1901** (Pyralidae) **Synonym(s):** *ochraceella* Hampson, 1901 **Range (in code):** **AU**
- 76160. *Heteromicta pachytera* (Meyrick, 1880)** (Pyralidae) **Synonym(s):** *pachytera* Meyrick, 1880 **Range (in code):** **AU**
- 76161. *Heteromicta phloeomima* Turner, 1911** (Pyralidae) **Synonym(s):** *phloeomima* Turner, 1911 **Range (in code):** **AU**
- 76162. *Heteromicta poeodes* Turner, 1905** (Pyralidae) **Synonym(s):** *poeodes* Turner, 1905 **Range (in code):** **AU**
- 76163. *Heteromicta polioctola* Turner, 1904** (Pyralidae) **Synonym(s):** *polioctola* Turner, 1904 **Range (in code):** **AU**
- 76164. *Heteromicta sordidella* (Walker, 1866)** (Pyralidae) **Synonym(s):** *sordidella* Walker, 1866 **Range (in code):** **AU**
- 76165. *Heteromicta tripartitella* (Meyrick, 1880)** (Pyralidae) **Synonym(s):** *tripartitella* Meyrick, 1880; *leptochlora* Turner, 1913 **Range (in code):** **AU**
- 76166. *Hileithia apicalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *apicalis* Guenée, 1854; *xeniolalis* Hulst, 1886 **Range (in code):** **US Tx**
- 76167. *Hileithia approprialis* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *approprialis* Dyar, 1914 **Range (in code):** **PA**
- 76168. *Hileithia apygalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *apygalis* Guenée, 1854 **Range (in code):** **CO**
- 76169. *Hileithia costipunctalis* Amsel, 1956** (Pyralidae) **Synonym(s):** *costipunctalis* Amsel, 1956 **Range (in code):** **VE**
- 76170. *Hileithia decostalis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *decostalis* Guenée, 1854; *melicertalis* Walker, 1859; *perseualis* Walker, 1859; *appialis* Snellen, 1875 **Range (in code):** **BR VE CO**
- 76171. *Hileithia densalis* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *densalis* Dyar, 1914 **Range (in code):** **PA**
- 76172. *Hileithia differentialis* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *differentialis* Dyar, 1914 **Range (in code):** **PA**
- 76173. *Hileithia ductalis* Möschler, 1890** (Pyralidae) **Synonym(s):** *ductalis* Möschler, 1890 **Range (in code):** **PR**
- 76174. *Hileithia edaphodrepta* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *edaphodrepta* Dyar, 1914 **Range (in code):** **PA**
- 76175. *Hileithia hohaelis* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *hohaelis* Dyar, 1914 **Range (in code):** **PA**
- 76176. *Hileithia invidiosa* (Dyar, 1914)** (Pyralidae) **Synonym(s):** *invidiosa* Dyar, 1914 **Range (in code):** **PA**
- 76177. *Hileithia magualis* (Guenée, 1854)** (Pyralidae) **Synonym(s):** *magualis* Guenée, 1854; *medealis* Walker, 1859; *belusalis* Walker, 1859; *curtalis* Walker, [1866]; *#magnalis* Hampson, 1899 **Range (in code):** **DO US**

- 76178. *Hileithia nacobora* (Dyar,1914)** (Pyralidae) Synonym(s): *nacobora* Dyar,1914 Range (in code): PA
- 76179. *Hileithia obliquialis* (Schaus,1912)** (Pyralidae) Synonym(s): *obliquialis* Schaus,1912 Range (in code): CR
- 76180. *Hileithia rehamalis* (Dyar,1914)** (Pyralidae) Synonym(s): *rehamalis* Dyar,1914 Range (in code): MX
- 76181. *Hileithia rhealis* (Druce,1895)** (Pyralidae) Synonym(s): *rhealis* Druce,1895 Range (in code): MX
- 76182. *Hileithia rhehabalis* (Dyar,1914)** (Pyralidae) Synonym(s): *rhehabalis* Dyar,1914 Range (in code): PA
- 76183. *Hileithia sparsalis* (Dyar,1914)** (Pyralidae) Synonym(s): *sparsalis* Dyar,1914 Range (in code): PA
- 76184. *Hileithia terminalis* (Hampson,1912)** (Pyralidae) Synonym(s): *terminalis* Hampson,1912 Range (in code): JM
- 76185. *Hobohmia paradoxa* Balinsky,1994** (Pyralidae) Synonym(s): *paradoxa* Balinsky,1994 Range (in code): NA Abc
- 76186. *Hobohmia paradoxa paradoxa* Balinsky,1994** (Pyralidae) Synonym(s): *paradoxa* Balinsky,1994 Range (in code): NA Abc
- 76187. *Hodebertia testalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *testalis* Fabricius,1794; *incoloralis* Guenée,1854; *ruficostalis* Lederer,1855; *melonalis* Walker,1859; *nitetisalis* Walker,1859; *albidalis* Walker,[1866]; *putrescens* Meyrick,1934 Range (in code): DZ Bsk Lbs TN Sfx FR IT IL Pa Js LB Bei ZR ZA TZ Kmj IN BD MM ID Ja CU
- 76188. *Hoeneodes sinensis* (Caradja,1937)** (Pyralidae) Synonym(s): *sinensis* Caradja,1937 Range (in code): CN Stg Pkn
- 76189. *Homoeosoma* (*Anhomoeosoma*) *nimbellum* (Duponchel,[1837])** (Pyralidae) Synonym(s): *nimbella* Duponchel,[1837]; *subalbatella* Mann,1864; *homoeosomella* Zerny,1926; *snellenella* Benthick,1930. Original Reference: Phycis nimbella Duponchel,[1837], [in] Godart & Duponchel, Hist. nat. Lépid. Papillons Fr. 10: 349, pl.cclxxxiv fig.1. Lectotype ♂: "Normandie", designated by Roesler (1973). Range (in code): DZ Onç Bsk PT ES Grn An FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV B-H MK BG GR Cr TR DK SE EE LV LT RU MD UA BY KG Uk LB IR JO EG AM Cc Eri
- 76190. *Homoeosoma* (*Ectohomoeosoma*) *kasyellum* Roesler,1965** (Pyralidae) Synonym(s): *kasyellum* Roesler,1965 Range (in code): AT HU RO YU
- 76191. *Homoeosoma* (s.str.) *achroeellum* Ragonot,1887** (Pyralidae) Synonym(s): *achroeella* Ragonot,1887; *microsignella* Amsel,1961. Original Reference: Homoeosoma achroeella Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type(s): [Kasachstan]: Saisan (ZMB). Range (in code): KG Ssn Tar TR IR Elb Th Ss TM
- 76192. *Homoeosoma* (s.str.) *albicosta* (Turner,1947)** (Pyralidae) Synonym(s): *albicosta* Turner,1947 Range (in code): AU
- 76193. *Homoeosoma* (s.str.) *albostrigellum* Roesler,1966** (Pyralidae) Synonym(s): *albostrigellum* Roesler,1966 Range (in code): CN Yu Ti Btn
- 76194. *Homoeosoma* (s.str.) *atechna* (Turner,1947)** (Pyralidae) Synonym(s): *atechna* Turner,1947 Range (in code): AU
- 76195. *Homoeosoma* (s.str.) *bipunctellum* Hampson,1896** (Pyralidae) Synonym(s): *bipunctellum* Hampson,1896 Range (in code): IN
- 76196. *Homoeosoma* (s.str.) *botydellum* Ragonot,1888** (Pyralidae) Synonym(s): *botydellum* Ragonot,1888 Range (in code): ZA
- 76197. *Homoeosoma* (s.str.) *calcellum* Ragonot,1887** (Pyralidae) Synonym(s): *calcella* Ragonot,1887 Original Reference: Homoeosoma calcella Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type(s): [Russia]: Orenburg (MNHNP). Range (in code): BG RU Or Ur SY TR AF Adr MN
- 76198. *Homoeosoma* (s.str.) *candefactellum* Ragonot,1887** (Pyralidae) Synonym(s): *candefactellum* Ragonot,1887 Range (in code): GG Cc IQ Agh CY IR Kz AF Srb
- 76199. *Homoeosoma* (s.str.) *capsitanellum* Chrétien,1911** (Pyralidae) Synonym(s): *capsitanellum* Chrétien,1911; *eminentella* Turati,1924; *litorella* Amsel,1935; *soalthirellum* Roesler,1965 Range (in code): PT ES Grn MA TN LY Cy IL Jf Pa SA SA63 IQ Bgd IR Kh KuB AF Kab
- 76200. *Homoeosoma* (s.str.) *caradjaellum* Roesler,1965** (Pyralidae) Synonym(s): *caradjaellum* Roesler,1965 Range (in code): RU Prj Us

- 76201. *Homoeosoma (s.str.) centrosticha* Turner,1947** (Pyralidae) **Synonym(s):** *centrosticha* Turner,1947 Range (in code): **AU**
- 76202. *Homoeosoma (s.str.) contractum* (Turner,1947)** (Pyralidae) **Synonym(s):** *contracta* Turner,1947 Range (in code): **AU**
- 76203. *Homoeosoma (s.str.) ephestidellum* Hampson,1896** (Pyralidae) **Synonym(s):** *ephestidella* Hampson,1896 Range (in code): **WS PC FJ MY IN**
- 76204. *Homoeosoma (s.str.) fornacellum* (Meyrick,1879)** (Pyralidae) **Synonym(s):** *fornacella* Meyrick,1879 Range (in code): **AU**
- 76205. *Homoeosoma (s.str.) fuscillum* Hampson,1901** (Pyralidae) **Synonym(s):** *fuscillum* Hampson,1901 Range (in code): **IN**
- 76206. *Homoeosoma (s.str.) fuscifusellum* Hampson,1896** (Pyralidae) **Synonym(s):** *fuscifusellum* Hampson,1896 Range (in code): **IN**
- 76207. *Homoeosoma (s.str.) goliathellum* Ragonot,1888** (Pyralidae) **Synonym(s):** *goliathellum* Ragonot,1888 Range (in code): **IN**
- 76208. *Homoeosoma (s.str.) gravosellum* Roesler,1965** (Pyralidae) **Synonym(s):** *gravosellum* Roesler,1965 Range (in code): **RO HV YU**
- 76209. *Homoeosoma (s.str.) griseipennellum* Hampson,1896** (Pyralidae) **Synonym(s):** *griseipennellum* Hampson,1896 Range (in code): **PK Haz Mre IN**
- 76210. *Homoeosoma (s.str.) heidiellum* Roesler,1967** (Pyralidae) **Synonym(s):** *heidiellum* Roesler,1967 Range (in code): **RU Am CN Mc Jn JP**
- 76211. *Homoeosoma (s.str.) incognitellum* Roesler,1965** (Pyralidae) **Synonym(s):** *incognitellum* Roesler,1965 Original Reference: *Homoeosoma (s.str.) incognitellum* Roesler,1965, Inaug.- Diss. Saarbrücken 1965: 57. Type ♂: S-Frankreich: Basses Alpes: St. André-les-Alpes (MNHNP). Range (in code): **FR**
- 76212. *Homoeosoma (s.str.) inustellum* Ragonot,1884** (Pyralidae) **Synonym(s):** *inustella* Ragonot,1884; *compsitella* Rebel,1914. Original Reference: *Homoeosoma inustellum* Ragonot,1884, Bull. Soc. ent. Fr. 1884: vi. Type ♂: France: Aubenas (MNHNP). Range (in code): **ES FR Si IT CH AT PL SK HU RO YU BG RU Sj MD UA BY TR IR Elb Th Dam Shh AF Kab KG Tk Dj**
- 76213. *Homoeosoma (s.str.) ischnopa* (Turner,1947)** (Pyralidae) **Synonym(s):** *ischnopa* Turner,1947 Range (in code): **AU**
- 76214. *Homoeosoma (s.str.) largellum* Caradja,1937** (Pyralidae) **Synonym(s):** *largella* Caradja,1937 Range (in code): **CN Yu**
- 76215. *Homoeosoma (s.str.) lechriosema* Turner,1947** (Pyralidae) **Synonym(s):** *lechriosema* Turner,1947 Range (in code): **AU**
- 76216. *Homoeosoma (s.str.) masaiense* Balinsky,1991** (Pyralidae) **Synonym(s):** *#masaiensis* Hampson; *masaiense* Balinsky,1991; *#massaicum* Balinsky,1991; *#massaiensis* Balinsky,1991 Range (in code): **ZA**
- 76217. *Homoeosoma (s.str.) nebulellum* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *nebulella* [Denis & Schiffermüller],1775; *nebulea* Haworth,1811; *muscerdalis* Hübner,[1813]. Original Reference: *Tinea nebulella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmiett. Wienergegend: 140. Type(s): [Austria]: Vienna district. Range (in code): **DZ Gha PT ES Mu FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR DK FI EE LV LT RU Sr Or MD UA BY TR IR Elb Th KK Ax KG Uk Tk Dj Ch TM Kp**
- 76218. *Homoeosoma (s.str.) nevadellum* Roesler,1965** (Pyralidae) **Synonym(s):** *nevadellum* Roesler,1965 Original Reference: *Homoeosoma (s.str.) nevadellum* Roesler,1965, Inaug.- Diss. Saarbrücken 1965: 54. Type ♂: Spanien: Hotel Sierra Nevada, 1500m (NHMW). Range (in code): **ES An**
- 76219. *Homoeosoma (s.str.) nigrimedialis* Hampson,1903** (Pyralidae) **Synonym(s):** *nigrimedialis* Hampson,1903 Range (in code): **IN**
- 76220. *Homoeosoma (s.str.) obatricostellum* Ragonot,1887** (Pyralidae) **Synonym(s):** *obatricostellum* Ragonot,1887 Range (in code): **IR Elb Shh Fa Kh KuB Msh AF**
- 76221. *Homoeosoma (s.str.) pelostictum* Turner,1947** (Pyralidae) **Synonym(s):** *pelosticta* Turner,1947; *ochropasta* Turner,1947 Range (in code): **AU**
- 76222. *Homoeosoma (s.str.) phaulopa* (Turner,1947)** (Pyralidae) **Synonym(s):** *phaulopa* Turner,1947 Range (in code): **AU**
- 76223. *Homoeosoma (s.str.) punctistrigellum* Ragonot,1888** (Pyralidae) **Synonym(s):** *punctistrigellum* Ragonot,1888 Range (in code): **PK Pj RU Prj Us Jn Mc CN IN**

- 76224. Homoeosoma (s.str.) quinquepunctellum (W.Warren,1914)** (Pyralidae)
Synonym(s): *quinquepunctellum* W.Warren,1914 Range (in code): ZA
- 76225. Homoeosoma (s.str.) sadhopullensis Rose & Dhillon,1980** (Pyralidae)
Synonym(s): *sadhopullensis* Rose & Dhillon,1980 Range (in code): IN
- 76226. Homoeosoma (s.str.) scopulellum Ragonot,1888** (Pyralidae) Synonym(s):
scopulellum Ragonot,1888 Range (in code): ZA
- 76227. Homoeosoma (s.str.) sinuellum (Fabricius,1794)** (Pyralidae) Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. Original Reference: *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel). Range (in code): TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK AI IR Elb Th Kdj Clu Shh GlS TM Kp Cc AM Eri AF Hr Pli Blh Bionomy: Larva on *Chenopodium album* (Chenopodiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 76228. Homoeosoma (s.str.) sinuellum pallescens Roesler,1965** (Pyralidae) Synonym(s): *pallescens* Roesler,1965 Original Reference: *Homoeosoma* (s.str.) *sinuellum* ssp. *pallescens* Roesler,1965, Inaug.- Diss. Saarbrücken 1965: 52. Type ♀: Afghanistan: Herat (LNK). Range (in code): AF Hr Pli Blh Cc GG Lag AZ IR Elb Th Kdj Clu Shh UZ Fe
- 76229. Homoeosoma (s.str.) sinuellum sinuellum (Fabricius,1794)** (Pyralidae)
Synonym(s): *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. Original Reference: *Tinea sinuella* Fabricius,1794, Ent. Syst. 3(2): 308, nr.94. Type(s): Italia (Museum Kiel). Range (in code): TN DZ MA PT ES Cue Mu An Snv FR Co Sa IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H HV MK AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY CY LB KG KK AI IR Elb TM Kp AF Cc GG AZ UZ Fe AM Eri
- 76230. Homoeosoma (s.str.) stenopsis Turner,1904** (Pyralidae) Synonym(s): *stenopsis* Turner,1904 Range (in code): AU
- 76231. Homoeosoma (s.str.) stenotea Hampson,1926** (Pyralidae) Synonym(s): *stenotea* Hampson,1926 Original Reference: *Homoeosoma stenotea* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 628. Syntypes: Mashonaland: Salisbury; [South Africa]: Transvaal: White R., Reitfontein, Pretoria, ; Basutoland: Cape Colony, Zuurberg, Annshaw. Range (in code): ZA Tva Gau Pre Ec ZW
- 76232. Homoeosoma (s.str.) stenoteum Hampson,1926** (Pyralidae) Synonym(s): *stenoteum* Hampson,1926 Range (in code): ZA
- 76233. Homoeosoma (s.str.) terminellum Ragonot,1901** (Pyralidae) Synonym(s): *terminellum* Ragonot,1901 Range (in code): ZA
- 76234. Homoeosoma (s.str.) vagellum Zeller,1848** (Pyralidae) Synonym(s): *vagella* Zeller,1848 Range (in code): AU
- 76235. Homophysodes morbidalis Dyar,1914** (Pyralidae) Synonym(s): *morbidalis* Dyar,1914 Range (in code): PA
- 76236. Hoploscopa astrapias Meyrick,1886** (Pyralidae) Synonym(s): *astrapias* Meyrick,1886 Range (in code): FJ NH WS
- 76237. Hoploscopa astrapias anamesa Tams,1935** (Pyralidae) Synonym(s): *anamesa* Tams,1935 Range (in code): NH
- 76238. Hoploscopa astrapias astrapias Meyrick,1886** (Pyralidae) Synonym(s): *astrapias* Meyrick,1886 Range (in code): FJ
- 76239. Hoploscopa astrapias nauticorum Tams,1935** (Pyralidae) Synonym(s): *nauticorum* Tams,1935 Range (in code): WS
- 76240. Hornigia sauberi Semper,1900** (Pyralidae) Synonym(s): *sauberi* Semper,1900 Range (in code): PH Pao
- 76241. Hosidia ochrineurella Hampson,1901** (Pyralidae) Synonym(s): *ochrineurella* Hampson,1901 Range (in code): ZA
- 76242. Hvidodes laticostalis (Guénee,1854)** (Pyralidae) Synonym(s): *laticostalis* Guénee,1854 Original Reference: *Margarodes laticostalis* Guénee,1854, [in] Boisduval & Guénee, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 303. Type ♀: "Silhet, Inde centrale". Range (in code): PH Bab Luz Pao CmM Mno IN LK MM Adm Bor Crm Sbw ID
- 76243. Hyalea africalis Hampson,1912** (Pyralidae) Synonym(s): *africalis* Hampson,1912 Original Reference: *Hyalea africalis* Hampson,1912, Ann. Mag. nat. Hist. 9: 249. Type: Nigeria (BMNH). Range (in code): NG
- 76244. Hyalea boliviensis Dognin,1905** (Pyralidae) Synonym(s): *boliviensis* Dognin,1905; *carusalis* Schaus,1920 Range (in code): BO

- 76245. *Hyalea dividalis* (Geyer,1832)** (Pyralidae) Synonym(s): *dividalis* Geyer,1832 Range (in code): BR
- 76246. *Hyalea pallidalis* Hampson,1899** (Pyralidae) Synonym(s): *pallidalis* Hampson,1899 Range (in code): BR
- 76247. *Hyalea succinalis* Guenée,1854** (Pyralidae) Synonym(s): *succinalis* Guenée,1854 Range (in code): BR
- 76248. *Hyalobathra aequalis* (Lederer,1863)** (Pyralidae) Synonym(s): *aequalis* Lederer,1863 Range (in code): AU
- 76249. *Hyalobathra archeleuca* Meyrick,1885** (Pyralidae) Synonym(s): *archeleuca* Meyrick,1885 Range (in code): AU
- 76250. *Hyalobathra brevialis* (Walker,1859)** (Pyralidae) Synonym(s): *brevialis* Walker,1859; *divisalis* Lederer,1863; *eximialis* Walker,[1866]; *pactolina* Meyrick,1887 Range (in code): AU
- 76251. *Hyalobathra charopalis* Swinhoe,1907** (Pyralidae) Synonym(s): *charopalis* Swinhoe,1907 Range (in code): ZA
- 76252. *Hyalobathra coenostolalis* (Snellen,1890)** (Pyralidae) Synonym(s): *coenostolalis* Snellen,1890 Range (in code): IN MM TW
- 76253. *Hyalobathra illectalis* (Walker,1859)** (Pyralidae) Synonym(s): *illectalis* Walker,1859; *niveiciliaris* Snellen,1880; *albofimbrialis* Snellen,1880; *unicolor* W.Warren,1895 Range (in code): LK SG MY Bor ID TW AU
- 76254. *Hyalobathra metallogramma* Meyrick,1934** (Pyralidae) Synonym(s): *metallogramma* Meyrick,1934 Range (in code): ZA
- 76255. *Hyalobathra minialis* (W.Warren,1895)** (Pyralidae) Synonym(s): *minialis* W.Warren,1895 Range (in code): AU
- 76256. *Hyalobathra miniosalis* (Guenée,1854)** (Pyralidae) Synonym(s): *miniosalis* Guenée,1854; *europsalis* Walker,1859; *orseisalis* Walker,1859; *rhodoplecta* Turner,1937 Range (in code): AU
- 76257. *Hyalobathra paupellalis* Lederer,1863** (Pyralidae) Synonym(s): *paupellalis* Lederer,1863 Range (in code): AU
- 76258. *Hyalobathra retinalis* (Saalmüller,1879)** (Pyralidae) Synonym(s): *retinalis* Saalmüller,1879; *argentifilalis* Hampson,1908 Range (in code): ZA
- 76259. *Hyalobathra undulinea* (Hampson,1891)** (Pyralidae) Synonym(s): *undulinea* Hampson,1891 Range (in code): IN LK TW
- 76260. *Hyalobathra wilderi* Tams,1935** (Pyralidae) Synonym(s): *wilderi* Tams,1935 Range (in code): WS
- 76261. *Hydaspia dorsipunctella* Ragonot,1888** (Pyralidae) Synonym(s): *dorsipunctella* Ragonot,1888 Range (in code): ZA
- 76262. *Hydriris chalybitis* Meyrick,1885** (Pyralidae) Synonym(s): *chalybitis* Meyrick,1885 Range (in code): AU TO NH TW
- 76263. *Hydriris ornatalis* (Duponchel,1832)** (Pyralidae) Synonym(s): *ornatalis* Duponchel,1832; *saturnalis* Treitschke,1835; *deciusalis* Walker,1859; *invenustalis* Walker,[1866]; *fraterna* Butler,1875; *pulchellalis* Mabilbe,1880 nec Mill.,1873; *bifascialis* Heeger,1938; *orientalis* Yamanaka,1972 Range (in code): DZ Anna Bsk Clo TH Bnk CMa Cuo Cuo7 PH Luz Ceb WS FJ NH MY IN LK ID Ja TW US AU PT ES FR Co Sa Si IT MT CH YU GR Cr CY TR IL Pa Hf LB IQ Bgd Amr EG ZA Bionomy: Larva on leaf of *Ipomoea batatas* [sweet potato] (Convolvulaceae) (Lewvanich,2001).
- 76264. *Hydrorybina polusalis* (Walker,1859)** (Pyralidae) Synonym(s): *polusalis* Walker,1859 Range (in code): AU
- 76265. *Hygraula nitens* (Butler,1880)** (Pyralidae) Synonym(s): *nitens* Butler,1880 Range (in code): AU NSw NZ
- 76266. *Hygraula pelochyta* (Turner,1937)** (Pyralidae) Synonym(s): *pelochyta* Turner,1937 Range (in code): AU
- 76267. *Hylebatis scintillifera* Turner,1908** (Pyralidae) Synonym(s): *scintillifera* Turner,1908 Range (in code): AU
- 76268. *Hymenia perspectalis* (Hübner,1796)** (Pyralidae) Synonym(s): *perspectalis* Hübner,1796; *primordialis* Zeller,1852; *exportalis* Guenée,1854; *rhinthonalis* Walker,1859; *phrasiusalis* Walker,1859; *spilotalis* Saalmüller,1880 Range (in code): PH Luz IN ZA LK Ja Bor MY Clb ID AU QAU PF TW
- 76269. *Hymenoptychis dentilinealis* Snellen,1880** (Pyralidae) Synonym(s): *dentilinealis* Snellen,1880 Range (in code): PH Luz ID Sum Ja Clb PG

- 76270. *Hymenoptychis sordida* Zeller,1852** (Pyralidae) Synonym(s): *sordida* Zeller,1852; *tipuliformis* Walker,1863; *pterophoralis* Walker,[1866] Range (in code): **ZA AE IN LK MY Bor Boh Clb PH ID Sum PG AU FJ**
- 76271. *Hypargyria impecuniosa* De Joannis,1927** (Pyralidae) Synonym(s): *impecuniosa* De Joannis,1927 Range (in code): **ZA**
- 76272. *Hypargyria metalliferella* Ragonot,1888** (Pyralidae) Synonym(s): *metalliferella* Ragonot,1888; *#metalliferella* Pinhey,1975 Range (in code): **SA PK Krc Sd AF IN ID Sum ZA AU TH CMa CDo Pki PH**
- 76273. *Hyperlais argillacealis* (Zeller,1847)** (Pyralidae) Synonym(s): *argillacealis* Zeller,1847 Range (in code): **Si YU GR Cr**
- 76274. *Hyperlais benderalis* Amsel,1960** (Pyralidae) Synonym(s): *benderalis* Amsel,1960 Original Reference: *Hyperlais ? benderalis* Amsel,1960, Ark. Zool. 13 (17): 409, Taf.v fig.216. Holotype ♂: Iran: [Sistan-Beluchistan]: Bender Tschahbahar F.Brandt leg. Range (in code): **IR Ss PK Sd Krc**
- 76275. *Hyperlais cruzae* (Agenjo,1953)** (Pyralidae) Synonym(s): *cruzae* Agenjo,1953 Range (in code): **ES**
- 76276. *Hyperlais dulcinalis* (Treitschke,1835)** (Pyralidae) Synonym(s): *dulcinalis* Treitschke,1835 Range (in code): **IT HU RO YU BG GR TR IR Ha Avd Kh Elb Kdj Sse LB Bsa Cc GG AZ Bjo Kir Tbl Nv Ord**
- 76277. *Hyperlais glyceralis* (Staudinger,1859)** (Pyralidae) Synonym(s): *glyceralis* Staudinger,1859 Range (in code): **ES**
- 76278. *Hyperlais nemausalis* (Duponchel,1834)** (Pyralidae) Synonym(s): *nemausalis* Duponchel,1834 Range (in code): **ES FR IT MT GR Cr TR**
- 76279. *Hyperlais rivasalis* (Vazquez,1905)** (Pyralidae) Synonym(s): *rivasalis* Vazquez,1905 Range (in code): **ES TN Sfx**
- 76280. *Hyperlais siccalis* (Guenée,1854)** (Pyralidae) Synonym(s): *siccalis* Guenée,1854 Original Reference: *Hypolais siccalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 240. Type ♂: [Spain]: "Andalousie". Range (in code): **ES FR**
- 76281. *Hyphantidium albicostale* (Walker,1863)** (Pyralidae) Synonym(s): *albicostale* Walker,1863 Range (in code): **LK MY Bor AU QAU TW**
- 76282. *Hypiasta argyrogramma* Hampson,1919** (Pyralidae) Synonym(s): *argyrogramma* Hampson,1919 Range (in code): **KE Nai TZ**
- 76283. *Hypiasta flavirufalis* Hampson,1919** (Pyralidae) Synonym(s): *flavirufalis* Hampson,1919 Range (in code): **KE**
- 76284. *Hypochalcia ahenella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *ahenella* [Denis & Schiffermüller],1775; *aeneella* Hübner,1796; *obscuratus* Haworth,1809; *tetrix* Haworth,1811; *ahenalis* Hübner,[1825]; *rubiginella* Treitschke,1833; *bistrigella* Duponchel,1836; *fuliginella* Duponchel,1836; *luridella* Schläger,1845; *ghiliani* Staudinger,1870; *fasciatella* Staudinger,1881; *hulstiella* Ragonot,1887; *griseoaenella* Ragonot,1887; *caucasica* Ragonot,1893; *lugubrella* M.Hering,1924; *robustella* Toll,1938 Original Reference: *Tinea ahenella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY TR Cc AM IR Shh US Tx** Bionomy: Larva on *Helianthemum* (Cistaceae), *Artemisia*, *Hieracium pilosella* (Asteraceae) (Beirne,1954; Parenti,2000).
- 76285. *Hypochalcia balcanica* Ragonot,1887** (Pyralidae) Synonym(s): *balcanica* Ragonot,1887 Range (in code): **RO BG**
- 76286. *Hypochalcia decorella* (Hübner,[1810])** (Pyralidae) Synonym(s): *decorella* Hübner,[1810]; *indecoralis* Hübner,[1825]. Original Reference: *Tinea decorella* Hübner,[1810], Samml. eur. Schmett. (Tineae): Pl.44 fig.301. Type(s): Europe. Range (in code): **FR IT DE AT CZ SK HU RO YU RU MD UA BY TR Cc AM Eri**
- 76287. *Hypochalcia dignella* (Hübner,1796)** (Pyralidae) Synonym(s): *dignella* Hübner,1796; *dignalis* Hübner,[1825]; *insuadella* Ragonot,1893 Range (in code): **FR AT SK HU RO YU BG RU MD UA BY TR Cc AM KG Uk**
- 76288. *Hypochalcia lignella* (Hübner,1796)** (Pyralidae) Synonym(s): *lignella* Hübner,1796; *lignalis* Hübner,[1825]; *melanella* Treitschke,1832; *bruneoviolaceella* Bruand,1850; *delineata* Filipjev,1927; *rufivinea* Osthelder,1938 Range (in code): **ES FR Co IT BE LU DE CH AT PL CZ SK HU RO YU GR LT RU MD UA BY Cc AM IR Elb Mz Vdb**
- 76289. *Hypochalcia orbipunctella* Ragonot,1887** (Pyralidae) Synonym(s): *orbipunctella* Ragonot,1887 Range (in code): **YU**

- 76290. Hypochalcia oxydella Ragonot,1887** (Pyralidae) Synonym(s): *oxydella* Ragonot,1887; *castanella* Ragonot,1887 Range (in code): **CN Ui Ku**
- 76291. Hypochalcia plutonella Ragonot,1893** (Pyralidae) Synonym(s): *plutonella* Ragonot,1893 Range (in code): **KK Ik Ax**
- 76292. Hypochalcia propinquella (Eversmann,1842)** (Pyralidae) Synonym(s): *propinquella* Eversmann,1842; *candelisequella* Eversmann,1844; *vesperella* Eversmann,1844; *brunneella* Eversmann,1844; *bruandella* Guenée,1845; *affiniella* Zeller,1848; *disjunctella* Zeller,1848; *dispunctella* Herrich-Schäffer,1849; *gianelliella* Ragonot,1887; *hepaticella* Ragonot,1887; *longobardella* Ragonot,1887; *subrubiginella* Ragonot,1887; *romanovi* Ragonot,1893; *burgundiella* Ragonot,1893; *ukrainae* Filipjev,1931 Range (in code): **FR BE AT IT CH HU BG RU Ur Or UA CN Ui Ku Ju KG Uk**
- 76293. Hypochalcia rayatella Amsel,1959** (Pyralidae) Synonym(s): *rayatella* Amsel,1959 Original Reference: *Hypochalcia rayatella* Amsel,1959, Bull. Soc. Ent. Egypte 43: 46-47, figs. Holotype ♂: Iraq: Haj Omran, leg. Wiltshire. Range (in code): **IQ Hjo IR Elb Dam**
- 76294. Hypochalcia staudingeri Ragonot,1887** (Pyralidae) Synonym(s): *staudingeri* Ragonot,1887 Range (in code): **KG Ssn**
- 76295. Hypochalcia subrubiginella Ragonot,1887** (Pyralidae) Synonym(s): *subrubiginella* Ragonot,1887; *gianelliella* Ragonot,1887; *hepaticella* Ragonot,1887; *longobardella* Ragonot,1887; *romanovi* Ragonot,1893 Range (in code): **AT IT CN Ui Ku**
- 76296. Hypodaria myeloisiformis (Hartig,1937)** (Pyralidae) Synonym(s): *myeloisiformis* Hartig,1937; *makranella* Amsel,1959. Range (in code): **IR Ss Mkr AF Pag**
- 76297. Hypolophota amydrastis Turner,1904** (Pyralidae) Synonym(s): *amydrastis* Turner,1904; *macromorpha* Lower,1907 Range (in code): **AU**
- 76298. Hypolophota oodes Turner,1904** (Pyralidae) Synonym(s): *oodes* Turner,1904; *cryptimera* Lower,1907 Range (in code): **AU**
- 76299. Hyporatasa allotriella (Herrich-Schäffer,1855)** (Pyralidae) Synonym(s): *allotriella* Herrich-Schäffer,1855 Original Reference: *Ratasa allotriella* Herrich-Schäffer,1855, Schmett. Eur., Pyral. 6: 147, fig.153. Range (in code): **HU RO MK RU Sr UA TR T-S KG Uk Tk Dj Ii KK Al DsA IR Elb Th**
- 76300. Hypotia achatina R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *achatina* R.Felder & Rogenhofer,1875 Range (in code): **ZA**
- 76301. Hypotia affinis (Rothschild,1921)** (Pyralidae) Synonym(s): *affinis* Rothschild,1921 Range (in code): **IQ kut Amr IR Qz**
- 76302. Hypotia aglossalis (Hampson,1906)** (Pyralidae) Synonym(s): *aglossalis* Hampson,1906 Range (in code): **ZA**
- 76303. Hypotia albicornis (Rebel,1914)** (Pyralidae) Synonym(s): *albicornis* Rebel,1914 Range (in code): **EG**
- 76304. Hypotia argentalis (Hampson,1900)** (Pyralidae) Synonym(s): *argentalis* Hampson,1900; *biscraensis* Caradja,1916; *subargentalis* Amsel,1949; *senegalensis* Leraut,2004 IL Pa JO DZ Bsk SN IR
- 76305. Hypotia bertazi (Turati,1926)** (Pyralidae) Synonym(s): *bertazi* Turati,1926 Range (in code): **LY**
- 76306. Hypotia birgita Asselbergs,2008** (Pyralidae) Synonym(s): *birgita* Asselbergs,2008 Range (in code): **AE**
- 76307. Hypotia bleusei (Oberthür,1888)** (Pyralidae) Synonym(s): *bleusei* Oberthür,1888; *santschii* Lucas,1911 Original Reference: *Cledeobia bleusei* Oberthür,1888, Etud. Ent. 12: 34, pl.6 fig.38. Type: Algérie, Biskra. Range (in code): **DZ Bsk Omy TN** Bionomy: Larva on Suaeda fruticosa (Chenopodiaceae) (Chrétien,1917).
- 76308. Hypotia bolinalis (Walker,1859)** (Pyralidae) Synonym(s): *bolinalis* Walker,1859 Range (in code): **ZA**
- 76309. Hypotia brandbergensis Leraut,2007** (Pyralidae) Synonym(s): *brandbergensis* Leraut,2007 Range (in code): **NA**
- 76310. Hypotia brandti (Amsel,1949)** (Pyralidae) Synonym(s): *brandti* Amsel,1949 Range (in code): **IR Ahz Ss**
- 76311. Hypotia buchanani (Rothschild,1921)** (Pyralidae) Synonym(s): *buchanani* Rothschild,1921 Range (in code): **NE**
- 76312. Hypotia chretieni (Lucas,1910)** (Pyralidae) Synonym(s): *chretieni* Lucas,1910; *sardzealis* Amsel,1951 Range (in code): **IR TN**
- 76313. Hypotia colchicalis (Herrich-Schäffer,[1855])** (Pyralidae) Synonym(s): *colchicalis* Herrich-Schäffer,[1855]; *anceschii* Turati,1926 Original Reference: *Constantia colchicalis* Herrich-Schäffer,[1855], Syst. Bearb. Schmett. Eur. 4: 148, fig.136. Type(s): [Türkei]: Amasia. Range (in

- code): **DZ TN Sfx LY ES RU Cc Kr MD UA BY TR IR Ahz Fa Ss Shr Sse SY JO IL LB IQ Ry CY IR TM KG Tk Dj**
- 76314. *Hypotia colchicaloides* (Amsel,1949)** (Pyralidae) **Synonym(s):** *colchicaloides* Amsel,1949
Range (in code): **IR Ss PK BI**
- 76315. *Hypotia concatenalis* Lederer,1858** (Pyralidae) **Synonym(s):** *concatenalis* Lederer,1858
Range (in code): **IQ Kbl SY Dms KG Uk Ind IR Fa Shr**
- 76316. *Hypotia corticalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *corticalis* [Denis & Schiffermüller],1775 **Original Reference:** *Pyralis corticalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code):** **ES FR Co Sa Si IT MT GR Cr TR LB IL Pa Hf**
- 76317. *Hypotia decembris* Leraut,2007** (Pyralidae) **Synonym(s):** *decembris* Leraut,2007
Range (in code): **NA**
- 76318. *Hypotia deckerti* Mey,2011** (Pyralidae) **Synonym(s):** *deckerti* Mey,2011 **Range (in code):** **NA**
- 76319. *Hypotia dinteri* Grünberg,1910** (Pyralidae) **Synonym(s):** *dinteri* Grünberg,1910 **Range (in code):** **NA**
- 76320. *Hypotia dubiosa* (Rothschild,1921)** (Pyralidae) **Synonym(s):** *dubiosa* Rothschild,1921 **NE**
- 76321. *Hypotia eberti* Leraut,2007** (Pyralidae) **Synonym(s):** *eberti* Leraut,2007 **Range (in code):** **NA**
- 76322. *Hypotia faucis* Mey,2011** (Pyralidae) **Synonym(s):** *faucis* Mey,2011 **NA**
- 76323. *Hypotia grisescens* (W.Warren,1914)** (Pyralidae) **Synonym(s):** *grisescens* W.Warren,1914
Range (in code): **ZA**
- 76324. *Hypotia griveaudi* Leraut,2004** (Pyralidae) **Synonym(s):** *griveaudi* Leraut,2004 **Range (in code):** **MG**
- 76325. *Hypotia infascialis* (Amsel,1949)** (Pyralidae) **Synonym(s):** *infascialis* Amsel,1949; *balutchistanalis* Amsel,1951 **Range (in code):** **IR Ss Chh**
- 76326. *Hypotia infulalis* Lederer,1858** (Pyralidae) **Synonym(s):** *infulalis* Lederer,1858; *staudingeralis* Ragonot,1891; *atrisquamalis* Hampson,1900; *inclinalis* Rebel,1914 **Original Reference:** *Hypotia infulalis* Lederer,1858, Wien. ent. Monatschr. 2: 146, Taf.3 fig.6. Type ♂: Syria: Damask. **Range (in code):** **Cn DZ Bsk PT ES Sa MT TN Gf Sfx IL Pa EG JO SY Dms TR IR Kh** **Bionomy:** Larva on *Suaeda fruticosa*, *S.vermiculata*, *S.brevifolia* (Chrétien,1917).
- 76327. *Hypotia ingrata* (Butler,1881)** (Pyralidae) **Synonym(s):** *ingrata* Butler,1881; *proximalis* Christoph,1882; *rubella* Swinhoe,1884 **Original Reference:** *Stemmatophora ingrata* Butler,1881, Proc. zool. Soc. London 1881: 621. Syntypes 2 ex.: [Pakistan]: "Kurrachee". **Range (in code):** **IL Pa Cc AM IR Elb Th Kdj Fa Shr Sse Com PK Krc UZ**
- 76328. *Hypotia juergensi* Mey,2011** (Pyralidae) **Synonym(s):** *juergensi* Mey,2011 **Range (in code):** **ZA**
- 76329. *Hypotia khorgosalis* (Ragonot,1891)** (Pyralidae) **Synonym(s):** *khorgosalis* Ragonot,1891
Range (in code): **CN Ui Khr**
- 76330. *Hypotia leonalis* (Oberthür,1887)** (Pyralidae) **Synonym(s):** *leonalis* Oberthür,1887; *syrticolalis* Ragonot,1887; *subochrealis* Ragonot,1891; *fasciatalis* Chrétien,1917 **Original Reference:** *Stemmatophora leonalis* Oberthür,1887, Annls Soc. ent. Fr. (6) 7 (Bull.): lxxvi. Syntypes: Algérie, Biskra (Leon Bleuse), Méchéria (lieutenant Lahaye). **Range (in code):** **MA DZ Bsk Ah TN Gf LY** **Bionomy:** Larva on *Atriplex halimus* (Chenopodiaceae) (Chrétien,1917).
- 76331. *Hypotia leucographalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *leucographalis* Hampson,1900 **Original Reference:** *Constantia leucographalis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 382? Holotype ♂: Spain: Murcia (coll. Staudinger). **Range (in code):** **ES Mu**
- 76332. *Hypotia lhonorei* Leraut,2006** (Pyralidae) **Synonym(s):** *lhonorei* Leraut,2006 **Range (in code):** **CI**
- 76333. *Hypotia littoralis* Leraut,2009** (Pyralidae) **Synonym(s):** *littoralis* Leraut,2009 **Range (in code):** **MG**
- 76334. *Hypotia lobalis* (Chrétien,1915)** (Pyralidae) **Synonym(s):** *lobalis* Chrétien,1915; *conformalis* Amsel,1949 **Original Reference:** *Constantia lobalis* Chrétien,1915, Annls Soc. ent. Fr. 84: 292. Syntypes: Algeria, Biskra. **Range (in code):** **DZ Bsk IR Ss Fa**
- 76335. *Hypotia lobalis fredii* (Amsel,1949)** (Pyralidae) **Synonym(s):** *fredii* Amsel,1949 **Original Reference:** *Dattinia fredii* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 252-253, Taf. III figs.24,24a. Syntypes: Iran: Laristan, Bender Tschahbahar. **Range (in code):** **IR Ss Chh Fa**

- 76336. *Hypotia longidentalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *longidentalis* Rothschild,1913 Original Reference: Constantia longidentalis Rothschild,1913, Novit. zool. 20: 139. Type ♂: [Algeria]: "half way between Ouargla and El-Golea". Range (in code): **MA DZ Ogl Gle**
- 76337. *Hypotia mahafalyalis* Leraut,2009** (Pyralidae) Synonym(s): *mahafalyalis* Leraut,2009 Range (in code): **MG**
- 76338. *Hypotia massilialis* (Duponchel,1832)** (Pyralidae) Synonym(s): *massilialis* Duponchel,1832; *taurica* Rebel,1910. Original Reference: Cledeobia massilialis Duponchel,1832, Hist. nat. lépid. Pap. Fr. Nocturnes 5 (2): 304-305, pl.230 fig.5. Type: France: "Marseille". Range (in code): **DZ ES FR Pro Co RO HV HU MK BG RU UA TM Kp TR KG**
- 76339. *Hypotia mavromoustakisi* (Rebel,1928)** (Pyralidae) Synonym(s): *mavromoustakisi* Rebel,1928 Range (in code): **CY IL Pa TR**
- 76340. *Hypotia mesopotamica* (Amsel,1955)** (Pyralidae) Synonym(s): *mesopotamica* Amsel,1955 Range (in code): **IQ Bsr IR Bu Ss**
- 76341. *Hypotia metasialis* (Amsel,1954)** (Pyralidae) Synonym(s): *metasialis* Amsel,1954 Original Reference: Boursinella metasialis Amsel,1954, Ark. Zool. 6 (16): 311, figs.181,274. Holotype ♂: Iran: Fars: Dalaki-Brücke. Range (in code): **IR Fa**
- 76342. *Hypotia meyi* Leraut,2007** (Pyralidae) Synonym(s): *meyi* Leraut,2007 Range (in code): **NA**
- 76343. *Hypotia miegi* (Ragonot,1895)** (Pyralidae) Synonym(s): *miegi* Ragonot,1895 Range (in code): **ES Mu**
- 76344. *Hypotia mineti* Leraut,2004** (Pyralidae) Synonym(s): *mineti* Leraut,2004 Range (in code): **MG**
- 76345. *Hypotia muscosalis* (Rebel,1917)** (Pyralidae) Synonym(s): *muscosalis* Rebel,1917; *delicatalis* Asselbergs,2004 Range (in code): **ES Cn**
- 76346. *Hypotia myalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *myalis* Rothschild,1913; *faroulti* Rothschild,1915; *predotae* Schawerda,1934 Original Reference: Constantia myalis Rothschild,1913, Novit. zool. 20: 139. Syntypes 5♂ 3♀: [Algeria]: "South Oued Mya". Range (in code): **Cn TN DZ Omy Ges**
- 76347. *Hypotia namaensis* Mey,2011** (Pyralidae) Synonym(s): *namaensis* Mey,2011 Range (in code): **NA**
- 76348. *Hypotia namaquensis* Mey,2011** (Pyralidae) Synonym(s): *namaquensis* Mey,2011 Range (in code): **NA**
- 76349. *Hypotia namibiensis* Leraut,2007** (Pyralidae) Synonym(s): *namibiensis* Leraut,2007 Range (in code): **NA**
- 76350. *Hypotia noctua* (Falkovitsch,1976)** (Pyralidae) Synonym(s): *noctua* Falkovitsch,1976 Range (in code): **UZ**
- 76351. *Hypotia numidalis* Hampson,1900** (Pyralidae) Synonym(s): *numidalis* Hampson,1900 Range (in code): **DZ Gha Bsk TN Gf PT ES JO AE MA MR** Bionomy: Larva on Suaeda (Chrétien,1917).
- 76352. *Hypotia opiparalis* (Swinhoe,1890)** (Pyralidae) Synonym(s): *opiparalis* Swinhoe,1890 Range (in code): **IN**
- 76353. *Hypotia opisma* (Falkovitsch,1976)** (Pyralidae) Synonym(s): *opisma* Falkovitsch,1976 Range (in code): **UZ**
- 76354. *Hypotia ornata* (Druce,1902)** (Pyralidae) Synonym(s): *ornata* Druce,1902 Range (in code): **ZA**
- 76355. *Hypotia orphna* (Falkovitsch,1976)** (Pyralidae) Synonym(s): *orphna* Falkovitsch,1976 Range (in code): **UZ**
- 76356. *Hypotia oxodontalis* (Hampson,1900)** (Pyralidae) Synonym(s): *oxodontalis* Hampson,1900 Range (in code): **TM Kp**
- 76357. *Hypotia pallidicarnea* (W.Warren,1914)** (Pyralidae) Synonym(s): *pallidicarnea* W.Warren,1914 Range (in code): **ZA**
- 76358. *Hypotia pectinalis* (Herrich-Schäffer,1838)** (Pyralidae) Synonym(s): *pectinalis* Herrich-Schäffer,1838; *ocelliferalis* Ragonot,1887; *jordanalis* Rebel,1903 Range (in code): **DZ Sfr Gha Bsk TN Gab Gf Sfx ES Co Sa Si MT IL JO Pa** Bionomy: Larva on Salicornia (Chrétien,1917).
- 76359. *Hypotia pectinalis pectinalis* (Herrich-Schäffer,1838)** (Pyralidae) Synonym(s): *pectinalis* Herrich-Schäffer,1838; *ocelliferalis* Ragonot,1887; *jordanalis* Rebel,1903 Range (in code): **DZ Sfr Gha TN Gab Gf Sfx ES Co Sa Si MT IL JO Pa**

- 76360. *Hypotia persinualis* (Hampson,1900)** (Pyralidae) Synonym(s): *persinualis* Hampson,1900; *kasbahella* Schmidt,1934 Range (in code): MA SY JO
- 76361. *Hypotia phaeagonalis* (Hampson,1906)** (Pyralidae) Synonym(s): *phaeagonalis* Hampson,1906 Range (in code): ZA
- 76362. *Hypotia pineau* (Rougeot,1977)** (Pyralidae) Synonym(s): *pineau* Rougeot,1977 Range (in code): ET
- 76363. *Hypotia poliopastalis* (Hampson,1900)** (Pyralidae) Synonym(s): *poliopastalis* Hampson,1900 Range (in code): DZ Ogl Gle Bsk Gf TN IQ
- 76364. *Hypotia povolnyi* (Amsel,1975)** (Pyralidae) Synonym(s): *povolnyi* Amsel,1975 Original Reference: Dattinia povolnyi Amsel,1975, Ent. Z., Frankf. a. M. 85 (16): 187-188, 2 Abb. Holotype ♂: Süd-Iran: Strasse Bandar-Abbas-Sirjan, km24, 250m (LNK). Range (in code): IR Ss
- 76365. *Hypotia pronamibiella* Mey,2011** (Pyralidae) Synonym(s): *pronomibiella* Mey,2011 NA
- 76366. *Hypotia quagga* Mey,2011** (Pyralidae) Synonym(s): *quagga* Mey,2011 Range (in code): ZA Nca
- 76367. *Hypotia rectangula* (Amsel,1949)** (Pyralidae) Synonym(s): *rectangula* Amsel,1949 Range (in code): IR Ss Chh
- 76368. *Hypotia rufimarginalis* (Hampson,1896)** (Pyralidae) Synonym(s): *rufimarginalis* Hampson,1896 Original Reference: Constantia (Zonora) rufimarginalis Hampson,1896, Proc. zool. Soc. London 1896: 273. Type ♂: [Yemen]: "Lahej, Arabia (Nurse)". Range (in code): YE YE47
- 76369. *Hypotia semirosealis* (Walker,1865)** (Pyralidae) Synonym(s): *semirosealis* Walker,1865 Range (in code): ZA
- 76370. *Hypotia sinaica* (Rebel,1903)** (Pyralidae) Synonym(s): *sinaica* Rebel,1903; *debskii* Rebel,1912; *turturalis* Turati,1930; *bertrami* Lucas,1939; *hyrcanalis* Amsel,1951; *mauritanica* Leraut,2004 Range (in code): MR DZ LY EG Sn KW IQ Bsr IR Ss
- 76371. *Hypotia syrtalis* (Ragonot,1887)** (Pyralidae) Synonym(s): *syrtalis* Ragonot,1887; *bella* Bethune-Baker,1894 Range (in code): MA DZ Mri Bsk TN EG ES Mu
- 76372. *Hypotia theopoldi* (Amsel,1956)** (Pyralidae) Synonym(s): *theopoldi* Amsel,1956 JO
- 76373. *Hypotia variabilis* (Zerny,1930)** (Pyralidae) Synonym(s): *variabilis* Zerny,1930 Original Reference: Dattinia (Epizonora) variabilis Zerny,1930, Int. ent. Z. 25: 17-18. Syntypes 7♂ 2♀: [Türkei]: Akschehir (NHMW). Range (in code): TR
- 76374. *Hypotia vulgaris* Butler,1881** (Pyralidae) Synonym(s): *vulgaris* Butler,1881; *eremialis* Swinhoe,1889; *benderalis* Amsel,1949; *qatarica* Leraut,2007 [ssp.] Original Reference: *Hypotia vulgaris* Butler,1881, Proc. zool. Soc. London 1881: 621. Syntypes 5 ex.: [Pakistan]: "Kurrachee". Range (in code): MR QA IN PK Sd Krc YE SA IR Ss Chh Ke Ana KW
- 76375. *Hypsipyla albipartalis* (Hampson,1910)** (Pyralidae) Synonym(s): *albipartalis* Hampson,1910 Range (in code): ZR
- 76376. *Hypsipyla debilis* Caradja,1933** (Pyralidae) Synonym(s): *debilis* Caradja,1933 Range (in code): CN
- 76377. *Hypsipyla dorsimacula* Schaus,1913** (Pyralidae) Synonym(s): *dorsimacula* Schaus,1913 Range (in code): CR
- 76378. *Hypsipyla elachistalis* Hampson,1903** (Pyralidae) Synonym(s): *elachistalis* Hampson,1903 Range (in code): LK
- 76379. *Hypsipyla ereboneura* Meyrick,1939** (Pyralidae) Synonym(s): *ereboneura* Meyrick,1939 Range (in code): ZR
- 76380. *Hypsipyla ferrealis* (Hampson,1929)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1929 Range (in code): CR
- 76381. *Hypsipyla formosana* Shiraki,1912** (Pyralidae) Synonym(s): *formosana* Shiraki,1912 Range (in code): TW
- 76382. *Hypsipyla fulviatella* Schaus,1913** (Pyralidae) Synonym(s): *fulviatella* Schaus,1913 Range (in code): CR
- 76383. *Hypsipyla grandella* (Zeller,1848)** (Pyralidae) Synonym(s): *grandella* Zeller,1848; *cnabella* Dyar,1914 Range (in code): BR MX
- 76384. *Hypsipyla robusta* (Moore,[1886])** (Pyralidae) Synonym(s): *robusta* Moore,[1886]; *pagodella* Ragonot,1888; *terebrans* Olliff,1890; *scabriuscullella* Ragonot,1893 Range (in code): AU LK IN MG ZA
- 76385. *Hypsipyla rotundipex* Hampson,1903** (Pyralidae) Synonym(s): *rotundipex* Hampson,1903 Range (in code): IN SI

- 76386. *Hypsipyra swezeyi* Tams,1935** (Pyalidae) **Synonym(s):** *swezeyi* Tams,1935 **Range (in code):** **WS**
- 76387. *Hypsopygia albidalis* (Walker,[1866])** (Pyalidae) **Synonym(s):** *albidalis* Walker,[1866]; *rhodocryptalis* Walker,[1866] **Range (in code):** **AU**
- 76388. *Hypsopygia albifimbrialis* (Hampson,1896)** (Pyalidae) **Synonym(s):** *albifimbrialis* Hampson,1896 **Range (in code):** **CN TW**
- 76389. *Hypsopygia alluaudalis* Leraut,2006** (Pyalidae) **Synonym(s):** *alluaudalis* Leraut,2006 **Range (in code):** **KE**
- 76390. *Hypsopygia almanalis* (Rebel,1917)** (Pyalidae) **Synonym(s):** *almanalis* Rebel,1917 **Original Reference:** *Herculia almanalis* Rebel,1917, Sber. Akad. Wiss. Wien 126: 277. **Syntypes** 1♂ 2♀: [Osmaniye]: Jarbaschi (NHMW). **Range (in code):** **GR TR CY IL Pa**
- 76391. *Hypsopygia ambrensis* Leraut,2006** (Pyalidae) **Synonym(s):** *ambrensis* Leraut,2006 **Range (in code):** **MG**
- 76392. *Hypsopygia amoenalis* (Möschler,1882)** (Pyalidae) **Synonym(s):** *amoenalis* Möschler,1882; *isidora* Meyrick,1936 **Range (in code):** **SR VE**
- 76393. *Hypsopygia anpingialis* (Strand,1919)** (Pyalidae) **Synonym(s):** *anpingialis* Strand,1919 **Range (in code):** **TW**
- 76394. *Hypsopygia audeoudi* (Joannis,1927)** (Pyalidae) **Synonym(s):** *audeoudi* Joannis,1927 **Range (in code):** **MZ**
- 76395. *Hypsopygia bamakoensis* Leraut,2006** (Pyalidae) **Synonym(s):** *bamakoensis* Leraut,2006 **Range (in code):** **ML**
- 76396. *Hypsopygia binodulalis* (Zeller,1872)** (Pyalidae) **Synonym(s):** *binodulalis* Zeller,1872 **Range (in code):** **US**
- 76397. *Hypsopygia boudinoti* Leraut,2006** (Pyalidae) **Synonym(s):** *boudinoti* Leraut,2006 **Range (in code):** **CF**
- 76398. *Hypsopygia bractealis* (Walker,1859)** (Pyalidae) **Synonym(s):** *bractealis* Walker,1859 **Range (in code):** **LK**
- 76399. *Hypsopygia caesalis* (Zeller,1852)** (Pyalidae) **Synonym(s):** *caesalis* Zeller,1852 **Range (in code):** **ZA**
- 76400. *Hypsopygia camerounalis* Leraut,2006** (Pyalidae) **Synonym(s):** *camerounalis* Leraut,2006 **Range (in code):** **CM**
- 76401. *Hypsopygia castanealis* (Shibuya,1928)** (Pyalidae) **Synonym(s):** *castanealis* Shibuya,1928 **Range (in code):** **TW**
- 76402. *Hypsopygia cineralis* (De Joannis,1927)** (Pyalidae) **Synonym(s):** *cineralis* De Joannis,1927 **Range (in code):** **ZA**
- 76403. *Hypsopygia costalis* (Fabricius,1775)** (Pyalidae) **Synonym(s):** *costalis* Fabricius,1775; *fimbrialis* [Denis & Schiffermüller],1775; *purpurana* Thunberg,1784; *hyllalis* Walker,1859; *rubrocilialis* Staudinger,1870; *#lugens* Rebel,1903; *syriaca* Zerny,1914; *lugens* Caradja,1917. **Original Reference:** *Phalaena costalis* Fabricius,1775, Syst. Ent.: 644, nr.132. **Type(s):** Anglia. **Range (in code):** **DZ Orn PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc DK NO SE FI EE LV LT RU MD UA BY IR Ab Sro Th Elb Mz Gls IL Hf Pa EG TM Kp UZ Fe PK IQ Shq Dia KG Tk Tks Nrk CN Ui** **Bionomy:** Larva on hay, dried vegetable, animal matter (Parenti,2000).
- 76404. *Hypsopygia flavamaculata* Shaffer et al.,1996** (Pyalidae) **Synonym(s):** *laticilialis* Rothschild,1916 nec Rag.,1891; *flavamaculata* Shaffer et al.,1996 **Range (in code):** **AU**
- 76405. *Hypsopygia fulvocilialis* (Duponchel,1832)** (Pyalidae) **Synonym(s):** *fulvocilialis* Duponchel,1832; *hartigialis* Mariani,1937 **Original Reference:** *Asopia fulvo-cilialis* Duponchel,1832, Hist. nat. lépid. Fr. 8 (2): 375-376, pl.236 fig.6. **Type:** [France]: Digne. **Range (in code):** **PT FR Si HU RO YU AL BG GR TR IL Pa Hf LB UA RU AM Cc**
- 76406. *Hypsopygia glaucinalis* (Linnaeus,1758)** (Pyalidae) **Synonym(s):** *glaucinalis* Linnaeus,1758; *nitidalis* Fabricius,1775 **Original Reference:** *Phalaena glaucinalis* Linnaeus,1758, Syst. Nat. (Edn.10): 533. **Lectotype** ♀: Europa (Robinson & Nielsen, 1983: 213). **Range (in code):** **MA PT ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Tbl Kir Lag Mng Hkd AZ DK NO SE FI EE LV LT RU Sb Am Sh Us MD UA BY IR Gh Tgo Mz KP KR CN Krl JP** **Bionomy:** Larva on decaying vegetable matter (Parenti,2000).
- 76407. *Hypsopygia griseobrunnea* (Hampson,1917)** (Pyalidae) **Synonym(s):** *griseobrunnea* Hampson,1917 **Range (in code):** **ZA**
- 76408. *Hypsopygia griveaudalis* Leraut,2006** (Pyalidae) **Synonym(s):** *griveaudalis* Leraut,2006 **Range (in code):** **CI**

- 76409. *Hypsopygia helenensis* (Wollaston,1879)** (Pyralidae) **Synonym(s):** *helenensis* Wollaston,1879 Range (in code): SH
- 76410. *Hypsopygia ignefimbrialis* (Hampson,1906)** (Pyralidae) **Synonym(s):** *ignefimbrialis* Hampson,1906 Range (in code): IN TW
- 76411. *Hypsopygia igniflualis* (Walker,1859)** (Pyralidae) **Synonym(s):** *igniflualis* Walker,1859; *healealis* Walker,1859; *dorcasalis* Walker,1859; *glauculalis* Yamanaka,1980 Range (in code): LK CN MY Bor Swk JP
- 76412. *Hypsopygia incarnatalis* (Zeller,1847)** (Pyralidae) **Synonym(s):** *incarnatalis* Zeller,1847 **Original Reference:** *Asopia incarnatalis* Zeller,1847, Isis 1847: 591. **Syntypes:** Italia. Range (in code): MA DZ Lbs PT ES FR Co Sa Si IT HU RO YU GR TR
- 76413. *Hypsopygia iwamotoi* Kirpichnikova & Yamanaka,1995** (Pyralidae) **Synonym(s):** *iwamotoi* Kirpichnikova & Yamanaka,1995 Range (in code): RU Us
- 76414. *Hypsopygia jezoensis* (Shibuya,1928)** (Pyralidae) **Synonym(s):** *jezoensis* Shibuya,1928 Range (in code): JP TW
- 76415. *Hypsopygia joannisalis* Leraut,2006** (Pyralidae) **Synonym(s):** *joannisalis* Leraut,2006 Range (in code): CI
- 76416. *Hypsopygia lacteocilia* (Hampson,1917)** (Pyralidae) **Synonym(s):** *lacteocilia* Hampson,1917 Range (in code): ZA
- 76417. *Hypsopygia mabokealis* Leraut,2006** (Pyralidae) **Synonym(s):** *mabokealis* Leraut,2006 Range (in code): CF
- 76418. *Hypsopygia maesalis* Leraut,2006** (Pyralidae) **Synonym(s):** *maesalis* Leraut,2006 Range (in code): KE
- 76419. *Hypsopygia marthalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *marthalis* Walker,1859 Range (in code): MY Bor Swk
- 76420. *Hypsopygia mauritalis* (Boisduval,1833)** (Pyralidae) **Synonym(s):** *mauritalis* Boisduval,1833; *lucillalis* Walker,1859; *regalis* Walker,1866 nec Denis & Schiff.,1775; *ducalis* Walker,1866; *crobulus* Lucas,1891; *laticillalis* Ragonot,1891; *#atralis* Caradja,1932; *pfeifferi* Amsel,1954 Range (in code): ZA MU MG IN MM CN Hn ID Sum Ja TW JP AU QAU IR Fa PK
- 76421. *Hypsopygia melanthalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *melanthalis* Walker,1859 Range (in code): MY Bor Swk
- 76422. *Hypsopygia metayei* Leraut,2006** (Pyralidae) **Synonym(s):** *metayei* Leraut,2006 Range (in code): VN
- 76423. *Hypsopygia moramangalis* (Marion & Viette,1956)** (Pyralidae) **Synonym(s):** *moramangalis* Marion & Viette,1956 Range (in code): MG
- 76424. *Hypsopygia murzinalis* Leraut,2006** (Pyralidae) **Synonym(s):** *murzinalis* Leraut,2006 Range (in code): KH
- 76425. *Hypsopygia nanalis* (Wileman,1911)** (Pyralidae) **Synonym(s):** *nanalis* Wileman,1911 Range (in code): JP TW
- 76426. *Hypsopygia nannodes* (Butler,1879)** (Pyralidae) **Synonym(s):** *nannodes* Butler,1879; *formosibia* Strand,1919 Range (in code): JP CN TW
- 76427. *Hypsopygia nigrivitta* (Walker,1863)** (Pyralidae) **Synonym(s):** *nigrivitta* Walker,1863; *fuscicosta* Walker,1863; *costigeralis* Walker,[1866]; *fuscicostalis* Snellen,1880; *obstans* Meyrick,1936 Range (in code): AU TH IN LK HK MM MY ID Sum Sbh Swk Clb Ja Klt PH PG
- 76428. *Hypsopygia nonusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *nonusalis* Walker,1859; *tenuis* Butler,1880; *imbecilis* Moore,1885; *incongrua* Butler,1886; *rhodocryptalis* Cotes & Swinhoe,1889; *hansi* Rose & Dhillon,1980 Range (in code): ZA BR AC IN LK TW MY Bor Swk CN TW
- 76429. *Hypsopygia nossibealis* Leraut,2006** (Pyralidae) **Synonym(s):** *nossibealis* Leraut,2006 Range (in code): MG
- 76430. *Hypsopygia olapalis* Viette,1978** (Pyralidae) **Synonym(s):** *olapalis* Viette,1978 Range (in code): MG
- 76431. *Hypsopygia pelasgalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *pelasgalis* Walker,1859 Range (in code): CN KP JP TW
- 76432. *Hypsopygia pernigralis* (Ragonot,1891)** (Pyralidae) **Synonym(s):** *pernigralis* Ragonot,1891; *aurocillalis* Hampson,1891 Range (in code): IN NI CN
- 76433. *Hypsopygia planalis* (Grote,1880)** (Pyralidae) **Synonym(s):** *planalis* Grote,1880; *enniculalis* Hulst,1886; *occidentalis* Hulst,1886 Range (in code): US Col
- 76434. *Hypsopygia polycyclophora* Hampson,1916** (Pyralidae) **Synonym(s):** *olycyclophora* Hampson,1916 Range (in code): ZA

- 76435. *Hypsopygia postflava* (Hampson,1893)** (Pyralidae) Synonym(s): *postflava* Hampson,1893 Range (in code): IN LK TW TH
- 76436. *Hypsopygia postflava* (Hampson,1893)** (Pyralidae) Synonym(s): *postflava* Hampson,1893 Range (in code): LK
- 76437. *Hypsopygia racilialis* (Walker,1859)** (Pyralidae) Synonym(s): *racilialis* Walker,1859 Range (in code): CN
- 76438. *Hypsopygia regina* (Butler,1879)** (Pyralidae) Synonym(s): *regina* Butler,1879 Range (in code): JP
- 76439. *Hypsopygia roseotincta* Hampson,1917** (Pyralidae) Synonym(s): *roseotincta* Hampson,1917 Range (in code): ZA
- 76440. *Hypsopygia rubidalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *rubidalis* [Denis & Schiffermüller],1775; *lucidalis* Hübner,[1813] Original Reference: *Pyralis rubidalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): MA DZ Cst ES FR IT CH AT CZ SK HU RO YU AL BG GR TR Cc GG Bjo UA Cm RU Bionomy: Larva on decaying vegetable matter (Parenti,2000).
- 76441. *Hypsopygia rudis* (Moore,1888)** (Pyralidae) Synonym(s): *rudis* Moore,1888 Range (in code): IN TW
- 76442. *Hypsopygia sanguinalis* W.Warren,1897** (Pyralidae) Synonym(s): *sanguinalis* W.Warren,1897 Range (in code): ZA
- 76443. *Hypsopygia sokutsensis* (Strand,1919)** (Pyralidae) Synonym(s): *sokutsensis* Strand,1919 Range (in code): TW
- 76444. *Hypsopygia suffusalis* (Walker,[1866])** (Pyralidae) Synonym(s): *suffusalis* Walker,[1866] Range (in code): IN TW TH
- 76445. *Hypsopygia taiwanalis* (Shibuya,1928)** (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928 Range (in code): TW
- 76446. *Hypsotropa adumbratella* Ragonot,1888** (Pyralidae) Synonym(s): *adumbratella* Ragonot,1888 Range (in code): ZA
- 76447. *Hypsotropa albicostalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *albicostalis* Rothschild,1913 Original Reference: *Enosoma albicostalis* Rothschild,1913, Novit. zool. 20: 138. Type: Algeria, S. of El Golea. Range (in code): DZ Gle Hdr Eal Ear Onç
- 76448. *Hypsotropa albivenalis* (Hampson,1912)** (Pyralidae) Synonym(s): *albivenalis* Hampson,1912 Range (in code): IN
- 76449. *Hypsotropa chionorhabda* Hampson,1918** (Pyralidae) Synonym(s): *chionorhabda* Hampson,1918 Range (in code): ZA
- 76450. *Hypsotropa contrastella* (Ragonot,1888)** (Pyralidae) Synonym(s): *contrastella* Ragonot,1888 Range (in code): ZA
- 76451. *Hypsotropa formosalis* Strand,1919** (Pyralidae) Synonym(s): *formosalis* Strand,1919 Range (in code): TW
- 76452. *Hypsotropa fuscostrigella* Ragonot,1888** (Pyralidae) Synonym(s): *fuscostrigella* Ragonot,1888 Range (in code): IN
- 76453. *Hypsotropa fusifasciata* Hampson,1918** (Pyralidae) Synonym(s): *fusifasciata* Hampson,1918 Range (in code): IN
- 76454. *Hypsotropa graptophlebia* Hampson,1918** (Pyralidae) Synonym(s): *graptophlebia* Hampson,1918 Range (in code): ZA
- 76455. *Hypsotropa grassa* Strand,1919** (Pyralidae) Synonym(s): *grassa* Strand,1919 Range (in code): TW
- 76456. *Hypsotropa heterocerella* Hampson,1896** (Pyralidae) Synonym(s): *heterocerella* Hampson,1896 Range (in code): IN
- 76457. *Hypsotropa ichorella* (Lederer,1855)** (Pyralidae) Synonym(s): *ichorella* Lederer,1855 Original Reference: *Anerastia ichorella* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 221-222, Taf.3 fig.8. Type ♂: Libanon: Beirut. Range (in code): Si? TR LB Bei
- 76458. *Hypsotropa infumatella* Ragonot,1901** (Pyralidae) Synonym(s): *infumatella* Ragonot,1901 Range (in code): ZA
- 76459. *Hypsotropa lactealis* (Rothschild,1913)** (Pyralidae) Synonym(s): *lactealis* Rothschild,1913 Original Reference: *Lymire* [sic!] *lactealis* Rothschild,1913, Novit. zool. 20 (1): 138. Type ♀: Algeria, Igosten; El Golea. Range (in code): DZ Gle Eal Hdr Onç

- 76460. *Hypsotropa leucophlebiella* (Ragonot,1888)** (Pyralidae) Synonym(s): *leucophlebiella* Ragonot,1888 Range (in code): ZA
- 76461. *Hypsotropa limbella* Zeller,1848** (Pyralidae) Synonym(s): *limbella* Zeller,1848 Original Reference: *Hypsotropa limbella* Zeller,1848, Isis 1848: 591. Type: Europa. Range (in code): FR IT YU AL BG GR Cr TR Cc
- 76462. *Hypsotropa makulanella* Joannis,1927** (Pyralidae) Synonym(s): *makulanella* Joannis,1927 Range (in code): ZA
- 76463. *Hypsotropa ochricostella* Hampson,1918** (Pyralidae) Synonym(s): *ochricostella* Hampson,1918 Range (in code): ZA
- 76464. *Hypsotropa paucipunctella* Ragonot,1895** (Pyralidae) Synonym(s): *paucipunctella* Ragonot,1895 Original Reference: *Hypsotropa paucipunctella* Ragonot,1895, Bull. Soc. ent. Fr. 1895: cii. Syntypes ♂♀: [Turquie]: Akbes. Range (in code): TR
- 76465. *Hypsotropa pervittella* Hampson,1918** (Pyralidae) Synonym(s): *pervittella* Hampson,1918 Range (in code): IN
- 76466. *Hypsotropa polyactinia* (Hampson,1901)** (Pyralidae) Synonym(s): *polyactinia* Hampson,1901 Range (in code): ZA
- 76467. *Hypsotropa punctinervella* Hampson,1918** (Pyralidae) Synonym(s): *punctinervella* Hampson,1918 Range (in code): IN
- 76468. *Hypsotropa rhodochroella* Hampson,1918** (Pyralidae) Synonym(s): *rhodochroella* Hampson,1918 Range (in code): ZA
- 76469. *Hypsotropa rosescens* Hampson,1918** (Pyralidae) Synonym(s): *rosescens* Hampson,1918 Range (in code): IN
- 76470. *Hypsotropa sabuletella* (Zeller,1852)** (Pyralidae) Synonym(s): *sabuletella* Zeller,1852 Range (in code): ZA
- 76471. *Hypsotropa strictipennis* (Rothschild,1915)** (Pyralidae) Synonym(s): *strictipennis* Rothschild,1915 Original Reference: *Lymire* [sic!] *strictipennis* Rothschild,1915, Novit. zool. 22 (2): 237. Type ♂: Algeria, El Alia. Range (in code): DZ Eal
- 76472. *Hypsotropa subcostella* Hampson,1918** (Pyralidae) Synonym(s): *subcostella* Hampson,1918 Range (in code): ZA
- 76473. *Hypsotropa syriacella* Ragonot,1888** (Pyralidae) Synonym(s): *syriacella* Ragonot,1888 Original Reference: *Hypsotropa syriacella* Ragonot,1888, Nouv. Gen. Phycit.: 47. Type: Syrie. Range (in code): TR
- 76474. *Hypsotropa tripartalis* Hampson,1918** (Pyralidae) Synonym(s): *tripartalis* Hampson,1918 Range (in code): TW
- 76475. *Hypsotropa unipunctella* Ragonot,1888** (Pyralidae) Synonym(s): *unipunctella* Ragonot,1888 Range (in code): SK HU RO
- 76476. *Hypsotropa vulneratella* (Zeller,1847)** (Pyralidae) Synonym(s): *vulneratella* Zeller,1847; *roseistrigella* Ragonot,1901. Range (in code): FR Co Sa Si MT YU IL Pa Hf TR SY KK Al
- 76477. *Iangaigheria conisella* (Hampson,1926)** (Pyralidae) Synonym(s): *conisella* Hampson,1926 Original Reference: *Laodamia conisella* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 630-631. Syntypes 1♂ 2♀: [South Africa]: Transvaal: Three Sisters; [Kenya]: British East Africa: Sabaki R. Range (in code): KE MZ ZA Mpu Brb Ec Lpo Tva Spb Ltr
- 76478. *Iangaigheria conisella conisella* (Hampson,1926)** (Pyralidae) Synonym(s): *conisella* Hampson,1926 Original Reference: *Laodamia conisella* Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 630-631. Syntypes 1♂ 2♀: [South Africa]: Transvaal: Three Sisters; [Kenya]: British East Africa: Sabaki R. Range (in code): KE MZ ZA Mpu Brb Ec Lpo Tva Spb Ltr
- 76479. *Iangaigheria heterotypa* (Balinsky,1994)** (Pyralidae) Synonym(s): *heterotypa* Balinsky,1994 Range (in code): ZA Tva Gau Pre Nta Kzu Kkf Nha
- 76480. *Iangaigheria heterotypa heterotypa* (Balinsky,1994)** (Pyralidae) Synonym(s): *heterotypa* Balinsky,1994 Range (in code): ZA Tva Gau Pre Nta Kzu Kkf Nha
- 76481. *Iangaigheria hypolepias* (De Joannis,1927)** (Pyralidae) Synonym(s): *hypolepias* De Joannis,1927 Range (in code): MZ
- 76482. *Iangaigheria hypolepias hypolepias* (De Joannis,1927)** (Pyralidae) Synonym(s): *hypolepias* De Joannis,1927 Range (in code): MZ
- 76483. *Iangaigheria jansei* (Balinsky,1994)** (Pyralidae) Synonym(s): *jansei* Balinsky,1994 Range (in code): NA ZW Umv Bul Fs Mdp ZA Gau Pre Nta Kzu Tva Nbs Mpu Brb Em

- 76484. Iangaigheria jansei jansei (Balinsky,1994)** (Pyralidae) **Synonym(s):** *jansei* Balinsky,1994 **Range (in code):** **NA ZW Umv Bul Fs Mdp ZA Gau Pre Nta Kzu Tva Nbs Mpu Brb Em**
- 76485. Iangaigheria poliopasta (Balinsky,1994)** (Pyralidae) **Synonym(s):** *poliopasta* Balinsky,1994 **Range (in code):** **ZW Uma Bul ZA Nta Kzu Mpu Brb Tva Lpo Pot Nbs Em**
- 76486. Iangaigheria poliopasta poliopasta (Balinsky,1994)** (Pyralidae) **Synonym(s):** *poliopasta* Balinsky,1994 **Range (in code):** **ZW Uma Bul ZA Nta Kzu Mpu Brb Tva Lpo Pot Nbs Em**
- 76487. Iangaigheria semiales (Balinsky,1994)** (Pyralidae) **Synonym(s):** *semiales* Balinsky,1994 **Range (in code):** **ZW Uma**
- 76488. Iangaigheria semiales semiales (Balinsky,1994)** (Pyralidae) **Synonym(s):** *semiales* Balinsky,1994 **Range (in code):** **ZW Uma**
- 76489. Ilithyia taiwanensis Shibuya,1928** (Pyralidae) **Synonym(s):** *taiwanensis* Shibuya,1928 **Range (in code):** **TW**
- 76490. Indomalayia flabellifera (Hampson,1896)** (Pyralidae) **Synonym(s):** *flabellifera* Hampson,1896 **Original Reference:** *Spatulipalpia flabellifera* Hampson,1896, Fauna Br. Ind. Ceylon Burma Moths 4: 102, fig.59. Type: [Sri Lanka] (BMNH). **Range (in code):** **LK MY SG ID Sum PG Fg AU**
- 76491. Indomalayia melanella Roesler,1983** (Pyralidae) **Synonym(s):** *melanella* Roesler,1983 **Range (in code):** **ID Sum MY**
- 76492. Indomyrlaea euchmodes (Turner,1905)** (Pyralidae) **Synonym(s):** *euchmodes* Turner,1905; *anaxia* Turner,1947 **Range (in code):** **AU**
- 76493. Indomyrlaea eugraphella (Ragonot,1888)** (Pyralidae) **Synonym(s):** *eugraphella* Ragonot,1888 **Range (in code):** **IN Pj Meg Ass Khs SI BT LK MM MY ID Sum Ja**
- 76494. Indomyrlaea kalmasapada Roesler & Küppers,1979** (Pyralidae) **Synonym(s):** *kalmasapada* Roesler & Küppers,1979 **Range (in code):** **ID Sum**
- 76495. Indomyrlaea sutasoma Roesler & Küppers,1979** (Pyralidae) **Synonym(s):** *sutasoma* Roesler & Küppers,1979 **Range (in code):** **ID Sum**
- 76496. Insalebria concineratella (Ragonot,1887)** (Pyralidae) **Synonym(s):** *concineratella* Ragonot,1887 **Range (in code):** **KG Tar Sp**
- 76497. Insalebria kozhantshikovi Filipjev,1924** (Pyralidae) **Synonym(s):** *kozantshikovi* Filipjev,1924 **Range (in code):** **RU KJ Mnu**
- 76498. Insalebria serraticornella (Zeller,1839)** (Pyralidae) **Synonym(s):** *serraticornella* Zeller,1839; *gregella* Eversmann,1844; *zernyi* Toll,1942; *rungsella* D.Lucas,1942; *ifraneella* D.Lucas,1956; *kairouanensis* Leraut,2003 **Range (in code):** **MA DZ Orn TN SK HU RO YU BG GR TR IQ Ama RU IR**
- 76499. Iranarpia albalis (Amsel,1961)** (Pyralidae) **Synonym(s):** *albalis* Amsel,1961 **Range (in code):** **IR Fa Com**
- 76500. Iranarpia silacealis (Amsel,1951)** (Pyralidae) **Synonym(s):** *silacealis* Amsel,1951 **Range (in code):** **IR Fa Com**
- 76501. Isauria dilucidella (Duponchel,1836)** (Pyralidae) **Synonym(s):** *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *ledereri* Ragonot,1893; *cuencella* Caradja,1916; *gabaltella* Chrétien,1931; *grisesens* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 **Original Reference:** *Phycis dilucidella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 184, Pl.278 fig.7. Type ♂: France. **Range (in code):** **DZ Bsk ES Cue FR Sa Si IT DE CH AT PL CZ SK HU RO YU BG GR TR RU Ur MD UA BY IQ Hjo LB Bsa IL Pa TM Kp IR Fa Th Shh Plr Mz Elb Dam AF KG MN Cc AM GG Smt Akh AE** **Bionomy:** Larva on *Astragalus monspessulanus*, *Lotus corniculatus* (Fabaceae) (Roesler,1993; Parenti,2000).
- 76502. Isauria kuldgensis Ragonot,1887** (Pyralidae) **Synonym(s):** *kuldgensis* Ragonot,1887 **Original Reference:** *Isauria kuldgensis* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 228. Holotype ♂: [China: Uighur A.R.]: Kouldja (ZMB). **Range (in code):** **CN Ui Ku KG Tk Dj KK T-S**
- 76503. Ischnurges bagoasalis Druce,1899** (Pyralidae) **Synonym(s):** *bagoasalis* Druce,1899 **Range (in code):** **MX**
- 76504. Ischnurges gratosalis (Walker,1859)** (Pyralidae) **Synonym(s):** *gratosalis* Walker,1859 **Range (in code):** **IN LK TW**
- 76505. Ischnurges illustralis Lederer,1863** (Pyralidae) **Synonym(s):** *illustralis* Lederer,1863; *autolitha* Meyrick,1886 **Range (in code):** **AU**
- 76506. Ischnurges lancinalis (Guenée,1854)** (Pyralidae) **Synonym(s):** *lancinalis* Guenée,1854; *expeditalis* Lederer,1863 **Range (in code):** **ZA Tva Lpo Spb**

- 76507. *Ischnurges octoguttalis* (R.Felder & Rogenhofer,1874)** (Pyralidae) **Synonym(s):** *octoguttalis* R.Felder & Rogenhofer,1874 **Range (in code):** **IN LK MY Bor ID AU SG TW JP**
- 76508. *Ischnurges rhodographalis* Hampson,1913** (Pyralidae) **Synonym(s):** *rhodographalis* Hampson,1913 **Range (in code):** **ZA**
- 76509. *Isocentris charopalis* Swinhoe,1907** (Pyralidae) **Synonym(s):** *charopalis* Swinhoe,1907 **Range (in code):** **AU**
- 76510. *Isocentris filalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *filalis* Guenée,1854; *rhodophilalis* Walker,[1866]; *amoenalis* Walker,[1866]; *dives* Butler,1870 **Original Reference:** *Asopia filalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 204. Type ♀: "Ile Maurice". **Range (in code):** **AU IN LK MM TH ID Ja Clb TW PH Luz MU PG**
- 76511. *Isocentris phoenicozona* Hampson,1896** (Pyralidae) **Synonym(s):** *phoenicozona* Hampson,1896 **Range (in code):** **TH IN PG**
- 76512. *Jacutscia strigata* Hampson,1930** (Pyralidae) **Synonym(s):** *strigata* Hampson,1930 **Range (in code):** **RU Ya**
- 76513. *Japonichilo bleszynskii* Okano,1962** (Pyralidae) **Synonym(s):** *bleszynskii* Okano,1962 **Range (in code):** **JP CN Sz T-T Kgs Mc Jn RU Prj Us Vv**
- 76514. *Japonicrambus bilineatus* (Okano,1957)** (Pyralidae) **Synonym(s):** *bilineatus* Okano,1957 **Range (in code):** **JP**
- 76515. *Japonicrambus ishizukai* Okano,1962** (Pyralidae) **Synonym(s):** *ishizukai* Okano,1962 **Range (in code):** **JP**
- 76516. *Joelminetia kostjuki* Speidel & Witt,2007** (Pyralidae) **Synonym(s):** *kostjuki* Speidel & Witt,2007 **Range (in code):** **VN Ton Fan Bac Tda**
- 76517. *Joelminetia latimedia* Speidel & Witt,2007** (Pyralidae) **Synonym(s):** *latimedia* Speidel & Witt,2007 **Range (in code):** **TH CMa Kob Nan Pua Php Fn**
- 76518. *Joelminetia michaelshafferi* Speidel & Witt,2007** (Pyralidae) **Synonym(s):** *michaelshafferi* Speidel & Witt,2007 **Range (in code):** **MM Tns**
- 76519. *Joelminetia* sp.** (Pyralidae) **Synonym(s):** **Range (in code):** **TH CMa Pfa**
- 76520. *Juania annulata* Aurivillius,1922** (Pyralidae) **Synonym(s):** *annulata* Aurivillius,1922 **Range (in code):**
- 76521. *Kasania arundinalis* (Eversmann,1842)** (Pyralidae) **Synonym(s):** *arundinalis* Eversmann,1842 **Range (in code):** **PL RU Sb Ur KG Uk**
- 76522. *Kasyapa khasa* Roesler & Küppers,1981** (Pyralidae) **Synonym(s):** *khasa* Roesler & Küppers,1981 **Range (in code):** **ID Sum**
- 76523. *Kasyapa medana* Roesler & Küppers,1981** (Pyralidae) **Synonym(s):** *medana* Roesler & Küppers,1981 **Range (in code):** **ID Sum**
- 76524. *Kaurava destarata* Roesler & Küppers,1981** (Pyralidae) **Synonym(s):** *destarata* Roesler & Küppers,1981 **Range (in code):** **ID Sum**
- 76525. *Kaurava rufimarginella* (Hampson,1896)** (Pyralidae) **Synonym(s):** *rufimarginella* Hampson,1896 **Range (in code):** **BT LK ID Sum SB**
- 76526. *Keradere argyrophanes* (Meyrick,1937)** (Pyralidae) **Synonym(s):** *argyrophanes* Meyrick,1937 **Original Reference:** *Salebria argyrophanes* Meyrick,1937, Exot. Microlepid. 5: 66-67. Type ♂: Iraq; Shaqlawa, June (E.P. Wiltshire leg.). **Range (in code):** **IQ Shq Ssa IR Fa Sse**
- 76527. *Keradere geminella* (Amsel,1954)** (Pyralidae) **Synonym(s):** *geminella* Amsel,1954 **Range (in code):** **IR Fa**
- 76528. *Keradere lepidella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *lepidella* Ragonot,1887 **Original Reference:** *Salebria lepidella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 232. Type(s): [Turquie]; Asie Mineure: Marasch. **Range (in code):** **YU GR TR Cc CY AM AZ Nv Ord GG LB Bsa IQ Hjo IR Ahz Kh Fa Sse Kdj**
- 76529. *Keradere noctivaga* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *noctivaga* Staudinger,1879 **Original Reference:** *Pempelia noctivaga* Staudinger,1879, Horae Soc. ent. ross. 15: 197-198. Syntypes 3 ex. [Türkei]: [Amasya Prov.]: "Kerasdere" [Kirazdere]. **Range (in code):** **MK GR CY TR IL LB Bsa IQ Hjo IR Elb Mz Dam Fa Shr Sse TM**
- 76530. *Keradere tengstroemiella* (Erschoff,1874)** (Pyralidae) **Synonym(s):** *tengstroemiella* Erschoff,1874 **Range (in code):** **GR RU KG Uk UZ Smk TM At TR**
- 76531. *Kerbela monotona* Amsel,1949** (Pyralidae) **Synonym(s):** *monotona* Amsel,1949 **Original Reference:** *Kerbela monotona* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 309-310, pls.7,11 figs.48,82d. Syntypes 3♂ 1♀: Iraq. Kerbela desert; Madan-i Naftun. **Range (in code):** **IQ Kbl**

- 76532. Kerbela turcomanica (Christoph,1877)** (Pyralidae) Synonym(s): *turcomanica* Christoph,1877 Range (in code): TM IR Th AF Hr Pli Bmu Arh
- 76533. Ketambeia venustella (Hampson,1896)** (Pyralidae) Synonym(s): *venustella* Hampson,1896 Range (in code): BT JP IN Ass Nag LK MY Prk Bor Swk ID Sum Bsm Goo
- 76534. Khorassania compositella (Treitschke,1835)** (Pyralidae) Synonym(s): *compositella* Treitschke,1835; *murinella* Heinemann,1865; *senescens* Heinemann,1865; *kalischella* Staudinger,1870; *iconiensis* Caradja,1910. Range (in code): DZ Eba ES An Grn FR Co Sa Si IT MT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR SE RU MD UA BY Bionomy: Larva on Helianthemum (Cistaceae), Artemisia campestris (Asteraceae) (Parenti,2000).
- 76535. Khorassania gracilis (Rothschild,1921)** (Pyralidae) Synonym(s): *gracilis* Rothschild,1921 Original Reference: Brepbia gracilis Rothschild,1921, Novit. zool. 28: 224. Type: Sahara. Range (in code): DZ
- 76536. Khorassania hartigi Amsel,1951** (Pyralidae) Synonym(s): *hartigi* Amsel,1951 Range (in code): TR IR Fa Sse Com Kz KuB AF
- 76537. Khorassania imitatella (Ragonot,1893)** (Pyralidae) Synonym(s): *imitatella* Ragonot,1893 Range (in code): RU Sr
- 76538. Khorassania incongruella (W.Warren,1914)** (Pyralidae) Synonym(s): *incongruella* W.Warren,1914 Range (in code): ZA
- 76539. Khorassania marocana (Lucas,1954)** (Pyralidae) Synonym(s): *marocana* Lucas,1954 Range (in code): MA
- 76540. Khuzistania richteri Amsel,1959** (Pyralidae) Synonym(s): *richteri* Amsel,1959 Range (in code): IR Kz Sde
- 76541. Kivia longisacculata Balinsky,1994** (Pyralidae) Synonym(s): *longisacculata* Balinsky,1994 Range (in code): ZR
- 76542. Kivia longisacculata longisacculata Balinsky,1994** (Pyralidae) Synonym(s): *longisacculata* Balinsky,1994 Range (in code): ZR
- 76543. Klimeschiola philetella (Rebel,1916)** (Pyralidae) Synonym(s): *philetella* Rebel,1916 Range (in code): Cr
- 76544. Kobesia lutzi Roesler,1983** (Pyralidae) Synonym(s): *lutzi* Roesler,1983 Range (in code): ID SUM
- 76545. Krombia belutschistanalis Amsel,1961** (Pyralidae) Synonym(s): *belutschistanalis* Amsel,1961 Range (in code): IR Ss
- 76546. Krombia djergiralis Chrétien,1911** (Pyralidae) Synonym(s): *djergiralis* Chrétien,1911 Range (in code):
- 76547. Krombia harralis Chrétien,1911** (Pyralidae) Synonym(s): *harralis* Chrétien,1911 Range (in code):
- 76548. Krombia minimella Amsel,1961** (Pyralidae) Synonym(s): *minimella* Amsel,1961 Range (in code): IR Ss
- 76549. Krombia pulchella Amsel,1949** (Pyralidae) Synonym(s): *pulchella* Amsel,1949 Range (in code): IR Ahz Fa Shr IQ KW
- 76550. Krombia pulchella farsella Amsel,1961** (Pyralidae) Synonym(s): *farsella* Amsel,1961 Range (in code): IR Fa Shr
- 76551. Krombia pulchella pulchella Amsel,1949** (Pyralidae) Synonym(s): *pulchella* Amsel,1949 Range (in code): IQ KW IR Ahz
- 76552. Krombia venturalis Luquet & Minet,1982** (Pyralidae) Synonym(s): *venturalis* Luquet & Minet,1982 Range (in code): FR
- 76553. Krombia zarcinella Lucas,1909** (Pyralidae) Synonym(s): *zarcinella* Lucas,1909 Range (in code):
- 76554. Kupea electilis Philpott,1930** (Pyralidae) Synonym(s): *electilis* Philpott,1930 Range (in code): NZ
- 76555. La cerveza B.Landry,1995** (Pyralidae) Synonym(s): *cerveza* B.Landry,1995 US NMx
- 76556. La cucaracha Bleszynski,1966** (Pyralidae) Synonym(s): *cucaracha* Bleszynski,1966 BO
- 76557. La paloma Bleszynski,1966** (Pyralidae) Synonym(s): *paloma* Bleszynski,1966 CO
- 76558. Lacalma albirufalis (Hampson,1916)** (Pyralidae) Synonym(s): *albirufalis* Hampson,1916; *diaprepes* Turner,1925 Range (in code): AU
- 76559. Lacalma ferrealis (Hampson,1906)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1906 Range (in code): AU

- 76560. *Lacalma mniomima* (Turner,1913)** (Pyalidae) Synonym(s): *mniomima* Turner,1913
Range (in code): AU
- 76561. *Lacalma papuensis* (W.Warren,1891)** (Pyalidae) Synonym(s): *papuensis* W.Warren,1891
Range (in code): AU
- 76562. *Lacalma poryphryealis* (Kenrick,1907)** (Pyalidae) Synonym(s): *poryphryealis* Kenrick,1907 Range (in code): AU
- 76563. *Laetilia hebraica* Joannis,1927** (Pyalidae) Synonym(s): *hebraica* Joannis,1927 Range (in code): ZA
- 76564. *Laetilia loxogramma* (Staudinger,1870)** (Pyalidae) Synonym(s): *loxogramma* Staudinger,1870. Original Reference: Myelois (Acrobasis) loxogramma Staudinger,1870, Berl. ent. Z. 14: 206. Lectotype ♀: Spain: Andalusia (designated by Roesler,1973, Microlepid. palaearkt. 4: 119) (ZMB). Range (in code): Cn ES An
- 76565. *Lamacha tortricalis* (Walker,[1866])** (Pyalidae) Synonym(s): *tortricalis* Walker,[1866]
Range (in code): PH CmM ID Ja
- 76566. *Lambaesia caradjae* Rebel,1903** (Pyalidae) Synonym(s): *caradjae* Rebel,1903 Original Reference: *Lambaesia caradjae* Rebel,1903, Dt. ent. Z., Iris 16: 1-3, figs. Type ♂: Algerien: Lambése (coll. Caradja). Range (in code): DZ Lbs
- 76567. *Lambaesia fumosella* (Ragonot,1887)** (Pyalidae) Synonym(s): *fumosella* Ragonot,1887; *noctileucella* Ragonot,1887. Original Reference: *Pristophora fumosella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 229. Syntypes ♂♀: [Usbekistan]: Samarkand. Range (in code): TR Cc IR Elb Th Mz AF UZ Smk Ch
- 76568. *Lambaesia pistrinariella* (Ragonot,1887)** (Pyalidae) Synonym(s): *pistrinariella* Ragonot,1887; *acomptella* Ragonot,1888; *#acomptella* Caradja,1916 Original Reference: *Megasis pistrinariella* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 240. Type ♂: [Kirgizistan]: Naryn. (ZMB). Range (in code): TR KK T-S Na CN Ui Ku Khr Au Al
- 76569. *Lambaesia pyraustella* (Zerny,1914)** (Pyalidae) Synonym(s): *pyraustella* Zerny,1914
Range (in code): CN Ui Ju
- 76570. *Lambaesia straminella* (Zerny,1914)** (Pyalidae) Synonym(s): *straminella* Zerny,1914; *alphaltopis* Meyrick,1937. Original Reference: *Adelosemia* ? *straminella* Zerny,1914, Annln naturh. Mus. Wien 28: 316. Type ♂: [Türkei]: Zeitun [Süleymanli] (NHMW). Range (in code): TR SY IQ Ry Hjo IR
- 76571. *Lamida buruensis* Janse,1931** (Pyalidae) Synonym(s): *buruensis* Janse,1931 Original Reference: *Lamida buruensis* Janse,1931, Trans. ent. Soc. London 79: 461-462, figs. Holotype ♂: [Indonesia]: Buru, Miapat 5000ft. (Pratt leg.). Range (in code): ID Bru
- 76572. *Lamida mediobarbalis* Hampson,1916** (Pyalidae) Synonym(s): *mediobarbalis* Hampson,1916 Range (in code): SI IN Bor ID Bru PG
- 76573. *Lamida moncusalis* Walker,1859** (Pyalidae) Synonym(s): *moncusalis* Walker,1859; *penicillata* Walker,1863; *obscura* Moore,1888; *inimica* Snellen,1890. Range (in code): SI IN BT MM Mpr Nag
Bionomy: Larva on Mango, Shorea robusta (Reh,1925).
- 76574. *Lamida obscura* (Moore,1888)** (Pyalidae) Synonym(s): *obscura* Moore,1888; *sordidalis* Hampson,1916 Range (in code): IN CN SI
- 76575. *Lamoria adaptella* (Walker,1863)** (Pyalidae) Synonym(s): *adaptella* Walker,1863; *planalis* Walker,1863; *foedella* Walker,1866; *fusconervella* Ragonot,1888; *anella* Hampson,1896 nec Denis & Schiffermüller,[1775]. Original Reference: *Pempelia* ? *adaptella* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 74. Range (in code): TH MY PK NC FJ AU ZA IN MM LK ID Sum Ja SG TW
- 76576. *Lamoria anella* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *anella* [Denis & Schiffermüller],1775; *insulana* Schawerda,1931; *variegana* Lucas,1949; *marocana* Lucas,1955 Original Reference: *Tinea anella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): MA DZ Onç TN Tun Elk PT ES FR Co Sa Si IT MT BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr TR RU Sb Us Kr MD UA BY AF Hr IL Pa Hf LB Bei Bsa IQ Bgd IR Ahz Enz Elb Th Kdj Ha Fa Bu Ss Irs KG Uk CY TM Kp EG PK Pj Krc IN Poo Mh LK CN JP ZA AE JO SY AM Cc AZ
Bionomy: Larva on Aster, Inula (Asteraceae), Mooses, wasp nests (Parenti,2000).
- 76577. *Lamoria attamasca* Whalley,1964** (Pyalidae) Synonym(s): *attamasca* Whalley,1964
Original Reference: *Lamoria attamasca* Whalley,1964, Acta zool. cracov. 9(10): 598-599, pl.xvii fig.26. Holotype ♂: South Africa: Pondoland: Port St. John (BMNH). Range (in code): ZA Ec Stj

- 76578. *Lamoria brevinaevella* Zerny,1934** (Pyralidae) **Synonym(s):** *brevinaevella* Zerny,1934 **Original Reference:** *Lamoria brevinaevella* Zerny,1934, Dt. ent. Z., Iris 48: 1-2, Taf.1 Abb.1,2. **Syntypes** 2♂ 9♀: Libanon: Bscharre (NMHW). **Range (in code):** **LB Bsa TR**
- 76579. *Lamoria caffrella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *caffrella* Ragonot,1888 **Range (in code):** **ZA Nta Kzu**
- 76580. *Lamoria caffrella caffrella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *caffrella* Ragonot,1888 **Range (in code):** **ZA Nta Kzu**
- 76581. *Lamoria eumeces* (Turner,1913)** (Pyralidae) **Synonym(s):** *eumeces* Turner,1913 **Range (in code):** **AU**
- 76582. *Lamoria exiguata* Whalley,1864** (Pyralidae) **Synonym(s):** *exiguata* Whalley,1864 **Original Reference:** *Lamoria exiguata* Whalley,1964, Acta zool. cracov. 9(10): 600, pl.xvii figs.28,30. **Holotype** ♂: Southern Rhodesia: Wankie (BMNH). **Range (in code):** **ZA Nta Kzu Wnn ZW**
- 76583. *Lamoria hemi* Rose,1951** (Pyralidae) **Synonym(s):** *hemi* Rose,1951 **Range (in code):** **IN**
- 76584. *Lamoria idiolepidida* Turner,1922** (Pyralidae) **Synonym(s):** *idiolepidida* Turner,1922 **Range (in code):** **AU**
- 76585. *Lamoria imbella* (Walker,1864)** (Pyralidae) **Synonym(s):** *imbella* Walker,1864; *obscura* Saalmüller,1880 **Original Reference:** *Acrobasis imbella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 955. **Range (in code):** **NG KE ZA Nta Kzu Tva Lpo MG**
- 76586. *Lamoria imbella imbella* (Walker,1864)** (Pyralidae) **Synonym(s):** *imbella* Walker,1864; *obscura* Saalmüller,1880 **Original Reference:** *Acrobasis imbella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 30: 955. **Range (in code):** **NG KE ZA Nta Kzu Tva Lpo MG**
- 76587. *Lamoria infumatella* Hampson,1898** (Pyralidae) **Synonym(s):** *infumatella* Hampson,1898 **Range (in code):** **IN**
- 76588. *Lamoria inostentalis* (Walker,1863)** (Pyralidae) **Synonym(s):** *inostentalis* Walker,1863 **Original Reference:** *Maraclea inostentalis* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 88. **Range (in code):** **MY Bor ID CN TW JP KP KR**
- 76589. *Lamoria medianalis* Hampson,1917** (Pyralidae) **Synonym(s):** *medianalis* Hampson,1917 **Range (in code):** **ZA**
- 76590. *Lamoria oenochroa* Turner,1905** (Pyralidae) **Synonym(s):** *oenochroa* Turner,1905 **Range (in code):** **AU Qau**
- 76591. *Lamoria pachylepidella* Hampson,1901** (Pyralidae) **Synonym(s):** *pachylepidella* Hampson,1901 **Range (in code):** **AU Qau**
- 76592. *Lamoria pallens* Whalley,1964** (Pyralidae) **Synonym(s):** *pallens* Whalley,1964 **Original Reference:** *Lamoria pallens* Whalley,1964, Acta zool. cracov. 9(10): 599, pl.xvii fig.27. **Holotype** ♂: South Africa: Eshowe (TMP). **Range (in code):** **ZA Nta Kzu Esw**
- 76593. *Lamoria sapozhnikovi* (Krulikovsky,1909)** (Pyralidae) **Synonym(s):** *anella* Zincken nec [Denis & Schiff.]; *bipunctatus* Zeller,1848 nec Curt.; *sapozhnikovi* Krulikovsky,1909; *decolor* Caradja,1910; *zelleri* Joannis,1932 **Original Reference:** *Melissoblastes bipunctatus* var. *sapozhnikovi* Krulikovsky,1909, Revue russk. Ent. 8: 274. **Type:** [Russia]: Bachty. **Range (in code):** **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf LB Bei IR Mz ZA CN Ui Ku Mc JP LK IN** **Bionomy:** Larva on *Ammophila*, *Brachythecium albicans* (Poaceae) (Parenti,2000).
- 76594. *Lamoria surrufa* Whalley,1964** (Pyralidae) **Synonym(s):** *surrufa* Whalley,1964 **Original Reference:** *Lamoria surrufa* Whalley,1964, Acta zool. cracov. 9(10): 599-600, pl.xvii fig.29. **Holotype** ♀: Congo: Upper Lowa valley, nr. Masisi, W. Kivu (TMP). **Range (in code):** **ZA ZR CM**
- 76595. *Lamprophaia ablactalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *ablactalis* Walker,1859; *murinalis* Pagenstecher,1885 **Range (in code):** **AU ZA**
- 76596. *Lamprophaia albifimbrialis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *albifimbrialis* Walker,[1866] **Range (in code):** **AU**
- 76597. *Lamprosema anaemicalis* Hampson,1918** (Pyralidae) **Synonym(s):** *anaemicalis* Hampson,1918 **Range (in code):** **PE**
- 76598. *Lamprosema angulinea* (Schaus,1913)** (Pyralidae) **Synonym(s):** *angulinea* Schaus,1913 **Range (in code):** **CR**
- 76599. *Lamprosema baracoalis* Schaus,1920** (Pyralidae) **Synonym(s):** *baracoalis* Schaus,1920 **Range (in code):** **CU**
- 76600. *Lamprosema bianoralis* (Walker,1859)** (Pyralidae) **Synonym(s):** *bianoralis* Walker,1859 **Range (in code):** **MM MY Bor ID TW AU**

- 76601. *Lamprosema biformis* (Butler,1889)** (Pyralidae) **Synonym(s):** *biformis* Butler,1889
Range (in code): **IN CN TW**
- 76602. *Lamprosema brunnealis* Schaus,1920** (Pyralidae) **Synonym(s):** *brunnealis* Schaus,1920
Range (in code): **GT**
- 76603. *Lamprosema brunnescens* (Dyar,1914)** (Pyralidae) **Synonym(s):** *brunnescens* Dyar,1914
Range (in code): **PA**
- 76604. *Lamprosema canacealis* (Walker,1859)** (Pyralidae) **Synonym(s):** *canacealis* Walker,1859
Range (in code): **BR**
- 76605. *Lamprosema caradocalis* Schaus,1927** (Pyralidae) **Synonym(s):** *caradocalis* Schaus,1927
Range (in code): **PE**
- 76606. *Lamprosema cayugalis* Schaus,1920** (Pyralidae) **Synonym(s):** *cayugalis* Schaus,1920
Range (in code): **GT**
- 76607. *Lamprosema chagosalis* (Fletcher,1911)** (Pyralidae) **Synonym(s):** *chagosalis* Fletcher,1911
Range (in code):
- 76608. *Lamprosema charesalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *chaesalis* Walker,1859
Range (in code): **LK SG MY Bor ID TW**
- 76609. *Lamprosema chysorycta* (Meyrick,1884)** (Pyralidae) **Synonym(s):** *chysorycta* Meyrick,1884 **Range (in code):** **IN LK MM MY Bor ID AU TW JP**
- 76610. *Lamprosema clausalis* (Dognin,1910)** (Pyralidae) **Synonym(s):** *clausalis* Dognin,1910
Range (in code): **GF**
- 76611. *Lamprosema commixta* (Butler,1879)** (Pyralidae) **Synonym(s):** *commixta* Butler,1879
Range (in code): **IN LK CN TW JP**
- 76612. *Lamprosema diaphanalis* Schaus,1920** (Pyralidae) **Synonym(s):** *diaphanalis* Schaus,1920
Range (in code): **GT**
- 76613. *Lamprosema distincta* (Kaye,1927)** (Pyralidae) **Synonym(s):** *distincta* Kaye,1927 **Range (in code):** **TT**
- 76614. *Lamprosema dorisalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *dorisalis* Walker,1859; *codrusalis* Walker,1859; *aenippealis* Walker,1859; *#dorsalis* Hampson,1899; *#oenippealis* Hampson,1899 **Range (in code):** **BR CO**
- 76615. *Lamprosema esperanzalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *esperanzalis* Schaus,1912 **Range (in code):** **CR**
- 76616. *Lamprosema excurvalis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *excurvalis* Hampson,1912 **Range (in code):** **GT**
- 76617. *Lamprosema flaviterminalis* Hampson,1918** (Pyralidae) **Synonym(s):** *flaviterminalis* Hampson,1918 **Range (in code):** **PE**
- 76618. *Lamprosema foviferalis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *foviferalis* Hampson,1912; *#fovivalis* Amsel,1956 **Range (in code):** **PY**
- 76619. *Lamprosema hottentota* Hampson,1918** (Pyralidae) **Synonym(s):** *hottentota* Hampson,1918 **Range (in code):** **ZA**
- 76620. *Lamprosema indicata* (Fabricius,1775)** (Pyralidae) **Synonym(s):** *indicata* Fabricius,1775; *vulgalis* Guenée,1854; *sabalis* Walker,1859; *moeliusalis* Walker,1859; *reductalis* Walker,1865; *connexalis* Walker,[1866]; *dolosalis* Möschler,1881; *dnopheralis* Mabille,1900; *lionnetalis* Legrand,1965 **Original Reference:** *Phalaena indicata* Fabricius,1775, Syst. Ent.: 640. Type(s): India orientalis. **Range (in code):** **ZA MG IN LK MY Bor TH ID SG CN TW JP**
- 76621. *Lamprosema infuscalis* (Hampson,1904)** (Pyralidae) **Synonym(s):** *infuscalis* Hampson,1904 **Range (in code):** **BS**
- 76622. *Lamprosema karenkonalis* Shibuya,1928** (Pyralidae) **Synonym(s):** *karenkonalis* Shibuya,1928 **Range (in code):** **TW**
- 76623. *Lamprosema lunulalis* Hübner,[1823]** (Pyralidae) **Synonym(s):** *lunulalis* Hübner,[1823]
Range (in code): **SR**
- 76624. *Lamprosema malticalis* Schaus,1920** (Pyralidae) **Synonym(s):** *malticalis* Schaus,1920
Range (in code): **GT**
- 76625. *Lamprosema memoralis* Schaus,1940** (Pyralidae) **Synonym(s):** *memoralis* Schaus,1940
Range (in code): **PR**
- 76626. *Lamprosema moccalis* Schaus,1920** (Pyralidae) **Synonym(s):** *moccalis* Schaus,1920
Range (in code): **GT**

- 76627. *Lamprosema nannalis* (Dyar,1914)** (Pyralidae) Synonym(s): *nannalis* Dyar,1914 Range (in code): PA
- 76628. *Lamprosema noctalis* Schaus,1920** (Pyralidae) Synonym(s): *noctalis* Schaus,1920 Range (in code): GT
- 76629. *Lamprosema ommatalis* (Hampson,1912)** (Pyralidae) Synonym(s): *ommatalis* Hampson,1912 Range (in code): ZA
- 76630. *Lamprosema oxiperalis* (Hampson,1912)** (Pyralidae) Synonym(s): *oxiperalis* Hampson,1912 Range (in code): JM
- 76631. *Lamprosema pelealis* (Walker,1859)** (Pyralidae) Synonym(s): *pelealis* Walker,1859 Range (in code): DO
- 76632. *Lamprosema pogonotornalis* Hampson,1918** (Pyralidae) Synonym(s): *pogonotornalis* Hampson,1918; *#progonotornalis* Klima,1939 Range (in code): PE
- 76633. *Lamprosema santialis* Schaus,1920** (Pyralidae) Synonym(s): *santialis* Schaus,1920 Range (in code): CU
- 76634. *Lamprosema semicostalis* (Hampson,1899)** (Pyralidae) Synonym(s): *semicostalis* Hampson,1899 Range (in code): BR
- 76635. *Lamprosema sinaloanensis* Dyar,1923** (Pyralidae) Synonym(s): *sinaloanensis* Dyar,1923 Range (in code): MX
- 76636. *Lamprosema tristrialis* (Bremer,1864)** (Pyralidae) Synonym(s): *tristrialis* Bremer,1864 Range (in code): IN RU Am CN TW KP JP
- 76637. *Lamprosema variospilalis* (Dognin,1908)** (Pyralidae) Synonym(s): *variospilalis* Dognin,1908 Range (in code): PE
- 76638. *Lamprosema victoriae* Dyar,1923** (Pyralidae) Synonym(s): *victoriae* Dyar,1923 Range (in code): US Tx
- 76639. *Lantzodes alcardi* (Leraut,2007)** (Pyralidae) Synonym(s): *alcardi* Leraut,2007 Range (in code): CG
- 76640. *Lantzodes bernardii* (Leraut,2007)** (Pyralidae) Synonym(s): *bernardii* Leraut,2007 Range (in code): GA
- 76641. *Lantzodes dargei* (Leraut,2007)** (Pyralidae) Synonym(s): *dargei* Leraut,2007 Range (in code): GA
- 76642. *Lantzodes lamtoalis* Leraut,2013** (Pyralidae) Synonym(s): *lamtoalis* Leraut,2013 Range (in code): CI
- 76643. *Lantzodes nienokoucalis* Leraut,2013** (Pyralidae) Synonym(s): *nienokoucalis* Leraut,2013 Range (in code): CI
- 76644. *Lantzodes obovalis* (Hampson,1917)** (Pyralidae) Synonym(s): *obovalis* Hampson,1917 Original Reference: Tegulifera obovalis Hampson,1917, Ann. Mag. nat. Hist. (8) 19: 71. Type: [Ghana]: "Coomassie" [Kumasi]. Range (in code): GH
- 76645. *Lantzodes semicircularis* (Hampson,1917)** (Pyralidae) Synonym(s): *semicircularis* Hampson,1917 Range (in code): GH
- 76646. *Lantzodes subpurpuralis* Leraut,2013** (Pyralidae) Synonym(s): *subpurpuralis* Leraut,2013 Range (in code): CI
- 76647. *Lantzodes vinacealis* (Leraut,2007)** (Pyralidae) Synonym(s): *vinacealis* Leraut,2007 Range (in code): CF
- 76648. *Laodamia affinis* Balinsky,1994** (Pyralidae) Synonym(s): *affinis* Balinsky,1994 Range (in code): ZA Nta Kzu Umk
- 76649. *Laodamia affinis affinis* Balinsky,1994** (Pyralidae) Synonym(s): *affinis* Balinsky,1994 Range (in code): ZA Nta Kzu Umk
- 76650. *Laodamia dubia* Balinsky,1994** (Pyralidae) Synonym(s): *dubia* Balinsky,1994 Range (in code): ZA Ec Nkw ZW Har
- 76651. *Laodamia dubia dubia* Balinsky,1994** (Pyralidae) Synonym(s): *dubia* Balinsky,1994 Range (in code): ZA Ec
- 76652. *Laodamia faecella* (Zeller,1839)** (Pyralidae) Synonym(s): *faecella* Zeller,1839 Range (in code): FR IT DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 76653. *Laodamia glaucocephalis* Balinsky,1994** (Pyralidae) Synonym(s): *glaucocephalis* Balinsky,1994 Range (in code): ZA Kzu Nta Dmm
- 76654. *Laodamia glaucocephalis glaucocephalis* Balinsky,1994** (Pyralidae) Synonym(s): *glaucocephalis* Balinsky,1994 Range (in code): ZA Kzu Nta Dmm

- 76655. *Laodamia grisella* Balinsky,1994** (Pyralidae) Synonym(s): *grisella* Balinsky,1994 Range (in code): ZW Bul
- 76656. *Laodamia grisella grisella* Balinsky,1994** (Pyralidae) Synonym(s): *grisella* Balinsky,1994 Range (in code): ZW Bul
- 76657. *Laodamia homotypa* Balinsky,1994** (Pyralidae) Synonym(s): *homotypa* Balinsky,1994 Range (in code): ZA Kzu Nta Win Umk ZW NA Abc
- 76658. *Laodamia homotypa homotypa* Balinsky,1994** (Pyralidae) Synonym(s): *homotypa* Balinsky,1994 Range (in code): ZA Kzu Nta Win Umk ZW NA Abc
- 76659. *Laodamia horrens* Balinsky,1994** (Pyralidae) Synonym(s): *horrens* Balinsky,1994 Range (in code): ZM ZW
- 76660. *Laodamia horrens horrens* Balinsky,1994** (Pyralidae) Synonym(s): *horrens* Balinsky,1994 Range (in code): ZM ZW
- 76661. *Laodamia hortensis* Balinsky,1994** (Pyralidae) Synonym(s): *hortensis* Balinsky,1994 Range (in code): ZA Tva Gau Jh Slpp
- 76662. *Laodamia hortensis hortensis* Balinsky,1994** (Pyralidae) Synonym(s): *hortensis* Balinsky,1994 Range (in code): ZA Tva Gau Jh Slpp
- 76663. *Laodamia inermis* Balinsky,1994** (Pyralidae) Synonym(s): *inermis* Balinsky,1994 Range (in code): ZA Ec Elo
- 76664. *Laodamia inermis inermis* Balinsky,1994** (Pyralidae) Synonym(s): *inermis* Balinsky,1994 Range (in code): ZA Ec Elo
- 76665. *Laodamia injucunda* Balinsky,1994** (Pyralidae) Synonym(s): *injucunda* Balinsky,1994 Range (in code): ZA Tva Mpu ZA20
- 76666. *Laodamia injucunda injucunda* Balinsky,1994** (Pyralidae) Synonym(s): *injucunda* Balinsky,1994 Range (in code): ZA Tva Mpu ZA20
- 76667. *Laodamia karkloofensis* Balinsky,1994** (Pyralidae) Synonym(s): *karkloofensis* Balinsky,1994 Range (in code): ZA Nta Kzu Kkf
- 76668. *Laodamia karkloofensis karkloofensis* Balinsky,1994** (Pyralidae) Synonym(s): *karkloofensis* Balinsky,1994 Range (in code): ZA Nta Kzu Kkf
- 76669. *Laodamia lugubris* Balinsky,1994** (Pyralidae) Synonym(s): *lugubris* Balinsky,1994 Range (in code): ZW Bul
- 76670. *Laodamia lugubris lugubris* Balinsky,1994** (Pyralidae) Synonym(s): *lugubris* Balinsky,1994 Range (in code): ZW Bul
- 76671. *Laodamia natalensis* (Ragonot,1888)** (Pyralidae) Synonym(s): *natalensis* Ragonot,1888 Range (in code): ZW ZA Nta Kzu Wnn Gau Pre Tva Lpo Spb Suw
- 76672. *Laodamia natalensis natalensis* (Ragonot,1888)** (Pyralidae) Synonym(s): *natalensis* Ragonot,1888 Range (in code): ZW ZA Nta Kzu Gau Pre Tva Lpo Spb Suw
- 76673. *Laodamia nigerrima* Balinsky,1994** (Pyralidae) Synonym(s): *nigerrima* Balinsky,1994 Range (in code): ZA Tva Gau Jh
- 76674. *Laodamia nigerrima nigerrima* Balinsky,1994** (Pyralidae) Synonym(s): *nigerrima* Balinsky,1994 Range (in code): ZA Tva Gau Jh
- 76675. *Laodamia nonplagella* Balinsky,1994** (Pyralidae) Synonym(s): *nonplagella* Balinsky,1994 Range (in code): ZA Tva Gau Pre
- 76676. *Laodamia nonplagella nonplagella* Balinsky,1994** (Pyralidae) Synonym(s): *nonplagella* Balinsky,1994 Range (in code): ZA Tva Gau Pre
- 76677. *Laodamia ochreomelanella* (Ragonot,1888)** (Pyralidae) Synonym(s): *ochreomelanella* Ragonot,1888 Range (in code): ZW ZA Tva Mpu Brb Nta Kzu IN MY ID Sum
- 76678. *Laodamia ochreomelanella ochreomelanella* (Ragonot,1888)** (Pyralidae) Synonym(s): *ochreomelanella* Ragonot,1888 Range (in code): ZW ZA Tva Mpu Brb Nta Kzu IN MY ID Sum
- 76679. *Laodamia polygraphella* Joannis,1927** (Pyralidae) Synonym(s): *polygraphella* Joannis,1927; *stictoglaucella* Hampson,1930 Range (in code): MZ ZA
- 76680. *Laodamia polygraphella polygraphella* Joannis,1927** (Pyralidae) Synonym(s): *polygraphella* Joannis,1927; *stictoglaucella* Hampson,1930 Range (in code): MZ ZA
- 76681. *Laodamia pulchra* Balinsky,1994** (Pyralidae) Synonym(s): *pulchra* Balinsky,1994 Range (in code): ZA Lpo Tva
- 76682. *Laodamia pulchra pulchra* Balinsky,1994** (Pyralidae) Synonym(s): *pulchra* Balinsky,1994 Range (in code): ZA Lpo Tva

- 76683. *Laodamia salisburyensis* Balinsky,1994** (Pyralidae) Synonym(s): *salisburyensis* Balinsky,1994 Range (in code): ZW Har
- 76684. *Laodamia salisburyensis salisburyensis* Balinsky,1994** (Pyralidae) Synonym(s): *salisburyensis* Balinsky,1994 Range (in code): ZW Har
- 76685. *Laodamia sarniensis* Balinsky,1994** (Pyralidae) Synonym(s): *sarniensis* Balinsky,1994 Range (in code): ZA Nta Kzu Srn
- 76686. *Laodamia sarniensis sarniensis* Balinsky,1994** (Pyralidae) Synonym(s): *sarniensis* Balinsky,1994 Range (in code): ZA Nta Kzu Srn
- 76687. *Laodamia similis* Balinsky,1994** (Pyralidae) Synonym(s): *similis* Balinsky,1994 Range (in code): ZA Fs Mdp
- 76688. *Laodamia similis similis* Balinsky,1994** (Pyralidae) Synonym(s): *similis* Balinsky,1994 Range (in code): ZA Fs Mdp
- 76689. *Laodamia spiculata* Balinsky,1994** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994 Range (in code): ZW
- 76690. *Laodamia spiculata spiculata* Balinsky,1994** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994 Range (in code): ZW
- 76691. *Laodamia spissa* Balinsky,1994** (Pyralidae) Synonym(s): *spissa* Balinsky,1994 Range (in code): ZA Ec Elo
- 76692. *Laodamia spissa spissa* Balinsky,1994** (Pyralidae) Synonym(s): *spissa* Balinsky,1994 Range (in code): ZA Ec Elo
- 76693. *Laodamia squamata* Balinsky,1994** (Pyralidae) Synonym(s): *squamata* Balinsky,1994 Range (in code): ZW Bul
- 76694. *Laodamia squamata squamata* Balinsky,1994** (Pyralidae) Synonym(s): *squamata* Balinsky,1994 Range (in code): ZW Bul
- 76695. *Laodamia zoetendalensis* Balinsky,1994** (Pyralidae) Synonym(s): *zoetendalensis* Balinsky,1994 Range (in code): ZA Ec
- 76696. *Laodamia zoetendalensis zoetendalensis* Balinsky,1994** (Pyralidae) Synonym(s): *zoetendalensis* Balinsky,1994 Range (in code): ZA Ec
- 76697. *Laristania aspergella* (Ragonot,1887)** (Pyralidae) Synonym(s): *aspergella* Ragonot,1887 CN Ui Ku
- 76698. *Laristania khorassanella* (Amsel,1950)** (Pyralidae) Synonym(s): *khorassanella* Amsel,1950 Range (in code): IR Kh KuB
- 76699. *Laristania lydella* (Lederer,1865)** (Pyralidae) Synonym(s): *lydella* Lederer,1865; *gypsocrates* Meyrick,1937 Original Reference: *Epischnia lydella* Lederer,1865, Annls Soc. ent. Belg. 1865: 73, pl.3 fig.13. Range (in code): TR IQ Ry Cc Da Ku GG Tbl AM Eri IR Elb Kdv Plr Dam Gor Yz
- 76700. *Laristania nevadensis* (Rebel,1910)** (Pyralidae) Synonym(s): *nevadensis* Rebel,1910 Original Reference: *Epischnia nevadensis* Rebel,1910, Dt. ent. Z., Iris 24: 3. Syntypes: Spanien: Sierra Nevada. Range (in code): ES Grn Snv
- 76701. *Laristania sardzella* Amsel,1951** (Pyralidae) Synonym(s): *sardzella* Amsel,1951 Range (in code): IR Ss Chh
- 76702. *Laristania taftanella* (Amsel,1954)** (Pyralidae) Synonym(s): *taftanella* Amsel,1954 Original Reference: *Praeepischnia taftanella* Amsel,1954, Ark. zool. 6 (16): 307, figs. Holotype ♂: [Iran]: Kouh-i-Taftan; Keredj [Paratype]. Range (in code): IR Ss Elb Th Kdj TR
- 76703. *Larodryas haplocala* Turner,1922** (Pyralidae) Synonym(s): *haplocala* Turner,1922 Range (in code): AU
- 76704. *Lasiosticha antelia* (Meyrick,1885)** (Pyralidae) Synonym(s): *antelia* Meyrick,1885 Range (in code): AU
- 76705. *Lasiosticha canilinea* (Meyrick,1879)** (Pyralidae) Synonym(s): *canilinea* Meyrick,1879 Range (in code): AU
- 76706. *Lasiosticha microcosma* Lower,1893** (Pyralidae) Synonym(s): *microcosma* Lower,1893 Range (in code): AU
- 76707. *Lasiosticha opimella* (Meyrick,1879)** (Pyralidae) Synonym(s): *opimella* Meyrick,1879 Range (in code): AU
- 76708. *Lasiosticha thermochroa* (Lower,1896)** (Pyralidae) Synonym(s): *thermochroa* Lower,1896 Range (in code): AU
- 76709. *Latagognoma dacryodes* Tams,1935** (Pyralidae) Synonym(s): *dacryodes* Tams,1935 Range (in code): WS

- 76710. *Leechia sinuosalis* South,1901** (Pyralidae) Synonym(s): *sinuosalis* South,1901 Original Reference: *Leechia sinuosalis* South,1901, [in] *Leech, Trans. ent. Soc. Lond.* 1901: 400, pl.14 fig.15. Range (in code): **CN JP TW**
- 76711. *Leonardo davincii* Bleszynski,1965** (Pyralidae) Synonym(s): *davincii* Bleszynski,1965 Original Reference: *Leonardo davincii* Bleszynski,1965, *Opusc. zool. Münch.* 86: 4, text-figs. 5,6. Range (in code): **ZA**
- 76712. *Lepidogma atomalis* (Christoph,1887)** (Pyralidae) Synonym(s): *atomalis* Christoph,1887 Original Reference: *Hypotia atomalis* Christoph,1887, *Stettin ent. Ztg.* 48: 166. Type ♂: [Turkmenistan]: "Germob" [wrongly attributed to Turkey by Solis & Nuss [globiz.pyraloidea.org]]. Range (in code): **TM Ger**
- 76713. *Lepidogma melanobasis* Hampson,1906** (Pyralidae) Synonym(s): *melanobasis* Hampson,1906; *tripartita* Wileman & South,1917 Range (in code): **KP JP TW**
- 76714. *Lepidogma melanolopha* Hampson,1912** (Pyralidae) Synonym(s): *melanolopha* Hampson,1912; *dubia* Wileman & South,1917 Range (in code): **LK TW**
- 76715. *Lepidogma rubricalis* Hampson,1906** (Pyralidae) Synonym(s): *rubricalis* Hampson,1906 Range (in code): **ZA**
- 76716. *Lepidogma rufescens* Hampson,1896** (Pyralidae) Synonym(s): *rufescens* Hampson,1896 Range (in code): **BT**
- 76717. *Lepidogma tamaricalis* (Mann,1873)** (Pyralidae) Synonym(s): *tamaricalis* Mann,1873; *obatrals* Christoph,1876; *vafera* Swinhoe,1884 Original Reference: *Hypotia tamaricalis* Mann,1873, *Verh. zool.- bot. Ges. Wien* 23: 124. Type(s): Italien: Livorno. Range (in code): **MA DZ Bsk Agi ES Sa IT KW TR IR Ahz Ss Chh Irs Put Fa Com Kz Sde Ssh IN AF PK Sd Krc TM Krn RU Sb Pj** Bionomy: Larva on *Tamarix* (Mann,1873; Amsel,1949).
- 76718. *Lepidogma wiltshirei* Amsel,1949** (Pyralidae) Synonym(s): *wiltshirei* Amsel,1949 Original Reference: *Lepidogma wiltshirei* Amsel,1949, *Bull. Soc. Fouad I Ent.* 33: 299-300, pls. 6,12 figs.40,91. Holotype ♂: Iraq: Baghdad. Range (in code): **IQ Bgd**
- 76719. *Lepidoneura grisealis* Hampson,1900** (Pyralidae) Synonym(s): *grisealis* Hampson,1900 Original Reference: *Lepidoneura grisealis* Hampson,1900, *Trans. ent. Soc. London* 1900: 391, Pl.3 fig.24. Type: [China: Uighur A.R.]: Kuldja. Range (in code): **CN Ui Ku KG Tk Dj Ii KK Ik**
- 76720. *Lepidoneura longipalpis* (Swinhoe,1894)** (Pyralidae) Synonym(s): *longipalpis* Swinhoe,1894 Range (in code): **IN TW**
- 76721. *Leucargyra puralis* Hampson,1896** (Pyralidae) Synonym(s): *puralis* Hampson,1896 Range (in code): **BR**
- 76722. *Leucargyra xanthoceph* Hampson,1910** (Pyralidae) Synonym(s): *xanthoceph* Hampson,1910 Range (in code): **PE**
- 76723. *Leucinodes apicalis* Hampson,1896** (Pyralidae) Synonym(s): *apicalis* Hampson,1896 Range (in code): **IN LK TW JP CN NP**
- 76724. *Leucinodes insolitalis* Walker,1862** (Pyralidae) Synonym(s): *insolitalis* Walker,1862 Range (in code): **TH MY Bor Swk**
- 76725. *Leucinodes orbonalis* Guenée,1854** (Pyralidae) Synonym(s): *orbonalis* Guenée,1854 Original Reference: *Leucinodes orbonalis* Guenée,1854, [in] Boisduval & Guenée, *Hist. nat. Insectes* (Spec. gén. Lépid.) 8: 223. Syntypes ♂♀: "Inde centrale, Java". Range (in code): **ZA AE PK Sd Krc AF Srb Bsg Bkt IN LK MM TH ID Ja TW AU**
- 76726. *Leucinodes translucidalis* Gaede,1917** (Pyralidae) Synonym(s): *translucidalis* Gaede,1917 Range (in code): **ZA**
- 76727. *Leucinodes vagans* (Tutt,1890)** (Pyralidae) Synonym(s): *vagans* Tutt,1890; *longipalpis* W.Warren,1892 Range (in code): **ZA NA**
- 76728. *Leucoides fuscicostalis* Hampson,1893** (Pyralidae) Synonym(s): *fuscicostalis* Hampson,1893 Range (in code): **LK**
- 76729. *Leucophotis pulchra* Butler,1886** (Pyralidae) Synonym(s): *pulchra* Butler,1886 Range (in code): **WS FJ**
- 76730. *Leviantenna ferox* Balinsky,1994** (Pyralidae) Synonym(s): *ferox* Balinsky,1994 Range (in code): **ZW Maz**
- 76731. *Limbobotys foochowensis* Munroe & Mutuura,1970** (Pyralidae) Synonym(s): *foochowensis* Munroe & Mutuura,1970 Range (in code): **CN**
- 76732. *Limbobotys hainanensis* Munroe & Mutuura,1970** (Pyralidae) Synonym(s): *hainanensis* Munroe & Mutuura,1970 Range (in code): **CN Hn**

- 76733. Lineodes albicincta** E.Hering,1906 (Pyralidae) *Synonym(s): albicincta E.Hering,1906* Range (in code): BR PE
- 76734. Lineodes aztecalis** Hampson,1913 (Pyralidae) *Synonym(s): contortalis Druce,1895 nec Gn.,1854; aztecalis Hampson,1913* Range (in code): MX
- 76735. Lineodes caracasia** Amsel,1956 (Pyralidae) *Synonym(s): caracasia Amsel,1956* Range (in code): VE
- 76736. Lineodes contortalis** Guenée,1854 (Pyralidae) *Synonym(s): contortalis Guenée,1854* Range (in code): BR
- 76737. Lineodes convolutalis** Hampson,1913 (Pyralidae) *Synonym(s): convolutalis Hampson,1913* Range (in code): CR
- 76738. Lineodes craspediodonta** Dyar,1913 (Pyralidae) *Synonym(s): craspediodonta Dyar,1913* Range (in code): BO
- 76739. Lineodes dianalis** Hampson,1913 (Pyralidae) *Synonym(s): dianalis Hampson,1913* Range (in code): BR
- 76740. Lineodes elcodes** (Dyar,1910) (Pyralidae) *Synonym(s): elcodes Dyar,1910* Range (in code): MX
- 76741. Lineodes encystalis** Hampson,1913 (Pyralidae) *Synonym(s): encystalis Hampson,1913* Range (in code): GD
- 76742. Lineodes fontella** Walsingham,1913 (Pyralidae) *Synonym(s): fontella Walsingham,1913* Range (in code): JM
- 76743. Lineodes formosella** Amsel,1956 (Pyralidae) *Synonym(s): formosella Amsel,1956* Range (in code): VE
- 76744. Lineodes furcillata** E.Hering,1906 (Pyralidae) *Synonym(s): furcillata E.Hering,1906* Range (in code): BO PE
- 76745. Lineodes gracilalis** Herrich-Schäffer,1871 (Pyralidae) *Synonym(s): gracilalis Herrich-Schäffer,1871; #gracillalis Hampson,1913* Range (in code): CU
- 76746. Lineodes hamulalis** Hampson,1913 (Pyralidae) *Synonym(s): hamulalis Hampson,1913* Range (in code): AR
- 76747. Lineodes hieroglyphalis** Guenée,1854 (Pyralidae) *Synonym(s): hieroglyphalis Guenée,1854; #hieroglyphicalis Lederer,1863* Range (in code): BR
- 76748. Lineodes integra** (Zeller,1873) (Pyralidae) *Synonym(s): integra Zeller,1873* Range (in code): US Tx
- 76749. Lineodes interrupta** (Zeller,1873) (Pyralidae) *Synonym(s): interrupta Zeller,1873* Range (in code): US Tx
- 76750. Lineodes latipennis** Walsingham,1913 (Pyralidae) *Synonym(s): latipennis Walsingham,1913* Range (in code): CO
- 76751. Lineodes leucostrigalis** Hampson,1913 (Pyralidae) *Synonym(s): leucostrigalis Hampson,1913* Range (in code): BO
- 76752. Lineodes mesodonta** Hampson,1913 (Pyralidae) *Synonym(s): mesodonta Hampson,1913* Range (in code): CO
- 76753. Lineodes monetalis** Dyar,1913 (Pyralidae) *Synonym(s): monetalis Dyar,1913* Range (in code): PR
- 76754. Lineodes multisignalis** Herrich-Schäffer,1868 (Pyralidae) *Synonym(s): multisignalis Herrich-Schäffer,1868* Range (in code): CU
- 76755. Lineodes peterseni** Walsingham,1913 (Pyralidae) *Synonym(s): peterseni Walsingham,1913* Range (in code): CO
- 76756. Lineodes polychroalis** Hampson,1913 (Pyralidae) *Synonym(s): polychroalis Hampson,1913* Range (in code): PE
- 76757. Lineodes pulcherrima** E.Hering (Pyralidae) *Synonym(s): pulcherrima E.Hering* Range (in code): PE
- 76758. Lineodes pulchralis** Guenée,1854 (Pyralidae) *Synonym(s): pulchralis Guenée,1854; #pulchrinalis Lederer,1863* Range (in code): BR
- 76759. Lineodes serpulalis** Lederer,1863 (Pyralidae) *Synonym(s): serpulalis Lederer,1863; peridialis Walker,1859* Range (in code): BR
- 76760. Lineodes tipuloides** Walsingham,1891 (Pyralidae) *Synonym(s): tipuloides Walsingham,1891* Range (in code): TT

- 76761. *Lineodes triangularis* Möschler, 1890** (Pyralidae) Synonym(s): *triangularis* Möschler, 1890; *cyclophora* Hampson, 1913; *#triangularis* Beccari & Gerini, 1969 Range (in code): MX
- 76762. *Lineodes tridentalis* Hampson, 1913** (Pyralidae) Synonym(s): *tridentalis* Hampson, 1913 Range (in code): GY
- 76763. *Lineodes undulata* Walsingham, 1913** (Pyralidae) Synonym(s): *undulata* Walsingham, 1913 Range (in code): PE
- 76764. *Lineodes venezuelensis* Amsel, 1956** (Pyralidae) Synonym(s): *venezuelensis* Amsel, 1956 Range (in code): VE
- 76765. *Lineodes vulnifica* Dyar, 1913** (Pyralidae) Synonym(s): *vulnifica* Dyar, 1913 Range (in code): GF
- 76766. *Lioprosopa adenocera* (Turner, 1923)** (Pyralidae) Synonym(s): *adenocera* Turner, 1923 Range (in code): AU
- 76767. *Lioprosopa albivena* (Turner, 1947)** (Pyralidae) Synonym(s): *albivena* Turner, 1947 Range (in code): AU
- 76768. *Lioprosopa amictodes* (Turner, 1947)** (Pyralidae) Synonym(s): *amictodes* Turner, 1947 Range (in code): AU
- 76769. *Lioprosopa argosticha* (Turner, 1913)** (Pyralidae) Synonym(s): *argosticha* Turner, 1913 Range (in code): AU
- 76770. *Lioprosopa haploa* Turner, 1947** (Pyralidae) Synonym(s): *haploa* Turner, 1947 Range (in code): AU
- 76771. *Lioprosopa microrrhoda* (Turner, 1923)** (Pyralidae) Synonym(s): *microrrhoda* Turner, 1923 Range (in code): AU
- 76772. *Lioprosopa neuricella* (Hampson, 1918)** (Pyralidae) Synonym(s): *neuricella* Hampson, 1918 Range (in code): AU
- 76773. *Lioprosopa polioistica* Turner, 1947** (Pyralidae) Synonym(s): *polioistica* Turner, 1947 Range (in code): AU
- 76774. *Lioprosopa rhadinodes* Turner, 1947** (Pyralidae) Synonym(s): *rhadinodes* Turner, 1947 Range (in code): AU
- 76775. *Lioprosopa rhantista* Turner, 1947** (Pyralidae) Synonym(s): *rhantista* Turner, 1947 Range (in code): AU
- 76776. *Lioprosopa rhodobaphella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *rhodobaphella* Ragonot, 1888; *chlorogramma* Meyrick, 1889; *clepsiphronica* Turner, 1947 Range (in code): AU
- 76777. *Lioprosopa rhodosticha* (Turner, 1904)** (Pyralidae) Synonym(s): *rhodosticha* Turner, 1904 Range (in code): AU
- 76778. *Lipararchis aspilus* (Turner, 1915)** (Pyralidae) Synonym(s): *aspilus* Turner, 1915 Range (in code): AU
- 76779. *Lipararchis tranquillalis* (Lederer, 1863)** (Pyralidae) Synonym(s): *tranquillalis* Lederer, 1863; *affinis* Rothschild, 1915 Range (in code): AU
- 76780. *Lipocosma albibasalis* (Hampson, 1906)** (Pyralidae) Synonym(s): *albibasalis* Hampson, 1906 Range (in code): SR
- 76781. *Lipocosma albinibasalis* Munroe, 1995** (Pyralidae) Synonym(s): *albibasalis* Barnes & McDunnough, 1911 nec Hamps., 1906; *albinibasalis* Munroe, 1995 Range (in code): US Cf
- 76782. *Lipocosma antonialis* Munroe, 1964** (Pyralidae) Synonym(s): *antonialis* Munroe, 1964 Range (in code): BO
- 76783. *Lipocosma ausonialis* (Druce, 1899)** (Pyralidae) Synonym(s): *ausonialis* Druce, 1899 Range (in code): GT PA
- 76784. *Lipocosma calla* (Kaye, 1901)** (Pyralidae) Synonym(s): *calla* Kaye, 1901 Range (in code): TT
- 76785. *Lipocosma chiralis* Schaus, 1920** (Pyralidae) Synonym(s): *chiralis* Schaus, 1920 Range (in code): CU
- 76786. *Lipocosma coroicalis* Munroe, 1964** (Pyralidae) Synonym(s): *coroicalis* Munroe, 1964 Range (in code): BO
- 76787. *Lipocosma diabata* Dyar, 1917** (Pyralidae) Synonym(s): *diabata* Dyar, 1917 Range (in code): US Fl
- 76788. *Lipocosma forsteri* Munroe, 1964** (Pyralidae) Synonym(s): *forsteri* Munroe, 1964 Range (in code): BO

- 76789. *Lipocosma furvalis* (Hampson,1912)** (Pyralidae) Synonym(s): *furvalis* Hampson,1912
Range (in code): **MX**
- 76790. *Lipocosma grimbaldalis* (Schaus,1924)** (Pyralidae) Synonym(s): *grimbaldalis* Schaus,1924 Range (in code): **GT**
- 76791. *Lipocosma hebescalis* Möschler,1890** (Pyralidae) Synonym(s): *hebescalis* Möschler,1890
Range (in code): **PR**
- 76792. *Lipocosma intermedialis* Barnes & McDunnough,1912** (Pyralidae) Synonym(s): *intermedialis* Barnes & McDunnough,1912 Range (in code): **US Tx**
- 76793. *Lipocosma isola* Munroe,1964** (Pyralidae) Synonym(s): *isola* Munroe,1964 Range (in code): **MX**
- 76794. *Lipocosma nigripictalis* Hampson,1898** (Pyralidae) Synonym(s): *nigripictalis* Hampson,1898 Range (in code): **BR**
- 76795. *Lipocosma nigrisquamalis* Hampson,1912** (Pyralidae) Synonym(s): *nigrisquamalis* Hampson,1912 Range (in code): **PA**
- 76796. *Lipocosma parcipunctalis* Dyar,1914** (Pyralidae) Synonym(s): *parcipunctalis* Dyar,1914
Range (in code): **PA**
- 76797. *Lipocosma plagalis* Schaus,1912** (Pyralidae) Synonym(s): *plagalis* Schaus,1912 Range (in code): **CR**
- 76798. *Lipocosma polingi* Munroe,1972** (Pyralidae) Synonym(s): *polingi* Munroe,1972 Range (in code): **US Arz**
- 76799. *Lipocosma sabulalis* (Amsel,1956)** (Pyralidae) Synonym(s): *sabulalis* Amsel,1956 Range (in code): **VE**
- 76800. *Lipocosma saralis* Munroe,1964** (Pyralidae) Synonym(s): *saralis* Munroe,1964 Range (in code): **BO**
- 76801. *Lipocosma septa* Munroe,1972** (Pyralidae) Synonym(s): *septa* Munroe,1972 Range (in code): **US Fl**
- 76802. *Lipocosma sicalis* (Walker,1859)** (Pyralidae) Synonym(s): *sicalis* Walker,1859; *perfusalis* Walker,[1866] Range (in code): **US**
- 76803. *Lipocosma teutonalis* Munroe,1964** (Pyralidae) Synonym(s): *teutonalis* Munroe,1964
Range (in code): **BR**
- 76804. *Lipocosmodes fuliginosalis* (Fernald,1888)** (Pyralidae) Synonym(s): *fuliginosalis* Fernald,1888 Range (in code): **US CA**
- 76805. *Lissophanes ceramica* W.Warren,1891** (Pyralidae) Synonym(s): *ceramica* W.Warren,1891 Range (in code): **PE**
- 76806. *Lista ficki* Christoph,1881** (Pyralidae) Synonym(s): *ficki* Christoph,1881 Range (in code): **RU Am TH CMa Dst VN Ton**
- 76807. *Lixa* sp.A** (Pyralidae) Synonym(s): Range (in code): **AU**
- 76808. *Locastra ardua* Swinhoe,1902** (Pyralidae) Synonym(s): *ardua* Swinhoe,1902 Range (in code): **WS FJ**
- 76809. *Locastra crassipennis* (Walker,1857)** (Pyralidae) Synonym(s): *crassipennis* Walker,1857
Range (in code): **TH IN MY ID Sum BN Bor Swk**
- 76810. *Locastra muscosalis* (Walker,[1866])** (Pyralidae) Synonym(s): *muscosalis* Walker,[1866]
Range (in code): **IN LK MM TH CRa CN JP TW** Bionomy: Larva feeds on leaf of weed (Lewvanich,2001).
- 76811. *Lophothoracia omphalella* Hampson,1901** (Pyralidae) Synonym(s): *omphalella* Hampson,1901 Range (in code): **AU**
- 76812. *Lophothoracia orthozona* (Lower,1903)** (Pyralidae) Synonym(s): *orthozona* Lower,1903
Range (in code): **AU**
- 76813. *Loryma actenioides* (Rebel,1914)** (Pyralidae) Synonym(s): *actenioides* Rebel,1914; *geyri* Rothschild,1915; *harterti* Rothschild,1915 Range (in code): **DZ Ah Onç EG**
- 76814. *Loryma alluaudalis* Leraut,2009** (Pyralidae) Synonym(s): *alluaudalis* Leraut,2009 Range (in code): **TZ**
- 76815. *Loryma ambovombealis* Leraut,2009** (Pyralidae) Synonym(s): *ambovombealis* Leraut,2009 Range (in code): **MG**
- 76816. *Loryma aridalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *aridalis* Rothschild,1913
Original Reference: Constantia aridalis Rothschild,1913, Novit. zool. 20: 140. Syntypes 2♀:
[Algeria]: "South Oued Mya". Range (in code): **DZ Omy**

- 76817. *Loryma athalialis* (Walker,1859)** (Pyrilidae) Synonym(s): *athalialis* Walker,1859; *cultralis* Snellen,1872; *milloti* Viette,1949 Range (in code): **ZA**
- 76818. *Loryma basalis* (Walker,1866)** (Pyrilidae) Synonym(s): *basalis* Walker,1866; *apertalis* Walker,1866; *atribasalis* Ragonot,1891; *punctilimbalis* Ragonot,1891; *dentibasalis* W.Warren,1914; *signaticosta* De Joannis,1927; *pyrosalis* Legrand,1966; *aldabrensis* Legrand,1966 Range (in code): **MZ NG ZA Nta Kzu SC Ald**
- 76819. *Loryma bilinealis* (Amsel,1961)** (Pyrilidae) Synonym(s): *bilinealis* Amsel,1961 Range (in code): **IR Bu Fa Ss Chh**
- 76820. *Loryma callos* (Viette,1973)** (Pyrilidae) Synonym(s): *callos* Viette,1973 Range (in code): **MG**
- 76821. *Loryma centrafricalis* (Leraut,2007)** (Pyrilidae) Synonym(s): *centrafricalis* Leraut,2007 Range (in code): **CF**
- 76822. *Loryma creperalis* (Swinhoe,1885)** (Pyrilidae) Synonym(s): *creperalis* Swinhoe,1885 Range (in code): **IN Mh Poo**
- 76823. *Loryma daganialis* (Amsel,1956)** (Pyrilidae) Synonym(s): *daganialis* Amsel,1956 Original Reference: Anactenia daganialis Amsel,1956, Beitr. naturk. Forsch. SüdwDtl. 15: 57-58, figs. Type ♂: Jordan valley: "Dagania". Range (in code): **IL Pa JO**
- 76824. *Loryma discimaculla* (Hampson,1917)** (Pyrilidae) Synonym(s): *discimaculla* Hampson,1917 Range (in code): **MW Mje**
- 76825. *Loryma egregialis* (Herrich-Schäffer,1838)** (Pyrilidae) Synonym(s): *egregialis* Herrich-Schäffer,1838; *medusalis* Milliere,1872; *algerialis* Hampson,1900 Range (in code): **DZ Bsk Onç Eal Ges TN Sfx PT ES Mu FR Co Sa Si IT MT YU BG GR Rd Cr TR LB Bsa IL Hf Pa CY**
- 76826. *Loryma hypotalis* (Swinhoe,1885)** (Pyrilidae) Synonym(s): *hypotalis* Swinhoe,1885 Range (in code): **IN Mh Poo Mhw LK PK Cp Sd Krc**
- 76827. *Loryma itremoalis* Leraut,2009** (Pyrilidae) Synonym(s): *itremoalis* Leraut,2009 Range (in code): **MG**
- 76828. *Loryma marginalis* (Rothschild,1921)** (Pyrilidae) Synonym(s): *marginalis* Rothschild,1921 Original Reference: Bostra marginalis Rothschild,1921, J. Bombay Nat. Hist. Soc. 28: 177. Type ♀: Iraq: Amara (BMNH). Range (in code): **IQ Amr**
- 76829. *Loryma martinae* Leraut,2002** (Pyrilidae) Synonym(s): *martinae* Leraut,2002; *dumonti* Leraut,2002 [ssp.] Range (in code): **MA DZ Lgt**
- 76830. *Loryma masamalis* Leraut,2009** (Pyrilidae) Synonym(s): *masamalis* Leraut,2009 Range (in code): **MG**
- 76831. *Loryma plana* (Walker,1862)** (Pyrilidae) Synonym(s): *plana* Walker,1862; *zamia* Swinhoe,1884; *allalis* Swinhoe,1886 Range (in code): **IN Mhw PK Sd Krc**
- 76832. *Loryma radamalis* (Ragonot,1891)** (Pyrilidae) Synonym(s): *radamalis* Ragonot,1891 Range (in code): **MG**
- 76833. *Loryma recusata* (Walker,[1863])** (Pyrilidae) Synonym(s): *recusata* Walker,[1863]; *venosella* Walker,1866; *philornis* Meyrick,1937 Range (in code): **LK MY Bor Swk TW AU ZA TH IN PG MY SG ID Sum Ja BN Bor Sbh Swk**
- 76834. *Loryma sentiualis* Walker,1859** (Pyrilidae) Synonym(s): *sentiualis* Walker,1859; *monotaenialis* Ragonot,1891 Range (in code): **AU ZA**
- 76835. *Loryma sinuosalis* Leraut,2007** (Pyrilidae) Synonym(s): *sinuosalis* Leraut,2007 Range (in code): **ZA Gau Tva Jh**
- 76836. *Lorymodes digonialis* (Hampson,1906)** (Pyrilidae) Synonym(s): *digonialis* Hampson,1906; *#diagonalis* Hampson,1917 Range (in code): **ZA**
- 76837. *Lorymodes stenopteralis* Hampson,1917** (Pyrilidae) Synonym(s): *stenopteralis* Hampson,1917 Range (in code): **ZA**
- 76838. *Loxmaionia megale* Schaus,1913** (Pyrilidae) Synonym(s): *megale* Schaus,1913 Range (in code): **CR**
- 76839. *Loxocrambus awemensis* McDunnough,1929** (Pyrilidae) Synonym(s): *awemensis* McDunnough,1929 Range (in code): **CA**
- 76840. *Loxocrambus canellus* Forbes,1920** (Pyrilidae) Synonym(s): *canellus* Forbes,1920 Range (in code): **US Mss**
- 76841. *Loxocrambus mohaviellus* Forbes,1920** (Pyrilidae) Synonym(s): *mohaviellus* Forbes,1920 Range (in code): **US Cf**
- 76842. *Loxomorpha amseli* Munroe,1995** (Pyrilidae) Synonym(s): *citrinalis* Amsel,1956 nec Möschl.,1890; *amseli* Munroe,1995 Range (in code): **VE**

- 76843. *Loxomorpha cambogialis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *cambogialis* Guenée,1854; *lucilla* Butler,1878; *citrinalis* Möschler,1890 **Range (in code):** **BR JM PR**
- 76844. *Loxomorpha flavidissimalis* (Grote,1878)** (Pyralidae) **Synonym(s):** *flavidissimalis* Grote,1878 **Range (in code):** **AU**
- 76845. *Loxophantis pretoriella* Bleszynski,1970** (Pyralidae) **Synonym(s):** *pretoriella* Bleszynski,1970 **Range (in code):** **ZA Tva Gau Pre ZW**
- 76846. *Loxophantis triplecta* Meyrick,1935** (Pyralidae) **Synonym(s):** *triplecta* Meyrick,1935 **Range (in code):** **ZR**
- 76847. *Loxostege aemulalis* (Dognin,1905)** (Pyralidae) **Synonym(s):** *aemulalis* Dognin,1905 **Original Reference:** *Phlyctaenodes aemulalis* Dognin,1905, Ann. Soc. ent. Belg. 1905: 77. Type: Bolivia. **Range (in code):** **BO**
- 76848. *Loxostege aeruginalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** *aeruginalis* Hübner,1796; *olivalis* Hübner,1796 **Original Reference:** *Pyralis aeruginalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.20 fig.133. Type(s): Europa. **Range (in code):** **ES FR Si IT HU RO YU AL BG GR TR** **Bionomy:** Larva on *Artemisia alba*, *A. campestris* (Asteraceae) (Parenti,2000).
- 76849. *Loxostege afghana* Koçak & Kemal,2007** (Pyralidae) **Synonym(s):** *#robustalis* Amsel,1970; *afghana* Koçak & Kemal,2007 **Range (in code):** **AF Bark**
- 76850. *Loxostege albiceralis* (Grote,1878)** (Pyralidae) **Synonym(s):** *albiceralis* Grote,1878 **Range (in code):** **US Col** **Bionomy:** Larva on *Hibiscus sabdariffa* (Malvaceae) (Robinson, et al.,2007).
- 76851. *Loxostege albifascialis* (Hampson,1896)** (Pyralidae) **Synonym(s):** *albifascialis* Hampson,1896 **Range (in code):** **YE Ad**
- 76852. *Loxostege allectalis* (Grote,1877)** (Pyralidae) **Synonym(s):** *allectalis* Grote,1877; *perplexalis* Fernald,1885 **Range (in code):** **US Tx**
- 76853. *Loxostege anartalis* (Grote,1877)** (Pyralidae) **Synonym(s):** *anartalis* Grote,1877 **Range (in code):** **CA BCo Abt Qb US Cf Ut**
- 76854. *Loxostege anartalis albertalis* (Barnes & McDunnough,1918)** (Pyralidae) **Synonym(s):** *albertalis* Barnes & McDunnough,1918 **Range (in code):** **CA BCo Abt**
- 76855. *Loxostege anartalis anartalis* (Grote,1877)** (Pyralidae) **Synonym(s):** *anartalis* Grote,1877 **Range (in code):** **US Cf**
- 76856. *Loxostege anartalis lulualis* (Hulst,1886)** (Pyralidae) **Synonym(s):** *lulualis* Hulst,1886 **Range (in code):** **CA Qb**
- 76857. *Loxostege anartalis rainierensis* Munroe,1976** (Pyralidae) **Synonym(s):** *rainierensis* Munroe,1976 **Range (in code):** **US**
- 76858. *Loxostege anartalis saxicolalis* (Barnes & McDunnough,1918)** (Pyralidae) **Synonym(s):** *saxicolalis* Barnes & McDunnough,1918 **Range (in code):** **US Ut**
- 76859. *Loxostege annaphialis* (Grote,1881)** (Pyralidae) **Synonym(s):** *annaphialis* Grote,1881 **Range (in code):** **US Cf**
- 76860. *Loxostege anpingialis* (Strand,1918)** (Pyralidae) **Synonym(s):** *anpingialis* Strand,1918 **Range (in code):** **TW**
- 76861. *Loxostege argyrostacha* (Hampson,1910)** (Pyralidae) **Synonym(s):** *argyrostacha* Hampson,1910 **Original Reference:** *Phlyctaenodes argyrostacha* Hampson,1910, Proc. zool. Soc. London 1910: 503, pl.41 fig.6. Type: Rhodesia. **Range (in code):** **ZW**
- 76862. *Loxostege asopialis* (Snellen,1875)** (Pyralidae) **Synonym(s):** *asopialis* Snellen,1875 **Range (in code):** **BR TT**
- 76863. *Loxostege aurantiacalis* (W.Warren,1889)** (Pyralidae) **Synonym(s):** *aurantiacalis* W.Warren,1889 **Range (in code):** **BR**
- 76864. *Loxostege aureodiscalis* Hampson,1918** (Pyralidae) **Synonym(s):** *aureodiscalis* Hampson,1918; *umbrifera* Turner,1937 **Range (in code):** **AU**
- 76865. *Loxostege baccatalis* Hulst,1892** (Pyralidae) **Synonym(s):** *baccatalis* Hulst,1892 **Range (in code):** **US**
- 76866. *Loxostege badakshanalisis* (Amsel,1970)** (Pyralidae) **Synonym(s):** *badakshanalisis* Amsel,1970 **Range (in code):** **AF Bd**
- 76867. *Loxostege bashgualis* Amsel,1970** (Pyralidae) **Synonym(s):** *bashgualis* Amsel,1970 **Range (in code):** **AF Bsg Kab Gz**
- 76868. *Loxostege beatalis* (R.Felder & Rogenhofer,[1875])** (Pyralidae) **Synonym(s):** *beatalis* R.Felder & Rogenhofer,[1875] **Range (in code):** **AU**

- 76869. *Loxostege bicoloralis* (W.Warren,1892)** (Pyralidae) Synonym(s): *bicoloralis* W.Warren,1892; *flavivenalis* Hampson,1913; *osthelderi* Schawerda,1932. Range (in code): TR IQ Bgd
- 76870. *Loxostege bilinea* (Bethune-Baker,1894)** (Pyralidae) Synonym(s): *bilinea* Bethune-Baker,1894 Range (in code): EG
- 76871. *Loxostege boursini* (Lucas,1937)** (Pyralidae) Synonym(s): *boursini* Lucas,1937 Range (in code): DZ
- 76872. *Loxostege brevivittalis* (Hampson,1896)** (Pyralidae) Synonym(s): *brevivittalis* Hampson,1896 Range (in code): IN Meg Ass
- 76873. *Loxostege brunneitincta* Munroe,1976** (Pyralidae) Synonym(s): *brunneitincta* Munroe,1976 Range (in code): US Cf
- 76874. *Loxostege calliaspis* (Meyrick,1884)** (Pyralidae) Synonym(s): *calliaspis* Meyrick,1884 Range (in code): AU
- 76875. *Loxostege callipeda* Meyrick,1936** (Pyralidae) Synonym(s): *callipeda* Meyrick,1936 Range (in code): ZR
- 76876. *Loxostege caradjana* (Popescu-Gorj,1991)** (Pyralidae) Synonym(s): *caradjana* Popescu-Gorj,1991 Range (in code): CN Ti Btn
- 76877. *Loxostege cereralis* (Zeller,1872)** (Pyralidae) Synonym(s): *cereralis* Zeller,1872 Range (in code): US Tx Bionomy: Larva on *Apium graveolens* (Apiaceae), *Beta vulgaris* (Chenopodiaceae), *Medicago sativa* (Fabaceae) (Robinson, et al.,2007).
- 76878. *Loxostege chrysitis* (Turner,1941)** (Pyralidae) Synonym(s): *chrysitis* Turner,1941 Range (in code): AU
- 76879. *Loxostege clarissalis* (Schaus,1920)** (Pyralidae) Synonym(s): *clarissalis* Schaus,1920 Range (in code): PE
- 76880. *Loxostege clathralis* (Hübner,[1813])** (Pyralidae) Synonym(s): *clathralis* (Hübner,[1813]; *comptalis* Lederer,1855 nec Frr.,[1848]; *#nivalis* Caradja,1916 Range (in code): RO HV RU UA Cc GG Bjo Tbl AM Eri AZ Kir Lag Nv Ord Arr TR IR KG Uk Tk Dj Ii AF Shah Kot Pnj Kab CN Ui Au KG Uk
- 76881. *Loxostege clathralis aksualis* Caradja,1916** (Pyralidae) Synonym(s): *aksualis* Caradja,1916 Original Reference: *Loxostege clathralis* var. *aksualis* Caradja,1916, Dt. ent. Z., Iris 1916: 25. Type: Aksu (leg.Rückbeil). Range (in code): CN Ui Au
- 76882. *Loxostege clethroides* Lower,1918** (Pyralidae) Synonym(s): *clethroides* Lower,1918 Range (in code): AU
- 76883. *Loxostege commixtalis* (Walker,1865)** (Pyralidae) Synonym(s): *commixtalis* Walker,1865; *indotatellus* Walker,1866; *septentrionalis* Tengström,1869 Range (in code): NO SE FI EE RU CA Bionomy: Larva on *Aster novae-angliae* (Asteraceae), *Beta vulgaris* (Chenopodiaceae), *Medicago sativa* (Fabaceae) (Robinson, et al.,2007).
- 76884. *Loxostege comptalis* (Freyer,[1848])** (Pyralidae) Synonym(s): *comptalis* Freyer,[1848] Range (in code): ES Mu FR YU RU
- 76885. *Loxostege concoloralis* (Lederer,1857)** (Pyralidae) Synonym(s): *concoloralis* Lederer,1857; *subtilis* Filipjev,1927 Original Reference: *Botys concoloralis* Lederer,1857, Wien. ent. Monatschr. 1: 100. Syntypes: [Lebanon]: Beirut. Range (in code): LB Bei TR IL Pa Hf
- 76886. *Loxostege confusalis* (South,1901)** (Pyralidae) Synonym(s): *confusalis* South,1901 Range (in code): CN
- 76887. *Loxostege crocalis* (Hampson,1891)** (Pyralidae) Synonym(s): *crocalis* Hampson,1891 Original Reference: *Opsibotys crocalis* Hampson,1891, Illustr. Specimens Lepid. Heterocera Cooln Br. Mus. 8: 35, 131, pl.154 fig.7. Range (in code): IN NI LK
- 76888. *Loxostege crocanthes* (Lower,1896)** (Pyralidae) Synonym(s): *crocanthes* Lower,1896; *chrysalis* Hampson,1913 Range (in code): AU
- 76889. *Loxostege croesusalis* (Hampson,1913)** (Pyralidae) Synonym(s): *croesusalis* Hampson,1913 Original Reference: *Phlyctaenodes croesusalis* Hampson,1913, Ann. Mag. nat. Hist. 11: 520. Africa. Range (in code):
- 76890. *Loxostege cupreicostalis* (Dyar,1913)** (Pyralidae) Synonym(s): *cupreicostalis* Dyar,1913 Range (in code): MX
- 76891. *Loxostege damergouensis* Rothschild,1921** (Pyralidae) Synonym(s): *damergouensis* Rothschild,1921 Range (in code): NG
- 76892. *Loxostege darwinialis* (Sauber,1904)** (Pyralidae) Synonym(s): *darwinialis* Sauber,1904 Range (in code): DE

- 76893. *Loxostege decaryalis* Marion & Viette, 1956** (Pyralidae) Synonym(s): *decaryalis* Marion & Viette, 1956 Range (in code): **MG**
- 76894. *Loxostege delibatica* Szent-Ivány & Uhrik-Meszáros, 1942** (Pyralidae) Synonym(s): *sulphuralis* Hübner, [1813] *nec* Thunb., 1784; *delibatica* Szent-Ivány & Uhrik-Meszáros, 1942; *huebneri* Koçak, 1980 Range (in code): **IT AT CZ HU RO YU BG GR RU IR Enz Cc GG Tbl Lag AZ Nv Ord Kir**
- 76895. *Loxostege diaphana* (Caradja, 1934)** (Pyralidae) Synonym(s): *diaphana* Caradja, 1934 Range (in code): **CN**
- 76896. *Loxostege diplochrysa* (Meyrick, 1884)** (Pyralidae) Synonym(s): *diplochrysa* Meyrick, 1884 Range (in code): **AU**
- 76897. *Loxostege distictalis* (Hampson, 1913)** (Pyralidae) Synonym(s): *distictalis* Hampson, 1913 Original Reference: *Phlyctaenodes distictalis* Hampson, 1913, Ann. Mag. nat. Hist. 11: 519. Africa. Range (in code):
- 76898. *Loxostege egregialis* Munroe, 1976** (Pyralidae) Synonym(s): *egregialis* Munroe, 1976 Range (in code): **US Arz**
- 76899. *Loxostege elutalis* Zerny, 1914** (Pyralidae) Synonym(s): *elutalis* Zerny, 1914 Original Reference: *Loxostege elutalis* Zerny, 1914, Annln. naturh. Mus. Wien 28: 328, Taf. xxvi fig. 27. Type ♀: [China: Uighur A.R.]: Lob-Noor (NHMW). Range (in code): **CN Ui Ln**
- 76900. *Loxostege ephippialis* (Zetterstedt, [1839])** (Pyralidae) Synonym(s): *ephippialis* Zetterstedt, [1839]; *dubitaria* Zetterstedt, [1839]; *frigidalis* Guenée, 1854; *scandinavalis* Guenée, 1854 Range (in code): **NO**
- 76901. *Loxostege epichrysa* (Meyrick, 1884)** (Pyralidae) Synonym(s): *epichrysa* Meyrick, 1884 Range (in code): **AU**
- 76902. *Loxostege euprepialis* (Hampson, 1913)** (Pyralidae) Synonym(s): *euprepialis* Hampson, 1913 Original Reference: *Phlyctaenodes euprepialis* Hampson, 1913, Ann. Mag. nat. Hist. 11: 521. Africa. Range (in code):
- 76903. *Loxostege eurychrysa* (Meyrick, 1884)** (Pyralidae) Synonym(s): *eurychrysa* Meyrick, 1884 Range (in code): **AU**
- 76904. *Loxostege eversmanni* (Staudinger, 1892)** (Pyralidae) Synonym(s): *eversmanni* Staudinger, 1892; *bicoloralis* W. Warren, 1892 Range (in code): **KG Lps Ssn KK Ax CN Ui Ku**
- 76905. *Loxostege farsalis* Amsel, 1950** (Pyralidae) Synonym(s): *farsalis* Amsel, 1950 Original Reference: *Loxostege farsalis* Amsel, 1950, Ark. Zool. 1 (17): 246, figs. 38, 79. Syntypes: Iran: [Fars]: Come, 2600m. Range (in code): **IR Fa Com**
- 76906. *Loxostege flavinigralis* (Hampson, 1910)** (Pyralidae) Synonym(s): *flavinigralis* Hampson, 1910 Range (in code): **ZW**
- 76907. *Loxostege floridalis* Barnes & McDunnough, 1913** (Pyralidae) Synonym(s): *floridalis* Barnes & McDunnough, 1913 Range (in code): **US Fl** Bionomy: Larva on *Lycium carolinianum* (Solanaceae) (Robinson, et al., 2007).
- 76908. *Loxostege formosibia* Strand, 1918** (Pyralidae) Synonym(s): *formosibia* Strand, 1918 Range (in code): **TW**
- 76909. *Loxostege frustalis* (Zeller, 1852)** (Pyralidae) Synonym(s): *frustalis* Zeller, 1852; *leucostictalis* Zeller, 1852 Range (in code): **ZA KE** Bionomy: Larva on *Pentzia* (Asteraceae); Poaceae (Robinson, et al., 2007).
- 76910. *Loxostege fuscivenalis* (Schaus, 1920)** (Pyralidae) Synonym(s): *fuscivenalis* Schaus, 1920 Range (in code): **PE**
- 76911. *Loxostege galbula* (R. Felder & Rogenhofer, 1875)** (Pyralidae) Synonym(s): *galbula* R. Felder & Rogenhofer, 1875 Range (in code): **CO**
- 76912. *Loxostege heliosalis* (Hampson, 1912)** (Pyralidae) Synonym(s): *heliosalis* Hampson, 1912 Range (in code): **AR**
- 76913. *Loxostege illustralis* (Dognin, 1905)** (Pyralidae) Synonym(s): *illustralis* Dognin, 1905 Range (in code): **EC**
- 76914. *Loxostege immerens* (Harvey, 1875)** (Pyralidae) Synonym(s): *immerens* Harvey, 1875; *triumphalis* Grote, 1902 Range (in code): **US Cf**
- 76915. *Loxostege impeditalis* (Maassen, 1890)** (Pyralidae) Synonym(s): *impeditalis* Maassen, 1890 Range (in code): **EC**
- 76916. *Loxostege indentalis* (Grote, 1883)** (Pyralidae) Synonym(s): *indentalis* Grote, 1883 Range (in code): **US Ws**

- 76917. *Loxostege kearfottalis* Walter,1928** (Pyralidae) Synonym(s): *kearfottalis* Walter,1928
Range (in code): **US Arz**
- 76918. *Loxostege lacunalis* (Zeller,1852)** (Pyralidae) Synonym(s): *lacunalis* Zeller,1852; *fulvalis* W.Warren,1892; *xanthalis* Fawcett,1916 Range (in code): **ZA**
- 76919. *Loxostege malekalis* Amsel,1950** (Pyralidae) Synonym(s): *malekalis* Amsel,1950 Original Reference: *Loxostege malekalis* Amsel,1950, Ark. Zool. 1 (17): 245-246, figs.37, 78. Type ♂: Iran: Tahte Malek, 750m. Range (in code): **IR**
- 76920. *Loxostege minimalis* Amsel,1956** (Pyralidae) Synonym(s): *minimalis* Amsel,1956 Range (in code): **VE**
- 76921. *Loxostege mira* Amsel,1951** (Pyralidae) Synonym(s): *mira* Amsel,1951 Range (in code): **IR Ss Chh Put Ana Ke**
- 76922. *Loxostege mucosalis* (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *mucosalis* Herrich-Schäffer,[1848] Original Reference: *Botys mucosalis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 23, f.14,15. Syntypes: [Türkei]: Konstantinopel [Istanbul]. Range (in code): **YU BG TR CN Ui Ku**
- 76923. *Loxostege oberthuralis* Fernald,1894** (Pyralidae) Synonym(s): *oberthuralis* Fernald,1894
Range (in code): **US Arz**
- 76924. *Loxostege oblinalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *oblinalis* R.Felder & Rogenhofer,1875 Range (in code): **ZA**
- 76925. *Loxostege offumalis* (Hulst,1886)** (Pyralidae) Synonym(s): *offumalis* Hulst,1886 Range (in code): **US Arz**
- 76926. *Loxostege peltalis* (Eversmann,1842)** (Pyralidae) Synonym(s): *peltalis* Eversmann,1842
Original Reference: *Pyrausta peltalis* Eversmann,1842, Bull. Soc. imp. Nat. Moscou 15 (3): 560-561, Tab.vi fig.11. Type: Russia: Volga, Ural. Range (in code): **RU Ur**
- 76927. *Loxostege peltaloides* (Rebel,1932)** (Pyralidae) Synonym(s): *peltaloides* Rebel,1932; *halil* Koçak & Kemal,2007 Original Reference: *Eurycreon peltaloides* Rebel,1932, Int. ent. Z. 26: 187-189, fig. Type ♂: [Türkei]: Akschehir. Range (in code): **TR**
- 76928. *Loxostege perticalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *perticalis* R.Felder & Rogenhofer,1875 Range (in code): **CO**
- 76929. *Loxostege phaeoneuralis* (Hampson,1900)** (Pyralidae) Synonym(s): *phaeoneuralis* Hampson,1900 Original Reference: *Phlyctaenodes phaeoneuralis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 389, pl.3 fig.12. Type ♀: [Turkmenistan]: Siberia, Krasnowodsk (coll. Staudinger). Range (in code): **TM Krn KG T-S**
- 76930. *Loxostege plumbatalis* (Zeller,1852)** (Pyralidae) Synonym(s): *plumbatalis* Zeller,1852; *ferriscriptalis* Walker,1865; *plumbofascialis* Lederer,1863 Range (in code): **ZA**
- 76931. *Loxostege quaestoralis* (Barnes & McDunnough,1914)** (Pyralidae) Synonym(s): *quaestoralis* Barnes & McDunnough,1914 Range (in code): **US Arz**
- 76932. *Loxostege rhabdalis* (Hampson,1900)** (Pyralidae) Synonym(s): *rhabdalis* Hampson,1900
Range (in code): **CN Ui Ku KG Tk Dj MN**
- 76933. *Loxostege scalaris* (Christoph,1877)** (Pyralidae) Synonym(s): *scalaris* Christoph,1877
Range (in code): **IQ Kbl IR Elb TM AF Srb Hr Bsg**
- 76934. *Loxostege scutalis* (Hübner,[1813])** (Pyralidae) Synonym(s): *scutalis* Hübner,[1813]
Range (in code): **PT ES FR**
- 76935. *Loxostege sticticalis* (Linnaeus,1761)** (Pyralidae) Synonym(s): *lupulina* Clerk,1759 nec Linn.,1758; *sticticalis* Linnaeus,1761; *miana* Müller,1764; *sylvata* Panzer,1804; *tetragonalis* Haworth,1811
Original Reference: *Phalaena sticticalis* Linnaeus,1761, Fauna Suecica: 352, no.1354. Lectotype ♂: Upsaliae (Robinson & Nielsen, 1983: 231). Range (in code): **ES FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG Tbl Bjo Der Da TM Kp DK NO SE FI EE LV LT RU Sb KG Tk Dj Ii CN Ui Kml IR GlS Kh Dam Elb AF Hr PK Psu Bl Qu CA** Bionomy: Larva on *Spinacia*, *Salsola*, *Beta*, *Chenopodium album* (Chenopodiaceae), *Medicago sativa*, *Pisum sativum*, *Phaseolus vulgaris*, *Onobrychis viciifolia*, *Trifolium* (Fabaceae); *Brassica oleracea* (Brassicaceae), *Artemisia vulgaris*, *A.campestris*, *Helianthus annuus* (Asteraceae); *Allium cepa* (Alliaceae); *Cannabis sativa* (Cannabaceae); *Cucurbita* (Cucurbitaceae); *Cyperus* (Cyperaceae); *Daucus carota*, *Foeniculum vulgare* (Apiaceae); *Gossypium* (Malvaceae); *Linum usitatissimum* (Linaceae); *Lycopersicon*, *Nicotiana*, *Solanum tuberosum* (Solanaceae); *Malus pumila*, *Prunus*, *Rosa*, *Sorbus* (Rosaceae); *Ricinus* (Euphorbiaceae); *Salvia* (Lamiaceae); *Triticum*, *Zea mays* (Poaceae) (Parenti,2000; et seq.).

- 76936. *Loxostege subcuprea* (Dognin,1906)** (Pyralidae) Synonym(s): *subcuprea* Dognin,1906
Range (in code): AR
- 76937. *Loxostege tessellalis* (Guenée,1854)** (Pyralidae) Synonym(s): *tessellalis* Guenée,1854
Original Reference: *Spilodes tessellalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 383. Syntypes: "Corse, France mer., Andalousie". Range (in code): ES Mu FR Co
- 76938. *Loxostege turbidalis* (Treitschke,1829)** (Pyralidae) Synonym(s): *turbidalis* Treitschke,1829 Range (in code): FR IT DE CH? AT PL CZ SK HU RO YU BG GR TR DK SE EE LV LT RU MD UA BY
- 76939. *Loxostege typhonalis* Barnes & McDunnough,1914** (Pyralidae) Synonym(s): *typhonalis* Barnes & McDunnough,1914 Range (in code): US Arz
- 76940. *Loxostege unicoloralis* (Barnes & McDunnough,1914)** (Pyralidae) Synonym(s): *unicoloralis* Barnes & McDunnough,1914 Range (in code): US Arz
- 76941. *Loxostege venustalis* (Cramer,[1782])** (Pyralidae) Synonym(s): *venustalis* Cramer,[1782]; *divulsalis* Zeller,1852; *testula* Hübner,[1833]; *jucundalis* Walker,1865 Range (in code): ZA Tva Gau Mgl
- 76942. *Loxostege virescalis* (Guenée,1854)** (Pyralidae) Synonym(s): *virescalis* Guenée,1854
Original Reference: *Spilodes virescalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 383-384. Syntypes ♂♀: [France]: "Valais". Range (in code): FR IT CH AT RO YU BG
- 76943. *Loxostege wagneri* Zerny,1929** (Pyralidae) Synonym(s): *wagneri* Zerny,1929 Original Reference: *Loxostege wagneri* Zerny,1929, [in] Wagner, Mitt. münch. ent. Ges. 19: 201-202. Type ♂: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir. Range (in code): TR
- 76944. *Loxostege xuthusalis* (Hampson,1906)** (Pyralidae) Synonym(s): *xuthusalis* Hampson,1906 Range (in code): CN Ti
- 76945. *Loxostege yuennanensis* (Caradja,1937)** (Pyralidae) Synonym(s): *yuennanensis* Caradja,1937 Range (in code): CN Yu
- 76946. *Loxostege ziczac* (Sauber,1899)** (Pyralidae) Synonym(s): *ziczac* Sauber,1899 Original Reference: *Eurycreon ziczac* Sauber,1899, Verh. Ver. Hamburg Unterh. 10: 58. Range (in code): CN Ui
- 76947. *Loxostege zygoosema* (Lower,1897)** (Pyralidae) Synonym(s): *zygoosema* Lower,1897 Range (in code): AU
- 76948. *Luma albifascialis* Hampson,1897** (Pyralidae) Synonym(s): *albifascialis* Hampson,1897 Range (in code): JM
- 76949. *Luma anticalis* Walker,1863** (Pyralidae) Synonym(s): *anticalis* Walker,1863 Range (in code): ID MY Bor
- 76950. *Luma flavalis* Hampson,1893** (Pyralidae) Synonym(s): *flavalis* Hampson,1893 Range (in code): LK
- 76951. *Luma flavimarginalis* Hampson,1907** (Pyralidae) Synonym(s): *flavimarginalis* Hampson,1907; *#flavimarginalia* Henning,1992 Range (in code): ZA LK
- 76952. *Luma holoxantha* Hampson,1907** (Pyralidae) Synonym(s): *holoxantha* Hampson,1907 Range (in code): ZW
- 76953. *Luma longidentalis* Hampson,1903** (Pyralidae) Synonym(s): *longidentalis* Hampson,1903 Range (in code): BT ID Kai
- 76954. *Luma macropsalis* Hampson,1897** (Pyralidae) Synonym(s): *macropsalis* Hampson,1897 Range (in code): PG Fg
- 76955. *Luma ornatalis* (Leech,1899)** (Pyralidae) Synonym(s): *ornatalis* Leech,1899 Range (in code): CN IN Ass
- 76956. *Luma trilinealis* (Walker,1865)** (Pyralidae) Synonym(s): *trilinealis* Walker,1865 Range (in code): ID Crm
- 76957. *Luma trimaculata* Hampson,1897** (Pyralidae) Synonym(s): *trimaculata* Hampson,1897 Range (in code): ID Pla
- 76958. *Luma tyranthes* Meyrick,1897** (Pyralidae) Synonym(s): *tyranthes* Meyrick,1897 Range (in code): ID Sgr
- 76959. *Lygomusotima constricta* Solis, Shen-Horn & Goolsby,2004** (Pyralidae) Synonym(s): *constricta* Solis, Shen-Horn & Goolsby,2004 Range (in code): TH SG
- 76960. *Lygomusotima stria* Solis, Shen-Horn & Goolsby,2004** (Pyralidae) Synonym(s): *stria* Solis, Shen-Horn & Goolsby,2004 Range (in code): AU Bionomy: Larva on *Lygodium microphyllum* (Schizaeaceae) (Solis, Shen-Horn & Goolsby,2004).

- 76961. *Lygropia anaemicalis* Hampson, 1912** (Pyralidae) Synonym(s): *anaemicalis* Hampson, 1912
Range (in code): ZA ZW
- 76962. *Lygropia anthracopis* Meyrick, 1934** (Pyralidae) Synonym(s): *anthracopis* Meyrick, 1934
Range (in code): ZR
- 76963. *Lygropia antithetis* Meyrick, 1937** (Pyralidae) Synonym(s): *antithetis* Meyrick, 1937 Range (in code): ZR
- 76964. *Lygropia atrinervalis* Hampson, 1910** (Pyralidae) Synonym(s): *atrinervalis* Hampson, 1910
Range (in code): ZA ZW
- 76965. *Lygropia bicincta* Hampson, 1912** (Pyralidae) Synonym(s): *bicincta* Hampson, 1912 Range (in code): SG
- 76966. *Lygropia egerialis* (Snellen, 1899)** (Pyralidae) Synonym(s): *egerialis* Snellen, 1899 Range (in code): ID Ja
- 76967. *Lygropia euryclealis* (Walker, 1859)** (Pyralidae) Synonym(s): *euryclealis* Walker, 1859; *sinonalis* Walker, 1859; *minutalis* Caradja, 1933 Range (in code): CN Kwa MY Bor Swk IN
- 76968. *Lygropia flavinotalis* Hampson, 1912** (Pyralidae) Synonym(s): *flavinotalis* Hampson, 1912
Range (in code): NG
- 76969. *Lygropia hyalostictalis* Hampson, 1912** (Pyralidae) Synonym(s): *hyalostictalis* Hampson, 1912 Range (in code): NG
- 76970. *Lygropia leucostolalis* Hampson, 1918** (Pyralidae) Synonym(s): *leucostolalis* Hampson, 1918 Range (in code): CM
- 76971. *Lygropia nigricornis* Hampson, 1898** (Pyralidae) Synonym(s): *nigricornis* Hampson, 1898
Range (in code): ZA ET
- 76972. *Lygropia nigricornis* Hampson, 1899** (Pyralidae) Synonym(s): *nigricornis* Hampson, 1899
Range (in code): ET
- 76973. *Lygropia pogonodes* Hampson, 1912** (Pyralidae) Synonym(s): *pogonodes* Hampson, 1912
Range (in code): ZA NG
- 76974. *Lygropia poltialis* (Walker, 1859)** (Pyralidae) Synonym(s): *poltialis* Walker, 1859; *yerburi* Butler, 1886 Original Reference: Botys poltialis Walker, 1859, List Spec. lepid. Ins. Colln Br. Mus. 18: 714-715. Type: Sarawak. Range (in code): PK Haz Mre IN Drm Dlh Hp SI Ass Khs Bor MY Swk
- 76975. *Lygropia straminea* Hampson, 1912** (Pyralidae) Synonym(s): *straminea* Hampson, 1912
Range (in code): ZA Tva Lpo
- 76976. *Lygropia syleptalis* Strand, 1918** (Pyralidae) Synonym(s): *syleptalis* Strand, 1918 Range (in code): TW
- 76977. *Lygropia tetraspilalis* Hampson, 1912** (Pyralidae) Synonym(s): *tetraspilalis* Hampson, 1912
Range (in code): ZA Nta Kzu Dbn
- 76978. *Lygropia unicoloralis* (Guenée, 1854)** (Pyralidae) Synonym(s): *unicoloralis* Guenée, 1854
Range (in code): BR
- 76979. *Lymphia chalybella* (Eversmann, 1844)** (Pyralidae) Synonym(s): *chalybella* Eversmann, 1844; *acraspedella* Staudinger, 1879 Range (in code): FR CZ BG RU Ur Ce TR
- 76980. *Mabokia boudinotalis* Leraut, 2013** (Pyralidae) Synonym(s): *boudinotalis* Leraut, 2013
Range (in code): CF
- 76981. *Mabokia delicatalis* Leraut, 2013** (Pyralidae) Synonym(s): *delicatalis* Leraut, 2013 Range (in code): CI
- 76982. *Mabra elaphantophila* Bänziger, 1985** (Pyralidae) Synonym(s): *elaphantophila* Bänziger, 1985 Original Reference: Mabra elaphantophila Bänziger, 1985, Mitt. schweiz. ent. Ges. 58: 28-29, figs. Holotype ♂: Thailand: Chiangmai: Chiengdao, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo CN Yu
- 76983. *Mabra eryxalis* (Walker, 1859)** (Pyralidae) Synonym(s): *eryxalis* Walker, 1859; *velatalis* Snellen, 1892; *crocobaphes* Turner, 1937 Range (in code): MM IN LK MY Bor ID Sum SG PH TW AU
- 76984. *Mabra haematophaga* Bänziger, 1985** (Pyralidae) Synonym(s): *haematophaga* Bänziger, 1985 Original Reference: Mabra haematophaga Bänziger, 1985, Mitt. schweiz. ent. Ges. 58: 27-28, figs. Holotype ♂: Thailand: Chiangmai: Chiengdao, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo Dst Dsk
- 76985. *Mabra lacriphaga* Bänziger, 1985** (Pyralidae) Synonym(s): *lacriphaga* Bänziger, 1985 Original Reference: Mabra lacriphaga Bänziger, 1985, Mitt. schweiz. ent. Ges. 58: 25-26, figs. Holotype ♂: Thailand: Chiangmai: Chiengdao, Bänziger leg. (DEFACU). Range (in code): TH CDo CMa MY Prk

- 76986. Mabra nigriscripta (Swinhoe,1895)** (Pyralidae) Synonym(s): *nigriscripta Swinhoe,1895*
Range (in code): IN Slo TW
- 76987. Macalla albifurcalis Hampson,1916** (Pyralidae) Synonym(s): *albifurcalis Hampson,1916*
Range (in code): IN MY TW
- 76988. Macalla albifusa Hampson,1896** (Pyralidae) Synonym(s): *albifusa Hampson,1896* Range (in code): IN TW
- 76989. Macalla baibarana Shibuya,1928** (Pyralidae) Synonym(s): *baibarana Shibuya,1928*
Range (in code): TW
- 76990. Macalla cupreotincta Janse,1922** (Pyralidae) Synonym(s): *cupreotincta Janse,1922*
Range (in code): ZA
- 76991. Macalla derogatella Walker,1863** (Pyralidae) Synonym(s): *derogatella Walker,1863; orbiculifer Moore,1888; nubilosa Moore,1888* Range (in code): IN PK Haz Mre Sml Dlh Hp SI Nag Bor ID
- 76992. Macalla dimidialis Snellen,1890** (Pyralidae) Synonym(s): *dimidialis Snellen,1890* Range (in code): SI IN
- 76993. Macalla exrufescens Hampson,1896** (Pyralidae) Synonym(s): *exrufescens Hampson,1896*
Range (in code): SI IN
- 76994. Macalla fasciculata Hampson,1906** (Pyralidae) Synonym(s): *fasciculata Hampson,1906*
Range (in code): ZA
- 76995. Macalla margarita (Butler,1879)** (Pyralidae) Synonym(s): *margarita Butler,1879; lativitta Moore,1888; conjuncta W.Warren,1895; rufitinctalis W.Warren,1895.* Range (in code): IN SI Ass Meg Khs NI LK MY Bor JP TW
- 76996. Macalla nubilosa (Moore,1888)** (Pyralidae) Synonym(s): *nubilosa Moore,1888* Range (in code): LK TW
- 76997. Macalla obliquilineata Shibuya,1928** (Pyralidae) Synonym(s): *obliquilineata Shibuya,1928*
Range (in code): TW
- 76998. Macalla parvula Hampson,1896** (Pyralidae) Synonym(s): *parvula Hampson,1896; soudanensis Rothschild,1921* Range (in code): SD PK Sd Krc
- 76999. Macalla scoporhyncha Hampson,1896** (Pyralidae) Synonym(s): *scoporhyncha Hampson,1896* Range (in code): SI IN
- 77000. Macalla validalis (Walker,1865)** (Pyralidae) Synonym(s): *validalis Walker,1865; minor Moore,1888; fumosalis W.Warren,1895* Range (in code): IN SI Ass Meg Khs Nag LK MY Bor TW
- 77001. Macaretaera hesperis Meyrick,1886** (Pyralidae) Synonym(s): *hesperis Meyrick,1886; delicata Swinhoe,1894; trichroma Turner,1937* Range (in code): AU
- 77002. Macna camiguina Semper,1902** (Pyralidae) Synonym(s): *camiguina Semper,1902* Range (in code): PH CmM
- 77003. Macna coelocrossa (Turner,1911)** (Pyralidae) Synonym(s): *coelocrossa Turner,1911*
Range (in code): AU
- 77004. Macna minanga Semper,1902** (Pyralidae) Synonym(s): *minanga Semper,1902* Range (in code): PH Luz
- 77005. Macna oppositalis (Walker,[1866])** (Pyralidae) Synonym(s): *oppositalis Walker,[1866]; xanthochloralis Walker,[1866]; cinnamomealis Snellen,1894* Range (in code): AU
- 77006. Macna platychoralis Walker,[1866]** (Pyralidae) Synonym(s): *platychoralis Walker,[1866]*
Range (in code): IN Adm ID Sum Ja
- 77007. Macna pomalis Walker** (Pyralidae) Synonym(s): *pomalis Walker* Range (in code):
- 77008. Macreupoca penai Munroe,1964** (Pyralidae) Synonym(s): *penai Munroe,1964* Range (in code): CL
- 77009. Macreupoca spectralis Munroe,1964** (Pyralidae) Synonym(s): *spectralis Munroe,1964*
Range (in code): CL
- 77010. Macrobela phaeophasma Turner,1939** (Pyralidae) Synonym(s): *phaeophasma Turner,1939* Range (in code): AU
- 77011. Macrochilo ambiguellus (Snellen,1890)** (Pyralidae) Synonym(s): *ambiguellus Snellen,1890; notata Swinhoe,1891* Range (in code): IN SI Ass Meg Khs
- 77012. Macrovalva quadrievata Balinsky,1994** (Pyralidae) Synonym(s): *quadrievata Balinsky,1994* Range (in code): ZW Vf
- 77013. Macrovalva quadrievata quadrievata Balinsky,1994** (Pyralidae) Synonym(s): *quadrievata Balinsky,1994* Range (in code): ZW Vf

- 77014. *Magiria imparella* Zeller, 1867** (Pyralidae) Synonym(s): *imparella* Zeller, 1867; *seminigra* Lucas, 1892 Range (in code): AU IN SI Dj Meg Ass Khs ID Sum Clb PG Bsm Ls SB
- 77015. *Magiriamorpha superpalpia* Balinsky, 1994** (Pyralidae) Synonym(s): *superpalpia* Balinsky, 1994 Range (in code): MG
- 77016. *Magiriamorpha superpalpia superpalpia* Balinsky, 1994** (Pyralidae) Synonym(s): *superpalpia* Balinsky, 1994 Range (in code): MG
- 77017. *Makrania belutschistanella* Amsel, 1959** (Pyralidae) Synonym(s): *belutschistanella* Amsel, 1959 Range (in code): IR Ss Chh Put
- 77018. *Malleria argenteofulva* Munroe, 1959** (Pyralidae) Synonym(s): *argenteofulva* Munroe, 1959 Range (in code): BR
- 77019. *Mampava bipunctella* Ragonot, 1888** (Pyralidae) Synonym(s): *bipunctella* Ragonot, 1888 Range (in code): TH ID Sum Ja Bor Swk Sbh Klt MY FJ Bionomy: Larva on flowers of *Sorghum vulgare* (Poaceae) (Robinson et al., 1994).
- 77020. *Mampava rhodoneura* (Turner, 1905)** (Pyralidae) Synonym(s): *rhodoneura* Turner, 1905 Range (in code): AU
- 77021. *Maradana claveriei* (Rougeot, 1977)** (Pyralidae) Synonym(s): *claveriei* Rougeot, 1977 Range (in code): ET
- 77022. *Maradana fuscilimbis* (Ragonot, 1887)** (Pyralidae) Synonym(s): *fuscilimbis* Ragonot, 1887 Range (in code): DZ Bsk TN Gab Sa MT
- 77023. *Maradana minimalis* (Amsel, 1949)** (Pyralidae) Synonym(s): *minimalis* Amsel, 1949 Range (in code): IQ Mos AE
- 77024. *Maradana modestalis* Leraut, 2013** (Pyralidae) Synonym(s): *modestalis* Leraut, 2013 Range (in code): CI
- 77025. *Maradana rubicundalis* (Swinhoe, 1885)** (Pyralidae) Synonym(s): *rubicundalis* Swinhoe, 1885 Range (in code): PK Sd Krc IN Poo
- 77026. *Maradana vidualis* (Chrétien, 1911)** (Pyralidae) Synonym(s): *vidualis* Chrétien, 1911; *ragusai* Turati, 1922; *chneouri* D. Lucas, 1938; *mariaeludovicae* D. Lucas, 1950; *rosinans* D. Lucas, 1951 Range (in code): TN Gf MT IT Si
- 77027. *Maradana yapoensis* Leraut, 2013** (Pyralidae) Synonym(s): *yapoensis* Leraut, 2013 Range (in code): CI
- 77028. *Marasmia euryterminalis* Hampson, 1917** (Pyralidae) Synonym(s): *euryterminalis* Hampson, 1917 Range (in code): IN TW
- 77029. *Marasmia exigua* (Butler, 1879)** (Pyralidae) Synonym(s): *exigua* Butler, 1879 Range (in code): JP TH
- 77030. *Marasmia pauperalis* Strand, 1918** (Pyralidae) Synonym(s): *pauperalis* Strand, 1918 Range (in code): TW
- 77031. *Marasmia poyealis* (Boisduval, 1833)** (Pyralidae) Synonym(s): *poyealis* Boisduval, 1833; *marisalis* Walker, 1859; *ruralis* Walker, 1859; *venialis* Walker, 1859; *cicatricosa* Lederer, 1863; *rectistrigosa* Snellen, 1872; *minutalis* Mabilie, 1880; *mimica* W. Warren, 1896; *hampsoni* Rothschild, 1921 Original Reference: *Salbia trapezalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 200. Type ♂: "Sierra-Leone". Range (in code): WS PC FJ SB PG AU MY TH IN OW ZA
- 77032. *Marasmia trapezalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *trapezalis* Guenée, 1854; *suspicalis* Walker, 1859; *creonalis* Walker, 1859; *neoclesalis* Walker, 1859; *convectalis* Walker, 1866; *bifurcalis* Snellen, 1880; *perinephes* Meyrick, 1886; *andresi* Rebel, 1912 Range (in code): WS PC FJ TO EL AU MY PK Cp IN OW NW SL ZA
- 77033. *Marasmia trebiusalis* (Walker, 1859)** (Pyralidae) Synonym(s): *trebiusalis* Walker, 1859 Range (in code): WS FJ SB MY IN OW
- 77034. *Margaretania superba* Amsel, 1961** (Pyralidae) Synonym(s): *superba* Amsel, 1961 Range (in code): IR
- 77035. *Margarochroma fuscalis* Hampson, 1907** (Pyralidae) Synonym(s): *fuscalis* Hampson, 1907 Range (in code): ID Clb
- 77036. *Margarochroma pictalis* W. Warren, 1896** (Pyralidae) Synonym(s): *pictalis* W. Warren, 1896 Range (in code): IN Ass
- 77037. *Margarosticha argyrograpta* Hampson, 1917** (Pyralidae) Synonym(s): *argyrograpta* Hampson, 1917 Range (in code): PG
- 77038. *Margarosticha australis* R. Felder & Rogenhofer, 1874** (Pyralidae) Synonym(s): *australis* R. Felder & Rogenhofer, 1874 Range (in code): AU

- 77039. *Margarosticha bimaculalis* Snellen, 1880** (Pyralidae) Synonym(s): *bimaculalis* Snellen, 1880 Range (in code): PH Mno Clb ID
- 77040. *Margarosticha euprepialis* Hampson, 1917** (Pyralidae) Synonym(s): *euprepialis* Hampson, 1917 Range (in code): AU QAU
- 77041. *Margarosticha gaudialis* Hampson, 1917** (Pyralidae) Synonym(s): *gaudialis* Hampson, 1917 Range (in code): PG Adl
- 77042. *Margarosticha leucozonalis* Hampson, 1892** (Pyralidae) Synonym(s): *leucozonalis* Hampson, 1892 Range (in code): PG Fg
- 77043. *Margarosticha nigrescens* Speidel, 2003** (Pyralidae) Synonym(s): *nigrescens* Speidel, 2003 Range (in code): PH Sam Luz Mno pal Ley
- 77044. *Margarosticha plumbealis* Kenrick, 1912** (Pyralidae) Synonym(s): *plumbealis* Kenrick, 1912 Range (in code): PG
- 77045. *Margarosticha pulcherrimalis* Lederer, 1863** (Pyralidae) Synonym(s): *pulcherrimalis* Lederer, 1863 Range (in code): ID Amb Crm
- 77046. *Margarosticha repetitalis* (W. Warren, 1896)** (Pyralidae) Synonym(s): *repetitalis* W. Warren, 1896 Range (in code): AU QAU Mlv
- 77047. *Margarosticha sphenotis* Meyrick, 1885** (Pyralidae) Synonym(s): *sphenotis* Meyrick, 1885 Range (in code): AU QAU
- 77048. *Maruca amboinalis* (R. Felder & Rogenhofer, 1874)** (Pyralidae) Synonym(s): *amboinalis* R. Felder & Rogenhofer, 1874; *#ambionalis* Hutacharern & Tubtim, 1995 Range (in code): TH IN ID Sum MY Bor TW
- 77049. *Maruca vitrata* (Fabricius, 1787)** (Pyralidae) Synonym(s): *vitrata* Fabricius, 1787; *testulalis* Geyer, [1832]; *aquatilis* Guérin-Méneville, [1832]; *bifenestralis* Mabilie, 1880; *simialalis* Snellen, 1892; *nigroapicalis* De Joannis, 1930. Original Reference: Phalaena vitrata Fabricius, 1787, *Mantissa Insectorum* 2: 215. Type: *Tranquebariae*. Range (in code): WS FJ PG TH CMa Cuo Cuo1 Cuo7 CDo CD2 Cz10 Cmz Dst Dso9 Pap Mro MY IN AU BR FR AF Srb VN Ton TW ID Sum Ja MG ZA Spb Mdk Tva Lpo Hw AE
- 77050. *Marwitzia dichocrocis* (Hampson, 1913)** (Pyralidae) Synonym(s): *dichocrocis* Hampson, 1913 Range (in code): ZA
- 77051. *Marwitzia polytidzalis* (Hampson, 1918)** (Pyralidae) Synonym(s): *polytidzalis* Hampson, 1918 Range (in code): ZA
- 77052. *Massepha absolutalis* Walker, 1859** (Pyralidae) Synonym(s): *absolutalis* Walker, 1859; *pollutalis* Snellen, 1880; *marginalis* Swinhoe, 1906 Range (in code): IN LK ID Ja Clb PH Luz TW VN Ton CN Kwa
- 77053. *Massepha ambialis* Hampson, 1903** (Pyralidae) Synonym(s): *ambialis* Hampson, 1903 Range (in code): IN Ass CN
- 77054. *Massepha bengalensis* Moore, 1877** (Pyralidae) Synonym(s): *bengalensis* Moore, 1877 Range (in code): IN Clc Ass Meg Khs
- 77055. *Massepha carbonalis* W. Warren, 1896** (Pyralidae) Synonym(s): *carbonalis* W. Warren, 1896 Range (in code): IN Meg Ass Khs
- 77056. *Massepha cuprescens* Hampson, 1912** (Pyralidae) Synonym(s): *cuprescens* Hampson, 1912 Range (in code): BR Spa
- 77057. *Massepha entephriadia* Hampson, 1898** (Pyralidae) Synonym(s): *entephriadia* Hampson, 1898 Original Reference: Massepha entephriadia Hampson, 1898, *Proc. zool. Soc. London* 1898: 616. Type: *Niger: Warri* (coll. Rothschild). Range (in code): NE
- 77058. *Massepha flavimaculata* Gaede, 1917** (Pyralidae) Synonym(s): *flavimaculata* Gaede, 1917 Range (in code):
- 77059. *Massepha fulvalis* Hampson, 1898** (Pyralidae) Synonym(s): *fulvalis* Hampson, 1898 Range (in code): BR Pran
- 77060. *Massepha gracilis* Hampson, 1898** (Pyralidae) Synonym(s): *gracilis* Hampson, 1898 Range (in code): BR EsS
- 77061. *Massepha grammalis* Guenée, 1854** (Pyralidae) Synonym(s): *grammalis* Guenée, 1854; *asiusalis* Walker, 1859; *romalis* Druce, 1896 Range (in code): GY PA CO BR Para Cq
- 77062. *Massepha grisealis* Hampson, 1912** (Pyralidae) Synonym(s): *grisealis* Hampson, 1912 Range (in code): CI
- 77063. *Massepha longipennis* Hampson, 1912** (Pyralidae) Synonym(s): *longipennis* Hampson, 1912 Range (in code): CM
- 77064. *Massepha lupa* (Druce, 1899)** (Pyralidae) Synonym(s): *lupa* Druce, 1899 Range (in code): GT PA

- 77065. *Massepha phoenicobapta* Hampson, 1898** (Pyralidae) Synonym(s): *phoenicobapta* Hampson, 1898 Original Reference: *Massepha phoenicobapta* Hampson, 1898, Proc. zool. Soc. London 1898: 615, Pl. xlix fig. 3. Type: Fergusson Is. (coll. Rothschild). Range (in code): **PG Fg**
- 77066. *Massepha rectangularis* Caradja, 1934** (Pyralidae) Synonym(s): *rectangularis* Caradja, 1934 Range (in code): **CN**
- 77067. *Massepha rufescens* Hampson, 1912** (Pyralidae) Synonym(s): *rufescens* Hampson, 1912 Range (in code): **IN**
- 77068. *Massepha syngamoides* Hampson, 1912** (Pyralidae) Synonym(s): *syngamoides* Hampson, 1912 Range (in code): **AR**
- 77069. *Massepha talboti* Caradja, 1927** (Pyralidae) Synonym(s): *talboti* Caradja, 1927 Range (in code): **CN**
- 77070. *Massepha tessmanni* Gaede, 1917** (Pyralidae) Synonym(s): *tessmanni* Gaede, 1917 Range (in code): **CM**
- 77071. *Mecistophylla agramma* (Lower, 1903)** (Pyralidae) Synonym(s): *agramma* Lower, 1903 Range (in code): **AU**
- 77072. *Mecistophylla amechanica* Turner, 1941** (Pyralidae) Synonym(s): *amechanica* Turner, 1941 Range (in code): **AU**
- 77073. *Mecistophylla asthenitis* (Turner, 1904)** (Pyralidae) Synonym(s): *asthenitis* Turner, 1904 Range (in code): **AU**
- 77074. *Mecistophylla disema* (Lower, 1905)** (Pyralidae) Synonym(s): *disema* Lower, 1905 Range (in code): **AU**
- 77075. *Mecistophylla ebenopasta* (Turner, 1904)** (Pyralidae) Synonym(s): *ebenopasta* Turner, 1904 Range (in code): **AU**
- 77076. *Mecistophylla psara* Turner, 1937** (Pyralidae) Synonym(s): *psara* Turner, 1937 Range (in code): **AU**
- 77077. *Mecistophylla spodoptera* (Lower, 1907)** (Pyralidae) Synonym(s): *spodoptera* Lower, 1907 Range (in code): **AU**
- 77078. *Mecistophylla stenopepla* (Turner, 1904)** (Pyralidae) Synonym(s): *stenopepla* Turner, 1904 Range (in code): **AU**
- 77079. *Mecyna albalis* Amsel, 1961** (Pyralidae) Synonym(s): *albalis* Amsel, 1961 Range (in code): **IR Fa Com**
- 77080. *Mecyna amasialis* (Staudinger, 1879)** (Pyralidae) Synonym(s): *amasialis* Staudinger, 1879 Original Reference: *Botys amasialis* Staudinger, 1879, Horae Soc. ent. ross. 15: 171-172. Syntypes: [Türkei]: Amasia, [Kışlacık] Kyschlatschyk, ? Caraman [Leraut (2005:30) considered it as synonym of *marcidalis* Fuchs]. Range (in code): **TR IR Elb Kdj Kdv AF Kot Pag**
- 77081. *Mecyna andalusica* (Staudinger, 1879)** (Pyralidae) Synonym(s): *andalusica* Staudinger, 1879; *tripunctalis* Oberthür, 1887; *joannisalis* Marion, 1955; *maroccanensis* Amsel, 1956 Original Reference: *Botys trinalis* var. *andalusica* Staudinger, 1879, Horae Soc. ent. ross. 15: 171. Syntypes: Andalusia. Range (in code): **MA DZ Lbs ES An Mu**
- 77082. *Mecyna asiaticalis* (Caradja, 1916)** (Pyralidae) Synonym(s): *asiaticalis* Caradja, 1916 Range (in code): **TM Kp KK Ik**
- 77083. *Mecyna asinalis* (Hübner, [1819])** (Pyralidae) Synonym(s): *asinalis* Hübner, [1819]; *characteralis* Freyer, 1848 Original Reference: *Pyralis asinalis* Hübner, [1819], Samml. eur. Schmett. 6, Pyralides: Tab. 29 fig. 185. Type(s): Europa. Range (in code): **DZ TN PT ES FR Co Sa Si IT MT IE GB DE CH YU GR Cr TR AF Kab**
- 77084. *Mecyna auralis* (Peyerimhoff, 1872)** (Pyralidae) Synonym(s): *auralis* Peyerimhoff, 1872; *bornicensis* Fuchs, 1876 Original Reference: *Botys auralis* Peyerimhoff, 1872, Petites nouv. ent. 58: 232. Lectotype: France, Alsace (MNHN Paris). Range (in code): **FR DE**
- 77085. *Mecyna babalis* Amsel, 1970** (Pyralidae) Synonym(s): *babalis* Amsel, 1970 Range (in code): **IR Kh AF Kbb BdA Pnj**
- 77086. *Mecyna bandiamiralis* Amsel, 1970** (Pyralidae) Synonym(s): *bandiamiralis* Amsel, 1970 Range (in code): **AF BdA**
- 77087. *Mecyna biternalis* (Mann, 1862)** (Pyralidae) Synonym(s): *biternalis* Mann, 1862 Original Reference: *Botys biternalis* Mann, 1862, Wien. ent. Monatschr. 6: 385, Taf. 3 fig. 7. Type: Kleinasien [Turkey]: Brussa [Bursa]. Range (in code): **BG TR**
- 77088. *Mecyna cuprinalis* (Ragonot, 1895)** (Pyralidae) Synonym(s): *cuprinalis* Ragonot, 1895 Original Reference: *Pyrausta cuprinalis* Ragonot, 1895, Annls Soc. ent. Fr. 64 (Bull.): xcvi-xcviii. Type ♀: [Hatay Prov.]: "Akbès" (Delagrange leg.). Range (in code): **TR**

- 77089. *Mecyna flavalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *flavalis* [Denis & Schiffermüller],1775; *paludalis* Rougemont,1906; *flavicularis* Caradja,1916; *cuencalis* Caradja,1916; *luteoflavalis* Mutuura,1954 Original Reference: *Pyralis flavalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **DZ Lbs Tou ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU MD UA BY IR Elb Plr Gor Mz Glc Cc GG Bjo AZ Kir Len Nv Ord**
- 77090. *Mecyna grisealis* Amsel,1961** (Pyralidae) Synonym(s): *grisealis* Amsel,1961 Range (in code): **IR Fa Shr Sse**
- 77091. *Mecyna indistinctalis* Amsel,1961** (Pyralidae) Synonym(s): *indistinctalis* Amsel,1961 Range (in code): **IR Fa Com**
- 77092. *Mecyna lutealis* (Duponchel,1833)** (Pyralidae) Synonym(s): *flavalis* De Villers,1789 nec [Denis & Schiff.],1775; *lutealis* Duponchel,1833; *citrinalis* Herrich-Schäffer,1849; *albarracinensis* Fuchs,1901; *gomagoialis* Amsel,1932 Range (in code): **MA DZ Lbs TN ES FR Si IT BE LU DE CH AT HU RO YU AL BG GR TR AM Cc Eri** Bionomy: Larva on *Rumex* (Polygonaceae), *Ranunculus* (Ranunculaceae), *Plantago* (Plantaginaceae), *Carduus*, *Centaurea*, *Cirsium*, *Tussilago* (Asteraceae) (Parenti,2000).
- 77093. *Mecyna lutealis rungsalis* Leraut,2005** (Pyralidae) Synonym(s): *rungsalis* Leraut,2005 Range (in code): **MA DZ TN**
- 77094. *Mecyna lutulentalis* (Lederer,1858)** (Pyralidae) Synonym(s): *lutulentalis* Lederer,1858 Original Reference: *Botys lutulentalis* Lederer,1858, Wien. ent. Monatschr. 2: 148, Taf.4 fig.2. Syntypes: Syria: Damask. Range (in code): **TR SY Dms IQ Hjo LB Bsa**
- 77095. *Mecyna marcidalis* (Fuchs,1879)** (Pyralidae) Synonym(s): *marcidalis* Fuchs,1879; *levilinealis* Amsel,1935; *syriacalis* Marion,1955 Original Reference: *Botys trinalis* var. *marcidalis* Fuchs,1879, Stettin ent. Ztg. 40: 45-46. Type ♂: [Iran]: Astrabad (Lederer). Range (in code): **TR LB IL Pa TM Kp IR Elb Mz Sse Com Ha Avd Fa Shr Glc Gor Cc GG Tbl AZ Nv Ord**
- 77096. *Mecyna marioni* Amsel,1957** (Pyralidae) Synonym(s): *marioni* Amsel,1957 Range (in code): **AF Adr UZ Smk**
- 77097. *Mecyna pistorialis* (Zerny,1934)** (Pyralidae) Synonym(s): *pistorialis* Zerny,1934 Original Reference: *Pyrausta pistorialis* Zerny,1934, Dt. ent. Z., Iris 48: 11-12, Taf.1 Abb.7. Syntypes ♂♀: Libanon: Bscharre (NMHW). Range (in code): **LB Bsa**
- 77098. *Mecyna pontica* (Staudinger,1879)** (Pyralidae) Synonym(s): *pontica* Staudinger,1879 Range (in code): **TR IQ Shq Ry AF Kab Bm Srb Arh**
- 77099. *Mecyna salangalis* Amsel,1970** (Pyralidae) Synonym(s): *salangalis* Amsel,1970 Range (in code): **AF Slg**
- 77100. *Mecyna sefidalis* (Amsel,1950)** (Pyralidae) Synonym(s): *sefidalis* Amsel,1950 Original Reference: *Pyrausta sefidalis* Amsel,1950, Ark. Zool. 1 (17): 248-249, figs. 42, 83. Type ♂: Iran: Sine Sefid. Range (in code): **IR Fa Sse**
- 77101. *Mecyna subsequalis* (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *subsequalis* Herrich-Schäffer,1851; *consequens* Meyrick,1932 [nom.n.] Original Reference: *Botys subsequalis* Herrich-Schäffer,1851, Syst. Bearb. Schmett. Eur. 6: 141, pl.19 fig.133. Type: Armenia. Range (in code): **BG GR Cr TR Cc GG Bjo AZ Nv Ord IR Elb Kdv Mz Dam Gor**
- 77102. *Mecyna trinalis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *trinalis* [Denis & Schiffermüller],1775; *andalusica* Staudinger,1879; *tripunctalis* Oberthür,1887; *anienalis* Hartig,1941; *joannisalis* Marion,1955; *maroccanensis* Amsel,1956 Original Reference: *Pyralis trinalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Gegend: 317. Type(s): [Austria]: Vienna district. Range (in code): **MA Rf DZ Lbs Anna Agi ES Mu FR Si IT AT CZ SK HU RO YU AL BG GR TR Cc IQ Hjo Mos IR Elb Kdv Plr Mz Gor Ha Adv UA Cc GG Bjo MN** Bionomy: Larva on *Helianthemum* (Cistaceae) (Parenti,2000).
- 77103. *Medaniaria adiacritis* (Turner,1904)** (Pyralidae) Synonym(s): *adiacritis* Turner,1904 Range (in code): **AU ID Sum**
- 77104. *Megasia (Tsaraphycis) libanoticella* Zerny,1934** (Pyralidae) Synonym(s): *libanoticella* Zerny,1934; *#libanotidella* Osthelder,1934. Original Reference: *Megasia libanoticella* Zerny,1934, Dt. ent. Z., Iris 48: 6, Taf.1 fig.6. Lectotype ♂: Libanon: Becharre, 1900m (Roesler, 1993: 68). Range (in code): **LB Bsa TR IR Elb Th Ab Fa**
- 77105. *Megasia (Tsaraphycis) mimeticella* (Staudinger,1879)** (Pyralidae) Synonym(s): *mimeticella* Staudinger,1879; *tolli* Amsel,1953. Original Reference: *Ancylosis* ? *mimeticella* Staudinger,1879, Horae Soc. ent. ross. 15: 220-221. Syntypes 4♂: [Türkei]: Amasia: Caraman,

- coll. Ragonot (MNHNP). Range (in code): **DZ ES FR HU BG TR Cc SA IR Mz Th Elb KK Na CN Ui Ku**
Bionomy: Larva on *Medicago falcata* (Fabaceae) (Roesler,1993).
- 77106. Megasis (Tsaraphycis) mimeticella maritimella Caradja,1910** (Pyralidae)
Synonym(s): *maritimella* Caradja,1910 Original Reference: *Megasis maritimella* Caradja,1910, Dt. ent. Z., Iris 24: 133, t.14 fig.16. Lectotype ♂: Frankreich: Digne (designated by Roesler,1973, *Microlep. palaearkt.* 4: 71) (MGAB). Range (in code): **DZ ES FR HU BG**
- 77107. Megasis (Tsaraphycis) mimeticella mimeticella (Staudinger,1879)** (Pyralidae)
Synonym(s): *mimeticella* Staudinger,1879; *tolli* Amsel,1953. Original Reference: *Ancylosis ? mimeticella* Staudinger,1879, *Horae Soc. ent. ross.* 15: 220-221. Syntypes 4♂: [Türkei]: Amasia: Caraman, coll. Ragonot (MNHNP). Range (in code): **TR Cc SA IR Mz Th Elb KK Na CN Ui Ku**
- 77108. Megasis (Tsaraphycis) philippella (Viette,1970)** (Pyralidae) Synonym(s): *philippella* Viette,1970 Range (in code): **MG**
- 77109. Megasis (Tsaraphycis) safedella (Amsel,1970)** (Pyralidae) Synonym(s): *safedella* Amsel,1970 Range (in code): **AF Sfk**
- 77110. Megasis (s.str.) alpherakii Ragonot,1887** (Pyralidae) Synonym(s): *alpherakii* Ragonot,1887 Original Reference: *Megasis alpherakii* Ragonot,1887, *Annls Soc. ent. Fr.* (6) 7: 240. Lectotype ♂: [China: Uighur A.R.]: Kouldja (designated by Roesler,1993, *Microlep. palaearkt.* 8: 67) (MNHNP). Range (in code): **AF KK T-S Na Ik CN Ui Ku Ju**
- 77111. Megasis (s.str.) hyrcanella Ragonot,1893** (Pyralidae) Synonym(s): *hyrcanella* Ragonot,1893 Original Reference: *Megasis hyrcanella* Ragonot,1893, [in] Romanoff, *Mém. lépid.* 7: 545, t.20 fig.12. Lectotype ♂: NO-Iran: Hyrcania (designated by Roesler,1993, *Microlep. palaearkt.* 8: 67) (MNHNP). Range (in code): **IR Elb Th Mz**
- 77112. Megasis (s.str.) lesurella Lucas,1932** (Pyralidae) Synonym(s): *lesurella* Lucas,1932; *bourgognella* Lucas,1942 Range (in code): **MA**
- 77113. Megasis (s.str.) ragonoti Leraut,2003** (Pyralidae) Synonym(s): *ragonoti* Leraut,2003 Range (in code): **RU At**
- 77114. Megasis (s.str.) rippertella (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839 Original Reference: *Anerastia rippertella* Zeller,1839, *Isis* 1839: 177. Type ♂: Schweiz (BMNH). Range (in code): **ES FR Si IT CH AT RO YU B-H MK BG GR TR Cc AM JO IR Elb Shh KK Ik Na T-S RU Ur Sb MD UA BY** Bionomy: Larva on *Onobrychis saxatilis* (Fabaceae) (Roesler,1993).
- 77115. Megasis (s.str.) rippertella rippertella (Zeller,1839)** (Pyralidae) Synonym(s): *rippertella* Zeller,1839 Original Reference: *Anerastia rippertella* Zeller,1839, *Isis* 1839: 177. Type ♂: Schweiz (BMNH). Range (in code): **ES FR Si IT CH AT RO YU B-H MK BG GR Cc TR AM JO IR Elb Shh KK Ik Na T-S RU Ur Sb MD UA BY**
- 77116. Megasis kocaki Akın** (Pyralidae) Synonym(s): **TR**
- 77117. Melanalis flavalis (Hampson,1917)** (Pyralidae) Synonym(s): *flavalis* Hampson,1917 Range (in code): **TW**
- 77118. Melanalis perfusca Hampson,1906** (Pyralidae) Synonym(s): *perfusca* Hampson,1906 Range (in code): **ZA**
- 77119. Melanastia bicolor Hampson,1930** (Pyralidae) Synonym(s): *bicolor* Hampson,1930 Range (in code): **ZA**
- 77120. Melathrix melanochreella (Ragonot,1887)** (Pyralidae) Synonym(s): *melanochreella* Ragonot,1887 Range (in code): **UZ Fe**
- 77121. Melathrix praetextella (Christoph,1877)** (Pyralidae) Synonym(s): *praetextella* Christoph,1877 Range (in code): **TM Krn Kp IL Pa IR Ss UZ PK Pj Krc Sd IN Up Alh Bba MM Rgo**
- 77122. Melitara dentata (Grote,1876)** (Pyralidae) Synonym(s): *dentata* Grote,1876; *doddalis* Dyar,1925; *bollii* sensu Dodd,1927 Range (in code): **AU**
- 77123. Melitara prodenialis Walker,1863** (Pyralidae) Synonym(s): *prodenialis* Walker,1863; *bolii* Zeller,1872 Range (in code): **AU**
- 77124. Merangiria sieburgi Roesler & Küppers,1979** (Pyralidae) Synonym(s): *sieburgi* Roesler & Küppers,1979 Range (in code): **ID Sum**
- 77125. Meridiophila fascialis (Hübner,1796)** (Pyralidae) Synonym(s): *fascialis* Hübner,1796 Range (in code): **ES FR IT CH? AT SK HU RO YU**
- 77126. Meroctena staintonii Lederer,1863** (Pyralidae) Synonym(s): *staintonii* Lederer,1863; *sirioxantha* Meyrick,1886 Range (in code): **PH CmM Pal Nia Ja Clb Amb Aru ID PG AU**
- 77127. Meroctena tullalis Walker,1859** (Pyralidae) Synonym(s): *tullalis* Walker,1859 Range (in code): **IN MY TH**

- 77128. *Merodictya marmorata* (Lucas,1892)** (Pyalidae) **Synonym(s):** *marmorata* Lucas,1892; *subtessellalis* W.Warren,1896 **Range (in code):** **AU**
- 77129. *Merotoma dairalis* (Walker,1859)** (Pyalidae) **Synonym(s):** *dairalis* Walker,1859 **Range (in code):** **PH Luz ID Bor Clb**
- 77130. *Merulempista brucella* (Staudinger,1879)** (Pyalidae) **Synonym(s):** *brucella* Staudinger,1879 **Original Reference:** *Pempelia brucella* Staudinger,1879, Horae Soc. ent. ross. 15: 195. Syntypes: [Türkei]: Brussa (Mann); Amasia (Johann). **Range (in code):** **TR**
- 77131. *Merulempista cingillella* (Zeller,1846)** (Pyalidae) **Synonym(s):** *cingillella* Zeller,1846; *myricariella* Millière,1864; *azrounella* D.Lucas,1933; *hartigi* Roesler,1967 **Original Reference:** *Pempelia cingillella* Zeller,1846, Isis 1846: 779. Type: Hungary. **Range (in code):** **MA Azr ES FR Si IT DE CH AT SK YU HV B-H AL IL Jt Pa Hf TR RU Cc GG Lag IR Ss Irs UA AF Hr CN Ui**
- 77132. *Merulempista cyclogramma* (Hampson,1896)** (Pyalidae) **Synonym(s):** *cyclogramma* Hampson,1896 **Range (in code):** **LK CN ID Sum IN**
- 77133. *Merulempista digitata* Li & Ren,2011** (Pyalidae) **Synonym(s):** *digitata* Li & Ren,2011 **Range (in code):** **CN Gn Ui**
- 77134. *Merulempista jucundella* (Chrétien,1911)** (Pyalidae) **Synonym(s):** *jucundella* Chrétien,1911 **Range (in code):** **DZ Bsk**
- 77135. *Merulempista ragonoti* (Rothschild,1913)** (Pyalidae) **Synonym(s):** *ragonoti* Rothschild,1913; *azrouella* D.Lucas,1933; *juanella* Leraut,2002 **Original Reference:** *Salebria ragonoti* Rothschild,1913, Novit. zool. 20: 136. Type ♀: [Algeria]: "El-Golea". **Range (in code):** **DZ Gle MA Azr FR PT**
- 77136. *Merulempista rubriptera* Li & Ren,2011** (Pyalidae) **Synonym(s):** *rubriptera* Li & Ren,2011 **Range (in code):** **CN**
- 77137. *Merulempista saharae* Leraut,2002** (Pyalidae) **Synonym(s):** *saharae* Leraut,2002 **Range (in code):** **MA**
- 77138. *Merulempista wolschrijni* Asselbergs,1997** (Pyalidae) **Synonym(s):** *wolschrijni* Asselbergs,1997 **Range (in code):** **NL**
- 77139. *Mesciniadia aenicta* (Turner,1913)** (Pyalidae) **Synonym(s):** *aenicta* Turner,1913 **Range (in code):** **AU**
- 77140. *Mesciniadia infractalis* (Walker,1864)** (Pyalidae) **Synonym(s):** *infractalis* Walker,1864 **Range (in code):** **AU**
- 77141. *Mesciniadia otoptila* (Turner,1913)** (Pyalidae) **Synonym(s):** *otoptila* Turner,1913 **Range (in code):** **AU**
- 77142. *Mesocrambus canariensis* Ganey,1987** (Pyalidae) **Synonym(s):** *canariensis* Ganey,1987 **Range (in code):** **Cn**
- 77143. *Mesocrambus candidellus* (Herrich-Schäffer,[1848])** (Pyalidae) **Synonym(s):** *candidellus* Herrich-Schäffer,[1848]; *#candiellus* Bleszynski,1965. **Original Reference:** *Crambus candidellus* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4: 56; [1850], ibid. 5: Taf.26 fig.181. Type ♀: Kreta. **Range (in code):** **DZ Clo PT ES Si IT HU RO YU AL BG GR Cr TR RU Sr KG Uk SY**
- 77144. *Mesocrambus tamsi* Bleszynski,1960** (Pyalidae) **Synonym(s):** *tamsi* Bleszynski,1960 **Range (in code):** **MA DZ Sa SY**
- 77145. *Mesodiphlebia rhodesiana* Janse,1922** (Pyalidae) **Synonym(s):** *rhodesiana* Janse,1922 **Range (in code):** **ZW**
- 77146. *Mesolia albimaculalis* Hampson,1919** (Pyalidae) **Synonym(s):** *albimaculalis* Hampson,1919 **Range (in code):** **NG**
- 77147. *Mesolia baboquivariella* (Kearfott,1907)** (Pyalidae) **Synonym(s):** *baboquivariella* Kearfott,1907 **Range (in code):** **US Arz**
- 77148. *Mesolia bipunctella* Wileman & South,1918** (Pyalidae) **Synonym(s):** *bipunctella* Wileman & South,1918; *erotica* Strand,1918 **Range (in code):** **TW**
- 77149. *Mesolia diaperalis* Hampson,1919** (Pyalidae) **Synonym(s):** *diaperalis* Hampson,1919 **Range (in code):** **MX**
- 77150. *Mesolia huachucaella* Kearfott,1908** (Pyalidae) **Synonym(s):** *huachucaella* Kearfott,1908 **Range (in code):** **US Arz**
- 77151. *Mesolia incertella* (Zincken,1821)** (Pyalidae) **Synonym(s):** *incertella* Zincken,1821; *olivella* Grote,1882 **Range (in code):** **US Fl Ilm**
- 77152. *Mesolia jamaicensis* Hampson,1919** (Pyalidae) **Synonym(s):** *jamaicensis* Hampson,1919 **Range (in code):** **JM**

77153. **Mesolia margistrigella** Hampson,1899 (Pyralidae) Synonym(s): *margistrigella* Hampson,1899 Range (in code): LK
77154. **Mesolia microdotalis** (Hampson,1919) (Pyralidae) Synonym(s): *microdotalis* Hampson,1919 Range (in code): SL GH NG
77155. **Mesolia monodella** Marion,1957 (Pyralidae) Synonym(s): *monodella* Marion,1957 Range (in code):
77156. **Mesolia oraculella** Kearfott,1908 (Pyralidae) Synonym(s): *oraculella* Kearfott,1908 Range (in code): US Arz
77157. **Mesolia pandavella** Ragonot,1888 (Pyralidae) Synonym(s): *pandavella* Ragonot,1888 Range (in code): IN Drm Hp PK Pj Lh LK
77158. **Mesolia pelopa** (Turner,1947) (Pyralidae) Synonym(s): *pelopa* Turner,1947 Range (in code): AU
77159. **Mesolia plurimella** (Walker,1863) (Pyralidae) Synonym(s): *plurimella* Walker,1863 Range (in code): JM
77160. **Mesolia presidialis** Hampson,1919 (Pyralidae) Synonym(s): *presidialis* Hampson,1919 Range (in code): MX
77161. **Mesolia rectilineella** Hampson,1899 (Pyralidae) Synonym(s): *rectilineella* Hampson,1899 Range (in code): IN Pj
77162. **Mesolia scythrastis** (Turner,1904) (Pyralidae) Synonym(s): *scythrastis* Turner,1904 Range (in code): AU
77163. **Mesolia tenebrella** Hampson,1896 (Pyralidae) Synonym(s): *tenebrella* Hampson,1896 Range (in code): CN
77164. **Mesolia uniformella** Janse,1922 (Pyralidae) Synonym(s): *uniformella* Janse,1922 Range (in code): ZA
77165. **Mesolia uniformella uniformella** Janse,1922 (Pyralidae) Synonym(s): *uniformella* Janse,1922 Range (in code): ZA
77166. **Mestolobes abnormis** (Butler,1882) (Pyralidae) Synonym(s): *abnormis* Butler,1882; *aenone* Butler,1882 Range (in code): Hw
77167. **Mestolobes acleropa** Meyrick,1935 (Pyralidae) Synonym(s): *acleropa* Meyrick,1935 Range (in code): PF Ms
77168. **Mestolobes amethystias** Meyrick,1899 (Pyralidae) Synonym(s): *amethystias* Meyrick,1899 Range (in code): Hw
77169. **Mestolobes antichora** Meyrick,1901 (Pyralidae) Synonym(s): *antichora* Meyrick,1901 Range (in code): Hw
77170. **Mestolobes aphrias** Meyrick,1899 (Pyralidae) Synonym(s): *aphrias* Meyrick,1899 Range (in code): Hw
77171. **Mestolobes arctura** Meyrick,1899 (Pyralidae) Synonym(s): *arctura* Meyrick,1899 Range (in code): Hw
77172. **Mestolobes autodoxa** Meyrick,1899 (Pyralidae) Synonym(s): *autodoxa* Meyrick,1899 Range (in code): Hw
77173. **Mestolobes banausa** Meyrick,1899 (Pyralidae) Synonym(s): *banausa* Meyrick,1899 Range (in code): Hw
77174. **Mestolobes chimonias** Meyrick,1899 (Pyralidae) Synonym(s): *chimonias* Meyrick,1899 Range (in code): Hw
77175. **Mestolobes chlorolychna** Meyrick,1899 (Pyralidae) Synonym(s): *chlorolychna* Meyrick,1899 Range (in code): Hw
77176. **Mestolobes chrysomolybda** Meyrick,1899 (Pyralidae) Synonym(s): *chrysomolybda* Meyrick,1899; *crypsichrysa* Meyrick,1899 Range (in code): Hw
77177. **Mestolobes chrysomolybdoides** Swezey,1920 (Pyralidae) Synonym(s): *chrysomolybdoides* Swezey,1920 Range (in code): Hw
77178. **Mestolobes droseropa** Meyrick,1899 (Pyralidae) Synonym(s): *droseropa* Meyrick,1899 Range (in code): Hw
77179. **Mestolobes epidelta** Meyrick,1899 (Pyralidae) Synonym(s): *epidelta* Meyrick,1899 Range (in code): Hw
77180. **Mestolobes erinnys** Meyrick,1899 (Pyralidae) Synonym(s): *erinnys* Meyrick,1899; *#erynnis* Klima,1937 Range (in code): Hw

- 77181. *Mestolobes eurylyca* Meyrick,1899** (Pyralidae) Synonym(s): *eurylyca* Meyrick,1899
Range (in code): **Hw**
- 77182. *Mestolobes homalopa* Meyrick,1899** (Pyralidae) Synonym(s): *homalopa* Meyrick,1899
Range (in code): **Hw**
- 77183. *Mestolobes iochrysa* Meyrick,1899** (Pyralidae) Synonym(s): *iochrysa* Meyrick,1899
Range (in code): **Hw**
- 77184. *Mestolobes isoterma* Meyrick,1935** (Pyralidae) Synonym(s): *isoterma* Meyrick,1935
Range (in code): **PF Ms**
- 77185. *Mestolobes mesacma* Meyrick,1899** (Pyralidae) Synonym(s): *mesacma* Meyrick,1899
Range (in code): **Hw**
- 77186. *Mestolobes minuscula* (Butler,1881)** (Pyralidae) Synonym(s): *minuscula* Butler,1881;
simaethina Butler,1882 Range (in code): **Hw**
- 77187. *Mestolobes ochrias* Meyrick,1899** (Pyralidae) Synonym(s): *ochrias* Meyrick,1899 Range
(in code): **Hw**
- 77188. *Mestolobes ombrias* Meyrick,1899** (Pyralidae) Synonym(s): *ombrias* Meyrick,1899
Range (in code): **Hw**
- 77189. *Mestolobes orthrias* Meyrick,1899** (Pyralidae) Synonym(s): *orthrias* Meyrick,1899
Range (in code): **Hw**
- 77190. *Mestolobes perixantha* Meyrick,1899** (Pyralidae) Synonym(s): *perixantha* Meyrick,1899
Range (in code): **Hw**
- 77191. *Mestolobes pessias* Meyrick,1899** (Pyralidae) Synonym(s): *pessias* Meyrick,1899 Range
(in code): **Hw**
- 77192. *Mestolobes pragmatica* Meyrick,1899** (Pyralidae) Synonym(s): *pragmatica* Meyrick,1899
Range (in code): **Hw**
- 77193. *Mestolobes procellaris* Meyrick,1935** (Pyralidae) Synonym(s): *procellaris* Meyrick,1935
Range (in code): **PF Ms**
- 77194. *Mestolobes pyropa* (Meyrick,1899)** (Pyralidae) Synonym(s): *pyropa* Meyrick,1899
Range (in code): **Hw**
- 77195. *Mestolobes quadrifascia* (Swezey,1934)** (Pyralidae) Synonym(s): *quadrifascia*
Swezey,1934 Range (in code): **Hw**
- 77196. *Mestolobes quadrifasciata* Swezey,1920** (Pyralidae) Synonym(s): *quadrifasciata*
Swezey,1920 Range (in code): **Hw**
- 77197. *Mestolobes scleropis* Meyrick,1899** (Pyralidae) Synonym(s): *scleropis* Meyrick,1899
Range (in code): **Hw**
- 77198. *Mestolobes semiochrea* Butler,1882** (Pyralidae) Synonym(s): *semiochrea* Butler,1882
Range (in code): **Hw**
- 77199. *Mestolobes sicaria* Meyrick,1904** (Pyralidae) Synonym(s): *sicaria* Meyrick,1904 Range
(in code): **Hw**
- 77200. *Mestolobes sirina* Meyrick,1899** (Pyralidae) Synonym(s): *sirina* Meyrick,1899 Range (in
code): **Hw**
- 77201. *Mestolobes xanthoscia* Meyrick,1899** (Pyralidae) Synonym(s): *xanthoscia* Meyrick,1899
Range (in code): **Hw**
- 77202. *Metaclysta tetrommata* Hampson,1906** (Pyralidae) Synonym(s): *tetrommata*
Hampson,1906 Range (in code): **PG Ls**
- 77203. *Metacrambus carectellus* (Zeller,1847)** (Pyralidae) Synonym(s): *carectellus* Zeller,1847;
lugdunellus Millière,1868; *truncatellus* Caradja,1916. Original Reference: *Crambus carectellus*
Zeller,1847, Isis 1847: 751. Lectotype ♂: Sizilien (Bleszynski,1965: 331). Range (in code): **DZ Anna**
PT ES FR Co Sa Si IT MT SK HU RO YU AL BG GR Cr RU Sr Cm TR LB Bei IL Pa Hf SY IR Gh Tgo UZ Br
Cc AZ Len KG Tk Dj
- 77204. *Metacrambus jugaraicae* Bleszynski,1965** (Pyralidae) Synonym(s): *jugaraicae*
Bleszynski,1965 Range (in code): **KG Uk Ind IR Fa Shr TM K-K AF Hk**
- 77205. *Metacrambus kurdistanellus* (Amsel,1959)** (Pyralidae) Synonym(s): *kurdistanellus*
Amsel,1959 Original Reference: *Mesocrambus kurdistanellus* Amsel,1959, Bull. Soc. ent. Egypte
43: 43, Taf.9 fig. 2 Taf.1 fig.4 (male genitalia). Holotype ♂: Irak: Haj Omran, 1760m, 25.7.1954
(LNK). Range (in code): **IQ Hjo Shq IR**
- 77206. *Metacrambus kurdistanellus kurdistanellus* (Amsel,1959)** (Pyralidae)
Synonym(s): *kurdistanellus* Amsel,1959 Original Reference: *Mesocrambus kurdistanellus*

- Amsel,1959, Bull. Soc. ent. Egypte 43: 43, Taf.9 fig. 2 Taf.1 fig.4 (male genitalia). Holotype ♂: Irak: Haj Omran, 1760m, 25.7.1954 (LNK). Range (in code): IQ Hjo Shq IR
- 77207. Metacrambus marabut Bleszynski,1965** (Pyralidae) Synonym(s): *marabut Bleszynski,1965* Range (in code): MA DZ ES Sa
- 77208. Metacrambus pallidellus (Duponchel,1836)** (Pyralidae) Synonym(s): *pallidellus Duponchel,1836; grammiculellus Lucas,1849; catalauniellus Herrich-Schäffer,[1852]; oxybiellus Millière,1872; cuencalis Hampson,1900.* Range (in code): DZ Bsk Anna Hmk MA TN Tun LY Cy PT ES Mu FR Co Sa Si IT TM Kp
- 77209. Metacrambus salahinellus (Chrétien,1917)** (Pyralidae) Synonym(s): *salahinellus Chrétien,1917; ? nitens Turati,1930; mendizabali Agenjo,1952* Original Reference: Crambus pallidellus var. salahinellus Chrétien,1917, Annls Soc. ent. Fr. 85: 412. Syntypes: Algérie, Hammam-es-Salahin, nr. Biskra. Range (in code): DZ Hes Bsk MA LY Cy ES An Alm Sa
- 77210. Metacrateria perirrorella Hampson,1918** (Pyralidae) Synonym(s): *perirrorella Hampson,1918* Range (in code): ZA
- 77211. Metaeuchromius ayhanana sp n** (Pyralidae) Synonym(s): **TR**
- 77212. Metaeuchromius circe Bleszynski,1965** (Pyralidae) Synonym(s): *circe Bleszynski,1965* Range (in code): CN Sz
- 77213. Metaeuchromius latus (Staudinger,1870)** (Pyralidae) Synonym(s): *lata Staudinger,1870* Original Reference: Eromene lata Staudinger,1870, Horae Soc. ent. ross. 7: 204-205, Taf.ii fig.17. Type ♀: Griechenland, Karpinisi bei Veluchi (leg. Krüper). Range (in code): GR
- 77214. Metaeuchromius yuennanensis (Caradja,1937)** (Pyralidae) Synonym(s): *yuennanensis Caradja,1937* Range (in code): CN Yu Sz
- 77215. Metaeuchromius yuennanensis yuennanensis (Caradja,1937)** (Pyralidae) Synonym(s): *yuennanensis Caradja,1937* Range (in code): CN Yu Sz
- 77216. Metaeuchromius yusufeliensis Nuss & Speidel,1999** (Pyralidae) Synonym(s): *yusufeliensis Nuss & Speidel,1999* Original Reference: Metaeuchromius yusufeliensis Nuss & Speidel,1999, Nota lepid. 22 (2): 155-159. Holotype ♂: Turkey: Artvin Prov.: Yusufeli (ZMHB, SMTD, SMNS). Range (in code): Cc TR
- 77217. Metallarcha achoeusalis (Walker,1859)** (Pyralidae) Synonym(s): *achoeusalis Walker,1859* Range (in code): AU
- 77218. Metallarcha aureodiscalis (Hampson,1918)** (Pyralidae) Synonym(s): *aureodiscalis Hampson,1918; umbrifera Turner,1937* Range (in code): AU
- 77219. Metallarcha beatalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *beatalis R.Felder & Rogenhofer,1875; goudii Lower,1902; thiorcia Lower,1918; clethodes Lower,1918* Range (in code): AU
- 77220. Metallarcha calliaspis Meyrick,1884** (Pyralidae) Synonym(s): *calliaspis Meyrick,1884* Range (in code): AU
- 77221. Metallarcha chrysitis Turner,1941** (Pyralidae) Synonym(s): *chrysitis Turner,1941* Range (in code): AU
- 77222. Metallarcha crocanthes Lower,1896** (Pyralidae) Synonym(s): *crocanthes Lower,1896; chrysalis Hampson,1913* Range (in code): AU
- 77223. Metallarcha diplochrysa Meyrick,1884** (Pyralidae) Synonym(s): *diplochrysa Meyrick,1884* Range (in code): AU
- 77224. Metallarcha epichrysa Meyrick,1884** (Pyralidae) Synonym(s): *epichrysa Meyrick,1884* Range (in code): AU
- 77225. Metallarcha erromena (Turner,1908)** (Pyralidae) Synonym(s): *erromena Turner,1908* Range (in code): AU
- 77226. Metallarcha eurychrysa Meyrick,1884** (Pyralidae) Synonym(s): *eurychrysa Meyrick,1884* Range (in code): AU
- 77227. Metallarcha leucodetis Lower,1899** (Pyralidae) Synonym(s): *leucodetis Lower,1899* Range (in code): AU
- 77228. Metallarcha phaenolis Turner,1913** (Pyralidae) Synonym(s): *phaenolis Turner,1913* Range (in code): AU
- 77229. Metallarcha pseliota Meyrick,1887** (Pyralidae) Synonym(s): *pseliota Meyrick,1887* Range (in code): AU
- 77230. Metallarcha tetraplaca Meyrick,1887** (Pyralidae) Synonym(s): *tetraplaca Meyrick,1887; grammetalla Lower,1915* Range (in code): AU

- 77231. Metallarcha thiophara Turner,1917** (Pyralidae) Synonym(s): *thiophara* Turner,1917
Range (in code): **AU**
- 77232. Metallarcha zygozema Lower,1897** (Pyralidae) Synonym(s): *zygozema* Lower,1897
Range (in code): **AU**
- 77233. Metallosticha aignerii (Amsel,1935)** (Pyralidae) Synonym(s): *aignerii* Amsel,1935 Range (in code): **IL Pa**
- 77234. Metallosticha argyrogrammos (Zeller,1847)** (Pyralidae) Synonym(s): *argyrogrammos* Zeller,1847 Original Reference: Myelois argyrogrammos Zeller,1847, Isis 1847: 29-30. Type ♂: [Turkey]: Makri [=Fethiye]. Range (in code): **Si IT RO HV MK Och BG GR TR LB Bsa Bei SY Dms IL Hf Pa IR Fa Shr**
- 77235. Metallosticha pamphaes (Turner,1904)** (Pyralidae) Synonym(s): *pamphaes* Turner,1904; *metallica* Lower,1905; *callilampetes* Turner,1946 Range (in code): **AU**
- 77236. Metallostichodes bicolorella (Heinemann,1864)** (Pyralidae) Synonym(s): *bicolorella* Heinemann,1864 Range (in code): **FR TR**
- 77237. Metallostichodes nigrocyanella (Constant,1865)** (Pyralidae) Synonym(s): *nigrocyanella* Constant,1865; *chalcocyanella* Staudinger & Wocke,1871. Original Reference: Myelois nigrocyanella Constant,1865, Annls Soc. ent. Fr. 1865: 190, pl.7 fig.2. Neotype ♂: Frankreich: Landes (designated by Roesler,1973, Microlepid. palaearkt. 4: 130) (MNHNP). Range (in code): **MA DZ Cst LY PT ES An FR Co Sa Si IT MT YU GR Cr TR CY IL Pa Hf LB EG**
- 77238. Metallostichodes nigrocyanella nigrocyanella (Constant,1865)** (Pyralidae) Synonym(s): *nigrocyanella* Constant,1865; *chalcocyanella* Staudinger & Wocke,1871. Original Reference: Myelois nigrocyanella Constant,1865, Annls Soc. ent. Fr. 1865: 190, pl.7 fig.2. Neotype ♂: Frankreich: Landes (designated by Roesler,1973, Microlepid. palaearkt. 4: 130) (MNHNP). Range (in code): **MA DZ Cst LY PT ES An FR Co Sa Si IT MT YU GR TR CY IL Pa LB EG**
- 77239. Metallostichodes nigrocyanella reisserella Roesler,1969** (Pyralidae) Synonym(s): *reisserella* Roesler,1969 Original Reference: Metallostichodes nigrocyanella ssp. reisserella Roesler,1969, Ent. Z., Frankf. a. M. 79: 154. Holotype ♂: Kreta: Nevs Amari (coll. Roesler). Range (in code): **Cr**
- 77240. Metallostichodes vinaceella (Ragonot,1895)** (Pyralidae) Synonym(s): *vinaceella* Ragonot,1895 ; *#vinacellum* Rebel,1939 Original Reference: Hyphantidium vinacellum Ragonot,1895, Bull. Soc. ent. Fr. 1895: 101. Type: [Turquie]: [Hatay Prov.]: Alexandrette [=Iskenderun] (MNHNP). Range (in code): **TR LB CY**
- 77241. Metasia (Clasperia) cuencalis Ragonot,1894** (Pyralidae) Synonym(s): *cuencalis* Ragonot,1894 Original Reference: Metasia cuencalis Ragonot,1894, Annls Soc. ent. Fr. 1894: 171-172. Syntypes 4♂: Spain: Castille: Cuenca (Korb leg.). Range (in code): **PT ES Mu Cue FR**
- 77242. Metasia (Clasperia) cyrnealis Schawerda,1926** (Pyralidae) Synonym(s): *cyrnealis* Schawerda,1926 Range (in code): **Co Sa**
- 77243. Metasia (Clasperia) ophialis (Treitschke,1829)** (Pyralidae) Synonym(s): *ophialis* Treitschke,1829; *parvalis* Caradja,1917. Original Reference: Botys ophialis Treitschke,1829, Schmett. Eur. 7: 90. Type(s): Ungarn. Range (in code): **PT ES FR Co Si IT CH AT CZ SK HU RO YU AL BG GR Cr TR CY**
- 77244. Metasia (s.str.) acharis Meyrick,1889** (Pyralidae) Synonym(s): *acharis* Meyrick,1889
Range (in code): **AU**
- 77245. Metasia (s.str.) achroa (Lower,1903)** (Pyralidae) Synonym(s): *achroa* Lower,1903
Range (in code): **AU**
- 77246. Metasia (s.str.) albicostalis Hampson,1900** (Pyralidae) Synonym(s): *albicostalis* Hampson,1900 Range (in code): **TR CY LB Bsa Bei**
- 77247. Metasia (s.str.) alvandalis Amsel,1961** (Pyralidae) Synonym(s): *alvandalis* Amsel,1961 Original Reference: Metasia alvandalis Amsel,1961, Ark. zool. 13 (17): 415, Abb. 119. Monotype ♂: Iran: Hamadan: Alvand Mt. 7500ft. Range (in code): **IR Ha Avd TR**
- 77248. Metasia (s.str.) aphrarcha (Meyrick,1887)** (Pyralidae) Synonym(s): *aphrarcha* Meyrick,1887 Range (in code): **AU**
- 77249. Metasia (s.str.) arida Hampson,1913** (Pyralidae) Synonym(s): *arida* Hampson,1913
Range (in code): **ZA**
- 77250. Metasia (s.str.) asymmetrica Amsel,1970** (Pyralidae) Synonym(s): *asymmetrica* Amsel,1970 Range (in code): **AF Srb**

- 77251. *Metasia* (s.str.) *ateloxantha* (Meyrick,1887) (Pyralidae) Synonym(s):** *ateloxantha* Meyrick,1887 Range (in code): AU
- 77252. *Metasia* (s.str.) *belutschistanalis* Amsel,1961 (Pyralidae) Synonym(s):** *belutschistanalis* Amsel,1961 Range (in code): IR Ss
- 77253. *Metasia* (s.str.) *capnochroa* (Meyrick,1884) (Pyralidae) Synonym(s):** *capnochroa* Meyrick,1884 Range (in code): AU
- 77254. *Metasia* (s.str.) *carnealis* (Treitschke,1829) (Pyralidae) Synonym(s):** *carnealis* Treitschke,1829 Original Reference: Botys carnealis Treitschke,1829, Schmett. Eur. 7: 91. Type(s): [Kroatien]: Dalmatien. Range (in code): ES FR Co Si IT AT RO YU AL BG GR Cr TR
- 77255. *Metasia* (s.str.) *celanophaes* (Turner,1913) (Pyralidae) Synonym(s):** *celanophaes* Turner,1913 Range (in code): AU
- 77256. *Metasia* (s.str.) *comealis* Amsel,1961 (Pyralidae) Synonym(s):** *comealis* Amsel,1961 Range (in code): IR Fa
- 77257. *Metasia* (s.str.) *coniotalis* Hampson,1903 (Pyralidae) Synonym(s):** *coniotalis* Hampson,1903 Range (in code): CN JP TW
- 77258. *Metasia* (s.str.) *continualis* Amsel,1961 (Pyralidae) Synonym(s):** *continualis* Amsel,1961 Original Reference: *Metasia* continualis Amsel,1961, Ark. zool. 13 (17): 415-416, Abb. 117, Taf.v fig.220. Holotype ♂: Irak: Kerbela-Wüste (westl. der Stadt Kerbela). Range (in code): IQ Kbl IR Fa
- 77259. *Metasia* (s.str.) *corsicalis* (Duponchel,1833) (Pyralidae) Synonym(s):** *corsicalis* Duponchel,1833 Range (in code): ES FR Co Sa Si IT MT YU
- 77260. *Metasia* (s.str.) *delotypa* (Turner,1913) (Pyralidae) Synonym(s):** *delotypa* Turner,1913 Range (in code): AU
- 77261. *Metasia* (s.str.) *dicealis* (Walker,1959) (Pyralidae) Synonym(s):** *dicealis* Walker,1959 Range (in code): AU
- 77262. *Metasia* (s.str.) *ectodontalis* Lower,1903 (Pyralidae) Synonym(s):** *ectodontalis* Lower,1903 Range (in code): AU
- 77263. *Metasia* (s.str.) *eremialis* Hampson,1913 (Pyralidae) Synonym(s):** *eremialis* Hampson,1913 Range (in code): ZA
- 77264. *Metasia* (s.str.) *familiaris* (Meyrick,1884) (Pyralidae) Synonym(s):** *familiaris* Meyrick,1884 Range (in code): AU
- 77265. *Metasia* (s.str.) *farsalis* Amsel,1961 (Pyralidae) Synonym(s):** *#farsalis* Amsel,1961 Original Reference: *Metasia* ? farsalis Amsel,1961, Ark. Zool. 13 (17): 417-418, Taf. v figs. 221,222. Holotype ♂: Iran: Mian Kotal. Range (in code): IR Fa
- 77266. *Metasia* (s.str.) *harmonia* (Meyrick,1887) (Pyralidae) Synonym(s):** *harmonia* Meyrick,1887 Range (in code): AU
- 77267. *Metasia* (s.str.) *hemicirca* (Meyrick,1887) (Pyralidae) Synonym(s):** *hemicirca* Meyrick,1887 Range (in code): AU
- 77268. *Metasia* (s.str.) *holoxanthia* Hampson,1899 (Pyralidae) Synonym(s):** *holoxanthia* Hampson,1899 Range (in code): ZA
- 77269. *Metasia* (s.str.) *homogama* (Meyrick,1887) (Pyralidae) Synonym(s):** *homogama* Meyrick,1887 Range (in code): AU
- 77270. *Metasia* (s.str.) *homophaea* (Meyrick,1885) (Pyralidae) Synonym(s):** *homophaea* Meyrick,1885 Range (in code): AU
- 77271. *Metasia* (s.str.) *hymenalis* Guenée,1854 (Pyralidae) Synonym(s):** *hymenalis* Guenée,1854 Original Reference: *Metasia* hymenalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 252. Syntypes 2♂: [Spain]: "Andalousie". Range (in code): ES Mu FR
- 77272. *Metasia* (s.str.) *ibericalis* Ragonot,1894 (Pyralidae) Synonym(s):** *ibericalis* Ragonot,1894; *oranal* Caradja,1916; *rungsi* Leraut,2001 Original Reference: *Metasia* ibericalis Ragonot,1894, Annls Soc. ent. Fr. 1894: 170-171. Syntypes: Spain: Castille: Cuenca. Range (in code): MA Ifr DZ Orn PT ES Cue FR
- 77273. *Metasia* (s.str.) *inustalis* Ragonot,1894 (Pyralidae) Synonym(s):** *inustalis* Ragonot,1894 Original Reference: *Metasia* inustalis Ragonot,1894, Annls Soc. ent. Fr. 1894: 169-170. Type ♂: [Turkey]: Mardin. Range (in code): TR
- 77274. *Metasia* (s.str.) *kasyi* Amsel,1970 (Pyralidae) Synonym(s):** *kasyi* Amsel,1970 Range (in code): AF Kab

- 77275. *Metasia* (s.str.) *kurdistanalis* Amsel,1961** (Pyalidae) Synonym(s): *kurdistanalis* Amsel,1961 Original Reference: *Metasia kurdistanalis* Amsel,1961, Ark. zool. 13 (17): 416-417, Abb. 116. Holotype ♂: Irak: Kurdistan: Shaqlawa (Wiltshire leg.). Range (in code): **IQ Shq**
- 77276. *Metasia* (s.str.) *laristanalis* Amsel,1961** (Pyalidae) Synonym(s): *laristanalis* Amsel,1961 Range (in code): **IR**
- 77277. *Metasia* (s.str.) *liophaea* (Meyrick,1887)** (Pyalidae) Synonym(s): *liophaea* Meyrick,1887 Range (in code): **AU**
- 77278. *Metasia* (s.str.) *mimicralis* Amsel,1970** (Pyalidae) Synonym(s): *mimicralis* Amsel,1970 Range (in code): **AF Bsg**
- 77279. *Metasia* (s.str.) *minimalis* Amsel,1970** (Pyalidae) Synonym(s): *minimalis* Amsel,1970 Range (in code): **AF Pli**
- 77280. *Metasia* (s.str.) *mzabi* Rothschild,1913** (Pyalidae) Synonym(s): *mzabi* Rothschild,1913 Original Reference: *Metasia mzabi* Rothschild,1913, Novit. zool. 20: 141. Type ♂: [Algeria]: "Oued Nça". Range (in code): **DZ Onç Ges**
- 77281. *Metasia* (s.str.) *ochrochoa* (Meyrick,1887)** (Pyalidae) Synonym(s): *ochrochoa* Meyrick,1887; *galbina* Turner,1913 Range (in code): **AU**
- 77282. *Metasia* (s.str.) *olbienalis* Guenée,1854** (Pyalidae) Synonym(s): *olbienalis* Guenée,1854 Original Reference: *Metasia olbienalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 251. Syntypes 2♂: "Iles d'Hyxres". Range (in code): **ES FR Sa Si IT AL TR**
- 77283. *Metasia* (s.str.) *orphanopis* Turner,1915** (Pyalidae) Synonym(s): *orphanopis* Turner,1915 Range (in code): **AU**
- 77284. *Metasia* (s.str.) *pagmanalis* Amsel,1961** (Pyalidae) Synonym(s): *pagmanalis* Amsel,1961 Original Reference: *Metasia pagmanalis* Amsel,1961, Ark. Zool. 13 (17): 418, Taf.vi figs. 226,227. Holotype ♂: Afghanistan: Pagman Gebirge bei Kabul. Range (in code): **AF Pag Pnj Srb PK Swa Sgl Psu**
- 77285. *Metasia* (s.str.) *pharissalis* (Walker,1859)** (Pyalidae) Synonym(s): *pharissalis* Walker,1859; *segestusalis* Walker,1859 Range (in code): **AU**
- 77286. *Metasia* (s.str.) *phragmatias* Lower,1903** (Pyalidae) Synonym(s): *phragmatias* Lower,1903; *diplophragma* Turner,1908 Range (in code): **AU**
- 77287. *Metasia* (s.str.) *polytima* Turner,1908** (Pyalidae) Synonym(s): *polytima* Turner,1908 Range (in code): **AU**
- 77288. *Metasia* (s.str.) *profanalis* (Walker,1865)** (Pyalidae) Synonym(s): *profanalis* Walker,1865 Range (in code): **ZA**
- 77289. *Metasia* (s.str.) *rosealis* Ragonot,1895** (Pyalidae) Synonym(s): *rosealis* Ragonot,1895; *perfervidalis* Hampson,1900; *rubricalis* Rebel,1939; *cypriusalis* Amsel,1958 Range (in code): **YU GR TR CY LB Bei IQ**
- 77290. *Metasia* (s.str.) *rubricalis* Rebel,1939** (Pyalidae) Synonym(s): *rubricalis* Rebel,1939 Original Reference: *Metasia rubricalis* Rebel,1939, Mitt. münch. ent. Ges. 29: 556-557, Taf.xv fig.5. Type ♂: Cyprus, Agios Joanni 28. Juli '30, Mavromoustakis. Range (in code): **CY**
- 77291. *Metasia* (s.str.) *sefidalis* Amsel,1961** (Pyalidae) Synonym(s): *sefidalis* Amsel,1961 Range (in code): **IR Fa Sse**
- 77292. *Metasia* (s.str.) *sinuifera* Hampson,1913** (Pyalidae) Synonym(s): *sinuifera* Hampson,1913 Range (in code): **ZA**
- 77293. *Metasia* (s.str.) *spilocrossa* (Turner,1913)** (Pyalidae) Synonym(s): *spilocrossa* Turner,1913 Range (in code): **AU**
- 77294. *Metasia* (s.str.) *strangalota* (Meyrick,1887)** (Pyalidae) Synonym(s): *strangalota* Meyrick,1887 Range (in code): **AU**
- 77295. *Metasia* (s.str.) *subtilialis* Caradja,1916** (Pyalidae) Synonym(s): *subtilialis* Caradja,1916; *#subtilialis* Toll,1948 Original Reference: *Metasia subtilialis* Caradja,1916, Dt. ent. Z., Iris 30: 30-31. Syntypes 2♂: [Türkei]: Amasia; [Tadjikistan]: Gebirge Peter d. Grösse. Range (in code): **SY Dms LB Bsa TR IR Fa Sse Shr Yz Elb Th Kdj Kh TJ Pm AF Hr Ca Arh Kab Pnj Slg Gbh Kot**
- 77296. *Metasia* (s.str.) *suppandalis* (Hübner,[1823])** (Pyalidae) Synonym(s): *suppandalis* Hübner,[1823] Original Reference: *Pyalis suppandalis* Hübner,[1823], Samml. eur. Schmett. 6, Pyalides: Tab.30 figs.187-190. Syntypes: Europa. Range (in code): **DZ Btina Bsk TN Gf PT ES Mu FR Co Si RO YU AL BG GR Cr TR Cc CY IQ Hjo IR Elb Th Kdj Sse Fa Com Gl**
- 77297. *Metasia* (s.str.) *tampiusalis* (Walker,1859)** (Pyalidae) Synonym(s): *tampiusalis* Walker,1859; *ilusalis* Walker,1859; *dascylusalis* Walker,1859; *lilliputalis* Snellen,1880; *calliophis* Meyrick,1894; *mimula* Hampson Range (in code): **AF Srb Bsg Kab MY Bor Swk ID Clb**

- 77298. Metasia (s.str.) tiasalis (Walker,1859)** (Pyrilidae) Synonym(s): *tiasalis* Walker,1859; *microchrysalis* Walker,[1866]; *truncitornalis* Hampson,1918 Range (in code): AU
- 77299. Metasia (s.str.) triplex (Turner,1913)** (Pyrilidae) Synonym(s): *triplex* Turner,1913 Range (in code): AU
- 77300. Metasia (s.str.) typhodes Turner,1908** (Pyrilidae) Synonym(s): *typhodes* Turner,1908 Range (in code): AU
- 77301. Metasia (s.str.) virginalis Ragonot,1894** (Pyrilidae) Synonym(s): *virginalis* Ragonot,1894; *fulvilinealis* Hampson,1900; *#virginalis* Rebel,1901; *phthoneropsis* Meyrick,1937 Original Reference: *Metasia virginalis* Ragonot,1894, Annls Soc. ent. Fr. 1894: 170. Syntypes ♂♀: [Turkey]: Mardin. Range (in code): TR IQ Kbl Shq Dia Mos Ry IR Lo Elb Mz Th LB Bsa
- 77302. Metasia (s.str.) xenogama (Meyrick,1884)** (Pyrilidae) Synonym(s): *xenogama* Meyrick,1884 Range (in code): AU
- 77303. Metasia (s.str.) zinckenialis Hampson,1899** (Pyrilidae) Synonym(s): *zinckenialis* Hampson,1899 Range (in code): AU
- 77304. Metasia (s.str.) zophophanes (Turner,1937)** (Pyrilidae) Synonym(s): *zophophanes* Turner,1937 Range (in code): AU
- 77305. Metasia ossealis Staudinger,1879** (Pyrilidae) Synonym(s): *ossealis* Staudinger,1879 Original Reference: *Metasia ossealis* Staudinger,1879, Horae Soc. ent. ross. 15: 182. Syntypes: [Türkei]: Amasia (ZMB). Range (in code): TR IQ Amr
- 77306. Metaxmeste phrygialis (Hübner,1796)** (Pyrilidae) Synonym(s): *phrygialis* Hübner,1796; *rupicolalis* Hübner,1799; *monedula* Esper,1805; *sericealis* Hübner,1825; *lineolalis* Eversmann,1844; *nevadalalis* Staudinger,1859; *aprutialis* Constantini,1923; *kardakoffi* M.Hering,1940; *cinerealis* Della Beffa,1942 Range (in code): ES FR Co IT GB? DE CH AT PL HU RO YU B-H AL BG GR NO SE RU Ur Sb UA AM Cc GG Akh Da Kus KK Ik Al TJ CN Ui Ju Kl Au KG Tk Dj Ii
- 77307. Metaxmeste schrankiana (Hochenwarth,1785)** (Pyrilidae) Synonym(s): *schrackiana* Hochenwarth,1785; *lugubrina* Esper,1794; *holosericalis* Hübner,1796; *scabralis* Eversmann,1844 Range (in code): PT ES FR Sa? IT DE CH AT PL RO YU AL BG GR NO SE FI Cc GG RU Ur Kmt Ya Sb MN Bionomy: Larva on *Calluna*, *Vaccinium myrtillus*, *V. uliginosus*, *V. vitis-idea* (Ericaceae) (Parenti,2000).
- 77308. Metaxmeste sericatalis (Herrich-Schäffer,[1848])** (Pyrilidae) Synonym(s): *sericatalis* Herrich-Schäffer,[1848] Original Reference: *Hercyna sericatalis* Herrich-Schäffer,[1848], Syst. Bearb. Schmett. Eur. 4 (Pyrilides): 17, Taf.5 figs.28-30. Syntypes: Türkei: Brussa [Uludağ]. Range (in code): TR Cc GG Bjo Akh Smt IR
- 77309. Metoeca foedalis (Guenée,1854)** (Pyrilidae) Synonym(s): *foedalis* Guenée,1854; *tenellalis* Guenée,1854; *leucothoalis* Walker,1859; *spilomelalis* Walker,1859; *oethonalis* Walker,1859; *scitalis* Lederer,1863; *epispila* Meyrick,1886; *pseudofoedalis* Strand,1913; *#cantonalis* Caradja,1925 Range (in code): AU ZA TH IN LK CN TW Adm MY SG ID Ja Swk Klt Bor PH PG
- 77310. Metoecis carnifex (Coquerel,1855)** (Pyrilidae) Synonym(s): *carnifex* Coquerel,1855; *lepidocerella* Mabilie,1880 Range (in code): ZA
- 77311. Meyriccia latro (Zeller,1873)** (Pyrilidae) Synonym(s): *latro* Zeller,1873 Range (in code): AU
- 77312. Meyrickiella homosema (Meyrick,1887)** (Pyrilidae) Synonym(s): *homosema* Meyrick,1887 Range (in code): AU
- 77313. Michaeliodes friesei Roesler,1970** (Pyrilidae) Synonym(s): *friesei* Roesler,1970 Original Reference: *Michaeliodes friesei* Roesler,1970, Beitr. Ent. 19: 967. Holotype ♂: Albanien: Uji Frohte, südl. Tepelena (DEL). Range (in code): MK AL GR
- 77314. Micraglossa aenealis Hampson,1897** (Pyrilidae) Synonym(s): *aenealis* Hampson,1897 Range (in code): IN Meg Ass Khs
- 77315. Micraglossa convatalalis Klunder,1912** (Pyrilidae) Synonym(s): *convatalalis* Klunder,1912 Range (in code): IN Kai
- 77316. Micraglossa cupritincta Hampson,1917** (Pyrilidae) Synonym(s): *cupritincta* Hampson,1917 Range (in code): PG
- 77317. Micraglossa flavidalis Hampson,1907** (Pyrilidae) Synonym(s): *flavidalis* Hampson,1907 Range (in code): CN
- 77318. Micraglossa scoparialis W.Warren,1891** (Pyrilidae) Synonym(s): *scoparialis* W.Warren,1891 Range (in code): IN Ass SI CN Djl
- 77319. Micraglossa tagalica Nuss,1998** (Pyrilidae) Synonym(s): *tagalica* Nuss,1998 Range (in code): PH Mno

- 77320. *Microchilo fulvizonellus* (Hampson,1896)** (Pyralidae) Synonym(s): *fulvizonella* Hampson,1896; *trizona* Meyrick,1931 Range (in code): IN Meg Khs Ass
- 77321. *Microchilo gelastis* (Meyrick,1887)** (Pyralidae) Synonym(s): *gelastis* Meyrick,1887; *isodeta* Turner,1904 Range (in code): TS AU VAU
- 77322. *Microchilo inexpectellus* Bleszynski,1965** (Pyralidae) Synonym(s): *inexpectellus* Bleszynski,1965 Range (in code): JP
- 77323. *Microchilo inouei* Okano,1962** (Pyralidae) Synonym(s): *inouei* Okano,1962 Range (in code): JP Hkk CN Kgs
- 77324. *Microcrambus psythiella* (Schaus,1913)** (Pyralidae) Synonym(s): *psythiella* Schaus,1913 Range (in code): CR
- 77325. *Microphysetica ambialis* (Schaus,1924)** (Pyralidae) Synonym(s): *ambialis* Schaus,1924 Range (in code): MX Vcr
- 77326. *Microphysetica hermesalis* (Walker,1859)** (Pyralidae) Synonym(s): *hermesalis* Walker,1859; *nymphulalis* Hampson,1906; *phigelos* Dyar,1922; *sinuosalis* Amsel,1956 Range (in code): VE MX PA
- 77327. *Microphysetica peperita* Hampson,1917** (Pyralidae) Synonym(s): *peperita* Hampson,1917 Range (in code): MX
- 77328. *Microphysetica rufitincta* (Hampson,1917)** (Pyralidae) Synonym(s): *rufitincta* Hampson,1917 Range (in code): PE
- 77329. *Microtalis epimetalla* Turner,1911** (Pyralidae) Synonym(s): *epimetalla* Turner,1911; *ecbleta* Turner,1915 Range (in code): AU NAU
- 77330. *Microthrix inconspicuella* Ragonot,1888** (Pyralidae) Synonym(s): *inconspicuella* Ragonot,1888 Range (in code): ZA Tva Gau Pre Jh Mpu ZA20 Nta Kzu Ec Wca Cto
- 77331. *Microthrix inconspicuella inconspicuella* Ragonot,1888** (Pyralidae) Synonym(s): *inconspicuella* Ragonot,1888 Range (in code): ZA Tva Gau Pre Jh Mpu ZA20 Nta Kzu Ec Wca Cto
- 77332. *Microthrix miserabilis* Strand,1919** (Pyralidae) Synonym(s): *miserabilis* Strand,1919 Range (in code): TW
- 77333. *Miliberta gnathilata* Balinsky,1994** (Pyralidae) Synonym(s): *gnathilata* Balinsky,1994 Range (in code): ZA Tva Gau Pre
- 77334. *Miliberta gnathilata gnathilata* Balinsky,1994** (Pyralidae) Synonym(s): *gnathilata* Balinsky,1994 Range (in code): ZA Tva Gau Pre
- 77335. *Mimaglossa amuaropis* (Turner,1926)** (Pyralidae) Synonym(s): *amuaropis* Turner,1926 Range (in code): AU
- 77336. *Mimaglossa crypcerythra* (Turner,1904)** (Pyralidae) Synonym(s): *crypcerythra* Turner,1904 Range (in code): AU
- 77337. *Mimaglossa habitalis* (Guenée,1854)** (Pyralidae) Synonym(s): *habitalis* Guenée,1854; *cervinalis* Walker,1862; *revulsa* W.Warren,1891 Range (in code): AU
- 77338. *Mimaglossa nauplialis* (Walker,1859)** (Pyralidae) Synonym(s): *nauplialis* Walker,1859; *porphyralis* Walker,[1866]; *subcultella* Walker,1869. Range (in code): AU
- 77339. *Mimaglossa zophera* (Turner,1904)** (Pyralidae) Synonym(s): *zophera* Turner,1904; *mixtirosalis* Hampson,1906. Range (in code): AU
- 77340. *Mimorista pulchellalis* Dyar,1922** (Pyralidae) Synonym(s): *pulchellalis* Dyar,1922 Range (in code): [ZA]
- 77341. *Miraxis klotsi* Bleszynski,1962** (Pyralidae) Synonym(s): *klotsi* Bleszynski,1962 Range (in code): PE
- 77342. *Mittonia carcassoni* Whalley,1964** (Pyralidae) Synonym(s): *carcassoni* Whalley,1964 Range (in code): UG Etb CM Bit
- 77343. *Mittonia hampsoni* (Distant,1897)** (Pyralidae) Synonym(s): *hampsoni* Distant,1897 Range (in code): ZA
- 77344. *Miyakea expansa* (Butler,1881)** (Pyralidae) Synonym(s): *expansa* Butler,1881; *raddeella* Caradja,1910 Range (in code): JP RU Am CN Yu Sz Kwa Stg
- 77345. *Modestia bipunctella* (Wileman & South,1917)** (Pyralidae) Synonym(s): *bipunctella* Wileman & South,1917 Original Reference: Culladia bipunctella Wileman & South,1917, Entomologist 50: 148. Range (in code): TW
- 77346. *Modestia szetschwanella* (Caradja,1931)** (Pyralidae) Synonym(s): *modestellus* Caradja,1927 nec Barn. & McDunn.,1918; *szetschwanella* Caradja,1931 Range (in code): CN Sz

- 77347. *Moitrelia multifidella* (Chrétien,1911)** (Pyralidae) **Synonym(s):** *multifidella* Chrétien,1911; *albicostella* Amsel,1958 **Range (in code):** **CY MA DZ TN GF**
- 77348. *Moitrelia obductella* (Zeller,1839)** (Pyralidae) **Synonym(s):** *obductella* Zeller,1839 **Range (in code):** **DZ Anna PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LT RU MD UA BY IR Elb Mz LB Bsa**
- 77349. *Moitrelia obductella claricosta* (Osthelder,1938)** (Pyralidae) **Synonym(s):** *claricosta* Osthelder,1938 **Range (in code):** **LB Bsa**
- 77350. *Monocoptopera ecmatallescens* Hampson,1898** (Pyralidae) **Synonym(s):** *ecmatallescens* Hampson,1898 **Original Reference:** *Monocoptopera ecmatallescens* Hampson,1898, Proc. zool. Soc. Londn 1898: 610-611 fig.8. Syntypes: [Indonesia]: Amboina (coll. Rothschild & BMNH). **Range (in code):** **ID Amb**
- 77351. *Mucialla fuscolumbalis* Snellen,1900** (Pyralidae) **Synonym(s):** *fuscolumbalis* Snellen,1900 **Range (in code):** **PH Boh ID Ja**
- 77352. *Munroeodes australis* Munroe,1964** (Pyralidae) **Synonym(s):** *australis* Munroe,1964 **Range (in code):** **BR**
- 77353. *Munroeodes delavalis* (Möschler,1881)** (Pyralidae) **Synonym(s):** *delavalis* Möschler,1881; *guianae* Munroe,1964 **Range (in code):** **GF SR**
- 77354. *Munroeodes thalesalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *thalesalis* Walker,1859 **Range (in code):** **HN**
- 77355. *Munroeodes transparentalis* (Amsel,1956)** (Pyralidae) **Synonym(s):** *transparentalis* Amsel,1956 **Range (in code):** **VE**
- 77356. *Musotima acclaralis* (Walker,1859)** (Pyralidae) **Synonym(s):** *acclaralis* Walker,1859 **Range (in code):** **JP IN NI LK**
- 77357. *Musotima acrias* Meyrick,1884** (Pyralidae) **Synonym(s):** *acrias* Meyrick,1884 **Range (in code):** **AU TS**
- 77358. *Musotima aduncalis* (R.Felder & Rogenhofer,1874)** (Pyralidae) **Synonym(s):** *aduncalis* R.Felder & Rogenhofer,1874 **Range (in code):** **NZ**
- 77359. *Musotima callidryas* Turner,1922** (Pyralidae) **Synonym(s):** *callidryas* Turner,1922 **Range (in code):** **AU QAU**
- 77360. *Musotima decoralis* Snellen,1901** (Pyralidae) **Synonym(s):** *decoralis* Snellen,1901 **Range (in code):** **ID Ja**
- 77361. *Musotima francki* Caradja,1927** (Pyralidae) **Synonym(s):** *francki* Caradja,1927 **Range (in code):** **CN**
- 77362. *Musotima fuscalis* Snellen,1901** (Pyralidae) **Synonym(s):** *fuscalis* Snellen,1901 **Range (in code):** **ID Ja IN Ass**
- 77363. *Musotima fuscidiscalis* Hampson,1897** (Pyralidae) **Synonym(s):** *fuscidiscalis* Hampson,1897 **Range (in code):** **PG Fg**
- 77364. *Musotima incrustalis* Snellen,1894** (Pyralidae) **Synonym(s):** *incrustalis* Snellen,1894 **Range (in code):** **ID Ja PG Fg**
- 77365. *Musotima instrumentalis* (Swinhoe,1894)** (Pyralidae) **Synonym(s):** *instrumentalis* Swinhoe,1894 **Range (in code):** **IN Meg Ass Khs**
- 77366. *Musotima leucomma* (Hampson,1917)** (Pyralidae) **Synonym(s):** *leucomma* Hampson,1917 **Range (in code):** **AU**
- 77367. *Musotima nitidalis* (Walker,[1886])** (Pyralidae) **Synonym(s):** *nitidalis* Walker,[1886]; *timaralis* R.Felder & Rogenhofer,1875 **Range (in code):** **AU QAU NSw WAu NZ**
- 77368. *Musotima nubilalis* South,1901** (Pyralidae) **Synonym(s):** *nubilalis* South,1901 **Range (in code):** **CN**
- 77369. *Musotima ochropteralis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *ochropteralis* Guenée,1854 **Range (in code):** **AU NSw TS**
- 77370. *Musotima pudica* (Lucas,1894)** (Pyralidae) **Synonym(s):** *pudica* Lucas,1894; *persinualis* Hampson,1897 **Range (in code):** **AU ID Amb QAU PG Fg Tnm**
- 77371. *Musotima suffusalis* (Hampson,1893)** (Pyralidae) **Synonym(s):** *suffusalis* (Hampson,1893) **Range (in code):** **AU CN IN LK PH Luz**
- 77372. *Mussidia melanoneura* Ragonot,1893** (Pyralidae) **Synonym(s):** *melanoneura* Ragonot,1893 **Range (in code):** **ZA**
- 77373. *Mussidia nigrivenella* Ragonot,1888** (Pyralidae) **Synonym(s):** *nigrivenella* Ragonot,1888 **Range (in code):** **ZA**

- 77374. *Mussidia pectincornella* (Hampson,1896)** (Pyralidae) Synonym(s): *pectincornella* Hampson,1896 Range (in code): TH IN LK BT JP TW MY ID Ja PG FJ Bionomy: Larva on *Nephelium ophioides* (Sapindaceae), *Theobroma cacao* (Sterculiaceae), *Cassia grandis* (Fabaceae) (Robinson et al.,1994).
- 77375. *Myelobia atroparsella* (Walker,1863)** (Pyralidae) Synonym(s): *atroparsella* Walker,1863 Range (in code): BR
- 77376. *Myelobia bimaculata* (Box,1931)** (Pyralidae) Synonym(s): *bimaculata* Box,1931 Range (in code): PE
- 77377. *Myelobia biumbrata* (Schaus,1922)** (Pyralidae) Synonym(s): *biumbrata* Schaus,1922 Range (in code): GT
- 77378. *Myelobia castrella* (Schaus,1922)** (Pyralidae) Synonym(s): *castrella* Schaus,1922 Range (in code): BR
- 77379. *Myelobia decolorata* Herrich-Schäffer,1858** (Pyralidae) Synonym(s): *decolorata* Herrich-Schäffer,1858 Range (in code): CO VE BR
- 77380. *Myelobia dorsipunctella* (Schaus,1922)** (Pyralidae) Synonym(s): *dorsipunctella* Schaus,1922 Range (in code): PE
- 77381. *Myelobia endothermalis* (Hampson,1919)** (Pyralidae) Synonym(s): *endothermalis* Hampson,1919 Range (in code): PE
- 77382. *Myelobia heinrichi* (Box,1931)** (Pyralidae) Synonym(s): *heinrichi* Box,1931 Range (in code): PE
- 77383. *Myelobia incanella* (Hampson,1896)** (Pyralidae) Synonym(s): *incanella* Hampson,1896 Range (in code): BR
- 77384. *Myelobia lanceolatus* (Zeller,1882)** (Pyralidae) Synonym(s): *lanceolatus* Zeller,1882 Range (in code): CO
- 77385. *Myelobia murina* Herrich-Schäffer,1858** (Pyralidae) Synonym(s): *murina* Herrich-Schäffer,1858 Range (in code): BR
- 77386. *Myelobia nabalalis* (Schaus,1934)** (Pyralidae) Synonym(s): *nabalalis* Schaus,1934 Range (in code): BR
- 77387. *Myelobia nigristigmella* (Hampson,1896)** (Pyralidae) Synonym(s): *nigristigmella* Hampson,1896 Range (in code): BR
- 77388. *Myelobia palaeece* Herrich-Schäffer,1858** (Pyralidae) Synonym(s): *palaeece* Herrich-Schäffer,1858 Range (in code): VE BR
- 77389. *Myelobia peruanella* (Schaus,1922)** (Pyralidae) Synonym(s): *peruanella* Schaus,1922 Range (in code): PE
- 77390. *Myelobia pustulata* Herrich-Schäffer,1858** (Pyralidae) Synonym(s): *pustulata* Herrich-Schäffer,1858 Range (in code): BR
- 77391. *Myelobia smerintha* (Hübner,1821)** (Pyralidae) Synonym(s): *smerintha* Hübner,1821 Range (in code): AR
- 77392. *Myelobia smerintha alba* (Köhler,1924)** (Pyralidae) Synonym(s): *alba* Köhler,1924 Range (in code): AR
- 77393. *Myelobia spectabilis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *spectabilis* R.Felder & Rogenhofer,1875 Range (in code): PE
- 77394. *Myelobia squamata* (Hampson,1919)** (Pyralidae) Synonym(s): *squamata* Hampson,1919 Range (in code): PE
- 77395. *Myelobia systrapegus* (Dyar,1913)** (Pyralidae) Synonym(s): *systrapegus* Dyar,1913 Range (in code): MX GY
- 77396. *Myelobia vinasella* (Schaus,1913)** (Pyralidae) Synonym(s): *vinasella* Schaus,1913 Range (in code): CR
- 77397. *Myelobia xanthoterma* (Hampson,1919)** (Pyralidae) Synonym(s): *xanthoterma* Hampson,1919 Range (in code): PE
- 77398. *Myelobia zeuzeroides* (Walker,1865)** (Pyralidae) Synonym(s): *zeuzeroides* Walker,1865 Range (in code):
- 77399. *Myelodes flavimargo* Hampson,1930** (Pyralidae) Synonym(s): *flavimargo* Hampson,1930 Original Reference: *Myelodes flavimargo* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 78. Syntypes: [South Africa]: Transvaal: Pretoria (Janse); Basutoland: Masite (Weigall). Range (in code): ZA Tva Gau Pre

- 77400. *Myelodes flavimargo flavimargo* Hampson, 1930** (Pyralidae) Synonym(s): *flavimargo* Hampson, 1930 Original Reference: *Myelodes flavimargo* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 78. Syntypes: [South Africa]: Transvaal: Pretoria (Janse); Basutoland: Masite (Weigall). Range (in code): **ZA Tva Gau Pre**
- 77401. *Myelodes jansei* Hampson, 1930** (Pyralidae) Synonym(s): *jansei* Hampson, 1930 Original Reference: *Myelodes jansei* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 78-79. Type ♀: [Zimbabwe]: S. Rhodesia: Umtali (Janse). Range (in code): **ZW**
- 77402. *Myelodes jansei jansei* Hampson, 1930** (Pyralidae) Synonym(s): *jansei* Hampson, 1930 Original Reference: *Myelodes jansei* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 78-79. Type ♀: [Zimbabwe]: S. Rhodesia: Umtali (Janse). Range (in code): **ZW**
- 77403. *Myeloides minimella* Asselbergs, 2004** (Pyralidae) Synonym(s): *minimella* Asselbergs, 2004 Original Reference: *Myeloides minimella* Asselbergs, 2004, Nota lepid. 27 (1): 53, figs. 1, 2, 5, 8, 9. Holotype ♂: Turkmenistan, Nat. Res. Amu Darja env. Seidi, leg. Kljutschko & Targonja (ITZA). Range (in code): **TM**
- 77404. *Myelois atelogramma* Meyrick, 1937** (Pyralidae) Synonym(s): *atelogramma* Meyrick, 1937 Range (in code): **IN Up**
- 77405. *Myelois calicatella* Ragonot, 1887** (Pyralidae) Synonym(s): *calicatella* Ragonot, 1887 Original Reference: *Myelois calicatella* Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 226. Type ♂: [Uighur Ili]: Kouldja (coll. Alpheraky). Range (in code): **CN Ui Ku**
- 77406. *Myelois cinctipalpella* Christoph, 1877** (Pyralidae) Synonym(s): *cinctipalpella* Christoph, 1877 Original Reference: *Myelois cinctipalpella* Christoph, 1877, Horae Soc. ent. ross. 12: 284-285, Taf. v fig. 56. Type: [Turkmenien]: Krasnowodsk. Range (in code): **TM Krn Kp Cc AM UZ Nmg**
- 77407. *Myelois circumdatella* Lederer, 1858** (Pyralidae) Synonym(s): *circumdatella* Lederer, 1858; *ottoella* Schawerda, 1924; *cinnerethella* Amsel, 1935 Original Reference: *Myelois circumdatella* Lederer, 1858, Wien. ent. Monatschr. 2: 149, Taf. 4 fig. 5. Syntypes 3 ♂: Syrien: Damask. Range (in code): **TR SY Dms IL Pa Hf Js LB IQ Shq Hjo Mos IR Fa Sse Shr Th Elb Kdj**
- 77408. *Myelois circumvoluta* (Fourcroy, 1785)** (Pyralidae) Synonym(s): *circumvoluta* Fourcroy, 1785; *circumvolutella* Villers, 1789; *cribrella* Hübner, 1796; *carhdui* Haworth, 1811; *medullalis* Hübner, [1825]; *pallium* Vallot, 1829; *gilvescentella* Fuchs, 1903; *britannicella* Amsel, 1951; *impunctata* Hartig, 1952; *nigrapeza* Hartig, 1952 Original Reference: *Tinea circumvoluta* Fourcroy, 1785, Ent. Paris: 326. Type(s): Paris. Range (in code): **DZ Ges Lbs PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY IR Mz** Bionomy: Larva on *Carduus*, *Cirsium*, *Arctium* (Asteraceae) (Parenti, 2000).
- 77409. *Myelois conformella* Amsel, 1951** (Pyralidae) Synonym(s): *conformella* Amsel, 1951 Range (in code): **IR Kh Msh Fa Com Elb Kdj Th**
- 77410. *Myelois constans* Amsel, 1951** (Pyralidae) Synonym(s): *constans* Amsel, 1951 Range (in code): **IR Fa Sse**
- 77411. *Myelois cribratella* Zeller, 1847** (Pyralidae) Synonym(s): *cribratella* Zeller, 1847; *pallipedella* Ragonot, 1893 Original Reference: *Myelois cribratella* Zeller, 1847, Isis 1847: 762. Type(s): Sizilien. Range (in code): **IT FR Co Sa Si LU TR**
- 77412. *Myelois fuscicostella* Mann, 1861** (Pyralidae) Synonym(s): *fuscicostella* Mann, 1861; *nivosella* Ragonot, 1890; *palalbidella* Chrétien, 1917; *margaritella* Turati, 1930; *infumatella* Amsel, 1961; *niveisplendella* Amsel, 1961 Original Reference: *Myelois fuscicostella* Mann, 1861, Wien. ent. Monatschr. 5: 183-184, Tab. 2 fig. 10. Type ♂: [Türkei]: Amasia. Range (in code): **DZ Ges Bsk Lms Onç TN Gf LY Cy TR ES AF Srb Bm IR IQ Kbl**
- 77413. *Myelois hispanicella* (Herrich-Schäffer, 1855)** (Pyralidae) Synonym(s): *hispanicella* Herrich-Schäffer, 1855; *rhizobiella* Staudinger, 1859 Range (in code): **DZ Eba ES FR GR**
- 77414. *Myelois immaculatella* Ragonot, 1888** (Pyralidae) Synonym(s): *immaculatella* Ragonot, 1888; *heratella* Amsel, 1970 Range (in code): **DZ Gha TM Kp AF Hr CN Ui Kml**
- 77415. *Myelois luticornella* Ragonot, 1887** (Pyralidae) Synonym(s): *luticornella* Ragonot, 1887 Original Reference: *Myelois luticornella* Ragonot, 1887, Annls Soc. ent. Fr. (6) 7: 226. Type ♂: [Turquie]: Marasch (Asie Mineure) (coll. Staudinger) [vide: Ragonot, 1893, Mém lepid. 7: pl. xi fig. 2]. Range (in code): **TR**
- 77416. *Myelois micropunctella* Amsel, 1951** (Pyralidae) Synonym(s): *micropunctella* Amsel, 1951 Range (in code): **IR Elb Kdj Fa Shr Sse**
- 77417. *Myelois multiflorella* Ragonot, 1887** (Pyralidae) Synonym(s): *multiflorella* Ragonot, 1887; *#multiflorella* Zerny, 1939. Range (in code): **Si RO BG TR IR Elb Dam Mz**

- 77418. Myelois nigripalpella Christoph,1887** (Pyalidae) Synonym(s): *nigripalpella Christoph,1887* Original Reference: Myelois nigripalpella Christoph,1887, Stettin ent. Ztg. 48: 166-167. Syntypes ♂♀: [Turkmenistan]: "Askhabat". Range (in code): **TM Kp AF Hr**
- 77419. Myelois osseella (Ragonot,1887)** (Pyalidae) Synonym(s): *osseella Ragonot,1887; jerusalemella Amsel,1935* Original Reference: Myelois osseella Ragonot,1887, Annls Soc. ent. Fr. 1887: 226. Syntypes: [Lebanon]: Beirut. Range (in code): **MA DZ Bsk Onç IL Pa Js SY TR LB Bei AF Srb Bm Pnj**
- 77420. Myelois osseella afghanella Amsel,1970** (Pyalidae) Synonym(s): *afghanella Amsel,1970* Range (in code): **AF Srb Bm Pnj**
- 77421. Myelois pluripunctella (Ragonot,1887)** (Pyalidae) Synonym(s): *pluripunctella Ragonot,1887* Original Reference: Myelois pluripunctella Ragonot,1887, Annls Soc. ent. Fr. 1887: 226. Syntypes 2 ♂: [Lebanon]: Beirut. Range (in code): **TR GR LB Bei IL Hf Pa CY IR Elb Mz**
- 77422. Myelois pluripunctella paucipunctella Zerny,1939** (Pyalidae) Synonym(s): *paucipunctella Zerny,1939* Original Reference: Myelois pluripunctella ssp. paucipunctella Zerny,1939, Z. Öst. EntVer. 24: 138, Taf.xi fig.4. Syntypes 2 ♂ 2 ♀: Iran: Elburs-Gebirge: Tarsee-Gebiet, 2100-2200m (NHMW). Range (in code): **IR Elb Mz**
- 77423. Myelois pumicosa Lederer,1855** (Pyalidae) Synonym(s): *pumicosa Lederer,1855* Original Reference: Myelois pumicosa Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 252-253. Syntypes 2 ♂: Türkei: Diarbekir. Range (in code): **TR LB IQ Hjo Dy**
- 77424. Myelois quadripunctella Zerny,1914** (Pyalidae) Synonym(s): *quadripunctella Zerny,1914* Original Reference: Myelois quadripunctella Zerny,1914, Annln naturh. Mus. Wien 28: 319, Taf. xxv fig. 20. Type ♀: [Türkei]: Akbes (NHMW). Range (in code): **TR AE**
- 77425. Myelois staudingerella Ragonot,1887** (Pyalidae) Synonym(s): *staudingerella Ragonot,1887* Original Reference: Myelois staudingerella Ragonot,1887, Annls Soc. ent. Fr. 7: 226. Syntypes: "Samarkand, Nochur". Range (in code): **TM Kp UZ Smk AF Hr**
- 77426. Myelois synclina Meyrick,1937** (Pyalidae) Synonym(s): *synclina Meyrick,1937* Range (in code): **IQ Shq**
- 77427. Myeloisiphana afghana Hartig,1937** (Pyalidae) Synonym(s): *afghana Hartig,1937* Range (in code): **AF**
- 77428. Myriostephes asphycta (Turner,1915)** (Pyalidae) Synonym(s): *asphycta Turner,1915* Range (in code): **AU**
- 77429. Myriostephes crocobapta Turner,1908** (Pyalidae) Synonym(s): *crocobapta Turner,1908* Range (in code): **AU**
- 77430. Myriostephes haplodes (Meyrick,1887)** (Pyalidae) Synonym(s): *haplodes Meyrick,1887* Range (in code): **AU**
- 77431. Myriostephes leucostictalis (Hampson,1899)** (Pyalidae) Synonym(s): *leucostictalis Hampson,1899* Range (in code): **AU**
- 77432. Myriostephes matura Meyrick,1884** (Pyalidae) Synonym(s): *matura Meyrick,1884; crocophara Turner,1915* Range (in code): **AU NSw**
- 77433. Myriostephes rubriceps (Hampson,1903)** (Pyalidae) Synonym(s): *rubriceps Hampson,1903* Range (in code): **AU**
- 77434. Myrlaea albistrigata (Staudinger,1881)** (Pyalidae) Synonym(s): *albistrigata Staudinger,1881* Original Reference: Pempelia albistrigata Staudinger,1881, Horae Soc. ent. ross. 16: 86. Syntypes 2 ♂♀: [Türkei]: Amasia. Range (in code): **TR Cc LB Bsa IR Elb Mz Kdv Plr Shh IQ Ry Hjo AF Pag**
- 77435. Myrlaea dentilineella Ragonot,1887** (Pyalidae) Synonym(s): *dentilineella Ragonot,1887* Original Reference: Myrlaea dentilineella Ragonot,1887, Annls. Soc. ent. Fr. 1887: 234. Type: "Malatia". Range (in code): **TR**
- 77436. Myrlaea epischniella (Staudinger,1879)** (Pyalidae) Synonym(s): *epischniella Staudinger,1879* Original Reference: Pempelia epischniella Staudinger,1879, Horae Soc. ent. ross. 15: 200-201. Syntypes ♂♀: [Türkei]: Amasia: Kerasdere. Range (in code): **TR TM Krn IQ Hjo**
- 77437. Myrlaea kurdistan Amsel,1959** (Pyalidae) Synonym(s): *kurdistan Amsel,1959* Original Reference: Myrlaea kurdistan Amsel,1959, Bull. Soc. ent. Egypte 43: pl.10 fig.3. Holotype ♂: Iraq: Shaqlawa. Range (in code): **IQ Shq**
- 77438. Myrlaea marmorata (Alpheraky,1877)** (Pyalidae) Synonym(s): *marmorata Alpheraky,1877* Range (in code): **RO DK RU MD UA BY**

- 77439. *Myrllaea mimicalis* (Amsel,1950)** (Pyrallidae) Synonym(s): *mimicalis* Amsel,1950 Range (in code): IR Fa Com
- 77440. *Myrllaea nigrosquamalis* (Amsel,1950)** (Pyrallidae) Synonym(s): *nigrosquamalis* Amsel,1950 Range (in code): TR IR Fa Sse Com
- 77441. *Myrllaea pittonii* (Amsel,1950)** (Pyrallidae) Synonym(s): *pittonii* Amsel,1950 Range (in code): IR Kh Fa Shr
- 77442. *Myrmidonistis hoplora* Meyrick,1887** (Pyrallidae) Synonym(s): *hoplora* Meyrick,1887 Range (in code): AU
- 77443. *Nacoleia alincia* Turner,1908** (Pyrallidae) Synonym(s): *alincia* Turner,1908 Range (in code): AU
- 77444. *Nacoleia amphicedalis* (Walker,1859)** (Pyrallidae) Synonym(s): *amphicedalis* Walker,1859; *bilunatalis* Walker,[1866] Range (in code): AU
- 77445. *Nacoleia charesalis* (Walker,1859)** (Pyrallidae) Synonym(s): *charesalis* Walker,1859; *molusalis* Walker,1859; *vetusalis* Strand,1918; *argillitis* Turner,1937; *delhommealis* Legrand,1965 Range (in code): AU
- 77446. *Nacoleia dienalis* (Guenée,1854)** (Pyrallidae) Synonym(s): *dienalis* Guenée,1854 Range (in code): TH
- 77447. *Nacoleia glageropta* Turner,1908** (Pyrallidae) Synonym(s): *glageropta* Turner,1908 Range (in code): AU
- 77448. *Nacoleia megaspilalis* Hampson,1912** (Pyrallidae) Synonym(s): *megaspilalis* Hampson,1912; *leucophrys* Turner,1926 Range (in code): AU
- 77449. *Nacoleia mesochlora* (Meyrick,1884)** (Pyrallidae) Synonym(s): *mesochlora* Meyrick,1884; *annuligera* Butler,1886 Range (in code): AU
- 77450. *Nacoleia obliquialis* Hampson,1898** (Pyrallidae) Synonym(s): *obliquialis* Hampson,1898 Range (in code): AU
- 77451. *Nacoleia octasema* (Meyrick,1886)** (Pyrallidae) Synonym(s): *octasema* Meyrick,1886 Range (in code): WS FJ NH SB PG AU MY TH
- 77452. *Nacoleia oncophragma* Turner,1908** (Pyrallidae) Synonym(s): *oncophragma* Turner,1908 Range (in code): AU
- 77453. *Nacoleia parapsephis* (Meyrick,1887)** (Pyrallidae) Synonym(s): *parapsephis* Meyrick,1887 Range (in code): AU
- 77454. *Nacoleia rhoeoalis* (Walker,1859)** (Pyrallidae) Synonym(s): *rhoeoalis* Walker,1859; *murcusalis* Walker,1859; *hypsidesalis* Walker,1859; *irruptalis* Walker,[1866]; *sordidalis* Walker,[1866]; *distractalis* Walker,1869. Range (in code): AU
- 77455. *Nacoleia syngenica* Turner,1913** (Pyrallidae) Synonym(s): *syngenica* Turner,1913 Range (in code): AU
- 77456. *Nakurubia sacculata* Balinsky,1994** (Pyrallidae) Synonym(s): *sacculata* Balinsky,1994 Range (in code): KE Nak
- 77457. *Nakurubia sacculata sacculata* Balinsky,1994** (Pyrallidae) Synonym(s): *sacculata* Balinsky,1994 Range (in code): KE Nak
- 77458. *Namangania laetalis* (Hampson,1900)** (Pyrallidae) Synonym(s): *laetalis* Hampson,1900 Range (in code): UZ Fe Nmg
- 77459. *Namibicola barrettae* (Hampson,1901)** (Pyrallidae) Synonym(s): *barrettae* Hampson,1901 Range (in code): ZA Ec Ans
- 77460. *Namibicola simplex* Balinsky,1994** (Pyrallidae) Synonym(s): *simplex* Balinsky,1994 Range (in code): ZA Ec Elo
- 77461. *Namibicola simplex simplex* Balinsky,1994** (Pyrallidae) Synonym(s): *simplex* Balinsky,1994 Range (in code): ZA Ec Elo
- 77462. *Namibicola splendida* Balinsky,1991** (Pyrallidae) Synonym(s): *splendida* Balinsky,1991 Range (in code):
- 77463. *Namibicola splendida* Balinsky,1991** (Pyrallidae) Synonym(s): *splendida* Balinsky,1991 Range (in code): NA
- 77464. *Namibicola splendida splendida* Balinsky,1991** (Pyrallidae) Synonym(s): *splendida* Balinsky,1991 Range (in code):
- 77465. *Namibiopsis punctata* Balinsky,1994** (Pyrallidae) Synonym(s): *punctata* Balinsky,1994 Range (in code): NA Abc

- 77466. *Namibiopsis punctata punctata* Balinsky,1994** (Pyralidae) Synonym(s): *punctata* Balinsky,1994 Range (in code): **NA Abc**
- 77467. *Nascia ciliaris* (Hübner,1796)** (Pyralidae) Synonym(s): *ciliaris* Hübner,1796 Original Reference: *Pyralis ciliaris* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.18 fig.119. Type(s): Europa. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR DK SE FI EE LV LT RU Am Prj Us Kj Mnu MD UA BY JP Hkk IR Gh Tgo**
- 77468. *Nascia ciliaris christophi* Munroe & Mutuura,1968** (Pyralidae) Synonym(s): *christophi* Munroe & Mutuura,1968 Range (in code): **RU Am Prj Us Kj Mnu**
- 77469. *Nascia ciliaris ciliaris* (Hübner,1796)** (Pyralidae) Synonym(s): *ciliaris* Hübner,1796 Original Reference: *Pyralis ciliaris* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.18 fig.119. Type(s): Europa. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU TR DK SE FI EE LV LT RU MD UA BY**
- 77470. *Nascia ciliaris kumatai* Munroe & Mutuura,1968** (Pyralidae) Synonym(s): *kumatai* Munroe & Mutuura,1968 Range (in code): **JP Hkk**
- 77471. *Nausinoe argyrosticta* (Hampson,1910)** (Pyralidae) Synonym(s): *argyrosticta* Hampson,1910 Range (in code): **ZA**
- 77472. *Nausinoe capensis* (Walker,[1866])** (Pyralidae) Synonym(s): *capensis* Walker,[1866] Range (in code): **ZA Wca**
- 77473. *Nausinoe euroalis* Swinhoe,1889** (Pyralidae) Synonym(s): *euroalis* Swinhoe,1889 Range (in code): **PH Boh Ceb SI Ass MM MY Sum Ja ID**
- 77474. *Nausinoe geometralis* (Guenée,1854)** (Pyralidae) Synonym(s): *geometralis* Guenée,1854; *#geometricalis* Lederer,1863 Original Reference: *Lepyrodes geometralis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 278. Type(s): "Inde centrale". Range (in code): **PH Luz Ceb IN MU LK MM CN TW Clb Ja QAU AU ID ZA**
- 77475. *Nausinoe globulipedalis* (Walker,[1866])** (Pyralidae) Synonym(s): *globulipedalis* Walker,[1866]; *columalis* Snellen,1880 Range (in code): **AU**
- 77476. *Nausinoe perspectata* (Fabricius,1775)** (Pyralidae) Synonym(s): *perspectata* Fabricius,1775; *#perpectata* Hutacharern & Tuhtim,1995 Original Reference: *Phalaena perspectata* Fabricius,1775; Syst. Ent.: 640. Type(s): India orientalis. Range (in code): **IN LK TH ID Ja TW CN NP PG AU**
- 77477. *Nausinoe piabilis* (Wallengren,1875)** (Pyralidae) Synonym(s): *piabilis* Wallengren,1875 Range (in code): **ZA**
- 77478. *Nausinoe pueritia* (Cramer,[1780])** (Pyralidae) Synonym(s): *pueritia* Cramer,[1780] Original Reference: *Phalaena pueritia* Cramer,[1780], Uitl. Kapellen 3: pl.264 fig.F Range (in code): **IN AU**
- 77479. *Nausinoe quadrinalis* (Guenée,1854)** (Pyralidae) Synonym(s): *quadrinalis* Guenée,1854; *flavibrunnea* Hampson,1898 Range (in code): **ZA**
- 77480. *Navasota leuconeurella* Hampson,1918** (Pyralidae) Synonym(s): *leuconeurella* Hampson,1918 Range (in code): **ZA**
- 77481. *Neargyrtis slossonalis* (Dyar,1906)** (Pyralidae) Synonym(s): *slossonalis* Dyar,1906 Range (in code): **US**
- 77482. *Neargyria argyraspis* (Meyrick,1876)** (Pyralidae) Synonym(s): *argyraspis* Meyrick,1876 Range (in code): **AU QAU NSW**
- 77483. *Neargyria persimilis* Hampson,1919** (Pyralidae) Synonym(s): *persimilis* Hampson,1919 Range (in code): **AU PG Eca ZA**
- 77484. *Neargyrioides aglaopis* (Turner,1911)** (Pyralidae) Synonym(s): *aglaopis* Turner,1911 Range (in code): **AU**
- 77485. *Nechilo macrogona* (Lower,1902)** (Pyralidae) Synonym(s): *macrogona* Lower,1902; *oxyprora* Turner,1904 Range (in code): **AU SAU Vau**
- 77486. *Neerupa argyrosticta* Hampson,1919** (Pyralidae) Synonym(s): *argyrosticta* Hampson,1919 Range (in code): **CO**
- 77487. *Neerupa benepunctalis* Hampson,1919** (Pyralidae) Synonym(s): *benepunctalis* Hampson,1919 Range (in code): **CO**
- 77488. *Nehydriris excellens* Munroe,1984** (Pyralidae) Synonym(s): *excellens* Munroe,1984 Range (in code): **BR Rja**
- 77489. *Neobostra ferruginalis* Hampson,1906** (Pyralidae) Synonym(s): *ferruginalis* Hampson,1906 Range (in code): **ZA**

- 77490. *Neocrambus wolfschlaegeri* (Schawerda,1937)** (Pyralidae) **Synonym(s):** *wolfschlaegeri* Schawerda,1937 **Original Reference:** *Crambus wolfschlaegeri* Schawerda,1937, Z. öst. EntVer. 22: 55. Holotype ♂: Mazedonien: Ochrida. **Range (in code):** **MK GR TR**
- 77491. *Neopicorsia claudiusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *claudiusalis* Walker,1859; *fulviflavalis* Hampson,1918 **Range (in code):** **BR AR**
- 77492. *Neopicorsia confusa* Munroe,1964** (Pyralidae) **Synonym(s):** *confusa* Munroe,1964 **Range (in code):** **BR**
- 77493. *Neopicorsia daucalis* Munroe,1964** (Pyralidae) **Synonym(s):** *daucalis* Munroe,1964 **Range (in code):** **BR**
- 77494. *Neopicorsia furvulalis* (Munroe,1978)** (Pyralidae) **Synonym(s):** *furvalis* Hampson,1913 nec Ev.,1842; *furvulalis* Munroe,1978 **Range (in code):** **CO**
- 77495. *Neopicorsia fuscalis* Munroe,1978** (Pyralidae) **Synonym(s):** *fuscalis* Munroe,1978 **Range (in code):** **PE**
- 77496. *Neopicorsia submundalis* (Dognin,1905)** (Pyralidae) **Synonym(s):** *submundalis* Dognin,1905 **Range (in code):** **EC**
- 77497. *Neopicorsia tuisalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *tuisalis* Schaus,1912 **Range (in code):** **CR**
- 77498. *Neohelvibotys arizonensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *arizonensis* Capps,1967 **Range (in code):** **US Arz**
- 77499. *Neohelvibotys boliviensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *boliviensis* Capps,1967 **Range (in code):** **BO**
- 77500. *Neohelvibotys nayaritensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *nayaritensis* Capps,1967 **Range (in code):** **MX**
- 77501. *Neohelvibotys neohelvialis* (Capps,1967)** (Pyralidae) **Synonym(s):** *neohelvialis* Capps,1967 **Range (in code):** **US Tx**
- 77502. *Neohelvibotys oxalis* (Clarke,1965)** (Pyralidae) **Synonym(s):** *oxalis* Clarke,1965 **Range (in code):** **JF**
- 77503. *Neohelvibotys pelotasalis* (Capps,1967)** (Pyralidae) **Synonym(s):** *pelotasalis* Capps,1967 **Range (in code):** **BR**
- 77504. *Neohelvibotys polingi* (Capps,1967)** (Pyralidae) **Synonym(s):** *polingi* Capps,1967 **Range (in code):** **US FI**
- 77505. *Neohelvibotys saltensis* (Capps,1967)** (Pyralidae) **Synonym(s):** *saltensis* Capps,1967 **Range (in code):** **AR**
- 77506. *Neoleucinodes alegalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *alegralis* Schaus,1920 **Range (in code):** **GF**
- 77507. *Neoleucinodes dissolvens* (Dyar,1914)** (Pyralidae) **Synonym(s):** *dissolvens* Dyar,1914 **Range (in code):** **GF**
- 77508. *Neoleucinodes elegantalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *elegantalis* Guenée,1854 **Range (in code):** **BR**
- 77509. *Neoleucinodes imperialis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *imperialis* Guenée,1854; *discerptalis* Walker,[1866] **Range (in code):** **HT HN**
- 77510. *Neoleucinodes incultalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *incultalis* Schaus,1912 **Range (in code):** **CR**
- 77511. *Neoleucinodes prophetica* (Dyar,1914)** (Pyralidae) **Synonym(s):** *prophetica* Dyar,1914; *minimalis* Amsel,1956 **Range (in code):** **PA VE**
- 77512. *Neoleucinodes torvis* Capps,1948** (Pyralidae) **Synonym(s):** *torvis* Capps,1948; *pusilla* Amsel,1956 **Range (in code):** **CU VE**
- 77513. *Neomusotima conspurcatalis* (W.Warren,1896)** (Pyralidae) **Synonym(s):** *conspurcatalis* W.Warren,1896; *fuscalis* Snellen **Range (in code):** **Bionomy:** Larva on *Lygodium microphyllum* (Schizaeaceae) (Solis, Shen-Horn & Goolsby,2004).
- 77514. *Neomusotima fuscolinealis* Yoshiyasu,1985** (Pyralidae) **Synonym(s):** *fuscolinealis* Yoshiyasu,1985 **Range (in code):** **JP**
- 77515. *Neopaschia flavociliata* Janse,1922** (Pyralidae) **Synonym(s):** *flavociliata* Janse,1922; *#flavociliata* Vari & Kroon,1986 **Range (in code):** **ZA**
- 77516. *Neopediasia mixtalis* (Walker,1863)** (Pyralidae) **Synonym(s):** *mixtalis* Walker,1863; *atrisquamalis* Hampson,1900; *columbinellus* South,1901; *trimarginipunctus* Filipjev,1927. **Range (in code):** **RU**
Sb Mnu KJ Prj Us Am CN Sz She Yu Sta Gn Kgs Mc Jn KP KR JP Hkk Kyu

- 77517. *Neorastia albicostella* Amsel,1953** (Pyralidae) Synonym(s): *albicostella* Amsel,1953
Range (in code): IR Ss AE
- 77518. *Neoschoenobia cautodes* Turner,1937** (Pyralidae) Synonym(s): *cautodes* Turner,1937
Range (in code): AU
- 77519. *Neostege holoxytha* Hampson,1910** (Pyralidae) Synonym(s): *holoxytha* Hampson,1910
Range (in code): ZA
- 77520. *Nephelobotys nephelistalis* (Hampson,1913)** (Pyralidae) Synonym(s): *nephelistalis* Hampson,1913 Range (in code):
- 77521. *Nephopterix albovariegata* Rothschild,1915** (Pyralidae) Synonym(s): *albovariegata* Rothschild,1915 Original Reference: *Nephopteryx albovariegata* Rothschild,1915, Novit. zool. 22: 238. Syntypes: Algeria, Hassi Dinar, El-Alia. Range (in code): DZ Hdr Eal
- 77522. *Nephopterix angustella* (Hübner,1796)** (Pyralidae) Synonym(s): *angustella* Hübner,1796; *angusta* Haworth,1811; *gracilalis* Hübner,[1825]. Range (in code): ES FR IT GB NL LU DE CH AT PL CZ SK HU RO YU TR IR GlS DK RU MD UA BY ZA
- 77523. *Nephopterix apotomella* (Meyrick,1886)** (Pyralidae) Synonym(s): *apotomella* Meyrick,1886 Range (in code): ZA
- 77524. *Nephopterix ardekanella* Amsel,1951** (Pyralidae) Synonym(s): *ardekanella* Amsel,1951
Range (in code): IR Fa Com
- 77525. *Nephopterix ardesiifascia* Rothschild,1915** (Pyralidae) Synonym(s): *ardesiifascia* Rothschild,1915 Original Reference: *Nephopteryx ardesiifascia* Rothschild,1915, Novit. zool. 22: 238-239. Syntypes: Algeria, Hassi Dinar, El-Alia. Range (in code): DZ Hdr Eal
- 77526. *Nephopterix capnoessa* (Turner,1904)** (Pyralidae) Synonym(s): *capnoessa* Turner,1904
Range (in code): AU
- 77527. *Nephopterix caradrinella* Ragonot,1893** (Pyralidae) Synonym(s): *caradrinella* Ragonot,1893 Range (in code): ZA
- 77528. *Nephopterix ceratistes* Tams,1935** (Pyralidae) Synonym(s): *ceratistes* Tams,1935 Range (in code): WS
- 77529. *Nephopterix chryserythra* Lower,1902** (Pyralidae) Synonym(s): *chryserythra* Lower,1902 Range (in code): AU
- 77530. *Nephopterix cleopatrella* Ragonot,1887** (Pyralidae) Synonym(s): *cleopatrella* Ragonot,1887 Original Reference: *Nephopterix cleopatrella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 231. Range (in code): MA TN Gab Gf DZ Tni Tis Onç Bsk IL Pa Hf Bionomy: Larva on *Gymnocarpon fruticosum* (Chrétien,1917).
- 77531. *Nephopterix cometella* Joannis,1927** (Pyralidae) Synonym(s): *cometella* Joannis,1927
Range (in code): ZA
- 77532. *Nephopterix cornutella* Amsel,1951** (Pyralidae) Synonym(s): *cornutella* Amsel,1951
Range (in code): IR Ss Chh
- 77533. *Nephopterix emussitatella* Ragonot,1893** (Pyralidae) Synonym(s): *emussitatella* Ragonot,1893 Range (in code): ZA
- 77534. *Nephopterix eustatica* Meyrick,1937** (Pyralidae) Synonym(s): *eustatica* Meyrick,1937
Range (in code): IQ Ry
- 77535. *Nephopterix eximiella* Ragonot,1893** (Pyralidae) Synonym(s): *eximiella* Ragonot,1893
Range (in code): PK Sd Krc
- 77536. *Nephopterix gregella* Eversmann,1844** (Pyralidae) Synonym(s): *gregella* Eversmann,1844 Range (in code): DZ Bsk RU Ur KG Tar Sb TR
- 77537. *Nephopterix griseofusa* (Wileman & South,1919)** (Pyralidae) Synonym(s): *griseofusa* Wileman & South,1919 Range (in code): TW
- 77538. *Nephopterix griseola* Rothschild,1915** (Pyralidae) Synonym(s): *griseola* Rothschild,1915
Original Reference: *Nephopteryx griseola* Rothschild,1915, Novit. zool. 22: 238. Syntypes 2♂ 2♀: Algeria, Oued Nça. Range (in code): DZ Onç
- 77539. *Nephopterix habrostola* Lower,1905** (Pyralidae) Synonym(s): *habrostola* Lower,1905
Range (in code): AU
- 77540. *Nephopterix hemibaphes* (Turner,1904)** (Pyralidae) Synonym(s): *hemibaphes* Turner,1904 Range (in code): AU
- 77541. *Nephopterix hyemalis* Butler,1880** (Pyralidae) Synonym(s): *hyemalis* Butler,1880 Range (in code): TW

- 77542. *Nephoterix kosemponella* Strand,1919** (Pyralidae) Synonym(s): *kosemponella* Strand,1919 Range (in code): TW
- 77543. *Nephoterix macrocirtensis* Amsel,1954** (Pyralidae) Synonym(s): *macrocirtensis* Amsel,1954 Range (in code): IR Fa Shr Ss Irs IQ
- 77544. *Nephoterix melanostyla* (Meyrick,1879)** (Pyralidae) Synonym(s): *melanostyla* Meyrick,1879; *flaveotincta* Lucas,1893 Range (in code): AU
- 77545. *Nephoterix melanotaeniella* Ragonot,1888** (Pyralidae) Synonym(s): *melanotaeniella* Ragonot,1888; *amasiella* Caradja,1910. Original Reference: *Nephoterix melanotaeniella* Ragonot,1888, Nouv. Genr. esp. Phycit. & Galler.: 15. Type: [Türkei]: Mardin. Range (in code): TR
- 77546. *Nephoterix minimella* Amsel,1954** (Pyralidae) Synonym(s): *minimella* Amsel,1954 Original Reference: *Nephoterix minimella* Amsel,1954, Ark. zool. 6 (16): 290, figs. 107, 108, 229-232. Holotype ♂: Iran: Kuh-i Taftan. Range (in code): IR Fa TR
- 77547. *Nephoterix oxybiella* Amsel,1950** (Pyralidae) Synonym(s): *oxybiella* Amsel,1950 Range (in code): IR Ss Chh
- 77548. *Nephoterix persarum* Toll,1948** (Pyralidae) Synonym(s): *persarum* Toll,1948 Original Reference: *Nephoterix persarum* Toll,1948, Z.wien. ent. Ges. 32 (1947): 109-110, Taf.4 fig.8; Taf.5 fig.31. Syntypes 1♂ 1♀: Nordost-Persien, Kuh-i-Mirabi. Range (in code): IR Kh
- 77549. *Nephoterix placoxantha* (Lower,1898)** (Pyralidae) Synonym(s): *placoxantha* Lower,1898 Range (in code): AU
- 77550. *Nephoterix quilimanella* Pagenstecher,1893** (Pyralidae) Synonym(s): *quilimanella* Pagenstecher,1893 Range (in code): ZA
- 77551. *Nephoterix rectangulella* Amsel,1950** (Pyralidae) Synonym(s): *rectangulella* Amsel,1950 Range (in code): IR Elb Th Kdj
- 77552. *Nephoterix rhyparella* Ragonot,1887** (Pyralidae) Synonym(s): *rhyparella* Ragonot,1887; *nigrescens* W.Warren,1888 Original Reference: *Nephoterix rhyparella* Ragonot,1887, Nouv. Phycitidae: 15. Type: India. Range (in code): IN Hp Sml PK Haz Mre Cp K-P
- 77553. *Nephoterix rudostriatella* Pagenstecher,1893** (Pyralidae) Synonym(s): *rudostriatella* Pagenstecher,1893 Range (in code): ZA
- 77554. *Nephoterix signella* Ragonot,1888** (Pyralidae) Synonym(s): *signella* Ragonot,1888 Range (in code): AF
- 77555. *Nephoterix thermalopha* Lower,1903** (Pyralidae) Synonym(s): *thermalopha* Lower,1903 Range (in code): AU
- 77556. *Nephoterix variella* Walker,1866** (Pyralidae) Synonym(s): *variella* Walker,1866 Range (in code): ZA
- 77557. *Nephoterygia austeritella* Amsel,1965** (Pyralidae) Synonym(s): *austeritella* Amsel,1965 Range (in code): SD SD119 IR Hz Fa Ss Bionomy: Larva on *Prosopis farcta* (Fabaceae) (Alipanah et al.,2012).
- 77558. *Nephrogramma reniculalis* (Zeller,1872)** (Pyralidae) Synonym(s): *reniculalis* Zeller,1872; *renalis* Ragonot,1889 Range (in code): US Tx
- 77559. *Nephrogramma separata* Munroe,1972** (Pyralidae) Synonym(s): *separata* Munroe,1972 Range (in code): US Arz
- 77560. *Neurophyseta albimarginalis* Schaus,1920** (Pyralidae) Synonym(s): *albimarginalis* Schaus,1920 Range (in code): GT
- 77561. *Neurophyseta albinalis* Hampson,1912** (Pyralidae) Synonym(s): *albinalis* Hampson,1912 Range (in code): CR
- 77562. *Neurophyseta albirufa* Hampson,1912** (Pyralidae) Synonym(s): *albirufa* Hampson,1912 Range (in code): PE
- 77563. *Neurophyseta arcigrammalis* Hampson,1912** (Pyralidae) Synonym(s): *arcigrammalis* Hampson,1912 Range (in code): BR
- 77564. *Neurophyseta arcuatalis* Hampson,1912** (Pyralidae) Synonym(s): *arcuatalis* Hampson,1912 Range (in code): GT
- 77565. *Neurophyseta argyroleuca* Hampson,1912** (Pyralidae) Synonym(s): *argyroleuca* Hampson,1912 Range (in code): PE
- 77566. *Neurophyseta auralis* Hampson,1912** (Pyralidae) Synonym(s): *auralis* Hampson,1912 Range (in code): BR

- 77567. Neurophyseta avertinalis (Schaus,1914)** (Pyralidae) Synonym(s): *avertinalis* Schaus,1914
Range (in code): CU
- 77568. Neurophyseta bolusalis (Walker,1859)** (Pyralidae) Synonym(s): *bolusalis* Walker,1859
Range (in code): BR Rja
- 77569. Neurophyseta camptoqrammalis Hampson,1912** (Pyralidae) Synonym(s): *camptoqrammalis* Hampson,1912 Range (in code): GT
- 77570. Neurophyseta clymenalis (Walker,1859)** (Pyralidae) Synonym(s): *clymenalis* Walker,1859; *saurialis* Lederer,1863 *nec* Gn.,1854; *praestriatalis* Lederer,1863 Range (in code): VE
- 77571. Neurophyseta completalis (Dognin,1904)** (Pyralidae) Synonym(s): *completalis* Dognin,1904 Range (in code): PE
- 77572. Neurophyseta cyclicalis Schaus,1913** (Pyralidae) Synonym(s): *cyclicalis* Schaus,1913
Range (in code): CR
- 77573. Neurophyseta dabiusalis (Schaus,1920)** (Pyralidae) Synonym(s): *dabiusalis* Schaus,1920
Range (in code): MX
- 77574. Neurophyseta damescalis (Guenée,1854)** (Pyralidae) Synonym(s): *damescalis* Guenée,1854; *bocusalis* Walker,1859 Range (in code): BR
- 77575. Neurophyseta dasymalis (Dyar,1926)** (Pyralidae) Synonym(s): *dasymalis* Dyar,1926
Range (in code): MX
- 77576. Neurophyseta debalis (Druce,1895)** (Pyralidae) Synonym(s): *debalis* Druce,1895 Range (in code): CR
- 77577. Neurophyseta diplogrammalis Hampson,1912** (Pyralidae) Synonym(s): *diplogrammalis* Hampson,1912 Range (in code): BR Rja
- 77578. Neurophyseta disciatralis Hampson,1917** (Pyralidae) Synonym(s): *disciatralis* Hampson,1917 Range (in code): PE
- 77579. Neurophyseta durgalis Schaus,1920** (Pyralidae) Synonym(s): *durgalis* Schaus,1920
Range (in code): GT
- 77580. Neurophyseta fulvalis Hampson,1912** (Pyralidae) Synonym(s): *fulvalis* Hampson,1912
Range (in code): BR
- 77581. Neurophyseta fulvilinealis Hampson,1917** (Pyralidae) Synonym(s): *fulvilinealis* Hampson,1917 Range (in code): CO
- 77582. Neurophyseta fulvistrigalis Hampson,1917** (Pyralidae) Synonym(s): *fulvistrigalis* Hampson,1917 Range (in code): PE
- 77583. Neurophyseta graphicalis (Hampson,1917)** (Pyralidae) Synonym(s): *graphicalis* Hampson,1917 Range (in code): PE
- 77584. Neurophyseta laothoealis (Walker,1859)** (Pyralidae) Synonym(s): *laothoealis* Walker,1859 Range (in code): VE
- 77585. Neurophyseta laudamialis (Walker,1859)** (Pyralidae) Synonym(s): *laudamialis* Walker,1859 Range (in code): VE
- 77586. Neurophyseta mellograpta Dyar,1914** (Pyralidae) Synonym(s): *mellograpta* Dyar,1914
Range (in code): PA
- 77587. Neurophyseta mesophaealis Hampson,1917** (Pyralidae) Synonym(s): *mesophaealis* Hampson,1917 Range (in code): PE
- 77588. Neurophyseta mineolalis (Schaus,1940)** (Pyralidae) Synonym(s): *mineolalis* Schaus,1940 Range (in code): PR
- 77589. Neurophyseta mollitalis (Schaus,1912)** (Pyralidae) Synonym(s): *mollitalis* Schaus,1912
Range (in code): CR
- 77590. Neurophyseta narcissusalis (Walker,1859)** (Pyralidae) Synonym(s): *narcissusalis* Walker,1859 Range (in code): BR
- 77591. Neurophyseta normalis Hampson,1912** (Pyralidae) Synonym(s): *normalis* Hampson,1912
Range (in code): VI
- 77592. Neurophyseta paroalis (Schaus,1906)** (Pyralidae) Synonym(s): *paroalis* Schaus,1906; *andeolalis* Schaus,1924 Range (in code): BR
- 77593. Neurophyseta perlalis (Hampson,1897)** (Pyralidae) Synonym(s): *perlalis* Hampson,1897
Range (in code): PE
- 77594. Neurophyseta perrivalis Hampson,1912** (Pyralidae) Synonym(s): *perrivalis* Hampson,1912 Range (in code): CO

- 77595. Neurophyseta phaeozonalis (Hampson,1906)** (Pyralidae) **Synonym(s):** *phaeozonalis* Hampson,1906 Range (in code): **MX**
- 77596. Neurophyseta pomperialis (Druce,1896)** (Pyralidae) **Synonym(s):** *pomperialis* Druce,1896 Range (in code): **CR**
- 77597. Neurophyseta purifactalis (Dyar,1914)** (Pyralidae) **Synonym(s):** *purifactalis* Dyar,1914 Range (in code): **PA**
- 77598. Neurophyseta randalis (Druce,1896)** (Pyralidae) **Synonym(s):** *randalis* Druce,1896 Range (in code): **MX**
- 77599. Neurophyseta rufalis Hampson,1912** (Pyralidae) **Synonym(s):** *rufalis* Hampson,1912 Range (in code): **JM**
- 77600. Neurophyseta stigmatalis (Dognin,1904)** (Pyralidae) **Synonym(s):** *stigmatalis* Dognin,1904 Range (in code): **PE**
- 77601. Neurophyseta subpurialis (Walker,[1866])** (Pyralidae) **Synonym(s):** *subpurialis* Walker,[1866] Range (in code): **VE**
- 77602. Neurophyseta turrialbalis Schaus,1912** (Pyralidae) **Synonym(s):** *turrialbalis* Schaus,1912 Range (in code): **CR**
- 77603. Neurophyseta ursmaralis Schaus,1927** (Pyralidae) **Synonym(s):** *ursmaralis* Schaus,1927 Range (in code): **AR PY**
- 77604. Neurophyseta virginalis (Dognin,1904)** (Pyralidae) **Synonym(s):** *virginalis* Dognin,1904 Range (in code): **EC**
- 77605. Neurophyseta volcanalis Schaus,1920** (Pyralidae) **Synonym(s):** *volcanalis* Schaus,1920 Range (in code): **MX**
- 77606. Nevrina procopia (Stoll,1781)** (Pyralidae) **Synonym(s):** *procopia* Stoll,1781 Range (in code): **AC IN LK SG TW ID Ja JP**
- 77607. Niphadoses elachia Common,1960** (Pyralidae) **Synonym(s):** *elachia* Common,1960 Range (in code): **AU**
- 77608. Niphadoses hoplites Common,1960** (Pyralidae) **Synonym(s):** *hoplites* Common,1960 Range (in code):
- 77609. Niphadoses paleucus Common,1960** (Pyralidae) **Synonym(s):** *paleucus* Common,1960 Range (in code): **AU**
- 77610. Niphograptia albiguttalis (W.Warren,1889)** (Pyralidae) **Synonym(s):** *albiguttalis* W.Warren,1889 Range (in code): **AU**
- 77611. Niphopyralis albida Hampson,1893** (Pyralidae) **Synonym(s):** *albida* Hampson,1893; *suffidalis* Swinhoe,1895 Range (in code): **BT IN Mh Bba LK ID Bor**
- 77612. Niphopyralis chionosis Hampson,1919** (Pyralidae) **Synonym(s):** *chionosis* Hampson,1919 Range (in code): **AU**
- 77613. Niphopyralis contaminata Hampson,1893** (Pyralidae) **Synonym(s):** *contaminata* Hampson,1893 Range (in code): **LK**
- 77614. Niphopyralis nivalis Hampson,1893** (Pyralidae) **Synonym(s):** *nivalis* Hampson,1893 Range (in code): **LK**
- 77615. Niphostola micans Hampson,1896** (Pyralidae) **Synonym(s):** *micans* Hampson,1896 Range (in code): **IN Ass**
- 77616. Niphostola punctata Hampson,1896** (Pyralidae) **Synonym(s):** *punctata* Hampson,1896 Range (in code): **MY ID Bor**
- 77617. Nomophila africana Munroe,1973** (Pyralidae) **Synonym(s):** *africana* Munroe,1973 Range (in code): **ZA**
- 77618. Nomophila brevispinalis Munroe,1973** (Pyralidae) **Synonym(s):** *brevispinalis* Munroe,1973 Range (in code): **ZA**
- 77619. Nomophila corticalis (Walker,1869)** (Pyralidae) **Synonym(s):** *corticalis* Walker,1869; *australica* Munroe,1973 Range (in code): **AU**
- 77620. Nomophila incognita Viette,1959** (Pyralidae) **Synonym(s):** *incognita* Viette,1959 Range (in code): **IA**
- 77621. Nomophila nearctica Munroe,1973** (Pyralidae) **Synonym(s):** *nearctica* Munroe,1973 Range (in code): **GB**
- 77622. Nomophila noctuella ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *noctuella* [Denis & Schiffermüller],1775; *hybridalis* Hübner,1796; *indistinctalis* Walker,1859 Original Reference: *Tinea noctuella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend:

136. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): MA DZ TN Sfx Elk PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IQ Bgd Dia Shq Amr Kro Bji IR Ahz Ab Elb Dam Plr Mz Enz LB Bsa Bei SY IL Pa Hf AF Hr Bmu Anj Gz Jla Kot PK Mre DK NO SE FI EE LV LT RU MD UA BY PH TW AE Cp Haz Abb C-P Cte ID IN ZA Sro Qba Gea Bsk Onç Ceg Heh Ogl Gle Omy Gtt Ah Ajj Ges Rhr Bionomy: Larva on Polygonum (Polygonaceae), Medicago, Trifolium (Fabaceae), Vaccinium (Ericaceae), Poa, Triticum (Poaceae) (Parenti,2000).
- 77623. Nonambesa cartera (West,1931)** (Pyralidae) Synonym(s): *cartera* West,1931 Range (in code): PH ID Sum
- 77624. Nonambesa sp.A** (Pyralidae) Synonym(s): Range (in code): AU
- 77625. Nonphycita lineata Balinsky,1994** (Pyralidae) Synonym(s): *lineata* Balinsky,1994 Range (in code): ZA Tva Buf Mpu Brb
- 77626. Nonphycita lineata lineata Balinsky,1994** (Pyralidae) Synonym(s): *lineata* Balinsky,1994 Range (in code): ZA Tva Buf Mpu Brb
- 77627. Noorda apiensis Rebel,1915** (Pyralidae) Synonym(s): *apiensis* Rebel,1915 Range (in code): WS NH
- 77628. Noorda blitealis Walker,1859** (Pyralidae) Synonym(s): *blitealis* Walker,1859; *subjectalis* Walker,[1866]; *holocrossa* Meyrick,1902 Range (in code): AE YE Ad PK Sd Krc IN LK AU ZA TH Bionomy: Larva bores bark of Moringa pterygosperma, M. oleifera (Moringaceae) (Robinson et al.,1994).
- 77629. Noorda ignealis Hampson,1899** (Pyralidae) Synonym(s): *ignealis* Hampson,1899 Range (in code): TW PG AU QAU
- 77630. Noorda moringae Tams,1938** (Pyralidae) Synonym(s): *moringae* Tams,1938 Original Reference: Noorda moringae Tams,1938, Bull. ent. Res. 29: 10. Type: S.India. Range (in code): IN
- 77631. Nosophora dispilalis Hampson,1896** (Pyralidae) Synonym(s): *chironalis* sensu Lederer,1863; *dispilalis* Hampson,1896 Range (in code): AU
- 77632. Nosophora fulvalis Hampson,1896** (Pyralidae) Synonym(s): *fulvalis* Hampson,1896 Range (in code): AU
- 77633. Nosophora hypsalis (Walker,[1866])** (Pyralidae) Synonym(s): *hypsalis* Walker,[1866] Range (in code): AU
- 77634. Nosophora semitritalis (Lederer,1863)** (Pyralidae) Synonym(s): *semitritalis* Lederer,1863 Range (in code): IN TW
- 77635. Nosophora semitritalis orbicularis Shibuya,1928** (Pyralidae) Synonym(s): *orbicularis* Shibuya,1928 Range (in code): TW
- 77636. Nosophora taihokualis Strand,1918** (Pyralidae) Synonym(s): *taihokualis* Strand,1918 Range (in code): TW
- 77637. Notarcha aurolinealis (Walker,1859)** (Pyralidae) Synonym(s): *aurolinealis* Walker,1859; *faustalis* Lederer,1863; *amaenalis* Walker,[1866]; *delicatilis* Hampson,1891 Range (in code): AU
- 77638. Notarcha cassusalis (Walker,1859)** (Pyralidae) Synonym(s): *cassusalis* Walker,1859; *cassalis* Meyrick,1884 Range (in code): ZA
- 77639. Notarcha chrysoplasta Meyrick,1884** (Pyralidae) Synonym(s): *chrysoplasta* Meyrick,1884; *chryselectra* Lower,1903 Range (in code): AU
- 77640. Notarcha muscerdalis (Zeller,1852)** (Pyralidae) Synonym(s): *muscerdalis* Zeller,1852 Range (in code): ZA
- 77641. Notarcha obrinusalis (Walker,1859)** (Pyralidae) Synonym(s): *obrinusalis* Walker,1859; *trigalis* Lederer,1863; *graphicalis* Swinhoe,1886; *nigripunctalis* Fawcett,1916; *#teneralis* Caradja,1932 Range (in code): IN Sml Hp Kul Mhw NI Nk AU Bor ID Amb ZA
- 77642. Notarcha polytimeta (Turner,1915)** (Pyralidae) Synonym(s): *polytimeta* Turner,1915 Range (in code): AU
- 77643. Notarcha quaternalis (Zeller,1852)** (Pyralidae) Synonym(s): *quaternalis* Zeller,1852 Range (in code): ET ZA Tva Lpo Spb Mdk Ady TW PH Luz IN PK Bl Sd Krc LK CN Sum Shw Amb PG AU ID
- 77644. Notarcha szentivanyi (Munroe,1968)** (Pyralidae) Synonym(s): *szentivanyi* Munroe,1968 Range (in code): PG
- 77645. Notarcha temeratalis (Zeller,1852)** (Pyralidae) Synonym(s): *temeratalis* Zeller,1852 Range (in code): ZA

- 77646. Notocrambus cuprealis (Hampson,1907)** (Pyralidae) Synonym(s): *cuprealis* Hampson,1907 Range (in code): AU VAu
- 77647. Notocrambus holomelas Turner,1922** (Pyralidae) Synonym(s): *holomelas* Turner,1922 Range (in code): AU TS
- 77648. Novocrambus propygmæus Bleszynski,1962** (Pyralidae) Synonym(s): *pygmæus* Zeller,1882 nec Stph.,1834; *propygmæus* Bleszynski,1962 Range (in code): CO
- 77649. Numonia epicrociella (Strand,1919)** (Pyralidae) Synonym(s): *epicrociella* Strand,1919 Range (in code): TW
- 77650. Nussodes abidjanalis Leraut,2013** (Pyralidae) Synonym(s): *abidjanalis* Leraut,2013 Range (in code): CI
- 77651. Nussodes africalis (Leraut,2007)** (Pyralidae) Synonym(s): *africalis* Leraut,2007 Range (in code): CF
- 77652. Nussodes nimbaensis Leraut,2013** (Pyralidae) Synonym(s): *nimbaensis* Leraut,2013 Range (in code): GN
- 77653. Nyctegretis cullianensis Balinsky,1991** (Pyralidae) Synonym(s): *cullianensis* Balinsky,1991 Range (in code):
- 77654. Nyctegretis cullianensis cullianensis Balinsky,1991** (Pyralidae) Synonym(s): *cullianensis* Balinsky,1991 Range (in code):
- 77655. Nyctegretis inclinella Ragonot,1888** (Pyralidae) Synonym(s): *inclinella* Ragonot,1888 Range (in code): ZA
- 77656. Nyctegretis leonina (Hampson,1930)** (Pyralidae) Synonym(s): *leonina* Hampson,1930 Range (in code): ZA
- 77657. Nyctegretis lineana (Scopoli,1786)** (Pyralidae) Synonym(s): *lineana* Scopoli,1786; *achatinella* Hübner,[1824]. Original Reference: Phalaena lineana Scopoli,1786, Del. Florae Faun. Insub. 2: 57, Tab.21 fig. vi A, B. Range (in code): ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Ur LB IL IQ IR Mz Elb CN Ui Ku Shs AF KG Uk TM Kp MN Bionomy: Larva on Sedum (Crassulaceae), Cytisus, Ononis, Trifolium (Fabaceae), Artemisia, Gnaphalium (Asteraceae) (Parenti,2000).
- 77658. Nyctegretis ruminella Harpe,1861** (Pyralidae) Synonym(s): *ruminella* Harpe,1861 Original Reference: Nyctegretis ruminella Harpe,1861, Bull. Soc. vaud. Sci. nat. (37) 6: 397. Type(s): Sizilien. Range (in code): DZ Phv MA TN ES Mu FR Co Sa Si MT TR RO BG
- 77659. Nyctegretis triangulella Ragonot,1901** (Pyralidae) Synonym(s): *triangulella* Ragonot,1901; *griseella* Caradja,1910; *impossibilella* Roesler,1969. Original Reference: Nyctegretis triangulella Ragonot,1901, [in] Romanoff, Mém. lépid. 8: 29, t.43 fig.17. Type: Japan. Range (in code): IT AT CZ SK HU RO GR TR RU Am JP CN Tkg Hun Yu
- 77660. Nyctereutica asbolopis Turner,1904** (Pyralidae) Synonym(s): *asbolopis* Turner,1904 Range (in code): AU
- 77661. Nyctereutica capnopsis (Meyrick,1885)** (Pyralidae) Synonym(s): *capnopsis* Meyrick,1885 Range (in code): AU
- 77662. Nyctereutica elassota (Meyrick,1884)** (Pyralidae) Synonym(s): *elassota* Meyrick,1884 Range (in code): AU
- 77663. Nyctereutica melanophorella (Walker,1868)** (Pyralidae) Synonym(s): *melanophorella* Walker,1868 Range (in code): AU
- 77664. Nyctereutica tephrophanes (Turner,1937)** (Pyralidae) Synonym(s): *tephrophanes* Turner,1937 Range (in code): AU
- 77665. Nyctereutica tornotis (Meyrick,1887)** (Pyralidae) Synonym(s): *tornotis* Meyrick,1887 Range (in code): AU
- 77666. Nyctereutica tympanophora (Turner,1904)** (Pyralidae) Synonym(s): *tympanophora* Turner,1904 Range (in code): AU
- 77667. Nyctiplanes polypenthes Turner,1937** (Pyralidae) Synonym(s): *polypenthes* Turner,1937 Range (in code): AU
- 77668. Nymphicula acuminatalis Snellen,1880** (Pyralidae) Synonym(s): *acuminatalis* Snellen,1880 Range (in code): ID Clb
- 77669. Nymphicula albibasalis Yoshiyasu,1980** (Pyralidae) Synonym(s): *albibasalis* Yoshiyasu,1980 Original Reference: Nymphicula albibasalis Yoshiyasu,1980, Trans. lep. Soc. Japan 31 (1/2): 19, figs. Range (in code): JP

- 77670. *Nymphicula albidorsalis* Speidel,1998** (Pyralidae) Synonym(s): *albidorsalis* Speidel,1998
Range (in code): **PH Sam Ley**
- 77671. *Nymphicula atriterminalis* (Hampson,1917)** (Pyralidae) Synonym(s): *atriterminalis* Hampson,1917 Range (in code): **ID Clb**
- 77672. *Nymphicula banauensis* Speidel,2003** (Pyralidae) Synonym(s): *banauensis* Speidel,2003
Range (in code): **PH Luz**
- 77673. *Nymphicula blandialis* (Walker,1859)** (Pyralidae) Synonym(s): *blandialis* Walker,1859;
cuneifera Moore,[1885] Range (in code): **LK**
- 77674. *Nymphicula bombayensis* (Swinhoe & Cotes,1889)** (Pyralidae) Synonym(s):
bombayensis Swinhoe & Cotes,1889 Range (in code): **IN Bba**
- 77675. *Nymphicula drususalis* (Walker,1859)** (Pyralidae) Synonym(s): *drususalis* Walker,1859
Range (in code): **MY Bor Swk**
- 77676. *Nymphicula eberti* Speidel,1998** (Pyralidae) Synonym(s): *eberti* Speidel,1998 Range (in
code): **PH Sam**
- 77677. *Nymphicula hexaxantha* Agassiz,2012** (Pyralidae) Synonym(s): *hexaxantha* Agassiz,2012
Range (in code): **KE UG Rz TZ Ulu MW Zom Mje ZM ZW ZA Gau Nta Kzu ZR**
- 77678. *Nymphicula infuscatalis* Snellen,1880** (Pyralidae) Synonym(s): *infuscatalis* Snellen,1880
Range (in code): **ID Clb**
- 77679. *Nymphicula junctalis* (Hampson,1891)** (Pyralidae) Synonym(s): *junctalis* Hampson,1891
Range (in code): **IN**
- 77680. *Nymphicula luzonensis* Yoshiyasu,1997** (Pyralidae) Synonym(s): *luzonensis*
Yoshiyasu,1997 Range (in code): **PH Luz**
- 77681. *Nymphicula manilensis* Sauber,1902** (Pyralidae) Synonym(s): *manilensis* Sauber,1902
Range (in code): **PH Luz**
- 77682. *Nymphicula mesorphna* (Meyrick,1894)** (Pyralidae) Synonym(s): *mesorphna*
Meyrick,1894; *minuta* Yoshiyasu,1980 Range (in code): **MM Kni TH CMa Fn Nna Rng Cbi VN JP**
- 77683. *Nymphicula meyi* Speidel,1998** (Pyralidae) Synonym(s): *meyi* Speidel,1998 Range (in
code): **PH Mno**
- 77684. *Nymphicula mindorensis* Speidel,2003** (Pyralidae) Synonym(s): *mindorensis*
Speidel,2003 Range (in code): **PH Mdo**
- 77685. *Nymphicula morimotoi* Yoshiyasu,1997** (Pyralidae) Synonym(s): *morimotoi*
Yoshiyasu,1997 Range (in code): **PH Luz Sam Neg**
- 77686. *Nymphicula negrosensis* Speidel,2003** (Pyralidae) Synonym(s): *negrosensis* Speidel,2003
Range (in code): **PH Neg Luz Mdo**
- 77687. *Nymphicula nigristriata* (Hampson,1917)** (Pyralidae) Synonym(s): *nigristriata*
Hampson,1917 Range (in code): **PG Adl Ls ID Ij**
- 77688. *Nymphicula nigritalis* (Hampson,1893)** (Pyralidae) Synonym(s): *nigritalis*
Hampson,1893 Range (in code): **LK**
- 77689. *Nymphicula nigrolunalis* Speidel,1998** (Pyralidae) Synonym(s): *nigrolunalis* Speidel,1998
Range (in code): **PH Ley Sam**
- 77690. *Nymphicula nyasalis* (Hampson,1917)** (Pyralidae) Synonym(s): *nyasalis* Hampson,1917
Range (in code): **MW TZ ZR Mje**
- 77691. *Nymphicula patnalis* (R.Felder & Rogenhofer,1874)** (Pyralidae) Synonym(s):
patnalis R.Felder & Rogenhofer,1874 Range (in code): **IN Clc ID Amb**
- 77692. *Nymphicula perirrorata* (Hampson,1917)** (Pyralidae) Synonym(s): *perirrorata*
Hampson,1917 Range (in code): **GH CI SL**
- 77693. *Nymphicula queenslandica* (Hampson,1917)** (Pyralidae) Synonym(s): *queenslandica*
Hampson,1917 Range (in code): **AU QAu**
- 77694. *Nymphicula saigusai* Yoshiyasu,1980** (Pyralidae) Synonym(s): *saigusai* Yoshiyasu,1980
Range (in code): **JP**
- 77695. *Nymphicula samarensis* Speidel,2003** (Pyralidae) Synonym(s): *samarensis* Speidel,2003
Range (in code): **PH Sam Luz Neg**
- 77696. *Nymphicula stipalis* Snellen,[1880]** (Pyralidae) Synonym(s): *stipalis* Snellen,[1880]
Range (in code): **ID Clb Sum Ja**
- 77697. *Nymphicula trimacula* (Hampson,1891)** (Pyralidae) Synonym(s): *trimacula*
Hampson,1891 Range (in code): **IN**

- 77698. *Nymphicula tripunctata* Yoshiyasu, 1987** (Pyralidae) Synonym(s): *tripunctata* Yoshiyasu, 1987 Original Reference: *Nymphicula tripunctata* Yoshiyasu, 1987, Microlepid. Thailand 1: 177, figs. Holotype: Thailand: Kanchaburi: Sai Yok. Range (in code): **TH Knc**
- 77699. *Nymphicula xanthobathra* (Meyrick, 1894)** (Pyralidae) Synonym(s): *xanthobathra* Meyrick, 1894 Range (in code): **ID Bor TH Knc Trat**
- 77700. *Nymphicula zambalensis* Speidel, 2003** (Pyralidae) Synonym(s): *zambalensis* Speidel, 2003 Range (in code): **PH Luz**
- 77701. *Nymphula abrotalis* (Walker, 1859)** (Pyralidae) Synonym(s): *abrotalis* Walker, 1859 Range (in code): **BR**
- 77702. *Nymphula adiantalis* (Walker, 1859)** (Pyralidae) Synonym(s): *adiantalis* Walker, 1859 Range (in code): **BR**
- 77703. *Nymphula aetalis* (Walker, 1859)** (Pyralidae) Synonym(s): *aetalis* Walker, 1859; *lotialis* R. Felder & Rogenhofer, 1874 Range (in code): **BR**
- 77704. *Nymphula algiralis* (Lucas, 1849)** (Pyralidae) Synonym(s): *algiralis* Lucas, 1849 Range (in code): **DZ**
- 77705. *Nymphula allionealis* (Walker, 1859)** (Pyralidae) Synonym(s): *allionealis* Walker, 1859; *itealis* Walker, 1859; *cretacealis* Lederer, 1863; *plenilinealis* Grote, 1897 Range (in code): **US Oh Msc Fl Wc Ge Iln**
- 77706. *Nymphula aristodera* Turner, 1908** (Pyralidae) Synonym(s): *aristodera* Turner, 1908 Range (in code): **AU QAU**
- 77707. *Nymphula australis* (Hulst, 1885)** (Pyralidae) Synonym(s): *australis* Hulst, 1885 Range (in code): **US Fl**
- 77708. *Nymphula avertinalis* Schaus, 1924** (Pyralidae) Synonym(s): *avertinalis* Schaus, 1924 Range (in code): **CU**
- 77709. *Nymphula badiusalis* (Walker, 1859)** (Pyralidae) Synonym(s): *badiusalis* Walker, 1859; *curviferalis* Walker, 1865; *albalis* Robinson, 1869 Range (in code): **US CA Wc Iln Oh Pns Ny WVI**
- 77710. *Nymphula bifurcalis* (Wileman, 1911)** (Pyralidae) Synonym(s): *bifurcalis* Wileman, 1911 Range (in code): **KP KR JP**
- 77711. *Nymphula camalis* Quaintance, 1898** (Pyralidae) Synonym(s): *camalis* Quaintance, 1898 Range (in code): **US Fl**
- 77712. *Nymphula circealis* (Walker, 1859)** (Pyralidae) Synonym(s): *circealis* Walker, 1859 Range (in code): **ZA MG**
- 77713. *Nymphula coenosalis* (Snellen, 1895)** (Pyralidae) Synonym(s): *coenosalis* Snellen, 1895 Range (in code): **ID Clb**
- 77714. *Nymphula cuneoalis* (Snellen, 1880)** (Pyralidae) Synonym(s): *cuneoalis* Snellen, 1880 Range (in code): **ID Aru Amb Clb**
- 77715. *Nymphula definitalis* Strand, 1919** (Pyralidae) Synonym(s): *definitalis* Strand, 1919 Range (in code): **TW**
- 77716. *Nymphula depunctalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *depunctalis* Guenée, 1854; *decussalis* Walker, 1859; *vestigialis* Snellen, 1880; *dianalis* Schaus, 1905 Original Reference: *Hydrocampa depunctalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 274. Syntypes 2♀: "Indes orientales". Range (in code): **AR BR UY VE MA ES Cz An Gi PH Luz Clb PK IN LK MM TH MY Bor ID Ja Sum TW VN Ton AU MZ MG MW MU NG ZR PR** Bionomy: Larva on rice.
- 77717. *Nymphula effrenatalis* Berg, 1876** (Pyralidae) Synonym(s): *effrenatalis* Berg, 1876 Range (in code): **UY**
- 77718. *Nymphula ekthipsis* (Grote, 1876)** (Pyralidae) Synonym(s): *ekthipsis* Grote, 1876 Range (in code): **CA Mnt US Mai Msc Ny Iln Nh**
- 77719. *Nymphula endoralis* (Walker, 1859)** (Pyralidae) Synonym(s): *endoralis* Walker, 1859; *distinctalis* Snellen, 1875 Range (in code): **MX GT HN CR PA CO UY BS**
- 77720. *Nymphula expatrialis* Hampson, 1906** (Pyralidae) Synonym(s): *expatrialis* Hampson, 1906 Range (in code): **PG Fg**
- 77721. *Nymphula fengwhanalisis* (Pryer, 1877)** (Pyralidae) Synonym(s): *fengwhanalisis* Pryer, 1877 Range (in code): **CN KP KR JP**
- 77722. *Nymphula filigeralis* (Walker, 1865)** (Pyralidae) Synonym(s): *filigeralis* Walker, 1865 Range (in code): **BR**
- 77723. *Nymphula flavialis* Schaus, 1902** (Pyralidae) Synonym(s): *flavialis* Schaus, 1902 Range (in code): **CR**

- 77724. *Nymphula foedalis* (Guenée,1854)** (Pyalidae) **Synonym(s):** *foedalis* Guenée,1854 *tenellalis* Guenée,1854; *leucothoalis* Walker,1859; *oethonalis* Walker,1859; *scitalis* Lederer,1863; *solitaris* Walker,1865; *episila* Meyrick,1886; *cantonalis* Caradja,1925 **Original Reference:** *Isopteryx foedalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 228. Syntypes 2♀: "Inde centrale". **Range (in code):** **WS PC FJ SB PG AU NW PH Luz IN LK SG MY Bor ID Ja Clb Sbw Pla Amb Swk Aru CN TW VN Ton JP US PA GY BR AO MG**
- 77725. *Nymphula franciscalis* Schaus,1906** (Pyalidae) **Synonym(s):** *franciscalis* Schaus,1906 **Range (in code):** **BR**
- 77726. *Nymphula fregonalis* Snellen,1880** (Pyalidae) **Synonym(s):** *fregonalis* Snellen,1880 **Range (in code):** **ID Ja Sum Clb**
- 77727. *Nymphula fulguralis* Caradja,1934** (Pyalidae) **Synonym(s):** *fulguralis* Caradja,1934 **Range (in code):** **CN Kwa**
- 77728. *Nymphula fusalis* Hampson,1896** (Pyalidae) **Synonym(s):** *fusalis* Hampson,1896 **Range (in code):** **IN Ass Nag**
- 77729. *Nymphula fuscicostalis* Hampson,1906** (Pyalidae) **Synonym(s):** *fuscicostalis* Hampson,1906 **Range (in code):** **IN Clc**
- 77730. *Nymphula graphicalis* Hampson,1917** (Pyalidae) **Synonym(s):** *graphicalis* Hampson,1917 **Range (in code):** **PE**
- 77731. *Nymphula grisealis* Hampson,1912** (Pyalidae) **Synonym(s):** *grisealis* Hampson,1912 **Range (in code):** **LK**
- 77732. *Nymphula gurgitalis* (Lederer,1863)** (Pyalidae) **Synonym(s):** *gurgitalis* Lederer,1863; *modestalis* Lederer,1863 **Range (in code):** **BR VE SR**
- 77733. *Nymphula gyralis* (Hulst,1886)** (Pyalidae) **Synonym(s):** *gyralis* Hulst,1886; *dentilinea* Hampson,1897 **Range (in code):** **US Ge Fl IlN Ny Msc**
- 77734. *Nymphula hampsoni* (South,1901)** (Pyalidae) **Synonym(s):** *hampsoni* South,1901 **Range (in code):** **IN Ass LK CN TW**
- 77735. *Nymphula hermeasalis* (Walker,1859)** (Pyalidae) **Synonym(s):** *hermeasalis* Walker,1859 **Range (in code):** **PA BR**
- 77736. *Nymphula hydrothionalis* (Snellen,1875)** (Pyalidae) **Synonym(s):** *hydrothionalis* Snellen,1875 **Range (in code):** **BR**
- 77737. *Nymphula icciusalis* (Walker,1859)** (Pyalidae) **Synonym(s):** *icciusalis* Walker,1859; *faulalis* Walker,1859; *formosalis* Clemens,1860; *genuialis* Lederer,1863; *pacalis* Grote,1881 **Range (in code):** **US Msc Pns Ny Oh IlN Wc**
- 77738. *Nymphula impuralis* (R.Felder & Rogenhofer,1874)** (Pyalidae) **Synonym(s):** *impuralis* R.Felder & Rogenhofer,1874 **Range (in code):** **HT**
- 77739. *Nymphula incurvalis* South,1901** (Pyalidae) **Synonym(s):** *incurvalis* South,1901 **Range (in code):** **CN**
- 77740. *Nymphula indomitalis* Berg,1876** (Pyalidae) **Synonym(s):** *indomitalis* Berg,1876 **Range (in code):** **UY**
- 77741. *Nymphula infirmalis* (Möschler,1886)** (Pyalidae) **Synonym(s):** *infirmalis* Möschler,1886 **Range (in code):** **JM**
- 77742. *Nymphula interruptalis* (Pryer,1877)** (Pyalidae) **Synonym(s):** *interruptalis* Pryer,1877 **Range (in code):** **CN RU Prj Us KP KR JP**
- 77743. *Nymphula interruptalis separatalis* (Leech,1889)** (Pyalidae) **Synonym(s):** *separatalis* Leech,1889 **Range (in code):** **KP KR JP**
- 77744. *Nymphula leucoplagnalis* Hampson,1917** (Pyalidae) **Synonym(s):** *zoiusalis* Druce,1895 *nec* Wlk.,1859; *leucoplagnalis* Hampson,1917 **Range (in code):** **MX**
- 77745. *Nymphula leucostola* Hampson,1906** (Pyalidae) **Synonym(s):** *leucostola* Hampson,1906 **Range (in code):** **MM**
- 77746. *Nymphula litanalis* (Walker,1859)** (Pyalidae) **Synonym(s):** *litanalis* Walker,1859; *stenialis* W.Warren,1891; *titanalis* Hampson,1897 **Range (in code):** **IN Ass MY Bor**
- 77747. *Nymphula luteivittalis* Mabille,1880** (Pyalidae) **Synonym(s):** *luteivittalis* Mabille,1880 **Range (in code):** **MG**
- 77748. *Nymphula maculalis* (Clemens,1860)** (Pyalidae) **Synonym(s):** *maculalis* Clemens,1860; *seminivella* Walker,1866; *dispar* Grote,1880; *#foeminalis* Dyar,1906; *#masculinalis* Dyar,1906 **Range (in code):** **US Ny Msc Fl On CA**
- 77749. *Nymphula manilensis* Hampson,1917** (Pyalidae) **Synonym(s):** *manilensis* Hampson,1917 **Range (in code):** **PH Luz**

77750. **Nymphula metastictalis Hampson,1917** (Pyalidae) Synonym(s): *metastictalis* Hampson,1917 Range (in code): PG Eca Goo
77751. **Nymphula minimalis (Saalmüller,1879)** (Pyalidae) Synonym(s): *minimalis* Saalmüller,1879 Range (in code): MG
77752. **Nymphula minoralis Mabille,1881** (Pyalidae) Synonym(s): *minoralis* Mabille,1881 Range (in code): MG
77753. **Nymphula nebulosalis Fernald,1887** (Pyalidae) Synonym(s): *nebulosalis* Fernald,1887 Range (in code): US FI
77754. **Nymphula nigra W.Warren,1896** (Pyalidae) Synonym(s): *nigra* W.Warren,1896 Range (in code): IN Meg Ass Khs TW
77755. **Nymphula nigrolinealis Pryer,1877** (Pyalidae) Synonym(s): *nigrolinealis* Pryer,1877 Range (in code): CN IR Enz
77756. **Nymphula nigrolinealis sordidior Rothschild,1921** (Pyalidae) Synonym(s): *sordidior* Rothschild,1921 Range (in code): IR Enz
77757. **Nymphula nitidulata (Hufnagel,1767)** (Pyalidae) Synonym(s): *nitidulata* Hufnagel,1767; *stagnata* Donovan,1806; *stagnalis* Guenée,1854; *corculina* Butler,1879; *distinctalis* Ragonot,1894 Range (in code): ES FR Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO B-H YU BG TR Cc GG DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk Sb Am AM MN Sh JP Bionomy: Larva on Nuphar lutea (Nymphaeaceae), Sparganium (Sparganiaceae) (Parenti,2000).
77758. **Nymphula nomophilalis Dyar,1906** (Pyalidae) Synonym(s): *nomophilalis* Dyar,1906 Range (in code): US FI Tx
77759. **Nymphula oblitalis (Walker,1859)** (Pyalidae) Synonym(s): *oblitalis* Walker,1859; *obscuralis* Möschler,1881; *proprialis* Fernald,1888 Range (in code): MX US FI Tx Iln Ny Cf
77760. **Nymphula obscuralis (Grote,1881)** (Pyalidae) Synonym(s): *obscuralis* Grote,1881 Range (in code): US Mai Msc Ny Pns Oh Iln Wc FI
77761. **Nymphula ophiaula Meyrick,1936** (Pyalidae) Synonym(s): *ophiaula* Meyrick,1936 Range (in code): ZR
77762. **Nymphula orientalis Filipjev,1934** (Pyalidae) Synonym(s): *orientalis* Filipjev,1934 Range (in code): RU Prj Us
77763. **Nymphula pampenealis Dyar,1924** (Pyalidae) Synonym(s): *pampenealis* Dyar,1924 Range (in code): MX
77764. **Nymphula paulalis Schaus,1906** (Pyalidae) Synonym(s): *paulalis* Schaus,1906 Range (in code): BR
77765. **Nymphula perialis Hampson,1897** (Pyalidae) Synonym(s): *perialis* Hampson,1897 Range (in code): PE GP
77766. **Nymphula pleonaxalis Hampson,1897** (Pyalidae) Synonym(s): *pleonaxalis* Hampson,1897 Range (in code): PG Fg
77767. **Nymphula plumbefusalis Hampson,1917** (Pyalidae) Synonym(s): *plumbefusalis* Hampson,1917 Range (in code): SD
77768. **Nymphula polystictalis Hampson,1906** (Pyalidae) Synonym(s): *polystictalis* Hampson,1906 Range (in code): PG
77769. **Nymphula pseudofodalis Strand,1912** (Pyalidae) Synonym(s): *pseudofodalis* Strand,1912 Range (in code): CM
77770. **Nymphula pudica (Lucas,1893)** (Pyalidae) Synonym(s): *pudica* Lucas,1893 Range (in code): AU WAu
77771. **Nymphula seminealis (Walker,1859)** (Pyalidae) Synonym(s): *seminealis* Walker,1859; *tedyscongalis* Clemens,1860; *semineale* Hampson,1897; *juncealis* Fernald,1902 Range (in code): US Msc Pns FI
77772. **Nymphula seriopunctalis Hampson,1897** (Pyalidae) Synonym(s): *seriopunctalis* Hampson,1897 Range (in code): ID Amb Bru PG Fg
77773. **Nymphula serrilinealis Barnes & Benjamin,1924** (Pyalidae) Synonym(s): *serrilinealis* Barnes & Benjamin,1924 Range (in code): CA On
77774. **Nymphula simplalis Snellen,1896** (Pyalidae) Synonym(s): *simplalis* Snellen,1896 Range (in code): SI IN
77775. **Nymphula sinicalis Hampson,1897** (Pyalidae) Synonym(s): *sinicalis* Hampson,1897 Range (in code): CN Tkg VN Ton

77776. **Nymphula spilomelalis (Walker,1859)** (Pyrilidae) Synonym(s): *spilomelalis* Walker,1859
Range (in code): **LK PG**
77777. **Nymphula stenoides (Butler,1882)** (Pyrilidae) Synonym(s): *stenoides* Butler,1882 Range (in code):
77778. **Nymphula takamukai Shibuya,1929** (Pyrilidae) Synonym(s): *takamukai* Shibuya,1929
Range (in code): **JP**
77779. **Nymphula terranea Rothschild,1915** (Pyrilidae) Synonym(s): *terranea* Rothschild,1915
Range (in code): **PG**
77780. **Nymphula turbata (Butler,1881)** (Pyrilidae) Synonym(s): *turbata* Butler,1881; *floralis* Leech,1889; *sultschana* Ragonot,1894 Range (in code): **RU Am Prj Us CN KP JP TW**
77781. **Nymphula unguicalis Snellen,1880** (Pyrilidae) Synonym(s): *unguicalis* Snellen,1880
Range (in code): **ID Sum Ja Clb**
77782. **Nymphula ussuriensis Rebel,1910** (Pyrilidae) Synonym(s): *ussuriensis* Rebel,1910; *munakatae* Matsumura,1920 Range (in code): **RU Prj Us Am CN**
77783. **Nymphula uxorialis Strand,1919** (Pyrilidae) Synonym(s): *uxorialis* Strand,1919 Range (in code): **TW**
77784. **Nymphula vittalis (Bremer,1864)** (Pyrilidae) Synonym(s): *vittalis* Bremer,1864; *regularis* Pryer,1877 Range (in code): **RU Am Mc CN KP KR JP**
77785. **Nymphula vittatalis (Dyar,1906)** (Pyrilidae) Synonym(s): *vittatalis* Dyar,1906 Range (in code): **US FI**
77786. **Nymphulosis arcanella Amsel,1959** (Pyrilidae) Synonym(s): *arcanella* Amsel,1959
Original Reference: Nymphulosis arcanella Amsel,1959, Bull. Soc. ent. Egypte 43: 52, Taf.3 fig.1, Taf.9 fig.11. Monotype ♂: [Iraq], [taxonomical status uncertain!]. Range (in code): **IQ**
77787. **Obtusipalpis pardalis Hampson,1896** (Pyrilidae) Synonym(s): *pardalis* Hampson,1896
Range (in code): **ZA**
77788. **Occidentalia comptulatalis (Hulst,1886)** (Pyrilidae) Synonym(s): *comptulatalis* Hulst,1886 Range (in code): **US Col Ut Ws Mns CA Qb Vc**
77789. **Ocrasa acerasta (Turner,1904)** (Pyrilidae) Synonym(s): *acerasta* Turner,1904 Range (in code): **AU**
77790. **Ocrasa albidalis Walker,[1866]** (Pyrilidae) Synonym(s): *albidalis* Walker,[1866]; *rhodocryptalis* Walker,[1866] Range (in code): **AU**
77791. **Ocrasa chytriodes (Turner,1911)** (Pyrilidae) Synonym(s): *chytriodes* Turner,1911 Range (in code): **AU**
77792. **Ocrasa decoloralis (Lederer,1863)** (Pyrilidae) Synonym(s): *decoloralis* Lederer,1863
Range (in code): **AU**
77793. **Ocrasa nonusalis Walker,1859** (Pyrilidae) Synonym(s): *nonusalis* Walker,1859 Range (in code): **TH CMa Cuo Cuo1 NP IN LK CN HK TW MM MY**
77794. **Ocrasa repetita (Butler,1887)** (Pyrilidae) Synonym(s): *repetita* Butler,1887 Range (in code): **AU**
77795. **Ocrisia robiniella (Millière,1865)** (Pyrilidae) Synonym(s): *robiniella* Millière,1865 Range (in code): **ES FR Co**
77796. **Ocrisiodes alphetopis (Meyrick,1937)** (Pyrilidae) Synonym(s): *alphetopis* Meyrick,1937
Original Reference: Pristophora alphetopis Meyrick,1937, Exot. Microlepid. 5: 72-73. Syntypes 5♂♂: Iraq: Rayat (4000-7000ft), July (E.P.Wiltshire leg.). Range (in code): **IQ Ry**
77797. **Ocrisiodes antiopa Roesler,1988** (Pyrilidae) Synonym(s): *antiopa* Roesler,1988 Range (in code): **IR Kd Lo**
77798. **Ocrisiodes babaella (Amsel,1970)** (Pyrilidae) Synonym(s): *babaella* Amsel,1970 Range (in code): **AF Kbb Pnj**
77799. **Ocrisiodes bamella (Amsel,1958)** (Pyrilidae) Synonym(s): *bamella* Amsel,1958 Range (in code): **IR Kd AF Hr Ca Pm**
77800. **Ocrisiodes discomaculella (Ragonot,1888)** (Pyrilidae) Synonym(s): *discomaculella* Ragonot,1888 Original Reference: Pristophora discomaculella Ragonot,1888, N. Genr.: 6. Range (in code): **DZ Bsk TN Gf TR IL Pa Js Jt**
77801. **Ocrisiodes discomaculella desertella (Caradja,1910)** (Pyrilidae) Synonym(s): *desertella* Caradja,1910 Range (in code):
77802. **Ocrisiodes discomaculella pauli (Caradja,1910)** (Pyrilidae) Synonym(s): *pauli* Caradja,1910 Range (in code): **IL Pa Js Jt**

- 77803. *Ocrisiodes dispergella* (Ragonot,1887)** (Pyralidae) Synonym(s): *dispergella* Ragonot,1887
Original Reference: *pristophora dispergella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 229. Range (in code): IR Ss Th Elb AF Ca TM Kp Cc AZ Nv Ord
- 77804. *Ocrisiodes dissimilella* (Ragonot,1887)** (Pyralidae) Synonym(s): *dissimilella* Ragonot,1887
Original Reference: *Selagia dissimilella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 234.
Type (s): [Turquie]: Kazikoparan. Range (in code): TR Cc
- 77805. *Ocrisiodes minimella* (Amsel,1970)** (Pyralidae) Synonym(s): *minimella* Amsel,1970
Original Reference: *Pristophorodes minimella* Amsel,1970, Beitr. naturk. Forsch. SüdwDtl. 29: 80, t.5 fig.7. Holotype ♂: Afghanistan: Arghandab-Damm, 35km N. Kandahar, 1150m (LNK).
Range (in code): IR Elb Th AF Ca Pag
- 77806. *Ocrisiodes occulta* Roesler,1990** (Pyralidae) Synonym(s): *occulta* Roesler,1990 Range (in code): IR Elb Th KJ
- 77807. *Ocrisiodes polyptychella* (Ragonot,1887)** (Pyralidae) Synonym(s): *polyptychella* Ragonot,1887; *pristophorella* Amsel,1951. Range (in code): IR Elb Shh Kh AF Kab Ch
- 77808. *Ocrisiodes ruptifasciella* (Ragonot,1887)** (Pyralidae) Synonym(s): *ruptifasciella* Ragonot,1887; *chirazalis* Amsel,1950
Original Reference: *Pristophora ruptifasciella* Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 229. Syntypes ♂♀: [Uzbekistan]: Samarkand, Marghilan. Range (in code): IR Fa Shr Elb Ha Th MN UZ Man Smk TM Kp MN
- 77809. *Ocrisiodes senganella* (Amsel,1961)** (Pyralidae) Synonym(s): *senganella* Amsel,1961; *arghandabella* Amsel,1970. Range (in code): AF Ca IR Ss Kd Zj
- 77810. *Ocrisiodes sesamella* Roesler,1988** (Pyralidae) Synonym(s): *sesamella* Roesler,1988
Range (in code): IR Ss Th Elb
- 77811. *Ocrisiodes taftanella* (Amsel,1950)** (Pyralidae) Synonym(s): *taftanella* Amsel,1950
Range (in code): IR Ss Elb Th Kh AF Ca Hr Kab Kbb Pnj Srb Bm
- 77812. *Ocrisiodes turkmeniensis* Asselbergs,2004** (Pyralidae) Synonym(s): *turkmeniensis* Asselbergs,2004
Original Reference: *Ocrisiodes turkmeniensis* Asselbergs,2004, Nota lepid. 27 (1): 54-55, figs. 3,6,10. Holotype ♂: Turkmenistan, W. Kopet Dag, Mt. Sunt 700m Kara Kala v.1988, leg. Klutschko (ITZA). Range (in code): TM Kp
- 77813. *Odilla noralis* Schaus,1940** (Pyralidae) Synonym(s): *noralis* Schaus,1940 Range (in code): PR
- 77814. *Odontarthria tropica* Roesler,1983** (Pyralidae) Synonym(s): *tropica* Roesler,1983 Range (in code): ID Sum
- 77815. *Odontia leucopsumis* (Hampson,1919)** (Pyralidae) Synonym(s): *leucopsumis* Hampson,1919 Range (in code): IN Ass
- 77816. *Odontopaschia ecnomia* Turner,1913** (Pyralidae) Synonym(s): *ecnomia* Turner,1913
Range (in code): AU
- 77817. *Odontopaschia stephanuchra* Tams,1935** (Pyralidae) Synonym(s): Range (in code): WS
- 77818. *Oenobotys glirialis* (Herrich-Schäffer,1871)** (Pyralidae) Synonym(s): *glirialis* Herrich-Schäffer,1871; *#glorialis* Wolcott,1924 Range (in code): CU
- 77819. *Oenobotys invinacealis* Ferguson,1991** (Pyralidae) Synonym(s): *invinacealis* Ferguson,1991 Range (in code): BM
- 77820. *Oenobotys pantoppidani* (Hedemann,1894)** (Pyralidae) Synonym(s): *pantoppidani* Hedemann,1894; *pontoppidani* Hedemann,1895; *desistalis* McDunnough,1939 nec Wlk.,1862 Range (in code): VI
- 77821. *Oenobotys texanalis* Munroe & A.Blanchard,1976** (Pyralidae) Synonym(s): *texanalis* Munroe & A.Blanchard,1976 Range (in code): US Tx
- 77822. *Oenobotys vinotinctalis* (Hampson,1895)** (Pyralidae) Synonym(s): *vinotinctalis* Hampson,1895 Range (in code): GD
- 77823. *Oenogenes congrualis* (Walker,[1866])** (Pyralidae) Synonym(s): *congrualis* Walker,[1866] Range (in code): AU
- 77824. *Oenogenes fugalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *fugalis* R.Felder & Rogenhofer,1875 Range (in code): AU
- 77825. *Ogilvia pulverealis* (Hampson,1899)** (Pyralidae) Synonym(s): *pulverealis* Hampson,1899
Range (in code): Sk
- 77826. *Oligochroides nigrیتella* Strand,1909** (Pyralidae) Synonym(s): *nigrیتella* Strand,1909
Range (in code): ZA

- 77827. *Oligostigma adjunctalis* Snellen,1895** (Pyralidae) Synonym(s): *adjunctalis* Snellen,1895
Range (in code): **ID Sum Ja Lb Flo Clb**
- 77828. *Oligostigma albifuscalis* Hampson,1906** (Pyralidae) Synonym(s): *albifuscalis* Hampson,1906 Range (in code): **IN Ass**
- 77829. *Oligostigma alicialis* Hampson,1906** (Pyralidae) Synonym(s): *alicialis* Hampson,1906
Range (in code): **LK**
- 77830. *Oligostigma andeolalis* Schaus,1924** (Pyralidae) Synonym(s): *andeolalis* Schaus,1924
Range (in code): **BR**
- 77831. *Oligostigma andreusialis* Hampson,1912** (Pyralidae) Synonym(s): *andreusialis* Hampson,1912 Range (in code): **IN**
- 77832. *Oligostigma angustalis* Sauber,1902** (Pyralidae) Synonym(s): *angustalis* Sauber,1902
Range (in code): **PH Mno**
- 77833. *Oligostigma araeale* Hampson,1897** (Pyralidae) Synonym(s): *araeale* Hampson,1897
Range (in code): **LK**
- 77834. *Oligostigma argylineale* Hampson,1897** (Pyralidae) Synonym(s): *argylineale* Hampson,1897 Range (in code): **QAU AU**
- 77835. *Oligostigma argyrotoxis* Pagenstecher,1886** (Pyralidae) Synonym(s): *argyrotoxis* Pagenstecher,1886 Range (in code): **ID Aru**
- 77836. *Oligostigma auropunctalis* Hampson,1903** (Pyralidae) Synonym(s): *auropunctalis* Hampson,1903; *javanica* Strand,1914 Range (in code): **ID Ja IN BT**
- 77837. *Oligostigma barbararcha* Meyrick,1932** (Pyralidae) Synonym(s): *barbararcha* Meyrick,1932 Range (in code): **FJ**
- 77838. *Oligostigma bifurcalis* (Pryer,1877)** (Pyralidae) Synonym(s): *bifurcalis* Pryer,1877; *bifurcale* Hampson,196; *szechuanalis* Caradja,1935 Range (in code): **IN Ass MM CN Sz TW**
- 77839. *Oligostigma bipunctalis* Hampson,1906** (Pyralidae) Synonym(s): *bipunctalis* Hampson,1906 Range (in code): **NG**
- 77840. *Oligostigma camptoteles* Hampson,1906** (Pyralidae) Synonym(s): *camptoteles* Hampson,1906 Original Reference: *Oligostigma camptoteles* Hampson,1906, Ann. Mag. nat. Hist. (7) 18: 464. Type: Tambora. Range (in code): **SD SD112**
- 77841. *Oligostigma camptozonale* Hampson,1897** (Pyralidae) Synonym(s): *camptozonale* Hampson,1897 Range (in code): **ID Amb Fg PG QAU AU WAU**
- 77842. *Oligostigma candidalis* Pagenstecher,1886** (Pyralidae) Synonym(s): *candidalis* Pagenstecher,1886 Range (in code): **ID Aru**
- 77843. *Oligostigma centrimacula* Hampson,1917** (Pyralidae) Synonym(s): *centrimacula* Hampson,1917 Range (in code): **QAU AU**
- 77844. *Oligostigma chrysota* (Meyrick,1886)** (Pyralidae) Synonym(s): *chrysota* Meyrick,1886
Range (in code): **FJ**
- 77845. *Oligostigma chrysozonalis* Hampson,1912** (Pyralidae) Synonym(s): *chrysozonalis* Hampson,1912 Range (in code): **IN**
- 77846. *Oligostigma conspurcatalis* (W.Warren,1896)** (Pyralidae) Synonym(s): *conspurcatalis* W.Warren,1896; *conspurcatale* Hampson,1896 Range (in code): **IN Meg Ass Khs ID Sgr Ij**
- 77847. *Oligostigma cryptalis* (Druce,1896)** (Pyralidae) Synonym(s): *cryptalis* Druce,1896; *cryptale* Hampson,1897 Range (in code): **MX CR PA**
- 77848. *Oligostigma dianale* Hampson,1893** (Pyralidae) Synonym(s): *dianale* Hampson,1893
Range (in code): **LK**
- 77849. *Oligostigma discalis* Hampson,1906** (Pyralidae) Synonym(s): *discalis* Hampson,1906
Range (in code): **ID Clb**
- 77850. *Oligostigma dominulalis* (Walker,1865)** (Pyralidae) Synonym(s): *dominulalis* Walker,1865; *dominulale* Hampson,1897 Range (in code): **PG**
- 77851. *Oligostigma ducalis* Schaus,1906** (Pyralidae) Synonym(s): *ducalis* Schaus,1906 Range (in code): **BR**
- 77852. *Oligostigma ectogonalis* Hampson,1906** (Pyralidae) Synonym(s): *ectogonalis* Hampson,1906 Range (in code): **LS PG**
- 77853. *Oligostigma excisa* Swinhoe,1901** (Pyralidae) Synonym(s): *excisa* Swinhoe,1901 Range (in code): **IN Ass**
- 77854. *Oligostigma excisalis* Snellen,1901** (Pyralidae) Synonym(s): *excisalis* Snellen,1901 Range (in code): **ID Sum Ja**

- 77855. *Oligostigma exhibitalis* Walker, 1862** (Pyralidae) Synonym(s): *exhibitalis* Walker, 1862; *exhibitale* Hampson, 1897 Range (in code): BR
- 77856. *Oligostigma flavibasalis* Hampson, 1917** (Pyralidae) Synonym(s): *flavibasalis* Hampson, 1917 Range (in code): MG
- 77857. *Oligostigma flavimarginalis* W. Warren, 1889** (Pyralidae) Synonym(s): *flavimarginalis* W. Warren, 1889; *flavimarginale* Hampson, 1897 Range (in code): BR
- 77858. *Oligostigma flavipictalis* Hampson, 1917** (Pyralidae) Synonym(s): *flavipictalis* Hampson, 1917 Range (in code): SG MY
- 77859. *Oligostigma fumibasale* Hampson, 1896** (Pyralidae) Synonym(s): *fumibasale* Hampson, 1896 Range (in code): LK
- 77860. *Oligostigma hapilista* (Swinhoe, 1892)** (Pyralidae) Synonym(s): *hapilista* Swinhoe, 1892; *albidivisa* W. Warren, 1896 Range (in code): IN Meg Ass Khs TW ID Sum
- 77861. *Oligostigma hemicryptis* Meyrick, 1897** (Pyralidae) Synonym(s): *hemicryptis* Meyrick, 1897 Range (in code): ID Sgr
- 77862. *Oligostigma insectalis* Pryer, 1877** (Pyralidae) Synonym(s): *insectalis* Pryer, 1877; *insectale* Hampson, 1897 Range (in code): CN
- 77863. *Oligostigma irialis* (Walker, 1859)** (Pyralidae) Synonym(s): *irialis* Walker, 1859; *irisale* Hampson, 1897 Range (in code): SL
- 77864. *Oligostigma juncealis* Guenée, 1854** (Pyralidae) Synonym(s): *juncealis* Guenée, 1854; *junceale* Hampson, 1897 Range (in code): BR GY US FI
- 77865. *Oligostigma kwangtungialis* Caradja, 1925** (Pyralidae) Synonym(s): *kwangtungialis* Caradja, 1925 Range (in code): CN Kwa
- 77866. *Oligostigma leucomma* Hampson, 1917** (Pyralidae) Synonym(s): *leucomma* Hampson, 1917 Range (in code): QAU AU
- 77867. *Oligostigma melanotalis* Hampson, 1906** (Pyralidae) Synonym(s): *melanotalis* Hampson, 1906 Range (in code): LK
- 77868. *Oligostigma minutalis* Caradja, 1925** (Pyralidae) Synonym(s): *minutalis* Caradja, 1925 Range (in code): CN
- 77869. *Oligostigma mollialis* Schaus, 1912** (Pyralidae) Synonym(s): *mollialis* Schaus, 1912 Range (in code): PA CR
- 77870. *Oligostigma niveinotatum* Hampson, 1893** (Pyralidae) Synonym(s): *niveinotatum* Hampson, 1893 Range (in code): LK
- 77871. *Oligostigma odrianalis* Schaus, 1924** (Pyralidae) Synonym(s): *odrianalis* Schaus, 1924 Range (in code): BR
- 77872. *Oligostigma ornata* (Moore, 1885)** (Pyralidae) Synonym(s): *ornata* Moore, 1885; *ornatum* Hampson, 1893 Range (in code): LK
- 77873. *Oligostigma orphninalis* Pagenstecher, 1886** (Pyralidae) Synonym(s): *orphninalis* Pagenstecher, 1886 Range (in code): ID Aru
- 77874. *Oligostigma orthoteles* Meyrick, 1894** (Pyralidae) Synonym(s): *orthoteles* Meyrick, 1894 Range (in code): Sbw ID
- 77875. *Oligostigma palleuca* Hampson, 1896** (Pyralidae) Synonym(s): *palleuca* Hampson, 1896 Range (in code): ID MY Bor
- 77876. *Oligostigma parvalis* Moore, 1877** (Pyralidae) Synonym(s): *parvalis* Moore, 1877; *parvale* Hampson, 1896 Range (in code): ID MY Bor Sum Adm
- 77877. *Oligostigma peruviansis* Hampson, 1917** (Pyralidae) Synonym(s): *peruviansis* Hampson, 1917 Range (in code): PE
- 77878. *Oligostigma phaedralis* (Walker, 1859)** (Pyralidae) Synonym(s): *phaedralis* Walker, 1859; *phaedrale* Hampson, 1897 Range (in code): BR
- 77879. *Oligostigma picalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *picalis* Guenée, 1854; *picale* Hampson, 1893 Range (in code): IN LK
- 77880. *Oligostigma piperitalis* Hampson, 1917** (Pyralidae) Synonym(s): *piperitalis* Hampson, 1917 Range (in code): NG
- 77881. *Oligostigma polydectalis* (Walker, 1859)** (Pyralidae) Synonym(s): *polydectalis* Walker, 1859; *polydectale* Hampson, 1897 Range (in code): AU NSW FJ
- 77882. *Oligostigma praestabilis* Pagenstecher, 1886** (Pyralidae) Synonym(s): *praestabilis* Pagenstecher, 1886 Range (in code): ID Aru

- 77883. *Oligostigma profusalis* Schaus,1912** (Pyralidae) **Synonym(s):** *profusalis* Schaus,1912
Range (in code): **CR**
- 77884. *Oligostigma purifactalis* Dyar,1914** (Pyralidae) **Synonym(s):** *purifactalis* Dyar,1914
Range (in code): **PA**
- 77885. *Oligostigma quinquinalis* Snellen,1892** (Pyralidae) **Synonym(s):** *quinquinalis* Snellen,1892 **Range (in code):** **ID Ja Clb Aru**
- 77886. *Oligostigma rufiterminalis* Hampson,1917** (Pyralidae) **Synonym(s):** *rufiterminalis* Hampson,1917 **Range (in code):** **MG**
- 77887. *Oligostigma sanguinisecta* Swinhoe,1901** (Pyralidae) **Synonym(s):** *sanguinisecta* Swinhoe,1901 **Range (in code):** **MY ID Bor**
- 77888. *Oligostigma semimarginalis* Dyar,1914** (Pyralidae) **Synonym(s):** *semimarginalis* Dyar,1914 **Range (in code):** **PA**
- 77889. *Oligostigma syagrusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *syagrusalis* Walker,1859; *melanodes* Meyrick,1894; *syagrusale* Hampson,1897 **Range (in code):** **MY ID Bor**
- 77890. *Oligostigma tripletale* Hampson,1897** (Pyralidae) **Synonym(s):** *tripletale* Hampson,1897
Range (in code): **Fg PG**
- 77891. *Olycella junctolineella* (Hulst,1900)** (Pyralidae) **Synonym(s):** *junctolineella* Hulst,1900
Range (in code): **AU**
- 77892. *Omiodes albicillialis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *albicillialis* Schaus,1912
Range (in code): **CR**
- 77893. *Omiodes albicinctalis* (Hampson,1904)** (Pyralidae) **Synonym(s):** *albicinctalis* Hampson,1904 **Range (in code):** **BS**
- 77894. *Omiodes alboanalis* Amsel,1956** (Pyralidae) **Synonym(s):** *alboanalis* Amsel,1956 **Range (in code):** **VE**
- 77895. *Omiodes anchoritalis* (Dyar,1912)** (Pyralidae) **Synonym(s):** *anchoritalis* Dyar,1912
Range (in code): **MX Ver**
- 77896. *Omiodes anxiferalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *anxiferalis* Schaus,1912
Range (in code): **CR**
- 77897. *Omiodes argentigulalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *argentigulalis* Schaus,1912; *#argenticulalis* Sharp,1913 **Range (in code):** **CR**
- 77898. *Omiodes basalticalis* (Lederer,1863)** (Pyralidae) **Synonym(s):** *basalticalis* Lederer,1863; *amplipennis* Butler,1882. **Range (in code):** **AU**
- 77899. *Omiodes capillalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *capillalis* Guenée,1854; *productalis* Hampson,1899 **Range (in code):** **SR GF**
- 77900. *Omiodes cayennalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *cayennalis* Schaus,1920
Range (in code): **GF**
- 77901. *Omiodes cervinalis* Amsel,1956** (Pyralidae) **Synonym(s):** *cervinalis* Amsel,1956 **Range (in code):** **VE**
- 77902. *Omiodes chrysampyx* (Turner,1908)** (Pyralidae) **Synonym(s):** *chrysampyx* Turner,1908
Range (in code): **AU**
- 77903. *Omiodes confusalis* (Dognin,1905)** (Pyralidae) **Synonym(s):** *confusalis* Dognin,1905
Range (in code): **EC**
- 77904. *Omiodes croceiceps* (Walker,[1866])** (Pyralidae) **Synonym(s):** *croceiceps* Walker,[1866]
Range (in code): **BR**
- 77905. *Omiodes cuniculalis* Guenée,1854** (Pyralidae) **Synonym(s):** *cuniculalis* Guenée,1854; *leporalis* Guenée,1854 **Range (in code):** **GF BR**
- 77906. *Omiodes cuprealis* (Moore,1877)** (Pyralidae) **Synonym(s):** *cuprealis* Moore,1877 **Range (in code):** **PH Luz IN MM Adm**
- 77907. *Omiodes diemenalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *diemenalis* Guenée,1854; *absistalis* Walker,1859; *lydialis* Walker,1859; *ustalis* Lederer,1863; *incertalis* Walker,[1866]; *pyraustalis* Snellen,[1880]. **Original Reference:** Asopia diemenalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 203. Type ♂: "Terre de Van-Diemen" (coll. Lefebvre). **Range (in code):** **TH Cna CMa Cuo Cuo1 Cuo5 Bnk IN LK HK CN SG ID Ja BN Bor Sbh Swk MY PH NH FJ TO SC AU PG SB WS PC MM Nk TW** **Bionomy:** Larva on leaf of Glycine max [soy bean], Vigna unguiculata [cow pea] (Fabaceae) (Lewvanich,2001).
- 77908. *Omiodes disciridescens* (Hampson,1918)** (Pyralidae) **Synonym(s):** *disciridescens* Hampson,1918 **Range (in code):** **PE**

- 77909. Omiodes dispilotalis (Walker,[1866])** (Pyralidae) Synonym(s): *dispilotalis* Walker,[1866]; *pallicalis* Snellen,1880; *lictor* Meyrick,1887 Range (in code): AU
- 77910. Omiodes duplicata (Kaye,1922)** (Pyralidae) Synonym(s): *duplicata* Kaye,1922 Range (in code): TT
- 77911. Omiodes fuliginalis (Walker,[1866])** (Pyralidae) Synonym(s): *fuliginalis* Walker,[1866] Range (in code): BR
- 77912. Omiodes fulvicauda (Hampson,1899)** (Pyralidae) Synonym(s): *fulvicauda* Hampson,1899 Range (in code): VE
- 77913. Omiodes gazalis (Schaus,1912)** (Pyralidae) Synonym(s): *gazalis* Schaus,1912 Range (in code): CR
- 77914. Omiodes grandis (Druce,1902)** (Pyralidae) Synonym(s): *grandis* Druce,1902 Range (in code): EC BO
- 77915. Omiodes granulata (W.Warren,1896)** (Pyralidae) Synonym(s): *granulata* W.Warren,1896 Range (in code): AU
- 77916. Omiodes humeralis Guenée,1854** (Pyralidae) Synonym(s): *humeralis* Guenée,1854; *peleusalis* Walker,1859; *gnomalis* Walker,1859 Range (in code): HT DO
- 77917. Omiodes hypoxantha (Dognin,1904)** (Pyralidae) Synonym(s): *hypoxantha* Dognin,1904 Range (in code): EC
- 77918. Omiodes indicata (Fabricius,1775)** (Pyralidae) Synonym(s): *indicata* Fabricius,1775; *vulgaris* Guenée,1854; *sabalis* Walker,1859; *moeliusalis* Walker,1859; *connexalis* Walker,[1866]; *reductalis* Walker,[1866]; *dolosalis* Möschler,1881; *fortificalis* Möschler,1890; *#pigralis* Dognin,1909 Range (in code): GF BR Rja MY Bor Swk DO CN SR PR
- 77919. Omiodes insolutalis Möschler,1890** (Pyralidae) Synonym(s): *insolutalis* Möschler,1890 Range (in code): PR
- 77920. Omiodes lenticurvalis (Hampson,1912)** (Pyralidae) Synonym(s): *lenticurvalis* Hampson,1912 Range (in code): VE
- 77921. Omiodes martini Amsel,1956** (Pyralidae) Synonym(s): *martini* Amsel,1956 Range (in code): VE
- 77922. Omiodes martyralis (Lederer,1863)** (Pyralidae) Synonym(s): *martyralis* Lederer,1863; *vulpina* Meyrick,1936 Range (in code): PR
- 77923. Omiodes metricalis (Möschler,1881)** (Pyralidae) Synonym(s): *metricalis* Möschler,1881 Range (in code): SR
- 77924. Omiodes mostella (Dyar,1912)** (Pyralidae) Synonym(s): *mostella* Dyar,1912 Range (in code): MX Vcr
- 77925. Omiodes nigriscripta (W.Warren,1896)** (Pyralidae) Synonym(s): *nigriscripta* W.Warren,1896; *fuscicilia* Hampson,1912; *assimilis* Rothschild,1915; *#rufior* Strand,1917 Range (in code): AU
- 77926. Omiodes nitida (Hampson,1912)** (Pyralidae) Synonym(s): *nitida* Hampson,1912 Range (in code): CO
- 77927. Omiodes noctescens (Moore,1888)** (Pyralidae) Synonym(s): *noctescens* Moore,1888 Range (in code): PH Luz Sam SI CN IN JP ID KP KR NP
- 77928. Omiodes ochrosoma R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *ochrosoma* R.Felder & Rogenhofer,1875 Range (in code): BR
- 77929. Omiodes odontosticta (Hampson,1898)** (Pyralidae) Synonym(s): *odontosticta* Hampson,1898 Range (in code): AU
- 77930. Omiodes origoalis (Walker,1859)** (Pyralidae) Synonym(s): *origoalis* Walker,1859; *palliventralis* Snellen,1880. Range (in code): AU
- 77931. Omiodes poeonalis (Walker,1859)** (Pyralidae) Synonym(s): *poeonalis* Walker,1859; *halmusalis* Walker,1859; *bianoralis* Walker,1859; *praeteritalis* Walker,[1866]; *minoralis* Walker,[1866]; *misera* Butler,1879; *korndoerfferi* Snellen,[1880]. Range (in code): AU
- 77932. Omiodes poliochroa (Hampson,1917)** (Pyralidae) Synonym(s): *poliochroa* Hampson,1917 Range (in code): PE
- 77933. Omiodes rufescens (Hampson,1912)** (Pyralidae) Synonym(s): *rufescens* Hampson,1912; *miamialis* Dyar,1917 Range (in code): BS US FI
- 77934. Omiodes seminitidalis (Schaus,1912)** (Pyralidae) Synonym(s): *seminitidalis* Schaus,1912 Range (in code): CR
- 77935. Omiodes simialis Guenée,1854** (Pyralidae) Synonym(s): *simialis* Guenée,1854; *jasonalis* Walker,1859; *orontesalis* Walker,1859; *eruptalis* Lederer,1863 Range (in code): GF BR DO
- 77936. Omiodes sp.** (Pyralidae) Synonym(s): Range (in code): PH Luz

- 77937. *Omiodes spoliatalis* (Lederer,1863)** (Pyralidae) **Synonym(s):** *spoliatalis* Lederer,1863
Range (in code): **US**
- 77938. *Omiodes stigmosalis* (W.Warren,1912)** (Pyralidae) **Synonym(s):** *stigmosalis* W.Warren,1912; *exogrammalis* Dyar,1914 **Range (in code):** **BR PA**
- 77939. *Omiodes surrectalis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *surrectalis* Walker,[1866]
Range (in code): **AU**
- 77940. *Omiodes unialis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *unialis* Guenée,1854 **Range (in code):** **PH Gui Mno IN LK Bor Crm Amb ID**
- 77941. *Omiodes xanthodysana* (Dyar,1914)** (Pyralidae) **Synonym(s):** *xanthodysana* Dyar,1914
Range (in code): **PA**
- 77942. *Omphalomia accersita* Swinhoe,1894** (Pyralidae) **Synonym(s):** *accersita* Swinhoe,1894
Range (in code): **TH IN**
- 77943. *Omphisa anastomosalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *anastomosalis* Guenée,1854 **Range (in code):** **TH Bnk CN LK IN Adm ID Ja D-Y**
- 77944. *Omphisa brunnetalis* Dyar,1912** (Pyralidae) **Synonym(s):** *brunnetalis* Dyar,1912 **Range (in code):** **MX**
- 77945. *Omphisa caustalis* Hampson,1913** (Pyralidae) **Synonym(s):** *caustalis* Hampson,1913
Range (in code): **UG**
- 77946. *Omphisa fuscidentalis* (Hampson,1895)** (Pyralidae) **Synonym(s):** *fuscidentalis* Hampson,1895 **Original Reference:** Chilo fuscidentalis Hampson,1895, Proc. zool. Soc. London 1895: 956. Type(s): India: Bengal. **Range (in code):** **SI IN BD MM TH CMa Cuo Cuo1 Mwa LA CN Yu**
Bionomy: Larva bores *Dendrocalamus membranaceus*, *D.strictus*, *D.hamiltonii*, *D.asper*, *D.brandisii*, *Bambusa nutans*, *B.vulgaris*, *B.arundinaceae*, *Gigantochloa nigro-ciliata*, *Thyrsostachys siamensis* (Leksawasdi,1994; 2001).
- 77947. *Omphisa illisalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *illisalis* Walker,1859 **Range (in code):** **IN MM Adm CN TW PH Mdo Boh Cts CmM LK Amb ID**
- 77948. *Omphisa ingens* Hampson,1918** (Pyralidae) **Synonym(s):** *ingens* Hampson,1918 **Range (in code):**
- 77949. *Omphisa leucostolalis* Hampson,1918** (Pyralidae) **Synonym(s):** *leucostolalis* Hampson,1918 **Range (in code):**
- 77950. *Omphisa machinalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) **Synonym(s):** *machinalis* R.Felder & Rogenhofer,1875 **Range (in code):** **PH CmL Luz CmM Amb Clb ID**
- 77951. *Omphisa repetitalis* Snellen,1890** (Pyralidae) **Synonym(s):** *repetitalis* Snellen,1890
Range (in code): **SI IN TH CMa?**
- 77952. *Omphisa robusta* Janse,1928** (Pyralidae) **Synonym(s):** *robusta* Janse,1928 **Range (in code):** **PG**
- 77953. *Omphisa vaovao* Viette,1973** (Pyralidae) **Synonym(s):** *vaovao* Viette,1973 **Original Reference:** *Omphisa vaovao* Viette,1973, Entomops 31: 219, fig.5. **Range (in code):** **MG**
- 77954. *Omphisa variegata* Kenrick,1912** (Pyralidae) **Synonym(s):** *variegata* Kenrick,1912 **Range (in code):** **AU PG**
- 77955. *Oncocera amoenella* (Zeller,1848)** (Pyralidae) **Synonym(s):** *amoenella* Zeller,1848
Original Reference: *Acrobasis amoenella* Zeller,1848, Isis 1848: 609-610. Type(s): "die europäische Türkei (Metzner)". **Range (in code):** **RO YU AL GR TR Arr Cc AM IR GlS CN Ui Ku Ga AF UZ**
- 77956. *Oncocera bibasella* (Joannis,1927)** (Pyralidae) **Synonym(s):** *bibasella* Joannis,1927
Range (in code): **ZA**
- 77957. *Oncocera floridana* (Joannis,1927)** (Pyralidae) **Synonym(s):** *floridana* Joannis,1927
Range (in code): **ZA**
- 77958. *Oncocera leucosticta* (Joannis,1927)** (Pyralidae) **Synonym(s):** *leucosticta* Joannis,1927
Range (in code): **ZA**
- 77959. *Oncocera ochreomeanella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *ochreomeanella* Ragonot,1888; *#ochreomeanella* Balinsky,1994 **Range (in code):** **ZA**
- 77960. *Oncocera semirubella* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *semirubella* Scopoli,1763; *rosella* Goeze,1783 nec Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 **Original Reference:** *Phalaena semirubella* Scopoli,1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **DZ Cst PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR Cc IQ Amr Shq AF Hr CN JP DK NO**

- SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz Kh CN Ui Tek Kty Bionomy: Larva on Hippocrepis, Lotus, Medicago, Ononis, Trifolium (Fabaceae) (Parenti,2000).
- 77961. *Oncocera semirubella carnella* (Linnaeus,1763)** (Pyralidae) Synonym(s): *carnella* Linnaeus,1763; *carnea* Fabricius,1798; *carnealis* Hübner,[1825]; *mediterranea* Roesler,1980 Range (in code): **FR Co**
- 77962. *Oncocera semirubella hyrcana* (Toll,1948)** (Pyralidae) Synonym(s): *hyrcana* Toll,1948 Range (in code): **IR Kh**
- 77963. *Oncocera semirubella semirubella* (Scopoli,1763)** (Pyralidae) Synonym(s): *semirubella* Scopoli,1763; *rosella* Goeze,1783 *nec* Sc.,1763; *purpurella* Thunberg,1788; *sanguinella* Hübner,1796; *sanguinea* Haworth,1811; *nigrella* Caradja,1916 Original Reference: *Phalaena semirubella* Scopoli,1763, Ent. Carn.: 245. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr CY LB IL Pa Hf TR IQ Amr Shq AF Hr CN JP DK NO SE FI EE LV LT RU Am MD UA BY KP KR TW IR Enz Mz CN Ui Tek Kty**
- 77964. *Oncolabis formosae* (Strand,1922)** (Pyralidae) Synonym(s): *formosae* Strand,1922 Range (in code):
- 77965. *Orenaia alpestralis* (Fabricius,1787)** (Pyralidae) Synonym(s): *alpestralis* Fabricius,1787 Original Reference: *Phalaena alpestralis* Fabricius,1787, Mantissa Insectorum 2: 217. Type: Austria. Range (in code): **ES FR IT DE CH AT PL SK RO YU AL BG** Bionomy: Larva on *Descurainia sophia* (Brassicaceae) (Parenti,2000).
- 77966. *Orenaia andereggialis* (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *andereggialis* Herrich-Schäffer,1851 Range (in code): **FR IT CH AT**
- 77967. *Orenaia helvetica* (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *helvetica* Herrich-Schäffer,1851 Range (in code): **FR IT DE CH AT YU**
- 77968. *Orenaia lugubralis* (Lederer,1857)** (Pyralidae) Synonym(s): *lugubralis* Lederer,1857 Range (in code): **FR IT DE CH AT YU**
- 77969. *Orenaia ventosalis* Chrétien,1911** (Pyralidae) Synonym(s): *ventosalis* Chrétien,1911 Range (in code): **FR**
- 77970. *Orocrambus caesius* Philpott,1926** (Pyralidae) Synonym(s): *caesius* Philpott,1926 Range (in code): **NZ**
- 77971. *Orocrambus catacaustus* (Meyrick,1885)** (Pyralidae) Synonym(s): *catacaustus* Meyrick,1885 Range (in code): **NZ**
- 77972. *Orocrambus clarkei* Philpott,1930** (Pyralidae) Synonym(s): *clarkei* Philpott,1930 Range (in code): **NZ**
- 77973. *Orocrambus cultus* Philpott,1917** (Pyralidae) Synonym(s): *cultus* Philpott,1917 Range (in code): **NZ**
- 77974. *Orocrambus machaeristes* Meyrick,1905** (Pyralidae) Synonym(s): *machaeristes* Meyrick,1905 Range (in code): **NZ**
- 77975. *Orocrambus melampetrus* Purdie,1884** (Pyralidae) Synonym(s): *melampetrus* Purdie,1884 Range (in code): **NZ**
- 77976. *Orocrambus mylites* Meyrick,1888** (Pyralidae) Synonym(s): *mylites* Meyrick,1888 Range (in code): **NZ**
- 77977. *Orocrambus scorparioides* Philpott,1914** (Pyralidae) Synonym(s): *scorparioides* Philpott,1914 Range (in code): **NZ**
- 77978. *Orocrambus subilis* Philpott,1912** (Pyralidae) Synonym(s): *subilis* Philpott,1912 Range (in code): **NZ**
- 77979. *Orocrambus thymiaestes* Meyrick,1901** (Pyralidae) Synonym(s): *thymiaestes* Meyrick,1901 Range (in code): **NZ**
- 77980. *Orocrambus tritonellus* (Meyrick,1885)** (Pyralidae) Synonym(s): *tritonellus* Meyrick,1885 Range (in code): **NZ**
- 77981. *Orocrambus ventosus* Meyrick,1920** (Pyralidae) Synonym(s): *ventosus* Meyrick,1920 Range (in code): **NZ**
- 77982. *Orphanostigma abruptalis* (Walker,1859)** (Pyralidae) Synonym(s): *abruptalis* Walker,1859; *dotatalis* Walker,[1866]; *suffectalis* Walker,[1866] Range (in code): **AU ZA**
- 77983. *Orphanostigma angustale* Hampson,1893** (Pyralidae) Synonym(s): *angustale* Hampson,1893; *xanthalis* Hampson,1898 Range (in code): **AU**
- 77984. *Orphanostigma perfulvalis* (Hampson,1899)** (Pyralidae) Synonym(s): *perfulvalis* Hampson,1899 Range (in code): **AU**

- 77985. Orphnophanes albisignalis Hampson,1896** (Pyralidae) Synonym(s): *albisignalis* Hampson,1896 Range (in code): SI IN Ass ID Ja PH
- 77986. Orphnophanes eucerusalis (Walker,1859)** (Pyralidae) Synonym(s): *eucerusalis* Walker,1859; *productalis* Lederer,1863; *euceralis* Meyrick,1894; *euceralis* Hampson,1896 Range (in code): AU SI IN Amb ID Sum PG Fg Wd
- 77987. Orphnophanes laevis (W.Warren,1896)** (Pyralidae) Synonym(s): *laevis* W.Warren,1896 Range (in code): IN Meg Ass Khs
- 77988. Orphnophanes strigatalis Pagenstecher,1900** (Pyralidae) Synonym(s): *strigatalis* Pagenstecher,1900 Range (in code): PG Bgv3 Bsm
- 77989. Orphnophanes thoasalis (Walker,1859)** (Pyralidae) Synonym(s): *thoasalis* Walker,1859 Range (in code): SI IN Ass Adm Bor MY ID Sum Bru Nia Ij
- 77990. Orthaga aenescens Moore,1888** (Pyralidae) Synonym(s): *aenescens* Moore,1888 IN SI DjI
- 77991. Orthaga amphimelas (Turner,1913)** (Pyralidae) Synonym(s): *amphimelas* Turner,1913 Range (in code): AU
- 77992. Orthaga centralis Wileman & South,1919** (Pyralidae) Synonym(s): *centralis* Wileman & South,1919 Range (in code): TW
- 77993. Orthaga chloanthes (Turner,1913)** (Pyralidae) Synonym(s): *chloanthes* Turner,1913 Range (in code): AU
- 77994. Orthaga edetalis Strand,1919** (Pyralidae) Synonym(s): *edetalis* Strand,1919 Range (in code): TW
- 77995. Orthaga euadrusalis Walker,1858** (Pyralidae) Synonym(s): *euadrusalis* Walker,1858 Range (in code): LK MY Bor ID Ja JP TW TH Nrt Knc Pkk Bionomy: Larva on leaf of *Mangifera indica* [mango] (Anacardiaceae) (Lewvanich,2001).
- 77996. Orthaga exvinacea (Hampson,1891)** (Pyralidae) Synonym(s): *exvinacea* Hampson,1891 Range (in code): AU
- 77997. Orthaga lithochroa Hampson,1916** (Pyralidae) Synonym(s): *lithochroa* Hampson,1916 Range (in code): AU
- 77998. Orthaga phaeopteralis Lower,1902** (Pyralidae) Synonym(s): *phaeopteralis* Lower,1902; *curturalis* Kenrick,1907 Range (in code): AU
- 77999. Orthaga picta (W.Warren,1895)** (Pyralidae) Synonym(s): *picta* W.Warren,1895; *percnodes* Turner,1905 Range (in code): AU
- 78000. Orthaga polyscia (Turner,1913)** (Pyralidae) Synonym(s): *polyscia* Turner,1913 Range (in code): AU
- 78001. Orthaga rubridiscalis Hampson,1906** (Pyralidae) Synonym(s): *rubridiscalis* Hampson,1906 Range (in code): AU
- 78002. Orthaga seminivea (W.Warren,1895)** (Pyralidae) Synonym(s): *seminivea* W.Warren,1895 Range (in code): AU
- 78003. Orthaga thyrisalis (Walker,1858)** (Pyralidae) Synonym(s): *thyrisalis* Walker,1858; *nigricalis* Walker,1862 Range (in code): AU
- 78004. Ortholepis betulae (Goeze,1778)** (Pyralidae) Synonym(s): *betulae* Goeze,1778 Range (in code): FR Co IT GB BE NL LU DE CH AT CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY TR
- 78005. Ortholepis cretaciella Joannis,1927** (Pyralidae) Synonym(s): *cretaciella* Joannis,1927 Range (in code): ZA
- 78006. Ortholepis polyodonta Balinsky,1991** (Pyralidae) Synonym(s): *polyodonta* Balinsky,1991 Range (in code): ZA
- 78007. Ortholepis pyrobasis Balinsky,1991** (Pyralidae) Synonym(s): *pyrobasis* Balinsky,1991 Range (in code): ZA
- 78008. Ortholepis rectilineella (Ragonot,1888)** (Pyralidae) Synonym(s): *rectilineella* Ragonot,1888 Range (in code): ZA
- 78009. Ortholepis subgenistella (Hampson,1901)** (Pyralidae) Synonym(s): *subgenistella* Hampson,1901 Range (in code): ZA
- 78010. Ortholepis unguinata Balinsky,1994** (Pyralidae) Synonym(s): *unguinata* Balinsky,1994 Range (in code): ZA Tva Gau Jh
- 78011. Ortholepis vacciniella (Lienig & Zeller,1847)** (Pyralidae) Synonym(s): *vacciniella* Lienig & Zeller,1847 Range (in code): DE PL DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Betula nana* (Betulaceae), *Vaccinium* (Ericaceae) (Parenti,2000).

- 78012. *Orthomecyna albicaudata* Butler,1883** (Pyralidae) **Synonym(s):** *albicaudata* Butler,1883
Range (in code): **Hw**
- 78013. *Orthomecyna alloptila* Meyrick,1899** (Pyralidae) **Synonym(s):** *alloptila* Meyrick,1899
Range (in code): **Hw**
- 78014. *Orthomecyna amphilaeta* Meyrick,1899** (Pyralidae) **Synonym(s):** *amphilaeta* Meyrick,1899
Range (in code): **Hw**
- 78015. *Orthomecyna aphanopis* Meyrick,1899** (Pyralidae) **Synonym(s):** *aphanopis* Meyrick,1899
Range (in code): **Hw**
- 78016. *Orthomecyna chrysophanes* Meyrick,1899** (Pyralidae) **Synonym(s):** *chrysophanes* Meyrick,1899 Range (in code): **Hw**
- 78017. *Orthomecyna crossias* Meyrick,1899** (Pyralidae) **Synonym(s):** *crossias* Meyrick,1899
Range (in code): **Hw**
- 78018. *Orthomecyna cupreipennis* Butler,1883** (Pyralidae) **Synonym(s):** *cupreipennis* Butler,1883 Range (in code): **Hw**
- 78019. *Orthomecyna epicausta* Meyrick,1899** (Pyralidae) **Synonym(s):** *epicausta* Meyrick,1899
Range (in code): **Hw**
- 78020. *Orthomecyna exigua* (Butler,1879)** (Pyralidae) **Synonym(s):** *exigua* Butler,1879 Range (in code): **Hw**
- 78021. *Orthomecyna heterodryas* Meyrick,1899** (Pyralidae) **Synonym(s):** *heterodryas* Meyrick,1899 Range (in code): **Hw**
- 78022. *Orthomecyna mesochasma* Meyrick,1899** (Pyralidae) **Synonym(s):** *mesochasma* Meyrick,1899 Range (in code): **Hw**
- 78023. *Orthomecyna metalycia* Meyrick,1899** (Pyralidae) **Synonym(s):** *metalycia* Meyrick,1899
Range (in code): **Hw**
- 78024. *Orthomecyna phaeophanes* Meyrick,1899** (Pyralidae) **Synonym(s):** *phaeophanes* Meyrick,1899 Range (in code): **Hw**
- 78025. *Orthomecyna picrodes* Meyrick,1899** (Pyralidae) **Synonym(s):** *picrodes* Meyrick,1899
Range (in code): **Hw**
- 78026. *Orthoraphis metasticta* Hampson,1898** (Pyralidae) **Synonym(s):** *metasticta* Hampson,1898 Original Reference: *Orthoraphis metasticta* Hampson,1898, Proc. zool. Soc. London 1898: 604-605. Syntypes: "Khasis, Mindoro" (coll. Rothschild). Range (in code): **IN Ass Meg Khs PH Mdo**
- 78027. *Orthoraphis obfuscata* Hampson,1893** (Pyralidae) **Synonym(s):** *obfuscata* Hampson,1893
Range (in code): **LK**
- 78028. *Orthoraphis paula* West,1931** (Pyralidae) **Synonym(s):** *paula* West,1931 Range (in code): **PH**
- 78029. *Orthospila orissusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *orissusalis* Walker,1859; *nigrilinealis* Walker,[1866]; *tigrina* Moore,1886; *demeter* Snellen,1890; *compsogramma* Meyrick,1894 Range (in code): **PH Mno Bor Clb Amb Crm Aru Kai PG ID IN MY Bor TW AU**
- 78030. *Orybina flaviplaga* (Walker,1863)** (Pyralidae) **Synonym(s):** *flaviplaga* Walker,1863
Range (in code): **IN TW CN TH CMA**
- 78031. *Orybina plangonalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *plangonalis* Walker,1859
Range (in code): **IN TH CMA**
- 78032. *Oryctocera aurocupralis* Ragonot,1891** (Pyralidae) **Synonym(s):** *aurocupralis* Ragonot,1891 Range (in code): **ZA**
- 78033. *Osiriaca ptousalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *ptousalis* Walker,1859; *inturbidalis* Walker,[1866]; *aurea* Lucas,1898. Range (in code): **AU**
- 78034. *Ostrinia appositalis* (Lederer,1858)** (Pyralidae) **Synonym(s):** *appositalis* Lederer,1858
Original Reference: *Botys appositalis* Lederer,1858, Wien. ent. Monatschr. 2: 148, Taf.4 fig.3. Type ♂: Syria: Damask. Range (in code): **SY Dms**
- 78035. *Ostrinia avarialis* Amsel,1970** (Pyralidae) **Synonym(s):** *avarialis* Amsel,1970 Range (in code): **AF Kot Shah**
- 78036. *Ostrinia dorsivittata* (Moore,1888)** (Pyralidae) **Synonym(s):** *dorsivittata* Moore,1888
Range (in code): **SI IN Djl**
- 78037. *Ostrinia erythralis* (Hampson,1913)** (Pyralidae) **Synonym(s):** *erythralis* Hampson,1913; *endochlora* Meyrick,1935; *incensa* Meyrick,1937. Range (in code): **NG ZR NY ZA Nta Dbn MG AO**
- 78038. *Ostrinia furnacalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *furnacalis* Guenée,1854; *damoalis* Walker,1859; *salentialis* Snellen,1880; *kodzukalis* Matsumura,1897; *polygoni* Dyar,1905; *vastatrix*

- Schultze, 1908* Original Reference: *Botys furnacalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 332. Type ♀: [Papua New Guinea]: "Nouvelle-Hollande". Range (in code): **LK IN Drm Hp Meg Ass Clc Kul Djl Khs SI MM MY VN Ton PH Boh Cts Luz ID Sum Nia Bor Ja Flo Clb Tim Kei SB AU QAU Bri NWs Syd PG FJ Vil CN Mc Fkn Stg She Shs Pkn Sz Kwa Yu Kgs KP KR RU Us Prj TH HK TW JP SG Sbh Klt Mlc Crm Tim SB**
- 78039. *Ostrinia kasmirica* (Moore, 1888)** (Pyralidae) Synonym(s): *kasmirica* Moore, 1888 Range (in code): **RU To T-S IN Hp PK Pj Haz Mre Ch**
- 78040. *Ostrinia kasmirica eurasatica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *eurasatica* Mutuura & Munroe, 1970 Range (in code): **RU To T-S**
- 78041. *Ostrinia kasmirica kasmirica* (Moore, 1888)** (Pyralidae) Synonym(s): *kasmirica* Moore, 1888. Range (in code): **IN Hp PK Haz Mre Pj Ch**
- 78042. *Ostrinia kurentzovi* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *kurentzovi* Mutuura & Munroe, 1970 Range (in code): **RU Prj Us**
- 78043. *Ostrinia latipennis* (W. Warren, 1892)** (Pyralidae) Synonym(s): *latipennis* W. Warren, 1892; *appendiculata* Filipjev, 1927; *albula* Mutuura, 1954. Range (in code): **RU Sb Prj Us Mnu KJ JP Hkk CN Mc**
- 78044. *Ostrinia marginalis* (Walker, 1865)** (Pyralidae) Synonym(s): *marginalis* Walker, 1865; *stenopteralis* Grote, 1878. Range (in code): **CA Mnt Qb On Ssk Abt Yuk Nfl**
- 78045. *Ostrinia narynensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *narynensis* Mutuura & Munroe, 1970 Range (in code): **KG Aa TrA Nrk CN Ui**
- 78046. *Ostrinia nubilalis* (Hübner, 1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796. Original Reference: *Pyralis nubilalis* Hübner, 1796, Samml. eur. Schmett. 6, Pyralides: Tab. 14 fig. 94. Type(s): Europa. Range (in code): **MA DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg PK K-P CY IR Elb Gh Tgo CA On Nfl Qb Mnt US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU** Bionomy: Larva on Zea (Poaceae), Lycopersicon, Capsicum (Solanaceae), Humulus, Cannabis (Cannabaceae), Phaseolus (Fabaceae) (Parenti, 2000).
- 78047. *Ostrinia nubilalis mauretanica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *mauretanica* Mutuura & Munroe, 1970 Range (in code): **MA DZ**
- 78048. *Ostrinia nubilalis nubilalis* (Hübner, 1796)** (Pyralidae) Synonym(s): *nubilalis* Hübner, 1796; *silacealis* Hübner, 1796. Range (in code): **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV SS B-H AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA Cm BY KG Tk Dj Ii AF Srb Bsg PK K-P CY IR Elb CA On Nfl Qb Mnt US Pns Msc Vr Nj Mch Ny Mis Idp Mss Vi EG JP GU**
- 78049. *Ostrinia obumbratalis* (Lederer, 1863)** (Pyralidae) Synonym(s): *obumbratalis* Lederer, 1863; *obliteralis* Walker, 1865; *ainsliei* Heinrich, 1919. Range (in code): **CA On Mnt Qb US Ny Msc Nje Pns Iln Tnn Mss**
- 78050. *Ostrinia orientalis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *orientalis* Mutuura & Munroe, 1970 Range (in code): **JP Hkk RU Prj Us Krl**
- 78051. *Ostrinia orientalis kurilensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *kurilensis* Mutuura & Munroe, 1970 Range (in code): **RU Krl**
- 78052. *Ostrinia orientalis orientalis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *orientalis* Mutuura & Munroe, 1970 Range (in code): **JP Hkk**
- 78053. *Ostrinia orientalis ussuriensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *ussuriensis* Mutuura & Munroe, 1970 Range (in code): **RU Prj Us**
- 78054. *Ostrinia ovalipennis* Ohno, 2003** (Pyralidae) Synonym(s): *ovalipennis* Ohno, 2003 Range (in code): **JP**
- 78055. *Ostrinia palustralis* (Hübner, 1796)** (Pyralidae) Synonym(s): *palustralis* Hübner, 1796; *carneola* Esper, 1796. Range (in code): **IT DE AT PL CZ SK HU RO BG DK SE FI EE LV LT MD UA BY RU Am Prj Us Ur Tt Sb Ir Irk CN Mc Kgs KP KR JP Hkk MN U-B** Bionomy: Larva on Rumex aquaticus, R. hydrolaphatum (Polygonaceae) (Parenti, 2000).
- 78056. *Ostrinia palustralis baikalensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *baikalensis* Mutuura & Munroe, 1970 Range (in code): **RU Ir Irk**
- 78057. *Ostrinia palustralis eversmanni* (Caradja, 1916)** (Pyralidae) Synonym(s): *eversmanni* Caradja, 1916 Range (in code): **RU Ur Tt Sb**
- 78058. *Ostrinia palustralis memnialis* (Walker, 1859)** (Pyralidae) Synonym(s): *memnialis* Walker, 1859; *infascialis* Caradja, 1925 Range (in code): **CN Kgs KP KR JP Hkk**
- 78059. *Ostrinia palustralis palustralis* (Hübner, 1796)** (Pyralidae) Synonym(s): *palustralis* Hübner, 1796; *carneola* Esper, 1796. Range (in code): **IT DE AT PL CZ SK HU RO BG DK SE FI EE LV LT MD BY**

- 78060. *Ostrinia palustralis raddealis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *amuralis* Caradja, 1916 nec Rebel, 1907; *raddealis* Mutuura & Munroe, 1970 Range (in code): **RU Am Prj Us CN Mc**
- 78061. *Ostrinia palustralis* ssp.n.?** (Pyralidae) Synonym(s): Range (in code): **MN U-B**
- 78062. *Ostrinia penitalis* (Grote, 1876)** (Pyralidae) Synonym(s): *penitalis* Grote, 1876; *nelumbialis* Smith, 1890; *pyraustalis* Dyar, 1925. Range (in code): **BR MX CU CR GT GY JM CA BCo Qb On Abt Mnt Ssk US Pns Iln Ok Aks Kan Mis NCa Fl Mss Tx**
- 78063. *Ostrinia penitalis brasiliensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *brasiliensis* Mutuura & Munroe, 1970 Range (in code): **BR**
- 78064. *Ostrinia penitalis penitalis* (Grote, 1876)** (Pyralidae) Synonym(s): *penitalis* Grote, 1876; *nelumbialis* Smith, 1890; *pyraustalis* Dyar, 1925. Range (in code): **CA BCo Qb On Abt Mnt Ssk US Pns Iln Ok Aks Kan Mis NCa Fl Mss Tx**
- 78065. *Ostrinia penitalis rubrifusa* (Hampson, 1913)** (Pyralidae) Synonym(s): *rubrifusa* Hampson, 1913 Range (in code): **MX CU CR GT GY JM**
- 78066. *Ostrinia peregrinalis* (Eversmann, 1852)** (Pyralidae) Synonym(s): *peregrinalis* Eversmann, 1852; *limitalis* Christoph, 1881 Range (in code): **EE BY RU Sj Ir Irk Ur Am Kmt MN**
- 78067. *Ostrinia persica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *persica* Mutuura & Munroe, 1970 Range (in code): **IR Elb Gor**
- 78068. *Ostrinia putzufangensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *putzufangensis* Mutuura & Munroe, 1970 Range (in code): **CN**
- 78069. *Ostrinia quadripunctalis* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *quadripunctalis* [Denis & Schiffermüller], 1775 Original Reference: *Pyralis quadripunctalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): Austria: Vienna District [Types presumably destroyed by fire in 1848]. Range (in code): **IT DE AT SK HU YU AL NO RU Mnu KJ Us Prj**
- 78070. *Ostrinia sanguinealis* (W. Warren, 1892)** (Pyralidae) Synonym(s): *sanguinealis* W. Warren, 1892 Range (in code): **JP CN Kgs Hun**
- 78071. *Ostrinia sanguinealis cathayensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *cathayensis* Mutuura & Munroe, 1970 Range (in code): **CN Kgs Hun**
- 78072. *Ostrinia sanguinealis sanguinealis* (W. Warren, 1892)** (Pyralidae) Synonym(s): *sanguinealis* W. Warren, 1892 Range (in code): **JP**
- 78073. *Ostrinia scapulalis* (Walker, 1859)** (Pyralidae) Synonym(s): *scapulalis* Walker, 1859 Range (in code): **IN Ass CN Kgs Fkn Hun Yu Kwa TW UA Cm RU Prj Us JP Hkk**
- 78074. *Ostrinia scapulalis assamensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *assamensis* Mutuura & Munroe, 1970 Range (in code): **IN Ass**
- 78075. *Ostrinia scapulalis pasifica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *pasifica* Mutuura & Munroe, 1970 Range (in code): **JP Hkk**
- 78076. *Ostrinia scapulalis perpasifica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *perpasifica* Mutuura & Munroe, 1970 Range (in code): **RU Prj Us**
- 78077. *Ostrinia scapulalis rossica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *rossica* Mutuura & Munroe, 1970 Range (in code): **UA Cm**
- 78078. *Ostrinia scapulalis scapulalis* (Walker, 1859)** (Pyralidae) Synonym(s): *scapulalis* Walker, 1859 Range (in code): **CN Kgs Fkn Hun Yu Kwa TW**
- 78079. *Ostrinia scapulalis subpasifica* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *subpasifica* Mutuura & Munroe, 1970 Range (in code): **JP**
- 78080. *Ostrinia zaguliaevi* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe, 1970 Range (in code): **RU Prj Us JP Ri Kyu CN Tkg**
- 78081. *Ostrinia zaguliaevi honshuensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *honshuensis* Mutuura & Munroe, 1970 Range (in code): **JP**
- 78082. *Ostrinia zaguliaevi kyushuensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *kyushuensis* Mutuura & Munroe, 1970 Range (in code): **JP Kyu**
- 78083. *Ostrinia zaguliaevi ryukyuensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *ryukyuensis* Mutuura & Munroe, 1970 Range (in code): **JP Ri**
- 78084. *Ostrinia zaguliaevi tienmuensis* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *tienmuensis* Mutuura & Munroe, 1970 Range (in code): **CN Tkg**
- 78085. *Ostrinia zaguliaevi zaguliaevi* Mutuura & Munroe, 1970** (Pyralidae) Synonym(s): *zaguliaevi* Mutuura & Munroe, 1970 Range (in code): **RU Prj Us**

- 78086. *Ostrinia zealis* (Guenée,1854)** (Pyralidae) Synonym(s): *zealis* Guenée,1854 Range (in code): **IN Hp Kgr RU Prj Us Vv Am CN Mc CN Hun Yu She Kwa TW JP**
- 78087. *Ostrinia zealis bipatrialis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *bipatrialis* Mutuura & Munroe,1970 Range (in code): **JP**
- 78088. *Ostrinia zealis centralis* Mutuura & Munroe,1970** (Pyralidae) Synonym(s): *centralis* Mutuura & Munroe,1970 Range (in code): **JP**
- 78089. *Ostrinia zealis holoxuthalis* (Hampson,1913)** (Pyralidae) Synonym(s): *holoxuthalis* Hampson,1913 Range (in code): **CN Hun Yu She Kwa TW**
- 78090. *Ostrinia zealis varialis* (Bremer,1864)** (Pyralidae) Synonym(s): *varialis* Bremer,1864 Range (in code): **RU Prj Us Vv Am CN Mc**
- 78091. *Ostrinia zealis zealis* (Guenée,1854)** (Pyralidae) Synonym(s): *zealis* Guenée,1854 Range (in code): **IN Hp Kgr**
- 78092. *Otiophora clavifera* (Hampson,1899)** (Pyralidae) Synonym(s): *clavifera* Hampson,1899 Range (in code): **AU**
- 78093. *Otiophora leucotypa* (Lower,1903)** (Pyralidae) Synonym(s): *leucotypa* Lower,1903 Range (in code): **AU**
- 78094. *Otiophora leucura* (Lower,1903)** (Pyralidae) Synonym(s): *leucura* Lower,1903 Range (in code): **AU**
- 78095. *Oxybia transversella* (Duponchel,1836)** (Pyralidae) Synonym(s): *transversella* Duponchel,1836; *bituminella* Millière,1870; *panorminatella* Caradja,1928. Original Reference: Phycis transversella Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 182, pl.278, fig.6. Syntypes: France: Aix. Range (in code): **PT ES FR Co Sa Si IT MT AT RO YU BG GR TR IL Pa Hf RU MD UA BY ZA** Bionomy: Larva on Psoralea bituminosa (Fabaceae) (Millière,1870; Parenti,2000).
- 78096. *Oxydisia hyperythrella* Hampson,1901** (Pyralidae) Synonym(s): *hyperythrella* Hampson,1901 Range (in code): **AU**
- 78097. *Pachymorphus subductellus* Möschler,1890** (Pyralidae) Synonym(s): *subductellus* Möschler,1890 Range (in code): **PR**
- 78098. *Pachynoa circualis* Sauber,1902** (Pyralidae) Synonym(s): *circualis* Sauber,1902 Range (in code): **PH CmM**
- 78099. *Pachynoa grossalis* (Guenée,1854)** (Pyralidae) Synonym(s): *grossalis* Guenée,1854 Range (in code): **TH IN MY ID Ja Bli**
- 78100. *Pachynoa ledereri* Snellen,1892** (Pyralidae) Synonym(s): *ledereri* Snellen,1892 Range (in code): **PH Pao ID Ja**
- 78101. *Pachynoa thoosalis* (Walker,1859)** (Pyralidae) Synonym(s): *thoosalis* Walker,1859 Range (in code): **PH Mno SI IN Adm Clb Amb Crm ID MY MM**
- 78102. *Pachynoa xanthochyta* (Turner,1933)** (Pyralidae) Synonym(s): *xanthochyta* Turner,1933 Range (in code): **AU**
- 78103. *Pagmanella heroica* Leraut,1985** (Pyralidae) Synonym(s): *heroica* Leraut,1985 Original Reference: Pagmanella heroica Leraut,1985, Nouv. Revue Ent. (n.s.) 2 (3): 325-329. Holotype ♂: Afghanistan, paghman, 30km NE of Kabul, leg. Kasy & Vartian (NHMW). Range (in code): **AF Pag**
- 78104. *Pagyda amphisalis* (Walker,1859)** (Pyralidae) Synonym(s): *amphisalis* Walker,1859 Range (in code): **IN CN TW**
- 78105. *Pagyda arbiter* (Butler,1879)** (Pyralidae) Synonym(s): *arbiter* Butler,1879 Range (in code): **AU TW JP**
- 78106. *Pagyda auroralis* (Moore,1888)** (Pyralidae) Synonym(s): *auroralis* Moore,1888 Range (in code): **IN MM TW**
- 78107. *Pagyda botysalis* (Snellen,1880)** (Pyralidae) Synonym(s): *botysalis* Snellen,1880; *aurantialis* Hampson,1893 Range (in code): **IN LK ID Sum MY Bor TW**
- 78108. *Pagyda butydalis* (Snellen,1880)** (Pyralidae) Synonym(s): *butydalis* Snellen,1880 Range (in code): **AU**
- 78109. *Pagyda lustralis* Snellen,1890** (Pyralidae) Synonym(s): *lustralis* Snellen,1890 Range (in code): **IN MM TW**
- 78110. *Pagyda nebulosa* Wileman & South,1917** (Pyralidae) Synonym(s): *nebulosa* Wileman & South,1917 Range (in code): **TW**
- 78111. *Pagyda perlustralis* Rebel,1915** (Pyralidae) Synonym(s): *perlustralis* Rebel,1915 Range (in code): **WS**

- 78112. *Pagyda quinquelineata* Hering,1903** (Pyrilidae) Synonym(s): *quinquelineata* Hering,1903
Range (in code): CN TW JP
- 78113. *Pagyda salvalis* Walker,1859** (Pyrilidae) Synonym(s): *salvalis* Walker,1859 Range (in code): PH Luz IN MM CN JP Bor Sgr ID AU ZA
- 78114. *Pagyda schaliphora* Hampson,1898** (Pyrilidae) Synonym(s): *schaliphora* Hampson,1898
Range (in code): AU
- 78115. *Pagyda tenuivittalis* (Turati,1934)** (Pyrilidae) Synonym(s): *tenuivittalis* Turati,1934
Original Reference: *Synclera tenuivittalis* Turati,1934, Atti Soc. ital. Sci. nat. 73: 191, fig. Type: Libya: Cyrenaica. Range (in code): LY Cy
- 78116. *Palepicorsia ustrinalis* (Christoph,[1877])** (Pyrilidae) Synonym(s): *ustrinalis* Christoph,[1877]; *emiralis* Oberthür,1888; *excavatalis* Ragonot,1892; *palimalis* Swinhoe,1884 Range (in code): Cn DZ Bsk TN Gf Sfx PT ES FR Sa MT IQ Bsr CY IL Pa Jt Js IR Ahz Elb Kdj Ss Kz Sde Ssh Ke Ana AF Pag PK Sd Krc AE EG EG11
- 78117. *Paliga damastesalis* (Walker,1859)** (Pyrilidae) Synonym(s): *damastesalis* Walker,1859
Range (in code): AU LK
- 78118. *Paliga ignealis* (Walker,[1866])** (Pyrilidae) Synonym(s): *ignealis* Walker,[1866]; *subsuronalis* Pagenstecher,1900 Range (in code): AU
- 78119. *Paliga machaeralis* (Walker,1859)** (Pyrilidae) Synonym(s): *machaeralis* Walker,1859; *egenalis* Lederer,1863; *suavalis* Walker,1865; *rufipicta* Butler,1880; *fimbriata* Moore,1886; *albicostalis* Swinhoe,1890; *fuscicostalis* Swinhoe,1894; *#machaeralis* Koçak & Kemal,2009 Range (in code): LK IN Meg Ass Khs MM Rgo TH CMa Cuo Cuo1 CDo CD2 Knc Sbu Bnk Cbi Lmp ID Ja AU Bionomy: Larva on *Tectona grandis* [teak] (Lamiaceae) (Lewvanich,2001).
- 78120. *Paliga mandronalis* (Walker,1859)** (Pyrilidae) Synonym(s): *mandronalis* Walker,1859
Range (in code): AU
- 78121. *Paliga quadrigalis* (Hering,1901)** (Pyrilidae) Synonym(s): *quadrigalis* Hering,1901
Range (in code): AU ID Sum
- 78122. *Paliga rubicundalis* W.Warren,1896** (Pyrilidae) Synonym(s): *rubicundalis* W.Warren,1896 Range (in code): AU IN Meg Ass Khs
- 78123. *Palpita amphitritalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *amphitritalis* Guenée,1854
Original Reference: *Margarodes amphitritalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 307. Type ♀: "Silhet, Inde centrale". Range (in code): PH CmM Pal IN MM CN Sbw Aru Mi PG SB
- 78124. *Palpita annulifer* Inoue,1996** (Pyrilidae) Synonym(s): *annulifer* Inoue,1996 Original Reference: *Palpita annulifer* Inoue,1996, Tinea 15 (1): 17, figs.1, 40, 116. Holotype: Thailand: Chiang Mai, Doi Suthep. Range (in code): TH CMa Dst Cuo Cuo1 Dso9 Pap Mro
- 78125. *Palpita atrisquamalis* (Hampson,1912)** (Pyrilidae) Synonym(s): *gracilalis* Hulst,1886 nec H.-S.,1871; *atrisquamalis* Hampson,1912 Range (in code): US Arz Tx
- 78126. *Palpita bonjongalis* (Plötz,1880)** (Pyrilidae) Synonym(s): *bonjongalis* Plötz,1880 Range (in code): ZA
- 78127. *Palpita braziliensis* Munroe,1959** (Pyrilidae) Synonym(s): *braziliensis* Munroe,1959
Range (in code): BR
- 78128. *Palpita buxtoni* Tams,1935** (Pyrilidae) Synonym(s): *buxtoni* Tams,1935 Range (in code): WS
- 78129. *Palpita candidalis* (Dognin,1904)** (Pyrilidae) Synonym(s): *candidalis* Dognin,1904
Range (in code): EC
- 78130. *Palpita celsalis* (Walker,1859)** (Pyrilidae) Synonym(s): *annulata* Fabricius,1794 nec Schülze,1775; *celsalis* Walker,1859; *partialis* Lederer,1863; *ardealis* R.Felder & Rogenhofer,1875; *inuitata* Butler,1879. Range (in code): AU PH Luz Boh IN LK MY Bor ID TW JP
- 78131. *Palpita citrina* (Druce,1902)** (Pyrilidae) Synonym(s): *citrina* Druce,1902 Range (in code): EC
- 78132. *Palpita claralis* (Walker,1865)** (Pyrilidae) Synonym(s): *claralis* Walker,1865; *intactalis* Walker,[1866] Range (in code): ZA
- 78133. *Palpita confinis* (Hampson,1898)** (Pyrilidae) Synonym(s): *confinis* Hampson,1898
Range (in code): AU TW
- 78134. *Palpita deliciosa* (Butler,1887)** (Pyrilidae) Synonym(s): *deliciosa* Butler,1887 Range (in code): WS NH SB PG MY
- 78135. *Palpita elealis* (Walker,1859)** (Pyrilidae) Synonym(s): *elealis* Walker,1859; *rogenhoferi* Lederer,1863; *peridromella* Mabille,1881; *angustimargo* W.Warren,1914 Range (in code): ZA

- 78136. *Palpita estebanal* (Schaus,1920)** (Pyrilidae) **Synonym(s):** *estebanal* Schaus,1920
Range (in code): [VE](#)
- 78137. *Palpita eurytusalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *eurytusalis* Walker,1859
Range (in code): [IN LK MY Bor ID TW](#)
- 78138. *Palpita flegia* (Cramer,1777)** (Pyrilidae) **Synonym(s):** *flegia* Cramer,1777; *virginalis* Hübner,[1825]; *flegialis* Poey,1832; *villosalis* Zeller,1852; *flegialis* Guenée,1854; *phantasmalis* Guenée,1854
Range (in code): [SR CO](#)
- 78139. *Palpita forficifera* Munroe,1959** (Pyrilidae) **Synonym(s):** *forficifera* Munroe,1959 **Range (in code):** [BR](#)
- 78140. *Palpita freemanalis* Munroe,1952** (Pyrilidae) **Synonym(s):** *freemanalis* Munroe,1952
Range (in code): [US Tx](#)
- 78141. *Palpita glauculalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *glauculalis* Guenée,1854
Range (in code): [PH CmM LK Sum Nia Ja Bor Clb Amb Crm ID PG](#)
- 78142. *Palpita hyaloptila* (Turner,1915)** (Pyrilidae) **Synonym(s):** *hyaloptila* Turner,1915 **Range (in code):** [AU](#)
- 78143. *Palpita illibalis* (Hübner,1818)** (Pyrilidae) **Synonym(s):** *illibalis* Hübner,1818; *euphaesalis* Walker,1859; *subjectalis* Lederer,1863 **Range (in code):** [US](#)
- 78144. *Palpita isoscelalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *isoscelalis* Guenée,1854 **Range (in code):** [BR GP](#)
- 78145. *Palpita isoscelalis goubeyrensis* Munroe,1959** (Pyrilidae) **Synonym(s):** *goubeyrensis* Munroe,1959 **Range (in code):** [GP](#)
- 78146. *Palpita isoscelalis isoscelalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *isoscelalis* Guenée,1854 **Range (in code):** [BR](#)
- 78147. *Palpita jairusalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *jairusalis* Walker,1859 **Range (in code):** [VE](#)
- 78148. *Palpita juvenalis* (Rebel,1915)** (Pyrilidae) **Synonym(s):** *juvenalis* Rebel,1915 **Range (in code):** [WS FJ](#)
- 78149. *Palpita kimballi* Munroe,1959** (Pyrilidae) **Synonym(s):** *kimballi* Munroe,1959 **Range (in code):** [US FI](#)
- 78150. *Palpita limbata* (Butler,1886)** (Pyrilidae) **Synonym(s):** *limbata* Butler,1886 **Range (in code):** [AU](#)
- 78151. *Palpita lobisignalis* (Hampson,1918)** (Pyrilidae) **Synonym(s):** *lobisignalis* Hampson,1918
Range (in code): [ZA](#)
- 78152. *Palpita marinata* (Fabricius,1794)** (Pyrilidae) **Synonym(s):** *marinata* Fabricius,1794
Range (in code): [IN LK MM SG TW FJ](#)
- 78153. *Palpita metallata* (Fabricius,1781)** (Pyrilidae) **Synonym(s):** *metallata* Fabricius,1781; *picticaudalis* Hampson,1908 **Original Reference:** *Phalaena metallata* Fabricius,1781, Spec. Ins. 2: 268. Type(s): Africa aequinoctiali, Mus. Dom. Banks. **Range (in code):** [ZA](#)
- 78154. *Palpita mysteris* (Meyrick,1886)** (Pyrilidae) **Synonym(s):** *mysteris* Meyrick,1886 **Range (in code):** [WS NH](#)
- 78155. *Palpita nigropunctalis* (Bremer,1864)** (Pyrilidae) **Synonym(s):** *nigropunctalis* Bremer,1864 **Range (in code):** [RU Sb KP TW PH Luz IN LK Am RU JP](#)
- 78156. *Palpita oceanitis* (Meyrick,1886)** (Pyrilidae) **Synonym(s):** *oceanitis* Meyrick,1886 **Range (in code):** [WS FJ NH](#)
- 78157. *Palpita persimilis* Munroe,1959** (Pyrilidae) **Synonym(s):** *persimilis* Munroe,1959 **Range (in code):** [BR](#)
- 78158. *Palpita pfeifferae* (Lederer,1863)** (Pyrilidae) **Synonym(s):** *pfeifferae* Lederer,1863 **Range (in code):** [IN MM ID Sum CN TW PG](#)
- 78159. *Palpita pratti* (Janse,1924)** (Pyrilidae) **Synonym(s):** *pratti* Janse,1924 **Range (in code):** [AU](#)
- 78160. *Palpita prolausalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *prolausalis* Walker,1859
Range (in code): [ZA](#)
- 78161. *Palpita punctalis* (W.Warren,1896)** (Pyrilidae) **Synonym(s):** *punctalis* W.Warren,1896
Range (in code): [JM](#)
- 78162. *Palpita quadristigmalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *quadristigmalis* Guenée,1854 **Range (in code):** [US](#)
- 78163. *Palpita samoana* Swinhoe,1906** (Pyrilidae) **Synonym(s):** *samoana* Swinhoe,1906 **Range (in code):** [WS](#)

- 78164. *Palpita sternocraspis* (Butler,1898)** (Pyralidae) **Synonym(s):** *sternocraspis* Butler,1898
Range (in code): **ZA**
- 78165. *Palpita subjectalis* (Lederer,1863)** (Pyralidae) **Synonym(s):** *subjectalis* Lederer,1863;
#*subjectalis* Zimmerman,1958 **Range (in code):** **ZA**
- 78166. *Palpita testalis* (Fabricius,1794)** (Pyralidae) **Synonym(s):** *testalis* Fabricius,1794; *incoloralis* Guenée,1854; *ruficostalis* Lederer,1855; *albidalis* Walker,[1866]; *putrescens* Meyrick,1934 **Original Reference:** *Phalaena testalis* Fabricius,1794, Ent. Syst. 3 (2): 227. Type: India. **Range (in code):** **ES FR Si IT MT CH YU GR CY LB Bei IN BD Syl**
- 78167. *Palpita travassosi* Munroe,1959** (Pyralidae) **Synonym(s):** *travassosi* Munroe,1959 **Range (in code):** **BR**
- 78168. *Palpita trifurcata* Munroe,1959** (Pyralidae) **Synonym(s):** *trifurcata* Munroe,1959 **Range (in code):** **BR**
- 78169. *Palpita venatalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *venatalis* Schaus,1920 **Range (in code):** **GT**
- 78170. *Palpita viettei* Munroe,1959** (Pyralidae) **Synonym(s):** *viettei* Munroe,1959 **Range (in code):** **GP**
- 78171. *Palpita viriditinctalis* (Hampson,1918)** (Pyralidae) **Synonym(s):** *viriditinctalis* Hampson,1918 **Range (in code):** **PE**
- 78172. *Palpita vitrealis* (Rossi,1794)** (Pyralidae) **Synonym(s):** *vitrealis* Rossi,1794; *unionalis* Hübner,1796; *quinquepunctalis* Boisduval,1833; *transvisalis* Guenée,1854; *suralis* Lederer,1863; *septempunctalis* Mabille,1880 **Range (in code):** **DZ Orn TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY TR SE CY YE IL Pa Hf JO LB Bsa EG AF Bsg Bkt PK Rw AU ZA** **Bionomy:** Larva on *Peucedanum* (Apiaceae), *Arbutus* (Ericaceae), *Forsythia*, *Jasminum*, *Ligustrum*, *Olea* (Oleaceae) (Parenti,2000).
- 78173. *Palpita warrenalis* Swinhoe,1894** (Pyralidae) **Synonym(s):** *warrenalis* Swinhoe,1894
Range (in code): **IN TW CN ID VN**
- 78174. *Palpita xanthyalinalis* (Hampson,1899)** (Pyralidae) **Synonym(s):** *xanthyalinalis* Hampson,1899 **Range (in code):** **VE**
- 78175. *Palpusopsis roseella* Amsel,1959** (Pyralidae) **Synonym(s):** *roseella* Amsel,1959 **Original Reference:** *Palpusopsis roseella* Amsel,1959, Stuttg. Beitr. Naturk. 28: 15, t.1 fig.7, t.3 fig.7. Holotype ♂: SO-Iran: Djiroft, Anbar-Abad (LNK). **Range (in code):** **IR Ana Ke**
- 78176. *Panalipa bisignatus* (Swinhoe,1886)** (Pyralidae) **Synonym(s):** *bisignatus* Swinhoe,1886
Range (in code): **IN Poo Mhw Clc PK Sd Krc**
- 78177. *Panotima copidosema* Meyrick,1934** (Pyralidae) **Synonym(s):** *copidosema* Meyrick,1934
Range (in code): **ZR**
- 78178. *Paracataclysta fuscalis* (Hampson,1893)** (Pyralidae) **Synonym(s):** *fuscalis* Hampson,1893; *nyctopsis* Meyrick,1894 **Range (in code):** **LK ID Sum MY Bor TH Cbi Cph IN BT VN Ton AU QAu NG SN SL UG ZR SD NA ZA MZ**
- 78179. *Paracme racilialis* (Walker,1859)** (Pyralidae) **Synonym(s):** *racilialis* Walker,1859 **Range (in code):** **CN TW**
- 78180. *Paracorsia ? rudalis* (Zerny,1939)** (Pyralidae) **Synonym(s):** *rudalis* Zerny,1939 **Original Reference:** *Pyrausta rudalis* Zerny,1939, Z. Wien. EntVer. 24: 174-175, Taf.11 fig.10. Syntypes 5♂ 3♀: [Iran]: Tarsee-Gebiet (2100-2200m), in coll. Hartig (NHMW). **Range (in code):** **IR Elb Mz Fa Sse Shr Com**
- 78181. *Paracorsia repandalis* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *repandalis* [Denis & Schiffermüller],1775 **Original Reference:** *Pyralis repandalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code):** **PT ES FR Co Sa IT MT GB BE LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc AZ Nv Ord IR Th Kh Fa TM Kp RU MD UA BY AF Kot Srb Bsg Pag Bm**
- 78182. *Paractenia atrisparsalis* Hampson,1906** (Pyralidae) **Synonym(s):** *atrisparsalis* Hampson,1906 **Range (in code):** **ZA Tva Lpo Kru Pma**
- 78183. *Paractenia phaeomesalis* Hampson,1906** (Pyralidae) **Synonym(s):** *phaeomesalis* Hampson,1906 **Range (in code):** **ZA**
- 78184. *Paractenia thermalis* Hampson,1906** (Pyralidae) **Synonym(s):** *thermalis* Hampson,1906
Range (in code): **ZA**

- 78185. *Paracymoriza albalis* Yoshiyasu, 1987** (Pyalidae) Synonym(s): *albalis* Yoshiyasu, 1987
Original Reference: *Paracymoriza albalis* Yoshiyasu, 1987, Microlepid. Thailand 1: 147, figs.
Holotype: Thailand, Chantaburi, Khao Soi Dao. Range (in code): **TH Cbi Nna Kao**
- 78186. *Paracymoriza albifascialis* (Hampson, 1891)** (Pyalidae) Synonym(s): *albifascialis* Hampson, 1891
Original Reference: *Parthenodes albifascialis* Hampson, 1891, Ills. Specimens Lepid. Het. Colln Br. Mus. 8: 140, pl. 156 figs. 1, 9. Syntypes: Assam, Nilgiris, Java. Range (in code): **TH CMa Dst Cbi IN Ass NI MY ID Sum Ja Bor Swk**
- 78187. *Paracymoriza argenteolineata* Speidel, 2003** (Pyalidae) Synonym(s): *argenteolineata* Speidel, 2003 Range (in code): **PH Mno Luz**
- 78188. *Paracymoriza aurantialis* (Swinhoe, 1895)** (Pyalidae) Synonym(s): *aurantialis* Swinhoe, 1895 Range (in code): **IN Meg Ass TH Nna Kao CN**
- 78189. *Paracymoriza bleszynskialis* Roesler & Speidel, 1981** (Pyalidae) Synonym(s): *bleszynskialis* Roesler & Speidel, 1981
Original Reference: *Paracymoriza bleszynskialis* Roesler & Speidel, 1981, Articulata 1: 202, figs. Holotype: China: Szechuan: Omei Shan. Range (in code): **CN Sz**
- 78190. *Paracymoriza exolvalis* (Snellen, 1882)** (Pyalidae) Synonym(s): *exolvalis* Snellen, 1882
Range (in code): **ID Sum Ja TH CMa Dst IN Ass SI MM VN Ton**
- 78191. *Paracymoriza fuliginosa* Speidel, 2003** (Pyalidae) Synonym(s): *fuliginosa* Speidel, 2003
Range (in code): **PH Neg Luz Ley**
- 78192. *Paracymoriza inextricata* (Moore, 1887)** (Pyalidae) Synonym(s): *inextricata* Moore, 1887
Range (in code): **IN SI Ass TH CMa Dst Int CN**
- 78193. *Paracymoriza nigrella* Speidel, 2003** (Pyalidae) Synonym(s): *nigrella* Speidel, 2003
Range (in code): **PH Sam Ley**
- 78194. *Paracymoriza scotalis* (Hampson, 1906)** (Pyalidae) Synonym(s): *scotalis* Hampson, 1906
Range (in code): **TZ ZM ZW ZA Tva Lpo Spb Wp AO ZR**
- 78195. *Paracymoriza vagalis* (Walker, 1865)** (Pyalidae) Synonym(s): *vagalis* Walker, 1865
Original Reference: *Oligostigma vagalis* Walker, 1865, List spec. lepid. Ins. Colln. Br. Mus. 34: 1530. Range (in code): **TH CMa Dst Nna Kao Cbi NP PK H-A LK Pj Drm NI Hp CN Kwa HK MM MY ID Sum Ja Bor BN Sbh Swk TW JP**
Bionomy: Larva on Podostemaceae (Yoshiyasu, 1987).
- 78196. *Paracymoriza yuennanensis* (Caradja, 1937)** (Pyalidae) Synonym(s): *yuennanensis* Caradja, 1937 Range (in code): **CN Yu**
- 78197. *Paradiseguayana rufitinctalis* (Hampson, 1930)** (Pyalidae) Synonym(s): *rufitinctalis* Hampson, 1930 Range (in code): **GF**
- 78198. *Paraemmalocera anerastica* (Snellen, 1880)** (Pyalidae) Synonym(s): *anerastica* Snellen, 1880; *albicostalis* Hampson, 1900; *variegatella* Strand, 1918 Range (in code): **ES AL Co JO AC IN SG MY Bor ID Ja Sum Clb Amb TW PH Luz**
- 78199. *Paraemporia monotona* Amsel, 1951** (Pyalidae) Synonym(s): *monotona* Amsel, 1951
Range (in code): **IR Fa Com**
- 78200. *Paralaodamia ajbanica* Asselbergs, 2008** (Pyalidae) Synonym(s): *ajbanica* Asselbergs, 2008 Range (in code): **AE**
- 78201. *Paralaodamia angustata* Balinsky, 1994** (Pyalidae) Synonym(s): *angustata* Balinsky, 1994 Range (in code): **NA Abc**
- 78202. *Paralaodamia difficilis* Balinsky, 1994** (Pyalidae) Synonym(s): *difficilis* Balinsky, 1994
Original Reference: *Paralaodamia difficilis* Balinsky, 1994, A study of African Phycitinae in the Transvaal Museum: 80, figs. 79, 278, 415. Holotype ♂: [Turkey]: "Syria", "Aunus CD, 1891" [Taurus Mts.], ex coll. Brabant (TM). Range (in code): **TR? SY?**
- 78203. *Paralaodamia difficilis difficilis* Balinsky, 1994** (Pyalidae) Synonym(s): *difficilis* Balinsky, 1994
Original Reference: *Paralaodamia difficilis* Balinsky, 1994, A study of African Phycitinae in the Transvaal Museum: 80, figs. 79, 278, 415. Holotype ♂: [Turkey]: "Syria", "Aunus CD, 1891" [Taurus Mts.], ex coll. Brabant (TM). Range (in code): **TR? SY?**
- 78204. *Paralaodamia fraudulentata* Balinsky, 1994** (Pyalidae) Synonym(s): *fraudulentata* Balinsky, 1994 Range (in code): **ZW Hfo**
- 78205. *Paralaodamia fraudulentata fraudulentata* Balinsky, 1994** (Pyalidae) Synonym(s): *fraudulentata* Balinsky, 1994 Range (in code): **ZW Hfo**
- 78206. *Paralaodamia grapholithella* (Ragonot, 1888)** (Pyalidae) Synonym(s): *grapholithella* Ragonot, 1888 Range (in code): **ZW Umv**
- 78207. *Paralaodamia grapholithella grapholithella* (Ragonot, 1888)** (Pyalidae) Synonym(s): *grapholithella* Ragonot, 1888 Range (in code): **ZW Umv**

- 78208. *Paralaodamia haploa* Balinsky,1994** (Pyrilidae) **Synonym(s):** *haploa* Balinsky,1994
Range (in code): **ZW Hfo**
- 78209. *Paralaodamia haploa haploa* Balinsky,1994** (Pyrilidae) **Synonym(s):** *haploa* Balinsky,1994 **Range (in code):** **ZW Hfo**
- 78210. *Paralaodamia modesta* Balinsky,1994** (Pyrilidae) **Synonym(s):** *modesta* Balinsky,1994
Range (in code): **ZA Ec**
- 78211. *Paralaodamia modesta modesta* Balinsky,1994** (Pyrilidae) **Synonym(s):** *modesta* Balinsky,1994 **Range (in code):** **ZA Ec**
- 78212. *Paralaodamia penicillifera* Balinsky,1994** (Pyrilidae) **Synonym(s):** *penicillifera* Balinsky,1994 **Range (in code):** **TZ ZA Tva Lpo Chp**
- 78213. *Paralaodamia penicillifera penicillifera* Balinsky,1994** (Pyrilidae) **Synonym(s):** *penicillifera* Balinsky,1994 **Range (in code):** **TZ ZA Tva Lpo Chp**
- 78214. *Paralaodamia pretoriensis* Balinsky,1994** (Pyrilidae) **Synonym(s):** *pretoriensis* Balinsky,1994 **Range (in code):** **ZA Tva Gau Pre**
- 78215. *Paralaodamia pretoriensis pretoriensis* Balinsky,1994** (Pyrilidae) **Synonym(s):** *pretoriensis* Balinsky,1994 **Range (in code):** **ZA Tva Gau Pre**
- 78216. *Paralaodamia rivulella* (Ragonot,1888)** (Pyrilidae) **Synonym(s):** *rivulella* Ragonot,1888
Range (in code): **ZA Tva Gau Pre**
- 78217. *Paralaodamia rivulella rivulella* (Ragonot,1888)** (Pyrilidae) **Synonym(s):** *rivulella* Ragonot,1888 **Range (in code):** **ZA Tva Gau Pre**
- 78218. *Paralaodamia scalaris* (Joannis,1927)** (Pyrilidae) **Synonym(s):** *scalaris* Joannis,1927
Range (in code): **ZA**
- 78219. *Paralaodamia serrata* Balinsky,1994** (Pyrilidae) **Synonym(s):** *serrata* Balinsky,1994
Range (in code): **ZW Wnk**
- 78220. *Paralaodamia subdivisella* (Ragonot,1893)** (Pyrilidae) **Synonym(s):** *subdivisella* Ragonot,1893 **Range (in code):** **ZW Swm NA ZA Tva Gau Pre Ec Wca Wr Cto Nta Kzu Nha BW**
- 78221. *Paralaodamia subdivisella subdivisella* (Ragonot,1893)** (Pyrilidae) **Synonym(s):** *subdivisella* Ragonot,1893 **Range (in code):** **ZW Swm NA ZA Tva Gau Pre Ec Wca Wr Cto Nta Kzu Nha BW**
- 78222. *Paralaodamia subligaculata* Balinsky,1994** (Pyrilidae) **Synonym(s):** *subligaculata* Balinsky,1994 **Range (in code):** **ZA Gau Jh Tva Ec Tra**
- 78223. *Paralaodamia subligaculata subligaculata* Balinsky,1994** (Pyrilidae) **Synonym(s):** *subligaculata* Balinsky,1994 **Range (in code):** **ZA Gau Jh Tva Ec Tra**
- 78224. *Paralaodamia transvaalica* Balinsky,1994** (Pyrilidae) **Synonym(s):** *transvaalica* Balinsky,1994 **Range (in code):** **ZA Gau Pre Ec Tva Lpo Nbs Nyl Fs Mdp Mdt**
- 78225. *Paralaodamia transvaalica transvaalica* Balinsky,1994** (Pyrilidae) **Synonym(s):** *transvaalica* Balinsky,1994 **Range (in code):** **ZA Gau Pre Ec Tva Lpo Nbs Nyl Fs Mdp Mdt**
- 78226. *Paralipsa decolorella* Ragonot & Hampson,1901** (Pyrilidae) **Synonym(s):** *decolorella* Ragonot & Hampson,1901; *erubella* Ragonot & Hampson,1901 **PG**
- 78227. *Paralipsa exacta* Whalley,1962** (Pyrilidae) **Synonym(s):** *exacta* Whalley,1962 **Range (in code):** **ZA Pel**
- 78228. *Paramaxillaria amatrix* (Zerny,1927)** (Pyrilidae) **Synonym(s):** *amatrix* Zerny,1927
Original Reference: *Maxillaria amatrix* Zerny,1927, Dt. ent. Z., Iris 41: 134, t.2 fig.6. Lectotype ♂: Andalusia, Algeciras (designated by Roesler,1973, Microlepid. palaearkt. 4: 123) (NHMW).
Range (in code): **MA ES An**
- 78229. *Paramaxillaria meretrix* (Staudinger,1879)** (Pyrilidae) **Synonym(s):** *meretrix* Staudinger,1879; *trifracta* Turati,1930. **Original Reference:** *Maxillaria meretrix* Staudinger,1879, Horae Soc. ent. ross. 15: 208-210. Type ♂: [Türkei]: Brussa [Bursa] (ZMB). **Range (in code):** **TR LY Cy TW**
- 78230. *Parambia cedroalis* Schaus,1924** (Pyrilidae) **Synonym(s):** *cedroalis* Schaus,1924 **Range (in code):**
- 78231. *Parambia cedroalis* Schaus,1924** (Pyrilidae) **Synonym(s):** *cedroalis* Schaus,1924 **Range (in code):** **CU**
- 78232. *Parambia glenealis* Dyar,1914** (Pyrilidae) **Synonym(s):** *glenealis* Dyar,1914 **Range (in code):** **PA GY**
- 78233. *Parambia glenealis* Dyar,1914** (Pyrilidae) **Synonym(s):** *glenealis* Dyar,1914 **Range (in code):** **CU PA**

- 78234. *Parambia gnomosynalis* Dyar,1914** (Pyrilidae) **Synonym(s):** *gnomosynalis* Dyar,1914
Range (in code): **PA**
- 78235. *Parambia gnomosynalis* Dyar,1914** (Pyrilidae) **Synonym(s):** *gnomosynalis* Dyar,1914
Range (in code): **PA GY**
- 78236. *Parambia paigniodesalis* (Dyar,1914)** (Pyrilidae) **Synonym(s):** *paigniodesalis* Dyar,1914
Range (in code): **PA**
- 78237. *Paramecyna dimorphalis* Amsel,1961** (Pyrilidae) **Synonym(s):** *dimorphalis* Amsel,1961
Range (in code): **IR Elb Th Kdj Fa Shr Sse Ha**
- 78238. *Parancyla argyrothysana* Hampson,1919** (Pyrilidae) **Synonym(s):** *argyrothysana* Hampson,1919 **Range (in code):** **TZ**
- 78239. *Paranephopterix adelphella* (Fischer v. Röslerstamm,[1836])** (Pyrilidae)
Synonym(s): *adelphella* Fischer v. Röslerstamm,[1836]; *barteli* Caradja,1910. **Range (in code):** **FR Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU DK SE FI EE LV LT RU MD UA BY TR**
- 78240. *Paranephopterix barteli* (Caradja,1910)** (Pyrilidae) **Synonym(s):** *barteli* Caradja,1910
Range (in code): **RU**
- 78241. *Paraphomia natalensis* Hampson,1901** (Pyrilidae) **Synonym(s):** *natalensis* Hampson,1901 **Range (in code):** **ZA Nta Kzu**
- 78242. *Paraphomia natalensis natalensis* Hampson,1901** (Pyrilidae) **Synonym(s):** *natalensis* Hampson,1901 **Range (in code):** **ZA Nta Kzu**
- 78243. *Paraplatytes eberti* Bleszynski,1965** (Pyrilidae) **Synonym(s):** *eberti* Bleszynski,1965
Range (in code): **AF Srb**
- 78244. *Paraponyx affinalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *affinalis* Guenée,1854; *incommoda* Butler,1881; *fuscomarginata* Bethune-Baker,1894; *#alaicalis* Caradja,1916 **Original Reference:** *Paraponyx affinalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 270. Syntypes 2♀: "Inde centrale". **Range (in code):** **IL Pa TR SY Dms IR Fa Ahz Kz Sde Ke Ana Ss Irs Gh Tgo AF IQ Bsr Bgd Amr Dia Mos KW EG PK Sd Krc MY IN SI Hp Sml Nk Mh Poo Bba Mhw ID AU Aru YE Sk Al TJ ZA** **Bionomy:** Larva on Potamogeton at Bagdad (Wiltshire,1957).
- 78245. *Paraponyx andalusica* Speidel,1982** (Pyrilidae) **Synonym(s):** *andalusica* Speidel,1982
Range (in code): **PT ES**
- 78246. *Paraponyx bilinealis* (Snellen,1876)** (Pyrilidae) **Synonym(s):** *bilinealis* Snellen,1876; *bilineale* Hampson,1896 **Range (in code):** **IN Pj Drm Clc Hp TH Knc Phu JP**
- 78247. *Paraponyx bipunctalis* (Hampson,1906)** (Pyrilidae) **Synonym(s):** *bipunctalis* Hampson,1906; *piperitalis* Hampson,1917 **Range (in code):** **NG NE SD UG ZR BJ CI GM SN CM**
- 78248. *Paraponyx crisonalis* (Walker,1859)** (Pyrilidae) **Synonym(s):** *crisonalis* Walker,1859; *hebraicalis* Snellen,1880; *myina* Meyrick,1885; *incurvalis* South,1901; *takamukui* Shibuya,1929 **Original Reference:** *Hydrocampa crisonalis* Walker,1859, List Specimens lepid. Insects Colln Br. Mus. 19: 961. Type: Sri Lanka. **Range (in code):** **CN TW LK ID Ja Sum Clb TH Nna Kao Cbi Bnk AU QAU JP GB**
- 78249. *Paraponyx dentizonalis* (Hampson,1897)** (Pyrilidae) **Synonym(s):** *dentizonalis* Hampson,1897 **Range (in code):** **AU QAU**
- 78250. *Paraponyx diminutalis* Snellen,1880** (Pyrilidae) **Synonym(s):** *diminutalis* Snellen,1880; *dicentra* Meyrick,1885; *pallida* Butler,1886; *uxorialis* Strand,1919 **Original Reference:** *Paraponyx diminutalis* Snellen,1880, Tijdschr. Ent. 23: 242. Type: Sulawesi. **Range (in code):** **TW PH Luz IN ID LK Ja Sum Lb Bor Clb CN VN Ton TH CMa Knc Nna Cbi Cph Phu Pkk MZ AU QAU GB FI EG SD ET KE UG TZ ZM ZW MW ZA Nta Kzu Dbn BW AO ZR NG MG**
- 78251. *Paraponyx discoloralis* (Walker,[1866])** (Pyrilidae) **Synonym(s):** *discoloralis* Walker,[1866] **Range (in code):** **AU**
- 78252. *Paraponyx epimochla* (Turner,1908)** (Pyrilidae) **Synonym(s):** *epimochla* Turner,1908
Range (in code): **AU QAU**
- 78253. *Paraponyx euryscia* (Meyrick,1885)** (Pyrilidae) **Synonym(s):** *euryscia* Meyrick,1885; *oxygramma* Turner,1908 **Range (in code):** **AU QAU**
- 78254. *Paraponyx fluctuosalis* (Zeller,1852)** (Pyrilidae) **Synonym(s):** *fluctuosalis* Zeller,1852; *linealis* Guenée,1854; *circealis* Walker,1859; *chrysippusalis* Walker,1859; *obitalis* Walker,1859; *curta* Butler,1879; *luteivittalis* Mabille,1880; *cryzalis* Wood-Mason,1885; *rugosalis* Möschler,1890 **Range (in code):** **PT ES Sa GB IN LK JP TW AU CN VN Ton ID Sum Hw MG ZA Nta Kzu Dbn NA TH CMa Fn Dst Dpk Knc Nna Kao Cbi Phu MY SG Ja Bli BN Bor Sbh Swk PH MA TN ET SD UG KE TZ ZM BW MZ ZR SN BF SL GN KM MU**
- 78255. *Paraponyx leucographa* Speidel,2003** (Pyrilidae) **Synonym(s):** *leucographa* Speidel,2003
Range (in code): **PH Luz Mdo Sam Mno**

- 78256. *Parapoynx longialata* Yoshiyasu, 1983** (Pyrilidae) Synonym(s): *longialata* Yoshiyasu, 1983
Original Reference: *Parapoynx longialata* Yoshiyasu, 1983, *Tinea* 11 (13): 120, figs. 10. Holotype: Thailand: Trad, Kao Saming. Range (in code): **TH** **Trat Cph**
- 78257. *Parapoynx medusalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *medusalis* Walker, 1859; *dianalis* Schaus, 1906 Range (in code): **AU**
- 78258. *Parapoynx nivalis* ([Denis & Schiffermüller], 1775)** (Pyrilidae) Synonym(s): *nivalis* [Denis & Schiffermüller], 1775; *candidata* Fabricius, 1787; *nivealis* Hübner, 1796 Original Reference: *Pyalis nivalis* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 316. Type(s): [Austria]: Vienna district. Range (in code): **DE AT PL CZ SK HU RO YU B-H BG RU Ur KG Uk**
- 78259. *Parapoynx ophiaula* (Meyrick, 1936)** (Pyrilidae) Synonym(s): *ophiaula* Meyrick, 1936 Range (in code): **ZR ZM**
- 78260. *Parapoynx plumbefusalis* (Hampson, 1917)** (Pyrilidae) Synonym(s): *plumbefusalis* Hampson, 1917 Range (in code): **SD UG KE TZ ZM ZW CM SN NG NE Nai SL AO BW MG MW**
- 78261. *Parapoynx polydectalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *polydectalis* Walker, 1859. Range (in code): **AU**
- 78262. *Parapoynx pycnarmonides* Speidel, 2003** (Pyrilidae) Synonym(s): *pycnarmonides* Speidel, 2003 Range (in code): **PH Luz**
- 78263. *Parapoynx sinuosa* (Lucas, 1892)** (Pyrilidae) Synonym(s): *sinuosa* Lucas, 1892 Range (in code): **AU QAU**
- 78264. *Parapoynx stagnalis* (Zeller, 1852)** (Pyrilidae) Synonym(s): *stagnalis* Zeller, 1852; *depunctalis* Guenée, 1852; *decussalis* Walker, 1859; *vestigialis* Snellen, 1880; *hillii* Tepper, 1890 Original Reference: *Nymphula stagnalis* Zeller, 1852, *K. svenska Vetensk. Akad. Handl.* 1852: 26-27. Type ♂: [South Africa]: Natal. Range (in code): **ES GR AU ZA Nta Kzu TH Knc MM MY SG ID Sum Ja Bli Bor Sbh Swk PH IN MA GM SL GH NG UG KE Nai TZ ZM AO ZW ET MW TG CI LR MG**
- 78265. *Parapoynx stratiotatum* (Linnaeus, 1758)** (Pyrilidae) Synonym(s): *stratiotata* Linnaeus, 1758; *paludata* Fabricius, 1794; *depunctalis* Guenée, 1854; *amanica* Osthelder, 1935 Original Reference: *Phalaena stratiotata* Linnaeus, 1758, *Syst. Nat. (Edn. 10)* 1: 529. Type(s): [Europa]. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY TR IR Gh Tgo KK Ik KG Uk Tk Dj Ii** Bionomy: Larva on Elodea, Potamogeton, Ceratophyllum, Stratiotes, Alisma, Callitriche, Nymphaea.
- 78266. *Parapoynx tenebralis* (Lower, 1902)** (Pyrilidae) Synonym(s): *tenebralis* Lower, 1902 Range (in code): **AU QAU**
- 78267. *Parapoynx tullialis* (Walker, 1859)** (Pyrilidae) Synonym(s): *tullialis* Walker, 1859 Range (in code): **AU NSW**
- 78268. *Parapoynx villidalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *villidalis* Walker, 1859; *sacadasalis* Walker, 1859; *unilinealis* Snellen, 1876; *villidale* Hampson, 1896 Range (in code): **FJ MY Bor AU QAU TW FJ IN Sgr Ass LK ID Ja Bor Swk TH Knc Kao Nna IN Meg LK WS**
- 78269. *Parapoynx votalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *votalis* Walker, 1859 Range (in code): **IN MM LK VN Ton TH Nna kao Phu Cbi Cph LK**
- 78270. *Parapoynx zambiensis* Agassiz, 2012** (Pyrilidae) Synonym(s): *zambiensis* Agassiz, 2012 Range (in code): **ZM BW ZR**
- 78271. *Pararotruda nesiotica* (Rebel, 1911)** (Pyrilidae) Synonym(s): *nesiotica* Rebel, 1911 Range (in code): **Cn Md**
- 78272. *Parasefidia benderella* Amsel, 1950** (Pyrilidae) Synonym(s): *benderella* Amsel, 1950 Range (in code): **IR Ss Irs**
- 78273. *Parasefidia comeella* (Amsel, 1951)** (Pyrilidae) Synonym(s): *comeella* Amsel, 1951 Original Reference: *Synoria comeella* Amsel, 1951, *Ark. Zool.* 1 (36): 533-534. Syntypes: Iran: Come, Sine Sefid. Range (in code): **IR Fa Sse Com Lo**
- 78274. *Parastenia retractalis* (Hampson, 1912)** (Pyrilidae) Synonym(s): *dircealis* Druce, 1895 nec *Wlk.*, 1859; *retractalis* Hampson, 1912 Range (in code): **MX**
- 78275. *Paratalanta acutangulata* (Swinhoe, 1901)** (Pyrilidae) Synonym(s): *acutangulata* Swinhoe, 1901 Range (in code): **TH CMa Dst CDo Lam CN Yu IN Up MY**
- 78276. *Paratalanta aureolalis* (Lederer, 1863)** (Pyrilidae) Synonym(s): *aureolalis* Lederer, 1863; *ochrealis* Moore, 1877 Range (in code): **IN SI TH CMa Dst CDo**
- 78277. *Paratalanta contractalis* (W. Warren, 1896)** (Pyrilidae) Synonym(s): *contractalis* W. Warren, 1896 Range (in code): **IN Up Ass Meg Khs TH CMa Dst CDo**

- 78278. *Paratalanta cultralis* (Staudinger,1867)** (Pyralidae) Synonym(s): *cultralis* Staudinger,1867 Original Reference: *Botys cultralis* Staudinger,1867, Stettin ent. Ztg. 28(1/3): 108-109. Type ♂: [Russia]: Caucasus. Range (in code): **RU Cc GG TR**
- 78279. *Paratalanta homocolorum* (Bänziger,1995)** (Pyralidae) Synonym(s): *homocolorum* Bänziger,1995 Range (in code): **TH CMa Dst CDo CN Yu**
- 78280. *Paratalanta hyalinalis* (Hübner,1796)** (Pyralidae) Synonym(s): *hyalinalis* Hübner,1796 Original Reference: *Pyralis hyalinalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.11 fig.74. Type(s): Europa. Range (in code): **DZ Clo ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Urtica* (Urticaceae), *Filipendula ulmaria* (Rosaceae), *Verbascum* (Scrophulariaceae), *Centaurea* (Asteraceae) (Huemer,1988).
- 78281. *Paratalanta pandalis* (Hübner,[1825])** (Pyralidae) Synonym(s): *angustalis* Haworth,1811; *pandalis* Hübner,[1825]; *thapsalis* Treitschke,1828; *oblitalis* Duponchel,1843; *bergunensis* Zeller,1878; *jessica* Butler,1878 Original Reference: *Epicorsia pandalis* Hübner,[1825], Verz. bekannt. Schmett. : 355. Type(s): Deutschland: Augsburg. Range (in code): **ES FR Co Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR IR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Teucrium scordonia*, *Origanum vulgare* (Lamiaceae), *Solidago virgaurea* (Asteraceae) (Beirne,1954).
- 78282. *Paratalanta ussuriensis* (Bremer,1864)** (Pyralidae) Synonym(s): *ussuriensis* Bremer,1864; *labutonalis* Lederer,1871; *taiwanensis* Yamanaka,1972 Range (in code): **IR Gor RU Am Us CN KP TW JP**
- 78283. *Paratraea obliquivalis* (Hampson,1918)** (Pyralidae) Synonym(s): *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962. Range (in code): **ZA Tva Lpo**
- 78284. *Paratraea obliquivalis obliquivalis* (Hampson,1918)** (Pyralidae) Synonym(s): *obliquivalis* Hampson,1918; *griseifasciata* Hampson,1919; *#griseifascia* Bleszynski,1962. Range (in code): **ZA Tva Lpo**
- 78285. *Paratraea plumbipicta* Hampson,1919** (Pyralidae) Synonym(s): *plumbipicta* Hampson,1919 Range (in code): **NG**
- 78286. *Paratraea plumbipicta plumbipicta* Hampson,1919** (Pyralidae) Synonym(s): *plumbipicta* Hampson,1919 Range (in code): **NG**
- 78287. *Parbattia vialis* Moore,1888** (Pyralidae) Synonym(s): *vialis* Moore,1888 Range (in code): **IN TW**
- 78288. *Pardomima (Pachyparda) distortana* (Strand,1913)** (Pyralidae) Synonym(s): *distortana* Strand,1913; *#hampsoniana* Strand,1922; *empalacta* Meyrick,1937 Range (in code): **TH CMa SL CI GH NG CM GA ZR**
- 78289. *Pardomima (Pachyparda) margarodes* E.L.Martin,1954** (Pyralidae) Synonym(s): *margarodes* E.L.Martin,1954 Range (in code): **NG**
- 78290. *Pardomima (Pachyparda) tumidipes* (Hampson,1912)** (Pyralidae) Synonym(s): *tumidipes* Hampson,1912 Range (in code): **SL GA ZR**
- 78291. *Pardomima (s.str.) amyntusalis* (Walker,1859)** (Pyralidae) Synonym(s): *amyntusalis* Walker,1859; *critheisalis* Walker,1859; *semizebralis* Walker,[1866]; *tabidialis* Snellen,1879 Range (in code): **AU**
- 78292. *Pardomima (s.str.) azancla* E.L.Martin,1954** (Pyralidae) Synonym(s): *azancla* E.L.Martin,1954 Range (in code): **MG**
- 78293. *Pardomima (s.str.) callixantha* E.L.Martin,1954** (Pyralidae) Synonym(s): *callixantha* E.L.Martin,1954 Original Reference: *Pardomima callixantha* E.L.Martin,1954, Bull. Br. Mus. nat. Hist. Ent. 3 (4): 510, pl.23. Range (in code): **ZA Nta Kzu Tva Lpo Spb Mdk Ec ZW MW ET CM GH NG ZR AO KE ET**
- 78294. *Pardomima (s.str.) fuscirenalis* (Hampson,1918)** (Pyralidae) Synonym(s): *fuscirenalis* Hampson,1918; *#fuscirenalis* Klima,1939 Range (in code): **ZA Kzy Nta Ec Tra**
- 78295. *Pardomima (s.str.) phaeoparda* E.L.Martin,1954** (Pyralidae) Synonym(s): *phaeoparda* E.L.Martin,1954 Range (in code): **SL CI NG ZR**
- 78296. *Pardomima (s.str.) phalaromima* (Meyrick,1933)** (Pyralidae) Synonym(s): *phalaromima* Meyrick,1933 Range (in code): **SL GN CI NG CM GO Bio AO ZR MW KE TZ**
- 78297. *Pardomima (s.str.) phalarota* (Meyrick,1933)** (Pyralidae) Synonym(s): *phalarota* Meyrick,1933 Range (in code): **ZA AO ZR ZW MZ**
- 78298. *Pardomima (s.str.) telanepsia* E.L.Martin,1954** (Pyralidae) Synonym(s): *telanepsia* E.L.Martin,1954 Range (in code): **CI GH NG GO Bio**
- 78299. *Pardomima (s.str.) zanclophora* E.L.Martin,1954** (Pyralidae) Synonym(s): *zanclophora* E.L.Martin,1954 Range (in code): **ZA ZR MZ TZ KE KM MG ET SA**

- 78300. *Pardomima pompusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *pompusalis* Walker,1859
Range (in code): AU
- 78301. *Paregesta californiensis* Munroe,1964** (Pyralidae) **Synonym(s):** *californiensis* Munroe,1964 Range (in code): US Cf
- 78302. *Paremathuedes crista* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *crista* J.C.Shaffer,1997
Range (in code): ZA
- 78303. *Paremathuedes diacanthus* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *diacanthus* J.C.Shaffer,1997 Range (in code): ZA
- 78304. *Paremathuedes dionyx* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *dionyx* J.C.Shaffer,1997 Range (in code): ZA
- 78305. *Paremathuedes hamulus* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *hamulus* J.C.Shaffer,1997 Range (in code): ZA
- 78306. *Paremathuedes immaculatus* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *immaculatus* J.C.Shaffer,1997 Range (in code): ZA
- 78307. *Paremathuedes interpunctellus* (Hampson,1918)** (Pyralidae) **Synonym(s):** *interpunctellus* Hampson,1918 Range (in code): ZA
- 78308. *Paremathuedes onyx* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *onyx* J.C.Shaffer,1997
Range (in code): ZA
- 78309. *Paremathuedes polystictellus* (Hampson,1918)** (Pyralidae) **Synonym(s):** *polystictellus* Hampson,1918; *rufimediis* Hampson,1918 Range (in code): ZA
- 78310. *Paremathuedes roseotinctus* (Janse,1922)** (Pyralidae) **Synonym(s):** *roseotinctus* Janse,1922 Range (in code): ZA
- 78311. *Paremathuedes simplex* (Janse,1922)** (Pyralidae) **Synonym(s):** *simplex* Janse,1922
Range (in code): ZA
- 78312. *Paremathuedes tenuis* J.C.Shaffer,1997** (Pyralidae) **Synonym(s):** *tenuis* J.C.Shaffer,1997
Range (in code): ZA
- 78313. *Parerupa africana* (Aurivillius,1910)** (Pyralidae) **Synonym(s):** *africana* Aurivillius,1910; *diagonalis* Hampson,1919 Range (in code): TZ
- 78314. *Parerupa bipunctalis* Hampson,1919** (Pyralidae) **Synonym(s):** *bipunctalis* Hampson,1919
Range (in code): NG
- 78315. *Parerupa distictalis* Hampson,1919** (Pyralidae) **Synonym(s):** *distictalis* Hampson,1919
Range (in code): NG
- 78316. *Parerupa incerta* (Sjöstedt,1926)** (Pyralidae) **Synonym(s):** *incerta* Sjöstedt,1926 Range (in code): SD
- 78317. *Parerupa undilinealis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *undilinealis* Hampson,1919 Range (in code): TZ
- 78318. *Parotis atlitalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *atlitalis* Walker,1859 Range (in code): AU
- 78319. *Parotis baldersalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *baldersalis* Walker,1859
Range (in code): ZA
- 78320. *Parotis incurvata* (W.Warren,1896)** (Pyralidae) **Synonym(s):** *incurvata* W.Warren,1896
Range (in code): AU
- 78321. *Parotis invernalis* (Joannis,1927)** (Pyralidae) **Synonym(s):** *invernalis* Joannis,1927
Range (in code): ZA
- 78322. *Parotis marginata* (Hampson,1893)** (Pyralidae) **Synonym(s):** *marginata* Hampson,1893.
Range (in code): AU
- 78323. *Parotis marinata* (Fabricius,1794)** (Pyralidae) **Synonym(s):** *marinata* Fabricius,1794; *psittacalis* Hübner,[1825]; *maliferalis* Walker,[1866]; *planalis* W.Warren,1896; *advena* Hering,1901 Range (in code): AU PH Luz Ceb IN LK MM CN Adm Sum Bor Clb ID PG AU FJ Vl
- 78324. *Parotis pomonalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *pomonalis* Guenée,1854
Range (in code): AU
- 78325. *Parotis prasinalis* (Saalmüller,1880)** (Pyralidae) **Synonym(s):** *prasinalis* Saalmüller,1880; *tritonalis* Snellen,1895 Range (in code): ZA
- 78326. *Parotis prasinophila* (Hampson,1912)** (Pyralidae) **Synonym(s):** *prasinophila* Hampson,1912 Range (in code): ZA
- 78327. *Parotis punctiferalis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *punctiferalis* Walker,[1866] Range (in code): AU

- 78328. *Parotis pyritalis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *pyritalis* Hampson,1912
Range (in code): **ZA**
- 78329. *Parotis squamopedalis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *squamopedalis* Guenée,1854 **Range (in code):** **ZA**
- 78330. *Parotis suralis* (Lederer,1863)** (Pyralidae) **Synonym(s):** *suralis* Lederer,1863; *woodfordii* Butler,1885 **Range (in code):** **AU**
- 78331. *Parotis vernalis* (Hampson,1912)** (Pyralidae) **Synonym(s):** *vernalis* Hampson,1912 **Range (in code):** **ZA**
- 78332. *Parotis zambesalis* (Walker,1865)** (Pyralidae) **Synonym(s):** *zambesalis* Walker,1865; *#zambesalis* Pagenstecher,1907 **Range (in code):** **ZA**
- 78333. *Paroxyptera filiella* (Saalmüller,1880)** (Pyralidae) **Synonym(s):** *filiella* Saalmüller,1880
Range (in code): **ZA**
- 78334. *Parramatta ensiferella* (Meyrick,1879)** (Pyralidae) **Synonym(s):** *ensiferella* Meyrick,1879; *araeosticha* Turner,1913 **Range (in code):** **AU**
- 78335. *Parramatta taliella* (Hampson,1901)** (Pyralidae) **Synonym(s):** *taliella* Hampson,1901
Range (in code): **AU**
- 78336. *Parthenodes aequivocalis* (W.Warren,1896)** (Pyralidae) **Synonym(s):** *aequivocalis* W.Warren,1896 **Range (in code):** **IN Meg Ass Khs**
- 78337. *Parthenodes africalis* Hampson,1906** (Pyralidae) **Synonym(s):** *africalis* Hampson,1906
Range (in code): **TZ NG**
- 78338. *Parthenodes albiceps* Hampson,1917** (Pyralidae) **Synonym(s):** *albiceps* Hampson,1917
Range (in code): **ZA Tva**
- 78339. *Parthenodes albifascialis* Hampson,1893** (Pyralidae) **Synonym(s):** *albifascialis* Hampson,1893 **Range (in code):** **IN Ass NI**
- 78340. *Parthenodes angularis* Hampson,1897** (Pyralidae) **Synonym(s):** *angularis* Hampson,1897
Range (in code): **ZA TZ MG**
- 78341. *Parthenodes aurantialis* Swinhoe,1895** (Pyralidae) **Synonym(s):** *aurantialis* Swinhoe,1895 **Range (in code):** **IN Meg Ass Khs CN**
- 78342. *Parthenodes berthalis* Schaus,1906** (Pyralidae) **Synonym(s):** *berthalis* Schaus,1906
Range (in code): **BR**
- 78343. *Parthenodes briocusalis* Schaus,1924** (Pyralidae) **Synonym(s):** *briocusalis* Schaus,1924
Range (in code): **SR**
- 78344. *Parthenodes caepiosalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *caepiosalis* Walker,1859
Range (in code): **BR**
- 78345. *Parthenodes chalcialis* Hampson,1906** (Pyralidae) **Synonym(s):** *chalcialis* Hampson,1906
Range (in code): **BR**
- 78346. *Parthenodes dabiussalis* Schaus,1924** (Pyralidae) **Synonym(s):** *dabiussalis* Schaus,1924
Range (in code): **MX**
- 78347. *Parthenodes distinctalis taiwanalis* Wileman & South,1917** (Pyralidae)
Synonym(s): *taiwanalis* Wileman & South,1917 **Range (in code):** **TW**
- 78348. *Parthenodes ectargyralis* (Hampson,1897)** (Pyralidae) **Synonym(s):** *ectargyralis* Hampson,1897 **Range (in code):** **PG Fg**
- 78349. *Parthenodes ectopalis* Hampson,1906** (Pyralidae) **Synonym(s):** *ectopalis* Hampson,1906
Range (in code): **ID MY Bor**
- 78350. *Parthenodes eugethes* Tams,1935** (Pyralidae) **Synonym(s):** *eugethes* Tams,1935 **Range (in code):** **WS**
- 78351. *Parthenodes exsolvalis* (Snellen,1880)** (Pyralidae) **Synonym(s):** *exsolvalis* Snellen,1880
Range (in code): **IN SI Ass MM VN Ton ID Sum Ja**
- 78352. *Parthenodes flavicaput* Snellen,1900** (Pyralidae) **Synonym(s):** *flavicaput* Snellen,1900
Range (in code): **ID Ja**
- 78353. *Parthenodes gangeticalis* Lederer,1863** (Pyralidae) **Synonym(s):** *gangeticalis* Lederer,1863 **Range (in code):** **IN**
- 78354. *Parthenodes gualbertalis* Schaus,1924** (Pyralidae) **Synonym(s):** *gualbertalis* Schaus,1924
Range (in code): **SR**
- 78355. *Parthenodes hydrocampalis* Guenée,1854** (Pyralidae) **Synonym(s):** *hydrocampalis* Guenée,1854 **Range (in code):** **GY BR**

- 78356. *Parthenodes hydrocampalis* Guenée,1854** (Pyralidae) Synonym(s): *hydrocampalis* Guenée,1854 Range (in code): GF
- 78357. *Parthenodes immanis* Hampson,1906** (Pyralidae) Synonym(s): *immanis* Hampson,1906 Range (in code): ID MY Bor
- 78358. *Parthenodes incultalis* Schaus,1912** (Pyralidae) Synonym(s): *incultalis* Schaus,1912 Range (in code): CR
- 78359. *Parthenodes inextricata* Moore,1887** (Pyralidae) Synonym(s): *inextricata* Moore,1887 Range (in code): IN SI Ass CN Kwa
- 78360. *Parthenodes latifascialis* (W.Warren,1896)** (Pyralidae) Synonym(s): *latifascialis* W.Warren,1896 Range (in code): IN Meg Ass Khs
- 78361. *Parthenodes loricatalis* (Lederer,1863)** (Pyralidae) Synonym(s): *loricatalis* Lederer,1863 Range (in code): ID Amb
- 78362. *Parthenodes mediocinctalis* Hampson,1897** (Pyralidae) Synonym(s): *mediocinctalis* Hampson,1897 Range (in code): BR Rja
- 78363. *Parthenodes melanicalis* Hampson,1917** (Pyralidae) Synonym(s): *melanicalis* Hampson,1917 Range (in code): CO
- 78364. *Parthenodes mesoleucalis* Hampson,1917** (Pyralidae) Synonym(s): *mesoleucalis* Hampson,1917 Range (in code): PE
- 78365. *Parthenodes nigriplaga* (Swinhoe,1894)** (Pyralidae) Synonym(s): *nigriplaga* Swinhoe,1894 Range (in code): IN Ass
- 78366. *Parthenodes nymphulalis* Hampson,1906** (Pyralidae) Synonym(s): *nymphulalis* Hampson,1906 Range (in code): MX PA
- 78367. *Parthenodes olivalis* Hampson,1891** (Pyralidae) Synonym(s): *olivalis* Hampson,1891; *dentifascialis* Hampson,1891 Range (in code): IN NI
- 78368. *Parthenodes oxygona* Meyrick,1894** (Pyralidae) Synonym(s): *oxygona* Meyrick,1894 Range (in code): ID Sbw
- 78369. *Parthenodes pallidalis* South,1901** (Pyralidae) Synonym(s): *pallidalis* South,1901 Range (in code): CN
- 78370. *Parthenodes parallelalis* (Sauber,1902)** (Pyralidae) Synonym(s): *parallelalis* Sauber,1902 Range (in code): PH Luz
- 78371. *Parthenodes paralleloidalis* Klima,1937** (Pyralidae) Synonym(s): *parallelalis* Hampson,1917 nec Saub.,1902; *paralleloidalis* Klima,1937 Range (in code): PE
- 78372. *Parthenodes phlegetonalis* (Snellen,1895)** (Pyralidae) Synonym(s): *phlegetonalis* Snellen,1895 Range (in code): ID Ja
- 78373. *Parthenodes prodigalis* (Leech,1889)** (Pyralidae) Synonym(s): *prodigalis* Leech,1889; *cataclystalis* Strand,1919 Range (in code): CN KP TW JP
- 78374. *Parthenodes rectangulalis* Kenrick,1907** (Pyralidae) Synonym(s): *rectangulalis* Kenrick,1907 Range (in code): PG
- 78375. *Parthenodes rivularis* Moore,1887** (Pyralidae) Synonym(s): *rivularis* Moore,1887; *exsolvalis* Snellen,1895 nec 1880 Range (in code): IN Hp Kul NP
- 78376. *Parthenodes rufalis* Hampson,1917** (Pyralidae) Synonym(s): *rufalis* Hampson,1917 Range (in code): CO
- 78377. *Parthenodes scotalis* Hampson,1906** (Pyralidae) Synonym(s): *scotalis* Hampson,1906 Range (in code): ZW
- 78378. *Parthenodes stellata* W.Warren,1896** (Pyralidae) Synonym(s): *stellata* W.Warren,1896 Range (in code): IN Meg Ass Khs CN
- 78379. *Parthenodes triangularis* South,1901** (Pyralidae) Synonym(s): *triangularis* South,1901 Range (in code): CN Kwa
- 78380. *Parthenodes upupalis* (Guenée,1863)** (Pyralidae) Synonym(s): *upupalis* Guenée,1863 Range (in code): RE
- 78381. *Parthia christophorella* Ragonot,1887** (Pyralidae) Synonym(s): *christophorella* Ragonot,1887 Range (in code): TM Krn KG Uk Ind
- 78382. *Parthia venosella* (Moore,1878)** (Pyralidae) Synonym(s): *venosella* Moore,1878 Original Reference: Homoeosoma venosella Moore,1878, Ann. Mag. nat. Hist. 1878: 236. Type ♂: [Uighur Ili]: Yarkand (coll. Moore). Range (in code): CN Ui Yk Ga
- 78383. *Paschiodes mesoleucalis* Hampson,1913** (Pyralidae) Synonym(s): *mesoleucalis* Hampson,1913; *trichroa* Meyrick,1934; *bekaledjae* Rougeot,1977 Range (in code): ZA

- 78384. *Patagoniodes farinaria* (Turner,1904)** (Pyralidae) Synonym(s): *farinaria* Turner,1904
Range (in code): AU
- 78385. *Patagoniodes hoenei* Roesler,1969** (Pyralidae) Synonym(s): *hoenei* Roesler,1969 Range (in code): CN Yu Sz Tkg
- 78386. *Patagoniodes popescugorji* Roesler,1969** (Pyralidae) Synonym(s): *popescugorji* Roesler,1969 Range (in code): CN Yu Tkg She Kgs Ch SI
- 78387. *Patania aedilis* (Meyrick,1887)** (Pyralidae) Synonym(s): *aedilis* Meyrick,1887; *excurvalis* W.Warren,1896 Range (in code): AU
- 78388. *Patania aegrotalis* (Zeller,1852)** (Pyralidae) Synonym(s): *aegrotalis* Zeller,1852 Range (in code): ZA
- 78389. *Patania balteata* (Fabricius,1798)** (Pyralidae) Synonym(s): *balteata* Fabricius,1798; *crocealis* Duponchel,1834; *mysolalis* Walker,[1866]; *accipitralis* Walker,[1866]; *aurea* Butler,1879; *fraterna* Moore,1886; *evergestialis* Strand,1918; *afrialis* Leraut,2005 Range (in code): ES FR Si IT CH YU HV BG AL RO GR Cr TR Cc GG Lag IL Pa UA RU IN Mys LK CN TW KP JP TH AU QAU NSw Hw MG RE CI ZA PG Bionomy: Larva on *Rhus cotinus* (Anacardiaceae) (Mann,1862).
- 78390. *Patania emmetris* (Turner,1915)** (Pyralidae) Synonym(s): *emmetris* Turner,1915 Range (in code): AU
- 78391. *Patania iopasalis* (Walker,1859)** (Pyralidae) Synonym(s): *iopasalis* Walker,1859; *boteralis* Walker,1859; *marcidalis* Swinhoe,1906 Range (in code): PK Sd Krc LK IN SI Ass NI MM TH CMa TW MY Bor Swk AU ID Sum Sbw Tim Adm
- 78392. *Patania paleacalis* (Guenée,1854)** (Pyralidae) Synonym(s): *paleacalis* Guenée,1854 Range (in code): ZA
- 78393. *Patania ruralis* (Scopoli,1763)** (Pyralidae) Synonym(s): *ruralis* Scopoli,1763; *iridialis* Hübner,[1825]; *perpendicularis* Duponchel,1833; *conchalis* Wernburg,1864; *dubia* Hampson,1891; *#flavescens* Rebel,1916 Original Reference: *Phalaena ruralis* Scopoli,1763, *Entomologia Carniolica*: 242. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): DZ Cst PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Enz IN ID Sum TW KP JP Bionomy: Larva on *Humulus* (Cannabaceae), *Urtica* (Urticaceae), *Ribes* (Saxifragaceae), *Filipendula ulmaria*, *Prunus spinosa* (Rosaceae), *Atriplex*, *Chenopodium* (Chenopodiaceae) (Huemer,1988).
- 78394. *Patania sabinusalis* (Walker,1859)** (Pyralidae) Synonym(s): *sabinusalis* Walker,1859; *taihokualis* Strand,1918; *faecalis* Strand,1918 Range (in code): CN TW MY Bor Swk IN Ass Khs PK Sd Krc Bba Mh NI LK ID Clb Ja Sbw PG NBr SB FJ
- 78395. *Patania scinialis* (Walker,1859)** (Pyralidae) Synonym(s): *scinialis* Walker,1859 Range (in code): IN TW JP
- 78396. *Patania symphonodes* (Turner,1913)** (Pyralidae) Synonym(s): *symphonodes* Turner,1913 Range (in code): AU
- 78397. *Patania tchadalis* Leraut,2005** (Pyralidae) Synonym(s): *tchadalis* Leraut,2005 Range (in code): TD
- 78398. *Patania tenuis* (W.Warren,1896)** (Pyralidae) Synonym(s): *tenuis* W.Warren,1896; *crocophanes* Lower,1902; *irregularis* Rothschild,1915 Range (in code): AU
- 78399. *Patania ultimalis* (Walker,1859)** (Pyralidae) Synonym(s): *ultimalis* Walker,1859 Range (in code): AU
- 78400. *Patissa aenealis* Hampson,1899** (Pyralidae) Synonym(s): *aenealis* Hampson,1899 Range (in code): IN
- 78401. *Patissa atricostalis* Hampson,1919** (Pyralidae) Synonym(s): *atricostalis* Hampson,1919 Range (in code): AU
- 78402. *Patissa burmanalis* (Swinhoe,1890)** (Pyralidae) Synonym(s): *burmanalis* Swinhoe,1890 Range (in code): IN MM
- 78403. *Patissa chlorosema* (Meyrick,1894)** (Pyralidae) Synonym(s): *chlorosema* Meyrick,1894 Range (in code): IN
- 78404. *Patissa curvilinealis* Hampson,1896** (Pyralidae) Synonym(s): *curvilinealis* Hampson,1896 Range (in code): IN LK
- 78405. *Patissa erythrozonalis* Hampson,1896** (Pyralidae) Synonym(s): *erythrozonalis* Hampson,1896 Range (in code): IN Pj NI LK
- 78406. *Patissa frontalis* (Walker,1865)** (Pyralidae) Synonym(s): *frontalis* Walker,1865 Range (in code): ZA

- 78407. *Patissa fulvidorsalis* Hampson,1903** (Pyralidae) Synonym(s): *fulvidorsalis* Hampson,1903
Range (in code): IN
- 78408. *Patissa fulvosparsa* (Butler,1881)** (Pyralidae) Synonym(s): *fulvosparsa* Butler,1881
Range (in code): IN
- 78409. *Patissa fulvosparsa* (Butler,1881)** (Pyralidae) Synonym(s): *fulvosparsa* Butler,1881;
candidulalis Swinhoe,1885; *tortualis* Snellen,1893; *chlorosema* Meyrick,1894. Range (in code): IN Drm Hp
Poo Kul NI MM Shn ID Ja KP JP TW
- 78410. *Patissa geminalis* Hampson,1919** (Pyralidae) Synonym(s): *geminalis* Hampson,1919
Range (in code): ZA
- 78411. *Patissa interfuscalis* Hampson,1898** (Pyralidae) Synonym(s): *interfuscalis* Hampson,1898
Range (in code): IN
- 78412. *Patissa interstitialis* Hampson,1908** (Pyralidae) Synonym(s): *interstitialis* Hampson,1908
Range (in code): IN
- 78413. *Patissa lactealis* R.Felder & Rogenhofer,1875** (Pyralidae) Synonym(s): *lactealis*
R.Felder & Rogenhofer,1875 Range (in code): IN NI LK
- 78414. *Patissa latifuscalis* Hampson,1896** (Pyralidae) Synonym(s): *latifuscalis* Hampson,1896
Range (in code): IN
- 78415. *Patissa luteifrons* Hampson,1896** (Pyralidae) Synonym(s): *luteifrons* Hampson,1896
Range (in code): IN Clc
- 78416. *Patissa multivagellus* (Swinhoe,1886)** (Pyralidae) Synonym(s): *multivagellus*
Swinhoe,1886 Range (in code): IN
- 78417. *Patissa nigropunctata* Wileman & South,1918** (Pyralidae) Synonym(s): *nigropunctata*
Wileman & South,1918 Range (in code): TW
- 78418. *Patissa pentamita* (Turner,1911)** (Pyralidae) Synonym(s): *pentamita* Turner,1911 Range
(in code): AU
- 78419. *Patissa pulvereas* (Hampson,1919)** (Pyralidae) Synonym(s): *pulvereas* Hampson,1919
Range (in code): ZA
- 78420. *Patissa rubrilinealis* Hampson,1919** (Pyralidae) Synonym(s): *rubrilinealis* Hampson,1919
Range (in code): ZA
- 78421. *Patissa stenopteralis* Hampson,1919** (Pyralidae) Synonym(s): *stenopteralis*
Hampson,1919; haplosticha Turner,1937 Range (in code): AU
- 78422. *Patissa taiwanalis* Shibuya,1928** (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928 Range
(in code): TW
- 78423. *Patissa tintctalis* (Hampson,1919)** (Pyralidae) Synonym(s): *tintctalis* Hampson,1919;
#catoxodes Turner,1911 Range (in code): AU
- 78424. *Patissa virginea* (Zeller,1852)** (Pyralidae) Synonym(s): *virginea* Zeller,1852; *multivagellus*
Swinhoe,1886. Range (in code): ZA IN Mhw NI LK TW
- 78425. *Patissa xanthoperas* (Hampson,1895)** (Pyralidae) Synonym(s): *xanthoperas*
Hampson,1895 Original Reference: *Scirpophaga xanthoperas* Hampson,1895, Proc. zool. Soc.
London 1895: 913. Type: Sumatra. Range (in code): TH MY ID Sum
- 78426. *Patna eboricostella* Ragonot,1888** (Pyralidae) Synonym(s): *eboricostella* Ragonot,1888
Range (in code): TH IN BT
- 78427. *Patna miserabilis* Strand,1919** (Pyralidae) Synonym(s): *miserabilis* Strand,1919 Range (in
code): TW
- 78428. *Patna rhizolineata* Bradley,1980** (Pyralidae) Synonym(s): *rhizolineata* Bradley,1980
Original Reference: *Patna rhizolineata* Bradley,1980, Bull. ent. Res. 70 (2): 273-276. Range (in
code): PK Bionomy: Larva on *Sorghum halepense* (Bradley,1980).
- 78429. *Pediasia abbreviatella* (Walker,1866)** (Pyralidae) Synonym(s): *abbreviatella* Walker,1866
Range (in code): IN
- 78430. *Pediasia alaica* (Rebel,1907)** (Pyralidae) Synonym(s): *alaica* Rebel,1907; *#atrella*
Caradja,1910 Original Reference: *Crambus alaicus* Rebel,1907, Dt. ent. Z., Iris 19: 227. Lectotype
♂: [Kirgizistan]: "Alai" (MGAB). Range (in code): KK AI UZ Fe Pm T-S CN Ui Ju M-A
- 78431. *Pediasia alcmena* Bleszynski,1965** (Pyralidae) Synonym(s): *alcmena* Bleszynski,1965
Range (in code): IR Shh Elb
- 78432. *Pediasia altaica* (Staudinger,1899)** (Pyralidae) Synonym(s): *altaica* Staudinger,1899
Range (in code): RU At Sj Am Rjk Mnu Kj

- 78433. *Pediasia amandusella* Bleszynski,1969** (Pyralidae) Synonym(s): *amandusella* Bleszynski,1969 Range (in code): ZA
- 78434. *Pediasia angulilinea* (W.Warren,1914)** (Pyralidae) Synonym(s): *angulilinea* W.Warren,1914 Range (in code): ZA
- 78435. *Pediasia aridalis* (Hampson,1900)** (Pyralidae) Synonym(s): *aridalis* Hampson,1900 Original Reference: Crambus aridalis Hampson,1900, Trans. ent. Soc. London 1900: 370. Type: [Azerbaidjan]: "Transcaucasia, Mugau steppe" (coll.Staudinger). Range (in code): Cc AZ
- 78436. *Pediasia aridella* (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887. Original Reference: Tinea aridella Thunberg,1788, D.D. Museum Naturalium Academiae Upsaliensis 6: 78 Lectotype ♀: [Skandinavien] (Bleszynski,1965: 379). Range (in code): FR IT GB BE NL DE AT PL CZ SK HU RO BG TR DK NO SE FI LV LT RU MD UA BY CA Ssk Qb Abt Bionomy: Larva on Puccinellia maritima (Poaceae) (Parenti,2000).
- 78437. *Pediasia aridella aridella* (Thunberg,1788)** (Pyralidae) Synonym(s): *aridella* Thunberg,1788; *salinellus* Tutt,1887. Original Reference: Tinea aridella Thunberg,1788, D.D. Museum Naturalium Academiae Upsaliensis 6: 78 Lectotype ♀: [Skandinavien] (Bleszynski,1965: 379). Range (in code): FR IT GB BE NL AT PL CZ SK DK NO SE FI LV LT RU MD UA BY
- 78438. *Pediasia aridella caradjaella* (Rebel,1907)** (Pyralidae) Synonym(s): *caradjaella* Rebel,1907; *nepos* Rothschild,1911; *monotonus* Filipjev,1927; *ludovicellus* Marion,1952. Range (in code): TR RO BG HU DE RU Mnu Kj Sb MN U-B
- 78439. *Pediasia aridella edmontella* (McDunnough,1923)** (Pyralidae) Synonym(s): *edmontella* McDunnough,1923 Range (in code): CA Abt
- 78440. *Pediasia aridelloides* Bleszynski,1965** (Pyralidae) Synonym(s): *aridelloides* Bleszynski,1965 Original Reference: *Pediasia aridelloides* Bleszynski,1965, Microlepid. Palaearct. 1: 381, Taf., figs. Holotype ♂: [Türkei]: Akshehir. Range (in code): TR
- 78441. *Pediasia batangensis* (Caradja,1939)** (Pyralidae) Synonym(s): *batangensis* Caradja,1939 Range (in code): CN Tkg Btn Sz
- 78442. *Pediasia bolivarella* (Schmidt,1930)** (Pyralidae) Synonym(s): *bolivarellus* Schmidt,1930 Range (in code): PT ES
- 78443. *Pediasia browerella* (Klots,1942)** (Pyralidae) Synonym(s): *browerella* Klots,1942 Range (in code): US Wy Mai
- 78444. *Pediasia browerella browerella* (Klots,1942)** (Pyralidae) Synonym(s): *browerella* Klots,1942 Range (in code): US Wy
- 78445. *Pediasia browerella katahdini* (Klots,1942)** (Pyralidae) Synonym(s): *katahdini* Klots,1942 Range (in code): US Mai
- 78446. *Pediasia cistites* (Meyrick,1934)** (Pyralidae) Synonym(s): *cistites* Meyrick,1934 Range (in code): ZR
- 78447. *Pediasia contaminella* (Hübner,1796)** (Pyralidae) Synonym(s): *contaminella* Hübner,1796; *squalidalis* Hübner,[1825]; *cantiellus* Tutt,1886. Original Reference: Tinea contaminella Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.9 fig.59. Type(s): Europa. Range (in code): PT ES FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo Tt Mnu Kj MD UA BY TM Kp IR Mz Gor Gh Tgo IQ Shq Len AZ Cc ZA Bionomy: Larva on Festuca ovina, Poa (Poaceae) (Parenti,2000).
- 78448. *Pediasia desertella* (Lederer,1855)** (Pyralidae) Synonym(s): *desertellus* Lederer,1855 Original Reference: Crambus desertellus Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 220, Taf.4 fig.7 Lectotype ♂: [Libanon]: Beirut (Bleszynski,1965: 386). Range (in code): MR DZ Cst Bsk LB Bei PT Si RO TR IL Jf Js Hf Pa JO CY IQ Mos Dia Brs IR Fa
- 78449. *Pediasia dorsipunctella* (Kearfott,1908)** (Pyralidae) Synonym(s): *dorsipunctella* Kearfott,1908 Range (in code): US CA
- 78450. *Pediasia dorsipunctella dorsipunctella* (Kearfott,1908)** (Pyralidae) Synonym(s): *dorsipunctella* Kearfott,1908 Range (in code): US CA
- 78451. *Pediasia ematheudella* (Joannis,1927)** (Pyralidae) Synonym(s): *ematheudellus* Joannis,1927; *marionella* Bleszynski,1963 Range (in code): MZ MG ZA
- 78452. *Pediasia epineura* (Meyrick,1883)** (Pyralidae) Synonym(s): *ramosellus* Zeller,1863 *nec* Doubl.,1843; *epineurus* Meyrick,1883. Range (in code): RU Or Mnu Kj At KK Ax KG Uk TR
- 78453. *Pediasia fascelinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *fascelinella* Hübner,[1813]; *treitschkeella* Sodoffsky,1830 Original Reference: Tinea fascelinella Hübner,[1813], Samml. eur. Schmett. 8, Tineae: Tab.54 fig.268. Type(s): Europa. Range (in code): FR Co IT GB

- BE NL DE AT PL CZ SK HU RO YU BG GR TR IR Shh DK NO SE FI EE LV LT RU Mnu KJ MD UA BY
Bionomy: Larva on Aira, Corynephorus, Deschampsia, Elymus (Poaceae) (Parenti,2000).
78454. **Pediasia figuratella (Walker,1866)** (Pyralidae) Synonym(s): *figuratellus* Walker,1866
Range (in code): **ZA Ec**
78455. **Pediasia figuratella figuratella (Walker,1866)** (Pyralidae) Synonym(s): *figuratellus* Walker,1866 Range (in code): **ZA Ec**
78456. **Pediasia fulvitinctella (Hampson,1896)** (Pyralidae) Synonym(s): *fulvitinctellus* Hampson,1896 Range (in code): **ZA**
78457. **Pediasia fulvitinctella fulvitinctella (Hampson,1896)** (Pyralidae) Synonym(s): *fulvitinctellus* Hampson,1896 Range (in code): **ZA**
78458. **Pediasia gruberella Bleszynski,1969** (Pyralidae) Synonym(s): *gruberella* Bleszynski,1969
Range (in code): **IN**
78459. **Pediasia hispanica Bleszynski,1956** (Pyralidae) Synonym(s): *hispanica* Bleszynski,1956
Range (in code): **PT ES**
78460. **Pediasia huebneri Bleszynski,1954** (Pyralidae) Synonym(s): *huebneri* Bleszynski,1954
Range (in code): **RU Sr**
78461. **Pediasia jecondica Bleszynski,1965** (Pyralidae) Synonym(s): *jecondica* Bleszynski,1965
Range (in code): **CN Ti Je**
78462. **Pediasia jucundella (Herrich-Schäffer,[1847])** (Pyralidae) Synonym(s): *jucundellus* Herrich-Schäffer,[1847]; *festivellus* Herrich-Schäffer,[1847]; *saisanella* Bleszynski,1954; *adamczewskii* Bleszynski,1954; *sareptella* Bleszynski,1954. Range (in code): **HU RO YU BG GR RU Sr Ur UA Cm KG Uk Ssn MN**
78463. **Pediasia kuldjaensis (Caradja,1916)** (Pyralidae) Synonym(s): *#uniformellus* Caradja,1910; *kuldjaensis* Caradja,1916; *soffneri* Bleszynski,1954. Original Reference: *Crambus jucundellus* var. *kuldjaensis* Caradja,1916, Dt. ent. Z., Iris 30: 3. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB). Range (in code): **RU Ur CN Ui Ku**
78464. **Pediasia kuldjaensis kuldjaensis (Caradja,1916)** (Pyralidae) Synonym(s): *#uniformellus* Caradja,1910; *kuldjaensis* Caradja,1916; *soffneri* Bleszynski,1954. Original Reference: *Crambus jucundellus* var. *kuldjaensis* Caradja,1916, Dt. ent. Z., Iris 30: 3. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB). Range (in code): **RU Ur CN Ui Ku**
78465. **Pediasia laciniella (Grote,1880)** (Pyralidae) Synonym(s): *laciniella* Grote,1880 Range (in code): **US Mai**
78466. **Pediasia ledereri Bleszynski,1954** (Pyralidae) Synonym(s): *ledereri* Bleszynski,1954
Range (in code): **RU At**
78467. **Pediasia lidiella Streltzov & Ustjuzhanin,2009** (Pyralidae) Synonym(s): *lidiella* Streltzov & Ustjuzhanin,2009 Range (in code): **RU**
78468. **Pediasia lucrecia Bleszynski,1969** (Pyralidae) Synonym(s): *lucrecia* Bleszynski,1969
Range (in code): **ZA**
78469. **Pediasia luteella ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *luteella* [Denis & Schiffermüller],1775; *exoletella* [Denis & Schiffermüller],1775; *exoletella* Hübner,1796; *ochrella* Hübner,1796; *kindermannii* Zeller,1863; *uhryki* Rothschild,1911. Original Reference: *Tinea luteella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **PT FR IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IR Shh Plr Mz Elb Gor EE LV LT RU Mo Tt Sb Mnu KJ MD UA BY KG Tk Dj At Mn DsA UZ Man MN CN Ui Ku Ju**
78470. **Pediasia luteolella (Clemens,1860)** (Pyralidae) Synonym(s): *luteolella* Clemens,1860; *duplicatus* Grote,1880; *ulae* Cockerell,1888; *holochrellus* Fernald,1896 Range (in code): **US**
78471. **Pediasia matricella (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931 Original Reference: *Phycis matricella* Treitschke,1832, Schmett. Eur. 9(1): 171. Type ♂: Ungarn. Range (in code): **IT AT HU RO YU BG GR TR RU MD UA BY KG JO IL IQ Mos TM IR**
78472. **Pediasia matricella matricella (Treitschke,1832)** (Pyralidae) Synonym(s): *matricella* Treitschke,1832; *obscura* Caradja,1931 Original Reference: *Phycis matricella* Treitschke,1832, Schmett. Eur. 9(1): 171. Type ♂: Ungarn. Range (in code): **IT AT HU RO YU BG GR TR RU MD UA BY KG JO IL IR**
78473. **Pediasia matricella stenopterella (Amsel,1949)** (Pyralidae) Synonym(s): *stenopterella* Amsel,1949 Original Reference: *Crambus stenopterellus* Amsel,1949, Bull. Soc. Fouad I. Ent. 33: 277, figs. Type ♂: Iraq: Mosul. Range (in code): **IQ Mos TM**

- 78474. *Pediasia melanerges* (Hampson,1919)** (Pyralidae) Synonym(s): *melanerges* Hampson,1919 Range (in code): AU QAU UG
- 78475. *Pediasia modestella* (Barnes & McDunnough,1918)** (Pyralidae) Synonym(s): *modestella* Barnes & McDunnough,1918 Range (in code): US Cf
- 78476. *Pediasia mutabilis* (Clemens,1860)** (Pyralidae) Synonym(s): *mutabilis* Clemens,1860; *fuscicostella* Zeller,1863 Range (in code): US
- 78477. *Pediasia nephelosticta* (Joannis,1927)** (Pyralidae) Synonym(s): *nephelosticta* Joannis,1927 Range (in code): MZ ZA
- 78478. *Pediasia niobe* Bleszynski,1962** (Pyralidae) Synonym(s): *niobe* Bleszynski,1962 Range (in code): KE
- 78479. *Pediasia numidella* (Rebel,1903)** (Pyralidae) Synonym(s): *numidella* Rebel,1903 Original Reference: Crambus numidellus Rebel,1903, Verh. zool.-bot. Ges. Wien 53: 406. Type ♂: Algeria, "Ouargl. Ghard." leg.H.Krauss (NHMW). Range (in code): DZ Gha EG BH IR Ss Put
- 78480. *Pediasia ochristrigella* (Hampson,1896)** (Pyralidae) Synonym(s): *ochristrigella* Hampson,1896; *dumontellus* Hartig,1953. Range (in code): IN PK Lh Pj Krc TN LK
- 78481. *Pediasia palmitiella* (Chrétien,1915)** (Pyralidae) Synonym(s): *palmitiella* Chrétien,1915 Original Reference: Crambus palmitiellus Chrétien,1915, Annls Soc. ent. Fr. 84: 289. Type ♀: Algeria, Géryville [El Bayadh]. Range (in code): DZ Eba MA
- 78482. *Pediasia pectinicornis* (Rebel,1910)** (Pyralidae) Synonym(s): *pectinicornis* Rebel,1910 Original Reference: Crambus pectinicornis Rebel,1910, Dt. ent. Z., Iris 24: 1, Taf.1 fig.12. Type ♂: [Kazachstan]: "Uralsk" (MGAB). Range (in code): KG UK
- 78483. *Pediasia pedriolella* (Duponchel,1836)** (Pyralidae) Synonym(s): *pedriolellus* Duponchel,1836; *spuriella* Geyer,[1836]. Range (in code): FR IT CH AT
- 78484. *Pediasia persella* (Toll,1948)** (Pyralidae) Synonym(s): *persella* Toll,1948 Original Reference: Crambus persellus Toll,1948, Z. wien. ent. Ges. 32 (1947): 107-108, Taf.4 fig.1. Type ♂: Nordost-Persien, Kuh-i-Mirabi, 2000m. Range (in code): RU Ur TR IR Kh Elb Th Kdj Shh KG UK
- 78485. *Pediasia phrygia* Fazekas,1990** (Pyralidae) Synonym(s): *phrygius* Fazekas,1990 Range (in code): TR
- 78486. *Pediasia pseudopersella* Bleszynski,1959** (Pyralidae) Synonym(s): *pseudopersella* Bleszynski,1959 Range (in code): IR Elb Kdj Th CN Gn IMn Ui Kun
- 78487. *Pediasia pudibundella* (Herrich-Schäffer,[1852])** (Pyralidae) Synonym(s): *pudibundellus* (Herrich-Schäffer,[1852]) Range (in code): RU Sr KG UK
- 78488. *Pediasia radicivitta* (Filipjev,1927)** (Pyralidae) Synonym(s): *radicivitta* Filipjev,1927 Range (in code): RU Mnu Kj MN U-B
- 78489. *Pediasia ramexita* Bleszynski,1965** (Pyralidae) Synonym(s): *ramexita* Bleszynski,1965 Range (in code): CN Ti
- 78490. *Pediasia ribbeella* (Caradja,1910)** (Pyralidae) Synonym(s): *ribbeellus* Caradja,1910; *escalerellus* Schmidt,1933. Range (in code): PT ES
- 78491. *Pediasia roesleri* Bleszynski,1969** (Pyralidae) Synonym(s): *roesleri* Bleszynski,1969 Range (in code): IN
- 78492. *Pediasia sajanella* (Caradja,1925)** (Pyralidae) Synonym(s): *sajanella* Caradja,1925 Range (in code): RU Sj
- 78493. *Pediasia serraticornis* (Hampson,1900)** (Pyralidae) Synonym(s): *serraticornis* Hampson,1900; *gracilellus* Chrétien,1910; *distinctellus* Chrétien,1910; *ochrosignellus* Chrétien,1915; *tenellus* Chrétien,1917; *fusculellus* Turati,1924 Original Reference: Crambus serraticornis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 369. Holotype: [Jordan]: "Syria, Jordan R." (coll. Staudinger). Range (in code): ES JO TN Gf DZ Eba LY IL Js Jt Pa SY
- 78494. *Pediasia siculella* (Duponchel,1836)** (Pyralidae) Synonym(s): *siculella* Duponchel,1836; *suldesertellus* Chrétien,1922; *mariaeludovicæ* Lucas,1935. Range (in code): MA PT ES Si IT MT HV
- 78495. *Pediasia simiensis* Bleszynski,1961** (Pyralidae) Synonym(s): *simiensis* Bleszynski,1961 Range (in code): ET
- 78496. *Pediasia simiensis simiensis* Bleszynski,1961** (Pyralidae) Synonym(s): *simiensis* Bleszynski,1961 Range (in code): ET
- 78497. *Pediasia simpliciella* (Kearfott,1908)** (Pyralidae) Synonym(s): *simpliciella* Kearfott,1908 Range (in code): US

- 78498. *Pediasia sinevi* Shodotova & Bolshakov, 2008** (Pyralidae) Synonym(s): *sinevi* Shodotova & Bolshakov, 2008 Range (in code): RU Ya
- 78499. *Pediasia steppicolella* (Zerny, 1914)** (Pyralidae) Synonym(s): *steppicolellus* Zerny, 1914 Original Reference: Crambus steppicolellus Zerny, 1914, Annln. naturh. Mus. Wien 28: 300. Syntypes 4♂: Russia: SüdRussland: Orenburg (NHMW). Range (in code): RU Or KG Uk
- 78500. *Pediasia subepineura* Bleszynski, 1954** (Pyralidae) Synonym(s): *subepineura* Bleszynski, 1954 Range (in code): KG Mn At RU Sb
- 78501. *Pediasia subflavella* (Duponchel, 1836)** (Pyralidae) Synonym(s): *subflavellus* Duponchel, 1836 Range (in code): Co
- 78502. *Pediasia trisecta* (Walker, 1856)** (Pyralidae) Synonym(s): *trisecta* Walker, 1856 Range (in code): US
- 78503. *Pediasia truncatella* (Zetterstedt, 1839)** (Pyralidae) Synonym(s): *truncatellus* Zetterstedt, 1839; *lienigiellus* Zeller, 1843; *abtrusellus* Walker, 1863; *rufinalis* Walker, 1865. Range (in code): CZ NO SE FI EE LV LT RU Pt BY CA BCo Qb Abt Ssk
- 78504. *Pediasia walkeri* Bleszynski, 1962** (Pyralidae) Synonym(s): *walkeri* Bleszynski, 1962 Range (in code): Ch IN Hp Sml
- 78505. *Pediasia yangtseella* (Caradja, 1939)** (Pyralidae) Synonym(s): *yangtseella* Caradja, 1939 Range (in code): CN Ti Btn Yu Ats Tk
- 78506. *Pediasia zellerella* (Staudinger, 1899)** (Pyralidae) Synonym(s): *zellerella* (Staudinger, 1899) Range (in code): RU At
- 78507. *Pelena bimaculalis* Shibuya, 1928** (Pyralidae) Synonym(s): *bimaculalis* Shibuya, 1928 Range (in code): TW
- 78508. *Pelena obscuralis* (Swinhoe, 1895)** (Pyralidae) Synonym(s): *obscuralis* Swinhoe, 1895 Range (in code): IN TW Ass
- 78509. *Pelena photias* (Meyrick, 1894)** (Pyralidae) Synonym(s): *photias* Meyrick, 1894 Range (in code): IN MY Bor TW
- 78510. *Pelena sericea* (Butler, 1879)** (Pyralidae) Synonym(s): *sericea* Butler, 1879 Range (in code): CN JP TW VN Ton Ass Meg Khs IN MM
- 78511. *Pelena unicolor* Moore, 1886** (Pyralidae) Synonym(s): *unicolor* Moore, 1886 Range (in code): LK
- 78512. *Pelinopsis pachyzanchloides* Dognin, 1905** (Pyralidae) Synonym(s): *pachyzanchloides* Dognin, 1905 Range (in code): EC
- 78513. *Pempelia acrobasella* (Amsel, 1950)** (Pyralidae) Synonym(s): *acrobasella* Amsel, 1950 Range (in code): IR Fa
- 78514. *Pempelia albariella* Zeller, 1839** (Pyralidae) Synonym(s): *albariella* Zeller, 1839; *dilucida* Staudinger, 1879; *persica* Osthelder, 1938 Original Reference: *Pempelia albariella* Zeller, 1839, Isis von Oken 1839 (3): 180. Type: Ungarn. Range (in code): ES FR HV IT Si SK Cm HU RO TR Cc RU Sr IR Fa Sse Kdj Elb Mz Kdv Bionomy: Larva on *Astragalus aristatus*, *Chamaecytisus supinus* (Fabaceae) (Slamka, 1997); on *Onobrychis cornuta* (Fabaceae) (Kemal & Koçak, 2014).
- 78515. *Pempelia albifasciella* (Hartig, 1937)** (Pyralidae) Synonym(s): *albifasciella* Hartig, 1937 Original Reference: *Rhodophaea albifasciella* Hartig, 1937, Z. öst. Ent. Ver. 22: 70, t.4 fig.12. Holotype ♂: Afghanistan: Paghman Gebirge (IEUR). Range (in code): AF Pag
- 78516. *Pempelia alpigenella* (Duponchel, 1836)** (Pyralidae) Synonym(s): *alpigenella* Duponchel, 1836; *wagnerella* Freyer, 1845 Original Reference: *Phycis alpigenella* Duponchel, 1836, Hist. nat. Lépid. Papillons Fr. 10: 208, pl.280, fig.7. Syntypes: "Alpe". Range (in code): FR IT YU AL BG GR TR Cc RU Sr MD UA BY
- 78517. *Pempelia amitella* Zerny, 1934** (Pyralidae) Synonym(s): *amitella* Zerny, 1934 Range (in code): LB Bsa
- 78518. *Pempelia apicella* (Joannis, 1927)** (Pyralidae) Synonym(s): *apicella* Joannis, 1927 Range (in code): ZA MZ
- 78519. *Pempelia argillaceella* (Osthelder, 1934)** (Pyralidae) Synonym(s): *argillaceella* Osthelder, 1934 Original Reference: *Salebria argillaceella* Osthelder, 1934, Mitt. münch. ent. Ges. 24: 88-89. Syntypes 1♂ 3♀: [Türkei]: Marasch: Marasch, Düldül Dag (ZSM). Range (in code): TR
- 78520. *Pempelia arida* Asselbergs, 2008** (Pyralidae) Synonym(s): *arida* Asselbergs, 2008 Range (in code): AE
- 78521. *Pempelia atritoriella* Zerny, 1914** (Pyralidae) Synonym(s): *atritoriella* Zerny, 1914 Range (in code): KG UZ

- 78522. *Pempelia aurivilliella* (Ragonot,1888)** (Pyralidae) Synonym(s): *aurivilliella* Ragonot,1888
Range (in code): **ZA**
- 78523. *Pempelia brephiella* (Staudinger,1879)** (Pyralidae) Synonym(s): *brephiella* Staudinger,1879; *farinosella* Caradja,1910. Original Reference: *Nephopteryx brephiella* Staudinger,1879, Horae Soc. ent. ross. 15: 191-192. Syntypes ♂♂: Macedonien. Range (in code): **Cn MA DZ Ah Onç Lbs Bsk Gha Gea Ges TN Gf Gab PT ES Cue FR Co Sa Si MT YU MK BG TR CY IL Pa Cc AZ Len** Bionomy: Larva on *Helianthemum sessiliflorum* (Chrétien,1917).
- 78524. *Pempelia caspiella* (Amsel,1959)** (Pyralidae) Synonym(s): *caspiella* Amsel,1959 Range (in code): **IR Gh Tgo**
- 78525. *Pempelia cirtensis* Ragonot,1890** (Pyralidae) Synonym(s): *cirtensis* Ragonot,1890 Range (in code): **DZ Bsk TN Gf TR IL Pa Js IR** Bionomy: Larva on *Gymnocarpon fruticosum* (Chrétien,1917).
- 78526. *Pempelia cirtensis cirtensis* Ragonot,1890** (Pyralidae) Synonym(s): *cirtensis* Ragonot,1890 Range (in code): **DZ Bsk IL Pa Js**
- 78527. *Pempelia cirtensis commagensis* (Osthelder,1940)** (Pyralidae) Synonym(s): *commagensis* Osthelder,1940 Original Reference: *Salebria cirtensis* ssp. *commagensis* Osthelder,1940, Mitt. münch. ent. Ges. 30: 112-113 [fig. in Ragonot,1893, Monogr. I: pl.15 fig.9]. Syntypes: [Türkei: Kahramanmaraş Pr.: Maraş (ZSM)]. Range (in code): **TR**
- 78528. *Pempelia coremetella* (Amsel,1949)** (Pyralidae) Synonym(s): *coremetella* Amsel,1949 Original Reference: *Salebria coremetella* Amsel,1949, Bull. Soc. Fouad. Ent. 33: 291, pl.4 figs.27,28. Holotype: Libya: Tripolitania, Sidi Mesri; paratypes from Iraq: Kerbela desert. Range (in code): **LY KW IR Kz Sde IQ Shq Kbl**
- 78529. *Pempelia coriacea* (Ragonot,1888)** (Pyralidae) Synonym(s): *coriacea* Ragonot,1888 Range (in code): **ZA Nta Kzu ID Sum Ja Lb**
- 78530. *Pempelia decentella* (Ragonot,1887)** (Pyralidae) Synonym(s): *decentella* Ragonot,1887 Range (in code): **IR Elb Srd**
- 78531. *Pempelia diffusa* Staudinger,1881** (Pyralidae) Synonym(s): *diffusa* Staudinger,1881 Original Reference: *Pempelia diffusa* Staudinger,1881, Horae Soc. ent. ross. 16: 85. Syntypes: [Türkei]: Amasia. Range (in code): **TR Cc**
- 78532. *Pempelia formosa* (Haworth,[1811])** (Pyralidae) Synonym(s): *formosa* Haworth,[1811]; *perfluella* Zincken,1818; *dibaphiella* Geyer,[1836]; *dubiella* Duponchel,1836; *formosella* Doubleday,1859. Original Reference: Phycis *formosa* Haworth,[1811], Lepid. Br.: 494. Type(s): England. Range (in code): **ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY IR GlS** Bionomy: Larva on *Betula* (Betulaceae), *Ulmus minor* (Ulmaceae), *Calluna*, *Vaccinium* (Ericaceae) (Parenti,2000).
- 78533. *Pempelia genistella* (Duponchel,[1837])** (Pyralidae) Synonym(s): *genistella* Duponchel,[1837] Original Reference: Phycis *genistella* Duponchel,[1837], Hist. nat. Lép. Fr. 10: 178, pl.278, fig.4. Type: France: Corsica. Range (in code): **DZ Onç PT ES FR Co Sa GB CH IT SK HU YU RU AF Hr Kg Uk CN Ui Ku UZ TM Kp**
- 78534. *Pempelia gracilis* Rebel,1926** (Pyralidae) Synonym(s): *gracilis* Rebel,1926 Range (in code): **IR Ss Irs Sde Kz**
- 78535. *Pempelia hispanella* Staudinger,1859** (Pyralidae) Synonym(s): *hispanella* Staudinger,1859 Original Reference: *Pempelia hispanella* Staudinger,1859, Stettin ent. Ztg. 20 (7/9): 222. Syntypes ♂♀: Spanien: Granada, Chiclana. Range (in code): **DZ Eba ES Grn FR MT**
- 78536. *Pempelia interniplagella* (Ragonot,1888)** (Pyralidae) Synonym(s): *interniplagella* Ragonot,1888 Range (in code): **ZA**
- 78537. *Pempelia intricatella* Ragonot,1887** (Pyralidae) Synonym(s): *intricatella* Ragonot,1887 Range (in code): **Cc GG Tbl AM Eri AZ Len IR Elb Plr Srd TM Kp UZ CN Ui Au**
- 78538. *Pempelia johannella* (Caradja,1916)** (Pyralidae) Synonym(s): *johannella* Caradja,1916 Original Reference: *Nephopteryx johannella* Caradja,1916, Dt. ent. Z., Iris 30: 13. Type ♂: [Türkei]: Hadjin. Range (in code): **RO GR TR**
- 78539. *Pempelia jordana* (Amsel,1935)** (Pyralidae) Synonym(s): *jordana* Amsel,1935 Original Reference: *Selebria* [sic!] *jordana* Amsel,1935, Mitt. zool. Mus. Berlin 20 (2): 283, Taf.10 fig.46. Type: "Jordanbrücke". Range (in code): **JO IL Pa**
- 78540. *Pempelia judaica* (Amsel,1935)** (Pyralidae) Synonym(s): *judaica* Amsel,1935 Original Reference: *Salebria judaica* Amsel,1935, Mitt. zool. Mus. Berlin 20 (2): 283, Taf.10 fig.44. Type: "Georgkloster". Range (in code): **IL Pa**

- 78541. *Pempelia kuschella* Zerny,1914** (Pyralidae) Synonym(s): *kuschella* Zerny,1914 Range (in code): **AF**
- 78542. *Pempelia laetanella* (Lucas,1937)** (Pyralidae) Synonym(s): *laetanella* Lucas,1937 TN
- 78543. *Pempelia laetella* Zerny,1914** (Pyralidae) Synonym(s): *laetella* Zerny,1914 Original Reference: Salebria laetella Zerny,1914, Annln naturh. Mus. Wien 28: 312, Taf.xxv fig.15. Type ♂: [China: Uighur A.R.]: Lob-Noor (ex coll. Bang-Haas). Range (in code): **CN Ui Ln**
- 78544. *Pempelia morosalis* (Saalmüller,1880)** (Pyralidae) Synonym(s): *morosalis* Saalmüller,1880 Range (in code): **MG KE SL ZA Gau Pre IL Pa LK RU Am PK IN Hp Sml Ch TW TH MY JP ID Ja Bli Sum AU PG**
- 78545. *Pempelia numidella* (Ragonot,1890)** (Pyralidae) Synonym(s): *numidella* Ragonot,1890 Original Reference: Salebria numidella Ragonot,1890, Bull. Soc. ent. Fr. 1890: cx. Syntypes: Algérie, Biskra. Range (in code): **DZ Bsk Gf TN EG ES IL Pa Hf CY** Bionomy: Larva on Tamarix (Chrétien,1917).
- 78546. *Pempelia obductella infernalis* (Osthelder,1938)** (Pyralidae) Synonym(s): *infernalis* Osthelder,1938 Range (in code): **IR Elb Mz**
- 78547. *Pempelia obliquifasciella* Zerny,1914** (Pyralidae) Synonym(s): *obliquifasciella* Zerny,1914 Original Reference: Salebria (s.str.) obliquifasciella Zerny,1914, Annln naturh. Mus. Wien 28: 313, Taf.xxv fig.16. Type ♂: [Kazachstan]: Djarkent, Ili-Gebiet (leg. W. Rückbeil, ex coll. Wagner). Range (in code): **KG Tk Dj Ii**
- 78548. *Pempelia obscurella* (Osthelder,1934)** (Pyralidae) Synonym(s): *obscurella* Osthelder,1934 Original Reference: Salebria obscurella Osthelder,1934, Mitt. münch. ent. Ges. 24: 88. Type ♂: [Türkei]: Marasch: Yeşildere (ZSM). Range (in code): **TR**
- 78549. *Pempelia orcella* Ragonot,1887** (Pyralidae) Synonym(s): *orcella* Ragonot,1887 Range (in code): **UZ Fe CN Ui KG Tk Nr IR Elb Kdv**
- 78550. *Pempelia pallidella* (Toll,1948)** (Pyralidae) Synonym(s): *pallidella* Toll,1948 Original Reference: Salebria pallidella Toll,1948, Z. wien. ent. Ges. 32 (1947): 109, Taf.4 fig.6; Taf.5 fig.30. Type ♀: Nordost-Persien, Kuh-i-Mirabi. Range (in code): **IR Kh**
- 78551. *Pempelia palumbella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *palumbella* [Denis & Schiffermüller],1775 Original Reference: Tinea palumbella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 138. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **ZA? DZ Lbs Tni Tis PT ES An Grn FR Co Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR CY TR IQ Shq IL Pa Js LB Bsa Bmm DK NO SE FI EE LV LT** Bionomy: Larva on Polygala (Polygalaceae), Helianthemum (Cistaceae), Calluna, Erica (Ericaceae), Thymus (Lamiaceae) (Parenti,2000).
- 78552. *Pempelia placidella* (Zerny,1929)** (Pyralidae) Synonym(s): *placidella* Zerny,1929; *hypogryphellus* Amsel,1951 Original Reference: Salebria placidella Zerny,1929, [in] Wagner, Mitt. münch. ent. Ges. 19: 200-201. Syntypes 2♂ 1♀: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir (NHMW). Range (in code): **TR IR Fa**
- 78553. *Pempelia rosella* Zerny,1914** (Pyralidae) Synonym(s): *rosella* Zerny,1914 Original Reference: Salebria rosella Zerny,1914, Annln naturh. Mus. Wien 28: 312, Taf.xxv fig.14. Type ♂: [China: Uighur A.R.]: Lob-Noor (ex coll. Bang-Haas). Range (in code): **CN Ui Ln**
- 78554. *Pempelia thymiella* Zeller,1846** (Pyralidae) Synonym(s): *thymiella* Zeller,1846 Range (in code): **Si IT TR SY** Bionomy: Larva on Thymus (Lamiaceae) (Ragonot,1893: 365).
- 78555. *Pempelia tshahabarella* (Amsel,1950)** (Pyralidae) Synonym(s): *tshahabarella* Amsel,1950 Range (in code): **IR Ss Chh AE**
- 78556. *Pempelia turturella* Zeller,1848** (Pyralidae) Synonym(s): *turturella* Zeller,1848 Range (in code): **FR IT**
- 78557. *Pempelia zelicella* (Oberthür,1888)** (Pyralidae) Synonym(s): *zelicella* Oberthür,1888 DZ Cst TN
- 78558. *Pempeliella ardosiella* (Ragonot,1887)** (Pyralidae) Synonym(s): *ardosiella* Ragonot,1887 Range (in code): **ES FR**
- 78559. *Pempeliella aurorella* (Christoph,1867)** (Pyralidae) Synonym(s): *aurorella* Christoph,1867 Range (in code): **RU Sr**
- 78560. *Pempeliella boeticella* (Ragonot,1887)** (Pyralidae) Synonym(s): *boeticella* Ragonot,1887 Range (in code): **ES**
- 78561. *Pempeliella italogallicella* (Millière,1882)** (Pyralidae) Synonym(s): *italogallicella* Millière,1882 Range (in code): **ES FR IT MT**

- 78562. *Pempeliella ochrifasciella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *ochrifasciella* Ragonot,1887 Original Reference: *Psorosa ochrifasciella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 245. Syntypes: [Turkey]: Amasia, Marasch. Range (in code): **TR Cc IQ Dia**
- 78563. *Pempeliella ornatella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954 Original Reference: *Tinea ornatella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv DK SE FI EE LV LT RU CN Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA** Bionomy: Larva on *Thymus serpyllum* (Lamiaceae) (Parenti,2000).
- 78564. *Pempeliella ornatella ornatella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *ornatella* [Denis & Schiffermüller],1775; *criptella* Hübner,1796; *criptea* Haworth,1811; *ornatalis* Hübner,[1825]; *fraternella* Ragonot,1887; *gigantella* Amsel,1932; *aixella* Lucas,1938; *elbursella* Amsel,1954 Original Reference: *Tinea ornatella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 319. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **DZ Lbs ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Nv DK SE FI EE LV LT RU CN Ui Ku Ju UZ Man MD UA BY Cc AM T-S MA**
- 78565. *Pempeliella sororculella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *sororculella* Ragonot,1887 Original Reference: *Pempelia sororculella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 245. Type: [Greece]: Parnasse. Range (in code): **YU GR**
- 78566. *Peoria albivenella* (Janse,1922)** (Pyralidae) **Synonym(s):** *albivenella* Janse,1922 Range (in code): **ZA**
- 78567. *Peoria calamistis* (Hampson,1917)** (Pyralidae) **Synonym(s):** *calamistis* Hampson,1917 Range (in code): **CO**
- 78568. *Peoria costella* Amsel,1954** (Pyralidae) **Synonym(s):** *costella* Amsel,1954 Original Reference: *Peoria costella* Amsel,1954, *Ark. Zool.* 6 (16): 267-268, fig.191. Holotype ♀: Iran: Comé, 20.3. Range (in code): **CY Cy5 IR Kz Com**
- 78569. *Peoria cremoricosta* (Ragonot,1895)** (Pyralidae) **Synonym(s):** *cremoricosta* Ragonot,1895; *prolai* Hartig,1948; *pectinellum* Chrétien,1911 Original Reference: *Polyocha cremoricosta* Ragonot,1895, *Bull. Soc. ent. Fr.* 1895: cii. Type ♀: [Turquie]: Akbès. Range (in code): **MA DZ Bsk ES IT Si BG GR Cr AL HV TR**
- 78570. *Peoria dimidiatella* (Dyar,1914)** (Pyralidae) **Synonym(s):** *dimidiatella* Dyar,1914 Range (in code): **MX**
- 78571. *Peoria discinotella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *discinotella* Ragonot,1888 Range (in code): **BR**
- 78572. *Peoria ematheudella* Amsel,1954** (Pyralidae) **Synonym(s):** *ematheudella* Amsel,1954 Original Reference: *Peoria ematheudella* Amsel,1954, *Ark. Zool.* 6 (16): 268, figs. 15, 194. Holotype ♂: Iran, Fars, Sine-Sefid. Range (in code): **IR Fa Sse**
- 78573. *Peoria gemmatella* (Hulst,1887)** (Pyralidae) **Synonym(s):** *gemmatella* Hulst,1887 Range (in code): **US**
- 78574. *Peoria palaeartella* (Turati,1917)** (Pyralidae) **Synonym(s):** *palaeartella* Turati,1917 IT Si MT GR Rd
- 78575. *Peoria semirosella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *semirosella* Ragonot,1887 Original Reference: *Seleucia semirosella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 259. Type: [Lebanon]: Beirouth. **YU GR Cr LB Bei IR IL Pa**
- 78576. *Peoria translucidella* (Chrétien,1911)** (Pyralidae) **Synonym(s):** *translucidella* Chrétien,1911; *karsholti* Vives Moreno,1995 ES An Mlg DZ Bsk
- 78577. *Perimeceta niphospila* (Turner,1932)** (Pyralidae) **Synonym(s):** *niphospila* Turner,1932 Range (in code): **AU**
- 78578. *Perimeceta niphotypa* Turner,1915** (Pyralidae) **Synonym(s):** *niphotypa* Turner,1915 Range (in code): **AU**
- 78579. *Perispasta caeculalis* Zeller,1875** (Pyralidae) **Synonym(s):** *caeculalis* Zeller,1875; *immixtal* Grote,1881 Range (in code): **US Ny Tx**
- 78580. *Perisseretma orthotis* (Meyrick,1894)** (Pyralidae) **Synonym(s):** *orthotis* Meyrick,1894; *microphylla* Turner,1937 Range (in code): **AU**

- 78581. Perisyntrocha anialis (Walker,1859)** (Pyralidae) Synonym(s): *anialis* Walker,1859; *alienalis* Walker,1865; *circumdata* Walker,1865; *cuneolalis* Snellen,1880; *picata* Butler,1882 Range (in code): MY ID Bor Clb Bru PG NBr Bsm AU
- 78582. Perisyntrocha flavalis Hampson,1917** (Pyralidae) Synonym(s): *flavalis* Hampson,1917 Range (in code): CM
- 78583. Perisyntrocha ossealis Hampson,1896** (Pyralidae) Synonym(s): *ossealis* Hampson,1896 Range (in code): IN Ass SI
- 78584. Perisyntrocha suffusa Kenrick,1912** (Pyralidae) Synonym(s): *suffusa* Kenrick,1912 Range (in code): PG Ij ID
- 78585. Persicoptera aglaopa (Meyrick,1887)** (Pyralidae) Synonym(s): *aglaopa* Meyrick,1887 Range (in code): AU
- 78586. Persicoptera baryptera (Lower,1905)** (Pyralidae) Synonym(s): *baryptera* Lower,1905; *psoloptera* Turner,1932 Range (in code): AU
- 78587. Persicoptera callimochla (Turner,1913)** (Pyralidae) Synonym(s): *callimochla* Turner,1913 Range (in code): AU
- 78588. Persicoptera compsopa (Meyrick,1887)** (Pyralidae) Synonym(s): *compsopa* Meyrick,1887 Range (in code): AU
- 78589. Persicoptera desmotoma (Lower,1903)** (Pyralidae) Synonym(s): *desmotoma* Lower,1903 Range (in code): AU
- 78590. Persicoptera dinosticha (Turner,1937)** (Pyralidae) Synonym(s): *dinosticha* Turner,1937 Range (in code): AU
- 78591. Persicoptera iochyta (Turner,1911)** (Pyralidae) Synonym(s): *iochyta* Turner,1911 Range (in code): AU
- 78592. Persicoptera pulchrinalis (Guenée,1854)** (Pyralidae) Synonym(s): *pulchrinalis* Guenée,1854; *gavisalis* Walker,[1866] Range (in code): AU
- 78593. Persicoptera scioides (Turner,1932)** (Pyralidae) Synonym(s): *scioides* Turner,1932 Range (in code): AU
- 78594. Petrophila avernalis (Grote,1878)** (Pyralidae) Synonym(s): *avernalis* Grote,1878; *confusalis* Barnes & McDunnough,1913 *nec* Wlk.,1866 Range (in code): US
- 78595. Petrophila bifascialis (Robinson,1869)** (Pyralidae) Synonym(s): *bifascialis* Robinson,1869; *kearfottalis* Dyar,1906 Range (in code): US Ny Mrl Tx NMx Vi Wc Arz
- 78596. Petrophila canadensis (Munroe,1972)** (Pyralidae) Synonym(s): *canadensis* Munroe,1972 Range (in code): US CA
- 78597. Petrophila cappsi Lange,1956** (Pyralidae) Synonym(s): *cappsi* Lange,1956 Range (in code): US
- 78598. Petrophila confusalis (Walker,1866)** (Pyralidae) Synonym(s): *confusalis* Walker,1866; *truckeealis* Dyar,1917 Range (in code): US Ne Org
- 78599. Petrophila cronialis (Druce,1896)** (Pyralidae) Synonym(s): *cronialis* Druce,1896 Range (in code): MX Jpa US Arz
- 78600. Petrophila daemonalis (Dyar,1908)** (Pyralidae) Synonym(s): *daemonalis* Dyar,1908 Range (in code): US Pns
- 78601. Petrophila drumalis (Dyar,1906)** (Pyralidae) Synonym(s): *drumalis* Dyar,1906 Range (in code): US FI
- 78602. Petrophila fulcalis (Clemens,1860)** (Pyralidae) Synonym(s): *fulcalis* Clemens,1860; *angulatalis* Lederer,1863 Range (in code): US Msc Ny Nje Pns Oh Tx NMx Arz Ws Org Mrl JM
- 78603. Petrophila hodgesi (Munroe,1972)** (Pyralidae) Synonym(s): *hodgesi* (Munroe,1972) Range (in code): US
- 78604. Petrophila jaliscalis (Schaus,1906)** (Pyralidae) Synonym(s): *jaliscalis* Schaus,1906; *saternalis* Dyar,1917 Range (in code): US Tx Arz MX
- 78605. Petrophila kearfottalis (Barnes & McDunnough,1917)** (Pyralidae) Synonym(s): *kearfottalis* Barnes & McDunnough,1917 Range (in code): US
- 78606. Petrophila longipennis (Hampson,1906)** (Pyralidae) Synonym(s): *longipennis* Hampson,1906 Range (in code): MX Jpa Oz US Arz
- 78607. Petrophila santafealis (Heppner,1976)** (Pyralidae) Synonym(s): *santafealis* Heppner,1976 Range (in code): US
- 78608. Phanomorpha acrocipna Turner,1915** (Pyralidae) Synonym(s): *acrocipna* Turner,1915 Range (in code): AU QAU

- 78609. *Phanomorpha dapsilis* (Turner,1908)** (Pyralidae) Synonym(s): *dapsilis* Turner,1908
Range (in code): AU QAU
- 78610. *Phanomorpha drosera* (Meyrick,1887)** (Pyralidae) Synonym(s): *drosera* Meyrick,1887
Range (in code): AU VAU
- 78611. *Phanomorpha icelomorpha* (Turner,1908)** (Pyralidae) Synonym(s): *icelomorpha* Turner,1908 Range (in code): AU WAU
- 78612. *Phanomorpha marmaropa* (Meyrick,1889)** (Pyralidae) Synonym(s): *marmaropa* Meyrick,1889 Range (in code): AU
- 78613. *Phanomorpha meliphyrta* (Turner,1908)** (Pyralidae) Synonym(s): *meliphyrta* Turner,1908 Range (in code): AU QAU
- 78614. *Phanomorpha orthogramma* (Lower,1902)** (Pyralidae) Synonym(s): *orthogramma* Lower,1902; *leucoxantha* Turner,1937 Range (in code): AU QAU
- 78615. *Phanomorpha panmicta* (Turner,1908)** (Pyralidae) Synonym(s): *panmicta* Turner,1908
Range (in code): AU QAU
- 78616. *Phanomorpha persumptana* (Walker,1863)** (Pyralidae) Synonym(s): *persumptana* Walker,1863 Range (in code): AU
- 78617. *Phenacodes aleuropa* (Lower,1903)** (Pyralidae) Synonym(s): *aleuropa* Lower,1903
Range (in code): AU
- 78618. *Phenacodes vegetata* (Lucas,1901)** (Pyralidae) Synonym(s): *vegetata* Lucas,1901 Range (in code): AU
- 78619. *Phlyctaenomorpha afghanalis* Amsel,1970** (Pyralidae) Synonym(s): *afghanalis* Amsel,1970 Range (in code): AF Kot Srb Bsg Bkt PK Bl Qu
- 78620. *Phlyctaenomorpha sinuosalis* (Le Cerf,[1910])** (Pyralidae) Synonym(s): *sinuosalis* le Cerf,[1910]; *platyphaea* Meyrick,1937. Original Reference: Phlyctoenodes [sic!] sinuosalis le Cerf,[1910], Bull. Mus. natn. Hist. nat. Paris 3 (8) (1909): 536. Type ♂: [Iran]: Perse: Ab-e-bid.
Range (in code): IQ Ama Dk Hjo Ry IR Fa Com Sse TR
- 78621. *Phostria albescentalis* Hampson,1918** (Pyralidae) Synonym(s): *albescentalis* Hampson,1918 Range (in code): ZA
- 78622. *Phostria analis* (Snellen,1880)** (Pyralidae) Synonym(s): *analis* Snellen,1880 Range (in code): IN TW MY Bor ID
- 78623. *Phostria noctescens* (Moore,1888)** (Pyralidae) Synonym(s): *noctescens* Moore,1888
Range (in code): IN CN KP TW JP
- 78624. *Phostria obscurata* (Moore,1886)** (Pyralidae) Synonym(s): *obscurata* Moore,1886 Range (in code): IN LK MM SG TW
- 78625. *Phostria oconnori* Tams,1935** (Pyralidae) Synonym(s): *oconnori* Tams,1935 Range (in code): WS
- 78626. *Phycita arabica* Asselbergs,2008** (Pyralidae) Synonym(s): *arabica* Asselbergs,2008
Range (in code): AE
- 78627. *Phycita ardekanella* Amsel,1950** (Pyralidae) Synonym(s): *ardekanella* Amsel,1950 Range (in code): IR Fa Com
- 78628. *Phycita atrisquamella* (Hampson,1901)** (Pyralidae) Synonym(s): *atrisquamella* Hampson,1901 Range (in code): JP IN LK ID Sum AU QAU
- 78629. *Phycita attenuata* Balinsky,1994** (Pyralidae) Synonym(s): *attenuata* Balinsky,1994 Range (in code): ZW Uma ZA Tva Lpo Spb Tak Ec
- 78630. *Phycita attenuata attenuata* Balinsky,1994** (Pyralidae) Synonym(s): *attenuata* Balinsky,1994 Range (in code): ZW Uma ZA Tva Lpo Spb Tak Ec
- 78631. *Phycita balutschistanella* Amsel,1950** (Pyralidae) Synonym(s): *balutschistanella* Amsel,1950 Range (in code): IR Ss Irs Chh
- 78632. *Phycita characterica* Asselbergs,2009** (Pyralidae) Synonym(s): *characterica* Asselbergs,2009 Range (in code): TR
- 78633. *Phycita cirrhodelta* (Meyrick,1933)** (Pyralidae) Synonym(s): *cirrhodelta* Meyrick,1933
Range (in code): ZR ID Sum Ja
- 78634. *Phycita clientella* (Zeller,1867)** (Pyralidae) Synonym(s): *clientella* Zeller,1867 Range (in code): IN LK MY Bor ID Sum Ja PH Luz
- 78635. *Phycita comeella* Amsel,1950** (Pyralidae) Synonym(s): *comeella* Amsel,1950 Range (in code): IQ Hjo Shq IR Fa Com Sse

- 78636. *Phycita coronatella* (Guenée,1845)** (Pyralidae) **Synonym(s):** *coronatella* Guenée,1845
Range (in code): **ES FR CH RO YU AL BG GR TR**
- 78637. *Phycita dentilinella* Hampson,1896** (Pyralidae) **Synonym(s):** *dentilinella* Hampson,1896
Range (in code): **IN Mpr TH**
- 78638. *Phycita diaphana* (Staudinger,1870)** (Pyralidae) **Synonym(s):** *diaphana* Staudinger,1870;
biscraella Caradja,1916 **Original Reference:** *Nephopteryx diaphana* Staudinger,1870, Berl. ent. Z. 14:
197. Syntypes 1♂ 3♀: Spain: "Malaga". **Range (in code):** **Cn DZ Bsk ES MT GR Cc TR CY EG AM SY**
IQ Bgd IR Ana Ke Shh Kz Ss Irs **Bionomy:** Larva on Ricinus, Populus euphratica, Chrozophora
verbascifolia (Amsel,1949; Wiltshire,1957).
- 78639. *Phycita eremica* Amsel,1935** (Pyralidae) **Synonym(s):** *eremica* Amsel,1935; *aciculata* Meyrick
Range (in code): **IL Pa JO Jt IQ Bgd IR Ss Irs**
- 78640. *Phycita erichbaueri* Roesler,1983** (Pyralidae) **Synonym(s):** *erichbaueri* Roesler,1983
Range (in code): **ID Sum**
- 78641. *Phycita eulepidella* Hampson,1896** (Pyralidae) **Synonym(s):** *eulepidella* Hampson,1896;
jasminophaga Hampson,1896; *recondita* Turner,1904; *similis* Whalley,1962 **Range (in code):** **AU BT IN LK**
MY ID Sum Ja SB
- 78642. *Phycita exaggerata* Balinsky,1994** (Pyralidae) **Synonym(s):** *exaggerata* Balinsky,1994
Range (in code): **ZA Tva Gau Pre**
- 78643. *Phycita exaggerata exaggerata* Balinsky,1994** (Pyralidae) **Synonym(s):** *exaggerata*
Balinsky,1994 **Range (in code):** **ZA Tva Gau Pre**
- 78644. *Phycita formosella* (Wileman & South,1918)** (Pyralidae) **Synonym(s):** *formosella*
Wileman & South,1918 **Original Reference:** *Cryptoblabes formosella* Wileman & South,1918,
Entomologist 51: 219. Type ♀: [Taiwan]: Formosa: Takao. **Range (in code):** **TW**
- 78645. *Phycita kurdistanella* Amsel,1954** (Pyralidae) **Synonym(s):** *kurdistanella* Amsel,1954
Original Reference: *Phycita kurdistanella* Amsel,1954, *Ark. Zool.* 6 (16): 293, figs.118-120,235.
Monotype ♂: [Türkei]: Kurdistan: Wan,1800m. **Range (in code):** **TR**
- 78646. *Phycita lugubris* Balinsky,1994** (Pyralidae) **Synonym(s):** *lugubris* Balinsky,1994 **Range**
(in code): **ZA Nta Kzu ZW**
- 78647. *Phycita lugubris lugubris* Balinsky,1994** (Pyralidae) **Synonym(s):** *lugubris* Balinsky,1994
Range (in code): **ZA Nta Kzu ZW**
- 78648. *Phycita macrodontella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *macrodontella*
Ragonot,1887; *burkhunella* Ragonot,1888; *pallidisignata* Toll,1948 **Original Reference:** *Megasis*
macrodontella Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 239-240. Syntypes ♂: Armenie (place of
types unknown (Roesler,1993: 247)). **Range (in code):** **Cc AM TR IR Kh UZ Fe CN Ui Ku KG Tk Dj**
UZ
- 78649. *Phycita meliella* (Mann,1864)** (Pyralidae) **Synonym(s):** *meliella* Mann,1864 **Original**
Reference: *Nephopteryx meliella* Mann,1864, *Wien. ent. Monatschr.* 8: 180-181, Taf.4 fig.8.
Type(s): [Türkei]: Brussa [Bursa]. **Range (in code):** **DZ Bsk FR IT SK HU RO YU AL BG GR TR IL Pa**
- 78650. *Phycita metzneri* (Zeller,1846)** (Pyralidae) **Synonym(s):** *metzneri* Zeller,1846 **Range (in**
code): **ES FR Co Sa Si IT HU RO YU BG GR TR IL Pa Hf**
- 78651. *Phycita mianella* Amsel,1950** (Pyralidae) **Synonym(s):** *mianella* Amsel,1950 **Range (in**
code): **IR Fa Sse TR**
- 78652. *Phycita michaeli* Roesler & Küppers,1979** (Pyralidae) **Synonym(s):** *michaeli* Roesler &
Küppers,1979 **Range (in code):** **ID Sum**
- 78653. *Phycita nagaradja* Roesler & Küppers,1979** (Pyralidae) **Synonym(s):** *nagaradja* Roesler
& *Küppers,1979* **Range (in code):** **ID Sum**
- 78654. *Phycita nephodeella* Ragonot,1887** (Pyralidae) **Synonym(s):** *nephodeella* Ragonot,1887
Original Reference: *Phycita nephodeella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 228. Type:
[Georgia]: "Borshom (Chr.)". **Range (in code):** **IT YU Cc GG Bjo**
- 78655. *Phycita nodicornella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *nodicornella* Ragonot,1888
Range (in code): **ID Sum PK Pj Lh IN LK**
- 78656. *Phycita pedisignella* Ragonot,1887** (Pyralidae) **Synonym(s):** *pedisignella* Ragonot,1887
Original Reference: *Phycita pedisignella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 228. Type(s):
[Turkey]: Amasia. **Range (in code):** **YU GR TR IL LB Bei**
- 78657. *Phycita poteriella* (Zeller,1846)** (Pyralidae) **Synonym(s):** *poteriella* Zeller,1846 **Range (in**
code): **Si IT RO YU BG GR Cr CY TR IL Pa LB Bmm Bsa RU MD UA BY**

- 78658. *Phycita randensis* Balinsky,1994** (Pyralidae) Synonym(s): *randensis* Balinsky,1994 Range (in code): ZA Tva Gau Jh Tst Mpu Win
- 78659. *Phycita randensis randensis* Balinsky,1994** (Pyralidae) Synonym(s): *randensis* Balinsky,1994 Range (in code): ZA Tva Gau Jh Tst Mpu Win
- 78660. *Phycita rhapta* (Turner,1947)** (Pyralidae) Synonym(s): *rhapta* Turner,1947 Range (in code): AU
- 78661. *Phycita rimini* Roesler,1983** (Pyralidae) Synonym(s): *rimini* Roesler,1983 Range (in code): ID Sum
- 78662. *Phycita singularis* Balinsky,1994** (Pyralidae) Synonym(s): *singularis* Balinsky,1994 Range (in code): NA Abc ZW Em Vf ZA Tva Lpo Mes Gau Pre
- 78663. *Phycita singularis singularis* Balinsky,1994** (Pyralidae) Synonym(s): *singularis* Balinsky,1994 Range (in code): NA Abc ZW Em Vf ZA Tva Lpo Mes Gau Pre
- 78664. *Phycita spiculata* Balinsky,1994** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994 Range (in code): ZA Tra Ec Nta Kzu Umk
- 78665. *Phycita spiculata spiculata* Balinsky,1994** (Pyralidae) Synonym(s): *spiculata* Balinsky,1994 Range (in code): ZA Tra Ec Nta Kzu Umk
- 78666. *Phycita spissicella* (Fabricius,1777)** (Pyralidae) Synonym(s): *#roborella* [Denis & Schiffermüller],1775; *spissicella* Fabricius,1777; *spissicornis* Fabricius,1798; *roboralis* Hübner,[1825]. Original Reference: *Tinea spissicella* Fabricius,1777, Genera Insectorum: 295. Type(s): Germany, Kiel. Range (in code): DZ Lbs PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa DK NO SE FI EE LV RU MD UA BY IR Gl Bionomy: Larva on *Quercus robur* (Fagaceae), *Malus*, *Pyrus*, *Prunus* (Rosaceae), *Ribes* (Saxifragaceae) ([Denis & Schiffermüller],1775; Huemer,1988).
- 78667. *Phycita spissoterminata* Balinsky,1994** (Pyralidae) Synonym(s): *spissoterminata* Balinsky,1994 Range (in code): ZA Gau Pre Mpu Pil Tva Lpo Pot
- 78668. *Phycita spissoterminata spissoterminata* Balinsky,1994** (Pyralidae) Synonym(s): *spissoterminata* Balinsky,1994 Range (in code): ZA Gau Pre Mpu Pil Tva Lpo Pot
- 78669. *Phycita strigata* (Staudinger,1879)** (Pyralidae) Synonym(s): *strigata* Staudinger,1879 Original Reference: *Nephopteryx strigata* Staudinger,1879, Horae Soc. ent. ross. 15: 190-191. Syntypes 1♂ 6♀: [Türkei]: Amasia: Kerasdere. Range (in code): ES TR IR Elb Mz Kdv Kh
- 78670. *Phycita suppenditata* Balinsky,1994** (Pyralidae) Synonym(s): *suppenditata* Balinsky,1994 Range (in code): ZA Tva Gau Pre
- 78671. *Phycita taftanella* Amsel,1950** (Pyralidae) Synonym(s): *taftanella* Amsel,1950 Range (in code): IR
- 78672. *Phycita taiwanella* (Wileman & South,1919)** (Pyralidae) Synonym(s): *taiwanella* Wileman & South,1919 Original Reference: *Phycita taiwanella* Wileman & South,1919, Entomologist 52: 268. Type ♂: [Taiwan]: Formosa: Takao. Range (in code): TW
- 78673. *Phycita teheranella* Amsel,1954** (Pyralidae) Synonym(s): *Phycita teheranella* Amsel,1954 Original Reference: *Phycita teheranella* Amsel,1954, Ark. zool. 6 (16): 293-294, figs. Holotype ♂: Iran, Teheran. Range (in code): IR Th Elb Fa TR Bionomy: Larva on *Fraxinus* (ex Wiltshire) from Iran, Fars (Amsel,1954).
- 78674. *Phycita teheranella shirazella* Amsel,1954** (Pyralidae) Synonym(s): *shirazella* Amsel,1954 Original Reference: *Phycita teheranella* ssp. *shirazella* Amsel,1954, Ark. zool. 6 (16): 294-295, fig.237. Holotype ♂: Iran, Shiraz. Range (in code): IR Fa Shr Bionomy: Larva on *Fraxinus* (ex Wiltshire) from Iran, Fars (Amsel,1954).
- 78675. *Phycita torrenti* Agenjo,1962** (Pyralidae) Synonym(s): *torrenti* Agenjo,1962 Range (in code): ES
- 78676. *Phycita trachystola* Turner,1904** (Pyralidae) Synonym(s): *trachystola* Turner,1904 Range (in code): AU
- 78677. *Phycita vayu* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *vayu* Roesler & Küppers,1979 Range (in code): ID Sum
- 78678. *Phycita venalbella* (Joannis,1927)** (Pyralidae) Synonym(s): *venalbella* Joannis,1927 Range (in code): ZA
- 78679. *Phycita zizyphella* Chrétien,1915** (Pyralidae) Synonym(s): *zizyphella* Chrétien,1915; *jerichoella* Amsel,1935 Original Reference: *Phycita zizyphella* Chrétien,1915, Annls Soc. ent. Fr. 84: 291. Type: Algeria, Biskra. Range (in code): DZ Bsk CY IL Pa Jer Bionomy: Larva on *Zizyphus lotus* [Rhamnaceae] (Chrétien,1915).

- 78680. *Phycitodes albatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887; *parvum* Gerasimov,1930; *pseudonimbella* Bentick,1937 Original Reference: *Homoeosoma albatella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 255. Syntypes: [Usbekistan]: Samarkand; [Turkmenistan]: Nuchur. Range (in code): **LY Cy TN Gf DZ MA Cn Az PT ES Mu FR Co Sa Si IT BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR DK NO SE FI LV LT RU MD UA BY TM Kp UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG CY TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ KK NP Us CN She**
- 78681. *Phycitodes albatella albatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *albatella* Ragonot,1887; *parvum* Gerasimov,1930; *pseudonimbella* Bentick,1937 Original Reference: *Homoeosoma albatella* Ragonot,1887, *Annls Soc. ent. Fr.* 1887: 255. Syntypes: [Usbekistan]: Samarkand; [Turkmenistan]: Nuchur. Range (in code): **UZ Smk Br LB Bei Bsa SY Dms IL Hf Jer Jf Jt Pa EG TR IQ Bsr IR Elb Th Kdj AF Kbb Slg Pli Hr Srb Kab Sen Ch Gg PK TJ**
- 78682. *Phycitodes albatella ussuriella* (Roesler,1965)** (Pyralidae) Synonym(s): *ussuriella* Roesler,1965 Range (in code): **RU Prj Us CN She**
- 78683. *Phycitodes albovittella* (Ragonot,1888)** (Pyralidae) Synonym(s): *albovittella* Ragonot,1888; *costalbella* Amsel,1953. Original Reference: *Homoeosoma albovittella* Ragonot,1888, *Nouv. gen. Phycit.* 1888: 35. Type ♂: Pakistan: Pundjab (BMNH). Range (in code): **PK Pj IQ Bsr**
- 78684. *Phycitodes bentinckella* (Pierce,1937)** (Pyralidae) Synonym(s): *bentinckella* Pierce,1937; *eliseannae* Leraut,2002 Range (in code): **ES Mu PT FR**
- 78685. *Phycitodes bicolor* Roesler,1970** (Pyralidae) Synonym(s): *bicolor* Roesler,1970 Range (in code): **AF Srb**
- 78686. *Phycitodes binaevella* (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813] Original Reference: *Tinea binaevella* Hübner,[1813], *Samml. eur. Schmett.* 8, *Tineae:* Tab.57 fig.383. Type(s): Europa. Range (in code): **MA LY Cy ES Mu FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY LB Bsa TM Kp IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii**
- 78687. *Phycitodes binaevella binaevella* (Hübner,[1813])** (Pyralidae) Synonym(s): *binaevella* Hübner,[1813]. Original Reference: *Tinea binaevella* Hübner,[1813], *Samml. eur. Schmett.* 8, *Tineae:* Tab.57 fig.383. Type(s): Europa. Range (in code): **MA LY Cy ES Mu FR AT IT MT IE GB BE NL LU DE CH PL CZ SK HU RO AL BG GR Cr DK NO SE FI EE LV LT RU**
- 78688. *Phycitodes binaevella iranella* (Roesler,1965)** (Pyralidae) Synonym(s): *iranella* Roesler,1965 Original Reference: *Rotruda binaevella* ssp. *iranella* Roesler,1965, *Inaug.- Diss. Saarbrücken* 1965: 84. Type ♂: Palastina: Wadi el Kelt (LNK). Range (in code): **Cc GG IL Jf Pa IR Elb Th Mz AF Kab Pag Pli KG Tk Dj Ii**
- 78689. *Phycitodes binaevella petrella* (Herrich-Schäffer,1849)** (Pyralidae) Synonym(s): *petrella* Herrich-Schäffer,1849 Range (in code): **AT**
- 78690. *Phycitodes binaevella sardiniella* (Roesler,1965)** (Pyralidae) Synonym(s): *sardiniella* Roesler,1965 Original Reference: *Rotruda binaevella* ssp. *sardiniella* Roesler,1965, *Inaug.- Diss. Saarbrücken* 1965: 85. Type ♂: Sardinien: Aritzo (LNK). Range (in code): **Sa Co**
- 78691. *Phycitodes binaevella siciliella* (Zerny,1914)** (Pyralidae) Synonym(s): *siciliella* Zerny,1914 Original Reference: *Homoeosoma siciliella* Zerny,1914, *Annln naturh. Mus. Wien* 28: 305. Lectotype ♂: Sizilien (designated by Roesler,1973, *Microlepid. palaearkt.* 4: 570) (NHMW). Range (in code): **Si**
- 78692. *Phycitodes binaevella unitella* (Staudinger,1879)** (Pyralidae) Synonym(s): *unitella* Staudinger,1879; *coarctella* Ragonot,1887; *ciliciella* Caradja,1910; *pinguinella* Zerny,1934 Original Reference: *Homoeosoma binaevella* var. *unitella* Staudinger,1879, *Horae Soc. ent. ross* 15: 223. Type ♂: [Türkei]: Kleinasien: Kerasdere bei Amasia (ZMB). Range (in code): **HV YU MK AL GR CY TR LB Bsa RU**
- 78693. *Phycitodes binaloudella* (Amsel,1961)** (Pyralidae) Synonym(s): *binaloudella* Amsel,1961 Range (in code): **IR KuB Kh Elb Th AF Pag Slg Pic Kbb Srb Gbh Kab Bm**
- 78694. *Phycitodes carlinella* (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901 Original Reference: *Homoeosoma carlinella* Heinemann,1865, *Schmett. Deutschlands Schweiz* 2(1) 2: 198. Type(s): Deutschland: Wolfenbüttel. Range (in code): **MA DZ Bsk Gf TN PT ES FR Co IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI LV RU MD UA BY**
- 78695. *Phycitodes carlinella arenicola* (Chrétien,1911)** (Pyralidae) Synonym(s): *arenicola* Chrétien,1911 Original Reference: *Homoeosoma arenicola* Chrétien,1911, *Bull. Soc. ent. Fr.* 16: 34. Type ♂: Algerie: Biskra (MNHNP). Range (in code): **MA DZ Bsk Gf TN PT ES IT**

- 78696. *Phycitodes carlinella carlinella* (Heinemann,1865)** (Pyralidae) Synonym(s): *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *caniusella* Ragonot,1901 Original Reference: *Homoeosoma carlinella* Heinemann,1865, Schmett. Deutschlands Schweiz 2(1) 2: 198. Type(s): Deutschland: Wolfenbüttel. Range (in code): **FR Co GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI LV RU MD UA BY**
- 78697. *Phycitodes crassipunctella* (Caradja,1928)** (Pyralidae) Synonym(s): *crassipunctella* Caradja,1928 Range (in code): **CN Sz Kgs Hun RU Am Prj Us**
- 78698. *Phycitodes cupronigrella* (Caradja,1925)** (Pyralidae) Synonym(s): *cupronigrella* Caradja,1925 Range (in code): **CN Kgs**
- 78699. *Phycitodes delineata* (Lucas,1892)** (Pyralidae) Synonym(s): *delineata* Lucas,1892 Range (in code): **AU**
- 78700. *Phycitodes gallicella* Leraut,2002** (Pyralidae) Synonym(s): *gallicella* Leraut,2002 Range (in code): **FR**
- 78701. *Phycitodes inquinatella* (Ragonot,1887)** (Pyralidae) Synonym(s): *inquinatella* Ragonot,1887; *exustella* Ragonot,1888; *canariella* Rebel,1892; *ravonella* Pierce,1937; *amseli* Roesler,1965 Original Reference: *Homoeosoma inquinatella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 256. Type(s): [Turkey]: Marasch; Lectotype ♂, designated by Roesler (1973) (NMHN Paris). Range (in code): **Cn MA DZ Bsk Tni Tis PT ES Mu FR Sa Si IT MT BE NL DE Bv CH AT SK HU RO YU HV MK AL BG GR Cr Cy TR LB Bsa IL Hf Js Pa SY Dms IR Elb Th Fa Shr**
- 78702. *Phycitodes lacteella* (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965. Original Reference: *Staudingeria lacteella* Rothschild,1915, Novit. Zool. 22: 240. Type ♀: Algeria: Oued Nça, Mzab (BMNH). Range (in code): **LY Cy TN DZ Onç MA Cn ES Mu FR Sa Si IT MT DE HU RO YU AL BG GR RU Ur MD UA BY SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss Kh AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm Bkt Nu KG Tk Ii Dj MN**
- 78703. *Phycitodes lacteella delattini* (Roesler,1965)** (Pyralidae) Synonym(s): *delattini* Roesler,1965 Range (in code): **TR GR YU HV MK AL RU Ur RO HU DE FR Py**
- 78704. *Phycitodes lacteella lacteella* (Rothschild,1915)** (Pyralidae) Synonym(s): *lacteella* Rothschild,1915; *viettella* Roesler,1965. Original Reference: *Staudingeria lacteella* Rothschild,1915, Novit. Zool. 22: 240. Type ♀: Algeria: Oued Nça, Mzab (BMNH). Range (in code): **LY Cy TN DZ MA Cn**
- 78705. *Phycitodes lacteella madoniella* (Roesler,1965)** (Pyralidae) Synonym(s): *madoniella* Roesler,1965 Range (in code): **Si**
- 78706. *Phycitodes lacteella nuristanica* (Roesler,1970)** (Pyralidae) Synonym(s): *nuristanica* Roesler,1970 Range (in code): **AF Bkt Nu**
- 78707. *Phycitodes lacteella orientalis* (Roesler,1970)** (Pyralidae) Synonym(s): *orientalis* Roesler,1970 Range (in code): **MN**
- 78708. *Phycitodes lacteella santornella* (Roesler,1965)** (Pyralidae) Synonym(s): *santornella* Roesler,1965 Range (in code): **Sa**
- 78709. *Phycitodes lacteella zinianella* (Amsel,1961)** (Pyralidae) Synonym(s): *zinianella* Amsel,1961 Range (in code): **SY Dms TR LB Bda IL Jf Jer Hf SA SA63 BH IQ Bgd IR Elb Th Kdj Fa Shr Kz Ss AF Gbh Pag Sfk Pic Pli Kab Dwe Blh Slg Bm KG Tk Ii Dj**
- 78710. *Phycitodes langtanella* (Roesler,1969)** (Pyralidae) Synonym(s): *langtanella* Roesler,1969 Range (in code): **CN Tkg Kgs**
- 78711. *Phycitodes longivittella* (Caradja,1939)** (Pyralidae) Synonym(s): *longivittella* Caradja,1939 Range (in code): **CN Tu Ats**
- 78712. *Phycitodes melanosticta* (Lower,1903)** (Pyralidae) Synonym(s): *melanosticta* Lower,1903 Range (in code): **AU**
- 78713. *Phycitodes nepalensis* Roesler,1970** (Pyralidae) Synonym(s): *nepalensis* Roesler,1970 Range (in code): **NP**
- 78714. *Phycitodes nigrilimbella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nigrilimbella* Ragonot,1887 Original Reference: *Homoeosoma nigrilimbella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 256. Type(s): [Turkey]: Marasch. Range (in code): **TR IR Elb Th Fa Shr LB Bsa IL Hf IQ Hjo**
- 78715. *Phycitodes nipponella* (Ragonot,1901)** (Pyralidae) Synonym(s): *nipponella* Ragonot,1901; *osakiella* Ragonot,1901; *matsumurella* Shibuya,1927. Range (in code): **JP Hkk KP KR CN Tkg She Sz**
- 78716. *Phycitodes osteella* (Ragonot,1887)** (Pyralidae) Synonym(s): *osteella* Ragonot,1887; *nitidella* Ragonot,1888; *praecalcella* Amsel,1953 Original Reference: *Homoeosoma osteella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 255. Type ♀: [Türkei]: Kasikoparan (ZIANL). Range (in code): **TR Cc LB Bei SY Dms IL Jer IR Elb Kdj Th Fa AF Pli**

- 78717. *Phycitodes pagodiella* Roesler,1970** (Pyralidae) **Synonym(s):** *pagodiella* Roesler,1970
Range (in code): **AF Srb Kbb Pnj**
- 78718. *Phycitodes popescugorji* (Roesler,1967)** (Pyralidae) **Synonym(s):** *popescugorji* Roesler,1967 **Original Reference:** *Rotruda popescugorji* Roesler,1967, Z. wien. ent. Ges. 52: 43.
Type ♂: Syrien (MGAB). **Range (in code):** **SY**
- 78719. *Phycitodes reisseri* (Roesler,1967)** (Pyralidae) **Synonym(s):** *reisseri* Roesler,1967 **Range (in code):** **CN Ti Btn Yu MN**
- 78720. *Phycitodes saxicola* (Vaughan,1870)** (Pyralidae) **Synonym(s):** *saxicola* Vaughan,1870; *subbinaevella* Ragonot,1888; *griseopunctata* Lucas,1955; *vallettae* Amsel,1951; *comeella* Amsel,1961; *tenerifferlla* Roesler,1965 **Original Reference:** *Homoeosoma saxicola* Vaughan,1870, Entomologist's mon. Mag. 7: 132. **Type** ♂: England: Isle of Man. **Range (in code):** **Cn DZ MA TN Gf LY Cy PT ES Mu Py FR Co Sa Si IT MT IE GB BE NL DE CH AT CZ SK RO YU HV B-H MK BG GR Cr CY DK NO SE FI EE LV LT TR RU Or Ur Sr LB Bei Bsa SY Dms IL Hf Js Jt IQ Bgd IR Elb Th Kdj Fa Shr AF Pag Kab Srb Gbh** **Bionomy:** Larva on Anthemis, Senecio (Asteraceae) (Parenti,2000).
- 78721. *Phycitodes strassbergeri* (Roesler,1967)** (Pyralidae) **Synonym(s):** *strassbergeri* Roesler,1967 **Range (in code):** **CN Ti Btn Tkg**
- 78722. *Phycitodes subcretacella* (Ragonot,1901)** (Pyralidae) **Synonym(s):** *subcretacella* Ragonot,1901 **Range (in code):** **JP CN Hun She Sz Kgs Tkg Stg**
- 78723. *Phycitodes subolivacella* (Ragonot,1901)** (Pyralidae) **Synonym(s):** *subolivacella* Ragonot,1901 **Range (in code):** **RU Am Prj Us CN Tkg Hun Kgs**
- 78724. *Phycitodes tenella* (Amsel,1935)** (Pyralidae) **Synonym(s):** *tenella* Amsel,1935 **Range (in code):** **IL Js Pa**
- 78725. *Phycitodes triangulella* (Ragonot,1901)** (Pyralidae) **Synonym(s):** *triangulella* Ragonot,1901 **Range (in code):** **CN Yu Hun Kgs RU Am**
- 78726. *Phycitophila obscurita* Balinsky,1994** (Pyralidae) **Synonym(s):** *obscurita* Balinsky,1994
Range (in code): **ZW Uma**
- 78727. *Phycitophila obscurita obscurita* Balinsky,1994** (Pyralidae) **Synonym(s):** *obscurita* Balinsky,1994 **Range (in code):** **ZW Uma**
- 78728. *Phycitopsis insulata* Balinsky,1994** (Pyralidae) **Synonym(s):** *insulata* Balinsky,1994
Range (in code): **ZA Ec**
- 78729. *Phycitopsis insulata insulata* Balinsky,1994** (Pyralidae) **Synonym(s):** *insulata* Balinsky,1994 **Range (in code):** **ZA Ec**
- 78730. *Physematia defloralis* (Strand,1919)** (Pyralidae) **Synonym(s):** *defloralis* Strand,1919
Range (in code): **TW**
- 78731. *Picrogama semifoedalis* (Walker,[1866])** (Pyralidae) **Synonym(s):** *semifoedalis* Walker,[1866]; *complana* R.Felder & Rogenhofer,1875; *anticosma* Meyrick,1897. **Range (in code):** **AU**
- 78732. *Piesmopoda notandella* Ragonot,1893** (Pyralidae) **Synonym(s):** *notandella* Ragonot,1893
Range (in code): **ZA**
- 78733. *Piletocera aegimiusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *aegimiusalis* Walker,1859 **Range (in code):** **IN PG TW**
- 78734. *Piletocera albescens* Rebel,1915** (Pyralidae) **Synonym(s):** *albescens* Rebel,1915 **Range (in code):** **WS**
- 78735. *Piletocera albimixtal* Hampson,1917** (Pyralidae) **Synonym(s):** *albimixtal* Hampson,1917 **Range (in code):** **AU**
- 78736. *Piletocera chlorura* (Meyrick,1887)** (Pyralidae) **Synonym(s):** *chlorura* Meyrick,1887; *melanauges* Turner,1913 **Range (in code):** **AU**
- 78737. *Piletocera cyclospila* (Meyrick,1886)** (Pyralidae) **Synonym(s):** *cyclospila* Meyrick,1886
Range (in code): **WS**
- 78738. *Piletocera elongalis* (W.Warren,1896)** (Pyralidae) **Synonym(s):** *elongalis* W.Warren,1896
Range (in code): **IN TW**
- 78739. *Piletocera flavalis* Hampson,1917** (Pyralidae) **Synonym(s):** *flavalis* Hampson,1917 **Range (in code):** **ZA**
- 78740. *Piletocera hemiphaealis* (Hampson,1907)** (Pyralidae) **Synonym(s):** *hemiphaealis* Hampson,1907 **Range (in code):** **ZA**
- 78741. *Piletocera macroporalis* Hampson,1897** (Pyralidae) **Synonym(s):** *macroporalis* Hampson,1897 **Range (in code):** **AU**
- 78742. *Piletocera meekii* (Lucas,1894)** (Pyralidae) **Synonym(s):** *meekii* Lucas,1894; *vestigialis* W.Warren,1896; *javanalis* Snellen,1900 **Range (in code):** **ID Ja AU**

- 78743. *Piletocera opacalis* Rebel, 1927** (Pyralidae) Synonym(s): *opacalis* Rebel, 1927 Range (in code): EG AE
- 78744. *Piletocera rechingeri* Tams, 1935** (Pyralidae) Synonym(s): *rechingeri* Tams, 1935 Range (in code): WS
- 78745. *Piletocera signiferalis* (Wallengren, 1860)** (Pyralidae) Synonym(s): *signiferalis* Wallengren, 1860; *barbicornis* R. Felder & Rogenhofer, 1875; *mirabilis* Butler, 1884; *nigrescens* Butler, 1884 Range (in code): WS PC FJ EL LO AU ZA
- 78746. *Piletocera steffany* Tams, 1935** (Pyralidae) Synonym(s): *steffany* Tams, 1935 Range (in code): WS
- 78747. *Piletocera vestigialis* (W. Warren, 1896)** (Pyralidae) Synonym(s): *vestigialis* W. Warren, 1896 Range (in code): WS AU
- 78748. *Piletocera xanthosoma* (Meyrick, 1886)** (Pyralidae) Synonym(s): *xanthosoma* Meyrick, 1886 Range (in code): WS
- 78749. *Pilocrocis barcalis* (Walker, 1859)** (Pyralidae) Synonym(s): *barcalis* Walker, 1859 Original Reference: Botys barcalis Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 19: 1001. Type: Sarawak Range (in code): TH Bor MY Swk
- 78750. *Pilocrocis bastalis* Schaus, 1920** (Pyralidae) Synonym(s): *bastalis* Schaus, 1920 Range (in code): PE
- 78751. *Pilocrocis buckleyi* (Druce, 1895)** (Pyralidae) Synonym(s): *buckleyi* Druce, 1895; *polyphemalis* Snellen, 1898 Range (in code): EC PE
- 78752. *Pilocrocis calamistis* Hampson, 1899** (Pyralidae) Synonym(s): *calamistis* Hampson, 1899 Range (in code): MX
- 78753. *Pilocrocis caustichroalis* Hampson, 1918** (Pyralidae) Synonym(s): *caustichroalis* Hampson, 1918 Range (in code): PE
- 78754. *Pilocrocis cryptalis* (Druce, 1895)** (Pyralidae) Synonym(s): *cryptalis* Druce, 1895 Range (in code): PA
- 78755. *Pilocrocis cuprescens* Hampson, 1917** (Pyralidae) Synonym(s): *cuprescens* Hampson, 1917 Range (in code): PE
- 78756. *Pilocrocis cyranoalis* Schaus, 1920** (Pyralidae) Synonym(s): *cyranoalis* Schaus, 1920 Range (in code): GT
- 78757. *Pilocrocis cyrisalis* (Druce, 1895)** (Pyralidae) Synonym(s): *cyrisalis* Druce, 1895 Range (in code): PA
- 78758. *Pilocrocis dentilinealis* Schaus, 1920** (Pyralidae) Synonym(s): *dentilinealis* Schaus, 1920 Range (in code): BR Rja
- 78759. *Pilocrocis dichochrocalis* Hampson, 1912** (Pyralidae) Synonym(s): *dichochrocalis* Hampson, 1912; *usticinctalis* Hampson, 1912; *euryatma* Meyrick, 1934 Range (in code): ZA
- 78760. *Pilocrocis dithyralis* Hampson, 1899** (Pyralidae) Synonym(s): *dithyralis* Hampson, 1899 Range (in code): GY
- 78761. *Pilocrocis evanidalis* Schaus, 1920** (Pyralidae) Synonym(s): *evanidalis* Schaus, 1920 Range (in code): GT
- 78762. *Pilocrocis flagellalis* Schaus, 1920** (Pyralidae) Synonym(s): *flagellalis* Schaus, 1920 Range (in code): GF
- 78763. *Pilocrocis flavicarpus* Hampson, 1917** (Pyralidae) Synonym(s): *flavicarpus* Hampson, 1917 Range (in code): PE
- 78764. *Pilocrocis fulviflavalis* Hampson, 1917** (Pyralidae) Synonym(s): *fulviflavalis* Hampson, 1917 Range (in code): PE
- 78765. *Pilocrocis glaucitalis* Hampson, 1912** (Pyralidae) Synonym(s): *glaucitalis* Hampson, 1912 Range (in code): ZA
- 78766. *Pilocrocis granjae* Hoffmann, 1934** (Pyralidae) Synonym(s): *granjae* Hoffmann, 1934 Range (in code): MX
- 78767. *Pilocrocis guianalis* Schaus, 1920** (Pyralidae) Synonym(s): *guianalis* Schaus, 1920 Range (in code): GF
- 78768. *Pilocrocis hypoleucalis* Hampson, 1912** (Pyralidae) Synonym(s): *hypoleucalis* Hampson, 1912 Range (in code): JM
- 78769. *Pilocrocis isozona* (Meyrick, 1936)** (Pyralidae) Synonym(s): *isozona* Meyrick, 1936 Range (in code): BO

- 78770. *Pilocrocis lactealis* Hampson, 1912** (Pyralidae) Synonym(s): *lactealis* Hampson, 1912
Range (in code): **BR Rja**
- 78771. *Pilocrocis melastictalis* Hampson, 1912** (Pyralidae) Synonym(s): *melastictalis* Hampson, 1912 Range (in code): **ZA**
- 78772. *Pilocrocis metachrysi* Hampson, 1918** (Pyralidae) Synonym(s): *metachrysi* Hampson, 1918 Range (in code): **PE**
- 78773. *Pilocrocis modestalis* Schaus, 1912** (Pyralidae) Synonym(s): *modestalis* Schaus, 1912
Range (in code): **CR**
- 78774. *Pilocrocis monothyrallis* Hampson, 1912** (Pyralidae) Synonym(s): *monothyrallis* Hampson, 1912 Range (in code): **JM**
- 78775. *Pilocrocis musalis* Schaus, 1912** (Pyralidae) Synonym(s): *musalis* Schaus, 1912 Range (in code): **CR**
- 78776. *Pilocrocis patagialis* Hampson, 1909** (Pyralidae) Synonym(s): *patagialis* Hampson, 1909
Range (in code): **ZA**
- 78777. *Pilocrocis plicatalis* Hampson, 1912** (Pyralidae) Synonym(s): *plicatalis* Hampson, 1912
Range (in code): **GY**
- 78778. *Pilocrocis pterygodia* Hampson, 1912** (Pyralidae) Synonym(s): *pterygodia* Hampson, 1912
Range (in code): **ZA**
- 78779. *Pilocrocis purpurascens* Hampson, 1899** (Pyralidae) Synonym(s): *purpurascens* Hampson, 1899 Range (in code): **EC**
- 78780. *Pilocrocis ramentalis* Lederer, 1863** (Pyralidae) Synonym(s): *ramentalis* Lederer, 1863;
perfuscalis Hulst, 1886 Range (in code): **US FI**
- 78781. *Pilocrocis reniferalis* Hampson, 1912** (Pyralidae) Synonym(s): *reniferalis* Hampson, 1912
Range (in code): **JM**
- 78782. *Pilocrocis rooalis* (Snellen, 1875)** (Pyralidae) Synonym(s): *rooalis* Snellen, 1875 Range (in code): **CO**
- 78783. *Pilocrocis roxonalis* (Druce, 1895)** (Pyralidae) Synonym(s): *roxonalis* Druce, 1895;
roseinalis Hampson, 1912 Range (in code): **PA**
- 78784. *Pilocrocis runatalis* Dyar, 1914** (Pyralidae) Synonym(s): *runatalis* Dyar, 1914 Range (in code): **PA**
- 78785. *Pilocrocis sororalis* Schaus, 1920** (Pyralidae) Synonym(s): *sororalis* Schaus, 1920 Range (in code): **GT**
- 78786. *Pilocrocis xanthozonalis* Hampson, 1912** (Pyralidae) Synonym(s): *xanthozonalis* Hampson, 1912 Range (in code): **GF**
- 78787. *Pima boisduvaliella* (Guenée, 1845)** (Pyralidae) Synonym(s): *boisduvaliella* Guenée, 1845;
farrella J. Curtis, 1850; *lafauryiella* Constant, 1865 Original Reference: *Epischnia boisduvaliella* Guenée, 1845, *Annls Soc. ent. Fr.* (2)3: 319. Type(s): Schweiz. Range (in code): **DZ Ges PT ES FR IT GB BE NL DE CH PL HU RO TR Cc KK Ku Al CN Ui TM Kp DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on Anthyllis, Astragalus, Lathyrus, Lotus, Ononis (Fabaceae) (Parenti, 2000).
- 78788. *Pima difficilis* Joannis, 1927** (Pyralidae) Synonym(s): *difficilis* Joannis, 1927 Range (in code): **MZ ZA**
- 78789. *Pima flavidorsella* Joannis, 1927** (Pyralidae) Synonym(s): *flavidorsella* Joannis, 1927;
cinerella Joannis, 1927 Range (in code): **MZ ZA**
- 78790. *Pima trifoldella* (Zerny, 1914)** (Pyralidae) Synonym(s): *trifoldella* Zerny, 1914 Original Reference: *Epischnia* (?) *trifoldella* Zerny, 1914, *Annln naturh. Mus. Wien* 28: 310, Taf. xxv fig. 10. Type ♂: [China: Uighur A.R.]: Aksu (ex coll. Bang-Haas). Range (in code): **CN Ui Au**
- 78791. *Pinacia fulvidorsalis* (Hübner, 1832)** (Pyralidae) Synonym(s): *fulvidorsalis* Hübner, 1832
Range (in code): **PH Luz Boh Cts Pal RE LK IN MM Nk Ja Sbw Clb Amb QAU AU ID**
- 78792. *Pionea praepandalis* (Snellen, 1890)** (Pyralidae) Synonym(s): *praepandalis* Snellen, 1890
Range (in code): **PH Luz Ceb SI**
- 78793. *Pitacanda spilosomoides* Moore, 1886** (Pyralidae) Synonym(s): *spilosomoides* Moore, 1886
Range (in code): **PH Luz Mno LK IN Amb ID**
- 78794. *Pithyllis ornata* Grünberg, 1910** (Pyralidae) Synonym(s): *ornata* Grünberg, 1910 Range (in code): **ZA**
- 78795. *Plagoa cerostomella* (Ragonot, 1888)** (Pyralidae) Synonym(s): *cerostomella* Ragonot, 1888; *#cerastomella* Balinsky, 1994 Range (in code): **ZA**

- 78796. *Plagoa zambeziella* (Hampson,1901)** (Pyralidae) Synonym(s): *zambeziella* Hampson,1901
Range (in code): ZA
- 78797. *Platytes acerata* Dyar,1917** (Pyralidae) Synonym(s): *acerata* Dyar,1917 Range (in code): US FI
- 78798. *Platytes acroperalis* Hampson,1908** (Pyralidae) Synonym(s): *acroperalis* Hampson,1908
Range (in code): LK
- 78799. *Platytes aenigmatica* Heinrich,1931** (Pyralidae) Synonym(s): *aenigmatica* Heinrich,1931
Range (in code): US Col
- 78800. *Platytes alpinella* (Hübner,[1813])** (Pyralidae) Synonym(s): *alpinella* Hübner,[1813]; *alpicolalis* Hübner,[1825] Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO HV BG DK NO SE FI EE LV LT RU Mo Mnu Kj Cc GG Lag Bionomy: Larva on *Barbula* (Bryaceae) (Parenti,2000).
- 78801. *Platytes argyrotricha* Hampson,1908** (Pyralidae) Synonym(s): *argyrotricha* Hampson,1908 Range (in code): IN Ass
- 78802. *Platytes arimatheella* Schaus,1922** (Pyralidae) Synonym(s): *arimatheella* Schaus,1922
Range (in code): NI
- 78803. *Platytes atlantivolella* Zerny,1935** (Pyralidae) Synonym(s): *atlantivolella* Zerny,1935
Range (in code): MA
- 78804. *Platytes bipunctella* Lucas,1956** (Pyralidae) Synonym(s): *bipunctella* Lucas,1956 Range (in code): MA
- 78805. *Platytes cerussella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *cerussella* [Denis & Schiffermüller],1775; *quadrella* [Denis & Schiffermüller],1775; *barbella* Hübner,1796; *auriferella* Hübner,1796; *pygmaeus* Stephens,1834. Original Reference: *Tinea cerussella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU Ur Tt MD UA Cm BY Cc AM TR Bionomy: Larva on *Aira*, *Festuca* (Poaceae) (Parenti,2000).
- 78806. *Platytes damienella* Schaus,1922** (Pyralidae) Synonym(s): *damienella* Schaus,1922 Range (in code):
- 78807. *Platytes dinephelalis* Dyar,1917** (Pyralidae) Synonym(s): *dinephelalis* Dyar,1917 Range (in code): US Arz
- 78808. *Platytes fuscivenalis* Hampson,1896** (Pyralidae) Synonym(s): *fuscivenalis* Hampson,1896
Range (in code): LK
- 78809. *Platytes ictericalis* Swinhoe,1885** (Pyralidae) Synonym(s): *ictericalis* Swinhoe,1885
Range (in code): YE Ad IN Mh Poo
- 78810. *Platytes ornatella* (Leech,1889)** (Pyralidae) Synonym(s): *ornatella* Leech,1889; *acaudatula* Filipjev,1927. Range (in code): RU Am Mnu Kj Prj Us CN Ti Mc Jn Stg Sz T-T Btn KP KR JP Hkk Kyu
- 78811. *Platytes panalope* Dyar,1917** (Pyralidae) Synonym(s): *panalope* Dyar,1917 Range (in code): US Cnt
- 78812. *Platytes platysticha* (Turner,1939)** (Pyralidae) Synonym(s): *platysticha* Turner,1939
Range (in code): AU
- 78813. *Platytes poliopepla* Lower,1905** (Pyralidae) Synonym(s): *poliopepla* Lower,1905 Range (in code): AU
- 78814. *Platytes polyactinella* Hampson,1896** (Pyralidae) Synonym(s): *polyactinella* Hampson,1896 Range (in code): BR
- 78815. *Platytes punctilineella* Barnes & McDunnough,1913** (Pyralidae) Synonym(s): *punctilineella* Barnes & McDunnough,1913 Range (in code): US FI
- 78816. *Platytes strigatalis* (Hampson,1900)** (Pyralidae) Synonym(s): *strigatalis* Hampson,1900
Range (in code): RU Prj Us Am
- 78817. *Platytes vobisne* Dyar,1920** (Pyralidae) Synonym(s): *vobisne* Dyar,1920 Range (in code): US Cnt Ndk SDk
- 78818. *Platytes zarcinella* Lucas,1909** (Pyralidae) Synonym(s): *zarcinella* Lucas,1909 Range (in code): TN
- 78819. *Plodia interpunctella* (Hübner,[1813])** (Pyralidae) Synonym(s): *interpunctella* Hübner,[1813]; *interpunctalis* Hübner,[1825]; *zeae* Fitch,1856; *castaneella* Reutti,1898; *latercula* Hampson,1901; *glycinivora* Matsumura,1917; *glycinivorella* Matsumura,1932. Original Reference: *Tinea interpunctella* Hübner,[1813], *Samml. eur. Schmett.* 8, *Tineae*: Tab.45 fig.310. Type(s): Europa. Range (in code): Cn MA DZ Bsk Anna LY Cy TN Gf PT ES B-I Md FR Co Sa Si IT MT IE GB BE NL LU DE CH AT

- PL CZ SK HU RO YU HV B-H MK AL BG GR Cr TR EG DK NO SE FI EE LV LT RU Sb Ur Am KP KR MD
UA BY LB IL Pa SD SA IQ IR Ab Oru TM AF PK KG Uk CN Ui Kgs Stg JP Hkk TW ZA AU Bionomy:
Larva on stored cereals, cereals products, dried fruits (Parenti,2000).
- 78820. Plumegesta callidalis (Hampson,1901)** (Pyralidae) Synonym(s): *callidalis* Hampson,1901
Range (in code): BS
- 78821. Plumegesta largalis Munroe,1972** (Pyralidae) Synonym(s): *largalis* Munroe,1972 Range (in code): US FI
- 78822. Pogononeura hirticostella Ragonot,1888** (Pyralidae) Synonym(s): *hirticostella* Ragonot,1888 Range (in code): NA ZA Gau Pre Tva
- 78823. Pogonotropha wahlbergi Zeller,1852** (Pyralidae) Synonym(s): *wahlbergi* Zeller,1852
Range (in code): ZA
- 78824. Pogonotrophus tancrei Sauber,1899** (Pyralidae) Synonym(s): *tancrei* Sauber,1899
Range (in code): TM Krn KK Ik CN Ui Ju Ku
- 78825. Poliopaschia brachypalpia Hampson,1916** (Pyralidae) Synonym(s): *brachypalpia* Hampson,1916 Range (in code): AU
- 78826. Poliopaschia lithochlora (Lower,1896)** (Pyralidae) Synonym(s): *lithochlora* Lower,1896;
prionosticha Turner,1925 Range (in code): AU
- 78827. Poliostola phycitimorpha Janse,1922** (Pyralidae) Synonym(s): *phycitimorpha* Janse,1922
Range (in code): ZA
- 78828. Polopeustis altensis (Wocke,1862)** (Pyralidae) Synonym(s): *altensis* Wocke,1862 Range (in code): NO SE FI LT RU MD UA BY
- 78829. Polycampsis longinasus W.Warren,1896** (Pyralidae) Synonym(s): *longinasus* W.Warren,1896 Range (in code): IN TW
- 78830. Polygrammodes pectinicornalis (Guenée,1854)** (Pyralidae) Synonym(s): *pectinicornalis* Guenée,1854 Original Reference: Botys pectinicornalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 326. Syntypes 2♂: "Inde centrale". Range (in code): AF IN LK
- 78831. Polygrammodes phyllophila (Butler,1878)** (Pyralidae) Synonym(s): *phyllophila* Butler,1878 Range (in code): ZA
- 78832. Polygrammodes sabelialis (Guenée,1854)** (Pyralidae) Synonym(s): *sabelialis* Guenée,1854 Original Reference: Botys sabelialis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 326. Type ♂: "Inde centrale". Range (in code): IN LK MM SG CN TW
- 78833. Polygrammodes thoosalis (Walker,1859)** (Pyralidae) Synonym(s): *thoosalis* Walker,1859 Range (in code): IN MM TW
- 78834. Polyocha anomalella Janse,1922** (Pyralidae) Synonym(s): *anomalella* Janse,1922 Range (in code): ZA
- 78835. Polyocha chionocraspis (Hampson,1918)** (Pyralidae) Synonym(s): *chionocraspis* Hampson,1918 Range (in code): MW
- 78836. Polyocha depressella (Swinhoe,1885)** (Pyralidae) Synonym(s): *depressella* Swinhoe,1885
Range (in code): IN
- 78837. Polyocha detritella Ragonot,1886** (Pyralidae) Synonym(s): *detritella* Ragonot,1886
Range (in code): IN
- 78838. Polyocha diversella Hampson,1886** (Pyralidae) Synonym(s): *diversella* Hampson,1886
Range (in code): IN
- 78839. Polyocha fulvella (Kuznetzov,1978)** (Pyralidae) Synonym(s): *fulvella* Kuznetzov,1978
Range (in code): TJ
- 78840. Polyocha omranella (Amsel,1959)** (Pyralidae) Synonym(s): *omranella* Amsel,1959
Original Reference: Epidauria omranella Amsel,1959, Bull. Soc. ent. Egypte 43: 45, taf.iii fig.4. Type ♂: Iraq: Hajji Omran, 30.7.54. Range (in code): IQ Hjo
- 78841. Polyocha ornatella Hampson,1903** (Pyralidae) Synonym(s): *ornatella* Hampson,1903
Range (in code): IN
- 78842. Polyocha plinthochroa Hampson,1918** (Pyralidae) Synonym(s): *plinthochroa* Hampson,1918 Range (in code): ZA
- 78843. Polyocha pulvrealis Hampson,1903** (Pyralidae) Synonym(s): *pulvrealis* Hampson,1903
Range (in code): IN

- 78844. *Polyocha rhodesiae* Strand,1909** (Pyalidae) **Synonym(s):** *rhodesiae* Strand,1909 **Range** (in code): **ZW**
- 78845. *Polyocha sanguinariella* (Zeller,1848)** (Pyalidae) **Synonym(s):** *sanguinariella* Zeller,1848 **Range** (in code): **ZA**
- 78846. *Polyocha strigivenella* Hampson,1899** (Pyalidae) **Synonym(s):** *strigivenella* Hampson,1899 **Range** (in code): **IN**
- 78847. *Polyocha strigosa* (Staudinger,1879)** (Pyalidae) **Synonym(s):** ? *transversariella* Zeller,1848; *strigosa* Staudinger,1879; *discella* Hampson,1901; *phoeniciella* Ragonot,1895; *granatella* Zerny,1927 **Original Reference:** *Anerastia strigosa* Staudinger,1879, Horae Soc. ent. ross. 15: 225-226. Syntypes 13 ♂♀: [Türkei]: Amasia: Kerasdere. **Range** (in code): **MA DZ Ah TN PT ES An Grn IT Si RO YU GR RU MD UA BY TR Cc IL Pa Hf LB Bei JO IQ Shq Rwz Mos Dia IR Fa**
- 78848. *Polyocha subcostella* (Hampson,1918)** (Pyalidae) **Synonym(s):** *subcostella* Hampson,1918 **Range** (in code): **CN Yu**
- 78849. *Polyocha tricoloralis* Hampson,1903** (Pyalidae) **Synonym(s):** *tricoloralis* Hampson,1903 **Range** (in code): **IN**
- 78850. *Polyocha venosa* (Zeller,1847)** (Pyalidae) **Synonym(s):** *venosa* Zeller,1847 **Original Reference:** *Epischnia venosa* Zeller,1847, Isis 1847: 31-32. Syntypes ♂♀: [Turkey]: Kellemish. **Range** (in code): **GR TR IL Pa Hf LB CY**
- 78851. *Polyocha vesiculella* Ragonot,1888** (Pyalidae) **Synonym(s):** *vesiculella* Ragonot,1888 **Range** (in code): **IN**
- 78852. *Polyochodes albidiscella* (Amsel,1954)** (Pyalidae) **Synonym(s):** *albidiscella* Amsel,1954 **IR Kh KuB Fa Shr QuK**
- 78853. *Polyochodes farsella* (Amsel,1951)** (Pyalidae) **Synonym(s):** *farsella* Amsel,1951 **Original Reference:** *Ardekania farsella* Amsel,1951, Arkiv zool. (n.s.) (2) 1 (36): 527, figs.4, 54. Syntypes 6 ♂: Iran, Comé 2600m 15.8. **Range** (in code): **TR IR Fa Com**
- 78854. *Polyochodes sefidella* (Amsel,1954)** (Pyalidae) **Synonym(s):** *sefidella* Amsel,1954 **IR Fa Sse Elb Th Kdj**
- 78855. *Polyochodes stipella* Chrétien,1911** (Pyalidae) **Synonym(s):** *stipella* Chrétien,1911 **TN GF ES**
- 78856. *Polyterpnes polyrrhoda* Turner,1932** (Pyalidae) **Synonym(s):** *polyrrhoda* Turner,1932 **Range** (in code): **AU**
- 78857. *Polythlipta annulifera* (Walker,1865)** (Pyalidae) **Synonym(s):** *annulifera* Walker,1865 **Range** (in code): **ZA Nta Kzu MG**
- 78858. *Polythlipta cerealis* (Lederer,1863)** (Pyalidae) **Synonym(s):** *cerealis* Lederer,1863; *vagalis* Walker,1865 **Range** (in code): **IN Ass Meg**
- 78859. *Polythlipta divaricata* Moore,1886** (Pyalidae) **Synonym(s):** *divaricata* Moore,1886 **Range** (in code): **LK TW**
- 78860. *Polythlipta macralis* Lederer,1863** (Pyalidae) **Synonym(s):** *macralis* Lederer,1863 **Range** (in code): **TH IN LK MM ID Bli Amb Bor Swk MY PG**
- 78861. *Polythlipta nodiferalis* Walker,1865** (Pyalidae) **Synonym(s):** *nodiferalis* Walker,1865 **Range** (in code): **ID Crm**
- 78862. *Postemmalocera cuprella* (Caradja,1925)** (Pyalidae) **Synonym(s):** *cuprella* Caradja,1925 **Range** (in code): **CN Kgs**
- 78863. *Postemmalocera palaeartella* (Turati,1917)** (Pyalidae) **Synonym(s):** *palaeartella* Turati,1917 **Range** (in code): **Si IT MT**
- 78864. *Potamomusa aquilonia* Yoshiyasu,1985** (Pyalidae) **Synonym(s):** *aquilonia* Yoshiyasu,1985 **Range** (in code): **JP**
- 78865. *Praeepischnia iranella* Amsel,1954** (Pyalidae) **Synonym(s):** *iranella* Amsel,1954 **Range** (in code): **IR Kh KuB**
- 78866. *Praerhinaphe monotona* Amsel,1954** (Pyalidae) **Synonym(s):** *monotona* Amsel,1954 **Range** (in code): **IR Ss**
- 78867. *Pramadea fraterna* (Moore,1885)** (Pyalidae) **Synonym(s):** *fraterna* Moore,1885 **Range** (in code): **PH Luz IN Ass LK**
- 78868. *Pramadea ridopalis* (Swinhoe,1892)** (Pyalidae) **Synonym(s):** *ridopalis* Swinhoe,1892 **Range** (in code): **PH Luz IN Ass Meg Khs MM Tns**
- 78869. *Pramadea textalis* (Lederer,1863)** (Pyalidae) **Synonym(s):** *textalis* Lederer,1863; *aenealis* Swinhoe,1885 **Range** (in code): **Pj SI IN Bba Poo PH Luz IN Sum Bor Clb ID**

- 78870. *Prasinoxena metaleuca* Hampson, 1912** (Pyralidae) Synonym(s): *metaleuca* Hampson, 1912 Range (in code): TH LK Bionomy: Larva on bark of *Lansium* (langsat) (Meliaceae), *Acacia mangium* (Fabaceae) (Robinson et al., 1994).
- 78871. *Prenesta anaemicalis* (Hampson, 1912)** (Pyralidae) Synonym(s): *anaemicalis* Hampson, 1912 Range (in code): PY
- 78872. *Prenesta evippealis* (Walker, 1859)** (Pyralidae) Synonym(s): *evippealis* Walker, 1859; *phryganurus* R. Felder & Rogenhofer, 1875; *auropurpurealis* Dognin, 1910 Range (in code): BR GF
- 78873. *Prenesta fenestrinalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *fenestrinalis* Guenée, 1854 Range (in code): BR
- 78874. *Prenesta fulvirufalis* (Hampson, 1917)** (Pyralidae) Synonym(s): *fulvirufalis* Hampson, 1917 Range (in code): PE
- 78875. *Prenesta ignefactalis* (Möschler, 1886)** (Pyralidae) Synonym(s): *ignefactalis* Möschler, 1886 Range (in code): JM
- 78876. *Prenesta iphiclalis* (Walker, 1859)** (Pyralidae) Synonym(s): *iphiclalis* Walker, 1859 Range (in code): BR
- 78877. *Prenesta latifascialis* (Snellen, 1875)** (Pyralidae) Synonym(s): *latifascialis* Snellen, 1875 Range (in code): CO
- 78878. *Prenesta luciferalis* (Möschler, 1881)** (Pyralidae) Synonym(s): *luciferalis* Möschler, 1881 Range (in code): SR
- 78879. *Prenesta nysalis* (Walker, 1859)** (Pyralidae) Synonym(s): *nysalis* Walker, 1859 Range (in code): BR
- 78880. *Prenesta ornamentalis* (Möschler, 1881)** (Pyralidae) Synonym(s): *ornamentalis* Möschler, 1881 Range (in code): JM
- 78881. *Prenesta philinoralis* (Walker, 1859)** (Pyralidae) Synonym(s): *philinoralis* Walker, 1859; *gealis* Walker, 1859; *#philenorals* Hampson, 1899 Range (in code): JM
- 78882. *Prenesta prosopaealis* (Walker, 1859)** (Pyralidae) Synonym(s): *prosopaealis* Walker, 1859 Range (in code): JM
- 78883. *Prenesta protenorals* (Walker, 1859)** (Pyralidae) Synonym(s): *protenorals* Walker, 1859 Range (in code): BR
- 78884. *Prenesta quadrifenestralis* (Herrich-Schäffer, 1871)** (Pyralidae) Synonym(s): *quadrifenestralis* Herrich-Schäffer, 1871 Range (in code): CU
- 78885. *Prenesta rubralis* (Hampson, 1899)** (Pyralidae) Synonym(s): *rubralis* Hampson, 1899 Range (in code): PE
- 78886. *Prenesta scyllalis* (Walker, 1859)** (Pyralidae) Synonym(s): *scyllalis* Walker, 1859; *turnusalis* Walker, 1859; *delicatalis* Lederer, 1863; *fabialis* Snellen, 1875 Range (in code): MX BR CO
- 78887. *Prenesta sunialis* Snellen, 1875** (Pyralidae) Synonym(s): *sunialis* Snellen, 1875 Range (in code): CO
- 78888. *Pretoria audeoudi* De Joannis, 1927** (Pyralidae) Synonym(s): *audeoudi* De Joannis, 1927 Range (in code): ZA
- 78889. *Pretoria hutchinsoni* Ragonot, 1893** (Pyralidae) Synonym(s): *hutchinsoni* Ragonot, 1893 Range (in code): ZA
- 78890. *Pretoria hutchinsoni hutchinsoni* Ragonot, 1893** (Pyralidae) Synonym(s): *hutchinsoni* Ragonot, 1893 Range (in code): ZA
- 78891. *Pretoria nigribasis* Balinsky, 1994** (Pyralidae) Synonym(s): *nigribasis* Balinsky, 1994 Range (in code): ZA Gau Jh Tra Tva
- 78892. *Prionapteron tenebrellum* (Hampson, 1896)** (Pyralidae) Synonym(s): *tenebrellum* Hampson, 1896; *sinensis* Hampson, 1919. Range (in code): CN Sz She Fkn Kwa
- 78893. *Prionapteryx achatina* Zeller, 1863** (Pyralidae) Synonym(s): *achatina* Zeller, 1863; *delectalis* Hulst, 1886 Range (in code): US Tx Arz
- 78894. *Prionapteryx acreonalis* (Walker, 1863)** (Pyralidae) Synonym(s): *acreonalis* Walker, 1863 Range (in code): LK
- 78895. *Prionapteryx africalis* Hampson, 1896** (Pyralidae) Synonym(s): *africalis* Hampson, 1896 Range (in code): ZR GH
- 78896. *Prionapteryx albescens* (Hampson, 1919)** (Pyralidae) Synonym(s): *albescens* Hampson, 1919 Range (in code): KE Nai
- 78897. *Prionapteryx albiceps* (Hampson, 1919)** (Pyralidae) Synonym(s): *albiceps* Hampson, 1919 Range (in code): ZA Ec

- 78898. *Prionapteryx albiceps albiceps* (Hampson,1919)** (Pyralidae) Synonym(s): *albiceps* Hampson,1919 Range (in code): ZA Ec
- 78899. *Prionapteryx albicostalis* (Hampson,1919)** (Pyralidae) Synonym(s): *albicostalis* Hampson,1919 Range (in code): IN Tn
- 78900. *Prionapteryx albimaculalis* (Hampson,1919)** (Pyralidae) Synonym(s): *albimaculalis* Hampson,1919; *pretoriella* Bleszynski,1970; *albimaculata* Mey,2011 Range (in code): ZA Tva Lpo Gau Pre
- 78901. *Prionapteryx albimaculalis albimaculalis* (Hampson,1919)** (Pyralidae) Synonym(s): *albimaculalis* Hampson,1919 Range (in code): ZA Tva Lpo
- 78902. *Prionapteryx albipennis* (Butler,1886)** (Pyralidae) Synonym(s): *albipennis* Butler,1886 Original Reference: Suratha albipennis Butler,1886, Proc. zool. Soc. Lond. 1886: 383. Type ♂: [Pakistan]: Campbellpore, 30th July 1885. Range (in code): IN Pj Sd PK Krc Cp
- 78903. *Prionapteryx albipunctella* Marion,1957** (Pyralidae) Synonym(s): *albipunctella* Marion,1957 Range (in code): SN
- 78904. *Prionapteryx albirenella* (Walker,1866)** (Pyralidae) Synonym(s): *albirenella* Walker,1866 Range (in code): IN ID Ja
- 78905. *Prionapteryx albirufalis* Hampson,1919** (Pyralidae) Synonym(s): *albirufalis* Hampson,1919 Range (in code): SD
- 78906. *Prionapteryx albistigma* (Wileman & South,1918)** (Pyralidae) Synonym(s): *albistigma* Wileman & South,1918 Range (in code): TW
- 78907. *Prionapteryx albofascialis* (Hampson,1919)** (Pyralidae) Synonym(s): *albofascialis* Hampson,1919 Range (in code): ZA Tva Lpo
- 78908. *Prionapteryx albofascialis albofascialis* (Hampson,1919)** (Pyralidae) Synonym(s): *albofascialis* Hampson,1919 Range (in code): ZA Tva Lpo
- 78909. *Prionapteryx albstigmata* (Rothschild,1921)** (Pyralidae) Synonym(s): *albstigmata* Rothschild,1921 Range (in code): DZ
- 78910. *Prionapteryx alternalis* Maes,2002** (Pyralidae) Synonym(s): *aficalis* Hampson,1919 *nec* Hamps.,1896; *alternalis* Maes,2002 Range (in code): SD
- 78911. *Prionapteryx alternalis alternalis* Maes,2002** (Pyralidae) Synonym(s): *aficalis* Hampson,1919 *nec* Hamps.,1896; *alternalis* Maes,2002 Range (in code): SD
- 78912. *Prionapteryx amselella* (Bleszynski,1965)** (Pyralidae) Synonym(s): *amselella* Bleszynski,1965 Range (in code): AF Srb
- 78913. *Prionapteryx arenalis* (Hampson,1919)** (Pyralidae) Synonym(s): *arenalis* Hampson,1919 Range (in code): IN Pj
- 78914. *Prionapteryx argentescens* (Hampson,1919)** (Pyralidae) Synonym(s): *argentescens* Hampson,1919 Range (in code): ZA Ec Tva Lpo
- 78915. *Prionapteryx argentescens argentescens* (Hampson,1919)** (Pyralidae) Synonym(s): *argentescens* Hampson,1919 Range (in code): ZA Ec Tva Lpo
- 78916. *Prionapteryx banaadirensis* Bassi,2013** (Pyralidae) Synonym(s): *banaadirensis* Bassi,2013 Range (in code): SO
- 78917. *Prionapteryx bergii* Zeller,1877** (Pyralidae) Synonym(s): *bergii* Zeller,1877 Range (in code): AR
- 78918. *Prionapteryx brevivittalis* Hampson,1919** (Pyralidae) Synonym(s): *brevivittalis* Hampson,1919 Range (in code): ZA Tva Lpo Nta Kzu
- 78919. *Prionapteryx brevivittalis brevivittalis* Hampson,1919** (Pyralidae) Synonym(s): *brevivittalis* Hampson,1919 Range (in code): ZA Tva Lpo Nta Kzu
- 78920. *Prionapteryx cuneolalis* (Hulst,1886)** (Pyralidae) Synonym(s): *cuneolalis* Hulst,1886 Range (in code): US Tx
- 78921. *Prionapteryx delicatella* Caradja,1927** (Pyralidae) Synonym(s): *delicatella* Caradja,1927 Range (in code): CN Sz T-T
- 78922. *Prionapteryx diaplecta* (Meyrick,1936)** (Pyralidae) Synonym(s): *diaplecta* Meyrick,1936 Range (in code): ZR RW
- 78923. *Prionapteryx diffusilinea* (Hampson,1919)** (Pyralidae) Synonym(s): *diffusilinea* Hampson,1919; *xylochroa* Turner,1947 Range (in code): AU NSW
- 78924. *Prionapteryx eberti* Bassi & Mey,2013** (Pyralidae) Synonym(s): *eberti* Bassi & Mey,2013 Range (in code): NA
- 78925. *Prionapteryx elongata* Zeller,1877** (Pyralidae) Synonym(s): *elongata* Zeller,1877 Range (in code): CO

- 78926. *Prionapteryx endoleuca* (Hampson,1919)** (Pyralidae) Synonym(s): *endoleuca* Hampson,1919 Range (in code): IL Pa EG EG61
- 78927. *Prionapteryx eugraphis* (Walker,1863)** (Pyralidae) Synonym(s): *eugraphis* Walker,1863 Range (in code): JM
- 78928. *Prionapteryx flavipars* (Hampson,1919)** (Pyralidae) Synonym(s): *flavipars* Hampson,1919 Range (in code): ZW
- 78929. *Prionapteryx flavipars flavipars* (Hampson,1919)** (Pyralidae) Synonym(s): *flavipars* Hampson,1919 Range (in code): ZW
- 78930. *Prionapteryx fuscilella* (Swinhoe,1895)** (Pyralidae) Synonym(s): *fuscilella* Swinhoe,1895 Range (in code): IN Bba Mh
- 78931. *Prionapteryx hedyscopa* (Lower,1905)** (Pyralidae) Synonym(s): *hedyscopa* Lower,1905 Range (in code): AU NSw
- 78932. *Prionapteryx indentella* (Kearfott,1908)** (Pyralidae) Synonym(s): *indentella* Kearfott,1908 Range (in code): US Tx
- 78933. *Prionapteryx invectalis* (Walker,1863)** (Pyralidae) Synonym(s): *invectalis* Walker,1863; *thysbesalis* Walker,1863 Range (in code): IN LK Shn MM ID Ja
- 78934. *Prionapteryx lancerotella* (Rebel,1892)** (Pyralidae) Synonym(s): *lancerotella* Rebel,1892 Original Reference: Hypotomorpha lancerotella Rebel,1892, Annln naturh. Mus. Wien 7: 253, pl.xvii fig.4. Range (in code): Cn
- 78935. *Prionapteryx margherita* (Bleszynski,1965)** (Pyralidae) Synonym(s): *margherita* Bleszynski,1965 Original Reference: Surattha margherita Bleszynski,1965, [in] Amsel, H.G. et al., Microlepid. Palaearct. 1: 443, figs. Holotype ♀: [Turkey]: Anatolien: "Adana, 14-16.June 34" (BMNH). Range (in code): TR
- 78936. *Prionapteryx marmorellus* South,1901** (Pyralidae) Synonym(s): *marmorellus* South,1901 Range (in code): CN Sz
- 78937. *Prionapteryx mesozonalis* Hampson,1919** (Pyralidae) Synonym(s): *mesozonalis* Hampson,1919 Range (in code):
- 78938. *Prionapteryx moghrebana* (D.Lucas,1954)** (Pyralidae) Synonym(s): *moghrebana* D.Lucas,1954 Range (in code): MA
- 78939. *Prionapteryx molybdella* (Hampson,1919)** (Pyralidae) Synonym(s): *molybdella* Hampson,1919 Range (in code): ZA
- 78940. *Prionapteryx molybdella molybdella* (Hampson,1919)** (Pyralidae) Synonym(s): *molybdella* Hampson,1919 Range (in code): ZA
- 78941. *Prionapteryx nebulifera* Stephens,1834** (Pyralidae) Synonym(s): *nebulifera* Stephens,1834 Range (in code): US Fl
- 78942. *Prionapteryx nephalia* Meyrick,1936** (Pyralidae) Synonym(s): *nephalia* Meyrick,1936 Range (in code): AR
- 78943. *Prionapteryx nigrifascialis* (Walker,1865)** (Pyralidae) Synonym(s): *nigrifascialis* Walker,1865; *albirenella* Walker,1866 Range (in code): IN PK Krc Sd LK Mhw Poo Mh
- 78944. *Prionapteryx obeliscota* (Meyrick,1936)** (Pyralidae) Synonym(s): *obeliscota* Meyrick,1936 Original Reference: Surattha obeliscota Meyrick,1936, Exot. Microlepid. 5: 21. Lectotype ♂: Lebanon: Beirut, designated by Bleszynski,1965 (BMNH). Range (in code): LB Bei CY TR
- 78945. *Prionapteryx ochrifasciata* (Hampson,1919)** (Pyralidae) Synonym(s): *ochrifasciata* Hampson,1919 Range (in code): KE
- 78946. *Prionapteryx phaeomesa* (Hampson,1919)** (Pyralidae) Synonym(s): *phaeomesa* Hampson,1919 Range (in code): TZ
- 78947. *Prionapteryx plumbealis* (Hampson,1919)** (Pyralidae) Synonym(s): *plumbealis* Hampson,1919 Range (in code): ZW
- 78948. *Prionapteryx plumbealis plumbealis* (Hampson,1919)** (Pyralidae) Synonym(s): *plumbealis* Hampson,1919 Range (in code): ZW
- 78949. *Prionapteryx rubricalis* Hampson,1919** (Pyralidae) Synonym(s): *rubricalis* Hampson,1919 Range (in code): NG
- 78950. *Prionapteryx rubrifusalis* (Hampson,1919)** (Pyralidae) Synonym(s): *rubrifusalis* Hampson,1919 Range (in code): KE
- 78951. *Prionapteryx rufistrigalis* (Fawcett,1917)** (Pyralidae) Synonym(s): *rufistrigalis* Fawcett,1917 Range (in code):

- 78952. *Prionapteryx santella* (Kearfott,1908)** (Pyralidae) Synonym(s): *santella* Kearfott,1908
Range (in code): US Arz
- 78953. *Prionapteryx scitulella* (Walker,1866)** (Pyralidae) Synonym(s): *scitulella* Walker,1866
Range (in code): IN
- 78954. *Prionapteryx selenalis* (Hampson,1919)** (Pyralidae) Synonym(s): *selenalis* Hampson,1919 Range (in code): ET
- 78955. *Prionapteryx selenalis selenalis* (Hampson,1919)** (Pyralidae) Synonym(s): *selenalis* Hampson,1919 Range (in code): ET
- 78956. *Prionapteryx serpentella* Kearfott,1908** (Pyralidae) Synonym(s): *serpentella* Kearfott,1908 Range (in code): US Lou Fl
- 78957. *Prionapteryx sinensis* Hampson,1919** (Pyralidae) Synonym(s): *sinensis* Hampson,1919
Range (in code): CN Sz
- 78958. *Prionapteryx somala* Bassi & Mey,2011** (Pyralidae) Synonym(s): *somala* Bassi & Mey,2011 Range (in code): SO
- 78959. *Prionapteryx soudanensis* (Hampson,1919)** (Pyralidae) Synonym(s): *soudanensis* Hampson,1919 Range (in code): SD SD95 SA BH IR AE AF
- 78960. *Prionapteryx spasmatika* Meyrick,1936** (Pyralidae) Synonym(s): *spasmatika* Meyrick,1936 Range (in code): AR
- 78961. *Prionapteryx splendida* Bassi & Mey,2011** (Pyralidae) Synonym(s): *splendida* Bassi & Mey,2011 Range (in code): ZA Ec
- 78962. *Prionapteryx strioliger* (Rothschild,1913)** (Pyralidae) Synonym(s): *strioliger* Rothschild,1913; *stroblei* Amsel,1953 Original Reference: Suratttha strioliger Rothschild,1913, Novit. zool. 20: 135. Syntypes: 3♂ 2♀: Algeria, Arefidji n. of Ouargla; half-way betw. Touggourt and Ouargla. Range (in code): DZ Ogl Tou SA IR AE
- 78963. *Prionapteryx taishanensis* Caradja,1937** (Pyralidae) Synonym(s): *taishanensis* Caradja,1937 Range (in code): CN Stg
- 78964. *Prionapteryx termia* (Meyrick,1885)** (Pyralidae) Synonym(s): *termia* Meyrick,1885
Range (in code): AU QAU
- 78965. *Prionapteryx texturella* Zeller,1877** (Pyralidae) Synonym(s): *texturella* Zeller,1877
Range (in code): TZ Zz
- 78966. *Prionapteryx thysbesalis* (Walker,1863)** (Pyralidae) Synonym(s): *thysbesalis* Walker,1863 Range (in code): in
- 78967. *Prionapteryx yavapai* Kearfott,1908** (Pyralidae) Synonym(s): *yavapai* Kearfott,1908
Range (in code): US Arz Col NMx
- 78968. *Prionotalis africanellus* (Strand,1909)** (Pyralidae) Synonym(s): *africanellus* Strand,1909
Original Reference: Talis africanellus Strand,1909, Ent. Rdsch. 26: 115. Syntypes: "Tanzania".
Range (in code): TZ
- 78969. *Prionotalis balia* (Tams,1932)** (Pyralidae) Synonym(s): *balia* Tams,1932; *phacodes* Meyrick,1934 Range (in code): KE ZR
- 78970. *Prionotalis peracutella* Hampson,1919** (Pyralidae) Synonym(s): *peracutella* Hampson,1919 Range (in code): KE GH NG
- 78971. *Pristathria akbarella* (Ragonot,1888)** (Pyralidae) Synonym(s): *akbarella* Ragonot,1888
Original Reference: Oligochroa akbarella Ragonot,1888, Nouv. gen. esp. Phycit. 1888: 20. Type: Karachi (MNHN). Range (in code): PK Krc IL Pa UZ IN Up Alh MM LK MY ID Sum Ja Lb Sbw PH Luz Mno AU
- 78972. *Pristathria mundalis* (Walker,1863)** (Pyralidae) Synonym(s): *mundalis* Walker,1863
Range (in code): IN MM LK MY ID Sum Ja Bli Lb Sbw Flo Clb Crm Kai PG AU
- 78973. *Pristocerella deltagrammella* (Ragonot,1888)** (Pyralidae) Synonym(s): *deltagrammella* Ragonot,1888 Original Reference: Pristocera deltagrammella Ragonot,1888, Nouv. gen. esp. Phycit. Galler. 888: 13. Type ♀: [Azerbaijan: Kirovabad]: "Helenendorf". Range (in code): Cc AZ Kir TR
- 78974. *Pristocerella solskyi* (Christoph,1877)** (Pyralidae) Synonym(s): *solskyi* Christoph,1877; *ochroleucella* Staudinger,1879; *bivitella* Christoph,1887. Original Reference: Myelois solskyi Christoph,1877, Horae Soc. ent. ross. 12: 287, Pl.8 fig.59. Lectotype ♂: [Iran]: Hadschyabad (Roesler, 1993: 136). Range (in code): Cc AM Eri AZ Kir TR IR Elb Th Shh Dam Mz Ha Fa Kd Km Lo Zj Shh IQ Ry Hjo TM Kp

- 78975. Proancylolus argenticostata Balinsky,1991** (Pyralidae) Synonym(s): *argenticostata Balinsky,1991* Range (in code):
- 78976. Proancylolus argenticostata argenticostata Balinsky,1991** (Pyralidae) Synonym(s): *argenticostata Balinsky,1991* Range (in code):
- 78977. Proceras indicus Kapur,1950** (Pyralidae) Synonym(s): *indicus Kapur,1950* Range (in code): **IN Ass Mad** Bionomy: Larva on Saccharum spontaneum, S. fuscum, Andropogon sorghum, Pennisetum typhoideum (Poaceae) (Kapur,1950).
- 78978. Proceras sacchariphagus (Bojer,1856)** (Pyralidae) Synonym(s): *sacchariphagus Bojer,1856; saccharellus Guenée,1862; mauriciellus Walker,1863; striatalis Snellen,1891.* Range (in code): **MU RE MG ID Clb Ja Sum Bli MY Prk SG TH PH Luz CN TW IN Ass LK** Bionomy: Larva on Saccharum (Sugar-cane) (Poaceae) (Kapur,1950).
- 78979. Proceras venosatus (Walker,1863)** (Pyralidae) Synonym(s): *venosatus Walker,1863; stramineella Caradja,1926.* Range (in code): **MY Prk SG Bor Swk ID Ja CN Stg Kgs Fkn Kwa TW JP** Bionomy: Larva on Saccharum (Sugar-cane) (Poaceae) (Kapur,1950).
- 78980. Proceratia caesariella Ragonot,1901** (Pyralidae) Synonym(s): *caesariella Ragonot,1901* Original Reference: Proceratia caesariella Ragonot,1901, [in] Romanoff, Mém. Lépid. 9: 197, Pl.42 fig.15. Lectotype ♂: [Türkei]: Cappadoce: Césarée [Kayseri] (designated by Roesler,1973, Microlepid. palaearkt. 4: 82 (MNHNP). Range (in code): **MA TN TR SY MN TM Kp**
- 78981. Proceratia fulvostrigella (Eversmann,1844)** (Pyralidae) Synonym(s): *fulvostrigella Eversmann,1844; fronticornella Herrich-Schäffer,1860.* Original Reference: Phycis fulvostrigella Eversmann,1844, Fauna lepid. Volgo-Uralensis: 562. Type ♂: Russia: Ural. Range (in code): **ES RO RU Ur Sr Cc Ro LY Cy EG Sn JO IL Pa**
- 78982. Prochoristis capparidis (Christoph,1876)** (Pyralidae) Synonym(s): *capparidis Christoph,1876* Range (in code): **IR Th Elb Kdj TM Kp TR Cc**
- 78983. Prochoristis crudalis (Lederer,1863)** (Pyralidae) Synonym(s): *crudalis Lederer,1863* Original Reference: Botys crudalis Lederer,1863, Wien. ent. Monatschr. 1863: 372, pl.10 fig. 5. Range (in code): **SY CY**
- 78984. Prochoristis malekalis Amsel,1961** (Pyralidae) Synonym(s): *malekalis Amsel,1961* Range (in code): **IR Ss PK Hu Psu**
- 78985. Prochoristis rupicapralis (Lederer,1855)** (Pyralidae) Synonym(s): *rupicapralis Lederer,1855* Original Reference: Botys rupicapralis Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 218-219, Taf.3 fig.12. Syntypes 1♂ 2♀: Libanon: Beirut. Range (in code): **GR IL Pa Hf CY LB Bei TM Kp AF Hr TR IQ Mos Kbl Rwz SY IR Fa Shr Ss Sse Mia AE** Bionomy: Larva probably on Capparis (Wiltshire,1957).
- 78986. Procunea siderea Hampson,1930** (Pyralidae) Synonym(s): *siderea Hampson,1930; lutzi Roesler,1983* Range (in code): **AU**
- 78987. Productalius tritaeniellus Marion,1954** (Pyralidae) Synonym(s): *tritaeniellus Marion,1954* Range (in code): **MG**
- 78988. Prolais elbursalis Amsel,1961** (Pyralidae) Synonym(s): *elbursalis Amsel,1961* Original Reference: Prolais elbursalis Amsel,1961, Ark. Zool. 13 (17): 410, Taf.v fig.217. Type ♂: Iran: Südseite des Elbursgebirges, Wiltshire leg. Range (in code): **IR Elb Th**
- 78989. Proleucinodes impuralis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *impuralis R.Felder & Rogenhofer,1875* Range (in code): **DO**
- 78990. Proleucinodes lucealis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *lucealis R.Felder & Rogenhofer,1875* Range (in code): **BR**
- 78991. Proleucinodes melanoleuca (Hampson,1913)** (Pyralidae) Synonym(s): *melanoleuca Hampson,1913* Range (in code): **PE**
- 78992. Proleucinodes xylopastalis (Schaus,1912)** (Pyralidae) Synonym(s): *xylopastalis Schaus,1912* Range (in code): **CR**
- 78993. Promylaea pyropa Meyrick,1899** (Pyralidae) Synonym(s): *pyropa Meyrick,1899* Range (in code): **Hw**
- 78994. Promylaea quadrifascia Swezey,1912** (Pyralidae) Synonym(s): *quadrifascia Swezey,1912* Range (in code): **Hw**
- 78995. Prooedema incisalis (Walker,[1866])** (Pyralidae) Synonym(s): *incisalis Walker,[1866]; #incisalis Robinson, Tuck & Schaffer,1994* Range (in code): **TH IN LK CN MM BN Bor MY Swk PH PG Clb AU SB**

- 78996. Propachys nigrivena Walker,1863** (Pyralidae) Synonym(s): *nigrivena* Walker,1863
Range (in code): IN NP CN TW
- 78997. Prophantis adusta Inoue,1986** (Pyralidae) Synonym(s): *adusta* Inoue,1986 Range (in code): AU
- 78998. Prophantis androstigmata (Hampson,1918)** (Pyralidae) Synonym(s): *androstigmata* Hampson,1918 Range (in code): AU
- 78999. Prophantis octoguttalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *octoguttalis* R.Felder & Rogenhofer,1875; *stenopalis* Mabilie,1880; *cofferlia* Bordage,1897; *#octogutale* Hampson,1899 Range (in code): ZA
- 79000. Prophantis smaragdina (Butler,1875)** (Pyralidae) Synonym(s): *smaragdina* Butler,1875
Range (in code): ZA
- 79001. Prophtasia platycerella Ragonot,1887** (Pyralidae) Synonym(s): *platycerella* Ragonot,1887
Original Reference: Prophtasia platycerella Ragonot,1887, Annl. Soc. ent. Fr. 1887: 259. Type(s): Armenie. Range (in code): DZ Omy Cc AM TR
- 79002. Prophtasia rosa Joannis,1927** (Pyralidae) Synonym(s): *rosa* Joannis,1927 Range (in code): ZA
- 79003. Prophtasia sphalmatella Hampson,1918** (Pyralidae) Synonym(s): *sphalmatella* Hampson,1918 Range (in code): ZA
- 79004. Prorasea gracealis Munroe,1974** (Pyralidae) Synonym(s): *gracealis* Munroe,1974 Range (in code): US Cf
- 79005. Prorasea sideralis (Dyar,1917)** (Pyralidae) Synonym(s): *sideralis* Dyar,1917 Range (in code): US Cf
- 79006. Prorasea simalis Grote,1878** (Pyralidae) Synonym(s): *simalis* Grote,1878 Range (in code): US
- 79007. Prorodes mimica Swinhoe,1894** (Pyralidae) Synonym(s): *mimica* Swinhoe,1894; *triparalis* W.Warren,1896; *albipunctata* W.Warren,1896. Range (in code): IN ID PG PH TW AU
- 79008. Prorophora (Aproceratia) afghanella Roesler,1973** (Pyralidae) Synonym(s): *afghanella* Roesler,1973 Range (in code): IR Ke AF Ca PK BI Qu
- 79009. Prorophora (Aproceratia) eberti (Amsel,1959)** (Pyralidae) Synonym(s): *eberti* Amsel,1959 Range (in code): AF Dwe
- 79010. Prorophora (Aproceratia) senganella (Amsel,1951)** (Pyralidae) Synonym(s): *senganella* Amsel,1951; *richteri* Amsel,1959. Range (in code): IR Ss Irs Elb Th PK BI Qu
- 79011. Prorophora (Reisserempista) binacantha Liu & Li,2012** (Pyralidae) Synonym(s): *binacantha* Liu & Li,2012 Range (in code): CN IMn
- 79012. Prorophora (Reisserempista) mongolica Roesler,1970** (Pyralidae) Synonym(s): *mongolica* Roesler,1970 Range (in code): MN CN Gn IMn
- 79013. Prorophora (s.str.) albidogilvella Roesler,1970** (Pyralidae) Synonym(s): *albidogilvella* Roesler,1970 Range (in code): MN CN IMn Gn
- 79014. Prorophora (s.str.) curvibasella Ragonot,1887** (Pyralidae) Synonym(s): *curvibasella* Ragonot,1887 Original Reference: Prorophora curvibasella Ragonot,1887, Annl. Soc. ent. Fr. 1887: 252. Type ♂: [Uzbekistan]: Namangan (MNHNP). Range (in code): UZ Nmg Fe TM Kp Krn IR Elb Th Fa AF IQ Mos
- 79015. Prorophora (s.str.) dialeuca Hampson,1912** (Pyralidae) Synonym(s): *dialeuca* Hampson,1912 Range (in code): LK
- 79016. Prorophora (s.str.) kazachstaniella Asselbergs,2004** (Pyralidae) Synonym(s): *kazachstaniella* Asselbergs,2004 Original Reference: Prorophora (s.str.) kazachstaniella Asselbergs,2004, Nota lepid. 27 (1): 57, figs.4,7. Holotype ♂: W. Kazakhstan, 10km SW Kulsari 6 v 2000 leg. V.Karalius & J.Miatleuski (ITZA). Range (in code): KG
- 79017. Prorophora (s.str.) sacculicornella Roesler,1970** (Pyralidae) Synonym(s): *sacculicornella* Roesler,1970 Range (in code): MN
- 79018. Prosaris pulvereana Hampson,1906** (Pyralidae) Synonym(s): *pulvereana* Hampson,1906
Range (in code): ZA
- 79019. Prosaris rufalis Hampson,1906** (Pyralidae) Synonym(s): *rufalis* Hampson,1906 Range (in code): ZA
- 79020. Prosthenia xyloryctella Hampson,1917** (Pyralidae) Synonym(s): *xyloryctella* Hampson,1917; *peridiota* Turner,1922 Range (in code): AU
- 79021. Protepicorsia agraptalis (Dognin,1903)** (Pyralidae) Synonym(s): *agraptalis* Dognin,1903
Range (in code): EC

- 79022. *Protepicorsia albipennis* (Dognin,1903)** (Pyrilidae) Synonym(s): *albipennis* Dognin,1903 Range (in code): EC
- 79023. *Protepicorsia bicolor* Munroe,1964** (Pyrilidae) Synonym(s): *bicolor* Munroe,1964 Range (in code): BR
- 79024. *Protepicorsia costalis* (Dognin,1903)** (Pyrilidae) Synonym(s): *costalis* Dognin,1903 Range (in code): EC
- 79025. *Protepicorsia ectoxanthia* (Hampson,1899)** (Pyrilidae) Synonym(s): *ectoxanthia* Hampson,1899 Range (in code): BR
- 79026. *Protepicorsia flavidalis* (Hampson,1913)** (Pyrilidae) Synonym(s): *flavidalis* Hampson,1913; *melanosoma* Hampson,1918 Range (in code): PE
- 79027. *Protepicorsia latimarginalis* Munroe,1964** (Pyrilidae) Synonym(s): *latimarginalis* Munroe,1964 Range (in code): BO
- 79028. *Protepicorsia maculifera* Munroe,1964** (Pyrilidae) Synonym(s): *maculifera* Munroe,1964 Range (in code): BO
- 79029. *Protepicorsia magnifovealis* (Hampson,1918)** (Pyrilidae) Synonym(s): *magnifovealis* Hampson,1918 Range (in code): PE
- 79030. *Protepicorsia pozuzoa* Munroe,1964** (Pyrilidae) Synonym(s): *pozuzoa* Munroe,1964 Range (in code): PE
- 79031. *Protepicorsia quincemila* Munroe,1978** (Pyrilidae) Synonym(s): *quincemila* Munroe,1978 Range (in code): PE
- 79032. *Protepicorsia sordida* Munroe,1978** (Pyrilidae) Synonym(s): *sordida* Munroe,1978 Range (in code): BO
- 79033. *Protepicorsia thyriphora* (Hampson,1899)** (Pyrilidae) Synonym(s): *thyriphora* Hampson,1899 Range (in code): BR
- 79034. *Protoetiella bipunctella* Inoue,1959** (Pyrilidae) Synonym(s): *bipunctella* Inoue,1959 Range (in code): JP
- 79035. *Protoetiella cryptadia* (Turner,1913)** (Pyrilidae) Synonym(s): *cryptadia* Turner,1913 Range (in code): AU
- 79036. *Protoetiella venustella* (Hampson,1896)** (Pyrilidae) Synonym(s): *venustella* Hampson,1896 Range (in code): TH IN MY ID Sum BN Bor Sbh Swk PG AU
- 79037. *Protonoceras argocephala* (Lower,1903)** (Pyrilidae) Synonym(s): *argocephala* Lower,1903; *metriodes* Turner,1908 Range (in code): AU
- 79038. *Protonoceras capitalis* (Fabricius,1794)** (Pyrilidae) Synonym(s): *capitalis* Fabricius,1794 Range (in code): IN LK CN TW
- 79039. *Protonoceras eucosma* (Turner,1908)** (Pyrilidae) Synonym(s): *eucosma* Turner,1908 Range (in code): AU
- 79040. *Protonoceras leucocosma* (Turner,1908)** (Pyrilidae) Synonym(s): *leucocosma* Turner,1908 Range (in code): AU
- 79041. *Protonoceras mitis* (Turner,1937)** (Pyrilidae) Synonym(s): *mitis* Turner,1937 Range (in code): AU
- 79042. *Protyparcha scaphodes* Meyrick,1909** (Pyrilidae) Synonym(s): *scaphodes* Meyrick,1909 Range (in code): NZ
- 79043. *Psammotis orientalis* Munroe & Mutuura,1968** (Pyrilidae) Synonym(s): *orientalis* Munroe & Mutuura,1968 Range (in code): RU CN Mc Am Prj Us KP KR VI
- 79044. *Psammotis pulveralis* (Hübner,1796)** (Pyrilidae) Synonym(s): *pulveralis* Hübner,1796 Original Reference: *Pyralis pulveralis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.17 fig.109. Type(s): Europa. Range (in code): ES FR Co Sa IT GB NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK TR IQ Ry LB Bsa NO SE FI EE LV LT RU MD UA BY IR Elb Kdv Gor Shh Fa Sse Ha Yz Kh KG Tk Dj Ii AF Slg Shah Kot Adr Shv Pag Bionomy: Larva on *Mentha aquatica* (Lamiaceae) (Beirne,1954).
- 79045. *Psammotis spissalis* (Guenée,1854)** (Pyrilidae) Synonym(s): *spissalis* Guenée,1854 Original Reference: *Botys spissalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 327. Type ♀: [Indonesia]: "Java". Range (in code): IN ID Ja TW
- 79046. *Psammotis turkestanica* Munroe & Mutuura,1968** (Pyrilidae) Synonym(s): *turkestanica* Munroe & Mutuura,1968 Original Reference: *Psammotis turkestanica* Munroe & Mutuura,1968, Can. Ent. 100: 974-976, figs. Holotype ♂: [Kazakhstan]: Fort Narine, Prov. Semirehgencee, East Turkestan leg. G.S.Akulin (BMNH). Range (in code): KG Tk Nrk

- 79047. *Psara aprepi* (Hampson,1913)** (Pyralidae) Synonym(s): *aprepi* Hampson,1913 Range (in code): ZA
- 79048. *Psara atritermina* (Hampson,1913)** (Pyralidae) Synonym(s): *atritermina* Hampson,1913 Range (in code): ZA
- 79049. *Psara basalis* (Walker,[1866])** (Pyralidae) Synonym(s): *basalis* Walker,[1866]; *inanitalis* Lederer,1863 Range (in code): IN LK ID Ja TW ZA
- 79050. *Psara cynaralis* (Walker,1859)** (Pyralidae) Synonym(s): *cynaralis* Walker,1859 Range (in code): IN LK TW
- 79051. *Psara dilatatipes* (Walker,[1866])** (Pyralidae) Synonym(s): *dilatatipes* Walker,[1866] Range (in code): IN TW
- 79052. *Psara dorcalis* (Guenée,1863)** (Pyralidae) Synonym(s): *dorcalis* Guenée,1863; *grisealis* Kenrick,1917 Range (in code): ZA
- 79053. *Psara elongalis* (W.Warren,1892)** (Pyralidae) Synonym(s): *elongalis* W.Warren,1892 Range (in code): TW
- 79054. *Psara hipponalis* (Walker,1859)** (Pyralidae) Synonym(s): *hipponalis* Walker,1859 Range (in code): LK AU PH TW
- 79055. *Psara mimeticalis* (Hering,1901)** (Pyralidae) Synonym(s): *mimeticalis* Hering,1901 Range (in code): ID Sum TW
- 79056. *Psara pallidalis* (Hampson,1913)** (Pyralidae) Synonym(s): *pallidalis* Hampson,1913; *aethiopica* Strand,1916 Range (in code): ZA IR Enz
- 79057. *Psara stultalis* (Walker,1859)** (Pyralidae) Synonym(s): *stultalis* Walker,1859 Range (in code): WS PC PG AU MY IN
- 79058. *Psara subalbescens* (Swinhoe,1894)** (Pyralidae) Synonym(s): *subalbescens* Swinhoe,1894 Range (in code): IN TW
- 79059. *Psara taiwanalis* Shibuya,1928** (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928 Range (in code): TW
- 79060. *Psephis gomalis* Schaus,1920** (Pyralidae) Synonym(s): *gomalis* Schaus,1920 Range (in code): GT
- 79061. *Psephis ministralis* Dyar,1914** (Pyralidae) Synonym(s): *ministralis* Dyar,1914 Range (in code): PA
- 79062. *Psephis myrmidonalis* Guenée,1854** (Pyralidae) Synonym(s): *myrmidonalis* Guenée,1854; *trifunalis* Lederer,1863 Range (in code): VE
- 79063. *Pseudacritonia albidella* Asselbergs,2008** (Pyralidae) Synonym(s): *albidella* Asselbergs,2008 Range (in code): AE
- 79064. *Pseudarenipses insularum* Speidel & Schmitz,1991** (Pyralidae) Synonym(s): *insularum* Speidel & Schmitz,1991 Range (in code): ES
- 79065. *Pseudargyria interruptella* (Walker,1866)** (Pyralidae) Synonym(s): *interruptella* Walker,1866; *inficella* Walker,1866; *obliquella* Zeller,1877; *candida* Butler,1881; *centralis* Suzuki,1915. Range (in code): JP Hkk Kyu CN Kgs Yu She Kwa Sz KP KR
- 79066. *Pseudargyria marginepunctalis* (Hampson,1896)** (Pyralidae) Synonym(s): *marginepunctalis* Hampson,1896 Range (in code): IN SI Pj
- 79067. *Pseudargyria paralela* (Zeller,1867)** (Pyralidae) Synonym(s): *paralela* Zeller,1867 Range (in code): IN Djl Meg Khs Ass SI MM
- 79068. *Pseudargyria parallellus* Zeller,1867** (Pyralidae) Synonym(s): *parallellus* Zeller,1867 Range (in code): TH IN MM MY
- 79069. *Pseudepicorsia boliviensis* Munroe,1964** (Pyralidae) Synonym(s): *boliviensis* Munroe,1964 Range (in code): BO
- 79070. *Pseudepicorsia flavidensalis* (W.Warren,1889)** (Pyralidae) Synonym(s): *flavidensalis* W.Warren,1889; *thermicruralis* Hampson,1899 Range (in code): PY BR
- 79071. *Pseudepicorsia septentrionis* Munroe,1964** (Pyralidae) Synonym(s): *septentrionis* Munroe,1964 Range (in code): PE
- 79072. *Pseudepicorsia trispinalis* (Amsel,1956)** (Pyralidae) Synonym(s): *trispinalis* Amsel,1956 Range (in code): VE
- 79073. *Pseudobissetia terrestrella* (Christoph,1885)** (Pyralidae) Synonym(s): *terrestrella* Christoph,1885; *hypenalis* Rebel,1910; *tozeurellus* Lucas,1911 Original Reference: Chilo terrestrella Christoph,1885, [in] Romanoff, Mém. Lépid. 2:151, Taf.8 fig.2. Type ♀: [Turkmenia]: Askhabad.

- Range (in code): **ES Si IT RO BG TN JO TM Kp SY IR Kh Gh Tgo UZ Br KK Ik CN Ui** Bionomy: Larva on Zea mays (Bodenheimer,1930; Bleszynski,1965).
- 79074. Pseudobissetia ustalis (Hampson,1919)** (Pyralidae) Synonym(s): *ustalis* Hampson,1919
Range (in code): **IN Ass**
- 79075. Pseudocadra cuprotaeniella (Christoph,1881)** (Pyralidae) Synonym(s): *cuprotaeniella* Christoph,1881
Range (in code): **RU Vv CN Yu Tkg**
- 79076. Pseudocadra exiguella Roesler,1965** (Pyralidae) Synonym(s): *exiguella* Roesler,1965
Range (in code): **CN Tkg**
- 79077. Pseudocadra micronella (Inoue,1959)** (Pyralidae) Synonym(s): *micronella* Inoue,1959
Range (in code): **JP**
- 79078. Pseudocadra obscurella Roesler,1965** (Pyralidae) Synonym(s): *obscurella* Roesler,1965
Range (in code): **CN Tkg Hun NP**
- 79079. Pseudocatharylla agraphella (Hampson,1919)** (Pyralidae) Synonym(s): *agrappellus* Hampson,1919
Range (in code): **SC**
- 79080. Pseudocatharylla albiceps (Hampson,1912)** (Pyralidae) Synonym(s): *albiceps* Hampson,1912
Range (in code): **LK**
- 79081. Pseudocatharylla albivena (Okano,1960)** (Pyralidae) Synonym(s): *albivena* Okano,1960
Range (in code): **JP**
- 79082. Pseudocatharylla angolica Bleszynski,1964** (Pyralidae) Synonym(s): *angolica* Bleszynski,1964
Range (in code): **AO ZA**
- 79083. Pseudocatharylla antiopa Bleszynski,1964** (Pyralidae) Synonym(s): *antiopa* Bleszynski,1964
Range (in code): **ZA**
- 79084. Pseudocatharylla auricinctalis (Walker,1863)** (Pyralidae) Synonym(s): *auricinctalis* Walker,1863; *argenticilia* Hampson,1919
Range (in code): **ZA**
- 79085. Pseudocatharylla auricinctalis auricinctalis (Walker,1863)** (Pyralidae) Synonym(s): *auricinctalis* Walker,1863; *argenticilia* Hampson,1919
Range (in code): **ZA**
- 79086. Pseudocatharylla aurifimbriella (Hampson,1896)** (Pyralidae) Synonym(s): *aurifimbriellus* Hampson,1896; *mandarinellus* Caradja,1925.
Range (in code): **VN Ton CN Kwa**
- 79087. Pseudocatharylla bifasciella (Snellen,1893)** (Pyralidae) Synonym(s): *bifasciella* Snellen,1893
Range (in code): **ID Clb**
- 79088. Pseudocatharylla calypso Bassi,1999** (Pyralidae) Synonym(s): *calypso* Bassi,1999
Range (in code): **ZA**
- 79089. Pseudocatharylla chalciptera (Hampson,1896)** (Pyralidae) Synonym(s): *chalcipterus* Hampson,1896
Original Reference: Crambus chalcipterus Hampson,1896, Fauna Br. India 4: 13. Syntypes ♂♀: India: Khasis (BMNH).
Range (in code): **IN Meg Ass Khs**
- 79090. Pseudocatharylla chalciptera chalciptera (Hampson,1896)** (Pyralidae) Synonym(s): *chalcipterus* Hampson,1896
Original Reference: Crambus chalcipterus Hampson,1896, Fauna Br. India 4: 13. Syntypes ♂♀: India: Khasis (BMNH).
Range (in code): **IN Meg Ass Khs**
- 79091. Pseudocatharylla chionoepela (Hampson,1919)** (Pyralidae) Synonym(s): *chionostola* Hampson,1919 nec Hamps.,1919; *chionoepela* Hampson,1919.
Range (in code): **LK**
- 79092. Pseudocatharylla duplicella (Hampson,1896)** (Pyralidae) Synonym(s): *duplicella* Hampson,1896; *anpingiellus* Strand,1918; *distinctellus* Hampson,1919.
Range (in code): **TW VN Ton CN Kgs Tkg MY LK**
- 79093. Pseudocatharylla flavipedella (Zeller,1852)** (Pyralidae) Synonym(s): *flavipedellus* Zeller,1852
Original Reference: Crambus flavipedellus Zeller,1852, K. svenska vetensk. Akad. Handl. 1852: 73. Type ♂: [South Africa]: Natal.
Range (in code): **ZA Nta Kzu**
- 79094. Pseudocatharylla flavipedella flavipedella (Zeller,1852)** (Pyralidae) Synonym(s): *flavipedellus* Zeller,1852
Original Reference: Crambus flavipedellus Zeller,1852, K. svenska vetensk. Akad. Handl. 1852: 73. Type ♂: [South Africa]: Natal.
Range (in code): **ZA Nta Kzu**
- 79095. Pseudocatharylla inclaralis (Walker,1863)** (Pyralidae) Synonym(s): *inclaralis* Walker,1863; *brachypterellus* Walker,1866; *flavoflabellus* Caradja,1925; *albivena* Okano,1960.
Original Reference: Crambus inclaralis Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 168.
Range (in code): **IN RU Am CN KP KR TW CN Kgs Fkn Kwa Stg Mc Jn JP Kyu**
- 79096. Pseudocatharylla infixella (Walker,1863)** (Pyralidae) Synonym(s): *infixella* Walker,1863; *anpingicola* Strand,1918; *impurella* Wileman & South,1918.
Original Reference: Crambus infixellus Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 27: 167.
Range (in code): **CN Stg Kwa Kgs JP KP KR TW**

- 79097. *Pseudocatharylla innotalis* (Hampson,1919)** (Pyralidae) **Synonym(s):** *innotalis* Hampson,1919 **Range (in code):** **CN**
- 79098. *Pseudocatharylla mea* (Strand,1918)** (Pyralidae) **Synonym(s):** *meus* Strand,1918 **Range (in code):** **TW**
- 79099. *Pseudocatharylla mikengella* Bleszynski,1964** (Pyralidae) **Synonym(s):** *mikengella* Bleszynski,1964; *submikengella* Bleszynski,1964 **Range (in code):** **AO**
- 79100. *Pseudocatharylla nigricosta* (Hampson,1891)** (Pyralidae) **Synonym(s):** *nigricosta* Hampson,1891 **Range (in code):** **IN NI**
- 79101. *Pseudocatharylla nigrociliella* (Zeller,1863)** (Pyralidae) **Synonym(s):** *nigrociliella* Zeller,1863; *#nigrociliella* Hampson,1896. **Range (in code):** **JP CN IN Drm Hp Bba**
- 79102. *Pseudocatharylla peralbella* (Hampson,1919)** (Pyralidae) **Synonym(s):** *peralbellus* Hampson,1919 **Range (in code):** **NG GH**
- 79103. *Pseudocatharylla peralbella peralbella* (Hampson,1919)** (Pyralidae) **Synonym(s):** *peralbellus* Hampson,1919 **Range (in code):** **NG GH**
- 79104. *Pseudocatharylla photoleuca* (Lower,1903)** (Pyralidae) **Synonym(s):** *photoleuca* Lower,1903 **Range (in code):** **AU**
- 79105. *Pseudocatharylla polyxena* Bleszynski,1964** (Pyralidae) **Synonym(s):** *polyxena* Bleszynski,1964 **Range (in code):** **ZA**
- 79106. *Pseudocatharylla simplex* (Zeller,1877)** (Pyralidae) **Synonym(s):** *simplex* Zeller,1877; *immaturellus* Christoph,1881. **Range (in code):** **JP Kyu RU Vv Prj Us CN Ti Tkg**
- 79107. *Pseudocatharylla xantholeuca* (Meyrick,1933)** (Pyralidae) **Synonym(s):** *xantholeuca* Meyrick,1933 **Range (in code):** **ZR**
- 79108. *Pseudocatharylla xymena* Bleszynski,1964** (Pyralidae) **Synonym(s):** *xymena* Bleszynski,1964 **Range (in code):** **ZA**
- 79109. *Pseudocera trissosticha* (Turner,1932)** (Pyralidae) **Synonym(s):** *trissosticha* Turner,1932 **Range (in code):** **AU SAu Ade**
- 79110. *Pseudoceroprepes piratis* (Meyrick,1887)** (Pyralidae) **Synonym(s):** *piratis* Meyrick,1887 **Range (in code):** **AU**
- 79111. *Pseudoclasseyia sinuosella* (South,1901)** (Pyralidae) **Synonym(s):** *sinuosella* South,1901 **Range (in code):** **CN Sz T-T Yu**
- 79112. *Pseudodavara haemaphoralis* (Hampson,1908)** (Pyralidae) **Synonym(s):** *haemaphoralis* Hampson,1908 **Range (in code):** **TH BN Sbh Bor PG IN Meg Ass Khs LK MM ID Sum PH Mno Adl Ls SB Rs**
- 79113. *Pseudodavara* sp.A** (Pyralidae) **Synonym(s):** **Range (in code):** **AU**
- 79114. *Pseudogetulia luminosa* Balinsky,1994** (Pyralidae) **Synonym(s):** *luminosa* Balinsky,1994 **Range (in code):** **ZA Tva**
- 79115. *Pseudogetulia luminosa luminosa* Balinsky,1994** (Pyralidae) **Synonym(s):** *luminosa* Balinsky,1994 **Range (in code):** **ZA Tva**
- 79116. *Pseudographis dermatina* Balinsky,1989** (Pyralidae) **Synonym(s):** *dermatina* Balinsky,1989 **Range (in code):** **ZA Gau Tva Pre**
- 79117. *Pseudographis mesosema* Balinsky,1989** (Pyralidae) **Synonym(s):** *mesosema* Balinsky,1989 **Range (in code):** **ZA Wca Cto Ec Ste**
- 79118. *Pseudographis* sp.** (Pyralidae) **Synonym(s):** **Range (in code):** **ZA Ec Ste**
- 79119. *Pseudoligostigma argyractalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *argyractalis* Schaus,1912 **Range (in code):** **CR**
- 79120. *Pseudoligostigma boliviensis* (Munroe,1964)** (Pyralidae) **Synonym(s):** *boliviensis* Munroe,1964 **Range (in code):** **BO**
- 79121. *Pseudoligostigma enallassalis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *enallassalis* Dyar,1914 **Range (in code):** **PA**
- 79122. *Pseudoligostigma enantialis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *enantialis* Dyar,1914 **Range (in code):** **PA**
- 79123. *Pseudoligostigma enareralis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *enareralis* Dyar,1914 **Range (in code):** **PA**
- 79124. *Pseudoligostigma heptopalis* (Hampson,1908)** (Pyralidae) **Synonym(s):** *heptopalis* Hampson,1908 **Range (in code):** **BR**
- 79125. *Pseudoligostigma incisa* Strand,1920** (Pyralidae) **Synonym(s):** *incisa* Strand,1920 **Range (in code):** **TT**

- 79126. *Pseudoligostigma odulphalis* (Schaus,1924)** (Pyralidae) **Synonym(s):** *odulphalis* Schaus,1924 Range (in code): **GT**
- 79127. *Pseudoligostigma phaeomerialis* (Hampson,1917)** (Pyralidae) **Synonym(s):** *phaeomerialis* Hampson,1917 Range (in code): **BO**
- 79128. *Pseudoligostigma punctissimalis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *punctissimalis* Dyar,1914 Range (in code): **PA**
- 79129. *Pseudoligostigma teliferalis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *teliferalis* Dyar,1914 Range (in code): **PA**
- 79130. *Pseudolithosia schausi* Hampson,1907** (Pyralidae) **Synonym(s):** *schausi* Hampson,1907 Range (in code): **MX**
- 79131. *Pseudomegasis gabalitella* Chrétien,1931** (Pyralidae) **Synonym(s):** *gabalitella* Chrétien,1931 Range (in code):
- 79132. *Pseudometachilo diatraeellus* (Hampson,1896)** (Pyralidae) **Synonym(s):** *diatraeellus* Hampson,1896; *distictellus* Hampson,1896 Range (in code): **GY BR**
- 79133. *Pseudonoorda ecthaemata* (Hampson,1913)** (Pyralidae) **Synonym(s):** *ecthaemata* Hampson,1913 Range (in code): **ZA**
- 79134. *Pseudonoorda hemileuca* (Turner,1933)** (Pyralidae) **Synonym(s):** *hemileuca* Turner,1933 Range (in code): **AU**
- 79135. *Pseudonoorda metalloma* (Lower,1903)** (Pyralidae) **Synonym(s):** *metalloma* Lower,1903 Range (in code): **AU**
- 79136. *Pseudonoorda nigropunctalis* (Hampson,1899)** (Pyralidae) **Synonym(s):** *nigropunctalis* Hampson,1899 **Original Reference:** Noorda *nigropunctalis* Hampson,1899, Proc. zool. Soc. London 1899: 222. Type: [Malaysia]: Perak. Range (in code): **TH MY Prk SG ID Sum BN Bor Swk**
- 79137. *Pseudonoorda rubricostalis* (Hampson,1910)** (Pyralidae) **Synonym(s):** *rubricostalis* Hampson,1910 Range (in code): **ZA**
- 79138. *Pseudophycita deformella* (Möschler,1866)** (Pyralidae) **Synonym(s):** *deformella* Möschler,1866 **Original Reference:** *Laodamia deformella* Möschler,1866, Berl. ent. Z. 1866: 147. Range (in code): **RU Sr KG Tk Dj Tar CN Ui Ku**
- 79139. *Pseudopyrausta acutangulalis* (Snellen,1875)** (Pyralidae) **Synonym(s):** *acutangulalis* Snellen,1875 Range (in code): **CO**
- 79140. *Pseudopyrausta craftsialis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *craftsialis* Dyar,1914 Range (in code): **PA**
- 79141. *Pseudopyrausta cubanalis* (Schaus,1920)** (Pyralidae) **Synonym(s):** *cubanalis* Schaus,1920 Range (in code): **CU**
- 79142. *Pseudopyrausta marginalis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *marginalis* Dyar,1914 Range (in code): **PA**
- 79143. *Pseudopyrausta minima* (Hedemann,1894)** (Pyralidae) **Synonym(s):** *minima* Hedemann,1894 Range (in code): **VI**
- 79144. *Pseudopyrausta santatalis* (Barnes & McDunnough,1914)** (Pyralidae) **Synonym(s):** *santatalis* Barnes & McDunnough,1914 Range (in code): **US Tx**
- 79145. *Pseudoschoenobius opalescalis* (Hulst,1866)** (Pyralidae) **Synonym(s):** *opalescalis* Hulst,1866; *saganella* Hulst,1870; *griseosparsa* Hampson,1896 Range (in code): **US**
- 79146. *Pseudosyria ambustiella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *ambustiella* Ragonot,1887 **Original Reference:** *Pempelia ambustiella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 244. Type: "Armenié". Range (in code): **Cc AM TR**
- 79147. *Pseudosyria enderleini* (Rebel,1934)** (Pyralidae) **Synonym(s):** *enderleini* Rebel,1934 Range (in code): **ES**
- 79148. *Pseudosyria fibrivora* (Meyrick,1934)** (Pyralidae) **Synonym(s):** *fibrivora* Meyrick,1934 Range (in code): **SD**
- 79149. *Pseudosyria macedoniella* (Ragonot,1887)** (Pyralidae) **Synonym(s):** *macedoniella* Ragonot,1887 Range (in code): **MK**
- 79150. *Pseudosyria malacella* (Staudinger,1870)** (Pyralidae) **Synonym(s):** *malacella* Staudinger,1870; *punctigerella* Caradja,1910; *gracilis* Rebel,1927. Range (in code): **ES TN Gf DZ EG AE**
- 79151. *Pseudosyria sororiella* (Zeller,1839)** (Pyralidae) **Synonym(s):** *sororiella* Zeller,1839; *marilella* Guenée,1845; *jucundella* Mann,1864; *satureiella* Millièrre,1873; *iranella* Roesler,1969; *klimeschi* Roesler,1969; *#minima* Roesler,1969 Range (in code): **DZ Bsk PT ES FR Co Sa Si IT MT CH AT HU YU AL BG GR Cr TR IR Fa Shr Elb Mz IL Pa Hf**

- 79152. *Psorosa africana* Balinsky,1991** (Pyralidae) Synonym(s): *africana* Balinsky,1991 Range (in code): ZA
- 79153. *Psorosa dahliella* (Treitschke,1832)** (Pyralidae) Synonym(s): *dahliella* Treitschke,1832; *bivitella* Duponchel,1836; *flavifasciella* Hampson,1901 Range (in code): PT ES FR Co Sa Si IT CH SK HU RO YU BG GR CY TR IQ Ama Ssa IL Pa Hf RU MD UA BY IR Dam Plr Elb Mz Gor Shh
- 79154. *Psorosa flammealis* (Hampson,1899)** (Pyralidae) Synonym(s): *flammealis* Hampson,1899 Range (in code): Sk
- 79155. *Psorosa lacteomarginata* (Costa,1888)** (Pyralidae) Synonym(s): *lacteomarginata* Costa,1888 Range (in code): Sa
- 79156. *Psorosa maraschella* Caradja,1910** (Pyralidae) Synonym(s): *maraschella* Caradja,1910 Original Reference: *Psorosa maraschella* Caradja,1910, Dt. ent. Z., Iris 24: 128. Syntypes 26 ♂♀: [Türkei]: Marasch (coll. Caradja). Range (in code): TR IR Elb Mz Th Kdj Ke Fa Sse Nss
- 79157. *Psorosa mechedella* Amsel,1954** (Pyralidae) Synonym(s): *mechedella* Amsel,1954 Range (in code): IR Kh KuB
- 79158. *Psorosa myrmidonella* Ragonot,1901** (Pyralidae) Synonym(s): *myrmidonella* Ragonot,1901 Range (in code): ZA
- 79159. *Psorosa nucleolella* (Möschler,1866)** (Pyralidae) Synonym(s): *nucleolella* Möschler,1866; *clarella* Caradja,1910; *#luteostrigella* Caradja,1910; *mediterranea* Amsel,1953. Range (in code): PT ES Mu Si FR IT YU TR Cc IQ Shq Bgd Amr RU KG Uk Tk Dj IR Elb Plr Kdv Mz Shh Ss Irs Ana Ke Kz Sde AF Hr MN
- 79160. *Psorosa tergestella* Ragonot,1901** (Pyralidae) Synonym(s): *tergestella* Ragonot,1901 Range (in code): IT YU
- 79161. *Psorosa tochalella* Amsel,1954** (Pyralidae) Synonym(s): *tochalella* Amsel,1954 Range (in code): IR Elb Th TR
- 79162. *Psorosodes dalakiella* Amsel,1954** (Pyralidae) Synonym(s): *dalakiella* Amsel,1954 Original Reference: *Psorosodes dalakiella* Amsel,1954, Ark. zool. 6 (16): 275, figs. 68-70, 203. Holotype ♂: Iran: Dalaki. Range (in code): IR Fa TR
- 79163. *Psorozophera hitama* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *hitama* Roesler & Küppers,1979 Range (in code): ID Sum
- 79164. *Pterothrixidia rufella* (Duponchel,1836)** (Pyralidae) Synonym(s): *rufella* Duponchel,1836; *impurella* Duponchel,1836; *squalidella* Eversmann,1842; *contectella* Zeller,1848; *luridatella* Zeller,1848; *infuscatella* Herrich-Schäffer,1849; *tauricella* Wocke,1871; *caucasiella* Ragonot,1888; *corsicella* Ragonot,1893; *orientella* Ragonot,1893; *melanoptera* Rebel,1910; *fordi* Amsel,1954; *rava* Amsel,1954; *osmanella* Amsel,1954; *ancyrensis* Amsel,1954 Original Reference: *Phycis rufella* Duponchel,1836, Hist. nat. Lépid. Papillons Fr. 10: 170, pl.277 fig.6. Type(s): France, Corse. Range (in code): PT ES Mu FR Co Sa IT MT CH HU RO YU AL BG GR AM Eri Cc TR RU MD UA BY LB Bsa IR Elb Th Nss AF Pag Fa Sse Elb Th Kdj Kz Com
- 79165. *Ptochostola asaphes* Turner,1937** (Pyralidae) Synonym(s): *asaphes* Turner,1937 Range (in code): AU
- 79166. *Ptochostola incanella* (Zeller,1877)** (Pyralidae) Synonym(s): *incanella* Zeller,1877 Range (in code): BR
- 79167. *Ptochostola metascotiella* Hampson,1919** (Pyralidae) Synonym(s): *metascotiella* Hampson,1919 Range (in code): ZA Ec
- 79168. *Ptochostola microphaeellus* (Walker,1866)** (Pyralidae) Synonym(s): *microphaeellus* Walker,1866; *dimidiellus* Meyrick,1879 Range (in code): AU NSw
- 79169. *Ptychopseustis amoenella* (Snellen,1880)** (Pyralidae) Synonym(s): *amoenella* Snellen,1880 Range (in code): MM Shn ID Clb PG AU
- 79170. *Ptychopseustis calamochroa* (Hampson,1919)** (Pyralidae) Synonym(s): *calamochroa* Hampson,1919 Range (in code): SL
- 79171. *Ptychopseustis eutacta* (Turner,1908)** (Pyralidae) Synonym(s): *eutacta* Turner,1908 Range (in code): AU
- 79172. *Ptychopseustis molybdogramma* (Hampson,1919)** (Pyralidae) Synonym(s): *molybdogramma* Hampson,1919 Range (in code): AU
- 79173. *Ptyobathra artisquamella* (Hampson,1901)** (Pyralidae) Synonym(s): *artisquamella* Hampson,1901 Range (in code): AU
- 79174. *Ptyobathra hades* (Lower,1903)** (Pyralidae) Synonym(s): *hades* Lower,1903 Range (in code): AU
- 79175. *Ptyobathra hypolepidota* Turner,1905** (Pyralidae) Synonym(s): *hypolepidota* Turner,1905 Range (in code): AU

- 79176. *Ptyobathra polia* Tams,1935** (Pyralidae) Synonym(s): Range (in code): **WS AU MY**
- 79177. *Ptyomaxia amuara* (Lower,1902)** (Pyralidae) Synonym(s): *amuara* Lower,1902 Range (in code): **AU**
- 79178. *Ptyomaxia fuscogrisella* (Ragonot,1890)** (Pyralidae) Synonym(s): *fuscogrisella* Ragonot,1890 Range (in code): **PK Sd Krc PG**
- 79179. *Ptyomaxia metasarca* (Lower,1903)** (Pyralidae) Synonym(s): *metasarca* Lower,1903 Range (in code): **AU**
- 79180. *Ptyomaxia syntaractis* (Turner,1904)** (Pyralidae) Synonym(s): *syntaractis* Turner,1904; *obenbergeri* Strand,1918 Range (in code): **AU**
- 79181. *Ptyomaxia trigonogramma* (Turner,1947)** (Pyralidae) Synonym(s): *trigonogramma* Turner,1947 Range (in code): **AU**
- 79182. *Ptyonocera atrifusella* Hampson,1901** (Pyralidae) Synonym(s): *atrifusella* Hampson,1901 Range (in code):
- 79183. *Ptyonocera proteroleuca* Meyrick,1937** (Pyralidae) Synonym(s): *proteroleuca* Meyrick,1937 Original Reference: *Ptyonocera proteroleuca* Meyrick,1937, Exot. Microlepid. 5: 65-66. Type ♂: Iraq: Rayat (E.P. Wiltshire leg.). Range (in code): **IQ Ry**
- 79184. *Puriella problematica* Strand,1918** (Pyralidae) Synonym(s): *problematica* Strand,1918 Range (in code): **TW**
- 79185. *Pycnarmon abraxalis* (Walker,[1866])** (Pyralidae) Synonym(s): *abraxalis* Walker,[1866] Range (in code): **TH IN MM BT**
- 79186. *Pycnarmon aeriferalis* (Moore,1877)** (Pyralidae) Synonym(s): *aeriferalis* Moore,1877 Range (in code): **IN ID Sum TW**
- 79187. *Pycnarmon albivittale* (Hampson,1912)** (Pyralidae) Synonym(s): *albivittale* Hampson,1912 Range (in code): **ZA**
- 79188. *Pycnarmon aripnalis* (Hampson,1898)** (Pyralidae) Synonym(s): *aripnalis* Hampson,1898 Range (in code): **AU**
- 79189. *Pycnarmon cribratum* (Fabricius,1794)** (Pyralidae) Synonym(s): *cribrata* Fabricius,1794; *caberale* Guenée,1854; *abdical* Walker,1859; *coryciale* Snellen,1880; *privale* Snellen,1890; *frenulale* Strand,1918. Range (in code): **IN SG CN TW AU ZA**
- 79190. *Pycnarmon decipiens* Munroe,1958** (Pyralidae) Synonym(s): *decipiens* Munroe,1958 Original Reference: *Pycnarmon decipiens* Munroe,1958, Can. Ent. 40 (4): 235, figs. Holotype ♂: Calumbogan, Mindanao, Philippine Is., July-Aug., 1917 (CM). Range (in code): **PH Mno**
- 79191. *Pycnarmon diaphanum* (Cramer,1779)** (Pyralidae) Synonym(s): *diaphana* Cramer,1779 Range (in code): **ZA**
- 79192. *Pycnarmon jaguaralis* (Guenée,1854)** (Pyralidae) Synonym(s): *jaguaralis* Guenée,1854 Original Reference: *Spilomela jaguaralis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 283. Type ♀: Patria incognita. Range (in code): **PH Bab Luz IN Ass CN Nia ID Ja Clb Amb Crm Kai Tal Sgr Wg Mi Bru Ob SB Bia AU QAU Cai PG Fg**
- 79193. *Pycnarmon jaguaralis papualis* Munroe,1958** (Pyralidae) Synonym(s): *papualis* Munroe,1958 Original Reference: *Pycnarmon jaguaralis* ssp. *papualis* Munroe,1958, Can. Ent. 40 (4): 234-235, figs. Holotype ♂: [Indonesia: Irian Jaya]: Nomnagihe, Geelvink Bay, Dutch New Guinea, 2000ft. Range (in code): **ID Bia AU QAU Cai PG Fg**
- 79194. *Pycnarmon marginalis* (Snellen,1890)** (Pyralidae) Synonym(s): *marginalis* Snellen,1890 Range (in code): **IN ID Sum TW**
- 79195. *Pycnarmon meritalis* (Walker,1859)** (Pyralidae) Synonym(s): *meritalis* Walker,1859; *plexippusalis* Walker,1859; *baptalis* Snellen,1880; *annulata* W. Warren,1896 Range (in code): **IN LK MY Bor TH CMa ID Ja CN TW AU JP ZA**
- 79196. *Pycnarmon pantheratum* (Butler,1898)** (Pyralidae) Synonym(s): *pantherata* Butler,1898 Range (in code): **CN KP JP TW**
- 79197. *Pycnarmon virgatalis* (Moore,1867)** (Pyralidae) Synonym(s): *virgatalis* Moore,1867 Range (in code): **IN Ass LK**
- 79198. *Pygospila bivittalis* Walker,[1866]** (Pyralidae) Synonym(s): *bivittalis* Walker,[1866]; *vellerialis* Snellen,1891; *#bivitalis* Hampson,1898 Range (in code): **AU QAU PG ID Crm Ob**
- 79199. *Pygospila hyalotypa* Turner,1908** (Pyralidae) Synonym(s): *hyalotypa* Turner,1908 Range (in code): **AU**
- 79200. *Pygospila tyres* (Cramer,[1780])** (Pyralidae) Synonym(s): *tyres* Cramer,[1780]; *thyralis* Hübner,[1825]; *#tyresalis* Guenée,1852; *#tyridia* Strand,1920. Original Reference: *Phalaena tyres*

- Cramer,[1780], Utitl. Kapellen 3: pl.263 fig.C. Range (in code): **PK Cp PH Luz CmM Mno Pal IN NP LK MM TH CMa Cuo Cu07 Cmz Cz10 Bor Ja Grm Clb Amb Aru PG AU ID ZA**
- 79201. *Pyla fusca* (Haworth,[1811])** (Pyralidae) Synonym(s): *fusca* Haworth,[1811]; *spadicella* Zincken,1818; *janthinella* Duponchel,1836; *annulatella* Zetterstedt,1839; *posticella* Zetterstedt,1839; *carbonariella* Fischer v.Roeslerstamm,1843; *bilineata* Curtis,1850; *moestella* Walker,1863; *procellariana* Walker,1863; *frigidella* Packard,1867; *cacabella* Hulst,1887; *triplagiatella* Dyar,1904 Original Reference: *Phycis fusca* Haworth,[1811], *Lepid. Br.*: 493. Type(s): England. Range (in code): **PT ES FR Co Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR LB DK NO SE FI EE LV LT RU MD UA BY CA US Ny**
- 79202. *Pylamorpha albida* Balinsky,1994** (Pyralidae) Synonym(s): *albida* Balinsky,1994 Range (in code): **ZA Nta Kzu Umk**
- 79203. *Pylamorpha albida albida* Balinsky,1994** (Pyralidae) Synonym(s): *albida* Balinsky,1994 Range (in code): **ZA Nta Kzu Umk**
- 79204. *Pylamorpha cristata* Balinsky,1994** (Pyralidae) Synonym(s): *cristata* Balinsky,1994 Range (in code): **ZW**
- 79205. *Pylamorpha cristata cristata* Balinsky,1994** (Pyralidae) Synonym(s): *cristata* Balinsky,1994 Range (in code): **ZW**
- 79206. *Pyralis albilautalis* W.Warren,1891** (Pyralidae) Synonym(s): *albilautalis* W.Warren,1891 Original Reference: *Pyralis albilautalis* W.Warren,1891, *Ann. Mag. nat. Hist.* (6) 7: 496. Syntypes 3 ex.: [South Africa]: "Natal". Range (in code): **ZA Nta Kzu**
- 79207. *Pyralis biblisalis* (Walker,1859)** (Pyralidae) Synonym(s): *biblisalis* Walker,1859 Range (in code): **ZA**
- 79208. *Pyralis caustica* (Meyrick,1884)** (Pyralidae) Synonym(s): *caustica* Meyrick,1884 Range (in code): **AU**
- 79209. *Pyralis costinotalis* Hampson,1917** (Pyralidae) Synonym(s): *costinotalis* Hampson,1917 Range (in code): **TW**
- 79210. *Pyralis dentibasalis* W.Warren,1914** (Pyralidae) Synonym(s): *dentibasalis* W.Warren,1914 Range (in code): **ZA**
- 79211. *Pyralis effulgens* W.Warren,1914** (Pyralidae) Synonym(s): *effulgens* W.Warren,1914 Range (in code): **ZA**
- 79212. *Pyralis farinalis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *farinalis* Linnaeus,1758; *erecta* Fourcroy,1785; *farinatus* Haworth,1810; *domesticalis* Zeller,1847; *fraterna* Butler,1879; *tenerifensis* Rebel,1906; *meridionalis* Schmidt,1934; *orientalis* Amsel,1961 *nec* Fabr.,1794. Original Reference: *Phalaena farinalis* Linnaeus,1758, *Syst. Nat.* (Edn.10)1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 210). Range (in code): **Az Cn DZ Elt TN Sfx PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Ab Oru Elb Th Kdj Nss Ha Gls LB Bsa IQ Bgd Er Shq DK NO SE FI EE LV LT RU MD UA BY IL Pa Hf AF Ca Gbh Ph AU AY NZ TW JP KP KR ZA** Bionomy: Larva on stored cereals, hay, dried fruit (Parenti,2000).
- 79213. *Pyralis flavirubralis* Hampson,1917** (Pyralidae) Synonym(s): *flavirubralis* Hampson,1917 Range (in code): **ZA**
- 79214. *Pyralis fumipennis* Butler,1889** (Pyralidae) Synonym(s): *fumipennis* Butler,1889 Range (in code): **ZA**
- 79215. *Pyralis galactalis* Hampson,1916** (Pyralidae) Synonym(s): *galactalis* Hampson,1916 Range (in code): **ZA**
- 79216. *Pyralis juengeri* Amsel,1954** (Pyralidae) Synonym(s): *juengeri* Amsel,1954 Range (in code): **IR Fa**
- 79217. *Pyralis kacheticalis* (Christoph,1893)** (Pyralidae) Synonym(s): *kacheticalis* Christoph,1893; *imperialis* Caradja,1916 Original Reference: *Asopia kacheticalis* Christoph,1893, *Dt. ent. Z.*, *Iris* 6: 96. Syntypes: "Eldar, Muganlı, Transcaucas.". Range (in code): **Cc Da RU GG AZ AM UA Cm TR TM Kp IR Fa Sse Ss Th Elb Kdj IQ Brs Ssa**
- 79218. *Pyralis lienigialis* (Zeller,1843)** (Pyralidae) Synonym(s): *lienigialis* Zeller,1843; *dacicalis* Caradja,1903 [ssp.] Original Reference: *Asopia lienigialis* Zeller,1843, *Stettin ent. Ztg.* 3: 140-142, Syntypes: Livland. Range (in code): **ES FR IT GB RO NO SE FI EE LV RU Sb UA BY** Bionomy: Larva on hay, stored cereals (Parenti,2000).
- 79219. *Pyralis manihotalis* Guenée,1854** (Pyralidae) Synonym(s): *manihotalis* Guenée,1854; *vetusalis* Walker,1859; *gerontesalis* Walker,1859; *laudatella* Walker,1863; *despectalis* Walker,1866; *miserialis* Walker,1866; *achatina* Butler,1877; *haematalis* Saalmüller,1880; *centripunctalis* Gaede,1916; *pupalis* Strand,1919; *compsobathra* Meyrick,1932. Original Reference: *Pyralis manihotalis* Guenée,1854, [in

- Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 121. Type ♀: "Cayenne". Range (in code): **WS PG MY PH Luz VN AU IN TW ZA US FI JP RU Us**
- 79220. *Pyralis perversalis* (Herrich-Schäffer,[1849])** (Pyralidae) Synonym(s): *lucidalis* Eversmann,1844 (*praeocc.*); *perversalis* Herrich-Schäffer,[1849]; *narynensis* Zerny,1914; *rubiginetincta* Caradja,1931; *#naryssensis* Amsel,1961 Original Reference: *Asopia perversalis* Herrich-Schäffer,[1849], Syst. Bearb. Schmett. Eur. 4: 123. Type: Russia: Ural. Range (in code): **CZ HU RO RU Ur MD UA BY TR Cc GG Ord Kir AZ Nv KG Tk NrK CN Ui Ku IR Elb Mz Kh LB Bsa**
- 79221. *Pyralis pictalis* (Curtis,1834)** (Pyralidae) Synonym(s): *pictalis* Curtis,1834; *pronoelalis* Walker,1859; *bractiatella* Walker,1863; *elachia* Butler,1879 Range (in code): **NL GB PK Cp Haz Mre IN Ass Khs LK MM PH PG TW JP RU Us AU WS FJ SB MY OW AE**
- 79222. *Pyralis prepialis* Hampson,1903** (Pyralidae) Synonym(s): *prepialis* Hampson,1903 Range (in code): **IN TW**
- 79223. *Pyralis proboscidalis* (Strand,1919)** (Pyralidae) Synonym(s): *proboscidalis* Strand,1919 Range (in code): **TW**
- 79224. *Pyralis regalis* [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775 Original Reference: *Pyralis regalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **ES Py FR Co IT CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Lag SE FI EE LV LT MD UA BY RU Am IN IL Pa Hf TW JP KP TH Sbh Bpr BN MY** Bionomy: Larva on *Salix* (Salicaceae), *Quercus* (Fagaceae), *Rosa* (Rosaceae) (Parenti,2000).
- 79225. *Pyralis regalis regalis* [Denis & Schiffermüller],1775** (Pyralidae) Synonym(s): *regalis* [Denis & Schiffermüller],1775 Original Reference: *Pyralis regalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 124. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **Co IT CH AT PL CZ SK HU RO YU AL BG GR TR SE FI EE LV LT MD UA BY RU Am IN IL Pa Hf TW JP KP TH Sbh Bpr BN MY**
- 79226. *Pyralis regalis sagarrai* Leraut,2005** (Pyralidae) Synonym(s): *sagarrai* Leraut,2005 Range (in code): **ES FR Py**
- 79227. *Pyralis rubellalis* Zeller,1852** (Pyralidae) Synonym(s): *rubellalis* Zeller,1852 Range (in code): **ZA**
- 79228. *Pyralis secretalis* Wallengren,1875** (Pyralidae) Synonym(s): *secretalis* Wallengren,1875 Range (in code): **ZA**
- 79229. *Pyralis taihorinalis* Shibuya,1928** (Pyralidae) Synonym(s): *taihorinalis* Shibuya,1928 Range (in code): **TW**
- 79230. *Pyralis transcaspica* Rebel,1903** (Pyralidae) Synonym(s): *transcaspica* Rebel,1903; *#transcaspia* Speidel,1996. Range (in code): **IR Kh TM Krn**
- 79231. *Pyralosis ocellalis* (Lederer,1863)** (Pyralidae) Synonym(s): *ocellalis* Lederer,1863; *ocelliferalis* Hampson,1906; *circozyga* Meyrick,1937 Original Reference: *Aglossa ocellalis* Lederer,1863, Wiener ent. Monatschr. 7: 341, 457, pl.7 fig.9. Type ♂: "Vaterl.?" **CI UG ZR**
- 79232. *Pyralosis polycyclophora* (Hampson,1916)** (Pyralidae) Synonym(s): *polycyclophora* Hampson,1916 Range (in code): **MW Mje**
- 79233. *Pyralosis terminalis* (Rothschild,1915)** (Pyralidae) Synonym(s): *terminalis* Rothschild,1915 Range (in code): **DZ Ah EG**
- 79234. *Pyrasia gutturalis* (Staudinger,1879)** (Pyralidae) Synonym(s): *gutturalis* Staudinger,1879 Original Reference: *Botys gutturalis* Staudinger,1879, Horae Soc. ent. ross. 15: 175. Type ♂: [Türkei]: Magnesia (coll. Lederer). Range (in code): **TR LB Bsa IQ Hjo IR Fa Shr Sse Com Elb Mz** Bionomy: Larva on *Lonicera* (Caprifoliaceae) (Wiltshire,1957).
- 79235. *Pyrausta acontialis* (Staudinger,1859)** (Pyralidae) Synonym(s): *acontialis* Staudinger,1859 Range (in code): **PT ES FR**
- 79236. *Pyrausta admensalis* (Walker,1859)** (Pyralidae) Synonym(s): *admensalis* Walker,1859 Range (in code): **ZA**
- 79237. *Pyrausta adsocialis* (Zeller,1852)** (Pyralidae) Synonym(s): *adsocialis* Zeller,1852 Range (in code): **ZA**
- 79238. *Pyrausta aerealis* (Hübner,1793)** (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *ablutalis* Eversmann,1844; *unicolor* Rebel,1917. Range (in code): **DZ BtNa Tou ES FR IT DE CH AT PL RO YU AL BG GR TR Cc GG Lag DK SE FI EE LV LT RU Ur KG Uk MD UA BY IR Fa Elb Dam Kdv Mz TM UZ KK Al Tk Dj Ii CN Ui Ju Au Kml AF Shv Pag LB Bsa** Bionomy: Larva on *Thymus* (Lamiaceae), *Scrophularia* (Scrophulariaceae), *Artemisia*, *Gnaphalium*, *Helichrysum* (Asteraceae) (Parenti,2000).

- 79239. *Pyrausta aerealis aerealis* (Hübner,1793)** (Pyralidae) Synonym(s): *aerealis* Hübner,1793; *ablutalis* Eversmann,1844; *unicolor* Rebel,1917. Range (in code): ES FR IT DE CH AT PL RO YU AL BG GR TR Cc DK SE FI EE LV LT RU MD UA BY IR Fa Elb Dam Kdv Mz TM UZ KK Al KG Uk Ur Tk Dj Ii CN Ui Ju AF Shv Pag
- 79240. *Pyrausta aerealis afghanalis* Amsel,1970** (Pyralidae) Synonym(s): *afghanalis* Amsel,1970 Range (in code): AF Shv Pag
- 79241. *Pyrausta aerealis cinnamomalis* Zerny,1914** (Pyralidae) Synonym(s): *cinnamomalis* Zerny,1914 Original Reference: *Pyrausta aerealis* ssp. *cinnamomalis* Zerny,1914, Annln naturh. Mus. Wien 28: 334. Syntypes: [Turkmenistan]: "Transkaspien", [Kirgizistan]: "Alai", [Kazachstan]: "Djarkent, Ili-Gebiet". Range (in code): TM UZ KK Al KG Tk Dj Ii
- 79242. *Pyrausta aerealis glaucalis* Zerny,1914** (Pyralidae) Synonym(s): *glaucalis* Zerny,1914 Original Reference: *Pyrausta aerealis* ssp. *glaucalis* Zerny,1914, Annln naturh. Mus. Wien 28: 334. Syntypes: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet"; [Turkmenistan]: "Transkaspien". Range (in code): TM CN Ui Ju Au Kml
- 79243. *Pyrausta aerealis mauretanica* Rebel,1907** (Pyralidae) Synonym(s): *mauretanica* Rebel,1907 Range (in code): DZ Btna Tou
- 79244. *Pyrausta albialis* (Walker,1859)** (Pyralidae) Synonym(s): *albialis* Walker,1859 Range (in code): ZA
- 79245. *Pyrausta amatalis* Rebel,1903** (Pyralidae) Synonym(s): *amatalis* Rebel,1903 Original Reference: *Pyrausta amatalis* Rebel,1903, Annln naturh. Mus. Wien 18: 307, Taf.3 fig.12. Syntypes ♂♀: [Türkei]: Amasia; Bulgarien: Slivno. Range (in code): BG Slv SY TR Cc GG Akh
- 79246. *Pyrausta amboinalis* (Pagenstecher,1884)** (Pyralidae) Synonym(s): *amboinalis* Pagenstecher,1884 Range (in code): WS ID Amb
- 79247. *Pyrausta apicalis* (Hampson,1913)** (Pyralidae) Synonym(s): *apicalis* Hampson,1913 Range (in code): ZA
- 79248. *Pyrausta arenicola* Hampson,1913** (Pyralidae) Synonym(s): *arenicola* Hampson,1913 Original Reference: *Pyrausta arenicola* Hampson,1913, Ann. Mag. nat. Hist. (8) 12: 28. Type: Algeria. DZ Ges
- 79249. *Pyrausta armeniaca* Slamka,2013** (Pyralidae) Synonym(s): *armeniaca* Slamka,2013 Range (in code): AM Cc
- 79250. *Pyrausta atricinctalis* Hampson,1913** (Pyralidae) Synonym(s): *atricinctalis* Hampson,1913 Range (in code): ZA Tva Lpo Kru Pma
- 79251. *Pyrausta aurata* (Scopoli,1763)** (Pyralidae) Synonym(s): *aurata* Scopoli,1763; *punicealis* [Denis & Schifferrmüller],1775; *niepoldalis* Lederer,1863; *meridionalis* Staudinger,1880 *nec* Wcke,1871; *inciae* Koçak,1982 Original Reference: *Phalaena aurata* Scopoli,1763, Entomologia Carniolica: 227. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): Cn MA DZ TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr LB Bsa IL Pa CY TR IR Fa Yz Elb Kdj Th Ana Ke Ab Sro Enz Gh Kh Tgo Gls IQ Dia Rwz Shq DK NO SE FI EE LV LT RU MD UA BY AF Srb Pli Arh Hr Kot Fz Khi Kab Dwe Cc GG Bjo Mng Nv Ord Hkd Len Sok AZ Agi Bionomy: Larva on *Mentha*, *Origanum vulgare*, *Salvia*, *Thymus* (Lamiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 79252. *Pyrausta austa* Strand,1918** (Pyralidae) Synonym(s): *austa* Strand,1918 Range (in code): TW
- 79253. *Pyrausta babalis* (Amsel,1970)** (Pyralidae) Synonym(s): *babalis* Amsel,1970 Range (in code): AF
- 79254. *Pyrausta baibarensis* Shibuya,1928** (Pyralidae) Synonym(s): *baibarensis* Shibuya,1928 Range (in code): TW
- 79255. *Pyrausta binalis* (Zeller,1852)** (Pyralidae) Synonym(s): *binalis* Zeller,1852 Range (in code): ZA
- 79256. *Pyrausta castalis* Treitschke,1829** (Pyralidae) Synonym(s): *castalis* Treitschke,1829 Original Reference: *Pyrausta castalis* Treitschke,1829, Schmett. Eur. 7: 165. Type(s): [Kroatien]: Dalmatien. Range (in code): PT ES FR IT CZ HU RO YU AL BG GR RU MD UA BY TR IR Elb Th Fa AZ Cc Nv Ord AM Eri
- 79257. *Pyrausta celatalis* (Walker,1859)** (Pyralidae) Synonym(s): *celatalis* Walker,1859 Range (in code): IN LK MY Bor ID TW JP
- 79258. *Pyrausta cingulata* (Linnaeus,1758)** (Pyralidae) Synonym(s): *cingulata* Linnaeus,1758; *aethiopata* Scopoli,1763; *cingulalis* [Denis & Schifferrmüller],1775; *eremitica* Fourcroy,1785; *vittalis* La Harpe,1864; *apenninalis* Costantini,1923 Original Reference: *Phalaena cingulata* Linnaeus,1758, Syst. Nat. (Edn.10)1: 529. Type(s): Europa. Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK

- HU RO YU AL BG GR TR DK SE FI EE LV LT RU MD UA BY Cc GG Tbl Bjo Kir AZ** Bionomy: Larva on Mentha, Origanum, Salvia, Thymus serpyllum (Lamiaceae) (Parenti,2000).
- 79259. Pyrausta cinnamomealis (Wallengren,1860)** (Pyralidae) Synonym(s): *cinnamomealis* Wallengren,1860 Range (in code): **ZA**
- 79260. Pyrausta coclesalis (Walker,1859)** (Pyralidae) Synonym(s): *coclesalis* Walker,1859 Range (in code): **JP PH Luz IN MM CN TW Bor Ja Sbw ID**
- 79261. Pyrausta coracinalis Leraut,1982** (Pyralidae) Synonym(s): *coracinalis* Leraut,1982 Range (in code): **ES FR IT DE CH AT PL CZ RO YU AL BG RU MD UA BY** Bionomy: Larva on Salvia pratensis, Satureja (Lamiaceae) (Parenti,2000).
- 79262. Pyrausta deductalis (Walker,1859)** (Pyralidae) Synonym(s): *deductalis* Walker,1859 Range (in code): **IN LK PG MY Bor ID TW**
- 79263. Pyrausta delicatalis Caradja,1916** (Pyralidae) Synonym(s): *delicatalis* Caradja,1916 Original Reference: *Pyrausta delicatalis* Caradja,1916, Dt. ent. Z., Iris 30: 40. Syntypes 2♂: [Türkei]: "Mardin". Range (in code): **TR 47**
- 79264. Pyrausta despicata (Scopoli,1763)** (Pyralidae) Synonym(s): *despicata* Scopoli,1763; *koenigiana* O.F.Müller,1764; *vestianella* Clerk,1764; *cespitalis* [Denis & Schiffermüller],1775; *sordialis* Thunberg,1784; *intermedialis* Duponchel,1833; *tendinosalis* Bremer,1874; *yangtsealis* Caradja,1938; *ifranalis* Leraut,2001 Original Reference: *Phalaena despicata* Scopoli,1763, Entomologia Caniolica: 231. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **MA Ifr PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IQ Rrw Amr DK NO SE FI EE LV LT RU Cc GG CY IR Ab Elb Shh Th Fa Shr Com Ha Plr Kdv Mz AF Hr Bmu Slg Pnj BdA Pic Kab Arh Srb Ca Gbh Adr Fz Khi Pag Pli UZ Fe CN Ui Ju Ku LB Bsa PK Abb Sro Mz Sb Yu Uk JO KG DZ Lbs** Bionomy: Larva on Salvia (Lamiaceae), Plantago major, P. lanceolata (Plantaginaceae), Gnaphalium (Asteraceae) (Beirne,1954; Wiltshire,1957; Parenti,2000).
- 79265. Pyrausta diatoma Hampson,1913** (Pyralidae) Synonym(s): *diatoma* Hampson,1913; *rubritinctalis* Hampson,1916 Range (in code): **ZA**
- 79266. Pyrausta ecteinalis (Hampson,1900)** (Pyralidae) Synonym(s): *ecteinalis* Hampson,1900 Range (in code): **CN Ui KI**
- 79267. Pyrausta euergestalis (Amsel,1954)** (Pyralidae) Synonym(s): *euergestalis* Amsel,1954; *#euergestalis* Wiltshire,1957. Original Reference: *Trigonuncus euergestalis* Amsel,1954, Ark. Zool. 6 (16): 313-314, figs. 184,277,278. Holotype ♂: Iran: Teheran. Range (in code): **IR Fa Elb Kdj Th Ahz IQ Dy AF Hr Dwe TR**
- 79268. Pyrausta falcatalis (Guenée,1854)** (Pyralidae) Synonym(s): *falcatalis* Guenée,1854; *coecilialis* Walker,1859; *flegialis* Walker,1859; *noraxalis* Walker,1859; *ocellusalis* Walker,1859; *palopealis* Walker,1859; *probalis* Walker,1859; *catenalis* Walker,[1866]; *concatenalis* Walker,[1866]; *juncturalis* Walker,[1866]; *tauricalis* Caradja,1916 Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU BG EE RU MD UA BY TR Cc GG Bjo AU TW JP ZA**
- 79269. Pyrausta ferrealis (Hampson,1900)** (Pyralidae) Synonym(s): *ferrealis* Hampson,1900 Original Reference: *Stenia ferrealis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 385. Holotype ♂: [Turkey]: "Armenia, Mardin" (coll. Staudinger). Range (in code): **TR**
- 79270. Pyrausta funeralis Zerny,1914** (Pyralidae) Synonym(s): *funeralis* Zerny,1914 Range (in code): **UZ Fe**
- 79271. Pyrausta gazalis Hampson,1913** (Pyralidae) Synonym(s): *gazalis* Hampson,1913 Range (in code): **ZA**
- 79272. Pyrausta gemmiferalis (Zeller,1852)** (Pyralidae) Synonym(s): *gemmiferalis* Zeller,1852 Range (in code): **ZA**
- 79273. Pyrausta gracilis (Butler,1879)** (Pyralidae) Synonym(s): *gracilis* Butler,1879 Range (in code): **CN KP JP TW**
- 79274. Pyrausta haematidialis Hampson,1913** (Pyralidae) Synonym(s): *haematidialis* Hampson,1913 Range (in code): **ZA**
- 79275. Pyrausta haematidea Hampson,1913** (Pyralidae) Synonym(s): *haematidea* Hampson,1913 Range (in code): **ZA**
- 79276. Pyrausta hoozana Strand,1918** (Pyralidae) Synonym(s): *hoozana* Strand,1918 Range (in code): **TW**
- 79277. Pyrausta hyalodiscalis (W.Warren,1895)** (Pyralidae) Synonym(s): *hyalodiscalis* W.Warren,1895 Range (in code): **IN TW JP**
- 79278. Pyrausta ignealis (Hampson,1899)** (Pyralidae) Synonym(s): *ignealis* Hampson,1899; *pyrsodes* Turner,1937 Range (in code): **AU**

- 79279. *Pyrausta inglorialis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *inglorialis* Hampson,1900
Original Reference: *Cybalomia inglorialis* Hampson,1900, Trans. ent. Soc. London 1900: 392.
Syntypes: [Uzbekistan]: Samarkand; [Iran]: Scharud (BMNH). **Range (in code):** **UZ Smk IR Srd**
- 79280. *Pyrausta issykkulensis* (Sauber,1899)** (Pyralidae) **Synonym(s):** *issykkulensis* Sauber,1899
Range (in code): **KK Ik**
- 79281. *Pyrausta kukunorensis* (Sauber,1899)** (Pyralidae) **Synonym(s):** *kukunorensis* Sauber,1899 **Range (in code):** **CN Ts Kno**
- 79282. *Pyrausta laristanalis* Amsel,1961** (Pyralidae) **Synonym(s):** *laristanalis* Amsel,1961 **Range (in code):** **IR Ss**
- 79283. *Pyrausta limbopunctalis* (Herrich-Schäffer,[1849])** (Pyralidae) **Synonym(s):** *limbopunctalis* Herrich-Schäffer,[1849] **Range (in code):** **PT ES Sa RU TR Cc Kus Da AM IQ Ry IR Elb Th Mz Ha Dam Kdv**
- 79284. *Pyrausta limbopunctalis dissolutalis* (Staudinger,1879)** (Pyralidae) **Synonym(s):** *dissolutalis* Staudinger,1879 **Original Reference:** *Botys dissolutalis* Staudinger,1879, Horae Soc. ent. ross. 15: 169-170. Type ♂: [Türkei]: Amasia (coll. & leg. Lederer). **Range (in code):** **TR Cc AM IQ Ry IR Elb Th Mz Ha**
- 79285. *Pyrausta lithosialis* Hampson,1899** (Pyralidae) **Synonym(s):** *lithosialis* Hampson,1899
Range (in code): **ZA**
- 79286. *Pyrausta machoeralis* (Walker,1859)** (Pyralidae) **Synonym(s):** *machoeralis* Walker,1859
Range (in code): **IN MM LK CN TW ID Ja** **Bionomy:** Larva on *Tectona grandis* (Reh,1925).
- 79287. *Pyrausta masculina* Strand,1918** (Pyralidae) **Synonym(s):** *masculina* Strand,1918 **Range (in code):** **TW**
- 79288. *Pyrausta meciti* (Koçak,1987)** (Pyralidae) **Synonym(s):** *meciti* Koçak,1987 **Range (in code):** **TR**
- 79289. *Pyrausta multifidalis* (Chrétien,1911)** (Pyralidae) **Synonym(s):** *multifidalis* Chrétien,1911
Range (in code): **DZ Bsk**
- 79290. *Pyrausta nigrata* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *nigrata* Scopoli,1763; *podaella* Fabricius,1781; *funigera* Fourcroy,1785; *anguinalis* Hübner,1796; *fascialis* Schrank,1802 nec Hbn.,1796 **Original Reference:** *Phalaena nigrata* Scopoli,1763, Entomologia Carniolica: 231. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Galium* (Rubiaceae), *Mentha*, *Origanum vulgare*, *Salvia*, *Thymus serpyllum* (Lamiaceae) (Beirne,1954; Parenti,2000).
- 79291. *Pyrausta nubigena* Rothschild,1915** (Pyralidae) **Synonym(s):** *nubigena* Rothschild,1915
Original Reference: *Pyrausta nubigena* Rothschild,1915, Novit. zool. 22: 189-190. Type ♀: Algeria, Guelt-es-Stel (V.Faroult). **DZ Ges**
- 79292. *Pyrausta obfuscata* (Scopoli,1763)** (Pyralidae) **Synonym(s):** *obfuscata* Scopoli,1763; *fuscorubella* Goeze,1783; *bimaculosa* Fourcroy,1785; *rubralis* Villers,1789; *pygmeal* Duponchel,1833; *fucatalis* Treitschke,1835; *atrosanguinalis* Eversmann,1842 **Original Reference:** *Phalaena obfuscata* Scopoli,1763, Entomologia Carniolica: 232. Type(s): [Slovenien]: Carniolia [Krain]. **Range (in code):** **ES FR Si IT BE DE CH AT CZ SK HU RO YU AL BG GR TR RU MD UA BY IR GlS KK TJ AI** **Bionomy:** Larva on *Calamintha sylvatica*, *Satureja* (Lamiaceae), *Conyza*, *Inula* (Asteraceae) (Parenti,2000).
- 79293. *Pyrausta obliquata* (Moore,1888)** (Pyralidae) **Synonym(s):** *obliquata* Moore,1888 **Range (in code):** **IN LK MM TW**
- 79294. *Pyrausta oenochrois* (Meyrick,1889)** (Pyralidae) **Synonym(s):** *oenochrois* Meyrick,1889
Range (in code): **AU**
- 79295. *Pyrausta olesialis* (Walker,1859)** (Pyralidae) **Synonym(s):** *olesialis* Walker,1859 **Range (in code):** **ZA Tva Lpo**
- 79296. *Pyrausta orbitalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) **Synonym(s):** *orbitalis* R.Felder & Rogenhofer,1875 **Original Reference:** *Pyrausta fucatalis* Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 167. Syntypes: "Hongrie, Autriche, Italie meridionale". **Range (in code):** **ZA**
- 79297. *Pyrausta ostrinalis* (Hübner,1796)** (Pyralidae) **Synonym(s):** *ostrinalis* Hübner,1796; *moestalis* Duponchel,1833; *puralis* La Harpe,1864 **Range (in code):** **ES FR IT IE GB BE NL DE CH AT CZ SK HU RO YU BG TR DK SE FI EE LV LT RU MD UA BY AF Ca** **Bionomy:** Larva on *Mentha*, *Nepeta*, *Origanum*, *Thymus* (Lamiaceae), *Plantago* (Plantaginaceae) (Parenti,2000).
- 79298. *Pyrausta pachyceralis* Hampson,1900** (Pyralidae) **Synonym(s):** *pachyceralis* Hampson,1900 **Original Reference:** *Pyrausta pachyceralis* Hampson,1900, Trans. ent. Soc. Lond.

- 1900 (2): 398, pl.iii fig.26. Holotype ♂: [Turkey]: "Armenia, Zeitun" (coll. Staudinger). Range (in code): TR
- 79299. *Pyrausta pagmanalis* (Amsel,1970)** (Pyralidae) Synonym(s): *pagmanalis* Amsel,1970
Range (in code): AF Pag
- 79300. *Pyrausta panopealis* (Walker,1859)** (Pyralidae) Synonym(s): *panopealis* Walker,1859
Range (in code): PR TH IN Adm CN JP AU MY ID Sum Ja PH AE
- 79301. *Pyrausta pata* Strand,1918** (Pyralidae) Synonym(s): *pata* Strand,1918 Range (in code): TW
- 79302. *Pyrausta pauperalis* (Staudinger,1879)** (Pyralidae) Synonym(s): *pauperalis* Staudinger,1879 Original Reference: *Botys pauperalis* Staudinger,1879, *Horae Soc. ent. ross.* 15: 173-174. Type ♂: [Türkei]: Amasia. Range (in code): TR CY IL Pa Js
- 79303. *Pyrausta pavidalis* Zerny,1935** (Pyralidae) Synonym(s): *pavidalis* Zerny,1935; *krimensis* Budashkin & Martin,1993 Original Reference: *Pyrausta pavidalis* Zerny,1935, [in] Osthelder, L. & E. Pfeiffer, *Mitt. münch. ent. Ges.* 24 (3): 101-102. Syntypes 4♂ 2♀: [Türkei]: Marasch. Range (in code): TR Cm
- 79304. *Pyrausta pellicalis* (Staudinger,1871)** (Pyralidae) Synonym(s): *pellicalis* Staudinger,1871
Range (in code): ES An
- 79305. *Pyrausta perfervidalis* Hampson,1913** (Pyralidae) Synonym(s): *perfervidalis* Hampson,1913; *prostygialis* Hampson,1913 Range (in code): ZA
- 79306. *Pyrausta perkeo* Amsel,1970** (Pyralidae) Synonym(s): *perkeo* Amsel,1970 Range (in code): AF Gbh Srb Kab Pic Pag PK Bl Qu IR Ss
- 79307. *Pyrausta pionalis* Toll,1948** (Pyralidae) Synonym(s): *pionalis* Toll,1948; *nissalis* Amsel,1951; *similis* Amsel,1970 Original Reference: *Pyrausta pionalis* Toll,1948, *Z. wien. ent. Ges.* 32 (1947): 112, Taf.4 fig.15; Taf.6 fig.36. Syntypes 6♂: Nordost-Persien, Kuh-i-Mirabi. Range (in code): IR Elb Kdj Ha Kh AF Srb Kab Pag Pli Pic Gbh
- 79308. *Pyrausta porphyralis* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *porphyralis* [Denis & Schiffermüller],1775 Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 79309. *Pyrausta procillusalis* (Walker,1859)** (Pyralidae) Synonym(s): *procillusalis* Walker,1859; *flavissimalis* Walker,1865 Range (in code): ZA
- 79310. *Pyrausta purpuralis* (Linnaeus,1758)** (Pyralidae) Synonym(s): *purpuralis* Linnaeus,1758; *inflammata* Scopoli,1763; *purpuraria* Latreille,[1803]; *confundalis* Zetterstedt,1839; *chermesinalis* Guenée,1854; *melanalis* Caradja,1916 Original Reference: *Phalaena purpuralis* Linnaeus,1758, *Syst. Nat.* (Edn.10): 536. Lectotype ♀: Europa (Robinson & Nielsen, 1983: 226). Range (in code): DZ Lbs PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Bjo Pti Kir Lag Len AZ DK NO SE FI EE LV LT RU MD UA BY IR Ha IL Pa Hf Bionomy: Larva on *Mentha arvensis*, *Nepeta*, *Origanum*, *Prunella*, *Thymus serpyllum* (Lamiaceae), *Plantago* (Plantaginaceae) (Beirne,1954; Parenti,2000).
- 79311. *Pyrausta rectefascialis* Toll,1936** (Pyralidae) Synonym(s): *rectefascialis* Toll,1936 Range (in code): FR IT AT PL CZ SK HU RO BG LT
- 79312. *Pyrausta rectifascialis* (Sauber,1899)** (Pyralidae) Synonym(s): *rectifascialis* Sauber,1899
Range (in code): CN Ts Kno
- 79313. *Pyrausta rubellalis* (Snellen,1890)** (Pyralidae) Synonym(s): *rubellalis* Snellen,1890
Range (in code): IN MM TW
- 79314. *Pyrausta rubicundalis* (W.Warren,1896)** (Pyralidae) Synonym(s): *rubicundalis* W.Warren,1896 Range (in code): IN TW
- 79315. *Pyrausta rueckbeili* (Sauber,1899)** (Pyralidae) Synonym(s): *rueckbeili* Sauber,1899
Range (in code): CN Ts Kno
- 79316. *Pyrausta ruficincta* Hampson,1913** (Pyralidae) Synonym(s): *ruficincta* Hampson,1913
Range (in code): ZA
- 79317. *Pyrausta rufinalis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *rufinalis* R.Felder & Rogenhofer,1875 Range (in code): ZA
- 79318. *Pyrausta sanguinalis* (Linnaeus,1767)** (Pyralidae) Synonym(s): *sanguinalis* Linnaeus,1767; *crentalis* Scriba,1770; *haematalis* Hübner,[1819] Original Reference: *Phalaena sanguinalis* Linnaeus,1767, *Syst. Nat.* (Edn.12) 1(2): 882, no.339. Lectotype 1 ex: [Lusitania] (Robinson & Nielsen, 1983: 229). Range (in code): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV RU MD UA BY Cc GG AZ Tbl Bjo Kir Lag AM Eri IL Pa

Hf LB CY IR Gh Tgo Ana Ke Fa Shr Com Elb Kh Th Mz Plr Gor AF Pag Kot Bkt Asm Arh Hr Slg Bsg Gbh
Srb Pli Nv Ord Len Mz GlS DZ Bsk Clo TN Gf CN Ui Ku Js

- 79319. *Pyrausta sarobialis* (Amsel,1970)** (Pyralidae) Synonym(s): *sarobialis* Amsel,1970 Range (in code): AF Bsg Srb Pnj Kab PK Bl Qu
- 79320. *Pyrausta semilimbalis* Mabille,1900** (Pyralidae) Synonym(s): *semilimbalis* Mabille,1900 Range (in code): ZA
- 79321. *Pyrausta sericealis* (Wileman & South,1917)** (Pyralidae) Synonym(s): *sericealis* Wileman & South,1917 Range (in code): TW
- 79322. *Pyrausta shirazalis* Amsel,1961** (Pyralidae) Synonym(s): *shirazalis* Amsel,1961 Range (in code): IR Fa Shr
- 79323. *Pyrausta silhetalis* (Guenée,1854)** (Pyralidae) Synonym(s): *silhetalis* Guenée,1854; *lateralis* Walker,1862; *pangialis* R.Felder & Rogenhofer,[1875]; *cuprealis* Moore,1878 Range (in code): BD Syl IN Meg Ass CN Ui Yk PK Thu
- 79324. *Pyrausta* sp.** (Pyralidae) Synonym(s): Range (in code): PH Luz
- 79325. *Pyrausta taftanalis* Amsel,1961** (Pyralidae) Synonym(s): *taftanalis* Amsel,1961 Range (in code): IR
- 79326. *Pyrausta tapa* Strand,1918** (Pyralidae) Synonym(s): *tapa* Strand,1918 Range (in code): TW
- 79327. *Pyrausta testalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *testalis* Fabricius,1794 Range (in code): AU JM AC KM YE Ad IN LK MM PG ID Ja TW
- 79328. *Pyrausta testalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *testalis* Fabricius,1794 Range (in code): ZA
- 79329. *Pyrausta tetraplagialis* Hampson,1898** (Pyralidae) Synonym(s): *tetraplagialis* Hampson,1898 Range (in code): ZA
- 79330. *Pyrausta tithonialis* (Zeller,1872)** (Pyralidae) Synonym(s): *tithonialis* Zeller,1872; *dotalis* Christoph,1881. Range (in code): CN Ui Ju MN RU Sb Am
- 79331. *Pyrausta trimaculalis* (Staudinger,1867)** (Pyralidae) Synonym(s): *trimaculalis* Staudinger,1867 Original Reference: *Botys trimaculalis* Staudinger,1867, Stettin ent. Ztg. 28: 109. Type: [Türkei]: Amasia. Range (in code): YU GR TR
- 79332. *Pyrausta vicinalis* South,1901** (Pyralidae) Synonym(s): *vicinalis* South,1901 Range (in code): CN TW JP
- 79333. *Pyrausta virginalis* Duponchel,1832** (Pyralidae) Synonym(s): *virginalis* Duponchel,1832; *auroralis* Zeller,1847; *neglectalis* Caradja,1916 Original Reference: *Pyrausta virginalis* Duponchel,1832, Hist. nat. Lépid. Papillons Fr. 8: 216-217, pl.224 fig.3. Type: [Greece]: Morée. Range (in code): TN Elk Sfx ES Cue FR Co Sa Si IT CH AT SK HU RO YU AL BG GR Cr Rd CY TR Cc AM Eri IL Pa Js IQ Hjo Mos Shq IR Fa Shr Sse Th Kdj Elb Mz Kh Srd AF Pnj Kbb Kot BdA Bionomy: Larva on *Salvia*, *Thymus* (Lamiaceae) (Wiltshire,1957; Parenti,2000).
- 79334. *Pyrausta virginalis arianalis* Amsel,1970** (Pyralidae) Synonym(s): *arianalis* Amsel,1970 Range (in code): AF Pnj Kbb Kot BdA
- 79335. *Pyrausta zeitunalis* Caradja,1916** (Pyralidae) Synonym(s): *zeitunalis* Caradja,1916 Original Reference: *Pyrausta zeitunalis* Caradja,1916, Dt. ent. Z., Iris 30: 37. Syntypes 1♂ 2♀: [Türkei]: Zeitun. Range (in code): TR
- 79336. *Pyraustimorpha inexpectata* Koçak & Seven,1995** (Pyralidae) Synonym(s): *inexpectata* Koçak & Seven,1995 Original Reference: *Pyraustimorpha inexpectata* Koçak & Seven,1995, Cent. ent. Stud., Misc. Pap. 23/24: 14-15, figs. Holotype ♂: Turkey: Ankara: Gölbaşı, Kepekli Pass 1100m (in coll. Cesa). Range (in code): TR
- 79337. *Quasiexuperius rhodesianus* Balinsky,1994** (Pyralidae) Synonym(s): *rhodesianus* Balinsky,1994 Range (in code): ZW Swm
- 79338. *Quasiexuperius rhodesianus rhodesianus* Balinsky,1994** (Pyralidae) Synonym(s): *rhodesianus* Balinsky,1994 Range (in code): ZW Swm
- 79339. *Quasipuer infamella* Roesler,1973** (Pyralidae) Synonym(s): *infamella* Roesler,1973 Range (in code): CN Kgs Tkg
- 79340. *Ralpharia nubicella* (Zerny,1917)** (Pyralidae) Synonym(s): *nubicella* Zerny,1917 Range (in code): SD Kht SD91 EG EG11
- 79341. *Rambutaneia* sp.A** (Pyralidae) Synonym(s): Range (in code): AU
- 79342. *Rambutaneia udjana* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *udjana* Roesler & Küppers,1979 Range (in code): ID Sum

- 79343. *Ramila acciusalis* Walker, 1859** (Pyralidae) Synonym(s): *acciusalis* Walker, 1859 Range (in code): IN SI LK Bor ID
- 79344. *Ramila argentifimbrialis* Swinhoe, 1890** (Pyralidae) Synonym(s): *argentifimbrialis* Swinhoe, 1890; *#angustifimbrialis* Robinson, Tuck & Schaffer, 1994 Range (in code): TH NP IN SI BT MM
- 79345. *Ramila marginella* Moore, 1867** (Pyralidae) Synonym(s): *marginella* Moore, 1867 Range (in code): IN SI
- 79346. *Ramila ruficostalis* Hampson, 1893** (Pyralidae) Synonym(s): *ruficostalis* Hampson, 1893 Range (in code): LK
- 79347. *Ramosignathos inconspicuella* Balinsky, 1994** (Pyralidae) Synonym(s): *inconspicuella* Balinsky, 1994 Range (in code): NA
- 79348. *Ramosignathos inconspicuella inconspicuella* Balinsky, 1994** (Pyralidae) Synonym(s): *inconspicuella* Balinsky, 1994 Range (in code): NA
- 79349. *Raphiptera argillacaeella* (Packard, 1868)** (Pyralidae) Synonym(s): *argillacaeella* Packard, 1868; *#argillaceus* Hampson, 1896 Range (in code): Lbr CA
- 79350. *Raphiptera minimella* Robinson, 1871** (Pyralidae) Synonym(s): *minimella* Robinson, 1871 Range (in code): US Pns
- 79351. *Rasputinka expallidella* Ragonot, 1887** (Pyralidae) Synonym(s): *expallidella* Ragonot, 1887 Original Reference: Bazarina expallidella Ragonot, 1887, *Annls Soc. ent. Fr.* (6) 7: 234. Type: Transcaspia: Siew Chima. Range (in code): TM DZ Ges
- 79352. *Ratasa alienalis* (Eversmann, 1844)** (Pyralidae) Synonym(s): *noctualis* Eversmann, 1852 *nec* Hübner, 1796; *alienalis* Eversmann, 1844. Original Reference: Pyralis alienalis Eversmann, 1844, *Faun. Lepid. Volgo-Uraensis*: 451. Type(s): Russia: Ural. Range (in code): RU Ur Or UZ Tas TM Krn
- 79353. *Rehimena auritincta* (Butler, 1886)** (Pyralidae) Synonym(s): *auritincta* Butler, 1886; *xanthias* Turner, 1913 Range (in code): AU
- 79354. *Rehimena cissophora* (Turner, 1908)** (Pyralidae) Synonym(s): *cissophora* Turner, 1908; *chlorotypa* Turner, 1941 Range (in code): WS NH SB PG AU
- 79355. *Rehimena leptophaes* (Turner, 1913)** (Pyralidae) Synonym(s): *leptophaes* Turner, 1913 Range (in code): AU
- 79356. *Rehimena phrynealis* (Walker, 1859)** (Pyralidae) Synonym(s): *phrynealis* Walker, 1859 Range (in code): IN NP TH CMa MY Bor LK ID Sum CN TW
- 79357. *Rehimena surusalis* (Walker, 1859)** (Pyralidae) Synonym(s): *surusalis* Walker, 1859; *subjunctalis* Walker, [1866]; *triferalis* Walker, [1866]; *semifascialis* Snellen, 1880 Range (in code): AU
- 79358. *Remanephycis sudanella* Roesler, 1989** (Pyralidae) Synonym(s): *sudanella* Roesler, 1989 Range (in code): SD Ksl
- 79359. *Repetekiodes acervella* (Erschoff, 1874)** (Pyralidae) Synonym(s): *acervella* Erschoff, 1874; *kuschella* Zerny, 1914; *senganella* Amsel, 1954. Range (in code): DZ Gle Bsk Gha Ah TN SA TM Kp UZ Fe Br IR Ss Irs AF
- 79360. *Repetekiodes acervella acervella* (Erschoff, 1874)** (Pyralidae) Synonym(s): *acervella* Erschoff, 1874; *kuschella* Zerny, 1914; *senganella* Amsel, 1954. Range (in code): AF TM Kp UZ Fe Br IR Ss Irs
- 79361. *Repetekiodes acervella kraussi* (Rebel, 1903)** (Pyralidae) Synonym(s): *kraussi* Rebel, 1903; *umbripherella* Mabille, 1906; *biformis* Rothschild, 1915; *fasciferella* Dumont, 1928; *nigrifasciella* Dumont, 1928; *lepigreeella* Dumont, 1948. Original Reference: Nephopteryx kraussi Rebel, 1903, *Verh. zool.-bot. Ges. Wien* 53: 408-409. Syntypes 3♀: Algeria, "Ouargl. Ghard". Range (in code): DZ Gle Bsk Gha Ah TN SA
- 79362. *Repetekiodes gozmanyi* (Amsel, 1955)** (Pyralidae) Synonym(s): *gozmanyi* Amsel, 1955 Range (in code): TM Rpt
- 79363. *Reskovitsia alborivulalis* (Eversmann, 1843)** (Pyralidae) Synonym(s): *alborivulalis* Eversmann, 1843 Original Reference: Ennychia alborivulalis Eversmann, 1843, *Bull. Soc. imp. Moscou* 16: 553. Syntypes: Russia: Orenburg. Range (in code): ES HU YU BG TR RU
- 79364. *Rhetosemia antofagastalis* Munroe, 1959** (Pyralidae) Synonym(s): *antofagastalis* Munroe, 1959 Range (in code): CL
- 79365. *Rhetosemia argentipunctalis* Druce, 1895** (Pyralidae) Synonym(s): *argentipunctalis* Druce, 1895 Range (in code): GT
- 79366. *Rhetosemia braziliensis* Munroe, 1959** (Pyralidae) Synonym(s): *braziliensis* Munroe, 1959 Range (in code): BR Rja
- 79367. *Rhetosemia compositalis* Schaus, 1912** (Pyralidae) Synonym(s): *compositalis* Schaus, 1912 Range (in code): CR

- 79368. *Rhectosemia excisalis* (Snellen,1900)** (Pyralidae) Synonym(s): *excisalis* Snellen,1900
Range (in code): **AR**
- 79369. *Rhectosemia longistrialis* Dognin,1904** (Pyralidae) Synonym(s): *longistrialis* Dognin,1904 Range (in code): **EC**
- 79370. *Rhectosemia multifarialis* Lederer,1863** (Pyralidae) Synonym(s): *multifarialis* Lederer,1863 Range (in code): **VE**
- 79371. *Rhectosemia nomophiloides* Munroe,1959** (Pyralidae) Synonym(s): *nomophiloides* Munroe,1959 Range (in code): **BO**
- 79372. *Rhectosemia striata* Munroe,1959** (Pyralidae) Synonym(s): *striata* Munroe,1959 Range (in code): **MX**
- 79373. *Rhectosemia tumidicosta* Hampson,1913** (Pyralidae) Synonym(s): *tumidicosta* Hampson,1913 Range (in code): **CO**
- 79374. *Rhectosemia vausignalis* Hampson,1918** (Pyralidae) Synonym(s): *vausignalis* Hampson,1918 Range (in code): **PE**
- 79375. *Rhectosemia viriditincta* Munroe,1959** (Pyralidae) Synonym(s): *viriditincta* Munroe,1959 Range (in code): **BR**
- 79376. *Rhectothyris rosea* (W.Warren,1896)** (Pyralidae) Synonym(s): *rosea* W.Warren,1896 Range (in code): **AU**
- 79377. *Rhimpalea trogusalis* (Walker,1859)** (Pyralidae) Synonym(s): *trogusalis* Walker,1859 Range (in code): **PH Mno IN Adm MY Prk Bor Ja Clb Sgr ID Luz**
- 79378. *Rhimphalea lindusalis* (Walker,1859)** (Pyralidae) Synonym(s): *lindusalis* Walker,1859 Range (in code): **AU**
- 79379. *Rhimphalea sceletalis* Lederer,1863** (Pyralidae) Synonym(s): *sceletalis* Lederer,1863; *aenone* Butler,1886 Range (in code): **AU**
- 79380. *Rhimphaliodes macrostigma* Hampson,1893** (Pyralidae) Synonym(s): *macrostigma* Hampson,1893; *cyclotypa* Turner,1937 Range (in code): **LK ID AU**
- 79381. *Rhinaphe albicantalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *albicantalis* Rothschild,1913 Original Reference: *Enosoma albicantalis* Rothschild,1913, Novit. zool. 20: 138. Syntypes: [Algeria]: n. of El-Golea, s. of El-Golea, Oued Nça, El-Arich, sw. of Touggourt. Range (in code): **DZ Gle Eal Onç**
- 79382. *Rhinaphe apotomella* (Meyrick,1879)** (Pyralidae) Synonym(s): *apotomella* Meyrick,1879 Range (in code): **IN LK PH TW**
- 79383. *Rhinaphe castanealis* Hampson,1912** (Pyralidae) Synonym(s): *castanealis* Hampson,1912 Range (in code): **ZA**
- 79384. *Rhinaphe flavescentella* (Hampson,1901)** (Pyralidae) Synonym(s): *flavescentella* Hampson,1901 Range (in code): **CN TW**
- 79385. *Rhinaphe flavodorsalis* Janse,1922** (Pyralidae) Synonym(s): *flavodorsalis* Janse,1922 Range (in code): **ZA**
- 79386. *Rhinaphe lutosa* Janse,1922** (Pyralidae) Synonym(s): *lutosa* Janse,1922 Range (in code): **ZA**
- 79387. *Rhinaphe nigricostalis* (Walker,1863)** (Pyralidae) Synonym(s): *nigricostalis* Walker,1863 Range (in code): **ZA IN LK MM MY Bor ID TW FJ WS OW**
- 79388. *Rhinaphe scripta* De Joannis,1927** (Pyralidae) Synonym(s): *scripta* De Joannis,1927 Range (in code): **ZA**
- 79389. *Rhinaphe seeboldi* (Ragonot,1894)** (Pyralidae) Synonym(s): *seeboldi* Ragonot,1894 Range (in code): **ZA**
- 79390. *Rhinaphe virginella* (Meyrick,1879)** (Pyralidae) Synonym(s): *virginella* Meyrick,1879 Range (in code): **WS AU**
- 79391. *Rhodochrysa superbella* Hampson,1901** (Pyralidae) Synonym(s): *superbella* Hampson,1901 Range (in code): **ZA**
- 79392. *Rhodophaea* (?) *taftanella* Amsel,1950** (Pyralidae) Synonym(s): *taftanella* Amsel,1950 Range (in code): **IR Ss**
- 79393. *Rhynchopaschia melanolopha* Hampson,1906** (Pyralidae) Synonym(s): *melanolopha* Hampson,1906 Range (in code): **ZA**
- 79394. *Rhynchopaschia reducta* Janse,1931** (Pyralidae) Synonym(s): *reducta* Janse,1931 Original Reference: *Rhynchopaschia reducta* Janse,1931, Trans. ent. Soc. London 79: 482, figs. Holotype ♂: [South Africa]: Barberton, 7.xii.1910. Range (in code): **ZA Tva Pre Gau Mpu Brb**

- 79395. *Rotrudosoma parvillum* Roesler,1964** (Pyralidae) **Synonym(s):** *parvillum* Roesler,1964
Range (in code): **LY Cy**
- 79396. *Rungsina canifusalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *canifusalis* Hampson,1900; *smaraensis* Leraut,2004 **Original Reference:** Constantia canifusalis Hampson,1900, Trans. ent. Soc. London 1900: 381, pl.3 fig.16. Type: Algeria, Biskra. **Range (in code):** **TN Gf DZ**
Ges Gle Bsk Gha Hdr Eal Onç SY JO IQ Amr Kro IR Fa Shr KW
- 79397. *Rungsina fuscisectalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *fuscisectalis* Hampson,1900 **Range (in code):** **IL Pa**
- 79398. *Rungsina iranalis* (Amsel,1949)** (Pyralidae) **Synonym(s):** *iranalis* Amsel,1949 **Range (in code):** **IR Fa Shr Sse Th Kdj Ss Chh Irs IQ Smr**
- 79399. *Rungsina mideltensis* Leraut,2004** (Pyralidae) **Synonym(s):** *mideltensis* Leraut,2004
Range (in code): **MA**
- 79400. *Rungsina mimicalis* (Amsel,1951)** (Pyralidae) **Synonym(s):** *mimicalis* Amsel,1951
Range (in code): **IR AE**
- 79401. *Rungsina rungsi* Leraut,2004** (Pyralidae) **Synonym(s):** *rungsi* Leraut,2004 **Range (in code):** **MA**
- 79402. *Sacada albiocularis* Hampson,1917** (Pyralidae) **Synonym(s):** *albiocularis* Hampson,1917
Range (in code): **PG Fak**
- 79403. *Sacada amoyalis* Caradja,1932** (Pyralidae) **Synonym(s):** *amoyalis* Caradja,1932 **Range (in code):** **CN**
- 79404. *Sacada approximans* (Leech,1888)** (Pyralidae) **Synonym(s):** *approximans* Leech,1888
Range (in code): **JP**
- 79405. *Sacada confutsealis* Caradja,1925** (Pyralidae) **Synonym(s):** *confutsealis* Caradja,1925
Range (in code): **CN**
- 79406. *Sacada constrictalis* (Ragonot,1891)** (Pyralidae) **Synonym(s):** *constrictalis* Ragonot,1891
Range (in code): **IN Ass**
- 79407. *Sacada contigua* South,1901** (Pyralidae) **Synonym(s):** *contigua* South,1901 **Range (in code):** **CN**
- 79408. *Sacada decora* Walker,1862** (Pyralidae) **Synonym(s):** *decora* Walker,1862 **Range (in code):** **MY Bor Swk**
- 79409. *Sacada discincta* (Moore,1866)** (Pyralidae) **Synonym(s):** *discincta* Moore,1866 **Range (in code):** **IN SI Djl**
- 79410. *Sacada erythropis* Hampson,1917** (Pyralidae) **Synonym(s):** *erythropis* Hampson,1917
Range (in code): **NG**
- 79411. *Sacada fasciata* (Butler,1878)** (Pyralidae) **Synonym(s):** *fasciata* Butler,1878; *miraculosa* Snellen,1885 **Range (in code):** **JP**
- 79412. *Sacada flexuosa* (Snellen,1890)** (Pyralidae) **Synonym(s):** *flexuosa* Snellen,1890; *inflammealis* Ragonot,1891 **Range (in code):** **IN Ass SI**
- 79413. *Sacada giovanettae* Marion,1957** (Pyralidae) **Synonym(s):** *giovanettae* Marion,1957
Range (in code): **CI**
- 79414. *Sacada hoenei* Caradja,1937** (Pyralidae) **Synonym(s):** *hoenei* Caradja,1937 **Range (in code):** **CN Yu**
- 79415. *Sacada madegassalis* Viette,1960** (Pyralidae) **Synonym(s):** *madegassalis* Viette,1960
Range (in code): **MG**
- 79416. *Sacada metaxantha* Hampson,1906** (Pyralidae) **Synonym(s):** *metaxantha* Hampson,1906
Range (in code): **PG**
- 79417. *Sacada misakiensis* (Shibuya,1928)** (Pyralidae) **Synonym(s):** *misakiensis* Shibuya,1928
Range (in code): **JP**
- 79418. *Sacada nicopaea* Tams,1941** (Pyralidae) **Synonym(s):** *nicopaea* Tams,1941 **Range (in code):** **UG**
- 79419. *Sacada nigripuncta* Hampson,1906** (Pyralidae) **Synonym(s):** *nigripuncta* Hampson,1906
Range (in code): **PG**
- 79420. *Sacada nyasana* Hampson,1917** (Pyralidae) **Synonym(s):** *nyasana* Hampson,1917 **Range (in code):** **MW**
- 79421. *Sacada olivina* De Joannis,1929** (Pyralidae) **Synonym(s):** *olivina* De Joannis,1929 **Range (in code):** **VN Ton**

- 79422. *Sacada pallescens* Hampson, 1896** (Pyralidae) Synonym(s): *pallescens* Hampson, 1896
Range (in code): IN SI
- 79423. *Sacada papuana* Hampson, 1917** (Pyralidae) Synonym(s): *papuana* Hampson, 1917 Range (in code): PG
- 79424. *Sacada paulianalis* Viette, 1953** (Pyralidae) Synonym(s): *paulianalis* Viette, 1953; *vinolentalis* Viette, 1960 Range (in code): MG
- 79425. *Sacada peltobathra* Meyrick, 1938** (Pyralidae) Synonym(s): *peltobathra* Meyrick, 1938
Range (in code): ID Ja
- 79426. *Sacada prasinalis* Hampson, 1906** (Pyralidae) Synonym(s): *prasinalis* Hampson, 1906
Range (in code): SL NG
- 79427. *Sacada pusilla* M. Hering, 1901** (Pyralidae) Synonym(s): *pusilla* M. Hering, 1901 Range (in code): ID Sum
- 79428. *Sacada pyraliformis* (Moore, 1879)** (Pyralidae) Synonym(s): *pyraliformis* Moore, 1879
Range (in code): TH CMa MM IN SI Djl
- 79429. *Sacada ragonotalis* Snellen, 1892** (Pyralidae) Synonym(s): *ragonotalis* Snellen, 1892
Range (in code): ID Ja
- 79430. *Sacada rhodinalis* Hampson, 1916** (Pyralidae) Synonym(s): *rhodinalis* Hampson, 1916
Range (in code): ZA
- 79431. *Sacada rhyacophila* Ghesquière, 1942** (Pyralidae) Synonym(s): *rhyacophila* Ghesquière, 1942 Range (in code): ZR
- 79432. *Sacada rosealis* Hampson, 1916** (Pyralidae) Synonym(s): *rosealis* Hampson, 1916 Range (in code): ZA ZW Bul
- 79433. *Sacada rubralis* Holland, 1900** (Pyralidae) Synonym(s): *rubralis* Holland, 1900 Range (in code): ID Bru
- 79434. *Sacada rufina* Hampson, 1896** (Pyralidae) Synonym(s): *rufina* Hampson, 1896 Range (in code): IN Bba
- 79435. *Sacada sikkima* (Moore, 1879)** (Pyralidae) Synonym(s): *sikkima* Moore, 1879 Range (in code): IN SI Djl
- 79436. *Sacada szetschwanalis* Caradja, 1927** (Pyralidae) Synonym(s): *szetschwanalis* Caradja, 1927 Range (in code): CN Sz
- 79437. *Sacada testacea* Roepke, 1943** (Pyralidae) Synonym(s): *testacea* Roepke, 1943 Range (in code): ID Ja
- 79438. *Sacada tonsealis* Roepke, 1938** (Pyralidae) Synonym(s): *tonsealis* Roepke, 1938 Range (in code): ID Clb
- 79439. *Sacada unilinealis* Hampson, 1896** (Pyralidae) Synonym(s): *unilinealis* Hampson, 1896
Range (in code): IN SI
- 79440. *Sacada viridalis* Hampson, 1917** (Pyralidae) Synonym(s): *viridalis* Hampson, 1917 Range (in code): CM
- 79441. *Salbia haemorrhoidalis* Guenée, 1854** (Pyralidae) Synonym(s): *haemorrhoidalis* Guenée, 1854; *dircealis* Walker, 1859; *futilalis* Barnes & McDunnough, 1914 Range (in code): AU
- 79442. *Salebriopsis albicilla* (Herrich-Schäffer, 1849)** (Pyralidae) Synonym(s): *albicilla* Herrich-Schäffer, 1849 Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO LV LT RU MD UA BY
- 79443. *Salinaria diffusella* (Christoph, 1872)** (Pyralidae) Synonym(s): *diffusella* Christoph, 1872
Original Reference: Myelois ? diffusella Christoph, 1872, Horae Soc. ent. ross. 9: 8, pl.1 fig.5.
Syntypes: [Kazakhstan]: Uralsk. Range (in code): RU Sr KG UK
- 79444. *Salma albifurcalis* Hampson, 1916** (Pyralidae) Synonym(s): *albifurcalis* Hampson, 1916
Range (in code): TH IN LK MY
- 79445. *Salma apicalis* (Kenrick, 1907)** (Pyralidae) Synonym(s): *apicalis* Kenrick, 1907; *polypsamma* Turner, 1937 Range (in code): AU
- 79446. *Salma basiochra* (Turner, 1937)** (Pyralidae) Synonym(s): *basiochra* Turner, 1937 Range (in code): AU
- 79447. *Salma cholica* (Meyrick, 1884)** (Pyralidae) Synonym(s): *cholica* Meyrick, 1884; *cinerascens* W. Warren, 1884; *lygropa* Turner, 1905 Range (in code): AU
- 79448. *Salma cletolis* (Turner, 1905)** (Pyralidae) Synonym(s): *cletolis* Turner, 1905 Range (in code): AU

- 79449. *Salma cuproviridalis* (Moore,1867)** (Pyralidae) **Synonym(s):** *cuproviridalis* Moore,1867
Range (in code): [SI IN PH Mno](#)
- 79450. *Salma ebenina* (Turner,1904)** (Pyralidae) **Synonym(s):** *ebenina* Turner,1904 **Range (in code):** [AU](#)
- 79451. *Salma eupepla* (Meyrick,1915)** (Pyralidae) **Synonym(s):** *eupepla* Meyrick,1915 **Range (in code):** [AU](#)
- 79452. *Salma galeata* (Hampson,1906)** (Pyralidae) **Synonym(s):** *galeata* Hampson,1906 **Range (in code):** [AU](#)
- 79453. *Salma glyceropa* (Turner,1937)** (Pyralidae) **Synonym(s):** *glyceropa* (Turner,1937) **Range (in code):** [AU](#)
- 79454. *Salma hicanodes* (Turner,1937)** (Pyralidae) **Synonym(s):** *hicanodes* Turner,1937 **Range (in code):** [AU](#)
- 79455. *Salma marmorea* (W.Warren,1891)** (Pyralidae) **Synonym(s):** *marmorea* W.Warren,1891
Range (in code): [AU](#)
- 79456. *Salma mnesibrya* (Meyrick,1884)** (Pyralidae) **Synonym(s):** *mnesibrya* Meyrick,1884
Range (in code): [AU](#)
- 79457. *Salma nephelodes* (Turner,1933)** (Pyralidae) **Synonym(s):** *nephelodes* Turner,1933
Range (in code): [AU](#)
- 79458. *Salma nubilalis* (Hampson,1893)** (Pyralidae) **Synonym(s):** *nubilalis* Hampson,1893
Range (in code): [AU IN LK TH Nrt Sbu Cbi Ray](#) **Bionomy:** Larva on leaf of *Protium serratum* [ma faen] (Burseaceae) (Lewvanich,2001).
- 79459. *Salma peloscia* (Meyrick,1913)** (Pyralidae) **Synonym(s):** *peloscia* Meyrick,1913 **Range (in code):** [AU](#)
- 79460. *Salma pentabela* (Turner,1915)** (Pyralidae) **Synonym(s):** *pentabela* Turner,1915 **Range (in code):** [AU](#)
- 79461. *Salma peratophaea* (Turner,1937)** (Pyralidae) **Synonym(s):** *peratophaea* Turner,1937
Range (in code): [AU](#)
- 79462. *Salma poliophanes* (Turner,1913)** (Pyralidae) **Synonym(s):** *poliophanes* Turner,1913
Range (in code): [AU](#)
- 79463. *Salma pyrastis* (Meyrick,1887)** (Pyralidae) **Synonym(s):** *pyrastis* Meyrick,1887 **Range (in code):** [AU](#)
- 79464. *Salma recurvalis* Walker,1863** (Pyralidae) **Synonym(s):** *recurvalis* Walker,1863; *rubiginosa* Walker,1865; *melanospilellus* Walker,1866; *crypsaula* Meyrick,1887 **Range (in code):** [AU](#)
- 79465. *Salma streptomela* (Lower,1896)** (Pyralidae) **Synonym(s):** *streptomela* Lower,1896; *triglochis* Turner,1903 **Range (in code):** [AU](#)
- 79466. *Salma tholoessa* (Meyrick,1926)** (Pyralidae) **Synonym(s):** *tholoessa* Meyrick,1926 **Range (in code):** [AU](#)
- 79467. *Saluria albicostella* Janse,1922** (Pyralidae) **Synonym(s):** *albicostella* Janse,1922 **Range (in code):** [ZA](#)
- 79468. *Saluria albivenella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *albivenella* Ragonot,1888
Range (in code): [AR TW](#)
- 79469. *Saluria albovenosella* Chrétien,1915** (Pyralidae) **Synonym(s):** *albovenosella* Chrétien,1915
Original Reference: ? *Saluria albovenosella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 290. Type ♀: Algeria, Biskra. **Range (in code):** [DZ Bsk](#)
- 79470. *Saluria breviculella* Hampson,1898** (Pyralidae) **Synonym(s):** *breviculella* Hampson,1898
Range (in code): [IN](#)
- 79471. *Saluria chehirella* Zerny,1929** (Pyralidae) **Synonym(s):** *chehirella* Zerny,1929. **Original Reference:** *Saluria chehirella* Zerny,1929, [in] Wagner, *Mitt. münch. ent. Ges.* 19: 198. Type ♂: [Türkei]: Inner-Anatolien: [Konya]: Ak-Chehir. **Range (in code):** [TR](#)
- 79472. *Saluria claricostella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *claricostella* Ragonot,1888
Range (in code): [IC AC TW](#)
- 79473. *Saluria devylder* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *devylder* Ragonot,1888
Range (in code): [ZA](#)
- 79474. *Saluria discopunctella* (Amsel,1968)** (Pyralidae) **Synonym(s):** *discopunctella* Amsel,1968
Range (in code): [IN](#)
- 79475. *Saluria eremica* Asselbergs,2008** (Pyralidae) **Synonym(s):** *eremica* Asselbergs,2008
Range (in code): [AE](#)

- 79476. *Saluria erodella* Ragonot,1888** (Pyralidae) Synonym(s): *erodella* Ragonot,1888 Range (in code): IN
- 79477. *Saluria flavicosta* Hampson,1918** (Pyralidae) Synonym(s): *flavicosta* Hampson,1918 Range (in code): NG
- 79478. *Saluria hemiphaealis* (Hampson,1912)** (Pyralidae) Synonym(s): *hemiphaealis* Hampson,1912 Range (in code): IN
- 79479. *Saluria hilgerti* (Rothschild,1915)** (Pyralidae) Synonym(s): *hilgerti* Rothschild,1915 Original Reference: *Pectinigera hilgerti* Rothschild,1915, Novit. zool. 22 (2): 236. Syntypes 1♂ 5♀: Algeria, El Alia, between Touggourt and Guerrara. Range (in code): DZ Eal
- 79480. *Saluria inficita* (Walker,1863)** (Pyralidae) Synonym(s): *inficita* Walker,1863 Range (in code): ZA IN
- 79481. *Saluria macrella* (Ragonot,1888)** (Pyralidae) Synonym(s): *macrella* Ragonot,1888 Range (in code): ZA
- 79482. *Saluria maculivittella* Ragonot,1887** (Pyralidae) Synonym(s): *maculivittella* Ragonot,1887; *armeniella* Ragonot,1888. Original Reference: *Saluria maculivittella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 258-259. Syntypes: Gabes, Caucase: Mt. Elder; [Usbekistan]: Marghilan. Range (in code): MA DZ Ah Gle Omy Bsk TN Gab FR Sa IT? TR KG Uk JO IQ Bgd Kbl Amr IL EG CY IR Ahz Kz Fa RU UZ IN
- 79483. *Saluria mesomelanella* Hampson,1918** (Pyralidae) Synonym(s): *mesomelanella* Hampson,1918 Range (in code): ZA
- 79484. *Saluria minutella* Hampson,1903** (Pyralidae) Synonym(s): *minutella* Hampson,1903 Range (in code): IN
- 79485. *Saluria nilgiriensis* Hampson,1918** (Pyralidae) Synonym(s): *nilgiriensis* Hampson,1918 Range (in code): IN NI
- 79486. *Saluria nimbelloides* Joannis,1927** (Pyralidae) Synonym(s): *nimbelloides* Joannis,1927 Range (in code): MZ
- 79487. *Saluria ochridorsella* Ragonot,1888** (Pyralidae) Synonym(s): *ochridorsella* Ragonot,1888 Range (in code): IN
- 79488. *Saluria opificella* (Zeller,1867)** (Pyralidae) Synonym(s): *opificella* Zeller,1867 Range (in code): IN
- 79489. *Saluria paucigraphella* Ragonot,1888** (Pyralidae) Synonym(s): *paucigraphella* Ragonot,1888 Range (in code): IN
- 79490. *Saluria pretoriae* Janse,1922** (Pyralidae) Synonym(s): *pretoriae* Janse,1922 Range (in code): ZA
- 79491. *Saluria psammatella* Hampson,1918** (Pyralidae) Synonym(s): *psammatella* Hampson,1918 Original Reference: *Saluria psammatella* Hampson,1918, Proc. zool. Soc. London 1918: 94. Syntypes 1♂ 1♀: Algeria, Hammam-es-Salahin (Walsingham leg.). Range (in code): DZ Hes
- 79492. *Saluria pulverata* Janse,1922** (Pyralidae) Synonym(s): *pulverata* Janse,1922 Range (in code): ZA
- 79493. *Saluria pulverosa* (Hampson,1896)** (Pyralidae) Synonym(s): *pulverosa* Hampson,1896 Range (in code): IN IQ Azz Bgd Amr
- 79494. *Saluria rhodophaea* Hampson,1918** (Pyralidae) Synonym(s): *rhodophaea* Hampson,1918 Range (in code): ZA
- 79495. *Saluria rosella* (Hampson,1896)** (Pyralidae) Synonym(s): *rosella* Hampson,1896 Range (in code): IN CN TW
- 79496. *Saluria rufella* Hampson,1918** (Pyralidae) Synonym(s): *rufella* Hampson,1918 Range (in code): IN
- 79497. *Saluria semirosella* Hampson,1918** (Pyralidae) Synonym(s): *semirosella* Hampson,1918 Range (in code): UG
- 79498. *Saluria sepicostella* (Ragonot,1888)** (Pyralidae) Synonym(s): *sepicostella* Ragonot,1888 Range (in code): MY Bor TW ID IN
- 79499. *Saluria spurcella* Ragonot,1888** (Pyralidae) Synonym(s): *spurcella* Ragonot,1888 Range (in code): IN
- 79500. *Saluria stictophora* Hampson,1918** (Pyralidae) Synonym(s): *stictophora* Hampson,1918 Range (in code): ZA
- 79501. *Saluria subcarnella* (Ragonot,1888)** (Pyralidae) Synonym(s): *subcarnella* Ragonot,1888 Range (in code): ZA

- 79502. *Saluria tripartitella* Ragonot,1901** (Pyralidae) Synonym(s): *tripartitella* Ragonot,1901; *#tripartitella* Hampson,1918 Range (in code): ZA
- 79503. *Samaria inconspicuella* Balinsky,1994** (Pyralidae) Synonym(s): *inconspicuella* Balinsky,1994 Range (in code): ZA Wca Cto
- 79504. *Samaria indentella* Ragonot,1893** (Pyralidae) Synonym(s): *indentella* Ragonot,1893 Original Reference: *Samaria indentella* Ragonot,1893, [in] Romanoff, Mém. lépid. 7: 59, pl.xi fig.5. Type ♂: [Liban]: Beyrouth (coll. Ragonot). Range (in code): LB Bei ZA
- 79505. *Samea castoralis* (Walker,1859)** (Pyralidae) Synonym(s): *castoralis* Walker,1859 Range (in code): MY Bor Swk
- 79506. *Samea ecclesialis* Guenée,1854** (Pyralidae) Synonym(s): *ecclesialis* Guenée,1854; *lucusalis* Walker,1859; *disertalis* Walker,[1866] Range (in code):
- 79507. *Samea forsteri* (Amsel,1956)** (Pyralidae) Synonym(s): *forsteri* Amsel,1956 Range (in code): VE
- 79508. *Samea multiplicalis* (Guenée,1854)** (Pyralidae) Synonym(s): *multiplicalis* Guenée,1854; *nicaeusalis* Walker,1859; *discussalis* Walker,[1866] Range (in code): BR
- 79509. *Samea multiplicalis* (Guenée,1854)** (Pyralidae) Synonym(s): *multiplicalis* Guenée,1854; *nicaeusalis* Walker,1859; *discussalis* Walker,1866 Range (in code): AU
- 79510. *Sameodes cancellalis* (Zeller,1852)** (Pyralidae) Synonym(s): *cancellalis* Zeller,1852; *pipileisalis* Walker,1859; *lepidalis* Walker,1859; *sidealis* Walker,1859; *meridionalis* Walker,[1866]; *trithyralis* Snellen,1880 Range (in code): AF Srb WS SB PH Luz IN LK MM Ja Clb PG ID AU TH TW Adm MY SG FJ SL NG CM MG ZM ZW ZA MZ
- 79511. *Sameodes iolealis* (Walker,1859)** (Pyralidae) Synonym(s): *iolealis* Walker,1859 Range (in code): AU
- 79512. *Sandrabatis crassiella* Ragonot,1893** (Pyralidae) Synonym(s): *crassiella* Ragonot,1893 Range (in code): IN Meg Ass SI Khs Nag BT LK ID Sum JP
- 79513. *Sarabotys cupreicostalis* (Dyar,1913)** (Pyralidae) Synonym(s): *cupreicostalis* Dyar,1913 Range (in code): MX
- 79514. *Sarabotys ferriterminalis* Munroe,1964** (Pyralidae) Synonym(s): *ferriterminalis* Munroe,1964 Range (in code): BO
- 79515. *Saucrobotys futilalis* (Lederer,1863)** (Pyralidae) Synonym(s): *futilalis* Lederer,1863; *erectalis* Grote,1876 Range (in code): US Arz
- 79516. *Saucrobotys futilalis futilalis* (Lederer,1863)** (Pyralidae) Synonym(s): *futilalis* Lederer,1863; *erectalis* Grote,1876 Range (in code): US
- 79517. *Saucrobotys futilalis inconcinnalis* (Lederer,1863)** (Pyralidae) Synonym(s): *inconcinnalis* Lederer,1863; *crocotalis* Grote,1881; *festalis* Hust,1886 Range (in code): US Arz
- 79518. *Sceliodes cordalis* (Doubleday,1843)** (Pyralidae) Synonym(s): *cordalis* Doubleday,1843; *mucidalis* Guenée,1854; *wxtensalis* Walker,[1866]; *osbistalis* Snellen,1880 Range (in code): AU
- 79519. *Sceliodes laisalis* (Walker,1859)** (Pyralidae) Synonym(s): *laisalis* Walker,1859 Range (in code): ES GB
- 79520. *Scenedra decoratalis* (Walker,[1866])** (Pyralidae) Synonym(s): *decoratalis* Walker,[1866]; *contentalis* Walker,[1866] Range (in code): AU
- 79521. *Scenidiopsis chionozyga* (Lower,1903)** (Pyralidae) Synonym(s): *chionozyga* Lower,1903 Range (in code): AU
- 79522. *Scenoploca petraula* Meyrick,1882** (Pyralidae) Synonym(s): *petraula* Meyrick,1882 Range (in code): NZ
- 79523. *Schoenobius adjurellus* Walker,1863** (Pyralidae) Synonym(s): *adjurellus* Walker,1863; *brunnescens* Moore,1888 Range (in code): IN Ass Clc LK
- 79524. *Schoenobius alpherakyi* Staudinger,1874** (Pyralidae) Synonym(s): *alpherakyi* Staudinger,1874 Original Reference: *Schoenobius alpherakyi* Staudinger,1874, Stettin ent. Ztg. 35: 97. Range (in code): AF Hr TR IL IR Ahz Elb Kdj Mz Bu Fa Shr Kz Sde IQ Bgd
- 79525. *Schoenobius attenuatus* Hampson,1919** (Pyralidae) Synonym(s): *attenuatus* Hampson,1919 Range (in code): ZA
- 79526. *Schoenobius auristrigellus* Hampson,1896** (Pyralidae) Synonym(s): *auristrigellus* Hampson,1896 Range (in code): BT
- 79527. *Schoenobius caminarius* Zeller,1852** (Pyralidae) Synonym(s): *caminarius* Zeller,1852 Range (in code): ZA
- 79528. *Schoenobius costalis* Moore,1887** (Pyralidae) Synonym(s): *costalis* Moore,1887 Range (in code): LK

- 79529. *Schoenobius dodatellus* Walker, 1864** (Pyrilidae) Synonym(s): *dodatellus* Walker, 1864; *aditellus* Walker, 1864. Range (in code): JP Ass Meg Khs IN LK MM
- 79530. *Schoenobius forficellus* (Thunberg, 1794)** (Pyrilidae) Synonym(s): *forficella* Thunberg, 1794; *consortellus* Hübner, 1796; *lanceolellus* Hübner, 1810; *consorta* Haworth, 1811; *hirtus* Haworth, 1811; *lanceolalis* Hübner, [1825] Original Reference: *Tinea forficella* Thunberg, 1794, *Dissertatio Ent. sistens Svecica* 7: 85, fig. 4. Lectotype ♂: Svecia [Sweden] (Karsholt & Nielsen, 1985: 446). Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY ZA Bionomy: Larva on *Glyceria fluitans* (Poaceae), *Carex* (Cyperaceae) (Parenti, 2000).
- 79531. *Schoenobius gigantellus* ([Denis & Schiffermüller], 1775)** (Pyrilidae) Synonym(s): *gigantella* [Denis & Schiffermüller], 1775 Original Reference: *Tinea gigantella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR IL Jt Pa Cc AM AZ Len IQ Bgd IR Mz Gls Ahz Kz Sde DK NO SE FI EE LV LT RU MD UA BY KG Uk Tk Dj
- 79532. *Schoenobius immeritalis* Walker, 1859** (Pyrilidae) Synonym(s): *immeritalis* Walker, 1859; *decursella* Walker, 1863 Range (in code): IN Drm Hp Clc LK TH
- 79533. *Schoenobius incertellus* (Walker, 1863)** (Pyrilidae) Synonym(s): *incertellus* Walker, 1863 Range (in code): IQ Amr Qr IN Nag Clc LK MY Bor ID Ja Sum TH SG CN TW JP PH
- 79534. *Schoenobius minutellus* Zeller, 1863** (Pyrilidae) Synonym(s): *minutellus* Zeller, 1863 Range (in code): PH Luz IN LK MM Bor Ja ID
- 79535. *Schoenobius ochraceellus* Snellen, 1880** (Pyrilidae) Synonym(s): *ochraceellus* Snellen, 1880 Range (in code): PH Boh Ja Clb ID
- 79536. *Schoenobius punctellus* Zeller, 1863** (Pyrilidae) Synonym(s): *punctellus* Zeller, 1863; *bipunctifer* Walker, 1863; *gratiosellus* Walker, 1864. Range (in code): PH Boh LK IN MM CN TW Sum Bor Ja Clb ID
- 79537. *Schoenobius* sp.** (Pyrilidae) Synonym(s): Range (in code): PH Luz
- 79538. *Sciota barteli* (Caradja, 1910)** (Pyrilidae) Synonym(s): *barteli* Caradja, 1910 Range (in code): KG Uk
- 79539. *Sciota belutschistanella* (Amsel, 1961)** (Pyrilidae) Synonym(s): *belutschistanella* Amsel, 1961 Range (in code): IR Chh Ss Put Mkr
- 79540. *Sciota bifasciella* (Hulst, 1887)** (Pyrilidae) Synonym(s): *bifasciella* Hulst, 1887; *nogalesella* Dyar, 1905 Range (in code): US Arz
- 79541. *Sciota coenulentella* (Zeller, 1846)** (Pyrilidae) Synonym(s): *coenulentella* Zeller, 1846 Range (in code): MA ES FR Co Sa Si MT YU GR CY IL Pa Hf
- 79542. *Sciota fernaldi* (Ragonot, 1887)** (Pyrilidae) Synonym(s): *fernaldi* Ragonot, 1887 Range (in code): US Arz
- 79543. *Sciota ferruginella* (Zerny, 1914)** (Pyrilidae) Synonym(s): *ferruginella* Zerny, 1914 Original Reference: *Nephopteryx* ? *ferruginella* Zerny, 1914, *Annln naturh. Mus. Wien* 28: 315, Taf. xxv fig. 17. Type ♀: Russland: Uralgebiet (NHMW). Range (in code): RU Ur
- 79544. *Sciota fumella* (Eversmann, 1844)** (Pyrilidae) Synonym(s): *fumella* Eversmann, 1844; *tristis* Alpheraky, 1880; *hartigi* Roesler, 1974 Range (in code): IT CH AT PL CZ SK HU RO FI EE LV LT RU Cc Am Ur GG Lag TR
- 79545. *Sciota hostilis* (Stephens, 1834)** (Pyrilidae) Synonym(s): *hostilis* Stephens, 1834 Original Reference: *Phycita hostilis* Stephens, 1834, *Ill. Br. Ent., Haustellata* 4: 307. Syntypes: England: Darenth Wood, Ripley. Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO AL GR TR IL JO DK NO SE FI EE LV LT
- 79546. *Sciota hostilis betuleti* (Gozmany, 1953)** (Pyrilidae) Synonym(s): *betuleti* Gozmany, 1953 Range (in code): HU RO AL GR
- 79547. *Sciota hostilis hostilis* (Stephens, 1834)** (Pyrilidae) Synonym(s): *hostilis* Stephens, 1834 Original Reference: *Phycita hostilis* Stephens, 1834, *Ill. Br. Ent., Haustellata* 4: 307. Syntypes: England: Darenth Wood, Ripley. Range (in code): FR IT GB BE NL DE CH AT PL CZ SK TR IL JO DK NO SE FI EE LV LT
- 79548. *Sciota imperialella* (Ragonot, 1887)** (Pyrilidae) Synonym(s): *imperialella* Ragonot, 1887 Original Reference: *Nephopteryx imperialella* Ragonot, 1887, *Annls Soc. ent. Fr.* 1887: 230. Syntypes: Caucase [Borjom], Arménie russe [Kazikoparan]; Sibérie (cf. Ragonot, 1893: 266-267). Range (in code): GR Cc GG Smt Bjo TR RU Sb

- 79549. *Sciota insignella* (Mann,1862)** (Pyralidae) Synonym(s): *insignella* Mann,1862 Range (in code): RO YU BG TR
- 79550. *Sciota lucipetella* (Jalava,1978)** (Pyralidae) Synonym(s): *lucipetella* Jalava,1978 Range (in code): FI EE LV RU MD UA BY
- 79551. *Sciota rhenella* (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818 Original Reference: Phycis rhenella Zincken,1818, Germar's Mag. Ent.3: 166. Type(s). Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG DK FI EE LV LT RU IQ Shq TR AF Cc GG Lag KG Tk Dj Ii IR Elb Th Kdj
- 79552. *Sciota rhenella laetifica* (Ragonot,1893)** (Pyralidae) Synonym(s): *laetifica* Ragonot,1893 Original Reference: Nephopteryx laetifica Ragonot,1893, [in] Romanoff, Mém. Lépid. 7: 288. Range (in code): TR IR Elb Th Kdj AF IQ Shq KG Tk Dj Ii
- 79553. *Sciota rhenella rhenella* (Zincken,1818)** (Pyralidae) Synonym(s): *rhenella* Zincken,1818 Original Reference: Phycis rhenella Zincken,1818, Germar's Mag. Ent.3: 166. Type(s). Range (in code): ES FR IT BE NL DE CH AT PL CZ SK HU RO YU BG TR DK FI EE LV LT RU
- 79554. *Sciota rungsi* Leraut,2002** (Pyralidae) Synonym(s): *rungs* Leraut,2002 ES An MA DZ
- 79555. *Scirpophaga auristrigella* (Hampson,1895)** (Pyralidae) Synonym(s): *auristrigella* Hampson,1895 Range (in code): IN Meg Khs Ass SI BT
- 79556. *Scirpophaga aurivena* (Hampson,1903)** (Pyralidae) Synonym(s): *aurivena* Hampson,1903 Range (in code): IN Ass Meg Khs
- 79557. *Scirpophaga bradleyi* Lewvanich,1981** (Pyralidae) Synonym(s): *bradleyi* Lewvanich,1981 Range (in code): AO
- 79558. *Scirpophaga brunnescens* (Moore,1888)** (Pyralidae) Synonym(s): *brunnescens* Moore,1888 Range (in code): IN MY Bor ID TW
- 79559. *Scirpophaga excerptalis* (Walker,1863)** (Pyralidae) Synonym(s): *excerptalis* Walker,1863; *monostigma* Zeller,1863; *butyrota* Meyrick,1889; *intacta* Snellen,1890; *rhodoproctalis* Hampson,1919. Range (in code): PK Pj Cp BD BT MY Bor ID Sum IN CN NP TW VN JP AU TH PH PG SG LK
- 79560. *Scirpophaga flavidorsalis* (Hampson,1919)** (Pyralidae) Synonym(s): *flavidorsalis* Hampson,1919 Range (in code): IN
- 79561. *Scirpophaga fusciflua* Hampson,1893** (Pyralidae) Synonym(s): *fusciflua* Hampson,1893 Range (in code): IN LK TH
- 79562. *Scirpophaga gilviberbis* Zeller,1863** (Pyralidae) Synonym(s): *gilviberbis* Zeller,1863 Range (in code): IN Clc TH
- 79563. *Scirpophaga gotoi* Lewvanich,1981** (Pyralidae) Synonym(s): *gotoi* Lewvanich,1981 Range (in code): JP
- 79564. *Scirpophaga imparellus* (Meyrick,1878)** (Pyralidae) Synonym(s): *imparellus* Meyrick,1878 Range (in code): AU
- 79565. *Scirpophaga incertulas* (Walker,1863)** (Pyralidae) Synonym(s): *incertulas* Walker,1863; *?admotella* Walker,1863; *punctellus* Zeller,1863; *minutellus* Zeller,1863; *bipunctifera* Walker,1863; *gratiosellus* Walker,1864; *#ncertulas* Hutacharern & Tubtim,1995. Original Reference: Chilo incertulas Walker,1863, List Specimens lepid Insects Colln Br. Mus. 27: 143. Holotype ♂: Borneo: Sarawak (BMNH). Range (in code): AF Srb NP IN Clc Bba Ass Poo LK MM VN TH Bnk CMa Cuo1 MY SG ID Sum Ja Bor Clb PH Pal Luz Mno TW CN Hn JP ZA Sbh Swk Klt Bionomy: Larva on *Oryza sativa* (Poaceae) (Lewvanich,1981).
- 79566. *Scirpophaga innotata* (Walker,1863)** (Pyralidae) Synonym(s): *innotata* Walker,1863; *sericea* Snellen,1880 Range (in code): IN AU PH Luz Boh Neg Mno Sum Clb Amb ID
- 79567. *Scirpophaga khasis* Lewvanich,1981** (Pyralidae) Synonym(s): *khasis* Lewvanich,1981 Range (in code): IN Meg Ass Khs
- 79568. *Scirpophaga kumatai* Lewvanich,1981** (Pyralidae) Synonym(s): *kumatai* Lewvanich,1981 Original Reference: *Scirpophaga kumatai* Lewvanich,1981, Insecta Matsumurana 24: 19-21, figs. Holotype ♂: Nepal: Adhabar, Terai Forest, 300m T.Kumata leg. (EIHU). Range (in code): IN NP
- 79569. *Scirpophaga magnella* De Joannis,1929** (Pyralidae) Synonym(s): *magnella* De Joannis,1929. Original Reference: *Scirpophaga magnella* De Joannis,1929, Annls Soc. ent. Fr. 1929: 608. Holotype ♀: Vietnam: Choganh (MNHNP). Range (in code): IR Ss AF Srb Bkt Nu PK Lh Rw IN Hp Drm Ass Pj Cp NP MM TH VN Ton CN Hn
- 79570. *Scirpophaga marginepunctella* Joannis,1927** (Pyralidae) Synonym(s): *marginepunctella* Joannis,1927 Range (in code): ZA

- 79571. *Scirpophaga melanostigmus* (Turner,1922)** (Pyralidae) Synonym(s): *melanostigmus* Turner,1922 Range (in code): TH AU
- 79572. *Scirpophaga monostigma* Zeller,1863** (Pyralidae) Synonym(s): *monostigma* Zeller,1863 Range (in code): IN
- 79573. *Scirpophaga nepalensis* Lewvanich,1981** (Pyralidae) Synonym(s): *nepalensis* Lewvanich,1981 Original Reference: *Scirpophaga nepalensis* Lewvanich,1981, *Insecta Matsumurana* 24: 21-23,figs. Holotype ♂: Nepal: Adhabar, Terai Forest, 300m T.Kumata leg. (EIHU). Range (in code): IN NP
- 79574. *Scirpophaga nivella* (Fabricius,1794)** (Pyralidae) Synonym(s): *nivella* Fabricius,1794; *chrysorrhoea* Zeller,1863; *auriflua* Zeller,1863; *brunnescens* Moore,1888; *celidias* Meyrick,1894; *euclastalis* Strand,1918. Range (in code): WS ZR IN Clc LK SG PH CN TW JP ID Ja Bor Crm AU TH FJ MM Adm VN MY SG Bor Sbh Swk Klt Bionomy: Larva on *Oryza sativa* (Poaceae), *Scirpus*, *Cyperus*, *Eleocharis*, *Cladium articulatum* (Cyperaceae) (Robinson et al.,1994).
- 79575. *Scirpophaga occidentella* (Walker,1863)** (Pyralidae) Synonym(s): *occidentella* Walker,1863 Range (in code): ZA
- 79576. *Scirpophaga ochroleuca* Meyrick,1882** (Pyralidae) Synonym(s): *ochroleuca* Meyrick,1882 Range (in code): AU
- 79577. *Scirpophaga percna* Common,1960** (Pyralidae) Synonym(s): *percna* Common,1960 Range (in code): AU
- 79578. *Scirpophaga phaedima* Common,1960** (Pyralidae) Synonym(s): *phaedima* Common,1960 Range (in code): AU
- 79579. *Scirpophaga praelata* (Scopoli,1763)** (Pyralidae) Synonym(s): *praelata* Scopoli,1763; *dubia* Rossi,1790; *latidactyla* Hübner,1790; *phantasmatalis* Hübner,[1825]; *alba* Hübner,[1828]; *#grisea* Guenée,1845; *#cinerea* Zeller,1863; *limnochares* Common,1960. Original Reference: *Phalaena praelata* Scopoli,1763, *Entomologia Carniolica*: 198. Syntypes: [Slovenien]: Carniolia [Krain] probably destroyed (Horn & Kahle,1936: 252). Range (in code): MA DZ ES FR IT CH AT PL CZ SK HU RO YU BG GR TR KG Uk IR Shh Elb Th Enz Mz LT TM RU Sr Prj Us CN JP TW LB Bei JP Hkk TW AU Bionomy: Larva on *Juncus* (Juncaceae), *Scirpus* (Cyperaceae) (Parenti,2000).
- 79580. *Scirpophaga tongyaii* Lewvanich,1981** (Pyralidae) Synonym(s): *tongyaii* Lewvanich,1981 Original Reference: *Scirpophaga tongyaii* Lewvanich,1981, *Bull. Br. Mus. nat. Hist. (Ent.)* 42 (4): 232, figs.53,54,107,160,161. Holotype: Thailand: Trang, Kaochong (DA, Bangkok). Range (in code): TH Tng
- 79581. *Scirpophaga virginia* Schultze,1908** (Pyralidae) Synonym(s): *virginia* Schultze,1908 Range (in code): IN TH PH Luz
- 79582. *Scirpophaga whalleyi* Lewvanich,1981** (Pyralidae) Synonym(s): *whalleyi* Lewvanich,1981 Original Reference: *Scirpophaga whalleyi* Lewvanich,1981, *Bull. Br. Mus. nat. Hist. (Ent.)* 42 (4): 251, figs. Holotype: Ceylon, Dambool. Range (in code): IN LK
- 79583. *Scirpophaga xantharrenes* Common,1960** (Pyralidae) Synonym(s): *xantharrenes* Common,1960 Range (in code): AU
- 79584. *Scirpophaga xanthogastrella* (Walker,1863)** (Pyralidae) Synonym(s): *xanthogastrella* Walker,1863; *costalis* Moore,1886. Range (in code): LK IN PK Cp
- 79585. *Scirpophaga xanthopygata* Schawerda,1922** (Pyralidae) Synonym(s): *xanthopygata* Schawerda,1922 Range (in code): RU Prj Us Sr UA CN Mc Fkn Kgs Tkg VN Ton TW JP KP KR
- 79586. *Sclerobiodes persica* Amsel,1951** (Pyralidae) Synonym(s): *persica* Amsel,1951 Range (in code): IR Fa Com TR
- 79587. *Sclerocona acutella* (Eversmann,1842)** (Pyralidae) Synonym(s): *acutella* Eversmann,1842; *acutalis* Guenée,1854; *tincticostellus* Walker,1863; *sinensellus* Walker,1863 Original Reference: *Chilo acutellus* Eversmann,1842, *Bull. Moscou* 1842: 563. Lectotype ♀: Russia: Orenburg, designated by Biebinger & Speidel,1983. Range (in code): ES FR Si IT GB NL DE CH AT CZ SK HU RO YU BG TR Cc AM AZ DK RU Or MD UA BY JP CN Bionomy: Larva on *Phragmites australis* (Poaceae) (Parenti,2000).
- 79588. *Scoparia absconditalis* Christoph,1887** (Pyralidae) Synonym(s): *absconditalis* Christoph,1887 Original Reference: *Scoparia absconditalis* Christoph,1887, [in] Romanoff, *Mém. lépid.* 3: 17-18, pl.1 fig.8. Syntypes: [Georgia]: Borjom, Manglis, Istissou; [Turkey]: Kazikoparan; Lectotype ♂: [Georgia]: Borjom, designated by Munroe,1970 (ZIP). Range (in code): Cc GG Bjo Mng TR AZ Kir
- 79589. *Scoparia acharis* Meyrick,1885** (Pyralidae) Synonym(s): *acharis* Meyrick,1885 Range (in code): NZ

- 79590. *Scoparia acompa* Meyrick,1885** (Pyralidae) **Synonym(s):** *acompa* Meyrick,1885 **Range (in code):** **NZ**
- 79591. *Scoparia acropola* Meyrick,1884** (Pyralidae) **Synonym(s):** *acropola* Meyrick,1884 **Range (in code):** **AU TA**
- 79592. *Scoparia actias* Meyrick,1899** (Pyralidae) **Synonym(s):** *actias* Meyrick,1899 **Range (in code):** **Hw**
- 79593. *Scoparia acuminatella* Stainton,1859** (Pyralidae) **Synonym(s):** *acuminatella* Stainton,1859 **Range (in code):** **Md**
- 79594. *Scoparia aeolias* Meyrick,1899** (Pyralidae) **Synonym(s):** *aeolias* Meyrick,1899 **Range (in code):** **Hw**
- 79595. *Scoparia aequipennalis* W.Warren,1905** (Pyralidae) **Synonym(s):** *aequipennalis* W.Warren,1905 **Range (in code):** **Az**
- 79596. *Scoparia afghanorum* Leraut,1985** (Pyralidae) **Synonym(s):** *afghanorum* Leraut,1985 **Range (in code):** **AF Kab**
- 79597. *Scoparia albertalis* Dyar,1929** (Pyralidae) **Synonym(s):** *albertalis* Dyar,1929 **Range (in code):** **CA BCo**
- 79598. *Scoparia albifusalis* Hampson,1907** (Pyralidae) **Synonym(s):** *albifusalis* Hampson,1907 **Original Reference:** *Scoparia albifusalis* Hampson,1907, Ann. Mag. nat. Hist. (7) 19: 24. Lectotype ♀: [Sri Lanka]: Ceylon, Maskeliya, designated by Nuss (1997) (BMNH). **Range (in code):** **LK Mky**
- 79599. *Scoparia albipunctata* Druce,1899** (Pyralidae) **Synonym(s):** *albipunctata* Druce,1899 **Range (in code):** **CR GT**
- 79600. *Scoparia alialis* Barnes & McDunnough,1912** (Pyralidae) **Synonym(s):** *aliialis* Barnes & McDunnough,1912 **Range (in code):** **US NMx**
- 79601. *Scoparia allicola* Meyrick,1935** (Pyralidae) **Synonym(s):** *allicola* Meyrick,1935 **Range (in code):** **UG**
- 79602. *Scoparia alopecias* Meyrick,1901** (Pyralidae) **Synonym(s):** *alopecias* Meyrick,1901 **Range (in code):** **NZ**
- 79603. *Scoparia alticola* Meyrick,1935** (Pyralidae) **Synonym(s):** *alticola* Meyrick,1935 **Range (in code):** **UG Rz**
- 79604. *Scoparia ambigualis* (Treitschke,1829)** (Pyralidae) **Synonym(s):** *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909 **Original Reference:** *Hercyna ambigualis* Treitschke,1829, Schmett. Eur. 7: 184. Lectotype ♂: Austria: Steiermark, designated by Wolff,1959. **Range (in code):** **MA DZ Clo ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR Cc AZ Len IR Elb Gor Elb Mz CN JP CA Lbr**
- 79605. *Scoparia ambigualis ambigualis* (Treitschke,1829)** (Pyralidae) **Synonym(s):** *ambigualis* Treitschke,1829; *erralis* Guenée,1854; *atomalis* Stainton,1855; *asphodeliella* La Harpe,1855; *aestiva* Speyer,1867; *#taeniatella* Teich,1889; *#crossi* Bankes,1909 **Original Reference:** *Hercyna ambigualis* Treitschke,1829, Schmett. Eur. 7: 184. Lectotype ♂: Austria: Steiermark, designated by Wolff,1959. **Range (in code):** **MA DZ Clo ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR IR Elb Gor Elb Mz CN JP CA Lbr**
- 79606. *Scoparia ambigualis nigra* Hamfelt,1917** (Pyralidae) **Synonym(s):** *nigra* Hamfelt,1917; *kwangtungialis* Caradja,1925 **Range (in code):** **DK CN**
- 79607. *Scoparia amphicypella* Meyrick,1899** (Pyralidae) **Synonym(s):** *amphicypella* Meyrick,1899 **Range (in code):** **Hw**
- 79608. *Scoparia anadonta* Dyar,1918** (Pyralidae) **Synonym(s):** *anadonta* Dyar,1918 **Range (in code):** **MX**
- 79609. *Scoparia anagantis* Dyar,1918** (Pyralidae) **Synonym(s):** *anagantis* Dyar,1918 **Range (in code):** **MX**
- 79610. *Scoparia anaplecta* Meyrick,1884** (Pyralidae) **Synonym(s):** *anaplecta* Meyrick,1884 **Range (in code):** **AU TA**
- 79611. *Scoparia ancipitella* (Laharpe,1855)** (Pyralidae) **Synonym(s):** *ancipitella* Laharpe,1855; *ulmella* Knaggs,1867; *conspicualis* Hodgkinson,1881 **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Am Al Prj Us CN Ui**
- 79612. *Scoparia animosa* Meyrick,1904** (Pyralidae) **Synonym(s):** *animosa* Meyrick,1904 **Range (in code):** **NZ**

- 79613. *Scoparia anisophragma* Lower,1901** (Pyralidae) **Synonym(s):** *anisophragma* Lower,1901
Range (in code): AU NSW
- 79614. *Scoparia antarcticalis* Staudinger,1898** (Pyralidae) **Synonym(s):** *antarcticalis* Staudinger,1898 **Range (in code):**
- 79615. *Scoparia anthracias* Meyrick,1884** (Pyralidae) **Synonym(s):** *anthracias* Meyrick,1884
Range (in code): AU TA
- 79616. *Scoparia antimacha* Meyrick,1899** (Pyralidae) **Synonym(s):** *antimacha* Meyrick,1899
Range (in code): Hw
- 79617. *Scoparia apachealis* Munroe,1972** (Pyralidae) **Synonym(s):** *apachealis* Munroe,1972 **_US**
Arz
- 79618. *Scoparia apheles* Meyrick,1885** (Pyralidae) **Synonym(s):** *apheles* Meyrick,1885 **Range (in code):** NZ
- 79619. *Scoparia aphrodes* Meyrick,1884** (Pyralidae) **Synonym(s):** *aphrodes* Meyrick,1884 **Range (in code):** AU NSW QAU
- 79620. *Scoparia arcta* Lucas,1898** (Pyralidae) **Synonym(s):** *arcta* Lucas,1898 **Range (in code):** AU QAU Bri
- 79621. *Scoparia argolina* (Lower,1902)** (Pyralidae) **Synonym(s):** *argolina* Lower,1902 **Range (in code):** AU NSW
- 79622. *Scoparia asaleuta* Meyrick,1907** (Pyralidae) **Synonym(s):** *asaleuta* Meyrick,1907 **Range (in code):** NZ
- 79623. *Scoparia aspidota* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *aspidota* Meyrick,1885
Range (in code): NZ
- 79624. *Scoparia asterisca* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *asterisca* Meyrick,1885;
asterica Hampson,1897 **Range (in code):** NZ
- 79625. *Scoparia astragalota* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *astragalota* Meyrick,1885
Range (in code): NZ
- 79626. *Scoparia atmogramma* Meyrick,1915** (Pyralidae) **Synonym(s):** *atmogramma* Meyrick,1915
Range (in code): NZ
- 79627. *Scoparia atricuprea* Hampson,1917** (Pyralidae) **Synonym(s):** *atricuprea* Hampson,1917
Range (in code): CO JM
- 79628. *Scoparia atropicta* Hampson,1897** (Pyralidae) **Synonym(s):** *atropicta* Hampson,1897
Range (in code): US
- 79629. *Scoparia augastis* Meyrick,1907** (Pyralidae) **Synonym(s):** *augastis* Meyrick,1907 **Range (in code):** NZ
- 79630. *Scoparia australialis* Guenée,1854** (Pyralidae) **Synonym(s):** *australialis* Guenée,1854
Range (in code): AU
- 79631. *Scoparia australiensis* (Hampson,1898)** (Pyralidae) **Synonym(s):** *australiensis* Hampson,1898 **Range (in code):** AU
- 79632. *Scoparia autochroa* Meyrick,1907** (Pyralidae) **Synonym(s):** *autochroa* Meyrick,1907
Range (in code): NZ
- 79633. *Scoparia autumnna* Philpott,1927** (Pyralidae) **Synonym(s):** *autumna* Philpott,1927 **Range (in code):** NZ
- 79634. *Scoparia axena* Meyrick,1885** (Pyralidae) **Synonym(s):** *axena* Meyrick,1885 **Range (in code):** NZ
- 79635. *Scoparia axiolecta* Turner,1922** (Pyralidae) **Synonym(s):** *axiolecta* Turner,1922 **Range (in code):** AU TA
- 79636. *Scoparia balanopis* Meyrick,1899** (Pyralidae) **Synonym(s):** *balanopis* Meyrick,1899
Range (in code): Hw
- 79637. *Scoparia barbipennis* Hampson,1897** (Pyralidae) **Synonym(s):** *barbipennis* Hampson,1897 **Range (in code):** MY
- 79638. *Scoparia basalis* Walker,1859** (Pyralidae) **Synonym(s):** *basalis* Walker,1859; *biplagialis* Walker,1865; *libella* Grote,1878; *bronzalis* Barnes & McDunnough,1922; *cervalis* McDunnough,1927 **Range (in code):** CA US MX Pns Ny Mrl Fl Mon Arz Cf NMx Col BCo NCa Io Mai Nh
- 79639. *Scoparia basistrigalis* Knaggs,1866** (Pyralidae) **Synonym(s):** *basistrigalis* Knaggs,1866; *signella* Teich,1889; *bifascialis* Turati,1923 **Original Reference:** *Scoparia basistrigalis* Knaggs,1866, Entomologist's mon. Mag. 3:1 fig. Type(s): England: Surrey, Sussex, Worcestershire. **Range (in code):** DZ Blid ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr DK NO SE EE LV LT RU MD UA BY TR MK B-H CY IR Kh

- 79640. *Scoparia basistrigalis basistrigalis* Knaggs, 1866** (Pyralidae) Synonym(s): *basistrigalis* Knaggs, 1866; *signella* Teich, 1889; *bifascialis* Turati, 1923 Original Reference: *Scoparia basistrigalis* Knaggs, 1866, Entomologist's mon. Mag. 3:1 fig. Type(s): England: Surrey, Sussex, Worcestershire. Range (in code): **ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr DK NO SE EE LV LT RU MD UA BY TR MK B-H CY IR**
- 79641. *Scoparia basistrigalis sosia* Leraut, 1982** (Pyralidae) Synonym(s): *sosia* Leraut, 1982 Original Reference: *Scoparia basistrigalis* ssp. *sosia* Leraut, 1982, Alexanor 12 (6) (Suppl.): [6], pl.1 fig.5; pl.viii figs.60, 62. Holotype ♂: Algérie, Blida Glacières (MNHN Paris). Range (in code): **DZ Blid**
- 79642. *Scoparia benigna* Meyrick, 1910** (Pyralidae) Synonym(s): *benigna* Meyrick, 1910 Range (in code): **MU**
- 79643. *Scoparia berytella* Rebel, 1911** (Pyralidae) Synonym(s): *berytella* Rebel, 1911; *syriaca* Caradja, 1917; *coprasta* Meyrick, 1936; *unicornutella* Amsel, 1958; *unicolorella* Amsel, 1958 Original Reference: *Scoparia berytella* Rebel, 1911, Verh. zool.- bot. Ges. Wien 61: (148). Type: Syrien. Range (in code): **LB Bei CY SY**
- 79644. *Scoparia biscutella* Zeller, 1872** (Pyralidae) Synonym(s): *biscutella* Zeller, 1872; *albifrons* Druce, 1896 Range (in code): **CO CR GT MX**
- 79645. *Scoparia bisinualis* Hudson, 1928** (Pyralidae) Synonym(s): *bisinualis* Hudson, 1928 Range (in code): **NZ**
- 79646. *Scoparia bucolica* Meyrick, 1899** (Pyralidae) Synonym(s): *bucolica* Meyrick, 1899 Range (in code): **Hw**
- 79647. *Scoparia caliginosa* Philpott, 1918** (Pyralidae) Synonym(s): *caliginosa* Philpott, 1918 Range (in code): **NZ**
- 79648. *Scoparia canicostalis* Hampson, 1896** (Pyralidae) Synonym(s): *canicostalis* Hampson, 1896 Range (in code): **IN NI**
- 79649. *Scoparia catactis* Meyrick, 1904** (Pyralidae) Synonym(s): *catactis* Meyrick, 1904 Range (in code): **Hw**
- 79650. *Scoparia cataxesta* Meyrick, 1885** (Pyralidae) Synonym(s): *cataxesta* Meyrick, 1885 Range (in code): **NZ**
- 79651. *Scoparia ceramica* W.Warren, 1891** (Pyralidae) Synonym(s): *ceramica* W.Warren, 1891 Range (in code): **PE**
- 79652. *Scoparia chalara* Meyrick, 1901** (Pyralidae) Synonym(s): *chalara* Meyrick, 1901 Range (in code): **NZ**
- 79653. *Scoparia chalicodes* Meyrick, 1885** (Pyralidae) Synonym(s): *chalicodes* Meyrick, 1885 Range (in code): **NZ**
- 79654. *Scoparia characta* Meyrick, 1885** (Pyralidae) Synonym(s): *characta* Meyrick, 1885 Range (in code): **NZ**
- 79655. *Scoparia charopoea* Turner, 1908** (Pyralidae) Synonym(s): *charopoea* Turner, 1908 Range (in code): **AU QAU**
- 79656. *Scoparia chiasta* Meyrick, 1884** (Pyralidae) Synonym(s): *chiasta* Meyrick, 1884 Range (in code): **AU NSw VAU**
- 79657. *Scoparia chimeria* Meyrick, 1885** (Pyralidae) Synonym(s): *chimeria* Meyrick, 1885 Range (in code): **NZ**
- 79658. *Scoparia chlamydotata* Meyrick, 1885** (Pyralidae) Synonym(s): *chlamydotata* Meyrick, 1885 Range (in code): **NZ**
- 79659. *Scoparia chordactis* Meyrick, 1887** (Pyralidae) Synonym(s): *chordactis* Meyrick, 1887 Range (in code): **AR**
- 79660. *Scoparia choristis* Meyrick, 1907** (Pyralidae) Synonym(s): *choristis* Meyrick, 1907 Range (in code): **NZ**
- 79661. *Scoparia chrysomicta* Meyrick, 1929** (Pyralidae) Synonym(s): *chrysomicta* Meyrick, 1929 Range (in code): **PF Ms**
- 79662. *Scoparia chrysopetra* Meyrick, 1929** (Pyralidae) Synonym(s): *chrysopetra* Meyrick, 1929 Range (in code): **PF Ms**
- 79663. *Scoparia cinefacta* Philpott, 1926** (Pyralidae) Synonym(s): *cinefacta* Philpott, 1926 Range (in code): **NZ**
- 79664. *Scoparia cinereomedia* Dyar, 1904** (Pyralidae) Synonym(s): *cinereomedia* Dyar, 1904 Range (in code): **US Pns Ny**

- 79665. *Scoparia citrochroa* (Turner,1908)** (Pyralidae) Synonym(s): *citrochroa* (Turner,1908) Range (in code): AU
- 79666. *Scoparia citrocossa* Meyrick,1929** (Pyralidae) Synonym(s): *citrocossa* Meyrick,1929 Range (in code): PF Ms
- 79667. *Scoparia clavata* Philpott,1912** (Pyralidae) Synonym(s): *clavata* Philpott,1912 Range (in code): NZ
- 79668. *Scoparia cleodoris* (Walker,1859)** (Pyralidae) Synonym(s): *cleodoris* Walker,1859 Range (in code): AU NSw VAu TA
- 79669. *Scoparia clerica* Meyrick,1929** (Pyralidae) Synonym(s): *clerica* Meyrick,1929 Range (in code): PF Ms
- 79670. *Scoparia clonodes* Meyrick,1899** (Pyralidae) Synonym(s): *clonodes* Meyrick,1899 Range (in code): Hw
- 79671. *Scoparia coecimaculalis* W.Warren,1905** (Pyralidae) Synonym(s): *coecimaculalis* W.Warren,1905 Range (in code): Az
- 79672. *Scoparia coeruleotincta* Hampson,1917** (Pyralidae) Synonym(s): *coeruleotincta* Hampson,1917 Range (in code): Cn
- 79673. *Scoparia colpota* Meyrick,1888** (Pyralidae) Synonym(s): *colpota* Meyrick,1888 Range (in code): NZ
- 79674. *Scoparia commercialis* Meyrick,1929** (Pyralidae) Synonym(s): *commercialis* Meyrick,1929 Range (in code): PF Ms
- 79675. *Scoparia commortalis* Dyar,1921** (Pyralidae) Synonym(s): *commortalis* Dyar,1921 Range (in code): CA BCo
- 79676. *Scoparia congestalis* Walker,1859** (Pyralidae) Synonym(s): *congestalis* Walker,1859 Range (in code): LK IN CN
- 79677. *Scoparia conicella* (Laharpe,1863)** (Pyralidae) Synonym(s): *conicella* Laharpe,1863 Range (in code): FR IT DE CH AT DK SE LV RU MD UA BY
- 79678. *Scoparia contempta* (Turner,1927)** (Pyralidae) Synonym(s): *contempta* Turner,1927 Range (in code): AU
- 79679. *Scoparia contexta* Philpott,1931** (Pyralidae) Synonym(s): *contexta* Philpott,1931 Range (in code): NZ
- 79680. *Scoparia crassiuscula* Dyar,1929** (Pyralidae) Synonym(s): *crassiuscula* Dyar,1929 Range (in code): BR GY
- 79681. *Scoparia crataea* Meyrick,1899** (Pyralidae) Synonym(s): *crataea* Meyrick,1899 Range (in code): Hw
- 79682. *Scoparia critica* Meyrick,1885** (Pyralidae) Synonym(s): *critica* Meyrick,1885 Range (in code): NZ
- 79683. *Scoparia crocalis* Hampson,1903** (Pyralidae) Synonym(s): *crocalis* Hampson,1903 Range (in code): IN NI
- 79684. *Scoparia crocospila* Turner,1922** (Pyralidae) Synonym(s): *crocospila* Turner,1922 Range (in code): AU VAu
- 79685. *Scoparia crucigera* Gerasimov,1930** (Pyralidae) Synonym(s): *crucigera* Gerasimov,1930 Range (in code): UZ Br
- 79686. *Scoparia cryerodes* Meyrick,1899** (Pyralidae) Synonym(s): *cryerodes* Meyrick,1899 Range (in code): Hw
- 79687. *Scoparia crypserythra* (Lower,1901)** (Pyralidae) Synonym(s): *crypserythra* Lower,1901 Range (in code): AU NSw
- 79688. *Scoparia crypsinoa* Meyrick,1885** (Pyralidae) Synonym(s): *crypsinoa* Meyrick,1885; *agana* Meyrick,1912 Range (in code): NZ
- 79689. *Scoparia cyameuta* (Meyrick,1885)** (Pyralidae) Synonym(s): *cyameuta* Meyrick,1885 Range (in code): NZ
- 79690. *Scoparia cyclophora* Dyar,1918** (Pyralidae) Synonym(s): *cyclophora* Dyar,1918 Range (in code): MX
- 79691. *Scoparia cymatias* Meyrick,1885** (Pyralidae) Synonym(s): *cymatias* Meyrick,1885 Range (in code): NZ
- 79692. *Scoparia cyptastis* Meyrick,1909** (Pyralidae) Synonym(s): *cyptastis* Meyrick,1909 Range (in code): NZ

- 79693. *Scoparia dactyliopa* Meyrick,1899** (Pyralidae) **Synonym(s):** *dactyliopa* Meyrick,1899 **Range (in code):** **Hw**
- 79694. *Scoparia declivis* Philpott,1918** (Pyralidae) **Synonym(s):** *declivis* Philpott,1918 **Range (in code):** **NZ**
- 79695. *Scoparia delicatalis* Walker,1865** (Pyralidae) **Synonym(s):** *delicatalis* Walker,1865 **Range (in code):** **IN SI NI**
- 79696. *Scoparia deliniens* T.P.Lucas,1898** (Pyralidae) **Synonym(s):** *deliniens* T.P.Lucas,1898 **Range (in code):** **AU QAU Bri**
- 79697. *Scoparia delphusa* Druce,1896** (Pyralidae) **Synonym(s):** *delphusa* Druce,1896; *smithi* Druce,1896; *sabura* Druce,1896; *flexuosa* Dyar,1918 **Range (in code):** **MX US Arz Col GT**
- 79698. *Scoparia deltophora* Meyrick,1885** (Pyralidae) **Synonym(s):** *deltophora* Meyrick,1885 **Range (in code):** **NZ**
- 79699. *Scoparia demodes* Meyrick,1888** (Pyralidae) **Synonym(s):** *demodes* Meyrick,1888 **Range (in code):** **Hw**
- 79700. *Scoparia denigata* Dyar,1929** (Pyralidae) **Synonym(s):** *denigata* Dyar,1929 **Range (in code):** **US Arz Cf**
- 79701. *Scoparia dicteella* Rebel,1916** (Pyralidae) **Synonym(s):** *dicteella* Rebel,1916 **Range (in code):** **GR Cr**
- 79702. *Scoparia dinodes* Meyrick,1885** (Pyralidae) **Synonym(s):** *dinodes* Meyrick,1885 **Range (in code):** **NZ**
- 79703. *Scoparia dipenda* Maes,1996** (Pyralidae) **Synonym(s):** *dipenda* Maes,1996 **Range (in code):** **CM**
- 79704. *Scoparia diphtheralis* Walker,1865** (Pyralidae) **Synonym(s):** *diphtheralis* Walker,1865 **Range (in code):** **NZ**
- 79705. *Scoparia dispersa* Butler,1883** (Pyralidae) **Synonym(s):** *dispersa* Butler,1883 **Range (in code):** **CL**
- 79706. *Scoparia distictalis* (Hampson,1908)** (Pyralidae) **Synonym(s):** *distictalis* Hampson,1908 **Range (in code):** **LK Mky**
- 79707. *Scoparia dochmia* Meyrick,1905** (Pyralidae) **Synonym(s):** *dochmia* Meyrick,1905 **Range (in code):** **NZ**
- 79708. *Scoparia dryphactis* Meyrick,1911** (Pyralidae) **Synonym(s):** *dryphactis* Meyrick,1911 **Range (in code):** **NZ**
- 79709. *Scoparia dulcis* Joannis,1932** (Pyralidae) **Synonym(s):** *dulcis* Joannis,1932 **Range (in code):** **MU**
- 79710. *Scoparia echo* Dyar,1929** (Pyralidae) **Synonym(s):** *echo* Dyar,1929 **Range (in code):** **CA BCo**
- 79711. *Scoparia ejuncida* (Knaggs,1867)** (Pyralidae) **Synonym(s):** *ejuncida* Knaggs,1867 **Range (in code):** **NZ**
- 79712. *Scoparia elaphra* Meyrick,1885** (Pyralidae) **Synonym(s):** *elaphra* Meyrick,1885 **Range (in code):** **NZ**
- 79713. *Scoparia elongalis* Maes,1996** (Pyralidae) **Synonym(s):** *elongalis* Maes,1996 **Range (in code):** **CM**
- 79714. *Scoparia emmetropis* Turner,1915** (Pyralidae) **Synonym(s):** *emmetropis* Turner,1915 **Range (in code):** **AU NSW**
- 79715. *Scoparia empeda* Meyrick,1899** (Pyralidae) **Synonym(s):** *empeda* Meyrick,1899 **Range (in code):** **Hw**
- 79716. *Scoparia encapna* Meyrick,1888** (Pyralidae) **Synonym(s):** *encapna* Meyrick,1888 **Range (in code):** **NZ**
- 79717. *Scoparia epicomia* Meyrick,1885** (Pyralidae) **Synonym(s):** *epicomia* Meyrick,1885 **Range (in code):** **NZ**
- 79718. *Scoparia epicremna* Meyrick,1885** (Pyralidae) **Synonym(s):** *epicremna* Meyrick,1885 **Range (in code):** **NZ**
- 79719. *Scoparia epicryma* Meyrick,1884** (Pyralidae) **Synonym(s):** *epicryma* Meyrick,1884 **Range (in code):** **AU SAU**
- 79720. *Scoparia epigypsa* Lower,1905** (Pyralidae) **Synonym(s):** *epigypsa* Lower,1905 **Range (in code):** **AU NSW**

- 79721. *Scoparia epimystis* Meyrick,1899** (Pyralidae) **Synonym(s):** *epimystis* Meyrick,1899
Range (in code): **Hw**
- 79722. *Scoparia erebochalca* Meyrick,1899** (Pyralidae) **Synonym(s):** *erebochalca* Meyrick,1899
Range (in code): **Hw**
- 79723. *Scoparia eremitis* Meyrick,1884** (Pyralidae) **Synonym(s):** *eremitis* Meyrick,1884 **Range (in code):** **AU SAu**
- 79724. *Scoparia ergatis* Meyrick,1885** (Pyralidae) **Synonym(s):** *ergatis* Meyrick,1885 **Range (in code):** **NZ**
- 79725. *Scoparia erythroneura* (Turner,1937)** (Pyralidae) **Synonym(s):** *erythroneura* Turner,1937
Range (in code): **AU TS**
- 79726. *Scoparia eumeles* Meyrick,1884** (Pyralidae) **Synonym(s):** *eumeles* Meyrick,1884 **Range (in code):** **AU NSw**
- 79727. *Scoparia eutacta* Turner,1931** (Pyralidae) **Synonym(s):** *eutacta* Turner,1931 **Range (in code):** **AU QAU**
- 79728. *Scoparia excursalis* Dyar,1929** (Pyralidae) **Synonym(s):** *excursalis* Dyar,1929 **Range (in code):** **CR**
- 79729. *Scoparia exhibitalis* Walker,1865** (Pyralidae) **Synonym(s):** *exhibitalis* Walker,1865 **Range (in code):** **AU NSw**
- 79730. *Scoparia exilis* Knaggs,1867** (Pyralidae) **Synonym(s):** *exilis* Knaggs,1867 **Range (in code):** **NZ**
- 79731. *Scoparia expallidalis* Dyar,1906** (Pyralidae) **Synonym(s):** *expallidalis* Dyar,1906 **Range (in code):** **US Ne**
- 79732. *Scoparia exterminata* Meyrick,1929** (Pyralidae) **Synonym(s):** *exterminata* Meyrick,1929
Range (in code): **RA**
- 79733. *Scoparia extincta* Dyar,1921** (Pyralidae) **Synonym(s):** *extincta* Dyar,1921 **Range (in code):** **MX**
- 79734. *Scoparia fakoensis* Maes,1996** (Pyralidae) **Synonym(s):** *fakoensis* Maes,1996 **Range (in code):** **CM**
- 79735. *Scoparia falsa* Philpott,1924** (Pyralidae) **Synonym(s):** *falsa* Philpott,1924 **Range (in code):** **NZ**
- 79736. *Scoparia famularis* Philpott,1930** (Pyralidae) **Synonym(s):** *famularis* Philpott,1930
Range (in code): **NZ**
- 79737. *Scoparia favilliferella* (Walker,1866)** (Pyralidae) **Synonym(s):** *favilliferella* Walker,1866;
encausta Meyrick,1884. **Range (in code):** **AU TA**
- 79738. *Scoparia feredayi* Knaggs,1867** (Pyralidae) **Synonym(s):** *feredayi* Knaggs,1867; *moanalis*
R.Felder & Rogenhofer,1875 **Range (in code):** **NZ**
- 79739. *Scoparia fimbriata* Philpott,1917** (Pyralidae) **Synonym(s):** *fimbriata* Philpott,1917 **Range (in code):** **NZ**
- 79740. *Scoparia formosa* Butler,1881** (Pyralidae) **Synonym(s):** *formosa* Butler,1881 **Range (in code):** **Hw**
- 79741. *Scoparia fragosa* Meyrick,1909** (Pyralidae) **Synonym(s):** *fragosa* Meyrick,1909 **Range (in code):**
- 79742. *Scoparia frigida* Butler,1881** (Pyralidae) **Synonym(s):** *frigida* Butler,1881 **Range (in code):** **Hw**
- 79743. *Scoparia fulvosignalis* Snellen,1880** (Pyralidae) **Synonym(s):** *fulvosignalis* Snellen,1880
Range (in code): **ID Clb**
- 79744. *Scoparia fumata* Philpott,1915** (Pyralidae) **Synonym(s):** *fumata* Philpott,1915 **Range (in code):** **NZ**
- 79745. *Scoparia galactalis* Hudson,1913** (Pyralidae) **Synonym(s):** *galactalis* Hudson,1913 **Range (in code):** **NZ**
- 79746. *Scoparia gallica* Peyerimhoff,1873** (Pyralidae) **Synonym(s):** *gallica* Peyerimhoff,1873;
talboti Schmidt,1934; *ancipitalis* Zerny,1935 **Range (in code):** **MA ES FR CH**
- 79747. *Scoparia ganevi* Leraut,1985** (Pyralidae) **Synonym(s):** *balcanica* Leraut,1984 *nec* Rbl.,1917;
ganevi Leraut,1985 **Range (in code):** **BG**
- 79748. *Scoparia geraea* Meyrick,1899** (Pyralidae) **Synonym(s):** *geraea* Meyrick,1899 **Range (in code):** **Hw**
- 79749. *Scoparia gethosyna* Turner,1922** (Pyralidae) **Synonym(s):** *gethosyna* Turner,1922 **Range (in code):** **AU QAU**

- 79750. *Scoparia gilvescens* Rebel,1917** (Pyralidae) Synonym(s): *gilvescens* Rebel,1917 Range (in code): Cn
- 79751. *Scoparia glauculalis* Hampson,1897** (Pyralidae) Synonym(s): *glauculalis* Hampson,1897 Range (in code): FK
- 79752. *Scoparia gomphota* Meyrick,1884** (Pyralidae) Synonym(s): *gomphota* Meyrick,1884 Range (in code): AU TA
- 79753. *Scoparia gonodecta* Meyrick,1904** (Pyralidae) Synonym(s): *mesoleuca* Meyrick,1899 nec Meyr.,1888; *gonodecta* Meyrick,1904 Range (in code): Hw
- 79754. *Scoparia gracilis* Philpott,1924** (Pyralidae) Synonym(s): *gracilis* Philpott,1924 Range (in code): NZ
- 79755. *Scoparia gymnopsis* Meyrick,1899** (Pyralidae) Synonym(s): *gymnopsis* Meyrick,1899 Range (in code): Hw
- 79756. *Scoparia gyrotoma* Meyrick,1909** (Pyralidae) Synonym(s): *gyrotoma* Meyrick,1909; *repercussa* Philpott,1929 Range (in code): NZ
- 79757. *Scoparia halirrhoa* Meyrick,1899** (Pyralidae) Synonym(s): *halirrhoa* Meyrick,1899 Range (in code): Hw
- 79758. *Scoparia halmaea* Meyrick,1899** (Pyralidae) Synonym(s): *halmaea* Meyrick,1899 Range (in code): Hw
- 79759. *Scoparia halopis* Meyrick,1909** (Pyralidae) Synonym(s): *halopis* Meyrick,1909 Range (in code): NZ
- 79760. *Scoparia harpalea* (Meyrick,1885)** (Pyralidae) Synonym(s): *harpalea* Meyrick,1885 Range (in code): NZ
- 79761. *Scoparia hawaiiensis* Butler,1881** (Pyralidae) Synonym(s): *hawaiiensis* Butler,1881 Range (in code): Hw
- 79762. *Scoparia hemicycla* Meyrick,1885** (Pyralidae) Synonym(s): *hemicycla* Meyrick,1885 Range (in code): NZ
- 79763. *Scoparia hemiplaca* Meyrick,1889** (Pyralidae) Synonym(s): *hemiplaca* Meyrick,1889 Range (in code): NZ
- 79764. *Scoparia homala* Meyrick,1884** (Pyralidae) Synonym(s): *homala* Meyrick,1884 Range (in code): AU SAU
- 79765. *Scoparia hypoxantha* Lower,1896** (Pyralidae) Synonym(s): *hypoxantha* Lower,1896 Range (in code): AU SAU VAU
- 79766. *Scoparia ianthes* Meyrick,1899** (Pyralidae) Synonym(s): *ianthes* Meyrick,1899 Range (in code): Hw
- 79767. *Scoparia ichinosawana* Matsumura,1925** (Pyralidae) Synonym(s): *ichinosawana* Matsumura,1925 Range (in code): RU Sh
- 79768. *Scoparia idiogama* Meyrick,1935** (Pyralidae) Synonym(s): *idiogama* Meyrick,1935 Range (in code): UG
- 79769. *Scoparia illota* Philpott,1919** (Pyralidae) Synonym(s): *illota* Philpott,1919 Range (in code): NZ
- 79770. *Scoparia imparilis* Dyar,1929** (Pyralidae) Synonym(s): *imparilis* Dyar,1929 Range (in code): JM
- 79771. *Scoparia indica* Leraut,1986** (Pyralidae) Synonym(s): *indica* Leraut,1986 Range (in code): IN Up
- 79772. *Scoparia indistinctalis* (Walker,1863)** (Pyralidae) Synonym(s): *indistinctalis* Walker,1863; *rakaiensis* Knaggs,1867 Range (in code): NZ
- 79773. *Scoparia inexopiata* Dyar,1929** (Pyralidae) Synonym(s): *inexopiata* Dyar,1929 Range (in code): MX
- 79774. *Scoparia ingratella* (Zeller,1846)** (Pyralidae) Synonym(s): *?majalis* Scopoli,1763; *ingratella* Zeller,1846; *ingratalis* Herrich-Schäffer,1853; *sibirica* Lederer,1853; *octavianella* Mann,1859; *catalonica* Leraut,1982 Original Reference: Eudorea ingratella Zeller,1846, Linn. Ent. 1: 283, fig. 5. Lectotype: Österreich: Wien. Range (in code): MA ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG CY GR RU Sb MD UA BY TR LB Cc GG Tbl Bjo AM Ch At KG Ur Mn
- 79775. *Scoparia interlinealis* W.Warren,1905** (Pyralidae) Synonym(s): *interlinealis* W.Warren,1905; *pallidimarginalis* W.Warren,1905 Range (in code): Az
- 79776. *Scoparia ischnias* Meyrick,1888** (Pyralidae) Synonym(s): *ischnias* Meyrick,1888 Range (in code): Hw

- 79777. *Scoparia ischnoptera* Turner,1922** (Pyralidae) **Synonym(s):** *ischnoptera* Turner,1922
Range (in code): AU VAu
- 79778. *Scoparia isochroalis* Hampson,1907** (Pyralidae) **Synonym(s):** *isochroalis* Hampson,1907
Range (in code): JP
- 79779. *Scoparia isoplaca* Meyrick,1904** (Pyralidae) **Synonym(s):** *isoplaca* Meyrick,1904 **Range (in code):** Hw
- 79780. *Scoparia ithyntis* Turner,1922** (Pyralidae) **Synonym(s):** *ithyntis* Turner,1922 **Range (in code):** AU VAu NSw
- 79781. *Scoparia jonesalis* Dyar,1915** (Pyralidae) **Synonym(s):** *jonesalis* Dyar,1915 **Range (in code):** BM
- 79782. *Scoparia jucunda* Butler,1881** (Pyralidae) **Synonym(s):** *jucunda* Butler,1881 **Range (in code):** Hw
- 79783. *Scoparia juldusella* (Caradja,1917)** (Pyralidae) **Synonym(s):** *juldusella* Caradja,1917
Range (in code): CN Ui Ju
- 79784. *Scoparia kanai* Maes,1996** (Pyralidae) **Synonym(s):** *kanai* Maes,1996 **Range (in code):** CM
- 79785. *Scoparia legionaria* Philpott,1928** (Pyralidae) **Synonym(s):** *legionaria* Philpott,1928
Range (in code): NZ
- 79786. *Scoparia legnota* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *legnota* Meyrick,1885 **Range (in code):** NZ
- 79787. *Scoparia leptalea* Meyrick,1885** (Pyralidae) **Synonym(s):** *leptalea* Meyrick,1885; *leptophaea* Meyrick,1902 **Range (in code):** NZ
- 79788. *Scoparia leucogramma* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *leucogramma* Meyrick,1885 **Range (in code):** NZ
- 79789. *Scoparia leucomela* Lower,1893** (Pyralidae) **Synonym(s):** *leucomela* Lower,1893 **Range (in code):** AU WAu SAu
- 79790. *Scoparia leuconota* Lower,1902** (Pyralidae) **Synonym(s):** *leuconota* Lower,1902 **Range (in code):** AU SAu
- 79791. *Scoparia leucopeplalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *leucopeplalis* Hampson,1900 **Range (in code):** UZ Fe T-S
- 79792. *Scoparia leucophthalma* Dyar,1929** (Pyralidae) **Synonym(s):** *leucophthalma* Dyar,1929
Range (in code): CA BCo
- 79793. *Scoparia lichenopa* Lower,1897** (Pyralidae) **Synonym(s):** *lichenopa* Lower,1897 **Range (in code):** AU NSw
- 79794. *Scoparia limatula* Philpott,1930** (Pyralidae) **Synonym(s):** *limatula* Philpott,1930 **Range (in code):** NZ
- 79795. *Scoparia locularis* Meyrick,1912** (Pyralidae) **Synonym(s):** *locularis* Meyrick,1912 **Range (in code):** NZ
- 79796. *Scoparia longipennis* Zeller,1872** (Pyralidae) **Synonym(s):** *longipennis* Zeller,1872 **Range (in code):** CO GT CR MX
- 79797. *Scoparia loxocentra* Meyrick,1899** (Pyralidae) **Synonym(s):** *loxocentra* Meyrick,1899
Range (in code): Hw
- 79798. *Scoparia lugubralis* Walker,1865** (Pyralidae) **Synonym(s):** *lugubralis* Walker,1865 **Range (in code):** CA Als US Nh Ws Arz Cf Mns
- 79799. *Scoparia luminatrix* Meyrick,1919** (Pyralidae) **Synonym(s):** *luminatrix* Meyrick,1919
Range (in code): NZ
- 79800. *Scoparia luteolaris albescentalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *albescentalis* Hampson,1900; *cremealis* Zerny,1934 **Original Reference:** *Pionea albescentalis* Hampson,1900, Trans. ent. Soc. London 1900: 395. Syntypes: Armenia; [Turkey]: Mardin.
Range (in code): TR LB Bsa
- 79801. *Scoparia luteolaris luteolaris* (Scopoli,1772)** (Pyralidae) **Synonym(s):** *luteolaris* Scopoli,1772; *ochrealis* [Denis & Schiffermüller],1775; *simplicella* Laharpe,1861; *cremealis* Zerny,1934. **Range (in code):** MA ES FR IT BE AT CZ SK HU RO YU MK BG GR TR LB RU MD UA BY
- 79802. *Scoparia luteusalis* Hampson,1907** (Pyralidae) **Synonym(s):** *luteusalis* Hampson,1907; *versicolorella* Rebel,1940. **Range (in code):** Az
- 79803. *Scoparia lychnophanes* Meyrick,1927** (Pyralidae) **Synonym(s):** *lychnophanes* Meyrick,1927 **Range (in code):** NZ

- 79804. *Scoparia lycopodiae* Swezey,1910** (Pyralidae) **Synonym(s):** *lycopodiae* Swezey,1910
Range (in code): **Hw**
- 79805. *Scoparia macrophanes* Meyrick,1888** (Pyralidae) **Synonym(s):** *macrophanes* Meyrick,1888 **Range (in code):** **Hw**
- 79806. *Scoparia mandschurica* Christoph,1881** (Pyralidae) **Synonym(s):** *mandschurica* Christoph,1881 **Range (in code):** **RU Prj Us**
- 79807. *Scoparia manganeutis* Meyrick,1885** (Pyralidae) **Synonym(s):** *manganeutis* Meyrick,1885
Range (in code): **NZ**
- 79808. *Scoparia manifestella* (Herrich-Schäffer,1848)** (Pyralidae) **Synonym(s):** *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viette,1965 **Range (in code):** **FR IT DE CH AT HU RO YU B-H AL GR IR**
- 79809. *Scoparia manifestella italica* Turati,1919** (Pyralidae) **Synonym(s):** *italica* Turati,1919; *meridionalis* Klimesch,1951 **Range (in code):** **IT**
- 79810. *Scoparia manifestella manifestella* (Herrich-Schäffer,1848)** (Pyralidae)
Synonym(s): *manifestella* Herrich-Schäffer,1848; *fasciata* Turati,1919; *ticinensis* Müller-Rutz,1920; *laserella* Thurner,1958; *marioni* Viette,1965 **Range (in code):** **FR DE CH AT HU RO YU B-H AL GR IR**
- 79811. *Scoparia marmarias* Meyrick,1899** (Pyralidae) **Synonym(s):** *marmarias* Meyrick,1899
Range (in code): **Hw**
- 79812. *Scoparia medinella* Snellen,1890** (Pyralidae) **Synonym(s):** *medinella* Snellen,1890 **Range (in code):** **SI IN**
- 79813. *Scoparia mediorufalis* Hampson,1896** (Pyralidae) **Synonym(s):** *mediorufalis* Hampson,1896 **Range (in code):** **IN SI Drm Hp**
- 79814. *Scoparia melanaegis* Meyrick,1885** (Pyralidae) **Synonym(s):** *melanaegis* Meyrick,1885
Range (in code): **NZ**
- 79815. *Scoparia melanocephala* Meyrick,1899** (Pyralidae) **Synonym(s):** *melanocephala* Meyrick,1899 **Range (in code):** **Hw**
- 79816. *Scoparia melanographa* Hampson,1907** (Pyralidae) **Synonym(s):** *melanographa* Hampson,1907 **Range (in code):** **Az**
- 79817. *Scoparia melanopis* Meyrick,1888** (Pyralidae) **Synonym(s):** *melanopis* Meyrick,1888
Range (in code): **Hw**
- 79818. *Scoparia melanoxantha* Turner,1922** (Pyralidae) **Synonym(s):** *melanoxantha* Turner,1922
Range (in code): **AU QAU**
- 79819. *Scoparia meliturga* Meyrick,1905** (Pyralidae) **Synonym(s):** *meliturga* Meyrick,1905
Range (in code): **NZ**
- 79820. *Scoparia mellichlora* Meyrick,1899** (Pyralidae) **Synonym(s):** *mellichlora* Meyrick,1899
Range (in code): **Hw**
- 79821. *Scoparia meristis* Meyrick,1899** (Pyralidae) **Synonym(s):** *meristis* Meyrick,1899 **Range (in code):** **Hw**
- 79822. *Scoparia mesogramma* Lower,1900** (Pyralidae) **Synonym(s):** *mesogramma* Lower,1900
Range (in code): **AU NSW**
- 79823. *Scoparia mesoleuca* Meyrick,1888** (Pyralidae) **Synonym(s):** *mesoleuca* Meyrick,1888
Range (in code): **Hw**
- 79824. *Scoparia metacrossa* Hampson,1917** (Pyralidae) **Synonym(s):** *metacrossa* Hampson,1917
Range (in code): **PG**
- 79825. *Scoparia metaleucalis* Hampson,1907** (Pyralidae) **Synonym(s):** *metaleucalis* Hampson,1907 **Range (in code):** **CN**
- 79826. *Scoparia meyi* Nuss,1998** (Pyralidae) **Synonym(s):** *meyi* Nuss,1998 **Range (in code):** **PH Mno**
- 79827. *Scoparia meyrickii* (Butler,1882)** (Pyralidae) **Synonym(s):** *meyrickii* Butler,1882 **Range (in code):** **AU VAu SAu NSW**
- 79828. *Scoparia miantis* Meyrick,1899** (Pyralidae) **Synonym(s):** *miantis* Meyrick,1899 **Range (in code):** **Hw**
- 79829. *Scoparia microdotalis* Hampson,1907** (Pyralidae) **Synonym(s):** *microdotalis* Hampson,1907 **Range (in code):** **JP**
- 79830. *Scoparia microphthalma* Meyrick,1885** (Pyralidae) **Synonym(s):** *microphthalma* Meyrick,1885 **Range (in code):** **NZ**
- 79831. *Scoparia minualis* Walker,1865** (Pyralidae) **Synonym(s):** *minualis* Walker,1865 **Range (in code):** **NZ**

- 79832. *Scoparia minusculalis* Walker, 1865** (Pyralidae) **Synonym(s):** *minusculalis* Walker, 1865
Range (in code): **NZ**
- 79833. *Scoparia molliculella* Dyar, 1929** (Pyralidae) **Synonym(s):** *molliculella* Dyar, 1929 **Range (in code):** **MX**
- 79834. *Scoparia mollifera* Meyrick, 1926** (Pyralidae) **Synonym(s):** *mollifera* Meyrick, 1926 **Range (in code):** **NZ**
- 79835. *Scoparia monticola* Nuss, 1998** (Pyralidae) **Synonym(s):** *monticola* Nuss, 1998 **Range (in code):** **PH Mno**
- 79836. *Scoparia multifacies* Dyar, 1929** (Pyralidae) **Synonym(s):** *multifacies* Dyar, 1929 **Range (in code):** **MX GT**
- 79837. *Scoparia murificalis* Walker, 1859** (Pyralidae) **Synonym(s):** *murificalis* Walker, 1859; *truncicolella* Butler, 1899 *nec* Stt., 1849 **Range (in code):** **IN LK CN YE Sk**
- 79838. *Scoparia nectarias* Meyrick, 1899** (Pyralidae) **Synonym(s):** *nectarias* Meyrick, 1899 **Range (in code):** **Hw**
- 79839. *Scoparia nectarioides* Swezey, 1912** (Pyralidae) **Synonym(s):** *nectarioides* Swezey, 1912 **Range (in code):** **Hw**
- 79840. *Scoparia nephelitis* (Meyrick, 1887)** (Pyralidae) **Synonym(s):** *nephelitis* Meyrick, 1887 **Range (in code):** **AU**
- 79841. *Scoparia niphetodes* Turner, 1931** (Pyralidae) **Synonym(s):** *niphetodes* Turner, 1931 **Range (in code):** **AU QAU**
- 79842. *Scoparia niphosphora* (Meyrick, 1885)** (Pyralidae) **Synonym(s):** *niphosphora* Meyrick, 1885 **Range (in code):** **NZ**
- 79843. *Scoparia nomeutis* Meyrick, 1885** (Pyralidae) **Synonym(s):** *nomeutis* Meyrick, 1885 **Range (in code):** **NZ**
- 79844. *Scoparia nominatalis* Hulst, 1886** (Pyralidae) **Synonym(s):** *nominatalis* Hulst, 1886; *spaldingalis* Barnes & McDunnough, 1912 **Range (in code):** **CA BCo US Ut Col Arz Nh MX GT**
- 79845. *Scoparia normalis* Dyar, 1904** (Pyralidae) **Synonym(s):** *normalis* Dyar, 1904 **Range (in code):** **US NMx**
- 79846. *Scoparia nugalis* Snellen, 1880** (Pyralidae) **Synonym(s):** *nugalis* Snellen, 1880 **Range (in code):** **ID Clb**
- 79847. *Scoparia nyctombra* Meyrick, 1899** (Pyralidae) **Synonym(s):** *nyctombra* Meyrick, 1899 **Range (in code):** **Hw**
- 79848. *Scoparia objurgalis* Guenée, 1854** (Pyralidae) **Synonym(s):** *objurgalis* Guenée, 1854 **Range (in code):** **AU**
- 79849. *Scoparia obsoleta* Staudinger, 1879** (Pyralidae) **Synonym(s):** *obsoleta* Staudinger, 1879
Original Reference: *Scoparia obsoleta* Staudinger, 1879, *Horae Soc. ent. ross.* 15: 163. Type ♀: [Türkei]: Amasia (MNHUB). **Range (in code):** **TR**
- 79850. *Scoparia ochratalis* Hampson, 1903** (Pyralidae) **Synonym(s):** *ochratalis* Hampson, 1903 **Range (in code):** **IN NI**
- 79851. *Scoparia ochrophora* Turner, 1915** (Pyralidae) **Synonym(s):** *ochrophora* Turner, 1915 **Range (in code):** **AU**
- 79852. *Scoparia octophora* Meyrick, 1885** (Pyralidae) **Synonym(s):** *octophora* Meyrick, 1885 **Range (in code):** **NZ**
- 79853. *Scoparia oculata* Philpott, 1927** (Pyralidae) **Synonym(s):** *oculata* Philpott, 1927 **Range (in code):** **NZ**
- 79854. *Scoparia oenopis* Meyrick, 1899** (Pyralidae) **Synonym(s):** *oenopis* Meyrick, 1899 **Range (in code):** **Hw**
- 79855. *Scoparia officialis* Meyrick, 1929** (Pyralidae) **Synonym(s):** *officialis* Meyrick, 1929 **Range (in code):** **PF Ms**
- 79856. *Scoparia olivaris* Hampson, 1891** (Pyralidae) **Synonym(s):** *olivaris* Hampson, 1891 **Range (in code):** **IN NI**
- 79857. *Scoparia ombrodes* Meyrick, 1888** (Pyralidae) **Synonym(s):** *ombrodes* Meyrick, 1888 **Range (in code):** **Hw**
- 79858. *Scoparia omichlopis* Meyrick, 1899** (Pyralidae) **Synonym(s):** *omichlopis* Meyrick, 1899 **Range (in code):** **Hw**
- 79859. *Scoparia opostactis* Meyrick, 1929** (Pyralidae) **Synonym(s):** *opostactis* Meyrick, 1929 **Range (in code):** **PF Ms**

- 79860. *Scoparia oreas* Meyrick, 1885** (Pyralidae) Synonym(s): *oreas* Meyrick, 1885 Range (in code): NZ
- 79861. *Scoparia organea* Meyrick, 1901** (Pyralidae) Synonym(s): *organea* Meyrick, 1901 Range (in code): NZ
- 79862. *Scoparia orthoria* Meyrick, 1899** (Pyralidae) Synonym(s): *orthoria* Meyrick, 1899 Range (in code): Hw
- 79863. *Scoparia oxycampyla* (Turner, 1937)** (Pyralidae) Synonym(s): *oxycampyla* Turner, 1937 Range (in code): AU
- 79864. *Scoparia oxygona* Meyrick, 1897** (Pyralidae) Synonym(s): *oxygona* Meyrick, 1897 Range (in code): AU VAu SAu TA
- 79865. *Scoparia oxythyma* Meyrick, 1899** (Pyralidae) Synonym(s): *oxythyma* Meyrick, 1899 Range (in code): Hw
- 79866. *Scoparia pachyerga* Meyrick, 1927** (Pyralidae) Synonym(s): *pachyerga* Meyrick, 1927 Range (in code): NZ
- 79867. *Scoparia pachysema* Meyrick, 1888** (Pyralidae) Synonym(s): *pachysema* Meyrick, 1888 Range (in code): Hw
- 79868. *Scoparia pacificalis* Dyar, 1921** (Pyralidae) Synonym(s): *pacificalis* Dyar, 1921; *alaskalis* Barnes & Benjamin, 1922 Range (in code): CA BCo Als US
- 79869. *Scoparia pallidula* Philpott, 1928** (Pyralidae) Synonym(s): *pallidula* Philpott, 1928 Range (in code): NZ
- 79870. *Scoparia paltomacha* Meyrick, 1885** (Pyralidae) Synonym(s): *paltomacha* Meyrick, 1885 Range (in code): NZ
- 79871. *Scoparia panopla* Meyrick, 1885** (Pyralidae) Synonym(s): *panopla* Meyrick, 1885 Range (in code): NZ
- 79872. *Scoparia parachalca* Meyrick, 1901** (Pyralidae) Synonym(s): *parachalca* Meyrick, 1901 Range (in code): NZ
- 79873. *Scoparia parachlora* Meyrick, 1899** (Pyralidae) Synonym(s): *parachlora* Meyrick, 1899 Range (in code): Hw
- 79874. *Scoparia paracycla* (Lower, 1902)** (Pyralidae) Synonym(s): *paracycla* Lower, 1902 Range (in code): AU NSW
- 79875. *Scoparia parca* Philpott, 1928** (Pyralidae) Synonym(s): *parca* Philpott, 1928 Range (in code): NZ
- 79876. *Scoparia parmifera* Meyrick, 1909** (Pyralidae) Synonym(s): *parmifera* Meyrick, 1909 Range (in code): NZ
- 79877. *Scoparia pascoella* Philpott, 1920** (Pyralidae) Synonym(s): *pascoella* Philpott, 1920 Range (in code): NZ
- 79878. *Scoparia passalota* Meyrick, 1899** (Pyralidae) Synonym(s): *passalota* Meyrick, 1899 Range (in code): Hw
- 79879. *Scoparia pediopola* (Turner, 1937)** (Pyralidae) Synonym(s): *pediopola* Turner, 1937 Range (in code): AU
- 79880. *Scoparia pentaspila* Meyrick, 1899** (Pyralidae) Synonym(s): *pentaspila* Meyrick, 1899 Range (in code): Hw
- 79881. *Scoparia penumbralis* Dyar, 1906** (Pyralidae) Synonym(s): *penumbralis* Dyar, 1906 Range (in code): CA On US Ny Pns Nje Nh
- 79882. *Scoparia perierga* Meyrick, 1884** (Pyralidae) Synonym(s): *perierga* Meyrick, 1884 Range (in code): AU TA
- 79883. *Scoparia periphanes* Meyrick, 1885** (Pyralidae) Synonym(s): *periphanes* Meyrick, 1885 Range (in code): NZ
- 79884. *Scoparia peronetis* Meyrick, 1899** (Pyralidae) Synonym(s): *peronetis* Meyrick, 1899 Range (in code): Hw
- 79885. *Scoparia perplexella* (Zeller, 1839)** (Pyralidae) Synonym(s): *perplexella* Zeller, 1839; *perplexalis* Guenée, 1854; *dufayi* Leraut, 1982 Original Reference: Eudorea perplexella Zeller, 1839, Isis 1839: 175. Type ♂: Fiume (BMNH). Range (in code): Sa IT? YU MK GR TR
- 79886. *Scoparia perplexella perplexella* (Zeller, 1839)** (Pyralidae) Synonym(s): *perplexella* Zeller, 1839; *perplexalis* Guenée, 1854; *dufayi* Leraut, 1982 Original Reference: Eudorea perplexella Zeller, 1839, Isis 1839: 175. Type ♂: Fiume (BMNH). Range (in code): Sa IT? YU

- 79887. *Scoparia petrina* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *petrina* Meyrick,1885 **Range**
(in code): **NZ**
- 79888. *Scoparia phaealis* Hampson,1903** (Pyralidae) **Synonym(s):** *phaealis* Hampson,1903
Range (in code): **IN Mh Bba Bel**
- 79889. *Scoparia phalerias* Meyrick,1905** (Pyralidae) **Synonym(s):** *phalerias* Meyrick,1905 **Range**
(in code): **NZ**
- 79890. *Scoparia philerga* Meyrick,1885** (Pyralidae) **Synonym(s):** *philerga* Meyrick,1885 **Range**
(in code): **NZ**
- 79891. *Scoparia philetaera* Meyrick,1885** (Pyralidae) **Synonym(s):** *philetaera* Meyrick,1885
Range (in code): **NZ**
- 79892. *Scoparia philippinensis* (Hampson,1917)** (Pyralidae) **Synonym(s):** *philippinensis*
Hampson,1917 **Range (in code):** **PH Neg**
- 79893. *Scoparia philonephes* (Meyrick,1885)** (Pyralidae) **Synonym(s):** *philonephes* Meyrick,1885
Range (in code): **AU VAu SAu**
- 79894. *Scoparia philorhna* Meyrick,1929** (Pyralidae) **Synonym(s):** *philorhna* Meyrick,1929
Range (in code): **Tah**
- 79895. *Scoparia phycitinalis* Dyar,1929** (Pyralidae) **Synonym(s):** *phycitinalis* Dyar,1929 **Range**
(in code): **CA BCo**
- 79896. *Scoparia plagiotis* Meyrick,1887** (Pyralidae) **Synonym(s):** *plagiotis* Meyrick,1887 **Range**
(in code): **AU TA VAu NSw**
- 79897. *Scoparia platymera* Lower,1905** (Pyralidae) **Synonym(s):** *platymera* Lower,1905 **Range**
(in code): **AU TA**
- 79898. *Scoparia platyscia* Meyrick,1899** (Pyralidae) **Synonym(s):** *platyscia* Meyrick,1899 **Range**
(in code): **Hw**
- 79899. *Scoparia poliophaealis* Hampson,1907** (Pyralidae) **Synonym(s):** *poliophaealis*
Hampson,1907 **Original Reference:** *Scoparia poliophaealis* Hampson,1907, Ann. Mag. nat. Hist. (7)
19: 21. Lectotype ♂: "Syria", designated by Leraut,1984 (BMNH). **Range (in code):** **SY TR?**
- 79900. *Scoparia pongalis* R.Felder & Rogenhofer,1875** (Pyralidae) **Synonym(s):** *pongalis*
R.Felder & Rogenhofer,1875 **Range (in code):** **NZ**
- 79901. *Scoparia probolaea* Meyrick,1899** (Pyralidae) **Synonym(s):** *probolaea* Meyrick,1899
Range (in code): **Hw**
- 79902. *Scoparia promiscua* Wileman & South,1919** (Pyralidae) **Synonym(s):** *promiscua*
Wileman & South,1919 **Range (in code):** **TW**
- 79903. *Scoparia protorthra* Meyrick,1885** (Pyralidae) **Synonym(s):** *protorthra* Meyrick,1885
Range (in code): **AU NSw**
- 79904. *Scoparia psammitis* Meyrick,1885** (Pyralidae) **Synonym(s):** *psammitis* Meyrick,1885
Range (in code): **NZ**
- 79905. *Scoparia psednopa* Meyrick,1929** (Pyralidae) **Synonym(s):** *psednopa* Meyrick,1929
Range (in code): **RA**
- 79906. *Scoparia pulveralis* Snellen,1890** (Pyralidae) **Synonym(s):** *pulveralis* Snellen,1890 **Range**
(in code): **SI IN DjI**
- 79907. *Scoparia pura* Philpott,1924** (Pyralidae) **Synonym(s):** *pura* Philpott,1924 **Range (in**
code): **NZ**
- 79908. *Scoparia pusilla* Dyar,1914** (Pyralidae) **Synonym(s):** *pusilla* Dyar,1914 **Range (in code):**
PA
- 79909. *Scoparia pyralella* ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *pyralella*
[Denis & Schiffermüller],1775; *arundinata* Thunberg,1792; *dubitalis* Hübner,1796; *dubita* Haworth,1811; *pyralea*
Haworth,1811; *dubitellus* Zincken,1817; *tristrigella* Stephens,1834; *pyralalis* Guenée,1854; *purbeckensis*
Bankes,1889; *australis* Müller-Rutz,1920; *vesubiella* Marion,1976 **Original Reference:** *Tinea pyralella*
[Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s):
[Austria]: Vienna district [Types presumably destroyed by fire in 1848]. **Range (in code):** **PT ES**
FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr DK NO SE FI EE LV LT RU
MD UA BY TR LB Bsa Cc GG Bjo AZ Kir
- 79910. *Scoparia pyrseutis* Meyrick,1904** (Pyralidae) **Synonym(s):** *pyrseutis* Meyrick,1904 **Range**
(in code): **Hw**
- 79911. *Scoparia quaestoria* Meyrick,1929** (Pyralidae) **Synonym(s):** *quaestoria* Meyrick,1929
Range (in code): **NZ**

- 79912. *Scoparia ragonoti* (Butler,1883)** (Pyralidae) Synonym(s): *ragonoti* Butler,1883 Range (in code): PE CL
- 79913. *Scoparia rectilinea* Zeller,1874** (Pyralidae) Synonym(s): *rectilinea* Zeller,1874; *refugalis* Hulst,1886 Range (in code): Vc CA US Cf
- 79914. *Scoparia religiosa* Meyrick,1904** (Pyralidae) Synonym(s): *religiosa* Meyrick,1904 Range (in code): Hw
- 79915. *Scoparia resinodes* Joannis,1932** (Pyralidae) Synonym(s): *resinodes* Joannis,1932 Range (in code): RE
- 79916. *Scoparia rhombias* Meyrick,1899** (Pyralidae) Synonym(s): *rhombias* Meyrick,1899 Range (in code): Hw
- 79917. *Scoparia rigidalis* Barnes & McDunnough,1912** (Pyralidae) Synonym(s): *rigidalis* Barnes & McDunnough,1912 Range (in code): US Arz
- 79918. *Scoparia rotuella* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *rotuella* R.Felder & Rogenhofer,1875 Range (in code): NZ
- 79919. *Scoparia rufostigma* Hampson,1891** (Pyralidae) Synonym(s): *rufostigma* Hampson,1891 Range (in code): IN NI
- 79920. *Scoparia sabulosella* (Walker,1863)** (Pyralidae) Synonym(s): *sabulosella* Walker,1863 Range (in code): NZ
- 79921. *Scoparia sachalinensis* Matsumura,1925** (Pyralidae) Synonym(s): *sachalinensis* Matsumura,1925 Range (in code): RU Sh
- 79922. *Scoparia saerdabella* Osthelder,1938** (Pyralidae) Synonym(s): *saerdabella* Osthelder,1938; *hyrcanella* Toll,1948 Original Reference: *Scoparia saerdabella* Osthelder,1938, Mitt. münch. ent. Ges. 28: 21. Lectotype ♂: Iran: Elburs Gebirge, Tacht i Suleiman, Hecarcil-Tal, 2800-3200m (ZSM). Range (in code): IR Elb Mz Kh
- 79923. *Scoparia schwarzalis* Dyar,1906** (Pyralidae) Synonym(s): *schwarzalis* Dyar,1906 Range (in code): US Arz
- 79924. *Scoparia scripta* Philpott,1918** (Pyralidae) Synonym(s): *scripta* Philpott,1918 Range (in code): NZ
- 79925. *Scoparia semiamplalis* W.Warren,1905** (Pyralidae) Synonym(s): *semiamplalis* W.Warren,1905 Range (in code): Az
- 79926. *Scoparia sideraspis* Meyrick,1905** (Pyralidae) Synonym(s): *sideraspis* Meyrick,1905 Range (in code): NZ
- 79927. *Scoparia siderina* Meyrick,1899** (Pyralidae) Synonym(s): *siderina* Meyrick,1899 Range (in code): Hw
- 79928. *Scoparia sinuata* Philpott,1930** (Pyralidae) Synonym(s): *sinuata* Philpott,1930 Range (in code): NZ
- 79929. *Scoparia spadix* Nuss,1998** (Pyralidae) Synonym(s): *spadix* Nuss,1998 Range (in code): PH Mno
- 79930. *Scoparia spectacularis* Meyrick,1929** (Pyralidae) Synonym(s): *spectacularis* Meyrick,1929 Range (in code): PF Ms
- 79931. *Scoparia spelaea* Meyrick,1884** (Pyralidae) Synonym(s): *spelaea* Meyrick,1884; *pusilla* Rosenstock,1885 Range (in code): AU NSw TA SAu VAu
- 79932. *Scoparia staudingeri* (Mabille,1869)** (Pyralidae) Synonym(s): *staudingeri* Mabille,1869; *nevadalis* Caradja,1917; *fuscalis* Amsel,1936 Range (in code): ES FR Co Sa IT CH GR Cr CY Cc AZ Nv Ord
- 79933. *Scoparia stenopa* Lower,1905** (Pyralidae) Synonym(s): *stenopa* Lower,1905 Range (in code): AU SAu
- 79934. *Scoparia stenota* Wollaston,1858** (Pyralidae) Synonym(s): *stenota* Wollaston,1858; *decorella* Stainton,1859 Range (in code): Md
- 79935. *Scoparia stereostigma* Dyar,1918** (Pyralidae) Synonym(s): *stereostigma* Dyar,1918 Range (in code): MX GT
- 79936. *Scoparia steropaea* Meyrick,1885** (Pyralidae) Synonym(s): *steropaea* Meyrick,1885 Range (in code): NZ
- 79937. *Scoparia straminealis* Hampson,1903** (Pyralidae) Synonym(s): *straminealis* Hampson,1903 Range (in code): IN Sml Hp
- 79938. *Scoparia striatalis* (Hampson,1907)** (Pyralidae) Synonym(s): *striatalis* Hampson,1907 Range (in code): AU WAu

- 79939. *Scoparia strigalis* Dyar,1906** (Pyralidae) Synonym(s): *strigalis* Dyar,1906 Range (in code): CA On Nh US Ny Pns Mrl Ge
- 79940. *Scoparia strigigramma* Hampson,1917** (Pyralidae) Synonym(s): *strigigramma* Hampson,1917 Range (in code): PE
- 79941. *Scoparia struthias* Meyrick,1899** (Pyralidae) Synonym(s): *struthias* Meyrick,1899 Range (in code): Hw
- 79942. *Scoparia stötzneri* Caradja,1927** (Pyralidae) Synonym(s): *stötzneri* Caradja,1927 Range (in code): CN Sz
- 79943. *Scoparia subditella* (Walker,1866)** (Pyralidae) Synonym(s): *subditella* Walker,1866 Range (in code):
- 79944. *Scoparia subfusca* Haworth,[1811]** (Pyralidae) Synonym(s): *subfusca* Haworth,[1811]; *gracella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984 Original Reference: Scoparia subfusca Haworth,[1811], Lepid. Br.: 498. Syntypes: England. Range (in code): MA ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR IR Ab Sro Oru Elb Mz Plr Gor DK NO SE FI EE LV RU MD UA BY
- 79945. *Scoparia subfusca anatolica* Caradja,1916** (Pyralidae) Synonym(s): *anatolica* Caradja,1916 Original Reference: Scoparia anatolica Caradja,1916, Dt. ent. Z., Iris 30: 22. Syntypes 2♂ 4♀: [Türkei]: Akshehir; Lectotype ♂: Akşehir, designated by Leraut,1984, Alexanor 13 (4): 164 (MINGA, Bucharest). Range (in code): TR
- 79946. *Scoparia subfusca bicornutella* Amsel,1954** (Pyralidae) Synonym(s): *bicornutella* Amsel,1954 Range (in code): IR Elb Nss
- 79947. *Scoparia subfusca subfusca* Haworth,[1811]** (Pyralidae) Synonym(s): *subfusca* Haworth,[1811]; *gracella* Stainton,1849; *subfuscalis* Guenée,1854; *scotica* White,1872; *cembrae* auct. nec Haworth,1811; *cembralis* auct. nec Gn.,1854; *#sugfusca* Leraut,1984 Original Reference: Scoparia subfusca Haworth,[1811], Lepid. Br.: 498. Syntypes: England. Range (in code): MA ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR IR Ab Oru Elb Mz Plr Gor DK NO SE FI EE LV RU MD UA BY
- 79948. *Scoparia subfusca zelleri* (Wocke,1855)** (Pyralidae) Synonym(s): *zelleri* Wocke,1855; *pfeifferi* Marion,1960 Range (in code): HV FR
- 79949. *Scoparia subita* (Philpott,1911)** (Pyralidae) Synonym(s): *subita* Philpott,1911 Range (in code): NZ
- 79950. *Scoparia submarginalis* Walker,1863** (Pyralidae) Synonym(s): *submarginalis* Walker,1863 Range (in code): NZ
- 79951. *Scoparia submedinella* Caradja,1927** (Pyralidae) Synonym(s): *submedinella* Caradja,1927 Range (in code): CN
- 79952. *Scoparia subtersa* Dyar,1929** (Pyralidae) Synonym(s): *subtersa* Dyar,1929 Range (in code): GT CR MX BR
- 79953. *Scoparia susanae* Lower,1900** (Pyralidae) Synonym(s): *susanae* Lower,1900 Range (in code): AU NSw
- 79954. *Scoparia sylvestris* Clarke,1928** (Pyralidae) Synonym(s): *sylvestris* Clarke,1928 Range (in code): NZ
- 79955. *Scoparia synapta* Meyrick,1884** (Pyralidae) Synonym(s): *synapta* Meyrick,1884 Range (in code): AU TA
- 79956. *Scoparia syntaracta* Meyrick,1884** (Pyralidae) Synonym(s): *syntaracta* Meyrick,1884 Range (in code): AU NSw TA
- 79957. *Scoparia tafiarella* Chrétien,1908** (Pyralidae) Synonym(s): *tafiarella* Chrétien,1908 Range (in code): Cn
- 79958. *Scoparia talboti* Schmidt,1934** (Pyralidae) Synonym(s): *talboti* Schmidt,1934 Range (in code): MA
- 79959. *Scoparia tersella* Zeller,1872** (Pyralidae) Synonym(s): *tersella* Zeller,1872 Range (in code): CO
- 79960. *Scoparia tetracycla* Meyrick,1885** (Pyralidae) Synonym(s): *tetracycla* Meyrick,1885 Range (in code): NZ
- 79961. *Scoparia tetranesa* Meyrick,1899** (Pyralidae) Synonym(s): *tetranesa* Meyrick,1899 Range (in code): Hw
- 79962. *Scoparia thalamias* Meyrick,1899** (Pyralidae) Synonym(s): *thalamias* Meyrick,1899 Range (in code): Hw

- 79963. *Scoparia threnodes* Meyrick, 1887** (Pyrilidae) **Synonym(s):** *threnodes* Meyrick, 1887
Range (in code): AU
- 79964. *Scoparia thyellopis* Meyrick, 1899** (Pyrilidae) **Synonym(s):** *thyellopis* Meyrick, 1899
Range (in code): Hw
- 79965. *Scoparia thyridias* Meyrick, 1905** (Pyrilidae) **Synonym(s):** *thyridias* Meyrick, 1905 **Range (in code):** NZ
- 79966. *Scoparia thyrophania* Meyrick, 1932** (Pyrilidae) **Synonym(s):** *thyrophania* Meyrick, 1932
Range (in code): UG
- 79967. *Scoparia torniplagalis* Dyar, 1906** (Pyrilidae) **Synonym(s):** *torniplagalis* Dyar, 1906
Range (in code): US Col Ws
- 79968. *Scoparia torodes* Meyrick, 1901** (Pyrilidae) **Synonym(s):** *torodes* Meyrick, 1901 **Range (in code):** NZ
- 79969. *Scoparia trapezophora* Meyrick, 1885** (Pyrilidae) **Synonym(s):** *trapezophora* Meyrick, 1885 **Range (in code):** NZ
- 79970. *Scoparia triacma* Meyrick, 1899** (Pyrilidae) **Synonym(s):** *triacma* Meyrick, 1899 **Range (in code):** Hw
- 79971. *Scoparia tricitra* Meyrick, 1930** (Pyrilidae) **Synonym(s):** *tricitra* Meyrick, 1930 **Range (in code):** PG
- 79972. *Scoparia triclera* Meyrick, 1905** (Pyrilidae) **Synonym(s):** *triclera* Meyrick, 1905 **Range (in code):** NZ
- 79973. *Scoparia tricolor* Zeller, 1872** (Pyrilidae) **Synonym(s):** *tricolor* Zeller, 1872 **Range (in code):** CO
- 79974. *Scoparia tricoloralis* Dyar, 1904** (Pyrilidae) **Synonym(s):** *tricoloralis* Dyar, 1904; *rufitinctalis* Hampson, 1907 **Range (in code):** US CA BCo Col Cf Ws
- 79975. *Scoparia triscelis* Meyrick, 1909** (Pyrilidae) **Synonym(s):** *triscelis* Meyrick, 1909 **Range (in code):** NZ
- 79976. *Scoparia tristicta* Turner, 1922** (Pyrilidae) **Synonym(s):** *tristicta* Turner, 1922 **Range (in code):** AU NSW
- 79977. *Scoparia tritocirrha* Turner, 1918** (Pyrilidae) **Synonym(s):** *tritocirrha* Turner, 1918 **Range (in code):** NF
- 79978. *Scoparia trivirgata* (R. Felder & Rogenhofer, 1875)** (Pyrilidae) **Synonym(s):** *trivirgata* R. Felder & Rogenhofer, 1875 **Range (in code):** NZ
- 79979. *Scoparia truncatalis* McDunnough, 1922** (Pyrilidae) **Synonym(s):** *truncatalis* McDunnough, 1922 **Range (in code):** On CA
- 79980. *Scoparia tuicana* Clarke, 1926** (Pyrilidae) **Synonym(s):** *tuicana* Clarke, 1926 **Range (in code):** NZ
- 79981. *Scoparia turneri* Philpott, 1928** (Pyrilidae) **Synonym(s):** *turneri* Philpott, 1928 **Range (in code):** NZ
- 79982. *Scoparia tyraula* Meyrick, 1899** (Pyrilidae) **Synonym(s):** *tyraula* Meyrick, 1899 **Range (in code):** Hw
- 79983. *Scoparia ulmaya* Dyar, 1929** (Pyrilidae) **Synonym(s):** *ulmaya* Dyar, 1929 **Range (in code):** GP
- 79984. *Scoparia ustimacula* R. Felder & Rogenhofer, 1875** (Pyrilidae) **Synonym(s):** *ustimacula* R. Felder & Rogenhofer, 1875; *conifera* Butler, 1879 **Range (in code):** NZ
- 79985. *Scoparia ustiramis* Meyrick, 1931** (Pyrilidae) **Synonym(s):** *ustiramis* Meyrick, 1931 **Range (in code):** NZ
- 79986. *Scoparia venosa* Butler, 1881** (Pyrilidae) **Synonym(s):** *venosa* Butler, 1881 **Range (in code):** Hw
- 79987. *Scoparia vinasalis* Dyar, 1929** (Pyrilidae) **Synonym(s):** *vinasalis* Dyar, 1929 **Range (in code):** CR
- 79988. *Scoparia vinotinctalis* Hampson, 1896** (Pyrilidae) **Synonym(s):** *vinotinctalis* Hampson, 1896 **Range (in code):** IN CN NI
- 79989. *Scoparia vulpecula* Meyrick, 1896** (Pyrilidae) **Synonym(s):** *vulpecula* Meyrick, 1896
Range (in code): NZ
- 79990. *Scoparia wollastoni* Bethune-Baker, 1894** (Pyrilidae) **Synonym(s):** *wollastoni* Bethune-Baker, 1894 **Range (in code):** Md

- 79991. *Scoparia x-signata* Filipjev,1927** (Pyralidae) **Synonym(s):** *x-signata* Filipjev,1927 **Range**
(in code): **RU KJ Mnu**
- 79992. *Scoparia xanthomelas* Joannis,1929** (Pyralidae) **Synonym(s):** *xanthomelas* Joannis,1929
Range (in code): **VN Ton**
- 79993. *Scoparia xysmatias* Meyrick,1907** (Pyralidae) **Synonym(s):** *xysmatias* Meyrick,1907
Range (in code): **NZ**
- 79994. *Scoparia yearda* Dyar,1929** (Pyralidae) **Synonym(s):** *yearda* Dyar,1929 **Range** (in code):
GT MX
- 79995. *Scoparia zophochlaena* Meyrick,1923** (Pyralidae) **Synonym(s):** *zophochlaena*
Meyrick,1923 **Range** (in code): **NZ**
- 79996. *Scoparia zophochlora* Meyrick,1899** (Pyralidae) **Synonym(s):** *zophochlora* Meyrick,1899
Range (in code): **Hw**
- 79997. *Scotomera atomalis* (Amsel,1949)** (Pyralidae) **Synonym(s):** *atomalis* Amsel,1949 **Range**
(in code): **IR Fa Shr Ss Irs Chh Th Elb Kdj Ke Ana Ahz PK Sd Krc**
- 79998. *Scotomera caesarealis* (Ragonot,1891)** (Pyralidae) **Synonym(s):** *caesarealis*
Ragonot,1891; *beatalis* Kalchberg,1897 **Original Reference:** *Stemmatophora caesarealis* Ragonot,1891,
Annls Soc. ent. Fr. 1891: 88-89, pl.16 fig.6. Type ♂: [Turquie]: Césarée de Cappadoce [Kayseri]
[figured by Leraut (2014)]. **Range** (in code): **LB TR IL Pa Hf Jt JO CY EG GR**
- 79999. *Scotomera comealis* (Amsel,1950)** (Pyralidae) **Synonym(s):** *comealis* Amsel,1950 **Range**
(in code): **IR Fa Com Shr**
- 80000. *Scotomera fuliginosalis* Leraut,2007** (Pyralidae) **Synonym(s):** *fuliginosalis* Leraut,2007
Range (in code): **NA**
- 80001. *Scotomera gielisi* Asselbergs,2008** (Pyralidae) **Synonym(s):** *gielisi* Asselbergs,2008
Range (in code): **AE**
- 80002. *Scotomera gnidusalis* (Walker,1859)** (Pyralidae) **Synonym(s):** *gnidusalis* Walker,1859;
tristis Butler,1881 **Original Reference:** *Aglossa gnidusalis* Walker,1859, *List spec. lepid. Colln. Br.*
Mus. 17: 278. Type: [Sri Lanka]: Ceylon. **Range** (in code): **TR LK PK Cp Sd Krc IQ ZA**
- 80003. *Scotomera kirmanialis* (Amsel,1961)** (Pyralidae) **Synonym(s):** *kirmanialis* Amsel,1961
Range (in code): **IR Fa**
- 80004. *Scotomera laristanalis* (Amsel,1961)** (Pyralidae) **Synonym(s):** *laristanalis* Amsel,1961
Range (in code): **IR Ss**
- 80005. *Scotomera luteocostalis* (Amsel,1950)** (Pyralidae) **Synonym(s):** *luteocostalis* Amsel,1950
Original Reference: *Bostra luteocostalis* Amsel,1950, *Ark. Zool.* 1 (17): 244, figs.35,76. Syntypes
3♂: Iran: [Fars]: Fort Mian-Kotal. **Range** (in code): **IR Fa Shr**
- 80006. *Scotomera shirazalis* (Amsel,1961)** (Pyralidae) **Synonym(s):** *shirazalis* Amsel,1961 **Range**
(in code): **IR Fa Shr**
- 80007. *Scotomera tacapealis* (Ragonot,1891)** (Pyralidae) **Synonym(s):** *tacapealis* Ragonot,1891
Range (in code): **TN DZ IQ Bgd Rwz IR Th Kdj Elb**
- 80008. *Scybalista restionalis* Lederer,1863** (Pyralidae) **Synonym(s):** *restionalis* Lederer,1863
Range (in code): **BR**
- 80009. *Scybalistodes fortis* Munroe,1972** (Pyralidae) **Synonym(s):** *fortis* Munroe,1972 **Range** (in
code): **US Arz**
- 80010. *Scybalistodes illosalis* (Dyar,1914)** (Pyralidae) **Synonym(s):** *illosalis* Dyar,1914 **Range**
(in code): **MX**
- 80011. *Scybalistodes periculosalis* (Dyar,1908)** (Pyralidae) **Synonym(s):** *periculosalis*
Dyar,1908 **Range** (in code): **US Cf**
- 80012. *Scybalistodes prusalis* (Druce,1895)** (Pyralidae) **Synonym(s):** *prusalis* Druce,1895
Range (in code): **MX**
- 80013. *Scybalistodes reducta* Munroe,1964** (Pyralidae) **Synonym(s):** *reducta* Munroe,1964
Range (in code): **MX**
- 80014. *Scybalistodes regularis* Munroe,1964** (Pyralidae) **Synonym(s):** *regularis* Munroe,1964
Range (in code): **US Arz**
- 80015. *Scybalistodes rivuloides* Munroe,1964** (Pyralidae) **Synonym(s):** *rivuloides* Munroe,1964
Range (in code): **MX**
- 80016. *Scybalistodes vermiculalis* Munroe,1964** (Pyralidae) **Synonym(s):** *vermiculalis*
Munroe,1964 **Range** (in code): **US Arz**

- 80017. *Scybalistodes violetalis* Munroe, 1964** (Pyralidae) Synonym(s): *violetalis* Munroe, 1964
Range (in code): **MX**
- 80018. *Sebrus absconditus* Bassi, 1995** (Pyralidae) Synonym(s): *absconditus* Bassi, 1995 Range (in code): **ZA**
- 80019. *Sebrus amandus* Bleszynski, 1970** (Pyralidae) Synonym(s): *amandus* Bleszynski, 1970
Range (in code): **MG**
- 80020. *Sebrus pseudosparsellus* (Bleszynski, 1961)** (Pyralidae) Synonym(s): *pseudosparsellus* Bleszynski, 1961; *#pseudoparsellus* Bleszynski & Collins, 1962 Range (in code): **ZA**
- 80021. *Sedenia achroa* Lower, 1902** (Pyralidae) Synonym(s): *achroa* Lower, 1902; *leucopepla* Turner, 1905 Range (in code): **AU**
- 80022. *Sedenia aspasta* Meyrick, 1887** (Pyralidae) Synonym(s): *aspasta* Meyrick, 1887 Range (in code): **AU**
- 80023. *Sedenia atacta* (Turner, 1942)** (Pyralidae) Synonym(s): *atacta* Turner, 1942 Range (in code): **AU SAu**
- 80024. *Sedenia cervicalis* Guenée, 1854** (Pyralidae) Synonym(s): *cervicalis* Guenée, 1854; *itonusalis* Walker, 1859; *pictoalis* Walker, 1859 Range (in code): **AU**
- 80025. *Sedenia erythrura* Lower, 1893** (Pyralidae) Synonym(s): *erythrura* Lower, 1893 Range (in code): **AU**
- 80026. *Sedenia leucogramma* Turner, 1937** (Pyralidae) Synonym(s): *leucogramma* Turner, 1937
Range (in code): **AU**
- 80027. *Sedenia mesochorda* Turner, 1917** (Pyralidae) Synonym(s): *mesochorda* Turner, 1917
Range (in code): **AU**
- 80028. *Sedenia polydesma* Lower, 1900** (Pyralidae) Synonym(s): *polydesma* Lower, 1900 Range (in code): **AU**
- 80029. *Sedenia rupalis* Guenée, 1854** (Pyralidae) Synonym(s): *rupalis* Guenée, 1854 Range (in code): **AU**
- 80030. *Sedenia xeroscopia* Lower, 1900** (Pyralidae) Synonym(s): *xeroscopia* Lower, 1900 Range (in code): **AU**
- 80031. *Seeboldia korgosella* Ragonot, 1887** (Pyralidae) Synonym(s): *korgosella* Ragonot, 1887; *uralskella* Caradja, 1910; *occidentella* Zerny, 1927; *jolanella* Schmidt, 1933 Original Reference: *Seeboldia korgosella* Ragonot, 1887, *Annls Soc. ent. Fr.* 1887: 253. Lectotype ♂: [China: Uighur A.R.]: Kuldja, designated by Roesler, 1973, *Microlepid. Palaearct.* 4: 24. (MNHNP). Range (in code): **TN ES Cue FR Py AL RU Or CN Ui Ku Khr KG Uk KK Na Ik TR**
- 80032. *Sefidia clasperella* Asselbergs, 1994** (Pyralidae) Synonym(s): *clasperella* Asselbergs, 1994 Original Reference: *Sefidia clasperella* Asselbergs, 1994, *Nota lepid.* 16 (3/4): 172-178, figs. Holotype ♂: Turkey: Konya: Akşehir, Sultandağları, 1100m (ITZ, Amsterdam). Range (in code): **TR**
- 80033. *Sefidia persica* Amsel, 1950** (Pyralidae) Synonym(s): *persica* Amsel, 1950 Original Reference: *Sefidia persica* Amsel, 1950, *Ark. Zool.* 1 (17): 235, figs. 22, 62. Type ♂: Iran: [Fars]: Sine Sefid. Range (in code): **IR Fa** Bionomy: Larva on *Colutea* (Fabaceae) (Roesler, 1993).
- 80034. *Selagia albipunctella* Chrétien, 1911** (Pyralidae) Synonym(s): *albipunctella* Chrétien, 1911
Range (in code): **DZ Bsk TN Gf**
- 80035. *Selagia argyrella* ([Denis & Schiffermüller], 1775)** (Pyralidae) Synonym(s): *argyrella* ([Denis & Schiffermüller], 1775 Original Reference: *Tinea argyrella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 135. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR Cr Cc AM DK SE EE LV LT RU MD UA BY KG Uk Tk Dj CN Ui Kml** Bionomy: Larva on *Potentilla* ((Rosaceae), *Helianthemum* (Cistaceae), *Calluna* (Ericaceae) (Parenti, 2000).
- 80036. *Selagia argyrella subochrella* (Herrich-Schäffer, 1849)** (Pyralidae) Synonym(s): *subochrella* Herrich-Schäffer, 1849 Range (in code): **ES YU BG GR Cr TR Cc AM**
- 80037. *Selagia fuscorubra* Riel, 1928** (Pyralidae) Synonym(s): *fuscorubra* Riel, 1928 Range (in code): **FR**
- 80038. *Selagia jolanella* Schmidt, 1934** (Pyralidae) Synonym(s): *jolanella* Schmidt, 1934 Range (in code): **ES**
- 80039. *Selagia spadicella* (Hübner, 1796)** (Pyralidae) Synonym(s): *spadicella* Hübner, 1796; *janthinella* Hübner, [1813]; *saltuella* Mann, 1862 Original Reference: *Tinea spadicella* Hübner, 1796, *Samml. eur. Schmett.* 8, *Tineae:* Tab. 33 figs. 225, 226. Syntypes: Europa. Range (in code): **MA ES**

FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
KG UK

- 80040. *Selagia uralensis* Rebel, 1910** (Pyralidae) Synonym(s): *uralensis* Rebel, 1910 Original Reference: *Selagia uralensis* Rebel, 1910, Dt. ent. Z., Iris 23: 3, Taf. 1 fig. 11. Range (in code): **RU Ur CN Ui Ju KK Na KG Tk Dj**
- 80041. *Selagia zelicella* (Oberthür, 1888)** (Pyralidae) Synonym(s): *zelicella* Oberthür, 1888 Original Reference: *Myelois zelicella* Oberthür, 1888, Etud. Ent. 12: 40, pl. 6 fig. 25h. Type: Algérie, Biskra (L. Bleuse). Range (in code): **DZ Bsk** Bionomy: Larva on *Helianthemum sessiliflorum* (Chrétien, 1917).
- 80042. *Sematoneura africana* Balinsky, 1994** (Pyralidae) Synonym(s): *africana* Balinsky, 1994 Range (in code): **ZA Tra Ec**
- 80043. *Sematoneura africana africana* Balinsky, 1994** (Pyralidae) Synonym(s): *africana* Balinsky, 1994 Range (in code): **ZA Tra Ec**
- 80044. *Semioceros gratalis* (Lederer, 1863)** (Pyralidae) Synonym(s): *gratalis* Lederer, 1863 Range (in code): **PH Luz Ja Clb Amb ID**
- 80045. *Semniomima anubisalis* (Schaus, 1934)** (Pyralidae) Synonym(s): *anubisalis* Schaus, 1934 Range (in code): **BR**
- 80046. *Semniomima astrigalis* (Dognin, 1906)** (Pyralidae) Synonym(s): *astrigalis* Dognin, 1906 Range (in code): **PE**
- 80047. *Semniomima auranticeps* (Hampson, 1913)** (Pyralidae) Synonym(s): *auranticeps* Hampson, 1913 Range (in code): **PE**
- 80048. *Semniomima clarissalis* (Schaus, 1920)** (Pyralidae) Synonym(s): *clarissalis* Schaus, 1920 Range (in code): **PE**
- 80049. *Semniomima flavipes* (Burmeister, 1878)** (Pyralidae) Synonym(s): *flavipes* Burmeister, 1878 Range (in code): **AR**
- 80050. *Semniomima fuscivenalis* (Schaus, 1920)** (Pyralidae) Synonym(s): *fuscivenalis* Schaus, 1920 Range (in code): **PE**
- 80051. *Semniomima josialis* (Hampson, 1918)** (Pyralidae) Synonym(s): *josialis* Hampson, 1918 Range (in code): **VE**
- 80052. *Semniomima ligatalis* (Druce, 1895)** (Pyralidae) Synonym(s): *ligatalis* Druce, 1895 Range (in code): **MX Vcr**
- 80053. *Semniomima mediana* Schaus, 1904** (Pyralidae) Synonym(s): *mediana* Schaus, 1904 Range (in code): **BR**
- 80054. *Semniomima mesozonalis* (Hampson, 1913)** (Pyralidae) Synonym(s): *mesozonalis* Hampson, 1913 Range (in code): **AR**
- 80055. *Semniomima peruensis* (Capps, 1967)** (Pyralidae) Synonym(s): *peruensis* Capps, 1967 Range (in code): **PE**
- 80056. *Semniomima polypaetalis* (Schaus, 1920)** (Pyralidae) Synonym(s): *polypaetalis* Schaus, 1920 Range (in code): **BR**
- 80057. *Semniomima polystrigalis* (Hampson, 1898)** (Pyralidae) Synonym(s): *polystrigalis* Hampson, 1898 Range (in code): **PE**
- 80058. *Semniomima puella* (Walker, 1856)** (Pyralidae) Synonym(s): *puella* Walker, 1856 Range (in code): **BR**
- 80059. *Semniomima tristrigalis* (Hampson, 1913)** (Pyralidae) Synonym(s): *tristrigalis* Hampson, 1913 Range (in code): **BR**
- 80060. *Sempronia stygella* Ragonot, 1888** (Pyralidae) Synonym(s): *stygella* Ragonot, 1888 Range (in code): **AU**
- 80061. *Sengania ruehmekorfii* Amsel, 1951** (Pyralidae) Synonym(s): *ruehmekorfii* Amsel, 1951 Range (in code): **IR Ss**
- 80062. *Sericocrambus stylatus* Wallengren, 1868** (Pyralidae) Synonym(s): *stylatus* Wallengren, 1868 Range (in code): **AR**
- 80063. *Sericophylla nivalis* Turner, 1937** (Pyralidae) Synonym(s): *nivalis* Turner, 1937 Range (in code): **AU**
- 80064. *Sericoplaga externalis* W. Warren, 1892** (Pyralidae) Synonym(s): *externalis* W. Warren, 1892; *macluræ* C.V. Riley, 1893 Range (in code): **US Tx**
- 80065. *Shebania grandis* Balinsky, 1991** (Pyralidae) Synonym(s): *grandis* Balinsky, 1991 Range (in code):

- 80066. Shebania grandis grandis Balinsky,1991** (Pyrilidae) Synonym(s): *grandis* Balinsky,1991
Range (in code):
- 80067. Shebania maculata Balinsky,1991** (Pyrilidae) Synonym(s): *maculata* Balinsky,1991
Range (in code):
- 80068. Shebania maculata maculata Balinsky,1991** (Pyrilidae) Synonym(s): *maculata* Balinsky,1991 Range (in code):
- 80069. Shirazia monotona Amsel,1954** (Pyrilidae) Synonym(s): *monotona* Amsel,1954 Range (in code): IR Fa
- 80070. Shirazia wiltshirei Amsel,1959** (Pyrilidae) Synonym(s): *wiltshirei* Amsel,1959 Original Reference: Shirazia wiltshirei Amsel,1959, Bull. Soc. ent. Egypte 43: 45, taf.i fig.1. Type ♂: Iraq: Hajji Omran, 5.8.54. Range (in code): IQ Hjo
- 80071. Siamusotima aranea Solis & Yen,2005** (Pyrilidae) Synonym(s): *aranea* Solis & Yen,2005 Original Reference: Siamusotima aranea Solis & Yen,2005, Annls ent. Soc. Am. 98 (6): 887-895. Range (in code): TH CMA Bionomy: Larva bores stem of Lygodium flexuosum (Schizaeaceae) (Solis & Yen,2005).
- 80072. Sindris magnifica Jordan,1904** (Pyrilidae) Synonym(s): *magnifica* Jordan,1904 Range (in code): ZA
- 80073. Sindris sganzeni Boisduval,1833** (Pyrilidae) Synonym(s): *sganzeni* Boisduval,1833; *#sganziella* Guenée,1852 Range (in code): ZA
- 80074. Singhaliella simplicipalpis (Strand,1920)** (Pyrilidae) Synonym(s): *simplicipalpis* Strand,1920 Original Reference: Critonia simplicipalpis Strand,1920, Arch. Naturgesch. 84 (A) 12: 189. Range (in code): TW
- 80075. Sisyrophora pfeifferae Lederer,1863** (Pyrilidae) Synonym(s): *pfeifferae* Lederer,1863; *elwesialis* Snellen,1890 Range (in code): AU
- 80076. Sitochroa aureolalis (Hulst,1886)** (Pyrilidae) Synonym(s): *aureolalis* Hulst,1886; *cyralis* Druce,1895 Range (in code): US Arz MX
- 80077. Sitochroa dasconalis (Walker,1859)** (Pyrilidae) Synonym(s): *dasconalis* Walker,1859 Range (in code): US
- 80078. Sitochroa palealis ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): ? *flaveolata* Hufnagel,1767; *palealis* [Denis & Schiffermüller],1775; *stigmatalis* Villers,1789; *selenalis* Hübner,[1819]; *anaxialis* Walker,1859; *algiralis* Allard,1867; *extremalis* Caradja,1916 Original Reference: Pyralis palealis [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): DZ Sfr Cst PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY IR Mz Gh Tgo Cc GG Lag AZ Nv Ord Da Der Hkd CN Ui Ku Bionomy: Larva on Daucus carota, Heracleum, Peucedanum, Seseli (Apiaceae) (Parenti,2000).
- 80079. Sitochroa straminealis (Hampson,1900)** (Pyrilidae) Synonym(s): *straminealis* Hampson,1900 Original Reference: Phlyctaenodes straminealis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 388, pl.iii fig.22. Holotype ♂: [Turkey]: "Asia Minor" (coll. Staudinger). Range (in code): TR LB Bsa IR Fa Com
- 80080. Sitochroa umbrosalis (W.Warren,1892)** (Pyrilidae) Synonym(s): *umbrosalis* W.Warren,1892 Range (in code): CN
- 80081. Sitochroa verticalis (Linnaeus,1758)** (Pyrilidae) Synonym(s): *verticalis* Linnaeus,1758; *inversa* Fourcroy,1785; *cinctalis* Treitschke,1829; *nigricillialis* Ragonot,1895 Original Reference: Phalaena verticalis Linnaeus,1758, Syst. Nat. (Edn.10)1: 533. Lectotype ♀: [Europa] (Robinson & Nielsen, 1983: 236). Range (in code): PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG IR Ab Ak Shf Elb Glb Th Kdj Ha Kh DK NO SE FI EE LV LT RU Sb MD UA BY AF Hr Bmu Kot Bark Fz Pli Bd UZ KG Tk Dj Ii JP Bionomy: Larva on Urtica (Urticaceae), Rumex, Atriplex (Polygonaceae), Cytisus (Fabaceae), Teucrium (Lamiaceae), Cirsium (Asteraceae) (Parenti,2000).
- 80082. Sparagmia melliculalis Lederer,1863** (Pyrilidae) Synonym(s): *melliculalis* Lederer,1863 Range (in code): PH Luz
- 80083. Spatulipalpia effosella Ragonot,1893** (Pyrilidae) Synonym(s): *effosella* Ragonot,1893 Range (in code): IN Ass MY ID Sum PH
- 80084. Spatulipalpia macropalpa Roesler & Küppers,1979** (Pyrilidae) Synonym(s): *macropalpa* Roesler & Küppers,1979 Range (in code): ID Sum
- 80085. Spatulipalpia monstrosa Balinsky,1994** (Pyrilidae) Synonym(s): *monstrosa* Balinsky,1994 Range (in code): ZA Tva Mpu Tst

- 80086. *Spatulipalpia pallicostalis* (Walker,1863)** (Pyralidae) Synonym(s): *pallicostalis* Walker,1863 Range (in code): IN Meg Ass Khs LK ID Sum AU
- 80087. *Spatulipalpia shiva* Roesler & Küppers,1979** (Pyralidae) Synonym(s): *shiva* Roesler & Küppers,1979 Range (in code): ID Sum
- 80088. *Spatulipalpia* sp.A** (Pyralidae) Synonym(s): Range (in code): AU
- 80089. *Spectrotrota fimbrialis* W.Warren,1891** (Pyralidae) Synonym(s): *fimbrialis* W.Warren,1891 Range (in code): AU
- 80090. *Sphaerodeltis psammoleuca* Meyrick,1933** (Pyralidae) Synonym(s): *psammoleuca* Meyrick,1933 Range (in code): ZR
- 80091. *Sphinctocera crasssquama* W.Warren,1897** (Pyralidae) Synonym(s): *crasssquama* W.Warren,1897 Range (in code): ZA Ec Nta Kzu Tva Lpo
- 80092. *Sphinctocera crasssquama crasssquama* W.Warren,1897** (Pyralidae) Synonym(s): *crasssquama* W.Warren,1897 Range (in code): ZA Ec Nta Kzu Tva Lpo
- 80093. *Spoladea recurvalis* (Fabricius,1775)** (Pyralidae) Synonym(s): *recurvalis* Fabricius,1775; *fascialis* Cramer,[1782]; *recurvella* Zincken,1818; *diffascialis* Hübner,[1825]; *albifascialis* Boisduval,1833; *animalis* Guenée,1854; *exodias* Meyrick,1904; *formosana* Shiraki,1910. Original Reference: *Phalaena recurvalis* Fabricius,1775, Syst. Ent.: 407. Type(s): Lost (Clarke,1986: 51). Range (in code): Az Cn ES FR Co BE MT GB NL DE DK PH Luz Boh ID Sum Ja Amb Tim JP KP KR TW CN PG Nlr AU NZ Hw IN Adm LK MG BR ZA Lpo Tva Spb Mdk AF Srb Gbh Kot IQ Bgd YE LB IR Fa Sse Shr Ss Irs CY TR IL Pa Hf WS FJ NH MY Kmd MM TH CMA Cuo Cu01 Cu05 Dst Dso9 Sgk Hya PSu HU RU Sh Krl Am Us Cc Ce Gro UA Cm SG Md PK Cp H-A AE OM DB KH Kwa Stg Clb Bor Hkk Ri Swk NP Up Rj Tn Mys Guj CX DZ AO CN KM ZR CG GO ET GN GH KE LS ML MW MU MZ NE NG RE SH ST SN SC SL SO SD TZ UG ZM ZW BM BS JM PA TT PR GP GD HN MQ MS Nje Fl Sca Vi CU CR DO CL CO GY PY PE VE NSw QAU WAU NC VAU CK TO TV Bionomy: Larva on Alternanthera, Amaranthus (Amaranthaceae), Beta vulgaris, Kochia indica (Chenopodiaceae), Glycine max (soya bean), Vigna unguiculata (Fabaceae) (Robinson et al.,1994).
- 80094. *Stanempista schawerdae* (Zerny,1927)** (Pyralidae) Synonym(s): *schawerdae* Zerny,1927 Original Reference: *Staudingeria schawerdae* Zerny,1927, Z. Öst. ent. Ver. 12: 112. Lectotype ♂: Hispania: Sierra Alfacar (designated by Roesler,1973, Microlepid. palaearkt. 4: 112 (NHMW). Range (in code): MA ES
- 80095. *Statina albivenella* Janse,1922** (Pyralidae) Synonym(s): *albivenella* Janse,1922 Range (in code): ZA
- 80096. *Staudingeria albifrontella* Asselbergs,2010** (Pyralidae) Synonym(s): *albifrontella* Asselbergs,2010 Range (in code): AE
- 80097. *Stegea Munroe*,1964** (Pyralidae) Synonym(s): *Egesta Ragonot*,1891 nec Conrad,1845; *Stegea* Munroe,1964 Range (in code):
- 80098. *Stegea clarkei* Munroe,1964** (Pyralidae) Synonym(s): *clarkei* Munroe,1964 Range (in code): CO
- 80099. *Stegea eripalis* (Grote,1878)** (Pyralidae) Synonym(s): *eripalis* Grote,1878 Range (in code): US Tx
- 80100. *Stegea fiachnalis* (Schaus,1924)** (Pyralidae) Synonym(s): *fiachnalis* Schaus,1924; *#fiachmalis* Klima,1937 Range (in code): PA
- 80101. *Stegea hermalis* (Schaus,1920)** (Pyralidae) Synonym(s): *hermalis* Schaus,1920 Range (in code): GT
- 80102. *Stegea jamaicensis* Munroe,1964** (Pyralidae) Synonym(s): *jamaicensis* Munroe,1964 Range (in code): JM
- 80103. *Stegea mexicana* Munroe,1964** (Pyralidae) Synonym(s): *mexicana* Munroe,1964 Range (in code): MX
- 80104. *Stegea minutalis* (Walter,1928)** (Pyralidae) Synonym(s): *minutalis* Walter,1928 Range (in code): US Arz
- 80105. *Stegea powelli* Munroe,1972** (Pyralidae) Synonym(s): *powelli* Munroe,1972 Range (in code): US Cf
- 80106. *Stegea salutalis* (Hulst,1886)** (Pyralidae) Synonym(s): *salutalis* Hulst,1886 Range (in code): US Tx Cf
- 80107. *Stegea salutalis grisealis* Munroe,1972** (Pyralidae) Synonym(s): *grisealis* Munroe,1972 Range (in code): US Tx
- 80108. *Stegea salutalis riparialis* Munroe,1972** (Pyralidae) Synonym(s): *riparialis* Munroe,1972 Range (in code): US Cf

- 80109. *Stegia simplicialis* (Kearfott,1907)** (Pyrilidae) **Synonym(s):** *simplicialis* Kearfott,1907
Range (in code): **US Tx**
- 80110. *Stegia sola* Munroe,1972** (Pyrilidae) **Synonym(s):** *sola* Munroe,1972 **Range (in code):** **US Tx**
- 80111. *Stegothyris diagonalis* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *diagonalis* Guenée,1854
Original Reference: *Salbia diagonalis* Guenée,1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 201. Syntypes 2♂: [Indonesia]: "Java?". **Range (in code):** **IN MM TW ID Sum Ja**
- 80112. *Stegothyris fasciculalis* (Zeller,1852)** (Pyrilidae) **Synonym(s):** *fasciculalis* Zeller,1852
Range (in code): **ZA**
- 80113. *Stemmatophora achromalis* (Hampson,1906)** (Pyrilidae) **Synonym(s):** *achromalis* Hampson,1906 **Range (in code):** **ZA Nwe Rtb**
- 80114. *Stemmatophora austautalis* (Oberthür,1881)** (Pyrilidae) **Synonym(s):** *austautalis* Oberthür,1881; *funebis* D.Lucas,1950 **Original Reference:** *Aporodes austautalis* Oberthür,1881, Etud. Ent. 6: 93, pl.3 fig.7. Type: Algérie, Sebdu (A.Austaut leg.). **Range (in code):** **DZ Sbd Abe TN**
- 80115. *Stemmatophora bicincta* Joannis,1927** (Pyrilidae) **Synonym(s):** *bicincta* Joannis,1927
Range (in code): **ZA**
- 80116. *Stemmatophora bicoloralis* (Leech,1889)** (Pyrilidae) **Synonym(s):** *bicoloralis* Leech,1889 **Range (in code):** **IN KP JP TW**
- 80117. *Stemmatophora borgialis* (Duponchel,1832)** (Pyrilidae) **Synonym(s):** *borgialis* Duponchel,1832 **Range (in code):** **DZ Lbs PT ES FR Co Sa Si IT** **Bionomy:** Larva on *Euphorbia spinosa* (Euphorbiaceae), *Thymus mastichina* (Lamiaceae) (Chrétien,1917).
- 80118. *Stemmatophora brunnealis* (Treitschke,1829)** (Pyrilidae) **Synonym(s):** *brunnealis* Treitschke,1829; *phaealis* Hampson,1900; *ocellata* Rothschild,1915; *lividalis* Constantini,1922; *nigrobrunnealis* Schawerda,1941 **Range (in code):** **DZ Anna Gue Ges PT ES FR Sa Si IT MT CH AT CZ SK HU RO HV YU MK BG GR CY IL TR Cc AZ Kir Lag GG LB IQ Bgd TM Kp** **Bionomy:** Larva on *Helianthemum* (Cistaceae), *Epilobium* (Onagraceae), *Globularia* (Globulariaceae) (Parenti,2000).
- 80119. *Stemmatophora byzacaenicalis* (Ragonot,1887)** (Pyrilidae) **Synonym(s):** *byzacaenicalis* Ragonot,1887; *pallidalis* Turati,1924 **Range (in code):** **Cy LY DZ Gle Ges TN Gab CY**
- 80120. *Stemmatophora centralis* Shibuya,1928** (Pyrilidae) **Synonym(s):** *centralis* Shibuya,1928
Range (in code): **TW**
- 80121. *Stemmatophora chloralis* Hampson,1927** (Pyrilidae) **Synonym(s):** *chloralis* Hampson,1927 **Range (in code):** **ZA**
- 80122. *Stemmatophora combustalis* (Fischer v. Röslerstamm,[1842])** (Pyrilidae)
Synonym(s): *combustalis* Fischer v. Röslerstamm,[1842]. **Range (in code):** **MA DZ Anna Lbs PT ES FR Co Sa Si IT RO YU AL BG GR Cr TR**
- 80123. *Stemmatophora depressalis* Walker,1862** (Pyrilidae) **Synonym(s):** *depressalis* Walker,1862 **Range (in code):** **ZA**
- 80124. *Stemmatophora erebalis* Hampson,1917** (Pyrilidae) **Synonym(s):** *erebalis* Hampson,1917
Range (in code): **ZA**
- 80125. *Stemmatophora flavicaput* Shibuya,1928** (Pyrilidae) **Synonym(s):** *flavicaput* Shibuya,1928 **Range (in code):** **TW**
- 80126. *Stemmatophora flavirubralis* W.Warren,1891** (Pyrilidae) **Synonym(s):** *flavirubralis* W.Warren,1891 **Range (in code):** **ZA**
- 80127. *Stemmatophora fuscibasalis* (Snellen,1880)** (Pyrilidae) **Synonym(s):** *fuscibasalis* Snellen,1880 **Range (in code):** **IN MM TW**
- 80128. *Stemmatophora gadesialis* Ragonot,1882** (Pyrilidae) **Synonym(s):** *gadesialis* Ragonot,1882; *albolineata* Rothschild,1915 **Original Reference:** *Stemmatophora gadesialis* Ragonot,1882, Annls Soc. ent. Fr. (6) 2 (Bull.): lxx. Type: Spain, Cadiz. **Range (in code):** **MA DZ Tni Tis Ges ES Mu**
- 80129. *Stemmatophora gredalis* (Zerny,1935)** (Pyrilidae) **Synonym(s):** *gredalis* Zerny,1935
Range (in code): **ES**
- 80130. *Stemmatophora hemicyclalis* Hampson,1917** (Pyrilidae) **Synonym(s):** *hemicyclalis* Hampson,1917 **Range (in code):** **ZA**
- 80131. *Stemmatophora honestalis* (Treitschke,1829)** (Pyrilidae) **Synonym(s):** *honestalis* Treitschke,1829; *marrakechensis* Leraut,2000 **Range (in code):** **MA DZ Sbd PT ES SK HU RO YU AL BG GR TR CY IR Fa Sse Shr Elb Th Kdj IQ Ry LB**

- 80132. *Stemmatophora mushana* Shibuya,1928** (Pyralidae) Synonym(s): *mushana* Shibuya,1928 Range (in code): TW
- 80133. *Stemmatophora obliquisignalis* Hampson,1906** (Pyralidae) Synonym(s): *obliquisignalis* Hampson,1906 Range (in code): ZA
- 80134. *Stemmatophora oleagina* (W.Warren,1891)** (Pyralidae) Synonym(s): *oleagina* W.Warren,1891 Original Reference: *Pyralis oleagina* W.Warren,1891, Ann. Mag. nat. Hist. (6) 7: 497. Type ♀: [South Africa]: "Natal". Range (in code): ZA Nta Kzu
- 80135. *Stemmatophora orbicentralis* (Rebel,1902)** (Pyralidae) Synonym(s): *orbicentralis* Rebel,1902; *ocellata* Rothschild,1915; *hilaralis* Zerny,1935; *ifranalis* D.Lucas,1954; *prospicualis* D.Lucas,1956 Range (in code): IL Pa Js MA Ifr DZ Ges TN
- 80136. *Stemmatophora perrubralis* Hampson,1917** (Pyralidae) Synonym(s): *perrubralis* Hampson,1917 Range (in code): ZA
- 80137. *Stemmatophora persica* (Amsel,1949)** (Pyralidae) Synonym(s): *persica* Amsel,1949 Range (in code): IR Fa Sse Com
- 80138. *Stemmatophora rhodesialis* (Hampson,1906)** (Pyralidae) Synonym(s): *rhodesialis* Hampson,1906 Range (in code): ZA
- 80139. *Stemmatophora rungsi* (Leraut,2000)** (Pyralidae) Synonym(s): *rungs* Leraut,2000 Range (in code): MA DZ Elt PT ES FR Py
- 80140. *Stemmatophora schwingenschussi* Zerny,1939** (Pyralidae) Synonym(s): *schwingenschussi* Zerny,1939 Original Reference: *Stemmatophora schwingenschussi* Zerny,1939, Z. öst. EntVer. 24: 160, pl.xi fig.6. Syntypes 2♂: Iran: Elburs-Gebirge: Tarsee-Gebiet, 2100-2200m (NHMW). Range (in code): IR Elb Mz
- 80141. *Stemmatophora syriacalis* (Ragonot,1895)** (Pyralidae) Synonym(s): *syriacalis* Ragonot,1895 Original Reference: *Scotomerodes syriacalis* Ragonot,1895, Bull. Soc. ent. Fr. 1895: xcvi. Type ♂: [Turquie]: Akbes. Range (in code): DZ Orn ES An Grn FR SY TR IR Fa Com
- 80142. *Stemmatophora syriacalis oranal* Zerny,1914** (Pyralidae) Synonym(s): *oralis* Zerny,1914; *fuliginosals* Zerny,1927 Original Reference: *Stemmatophora oranal* Zerny,1914, Annln naturh. Mus. Wien 28: 322-323, Taf.xxvi figs. 23,24. Syntypes 1♂ 1♀: Algerien: Oran (ex coll. Bang-Haas) (NHMW). Range (in code): DZ Orn ES An Grn FR
- 80143. *Stemmatophora vulpecalis* Ragonot,1891** (Pyralidae) Synonym(s): *vulpecalis* Ragonot,1891; *modestalis* Rebel,1910 Range (in code): DZ Tni Tis Agi FR Py ES
- 80144. *Stemmatophora xanthozonalis* Hampson,1906** (Pyralidae) Synonym(s): *xanthozonalis* Hampson,1906 Range (in code): ZA
- 80145. *Stemorrhages amphitritalis* (Guenée,1854)** (Pyralidae) Synonym(s): *amphitritalis* Guenée,1854; *amphitritalis* Walker,[1866] nec Guenée,1854. Range (in code): AU
- 80146. *Stemorrhages marthesiusalis* (Walker,1859)** (Pyralidae) Synonym(s): *marthesiusalis* Walker,1859; *tritonias* Meyrick,1887; *nereis* Meyrick,1887 Range (in code): AU
- 80147. *Stemorrhages sericea* (Drury,1773)** (Pyralidae) Synonym(s): *sericea* Drury,1773; *polita* Cramer,1779; *laterata* Fabricius,1794; *congradalis* Hübner,[1825]; *thalassin* Boisduval,1833; *beryllalis* Guenée,1854; *sericeolalis* Guenée,1863; *#beryllalis* Hampson,1898 Range (in code): ZA
- 80148. *Stenachroia elongella* Hampson,1898** (Pyralidae) Synonym(s): *elongella* Hampson,1898 Original Reference: *Stenachroia elongella* Hampson,1898, J. Bomb. nat. Hist. Soc. 12: 94. Range (in code): IN LK TW
- 80149. *Stereobela leucomera* Turner,1905** (Pyralidae) Synonym(s): *leucomera* Turner,1905 Range (in code): AU
- 80150. *Stericta aeruginosa* Lucas,1894** (Pyralidae) Synonym(s): *aeruginosa* Lucas,1894 Range (in code):
- 80151. *Stericta atribasalis* W.Warren,1895** (Pyralidae) Synonym(s): *atribasalis* W.Warren,1895; *leucodesma* Lower,1896. Range (in code): AU
- 80152. *Stericta bryomima* (Turner,1913)** (Pyralidae) Synonym(s): *bryomima* Turner,1913 Range (in code): AU
- 80153. *Stericta carbonalis* (Guenée,1854)** (Pyralidae) Synonym(s): *carbonalis* Guenée,1854; *costigeralis* Walker,1862; *gelechiella* Walker,1866; *inuncta* Lucas,1898 Range (in code): AU
- 80154. *Stericta chlorophoena* (Turner,1913)** (Pyralidae) Synonym(s): *chlorophoena* Turner,1913 Range (in code): AU
- 80155. *Stericta concisella* (Walker,1866)** (Pyralidae) Synonym(s): *concisella* Walker,1866; *rubroviridis* W.Warren,1895; *phaeopasta* Turner,1918. Range (in code): AU

- 80156. *Stericta divitalis* (Guenée,1854)** (Pyalidae) **Synonym(s):** *divitalis* Guenée,1854 **Original Reference:** *Glossina divitalis* Guenée,1854, [in] Boisdual & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 124-125. Type ♀: "Inde centrale". **Range (in code):** **PH Luz IN LK MM Sum Bor Clb ID**
- 80157. *Stericta dochmoscia* (Turner,1905)** (Pyalidae) **Synonym(s):** *dochmoscia* Turner,1905; *loxophaea* Turner,1937 **Range (in code):** **AU**
- 80158. *Stericta haraldusalis* (Walker,1850)** (Pyalidae) **Synonym(s):** *haraldusalis* Walker,1850 **Range (in code):** **IN MY Bor RU Am CN KP JP TW**
- 80159. *Stericta inconcisa* (Walker,1863)** (Pyalidae) **Synonym(s):** *inconcisa* Walker,1863 **Range (in code):** **TH CMa Int Dst MY Bor Swk**
- 80160. *Stericta mediовialis* (Hampson,1916)** (Pyalidae) **Synonym(s):** *mediовialis* Hampson,1916 **Range (in code):** **AU**
- 80161. *Stericta olivacea* (W.Warren,1891)** (Pyalidae) **Synonym(s):** *olivacea* W.Warren,1891 **Range (in code):** **CN JP TW**
- 80162. *Stericta orchidivora* (Turner,1904)** (Pyalidae) **Synonym(s):** *orchidivora* Turner,1904 **Range (in code):** **AU**
- 80163. *Stericta philobrya* (Turner,1937)** (Pyalidae) **Synonym(s):** *philobrya* Turner,1937 **Range (in code):** **AU**
- 80164. *Stericta prasina* W.Warren,1895** (Pyalidae) **Synonym(s):** *prasina* W.Warren,1895; *nniarias* Turner,1905; *elaea* Hampson,1906; *chrysochloralis* Hampson,1916. **Range (in code):** **AU**
- 80165. *Stiphrometasia monialis* (Erschoff,1871)** (Pyalidae) **Synonym(s):** *monialis* Erschoff,1871 **Original Reference:** *Botys monialis* Erschoff,1871, Horae Soc. ent. ross. 8: 317-318. Syntypes ♂♀: [Uzbekistan]: Samarkand, Juin. **Range (in code):** **IR Fa Bu Shr Th Kdj Gls Ss Srw PK Ch Gg AF Hr UZ Smk TM IQ IN AE**
- 80166. *Stiphrometasia pavonialis* (Hampson,1896)** (Pyalidae) **Synonym(s):** *pavonialis* Hampson,1896 **Range (in code):** **YE Ad**
- 80167. *Stiphrometasia sancta* (Hampson,1900)** (Pyalidae) **Synonym(s):** *sancta* Hampson,1900; *alba* Caradja,1917. **Original Reference:** *Metasia sancta* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 393. Holotype ♂: [Jordan]: "Syria, Lower Jordan" (coll. Staudinger). **Range (in code):** **IL Pa JO TR IQ Kbl Rwz IR Ahz Fa Shr**
- 80168. *Strepsinoma albimaculalis* Rothschild,1915** (Pyalidae) **Synonym(s):** *albimaculalis* Rothschild,1915 **Range (in code):** **ID PG Ij**
- 80169. *Strepsinoma albiplagialis* Rothschild,1915** (Pyalidae) **Synonym(s):** *albiplagialis* Rothschild,1915 **Range (in code):** **ID PG Ij**
- 80170. *Strepsinoma amaura* Meyrick,1897** (Pyalidae) **Synonym(s):** *amaura* Meyrick,1897 **Range (in code):** **AU ID Bor Sbw**
- 80171. *Strepsinoma aulacodoidalis* Rothschild,1915** (Pyalidae) **Synonym(s):** *aulacodoidalis* Rothschild,1915 **Range (in code):** **ID PG Ij**
- 80172. *Strepsinoma croesusalis* (Walker,1859)** (Pyalidae) **Synonym(s):** *croesusalis* Walker,1859; *trigonalis* Swinhoe,1895 **Range (in code):** **TH CMa Fn Dst Int Knc Nna Kao Rng Cbi Cph IN Ass Khs Meg CN HK Adm MY Bor Sbh Swk Klt AU JP Hkk**
- 80173. *Strepsinoma ectopalis* Hampson,1897** (Pyalidae) **Synonym(s):** *ectopalis* Hampson,1897 **Range (in code):** **PG Fg**
- 80174. *Strepsinoma foveata* Turner,1937** (Pyalidae) **Synonym(s):** *foveata* Turner,1937 **Range (in code):** **AU**
- 80175. *Strepsinoma fuliginosa* Rothschild,1915** (Pyalidae) **Synonym(s):** *fuliginosa* Rothschild,1915 **Range (in code):** **PG**
- 80176. *Strepsinoma grisealis* Rothschild,1915** (Pyalidae) **Synonym(s):** *grisealis* Rothschild,1915 **Range (in code):** **ID PG Ij**
- 80177. *Strepsinoma hapilistalis* (Strand,1919)** (Pyalidae) **Synonym(s):** *hapilistalis* Strand,1919 **Range (in code):** **TW**
- 80178. *Strepsinoma sphenactis* Meyrick,1897** (Pyalidae) **Synonym(s):** *sphenactis* Meyrick,1897 **Range (in code):** **ID Sgr**
- 80179. *Styphlolepis agenor* Turner,1915** (Pyalidae) **Synonym(s):** *agenor* Turner,1915 **Range (in code):** **AU**
- 80180. *Styphlolepis delopasta* Turner,1942** (Pyalidae) **Synonym(s):** *delopasta* Turner,1942 **Range (in code):** **AU**

- 80181. *Styphlolepis erythrocosma* Turner, 1942** (Pyalidae) Synonym(s): *erythrocosma* Turner, 1942 Range (in code): AU
- 80182. *Styphlolepis hypermegas* Turner, 1922** (Pyalidae) Synonym(s): *hypermegas* Turner, 1922 Range (in code): AU
- 80183. *Styphlolepis leucosticta* Hampson, 1919** (Pyalidae) Synonym(s): *leucosticta* Hampson, 1919 Range (in code): AU
- 80184. *Styphlolepis squamosalis* Hampson, 1896** (Pyalidae) Synonym(s): *squamosalis* Hampson, 1896; *peribarys* Turner, 1922 Range (in code): AU
- 80185. *Styphlorachis mesophaea* Hampson, 1930** (Pyalidae) Synonym(s): *mesophaea* Hampson, 1930 Original Reference: *Styphlorachis mesophaea* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 77. Syntypes: "British Central Africa: Lake Nyasa; [South Africa]: Transvaal: White R., Barberton. Range (in code): ZA Tva Lpo Mpu Brb
- 80186. *Styphlorachis mesophaea mesophaea* Hampson, 1930** (Pyalidae) Synonym(s): *mesophaea* Hampson, 1930 Original Reference: *Styphlorachis mesophaea* Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 77. Syntypes: "British Central Africa: Lake Nyasa; [South Africa]: Transvaal: White R., Barberton. Range (in code): ZA Tva Lpo Mpu Brb
- 80187. *Styxon ciniferalis* (Caradja, 1925)** (Pyalidae) Synonym(s): *ciniferalis* Caradja, 1925 Range (in code): Kwa CN
- 80188. *Succadana dilaticornis* (Walker, 1863)** (Pyalidae) Synonym(s): *dilaticornis* Walker, 1863 Range (in code): MY Bor ID Sum
- 80189. *Succadana falkneri* Roesler, 1983** (Pyalidae) Synonym(s): *falkneri* Roesler, 1983 Range (in code): ID Sum
- 80190. *Sudaniola remanella* Roesler, 1973** (Pyalidae) Synonym(s): *remanella* Roesler, 1973 Original Reference: *Sudaniola remanella* Roesler, 1973, Microlepid. Palaearkt. 4: 164-165, figs. Holotype ♂: Sudan: Kassala Prov., Erkowit, 1000-1300m., 25.vi.1962, leg. R. Remane (ZSM). Range (in code): ES SD Ksl
- 80191. *Sufetula alychnopa* Turner, 1908** (Pyalidae) Synonym(s): *alychnopa* Turner, 1908 Range (in code): AU
- 80192. *Sufetula chagosalis* (Fletcher, 1911)** (Pyalidae) Synonym(s): *chagosalis* Fletcher, 1911 Range (in code):
- 80193. *Sufetula choreutalis* (Snellen, 1880)** (Pyalidae) Synonym(s): *choreutalis* Snellen, 1880 Range (in code): WS PG
- 80194. *Sufetula hemiophthalma* (Meyrick, 1884)** (Pyalidae) Synonym(s): *hemiophthalma* Meyrick, 1884; *minuscule* Turner, 1937 Range (in code): WS PC FJ AU MY
- 80195. *Sufetula macropalpia* Hampson, 1898** (Pyalidae) Synonym(s): *macropalpia* Hampson, 1898 Original Reference: *Sufetula macropalpia* Hampson, 1898, Proc. zool. Soc. London 1898: 613-614, fig. 12. Syntypes: "Amboina, Banda, Fergusson I." (coll. Rothschild & BMNH). Range (in code): ID Amb Ban PG Fg
- 80196. *Sufetula rectifascialis* Hampson, 1896** (Pyalidae) Synonym(s): *rectifascialis* Hampson, 1896 Range (in code): LK
- 80197. *Sufetula sunidesalis* Walker, 1859** (Pyalidae) Synonym(s): *sunidesalis* Walker, 1859; *albicans* Walker, 1863; *flexalis* Walker, 1863; *choreutalis* Snellen, 1880. Range (in code): SI IN Ass TH LN LK MM SG MY Bor Swk PH
- 80198. *Sultania lophotalis* (Hampson, 1900)** (Pyalidae) Synonym(s): *lophotalis* Hampson, 1900 Original Reference: *Macalla lophotalis* Hampson, 1900, Trans. ent. Soc. Lond. 1900 (2): 375. Syntypes ♂♀: [Turkey]: "Armenia, Zeitun [=Süleymanli]; Mardin" (coll. Staudinger). Range (in code): IQ Shq IL Pa JO TR LB Bsa IR Fa
- 80199. *Susia designella* (Amsel, 1955)** (Pyalidae) Synonym(s): *designella* Amsel, 1955 Range (in code): IQ
- 80200. *Susia uberalis* (Swinhoe, 1884)** (Pyalidae) Synonym(s): *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968. Original Reference: *Pyralis uberalis* Swinhoe, 1884, Proc. zool. Soc. Lond. 1884: 523, pl. 48 fig. 10. Type ♀: Pakistan: Karachi. Range (in code): DZ Bsk Ath Ah TN Gf LY Cy TR IL Jf Js Jer Pa Hf BH IR Ahz Ss Irs Hz Th Elb KJ Ke B-A LB Bei SY Dms SA EG Sn JO Amm Jt IQ Mos Kbl Bgd AE AF Srb Kab PK Sd Krc Gg Ch Sk Bionomy: Larva on *Borago officinalis*, *Cynoglossum officinale*, *Heliotropium undulatum*, *H. europeum*, *Lithospermum callosum*, *Echiochilon suffruticosum* [Boraginaceae] (Chrétien, 1917; Roesler, 1993).
- 80201. *Susia uberalis discomaculella* Ragonot, 1888** (Pyalidae) Synonym(s): *discomaculella* Ragonot, 1888; *desertella* Caradja, 1910; *fulvofasciata* Rothschild, 1915; *sahariensis* Rothschild, 1921; *#obscura*

Turati, 1930; cyrenaika Turati, 1930. Range (in code): MA DZ Bsk Ah Ath TN Gf LY Cy AE TR IL Jf Js Jer Pa Hf IR Ss Hz Th Elb KJ Ke B-A LB Bei SY Dms SA EG Sn JO Amm Jt IQ Mos Kbl AF Srb Kab PK Gg Ch Bionomy: Larva on Heliotropium undulatum, Lithospermum callosum, Echiochilon suffruticosum (Boraginaceae) (Chrétien, 1917).

80202. *Susia uberalis uberalis* (Swinhoe, 1884) (Pyralidae) Synonym(s): *uberalis* Swinhoe, 1884; *bahrainalis* Amsel, 1968. Range (in code): BH PK Sd Krc

80203. *Susumia daisensis* Shibuya, 1929 (Pyralidae) Synonym(s): *daisensis* Shibuya, 1929 Range (in code): JP

80204. *Susumia exigua* (Butler, 1879) (Pyralidae) Synonym(s): *exigua* Butler, 1879 Range (in code): JP

80205. *Susumia nawae* (Matsumura, 1920) (Pyralidae) Synonym(s): *nawae* Matsumura, 1920; *admixtalis* Matsumura, 1920 Range (in code): JP

80206. *Sybrida discinota* Moore, 1866 (Pyralidae) Synonym(s): *discinota* Moore, 1866 Range (in code): IN TW

80207. *Sybrida inordinata* Walker, [1866] (Pyralidae) Synonym(s): *inordinata* Walker, [1866] Range (in code): IN TW

80208. *Syllepte ageneta* Turner, 1908 (Pyralidae) Synonym(s): *ageneta* Turner, 1908 Range (in code): AU

80209. *Syllepte bipunctalis* (W. Warren, 1888) (Pyralidae) Synonym(s): *bipunctalis* W. Warren, 1888 Original Reference: Samea ? *bipunctalis* W. Warren, 1888, Proc. zool. Soc. Lond. 1888: 333. Syntypes: 2♂ 1♀: [Pakistan]: Thundiani, August 15 1886. Range (in code): PK Thu

80210. *Syllepte butlerii* (Dewitz, 1881) (Pyralidae) Synonym(s): *butlerii* Dewitz, 1881; *butleri* Klima, 1939 Range (in code): ZA

80211. *Syllepte chalybifascia* Hampson, 1896 (Pyralidae) Synonym(s): *chalybifascia* Hampson, 1896 Range (in code): LK TW PG

80212. *Syllepte commotes* Tams, 1935 (Pyralidae) Synonym(s): *commotes* Tams, 1935 Range (in code): WS

80213. *Syllepte costalis* (Moore, 1888) (Pyralidae) Synonym(s): *costalis* Moore, 1888 Range (in code): IN CN TW

80214. *Syllepte crotonalis* (Walker, 1859) (Pyralidae) Synonym(s): *crotonalis* Walker, 1859 Range (in code): LK ID TW

80215. *Syllepte dificiens* (Moore, 1887) (Pyralidae) Synonym(s): *dificiens* Moore, 1887 Range (in code): IN LK CN TW JP

80216. *Syllepte dissipatalis* (Lederer, 1863) (Pyralidae) Synonym(s): *dissipatalis* Lederer, 1863 Range (in code): IN LK CN TW

80217. *Syllepte eriopisalis* (Walker, 1859) (Pyralidae) Synonym(s): *eriopisalis* Walker, 1859; *atrigenalis* W. Warren, 1896 Range (in code): AU

80218. *Syllepte euryterminalis* Hampson, 1918 (Pyralidae) Synonym(s): *euryterminalis* Hampson, 1918 Range (in code): TW

80219. *Syllepte haryoalis* Strand, 1918 (Pyralidae) Synonym(s): *haryoalis* Strand, 1918 Range (in code): TW

80220. *Syllepte imbutalis taihokualis* Strand, 1918 (Pyralidae) Synonym(s): *taihokualis* Strand, 1918 Range (in code): TW

80221. *Syllepte inferior* Hampson, 1898 (Pyralidae) Synonym(s): *inferior* Hampson, 1898 Range (in code): IN CN TW KP JP

80222. *Syllepte iopasalis leopardalis* (Moore, 1888) (Pyralidae) Synonym(s): *leopardalis* Moore, 1888 Range (in code): IN TW

80223. *Syllepte iophanes* (Meyrick, 1894) (Pyralidae) Synonym(s): *iophanes* Meyrick, 1894 Original Reference: *Sylepta iophanes* Meyrick, 1894, Trans. ent. Soc. London 1894: 462. Type: Borneo. Range (in code): MY Bor TH CMa Cuo Cuo7 Cnz Cz11

80224. *Syllepte iridescens* (M. Hering, 1901) (Pyralidae) Synonym(s): *iridescens* M. Hering, 1901 Original Reference: *Sylepta iridescens* M. Hering, 1901, Stettin Ent. Ztg. 62: 93. Type: Sumatra. Range (in code): ID Sum

80225. *Syllepte jopasalis* (Walker, 1859) (Pyralidae) Synonym(s): *jopasalis* Walker, 1859 Range (in code): PH Luz Boh IN LK Adm Bor CN TW Tal Clb Sbw PG AU Tim CN MY

80226. *Syllepte karenkonis* Shibuya, 1928 (Pyralidae) Synonym(s): *karenkonis* Shibuya, 1928 Range (in code): TW

- 80227. *Syllepte leucodontia* Hampson, 1898** (Pyrilidae) Synonym(s): *leucodontia* Hampson, 1898; *limata* Lucas, 1898 Range (in code): AU
- 80228. *Syllepte luctuosalis* (Guenée, 1854)** (Pyrilidae) Synonym(s): *luctuosalis* Guenée, 1854 Original Reference: *Hyalitis luctuosalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 290. Type ♀: "Indes orientales?". Range (in code): AF Bkt IN CN MY Bor ID TW KP JP
- 80229. *Syllepte lulalis* Strand, 1918** (Pyrilidae) Synonym(s): *lulalis* Strand, 1918 Range (in code): TW
- 80230. *Syllepte lunalis* (Guenée, 1854)** (Pyrilidae) Synonym(s): *lunalis* Guenée, 1854 Original Reference: *Botys lunalis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 352. Syntypes 2♂: [India]: "Coromandel". Range (in code): IN LK MM ID Ja TW PH
- 80231. *Syllepte magna* (Butler, 1879)** (Pyrilidae) Synonym(s): *magna* Butler, 1879 Range (in code): CN KP JP TW
- 80232. *Syllepte mesoleucalis* Hampson, 1898** (Pyrilidae) Synonym(s): *mesoleucalis* Hampson, 1898 Range (in code): ZA
- 80233. *Syllepte multilinealis* (Guenée, 1854)** (Pyrilidae) Synonym(s): *multilinealis* Guenée, 1854 Original Reference: *Botys multilinealis* Guenée, 1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 337-338. Syntypes 2♂ 2♀: "Indes orientales". Range (in code): PH Luz ZA IN LK CN JP Adm Mgr Nia Bor Pal Clb PW Amb Crm Sbw Kai ID PG QAU AU FJ Vil WS
- 80234. *Syllepte mundalis* South, 1901** (Pyrilidae) Synonym(s): *mundalis* South, 1901 Range (in code): CN TW
- 80235. *Syllepte mysisalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *mysialis* Walker, 1859; *#mysissalis* Hampson, 1899 Range (in code): ZA
- 80236. *Syllepte nasonalis* Hampson, 1898** (Pyrilidae) Synonym(s): *nasonalis* Hampson, 1898 Range (in code): ZA
- 80237. *Syllepte nigriflava* Swinhoe, 1894** (Pyrilidae) Synonym(s): *nigriflava* Swinhoe, 1894 Range (in code): TH Lmp Lop SI IN Ass Meg Cpj Bionomy: Larva on leaf of *Grewia eriocarpa* [po kaen thao] (Tiliaceae) (Lewvanich, 2001).
- 80238. *Syllepte nigriscriptalis* (W. Warren, 1896)** (Pyrilidae) Synonym(s): *nigriscriptalis* W. Warren, 1896; *paucinotalis* W. Warren, 1896 Range (in code): AU
- 80239. *Syllepte ochrotozona* Hampson, 1898** (Pyrilidae) Synonym(s): *ochrotozona* Hampson, 1898 Range (in code): AU
- 80240. *Syllepte orbiferalis* Hampson, 1898** (Pyrilidae) Synonym(s): *orbiferalis* Hampson, 1898 Range (in code): ZA
- 80241. *Syllepte ovalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *ovalis* Walker, 1859; *cinnamomalis* Saalmüller, 1880 Range (in code): ZA ET MG IN Ass Khs SI
- 80242. *Syllepte patagialis* (Zeller, 1852)** (Pyrilidae) Synonym(s): *patagialis* Zeller, 1852; *pataginalis* Lederer, 1863; *undulalis* Pagenstecher, 1907 Range (in code): ZA
- 80243. *Syllepte phaeopleura* Turner, 1922** (Pyrilidae) Synonym(s): *phaeopleura* Turner, 1922 Range (in code): AU
- 80244. *Syllepte phricosticha* Turner, 1908** (Pyrilidae) Synonym(s): *phricosticha* Turner, 1908 Range (in code): AU
- 80245. *Syllepte placophaea* Turner, 1915** (Pyrilidae) Synonym(s): *placophaea* Turner, 1915 Range (in code): AU
- 80246. *Syllepte plumifera* Hampson, 1898** (Pyrilidae) Synonym(s): *plumifera* Hampson, 1898 Range (in code): AU
- 80247. *Syllepte polycymalis* Hampson, 1912** (Pyrilidae) Synonym(s): *polycymalis* Hampson, 1912 Range (in code): ZA
- 80248. *Syllepte polydonta* Hampson, 1898** (Pyrilidae) Synonym(s): *polydonta* Hampson, 1898 Range (in code): AU
- 80249. *Syllepte purpurascens* Hampson, 1899** (Pyrilidae) Synonym(s): *purpurascens* Hampson, 1899 Range (in code): ZA
- 80250. *Syllepte quadrimaculalis* (Kollar, 1844)** (Pyrilidae) Synonym(s): *quadrimaculalis* Kollar, 1844 Range (in code): IN CN TW KP JP
- 80251. *Syllepte ridopalalis* (Swinhoe, 1892)** (Pyrilidae) Synonym(s): *ridopalalis* Swinhoe, 1892 Range (in code): AU
- 80252. *Syllepte rogationis* Hampson, 1918** (Pyrilidae) Synonym(s): *rogationis* Hampson, 1918 Range (in code): ZA

- 80253. *Syllepte rubricetalis* (Snellen,1880)** (Pyralidae) Synonym(s): *rubricetalis* Snellen,1880
Range (in code): PH Luz Ja Clb ID
- 80254. *Syllepte sabinusalis* (Walker,1859)** (Pyralidae) Synonym(s): *sabinusalis* Walker,1859
Range (in code): WS FJ SB PG MY IN OW
- 80255. *Syllepte sellalis* (Guenée,1854)** (Pyralidae) Synonym(s): *sellalis* Guenée,1854 Original Reference: Botys sellalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 330. Type ♀: "Silhet, Inde centrale". Range (in code): IN SG PG CN TW
- 80256. *Syllepte straminea* (Butler,1875)** (Pyralidae) Synonym(s): *straminea* Butler,1875 Original Reference: straminea Butler,1875 Range (in code): ZA
- 80257. *Syllepte subaenescens* (W.Warren,1896)** (Pyralidae) Synonym(s): *subaenescens* W.Warren,1896 Range (in code): AU
- 80258. *Syllepte taiwanalis* Shibuya,1928** (Pyralidae) Synonym(s): *taiwanalis* Shibuya,1928
Range (in code): TW
- 80259. *Syllepte tenebrosalis* (W.Warren,1896)** (Pyralidae) Synonym(s): *tenebrosalis* W.Warren,1896 Range (in code): AU
- 80260. *Syllepte trachelota* Turner,1913** (Pyralidae) Synonym(s): *trachelota* Turner,1913 Range (in code): AU
- 80261. *Syllepte tricolor* (Butler,1879)** (Pyralidae) Synonym(s): *tricolor* Butler,1879 Range (in code): CN KP JP
- 80262. *Syllepte trifidalis* Hampson,1908** (Pyralidae) Synonym(s): *trifidalis* Hampson,1908
Range (in code): ZA
- 80263. *Syllepte ultimalis* (Walker,1859)** (Pyralidae) Synonym(s): *ultimalis* Walker,1859 Range (in code): LK MM TW JP
- 80264. *Syllepte xylocraspis* Hampson,1912** (Pyralidae) Synonym(s): *xylocraspis* Hampson,1912
Range (in code): ZA
- 80265. *Symmoracma minoralis* (Snellen,1880)** (Pyralidae) Synonym(s): *minoralis* Snellen,1880; *spodinopa* Meyrick,1894; *fuliginosa* Rothschild,1916; *spodinopella* Strand,1919 Range (in code): PH Luz LK Bor Ja Sum Sbw Clb PG ID AU
- 80266. *Symmoracma minoralis* (Snellen,1880)** (Pyralidae) Synonym(s): *minoralis* Snellen,1880; *spodinopa* Meyrick,1894; *fuliginosa* Rothschild,1916; *spodinopella* Strand,1919 Range (in code): LK MY Bor ID Sbw SG TW PG
- 80267. *Symphonia albioculalis* Hampson,1906** (Pyralidae) Synonym(s): *albioculalis* Hampson,1906 Range (in code): NG
- 80268. *Symphonia leucostictalis* Hampson,1906** (Pyralidae) Synonym(s): *leucostictalis* Hampson,1906 Range (in code): PG
- 80269. *Symphonia multipictalis* Hampson,1896** (Pyralidae) Synonym(s): *multipictalis* Hampson,1896 Range (in code): LK
- 80270. *Symphonia synophanoses* Klunder,1913** (Pyralidae) Synonym(s): *synophanoses* Klunder,1913 Range (in code): ID Ja
- 80271. *Symphonia trivitalis* (W.Warren,1895)** (Pyralidae) Synonym(s): *trivitalis* W.Warren,1895; *fenestralis* W.Warren,1896 Range (in code): IN LK TW Meg Ass Khs
- 80272. *Symphonitis monospila* (Lower,1902)** (Pyralidae) Synonym(s): *monospila* Lower,1902
Range (in code): AU
- 80273. *Symphysa amoenalis* (Walker,1862)** (Pyralidae) Synonym(s): *amoenalis* Walker,1862
Range (in code): BR
- 80274. *Symphysa discalis* Hampson,1912** (Pyralidae) Synonym(s): *discalis* Hampson,1912 Range (in code): JM
- 80275. *Symphysa lepidaria* (Cramer,1782)** (Pyralidae) Synonym(s): *lepidaria* Cramer,1782; *sulphuralis* Cramer,1782 nec Linn.,1767; *sulphuralis* Guenée,1854; *lepidalis* Hampson,1898 Range (in code): SR
- 80276. *Synaphe antennalis* (Fabricius,1794)** (Pyralidae) Synonym(s): *antennalis* Fabricius,1794; *connectalis* Hübner,1796 Range (in code): DZ Lbs ES FR IT AT CZ SK HU RO YU AL BG TR RU Cc GG Bjo Mng
- 80277. *Synaphe armenialis* (Lederer,1870)** (Pyralidae) Synonym(s): *armenialis* Lederer,1870
Original Reference: Cledeobia armenialis Lederer,1870, Annls Soc. ent. Belg. 13: 40, 51-52, pl.2 figs.7,8. Syntypes: [Azerbaijan]: Elisabethpol, Hankynda. Range (in code): Cc AZ Kir GG Tbl SY TR IQ Azz Bgd Amr

- 80278. *Synaphe berytalis* (Ragonot,1888)** (Pyalidae) Synonym(s): *berytalis* Ragonot,1888
Original Reference: Cledeobia berytalis Ragonot,1888, Annls Soc. ent. Fr. (6) 8: 276-277, pl.6 fig.1 (♀). Syntypes ♂♂♀♀: [Lebanon]: "Beyrouth (Syrie)". Range (in code): **LB Bei TR**
- 80279. *Synaphe biformis* (Rothschild,1915)** (Pyalidae) Synonym(s): *biformis* Rothschild,1915
Original Reference: Cledeobia biformis Rothschild,1915, Novit. zool. 22 (2): 188. Syntypes ♂♂: Algeria, Guelt-es-Stel. Range (in code): **DZ Ges**
- 80280. *Synaphe bombycalis* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. Original Reference: *Pyralis bombycalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **MA DZ Anna Sfr Eba TN ES FR Co IT AT CZ SK HU RO YU RU Sr Tv TR Cc Arr IR Elb Th Nss Kh TM Kp UA AF KK**
- 80281. *Synaphe bombycalis asiatica* Obraztsov,1952** (Pyalidae) Synonym(s): *asiatica* Obraztsov,1952; *eversmanni* Obraztsov,1952 Original Reference: *Synaphe asiatica* Obraztsov,1952, Mitt. münch. ent. Ges. 42: 104-106, Taf. fig.20, Abb.8. Monotypus ♂: "Kopek Dag" [?Kop Dağ/Kopet Dag]. Range (in code): **IR Elb Th Nss AF TM Kp UA AM Cc TR Arr RU Sr**
- 80282. *Synaphe bombycalis bombycalis* ([Denis & Schiffermüller],1775)** (Pyalidae) Synonym(s): *bombycalis* [Denis & Schiffermüller],1775; *almanica* Rebel,1917. Original Reference: *Pyralis bombycalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 120. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **IT AT CZ SK HU RO YU TR**
- 80283. *Synaphe bombycalis castanealis* Leraut,2005** (Pyalidae) Synonym(s): *castanealis* Leraut,2005 Range (in code): **KK**
- 80284. *Synaphe bombycalis concessoralis* (Erschoff,1874)** (Pyalidae) Synonym(s): *concessoralis* Erschoff,1874 Range (in code): **RU Tv**
- 80285. *Synaphe bombycalis powelli* (Oberthür,1925)** (Pyalidae) Synonym(s): *powelli* Oberthür,1925; *obscurion* Rothschild,1926; *duercki* Obraztsov,1952; *medialantis* Rungs,1953 Range (in code): **MA DZ TN**
- 80286. *Synaphe bombycalis provincialis* (Duponchel,1832)** (Pyalidae) Synonym(s): *provincialis* Duponchel,1832; *sepialis* Caradja,1925. Range (in code): **ES FR Co**
- 80287. *Synaphe chellalalis* (Hampson,1900)** (Pyalidae) Synonym(s): *chellalalis* Hampson,1900; *#chellalis* Speidel & Hassler,[1990]; *#chellalis* Leraut,2014 Original Reference: Cledeobia chellalalis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 383-384. Syntypes ♂♀: "Algeria, Chellala, Biskra". Range (in code): **ES MA DZ Ajj Cel Bsk Onç TN Gf**
- 80288. *Synaphe consecratalis* (Lederer,1855)** (Pyalidae) Synonym(s): *consecratalis* Lederer,1855 Original Reference: *Pyralis consecratalis* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 250. Syntypes 2♂: Türkiye: Siwas ? Diarbekir. Range (in code): **LB TR Cc SY IR Elb Th IQ Ry Cc AM Eri**
- 80289. *Synaphe diffidalis* (Guenée,1854)** (Pyalidae) Synonym(s): *diffidalis* Guenée,1854; *castillalis* Guenée,1854; *joannisi* Dufrane,1955. Original Reference: Cledeobia diffidalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 142. Syntypes 1♂ 1♀: [Spain]: "Andalousie". Range (in code): **PT ES Mu FR**
- 80290. *Synaphe fuscalis* Amsel,1966** (Pyalidae) Synonym(s): *fuscalis* Amsel,1966 Range (in code): **MA**
- 80291. *Synaphe glaisalis* (Lucas,1933)** (Pyalidae) Synonym(s): *glaisalis* Lucas,1933 Range (in code): **MA**
- 80292. *Synaphe hampsoni* (Rebel,1900)** (Pyalidae) Synonym(s): *hampsoni* Rebel,1900 Original Reference: Cledeobia hampsoni Rebel,1900, Verh. zool.- bot. Ges. Wien 50: 304-305. Type ♀: [Turkmenistan]: "Askhebes" [Askhabad] (NHMW). Range (in code): **TM Kp**
- 80293. *Synaphe indica* Strand,1914** (Pyalidae) Synonym(s): *indica* Strand,1914 Range (in code): **IN**
- 80294. *Synaphe interjunctalis* (Guenée,1849)** (Pyalidae) Synonym(s): *interjunctalis* Guenée,1849 Original Reference: Cledeobia interjunctalis Guenée,1849, [in] Lucas, Expl. scient. algér.: 398. Type ♂: Algérie. Range (in code): **TN Tun DZ Sbd Lbs Clo PT**
- 80295. *Synaphe lorquinalis* (Guenée,1854)** (Pyalidae) Synonym(s): *lorquinalis* Guenée,1854 Original Reference: Cledeobia lorquinalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 138. Syntypes 1♂ 1♀: [Spain]: "Andalousie". Range (in code): **ES**

- 80296. *Synaphe moldavica* (Esper,[1789])** (Pyralidae) **Synonym(s):** *moldavica* Esper,[1789]; *netricalis* Hübner,[1813]; *graecalis* Duponchel,1833; *palermitalis* Guenée,1854; *aberralis* Guenée,1854; *italicalis* Hartig,1941; *bertoncinii* Hartig,1941; *schmidtii* Hartig,1941. **Original Reference:** *Phalaena moldavica* Esper,[1789], Die Schmett. Suppl.3: 38, Taf.86 fig.1. **Lectotype** ♂: Moldavia, designated by Hacker (1999) (ZSM). **Range (in code):** **PT ES Si IT AT SK HU RO YU HV B-H MK AL BG GR Cr IR Gls Kh TR MD UA** **Bionomy:** Larva on Festuca, Stipa (Poaceae) (Parenti,2000).
- 80297. *Synaphe morbidalis* (Guenée,1849)** (Pyralidae) **Synonym(s):** *morbidalis* Guenée,1849; *bipunctalis* Hampson,1906 **Original Reference:** *Cledeobia morbidalis* Guenée,1849, [in] Lucas, Expl. scient. algér.: 398, pl.4 fig.5. **Type** ♂: Algérie. **Range (in code):** **MR DZ Mage Sét Gha Sa EG SY Dms IL Pa Hf LB TR IQ**
- 80298. *Synaphe morbidalis isthmicalis* (Lederer,1858)** (Pyralidae) **Synonym(s):** *isthmicalis* Lederer,1858 **Original Reference:** *Cledeobia isthmicalis* Lederer,1858, Wien. ent. Monatschr. 2: 147, Taf.3 fig.9. **Syntypes** 5♂: Syria: Damask. **Range (in code):** **Sa EG SY Dms IL Pa Hf LB TR IQ**
- 80299. *Synaphe morbidalis morbidalis* (Guenée,1849)** (Pyralidae) **Synonym(s):** *morbidalis* Guenée,1849; *bipunctalis* Hampson,1906 **Original Reference:** *Cledeobia morbidalis* Guenée,1849, [in] Lucas, Expl. scient. algér.: 398, pl.4 fig.5. **Type** ♂: Algérie. **Range (in code):** **MR DZ**
- 80300. *Synaphe oculatalis* (Ragonot,1885)** (Pyralidae) **Synonym(s):** *oculatalis* Ragonot,1885 **Original Reference:** *Cledeobia oculatalis* Ragonot,1885, Annl. Soc. ent. Fr. (6) 5: Bulletin: cci. **Lectotype** ♂: Espagne, designated by Leraut (2005) (MNHN Paris). **Range (in code):** **MA DZ Tlm TN ES IL Pa JO Jt EG TR**
- 80301. *Synaphe oculatalis syriaca* (Rebel,1903)** (Pyralidae) **Synonym(s):** *syriaca* Rebel,1903 **Original Reference:** *Cledeobia syriaca* Rebel,1903, Dt. ent. Z., Iris 16: 5. **Syntypes** ♂♀: [Jordan]: "Ost-Jordan Land" (coll. Caradja). **Range (in code):** **EG IL Jt Pa JO TR**
- 80302. *Synaphe praedotalis* (Zerny,1927)** (Pyralidae) **Synonym(s):** *praedotalis* Zerny,1927; *montarcensis* Dufrane,1955; *saharae* Dufrane,1955 [ssp.] **Range (in code):** **MA DZ TN PT ES**
- 80303. *Synaphe punctalis* (Fabricius,1775)** (Pyralidae) **Synonym(s):** *punctalis* Fabricius,1775; *angustalis* [Denis & Schiffermüller],1775. **Original Reference:** *Phalaena punctalis* Fabricius,1775, Syst. Ent.: 644, nr.130. **Type:** Sweden (BMNH). **Range (in code):** **MA DZ PT ES Mu FR Co Sa Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bsa IL Pa Hf DK NO SE FI LV LT RU MD UA BY** **Bionomy:** Larva on Hypnum cupressiforme (Hypnaceae [Bryophyta]) (Parenti,2000).
- 80304. *Synaphe punctalis modestalis* (Rebel,1910)** (Pyralidae) **Synonym(s):** *modestalis* Rebel,1910; *atlantalis* Zerny,1935; *confusalis* Lucas,1954 **Original Reference:** *Cledeobia modestalis* Rebel,1910, Dt. ent. Z., Iris 24: 6. **Range (in code):** **MA DZ PT ES Mu**
- 80305. *Synaphe rungsi* (Lucas,1937)** (Pyralidae) **Synonym(s):** *rungsii* Lucas,1937 **Range (in code):** **MA**
- 80306. *Synaphe styphlotricha* Hampson,1906** (Pyralidae) **Synonym(s):** *styphlotricha* Hampson,1906 **Range (in code):** **ZA**
- 80307. *Synaphe subolivalis* (Oberthür,1887)** (Pyralidae) **Synonym(s):** *subolivalis* Oberthür,1887 **MA Ifr DZ**
- 80308. *Synaphe testacealis* (Rothschild,1915)** (Pyralidae) **Synonym(s):** *testacealis* Rothschild,1915 **Original Reference:** *Cledeobia testacealis* Rothschild,1915, Novit. zool. 22 (2): 188-189. **Syntypes** 2♂ 1♀: Algeria, Guelt-es-Stel. **Range (in code):** **DZ Ges**
- 80309. *Synaphe unifascialis* (Amsel,1961)** (Pyralidae) **Synonym(s):** *unifascialis* Amsel,1961 **Original Reference:** *Cledeobia unifascialis* Amsel,1961, Ark. Zool. 13 (17): 394, Taf.iv fig.197. **Holotype** ♂: Iran: Pir-i-Zan, 7000ft., oak woods. **Range (in code):** **IR Fa Sse**
- 80310. *Synaphe uxoralis* (Lederer,1858)** (Pyralidae) **Synonym(s):** *uxoralis* Lederer,1858 **Original Reference:** *Cledeobia uxoralis* Lederer,1858, Wien. ent. Monatschr. 2: 146-147, Taf.3 figs.4,5. **Syntypes:** Libanon. **Range (in code):** **SY TR IL Pa LB Bsa IQ Ama JO**
- 80311. *Synaphe uxoralis nuptalis* (Rebel,1903)** (Pyralidae) **Synonym(s):** *nuptalis* Rebel,1903 **Original Reference:** *Cledeobia uxoralis* var. *nuptalis* Rebel,1903, Dt. ent. Z., Iris 16: 4-5. **Syntypes** 2♂: Jordan: "Ost-Jordan Land" (coll. Caradja). **Range (in code):** **JO**
- 80312. *Synaphe uxoralis uxoralis* (Lederer,1858)** (Pyralidae) **Synonym(s):** *uxoralis* Lederer,1858 **Original Reference:** *Cledeobia uxoralis* Lederer,1858, Wien. ent. Monatschr. 2: 146-147, Taf.3 figs.4,5. **Syntypes:** Libanon. **Range (in code):** **SY TR IL LB IQ Ama**
- 80313. *Synclera ? interruptalis* Amsel,1950** (Pyralidae) **Synonym(s):** *interruptalis* Amsel,1950 **Range (in code):** **IR Ss Chh**
- 80314. *Synclera chlorophasma* (Butler,1878)** (Pyralidae) **Synonym(s):** *chlorophasma* Butler,1878; *praelatalis* Möschler,1886 **Range (in code):** **JM**

- 80315. *Synclera himachalensis* Pajni & Rose, 1978** (Pyrilidae) Synonym(s): *himachalensis* Pajni & Rose, 1978 Original Reference: *Synclera himachalensis* Pajni & Rose, 1978, Entomon 3 (2): 216, fig. Holotype: India: Himachal Pradesh: Solan. Range (in code): **IN Hp**
- 80316. *Synclera jarbusalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *jarbusalis* Walker, 1859; *cottalis* Walker, 1859 Range (in code): **DO**
- 80317. *Synclera subtessellalis* (Walker, 1865)** (Pyrilidae) Synonym(s): *subtessellalis* Walker, 1865 Original Reference: *Botys subtessellalis* Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 34: 1406. Range (in code): **IN Ass MM**
- 80318. *Synclera traducalis* (Zeller, 1852)** (Pyrilidae) Synonym(s): *traducalis* Zeller, 1852; *retinalis* Lederer, 1857; *univocalis* Walker, 1859; *achatinalis* Guenée, 1862 Original Reference: *Eudiotis traducalis* Zeller, 1852, Lepid. Microptera: 54. Range (in code): **BG TR LB Bei SY IL Pa Hf IQ Mos Rwz Shq IR Ahz Fa Bu Shr AF Kot ZA Lpo Tva PH Luz IN LK ID Ja Clb Amb TH Bnk Chc Mhs Sup LY YE Ad AE SA MU KE TZ ET NG AO NA** Bionomy: Larva on leaf of *Ziziphus mauritiana* [jujube] (Rhamnaceae); *Spergularia tomentosa* (Caryophyllaceae) (Rungs, 1979; Lewvanich, 2001).
- 80319. *Syngamia abruptalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *abruptalis* Walker, 1859 Range (in code): **IN ID Ja FJ TW**
- 80320. *Syngamia falsidicalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *falsidicalis* Walker, 1859 Range (in code): **IN LK TW**
- 80321. *Syngamia fervidalis* (Zeller, 1852)** (Pyrilidae) Synonym(s): *fervidalis* Zeller, 1852; *biblisalis* Walker, 1859 Range (in code): **ZA**
- 80322. *Syngamia floridalis* (Zeller, 1852)** (Pyrilidae) Synonym(s): *floridalis* Zeller, 1852 Range (in code): **WS PC NH PG AU MY IN OW**
- 80323. *Syngamia latimarginalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *latimarginalis* Walker, 1859; *jucundalis* Lederer, 1863; *versicolor* W. Warren, 1896 Range (in code): **ZA IN LK ID Ja TW**
- 80324. *Syngamia viciusalis* (Walker, 1859)** (Pyrilidae) Synonym(s): *viciusalis* Walker, 1859 Range (in code): **IN MM ID Ja TW**
- 80325. *Synoria antiquella* (Herrich-Schäffer, [1855])** (Pyrilidae) Synonym(s): *antiquella* Herrich-Schäffer, [1855] Original Reference: *Zophodia antiquella* Herrich-Schäffer, [1855], Syst. Bearb. Schmett. Eur. 6: 147, Tab. 21. Type(s): [Türkei]: Amasia. Range (in code): **GR TR Cc TM Kp AF Bd Kab**
- 80326. *Synoria euglyphella* Ragonot, 1888** (Pyrilidae) Synonym(s): *euglyphella* Ragonot, 1888 Range (in code): **ZA Tva Lpo**
- 80327. *Syntonarcha iriastis* Meyrick, 1890** (Pyrilidae) Synonym(s): *iriastis* Meyrick, 1890 Range (in code): **AU**
- 80328. *Syntonarcha vulnerata* Lucas, 1894** (Pyrilidae) Synonym(s): *vulnerata* Lucas, 1894 Range (in code): **AU**
- 80329. *Syntypica aleurodes* Turner, 1905** (Pyrilidae) Synonym(s): *aleurodes* Turner, 1905 Range (in code): **AU**
- 80330. *Syntypica phaeochiton* (Turner, 1947)** (Pyrilidae) Synonym(s): *phaeochiton* Turner, 1947; *pachyzancla* Turner, 1947; *euryleuca* Turner, 1947; *pastopleura* Turner, 1947. Range (in code): **AU**
- 80331. *Syntypica stereochocha* (Turner, 1947)** (Pyrilidae) Synonym(s): *stereochocha* Turner, 1947 Range (in code): **AU**
- 80332. *Syrianarpia faunieralis* Gianti, 2005** (Pyrilidae) Synonym(s): *faunieralis* Gianti, 2005 Range (in code): **IT**
- 80333. *Syrianarpia kasyi* Leraut, 1984** (Pyrilidae) Synonym(s): *kasyi* Leraut, 1984 Range (in code): **IR Elb Th**
- 80334. *Syrianarpia mendicalis* (Staudinger, 1879)** (Pyrilidae) Synonym(s): *mendicalis* Staudinger, 1879; *#mencicalis* Amsel, 1949; *osthelderi* Leraut, 1982; *fuscella* Leraut, 1982 Original Reference: Metasia ? *mendicalis* Staudinger, 1879, Horae Soc. ent. ross. 15: 183. Type ♂: [Türkei]: Amasia: Kerasdere. Range (in code): **UA Cm TR IQ Rwz Brs IR Snj Kd**
- 80335. *Tabidia inconsequens* (W. Warren, 1896)** (Pyrilidae) Synonym(s): *inconsequens* W. Warren, 1896 Range (in code): **IN Ass ID Pla Sum AU QAU**
- 80336. *Tabidia insanalis* Snellen, 1880** (Pyrilidae) Synonym(s): *insanalis* Snellen, 1880; *stenioides* Butler, 1882; *felix* Butler, 1887; *strigatalis* Pagenstecher, 1900; *marmarodes* Turner, 1937 Range (in code): **AU**
- 80337. *Tabidia truncatalis* Hampson, 1898** (Pyrilidae) Synonym(s): *truncatalis* Hampson, 1898 Range (in code): **AU**
- 80338. *Taftania serratella* (Ragonot, 1893)** (Pyrilidae) Synonym(s): *serratella* Ragonot, 1893; *oxycyma* Meyrick, 1937 Original Reference: *Myrlaea serratella* Ragonot, 1893, [in] Romanoff, Mém.

- lépid. 7: 399, pl.15 fig.23. Type ♀: [Turkey]: Mardin (Mésopotamie) (coll. Staudinger). Range (in code): EG Sn DZ Ges Sk TR IQ Rwz IR Fa Ss AF Kab Bm Srb
- 80339. *Taiwanastrapotemis kikuchii Shibuya, 1928*** (Pyralidae) Synonym(s): *kikuchii Shibuya, 1928* Original Reference: Taiwanastrapotemis kikuchii Shibuya, 1928, J. Coll. Agric. Hokkaido Imp. Univ. 22(1): 98, Pl.5 fig.8. Type ♂: [Taiwan]: Formosa: Kantosan. Range (in code): TW
- 80340. *Talanga advenalis* (Snellen, 1895)** (Pyralidae) Synonym(s): *advenalis Snellen, 1895* Original Reference: Glyphodes advenalis Snellen, 1895, Tijdschr. Ent. 38: 140, pl.6 fig.4. Type: Indonesia: Java. Range (in code): ID Ja
- 80341. *Talanga iridomelaena* Munroe, 1968** (Pyralidae) Synonym(s): *iridomelaena Munroe, 1968* Range (in code): PG NBr Nlr Dmp
- 80342. *Talanga lucretila* (Swinhoe, 1901)** (Pyralidae) Synonym(s): *lucretila Swinhoe, 1901* Range (in code): SB
- 80343. *Talanga magnificalis* (Kenrick, 1912)** (Pyralidae) Synonym(s): *magnificalis Kenrick, 1912* Range (in code): PG
- 80344. *Talanga nubilosa* Munroe, 1968** (Pyralidae) Synonym(s): *nubilosa Munroe, 1968* Range (in code): PG Bli ID Ij Gth Afl
- 80345. *Talanga nympha* (Butler, 1880)** (Pyralidae) Synonym(s): *nympha Butler, 1880* Range (in code): TW TH CMa Cuo Cuo1
- 80346. *Talanga pallidimargo* (De Joannis, 1930)** (Pyralidae) Synonym(s): *pallidimargo De Joannis, 1930* Range (in code): VN Ton
- 80347. *Talanga quadristigmalis* (Kenrick, 1907)** (Pyralidae) Synonym(s): *quadristigmalis Kenrick, 1907* Range (in code): PG
- 80348. *Talanga sabacusalis* (Walker, 1859)** (Pyralidae) Synonym(s): *sabacusalis Walker, 1859; dilectalis Snellen, 1895* Range (in code): PH Ceb ID Ja AU
- 80349. *Talanga sexpunctalis* (Moore, 1877)** (Pyralidae) Synonym(s): *sexpunctalis Moore, 1877* Original Reference: Oligostigma sexpunctalis Moore, 1877, Proc. zool. Soc. London 1877: 616, pl.60 fig.12. Type: Andaman Is. Range (in code): IN Adm LK CN
- 80350. *Talanga talangalis* (Hampson, 1898)** (Pyralidae) Synonym(s): *talangalis Hampson, 1898* Range (in code):
- 80351. *Talanga tolnunialis* (Walker, 1859)** (Pyralidae) Synonym(s): *tolnunialis Walker, 1859* Range (in code): AU
- 80352. *Talanga tolnunialis major* Rothschild, 1915** (Pyralidae) Synonym(s): *major Rothschild, 1915* Range (in code):
- 80353. *Talanga vagilinea* Hampson, 1912** (Pyralidae) Synonym(s): *vagilinea Hampson, 1912; crucifera Rothschild, 1916* Range (in code): PG
- 80354. *Talis afghanella* Bleszynski, 1965** (Pyralidae) Synonym(s): *afghanella Bleszynski, 1965* Range (in code): AF Gz
- 80355. *Talis afra* (Bethune-Baker, 1894)** (Pyralidae) Synonym(s): *afra Bethune-Baker, 1894* Range (in code): EG EG05 LY Cy
- 80356. *Talis arenella* Ragonot, 1887** (Pyralidae) Synonym(s): *arenella Ragonot, 1887* Range (in code): TN DZ
- 80357. *Talis cashmirensis* (Hampson, 1919)** (Pyralidae) Synonym(s): *cashmirensis Hampson, 1919* Original Reference: Diatraea cashmirensis Hampson, 1919, Ann. Mag. nat. Hist. (9) 3: 543. Range (in code): Ch Dra IN
- 80358. *Talis chamylella* Staudinger, [1900]** (Pyralidae) Synonym(s): *chamylella Staudinger, [1900]* Range (in code): CN Ui Kml RU Sj
- 80359. *Talis dilatalis* Christoph, 1887** (Pyralidae) Synonym(s): *dilatalis Christoph, 1887* Original Reference: Talis dilatalis Christoph, 1887, [in] Romanoff, Mém. lépid. 3: 109, Taf.5 figs.7a,b. Lectotype ♂: Turkmenien: Askhabad (ZIN). Range (in code): TM Kp
- 80360. *Talis gigantalis* Filipjev & Djakonov, 1924** (Pyralidae) Synonym(s): *gigantalis Filipjev & Djakonov, 1924* Range (in code): KG DsA KK Ik
- 80361. *Talis grisescens* Filipjev & Djakonov, 1924** (Pyralidae) Synonym(s): *grisescens Filipjev & Djakonov, 1924* Range (in code): KG
- 80362. *Talis menetriesi* Hampson, 1900** (Pyralidae) Synonym(s): *menetriesi Hampson, 1900* Range (in code): MN Uli RU Ir

- 80363. *Talis mongolica* Bleszynski,1965** (Pyralidae) Synonym(s): *mongolica* Bleszynski,1965
Range (in code): MN
- 80364. *Talis olgae* Belov,1994** (Pyralidae) Synonym(s): *olgae* Belov,1994 Range (in code): UA
- 80365. *Talis pallidalis* Hampson,1900** (Pyralidae) Synonym(s): *pallidalis* Hampson,1900 Range (in code): UZ Fe Man
- 80366. *Talis pulcherrima* Staudinger,1870** (Pyralidae) Synonym(s): *pulcherrimus* Staudinger,1870; *plenostria* Filipjev,1925 [ssp.] Range (in code): RU Sr Mnu Kj Sb MN
- 80367. *Talis quercella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824]. Original Reference: *#Tinea quercella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): TN Gf DZ Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur MD UA BY IQ Smr IR Elb Kdj Th KG Uk CN Ui Ku MN Bionomy: Larva on Poaceae (Blezynski,1965).
- 80368. *Talis quercella iranica* Amsel,1949** (Pyralidae) Synonym(s): *iranica* Amsel,1949 Range (in code): IR Elb Kdj Th
- 80369. *Talis quercella pallidella* Caradja,1916** (Pyralidae) Synonym(s): *pallidella* Caradja,1916 Original Reference: *Talis quercella* var. *pallidella* Caradja,1916, Dt. ent. Z., Iris 30: 5. Lectotype ♂: [China: Uighur A.R.]: "Kuldja" (MGAB). Range (in code): CN Ui Ku MN
- 80370. *Talis quercella quercella* ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#quercella* [Denis & Schiffermüller],1775; *noctuella* Hübner,1796; *neglectella* Hübner,[1824]. Original Reference: *#Tinea quercella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 134. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): Sa IT AT PL CZ SK HU RO TR BG RU Tt Ur IQ
- 80371. *Talis quercella suaedella* Chrétien,1910** (Pyralidae) Synonym(s): *suaedella* Chrétien,1910; *occidentalis* Amsel,1949. Range (in code): TN Gf DZ
- 80372. *Talis renetae* Ganev & Hacker,1984** (Pyralidae) Synonym(s): *renetae* Ganev & Hacker,1984 Original Reference: *Talis renetae* Ganev & Hacker,1984, Nota lepid. 7(3): 249-250, 308. Holotype ♂: Türkiye: Ankara: Tuz Gölü, 12km E, Şekerköy, 900m (coll.Ganev). Range (in code): TR
- 80373. *Talis wockei* Filipjev,1929** (Pyralidae) Synonym(s): *wockeii* Filipjev,1929; *#taiskanensis* Caradja,1938; *kansualis* Caradja,1935. Range (in code): RU Sb Sj MN CN Gn
- 80374. *Tamraca torridalis* (Lederer,1863)** (Pyralidae) Synonym(s): *torridalis* Lederer,1863 Range (in code): IN LK MM MY Bor SG CN TW JP
- 80375. *Tamsica floricolens* (Butler,1883)** (Pyralidae) Synonym(s): *floricolens* Butler,1883 Range (in code): Hw
- 80376. *Tamsica gerelea* (Meyrick,1899)** (Pyralidae) Synonym(s): *gerelea* Meyrick,1899 Range (in code): Hw
- 80377. *Tamsica homodora* (Meyrick,1899)** (Pyralidae) Synonym(s): *homodora* Meyrick,1899 Range (in code): Hw
- 80378. *Tamsica hyacinthina* (Meyrick,1899)** (Pyralidae) Synonym(s): *hyacinthina* Meyrick,1899 Range (in code): Hw
- 80379. *Tamsica hydrophila* (Butler,1882)** (Pyralidae) Synonym(s): *hydrophila* Butler,1882 Range (in code): Hw
- 80380. *Tamsica oxyptera* (Meyrick,1888)** (Pyralidae) Synonym(s): *oxyptera* Meyrick,1888 Range (in code): Hw
- 80381. *Tanaobela chrysochlora* Turner,1915** (Pyralidae) Synonym(s): *chrysochlora* Turner,1915 Range (in code): AU
- 80382. *Tangla zangisalis* (Walker,1859)** (Pyralidae) Synonym(s): *zangisalis* Walker,1859 Range (in code): ID Sum MY Bor Swk
- 80383. *Tanyethira* sp.A** (Pyralidae) Synonym(s): Range (in code): AU
- 80384. *Tasenia nigromaculalis* Snellen,1901** (Pyralidae) Synonym(s): *nigromaculalis* Snellen,1901 Range (in code): PH Luz Ja ID
- 80385. *Tatobotys biannulalis* (Walker,[1866])** (Pyralidae) Synonym(s): *biannulalis* Walker,[1866]; *picrogramma* Meyrick,1886 Range (in code): AU WS PC FJ NH SB PG MY IN
- 80386. *Tatobotys janapalis* (Walker,1859)** (Pyralidae) Synonym(s): *janapalis* Walker,1859; *lirisalis* Walker,1859; *bistrigulalis* Walker,[1866]; *cunealis* Walker,[1866]; *argillacea* Butler,1880; *ceramochra* Meyrick,1885; *gemella* Moore,1888. Range (in code): AU

- 80387. *Taurometopa haematographa* (Hampson,1917)** (Pyrilidae) **Synonym(s):** *haematographa* Hampson,1917 Range (in code): AU
- 80388. *Taurometopa phoenicozona* (Hampson,1917)** (Pyrilidae) **Synonym(s):** *phoenicozona* Hampson,1917 Range (in code): AU
- 80389. *Tauroscopa callixutha* Turner,1925** (Pyrilidae) **Synonym(s):** *callixutha* Turner,1925 Range (in code): AU NSW
- 80390. *Tauroscopa eximia* Salmon,1946** (Pyrilidae) **Synonym(s):** *eximia* Salmon,1946 Range (in code): NZ
- 80391. *Tauroscopa gorgopis* Meyrick,1888** (Pyrilidae) **Synonym(s):** *gorgopis* Meyrick,1888 Range (in code): NZ
- 80392. *Tauroscopa howesi* Philpott,1930** (Pyrilidae) **Synonym(s):** *howesi* Philpott,1930 Range (in code): NZ
- 80393. *Tauroscopa lachnaea* (Turner,1939)** (Pyrilidae) **Synonym(s):** *lachnaea* Turner,1939 Range (in code): AU
- 80394. *Tauroscopa nebulosa* Philpott,1930** (Pyrilidae) **Synonym(s):** *nebulosa* Philpott,1930 Range (in code): NZ
- 80395. *Tauroscopa notabilis* Philpott,1923** (Pyrilidae) **Synonym(s):** *notabilis* Philpott,1923 Range (in code): NZ
- 80396. *Tauroscopa trapezitis* Meyrick,1905** (Pyrilidae) **Synonym(s):** *trapezitis* Meyrick,1905 Range (in code): NZ
- 80397. *Tawhitia glaucophanes* (Meyrick,1907)** (Pyrilidae) **Synonym(s):** *glaucophanes* Meyrick,1907 Range (in code): NZ
- 80398. *Tawhitia leonina* Philpott,1931** (Pyrilidae) **Synonym(s):** *leonina* Philpott,1931 Range (in code): NZ
- 80399. *Tawhitia pentadactylus* (Zeller,1863)** (Pyrilidae) **Synonym(s):** *pentadactylus* Zeller,1863; *claviferella* Walker,1866; *strigosa* Butler,1877 Range (in code): AU TS NZ
- 80400. *Tegostoma albizonalis* Hampson,1900** (Pyrilidae) **Synonym(s):** *albizonalis* Hampson,1900. Original Reference: *Tegostoma albizonalis* Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 400. Syntypes ♂♂: Armenia, Askhabad; Central Asia: Kara Sagin (coll. Staudinger). Range (in code): TR Cc AM
- 80401. *Tegostoma bipartalis* Hampson,1896** (Pyrilidae) **Synonym(s):** *bipartalis* Hampson,1896 Range (in code): ZA
- 80402. *Tegostoma comparalis* (Hübner,1796)** (Pyrilidae) **Synonym(s):** *comparalis* Hübner,1796; *ramalis* Hübner,1796; *tenebrosalis* Walker,1865; *fotalis* Swinhoe,1885; *#comparale* Caradja,1917. Original Reference: *Pyalis comparalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.19 fig.126. Type(s): Europa. Range (in code): DZ Bsk TN Gf ES FR Sa Si IT MT YU BG GR TR Cc AF IN PK Sd Krc Cp ZA AE SY IR Mz Bionomy: Larva on *Tribulus terrestris* (Zygophyllaceae) (Rungs,1980).
- 80403. *Tegostoma concinnalis* (Christoph,1882)** (Pyrilidae) **Synonym(s):** *concinnalis* Christoph,1882 Original Reference: *Anthophilodes concinnalis* Christoph,1882, Horae Soc. ent. ross. 17: 120. Type: [Azerbaijan]: Nakhchivan, Ordubad. Range (in code): TR AZ Cc Nv Ord
- 80404. *Tegostoma confluentalis* Hampson,1913** (Pyrilidae) **Synonym(s):** *confluentalis* Hampson,1913; *ahwazalis* Amsel,1949. Original Reference: *Tegostoma confluentalis* Hampson,1913, Ann. Mag. nat. Hist. (8) 12: 299. Type ♀: Egypt. Range (in code): EG EG11 SA IR Ahz
- 80405. *Tegostoma florilegarium* (Guenée,1854)** (Pyrilidae) **Synonym(s):** *florilegarium* Guenée,1854 Range (in code): ZA
- 80406. *Tegostoma marginalis* Amsel,1961** (Pyrilidae) **Synonym(s):** *marginalis* Amsel,1961 Range (in code): IR Fa Shr Ss
- 80407. *Tegostoma mineti* Moreno,2001** (Pyrilidae) **Synonym(s):** *mineti* Moreno,2001 Original Reference: *Tegostoma mineti* Moreno,2001, Shilap Revta lepid. 29 (114): 172-173, fig.14. Holotype ♀: Spain: Almeria: Los Escullos, 30m, 25 viii 1979 A.Vives leg. (MNCNM). Range (in code): ES
- 80408. *Tegostoma mossulalis* Amsel,1949** (Pyrilidae) **Synonym(s):** *mossulalis* Amsel,1949 Original Reference: *Tegostoma mossulalis* Amsel,1949, Bull. Soc. Fouad I ent. 33: 308, pl.7 fig.46. Type: Iraq, Mosul (coll. Wiltshire). Range (in code): IQ Mos IR Th Kh Ss Bmp Irs Chh Mz AF Pli Dwe Arh Kab Srb Gz
- 80409. *Tegostoma paralis* Hampson,1900** (Pyrilidae) **Synonym(s):** *paralis* Hampson,1900 Range (in code): UZ Fe IQ Bgd IR Qz

- 80410. Tegostoma perlepidalis (Guenée,1854)** (Pyalidae) **Synonym(s):** *#lepidalis* Herrich-Schäffer,[1851]; *perlepidalis* Guenée,1854; *lepidalis* Herrich-Schäffer,[1855]; *#lepidale* Caradja,1917 **Original Reference:** Anthophilodes perlepidalis Guenée,1854, [in] Boisduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: [447] (Errata) (nomen novum pro lepidalis H.-S. nec Cramer). Syntypes 2♂: [Turquie]: "Amasieh" [Amasya] (coll. Guenée). **Range (in code):** **TR Cc AM Eri AZ Nv Ord IQ IR Elb Kdj Th Ha Adv Fa Sse Shr AF Kab**
- 80411. Tegostoma perlepidalis apurpurealis Amsel,1970** (Pyalidae) **Synonym(s):** *apurpurealis* Amsel,1970 **Range (in code):** **AF Kab IR Fa Th**
- 80412. Tegostoma rutilineale Zerny,1914** (Pyalidae) **Synonym(s):** *rutilineale* Zerny,1914 **Original Reference:** Tegostoma rutilineale Zerny,1914, Annln naturh. Mus. Wien 28: 336-337, Taf.xxvi fig.40. Type ♀: Armenien. **Range (in code):** **Cc AM**
- 80413. Tegostoma sarobiella Amsel,1970** (Pyalidae) **Synonym(s):** *sarobiella* Amsel,1970 **Range (in code):** **AF Srb Jla**
- 80414. Tegostoma stangei Zerny,1916** (Pyalidae) **Synonym(s):** *stangei* Zerny,1916 **Range (in code):** **TM Mrw**
- 80415. Tegostoma subditalis Zeller,1852** (Pyalidae) **Synonym(s):** *subditalis* Zeller,1852 **Range (in code):** **ZA**
- 80416. Tegostoma subterminalis (Hampson,1918)** (Pyalidae) **Synonym(s):** *subterminalis* Hampson,1918 **Range (in code):** **ZA**
- 80417. Tegostoma uniforma Amsel,1951** (Pyalidae) **Synonym(s):** *uniforma* Amsel,1951 **Range (in code):** **IR Ss**
- 80418. Tegulifera audeoudi De Joannis,1927** (Pyalidae) **Synonym(s):** *audeoudi* De Joannis,1927 **Range (in code):** **ZA**
- 80419. Tegulifera bostralis Hampson,1917** (Pyalidae) **Synonym(s):** *bostralis* Hampson,1917 **Range (in code):** **ZA**
- 80420. Tegulifera drapesalis (Walker,1859)** (Pyalidae) **Synonym(s):** *drapesalis* Walker,1859; *platymitris* Butler,1883; *pallivittata* Moore,1888; *rubrifuscalis* W.Warren,1896 **Range (in code):** **IN Meg Ass Khs PK K-P SI Djl MY Bor**
- 80421. Tegulifera erythrolepis (Hampson,1916)** (Pyalidae) **Synonym(s):** *erythrolepis* Hampson,1916 **Range (in code):** **TW**
- 80422. Tegulifera holothermalis Hampson,1906** (Pyalidae) **Synonym(s):** *holothermalis* Hampson,1906 **Range (in code):** **ZA**
- 80423. Tegulifera oblunata (W.Warren,1897)** (Pyalidae) **Synonym(s):** *oblunata* W.Warren,1897 **Range (in code):** **ZA**
- 80424. Tegulifera obovalis Hampson,1917** (Pyalidae) **Synonym(s):** *obovalis* Hampson,1917 **Range (in code):** **ZA**
- 80425. Tegulifera ochrealis Hampson,1917** (Pyalidae) **Synonym(s):** *ochrealis* Hampson,1917 **Range (in code):** **ZA**
- 80426. Tegulifera rubicundalis Saalmüller,1880** (Pyalidae) **Synonym(s):** *rubicundalis* Saalmüller,1880 **Range (in code):** **ZA**
- 80427. Tegulifera zonalis (W.Warren,1897)** (Pyalidae) **Synonym(s):** *zonalis* W.Warren,1897 **Range (in code):** **ZA**
- 80428. Tehama bonifatella (Hulst,1887)** (Pyalidae) **Synonym(s):** *bonifatella* Hulst,1887; *inornatellus* Walker,1863 [nom. obl.]; *nevadellus* Kearfott,1908. **Range (in code):** **CA BCo Lbr Nfl Nsc US Mon Wy Col NMx Ut Ne Arz Cf Org Ws Als DK GrI**
- 80429. Teliphasa albifusa (Hampson,1896)** (Pyalidae) **Synonym(s):** *albifusa* Hampson,1896; *shisana* Strand,1919 **Range (in code):** **IN**
- 80430. Teliphasa dibelana Ghesquière,1942** (Pyalidae) **Synonym(s):** *dibelana* Ghesquière,1942 **Range (in code):** **ZR**
- 80431. Teliphasa nubilosa Moore,1888** (Pyalidae) **Synonym(s):** *nubilosa* Moore,1888 **Range (in code):** **IN SI Djl**
- 80432. Teliphasa orbiculifer Moore,1888** (Pyalidae) **Synonym(s):** *orbiculifer* Moore,1888 **Range (in code):** **IN SI Djl**
- 80433. Tephros chneourella D.Lucas,1946** (Pyalidae) **Synonym(s):** *chneourella* D.Lucas,1946 **Original Reference:** Tephros chneourella D.Lucas,1946, Bull. Soc. ent. Fr. 51: 97. Type: Tunis. **Range (in code):** **TN**
- 80434. Tephros cyriella (Erschoff,1874)** (Pyalidae) **Synonym(s):** *cyriella* Erschoff,1874 **Original Reference:** Pempelia cyriella Erschoff,1874, [in] Fedtschenko, Reise in Turkestan 2 (2g): 83, pl.5

- figs. 84-85. Syntypes: "pr. Tschardara". Range (in code): **DZ Ajj Ah MA ES RO UZ CN Ui Ku TM Kp Krn** Bionomy: Larva on Tamarix (Speidel & Hassler,[1990]).
- 80435. *Tephris dilutalis* (Rothschild,1913)** (Pyralidae) Synonym(s): *dilutalis* Rothschild,1913 Original Reference: Constantia dilutalis Rothschild,1913, Novit. zool. 20: 140, 469. Type ♀: [Algeria]: Sahara: In-Salah. Range (in code): **DZ**
- 80436. *Tephris ephippella* Ragonot,1890** (Pyralidae) Synonym(s): *ephippella* Ragonot,1890 Range (in code): **MM**
- 80437. *Tephris fractilineella* Chrétien,1911** (Pyralidae) Synonym(s): *fractilineella* Chrétien,1911 Original Reference: Tephris fractilineella Chrétien,1911, Annls Soc. ent. Fr. 79: 514. Type: Algérie, Biskra. Range (in code): **DZ Bsk**
- 80438. *Tephris nigrisparsella* (Ragonot,1887)** (Pyralidae) Synonym(s): *nigrisparsella* Ragonot,1887 Range (in code): **RU Da Cc Der**
- 80439. *Tephris obliquivitella* Rothschild,1913** (Pyralidae) Synonym(s): *obliquivitella* Rothschild,1913 Original Reference: Tephris obliquivitella Rothschild,1913, Novit. zool. 20: 136. Type ♀: [Algeria]: "Oued Abiod, n. of In-Salah". Range (in code): **DZ**
- 80440. *Tephris ochreella* Ragonot,1893** (Pyralidae) Synonym(s): *ochreella* Ragonot,1893; *perlucidella* Ragonot,1893; *joannisella* D.Lucas,1909; *aridella* Rothschild,1913; *diversella* Amsel,1951 Range (in code): **DZ Gtt TN PK IL Jer Pa IR Ss Irs Bmp Ssh Kz Ke Ana**
- 80441. *Tephris romanoffella* (Ragonot,1887)** (Pyralidae) Synonym(s): *romanoffella* Ragonot,1887 Original Reference: Nephopteryx romanoffella Ragonot,1887, Annls Soc. ent. Fr. 1887: 231. Syntypes ♀: [Turkmenistan]: Achal-Tekke. Range (in code): **TM Kp TR IQ Shq**
- 80442. *Tephris stenopterella* Amsel,1949** (Pyralidae) Synonym(s): *stenopterella* Amsel,1949 Original Reference: Tephris stenopterella Amsel,1949, Bull. Soc. Fouad I. Ent. 33: 290, figs. Holotype ♂: Palestine, Jordan bridge near Jericho; Allo-, Paratype: Iraq: Baghdad ex larva on Tamarix. Range (in code): **IL Pa JO Jt IQ Bgd** Bionomy: Larva on Tamarix (Amsel,1949; Wiltshire,1957).
- 80443. *Tephris verruculella* (Ragonot,1887)** (Pyralidae) Synonym(s): *verruculella* Ragonot,1887; *rungsi* Leraut,2002 Original Reference: Salebria verruculella Ragonot,1887, Annls Soc. ent. Fr. (6) 7: 232. Type: [Georgia]: Lagodechi. Range (in code): **MA DZ Gtt Bsk TN Gf TR GG Cc Lag** Bionomy: Larva on Tamarix (Chrétien,1917).
- 80444. *Tephroniopsis geometridalis* Amsel,1961** (Pyralidae) Synonym(s): *geometridalis* Amsel,1961 Original Reference: Tephroniopsis geometridalis Amsel,1961, Ark. Zool. 13 (17): 403, Taf.v fig. 207. Holotype ♂: Iran: [Fars]: Sine Sefid, F.Brandt leg. Range (in code): **IR Fa Sse Com**
- 80445. *Terastia egialealis* Walker,1859** (Pyralidae) Synonym(s): *egialealis* Walker,1859 Range (in code): **TH CRa NP IN CN MY SG ID Sum Ja Bor Sbh Clb** Bionomy: Larva bores stems of Erythrina indica, E. subumbrans [thong lang pa] (Fabaceae) (Robinson et al.,1994; Lewvanich,2001).
- 80446. *Terastia margaritis* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *margaritis* R.Felder & Rogenhofer,1875 Range (in code): **ZA Tva Lpo Kru Pma**
- 80447. *Terastia meticulosalis* Guenée,1854** (Pyralidae) Synonym(s): *meticulosalis* Guenée,1854; *quadratalis* Walker,1865; *coeligenalis* Hulst,1886 Original Reference: Terastris meticulosalis Guenée,1854, [in] Boissduval & Guenée, Hist. nat. Insectes (Spec. gén. Lépid.) 8: 212. Type ♂: "Haiti". Range (in code): **WS FJ NH AU MY IN OW NW LK ID Ja PH TW ZA**
- 80448. *Terastia subjectalis* Lederer,1863** (Pyralidae) Synonym(s): *subjectalis* Lederer,1863; *quadratalis* Walker,[1866] Range (in code): **PH Luz Ceb IN Ja LK ID AU**
- 80449. *Teratauxa paradoxa* (E.Hering,1901)** (Pyralidae) Synonym(s): *paradoxa* E.Hering,1901 Range (in code): **ID Sum SG MY Bor TH Nna Kao BN Sbh Swk**
- 80450. *Termioptycha eucarta* (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *eucarta* R.Felder & Rogenhofer,1875; *cyanopa* Meyrick,1889; *erasta* Turner,1913 Range (in code): **AU**
- 80451. *Tetrernia terminitis* Meyrick,1890** (Pyralidae) Synonym(s): *terminitis* Meyrick,1890 Range (in code): **AU**
- 80452. *Tetridia caletoralis* (Walker,1859)** (Pyralidae) Synonym(s): *caletoralis* Walker,1859; *interrupta* Rothschild,1915 Range (in code): **AU**
- 80453. *Tetridia vinacealis* (Moore,1877)** (Pyralidae) Synonym(s): *vinacealis* Moore,1877 Range (in code): **IN TW**

- 80454. Thagora castanella Hampson, 1896** (Pyralidae) Synonym(s): *castanella* Hampson, 1896
Original Reference: Thagora castanella Hampson, 1896, Fauna Br. India 4: 4, fig. 3. Syntypes ♂♀:
[Sri Lanka]: Ceylon: Colombo (BMNH). Range (in code): **LK**
- 80455. Thagora figurana Walker, 1863** (Pyralidae) Synonym(s): *figurana* Walker, 1863 Range (in code): **LK ID Ja**
- 80456. Thalamarchis chalchorma Meyrick, 1897** (Pyralidae) Synonym(s): *chalchorma* Meyrick, 1897 Range (in code): **MY**
- 80457. Thaumatoopsis actuellus Barnes & McDunnough, 1918** (Pyralidae) Synonym(s): *actuellus* Barnes & McDunnough, 1918 Range (in code): **US FI**
- 80458. Thaumatoopsis atomosella (Kearfott, 1908)** (Pyralidae) Synonym(s): *atomosella* Kearfott, 1908 Range (in code): **US Arz**
- 80459. Thaumatoopsis crenulatella Kearfott, 1908** (Pyralidae) Synonym(s): *crenulatella* Kearfott, 1908 Range (in code): **US Arz**
- 80460. Thaumatoopsis daeckella Kearfott, 1903** (Pyralidae) Synonym(s): *daeckella* Kearfott, 1903 Range (in code): **US Ny**
- 80461. Thaumatoopsis dimidiatella (Grote, 1883)** (Pyralidae) Synonym(s): *dimidiatella* Grote, 1883 Range (in code): **US Ws**
- 80462. Thaumatoopsis edonis (Grote, 1880)** (Pyralidae) Synonym(s): *edonis* Grote, 1880 Range (in code): **US NCa Can**
- 80463. Thaumatoopsis fernaldella Kearfott, 1905** (Pyralidae) Synonym(s): *fernaldella* Kearfott, 1905 Range (in code):
- 80464. Thaumatoopsis fieldella Barnes & McDunnough, 1913** (Pyralidae) Synonym(s): *fieldella* Barnes & McDunnough, 1913 Range (in code): **US Cf**
- 80465. Thaumatoopsis gibsonella Kearfott, 1908** (Pyralidae) Synonym(s): *gibsonella* Kearfott, 1908 Range (in code): **CA On**
- 80466. Thaumatoopsis idion Dyar, 1919** (Pyralidae) Synonym(s): *idion* Dyar, 1919 Range (in code): **MX**
- 80467. Thaumatoopsis lagunella Dyar, 1912** (Pyralidae) Synonym(s): *lagunella* Dyar, 1912 Range (in code): **US Cf**
- 80468. Thaumatoopsis magnifica (Fernald, 1891)** (Pyralidae) Synonym(s): *magnifica* Fernald, 1891 Range (in code): **US**
- 80469. Thaumatoopsis nortella Kearfott, 1905** (Pyralidae) Synonym(s): *nortella* Kearfott, 1905 Range (in code):
- 80470. Thaumatoopsis pectinifer (Zeller, 1877)** (Pyralidae) Synonym(s): *pectinifer* Zeller, 1877 Range (in code): **US Tx**
- 80471. Thaumatoopsis pexella (Zeller, 1863)** (Pyralidae) Synonym(s): *pexella* Zeller, 1863; *macropterella* Zeller, 1863; *longipalpus* Morrison, 1874; *coloradella* Kearfott, 1908 Range (in code): **US**
- 80472. Thaumatoopsis repanda (Grote, 1880)** (Pyralidae) Synonym(s): *repanda* Grote, 1880 Range (in code): **US Tx Arz Can Col**
- 80473. Thaumatoopsis solutella (Zeller, 1863)** (Pyralidae) Synonym(s): *solutella* Zeller, 1863 Range (in code): **US**
- 80474. Thaumatoopsis striatella Fernald, 1896** (Pyralidae) Synonym(s): *striatella* Fernald, 1896 Range (in code): **US IlIn**
- 80475. Theila distributa (Lucas, 1898)** (Pyralidae) Synonym(s): *distributa* Lucas, 1898 Range (in code): **AU QAU**
- 80476. Theila hirsuta Semper, 1902** (Pyralidae) Synonym(s): *hirsuta* Semper, 1902 Range (in code): **PH Luz Boh**
- 80477. Theila metallosticha (Turner, 1938)** (Pyralidae) Synonym(s): *metallosticha* Turner, 1938; *metallosticha* Turner, 1942 nec Turner, 1938. Range (in code): **AU**
- 80478. Theila siennata (W. Warren, 1896)** (Pyralidae) Synonym(s): *siennata* W. Warren, 1896 Range (in code): **AU**
- 80479. Theila triplaga (Lower, 1903)** (Pyralidae) Synonym(s): *triplaga* Lower, 1903 Range (in code): **AU**
- 80480. Thesaurica argentifera (Hampson, 1913)** (Pyralidae) Synonym(s): *argentifera* Hampson, 1913 Range (in code): **AU**
- 80481. Thiallela dolokensis Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *dolokensis* Roesler & Küppers, 1981 Range (in code): **ID Sum**

- 80482. *Thiallela eduardi* Roesler & Küppers, 1981** (Pyralidae) Synonym(s): *eduardi* Roesler & Küppers, 1981 Range (in code): ID Sum
- 80483. *Thiallela escigera* (Meyrick, 1932)** (Pyralidae) Synonym(s): *escigera* Meyrick, 1932 Range (in code): ID Sum FJ
- 80484. *Thiallela ligeralis* (Walker, 1863)** (Pyralidae) Synonym(s): *ligeralis* Walker, 1863 Range (in code): LK IN Ass Nag MM MY Bor Swk ID Sum PG AU FJ
- 80485. *Thisanotia chrysonuchella* (Scopoli, 1763)** (Pyralidae) Synonym(s): *chrysonuchella* Scopoli, 1763; *gramella* Fabricius, 1781; *campella* Hübner, 1793; *dilutior* Alpheraky, 1877. Original Reference: *Phalaena chrysonuchella* Scopoli, 1763, *Entomologia Carniolica*: 246. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR Cc GG DK SE LT RU Tt At CN Ui Ju Ku MN Bionomy: Larva on *Festuca ovina*, *Poa* (Poaceae) (Parenti, 2000).
- 80486. *Thisanotia chrysonuchella chrysonuchella* (Scopoli, 1763)** (Pyralidae) Synonym(s): *chrysonuchella* Scopoli, 1763; *gramella* Fabricius, 1781; *campella* Hübner, 1793; *dilutior* Alpheraky, 1877. Original Reference: *Phalaena chrysonuchella* Scopoli, 1763, *Entomologia Carniolica*: 246. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc GG DK SE LT RU Tt At MN
- 80487. *Thisanotia chrysonuchella dilutalis* (Caradja, 1916)** (Pyralidae) Synonym(s): *dilutalis* Caradja, 1916 Original Reference: *Crambus chrysonuchella* var. *dilutalis* Caradja, 1916, *Dt. ent. Z.*, *Iris* 30: 4. Syntypes ♂♂: [China: Uighur A.R.]: "Juldus" (MGAB). Range (in code): CN Ui Ju Ku
- 80488. *Thivolleo albicervix* Maes, 2006** (Pyralidae) Synonym(s): *albicervix* Maes, 2006 Range (in code):
- 80489. *Thivolleo meruensis* Maes, 2006** (Pyralidae) Synonym(s): *meruensis* Maes, 2006 Range (in code): ZR
- 80490. *Thivolleo xanthographa* (Hampson, 1913)** (Pyralidae) Synonym(s): *xanthographa* Hampson, 1913 Range (in code):
- 80491. *Thliptoceras anthropophilum* Bänziger, 1987** (Pyralidae) Synonym(s): *anthropophilum* Bänziger, 1987 Original Reference: *Thliptoceras anthropophilum* Bänziger, 1987, *Revue suisse Zool.* 94 (4): 672-674, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380m, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo
- 80492. *Thliptoceras lacriphagum* Bänziger, 1987** (Pyralidae) Synonym(s): *lacriphagum* Bänziger, 1987 Original Reference: *Thliptoceras lacriphagum* Bänziger, 1987, *Revue suisse Zool.* 94 (4): 676-678, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380m, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo
- 80493. *Thliptoceras neotropicalis* Schaus, 1912** (Pyralidae) Synonym(s): *neotropicalis* Schaus, 1912 Range (in code): CR
- 80494. *Thliptoceras octoguttalis* (R. Felder & Rogenhofer, 1875)** (Pyralidae) Synonym(s): *octoguttalis* R. Felder & Rogenhofer, 1875 Range (in code): WS PC FJ LO MY IN OW
- 80495. *Thliptoceras polygrammodes* Hampson, 1899** (Pyralidae) Synonym(s): *polygrammodes* Hampson, 1899 Range (in code): ZA
- 80496. *Thliptoceras shafferi* Bänziger, 1987** (Pyralidae) Synonym(s): *shafferi* Bänziger, 1987 Original Reference: *Thliptoceras shafferi* Bänziger, 1987, *Revue suisse Zool.* 94 (4): 678, figs. Holotype ♂: Thailand: Chiangmai, Huay Kaeo, 350m, Bänziger leg. (BMNH). Range (in code): TH CMa CDo
- 80497. *Thliptoceras umoremsugente* Bänziger, 1987** (Pyralidae) Synonym(s): *umoremsugente* Bänziger, 1987 Original Reference: *Thliptoceras umoremsugente* Bänziger, 1987, *Revue suisse Zool.* 94 (4): 676, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao km 55, 380m, Bänziger leg. (DEFACU). Range (in code): TH CMa CDo Lmp
- 80498. *Thliptoceras variabilis* Swinhoe, 1890** (Pyralidae) Synonym(s): *variabilis* Swinhoe, 1890 Range (in code): IN MM TW
- 80499. *Thopeutis diffusifascius* (Hampson, 1919)** (Pyralidae) Synonym(s): *diffusifascius* Hampson, 1919 Range (in code): UL
- 80500. *Thopeutis forbesellus* (Fernald, 1896)** (Pyralidae) Synonym(s): *forbesellus* Fernald, 1896 Range (in code): US Ny Ilm
- 80501. *Thopeutis galleriellus* (Ragonot, 1892)** (Pyralidae) Synonym(s): *galleriellus* Ragonot, 1892; *canicostalis* Hampson, 1896; *unicolor* De Joannis, 1910; *submedianalis* Hampson, 1919; *buxtoni* Rotschild, 1921; *chretienellus* Dumont, 1930; *maculalis* Predota, 1934; *hederalis* Amsel, 1935. Original Reference:

- Cephis galleriellus Ragonot,1892, Dt. ent. Z., Iris 5: 295, Taf.3 fig.12. Syntypes ♀♀: Tunesia. Range (in code): ES FR Sa RO RU Da Cc UA Cm TR IR Mz TN DZ IN Sd Clc PK LK IQ Amr IL Pa
- 80502. Thopectis respersalis (Hübner,1818)** (Pyralidae) Synonym(s): *respersalis* Hübner,1818 Range (in code): BR UY CL
- 80503. Thopectis xylinalis (Hampson,1896)** (Pyralidae) Synonym(s): *xylinalis* Hampson,1896 Range (in code): AR
- 80504. Thospia crassipalpella Ragonot,1888** (Pyralidae) Synonym(s): *crassipalpella* Ragonot,1888 Original Reference: Thospia crassipalpella Ragonot,1888, Nouv. Gen. Phyt. 1888: 28. Type ♂: Iran: Persien: Schahkuh (MNHNP). Range (in code): IR Elb Shh AF PK Bl Qu
- 80505. Thospia feminella Roesler,1973** (Pyralidae) Synonym(s): *feminella* Roesler,1973 Original Reference: Thospia feminella Roesler,1973, Microlepid. Palaearkt. 4: 55-56, Taf. 2 fig.16; textfigs. Holotype ♀: N-Afghanistan: Polichomri, 700m (LNK). Range (in code): AF
- 80506. Thospia permixtella Ragonot,1888** (Pyralidae) Synonym(s): *permixtella* Ragonot,1888 Original Reference: Thospia permixtella Ragonot,1888, Nouv. Gen. Phyt. 1888: 28. Type ♀: Transcaspien: Askhabad (MNHNP). Range (in code): FR ES HV TR CY IR Elb Shh TM Kp
- 80507. Thospia trifasciella (Ragonot,1887)** (Pyralidae) Synonym(s): *trifasciella* Ragonot,1887; *alborivulella* Ragonot,1888. Original Reference: Heterographis trifasciella Ragonot,1887, Annls Soc. ent. Fr. 1887: 246. Type ♂: [China: Uighur A.R.]: Kouldja (ZMB). Range (in code): CN Ui Ku UZ Nmg RU Sb AF IR Elb Th TR
- 80508. Threnosia agraphes Turner,1940** (Pyralidae) Synonym(s): *agraphe* Turner,1940 Range (in code): AU
- 80509. Threnosia heminephes (Meyrick,1886)** (Pyralidae) Synonym(s): *heminephes* Meyrick,1886 Range (in code): AU
- 80510. Threnosia hypopolia Turner,1940** (Pyralidae) Synonym(s): *hypopolia* Turner,1940 Range (in code): AU
- 80511. Threnosia myochroa Turner,1940** (Pyralidae) Synonym(s): *myochroa* Turner,1940 Range (in code): AU
- 80512. Thylacoptila auchmodes (Turner,1905)** (Pyralidae) Synonym(s): *auchmodes* Turner,1905 Range (in code): WS
- 80513. Thylacoptila gonylasia Tams,1935** (Pyralidae) Synonym(s): *gonylasia* Tams,1935 Range (in code): WS
- 80514. Thylacoptila paurosema Meyrick,1885** (Pyralidae) Synonym(s): *paurosema* Meyrick,1885; *maculella* Ragonot,1888 Original Reference: Thylacoptila paurosema Meyrick,1885, Entomologist's mon. Mag. 22: 106. Type: Cape Verde (BMNH). Range (in code): ZA SL CI CV ZW MG SD Sk Ad YE PK BT IN Si Ass LK MM Bor Swk MY ID Sum Ja
- 80515. Thylacoptila sp.A** (Pyralidae) Synonym(s): Range (in code): AU
- 80516. Thyridiphora furia (Swinhoe,1884)** (Pyralidae) Synonym(s): *furia* Swinhoe,1884; *fenestrata* W.Warren,1888; *grisea* Amsel,1968. Original Reference: Micra furia Swinhoe,1884, Proc. zool. Soc. Lond. 1884: 519, Pl.47 fig.13. Lectotype ♂: Pakistan: "Kurrachee" [Karachi] (BMNH). Range (in code): GR TR IQ Rwz Kbl PK Pj Cp Krc IR Elb Th Kdj Fa Shr Chh Ss Ana Ke YE Ad
- 80517. Thyridiphora gilva Turner,1926** (Pyralidae) Synonym(s): *gilva* Turner,1926 Range (in code): AU
- 80518. Thysanoidma octalis Hampson,1891** (Pyralidae) Synonym(s): *octalis* Hampson,1891 Range (in code): IN TW Ass NI CN
- 80519. Tipanaea patulella Walker,1863** (Pyralidae) Synonym(s): *patulella* Walker,1863; *exsanguis* Meyrick,1882 Range (in code): AU
- 80520. Tirathaba catharopta (Turner,1937)** (Pyralidae) Synonym(s): *catharopta* Turner,1937 Range (in code): AU
- 80521. Tirathaba cissinobaphes (Turner,1906)** (Pyralidae) Synonym(s): *cissinobaphes* Turner,1906; *astericta* Turner,1937 Range (in code): AU
- 80522. Tirathaba grandinotella Hampson,1898** (Pyralidae) Synonym(s): *grandinotella* Hampson,1898 Range (in code): IN
- 80523. Tirathaba leucostictalis (Lower,1903)** (Pyralidae) Synonym(s): *leucostictalis* Lower,1903 Range (in code): AU
- 80524. Tirathaba monoleuca (Lower,1894)** (Pyralidae) Synonym(s): *monoleuca* Lower,1894 Range (in code): AU

- 80525. *Tirathaba mundella* Walker, 1864** (Pyralidae) Synonym(s): *mundella* Walker, 1864; *fructivora* Meyrick, 1933 Range (in code): MY ID Ja Bor FJ SB NH
- 80526. *Tirathaba parasiticus* (Lucas, 1898)** (Pyralidae) Synonym(s): *parasiticus* Lucas, 1898; *hepialivora* Hampson, 1901 Range (in code): AU
- 80527. *Tirathaba pseudocomplana* Hampson, 1917** (Pyralidae) Synonym(s): *pseudocomplana* Hampson, 1917 Range (in code): AU
- 80528. *Tirathaba psolopasta* (Turner, 1913)** (Pyralidae) Synonym(s): *psolopasta* Turner, 1913 Range (in code): AU
- 80529. *Tirathaba rosella* Hampson, 1898** (Pyralidae) Synonym(s): *rosella* Hampson, 1898 Range (in code): IN
- 80530. *Tirathaba rufivena* (Walker, 1864)** (Pyralidae) Synonym(s): *rufivena* Walker, 1864; *rufovenalis* Snellen, 1880; *acrocausta* Meyrick, 1897; *fuscolimbialis* Snellen, 1900; *ignivena* Hampson, 1917; *distorta* Turner, 1937. Original Reference: Lamoria rufivena Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 30: 960. Range (in code): IN LK MM Shn SG MY TH Bor ID Bli Bru Clb PG Ls AU QAU PH
- 80531. *Tirathaba ruptilinea* (Walker, 1866)** (Pyralidae) Synonym(s): *ruptilinea* Walker, 1866; *chlorosema* Lower, 1903 Range (in code): AU TH Ray Chi Nst IN SB BN Bor MY Swk PH PG Bionomy: Larva on fruit skin of *Nephelium lappaceum* [longan] (Sapindaceae) (Robinson et al., 1994); *Durio zibethinus* [durian] (Bombacaceae) (Lewvanich, 2001).
- 80532. *Tirathaba semifoedalis* (Walker, 1865)** (Pyralidae) Synonym(s): *semifoedalis* Walker, 1865 Original Reference: Botys ? semifoedalis Walker, 1865, List Specimens lepid. Insects Colln Br. Mus. 34: 1439. Range (in code): BT IN ID Sla TW
- 80533. *Tirathaba trichogramma* (Meyrick, 1886)** (Pyralidae) Synonym(s): *trichogramma* Meyrick, 1886 Range (in code): WS FJ NH
- 80534. *Tirathaba unicolorella* (Hampson, 1896)** (Pyralidae) Synonym(s): *unicorella* Hampson, 1896 Original Reference: Mucialla unicolorella Hampson, 1896, Fauna Br. India 4: 5-6. Syntypes: Bhutan, 2500ft; [India]: Khasis Hills (BMNH). Range (in code): IN Ass Meg Khs BT
- 80535. *Tirathaba xuthoptera* (Turner, 1937)** (Pyralidae) Synonym(s): *xuthoptera* Turner, 1937 Range (in code): AU
- 80536. *Titanio angustipennis* Zerny, 1914** (Pyralidae) Synonym(s): *angustipennis* Zerny, 1914 Original Reference: *Titanio angustipennis* Zerny, 1914, Annln naturh. Mus. Wien 28: 330, Taf. xxvi fig. 34. Syntypes: [China: Uighur A.R.]: "Thian-Shan (leg. Merzbacher), Lob-Noor, Chines.-Turkestan". Range (in code): CN Ui Ln T-S
- 80537. *Titanio basalis* Caradja, 1928** (Pyralidae) Synonym(s): *basalis* Caradja, 1928 Range (in code): CN Ui Ln
- 80538. *Titanio caradjae* (Rebel, 1902)** (Pyralidae) Synonym(s): *caradjae* Rebel, 1902 Original Reference: *Atychia caradjae* Rebel, 1902, Dt. ent. Z., Iris 15 (1): 122-123, Taf. iv fig. 11 [1903]. Type ♂: [Türkei]: [İğdır Pr.]: "Kulp, südlich von Kars in Armenien" (leg. Frau Korb) (coll. Caradja). " Range (in code): TR Cc
- 80539. *Titanio emiralis* Caradja, 1916** (Pyralidae) Synonym(s): *emiralis* Caradja, 1916 Original Reference: *Titanio emiralis* Caradja, 1916, Dt. ent. Z., Iris 30: 29. Syntypes 1♂ 1♀: [Uighur ili]: "Lob noor". Range (in code): CN Ui Ln
- 80540. *Titanio heliothalis* (Staudinger, 1892)** (Pyralidae) Synonym(s): *heliothalis* Staudinger, 1892 Range (in code): KK
- 80541. *Titanio hesperialis* Hampson, 1900** (Pyralidae) Synonym(s): *hesperialis* Hampson, 1900 Range (in code): MN
- 80542. *Titanio hyrcanella* Amsel, 1950** (Pyralidae) Synonym(s): *hyrcanella* Amsel, 1950 Range (in code): IR Fa Shr Sse
- 80543. *Titanio inconspicualis* Zerny, 1914** (Pyralidae) Synonym(s): *inconspicualis* Zerny, 1914 Original Reference: *Titanio inconspicualis* Zerny, 1914, Annln naturh. Mus. Wien 28: 330-331, Taf. xxvi fig. 35. Syntypes: [China: Uighur A.R.]: "Juldus, Thian-Shan; [Kazachstan]: "Djarkent, Ili-Gebiet". Range (in code): CN Ui Ku Ju KG Tk Dj Ii KK Ax
- 80544. *Titanio ledereri* (Staudinger, 1870)** (Pyralidae) Synonym(s): *ledereri* Staudinger, 1870; *dufayi* Minet, 1983 Range (in code): FR IT HU RO TR RU
- 80545. *Titanio magnificalis* (Christoph, 1877)** (Pyralidae) Synonym(s): *magnificalis* Christoph, 1877 Range (in code): TM Krn
- 80546. *Titanio metaxanthalis* Hampson, 1900** (Pyralidae) Synonym(s): *metaxanthalis* Hampson, 1900 Range (in code): TS Ax KK

- 80547. *Titanio modestalis* (Christoph,1877)** (Pyrilidae) Synonym(s): *modestalis* Christoph,1877
Original Reference: Noctuomorpha modestalis Christoph,1877, Horae Soc. ent. ross. 12: 267268, Tab. vii fig.38. Syntypes ♂♀: [Turkmenistan]: Krasnowodsk. Range (in code): **TM Krn IR**
- 80548. *Titanio moeschleri* (Christoph,1887)** (Pyrilidae) Synonym(s): *moeschleri* Christoph,1887; *eponyma* Meyrick,1890 Original Reference: Threnodes moeschleri Christoph,1887, [in] Romanoff, Mém. lépid. 3: 22, pl.i fig.11 Syntypes 2♂♂: [Azerbaijan]: "Ordubad". Range (in code): **AZ Nv Ord Cc**
- 80549. *Titanio mortualis* Caradja,1916** (Pyrilidae) Synonym(s): *mortualis* Caradja,1916 Original Reference: *Titanio mortualis* Caradja,1916, Dt. ent. Z., Iris 30: 29. Syntypes 1♂ 1♀: [Uighur ili]: "Lob noor" (coll.Caradja). Range (in code): **CN Ui Ln**
- 80550. *Titanio nanalis* (Christoph,1888)** (Pyrilidae) Synonym(s): *nanalis* Christoph,1888; *obscura* W.Warren,1892 Original Reference: *Hercyna nanalis* Christoph,1888, Horae Soc. ent. ross. 22: 310. Type(s): Hyrcana. Range (in code): **IR**
- 80551. *Titanio nawaralis* Amsel,1970** (Pyrilidae) Synonym(s): *nawaralis* Amsel,1970 Range (in code): **AF Gz**
- 80552. *Titanio nissalis* Amsel,1951** (Pyrilidae) Synonym(s): *nissalis* Amsel,1951 Original Reference: *Titanio nissalis* Amsel,1951, Ark. Zool. 1 (36): 553-554, figs. 50, 85. Syntypes 2♂: Iran: [Elburs Gebirge]: Nissa, 4000m. Range (in code): **IR Elb Th Nss AF Bd**
- 80553. *Titanio normalis* (Hübner,1796)** (Pyrilidae) Synonym(s): *normalis* Hübner,1796; *comitalis* Hübner,[1819]; *normata* Duponchel,1844; *ancyrensis* Hofmann,[1898] Original Reference: *Pyalis normalis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.7 fig.41. Type(s): Europa. Range (in code): **DZ Btna ES Si IT AT CZ SK HU RO YU BG GR TR Cc RU KK AI KG Uk**
- 80554. *Titanio originalis* (Herrich-Schäffer,1860)** (Pyrilidae) Synonym(s): *originalis* Herrich-Schäffer,1860 Range (in code): **RU Sr Ao TM Krn KG Uk**
- 80555. *Titanio orphnolyca* Meyrick,1936** (Pyrilidae) Synonym(s): *orphnolyca* Meyrick,1936 Range (in code): **MA**
- 80556. *Titanio pulchellalis* (Staudinger,1892)** (Pyrilidae) Synonym(s): *pulchellalis* Staudinger,1892 Range (in code): **UZ Smk T-S Ax KK**
- 80557. *Titanio pulchra* Rebel,1902** (Pyrilidae) Synonym(s): *pulchra* Rebel,1902 Range (in code): **TM**
- 80558. *Titanio safedalis* Amsel,1970** (Pyrilidae) Synonym(s): *safedalis* Amsel,1970 Range (in code): **AF Shah**
- 80559. *Titanio sarekandalis* Amsel,1970** (Pyrilidae) Synonym(s): *sarekandalis* Amsel,1970 Range (in code): **AF Bd Anj**
- 80560. *Titanio schivalis* Amsel,1970** (Pyrilidae) Synonym(s): *schivalis* Amsel,1970 Range (in code): **AF Bd Shv**
- 80561. *Titanio sultanalis* (Staudinger,1892)** (Pyrilidae) Synonym(s): *sultanalis* Staudinger,1892; *splendens* Staudinger,1893 Range (in code): **UZ Smk**
- 80562. *Titanio tarraconensis* Leraut & Luquet,1982** (Pyrilidae) Synonym(s): *tarraconensis* Leraut & Luquet,1982; *mauretanica* Leraut & Luquet,1982 Range (in code): **MA ES FR**
- 80563. *Titanio venustalis* (Lederer,1855)** (Pyrilidae) Synonym(s): *venustalis* Lederer,1855; *echinaea* Meyrick,1891 Original Reference: *Tegostoma venustalis* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 250-251. Type 1♀: Türkei. Range (in code): **MK GR TR AM Cc GG Mng Bjo**
- 80564. *Titanoceros cataxantha* Meyrick,1884** (Pyrilidae) Synonym(s): *cataxantha* Meyrick,1884 Range (in code): **AU**
- 80565. *Titanoceros heliodryas* Meyrick,1833** (Pyrilidae) Synonym(s): *heliodryas* Meyrick,1833 Range (in code): **AU**
- 80566. *Titanoceros thermoptera* (Lower,1903)** (Pyrilidae) Synonym(s): *thermoptera* Lower,1903 Range (in code): **AU**
- 80567. *Toccolosida bilinealis* Snellen,1892** (Pyrilidae) Synonym(s): *bilinealis* Snellen,1892 Range (in code): **TH MY Bor BN**
- 80568. *Toccolosida rubriceps* Walker,1863** (Pyrilidae) Synonym(s): *rubriceps* Walker,1863 Range (in code): **TH CMa Dst Dso8 CDo NP IN CN Yu TW KP KR MM VN MY ID Sum Ja BN Bor Swk Sbh Klt**
- 80569. *Torqueola hypolampra* Turner,1915** (Pyrilidae) Synonym(s): *hypolampra* Turner,1915 Range (in code): **AU**
- 80570. *Torqueola monophaes* (Lower,1902)** (Pyrilidae) Synonym(s): *monophaes* Lower,1902 Range (in code): **AU**

- 80571. Tortriculladia reseda (Hampson,1919)** (Pyralidae) Synonym(s): *#mignonette Dyar,1914; reseda Hampson,1919* Range (in code): **GY SR**
- 80572. Toxobotys boveyi Bänziger,1987** (Pyralidae) Synonym(s): *boveyi Bänziger,1987* Original Reference: Toxobotys boveyi Bänziger,1987, Revue suisse Zool. 94 (4): 680-681, figs. Holotype ♂: Thailand: Chiangmai, near road Chiangmai-Chiangdao, km 55, 380m, Bänziger leg. (BMNH). Range (in code): **TH CMa CDo**
- 80573. Toxobotys praestans Munroe & Mutuura,1968** (Pyralidae) Synonym(s): *praestans Munroe & Mutuura,1968* Original Reference: Toxobotys praestans Munroe & Mutuura,1968, Can. Ent. 100: 868, figs. Range (in code):
- 80574. Trachylepidia fructicassiella Ragonot,1887** (Pyralidae) Synonym(s): *fructicassiella Ragonot,1887* Range (in code): **EG SY LB Bei PK Pj IN LK MZ ZA Tva Lpo** Bionomy: Larva on Cassia fistula (Hampson,1896).
- 80575. Trachylepidia fructicassiella fructicassiella Ragonot,1887** (Pyralidae) Synonym(s): *fructicassiella Ragonot,1887* Range (in code): **EG SY LB Bei PK Pj IN LK MZ ZA Tva Lpo** Bionomy: Larva on Cassia fistula (Hampson,1896).
- 80576. Trachypteryx acanthotecta (Rebel,1927)** (Pyralidae) Synonym(s): *acanthotecta Rebel,1927; tibestiensis Herbulot & Viette,1952* Range (in code): **MR MA DZ LY Cy SD EG SA** Bionomy: Larva on Acacia raddiana (= A.tortilis) (Fabaceae) (Roesler,1993).
- 80577. Trachypteryx albisecta Hampson,1926** (Pyralidae) Synonym(s): *albisecta Hampson,1926* Original Reference: Trachypteryx albisecta Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 629-630. Syntypes 2♂: [South Africa]: "Transvaal: Nkweleni (Janse)". Range (in code): **ZA Tva Lpo**
- 80578. Trachypteryx heterogramma Hampson,1926** (Pyralidae) Synonym(s): *heterogramma Hampson,1926* Original Reference: Trachypteryx heterogramma Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 628-629. Type ♀: [South Africa]: "Transvaal: Pretoria (Janse)". Range (in code): **ZA Tva Gau Pre**
- 80579. Trachypteryx magella (Zeller,1848)** (Pyralidae) Synonym(s): *magella Zeller,1848* Range (in code): **ZA**
- 80580. Trachypteryx rhodoxantha Hampson,1926** (Pyralidae) Synonym(s): *rhodoxantha Hampson,1926* Original Reference: Trachypteryx rhodoxantha Hampson,1926, Ann. Mag. nat. Hist. (9) 18: 629. Type ♀: [South Africa]: "Transvaal: Shilouvane (Junot)". Range (in code): **ZA Tva Lpo**
- 80581. Trachypteryx rubripictella Hampson,1901** (Pyralidae) Synonym(s): *rubripictella Hampson,1901* Range (in code): **ZA Ec Grh**
- 80582. Trachypteryx victoriola Balinsky,1991** (Pyralidae) Synonym(s): *victoriola Balinsky,1991* Range (in code): **ZA**
- 80583. Trachypteryx victoriola victoriola Balinsky,1991** (Pyralidae) Synonym(s): *victoriola Balinsky,1991* Range (in code): **ZA**
- 80584. Tragonitis capensis Hampson,1901** (Pyralidae) Synonym(s): *capensis Hampson,1901* Range (in code): **ZA Ec Ans ES**
- 80585. Tragonitis cristella (Hübner,1796)** (Pyralidae) Synonym(s): *cristella Hübner,1796; cristalis Hübner,[1825]*. Original Reference: Tinea cristella Hübner,1796, Samml. eur. Schmett. 8, Tineae: Tab.11 fig.76. Type(s): Europa. Range (in code): **PT FR IT GB? DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY**
- 80586. Trebania flavifrontalis (Leech,1889)** (Pyralidae) Synonym(s): *flavifrontalis Leech,1889* Range (in code): **CN JP TW**
- 80587. Treptopteryx pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): *pertusalis Geyer,[1832]; weissenbornii Freyer* Original Reference: Eurrhysis pertusalis Geyer,[1832], Zutr. exot. Schmett. 4: 36, figs. 763-764. Syntypes: Griechenland. Range (in code): **FR GR Cr TR IQ Ama LB Bsa IL Pa**
- 80588. Treptopteryx pertusalis pertusalis (Geyer,[1832])** (Pyralidae) Synonym(s): *pertusalis Geyer,[1832]; weissenbornii Freyer* Original Reference: Eurrhysis pertusalis Geyer,[1832], Zutr. exot. Schmett. 4: 36, figs. 763-764. Syntypes: Griechenland. Range (in code): **FR GR Cr TR IQ Ama LB Bsa**
- 80589. Treptopteryx pertusalis vitreosa (W.Warren,1891)** (Pyralidae) Synonym(s): *vitreosa W.Warren,1891* Original Reference: Synaphe pertusalis var. vitreosa W.Warren,1891, Ann. Mag. nat. Hist. (6) 7: 436. Syntypes 1♂ 1♀: "Palestine" (Canon Tristram coll.). Range (in code): **IL Pa SY TR**
- 80590. Trichoceraea semperi Sauber,1902** (Pyralidae) Synonym(s): *semperi Sauber,1902* Range (in code): **PH Luz**

- 80591. *Trichophysetis crocoplaga* Lower,1903** (Pyralidae) **Synonym(s):** *crocoplaga* Lower,1903
Range (in code): AU
- 80592. *Trichophysetis flavimargo* (W.Warren,1897)** (Pyralidae) **Synonym(s):** *flavimargo* W.Warren,1897 Range (in code): ZA
- 80593. *Trichophysetis fulvifusalis* Lower,1903** (Pyralidae) **Synonym(s):** *fulvifusalis* Lower,1903
Range (in code): AU
- 80594. *Trichophysetis metamelalis* Hampson,1899** (Pyralidae) **Synonym(s):** *metamelalis* Hampson,1899 Range (in code): PH Luz IN
- 80595. *Trichophysetis neophyla* Meyrick,1884** (Pyralidae) **Synonym(s):** *neophyla* Meyrick,1884
Range (in code): AU WS FJ
- 80596. *Trichophysetis nigriscalis* W.Warren,1895** (Pyralidae) **Synonym(s):** *nigriscalis* W.Warren,1895 Range (in code): TH CMa Int IN
- 80597. *Trichophysetis poliochyta* Turner,1911** (Pyralidae) **Synonym(s):** *poliochyta* Turner,1911
Range (in code): AU
- 80598. *Trichophysetis whitei* Rebel,1906** (Pyralidae) **Synonym(s):** *whitei* Rebel,1906 Range (in code): ZA
- 80599. *Trigonobela nebridopepla* Turner,1915** (Pyralidae) **Synonym(s):** *nebridopepla* Turner,1915 Range (in code): AU
- 80600. *Trigonobela perfenestrata* (Butler,1882)** (Pyralidae) **Synonym(s):** *perfenestrata* Butler,1882 Range (in code): AU
- 80601. *Trigonoorda gavisalis* (Walker,1869)** (Pyralidae) **Synonym(s):** *gavisalis* Walker,1869; *rhodochrysa* Meyrick,1885 Range (in code): AU
- 80602. *Trigonoorda psarochroa* (Turner,1908)** (Pyralidae) **Synonym(s):** *psarochroa* Turner,1908 Range (in code):
- 80603. *Trigonoorda rhodea* (Lower,1905)** (Pyralidae) **Synonym(s):** *rhodea* Lower,1905 Range (in code): AU
- 80604. *Trigonoorda rhodopa* (Turner,1908)** (Pyralidae) **Synonym(s):** *rhodopa* Turner,1908
Range (in code): AU
- 80605. *Trigonoorda trygoda* (Meyrick,1897)** (Pyralidae) **Synonym(s):** *trygoda* Meyrick,1897
Range (in code): AU
- 80606. *Triphassa anemialis* Hampson,1906** (Pyralidae) **Synonym(s):** *anemialis* Hampson,1906
Range (in code): NG Lgo
- 80607. *Triphassa bilineata* (Moore,1887)** (Pyralidae) **Synonym(s):** *bilineata* Moore,1887 Original Reference: *Herculia bilineata* Moore,1887, Lepid. Ceylon 3: 555, pl.215 fig.11. Type: [Sri Lanka]: Ceylon. Range (in code): LK
- 80608. *Triphassa flammealis* Hampson,1906** (Pyralidae) **Synonym(s):** *flammealis* Hampson,1906 Range (in code): GH
- 80609. *Triphassa marshalli* (Hampson,1906)** (Pyralidae) **Synonym(s):** *marshalli* Hampson,1906
Original Reference: *Murgisca marshalli* Hampson,1906, Ann. Mag. nat. Hist. 17: 204. Type: South Africa, Natal, Karkloof. Range (in code): ZA Nta Kzu Kkf
- 80610. *Triphassa stalactis* Hübner,1818** (Pyralidae) **Synonym(s):** *stalactis* Hübner,1818; *guttalis* Walker,1866; *#stalactitis* Hampson,1896. Original Reference: *Triphassa stalactis* Hübner,1818, Zutr. Samml. exot. Schmett. 1: 26, pl.26 figs.149, 150. Type: South Africa. Range (in code): ZA Ec Cto
- 80611. *Triphassa xylinalis* (Swinhoe,1886)** (Pyralidae) **Synonym(s):** *xylinalis* Swinhoe,1886
Original Reference: *Pyralis xylinalis* Swinhoe,1886, Proc. zool. Soc. Lond. 1885: 865, pl.57 fig.17. Type: India, Poona. Range (in code): IN Poo Mh PK Cp
- 80612. *Trischistognatha limatalis* (Schaus,1912)** (Pyralidae) **Synonym(s):** *limatalis* Schaus,1912
Range (in code): CR
- 80613. *Trischistognatha ochritacta* (Dyar,1913)** (Pyralidae) **Synonym(s):** *ochritacta* Dyar,1913; *ochrilecta* Klima,1939 Range (in code): MX
- 80614. *Trischistognatha palindialis* (Guenée,1854)** (Pyralidae) **Synonym(s):** *palindialis* Guenée,1854 Range (in code): BR
- 80615. *Trischistognatha pyrenealis* (Walker,1859)** (Pyralidae) **Synonym(s):** *pyrenealis* Walker,1859; *medonalis* Walker,1859; *implicitalis* Möschler,1890; *dyaralis* Fernald,1901 Range (in code): BR PR US FI
- 80616. *Trischistognatha yepezi* Munroe,1973** (Pyralidae) **Synonym(s):** *yepezi* Munroe,1973
Range (in code): VE

- 80617. *Trisidis bisignata* Walker, 1863** (Pyralidae) **Synonym(s):** *bisignata* Walker, 1863 Range (in code): ID Sum MY Swk Bor
- 80618. *Trissonca crocotoxa* Meyrick, 1937** (Pyralidae) **Synonym(s):** *crocotoxa* Meyrick, 1937 Original Reference: *Trissonca crocotoxa* Meyrick, 1937, Exot. Microlepid. 5: 71. Type ♀: Iraq: Ser Amadia, 6000ft., August, E.P. Wiltshire leg. Range (in code): IQ Ama
- 80619. *Trissonca mesactella* (Meyrick, 1879)** (Pyralidae) **Synonym(s):** *mesactella* Meyrick, 1879 Range (in code): AU
- 80620. *Trissonca polycapna* Meyrick, 1937** (Pyralidae) **Synonym(s):** *polycapna* Meyrick, 1937 Original Reference: *Trissonca polycapna* Meyrick, 1937, Exot. Microlepid. 5: 71. Syntypes 2 ♂♀: Iraq: Ser Amadia, 6000ft., August, E.P. Wiltshire leg. Range (in code): IQ Ama
- 80621. *Triuncidia eupalusalis* (Walker, 1859)** (Pyralidae) **Synonym(s):** *eupalusalis* Walker, 1859 Range (in code): VE
- 80622. *Triuncidia ossealis* (Hampson, 1899)** (Pyralidae) **Synonym(s):** *ossealis* Hampson, 1899 Range (in code): EC
- 80623. *Trychnocrana abdivita* Turner, 1925** (Pyralidae) **Synonym(s):** *abdivita* Turner, 1925 Range (in code): AU
- 80624. *Trychnocrana mixoleuca* (Turner, 1904)** (Pyralidae) **Synonym(s):** *mixoleuca* Turner, 1904 Range (in code): AU
- 80625. *Tucumania tapiacola* Dyar, 1925** (Pyralidae) **Synonym(s):** *tapiacola* Dyar, 1925 Range (in code): AU
- 80626. *Tulaya margelana* (Bethune-Baker, 1893)** (Pyralidae) **Synonym(s):** *margelana* Bethune-Baker, 1893 Original Reference: *Hercynella margelana* Bethune-Baker, 1893, Entomologist's mon. Mag. 29: 205. Type: North Persia. Range (in code): IR Elb
- 80627. *Tulaya staudingeri* (Bethune-Baker, 1893)** (Pyralidae) **Synonym(s):** *staudingeri* Bethune-Baker, 1893 Original Reference: *Hercynella staudingeri* Bethune-Baker, 1893, Entomologist's mon. Mag. 29: 204. Type: North Persia. Range (in code): IR Elb
- 80628. *Tulla exonoma* (Meyrick, 1899)** (Pyralidae) **Synonym(s):** *exonoma* Meyrick, 1899 Range (in code): Hw
- 80629. *Turania pentodontalis* (Erschoff, 1874)** (Pyralidae) **Synonym(s):** *pentodontalis* Erschoff, 1874 Original Reference: *Emprepes pentodontalis* Erschoff, 1874, [in] Fedtschenko, Reise in Turkestan 2 (2g) 75, pl. 6 fig. 97. Range (in code): AZ Cc Nv Ord KG IR Elb Kdj Th AF Hr Pag Kab Srb Pli Dwe Gbh Blh
- 80630. *Tylochaes cosmiella* (Meyrick, 1879)** (Pyralidae) **Synonym(s):** *cosmiella* Meyrick, 1879 Range (in code): AU
- 80631. *Tylochaes endophaga* Turner, 1947** (Pyralidae) **Synonym(s):** *endophaga* Turner, 1947 Range (in code): AU
- 80632. *Tylochaes eremonoma* Turner, 1913** (Pyralidae) **Synonym(s):** *eremonoma* Turner, 1913 Range (in code): AU
- 80633. *Tylochaes goniosticha* Turner, 1915** (Pyralidae) **Synonym(s):** *goniosticha* Turner, 1915 Range (in code): AU
- 80634. *Tylochaes gypsotypa* Turner, 1947** (Pyralidae) **Synonym(s):** *gypsotypa* Turner, 1947 Range (in code): AU
- 80635. *Tylochaes melanodes* (Hampson, 1930)** (Pyralidae) **Synonym(s):** *melanodes* Hampson, 1930 Range (in code): AU
- 80636. *Tylochaes szeptucha* Turner, 1904** (Pyralidae) **Synonym(s):** *szeptucha* Turner, 1904 Range (in code): AU
- 80637. *Tyndis dentilinealis* Hampson, 1906** (Pyralidae) **Synonym(s):** *dentilinealis* Hampson, 1906 Range (in code): ZA
- 80638. *Tyndis proteanalis* Hampson, 1906** (Pyralidae) **Synonym(s):** *proteanalis* Hampson, 1906 Range (in code): ZA
- 80639. *Tyndis rubrovittata* Grünberg, 1910** (Pyralidae) **Synonym(s):** *rubrovittata* Grünberg, 1910 Range (in code): ZA
- 80640. *Tyspanodes celebensis* Munroe, 1960** (Pyralidae) **Synonym(s):** *celebensis* Munroe, 1960 Original Reference: *Tyspanodes* [sic!] *celebensis* Munroe, 1960, Can. Ent. 92: 168-170, figs. Holotype ♂: [Indonesia]: Minahassa, N. Celebes (LM). Range (in code): ID Sum
- 80641. *Tyspanodes creaghi* Hampson, 1898** (Pyralidae) **Synonym(s):** *creaghi* Hampson, 1898; *strigatalis* Rothschild, 1915 Range (in code): AU

- 80642. *Tyspanodes hemileucalis* (Hampson,1897)** (Pyrilidae) Synonym(s): *hemileucalis* Hampson,1897 Range (in code): AU
- 80643. *Tyspanodes hypsalis* W.Warren,1891** (Pyrilidae) Synonym(s): *hypsalis* W.Warren,1891 Range (in code): CN KP TW
- 80644. *Tyspanodes linealis* (Moore,1867)** (Pyrilidae) Synonym(s): *linealis* Moore,1867 Original Reference: Propachys linealis Moore,1867, Proc. zool. Soc. London 1867: 665, pl.xxxiii fig.17. Type ♂: India, Darjeeling. Range (in code): IN SI Dj AU TH Utt CMa
- 80645. *Tyspanodes metachrysalis* Lower,1903** (Pyrilidae) Synonym(s): *metachrysalis* Lower,1903; *phaeosticha* Turner,1913 Range (in code): AU
- 80646. *Tyspanodes nigrolinealis* (Moore,1867)** (Pyrilidae) Synonym(s): *nigrolinealis* Moore,1867 Range (in code): IN
- 80647. *Tyspanodes striata* (Butler,1879)** (Pyrilidae) Synonym(s): *striata* Butler,1879 Range (in code): CN KP TW JP
- 80648. *Ubida amochla* Turner,1922** (Pyrilidae) Synonym(s): *amochla* Turner,1922 Range (in code): AU QAU
- 80649. *Ubida hetaerica* Turner,1911** (Pyrilidae) Synonym(s): *hetaerica* Turner,1911 Range (in code): AU NAU
- 80650. *Ubida holomochla* Turner,1904** (Pyrilidae) Synonym(s): *holomochla* Turner,1904 Range (in code): AU
- 80651. *Ubida ramostreillus* Walker,1863** (Pyrilidae) Synonym(s): *ramostreillus* Walker,1863; *receptalis* Walker,1863; *schistellus* Meyrick,1879 Range (in code): AU
- 80652. *Udea absolutalis* (Dyar,1913)** (Pyrilidae) Synonym(s): *absolutalis* Dyar,1913 Range (in code): GY
- 80653. *Udea accolalis* (Zeller,1867)** (Pyrilidae) Synonym(s): *accolalis* Zeller,1867 Range (in code): FR IT CH AT PL CZ SK HU RO YU SE FI EE LV LT RU MD UA BY KG Tk Dj Ii
- 80654. *Udea aenealis* (Hampson,1913)** (Pyrilidae) Synonym(s): *aenealis* Hampson,1913 Range (in code): CO
- 80655. *Udea affinialis* (Zerny,1914)** (Pyrilidae) Synonym(s): *affinialis* Zerny,1914 Original Reference: Pionea affinialis Zerny,1914, Annln naturh. Mus. Wien 28: 332, Taf.xxvi fig. 38. Syntypes 2♂: [Russia]: Sajan-Gebirge: Arasagun-Gol, Munko-Sardyk (ex coll. Bang-Haas). Range (in code): RU Sj
- 80656. *Udea aksuensis* (Caradja,1928)** (Pyrilidae) Synonym(s): *aksuensis* Caradja,1928 Original Reference: Pionea aksuensis Caradja,1928, Dt. ent. Z., Iris 42: 290. Type: East Turkestan: Aksu. Range (in code): CN Ui Au
- 80657. *Udea albescentalis* (Hampson,1900)** (Pyrilidae) Synonym(s): *albescentalis* Hampson,1900 Original Reference: Pionea albescentalis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 395. Holotype ♂: [Turkey]: "Armenia, Mardin" (coll. Staudinger). Range (in code): TR
- 80658. *Udea albifimbrialis* (Walker,1865)** (Pyrilidae) Synonym(s): *albifimbrialis* Walker,1865 Range (in code): JP CN TW
- 80659. *Udea albiflua* (Hampson,1913)** (Pyrilidae) Synonym(s): *albiflua* Hampson,1913 Range (in code): CO
- 80660. *Udea albiluna* (Hampson,1913)** (Pyrilidae) Synonym(s): *albiluna* Hampson,1913 Range (in code): CO
- 80661. *Udea albipunctalis* Dognin,1905** (Pyrilidae) Synonym(s): *albipunctalis* Dognin,1905 Range (in code): EC
- 80662. *Udea alpinalis* ([Denis & Schiffermüller],1775)** (Pyrilidae) Synonym(s): *alpinalis* [Denis & Schiffermüller],1775 Original Reference: Pyralis alpinalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): ES FR IT GB? DE CH AT PL CZ SK RO YU AL Bionomy: Larva on Artemisia, Leuzea rhapontica, Senecio nemoralis (Asteraceae) (Parenti,2000).
- 80663. *Udea amitina* (Butler,1883)** (Pyrilidae) Synonym(s): *amitina* Butler,1883 Range (in code): CL
- 80664. *Udea angustalis* (Dognin,1905)** (Pyrilidae) Synonym(s): *angustalis* Dognin,1905; *nigristriatalis* Hampson,1918 Range (in code): EC CO
- 80665. *Udea annectans* Munroe,1974** (Pyrilidae) Synonym(s): *annectans* Munroe,1974 Range (in code): BO

- 80666. Udea ardekanalis Amsel,1961** (Pyralidae) Synonym(s): *ardekanalis* Amsel,1961 Range (in code): IR Fa
- 80667. Udea asychanalis (Druce,1899)** (Pyralidae) Synonym(s): *asychanalis* Druce,1899 Range (in code): GT
- 80668. Udea auratalis (W.Warren,1895)** (Pyralidae) Synonym(s): *auratalis* W.Warren,1895 Range (in code): CN JP TW
- 80669. Udea austriacalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *austriacalis* Herrich-Schäffer,1851; *donzelalis* Guenée,1854; *sororalis* Heyden,1860; *nitidalis* Heinemann,1865 Range (in code): ES FR IT CH AT RO AL BG GR RU Cc GG Bku Akh Smt At Sj CN Ui Ju
- 80670. Udea austriacalis altaica (Zerny,1914)** (Pyralidae) Synonym(s): *altaica* Zerny,1914 Original Reference: *Pyrausta austriacalis* ssp. *altaica* Zerny,1914, *Annln naturh. Mus. Wien* 28: 334-335. Syntypes: [Russia]: "zentralen Altai". Range (in code): RU At
- 80671. Udea austriacalis austriacalis (Herrich-Schäffer,1851)** (Pyralidae) Synonym(s): *austriacalis* Herrich-Schäffer,1851; *donzelalis* Guenée,1854; *sororalis* Heyden,1860; *nitidalis* Heinemann,1865 Range (in code): ES FR IT CH AT RO AL BG GR
- 80672. Udea austriacalis juldusalis (Zerny,1914)** (Pyralidae) Synonym(s): *juldusalis* Zerny,1914 Original Reference: *Pyrausta austriacalis* ssp. *juldusalis* Zerny,1914, *Annln naturh. Mus. Wien* 28: 335. Syntypes 2♂: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet". Range (in code): CN Ui Ju
- 80673. Udea austriacalis plumbalis (Zerny,1914)** (Pyralidae) Synonym(s): *plumbalis* Zerny,1914 Original Reference: *Pyrausta austriacalis* ssp. *plumbalis* Zerny,1914, *Annln naturh. Mus. Wien* 28: 335. Type ♂: [Russia]: Sajan-Gebirge: "Arasagun-Gol". Range (in code): RU Sj
- 80674. Udea autoclesalis (Walker,1859)** (Pyralidae) Synonym(s): *autoclesalis* Walker,1859 Range (in code): BR Rja
- 80675. Udea berberalis (Barnes & McDunnough,1918)** (Pyralidae) Synonym(s): *berberalis* Barnes & McDunnough,1918 Range (in code): US Cf
- 80676. Udea binocularis (Hampson,1904)** (Pyralidae) Synonym(s): *binocularis* Hampson,1904 Range (in code): BS
- 80677. Udea brevisalis (Walker,1859)** (Pyralidae) Synonym(s): *brevisalis* Walker,1859 Range (in code): IN LK AU QAU PH TW
- 80678. Udea brunnealis (Dognin,1912)** (Pyralidae) Synonym(s): *brunnealis* Dognin,1912 Range (in code): CO
- 80679. Udea capsifera (Meyrick,1933)** (Pyralidae) Synonym(s): *capsifera* Meyrick,1933 Range (in code): AR
- 80680. Udea carniolica Huemer & Tarmann,1989** (Pyralidae) Synonym(s): *carniolica* Huemer & Tarmann,1989 Range (in code): IT AT YU
- 80681. Udea chalcitalis (Hampson,1913)** (Pyralidae) Synonym(s): *chalcitalis* Hampson,1913 Range (in code): CO
- 80682. Udea chalcoclora (Hampson,1916)** (Pyralidae) Synonym(s): *chalcoclora* Hampson,1916 Range (in code): CO
- 80683. Udea cinerea (Butler,1883)** (Pyralidae) Synonym(s): *cinerea* Butler,1883 Range (in code): CL
- 80684. Udea confinalis (Lederer,1858)** (Pyralidae) Synonym(s): *confinalis* Lederer,1858; *graecalis* Staudinger,1870 Original Reference: *Botys confinalis* Lederer,1858, *Wien. ent. Monatschr.* 2: 149 Taf.4 fig.4. Type ♀: Syria: Damask. Range (in code): GR TR Cc SY Dms IQ Ry Hjo IR Elb Nss Com Kz Th Fa Kh
- 80685. Udea coranialis Munroe,1967** (Pyralidae) Synonym(s): *coranialis* Munroe,1967 Range (in code): BO
- 80686. Udea costalis (Eversmann,1852)** (Pyralidae) Synonym(s): *costalis* Eversmann,1852 Range (in code): LV LT RU Sb
- 80687. Udea costiplaga (Dognin,1913)** (Pyralidae) Synonym(s): *costiplaga* Dognin,1913 Range (in code): CO
- 80688. Udea crambialis (Druce,1899)** (Pyralidae) Synonym(s): *crambialis* Druce,1899 Range (in code): MX Vcr
- 80689. Udea cyanalis (La Harpe,1855)** (Pyralidae) Synonym(s): *cyanalis* La Harpe,1855 Range (in code): PT ES FR IT DE CH AT RO YU
- 80690. Udea decoripennis Munroe,1967** (Pyralidae) Synonym(s): *decoripennis* Munroe,1967 Range (in code): CL

- 80691. Udea decrepitalis (Herrich-Schäffer,[1848])** (Pyralidae) Synonym(s): *decrepitalis* Herrich-Schäffer,[1848] Range (in code): FR IT GB DE CH AT PL CZ SK RO YU AL NO SE FI EE LV LT RU MD UA BY
- 80692. Udea deterrentalis (Walker,[1866])** (Pyralidae) Synonym(s): *deteretalis* Walker,[1866] Range (in code): VE
- 80693. Udea dichorda (Hampson,1913)** (Pyralidae) Synonym(s): *dichorda* Hampson,1913 Range (in code): CO
- 80694. Udea diopsalis (Hampson,1913)** (Pyralidae) Synonym(s): *diopsalis* Hampson,1913; *nigerrimaculata* Strand,1917 Range (in code): CL
- 80695. Udea dispunctalis (Guenée,1854)** (Pyralidae) Synonym(s): *#bipunctalis* Herrich-Schäffer,[1851]; *dispunctalis* Guenée,1854; *bipunctalis* Herrich-Schäffer,[1855]; *silvalis* de Joannis,1891 Original Reference: Scopula dispunctalis Guenée,1854, [in] Boisduval & Guenée, Hist. Nat. Ins., Lépid. 8 (Deltoides & Pyralites): 396 (pro *bipunctalis* H-S.). Type: Espana: Ronda. Range (in code): PT ES Mu FR Si Cr TR Cc GG Bjo RU IR Kh
- 80696. Udea distictalis (Hampson,1913)** (Pyralidae) Synonym(s): *distictalis* Hampson,1913 Range (in code): CO
- 80697. Udea dithyralis Dognin,1910** (Pyralidae) Synonym(s): *dithyralis* Dognin,1910 Range (in code): CO
- 80698. Udea elutalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *elutalis* [Denis & Schiffermüller],1775; *albidalis* Hübner,1796 Original Reference: Pyralis elutalis [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): ES FR IT LU DE CH AT PL CZ SK RO FI EE RU MD UA BY Bionomy: Larva on Ranunculus (Ranunculaceae), Fragaria, Rubus fruticosus (Rosaceae), Rumex (Polygonaceae), Plantago (Plantaginaceae), Artemisia, Carduus, Centaurea, Cirsium (Asteraceae) (Huemer,1988).
- 80699. Udea endotrichialis (Hampson,1918)** (Pyralidae) Synonym(s): *endotrichialis* Hampson,1918 Range (in code): TW
- 80700. Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): *ferruginalis* Rossi,1794 *nec* Fabr.,1781; *ferrugalis* Hübner,1796; *#ferugalis* Hübner,1796; *martialis* Guenée,1854; *hypatialis* Walker,1859; *testacea* Butler,1879 Original Reference: Pyralis ferrugalis Hübner,1796, Samml. eur. Schmett. 6,Pyralides: Tab.9 fig.54. Type(s): Europa. Range (in code): DZ MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY IL Pa Hf LB Bsa IR Ahz Elb Mz Kdv Dam Plr Gor Kdj Km Th Fa Shr Sse Kh Gh Tgo IQ Dia Bgd Rwz AF Ca Arh Khi Adr Fz Bsg Hr Blh IN LK MM ET JP TW TH Cma Dst Dso9 Cc GG Tbl Lag Len AZ Sok Cn AE Ajj Clo Bionomy: Larva on Fragaria vesca (Rosaceae); Lycopodium, Mentha, Stachys (Lamiaceae); Verbascum (Scrophulariaceae); Calendula, Eupatorium, Aster, Centaurea, Cirsium, Arctium (Asteraceae) (Wiltshire,1957; Huemer,1988; Parenti,2000).
- 80701. Udea fimbriatralis (Duponchel,1834)** (Pyralidae) Synonym(s): *fimbriatralis* Duponchel,1834; *#fimbriatralis* Rebel,1901 Original Reference: Botys fimbriatralis Duponchel,1834, Hist. nat. lépid. Fr. 8 (2): 352, pl.234 fig.2. Type: [Greece]: "Morée". Range (in code): ES FR RO IT YU BG GR TR Cc IL Pa Hf LB Bsa
- 80702. Udea flavinotata W.Warren,1892** (Pyralidae) Synonym(s): *flavinotata* W.Warren,1892 Range (in code): BR
- 80703. Udea flavofimbriata (Moore,1888)** (Pyralidae) Synonym(s): *flavofimbriata* Moore,1888 Range (in code): IN LK ID Ja TW
- 80704. Udea fulvalis (Hübner,[1809])** (Pyralidae) Synonym(s): *fulvalis* Hübner,[1809]; *prunoidalis* Staudinger,1879 Original Reference: Pyralis fulvalis Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.147. Type(s): Europa. Range (in code): ES FR Co Si IT GB BE NL DE AT PL CZ SK HU RO YU AL BG GR TR DK FI EE LV LT RU MD UA BY AF Hr IR Gl Kh CN Ui Ku
- 80705. Udea fumipennis (W.Warren,1892)** (Pyralidae) Synonym(s): *fumipennis* W.Warren,1892 Range (in code): JF
- 80706. Udea fuscularis (Hampson,1899)** (Pyralidae) Synonym(s): *fuscularis* Hampson,1899 Range (in code): EC
- 80707. Udea fuscularis impunctalis Dognin,1912** (Pyralidae) Synonym(s): *impunctalis* Dognin,1912 Range (in code): EC
- 80708. Udea gigantalis Dognin,1912** (Pyralidae) Synonym(s): *gigantalis* Dognin,1912 Range (in code): CO
- 80709. Udea hageni Viette,1952** (Pyralidae) Synonym(s): *hageni* Viette,1952 Range (in code): ZA

- 80710. Udea hamalis (Thunberg,1788)** (Pyrilidae) Synonym(s): *hamalis* Thunberg,1788; *nyctemeralis* Hübner,[1809] Range (in code): **FR BE LU DE CH AT PL CZ DK NO SE FI EE LV LT RU MD UA BY**
- 80711. Udea helviusalis (Walker,1859)** (Pyrilidae) Synonym(s): *helviusalis* Walker,1859; *itylusalis* Walker,1859; *fuscipalpalis* Walker,1859; *bogotalis* Walker,[1866]; *bogotanella* Walker,[1866] Range (in code): **CO**
- 80712. Udea hyalistis (Lower,1902)** (Pyrilidae) Synonym(s): *hyalistis* Lower,1902; *diplosticta* Turner,1908 Range (in code): **AU**
- 80713. Udea hyalopunctalis Dognin,1910** (Pyrilidae) Synonym(s): *hyalopunctalis* Dognin,1910 Range (in code): **CO**
- 80714. Udea ialis (Walker,1859)** (Pyrilidae) Synonym(s): *ialis* Walker,1859 Range (in code): **BR**
- 80715. Udea illineatalis (Dognin,1904)** (Pyrilidae) Synonym(s): *illineatalis* Dognin,1904 Range (in code): **EC**
- 80716. Udea indistincta (Butler,1883)** (Pyrilidae) Synonym(s): *indistincta* Butler,1883 Range (in code): **CL**
- 80717. Udea infuscalis (Zeller,1852)** (Pyrilidae) Synonym(s): *infuscalis* Zeller,1852 Range (in code): **ZA**
- 80718. Udea inhospitalis W.Warren,1892** (Pyrilidae) Synonym(s): *inhospitalis* W.Warren,1892 Range (in code): **AR**
- 80719. Udea inquinatalis (Lienig & Zeller,1846)** (Pyrilidae) Synonym(s): *inquinatalis* Lienig & Zeller,1846; *glacialis* Packard,1867; *albinalis* Della Beffa,1942 Range (in code): **FR IT DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 80720. Udea institalis (Hübner,[1819])** (Pyrilidae) Synonym(s): ? *focorum* Fourcroy,1785; *institalis* Hübner,[1819]; *rutana* Vallot,1829; *ferreralis* Duponchel,1833 Original Reference: *Pyrilis institalis* Hübner,[1819], Samml. eur. Schmett. 6, Pyralides: Tab.29 fig.182. Type(s): Europa. Range (in code): **DZ Bsk Tni Tis ES Mu FR Si IT SK HU RO YU GR Cr TR IR** Bionomy: Larva on *Eryngium* at Bursa (Mann,1862).
- 80721. Udea lagunalis (Schaus,1913)** (Pyrilidae) Synonym(s): *lagunalis* Schaus,1913 Range (in code): **CR**
- 80722. Udea languidalis (Eversmann,1842)** (Pyrilidae) Synonym(s): *languidalis* Eversmann,1842; *arabescalis* Herrich-Schäffer,1860; *veneralis* Staudinger,1871 Range (in code): **RO SS HV B-H AL BG GR Cr TR Cc AZ Kir Mng Nv Ord IR IQ Ry IL Pa CY UA RU KG Uk**
- 80723. Udea lenta (Meyrick,1936)** (Pyrilidae) Synonym(s): *lenta* Meyrick,1936 Range (in code): **VE**
- 80724. Udea leucepeplalis (Hampson,1900)** (Pyrilidae) Synonym(s): *leucepeplalis* Hampson,1900 Range (in code): **UZ Fe CN Ui Ku**
- 80725. Udea lividalis Dognin,1905** (Pyrilidae) Synonym(s): *lividalis* Dognin,1905 Range (in code): **EC**
- 80726. Udea lutealis (Hübner,[1809])** (Pyrilidae) Synonym(s): *lutealis* Hübner,[1809]; *pascualis* Lienig & Zeller,1846; *aetialis* Stephens,1850; *aetialis* Guenée,1854 Original Reference: *Pyrilis lutealis* Hübner,[1809], Samml. eur. Schmett. 6, Pyralides: Tab.22 fig.145. Type(s): Europa. Range (in code): **ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY CN Ui Ju TR**
- 80727. Udea martialis (Guenée,1854)** (Pyrilidae) Synonym(s): *martialis* Guenée,1854 Range (in code): **TN Elk Sfx**
- 80728. Udea maurinalis (Curtis,1934)** (Pyrilidae) Synonym(s): *maurinalis* Curtis,1934 Range (in code): **FR**
- 80729. Udea mechedalis (Amsel,1950)** (Pyrilidae) Synonym(s): *mechedalis* Amsel,1950 Range (in code): **IR Kh**
- 80730. Udea melanephra (Hampson,1913)** (Pyrilidae) Synonym(s): *melanephra* Hampson,1913 Range (in code): **CO**
- 80731. Udea melanosticta (Butler,1883)** (Pyrilidae) Synonym(s): *melanosticta* Butler,1883 Range (in code): **CL**
- 80732. Udea minnehaha (Pryer,1877)** (Pyrilidae) Synonym(s): *minnehaha* Pryer,1877 Range (in code): **CN KP TW JP**
- 80733. Udea montanalis (Schaus,1912)** (Pyrilidae) Synonym(s): *montanalis* Schaus,1912 Range (in code): **CR**

- 80734. Udea murinalis (Fischer v. Röslerstamm,[1842])** (Pyralidae) Synonym(s): *murinalis* Fischer v. Röslerstamm,[1842] Range (in code): **FR IT CH AT**
- 80735. Udea muscosalis (Hampson,1913)** (Pyralidae) Synonym(s): *muscosalis* Hampson,1913 Range (in code): **ZA**
- 80736. Udea nea (Strand,1918)** (Pyralidae) Synonym(s): *nea* Strand,1918 Range (in code): **TW**
- 80737. Udea nebulalis (Hübner,1796)** (Pyralidae) Synonym(s): *nebulalis* Hübner,1796; *squalidalis* Hübner,[1809]; *pratalis* Zeller,1841 Range (in code): **FR IT DE CH AT PL CZ SK RO YU BG TR NO SE FI EE RU MD UA BY** Bionomy: Larva on Geranium (Geraniaceae), Campanula (Campanulaceae), Bellis, Taraxacum (Asteraceae) (Parenti,2000).
- 80738. Udea nolalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *nolalis* R.Felder & Rogenhofer,1875 Range (in code): **ZA**
- 80739. Udea nomophilodes (Hampson,1913)** (Pyralidae) Synonym(s): *nomophilodes* Hampson,1913 Range (in code): **CL**
- 80740. Udea numeralis (Hübner,1796)** (Pyralidae) Synonym(s): *numeralis* Hübner,1796; *simplicella* La Harpe,1861; *catilualis* Hampson,1900; *thalalis* D.Lucas,1908 Original Reference: *Pyralis numeralis* Hübner,1796, Samml. eur. Schmett. 6, Pyralides: Tab.14 fig.89. Type(s): Europa. Range (in code): **DZ Clo Bttna Lbs Ges TN Elk PT ES FR Co Sa Si IT YU GR Cr TR**
- 80741. Udea obfuscalis (Dognin,1905)** (Pyralidae) Synonym(s): *obfuscalis* Dognin,1905 Range (in code): **EC**
- 80742. Udea obvialis (Hampson,1913)** (Pyralidae) Synonym(s): *obvialis* Hampson,1913 Range (in code): **PE**
- 80743. Udea ochropera (Hampson,1913)** (Pyralidae) Synonym(s): *ochropera* Hampson,1913 Range (in code): **CO**
- 80744. Udea octosignalis (Hulst,1886)** (Pyralidae) Synonym(s): *octosignalis* Hulst,1886; *straminea* W.Warren,1892 Range (in code): **US Cf**
- 80745. Udea olivalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *olivalis* [Denis & Schiffermüller],1775; *umbralis* Hübner,1796 Original Reference: *Pyralis olivalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Actaea (Ranunculaceae), Humulus (Cannabaceae), Urtica (Urticaceae), Fragaria, Geum, Rubus idaeus (Rosaceae); Stachys, Lamium (Lamiaceae), Sambucus, Lonicera (Caprifoliaceae), Chelidonium (Papaveraceae), Lychnis (Caryophyllaceae), Myosotis (Boraginaceae), Veronica (Scrophulariaceae), Chenopodium (Chenopodiaceae), Petasites, Senecio, Tussilago (Asteraceae) (Huemer,1988).
- 80746. Udea olivalis W.Warren,1892** (Pyralidae) Synonym(s): *olivalis* W.Warren,1892 Original Reference: *Mimudea olivalis* W.Warren,1892, Ann. Mag. nat. Hist. (6) 9: 441. Type: Brazil. Range (in code): **BR**
- 80747. Udea pectinalis (Hampson,1913)** (Pyralidae) Synonym(s): *pectinalis* Hampson,1913 Range (in code): **CO**
- 80748. Udea phaealis (Hampson,1899)** (Pyralidae) Synonym(s): *phaealis* Hampson,1899 Range (in code): **MX Vcr**
- 80749. Udea poasalis (Schaus,1912)** (Pyralidae) Synonym(s): *poasalis* Schaus,1912 Range (in code): **CR**
- 80750. Udea polioistolalis (Hampson,1918)** (Pyralidae) Synonym(s): *polioistolalis* Hampson,1918 Range (in code): **TW**
- 80751. Udea praepetalis (Lederer,1869)** (Pyralidae) Synonym(s): *praepetalis* Lederer,1869; *haemopsamma* Meyrick,1937 Original Reference: *Botys praepetalis* Lederer,1869, Horae Soc. ent. ross. 6: 90, pl.5 fig.11. Type: Iran: Astrabad [Gorgan], leg. Haberhauer. Range (in code): **IR Ha Adv Fa Th Kdj Elb Kdv Mz Plr Gor Sse TR Cc AZ Nv Ord IQ Ry Slf TM KK CN Ui Kml**
- 80752. Udea profundalis (Packard,1873)** (Pyralidae) Synonym(s): *profundalis* Packard,1873 Range (in code): **US Cf**
- 80753. Udea prunalis ([Denis & Schiffermüller],1775)** (Pyralidae) Synonym(s): *#prunalis* [Denis & Schiffermüller],1775; *nivealis* Fabricius,1781; *ferruginalis* Fabricius,1781; *leucophaealis* Hübner,1796; *obscura* Dufrane,1955 Original Reference: *Pyralis prunalis* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 121. Type(s): [Austria]: Vienna district [Types presumably destroyed by fire in 1848]. Range (in code): **ES An FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bjo Mng KG Tk Dj Ii**

Bionomy: Larva on Actaea, Anemone, Aquilegia, Ranunculus (Ranunculaceae), Quercus (Fagaceae), Betula (Betulaceae), Corylus (Corylaceae), Ulmus (Ulmaceae), Humulus (Cannabinaceae), Ribes (Saxifragaceae), Fragaria, Geum urbanum, Aruncus dioicus, Prunus padus, P. spinosa, Pyrus, Rosa, Rubus, Sorbus aucuparia (Rosaceae), Urtica (Urticaceae), Acer (Aceraceae), Hedera (Araliaceae), Aegopodium (Apiaceae), Tilia (Tiliaceae), Vaccinium (Ericaceae), Pyrola (Pyrolaceae), Lychnis (Caryophyllaceae), Veronica (Scrophulariaceae), Lonicera, Viburnum (Caprifoliaceae), Fraxinus (Oleaceae), Plantago (Plantaginaceae), Ballota, Glechoma, Lamium, Stachys, Teucrium (Lamiaceae), Tussilago (Asteraceae), Lactuca (Cichoriaceae) ([Denis & Schiffermüller],1775; Huemer,1988

80754. Udea punoalis Munroe,1967 (Pyralidae) Synonym(s): *punoalis* Munroe,1967 Range (in code): PE

80755. Udea pyraustiformis (Toll,1948) (Pyralidae) Synonym(s): *pyraustiformis* Toll,1948
Original Reference: Pionea pyraustiformis Toll,1948, Z. wien. ent. Ges. 32 (1947): 111-112, Taf.4 fig.14; Taf.6 fig.35. Type ♂: Nordost-Persien, Kuh-i-Mirabi. Range (in code): IR Kh

80756. Udea quadrimaculalis Dognin,1908 (Pyralidae) Synonym(s): *quadrimaculalis* Dognin,1908 Range (in code): AR

80757. Udea ragonoti (Butler,1883) (Pyralidae) Synonym(s): *ragonoti* Butler,1883 Range (in code): CL

80758. Udea rhododendronalis (Duponchel,1834) (Pyralidae) Synonym(s): *rhododendronalis* Duponchel,1834; *ventosalis* Leraut,1996; *luquetalis* Leraut,1996 Range (in code): ES FR IT CH AT YU AL BG GR TR **Bionomy:** Larva on Cirsium, Matricaria, Taraxacum (Asteraceae) (Parenti,2000).

80759. Udea rocinalis (Dognin,1897) (Pyralidae) Synonym(s): *rocinalis* Dognin,1897 Range (in code): EC

80760. Udea rubigalis (Guenée,1854) (Pyralidae) Synonym(s): *rubigalis* Guenée,1854; *oblunalis* Lederer,1863; *harveyana* Grote,1877 Range (in code): US

80761. Udea russispersalis (Zerny,1914) (Pyralidae) Synonym(s): *russispersalis* Zerny,1914
Original Reference: Pionea russispersalis Zerny,1914, Annln naturh. Mus. Wien 28: 332, Taf.xxvi fig. 37. Type ♂: [China: Uighur A.R.]: "Juldus, Thian-Shan Gebiet (ex coll. Bang-Haas)". Range (in code): CN Ui Ju

80762. Udea rusticalis (Barnes & McDunnough,1914) (Pyralidae) Synonym(s): *rusticalis* Barnes & McDunnough,1914 Range (in code): US Arz

80763. Udea sabulosalis W.Warren,1892 (Pyralidae) Synonym(s): *sabulosalis* W.Warren,1892 Range (in code): CL

80764. Udea scorialis (Zeller,1847) (Pyralidae) Synonym(s): *scorialis* Zeller,1847 Range (in code): Si

80765. Udea secernalis (Möschler,1890) (Pyralidae) Synonym(s): *secernalis* Möschler,1890 Range (in code): PR

80766. Udea secticostalis (Hampson,1913) (Pyralidae) Synonym(s): *secticostalis* Hampson,1913 Range (in code): PY

80767. Udea sobrinialis (Guenée,1854) (Pyralidae) Synonym(s): *sobrinialis* Guenée,1854 Range (in code): GF

80768. Udea soratalis Munroe,1967 (Pyralidae) Synonym(s): *soratalis* Munroe,1967 Range (in code): BO

80769. Udea stigmatalis (Wileman,1911) (Pyralidae) Synonym(s): *stigmatalis* Wileman,1911 Range (in code): JP TW

80770. Udea suralis (Schaus,1933) (Pyralidae) Synonym(s): *suralis* Schaus,1933 Range (in code): BR

80771. Udea tenoalis Munroe,1974 (Pyralidae) Synonym(s): *tenoalis* Munroe,1974 Range (in code): CL

80772. Udea tetragramma (Clarke,1965) (Pyralidae) Synonym(s): *tetragramma* Clarke,1965 Range (in code): JF

80773. Udea thoonalis (Walker,1859) (Pyralidae) Synonym(s): *thoonalis* Walker,1859 Range (in code):

80774. Udea tisasalis (Druce,1899) (Pyralidae) Synonym(s): *tisasalis* Druce,1899 Range (in code): CR

80775. Udea trilampas Dognin,1912 (Pyralidae) Synonym(s): *trilampas* Dognin,1912 Range (in code): CO

- 80776. Udea tristigmalis (Hampson,1918)** (Pyralidae) Synonym(s): *tristigmalis* Hampson,1918
Range (in code): CO
- 80777. Udea turmalis (Grote,1881)** (Pyralidae) Synonym(s): *turmalis* Grote,1881 Range (in code): US Cf Col Cf
- 80778. Udea turmalis griseor Munroe,1966** (Pyralidae) Synonym(s): *griseor* Munroe,1966
Range (in code): US Cf
- 80779. Udea turmalis turmalis (Grote,1881)** (Pyralidae) Synonym(s): *turmalis* Grote,1881
Range (in code): US Cf Col
- 80780. Udea uliginosalis (Stephens,1834)** (Pyralidae) Synonym(s): *uliginosalis* Stephens,1834;
monticolalis La Harpe,1855 Range (in code): ES FR IT GB DE CH AT PL SK RO YU AL BG
- 80781. Udea umbriferalis (Hampson,1918)** (Pyralidae) Synonym(s): *umbriferalis* Hampson,1918
Range (in code): PE
- 80782. Udea vacunalis (Grote,1881)** (Pyralidae) Synonym(s): *vacunalis* Grote,1881; *galactalis*
Dyar,1925 Range (in code): US Cf
- 80783. Udea vestalis (Hampson,1900)** (Pyralidae) Synonym(s): *vestalis* Hampson,1900 Original
Reference: Pionea vestalis Hampson,1900, Trans. ent. Soc. Lond. 1900 (2): 395. Holotype ♂:
[Turkey]: "Armenia, Mardin" (coll. Staudinger). Range (in code): TR
- 80784. Udea viridalis (Dognin,1904)** (Pyralidae) Synonym(s): *viridalis* Dognin,1904 Range (in code): EC
- 80785. Udea zernyi (Klima,1940)** (Pyralidae) Synonym(s): *melanostictalis* Zerny,1927 *nec*
Hampson,1916; *zernyi* Klima,1939 Original Reference: Pionea zernyi Klima,1940, Z. öst. ent. Ver. 25:
48 (nom. nov. pro melanostictalis Zerny). Type: Spain: Sierra de Alfacar. Range (in code): ES
- 80786. Uinea oreadella Hulst,1888** (Pyralidae) Synonym(s): *oreadella* Hulst,1888 Range (in code): US Col
- 80787. Ulopeza conigeralis Zeller,1852** (Pyralidae) Synonym(s): *conigeralis* Zeller,1852; *latiferalis*
Walker,1865; *trigonalis* Walker,1869; *trigonalis* Mabilie,1890 Range (in code): ZA
- 80788. Ulopeza denticularis Hampson,1912** (Pyralidae) Synonym(s): *denticularis* Hampson,1912
Range (in code): ZA
- 80789. Ulophora flavinia Balinsky,1994** (Pyralidae) Synonym(s): *flavinia* Balinsky,1994 Range
(in code): ZA Tva
- 80790. Ulophora flavinia flavinia Balinsky,1994** (Pyralidae) Synonym(s): *flavinia* Balinsky,1994
Range (in code): ZA Tva
- 80791. Umkulunkula kalahariensis Mey,2010** (Pyralidae) Synonym(s): *kalahariensis* Mey,2010
Original Reference: Umkulunkula kalahariensis Mey,2010, Ent. roman. 15: 6-0, figs. Holotype ♂:
South Africa, Transvaal, Krüger NP, Skukuza 3-11.iii.1992, Krüger & Dunning leg. (TMSA).
Range (in code): ZA Tva Lpo Spb Kru Pf Pot Slp Fs Mdp BW NA ZW Vf
- 80792. Unadillides distichella (Meyrick,1878)** (Pyralidae) Synonym(s): *distichella* Meyrick,1878;
stichosema Turner,1913 Range (in code): AU
- 80793. Unadophanes apatelia (Turner,1905)** (Pyralidae) Synonym(s): *apatelia* Turner,1905
Range (in code): AU
- 80794. Unadophanes atecmarta (Turner,1913)** (Pyralidae) Synonym(s): *atecmarta* Turner,1913
Range (in code): AU
- 80795. Unadophanes trissomita (Turner,1913)** (Pyralidae) Synonym(s): *trissomita* Turner,1913
Range (in code): AU
- 80796. Uncinus discostriella Amsel,1961** (Pyralidae) Synonym(s): *discostriella* Amsel,1961;
#gulbaharensis Amsel,1970. Range (in code): AF Gbh Srb
- 80797. Uncinus hypogryphellus Amsel,1951** (Pyralidae) Synonym(s): *hypogryphellus* Amsel,1951
Range (in code): IR Fa Com
- 80798. Undulambia albitessellalis (Hampson,1906)** (Pyralidae) Synonym(s): *albitessellalis*
Hampson,1906; *#tessellalis* Munroe,1972; *#albitessellalis* Munroe,1972 Range (in code): JM
- 80799. Undulambia arnoulalis (Schaus,1924)** (Pyralidae) Synonym(s): *arnoulalis* Schaus,1924
Range (in code): MX
- 80800. Undulambia asaphalis (Schaus,1924)** (Pyralidae) Synonym(s): *asaphalis* Schaus,1924
Range (in code): PE
- 80801. Undulambia cantiusalis (Schaus,1924)** (Pyralidae) Synonym(s): *cantiusalis* Schaus,1924
Range (in code): PE

- 80802. Undulambia cymialis (Hampson,1907)** (Pyralidae) Synonym(s): *cymialis* Hampson,1907 Range (in code): **BR**
- 80803. Undulambia dendalis (Druce,1896)** (Pyralidae) Synonym(s): *dendalis* Druce,1896 Range (in code): **GT**
- 80804. Undulambia electralis (Dyar,1914)** (Pyralidae) Synonym(s): *electralis* Dyar,1914; *electrale* Dyar,1914 Range (in code): **PA**
- 80805. Undulambia flavicostalis (Hampson,1917)** (Pyralidae) Synonym(s): *flavicostalis* Hampson,1917 Range (in code): **PE**
- 80806. Undulambia fovecosta (Dyar,1914)** (Pyralidae) Synonym(s): *fovecosta* Dyar,1914; *fulvalis* Dyar,1914; *fuscalis* Dyar,1914 Range (in code): **PA**
- 80807. Undulambia fulvicolor (Hampson,1917)** (Pyralidae) Synonym(s): *fulvicolor* Hampson,1917 Range (in code): **PE**
- 80808. Undulambia fulvitinctalis (Hampson,1897)** (Pyralidae) Synonym(s): *fulvitinctalis* Hampson,1897 Range (in code): **PE CR PA**
- 80809. Undulambia grisealis (Hampson,1906)** (Pyralidae) Synonym(s): *grisealis* Hampson,1906 Range (in code): **JM**
- 80810. Undulambia hemigrammalis (Hampson,1917)** (Pyralidae) Synonym(s): *hemigrammalis* Hampson,1917 Range (in code): **BO**
- 80811. Undulambia intortalis (Schaus,1912)** (Pyralidae) Synonym(s): *intortalis* Schaus,1912 Range (in code): **CR**
- 80812. Undulambia jonesalis (Schaus,1906)** (Pyralidae) Synonym(s): *jonesalis* Schaus,1906 Range (in code): **BR**
- 80813. Undulambia leucocymalis (Hampson,1906)** (Pyralidae) Synonym(s): *leucocymalis* Hampson,1906 Range (in code): **JM**
- 80814. Undulambia leucostictalis (Hampson,1895)** (Pyralidae) Synonym(s): *leucostictalis* Hampson,1895 Range (in code): **GD**
- 80815. Undulambia marconalis (Schaus,1924)** (Pyralidae) Synonym(s): *marconalis* Schaus,1924 Range (in code): **PE**
- 80816. Undulambia niveiplagalis (Hampson,1917)** (Pyralidae) Synonym(s): *niveiplagalis* Hampson,1917 Range (in code): **PE**
- 80817. Undulambia oedizonalis (Hampson,1906)** (Pyralidae) Synonym(s): *oedizonalis* Hampson,1906 Range (in code): **JM**
- 80818. Undulambia perornatalis (Schaus,1912)** (Pyralidae) Synonym(s): *perornatalis* Schaus,1912 Range (in code): **CR**
- 80819. Undulambia phaeochroalis (Hampson,1906)** (Pyralidae) Synonym(s): *phaeochroalis* Hampson,1906 Range (in code): **JM**
- 80820. Undulambia polystichalis Capps,1965** (Pyralidae) Synonym(s): *polystichalis* Capps,1965 Range (in code): **US FI**
- 80821. Undulambia rarissima Munroe,1972** (Pyralidae) Synonym(s): *rarissima* Munroe,1972 Range (in code): **US FI**
- 80822. Undulambia semilunalis (Hampson,1897)** (Pyralidae) Synonym(s): *semilunalis* Hampson,1897 Range (in code): **BR Rja**
- 80823. Undulambia striatalis (Dyar,1906)** (Pyralidae) Synonym(s): *striatalis* Dyar,1906 Range (in code): **US FI**
- 80824. Undulambia symphorasalis (Schaus,1924)** (Pyralidae) Synonym(s): *symphorasalis* Schaus,1924 Range (in code): **GT**
- 80825. Undulambia tigrinalis (Dyar,1914)** (Pyralidae) Synonym(s): *tigrinalis* Dyar,1914 Range (in code): **PA**
- 80826. Undulambia vitrinalis (R.Felder & Rogenhofer,1875)** (Pyralidae) Synonym(s): *vitrinalis* R.Felder & Rogenhofer,1875 Range (in code): **GY**
- 80827. Upiga virescens (Hulst,1900)** (Pyralidae) Synonym(s): *virescens* Hulst,1900 Range (in code): **US Arz**
- 80828. Urbania lophopterella Hampson,1901** (Pyralidae) Synonym(s): *lophopterella* Hampson,1901 Range (in code): **ZA**
- 80829. Uresiphita gracilis (Butler,1879)** (Pyralidae) Synonym(s): *gracilis* Butler,1879; *explicatalis* Christoph,1881 Original Reference: Samea gracilis Butler,1879, Illustr. lepid. Het. 3: 74, pl.59 fig.4. Type: Japan. Range (in code): **JP RU CN PK Thu**

- 80830. Uresiphita gracilis meridionalis (Caradja,1934)** (Pyralidae) **Synonym(s):** *meridionalis* Caradja,1934 Original Reference: *Pyrausta gracilis* ssp. *meridionalis* Caradja,1934, Dt. ent. Z., Iris 47: 166. Type: China. Range (in code): **CN**
- 80831. Uresiphita insulicola (Turner,1918)** (Pyralidae) **Synonym(s):** *insulicola* Turner,1918 Range (in code): **AU**
- 80832. Uresiphita ornithopteraleis (Guenéne,1854)** (Pyralidae) **Synonym(s):** *ornithopteraleis* Guenéne,1854 Range (in code): **AU**
- 80833. Uresiphita polygonalis ([Denis & Schiffermüller],1775)** (Pyralidae) **Synonym(s):** *polygonalis* [Denis & Schiffermüller],1775; *#limbalis* [Denis & Schiffermüller],1775; *gilvata* Fabricius,1794; *orientalis* Fabricius,1794; *diversalis* Hübner,1796; *rusticalis* Hübner,1796; *aversalis* Guenéne,1854; *consanguinalis* Guenéne,1854; *teriadalis* Guenéne,1854; *deprivalis* Walker,1859; *virescens* Butler,1881; *ochrocrossa* Clarke,1971 Original Reference: *Pyralis polygonalis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 123. Type(s): Vienna district. Range (in code): **TN Sfx PT ES FR Co Sa Si IT MT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR Cr CY DK RU MD UA BY TR IL Pa Hf LB Bsa IQ Mos Brs Dia Amr Ssa IR Ahz Fa Shr Se Ha GlS Elb Th Kdj Lo KG Tks AF Hr Bmu Kab Srb Arh Gbh Bsg Blh Dwe Bkt PK Cp Gg ZA Tva Lpo Spb Hgl Mdk Lj Sd Krc Lbs An Grn Bei DZ Gtt Onç Anna Orn Ges** Bionomy: Larva on *Cytisus*, *Genista*, *Lygos*, *Phaseolus*, *Spartium*, *Ulex* (Fabaceae) (Parenti,2000).
- 80834. Uresiphita reversalis (Guenée,1854)** (Pyralidae) **Synonym(s):** *reversalis* Guenéne,1854; *hilaralis* Herrich-Schäffer,1871; *deprivalis* Druce,1895 *nec* Wlk.,1859 Range (in code): **CU**
- 80835. Usingeriessa brunnildalis (Dyar,1906)** (Pyralidae) **Synonym(s):** *brunnildalis* Dyar,1906 Range (in code): **US Cf**
- 80836. Usingeriessa onyxalis (Hampson,1897)** (Pyralidae) **Synonym(s):** *onyxalis* Hampson,1897 Range (in code): **MX GT VE**
- 80837. Uthinia albisignalis (Hampson,1896)** (Pyralidae) **Synonym(s):** *albisignalis* Hampson,1896; *albostrigalis* Snellen,1898 Range (in code): **NP IN MM TH VN MY ID Ja Bor Sbh PH**
- 80838. Valdovecaria bradyrrhoella Zerny,1927** (Pyralidae) **Synonym(s):** *bradyrrhoella* Zerny,1927 Range (in code): **ES FR**
- 80839. Valdovecaria umbratella (Treitschke,1832)** (Pyralidae) **Synonym(s):** *umbratella* Treitschke,1832; *ossicolor* Ragonot,1893; *rungsella* Leraut,2002 Range (in code): **MA Ifr DZ Si HV YU TR AF LB IL Pa Hf IR Elb Mz**
- 80840. Valdovecaria unipunctella (Chrétien,1911)** (Pyralidae) **Synonym(s):** *unipunctella* Chrétien,1911 Range (in code): **DZ Onç Bsk**
- 80841. Vaxi jonesella (Dyar,1913)** (Pyralidae) **Synonym(s):** *jonesella* Dyar,1913 Range (in code): **BR**
- 80842. Vaxi obliqua (Hampson,1919)** (Pyralidae) **Synonym(s):** *obliqua* Hampson,1919 Range (in code): **BR**
- 80843. Veldticola irrorella Hampson,1930** (Pyralidae) **Synonym(s):** *irrorella* Hampson,1930 Original Reference: *Veldticola irrorella* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 75. Type ♀: [South Africa]: Transvaal: White R. (Cooke). Range (in code): **ZA Tva Lpo**
- 80844. Veldticola irrorella irrorella Hampson,1930** (Pyralidae) **Synonym(s):** *irrorella* Hampson,1930 Original Reference: *Veldticola irrorella* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 75. Type ♀: [South Africa]: Transvaal: White R. (Cooke). Range (in code): **ZA Tva Lpo**
- 80845. Veldticola megista Hampson,1930** (Pyralidae) **Synonym(s):** *megista* Hampson,1930 Original Reference: *Veldticola megista* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 75-76. syntypes 1♂ 2♀: Mashonaland: Umtali (Janse). Range (in code): **ZW Uma**
- 80846. Veldticola megista megista Hampson,1930** (Pyralidae) **Synonym(s):** *megista* Hampson,1930 Original Reference: *Veldticola megista* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 75-76. syntypes 1♂ 2♀: Mashonaland: Umtali (Janse). Range (in code): **ZW Uma**
- 80847. Veldticola nebulosella Hampson,1930** (Pyralidae) **Synonym(s):** *nebulosella* Hampson,1930 Original Reference: *Veldticola nebulosella* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 74. Type ♀: [South Africa]: Transvaal: Pretoria. Range (in code): **ZA Tva Gau Pre**
- 80848. Veldticola nebulosella nebulosella Hampson,1930** (Pyralidae) **Synonym(s):** *nebulosella* Hampson,1930 Original Reference: *Veldticola nebulosella* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 74. Type ♀: [South Africa]: Transvaal: Pretoria. Range (in code): **ZA Tva Gau Pre**
- 80849. Veldticola persinuella Hampson,1930** (Pyralidae) **Synonym(s):** *persinuella* Hampson,1930 Original Reference: *Veldticola persinuella* Hampson,1930, Ann. Mag. nat. Hist. (10) 5: 73. Type ♀: [South Africa]: Transvaal: White R. (Cooke). Range (in code): **ZA Tva Lpo**

- 80850. Veldticola persinuella persinuella Hampson, 1930** (Pyralidae) Synonym(s): *persinuella Hampson, 1930* Original Reference: Veldticola persinuella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 73. Type ♀: [South Africa]: Transvaal: White R. (Cooke). Range (in code): **ZA Tva Lpo**
- 80851. Veldticola striatella Hampson, 1930** (Pyralidae) Synonym(s): *striatella Hampson, 1930* Original Reference: Veldticola striatella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Syntypes 1♂ 1♀: [South Africa]: Transvaal: Pretoria. Range (in code): **ZA Tva Gau Pre**
- 80852. Veldticola striatella striatella Hampson, 1930** (Pyralidae) Synonym(s): *striatella Hampson, 1930* Original Reference: Veldticola striatella Hampson, 1930, Ann. Mag. nat. Hist. (10) 5: 74. Syntypes 1♂ 1♀: [South Africa]: Transvaal: Pretoria. Range (in code): **ZA Tva Gau Pre**
- 80853. Veronese distinctellus (Leech, 1889)** (Pyralidae) Synonym(s): *distinctellus Leech, 1889* Range (in code): **CN Mc JP**
- 80854. Vietteia terstrigella (Christoph, 1877)** (Pyralidae) Synonym(s): *terstrigella Christoph, 1877* Range (in code): **RU Ur KG Uk TM Krn IR Elb Srd MN CN Ui Ku**
- 80855. Viettessa margaritalis (Hampson, 1910)** (Pyralidae) Synonym(s): *margaritalis Hampson, 1910* Range (in code): **ZA Kzu Nta**
- 80856. Vinculopsis epipaschia Munroe, 1964** (Pyralidae) Synonym(s): *epipaschia Munroe, 1964* Range (in code): **PE**
- 80857. Vinculopsis scybalistia (Hampson, 1898)** (Pyralidae) Synonym(s): *scybalistia Hampson, 1898; venezuelensis Amsel, 1956* Range (in code): **VE PE**
- 80858. Vinicia digrammella (Meyrick, 1879)** (Pyralidae) Synonym(s): *digrammella Meyrick, 1879; gypsopa Meyrick, 1883* Range (in code): **AU ID Sum**
- 80859. Vinicia guttella (Snellen, 1882)** (Pyralidae) Synonym(s): *guttella Snellen, 1882* Range (in code): **ID Sum Ja**
- 80860. Vinicia macrota (Meyrick, 1887)** (Pyralidae) Synonym(s): *macrota Meyrick, 1887* Range (in code): **AU**
- 80861. Vitessa (griseata-gr.) brandti Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *brandti Munroe & Shaffer, 1980* Original Reference: Vitessa brandti Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 269, figs. Holotype ♂: New Britain: Mt. Sinewit. Range (in code): **PG NBr**
- 80862. Vitessa (griseata-gr.) griseata Kenrick, 1907** (Pyralidae) Synonym(s): *griseata Kenrick, 1907* Original Reference: Vitessa griseata Kenrick, 1907, Proc. zool. Soc. Lond. 1907: 75, pl. 3 f. 45. Lectotype ♂: Papua New Guinea: Dinawa (Munroe & Shaffer, 1980). Range (in code): **PG ID Wg**
- 80863. Vitessa (griseata-gr.) nobilis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *nobilis Munroe & Shaffer, 1980* Original Reference: Vitessa nobilis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 270-271, figs. Holotype ♀: Moluccas: Ambon, Mt. Salohotus. Range (in code): **ID Amb**
- 80864. Vitessa (griseata-gr.) talboti (Janse, 1924)** (Pyralidae) Synonym(s): *talboti Janse, 1924* Original Reference: Cosmethis talboti Janse, 1924, Bull. Hill Mus. Witley 1: 503. Lectotype ♂: Moluccas: Seram: Manusela (Munroe & Shaffer, 1980). Range (in code): **ID Crm**
- 80865. Vitessa (hemiallactis-gr.) barretti Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *barretti Munroe & Shaffer, 1980* Original Reference: Vitessa barretti Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 300-301, figs. Holotype ♂: Papua New Guinea: Mt. Hagen. Range (in code): **PG Hag**
- 80866. Vitessa (hemiallactis-gr.) cristobalensis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *cristobalensis Munroe & Shaffer, 1980* Original Reference: Vitessa cristobalensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 302-303, figs. Holotype ♂: Solomon Is.: San Cristobal. Range (in code): **SB Cri**
- 80867. Vitessa (hemiallactis-gr.) glaucoptera Hampson, 1906** (Pyralidae) Synonym(s): *glaucoptera Hampson, 1906* Original Reference: Vitessa glaucoptera Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 216. Holotype ♂: Australia: Queensland: Cedar Bay. Range (in code): **AU QAU**
- 80868. Vitessa (hemiallactis-gr.) hemiallactis Meyrick, 1887** (Pyralidae) Synonym(s): *hemiallactis Meyrick, 1887* Original Reference: Vitessa hemiallactis Meyrick, 1887, Trans. ent. Soc. Lond. 1887: 193. Lectotype ♂: Papua New Guinea: Port Moresby (Munroe & Shaffer, 1980). Range (in code): **ID Ob Mlc Kai Wg PG Adl**
- 80869. Vitessa (hemiallactis-gr.) hemiallactis admiralitatis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *admiralitatis Munroe & Shaffer, 1980* Original Reference: Vitessa

- hemiallactis ssp. admiralitatis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 297-298, figs. Holotype ♂: Admiralty Islands: Manus. Range (in code): **PG Adl**
- 80870. Vitessa (hemiallactis-gr.) hemiallactis hemiallactis Meyrick, 1887** (Pyralidae) Synonym(s): *hemiallactis Meyrick, 1887* Original Reference: Vitessa hemiallactis Meyrick, 1887, Trans. ent. Soc. Lond. 1887: 193. Lectotype ♂: Papua New Guinea: Port Moresby (Munroe & Shaffer, 1980). Range (in code): **ID Kai Wg PG**
- 80871. Vitessa (hemiallactis-gr.) hemiallactis lustrans Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *lustrans Munroe & Shaffer, 1980* Original Reference: Vitessa hemiallactis ssp. lustrans Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 298-299, figs. Holotype ♂: Bismarck Arch.: New Hannover. Range (in code): **PG NHa Bsm SB**
- 80872. Vitessa (hemiallactis-gr.) hemiallactis moluccana Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *moluccana Munroe & Shaffer, 1980* Original Reference: Vitessa hemiallactis ssp. moluccana Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 295-296, figs. Holotype ♂: [Indonesia]: Moluccas: Obi, Lawui. Range (in code): **ID Ob Mlc**
- 80873. Vitessa (hemiallactis-gr.) intermedia Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *intermedia Munroe & Shaffer, 1980* Original Reference: Vitessa intermedia Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 299-300, figs. Holotype ♂: Papua New Guinea: Mambare R., Biagi. Range (in code): **PG**
- 80874. Vitessa (hemiallactis-gr.) seegeri Buchsbaum, Speidel & Chen, 2014** (Pyralidae) Synonym(s): *seegeri Buchsbaum, Speidel & Chen, 2014* Range (in code): **ID Tnm**
- 80875. Vitessa (hemiallactis-gr.) ternatica Lederer, 1863** (Pyralidae) Synonym(s): *ternatica Lederer, 1863; sarumensis Holland, 1900* Original Reference: Vitessa ternatica Lederer, 1863, Wien. ent. Monatschr. 7: 335, 456 pl. 6 f. 7 Holotype ♀: [Indonesia]: Moluccas: [Ternate]. Range (in code): **ID Mlc Trn Bru Crm NG**
- 80876. Vitessa (hieratica-gr.) hieratica Swinhoe, 1900** (Pyralidae) Synonym(s): *hieratica Swinhoe, 1900* Original Reference: Vitessa hieratica Swinhoe, 1900, Cat. Eastern and Austral. Lepid. Het. Coll. Oxford Univ. Mus. 2: 430 pl. 6 f. 22, Holotype ♂: Borneo: Sarawak. Range (in code): **MY Bor Swk Sbh ID Sum**
- 80877. Vitessa (plumosa-gr.) plumosa Hampson, 1896** (Pyralidae) Synonym(s): *plumosa Hampson, 1896* Original Reference: Vitessa plumosa Hampson, 1896, Trans. ent. Soc. Lond. 1896: 503. Holotype ♂: [Indonesia]: Sumbawa. Range (in code): **ID Sly Bli Lb Sbw Kla Tim AU**
- 80878. Vitessa (plumosa-gr.) plumosa plumosa Hampson, 1896** (Pyralidae) Synonym(s): *plumosa Hampson, 1896* Original Reference: Vitessa plumosa Hampson, 1896, Trans. ent. Soc. Lond. 1896: 503. Holotype ♂: [Indonesia]: Sumbawa. Range (in code): **ID Bli Lb Sbw Kla Tim AU**
- 80879. Vitessa (plumosa-gr.) plumosa salayerensis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *salayerensis Munroe & Shaffer, 1980* Original Reference: Vitessa plumosa ssp. salayerensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 317, figs. Holotype ♂: Salayar: Somarisi. Range (in code): **Sly ID**
- 80880. Vitessa (pyraliata-gr.) gemina Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *gemina Munroe & Shaffer, 1980* Original Reference: Vitessa gemina Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 312-313, figs. Holotype ♀: [Indonesia]: New Guinea: [Irian Jaya]: Mefor, Suer. Range (in code): **ID PG**
- 80881. Vitessa (pyraliata-gr.) kolakalis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *kolakalis Munroe & Shaffer, 1980* Original Reference: Vitessa kolakalis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 309-310, figs. Holotype ♂: [Indonesia]: Sulawesi: Ulu Kolaka, 500m. Range (in code): **ID Clb**
- 80882. Vitessa (pyraliata-gr.) muluana Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *muluana Munroe & Shaffer, 1980* Original Reference: Vitessa muluana Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 311-312, figs. Holotype ♀: [Malaysia]: Borneo: Sarawak. Range (in code): **MY Bor Swk Sbh**
- 80883. Vitessa (pyraliata-gr.) nicobarica Hampson, 1896** (Pyralidae) Synonym(s): *nicobarica Hampson, 1896* Original Reference: Vitessa nicobarica Hampson, 1896, Fauna Br. India (Moths) 4: 146. Lectotype ♂: [India]: Nicobar Is. Nancowry (Munroe & Shaffer, 1980). Range (in code): **IN Nk**
- 80884. Vitessa (pyraliata-gr.) pyraliata Walker, 1864** (Pyralidae) Synonym(s): *pyraliata Walker, 1864* Original Reference: Vitessa pyraliata Walker, 1864, List Specimens lepid. Insects

- Colln Br. Mus. 31 (suppl.): 220. Lectotype ♀: [Indonesia]: Sulawesi (Munroe & Shaffer, 1980). Range (in code): **MM MY Bor ID Flo Sum Ja Clb Nat PH Mno Luz ID Clb**
- 80885. Vitessa (pyraliata-gr.) pyraliata latialbata Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *latialbata* Munroe & Shaffer, 1980 Original Reference: Vitessa pyraliata ssp. latialbata Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 306-308, figs. Holotype ♂: [Malaysia]: Malaya: Maxwell Hill. Range (in code): **MM MY Bor ID Sum Ja Clb Nat Flo PH**
- 80886. Vitessa (pyraliata-gr.) pyraliata pyraliata Walker, 1864** (Pyralidae) Synonym(s): *pyraliata* Walker, 1864 Original Reference: Vitessa pyraliata Walker, 1864, List Specimens lepid. Insects Colln Br. Mus. 31 (suppl.): 220. Lectotype ♀: [Indonesia]: Sulawesi (Munroe & Shaffer, 1980). Range (in code): **ID Clb Flo**
- 80887. Vitessa (pyraliata-gr.) pyraliata triangulifera Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *triangulifera* Munroe & Shaffer, 1980 Original Reference: Vitessa pyraliata ssp. triangulifera Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 308, figs. Holotype ♂: Philippines: Luzon: Benguet, Baguio. Range (in code): **PH Luz Mno**
- 80888. Vitessa (pyraliata-gr.) splendida Schultze, 1908** (Pyralidae) Synonym(s): *splendida* Schultze, 1908 Original Reference: Vitessa splendida Schultze, 1908, Philipp. J. Sci. 3(1) A: 35, pl. 1 f. 11. Holotype ♀ [destroyed]: Philippines: Negros occ.: Maaao. Range (in code): **PH Luz Mno Neg Pal**
- 80889. Vitessa (pyraliata-gr.) sulaensis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *sulaensis* Munroe & Shaffer, 1980 Original Reference: Vitessa sulaensis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 310-311, figs. Holotype ♀: [Indonesia]: Moluccas: Sula Besi. Range (in code): **ID Mlc**
- 80890. Vitessa (stettina-gr.) hollandi Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *hollandi* Munroe & Shaffer, 1980 Original Reference: Vitessa hollandi Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 290-291, figs. Holotype ♂: Papua New Guinea: Finisterre Mt., Wantoat, 1200m. Range (in code): **ID Clb PG**
- 80891. Vitessa (stettina-gr.) hollandi hollandi Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *hollandi* Munroe & Shaffer, 1980 Original Reference: Vitessa hollandi Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 290-291, figs. Holotype ♂: Papua New Guinea: Finisterre Mt., Wantoat, 1200m. Range (in code): **PG**
- 80892. Vitessa (stettina-gr.) hollandi wallacealis Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *wallacealis* Munroe & Shaffer, 1980 Original Reference: Vitessa hollandi ssp. wallacealis Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 289-290, figs. Holotype ♂: [Indonesia]: Sulawesi: Menado. Range (in code): **ID Clb**
- 80893. Vitessa (stettina-gr.) philippina Munroe & Shaffer, 1980** (Pyralidae) Synonym(s): *philippina* Munroe & Shaffer, 1980 Original Reference: Vitessa philippina Munroe & Shaffer, 1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 286-287, figs. Holotype ♀: Philippines: Luzon: Manila. Range (in code): **PH Luz Mno**
- 80894. Vitessa (stettina-gr.) stettina Swinhoe, 1906** (Pyralidae) Synonym(s): *stettina* Swinhoe, 1906 Original Reference: Vitessa stettina Swinhoe, 1906, Ann. Mag. nat. Hist. (7) 18: 412. Lectotype ♀: Papua New Guinea: [Port Moresby]: Granville (Munroe & Shaffer, 1980). Range (in code): **ID Wg PG**
- 80895. Vitessa (suradeva-gr.) suradeva Moore, [1860]** (Pyralidae) Synonym(s): *suradeva* Moore, [1860] Original Reference: Vitessa suradeva Moore, [1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 299, pl. 7a f. 7. Lectotype ♂: India: Assam: Chera Poonjee (Munroe & Shaffer, 1980). Range (in code): **PH CmM Mno IN Ass Cpj LK MM Adm Mrg TH CMa Dst Ds10 MY Bor ID Sum Aru** Bionomy: Larva on Chailletia sumatrana (Dichapetalaceae) (Kaltenbach & Roesler, 1989).
- 80896. Vitessa (suradeva-gr.) suradeva rama Moore, 1885** (Pyralidae) Synonym(s): *rama* Moore, 1885 Original Reference: Vitessa rama Moore, 1885, Lepid. Ceylon 3: 256, pl. 178 f. 4. Lectotype ♂: Sri Lanka: Ceylon (Munroe & Shaffer, 1980). Range (in code): **IN LK ID Sum** Bionomy: Larva on Chailletia sumatrana (Dichapetalaceae) (Kaltenbach & Roesler, 1989).
- 80897. Vitessa (suradeva-gr.) suradeva suradeva Moore, [1860]** (Pyralidae) Synonym(s): *suradeva* Moore, [1860]; *formosa* R. Felder & Rogenhofer, 1874 Original Reference: Vitessa suradeva Moore, [1860], [in] Horsfield & Moore, Cat. lepid. Insects Museum Hon. East-India Co. 2: 299, pl. 7a f. 7. Lectotype ♂: India: Assam: Chera Poonjee (Munroe & Shaffer, 1980). Range (in code): **PH CmM Mno IN Ass Cpj MM Adm Mrg TH CMa Dst MY Bor ID Aru**

- 80898. Vitessa (suradeva-gr.) teleroma Swinhoe,1906** (Pyralidae) Synonym(s): *teleroma Swinhoe,1906* Original Reference: Vitessa teleroma Swinhoe,1906, Ann. Mag. nat. Hist. (7) 18: 412. Lectotype ♂: [Malaysia]: Malaya: Perak (Munroe & Shaffer, 1980). Range (in code): **MY Prk Bor ID Sum**
- 80899. Vitessa (zemire-gr.) cyanea Hampson,1906** (Pyralidae) Synonym(s): *cyanea Hampson,1906* Original Reference: Vitessa cyanea Hampson,1906, Ann. Mag. nat. Hist. (7)17: 217. Holotype ♂: Ferguson Island. Range (in code): **ID Crm PG Fg**
- 80900. Vitessa (zemire-gr.) cyanea ceramensis Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *ceramensis Munroe & Shaffer,1980* Original Reference: Vitessa cyanea ssp. ceramensis Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 273, figs. Holotype ♀: Moluccas: Seram: Jllo. Range (in code): **ID Crm**
- 80901. Vitessa (zemire-gr.) cyanea cyanea Hampson,1906** (Pyralidae) Synonym(s): *cyanea Hampson,1906* Original Reference: Vitessa cyanea Hampson,1906, Ann. Mag. nat. Hist. (7)17: 217. Holotype ♂: Ferguson Island. Range (in code): **PG Fg**
- 80902. Vitessa (zemire-gr.) tamsi Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *tamsi Munroe & Shaffer,1980* Original Reference: Vitessa tamsi Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 283-285, figs. Holotype ♀: Samoa: Upolu, Moamoa. Range (in code): **SM**
- 80903. Vitessa (zemire-gr.) vitalis Hampson,1906** (Pyralidae) Synonym(s): *vitalis Hampson,1906* Original Reference: Vitessa vitalis Hampson,1906, Ann. Mag. nat. Hist. (7)17: 217. Holotype ♀: Fiji. Range (in code): **FJ Van Vil Lau**
- 80904. Vitessa (zemire-gr.) zemire (Stoll,[1781])** (Pyralidae) Synonym(s): *zemire Stoll,[1781]; #zemira Lederer,1863; #zalmira Hampson,1906; temerata Swinhoe,1906; nephritica Munroe & Shaffer,1980; coronis Munroe & Shaffer,1980; novaebritanniae Munroe & Shaffer,1980; solomonis Munroe & Shaffer,1980; cheesmanae Munroe & Shaffer,1980.* Original Reference: Phalaena zemire Stoll,[1781], [in] Cramer, Uitl. Kapellen 4: 149, pl.367 f.1. Type ♂: [Moluccas]: Amboina. Range (in code): **Ij Hm Wg Slw Mi Aru Eca PG NBr NHa Nlr Bsm PMo ID Crm Amb AU QAU SB Bgv Hon4 Hon Chs NH**
- 80905. Vitessa (zemire-gr.) zemire cheesmanae Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *cheesmanae Munroe & Shaffer,1980* Range (in code): **NH**
- 80906. Vitessa (zemire-gr.) zemire coronis Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *coronis Munroe & Shaffer,1980* Range (in code): **PG Bsm**
- 80907. Vitessa (zemire-gr.) zemire expansa Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *expansa Munroe & Shaffer,1980* Original Reference: Vitessa zemire ssp. expansa Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 275, figs. Holotype ♀: Moluccas: Halmahera. Range (in code): **ID Hm**
- 80908. Vitessa (zemire-gr.) zemire nephritica Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *nephritica Munroe & Shaffer,1980* Range (in code): **AU QAU**
- 80909. Vitessa (zemire-gr.) zemire novobritanniae Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *novobritanniae Munroe & Shaffer,1980* Range (in code): **PG NBr NHa Nlr**
- 80910. Vitessa (zemire-gr.) zemire solomonis Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *solomonis Munroe & Shaffer,1980* Range (in code): **SB Hon4 Hon Chs PG Bgv**
- 80911. Vitessa (zemire-gr.) zemire temerata Swinhoe,1906** (Pyralidae) Synonym(s): *temerata Swinhoe,1906* Range (in code): **ID PG Mi Aru Wg Slw Eca**
- 80912. Vitessa (zemire-gr.) zemire zemire (Stoll,[1781])** (Pyralidae) Synonym(s): *zemire Stoll,[1781]; #zemira Lederer,1863; #zalmira Hampson,1906; temerata Swinhoe,1906; nephritica Munroe & Shaffer,1980; coronis Munroe & Shaffer,1980; novaebritanniae Munroe & Shaffer,1980; solomonis Munroe & Shaffer,1980; cheesmanae Munroe & Shaffer,1980.* Original Reference: Phalaena zemire Stoll,[1781], [in] Cramer, Uitl. Kapellen 4: 149, pl.367 f.1. Type ♂: [Moluccas]: Amboina. Range (in code): **Ij Wg Slw Mi PG NBr NHa Nlr Bsm PMo ID Crm Amb AU QAU SB Bgv Hon4 Hon NH**
- 80913. Vitessa gritschocerae Buchsbaum,2000** (Pyralidae) Synonym(s): *gritschoerae Buchsbaum,2000* Original Reference: Vitessa gritschocerae Buchsbaum,2000, Ent. Z., Frankf. a. M. 110 (11): 337, figs.1-5. Holotype: Malaysia: North-Borneo: Sabah. Range (in code): **MY Bor Sbh**
- 80914. Vitessidia diaphana Rothschild & Jordan,1905** (Pyralidae) Synonym(s): *diaphana Rothschild & Jordan,1905* Original Reference: Vitessidia diaphana Rothschild & Jordan,1905, Novit. zool. 12: 475. Holotype ♂: New Guinea: Papua: Angabunga R., 1850m. Range (in code): **ID PG Ij**
- 80915. Vitessidia geometrina Munroe & Shaffer,1980** (Pyralidae) Synonym(s): *geometrina Munroe & Shaffer,1980* Original Reference: Vitessidia geometrina Munroe & Shaffer,1980, Bull. Br. Mus. nat. Hist. (Ent.) 39(4): 253-254, figs. Holotype ♀: New Guinea: Papua: Aroa R. Range (in code): **ID PG Ij**

- 80916. Vittabotys mediomaculalis Munroe & Mutuura,1970** (Pyrilidae) Synonym(s): *mediomaculalis* Munroe & Mutuura,1970 Range (in code): **CN Kwa**
- 80917. Vitula biviella (Zeller,1848)** (Pyrilidae) Synonym(s): *biviella* Zeller,1848 Range (in code): **ES Mu FR Co IT NL DE CH AT PL CZ SK HU YU DK SE FI LV LT RU**
- 80918. Vitula bombylicolella (Amsel,1955)** (Pyrilidae) Synonym(s): *bombylicolella* Amsel,1955 Range (in code): **DE DK US**
- 80919. Vitula edmandsii (Packard,1865)** (Pyrilidae) Synonym(s): *edmandsii* Packard,1865 Range (in code): **DE DK NO SE**
- 80920. Voliba asphyctopa Turner,1908** (Pyrilidae) Synonym(s): *asphyctopa* Turner,1908 Range (in code): **AU**
- 80921. Voliba leptomorpha Turner,1908** (Pyrilidae) Synonym(s): *leptomorpha* Turner,1908; *dactyliota* Turner,1908 Range (in code): **AU**
- 80922. Voliba psammoessa Turner,1908** (Pyrilidae) Synonym(s): *psammoessa* Turner,1908 Range (in code): **AU**
- 80923. Voliba pycnosticta Turner,1908** (Pyrilidae) Synonym(s): *pycnosticta* Turner,1908 Range (in code): **AU**
- 80924. Voliba scoparialis (Walker,[1886])** (Pyrilidae) Synonym(s): *scoparialis* Walker,[1886] Range (in code): **AU**
- 80925. Volobilis biplaga Walker,1863** (Pyrilidae) Synonym(s): *biplaga* Walker,1863 Range (in code): **TW Bor MY ID IN Meg Ass Khs MM LK Sum Ja Bli Clb Swk PH Luz Mno NH**
- 80926. Volobilis biplaga taiwanella Shibuya,1928** (Pyrilidae) Synonym(s): *taiwanella* Shibuya,1928 Range (in code): **TW**
- 80927. Volobilis chloropterella (Hampson,1896)** (Pyrilidae) Synonym(s): *chloropterella* Hampson,1896 Range (in code): **LK JP MM MY Bor TW IN Meg Ass Khs Swk SG ID Sum Ja Clb PH Mno PG AU Bsm SB Adl Bgv Ls**
- 80928. Volobilis ochridorsalis (Wileman & South,1919)** (Pyrilidae) Synonym(s): *ochridorsalis* Wileman & South,1919 Range (in code): **TW**
- 80929. Volobilis sp.A** (Pyrilidae) Synonym(s): Range (in code): **AU**
- 80930. Witlesia pallida (Curtis,1827)** (Pyrilidae) Synonym(s): *pallida* Curtis,1827; *oertzeniella* Herrich-Schäffer,1848 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU Cc AZ Len IR TR KG**
- 80931. Xanthocrambus argentarius (Staudinger,1867)** (Pyrilidae) Synonym(s): *argentarius* Staudinger,1867 Range (in code): **RU Ur Mnu Kj Am KG Tk Dj CN Ui Ku Ju Ii Ti Btn Shs Gn TR**
- 80932. Xanthocrambus caducellus (Müller-Rutz,1909)** (Pyrilidae) Synonym(s): *caducellus* Müller-Rutz,1909; *occidentellus* Caradja,1910. Range (in code): **ES FR IT CH**
- 80933. Xanthocrambus delicatellus (Zeller,1863)** (Pyrilidae) Synonym(s): *delicatellus* Zeller,1863; *amseli* Hartig & Amsel,1951. Range (in code): **PT ES FR Sa Si IT**
- 80934. Xanthocrambus lucellus (Herrich-Schäffer,[1848])** (Pyrilidae) Synonym(s): *lucellus* Herrich-Schäffer,[1848]; *#atrax* Galvagni,1909; *magna* Caradja,1926 Range (in code): **FR IT DE CH AT SK HU RO RU Mnu Kj Am Prj Us KP KR CN Sz Kgs Shs JP Hkk Kyu**
- 80935. Xanthocrambus saxonellus (Zincken,1821)** (Pyrilidae) Synonym(s): *saxonellus* Zincken,1821; *chrysellus* Treitschke,1832; *carentellus* Christoph,1888 Original Reference: Chilo saxonellus Zincken,1821, Germar's Mag. Ent. 4: 254. Type(s): Deutschland: Leipzig. Range (in code): **DZ Ges FR Co Sa IT BE DE CH AT CZ SK HU RO YU AL BG GR RU MD UA BY TR Cc AM Eri IR Gor Elb Shh Kdv Mz Plr**
- 80936. Xanthocrambus watsoni Bleszynski,1960** (Pyrilidae) Synonym(s): *watsoni* Bleszynski,1960 Range (in code): **MA DZ**
- 80937. Xanthomelaena schematias (Meyrick,1894)** (Pyrilidae) Synonym(s): *schematias* Meyrick,1894 Range (in code): **MM**
- 80938. Xanthophysa psychialis (Hulst,1886)** (Pyrilidae) Synonym(s): *psychialis* Hulst,1886; *#psychialis* Hampson,1898 Range (in code): **US Tx**
- 80939. Xanthopsamma aurantialis Munroe & Mutuura,1968** (Pyrilidae) Synonym(s): *aurantialis* Munroe & Mutuura,1968 Range (in code): **CN Hun Kgs Tkg**
- 80940. Xanthopsamma youboialis Munroe & Mutuura,1968** (Pyrilidae) Synonym(s): *youboialis* Munroe & Mutuura,1968 Range (in code): **CN Hn**
- 80941. Xanthostege plana (Grote,1883)** (Pyrilidae) Synonym(s): *plana* Grote,1883 Range (in code): **US Arz**

- 80942. Xanthostege roseiterminalis (Barnes & McDunnough,1914)** (Pyralidae)
Synonym(s): *roseiterminalis* Barnes & McDunnough,1914 Range (in code): US Tx
- 80943. Xenomilia humeralis W.Warren,1896** (Pyralidae) Synonym(s): *humeralis* W.Warren,1896 Range (in code): TH CMA IN CN Yu
- 80944. Xubida cayugella Schaus,1922** (Pyralidae) Synonym(s): *cayugella* Schaus,1922 Range (in code): GT
- 80945. Xubida circumvagans (Dyar,1922)** (Pyralidae) Synonym(s): *circumvagans* Dyar,1922 Range (in code): MX
- 80946. Xubida cretaceipars (Dyar,1914)** (Pyralidae) Synonym(s): *cretaceipars* Dyar,1914 Range (in code): PA
- 80947. Xubida delinqualis (Dyar,1914)** (Pyralidae) Synonym(s): *delinqualis* Dyar,1914 Range (in code): GY
- 80948. Xubida dentilineatella (Barnes & McDunnough,1913)** (Pyralidae) Synonym(s): *dentilineatella* Barnes & McDunnough,1913 Range (in code): US Arz
- 80949. Xubida dentilineella Schaus,1922** (Pyralidae) Synonym(s): *dentilineella* Schaus,1922 Range (in code): GT
- 80950. Xubida infusellus (Walker,1863)** (Pyralidae) Synonym(s): *infusellus* Walker,1863; *comparellus* R.Felder & Rogenhofer,1875; *surinamellus* Möschler,1881; *ignitalis* Hampson,1895; *caryugella* Schaus,1922 Range (in code): AU
- 80951. Xubida minorella Schaus,1922** (Pyralidae) Synonym(s): *minorella* Schaus,1922 Range (in code): GT
- 80952. Xubida monodisa (Dyar,1914)** (Pyralidae) Synonym(s): *monodisa* Dyar,1914 Range (in code): PA
- 80953. Xubida narinella Schaus,1922** (Pyralidae) Synonym(s): *narinella* Schaus,1922 Range (in code): GT
- 80954. Xubida neogynaecella (Dyar,1914)** (Pyralidae) Synonym(s): *neogynaecella* Dyar,1914 Range (in code): PA
- 80955. Xubida rutubella (Schaus,1913)** (Pyralidae) Synonym(s): *rutubella* Schuas,1913 Range (in code): CR
- 80956. Xubida strictalis (Dyar,1914)** (Pyralidae) Synonym(s): *strictalis* Dyar,1914 Range (in code): MX
- 80957. Xubida thyonella (Schaus,1913)** (Pyralidae) Synonym(s): *thyonella* Schaus,1913 Range (in code): CR
- 80958. Xubida venadialis Schaus,1922** (Pyralidae) Synonym(s): *venadialis* Schaus,1922 Range (in code): MX
- 80959. Yoshiyasua yasudai (Yoshiyasu,1985)** (Pyralidae) Synonym(s): *yasudai* Yoshiyasu,1985 Range (in code): JP Ri
- 80960. Zacatecas ankasokellus (Viette,1960)** (Pyralidae) Synonym(s): *ankasokellus* Viette,1960 Range (in code): MG
- 80961. Zagiridia noctualis Hampson,1897** (Pyralidae) Synonym(s): *noctualis* Hampson,1897; *rufalis* Hampson,1917 Range (in code): AU
- 80962. Zamora bertazzii (Turati,1926)** (Pyralidae) Synonym(s): *bertazzii* Turati,1926 Range (in code): LY Cy
- 80963. Zeadiatraea grandiosella (Dyar,1911)** (Pyralidae) Synonym(s): *grandiosella* Dyar,1911 Range (in code): US MX
- 80964. Zeadiatraea lineolata (Walker,1856)** (Pyralidae) Synonym(s): *lineolata* Walker,1856; *culminicolella* Zeller,1863; *neuricella* Zeller,1863; *angustella* Dyar,1911; *pallidostricta* Dyar,1911 Range (in code): MX CU
- 80965. Zeadiatraea muellerella (Dyar & Heinrich,1927)** (Pyralidae) Synonym(s): *muellerella* Dyar & Heinrich,1927 Range (in code): MX
- 80966. Zeadiatraea schausella (Dyar & Heinrich,1927)** (Pyralidae) Synonym(s): *schausella* Dyar & Heinrich,1927 Range (in code): GT
- 80967. Zebronia phenice (Cramer,[1780])** (Pyralidae) Synonym(s): *phenice* Cramer,[1780]; *perspicalis* Hübner,[1811]; *foederalis* Hübner,[1825]; *podalirialis* Guenée,1854; *lathurusalis* Walker,1859; *trivilvalis* Mabilie,1880; *imparivirgalis* Mabilie,1881; *#podaliavialis* Hampson,1897; *#podalivalis* Klima,1937; *#podalivalvis* Pi Range (in code): ZA
- 80968. Zitha absconsalis Leraut,2011** (Pyralidae) Synonym(s): *absconsalis* Leraut,2011 Range (in code): MG

- 80969. *Zitha adjunctalis* Leraut,2007** (Pyrilidae) Synonym(s): *adjunctalis* Leraut,2007 Range (in code): MG
- 80970. *Zitha agnielealis* Leraut,2011** (Pyrilidae) Synonym(s): *agnielealis* Leraut,2011 Range (in code): MG
- 80971. *Zitha albostrigalis* (Saalmüller,1880)** (Pyrilidae) Synonym(s): *albostrigalis* Saalmüller,1880 Range (in code): MG
- 80972. *Zitha allutalis* (Zeller,1852)** (Pyrilidae) Synonym(s): *allutalis* Zeller,1852; *cleoalis* Walker,1859; *harpyialis* Walker,1859; *rubiginalis* Walker,1863; *#illutalis* Janse,1917 Range (in code): ZA
- 80973. *Zitha alticolalis* Leraut,2011** (Pyrilidae) Synonym(s): *alticolalis* Leraut,2011 Range (in code): MG
- 80974. *Zitha ambatosoratralis* Leraut,2008** (Pyrilidae) Synonym(s): *ambatosoratralis* Leraut,2008 q Range (in code): MG
- 80975. *Zitha ambinanitalis* (Viette,1960)** (Pyrilidae) Synonym(s): *ambinanitalis* Viette,1960 q Range (in code): MG
- 80976. *Zitha ambodirianalis* Leraut,2011** (Pyrilidae) Synonym(s): *ambodirianalis* Leraut,2011 q Range (in code): MG
- 80977. *Zitha ambralis* Leraut,2011** (Pyrilidae) Synonym(s): *ambralis* Leraut,2011 q Range (in code): MG
- 80978. *Zitha angustifascia* (Caradja,1937)** (Pyrilidae) Synonym(s): *angustifascia* Caradja,1937 q Range (in code): CN
- 80979. *Zitha ankafinalis* Leraut,2007** (Pyrilidae) Synonym(s): *ankafinalis* Leraut,2007 q Range (in code): MG
- 80980. *Zitha ankasokalis* (Viette,1960)** (Pyrilidae) Synonym(s): *ankasokalis* Viette,1960 q Range (in code): MG
- 80981. *Zitha anneliese* (Viette,1981)** (Pyrilidae) Synonym(s): *anneliese* Viette,1981 q Range (in code): MG
- 80982. *Zitha arambourgi* Leraut,2011** (Pyrilidae) Synonym(s): *arambourgi* Leraut,2011 Range (in code): KE
- 80983. *Zitha barbutalis* Leraut,2008** (Pyrilidae) Synonym(s): *barbutalis* Leraut,2008 Range (in code): MG
- 80984. *Zitha belalonalis* Leraut,2011** (Pyrilidae) Synonym(s): *belalonalis* Leraut,2011 Range (in code): MG
- 80985. *Zitha betsakotsakoalis* Leraut,2011** (Pyrilidae) Synonym(s): *betsakotsakoalis* Leraut,2011 Range (in code): MG
- 80986. *Zitha bombycalis* Leraut,2007** (Pyrilidae) Synonym(s): *bombycalis* Leraut,2007 Range (in code): MG
- 80987. *Zitha cambeforti* Leraut,2011** (Pyrilidae) Synonym(s): *cambeforti* Leraut,2011 Range (in code): MG
- 80988. *Zitha capuronalis* (Viette,1960)** (Pyrilidae) Synonym(s): *capuronalis* Viette,1960 Range (in code): MG
- 80989. *Zitha catochrysalis* (Ragonot,1891)** (Pyrilidae) Synonym(s): *catochrysalis* Ragonot,1891 Range (in code): MG
- 80990. *Zitha cyanealis* (Mabille,1879)** (Pyrilidae) Synonym(s): *cyanealis* Mabille,1879 Range (in code): MG
- 80991. *Zitha dakarensis* Leraut,2007** (Pyrilidae) Synonym(s): *dakarensis* Leraut,2007 Range (in code): SN
- 80992. *Zitha decrepis* (Viette,1989)** (Pyrilidae) Synonym(s): *decrepis* Viette,1989 Range (in code): MG
- 80993. *Zitha deuvealis* Leraut,2009** (Pyrilidae) Synonym(s): *deuvealis* Leraut,2009 Range (in code): MG
- 80994. *Zitha didyalis* Leraut,2008** (Pyrilidae) Synonym(s): *didyalis* Leraut,2008 Range (in code): MG
- 80995. *Zitha fulviceps* Hampson,1917** (Pyrilidae) Synonym(s): *fulviceps* Hampson,1917 Range (in code): MW Mje
- 80996. *Zitha gallienalis* (Viette,1960)** (Pyrilidae) Synonym(s): *gallienalis* Viette,1960 Range (in code): MG

- 80997. *Zitha geometralis* Leraut,2007** (Pyralidae) Synonym(s): *geometralis* Leraut,2007 Range (in code): MG
- 80998. *Zitha gueneecalis* Leraut,2011** (Pyralidae) Synonym(s): *ignealis* Marion,1955 (preocc.); *gueneecalis* Leraut,2011 Range (in code): MG
- 80999. *Zitha herbulotalis* (Marion,1954)** (Pyralidae) Synonym(s): *herbulotalis* Marion,1954 Range (in code): MG
- 81000. *Zitha hiarakalis* Leraut,2011** (Pyralidae) Synonym(s): *hiarakalis* Leraut,2011 Range (in code): MG
- 81001. *Zitha hongalis* Leraut,2011** (Pyralidae) Synonym(s): *hongalis* Leraut,2011 Range (in code): MG
- 81002. *Zitha humberti* (Viette,1973)** (Pyralidae) Synonym(s): *humberti* Viette,1973 Range (in code): MG
- 81003. *Zitha ignalis* (Guenée,1854)** (Pyralidae) Synonym(s): *ignalis* Guenée,1854 Range (in code): ZA
- 81004. *Zitha joannisalis* Leraut,2008** (Pyralidae) Synonym(s): *joannisalis* Leraut,2008 Range (in code): MG
- 81005. *Zitha lalannealis* Leraut,2009** (Pyralidae) Synonym(s): *lalannealis* Leraut,2009 Range (in code): MG
- 81006. *Zitha laminalis* (Guenée,1854)** (Pyralidae) Synonym(s): *laminalis* Guenée,1854 Range (in code): ZA
- 81007. *Zitha legrandalis* Leraut,2009** (Pyralidae) Synonym(s): *legrandalis* Leraut,2009 Range (in code): MG
- 81008. *Zitha lignosalis* (Viette,1960)** (Pyralidae) Synonym(s): *lignosalis* Viette,1960 Range (in code): MG
- 81009. *Zitha luquetalis* Leraut,2011** (Pyralidae) Synonym(s): *luquetalis* Leraut,2011 Range (in code): MG
- 81010. *Zitha mabocealis* Leraut,2007** (Pyralidae) Synonym(s): *mabocealis* Leraut,2007 Range (in code): CF
- 81011. *Zitha maesalis* Leraut,2007** (Pyralidae) Synonym(s): *maesalis* Leraut,2007 Range (in code): MG
- 81012. *Zitha mantasalis* Leraut,2011** (Pyralidae) Synonym(s): *mantasalis* Leraut,2011 Range (in code): MG
- 81013. *Zitha marionalis* (Viette,1960)** (Pyralidae) Synonym(s): *marionalis* Viette,1960 Range (in code): MG
- 81014. *Zitha martinealis* Leraut,2011** (Pyralidae) Synonym(s): *martinealis* Leraut,2011 Range (in code): MG
- 81015. *Zitha matsaboryalis* Leraut,2011** (Pyralidae) Synonym(s): *matsaboryalis* Leraut,2011 Range (in code): MG
- 81016. *Zitha millotalis* (Viette,1960)** (Pyralidae) Synonym(s): *millotalis* Viette,1960 Range (in code): MG
- 81017. *Zitha minetalis* Leraut,2008** (Pyralidae) Synonym(s): *minetalis* Leraut,2008 Range (in code): MG
- 81018. *Zitha mira* (Amsel,1951)** (Pyralidae) Synonym(s): *mira* Amsel,1951 Range (in code): IR Fa Sse
- 81019. *Zitha mixtalis* Leraut,2011** (Pyralidae) Synonym(s): *mixtalis* Leraut,2011 Range (in code): MG
- 81020. *Zitha montreuillalis* Leraut,2009** (Pyralidae) Synonym(s): *montreuillalis* Leraut,2009 Range (in code): MG
- 81021. *Zitha navattealis* Leraut,2008** (Pyralidae) Synonym(s): *navattealis* Leraut,2008 Range (in code): MG
- 81022. *Zitha noctualis* Leraut,2007** (Pyralidae) Synonym(s): *noctualis* Leraut,2007 Range (in code): MG
- 81023. *Zitha nosivolalis* (Viette,1960)** (Pyralidae) Synonym(s): *nosivolalis* Viette,1960 Range (in code): MG
- 81024. *Zitha novembralis* Leraut,2009** (Pyralidae) Synonym(s): *novembralis* Leraut,2009 Range (in code): MG
- 81025. *Zitha nussalis* Leraut,2011** (Pyralidae) Synonym(s): *nussalis* Leraut,2011 Range (in code): MG

- 81026. *Zitha oecophoralis* Leraut,2007** (Pyrilidae) Synonym(s): *oecophoralis* Leraut,2007
Range (in code): MG
- 81027. *Zitha pagmanalis* (Amsel,1961)** (Pyrilidae) Synonym(s): *pagmanalis* Amsel,1961 Original Reference: Praekatja pagmanalis Amsel,1961, Ark. Zool. 13 (17): 399, Taf.iv fig.202. Type ♂: Afghanistan: Pagman Gebirge bei Kabul, F.Brandt leg. Range (in code): AF Pag
- 81028. *Zitha panemerialis* Leraut,2007** (Pyrilidae) Synonym(s): *panemerialis* Leraut,2007
Range (in code): MG
- 81029. *Zitha pernalis* (Viette,1960)** (Pyrilidae) Synonym(s): *pernalis* Viette,1960 Range (in code): MG
- 81030. *Zitha pronubalis* (Marion & Viette,1956)** (Pyrilidae) Synonym(s): *pronubalis* Marion & Viette,1956 Range (in code): MG
- 81031. *Zitha punicealis* Walker,[1866]** (Pyrilidae) Synonym(s): *punicealis* Walker,[1866] Range (in code): ZA
- 81032. *Zitha pyraustalis* Leraut,2007** (Pyrilidae) Synonym(s): *pyraustalis* Leraut,2007 Range (in code): MG
- 81033. *Zitha radamalis* (Viette,1960)** (Pyrilidae) Synonym(s): *radamalis* Viette,1960 Range (in code): MG
- 81034. *Zitha ragonotalis* (Viette,1960)** (Pyrilidae) Synonym(s): *ragonotalis* Viette,1960 Range (in code): MG
- 81035. *Zitha rosalinde* (Viette,1981)** (Pyrilidae) Synonym(s): *rosalinde* Viette,1981 Range (in code): MG
- 81036. *Zitha rubicundalis* (Saalmüller,1880)** (Pyrilidae) Synonym(s): *rubicundalis* Saalmüller,1880 Range (in code): MG
- 81037. *Zitha rufalis* (Gaede,1916)** (Pyrilidae) Synonym(s): *rufalis* Gaede,1916 Range (in code): KE
- 81038. *Zitha sahafaryalis* Leraut,2011** (Pyrilidae) Synonym(s): *sahafaryalis* Leraut,2011 Range (in code): MG
- 81039. *Zitha sakavondroalis* Leraut,2008** (Pyrilidae) Synonym(s): *sakavondroalis* Leraut,2008
Range (in code): MG
- 81040. *Zitha sambavalis* Leraut,2009** (Pyrilidae) Synonym(s): *sambavalis* Leraut,2009 Range (in code): MG
- 81041. *Zitha sanguinalis* (Marion,1954)** (Pyrilidae) Synonym(s): *sanguinalis* Marion,1954
Range (in code): MG
- 81042. *Zitha saturninalis* Leraut,2011** (Pyrilidae) Synonym(s): *saturninalis* Leraut,2011 Range (in code): MG
- 81043. *Zitha secundalis* Leraut,2008** (Pyrilidae) Synonym(s): *secundalis* Leraut,2008 Range (in code): MG
- 81044. *Zitha sogalis* (Viette,1960)** (Pyrilidae) Synonym(s): *sogalis* Viette,1960 Range (in code): MG
- 81045. *Zitha subcupralis* (Zeller,1852)** (Pyrilidae) Synonym(s): *subcupralis* Zeller,1852 Range (in code): ZA
- 81046. *Zitha sublignosalis* Leraut,2011** (Pyrilidae) Synonym(s): *sublignosalis* Leraut,2011 Range (in code): MG
- 81047. *Zitha subochracea* W.Warren,1897** (Pyrilidae) Synonym(s): *subochracea* W.Warren,1897
Range (in code): ZA
- 81048. *Zitha subustalis* (Lederer,1855)** (Pyrilidae) Synonym(s): *subustalis* Lederer,1855 Original Reference: Asopia subustalis Lederer,1855, Verh. zool. - bot. Ver. Wien 5: 215-216, Taf.3 fig.10. Type ♂: [Lebanon]: Beirut (ZM, Berlin). Range (in code): TR LB Bsa Ghz IL Hf Pa
- 81049. *Zitha subvinosalis* Leraut,2011** (Pyrilidae) Synonym(s): *subvinosalis* Leraut,2011 Range (in code): MG
- 81050. *Zitha tactilis* (Swinhoe,1890)** (Pyrilidae) Synonym(s): *tactilis* Swinhoe,1890; *scopula* Hampson,1891 Range (in code): MM Rgo IN NI
- 81051. *Zitha tertialis* Leraut,2008** (Pyrilidae) Synonym(s): *tertialis* Leraut,2008 Range (in code): MG
- 81052. *Zitha tortricoidalis* Leraut,2007** (Pyrilidae) Synonym(s): *tortricoidalis* Leraut,2007
Range (in code): MG
- 81053. *Zitha toulgoetalis* Leraut,2009** (Pyrilidae) Synonym(s): *toulgoetalis* Leraut,2009 Range (in code): MG

- 81054. *Zitha touretalbyalis* Leraut,2008** (Pyralidae) **Synonym(s):** *touretalbyalis* Leraut,2008
Range (in code): **MG**
- 81055. *Zitha tsarafidyalis* Leraut,2011** (Pyralidae) **Synonym(s):** *tsarafidyalis* Leraut,2011 **Range (in code):** **MG**
- 81056. *Zitha tsaratananalis* Leraut,2011** (Pyralidae) **Synonym(s):** *tsaratananalis* Leraut,2011
Range (in code): **MG**
- 81057. *Zitha vibicalis* (Lederer,1863)** (Pyralidae) **Synonym(s):** *vibicalis* Lederer,1863; *roborealis* Swinhoe,1885 **Original Reference:** *Stemmatophora vibicalis* Lederer,1863, Wien. ent. Monatschr. 7 (6): 338, 457, pl.7 fig.4. Type: Ceylon. **Range (in code):** **LK IN Bba**
- 81058. *Zitha viettealis* Leraut,2009** (Pyralidae) **Synonym(s):** *viettealis* Leraut,2009 **Range (in code):** **MG**
- 81059. *Zitha vieualis* Leraut,2011** (Pyralidae) **Synonym(s):** *vieuualis* Leraut,2011 **Range (in code):** **MG**
- 81060. *Zitha vincentalis* Leraut,2009** (Pyralidae) **Synonym(s):** *vincentalis* Leraut,2009 **Range (in code):** **MG**
- 81061. *Zitha vinosalis* Leraut,2011** (Pyralidae) **Synonym(s):** *vinosalis* Leraut,2011 **Range (in code):** **MG**
- 81062. *Zitha whalleyalis* (Viette,1960)** (Pyralidae) **Synonym(s):** *whalleyalis* Viette,1960 **Range (in code):** **MG**
- 81063. *Zitha zombistalis* (Viette,1960)** (Pyralidae) **Synonym(s):** *zombistalis* Viette,1960 **Range (in code):** **MG**
- 81064. *Zonora argentalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *argentalis* Hampson,1900; *biscraeensis* Caradja,1916; *senegalensis* Leraut,2004 **Original Reference:** *Constantia argentalis* Hampson,1900, Trans. ent. Soc. London 1900: 380. Type: Syria. **Range (in code):** **MA DZ Bsk TN Gf SN IR Elb Th Ss SY Fa Shr IQ Kbl Amr JO** **Bionomy:** Larva on *Traganum*, *Salsola* (Chenopodiaceae) (Chrétien,1917).
- 81065. *Zonora concatenalis* (Lederer,1858)** (Pyralidae) **Synonym(s):** *concatenalis* Lederer,1858 **Original Reference:** *Hypotia concatenalis* Lederer,1858, Wien. ent. Monatschr. 2: 145-146, Taf.3 fig.3. Type ♂: Syria: Damask. **Range (in code):** **RU SY Dms KG Uk IQ Kbl**
- 81066. *Zonora noctua* (Falkovitsh,1976)** (Pyralidae) **Synonym(s):** *noctua* Falkovitsh,1976 **Range (in code):** **UZ**
- 81067. *Zonora opiparalis* Swinhoe,1890** (Pyralidae) **Synonym(s):** *opiparalis* Swinhoe,1890 **Original Reference:** *Zonora opiparalis* Swinhoe,1890, Proc. zool. Soc. Lond. 1889: 419, pl.44 fig.11. **Range (in code):**
- 81068. *Zonora oxodontalis* (Hampson,1900)** (Pyralidae) **Synonym(s):** *oxodontalis* Hampson,1900; *opsima* Falkovitsh,1976 **Range (in code):** **TM Kp UZ**
- 81069. *Zophodia ebeniella* (Ragonot,1888)** (Pyralidae) **Synonym(s):** *ebeniella* Ragonot,1888 **Range (in code):** **ZA**
- 81070. *Zophodia grossulariella* (Hübner,[1809])** (Pyralidae) **Synonym(s):** *convolutella* Hübner,1796 nec [Denis & Schiffermüller],1775; *grossulariella* Hübner,[1809]; *rectella* Guenée,1845. **Range (in code):** **US CA ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur MD UA BY TR**
- 81071. *Zophodia lignea* Joannis,1927** (Pyralidae) **Synonym(s):** *lignea* Joannis,1927 **Range (in code):** **ZA**
- 81072. *Zophodia robineau* Leraut,1996** (Pyralidae) **Synonym(s):** *robineau* Leraut,1996 **Range (in code):** **FR**
- 81073. *Zophodiodes leucocostella* Ragonot,1887** (Pyralidae) **Synonym(s):** *leucocostella* Ragonot,1887 **Original Reference:** *Zophodiodes leucocostella* Ragonot,1887, Annls Soc. ent. Fr. 1887: 241. Type(s): [Turkey]: Amasia. **Range (in code):** **TR**
- 81074. *Zovax whiteheadi* (Wollaston,1879)** (Pyralidae) **Synonym(s):** *whiteheadi* Wollaston,1879 **Range (in code):** **SH**
- 81075. *Callosiope banghaasi* M.Hering,1925** (Ratardidae) **Synonym(s):** *banghaasi* M.Hering,1925 **Range (in code):**
- 81076. *Ratarda flavimargo* M.Hering,1925** (Ratardidae) **Synonym(s):** *flavimargo* M.Hering,1925 **Range (in code):** **MY Bor BN**
- 81077. *Ratarda formosana* (Matsumura,1921)** (Ratardidae) **Synonym(s):** *formosana* Matsumura,1921 **Range (in code):** **TW JP**

- 81078. Ratarda furvivestita Hampson,1905** (Ratardidae) **Synonym(s):** *furvivestita* Hampson,1905 Range (in code):
- 81079. Ratarda guttifera M.Hering,1925** (Ratardidae) **Synonym(s):** *guttifera* M.Hering,1925 Range (in code): **MY**
- 81080. Ratarda javanica Roepke,1937** (Ratardidae) **Synonym(s):** *javanica* Roepke,1937 Range (in code): **ID Ja**
- 81081. Ratarda marmorata Moore,1879** (Ratardidae) **Synonym(s):** *marmorata* Moore,1879 Original Reference: Ratarda marmorata Moore,1879, Proc. zool. Soc. London 1879: 393. Range (in code):
- 81082. Ratarda melanoxantha M.Hering,1925** (Ratardidae) **Synonym(s):** *melanoxantha* M.Hering,1925 Range (in code): **MY Bor Sbh KBa**
- 81083. Ratarda mora M.Hering,1925** (Ratardidae) **Synonym(s):** *mora* M.Hering,1925 Range (in code): **MY**
- 81084. Ratarda tertia Strand,1916** (Ratardidae) **Synonym(s):** *tertia* Strand,1916; *monstrosa* Strand,1916 Range (in code):
- 81085. Agriothera doipakiae Moriuti,1987** (Roeslerstammiidae) **Synonym(s):** *doipakiae* Moriuti,1987 Range (in code): **TH CMa Dst**
- 81086. Agriothera inthanonensis Moriuti,1984** (Roeslerstammiidae) **Synonym(s):** *inthanonensis* Moriuti,1984 Range (in code): **TH CMa Int**
- 81087. Agriothera melanacma Meyrick,1907** (Roeslerstammiidae) **Synonym(s):** *melanacma* Meyrick,1907 Range (in code):
- 81088. Agriothera sp.:** (Roeslerstammiidae) **Synonym(s):** Range (in code): **TH Nna Kao MY**
- 81089. Roeslerstammia erxebella (Fabricius,1787)** (Roeslerstammiidae) **Synonym(s):** *erxebella* Fabricius,1787 Range (in code): **FR Sa IT GB BE LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 81090. Roeslerstammia pronubella ([Denis & Schiffermüller],1775)** (Roeslerstammiidae) **Synonym(s):** *pronubella* [Denis & Schiffermüller],1775 Original Reference: Tinea pronubella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): Vienna district. Range (in code): **FR GB DE CH AT PL CZ SK HU RO YU TR RU MD UA BY**
- 81091. Telethera blepharacma Meyrick,1913** (Roeslerstammiidae) **Synonym(s):** *blepharacma* Meyrick,1913 Range (in code): **LK IN TW Ri JP**
- 81092. Telethera formosa Moriuti,1978** (Roeslerstammiidae) **Synonym(s):** *formosa* Moriuti,1978 Range (in code): **TW**
- 81093. Telethera inthawichayanoni Moriuti,1987** (Roeslerstammiidae) **Synonym(s):** *inthawichayanoni* Moriuti,1987 Range (in code): **TH CMa Int**
- 81094. Telethera karsholti Moriuti,1987** (Roeslerstammiidae) **Synonym(s):** *karsholti* Moriuti,1987 Range (in code): **TH CMa Int**
- 81095. Actias austalovietnama Brechlin,2000** (Saturniidae) **Synonym(s):** *austalovietnama* Brechlin,2000 Range (in code): **VN**
- 81096. Actias chapae (Mell,1950)** (Saturniidae) **Synonym(s):** *chapae* Mell,1950 Range (in code): **VN**
- 81097. Actias dubernardi (Oberthür,1897)** (Saturniidae) **Synonym(s):** *dubernardi* Oberthür,1897 Range (in code): **VN CN Hbe Fkn Sz Ti**
- 81098. Actias groenendaeli Roepke,1954** (Saturniidae) **Synonym(s):** *groenendaeli* Roepke,1954 Range (in code): **ID Flo Tim Sba**
- 81099. Actias ignescens Moore,1877** (Saturniidae) **Synonym(s):** *ignescens* Moore,1877 Range (in code): **IN Adm**
- 81100. Actias isabellae (Graells,1849)** (Saturniidae) **Synonym(s):** *isabellae* Graells,1849 Range (in code): **ES FR**
- 81101. Actias isabellae galliaegloria (Oberthür,1922)** (Saturniidae) **Synonym(s):** *galliaegloria* Oberthür,1922 Range (in code): **ES**
- 81102. Actias isabellae isabellae (Graells,1849)** (Saturniidae) **Synonym(s):** *isabellae* Graells,1849 Range (in code): **ES**
- 81103. Actias isabellae paradisea (Marten,1955)** (Saturniidae) **Synonym(s):** *paradisea* Marten,1955 Range (in code): **ES**
- 81104. Actias isis (Sonthonnax,[1897])** (Saturniidae) **Synonym(s):** *#isis* Westwood,1849; *isis* Sonthonnax,[1897]; *lathona* Rothschild & Jordan,1901; *#cotei* Testout,1945 Range (in code): **ID Clb**

- 81105. *Actias laotiana* Testout,1936** (Saturniidae) **Synonym(s):** *laotiana* Testout,1936 Range (in code): **LA**
- 81106. *Actias luna* (Linnaeus,1758)** (Saturniidae) **Synonym(s):** *luna* Linnaeus,1758 Range (in code):
- 81107. *Actias luna luna* (Linnaeus,1758)** (Saturniidae) **Synonym(s):** *luna* Linnaeus,1758 Range (in code):
- 81108. *Actias maenas* Doubleday,1847** (Saturniidae) **Synonym(s):** *maenas* Doubleday,1847 Range (in code): **BD Syl IN CN Yu MM TH Nna Knc CMa Rng LA VN Ton MY ID Sum Ja**
- 81109. *Actias maenas diana* Maassen,[1872]** (Saturniidae) **Synonym(s):** *diana* Maassen,[1872]; *saja* Van Eecke,1913; *recta* Bouvier,1928 Range (in code): **TH Rng MY ID Sum Ja**
- 81110. *Actias maenas maenas* Doubleday,1847** (Saturniidae) **Synonym(s):** *maenas* Doubleday,1847; *leto* Doubleday,1848 Range (in code): **BD Syl IN CN Yu MM TH Nna Knc CMa LA VN Ton**
- 81111. *Actias philippinica* Nässig & Treadaway,1997** (Saturniidae) **Synonym(s):** *philippinica* Nässig & Treadaway,1997 Range (in code): **PH Pal Luz Mar Mdo Mas Pan Neg Ley Boh Mno**
- 81112. *Actias philippinica bulbosa* Nässig & Treadaway,1997** (Saturniidae) **Synonym(s):** *bulbosa* Nässig & Treadaway,1997 Range (in code): **PH Pal**
- 81113. *Actias philippinica philippinica* Nässig & Treadaway,1997** (Saturniidae) **Synonym(s):** *philippinica* Nässig & Treadaway,1997 Range (in code): **PH Luz Mar Mdo Mas Pan Neg Ley Boh Mno**
- 81114. *Actias rhodopneuma* Röber,1925** (Saturniidae) **Synonym(s):** *rhodopneuma* Röber,1925 Range (in code): **IN CN MM TH CMa LA VN**
- 81115. *Actias rhodopneuma rhodopneuma* Röber,1925** (Saturniidae) **Synonym(s):** *rhodopneuma* Röber,1925 Range (in code): **IN CN MM TH CMa LA VN**
- 81116. *Actias rosenbergii* (Kaup,1895) [status doubtful (Nässig,1994)]** (Saturniidae) **Synonym(s):** *rosenbergii* Kaup,1895; *rieli* Testout,1942 Range (in code): **ID Amb**
- 81117. *Actias selene* (Hübner,1806)** (Saturniidae) **Synonym(s):** *selene* Hübner,1806; *#dianae* Hutton,1846 Range (in code): **AF IN PK Abb LK TH Nna CMa Dst Dso7 LA KH VN MM MY CN TW PH Luz Mdo Mno ID Sum**
- 81118. *Actias selene brevijuxta* Nässig & Treadaway,1997** (Saturniidae) **Synonym(s):** *brevijuxta* Nässig & Treadaway,1997 Range (in code): **PH Luz Mdo Mno**
- 81119. *Actias selene selene* (Hübner,1806)** (Saturniidae) **Synonym(s):** *selene* Hübner,1806; *#dianae* Hutton,1846 Range (in code): **TH CMa Dst Nna LA KH VN MM CN IN LK MY ID Sum**
- 81120. *Actias sinensis* (Walker,1855)** (Saturniidae) **Synonym(s):** *sinensis* Walker,1855 Range (in code): **CN LA VN**
- 81121. *Aglia homora* Jordan,1911** (Saturniidae) **Synonym(s):** *homora* Jordan,1911 Range (in code): **CN**
- 81122. *Aglia ingens* S.Naumann, Brosch & Nässig,2003** (Saturniidae) **Synonym(s):** *ingens* S.Naumann, Brosch & Nässig,2003 Range (in code): **CN Sz**
- 81123. *Aglia japonica* Leech,[1888]** (Saturniidae) **Synonym(s):** *japonica* Leech,[1888] Range (in code): **JP Hkk**
- 81124. *Aglia tau* (Linnaeus,1758)** (Saturniidae) **Synonym(s):** *tau* Linnaeus,1758; *cerretanica* Rougeot,1965; *spaniolissima* Gomez-Bustillo & Gomez de Aizpurua,1980; *eumense* Gomez-Bustillo & Fernandez Vidal,1980 Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR IR Mz Gh Elb DK NO SE FI EE LV LT RU MD UA BY**
- 81125. *Antheraea (Antheraeopsis) castanea* Jordan,1910** (Saturniidae) **Synonym(s):** *castanea* Jordan,1910 Range (in code): **LA**
- 81126. *Antheraea (Antheraeopsis) paniki* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *paniki* Nässig & Treadaway,1998 Range (in code): **PH Pal Luz Mdo Neg Pan Sam Hom Mno**
- 81127. *Antheraea (Antheraeopsis) paniki paniki* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *paniki* Nässig & Treadaway,1998 Range (in code): **PH Luz Mdo Neg Pan Sam Hom Mno**
- 81128. *Antheraea (Antheraeopsis) paniki sahi* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *sahi* Nässig & Treadaway,1998 Range (in code): **PH Pal**
- 81129. *Antheraea (s.str.) assamensis* Helfer,1837** (Saturniidae) **Synonym(s):** *assamensis* Helfer,1837 Range (in code): **IN Ass CN MM TH CMa Knc Nna ID PH**
- 81130. *Antheraea (s.str.) assamensis assamensis* Helfer,1837** (Saturniidae) **Synonym(s):** *assamensis* Helfer,1837 Range (in code): **IN Ass CN MM TH CMa Knc Nna ID PH**

- 81131. *Antheraea (s.str.) cingalesa* Moore,1883** (Saturniidae) **Synonym(s):** *cingalesa* Moore,1883 **Range (in code):** **LK**
- 81132. *Antheraea (s.str.) frithi* Moore,1858** (Saturniidae) **Synonym(s):** *frithi* Moore,1858 **Range (in code):** **KH VN IN CN MM TH Srt Khn Chy Roi CMa Sbu** **Bionomy:** Larva on leaf of *Terminalia catappa* [tropical almond] (Combretaceae), *Shorea obtusa* [Burmese sal], *S. siamensis* [rang], *S. roxburghii* [phayom] (Dipterocarpaceae); *Spondias pinnata* [hog plum] (Anacardiaceae), *Morus alba* [mulberry] (Moraceae), *Lagerstroemia loudonii* [intharachit], *L. balansae* [ta baek] (Lythraceae) (Lewvanich,2001).
- 81133. *Antheraea (s.str.) frithi frithi* Moore,1858** (Saturniidae) **Synonym(s):** *frithi* Moore,1858 **Range (in code):** **IN CN MM**
- 81134. *Antheraea (s.str.) frithi pedunculata* Bouvier,1936** (Saturniidae) **Synonym(s):** *pedunculata* Bouvier,1936 **Range (in code):** **KH VN TH Srt Khn Chy Roi CMa Sbu** **Bionomy:** Larva on leaf of *Terminalia catappa* [tropical almond] (Combretaceae), *Shorea obtusa* [Burmese sal], *S. siamensis* [rang], *S. roxburghii* [phayom] (Dipterocarpaceae); *Spondias pinnata* [hog plum] (Anacardiaceae), *Morus alba* [mulberry] (Moraceae), *Lagerstroemia loudonii* [intharachit], *L. balansae* [ta baek] (Lythraceae) (Lewvanich,2001).
- 81135. *Antheraea (s.str.) gschwandneri* Niepelt,1918** (Saturniidae) **Synonym(s):** *gschwandneri* Niepelt,1918 **Range (in code):** **ID Sum PH Pal**
- 81136. *Antheraea (s.str.) gschwandneri zwicki* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *zwicki* Nässig & Treadaway,1998 **Range (in code):** **PH Pal**
- 81137. *Antheraea (s.str.) gulata* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *gulata* Nässig & Treadaway,1998 **Range (in code):** **PH Pal Bal**
- 81138. *Antheraea (s.str.) halconensis* Paukstadt & Brosch,1996** (Saturniidae) **Synonym(s):** *halconensis* Paukstadt & Brosch,1996 **Range (in code):** **PH Mdo Neg Mno Luz Boh Pan Sam Ley**
- 81139. *Antheraea (s.str.) helferi* Moore,1858** (Saturniidae) **Synonym(s):** *helferi* Moore,1858 **Range (in code):** **IN MM TH Knc LA VN ID PH MY Bor**
- 81140. *Antheraea (s.str.) helferi borneensis* Moore,1858** (Saturniidae) **Synonym(s):** *borneensis* Moore,1858 **Range (in code):** **MY Bor**
- 81141. *Antheraea (s.str.) helferi helferi* Moore,1858** (Saturniidae) **Synonym(s):** *helferi* Moore,1858 **Range (in code):** **IN MM TH Knc LA VN ID PH**
- 81142. *Antheraea (s.str.) larissa* (Westwood,1847)** (Saturniidae) **Synonym(s):** *larissa* Westwood,1847; *ridlyi* Moore,1892; *delegata* Swinhoe,1883 **Range (in code):** **ID Ja Sum Bor MY TH Tng MM PH Pal Mdo Luz Neg Pan Sam Ley Mno**
- 81143. *Antheraea (s.str.) larissa larissa* (Westwood,1847)** (Saturniidae) **Synonym(s):** *larissa* Westwood,1847; *ridlyi* Moore,1892; *delegata* Swinhoe,1883 **Range (in code):** **ID Ja Sum Bor MY TH Tng MM PH Pal**
- 81144. *Antheraea (s.str.) larissa mindoroensis* Brosch & Paukstadt,1996** (Saturniidae) **Synonym(s):** *mindoroensis* Brosch & Paukstadt,1996 **Range (in code):** **PH Mdo**
- 81145. *Antheraea (s.str.) larissa philippirissa* Treadaway & Nässig,1997** (Saturniidae) **Synonym(s):** *philippirissa* Treadaway & Nässig,1997 **Range (in code):** **PH Luz Neg Pan Sam Ley Mno**
- 81146. *Antheraea (s.str.) larissoides* Bouvier,1928** (Saturniidae) **Synonym(s):** *larissoides* Bouvier,1928 **Range (in code):** **LA**
- 81147. *Antheraea (s.str.) myanmarensis* U.Paukstadt, L.H.Paukstadt & U.Brosch,1998** (Saturniidae) **Synonym(s):** *myanmarensis* U.Paukstadt, L.H.Paukstadt & U.Brosch,1998 **Range (in code):** **MM TH**
- 81148. *Antheraea (s.str.) paphia* (Linnaeus,1758)** (Saturniidae) **Synonym(s):** *paphia* Linnaeus,1758; *mylitta* Drury,1773 **Range (in code):** **IN SI Djl**
- 81149. *Antheraea (s.str.) pernyi* (Guérin-Méneville,1855)** (Saturniidae) **Synonym(s):** *pernyi* Guérin-Méneville,1855 **Range (in code):** **ES CN**
- 81150. *Antheraea (s.str.) platessa* Rothschild,1903** (Saturniidae) **Synonym(s):** *platessa* Rothschild,1903 **Range (in code):** **IN Ass Adm TH LA VN MY Ja Sum Bor MM PH Luz Mar Neg Pan Sam Ley Mno**
- 81151. *Antheraea (s.str.) rosieri* (Toxopeus,1940)** (Saturniidae) **Synonym(s):** *rosieri* Toxopeus,1940 **Range (in code):** **ID Sum TH CMa MM PH Mno Pal**
- 81152. *Antheraea (s.str.) rosieri imeldae* Nässig & Treadaway,1998** (Saturniidae) **Synonym(s):** *imeldae* Nässig & Treadaway,1998 **Range (in code):** **PH Pal**

- 81153. *Antheraea (s.str.) rosieri rosieri* (Toxopeus,1940) (Saturniidae)** **Synonym(s):** *rosieri Toxopeus,1940* Range (in code): **ID Sum TH CMa MM PH Mno**
- 81154. *Antheraea (s.str.) royliei* Moore,1859 (Saturniidae)** **Synonym(s):** *royliei Moore,1859; roylei Moore,[1860]* Range (in code): **IN Up Bhi MM TH CMa Knc Nna LA VN MY ID Sum**
- 81155. *Antheraea (s.str.) royliei royliei* Moore,1859 (Saturniidae)** **Synonym(s):** *royliei Moore,1859; roylei Moore,[1860]* Range (in code): **IN Up Bhi MM TH CMa Knc Nna LA VN MY ID Sum**
- 81156. *Antheraea (s.str.) semperi* C.Felder & R.Felder,1861 (Saturniidae)** **Synonym(s):** *semperi C.Felder & R.Felder,1861* Range (in code): **PH Luz Mdo Pan Neg Ceb Boh Ley Sia Mno**
- 81157. *Antheraea (s.str.) semperi noeli* Nässig & Treadaway,1998 (Saturniidae)** **Synonym(s):** *noeli Nässig & Treadaway,1998* Range (in code): **PH Mdo**
- 81158. *Antheraea (s.str.) semperi semperi* C.Felder & R.Felder,1861 (Saturniidae)** **Synonym(s):** *semperi C.Felder & R.Felder,1861* Range (in code): **PH Luz Pan Neg Ceb Boh Ley Sia Mno**
- 81159. *Antheraea (s.str.) steinkeorum* U.Paukstadt, L.H.Paukstadt & U.Brosch,1999 (Saturniidae)** **Synonym(s):** *steinkeorum U.Paukstadt, L.H.Paukstadt & U.Brosch,1999* Range (in code): **TH Rng LA L13 MM Tns**
- 81160. *Antheraea (s.str.) ulrichbroschi* U.Paukstadt, L.H.Paukstadt,1999 (Saturniidae)** **Synonym(s):** *ulrichbroschi U.Paukstadt, L.H.Paukstadt,1999* Range (in code): **MY Bor Sbh**
- 81161. *Antheraea (s.str.) yamamai* (Guérin-Méneville,1861) (Saturniidae)** **Synonym(s):** *yamamai Guérin-Méneville,1861* Range (in code): **IT AT HU RO YU**
- 81162. *Antistathmoptera daltonae* Tams,1935 (Saturniidae)** **Synonym(s):** *daltonae Tams,1935* Range (in code): **ZA TZ**
- 81163. *Antistathmoptera daltonae rectangulata* Pinhey,1968 (Saturniidae)** **Synonym(s):** *rectangulata Pinhey,1968* Range (in code): **ZA**
- 81164. *Archeoattacus edwardsii* (White,1859) (Saturniidae)** **Synonym(s):** *edwardsii White,1859; malayanus Kurosawa & Kishida,[1985]* Range (in code): **IN CN MM TH CMa CDo Pki MY LA L13 VN**
- 81165. *Archeoattacus edwardsii edwardsii* (White,1859) (Saturniidae)** **Synonym(s):** *edwardsii White,1859; malayanus Kurosawa & Kishida,[1985]* Range (in code): **IN CN MM TH CMa CDo Pki MY LA L13 VN**
- 81166. *Archeoattacus staudingeri* (Rothschild,1895) (Saturniidae)** **Synonym(s):** *staudingeri Rothschild,1895* Range (in code):
- 81167. *Argema mimosae* (Boisduval,1847) (Saturniidae)** **Synonym(s):** *mimosae Boisduval,1847; elucidata Grünberg,1910; occidentalis Gschwandner,1923; bouvieri Ghesquière,1934* Range (in code): **ZA Tva Lpo Wm Suw Spb Nta Kzu ET**
- 81168. *Argema sinensis* (Walker,1855) (Saturniidae)** **Synonym(s):** *sinensis Walker,1855* Original Reference: *Tropaea sinensis Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1264, no.7.* Range (in code): **CN Yu Kig TH Chy Phe LA? VN? BT IN Ass**
- 81169. *Argema sinensis heterogyna* (Mell,1914) (Saturniidae)** **Synonym(s):** *heterogyna Mell,1914* Range (in code): **CN Yu TH Chy Phe LA? VN?**
- 81170. *Argema sinensis sinensis* (Walker,1855) (Saturniidae)** **Synonym(s):** *sinensis Walker,1855* Original Reference: *Tropaea sinensis Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 6: 1264, no.7.* Range (in code): **CN Yu Kig BT IN Ass**
- 81171. *Athletes gigas* (Sonthonnax,1904) (Saturniidae)** **Synonym(s):** *gigas Sonthonnax,1904; steindachneri Rebel,1904* Range (in code): **ZA**
- 81172. *Athletes semialba* (Sonthonnax,1904) (Saturniidae)** **Synonym(s):** *semialba Sonthonnax,1904* Range (in code): **ZA**
- 81173. *Attacus atlas* (Linnaeus,1758) (Saturniidae)** **Synonym(s):** *atlas Linnaeus,1758* Range (in code): **IN LK CN HK JP ID Sum Ja Bli TW MY Bor Sbh SG PH Bab MM TH Bnk Nna CMa Cuo Cuo5 CRa Cbi Mae Rng SaK LA KH VN** Bionomy: Larva on *Sandoricum koetjape* (Meliaceae), *Psidium guajava* (Myrtaceae), *Tectona grandis* (Lamiaceae), *Mangifera indica* (Anacardiaceae), *Annona squamosa*, *A.muricata*, *Artabotrys hexapetalus* (Annonaceae), *Averrhoa carambola* (Oxalidaceae), *Berberis* (Berberidaceae), *Avicennia* (Avicenniaceae), *Ailanthus altissima* (Simaroubaceae), *Fagaceae*, *Albizia saman* (Fabaceae), *Aleurites moluccana*, *A.montana*, *Bischofia javanica* (Euphorbiaceae), *Alstonia scholaris* (Apocynaceae), *Anacardium occidentale* (Anacardiaceae), *Citrus* (Rutaceae), *Cinnamomum zeylanicum*, *C.camphora* (Lauraceae), *Camellia sinensis* (Theaceae), *Ceiba pentandra* (Bombacaceae), *Coffea arabica* (Rubiaceae), *Curcuma longa* (Zingiberaceae), *Dillenia indica*, *D.pentagyna*, *D.sumatrana* (Dilleniaceae), etc. (auctorum).

- 81174. *Attacus caesar* Maassen, 1873** (Saturniidae) Synonym(s): *caesar* Maassen, 1873; *imperator* Kirby, 1892 Range (in code): **PH Boh Mno Ley Sam Bas Ceb Luz Bal Pal Mar Jol**
- 81175. *Attacus inopinatus* Jurriaanse & Lindermans, 1920** (Saturniidae) Synonym(s): *inopinatus* Jurriaanse & Lindermans, 1920 Range (in code): **ID Lb Sbw Sba Flo**
- 81176. *Attacus lemairei* Peigler, 1985** (Saturniidae) Synonym(s): *lemairei* Peigler, 1985 Original Reference: *Attacus lemairei* Peigler, 1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 54-55, figs. Holotype ♂: Philippines: Palawan: Roxas (AMNH) Range (in code): **PH Pal Bal**
- 81177. *Attacus lemairei lemairei* Peigler, 1985** (Saturniidae) Synonym(s): *lemairei* Peigler, 1985 Original Reference: *Attacus lemairei* Peigler, 1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 54-55, figs. Holotype ♂: Philippines: Palawan: Roxas (AMNH) Range (in code): **PH Bal Pal**
- 81178. *Attacus lorquinii* C.Felder & R.Felder, 1861** (Saturniidae) Synonym(s): *lorquinii* C.Felder & R.Felder, 1861 Range (in code): **PH Luz Mdo Mar Pol Sib Mas Pan Neg Ceb**
- 81179. *Attacus paraliae* Peigler, 1985** (Saturniidae) Synonym(s): *paraliae* Peigler, 1985 Original Reference: *Attacus paraliae* Peigler, 1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 55-57, figs. Holotype ♂: Indonesien: Insel Peleng, Banggai, Sambiut, 8. Nov. 1932 (RMNHL). Range (in code): **ID Clb**
- 81180. *Attacus paraliae paraliae* Peigler, 1985** (Saturniidae) Synonym(s): *paraliae* Peigler, 1985 Original Reference: *Attacus paraliae* Peigler, 1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 55-57, figs. Holotype ♂: Indonesien: Insel Peleng, Banggai, Sambiut, 8. Nov. 1932 (RMNHL). Range (in code): **ID Clb**
- 81181. *Attacus wardi* Rothschild, 1910** (Saturniidae) Synonym(s): *wardi* Rothschild, 1910 Range (in code): **AU Dwn NAu**
- 81182. *Aurivillius fuscus* (Rothschild, 1895)** (Saturniidae) Synonym(s): *fuscus* Rothschild, 1895; *divaricatus* Bouvier, 1927 Range (in code): **ZA**
- 81183. *Bunaea alcinoe* (Stoll, 1780)** (Saturniidae) Synonym(s): *alcinoe* Stoll, 1780; *caffraria* Stoll, 1790; *caffra* Hübner, 1819; *nyctalops* Wallengren, 1858; *punctigera* Wallengren, 1860; *tricolor* Rothschild, 1895; *alcinoina* Oberthür, 1910; *barbertoniana* Oberthür, 1910; *debeeri* Oberthür, 1910; *durbania* Oberthür, 1910; *nubica* Jordan, 1910; *albercini* Dufrane, 1953; *katangensis* Dufrane, 1953; *atlantica* Dufrane, 1953. Range (in code): **ZA Tva Kzu Nta Dbn Mpu Brb Gau Pre Jh MZ Del Ptb MG**
- 81184. *Bunaeopsis annabellae* Lemaire & Rougeot, 1975** (Saturniidae) Synonym(s): *annabellae* Lemaire & Rougeot, 1975 Range (in code): **ZA**
- 81185. *Bunaeopsis arabella* (Aurivillius, 1893)** (Saturniidae) Synonym(s): *arabella* Aurivillius, 1893 Range (in code): **ZA Tva Gau Pre Jh Mdd Nta Kzu Ec Tra**
- 81186. *Bunaeopsis bomfordi* Pinhey, 1962** (Saturniidae) Synonym(s): *bomfordi* Pinhey, 1962 Range (in code): **ZA**
- 81187. *Bunaeopsis hersilia* (Westwood, 1849)** (Saturniidae) Synonym(s): *hersilia* Westwood, 1849; *dido* Maassen & Weymer, 1881; *rendalli* Rothschild, 1896; *ansorgei* Rothschild, 1898; *fenestricatula* Strand, 1911; *elisa* Wichgraf, 1914; *schoenheiti* Wichgraf, 1914; *hersilioides* Fleury, 1924; *rendalliana* Gaede, 1927; *nigericola* Strand, 1929. Range (in code): **ZA**
- 81188. *Bunaeopsis jacksoni* (Jordan, 1908)** (Saturniidae) Synonym(s): *jacksoni* Jordan, 1908; *oenopa* Grünberg, 1910; *rosea* Bouvier, 1927; *carabella* Strand, 1929; *observabilis* Darge, 1993 Range (in code): **ZA**
- 81189. *Bunaeopsis oubie* (Guérin-Ménéville, 1847)** (Saturniidae) Synonym(s): *oubie* Guérin-Ménéville, 1847; *zaddachii* Dewitz, 1879; *aethiopica* Le Cerf, 1911; *argillosa* Le Cerf, 1911; *ferruginea* Bouvier, 1927; *lutea* Bouvier, 1927; *tanganyikae* Schüsser, 1933; *afraorientalis* Stoneham, 1959 Range (in code): **ZA**
- 81190. *Bunaeopsis princeps* (Le Cerf, 1918)** (Saturniidae) Synonym(s): *princeps* Le Cerf, 1918; *callichroma* Le Cerf, 1918 Range (in code): **ZA**
- 81191. *Cerodirphia barbuti* Rougerie & Herbin, 2004** (Saturniidae) Synonym(s): *barbuti* Rougerie & Herbin, 2004 Range (in code): **PE**
- 81192. *Cinabra hyperbius* (Westwood, 1881)** (Saturniidae) Synonym(s): *hyperbius* Westwood, 1881; *bracteata* Distant, 1897; *gaedei* Schüsser, 1933 Range (in code): **ZA**
- 81193. *Copaxa herbuloti* Lemaire, 1971** (Saturniidae) Synonym(s): *herbuloti* Lemaire, 1971 Range (in code):
- 81194. *Cricula andrei* Jordan** (Saturniidae) Synonym(s): Range (in code):
- 81195. *Cricula jordani* Bryk, 1944** (Saturniidae) Synonym(s): *jordani* Bryk, 1944 Range (in code): **CN Yu MM TH CMa Cuo Cuo7 CDo Fn Agk Knc LA VN Ton Fan Cuc M-c Bac**
- 81196. *Cricula jordani jordani* Bryk, 1944** (Saturniidae) Synonym(s): *jordani* Bryk, 1944 Range (in code): **CN Yu MM TH CMa Cuo Cuo7 CDo Fn Agk Knc LA VN Ton Fan Cuc M-c Bac**

- 81197. *Cricula luzonica* Jordan,1909** (Saturniidae) Synonym(s): *luzonica* Jordan,1909 Range (in code): PH Luz Ley Mno
- 81198. *Cricula luzonica kareli* Nässig & Treadaway,1997** (Saturniidae) Synonym(s): *kareli* Nässig & Treadaway,1997 Range (in code): PH Mno
- 81199. *Cricula luzonica leyteana* Nässig & Treadaway,1997** (Saturniidae) Synonym(s): *leyteana* Nässig & Treadaway,1997 Range (in code): PH Ley
- 81200. *Cricula luzonica luzonica* Jordan,1909** (Saturniidae) Synonym(s): *luzonica* Jordan,1909 Range (in code): PH Luz
- 81201. *Cricula mindanaensis* Nässig & Treadaway,1997** (Saturniidae) Synonym(s): *mindanaensis* Nässig & Treadaway,1997 Range (in code): PH Mno
- 81202. *Cricula mindanaensis mindanaensis* Nässig & Treadaway,1997** (Saturniidae) Synonym(s): *mindanaensis* Nässig & Treadaway,1997 Range (in code): PH Mno
- 81203. *Cricula trifenestrata* (Helfer,1837)** (Saturniidae) Synonym(s): *trifenestrata* Helfer,1837 Range (in code): LK IN Ass TH CMa Nan Phr Chc Cbi Suk Mkd CN MY ID PH Neg Pal Mdo Ceb Mno Ley LA KH Pno VN Ton Fan M-c Tgi
- 81204. *Cricula trifenestrata treadawayi* Nässig,1989** (Saturniidae) Synonym(s): *treadawayi* Nässig,1989 Range (in code): PH Neg Pal Mdo Ceb Mno Ley
- 81205. *Cricula trifenestrata trifenestrata* (Helfer,1837)** (Saturniidae) Synonym(s): *trifenestrata* Helfer,1837 Range (in code): IN Ass TH CMa Nan Phr Chc Cbi Suk Mkd LA KH Pno VN Ton Fan M-c Tgi CN MY ID Bionomy: Larva on leaf of *Spondias pinnata* [hog plum] (Anacardiaceae), *Persea americana* [avocado] (Lauraceae), *Cinnamomum camphora* [karabun], *C. bejolghota* [op choei] (Lauraceae); *Oroxylum indicum* [phe ka] (Bignoniaceae), *Helixanthera cylindrica* [ka fak] (Loranthaceae) (Lewvanich,2001).
- 81206. *Cricula vietnama* Brechlin, Nässig & Naumann,1999** (Saturniidae) Synonym(s): *vietnama* Brechlin, Nässig & Naumann,1999 Original Reference: *Cricula vietnama* Brechlin, Nässig & Naumann,1999, *Senckenbergiana biol.* 78 (1/2): 187-190, figs. Holotype ♂: Vietnam: Tonkin, Tam Dao, 60km NW Hanoi ex coll. Dr. R. Brechlin (Senckenberg Museum, Frankfurt). Range (in code): VN Ton Tda Fan N-l
- 81207. *Decachorda aspersa* Bouvier,1927** (Saturniidae) Synonym(s): *aspersa* Bouvier,1927 Range (in code): ZW MW TZ KE
- 81208. *Decachorda aspersa orientalis* Bouvier,1930** (Saturniidae) Synonym(s): *orientalis* Bouvier,1930 Original Reference: *Decachorda aspersa* ssp. *orientalis* Bouvier,1930, *Bull. Hill. Mus.* 4: 87-89, pl.8 figs. 8,9. Type: Rhodesia. Range (in code): ZW
- 81209. *Decachorda fulvia* (Druce,1886)** (Saturniidae) Synonym(s): *fulvia* Druce,1886 Range (in code): ZA
- 81210. *Decachorda pomona* (Weymer,1892)** (Saturniidae) Synonym(s): *pomona* Weymer,1892 Range (in code): ZA
- 81211. *Decachorda rosea* Aurivillius,1898** (Saturniidae) Synonym(s): *rosea* Aurivillius,1898 Range (in code): ZA
- 81212. *Eochroa trimenii* Felder,1874** (Saturniidae) Synonym(s): *trimenii* Felder,1874 Range (in code): ZA
- 81213. *Epiphora bauhiniae*** (Saturniidae) Synonym(s): Range (in code): ZA
- 81214. *Epiphora bauhiniae damarensis* Schultze,1913** (Saturniidae) Synonym(s): *damarensis* Schultze,1913 Range (in code): ZA
- 81215. *Epiphora manowensis* (Gschwandner,1923)** (Saturniidae) Synonym(s): *manowensis* Gschwandner,1923;; *brunnea* Bouvier,1930; *nubilosa* Testout,1938 Range (in code): ZA
- 81216. *Epiphora mythimnia* (Westwood,1849)** (Saturniidae) Synonym(s): *mythimnia* Westwood,1849; *scribonia* Wallengren,1860. Range (in code): ZA Tva Lpo Spb Lj Mpu Brb Nta Kzu MZ Del Bionomy: Larva on *Psekamafoura* (Distant,1903)
- 81217. *Goodia kuntzei* (Dewitz,1881)** (Saturniidae) Synonym(s): *kuntzei* Dewitz,1881; *ansorgei* Kirby,1896; *ochracea* Aurivillius,1901 Range (in code): ZA Tva Lpo Mpu Brb Suw Spb
- 81218. *Gyanisa ata* Strand,1911** (Saturniidae) Synonym(s): *ata* Strand,1911; *daula* Tams,1930 Range (in code): ZA
- 81219. *Gyanisa maja* (Klug,1836)** (Saturniidae) Synonym(s): *maja* Klug,1836; *isis* Duncan & Westwood,1841; *tata* Wallengren,1860; *macromaja* Strand,1920; *nigra* Bouvier,1927 Range (in code): ZA Tva Gau Pre Lpo Ly Mpu Brb Jh Tra Ec Bionomy: Larva on *Elephantorrhiza burchelli* (Distant,1903).

- 81220. *Hemileuca conwayae* Peigler, 1985** (Saturniidae) Synonym(s): *conwayae* Peigler, 1985
Original Reference: *Hemileuca conwayae* Peigler, 1985, Nachr. ent. Ver. Apollo (N.F.) 6 (2): 114-115, figs. Holotype ♂: U.S.A.: Texas, Culberson County, ca. 50km W. Orla (LACM). Range (in code): **US Tx**
- 81221. *Heniocha apollonia* (Cramer, 1779)** (Saturniidae) Synonym(s): *apollonia* Cramer, 1779; *divisa* Bryk, 1939 Range (in code): **ZA**
- 81222. *Heniocha apollonia apollonia* (Cramer, 1779)** (Saturniidae) Synonym(s): *apollonia* Cramer, 1779; *divisa* Bryk, 1939 Range (in code): **ZA**
- 81223. *Heniocha apollonia flavida* (Butler, 1877)** (Saturniidae) Synonym(s): *flavida* Butler, 1877; *lindti* Grünberg, 1910; *apollina* Gaede, 1927 Range (in code): **ZA**
- 81224. *Heniocha apollonia terpsichorina* (Westwood, 1881)** (Saturniidae) Synonym(s): *terpsichorina* Westwood, 1881 Range (in code): **ZA**
- 81225. *Heniocha distincta* Bryk, 1939** (Saturniidae) Synonym(s): *distincta* Bryk, 1939 Range (in code): **ZA**
- 81226. *Heniocha dyops* (Maassen, 1872)** (Saturniidae) Synonym(s): *dyops* Maassen, 1872; *bioculata* Aurivillius, 1879 Range (in code): **ZA Gau Pre Lpo Tva Spb Mdk**
- 81227. *Heniocha marnois* (Rogenhofer, 1891)** (Saturniidae) Synonym(s): *marnois* Rogenhofer, 1891 Range (in code): **ZA**
- 81228. *Holocerina agomensis* (Karsch, 1896)** (Saturniidae) Synonym(s): *agomensis* Karsch, 1896; *angomensis* Pinhey, 1972 Range (in code): **ZA**
- 81229. *Holocerina angulata* (Aurivillius, 1893)** (Saturniidae) Synonym(s): *angulata* Aurivillius, 1893; *bistricta* Strand, 1911; *guineensis* Strand, 1912; *micropteryx* Hering, 1949 Range (in code): **ZA**
- 81230. *Holocerina rhodesiensis* (Janse, 1918)** (Saturniidae) Synonym(s): *rhodesiensis* Janse, 1918 Range (in code): **ZA**
- 81231. *Holocerina smilax* (Westwood, 1849)** (Saturniidae) Synonym(s): *smilax* Westwood, 1849 Range (in code): **ZA**
- 81232. *Imbrasia (Gonimbrasia) affinis* (Bouvier, 1926)** (Saturniidae) Synonym(s): *affinis* Bouvier, 1926 Range (in code): **ZA**
- 81233. *Imbrasia (Gonimbrasia) anna* (Maassen & Weyding, 1885)** (Saturniidae) Synonym(s): *anna* Maassen & Weyding, 1885 Range (in code): **ZA**
- 81234. *Imbrasia (Gonimbrasia) belina* (Westwood, 1849)** (Saturniidae) Synonym(s): *belina* Westwood, 1849; *junodi* Oberthür, 1910; *annulata* Bouvier, 1936 Original Reference: *Saturnia belina* Westwood, 1849, Proc. zool. Soc. London 17: 41, pl. 8 fig. 2. Range (in code): **ZA Tva Gau Pre Ly Nta Kzu MZ Del Dbn ZW BW NA** Bionomy: Larva on *Sclerocarya caffra* (Anacardiaceae) (Distant, 1903); *Colophospermum mopane* (Fabaceae) (Ditlhogo et al., 1996).
- 81235. *Imbrasia (Gonimbrasia) bubo* (Bouvier, 1930)** (Saturniidae) Synonym(s): *bubo* Bouvier, 1930; *clarki* Geertsema, 1971 Range (in code): **ZA**
- 81236. *Imbrasia (Gonimbrasia) carnigiei* (Janse, 1918)** (Saturniidae) Synonym(s): *carnigiei* Janse, 1918 Range (in code): **ZA**
- 81237. *Imbrasia (Gonimbrasia) cytherea* (Fabricius, 1775)** (Saturniidae) Synonym(s): *cytherea* Fabricius, 1775; *capensis* Stool, 1780; *pauper* Bouvier, 1926; *unicolor* Bouvier, 1926 Original Reference: *Bombyx cytherea* Fabricius, 1775; Syst. Ent.: 557. Type(s): Cape. Range (in code): **ZA Tva Gau Pre Jh Ly Wca Cto Kny Plt**
- 81238. *Imbrasia (Gonimbrasia) gueinzii* (Staudinger, 1872)** (Saturniidae) Synonym(s): *gueinzii* Staudinger, 1872 Range (in code): **ZA**
- 81239. *Imbrasia (Gonimbrasia) macrothyris* (Rotschild, 1906)** (Saturniidae) Synonym(s): *macrothyris* Rotschild, 1906; *regalis* Rebel, 1906; *heroum* Oberthür, 1910 Range (in code): **ZA**
- 81240. *Imbrasia (Gonimbrasia) perscitus* (Darge, 1992)** (Saturniidae) Synonym(s): *perscitus* Darge, 1992; *herbuloti* Darge, 1992 Range (in code): **ZA**
- 81241. *Imbrasia (Gonimbrasia) rectilineata* (Sonthonnax, 1899)** (Saturniidae) Synonym(s): *rectilineata* Sonthonnax, 1899 Range (in code): **ZA**
- 81242. *Imbrasia (Gonimbrasia) tyrrhea* (Cramer, 1775)** (Saturniidae) Synonym(s): *tyrrhea* Cramer, 1775; *rubra* Bouvier, 1936 Range (in code): **ZA Tva Gau Pre Jh**
- 81243. *Imbrasia (Gonimbrasia) wahlbergii* (Boisduval, 1847)** (Saturniidae) Synonym(s): *wahlbergii* Boisduval, 1847; *ochracea* Rebel, 1917 Range (in code): **ZA Tva Lpo Spb Suw Nta Kzu Ptb Dbn**
- 81244. *Imbrasia (Gonimbrasia) zambesina* (Walker, 1865)** (Saturniidae) Synonym(s): *zambesina* Walker, 1865; *zambesia* Feldwer, 1874; *said* Oberthür, 1878; *barcas* Maassen & Weymer, 1881; *ringleri*

- Wichgraf,1906; *rectilinea* Oberthür,1910; *zanguebarica* Oberthür,1910. Range (in code): **ZA Tva Lpo Spb Suw ZM TZ MZ Del**
- 81245. Imbrasia (Nudaurelia) emini (Butler,1888)** (Saturniidae) Synonym(s): *emini* Butler,1888 Original Reference: *Antheraea emini* Butler,1888, Proc. zool. Soc. London 1888: 84. Type: Kamerun. Range (in code): **CM CF MW Zom**
- 81246. Imbrasia (s.str.) ertli Rebel,1904** (Saturniidae) Synonym(s): *ertli Rebel,1904* Range (in code): **ZA**
- 81247. Imbrasia (s.str.) forda (Westwood,1849)** (Saturniidae) Synonym(s): *forda* Westwood,1849; *patens* Boisduval,1847; *semicaeca* Walker,1855; *invenusta* Wallengren,1858; *cervina* Westwood,1881; *similis* Distant,1897 Range (in code): **ZA Tva Gau Mpu Brb Nta Kzu**
- 81248. Lemaireia hainana Nässig & Wang,2006** (Saturniidae) Synonym(s): *hainana* Nässig & Wang,2006 Range (in code): **CN Hn**
- 81249. Lemaireia inexpectata Nässig,1996** (Saturniidae) Synonym(s): *inexpectata* Nässig,1996 Range (in code): **VN**
- 81250. Lemaireia luteopeplus (Nässig & Holloway,1988)** (Saturniidae) Synonym(s): *luteopeplus* Nässig & Holloway,1988 Range (in code): **IN MM VN Ton TH CMa CDo Dst LA**
- 81251. Lemaireia luteopeplus aureopeplus (Nässig & Holloway,1988)** (Saturniidae) Synonym(s): *aureopeplus* Nässig & Holloway,1988 Range (in code): **MM VN Ton TH CMa CDo Dst LA**
- 81252. Lemaireia luteopeplus luteopeplus (Nässig & Holloway,1988)** (Saturniidae) Synonym(s): *luteopeplus* Nässig & Holloway,1988 Range (in code): **IN**
- 81253. Lemaireia naessigi Brechlin,2001** (Saturniidae) Synonym(s): *naessigi* Brechlin,2001 Range (in code): **MM**
- 81254. Lemaireia schintlmeisteri (Nässig & Lampe,1989)** (Saturniidae) Synonym(s): *schintlmeisteri* Nässig & Lampe,1989 Range (in code): **PH Mno**
- 81255. Lobobunaea angasana (Westwood,1849)** (Saturniidae) Synonym(s): *angasana* Westwood,1849; *saturnus* Maassen & Weyding,1885; *tanganicae* Sonthonnax,1899; *weymeri* Aurivillius,1910 Range (in code): **ZA**
- 81256. Lobobunaea phaedusa** (Saturniidae) Synonym(s): Range (in code): **ZA**
- 81257. Lobobunaea phaedusa falcatissima Rougeot,1962** (Saturniidae) Synonym(s): *falcatissima* Rougeot,1962; *flamulata* Navatte,1978 Range (in code): **ZA**
- 81258. Loepa anthera Jordan,1911** (Saturniidae) Synonym(s): *anthera* Jordan,1911 Range (in code): **IN Ass LA VN CN Fkn**
- 81259. Loepa diversiocellata Bryk,1944** (Saturniidae) Synonym(s): *diversiocellata* Bryk,1944 Range (in code): **MM TH CMa Dst Dso7 Mta Hnd CDo Pki Fn Agk LA VN**
- 81260. Loepa kuangtungensis Mell,1938** (Saturniidae) Synonym(s): *kuangtungensis* Mell,1938 Range (in code): **VN CN**
- 81261. Loepa microocellata S.Naumann & Kishida,2001** (Saturniidae) Synonym(s): *microocellata* S.Naumann & Kishida,2001 Range (in code): **CN Hun Kwa Hbe**
- 81262. Loepa mindanaensis Schüssler,1933** (Saturniidae) Synonym(s): *mindanaensis* Schüssler,1933 Range (in code): **PH Mno Ley**
- 81263. Loepa miranda Moore,1865** (Saturniidae) Synonym(s): *miranda* Moore,1865 Range (in code): **IN MM TH CMa LA VN**
- 81264. Loepa nigropupillata Nässig & Holloway,1988** (Saturniidae) Synonym(s): *nigropupillata* Nässig & Holloway,1988 Range (in code): **PH Luz Sib**
- 81265. Loepa palawana Nässig & Holloway,1997** (Saturniidae) Synonym(s): *palawana* Nässig & Holloway,1997 Range (in code): **PH Pal**
- 81266. Loepa roseomarginata Brechlin,1997** (Saturniidae) Synonym(s): *roseomarginata* Brechlin,1997 Range (in code): **VN Ton Fan**
- 81267. Loepa sikkima Moore,1865** (Saturniidae) Synonym(s): *sikkima* Moore,1865 Range (in code): **IN SI MM TH Phu CMa CDo Agk Fn Srt MY Bor ID Sum Ja LA VN**
- 81268. Loepa sikkima javanica Mell,1939** (Saturniidae) Synonym(s): *javanica* Mell,1939 Range (in code): **ID Sum Ja**
- 81269. Loepa sikkima sikkima Moore,1865** (Saturniidae) Synonym(s): *sikkima* Moore,1865 Range (in code): **IN SI MM TH Phu CMa Srt LA MY Bor**
- 81270. Ludia corticea Jordan,1922** (Saturniidae) Synonym(s): *corticea* Jordan,1922 Range (in code): **ZA**

- 81271. *Ludia delegorguei* (Boisduval,1847)** (Saturniidae) Synonym(s): *delegorguei* Boisduval,1847; *vetusta* Strand,1911 Range (in code): ZA Tva Gau Jh Ec Grh Nta Kzu MZ Del Bionomy: Larva on Mpachla (Distant,1903).
- 81272. *Ludia goniata* (Rothschild,1907)** (Saturniidae) Synonym(s): *goniata* Rothschild,1907 Range (in code): ZA
- 81273. *Ludia limbobrunnea*** (Saturniidae) Synonym(s): Range (in code): ZA
- 81274. *Ludia limbobrunnea monroei* Jordan,1938** (Saturniidae) Synonym(s): *monroei* Jordan,1938 Range (in code): ZA
- 81275. *Maltagorea auricolor* (Mabille,1879)** (Saturniidae) Synonym(s): *auricolor* Mabille,1879 Range (in code): MG
- 81276. *Maltagorea fuscicolor* (Mabille,1879)** (Saturniidae) Synonym(s): *fuscicolor* Mabille,1879 Range (in code): MG
- 81277. *Melanocera dargei* Terral,1991** (Saturniidae) Synonym(s): *dargei* Terral,1991; *emmanuellae* Rougeot,[1992] Range (in code): ZA
- 81278. *Melanocera menippe* (Westwood,1849)** (Saturniidae) Synonym(s): *menippe* Westwood,1849; *habenichti* Wichgraf,1911; *transiens* Wichgraf,1911 Range (in code): ZA Tva Mpu Brb Nta Kzu Ec Pel MZ Del Bionomy: Larva on *Ocea purpurascens* ?; *Ochna atropurpurea* (Distant,1903).
- 81279. *Micragone ansorgei* (Rothschild,1907)** (Saturniidae) Synonym(s): *ansorgei* Rothschild,1907 Range (in code): ZW BW AO
- 81280. *Micragone ansorgei bilineata* (Rothschild,1907)** (Saturniidae) Synonym(s): *bilineata* Rothschild,1907 Range (in code): ZW BW
- 81281. *Micragone cana* (Aurivillius,1893)** (Saturniidae) Synonym(s): *cana* Aurivillius,1893; *junodi* Oberthür,1910 Range (in code): ZA
- 81282. *Micragone cana cana* (Aurivillius,1893)** (Saturniidae) Synonym(s): *cana* Aurivillius,1893; *junodi* Oberthür,1910 Range (in code): ZA
- 81283. *Micragone nubifera* Bouvier,1936** (Saturniidae) Synonym(s): *nubifera* Bouvier,1936 Range (in code): ZA
- 81284. *Nudaurelia herbuloti* Darge,1992** (Saturniidae) Synonym(s): *herbuloti* Darge,1992 Range (in code): MW
- 81285. *Orthogonioptilum adiegetum* Karsch,1893** (Saturniidae) Synonym(s): *adiegetum* Karsch,1893 Range (in code): CM ZA
- 81286. *Orthogonioptilum adiegetum dollmani* Jordan,1922** (Saturniidae) Synonym(s): *dollmani* Jordan,1922 Range (in code): ZA
- 81287. *Orthogonioptilum herbuloti* Darge,1988** (Saturniidae) Synonym(s): *herbuloti* Darge,1988 Range (in code):
- 81288. *Orthogonioptilum incanum* (Sonthonnax,1899)** (Saturniidae) Synonym(s): *incanum* Sonthonnax,1899; *pancratium* Weymer,1903; *septiguttatum* Weymer,1909 Range (in code): ZA
- 81289. *Paracles herbuloti* (Toulgoet,1975)** (Saturniidae) Synonym(s): *herbuloti* Toulgoet,1975 Range (in code): EC
- 81290. *Pselaphelia flavivitta* (Walker,1862)** (Saturniidae) Synonym(s): *flavivitta* Walker,1862; *dentifera* Maassen & Weyding,1885; *conspecta* Aurivillius,1893 Range (in code): ZA
- 81291. *Pseudantheraea discrepans* (Butler,1878)** (Saturniidae) Synonym(s): *discrepans* Butler,1878 Range (in code):
- 81292. *Pseudaphelia apollinaris* (Boisduval,1847)** (Saturniidae) Synonym(s): *apollinaris* Boisduval,1847; *balanoal* Guérin-Méneville,1847; *palaeacea* Herrich-Schäffer,1855 Range (in code): ZA Tva Lpo Spb Suw Nta Kzu ET Bionomy: Larva on *Jurrea heterophylla* (Distant,1903).
- 81293. *Pseudimbrasia deyrollii* (Thomson,1858)** (Saturniidae) Synonym(s): *deyrollii* Thomson,1858; *senegalensis* Kirby,1892; *congolensis* Oberthür,1910; *intermedia* Strand,1911; *gerresheimi* Strand,1911 Range (in code): ZA SN ZR
- 81294. *Pseudobunaea irius* (Fabricius,1793)** (Saturniidae) Synonym(s): *irius* Fabricius,1793; *epithyrena* Maassen & Weyding,1885; *melinde* Maassen & Weyding,1885; *natalensis* Aurivillius,1893; *pallens* Sonthonnax,1899; *inornata* Sonthonnax,1899; *redlichi* Weymer,1901; *patruelis* Distant,1903; *meloui* Riel,1910; *cremeri* Oberthür,1919; *bispecularis* Aurivillius,1925; *immaculata* Bouvier,1930; *bruneli* Rougeot,1974 Range (in code): ZA Kzu Nta
- 81295. *Pseudobunaea tyrrhena* (Westwood,1849)** (Saturniidae) Synonym(s): *tyrrhena* Westwood,1849 Range (in code): ZA Tva Mpu Brb Nta Kzu Dbn CM Bionomy: Larva on *Grumilea capensis* (Distant,1903).

- 81296. *Pseudodirphia herbuloti* Lemaire,1975** (Saturniidae) Synonym(s): *herbuloti* Lemaire,1975 Range (in code):
- 81297. *Rhodinia broschii* Brechlin,2001** (Saturniidae) Synonym(s): *broshii* Brechlin,2001 Range (in code): CN Yu
- 81298. *Rhodinia grigauti* Le Moul,1933** (Saturniidae) Synonym(s): *grigauti* Le Moul,1933 Range (in code): CN Hun Kwa
- 81299. *Rhodinia newara* (Moore,1872)** (Saturniidae) Synonym(s): *newara* Moore,1872 Range (in code): IN SI NP MM TH CMa VN CN Yu
- 81300. *Rhodinia rudloffii* Brechlin,2001** (Saturniidae) Synonym(s): *rudloffii* Brechlin,2001 Range (in code): CN
- 81301. *Rhodinia tenzingyatsoi* S.Naumann,2001** (Saturniidae) Synonym(s): *tenzingyatsoi* S.Naumann,2001 Range (in code): CN Ti Yu
- 81302. *Rohaniella pygmaea* (Maassen & Weyding,1885)** (Saturniidae) Synonym(s): *pygmaea* Maassen & Weyding,1885; *pygela* Druce,1886 Range (in code): ZA Tva Gau Pre
- 81303. *Salassa fansipana* Brechlin,1997** (Saturniidae) Synonym(s): *fansipana* Brechlin,1997 Range (in code): VN Ton Lci Fan
- 81304. *Salassa iris* Jordan,1910** (Saturniidae) Synonym(s): *iris* Jordan,1910 Original Reference: *Salassa iris* Jordan,1910, Novit. Zool. 17 (3): 471. Type: Sikkim. Range (in code): SI IN Bionomy: Larva on Prunus (Rosaceae) (Robinson et al.,2005).
- 81305. *Salassa lemai* Le Moul,1933** (Saturniidae) Synonym(s): *lemai* Le Moul,1933 Range (in code): LA VN TH CMa
- 81306. *Salassa lola* (Westwood,1847)** (Saturniidae) Synonym(s): *lola* Westwood,1847 Original Reference: *Saturnia lola* Westwood,1847, Cabinet Orient., Ent. 25: pl.12 fig.3. Type: Sylhet. Range (in code): SI Djl IN BD Syl MM
- 81307. *Salassa lola katschinica* Bryk,1944** (Saturniidae) Synonym(s): *katschinica* Bryk,1944 Range (in code): MM
- 81308. *Salassa lola lola* (Westwood,1847)** (Saturniidae) Synonym(s): *lola* Westwood,1847 Original Reference: *Saturnia lola* Westwood,1847, Cabinet Orient., Ent. 25: pl.12 fig.3. Type: Sylhet. Range (in code): SI Djl IN BD Syl
- 81309. *Salassa megasticta* Swinhoe,1894** (Saturniidae) Synonym(s): *megasticta* Swinhoe,1894; *#megastica* Nässig,1994 Range (in code): IN Ass Cpj
- 81310. *Salassa olivacea* (Oberthür,1890)** (Saturniidae) Synonym(s): *olivacea* Oberthür,1890 Range (in code): CN Sz T-T
- 81311. *Salassa royi* (Elwes,1887)** (Saturniidae) Synonym(s): *royi* Elwes,1887 Range (in code): SI Djl IN
- 81312. *Salassa thespis* (Leech,1890)** (Saturniidae) Synonym(s): *thespis* Leech,1890; *mesosa* Jordan,1910; *episcopalis* Kaiser,1920; *excellens* Bryk,1944; *melanops* Bryk,1944 Original Reference: *Antheraea thespis* Leech,1890, Entomologist 23: 112. Type: China: Ichang. Range (in code): SI IN Ass Meg Khs CN Hbe MM Kam TH CMa Int CN Shs Fkn Hpe LA L13
- 81313. *Salassa tonkiniana* Le Moul,1933** (Saturniidae) Synonym(s): *tonkiniana* Le Moul,1933 Range (in code): VN
- 81314. *Samia canningi* (Hutton,1860)** (Saturniidae) Synonym(s): *canningi* Hutton,1860 Range (in code): IN MM TH CMa CDo Knc Nna LA KH
- 81315. *Samia cynthia* (Drury,1773)** (Saturniidae) Synonym(s): *cynthia* Drury,1773; *aylanti* Motschulsky,1858; *walkerii* C.Felder & R.Felder,1862; *ailanthi* Weil,1863; *parisiensis* Clemens,1899; *advena* Watson,1912; *eulouvaina* Watson,1914 Range (in code): [ES FR IT CH AT YU BG TN CA US UY BR VE IN NP LK JP AU] KP KR CN RU MY ID Ja PH
- 81316. *Samia cynthia ricini* Boisduval,1854** (Saturniidae) Synonym(s): *ricini* Boisduval,1854 Range (in code): IN NP LK
- 81317. *Samia insularis* (Vollenhoven,1862)** (Saturniidae) Synonym(s): *insularis* Vollenhoven,1862 Range (in code): ID Sum Ja Krkt
- 81318. *Samia kohli* S.Naumann & Peigler,2001** (Saturniidae) Synonym(s): *kohli* S.Naumann & Peigler,2001 Range (in code): LA
- 81319. *Samia luzonica* (Watson,1914)** (Saturniidae) Synonym(s): *luzonica* Watson,1914; *mindanaensis* Rebel,1924; *#manillensis* Bouvier,1927. Range (in code): PH Luz Pan Neg Sam Ley Mno Jol Mar Mdo Cml
- 81320. *Samia treadawayi* S.Naumann,1998** (Saturniidae) Synonym(s): *treadawayi* S.Naumann,1998 Range (in code): PH Pal

- 81321. Saturnia (Agapema) anona Ottolengui,1903** (Saturniidae) Synonym(s): *anona Ottolengui,1903* Range (in code):
- 81322. Saturnia (Agapema) dentifasciata (Lemaire,1973)** (Saturniidae) Synonym(s): *dentifasciata Lemaire,1973* Range (in code):
- 81323. Saturnia (Agapema) dyari (Cockerell,1914)** (Saturniidae) Synonym(s): *dyari Cockerell,1914* Range (in code):
- 81324. Saturnia (Agapema) galbina Clemens,1860** (Saturniidae) Synonym(s): *galbina Clemens,1860; solita Ferguson,1972* Range (in code):
- 81325. Saturnia (Agapema) homogena (Dyar,1908)** (Saturniidae) Synonym(s): *homogena Dyar,1908* Range (in code):
- 81326. Saturnia (Agapema) pelora Rindge,1961** (Saturniidae) Synonym(s): *pelora Rindge,1961* Range (in code):
- 81327. Saturnia (Agapema) platensis (Peigler & Kendall,1993)** (Saturniidae) Synonym(s): *platensis Peigler & Kendall,1993* Range (in code):
- 81328. Saturnia (Caligula) chinghaina Zhu & Wang,1993** (Saturniidae) Synonym(s): *chinghaina Zhu & Wang,1993* Range (in code): **CN Hbe**
- 81329. Saturnia (Caligula) kansuenis Mell,1939** (Saturniidae) Synonym(s): *kansuenis Mell,1939* Range (in code): **CN Gn**
- 81330. Saturnia (Calosaturnia) albofasciata (Johnson,1938)** (Saturniidae) Synonym(s): *albofasciata Johnson,1938* Range (in code):
- 81331. Saturnia (Calosaturnia) mendocino Behrens,1876** (Saturniidae) Synonym(s): *mendocino Behrens,1876* Range (in code):
- 81332. Saturnia (Calosaturnia) walterorum (Hogue & Johnson,1958)** (Saturniidae) Synonym(s): *meridionalis Johnson,1940 nec Bouw.,1936 non Calb.,1897; walterorum Hogue & Johnson,1958* Range (in code):
- 81333. Saturnia (Heraea) cephalariae Romanoff,1885** (Saturniidae) Synonym(s): *cephalariae Romanoff,1885* Original Reference: *Saturnia cephalariae Romanoff,1885, Mém. lépid. 2: 14-19, figs. Type: [Turquie]: Kasikoparan. Range (in code):* **TR Cc GG Mng AM IR Ab Qo** Bionomy: Larva on *Cephalaria procera* (Romanoff,1885; De Freina,1979).
- 81334. Saturnia (Heraea) pavonia (Linnaeus,1758)** (Saturniidae) Synonym(s): *pavonia Linnaeus,1758; pavoniella Scopoli,1763; carpini Denis & Schiffermüller,1775; pavunculus Retzius,1783* Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Cc GG Tbl MD UA BY**
- 81335. Saturnia (Heraea) spini ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini [Denis & Schiffermüller],1775* Original Reference: *Bombyx spini [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district. Range (in code):* **IT? AT CZ SK HU RO YU BG GR TR Cc GG Mng** Bionomy: Larva on *Prunus spinosa*, *Crataegus* ([Denis & Schiffermüller],1775; de Freina,1983).
- 81336. Saturnia (Heraea) spini spini ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s): *#spini [Denis & Schiffermüller],1775* Original Reference: *Bombyx spini [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 49. Type(s): Vienna district. Range (in code):* **IT? AT CZ SK HU RO YU BG GR TR Cc GG Mng** Bionomy: Larva on *Prunus spinosa*, *Crataegus* ([Denis & Schiffermüller],1775; de Freina,1983).
- 81337. Saturnia (Neoris) codyi Peigler,1996** (Saturniidae) Synonym(s): *codyi Peigler,1996* Original Reference: *Saturnia codyi Peigler,1996, J. Res. lepid. (1993) 32: 8-10, figs. Holotype ♂: Pakistan: Northwest Frontier Province, Ghizar Mountains, Yasin, 4000m early September (coll. Rothschild) (BMNH). Range (in code):* **PK Nwf Gg**
- 81338. Saturnia (Neoris) codyi codyi Peigler,1996** (Saturniidae) Synonym(s): *codyi Peigler,1996* Original Reference: *Saturnia codyi Peigler,1996, J. Res. lepid. (1993) 32: 8-10, figs. Holotype ♂: Pakistan: Northwest Frontier Province, Ghizar Mountains, Yasin, 4000m early September (coll. Rothschild) (BMNH). Range (in code):* **PK Gg Nwf**
- 81339. Saturnia (Neoris) galeropa Püngeler,1900** (Saturniidae) Synonym(s): *galeropa Püngeler,1900* Original Reference: *Saturnia schencki var. galeropa Püngeler,1900, Dt. ent. Z., Iris 13: 116, Taf.iv fig.1. Syntypes 2♂: [Turkmenistan]: "Kopet-Dagh bei Aschabad". Range (in code):* **Cc AM IR Elb Mz Th Kh Gls TM Kp**

- 81340. *Saturnia (Neoris) huttoni* Moore, 1862** (Saturniidae) Synonym(s): *huttoni* Moore, 1862
Range (in code): **IN Ld KG Tar Ssn KK Ax** Bionomy: Larva on Spiraea, Fraxinus, Pyrus, Cydonia, Salix, Ligustrum, Rhus (Anacardiaceae); Prunus padus (Rosaceae) (Pittaway, 2000).
- 81341. *Saturnia (Neoris) huttoni huttoni* Moore, 1862** (Saturniidae) Synonym(s): *huttoni* Moore, 1862 Range (in code): **IN Ld KG Tar Ssn KK Ax**
- 81342. *Saturnia (Neoris) huttoni schencki* Staudinger, 1881** (Saturniidae) Synonym(s): *schencki* Staudinger, 1881 Range (in code):
- 81343. *Saturnia (Neoris) naessigi* (De Freina, 1992)** (Saturniidae) Synonym(s): *naessigi* De Freina, 1992 Original Reference: *Neoris huttoni* ssp. *naessigi* de Freina, 1992, Ent. Z., Frankf. a. M. 102 (13): 245, fig. Holotype ♂: Türkiye: Tunceli Prov., 35km SE Ovacık, upper Munzur Valley. Range (in code): **TR** Bionomy: Larva on Fraxinus (Oleaceae), Spiraea, Pyrus, Cydonia, Prunus padus (Rosaceae), Ligustrum, Rhus (Anacardiaceae); Salix (Salicaceae) (Pittaway, 2000).
- 81344. *Saturnia (Neoris) naessigi naessigi* (De Freina, 1992)** (Saturniidae) Synonym(s): *naessigi* De Freina, 1992 Original Reference: *Neoris huttoni* ssp. *naessigi* de Freina, 1992, Ent. Z., Frankf. a. M. 102 (13): 245, fig. Holotype ♂: Türkiye: Tunceli Prov., 35km SE Ovacık, upper Munzur Valley. Range (in code): **TR**
- 81345. *Saturnia (Neoris) shadulla* (Moore, 1872)** (Saturniidae) Synonym(s): *shadulla* Moore, 1872; *svenihedini* M. Hering, 1936; *alatauica* O. Bang-Haas, 1937 Original Reference: *Neoris huttoni shadulla* Moore, 1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River. Range (in code): **AF Ch TJ UZ KK Frz CN Gn Shs Ui Sdh Ku Ju Um KG T-S Aa TrA MN RU At Tv Sb Sj** Bionomy: Larva on Spiraea, Pyrus (Rosaceae), Fraxinus (Oleaceae) (Pittaway, 2000).
- 81346. *Saturnia (Neoris) shadulla shadulla* (Moore, 1872)** (Saturniidae) Synonym(s): *shadulla* Moore, 1872; *svenihedini* M. Hering, 1936; *alatauica* O. Bang-Haas, 1937 Original Reference: *Neoris huttoni shadulla* Moore, 1872, Proc. zool. Soc. London 1872: 577. Type: [Uighur Ili]: Shadulla, Yarkand River. Range (in code): **AF Ch TJ UZ KK Frz CN Gn Shs Ui Sdh Ku Ju Um KG T-S Aa TrA MN RU At Tv Sb Sj** Bionomy: Larva on Spiraea, Pyrus (Rosaceae), Fraxinus (Oleaceae) (Pittaway, 2000).
- 81347. *Saturnia (Perisomena) caecigena* Kupido, 1825** (Saturniidae) Synonym(s): *caecigena* Kupido, 1825; *unicolor* Schultz, 1910; *wiskotti* Niepelt, 1914; *derosata* Schawerda, 1914 Original Reference: *Saturnia caecigena* Kupido, 1825, Neuent. europ. Nacht-Pfauen-Auge, *Saturnia caecigena* 4: 5. Type: Fiume [Rijeka, Croatia]. Range (in code): **IT RO YU AL BG GR TR CY GG Tbl AZ Kir Hkd Cc** Bionomy: Larva on *Paliurus australis* (Lederer, 1870); *Quercus coccifera*, *Quercus pubescens* (Fagaceae) (Staudinger, 1879; Koçak, in litt.).
- 81348. *Saturnia (Perisomena) caecigena caecigena* Kupido, 1825** (Saturniidae) Synonym(s): *caecigena* Kupido, 1825; *unicolor* Schultz, 1910; *wiskotti* Niepelt, 1914; *derosata* Schawerda, 1914 Original Reference: *Saturnia caecigena* Kupido, 1825, Neuent. europ. Nacht-Pfauen-Auge, *Saturnia caecigena* 4: 5. Type: Fiume [Rijeka, Croatia]. Range (in code): **IT RO YU AL BG GR TR**
- 81349. *Saturnia (Perisomena) caecigena stroehlei* Nässig, 2002** (Saturniidae) Synonym(s): *stroehlei* Nässig, 2002 Original Reference: *Saturnia (Perisomena) caecigena* ssp. *stroehlei* Nässig, 2002, Nachr. ent. Ver., Apollo (N.F.) 23 (1/2): 45. Holotype ♂: Cyprus: Troodos Mts., Paphos forest, west of Pedoulas, east of Mylikouri 600-800m. Range (in code): **CY**
- 81350. *Saturnia (Perisomena) caecigena transcaucasica* (O. Bang-Haas, 1927)** (Saturniidae) Synonym(s): *transcaucasica* O. Bang-Haas, 1927; *parviocellata* Friedel, 1968 Original Reference: *Perisomena caecigena* ssp. *transcaucasica* O. Bang-Haas, 1927, Horae Macrolepid. 1: 78. Syntypes ♂♂♀♀: Transcaucasus: [Azerbaijan]: Elisabethpol [Kirovabad]: [Georgia]: Tiflis. Range (in code): **TR GG Tbl AZ Kir Hkd Cc**
- 81351. *Saturnia (Rinaca) anna* Moore, 1865** (Saturniidae) Synonym(s): *anna* Moore, 1865; *?bieti* Oberthür, 1886 Range (in code): **VN CN**
- 81352. *Saturnia (Rinaca) boisduvali* Eversmann, 1846** (Saturniidae) Synonym(s): *boisduvali* Eversmann, 1846; *chinensis* Rebel, [1926]; *meridionalis* Bouvier, 1936; *meridionalis* Mell, 1939 nec Bouv., 1936; *kansuensis* Mell, 1939; *intermediula* Bryk, 1948 Range (in code): **MN CN Gn Sz Ti Yu Mc KP KR RU Us Sb**
- 81353. *Saturnia (Rinaca) boisduvali boisduvali* Eversmann, 1846** (Saturniidae) Synonym(s): *boisduvali* Eversmann, 1846; *chinensis* Rebel, [1926]; *meridionalis* Bouvier, 1936; *meridionalis* Mell, 1939 nec Bouv., 1936; *kansuensis* Mell, 1939; *intermediula* Bryk, 1948 Range (in code):
- 81354. *Saturnia (Rinaca) boisduvali fallax* Jordan, 1913** (Saturniidae) Synonym(s): *fallax* Jordan, 1913 Range (in code): **RU Us**

- 81355. Saturnia (Rinaca) cachara (Moore,1872)** (Saturniidae) Synonym(s): *cachara* Moore,1872; *microcaligula* Nässig,1994 Range (in code): **IN Ass CN Yu TH CMa Fn Agk VN Ton Lci Fan LA L13**
- 81356. Saturnia (Rinaca) fujiana Brechlin,2007** (Saturniidae) Synonym(s): *fujiana* Brechlin,2007 Original Reference: *Saturnia (Rinaca) fujiana* Brechlin,2007, Nachr. ent. Ver. Apollo (N.F.) 28 (1/2): 93-96, figs. Holotype ♂: China: Fukien, Dai Mao Shan 1300m, 60km NW Longyan, leg. V.Sinjaev (coll. Brechlin). Range (in code): **CN Fkn DMs**
- 81357. Saturnia (Rinaca) fukudai (Sonan,1937)** (Saturniidae) Synonym(s): *fukudai* Sonan,1937 Range (in code): **TW**
- 81358. Saturnia (Rinaca) grotei Moore,1859** (Saturniidae) Synonym(s): *grotei* Moore,1859 Range (in code):
- 81359. Saturnia (Rinaca) heinrichi (Lemaire,1976)** (Saturniidae) Synonym(s): *heinrichi* Lemaire,1976 Range (in code): **MM**
- 81360. Saturnia (Rinaca) japonica (Moore,1872)** (Saturniidae) Synonym(s): *japonica* Moore,1872; *castanea* Swinhoe,1892; *regina* Staudinger,1901; *arisana* Shiraki,1913; *manonis* Matsumura,1926 Range (in code): **JP**
- 81361. Saturnia (Rinaca) jonasi (Butler,1877)** (Saturniidae) Synonym(s): *jonasi* Butler,1877 Range (in code): **JP**
- 81362. Saturnia (Rinaca) jonasi jonasi (Butler,1877)** (Saturniidae) Synonym(s): *jonasi* Butler,1877 Range (in code): **JP**
- 81363. Saturnia (Rinaca) lindia Moore,1865** (Saturniidae) Synonym(s): *lindia* Moore,1865 Original Reference: *Saturnia lindia* Moore,1865, Trans. ent. Soc. London (3) 2: 424, Pl.22 fig.3. Syntypes ♂♀: N.E.India (Capt. James Lind Sherwill). Range (in code): **AF PK Sfk Gg Haz Nar Kot Ld Ch IN Snm Hp Sml Kul NP CN Ti**
- 81364. Saturnia (Rinaca) lindia bonita Jordan,1911** (Saturniidae) Synonym(s): *bonita* Jordan,1911 Range (in code): **CN Ti**
- 81365. Saturnia (Rinaca) lindia hockingii Moore,1888** (Saturniidae) Synonym(s): *hockingii* Moore,1888 Range (in code): **IN Hp Kul Sml**
- 81366. Saturnia (Rinaca) lindia lindia Moore,1865** (Saturniidae) Synonym(s): *lindia* Moore,1865 Original Reference: *Saturnia lindia* Moore,1865, Trans. ent. Soc. London (3) 2: 424, Pl.22 fig.3. Syntypes ♂♀: N.E.India (Capt. James Lind Sherwill). Range (in code): **AF Sfk Kot PK Gg Haz Nar IN Snm**
- 81367. Saturnia (Rinaca) lindia sillemi Bouvier,1935** (Saturniidae) Synonym(s): *sillemi* Bouvier,1935 Range (in code): **Ld**
- 81368. Saturnia (Rinaca) microcaligula Nässig,1994** (Saturniidae) Synonym(s): *microcaligula* Nässig,1994 Range (in code): **VN Ton Fan**
- 81369. Saturnia (Rinaca) naumanni Brechlin,2001** (Saturniidae) Synonym(s): *naumanni* Brechlin,2001 Range (in code): **VN**
- 81370. Saturnia (Rinaca) simla Westwood,1847** (Saturniidae) Synonym(s): *simla* Westwood,1847; *oberthueri* Watson,1919; *fracki* Watson,1919; *jaintiensis* Watson,1927 Original Reference: *Saturnia simla* Westwood,1847, Cat. Orient. Ent.: 41 pl 20 fig.1. Range (in code): **IN Hp Sml PK Mre Haz CN MM TH CMa VN**
- 81371. Saturnia (Rinaca) sinjaevi Brechlin,1994** (Saturniidae) Synonym(s): *sinjaevi* Brechlin,1994 Range (in code): **CN Hun**
- 81372. Saturnia (Rinaca) thibeta Westwood,1853** (Saturniidae) Synonym(s): *thibeta* Westwood,1853; *bonhourei* Le Moult,1933; *okurai* Okano,1960; *arctica* Yang,1978 Range (in code): **IN MM TH CMa Int CN Ti VN** Bionomy: Larva on *Prunus laurocerasus*, *Pyracantha* (Rosaceae), *Ligustrum vulgare* (Oleaceae) (Nässig,1994).
- 81373. Saturnia (Rinaca) thibeta arctica (Yang,1978)** (Saturniidae) Synonym(s): *arctica* Yang,1978 Range (in code): **CN Hbe**
- 81374. Saturnia (Rinaca) thibeta extensa Butler,1881** (Saturniidae) Synonym(s): *extensa* Butler,1881 Range (in code): **TH CMa Int**
- 81375. Saturnia (Rinaca) thibeta thibeta Westwood,1853** (Saturniidae) Synonym(s): *thibeta* Westwood,1853; *bonhourei* Le Moult,1933; *okurai* Okano,1960; *arctica* Yang,1978 Range (in code): **IN MM TH CMa CN Ti**
- 81376. Saturnia (Rinaca) winbrechlini Brechlin,2000** (Saturniidae) Synonym(s): *winbrechlini* Brechlin,2000 Range (in code): **CN Sha**

- 81377. *Saturnia (Rinaca) witti* Brechlin,1997** (Saturniidae) Synonym(s): *witti* Brechlin,1997
Range (in code): **NP**
- 81378. *Saturnia (Rinaca) zuleika* Hope,1843** (Saturniidae) Synonym(s): *zuleika* Hope,1843;
#orites Jordan,1911; *#hampsoni* Schüssler,1933; *lesoudieri* Le Moults,1933; *malaisei* Bryk,1944 Range (in code):
IN Ass NP CN Sz MM TH CMa Mta Hnd LA L13 VN
- 81379. *Saturnia (s.str.) atlantica* Lucas,1848** (Saturniidae) Synonym(s): *atlantica* Lucas,1848;
numida Austaut,1883; *maroccana* Austaut,1894 Original Reference: *Saturnia atlantica* Lucas,1848,
Explor. Alg. Zool. 3: 379 pl.3 fig.4. Syntypes: Luc Tonga, Lacalle. Range (in code): **DZ Tlm Orn Agi**
Ght Phv MA DhM TN
- 81380. *Saturnia (s.str.) cameronensis* Lemaire,1979** (Saturniidae) Synonym(s): *cameronensis*
Lemaire,1979 Range (in code): **MY**
- 81381. *Saturnia (s.str.) centralis* S.Naumann & Löffler,2005** (Saturniidae) Synonym(s):
centralis S.Naumann & Löffler,2005 Range (in code): **CN Yu Sz MM TH CMa**
- 81382. *Saturnia (s.str.) cidosa* Moore,1865** (Saturniidae) Synonym(s): *cidosa* Moore,1865
Range (in code): **SI IN NP**
- 81383. *Saturnia (s.str.) cognata* (Jordan,1911)** (Saturniidae) Synonym(s): *cognata* Jordan,1911
Range (in code): **CN Fkn Hun She Sz Yu Pkn KR**
- 81384. *Saturnia (s.str.) luctifera* (Jordan,1911)** (Saturniidae) Synonym(s): *luctifera* Jordan,1911
Range (in code): **CN Sz**
- 81385. *Saturnia (s.str.) pinratanai* Lampe,1989** (Saturniidae) Synonym(s): *pinratanai*
Lampe,1989 Original Reference: *Saturnia* (Eriogyna) *pinratanai* Lampe,1989, *Ent. Z., Frankf. a. M.*
99 (13): 179-180. Holotype ♀: Thailand: Chiang Mai, Doi Inthanon. Range (in code): **TH CMa Int**
- 81386. *Saturnia (s.str.) pyretorum* Westwood,1847** (Saturniidae) Synonym(s): *pyretorum*
Westwood,1847; *pearsoni* Watson,1911; *roseata* De Joannis,1929; *tonkinensis* Bouvier,1936 Range (in code):
MY VN Ton KH LA TW CN Fkn Kwa Hn Hun Sz Yu
- 81387. *Saturnia (s.str.) pyri* ([Denis & Schiffermüller],1775)** (Saturniidae) Synonym(s):
pyri [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. Original Reference: *Bombyx*
pyri [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 49.
Type(s): Vienna district. Range (in code): **PT ES FR Co Sa Si IT NL LU CH AT CZ SK HU RO DK YU**
AL BG GR Rd TR SY Dms LB Bsa Pa IL Hf IQ IR Ab Ak Oru Shf Msw Fa Shr Kh Ke Elb Th AM Eri AZ Nv
Ord Hkd GG Tbl Smt Bjo Cc RU Da Der Bionomy: Larva on *Salix*, *Amygdalus spartioides*, *Juglans*
regia, *Populus euphratica* (Staudinger,1879; Romanoff,1885; Wiltshire,1957; de Freina,1979).
- 81388. *Saturnia (s.str.) pyri ilvana* Tauber,1969** (Saturniidae) Synonym(s): *ilvana* Tauber,1969
Range (in code): **Co**
- 81389. *Saturnia (s.str.) pyri pyri* ([Denis & Schiffermüller],1775)** (Saturniidae)
Synonym(s): *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. Original
Reference: *Bombyx pyri* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett.*
Wienergegend: 49. Type(s): Vienna district. Range (in code): **PT ES FR Sa Si IT NL LU CH AT CZ**
SK HU RO DK YU AL BG GR Rd TR SY Dms LB Bsa Pa IL Hf IQ IR Fa Shr Kh Ke Elb Th AM Eri AZ Nv
Ord Hkd GG Tbl Smt Bjo Cc RU Da Der Bionomy: Larva on *Salix*, *Amygdalus spartioides*, *Juglans*
regia, *Populus euphratica* (Staudinger,1879; Romanoff,1885; Wiltshire,1957; de Freina,1979).
- 81390. *Sinobirma malaisei* (Bryk,1944)** (Saturniidae) Synonym(s): *malaisei* Bryk,1944 Range
(in code): **MM Kam**
- 81391. *Solus parvifenestratus* Bryk,1944** (Saturniidae) Synonym(s): *parvifenestratus* Bryk,1944
Range (in code): **CN LA VN Ton Fan**
- 81392. *Solus parvifenestratus parvifenestratus* Bryk,1944** (Saturniidae) Synonym(s):
parvifenestratus Bryk,1944 Range (in code): **CN**
- 81393. *Solus parvifenestratus sinjaevi* Nässig,1994** (Saturniidae) Synonym(s): *sinjaevi*
Nässig,1994 Range (in code): **LA VN Ton Fan**
- 81394. *Tagoropsis flavinata* (Walker,1865)** (Saturniidae) Synonym(s): *flavinata* Walker,1865;
natalensis R.Felder,1874 Range (in code): **ZA Nta Kzu**
- 81395. *Tagoropsis hanningtoni* (Butler,1883)** (Saturniidae) Synonym(s): *hanningtoni*
Butler,1883; *juncta* Strand,1911; *songeana* Strand,1911; *nzoiana* Stoneham,1933 Range (in code): **ZA**
- 81396. *Urota sinope* (Westwood,1849)** (Saturniidae) Synonym(s): *sinope* Westwood,1849;
conjuncta Bouvier,1930 Range (in code): **ZA**
- 81397. *Usta terpsichore* (Maassen & Weyding,1885)** (Saturniidae) Synonym(s): *terpsichore*
Maassen & Weyding,1885; *subangulata* Bouvier,1930; *granta* Terral & Lequeux,1991; *alba* Terral & Lequeux,1991
Range (in code): **ZA**

- 81398. Usta wallengrenii (C.Felder & R.Felder,1859)** (Saturniidae) Synonym(s): wallengrenii C.Felder & R.Felder,1859; biplaga Rebel,1912 Range (in code): ZA
- 81399. Vegetia dewitzi (Maassen & Weyding,1885)** (Saturniidae) Synonym(s): dewitzi Maassen & Weyding,1885 Range (in code): ZA
- 81400. Vegetia ducalis Jordan,1922** (Saturniidae) Synonym(s): ducalis Jordan,1922 Range (in code): ZA
- 81401. Vegetia grimmia (Geyer,[1831])** (Saturniidae) Synonym(s): grimmia Geyer,[1831] Range (in code): ZA
- 81402. Schreckensteinia festaliella (Hübner,[1819])** (Schreckensteiniidae) Synonym(s): festaliella Hübner,[1819] Range (in code): ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY
- 81403. Apostibes aerata Walsingham,1914** (Scythridae) Synonym(s): aerata Walsingham,1914 Range (in code): MX
- 81404. Apostibes afghana Passerin d'Entrèves & Roggero,2003** (Scythridae) Synonym(s): afghana Passerin d'Entrèves & Roggero,2003 Range (in code): AF Bm Srb
- 81405. Apostibes dhahrani Passerin d'Entrèves & Roggero,2003** (Scythridae) Synonym(s): dhahrani Passerin d'Entrèves & Roggero,2003 Range (in code): SA
- 81406. Apostibes griseolineata Walsingham,1907** (Scythridae) Synonym(s): griseolineata Walsingham,1907; striella Turati,1929; bahrlutella Amsel,1935 Range (in code): DZ Bsk Hes TN Gf LY IL Pa SA KG TJ AF UZ Bionomy: Larva on Cyperus (Chrétien,1917).
- 81407. Apostibes inota (Meyrick,1924)** (Scythridae) Synonym(s): inota Meyrick,1924 Range (in code): AF Bm Srb PK IN Ch NA
- 81408. Apostibes mesopora Walsingham,1914** (Scythridae) Synonym(s): mesopora Walsingham,1914 Range (in code): MX
- 81409. Apostibes nivisignata Walsingham,1914** (Scythridae) Synonym(s): nivisignata Walsingham,1914 Range (in code): MX
- 81410. Apostibes raguae Bengtsson,1997** (Scythridae) Synonym(s): raguae Bengtsson,1997 Range (in code): ES An Grn SA SA63
- 81411. Areniscythis brachypteris Powell,1976** (Scythridae) Synonym(s): brachypteris Powell,1976 Range (in code): US Cf Bionomy: Larva on Ambrosia bipinnatifida, Senecio blochmanae (Asperaceae), Lupinus chamissonis (Fabaceae), Monordella crispa (Lamiaceae), Phacelia distans (Hydrophyllaceae) (Powell,1976; et seq.).
- 81412. Arotrura atascosa Landry,1991** (Scythridae) Synonym(s): atascosa Landry,1991 Range (in code): US Tx
- 81413. Arotrura balli Landry,1991** (Scythridae) Synonym(s): balli Landry,1991 Range (in code): US Arz Cf Bionomy: Larva on Mirabilis bigelovii (Nyctaginaceae) (Landry,1991).
- 81414. Arotrura divaricata (Braun,1923)** (Scythridae) Synonym(s): divaricata Braun,1923 Range (in code): US MX Col NMx Ut Arz Cf
- 81415. Arotrura eburnea Walsingham,1888** (Scythridae) Synonym(s): eburnea Walsingham,1888 Range (in code): US Arz NMx Tx MX
- 81416. Arotrura formidabilis Landry,1991** (Scythridae) Synonym(s): formidabilis Landry,1991 Range (in code): US Arz
- 81417. Arotrura hymenata Landry,1991** (Scythridae) Synonym(s): hymenata Landry,1991 Range (in code): US Cf Arz
- 81418. Arotrura longissima Landry,1991** (Scythridae) Synonym(s): longissima Landry,1991 Range (in code): US Cf Tx NMx Arz MX Bionomy: Larva on Achillea millefolium (Asteraceae) (Landry,1991).
- 81419. Arotrura oxyplecta (Meyrick,1916)** (Scythridae) Synonym(s): oxyplecta Meyrick,1916 Range (in code): US Fl Tx NMx
- 81420. Arotrura powelli Landry,1991** (Scythridae) Synonym(s): powelli Landry,1991 Range (in code): US Cf Bionomy: Larva on Achillea (Asteraceae), Calochortus (Liliaceae), Lomatium (Apiaceae) (Landry,1991).
- 81421. Arotrura sponsella (Busck,1907)** (Scythridae) Synonym(s): sponsella Busck,1907 Range (in code): US Arz NMx Cf MX
- 81422. Bactrianoscythis afghana Passerin d'Entrèves & Roggero,2009** (Scythridae) Synonym(s): afghana Passerin d'Entrèves & Roggero,2009 Range (in code): AF

- 81423. *Bactrianoscythris annae* Passerin d'Entrèves & Roggero,2009** (Scythridae)
Synonym(s): *annae* Passerin d'Entrèves & Roggero,2009 Range (in code):
- 81424. *Bactrianoscythris drepanella* Passerin d'Entrèves & Roggero,2009** (Scythridae)
Synonym(s): *drepanella* Passerin d'Entrèves & Roggero,2009 Range (in code):
- 81425. *Bactrianoscythris ginevrae* Passerin d'Entrèves & Roggero,2009** (Scythridae)
Synonym(s): *ginevrae* Passerin d'Entrèves & Roggero,2009 Range (in code):
- 81426. *Bactrianoscythris khinjani* Passerin d'Entrèves & Roggero,2009** (Scythridae)
Synonym(s): *khinjani* Passerin d'Entrèves & Roggero,2009 Range (in code): **AF**
- 81427. *Bactrianoscythris pamirica* (Passerin d'Entrèves & Roggero)** (Scythridae)
Synonym(s): *pamirica* Passerin d'Entrèves & Roggero Range (in code): **TJ Pm**
- 81428. *Bactrianoscythris satyrella* (Staudinger,1880)** (Scythridae) Synonym(s): *satyrella* Staudinger,1880; *matronella* Staudinger,1880; *vitilella* Christoph,1885 Range (in code): **IR Elb Kh TM RU Sr TR**
- 81429. *Enolmis abenhumeya* (Agenjo,1951)** (Scythridae) Synonym(s): *abenhumeya* Agenjo,1951 Range (in code): **ES**
- 81430. *Enolmis acanthella* (Godart,1824)** (Scythridae) Synonym(s): *acanthella* Godart,1824; *gallicella* Zeller,1839; *delicatella* Agenjo,1951 nec Rbl.; *tavaresi* Monteiro,1961 Range (in code): **DZ Bsk Sfr TN Gf PT ES FR LU IT CH IL Pa HfTR** Bionomy: Larva on lichens (Zeller,1855; et seq.).
- 81431. *Enolmis agenjoi* Passerin d'Entrèves,1988** (Scythridae) Synonym(s): *agenjoi* Passerin d'Entrèves,1988 Range (in code): **FR IT CH?**
- 81432. *Enolmis amseli* Passerin d'Entrèves,1997** (Scythridae) Synonym(s): *amseli* Passerin d'Entrèves,1997 Range (in code): **MA**
- 81433. *Enolmis arabica* Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *arabica* Passerin d'Entrèves,1986 Range (in code): **SA As YE Sna**
- 81434. *Enolmis bimerdella* (Staudinger,1859)** (Scythridae) Synonym(s): *bimerdella* Staudinger,1859 Range (in code): **ES**
- 81435. *Enolmis delicatella* (Rebel,1901)** (Scythridae) Synonym(s): *delicatella* Rebel,1901; *royovillanovai* Agenjo,1962 Range (in code): **PT ES CH**
- 81436. *Enolmis desidella* (Lederer,1855)** (Scythridae) Synonym(s): *desidella* Lederer,1855 Range (in code): **YU CY TR LB Bei LY MR SY** Bionomy: Larva on *Pinus halepensis* (Pinaceae) (Bengtsson,1997).
- 81437. *Enolmis gigantella* (Lucas,1942)** (Scythridae) Synonym(s): *gigantella* Lucas,1942 Range (in code): **MA**
- 81438. *Enolmis jemenensis* Bengtsson,2002** (Scythridae) Synonym(s): *jemenensis* Bengtsson,2002 Range (in code): **YE**
- 81439. *Enolmis nevadensis* Passerin d'Entrèves,1997** (Scythridae) Synonym(s): *nevadensis* Passerin d'Entrèves,1997 Range (in code): **ES**
- 81440. *Enolmis saudita* Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *saudita* Passerin d'Entrèves,1986 Range (in code): **YE Sna SA As**
- 81441. *Enolmis seeboldiella* (Agenjo,1951)** (Scythridae) Synonym(s): *seeboldiella* Agenjo,1951 Range (in code): **ES**
- 81442. *Enolmis sierraenevadae* Passerin d'Entrèves,1997** (Scythridae) Synonym(s): *sierraenevadae* Passerin d'Entrèves,1997 Range (in code): **ES**
- 81443. *Enolmis tunisiae* Bengtsson,2005** (Scythridae) Synonym(s): *tunisiae* Bengtsson,2005 Range (in code): **TN Gf**
- 81444. *Enolmis userai* (Agenjo,1962)** (Scythridae) Synonym(s): *userai* Agenjo,1962 Range (in code): **ES**
- 81445. *Enolmis vivesi* Bengtsson & Passerin d'Entrèves,1987** (Scythridae) Synonym(s): *vivesi* Bengtsson & Passerin d'Entrèves,1987 Range (in code): **ES**
- 81446. *Episcythis albiflua* (Meyrick,1928)** (Scythridae) Synonym(s): *albiflua* Meyrick,1928 Range (in code): **LY MA**
- 81447. *Episcythis algerica* Passerin d'Entrèves,1991** (Scythridae) Synonym(s): *algerica* Passerin d'Entrèves,1991 Range (in code): **DZ Abe**
- 81448. *Episcythis amseli* Passerin d'Entrèves,1991** (Scythridae) Synonym(s): *amseli* Passerin d'Entrèves,1991 Range (in code): **DZ**
- 81449. *Episcythis arenicolorella* Bengtsson,1997** (Scythridae) Synonym(s): *arenicolorella* Bengtsson,1997 Range (in code): **MA DZ**

- 81450. *Episcythriss asymetrica* Passerin d'Entrèves,1991** (Scythridae) **Synonym(s):** *asymetrica* Passerin d'Entrèves,1991 Range (in code): **DZ LY**
- 81451. *Episcythriss bouhedmae* Passerin d'Entrèves,1991** (Scythridae) **Synonym(s):** *bouhedmae* Passerin d'Entrèves,1991 Range (in code): **TN**
- 81452. *Episcythriss cremorella* (Zerny,1936)** (Scythridae) **Synonym(s):** *cremorella* Zerny,1936 Range (in code): **LY MA**
- 81453. *Episcythriss grossi* Bengtsson,1997** (Scythridae) **Synonym(s):** *grossi* Bengtsson,1997 Range (in code): **MA**
- 81454. *Episcythriss halperini* Passerin d'Entrèves,1990** (Scythridae) **Synonym(s):** *halperini* Passerin d'Entrèves,1990 Range (in code): **IL Pa** Bionomy: Larva on *Amygdalus communis* (Rosaceae), *Pinus brutia*, *P. halepensis* (Pinaceae), *Ulmus* (Ulmaceae) (Passerin d'Entrèves & Roggero,2007).
- 81455. *Episcythriss marocanella* (D.Lucas,1955)** (Scythridae) **Synonym(s):** *marocanella* D.Lucas,1955 Range (in code): **MA**
- 81456. *Episcythriss pseudoalbiflua* Passerin d'Entrèves,1991** (Scythridae) **Synonym(s):** *pseudoalbiflua* Passerin d'Entrèves,1991 Range (in code): **DZ TN LY**
- 81457. *Episcythriss triangulella* (Ragonot,1875)** (Scythridae) **Synonym(s):** *triangulella* Ragonot,1875; *albonigrella* Amsel,1939; *marocanella* Lucas,1955. Range (in code): **MA PT FR Co Sa IT Si RO GR BG** Bionomy: FR
- 81458. *Episcythriss walsinghami* Passerin d'Entrèves,1991** (Scythridae) **Synonym(s):** *walsinghami* Passerin d'Entrèves,1991 Range (in code): **DZ IL Pa**
- 81459. *Episcythriss zuninoi* Passerin d'Entrèves,1990** (Scythridae) **Synonym(s):** *zuninoi* Passerin d'Entrèves,1990 Original Reference: *Episcythriss zuninoi* Passerin d'Entrèves,1990, *Shilap Revta lepid.* 18 (71): 224-225, figs. Holotype ♂: Algeria: Ain Sefra (MNHNP). Range (in code): **DZ Sfr**
- 81460. *Eretmocera albistriata* Legrand,1966** (Scythridae) **Synonym(s):** *albistriata* Legrand,1966 Range (in code): **SC**
- 81461. *Eretmocera alenica* Strand,1913** (Scythridae) **Synonym(s):** *alenica* Strand,1913 Range (in code): **GO**
- 81462. *Eretmocera arabica* Amsel,1961** (Scythridae) **Synonym(s):** *arabica* Amsel,1961 Range (in code): **YE Sna**
- 81463. *Eretmocera aurovittata* Pagenstecher,1900** (Scythridae) **Synonym(s):** *aurovittata* Pagenstecher,1900 Range (in code): **PG Bsm**
- 81464. *Eretmocera basistrigata* Walsingham,1889** (Scythridae) **Synonym(s):** *basistrigata* Walsingham,1889 Range (in code): **ZA** Bionomy: Larva on *Clerodendron* (Verbenaceae) (Passerin d'Entrèves & Roggero,2007).
- 81465. *Eretmocera benitonis* Strand,1913** (Scythridae) **Synonym(s):** *benitonis* Strand,1913 Range (in code): **GO**
- 81466. *Eretmocera bicolorella* Sauber,1902** (Scythridae) **Synonym(s):** *bicolorella* Sauber,1902 Range (in code): **PH Luz**
- 81467. *Eretmocera bradleyi* Amsel,1961** (Scythridae) **Synonym(s):** *bradleyi* Amsel,1961 Range (in code): **YE YE68 AE**
- 81468. *Eretmocera carteri* Walsingham,1889** (Scythridae) **Synonym(s):** *carteri* Walsingham,1889 Range (in code): **ZA** Bionomy: Larva on *Clerodendron* (Verbenaceae) (Passerin d'Entrèves & Roggero,2007).
- 81469. *Eretmocera chrysias* (Meyrick,1886)** (Scythridae) **Synonym(s):** *chrysias* Meyrick,1886 Range (in code): **AU QAU**
- 81470. *Eretmocera contermina* Meyrick,1926** (Scythridae) **Synonym(s):** *contermina* Meyrick,1926 Range (in code): **NA**
- 81471. *Eretmocera coracopis* (Turner,1926)** (Scythridae) **Synonym(s):** *coracopis* Turner,1926 Range (in code): **AU TA**
- 81472. *Eretmocera cyanauges* Turner,1913** (Scythridae) **Synonym(s):** *cyanauges* Turner,1913 Range (in code): **AU**
- 81473. *Eretmocera cyanosoma* Meyrick,1910** (Scythridae) **Synonym(s):** *cyanosoma* Meyrick,1910 Range (in code): **ID Sba** Bionomy: Larva on *Amaranthus* (Amaranthaceae) (Meyrick,1936).

- 81474. Eretmocera dioctis (Meyrick,1897)** (Scythridae) Synonym(s): *dioctis* Meyrick,1897; *flavicineta* Turner,1913 Range (in code): AU Bionomy: Larva on Chloris (Poaceae).
- 81475. Eretmocera fasciata Walsingham,1896** (Scythridae) Synonym(s): *fasciata* Walsingham,1896 Range (in code): SO YE YE60
- 81476. Eretmocera florifera Meyrick,1909** (Scythridae) Synonym(s): *florifera* Meyrick,1909 Range (in code): ZA Tva Gau Pre
- 81477. Eretmocera fuscipennis Zeller,1852** (Scythridae) Synonym(s): *fuscipennis* Zeller,1852; *lunifera* Zeller,1852; *inclusella* Walker,1864; *derogatella* Walker,1864 Range (in code): ZA Nta Kzu
- 81478. Eretmocera haemogastra Meyrick,1936** (Scythridae) Synonym(s): *haemogastra* Meyrick,1936 Range (in code): ZR Bionomy: Larva on Coleus (Lamiaceae) (Ghesquière,1940).
- 81479. Eretmocera homalocrossa Meyrick,1930** (Scythridae) Synonym(s): *homalocrossa* Meyrick,1930 Range (in code): UG Bionomy: Larva on Amaranthus caudatus (Amaranthaceae) (Passerin d'Entrèves & Roggero,2007).
- 81480. Eretmocera illucens Meyrick,1914** (Scythridae) Synonym(s): *illucens* Meyrick,1914 Range (in code): ZA Tst
- 81481. Eretmocera impactella (Walker,1864)** (Scythridae) Synonym(s): *impactella* Walker,1864 Original Reference: Gelechia impactella Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 29: 637. Syntypes: India, Ceylon. Range (in code): AE OM PK IN LK MM MY SG TH CMa CuO CuO7 TW Bionomy: Larva on Amaranthus viridis, A.spinosus, Achyranthes aspera, A.sessilis (Amaranthaceae); Arachis hypogaea (Fabaceae); Averrhoa carambola (Oxalidaceae); Beta vulgaris, Chenopodium album (Chenopodiaceae); Nephelium lappaceum (Sapindaceae); Pennisetum, Zea mays (Poaceae); Shorea robusta (Dipterocarpaceae); Vernonia cinerea (Asteraceae) (Fletcher,1920; et seq.).
- 81482. Eretmocera jemensis Rebel,1930** (Scythridae) Synonym(s): *jemensis* Rebel,1930 Range (in code): YE Sna
- 81483. Eretmocera laetissima Zeller,1852** (Scythridae) Synonym(s): *laetissima* Zeller,1852; *divisella* Walker,1864 Range (in code): ZA SL ZR MG KM Bionomy: Larva on Alternanthera achyrantoides (Amaranthaceae), Clerodendron (Verbenaceae) (Meyrick,1914).
- 81484. Eretmocera laeicornella Rebel,1917** (Scythridae) Synonym(s): *laeicornella* Rebel,1917 Range (in code): SD Kdf
- 81485. Eretmocera medinella (Staudinger,1859)** (Scythridae) Synonym(s): *medinella* Staudinger,1859; *#decolorata* Turati,1924 Range (in code): DZ TN LY Cy ES IT Si Sa YU? Cc IR TR UZ Smk Bionomy: Larva on Suaeda (Chenopodiaceae), Apiaceae, Senecio (Asteraceae) (Falkovitch,1981; Bengtsson,1997).
- 81486. Eretmocera microbarbara Walsingham,1907** (Scythridae) Synonym(s): *microbarbara* Walsingham,1907 Range (in code): DZ Bsk EG? Bionomy: Larva on Ammi visnaga (Apiaceae), Tamarix brachystylis (Tamaricaceae) (Walsingham,1907).
- 81487. Eretmocera miniata Walsingham,1889** (Scythridae) Synonym(s): *miniata* Walsingham,1889 Range (in code): ZA
- 81488. Eretmocera monophaea Meyrick,1926** (Scythridae) Synonym(s): *monophaea* Meyrick,1926 Range (in code): ZA Nta Kzu
- 81489. Eretmocera nomadica Walsingham,1907** (Scythridae) Synonym(s): *nomadica* Walsingham,1907 Original Reference: Eretmocera nomadica Walsingham,1907, Entomologist's mon. Mag. 43: 149. Type: Algeria, hammam-es-Salahin. Range (in code): DZ Hes Bsk TN Gf Bionomy: Larva on Atriplex halimus, Suaeda (Chenopodiaceae); Limoniastrum (Plumbaginaceae) (Chrétien,1917).
- 81490. Eretmocera pachypennis Strand,1913** (Scythridae) Synonym(s): *pachypennis* Strand,1913 Range (in code): GO
- 81491. Eretmocera percnophanes Meyrick,1929** (Scythridae) Synonym(s): *percnophanes* Meyrick,1929 Range (in code): PH Sam Luz Neg Bionomy: Larva on Amaranthus viridis (Amaranthaceae) (Passerin d'Entrèves & Roggero,2007).
- 81492. Eretmocera rubripennis Meyrick,1915** (Scythridae) Synonym(s): *rubripennis* Meyrick,1915 Range (in code): IN Bionomy: Larva on Vigna unguiculata (Fabaceae) (Passerin d'Entrèves & Roggero,2007).
- 81493. Eretmocera scatospila Zeller,1852** (Scythridae) Synonym(s): *scatospila* Zeller,1852 Range (in code): ZA Bionomy: Larva on Amaranthus viridis (Amaranthaceae), Clerodendron

- (Verbenaceae), *Glicine max* (Fabaceae), *Gossypium*, *Urena lobata* (Malvaceae), *Thunbergia* (Acanthaceae) (Ghesquière,1940).
- 81494. *Eretmocera shoabensis* Rebel,1907** (Scythridae) Synonym(s): *shoabensis* Rebel,1907 Range (in code): **YE Sk**
- 81495. *Eretmocera syleuta* Meyrick,1926** (Scythridae) Synonym(s): *syleuta* Meyrick,1926 Range (in code): **ZA**
- 81496. *Eretmocera theophagones* Klunder van Gijen,1912** (Scythridae) Synonym(s): *theophagones* Klunder van Gijen,1912 Range (in code): **ID Ja**
- 81497. *Eretmocera typhonica* Meyrick,1917** (Scythridae) Synonym(s): *typhonica* Meyrick,1917 Range (in code): **CI**
- 81498. *Eretmocera xanthonota* Meyrick,1910** (Scythridae) Synonym(s): *xanthonota* Meyrick,1910 Range (in code): **ID Sba**
- 81499. *Erigethes strobilacei* Walsingham,1907** (Scythridae) Synonym(s): *strobilacei* Walsingham,1907 Range (in code): **DZ Bsk Hes TN Gf** Bionomy: Larva on *Halocnemum strobilaceum* (Chenopodiaceae) (Walsingham,1907).
- 81500. *Falkovitshella ammobia* (Falkovitsh,1972)** (Scythridae) Synonym(s): *ammobia* Falkovitsh,1972 Range (in code): **UZ MN**
- 81501. *Falkovitshella asema* (Falkovitsh,1972)** (Scythridae) Synonym(s): *asema* Falkovitsh,1972 Range (in code): **TM UZ**
- 81502. *Falkovitshella asthena* (Falkovitsh,1972)** (Scythridae) Synonym(s): *asthena* Falkovitsh,1972 Range (in code): **KG TM UZ**
- 81503. *Falkovitshella hypolepta* (Falkovitsh,1972)** (Scythridae) Synonym(s): *hypolepta* Falkovitsh,1972 Range (in code): **UZ Br**
- 81504. *Falkovitshella mongholica* (Passerin d'Entrèves & Roggero,2006)** (Scythridae) Synonym(s): *mongholica* Passerin d'Entrèves & Roggero,2006 Range (in code): **KG UZ MN**
- 81505. *Falkovitshella pediculella* (Bengtsson,1997)** (Scythridae) Synonym(s): *pediculella* Bengtsson,1997 Range (in code): **TN**
- 81506. *Falkovitshella physalis* (Falkovitsh,1972)** (Scythridae) Synonym(s): *physalis* Falkovitsh,1972 Range (in code): **UZ MN**
- 81507. *Haploscythris paulianella* Viette,1956** (Scythridae) Synonym(s): *paulianella* Viette,1956 Range (in code): **MG**
- 81508. *Landryia albilineata* (Walsingham,1888)** (Scythridae) Synonym(s): *albilineata* Walsingham,1888 Range (in code): **US Arz**
- 81509. *Landryia graminivorella* (Braun,1920)** (Scythridae) Synonym(s): *graminivorella* Braun,1920 Range (in code): **US** Bionomy: Larva on *Dactylis glomerata*, *Elymus hystrix*, *Lolium*, *Poa compressa* (Poaceae) (Landry,1991).
- 81510. *Landryia impositella* (Zeller,1855)** (Scythridae) Synonym(s): *impositella* Zeller,1855; *monstratella* Walker,1864 Range (in code): **US Ny CA** Bionomy: Larva on *Ambrosia*, *Aster cordifolius*, *A. laevis*, *A. matutella*, *A. novae-angliae*, *A. puniceus* (Asteraceae) (Landry,1991).
- 81511. *Landryia matutella* (Clemens,1860)** (Scythridae) Synonym(s): *matutella* Clemens,1860 Range (in code): **US Col Tx CA Qb** Bionomy: Larva on *Ambrosia trifida*, *Aster cordifolius*, *A. ericoides*, *A. sagittifolius*, *Helianthus hirsutus*, *H. mollis*, *H. strumosus* (Asteraceae), *Delphinium* (Ranunculaceae) (Landry,1991).
- 81512. *Landryia reducta* (Braun,1923)** (Scythridae) Synonym(s): *reducta* Braun,1923 Range (in code): **US Cf**
- 81513. *Landryia scintillifera* (Braun,1927)** (Scythridae) Synonym(s): *scintillifera* Braun,1927 Range (in code): **CA On Abt US**
- 81514. *Mapsidius auspicata* Walsingham,1907** (Scythridae) Synonym(s): *auspicata* Walsingham,1907 Range (in code): **Hw**
- 81515. *Mapsidius charpentierii* Swezey,1932** (Scythridae) Synonym(s): *charpentierii* Swezey,1932 Range (in code): **Hw**
- 81516. *Mapsidius chenopodii* Swezey,1947** (Scythridae) Synonym(s): *chenopodii* Swezey,1947 Range (in code): **Hw**
- 81517. *Mapsidius iridescens* Walsingham,1907** (Scythridae) Synonym(s): *iridescens* Walsingham,1907 Range (in code): **Hw**
- 81518. *Mapsidius quadridentata* Walsingham,1907** (Scythridae) Synonym(s): *quadridentata* Walsingham,1907 Range (in code): **Hw**

- 81519. *Necrothalassia compsius* (Walsingham,1907)** (Scythridae) Synonym(s): *compsius* Walsingham,1907; *argilosella* Amsel,1935 Range (in code): **MA DZ Bsk IL Pa** Bionomy: Larva on Mesembryanthemum (Aizoaceae), Suaeda pruinosa (Chenopodiaceae) (Chrétien,1917; et seq.).
- 81520. *Neoscythris confinis* (Braun,1920)** (Scythridae) Synonym(s): *confinis* Braun,1920 Range (in code): **US Cf**
- 81521. *Neoscythris euthia* (Walsingham,1914)** (Scythridae) Synonym(s): *euthia* Walsingham,1914 Range (in code): **MX**
- 81522. *Neoscythris fissirostris* (Meyrick,1928)** (Scythridae) Synonym(s): *fissirostris* Meyrick,1928 Range (in code): **US Tx NMx Cf**
- 81523. *Neoscythris planipenella* (Chambers,1875)** (Scythridae) Synonym(s): *planipenella* Chambers,1875; *albacostella* Chambers,1875; *fuscostrigella* Chambers,1878; *planipennella* Chambers,1878; *hemidictyas* Meyrick,1928 Range (in code): **US Tx**
- 81524. *Oedematopoda illucens* (Meyrick,1914)** (Scythridae) Synonym(s): *illucens* Meyrick,1914 Range (in code): **ZA**
- 81525. *Oedematopoda princeps* Zeller,1852** (Scythridae) Synonym(s): *princeps* Zeller,1852 Range (in code): **ZA**
- 81526. *Paralogistis ochrura* Meyrick,1913** (Scythridae) Synonym(s): *ochrura* Meyrick,1913 Range (in code): **ZA Don**
- 81527. *Parascythris muelleri* (Mann,1871)** (Scythridae) Synonym(s): *muelleri* Mann,1871; *tolli* Rebel,1938; *unicolorata* Osthelder,1951 Range (in code): **DE AT PL CZ SK HU RO LV RU Ur UA** Bionomy: Larva on Thymus (Lamiaceae) (Bengtsson,1997).
- 81528. *Proterochyta epicoena* (Meyrick,1914)** (Scythridae) Synonym(s): *epicoena* Meyrick,1914 Range (in code): **ZA Tva Gau Pre**
- 81529. *Rhamphura altisierrae* (Keifer,1937)** (Scythridae) Synonym(s): *altisierrae* Keifer,1937 Range (in code): **US Cf** Bionomy: Larva on Solanum xantii (Solanaceae) (Keifer,1937).
- 81530. *Rhamphura immunis* (Meyrick,1916)** (Scythridae) Synonym(s): *immunis* Meyrick,1916 Range (in code): **PE**
- 81531. *Rhamphura ochristriata* (Walsingham,1888)** (Scythridae) Synonym(s): *ochristriata* Walsingham,1888 Range (in code): **US Cf** Bionomy: Larva on Centaurea, Grindelia camporum (Asteraceae); Croton californicus (Euphorbiaceae); Eriogonum latifolium, E. nudum (Polygonaceae); Eryssimum capitatum (Brassicaceae); Lupinus albifrons (Fabaceae) (Keifer,1937; et seq.).
- 81532. *Rhamphura perspicillella* (Walsingham,1888)** (Scythridae) Synonym(s): *perspicillella* Walsingham,1888 Range (in code): **US Cf**
- 81533. *Rhamphura suffusa* (Walsingham,1888)** (Scythridae) Synonym(s): *suffusa* Walsingham,1888 Range (in code): **US Cf**
- 81534. *Scythris* (Catascythris) *kebiella* (Amsel,1935)** (Scythridae) Synonym(s): *kebiella* Amsel,1935 Range (in code): **AE OM IL Pa Jer JO IR Kdj Elb Ss Th Nss B-A PK Krc Sd SA IN NA**
- 81535. *Scythris* (Rubioia) *rubioi* (Agenjo,1962)** (Scythridae) Synonym(s): *rubioi* Agenjo,1962 Range (in code): **ES**
- 81536. *Scythris* (aenea-gr.) *aenea* Passerin d'Entrèves,1984** (Scythridae) Synonym(s): *aenea* Passerin d'Entrèves,1984 Range (in code): **ES**
- 81537. *Scythris* (aerariella-gr.) *adustella* Jäckh,1978** (Scythridae) Synonym(s): *adustella* Jäckh,1978 Range (in code): **FR IT**
- 81538. *Scythris* (aerariella-gr.) *aerariella* (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *aerariella* Herrich-Schäffer,[1854] Range (in code): **IT HU B-H HV BG GR TR**
- 81539. *Scythris* (aerariella-gr.) *anomalopecta* (Staudinger,1880)** (Scythridae) Synonym(s): *anomalopecta* Staudinger,1880; *ulluoai* Agenjo,1969 Original Reference: Butalis anomalopecta Staudinger,1880, Horae Soc. ent. ross. 15: 393. Syntypes 3♂: [Türkei]: Amasia (Caraman); Balkan. Range (in code): **ES FR B-H? TR RU Ur**
- 81540. *Scythris* (aerariella-gr.) *binotiferella* (Ragonot,1880)** (Scythridae) Synonym(s): *binotiferella* Ragonot,1880; *eusemiella* Le Marchard,1944; *jorgejuani* Agenjo,1969 Range (in code): **ES FR**
- 81541. *Scythris* (aerariella-gr.) *carboniella* Jäckh,1978** (Scythridae) Synonym(s): *carboniella* Jäckh,1978 Range (in code): **FR IT MK**
- 81542. *Scythris* (aerariella-gr.) *corsa* Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *corsa* Passerin d'Entrèves,1986 Range (in code): **FR Co** Bionomy: Larva on Anthyllis hermanniae (Fabaceae) (Bengtsson,1997).

- 81543. *Scythris (aerariella-gr.) dorycniella* (Millière,1864)** (Scythridae) **Synonym(s):** *dorycniella* Millière,1864 **Range (in code):** **PT ES FR Co Sa IT YU** **Bionomy:** Larva on *Coronilla minima*, *Dorycnium hirsutum*, *D. pentaphyllum*, *D. suffruticosum*, *Genista pilosa*, *Lotus hispidus* (Fabaceae); *Limonium vulgare* (Plumbaginaceae); *Thymus vulgaris* (Lamiaceae) (Stainton,1869; et seq.).
- 81544. *Scythris (aerariella-gr.) flaviventrella* (Herrich-Schäffer,1855)** (Scythridae) **Synonym(s):** *flaviventrella* Herrich-Schäffer,1855 **Range (in code):** **ES FR IT AT Wn CZ SK HU RO YU? AL? TR RU Ur** **Bionomy:** Larva on *Astragalus onobrychis*, *Vicia* (Fabaceae); *Helianthemum apenninum* (Cistaceae) (Meess,1910; et seq.).
- 81545. *Scythris (aerariella-gr.) hungaricella* Rebel,1917** (Scythridae) **Synonym(s):** *hungaricella* Rebel,1917 **Range (in code):** **SK HU RO HV BG SK SY YU** **Bionomy:** Larva on *Thymus* (Lamiaceae) (Bengtsson,1997).
- 81546. *Scythris (aerariella-gr.) imperiella* Jäckh,1978** (Scythridae) **Synonym(s):** *imperiella* Jäckh,1978 **Range (in code):** **MA ES FR IT TR**
- 81547. *Scythris (aerariella-gr.) jaeckhi* Bengtsson,1989** (Scythridae) **Synonym(s):** *jaeckhi* Bengtsson,1989 **Range (in code):** **GR TR AM Cc**
- 81548. *Scythris (aerariella-gr.) lhommei* Bengtsson & Passerin d'Entrèves,1988** (Scythridae) **Synonym(s):** *lhommei* Bengtsson & Passerin d'Entrèves,1988 **Range (in code):** **ES FR**
- 81549. *Scythris (aerariella-gr.) parnassiae* Bengtsson,1997** (Scythridae) **Synonym(s):** *parnassiae* Bengtsson,1997 **Range (in code):** **GR**
- 81550. *Scythris (aerariella-gr.) popescugorji* Passerin d'Entrèves,1984** (Scythridae) **Synonym(s):** *popescugorji* Passerin d'Entrèves,1984 **Range (in code):** **PT TR**
- 81551. *Scythris (aerariella-gr.) ridiculella* Caradja,1920** (Scythridae) **Synonym(s):** *ridiculella* Caradja,1920; *nietoi* Agenjo,1969; *occidalpella* Jäckh,1978 **Range (in code):** **ES FR IT HV**
- 81552. *Scythris (aerariella-gr.) tergestinella* (Zeller,1855)** (Scythridae) **Synonym(s):** *tergestinella* Zeller,1855; *focella* Cosntant,1885 **Original Reference:** *Butalis tergestinella* Zeller,1855, Linn. Ent. 10: 210-211. Type ♂: "Triest". **Range (in code):** **ES FR Co Sa? Si? IT YU BG GR** **Bionomy:** Larva on *Dorycnium hirsutum* (Bengtsson,1997).
- 81553. *Scythris (alseriella-gr.) alseriella* (Turati,1879)** (Scythridae) **Synonym(s):** *alseriella* Turati,1879 **Range (in code):** **IT CH AM Cc**
- 81554. *Scythris (bagdadiella-gr.) bagdadiella* Amsel,1949** (Scythridae) **Synonym(s):** *bagdadiella* Amsel,1949 **Original Reference:** *Scythris bagdadiella* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 320-321, figs. Syntypes 2♂ 1♀: Iraq: Bagdad, 16.iv. **Range (in code):** **DZ IQ Bgd TR RU Ur KG UZ AF Ca** **Bionomy:** Larva on *Tamarix* (Tamaricaceae) (Wiltshire,1957).
- 81555. *Scythris (bagdadiella-gr.) kabulella* Passerin d'Entrèves & Roggero,2011** (Scythridae) **Synonym(s):** *kabulella* Passerin d'Entrèves & Roggero,2011 **Range (in code):** **KG AF Kab**
- 81556. *Scythris (bazaensis-gr.) bazaensis* Bengtsson,1997** (Scythridae) **Synonym(s):** *bazaensis* Bengtsson,1997 **Range (in code):** **ES Mu TN**
- 81557. *Scythris (boseanella-gr.) boseanella* Klimesch,1986** (Scythridae) **Synonym(s):** *boseanella* Klimesch,1986 **Range (in code):** **Cn** **Bionomy:** Larva on *Bosea yervamora* (Amaranthaceae) (Klimesch,1986).
- 81558. *Scythris (camelella-gr.) camelella* Walsingham,1907** (Scythridae) **Synonym(s):** *camelella* Walsingham,1907 **Range (in code):** **DZ Bsk TN EG EG11 SD YE YE68 IR JO** **Bionomy:** Larva on *Acacia nilotica*, *A. torrilis* (Fabaceae) (Chrétien,1917; et seq.).
- 81559. *Scythris (canescens-gr.) appendicella* Bengtsson,1997** (Scythridae) **Synonym(s):** *appendicella* Bengtsson,1997 **Original Reference:** *Scythris appendicella* Bengtsson,1997, Miscrolep. Eur. 2: 80, figs. Holotype ♂: Algeria, Guelt-es-Stel (Predota, 1930) (NHMW). **Range (in code):** **DZ Ges Hsb Dje**
- 81560. *Scythris (canescens-gr.) articulata* Chrétien,1915** (Scythridae) **Synonym(s):** *articulata* Chrétien,1915 **Range (in code):** **DZ Bsk TN Gf LY** **Bionomy:** Larva on *Haloxylon articulatum* (Chenopodiaceae) (Bengtsson,1997).
- 81561. *Scythris (canescens-gr.) barbatella* Chrétien,1915** (Scythridae) **Synonym(s):** *barbatella* Chrétien,1915 **Range (in code):** **DZ Bsk TN**
- 81562. *Scythris (canescens-gr.) biskraensis* Bengtsson,1997** (Scythridae) **Synonym(s):** *biskraensis* Bengtsson,1997 **Original Reference:** *Scythris biskraensis* Bengtsson,1997, Miscrolep. Eur. 2: 82, figs. Holotype ♂: Algeria, Biskra (BMNH). **Range (in code):** **DZ Bsk**

- 81563. *Scythris (canescens-gr.) canescens* (Staudinger,1880)** (Scythridae) Synonym(s): *canescens* Staudinger,1880; *plumbeogrisea* Walsingham,1907; *maculatella* Chrétien,1915 Original Reference: Butalis *canescens* Staudinger,1880, Horae Soc. ent. ross. 15: 403-404. Syntypes 1♂ 4♀: [Türkei]: Amasia. Range (in code): **DZ Gha Bsk Hes LY MA TN Gf SY TR AF Kab Ca PK IR Ab Mak Khy Th** Bionomy: Larva on Haloxylon articulatum (Chenopodiaceae) (Chrétien,1915; et seq.).
- 81564. *Scythris (canescens-gr.) cupellella* Bengtsson,1997** (Scythridae) Synonym(s): *cupellella* Bengtsson,1997 Range (in code): **TN**
- 81565. *Scythris (canescens-gr.) curlettii* Bengtsson,1997** (Scythridae) Synonym(s): *curlettii* Bengtsson,1997 Original Reference: *Scythris curlettii* Bengtsson,1997, Microlep. Eur. 2: 84, figs. Holotype ♂: S-Iran, 100km N Bandar Abbas (NHMW). Range (in code): **TN EG IR Ss B-A IL Pa**
- 81566. *Scythris (canescens-gr.) eremella* Chrétien,1915** (Scythridae) Synonym(s): *eremella* Chrétien,1915 Original Reference: *Scythris eremella* Chrétien,1915, Annls Soc. ent. Fr. 84: 348. Syntypes: Algeria, Biskra; Tunisia, Gafsa. Range (in code): **DZ Bsk TN Gf**
- 81567. *Scythris (canescens-gr.) eucharis* Walsingham,1907** (Scythridae) Synonym(s): *eucharis* Walsingham,1907; *elongatella* Lucas,1933; *halophilella* Amsel,1935; *lacteella* Caradja,1920 Original Reference: *Scythris eucharis* Walsingham,1907, Entomologist's mon. Mag. 43 (512): 7. Syntypes 22♂♀: Algeria, Biskra; hammam-es-Salahin. Range (in code): **DZ Bsk Hes Ges TN Gf IL Pa Jer JO** Bionomy: Larva on Traganum nudatum (Chenopodiaceae) (Walsingham,1907).
- 81568. *Scythris (canescens-gr.) maculosa* Bengtsson,1997** (Scythridae) Synonym(s): *maculosa* Bengtsson,1997 Range (in code): **MA TN**
- 81569. *Scythris (canescens-gr.) neftae* Bengtsson,1997** (Scythridae) Synonym(s): *neftae* Bengtsson,1997 Range (in code): **LY MA TN**
- 81570. *Scythris (canescens-gr.) pura* Walsingham,1907** (Scythridae) Synonym(s): *pura* Walsingham,1907 Range (in code): **DZ Hes**
- 81571. *Scythris (canescens-gr.) senecai* Bengtsson,1997** (Scythridae) Synonym(s): *senecai* Bengtsson,1997 Range (in code): **IR Ss LY SY Dms YE Hd**
- 81572. *Scythris (canescens-gr.) tessulatella* Rebel,1903** (Scythridae) Synonym(s): *tessulatella* Rebel,1903; *erminea* Walsingham,1907 Original Reference: *Scythris tessulatella* Rebel,1903, Verh. zool.-bot. Ges. Wien 53: 414. Type ♂: Algerien, Guer. El Alia, Hammada. Range (in code): **TN LY DZ Gea Bsk Ktr Hes IL Pa IR** Bionomy: Larva on Hammada salicornica (Chenopodiaceae) (Bengtsson,1997).
- 81573. *Scythris (caramani-gr.) albisaxella* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *albisaxella* K.Nupponen & T.Nupponen,2000 Range (in code): **RU Or UZ**
- 81574. *Scythris (caramani-gr.) arkaimensis* Bengtsson,2000** (Scythridae) Synonym(s): *arkaimensis* Bengtsson,2000 Range (in code): **RU Ur Sb**
- 81575. *Scythris (caramani-gr.) caramani* (Staudinger,1880)** (Scythridae) Synonym(s): *caramani* Staudinger,1880 Original Reference: Butalis *caramani* Staudinger,1880, Horae Soc. ent. ross. 15: 400-401. Syntypes: [Türkei]: Amasia. Range (in code): **TR**
- 81576. *Scythris (caramani-gr.) cervella* K.Nupponen & T.Nupponen,2001** (Scythridae) Synonym(s): *cervella* K.Nupponen & T.Nupponen,2001 Range (in code): **RU At** Bionomy: Larva on Artemisia (Asteraceae) (Nupponen & Nupponen,2001).
- 81577. *Scythris (caramani-gr.) cultelloides* Nupponen & Sinev,2011** (Scythridae) Synonym(s): *cultelloides* Nupponen & Sinev,2011 Range (in code): **KK**
- 81578. *Scythris (caramani-gr.) eevae* K.Nupponen,2007** (Scythridae) Synonym(s): *eevae* K.Nupponen,2007 Range (in code): **RU Bry**
- 81579. *Scythris (caramani-gr.) erinacella* Nupponen,2003** (Scythridae) Synonym(s): *erinacella* Nupponen,2003 Range (in code): **RU Bry**
- 81580. *Scythris (caramani-gr.) gorbunovi* Nupponen,2003** (Scythridae) Synonym(s): *gorbunovi* Nupponen,2003 Range (in code): **RU Bry**
- 81581. *Scythris (caramani-gr.) hamatella* K.Nupponen & T.Nupponen,2001** (Scythridae) Synonym(s): *hamatella* K.Nupponen & T.Nupponen,2001 Range (in code): **RU At** Bionomy: Larva on Artemisia (Asteraceae) (Nupponen & Nupponen,2001).
- 81582. *Scythris (caramani-gr.) hebesella* Nupponen,2005** (Scythridae) Synonym(s): *hebesella* Nupponen,2005 Range (in code): **TR**
- 81583. *Scythris (caramani-gr.) kullbergi* Bengtsson,1997** (Scythridae) Synonym(s): *kullbergi* Bengtsson,1997 Range (in code): **RU Tv** Bionomy: Larva on Nanophyton (Chenopodiaceae) (Bengtsson,1997).

- 81584. Scythris (caramani-gr.) lagomorphella Junnilainen,2002** (Scythridae)
Synonym(s): *lagomorphella Junnilainen,2002* Original Reference: *Scythris lagomorphella Junnilainen,2002*, Ent. fenn. 13: 149, figs. Holotype ♂: Turkey: Akşehir, 35km SW Ätince, 1200m, 15.vi.1999 leg. & coll. J.Junnilainen. Range (in code): **TR**
- 81585. Scythris (caramani-gr.) malozemovi Nupponen,2003** (Scythridae) Synonym(s): *malozemovi Nupponen,2003* Range (in code): **RU Bry**
- 81586. Scythris (caramani-gr.) marashi Passerin d'Entrèves & Roggero,2012** (Scythridae) Synonym(s): *marashi Passerin d'Entrèves & Roggero,2012* Range (in code): **TR**
- 81587. Scythris (caramani-gr.) sinevi Nupponen,2003** (Scythridae) Synonym(s): *sinevi Nupponen,2003* Range (in code): **MN RU Bry**
- 81588. Scythris (cicadella-gr.) arenbergeri Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *arenbergeri Passerin d'Entrèves,1986* Range (in code): **ES**
- 81589. Scythris (cicadella-gr.) cicadella (Zeller,1839)** (Scythridae) Synonym(s): *cicadella Zeller,1839* Range (in code): **ES GB NL DE AT PL CZ SK AL DK NO SE EE LV LT RU MD UA BY** Bionomy: Larva on Gypsophyla fastigiata, Scleranthus annuus, S. communis, S. perennis, Spargula vernalis (Caryophyllaceae); Jasione montana (Campanulaceae); Polytrichum commune (Polytrichaceae); Rumex acetosella (Polygonaceae) (Meess,1910; et seq.).
- 81590. Scythris (cicadella-gr.) moldavicella Caradja,1905** (Scythridae) Synonym(s): *moldavicella Caradja,1905; moldavicella Rebel,1907; ottomana Jäckh,1978; balcanica Jäckh,1978* Range (in code): **RO BG MK AL GR TR**
- 81591. Scythris (cicadella-gr.) potentillella (Zeller,1847)** (Scythridae) Synonym(s): *potentillella Zeller,1847; potentillae Zeller,1855; albiapex Hering,1924* Range (in code): **ES FR GB NL BE DE AT PL CZ SK DK NO SE FI LT TR Cc ?AM** Bionomy: Larva on Rumex acetosella, R. acetosa (Polygonaceae) (Kuchlein,1993).
- 81592. Scythris (cicadella-gr.) ventosella Chrétien,1907** (Scythridae) Synonym(s): *ventosella Chrétien,1907; hernariae Joannis,1909; jugicolella Zerny,1960* Range (in code): **ES FR**
- 81593. Scythris (cistorum-gr.) cistorum (Millière,1876)** (Scythridae) Synonym(s): *cistorum Millière,1876; biventrella Rössler,1877; bidentella Mees,1910* Range (in code): **MA PT ES FR IT** Bionomy: Larva on Cistus salviifolius, Halimium alyssoides, Helianthemum alyssoides (Cistaceae) (Lafaury,1885; et seq.).
- 81594. Scythris (cistorum-gr.) nieukerkeni Bengtsson,1989** (Scythridae) Synonym(s): *nieukerkeni Bengtsson,1989* Range (in code): **ES**
- 81595. Scythris (cistorum-gr.) rondaensis Bengtsson,1997** (Scythridae) Synonym(s): *rondaensis Bengtsson,1997* Range (in code): **ES**
- 81596. Scythris (crassiuscula-gr.) crassiuscula (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *crassiuscula Herrich-Schäffer,1855; disqueella Fuchs,1903; fletcherella Meyrick,1928* Range (in code): **ES FR Co Sa? Si? IT GB DE CH AT PL CZ SK HU RO YU AL BG GR EE** Bionomy: Larva on Helianthemum nummularium (Cistaceae); Lotus corniculatus (Fabaceae) (Meyrick,1895; Schütze,1931; et seq.).
- 81597. Scythris (crypta-gr.) crypta Hannemann,1961** (Scythridae) Synonym(s): *crypta Hannemann,1961* Range (in code): **SE IT CZ YU DK SE BG GR MK TR** Bionomy: Larva on Genista pilosa (Fabaceae), Calluna vulgaris (Ericaceae) (Hannemann,1961; Bengtsson,1997).
- 81598. Scythris (decrepidella-gr.) decrepidella Bengtsson,1997** (Scythridae) Synonym(s): *decrepidella Bengtsson,1997* Range (in code): **EG IR Ss B-A**
- 81599. Scythris (decrepidella-gr.) goundafae Bengtsson,1997** (Scythridae) Synonym(s): *goundafae Bengtsson,1997* Range (in code): **MA**
- 81600. Scythris (dissitella-gr.) dissitella (Zeller,1847)** (Scythridae) Synonym(s): *dissitella Zeller,1847; eatoni Caradja,1920; aritzoella Amsel,1936* Range (in code): **DZ MA TN DhM IT Sa Si CY**
- 81601. Scythris (elegantella-gr.) elegantella (Lucas,1955)** (Scythridae) Synonym(s): *elegantella Lucas,1955; limbelloides Jackh,1977* Original Reference: Prays elegantella Lucas,1955, Bull. Soc. Sci. nat. phys. Maroc 35: 251-258. Holotype ♂: Maroc, Ifrane (MNHNP). Range (in code): **MA ES**
- 81602. Scythris (elegantella-gr.) limbella (Fabricius,1775)** (Scythridae) Synonym(s): *limbella Fabricius,1775; variella [Denis & Schiffermüller],1775; quadriguttella Thunberg,1794; chenopodiella Hübner,[1813]; obscura Staudinger,1880.* Original Reference: Tinea limbella Fabricius,1775; Syst. Ent.: 660. Type(s): Germania. Range (in code): **DZ Anna PT ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR CY TR Cc AM DK NO SE FI EE LV LT RU Ao MD UA BY KG Uk IR Elb Kdj GlS Fa AF** Bionomy: Larva on Chenopodium (Chenopodiaceae) (Hübner,[1813]; Mann,1862).

- 81603. Scythris (empetrella-gr.) empetrella Karsholt & Nielsen, 1976** (Scythridae)
Synonym(s): *variella* Stephens, 1835 (*praeocc.*); *empetrella* Karsholt & Nielsen, 1976 Range (in code): ES FR GB BE DE DK NO SE FI EE LT Bionomy: Larva on Empetrum (Empetraceae); Calluna, Erica (Ericaceae) Artemisia campestris, Helichrysum (Asteraceae); Lotus (Fabaceae); Rubus idaeus (Rosaceae); Rumex (Polygonaceae) (Bankes, 1887; et seq.).
- 81604. Scythris (empetrella-gr.) gozmanyi Passerin d'Entrèves, 1986** (Scythridae)
Synonym(s): *gozmanyi* Passerin d'Entrèves, 1986 Range (in code): PL HU RU
- 81605. Scythris (ericivorella-gr.) ericivorella (Ragonot, 1881)** (Scythridae) Synonym(s): *ericivorella* Ragonot, 1881 Range (in code): ES FR BE NL DE DK Bionomy: Larva on Erica cinerea, E. tetralix (Ericaceae) (Ragonot, 1881).
- 81606. Scythris (ericivorella-gr.) insulella (Staudinger, 1859)** (Scythridae) Synonym(s): *insulella* Staudinger, 1859; *onychopyga* Le Marchard, 1944 Range (in code): DZ PT ES FR Bionomy: Larva on Erica arborea (Ericaceae) (Meess, 1910).
- 81607. Scythris (fallacella-gr.) baldensis Passerin d'Entrèves, 1979** (Scythridae)
Synonym(s): *baldensis* Passerin d'Entrèves, 1979 Range (in code): ES IT Bionomy: Larva on Helianthemum (Cistaceae) (Bengtsson, 1997).
- 81608. Scythris (fallacella-gr.) fallacella (Schläger, 1847)** (Scythridae) Synonym(s): *fallacella* Schläger, 1847; *armatella* Herrich-Schäffer, 1855; *hydrargyrella* Steudel & Hofmann, 1882 Range (in code): PT ES FR IT GB DE CH AT PL CZ SK HU YU AL BG GR TR Bionomy: Larva on Helianthemum nummularium, H. vulgare (Cistaceae); Traganum nudatum (Chenopodiaceae) (Zeller, 1868; Schütze, 1931; et seq.).
- 81609. Scythris (fallacella-gr.) oelandicella Müller-Rutz, 1922** (Scythridae) Synonym(s): *oelandicella* Müller-Rutz, 1922 Range (in code): DE CH AT PL SK MK
- 81610. Scythris (fallacella-gr.) sappadensis Bengtsson, 1992** (Scythridae) Synonym(s): *sappadensis* Bengtsson, 1992 Range (in code): ES IT AT
- 81611. Scythris (fallacella-gr.) tremalzoii Bengtsson, 1992** (Scythridae) Synonym(s): *tremalzoii* Bengtsson, 1992 Range (in code): IT
- 81612. Scythris (fasciatella-gr.) fasciatella (Ragonot, 1880)** (Scythridae) Synonym(s): *fasciatella* Ragonot, 1880 Range (in code): ES
- 81613. Scythris (formicella-gr.) formicella Chrétien, 1915** (Scythridae) Synonym(s): *formicella* Chrétien, 1915 Original Reference: Scythris formicella Chrétien, 1915, Annls Soc. ent. Fr. 84: 345-346. Type: [Algérie]: "en avril, a Biskra". Range (in code): DZ Bsk Bionomy: Larva on Hernairia fruticosa (Caryophyllaceae) (Chrétien, 1915).
- 81614. Scythris (formicella-gr.) kebiliensis Bengtsson, 1997** (Scythridae) Synonym(s): *kebiliensis* Bengtsson, 1997 Range (in code): TN
- 81615. Scythris (formicella-gr.) minima Bengtsson, 1997** (Scythridae) Synonym(s): *minima* Bengtsson, 1997 Range (in code): ES
- 81616. Scythris (fuscoaenea-gr.) derrai Bengtsson, 1991** (Scythridae) Synonym(s): *derrai* Bengtsson, 1991 Range (in code): IT Sa
- 81617. Scythris (fuscoaenea-gr.) dissimilella (Herrich-Schäffer, 1855)** (Scythridae)
Synonym(s): *dissimilella* Herrich-Schäffer, 1855 Range (in code): ES FR Co IT BE DE CH PL CZ YU TR Bionomy: Larva on Astragalus (Fabaceae); Cistus salviifolius, Helianthemum guttatum, H. nummularium, H. vulgare (Cistaceae) (Fuchs, 1880; et seq.).
- 81618. Scythris (fuscoaenea-gr.) fuscoaenea (Haworth, 1828)** (Scythridae) Synonym(s): *fuscoaenea* Haworth, 1828; *unitella* Costa, 1836; *schneideri* Zeller, 1855 Range (in code): ES FR IT GB BE DE CH AT CZ SK HU RO GR SE RU MD UA BY Bionomy: Larva on Helianthemum nummularium, H. vulgare (Cistaceae) (Rössler, 1881; et seq.).
- 81619. Scythris (fuscoaenea-gr.) parafuscoaenea Bengtsson, 1991** (Scythridae)
Synonym(s): *parafuscoaenea* Bengtsson, 1991 Range (in code): ES FR
- 81620. Scythris (fuscoaenea-gr.) tenuivittella (Stainton, 1867)** (Scythridae) Synonym(s): *tenuivittella* Stainton, 1867; *leucogaster* Mann, 1872; *constantella* Dumont, 1925; *rhueli* Gozmany, 1960 Range (in code): ES FR Co Sa IT AT RO GR Cr TR LB Bionomy: Larva on Cistus salviifolius (Cistaceae) (Bengtsson, 1997).
- 81621. Scythris (fuscoaenea-gr.) traugotti Bengtsson, 1991** (Scythridae) Synonym(s): *traugotti* Bengtsson, 1991 Range (in code): ES
- 81622. Scythris (fuscoaenea-gr.) vartianae Kasy, 1962** (Scythridae) Synonym(s): *vartianae* Kasy, 1962 Range (in code): ES FR

- 81623. *Scythris (fuscoaenea-gr.) vittella* (Costa,[1836])** (Scythridae) Synonym(s): *vittella* Costa,[1836]; *restigerella* Zeller,1839. Range (in code): ES FR Sa Si IT DE CH? AT PL CZ SK HU YU BG GR TR LB Bsa Bionomy: Larva on *Helianthemum oelandicum* (Cistaceae) (Krone,1905).
- 81624. *Scythris (fuscopterella-gr.) fuscopterella* Bengtsson,1977** (Scythridae) Synonym(s): *fuscopterella* Bengtsson,1977 Range (in code): FR SE FI RU Sb Bionomy: Larva on *Epilobium angustifolium*, *E. latifolium* (Onagraceae) (Bengtsson,1997).
- 81625. *Scythris (grandipennis-gr.) bornicensis* Jäckh,1977** (Scythridae) Synonym(s): *bornicensis* Jäckh,1977 Range (in code): ES FR DE CH
- 81626. *Scythris (grandipennis-gr.) constanti* (Walsingham,1898)** (Scythridae) Synonym(s): *constanti* Walsingham,1898 Range (in code): FR Co IT Bionomy: Larva on *Genista corsica*, *G. morissi* (Fabaceae) (Jäckh,1977; Bengtsson,1997).
- 81627. *Scythris (grandipennis-gr.) cupreella* (Staudinger,1859)** (Scythridae) Synonym(s): *cupreella* Staudinger,1859; *#cupreella* Meess,1910 Range (in code): ES FR RO TR
- 81628. *Scythris (grandipennis-gr.) ericetella* (Heinemann,1872)** (Scythridae) Synonym(s): *ericetella* Heinemann,1872; *czekeli* Rebel,1918 Range (in code): ES FR BE NL DE CH AT CZ RO YU Bionomy: Larva on *Calluna vulgaris*, *Erica* (Ericaceae), *Genista pilosa* (Fabaceae) (Jäckh,1977).
- 81629. *Scythris (grandipennis-gr.) grandipennis* (Haworth,1828)** (Scythridae) Synonym(s): *grandipennis* Haworth,1828; *herbosella* Herrich-Schäffer,1855; *cuencella* Rebel,1901; *unicolorella* De Joannis,1909; *porrectella* Caradja,1920 Range (in code): PT ES FR IE GB DE Bionomy: Larva *Ulex europaeus*, *U. minor*, *Genista hispanica*, *G. sagittalis*, *Sarothamnus* (Fabaceae) (Zeller,1855; et seq.).
- 81630. *Scythris (grandipennis-gr.) kasyi* Hannemann,1962** (Scythridae) Synonym(s): *kasyi* Hannemann,1962 Range (in code): AT SK
- 81631. *Scythris (grandipennis-gr.) maroccensis* Jäckh,1977** (Scythridae) Synonym(s): *maroccensis* Jäckh,1977 Range (in code): MA
- 81632. *Scythris (grandipennis-gr.) nevadensis* Passerin d'Entrèves,1990** (Scythridae) Synonym(s): *nevadensis* Passerin d'Entrèves,1990 Range (in code): ES Grn Snv
- 81633. *Scythris (grandipennis-gr.) salviella* Meess,1910** (Scythridae) Synonym(s): *salviella* Meess,1910 Range (in code): PT ES
- 81634. *Scythris (grandipennis-gr.) scipionella* (Staudinger,1859)** (Scythridae) Synonym(s): *scipionella* Staudinger,1859; *gallicella* Joannis,1909 Range (in code): PT ES FR Co? AL?
- 81635. *Scythris (grandipennis-gr.) siculella* Jäckh,1977** (Scythridae) Synonym(s): *siculella* Jäckh,1977 Range (in code): IT Si
- 81636. *Scythris (grandipennis-gr.) tabidella* (Herrich-Schäffer,[1854])** (Scythridae) Synonym(s): *tabidella* Herrich-Schäffer,[1854]; *inquilinella* Erschoff,1874 Range (in code): ES FR IT? DE AT HU YU GR TR UZ
- 81637. *Scythris (gravatella-gr.) gravatella* (Zeller,1847)** (Scythridae) Synonym(s): *gravatella* Zeller,1847; *vagabundella* Herrich-Schäffer,[1854]; *caradjae* Amsel,1939; *flavidella* Passerin d'Entrèves,1986 nec Preiss.,1911 Range (in code): TN ES FR Sa Si? IT CH YU AL GR TR
- 81638. *Scythris (iagella-gr.) iagella* Chrétien,1925** (Scythridae) Synonym(s): *iagella* Chrétien,1925 Range (in code): ES
- 81639. *Scythris (inclusella-gr.) inclusella* Lederer,1855** (Scythridae) Synonym(s): *inclusella* Lederer,1855; *subflabella* Stainton,1867 Range (in code): Cc GG TR LB Bei Bsa IL Pa SY JO ER
- 81640. *Scythris (inertella-gr.) ethmiella* Amsel,1974** (Scythridae) Synonym(s): *ethmiella* Amsel,1974 Range (in code): IR Fa Th Kdj Ss AM Eri Cc
- 81641. *Scythris (inertella-gr.) inertella* (Zeller,1855)** (Scythridae) Synonym(s): *inertella* Zeller,1855; *tangerensis* Stainton,1872; *gurdella* Christoph,1877; *orbidella* Chrétien,1901; *marionella* Walsingham,1907; *praeflava* Meyrick,1913; *hassenella* Chrétien,1915; *semialbicostella* Turati,1927 Original Reference: Butalis *inertella* Zeller,1855, Linn. Ent. 10: 262-264. Syntypes 1♂ 1♀: [Libanon]: "Beirut" (coll. Lederer). Range (in code): MA Tgr DZ Ktr TN LY ES FR Sa Si IT GR TR LB Bei IL Pa RU Da Cc Der Bionomy: Larva on *Atriplex halymus*, *Salsola vermiculata* (Chenopodiaceae) (Chrétien,1901; et seq.).
- 81642. *Scythris (inertella-gr.) xanthopygella* (Staudinger,1859)** (Scythridae) Synonym(s): *xanthopygella* Staudinger,1859 Range (in code): ES
- 81643. *Scythris (inspersella-gr.) inspersella* (Hübner,[1817])** (Scythridae) Synonym(s): *inspersella* Hübner,[1817]; *hypotricha* Joannis,1920 Range (in code): FR Sa? IT GB BE NL DE CH SK RO? YU? DK NO SE FI EE LV LT CA On Bionomy: Larva on *Epilobium angustifolium*, *E. hirsutum*, *E. leptophyllum*, *E. montanum*, *E. rosmarinum*, *E. spicatum* (Onagraceae) (Zeller,1855; et seq.).

- 81644. *Scythris (karinae-gr.) karinae* Bengtsson,1991** (Scythridae) **Synonym(s):** *karini* Bengtsson,1991; *karinae* Bengtsson,1991 **Range (in code):** **ES** **Bionomy:** Larva on Achillea (Asteraceae), Helianthemum (Cistaceae); Pinus (Pinaceae); Thymus (Lamiaceae); Fabaceae, Poaceae (Bengtsson,2005).
- 81645. *Scythris (klimeschi-gr.) guimarensis* Bengtsson,1997** (Scythridae) **Synonym(s):** *guimarensis* Bengtsson,1997 **Range (in code):** **Cn**
- 81646. *Scythris (klimeschi-gr.) klimeschi* Passerin d'Entrèves,1983** (Scythridae) **Synonym(s):** *klimeschi* Passerin d'Entrèves,1983 **Range (in code):** **Cn** **Bionomy:** Larva on Atriplex glauca, A. parvifolius, Salsola longifolia, S. oppositifolia (Chenopodiaceae); Paronychia canariensis (Caryophyllaceae) (Rebel & Rogenhofer,1894; et seq.).
- 81647. *Scythris (knochella-gr.) ambustella* Bengtsson,1997** (Scythridae) **Synonym(s):** *ambustella* Bengtsson,1997 **Range (in code):** **GR**
- 81648. *Scythris (knochella-gr.) aspromontis* Jäckh,1978** (Scythridae) **Synonym(s):** *aspromontis* Jäckh,1978 **Range (in code):** **FR IT**
- 81649. *Scythris (knochella-gr.) ciliatella* Zerny,1936** (Scythridae) **Synonym(s):** *ciliatella* Zerny,1936 **Range (in code):** **MA**
- 81650. *Scythris (knochella-gr.) heinemanni* (Möschler,1869)** (Scythridae) **Synonym(s):** *heinemanni* Möschler,1869; *ossianella* Millièrre,1874 **Range (in code):** **FR IT** **Bionomy:** Larva on Alsine mucronata, A. rostrata, Silene nutans (Caryophyllaceae); Origanum vulgare (Lamiaceae) (Millière,1874; et seq.).
- 81651. *Scythris (knochella-gr.) iberica* Jäckh,1978** (Scythridae) **Synonym(s):** *iberica* Jäckh,1978 **Range (in code):** **ES**
- 81652. *Scythris (knochella-gr.) knochella* (Fabricius,1794)** (Scythridae) **Synonym(s):** *knochella* Fabricius,1794 **Range (in code):** **PT ES FR BE NL DE CH PL CZ YU DK SE** **Bionomy:** Larva on Cerastium arvense, C. decandrum, C. semidecandrum (Caryophyllaceae); Thymus serpyllum (Lamiaceae) (Rössler,1881; et seq.).
- 81653. *Scythris (knochella-gr.) schawerdae* Rebel,1931** (Scythridae) **Synonym(s):** *schawerdae* Rebel,1931 **Range (in code):** **Co**
- 81654. *Scythris (knochella-gr.) setiella* (Zeller,1871)** (Scythridae) **Synonym(s):** *setiella* Zeller,1871 **Range (in code):** **RU Ur KG**
- 81655. *Scythris (knochella-gr.) staudingeri* Jäckh,1978** (Scythridae) **Synonym(s):** *staudingeri* Jäckh,1978 **Range (in code):** **PT ES**
- 81656. *Scythris (laminella-gr.) andersi* Bengtsson,1991** (Scythridae) **Synonym(s):** *andersi* Bengtsson,1991 **Range (in code):** **ES** **Bionomy:** Larva on Bupleurum (Apiaceae), Erinacea anthyllis (Fabaceae), Helianthemum (Cistaceae), Linum (Linaceae), Pinus (Pinaceae), Auercus ilex (Fagaceae), Poaceae (Bengtsson,1997).
- 81657. *Scythris (laminella-gr.) bolognella* Jäckh,1978** (Scythridae) **Synonym(s):** *bolognella* Jäckh,1978 **Range (in code):** **IT**
- 81658. *Scythris (laminella-gr.) braschiella* (Hofmann,1897)** (Scythridae) **Synonym(s):** *braschiella* Hofmann,1897 **Range (in code):** **ES DE PL GR TR RU Ur At Sb** **Bionomy:** Larva on Armeria maritima, Limonium (Plumbaginaceae) (Hofmann,1897; et seq.).
- 81659. *Scythris (laminella-gr.) bubaniae* Walsingham,1907** (Scythridae) **Synonym(s):** *bubaniae* Walsingham,1907 **Range (in code):** **DZ Hes IT AL** **Bionomy:** Larva on Limoniastrum feei, L. guyonianum (Plumbaginaceae) (Walsingham,1907; et seq.).
- 81660. *Scythris (laminella-gr.) eberhardi* Bengtsson,1997** (Scythridae) **Synonym(s):** *eberhardi* Bengtsson,1997 **Range (in code):** **GR**
- 81661. *Scythris (laminella-gr.) frankeniella* Chrétien,1916** (Scythridae) **Synonym(s):** *pulicella* Chrétien,1915 nec Stgr.,1859; *frankeniella* Chrétien,1917 **Range (in code):** **DZ Bsk** **Bionomy:** Larva on Frankenia pallida (Frankeniaceae); Limoniastrum feei (Plumbaginaceae) (Chrétien,1915; et seq.).
- 81662. *Scythris (laminella-gr.) laminella* ([Denis & Schiffermüller],1775)** (Scythridae) **Synonym(s):** *laminella* [Denis & Schiffermüller],1775; *psychidella* Heydenreich,1851 nec Zell.,1839; *cinfectella* Bruand,1859; *succisae* Rössler,1866; *schutzei* Fuchs,1901; *disqueella* Fuchs,1903 **Original Reference:** Tinea laminella [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 140. Type(s): Vienna district. **Range (in code):** **FR IT BE NL DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Hieracium pilocella (Meess,1910).

- 81663. *Scythris (laminella-gr.) saxella* Bengtsson,1991** (Scythridae) Synonym(s): *saxella* Bengtsson,1991 Range (in code): **FR BG**
- 81664. *Scythris (laminella-gr.) thomisioides* Bengtsson,1997** (Scythridae) Synonym(s): *thomisioides* Bengtsson,1997 Range (in code): **TN**
- 81665. *Scythris (mariannae-gr.) mariannae* Bengtsson,1991** (Scythridae) Synonym(s): *marianni* Bengtsson,1991; *mariannae* Bengtsson,1991 Range (in code): **ES**
- 81666. *Scythris (martini-gr.) bengtengtssoni* Vives Moreno,1994** (Scythridae) Synonym(s): *bengtengtssoni* Vives Moreno,1994 Range (in code): **ES**
- 81667. *Scythris (martini-gr.) martini* Bengtsson,1991** (Scythridae) Synonym(s): *martini* Bengtsson,1991 Range (in code): **ES**
- 81668. *Scythris (meanderis-gr.) meanderis* Bengtsson,1997** (Scythridae) Synonym(s): *meanderis* Bengtsson,1997 Range (in code): **FR**
- 81669. *Scythris (monochreella-gr.) monochreella* (Ragonot,1895)** (Scythridae) Synonym(s): *monochreella* Ragonot,1895; *lychnitis* Meyrick,1918 Range (in code): **EG TR SY LB IL Pa IQ Bsr Bgd IR AE IN Rj**
- 81670. *Scythris (mus-gr.) mus* Walsingham,1898** (Scythridae) Synonym(s): *mus* Walsingham,1898; *talpella* Walsingham,1907; *blandella* Chrétien,1915; *griseomiscella* Turati,1924 Range (in code): **DZ Bsk Hes LY TN Gf ES Co Sa DE GR CY IL Pa SA IR** Bionomy: Larva on *Helianthemum sessiliflora* (Cistaceae) (Passerin d'Entreves & Vives,1990).
- 81671. *Scythris (nigrella-gr.) nigrella* Jäckh,1978** (Scythridae) Synonym(s): *nigrella* Jäckh,1978 Range (in code): **IT**
- 81672. *Scythris (nigrogrammella-gr.) nigrogrammella* Bengtsson,2002** (Scythridae) Synonym(s): *nigrogrammella* Bengtsson,2002 Range (in code): **YE**
- 81673. *Scythris (nigrogrammella-gr.) tephrella* Bengtsson,2005** (Scythridae) Synonym(s): *tephrella* Bengtsson,2005 Range (in code): **YE Hd As SA**
- 81674. *Scythris (nipholecta-gr.) nipholecta* Meyrick,1918** (Scythridae) Synonym(s): *nipholecta* Meyrick,1918; *melanostieta* Turati,1930 Range (in code): **EG EG07 LY OM AE SD YE**
- 81675. *Scythris (noricella-gr.) noricella* (Zeller,1843)** (Scythridae) Synonym(s): *noricella* Zeller,1843 Range (in code): **FR IT BE DE CH AT PL CZ SK AL? NO SE FI**
- 81676. *Scythris (obscurella-gr.) amphonycella* (Geyer,[1836])** (Scythridae) Synonym(s): *amphonycella* Geyer,[1836]; *viridatella* Herrich-Schäffer,1855 Range (in code): **ES FR IT? CH AT RO Cc TR RU At** Bionomy: Larva on *Helianthemum* (Cistaceae); *Lotus* (Fabaceae) (Bengtsson,1997).
- 81677. *Scythris (obscurella-gr.) bengtssoni* Patocka & Liska,1989** (Scythridae) Synonym(s): *bengtssoni* Patocka & Liska,1989 Range (in code): **AT CZ SK HU** Bionomy: Larva on *Stipa* (Poaceae), *Thymus* (Lamiaceae) (Bengtsson,1997; et seq.).
- 81678. *Scythris (obscurella-gr.) cuspidella* ([Denis & Schiffermüller],1775)** (Scythridae) Synonym(s): *cuspidella* [Denis & Schiffermüller],1775; *bifariella* Hübner,[1813]; *lampyrella* Constant,1865; *ochrolitella* Staudinger,1871; *flavilaterella* Fuchs,1886; *immaculata* Fuchs,1895; *#unicolor* Müller-Rutz,1920 Original Reference: *Tinea cuspidella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmets. Wienergegend*: 140. Type(s): Vienna district. Range (in code): **ES FR IT DE CH AT Wn PL CZ SK HU RO YU BG GR TR RU MD UA BY** Bionomy: Larva on *Helianthemum nummularium*, *H. vulgare* (Cistaceae); *Saxifraga granulata* (Saxifragaceae); *Thymus* (Lamiaceae) (Müller-Rutz,1914; et seq.).
- 81679. *Scythris (obscurella-gr.) flavilaterella* (Fuchs,1886)** (Scythridae) Synonym(s): *flavilaterella* Fuchs,1886 Range (in code): **IT DE CH GR**
- 81680. *Scythris (obscurella-gr.) hornigii* (Zeller,1855)** (Scythridae) Synonym(s): *hornigii* Zeller,1855 Original Reference: *Butalis hornigii* Zeller,1855, *Linn. Ent.* 10: 239-240, fig.10. Type ♀: "südl. Kärnthner Gebirge". Range (in code): **IT AT YU PL**
- 81681. *Scythris (obscurella-gr.) mediella* (Constant,1855)** (Scythridae) Synonym(s): *mediella* Constant,1855 Range (in code): **Co Sa**
- 81682. *Scythris (obscurella-gr.) obscurella* (Scopoli,1763)** (Scythridae) Synonym(s): *obscurella* Scopoli,1763; *esperella* Hübner,[1799] nec Fabr.,1787; *extensella* Hübner,[1825] Range (in code): **ES FR IT DE CH AT CZ SK HU RO YU AL BG GR TR FI EE LV RU MD UA BY**
- 81683. *Scythris (obscurella-gr.) speyeri* (Heinemann & Wocke,[1876])** (Scythridae) Synonym(s): *speyeri* Heinemann & Wocke,[1876] Range (in code): **FR IT CH AT**
- 81684. *Scythris (obscurella-gr.) taygeticola* Scholz,1997** (Scythridae) Synonym(s): *taygeticola* Scholz,1997 Range (in code): **GR**

- 81685. *Scythris (palustris-gr.) palustris* (Zeller,1855)** (Scythridae) Synonym(s): *palustris* Zeller,1855; *mattiaceella* Rössler,1866 Original Reference: *Butalis palustris* Zeller,1855, Linn. Ent. 10: 217-218. Syntypes 4♂: "Glogau". Range (in code): **FR DE CH AT PL CZ SK HU DK FI LV LT RU MD UA BY**
- 81686. *Scythris (pascuella-gr.) aciella* Bengtsson,1997** (Scythridae) Synonym(s): *aciella* Bengtsson,1997 Range (in code): **TN EG EGo7 LB Bei YE?**
- 81687. *Scythris (pascuella-gr.) albidella* (Stainton,1867)** (Scythridae) Synonym(s): *albidella* Stainton,1867; *recreata* Meyrick,1925; *abdominalis* Turati,1926; *lemarchandella* Lucas,1950 Range (in code): **LY Cy TN JO YU AL GR IL Pa**
- 81688. *Scythris (pascuella-gr.) bifissella* (Hofmann,1889)** (Scythridae) Synonym(s): *bifissella* Hofmann,1889 Range (in code): **FR DE AT IT PL CZ SK HU RO RU Ur At Sb** Bionomy: Larva on *Achillea millefolium*, *Helichrysum arenarium*, *Hieracium pilosella* (Asteraceae); *Agrimonia* (Rosaceae); *Asperula tinctoria* (Rubiaceae); *Astragalus arenarius*, *Trifolium arvense* (Fabaceae); *Calluna vulgaris* (Ericaceae); *Dianthus deltoides*, *Gypsophyla fastigiata*, *Silene otites* (Caryophyllaceae); *Euphorbia* (Euphorbiaceae); *Festuca*, *Koeleria glauca* (Poaceae); *Rumex acetosella* (Polygonaceae); *Sedum* (Crassulaceae); *Thymus serpyllum* (Lamiaceae) (Petry,1925 et seq.).
- 81689. *Scythris (pascuella-gr.) claudiae* Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *claudiae* Passerin d'Entrèves & Roggero,2011 Range (in code): **AF**
- 81690. *Scythris (pascuella-gr.) cornuella* Bengtsson,1997** (Scythridae) Synonym(s): *cornuella* Bengtsson,1997 Range (in code): **MA**
- 81691. *Scythris (pascuella-gr.) flavidella* Preissecker,1911** (Scythridae) Synonym(s): *flavidella* Preissecker,1911 Range (in code): **FR DE AT CZ SK LV TR**
- 81692. *Scythris (pascuella-gr.) kantarae* Bengtsson,1997** (Scythridae) Synonym(s): *kantarae* Bengtsson,1997 Range (in code): **DZ Ktr**
- 81693. *Scythris (pascuella-gr.) lagunae* Jäckh,1978** (Scythridae) Synonym(s): *lagunae* Jäckh,1978 Range (in code): **IT**
- 81694. *Scythris (pascuella-gr.) pascuella* (Zeller,1855)** (Scythridae) Synonym(s): *pascuella* Zeller,1855; *flavidella* Preissecker,1911 Original Reference: *Butalis pascuella* Zeller,1855, Linn. Ent. 10: 207-208. Syntypes: "Illyrien, Istrien, Nanosgebirge". Range (in code): **FR Si? IT DE AT HU RO YU GR TR** Bionomy: Larva on *Salvia* (Lamiaceae) (Klimesch,1961).
- 81695. *Scythris (pascuella-gr.) paullella* (Herrich-Schäffer,1855)** (Scythridae) Synonym(s): *paullella* Herrich-Schäffer,1855 Range (in code): **DE AT PL CZ SK HU GR?**
- 81696. *Scythris (pascuella-gr.) pudorinella* (Möschler,1866)** (Scythridae) Synonym(s): *pudorinella* Möschler,1866 Range (in code): **GR RO RU Ao At Ur Sr TR KG UZ**
- 81697. *Scythris (pascuella-gr.) subaerariella* (Stainton,1867)** (Scythridae) Synonym(s): *subaerariella* Stainton,1867 Range (in code): **BG GR TR RU** Bionomy: Larva on *Helianthemum* (Cistaceae); *Hieracium* (Asteraceae) (Stainton,1867; et seq.).
- 81698. *Scythris (pascuella-gr.) tabescentella* (Staudinger,1880)** (Scythridae) Synonym(s): *tabescentella* Staudinger,1880; ? *caniolella* Fuchs,1903 Original Reference: *Butalis tabescentella* Staudinger,1880, Horae Soc. ent. ross. 15: 390-391. Type ♂: [Türkei]: Amasia (Caraman). Range (in code): **GR Cc AM Eri TR**
- 81699. *Scythris (passerini-gr.) passerini* Bengtsson,1997** (Scythridae) Synonym(s): *passerini* Bengtsson,1997 Range (in code): **IR Ab Mak SY Dms LY Cy**
- 81700. *Scythris (penicillata-gr.) penicillata* (Chrétien,1900)** (Scythridae) Synonym(s): *penicillata* Chrétien,1900 Range (in code): **FR EE**
- 81701. *Scythris (petrella-gr.) arachnodes* Walsingham,1908** (Scythridae) Synonym(s): *arachnodes* Walsingham,1908 Range (in code): **Cn**
- 81702. *Scythris (petrella-gr.) hierroella* Klimesch,1986** (Scythridae) Synonym(s): *hierroella* Klimesch,1986 Range (in code): **Cn**
- 81703. *Scythris (petrella-gr.) petrella* Walsingham,1908** (Scythridae) Synonym(s): *petrella* Walsingham,1908 Range (in code): **Cn**
- 81704. *Scythris (petrella-gr.) pseudarachnodes* Bengtsson,1997** (Scythridae) Synonym(s): *pseudarachnodes* Bengtsson,1997 Range (in code): **Cn**
- 81705. *Scythris (picaepennis-gr.) disparella* (Tengström,1848)** (Scythridae) Synonym(s): *disparella* Tengström,1848 Range (in code): **ES FR IT DE CH? AT YU NO SE FI EE LV RU MD UA BY**
- 81706. *Scythris (picaepennis-gr.) picaepennis* (Haworth,[1828])** (Scythridae) Synonym(s): *picaepennis* Haworth,[1828] Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ**

- SK HU RO YU AL BG DK NO SE EE RU Cc JP** Bionomy: Larva on Lotus (Fabaceae), Thymus vulgaris (Lamiaceae); Helianthemum, Succisa, Plantago major (Plantaginaceae) (Schütze,1931; et seq.).
- 81707. Scythris (pinkeri-gr.) pinkeri Klimesch,1986** (Scythridae) Synonym(s): *pinkeri Klimesch,1986* Range (in code): **Cn**
- 81708. Scythris (platypyga-gr.) platypyga (Staudinger,1880)** (Scythridae) Synonym(s): *platypyga Staudinger,1880* Original Reference: Butalis platypyga Staudinger,1880, Horae Soc. ent. ross. 15: 396-397. Syntypes 2♂: [Türkei]: Amasia (Caraman). Range (in code): **TR**
- 81709. Scythris (podoliensis-gr.) podoliensis Rebel,1938** (Scythridae) Synonym(s): *podoliensis Rebel,1938* Range (in code): **SK HU RO RU UA YU**
- 81710. Scythris (polycarpaeae-gr.) polycarpaeae Klimesch,1986** (Scythridae) Synonym(s): *polycarpaeae Klimesch,1986* Range (in code): **Cn**
- 81711. Scythris (productella-gr.) productella (Zeller,1839)** (Scythridae) Synonym(s): *productella Zeller,1839; psychidella Zeller,1839* Range (in code): **PT ES FR IT DE CH AT PL CZ SK HU RO YU BG SE FI RU Sr**
- 81712. Scythris (pulicella-gr.) azrouensis Bengtsson,1997** (Scythridae) Synonym(s): *azrouensis Bengtsson,1997* Original Reference: Scythris azrouensis Bengtsson,1997, Microlep. Eur. 2: 116, figs. Holotype ♂: Morocco, Azrou 2000m (ZMUC). Range (in code): **MA Azr TN**
- 81713. Scythris (pulicella-gr.) corleyi Bengtsson,1997** (Scythridae) Synonym(s): *corleyi Bengtsson,1997* Range (in code): **PT ES**
- 81714. Scythris (pulicella-gr.) langohri Passerin d'Entrèves,1990** (Scythridae) Synonym(s): *langohri Passerin d'Entrèves,1990* Range (in code): **ES TR**
- 81715. Scythris (pulicella-gr.) pilella Bengtsson,1991** (Scythridae) Synonym(s): *pilella Bengtsson,1991* Range (in code): **ES**
- 81716. Scythris (pulicella-gr.) pulicella (Staudinger,1859)** (Scythridae) Synonym(s): *pulicella Staudinger,1859* Range (in code): **ES**
- 81717. Scythris (pulicella-gr.) skulei Bengtsson,1997** (Scythridae) Synonym(s): *skulei Bengtsson,1997* Range (in code): **GR**
- 81718. Scythris (pulicella-gr.) veletae Passerin d'Entrèves,1990** (Scythridae) Synonym(s): *veletae Passerin d'Entrèves,1990* Range (in code): **ES**
- 81719. Scythris (punctivittella-gr.) albostrata Hannemann,1961** (Scythridae) Synonym(s): *albostrata Hannemann,1961* Range (in code): **AL GR RO MK**
- 81720. Scythris (punctivittella-gr.) apicistrigella (Staudinger,1870)** (Scythridae) Synonym(s): *apicistrigella Staudinger,1870* Range (in code): **HV RO GR**
- 81721. Scythris (punctivittella-gr.) atlasensis Bengtsson,1997** (Scythridae) Synonym(s): *atlasensis Bengtsson,1997* Range (in code): **MA Ouk**
- 81722. Scythris (punctivittella-gr.) confluens (Staudinger,1870)** (Scythridae) Synonym(s): *confluens Staudinger,1870* Range (in code): **GR MK**
- 81723. Scythris (punctivittella-gr.) cycladeae Jäckh,1978** (Scythridae) Synonym(s): *cycladeae Jäckh,1978* Range (in code): **GR Ae Nx**
- 81724. Scythris (punctivittella-gr.) emichi (Anker,1870)** (Scythridae) Synonym(s): *emichi Anker,1870* Original Reference: Butalis emichi Anker,1870, Stettin ent. Ztg. 31: 143-144. Range (in code): **HU TR LV RU Ur** Bionomy: Larva on Gypsophyla fastigiata (Caryophyllaceae) (Jäckh,1978; et seq.).
- 81725. Scythris (punctivittella-gr.) punctivittella (Costa,[1836])** (Scythridae) Synonym(s): *punctivittella Costa,[1836]; asmodella Millière,1873* Range (in code): **FR Co Si IT RO? YU AL BG? GR CY TR** Bionomy: Larva on Cerastium (Caryophyllaceae) (Zeller,1855; et seq.).
- 81726. Scythris (punctivittella-gr.) trinacriae Passerin d'Entrèves,1984** (Scythridae) Synonym(s): *trinacriae Passerin d'Entrèves,1984* Range (in code): **Si IT**
- 81727. Scythris (schleichiella-gr.) glacialis (Frey,1870)** (Scythridae) Synonym(s): *glacialis Frey,1870; carnicheella Jäckh,1978* Range (in code): **FR IT CH AT SL** Bionomy: Larva on Cerastium uniflorum, Silene acaulis (Caryophyllaceae); Erigeron uniflorus, Gnaphalium supinum (Asteraceae); Saxifraga moschata (Saxifragaceae) (Meess,1910; et seq.).
- 81728. Scythris (schleichiella-gr.) graciosella Jäckh,1978** (Scythridae) Synonym(s): *graciosella Jäckh,1978* Range (in code): **ES Mu FR** Bionomy: Larva on Genista, Lotus (Fabaceae); Helianthemum (Cistaceae) (Bengtsson,1997).

- 81729. Scythris (schleichiella-gr.) schleichiella (Zeller,1870)** (Scythridae) Synonym(s): *schleichiella* Zeller,1870 Range (in code): **FR AT YU**
- 81730. Scythris (schleichiella-gr.) similis Hannemann,1961** (Scythridae) Synonym(s): *similis* Hannemann,1961 Range (in code): **GR**
- 81731. Scythris (schleichiella-gr.) subschleichiella Hannemann,1961** (Scythridae) Synonym(s): *subschleichiella* Hannemann,1961 Range (in code): **YU**
- 81732. Scythris (scopolella-gr.) apicalis (Zeller,1847)** (Scythridae) Synonym(s): *apicalis* Zeller,1847; *unipunctella* Rebel,1901; *#mediella* Caradja,1920 Original Reference: *Oecophora apicalis* Zeller,1847, Isis 1847 (1): 35-36. Syntypes: [Türkei]: Patara "Kellemisch"; Lectotype ♂ (BMNH). Range (in code): **FR RO GR TR Cc AM Eri IQ Hjo Er IR LB CN Ui Ku**
- 81733. Scythris (scopolella-gr.) flabella (Mann,1861)** (Scythridae) Synonym(s): *flabella* Mann,1861; *aurella* Caradja,1920 Range (in code): **MK BG TR RU GG IR AM Eri Cc**
- 81734. Scythris (scopolella-gr.) scopolella (Linnaeus,1767)** (Scythridae) Synonym(s): *scopolella* Linnaeus,1767; *quadripunctella* Hübner,1793; *triguttella* Duponchel,1839; *humillimella* Staudinger,1859; *biforella* Staudinger,1859; *heleniella* Millièrre,1876; *tenietella* Caradja,1920; *gredosella* Schmidt,1941 Range (in code): **DZ TN PT ES FR IT BE LU DE CH AT PL CZ**
- 81735. Scythris (seliniella-gr.) acarioides Bengtsson,1997** (Scythridae) Synonym(s): *acarioides* Bengtsson,1997 Range (in code): **IT**
- 81736. Scythris (seliniella-gr.) annae Bengtsson,1997** (Scythridae) Synonym(s): *annae* Bengtsson,1997 Range (in code): **FR**
- 81737. Scythris (seliniella-gr.) clavella (Zeller,1855)** (Scythridae) Synonym(s): *clavella* Zeller,1855; *mediella* Caradja,1920 Original Reference: *Butalis clavella* Zeller,1855, Linn. Ent. 10: 236-237, fig.9. Type ♀: [Russia]: Sarepta (coll. Schneider). Range (in code): **ES FR IT? DE AT PL CZ RO RU At MD UA BY KK KG Uk** Bionomy: Larva on *Brachythecium albicans* (Brachytheciaceae), *Ceratodon purpureus* (Ditricaceae); *Gypsophila fastigiata* (Caryophyllaceae); *Helianthemum nummularium* (Cistaceae); *Hypnum cupressiforme* (Hypnaceae); *Polytrichum juniperinum* (Polytrichaceae); *Rumex acetosella* (Polygonaceae); *Teucrium chamaedris* (Lamiaceae) (Bengtsson,1997; et seq.).
- 81738. Scythris (seliniella-gr.) seliniella (Zeller,1839)** (Scythridae) Synonym(s): *seliniella* Zeller,1839 Range (in code): **ES FR IT? DE CH AT PL CZ SK HU RO YU AL GR TR LV RU MD UA BY KG Uk CN Ui Ku** Bionomy: Larva on *Artemisia* (Asteraceae); *Cerastium brachypetalum*, *Gypsophila fastigiata* (Caryophyllaceae); *Cytisus*, *Genista sagittalis*, *Lotus corniculatus* (Fabaceae); *Helianthemum vulgare* (Cistaceae); *Homalothecium lutescens* (Brachytheciaceae); *Peucedanum oreoselinum* (Apiaceae) (Zeller,1868; et seq.).
- 81739. Scythris (seliniella-gr.) subseliniella (Heinemann,1876)** (Scythridae) Synonym(s): *subseliniella* Heinemann,1876 Range (in code): **ES FR IT DE AT CZ HU YU RU MD UA BY TR**
- 81740. Scythris (seliniella-gr.) villari Agenjo,1971** (Scythridae) Synonym(s): *villari* Agenjo,1971 Range (in code): **ES IT**
- 81741. Scythris (siccella-gr.) lafauryi Passerin d'Entrèves,1986** (Scythridae) Synonym(s): *lafauryi* Passerin d'Entrèves,1986 Range (in code): **ES FR**
- 81742. Scythris (siccella-gr.) lempkei Bengtsson & Langohr,1989** (Scythridae) Synonym(s): *lempkei* Bengtsson & Langohr,1989 Range (in code): **ES FR**
- 81743. Scythris (siccella-gr.) siccella (Zeller,1839)** (Scythridae) Synonym(s): *siccella* Zeller,1839 Range (in code): **PT ES FR IT GB NL DE AT PL CZ HU RO DK SE EE LV** Bionomy: Larva on *Lotus corniculatus* (Fabaceae), *Thymus drucei* (Lamiaceae), *Plantago* (Plantaginaceae), *Cerastium* (Meess,1910; et seq.).
- 81744. Scythris (siccella-gr.) subsiccella Bengtsson,1997** (Scythridae) Synonym(s): *subsiccella* Bengtsson,1997 Range (in code): **FR**
- 81745. Scythris (sinensis-gr.) sinensis (R.Felder & Rogenhofer,1875)** (Scythridae) Synonym(s): *sinensis* R.Felder & Rogenhofer,1875; *apiciguttella* Christoph,1882; *pyrrhopyga* Filipjev,1924; *pentaxantha* Meyrick,1929; *kibarae* Matsumura,1931; *mitakeana* Matsumura,1931 Range (in code): **EE DE GB LT LV JP KP KR TW RU Us BY Sb CN Kgs US Pns** Bionomy: Larva on *Chenopodium album* (Chenopodiaceae) (Bengtsson,1997).
- 81746. Scythris (subfasciata-gr.) anthracodes Walshingham,1907** (Scythridae) Synonym(s): *anthracodes* Walshingham,1907 Range (in code): **DZ Bsk Hes** Bionomy: Larva on *Helianthemum sessilifolium* (Cistaceae) (Chrétien,1917).

- 81747. *Scythris (subfasciata-gr.) friedeli* Bengtsson,1997** (Scythridae) Synonym(s): *friedeli* Bengtsson,1997 Original Reference: *Scythris friedeli* Bengtsson,1997, Microlep. Eur. 2: 130-131, figs. Holotype ♂: Morocco, Ifrane (coll.Klimesch). Range (in code): **MA Ifr IR Ss IL Pa**
- 81748. *Scythris (subfasciata-gr.) levantina* Passerin d'Entrèves & Vives Moreno,1990** (Scythridae) Synonym(s): *levantina* Passerin d'Entrèves & Vives Moreno,1990 Range (in code): **ES**
- 81749. *Scythris (subfasciata-gr.) locustella* Chrétien,1915** (Scythridae) Synonym(s): *locustella* Chrétien,1915 Range (in code): **TN Gf**
- 81750. *Scythris (subfasciata-gr.) pseudolocustella* Passerin d'Entrèves & Vives Moreno,1990** (Scythridae) Synonym(s): *pseudolocustella* Passerin d'Entrèves & Vives Moreno,1990 Range (in code): **ES**
- 81751. *Scythris (subfasciata-gr.) subfasciata* (Staudinger,1880)** (Scythridae) Synonym(s): *subfasciata* Staudinger,1880 Original Reference: *Butalis subfasciata* Staudinger,1880, Horae Soc. ent. ross. 15: 402-403. Syntypes 4♂: [Türkei]: Amasia. Range (in code): **ES TR**
- 81752. *Scythris (tributella-gr.) tributella* (Zeller,1847)** (Scythridae) Synonym(s): *tributella* Zeller,1847; *terrenella* Zeller,1847; *parvella* Herrich-Schäffer,1855; *denigratella* Herrich-Schäffer,1855; *serella* Constant,1885; *karnyella* Rebel,1918; *monotinctella* Turati,1924; *bulbosella* Lhomme,1949; *igaloensis* Amsel,1951 Range (in code): **LY PT ES FR Sa Si IT BE NL DE CH AT CZ SK HU RO YU AL GR RU Ur Cc GG TR TM** Bionomy: Larva on *Coronilla varia* (Fabaceae) (Schütze,1931).
- 81753. *Scythris abyanensis* Bengtsson,2002** (Scythridae) Synonym(s): *abyanensis* Bengtsson,2002 Range (in code): **YE Ad**
- 81754. *Scythris accumulata* Meyrick,1914** (Scythridae) Synonym(s): *accumulata* Meyrick,1914 Range (in code): **ZA Tva Gau Pre**
- 81755. *Scythris achypora* Meyrick,1916** (Scythridae) Synonym(s): *achypora* Meyrick,1916 Range (in code): **IN Rj**
- 81756. *Scythris acipenserella* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *acipenserella* K.Nupponen & T.Nupponen,2000 Range (in code): **ES RU Or**
- 81757. *Scythris acusella* Passerin d'Entrèves & Roggero,2012** (Scythridae) Synonym(s): *acusella* Passerin d'Entrèves & Roggero,2012 Range (in code): **AF Kab**
- 81758. *Scythris adelopa* Meyrick,1897** (Scythridae) Synonym(s): *adelopa* Meyrick,1897 Range (in code): **AU**
- 81759. *Scythris aegrella* Nupponen & Junnilainen,2000** (Scythridae) Synonym(s): *aegrella* Nupponen & Junnilainen,2000 Range (in code): **RU Or Ur**
- 81760. *Scythris albiangulella* Bengtsson,2002** (Scythridae) Synonym(s): *albiangulella* Bengtsson,2002 Range (in code): **YE**
- 81761. *Scythris albipuncta* Turner,1939** (Scythridae) Synonym(s): *albipuncta* Turner,1939 Range (in code): **AU TA**
- 81762. *Scythris albocanella* Bengtsson,2002** (Scythridae) Synonym(s): *albocanella* Bengtsson,2002 Range (in code): **YE SA As**
- 81763. *Scythris albogrammella* Bengtsson,2002** (Scythridae) Synonym(s): *albogrammella* Bengtsson,2002 Range (in code): **YE**
- 81764. *Scythris alborzensis* Passerin d'Entrèves & Roggero,2011** (Scythridae) Synonym(s): *alborzensis* Passerin d'Entrèves & Roggero,2011 Range (in code): **IR Elb**
- 81765. *Scythris albosuffusella* K.Nupponen,2007** (Scythridae) Synonym(s): *albosuffusella* K.Nupponen,2007 Range (in code): **RU**
- 81766. *Scythris alceella* Junnilainen,2002** (Scythridae) Synonym(s): *alceella* Junnilainen,2002 Original Reference: *Scythris alceella* Junnilainen,2002, Ent. fenn. 13: 146-147, figs. Holotype ♂: Turkey: □rgüp, Mustafapaşa, 21.vi.1999 leg. & coll. J.Junnilainen. Range (in code): **TR**
- 81767. *Scythris alhamrae* Bengtsson,2002** (Scythridae) Synonym(s): *alhamrae* Bengtsson,2002 Original Reference: *Scythris alhamrae* Bengtsson,2002, Phegea 30 (3): 106-107, figs. Holotype ♂: Oman: Jabal Shams, 19km NW Al Hamra, 7.i.1993, 1100m (ZMUC). Range (in code): **OM**
- 81768. *Scythris amplexella* Bengtsson,2002** (Scythridae) Synonym(s): *amplexella* Bengtsson,2002 Original Reference: *Scythris amplexella* Bengtsson,2002, Phegea 30 (3): 107-112, figs. Holotype ♂: Oman: Jabal Shams, 19km NW Al Hamra, 7.i.1993, 1100m (ZMUC). Range (in code): **OM SD YE Sna AE**
- 81769. *Scythris ampullella* Passerin d'Entrèves & Roggero,2012** (Scythridae) Synonym(s): *ampullella* Passerin d'Entrèves & Roggero,2012 Range (in code): **IR Fa Se Srd**

- 81770. *Scythris ancophylli* Falkovitsh,1969** (Scythridae) Synonym(s): *ancophylli* Falkovitsh,1969 Range (in code): **UZ** Bionomy: Larva on *Salsola arbuscula*, *S. richteri* (Chenopodiaceae) (Falkovitsh,1969).
- 81771. *Scythris anthracina* Braun,1923** (Scythridae) Synonym(s): *anthracina* Braun,1923 Range (in code): **US Cf**
- 81772. *Scythris anthracodelta* Meyrick,1912** (Scythridae) Synonym(s): *anthracodelta* Meyrick,1912 Range (in code): **ZA Tva Wo**
- 81773. *Scythris aphanatma* Meyrick,1933** (Scythridae) Synonym(s): *aphanatma* Meyrick,1933 Range (in code): **UG**
- 81774. *Scythris apotomella* K.Nupponen,2007** (Scythridae) Synonym(s): *apotomella* K.Nupponen,2007 Range (in code): **RU**
- 81775. *Scythris aquaria* Meyrick,1913** (Scythridae) Synonym(s): *aquaria* Meyrick,1913 Range (in code): **ZA Tva Gau Pre Mpu Brb**
- 81776. *Scythris aralensis* Nupponen,2012** (Scythridae) Synonym(s): *aralensis* Nupponen,2012 Range (in code): **KG**
- 81777. *Scythris arenicola* Nupponen,2005** (Scythridae) Synonym(s): *arenicola* Nupponen,2005 Range (in code): **KG RU Or**
- 81778. *Scythris arerai* Huemer,2000** (Scythridae) Synonym(s): *arerai* Huemer,2000 Range (in code): **IT** Bionomy: Larva on *Helianthemum* (Cistaceae) (Huemer,2000).
- 81779. *Scythris aristidella* (Rebel,1902)** (Scythridae) Synonym(s): *aristidella* Rebel,1902 Original Reference: Butalis aristidella Rebel,1902, Dt. ent. Z., Iris 15 (1902): 119-120, Taf.4 fig.9. Type ♂: [Türkei]: Akschehir (coll. Caradja). Range (in code): **TR**
- 81780. *Scythris asiatica* (Staudinger,1880)** (Scythridae) Synonym(s): *asiatica* Staudinger,1880; *melanopepla* Caradja,1920 Original Reference: Butalis flaviventrella var. asiatica Staudinger,1880, Horae Soc. ent. ross. 15: 392-393. Syntypes: [Türkei]: Amasia. Range (in code): **TR Cc**
- 81781. *Scythris astragali* Falkovitsh,1972** (Scythridae) Synonym(s): *astragali* Falkovitsh,1972 Range (in code): **KG TM UZ** Bionomy: Larva on *Astragalus unifolius* (Fabaceae) (Falkovitsh,1972).
- 81782. *Scythris autochlorella* Paulian & Viette,1956** (Scythridae) Synonym(s): *autochlorella* Paulian & Viette,1956 Range (in code): **MG**
- 81783. *Scythris axenopa* Meyrick,1918** (Scythridae) Synonym(s): *axenopa* Meyrick,1918 Range (in code): **PK Nwf Pes** Bionomy: Larva on *Tamarix gallica* (Tamaricaceae) (Fletcher,1933).
- 81784. *Scythris badiella* Bengtsson,2002** (Scythridae) Synonym(s): *badiella* Bengtsson,2002 Range (in code): **YE ZR**
- 81785. *Scythris bajanlegi* Passerin d'Entrèves & Roggero,2006** (Scythridae) Synonym(s): *bajanlegi* Passerin d'Entrèves & Roggero,2006 Range (in code): **MN**
- 81786. *Scythris balanophora* Meyrick,1916** (Scythridae) Synonym(s): *balanophora* Meyrick,1916; *taurella* Caradja,1920 Original Reference: *Scythris balanophora* Meyrick,1916, Exot. Microlepid. 2: 15. Syntypes 3♂♀: [Turkey]: "Asia Minor: Alma Dag" [Amanos Mts.]. Range (in code): **TR**
- 81787. *Scythris barguzinensis* Bengtsson & Liska,1996** (Scythridae) Synonym(s): *barguzinensis* Bengtsson & Liska,1996; *karinupponeni* Bengtsson,2000 Range (in code): **RU Sb At Mo** Bionomy: Larva on *Empetrum nigrum* (Empetraceae) (Bengtsson & Liska,1996).
- 81788. *Scythris basilaris* (Zeller,1855)** (Scythridae) Synonym(s): *basilaris* Zeller,1855; *flavifrontella* Clemens,1860 Range (in code): **CA On US FI** Bionomy: Larva on *Ceanothus americanus*, *C. herbaceus* (Rhamnaceae); *Rubus* (Rosaceae) (Landry,1991).
- 81789. *Scythris basilicella* Bengtsson,2002** (Scythridae) Synonym(s): *basilicella* Bengtsson,2002 Range (in code): **YE Sna**
- 81790. *Scythris basistrigella* (Staudinger,1880)** (Scythridae) Synonym(s): *basistrigella* Staudinger,1880; *zelleri* Staudinger,1880 Original Reference: Butalis basistrigella Staudinger,1880, Horae Soc. ent. ross. 15: 395-396. Syntypes 3 ex: [Türkei]: Magnesia. Range (in code): **TR LB Bsa**
- 81791. *Scythris beccella* Bengtsson,2002** (Scythridae) Synonym(s): *beccella* Bengtsson,2002 Range (in code): **YE**
- 81792. *Scythris bernardlandryi* Bucheli,2005** (Scythridae) Synonym(s): *bernardlandryi* Bucheli,2005 Range (in code): **GS**
- 81793. *Scythris biacutella* Bengtsson,2002** (Scythridae) Synonym(s): *biacutella* Bengtsson,2002 Range (in code): **Cn YE SA As IL Pa IR Ss B-A**

- 81794. *Scythris bicuspidella* Bengtsson,2002** (Scythridae) **Synonym(s):** *bicuspidella* Bengtsson,2002 **Range (in code):** **YE**
- 81795. *Scythris bifasciella* Passerin d'Entrèves & Roggero,2011** (Scythridae) **Synonym(s):** *bifasciella* Passerin d'Entrèves & Roggero,2011 **Range (in code):** **TR IR**
- 81796. *Scythris bifractella* (Rebel,1917)** (Scythridae) **Synonym(s):** *bifractella* Rebel,1917 **Range (in code):** **SD Kdf**
- 81797. *Scythris bispinella* Bengtsson,2002** (Scythridae) **Synonym(s):** *bispinella* Bengtsson,2002 **Range (in code):** **YE**
- 81798. *Scythris brachyplecta* Meyrick,1928** (Scythridae) **Synonym(s):** *brachyplecta* Meyrick,1928 **Range (in code):** **ZA Nta Kzu**
- 81799. *Scythris brandti* Passerin d'Entrèves & Roggero,2008** (Scythridae) **Synonym(s):** *brandti* Passerin d'Entrèves & Roggero,2008 **Range (in code):** **AF Hk KG**
- 81800. *Scythris brevistrigella* (Chambers,1875)** (Scythridae) **Synonym(s):** *brevistrigella* Chambers,1875; *#buristriga* Chamber,1875; *brevistriga* Chambers,1878 **Range (in code):** **US Tx**
- 81801. *Scythris brummanae* Passerin d'Entrèves & Roggero,2012** (Scythridae) **Synonym(s):** *brummanae* Passerin d'Entrèves & Roggero,2012 **Range (in code):** **LB Bei Bmm**
- 81802. *Scythris brunneofasciatella* K.Nupponen & T.Nupponen,2000** (Scythridae) **Synonym(s):** *brunneofasciatella* K.Nupponen & T.Nupponen,2000 **Range (in code):** **KG RU Or**
- 81803. *Scythris buraetica* K.Nupponen,2007** (Scythridae) **Synonym(s):** *buraetica* K.Nupponen,2007 **Range (in code):** **RU**
- 81804. *Scythris buszkoi* Baran,2004** (Scythridae) **Synonym(s):** *buszkoi* Baran,2004 **Range (in code):** **UA** **Bionomy:** Larva on *Lycium barbarum* (Solanaceae) (Baran,2004).
- 81805. *Scythris caballoides* K.Nupponen,2009** (Scythridae) **Synonym(s):** *caballoides* K.Nupponen,2009 **Range (in code):** **UZ KG**
- 81806. *Scythris calciflua* Meyrick,1921** (Scythridae) **Synonym(s):** *calciflua* Meyrick,1921 **Range (in code):** **ZA Tva Gau Pre**
- 81807. *Scythris canceroides* Bengtsson,1997** (Scythridae) **Synonym(s):** *canceroides* Bengtsson,1997 **Range (in code):** **IR Ss IN Rj**
- 81808. *Scythris canella* Bengtsson,2002** (Scythridae) **Synonym(s):** *canella* Bengtsson,2002 **Range (in code):** **YE**
- 81809. *Scythris canispersa* Meyrick,1913** (Scythridae) **Synonym(s):** *canispersa* Meyrick,1913 **Range (in code):** **ZA Tva Gau Pre**
- 81810. *Scythris capitalis* (Erschoff,1874)** (Scythridae) **Synonym(s):** *capitalis* Erschoff,1874 **Range (in code):** **TR IR Kh KG AF TM TJ UZ KK RU**
- 81811. *Scythris capnofasciae* Bengtsson,2002** (Scythridae) **Synonym(s):** *capnofasciae* Bengtsson,2002 **Range (in code):** **YE**
- 81812. *Scythris caroxylella* Falkovitsh,1969** (Scythridae) **Synonym(s):** *caroxylella* Falkovitsh,1969 **Range (in code):** **KG TJ UZ MN** **Bionomy:** Larva on *Salsola rigida* (Chenopodiaceae) Passerin d'Entrèves & Roggero,2007).
- 81813. *Scythris cassiterella* (Snellen,1884)** (Scythridae) **Synonym(s):** *cassiterella* Snellen,1884; *baikalensis* Bengtsson & Liska,1996 **Range (in code):** **MN RU Am Sb KP KR** **Bionomy:** Larva on *Thymus* (Lamiaceae) (Bengtsson & Liska,1996).
- 81814. *Scythris celidopa* Meyrick,1921** (Scythridae) **Synonym(s):** *celidopa* Meyrick,1921 **Range (in code):** **AU QAU Bri**
- 81815. *Scythris ceratella* Bengtsson,2002** (Scythridae) **Synonym(s):** *ceratella* Bengtsson,2002 **Range (in code):** **YE**
- 81816. *Scythris ceratocosma* Meyrick,1897** (Scythridae) **Synonym(s):** *ceratocosma* Meyrick,1897 **Range (in code):** **AU NSW Syd**
- 81817. *Scythris charon* Meyrick,1918** (Scythridae) **Synonym(s):** *charon* Meyrick,1918 **Range (in code):** **US**
- 81818. *Scythris chelota* Meyrick,1906** (Scythridae) **Synonym(s):** *chelota* Meyrick,1906 **Range (in code):** **LK**
- 81819. *Scythris chloraema* (Meyrick,1887)** (Scythridae) **Synonym(s):** *chloraema* Meyrick,1887 **Range (in code):** **ZA Ec Grh**
- 81820. *Scythris chrysopygella* Caradja,1927** (Scythridae) **Synonym(s):** *chrysopygella* Caradja,1927 **Range (in code):** **CN Sz**

- 81821. *Scythris cinisella* Bengtsson,2002** (Scythridae) Synonym(s): *cinisella* Bengtsson,2002 Range (in code): **YE**
- 81822. *Scythris cirra* Falkovitsh,1969** (Scythridae) Synonym(s): *cirra* Falkovitsh,1969 Range (in code): **KK KG MN UZ TM** Bionomy: Larva on Aellenia subaphylla, Haloxylon aphyllum (Chenopodiaceae) (Falkovitsh,1969).
- 81823. *Scythris clemens* Meyrick,1921** (Scythridae) Synonym(s): *clemens* Meyrick,1921 Range (in code): **MZ Mag**
- 81824. *Scythris cometa* Meyrick,1909** (Scythridae) Synonym(s): *cometa* Meyrick,1909 Range (in code): **ZA Tva Gau Pre**
- 81825. *Scythris commota* Meyrick,1918** (Scythridae) Synonym(s): *commota* Meyrick,1918 Range (in code): **PK Pes Nwf**
- 81826. *Scythris complexa* Sinev,2001** (Scythridae) Synonym(s): *complexa* Sinev,2001 Range (in code): **RU CN Mc**
- 81827. *Scythris concurrens* Meyrick,1921** (Scythridae) Synonym(s): *concurrens* Meyrick,1921 Range (in code): **MZ Mag**
- 81828. *Scythris consimilella* Bengtsson,2002** (Scythridae) Synonym(s): *consimilella* Bengtsson,2002 Range (in code): **YE**
- 81829. *Scythris constricta* K.Nupponen,2014** (Scythridae) Synonym(s): *constricta* K.Nupponen,2014 Range (in code): **KG**
- 81830. *Scythris cretacella* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *cretacella* K.Nupponen & T.Nupponen,2000 Range (in code): **RU Or Ur** Bionomy: Larva on Artemisia austriaca (Asteraceae) (K.Nupponen & T.Nupponen,2000).
- 81831. *Scythris cretiflua* Meyrick,1913** (Scythridae) Synonym(s): *cretiflua* Meyrick,1913 Range (in code): **ZA Gau Tva Pre Mpu Brb**
- 81832. *Scythris crypsigramma* Meyrick,1897** (Scythridae) Synonym(s): *crypsigramma* Meyrick,1897 Range (in code): **AU WAu Gtn**
- 81833. *Scythris cucullella* Bengtsson,2002** (Scythridae) Synonym(s): *cucullella* Bengtsson,2002 Original Reference: *Scythris cucullella* Bengtsson,2002, Phegea 30 (3): 112-113, figs. Holotype ♂: Oman: 20km SE Ibra, 300m (ZMUC). Range (in code): **JO OM YE AE**
- 81834. *Scythris culmicola* Meyrick,1916** (Scythridae) Synonym(s): *culmicola* Meyrick,1916 Range (in code): **IN Pj**
- 81835. *Scythris cuneatella* Bengtsson,2002** (Scythridae) Synonym(s): *cuneatella* Bengtsson,2002 Range (in code): **YE**
- 81836. *Scythris curtulella* (Bruand,1847)** (Scythridae) Synonym(s): *curtulella* Bruand,1847 Range (in code): **FR**
- 81837. *Scythris curviplella* Bengtsson,2002** (Scythridae) Synonym(s): *curviplella* Bengtsson,2002 Range (in code): **YE**
- 81838. *Scythris daturica* Sinev,2001** (Scythridae) Synonym(s): *daturica* Sinev,2001 Range (in code): **RU Am Daur**
- 81839. *Scythris degenerella* Fuchs,1903** (Scythridae) Synonym(s): *degenerella* Fuchs,1903 Range (in code): **Cc AM Eri**
- 81840. *Scythris delodelta* Meyrick,1930** (Scythridae) Synonym(s): *delodelta* Meyrick,1930 Range (in code): **ZA Nta Kzu Wnn**
- 81841. *Scythris denticolor* Walsingham,1900** (Scythridae) Synonym(s): *denticolor* Walsingham,1900 Range (in code): **YE Sk**
- 81842. *Scythris deplanata* Meyrick,1928** (Scythridae) Synonym(s): *deplanata* Meyrick,1928 Range (in code): **IN Ch Sri Hp Kma**
- 81843. *Scythris deprinsi* Bengtsson,2005** (Scythridae) Synonym(s): *deprinsi* Bengtsson,2005 Original Reference: *Scythris deprinsi* Bengtsson,2005, Ent. fennica 16: 210-211, figs. Holotype ♂: Turkey: Bitlis Prov., Nemrut Mt. Range (in code): **TR**
- 81844. *Scythris deresella* Falkovitsh,1969** (Scythridae) Synonym(s): *deresella* Falkovitsh,1969 Range (in code): **UZ** Bionomy: Larva on Lycium ruthenicum (Solanaceae) (Falkovitsh,1969).
- 81845. *Scythris detestata* Meyrick,1922** (Scythridae) Synonym(s): *detestata* Meyrick,1922 Range (in code): **AU SAu Ade**
- 81846. *Scythris diatoma* (Turner,1927)** (Scythridae) Synonym(s): *diatoma* Turner,1927 Range (in code): **AU**

- 81847. *Scythris dicroa* Falkovitsh,1972** (Scythridae) Synonym(s): *dicroa* Falkovitsh,1972 Range (in code): **KG UZ Br**
- 81848. *Scythris dimensa* Meyrick,1920** (Scythridae) Synonym(s): *dimensa* Meyrick,1920 Range (in code): **ZA Nta Kzu Dbn**
- 81849. *Scythris dimota* Meyrick,1931** (Scythridae) Synonym(s): *dimota* Meyrick,1931 Range (in code): **PY**
- 81850. *Scythris discimaculella* Rebel,1936** (Scythridae) Synonym(s): *discimaculella* Rebel,1936 Range (in code): **TR**
- 81851. *Scythris distactica* Meyrick,1921** (Scythridae) Synonym(s): *distactica* Meyrick,1921 Range (in code): **ZW Swm**
- 81852. *Scythris distinctella* K.Nupponen,2014** (Scythridae) Synonym(s): *distinctella* K.Nupponen,2014 Range (in code): **KG**
- 81853. *Scythris divergens* Bengtsson,2005** (Scythridae) Synonym(s): *divergens* Bengtsson,2005 Original Reference: *Scythris divergens* Bengtsson,2005, Ent. fennica 16: 212. Holotype ♂: Turkey: Içel Prov., Mut area. Range (in code): **TR IQ SY LB Bei**
- 81854. *Scythris dividua* Meyrick,1916** (Scythridae) Synonym(s): *dividua* Meyrick,1916 Range (in code): **PE**
- 81855. *Scythris dorsipallidella* (Chambers,1875)** (Scythridae) Synonym(s): *dorsipallidella* Chambers,1875 Range (in code): **US Tx**
- 81856. *Scythris eboracensis* (Zeller,1855)** (Scythridae) Synonym(s): *eboracensis* Zeller,1855 Range (in code): **US Ny Ut CA On** Bionomy: Larva on *Acacia farnesiana* (Fabaceae), *Carduus* (Asteraceae) (Landry,1991).
- 81857. *Scythris ejiciens* Meyrick,1928** (Scythridae) Synonym(s): *ejiciens* Meyrick,1928 Range (in code): **PE**
- 81858. *Scythris elachistoides* Bengtsson,2002** (Scythridae) Synonym(s): *elachistoides* Bengtsson,2002 Original Reference: *Scythris elachistoides* Bengtsson,2002, Phegea 30 (3): 113-114, figs. Holotype ♂: Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC). Range (in code): **AE OM**
- 81859. *Scythris elenae* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *elenae* K.Nupponen & T.Nupponen,2000 Range (in code): **KG RU Or Ur** Bionomy: Larva on *Artemisia austriaca* (Asteraceae) (K.Nupponen & T.Nupponen,2000).
- 81860. *Scythris eloquens* Meyrick,1921** (Scythridae) Synonym(s): *eloquens* Meyrick,1921 Range (in code): **MZ Mag**
- 81861. *Scythris epistrota* (Meyrick,1889)** (Scythridae) Synonym(s): *epistrota* Meyrick,1889 Range (in code): **NZ** Bionomy: Larva on *Charmicaelia* (Fabaceae) (Passerin d'Entrèves & Roggero,2007).
- 81862. *Scythris erebospila* Meyrick,1897** (Scythridae) Synonym(s): *erebospila* Meyrick,1897 Range (in code): **AU NSW**
- 81863. *Scythris erudita* Meyrick,1917** (Scythridae) Synonym(s): *erudita* Meyrick,1917 Range (in code): **ZA Bul**
- 81864. *Scythris eversmanni* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *eversmanni* K.Nupponen & T.Nupponen,2000 Range (in code): **UA RU Or Ur**
- 81865. *Scythris expolita* Meyrick,1910** (Scythridae) Synonym(s): *expolita* Meyrick,1910 Range (in code): **IN Ass Mpr**
- 81866. *Scythris exsoluta* Meyrick,1920** (Scythridae) Synonym(s): *exsoluta* Meyrick,1920 Range (in code): **ZA Wdh**
- 81867. *Scythris faeculenta* Meyrick,1912** (Scythridae) Synonym(s): *faeculenta* Meyrick,1912 Range (in code): **ZA Fs Sfe**
- 81868. *Scythris farrata* Meyrick,1913** (Scythridae) Synonym(s): *farrata* Meyrick,1913 Range (in code): **ZA Tva Mpu Tst**
- 81869. *Scythris farsi* Passerin d'Entrèves & Roggero,2009** (Scythridae) Synonym(s): *farsi* Passerin d'Entrèves & Roggero,2009 Range (in code): **IR Fa**
- 81870. *Scythris fasciata* Falkovitsh,1969** (Scythridae) Synonym(s): *fasciata* Falkovitsh,1969 Range (in code): **UZ Br** Bionomy: Larva on *Salsola arbuscoliformis* (Chenopodiaceae) (Falkovitsh,1969).
- 81871. *Scythris felesella* Bengtsson,1997** (Scythridae) Synonym(s): *felesella* Bengtsson,1997 Range (in code): **KK Frz**

- 81872. *Scythris felixi* Bengtsson & Sutter,1996** (Scythridae) Synonym(s): *felixi* Bengtsson & Sutter,1996 Range (in code): MN RU At
- 81873. *Scythris fibigeri* Bengtsson,2002** (Scythridae) Synonym(s): *fibigeri* Bengtsson,2002 Range (in code): YE
- 81874. *Scythris fissurella* Bengtsson,1997** (Scythridae) Synonym(s): *fissurella* Bengtsson,1997 Range (in code): KG AF OM SD PK YE Sna IR Ss RU Ao
- 81875. *Scythris fluctuosa* Meyrick,1914** (Scythridae) Synonym(s): *fluctuosa* Meyrick,1914 Range (in code): ZA Tva Gau Pre
- 81876. *Scythris fluvialis* Meyrick,1916** (Scythridae) Synonym(s): *fluvialis* Meyrick,1916 Range (in code): CO c27
- 81877. *Scythris fluxilis* Falkovitsh,1986** (Scythridae) Synonym(s): *fluxilis* Falkovitsh,1986 Range (in code): MN KG UZ IR Kh Bionomy: Larva on *Aellenia glauca* (Chenopodiaceae) (Falkovitsh,1986).
- 81878. *Scythris fonticola* Meyrick,1911** (Scythridae) Synonym(s): *fonticola* Meyrick,1911 Range (in code): ZA Tva Mdt
- 81879. *Scythris forficella* Bengtsson,1997** (Scythridae) Synonym(s): *forficella* Bengtsson,1997 Range (in code): IN Rj
- 81880. *Scythris fumida* Turner,1923** (Scythridae) Synonym(s): *fumida* Turner,1923 Range (in code): AU QAU
- 81881. *Scythris fuscicomella* (Clemens,1860)** (Scythridae) Synonym(s): *fuscicomella* Clemens,1860 Range (in code): US Fl Tx Bionomy: Larva on *Carduus*, *Eupatorium perfoliatum*, *Helenium amarum* (Asteraceae); *Medicago sativa* (Fabaceae); *Rubus* (Rosaceae) (Landry,1991).
- 81882. *Scythris fuscoarella* Bengtsson & Liska,1996** (Scythridae) Synonym(s): *fuscoarella* Bengtsson & Liska,1996 Range (in code): KP RU
- 81883. *Scythris galeatella* Bengtsson,2002** (Scythridae) Synonym(s): *galeatella* Bengtsson,2002 Range (in code): YE
- 81884. *Scythris garciapitai* Vives Moreno,2001** (Scythridae) Synonym(s): *garciapitai* Vives Moreno,2001 Range (in code): ES
- 81885. *Scythris ghaemii* Bengtsson & Huemer,2003** (Scythridae) Synonym(s): *ghaemii* Bengtsson & Huemer,2003 Original Reference: *Scythris ghaemii* Bengtsson & Huemer,2003, *Carinthia* II 193/113: 574-577, figs. Holotype ♂: Iran, Khorasan NP Golestan, 5km SW Dasht 1100m 21 5 2001 leg.P.Huemer (TLFI). Range (in code): IR Kh TM Kp KG
- 81886. *Scythris gladiella* K.Nupponen & T.Nupponen,2004** (Scythridae) Synonym(s): *gladiella* K.Nupponen & T.Nupponen,2004 Range (in code): ES
- 81887. *Scythris glaphyropa* Meyrick,1914** (Scythridae) Synonym(s): *glaphyropa* Meyrick,1914 Range (in code): ZA Tva Mpu Tst
- 81888. *Scythris glyphidota* Meyrick,1916** (Scythridae) Synonym(s): *glyphidota* Meyrick,1916 Range (in code): IN Bionomy: Larva on *Acacia nilotica* (Fabaceae) (Meyrick,1916).
- 81889. *Scythris gobiensis* Passerin d'Entrèves & Roggero,2006** (Scythridae) Synonym(s): *gobiensis* Passerin d'Entrèves & Roggero,2006 Range (in code): MN
- 81890. *Scythris gracilis* (Heinemann,1876)** (Scythridae) Synonym(s): *gracilis* Heinemann,1876 Range (in code): DE SK CZ
- 81891. *Scythris gratifica* Meyrick,1922** (Scythridae) Synonym(s): *gratifica* Meyrick,1922 Range (in code): IN Bba
- 81892. *Scythris hackeri* Bengtsson,1996** (Scythridae) Synonym(s): *hackeri* Bengtsson,1996 Range (in code): IN Rj PK Haz Msr
- 81893. *Scythris halmyrodes* Meyrick,1921** (Scythridae) Synonym(s): *halmyrodes* Meyrick,1921 Range (in code): ZW Swm
- 81894. *Scythris haloxylella* Falkovitsh,1969** (Scythridae) Synonym(s): *haloxylella* Falkovitsh,1969 Range (in code): KG TM UZ Bionomy: Larva on *Haloxylon persicum* (Chenopodiaceae) (Falkovitsh,1969).
- 81895. *Scythris hamardabanica* K.Nupponen,2003** (Scythridae) Synonym(s): *hamardabanica* K.Nupponen,2003 Range (in code): RU
- 81896. *Scythris heikkii* K.Nupponen,2007** (Scythridae) Synonym(s): *heikkii* K.Nupponen,2007 Range (in code): RU
- 81897. *Scythris hemicycliella* K.Nupponen,2005** (Scythridae) Synonym(s): *hemicycliella* K.Nupponen,2005 Range (in code): RU At

- 81898. *Scythris herati* Passerin d'Entrèves & Roggero, 2004** (Scythridae) Synonym(s): *herati* Passerin d'Entrèves & Roggero, 2004 Range (in code): **AF Hr**
- 81899. *Scythris hologramma* (Lower, 1899)** (Scythridae) Synonym(s): *hologramma* Lower, 1899 Range (in code): **AU NSw**
- 81900. *Scythris homoxantha* Meyrick, 1921** (Scythridae) Synonym(s): *homoxantha* Meyrick, 1921 Range (in code): **ZW Uma**
- 81901. *Scythris hostilis* K.Nupponen, 2005** (Scythridae) Synonym(s): *hostilis* K.Nupponen, 2005 Range (in code): **KG Aa TrA**
- 81902. *Scythris hunzaensis* Bengtsson, 1997** (Scythridae) Synonym(s): *hunzaensis* Bengtsson, 1997 Range (in code): **PK Hu Gg**
- 81903. *Scythris hyalinella* Caradja, 1920** (Scythridae) Synonym(s): *hyalinella* Caradja, 1920 Original Reference: *Scythris hyalinella* Caradja, 1920, Dt. ent. Z., Iris 34: 146. Syntypes ♂♀: [Türkei]: Kazikoparan (coll. Caradja); Lectotype ♀, designated by Passerin d'E. (1996). Range (in code): **TR Cc**
- 81904. *Scythris hydronoma* Meyrick, 1921** (Scythridae) Synonym(s): *hydronoma* Meyrick, 1921 Range (in code): **SD Wme**
- 81905. *Scythris ianitella* K.Nupponen, 2005** (Scythridae) Synonym(s): *ianitella* K.Nupponen, 2005 Range (in code): **KG**
- 81906. *Scythris iconiensis* Rebel, 1903** (Scythridae) Synonym(s): *iconiensis* Rebel, 1903 Original Reference: *Scythris iconiensis* Rebel, 1903, Dt. ent. Z., Iris 15: 120-121, Taf.4 fig.10. Type ♀: [Türkei]: Anatolien: Konia. Range (in code): **TR SY**
- 81907. *Scythris ilyopa* Meyrick, 1921** (Scythridae) Synonym(s): *ilyopa* Meyrick, 1921 Range (in code): **ZW Vf**
- 81908. *Scythris immaculatella* (Chambers, 1875)** (Scythridae) Synonym(s): *immaculatella* Chambers, 1875; *pacifica* McDunnough, 1927; *kostjuki* Sinev, 2001 Range (in code): **US Als Mon Wy Col Tx CA BCo Abt Qb On RU Sb CN Mc**
- 81909. *Scythris inanima* Meyrick, 1916** (Scythridae) Synonym(s): *inanima* Meyrick, 1916 Range (in code): **PE**
- 81910. *Scythris incospicua* Sinev, 2001** (Scythridae) Synonym(s): *incospicua* Sinev, 2001 Range (in code): **RU Us**
- 81911. *Scythris indigoferivora* Bengtsson, 2002** (Scythridae) Synonym(s): *indigoferivora* Bengtsson, 2002 Range (in code): **YE SD** Bionomy: Larva on *Acacia seyal*, *Indigofera oblongifolia* (Fabaceae) (Bengtsson, 2002).
- 81912. *Scythris ingens* K.Nupponen, 2005** (Scythridae) Synonym(s): *ingens* K.Nupponen, 2005 Range (in code): **KG**
- 81913. *Scythris inornatella* (Chambers, 1880)** (Scythridae) Synonym(s): *inornatella* Chambers, 1880 Range (in code): **US Tx**
- 81914. *Scythris inota* Meyrick, 1924** (Scythridae) Synonym(s): *inota* Meyrick, 1924 Range (in code): **PK Gg Hu AF**
- 81915. *Scythris interrupta* Braun, 1920** (Scythridae) Synonym(s): *interrupta* Braun, 1920 Range (in code): **US Cf**
- 81916. *Scythris invis* Meyrick, 1920** (Scythridae) Synonym(s): *invis* Meyrick, 1920 Range (in code): **KE**
- 81917. *Scythris iterella* Bengtsson, 2002** (Scythridae) Synonym(s): *iterella* Bengtsson, 2002 Range (in code): **YE**
- 81918. *Scythris jakutica* Sinev, 2001** (Scythridae) Synonym(s): *jakutica* Sinev, 2001 Range (in code): **RU Ya**
- 81919. *Scythris jalavai* Sinev, 1993** (Scythridae) Synonym(s): *jalavai* Sinev, 1993 Range (in code): **RU At**
- 81920. *Scythris jemenensis* Bengtsson, 2002** (Scythridae) Synonym(s): *jemenensis* Bengtsson, 2002 Range (in code): **YE**
- 81921. *Scythris juerivetei* K.Nupponen, 2005** (Scythridae) Synonym(s): *juerivetei* K.Nupponen, 2005 Range (in code): **KG**
- 81922. *Scythris justifica* Meyrick, 1911** (Scythridae) Synonym(s): *justifica* Meyrick, 1911 Range (in code): **ZA Tva Gau Pre**
- 81923. *Scythris kailai* Bengtsson, 1997** (Scythridae) Synonym(s): *kailai* Bengtsson, 1997 Range (in code): **KK**

- 81924. *Scythris karsholti* Bengtsson,1997** (Scythridae) **Synonym(s):** *karsholti* Bengtsson,1997
Range (in code): **TN**
- 81925. *Scythris karvoneni* K.Nupponen,2010** (Scythridae) **Synonym(s):** *karvoneni* K.Nupponen,2010
Range (in code): **KG UZ**
- 81926. *Scythris kaschmirica* Bengtsson,2005** (Scythridae) **Synonym(s):** *kaschmirica* Bengtsson,2005
Range (in code): **Ch AF Nu** Bionomy: Larva on Indigofera gerardiana (Fabaceae) (Bengtsson,2005).
- 81927. *Scythris kaszabi* Passerin d'Entrèves & Roggero,2006** (Scythridae) **Synonym(s):** *kaszabi* Passerin d'Entrèves & Roggero,2006
Range (in code): **MN**
- 81928. *Scythris kefensis* K.Nupponen,2001** (Scythridae) **Synonym(s):** *kefensis* K.Nupponen,2001
Range (in code): **TN**
- 81929. *Scythris kolachii* Passerin d'Entrèves & Roggero,2012** (Scythridae) **Synonym(s):** *kolachii* Passerin d'Entrèves & Roggero,2012
Range (in code): **PK Krc**
- 81930. *Scythris kyzylensis* Bengtsson,1997** (Scythridae) **Synonym(s):** *kyzylensis* Bengtsson,1997
Range (in code): **RU Tv** Bionomy: Larva on Caragana (Fabaceae); Nanophyton (Chenopodiaceae) (Bengtsson,1997).
- 81931. *Scythris lactanea* Meyrick,1913** (Scythridae) **Synonym(s):** *lactanea* Meyrick,1913
Range (in code): **ZA Tva Gau Pre Mpu Brb**
- 81932. *Scythris landryi* Passerin d'Entrèves & Roggero,2004** (Scythridae) **Synonym(s):** *landryi* Passerin d'Entrèves & Roggero,2004
Range (in code): **TN**
- 81933. *Scythris latebrosa* Meyrick,1913** (Scythridae) **Synonym(s):** *latebrosa* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb Tst**
- 81934. *Scythris lemarchandella* Lucas,1950** (Scythridae) **Synonym(s):** *lemarchandella* Lucas,1950
Range (in code): **TN**
- 81935. *Scythris leucochyta* (Turner,1947)** (Scythridae) **Synonym(s):** *leucochyta* Turner,1947
Range (in code): **AU**
- 81936. *Scythris linnavuorii* Bengtsson,2005** (Scythridae) **Synonym(s):** *linnavuorii* Bengtsson,2005
Range (in code): **IL Pa**
- 81937. *Scythris lychnitis* Meyrick,1918** (Scythridae) **Synonym(s):** *lychnitis* Meyrick,1918 Original Reference: *Scythris lychnitis* Meyrick,1918, Exot. Microlepid. 2: 157-158. Type ♂: [Iraq]: "Basra".
Range (in code): **IQ Bsr**
- 81938. *Scythris lycii* Falkovitsh,1969** (Scythridae) **Synonym(s):** *lycii* Falkovitsh,1969
Range (in code): **KG TM UZ**
- 81939. *Scythris maroccanella* D.Lucas,1955** (Scythridae) **Synonym(s):** *maroccanella* D.Lucas,1955
Range (in code): **MA**
- 81940. *Scythris melanodora* Meyrick,1912** (Scythridae) **Synonym(s):** *melanodora* Meyrick,1912
Range (in code): **ZA**
- 81941. *Scythris melanopleura* Meyrick,1914** (Scythridae) **Synonym(s):** *melanopleura* Meyrick,1914
Range (in code): **ZA**
- 81942. *Scythris meligastra* Meyrick,1920** (Scythridae) **Synonym(s):** *meligastra* Meyrick,1920
Range (in code): **ZA**
- 81943. *Scythris meraula* Meyrick,1916** (Scythridae) **Synonym(s):** *meraula* Meyrick,1916
Range (in code): **IN Rj YE**
- 81944. *Scythris mesoplecta* Meyrick,1921** (Scythridae) **Synonym(s):** *mesoplecta* Meyrick,1921
Range (in code): **ZA Ec Stj**
- 81945. *Scythris mikkolai* Sinev,1993** (Scythridae) **Synonym(s):** *mikkolai* Sinev,1993
Range (in code): **RU Sb Ur MN**
- 81946. *Scythris multiplicella* Bengtsson,1996** (Scythridae) **Synonym(s):** *multiplicella* Bengtsson,1996
Range (in code): **IN Rj**
- 81947. *Scythris mutanenorum* K.Nupponen,2014** (Scythridae) **Synonym(s):** *mutanenorum* K.Nupponen,2014
Range (in code): **KG**
- 81948. *Scythris nepalensis* Bengtsson,2005** (Scythridae) **Synonym(s):** *nepalensis* Bengtsson,2005
Range (in code): **NP**
- 81949. *Scythris neurogramma* Walsingham,1900** (Scythridae) **Synonym(s):** *neurogramma* Walsingham,1900
Range (in code): **YE Sk**
- 81950. *Scythris nielseni* Passerin d'Entrèves & Roggero,2004** (Scythridae) **Synonym(s):** *nielseni* Passerin d'Entrèves & Roggero,2004
Range (in code): **AF Pli IL Pa KG**

- 81951. *Scythris niemineni* K.Nupponen,2014** (Scythridae) Synonym(s): *niemineni* K.Nupponen,2014 Range (in code): KG
- 81952. *Scythris nigridorsella* K.Nupponen,2007** (Scythridae) Synonym(s): *nigridorsella* K.Nupponen,2007 Range (in code): RU Ao
- 81953. *Scythris nigrispersa* Meyrick,1918** (Scythridae) Synonym(s): *nigrispersa* Meyrick,1918 Range (in code): ZA Tva Gau Pre
- 81954. *Scythris nigrogrammella* Bengtsson,2002** (Scythridae) Synonym(s): *nigrogrammella* Bengtsson,2002 Range (in code): YE
- 81955. *Scythris nigropterella* Bengtsson,2002** (Scythridae) Synonym(s): *nigropterella* Bengtsson,2002 Range (in code): YE
- 81956. *Scythris nivicolor* Meyrick,1916** (Scythridae) Synonym(s): *nivicolor* Meyrick,1916 Range (in code): IL Pa IN PK Haz Msr Txl YE
- 81957. *Scythris obliqua* Falkovitsh,1969** (Scythridae) Synonym(s): *obliqua* Falkovitsh,1969 Range (in code): KG UZ MN
- 81958. *Scythris obstans* Meyrick,1928** (Scythridae) Synonym(s): *obstans* Meyrick,1928 Range (in code): ZA
- 81959. *Scythris ochrantha* Meyrick,1909** (Scythridae) Synonym(s): *ochrantha* Meyrick,1909 Range (in code): ZA Nta Kzu
- 81960. *Scythris ochrea* Walsingham & Hampson,1896** (Scythridae) Synonym(s): *ochrea* Walsingham & Hampson,1896 Range (in code): YE Ad
- 81961. *Scythris olschwangi* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *olschwangi* K.Nupponen & T.Nupponen,2000 Range (in code): RU Ur KG
- 81962. *Scythris orientella* Sinev,2001** (Scythridae) Synonym(s): *orientella* Sinev,2001 Range (in code): RU MN
- 81963. *Scythris ottomana* Jäckh,1978** (Scythridae) Synonym(s): *ottomana* Jäckh,1978 Original Reference: Scythris ottomana Jäckh,1978, Dt. ent. Z. (N.F.) 25: 85-86, figs. Holotype ♂: [Türkei]: Anatolien: Amasia m. Range (in code): TR
- 81964. *Scythris paelopyga* (Staudinger,1880)** (Scythridae) Synonym(s): *paelopyga* Staudinger,1880 Original Reference: Butalis paelopyga Staudinger,1880, Horae Soc. ent. ross. 15: 391-392. Syntypes: [Türkei]: Amasia. Range (in code): TR Cc
- 81965. *Scythris pallidella* Passerin d'Entrèves & Roggero,2006** (Scythridae) Synonym(s): *pallidella* Passerin d'Entrèves & Roggero,2006 Range (in code): UZ TJ KG MN
- 81966. *Scythris pangalactis* Meyrick,1933** (Scythridae) Synonym(s): *pangalactis* Meyrick,1933 Range (in code): BW GM IN Rj IR B-A SD AE OM YE JO
- 81967. *Scythris parachalca* Meyrick,1916** (Scythridae) Synonym(s): *parachalca* Meyrick,1916 Original Reference: Scythris parachalca Meyrick,1916, Exot. Microlepid. 2: 14-15. Syntypes 5♂♀: [Turkey]: "Asia Minor: Alma Dagħ". Range (in code): TR
- 81968. *Scythris parafluxilis* Passerin d'Entrèves & Roggero,2007** (Scythridae) Synonym(s): *parafluxilis* Passerin d'Entrèves & Roggero,2007 Range (in code): MN
- 81969. *Scythris paralogella* Bengtsson,2002** (Scythridae) Synonym(s): *paralogella* Bengtsson,2002 Range (in code): YE
- 81970. *Scythris paranthesella* Bengtsson,2002** (Scythridae) Synonym(s): *paranthesella* Bengtsson,2002 Range (in code): AE YE
- 81971. *Scythris paredra* Meyrick,1897** (Scythridae) Synonym(s): *paredra* Meyrick,1897 Range (in code): AU
- 81972. *Scythris patiens* Meyrick,1921** (Scythridae) Synonym(s): *patiens* Meyrick,1921 Range (in code): ZW Hfo
- 81973. *Scythris pectinicornis* Walsingham,1900** (Scythridae) Synonym(s): *pectinicornis* Walsingham,1900 Range (in code): YE Sk
- 81974. *Scythris pelochyta* Meyrick,1909** (Scythridae) Synonym(s): *pelochyta* Meyrick,1909 Range (in code): ZA Tva Gau Pre
- 81975. *Scythris perlucidella* K.Nupponen & T.Nupponen,2000** (Scythridae) Synonym(s): *perlucidella* K.Nupponen & T.Nupponen,2000; *zolutuhini* Sachkov,2000 Range (in code): RU
- 81976. *Scythris pfeifferella* Rebel,1935** (Scythridae) Synonym(s): *pfeifferella* Rebel,1935 Original Reference: Scythris pfeifferella Rebel,1935, Mitt. münch. ent. Ges. 25: 84, Taf.15 figs. Lectotype ♂: [Türkei]: Marasch: Bertiz Jaila (Jäckh,1978: 81). Range (in code): TR

- 81977. *Scythris pleonectis* Meyrick, 1897** (Scythridae) **Synonym(s):** *pleonectis* Meyrick, 1897
Range (in code): AU
- 81978. *Scythris plocanota* Meyrick, 1897** (Scythridae) **Synonym(s):** *plocanota* Meyrick, 1897
Range (in code): AU
- 81979. *Scythris pollicella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *pollicella* Bengtsson, 2002
Original Reference: *Scythris pollicella* Bengtsson, 2002, *Phegea* 30 (3): 106-107, figs. Holotype ♂:
Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC). Range (in code): OM YE
- 81980. *Scythris pototskii* Nupponen, 2005** (Scythridae) **Synonym(s):** *pototskii* Nupponen, 2005
Range (in code): KG
- 81981. *Scythris praestructa* Meyrick, 1922** (Scythridae) **Synonym(s):** *praestructa* Meyrick, 1922
Range (in code): AU
- 81982. *Scythris pruinata* Falkovitsh, 1972** (Scythridae) **Synonym(s):** *pruinata* Falkovitsh, 1972
Range (in code): UZ IR Ss
- 81983. *Scythris psamathota* Meyrick, 1913** (Scythridae) **Synonym(s):** *psamathota* Meyrick, 1913
Range (in code): ZA Tva Mpu Wv
- 81984. *Scythris pterosauriella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *pterosauriella*
Bengtsson, 2002 Range (in code): YE
- 81985. *Scythris reflectella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *reflectella* Bengtsson, 2002
Range (in code): YE
- 81986. *Scythris remexella* K.Nupponen & T.Nupponen, 2000** (Scythridae) **Synonym(s):**
remexella K.Nupponen & T.Nupponen, 2000; *verae* Sachkov, 2000 Range (in code): RU
- 81987. *Scythris rhabducha* Meyrick, 1897** (Scythridae) **Synonym(s):** *rhabducha* Meyrick, 1897
Range (in code): AU
- 81988. *Scythris rivigera* Meyrick, 1911** (Scythridae) **Synonym(s):** *rivigera* Meyrick, 1911 Range (in code): ZA Tva Lpo Wo
- 81989. *Scythris roseola* Meyrick, 1912** (Scythridae) **Synonym(s):** *roseola* Meyrick, 1912 Range (in code): ZA
- 81990. *Scythris rotundella* K.Nupponen, 2010** (Scythridae) **Synonym(s):** *rotundella*
K.Nupponen, 2010 Range (in code): KG UZ
- 81991. *Scythris ruehli* Gozmany, 1960** (Scythridae) **Synonym(s):** *ruehli* Gozmany, 1960 Range (in code): TR
- 81992. *Scythris sacharissa* Meyrick, 1913** (Scythridae) **Synonym(s):** *sacharissa* Meyrick, 1913
Range (in code): ZA Tva Gau Pre
- 81993. *Scythris sachkovi* Passerin d'Entrèves & Roggero, 2006** (Scythridae) **Synonym(s):**
sachkovi Passerin d'Entrèves & Roggero, 2006 Range (in code): MN
- 81994. *Scythris sanae* Bengtsson, 2002** (Scythridae) **Synonym(s):** *sanae* Bengtsson, 2002 Range (in code): YE
- 81995. *Scythris schreieri* Bengtsson, 1996** (Scythridae) **Synonym(s):** *schreieri* Bengtsson, 1996
Range (in code): PK Haz Msr Txl TR
- 81996. *Scythris scorpionella* Jäckh, 1977** (Scythridae) **Synonym(s):** *scorpionella* Jäckh, 1977
Range (in code): ES FR
- 81997. *Scythris scyphella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *scyphella* Bengtsson, 2002
Range (in code): YE Hd
- 81998. *Scythris scyphella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *scyphella* Bengtsson, 2002
Range (in code): YE
- 81999. *Scythris semifascia* K.Nupponen, 2010** (Scythridae) **Synonym(s):** *semifascia*
K.Nupponen, 2010 Range (in code): UZ KG
- 82000. *Scythris senescens* Stainton, 1854** (Scythridae) **Synonym(s):** *senescens* Stainton, 1854
Range (in code): TR
- 82001. *Scythris shafferi* Bengtsson, 2005** (Scythridae) **Synonym(s):** *shafferi* Bengtsson, 2005
Original Reference: *Scythris shafferi* Bengtsson, 2005, *Ent. fennica* 16: 216-217, figs. Holotype ♂:
Turkey: Iğdır Prov., Kazıkoparan. Range (in code): TR Cc
- 82002. *Scythris sigmoides* K.Nupponen, 2014** (Scythridae) **Synonym(s):** *sigmoides*
K.Nupponen, 2014 Range (in code): KG
- 82003. *Scythris sinuosella* Bengtsson, 2002** (Scythridae) **Synonym(s):** *sinuosella* Bengtsson, 2002
Range (in code): IR Ss B-A SD YE

- 82004. *Scythris sitarcha* Meyrick, 1918** (Scythridae) Synonym(s): *sitarcha* Meyrick, 1918 Range (in code): IN Rj
- 82005. *Scythris soluta* Meyrick, 1916** (Scythridae) Synonym(s): *soluta* Meyrick, 1916 Range (in code): IN Rj
- 82006. *Scythris sordidella* Bengtsson, 2002** (Scythridae) Synonym(s): *sordidella* Bengtsson, 2002 Range (in code): YE
- 82007. *Scythris sporadica* Meyrick, 1897** (Scythridae) Synonym(s): *sporadica* Meyrick, 1897 Range (in code): AU
- 82008. *Scythris stagnosa* Meyrick, 1913** (Scythridae) Synonym(s): *stagnosa* Meyrick, 1913 Range (in code): ZA Tva Gau Pre
- 82009. *Scythris strabella* Bengtsson, 2002** (Scythridae) Synonym(s): *strabella* Bengtsson, 2002 Range (in code): YE SA As
- 82010. *Scythris subclavella* Rebel, 1901** (Scythridae) Synonym(s): *subclavella* Rebel, 1901 Range (in code): TR IR
- 82011. *Scythris subgaleatella* Bengtsson, 2002** (Scythridae) Synonym(s): *subgaleatella* Bengtsson, 2002 Range (in code): YE Sna
- 82012. *Scythris sublaminella* K.Nupponen & T.Nupponen, 2000** (Scythridae) Synonym(s): *sublaminella* K.Nupponen & T.Nupponen, 2000; *mediovolgensis* Sachkov, 2000; *xerostepella* Sachkov, 2000 Range (in code): RU Ur KG
- 82013. *Scythris subparachalca* Bengtsson, 2002** (Scythridae) Synonym(s): *subparachalca* Bengtsson, 2002 Range (in code): YE IR Ss
- 82014. *Scythris syrdaryae* K.Nupponen, 2014** (Scythridae) Synonym(s): *syrdaryae* K.Nupponen, 2014 Range (in code): KG
- 82015. *Scythris tabelli* Junnilainen, 2002** (Scythridae) Synonym(s): *tabelli* Junnilainen, 2002 Original Reference: *Scythris tabelli* Junnilainen, 2002, Ent. fenn. 13: 149-152, figs. Holotype ♂: Turkey: Akşehir, 35km SW Ätince, 1200m, 14.vi.1999 leg. & coll. J.Junnilainen. Range (in code): TR
- 82016. *Scythris taizae* Bengtsson, 2002** (Scythridae) Synonym(s): *taizae* Bengtsson, 2002 Range (in code): YE
- 82017. *Scythris talyniella* Passerin d'Entrèves & Roggero, 2006** (Scythridae) Synonym(s): *talyniella* Passerin d'Entrèves & Roggero, 2006 Range (in code): MN
- 82018. *Scythris tauromeniella* Passerin d'Entrèves & Roggero, 2004** (Scythridae) Synonym(s): *tauromeniella* Passerin d'Entrèves & Roggero, 2004 Range (in code): IT Si
- 82019. *Scythris tenebrella* Bengtsson, 2002** (Scythridae) Synonym(s): *tenebrella* Bengtsson, 2002 Range (in code): YE
- 82020. *Scythris tenuisquamata* (Staudinger, 1880)** (Scythridae) Synonym(s): *tenuisquamata* Staudinger, 1880 Original Reference: *Butalis tenuisquamata* Staudinger, 1880, Horae Soc. ent. ross. 15: 388, 389. Syntypes 10♂ 1♀: [Türkei]: Amasia. Range (in code): TR
- 82021. *Scythris timoi* K.Nupponen, 2009** (Scythridae) Synonym(s): *timoi* K.Nupponen, 2009 Range (in code): KG UZ
- 82022. *Scythris triguttella* Zeller, 1839** (Scythridae) Synonym(s): *triguttella* Zeller, 1839 Range (in code): TR
- 82023. *Scythris trinummulata* Meyrick, 1922** (Scythridae) Synonym(s): *trinummulata* Meyrick, 1922 Range (in code): IL Pa Hf
- 82024. *Scythris triochrias* Meyrick, 1916** (Scythridae) Synonym(s): *triochrias* Meyrick, 1916 Original Reference: *Scythris triochrias* Meyrick, 1916, Exot. Microlepid. 2: 15. Type ♀: [Turkey]: "Taurus Mts.". Range (in code): TR
- 82025. *Scythris tsherkessella* Falkovitsh, 1969** (Scythridae) Synonym(s): *tsherkessella* Falkovitsh, 1969 Range (in code): UZ KG TM MN
- 82026. *Scythris tugaiensis* K.Nupponen, 2009** (Scythridae) Synonym(s): *tugaiensis* K.Nupponen, 2009 Range (in code): KG UZ
- 82027. *Scythris tuzensis* Bengtsson, 2005** (Scythridae) Synonym(s): *tuzensis* Bengtsson, 2005 Original Reference: *Scythris tuzensis* Bengtsson, 2005, Ent. fennica 16: 217-219, figs. Holotype ♂: Turkey: Konya Prov., Akşehir: Sultandağları. Range (in code): TR AM Cc
- 82028. *Scythris tytrella* Falkovitsh, 1969** (Scythridae) Synonym(s): *tytrella* Falkovitsh, 1969 Range (in code): KG UZ

- 82029. Scythris unguicella Bengtsson,2005** (Scythridae) Synonym(s): *unguicella Bengtsson,2005*; *#unguisella Bengtsson,2005* Original Reference: *Scythris unguicella Bengtsson,2005*, Ent. fennica 16: 219. Holotype ♂: Turkey: Konya Prov., Sille. Range (in code): **TR**
- 82030. Scythris unimaculella Rebel,1905** (Scythridae) Synonym(s): *unimaculella Rebel,1905* Range (in code): **TR**
- 82031. Scythris ustjuzhanini Sachkov & Sinev,2001** (Scythridae) Synonym(s): *ustjuzhanini Sachkov & Sinev,2001* Range (in code): **RU MN**
- 82032. Scythris vadimi Sachkov,2002** (Scythridae) Synonym(s): *vadimi Sachkov,2002* Range (in code): **KG**
- 82033. Scythris valgella Bengtsson,2002** (Scythridae) Synonym(s): *valgella Bengtsson,2002* Original Reference: *Scythris valgella Bengtsson,2002*, Phegea 30 (3): 117-118, figs. Holotype ♂: Oman: Wadi Tanuf, 8.i.1993, 600m (ZMUC). Range (in code): **OM IR Ss YE AE**
- 82034. Scythris valvaearecella Bengtsson,2002** (Scythridae) Synonym(s): *valvaearecella Bengtsson,2002* Range (in code): **AE YE SA As**
- 82035. Scythris vernusella Jäckh,1978** (Scythridae) Synonym(s): *vernusella Jäckh,1978* Range (in code): **RU IR Elb TR** Bionomy: Larva on Paronychia argentea (Caryophyllaceae) (Jäckh,1978).
- 82036. Scythris vulgata Meyrick,1914** (Scythridae) Synonym(s): *vulgata Meyrick,1914* Range (in code): **ZA Tva Pre Gau**
- 82037. Scythris xenonympha (Lower,1900)** (Scythridae) Synonym(s): *xenonympha Lower,1900* Range (in code): **AU**
- 82038. "Macrotarsipus" microthyris Hampson,1919** (Sesiidae) Synonym(s): *microthyris Hampson,1919* Range (in code): **AET KE MW**
- 82039. Aegerosphecia calliptera Le Cerf,1916** (Sesiidae) Synonym(s): *calliptera Le Cerf,1916* Range (in code): **ID Mlc**
- 82040. Aegerosphecia cyanea Hampson,1919** (Sesiidae) Synonym(s): *cyanea Hampson,1919* Range (in code): **ID Clb**
- 82041. Aegerosphecia fasciata (Walker,1862)** (Sesiidae) Synonym(s): *fasciata Walker,1862* Range (in code): **MY Bor**
- 82042. Aegerosphecia fulviventris Le Cerf,1916** (Sesiidae) Synonym(s): *fulviventris Le Cerf,1916* Range (in code): **PG**
- 82043. Aegerosphecia fumoptera Kallies & Arita,2004** (Sesiidae) Synonym(s): *fumoptera Kallies & Arita,2004* Range (in code): **VN**
- 82044. Aegerosphecia myanmarensis Kallies & Arita,2004** (Sesiidae) Synonym(s): *myanmarensis Kallies & Arita,2004* Range (in code): **MM**
- 82045. Aegerosphecia mysolica (Walker,1865)** (Sesiidae) Synonym(s): *mysolica Walker,1865* Range (in code): **ID Mi**
- 82046. Aenigmina aenea Le Cerf,1912** (Sesiidae) Synonym(s): *aenea Le Cerf,1912* Range (in code): **AET**
- 82047. Aenigmina critheis (Druce,1899)** (Sesiidae) Synonym(s): *critheis Druce,1899* Range (in code): **AET ZA MZ**
- 82048. Aenigmina latimargo Le Cerf,1912** (Sesiidae) Synonym(s): *latimargo Le Cerf,1912* Range (in code): **AET**
- 82049. Aenigmina tioresa (Druce,1899)** (Sesiidae) Synonym(s): *tioresa Druce,1899* Range (in code): **AET**
- 82050. Afrokona aerea Fischer,2006** (Sesiidae) Synonym(s): *aerea Fischer,2006* Range (in code): **AET ZR**
- 82051. Afromelittia aenescens (Butler,1896)** (Sesiidae) Synonym(s): *aenescens Butler,1896* Range (in code): **AET**
- 82052. Afromelittia iridisquama (Mabille,1890)** (Sesiidae) Synonym(s): *iridisquama Mabille,1890* Range (in code): **AET**
- 82053. Afromelittia natalensis (Butler,1874)** (Sesiidae) Synonym(s): *natalensis Butler,1874* Range (in code): **AET ZA Nta Kzu**
- 82054. Afromelittia occidentalis (Le Cerf,1917)** (Sesiidae) Synonym(s): *occidentalis Le Cerf,1917* Range (in code): **AET ZA**
- 82055. Agriomelissa aethiopica (Le Cerf,1917)** (Sesiidae) Synonym(s): *aethiopica Le Cerf,1917* Range (in code): **AET**

- 82056. Agriomelissa amblyphaea (Hampson,1919)** (Sesiidae) Synonym(s): *amblyphaea* Hampson,1919 Range (in code): AET
- 82057. Agriomelissa brevicornis (Aurivillius,1905)** (Sesiidae) Synonym(s): *brevicornis* Aurivillius,1905 Range (in code): AET
- 82058. Agriomelissa gypsospora Meyrick,1931** (Sesiidae) Synonym(s): *gypsospora* Meyrick,1931 Original Reference: Agriomelissa gypsospora Meyrick,1931, Exot. microlepid. 4: 51. Type: Uganda. Range (in code): AET UG
- 82059. Agriomelissa malagasy (Viette,1982)** (Sesiidae) Synonym(s): *malagasy* Viette,1982 Range (in code): AET MG
- 82060. Agriomelissa ursipes (Walker,1856)** (Sesiidae) Synonym(s): *ursipes* Walker,1856; *#hirtipes* Boisduval,1875 Range (in code): AET ZA Nta Kzu
- 82061. Agriomelissa victrix (Le Cerf,1916)** (Sesiidae) Synonym(s): *victrix* Le Cerf,1916 Range (in code): AET
- 82062. Alonina difformis Hampson,1919** (Sesiidae) Synonym(s): *difformis* Hampson,1919 Range (in code): AET ZA Nta Kzu Dbn
- 82063. Alonina longipes (Holland,1893)** (Sesiidae) Synonym(s): *longipes* Holland,1893 Original Reference: Cicinnoscelis longipes Holland,1893, J. New York Ent. Soc. 1: 183, figs. Type: Gabon: Ogové (Good). Range (in code): AET GA Ogo
- 82064. Alonina rygchiiformis Walker,1856** (Sesiidae) Synonym(s): *rygchiiformis* Walker,1856; *rhynchiiiformis* Hampson,1919 Range (in code): AET ZA Nta Kzu
- 82065. Anaudia felderi Wallengren,1863** (Sesiidae) Synonym(s): *felderi* Wallengren,1863 Range (in code): AET ZA
- 82066. Aschistophleps lampropoda Hampson,[1893]** (Sesiidae) Synonym(s): *lampropoda* Hampson,[1893] Range (in code): IN Ass TH VN
- 82067. Aschistophleps metachrysis Hampson,1895** (Sesiidae) Synonym(s): *metachrysis* Hampson,1895 Original Reference: Aschistophleps metachrysis Hampson,1895, Trans. ent. Soc. Lond. 1895: 282. Type: Upper Burma. Range (in code): MM
- 82068. Aschistophleps ruficrista (Rothschild,1912)** (Sesiidae) Synonym(s): *ruficrista* Rothschild,1912 Original Reference: Aegeria ruficrista Rothschild,1912, Novit. zool. 19: 122. Range (in code): Bor Swk MY
- 82069. Barbasphelia ares Pühringer & Safian,2011** (Sesiidae) Synonym(s): *ares* Pühringer & Safian,2011 Range (in code): AET GH
- 82070. Barbasphelia hephaistos Pühringer & Safian,2011** (Sesiidae) Synonym(s): *hephaistos* Pühringer & Safian,2011 Range (in code): AET GH
- 82071. Bembecia (Ductispina) transcaucasica (Staudinger,1891)** (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891; *romanovi* Bartel,1912 Range (in code): TR Cc AM Kho IR Zj Lo Kd Es By Bk Ke Mz Th Elb TM Kp Bionomy: Larva on Astragalus finitimus, A. shahrudensis (Fabaceae) (Spatenka et al.,1996).
- 82072. Bembecia (Ductispina) transcaucasica transcaucasica (Staudinger,1891)** (Sesiidae) Synonym(s): *transcaucasica* Staudinger,1891; *romanovi* Bartel,1912 Range (in code): TR Cc AM Kho IR Elb Th Mz
- 82073. Bembecia (Ductispina) transcaucasica turcmena (Bartel,1912)** (Sesiidae) Synonym(s): *turcmena* Bartel,1912 Original Reference: Dipsosphelia turcmena Bartel,1912, [in] Seitz, Gross-Schmett. Erde 2: 396 (50i). Type ♀: "Transkaspien (Aschabad)" (coll. Püngeler). Range (in code): TM Kp IR Zj Lo Kd Es By Bk Ke Bionomy: Larva on Astragalus shahrudensis (Fabaceae) (Spatenka et al.,1996).
- 82074. Bembecia (Paradipsosphelia) barbara (Bartel,1912)** (Sesiidae) Synonym(s): *barbara* Bartel,1912 Original Reference: Dipsosphelia barbara Bartel,1912, [in] Seitz, Gross-Schmett. Erde 2: 390. Type: Algeria, Teniet el Had (ZMHB). Range (in code): MR DZ
- 82075. Bembecia (Pseudosphelia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983. Range (in code): TR CY IR Elb Shh Cc Zj Mz Ha Kd Lo By Bk Es Yz Fa Ke AZ Tlh TM Kp PK Bionomy: Larva on Tragacanthus aureus, T. microcephalus, T. zangezurus, Astragalus parkeri (Fabaceae) (Spatenka et al.,1996).
- 82076. Bembecia (Pseudosphelia) stiziformis fervida (Lederer,1855)** (Sesiidae) Synonym(s): *fervida* Lederer,1855 Range (in code): TR CY Bionomy: Larva on Tragacanthus aureus, T. zangezurus (Fabaceae) (Spatenka et al.,1996).

- 82077. *Bembecia (Pseudosphecia) stiziformis stiziformis* (Herrich-Schäffer,1851)** (Sesiidae) Synonym(s): *stiziformis* Herrich-Schäffer,1851; *kara* De Freina,1983; *tubercula* De Freina,1983; *barbarossa* De Freina,1983. Range (in code): **TR Cc AZ Tlh**
- 82078. *Bembecia (Pseudosphecia) stiziformis tenebrosa* (Püngeler,1914)** (Sesiidae) Synonym(s): *tenebrosa* Püngeler,1914 Original Reference: *Dipsosphecia tenebrosa* Püngeler,1914, Dt. ent. Z., Iris 28: 53. Range (in code): **TM Kp IR Elb Shh** Bionomy: Larva on *Tragacanthus*, *Astragalus parkeri* (Fabaceae) (Spatenka et al.,1996).
- 82079. *Bembecia afghana* Bartsch & K.Spatenka,2010** (Sesiidae) Synonym(s): *afghana* Bartsch & K.Spatenka,2010 Range (in code): **AF**
- 82080. *Bembecia alaica* (Püngeler,1912)** (Sesiidae) Synonym(s): *alaica* Püngeler,1912; *irina* Spatenka, Petersen & Kallies,1997 [ssp.] Range (in code): **KK AI UZ TJ KG AF Bd CN**
- 82081. *Bembecia albanensis* (Rebel,1918)** (Sesiidae) Synonym(s): *albanensis* Rebel,1918; *corcyrensis* Rebel,1918; *tunetana* Le Cerf,1920 [ssp.]; *kalavrytana* Sheljuzhko,1924 Range (in code): **TN ES FR Sa Si IT GB DE CH AT CZ SK RO YU AL BG GR Cr TR RU MD UA** Bionomy: Larva on *Ononis spinosa*, *O. arvensis*, *Psoralea bituminosa*, *Hedysarum coronarium* (Fabaceae) (Spatenka et al.,1996).
- 82082. *Bembecia aloisi* K.Spatenka,1997** (Sesiidae) Synonym(s): *aloisi* K.Spatenka,1997 Range (in code): **PK BI Zi**
- 82083. *Bembecia apyra* (Le Cerf,1937)** (Sesiidae) Synonym(s): *apyra* Le Cerf,1937 Range (in code): **IR Th Mz Elb TR**
- 82084. *Bembecia astragali* (Joannis,1909)** (Sesiidae) Synonym(s): *astragali* Joannis,1909; *igueri* Bettag & Bläsius,1998 MA FR ES An IT MA SS HV GR
- 82085. *Bembecia auricaudata* (Bartel,1912)** (Sesiidae) Synonym(s): *auricaudata* Bartel,1912 Original Reference: *Dipsosphecia auricaudata* Bartel,1912, [in] Seitz, Gross-Schmett. Erde 2: 393. Type ♂: "Ili-Gebiet" (coll. Püngeler). Range (in code): **KG Tk Dj Ii**
- 82086. *Bembecia balkis* Le Cerf,1937** (Sesiidae) Synonym(s): *balkis* Le Cerf,1937 Range (in code): **SA YE Sna**
- 82087. *Bembecia balkis atrocaudata* Wiltshire,1986** (Sesiidae) Synonym(s): *atrocaudata* Wiltshire,1986 Range (in code): **SA YE**
- 82088. *Bembecia balkis balkis* Le Cerf,1937** (Sesiidae) Synonym(s): *balkis* Le Cerf,1937 Range (in code): **YE Sna**
- 82089. *Bembecia baumgartneri* K.Spatenka,1992** (Sesiidae) Synonym(s): *baumgartneri* K.Spatenka,1992 Range (in code): **HV**
- 82090. *Bembecia bohatschi* (Püngeler,1905)** (Sesiidae) Synonym(s): *bohatschi* Püngeler,1905 Range (in code): **UZ**
- 82091. *Bembecia buxea* Gorbunov,1989** (Sesiidae) Synonym(s): *buxea* Gorbunov,1989 Range (in code): **IR Mz Elb TM Kp**
- 82092. *Bembecia ceiformis* (Staudinger,1881)** (Sesiidae) Synonym(s): *ceiformis* Staudinger,1881; *tristis* Staudinger,1895; *dancaudani* Capuse,1973; *hannemanni* Capuse,1973; *ili* Capuse,1973 Range (in code): **KG KK Ssn Tar MN**
- 82093. *Bembecia deserticola* Spatenka, Petersen & Kallies,1997** (Sesiidae) Synonym(s): *deserticola* Spatenka, Petersen & Kallies,1997 Range (in code): **KG**
- 82094. *Bembecia dispar* (Staudinger,1881)** (Sesiidae) Synonym(s): *dispar* Staudinger,1881; *oberthueri* Le Cerf,1916; *dumonti* Le Cerf,1920; *deniba* Le Cerf,1934 Original Reference: *Sciapteron dispar* Staudinger,1881, Dt. ent. Z., Iris 4: 243. Lectotype ♂: Algeria, Biskra; designated by Spatenka & Lastuvka (1988). Range (in code): **DZ Lgt Bsk BSa MA TN Gf**
- 82095. *Bembecia fibigeri* Lastuvka & Lastuvka,1994** (Sesiidae) Synonym(s): *fibigeri* Lastuvka & Lastuvka,1994 Range (in code): **ES FR** Bionomy: Larva on *Ononis rotundifolia*, *O. fruticosa* (Fabaceae) (Spatenka et al.,1996).
- 82096. *Bembecia flavida* (Oberthür,1890)** (Sesiidae) Synonym(s): *flavida* Oberthür,1890 Original Reference: *Sesia flavida* Oberthür,1890, Etud. Ent. 13: 24, pl.8 fig.25. Lectotype ♀: Algeria, Constantine (MNHP). Range (in code): **DZ Cst MA Si**
- 82097. *Bembecia fokidensis* Tosevski,1991** (Sesiidae) Synonym(s): *fokidensis* Tosevski,1991 Range (in code): **GR**
- 82098. *Bembecia gegamica* Gorbunov,1991** (Sesiidae) Synonym(s): *gegamica* Gorbunov,1991 Range (in code): **Cc AM TR**

- 82099. *Bembecia guesnoni* K.Spatenka & Tosevski,1994** (Sesiidae) Synonym(s): *guesnoni* K.Spatenka & Tosevski,1994 Range (in code): **IN**
- 82100. *Bembecia himmighoffeni* (Staudinger,1866)** (Sesiidae) Synonym(s): *himmighoffeni* Staudinger,1866 Range (in code): **PT ES FR IT YU** Bionomy: Larva on *Coronilla minima* (Fabaceae) (Spatenka et al.,1996).
- 82101. *Bembecia hofmanni* Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *hofmanni* Kallies & K.Spatenka,2003 Original Reference: *Bembecia hofmanni* Kallies & K.Spatenka,2003, Linn. ent. 19 (2): 87, figs. Holotype ♂: Iran: Lorestan, Osteran Kuh, Dorud E, Darb Astaneh E, 2600-3050m, A. Hofmann leg. (CAK). Range (in code): **IR Lo Th Elb Zj Kd TR**
- 82102. *Bembecia hymenopteriformis* (Bellier,1860)** (Sesiidae) Synonym(s): *hymenopteriformis* Bellier,1860; *algeriensis* Le Cerf,1911; *#algerica* Le Cerf,1920; *luticornis* Mariani,1937 Range (in code): **ES Si IT MA DZ Agi TN** Bionomy: Larva on *Lotus creticus*, *L. corniculatus* (Fabaceae), *Anthyllis vulneraria* (Spatenka et al.,1996).
- 82103. *Bembecia iberica* K.Spatenka,1992** (Sesiidae) Synonym(s): *iberica* K.Spatenka,1992 Range (in code): **MA PT ES FR Co IT** Bionomy: Larva on *Lotus*, *Hippocrepis*, *Melilotus* (Fabaceae), *Anthyllis vulneraria*, *Tetragonolobus* (Spatenka et al.,1996).
- 82104. *Bembecia ichneumoniformis* ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *#ichneumoniformis* [Denis & Schiffermüller],1775; *rhagioniformis* Hübner,[1806]; *ophioniformis* Hübner,[1813]; *systrophaeformis* Hübner,[1813]; *palpina* Dalman,1816; *statuiformis* Freyer,1836; *cryptiformis* Walker,1856; *albanica* Rebel,1910 Original Reference: *Sphinx ichneumoniformis* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 44. Type(s): Vienna district. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV RU MD UA BY IR Elb Th Cc Zj Ha AM Kho** Bionomy: Larva on *Lotus*, *Anthyllis vulneraria*, *Dorycnium pentaphyllum*, *Hippocrepis* (Fabaceae), *Tetragonolobus maritimus* (Spatenka et al.,1996).
- 82105. *Bembecia illustris* (Rebel,1901)** (Sesiidae) Synonym(s): *illustris* Rebel,1901 Range (in code): **GG Cc IQ TR**
- 82106. *Bembecia joesti* Bettag,1997** (Sesiidae) Synonym(s): *joesti* Bettag,1997 Range (in code): **MA**
- 82107. *Bembecia karategina* K.Spatenka,1997** (Sesiidae) Synonym(s): *karategina* K.Spatenka,1997 Range (in code): **TJ**
- 82108. *Bembecia karel* Herrmann & Hofmann,1997** (Sesiidae) Synonym(s): *karel* Herrmann & Hofmann,1997 Range (in code): **MA**
- 82109. *Bembecia lamai* Kallies,1996** (Sesiidae) Synonym(s): *lamai* Kallies,1996 Range (in code):
- 82110. *Bembecia lasicera* (Hampson,1906)** (Sesiidae) Synonym(s): *lasicera* Hampson,1906 Range (in code):
- 82111. *Bembecia lomatiaeformis* Lederer,1853** (Sesiidae) Synonym(s): *lomatiaeformis* Lederer,1853 Range (in code): **TR GR** Bionomy: Larva on *Astragalus* ? (Fabaceae) (Spatenka et al.,1996).
- 82112. *Bembecia magnifica* Bartsch & K.Spatenka,2010** (Sesiidae) Synonym(s): *magnifica* Bartsch & K.Spatenka,2010 Range (in code): **AF**
- 82113. *Bembecia martensi* Gorbunov,1994** (Sesiidae) Synonym(s): *martensi* Gorbunov,1994 Range (in code): **KK**
- 82114. *Bembecia megillaeformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *megillaeformis* Hübner,[1813]; *megilliformis* Staudinger,1856 Range (in code): **PT ES FR IT DE CH AT CZ SK HU RO YU AL GR RU MD UA BY** Bionomy: Larva on *Genista tinctoria*, *Cytisus hirsutus*, *C. rocumbens*, *Colutea arborescens*, *Astragalus glycyphyllos* (Fabaceae) (Spatenka et al.,1996).
- 82115. *Bembecia megillaeformis* luqueti K.Spatenka,1992** (Sesiidae) Synonym(s): *luqueti* K.Spatenka,1992 Range (in code): **FR**
- 82116. *Bembecia molleti* Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *molleti* Kallies & K.Spatenka,2003 Range (in code): **IR Elb Mz Th**
- 82117. *Bembecia pagesi* Tosevski,1993** (Sesiidae) Synonym(s): *pagesi* Tosevski,1993 Range (in code): **Ld IN Hp PK**
- 82118. *Bembecia pamira* Spatenka,1992** (Sesiidae) Synonym(s): *pamira* Spatenka,1992 Range (in code): **TJ Pm**
- 82119. *Bembecia parthica* (Lederer,1870)** (Sesiidae) Synonym(s): *parthica* Lederer,1870 Range (in code): **TR**

- 82120. *Bembecia pashtuna* Spatenka,1997** (Sesiidae) Synonym(s): *pashtuna* Spatenka,1997
Range (in code): **AF Kbb Adr Bd UZ PK Bl Zi**
- 82121. *Bembecia pavicevici* Tosevski,1989** (Sesiidae) Synonym(s): *pavicevici* Tosevski,1989
Range (in code): **YU BG GR**
- 82122. *Bembecia peterseni* K.Spatenka,1997** (Sesiidae) Synonym(s): *peterseni* K.Spatenka,1997
Range (in code): **TR IR Zj Lo**
- 82123. *Bembecia polyzona* (Püngeler,1913)** (Sesiidae) Synonym(s): *polyzona* Püngeler,1913
Range (in code): **TM Mrw KG Tk Dj Ii**
- 82124. *Bembecia pontica* (Staudinger,1891)** (Sesiidae) Synonym(s): *pontica* Staudinger,1891
Range (in code): **TR SY**
- 82125. *Bembecia powelli* (Le Cerf,1925)** (Sesiidae) Synonym(s): *powelli* Le Cerf,1925 Range (in code): **MA**
- 82126. *Bembecia priesneri* Kallies et al.,1998** (Sesiidae) Synonym(s): *priesneri* Kallies et al.,1998
Range (in code): **GR Rd TR** Bionomy: Larva on Ononis (Fabaceae) (Kallies et al.,1998).
- 82127. *Bembecia psoraleae* Bartsch & Bettag,1997** (Sesiidae) Synonym(s): *psoraleae* Bartsch & Bettag,1997 Range (in code): **ES FR** Bionomy: Larva on Bituminaria bituminosa (Fabaceae) (Bartsch & Bettag,1997).
- 82128. *Bembecia puella* Z.Lastuvka,1989** (Sesiidae) Synonym(s): *puella* Z.Lastuvka,1989; *daghestanica* Gorbunov,1991; *aladagica* Gorbunov & K. Spatenka,2001 Range (in code): **SK RO RU Cc Da TR HU BG GR UA KG** Bionomy: Larva on Astragalus glycyphyllos, A. odoratus, A. sigmoideus (Fabaceae) (Spatenka et al.,1996).
- 82129. *Bembecia rushana* Gorbunov,1992** (Sesiidae) Synonym(s): *rushana* Gorbunov,1992
Range (in code): **TJ Pm**
- 82130. *Bembecia salangica* K.Spatenka & Reshöft,1989** (Sesiidae) Synonym(s): *salangica* K.Spatenka & Reshöft,1989 Range (in code): **AF Slg**
- 82131. *Bembecia sanguinolenta* (Lederer,1853)** (Sesiidae) Synonym(s): *tengyraeiformis* Herrich-Schäffer,1851 nec Bsd.,1840; *sanguinolenta* Lederer,1853; *#miranda* Le Cerf,1914 Original Reference: *Sesia sanguinolenta* Lederer,1853, Verh. zool.-bot. Ver. Wien 3: 81 (replacement name). Range (in code): **TR BG GR MK Cc AM SY** Bionomy: Larva on Astragalus dipsaceus (Fabaceae) (Spatenka et al.,1996).
- 82132. *Bembecia sareptana* (Bartel,1912)** (Sesiidae) Synonym(s): *sareptana* Bartel,1912 Range (in code): **RU Sr** Bionomy: Larva on Alhagi camelorum ? (Fabaceae) (Spatenka et al.,1996).
- 82133. *Bembecia scopigera* (Scopoli,1763)** (Sesiidae) Synonym(s): *scopigera* Scopoli,1763; *communis* Le Cerf,1920 Original Reference: *Sphinx scopigera* Scopoli,1763, Entomologia Carniolica: 188-189. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): **ES FR IT MT CH AT CZ SK HU YU BG GR TR Cc LT UA RU** Bionomy: Larva on Onobrychis viciifolia, O. tournefortii [Korunga] (Fabaceae) (Spatenka et al.,1996).
- 82134. *Bembecia sirphiformis* (Lucas,1849)** (Sesiidae) Synonym(s): *sirphiformis* Lucas,1849; *tunetana* Le Cerf,1920; *#syrphiformis* Dalla Torre & Strand,1925 Original Reference: *Sesia sirphiformis* Lucas,1849, Explor. sci. Algér. (Zool.) 3: 367, fig.7. Type: Algeria, Lacalle (MNHP). Range (in code): **DZ MA TN PT ES FR IT Sa Si Co** Bionomy: Larva on Acanthyllis armata, Astragalus monspessulanus, A. granatensis, Colutea arborescens (Fabaceae) (Spatenka et al.,1996).
- 82135. *Bembecia staryi* K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *staryi* K.Spatenka & Gorbunov,1992 Range (in code): **Cc GG Bjo Smt TR**
- 82136. *Bembecia strandi* (Kozhantshikov,1936)** (Sesiidae) Synonym(s): *strandii* Kozhantshikov,1936 Range (in code): **RU At**
- 82137. *Bembecia syzcjovi* Gorbunov,1990** (Sesiidae) Synonym(s): *syzcjovi* Gorbunov,1990 Original Reference: *Bembecia syzcjovi* Gorbunov,1990, Atalanta 20 (1989): 119-121, figs.1-6. Holotype ♂: Georgia, Meskhetian Mts., 20km NE Achalzich, 12 vii 1988, leg. & coll. Gorbunov (Moskva). Range (in code): **TR IR Cc Mz Elb GG Smt Akh** Bionomy: Larva on Astragalus trichocalyx (Fabaceae) (Spatenka et al.,1996).
- 82138. *Bembecia syzcjovi alborzica* Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *alborzica* Kallies & K.Spatenka,2003 Range (in code): **IR Elb Mz**
- 82139. *Bembecia syzcjovi kappadocica* K.Spatenka,1997** (Sesiidae) Synonym(s): *kappadocica* Spatenka,1997 Original Reference: *Bembecia syzcjovi* ssp. *kappadocica* K.Spatenka,1997, Bonn. zool. Beitr. 47 (1/2): 50-51, Abb.5,6. Holotype ♂: Türkei: [Nevşehir Prov., Gülşehir]: "Yeşilöz 1300m", K.Spatenka leg. (coll. MWM). Range (in code): **TR**

- 82140. *Bembecia syzcjovi syzcjovi* Gorbunov,1990** (Sesiidae) Synonym(s): *syzcjovi* Gorbunov,1990 Original Reference: *Bembecia syzcjovi* Gorbunov,1990, *Atalanta* 20 (1989): 119-121, figs.1-6. Holotype ♂: Georgia, Meskhetian Mts., 20km NE Achalzich, 12 vii 1988, leg. & coll. Gorbunov (Moskva). Range (in code): **TR GG Smt Akh**
- 82141. *Bembecia tancrei* (Püngeler,1905)** (Sesiidae) Synonym(s): *tancrei* Püngeler,1905 Original Reference: *Dipsosphecia tancrei* Püngeler,1905, *Dt. ent. Z.*, *Iris* 17 (1904): 269. Lectotype ♀: [Uighur A.R.]: Altyn Tagh, designated by Capuse (1973) (ZMHB). Range (in code): **CN Ui Au Alt**
- 82142. *Bembecia tshimgana* Sheljuzhko,1935** (Sesiidae) Synonym(s): *tshimgana* Sheljuzhko,1935; *ninae* Sheljuzhko,1935 Range (in code): **UZ T-S TJ KK KG** Bionomy: Larva on *Astragalus sieversianus*, *A. severzovii*, *A. mogaltaricus* (Fabaceae) (Spatenka & Reshöft,1989; Spatenka et al.,1996).
- 82143. *Bembecia tsvetajevi* Gorbunov,1992** (Sesiidae) Synonym(s): *tsvetajevi* Gorbunov,1992 Range (in code): **TM Kp**
- 82144. *Bembecia turanica* (Erschoff,1874)** (Sesiidae) Synonym(s): *turanica* Erschoff,1874 Range (in code): **UZ Smk**
- 82145. *Bembecia uroceriformis* (Treitschke,1834)** (Sesiidae) Synonym(s): *uroceriformis* Treitschke,1834; *mamertina* Zeller,1847; *monedulaeformis* Rambur,1866; *athaliaeformis* Boisduval,[1875]; *armoricana* Oberthür,1907; *atlantica* Le Cerf,1920; *nigricornis* Mariani,1937 Range (in code): **MA PT ES FR Co Sa Si IT CH AT SK HU RO YU GR TR RU Cc GG JO IL Pa** Bionomy: Larva on *Cytisus procumbens*, *C. hirsutus*, *Ulex europaeus*, *U. nanus*, *Coronilla emerus* (Fabaceae) (Spatenka et al.,1996).
- 82146. *Bembecia vidua* (Staudinger,1889)** (Sesiidae) Synonym(s): *vidua* Staudinger,1889 Range (in code): **UZ Smk KK Osh**
- 82147. *Bembecia viguraea* (Püngeler,1912)** (Sesiidae) Synonym(s): *viguraea* Püngeler,1912; *auricaudata* Bartel,1912 Range (in code): **CN Ui Ku Kl Au li KK KG TJ TeA KuA** Bionomy: Larva on *Hedysarum* ? (Fabaceae) (Spatenka et al.,1996).
- 82148. *Bembecia wagneri* (Püngeler,1912)** (Sesiidae) Synonym(s): *wagneri* Püngeler,1912 Range (in code): **KG CN Ui li Tk** Bionomy: Larva on *Glicyrrhiza* (Fabaceae) (Spatenka et al.,1996).
- 82149. *Bembecia zebo* K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *zebo* K.Spatenka & Gorbunov,1992 Range (in code): **TJ** Bionomy: Larva on *Onobrychis echidna* (Fabaceae) (Spatenka et al.,1996).
- 82150. *Bembecia zonsteini* Gorbunov,1994** (Sesiidae) Synonym(s): *zonsteini* Gorbunov,1994 Range (in code): **KK**
- 82151. *Bembecia zuvandica* Gorbunov,1987** (Sesiidae) Synonym(s): *zuvandica* Gorbunov,1987 Range (in code): **Cc AZ Nv Tlh AM Kho TR** Bionomy: Larva on *Onobrychis cornuta*, *O. hohenackeriana*, *O. micrantha*, *Melilotus officinalis* (Fabaceae) (Spatenka et al.,1996).
- 82152. *Cabomina dragomontana* De Freina,2008** (Sesiidae) Synonym(s): *dragomontana* De Freina,2008 Range (in code): **AET ZA**
- 82153. *Cabomina heliostoma* (Meyrick,1926)** (Sesiidae) Synonym(s): *heliostoma* Meyrick,1926 Range (in code): **AET ZA**
- 82154. *Cabomina monicae* De Freina,2008** (Sesiidae) Synonym(s): *monicae* De Freina,2008 Range (in code): **AET ZA**
- 82155. *Cabomina tsomoana* De Freina,2011** (Sesiidae) Synonym(s): *tsomoana* De Freina,2011 Range (in code): **AET ZA**
- 82156. *Callisphecia bicincta* Le Cerf,1916** (Sesiidae) Synonym(s): *bicincta* Le Cerf,1916 Range (in code): **AET CM**
- 82157. *Callisphecia oberthueri* Le Cerf,1916** (Sesiidae) Synonym(s): *oberthueri* Le Cerf,1916 Range (in code): **AET CM**
- 82158. *Camaegeria aristura* (Meyrick,1931)** (Sesiidae) Synonym(s): *aristura* Meyrick,1931; *leptomorpha* Meyrick,1931; *hadassa* Meyrick,1932 Range (in code): **AET UG**
- 82159. *Camaegeria auripicta* Strand,1914** (Sesiidae) Synonym(s): *auripicta* Strand,1914 Range (in code): **AET CM**
- 82160. *Camaegeria exochiformis* (Walker,1856)** (Sesiidae) Synonym(s): *exochiformis* Walker,1856 Range (in code): **AET**
- 82161. *Camaegeria lychnitis* Bartsch & Berg,2012** (Sesiidae) Synonym(s): *lychnitis* Bartsch & Berg,2012 Range (in code): **AET MG**

- 82162. *Camaegeria massai* Bartsch & Berg, 2012** (Sesiidae) Synonym(s): *massai* Bartsch & Berg, 2012 Range (in code): AET TZ KE Nai
- 82163. *Camaegeria monogama* (Meyrick, 1932)** (Sesiidae) Synonym(s): *monogama* Meyrick, 1932; *lioscelis* Meyrick, 1935 Range (in code): AET SL
- 82164. *Camaegeria polytelis* Bartsch & Berg, 2012** (Sesiidae) Synonym(s): *polytelis* Bartsch & Berg, 2012 Range (in code): AET MG
- 82165. *Camaegeria sophax* (Druce, 1899)** (Sesiidae) Synonym(s): *sophax* Druce, 1899 Range (in code): AET ZA Nta Kzu Dbn MZ ZW KE UG
- 82166. *Camaegeria sylvestralis* (Viette, [1955])** (Sesiidae) Synonym(s): *sylvestralis* Viette, [1955] Range (in code): AET MG
- 82167. *Camaegeria xanthomos* Bartsch & Berg, 2012** (Sesiidae) Synonym(s): *xanthomos* Bartsch & Berg, 2012 Range (in code): AET MG
- 82168. *Camaegeria xanthopimplaeformis* (Viette, [1955])** (Sesiidae) Synonym(s): *xanthopimplaeformis* Viette, [1955] Range (in code): AET MG
- 82169. *Carmenta aerea* (Zukowsky, 1936)** (Sesiidae) Synonym(s): *aerea* Zukowsky, 1936 Range (in code):
- 82170. *Carmenta albicalcarata* (Burmeister, 1878)** (Sesiidae) Synonym(s): *albicalcarata* Burmeister, 1878 Range (in code):
- 82171. *Carmenta albociliata* (Engelhardt, 1925)** (Sesiidae) Synonym(s): *albociliata* Engelhardt, 1925 Range (in code):
- 82172. *Carmenta alopecura* (Zukowsky, 1937)** (Sesiidae) Synonym(s): *alopecura* Zukowsky, 1937 Range (in code):
- 82173. *Carmenta andrewsi* Eichlin, 1992** (Sesiidae) Synonym(s): *andrewsi* Eichlin, 1992 Range (in code):
- 82174. *Carmenta angarodes* (Meyrick, 1921)** (Sesiidae) Synonym(s): *angarodes* Meyrick, 1921; *semitrista* Zukowsky, 1936 Range (in code):
- 82175. *Carmenta anomaliformis* (Walker, 1856)** (Sesiidae) Synonym(s): *anomaliformis* Walker, 1856 Range (in code):
- 82176. *Carmenta anthracipennis* (Boisduval, [1875])** (Sesiidae) Synonym(s): *anthracipennis* Boisduval, [1875]; *sanbomi* Edwards, 1881; *morula* Edwards, 1811 Range (in code):
- 82177. *Carmenta apache* Engelhardt, 1946** (Sesiidae) Synonym(s): *apache* Engelhardt, 1946 Range (in code): US
- 82178. *Carmenta arizonae* (Beutenmüller, 1898)** (Sesiidae) Synonym(s): *arizonae* Beutenmüller, 1898 Range (in code): US Arz
- 82179. *Carmenta armasata* (Druce, 1892)** (Sesiidae) Synonym(s): *armasata* Druce, 1892 Range (in code):
- 82180. *Carmenta asema* (Zukowsky, 1936)** (Sesiidae) Synonym(s): *asema* Zukowsky, 1936 Range (in code):
- 82181. *Carmenta auritincta* (Engelhardt, 1925)** (Sesiidae) Synonym(s): *auritincta* Engelhardt, 1925 nec Wileman & South, 1918 Range (in code):
- 82182. *Carmenta aurora* (Philippi, 1859)** (Sesiidae) Synonym(s): *aurora* Philippi, 1859; *rufa* Butler, 1883; *erasmia* Zukowsky, 1950; *coquimbensis* Ureta, 1956 Range (in code):
- 82183. *Carmenta autremonti* (Le Cerf, 1917)** (Sesiidae) Synonym(s): *autremonti* Le Cerf, 1917 Range (in code):
- 82184. *Carmenta basalis* (Walker, [1865])** (Sesiidae) Synonym(s): *basalis* Walker, [1865] Range (in code):
- 82185. *Carmenta bassiformis* (Walker, 1856)** (Sesiidae) Synonym(s): *bassiformis* Walker, 1856; *lustrans* Grote, 1880; *aureopurpurea* Edwards, 1880; *bolli* Edwards, 1881; *sexfasciata* Edwards, 1881; *consimilis* Edwards, 1881; *eupatorii* Edwards, 1881; *imitata* Edwards, 1881 Range (in code):
- 82186. *Carmenta benoisti* (Le Cerf, 1917)** (Sesiidae) Synonym(s): *benoisti* Le Cerf, 1917 Range (in code):
- 82187. *Carmenta bibio* (Le Cerf, 1916)** (Sesiidae) Synonym(s): *bibio* Le Cerf, 1916 Range (in code):
- 82188. *Carmenta blaciformis* (Walker, 1856)** (Sesiidae) Synonym(s): *blaciformis* Walker, 1856 Range (in code):
- 82189. *Carmenta buprestiformis* (Walker, 1856)** (Sesiidae) Synonym(s): *buprestiformis* Walker, 1856 Range (in code):

- 82190. Carmenta ceraca (Druce,1893)** (Sesiidae) Synonym(s): *ceraca* Druce,1893 Range (in code):
- 82191. Carmenta chrysomelaena (Le Cerf,1916)** (Sesiidae) Synonym(s): *chrysomelaena* Le Cerf,1916 Range (in code):
- 82192. Carmenta coccidivora (Duckworth,1969)** (Sesiidae) Synonym(s): *coccidivora* Duckworth,1969 Range (in code):
- 82193. Carmenta confusa (Butler,1874)** (Sesiidae) Synonym(s): *confusa* Butler,1874 Range (in code):
- 82194. Carmenta corni (Edwards,1881)** (Sesiidae) Synonym(s): *corni* Edwards,1881; *infirmata* Edwards,1881 Range (in code):
- 82195. Carmenta crassicornis (Walker,[1865])** (Sesiidae) Synonym(s): *crassicornis* Walker,[1865] Range (in code):
- 82196. Carmenta cristallina (Le Cerf,1916)** (Sesiidae) Synonym(s): *cristallina* Le Cerf,1916 Range (in code):
- 82197. Carmenta daturae (Busck,1920)** (Sesiidae) Synonym(s): *daturae* Busck,1920 Range (in code):
- 82198. Carmenta deceptura (Butler,1874)** (Sesiidae) Synonym(s): *deceptura* Butler,1874 Range (in code):
- 82199. Carmenta deipyla (Druce,1883)** (Sesiidae) Synonym(s): *deipyla* Druce,1883 Range (in code):
- 82200. Carmenta dimorpha (Le Cerf,1916)** (Sesiidae) Synonym(s): *dimorpha* Le Cerf,1916 Range (in code):
- 82201. Carmenta dinetiformis (Walker,1856)** (Sesiidae) Synonym(s): *dinetiformis* Walker,1856 Range (in code):
- 82202. Carmenta engelhardti Duckworth & Elchlin,1973** (Sesiidae) Synonym(s): *engelhardti* Duckworth & Elchlin,1973 Range (in code):
- 82203. Carmenta erici (Eichlin,1992)** (Sesiidae) Synonym(s): *erici* Eichlin,1992 Range (in code):
- 82204. Carmenta flaschkai Eichlin,1993** (Sesiidae) Synonym(s): *flaschkai* Eichlin,1993 Range (in code):
- 82205. Carmenta flavostrigata (Le Cerf,1917)** (Sesiidae) Synonym(s): *flavostrigata* Le Cerf,1917 Range (in code):
- 82206. Carmenta foraseminis Eichlin,1995** (Sesiidae) Synonym(s): *foraseminis* Eichlin,1995 Range (in code):
- 82207. Carmenta fulvapyga (Le Cerf,1911)** (Sesiidae) Synonym(s): *fulvapyga* Le Cerf,1911 Range (in code):
- 82208. Carmenta germaini (Le Cerf,1911)** (Sesiidae) Synonym(s): *germaini* Le Cerf,1911 Range (in code):
- 82209. Carmenta giliae (Edwards,1881)** (Sesiidae) Synonym(s): *giliae* Edwards,1881; *vitrina* Neumoegen,1891; *deceptiva* Beutenmüller,1894; *woodgatei* Engelhardt,1946 Range (in code):
- 82210. Carmenta guatemalena (Druce,1883)** (Sesiidae) Synonym(s): *guatemalena* Druce,1883; *melini* Bryk,1953 Range (in code): **GT**
- 82211. Carmenta guayaba Eichlin,2003** (Sesiidae) Synonym(s): *guayaba* Eichlin,2003 Range (in code):
- 82212. Carmenta guyanensis (Le Cerf,1917)** (Sesiidae) Synonym(s): *guyanensis* Le Cerf,1917; *clara* Le Cerf,1917 Range (in code):
- 82213. Carmenta haematica (Ureta,1956)** (Sesiidae) Synonym(s): *haematica* Ureta,1956 Range (in code):
- 82214. Carmenta heinrichi (Schade,1938)** (Sesiidae) Synonym(s): *heinrichi* Schade,1938 Range (in code):
- 82215. Carmenta hipsides (Druce,1889)** (Sesiidae) Synonym(s): *hipsides* Druce,1889 Range (in code):
- 82216. Carmenta infuscata (Le Cerf,1911)** (Sesiidae) Synonym(s): *infuscata* Le Cerf,1911 Range (in code):
- 82217. Carmenta ischniformis (Walker,1856)** (Sesiidae) Synonym(s): *ischniformis* Walker,1856 Range (in code):
- 82218. Carmenta ithacae (Beutenmüller,1897)** (Sesiidae) Synonym(s): *ithacae* Beutenmüller,1897 Range (in code): **US**

- 82219. Carmenta laeta (Walker,1856)** (Sesiidae) Synonym(s): *laeta* Walker,1856 Range (in code):
- 82220. Carmenta laticraspedontis (Zukowsky,1936)** (Sesiidae) Synonym(s): *laticraspedontis* Zukowsky,1936 Range (in code):
- 82221. Carmenta laurelae Brown, Eichlin & Snow,1985** (Sesiidae) Synonym(s): *laurelae* Brown, Eichlin & Snow,1985 Range (in code):
- 82222. Carmenta leptosoma Eichlin,2002** (Sesiidae) Synonym(s): *leptosoma* Eichlin,2002 Range (in code):
- 82223. Carmenta lytaea (Druce,1884)** (Sesiidae) Synonym(s): *lytaea* Druce,1884 Range (in code):
- 82224. Carmenta macropyga (Le Cerf,1911)** (Sesiidae) Synonym(s): *macropyga* Le Cerf,1911 Range (in code):
- 82225. Carmenta maeonia (Druce,1889)** (Sesiidae) Synonym(s): *maeonia* Druce,1889 Range (in code):
- 82226. Carmenta manilia (Le Cerf,1916)** (Sesiidae) Synonym(s): *manilia* Le Cerf,1916 Range (in code):
- 82227. Carmenta mariona (Beutenmüller,1900)** (Sesiidae) Synonym(s): *mariona* Beutenmüller,1900 Range (in code):
- 82228. Carmenta mimosa Eichlin & Passoa,1984** (Sesiidae) Synonym(s): *mimosa* Eichlin & Passoa,1984 Range (in code): TH
- 82229. Carmenta mimuli (Edwards,1881)** (Sesiidae) Synonym(s): *mimuli* Edwards,1881; *torrancia* Engelhardt,1946 Range (in code):
- 82230. Carmenta minima (Le Cerf,1916)** (Sesiidae) Synonym(s): *minima* Le Cerf,1916 Range (in code):
- 82231. Carmenta munroei Eichlin,2003** (Sesiidae) Synonym(s): *munroei* Eichlin,2003 Range (in code):
- 82232. Carmenta mydaides (Ureta,1956)** (Sesiidae) Synonym(s): *mydaides* Ureta,1956 Range (in code):
- 82233. Carmenta odda Duckworth & Eichlin,1977** (Sesiidae) Synonym(s): *odda* Duckworth & Eichlin,1977 Range (in code):
- 82234. Carmenta ogalala Engelhardt,1946** (Sesiidae) Synonym(s): *ogalala* Engelhardt,1946 Range (in code):
- 82235. Carmenta pallene (Druce,1889)** (Sesiidae) Synonym(s): *pallene* Druce,1889 Range (in code):
- 82236. Carmenta panisciformis (Walker,1856)** (Sesiidae) Synonym(s): *panisciformis* Walker,1856 Range (in code):
- 82237. Carmenta panurgiformis (Walker,1856)** (Sesiidae) Synonym(s): *panurgiformis* Walker,1856 Range (in code):
- 82238. Carmenta phoradendri Engelhardt,1946** (Sesiidae) Synonym(s): *phoradendri* Engelhardt,1946 Range (in code):
- 82239. Carmenta phyllis (Druce,1884)** (Sesiidae) Synonym(s): *phyllis* Druce,1884 Range (in code):
- 82240. Carmenta pittheis (Druce,1884)** (Sesiidae) Synonym(s): *pittheis* Druce,1884 Range (in code):
- 82241. Carmenta plaumanni Eichlin,2002** (Sesiidae) Synonym(s): *plaumanni* Eichlin,2002 Range (in code):
- 82242. Carmenta plectisciformis (Walker,1856)** (Sesiidae) Synonym(s): *plectisciformis* Walker,1856 Range (in code):
- 82243. Carmenta porizoniformis (Walker,1856)** (Sesiidae) Synonym(s): *porizoniformis* Walker,1856 Range (in code):
- 82244. Carmenta producta (Walker,[1865])** (Sesiidae) Synonym(s): *producta* Walker,[1865] Range (in code):
- 82245. Carmenta psoropis (Edwards,1882)** (Sesiidae) Synonym(s): *psoropis* Edwards,1882 Range (in code):
- 82246. Carmenta pyralidiformis (Walker,1856)** (Sesiidae) Synonym(s): *pyralidiformis* Walker,1856; *nigella* Hulst,1881; *aurantis* Engelhardt,1946 Range (in code):

- 82247. Carmenta pyrosoma (Meyrick,1918)** (Sesiidae) Synonym(s): *pyrosoma* Meyrick,1918 Range (in code):
- 82248. Carmenta querci (Edwards,1882)** (Sesiidae) Synonym(s): *querci* Edwards,1882; *comes* Heinrich,1921 Range (in code):
- 82249. Carmenta rubricincta (Beutenmüller,1909)** (Sesiidae) Synonym(s): *rubricincta* Beutenmüller,1909 Range (in code):
- 82250. Carmenta ruficaudis (Walker,[1865])** (Sesiidae) Synonym(s): *ruficaudis* Walker,[1865] Range (in code):
- 82251. Carmenta splendens Eichlin,2002** (Sesiidae) Synonym(s): *splendens* Eichlin,2002 Range (in code):
- 82252. Carmenta subaerea (Edwards,1883)** (Sesiidae) Synonym(s): *subaerea* Edwards,1883 Range (in code):
- 82253. Carmenta suffusata Engelhardt,1946** (Sesiidae) Synonym(s): *suffusata* Engelhardt,1946 Range (in code):
- 82254. Carmenta surinamensis (Möschler,1878)** (Sesiidae) Synonym(s): *surinamensis* Möschler,1878; *corporalis* Meyrick,1930 Range (in code): **SR**
- 82255. Carmenta tecta (Edwards,1882)** (Sesiidae) Synonym(s): *tecta* Edwards,1882 Range (in code):
- 82256. Carmenta teleta (Le Cerf,1916)** (Sesiidae) Synonym(s): *teleta* Le Cerf,1916 Range (in code):
- 82257. Carmenta texana (Edwards,1881)** (Sesiidae) Synonym(s): *texana* Edwards,1881; *wittfeldii* Edwards,1883 Range (in code):
- 82258. Carmenta theobromae (Busck,1910)** (Sesiidae) Synonym(s): *theobromae* Busck,1910 Range (in code):
- 82259. Carmenta tildeni Eichlin,1995** (Sesiidae) Synonym(s): *tildeni* Eichlin,1995 Range (in code):
- 82260. Carmenta tucumana (Le Cerf,1911)** (Sesiidae) Synonym(s): *tucumana* Le Cerf,1911 Range (in code):
- 82261. Carmenta unicolor (Walker,[1865])** (Sesiidae) Synonym(s): *unicolor* Walker,[1865] Range (in code):
- 82262. Carmenta verecunda (Edwards,1881)** (Sesiidae) Synonym(s): *verecunda* Edwards,1881; *nigra* Beutenmüller,1894; *florissantella* Cockerell,1908; *hirsuta* Engelhardt,1946 Range (in code):
- 82263. Carmenta votaria (Meyrick,1921)** (Sesiidae) Synonym(s): *votaria* Meyrick,1921 Range (in code):
- 82264. Carmenta wagneri (Le Cerf,1911)** (Sesiidae) Synonym(s): *wagneri* Le Cerf,1911 Range (in code):
- 82265. Carmenta welchellorum Duckworth & Eichlin,1977** (Sesiidae) Synonym(s): *welchellorum* Duckworth & Eichlin,1977 Range (in code):
- 82266. Carmenta wellerae Duckworth & Eichlin,1976** (Sesiidae) Synonym(s): *wellerae* Duckworth & Eichlin,1976 Range (in code):
- 82267. Carmenta whitelyi (Druce,1899)** (Sesiidae) Synonym(s): *whitelyi* Druce,1899 Range (in code):
- 82268. Carmenta wielgusi Eichlin,1987** (Sesiidae) Synonym(s): *wielgusi* Eichlin,1987 Range (in code):
- 82269. Carmenta xanthomelanina (Zukowsky,1936)** (Sesiidae) Synonym(s): *xanthomelanina* Zukowsky,1936 Range (in code):
- 82270. Carmenta xantheura (Zukowsky,1936)** (Sesiidae) Synonym(s): *xantheura* Zukowsky,1936 Range (in code):
- 82271. Ceratocorema antiphanopa (Meyrick,1927)** (Sesiidae) Synonym(s): *antiphanopa* Meyrick,1927 Range (in code):
- 82272. Ceratocorema cymbalistis (Meyrick,1926)** (Sesiidae) Synonym(s): *cymbalistis* Meyrick,1926 Range (in code): **IN TH**
- 82273. Ceratocorema hyalinum Kallies & Arita,2001** (Sesiidae) Synonym(s): *hyalinum* Kallies & Arita,2001 Range (in code):
- 82274. Ceratocorema mesatma (Meyrick,1926)** (Sesiidae) Synonym(s): *mesatma* Meyrick,1926 Range (in code):

- 82275. *Ceratocorema postcristatum* Hampson,[1893]** (Sesiidae) Synonym(s): *postcristatum* Hampson,[1893] Range (in code):
- 82276. *Ceratocorema semihyalinum* (Hampson,1919)** (Sesiidae) Synonym(s): *semihyalina* Hampson,1919 Range (in code): **MM MY TH**
- 82277. *Ceratocorema yoshiyasui* Kallies & Arita,2001** (Sesiidae) Synonym(s): *yoshiyasui* Kallies & Arita,2001 Range (in code):
- 82278. *Ceritrypetes idiotropha* Bradley,1956** (Sesiidae) Synonym(s): *idiotropha* Bradley,1956 Range (in code): **AET NG**
- 82279. *Chamaesphesia adelpha* Le Cerf,1938** (Sesiidae) Synonym(s): *adelpha* Le Cerf,1938 Range (in code): **IR Fa By**
- 82280. *Chamaesphesia aerifrons* (Zeller,1847)** (Sesiidae) Synonym(s): *aerifrons* Zeller,1847; *sardoa* Staudinger,1856 [ssp.] Range (in code): **MA DZ TN PT ES Mu FR Co Sa Si IT MT BE DE HU YU AL GR Cr** Bionomy: Larva on *Origanum vulgare*, *Calamintha nepeta*, *Satureja*, *Lavandula vera*, *Thymus lupegioides*, *Mentha* (Spatenka et al.,1996).
- 82281. *Chamaesphesia albida* Spatenka,1999** (Sesiidae) Synonym(s): *albida* Spatenka,1999 Range (in code): **TR**
- 82282. *Chamaesphesia albiventris* Lederer,1853** (Sesiidae) Synonym(s): *albiventris* Lederer,1853 Range (in code): **BG GR Cc TR** Bionomy: Larva on *Melissa officinalis*? (Spatenka et al.,1996).
- 82283. *Chamaesphesia alysoniformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *alysoniformis* Herrich-Schäffer,1846 Range (in code): **HU RO YU BG Cr TR Cc RU MD UA BY** Bionomy: Larva on *Mentha longifolia* (Lamiaceae) (Spatenka et al.,1996).
- 82284. *Chamaesphesia amygdaloidis* Schleppnik,1933** (Sesiidae) Synonym(s): *amygdaloidis* Schleppnik,1933 Range (in code): **AT** Bionomy: Larva on *Euphorbia austriaca* (Spatenka et al.,1996).
- 82285. *Chamaesphesia anatolica* Schwingenschuss,1938** (Sesiidae) Synonym(s): *anatolica* Schwingenschuss,1938 Range (in code): **RO YU GR TR**
- 82286. *Chamaesphesia andrianony* Viette,1982** (Sesiidae) Synonym(s): *andrianony* Viette,1982 Range (in code): **AET MG**
- 82287. *Chamaesphesia annellata* (Zeller,1847)** (Sesiidae) Synonym(s): *annellata* Zeller,1847; *ceriaeformis* Lederer,1853 nec Luc.,1849; *muscinaeformis* Walker,1856; *ceriiformis* Staudinger,1856; *clermonti* Le Cerf,1914 Range (in code): **IT CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc RU MD UA BY LB** Bionomy: Larva on *Ballota nigra* (Lamiaceae) (Spatenka et al.,1996).
- 82288. *Chamaesphesia anthracias* Le Cerf,1937** (Sesiidae) Synonym(s): *anthracias* Le Cerf,1937 Range (in code): **IR Elb Th Kdj TR?**
- 82289. *Chamaesphesia anthraciformis* (Rambur,1832)** (Sesiidae) Synonym(s): *anthraciformis* Rambur,1832; *agriliformis* Walker,1856; *joppiformis* Staudinger,1856; *phoeniformis* Faila-Teddaldi,1883; *lahayei* Oberthür,1888; *seitzi* Püngeler,1905; *suprema* Oberthür,1907; *louisae* Le Cerf,1915; *phoenix* Le Cerf,1925; *major* Rothschild,1926; *reisseri* Capuse,1973 Range (in code): **DZ Lbs BtNa Naam Sfr MA TN Co Sa MT IL Pa Js** Bionomy: Larva on *Euphorbia myrsinites*, *E. nicaeensis*, *E. characias*, *E. ceratocarpa*, *Nepeta apuleii*, *N. tuberosa*, *Mentha* (Spatenka et al.,1996).
- 82290. *Chamaesphesia anthrax* Le Cerf,1916** (Sesiidae) Synonym(s): *anthrax* Le Cerf,1916 Original Reference: *Chamaesphesia anthrax* Le Cerf,1916, [in] Oberthür, Etud. lépid. comp. 11: 15, pl.321 fig.4667. Syntypes: Algérie, Oran, Sebdu. Range (in code): **ES Si DZ Orn Sbd MA** Bionomy: Larva on *Nepeta apuleii*, *N. tuberosa*, *Mentha* (Spatenka et al.,1996).
- 82291. *Chamaesphesia astatifomis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *astatifomis* Herrich-Schäffer,1846 Range (in code): **AT CZ SK HU RO YU BG GR TR RU Cc GG Smt Bjo Mng MD UA BY KG Uk CN Ui Au Ii At Lps** Bionomy: Larva on *Euphorbia esula*, *E. salicifolia* (Spatenka et al.,1996).
- 82292. *Chamaesphesia aurifera* (Romanoff,1885)** (Sesiidae) Synonym(s): *aurifera* Romanoff,1885 Original Reference: *Sesia aurifera* Romanoff,1885, Mém. lépid. 2: 116-118, pl. 4 fig.3. Lectotype ♂: [Turkey]: Kazikoparan, designated by Spatenka (1992) (BMNH). Range (in code): **TR Cc AM AZ Nv**
- 82293. *Chamaesphesia azonos* (Lederer,1855)** (Sesiidae) Synonym(s): *azonos* Lederer,1855 Range (in code): **Cc AM AZ Nv Ord LB Bei**
- 82294. *Chamaesphesia bibioniformis* (Esper,[1800])** (Sesiidae) Synonym(s): *bibioniformis* Esper,[1800]; *tengyraeformis* Boisduval,1840; *tengiriformis* Rambur,1866; *myrsinites* Pinker,1954. Range (in code): **ES FR IT AT SK HU RO YU BG GR TR GG Smt Akh Cc AZ Nv Ord IR Es RU MD UA BY**

- Bionomy:** Larva on *Euphorbia segueriana*, *E. serrata*, *E. nicaeensis*, *E. macroclada*, *E. myrsinites* (Euphorbiaceae) (Spatenka et al.,1996; et seq.).
- 82295. Chamaesphecia chalciformis (Esper,[1804])** (Sesiidae) **Synonym(s):** *chalciformis* Esper,[1804] **Range (in code):** PT IT AT SK HU RO YU BG GR Cr TR RU MD UA BY Cc GG Smt Bjo AZ Nv Ord IR Lo Kh IL Pa **Bionomy:** Larva on *Origanum vulgare* (Spatenka et al.,1996).
- 82296. Chamaesphecia chrysoneura Püngeler,1912** (Sesiidae) **Synonym(s):** *chrysoneura* Püngeler,1912 **Range (in code):** KK KG
- 82297. Chamaesphecia cilicia Bartsch & Lingenhöle,2011** (Sesiidae) **Synonym(s):** *cilicia* Bartsch & Lingenhöle,2011 **Range (in code):** TR
- 82298. Chamaesphecia clathrata Le Cerf,1917** (Sesiidae) **Synonym(s):** *clathrata* Le Cerf,1917 **Range (in code):** AET ZR
- 82299. Chamaesphecia colpiformis (Staudinger,1856)** (Sesiidae) **Synonym(s):** *colpiformis* Staudinger,1856 **Range (in code):** AT CZ SK HU RO YU BG GR TR RU MD UA BY **Bionomy:** Larva on *Salvia nemorosa* (Spatenka et al.,1996).
- 82300. Chamaesphecia crassicornis Bartel,1913** (Sesiidae) **Synonym(s):** *crassicornis* Bartel,1913 **Range (in code):** AT CZ SK RO YU BG RU KG Uk **Bionomy:** Larva on *Euphorbia virgata* (Spatenka et al.,1996).
- 82301. Chamaesphecia diabarensis Gorbunov,1987** (Sesiidae) **Synonym(s):** *diabarensis* Gorbunov,1987 **Range (in code):** TR Cc AZ Tlh AM IR Bk Zj **Bionomy:** Larva on *Marrubium persicum* (Spatenka et al.,1997).
- 82302. Chamaesphecia doleriformis (Herrich-Schäffer,1846)** (Sesiidae) **Synonym(s):** *doleriformis* Herrich-Schäffer,1846 **Range (in code):** IT YU GR TR **Bionomy:** Larva on *Salvia sclarea*, *S. verbenaca* (Spatenka et al.,1996).
- 82303. Chamaesphecia doryceraeformis (Lederer,1853)** (Sesiidae) **Synonym(s):** *doryceraeformis* Lederer,1853 **Original Reference:** *Sesia doryceraeformis* Lederer,1853, Verh. zool.-bot. Ver. Wien 2 (1852): 87-88. Type ♂: [Türkei]: [Diyarbakır Prov.] "Diarbekir" (leg. Kindermann). **Range (in code):** TR IQ Cc AM IR Lo Es By **Bionomy:** Larva on *Phlomis capitata* (Lamiaceae) (Spatenka et al.,1996).
- 82304. Chamaesphecia dumonti Le Cerf,1922** (Sesiidae) **Synonym(s):** *dumonti* Le Cerf,1922; *similis* Lastuvka,1983 **Range (in code):** FR IT DE CH AT NL DE CZ SK HU RO MK YU BG GR TR RU Cc AZ **Bionomy:** Larva on *Stachys recta*, *S. germnica*, *S. atherocalyx* (Spatenka et al.,1996).
- 82305. Chamaesphecia elampiformis (Herrich-Schäffer,1851)** (Sesiidae) **Synonym(s):** *elampiformis* Herrich-Schäffer,1851 **Range (in code):** TR Cc AZ Nv Ord AM Kho IR Gor Fa Sse Th Elb Lo Es Ke **Bionomy:** Larva on *Stachys inflata* (Spatenka et al.,1996).
- 82306. Chamaesphecia elampiformis mandana (Le Cerf,1938)** (Sesiidae) **Synonym(s):** *mandana* Le Cerf,1938 **Original Reference:** *Pyropteron elampiformis* ssp. *mandana* Le Cerf,1938, Notulae Ent. 18 (3): 92-93. Holotype ♀: Iran: fars, Str. Chiraz- Kazeroun Fort Sine-Sefid 2200m, 29.5.1937 coll. Brandt (RMS). **Range (in code):** IR Fa Sse
- 82307. Chamaesphecia empiformis (Esper,[1783])** (Sesiidae) **Synonym(s):** *empiformis* Esper,[1783]; *bombyciformis* Fourcroy,1785; *empinaeformis* Walker,1856; *#flavoabdominalis* Popescu-Gorj,1955; *lastuvkai* Spatenka,1987 **Range (in code):** ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc RU MD UA BY **Bionomy:** Larva on *Euphorbia cyparissias* (Spatenka et al.,1996).
- 82308. Chamaesphecia euceraeformis (Ochsenheimer,1816)** (Sesiidae) **Synonym(s):** *euceraeformis* Ochsenheimer,1816; *stelidiformis* Freyer,1836; *#misoleptiformis* Herrich-Schäffer,1846; *unicincta* Herrich-Schäffer,1851; *herrichii* Staudinger,1856; *euceriformis* Staudinger,1856 **Range (in code):** FR IT CH AT CZ SK HU RO YU BG TR RU MD UA BY **Bionomy:** Larva on *Euphorbia polychroma* (Spatenka et al.,1996).
- 82309. Chamaesphecia fallax (Staudinger,1891)** (Sesiidae) **Synonym(s):** *fallax* Staudinger,1891 **Range (in code):** IL Pa SY LB Bei
- 82310. Chamaesphecia ferganae Sheljuzhko,1924** (Sesiidae) **Synonym(s):** *ferganae* Sheljuzhko,1924 **Range (in code):** KK Osh Fe
- 82311. Chamaesphecia festai Turati,1925** (Sesiidae) **Synonym(s):** *festai* Turati,1925 **Range (in code):** LY Cy
- 82312. Chamaesphecia foeniformis (Herrich-Schäffer,1846)** (Sesiidae) **Synonym(s):** *foeniformis* Herrich-Schäffer,1846; *oryssiformis* Herrich-Schäffer,1846; *phoeniformis* Failla-Teddaldi,1883; *lahayei* Oberthür,1888; *seitzii* Püngeler,1905; *suprema* Oberthür,1907; *louisae* Le Cerf,1915; *phoenix* Le Cerf,1925; *major* Rothschild,1925; *reisseri* Capuse,1973 **Range (in code):** Co Sa Si IT

- 82313. Chamaesphecia fredii Le Cerf,1938** (Sesiidae) Synonym(s): *fredii* Le Cerf,1938 Range (in code): **IR By Fa**
- 82314. Chamaesphecia gorbunovi K.Spatenka,1992** (Sesiidae) Synonym(s): *gorbunovi* K.Spatenka,1992 Range (in code): **TR Cc AZ Nv AM** Bionomy: Larva on *Scutellaria karjaginii*, *S. orientalis* ssp.*pinnatifolia* (Spatenka et al.,1996).
- 82315. Chamaesphecia guenter Herrmann & Hofmann,1997** (Sesiidae) Synonym(s): *guenter* Herrmann & Hofmann,1997 Range (in code): **MA**
- 82316. Chamaesphecia guriensis (Emich,1872)** (Sesiidae) Synonym(s): *guriensis* Emich,1872 Range (in code): **Cc GG** Bionomy: Larva on *Euphorbia oblongifolia* (Spatenka et al.,1996).
- 82317. Chamaesphecia haberhaueri (Staudinger,1878)** (Sesiidae) Synonym(s): *haberhaueri* Staudinger,1878 Original Reference: *Sesia haberhaueri* Staudinger,1878, *Horae Soc. ent. ross.* 14: 308-310. Syntypes: [Türkei]: *Taurus* (leg. Haberhauer). Range (in code): **TR**
- 82318. Chamaesphecia hungarica (Tomala,1901)** (Sesiidae) Synonym(s): *hungarica* Tomala,1901; *deltaica* Popescu-Gorj & Capuse,1965 Range (in code): **AT CZ SK HU RO YU** Bionomy: Larva on *Euphorbia lucida*, *E. palustris* (Spatenka et al.,1996).
- 82319. Chamaesphecia inexpectata (Le Cerf,1938)** (Sesiidae) Synonym(s): *inexpectata* Le Cerf,1938 Original Reference: *Pyropteron doryliformis* ssp. *inexpectata* Le Cerf,1938, *Notulae Ent.* 18 (3): 93. Holotype ♀: Iran: Fars, Strasse Ardekan- Talochosroe, Comee (Barm i Firus), 3750m 27 Juni 1937, coll. Brandt (RMS). Range (in code): **IR Es Fa Com**
- 82320. Chamaesphecia infernalis Sheljuzhko,1935** (Sesiidae) Synonym(s): *infernalis* Sheljuzhko,1935 Range (in code): **KG**
- 82321. Chamaesphecia iranica Le Cerf,1937** (Sesiidae) Synonym(s): *iranica* Le Cerf,1937; *bagandara* Gorbunov,1995 Range (in code): **TR AM Cc AZ Nv IR Elb Kdj Th Fa Sse Ha Mz Se Kh** Bionomy: Larva on *Euphorbia monostyla*, *Euphorbia* ? *esula* (Spatenka et al.,1996).
- 82322. Chamaesphecia jitkae K.Spatenka,1987** (Sesiidae) Synonym(s): *jitkae* K.Spatenka,1987 Range (in code): **UZ TJ** Bionomy: Larva on *Phlomis*? (Lamiaceae) (Spatenka et al.,1996).
- 82323. Chamaesphecia kautti K.Spatenka,1997** (Sesiidae) Synonym(s): *kautti* K.Spatenka,1997 Range (in code): **TR**
- 82324. Chamaesphecia keili Kallies & K.Spatenka,2003** (Sesiidae) Synonym(s): *keili* Kallies & K.Spatenka,2003 Range (in code): **IR Ke**
- 82325. Chamaesphecia kistenjovi Gorbunov,1991** (Sesiidae) Synonym(s): *kistenjovi* Gorbunov,1991 Original Reference: *Chamaesphecia kistenjovi* Gorbunov,1991, *Atalanta* 22: 137-139, figs. Holotype ♂: [Georgia]: USSR Transcaucasus, Borzhomi 2.vi.1990 leg. Gorbunov (ZIL). Range (in code): **Cc GG Bjo Lag** Bionomy: Larva on *Euphorbia glaberrima* (Euphorbiaceae) (Gorbunov,1991).
- 82326. Chamaesphecia koshantschikovi Püngeler,1915** (Sesiidae) Synonym(s): *koshantschikovi* Püngeler,1915 Range (in code): **KG** Bionomy: Larva on *Limonium meyeri* (Spatenka et al.,1996).
- 82327. Chamaesphecia lemur Le Cerf,1957** (Sesiidae) Synonym(s): *lemur* Le Cerf,1957 Range (in code): **AET MG**
- 82328. Chamaesphecia leucocnemis Le Cerf,1938** (Sesiidae) Synonym(s): *leucocnemis* Le Cerf,1938 Range (in code): **IR Fa Sse Ab Ha Lo Zj Es Fa**
- 82329. Chamaesphecia leucoparea (Lederer,1871)** (Sesiidae) Synonym(s): *leucoparea* Lederer,1871 Range (in code): **IR Gor Srd**
- 82330. Chamaesphecia leucopsiformis (Esper,1800)** (Sesiidae) Synonym(s): *leucopsiformis* Esper,1800; *foenusaeformis* Heydenreich,1851; *leucopsidiformis* Lederer,1853 Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY** Bionomy: Larva on *Euphorbia cyparissias* (Spatenka, et al.,1996).
- 82331. Chamaesphecia masariformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *masariformis* Ochsenheimer,1808; *banchiformis* Hübner,[1813]; *allantiformis* Eversmann,1844 nec Newm.,1832; *loewii* Zeller,1847; *brandti* Le Cerf,1937; *djakonovi* Popescu-Gorj & Capuse,1966 Range (in code): **ES IT AT CZ SK HU RO YU AL BG GR Cr CY TR RU MD UA BY IR Yz LB SY IL Pa Js** Bionomy: Larva on *Verbascum thapsus*, *V. lychnitis*, *Scrophularia canina* (Spatenka, et al.,1996).
- 82332. Chamaesphecia maurusia Püngeler,1912** (Sesiidae) Synonym(s): *maurusia* Püngeler,1912 Original Reference: *Chamaesphecia maurusia* Püngeler,1912, [in] Seitz, Gross-Schmett. *Erde* 2: 412. Type: Algeria, Teniet-el-Had. Range (in code): **DZ Tni Tis MA ES** Bionomy: Larva on *Marrubium* (Lamiaceae) (de Freina,1997).

- 82333. Chamaesphecia mezentzevi Gorbunov,1989** (Sesiidae) Synonym(s): *mezentzevi Gorbunov,1989* Range (in code): **TR IR TM Kp** Bionomy: Larva on Euphorbia buhsei (Spatenka et al.,1996).
- 82334. Chamaesphecia micra Le Cerf,1916** (Sesiidae) Synonym(s): *micra Le Cerf,1916* Original Reference: Chamaesphecia micra Le Cerf,1916, [in] Oberthür, Etud. lépid. comp. 11: 15. Type: Algérie, Lambèse. Range (in code): **DZ Lbs**
- 82335. Chamaesphecia minor (Staudinger,1856)** (Sesiidae) Synonym(s): *minor Staudinger,1856* Range (in code): **CY IL Pa LB Bei TR**
- 82336. Chamaesphecia mirza Le Cerf,1938** (Sesiidae) Synonym(s): *mirza Le Cerf,1938* Range (in code): **IR Fa Bk Es** Bionomy: Larva on Euphorbia iberica (Spatenka et al.,1996).
- 82337. Chamaesphecia morosa Le Cerf,1937** (Sesiidae) Synonym(s): *morosa Le Cerf,1937* Original Reference: Chamaesphecia morosa Le Cerf,1937, Bull. Soc. ent. Fr. 1937: 175. Holotype ♂: Turquie, Konya (MNHP). Range (in code): **TR IR AZ Nv Tlh AM Kho Cc** Bionomy: Larva on Phlomis capitata (Lamiaceae) (Spatenka et al.,1996).
- 82338. Chamaesphecia mudjahida K.Spatenka,1997** (Sesiidae) Synonym(s): *mudjahida K.Spatenka,1997* Range (in code): **AF Nu**
- 82339. Chamaesphecia mutilata (Staudinger,1887)** (Sesiidae) Synonym(s): *mutilata Staudinger,1887; duplex Staudinger,1889; chorogi Sheljuzhko,1943* Range (in code): **TJ** Bionomy: Larva on Euphorbia pamirica (Spatenka et al.,1996).
- 82340. Chamaesphecia mysiniiformis (Boisduval,1840)** (Sesiidae) Synonym(s): *mysiniiformis Boisduval,1840; boisduvali Bartel,1912; rondauana Le Cerf,1922* Range (in code): **MA PT ES Mu FR IT** Bionomy: Larva on Marrubium vulgare, M. supinum, Sideritis, Stachys recta, S. circinata, Ballota hirsuta (Spatenka et al.,1996).
- 82341. Chamaesphecia nigrifrons (Le Cerf,1911)** (Sesiidae) Synonym(s): *nigrifrons Le Cerf,1911; sevenari Liphay,1961; #schmidt Liphay,1961* Range (in code): **FR DE AT SK HU PL RO YU BG TR RU Cc GG MD UA** Bionomy: Larva on Hypericum perforatum (Spatenka et al.,1996).
- 82342. Chamaesphecia obratzovi Sheljuzhko,1943** (Sesiidae) Synonym(s): *obratzovi Sheljuzhko,1943* Range (in code): **TJ Pm UZ AF** Bionomy: Larva on Hysoppos zarevshanicus (Spatenka et al.,1996).
- 82343. Chamaesphecia obratzovi obermajeri K.Spatenka,1992** (Sesiidae) Synonym(s): *obermajeri K.Spatenka,1992* Range (in code): **TJ UZ**
- 82344. Chamaesphecia obratzovi obratzovi Sheljuzhko,1943** (Sesiidae) Synonym(s): *obratzovi Sheljuzhko,1943* Range (in code): **TJ Pm AF**
- 82345. Chamaesphecia odyneriformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *odyneriformis Herrich-Schäffer,1846* Range (in code): **TR**
- 82346. Chamaesphecia ophimontana Gorbunov,1991** (Sesiidae) Synonym(s): *ophimontana Gorbunov,1991* Original Reference: Chamaesphecia ophimontana Gorbunov,1991, Atalanta 22: 140-142, figs. Holotype ♂: [Azerbaidjan]: USSR Nakhichevan Daralagez Mt. Range 3km N Buzgov, 1500m leg. & coll. Gorbunov. Range (in code): **Cc AZ Nv IR**
- 82347. Chamaesphecia osmiaeformis (Herrich-Schäffer,1848)** (Sesiidae) Synonym(s): *stelidiformis Zeller,1847 nec Frr.,1836; osmiaeformis Herrich-Schäffer,1848; zelleri Lederer,1853; osmiiformis Staudinger,1856; floricola Oberthür,1881; agnes Oberthür,1890* Range (in code): **MA DZ Sbd TN ES Co Si IT** Bionomy: Larva on Euphorbia polychroma (Euphorbiaceae) (de Freina,1997).
- 82348. Chamaesphecia oxybeliformis (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *oxybeliformis Herrich-Schäffer,1846* Range (in code): **RO YU BG GR TR RU Cc GG AZ IR Elb KG Uk UA Cm Sr** Bionomy: Larva on Marrubium peregrinum, M. vulgare (Spatenka et al.,1996).
- 82349. Chamaesphecia palustris Kautz,1927** (Sesiidae) Synonym(s): *palustris Kautz,1927* Range (in code): **FR IT AT CZ SK HU RO YU TR RU KG Aa** Bionomy: Larva on Euphorbia palustris, E. lucida (Spatenka et al.,1996).
- 82350. Chamaesphecia pechi (Staudinger,1887)** (Sesiidae) Synonym(s): *pechi Staudinger,1887* Original Reference: Sesia pechi Staudinger,1887, Berl. ent. Z. 31: 30-31. Syntypes 20♂♀: Algeria, Sebdou. Range (in code): **DZ Sbd**
- 82351. Chamaesphecia proximata (Staudinger,1891)** (Sesiidae) Synonym(s): *proximata Staudinger,1891; moreaui Le Cerf,1911; gravesi Rebel,1927* Original Reference: Sesia proximata Staudinger,1891, Dt. ent. Z., Iris 4: 244. Lectotype ♂: Türkei, Hadjin [Saimbeyli], designated by Spatenka & Lastuvka (1988) (ZMHB). Range (in code): **YU BG GR CY TR IL Pa IR Qz Th Mz Elb Lo Bk By Es Fa Ke Ss** Bionomy: Larva on Salvia sclarea (Lamiaceae) (Spatenka et al.,1996).

- 82352. Chamaesphecia ramburi (Staudinger,1866)** (Sesiidae) Synonym(s): *ramburi* Staudinger,1866; *colpiformis* auct. Range (in code): **PT ES FR** Bionomy: Larva on *Phlomis lychnitis*, *P. herbaventi* (Lamiaceae) (Spatenka et al.,1996).
- 82353. Chamaesphecia regula (Staudinger,1891)** (Sesiidae) Synonym(s): *regula* Staudinger,1891 Original Reference: *Sesia regula* Staudinger,1891, Dt. ent. Z., Iris 4: 246. Lectotype ♂: [Turkey]: Mardin, designated by Spatenka & Lastuvka (1988) (ZMHB). Range (in code): **TR**
- 82354. Chamaesphecia ruficoronata Kallies, Petersen & Riefenstahl,1998** (Sesiidae) Synonym(s): *ruficoronata* Kallies, Petersen & Riefenstahl,1998 Range (in code): **TR Cc**
- 82355. Chamaesphecia schizoceriformis (Kolenati,1846)** (Sesiidae) Synonym(s): *schizoceriformis* Kolenati,1846 Range (in code): **TR Cc GG Smt Bjo Tbl Aj IR Ab Oru** Bionomy: Larva on *Euphorbia boissieriana* (Spatenka et al.,1996).
- 82356. Chamaesphecia schmidtiformis (Freyer,1836)** (Sesiidae) Synonym(s): *schmidtiformis* Freyer,1836 Range (in code): **IT RO YU BG GR TR RU Cc AM Kho IR Ab Ha** Bionomy: Larva on *Salvia sclarea*, *Salvia syriaca* (Spatenka et al.,1996).
- 82357. Chamaesphecia schroederi Tosevski,1993** (Sesiidae) Synonym(s): *schroederi* Tosevski,1993 Range (in code): **MN CN** Bionomy: Larva on *Euphorbia linifolia* (Spatenka et al.,1996).
- 82358. Chamaesphecia schwingenschussi (Le Cerf,1937)** (Sesiidae) Synonym(s): *schwingenschussi* Le Cerf,1937 Range (in code): **TR IR Cc Th Mz Elb Kd Ha Lo Fa Es By Yz Ke AZ Nv** Bionomy: Larva on *Thymus*, *Mentha* (Spatenka et al.,1996).
- 82359. Chamaesphecia sefid Le Cerf,1938** (Sesiidae) Synonym(s): *sefid* Le Cerf,1938; *modica* Le Cerf,1938; *vanensis* Gorbunov,2001 Original Reference: *Chamaesphecia doryceraeformis* ssp. *sefid* Le Cerf,1938, Notulae Ent. 18 (3): 95. Holotype ♂: Iran: Fars, Strasse Shiraz- Kazeroun Fort Sine-Sefid, 2200m 29.5.1937, coll. Brandt (RMS). Range (in code): **TR IR Fa Sse Lo Es Bk By**
- 82360. Chamaesphecia seyrigi Le Cerf,1957** (Sesiidae) Synonym(s): *seyrigi* Le Cerf,1957 Range (in code): **AET MG**
- 82361. Chamaesphecia sogdianica K.Spatenka,1987** (Sesiidae) Synonym(s): *sogdianica* K.Spatenka,1987 Range (in code): Bionomy: Larva on *Euphorbia pamirica* (Spatenka et al.,1996).
- 82362. Chamaesphecia staudingeri (Failla-Tedaldi,1890)** (Sesiidae) Synonym(s): *staudingeri* Failla-Tedaldi,1890 Range (in code): **Si**
- 82363. Chamaesphecia tahira Kallies & Petersen,1995** (Sesiidae) Synonym(s): *tahira* Kallies & Petersen,1995 Original Reference: *Chamaesphecia tahira* Kallies & Petersen,1995, Nachr. ent. Ver. Apollo N.F. 16 (1): 76-80, figs. Holotype ♂: Türkei: Ost-Anatolien: Prov. Ağrı, Tahir Pass 2150m, 29.vii.1992 A. Kallies, M. Petersen, H. Riefenstahl (coll. Kallies). Range (in code): **TR**
- 82364. Chamaesphecia taurica K.Spatenka,1997** (Sesiidae) Synonym(s): *taurica* K.Spatenka,1997 Range (in code): **TR**
- 82365. Chamaesphecia tenthrediniformis ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *tenthrediniformis* [Denis & Schiffermüller],1775; *taediiformis* Freyer,1836 Original Reference: *Sphinx tenthrediniformis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 44. Type(s): Vienna district. Range (in code): **ES FR IT BE NL DE AT CZ SK HU RO YU AL BG GR TR RU MD UA BY** Bionomy: Larva on *Euphorbia esula*, *E. salicifolia*, *E. virgata* (Spatenka et al.,1996).
- 82366. Chamaesphecia thomyris Le Cerf,1938** (Sesiidae) Synonym(s): *thomyris* Le Cerf,1938 Range (in code): **IR By Fa Es**
- 82367. Chamaesphecia thracica Z.Lastuvka,1983** (Sesiidae) Synonym(s): *thracica* Z.Lastuvka,1983 Range (in code): **Si YU BG GR TR**
- 82368. Chamaesphecia turbida Le Cerf,1937** (Sesiidae) Synonym(s): *turbida* Le Cerf,1937 Range (in code): **TR IR Elb Th Kdj Ha Ab Sro Cc GG Nv AZ AM** Bionomy: Larva on *Euphorbia marshalliana* (Spatenka et al.,1996).
- 82369. Chamaesphecia weidenhofferi K.Spatenka,1997** (Sesiidae) Synonym(s): *weidenhofferi* K.Spatenka,1997 Range (in code): **UZ**
- 82370. Chamaesphecia xantho Le Cerf,1937** (Sesiidae) Synonym(s): *xantho* Le Cerf,1937 Range (in code): **IR**
- 82371. Chamaesphecia xanthosticta (Hampson,[1893])** (Sesiidae) Synonym(s): *xanthosticta* Hampson,[1893] Original Reference: *Sesia xanthosticta* Hampson,[1893], Fauna Br. India (Moths) 1: 197. Type ♂: "Kashmir (Leech)". Range (in code): **Ch IR AF PK IN Hp** Bionomy: Larva on *Thymus linearis* (Spatenka et al.,1996).

- 82372. Chamaesphecia zarathustra Gorbunov & K.Spatenka,1992** (Sesiidae) **Synonym(s):** *zarathustra Gorbunov & K.Spatenka,1992* Original Reference: *Chamaesphecia zarathustra Gorbunov & K.Spatenka,1992*, *Atalanta* 23: 255, figs.1-5. Holotype ♂: Iran, Elburs Mts., Lake Tar (RMS). Range (in code): **TR IR Elb Mz Th Lo AZ Tlh AM Cc** Bionomy: Larva on *Phlomis caucasica* (Lamiaceae) (Spatenka et al.,1996).
- 82373. Chamaesphecia zimmermanni (Lederer,1872)** (Sesiidae) **Synonym(s):** *zimmermanni Lederer,1872* Range (in code): **IR Elb Mz Kh TM Noc Kp** Bionomy: Larva on *Phlomis cancellata* (Lamiaceae) (Spatenka et al.,1996).
- 82374. Chamanthodon amorphia Hampson,1919** (Sesiidae) **Synonym(s):** *amorphia Hampson,1919* Range (in code): **AET**
- 82375. Chamanthodon brillans (Beutenmüller,1899)** (Sesiidae) **Synonym(s):** *brillans Beutenmüller,1899* Range (in code): **AET**
- 82376. Chamanthodon chalypsa Hampson,1919** (Sesiidae) **Synonym(s):** *chalypsa Hampson,1919* Range (in code): **AET ZA Nta Kzu Dbn**
- 82377. Chamanthodon chrysopasta Hampson,1919** (Sesiidae) **Synonym(s):** *chrysopasta Hampson,1919* Range (in code): **AET**
- 82378. Chamanthodon elymais (Druce,1899)** (Sesiidae) **Synonym(s):** *elymais Druce,1899* Range (in code): **AET ZA Tva Lpo MZ**
- 82379. Chamanthodon flavipes (Hampson,[1893])** (Sesiidae) **Synonym(s):** *flavipes Hampson,[1893]* Range (in code): **LK Pdy IN Mys**
- 82380. Chamanthodon fulvipes (Hampson,1910)** (Sesiidae) **Synonym(s):** *fulvipes Hampson,1910* Range (in code): **AET**
- 82381. Chamanthodon hilariformis (Walker,1856)** (Sesiidae) **Synonym(s):** *hilariformis Walker,1856* Range (in code): **AET ZA Nta Kzu**
- 82382. Chamanthodon leucocera Hampson,1919** (Sesiidae) **Synonym(s):** *leucocera Hampson,1919* Range (in code): **AET**
- 82383. Chamanthodon leucopleura (Hampson,1919)** (Sesiidae) **Synonym(s):** *leucopleura Hampson,1919* Range (in code): **AET ZA Tva Gau Jh**
- 82384. Chamanthodon ochracea (Walker,1856)** (Sesiidae) **Synonym(s):** *ochracea Walker,1856* Range (in code): **AET ZA Nta Kzu**
- 82385. Chamanthodon striata Gaede,1929** (Sesiidae) **Synonym(s):** *striata Gaede,1929* Range (in code): **AET**
- 82386. Chamanthodon tapeina Hampson,1919** (Sesiidae) **Synonym(s):** *tapeina Hampson,1919* Original Reference: *Chamanthodon tapeina Hampson,1919*, *Novit. zool.* 26: 67. Type ♂: [South Africa]: "Transvaal, Zoutpansberg (Janse)". Range (in code): **AET ZA Tva Lpo Spb**
- 82387. Chamanthodon tresa (Druce,1899)** (Sesiidae) **Synonym(s):** *tresa Druce,1899* Range (in code): **AET ZA MZ**
- 82388. Chamanthodon tropica (Beutenmüller,1899)** (Sesiidae) **Synonym(s):** *tropica Beutenmüller,1899* Range (in code): **AET**
- 82389. Chamanthodon xanthopasta Hampson,1919** (Sesiidae) **Synonym(s):** *xanthopasta Hampson,1919* Range (in code): **AET ZA Tva Lpo Wb Gau Jh ZW**
- 82390. Clavisphacia chrysoptera (Hampson,1919)** (Sesiidae) **Synonym(s):** *chrysoptera Hampson,1919* Range (in code): **ORI LK**
- 82391. Clavisphacia pugnax (Meyrick,1926)** (Sesiidae) **Synonym(s):** *pugnax Meyrick,1926* Range (in code): **ORI MM VN**
- 82392. Conopsia bicolor (Le Cerf,1917)** (Sesiidae) **Synonym(s):** *bicolor Le Cerf,1917* Range (in code): **AET**
- 82393. Conopsia flavimacula Kallies,2000** (Sesiidae) **Synonym(s):** *flavimacula Kallies,2000* Range (in code): **AET**
- 82394. Conopsia lambornella (Durrant,1914)** (Sesiidae) **Synonym(s):** *lambornella Durrant,1914* Original Reference: *Tinthia lambornella Durrant,1914*, *Trans. ent. Soc. London* 1913 (4): 513. Type ♀: [Nigeria]: Oni, near Lagos (Oxf. Uni.Mus.). Range (in code): **AET NG Lgo**
- 82395. Conopsia phoenosoma (Meyrick,1930)** (Sesiidae) **Synonym(s):** *phoenosoma Meyrick,1930* Original Reference: *Trichocerota phoenosoma Meyrick,1930*, *Proc. ent. Soc. Lond.* 5: 4. Type: Uganda. Range (in code): **AET UG**

- 82396. *Conopsia terminiflava* Strand,[1913]** (Sesiidae) Synonym(s): *terminiflava* Strand,[1913] Original Reference: *Conopsia terminiflava* Strand,[1913], Archiv. Naturg. 78A (12): 71-72. Type ♀: Cameroon: Bibundi. Range (in code): **AET CM**
- 82397. *Crinipus leucozonipus* Hampson,1896** (Sesiidae) Synonym(s): *leucozonipus* Hampson,1896 Original Reference: *Crinipus leucozonipus* Hampson,1896, Proc. zool. Soc. London 1896: 277, pl.10 fig.21. Syntypes 3♂: [Yemen]: "Aden (Yerbury)" (MNHP). Range (in code): **YE Ad IL Pa SA SA63**
- 82398. *Crinipus marisa* (Druce,1899)** (Sesiidae) Synonym(s): *marisa* Druce,1899 Range (in code): **AET MW**
- 82399. *Crinipus pictipes* (Hampson,1919)** (Sesiidae) Synonym(s): *pictipes* Hampson,1919 Range (in code): **AET ZW**
- 82400. *Crinipus vassei* (Le Cerf,1917)** (Sesiidae) Synonym(s): *vassei* Le Cerf,1917 Range (in code): **AET MZ**
- 82401. *Cyanosesia borneensis* Kallies,2003** (Sesiidae) Synonym(s): *borneensis* Kallies,2003 Range (in code): **MY Bor**
- 82402. *Cyanosesia cyanolampra* (Diakonoff,1968)** (Sesiidae) Synonym(s): *cyanolampra* Diakonoff,1968 Range (in code): **PH Luz**
- 82403. *Cyanosesia meyi* Kallies & Arita,1998** (Sesiidae) Synonym(s): *meyi* Kallies & Arita,1998 Range (in code): **PH Sam**
- 82404. *Cyanosesia ormosiae* Kallies,2011** (Sesiidae) Synonym(s): *ormosiae* Kallies,2011 Range (in code): **CN**
- 82405. *Cyanosesia pelocroca* (Diakonoff,1968)** (Sesiidae) Synonym(s): *pelocroca* Diakonoff,1968 Range (in code): **PH Luz**
- 82406. *Cyanosesia philippina* Gorbunov & Kallies,1998** (Sesiidae) Synonym(s): *philippina* Gorbunov & Kallies,1998 Range (in code): **PH Mno**
- 82407. *Cyanosesia tonkinensis* Gorbunov & Arita,1995** (Sesiidae) Synonym(s): *tonkinensis* Gorbunov & Arita,1995 Range (in code): **VN Ton**
- 82408. *Cyanosesia treadawayi* Kallies & Arita,1998** (Sesiidae) Synonym(s): *treadawayi* Kallies & Arita,1998 Range (in code): **PH Ley**
- 82409. *Cyanosesia vietnamica* Gorbunov & Arita,1995** (Sesiidae) Synonym(s): *vietnamica* Gorbunov & Arita,1995 Range (in code): **VN**
- 82410. *Dipchaspacia altaica* Gorbunov,1991** (Sesiidae) Synonym(s): *altaica* Gorbunov,1991 Range (in code): **RU At**
- 82411. *Dipchaspacia consobrina* (Le Cerf,1938)** (Sesiidae) Synonym(s): *consobrina* Le Cerf,1938 Range (in code): **IR Fa Es**
- 82412. *Dipchaspacia intermedia* K.Spatenka,1997** (Sesiidae) Synonym(s): *intermedia* K.Spatenka,1997 Range (in code): **BG TR IR Kd**
- 82413. *Dipchaspacia kopica* Gorbunov & Spatenka,2001** (Sesiidae) Synonym(s): *kopica* Gorbunov & Spatenka,2001 Range (in code): **TR**
- 82414. *Dipchaspacia krocha* Gorbunov,1991** (Sesiidae) Synonym(s): *krocha* Gorbunov,1991 Range (in code): **Cc AZ Tlh**
- 82415. *Dipchaspacia lanipes* (Lederer,1863)** (Sesiidae) Synonym(s): *lanipes* Lederer,1863 Range (in code): **BG Slv TR UA Cm**
- 82416. *Dipchaspacia ljustiae* Gorbunov,1991** (Sesiidae) Synonym(s): *ljustiae* Gorbunov,1991 Range (in code): **TJ Pm** Bionomy: Larva on Limonium otolepis (Spatenka et al.,1996).
- 82417. *Dipchaspacia naumanni* Gorbunov,1991** (Sesiidae) Synonym(s): *naumanni* Gorbunov,1991 Original Reference: *Dipchaspacia naumanni* Gorbunov,1991, Atalanta 22 (2/4): 159-160, figs. Holotype ♂: E-Afghanistan: Ghazni, Qala Mullah 2400m, 22 v 1970 C.Naumann leg. & coll. Range (in code): **IR Ke AF Gz PK Bl Zi** Bionomy: Larva on Acanthophyllum stewartii, A. stocksianum (Spatenka et al.,1996).
- 82418. *Dipchaspacia nigra* Gorbunov,1991** (Sesiidae) Synonym(s): *nigra* Gorbunov,1991 Range (in code): **TJ Pm** Bionomy: Larva on Limonium otolepis (Spatenka et al.,1996).
- 82419. *Dipchaspacia pudorina* (Staudinger,1883)** (Sesiidae) Synonym(s): *pudorina* Staudinger,1883 Range (in code): **KG Mn Ssn Tar** Bionomy: Larva on Goniolimon orthocladum (Spatenka et al.,1996).
- 82420. *Dipchaspacia rhodocnemis* Gorbunov,1991** (Sesiidae) Synonym(s): *rhodocnemis* Gorbunov,1991 Range (in code): **RU Ya**

- 82421. *Dipchaspacia roseiventris* (Bartel,1913)** (Sesiidae) Synonym(s): *roseiventris* Bartel,1913
Range (in code): **KK KG Tk Dj Ii CN Ui** Bionomy: Larva on Acantholimon ? (Plumbaginaceae) (Spatenka et al.,1996).
- 82422. *Dipchaspacia sertavula* Bartsch & Spatenka,2002** (Sesiidae) Synonym(s): *sertavula* Bartsch & Spatenka,2002 Range (in code): **TR**
- 82423. *Dipchaspacia turkmena* Gorbunov,1994** (Sesiidae) Synonym(s): *turkmena* Gorbunov,1994 Range (in code): **IR Mz Elb Kh** Bionomy: Larva on Acantholimon ? (Plumbaginaceae) (Spatenka et al.,1996).
- 82424. *Echidgnathia khomasana* De Freina,2011** (Sesiidae) Synonym(s): *khomasana* De Freina,2011 Range (in code): **AET**
- 82425. *Echidgnathia viridifasciata* (Hampson,1910)** (Sesiidae) Synonym(s): *viridifasciata* Hampson,1910; *viridifascia* Dalla-Torre,1925 Range (in code): **ZA**
- 82426. *Echidgnathia vitrifasciata* (Hampson,1900)** (Sesiidae) Synonym(s): *vitrifasciata* Hampson,1900 Range (in code): **ZW**
- 82427. *Echidgnathia vitrifasciata* (Hampson,1910)** (Sesiidae) Synonym(s): *vitrifasciata* Hampson,1910 Range (in code): **AET**
- 82428. *Episannina albifrons* (Hampson,1910)** (Sesiidae) Synonym(s): *albifrons* Hampson,1910
Range (in code): **AET GH**
- 82429. *Episannina chalybea* Aurivillius,1905** (Sesiidae) Synonym(s): *chalybea* Aurivillius,1905; *pulchra* Le Cerf,1916 Range (in code): **AET CM**
- 82430. *Episannina flavicincta* Hampson,1919** (Sesiidae) Synonym(s): *flavicincta* Hampson,1919
Range (in code): **AET GH**
- 82431. *Episannina lodimana* (Strand,1918)** (Sesiidae) Synonym(s): *lodimana* Strand,1918
Range (in code): **AET ZR**
- 82432. *Episannina modesta* (Le Cerf,1916)** (Sesiidae) Synonym(s): *modesta* Le Cerf,1916 Range (in code): **AET CM**
- 82433. *Episannina perlucida* (Le Cerf,1911)** (Sesiidae) Synonym(s): *perlucida* Le Cerf,1911
Range (in code): **AET ZR**
- 82434. *Episannina zygaenura* Meyrick,1933** (Sesiidae) Synonym(s): *zygaenura* Meyrick,1933
Range (in code): **AET SL**
- 82435. *Eristmatica erythropis* Meyrick,1933** (Sesiidae) Synonym(s): *erythropis* Meyrick,1933
Range (in code): **AET ZW**
- 82436. *Euhagena palariiformis* (Lederer,1858)** (Sesiidae) Synonym(s): *palariformis* Lederer,1858; *diocetriiformis* Romanoff,1884; *rubrescens* Staudinger,1887; *almana* Rebel,1917 Range (in code): **TR IQ Ssa IR Fa Ab Sro Lo Es By LB SY Dms Cc IL Pa AZ AM**
- 82437. *Euhagena palariiformis nazir* (Le Cerf,1938)** (Sesiidae) Synonym(s): *nazir* Le Cerf,1938; *#rubefacta* Le Cerf,1938 Range (in code): **IR Fa TR**
- 82438. *Eusphacia melanocephala* (Dalman,1816)** (Sesiidae) Synonym(s): *melanocephala* Dalman,1816; *laphriaeformis* Hübner,[1825]; *laphriiformis* Staudinger,1856 Range (in code): **ES FR IT DE CH AT PL CZ SK RO YU TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Populus tremula (Spatenka, et al.,1996).
- 82439. *Eusphacia pimplaeformis* (Oberthür,1872)** (Sesiidae) Synonym(s): *pimplaeformis* Oberthür,1872; *maculiferum* Staudinger,[1896] Original Reference: *Sesia pimplaeformis* Oberthür,1872, *Revue Mag. Zool.* (2) 23: 486, pl.21 fig.3. Syntype ♀: [Turquie]: Van. Range (in code): **MK YU BG GR TR RU IQ Bgd IR Ke Lo AZ Bak Cc** Bionomy: Larva on Populus euphratica, Salix (Wiltshire,1957; Spatenka, et al.,1996).
- 82440. *Grypopalpia* Hampson,1919** (Sesiidae) Synonym(s): *Grypopalpia* Hampson,1919 Range (in code):
- 82441. *Grypopalpia iridescens* Hampson,1919** (Sesiidae) Synonym(s): *iridescens* Hampson,1919
Range (in code): **AET ZA Nta Kzu Dbn**
- 82442. *Grypopalpia uranopla* (Meyrick,1934)** (Sesiidae) Synonym(s): *uranopla* Meyrick,1934
Range (in code): **AET TZ**
- 82443. *Gymnosophistis thyrsodoxa* Meyrick,1934** (Sesiidae) Synonym(s): *thyrsodoxa* Meyrick,1934 Range (in code): **AET UG**
- 82444. *Homogyna alluaudi* Le Cerf,1911** (Sesiidae) Synonym(s): *alluaudi* Le Cerf,1911 Range (in code): **AET**

- 82445. *Homogyna bartschi* De Freina, 2011** (Sesiidae) **Synonym(s):** *bartschi* De Freina, 2011
Range (in code): AET ZA
- 82446. *Homogyna endopyra* (Hampson, 1910)** (Sesiidae) **Synonym(s):** *endopyra* Hampson, 1910
Range (in code): ZA Nta Kzu
- 82447. *Homogyna ignivittata* Hampson, 1919** (Sesiidae) **Synonym(s):** *ignivittata* Hampson, 1919
Range (in code): ZA Nta Kzu Wnn Tva Gau Pre
- 82448. *Homogyna ignivittata* Hampson, 1919** (Sesiidae) **Synonym(s):** *ignivittata* Hampson, 1919
Range (in code): AET
- 82449. *Homogyna pythes* (Druce, 1899)** (Sesiidae) **Synonym(s):** *pythes* Druce, 1899 **Range (in code):** AET
- 82450. *Homogyna sanguicosta* Hampson, 1919** (Sesiidae) **Synonym(s):** *sanguicosta* Hampson, 1919 **Range (in code):** AET
- 82451. *Homogyna sanguicosta* Hampson, 1919** (Sesiidae) **Synonym(s):** *sanguicosta* Hampson, 1919 **Range (in code):** ZA ZW CM
- 82452. *Homogyna sanguipennis* (Meyrick, 1926)** (Sesiidae) **Synonym(s):** *sanguipennis* Meyrick, 1926 **Range (in code):** AET
- 82453. *Homogyna xanthophora* (Hampson, 1910)** (Sesiidae) **Synonym(s):** *xanthophora* Hampson, 1910 **Range (in code):** AET
- 82454. *Homogyna xanthophora* (Hampson, 1910)** (Sesiidae) **Synonym(s):** *xanthophora* Hampson, 1910 **Range (in code):** ZA Nta Kzu Ec
- 82455. *Hovaesia donckieri* Le Cerf, 1957** (Sesiidae) **Synonym(s):** *donckieri* Le Cerf, 1957 **Range (in code):** AET
- 82456. *Hymenosphecia albomaculata* Le Cerf, 1917** (Sesiidae) **Synonym(s):** *albomaculata* Le Cerf, 1917 **Range (in code):** AET UG
- 82457. *Hypanthedon marisa* (Druce, 1899)** (Sesiidae) **Synonym(s):** *marisa* Druce, 1899 **Range (in code):** ZA Tva Mpu Brb Wca KE
- 82458. *Isothamnis inclemens* (Meyrick, 1928)** (Sesiidae) **Synonym(s):** *inclemens* Meyrick, 1928
Original Reference: *Thamnoscelis inclemens* Meyrick, 1928, *Exot. Microlepid.* 3: 466. Syntypes 4ex: [Thailand]: Siam, Upper Pran R., at light, April (W.R.S. Ladell) (BMNH). **Range (in code):** TH
- 82459. *Lamellisphesia champaensis* Kallies & Arita, 2004** (Sesiidae) **Synonym(s):** *champaensis* Kallies & Arita, 2004 **Range (in code):** VN
- 82460. *Lamellisphesia haematinea* Kallies & Arita, 2004** (Sesiidae) **Synonym(s):** *haematinea* Kallies & Arita, 2004 **Range (in code):** TH
- 82461. *Lamellisphesia wiangensis* Kallies & Arita, 2004** (Sesiidae) **Synonym(s):** *wiangensis* Kallies & Arita, 2004 **Range (in code):** TH
- 82462. *Lamellisphesia xerampelina* Kallies, 2011** (Sesiidae) **Synonym(s):** *xerampelina* Kallies, 2011 **Range (in code):** IN Hp Kul
- 82463. *Lenyra ashtaroth* (Westwood, 1848)** (Sesiidae) **Synonym(s):** *ashtaroth* Westwood, 1848; *tonkiniana* Le Cerf, 1927; *naumannii* Arita, 1989 **Range (in code):** IN Ass SI BD Syl VN Ton TH CMA
- 82464. *Lenyra simonyi* (Rebel, 1899)** (Sesiidae) **Synonym(s):** *simonyi* Rebel, 1899; *gephyra* Gaede, 1933 **Range (in code):** SA SA63 YE IL Pa
- 82465. *Lenyrhova heckmanniae* Le Cerf, 1957** (Sesiidae) **Synonym(s):** *heckmanniae* Le Cerf, 1957
Range (in code): AET
- 82466. *Lepidopoda sylphina* Hampson, 1900** (Sesiidae) **Synonym(s):** *sylphina* Hampson, 1900
Range (in code): AET SL
- 82467. *Leuthneria ruficincta* (R. Felder, 1874)** (Sesiidae) **Synonym(s):** *ruficincta* R. Felder, 1874
Range (in code): AET SD
- 82468. *Lophoceps abdominalis* Hampson, 1919** (Sesiidae) **Synonym(s):** *abdominalis* Hampson, 1919 **Range (in code):** KE
- 82469. *Lophoceps alenicola* (Strand, [1913])** (Sesiidae) **Synonym(s):** *alenicola* Strand, [1913]
Range (in code): AET GO
- 82470. *Lophoceps cyaniris* Hampson, 1919** (Sesiidae) **Synonym(s):** *cyaniris* Hampson, 1919
Range (in code): IN Ass
- 82471. *Lophoceps quinquepunctata* Hampson, 1919** (Sesiidae) **Synonym(s):** *quinquepunctata* Hampson, 1919 **Range (in code):** AET SL

- 82472. *Lophoceps tetrazona* Hampson,1919** (Sesiidae) **Synonym(s):** *tetrazona* Hampson,1919
Range (in code): **IN Ass**
- 82473. *Macrotarsipus africanus* (Beutenmüller,1899)** (Sesiidae) **Synonym(s):** *africanus* Beutenmüller,1899; *belia* Druce,1910 **Range (in code):** **CM GA**
- 82474. *Macrotarsipus albipunctus* Hampson,[1893]** (Sesiidae) **Synonym(s):** *albipunctus* Hampson,[1893] **Original Reference:** *Macrotarsipus albipunctus* Hampson,[1893], Fauna Br. India (Moths) 1: 194, fig.122. Type ♂: [Myanmar]: Burma, Bhamo (Fea) (coll.Moore). **Range (in code):** **MM VN**
- 82475. *Macrotarsipus microthyris* Hampson,1919** (Sesiidae) **Synonym(s):** *microthyris* Hampson,1919 **Range (in code):** **KE**
- 82476. *Macrotarsipus similis* Arita & Gorbunov,1995** (Sesiidae) **Synonym(s):** *similis* Arita & Gorbunov,1995 **Original Reference:** *Macrotarsipus similis* Arita & Gorbunov,1995, Trans. lepid. Soc. Japan 46 (2): 109-110, figs. Holotype ♂: Thailand, Chanthaburi, Phliu ca.30m 4-7.& 9.x.1985 (MUT). **Range (in code):** **TH Cbi CMa Dst Fn ID Ja**
- 82477. *Madasphesia griveaudi* (Viette,1982)** (Sesiidae) **Synonym(s):** *griveaudi* Viette,1982
Range (in code): **AET MG**
- 82478. *Madasphesia puera* (Viette,1957)** (Sesiidae) **Synonym(s):** *puera* Viette,1957 **Range (in code):** **AET MG**
- 82479. *Malgassesia ankaratralis* Viette,1957** (Sesiidae) **Synonym(s):** *ankaratralis* Viette,1957
Range (in code): **AET MG**
- 82480. *Malgassesia biedermanni* Viette,1982** (Sesiidae) **Synonym(s):** *biedermanni* Viette,1982
Range (in code): **AET MG**
- 82481. *Malgassesia milloti* Viette,1982** (Sesiidae) **Synonym(s):** *milloti* Viette,1982 **Range (in code):** **AET MG**
- 82482. *Malgassesia pauliani* Viette,[1955]** (Sesiidae) **Synonym(s):** *pauliani* Viette,[1955] **Range (in code):** **AET MG**
- 82483. *Malgassesia rufescens* Le Cerf,1922** (Sesiidae) **Synonym(s):** *rufescens* Le Cerf,1922
Range (in code): **AET MG**
- 82484. *Malgassesia rufithorax* (Le Cerf,1922)** (Sesiidae) **Synonym(s):** *rufithorax* Le Cerf,1922
Range (in code): **AET MG**
- 82485. *Malgassesia seyrigi* Viette,[1955]** (Sesiidae) **Synonym(s):** *seyrigi* Viette,[1955] **Range (in code):** **AET MG**
- 82486. *Megalosphesia callosoma* Hampson,1919** (Sesiidae) **Synonym(s):** *callosoma* Hampson,1919 **Range (in code):** **AET ZW**
- 82487. *Megalosphesia gigantipes* Le Cerf,1916** (Sesiidae) **Synonym(s):** *gigantipes* Le Cerf,1916; *obscura* Le Cerf,1916 **Range (in code):** **AET CM**
- 82488. *Melisophista geraropa* Meyrick,1927** (Sesiidae) **Synonym(s):** *geraropa* Meyrick,1927
Range (in code): **AET KE**
- 82489. *Melittia abyssiniensis* Hampson,1919** (Sesiidae) **Synonym(s):** *abyssiniensis* Hampson,1919
Original Reference: *Melittia abyssiniensis* Hampson,1919, Novit. zool. 26: 95. Type ♀: Abyssinien. **Range (in code):** **AET ET**
- 82490. *Melittia acosmetes* Hampson,1919** (Sesiidae) **Synonym(s):** *acosmetes* Hampson,1919
Original Reference: *Melittia acosmetes* Hampson,1919, Novit. zool. 26: 86. Type ♂: Uganda.
Range (in code): **AET UG**
- 82491. *Melittia ambo* Gorbunov,2015** (Sesiidae) **Synonym(s):** *ambo* Gorbunov,2015 **AET ET**
- 82492. *Melittia amboinensis* Felder,1861** (Sesiidae) **Synonym(s):** *amboinensis* Felder,1861; *celebica* Le Cerf,1916; *asiatica* Le Cerf,1916; *doddi* Le Cerf,1916 **Original Reference:** *Melittia amboinensis* Felder,1861, Sber. Akad. Wiss. Wien 43: 28. **Range (in code):** **IN SI MM TH ID Amb MY Prk Clb Bli Lb Crm Sum Bor Klt Ja PG Fg AU QAU** **Bionomy:** Larva bores and stem gall makers on Cucurbitaceae (Robinson et al.,1994).
- 82493. *Melittia aureosquamata* (Wallengren,1863)** (Sesiidae) **Synonym(s):** *aureosquamata* Wallengren,1863 **Range (in code):** **AET ZA UG KE ZW Wca Tva Lpo**
- 82494. *Melittia auriplumia* Hampson,1910** (Sesiidae) **Synonym(s):** *auriplumia* Hampson,1910
Range (in code): **AET ZR**
- 82495. *Melittia aurociliata* (Aurivillius,1879)** (Sesiidae) **Synonym(s):** *aurociliata* Aurivillius,1879
Range (in code): **AET ZA NA Dmr**

- 82496. *Melittia azrael* Le Cerf,1914** (Sesiidae) Synonym(s): *azrael* Le Cerf,1914 Original Reference: *Melittia azrael* Le Cerf,1914, Bull. Soc. ent. Fr. 1914: 61, fig.1. Type ♀: [Central African Republic]: Kaga-Bandoro "Fort-Crampel (Congo français)" (coll.Le Cerf). Range (in code): **AET CF Cpl**
- 82497. *Melittia bella* Arita & Gorbunov,1996** (Sesiidae) Synonym(s): *bella* Arita & Gorbunov,1996 Range (in code): **TH**
- 82498. *Melittia bombiliformis* (Cramer,[1782])** (Sesiidae) Synonym(s): *bombiliformis* Cramer,[1782]; *bombylififormis* Cramer,[1782]; *chalciformis* Fabricius,1793; *anthedoniformis* Hübner,[1819]; *bombylipennis* Boisduval,[1875]; *arrecta* Meyrick,1918 Range (in code): **TH** Bionomy: Larva on Angelica (Apiaceae), Aristolochia (Aristolochiaceae), Cucurbita, Trichosanthes (Cucurbitaceae) (Robinson et al.,2005).
- 82499. *Melittia bouleti* Le Cerf,1917** (Sesiidae) Synonym(s): *bouleti* Le Cerf,1917 Range (in code): **AET ZA MZ**
- 82500. *Melittia burmana* Le Cerf,1916** (Sesiidae) Synonym(s): *burmana* Le Cerf,1916 Range (in code): **MM**
- 82501. *Melittia chalciformis* (Fabricius,1793)** (Sesiidae) Synonym(s): *bombylififormis* Stoll,1782 nec Linn.,1758; *chalciformis* Fabricius,1793; *anthedoniformis* Hübner,[1819]; *bombylipennis* Boisduval,[1875]; *arrecta* Meyrick,1918 Range (in code): **LK**
- 82502. *Melittia chalconota* Hampson,1910** (Sesiidae) Synonym(s): *chalconota* Hampson,1910 Range (in code): **AET CI NG ZR TZ**
- 82503. *Melittia chrysobapta* Hampson,1919** (Sesiidae) Synonym(s): *chrysobapta* Hampson,1919 Range (in code): **AET ZW**
- 82504. *Melittia congoana* Le Cerf,1916** (Sesiidae) Synonym(s): *congoana* Le Cerf,1916 Range (in code): **AET ZR**
- 82505. *Melittia ectothyris* Hampson,1919** (Sesiidae) Synonym(s): *ectothyris* Hampson,1919 Range (in code): **AET ZA Tva Lpo**
- 82506. *Melittia endoxantha* Hampson,1919** (Sesiidae) Synonym(s): *endoxantha* Hampson,1919 Range (in code): **AET TZ MZ**
- 82507. *Melittia haematopis* Fawcett,1916** (Sesiidae) Synonym(s): *haematopis* Fawcett,1916 Range (in code): **SA YE Sna**
- 82508. *Melittia houlberti* Le Cerf,1917** (Sesiidae) Synonym(s): *houlberti* Le Cerf,1917 Range (in code): **AET UG**
- 82509. *Melittia hyaloxantha* Meyrick,1928** (Sesiidae) Synonym(s): *hyaloxantha* Meyrick,1928 Range (in code): **AET ZR**
- 82510. *Melittia khmer* Le Cerf,1917** (Sesiidae) Synonym(s): *khmer* Le Cerf,1917; *chmer* Hampson,1919 Range (in code): **KH**
- 82511. *Melittia laboissierei* Le Cerf,1917** (Sesiidae) Synonym(s): *laboissierei* Le Cerf,1917 Range (in code): **AET UG**
- 82512. *Melittia laniremis* (Wallengren,1858)** (Sesiidae) Synonym(s): *laniremis* Wallengren,1858 Original Reference: *Eumallopoda laniremis* Wallengren,1858, Öfvers. VetenskAkad. Förh. Stockholm 15: 84. Type(s): "Caffraria". Range (in code): **AET ZA Wca**
- 82513. *Melittia lentistriata* Hampson,1919** (Sesiidae) Synonym(s): *lentistriata* Hampson,1919 Range (in code): **AET KE ZW Har**
- 82514. *Melittia luzonica* Gorbunov & Arita,1996** (Sesiidae) Synonym(s): *luzonica* Gorbunov & Arita,1996 Range (in code): **PH Luz**
- 82515. *Melittia nepalensis* Gorbunov & Arita,1999** (Sesiidae) Synonym(s): *nepalensis* Gorbunov & Arita,1999 Range (in code): **NP**
- 82516. *Melittia nepcha* (Moore,1879)** (Sesiidae) Synonym(s): *nepcha* Moore,1879; *asiatica* Le Cerf,1917; *vietnamica* Gorbunov,1988 Range (in code): **VN TH**
- 82517. *Melittia oedipus* Oberthür,1878** (Sesiidae) Synonym(s): *oedipus* Oberthür,1878; *ignidiscata* Hampson,1910; *oedipoides* Strand,1912; *#oedippus* Le Cerf,1917 Range (in code): **AET ZA Tva Lpo TZ KE ZW YE**
- 82518. *Melittia pyropis* Hampson,1919** (Sesiidae) Synonym(s): *pyropis* Hampson,1919 Range (in code): **AET ZA Nta Kzu KE ET**
- 82519. *Melittia rufodorsa* Hampson,1910** (Sesiidae) Synonym(s): *rufodorsa* Hampson,1910 Range (in code): **AET ZA**
- 82520. *Melittia siamica* Walker,[1865]** (Sesiidae) Synonym(s): *siamica* Walker,[1865] Range (in code): **TH**

- 82521. *Melittia tibialis* (Drury,1773)** (Sesiidae) Synonym(s): *tibialis* Drury,1773 Range (in code):
82522. *Melittia usambara* Le Cerf,1917 (Sesiidae) Synonym(s): *usambara* Le Cerf,1917 Range (in code): **AET TZ Usa**
- 82523. *Melittia xanthogaster* Hampson,1919** (Sesiidae) Synonym(s): *xanthogaster* Hampson,1919 Range (in code): **AET KE**
- 82524. *Melittosesia flavitarsa* Bartsch,2009** (Sesiidae) Synonym(s): *flavitarsa* Bartsch,2009 Range (in code): **AET**
- 82525. *Metasphacia vuilleti* Le Cerf,1917** (Sesiidae) Synonym(s): *vuilleti* Le Cerf,1917 Range (in code): **AET SN**
- 82526. *Microsphacia brosiiformis* (Hübner,[1813])** (Sesiidae) Synonym(s): *brosiformis* Hübner,[1813]; *dorsalis* Le Cerf,1914; *#obscura* Le Cerf,1914 Original Reference: *Sphinx brosiiformis* Hübner,[1813], Samml. eur. Schmett. 2, Sphinges: Tab.25 fig.116. Type(s): Europa. Range (in code): **SK HU RO YU AL HV B-H BG GR TR RU Cc AZ Tlh IR Ab Ha Mz Elb Zj Kh Es Bk Ke TM UZ KK KG** Bionomy: Larva on *Convolvulus arvensis* (Spatenka, et al.,1996).
- 82527. *Microsphacia tineiformis* (Esper,[1789])** (Sesiidae) Synonym(s): *tineiformis* Esper,[1789]; *aselliformis* Rossi,1794. Range (in code): **AET MA DZ TN PT ES Mu FR Co Sa Si IT HU YU AL BG GR Cr TR IR Elb Th Kdj** Bionomy: Larva on *Convolvulus boissieri* (Spatenka, et al.,1996).
- 82528. *Microsynthedon ambrensis* Viette,[1955]** (Sesiidae) Synonym(s): *ambrensis* Viette,[1955] Range (in code): **AET**
- 82529. *Microsynthedon setodiformis* (Mabille,1891)** (Sesiidae) Synonym(s): *setodiformis* Mabille,1891 Range (in code): **AET**
- 82530. *Microsynthedon tanala* Minet,1976** (Sesiidae) Synonym(s): *tanala* Minet,1976 Range (in code): **AET**
- 82531. *Mimocrypta hampsoni* (Butler,1902)** (Sesiidae) Synonym(s): *hampsoni* Butler,1902 Original Reference: *Cryptomima hampsoni* Butler,1902, Proc. zool. Soc. London 1902: 50. Type: Uganda. Range (in code): **AET UG**
- 82532. *Monopetalotaxis candescens* (Felder,1874)** (Sesiidae) Synonym(s): *candescens* Felder,1874 Range (in code): **AET ZA Wca**
- 82533. *Monopetalotaxis doleriformis* (Walker,1856)** (Sesiidae) Synonym(s): *doleriformis* Walker,1856; *wahlbergi* Wallengren,1858; *taylori* Druce,1899 Range (in code): **AET ZA Tva Lpo Nta Kzu Ec Wca**
- 82534. *Monopetalotaxis luteopunctata* De Freina,2011** (Sesiidae) Synonym(s): *luteopunctata* De Freina,2011 Range (in code): **AET**
- 82535. *Monopetalotaxis pyrocraspis* (Hampson,1910)** (Sesiidae) Synonym(s): *pyrocraspis* Hampson,1910 Range (in code): **AET ZA Wca**
- 82536. *Negotinthia hoplisiformis* (Mann,1864)** (Sesiidae) Synonym(s): *hoplisiformis* Mann,1864 Range (in code): **GR TR Cc AM Kho IR Kd Lo By Fa** Bionomy: Larva on *Poterium polygamum* (Spatenka, et al.,1996).
- 82537. *Negotinthia myrmosaeformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *myrmosaeformis* Herrich-Schäffer,1846; *#lucida* Lederer,1853; *myrmosiformis* Staudinger,1856. Range (in code): **RO YU AL MK BG GR TR RU UA Cm Cc AZ Nv AM Kho** Bionomy: Larva on *Potentilla recta*, *P. obscura* (Spatenka, et al.,1996).
- 82538. *Negotinthia myrmosaeformis cingulata* (Staudinger,1870)** (Sesiidae) Synonym(s): *cingulata* Staudinger,1870. Range (in code): **RO YU MK BG GR TR UA Cm** Bionomy: Larva on *Potentilla taurica* (Spatenka, et al.,1996).
- 82539. *Noctusphacia puchneri* De Freina,2011** (Sesiidae) Synonym(s): *puchneri* De Freina,2011 Range (in code): **AET TZ**
- 82540. *Nokona chrysoidea* (Zukowsky,1932)** (Sesiidae) Synonym(s): *chrysoidea* Zukowsky,1932 Range (in code): **TW** Bionomy: Larva on *Paederia scandens* (Rubiaceae) (Kallies & Arita,1998).
- 82541. *Nyctaegeria nobilis* (Druce,1910)** (Sesiidae) Synonym(s): *nobilis* Druce,1910; *rohani* Le Cerf,1914 Range (in code): **AET AO**
- 82542. *Oligophlebia amalleuta* Meyrick,1910** (Sesiidae) Synonym(s): *amalleuta* Meyrick,1910 Range (in code): **IN Ben**
- 82543. *Oligophlebia cristata* Le Cerf,1916** (Sesiidae) Synonym(s): *cristata* Le Cerf,1916 Range (in code): **ID Ja**
- 82544. *Oligophlebia episcopopa* (Meyrick,1926)** (Sesiidae) Synonym(s): *episcopopa* Meyrick,1926 Range (in code): **MM**

- 82545. *Oligophlebia micra* (Gorbunov,1988)** (Sesiidae) **Synonym(s):** *micra* Gorbunov,1988
Range (in code): **RU Us**
- 82546. *Oligophlebia nigralba* Hampson,1893** (Sesiidae) **Synonym(s):** *nigralba* Hampson,1893
Range (in code): **LK Nwp**
- 82547. *Oligophlebia subapicalis* Hampson,1919** (Sesiidae) **Synonym(s):** *subapicalis* Hampson,1919 **Range (in code):** **TH MM**
- 82548. *Osminia fenusaeformis* (Herrich-Schäffer,1852)** (Sesiidae) **Synonym(s):** *fenusaeformis* Herrich-Schäffer,1852; *fenusiformis* Staudinger,1856 **Range (in code):** **IL Pa Cr TR LB**
- 82549. *Osminia namibiana* Kallies,2004** (Sesiidae) **Synonym(s):** *namibiana* Kallies,2004 **Range (in code):** **AET NA**
- 82550. *Paradoxecia croconeura* (Meyrick,1926)** (Sesiidae) **Synonym(s):** *croconeura* Meyrick,1926 **Range (in code):**
- 82551. *Paradoxecia gravis* (Walker,[1865])** (Sesiidae) **Synonym(s):** *gravis* Walker,[1865] **Range (in code):**
- 82552. *Paradoxecia pieli* Lieu,1935** (Sesiidae) **Synonym(s):** *pieli* Lieu,1935 **Range (in code):**
- 82553. *Paranthrene anthrax* Le Cerf,1916** (Sesiidae) **Synonym(s):** *anthrax* Le Cerf,1916 **Range (in code):** **AET SL**
- 82554. *Paranthrene callipleura* (Meyrick,1931)** (Sesiidae) **Synonym(s):** *callipleura* Meyrick,1931
Original Reference: *Euhagena callipleura* Meyrick,1931, Exot. microlepid. 4: 338. Type: Uganda.
Range (in code): **AET UG**
- 82555. *Paranthrene chalcochlora* Hampson,1919** (Sesiidae) **Synonym(s):** *chalcochlora* Hampson,1919 **Range (in code):** **AET ZW**
- 82556. *Paranthrene diaphana* Dalla-Torre & Strand,1925** (Sesiidae) **Synonym(s):** *diaphana* Dalla-Torre & Strand,1925 **Range (in code):** **MK YU B-H BG TR SY IL Pa IR Cc Lo Es Ke AZ** **Bionomy:** Larva on *Salix alba*, *Populus alba* (Spatenka, et al.,1996).
- 82557. *Paranthrene dominiki* H.Fischer,2006** (Sesiidae) **Synonym(s):** *dominiki* H.Fischer,2006
Range (in code): **MY Cmh**
- 82558. *Paranthrene dukei* Bartsch,2008** (Sesiidae) **Synonym(s):** *dukei* Bartsch,2008 **Range (in code):** **AET**
- 82559. *Paranthrene flammans* (Hampson,[1893])** (Sesiidae) **Synonym(s):** *flammans* Hampson,[1893] **Original Reference:** *Sciapteron flammans* Hampson,[1893], Fauna Br. India (Moths) 1: 191-192. Syntypes ♂♀: [Pakistan]: Murree (coll.Leech). **Range (in code):** **PK Haz Mre**
- 82560. *Paranthrene gracilis* (Swinhoe,1890)** (Sesiidae) **Synonym(s):** *gracilis* Swinhoe,1890
Range (in code): **MM Rgo**
- 82561. *Paranthrene insolita* Le Cerf,1914** (Sesiidae) **Synonym(s):** *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917. **Range (in code):** **PL ES FR DE CZ SK AT UA YU HV HU BG IT TR SY IR Lo Bk By Fa** **Bionomy:** Larva on *Quercus ilex*, *Quercus brantii* (Fagaceae) (Spatenka, et al.,1996; 1997).
- 82562. *Paranthrene insolita hispanica* Spatenka & Lastuvka,1997** (Sesiidae) **Synonym(s):** *hispanica* Spatenka & Lastuvka,1997 **Range (in code):** **ES**
- 82563. *Paranthrene insolita insolita* Le Cerf,1914** (Sesiidae) **Synonym(s):** *insolita* Le Cerf,1914; *aurantiacum* Rebel,1917. **Range (in code):** **TR SY IR**
- 82564. *Paranthrene insolita mardina* Spatenka & Lastuvka,1997** (Sesiidae) **Synonym(s):** *mardina* Spatenka & Lastuvka,1997 **Range (in code):** **TR**
- 82565. *Paranthrene insolita polonica* Schnaider,1939** (Sesiidae) **Synonym(s):** *polonica* Schnaider,1939; *novaki* Tosevski,1987. **Range (in code):** **PL FR DE CZ SK AT UA YU HV HU BG IT TR**
- 82566. *Paranthrene mesothyris* Hampson,1919** (Sesiidae) **Synonym(s):** *mesothyris* Hampson,1919 **Range (in code):** **AET ZA Nta Kzu Umk Dbn**
- 82567. *Paranthrene noblei* (Swinhoe,1890)** (Sesiidae) **Synonym(s):** *noblei* Swinhoe,1890; *jucunda* Swinhoe,1890 **Range (in code):** **MM Rgo**
- 82568. *Paranthrene porphyra* (Meyrick,1937)** (Sesiidae) **Synonym(s):** *porphyra* Meyrick,1937
Original Reference: *Homogyna porphyra* Meyrick,1937, Exot. microlepid. 5: 119. Type: Uganda. **Range (in code):** **AET UG**
- 82569. *Paranthrene propyria* Hampson,1919** (Sesiidae) **Synonym(s):** *propyria* Hampson,1919
Range (in code): **AET ZW**
- 82570. *Paranthrene pygmaeum* Rebel,1899** (Sesiidae) **Synonym(s):** *pygmaeum* Rebel,1899
Range (in code): **YE**

- 82571. Paranthrene pythes (Druce,1899)** (Sesiidae) Synonym(s): *pythes* Druce,1899 Range (in code): AET ZA Wca
- 82572. Paranthrene sanguipennis Meyrick,1926** (Sesiidae) Synonym(s): *sanguipennis* Meyrick,1926 Range (in code): AET ZA
- 82573. Paranthrene tabaniformis (Rottemburg,1775)** (Sesiidae) Synonym(s): *tabaniformis* Rottemburg,1775; *asiliformis* [Denis & Schiffermüller],1775 nec Rott.,1775; *sesia* Gmelin,1789; *rhingiaeformis* Hübner,1790; *crabroniformis* Laspeyres,1801 nec Fabr.,1793; *tricincta* Harris,1839; *serratiformis* Freyer,1842; *rhingiiformis* Staudinger,1856; *denotata* Edwards,1882; *flammans* Hampson,1893 Range (in code): MA DZ Sbd TN PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR DK NO SE FI EE LV LT RU Am MD UA BY CN Ui Kun Chr TJ Pm IR Elb Mz Ha Es Bionomy: Larva on Populus, Salix, Hippophae rhamnoides, Loranthus europaeus, Betula alba (Spatenka, et al.,1996).
- 82574. Paranthrene tabaniformis kungessana (Alpheraky,1882)** (Sesiidae) Synonym(s): *kungessana* Alpheraky,1882 Range (in code): CN Ui Kun Chr TJ Pm
- 82575. Paranthrene thalassina Hampson,1919** (Sesiidae) Synonym(s): *thalassina* Hampson,1919 Range (in code): AET KE
- 82576. Paranthrene tristis Le Cerf,1917** (Sesiidae) Synonym(s): *tristis* Le Cerf,1917 Range (in code): VN Ann
- 82577. Paranthrene xanthopyga Hampson,1919** (Sesiidae) Synonym(s): *xanthopyga* Hampson,1919 Range (in code): AET ZA KE UG
- 82578. Paranthrene xanthosoma (Hampson,1910)** (Sesiidae) Synonym(s): *xanthosoma* Hampson,1910 Range (in code): AET ZA UG ZW Bul
- 82579. Paranthrene zygophora Hampson,1919** (Sesiidae) Synonym(s): *zygophora* Hampson,1919 Range (in code): MY Bor
- 82580. Paranthrenopsis editha (Butler,1878)** (Sesiidae) Synonym(s): *editha* Butler,1878; *harmandi* Le Cerf,1911. Range (in code): JP
- 82581. Paranthrenopsis pogonias (Bryk,1947)** (Sesiidae) Synonym(s): *pogonias* Bryk,1947 Range (in code): CN
- 82582. Pedalonina semimarginata Gaede,1929** (Sesiidae) Synonym(s): *semimarginata* Gaede,1929 Original Reference: Pedalonina semimarginata Gaede,1929, [in] Seitz, Gross-Schmett. 14: 528. Type: W.Africa. Range (in code): AET
- 82583. Pennisetia bohémica Králíček & Povolný,1974** (Sesiidae) Synonym(s): *bohémica* Králíček & Povolný,1974 Range (in code): CZ Bionomy: Larva on Rosa canina (Spatenka, et al.,1996).
- 82584. Pennisetia contracta (Walker,1856)** (Sesiidae) Synonym(s): *contracta* Walker,1856; *fixseni* Leech,1889. Range (in code): JP
- 82585. Pennisetia eusphyra (Turner,1917)** (Sesiidae) Synonym(s): *eusphyra* Turner,1917 Range (in code): AU QAU
- 82586. Pennisetia hylaeiformis (Laspeyres,1801)** (Sesiidae) Synonym(s): *hylaeiformis* Laspeyres,1801; *anomala* Dehne,1850. Range (in code): PT ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Rubus idaeus, R. boissieri, R. afzeliana (Spatenka, et al.,1996).
- 82587. Pennisetia igniflua (Lucas,1894)** (Sesiidae) Synonym(s): *igniflua* Lucas,1894 Range (in code): AU
- 82588. Pennisetia pectinata (Staudinger,1887)** (Sesiidae) Synonym(s): *pectinata* Staudinger,1887 Range (in code): RU Am
- 82589. Podosesia surodes Hampson,1919** (Sesiidae) Synonym(s): *surodes* Hampson,1919 Range (in code): AET MW
- 82590. Proaegeria vouauxi Le Cerf,1917** (Sesiidae) Synonym(s): *vouauxi* Le Cerf,1917 Range (in code): AET CM
- 82591. Pseudalcathoe Le Cerf,1916** (Sesiidae) Synonym(s): *Pseudalcathoe* Le Cerf,1916 Range (in code):
- 82592. Pseudalcathoe aspetura Meyrick,1932** (Sesiidae) Synonym(s): *aspetura* Meyrick,1932 Range (in code): AET KE Nai
- 82593. Pseudomelittia andraenipennis (Walker,1856)** (Sesiidae) Synonym(s): *andraenipennis* Walker,1856; *andraeniformis* Boisduval,1874 Range (in code): AET ZA Wca
- 82594. Pseudomelittia berlandi Le Cerf,1917** (Sesiidae) Synonym(s): *berlandi* Le Cerf,1917 Range (in code): AET MW TZ

- 82595. *Pseudomelittia cingulata* Gaede,1929** (Sesiidae) **Synonym(s):** *cingulata* Gaede,1929
Range (in code): **AET NG**
- 82596. *Pseudosesia albifrons* (Hampson,1919)** (Sesiidae) **Synonym(s):** *albifrons* Hampson,1919
Range (in code): **MM**
- 82597. *Pseudosesia caeruleimicans* (Hampson,[1893])** (Sesiidae) **Synonym(s):** *caeruleimicans* Hampson,[1893] **Range (in code):** **MM**
- 82598. *Pseudosesia canarensis* (Hampson,1919)** (Sesiidae) **Synonym(s):** *canarensis* Hampson,1919 **Range (in code):** **IN Mh Bba**
- 82599. *Pseudosesia charlesi* (Le Cerf,1916)** (Sesiidae) **Synonym(s):** *charlesi* Le Cerf,1916 **Range (in code):** **PG**
- 82600. *Pseudosesia croconeura* (Meyrick,1926)** (Sesiidae) **Synonym(s):** *croconeura* Meyrick,1926 **Range (in code):** **SI IN**
- 82601. *Pseudosesia flavifrons* (Hampson,1919)** (Sesiidae) **Synonym(s):** *flavifrons* Hampson,1919
Range (in code): **IN Pj**
- 82602. *Pseudosesia grotei* Moore,1879** (Sesiidae) **Synonym(s):** *grotei* Moore,1879 **Range (in code):** **IN Ass**
- 82603. *Pseudosesia insularis* C.Felder,1861** (Sesiidae) **Synonym(s):** *insularis* C.Felder,1861
Range (in code): **MY Bor ID Amb Clb**
- 82604. *Pseudosesia isozona* (Meyrick,1887)** (Sesiidae) **Synonym(s):** *isozona* Meyrick,1887
Range (in code):
- 82605. *Pseudosesia limpida* (Le Cerf,1916)** (Sesiidae) **Synonym(s):** *limpida* Le Cerf,1916 **Range (in code):** **ID Ja**
- 82606. *Pseudosesia oberthueri* (Le Cerf,1916)** (Sesiidae) **Synonym(s):** *oberthueri* Le Cerf,1916; *terribile* Turner,1917 **Range (in code):**
- 82607. *Pseudosesia opalescens* (Hampson,1919)** (Sesiidae) **Synonym(s):** *opalescens* Hampson,1919 **Range (in code):** **ID Clb**
- 82608. *Pseudosesia pentazonata* (Hampson,1919)** (Sesiidae) **Synonym(s):** *pentazonata* Hampson,1919 **Range (in code):** **NBr PG**
- 82609. *Pseudosesia productalis* (Walker,[1865])** (Sesiidae) **Synonym(s):** *productalis* Walker,[1865] **Range (in code):**
- 82610. *Pseudosesia rangoonensis* (Swinhoe,1890)** (Sesiidae) **Synonym(s):** *rangoonensis* Swinhoe,1890; *yezonica* Matsumura,1931 **Range (in code):** **MM Rgo JP**
- 82611. *Pseudosesia zoniota* (Turner,1922)** (Sesiidae) **Synonym(s):** *zoniota* Turner,1922 **Range (in code):** **AU**
- 82612. *Pyranthrene flammans* Hampson,1919** (Sesiidae) **Synonym(s):** *flammans* Hampson,1919
Range (in code): **AET MW**
- 82613. *Pyropteron atypica* Kallies & K.Spatenka,2003** (Sesiidae) **Synonym(s):** *atypica* Kallies & K.Spatenka,2003 **Range (in code):** **IR Fa Th Elb Lo By Bk Es**
- 82614. *Pyropteron biedermaani* Le Cerf,1925** (Sesiidae) **Synonym(s):** *biedermaani* Le Cerf,1925
Range (in code): **MA**
- 82615. *Pyropteron chrysidiformis* (Esper,[1782])** (Sesiidae) **Synonym(s):** *chrysidiformis* Esper,[1782]; *crabroniformis* Fabricius,1793; *polistiformis* Boisduval,1840; *chalcocnemis* Staudinger,1856; *depuiseti* Sand,1879; *rondoui* Siepi,1909; *lecerfi* Oberthür,1909; *joannisi* Le Cerf,1909; *castiliana* Le Cerf,1922
Range (in code): **PT ES FR Co Sa Si IT GB BE LU DE CH AT RO YU GR TR** **Bionomy:** Larva on *Rumex scutatus*, *R. acetosa* (Spatenka et al.,1996).
- 82616. *Pyropteron chrysoneura* (Püngeler,1913)** (Sesiidae) **Synonym(s):** *chrysoneura* Püngeler,1913 **Range (in code):** **KG Tk Dj Ii CN Ui** **Bionomy:** Larva on *Scutellaria ramossisima* (Spatenka et al.,1996).
- 82617. *Pyropteron margiana* (Püngeler,1913)** (Sesiidae) **Synonym(s):** *margiana* Püngeler,1913
Range (in code): **TM Mrw**
- 82618. *Pyropteron minianiformis* (Freyer,1843)** (Sesiidae) **Synonym(s):** *minianiformis* Freyer,1843 **Range (in code):** **IT RO YU AL BG GR Cr CY TR RU Cc AZ Nv AM Kho IR Gls Mz Elb TM Kp** **Bionomy:** Larva on *Rumex palustris*, *R. acetosa* (Spatenka et al.,1996).
- 82619. *Pyropteron minianiformis destitutum* (Staudinger,1894)** (Sesiidae) **Synonym(s):** *destitutum* Staudinger,1894 **Range (in code):** **TR**
- 82620. *Pyropteron reisseri* Capuse,1973** (Sesiidae) **Synonym(s):** *reisseri* Capuse,1973 **Range (in code):** **AET DZ**

- 82621. *Pyropteron seitzi* (Püngeler,1907) (Sesiidae) Synonym(s):** *seitzi* Püngeler,1907 Range (in code): AET DZ
- 82622. *Pyropteron siculum* Le Cerf,1922 (Sesiidae) Synonym(s):** *sicula* Le Cerf,1922 Range (in code): Si IT Bionomy: Larva on Rumex (Spatenka et al.,1996).
- 82623. *Pyropteron triannuliformis* (Freyer,1845) (Sesiidae) Synonym(s):** *meriaeformis* Assmann,1845 nec Bsd.,1840; *triannuliformis* Freyer,1845; *braconiformis* Herrich-Schäffer,1846; *philanthiformis* Lederer,1853 nec Lasp.,1801; *armeniaca* Bartel,1906; *balcanica* Zukowsky,1929; *ljiljanae* Tosevski,1986; *pungeleri* K.Spatenka,1987 Original Reference: *Sesia triannuliformis* Freyer,1845, Neuere Beitr. Naturk. 5: 35. Type(s): [Türkei]: Constantinopel [Istanbul]. Range (in code): FR Si IT DE CH AT PL CZ SK HU RO MK AL BG GR TR Cc GG Smt Bjo Tbl AZ Nv EE LV LT RU MD UA BY IR Ab Sro Ak Th Es LB Bsa IL Pa Bionomy: Larva on Rumex acetosella, R. acetosa, R. crispus, R. palustris, R. conglomeratus, Geranium sanguineum (Geraniaceae); Acetosella, Acetosa (Spatenka et al.,1996).
- 82624. *Rectala asyliformis* Bryk,1947 (Sesiidae) Synonym(s):** *asyliformis* Bryk,1947 Range (in code):
- 82625. *Rodolphia* Le Cerf,1911 (Sesiidae) Synonym(s):** *Rodolphia* Le Cerf,1911 Range (in code):
- 82626. *Rodolphia hombergi* Le Cerf,1911 (Sesiidae) Synonym(s):** *hombergi* Le Cerf,1911 Range (in code): AET MG
- 82627. *Rubukona cuprescens* (Hampson,1919) (Sesiidae) Synonym(s):** *cuprescens* Hampson,1919 Range (in code): MZ
- 82628. *Rubukona svetlanae* Fischer,2007 (Sesiidae) Synonym(s):** *svetlanae* Fischer,2007 Range (in code): AET TZ
- 82629. *Scasiba difficilis* Kallies & Arita,2004 (Sesiidae) Synonym(s):** *difficilis* Kallies & Arita,2004 Range (in code): VN
- 82630. *Scasiba sheni* (Arita & Xu,1994) (Sesiidae) Synonym(s):** *sheni* Arita & Xu,1994; *caryavora* Xu,1994 Range (in code): CN
- 82631. *Scasiba taikanensis* Matsumura,1931 (Sesiidae) Synonym(s):** *taikanensis* Matsumura,1931 Range (in code): TW
- 82632. *Scasiba tenuimarginata* (Hampson,1893) (Sesiidae) Synonym(s):** *tenuimarginata* Hampson,1893 Range (in code): IN SI
- 82633. *Sesia apiformis* (Clerck,1759) (Sesiidae) Synonym(s):** *#apiformis* Clerck,1759; *crabroniformis* [Denis & Schiffmüller],1775; *sireciformis* Esper,1782; *tenebrioniformis* Esper,1782; *vespa* Retzius,1783 Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Populus, Salix (Mann,1862; Spatenka, et al.,1996).
- 82634. *Sesia bembeciformis* (Hübner,[1806]) (Sesiidae) Synonym(s):** *bembeciformis* Hübner,[1806]; *crabroniformis* Lewin,1797 nec [Denis & Schiff.],1775; *dasypodiformis* Walker,1856; *montelii* Lofquist,1922 Original Reference: *Sphinx bembeciformis* Hübner,[1806], Samml. eur. Schmett. 2, Sphinges: Tab.20 fig.98. Type(s): Europa. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK YU TR DK NO SE FI LT RU MD UA BY Bionomy: Larva on Salix carpea, S.aurita, S.cinerea, S.alba (Spatenka, et al.,1996).
- 82635. *Sesia flavicollis* (Hampson,[1893]) (Sesiidae) Synonym(s):** *flavicollis* Hampson,[1893] Original Reference: *Sphecodes* *flavicollis* Hampson,[1893], Fauna Br. India (Moths) 1: 190. Type ♀: [Pakistan]: "Skardo, Kashmir, 8000 feet (Leech)". Range (in code): PK Bt Skd Ch
- 82636. *Sesia gloriosa* (Le Cerf,1914) (Sesiidae) Synonym(s):** *gloriosa* Le Cerf,1914 Range (in code): CN
- 82637. *Sesia himachalensis* Kallies & de Freina,2009 (Sesiidae) Synonym(s):** *himachalensis* Kallies & de Freina,2009 Range (in code): IN Hp
- 82638. *Sesia ignicollis* (Hampson,[1893]) (Sesiidae) Synonym(s):** *ignicollis* Hampson,[1893] Original Reference: *Trochilium ignicolle* Hampson,[1893], Fauna Br. India (Moths) 1: 189. Type: India: Simla (Harford) (BMNH). Range (in code): PK Swa Haz Mgo IN Hp Sml
- 82639. *Sesia ladakhensis* Spatenka,1990 (Sesiidae) Synonym(s):** *ladakhensis* Spatenka,1990 Range (in code): IN Ld
- 82640. *Sesia ommatiaeformis* (Moore,1891) (Sesiidae) Synonym(s):** *ommatiaeformis* Moore,1891; *shugnana* Sheljuzhko,1943 Range (in code): AF Kab PK Bl TJ Pm
- 82641. *Sesia przewalskii* (Alpheraky,1882) (Sesiidae) Synonym(s):** *przewalskii* Alpheraky,1882 Range (in code): CN Ui Ku Chr Kun KG Sp Lps Bionomy: Larva on Salix iliensis (Spatenka, et al.,1996).

- 82642. *Sesia ruficollis* Petersen & Lingenhöle, 1998** (Sesiidae) Synonym(s): *ruficollis* Petersen & Lingenhöle, 1998 Range (in code):
- 82643. *Sesia solitera* Spatenka & Arita, 1992** (Sesiidae) Synonym(s): *solitera* Spatenka & Arita, 1992 Range (in code): **CN**
- 82644. *Sesia tibetensis* Arita & Xu, 1994** (Sesiidae) Synonym(s): *tibetensis* Arita & Xu, 1994 Range (in code): **CN Ti**
- 82645. *Sesia timur* (Groum-Grshimailo, 1893)** (Sesiidae) Synonym(s): *timur* Groum-Grshimailo, 1893 Range (in code): **UZ Br** Bionomy: Larva on *Populus densa* (Spatenka, et al., 1996).
- 82646. *Similipepsis aurea* Gaede, 1929** (Sesiidae) Synonym(s): *aurea* Gaede, 1929 Range (in code): **AET**
- 82647. *Similipepsis bicingulata* Gorbunov & Arita, 1995** (Sesiidae) Synonym(s): *bicingulata* Gorbunov & Arita, 1995 Range (in code):
- 82648. *Similipepsis ekisi* Wang, 1984** (Sesiidae) Synonym(s): *ekisi* Wang, 1984 Range (in code): **AET**
- 82649. *Similipepsis eumenidiformis* Bartsch, 2008** (Sesiidae) Synonym(s): *eumenidiformis* Bartsch, 2008 Range (in code): **AET**
- 82650. *Similipepsis helicella* Kallies & Arita, 2001** (Sesiidae) Synonym(s): *helicella* Kallies & Arita, 2001 Range (in code):
- 82651. *Similipepsis lasiocera* Hampson, 1919** (Sesiidae) Synonym(s): *lasiocera* Hampson, 1919 Range (in code):
- 82652. *Similipepsis maromizaensis* Bartsch, 2008** (Sesiidae) Synonym(s): *maromizaensis* Bartsch, 2008 Range (in code): **AET**
- 82653. *Similipepsis osuni* Bakowski & Kallies, 2008** (Sesiidae) Synonym(s): *osuni* Bakowski & Kallies, 2008 Range (in code): **AET**
- 82654. *Similipepsis taiwanensis* (Arita & Gorbunov, 2001)** (Sesiidae) Synonym(s): *taiwanensis* Arita & Gorbunov, 2001 Range (in code): **TW**
- 82655. *Similipepsis takizawai* Arita & Spatenka, 1989** (Sesiidae) Synonym(s): *takizawai* Arita & Spatenka, 1989 Range (in code):
- 82656. *Similipepsis typica* (Strand, [1913])** (Sesiidae) Synonym(s): *typica* Strand, [1913] Range (in code): **AET**
- 82657. *Similipepsis violacea* Le Cerf, 1911** (Sesiidae) Synonym(s): *violacea* Le Cerf, 1911 Range (in code): **AET**
- 82658. *Similipepsis yunnanensis* Spatenka & Arita, 1992** (Sesiidae) Synonym(s): *yunnanensis* Spatenka & Arita, 1992 Range (in code): **CN Yu**
- 82659. *Sphecodesia difficilis* (Kallies & Xu, 1994)** (Sesiidae) Synonym(s): *difficilis* Kallies & Xu, 1994 Range (in code): **CN**
- 82660. *Sphecodesia repanda* (Walker, 1856)** (Sesiidae) Synonym(s): *repanda* Walker, 1856; *catalina* Meyrick, 1926 Range (in code): **PK IN Hp Sml Pj Kma**
- 82661. *Sphecodesia scribai* (Bartel, 1912)** (Sesiidae) Synonym(s): *scribai* Bartel, 1912; *molybdiceps* Hampson, 1919 Range (in code): **JP**
- 82662. *Sphecodesia tenuimarginata* (Hampson, [1893])** (Sesiidae) Synonym(s): *tenuimarginata* Hampson, [1893] Range (in code): **MM**
- 82663. *Sphecodesia ashinaga* Kallies & Arita, 2004** (Sesiidae) Synonym(s): *ashinaga* Kallies & Arita, 2004 Range (in code): **VN**
- 82664. *Sphecodesia aterea* Hampson, 1919** (Sesiidae) Synonym(s): *aterea* Hampson, 1919 Range (in code): **PH Mno**
- 82665. *Sphecodesia bruneiensis* Kallies, 2003** (Sesiidae) Synonym(s): *bruneiensis* Kallies, 2003 Range (in code): **MY Bor BN**
- 82666. *Sphecodesia rhodites* Kallies & Arita, 2004** (Sesiidae) Synonym(s): *rhodites* Kallies & Arita, 2004 Range (in code): **VN**
- 82667. *Sura chalybea* Butler, 1876** (Sesiidae) Synonym(s): *chalybea* Butler, 1876; *coeruleonitens* Rothschild, 1912 Range (in code): **MY SG Bor**
- 82668. *Sura cyanea* Hampson, 1919** (Sesiidae) Synonym(s): *cyanea* Hampson, 1919 Range (in code): **ID Ja**
- 82669. *Sura ellenbergeri* (Le Cerf, 1917)** (Sesiidae) Synonym(s): *ellenbergeri* Le Cerf, 1917 Range (in code): **GA Ogo**

- 82670. Sura ignicauda (Hampson,[1893])** (Sesiidae) Synonym(s): *ignicauda* Hampson,[1893]
Range (in code): **MM ID Ja**
- 82671. Sura lampadura Meyrick,1935** (Sesiidae) Synonym(s): *lampadura* Meyrick,1935 Range (in code): **AET UG**
- 82672. Sura melanochalcia (Le Cerf,1917)** (Sesiidae) Synonym(s): *melanochalcia* Le Cerf,1917; *melancholica* Gaede,1929 Range (in code): **AET ZA MZ ZW**
- 82673. Sura phoenicia Hampson,1919** (Sesiidae) Synonym(s): *phoenicia* Hampson,1919 Range (in code): **MY Bor**
- 82674. Sura pyrocera Hampson,1919** (Sesiidae) Synonym(s): *pyrocera* Hampson,1919 Range (in code): **AET MW**
- 82675. Sura ruficauda (Rothschild,1911)** (Sesiidae) Synonym(s): *ruficauda* Rothschild,1911 Range (in code): **AET MW TZ**
- 82676. Sura rufitibia Hampson,1919** (Sesiidae) Synonym(s): *rufitibia* Hampson,1919 Range (in code): **AET NG**
- 82677. Sura tetrapora Diakonoff,[1968]** (Sesiidae) Synonym(s): *tetrapora* Diakonoff,[1968] Range (in code): **PH Luz**
- 82678. Sura uncariae Schneider,1940** (Sesiidae) Synonym(s): *uncariae* Schneider,1940 Range (in code): **ID Sum**
- 82679. Sura xylocopiformis Walker,1856** (Sesiidae) Synonym(s): *xylocopiformis* Walker,1856; *bicolor* Le Cerf,1917 Range (in code): **AET ZA Tva Lpo Nta Kzu**
- 82680. Synansphecchia affinis (Staudinger,1856)** (Sesiidae) Synonym(s): *affinis* Staudinger,1856; *erodiiphaga* Dumont,1922 [ssp.] Range (in code): **AET DZ TN PT ES FR Si IT BE DE CH AT CZ SK HU RO YU AL GR TR Cc GG Akh Smt Bjo RU MD UA BY** Bionomy: Larva on Helianthemum, Fumana procumbens, Erodium arborescens (Blaschke,1914; Spatenka et al.,1996).
- 82681. Synansphecchia aistleitneri Spatenka,1992** (Sesiidae) Synonym(s): *aistleitneri* Spatenka,1992 Range (in code): **ES**
- 82682. Synansphecchia atlantis (Schwingenschuss,1935)** (Sesiidae) Synonym(s): *atlantis* Schwingenschuss,1935 Range (in code): **MA** Bionomy: Larva on Rumex scutatus (Spatenka et al.,1996).
- 82683. Synansphecchia borreyi (Le Cerf,1922)** (Sesiidae) Synonym(s): *borreyi* Le Cerf,1922 Range (in code): **MA**
- 82684. Synansphecchia cirgisa (Bartel,1912)** (Sesiidae) Synonym(s): *cirgisa* Bartel,1912 Original Reference: Chamaesphecchia cirgisa Bartel,1912, [in] Seitz, A. Gross-Schmett. Erde 2: 408 (50k). Type ♀: [Kazakhstan]: Uralsk Range (in code): **RO TR RU Sr Cc AZ TM KG Uk** Bionomy: Larva on Limonium gmelini? (Spatenka et al.,1996).
- 82685. Synansphecchia doryliformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *doryliformis* Ochsenheimer,1808; *icteropus* Zeller,1847 [ssp.]; *euglossaeformis* Lucas,1849; *ceriaeformis* Lucas,1849; *teriolensis* Staudinger,1894; *erythrostigma* Rebel,1901; *bellieri* Le Cerf,1916; *tingitana* Le Cerf,1916 Range (in code): **AET MA TN DZ Orn Sbd MA PT ES Sa Si IT** Bionomy: Larva on Rumex pulcher (Spatenka et al.,1996).
- 82686. Synansphecchia hera K.Spatenka,1997** (Sesiidae) Synonym(s): *hera* K.Spatenka,1997 Range (in code): **TR**
- 82687. Synansphecchia kautzi (Reisser,1930)** (Sesiidae) Synonym(s): *kautzi* Reisser,1930 Range (in code): **ES**
- 82688. Synansphecchia koschwitzi K.Spatenka,1992** (Sesiidae) Synonym(s): *koschwitzi* K.Spatenka,1992 Range (in code): **ES** Bionomy: Larva on Limonium toletanum? (Spatenka et al.,1996).
- 82689. Synansphecchia leucomelaena (Zeller,1847)** (Sesiidae) Synonym(s): *leucomelaena* Zeller,1847; *therevaeformis* Lederer,1853; *cretica* Rebel,1916 Original Reference: Sesia leucomelaena Zeller,1847, Isis 1847: 12. Lectotype ♂: [Turkey: Antalya Prov., Fethiye]: "Macri" (BMNH), designated by Spatenka (1992). Range (in code): **MA DZ TN PT ES FR Co Sa Si IT RO YU HV AL BG GR Cr CY TR RU MD UA Cm IR Elb Kdv Mz** Bionomy: Larva on Poterium sanguisorba (Spatenka et al.,1996).
- 82690. Synansphecchia mannii (Lederer,1853)** (Sesiidae) Synonym(s): *mannii* Lederer,1853 Range (in code): **BG TR** Bionomy: Larva on Geranium rotundifolium (Geraniaceae) (Spatenka et al.,1996).

- 82691. Synansphecchia meriaeformis (Boisduval,1840)** (Sesiidae) Synonym(s): *meriaeformis* Boisduval,1840 Range (in code): **PT ES FR Co Sa Si IT** Bionomy: Larva Acetosella (Spatenka et al.,1996).
- 82692. Synansphecchia muscaeformis (Esper,[1783])** (Sesiidae) Synonym(s): *muscaeformis* Esper,[1783] Range (in code): **PT ES FR IT IE GB DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LV RU MD UA BY Cc AM Dar AZ Kir** Bionomy: Larva on Armeria maritima, A. vulgaris (Spatenka et al.,1996).
- 82693. Synansphecchia muscaeformis lusohispanica Z.Lastuvka & A.Lastuvka,2007** (Sesiidae) Synonym(s): *lusohispanica* Z.Lastuvka & A.Lastuvka,2007 Range (in code): **PT ES**
- 82694. Synansphecchia powelli (Le Cerf,1916)** (Sesiidae) Synonym(s): *powelli* Le Cerf,1916 Range (in code): **MA DZ Lbs**
- 82695. Synansphecchia umbrifera (Staudinger,1871)** (Sesiidae) Synonym(s): *umbrifera* Staudinger,1871 Range (in code): **GR** Bionomy: Larva on Limonium (Spatenka et al.,1996).
- 82696. Synanthedon aericineta (Meyrick,1928)** (Sesiidae) Synonym(s): *aericincta* Meyrick,1928 Range (in code): **AET UG**
- 82697. Synanthedon africana (Le Cerf,1917)** (Sesiidae) Synonym(s): *africana* Le Cerf,1917 Range (in code): **AET**
- 82698. Synanthedon alenica (Strand,[1913])** (Sesiidae) Synonym(s): *alenica* Strand,[1913] Range (in code):
- 82699. Synanthedon andrenaeformis (Laspeyres,1801)** (Sesiidae) Synonym(s): *andrenaeformis* Laspeyres,1801; *atlantiforme* Newman,1832; *andraeniformis* Westwood,1843; *andreniformis* Staudinger,1856 Range (in code): **ES FR IT GB BE LU DE CH AT CZ SK HU RO YU BG TR Cc AM RU MD UA BY** Bionomy: Larva on Viburnum lantana, V. opulus (Spatenka, et al.,1996).
- 82700. Synanthedon andrenaeformis tenuicingulata K.Spatenka,1997** (Sesiidae) Synonym(s): *tenuicingulata* K.Spatenka,1997 Range (in code): **TR Cc AM**
- 82701. Synanthedon armeniaca Gorbunov,1991** (Sesiidae) Synonym(s): *armeniaca* Gorbunov,1991 Range (in code): **AM Cc TR IR Elb Kdv Th** Bionomy: Larva on Malus silvestris (Spatenka, et al.,1996).
- 82702. Synanthedon astyarcha (Meyrick,1930)** (Sesiidae) Synonym(s): *astyarcha* Meyrick,1930 Range (in code): **AET UG**
- 82703. Synanthedon aulagraptia (Meyrick,1934)** (Sesiidae) Synonym(s): *aulagraptia* Meyrick,1934 Range (in code): **AET MW**
- 82704. Synanthedon auripes (Hampson,1910)** (Sesiidae) Synonym(s): *auripes* Hampson,1910 Range (in code): **AET GH**
- 82705. Synanthedon beutenmuelleri Heppner & Duckworth,1981** (Sesiidae) Synonym(s): *albiventris* Beutenmüller,1899 nec Led.,1853; *beutenmuelleri* Heppner & Duckworth,1981 Range (in code): **AET CF**
- 82706. Synanthedon bifenestrata Gaede,1929** (Sesiidae) Synonym(s): *bifenestrata* Gaede,1929 Range (in code): **AET**
- 82707. Synanthedon caucasica Gorbunov,1986** (Sesiidae) Synonym(s): *caucasica* Gorbunov,1986 Range (in code): **AZ Len IR Elb Mz Cc** Bionomy: Larva on Quercus castaniifolia (Spatenka, et al.,1996).
- 82708. Synanthedon cephiiformis (Ochsenheimer,1808)** (Sesiidae) Synonym(s): *cephiiformis* Ochsenheimer,1808; *laspeyres* Heppner & Duckworth,1981 Range (in code): **FR IT LU DE CH AT PL CZ SK HU RO YU BG TR GR RU MD UA BY Cc GG Smt Bjo** Bionomy: Larva on Abies alba (Spatenka, et al.,1996).
- 82709. Synanthedon chlorothyris (Meyrick,1935)** (Sesiidae) Synonym(s): *chlorothyris* Meyrick,1935 Range (in code): **AET UG**
- 82710. Synanthedon chrysonympha (Meyrick,1935)** (Sesiidae) Synonym(s): *chrysonympha* Meyrick,1935 Range (in code): **AET UG**
- 82711. Synanthedon citrura (Meyrick,1927)** (Sesiidae) Synonym(s): *citrura* Meyrick,1927 Range (in code): **AET UG**
- 82712. Synanthedon codeti (Oberthür,1881)** (Sesiidae) Synonym(s): *codeti* Oberthür,1881; *puigi* Oberthür,1881; *inversa* Le Cerf,1916; *kabylaria* Le Cerf,1916; *atavus* Le Cerf,1920; *maroccana* Le Cerf,1920; *almohades* Le Cerf,1920; *ferdinandi* Rungs,1972 Range (in code): **AET MA DZ Sbd Orn TN ES FR Sa** Bionomy: Larva on Quercus ilex, Corylus avellana, Prunus, Platanus orientalis, Carya pecan (Spatenka, et al.,1996).

- 82713. *Synanthedon colchidensis* K.Spatenka & Gorbunov,1992** (Sesiidae) **Synonym(s):** *colchidensis* K.Spatenka & Gorbunov,1992 **Range (in code):** **Cc GG Bjo Smt TR** **Bionomy:** Larva on *Abies nordmanniana* (Spatenka & Gorbunov,1992; Spatenka, et al.,1996).
- 82714. *Synanthedon conopiformis* (Esper,[1782])** (Sesiidae) **Synonym(s):** *conopiformis* Esper,[1782]; *syrphiformis* Hübner,1796; *nomadaeformis* Laspeyres,1801 **Range (in code):** **PT ES FR Sa Si IT BE LU DE CH AT PL CZ SK HU RO YU AL BG GR LT RU MD UA BY Cc GG Smt Bjo IR** **Bionomy:** Larva on *Quercus* (Spatenka et al.,1996).
- 82715. *Synanthedon cruentata* (Mann,1859)** (Sesiidae) **Synonym(s):** *cruentata* Mann,1859 **Range (in code):** **Si MT**
- 82716. *Synanthedon culiciformis* (Linnaeus,1758)** (Sesiidae) **Synonym(s):** *culiciformis* Linnaeus,1758; *culex* Retzius,1783; *americana* Beutenmüller,1896 **Range (in code):** **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ** **Bionomy:** Larva on *Betula*, *Alnus viridis*, *A. glutinosa*, *Populus* (Spatenka et al.,1996).
- 82717. *Synanthedon cyanescens* (Hampson,1910)** (Sesiidae) **Synonym(s):** *cyanescens* Hampson,1910 **Range (in code):** **AET**
- 82718. *Synanthedon cyanospira* (Meyrick,1928)** (Sesiidae) **Synonym(s):** *cyanospira* Meyrick,1928 **Range (in code):** **AET**
- 82719. *Synanthedon dasysceles* Bradley,1968** (Sesiidae) **Synonym(s):** *dasysceles* Bradley,1968 **Range (in code):** **AET KE TZ UG**
- 82720. *Synanthedon dybowskii* (Le Cerf,1917)** (Sesiidae) **Synonym(s):** *dybowskii* Le Cerf,1917 **Range (in code):** **AET**
- 82721. *Synanthedon erythrogama* (Meyrick,1934)** (Sesiidae) **Synonym(s):** *erythrogama* Meyrick,1934 **Range (in code):** **AET MW**
- 82722. *Synanthedon erythromma* Hampson,1919** (Sesiidae) **Synonym(s):** *erythromma* Hampson,1919; *pyrostoma* Meyrick,1927 **Range (in code):** **AET**
- 82723. *Synanthedon ethiopica* (Hampson,1919)** (Sesiidae) **Synonym(s):** *ethiopica* Hampson,1919; *aethiopica* Dalla Torre & Strand,1925 **Range (in code):** **AET**
- 82724. *Synanthedon ferox* (Meyrick,1929)** (Sesiidae) **Synonym(s):** *ferox* Meyrick,1929 **Range (in code):** **AET UG**
- 82725. *Synanthedon flavicaudata* (Moore,1887)** (Sesiidae) **Synonym(s):** *flavicaudata* Moore,1887 **Original Reference:** *Sesia flavicaudata* Moore,1887, *Lepid. Ceylon* 3: 559, pl.211 fig.12. **Type:** [Sri Lanka]: Ceylon, Punduloya. **Range (in code):** **LK Pdy**
- 82726. *Synanthedon flavicincta* (Hampson,[1893])** (Sesiidae) **Synonym(s):** *flavicincta* Hampson,[1893] **Range (in code):** **MM Tns**
- 82727. *Synanthedon flavipalpis* (Hampson,1910)** (Sesiidae) **Synonym(s):** *flavipalpis* Hampson,1910 **Range (in code):** **AET ZA Tva Lpo KE ZW**
- 82728. *Synanthedon flavipectus* (Hampson,1910)** (Sesiidae) **Synonym(s):** *flavipectus* Hampson,1910 **Range (in code):** **AET**
- 82729. *Synanthedon flaviventris* (Staudinger,1883)** (Sesiidae) **Synonym(s):** *flaviventris* Staudinger,1883 **Range (in code):** **FR IT GB DE CH AT PL CZ SK RO YU DK SE FI EE LT RU MD UA BY** **Bionomy:** Larva on *Salix caprea*, *S. cinerea*, *S. aurita*, *S. fragilis* (Spatenka et al.,1996).
- 82730. *Synanthedon formicaeformis* (Esper,[1783])** (Sesiidae) **Synonym(s):** *formicaeformis* Esper,[1783]; *formiciformis* Staudinger,1856 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY Cc GG Smt Bjo** **Bionomy:** Larva on *Salix caprea*, *S. alba*, *S. rubra* (Spatenka et al.,1996).
- 82731. *Synanthedon gabuna* (Beutenmüller,1899)** (Sesiidae) **Synonym(s):** *gabuna* Beutenmüller,1899 **Range (in code):** **AET**
- 82732. *Synanthedon gardensis* (Králíček & Povolný,1977)** (Sesiidae) **Synonym(s):** *gardensis* Králíček & Povolný,1977 **Range (in code):** **SK RO YU BG GR**
- 82733. *Synanthedon gracilis* (Hampson,1910)** (Sesiidae) **Synonym(s):** *gracilis* Hampson,1910 **Range (in code):** **AET**
- 82734. *Synanthedon guineabia* (Strand,[1913])** (Sesiidae) **Synonym(s):** *guineabia* Strand,[1913] **Range (in code):** **AET**
- 82735. *Synanthedon hadassa* (Meyrick,1932)** (Sesiidae) **Synonym(s):** *hadassa* Meyrick,1932 **Range (in code):** **AET UG**

- 82736. *Synanthedon herzi* K.Spatenka & Gorbunov,1992** (Sesiidae) Synonym(s): *herzi* K.Spatenka & Gorbunov,1992 Range (in code): **RU Sh Kmt Mnu Sb Mgd Us MN JP Hkk** Bionomy: Larva on *Salix* (Spatenka & Gorbunov,1992).
- 82737. *Synanthedon ignifera* (Hampson,[1893])** (Sesiidae) Synonym(s): *ignifera* Hampson,[1893] Range (in code): **MM Bmy Krh**
- 82738. *Synanthedon iris* Le Cerf,1916** (Sesiidae) Synonym(s): *iris* Le Cerf,1916 Range (in code): **AET**
- 82739. *Synanthedon leptomorpha* (Meyrick,1931)** (Sesiidae) Synonym(s): *leptomorpha* Meyrick,1931 Range (in code): **AET UG**
- 82740. *Synanthedon leptosceles* Bradley,1968** (Sesiidae) Synonym(s): *leptosceles* Bradley,1968 Range (in code): **AET**
- 82741. *Synanthedon leucogaster* (Hampson,1919)** (Sesiidae) Synonym(s): *albiventris* Le Cerf,1917 nec Beuten.,1899; *leucogaster* (Hampson,1919) Range (in code): **AET**
- 82742. *Synanthedon loranthe* (Kralicek,1966)** (Sesiidae) Synonym(s): *loranthe* Kralicek,1966; *cryptica* Kralicek & Povolny,1977 Range (in code): **ES FR DE CH DE AT CZ SK HU RO SS HV B-H MK YU BG GR TR**
- 82743. *Synanthedon maculiventris* Le Cerf,1916** (Sesiidae) Synonym(s): *maculiventris* Le Cerf,1916 Range (in code): **AET**
- 82744. *Synanthedon martjanovi* Sheljuzhko,1918** (Sesiidae) Synonym(s): *martjanovi* Sheljuzhko,1918 Range (in code): **RU** Bionomy: Larva on *Populus tremula* (Salicaceae) (Spatenka et al.,1996).
- 82745. *Synanthedon melliniformis* (Laspeyres,1801)** (Sesiidae) Synonym(s): *melliniformis* Laspeyres,1801; *dioctriaeformis* Meigen,1830; *mimus* Le Cerf,1922; *danubica* Kralicek,1975; *croaticus* Krancev,1979 Range (in code): **FR IT AT SK HU HV** Bionomy: Larva on *Populus nigra*, *P. alba*, *Salix alba* (Spatenka et al.,1996).
- 82746. *Synanthedon mercatrix* (Meyrick,1931)** (Sesiidae) Synonym(s): *mercatrix* Meyrick,1931 Range (in code): **AET UG**
- 82747. *Synanthedon mesiaeformis* (Herrich-Schäffer,1846)** (Sesiidae) Synonym(s): *mesiaeformis* Herrich-Schäffer,1846; *mesiiiformis* Staudinger,1856 Range (in code): **FR PL HU RO YU BG FI EE LT RU MD UA BY** Bionomy: Larva on *Alnus glutinosa* (Spatenka et al.,1996).
- 82748. *Synanthedon mesochoriformis* (Walker,1856)** (Sesiidae) Synonym(s): *mesochoriformis* Walker,1856 Range (in code): **AET ZA Nta Kzu**
- 82749. *Synanthedon monozona* (Hampson,1910)** (Sesiidae) Synonym(s): *monozona* Hampson,1910 Range (in code): **AET ZA Wca**
- 82750. *Synanthedon myopaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *myopaeformis* Borkhausen,1789; *mutillaeformis* Laspeyres,1801; *luctuosa* Lederer,1853; *myopiformis* Staudinger,1856; *elegans* Lederer,1861. Range (in code): **EG PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR NO SE EE LV LT RU MD UA BY Cc GG Smt Bjo IR** Bionomy: Larva on *Malus*, *Crataegus*, *Sorbus*, *Mespilus germanica*, *Pyrus*, *Prunus*, *Cerasus*, *Padus*, *Hippophae rhamnoides* (Spatenka et al.,1996).
- 82751. *Synanthedon nuba* (Beutenmüller,1899)** (Sesiidae) Synonym(s): *nuba* Beutenmüller,1899 Range (in code): **AET**
- 82752. *Synanthedon nyanga* (Beutenmüller,1899)** (Sesiidae) Synonym(s): *nyanga* Beutenmüller,1899 Range (in code): **AET**
- 82753. *Synanthedon olenda* (Beutenmüller,1899)** (Sesiidae) Synonym(s): *olenda* Beutenmüller,1899 Range (in code): **AET**
- 82754. *Synanthedon orientalis* Heppner & Duckworth,1981** (Sesiidae) Synonym(s): *unicincta* Hampson,[1893 nec H.-Sch.,1851; *orientalis* Heppner & Duckworth,1981 Range (in code): **MM Krh**
- 82755. *Synanthedon pamphyla* Kallies,2003** (Sesiidae) Synonym(s): *pamphyla* Kallies,2003 Range (in code): **TR** Bionomy: Larva on *Alnus orientalis* (Betulaceae) (Kallies,2003).
- 82756. *Synanthedon pauper* (Le Cerf,1916)** (Sesiidae) Synonym(s): *pauper* Le Cerf,1916 Range (in code): **AET**
- 82757. *Synanthedon peltata* (Meyrick,1932)** (Sesiidae) Synonym(s): *peltata* Meyrick,1932 Range (in code): **AET UG**
- 82758. *Synanthedon perigordensis* Garrevoet & Vanholder,1996** (Sesiidae) Synonym(s): *perigordensis* Garrevoet & Vanholder,1996 Range (in code): **FR**
- 82759. *Synanthedon phedrostoma* (Meyrick,1934)** (Sesiidae) Synonym(s): *phedrostoma* Meyrick,1934 Range (in code): **AET**

- 82760. *Synanthedon pipiziformis* (Lederer,1855)** (Sesiidae) Synonym(s): *pipiziformis* Lederer,1855 Original Reference: *Sesia pipiziformis* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 195, pl.2 fig.2. Lectotype ♂: Lebanon, Beirut, designated by Spatenka & Lastuvka,1988 (ZMHB). Range (in code): **LB Bei SY TR IL Pa Js** Bionomy: Larva on *Styrax officinalis* (Spatenka et al.,1996).
- 82761. *Synanthedon platyuriformis* (Walker,1856)** (Sesiidae) Synonym(s): *platyuriformis* Walker,1856 Range (in code): **AET ZA Wca**
- 82762. *Synanthedon polaris* (Staudinger,1877)** (Sesiidae) Synonym(s): *polaris* Staudinger,1877 Range (in code): **IT CH NO SE FI RU MD UA BY** Bionomy: Larva on *Salix lapponum*, *S. helvetica*, *S. glauca*, *S. phylicifolia*, *S. caprea*, *S. breviserrata*, *S. glaucosericea* (Spatenka et al.,1996).
- 82763. *Synanthedon pyrethra* (Hampson,1910)** (Sesiidae) Synonym(s): *pyrethra* Hampson,1910 Range (in code): **AET ZA Wca**
- 82764. *Synanthedon rhodia* (Druce,1899)** (Sesiidae) Synonym(s): *rhodia* Druce,1899 Range (in code): **AET ZA Wca**
- 82765. *Synanthedon rubiana* Kallies, M.Petersen & Riefenstahl,1998** (Sesiidae) Synonym(s): *rubiana* Kallies, M.Petersen & Riefenstahl,1998 Range (in code): **TR GR**
- 82766. *Synanthedon rubripalpis* (Meyrick,1932)** (Sesiidae) Synonym(s): *rubripalpis* Meyrick,1932 Range (in code): **AET SL**
- 82767. *Synanthedon rubripicta* Hampson,1919** (Sesiidae) Synonym(s): *rubripicta* Hampson,1919 Range (in code): **AET**
- 82768. *Synanthedon scoliaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *scoliaeformis* Borkhausen,1789; *thynniformis* Laspeyres,1801; *emphytiformis* Herrich-Schäffer,1846; *scoliiformis* Staudinger,1856; *deserta* Staudinger,1887; *danieli* Capuse,1973 Range (in code): **ES FR IT IE GB BE LU DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU MD UA BY**
- 82769. *Synanthedon semirufa* (R.Felder,1874)** (Sesiidae) Synonym(s): *semirufa* R.Felder,1874 Range (in code): **AET ZA Wca**
- 82770. *Synanthedon serica* (Alpheraky,1882)** (Sesiidae) Synonym(s): *serica* Alpheraky,1882 Range (in code): **CN Ui Kun**
- 82771. *Synanthedon soffneri* Spatenka,1983** (Sesiidae) Synonym(s): *soffneri* Spatenka,1983 Range (in code): **DE CZ RU MD UA BY** Bionomy: Larva on *Lonicera nigra*, *L. xylostium*, *L. tatarica* (Spatenka et al.,1996).
- 82772. *Synanthedon spatenkai* Gorbunov,1991** (Sesiidae) Synonym(s): *spatenkai* Gorbunov,1991 Range (in code): **Cc GG AM TR**
- 82773. *Synanthedon spheciformis* ([Denis & Schiffermüller],1775)** (Sesiidae) Synonym(s): *spheciformis* [Denis & Schiffermüller],1775; *sphegiformis* Fabricius,1787 Original Reference: Sphinx *spheciformis* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 306. Type(s): Vienna district. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Alnus*, *Betula* (Spatenka et al.,1996).
- 82774. *Synanthedon spuleri* (Fuchs,1908)** (Sesiidae) Synonym(s): *spuleri* Fuchs,1908; *schwarzi* Kralicek & Povolny,1977 Range (in code): **ES FR Si IT DE CH AT CZ SK HU YU AL BG GR TR** Bionomy: Larva on *Juniperus communis*, *Carpinus betulus*, *Corylus avellana*, *Ulmus*, *Acer*, *Salix*, *Fagus silvatica* (Spatenka et al.,1996).
- 82775. *Synanthedon squamata* (Gaede,1929)** (Sesiidae) Synonym(s): *squamata* Gaede,1929 Range (in code): **AET**
- 82776. *Synanthedon stenothyris* (Meyrick,1933)** (Sesiidae) Synonym(s): *stenothyris* Meyrick,1933 Range (in code): **AET ZA**
- 82777. *Synanthedon stomoxiformis* (Hübner,1790)** (Sesiidae) Synonym(s): *stomoxiformis* Hübner,1790; *culiciformis* Scopoli,1763 nec Linn.,1758; *stomoxiformis* Hübner,1796; *amasina* Staudinger,1878. Range (in code): **PT ES FR IT DE CH AT PL CZ SK RO YU AL BG TR LT RU MD UA BY AM Kho IR Gls Fa Es By AZ Kir Cc IL Pa** Bionomy: Larva on *Rhamnus catharticus*, *Frangula alnus*, *Mespilus germanica*? (Spatenka et al.,1996).
- 82778. *Synanthedon stomoxiformis amasinum* (Staudinger,1856)** (Sesiidae) Synonym(s): *amasina* Staudinger,1856 Range (in code): **TR Cc AM Kho IR Gls Fa Es By**
- 82779. *Synanthedon stomoxiformis levantina* De Freina & Lingenhöle,2000** (Sesiidae) Synonym(s): *levantina* De Freina & Lingenhöle,2000 Range (in code): **IL Pa**

- 82780. *Synanthedon syriaca* Spatenka,2001** (Sesiidae) Synonym(s): *syriaca* Spatenka,2001
Original Reference: *Synanthedon syriaca* Spatenka,2001, Ent. Z. 111(3): 75-80, figs. Range (in code): SY TR
- 82781. *Synanthedon talischense* (Bartel,1906)** (Sesiidae) Synonym(s): *talischense* Bartel,1906
Range (in code): Cc AZ Tlh Bionomy: Larva on *Alnus subcordata* (Spatenka et al.,1996).
- 82782. *Synanthedon theryi* Le Cerf,1916** (Sesiidae) Synonym(s): *theryi* Le Cerf,1916; *pistarcha Meyrick,1931* Range (in code): ES MA DZ Agi Bionomy: Larva on *Tamarix africana*, *T. gallica* (Spatenka et al.,1996).
- 82783. *Synanthedon tipuliformis* (Clerck,1759)** (Sesiidae) Synonym(s): *#salmachus Linnaeus,1758* (suppressed); *tipuliformis* Clerck,1759; *tipula Retzius,1783*; *ophioniformis Hübner,[1813]* Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR GG Cc DK NO SE FI EE LV LT RU MD UA BY ZA Bionomy: Larva on *Ribes rubrum*, *R. nigrum*, *Euonymus europaea* (Spatenka et al.,1996).
- 82784. *Synanthedon tosevsii* K.Spatenka,1987** (Sesiidae) Synonym(s): *tosevskii K.Spatenka,1987* Range (in code): Bionomy: Larva on *Salix* (Spatenka et al.,1996).
- 82785. *Synanthedon trithyris* (Meyrick,1926)** (Sesiidae) Synonym(s): *trithyris* Meyrick,1926
Range (in code): AET SL
- 82786. *Synanthedon typhiaeformis* (Borkhausen,1789)** (Sesiidae) Synonym(s): *typhiaeformis* Borkhausen,1789; *typhiaeformis* Hübner,[1806]; *typhiiformis* Staudinger,1856 Range (in code): PT FR Co IT GR
- 82787. *Synanthedon uralensis* (Bartel,1906)** (Sesiidae) Synonym(s): *uralensis* Bartel,1906
Range (in code): RU Ur Or KG Uk Ssn Bionomy: Larva on *Artemisia* ? (Spatenka et al.,1996).
- 82788. *Synanthedon vassei* (Le Cerf,1917)** (Sesiidae) Synonym(s): *vassei* Le Cerf,1917 Range (in code): AET ZA MZ
- 82789. *Synanthedon vespiformis* (Linnaeus,1761)** (Sesiidae) Synonym(s): *vespiformis* Linnaeus,1761; *asiliformis* Rottemburg,1775; *oestriformis* Rottemburg,1775; *cynipiformis* Esper,1783; *chrysorrhoea* Donovan,1795 Range (in code): PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc DK SE LT RU MD UA BY IR Fa By Bionomy: Larva on *Quercus*, *Fagus silvatica*, *Castanea sativa*, *Salix alba*, *Populus tremula*, *Abies alba*, *Juniperus communis*, *Ulmus*, *Betula*, *Malus*, *Cerasus*, *Prunus*, *Juglans regia*, *Aesculus* (Spatenka et al.,1996).
- 82790. *Synanthedon xanthopyga* (Aurivillius,1905)** (Sesiidae) Synonym(s): *xanthopyga* Aurivillius,1905 Range (in code): AET
- 82791. *Synanthedon xanthosoma* (Hampson,[1893])** (Sesiidae) Synonym(s): *xanthosoma* Hampson,[1893] Range (in code): MM Mm
- 82792. *Teinotarsina flavicincta* (Arita & Gorbunov,2002)** (Sesiidae) Synonym(s): *flavicincta* Arita & Gorbunov,2002 Range (in code): TW
- 82793. *Teinotarsina litchivora* (Yang & Wang,1989)** (Sesiidae) Synonym(s): *litchivora* Yang & Wang,1989 Range (in code): CN Hn
- 82794. *Teinotarsina longipes* (C.Felder,1861)** (Sesiidae) Synonym(s): *longipes* C.Felder,1861
Range (in code): ID Mlc
- 82795. *Teinotarsina longitarsa* Arita & Gorbunov,2002** (Sesiidae) Synonym(s): *longitarsa* Arita & Gorbunov,2002 Range (in code): TW
- 82796. *Teinotarsina lushanensis* (Xu & Liu,1999)** (Sesiidae) Synonym(s): *lushanensis* Xu & Liu,1999 Range (in code): CN Kig
- 82797. *Teinotarsina luteopoda* Kallies & Arita,2004** (Sesiidae) Synonym(s): *luteopoda* Kallies & Arita,2004 Range (in code): VN
- 82798. *Teinotarsina melanostoma* (Diakonoff,1968)** (Sesiidae) Synonym(s): *melanostoma* Diakonoff,1968 Range (in code): PH Luz
- 82799. *Teinotarsina micans* (Diakonoff,1968)** (Sesiidae) Synonym(s): *micans* Diakonoff,1968
Range (in code): PH Mno
- 82800. *Teinotarsina nonggangensis* (Yang & Wang,1989)** (Sesiidae) Synonym(s): *nonggangensis* Yang & Wang,1989 Range (in code): CN
- 82801. *Teinotarsina rubripes* (Pagenstecher,1900)** (Sesiidae) Synonym(s): *rubripes* Pagenstecher,1900 Range (in code): PG
- 82802. *Thyranthrene adumbrata* Bartsch,2008** (Sesiidae) Synonym(s): *adumbrata* Bartsch,2008 Range (in code):
- 82803. *Thyranthrene albicincta* (Hampson,1919)** (Sesiidae) Synonym(s): *albicincta* Hampson,1919 Range (in code): KE

- 82804. *Thyranthrene capensis* De Freina, 2011** (Sesiidae) Synonym(s): *capensis* De Freina, 2011
Range (in code): AET ZA Wca
- 82805. *Thyranthrene metazonata* Hampson, 1919** (Sesiidae) Synonym(s): *metazonata* Hampson, 1919 Range (in code): AET ZA Nta Kzu Mv
- 82806. *Thyranthrene obliquizona* (Hampson, 1910)** (Sesiidae) Synonym(s): *obliquizona* Hampson, 1910 Range (in code): AET ZW
- 82807. *Thyranthrene pyrophora* (Hampson, 1919)** (Sesiidae) Synonym(s): *pyrophora* Hampson, 1919 Range (in code): ZA Nta Kzu Mv AET
- 82808. *Thyranthrene xhosarum* De Freina, 1911** (Sesiidae) Synonym(s): *xhosarum* De Freina, 1911 Range (in code): AET ZA
- 82809. *Tinthia cuprealis* (Moore, 1877)** (Sesiidae) Synonym(s): *cuprealis* Moore, 1877 Range (in code): CN
- 82810. *Tinthia mianjanggalica* Lastuvka, 1997** (Sesiidae) Synonym(s): *mianjanggalica* Lastuvka, 1997 Range (in code): IR
- 82811. *Tinthia ruficollaris* (Pagenstecher, 1900)** (Sesiidae) Synonym(s): *ruficollaris* Pagenstecher, 1900 Range (in code):
- 82812. *Tinthia suisharyonis* (Strand, [1917])** (Sesiidae) Synonym(s): *suisharyonis* Strand, [1917] Range (in code):
- 82813. *Tinthia varipes* Walker, [1865]** (Sesiidae) Synonym(s): *varipes* Walker, [1865] Range (in code): ID Clb
- 82814. *Tinthia xanthospila* Hampson, 1919** (Sesiidae) Synonym(s): *xanthospila* Hampson, 1919 Range (in code): AU QAU
- 82815. *Tipulamima auronitens* (Le Cerf, 1913)** (Sesiidae) Synonym(s): *auronitens* Le Cerf, 1913 Range (in code): AET GA
- 82816. *Tipulamima festiva* (Beutenmüller, 1899)** (Sesiidae) Synonym(s): *festiva* Beutenmüller, 1899 Range (in code): AET BI CM GA
- 82817. *Tipulamima flammipes* (Hampson, 1910)** (Sesiidae) Synonym(s): *flammipes* Hampson, 1910 Range (in code): AET UG
- 82818. *Tipulamima flavifrons* Holland, 1893** (Sesiidae) Synonym(s): *flavifrons* Holland, 1893 Range (in code): AET GA
- 82819. *Tipulamima grandidieri* (Le Cerf, 1917)** (Sesiidae) Synonym(s): *grandidieri* Le Cerf, 1917 Range (in code): AET MG
- 82820. *Tipulamima haugi* (Le Cerf, 1917)** (Sesiidae) Synonym(s): *haugi* Le Cerf, 1917 Range (in code): AET GA Ogo
- 82821. *Tipulamima hypocalla* Le Cerf, 1937** (Sesiidae) Synonym(s): *hypocalla* Le Cerf, 1937 Range (in code): AET MZ
- 82822. *Tipulamima ivondro* Viette, [1955]** (Sesiidae) Synonym(s): *ivondro* Viette, [1955] Range (in code): AET MG
- 82823. *Tipulamima malimba* (Beutenmüller, 1899)** (Sesiidae) Synonym(s): *malimba* Beutenmüller, 1899 Range (in code): AET GA
- 82824. *Tipulamima nigriceps* Hampson, 1919** (Sesiidae) Synonym(s): *nigriceps* Hampson, 1919 Range (in code): AET SL
- 82825. *Tipulamima opalimargo* (Le Cerf, 1913)** (Sesiidae) Synonym(s): *opalimargo* Le Cerf, 1913 Range (in code): AET MG
- 82826. *Tipulamima pedunculata* (Hampson, 1910)** (Sesiidae) Synonym(s): *pedunculata* Hampson, 1910; *brachyptera* Hampson, 1919 Range (in code): IN SI
- 82827. *Tipulamima pyrosoma* Hampson, 1919** (Sesiidae) Synonym(s): *pyrosoma* Hampson, 1919 Range (in code): AET KE
- 82828. *Tipulamima sexualis* (Hampson, 1919)** (Sesiidae) Synonym(s): *sexualis* Hampson, 1919; *waterloti* Le Cerf, 1917 Range (in code): AET NG MW
- 82829. *Tipulamima seyrigi* Viette, [1955]** (Sesiidae) Synonym(s): *seyrigi* Viette, [1955] Range (in code): AET MG
- 82830. *Tipulamima tricincta* (Le Cerf, 1916)** (Sesiidae) Synonym(s): *tricincta* Le Cerf, 1916 Range (in code): AET ZA Nta Kzu
- 82831. *Tradescanticola yildizae* Koçak, 1983** (Sesiidae) Synonym(s): *uniformis* Snellen, 1900 *nec* Grte & Rob., 1868; *yildizae* Koçak, 1983 Original Reference: *Tradescanticola yildizae* Koçak, 1983, *Priamus* 2 (4): 170 (nomen novum pro *uniformis* Snellen, 1900 *nec* Grote & Robinson, 1868).

- Range (in code): **ID Ja** Bionomy: Larva in galls on Tradescantia (Commelinaceae) (Robinson et al.,1994).
- 82832. Trichobaptus auristrigata (Plötz,1880)** (Sesiidae) Synonym(s): *auristrigata* Plötz,1880; *sextriata* Holland,1894 Range (in code):
- 82833. Trilochana caseariae Yang & Wang,1989** (Sesiidae) Synonym(s): *caseariae* Yang & Wang,1989 Range (in code): **CN**
- 82834. Trilochana chalciptera Hampson,1919** (Sesiidae) Synonym(s): *#pseudoinsignis* Strand,[1917]; *chalciptera* Hampson,1919 Range (in code): **IN**
- 82835. Trilochana illustris Kallies & Arita,1998** (Sesiidae) Synonym(s): *illustris* Kallies & Arita,1998 Range (in code): **PH**
- 82836. Trilochana insignis (Butler,1885)** (Sesiidae) Synonym(s): *insignis* Butler,1885 Range (in code): **MY Bor**
- 82837. Trilochana nagaii Arita & Kallies,2003** (Sesiidae) Synonym(s): *nagaii* Arita & Kallies,2003 Range (in code): **ID Clb**
- 82838. Trilochana oberthueri Le Cerf,1917** (Sesiidae) Synonym(s): *oberthueri* Le Cerf,1917; *boulleti* Le Cerf,1917 Range (in code): **ID Ja**
- 82839. Trilochana scolioides Moore,1879** (Sesiidae) Synonym(s): *scolioides* Moore,1879; *megascolioides* Arita,1989 Range (in code): **IN SI Djl TH Nna Kao**
- 82840. Trilochana smaragdina Diakonoff,1954** (Sesiidae) Synonym(s): *smaragdina* Diakonoff,1954 Range (in code): **PG**
- 82841. Trilochana triscoliopsis Rothschild,1925** (Sesiidae) Synonym(s): *triscoliopsis* Rothschild,1925 Range (in code): **PH Mno**
- 82842. Uranothyris pterotarsa Meyrick,1933** (Sesiidae) Synonym(s): *pterotarsa* Meyrick,1933 Range (in code): **AET SL**
- 82843. Vespanthodon cerceris Le Cerf,1917** (Sesiidae) Synonym(s): *cerceris* Le Cerf,1917 Range (in code): **AET ZA MZ**
- 82844. Vespanthodon chalciphora (Hampson,1919)** (Sesiidae) Synonym(s): *chalciphora* Hampson,1919 Range (in code): **AET ZA**
- 82845. Weismanniola agdistiformis (Staudinger,1866)** (Sesiidae) Synonym(s): *agdistiformis* Staudinger,1866 Range (in code): **RU KG Uk**
- 82846. Somabrachys aegrota (Klug,1830)** (Somabrachyidae) Synonym(s): *aegrota* Klug,1830; *arcanaria* Millière,1884; *unicolor* Oberthür,1911; *powelli* Oberthür,1908; *mogadorensis* Oberthür,1911; *massiva* Oberthür,1911; *maroccana* Oberthür,1911; *holli* Oberthür,1911; *klugi* Oberthür,1911; *manastabal* Oberthür,1911; *hiempsal* Oberthür,1911; *adherbal* Oberthür,1911 Range (in code): **MA Ess ES Si EG EGo5 TN DhM DZ Sbd Eba KhH**
- 82847. Somabrachys chretieni Oberthür,1908** (Somabrachyidae) Synonym(s): *chretieni* Oberthür,1908; *?khenchelae* Oberthür,1909; *albinervis* Oberthür,1909; *?fumosa* Oberthür,1911 Original Reference: Somabrachys chretieni Oberthür,1908, Bull. Soc. ent. Fr. 1908: 47. Type: Algier. Range (in code): **DZ Eba Sbd KhH Agi**
- 82848. Somabrachys infuscata Klug,1830** (Somabrachyidae) Synonym(s): *infuscata* Klug,1830; *?kroumira* Oberthür,1911; *ragmata* Chrétien,1910; *atrinervis* Oberthür,1911 Range (in code): **EG EGo5 TN Gf DZ Eba Sbd DhM**
- 82849. "Deilephila" calverleyi Grote,1865** (Sphingidae) Synonym(s): *calverleyi* Grote,1865 Range (in code): **CU**
- 82850. Acherontia atropos (Linnaeus,1758)** (Sphingidae) Synonym(s): *atropos* Linnaeus,1758; *solani* Oken,1815; *sculda* Kirby,1877. Original Reference: Sphinx atropos Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490. Range (in code): **Az Cn CV MA DZ TN LY PT ES Mu An FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY Rd TR DK NO SE FI EE LV LT RU MD UA Cm BY LB IL Hf Pa JO AZ IR Elb Gor IQ SA MU MG ZA Nta Cap Ec Pre Tva SO MZ GN SL TZ GM GA EG EGo5 SY AZ AM Gau Lpo Spb Mdk Mpu Brb Dbn Kir GG Bjo Tbl Lag Len Da Mo VI St Sr Cc Kh Agi BtNa Orn Clo** Bionomy: Larva on Solanaceae, Verbenaceae, Ligustrum, Olea, Fraxinus, Beta, Nerium, Buddleia (Pittaway,1983).
- 82851. Acherontia lachesis (Fabricius,1798)** (Sphingidae) Synonym(s): *lachesis* Fabricius,1798; *morta* Hübner,[1819]; *charon* Billberg,1820; *satanas* Boisduval,1836; *lethe* Westwood,1847; *circe* Moore,[1858]; *sojeimae* Matsumura,1909. Original Reference: Sphinx lachesis Fabricius,1798, Ent. Syst., Suppl.: 434. Range (in code): **TW ID Ja Ij CN TH CMa Cuo Chy Bnk Cbu Cbi JP PH Bal Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Pol Sam LK Dek Nwp Pdy** Bionomy: Larva on leaf of Solanum aculeatissimum [cockroach berry], Solanum torvum [ma khuea phuang] (Solanaceae) (Lewvanich,2001).

- 82852. *Acherontia styx* (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001 Original Reference: Sphinx *styx* Westwood,1847, Cabinet orient. Ent.: [88], pl.42, fig.3. Range (in code): JO LB Bei IQ Tkr SY SA OM IR Ss CN PH Bal Ceb Ley Luz Neg Pal Pan AF Srb Sfk PK Cp TH Yal CMA Cuo Sbu Bnk Smu Phi IN LK NP MM VN KP KR JP MY ID Sum Ja TW Bionomy: Larva on leaf of Durantha, Cucurbita (Cucurbitaceae), Lycium?, Solanum incanum [ma waeng], S. torvum [ma khuea phuang] (Solanaceae), Jasminum sambac (Oleaceae), Verbenaceae; Sesamum indicum (Pedaliaceae), Pyrostegia venusta (Bignoniaceae), Rauvolfia cambodiana (Apocynaceae) (Bell & Scott,1937; Wiltshire,1957; Pittaway,1983; Lewvanich,2001).
- 82853. *Acherontia styx medusa* Moore,[1858]** (Sphingidae) Synonym(s): *medusa* Moore,[1858]; *crathis* Rothschild & Jordan,1903; *septentrionalischinensis* Pavlov,1932; *pseudatropos* Röber,1933. Original Reference: *Acherontia medusa* Moore,[1858], Cat. lepid. Insects Mus. Hon. East-India Comp. 1: 267. Range (in code): CN PH Bal Ceb Ley Luz Neg Pal Pan TH Yal CMA Cuo Sbu Bnk Smu Phi VN KP KR JP MY ID Sum Ja TW Bionomy: Larva on leaf of Durantha, Cucurbita (Cucurbitaceae), Lycium?, Solanum incanum [ma waeng], S. torvum [ma khuea phuang] (Solanaceae), Jasminum sambac (Oleaceae), Verbenaceae; Sesamum indicum (Pedaliaceae), Pyrostegia venusta (Bignoniaceae), Rauvolfia cambodiana (Apocynaceae) (Bell & Scott,1937; Wiltshire,1957; Pittaway,1983; Lewvanich,2001).
- 82854. *Acherontia styx styx* (Westwood,1847)** (Sphingidae) Synonym(s): *styx* Westwood,1847; *ariel* Boisduval,[1875]; *#stax* Lewvanich,2001 Original Reference: Sphinx *styx* Westwood,1847, Cabinet orient. Ent.: [88], pl.42, fig.3. Range (in code): JO LB Bei IQ Tkr SY SA OM IR Ss JP AF Srb Sfk PK Cp IN LK NP MM Bionomy: Larva on leaf of Durantha, Cucurbita (Cucurbitaceae), Lycium?, Solanum incanum [ma waeng], S. torvum [ma khuea phuang] (Solanaceae), Jasminum sambac (Oleaceae), Verbenaceae; Sesamum indicum (Pedaliaceae), Pyrostegia venusta (Bignoniaceae), Rauvolfia cambodiana (Apocynaceae) (Bell & Scott,1937; Wiltshire,1957; Pittaway,1983; Lewvanich,2001).
- 82855. *Acosmerycoides harterti* (Rothschild,1895)** (Sphingidae) Synonym(s): *harterti* Rothschild,1895; *leucocraspis* Hampson,1910 Range (in code): TW
- 82856. *Acosmerycoides leucocraspis* (Hampson,1910)** (Sphingidae) Synonym(s): *leucocraspis* Hampson,1910; *insignata* Mell,1922 Range (in code): IN TH VN CN Bionomy: Larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 82857. *Acosmerycoides leucocraspis leucocraspis* (Hampson,1910)** (Sphingidae) Synonym(s): *leucocraspis* Hampson,1910; *insignata* Mell,1922 Range (in code): IN TH VN CN Bionomy: Larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 82858. *Acosmeryx anceus* (Stoll,[1781])** (Sphingidae) Synonym(s): *anceus* Stoll,[1781] Range (in code): LK Kndy IN Hp Meg Ass Khs NP MM TH CMA Cuo CDo MY PG AU VN ID Sum Ja Sba Clb Flo PH Bal Boh Cal Ceb Din Jol Ley Luz Mar Mdo Mno Neg Pal Pan Sam Sga Stu Taw Bionomy: Larva on Vitis indica (Vitaceae), Leea (Leeaceae) (Bell & Scott,1937).
- 82859. *Acosmeryx anceus anceus* (Stoll,[1781])** (Sphingidae) Synonym(s): *anceus* Stoll,[1781] Range (in code): ID Clb Flo PG AU
- 82860. *Acosmeryx anceus subdentata* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *subdentata* Rothschild & Jordan,1903 Range (in code): LK Kndy IN Hp Meg Ass Khs NP MM TH CMA Cuo CDo VN MY ID Sum Bor Ja Sba PH Bal Boh Cal Ceb Din Jol Ley Luz Mar Mdo Mno Neg Pal Pan Sam Sga Stu Taw Bionomy: Larva on Vitis indica (Vitaceae), Leea (Leeaceae) (Bell & Scott,1937).
- 82861. *Acosmeryx castanea* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *castanea* Rothschild & Jordan,1903 Range (in code): CN JP TW PH Luz
- 82862. *Acosmeryx formosana* (Matsumura,1927)** (Sphingidae) Synonym(s): *formosana* Matsumura,1927 Range (in code): TW
- 82863. *Acosmeryx naga* (Moore,[1858])** (Sphingidae) Synonym(s): *naga* Moore,[1858] Original Reference: Philampelus *naga* Moore,[1858], [in] Horsfield & Moore, Cat. lepid. Insects Mus. East-India Co. 1: 271. Range (in code): TJ AF Pjr Pic Kab Sfk Nu Bsg IN NP TH CMA CDo MY VN CN TQ JP KP KR TW Bionomy: Larva on Vitis (Vitaceae), Saurauia, Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 82864. *Acosmeryx naga hissarica* Shchetkin,1949** (Sphingidae) Synonym(s): *hissarica* Shchetkin,1949 Range (in code): TJ AF Pjr Pic Kab Sfk Nu Bsg
- 82865. *Acosmeryx naga naga* (Moore,[1858])** (Sphingidae) Synonym(s): *naga* Moore,[1858] Original Reference: Philampelus *naga* Moore,[1858], [in] Horsfield & Moore, Cat. lepid. Insects

- Mus. East-India Co. 1: 271. Range (in code): IN NP TH CMa CDo MY VN CN TQ JP KP KR TW
Bionomy: Larva on Vitis (Vitaceae), Saurauia, Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 82866. *Acosmeryx omissa* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): omissa Rothschild & Jordan,1903 Range (in code): IN NP TH CMa CDo VN
- 82867. *Acosmeryx omissa omissa* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): omissa Rothschild & Jordan,1903 Range (in code): IN NP TH CMa CDo VN
- 82868. *Acosmeryx pseudomissa* Mell,1922** (Sphingidae) Synonym(s): pseudomissa Mell,1922 Range (in code): TH VN CN Bionomy: Larva on Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 82869. *Acosmeryx pseudomissa pseudomissa* Mell,1922** (Sphingidae) Synonym(s): pseudomissa Mell,1922 Range (in code): TH VN CN Bionomy: Larva on Actinidia (Actinidiaceae) (Inoue et al.,1997).
- 82870. *Acosmeryx sericeus* (Walker,1856)** (Sphingidae) Synonym(s): sericeus Walker,1856; rufescens Mell,1922 Range (in code): IN NP TH CMa CDo VN CN MY Bionomy: Larva on Actinidia (Actinidiaceae), Vitis (Vitaceae) (Inoue et al.,1997).
- 82871. *Acosmeryx sericeus sericeus* (Walker,1856)** (Sphingidae) Synonym(s): sericeus Walker,1856; rufescens Mell,1922 Range (in code): IN NP TH CMa CDo VN CN MY Bionomy: Larva on Actinidia (Actinidiaceae), Vitis (Vitaceae) (Inoue et al.,1997).
- 82872. *Acosmeryx shervillii* Boisduval,[1875]** (Sphingidae) Synonym(s): shervillii Boisduval,[1875]; cinerea Butler,1875; pseudonaga Butler,1881 Range (in code): NP IN LK CN TH CMa Cuo Cbu MY VN ID Sum Ja Clb Bor PH Bal Pal Stu Taw Bionomy: Larva on leaf of Dillenia (Dilleniaceae), Vitis, Cayrantia, Cissus (Vitaceae), Leea (Leeaceae) (Inoue et al.,1997).
- 82873. *Acosmeryx sinjaevi* Brechlin & Kitching,1996** (Sphingidae) Synonym(s): sinjaevi Brechlin & Kitching,1996 Range (in code): VN Ton Fan CN Hn
- 82874. *Acosmeryx socrates* Boisduval,[1875]** (Sphingidae) Synonym(s): socrates Boisduval,[1875] Range (in code): ID Clb PH Boh Bon Cal Ceb Ley Luz Mdo Mno Neg Pal Pan Sam Taw
- 82875. *Adhemarius blanchardorum* (Hodges,1985)** (Sphingidae) Synonym(s): blanchardorum Hodges,1985 Range (in code): US Tx
- 82876. *Adhemarius dentoni* (B.P.Clark,1916)** (Sphingidae) Synonym(s): dentoni B.P.Clark,1916 Range (in code): PE
- 82877. *Adhemarius donysa* (Druce,1889)** (Sphingidae) Synonym(s): donysa Druce,1889 Range (in code): MX CR
- 82878. *Adhemarius donysa dariensis* (Rothschild & Jordan,1916)** (Sphingidae) Synonym(s): dariensis Rothschild & Jordan,1916 Range (in code): CR
- 82879. *Adhemarius donysa donysa* (Druce,1889)** (Sphingidae) Synonym(s): donysa Druce,1889 Range (in code): MX
- 82880. *Adhemarius eurysthene* (R.Felder,1874)** (Sphingidae) Synonym(s): eurysthene R.Felder,1874; crethon Boisduval,[1875]; schausi Rothschild,1894 Range (in code): CO PE BO BR Rja
- 82881. *Adhemarius gannascus* (Stoll,1790)** (Sphingidae) Synonym(s): gannascus Stoll,1790; rostralis Boisduval,1870; janus Boisduval,1870; daphne Boisduval,1870; germanus Zikan,1934; gagarini Zikan,1935 Range (in code): SR NI GT BR MX CO VE CU JM
- 82882. *Adhemarius gannascus cubanus* (Rothschild & Jordan,1908)** (Sphingidae) Synonym(s): cubanus Rothschild & Jordan,1908 Range (in code): CU
- 82883. *Adhemarius gannascus gannascus* (Stoll,1790)** (Sphingidae) Synonym(s): gannascus Stoll,1790; rostralis Boisduval,1870; janus Boisduval,1870; daphne Boisduval,1870; germanus Zikan,1934; gagarini Zikan,1935 Range (in code): SR NI GT BR MX CO VE
- 82884. *Adhemarius gannascus jamaicensis* (Rothschild & Jordan,1915)** (Sphingidae) Synonym(s): jamaicensis Rothschild & Jordan,1915 Range (in code): JM
- 82885. *Adhemarius globifer* (Dyar,1912)** (Sphingidae) Synonym(s): globifer Dyar,1912 Range (in code): MX
- 82886. *Adhemarius palmeri* (Boisduval,[1875])** (Sphingidae) Synonym(s): palmeri Boisduval,[1875]; marginata Butler,1875; brasiliensis B.P.Clark,1916 Range (in code): BR Rja VE
- 82887. *Adhemarius sexoculatus* (Grote,1867)** (Sphingidae) Synonym(s): sexoculatus Grote,1867; depuiseti Oberthür,1881 Range (in code): BR CO VE
- 82888. *Adhemarius tigrinus* (R.Felder,1874)** (Sphingidae) Synonym(s): tigrinus R.Felder,1874; #simera Lichy,1943 Range (in code): CO VE
- 82889. *Adhemarius tigrinus coronatus* (Gehlen,1930)** (Sphingidae) Synonym(s): coronata Gehlen,1930 Range (in code): CO

- 82890. Adhemarius tigrinus tigrinus (R.Felder,1874)** (Sphingidae) Synonym(s): *tigrinus* R.Felder,1874; #*simera* Lichy,1943 Range (in code): **VE**
- 82891. Adhemarius ypsilon (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *ypsilon* Rothschild & Jordan,1903 Range (in code): **CR VE**
- 82892. Aellopos blaini Herrich-Schäffer,[1869]** (Sphingidae) Synonym(s): *blaini* Herrich-Schäffer,[1869]; *aedon* Boisduval,[1875] Range (in code): **CU**
- 82893. Aellopos ceculus (Cramer,1777)** (Sphingidae) Synonym(s): *ceculus* Cramer,1777 Range (in code): **SR**
- 82894. Aellopos clavipes (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *clavipes* Rothschild & Jordan,1903; *eumelas* Jordan,1924 Range (in code): **MX VE**
- 82895. Aellopos fadus (Cramer,1776)** (Sphingidae) Synonym(s): *fadus* Cramer,1776; *annulosum* Swainson,1822; *balteata* Kirtland,1851; #*flavosignata* Closs,1916 Range (in code): **BR Sct US Oh SR VE GP**
- 82896. Aellopos gehleni (Closs,1922)** (Sphingidae) Synonym(s): *gehleni* Closs,1922 Range (in code): **CU**
- 82897. Aellopos tantalus (Linnaeus,1758)** (Sphingidae) Synonym(s): *tantalus* Linnaeus,1758; *ixion* Linnaeus,1758; *zonata* Drury,1773; *terpunctata* Goeze,1780; *sisypus* Burmeister,1856 Range (in code): **BR Rja GP MQ**
- 82898. Aellopos titan (Cramer,1777)** (Sphingidae) Synonym(s): *titan* Cramer,1777 Range (in code): **SR CU CO VE**
- 82899. Aellopos titan aguacana (Gehlen,1944)** (Sphingidae) Synonym(s): *aguacana* Gehlen,1944 Range (in code): **CO**
- 82900. Aellopos titan cubana (B.P.Clark,1936)** (Sphingidae) Synonym(s): *cubana* B.P.Clark,1936 Range (in code): **CU**
- 82901. Aellopos titan titan (Cramer,1777)** (Sphingidae) Synonym(s): *titan* Cramer,1777 Range (in code): **SR VE**
- 82902. Afroclanis calcarea (Rothschild & Jordan,1907)** (Sphingidae) Synonym(s): *calcarea* Rothschild & Jordan,1907; *burorum* Strand,1915; *aurora* Clark,1936 Range (in code): **ZA**
- 82903. Afroclanis neavi (Hampson,1910)** (Sphingidae) Synonym(s): *neavi* Hampson,1910; *martha* Closs,1911 Range (in code): **ZA**
- 82904. Agrius cingulatus (Fabricius,1775)** (Sphingidae) Synonym(s): *cingulatus* Fabricius,1775; *affinis* Goeze,1780; *druriei* Donovan,1810; *pungens* Eschscholtz,1821 Original Reference: *Sphinx cingulata* Fabricius,1775; Syst. Ent.: 545. Type(s): America. Range (in code): **ZA US FI Pns VE BR GP MQ**
- 82905. Agrius convolvuli (Linnaeus,1758)** (Sphingidae) Synonym(s): *convolvuli* Linnaeus,1758; *abadonna* Fabricius,1798; *pseudofasciatus* Koch,1865; *pseudoconvolvuli* Schaufuss,1870; *orientalis* Butler,1876; *distans* Butler,1876; *batatae* Christ,1882; *nigricans* Cannaviello,1900; *ichangensis* Tutt,1904; *javanensis* Tutt,1904; *tahitiensis* Tutt,1904; *indica* Skell,1913; *marshallensis* Clark,1922; *aksuensis* O.Bang-Haas,1927 Range (in code): **Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY KG KK EG LB Bsa SY IL JO IQ OM SA IR TM Kp BH QA TJ Pm CN Ui Au Ln Ga Pkn Ti KP KR JP ID Ja Sum GN AU NSw WS FJ SB TZ NH Md Az ET CM NG ZW Ec SD MU MG TJ Pm YE Ad Gor Elb TW Tn Ngl PK Krc Ask Clc BT SI MM TH Amb Aru NZ FJ PG NC GG Bjo Tbl Pt Tt Vl Mo Cm ZA Jh Gau Cap Ec Tva Lpo Spb Mdk Lj PH Bal Boh Cal Ceb CmM Din Jol Ley Luz Mdo Mno Neg Pal Pan Sam Sga Siq Pre Brb Mpu Pb Agh Pa Hf AF Srb Sfk Nu Bsg Kab Cma Cuo Cuo3 Cnz Czio TAK Bnk Chu Nst Phc Kln TW Cc AZ AM Cp LK Pdy Abe Btma Bsk Tun Agi Clo**
Bionomy: Larva on leaf of *Arachis hypogaea* [peanut], *Phaseolus* (Fabaceae), *Ipomoea batatas* [sweet potato], *I. aquatica* [water spinach] (Convolvulaceae), *Bridelia ovata* [ma ka] (Euphorbiaceae) (Bell & Scott,1937; Lewvanich,2001).
- 82906. Agrius fasciatus (Rothschild,1894)** (Sphingidae) Synonym(s): *fasciatus* Rothschild,1894 Range (in code): **NC**
- 82907. Akbesia davidi (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884 Original Reference: *Deilephila davidi* Oberthür,1884, Annls Soc. ent. Fr. 6 (4) (Bull.): 11-13. Type: [Turquie]: Akbes (leg. A. Armand David). Range (in code): **TR IQ Ssa Cc AZ IR Elb Th Fa Ss SY IL Pa Jt Gol Hal LB AF Bm Srb JO** Bionomy: Larva on *Pistacia*, *Rhus* (Anacardiaceae) (Pittaway,1983; De Freina & Geck,2003).
- 82908. Akbesia davidi davidi (Oberthür,1884)** (Sphingidae) Synonym(s): *davidi* Oberthür,1884 Original Reference: *Deilephila davidi* Oberthür,1884, Annls Soc. ent. Fr. 6 (4) (Bull.): 11-13. Type: [Turquie]: Akbes (leg. A. Armand David). Range (in code): **TR IQ Ssa Cc AZ IR Elb Th Fa Ss SY IL Pa Jt Gol Hal LB JO** Bionomy: Larva on *Pistacia*, *Rhus* (Anacardiaceae) (Pittaway,1983; De Freina & Geck,2003).

- 82909. Akbesia davidi gandhara De Freina & Geck,2003** (Sphingidae) Synonym(s): *gandhara De Freina & Geck,2003* Original Reference: Akbesia davidi ssp. gandhara De Freina & Geck,2003, Nachr. ent. Ver. Apollo (N.F.) 23 (4): 178-179, figs. Holotype ♂: O-Afghanistan: Sarobi, 1100m leg. G.Ebert (ZSM). Range (in code): **AF Bm Srb** Bionomy: Larva on Pistacia (Anacardiaceae), Rhus (Pittaway,1983; De Freina & Geck,2003).
- 82910. Aleuron carinatum (Walker,1856)** (Sphingidae) Synonym(s): *carinatum Walker,1856; philampeloides C.Felder & R.Felder,1867; orophilos Boisduval,[1875]* Range (in code): **BR Azn Para VE**
- 82911. Aleuron chloropterum (Perty,1833)** (Sphingidae) Synonym(s): *chloropterum Perty,1833; disis Boisduval,[1875]* Range (in code): **BR VE**
- 82912. Aleuron cymographum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *cymographum Rothschild & Jordan,1903* Range (in code): **BO**
- 82913. Aleuron iphis (Walker,1856)** (Sphingidae) Synonym(s): *iphis Walker,1856; volatica Clemens,1859; scriptor R.Felder,1874* Range (in code): **BR Azn VE**
- 82914. Aleuron leo B.P.Clark,1935** (Sphingidae) Synonym(s): *leo B.P.Clark,1935* Range (in code): **BO**
- 82915. Aleuron neglectum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *neglectum Rothschild & Jordan,1903* Range (in code): **PE PY VE**
- 82916. Aleuron neglectum neglectum Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *neglectum Rothschild & Jordan,1903* Range (in code): **PE**
- 82917. Aleuron neglectum paraguayana B.P.Clark,1931** (Sphingidae) Synonym(s): *paraguayana B.P.Clark,1931* Range (in code): **PY**
- 82918. Aleuron prominens (Walker,1856)** (Sphingidae) Synonym(s): *prominens Walker,1856; smerinthoides R.Felder,1874; pudens Boisduval,[1875]; #promiscus Burmeister,1879* Range (in code): **BR Azn**
- 82919. Aleuron ypanemae (Boisduval,[1875])** (Sphingidae) Synonym(s): *ypanemae Boisduval,[1875]* Range (in code): **BR Rja**
- 82920. Ambulyx andangi Brechlin,1998** (Sphingidae) Synonym(s): *andangi Brechlin,1998* Range (in code):
- 82921. Ambulyx bakeri (Clark,1929)** (Sphingidae) Synonym(s): *bakeri Clark,1929* Range (in code): **PH Ceb Ley Luz Mar Mdo Mno Neg Pan Sam Siq**
- 82922. Ambulyx bima (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *bima Rothschild & Jordan,1903* Range (in code):
- 82923. Ambulyx canescens (Walker,[1865])** (Sphingidae) Synonym(s): *canescens Walker,[1865]* Range (in code): **PH Bal Pal Ley Luz Mdo Mno Neg Pan Sam ID Adm MY Bor Sum Ja TH CMa Cuo KH VN** Bionomy: Larva on Shorea lepidota (Dipterocarpaceae) (Holloway,1987).
- 82924. Ambulyx canescens canescens (Walker,[1865])** (Sphingidae) Synonym(s): *canescens Walker,[1865]* Range (in code): **PH Bal Pal ID Adm MY Bor Sum Ja TH CMa Cuo KH VN** Bionomy: Larva on Shorea lepidota (Dipterocarpaceae) (Holloway,1987).
- 82925. Ambulyx canescens flava (Clark,1924)** (Sphingidae) Synonym(s): *flava Clark,1924* Range (in code): **PH Ley Luz Mdo Mno Neg Pan Sam**
- 82926. Ambulyx carycina (Jordan,1919)** (Sphingidae) Synonym(s): *carycina Jordan,1919* Range (in code):
- 82927. Ambulyx ceramensis (Joicey & Talbot,1921)** (Sphingidae) Synonym(s): *ceramensis Joicey & Talbot,1921* Range (in code): **ID Crm**
- 82928. Ambulyx charlesi (Clark,1924)** (Sphingidae) Synonym(s): *charlesi Clark,1924* Range (in code):
- 82929. Ambulyx clavata (Jordan,1929)** (Sphingidae) Synonym(s): *clavata Jordan,1929* Range (in code): **TH MY ID Sum Ja Bor**
- 82930. Ambulyx cyclacticta (Joicey & Kaye,1917)** (Sphingidae) Synonym(s): *cyclacticta Joicey & Kaye,1917* Range (in code): **TH CMa Int Cuo MM**
- 82931. Ambulyx dohertyi Rothschild,1894** (Sphingidae) Synonym(s): *dohertyi Rothschild,1894* Range (in code):
- 82932. Ambulyx immaculata (Clark,1924)** (Sphingidae) Synonym(s): *immaculata Clark,1924* Range (in code): **PH Ley Luz Mdo Mno Neg Pan Sam**
- 82933. Ambulyx inouei Cadiou & Holloway,1985** (Sphingidae) Synonym(s): *inouei Cadiou & Holloway,1985* Range (in code):
- 82934. Ambulyx japonica** (Sphingidae) Synonym(s): Range (in code): **JP TW**

- 82935. *Ambulyx japonica angustifasciata* (Okano,1959)** (Sphingidae) **Synonym(s):** *angustifasciata* Okano,1959 Range (in code): **TW**
- 82936. *Ambulyx japonica japonica*** (Sphingidae) **Synonym(s):** Range (in code): **JP**
- 82937. *Ambulyx johnsoni* (Clark,1917)** (Sphingidae) **Synonym(s):** *johnsoni* Clark,1917 Range (in code): **PH Ceb Ley Luz Mar Mdo Mno Neg Pan Sam Siq**
- 82938. *Ambulyx joiceyi* (Clark,1923)** (Sphingidae) **Synonym(s):** *joiceyi* Clark,1923 Range (in code): **PH Pal**
- 82939. *Ambulyx jordani* (Bethune-Baker,1910)** (Sphingidae) **Synonym(s):** *jordani* Bethune-Baker,1910 Range (in code):
- 82940. *Ambulyx kuangtungensis* (Mell,1922)** (Sphingidae) **Synonym(s):** *kuangtungensis* Mell,1922; *formosana* Clark,1936; *hoenei* Mell,1937; *melli* Gehlen,1942 Range (in code): **CN TW TH**
- 82941. *Ambulyx kuangtungensis* (Mell,1922)** (Sphingidae) **Synonym(s):** *kuangtungensis* Mell,1922 Range (in code): **CN TW**
- 82942. *Ambulyx liturata* Butler,1875** (Sphingidae) **Synonym(s):** *liturata* Butler,1875 Range (in code): **IN NP MM TH CMa CDo VN CN** Bionomy: Larva on *Quercus*, *Castanopsis* (Fagaceae), *Poupartia* (Anacardiaceae), *Canarium* (Burseraceae) (Inoue et al.,1997).
- 82943. *Ambulyx meeki* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *meeki* Rothschild & Jordan,1903 Range (in code):
- 82944. *Ambulyx montana* Cadiou & Kitching,1990** (Sphingidae) **Synonym(s):** *montana* Cadiou & Kitching,1990 Range (in code): **TH CMa Int Nan VN**
- 82945. *Ambulyx moorei* Moore,[1858]** (Sphingidae) **Synonym(s):** *moorei* Moore,[1858]; *subocellata* R.Felder & Rogenhofer,1874; *chinensis* Mell,1922; *bakeri* Clark,1929 Range (in code): **PH Bal Pal** **IN LK Adm MY TH CMa Cuo Bor Sum Ja VN CN** Bionomy: Larva on *Odina*, *Buchanania*, *Lannea* (Anacardiaceae), *Canarium* (Burseraceae) (Inoue et al.,1997).
- 82946. *Ambulyx naessigi* Brechlin,1998** (Sphingidae) **Synonym(s):** *naessigi* Brechlin,1998 Range (in code):
- 82947. *Ambulyx oblitterata* Rothschild,1920** (Sphingidae) **Synonym(s):** *oblitterata* Rothschild,1920; *macromaculata* Gehlen,1940 Range (in code): **TH MY Bor ID Sum** Bionomy: Larva on *Quercus* (Fagaceae).
- 82948. *Ambulyx ochracea* Butler,1885** (Sphingidae) **Synonym(s):** *ochracea* Butler,1885 Range (in code): **IN Meg Ass Khs NP TH CMa CDo VN CN TW JP KP KR** Bionomy: Larva on *Poupartia fordii* (Anacardiaceae) (Bell & Scott,1937).
- 82949. *Ambulyx phalaris* (Jordan,1919)** (Sphingidae) **Synonym(s):** *phalaris* Jordan,1919 Range (in code):
- 82950. *Ambulyx pryeri* Distant,1887** (Sphingidae) **Synonym(s):** *pryeri* Distant,1887 Range (in code): **PH Bal Jol Pal Stu ID Ja Sum Bor MY TH CMa Cuo** Bionomy: Larva on *Plumeria* (Apocynaceae) (Inoue et al.,1997).
- 82951. *Ambulyx pseudoclavata* Inoue,1997** (Sphingidae) **Synonym(s):** *pseudoclavata* Inoue,1997 Range (in code): **TH CMa Dst Chy Loe CDo**
- 82952. *Ambulyx rudloffi* Brechlin,2006** (Sphingidae) **Synonym(s):** *rudloffi* Brechlin,2006 Range (in code):
- 82953. *Ambulyx schauffelbergeri* Bremer & Grey,1853** (Sphingidae) **Synonym(s):** *schauffelbergeri* Bremer & Grey,1853 Range (in code):
- 82954. *Ambulyx schmickae* Brechlin,1998** (Sphingidae) **Synonym(s):** *schmickae* Brechlin,1998 Range (in code):
- 82955. *Ambulyx semifervens* (Walker,[1865])** (Sphingidae) **Synonym(s):** *semifervens* Walker,[1865] Range (in code): **LK Kndy**
- 82956. *Ambulyx semiplacida* Inoue,1990** (Sphingidae) **Synonym(s):** *semiplacida* Inoue,1990 Range (in code): **TW**
- 82957. *Ambulyx sericeipennis* Butler,1875** (Sphingidae) **Synonym(s):** *sericeipennis* Butler,1875 Range (in code): **IN TH CMa CDo CN KP KR TW JP ID Sum Ja PH Luz Mdo Neg** Bionomy: Larva on *Elaeocarpus* (Tiliaceae), *Quercus* (Fagaceae), *Myrica nagi* (Myricaceae), *Rhus insignia* (Anacardiaceae), *Juglans regia*, *Engelhardtia spicata* (Juglandaceae) (Bell & Scott,1937; Inoue et al.,1997).
- 82958. *Ambulyx sericeipennis agana* (Jordan,1929)** (Sphingidae) **Synonym(s):** *agana* Jordan,1929; *amaculata* Meng,1989 Range (in code): **IN Meg Ass Khs Slo NP TH CMa CDo CN VN** Bionomy: Larva on *Elaeocarpus* (Tiliaceae), *Quercus* (Fagaceae), *Myrica nagi* (Myricaceae), *Rhus*

- insignia (Anacardiaceae), Juglans regia, Engelhardtia spicata (Juglandaceae) (Bell & Scott,1937; Inoue et al.,1997).
- 82959. Ambulyx sericeipennis javanica (Clark,1930)** (Sphingidae) Synonym(s): *javanica* Clark,1930 Range (in code): ID Ja
- 82960. Ambulyx sericeipennis luzoni (Clark,1924)** (Sphingidae) Synonym(s): *luzoni* Clark,1924 Range (in code): PH Luz Mdo Neg
- 82961. Ambulyx sericeipennis okurai (Okano,1959)** (Sphingidae) Synonym(s): *okurai* Okano,1959 Range (in code): TW
- 82962. Ambulyx sericeipennis sericeipennis Butler,1875** (Sphingidae) Synonym(s): *sericeipennis* Butler,1875 Range (in code): IN TH CN TW JP ID Sum
- 82963. Ambulyx sericeipennis tobii (Inoue,1976)** (Sphingidae) Synonym(s): *tobii* Inoue,1976 Range (in code): JP KP KR CN
- 82964. Ambulyx siamensis Inoue,1991** (Sphingidae) Synonym(s): *siamensis* Inoue,1991 Original Reference: Ambulyx siamensis Inoue,1991, Tinea 13 (14): 130, fig. Holotype ♂: Thailand: Khon Kaen: Nam Proam, 800m. Range (in code): TH Khn
- 82965. Ambulyx staudingeri Rothschild,1894** (Sphingidae) Synonym(s): *staudingeri* Rothschild,1894 Range (in code): PH Boh Ceb Jol Ley Luz Mar Mas Mdo Mno Neg Pan Pol Sam Sga Sib Siq Taw
- 82966. Ambulyx subtrigilis (Westwood,1847)** (Sphingidae) Synonym(s): *subtrigilis* Westwood,1847 Original Reference: Sphinx subtrigilis Westwood,1847, Cabinet orient. Ent.: [61]. Range (in code): PH Bal Pal IN NP TH MY VN Bor ID Sum LK Bionomy: Larva on Dipterocarpus (Dipterocarpaceae), Aglaia (Meliaceae), Lagerstroemia (Lythraceae) (Inoue et al.,1997).
- 82967. Ambulyx subtrigilis subtrigilis (Westwood,1847)** (Sphingidae) Synonym(s): *subtrigilis* Westwood,1847 Original Reference: Sphinx subtrigilis Westwood,1847, Cabinet orient. Ent.: [61]. Range (in code): PH Bal Pal IN NP TH MY VN Bor ID Sum LK Bionomy: Larva on Dipterocarpus (Dipterocarpaceae), Aglaia (Meliaceae), Lagerstroemia (Lythraceae) (Inoue et al.,1997).
- 82968. Ambulyx suluensis Hogenes & Treadaway,1998** (Sphingidae) Synonym(s): *suluensis* Hogenes & Treadaway,1998 Range (in code): PH Bon Stu Taw
- 82969. Ambulyx tattina (Jordan,1919)** (Sphingidae) Synonym(s): *tattina* Jordan,1919; *borneensis* Gehlen,1940 Range (in code): PH Ley Luz Mdo Mno Neg Pan Sam Taw Bal Pal MY Bor ID Sum TH VN
- 82970. Ambulyx tattina tattina (Jordan,1919)** (Sphingidae) Synonym(s): *tattina* Jordan,1919; *borneensis* Gehlen,1940 Range (in code): PH Bal Pal MY Bor ID Sum TH VN
- 82971. Ambulyx tattina uichancoi (Clark,1938)** (Sphingidae) Synonym(s): *uichancoi* Clark,1938 Range (in code): PH Ley Luz Mdo Mno Neg Pan Sam Taw
- 82972. Ambulyx tenimberi (Clark,1929)** (Sphingidae) Synonym(s): *tenimberi* Clark,1929 Range (in code):
- 82973. Ambulyx tondanoi (Clark,1930)** (Sphingidae) Synonym(s): *tondanoi* Clark,1930 Range (in code):
- 82974. Ambulyx wildei Miskin,1891** (Sphingidae) Synonym(s): *wildei* Miskin,1891 Range (in code):
- 82975. Ambulyx wilemani (Rothschild & Jordan,1916)** (Sphingidae) Synonym(s): *wilemani* Rothschild & Jordan,1916 Range (in code): PH Ley Luz Mar Mdo Mno Neg Pan Sam Stu Taw
- 82976. Amorpha juglandis (J.E.Smith,1797)** (Sphingidae) Synonym(s): *juglandis* J.E.Smith,1797; *pallens* Strecker,1873; *instibilis* Butler,1877; *robinsoni* Butler,1877; *hyperbola* Slosson,1890; *alpina* B.P.Clark,1927; *manitobae* B.P.Clark,1930 Range (in code): US Tx Fl Ge Ny CA Mnt
- 82977. Ampelophaga dolichoides (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *dolichoides* R.Felder & Rogenhofer,[1874] Range (in code): IN NP TH MY
- 82978. Ampelophaga dolichoides dolichoides (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *dolichoides* R.Felder & Rogenhofer,[1874] Range (in code): IN NP TH MY
- 82979. Ampelophaga khasiana Rothschild,1895** (Sphingidae) Synonym(s): *khasiana* Rothschild,1895 Range (in code): IN Ass Khs Meg TH MY ID Sum Bionomy: Larva on Vitis (Vitaceae), Saurauia nepalensis (Actinidiaceae) (Bell & Scott,1937).
- 82980. Ampelophaga khasiana khasiana Rothschild,1895** (Sphingidae) Synonym(s): *khasiana* Rothschild,1895 Range (in code): IN Ass Khs Meg TH Bionomy: Larva on Vitis (Vitaceae), Saurauia nepalensis (Actinidiaceae) (Bell & Scott,1937).
- 82981. Ampelophaga khasiana malayana Rothschild & Jordan,1915** (Sphingidae) Synonym(s): *malayana* Rothschild & Jordan,1915 Range (in code): TH MY ID Sum

- 82982. *Ampelophaga rubiginosa* Bremer & Grey,[1852]** (Sphingidae) **Synonym(s):** *rubiginosa* Bremer & Grey,[1852] **Range (in code):** **AF PK Swa Alp JP Hkk KP KR RU Us CN Yu Sz Kwa Mc Hbe Fkn IN NP MM LA TH MY ID Sum TW** **Bionomy:** Larva on Vitis, Ampelopsis, Parthenocissus (Vitaceae), Hydrangea (Saxifragaceae) (Inoue et al.,1997).
- 82983. *Ampelophaga rubiginosa fasciosa* Moore,1888** (Sphingidae) **Synonym(s):** *fasciosa* Moore,1888 **Range (in code):** **IN**
- 82984. *Ampelophaga rubiginosa myosotis* Kitching & Cadiou,2000** (Sphingidae) **Synonym(s):** *myosotis* Kitching & Cadiou,2000 **Range (in code):** **TW**
- 82985. *Ampelophaga rubiginosa rubiginosa* Bremer & Grey,[1852]** (Sphingidae) **Synonym(s):** *rubiginosa* Bremer & Grey,[1852] **Range (in code):** **JP KP KR RU Us CN** **Bionomy:** Larva on Vitis, Ampelopsis, Parthenocissus (Vitaceae), Hydrangea (Saxifragaceae) (Inoue et al.,1997).
- 82986. *Amphimoea walkeri* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *walkeri* Boisduval,[1875]; *staudingeri* Druce,1888; *magnificus* Rothschild,1894 **Range (in code):** **GY PA VE**
- 82987. *Amphion floridensis* B.P.Clark,1920** (Sphingidae) **Synonym(s):** *nessus* Cramer,[1777] *nec* Dru.,1773; *floridensis* B.P.Clark,1920 **Range (in code):**
- 82988. *Ampllypterus mansonii* (Clark,1924)** (Sphingidae) **Synonym(s):** *mansonii* Clark,1924 **Range (in code):** **IN NP TH CMa CDo VN MY ID Sum TW**
- 82989. *Ampllypterus mansonii mansonii* (Clark,1924)** (Sphingidae) **Synonym(s):** *mansonii* Clark,1924 **Range (in code):** **IN NP TH VN**
- 82990. *Ampllypterus mansonii pendleburyi* (Clark,1938)** (Sphingidae) **Synonym(s):** *pendleburyi* Clark,1938 **Range (in code):** **MY ID Sum**
- 82991. *Ampllypterus mansonii takamukui* (Matsumura,1930)** (Sphingidae) **Synonym(s):** *takamukui* Matsumura,1930; *formosana* Clark,1936 **Range (in code):** **TW**
- 82992. *Ampllypterus panopus* (Cramer,[1779])** (Sphingidae) **Synonym(s):** *panopus* Cramer,[1779] **Original Reference:** Sphinx panopus Cramer,[1779], Utitl. Kapellen 3: 50, pl.224, figs. A.,B. **Range (in code):** **IN LK MM NP TH CMa Cuo Nrt Cbi VN CN PH Bon Pal Ceb Jol Ley Luz Mdo Mno Neg Pan Pol Rom Sam Sib ID Clb Sum Ja** **Bionomy:** Larva on leaf of Dracontomelum, Mangifera indica [mango], Rhus (Anacardiaceae), Durio (Bombacaceae), Calophyllum, Garcinia (Clusiaceae); Nephelium lappaceum (Sapindaceae) (Inoue et al.,1997; Lewvanich,2001).
- 82993. *Ampllypterus panopus mindanaoensis* Inoue,1996** (Sphingidae) **Synonym(s):** *mindanaoensis* Inoue,1996 **Range (in code):** **PH Ceb Jol Ley Luz Mdo Mno Neg Pan Pol Rom Sam Sib**
- 82994. *Ampllypterus panopus panopus* (Cramer,[1779])** (Sphingidae) **Synonym(s):** *panopus* Cramer,[1779] **Original Reference:** Sphinx panopus Cramer,[1779], Utitl. Kapellen 3: 50, pl.224, figs. A.,B. **Range (in code):** **IN LK MM NP TH CMa Cuo Nrt Cbi VN CN PH Bon Pal ID Clb Sum Ja** **Bionomy:** Larva on leaf of Dracontomelum, Mangifera indica [mango], Rhus (Anacardiaceae), Durio (Bombacaceae), Calophyllum, Garcinia (Clusiaceae); Nephelium lappaceum (Sapindaceae) (Inoue et al.,1997; Lewvanich,2001).
- 82995. *Anambulyx elwesi* (Druce,1882)** (Sphingidae) **Synonym(s):** *elwesi* Druce,1882 **Original Reference:** Ambulyx elwesi Druce,1882, Entomologist's mon. Mag. 19: 17. **Range (in code):** **IN TH CMa CDo VN**
- 82996. *Anambulyx elwesi elwesi* (Druce,1882)** (Sphingidae) **Synonym(s):** *elwesi* Druce,1882 **Original Reference:** Ambulyx elwesi Druce,1882, Entomologist's mon. Mag. 19: 17. **Range (in code):** **IN TH CMa CDo VN**
- 82997. *Andriasa contraria* Walker,1856** (Sphingidae) **Synonym(s):** *contraria* Walker,1856; *submarginalis* Walker,1865; *suffusa* Walker,1869; *adansoniae* Boisduval,[1875]; *peuchellii* Dewitz,1879; *marginalis* Butler,1882; *perpallida* Holland,1893; *crenulata* Bethune-Baker,1911; *objecta* Strand,1912; *towadea* Gehlen,1935; *stigmatica* Gehlen,1940 **Range (in code):** **ZA**
- 82998. *Andriasa contraria contraria* Walker,1856** (Sphingidae) **Synonym(s):** *contraria* Walker,1856; *submarginalis* Walker,1865; *suffusa* Walker,1869; *adansoniae* Boisduval,[1875]; *peuchellii* Dewitz,1879; *marginalis* Butler,1882; *perpallida* Holland,1893; *crenulata* Bethune-Baker,1911; *objecta* Strand,1912; *towadea* Gehlen,1935; *stigmatica* Gehlen,1940 **Range (in code):** **ZA**
- 82999. *Angonyx papuana* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *papuana* Rothschild & Jordan,1903 **Range (in code):** **PG**
- 83000. *Angonyx testacea* (Walker,1856)** (Sphingidae) **Synonym(s):** *testacea* Walker,1856; *menghaiensis* Meng,1991 **Range (in code):** **CN Yu IN LK MM NP TH CMa Cuo Cmz Cz10 CDo VN TW MY ID Sum Bor Ja PH Bal Dum Hom Jol Ley Luz Mdo Neg Pal Sam** **Bionomy:** Larva on Strychnos (Loganiaceae) (Inoue et al.,1997).

- 83001. Antinephele lunulata Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *lunulata* Rothschild & Jordan,1903; *weberi* Clark,1923 Range (in code): ZA
- 83002. Antinephele maculifera Holland,1889** (Sphingidae) Synonym(s): *maculifera* Holland,1889 Range (in code): ZA
- 83003. Apocalypsis velox (Butler,1876)** (Sphingidae) Synonym(s): *velox* Butler,1876 Range (in code):
- 83004. Arctonotus lucidus Boisduval,1852** (Sphingidae) Synonym(s): *lucidus* Boisduval,1852; *clarki* Barnes & Benjamin,1923 Range (in code): US Cf
- 83005. Aspledon mulleri B.P.Clark,1923** (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1923 Range (in code): MX Grr
- 83006. Aspledon sonorensis B.P.Clark,1919** (Sphingidae) Synonym(s): *sonorensis* B.P.Clark,1919 Range (in code): MX Snr
- 83007. Atemnora westermanni (Boisduval,[1875])** (Sphingidae) Synonym(s): *westermanni* Boisduval,[1875]; *falkensteini* Dewitz,1879 Range (in code): ZA
- 83008. Baniwa yavitensis Lichy,1981** (Sphingidae) Synonym(s): *yavitensis* Lichy,1981 Range (in code): VE
- 83009. Barbourion lemai (Le Moul,1933)** (Sphingidae) Synonym(s): *lemai* Le Moul,1933 Range (in code): TH VN
- 83010. Basiotia aureata (Karsch,1891)** (Sphingidae) Synonym(s): *aureata* Karsch,1891; *brevipennis* Rothschild,1894 Range (in code): ZA
- 83011. Basiotia charis (Boisduval,[1875])** (Sphingidae) Synonym(s): *celerionina* Walker,1856; *charis* Boisduval,[1875] Range (in code): SL GA ZA Nta Kzu Ec TZ UG
- 83012. Basiotia medea (Fabricius,1781)** (Sphingidae) Synonym(s): *medea* Fabricius,1781; *idrieus* Drury,1782; *minus* Fabricius,1787; *clio* Fabricius,1793; *onotherina* Martyn,1797; *transfigurata* Wallengren,1860 Range (in code): GM ZA Tva Mpu Brb Gau Pre Nta Kzu Dbn MZ Del SL
- 83013. Basiotia schenki (Möschler,1872)** (Sphingidae) Synonym(s): *schenki* Möschler,1872; *protocharis* Staudinger,1872 Range (in code): ZA Tva Gau Pre Jh Mpu Brb Nta Kzu Ptb Ec Tra
- 83014. Batocnema africana (Distant,1899)** (Sphingidae) Synonym(s): *africana* Distant,1899 Range (in code): ZA Tva Mpu Ly
- 83015. Callambulyx amanda Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan,1903 Range (in code): PH Bal Pal TH Pht MY ID Sum Bor Ja
- 83016. Callambulyx amanda amanda Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *amanda* Rothschild & Jordan,1903 Range (in code): PH Bal Pal TH Pht MY ID Sum Bor Ja
- 83017. Callambulyx junonia (Butler,1881)** (Sphingidae) Synonym(s): *junonia* Butler,1881 Range (in code):
- 83018. Callambulyx poecilus (Rothschild,1898)** (Sphingidae) Synonym(s): *poecilus* Rothschild,1898 Range (in code): IN NP TH CMa Cnz Cz10 MY ID Sum
- 83019. Callambulyx poecilus poecilus (Rothschild,1898)** (Sphingidae) Synonym(s): *poecilus* Rothschild,1898 Range (in code): IN NP TH CMa Cnz Cz10 MY ID Sum
- 83020. Callambulyx rubricosa (Walker,1856)** (Sphingidae) Synonym(s): *rubricosa* Walker,1856; *indochinensis* Clark,1936 Range (in code): IN NP TH CMa Cnz Cz10 VN ID Ja
- 83021. Callambulyx rubricosa piepersi (Snellen,1880)** (Sphingidae) Synonym(s): *piepersi* Snellen,1880 Range (in code): ID Ja
- 83022. Callambulyx rubricosa rubricosa (Walker,1856)** (Sphingidae) Synonym(s): *rubricosa* Walker,1856; *indochinensis* Clark,1936 Range (in code): IN NP TH CMa Cnz Cz10 VN
- 83023. Callambulyx schintlmeisteri Brechlin,1997** (Sphingidae) Synonym(s): *schintlmeisteri* Brechlin,1997 Range (in code):
- 83024. Callambulyx tatarinovii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *tatarinovii* Bremer & Grey,1853 Range (in code): RU TW
- 83025. Callambulyx tatarinovii formosana Clark,1935** (Sphingidae) Synonym(s): *formosana* Clark,1935 Range (in code): TW
- 83026. Callambulyx tatarinovii tatarinovii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *tatarinovii* Bremer & Grey,1853 Range (in code): RU
- 83027. Callionima acuta (Rothschild & Jordan,1910)** (Sphingidae) Synonym(s): *acuta* Rothschild & Jordan,1910 Range (in code): BR Azn
- 83028. Callionima calliomenae (Schaufuss,1870)** (Sphingidae) Synonym(s): *calliomenae* Schaufuss,1870; *lutescens* Butler,1875; *ellacombei* Rothschild,1894 Range (in code): DO HT VE

- 83029. *Callionima denticulata* (Schaus,1895)** (Sphingidae) **Synonym(s):** *denticulata* Schaus,1895
Range (in code): **MX VE**
- 83030. *Callionima falcifera* (Gehlen,1943)** (Sphingidae) **Synonym(s):** *falcifera* Gehlen,1943;
elainae Neidhoefer,1968 **Range (in code):** **JM MX VE**
- 83031. *Callionima gracilis* (Jordan,1923)** (Sphingidae) **Synonym(s):** *gracilis* Jordan,1923 **Range (in code):** **CU**
- 83032. *Callionima grisescens* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *grisescens* Rothschild,1894 **Range (in code):** **AR BR**
- 83033. *Callionima grisescens elegans* (Gehlen,1935)** (Sphingidae) **Synonym(s):** *elegans* Gehlen,1935 **Range (in code):** **BR**
- 83034. *Callionima grisescens grisescens* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *grisescens* Rothschild,1894 **Range (in code):** **AR**
- 83035. *Callionima inuus* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *inuus* Rothschild & Jordan,1903; *brethesi* Köhler,1924 **Range (in code):** **PE AR VE**
- 83036. *Callionima modesta* (Gehlen,1950)** (Sphingidae) **Synonym(s):** *modesta* Gehlen,1950
Range (in code): **BR MgS**
- 83037. *Callionima nomius* (Walker,1856)** (Sphingidae) **Synonym(s):** *nomius* Walker,1856
Range (in code): **BR VE**
- 83038. *Callionima pan* (Cramer,1779)** (Sphingidae) **Synonym(s):** *pan* Cramer,1779; *neivai* Oiticica,1940 **Range (in code):** **BR Rja VE**
- 83039. *Callionima parce* (Fabricius,1775)** (Sphingidae) **Synonym(s):** *parce* Fabricius,1775; *licastus* Cramer,1782; *galianna* Burmeister,1856; *pathenope* Zikan,1935 **Original Reference:** *Sphinx parce* Fabricius,1775; Syst. Ent.: 543. Type(s): Brasilia. **Range (in code):** **PY MX BR Rja SR VE**
- 83040. *Callionima parce guaycura* (Cary,1963)** (Sphingidae) **Synonym(s):** *guaycura* Cary,1963
Range (in code): **MX**
- 83041. *Callionima parce guiarti* (Debauche,1934)** (Sphingidae) **Synonym(s):** *guiarti* Debauche,1934 **Range (in code):** **PY**
- 83042. *Callionima parce parce* (Fabricius,1775)** (Sphingidae) **Synonym(s):** *parce* Fabricius,1775; *licastus* Cramer,1782; *galianna* Burmeister,1856; *pathenope* Zikan,1935 **Original Reference:** *Sphinx parce* Fabricius,1775; Syst. Ent.: 543. Type(s): Brasilia. **Range (in code):** **BR Rja SR VE**
- 83043. *Callionima ramsdeni* (B.P.Clark,1920)** (Sphingidae) **Synonym(s):** *ramsdeni* B.P.Clark,1920 **Range (in code):** **CU**
- 83044. *Cautethia exuma* McCabe,1984** (Sphingidae) **Synonym(s):** *exuma* McCabe,1984 **Range (in code):** **BS**
- 83045. *Cautethia grotei* Edwards,1882** (Sphingidae) **Synonym(s):** *grotei* Edwards,1882 **Range (in code):** **US FI**
- 83046. *Cautethia grotei grotei* Edwards,1882** (Sphingidae) **Synonym(s):** *grotei* Edwards,1882
Range (in code): **US FI**
- 83047. *Cautethia grotei hilaris* Jordan,1940** (Sphingidae) **Synonym(s):** *hilaris* Jordan,1940; *apisa* Jordan,1940 **Range (in code):**
- 83048. *Cautethia noctuiformis* (Walker,1856)** (Sphingidae) **Synonym(s):** *noctuiformis* Walker,1856; *hipparsus* Grote & Robinson,1868 **Range (in code):** **DO CU GP**
- 83049. *Cautethia noctuiformis bredini* Cary,1971** (Sphingidae) **Synonym(s):** *bredini* Cary,1971
Range (in code):
- 83050. *Cautethia noctuiformis noctuiformis* (Walker,1856)** (Sphingidae) **Synonym(s):** *noctuiformis* Walker,1856; *hipparsus* Grote & Robinson,1868 **Range (in code):** **DO CU GP**
- 83051. *Cautethia simitia* Schaus,1932** (Sphingidae) **Synonym(s):** *simitia* Schaus,1932 **Range (in code):** **CO**
- 83052. *Cautethia spuria* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *spuria* Boisduval,[1875]
Range (in code): **MX**
- 83053. *Cautethia yucatana* B.P.Clark,1919** (Sphingidae) **Synonym(s):** *yucatana* B.P.Clark,1919
Range (in code): **MX**
- 83054. *Cechenena aegrota* (Butler,1875)** (Sphingidae) **Synonym(s):** *aegrota* Butler,1875; *occidentalis* Clark,1935 **Range (in code):** **NP IN VN ID Sum Ja Bor PH Pal TH MY** **Bionomy:** Larva on Psychotria (Rubiaceae) (Inoue et al.,1997).

- 83055. *Cechenena helops* (Walker,1856)** (Sphingidae) Synonym(s): *helops* Walker,1856 Range (in code): **NP IN TH VN ID Sum Ja Bor Clb Mlc Crm PG AU PH Bal Din Ley Luz Mar Mdo Mno Neg Pal Pan Sam Siq** Bionomy: Larva on Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 83056. *Cechenena helops helops* (Walker,1856)** (Sphingidae) Synonym(s): *helops* Walker,1856 Range (in code): **IN NP TH VN MY ID Sum Ja Bor PH Bal Din Ley Luz Mar Mdo Mno Neg Pal Pan Sam Siq** Bionomy: Larva on Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 83057. *Cechenena helops interposita* Joicey & Talbot,1921** (Sphingidae) Synonym(s): *interposita* Joicey & Talbot,1921 Range (in code): **ID Mlc Crm**
- 83058. *Cechenena helops papuana* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *papuana* Rothschild & Jordan,1903 Range (in code): **PG AU**
- 83059. *Cechenena lineosa* (Walker,1856)** (Sphingidae) Synonym(s): *lineosa* Walker,1856 Range (in code): **TH CMa Cuo CDo IN Meg Ass Khs Hp Drm Sml NP SI BT MM VN CN TW MY ID Sum Bor** Bionomy: Larva on Saurauia (Actinidiaceae), Impatiens (Balsaminaceae), Vitis (Vitaceae), Polygonum chinensis (Polygonaceae) (Bell & Scott,1937).
- 83060. *Cechenena minor* (Butler,1875)** (Sphingidae) Synonym(s): *minor* Butler,1875 Range (in code): **IN NP TH CMa CDo VN CN TW** Bionomy: Larva on Saurauia (Actinidiaceae), Amorphophallus (Araceae) (Inoue et al.,1997).
- 83061. *Cechenena pollux* (Boisduval,[1875])** (Sphingidae) Synonym(s): *pollux* Boisduval,[1875] Range (in code): **ID Sum Ja PH Pal**
- 83062. *Cechenena subangustata* Rothschild,1920** (Sphingidae) Synonym(s): *subangustata* Rothschild,1920 Range (in code): **TH MY ID Sum Ja Bor TW PH Bal**
- 83063. *Cechenena transpasifica* (Clark,1923)** (Sphingidae) Synonym(s): *transpasifica* Clark,1923 Range (in code): **PH Mdo Neg Ley Luz Pan Sam**
- 83064. *Centroctena imitans* (Butler,1882)** (Sphingidae) Synonym(s): *imitans* Butler,1882 Range (in code): **ZA**
- 83065. *Cephonodes armatus* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *armatus* Rothschild & Jordan,1903 Range (in code): **FJ WS TO MP**
- 83066. *Cephonodes banksi* Clark,1923** (Sphingidae) Synonym(s): *banksi* Clark,1923 Range (in code): **PH Hom Ley Luz Mdo Mno Neg**
- 83067. *Cephonodes hylas* (Linnaeus,1771)** (Sphingidae) Synonym(s): *hylas* Linnaeus,1771 Original Reference: Sphinx hylas Linnaeus,1771, Mantissa Plantarum (2): 539. Range (in code): **PH CmM Luz Mdo Mno Neg Pal Taw ZA Tva Lpo Spb Gau Pre Jh Nta Kzu Dbn GM MG SL KP KR JP PK Cp H-A IN ID Flo Tim Sum LK MM TH CMa Cuo Knc Cbi Cph VN CN TW MY AU** Bionomy: Larva on leaf of Adina, Gardenia, Mussaenda, Randia, Tarenna, Wendlandia, Coffea, Ixora, Ravetta, Hymenodictyon (Rubiaceae) (Inoue et al.,1997).
- 83068. *Cephonodes hylas cunninghami* (Walker,1856)** (Sphingidae) Synonym(s): *cunninghami* Walker,1856 Range (in code): **ID Flo Tim AU**
- 83069. *Cephonodes hylas hylas* (Linnaeus,1771)** (Sphingidae) Synonym(s): *hylas* Linnaeus,1771 Original Reference: Sphinx hylas Linnaeus,1771, Mantissa Plantarum (2): 539. Range (in code): **PH CmM Luz Mdo Mno Neg Pal Taw KP KR JP PK Cp H-A IN LK MM TH CMa Cuo Knc Cbi Cph VN CN TW MY ID Sum**
- 83070. *Cephonodes hylas virescens* (Wallengren,1858)** (Sphingidae) Synonym(s): *virescens* Wallengren,1858; *confinis* Boisduval,[1875] Range (in code): **GM MG ZA Tva Lpo Spb Gau Pre Jh Nta Kzu Dbn**
- 83071. *Cephonodes janus* Miskin,1891** (Sphingidae) Synonym(s): *janus* Miskin,1891 Range (in code): **NC**
- 83072. *Cephonodes janus simplex* Rothschild,1894** (Sphingidae) Synonym(s): *simplex* Rothschild,1894 Range (in code): **NC**
- 83073. *Cephonodes lifuensis* Rothschild,1894** (Sphingidae) Synonym(s): *lifuensis* Rothschild,1894 Range (in code): **NC NH**
- 83074. *Cephonodes picus* (Cramer,[1777])** (Sphingidae) Synonym(s): *picus* Cramer,[1777] Original Reference: Sphinx picus Cramer,[1777], Utitl. Kapellen 2: 83, pl.148, fig.B. Range (in code): **PH Ceb Luz Neg Pal Sib IN LK TH MY ID Bor Ja Sba MH PG AU QAU** Bionomy: Larva on Adina, Gardenia, Mussaenda, Randia, Tarenna, Wendlandia, Coffea, Ixora, Ravetta, Hymenodictyon (Rubiaceae) (Inoue et al.,1997).
- 83075. *Ceratomia hoffmanni* Mooser,1942** (Sphingidae) Synonym(s): *hoffmanni* Mooser,1942; *#hoffmani* D'Abrera,1986 Range (in code): **MX**

- 83076. *Ceratomia igualana* Schaus,1932** (Sphingidae) Synonym(s): *igualana* Schaus,1932 Range (in code): **MX**
- 83077. *Ceratomia sonorensis* Hodges,1971** (Sphingidae) Synonym(s): *sonorensis* Hodges,1971 Range (in code): **US Arz**
- 83078. *Cizara sculpta* (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *sculpta* R.Felder & Rogenhofer,[1874] Original Reference: *Microlophia sculpta* R.Felder & Rogenhofer,[1874], *Reise öst. Fregatte Novara (Zool.)* 2 (Abt.2): pl.75, fig.9. Range (in code): **IN MM TH CMa Cuo VN** Bionomy: Larva on *Randia* (Rubiaceae) (Inoue et al.,1997).
- 83079. *Clanidopsis exusta* (Butler,1875)** (Sphingidae) Synonym(s): *exusta* Butler,1875 Original Reference: *Basiana exusta* Butler,1875, *Proc. zool. Soc. Lond.* 1875: 252. Type: India, Himachal Pradesh, Kunawur. Range (in code): **IN Hp Knw PK Swa Lai Haz Kag CN Ti NP**
- 83080. *Clanis bilineata* (Walker,1866)** (Sphingidae) Synonym(s): *bilineata* Walker,1866 Range (in code): **ID Sum MY Bor TH Rng IN NP VN CN TW KP KR JP** Bionomy: Larva on *Pongamia*, *Milletia*, *Pterocarpus*, *Mucuna*, *Pueraria*, *Robinia*, *Glycine*, *Lespedeza*, *Wisteria* (Fabaceae) (Inoue et al.,1997).
- 83081. *Clanis bilineata bilineata* (Walker,1866)** (Sphingidae) Synonym(s): *bilineata* Walker,1866 Range (in code): **IN NP VN CN TH** Bionomy: Larva on *Pongamia*, *Milletia*, *Pterocarpus*, *Mucuna*, *Pueraria*, *Robinia*, *Glycine*, *Lespedeza*, *Wisteria* (Fabaceae) (Inoue et al.,1997).
- 83082. *Clanis bilineata formosana* Gehlen,1941** (Sphingidae) Synonym(s): *formosana* Gehlen,1941 Range (in code): **TW**
- 83083. *Clanis bilineata sumatrana* Clark,1936** (Sphingidae) Synonym(s): *sumatrana* Clark,1936 Range (in code): **ID Sum MY Bor TH Rng**
- 83084. *Clanis bilineata tsingtauca* Mell,1922** (Sphingidae) Synonym(s): *tsingtauca* Mell,1922 Range (in code): **KP KR JP CN**
- 83085. *Clanis euroa* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *euroa* Rothschild & Jordan,1903 Range (in code):
- 83086. *Clanis hyperion* Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *hyperion* Cadiou & Kitching,1990 Range (in code): **TH IN**
- 83087. *Clanis negritensis* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *negritensis* Hogenes & Treadaway,1993 Range (in code): **PH Luz Mdo Neg**
- 83088. *Clanis orhanti* Haxaire,2001** (Sphingidae) Synonym(s): *orhanti* Haxaire,2001 Range (in code):
- 83089. *Clanis phalaris* (Cramer,[1777])** (Sphingidae) Synonym(s): *phalaris* Cramer,[1777] Range (in code): **IN LK Adm TH** Bionomy: Larva on *Xylia*, *Pongamia*, *Pterocarpus*, *Milletia*, *Dalbergia*, *Cassia* (Fabaceae) (Inoue et al.,1997).
- 83090. *Clanis pratti* Joicey & Talbot,1921** (Sphingidae) Synonym(s): *pratti* Joicey & Talbot,1921 Range (in code):
- 83091. *Clanis schwartzi* Cadiou,1993** (Sphingidae) Synonym(s): *schwartzi* Cadiou,1993 Range (in code):
- 83092. *Clanis stenosema* Rothschild & Jordan,1907** (Sphingidae) Synonym(s): *stenosema* Rothschild & Jordan,1907 Range (in code): **PH Bal Pal**
- 83093. *Clanis surigaoensis* Clark,1928** (Sphingidae) Synonym(s): *surigaoensis* Clark,1928 Range (in code): **PH Ley Mno Sam**
- 83094. *Clanis titan* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *titan* Rothschild & Jordan,1903 Range (in code): **IN NP MM TH CMa CDo MY ID Sum** Bionomy: Larva on *Pterocarpus* (Fabaceae) (Inoue et al.,1997).
- 83095. *Clanis undulosa* Moore,1879** (Sphingidae) Synonym(s): *undulosa* Moore,1879 Range (in code): **CN IN NP TH MY** Bionomy: Larva on *Lespedeza thompsoni* (Fabaceae) (Inoue et al.,1997).
- 83096. *Clanis undulosa gigantea* Rothschild,1894** (Sphingidae) Synonym(s): *gigantea* Rothschild,1894 Range (in code): **IN NP TH MY** Bionomy: Larva on *Lespedeza thompsoni* (Fabaceae) (Inoue et al.,1997).
- 83097. *Clanis undulosa undulosa* Moore,1879** (Sphingidae) Synonym(s): *undulosa* Moore,1879 Range (in code): **CN**
- 83098. *Clarina kotschy* (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901. Range (in code): **TR IR Elb Th Mz Fa Kh IQ Shq IL Pa** Bionomy: Larva on *Vitis*, *Parthenocissus* (Pittaway,1983).

- 83099. *Clarina kotschy kotschy* (Kollar,[1849])** (Sphingidae) Synonym(s): *kotschy* Kollar,[1849]; *mardina* Staudinger,1901. Range (in code): **TR IR Elb Th Mz Fa Kh IQ Shq IL Pa** Bionomy: Larva on Vitis, Parthenocissus (Pittaway,1983).
- 83100. *Clarina syriaca* (Lederer,1855)** (Sphingidae) Synonym(s): *syriaca* Lederer,1855; *#grisescens* Ebert,1976. Range (in code): **TR LB Bsa Bei SY IR JO IL Pa** Bionomy: Larva on Vitis, Parthenocissus (Pittaway,1983).
- 83101. *Cocytius anthaeus* (Drury,1773)** (Sphingidae) Synonym(s): *anthaeus* Drury,1773; *jatrophae* Fabricius,1775; *hydaspus* Cramer,1777; *medor* Cramer,1782; *tapayusa* Moore,1883; *henrici* Pinchon,1969 Range (in code): **JM SR BR MQ VE GP**
- 83102. *Cocytius beelzebuth* (Boisduval,[1875])** (Sphingidae) Synonym(s): *beelzebuth* Boisduval,[1875] Range (in code): **BR VE**
- 83103. *Cocytius duponchel* (Poey,1832)** (Sphingidae) Synonym(s): *duponchel* Poey,1832; *godarti* Boisduval,[1875]; *rivularis* Butler,1875; *affinis* Rothschild,1894; *#roseus* Gehlen,1927 Range (in code): **CU BR MiG Sct CR VE GP MQ**
- 83104. *Cocytius lucifer* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *lucifer* Rothschild & Jordan,1903 Range (in code): **MX Tbo SR VE**
- 83105. *Cocytius lucifer lindneri* Gehlen,1944** (Sphingidae) Synonym(s): *lindneri* Gehlen,1944 Range (in code): **SR**
- 83106. *Cocytius lucifer lucifer* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *lucifer* Rothschild & Jordan,1903 Range (in code): **MX Tbo VE**
- 83107. *Cocytius macasensis* B.P.Clark,1922** (Sphingidae) Synonym(s): *macasensis* B.P.Clark,1922; *misionum* Köhler,1924 Range (in code): **EC AR**
- 83108. *Cocytius mortuorum* Rothschild & Jordan,1910** (Sphingidae) Synonym(s): *mortuorum* Rothschild & Jordan,1910 Range (in code): **BR Azn**
- 83109. *Cocytius vitrinus* Rothschild & Jordan,1910** (Sphingidae) Synonym(s): *vitrinus* Rothschild & Jordan,1910 Range (in code): **CU**
- 83110. *Coelonia fulvinotata* (Butler,1875)** (Sphingidae) Synonym(s): *fulvinotata* Butler,1875; *mauritii* Butler,1876 Range (in code): **MU ZA Tva Lpo Spb Lj Mdk Ly Mpu Gau Pre MZ Del TZ Pb**
- 83111. *Compsulx cochereaui* (Viette,1971)** (Sphingidae) Synonym(s): *cochereaui* Viette,1971 Range (in code): **NC**
- 83112. *Craspedortha montana* Cadiou,2000** (Sphingidae) Synonym(s): *montana* Cadiou,2000 Range (in code):
- 83113. *Craspedortha porphyria* (Butler,1876)** (Sphingidae) Synonym(s): *porphyria* Butler,1876; *inapicalis* Mell,1922 Original Reference: *Daphnusa porphyria* Butler,1876, Trans. zool. Soc. Lond. 9: 640. Range (in code): **ID Ja IN NP TH CMa Cmz Cz10 VN CN**
- 83114. *Craspedortha porphyria basale* Dupont,1937** (Sphingidae) Synonym(s): *basale* Dupont,1937 Range (in code): **ID Ja**
- 83115. *Craspedortha porphyria porphyria* (Butler,1876)** (Sphingidae) Synonym(s): *porphyria* Butler,1876; *inapicalis* Mell,1922 Original Reference: *Daphnusa porphyria* Butler,1876, Trans. zool. Soc. Lond. 9: 640. Range (in code): **IN NP TH CMa Cmz Cz10 VN CN**
- 83116. *Cypa bouyeri* Cadiou,1998** (Sphingidae) Synonym(s): *bouyeri* Cadiou,1998 Range (in code):
- 83117. *Cypa claggi* Clark,1938** (Sphingidae) Synonym(s): *claggi* Clark,1938 Range (in code): **PH Luz Mno**
- 83118. *Cypa decolor* (Walker,1856)** (Sphingidae) Synonym(s): *decolor* Walker,1856 Original Reference: *Smerinthus decolor* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 255. Range (in code): **PH Jol Ley Luz Mdo Mno Neg Sam PG ID Cm IN MM TH CMa CDo VN CN MY Bor Sum** Bionomy: Larva on Quercus, Castanopsis (Fagaceae) (Inoue et al.,1997).
- 83119. *Cypa decolor decolor* (Walker,1856)** (Sphingidae) Synonym(s): *decolor* Walker,1856 Original Reference: *Smerinthus decolor* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 255. Range (in code): **IN MM TH CMa CDo VN CN MY Bor ID Sum** Bionomy: Larva on Quercus, Castanopsis (Fagaceae) (Inoue et al.,1997).
- 83120. *Cypa decolor euroa* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *euroa* Rothschild & Jordan,1903 Range (in code): **PG ID Cm**
- 83121. *Cypa decolor manilae* Clark,1930** (Sphingidae) Synonym(s): *manilae* Clark,1930 Range (in code): **PH Luz**
- 83122. *Cypa duponti* Roepke,1941** (Sphingidae) Synonym(s): *duponti* Roepke,1941 Range (in code):

- 83123. *Cypa enodis* Jordan,1931** (Sphingidae) Synonym(s): *enodis* Jordan,1931 Range (in code): NP MM TH CMa CDo MY VN TW Bionomy: Larva on Betula (Betulaceae) (Inoue et al.,1997).
- 83124. *Cypa ferruginea* Walker,1864** (Sphingidae) Synonym(s): *ferruginea* Walker,1864 Range (in code): LK
- 83125. *Cypa kitchingi* Cadiou,1997** (Sphingidae) Synonym(s): *kitchingi* Cadiou,1997 Range (in code):
- 83126. *Cypa latericia* Inoue,1991** (Sphingidae) Synonym(s): *latericia* Inoue,1991 Original Reference: *Cypa latericia* Inoue,1991, Tinea 13: 132, figs. 5A,B. Range (in code): TH CMa Cuo CDo
- 83127. *Cypa terranea* (Butler,1876)** (Sphingidae) Synonym(s): *terranea* Butler,1876; *brooksi* Clark,1930; *duponti* Roepke,1941 Original Reference: *Mimas terranea* Butler,1876, Proc. zool. Soc. Lond. 1876: 310. Range (in code): TH MY Bor ID Sum Ja
- 83128. *Cypa uniformis* Mell,1922** (Sphingidae) Synonym(s): *uniformis* Mell,1922 Range (in code): IN CN Bionomy: Larva on Betula (Betulaceae) (Inoue et al.,1997).
- 83129. *Cypa uniformis pallens* Jordan,1926** (Sphingidae) Synonym(s): *pallens* Jordan,1926 Range (in code): IN
- 83130. *Cypoides chinensis* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903; *transtriata* Chu & Wang,1980 Original Reference: *Smerinthulus chinensis* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 299, 301. Range (in code): CN VN TH TW Bionomy: Larva on Liquidambar (Hammamelidaceae) (Inoue et al.,1997).
- 83131. *Cypoides chinensis chinensis* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *chinensis* Rothschild & Jordan,1903; *transtriata* Chu & Wang,1980 Original Reference: *Smerinthulus chinensis* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 299, 301. Range (in code): CN VN TH TW Bionomy: Larva on Liquidambar (Hammamelidaceae) (Inoue et al.,1997).
- 83132. *Dahira rubiginosa* Moore,1888** (Sphingidae) Synonym(s): *rubiginosa* Moore,1888 Range (in code): TW
- 83133. *Daphnis hayesi* Cadiou,1988** (Sphingidae) Synonym(s): *hayesi* Cadiou,1988 Range (in code): ID Clb
- 83134. *Daphnis hypothous* (Cramer,[1780])** (Sphingidae) Synonym(s): *hypothous* Cramer,[1780] Original Reference: *Sphinx hypothous* Cramer,[1780], Uitl. Kapellen 3: 165, pl.285 fig.D. Range (in code): PH Bal Boh Ceb Hom Jol Ley Luz Mdo Mno Neg Pal Pan Pol Sam Sga IN Ass Khs Meg LK MM NP TH CMa Cuo Cmz Cz10 VN CN TW ID Sum Ja Tm JP Bionomy: Larva on Alstonia (Apocynaceae), Anthocephalus, Uncaria, Cinchona, Ixora, Ravetta, Wendlandia paniculata (Rubiaceae) (Bell & Scott,1937; Inoue et al.,1997).
- 83135. *Daphnis hypothous hypothous* (Cramer,[1780])** (Sphingidae) Synonym(s): *hypothous* Cramer,[1780] Original Reference: *Sphinx hypothous* Cramer,[1780], Uitl. Kapellen 3: 165, pl.285 fig.D. Range (in code): PH Bal Boh Ceb Hom Jol Ley Luz Mdo Mno Neg Pal Pan Pol Sam Sga IN Ass Khs Meg LK MM NP TH CMa Cuo Cmz Cz10 VN CN TW ID Sum Ja Tm JP Bionomy: Larva on Alstonia (Apocynaceae), Anthocephalus, Uncaria, Cinchona, Ixora, Ravetta, Wendlandia paniculata (Rubiaceae) (Bell & Scott,1937; Inoue et al.,1997).
- 83136. *Daphnis hypothous pallescens* (Butler,1875)** (Sphingidae) Synonym(s): *pallescens* Butler,1875 Range (in code): AU PG SB
- 83137. *Daphnis nerii* (Linnaeus,1758)** (Sphingidae) Synonym(s): *nerii* Linnaeus,1758; *infernelutea* Saalmüller,1884; *#confluens* Closs,1912; *#nigra* Schmidt,1914; *bipartita* Gehlen,1934. Original Reference: *Sphinx nerii* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 490. Range (in code): Az Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY GG Bjo EG EG11 IR Ss LB Bei Bsa IL Hf Pa GN MU MG MZ ZA Nta Kzu Tva Lpo Spb Mdk NG TZ YE Ad IN ID Ja PH Ceb Jol Ley Luz IQ Tn LK Agh Mar Neg Gau Pre Dbn Rd JO PK AF Sfk Srb TH Bnk CMa Cuo JP Hw Sum NP MM TW Cc Agi Bionomy: Larva on Nerium oleander, Holarrhena, Ervatamia, Vinca, Adenium obesum [desert rose], Tabernaemontana rostrata, Gardinia, Jasminum, Ligustrum, Rauvolfia caffra [at Medike by J. Underhay], Cetaranthus roseus, Plumeria rubra [frangipani] (Apocyanaceae), Ludwigia adscendens [phaeng phuai] (Onagraceae), Ziziphus mauritiana [jujube] (Rhamnaceae) (Lederer,1865; Pittaway,1983; Inoue et al.,1997; Lewvanich,2001).
- 83138. *Daphnis placida* (Walker,1856)** (Sphingidae) Synonym(s): *placida* Walker,1856 Range (in code): PH Ceb Ley Luz Mar Mdo Mno Neg Pal Pan Sam Sib Stu Taw IN Adm ID Sum TH CMa Cuo CN PG AU QAU NC LO NH SB FJ WS Bionomy: Larva on Alstonia, Tabernaemontana (Apocynaceae) (Inoue et al.,1997).

- 83139. *Daphnis placida salomonis* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *salomonis* Rothschild & Jordan, 1903 **Range (in code):** **SB**
- 83140. *Daphnis placida torenia* Druce** (Sphingidae) **Synonym(s):** *torenia* Druce **Range (in code):** **FJ WS**
- 83141. *Daphnis vriesi* Hogenes & Treadaway, 1993** (Sphingidae) **Synonym(s):** *vriesi* Hogenes & Treadaway, 1993 **Range (in code):** **PH Luz Mno Neg Pal Sam**
- 83142. *Daphnusa ailanti* (Boisduval, [1875])** (Sphingidae) **Synonym(s):** *ailanti* Boisduval, [1875]; *splendens* Gehlen, 1928 **Range (in code):** **ID Clb**
- 83143. *Daphnusa ocellaris* Walker, 1856** (Sphingidae) **Synonym(s):** *ocellaris* Walker, 1856 **Range (in code):** **PH Boh Ceb Dum Ley Luz Mdo Mno Neg Pal IN LK NP TH CN MY ID Sum Bor Ja** **Bionomy:** Larva on Nephelium (Sapindaceae), Durio (Bombacaceae) (Inoue et al., 1997).
- 83144. *Darapsa myron* (Cramer, [1779])** (Sphingidae) **Synonym(s):** *myron* Cramer, [1779]; *pampinatrix* J.E. Smith, 1797; *cnotus* Hübner, [1823]; *#lutescens* B.P. Clark, 1920; *texana* B.P. Clark, 1920; *#isatis* Debauche, 1934 **Range (in code):** **MX Vcr US Tx Ny Ge TH Bnk** **Bionomy:** Larva on Ampelopsis, Vitis (Vitaceae), Viburnum (Caprifoliaceae) (Inoue et al., 1997).
- 83145. *Darapsa myron mexicana* (Gehlen, 1933)** (Sphingidae) **Synonym(s):** *mexicana* Gehlen, 1933 **Range (in code):** **MX Vcr**
- 83146. *Darapsa myron myron* (Cramer, [1779])** (Sphingidae) **Synonym(s):** *myron* Cramer, [1779]; *pampinatrix* J.E. Smith, 1797; *cnotus* Hübner, [1823]; *#lutescens* B.P. Clark, 1920; *texana* B.P. Clark, 1920; *#isatis* Debauche, 1934 **Range (in code):** **US Tx Ny Ge TH Bnk** **Bionomy:** Larva on Ampelopsis, Vitis (Vitaceae), Viburnum (Caprifoliaceae) (Inoue et al., 1997).
- 83147. *Darapsa pholus* (Cramer, 1776)** (Sphingidae) **Synonym(s):** *pholus* Cramer, 1776; *choerilus* Cramer, 1780; *azaleae* J.E. Smith, 1797; *chlorinda* Butler, 1877; *#flavescens* Closs, 1911; *brodieri* B.P. Clark, 1929 **Range (in code):** **US Vi Ge CA Mnt**
- 83148. *Degmaptera mirabilis* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *mirabilis* Rothschild, 1894 **Original Reference:** *Cypa mirabilis* Rothschild, 1894, Novit. zool. 1: 542. **Range (in code):** **IN TH** **Bionomy:** Larva on Quercus (Fagaceae) (Inoue et al., 1997).
- 83149. *Degmaptera mirabilis mirabilis* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *mirabilis* Rothschild, 1894 **Original Reference:** *Cypa mirabilis* Rothschild, 1894, Novit. zool. 1: 542. **Range (in code):** **IN TH** **Bionomy:** Larva on Quercus (Fagaceae) (Inoue et al., 1997).
- 83150. *Degmaptera olivacea* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *olivacea* Rothschild, 1894 **Range (in code):**
- 83151. *Deilephila elpenor* (Linnaeus, 1758)** (Sphingidae) **Synonym(s):** *elpenor* Linnaeus, 1758; *porcus* Retzius, 1783; *vitis* Oken, 1815; *lewisii* Butler, 1875; *cinerescens* Newnham, 1900; *philippsi* Niepelt, 1921; *szechuana* Chu & Wang, 1980; *tristis* Lempke & Stolk, 1986 **Original Reference:** *Sphinx elpenor* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 491. Type: Europe. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sr Sb At Am VI Pt IN Sml Syl Djl Meg Ass Khs MM NP TW BD MD UA Cm BY GG Smt Bjo Lag Cc IR Elb Gor CN Pkn Ui Kun Sz PK Pj Sd KP KR JP AF Sfk** **Bionomy:** Larva on Impatiens (Balsaminaceae), Arisaema, Amorphophallus (Araceae) (Bell & Scott, 1937).
- 83152. *Deilephila placida steffany* Clark, 1927** (Sphingidae) **Synonym(s):** *steffany* Clark, 1927 **Range (in code):** **WS**
- 83153. *Deilephila porcellus* (Linnaeus, 1758)** (Sphingidae) **Synonym(s):** *porcellus* Linnaeus, 1758 **Original Reference:** *Sphinx porcellus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 492. **Range (in code):** **DZ Dzc Blid Bttna Tis Tni PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB IQ IR TM DK SE FI EE LV LT RU Sr Ur Mo VI Pt Ir Irk Ya At Am MD UA Cm BY GG Smt Bjo Tbl AZ Hkd Cc PK Pj CN Ui Ku Um Au IMn KK Ik MN KG TJ UZ** **Bionomy:** Larva on Galium (Lederer, 1865).
- 83154. *Deilephila porcellus colossus* (A. Bang-Haas, 1906)** (Sphingidae) **Synonym(s):** *colossus* A. Bang-Haas, 1906 **Original Reference:** *Metospilus porcellus* var. *colossus* A. Bang-Haas, 1906, Dt. ent. Z., Iris 191: 129. Type: Algeria, Teniet-el-Haad. **Range (in code):** **DZ Dzc Blid Bttna Tis Tni**
- 83155. *Deilephila porcellus porca* (O. Bang-Haas, 1927) (preocc.)** (Sphingidae) **Synonym(s):** *porca* O. Bang-Haas, 1927 nec Retz., 1783 **Original Reference:** *Pergesa porcellus* ssp. *porca* O. Bang-Haas, 1927, Horae Macrolepid. 1: 80. **Range (in code):** **RU Ir Irk**
- 83156. *Deilephila porcellus porcellus* (Linnaeus, 1758)** (Sphingidae) **Synonym(s):** *porcellus* Linnaeus, 1758 **Original Reference:** *Sphinx porcellus* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 492. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR DK SE FI EE LV LT RU Sr Ur Mo VI Pt MD UA Cm BY GG Smt Bjo Tbl AZ Hkd Cc PK Pj CN Ui Ku**

- 83157. *Deilephila rivularis* (Boisduval,[1875])** (Sphingidae) Synonym(s): *rivularis* Boisduval,[1875]; *fraterna* Butler,1875 Original Reference: *Chaerocampa rivularis* Boisduval,[1875], [in] Boisduval & Guenée, Hist. Nat. Ins. (Spec. gen. Lepid. Heter.) 1: 280. Lectotype ♀: India: Simla (Carnegie Mus.). Range (in code): **AF Sfk PK Nwf Ci Sd Krc Swa Sgl IN Ddu Up SHp Sml DjI NP** Bionomy: Larva on *Arisaema*, *Impatiens* (Bell & Scott,1937).
- 83158. *Deilephila suellus* Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. Original Reference: *Deilephila porcellus* var.? *suellus* Staudinger,1878, Horae Soc. ent. ross. 14: 298-300. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): **TR IR GG Bjo Tbl Lag Cc RU Da KK Ik CN Ui Au Ju IQ LB Bsa**
- 83159. *Deilephila suellus roseus* (Zerny,1933)** (Sphingidae) Synonym(s): *roseus* Zerny,1933 Range (in code): **LB Bsa**
- 83160. *Deilephila suellus suellus* Staudinger,1878** (Sphingidae) Synonym(s): *suellus* Staudinger,1878; *kuruschi* O.Bang-Haas,1938. Original Reference: *Deilephila porcellus* var.? *suellus* Staudinger,1878, Horae Soc. ent. ross. 14: 298-300. Syntypes: [Türkei]: Amasia (Kerasdere). Range (in code): **TR IR Cc GG Bjo Tbl Lag RU Da IQ**
- 83161. *Deilephila suellus sus* (O.Bang-Haas,1927)** (Sphingidae) Synonym(s): *sus* O.Bang-Haas,1927 Range (in code): **KK Ik CN Ui Au Ju**
- 83162. *Dolba hyloeus* (Drury,[1773])** (Sphingidae) Synonym(s): *hyloeus* Drury,[1773]; *prini* J.E.Smith,1797; *hylaues* B.P.Clark,1919; *floridensis* B.P.Clark,1919 Range (in code): **US FI Ny**
- 83163. *Dolba schausi* B.P.Clark,1917** (Sphingidae) Synonym(s): *schausi* B.P.Clark,1917 Range (in code): **CO**
- 83164. *Dolbina elegans* A.Bang-Haas,[1913]** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,[1913]; *steffensi* Popescu-Gorj,1971. Original Reference: *Dolbina elegans* A.Bang-Haas,[1913], Dt. ent. Z., Iris 26 [31.12.1912]: 229-230. Syntypes: [Türkei]: Akbés bei Alexandrette [Iskenderun]. Range (in code): **MD RO BG GR TR IR JO** Bionomy: Larva on ? *Fraxinus* (Pittaway,1983).
- 83165. *Dolbina elegans elegans* A.Bang-Haas,[1913]** (Sphingidae) Synonym(s): *elegans* A.Bang-Haas,[1913]; *steffensi* Popescu-Gorj,1971. Original Reference: *Dolbina elegans* A.Bang-Haas,[1913], Dt. ent. Z., Iris 26 [31.12.1912]: 229-230. Syntypes: [Türkei]: Akbés bei Alexandrette [Iskenderun]. Range (in code): **MD RO BG GR TR IR JO**
- 83166. *Dolbina exacta* Staudinger,1892** (Sphingidae) Synonym(s): *exacta* Staudinger,1892 Range (in code): **AF Nu Bsg**
- 83167. *Dolbina grisea* (Hampson,[1893])** (Sphingidae) Synonym(s): *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998. Range (in code): **PK AF Kab Nu Bsg Srb Slg Sfk IN Hp Kul**
- 83168. *Dolbina grisea grisea* (Hampson,[1893])** (Sphingidae) Synonym(s): *grisea* Hampson,[1893]; *hackeri* Eitschberger & Danner & Surholt,1998. Range (in code): **PK AF Kab Nu Bsg Srb Slg Sfk IN Hp Kul**
- 83169. *Dolbina inexacta* (Walker,1856)** (Sphingidae) Synonym(s): *inexacta* Walker,1856 Range (in code): **IN NP MM TH CMa Cmz Cz10 CN TW PH Luz Mno** Bionomy: Larva on *Olea*, *Linociera*, *Ligustrum*, *Fraxinus*, *Osmanthus* (Oleaceae) (Inoue et al.,1997).
- 83170. *Dolbina krikkeni* Roesler & Küppers,1975** (Sphingidae) Synonym(s): *krikkeni* Roesler & Küppers,1975 Range (in code): **ID Sum Bor**
- 83171. *Dolbina schnitzleri* Cadiou,1997** (Sphingidae) Synonym(s): *schnitzleri* Cadiou,1997 Range (in code):
- 83172. *Dolbogone hartwegii* (Butler,1875)** (Sphingidae) Synonym(s): *hartwegii* Butler,1875; *clarki* Hoffmann,1924 Range (in code): **MX**
- 83173. *Elibia dolichus* (Westwood,1847)** (Sphingidae) Synonym(s): *dolichus* Westwood,1847 Original Reference: *Sphinx dolichus* Westwood,1847, Cabinet orient. Ent.: [61], pl.30 fig.1. Range (in code): **PH Pal Stu Taw IN BD NP TH CMa Cmz Cz10 VN CN Hn MY ID Sum Bor Ja** Bionomy: Larva on *Saurauia* (Actinidiaceae), *Leea* (Leeaceae), *Cayratia*, *Tetrastigma* (Vitaceae) (Inoue et al.,1997).
- 83174. *Elibia linigera* Boisduval,[1875]** (Sphingidae) Synonym(s): *linigera* Boisduval,[1875] Range (in code): **PH Ley Luz Mno Neg Pan Sam**
- 83175. *Enpinanga assamensis* (Walker,1856)** (Sphingidae) Synonym(s): *assamensis* Walker,1856; *oceanica* Rothschild & Jordan,1916 Range (in code): **IN Adm Ass NP TH VN CN**
- 83176. *Enpinanga borneensis* (Butler,1879)** (Sphingidae) Synonym(s): *borneensis* Butler,1879 Range (in code): **MY Bor TH ID Sum Ja PH Cal** Bionomy: Larva on *Dillenia*, *Tetracera* (Dilleniaceae) (Inoue et al.,1997).

- 83177. Enpinanga vigens (Butler,1879)** (Sphingidae) **Synonym(s):** *vigens* Butler,1879; *javanica* Dupont,1941; *sirani* Roesler & Küppers,1975 **Range (in code):** **TH Sgk Hya PSu MY ID Sum Ja Bor PH Pal**
Bionomy: Larva on Tetracera (Dilleniaceae) (Inoue et al.,1997).
- 83178. Enyo bathus (Rothschild,1904)** (Sphingidae) **Synonym(s):** *bathus* Rothschild,1904; *otiosus* Kernbach,1957 **Range (in code):** **BO**
- 83179. Enyo boisduvali (Oberthür,1904)** (Sphingidae) **Synonym(s):** *boisduvali* Oberthür,1904
Range (in code): **CU**
- 83180. Enyo cavifer (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *cavifer* Rothschild & Jordan,1903 **Range (in code):** **CO MX BR**
- 83181. Enyo cavifer cavifer (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *cavifer* Rothschild & Jordan,1903 **Range (in code):** **CO**
- 83182. Enyo cavifer paganus (Kernbach,1957)** (Sphingidae) **Synonym(s):** *paganus* Kernbach,1957 **Range (in code):** **BR**
- 83183. Enyo cavifer reconditus (Kernbach,1957)** (Sphingidae) **Synonym(s):** *reconditus* Kernbach,1957 **Range (in code):** **MX**
- 83184. Enyo gorgon (Cramer,1777)** (Sphingidae) **Synonym(s):** *gorgon* Cramer,1777; *lyctus* Cramer,1779 **Range (in code):** **PY SR VE**
- 83185. Enyo gorgon gorgon (Cramer,1777)** (Sphingidae) **Synonym(s):** *gorgon* Cramer,1777; *lyctus* Cramer,1779 **Range (in code):** **SR VE**
- 83186. Enyo gorgon heinrichi (B.P.Clark,1932)** (Sphingidae) **Synonym(s):** *heinrichi* B.P.Clark,1932 **Range (in code):** **PY**
- 83187. Enyo japix (Cramer,1776)** (Sphingidae) **Synonym(s):** *japix* Cramer,1776; *#japyx* Boisduval,[1875] **Range (in code):** **SR BR Rja VE**
- 83188. Enyo japix discrepans (Walker,1856)** (Sphingidae) **Synonym(s):** *discrepans* Walker,1856; *succintus* R.Felder,1874 **Range (in code):** **BR Rja**
- 83189. Enyo japix japix (Cramer,1776)** (Sphingidae) **Synonym(s):** *japix* Cramer,1776; *#japyx* Boisduval,[1875] **Range (in code):** **SR VE**
- 83190. Enyo lugubris (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *lugubris* Linnaeus,1771; *fegus* Cramer,1780; *#phegeus* Hübner,[1819]; *luctuosus* Boisduval,[1875]; *#rufa* Silva,1934 **Range (in code):** **BR Rja SR JM GS AG VE GP MQ**
- 83191. Enyo lugubris delanoi (Kernbach,1962)** (Sphingidae) **Synonym(s):** *delanoi* Kernbach,1962 **Range (in code):** **GS**
- 83192. Enyo lugubris latipennis (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *latipennis* Rothschild & Jordan,1903 **Range (in code):** **JM**
- 83193. Enyo lugubris lugubris (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *lugubris* Linnaeus,1771; *fegus* Cramer,1780; *#phegeus* Hübner,[1819]; *luctuosus* Boisduval,[1875]; *#rufa* Silva,1934
Range (in code): **AG SR BR Rja VE**
- 83194. Enyo ocypte (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *ocypte* Linnaeus,1758; *camertus* Cramer,1780; *dunam* Cramer,1780; *#ozypete* Butler,1877 **Range (in code):** **CU SR VE GP**
- 83195. Enyo pronoe (Druce,1894)** (Sphingidae) **Synonym(s):** *pronoe* Druce,1894 **Range (in code):** **BZ BR Sct BO VE**
- 83196. Enyo pronoe fuscatus Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *variegata* Rothschild,1896; *fuscatus* Rothschild & Jordan,1903 **Range (in code):** **BO BR Sct**
- 83197. Enyo pronoe pronoe (Druce,1894)** (Sphingidae) **Synonym(s):** *pronoe* Druce,1894 **Range (in code):** **BZ VE**
- 83198. Enyo taedium Schaus,1890** (Sphingidae) **Synonym(s):** **Range (in code):** **VE BR Rja**
- 83199. Enyo taedium australis (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *australis* Rothschild & Jordan,1903 **Range (in code):** **BR Rja**
- 83200. Enyo taedium taedium Schaus,1890** (Sphingidae) **Synonym(s):** **Range (in code):** **VE**
- 83201. Erinnyis alope (Drury,1773)** (Sphingidae) **Synonym(s):** *alope* Drury,1773; *flavicans* Goeze,1780; *fasciata* Swainson,1823; *edwardsi* Butler,1881 **Range (in code):** **JM US FI GS VE GP MQ**
- 83202. Erinnyis alope alope (Drury,1773)** (Sphingidae) **Synonym(s):** *alope* Drury,1773; *flavicans* Goeze,1780; *fasciata* Swainson,1823; *edwardsi* Butler,1881 **Range (in code):** **JM US FI VE GP MQ**
- 83203. Erinnyis alope dispersa Kernbach,1962** (Sphingidae) **Synonym(s):** *dispersa* Kernbach,1962 **Range (in code):** **GS**
- 83204. Erinnyis crameri (Schaus,1898)** (Sphingidae) **Synonym(s):** *crameri* Schaus,1898 **Range (in code):** **US FI VE GP MQ**

- 83205. *Erinnyis domingonis* (Butler,1875)** (Sphingidae) Synonym(s): *domingonis* Butler,1875; *fasta* Edwards,1882; *pallescens* B.P.Clark,1936 Range (in code): US Tx JM VE
- 83206. *Erinnyis ello* (Linnaeus,1758)** (Sphingidae) Synonym(s): *ello* Linnaeus,1758; *cinifera* Zikan,1934; #*omorfia* Mooser,1942 Range (in code): GS MX BR Rja VE GP MQ
- 83207. *Erinnyis ello ello* (Linnaeus,1758)** (Sphingidae) Synonym(s): *ello* Linnaeus,1758; *cinifera* Zikan,1934; #*omorfia* Mooser,1942 Range (in code): MX BR Rja VE GP MQ
- 83208. *Erinnyis ello encantada* Kernbach,1962** (Sphingidae) Synonym(s): *encantada* Kernbach,1962 Range (in code): GS
- 83209. *Erinnyis guttularis* (Walker,1856)** (Sphingidae) Synonym(s): *guttularis* Walker,1856 Range (in code): DO
- 83210. *Erinnyis lassauxi* (Boisduval,1859)** (Sphingidae) Synonym(s): *lassauxi* Boisduval,1859; *merianae* Grote,1856; *omphaleae* Boisduval,1870; *janiphae* Boisduval,[1875]; #*impunctata* Rothschild & Jordan,1903 Range (in code): AR VE NI CU HT GP MQ
- 83211. *Erinnyis obscura* (Fabricius,1775)** (Sphingidae) Synonym(s): *obscura* Fabricius,1775; *sthenos* Geyer,[1829]; *pallida* Grote,1865; *raebus* Boisduval,1870; *jamaicensis* B.P.Clark,1935 Original Reference: Sphinx obscura Fabricius,1775; Syst. Ent.: 538. Type(s): America. Range (in code): JM HN CU GS VE GP MQ
- 83212. *Erinnyis obscura conformis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *conformis* Rothschild & Jordan,1903 Range (in code): GS
- 83213. *Erinnyis obscura obscura* (Fabricius,1775)** (Sphingidae) Synonym(s): *obscura* Fabricius,1775; *sthenos* Geyer,[1829]; *pallida* Grote,1865; *raebus* Boisduval,1870; *jamaicensis* B.P.Clark,1935 Original Reference: Sphinx obscura Fabricius,1775; Syst. Ent.: 538. Type(s): America. Range (in code): JM HN CU VE GP MQ
- 83214. *Erinnyis obscura socorroensis* B.P.Clark,1926** (Sphingidae) Synonym(s): *socorroensis* B.P.Clark,1926 Range (in code):
- 83215. *Erinnyis oenotrus* (Cramer,1782)** (Sphingidae) Synonym(s): *oenotrus* Cramer,1782; *penaeus* Fabricius,1787; *picta* Sepp,[1848]; *melancholica* Grote,1865; *piperis* Grote & Robinson,1868; *hippothoon* Burmeister,1878 Range (in code): AR CU SR VE GP MQ
- 83216. *Erinnyis yacatana* Druce,1888** (Sphingidae) Synonym(s): *yacatana* Druce,1888 Range (in code): MX Yc
- 83217. *Euchloron megaera* (Linnaeus,1758)** (Sphingidae) Synonym(s): *megaera* Linnaeus,1758 Range (in code): ET ZA YE
- 83218. *Eumorpha achemon* (Drury,1773)** (Sphingidae) Synonym(s): *achemon* Drury,1773; *crantor* Cramer,1777; *trigon* Gehlen,1926 Range (in code): US JM MX
- 83219. *Eumorpha adamsi* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *adamsi* Rothschild & Jordan,1903 Range (in code): VE
- 83220. *Eumorpha anchemolus* (Cramer,1780)** (Sphingidae) Synonym(s): *anchemolus* Cramer,1780 Range (in code): SR
- 83221. *Eumorpha capronnieri* (Boisduval,[1875])** (Sphingidae) Synonym(s): *capronnieri* Boisduval,[1875] Range (in code): GY VE
- 83222. *Eumorpha cissi* (Schaufuss,1870)** (Sphingidae) Synonym(s): *cissi* Schaufuss,1870; #*vini* Kirby,1892 Range (in code): VE
- 83223. *Eumorpha drucei* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *drucei* Rothschild & Jordan,1903 Range (in code):
- 83224. *Eumorpha eacus* (Cramer,1780)** (Sphingidae) Synonym(s): *ecus* Cramer,1780; *magaeacus* Hübner,[1819] Range (in code): SR
- 83225. *Eumorpha elisa* (Smyth,1901)** (Sphingidae) Synonym(s): *elisa* Smyth,1901 Range (in code): MX
- 83226. *Eumorpha fasciata* (Sulzer,1776)** (Sphingidae) Synonym(s): *fasciata* Sulzer,1776; *jussieuae* Hübner,[1819]; *strigilis* Vogel,1822 Range (in code): US Ny GS VE GP MQ
- 83227. *Eumorpha fasciata fasciata* (Sulzer,1776)** (Sphingidae) Synonym(s): *fasciata* Sulzer,1776; *jussieuae* Hübner,[1819]; *strigilis* Vogel,1822 Range (in code): US Ny VE
- 83228. *Eumorpha fasciata tupaci* (Kernbach,1962)** (Sphingidae) Synonym(s): *tupaci* Kernbach,1962 Range (in code): GS
- 83229. *Eumorpha labruscae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *labruscae* Linnaeus,1758; *clotho* Fabricius,1775 nec Cr.,1775 Range (in code): GS VE GP MQ
- 83230. *Eumorpha labruscae labruscae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *labruscae* Linnaeus,1758; *clotho* Fabricius,1775 nec Cr.,1775 Range (in code): VE GP MQ

- 83231. Eumorpha labruscae yupanquii (Kernbach,1962)** (Sphingidae) **Synonym(s):** *yupanquii* Kernbach,1962 Range (in code): **GS**
- 83232. Eumorpha macasensis (B.P.Clark,1917)** (Sphingidae) **Synonym(s):** *macasensis* B.P.Clark,1917 Range (in code):
- 83233. Eumorpha neuburgeri (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *neuburgeri* Rothschild & Jordan,1903 Range (in code): **AR**
- 83234. Eumorpha obliqua (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *obliqua* Rothschild & Jordan,1903 Range (in code): **BO BR GP**
- 83235. Eumorpha obliqua guadelupensis (Chalumeau & Delplanque,1974)** (Sphingidae) **Synonym(s):** *guadelupensis* Chalumeau & Delplanque,1974 Range (in code): **GP**
- 83236. Eumorpha obliqua obliqua (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *obliqua* Rothschild & Jordan,1903 Range (in code): **BO**
- 83237. Eumorpha obliqua orientis (Daniel,1949)** (Sphingidae) **Synonym(s):** *orientis* Daniel,1949 Range (in code): **BR**
- 83238. Eumorpha pandorus (Hübner,[1821])** (Sphingidae) **Synonym(s):** *pandorus* Hübner,[1821]; *ampelophaga* Walker,1856; *intermedia* B.P.Clark,1917 Range (in code): **US Lou**
- 83239. Eumorpha phorbas (Cramer,1775)** (Sphingidae) **Synonym(s):** *phorbas* Cramer,1775; *pandion* Cramer,1780 Range (in code): **SR**
- 83240. Eumorpha satellitia (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *satellititia* Linnaeus,1771; *licaon* Cramer,1776; *posticatus* Grote,1865; *#cinnanomea* Closs,1911 Range (in code): **CU JM VE BR PY AR**
- 83241. Eumorpha satellitia analis (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *analis* Rothschild & Jordan,1903 Range (in code): **PY**
- 83242. Eumorpha satellitia excessus (Gehlen,1926)** (Sphingidae) **Synonym(s):** *excessus* Gehlen,1926; *#rosea* Closs,1918 Range (in code): **BR**
- 83243. Eumorpha satellitia posticarius (Burmeister,1878)** (Sphingidae) **Synonym(s):** *posticarius* Burmeister,1878 Range (in code): **AR**
- 83244. Eumorpha satellitia satellitia (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *satellititia* Linnaeus,1771; *licaon* Cramer,1776; *posticatus* Grote,1865; *#cinnanomea* Closs,1911 Range (in code): **CU JM VE**
- 83245. Eumorpha strenua (Ménétriés,1857)** (Sphingidae) **Synonym(s):** *strenua* Ménétriés,1857; *mirificatus* Grote,1875; *domingonis* Rothschild,1894 Range (in code): **HT DO CU**
- 83246. Eumorpha translineata (Rothschild,1894)** (Sphingidae) **Synonym(s):** *translineata* Rothschild,1894; *#extinctus* Gehlen,1926 Range (in code): **BR Sct EC**
- 83247. Eumorpha triangulum (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *triangulum* Rothschild & Jordan,1903 Range (in code): **MX Vcr VE**
- 83248. Eumorpha typhon (Klug,1836)** (Sphingidae) **Synonym(s):** *typhon* Klug,1836 Range (in code): **MX**
- 83249. Eumorpha vitis (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *vitis* Linnaeus,1758; *hornbeckiana* Harris,1839; *linnei* Grote & Robinson,1865; *fuscatus* Rothschild & Jordan,1906; *#pallida* Closs,1918 Range (in code): **US BR RJa JM VE GP MQ**
- 83250. Eumorpha vitis hesperidum (Kirby,1880)** (Sphingidae) **Synonym(s):** *hesperidum* Kirby,1880 Range (in code): **JM**
- 83251. Eumorpha vitis vitis (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *vitis* Linnaeus,1758; *hornbeckiana* Harris,1839; *linnei* Grote & Robinson,1865; *fuscatus* Rothschild & Jordan,1906; *#pallida* Closs,1918 Range (in code): **US BR RJa VE**
- 83252. Eupanacra automedon (Walker,1856)** (Sphingidae) **Synonym(s):** *automedon* Walker,1856 Range (in code): **IN TH MY ID Sum Nia Bor Ja** Bionomy: Larva on Lasia (Araceae) (Inoue et al.,1997).
- 83253. Eupanacra busiris (Walker,1856)** (Sphingidae) **Synonym(s):** *busiris* Walker,1856 Range (in code): **IN MM NP TH CN VN MY ID Sum Ja Bor Clb Adm PH Bal Pal Ley Mdo Mno** Bionomy: Larva on Lasia, Pothos (Araceae) (Inoue et al.,1997).
- 83254. Eupanacra busiris atima (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *atima* Rothschild & Jordan,1903 Range (in code): **IN**
- 83255. Eupanacra busiris busiris (Walker,1856)** (Sphingidae) **Synonym(s):** *busiris* Walker,1856 Range (in code): **IN MM NP TH CN VN MY ID Sum Ja Bor PH Bal Pal**
- 83256. Eupanacra busiris marina (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *marina* Rothschild & Jordan,1903 Range (in code): **Adm**

- 83257. Eupanacra busiris myosotis (Cadiou & Holloway,1989)** (Sphingidae) **Synonym(s):** *myosotis Cadiou & Holloway,1989* Range (in code): **ID Clb**
- 83258. Eupanacra busiris schuetzi Hogenes & Treadaway,1996** (Sphingidae) **Synonym(s):** *schuetzi Hogenes & Treadaway,1996* Range (in code): **PH Ley Mdo Mno**
- 83259. Eupanacra cadioui Hogenes & Treadaway,1993** (Sphingidae) **Synonym(s):** *cadioui Hogenes & Treadaway,1993* Range (in code): **PH Ley Luz Mno Pan**
- 83260. Eupanacra dohertyi (Rothschild,1894)** (Sphingidae) **Synonym(s):** *dohertyi Rothschild,1894; continentalis Gehlen,1930* Range (in code): **TH MY ID Sum Ja Bor Nia IN Ass PH Pal**
- 83261. Eupanacra elegantulus (Herrich-Schäffer,1856)** (Sphingidae) **Synonym(s):** *elegantulus Herrich-Schäffer,1856* Range (in code): **TH MY ID Sum Ja Bor Clb Sbw Lb Sba PH Boh Dum Ley Luz Mar Mdo Mno Neg Pal Pan Sib** Bionomy: Larva on Alocasia, Amorphophallus, Arisaema, Caladium, Dieffenbachia, Homalomena (Araceae), Vitis (Vitaceae) (Inoue et al.,1997).
- 83262. Eupanacra hollowayi Tennent,1991** (Sphingidae) **Synonym(s):** *hollowayi Tennent,1991* Range (in code): **Bor MY ID Sum TH**
- 83263. Eupanacra malayana (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *malayana Rothschild & Jordan,1903* Range (in code): **TH MY VN ID Sum Ja Bor Sba PH Mno Pal** Bionomy: Larva on Curculigo (Hypoxidaceae) (Inoue et al.,1997).
- 83264. Eupanacra metallica (Butler,1875)** (Sphingidae) **Synonym(s):** *metallica Butler,1875* Range (in code): **NP SI BT IN Ass Hp** Bionomy: Larva on Arisaema curvatum (Araceae) (Bell & Scott,1937).
- 83265. Eupanacra metallica anfracta Gehlen,1930** (Sphingidae) **Synonym(s):** *anfracta Gehlen,1930* Range (in code): **IN Hp** Bionomy: Larva on Arisaema curvatum (Araceae) (Bell & Scott,1937).
- 83266. Eupanacra metallica metallica (Butler,1875)** (Sphingidae) **Synonym(s):** *metallica Butler,1875* Range (in code): **NP SI BT IN Ass**
- 83267. Eupanacra mydon (Walker,1856)** (Sphingidae) **Synonym(s):** *mydon Walker,1856* Range (in code): **IN Meg Ass Khs Slo MM NP TH CMa Cuo Cmz Cz10 MY VN CN** Bionomy: Larva on Colocasia antiquorum, Caladium, Arisaema curvatum, Amorphophallus (Araceae) (Bell & Scott,1937).
- 83268. Eupanacra perfecta (Butler,1875)** (Sphingidae) **Synonym(s):** *perfecta Butler,1875* Range (in code): **TH CMa IN VN CN**
- 83269. Eupanacra perfecta perfecta (Butler,1875)** (Sphingidae) **Synonym(s):** *perfecta Butler,1875* Range (in code): **TH CMa IN VN**
- 83270. Eupanacra perfecta tsekoui Clark,1926** (Sphingidae) **Synonym(s):** *tsekoui Clark,1926* Range (in code): **CN**
- 83271. Eupanacra sinuata (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *sinuata Rothschild & Jordan,1903* Range (in code): **IN NP TH VN**
- 83272. Eupanacra tiridates (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *tiridates Boisduval,[1875]* Range (in code): **PH Boh Ley Luz Mdo Neg Mno**
- 83273. Eupanacra treadawayi Cadiou,1995** (Sphingidae) **Synonym(s):** *treadawayi Cadiou,1995* Range (in code): **PH Luz**
- 83274. Eupanacra variolosa (Walker,1856)** (Sphingidae) **Synonym(s):** *variolosa Walker,1856* Range (in code): **IN NP TH CMa Cuo Cuo5 MY VN ID Sum Ja Bor PH Pal** Bionomy: Larva on Scindapsus (Araceae) (Inoue et al.,1997).
- 83275. Euproserpinus euterpe Edwards,1888** (Sphingidae) **Synonym(s):** *euterpe Edwards,1888* Range (in code): **US Cf**
- 83276. Euproserpinus phaeton Grote & Robinson,1865** (Sphingidae) **Synonym(s):** *phaeton Grote & Robinson,1865; erato Boisduval,1868; mojave Comstock,1938* Range (in code): **US Cf**
- 83277. Euproserpinus wiesti Sperry,1939** (Sphingidae) **Synonym(s):** *wiesti Sperry,1939* Range (in code): **US Cf**
- 83278. Eupyrrhoglossum corvus (Boisduval,1870)** (Sphingidae) **Synonym(s):** *corvus Boisduval,1870* Range (in code): **NI VE**
- 83279. Eupyrrhoglossum sagra (Poey,1832)** (Sphingidae) **Synonym(s):** *sagra Poey,1832; harpyia Schafuss,1870* Range (in code): **CU VE**
- 83280. Eupyrrhoglossum venustum Rothschild & Jordan,1910** (Sphingidae) **Synonym(s):** *venustum Rothschild & Jordan,1910* Range (in code): **BR Azn VE**

- 83281. Euryglottis allostigmata Rothschild,1894** (Sphingidae) Synonym(s): *allostigmata* Rothschild,1894 Range (in code): CO PE
- 83282. Euryglottis allostigmata allostigmata Rothschild,1894** (Sphingidae) Synonym(s): *allostigmata* Rothschild,1894 Range (in code): CO
- 83283. Euryglottis allostigmata basalis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *basalis* Rothschild & Jordan,1903 Range (in code): PE
- 83284. Euryglottis aper (Walker,1856)** (Sphingidae) Synonym(s): *aper* Walker,1856 Range (in code): CO VE
- 83285. Euryglottis davidianus Dognin,1891** (Sphingidae) Synonym(s): *davidianus* Dognin,1891 Range (in code): EC
- 83286. Euryglottis dognini Rothschild,1896** (Sphingidae) Synonym(s): *dognini* Rothschild,1896 Range (in code): CO VE
- 83287. Euryglottis guttiventris Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *guttiventris* Rothschild & Jordan,1903 Range (in code): BO
- 83288. Eurypteryx alleni Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *alleni* Hogenes & Treadaway,1993 Range (in code): ID Mlc Sum Bor PH Mdo Neg Pal Pan
- 83289. Eurypteryx bhaga (Moore,[1866])** (Sphingidae) Synonym(s): *bhaga* Moore,[1866] Range (in code): IN NP TH CMa CDo MY ID Sum Bor Ja Clb Bionomy: Larva on Alstonia (Apocynaceae) (Inoue et al.,1997).
- 83290. Eurypteryx bhaga bhaga (Moore,[1866])** (Sphingidae) Synonym(s): *bhaga* Moore,[1866] Range (in code): IN NP TH CMa CDo MY ID Sum Bor Ja Bionomy: Larva on Alstonia (Apocynaceae) (Inoue et al.,1997).
- 83291. Eurypteryx bhaga obtruncata Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *obtruncata* Rothschild & Jordan,1903 Range (in code): ID Clb
- 83292. Eurypteryx geoffreyi Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *geoffreyi* Cadiou & Kitching,1990 Range (in code): TH Nna Kao Phr
- 83293. Eurypteryx geoffreyi geoffreyi Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *geoffreyi* Cadiou & Kitching,1990 Range (in code): TH Nna Kao Phr
- 83294. Falcatula falcata (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *falcata* Rothschild & Jordan,1903 Range (in code): ZA
- 83295. Gehlenia obliquifascia (Hampson,1910)** (Sphingidae) Synonym(s): *obliquifascia* Hampson,1910 Range (in code): TW IN NP TH CMa CDo MY VN
- 83296. Gehlenia obliquifascia baibarana (Matsumura,1927)** (Sphingidae) Synonym(s): *baibarana* Matsumura,1927 Range (in code): TW
- 83297. Gehlenia obliquifascia obliquifascia (Hampson,1910)** (Sphingidae) Synonym(s): *obliquifascia* Hampson,1910 Range (in code): IN NP TH CMa CDo MY VN
- 83298. Gehlenia pinratanai Cadiou,1991** (Sphingidae) Synonym(s): *pinratanai* Cadiou,1991 Range (in code): TH CMa Int
- 83299. Gehlenia pinratanai pinratanai Cadiou,1991** (Sphingidae) Synonym(s): *pinratanai* Cadiou,1991 Range (in code): TH CMa Int
- 83300. Giganteopalpus mirabilis (Rothschild,1894)** (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894 Original Reference: Eurypteryx mirabilis Rothschild,1894, Dt. ent. Z., Iris 7: 300, Taf.6 fig.3. Range (in code): TH MY Bor ID Sum Nia Ja Bionomy: Larva on Araceae (Inoue et al.,1997).
- 83301. Giganteopalpus mirabilis mirabilis (Rothschild,1894)** (Sphingidae) Synonym(s): *mirabilis* Rothschild,1894 Original Reference: Eurypteryx mirabilis Rothschild,1894, Dt. ent. Z., Iris 7: 300, Taf.6 fig.3. Range (in code): TH MY Bor ID Sum Nia Ja Bionomy: Larva on Araceae (Inoue et al.,1997).
- 83302. Gnathothlibus erotus (Cramer,1777)** (Sphingidae) Synonym(s): *erotus* Cramer,1777 Range (in code): WS PC TO NH LO SB PG AU ID Tnm Mlc
- 83303. Gnathothlibus erotus (Cramer,[1777])** (Sphingidae) Synonym(s): *erotus* Cramer,[1777] Original Reference: Sphinx erotus Cramer,[1777], Uitl. Kapellen 2: 12, pl.104, fig.B. Range (in code): LK IN Adm ID Sum TH PH Bal Ley Luz Mar Mno Neg Pal Pan Sam NC ID Tm MH AU PG Bionomy: Larva on Ipomoea (Convolvulaceae), Dillenia, Hibbertia (Dilleniaceae), Escallonia (Escalloniaceae), Melastoma (Melastomataceae), Morinda, Pentas (Rubiaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue et al.,1997).

- 83304. Gnathothlibus erotus eras (Boisduval)** (Sphingidae) Synonym(s): Range (in code): NC ID Tm MH AU PG PH Bal Ley Luz Mar Mno Neg Pal Pan Sam
- 83305. Gnathothlibus erotus eras (Boisduval,1832)** (Sphingidae) Synonym(s): *eras Boisduval,1832* Range (in code): WS PC TO NH LO SB PG AU ID Tnm Mlc
- 83306. Gnathothlibus erotus erotus (Cramer,[1777])** (Sphingidae) Synonym(s): *erotus Cramer,[1777]* Original Reference: Sphinx erotus Cramer,[1777], Utitl. Kapellen 2: 12, pl.104, fig.B. Range (in code): LK IN Adm ID Sum TH Bionomy: Larva on Ipomoea (Convolvulaceae), Dillenia, Hibbertia (Dilleniaceae), Escallonia (Escalloniaceae), Melastoma (Melastomataceae), Morinda, Pentas (Rubiaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue et al.,1997).
- 83307. Griseosphinx preechari Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *preechari Cadiou & Kitching,1990* Range (in code): TH
- 83308. Griseosphinx sp.** (Sphingidae) Synonym(s): Range (in code): VN
- 83309. Hayesiana triopus (Westwood,1847)** (Sphingidae) Synonym(s): *triopus Westwood,1847* Range (in code): IN NP TH CN Bionomy: Larva on Adina (Rubiaceae) (Inoue et al.,1997).
- 83310. Hayesiana triopus triopus (Westwood,1847)** (Sphingidae) Synonym(s): *triopus Westwood,1847* Range (in code): IN NP TH CN Bionomy: Larva on Adina (Rubiaceae) (Inoue et al.,1997).
- 83311. Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) Synonym(s): *croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #rangnowi Closs,1911.* Range (in code): IT HU YU HV AL RO BG GR TR IQ IR TM RU Ro Or Ao Sr KG Uk GG Tbl Cc AZ Nv Ord LB Bsa JO IL Pa Bionomy: Larva on Scabiosa (at Amasya) (Dipsacaceae) (Staudinger,1878), Asperula, Cephalaria (Pittaway,1983).
- 83312. Hemaris (Cochrania) ducalis (Staudinger,1887)** (Sphingidae) Synonym(s): *ducalis Staudinger,1887* Range (in code): TM Kp IR Kh TJ Pm AF PK Bl Qu CN Ui KK KG Bionomy: Larva on Lonicera korolkowii, L. nummulariifolia, L. seravschanica, L. stenantha (Danner et al.,1998).
- 83313. Hemaris (Cochrania) ducalis dantchenkoi Eitschberger & Lukhtanov,1996** (Sphingidae) Synonym(s): *dantchenkoi Eitschberger & Lukhtanov,1996* Range (in code):
- 83314. Hemaris (Cochrania) ducalis ducalis (Staudinger,1887)** (Sphingidae) Synonym(s): *ducalis Staudinger,1887* Range (in code):
- 83315. Hemaris (Cochrania) ducalis lukhtanovi Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *lukhtanovi Eitschberger, Danner & Surholt,1998* Range (in code): PK Bl Qu
- 83316. Hemaris (Cochrania) ducalis temiri (Groum-Grshimailo,1887)** (Sphingidae) Synonym(s): *temiri Groum-Grshimailo,1887* Range (in code):
- 83317. Hemaris (Cochrania) rubra Hampson,[1893]** (Sphingidae) Synonym(s): *rubra Hampson,[1893]* Original Reference: Hemaris rubra Hampson,[1893], Fauna Brit. India 1 (1892): 120. Syntypes ♂♀: Sind & Guraish Valley, Kashmir; Balta (coll. Leech) Range (in code): Ch Gs Bt PK Sd Bl Qu
- 83318. Hemaris (Eitschbergera) aksana (Le Cerf,1913)** (Sphingidae) Synonym(s): *aksana Le Cerf,1913* Original Reference: Haemorrhagia tityus aksana Le Cerf,1913, Bull. Soc. ent. Fr. 1923: 199. Range (in code): MA
- 83319. Hemaris (Eitschbergera) alaiana (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *alaiana Rothschild & Jordan,1903* KK KG CN Ui Original Reference: Haemorrhagia tityus alaiana Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 451. Type: Alai Mts. (BMNH). Range (in code): KK KG CN Ui
- 83320. Hemaris (Eitschbergera) galunae Eitschberger, Müller & Kravchenko,2005** (Sphingidae) Synonym(s): *galunae Eitschberger, Müller & Kravchenko,2005* Original Reference: Hemaris (Mandarina) galunae Eitschberger, Müller & Kravchenko,2005, Atalanta 36 (1/2): 200-201, figs. Holotype ♂: South West Syria: Mt. Hermon, Arne valley 1600m (coll. G.Müller). Range (in code): SY
- 83321. Hemaris (Eitschbergera) molli Eitschberger, Müller & Kravchenko,2005** (Sphingidae) Synonym(s): *molli Eitschberger, Müller & Kravchenko,2005* Original Reference: Hemaris (Mandarina) molli Eitschberger, Müller & Kravchenko,2005, Atalanta 36 (1/2): 201-202, figs. Holotype ♀: North Jordan: north of Irbid 800m (coll. G.Müller). Range (in code): JO
- 83322. Hemaris (Eitschbergera) radians (Walker,1856)** (Sphingidae) Synonym(s): *radians Walker,1856; mandarina Butler,1875; #mandarnia Jordan,1911* Range (in code): RU Tv Am KP KR JP CN Kgs Mc

- 83323. Hemaris (Eitschbergera) saldaitisi Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *saldaitisi* Eitschberger, Danner & Surholt,1998; #*saldaitisi* Eitschberger, Danner & Surholt,1998 RU Tv Range (in code): RU Tv
- 83324. Hemaris (Eitschbergera) titius (Linnaeus,1758)** (Sphingidae) Synonym(s): *titius* Linnaeus,1758; *bombylifomis* Linnaeus,1758; *knautiae* Zeller,1869; *scabiosae* Zeller,1869; *alaiana* Rothschild & Jordan,1903; *karaugomica* Wojtusiak & Niesiolowski,1946; #*tityrus* De Freina,1983; *saldaitisi* Eitschberger, Danner & Surholt,1998 Range (in code): DZ PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR GG Cc IR Elb Th DK NO SE FI EE LV LT AM RU Or Ur Tv MD UA BY KK KG Ssn Sp At CN Mc Ts Kno Bionomy: Larva on Scabiosa, Galium, Lonicera, Succisa, Dipsacus, Lychnis (Zeller,1839; Pittaway,1983).
- 83325. Hemaris (Neojilinga) beresowskii (Alpheraky,1897)** (Sphingidae) Synonym(s): *beresowskii* Alpheraky,1897 Range (in code): RU
- 83326. Hemaris (Neojilinga) staudingeri Leech,1900** (Sphingidae) Synonym(s): *staudingeri* Leech,1900 Range (in code): CN Kwa RU Am
- 83327. Hemaris (Neojilinga) staudingeri kuangtungensis (Mell,1922)** (Sphingidae) Synonym(s): *kuangtungensis* Mell,1922 Range (in code): CN Kwa
- 83328. Hemaris (Neojilinga) staudingeri ottonis (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *ottonis* Rothschild & Jordan,1903 Range (in code): RU Am
- 83329. Hemaris (Neojilinga) staudingeri staudingeri Leech,1900** (Sphingidae) Synonym(s): *staudingeri* Leech,1900 Range (in code): CN
- 83330. Hemaris (Neojilinga) stueningi Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *stueningi* Eitschberger, Danner & Surholt,1998 Range (in code): CN She
- 83331. Hemaris (Saundersia) saundersi (Walker,1856)** (Sphingidae) Synonym(s): *saundersi* Walker,1856 Original Reference: Sesia saundersi Walker,1856, List spec. lepid. Ins. Colln. Br. Mus. 8: 83. Type: northern India. Range (in code): IN Hp Sml Up Ch Pj AF Nu TH MM SI PK Haz Mre Thu
- 83332. Hemaris (s.str.) dentata (Staudinger,1887)** (Sphingidae) Synonym(s): *dentata* Staudinger,1887 Range (in code): TR SY Hal Bionomy: Larva possibly on Cephalaria (Pittaway,1983,2004).
- 83333. Hemaris (s.str.) fuciformis (Linnaeus,1758)** (Sphingidae) Synonym(s): *fuciformis* Linnaeus,1758; *variegata* Allioni,1766; *musca* Retzius,1783; *bombylifomis* sensu Ochsenheimer,1808; *milesiformis* Treitschke,1834; *caprifolii* Zeller,1869; *lonicerae* Zeller,1869; *robusta* Alpheraky,1882; *simillima* Moore,1888; *ganssuensis* Grum-Grshimailo,1891; *heynei* Bartel,1898; Range (in code): MA DZ Lbs Hrh PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR IR Mz Elb Th Kh DK NO SE FI EE LV LT RU Mo Sr Ur Or Ao Sb Am At MD UA BY KG Ssn Lps Sp Uk AZ Tlh Cc GG Smt Bjo Tbl Bku CN Ui Ku Muz Gn IN Hp Kgr AF Nu Bsg Bionomy: Larva on Cephalaria procera (de Freina,1979).
- 83334. Hemaris (s.str.) fuciformis jordana (Clark,1927)** (Sphingidae) Synonym(s): *jordana* Clark,1927 Range (in code): MA DZ Hrh Lbs Bionomy: Larva on Lonicera (Pittaway,1983).
- 83335. Hemaris (s.str.) syra (Daniel,1939)** (Sphingidae) Synonym(s): *syra* Daniel,1939; #*syriaca* Müller, Kravchenko, Li, Eitschberger, Hausmann, Miller, Orlova, Ortal, Speidel, Witt,2005 Range (in code): TR Cc JO IQ Ssa IL Pa
- 83336. Hemaris diffinis (Boisduval,1836)** (Sphingidae) Synonym(s): *diffinis* Boisduval,1836; *thetis* Boisduval,1855 *axillaris* Grote & Robinson,1868; *tenuis* Grote,1873; *marginalis* Grote,1873; *palpalis* Grote,1874; *grotei* Butler,1874; *fumosa* Strecker,1874; *aethra* Strecker,1875; *cynoglossum* Edwards,1875; *metathetis* Butler,[1877]; *ariadne* Barnes & McDunnough,1927; *jordani* Barnes & McDunnough,1927 Range (in code): US Cf Tx Meh Fl CA BCo Qb Ut Col Arz Ny
- 83337. Hemaris senta (Strecker,1878)** (Sphingidae) Synonym(s): *senta* Strecker,1878; *brucei* French,1890 Range (in code): US MNx Col
- 83338. Hemeroplanes diffusa (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *diffusa* Rothschild & Jordan,1903 Range (in code): CO
- 83339. Hemeroplanes longistriga (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *longistriga* Rothschild & Jordan,1903 Range (in code): BR
- 83340. Hemeroplanes ornatus Rothschild,1894** (Sphingidae) Synonym(s): *ornatus* Rothschild,1894 Range (in code): VE
- 83341. Hemeroplanes triptolemus (Cramer,1779)** (Sphingidae) Synonym(s): *triptolemus* Cramer,1779 Range (in code): SR VE
- 83342. Himantoides perkinsae B.P.Clark,1933** (Sphingidae) Synonym(s): *perkinsae* B.P.Clark,1933 Range (in code): JM

- 83343. *Himantoides undata* (Walker,1856)** (Sphingidae) Synonym(s): *undata* Walker,1856
Range (in code): JM
- 83344. *Hippotion balsaminae* (Walker,1856)** (Sphingidae) Synonym(s): *balsaminae* Walker,1856; *pinastrius* Butler,1876 Range (in code): ZA
- 83345. *Hippotion boerhaviae* (Fabricius,1775)** (Sphingidae) Synonym(s): *boerhaviae* Fabricius,1775 Original Reference: Sphinx boerhaviae Fabricius,1775, Syst. Ent.: 542. Type(s): India. Range (in code): LK IN TW TH MY Ri ID Sum Mlc PG NC PH Jol Ley Luz Mno Neg Pal Pan Sib VN CN Bionomy: Larva on Oldenlandia, Spermacoce (Rubiaceae), etc. (Inoue et al.,1997).
- 83346. *Hippotion brunneum* (Semper,1896)** (Sphingidae) Synonym(s): *brunneum* Semper,1896
Range (in code): ID Clb Mlc PG PH Luz Mdo Mno Neg
- 83347. *Hippotion celerio* (Linnaeus,1758)** (Sphingidae) Synonym(s): *celerio* Linnaeus,1758; *tisiphone* Linnaeus,1758; *inquilinus* Harris,1780; *phoenix* Oken,1815; *ocys* Hübner,[1819]; *albolineatus* Montrousier,1864 Original Reference: Sphinx celerio Linnaeus,1758, Syst. Nat. (Edn.10) 1: 491.
Range (in code): Md Cn MA DZ TN LY PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG Slv Vrn GR Rd Cr TR CY LB Bei IL Hf Pa IR Kh Th GlS Ss DK RU MD UA BY GG Smt Bjo IN Tn LK ID Sum Ja Kai AU QAU Hw PG NC NH FJ ZA Fs Cap Blo Tva Lpo Spb Mdk MZ GN SA SL PH Bal Boh Cal Ceb Dum Jol Ley Luz Mar Mdo Mno Neg Pal Pan Pao Sam Tic WS TO EL LO SB MY Gau Pre Mpu Brb Jh Nta Kzu Dbn SL JO AF Sfk Srb Nu Bsg PK Swa Sgl TH CMA Cuo TW Cc Cp Abe Rbt BtNa Agi Orn Blid Mzg Hrh Bionomy: Larva on Vitis, Parthenocissus (Vitaceae), Galium (Rubiaceae), Fuchsia, Impatiens (Balsaminaceae), Convolvulus (Convolvulaceae), Rumex (Polygonaceae), Caladium (Araceae) (Bell & Scott,1937, et seq.).
- 83348. *Hippotion echeclus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *echeclus* Boisduval,[1875] Original Reference: Choerocampa echeclus Boisduval,[1875], Hist. nat. Ins. (Spec. Gén. Lépid.) 1: 233. Range (in code): IN MM TH CMA Cuo MY ID Sum Ja Bor Bli Lb Sba Flo Clb Ri PH Boh Ceb Ley Luz Mno Neg Pan JP Ri Bionomy: Larva on Sesamum (Pedaliaceae), Monochoria (Pontederiaceae) (Inoue et al.,1997).
- 83349. *Hippotion eson* (Cramer,1779)** (Sphingidae) Synonym(s): *eson* Cramer,1779; *thyelia* Westwood,1881; *elegans* Butler,1875; *gracilis* Butler,1875; *comoroana* Clark,1929; *luridus* Gehlen,1944 Range (in code): KM ZA Tva Mpu Brb Nta Kzu Dbn TZ Pb SL Wca Cto Ec Tra
- 83350. *Hippotion moorei* Jordan,1926** (Sphingidae) Synonym(s): *moorei* Jordan,1926; *canens* Jordan,1926; *nuimaculata* Zhu & Wang,1997 Range (in code): ET TZ SO SA
- 83351. *Hippotion osiris* (Dalman,1823)** (Sphingidae) Synonym(s): *osiris* Dalman,1823 Range (in code): ES SL GM NG ZR ZA MG IL Pa
- 83352. *Hippotion pentagramma* (Hampson,1910)** (Sphingidae) Synonym(s): *pentagramma* Hampson,1910; *somalicum* Jordan,1916 Range (in code): SO ET SA
- 83353. *Hippotion rafflesii* (Moore,[1858])** (Sphingidae) Synonym(s): *rafflesii* Moore,[1858] Original Reference: Chaerocampa rafflesii Moore,[1858], [in] Horsfield & Moore, Cat. lepid. Insects Mus. East Ind. Co. 1: 276. Range (in code): IN LK Pdy TH MM CN MY ID Sum Ja Flo Clb PH Mno Pal Bionomy: Larva on Impatiens (Balsaminaceae) (Inoue et al.,1997).
- 83354. *Hippotion rafflesii dyokeae* Hogenes & Treadaway,1998** (Sphingidae) Synonym(s): *dyokeae* Hogenes & Treadaway,1998 Range (in code): PH Mno
- 83355. *Hippotion rosae* (Butler,1882)** (Sphingidae) Synonym(s): *rosae* Butler,1882 Range (in code): ZA
- 83356. *Hippotion roseipennis* (Butler,1882)** (Sphingidae) Synonym(s): *roseipennis* Butler,1882; *exclamationis* Fawcett,1915; *austrinum* Jordan,1930; *robur* Jordan,1938 Range (in code): ZA
- 83357. *Hippotion rosetta* (Swinhoe,1892)** (Sphingidae) Synonym(s): *rosetta* Swinhoe,1892; *depictum* Dumont,1941 Original Reference: Chaerocampa rosetta Swinhoe,1892, Cat. east. Austral. Lepid. Heterocera in colln. Oxford Univ. Mus. 1: 16-17. Syntypes: [Indonesia]: Ceram; Melville Island (Hope). Range (in code): IN TW JP Ri ID Sum Ja Clb Mlc PG PH Bal Boh Bon Ceb Jol Ley Luz Mar Mdo Mno Neg Pal Pan Sga Siq Stu Taw TH CMA Cuo Cuo1 VN SB Bionomy: Larva on Borreria (Rubiaceae) (Inoue et al.,1997).
- 83358. *Hippotion scrofa* (Boisduval)** (Sphingidae) Synonym(s): Range (in code): NC
- 83359. *Hippotion velox* (Fabricius,1793)** (Sphingidae) Synonym(s): *velox* Fabricius,1793; *phoenix* Herrich-Schäffer,[1856] Original Reference: Sphinx velox Fabricius,1793, Ent. Syst. 3 (1): 378. Type(s): India orientalis (Prof. Abildgaard). Range (in code): NC LK IN TH CMA Cuo Cmz Cz10 JP Ri TW Adm Nk AU FJ PH Bal Cal Ceb Dum Ley Luz Mar Mdo Mno Neg Pal Pan Sam Stu Bionomy: Larva on Pisonia (Nyctaginaceae), Alocasia (Araceae), Brassica (Brassicaceae), Ipomoea (Convolvulaceae), Morinda (Rubiaceae) (Inoue et al.,1997).

- 83360. *Hoplistopus butti* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *butti* Rothschild & Jordan,1903 Range (in code): **ZA**
- 83361. *Hoplistopus penricei* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *penricei* Rothschild & Jordan,1903 Range (in code): **ZA**
- 83362. *Hyles annei* (Guérin-Ménéville,1839)** (Sphingidae) Synonym(s): *annei* Guérin-Ménéville,1839 Range (in code): **CL**
- 83363. *Hyles apocyni* (Shthetkin,1956)** (Sphingidae) Synonym(s): *apocyni* Shthetkin,1956 Range (in code):
- 83364. *Hyles apocyni apocyni* (Shthetkin,1956)** (Sphingidae) Synonym(s): *apocyni* Shthetkin,1956 Range (in code):
- 83365. *Hyles biguttata* (Walker,1856)** (Sphingidae) Synonym(s): *biguttata* Walker,1856; *eleagni* Boisduval,[1875]; *euphorbioides* Swinhoe,1892. Range (in code):
- 83366. *Hyles biguttata biguttata* (Walker,1856)** (Sphingidae) Synonym(s): *biguttata* Walker,1856; *eleagni* Boisduval,[1875]; *euphorbioides* Swinhoe,1892. Range (in code):
- 83367. *Hyles calida* (Butler,1881)** (Sphingidae) Synonym(s): *calida* Butler,1881 Range (in code): **Hw**
- 83368. *Hyles calida calida* (Butler,1881)** (Sphingidae) Synonym(s): *calida* Butler,1881 Range (in code):
- 83369. *Hyles calida hawaiiensis* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *hawaiiensis* Rothschild & Jordan,1903 Range (in code): **Hw**
- 83370. *Hyles centralasiae* Staudinger,1887** (Sphingidae) Synonym(s): *centralasiae* Staudinger,1887; *transcaspica* O.Bang-Haas,1936. Range (in code): **IR Ak Shf PK MN** Bionomy: Larva on *Eremurus*, *Asphodelus* (Pittaway,1983).
- 83371. *Hyles centralasiae centralasiae* Staudinger,1887** (Sphingidae) Synonym(s): *centralasiae* Staudinger,1887; *transcaspica* O.Bang-Haas,1936. Range (in code): **IR PK MN** Bionomy: Larva on *Eremurus*, *Asphodelus* (Pittaway,1983).
- 83372. *Hyles chamyla* (Denso,1913)** (Sphingidae) Synonym(s): *chamyla* Denso,1913; *apocyni* Shthetkin,1956 Range (in code): **TM Kp UZ KK TJ CN Ui Kml** Bionomy: Larva on *Apocynum scabrum*, *A.venetum* (Shthetkin,1956).
- 83373. *Hyles chamyla chamyla* (Denso,1913)** (Sphingidae) Synonym(s): *chamyla* Denso,1913; *apocyni* Shthetkin,1956 Range (in code): **TM Kp UZ KK TJ CN Ui Kml**
- 83374. *Hyles chivilini* Eitschberger & Danner & Surholt,1998** (Sphingidae) Synonym(s): *chivilini* Eitschberger & Danner & Surholt,1998 Range (in code): **CN**
- 83375. *Hyles chivilini chivilini* Eitschberger & Danner & Surholt,1998** (Sphingidae) Synonym(s): *chivilini* Eitschberger & Danner & Surholt,1998 Range (in code): **CN**
- 83376. *Hyles conspicua* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *conspicua* Rothschild & Jordan,1903. Original Reference: *Celerio euphorbiae* ssp. *conspicua* Rothschild & Jordan,1903, Novit. zool. 9 (Suppl.): 720. Type: [Lebanon]: Syria: Beirut. Range (in code): **TR Ce GG Smt Bjo Tbl JO IL Pa Hf LB Bsa Bei IQ SY Dms IR Elb Th**
- 83377. *Hyles costata* (Nordmann,1851)** (Sphingidae) Synonym(s): *costata* Nordmann,1851; *exilis* Derzhavets,1979; *solida* Derzhavets,1979. Range (in code):
- 83378. *Hyles costata costata* (Nordmann,1851)** (Sphingidae) Synonym(s): *costata* Nordmann,1851; *exilis* Derzhavets,1979; *solida* Derzhavets,1979. Range (in code):
- 83379. *Hyles dahlia* (Geyer,[1828])** (Sphingidae) Synonym(s): *dahlia* Geyer,[1828]; *dahlia* Boisduval,1828; *balearica* Rebel,1926 Range (in code): **ES Co Sa**
- 83380. *Hyles dahlia dahlia* (Geyer,[1828])** (Sphingidae) Synonym(s): *dahlia* Geyer,[1828]; *dahlia* Boisduval,1828; *balearica* Rebel,1926 Range (in code): **ES Co Sa**
- 83381. *Hyles euphorbiae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980. Original Reference: *Sphinx euphorbiae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 492. Range (in code): **Md Cn MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd DK SE FI EE LV LT RU Ao Sr Sb Ur MD UA BY AZ Tlh IR Elb Th CN Ui Ku Muz TJ Pm** Bionomy: Larva on *Euphorbia myrsinites*, *E. ? paralias* (Staudinger,1879; de Freina,1979).
- 83382. *Hyles euphorbiae euphorbiae* (Linnaeus,1758)** (Sphingidae) Synonym(s): *euphorbiae* Linnaeus,1758; *esulae* Hufnagel,1766; *vandalusica* Ribbe,1910; *etrusca* Verity,1911; *sinensis* Closs,1917; *rothschildi* Stauder,1928; *dolomiticola* Stauder,1930; *filipjevi* O.Bang-Haas,1936; *lucida* Derzhavets,1980. Original Reference: *Sphinx euphorbiae* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 492. Range (in code): **Md Cn**

MA DZ TN PT ES FR Si IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr DK SE FI EE
LV LT RU Ao Sr Sb Ur MD UA BY AZ Tlh CN Ui Ku Muz TJ Pm

83383. Hyles euphorbium (Guérin-Méneville & Percheron, 1835) (Sphingidae)
Synonym(s): *euphorbium* Guérin-Méneville & Percheron, 1835; *celeno* Boisduval, [1875]; *spinifascia* Butler, 1881. Range (in code): AR

83384. Hyles euphorbium euphorbium (Guérin-Méneville & Percheron, 1835)
(Sphingidae) Synonym(s): *euphorbium* Guérin-Méneville & Percheron, 1835; *celeno* Boisduval, [1875]; *spinifascia* Butler, 1881. Range (in code): AR

83385. Hyles gallii (Rottemburg, 1775) (Sphingidae) Synonym(s): *gallii* Rottemburg, 1775; *intermedia* Kirby, 1837; *oxybaphi* Clemens, 1859; *gallii* Kirby, 1892; *sachaliensis* Matsumura, 1929; *nepalensis* Daniel, 1961; *tibetanica* Eichler, 1971. Range (in code): Cn ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb Am At To Ir Irk Ya Prj Us Pt Ao Sr Or Tt MD UA BY CN Ui Yu Mc Pkn KG Ssn Uk Sp Lps JP IN Ch Ch CA Lbr US

83386. Hyles gallii gallii (Rottemburg, 1775) (Sphingidae) Synonym(s): *gallii* Rottemburg, 1775; *intermedia* Kirby, 1837; *oxybaphi* Clemens, 1859; *gallii* Kirby, 1892; *sachaliensis* Matsumura, 1929; *nepalensis* Daniel, 1961; *tibetanica* Eichler, 1971. Range (in code): Cn ES FR Co Sa Si IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR Cc GG Bjo DK NO SE FI EE LV LT RU Sb Am At To Ir Irk Ya Prj Us Pt Ao Sr Or Tt MD UA BY CN Ui Yu Mc Pkn KG Ssn Uk Sp Lps JP IN Ch Ch CA Lbr

83387. Hyles gallii intermedia (Kirby, 1837) (Sphingidae) Synonym(s): *intermedia* Kirby, 1837; *chamaenerii* Harris, 1839; *oxybaphi* Clemens, 1859 Range (in code): US

83388. Hyles hippophaes (Esper, [1789]) (Sphingidae) Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsaftikis, 1974; *#hippophaeas* De Freina, 1981 Range (in code): ES FR Co IT DE CH AT RO YU BG GR TR RU Da Der MD UA BY KG TJ Pm UZ Fe CN Ui Ku Ln MN IR Ch Cc GG Tbl AF Sfk Kab Srb

83389. Hyles hippophaes bienerti (Staudinger, 1874) (Sphingidae) Synonym(s): *bienerti* Staudinger, 1874; *caucasica* Denso, 1913; *caucasica* Clark, 1922; *ornatus* Gehlen, 1930; *transcaucasica* Gehlen, 1932; *shugnana*, *bucharana* Sheljuzhko, 1933; *anatolica* Rebel, 1933; *malatianus* Gehlen, 1934; *baltistana* O. Bang-Haas, 1939. Range (in code): RU Da Der Ch UZ AZ AM Cc GG Tbl TR IR Ch TJ Pm UZ Fe AF Srb Sfk Kab

83390. Hyles hippophaes hippophaes (Esper, [1789]) (Sphingidae) Synonym(s): *hippophaes* Esper, [1789]; *teriolensis* Dannehl, 1929; *kiortsii* Koutsaftikis, 1974; *#hippophaeas* De Freina, 1981 Range (in code): ES FR Co IT DE CH AT RO YU BG GR RU MD UA BY

83391. Hyles hippophaes insidiosa (Erschoff, 1874) (Sphingidae) Synonym(s): *insidiosa* Erschoff, 1874 Range (in code): KG CN Ui Ku Ln MN

83392. Hyles hippophaes miatleuskii Eitschberger & Saldaitis, 2000 (Sphingidae)
Synonym(s): *miatleuskii* Eitschberger & Saldaitis, 2000 Original Reference: Hyles (Hippophyles) hippophaes ssp. miatleuskii Eitschberger & Saldaitis, 2000, Atalanta 31 (1/2): 213-214, figs. Holotype ♂: European p. of Kazakhstan: Ryn-kum sandy Steppe NW, 20km E. of Bisen, 22.vi.1999 (EMEM). Range (in code): KG

83393. Hyles lineata (Fabricius, 1775) (Sphingidae) Synonym(s): *lineata* Fabricius, 1775; *daucus* Cramer, 1777 Original Reference: Sphinx lineata Fabricius, 1775, Syst. Ent.: 541. Type(s): America. Range (in code): US GS UY VE GP

83394. Hyles lineata florilega (Kernbach, 1962) (Sphingidae) Synonym(s): *florilega* Kernbach, 1962 Range (in code): GS

83395. Hyles lineata lineata (Fabricius, 1775) (Sphingidae) Synonym(s): *lineata* Fabricius, 1775; *daucus* Cramer, 1777 Original Reference: Sphinx lineata Fabricius, 1775, Syst. Ent.: 541. Type(s): America. Range (in code): US VE

83396. Hyles lineata lineatoides (Gehlen, 1934) (Sphingidae) Synonym(s): *lineatoides* Gehlen, 1934 Range (in code): UY

83397. Hyles livornica (Esper, [1780]) (Sphingidae) Synonym(s): *livornica* Esper, [1780]; *koechlini* Fuessly, 1781; *tatsienluica* Oberthür, 1916; *saharae* Gehlen, 1932; *malgassica* Denso, 1944; *tatsienluica* Oberthür, 1944; *renneri* Eitschberger, Danner & Surholt, 1998. Original Reference: Sphinx livornica Esper, [1780], Die Schmett. 2 (13): 88. Type: Germany. Range (in code): Md Cn MA DZ TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR IR Elb Shh Gor Ke Kh Sbz DK SE FI EE LV RU Sr Mo MD UA BY CN Ui GG Bjo Tbl IL Hf Pa LB Bsa Bei TM Kp K-A Krn PK Bl Qu AU SAu Ade Hw ZA Cap Fs Blo SO MG IQ TW TH Cma NP SI Ch Djl YE Ad CN Ti Yu T-T Cm CY Ss Kz Gau Tva Pre Agh JO AF Nu Bsg Srb Kab Nu Bsg Cc AZ AM Cc Cp Ak Msw Ess Orn Odj Agi Ges BSA Omy Bsk Ktr Khh DhM Onç Gha Dzc Mzg Hrh Gf Omy Gle Ceg Gtt Ath Ah Bionomy: Larva on Rumex, Polygonum, Vitis, Fuchsia, Platago, Zygophyllum

83398. Hyles livornicoides (Lucas, 1892) (Sphingidae) Synonym(s): *livornicoides* Lucas, 1892; *australasiae* Tutt, 1904. Range (in code):

- 83399. Hyles livornicoides livornicoides (Lucas,1892)** (Sphingidae) **Synonym(s):** *livornicoides* Lucas,1892; *australasiae* Tutt,1904. Range (in code):
- 83400. Hyles nervosa (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *nervosa* Rothschild & Jordan,1903 Range (in code): **AF Sfk**
- 83401. Hyles nervosa nervosa (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *nervosa* Rothschild & Jordan,1903 Range (in code): **AF Sfk**
- 83402. Hyles nicaea (Prunner,1798)** (Sphingidae) **Synonym(s):** *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicaea* De Freina,1981 Range (in code): **DZ Sbd MA Khh Afl PT ES FR Co Sa IT YU AL BG GR TR Cc AM Eri LB Bsa UA Cm IN KG Ssn IQ** Bionomy: Larva on Euphorbia myrsinites (de Freina,1979).
- 83403. Hyles nicaea castissima (Austaut,1883)** (Sphingidae) **Synonym(s):** *castissima* Austaut,1883 Range (in code): **DZ Sbd MA Khh Afl**
- 83404. Hyles nicaea lathyrus (Walker,1856)** (Sphingidae) **Synonym(s):** *lathyrus* Walker,1856 Range (in code):
- 83405. Hyles nicaea nicaea (Prunner,1798)** (Sphingidae) **Synonym(s):** *nicaea* Prunner,1798; *cyparissiae* Hübner,[1813]; *#nicaea* De Freina,1981 Range (in code):
- 83406. Hyles nicaea orientalis (Austaut,1905)** (Sphingidae) **Synonym(s):** *orientalis* Austaut,1905; *crimaea* A.Bang-Haas,1906. Range (in code): **UA Cm**
- 83407. Hyles nicaea sheljuzhkoi (Dublitzky,1828)** (Sphingidae) **Synonym(s):** *sheljuzhkoi* Dublitzky,1828; *libanotica* Gehlen,1932. Range (in code): **LB Bsa**
- 83408. Hyles perkinsi (Swezey,1920)** (Sphingidae) **Synonym(s):** *perkinsi* Swezey,1920 Range (in code):
- 83409. Hyles perkinsi perkinsi (Swezey,1920)** (Sphingidae) **Synonym(s):** *perkinsi* Swezey,1920 Range (in code):
- 83410. Hyles robertsi (Butler,1880)** (Sphingidae) **Synonym(s):** *robertsi* Butler,1880; *peplidis* Christoph,1894 Range (in code): **IQ IR Es Ss GlS AF Ca Nu Bsg Srb PK Ch TM Kp TJ Pm**
- 83411. Hyles robertsi elisabethae Ebert,1996** (Sphingidae) **Synonym(s):** *orientalis* Ebert,1969 *nec* Aust.,1905; *elisabethae* Ebert,1996. Range (in code): **AF Nu Bsg Srb**
- 83412. Hyles robertsi robertsi (Butler,1880)** (Sphingidae) **Synonym(s):** *robertsi* Butler,1880; *peplidis* Christoph,1894 Range (in code): **IQ IR Es Ss PK Ch TM Kp TJ Pm**
- 83413. Hyles salangensis (Ebert,1969)** (Sphingidae) **Synonym(s):** *salangensis* Ebert,1969 Original Reference: Celerio *salangensis* Ebert,1969, Reichenbachia 12: 47-48. Holotype ♂: Afghanistan: Salang pass, 2000-3000m Range (in code): **AF Slg**
- 83414. Hyles salangensis salangensis (Ebert,1969)** (Sphingidae) **Synonym(s):** *salangensis* Ebert,1969 Original Reference: Celerio *salangensis* Ebert,1969, Reichenbachia 12: 47-48. Holotype ♂: Afghanistan: Salang pass, 2000-3000m Range (in code): **AF Slg**
- 83415. Hyles siehei (Püngeler,1903)** (Sphingidae) **Synonym(s):** *siehei* Püngeler,1903; *#privata* Austaut,1905. Range (in code): **TR** Bionomy: Larva on Eremurus, Asphodelus (Pittaway,1983).
- 83416. Hyles siehei siehei (Püngeler,1903)** (Sphingidae) **Synonym(s):** *siehei* Püngeler,1903; *#privata* Austaut,1905. Range (in code): **TR** Bionomy: Larva on Eremurus, Asphodelus (Pittaway,1983).
- 83417. Hyles stroehlei Eitschberger, Danner & Surholt,1998** (Sphingidae) **Synonym(s):** *stroehlei* Eitschberger, Danner & Surholt,1998 Range (in code):
- 83418. Hyles stroehlei stroehlei Eitschberger, Danner & Surholt,1998** (Sphingidae) **Synonym(s):** *stroehlei* Eitschberger, Danner & Surholt,1998 Range (in code):
- 83419. Hyles tithymali (Boisduval,1834)** (Sphingidae) **Synonym(s):** *tithymali* Boisduval,1834; *calverleyi* Grote,1865. Original Reference: Deilephila *tithymali* Boisduval,1834, Icon. hist. Lépid. Eur. 2: 30. Type: Canary Isl. Range (in code): **Md Cn MA DZ TN Md EG MT Cr YE Ktr Bttna Khh Lbs Dhm Tun Bsk Onç Bsa Gha Ges Hrh Sfr Lgt Gle Hes** Bionomy: Larva on Euphorbia cyparissioides, E. peplus (Euphorbiaceae).
- 83420. Hyles tithymali cretica Eitschberger & Danner & Surholt,1998** (Sphingidae) **Synonym(s):** *cretica* Eitschberger & Danner & Surholt,1998 Range (in code): **Cr**
- 83421. Hyles tithymali deserticola (Staudinger,1901)** (Sphingidae) **Synonym(s):** *#deserticola* Bartel,1899; *deserticola* Staudinger,1901; *flaveola* Oberthür,1904; *saharae* Günther,1939 *nec* Gehl.,1932. Range (in code): **DZ Ktr Bsk Onç Bsa Gha Ges Sfr Lgt Gle Hes EG**
- 83422. Hyles tithymali gecki De Freina,1991** (Sphingidae) **Synonym(s):** *gecki* De Freina,1991 Range (in code): **Md**

- 83423. Hyles tithymali himyarensis Meerman,1988** (Sphingidae) Synonym(s): *himyarensis Meerman,1988* Original Reference: Hyles tithymali ssp. himyarensis Meerman,1988, Ent. Ber.,Amst. 48: 61-67. Holotype: Northern Yemen: Dhufar. Range (in code): **YE SA As** Bionomy: Larva on Euphorbia cyparissioides, E. peplus (Euphorbiaceae).
- 83424. Hyles tithymali mauretanica (Staudinger,1871)** (Sphingidae) Synonym(s): *mauretanica Staudinger,1871; mura Oberthür,1911; kruegeri Schawerda,1914; rubescens Schawerda,1914; major Oberthür,1916; gratiosissima Turati & Krüger,1936* Range (in code): **MA DZ TN Md Btna Khh Lbs Dhm Tun Hrh**
- 83425. Hyles tithymali sammuti Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *sammuti Eitschberger, Danner & Surholt,1998* Range (in code): **MT**
- 83426. Hyles tithymali tithymali (Boisduval,1834)** (Sphingidae) Synonym(s): *tithymali Boisduval,1834; calverleyi Grote,1865.* Range (in code): **Cn**
- 83427. Hyles vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio Esper,[1780]*. Range (in code): **FR IT DE CH AT SK PL YU MK AL BG TR RU Da Cc GG Smt Bjo AZ Lag AM LB** Bionomy: Larva on Oenothera, Galium, Epilobium dodonaei (=Chamaenerion angustissimum) (Pittaway,2004).
- 83428. Hyles vespertilio vespertilio (Esper,[1780])** (Sphingidae) Synonym(s): *vespertilio Esper,[1780]*. Range (in code): **FR IT DE CH AT SK PL YU MK AL BG TR RU Da Cc GG Smt Bjo AZ Lag AM LB** Bionomy: Larva on Oenothera, Galium, Epilobium dodonaei (=Chamaenerion angustissimum) (Pittaway,2004).
- 83429. Hyles wilsoni (Rothschild,1894)** (Sphingidae) Synonym(s): *wilsoni Rothschild,1894* Range (in code):
- 83430. Hyles wilsoni wilsoni (Rothschild,1894)** (Sphingidae) Synonym(s): *wilsoni Rothschild,1894* Range (in code):
- 83431. Hyles zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli Ochsenheimer,1808; jaxartis Froreich,1938; xanthoxyli Derzhavets,1977; kirgisa Eitschberger & Lukhtanov,1996.* Range (in code): **RU Da Der Ao Cc GG Tbl AZ Nv Ord TR AF TM Krn MN KK KG Uk Tks CN Ui Ln Tpn AM UZ TJ RU Da IR Elb** Bionomy: Larva on Zygophyllum fabago, Eremurus (Ochsenheimer,1808; Romanoff,1884; Pittaway,1983).
- 83432. Hyles zygophylli zygophylli (Ochsenheimer,1808)** (Sphingidae) Synonym(s): *zygophylli Ochsenheimer,1808; jaxartis Froreich,1938; xantho Derzhavets,1977; kirgisa Eitschberger & Lukhtanov,1996.* Range (in code): **RU Da Der Ao Cc GG Tbl AZ Nv Ord TR AF TM Krn MN KK KG Uk Tks CN Ui Ln Tpn AM UZ TJ RU Da IR Elb** Bionomy: Larva on Zygophyllum fabago, Eremurus (Ochsenheimer,1808; Romanoff, 1884; Pittaway,1983).
- 83433. Ihlegramma ihlei Eitschberger,2003** (Sphingidae) Synonym(s): *ihlei Eitschberger,2003* Range (in code):
- 83434. Isognathus allamandae B.P.Clark,1920** (Sphingidae) Synonym(s): *allamandae B.P.Clark,1920* Range (in code): **BR Pbc VE**
- 83435. Isognathus australis B.P.Clark,1917** (Sphingidae) Synonym(s): *australis B.P.Clark,1917* Range (in code): **BR**
- 83436. Isognathus caricae (Linnaeus,1758)** (Sphingidae) Synonym(s): *caricae Linnaeus,1758; cacus Cramer,1775* Range (in code): **SR VE**
- 83437. Isognathus leachi (Swainson,1823)** (Sphingidae) Synonym(s): *leachi Swainson,1823; cahuchu Boisduval,[1875]; metascyron Butler,1875* Range (in code): **BR Para VE**
- 83438. Isognathus mossi B.P.Clark,1919** (Sphingidae) Synonym(s): *mossi B.P.Clark,1919* Range (in code): **BR Azn VE**
- 83439. Isognathus mossi fabianae Lichy,1981** (Sphingidae) Synonym(s): *fabianae Lichy,1981* Range (in code): **VE**
- 83440. Isognathus mossi mossi B.P.Clark,1919** (Sphingidae) Synonym(s): *mossi B.P.Clark,1919* Range (in code): **BR Azn**
- 83441. Isognathus pelops (Boisduval,[1875])** (Sphingidae) Synonym(s): *pelops Boisduval,[1875]; menechus Boisduval,[1875]; amazonicus Butler,1877* Range (in code): **BR Para GF**
- 83442. Isognathus rimosus (Grote,1865)** (Sphingidae) Synonym(s): *rimosus Grote,1865; mnechus Grote,1865; andae Grote & Robinson,1868; silenus Grote & Robinson,1868; woodi Ramsden,1916* Range (in code): **CU HT JM PR MX Vcr GF BR Spa Azn VE**
- 83443. Isognathus rimosus excelsior (Boisduval,[1875])** (Sphingidae) Synonym(s): *excelsior Boisduval,[1875]; inclitus Edwards,1887* Range (in code): **MX Vcr VE**

- 83444. *Isognathus rimosus jamaicensis* Rothschild & Jordan,1915** (Sphingidae)
Synonym(s): *jamaicensis* Rothschild & Jordan,1915 Range (in code): JM
- 83445. *Isognathus rimosus molitor* Rothschild & Jordan,1915** (Sphingidae) Synonym(s):
molitor Rothschild & Jordan,1915 Range (in code): HT
- 83446. *Isognathus rimosus papayae* (Boisduval,1875)]** (Sphingidae) Synonym(s): *papayae* Boisduval,[1875]; *laurae* Butler,1877; *brasiliensis* B.P.Clark,1919; *amazonica* B.P.Clark,1928 *nec* Butl.,1877; *occidentalis* B.P.Clark,1929 Range (in code): GF VE BR Spa
- 83447. *Isognathus rimosus rimosus* (Grote,1865)** (Sphingidae) Synonym(s): *rimosus* Grote,1865; *mnechus* Grote,1865; *andae* Grote & Robinson,1868; *silenus* Grote & Robinson,1868; *woodi* Ramsden,1916 Range (in code): CU
- 83448. *Isognathus rimosus wolcottii* B.P.Clark,1922** (Sphingidae) Synonym(s): *wolcottii* B.P.Clark,1922 Range (in code): PR
- 83449. *Isognathus scyron* (Cramer,1780)** (Sphingidae) Synonym(s): *scyron* Cramer,1780; *pedilanthi* Boisduval,[1875] Range (in code): GF SR VE
- 83450. *Isognathus swainsoni* C.Felder,1862** (Sphingidae) Synonym(s): *swainsoni* C.Felder,1862; *fumosa* Butler,1875; *zebra* B.P.Clark,1923 Range (in code): BR Para Azn VE
- 83451. *Isognathus tepuyensis* Lichy,1962** (Sphingidae) Synonym(s): *tepuyensis* Lichy,1962 Range (in code): VE
- 83452. *Kloneus babayaga* Skinner,1923** (Sphingidae) Synonym(s): *babayaga* Skinner,1923; *harroveri* B.P.Clark,1923 Range (in code): NI CR VE
- 83453. *Langia zenzeroides* Moore,1872** (Sphingidae) Synonym(s): *zenzeroides* Moore,1872; *nina* Mell,1922; *szechuana* Chu & Wang,1980; *kunmingensis* Zhao,1984 Range (in code): IN TH VN CN Sz KP KR JP TW Bionomy: Larva on Prunus (Rosaceae) (Inoue et al.,1997).
- 83454. *Langia zenzeroides formosana* Clark,1936** (Sphingidae) Synonym(s): *formosana* Clark,1936 Range (in code): TW
- 83455. *Langia zenzeroides nawai* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *nawai* Rothschild & Jordan,1903 Range (in code): KP KR JP
- 83456. *Langia zenzeroides zenzeroides* Moore,1872** (Sphingidae) Synonym(s): *zenzeroides* Moore,1872; *nina* Mell,1922; *szechuana* Chu & Wang,1980; *kunmingensis* Zhao,1984 Range (in code): IN TH VN CN Sz
- 83457. *Laothoe amurensis* (Staudinger,1892)** (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] *nec* Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979. Original Reference: *Smerinthus tremulae* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. lépid. 6: 155-156. Lectotype ♂: Russia: Amurland (MNHB). Range (in code): PL FI EE LV LT RU Sb Am BY CN HK Bionomy: Larva on Populus tremula, etc. (Pittaway,1983).
- 83458. *Laothoe amurensis amurensis* (Staudinger,1892)** (Sphingidae) Synonym(s): *tremulae* Boisduval,[1829] *nec* Bkh.,1793; *amurensis* Staudinger,1892; *#rosacea* Staudinger,1892; *baltica* Viidalepp,1979. Original Reference: *Smerinthus tremulae* var. *amurensis* Staudinger,1892, [in] Romanoff, Mém. lépid. 6: 155-156. Lectotype ♂: Russia: Amurland (MNHB). Range (in code): PL FI EE LV LT RU Sb Am BY
- 83459. *Laothoe amurensis sinica* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *sinica* Rothschild & Jordan,1903 Range (in code): CN HK
- 83460. *Laothoe austauti* (Staudinger,1877)** (Sphingidae) Synonym(s): *austauti* Staudinger,1877; *poupillieri* Bellier,1878; *#austanti* Bellier,1878; *#staudingeri* Austaut,1879; *#incarnata* Austaut,1880; *#mirabilis* Austaut,1883; *#flava* Bartel,1900; *#aurantiaca* Oberthür,1916; *#brunnea* Huard,1928 Original Reference: *Smerinthus austauti* Staudinger,1877, Petites Nouv. Ent. 2: 190. Type: Algeria: Nemours [Ghazauet]. Range (in code): DZ Ght Agi MR MA Abe Btna TN Tun Hrh Sfr Bionomy: Larva on Populus, Salix (Pittaway,1983).
- 83461. *Laothoe iberica* Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *iberica* Eitschberger, Danner & Surholt,1998 Range (in code): ES
- 83462. *Laothoe philerema* (Djakonov,1923)** (Sphingidae) Synonym(s): *philerema* Djakonov,1923 Range (in code): AF Kab Pag Bm UZ Br
- 83463. *Laothoe philerema philerema* (Djakonov,1923)** (Sphingidae) Synonym(s): *philerema* Djakonov,1923 Range (in code): UZ Br
- 83464. *Laothoe philerema witti* Eitschberger, Danner & Surholt,1998** (Sphingidae) Synonym(s): *witti* Eitschberger, Danner & Surholt,1998 Range (in code): AF Kab Pag Bm
- 83465. *Laothoe populeti* (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. Original Reference:

- Smerinthus populeti Bienert,[1870], Lepid. Ergebn. Reise Persien: 33. Type: Iran: "Meschhet". Range (in code): **TR Cc AZ Nv Ord Kir GG Bjo Lag AM LB SY IQ IR Ab Oru Qba Mz Gls Kh TM UZ TJ KK KG Uk Ssn T-S CN Ui Ku Ts Kno** Bionomy: Larva on Populus, Salix (Pittaway,1983).
- 83466. Laothoe populeti populeti (Bienert,[1870])** (Sphingidae) Synonym(s): *populeti* Bienert,[1870]; *populetorum* Staudinger,1887; *syriaca* Gehlen,1932; *intermedia* Gehlen,1934. Original Reference: Smerinthus populeti Bienert,[1870], Lepid. Ergebn. Reise Persien: 33. Type: Iran: "Meschhet". Range (in code): **TR Cc AZ Nv Ord Kir GG Bjo Lag AM LB SY IQ IR Ab Oru Qba Mz Gls Kh TM UZ TJ KK KG Uk Ssn T-S CN Ui Ku Ts Kno**
- 83467. Laothoe populetorum (Staudinger,1887)** (Sphingidae) Synonym(s): *populetorum* Staudinger,1887 Original Reference: Smerinthus populi var. *populetorum* Staudinger,1887, Stettin ent. Ztg. 48: 65-66. Syntypes: [Kirgizistan]: Osch, Usgent (MNHB). Range (in code): **T-S KK Osh**
- 83468. Laothoe populetorum populetorum (Staudinger,1887)** (Sphingidae) Synonym(s): *populetorum* Staudinger,1887 Range (in code): **T-S KK Osh**
- 83469. Laothoe populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935. Original Reference: Sphinx populi Linnaeus,1758, Syst. Nat. (Edn.10) 1: 489. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Ur Sr Or Ao Sb Am To At MD UA BY** Bionomy: Larva on Populus, Salix, Fraxinus, Quercus (Linnaeus,1758; Pittaway,1983).
- 83470. Laothoe populi populi (Linnaeus,1758)** (Sphingidae) Synonym(s): *populi* Linnaeus,1758; *tremulae* Borkhausen,1793; *palustris* Holle,1865; *salicis* Holle,1865; *roseotincta* Reuter,1893; *borkhauseni* Bartel,1900; *lappona* Rangnow,1935. Original Reference: Sphinx populi Linnaeus,1758, Syst. Nat. (Edn.10) 1: 489. Range (in code): **PT FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU Ur Sr Or Ao Sb Am To At MD UA BY**
- 83471. Lepchina obliquifascia (Sphingidae)** Synonym(s): Range (in code): **TW**
- 83472. Lepchina obliquifascia baibarana (Matsumura,1927)** (Sphingidae) Synonym(s): *baibarana* Matsumura,1927 Range (in code): **TW**
- 83473. Lepchina obliquifascia obliquifascia (Sphingidae)** Synonym(s): Range (in code):
- 83474. Lepchina taiwana (Brechlin,1998)** (Sphingidae) Synonym(s): *taiwana* Brechlin,1998 Range (in code): **TW**
- 83475. Leptoclanis pulchra Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *pulchra* Rothschild & Jordan,1903 Range (in code): **ZA**
- 83476. Leucophlebia (Afrophlebia) afra Karsch,1891** (Sphingidae) Synonym(s): *afra* Karsch,1891; *edentata* Rothschild & Jordan,1917 Range (in code): **ZA**
- 83477. Leucophlebia (Afrophlebia) caecilie Eitschberger,2003** (Sphingidae) Synonym(s): *caecilie* Eitschberger,2003 Range (in code): **CM ZR**
- 83478. Leucophlebia (Afrophlebia) edentata Rothschild & Jordan,1916** (Sphingidae) Synonym(s): *edentata* Rothschild & Jordan,1916 Range (in code): **CI**
- 83479. Leucophlebia (Afrophlebia) muellei Eitschberger,2003** (Sphingidae) Synonym(s): *muellei* Eitschberger,2003 Range (in code): **RW**
- 83480. Leucophlebia (Afrophlebia) paul Eitschberger,2003** (Sphingidae) Synonym(s): *paul* Eitschberger,2003 Range (in code): **TZ**
- 83481. Leucophlebia (Afrophlebia) xanthopis Hampson,1910** (Sphingidae) Synonym(s): *xanthopis* Hampson,1910; *rosulenta* Rothschild & Jordan,1917 Range (in code): **ZA**
- 83482. Leucophlebia (Indiaphlebia) emittens Walker,1856** (Sphingidae) Synonym(s): *emittens* Walker,1856 Range (in code): **IN MM TH** Bionomy: Larva on Poaceae (Inoue et al.,1997).
- 83483. Leucophlebia (Thaiphlebia) frederkingi Eitschberger,2003** (Sphingidae) Synonym(s): *frederkingi* Eitschberger,2003 Original Reference: Leucophlebia frederkingi Eitschberger,2003, Atalanta 34 (1/2): 209-217, figs. Holotype ♂: Thailand: Chiang Mai, Doi Suthep, 1150-1300m, 13-25.viii.2000, S.Löffler leg. (EMEM). Range (in code): **TH CMa Dst Dkm**
- 83484. Leucophlebia (s.str.) formosana Clark,1936** (Sphingidae) Synonym(s): *formosana* Clark,1936 Range (in code): **TW CN Hun Fkn Pkn Kwa**
- 83485. Leucophlebia (s.str.) formosana chinaensis Eitschberger,2003** (Sphingidae) Synonym(s): *chinaensis* Eitschberger,2003 Range (in code): **CN Hun Fkn Pkn Kwa**
- 83486. Leucophlebia (s.str.) formosana formosana Clark,1936** (Sphingidae) Synonym(s): *formosana* Clark,1936 Range (in code): **TW**
- 83487. Leucophlebia (s.str.) hogenesi Eitschberger,2003** (Sphingidae) Synonym(s): *hogenesi* Eitschberger,2003 Range (in code): **LK**

- 83488. *Leucophlebia* (s.str.) *lineata* Westwood,1847** (Sphingidae) **Synonym(s):** *lineata* Westwood,1847 **Original Reference:** *Leucophlebia lineata* Westwood,1847, Cabinet orient. Ent.: [46], pl.32 fig.2. Lectotype ♀: India: Assam, designated by Eitschberger (2003) (ECOUM). **Range (in code):** **LK Nwp IN Ass NP BT Hp TW** **Bionomy:** Larva on *Saccharum* (Poaceae) (Inoue et al.,1997).
- 83489. *Leucophlebia* (s.str.) *luxeri* Boisduval,[1875]** (Sphingidae) **Synonym(s):** *luxeri* Boisduval,[1875] **Range (in code):** **ID Sum Clb Flo Ja Bli Sba**
- 83490. *Leucophlebia* (s.str.) *pinratanai* Eitschberger,2003** (Sphingidae) **Synonym(s):** *lineata sensu* Inoue,1977; *pinratanai* Eitschberger,2003 **Original Reference:** *Leucophlebia* (s.str.) *pinratanai* Eitschberger,2003, Neue ent Nachr. 56: 15, figs. Holotype ♂: Thailand: Pak Chong, Thanon Thamarat, km 7 Ampur Khao Yai, ca. 380m 9.92, leg. Steinke, Lehmann ex coll. R.Roesler (EMEM). **Range (in code):** **TH CMa Cuo Ssi CRa Hgd Int Nan Bou Dst CDo Wpp Sak**
- 83491. *Leucophlebia* (s.str.) *rosacea* Butler,1875** (Sphingidae) **Synonym(s):** *rosacea* Butler,1875 **Range (in code):** **IN LK**
- 83492. *Leucophlebia* (s.str.) *schachti* Eitschberger,2003** (Sphingidae) **Synonym(s):** *schachti* Eitschberger,2003 **Range (in code):** **NP**
- 83493. *Leucophlebia* (s.str.) sp.** (Sphingidae) **Synonym(s):** **Range (in code):** **PH Luz Mno Pal**
- 83494. *Leucophlebia* (s.str.) *vietnamensis* Eitschberger,2003** (Sphingidae) **Synonym(s):** *vietnamensis* Eitschberger,2003 **Range (in code):** **VN Ton LA?**
- 83495. *Leucostrophus* *alterhirundo* D'Abrera,[1987]** (Sphingidae) **Synonym(s):** *hirundo* Gerstaecker,1871 (praeocc.); *alterhirundo* D'Abrera,[1987] **Range (in code):** **ZA**
- 83496. *Likoma* *apicalis* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *apicalis* Rothschild & Jordan,1903 **Range (in code):** **ZA**
- 83497. *Litosphingia* *corticea* Jordan,1920** (Sphingidae) **Synonym(s):** *corticea* Jordan,1920 **Range (in code):** **ZA**
- 83498. *Lophostethus* *dumolinii* (Angas,[1849])** (Sphingidae) **Synonym(s):** *dumolinii* Angas,[1849] **Range (in code):** **ZA Tva Gau Pre**
- 83499. *Macroglossum* *affictitum* Butler,1875** (Sphingidae) **Synonym(s):** *affictitia* Butler,1875 **Range (in code):** **IN LK MM TH CMa Cuo** **Bionomy:** Larva on *Strychnos* (Loganiaceae) (Inoue et al.,1997).
- 83500. *Macroglossum* *aquilum* Boisduval,[1875]** (Sphingidae) **Synonym(s):** *aquila* Boisduval,[1875] **Range (in code):** **IN MM TH VN MY ID Sum Ja Bor PH Luz Pal**
- 83501. *Macroglossum* *arimasi* Hogenes & Treadaway,1993** (Sphingidae) **Synonym(s):** *arimasi* Hogenes & Treadaway,1993 **Range (in code):** **PH Dum Neg**
- 83502. *Macroglossum* *aviculum* Boisduval,[1875]** (Sphingidae) **Synonym(s):** *avicula* Boisduval,[1875] **Range (in code):** **MY ID Sum Ja PH Pal**
- 83503. *Macroglossum* *belis* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *belis* Linnaeus,1758 **Original Reference:** *Sphinx belis* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 493. **Range (in code):** **IN Meg Ass Khs LK NP TH VN CN TW JP Ri ID Ja** **Bionomy:** Larva on *Saprosma indicum*, *Hamiltonia suaveolens* (Rubiaceae), *Strychnos nuxvomica* (Loganiaceae) (Bell & Scott,1937).
- 83504. *Macroglossum* *bombylans* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *bombylans* Boisduval,[1875] **Range (in code):** **NP IN CN KP KR TW JP PH Luz Neg TH CMa Dst VN** **Bionomy:** Larva on *Rubia*, *Paederia* (Rubiaceae), *Stauntonia* (Inoue et al.,1997).
- 83505. *Macroglossum* *caldum* Jordan,1926** (Sphingidae) **Synonym(s):** *caldum* Jordan,1926 **Range (in code):** **PH Ley Luz**
- 83506. *Macroglossum* *caldum philippinense* Clark,1928** (Sphingidae) **Synonym(s):** *philippinense* Clark,1928 **Range (in code):** **PH Ley Luz**
- 83507. *Macroglossum* *corythum* Walker,1856** (Sphingidae) **Synonym(s):** *corythum* Walker,1856 **Range (in code):** **JP Ri NH Nlr Tnm SB TW IN Adm TH CMa Cuo VN CN MY ID Sum Bor Ja Flo Sba Clb Sly Flo PH Boh Cml Din Hom Ley Luz Mdo Mno Neg Pal Pan Sam Stu NC LO ID Aru Kai PG AU QAu** **Bionomy:** Larva on *Morinda*, *Paederia*, *Guettarda* (Rubiaceae), *Strychnos* (Loganiaceae) (Inoue et al.,1997).
- 83508. *Macroglossum* *corythum corythum* Walker,1856** (Sphingidae) **Synonym(s):** *corythum* Walker,1856 **Range (in code):** **IN LK**
- 83509. *Macroglossum* *corythum fuscicaudum* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *fuscicauda* Rothschild & Jordan,1903 **Range (in code):** **NC LO**

- 83510. *Macroglossum corythum luteatum* Butler, 1875** (Sphingidae) **Synonym(s):** *luteatum* Butler, 1875 **Range (in code):** **IN Adm TH CMa Cuo VN TW CN MY ID Sum Bor Ja Flo Sba Clb PH Boh Cml Din Hom Ley Luz Mdo Mno Neg Pal Pan Sam Stu**
- 83511. *Macroglossum corythum novebudensis* Clark, 1926** (Sphingidae) **Synonym(s):** *novebudensis* Clark, 1926 **Range (in code):** **NH**
- 83512. *Macroglossum corythum novirlandum* D'Abrera, [1987]** (Sphingidae) **Synonym(s):** *novirlandum* D'Abrera, [1987] **Range (in code):** **PG Nir**
- 83513. *Macroglossum corythum platyxanthum* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *platyxanthum* Rothschild & Jordan, 1903 **Range (in code):** **Ri JP**
- 83514. *Macroglossum corythum pylene* C.Felder, 1861** (Sphingidae) **Synonym(s):** *pylene* C.Felder, 1861 **Range (in code):** **ID Aru Kai PG AU QAU**
- 83515. *Macroglossum corythum xanthurum* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *xanthurum* Rothschild & Jordan, 1903 **Range (in code):** **ID Tnm**
- 83516. *Macroglossum faro* (Cramer, 1780)** (Sphingidae) **Synonym(s):** *faro* Cramer, 1780 **Original Reference:** Sphinx faro Cramer, 1780, Utitl. Kapellen 3: 165, pl. 285 fig. 2. **Range (in code):** **CN IN TH VN TW JP Ri MY ID Sum Ja Bor PH Ley Pal**
- 83517. *Macroglossum faro faro* (Cramer, 1780)** (Sphingidae) **Synonym(s):** *faro* Cramer, 1780 **Original Reference:** Sphinx faro Cramer, 1780, Utitl. Kapellen 3: 165, pl. 285 fig. 2. **Range (in code):** **CN IN TH VN TW JP Ri MY ID Sum Ja Bor PH Ley Pal**
- 83518. *Macroglossum fritzei* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *fritzei* Rothschild & Jordan, 1903; *hunanensis* Chu & Wang, 1980 **Range (in code):** **JP CN Hun TH Chy MY Bor TW** **Bionomy:** Larva on Morinda, Paederia (Rubiaceae) (Inoue et al., 1997).
- 83519. *Macroglossum glaucopterum* Butler, 1875** (Sphingidae) **Synonym(s):** *glaucoptera* Butler, 1875 **Range (in code):** **IN LK CN TH VN MY ID Sum Ja PH Mno Cml Din Neg Pao**
- 83520. *Macroglossum gyrans* Walker, 1856** (Sphingidae) **Synonym(s):** *gyrans* Walker, 1856 **Range (in code):** **IN LK MM NP TH MY ID Sum Bor Ja Tim** **Bionomy:** Larva on Morinda (Rubiaceae) (Inoue et al., 1997).
- 83521. *Macroglossum haslami* Clark, 1922** (Sphingidae) **Synonym(s):** *haslami* Clark, 1922 **Range (in code):** **PH Luz**
- 83522. *Macroglossum heliophilum* Boisduval, [1875]** (Sphingidae) **Synonym(s):** *heliophilum* Boisduval, [1875]; *fringillum* Boisduval, [1875] **Range (in code):** **Ri JP TW CN IN TH VN MY ID Sum Ja Mlc Kai PG AU QAU PH Bat Mdo Pal Stu Taw Tic** **Bionomy:** Larva on Psychotria (Rubiaceae) (Inoue et al., 1997).
- 83523. *Macroglossum heliophilum heliophilum* Boisduval, [1875]** (Sphingidae) **Synonym(s):** *heliophilum* Boisduval, [1875]; *fringillum* Boisduval, [1875] **Range (in code):** **PH Bat Mdo Pal Stu Taw Tic Ri JP TW CN IN TH MY VN ID Sum Ja Mlc** **Bionomy:** Larva on Psychotria (Rubiaceae) (Inoue et al., 1997).
- 83524. *Macroglossum heliophilum melas* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *melas* Rothschild & Jordan, 1903 **Range (in code):** **ID Kai**
- 83525. *Macroglossum heliophilum pullium* Jordan, 1930** (Sphingidae) **Synonym(s):** *pullius* Jordan, 1930 **Range (in code):** **PG**
- 83526. *Macroglossum heliophilum queenslandi* Clark, 1927** (Sphingidae) **Synonym(s):** *queenslandi* Clark, 1927 **Range (in code):** **AU QAU**
- 83527. *Macroglossum hemichromum* Butler, 1875** (Sphingidae) **Synonym(s):** *hemichromum* Butler, 1875 **Range (in code):** **IN TH VN MY ID Sum Bor Ja PH Ceb**
- 83528. *Macroglossum hirundo* Boisduval, 1832** (Sphingidae) **Synonym(s):** *hirundo* Boisduval, 1832 **Range (in code):** **NC WS**
- 83529. *Macroglossum hirundo lifuensis* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *lifuensis* Rothschild & Jordan, 1903 **Range (in code):** **NC**
- 83530. *Macroglossum hirundo samoanum* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *samoanum* Rothschild & Jordan, 1903 **Range (in code):** **WS**
- 83531. *Macroglossum insipidum* Butler, 1875** (Sphingidae) **Synonym(s):** *insipidum* Butler, 1875; *sinensis* Mell, 1922 **Range (in code):** **NP IN TH MY LK Adm ID Sum Ja Flo Bor PH Ley Mno Pal CN TW** **Bionomy:** Larva on Spermacoce, Borreria (Rubiaceae), Corchorus (Tiliaceae) (Inoue et al., 1997).
- 83532. *Macroglossum insipidum insipidum* Butler, 1875** (Sphingidae) **Synonym(s):** *insipidum* Butler, 1875; *sinensis* Mell, 1922 **Range (in code):** **NP IN TH MY LK Adm ID Sum Ja Flo Bor PH Ley Mno Pal CN TW** **Bionomy:** Larva on Spermacoce, Borreria (Rubiaceae), Corchorus (Tiliaceae) (Inoue et al., 1997).

- 83533. *Macroglossum integrifasciatum* Hogenes & Treadaway,1993** (Sphingidae) Synonym(s): *integrifasciatum* Hogenes & Treadaway,1993 Range (in code): **PH Mdo**
- 83534. *Macroglossum jani* Hogenes & Treadaway,1998** (Sphingidae) Synonym(s): *jani* Hogenes & Treadaway,1998 Range (in code): **PH Ceb Hom Pal**
- 83535. *Macroglossum lepidum* Rothschild & Jordan,1915** (Sphingidae) Synonym(s): *lepidum* Rothschild & Jordan,1915 Range (in code): **ID Nia Bor PH Ley Pal Pan**
- 83536. *Macroglossum mediovittum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *mediovitta* Rothschild & Jordan,1903 Range (in code): **CN TH JP MY ID Sum Bor Clb Mw PH Ley TW**
- 83537. *Macroglossum mitchellii* Boisduval,[1875]** (Sphingidae) Synonym(s): *mitchellii* Boisduval,[1875] Range (in code): **IN LK TH VN CN TW MY ID Sum Bor Ja**
- 83538. *Macroglossum mitchellii* imperator (Butler,1875)** (Sphingidae) Synonym(s): *imperator* Butler,1875 Range (in code): **IN LK TH VN CN TW MY ID Sum Bor**
- 83539. *Macroglossum mitchellii mitchellii* Boisduval,[1875]** (Sphingidae) Synonym(s): *mitchellii* Boisduval,[1875] Range (in code): **ID Ja**
- 83540. *Macroglossum multifascium* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *multifascia* Rothschild & Jordan,1903 Range (in code): **ID Sum Ja Bor Mlc PH Ley Neg Pan**
- 83541. *Macroglossum neotroglodytum* Kitching & Cadiou,2000** (Sphingidae) Synonym(s): *neotroglodytum* Kitching & Cadiou,2000 Range (in code): **TW**
- 83542. *Macroglossum nycteris* (Kollar,1844)** (Sphingidae) Synonym(s): *nycteris* Kollar,1844 Range (in code): **AF Nu PK Mre Cp Haz Ch IN MM SI CN Ri JP**
- 83543. *Macroglossum papuanum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *papuanum* Rothschild & Jordan,1903 Range (in code): **PG AU QAU**
- 83544. *Macroglossum passalum* (Drury,[1773])** (Sphingidae) Synonym(s): *passalus* Drury,[1773]; *rectifascia* R.Felder,1874 Original Reference: Sphinx *passalus* Drury,[1773], *Illust. nat. Hist.* 2: Index [91], pl.29 fig.2. Range (in code): **IN LK ID Sum Ja Bor TH Dst CMA MY VN CN TW Ri JP PH CmL CmM** Bionomy: Larva on *Daphniphyllum* (*Daphniphyllaceae*), *Photinia* (*Rosaceae*) (Inoue et al.,1997).
- 83545. *Macroglossum piepersi* Dupont,1941** (Sphingidae) Synonym(s): *piepersi* Dupont,1941 Range (in code): **ID Sum Ja MY TH** Bionomy: Larva on *Chasalia* (*Rubiaceae*) (Inoue et al.,1997).
- 83546. *Macroglossum poecilum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *poecilum* Rothschild & Jordan,1903 Range (in code): **TW**
- 83547. *Macroglossum prometheum* Boisduval,[1875]** (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875] Range (in code): **LK TH MY ID Sum Ja Clb Bor Nia AU PG PH Boh Ley Mar Mdo Mno Neg Pal Pan Sam Stu Taw** Bionomy: Larva on *Morinda* (*Rubiaceae*) (Inoue et al.,1997).
- 83548. *Macroglossum prometheum lineatum* Lucas,1891** (Sphingidae) Synonym(s): *lineatum* Lucas,1891; *inusitatum* Swinhoe,1892 Range (in code): **AU PG**
- 83549. *Macroglossum prometheum prometheum* Boisduval,[1875]** (Sphingidae) Synonym(s): *prometheus* Boisduval,[1875] Range (in code): **LK TH MY ID Sum Ja Clb Bor Nia PH Boh Ley Mar Mdo Mno Neg Pal Pan Sam Stu Taw** Bionomy: Larva on *Morinda* (*Rubiaceae*) (Inoue et al.,1997).
- 83550. *Macroglossum pseudungues* Holloway,1987** (Sphingidae) Synonym(s): *pseudungues* Holloway,1987 Range (in code): **MY Bor TH**
- 83551. *Macroglossum pyrrhostictum* Butler,1875** (Sphingidae) Synonym(s): *pyrrhostictum* Butler,1875; *fukiensis* Chu & Wang,1980 Range (in code): **IN LK NP TH VN CN Fkn JP KP KR TW ID Sum Ja Flo PH Ley Luz Hw** Bionomy: Larva on *Paederia*, *Psychotria* (*Rubiaceae*) (Inoue et al.,1997).
- 83552. *Macroglossum saga* Butler,1878** (Sphingidae) Synonym(s): *saga* Butler,1878 Range (in code): **IN NP TH CN KP TW JP** Bionomy: Larva on *Daphniphyllum* (*Euphorbiaceae*) (Inoue et al.,1997).
- 83553. *Macroglossum semifasciatum* Hampson,1893** (Sphingidae) Synonym(s): *semifasciatum* Hampson,1893 Range (in code): **IN MM TH CMA Cuo VN MY ID Sum Bor Ja PH Pal**
- 83554. *Macroglossum sitiene* Walker,1856** (Sphingidae) Synonym(s): *sitiene* Walker,1856 Range (in code): **MV IN Clc LK MM TH CMA Cuo Dst CN Kwa Hn VN Ton TW JP MY ID Sum PH Dum Neg Pal** Bionomy: Larva on *Paederia*, *Morinda* (*Rubiaceae*) (Inoue et al.,1997).
- 83555. *Macroglossum stellatarum* (Linnaeus,1758)** (Sphingidae) Synonym(s): *stellatarum* Linnaeus,1758; *nigra* Cosmovici,1892. Original Reference: Sphinx *stellatarum* Linnaeus,1758, *Syst. Nat.* (Edn.10) 1: 493. Range (in code): **Cn MA DZ TN LY EG PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR Cr TR IQ SY LB Bsa IL JO DK NO SE FI EE LV LT RU Sr Ur Mo Ao Sb To Am Vv MD UA Cm IR Elb Kh Ke KK KG Uk Ssn Sp TM Krn Kp TJ Pm UZ AF Ca PK**

Bl Qu CN Ui Kun BY KP KR TW JP Az Md CY Pa Hf K-A Lps Shh Ur Ask Pkn Cm Vl Pt Tt Or Bgd Rd JO
Kab Khi Pjr Hrz Cc Mre Ab Qba Oru Ak Shf Rbt Saia Orn Agi Blid Omy Bsk Ktr Mzg Hrh Ahr Sfr Tni
Tis

- 83556. *Macroglossum sylvium* (Boisduval,[1875])** (Sphingidae) Synonym(s): *sylvia* Boisduval,[1875] Range (in code): IN LK TH MM VN CN MY TW Adm PH CmM Hom Luz Mdo Mno Neg Pal Sam JP
- 83557. *Macroglossum trochilum* (Hübner,[1823])** (Sphingidae) Synonym(s): *trochilus* Hübner,[1823]; *sitiene* Walker,1856; *fasciatum* Wallegren,1858; *lysithous* Boisduval,[1875]; *#trochailus* Mitchell,1973 Range (in code): SA ZA Tva Lpo Spb Lj Gau Pre Jh Mpu Brb Nta Kzu
- 83558. *Macroglossum troglodytum* Boisduval,[1875]** (Sphingidae) Synonym(s): *troglodytus* Boisduval,[1875] Range (in code): IN LK TH VN CN JP MY ID Sum Ja PH Mno Pal Bionomy: Larva on Hedyotis (Rubiaceae) (Inoue et al.,1997).
- 83559. *Macroglossum unguis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903 Range (in code): ID Sum Ja Bru Lb Amb Bli Cm Clb Mlc PH Ceb Dum Jol Ley Luz Mar Pal Pan TW
- 83560. *Macroglossum unguis cheni* Yen, Kitching & Tzen,2003** (Sphingidae) Synonym(s): *#lanyuana* Chen,1994; *cheni* Yen, Kitching & Tzen,2003 Range (in code): TW
- 83561. *Macroglossum unguis unguis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *unguis* Rothschild & Jordan,1903 Range (in code): ID Sum Ja Bru Lb Amb Bli Cm Clb Mlc PH Ceb Dum Jol Ley Luz Mar Pal Pan
- 83562. *Macroglossum variegatum* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *variegatum* Rothschild & Jordan,1903 Range (in code): IN VN TH CN MY ID Sum Bor Ja PH Ceb Ley Pal Stu Taw Bionomy: Larva on Hedyotis (Rubiaceae) (Inoue et al.,1997).
- 83563. *Macropoliana natalensis* (Butler,1875)** (Sphingidae) Synonym(s): *natalensis* Butler,1875; *spei* Butler,1875 Range (in code): ZA Nta Kzu Bionomy: Larva on Olea africana (Oleaceae) (Taylor,1953).
- 83564. *Macropoliana oheffernani* (Gess,1967)** (Sphingidae) Synonym(s): *oheffernani* Gess,1967 Original Reference: Poliana oheffernani Gess,1967, Novos Taxa Ent. 54: 1-10, figs. Holotype ♂: South Africa: Cape Town, George. Range (in code): ZA Wca Cto Grg Bionomy: Larva on Olea africana (Oleaceae) (Gess,1967).
- 83565. *Madoryx bubastus* (Cramer,1777)** (Sphingidae) Synonym(s): *bubastus* Cramer,1777; *lynxus* Boisduval,[1875]; *#babastus* Carcasson & Heppner,1996 Range (in code): BZ GY VE
- 83566. *Madoryx bubastus bubastus* (Cramer,1777)** (Sphingidae) Synonym(s): *bubastus* Cramer,1777; *lynxus* Boisduval,[1875]; *#babastus* Carcasson & Heppner,1996 Range (in code): GY VE
- 83567. *Madoryx bubastus butleri* (Kirby,1877)** (Sphingidae) Synonym(s): *butleri* Kirby,1877 Range (in code): BZ
- 83568. *Madoryx oiclus* (Cramer,1780)** (Sphingidae) Synonym(s): *oiclus* Cramer,1780; *faunus* Boisduval,1875 Range (in code): SR GY JM VE GP MQ
- 83569. *Madoryx oiclus jamaicensis* Neidhoefer,1968** (Sphingidae) Synonym(s): *jamaicensis* Neidhoefer,1968 Range (in code): JM
- 83570. *Madoryx oiclus oiclus* (Cramer,1780)** (Sphingidae) Synonym(s): *oiclus* Cramer,1780; *faunus* Boisduval,1875 Range (in code): SR GY VE
- 83571. *Madoryx plutonius* (Hübner,[1819])** (Sphingidae) Synonym(s): *pluto* Cramer,1779 nec Fabr.,1777; *plutonius* Hübner,[1819]; *deborrei* Boisduval,[1875] Range (in code): SR BR MX VE
- 83572. *Madoryx plutonius dentatus* Gehlen,1931** (Sphingidae) Synonym(s): *dentatus* Gehlen,1931 Range (in code): MX
- 83573. *Madoryx plutonius plutonius* (Hübner,[1819])** (Sphingidae) Synonym(s): *pluto* Cramer,1779; *plutonius* Hübner,[1819]; *deborrei* Boisduval,[1875] Range (in code): SR BR VE
- 83574. *Madoryx pseudothyreus* (Grote,1865)** (Sphingidae) Synonym(s): *pseudothyreus* Grote,1865 Range (in code): CU
- 83575. *Manduca afflicta* (Grote,1865)** (Sphingidae) Synonym(s): *afflicta* Grote,1865 Range (in code): CU BS
- 83576. *Manduca afflicta afflicta* (Grote,1865)** (Sphingidae) Synonym(s): *afflicta* Grote,1865 Range (in code): CU
- 83577. *Manduca afflicta bahamensis* (B.P.Clark,1916)** (Sphingidae) Synonym(s): *bahamensis* B.P.Clark,1916 Range (in code): BS
- 83578. *Manduca albiplaga* (Walker,1856)** (Sphingidae) Synonym(s): *albiplaga* Walker,1856 Range (in code): BR Rja PE VE

- 83579. *Manduca albolineata* (Gehlen,1935)** (Sphingidae) **Synonym(s):** *albolineata* Gehlen,1935
Range (in code): **PE**
- 83580. *Manduca andicola* (Rothschild & Jordan,1916)** (Sphingidae) **Synonym(s):** *andicola* Rothschild & Jordan,1916 **Range (in code):** **PE**
- 83581. *Manduca armatipes* (Rothschild & Jordan,1916)** (Sphingidae) **Synonym(s):** *armatipes* Rothschild & Jordan,1916 **Range (in code):** **AR**
- 83582. *Manduca azteca* (Mooser,1942)** (Sphingidae) **Synonym(s):** *azteca* Mooser,1942 **Range (in code):** **MX**
- 83583. *Manduca barnesi* (B.P.Clark,1919)** (Sphingidae) **Synonym(s):** *barnesi* B.P.Clark,1919
Range (in code): **GT**
- 83584. *Manduca bergamatipes* (B.P.Clark,1927)** (Sphingidae) **Synonym(s):** *bergamatipes* B.P.Clark,1927 **Range (in code):** **AR**
- 83585. *Manduca bergi* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *bergi* Rothschild & Jordan,1903 **Range (in code):** **AR**
- 83586. *Manduca brasiliensis* (Jordan,1911)** (Sphingidae) **Synonym(s):** *brasiliensis* Jordan,1911
Range (in code): **BR**
- 83587. *Manduca brontes* (Drury,[1773])** (Sphingidae) **Synonym(s):** *brontes* Drury,[1773]; *collaris* Walker,1856; *cubensis* Grote,1865 **Range (in code):** **JM CU HT PR SR**
- 83588. *Manduca brontes brontes* (Drury,[1773])** (Sphingidae) **Synonym(s):** *brontes* Drury,[1773]; *collaris* Walker,1856; *cubensis* Grote,1865 **Range (in code):** **JM CU**
- 83589. *Manduca brontes haitiensis* (B.P.Clark,1916)** (Sphingidae) **Synonym(s):** *haitiensis* B.P.Clark,1916 **Range (in code):** **HT**
- 83590. *Manduca brontes pamphilus* (Cramer,[1782])** (Sphingidae) **Synonym(s):** *pamphilus* Cramer,[1782] **Range (in code):** **SR**
- 83591. *Manduca brontes smythi* (B.P.Clark,1919)** (Sphingidae) **Synonym(s):** *smythi* B.P.Clark,1919 **Range (in code):** **PR**
- 83592. *Manduca brunalba* (B.P.Clark,1929)** (Sphingidae) **Synonym(s):** *brunalba* B.P.Clark,1929; *centrosplendens* Gehlen,1940 **Range (in code):** **PE BR**
- 83593. *Manduca carrerasi* (Giacomelli,1911)** (Sphingidae) **Synonym(s):** *carrerasi* Giacomelli,1911
Range (in code): **AR**
- 83594. *Manduca carribea* (Cary,1952)** (Sphingidae) **Synonym(s):** *carribea* Cary,1952 **Range (in code):** **HT**
- 83595. *Manduca chinchilla* (Gehlen,1942)** (Sphingidae) **Synonym(s):** *chinchilla* Gehlen,1942
Range (in code): **PE**
- 83596. *Manduca cinerea* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *cinerea* Rothschild & Jordan,1903; *obscura* B.P.Clark,1916 **Range (in code):** **AR**
- 83597. *Manduca clarki* (Rothschild & Jordan,1916)** (Sphingidae) **Synonym(s):** *clarki* Rothschild & Jordan,1916 **Range (in code):** **BR**
- 83598. *Manduca compositi* (Schaus,1932)** (Sphingidae) **Synonym(s):** *compositi* Schaus,1932 **Range (in code):** **EC**
- 83599. *Manduca corallina* (Druce,1881)** (Sphingidae) **Synonym(s):** *corallina* Druce,1881 **Range (in code):** **MX VE**
- 83600. *Manduca corumbensis* (B.P.Clark,1920)** (Sphingidae) **Synonym(s):** *corumbensis* B.P.Clark,1920 **Range (in code):** **BR**
- 83601. *Manduca crocala* (Druce,1894)** (Sphingidae) **Synonym(s):** *crocala* Druce,1894 **Range (in code):** **HN MX**
- 83602. *Manduca crocala crocala* (Druce,1894)** (Sphingidae) **Synonym(s):** *crocala* Druce,1894
Range (in code): **HN**
- 83603. *Manduca crocala tepici* (B.P.Clark,1916)** (Sphingidae) **Synonym(s):** *tepici* B.P.Clark,1916
Range (in code): **MX**
- 83604. *Manduca dalica* (Kirby,1877)** (Sphingidae) **Synonym(s):** *dalica* Kirby,1877; *garleppi* Rothschild,1895 **Range (in code):** **PE BR Rja VE**
- 83605. *Manduca dalica anthina* (Jordan,1911)** (Sphingidae) **Synonym(s):** *anthina* Jordan,1911
Range (in code): **BR Rja**
- 83606. *Manduca dalica dalica* (Kirby,1877)** (Sphingidae) **Synonym(s):** *dalica* Kirby,1877; *garleppi* Rothschild,1895 **Range (in code):** **PE VE**

- 83607. *Manduca diffissa* (Butler,1871)** (Sphingidae) Synonym(s): *diffissa* Butler,1871; *diffissa* Rothschild & Jordan,1903; *ochracea* B.P.Clark,1927 Range (in code): AR GY BO BR Rja VE
- 83608. *Manduca diffissa diffissa* (Butler,1871)** (Sphingidae) Synonym(s): *diffissa* Butler,1871; *diffissa* Rothschild & Jordan,1903; *ochracea* B.P.Clark,1927 Range (in code): AR
- 83609. *Manduca diffissa mesosa* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *mesosa* Rothschild & Jordan,1903; *zishkai* Kernbach,1952 Range (in code): AR BO
- 83610. *Manduca diffissa petuniae* (Boisduval,[1875])** (Sphingidae) Synonym(s): *petuniae* Boisduval,[1875] Range (in code): BR Rja
- 83611. *Manduca diffissa tropicalis* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *tropicalis* Rothschild & Jordan,1903 Range (in code): GY VE
- 83612. *Manduca dilucida* (H.Edwards,1887)** (Sphingidae) Synonym(s): *dilucida* H.Edwards,1887 Range (in code): MX Vcr VE
- 83613. *Manduca empusa* (Kernbach,1965)** (Sphingidae) Synonym(s): *empusa* Kernbach,1965 Range (in code): VE
- 83614. *Manduca extrema* (Gehlen,1926)** (Sphingidae) Synonym(s): *extrema* Gehlen,1926 Range (in code): BO VE
- 83615. *Manduca feronia* Kernbach,1968** (Sphingidae) Synonym(s): *feronia* Kernbach,1968 Range (in code): BR
- 83616. *Manduca florestan* (Cramer,[1782])** (Sphingidae) Synonym(s): *florestan* Cramer,[1782]; *brevimargo* Butler,1875; *ishkal* Schaus,1932; *argentinica* Daniel,1949; *#vogli* Daniel,1949 Range (in code): BR MX AR VE
- 83617. *Manduca fosteri* (Rothschild & Jordan,1906)** (Sphingidae) Synonym(s): *fosteri* Rothschild & Jordan,1906 Range (in code): PY VE
- 83618. *Manduca franciscæ* (B.P.Clark,1916)** (Sphingidae) Synonym(s): *franciscæ* B.P.Clark,1916 Range (in code): VE
- 83619. *Manduca grandis* (Daniel,1949)** (Sphingidae) Synonym(s): *grandis* Daniel,1949 Range (in code): BR
- 83620. *Manduca gueneei* (B.P.Clark,1932)** (Sphingidae) Synonym(s): *gueneei* B.P.Clark,1932 Range (in code): BR
- 83621. *Manduca hannibal* (Cramer,1779)** (Sphingidae) Synonym(s): *hannibal* Cramer,1779 Range (in code): SR MX Vcr BR Rja VE
- 83622. *Manduca hannibal hamilcar* (Boisduval,[1875])** (Sphingidae) Synonym(s): *hamilcar* Boisduval,[1875]; *mayi* B.P.Clark,1917 Range (in code): BR Rja
- 83623. *Manduca hannibal hannibal* (Cramer,1779)** (Sphingidae) Synonym(s): *hannibal* Cramer,1779 Range (in code): SR VE
- 83624. *Manduca hannibal mayeri* (Mooser,1940)** (Sphingidae) Synonym(s): *mayeri* Mooser,1940 Range (in code): MX Vcr
- 83625. *Manduca holcombi* (Mooser,1942)** (Sphingidae) Synonym(s): *holcombi* Mooser,1942 Range (in code): MX
- 83626. *Manduca huascara* (Schaus,1941)** (Sphingidae) Synonym(s): *huascara* Schaus,1941 Range (in code): CO
- 83627. *Manduca incisa* (Walker,1856)** (Sphingidae) Synonym(s): *incisa* Walker,1856; *violaalba* B.P.Clark,1922; *pallidula* Daniel,1949 Range (in code): BR Rja
- 83628. *Manduca johanni* (Cary,1958)** (Sphingidae) Synonym(s): *johanni* Cary,1958 Range (in code): HT
- 83629. *Manduca jordani* Giacomelli,1912** (Sphingidae) Synonym(s): *jordani* Giacomelli,1912 Range (in code): AR
- 83630. *Manduca kuschei* (B.P.Clark,1920)** (Sphingidae) Synonym(s): *kuschei* B.P.Clark,1920 Range (in code): MX Sin
- 83631. *Manduca lanuginosa* (Edwards,1887)** (Sphingidae) Synonym(s): *lanuginosa* Edwards,1887; *hoffmanni* B.P.Clark,1917 Range (in code): MX VE
- 83632. *Manduca lefebvrei* (Guérin-Ménéville,1844)** (Sphingidae) Synonym(s): *lefebvrei* Guérin-Ménéville,1844; *#nigrescens* Strand,1916; *bossardi* Gehlen,1926 Range (in code): BO EC MX VE
- 83633. *Manduca leucospila* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *leucospila* Rothschild & Jordan,1903 Range (in code): PE VE
- 83634. *Manduca lichenea* (Burmeister,1856)** (Sphingidae) Synonym(s): *lichenea* Burmeister,1856; *rufescens* Butler,1875; *schausi* B.P.Clark,1919 Range (in code): CR BR Rja VE

- 83635. *Manduca lucetius* (Cramer,1780)** (Sphingidae) Synonym(s): *lucetius* Cramer,1780; *contracta* Butler,1875; *panaquire* Berg,1885; *argentina* B.P.Clark,1926; *exiguus* Gehlen,1942 Range (in code): SR CR BR Rja AR UY
- 83636. *Manduca lucetius lucetius* (Cramer,1780)** (Sphingidae) Synonym(s): *lucetius* Cramer,1780; *contracta* Butler,1875; *panaquire* Berg,1885; *argentina* B.P.Clark,1926; *exiguus* Gehlen,1942 Range (in code): SR BR Rja AR UY
- 83637. *Manduca lucetius nubila* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *nubila* Rothschild & Jordan,1903 Range (in code): CR
- 83638. *Manduca manducoides* (Rothschild,1894)** (Sphingidae) Synonym(s): *manducoides* Rothschild,1894; *breyeri* Köhler,1924 Range (in code): BO AR
- 83639. *Manduca maricina* (Schaus,1941)** (Sphingidae) Synonym(s): *maricina* Schaus,1941 Range (in code): VE
- 83640. *Manduca morelia* (Druce,1894)** (Sphingidae) Synonym(s): *morelia* Druce,1894; *leucophila* Gehlen,1931 Range (in code): MX
- 83641. *Manduca mossi* (Jordan,1912)** (Sphingidae) Synonym(s): *mossi* Jordan,1912 Range (in code): PE
- 83642. *Manduca muscosa* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *muscosa* Rothschild & Jordan,1903 Range (in code): MX
- 83643. *Manduca occulta* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *occulta* Rothschild & Jordan,1903; *pacifica* Mooser,1940 Range (in code): MX Vcr Mor
- 83644. *Manduca ochus* (Klug,1836)** (Sphingidae) Synonym(s): *ochus* Klug,1836; *instita* Clemens,1859 Range (in code): VE
- 83645. *Manduca pellenia* (Herrich-Schäffer,1854)** (Sphingidae) Synonym(s): *pellenia* Herrich-Schäffer,1854; *capsici* Boisduval,[1875] Range (in code): CO
- 83646. *Manduca perplexa* (Rothschild & Jordan,1910)** (Sphingidae) Synonym(s): *perplexa* Rothschild & Jordan,1910; *janira* Jordan,1911; *janeiro* Draudt,1931 Range (in code): BR Rja VE
- 83647. *Manduca prestoni* (Gehlen,1926)** (Sphingidae) Synonym(s): *prestoni* Gehlen,1926 Range (in code): BR
- 83648. *Manduca quinquemaculata* (Haworth,1803)** (Sphingidae) Synonym(s): *quinquemaculata* Haworth,1803; *celeus* Hübner,[1821]; *maculata* Grote,1883; *wirti* Schaus,1927 Range (in code): US
- 83649. *Manduca reducta* (Gehlen,1930)** (Sphingidae) Synonym(s): *reducta* Gehlen,1930 Range (in code): PE
- 83650. *Manduca rustica* (Fabricius,1775)** (Sphingidae) Synonym(s): *rustica* Fabricius,1775; *chionanthi* J.E.Smith,1797; *auriflua* Gehlen,1930 Original Reference: Sphinx rustica Fabricius,1775, Syst. Ent.: 540. Type(s): America. Range (in code): US CU MX GS VE GP MQ
- 83651. *Manduca rustica cortesi* (Cary,1963)** (Sphingidae) Synonym(s): *cortesi* Cary,1963 Range (in code): MX
- 83652. *Manduca rustica cubana* (Wood,1915)** (Sphingidae) Synonym(s): *cubana* Wood,1915; *dominicana* Gehlen,1928 Range (in code): CU
- 83653. *Manduca rustica galapagensis* (Holland,1889)** (Sphingidae) Synonym(s): *galapagensis* Holland,1889; *#nigrita* Rothschild & Jordan,1903; *postscripta* B.P.Clark,1926 Range (in code): GS
- 83654. *Manduca rustica harterti* (Rothschild,1894)** (Sphingidae) Synonym(s): *harterti* Rothschild,1894 Range (in code):
- 83655. *Manduca rustica rustica* (Fabricius,1775)** (Sphingidae) Synonym(s): *rustica* Fabricius,1775; *chionanthi* J.E.Smith,1797; *auriflua* Gehlen,1930 Original Reference: Sphinx rustica Fabricius,1775, Syst. Ent.: 540. Type(s): America. Range (in code): US VE
- 83656. *Manduca scutata* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *scutata* Rothschild & Jordan,1903 Range (in code): VE BO
- 83657. *Manduca scutata boliviana* (B.P.Clark,1923)** (Sphingidae) Synonym(s): *boliviana* B.P.Clark,1923; *henrici* Gehlen,1926 Range (in code): BO
- 83658. *Manduca scutata scutata* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *scutata* Rothschild & Jordan,1903 Range (in code): VE
- 83659. *Manduca sesquipleus* (Boisduval,1870)** (Sphingidae) Synonym(s): *sesquipleus* Boisduval,1870; *strix* Boisduval,1870 Range (in code): MX CR
- 83660. *Manduca sesquipleus opima* (Rothschild & Jordan,1916)** (Sphingidae) Synonym(s): *opima* Rothschild & Jordan,1916 Range (in code): CR

- 83661. *Manduca sesquiple* *sesquiple* (Boisduval,1870)** (Sphingidae) Synonym(s): *sesquiple* Boisduval,1870; *strix* Boisduval,1870 Range (in code): **MX**
- 83662. *Manduca sexta* (Linnaeus,1764)** (Sphingidae) Synonym(s): *sexta* Linnaeus,1764; *carolina* Linnaeus,1764; *#nicotianae* Ménétriés,1857; *lycopersici* Boisduval,[1875]; *nicotianae* Boisduval,[1875] Range (in code): **US MX Cf CO JM SR BR VE GS PE CL AR GP MQ**
- 83663. *Manduca sexta caestri* (Blanchard,1854)** (Sphingidae) Synonym(s): *caestri* Blanchard,1854; *eurylochus* Philippi,1860 Range (in code): **CL**
- 83664. *Manduca sexta jamaicensis* (Butler,1877)** (Sphingidae) Synonym(s): *jamaicensis* Butler,1877; *luciae* Gehlen,1928 Range (in code): **JM**
- 83665. *Manduca sexta leucoptera* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *leucoptera* Rothschild & Jordan,1903 Range (in code): **GS**
- 83666. *Manduca sexta paphus* (Cramer,1779)** (Sphingidae) Synonym(s): *paphus* Cramer,1779; *griseata* Butler,1875; *#fuliginosa* Closs,1911 Range (in code): **SR BR VE**
- 83667. *Manduca sexta peruviana* (Bryk,1953)** (Sphingidae) Synonym(s): *peruviana* Bryk,1953 Range (in code): **PE**
- 83668. *Manduca sexta saliensis* (Kernbach,1864)** (Sphingidae) Synonym(s): *saliensis* Kernbach,1864 Range (in code): **AR**
- 83669. *Manduca sexta sexta* (Linnaeus,1764)** (Sphingidae) Synonym(s): *sexta* Linnaeus,1764; *carolina* Linnaeus,1764; *#nicotianae* Ménétriés,1857; *lycopersici* Boisduval,[1875]; *nicotianae* Boisduval,[1875] Range (in code): **US MX Cf CO**
- 83670. *Manduca stuarti* (Rothschild,1894)** (Sphingidae) Synonym(s): *stuarti* Rothschild,1894 Range (in code): **BO**
- 83671. *Manduca suavis* Hodges,1971** (Sphingidae) Synonym(s): *muscosa* Jones,1908 *nec* Roth. & Jord.,1903; *suavis* Hodges,1971 Range (in code): **BR PA**
- 83672. *Manduca trimacula* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *trimacula* Rothschild & Jordan,1903 Range (in code): **CO VE**
- 83673. *Manduca tucumana* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *tucumana* Rothschild & Jordan,1903 Range (in code): **AR**
- 83674. *Manduca undata* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *undata* Rothschild & Jordan,1903 Range (in code): **CR**
- 83675. *Manduca vestalis* (Jordan,1917)** (Sphingidae) Synonym(s): *vestalis* Jordan,1917 Range (in code): **BR VE**
- 83676. *Manduca wellingi* Brou,1984** (Sphingidae) Synonym(s): *wellingi* Brou,1984 Range (in code): **MX**
- 83677. *Marumba amboinicus* (C.Felder,1862)** (Sphingidae) Synonym(s): *amboinicus* C.Felder,1862 Range (in code): **ID Amb Clb Sly Beh PH Bab Boh Ceb Din Jol Ley Luz Mar Mdo Mno Neg Pan Sam Sib Siq**
- 83678. *Marumba amboinicus amboinicus* (C.Felder,1862)** (Sphingidae) Synonym(s): *amboinicus* C.Felder,1862 Range (in code): **ID Amb**
- 83679. *Marumba amboinicus celebensis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *celebensis* Rothschild & Jordan,1903 Range (in code): **ID Clb Sly**
- 83680. *Marumba amboinicus luzoni* Clark,1935** (Sphingidae) Synonym(s): *luzoni* Clark,1935 Range (in code): **PH Bab Boh Ceb Din Jol Ley Luz Mar Mdo Mno Neg Pan Sam Sib Siq**
- 83681. *Marumba amboinicus rothschildi* Huwe,1906** (Sphingidae) Synonym(s): *rothschildi* Huwe,1906 Range (in code): **ID Beh**
- 83682. *Marumba cristatus* (Butler,1875)** (Sphingidae) Synonym(s): *cristatus* Butler,1875 Range (in code): **ID Sum Bor Ja MY TH VN CN IN TW** Bionomy: Larva on Litsea, Machilus, Phoebe (Lauraceae) (Inoue et al.,1997).
- 83683. *Marumba cristatus bukaianus* Clark,1937** (Sphingidae) Synonym(s): *bukaianus* Clark,1937 Range (in code): **TW**
- 83684. *Marumba cristatus cristatus* (Butler,1875)** (Sphingidae) Synonym(s): *cristatus* Butler,1875 Range (in code): **IN TH VN CN** Bionomy: Larva on Litsea, Machilus, Phoebe (Lauraceae) (Inoue et al.,1997).
- 83685. *Marumba cristatus titan* Rothschild,1902** (Sphingidae) Synonym(s): *titan* Rothschild,1902 Range (in code): **ID Sum Bor Ja MY TH**
- 83686. *Marumba diehli* Roesler & Küppers,1975** (Sphingidae) Synonym(s): *diehli* Roesler & Küppers,1975 Range (in code):

- 83687. Marumba dyras (Walker,1856)** (Sphingidae) Synonym(s): *dyras* Walker,1856; *ceylonica* Moore,1883 Range (in code): **NP IN Hp LK Kndy Pdy TH CMA Cuo CDo MY MM VN CN Adm ID Ja Sum Bor PH Ceb Ley Luz Mno Neg Pal Sam TW** Bionomy: Larva on Bombax, Ceiba (Bombacaceae), Bridelia (Euphorbiaceae), Cajanus (Fabaceae), Hibiscus, Kydia (Malvaceae), Schleicheria trijuga (Sapindaceae), Buettneria, Helicteres, Pterospermum, Sterculia (Sterculiaceae), Grewia (Tiliaceae) (Bell & Scott,1937, &c)
- 83688. Marumba dyras dyras (Walker,1856)** (Sphingidae) Synonym(s): *dyras* Walker,1856; *ceylonica* Moore,1883 Range (in code): **NP IN Hp LK Kndy Pdy TH CMA Cuo CDo MY MM VN CN Adm** Bionomy: Larva on Bombax, Ceiba (Bombacaceae), Bridelia (Euphorbiaceae), Cajanus (Fabaceae), Hibiscus, Kydia (Malvaceae), Schleicheria trijuga (Sapindaceae), Buettneria, Helicteres, Pterospermum, Sterculia (Sterculiaceae), Grewia (Tiliaceae) (Bell & Scott,1937, &c)
- 83689. Marumba dyras javanicus (Butler,1875)** (Sphingidae) Synonym(s): *javanica* Butler,1875 Range (in code): **ID Ja Sum Bor PH Ceb Ley Luz Mno Neg Pal Sam**
- 83690. Marumba gaschkewitschii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *gaschkewitschii* Bremer & Grey,1853 Range (in code): **TW**
- 83691. Marumba gaschkewitschii gaschkewitschii (Bremer & Grey,1853)** (Sphingidae) Synonym(s): *gaschkewitschii* Bremer & Grey,1853 Range (in code):
- 83692. Marumba gaschkewitschii gressitti Clark,1937** (Sphingidae) Synonym(s): *gressitti* Clark,1937 Range (in code): **TW**
- 83693. Marumba juvenus Rothschild & Jordan,1912** (Sphingidae) Synonym(s): *juvenus* Rothschild & Jordan,1912 Range (in code): **TH MY ID Sum Bor**
- 83694. Marumba quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. Original Reference: Sphinx quercus [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 41, Tab 1 fig.1. Type(s): Vienna district. Range (in code): **MA PT ES FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR TR AM AZ GG Cc Smt Bjo RU MD UA IR Fa Shr IQ Rwz LB JO** Bionomy: Larva on Quercus (Staudinger,1878; Pittaway,1983).
- 83695. Marumba quercus quercus ([Denis & Schiffermüller],1775)** (Sphingidae) Synonym(s): *quercus* [Denis & Schiffermüller],1775; *denisii* Fuessly,1779; *#brunnescens* Rebel,1910; *#canescens*, *pallescens* Closs,1922; *mesopotamica* O.Bang-Haas,1938; *schirasi* O.Bang-Haas,1938; *#pallida* Vilarrubia,1973. Original Reference: Sphinx quercus [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 41, Tab 1 fig.1. Type(s): Vienna district. Range (in code): **MA PT ES FR Co Sa Si IT CH AT CZ SK HU RO YU AL BG GR TR AM AZ GG Cc Smt Bjo RU MD UA IR Fa Shr IQ Rwz LB JO** Bionomy: Larva on Quercus (Staudinger,1878; Pittaway,1983).
- 83696. Marumba saishuanus Okamoto,1924** (Sphingidae) Synonym(s): *saishuanus* Okamoto,1924 Range (in code): **KP KR JP CN VN TW TH**
- 83697. Marumba saishuanus formosanus Matsumura,1927** (Sphingidae) Synonym(s): *formosanus* Matsumura,1927 Range (in code): **TW**
- 83698. Marumba saishuanus saishuanus Okamoto,1924** (Sphingidae) Synonym(s): *saishuanus* Okamoto,1924 Range (in code): **KP KR JP CN VN TH**
- 83699. Marumba spectabilis (Butler,1875)** (Sphingidae) Synonym(s): *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933 Range (in code): **CN VN Ton IN NP TH CMA CDo MY ID Sum Bor Ja Clb** Bionomy: Larva on Meliosma rigida (Sabinaceae) (Inoue et al.,1997).
- 83700. Marumba spectabilis spectabilis (Butler,1875)** (Sphingidae) Synonym(s): *spectabilis* Butler,1875; *chinensis* Mell,1922; *tonkini* Clark,1933 Range (in code): **CN VN Ton IN NP TH CMA CDo MY ID Sum Bor Ja Clb** Bionomy: Larva on Meliosma rigida (Sabinaceae) (Inoue et al.,1997).
- 83701. Marumba sperchius (Ménétriés,1857)** (Sphingidae) Synonym(s): *sperchius* Ménétriés,1857; *ussuriensis* O.Bang-Haas,1927; *coreanus* O.Bang-Haas,1938; *koreaesperechius* Bryk,1946 Range (in code): **RU Us KP KR Sb CN JP IN NP TH VN TW ID Sum MY Bor** Bionomy: Larva on Castanea, Castanopsis, Quercus (Fagaceae), Juglans (Juglandaceae), Eriobotrya (Rosaceae) (Inoue et al.,1997).
- 83702. Marumba sperchius albicans (Butler,1875)** (Sphingidae) Synonym(s): *albicans* Butler,1875 Range (in code): **IN NP**
- 83703. Marumba sperchius gigas (Butler,1875)** (Sphingidae) Synonym(s): *gigas* Butler,1875 Range (in code): **IN TH VN**
- 83704. Marumba sperchius handelii Mell,1922** (Sphingidae) Synonym(s): *handelii* Mell,1922 Range (in code): **CN**

- 83705. Marumba sperchius horianus Clark,1927** (Sphingidae) Synonym(s): *horianus* Clark,1927 Range (in code): **TW**
- 83706. Marumba sperchius sperchius (Ménétriés,1857)** (Sphingidae) Synonym(s): *sperchius* Ménétriés,1857 Range (in code): **RU Us KP KR Sb CN JP**
- 83707. Marumba sperchius sumatranus Clark,1933** (Sphingidae) Synonym(s): *sumatranus* Clark,1933 Range (in code): **ID Sum MY Bor**
- 83708. Marumba tigrinus Gehlen,1936** (Sphingidae) Synonym(s): *tigrina* Gehlen,1936 Original Reference: Marumba tigrina Gehlen,1936, Ent. Z., Frankf. a. M. 49: 461, fig. Range (in code): **ID Sum Ja Bor PH Pal TH**
- 83709. Marumba timora Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *timora* Rothschild & Jordan,1903 Range (in code):
- 83710. Megacorma obliqua (Walker,1856)** (Sphingidae) Synonym(s): *obliqua* Walker,1856 Range (in code): **IN LK MM TH CMa Cuo VN MY ID Sum Bor Ja PH Bal Jol Ley Luz Mno Neg Pal Sam Cm PG SB**
- 83711. Megacorma obliqua obliqua (Walker,1856)** (Sphingidae) Synonym(s): *obliqua* Walker,1856 Range (in code): **IN LK MM TH CMa Cuo VN MY ID Sum Bor Ja PH Bal Jol Ley Luz Mno Neg Pal Sam Cm PG**
- 83712. Megacorma obliqua remota Jordan,1924** (Sphingidae) Synonym(s): *remota* Jordan,1924 Range (in code): **SB**
- 83713. Meganoton analis (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *analis* R.Felder & Rogenhofer,[1874]; *subalba* Mell,1922 Original Reference: Sphinx analis R.Felder & Rogenhofer,[1874], Reise österr. Fregatte Novara (Zool.) 2 (Abt.2): pl.78,4. Range (in code): **IN Meg Ass Khs SI Djl NP CN VN ID Sum Clb TW TH Yal MY Bor** Bionomy: Larva on Sassafras tsuma (Lauraceae), pest on Magnolia (Magnoliaceae) (Cheng & Huang,1990; Inoue et al.,1997).
- 83714. Meganoton analis analis (R.Felder & Rogenhofer,[1874])** (Sphingidae) Synonym(s): *analis* R.Felder & Rogenhofer,[1874]; *subalba* Mell,1922 Original Reference: Sphinx analis R.Felder & Rogenhofer,[1874], Reise österr. Fregatte Novara (Zool.) 2 (Abt.2): pl.78,4. Range (in code): **IN Meg Ass Khs SI Djl NP TH CN VN** Bionomy: Larva on Sassafras tsuma (Lauraceae), pest on Magnolia (Magnoliaceae) (Cheng & Huang,1990; Inoue et al.,1997).
- 83715. Meganoton analis gressitti Clark,1937** (Sphingidae) Synonym(s): *gressitti* Clark,1937 Range (in code): **TW**
- 83716. Meganoton analis sugii Cadiou & Holloway,1989** (Sphingidae) Synonym(s): *sugii* Cadiou & Holloway,1989 Range (in code): **ID Clb**
- 83717. Meganoton analis sumatranus Clark,1924** (Sphingidae) Synonym(s): *sumatranus* Clark,1924; *clossi* Gehlen,1924 Range (in code): **ID Sum TH Yal MY Bor**
- 83718. Meganoton hyloicoides Rothschild,1910** (Sphingidae) Synonym(s): *hyloicoides* Rothschild,1910 Range (in code):
- 83719. Meganoton loeffleri Eitschberger,2003** (Sphingidae) Synonym(s): *loeffleri* Eitschberger,2003 Original Reference: Meganoton loeffleri Eitschberger,2003, Neue ent. Nachr. 54: 139-147, figs. Holotype ♂: Südthailand: Ranong, 500m Ende Juli 2002, S.Löffler leg. (EMEM). Range (in code): **TH Rng**
- 83720. Meganoton nyctiphanes (Walker,1856)** (Sphingidae) Synonym(s): *nyctiphanes* Walker,1856 Range (in code): **IN LK MM TH CMa Cuo VN Adm MY ID Sum PH Bal Pal** Bionomy: Larva on Symphorema involucratum (Verbenaceae) (Inoue et al.,1997).
- 83721. Meganoton rufescens (Butler,[1876])** (Sphingidae) Synonym(s): *rufescens* Butler,[1876] Original Reference: Diludia rufescens Butler,[1876], Proc. zool. Soc. Lond. 1875: 260. Range (in code): **IN TH CMa CDo CN MM MY Adm VN AU QAU PH Ley Luz Mno Pan Sam Pal ID Cm Amb Hm Ja Sum Bor PG**
- 83722. Meganoton rufescens amboinicus Clark,1938** (Sphingidae) Synonym(s): *amboinicus* Clark,1938 Range (in code): **ID Amb**
- 83723. Meganoton rufescens dracomontis Mell,1922** (Sphingidae) Synonym(s): *dracomontis* Mell,1922 Range (in code): **CN**
- 83724. Meganoton rufescens joachini Clark,1926** (Sphingidae) Synonym(s): *joachini* Clark,1926 Range (in code): **ID Cm**
- 83725. Meganoton rufescens philippinensis Clark,1938** (Sphingidae) Synonym(s): *philippinensis* Clark,1938 Range (in code): **PH Ley Luz Mno Pan Sam**
- 83726. Meganoton rufescens rufescens (Butler,[1876])** (Sphingidae) Synonym(s): *rufescens* Butler,[1876] Original Reference: Diludia rufescens Butler,[1876], Proc. zool. Soc. Lond. 1875: 260.

- Range (in code): **IN TH CMa CDo MM MY Adm VN** Bionomy: Larva on Annona, Melodorum (Annonaceae), Kigelia, Spathodea (Bignoniaceae) (Inoue et al.,1997).
- 83727. Meganoton rufescens severina (Miskin,1891)** (Sphingidae) Synonym(s): *severina Miskin,1891* Range (in code): **PG AU QAU**
- 83728. Meganoton rufescens thielei Huwe,1906** (Sphingidae) Synonym(s): *thielei Huwe,1906* Original Reference: *Meganoton rufescens thielei Huwe,1906, Berl. ent. Z. 50: 316, pl.6 fig.1.* Range (in code): **PH Pal ID Ja Sum Bor MY TH**
- 83729. Meganoton rufescens titan Gehlen,1933** (Sphingidae) Synonym(s): *titan Gehlen,1933* Range (in code): **ID Hm**
- 83730. Meganoton yunnanfuana Clark,1925** (Sphingidae) Synonym(s): *yunnanfuana Clark,1925* Range (in code): **CN Yu**
- 83731. Microsphinx pumila (Boisduval,[1875])** (Sphingidae) Synonym(s): *pumila Boisduval,[1875]; minuta Distant,1897* Range (in code): **ZA Tva Gau Pre Jh**
- 83732. Mimas tiliae (Linnaeus,1758)** (Sphingidae) Synonym(s): *tiliae Linnaeus,1758* Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Ao Sr Mo To MD UA BY LB Bei Cc GG Lag Bjo Mng AM AZ KG Uk Sp** Bionomy: Larva on Tilia, Ulmus, Alnus, Prunus, Betula, Acer, Quercus (Pittaway,1983).
- 83733. Monarda oryx Druce,1896** (Sphingidae) Synonym(s): *oryx Druce,1896* Range (in code): **MX**
- 83734. Morvennius decoratus (Moore,1872)** (Sphingidae) Synonym(s): *decoratus Moore,1872; indochinensis Gehlen,1933* Range (in code): **IN Ass SI NP TH MY ID Sum**
- 83735. Morvennius decoratus decoratus (Moore,1872)** (Sphingidae) Synonym(s): *decoratus Moore,1872; indochinensis Gehlen,1933* Range (in code): **IN Ass SI NP TH MY ID Sum**
- 83736. Nannoparce balsa Schaus,1932** (Sphingidae) Synonym(s): *balsa Schaus,1932* Range (in code): **MX**
- 83737. Nannoparce poeyi (Grote & Robinson,1865)** (Sphingidae) Synonym(s): *poeyi Grote & Robinson,1865* Range (in code): **CU MX**
- 83738. Nannoparce poeyi haterius (Druce,1888)** (Sphingidae) Synonym(s): *haterius Druce,1888* Range (in code): **MX**
- 83739. Nannoparce poeyi poeyi (Grote & Robinson,1865)** (Sphingidae) Synonym(s): *poeyi Grote & Robinson,1865* Range (in code): **CU**
- 83740. Neoclanis basalis (Walker,1866)** (Sphingidae) Synonym(s): *basalis Walker,1866; virgo Westwood,1881* Range (in code): **ZA**
- 83741. Neococytius cluentius (Cramer,1775)** (Sphingidae) Synonym(s): *cluentius Cramer,1775* Range (in code): **CU VE GP MQ**
- 83742. Neogene albescens B.P.Clark,1929** (Sphingidae) Synonym(s): *albescens B.P.Clark,1929* Range (in code): **AR**
- 83743. Neogene curitiba Jones,1908** (Sphingidae) Synonym(s): *curitiba Jones,1908* Range (in code): **BR**
- 83744. Neogene dynaeus (Hübner,[1825])** (Sphingidae) Synonym(s): *dynaeus Hübner,[1825]* Range (in code): **BR**
- 83745. Neogene dynaeus corumbensis B.P.Clark,1922** (Sphingidae) Synonym(s): *corumbensis B.P.Clark,1922* Range (in code): **BR**
- 83746. Neogene dynaeus dynaeus (Hübner,[1825])** (Sphingidae) Synonym(s): *dynaeus Hübner,[1825]* Range (in code): **BR**
- 83747. Neogene intermedia B.P.Clark,1925** (Sphingidae) Synonym(s): *intermedia B.P.Clark,1925* Range (in code): **PY**
- 83748. Neogene picta B.P.Clark,1931** (Sphingidae) Synonym(s): *picta B.P.Clark,1931* Range (in code): **PY**
- 83749. Neogene reevei (Druce,1882)** (Sphingidae) Synonym(s): *reevei Druce,1882; baruta Berg,1883; cossoides Rothschild,1894; minor B.P.Clark,1938* Range (in code): **PY AR BR**
- 83750. Neogene steinbachi B.P.Clark,1925** (Sphingidae) Synonym(s): *steinbachi B.P.Clark,1925* Range (in code): **BO**
- 83751. Neogurelca himalacha (Butler,[1876])** (Sphingidae) Synonym(s): *himalacha Butler,[1876]* Original Reference: *Lophura himalacha Butler,[1876], Proc. zool. Soc. Lond. 1875: 621.* Range (in code): **CN Yu Sz Ti NP IN Ass TH CMa Int CRa TW** Bionomy: Larva on Paederia foetida (Rubiaceae) (Bell & Scott,1937).

- 83752. *Neogurelca himalacha himalacha* (Butler,[1876])** (Sphingidae) **Synonym(s):** *himalacha* Butler,[1876] **Original Reference:** *Lophura himalacha* Butler,[1876], Proc. zool. Soc. Lond. 1875: 621. **Range (in code):** **CN Ti NP IN Ass TH CMa Int CRa** **Bionomy:** Larva on *Paederia foetida* (Rubiaceae) (Bell & Scott,1937).
- 83753. *Neogurelca himalacha sangaica* (Butler,[1876])** (Sphingidae) **Synonym(s):** *sangaica* Butler,[1876] **Range (in code):** **CN Yu Sz TW**
- 83754. *Neogurelca hyas* (Walker,1856)** (Sphingidae) **Synonym(s):** *hyas* Walker,1856 **Original Reference:** *Lophura hyas* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 107. **Range (in code):** **IN MM TH CMa Cuo Cuo7 NP VN CN TW MY JP ID Sum Ja Bor Clb PH Bal Ceb CmM Ley Luz Mno Neg Pal** **Bionomy:** Larva on *Morinda*, *Paederia* (Rubiaceae), *Merremia* (Convolvulaceae) (Inoue et al.,1997).
- 83755. *Neogurelca masuriensis* (Butler,1875)** (Sphingidae) **Synonym(s):** *masuriensis* Butler,1875 **Range (in code):** **IN**
- 83756. *Neogurelca montana* (Rothschild & Jordan,1915)** (Sphingidae) **Synonym(s):** *montana* Rothschild & Jordan,1915 **Range (in code):**
- 83757. *Neopolyptychus ancylus* (Rothschild & Jordan,1916)** (Sphingidae) **Synonym(s):** *ancylus* Rothschild & Jordan,1916 **Range (in code):** **GM**
- 83758. *Neopolyptychus compar* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *compar* Rothschild & Jordan,1903 **Range (in code):** **ZA**
- 83759. *Neopolyptychus convexus* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *convexus* Rothschild & Jordan,1903; *springerae* Clark,1936 **Range (in code):** **ZA**
- 83760. *Nephele accentifera* (Beauvois,1805)** (Sphingidae) **Synonym(s):** *accentifera* Beauvois,1805; *tridyma* Van der Hoeven,1840; *ranzani* Bertolini,1850; *variegata* Butler,1875 **Range (in code):** **ZA**
- 83761. *Nephele aequivalens* (Walker,1856)** (Sphingidae) **Synonym(s):** *aequivalens* Walker,1856; *zebu* Boisduval,[1875] **Range (in code):** **ZA**
- 83762. *Nephele argentifera* (Walker,1856)** (Sphingidae) **Synonym(s):** *argentifera* Walker,1856 **Range (in code):** **ZA Tva Mpu Wv Nta Kzu MZ Del**
- 83763. *Nephele bipartita* Butler,1878** (Sphingidae) **Synonym(s):** *bipartita* Butler,1878 **Range (in code):** **ZA**
- 83764. *Nephele comma* Hopffer,1857** (Sphingidae) **Synonym(s):** *comma* Hopffer,1857; *charoba* Kirby,1877; *derasa* Rothschild & Jordan,1903; *triangulifera* Closs,1914 **Range (in code):** **ZA Lpo Tva Spb Mdk Lj Gau Pre Jh Nta Kzu Dbn**
- 83765. *Nephele funebris* (Fabricius,1793)** (Sphingidae) **Synonym(s):** *funebris* Fabricius,1793; *viridescens* Walker,1856; *infernalis* Kirby,1877 **Original Reference:** *Sphinx funebris* Fabricius,1793, Ent. Syst. 3 (1): 371. Type(s): Guinea. **Range (in code):** **ZA GM**
- 83766. *Nephele hespera* (Fabricius,1775)** (Sphingidae) **Synonym(s):** *didyma* Fabricius,1775; *hespera* Fabricius,1775 **Original Reference:** *Sphinx hespera* Fabricius,1775, Syst. Ent.: 546. Type(s): India orientalis. **Range (in code):** **PK Pj Cp AF Srb Kab Sfk Pag IN Meg Ass Khs Hp LK Pdy MM NP TH CMa Cuo VN CN Ti MY ID Sum Ja** **Bionomy:** Larva on *Carissa carandas* (Apocynaceae) (Bell & Scott,1937).
- 83767. *Nephele lannini* Jordan,1926** (Sphingidae) **Synonym(s):** *lannini* Jordan,1926 **Range (in code):** **ZA**
- 83768. *Nephele oenopion* (Hübner,1806)** (Sphingidae) **Synonym(s):** *oenopion* Hübner,1806 **Original Reference:** *Orneus oenopion* Hübner,1806, Samml. exot. Schmett. 2: tab.159. **Range (in code):** **ZR GM MU MG**
- 83769. *Nephele peneus* (Cramer,1776)** (Sphingidae) **Synonym(s):** *peneus* Cramer,1776; *pachyderma* Karsch,1892 **Range (in code):** **ZA**
- 83770. *Nephele rosae* Butler,1875** (Sphingidae) **Synonym(s):** *rosae* Butler,1875 **Range (in code):** **ZA**
- 83771. *Nephele rosae illustris* Jordan,1920** (Sphingidae) **Synonym(s):** *illustris* Jordan,1920 **Range (in code):** **ZA**
- 83772. *Nephele vau* (Walker,1856)** (Sphingidae) **Synonym(s):** *vau* Walker,1856; *schimpferi* Lucas,1857; *raffrayi* Oberthür,1878 **Range (in code):** **ZA Tva Lpo Spb ZR ET**
- 83773. *Nyceryx alophus* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *alophus* Boisduval,[1875] **Range (in code):** **BR Bah BO PY**
- 83774. *Nyceryx alophus alophus* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *alophus* Boisduval,[1875] **Range (in code):** **BR Bah**

- 83775. *Nyceryx alophus ixion* (Burmeister,1878)** (Sphingidae) Synonym(s): *ixion* Burmeister,1878; *#tristis* Jörgensen,1934 Range (in code): **BO PY**
- 83776. *Nyceryx clarki* Fassl,1915** (Sphingidae) Synonym(s): *clarki* Fassl,1915 Range (in code): **BO**
- 83777. *Nyceryx coffeae* (Walker,1856)** (Sphingidae) Synonym(s): *coffeae* Walker,1856; *abboti* Schaufuss,1870; *boisduvali* Butler,1877 Range (in code): **BR CO VE**
- 83778. *Nyceryx continua* (Walker,1856)** (Sphingidae) Synonym(s): *continua* Walker,1856; *lemonia* Gehlen,1941 Range (in code): **BR**
- 83779. *Nyceryx continua continua* (Walker,1856)** (Sphingidae) Synonym(s): *continua* Walker,1856; *lemonia* Gehlen,1941 Range (in code): **BR**
- 83780. *Nyceryx continua cratera* Rothschild & Jordan,1916** (Sphingidae) Synonym(s): *cratera* Rothschild & Jordan,1916 Range (in code): **PE**
- 83781. *Nyceryx ericea* (Druce,1888)** (Sphingidae) Synonym(s): *ericea* Druce,1888 Range (in code): **BR Sct PA VE**
- 83782. *Nyceryx ericea ericea* (Druce,1888)** (Sphingidae) Synonym(s): *ericea* Druce,1888 Range (in code): **PA VE**
- 83783. *Nyceryx ericea minor* B.P.Clark,1916** (Sphingidae) Synonym(s): *minor* B.P.Clark,1916 Range (in code): **BR Sct**
- 83784. *Nyceryx eximia* Rothschild & Jordan,1916** (Sphingidae) Synonym(s): *eximia* Rothschild & Jordan,1916 Range (in code): **PA**
- 83785. *Nyceryx furtadoi* Haxaire,1996** (Sphingidae) Synonym(s): *furtadoi* Haxaire,1996 Range (in code): **BR**
- 83786. *Nyceryx hyposticta* (R.Felder,1874)** (Sphingidae) Synonym(s): *hyposticta* R.Felder,1874 Range (in code): **CO VE**
- 83787. *Nyceryx lunaris* Jordan,1912** (Sphingidae) Synonym(s): *lunaris* Jordan,1912 Range (in code): **EC**
- 83788. *Nyceryx magna* (R.Felder,1874)** (Sphingidae) Synonym(s): *magna* R.Felder,1874 Range (in code): **BR**
- 83789. *Nyceryx maxwelli* (Rothschild,1896)** (Sphingidae) Synonym(s): *maxwelli* Rothschild,1896 Range (in code): **BO VE**
- 83790. *Nyceryx mulleri* B.P.Clark,1917** (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1917 Range (in code): **MX Vcr**
- 83791. *Nyceryx nephus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *nephus* Boisduval,[1875] Range (in code): **BR Rja**
- 83792. *Nyceryx nictitans* (Boisduval,[1875])** (Sphingidae) Synonym(s): *nictitans* Boisduval,[1875]; *subaurea* Köhler,1924; *#ncticans* D'Abrera,1986 Range (in code): **BR AR PE**
- 83793. *Nyceryx nictitans nictitans* (Boisduval,[1875])** (Sphingidae) Synonym(s): *nictitans* Boisduval,[1875]; *subaurea* Köhler,1924; *#ncticans* D'Abrera,1986 Range (in code): **BR AR**
- 83794. *Nyceryx nictitans saturata* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *saturata* Rothschild & Jordan,1903; *#bryki* Gehlen,1929 Range (in code): **PE**
- 83795. *Nyceryx riscus* (Schaus,1890)** (Sphingidae) Synonym(s): *riscus* Schaus,1890; *#creusa* Rothschild,1894 Range (in code): **MX VE**
- 83796. *Nyceryx stuarti* (Rothschild,1894)** (Sphingidae) Synonym(s): *stuarti* Rothschild,1894 Range (in code): **PE VE**
- 83797. *Nyceryx tacita* (Druce,1888)** (Sphingidae) Synonym(s): *tacita* Druce,1888 Range (in code): **PA VE**
- 83798. *Odontosida magnifica* (Rothschild,1894)** (Sphingidae) Synonym(s): *magnifica* Rothschild,1894 Range (in code): **ZA Tva Lpo Pie Nta Kzu Ec Grh Tra**
- 83799. *Odontosida pusilla* (Felder,[1874])** (Sphingidae) Synonym(s): *pusilla* Felder,[1874]; *pulcherrima* Rothschild,1894 Range (in code): **ZA Tva Mpu Brb Nta Kzu Dbn**
- 83800. *Oligographa juniperi* (Boisduval,1847)** (Sphingidae) Synonym(s): *juniperi* Boisduval,1847; *mosambiquensis* Joicey & Kaye,1917 Range (in code): **ZA Tva Lpo Spb Mdk MZ**
- 83801. *Opistoclanis hawkeri* (Joicey & Talbot,1921)** (Sphingidae) Synonym(s): *hawkeri* Joicey & Talbot,1921 Original Reference: *Clanis hawkeri* Joicey & Talbot,1921, Entomologist 54: 106. Range (in code): **TH VN LA**
- 83802. *Orecta acuminata* B.P.Clark,1923** (Sphingidae) Synonym(s): *acuminata* B.P.Clark,1923 Range (in code): **AR**

- 83803. *Orecta fruhstorferi* B.P.Clark,1916** (Sphingidae) **Synonym(s):** *fruhstorferi* B.P.Clark,1916
Range (in code): **VE**
- 83804. *Orecta lycidas* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *lycidas* Boisduval,[1875];
tithonus Kirby,1886 **Range (in code):** **AR BR**
- 83805. *Orecta lycidas eos* (Burmeister,1875)** (Sphingidae) **Synonym(s):** *eos* Burmeister,1875
Range (in code): **AR**
- 83806. *Orecta lycidas lycidas* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *lycidas*
Boisduval,[1875]; *tithonus* Kirby,1886 **Range (in code):** **BR**
- 83807. *Orecta venedictoffae* Cadiou,1995** (Sphingidae) **Synonym(s):** *venedictoffae* Cadiou,1995
Range (in code): **EC**
- 83808. *Oryba achemenides* (Cramer,1779)** (Sphingidae) **Synonym(s):** *achemenides* Cramer,1779;
robusta Walker,1856 **Range (in code):** **SR BR VE**
- 83809. *Oryba kadeni* (Schaufuss,1870)** (Sphingidae) **Synonym(s):** *kadeni* Schaufuss,1870;
imperialis Druce,1890 **Range (in code):** **PE VE**
- 83810. *Pachygonidia caliginosa* (Boisduval,1870)** (Sphingidae) **Synonym(s):** *caliginosa*
Boisduval,1870 **Range (in code):** **BR Azn VE**
- 83811. *Pachygonidia drucei* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *drucei*
Rothschild & Jordan,1903 **Range (in code):** **PA**
- 83812. *Pachygonidia hopfferi* (Staudinger,1875)** (Sphingidae) **Synonym(s):** *hopfferi*
Staudinger,1875; *#hopfferi* Druce,1881 **Range (in code):** **PA**
- 83813. *Pachygonidia martini* (Gehlen,1943)** (Sphingidae) **Synonym(s):** *martini* Gehlen,1943
Range (in code): **CR BR VE**
- 83814. *Pachygonidia ribbei* (Druce,1881)** (Sphingidae) **Synonym(s):** *ribbei* Druce,1881 **Range**
(in code):
- 83815. *Pachygonidia ribbei peruviana* (Joicey & Talbot,1921)** (Sphingidae) **Synonym(s):**
peruviana Joicey & Talbot,1921 **Range (in code):** **PE**
- 83816. *Pachygonidia ribbei ribbei* (Druce,1881)** (Sphingidae) **Synonym(s):** **Range (in**
code):
- 83817. *Pachygonidia subhamata* (Walker,1856)** (Sphingidae) **Synonym(s):** *subhamata*
Walker,1856; *gigantea* Schaufuss,1870; *nimrod* Boisduval,[1875]; *#subtramata* Bönninghausen,1899 **Range (in**
code): **BR Para VE**
- 83818. *Pachylia derceta* Druce,1881** (Sphingidae) **Synonym(s):** *derceta* Druce,1881 **Range (in**
code): **PA VE**
- 83819. *Pachylia ficus* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *ficus* Linnaeus,1758; *crameri*
Ménétrières,1857; *lyncea* Clemens,1859; *venezuelensis* Schaufuss,1870; *undatifascia* Butler,1877; *aterrima*
Bönninghausen,1899 **Range (in code):** **VE BR US Tx HT Rja GP MQ**
- 83820. *Pachylia syces* (Hübner,[1819])** (Sphingidae) **Synonym(s):** *syces* Hübner,[1819]; *inornata*
Clemens,1859 **Range (in code):** **HN JM CU MX VE GP MQ**
- 83821. *Pachylia syces cubensis* Closs,1911** (Sphingidae) **Synonym(s):** *cubensis* Closs,1911 **Range**
(in code): **CU**
- 83822. *Pachylia syces insularis* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):**
insularis Rothschild & Jordan,1903 **Range (in code):** **JM**
- 83823. *Pachylia syces septentrionalis* Gehlen,1944** (Sphingidae) **Synonym(s):** *septentrionalis*
Gehlen,1944 **Range (in code):** **MX**
- 83824. *Pachylia syces syces* (Hübner,[1819])** (Sphingidae) **Synonym(s):** *syces* Hübner,[1819];
inornata Clemens,1859 **Range (in code):** **HN VE**
- 83825. *Pachylioides resumens* (Walker,1856)** (Sphingidae) **Synonym(s):** *resumens* Walker,1856;
inconspicua Walker,1856; *versuta* Clemens,1859; *tristis* Grote & Robinson,1868 **Range (in code):** **BR Rja JM**
MX VE
- 83826. *Pachysphinx imperator* (Strecker,[1878])** (Sphingidae) **Synonym(s):** *imperator*
Strecker,[1878] **Range (in code):** **US Arz MX**
- 83827. *Pachysphinx imperator regalis* Rothschild & Jordan,1903** (Sphingidae)
Synonym(s): *regalis* Rothschild & Jordan,1903 **Range (in code):** **MX**
- 83828. *Pachysphinx modesta* (Harris,1839)** (Sphingidae) **Synonym(s):** *modesta* Harris,1839;
princeps Walker,1856; *populicola* Boisduval,[1875]; *cablei* Von Reizenstein,1881; *borealis* Clark,1929 **Original**
Reference: *Smerinthus modesta* Harris,1839, Amer. J. Sci. 36 (2): 292. Type: U.S.A.:
Massachusetts? **Range (in code):** **US Msc Lou CA Mnt**

- 83829. Pachysphinx modesta modesta (Harris,1839)** (Sphingidae) Synonym(s): *modesta* Harris,1839; *princeps* Walker,1856; *populicola* Boisduval,[1875]; *cablei* Von Reizenstein,1881; *borealis* Clark,1929 Original Reference: *Smerinthus modesta* Harris,1839, Amer. J. Sci. 36 (2): 292. Type: U.S.A.: Massachusetts? Range (in code): **US Msc Lou CA Mnt**
- 83830. Pachysphinx occidentalis (Edwards,1875)** (Sphingidae) Synonym(s): *occidentalis* Edwards,1875; *kunzei* Rothschild & Jordan,1903 Original Reference: *Smerinthus modestus* var. *occidentalis* Edwards,1875, Proc. Cal. Acad. Sci. 6: 92. Type: California, San Diego (AMNH?). Range (in code): **US Ge Arz**
- 83831. Pachysphinx occidentalis occidentalis (Edwards,1875)** (Sphingidae) Synonym(s): *occidentalis* Edwards,1875; *kunzei* Rothschild & Jordan,1903 *d & Jordan,1903* Original Reference: *Smerinthus modestus* var. *occidentalis* Edwards,1875, Proc. Cal. Acad. Sci. 6: 92. Type: California, San Diego (AMNH?). Range (in code): **US Ge Arz**
- 83832. Pachysphinx peninsularis Cary,1963** (Sphingidae) Synonym(s): *peninsularis* Cary,1963 Range (in code): **MX**
- 83833. Pantophaea favillacea (Walker,1866)** (Sphingidae) Synonym(s): *favillacea* Walker,1866; *distanti* Rothschild & Jordan,1903; *maxima* Clark,1922 Range (in code): **ZA**
- 83834. Pantophaea oneili (Clark,1925)** (Sphingidae) Synonym(s): *oneili* Clark,1925 Range (in code): **ZA**
- 83835. Paonias myops (J.E.Smith,1797)** (Sphingidae) Synonym(s): *myops* J.E.Smith,1797; *rosacearum* Boisduval,1836; *cerasi* Boisduval,[1875]; *sorbi* Boisduval,[1875]; *tiliastri* Boisduval,[1875]; *occidentalis* B.P.Clark,1919; *mccrearyi* B.P.Clark,1929 Range (in code): **MX US Col Ge CA Mnt**
- 83836. Paonias myops macrops (Gehlen,1933)** (Sphingidae) Synonym(s): *macrops* Gehlen,1933 Range (in code): **MX**
- 83837. Paonias myops myops (J.E.Smith,1797)** (Sphingidae) Synonym(s): *myops* J.E.Smith,1797; *rosacearum* Boisduval,1836; *cerasi* Boisduval,[1875]; *sorbi* Boisduval,[1875]; *tiliastri* Boisduval,[1875]; *occidentalis* B.P.Clark,1919; *mccrearyi* B.P.Clark,1929 Range (in code): **US Col Ge CA Mnt**
- 83838. Paratreia plebeja (Fabricius,1777)** (Sphingidae) Synonym(s): *plebeja* Fabricius,1777 Original Reference: *Sphinx plebeja* Fabricius,1777, Genera Ins.: 273. Type(s): America. Range (in code): **US**
- 83839. Parum colligatum (Walker,1856)** (Sphingidae) Synonym(s): *colligatum* Walker,1856; *tristis* Bryk,1944 Range (in code): **IN MM TH CMa CDo VN CN JP KP KR TW** Bionomy: Larva on Broussonetia (Moraceae) (Inoue et al.,1997).
- 83840. Parum colligatum colligatum (Walker,1856)** (Sphingidae) Synonym(s): *colligatum* Walker,1856; *tristis* Bryk,1944 Range (in code): **IN MM TH CMa CDo VN CN JP KP KR TW** Bionomy: Larva on Broussonetia (Moraceae) (Inoue et al.,1997).
- 83841. Pentateucha curiosa Swinhoe,1908** (Sphingidae) Synonym(s): *curiosa* Swinhoe,1908 Original Reference: *Pentateucha curiosa* Swinhoe,1908, Ann. Mag. nat. Hist. (8) 1: 62. Holotype ♀: [India]: Assam, Khasia Hills (BMNH). Range (in code): **IN Meg Ass Khs NP TH Int CMa VN**
- 83842. Pentateucha inouei Owada & Brechlin,1997** (Sphingidae) Synonym(s): *inouei* Owada & Brechlin,1997 Range (in code): **TW**
- 83843. Pentateucha stueningi Owada & Kitching,1997** (Sphingidae) Synonym(s): *stueningi* Owada & Kitching,1997 Range (in code): **CN**
- 83844. Pergesa actea (Cramer,1779)** (Sphingidae) Synonym(s): *acteus* Cramer,1779 Original Reference: *Sphinx acteus* Cramer,1779, Uitl. Kapellen 3: 93, pl.248, fig.A. Range (in code): **IN Meg Ass Khs LK NP CN MM TH CMa Cuo Cmz Cz10 JP Ri VN TW ID Sum Ja Bor Clb Bru Amb Flo PH Bal Boh Bon Ceb Din Dum Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Siq** Bionomy: Larva on Alocasia, Amorphophallus, Arisema, Caladium bicolor, Colocasia, Dieffenbachia (Araceae), Begonia (Begoniaceae), Commelia (Commeliaceae), Leea (Leeaceae), Cissus, Vitis (Vitaceae) (Bell & Scott,1937).
- 83845. Perigonia divisa Grote & Robinson,1865** (Sphingidae) Synonym(s): *divisa* Grote & Robinson,1865 Range (in code): **CU**
- 83846. Perigonia glaucescens Walker,1856** (Sphingidae) Synonym(s): *glaucescens* Walker,1856 Range (in code): **HT**
- 83847. Perigonia grisea Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *grisea* Rothschild & Jordan,1903 Range (in code): **BO**
- 83848. Perigonia jamaicensis Rothschild,1894** (Sphingidae) Synonym(s): *jamaicensis* Rothschild,1894 Range (in code): **JM**

- 83849. *Perigonia lefebraei* (Lucas,1856)** (Sphingidae) Synonym(s): *lefebraei* Lucas,1856 Range (in code): **CU**
- 83850. *Perigonia leucopus* Rothschild & Jordan,1910** (Sphingidae) Synonym(s): *leucopus* Rothschild & Jordan,1910 Range (in code): **BR**
- 83851. *Perigonia lusca* (Fabricius,1777)** (Sphingidae) Synonym(s): *lusca* Fabricius,1777; *interrupta* Walker,[1865]; *restituta* Walker,[1865]; *dota* Schaufuss,1870; *affinis* Schaufuss,1870; *ilus* Boisduval,1870; *tenebrosa* R.Felder,1874; *passerina* Boisduval,[1875]; *bahamensis* B.P.Clark,1919; #major B.P.Clark,1928 Original Reference: *Sphinx lusca* Fabricius,1777, *Genera Ins.*: 272. Type(s): *America meridionalis*. Range (in code): **MX VE HN BR Azn BS VC GP MQ**
- 83852. *Perigonia lusca continua* Vazquez,1959** (Sphingidae) Synonym(s): *continua* Vazquez,1959 Range (in code):
- 83853. *Perigonia lusca lusca* (Fabricius,1777)** (Sphingidae) Synonym(s): *lusca* Fabricius,1777; *interrupta* Walker,[1865]; *restituta* Walker,[1865]; *dota* Schaufuss,1870; *affinis* Schaufuss,1870; *ilus* Boisduval,1870; *tenebrosa* R.Felder,1874; *passerina* Boisduval,[1875]; *bahamensis* B.P.Clark,1919; #major B.P.Clark,1928 Original Reference: *Sphinx lusca* Fabricius,1777, *Genera Ins.*: 272. Type(s): *America meridionalis*. Range (in code): **MX VE HN BR Azn BS VC GP MQ**
- 83854. *Perigonia manni* B.P.Clark,1935** (Sphingidae) Synonym(s): *manni* B.P.Clark,1935 Range (in code): **HT**
- 83855. *Perigonia pallida* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *pallida* Rothschild & Jordan,1903 Range (in code): **VE BR**
- 83856. *Perigonia pallida pallida* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *pallida* Rothschild & Jordan,1903 Range (in code): **VE**
- 83857. *Perigonia pallida rufescens* Daniel,1949** (Sphingidae) Synonym(s): *rufescens* Daniel,1949 Range (in code): **BR**
- 83858. *Perigonia pittieri* Lichy,1962** (Sphingidae) Synonym(s): *pittieri* Lichy,1962 Range (in code): **VE**
- 83859. *Perigonia stulta* Herrich-Schäffer,[1854]** (Sphingidae) Synonym(s): *stulta* Herrich-Schäffer,[1854] Range (in code): **VE**
- 83860. *Perigonia thayeri* B.P.Clark,1928** (Sphingidae) Synonym(s): *thayeri* B.P.Clark,1928 Range (in code): **VC**
- 83861. *Phanoxyla hystrix* (R.Felder,1874)** (Sphingidae) Synonym(s): *hystrix* R.Felder,1874 Range (in code): **BR Azn**
- 83862. *Phryxus caicus* (Cramer,1777)** (Sphingidae) Synonym(s): *caicus* Cramer,1777 Range (in code): **SR VE**
- 83863. *Phyllosphingia dissimilis* (Bremer,1861)** (Sphingidae) Synonym(s): *dissimilis* Bremer,1861 Original Reference: *Triptogon dissimilis* Bremer,1861, *Bull. Acad. Sci. St. Petersburg* 3: 475. Type: *Russia: Ussuri*. Range (in code): **RU Us Sb CN KP KR JP CN Stg Tkg Sz PH Luz IN NP TH TW** Bionomy: Larva on *Juglans* (*Juglandaceae*) (Inoue et al.,1997).
- 83864. *Phyllosphingia dissimilis dissimilis* (Bremer,1861)** (Sphingidae) Synonym(s): *dissimilis* Bremer,1861; *sinensis* Jordan,1911; *hoenei* Clark,1937; *jordani* Bryk,1946 Original Reference: *Triptogon dissimilis* Bremer,1861, *Bull. Acad. Sci. St. Petersburg* 3: 475. Type: *Russia: Ussuri*. Range (in code): **RU Us Sb CN KP KR JP CN Stg Tkg Sz**
- 83865. *Phyllosphingia dissimilis perundulans* Swinhoe,1897** (Sphingidae) Synonym(s): *perundulans* Swinhoe,1897 Original Reference: *Phyllosphingia perundulans* Swinhoe,1897, *Ann. Mag. nat. Hist.* (6) 19: 164. Type: *India: Jaintia Hills* (NHML). Range (in code): **IN NP TH** Bionomy: Larva on *Juglans* (*Juglandaceae*) (Inoue et al.,1997).
- 83866. *Phylloxiphia metria* (Jordan,1920)** (Sphingidae) Synonym(s): *metria* Jordan,1920; *noctivaga* Kernbach,1957 Range (in code): **ZA**
- 83867. *Phylloxiphia punctum* (Rothschild,1907)** (Sphingidae) Synonym(s): *punctum* Rothschild,1907 Range (in code): **ZA**
- 83868. *Phylloxiphia vicina* (Rothschild & Jordan,1915)** (Sphingidae) Synonym(s): *vicina* Rothschild & Jordan,1915 Range (in code): **ZA**
- 83869. *Platysphinx piabilis* (Distant,1897)** (Sphingidae) Synonym(s): *piabilis* Distant,1897; *bourkei* Trimen,1910 Range (in code): **ZA Tva Gau Pre**
- 83870. *Poliana albescens* Inoue,1996** (Sphingidae) Synonym(s): *albescens* Inoue,1996 Range (in code): **PH Mno**
- 83871. *Poliana buchholzi* (Plötz,1880)** (Sphingidae) Synonym(s): *buchholzi* Plötz,1880 Range (in code): **CM**

- 83872. Poliana leucomelas Rothschild & Jordan,1915** (Sphingidae) Synonym(s): *leucomelas Rothschild & Jordan,1915* Range (in code): TH CMa Cuo KH Pno VN
- 83873. Poliana wintgensii (Strand,1910)** (Sphingidae) Synonym(s): *wintgensii Strand,1910; marmorata Fawcett,1915* Range (in code): ZA
- 83874. Polyptychoides grayii (Walker,1856)** (Sphingidae) Synonym(s): *grayii Walker,1856* Range (in code): ZA Tva Mpu Ly Nta Kzu Dbn
- 83875. Polyptychoides grayii assimilis (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *assimilis Rothschild & Jordan,1903* Range (in code): ZA
- 83876. Polyptychoides grayii grayii (Walker,1856)** (Sphingidae) Synonym(s): *grayii Walker,1856* Range (in code): ZA Tva Mpu Ly Nta Kzu Dbn
- 83877. Polyptychopsis marshalli (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *marshalli Rothschild & Jordan,1903* Range (in code): ZA
- 83878. Polyptychus baxteri Rothschild & Jordan,1908** (Sphingidae) Synonym(s): *baxteri Rothschild & Jordan,1908* Range (in code): TZ ZA
- 83879. Polyptychus baxteri jansei Clark,1936** (Sphingidae) Synonym(s): *jansei Clark,1936* Range (in code): ZA
- 83880. Polyptychus chinensis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *chinensis Rothschild & Jordan,1903* Range (in code): CN TW
- 83881. Polyptychus chinensis chinensis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *chinensis Rothschild & Jordan,1903* Range (in code): CN TW
- 83882. Polyptychus claudiae Brechlin, Kitching & Cadiou,2001** (Sphingidae) Synonym(s): *claudiae Brechlin, Kitching & Cadiou,2001* Range (in code):
- 83883. Polyptychus coryndoni Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *coryndoni Rothschild & Jordan,1903* Range (in code): GM ZA
- 83884. Polyptychus herbuloti Darge,1990** (Sphingidae) Synonym(s): *herbuloti Darge,1990* Range (in code):
- 83885. Polyptychus trilineatus Moore,1888** (Sphingidae) Synonym(s): *trilineatus Moore,1888* Range (in code): IN Adm TH MY VN LK ID Clb Sum Ja Bli Flo Adm PH Boh Ceb Ley Luz Mno Neg Pan Siq Bionomy: Larva on Ehretia (Boraginaceae) (Inoue et al.,1997).
- 83886. Polyptychus trilineatus celebensis Clark,1929** (Sphingidae) Synonym(s): *celebensis Clark,1929; kalisi Jordan,1938* Range (in code): ID Clb
- 83887. Polyptychus trilineatus costalis Mell,1922** (Sphingidae) Synonym(s): *costalis Mell,1922* Range (in code): CN
- 83888. Polyptychus trilineatus javanicus Gehlen,1931** (Sphingidae) Synonym(s): *javanicus Gehlen,1931; javanicus Roepke,1941* Range (in code): ID Ja
- 83889. Polyptychus trilineatus kelanus Jordan,1930** (Sphingidae) Synonym(s): *kelanus Jordan,1930* Range (in code): ID Sum Ja Bli Flo MY
- 83890. Polyptychus trilineatus luteatus Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *luteatus Rothschild & Jordan,1903* Range (in code): LK
- 83891. Polyptychus trilineatus mincopicus Jordan,1930** (Sphingidae) Synonym(s): *mincopicus Jordan,1930* Range (in code): IN Adm
- 83892. Polyptychus trilineatus mincopicus Jordan,1930** (Sphingidae) Synonym(s): *mincopicus Jordan,1930* Range (in code): Adm
- 83893. Polyptychus trilineatus philippinensis Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *philippinensis Rothschild & Jordan,1903* Range (in code): PH Boh Ceb Ley Luz Mno Neg Pan Siq
- 83894. Polyptychus trilineatus sonantis Jordan,1930** (Sphingidae) Synonym(s): *sonantis Jordan,1930* Range (in code): IN
- 83895. Polyptychus trilineatus trilineatus Moore,1888** (Sphingidae) Synonym(s): *trilineatus Moore,1888* Range (in code): IN TH MY VN
- 83896. Polyptychus trilineatus undatus Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *undatus Rothschild & Jordan,1903* Range (in code): IN MM NP TH VN Bionomy: Larva on Ehretia (Boraginaceae) (Inoue et al.,1997).
- 83897. Polyptychus trisecta (Aurivillius,1901)** (Sphingidae) Synonym(s): *trisecta Aurivillius,1901* Range (in code): ES
- 83898. Praedora leucophaea Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *leucophaea Rothschild & Jordan,1903* Range (in code): ZA

- 83899. *Praedora marshalli* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *marshalli* Rothschild & Jordan,1903; *tropicalis* Rothschild & Jordan,1912; *australis* Clark,1930 Range (in code): ZA
- 83900. *Praedora plagiata* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *plagiata* Rothschild & Jordan,1903; *meridionalis* Kiriakoff,1954 Range (in code): ZA
- 83901. *Proserpinus clarkiae* Boisduval,1852** (Sphingidae) Synonym(s): *clarkiae* Boisduval,1852; *victoria* Grote,1874 Range (in code): CA BCo
- 83902. *Proserpinus juanita* Strecker,[1877]** (Sphingidae) Synonym(s): *juanita* Strecker,[1877]; *oslari* Rothschild & Jordan,1903 Range (in code): US Tx Arz
- 83903. *Proserpinus proserpinus* (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Groum-Grshimailo,1887; *japetus* Groum-Grshimailo,1890; *gigas* Oberthür,1922. Range (in code): MA LT CZ SK DE NL GB BE LU FR ES Grn Snv Alv Act Bgs Ccs Hv Ter Lda Gna Hue Nrr Rio Val Ple PT Si IT CH AT HU YU MK HV BY UA Cm B-H RO BG AL GR TR GG Bjo AM Eri LB JO IR Elb Th KG Uk Kw Sp Tk Aa UZ TJ TM Kp RU Pt Mo Chu Tt Pe Ul Sm Sr VI Ao Ba Pr St No Om To AF Nu Bsg Pag Kab Bionomy: Larva on *Epilobium*, *Oenothera* (Onagraceae) (Pittaway,1983).
- 83904. *Proserpinus proserpinus proserpinus* (Pallas,1772)** (Sphingidae) Synonym(s): *proserpinus* Pallas,1772; *oenotherae* [Denis & Schiffermüller],1775; *schiffermilleri* Fuessly,1779; *francofurtana* Fabricius,1781; *aenotheroides* Butler,[1876], *maxima* Groum-Grshimailo,1887; *japetus* Groum-Grshimailo,1890; *gigas* Oberthür,1922. Range (in code): MA LT CZ SK DE NL GB BE LU FR ES Grn Snv Alv Act Bgs Ccs Hv Ter Lda Gna Hue Nrr Rio Val Ple PT Si IT CH AT HU YU MK HV BY UA Cm B-H RO BG AL GR TR GG Bjo AM Eri LB JO IR Elb Th KG Uk Kw Sp Tk Aa UZ TJ TM Kp RU Pt Mo Chu Tt Pe Ul Sm Sr VI Ao Ba Pr St No Om To AF Nu Bsg Pag Kab Bionomy: Larva on *Epilobium*, *Oenothera* (Onagraceae) (Pittaway,1983).
- 83905. *Proserpinus terlooii* Edwards,1875** (Sphingidae) Synonym(s): *terlooii* Edwards,1875 Range (in code): MX Sin Grr
- 83906. *Proserpinus terlooii mooseri* (B.P.Clark,1937)** (Sphingidae) Synonym(s): *mooseri* B.P.Clark,1937 Range (in code): MX Grr
- 83907. *Proserpinus terlooii terlooii* Edwards,1875** (Sphingidae) Synonym(s): Range (in code): MX Sin
- 83908. *Proserpinus vega* (Dyar,1903)** (Sphingidae) Synonym(s): *vega* Dyar,1903 Range (in code): US NMx
- 83909. *Protaleuron rhodogaster* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *rhodogaster* Rothschild & Jordan,1903 Range (in code): EC
- 83910. *Protoambulyx astygonus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *astygonus* Boisduval,[1875] Range (in code): BR Rja
- 83911. *Protoambulyx carteri* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *carteri* Rothschild & Jordan,1903 Range (in code): BS
- 83912. *Protoambulyx euryalus* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *euryalus* Rothschild & Jordan,1903 Range (in code): VE
- 83913. *Protoambulyx eurycles* (Herrich-Schäffer,[1855])** (Sphingidae) Synonym(s): *eurycles* Herrich-Schäffer,[1855]; *fasciatus* Gehlen,1927; *australis* B.P.Clark,1937 Range (in code): SR BR VE
- 83914. *Protoambulyx goeldii* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *goeldii* Rothschild & Jordan,1903; *andicus* Gehlen,1928 Range (in code): BR CO VE
- 83915. *Protoambulyx goeldii goeldii* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *goeldii* Rothschild & Jordan,1903; *andicus* Gehlen,1928 Range (in code): BR CO VE
- 83916. *Protoambulyx goeldii marcata* (Schaus,1912)** (Sphingidae) Synonym(s): *marcata* Schaus,1912 Range (in code):
- 83917. *Protoambulyx ockendeni* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *ockendeni* Rothschild & Jordan,1903 Range (in code): PE
- 83918. *Protoambulyx rydbergi* Gehlen,1933** (Sphingidae) Synonym(s): *rydbergi* Gehlen,1933 Range (in code): PA
- 83919. *Protoambulyx strigilis* (Linnaeus,1771)** (Sphingidae) Synonym(s): *strigilis* Linnaeus,1771; *rubripennis* Butler,1877; *#turarem* Lichy,1943 Range (in code): HT VE GP MQ
- 83920. *Protoambulyx strigilis portoricensis* B.P.Clark,1931** (Sphingidae) Synonym(s): *portoricensis* B.P.Clark,1931 Range (in code): PR
- 83921. *Protoambulyx strigilis strigilis* (Linnaeus,1771)** (Sphingidae) Synonym(s): *strigilis* Linnaeus,1771; *rubripennis* Butler,1877; *#turarem* Lichy,1943 Range (in code): HT VE GP MQ

- 83922. *Protoambulyx sulphurea* (Rothschild,1894)** (Sphingidae) Synonym(s): *sulphurea* Rothschild,1894 Range (in code): **VE**
- 83923. *Protoambulyx xanthus* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *xanthus* Rothschild & Jordan,1906 Range (in code): **CR**
- 83924. *Pseudandriasia mutata* (Walker,1855)** (Sphingidae) Synonym(s): *mutata* Walker,1855; *erubescens* Walker,1862 Range (in code): **ZA**
- 83925. *Pseudoclanis abyssinicus* (Lucas,1857)** (Sphingidae) Synonym(s): *abyssinicus* Lucas,1857 Range (in code): **ET SD**
- 83926. *Pseudoclanis aequabilis* Darge,2005** (Sphingidae) Synonym(s): *aequabilis* Darge,2005 Range (in code): **TZ**
- 83927. *Pseudoclanis occidentalis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *occidentalis* Rothschild & Jordan,1903 Range (in code): **BF CM CF ZR ET GA GM GN CI KE NG SL TZ UG**
- 83928. *Pseudoclanis diana* Gehlen,1922** (Sphingidae) Synonym(s): *diana* Gehlen,1922 Range (in code): **ZA**
- 83929. *Pseudoclanis kenyae* Clark,1928** (Sphingidae) Synonym(s): *kenyae* Clark,1928 Range (in code): **KE**
- 83930. *Pseudoclanis molitor* (Rothschild & Jordan,1912)** (Sphingidae) Synonym(s): *molitor* Rothschild & Jordan,1912; *lauta* Jordan,1920; *subviridis* Talbot,1932; *sororia* Kernbach,1954; *#mollis* Wiltshire,1983 Range (in code): **ZW ZA BF CM CF ZR ET GM GH GN CI KE ML NG SN SO SD TZ UG**
- 83931. *Pseudoclanis postica* (Walker,1856)** (Sphingidae) Synonym(s): *postica* Walker,1856 Range (in code): **ZA Tva Gau Pre Nta Kzu Dbn ZW** Bionomy: Larva on *Morus*, *Ficus mammosa* (Moraceae); *Chaetacme*, *Chlorophora*, *Loranthus*, *Trema*, *Celtis* (Ulmaceae) (Pinhey,1962).
- 83932. *Pseudosphinx tetrio* (Linnaeus,1771)** (Sphingidae) Synonym(s): *tetrio* Linnaeus,1771; *hasdurbal* Cramer,[1780]; *obscura* Butler,1877; *albina* Gehlen,1941 Range (in code): **CU HN SR VE GP MQ**
- 83933. *Psilogramma andamanica* Brechlin,2001** (Sphingidae) Synonym(s): *andamanica* Brechlin,2001 Range (in code): **IN Adm**
- 83934. *Psilogramma casuarinae* (Walker,1856)** (Sphingidae) Synonym(s): *casuarinae* Walker,1856 Range (in code):
- 83935. *Psilogramma floresica* Brechlin,2001** (Sphingidae) Synonym(s): *floresica* Brechlin,2001 Range (in code): **ID Flo**
- 83936. *Psilogramma increta* Walker,[1865]** (Sphingidae) Synonym(s): *increta* Walker,[1865] Range (in code): **PH Luz Mdo Neg Pal Pan TH CMa Cuo Cuo6 CDo VN CN TW KP KR JP** Bionomy: Larva on *Sesamum* (Pedaliaceae), *Verbena* (Verbenaceae), *Scrophularia* (Scrophulariaceae), *Osmanthus* (Oleaceae), *Perilla* (Lamiaceae), *Lonicera* (Caprifoliaceae) (Inoue et al.,1997).
- 83937. *Psilogramma kitchingi* Brechlin & Lachlan,2001** (Sphingidae) Synonym(s): *kitchingi* Brechlin & Lachlan,2001 Range (in code):
- 83938. *Psilogramma menephron* (Cramer,[1780])** (Sphingidae) Synonym(s): *menephron* Cramer,[1780] Range (in code): **PH Bal Boh Bon Ceb Dum Jol Ley Luz Mas Mdo Mno Neg Pal Pan Sam Siq Stu Taw AF Sfk Kab Nu Bsg IN LK TH CMa Cuo VN CN TW ID Sum Ja AU NC** Bionomy: Larva on *Sesamum* (Pedaliaceae), *Osmanthus* (Oleaceae), *Perilla* (Lamiaceae), *Lonicera* (Caprifoliaceae), etc. (Inoue et al.,1997).
- 83939. *Psilogramma menephron lifuense* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *lifuense* Rothschild & Jordan,1903 Range (in code): **NC**
- 83940. *Psilogramma orientalis* Brechlin,2001** (Sphingidae) Synonym(s): *orientalis* Brechlin,2001 Range (in code):
- 83941. *Psilogramma papuensis* Brechlin,2001** (Sphingidae) Synonym(s): *papuensis* Brechlin,2001 Range (in code): **PG**
- 83942. *Psilogramma salomonis* Brechlin,2001** (Sphingidae) Synonym(s): *salomonis* Brechlin,2001 Range (in code): **SB**
- 83943. *Psilogramma sulawesica* Brechlin,2001** (Sphingidae) Synonym(s): *sulawesica* Brechlin,2001 Range (in code): **ID Clb**
- 83944. *Psilogramma sundana* Brechlin,2001** (Sphingidae) Synonym(s): *sundana* Brechlin,2001 Range (in code): **ID Sda**
- 83945. *Psilogramma tanimbarica* Brechlin,2001** (Sphingidae) Synonym(s): *tanimbarica* Brechlin,2001 Range (in code): **ID Tnm**
- 83946. *Psilogramma villani* Kitching, Treadaway & Hogenes,2000** (Sphingidae) Synonym(s): *villani* Kitching, Treadaway & Hogenes,2000 Range (in code): **PH**

- 83947. *Psilogramma wetarensis* Brechlin, 2001** (Sphingidae) **Synonym(s):** *wetarensis* Brechlin, 2001 Range (in code): **ID Wt**
- 83948. *Rethera afghanistana* Daniel, 1958** (Sphingidae) **Synonym(s):** *afghanistana* Daniel, 1958 Range (in code): **AF Hr Kab**
- 83949. *Rethera amseli* Daniel, 1958** (Sphingidae) **Synonym(s):** *amseli* Daniel, 1958 Range (in code): **AF Hr**
- 83950. *Rethera brandti* O. Bang-Haas, 1937** (Sphingidae) **Synonym(s):** *brandti* O. Bang-Haas, 1937 Range (in code): **IR Fa Elb Th Ss TR IQ Dy**
- 83951. *Rethera brandti brandti* O. Bang-Haas, 1937** (Sphingidae) **Synonym(s):** *brandti* O. Bang-Haas, 1937 Range (in code): **IR Elb Th**
- 83952. *Rethera brandti euteles* Jordan, 1937** (Sphingidae) **Synonym(s):** *euteles* Jordan, 1937 Original Reference: *Rethera brandti* ssp. *euteles* Jordan, 1937, Novit. Zool. 40: 325. Range (in code): **TR IQ Dy IR Fa Ss**
- 83953. *Rethera komarovi* (Christoph, 1885)** (Sphingidae) **Synonym(s):** *komarovi* Christoph, 1885; *#kamarowi* Wagner, 1931; *rjabovi* O. Bang-Haas, 1934; *#albocingulata* O. Bang-Haas, 1934; *#roseocingulata* O. Bang-Haas, 1937 Range (in code): **MK AL BG GR TR Cc GG Bjo AM AZ Nv Ord RU AF KG IQ IR Kh Fa PK Bl Chm JO**
- 83954. *Rethera komarovi boguta* Eitschberger & Lukhtanov, 1996** (Sphingidae) **Synonym(s):** *boguta* Eitschberger & Lukhtanov, 1996 Range (in code): **KG**
- 83955. *Rethera komarovi drilon* Rebel & Zerny, 1931** (Sphingidae) **Synonym(s):** *drilon* Rebel & Zerny, 1931 Range (in code): **MK AL BG GR**
- 83956. *Rethera komarovi komarovi* (Christoph, 1885)** (Sphingidae) **Synonym(s):** *komarovi* Christoph, 1885; *#kamarowi* Wagner, 1931; *rjabovi* O. Bang-Haas, 1934; *#albocingulata* O. Bang-Haas, 1934; *#roseocingulata* O. Bang-Haas, 1937 Range (in code): **TR Cc GG Bjo AM AZ Nv Ord RU**
- 83957. *Rethera komarovi manifika* Brandt, 1938** (Sphingidae) **Synonym(s):** *manifika* Brandt, 1938 Original Reference: *Rethera komarovi* ssp. *manifika* Brandt, 1938, Ent. Rdsch. 55: 698, Taf. iv fig. 9. Syntypes: Iran: [Fras]: Fort Sine Sefid, Mian-Kotal. Range (in code): **TR IQ IR Fa Sse AF**
- 83958. *Rethera komarovi stipularis* (Swinhoe, 1885)** (Sphingidae) **Synonym(s):** *stipularis* Swinhoe, 1885 Original Reference: *Chaerocampa stipularis* Swinhoe, 1885, Trans. ent. Soc. London 1885: 346-347, pl. ix fig. 1. Type: [Pakistan: Baluchistan]: Chaman. Range (in code): **AF PK Bl Chm**
- 83959. *Rhagastis acuta* (Walker, 1856)** (Sphingidae) **Synonym(s):** *acuta* Walker, 1856 Range (in code): **IN TH MY ID Sum Ja Bli PH Pal**
- 83960. *Rhagastis albomarginatus* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *albomarginatus* Rothschild, 1894; *nubilosa* Bryk, 1944 Range (in code): **ID Sum Ja CN IN MM NP TH VN** Bionomy: Larva on *Dichroa*, *Hydrangea* (Saxifragaceae) (Inoue et al., 1997).
- 83961. *Rhagastis albomarginatus albomarginatus* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *albomarginatus* Rothschild, 1894; *nubilosa* Bryk, 1944 Range (in code): **IN MM NP TH VN** Bionomy: Larva on *Dichroa*, *Hydrangea* (Saxifragaceae) (Inoue et al., 1997).
- 83962. *Rhagastis albomarginatus dichroae* Mell, 1922** (Sphingidae) **Synonym(s):** *dichroae* Mell, 1922 Range (in code): **CN**
- 83963. *Rhagastis albomarginatus everetti* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *everetti* Rothschild & Jordan, 1903; *joiceyi* Clark, 1924 Range (in code): **ID Sum Ja**
- 83964. *Rhagastis binoculata* Matsumura, 1909** (Sphingidae) **Synonym(s):** *binoculata* Matsumura, 1909 Range (in code): **TW**
- 83965. *Rhagastis castor* (Walker, 1856)** (Sphingidae) **Synonym(s):** *castor* Walker, 1856; *sumatranus* Clark, 1924; *javanica* Roepke, 1941 Range (in code): **ID Ja Sum TW CN IN NP TH CMa CDo VN** Bionomy: Larva on *Amorphophallus* (Araceae), *Vitis* (Vitaceae) (Inoue et al., 1997).
- 83966. *Rhagastis castor aurifera* (Butler, 1875)** (Sphingidae) **Synonym(s):** *aurifera* Butler, 1875 Range (in code): **IN NP TH CMa CDo VN** Bionomy: Larva on *Amorphophallus* (Araceae), *Vitis* (Vitaceae) (Inoue et al., 1997).
- 83967. *Rhagastis castor castor* (Walker, 1856)** (Sphingidae) **Synonym(s):** *castor* Walker, 1856; *sumatranus* Clark, 1924; *javanica* Roepke, 1941 Range (in code): **ID Ja Sum**
- 83968. *Rhagastis castor formosana* Clark, 1925** (Sphingidae) **Synonym(s):** *formosana* Clark, 1925 Range (in code): **TW**
- 83969. *Rhagastis castor jordani* Oberthür, 1904** (Sphingidae) **Synonym(s):** *jordani* Oberthür, 1904; *chinensis* Mell, 1922 Range (in code): **CN**

- 83970. *Rhagastis confusa* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *confusa* Rothschild & Jordan,1903 Range (in code): **IN NP TH** Bionomy: Larva on Vitis (Vitaceae) (Inoue et al.,1997).
- 83971. *Rhagastis gloriosa* (Butler,1875)** (Sphingidae) Synonym(s): *gloriosa* Butler,1875; *orientis* Bryk,1944; *yunnanaria* Chu & Wang,1980 Range (in code): **IN MM NP TH CMa Int VN CN Yu**
- 83972. *Rhagastis hayesi* Diehl,[1982]** (Sphingidae) Synonym(s): *hayesi* Diehl,[1982] Range (in code): **IN MY TH Phr ID Sum Ja**
- 83973. *Rhagastis lunata* (Rothschild,1900)** (Sphingidae) Synonym(s): *lunata* Rothschild,1900; *sikkimensis* Rothschild & Jordan,1903; *gehleni* Bender,1941, *yunnanaria* Chu & Wang,1980 (*praeocc.*); *yunnana* Chu & Wang,1983 Range (in code): **IN NP TH VN CN Yu**
- 83974. *Rhagastis mongoliana* (Butler,1876)** (Sphingidae) Synonym(s): *mongoliana* Butler,1876 Range (in code): **MN TW** Bionomy: Larva on Tetrastigma (Vitaceae) (Inoue et al.,1997).
- 83975. *Rhagastis olivacea* (Moore,1872)** (Sphingidae) Synonym(s): *olivacea* Moore,1872 Original Reference: Pergesa olivacea Moore,1872, Proc. zool. Soc. Lond. 1872: 567. Type: India, Simla. Range (in code): **PK Swa Alp IN Hp Sml MM TH CMa NP VN LA CN Hbe Yu Ti Hun Fkn Kwa** Bionomy: Larva on Impatiens (Balsaminaceae) (Inoue et al.,1997).
- 83976. *Rhagastis rubetra* Rothschild & Jordan,1907** (Sphingidae) Synonym(s): *rubetra* Rothschild & Jordan,1907; *mjobergi* Clark,1923 Range (in code): **TH MY ID Sum Nia Bor**
- 83977. *Rhagastis velata* (Walker,1856)** (Sphingidae) Synonym(s): *velata* Walker,1856 Range (in code): **IN Meg Ass Khs Slo NP SI BT TH TW** Bionomy: Larva on Arisaema, Amorphophylla (Araceae) (Bell & Scott,1937).
- 83978. *Rhodafra marshalli* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *marshalli* Rothschild & Jordan,1903 Range (in code): **ZA**
- 83979. *Rhodafra opheltes* (Cramer,1780)** (Sphingidae) Synonym(s): *opheltes* Cramer,1780; *mariae* Wallengren,1875 Range (in code): **ZA Tva Mpu Ly Nta Kzu Ec**
- 83980. *Rhodambulyx davidi* Mell,1938** (Sphingidae) Synonym(s): *davidi* Mell,1938 Range (in code): **CN Fkn**
- 83981. *Rhodambulyx schnitzleri* Cadiou,1990** (Sphingidae) Synonym(s): *schnitzleri* Cadiou,1990 Range (in code): **TH CMa Int**
- 83982. *Rhodoprasina callantha* Jordan,1929** (Sphingidae) Synonym(s): *callantha* Jordan,1929 Range (in code): **IN Ass TH CMa CDo VN** Bionomy: Larva on Quercus (Fagaceae) (Inoue et al.,1997).
- 83983. *Rhodoprasina corolla* Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *corolla* Cadiou & Kitching,1990 Original Reference: Rhodoprasina corolla Cadiou & Kitching,1990, Lambillionea 90 (4): 5. Holotype ♂: Thailand, Chiang Mai Province, Doi Inthanon, Radar Station 2550m, 25.x.1986, leg. M.G.Allen (BMNH). Range (in code): **TH CMa Int**
- 83984. *Rhodoprasina corrigenda* Kitching & Cadiou,1996** (Sphingidae) Synonym(s): *corrigenda* Kitching & Cadiou,1996 Original Reference: Rhodoprasina corrigenda Kitching & Cadiou,1996, Nachr. ent. Ver., Apollo 17 (1): 56-58, figs. Holotype ♂: Thailand: Chiang Mai Province: Doi Inthanon, checkpoint 1700m, 9.xi.1988 ex coll. R.D.Kennett (BMNH). Range (in code): **TH CMa Int VN Ton Fan**
- 83985. *Rhodoprasina winbrechlini* Brechlin,1996** (Sphingidae) Synonym(s): *winbrechlini* Brechlin,1996 Original Reference: Rhodoprasina winbrechlini Brechlin,1996, Nachr. ent. Ver., Apollo 17 (1): 59-61, figs. Holotype ♂: Vietnam (N) (Tonkin), Lao Cay Province, Mt. Fan Si Pan, Prim. Wald, 1-5.iii.1995 leg. C.R.Brechlin (Museum Witt, München). Range (in code): **VN Ton Fan**
- 83986. *Rufoclanis fulgurans* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *fulgurans* Rothschild & Jordan,1903 Range (in code): **ZA**
- 83987. *Rufoclanis jansei* (Vari,1964)** (Sphingidae) Synonym(s): *jansei* Vari,1964 Range (in code): **ZA**
- 83988. *Rufoclanis numosae* (Wallengren,1860)** (Sphingidae) Synonym(s): *numosae* Wallengren,1860; *mimosae* Wallengren,1860; *cytis* Druce,1882; *consanguinea* Distant,1899; *hesperus* Rothschild & Jordan,1916 Range (in code): **ZA Tva Mpu Ly**
- 83989. *Sagenosoma elsa* (Strecker,1877)** (Sphingidae) Synonym(s): *elsa* Strecker,1877 Range (in code): **US Arz**
- 83990. *Sataspes infernalis* (Westwood,1848)** (Sphingidae) Synonym(s): *infernalis* Westwood,1848 Original Reference: Sesia infernalis Westwood,1848, Cab. Or. Ent.: 61, pl.30 fig.3.

- Type: Silhet. Range (in code): **IN BD MM TH NP VN CN ID Sum Ja** Bionomy: Larva on Dahlbergia, Lespedeza, Albizia (Fabaceae) (Inoue et al.,1997).
- 83991. Sataspes infernalis infernalis (Westwood,1848)** (Sphingidae) Synonym(s): *infernalis Westwood,1848* Original Reference: *Sesia infernalis* Westwood,1848, Cab. Or. Ent.: 61, pl.30 fig.3. Type: Silhet. Range (in code): **IN BD MM TH NP VN CN ID Sum Ja** Bionomy: Larva on Dahlbergia, Lespedeza, Albizia (Fabaceae) (Inoue et al.,1997).
- 83992. Sataspes ribbei Röber,1885** (Sphingidae) Synonym(s): *ribbei Röber,1885* Range (in code):
- 83993. Sataspes tagalica Boisduval,[1875]** (Sphingidae) Synonym(s): *tagalica Boisduval,[1875]; chinensis Mell,1922; collaris Chu & Wang,1980; thoracica Chu & Wang,1980* Range (in code): **IN MM TH CMA Cuo CN PH Luz Bur ID Sum Ja** Bionomy: Larva on Dahlbergia (Fabaceae) (Inoue et al.,1997).
- 83994. Sataspes tagalica cerberus Semper,1896** (Sphingidae) Synonym(s): *cerberus Semper,1896* Range (in code): **PH Luz**
- 83995. Sataspes tagalica javanica Roepke,1941** (Sphingidae) Synonym(s): *javanica Roepke,1941* Range (in code): **ID Sum Ja**
- 83996. Sataspes tagalica tagalica Boisduval,[1875]** (Sphingidae) Synonym(s): *tagalica Boisduval,[1875]; chinensis Mell,1922; collaris Chu & Wang,1980; thoracica Chu & Wang,1980* Range (in code): **IN MM TH CMA Cuo CN** Bionomy: Larva on Dahlbergia (Fabaceae) (Inoue et al.,1997).
- 83997. Smerinthulus diehli Hayes,[1982]** (Sphingidae) Synonym(s): *diehli Hayes,[1982]* Range (in code): **TH CMA Cuo MY ID Sum Bor**
- 83998. Smerinthulus dohrni Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *dohrni Rothschild & Jordan,1903* Range (in code): **MM**
- 83999. Smerinthulus myanmarensis Brechlin,2000** (Sphingidae) Synonym(s): *myanmarensis Brechlin,2000* Range (in code): **MM**
- 84000. Smerinthulus perversus (Rothschild,1895)** (Sphingidae) Synonym(s): *perversa Rothschild,1895; pallidus Mell,1922; flavomaculatus Inoue,1990; doipuiensis Inoue,1991* Original Reference: *Cypa perversa* Rothschild,1895, Novit. zool. 2: 28. Range (in code): **IN SI Ass NP VN CN Kwa Yu TH CMA TW**
- 84001. Smerinthulus quadripunctatus Huwe,1895** (Sphingidae) Synonym(s): *quadripunctatus Huwe,1895* Range (in code): **TH CMA Cuo CDo MM ID Ja Sum Bor MY**
- 84002. Smerinthulus quadripunctatus cottoni Cadiou & Kitching,1990** (Sphingidae) Synonym(s): *cottoni Cadiou & Kitching,1990* Range (in code): **TH CMA Cuo CDo MM**
- 84003. Smerinthulus quadripunctatus quadripunctatus Huwe,1895** (Sphingidae) Synonym(s): *quadripunctatus Huwe,1895* Range (in code): **ID Ja Sum**
- 84004. Smerinthulus witti Brechlin,2000** (Sphingidae) Synonym(s): *witti Brechlin,2000* Range (in code): **CN Yu**
- 84005. Smerinthus atlanticus Austaut,1890** (Sphingidae) Synonym(s): *atlanticus Austaut,1890; aestivalis Austaut,1890* Original Reference: *Smerinthus atlanticus* Austaut,1890, Naturaliste 12: 190-191. Lectotype ♂: Algeria: Meridje, designated by Pittaway,1993 (NHML). Range (in code): **MA Odj DZ Agi Btina Abe Sbd TN** Bionomy: Larva on Salix (Pittaway,1983).
- 84006. Smerinthus caecus Ménétriés,1857** (Sphingidae) Synonym(s): *caecus Ménétriés,1857* Range (in code): **RU**
- 84007. Smerinthus cerisyi Kirby,1837** (Sphingidae) Synonym(s): *cerisyi Kirby,1837; ophthalmica Boisduval,1855; pallidulus Edwards,1875; vancouveriensis Butler,[1877]; astarte Strecker,[1885]; nigrescens B.P.Clark,1919; borealis B.P.Clark,1929* Range (in code): **US Cf Col CA Mnt BCo**
- 84008. Smerinthus kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni Lederer,1852; #obscura Closs,1917* Original Reference: *Smerinthus kindermanni* Lederer,1852, Verh. zool.- bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden (MNHB). Range (in code): **TR Arr IR Es Elb Th Mz Fa AF Ca Nu Bsg Srb Slg Kab Sfk PK Nwf Ci Gg Psu JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len UZ Fe Man CN Ui Ga Kl Um Tpn Shz Mgn IN Hp KG Aa T-S TrA** Bionomy: Larva on Salix (Heydemann et al.,1963; Pittaway,1983).
- 84009. Smerinthus kindermanni gehleni Eitschberger & Lukhtanov,1996** (Sphingidae) Synonym(s): *meridionalis Gehlen,1931 nec Clss.,1917; gehleni Eitschberger & Lukhtanov,1996* Range (in code): **IN Hp**
- 84010. Smerinthus kindermanni iliensis Eitschberger & Lukhtanov,1996** (Sphingidae) Synonym(s): *iliensis Eitschberger & Lukhtanov,1996* Range (in code): **KG Aa T-S TrA**
- 84011. Smerinthus kindermanni kindermanni Lederer,1852** (Sphingidae) Synonym(s): *kindermanni Lederer,1852; #obscura Closs,1917* Original Reference: *Smerinthus kindermanni*

- Lederer, 1852, Verh. zool.- bot. Ver. Wien 2: 92-93. Lectotype ♂: [Türkei]: [Diyarbakır Prov.]: Argana, Maden (MNHB). Range (in code): **TR Arr IR Es Elb Th Mz Fa JO SY LB Bsa CY TM Kp IQ Agh AM Cc GG AZ Kir Len**
- 84012. *Smerinthus kindermanni obsoletus* Staudinger, 1901** (Sphingidae) Synonym(s): *obsoletus* Staudinger, 1901 Range (in code): **CN Ui Kl Ga Um Tpn Shz Mgn PK Ci Nwf Gg Psu AF Ca**
- 84013. *Smerinthus kindermanni orbatus* Groum-Grshimailo, 1890** (Sphingidae) Synonym(s): *orbatus* Groum-Grshimailo, 1890 Range (in code): **UZ Fe Man KK Ik AF Nu Bsg Srb Slg Kab Sfk**
- 84014. *Smerinthus minor* Mell, 1937** (Sphingidae) Synonym(s): *minor* Mell, 1937 Range (in code): **CN**
- 84015. *Smerinthus ocellatus* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus, 1758; *semipavo* Retzius, 1783; *salicis* Hübner, 1796; *cinerascens* Staudinger, 1879 Original Reference: *Sphinx ocellata* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 489. Type: Upsala, Sweden. Range (in code): **DZ Orn PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb Sr Ao Ur MD UA BY Cc GG Bjo AZ AM IR Elb Mz KG Uk KK** Bionomy: Larva on *Salix*, *Malus*, *Populus*, *Alnus*, *Prunus*, *Ligustrum* (Pittaway, 1983).
- 84016. *Smerinthus ocellatus ocellatus* (Linnaeus, 1758)** (Sphingidae) Synonym(s): *ocellatus* Linnaeus, 1758; *semipavo* Retzius, 1783; *salicis* Hübner, 1796; *cinerascens* Staudinger, 1879 Original Reference: *Sphinx ocellata* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 489. Type: Upsala, Sweden. Range (in code): **DZ Orn PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb Sr Ao Ur MD UA BY Cc GG Bjo AZ AM IR Elb Mz KG Uk KK** Bionomy: Larva on *Salix*, *Malus*, *Populus*, *Alnus*, *Prunus*, *Ligustrum* (Pittaway, 1983).
- 84017. *Smerinthus ocellatus protai* Speidel & Kaltenbach, 1981** (Sphingidae) Synonym(s): *protai* Speidel & Kaltenbach, 1981 Range (in code): **Sa**
- 84018. *Smerinthus planus* Walker, 1856** (Sphingidae) Synonym(s): *planus* Walker, 1856; *argus* Ménétériés, 1857; *alticola* Clark, 1922 Range (in code): **CN Yu Kwa RU Us Am**
- 84019. *Smerinthus planus juennanus* Mell, 1922** (Sphingidae) Synonym(s): *juennanus* Mell, 1922 Range (in code): **CN Yu**
- 84020. *Smerinthus planus planus* Walker, 1856** (Sphingidae) Synonym(s): *planus* Walker, 1856; *argus* Ménétériés, 1857; *alticola* Clark, 1922 Range (in code): **CN Kwa RU Us Am**
- 84021. *Smerinthus saliceti* Boisduval, [1875]** (Sphingidae) Synonym(s): *saliceti* Boisduval, [1875] Range (in code): **MX**
- 84022. *Smerinthus szechuanus* (Clark, 1938)** (Sphingidae) Synonym(s): *szechuanus* Clark, 1938; *litulinea* Zhu & Wang, 1997 Original Reference: *Anambulyx szechuanus* Clark, 1938, Proc. New. Engl. Zool. Club. 17: 43. Type: "Mt. Omei, Szechuan Province, China". Range (in code): **CN Sz Yu**
- 84023. *Smerinthus tokyonis* Matsumura, 1921** (Sphingidae) Synonym(s): *tokyonis* Matsumura, 1921 Range (in code): **JP**
- 84024. *Sphecodina caudata* (Bremer & Grey, [1852])** (Sphingidae) Synonym(s): *caudata* Bremer & Grey, [1852] Original Reference: *Macroglossa caudata* Bremer & Grey, [1852], [in] Motschulsky, Etud. Ent. 1: 62. Range (in code): **RU Sb KP KR CN TH CMa Int** Bionomy: Larva on *Vitis* (Vitaceae) (Inoue et al., 1997).
- 84025. *Sphecodina caudata caudata* (Bremer & Grey, [1852])** (Sphingidae) Synonym(s): *caudata* Bremer & Grey, [1852] Original Reference: *Macroglossa caudata* Bremer & Grey, [1852], [in] Motschulsky, Etud. Ent. 1: 62. Range (in code): **RU Sb KP KR CN**
- 84026. *Sphecodina caudata ssp.n.*** (Sphingidae) Synonym(s): Range (in code): **TH CMa Int** Bionomy: Larva on *Vitis* (Vitaceae) (Inoue et al., 1997).
- 84027. *Sphingonaepiopsis ansorgei* (Rothschild, 1904)** (Sphingidae) Synonym(s): *ansorgei* Rothschild, 1904; *featheri* Clark, 1929. Range (in code): **ZA**
- 84028. *Sphingonaepiopsis ansorgei ansorgei* (Rothschild, 1904)** (Sphingidae) Synonym(s): *ansorgei* Rothschild, 1904; *featheri* Clark, 1929. Range (in code): **ZA**
- 84029. *Sphingonaepiopsis gorgoniades* (Hübner, [1819])** (Sphingidae) Synonym(s): *gorgon* Esper, [1804] nec Cr., 1777; *gorgoniades* Hübner, [1819]; *chloroptera* von Mentzer, 1974. Original Reference: *Proserpinus gorgoniades* Hübner, [1819], Verz. bekannt. Schmett.: 132 (proposed as nomen novum for *Sphinx gorgon* Esper, [1804] nec Cramer, 1777). Type(s): [Russia]: lower Wolga (probably lost). Range (in code): **HV RO AL GR BG UA Cm RU Ur Or MK Skj AM GG Cc TR LB Bsa IR Ab Ak Elb Th Kh Lo IQ Hjo AF Kab JO IL Pa KK KG TJ UZ Fe Man** Bionomy: Larva on *Galium verum* (Rubiaceae) (Boisduval, 1875; Bartel, 1899; et seq.).

- 84030. *Sphingonaepiopsis gorgoniades gorgoniades* (Hübner,[1819])** (Sphingidae) Synonym(s): *gorgon* Esper,[1804] nec Cr.,1777; *gorgoniades* Hübner,[1819]; *chloroptera* von Mentzer,1974. Original Reference: Proserpinus gorgoniades Hübner,[1819], Verz. bekannt. Schmett.: 132 (proposed as nomen novum for *Sphinx gorgon* Esper,[1804] nec Cramer,1777). Type(s): [Russia]: lower Wolga (probably lost). Range (in code): **HV RO AL BG UA Cm RU Ur Or MK Skj GR KG KK TJ AF Kab UZ Fe Man**
- 84031. *Sphingonaepiopsis gorgoniades pfeifferi* Zerny,1933** (Sphingidae) Synonym(s): *pfeifferi* Zerny,1933 Original Reference: *Sphingonaepiopsis gorgoniades* ssp. *pfeifferi* Zerny,1933, Dt. ent. Z., Iris 47: 60. Lectotype ♂: Lebanon: cedar forests above Becharre, 1900m (designated by Danner et al.,1998) (NHMW). Range (in code): **AM GG Cc TR LB Bsa IR Ab Ak Elb Th Kh Lo IQ Hjo JO IL Pa**
- 84032. *Sphingonaepiopsis kuldjaensis* (Graeser,1892)** (Sphingidae) Synonym(s): *kuldjaensis* Graeser,1892 Original Reference: *Pterogon kuldjaensis* Graeser,1892, Berl. ent. Z. 37: 299-300. Syntypes 2♂: [China: Uighur A.R.]: Kuldja. Range (in code): **UZ TJ CN Ui Ku KK KG AF**
- 84033. *Sphingonaepiopsis kuldjaensis kuldjaensis* (Graeser,1892)** (Sphingidae) Synonym(s): *kuldjaensis* Graeser,1892 Original Reference: *Pterogon kuldjaensis* Graeser,1892, Berl. ent. Z. 37: 299-300. Syntypes 2♂: [China: Uighur A.R.]: Kuldja. Range (in code): **UZ TJ CN Ui Ku KK KG AF**
- 84034. *Sphingonaepiopsis malgassica* (Clark,1929)** (Sphingidae) Synonym(s): *malgassica* Clark,1929; *wellsi* Griveaud,1959. Range (in code): **MG**
- 84035. *Sphingonaepiopsis malgassica malgassica* (Clark,1929)** (Sphingidae) Synonym(s): *malgassica* Clark,1929; *wellsi* Griveaud,1959. Range (in code): **MG**
- 84036. *Sphingonaepiopsis nana* (Walker,1856)** (Sphingidae) Synonym(s): *#nanum* Boisduval,1847; *nana* Walker,1856; *gracilipes* Wallengren,1858. Original Reference: *Lophura nana* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 107. Range (in code): **SL KE ZA Tva Gau Pre Nta Kzu MZ Del PK BI OM YE Ad SA As IR Ss TZ UG AO BW ZW MW NG GM GN BF CI GA CF ZM**
- 84037. *Sphingonaepiopsis nana nana* (Walker,1856)** (Sphingidae) Synonym(s): *nana* Walker,1856; *gracilipes* Wallengren,1858. Original Reference: *Lophura nana* Walker,1856, List Specimens lepid. Insects Colln Br. Mus. 8: 107. Range (in code): **SL KE ZA Tva Gau Pre Nta Kzu MZ Del PK BI OM YE Ad SA As IR Ss TZ UG AO BW ZW MW NG GM GN BF CI GA CF ZM**
- 84038. *Sphingonaepiopsis obscurus* (Mabille,1880)** (Sphingidae) Synonym(s): *obscurus* Mabille,1880 Range (in code): **MG**
- 84039. *Sphingonaepiopsis obscurus obscurus* (Mabille,1880)** (Sphingidae) Synonym(s): *obscurus* Mabille,1880 Range (in code): **MG**
- 84040. *Sphingonaepiopsis pumilio* (Boisduval,[1875])** (Sphingidae) Synonym(s): *pumilio* Boisduval,[1875]; *?chinensis* Schufuss,1870; *pusilla* Butler,1875; *minima* Butler,1876. Range (in code): **IN NP TH VN CN MY** Bionomy: Larva on Hedyotis, Galium, Oldenlandia (Rubiaceae) (Inoue et al.,1997).
- 84041. *Sphingonaepiopsis pumilio pumilio* (Boisduval,[1875])** (Sphingidae) Synonym(s): *pumilio* Boisduval,[1875]; *?chinensis* Schufuss,1870; *pusilla* Butler,1875; *minima* Butler,1876. Range (in code): **IN NP TH VN CN MY** Bionomy: Larva on Hedyotis, Galium, Oldenlandia (Rubiaceae) (Inoue et al.,1997).
- 84042. *Sphingulus mus* Staudinger,1887** (Sphingidae) Synonym(s): *mus* Staudinger,1887; *taishanis* Mell,1937. Range (in code): **CN**
- 84043. *Sphingulus mus mus* Staudinger,1887** (Sphingidae) Synonym(s): *mus* Staudinger,1887; *taishanis* Mell,1937. Range (in code): **CN**
- 84044. *Sphinx adumbrata* (Dyar,1912)** (Sphingidae) Synonym(s): *adumbrata* Dyar,1912 Range (in code): **MX**
- 84045. *Sphinx arthuri* Rothschild,1897** (Sphingidae) Synonym(s): *arthuri* Rothschild,1897 Range (in code): **BO**
- 84046. *Sphinx asella* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *asella* Rothschild & Jordan,1903 Range (in code): **US Col**
- 84047. *Sphinx aurigutta* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *aurigutta* Rothschild & Jordan,1903 Range (in code): **PE**
- 84048. *Sphinx balsae* Schaus,1932** (Sphingidae) Synonym(s): *balsae* Schaus,1932 Range (in code): **MX**

- 84049. *Sphinx biolleyi* (Schaus,1912)** (Sphingidae) Synonym(s): *biolleyi* Schaus,1912 Range (in code): CR
- 84050. *Sphinx caligineus* (Butler,1877)** (Sphingidae) Synonym(s): *caligineus* Butler,1877 Range (in code): JP KP KR CN TH Bionomy: Larva on Picea, Larix, Pinus (Pinaceae) (Inoue et al.,1997).
- 84051. *Sphinx caligineus caligineus* (Butler,1877)** (Sphingidae) Synonym(s): *caligineus* Butler,1877 Range (in code):
- 84052. *Sphinx caligineus sinicus* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *sinicus* Rothschild & Jordan,1903; *brunnescens* Mell,1922 Range (in code): JP KP KR CN TH Bionomy: Larva on Picea, Larix, Pinus (Pinaceae) (Inoue et al.,1997).
- 84053. *Sphinx chersis* (Hübner,[1823])** (Sphingidae) Synonym(s): *chersis* Hübner,[1823]; *cinerea* Harris,1839; *oreodaphne* Edwards,1873; *pallascens* Rothschild & Jordan,1903 Range (in code): US Cf Arz
- 84054. *Sphinx chersis chersis* (Hübner,[1823])** (Sphingidae) Synonym(s): *chersis* Hübner,[1823]; *cinerea* Harris,1839; *oreodaphne* Edwards,1873; *pallascens* Rothschild & Jordan,1903 Range (in code): US Cf Arz
- 84055. *Sphinx chersis mexicana* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *mexicana* Rothschild & Jordan,1903 Range (in code): MX
- 84056. *Sphinx chisoya* (Schaus,1932)** (Sphingidae) Synonym(s): *chisoya* Schaus,1932 Range (in code): MX
- 84057. *Sphinx dollii* Neumoegen,1881** (Sphingidae) Synonym(s): *dollii* Neumoegen,1881; *coloradus* Smith,1887; *australis* B.P.Clark,1922 Range (in code): US Arz Col Cf
- 84058. *Sphinx gemina* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *gemina* Rothschild & Jordan,1903 Range (in code): MX
- 84059. *Sphinx justiciae* Walker,1856** (Sphingidae) Synonym(s): *justiciae* Walker,1856; *anteros* Ménétriés,1857 Range (in code): BR
- 84060. *Sphinx leucophaeata* Clemens,1859** (Sphingidae) Synonym(s): *leucophaeata* Clemens,1859; *lanceolata* R.Felder,1874 Range (in code): US Tx MX
- 84061. *Sphinx ligustri* Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 Range (in code): Az Cn TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Am Sb Ask Pt Tt VI Or Sr MD UA BY KG Mp KK Aa T-S At MN JP CN Cc GG Bjo Cm Bionomy: Larva on Ligustrum, Syringa, Fraxinus, Spiraea (Mann,1862; Pittaway,1983).
- 84062. *Sphinx ligustri ligustri* Linnaeus,1758** (Sphingidae) Synonym(s): *ligustri* Linnaeus,1758; *spiraee* Esper,1800; *amurensis* Oberthür,1886; *nisseni* Rothschild & Jordan,1903; *fraxini* Dannehl,1925; *chischimensis* Matsumura,1929; *weryi* Rungs,1977; *zolutuhini* Eitschberger & Lukhtanov,1996; *eichleri* Eitschberger, Danner & Surholt,1998 Range (in code): Az Cn TN PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Am Sb Ask Pt Tt VI Or Sr MD UA BY KG Mp KK Aa T-S At MN JP CN Cc GG Bjo Cm Bionomy: Larva probably on Fraxinus (Pittaway,1983).
- 84063. *Sphinx lugens* Walker,1856** (Sphingidae) Synonym(s): *lugens* Walker,1856; *andromedae* Boisduval,1870 Range (in code): MX HN
- 84064. *Sphinx maura* Burmeister,1879** (Sphingidae) Synonym(s): *maura* Burmeister,1879 Range (in code): AR
- 84065. *Sphinx maurorum* (Jordan,1913)** (Sphingidae) Synonym(s): *maurorum* Jordan,1913 Original Reference: *Hyloicus pinastri* ssp. *maurorum* Jordan,1931, Novit. zool. 36: 248-249, fig. Range (in code): PT ES Mu An Py FR DZ Abe Orn MA Rf Bionomy: Larva on Pinus, Cedrus (Pittaway,1983).
- 84066. *Sphinx merops* Boisduval,1870** (Sphingidae) Synonym(s): *merops* Boisduval,1870 Range (in code): HN EC VE
- 84067. *Sphinx merops judsoni* (Weiss,1932)** (Sphingidae) Synonym(s): *judsoni* Weiss,1932; *monjena* Schaus,1932 Range (in code): EC
- 84068. *Sphinx merops merops* Boisduval,1870** (Sphingidae) Synonym(s): *merops* Boisduval,1870 Range (in code): HN VE
- 84069. *Sphinx oberthueri* (Rothschild & Jordan,1903)** (Sphingidae) Synonym(s): *oberthueri* Rothschild & Jordan,1903; *jordani* Mell,1922; *thailandica* Inoue,1991 Range (in code): TH CN Yu
- 84070. *Sphinx perelegans* Edwards,1874** (Sphingidae) Synonym(s): *perelegans* Edwards,1874; *vancouverensis* Edwards,1874 Range (in code): CA

- 84071. *Sphinx phalerata* Kernbach,1955** (Sphingidae) **Synonym(s):** *phalerata* Kernbach,1955
Range (in code): **AR**
- 84072. *Sphinx pinastri* Linnaeus,1758** (Sphingidae) **Synonym(s):** *pinastri* Linnaeus,1758; *piceae* Gleditsch,1775; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina & Witt*,1987. **Range (in code):** **DZ Hrh Lbs FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo VI Tt Ur Pt MD UA BY Cc GG Tbl Bjo Mng LB JP US CA IN** **Bionomy:** Larva on Pinus, Picea, Larix, Cedrus (Pittaway,1983).
- 84073. *Sphinx pinastri pinastri* Linnaeus,1758** (Sphingidae) **Synonym(s):** *pinastri* Linnaeus,1758; *asiaticus* Butler,1875; *saniptri* Strecker,1876; *cenisius* Jordan,1931; *medialis* Jordan,1931; *euxinus* Derzhavets,1979; *selon De Freina & Witt*,1987. **Range (in code):** **DZ Hrh Lbs FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Mo VI Tt Ur Pt MD UA BY Cc GG Tbl Bjo Mng LB JP US CA IN**
- 84074. *Sphinx pitzahuac* Mooser,1948** (Sphingidae) **Synonym(s):** *pitzahuac* Mooser,1948 **Range (in code):** **MX**
- 84075. *Sphinx porioni* Cadiou,1995** (Sphingidae) **Synonym(s):** *porioni* Cadiou,1995 **Range (in code):** **PE**
- 84076. *Sphinx praelonga* (Rothschild & Jordan,1903)** (Sphingidae) **Synonym(s):** *praelonga* Rothschild & Jordan,1903 **Range (in code):** **HN**
- 84077. *Sphinx pseudostigmatica* Gehlen,1885** (Sphingidae) **Synonym(s):** *pseudostigmatica* Gehlen,1885 **Range (in code):** **MX**
- 84078. *Sphinx separata* Neumoegen,1885** (Sphingidae) **Synonym(s):** *separata* Neumoegen,1885; *melaena* Rothschild & Jordan,1916 **Range (in code):** **US MX**
- 84079. *Sphinx sequoiae* Boisduval,1868** (Sphingidae) **Synonym(s):** *sequoiae* Boisduval,1868; *engelhardti* B.P.Clark,1919 **Range (in code):** **US Ut MX**
- 84080. *Sphinx tricolor* B.P.Clark,1923** (Sphingidae) **Synonym(s):** *tricolor* B.P.Clark,1923 **Range (in code):** **DO**
- 84081. *Sphinx vashti* Strecker,[1878]** (Sphingidae) **Synonym(s):** *vashti* Strecker,[1878]; *albescens* Tepper,1881; *mordecai* McDunnough,1923; *gerhardi* Barnes & Benjamin,1924 **Range (in code):** **MX US Tx Cf Arz Col CA**
- 84082. *Sphinx vashti ahotla* Mooser,1944** (Sphingidae) **Synonym(s):** *ahotla* Mooser,1944 **Range (in code):** **US Cf**
- 84083. *Sphinx vashti libocedrus* Edwards,1881** (Sphingidae) **Synonym(s):** *libocedrus* Edwards,1881; *insolita* Lintner,1884 **Range (in code):** **US Tx Arz MX**
- 84084. *Sphinx vashti vashti* Strecker,[1878]** (Sphingidae) **Synonym(s):** *vashti* Strecker,[1878]; *albescens* Tepper,1881; *mordecai* McDunnough,1923; *gerhardi* Barnes & Benjamin,1924 **Range (in code):** **US Arz Col CA**
- 84085. *Sphinx xanthus* Cary,1963** (Sphingidae) **Synonym(s):** *xanthus* Cary,1963 **Range (in code):** **MX**
- 84086. *Stolidoptera tachasara* (Druce,1888)** (Sphingidae) **Synonym(s):** *tachasara* Druce,1888 **Range (in code):** **PA VE**
- 84087. *Temnora elegans* (Rothschild,1895)** (Sphingidae) **Synonym(s):** *elegans* Rothschild,1895 **Range (in code):** **ZA AO ZM ZW MW TZ NG**
- 84088. *Temnora elegans polia* Rothschild,1904** (Sphingidae) **Synonym(s):** *polia* Rothschild,1904 **Range (in code):** **ZA AO ZM ZW MW TZ**
- 84089. *Temnora fumosa* (Walker,1856)** (Sphingidae) **Synonym(s):** *fumosa* Walker,1856 **Range (in code):** **ZA**
- 84090. *Temnora funebris* (Holland,1893)** (Sphingidae) **Synonym(s):** *funebris* Holland,1893; *vambui* Stevenson,1938 **Range (in code):** **ZA**
- 84091. *Temnora iapygoides* (Holland,1889)** (Sphingidae) **Synonym(s):** *iapygoides* Holland,1889; *preussi* Karsch,1891; *clements* Rothschild,1894; *pernix* Kernbach,1962. **Range (in code):** **ZA**
- 84092. *Temnora inornata* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *inornata* Rothschild,1894 **Range (in code):** **ZA**
- 84093. *Temnora marginata* (Walker,1856)** (Sphingidae) **Synonym(s):** *marginata* Walker,1856; *brunnea* Rothschild,1894 **Range (in code):** **ZA**
- 84094. *Temnora murina* (Walker,1856)** (Sphingidae) **Synonym(s):** *murina* Walker,1856; *tyrrhus* Boisduval,1875 **Range (in code):** **ZA Tva Mpu Brb Nta Kzu Dbn**
- 84095. *Temnora namaqua* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *namaqua* Rothschild & Jordan,1903 **Range (in code):** **ZA**

- 84096. *Temnora natalis* Walker, 1856** (Sphingidae) **Synonym(s):** *natalis* Walker, 1856; *natalii* Boisduval, 1875; *kafakumbae* Clark, 1936 **Range (in code):** **ZA**
- 84097. *Temnora plagiata* Walker, 1856** (Sphingidae) **Synonym(s):** *plagiata* Walker, 1856; *confusa* Walker, 1856; *dicana* Boisduval, 1875; *maculata* Rothschild, 1894 **Range (in code):** **ZA**
- 84098. *Temnora pseudopylas* (Rothschild, 1894)** (Sphingidae) **Synonym(s):** *brisaeus* Wallengren, 1865 nec Walk., 1856; *pseudopylas* Rothschild, 1894; *congoi* Clark, 1936; *#pseudohylas* Fletcher, 1968 **Range (in code):** **ZA**
- 84099. *Temnora pylades* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *pylades* Rothschild & Jordan, 1903; *stevensoni* Clark, 1926 **Range (in code):** **ZA**
- 84100. *Temnora pylas* (Cramer, 1779)** (Sphingidae) **Synonym(s):** *pylas* Cramer, 1779; *brisaeus* Walker, 1856 **Range (in code):** **ZA Tva Lpo Gau Spb Pre Nta Kzu Dbn Ptb**
- 84101. *Temnora robertsoni* Carcasson, 1968** (Sphingidae) **Synonym(s):** *robertsoni* Carcasson, 1968 **Range (in code):** **ZA**
- 84102. *Temnora sardanus* (Walker, 1856)** (Sphingidae) **Synonym(s):** *sardanus* Walker, 1856; *uniformis* Rothschild, 1894 **Range (in code):** **ZA**
- 84103. *Temnora subapicalis* Rothschild & Jordan, 1903** (Sphingidae) **Synonym(s):** *subapicalis* Rothschild & Jordan, 1903 **Range (in code):** **ZA**
- 84104. *Temnora swynnertoni* Stevenson, 1938** (Sphingidae) **Synonym(s):** *swynnertoni* Stevenson, 1938 **Range (in code):** **ZA**
- 84105. *Temnora zantus* (Herrich-Schäffer, [1854])** (Sphingidae) **Synonym(s):** *zantus* Herrich-Schäffer, [1854]; *excisa* Walker, 1856; *dorus* Boisduval, 1875; *brunnescens* Clark, 1919 **Range (in code):** **ZA**
- 84106. *Temnora zantus curvilimes* Hering, 1927** (Sphingidae) **Synonym(s):** *curvilimes* Hering, 1927 **Range (in code):** **ZA**
- 84107. *Thereatra alecto* (Linnaeus, 1758)** (Sphingidae) **Synonym(s):** *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O. Bang-Haas, 1927; *intermissa* Gehlen, 1941. **Range (in code):** **Si RO YU BG GR Rd Cr TR RU IR Mz Kh Th Elb Ss TM Kp Mrw AZ Kir Bak Da Len Der Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal Pan Sam IQ Agh JO KG Tks Mre LK** **Bionomy:** Larva on *Dillenia indica* (Dilleniaceae), *Saurauia nepalensis* (Actinidiaceae), *Vitis* (Vitaceae), *Leea* (Leeaceae), *Psychotria*, *Rubia cordifolia* (Rubiaceae) (Bell & Scott, 1937).
- 84108. *Thereatra alecto alecto* (Linnaeus, 1758)** (Sphingidae) **Synonym(s):** *alecto* Linnaeus, 1758; *cretica* Boisduval, 1827; *freyeri* Kirby, 1892; *transcaspica* O. Bang-Haas, 1927; *intermissa* Gehlen, 1941. **Range (in code):** **Si RO YU BG GR Rd Cr TR RU IR Kh Th Elb Ss TM Kp Mrw AZ Kir Bak Cc GG Lag LB Bei Bsa IL Hf Pa UZ Fe AF Ca Srb Nu Bsg Kab Pag Jla PK Kai IN CN TH CMa Cuo MM MY TW Ri ID Sum Ja Bor Flo Mlc Clb Kai PH Bal Boh Ceb Jol Ley Luz Mar Mno Mdo Neg Pal Pan Sam IQ Agh JO KG Tks Mre LK** **Bionomy:** Larva on *Dillenia indica* (Dilleniaceae), *Saurauia nepalensis* (Actinidiaceae), *Vitis* (Vitaceae), *Leea* (Leeaceae), *Psychotria*, *Rubia cordifolia* (Rubiaceae) (Bell & Scott, 1937).
- 84109. *Thereatra boisduvalii* (Bugnion, 1839)** (Sphingidae) **Synonym(s):** *boisduvalii* Bugnion, 1839 **Original Reference:** *Sphinx boisduvalii* Bugnion, 1839, *Annls Soc. ent. Fr.* 1839: 113. **Range (in code):** **IN LK TH CMa Cuo CDo VN TW ID Sum Ja** **Bionomy:** Larva on *Vitis*, *Parthenocissus* (Vitaceae) (Inoue et al., 1997).
- 84110. *Thereatra cajus* (Cramer, 1777)** (Sphingidae) **Synonym(s):** *cajus* Cramer, 1777; *gordius* Stoll, 1781; *celaeno* Esper, 1782; *gortys* Hübner, [1819]; *epicles* Boisduval, 1875 **Range (in code):** **ZA Tva Nta Kzu Wca**
- 84111. *Thereatra capensis* (Linnaeus, 1764)** (Sphingidae) **Synonym(s):** *capensis* Linnaeus, 1764; *aeas* Cramer, 1779; *cecrops* Cramer, 1779; *clotho* Fabricius, 1787 nec Dru., 1773; *immaculata* Gmelin, 1790; *ostracina* Wallengren, 1858; *#vinacea* Closs, 1915. **Range (in code):** **ZA Wca Cto Tva Gau Pre Nta Kzu**
- 84112. *Thereatra capensis capensis* (Linnaeus, 1764)** (Sphingidae) **Synonym(s):** *capensis* Linnaeus, 1764; *aeas* Cramer, 1779; *cecrops* Cramer, 1779; *clotho* Fabricius, 1787 nec Dru., 1773; *immaculata* Gmelin, 1790; *ostracina* Wallengren, 1858; *#vinacea* Closs, 1915. **Range (in code):** **ZA Wca Cto Tva Gau Pre Nta Kzu**
- 84113. *Thereatra castanea* (Moore)** (Sphingidae) **Synonym(s):** *castanea* Moore; *swinhoei* Clark, 1925 **Range (in code):** **IN**
- 84114. *Thereatra clotho* (Drury, [1773])** (Sphingidae) **Synonym(s):** *clotho* Drury, [1773] **Range (in code):** **LK IN NP TH CMa Cuo CN KP KR JP Adm ID Sly Mlc AU PG NC Sum Ja Flo Tim TW PH Bal Boh Bon Cal Ceb Jol Ley Mdo Mno Neg Pal Pan Sam Sib Siq Stu Taw** **Bionomy:** Larva on *Amorphophallus*, *Colocasia* (Araceae), *Begonia* (Begoniaceae), *Dillenia* (Dilleniaceae), *Leea*

- (Leeaceae), Hibiscus (Malvaceae), Fuchsia (Onagraceae), Dendrocnide, Pipturus (Urticaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue, 1997).
- 84115. *Theretra clotho celata* (Butler, 1877)** (Sphingidae) Synonym(s): *celata* Butler, 1877
Range (in code): NC ID Mlc AU PG
- 84116. *Theretra clotho clotho* (Drury, [1773])** (Sphingidae) Synonym(s): *clotho* Drury, [1773]
Range (in code): LK IN NP TH CMa Cuo CN KP KR JP Adm ID Sly Sum Ja Flo Tim TW PH Bal Boh Bon Cal Ceb Jol Ley Mdo Mno Neg Pal Pan Sam Sib Siq Stu Taw Bionomy: Larva on Amorphophallus, Colocasia (Araceae), Begonia (Begoniaceae), Dillenia (Dilleniaceae), Leea (Leeaceae), Hibiscus (Malvaceae), Fuchsia (Onagraceae), Dendrocnide, Pipturus (Urticaceae), Cayratia, Cissus, Parthenocissus, Vitis (Vitaceae) (Inoue, 1997).
- 84117. *Theretra insularis* (Swinhoe, 1892)** (Sphingidae) Synonym(s): *insularis* Swinhoe, 1892
Range (in code): ID Kai Crm PH Bal Ley Luz Mdo Mno Pan Sam Siq
- 84118. *Theretra japonica* (Boisduval, 1869)** (Sphingidae) Synonym(s): *japonica* Boisduval, 1869
Range (in code): JP TW
- 84119. *Theretra jugurtha* (Boisduval, [1875])** (Sphingidae) Synonym(s): *jugurtha* Boisduval, [1875]; *obliterata* Rothschild, 1894 Range (in code): ZA
- 84120. *Theretra latreillii* Macleay, [1826]** (Sphingidae) Synonym(s): *latreillii* Macleay, [1826]
Range (in code): IN LK CN TW Adm MM TH CMa Cuo VN ID Sum Ja Flo Clb Mlc SB AU PH Bal Boh Bon Ceb Jol Ley Luz Mdo Mno Neg Pal Siq Stu Taw Bionomy: Larva on Saurauia (Actinidiaceae), Impatiens (Balsaminaceae), Begonia (Begoniaceae), Tetracera (Dilleniaceae), Leea (Leeaceae), Lagerstroemia (Lythraceae), Fuchsia (Onagraceae), Cayratia, Parthenocissus, Vitis, Tetrastigma (Vitaceae) (Inoue et al., 1997).
- 84121. *Theretra latreillii lucasii* (Walker, 1856)** (Sphingidae) Synonym(s): *lucasii* Walker, 1856; *distincta* Mell, 1922; *montana* Mell, 1922 Range (in code): IN LK CN MM TH CMa Cuo VN TW Adm ID Sum Ja Flo Clb Mlc SB AU PH Bal Boh Bon Ceb Jol Ley Luz Mdo Mno Neg Pal Siq Stu Taw Bionomy: Larva on Saurauia (Actinidiaceae), Impatiens (Balsaminaceae), Begonia (Begoniaceae), Tetracera (Dilleniaceae), Leea (Leeaceae), Lagerstroemia (Lythraceae), Fuchsia (Onagraceae), Cayratia, Parthenocissus, Vitis, Tetrastigma (Vitaceae) (Inoue et al., 1997).
- 84122. *Theretra lycetus* (Cramer, 1775)** (Sphingidae) Synonym(s): *lycetus* Cramer, 1775 Original Reference: Sphinx lycetus Cramer, 1775, Uitl. Kapellen 1: 96, pl. 61 fig. D. Range (in code): IN LK MM NP TH CMa CDo Dst Mth VN MY ID Sum Ja Bionomy: Larva on Dillenia (Dilleniaceae), Vitis (Vitaceae), Leea (Leeaceae) (Inoue et al., 1997).
- 84123. *Theretra manilae* Clark, 1922** (Sphingidae) Synonym(s): *manilae* Clark, 1922 Range (in code): ID Clb PH Ley Luz Mdo Mno Neg Pal Pan Sam Siq
- 84124. *Theretra monteironis* (Butler, 1882)** (Sphingidae) Synonym(s): *monteironis* Butler, 1882; *ugandae* Clark, 1923 Range (in code): ZA
- 84125. *Theretra nessus* (Drury, [1773])** (Sphingidae) Synonym(s): *nessus* Drury, [1773] Original Reference: Sphinx nessus Drury, [1773], Illust. exot. Ins. 2: Index [91], pl. 76, fig. 1. Range (in code): LK Pdy IN NP MM TH CMa Cuo Sgk Hya PSu VN CN JP TW AU QAU NH LO NC Hw PH Bal Boh Cal Cat Ceb Din Jol Ley Luz Mar Mas Mdo Mno Neg Pal Pan Sam Sib Siq Stu Bionomy: Larva on Amaranthus (Amaranthaceae), Impatiens (Balsaminaceae), Citrullus (Cucurbitaceae), Arathis (Fabaceae), Boerhavia (Nyctaginaceae), Knoxia, Morinda, Oldenlandia, Spermacoce (Rubiaceae), Glossostigma (Scrophulariaceae), Camellia (Theaceae) (Inoue).
- 84126. *Theretra oldenlandiae* (Fabricius, 1775)** (Sphingidae) Synonym(s): *oldenlandiae* Fabricius, 1775; *olivacens* Mell, 1922 Original Reference: Sphinx oldenlandiae Fabricius, 1775, Syst. Ent.: 542. Type(s): India. Range (in code): LK PK Swa Alp Kkar Sgl IN NP MM TH CMa Cuo MY VN CN KP KR JP ID Sum Ja Flo Tim Bor Mlc Clb TW Clb Mlc PG AU WS PH Bal Boh Ceb Jol Ley Luz Mdo Mno Neg Pal Pan Pao Sam Sib Siq Taw Bionomy: Larva on Alocasia, Amorphophyllum, Caladium, Colocasia (Araceae), Impatiens (Balsaminaceae), Careya, Planchonia (Barringtoniaceae), Cystostoma (Bignoniaceae), Ipomoea (Convolvulaceae), Dilleniaceae, Onagraceae, Rubiaceae, Vitaceae (Inoue et al., 1997).
- 84127. *Theretra oldenlandiae firmata* (Walker, 1856)** (Sphingidae) Synonym(s): *firmata* Walker, 1856 Range (in code): ID Clb
- 84128. *Theretra oldenlandiae fuscata* Gehlen, 1941** (Sphingidae) Synonym(s): *fuscata* Gehlen, 1941 Range (in code): ID Mlc
- 84129. *Theretra oldenlandiae oldenlandiae* (Fabricius, 1775)** (Sphingidae) Synonym(s): *oldenlandiae* Fabricius, 1775; *olivacens* Mell, 1922 Original Reference: Sphinx oldenlandiae

- Fabricius, 1775, Syst. Ent.: 542. Type(s): India. Range (in code): **PK Swa Alp Kkar Sgl IN LK MM NP TH CMa Cuo VN CN TW JP KP KR MY ID Sum Ja Flo Tim Bor PH Bal Boh Ceb Jol Ley Luz Mdo Mno Neg Pal Pan Pao Sam Sib Siq Taw** Bionomy: Larva on Alocasia, Amorphophyllus, Caladium, Colocasia (Araceae), Impatiens (Balsaminaceae), Careya, Planchonia (Barringtoniaceae), Cystostoma (Bignoniaceae), Ipomoea (Convolvulaceae), Dilleniaceae, Onagraceae, Rubiaceae, Vitaceae (Inoue et al., 1997).
- 84130. Theretra oldenlandiae samoana Gehlen, 1941** (Sphingidae) Synonym(s): *samoana* Gehlen, 1941 Range (in code): **WS**
- 84131. Theretra orpheus (Herrich-Schäffer, [1854])** (Sphingidae) Synonym(s): *orpheus* Herrich-Schäffer, [1854]; *natalensis* Rothschild, 1894; *#orphaeus* Distant, 1899 Range (in code): **ZA**
- 84132. Theretra pallicosta (Walker, 1856)** (Sphingidae) Synonym(s): *pallicosta* Walker, 1856 Original Reference: Chaerocampa pallicosta Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 145. Range (in code): **IN LK MM TH CMa Cuo CDo Cnz Cz10 NP VN CN MY ID Sum Ja** Bionomy: Larva on Aporosa (Euphorbiaceae) (Inoue et al., 1997).
- 84133. Theretra rhesus (Boisduval, [1785])** (Sphingidae) Synonym(s): *rhesus* Boisduval, [1785] Range (in code): **ID Sum Ja Bli Bor Clb PH Bal Boh Bon Ceb Jol Ley Luz Mar Mdo Mno Neg Pal Pan Sam Sib Siq TW**
- 84134. Theretra silhetensis (Walker, 1856)** (Sphingidae) Synonym(s): *silhetensis* Walker, 1856 Original Reference: Chaerocampa silhetensis Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 143. Range (in code): **IN LK TH CMa Cuo MM MY Sum Bor Ja VN TW CN JP PH Bal Boh Cal CmL Din Jol Ley Luz Mno Neg Pal Pan Sam Taw ID Clb Sba FJ AU QAU NC WS** Bionomy: Larva on Arum, Caladium, Colocasia, Pistia (Araceae), Kochia (Chenopodiaceae), Ipomoea (Convolvulaceae), Boerhavia (Nyctaginaceae), Ludwigia (Onagraceae), Rosa (Rosaceae), Trapa (Trapaceae) (Inoue et al., 1997).
- 84135. Theretra silhetensis intersecta (Butler, 1875)** (Sphingidae) Synonym(s): *intersecta* Butler, 1875 Range (in code): **AU QAU NC WS ID Clb Sba FJ PH Bal Boh Cal CmL Din Jol Ley Luz Mno Neg Pal Pan Sam Taw**
- 84136. Theretra silhetensis silhetensis (Walker, 1856)** (Sphingidae) Synonym(s): *silhetensis* Walker, 1856 Original Reference: Chaerocampa silhetensis Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 143. Range (in code): **IN LK MM MY ID Sum Bor Ja TH CMa Cuo VN TW CN JP** Bionomy: Larva on Arum, Caladium, Colocasia, Pistia (Araceae), Kochia (Chenopodiaceae), Ipomoea (Convolvulaceae), Boerhavia (Nyctaginaceae), Ludwigia (Onagraceae), Rosa (Rosaceae), Trapa (Trapaceae) (Inoue et al., 1997).
- 84137. Theretra suffusa (Walker, 1856)** (Sphingidae) Synonym(s): *suffusa* Walker, 1856 Original Reference: Chaerocampa suffusa Walker, 1856, List Specimens lepid. Insects Colln Br. Mus. 8: 146. Range (in code): **NP IN MM TH CN VN TW JP Ri MY ID Sum Ja Bor PH Pal** Bionomy: Larva on Melastoma (Melastomaceae) (Inoue et al., 1997).
- 84138. Theretra sugii Cadiou, 1995** (Sphingidae) Synonym(s): *sugii* Cadiou, 1995 Range (in code): **PH Mno**
- 84139. Troglonema pseudoambulyx (Boisduval, [1875])** (Sphingidae) Synonym(s): *pseudoambulyx* Boisduval, [1875] Range (in code): **MX**
- 84140. Xanthopan morganii (Walker, 1856)** (Sphingidae) Synonym(s): *morganii* Walker, 1856; *morganii* Mitchell, 1973 Range (in code): **ZA**
- 84141. Xenosphingia jansei Jordan, 1920** (Sphingidae) Synonym(s): *jansei* Jordan, 1920 Range (in code): **ZA**
- 84142. Xylophanes acrus Rothschild & Jordan, 1910** (Sphingidae) Synonym(s): *acrus* Rothschild & Jordan, 1910 Range (in code): **PA**
- 84143. Xylophanes adalia (Druce, 1881)** (Sphingidae) Synonym(s): *adalia* Druce, 1881 Range (in code): **PA**
- 84144. Xylophanes agilis Closs, 1916** (Sphingidae) Synonym(s): *agilis* Closs, 1916 Range (in code): **EC**
- 84145. Xylophanes aglaor (Boisduval, [1875])** (Sphingidae) Synonym(s): *aglaor* Boisduval, [1875] Range (in code): **BR**
- 84146. Xylophanes alegrensis Closs, 1915** (Sphingidae) Synonym(s): *alegrensis* Closs, 1915 Range (in code): **BR Rgs**
- 84147. Xylophanes amadis (Cramer, 1782)** (Sphingidae) Synonym(s): *amadis* Cramer, 1782; *thalassina* Clemens, 1859 Range (in code): **SR GY PA VE PE BR**

- 84148. *Xylophanes amadis amadis* (Cramer,1782)** (Sphingidae) Synonym(s): *amadis* Cramer,1782; *thalassina* Clemens,1859 Range (in code): SR GY
- 84149. *Xylophanes amadis cyrene* (Druce,1881)** (Sphingidae) Synonym(s): *cyrene* Druce,1881; *drucei* Kirby,1892; *staudingeri* Rothschild,1894 Range (in code): PA
- 84150. *Xylophanes amadis goeldi* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *goeldi* Rothschild & Jordan,1903 Range (in code): BR
- 84151. *Xylophanes amadis meridanus* Rothschild & Jordan,1910** (Sphingidae) Synonym(s): *meridanus* Rothschild & Jordan,1910 Range (in code): VE
- 84152. *Xylophanes amadis stuarti* (Rothschild,1894)** (Sphingidae) Synonym(s): *stuarti* Rothschild,1894 Range (in code): PE
- 84153. *Xylophanes anubus* (Cramer,1777)** (Sphingidae) Synonym(s): *anubus* Cramer,1777; *nitidula* Clemens,1859; *laevis* Grote & Robinson,1867; *miradonis* Boisduval,[1875]; *alcides* Boisduval,[1875]; *#infernalis* Gehlen,1926 Range (in code): PY SR MX GY BR Sct VE
- 84154. *Xylophanes anubus anubus* (Cramer,1777)** (Sphingidae) Synonym(s): *anubus* Cramer,1777; *nitidula* Clemens,1859; *laevis* Grote & Robinson,1867; *miradonis* Boisduval,[1875]; *alcides* Boisduval,[1875]; *#infernalis* Gehlen,1926 Range (in code): SR MX GY BR Sct VE
- 84155. *Xylophanes anubus paraguayensis* Gehlen,1933** (Sphingidae) Synonym(s): *paraguayensis* Gehlen,1933 Range (in code): PY
- 84156. *Xylophanes belti* (Druce,1878)** (Sphingidae) Synonym(s): *belti* Druce,1878 Range (in code): NI
- 84157. *Xylophanes brevis* B.P.Clark,1922** (Sphingidae) Synonym(s): *brevis* B.P.Clark,1922 Range (in code): VE
- 84158. *Xylophanes cantel* Schaus,1941** (Sphingidae) Synonym(s): *cantel* Schaus,1941 Range (in code): MX
- 84159. *Xylophanes ceratomioides* (Grote & Robinson,1867)** (Sphingidae) Synonym(s): *ceratomioides* Grote & Robinson,1867; *capreolus* Schaufuss,1870 Range (in code): MX GY VE
- 84160. *Xylophanes chiron* (Drury,1771)** (Sphingidae) Synonym(s): *chiron* Drury,1771; *sagittata* Goeze,1780; *butus* Fabricius,1787; *druryi* Boisduval,[1875] Range (in code): JM CU HT MQ GP LC VE
- 84161. *Xylophanes chiron chiron* (Drury,1771)** (Sphingidae) Synonym(s): *chiron* Drury,1771; *sagittata* Goeze,1780; *butus* Fabricius,1787; *druryi* Boisduval,[1875] Range (in code): JM
- 84162. *Xylophanes chiron cubanus* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *cubanus* Rothschild & Jordan,1906 Range (in code): CU
- 84163. *Xylophanes chiron lucianus* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *lucianus* Rothschild & Jordan,1906 Range (in code): LC
- 84164. *Xylophanes chiron martiniquensis* Kernbach,1964** (Sphingidae) Synonym(s): *martiniquensis* Kernbach,1964 Range (in code): MQ
- 84165. *Xylophanes chiron nechus* (Cramer,1777)** (Sphingidae) Synonym(s): *nechus* Cramer,1777; *haitiensis* Butler,1875 Range (in code): HT VE
- 84166. *Xylophanes clarki* Ramsden,1921** (Sphingidae) Synonym(s): *clarki* Ramsden,1921 Range (in code): CU
- 84167. *Xylophanes colinae* Haxaire,1994** (Sphingidae) Synonym(s): *colinae* Haxaire,1994 Range (in code): VE
- 84168. *Xylophanes colombiana* B.P.Clark,1935** (Sphingidae) Synonym(s): *colombiana* B.P.Clark,1935 Range (in code): CO
- 84169. *Xylophanes cosmius* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *cosmius* Rothschild & Jordan,1906; *pizarro* Gehlen,1928 Range (in code): PE BR Azn
- 84170. *Xylophanes cosmius cosmius* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *cosmius* Rothschild & Jordan,1906; *pizarro* Gehlen,1928 Range (in code): PE
- 84171. *Xylophanes cosmius obscurus* Rothschild & Jordan,1910** (Sphingidae) Synonym(s): *obscurus* Rothschild & Jordan,1910 Range (in code): BR Azn
- 84172. *Xylophanes crotonis* (Walker,1856)** (Sphingidae) Synonym(s): *crotonis* Walker,1856; *aristor* Boisduval,1870; *hotulanus* Schaufuss,1870; *viridescens* Butler,1875; *virescens* Kirby,1892 Range (in code): CO VE GT
- 84173. *Xylophanes damocrita* (Druce,1894)** (Sphingidae) Synonym(s): *damocrita* Druce,1894 Range (in code): MX Ver
- 84174. *Xylophanes depuiseti* (Boisduval,[1875])** (Sphingidae) Synonym(s): *depuiseti* Boisduval,[1875] Range (in code): BR

- 84175. *Xylophanes docilis* (Butler,1875)** (Sphingidae) Synonym(s): *docilis* Butler,1875 Range (in code): EC
- 84176. *Xylophanes dolius* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *dolius* Rothschild & Jordan,1906 Range (in code): EC
- 84177. *Xylophanes elara* (Druce,1878)** (Sphingidae) Synonym(s): *elara* Druce,1878; *elicius* Möschler,1882; *perviridis* Rothschild,1894; *#simulans* Raymundo,1932 Range (in code): PY SR BR VE
- 84178. *Xylophanes epaphus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *epaphus* Boisduval,[1875]; *böttgeri* Rothschild,1894 Range (in code): PE
- 84179. *Xylophanes eumedon* (Boisduval,[1875])** (Sphingidae) Synonym(s): *eumedon* Boisduval,[1875]; *ortospina* Druce,1889 Range (in code): MX
- 84180. *Xylophanes falco* (Walker,1856)** (Sphingidae) Synonym(s): *falco* Walker,1856; *fugax* Boisduval,1870; *mexicana* Erschoff,1877; *#talco* Möschler,1880 Range (in code): MX HO PE
- 84181. *Xylophanes fernandezi* Chacin, Clavijo & Marmels,1996** (Sphingidae) Synonym(s): *fernandezi* Chacin, Clavijo & Marmels,1996 Range (in code): VE
- 84182. *Xylophanes ferotinus* Gehlen,1930** (Sphingidae) Synonym(s): *ferotinus* Gehlen,1930 Range (in code): BR Sct
- 84183. *Xylophanes fosteri* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *fosteri* Rothschild & Jordan,1906 Range (in code): PY
- 84184. *Xylophanes fuscimacula* (R.Felder,1874)** (Sphingidae) Synonym(s): *fuscimacula* R.Felder,1874; *niepelti* Gehlen,1928 Range (in code): BR CO VE
- 84185. *Xylophanes germen* (Schaus,1890)** (Sphingidae) Synonym(s): *germen* Schaus,1890 Range (in code): MX Vcr VE
- 84186. *Xylophanes germen germen* (Schaus,1890)** (Sphingidae) Synonym(s): *germen* Schaus,1890 Range (in code): MX Vcr
- 84187. *Xylophanes germen yurakano* Lichy,1945** (Sphingidae) Synonym(s): *yurakano* Lichy,1945 Range (in code): VE
- 84188. *Xylophanes godmani* (Druce,1882)** (Sphingidae) Synonym(s): *godmani* Druce,1882 Range (in code): PA
- 84189. *Xylophanes guianensis* (Rothschild,1894)** (Sphingidae) Synonym(s): *guianensis* Rothschild,1894 Range (in code): GY VE
- 84190. *Xylophanes gundlachi* (Herrich-Schäffer,1863)** (Sphingidae) Synonym(s): *gundlachi* Herrich-Schäffer,1863 Range (in code): CU
- 84191. *Xylophanes hannemanni* Closs,1917** (Sphingidae) Synonym(s): *hannemanni* Closs,1917 Range (in code): MX
- 84192. *Xylophanes haxairei* Cadiou,1985** (Sphingidae) Synonym(s): *haxairei* Cadiou,1985 Range (in code): GY VE
- 84193. *Xylophanes hojeda* Gehlen,1928** (Sphingidae) Synonym(s): *hojeda* Gehlen,1928 Range (in code): CO
- 84194. *Xylophanes hydrata* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *hydrata* Rothschild & Jordan,1903 Range (in code): BR
- 84195. *Xylophanes indistincta* Closs,1915** (Sphingidae) Synonym(s): *indistincta* Closs,1915; *zikani* B.P.Clark,1922 Range (in code): BR Sct
- 84196. *Xylophanes irrorata* (Grote,1865)** (Sphingidae) Synonym(s): *irrorata* Grote,1865 Range (in code): CU
- 84197. *Xylophanes isaon* (Boisduval,[1875])** (Sphingidae) Synonym(s): *isaon* Boisduval,[1875]; *olivacea* Rothschild,1894; *#nanus* Raymundo,1932 Range (in code): BR
- 84198. *Xylophanes jamaicensis* B.P.Clark,1935** (Sphingidae) Synonym(s): *jamaicensis* B.P.Clark,1935 Range (in code): JM
- 84199. *Xylophanes jordani* B.P.Clark,1916** (Sphingidae) Synonym(s): *jordani* B.P.Clark,1916 Range (in code): CR
- 84200. *Xylophanes josephinae* B.P.Clark,1920** (Sphingidae) Synonym(s): *josephinae* B.P.Clark,1920 Range (in code): GT
- 84201. *Xylophanes juanita* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *mexicana* Schaus,1890 *nec* Ersch.,1877; *juanita* Rothschild & Jordan,1903 Range (in code):
- 84202. *Xylophanes kaempferi* B.P.Clark,1931** (Sphingidae) Synonym(s): *kaempferi* B.P.Clark,1931 Range (in code): PY

- 84203. *Xylophanes katharinae* B.P.Clark,1931** (Sphingidae) Synonym(s): *katharinae* B.P.Clark,1931 Range (in code): MX
- 84204. *Xylophanes kiefferi* Cadiou,1995** (Sphingidae) Synonym(s): *kiefferi* Cadiou,1995 Range (in code): CO
- 84205. *Xylophanes libya* (Druce,1878)** (Sphingidae) Synonym(s): *libya* Druce,1878; *pallenscens* Closs,1917 Range (in code): PA PE VE
- 84206. *Xylophanes linearis* B.P.Clark,1935** (Sphingidae) Synonym(s): *linearis* B.P.Clark,1935 Range (in code): LC
- 84207. *Xylophanes loelia* (Druce,1878)** (Sphingidae) Synonym(s): *loelia* Druce,1878; *#laelia* Druce,[1881]; *heinrichi* Closs,1917 Range (in code): PA PE VE
- 84208. *Xylophanes macasensis* B.P.Clark,1922** (Sphingidae) Synonym(s): *macasensis* B.P.Clark,1922 Range (in code): EC
- 84209. *Xylophanes maculator* (Boisduval,[1875])** (Sphingidae) Synonym(s): *maculator* Boisduval,[1875]; *moeschleri* Erschoff,1876 Range (in code): EC VE
- 84210. *Xylophanes maculator maculator* (Boisduval,[1875])** (Sphingidae) Synonym(s): *maculator* Boisduval,[1875]; *moeschleri* Erschoff,1876 Range (in code): VE
- 84211. *Xylophanes maculator wolffi* (Druce,1882)** (Sphingidae) Synonym(s): *wolffi* Druce,1882 Range (in code): EC
- 84212. *Xylophanes media* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *media* Rothschild & Jordan,1903 Range (in code): VE
- 84213. *Xylophanes mirabilis* B.P.Clark,1916** (Sphingidae) Synonym(s): *mirabilis* B.P.Clark,1916; *venator* Niepelt,1927 Range (in code): CO
- 84214. *Xylophanes mossi* B.P.Clark,1917** (Sphingidae) Synonym(s): *mossi* B.P.Clark,1917 Range (in code): BR
- 84215. *Xylophanes mulleri* B.P.Clark,1920** (Sphingidae) Synonym(s): *mulleri* B.P.Clark,1920; *#muelleri* Draudt,1931 Range (in code): MX Vcr
- 84216. *Xylophanes nabuchodonosor* Oberthür,1904** (Sphingidae) Synonym(s): *nabuchodonosor* Oberthür,1904; *caissa* Gehlen,1931 Range (in code): BO
- 84217. *Xylophanes neoptolemus* (Cramer,1782)** (Sphingidae) Synonym(s): *neoptolemus* Cramer,1782; *trilineata* Walker,1864 Range (in code): SR VE TT
- 84218. *Xylophanes neoptolemus neoptolemus* (Cramer,1782)** (Sphingidae) Synonym(s): *neoptolemus* Cramer,1782; *trilineata* Walker,1864 Range (in code): SR VE
- 84219. *Xylophanes neoptolemus trinitatis* Closs,1917** (Sphingidae) Synonym(s): *trinitatis* Closs,1917 Range (in code): TT
- 84220. *Xylophanes norfolki* Kernbach,1962** (Sphingidae) Synonym(s): *norfolki* Kernbach,1962 Range (in code): GS
- 84221. *Xylophanes ockendeni* Rothschild,1904** (Sphingidae) Synonym(s): *ockendeni* Rothschild,1904 Range (in code): PE
- 84222. *Xylophanes pistacina* (Boisduval,[1875])** (Sphingidae) Synonym(s): *pistacina* Boisduval,[1875]; *diogenes* Maassen,1880; *jocasta* Druce,1888; *reussi* Closs,1920 Range (in code): BR GT VE
- 84223. *Xylophanes ploetzi* (Möschler,1876)** (Sphingidae) Synonym(s): *ploetzi* Möschler,1876; *drucei* Rothschild,1894 Range (in code): SR GY
- 84224. *Xylophanes pluto* (Fabricius,1777)** (Sphingidae) Synonym(s): *pluto* Fabricius,1777; *croesus* Dalman,1823; *thorates* Hübner,[1831] Original Reference: Sphinx pluto Fabricius,1777, Genera Ins.: 274. Type(s): America meridionalis. Range (in code): BR VE GP MQ
- 84225. *Xylophanes porcus* (Hübner,[1823])** (Sphingidae) Synonym(s): *porcus* Hübner,[1823] Range (in code): US FI CO VE
- 84226. *Xylophanes porcus continentalis* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *continentalis* Rothschild & Jordan,1903 Range (in code): CO VE
- 84227. *Xylophanes porcus porcus* (Hübner,[1823])** (Sphingidae) Synonym(s): *porcus* Hübner,[1823] Range (in code): US FI VE
- 84228. *Xylophanes pyrrhus* Rothschild & Jordan,1906** (Sphingidae) Synonym(s): *pyrrhus* Rothschild & Jordan,1906 Range (in code): PE VE
- 84229. *Xylophanes resta* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *resta* Rothschild & Jordan,1903 Range (in code): VE
- 84230. *Xylophanes rhodina* Rothschild & Jordan,1903** (Sphingidae) Synonym(s): *rhodina* Rothschild & Jordan,1903 Range (in code): PA

- 84231. *Xylophanes rhodocera* (Walker,1856)** (Sphingidae) **Synonym(s):** *rhodocera* Walker,1856; *sublaevis* Joicey & Kaye,1917 **Range (in code):** **HT BR**
- 84232. *Xylophanes rhodochlora* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *rhodochlora* Rothschild & Jordan,1903 **Range (in code):** **PE**
- 84233. *Xylophanes rhodotus* Rothschild,1894** (Sphingidae) **Synonym(s):** *rhodotus* Rothschild,1894; *#rhabdotus* Oberthür,1904 **Range (in code):** **PE**
- 84234. *Xylophanes robinsoni* (Grote,1865)** (Sphingidae) **Synonym(s):** *robinsoni* Grote,1865; *curvatus* Schaufuss,1870 **Range (in code):** **CU**
- 84235. *Xylophanes rothschildi* (Dognin,1895)** (Sphingidae) **Synonym(s):** *rothschildi* Dognin,1895; *fassli* Gehlen,1928; *binineata* Gehlen,1928 **Range (in code):** **EC BO PE**
- 84236. *Xylophanes rufescens* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *rufescens* Rothschild,1894 **Range (in code):** **GY VE**
- 84237. *Xylophanes sarae* Haxaire,1989** (Sphingidae) **Synonym(s):** *sarae* Haxaire,1989 **Range (in code):** **VE**
- 84238. *Xylophanes sauna* (Druce,1889)** (Sphingidae) **Synonym(s):** *sauna* Druce,1889; *evana* Hampson,1901 **Range (in code):** **BS**
- 84239. *Xylophanes schausi* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *schausi* Rothschild,1894; *arpi* Schaus,1898 **Range (in code):** **BR Rja Azn**
- 84240. *Xylophanes schausi schausi* (Rothschild,1894)** (Sphingidae) **Synonym(s):** *schausi* Rothschild,1894; *arpi* Schaus,1898 **Range (in code):** **BR Rja**
- 84241. *Xylophanes schausi serenus* Rothschild & Jordan,1910** (Sphingidae) **Synonym(s):** *serenus* Rothschild & Jordan,1910 **Range (in code):** **BR Azn**
- 84242. *Xylophanes schreiteri* B.P.Clark,1923** (Sphingidae) **Synonym(s):** *schreiteri* B.P.Clark,1923 **Range (in code):** **AR**
- 84243. *Xylophanes schwartzi* Haxaire,1992** (Sphingidae) **Synonym(s):** *schwartzi* Haxaire,1992 **Range (in code):** **EC**
- 84244. *Xylophanes sericus* Gehlen,1940** (Sphingidae) **Synonym(s):** *sericus* Gehlen,1940 **Range (in code):** **PE**
- 84245. *Xylophanes tersa* (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *tersa* Linnaeus,1771; *#tristis* Closs,1911 **Range (in code):** **VE CU US BS GP MQ**
- 84246. *Xylophanes tersa chaconi* Marmels, Clavijo & Chacin,1996** (Sphingidae) **Synonym(s):** *chaconi* Marmels, Clavijo & Chacin,1996 **Range (in code):** **VE**
- 84247. *Xylophanes tersa cubensis* Gehlen,1941** (Sphingidae) **Synonym(s):** *cubensis* Gehlen,1941 **Range (in code):** **CU**
- 84248. *Xylophanes tersa tersa* (Linnaeus,1771)** (Sphingidae) **Synonym(s):** *tersa* Linnaeus,1771; *#tristis* Closs,1911 **Range (in code):** **US BS VE**
- 84249. *Xylophanes thyelia* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *thyelia* Linnaeus,1758; *eson* Walker,1856 **Range (in code):** **GT VE**
- 84250. *Xylophanes thyelia salvini* (Druce,1878)** (Sphingidae) **Synonym(s):** *salvini* Druce,1878 **Range (in code):** **GT**
- 84251. *Xylophanes thyelia thyelia* (Linnaeus,1758)** (Sphingidae) **Synonym(s):** *thyelia* Linnaeus,1758; *eson* Walker,1856 **Range (in code):** **VE**
- 84252. *Xylophanes titana* (Druce,1878)** (Sphingidae) **Synonym(s):** *titana* Druce,1878 **Range (in code):** **PA VE**
- 84253. *Xylophanes turbata* (Edwards,1887)** (Sphingidae) **Synonym(s):** *turbata* Edwards,1887 **Range (in code):** **MX Vcr VE**
- 84254. *Xylophanes tyndarus* (Boisduval,[1875])** (Sphingidae) **Synonym(s):** *tyndarus* Boisduval,[1875]; *marginalis* B.P.Clark,1917; *#subtyndarus* Hoffmann,1936 **Range (in code):** **BR Sct RgS VE**
- 84255. *Xylophanes undata* Rothschild & Jordan,1903** (Sphingidae) **Synonym(s):** *irrorata* Rothschild,1894 *nec* Grt.,1865; *undata* Rothschild & Jordan,1903 **Range (in code):** **PE**
- 84256. *Xylophanes xylobotes* (Burmeister,1878)** (Sphingidae) **Synonym(s):** *xylobotes* Burmeister,1878 **Range (in code):** **PE**
- 84257. *Xylophanes zurcheri* (Druce,1894)** (Sphingidae) **Synonym(s):** *zurcheri* Druce,1894 **Range (in code):** **CR**
- 84258. *Aeoloscelis hipparcha* Meyrick,1897** (Stathmopodidae) **Synonym(s):** *hipparcha* Meyrick,1897 **Range (in code):** **AU**

- 84259. *Aeoloscelis tripoda* Meyrick,1913** (Stathmopodidae) Synonym(s): *tripoda* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 84260. *Calicotis crucifera* Meyrick,1889** (Stathmopodidae) Synonym(s): *crucifera* Meyrick,1889
Range (in code): **NZ AU**
- 84261. *Hieromantis ephodophora* Meyrick,1897** (Stathmopodidae) Synonym(s): *ephodophora* Meyrick,1897 Range (in code): **AU**
- 84262. *Pachyrhabda strepodes* Meyrick,1897** (Stathmopodidae) Synonym(s): *strepodes* Meyrick,1897 Range (in code): **AU**
- 84263. *Pachyrhabda triplecta* Meyrick,1913** (Stathmopodidae) Synonym(s): *triplecta* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 84264. *Pachyrhabda unctoria* Meyrick,1911** (Stathmopodidae) Synonym(s): *unctoria* Meyrick,1911 Range (in code): **ZA Lpo Tva Hae**
- 84265. *Stathmopoda aegotricha* Meyrick,1921** (Stathmopodidae) Synonym(s): *aegotricha* Meyrick,1921 Range (in code): **MZ Mag**
- 84266. *Stathmopoda anticyma* Meyrick,1927** (Stathmopodidae) Synonym(s): *anticyma* Meyrick,1927 Range (in code): **WS**
- 84267. *Stathmopoda aprica* Meyrick,1913** (Stathmopodidae) Synonym(s): *aprica* Meyrick,1913
Range (in code): **IN**
- 84268. *Stathmopoda arcata* Meyrick,1913** (Stathmopodidae) Synonym(s): *arcata* Meyrick,1913
Range (in code): **ZA Tva Mpu Brb**
- 84269. *Stathmopoda astricta* Meyrick,1913** (Stathmopodidae) Synonym(s): *astricta* Meyrick,1913 Range (in code): **IN**
- 84270. *Stathmopoda auriferella* (Walker,1864)** (Stathmopodidae) Synonym(s): *auriferella* Walker,1864; *divisa* Walsingham,1891; *ischnotis* Meyrick,1897; *crocophanes* Meyrick,1897; *theoris* Meyrick,1906; *tharsalea* Meyrick,1914; *adulatrix* Meyrick,1917; *cirrhapis* Meyrick,1922 Range (in code): **SL LY Cy SD EG GM NG UG MG KM SC IL IR Ss PK IN LK ID Ja CN TW AU PH Luz JP ZA TH MY** **Bionomy:** Larva on *Cocos nucifera* [coconut] (Arecaceae), *Sorghum* [sorghum] (Poaceae), *Albizia altissimum*, *Acacia nilotica* (Fabaceae), *Tristania* (Myrtaceae), *Nephelium ophioides* (Sapindaceae) (Robinson et al.,1994).
- 84271. *Stathmopoda autoxantha* Meyrick,1913** (Stathmopodidae) Synonym(s): *autoxantha* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 84272. *Stathmopoda balanarcha* Meyrick,1921** (Stathmopodidae) Synonym(s): *balanarcha* Meyrick,1921 Range (in code): **IN Ass**
- 84273. *Stathmopoda balanistis* Meyrick,1913** (Stathmopodidae) Synonym(s): *balanistis* Meyrick,1913 Range (in code): **IN**
- 84274. *Stathmopoda basiplectra* Meyrick,1913** (Stathmopodidae) Synonym(s): *basiplectra* Meyrick,1913 **Original Reference:** *Stathmopoda basiplectra* Meyrick,1913, *Exot. microlepid.* 1: 97. Type: India. Range (in code): **IN TH**
- 84275. *Stathmopoda biclavis* Meyrick,1911** (Stathmopodidae) Synonym(s): *biclavis* Meyrick,1911
Range (in code): **SC**
- 84276. *Stathmopoda callichrysa* Lower,1893** (Stathmopodidae) Synonym(s): *callichrysa* Lower,1893 Range (in code): **AU**
- 84277. *Stathmopoda cissota* Meyrick,1913** (Stathmopodidae) Synonym(s): *cissota* Meyrick,1913
Range (in code): **IN Meg Ass Khs NP**
- 84278. *Stathmopoda citrinopis* Meyrick,1927** (Stathmopodidae) Synonym(s): *citrinopis* Meyrick,1927 Range (in code): **ZA**
- 84279. *Stathmopoda commoda* Meyrick,1913** (Stathmopodidae) Synonym(s): *commoda* Meyrick,1913 Range (in code): **IN Ass**
- 84280. *Stathmopoda crassella* Walsingham,1891** (Stathmopodidae) Synonym(s): *crassella* Walsingham,1891 Range (in code): **ZA**
- 84281. *Stathmopoda dactylas* Meyrick,1921** (Stathmopodidae) Synonym(s): *dactylas* Meyrick,1921 Range (in code): **ID Ja Clb**
- 84282. *Stathmopoda daubanella* (Legrand,1958)** (Stathmopodidae) Synonym(s): *daubanella* Legrand,1958 Range (in code): **Mea SC**
- 84283. *Stathmopoda daubanella daubanella* (Legrand,1958)** (Stathmopodidae) Synonym(s): *daubanella* Legrand,1958 Range (in code): **SC**

- 84284. Stathmopoda daubanella prodaubanella (Legrand,1965)** (Stathmopodidae)
Synonym(s): *prodaubanella* Legrand,1965 Range (in code): Mea
- 84285. Stathmopoda dicitra Meyrick,1935** (Stathmopodidae) Synonym(s): *dicitra* Meyrick,1935
Range (in code): CN
- 84286. Stathmopoda diplaspis (Meyrick,1887)** (Stathmopodidae) Synonym(s): *diplaspis* Meyrick,1887 Range (in code): YE LK PK IR Th Fa IN
- 84287. Stathmopoda ficivora Kasy,1973** (Stathmopodidae) Synonym(s): *ficivora* Kasy,1973
Range (in code): TM
- 84288. Stathmopoda glyceropa Meyrick,1915** (Stathmopodidae) Synonym(s): *glyceropa* Meyrick,1915 Range (in code): ZA
- 84289. Stathmopoda haematosema Meyrick,1933** (Stathmopodidae) Synonym(s): *haematosema* Meyrick,1933 Range (in code): JP
- 84290. Stathmopoda hemiplecta Meyrick,1921** (Stathmopodidae) Synonym(s): *hemiplecta* Meyrick,1921 Range (in code): ZA Ec
- 84291. Stathmopoda hexatyla Meyrick,1907** (Stathmopodidae) Synonym(s): *hexatyla* Meyrick,1907 Range (in code): LK
- 84292. Stathmopoda horrida Meyrick,1936** (Stathmopodidae) Synonym(s): *horrida* Meyrick,1936 Range (in code): ID Ja
- 84293. Stathmopoda ignominiosa Meyrick,1913** (Stathmopodidae) Synonym(s): *ignominiosa* Meyrick,1913 Range (in code): IN
- 84294. Stathmopoda iners Meyrick,1913** (Stathmopodidae) Synonym(s): *iners* Meyrick,1913
Range (in code): LK
- 84295. Stathmopoda leptoclista Meyrick,1929** (Stathmopodidae) Synonym(s): *leptoclista* Meyrick,1929 Range (in code): IN Ass
- 84296. Stathmopoda luminata Meyrick,1911** (Stathmopodidae) Synonym(s): *luminata* Meyrick,1911 Range (in code): ZA Tva Gau Pre
- 84297. Stathmopoda maculata Walsingham,1891** (Stathmopodidae) Synonym(s): *maculata* Walsingham,1891 Range (in code): ZA
- 84298. Stathmopoda masinissa Meyrick,1906** (Stathmopodidae) Synonym(s): *masinissa* Meyrick,1906 Range (in code): LK JP
- 84299. Stathmopoda monobathra Meyrick,1937** (Stathmopodidae) Synonym(s): *monobathra* Meyrick,1937 Range (in code): IN
- 84300. Stathmopoda moriutiella Kasy,1973** (Stathmopodidae) Synonym(s): *moriutiella* Kasy,1973 Range (in code): JP
- 84301. Stathmopoda nitida Meyrick,1913** (Stathmopodidae) Synonym(s): *nitida* Meyrick,1913
Range (in code): AU
- 84302. Stathmopoda opticaspis Meyrick,1931** (Stathmopodidae) Synonym(s): *opticaspis* Meyrick,1931 Range (in code): JP
- 84303. Stathmopoda pedella (Linnaeus,1761)** (Stathmopodidae) Synonym(s): *pedella* Linnaeus,1761; *alucitella* [Denis & Schiffermüller],1775; *cylindrella* Fabricius,1777; *angustipennella* Hübner,[1796]; *cylindricus* Fabricius,1798; *fastuosella* Costa,1834. Range (in code): ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Alnus incana*, *A.glutinosa* (Betulaceae) (Riedl,1969).
- 84304. Stathmopoda placida (Meyrick,1908)** (Stathmopodidae) Synonym(s): *placida* Meyrick,1908 Range (in code): MM IN
- 84305. Stathmopoda plinthiota Meyrick,1910** (Stathmopodidae) Synonym(s): *plinthiota* Meyrick,1910 Range (in code): ID Bor
- 84306. Stathmopoda pomifera Meyrick,1913** (Stathmopodidae) Synonym(s): *pomifera* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 84307. Stathmopoda revincta Meyrick,1921** (Stathmopodidae) Synonym(s): *revincta* Meyrick,1921 Range (in code): ZW Uma
- 84308. Stathmopoda skelloni (Butler,1880)** (Stathmopodidae) Synonym(s): *skelloni* Butler,1880
Range (in code): NZ
- 84309. Stathmopoda stimulata Meyrick,1913** (Stathmopodidae) Synonym(s): *stimulata* Meyrick,1913 Range (in code): IN Ass LK CN MY Bor BN Sbh ID Clb TH
- 84310. Stathmopoda superdaubanella (Legrand,1958)** (Stathmopodidae) Synonym(s): *superdaubanella* Legrand,1958 Range (in code): SC

- 84311. Stathmopoda sycastis Meyrick,1917** (Stathmopodidae) Synonym(s): *sycastis* Meyrick,1917 Range (in code): **PK Nwf Pes AF IN**
- 84312. Stathmopoda sycophaga Meyrick,1913** (Stathmopodidae) Synonym(s): *sycophaga* Meyrick,1913 Range (in code): **IN**
- 84313. Stathmopoda tacita Meyrick,1913** (Stathmopodidae) Synonym(s): *tacita* Meyrick,1913 Range (in code): **IN Ass**
- 84314. Stathmopoda teleozona Meyrick,1921** (Stathmopodidae) Synonym(s): *teleozona* Meyrick,1921 Range (in code): **MZ Mag**
- 84315. Stathmopoda tetrarma Meyrick,1913** (Stathmopodidae) Synonym(s): *tetrarma* Meyrick,1913 Range (in code): **IN**
- 84316. Stathmopoda triloba Meyrick,1913** (Stathmopodidae) Synonym(s): *triloba* Meyrick,1913 Range (in code): **LK**
- 84317. Stathmopoda xanthomocla Meyrick,1913** (Stathmopodidae) Synonym(s): *xanthomocla* Meyrick,1913 Original Reference: Stathmopoda xanthomocla Meyrick,1913, Exot. microlepid. 1: 90. Type: South India. Range (in code): **IN TH Bnk** Bionomy: Larva on decaying flowers, Lantana (Verbenaceae) (Robinson et al.,1994).
- 84318. Stathmopoda xanthoplitis Meyrick,1908** (Stathmopodidae) Synonym(s): *xanthoplitis* Meyrick,1908 Range (in code): **ZA Tva Gau Pre**
- 84319. Thylacosceles acridomima Meyrick,1889** (Stathmopodidae) Synonym(s): *acridomima* Meyrick,1889 Range (in code): **NZ**
- 84320. Tortilia charadritis (Meyrick,1924)** (Stathmopodidae) Synonym(s): *charadritis* Meyrick,1924; *stupenda* Turati,1927; *viatrix* Busck,1934; *zernyi* Amsel,1935; *trissorrhiza* Meyrick,1939. Range (in code): **EG EG07 LY Cy SD IL Pa Jer PK Bl Qu US** Bionomy: Larva on Cassia (Fabaceae), Zizyphus (Rhamnaceae) (Busck,1934; Meyrick,1939).
- 84321. Tortilia flavella Chrétien,1908** (Stathmopodidae) Synonym(s): *flavella* Chrétien,1908; *#favella* Hacker,1999 Range (in code): **DZ TN Gf ES MA YE SY IL Pa** Bionomy: Larva on Acacia (Mimosaceae), Punica granatum (Punicaceae) (Chrétien,1908).
- 84322. Tortilia graeca Kasy,1981** (Stathmopodidae) Synonym(s): *graeca* Kasy,1981 Range (in code): **TR GR Cr**
- 84323. Tortilia hemitorna (Meyrick,1913)** (Stathmopodidae) Synonym(s): *hemitorna* Meyrick,1913 Range (in code): **IN**
- 84324. Tortilia pallidella Kasy,1973** (Stathmopodidae) Synonym(s): *pallidella* Kasy,1973 Range (in code): **IR Ss IL Pa PK Krc**
- 84325. Tortilia parathicta (Meyrick,1913)** (Stathmopodidae) Synonym(s): *parathicta* Meyrick,1913 Range (in code): **IN**
- 84326. Tortilia sidiota (Meyrick,1917)** (Stathmopodidae) Synonym(s): *sidiota* Meyrick,1917 Range (in code): **PK Pj Abb AF Ch IN**
- 84327. Tortilia sp.** (Stathmopodidae) Synonym(s): Range (in code): **SY Ltk IR Elb Th**
- 84328. Tortilia trigonella (Zerny,1935)** (Stathmopodidae) Synonym(s): *trigonella* Zerny,1935 Range (in code): **MA**
- 84329. Xestocasis iostrota (Meyrick,1910)** (Stathmopodidae) Synonym(s): *iostrota* Meyrick,1910 Original Reference: Limnoecia iostrota Meyrick,1910, Trans. ent. Soc. Lond. 1910: 454. Range (in code): **IN TH MY Bor Sbh Swk Klt ID Clb PH PG**
- 84330. Zaratha prosarista Meyrick,1909** (Stathmopodidae) Synonym(s): *prosarista* Meyrick,1909 Original Reference: Zaratha prosarista Meyrick,1909, J. Bombay nat. Hist. Soc. 19: 410. Type: India: Assam. Range (in code): **TH IN Ass MM TW PH**
- 84331. Acria amphorodes Meyrick,1923** (Stenomidae) Synonym(s): *amphorodes* Meyrick,1923 Range (in code): **PK Mre Haz Pj**
- 84332. Acria camelodes (Meyrick,1905)** (Stenomidae) Synonym(s): *camelodes* Meyrick,1905 Range (in code):
- 84333. Acria ceramitis Meyrick,1908** (Stenomidae) Synonym(s): *ceramitis* Meyrick,1908 Range (in code): **IN Ass Meg Khs Tn Pln**
- 84334. Acria emarginella (Donovan,1804)** (Stenomidae) Synonym(s): *emarginella* Donovan,1804 Range (in code):
- 84335. Acria eulectra Meyrick,1908** (Stenomidae) Synonym(s): *eulectra* Meyrick,1908 Range (in code): **IN Ass Meg Khs**
- 84336. Acria gossypiella (Shiraki)** (Stenomidae) Synonym(s): Range (in code):

- 84337. *Acria malacolectra* Meyrick, 1930** (Stenomidae) Synonym(s): *malacolectra* Meyrick, 1930
Range (in code): **PG**
- 84338. *Acria obtusella* (Walker, 1864)** (Stenomidae) Synonym(s): *obtusella* Walker, 1864;
nycterodes Meyrick, 1905 Range (in code): **LK**
- 84339. *Acria psamatholeuca* Meyrick, 1930** (Stenomidae) Synonym(s): *psamatholeuca*
Meyrick, 1930 Range (in code): **CM**
- 84340. *Acria sciogramma* Meyrick, 1915** (Stenomidae) Synonym(s): *sciogramma* Meyrick, 1915
Range (in code): **PG**
- 84341. *Acria xanthosaris* Meyrick, 1908** (Stenomidae) Synonym(s): *xanthosaris* Meyrick, 1908
Range (in code): **IN Ass Meg Khs TW**
- 84342. *Aeolantes ampelurga* Meyrick, 1925** (Stenomidae) Synonym(s): *ampelurga* Meyrick, 1925
Range (in code): **IN Hp Kma**
- 84343. *Aeolantes brochias* Meyrick, 1938** (Stenomidae) Synonym(s): *brochias* Meyrick, 1938
Range (in code): **CN**
- 84344. *Aeolantes callidora* Meyrick, 1907** (Stenomidae) Synonym(s): *callidora* Meyrick, 1907
Range (in code): **IN Ass Meg Khs**
- 84345. *Aeolantes cianolitha* Meyrick, 1938** (Stenomidae) Synonym(s): *cianolitha* Meyrick, 1938
Range (in code): **CN Yu**
- 84346. *Aeolantes clinacta* Meyrick, 1925** (Stenomidae) Synonym(s): *clinacta* Meyrick, 1925
Range (in code): **CN**
- 84347. *Aeolantes coronifera* Meyrick, 1938** (Stenomidae) Synonym(s): *coronifera* Meyrick, 1938
Range (in code): **CN Yu**
- 84348. *Aeolantes cyclantha* Meyrick, 1923** (Stenomidae) Synonym(s): *cyclantha* Meyrick, 1923
Range (in code): **IN NI**
- 84349. *Aeolantes deltogramma* Meyrick, 1923** (Stenomidae) Synonym(s): *deltogramma*
Meyrick, 1923 Range (in code): **IN Ass Slo**
- 84350. *Aeolantes diacritica* Meyrick, 1918** (Stenomidae) Synonym(s): *diacritica* Meyrick, 1918
Range (in code): **IN Ass Slo**
- 84351. *Aeolantes dicraea* Meyrick, 1908** (Stenomidae) Synonym(s): *dicraea* Meyrick, 1908
Range (in code): **IN Ass Meg Khs**
- 84352. *Aeolantes erebomicta* Meyrick, 1931** (Stenomidae) Synonym(s): *erebomicta*
Meyrick, 1931 Range (in code): **CN**
- 84353. *Aeolantes erythrantis* Meyrick, 1935** (Stenomidae) Synonym(s): *erythrantis*
Meyrick, 1935 Range (in code): **CN**
- 84354. *Aeolantes euryatma* Meyrick, 1908** (Stenomidae) Synonym(s): *euryatma* Meyrick, 1908
Range (in code): **IN Ass Meg Khs**
- 84355. *Aeolantes haematopa* Meyrick, 1931** (Stenomidae) Synonym(s): *haematopa*
Meyrick, 1931 Range (in code): **CN**
- 84356. *Aeolantes lychnidias* Meyrick, 1908** (Stenomidae) Synonym(s): *lychnidias* Meyrick, 1908
Range (in code): **IN Tn Pln**
- 84357. *Aeolantes megalophthalma* Meyrick, 1930** (Stenomidae) Synonym(s):
megalophthalma Meyrick, 1930 Range (in code): **CN**
- 84358. *Aeolantes meniscias* Meyrick, 1918** (Stenomidae) Synonym(s): *meniscias* Meyrick, 1918
Range (in code): **MM Kni**
- 84359. *Aeolantes rhodochrysa* Meyrick, 1907** (Stenomidae) Synonym(s): *rhodochrysa*
Meyrick, 1907 Range (in code): **IN Ass Meg Khs**
- 84360. *Aeolantes sagulata* Meyrick, 1917** (Stenomidae) Synonym(s): *sagulata* Meyrick, 1917
Range (in code): **IN Ben**
- 84361. *Aeolantes semiostrina* Meyrick, 1935** (Stenomidae) Synonym(s): *semiostrina*
Meyrick, 1935 Range (in code): **CN Hun Tkg**
- 84362. *Aeolantes siphonias* Meyrick, 1908** (Stenomidae) Synonym(s): *siphonias* Meyrick, 1908
Original Reference: *Aeolantes siphonias* Meyrick, 1908, J. Bombay. nat. Hist. Soc. 18: 637.
Type: North India. Range (in code): **TH IN Hp Sml MM** Bionomy: Larva on *Quercus incana*
(Fagaceae) (Robinson et al., 1994).
- 84363. *Aeolantes* sp.** (Stenomidae) Synonym(s): Range (in code): **TH**
- 84364. *Amorbaea hepatica* Meyrick, 1908** (Stenomidae) Synonym(s): *hepatica* Meyrick, 1908
Range (in code): **IN Bba**

- 84365. Antaeotricha ovata** Walsingham,1881 (Stenomidae) **Synonym(s):** *ovata* Walsingham,1881 Range (in code): ZA
- 84366. Antolaea xanthopa** Meyrick,1914 (Stenomidae) **Synonym(s):** *xanthopa* Meyrick,1914 Range (in code): IN Ass Meg Khs
- 84367. Deoryctis corticivora** Meyrick,1934 (Stenomidae) **Synonym(s):** *corticivora* Meyrick,1934 Range (in code): ID Ja
- 84368. Stenoma dicentra** Meyrick,1913 (Stenomidae) **Synonym(s):** *dicentra* Meyrick,1913 Range (in code): ZA
- 84369. Stenoma modicola** Meyrick,1911 (Stenomidae) **Synonym(s):** *modicola* Meyrick,1911 Range (in code): ZA
- 84370. Stenoma reticens** Meyrick,1917 (Stenomidae) **Synonym(s):** *reticens* Meyrick,1917 Range (in code): ZA
- 84371. Stenoma simulatrix** Meyrick,1914 (Stenomidae) **Synonym(s):** *simulatrix* Meyrick,1914 Range (in code): ZA
- 84372. Stenoma stolidia** Meyrick,1911 (Stenomidae) **Synonym(s):** *stolidia* Meyrick,1911 Range (in code): ZA
- 84373. Adrallia bipunctata** Walker,1865 (Thaumetopoeidae) **Synonym(s):** *bipunctata* Walker,1865 Range (in code): ZA
- 84374. Aglaosoma periblepta** (Turner,1922) (Thaumetopoeidae) **Synonym(s):** *periblepta* Turner,1922 Range (in code): AU
- 84375. Aglaosoma variegata** (Walker,1855) (Thaumetopoeidae) **Synonym(s):** *variegata* Walker,1855; *lauta* Scott,1864 Range (in code): AU
- 84376. Anaphe panda** (Boisduval,1847) (Thaumetopoeidae) **Synonym(s):** *panda* Boisduval,1847 Range (in code): ZA
- 84377. Anaphe reticulata** Walker,1855 (Thaumetopoeidae) **Synonym(s):** *reticulata* Walker,1855 Range (in code): ZA Tva Gau Pre Jh Nta Kzu
- 84378. Axiocleta perisema** Turner,1911 (Thaumetopoeidae) **Synonym(s):** *perisema* Turner,1911 Range (in code): AU
- 84379. Cynosarga ornata** Walker,1865 (Thaumetopoeidae) **Synonym(s):** *ornata* Walker,1865; *fumosa* T.P.Lucas,1895; *effusa* Lucas,1901 Range (in code): AU
- 84380. Epanaphe clarilla** Aurivillius,1904 (Thaumetopoeidae) **Synonym(s):** *clarilla* Aurivillius,1904 Range (in code): ZA
- 84381. Epicoma anisozygia** Turner,1922 (Thaumetopoeidae) **Synonym(s):** *anisozygia* Turner,1922 Range (in code): AU
- 84382. Epicoma argentata** (Walker,1865) (Thaumetopoeidae) **Synonym(s):** *argentata* Walker,1865 Range (in code): AU
- 84383. Epicoma argentosa** (T.P.Lucas,1890) (Thaumetopoeidae) **Synonym(s):** *argentosa* T.P.Lucas,1890 Range (in code): AU
- 84384. Epicoma asbolina** Turner,1902 (Thaumetopoeidae) **Synonym(s):** *asbolina* Turner,1902 Range (in code): AU
- 84385. Epicoma barnardi** (T.P.Lucas,1890) (Thaumetopoeidae) **Synonym(s):** *barnardi* T.P.Lucas,1890 Range (in code): AU
- 84386. Epicoma barytima** Turner,1917 (Thaumetopoeidae) **Synonym(s):** *barytima* Turner,1917 Range (in code): AU
- 84387. Epicoma chrysosema** Turner,1922 (Thaumetopoeidae) **Synonym(s):** *chrysosema* Turner,1922 Range (in code): AU
- 84388. Epicoma constrictis** Hübner,[1823] (Thaumetopoeidae) **Synonym(s):** *tristis* Hübner,[1819] *nec* Don.,1805; *constrictis* Hübner,[1823] Range (in code): AU
- 84389. Epicoma derbyana** Strand,1929 (Thaumetopoeidae) **Synonym(s):** *derbyana* Strand,1929 Range (in code): AU
- 84390. Epicoma dispar** Turner,1922 (Thaumetopoeidae) **Synonym(s):** *dispar* Turner,1922 Range (in code): AU
- 84391. Epicoma melanospila** (Wallengren,1860) (Thaumetopoeidae) **Synonym(s):** *melanospila* Wallengren,1860; *walkeri* Strand,1929 Range (in code): AU
- 84392. Epicoma melanosticta** (Donovan,1805) (Thaumetopoeidae) **Synonym(s):** *melanosticta* Donovan,1805; *incompta* Walker,1855 Range (in code): AU

- 84393. *Epicoma phoenura* Turner,1922** (Thaumetopoeidae) **Synonym(s):** *phoenura* Turner,1922; *alba* Turner,1922 Range (in code): AU
- 84394. *Epicoma pontificalis* Rosenstock,1885** (Thaumetopoeidae) **Synonym(s):** *pontificalis* Rosenstock,1885 Range (in code): AU
- 84395. *Epicoma protrahens* (T.P.Lucas,1890)** (Thaumetopoeidae) **Synonym(s):** *protrahens* T.P.Lucas,1890 Range (in code): AU
- 84396. *Epicoma signata* (Walker,1855)** (Thaumetopoeidae) **Synonym(s):** *signata* Walker,1855 Range (in code): AU
- 84397. *Epicoma subargentea* (Walker,1865)** (Thaumetopoeidae) **Synonym(s):** *subargentea* Walker,1865; *macfarlandi* Kiriakoff,1969; *#subargentata* Kiriakoff,1970 Range (in code): AU
- 84398. *Epicoma tristis* (Donovan,1805)** (Thaumetopoeidae) **Synonym(s):** *tristis* Donovan,1805; *tristis* Lewin,1805 *nec* Don.,1805 Range (in code): AU
- 84399. *Epicoma zelotes* Turner,1902** (Thaumetopoeidae) **Synonym(s):** *zelotes* Turner,1902; *zelotina* Strand,1929 Range (in code): AU
- 84400. *Gazalina (Oligochlona) chrysolopha* (Kollar,1844)** (Thaumetopoeidae) **Synonym(s):** *chrysolopha* Kollar,1844 *antica* Walker,1855; *chordigera* R.Felder & Rogenhofer,1874 Range (in code): Ch IN
- 84401. *Gazalina (s.str.) apsara* (Moore,1859)** (Thaumetopoeidae) **Synonym(s):** *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874 Range (in code): AF Sfk PK Swa Klm SI IN CN Sz
- 84402. *Gazalina (s.str.) apsara apsara* (Moore,1859)** (Thaumetopoeidae) **Synonym(s):** *apsara* Moore,1859; *venosata* Walker,1865; *nervosa* R.Felder & Rogenhofer,1874 Range (in code): AF Sfk SI IN SI CN Sz
- 84403. *Gazalina (s.str.) apsara ssp.?*** (Thaumetopoeidae) **Synonym(s):** *#chrysolophoides* Ebert,1973 Range (in code): PK Swa Klm
- 84404. *Gazalina (s.str.) transversa* Moore,1879** (Thaumetopoeidae) **Synonym(s):** *transversa* Moore,1879 Range (in code): IN SI TH CMa Cuo Cuo1
- 84405. *Helianthocampa herculeana* (Rambur,1866)** (Thaumetopoeidae) **Synonym(s):** *herculeana* Rambur,1866; *#bifasciata* Spuler,1903; *colossa* A.Bang-Haas,1910; *phosphatophila* Dumont,1922; *alvarezi* Agenjo,1941; *carneades* Agenjo,1941; *ibarrae* Agenjo,1941; *lustrata* Agenjo,1941; *zernyi* Agenjo,1941 Range (in code): MA Rbt DZ Ges PT ES An TN LY Cy IL Pa Js
- 84406. *Helianthocampa herculeana judaea* (A.Bang-Haas,1910)** (Thaumetopoeidae) **Synonym(s):** *judaea* A.Bang-Haas,1910 IL Pa Js
- 84407. *Mesodrepta harpotoma* Turner,1924** (Thaumetopoeidae) **Synonym(s):** *harpotoma* Turner,1924 Range (in code): AU
- 84408. *Ochrogaster circumfumata* (R.Felder & Rogenhofer,1874)** (Thaumetopoeidae) **Synonym(s):** *circumfumata* R.Felder & Rogenhofer,1874 Range (in code): NC
- 84409. *Ochrogaster lunifer* Herrich-Schäffer,[1855]** (Thaumetopoeidae) **Synonym(s):** *lunifer* Herrich-Schäffer,[1855]; *contraria* Walker,1855; *leucopyga* Walker,1855; *interrupta* Walker,1855; *cinctifera* Walker,1862; *ruptimacula* R.Felder & Rogenhofer,1874; *erebodes* Lower,1902; *discistriga* Strand,1929; *dispar* Kiriakoff,1969 Range (in code): AU
- 84410. *Paradrallia rhodesi* Bethune-Baker,1908** (Thaumetopoeidae) **Synonym(s):** *rhodesi* Bethune-Baker,1908 Range (in code): ZA
- 84411. *Tanystola isabella* (White,1841)** (Thaumetopoeidae) **Synonym(s):** *isabella* White,1841; *#nephtis* White,1841; *lugens* Herrich-Schäffer,[1856]; *#hakeae* Herrich-Schäffer,[1858]; *suppressa* Walker,1865 Range (in code): AU
- 84412. *Tanystola ochrogutta* (Herrich-Schäffer,[1856])** (Thaumetopoeidae) **Synonym(s):** *ochrogutta* Herrich-Schäffer,[1856] Range (in code): AU
- 84413. *Thaumetopoea (Traumatocampa) ispartaensis* (M.Doğanlar & Avcı,2001)** (Thaumetopoeidae) **Synonym(s):** *ispartaensis* M.Doğanlar & Avcı,2001 Range (in code): TR Bionomy: Larva on *Cedrus libani* (M.Doğanlar & Avcı,2001).
- 84414. *Thaumetopoea (Traumatocampa) jordana* (Staudinger,1895)** (Thaumetopoeidae) **Synonym(s):** *jordana* Staudinger,1895 Range (in code): IL Pa Jt SA Bionomy: larva on *Rhus tripartita* (Anacardiaceae) (Robinson et al.; access 30 6 2015).
- 84415. *Thaumetopoea (Traumatocampa) libanotica* Kiriakoff & Talhouk,1975** (Thaumetopoeidae) **Synonym(s):** *libanotica* Kiriakoff & Talhouk,1975 Range (in code): TR LB Bsa
- 84416. *Thaumetopoea (Traumatocampa) pinivora* Treitschke,1834** (Thaumetopoeidae) **Synonym(s):** *pinivora* Treitschke,1834 Range (in code): ES FR DE CZ RO TR DK SE LT RU Bionomy: Larva on *Pinus sylvestris*, *Pinus nigra* ? (Pinaceae) (de Freina,1999).

- 84417. *Thaumetopoea (Traumatocampa) pityocampa* ([Denis & Schiffermüller],1775)** (Thaumetopoeidae) Synonym(s): #*pityocampa* [Denis & Schiffermüller],1775; *orana* Staudinger,1901; *ceballosi* Agenjo,1941; *clara* Agenjo,1941; *pujoli* Agenjo,1941; *vareai* Agenjo,1941 Original Reference: Bombyx *pityocampa* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 58. Type(s): Vienna district. Range (in code): **DZ Orn Abe Mage Ght Ges Bttna PT ES FR Co Si IT DE CH AT AL BG GR Cr TR RU IL Pa Js** Bionomy: Larva on Pinus sylvestris, P. laricio, P. pinea, P. halepensis, P. pinaster, P. nigra, P. maritima, Picea ([Denis & Schiffermüller],1775; Schmimitschek,1953; De Freina,1983; Doğanlar & Doğanlar,2005).
- 84418. *Thaumetopoea (Traumatocampa) sedirica* (M.Doğanlar,2005)** (Thaumetopoeidae) Synonym(s): *sedirica* M.Doğanlar,2005; #*sediria* M.Doğanlar,2005 Range (in code): **TR** Bionomy: Larva on Cedrus libani (Schmimitschek,1953).
- 84419. *Thaumetopoea (Traumatocampa) torosica* (M.Doğanlar,2005)** (Thaumetopoeidae) Synonym(s): *torosica* M.Doğanlar,2005 Range (in code): **TR** Bionomy: Larva on Pinus brutia (Doğanlar & Doğanlar,2005).
- 84420. *Thaumetopoea (Traumatocampa) wilkinsoni* Tams,1925** (Thaumetopoeidae) Synonym(s): *wilkinsoni* Tams,1925 Range (in code): **CY IL Pa LB SY TR** Bionomy: Larva on Pinus halepensis, P. brutia, P. canariensis, P. roxburghii, P. eldarica, Cedrus libani, C. deodara, Cupressus sempervirens (Halperin,1990).
- 84421. *Thaumetopoea (s.str.) apologetica* Strand,1909** (Thaumetopoeidae) Synonym(s): *apologetica* Strand,1909; *abyssinica* Strand,1911 Range (in code): **ET ZA**
- 84422. *Thaumetopoea (s.str.) cheela* Moore,1883** (Thaumetopoeidae) Synonym(s): *cheela* Moore,1883 Range (in code): **IN Hp Sml AF Srb**
- 84423. *Thaumetopoea (s.str.) dhofarensis* Wiltshire,1980** (Thaumetopoeidae) Synonym(s): *dhofarensis* Wiltshire,1980 Range (in code): **OM Dh**
- 84424. *Thaumetopoea (s.str.) processionea* (Linnaeus,1758)** (Thaumetopoeidae) Synonym(s): *processionea* Linnaeus,1758; *pseudosolitaria* Daniel,1951. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR BG GR RU MD UA BY IL Pa** Bionomy: Larva on Quercus (De Freina,1983).
- 84425. *Thaumetopoea (s.str.) solitaria* (Freyer,[1838])** (Thaumetopoeidae) Synonym(s): *solitaria* Freyer,[1838] Range (in code): **DZ Ges YU MK AL BG GR TR IQ Rwz LB CY IR Elb Fa Sse IL Pa Hf AF Srb SA** Bionomy: Larva on Pistacia terebinthus, Cupressus sempervirens, Fraxinus (Staudinger,1878; Wiltshire,1957; Freina & Witt,1987).
- 84426. *Thaumetopoea (s.str.) solitaria iranica* Agenjo,1941** (Thaumetopoeidae) Synonym(s): *iranica* Agenjo,1941 Range (in code): **IR Fa Sse**
- 84427. *Trichiocercus mesomelas* (Walker,1855)** (Thaumetopoeidae) Synonym(s): *mesomelas* Walker,1855 Range (in code): **AU**
- 84428. *Trichiocercus sparshalli* (Curtis,1830)** (Thaumetopoeidae) Synonym(s): *sparshalli* Curtis,1830; *stribosoma* Butler,1877; *fraterna* Butler,1877; *ochripyga* Strand,1929; *melanotricha* Strand,1929; *bicolorifera* Strand,1929; *antealba* Strand,1929; *tricolor* Strand,1929; *albotestacea* Strand,1929 Range (in code): **AU**
- 84429. *Achlya flavicornis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809; *finmarchica* Schöyen,1881; *meridionalis* Wolfsberger,1968 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY Sb Us Vv Sh JP Hkk** Bionomy: Larva on Betula (Betulaceae) (auctorum).
- 84430. *Achlya flavicornis flavicornis* (Linnaeus,1758)** (Thyatiridae) Synonym(s): *flavicornis* Linnaeus,1758; *cinerea* Hufnagel,1766; *sulphureomaculata* Retzius,1783; *arcuata* Fourcroy,1785; *luteicornis* Haworth,1809; *finmarchica* Schöyen,1881; *meridionalis* Wolfsberger,1968 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI LV LT RU MD UA BY Sb**
- 84431. *Achlya flavicornis jesoensis* (Matsumura,1927)** (Thyatiridae) Synonym(s): *jesoensis* Matsumura,1927 Range (in code): **JP Hkk RU Sh**
- 84432. *Achlya flavicornis sikhotensis* Tshistjakov,2008** (Thyatiridae) Synonym(s): *sikhotensis* Tshistjakov,2008 Range (in code): **RU Am Us Vv**
- 84433. *Achlya hoerbuergeri* (Schawerda,1924)** (Thyatiridae) Synonym(s): *hoerbuergeri* Schawerda,1924 Range (in code): **RU Us Vv**
- 84434. *Achlya longipennis* Inoue,1972** (Thyatiridae) Synonym(s): *longipennis* Inoue,1972; *tateyamai* Inoue,1982; *inokoi* Inoue,1982 Range (in code): **JP Hkk RU Us Vv**

- 84435. Aethiopsestis austrina Watson,1965** (Thyatiridae) Synonym(s): *austrina* Watson,1965
Range (in code): ZW ZA Ec
- 84436. Aethiopsestis austrina austrina Watson,1965** (Thyatiridae) Synonym(s): *austrina* Watson,1965 Range (in code): ZW
- 84437. Aethiopsestis austrina nebulosa Watson,1965** (Thyatiridae) Synonym(s): *nebulosa* Watson,1965 Range (in code): ZA Ec
- 84438. Aethiopsestis echinata Watson,1965** (Thyatiridae) Synonym(s): *echinata* Watson,1965
Range (in code): ZW
- 84439. Aethiopsestis mufindiae Watson,1965** (Thyatiridae) Synonym(s): *mufindiae* Watson,1965
Range (in code): TZ
- 84440. Asphalia ruficollis (Fabricius,1787)** (Thyatiridae) Synonym(s): *#ruficollis* [Denis & Schiffermüller],1775; *ruficollis* Fabricius,1787 Range (in code): FR IT CH AT SK HU RO YU BG GR TR IL Pa EE
- 84441. Bycombia verdugoensis (Hill,1927)** (Thyatiridae) Synonym(s): *verdugoensis* Hill,1927
Range (in code): US Cf
- 84442. Camptopsestis malayana Yoshimoto,1983** (Thyatiridae) Synonym(s): *malayana* Yoshimoto,1983 Range (in code): MY Bor
- 84443. Ceranemota temperans (Walker,1858)** (Thyatiridae) Synonym(s): *temperans* Walker,1858 Range (in code): BR Rja
- 84444. Chaeopsestis ludovicae Le Cerf,1941** (Thyatiridae) Synonym(s): *ludovicae* Le Cerf,1941
Original Reference: Chaeopsestis ludovicae Le Cerf,1941, Bull. Soc. ent. Fr. 46: 94. Range (in code): VN Ton TH CMa Dst Dso9 Int Fn Agk
- 84445. Chiopsestis rubrocineria Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae)
Synonym(s): *rubrocineria* Laszlo,G.Ronkay,L.Ronkay,2001 Range (in code):
- 84446. Cymatophorima diluta ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *diluta* [Denis & Schiffermüller],1775; *fasciculosa* Borkhausen,1790; *bistrigata* Borkhausen,1790; *hartwegi* Reisser,1927 Original Reference: Noctua diluta [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): Vienna district. Range (in code): PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE RU MD UA BY
- 84447. Demopsestis yoshimotoi Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *yoshimotoi* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): TH CMa
- 84448. Epipsestis dubia (W.Warren,1888)** (Thyatiridae) Synonym(s): *dubia* W.Warren,1888; *nigrofasciata* W.Warren,1915 Original Reference: Polyploca dubia W.Warren,1888, Proc. zool. Soc. Lond. 1888: 300. Type ♀: [Pakistan]: Handar, September 1886. Range (in code): Ch SI PK Haz Mre IN Pj CN Hun VN Ton NP TW
- 84449. Epipsestis nigropunctata (Sick,1941)** (Thyatiridae) Synonym(s): *nigropunctata* Sick,1941; *sicki* Yoshimoto,1988 Range (in code): CN Yu
- 84450. Epipsestis renalis (Moore,1888)** (Thyatiridae) Synonym(s): *renalis* Moore,1888 Original Reference: Palimpsestis renalis Moore,1888, Proc. zool. Soc. London 1888: 409. Type: [India]: "Kangra" (BMNH). Range (in code): IN Pj Hp Kgr
- 84451. Epipsestis stueningi Yoshimoto,1988** (Thyatiridae) Synonym(s): *stueningi* Yoshimoto,1988 Range (in code): CN Yu
- 84452. Epipsestis vastaguncus Laszlo, G.Ronkay,2000** (Thyatiridae) Synonym(s): *vastaguncus* Laszlo, G.Ronkay,2000 Range (in code): VN Ton
- 84453. Epipsestis wernyi Laszlo, G.Ronkay, L.Ronkay,2007** (Thyatiridae) Synonym(s): *wernyi* Laszlo, G.Ronkay, L.Ronkay,2007 Range (in code): CN She
- 84454. Epipsestis witti Laszlo, G.Ronkay, L.Ronkay,2007** (Thyatiridae) Synonym(s): *witti* Laszlo, G.Ronkay, L.Ronkay,2007 Range (in code): NP
- 84455. Gaurena albifasciata Gaede,1930** (Thyatiridae) Synonym(s): *albifasciata* Gaede,1930; *nepalensis* Werny,[1967] Range (in code): NP
- 84456. Gaurena argentisparsa Hampson,1896** (Thyatiridae) Synonym(s): *argentisparsa* Hampson,1896; *eberti* Werny,[1967] Range (in code): CN Ti
- 84457. Gaurena aurofasciata Hampson,[1893]** (Thyatiridae) Synonym(s): *aurofasciata* Hampson,[1893]; *bryki* Werny,[1967] Range (in code):
- 84458. Gaurena florens Walker,1865** (Thyatiridae) Synonym(s): *florens* Walker,1865; *obscura* Werny,[1967]; *oliva* Werny,[1967]; *yuennanensis* Werny,[1967] Range (in code): IN SI CN Yu

- 84459. Gaurena florescens Walker, 1865** (Thyatiridae) *Synonym(s): florescens Walker, 1865; albomaculata Werny, [1967]; burmanica Werny, [1967]; flavescens Werny, [1967]* Range (in code): IN SI MM CN
- 84460. Gaurena gemella Leech, 1900** (Thyatiridae) *Synonym(s): gemella Leech, 1900* Range (in code): CN
- 84461. Gaurena grisescens Oberthür, 1894** (Thyatiridae) *Synonym(s): grisescens Oberthür, 1894* Range (in code): CN
- 84462. Gaurena lichenea (Hampson, [1893])** (Thyatiridae) *Synonym(s): lichenea Hampson, [1893]* Range (in code):
- 84463. Gaurena margaritha Werny, [1967]** (Thyatiridae) *Synonym(s): margaritha Werny, [1967]; likiangensis Werny, [1967]* Range (in code): CN
- 84464. Gaurena olivacea Houlbert, 1921** (Thyatiridae) *Synonym(s): olivacea Houlbert, 1921* Range (in code):
- 84465. Gaurena sinuata W. Warren, 1912** (Thyatiridae) *Synonym(s): sinuata W. Warren, 1912* Range (in code): CN Hn
- 84466. Gaurena sinuata diehli Werny, [1967]** (Thyatiridae) *Synonym(s): diehli Werny, [1967]* Range (in code):
- 84467. Gaurena sinuata fletcheri Werny, [1967]** (Thyatiridae) *Synonym(s): fletcheri Werny, [1967]* Range (in code):
- 84468. Habrona alboplagata Bethune-Baker, 1908** (Thyatiridae) *Synonym(s): alboplagata Bethune-Baker, 1908; decora Gaede, 1930* Range (in code): ID Ij
- 84469. Habrona caerulescens W. Warren, 1915** (Thyatiridae) *Synonym(s): caerulescens W. Warren, 1915* Range (in code): ID Ij
- 84470. Habrona concinna W. Warren, 1915** (Thyatiridae) *Synonym(s): concinna W. Warren, 1915; submarginalis Gaede, 1930* Range (in code): ID Ij
- 84471. Habrosyne albipuncta (Wileman, 1911)** (Thyatiridae) *Synonym(s): albipuncta Wileman, 1911* Range (in code): CN Sz TW
- 84472. Habrosyne albipuncta angulifera (Gaede, 1930)** (Thyatiridae) *Synonym(s): angulifera Gaede, 1930; szechwanensis Werny, [1967]* Range (in code): CN Sz
- 84473. Habrosyne armata Moore, 1882** (Thyatiridae) *Synonym(s): armata Moore, 1882* Range (in code): IN As Meg Khs
- 84474. Habrosyne aurorina (Butler, 1881)** (Thyatiridae) *Synonym(s): aurorina Butler, 1881; moellendorfi Fixsen, 1887* Range (in code):
- 84475. Habrosyne chatfeldi Grote, 1895** (Thyatiridae) *Synonym(s): chatfeldi Grote, 1895* Range (in code): US Als
- 84476. Habrosyne dieckmanni (Graeser, 1888)** (Thyatiridae) *Synonym(s): dieckmanni Graeser, 1888; roseola Matsumura, 1909; urupina Bryk, 1941* Range (in code): RU Am
- 84477. Habrosyne fraterna Moore, 1888** (Thyatiridae) *Synonym(s): fraterna Moore, 1888* Original Reference: Habrosyne fraterna Moore, 1888, Proc. zool. Soc. London 1888: 406-407. Syntypes: [India]: "Kangra" (BMNH). Range (in code): PK Haz Mre IN Hp Drm Kgr SI NP
- 84478. Habrosyne indica (Moore, 1867)** (Thyatiridae) *Synonym(s): indica Moore, 1867; pterographa Poujade, 1887; malaisei Bryk, 1943; chekiangensis Werny, [1967]; japonica Werny, [1967]; aurata Werny, [1967]; flavescens Werny, [1967]; grisea Werny, [1967]* Original Reference: Gonophora indica Moore, 1867, Proc. zool. Soc. London 1867: 44. Range (in code): Ch IN SI Ben Hp Drm CN Ti JP TH CMa CDo Fn Agk Int MM Kam Keh
- 84479. Habrosyne intermedia conscripta W. Warren, 1912** (Thyatiridae) *Synonym(s): conscripta W. Warren, 1912; nepalensis Werny, [1967]* Range (in code): CN Ti NP
- 84480. Habrosyne plagiosa Moore, 1882** (Thyatiridae) *Synonym(s): plagiosa Moore, 1882* Range (in code): IN SI DjI
- 84481. Habrosyne pyritoides derasoides (Butler, 1878)** (Thyatiridae) *Synonym(s): derasoides Butler, 1878; ochracea Werny, [1967]* Range (in code): JP IN Pj Drm Kgr Hp TH CMa CDo Fn Agk Int
- 84482. Habrosyne pyritoides (Hufnagel, 1766)** (Thyatiridae) *Synonym(s): pyritoides Hufnagel, 1766; derasus Linnaeus, 1767; gloriosa Boisduval, 1852; intermedia Bremer, 1864* Range (in code): PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG Tbl Smt Bjo Lag AZ Kir AM IR Mz DK NO SE FI EE LV LT RU MD UA BY Ur Sb Us Am KP KR JP IN Pj Drm Kgr Hp TH CMa CDo Fn Agk Int Bionomy: Larva on Rubus (Romanoff, 1885).

- 84483. *Habrosyne rectangulata* Ottolengui, 1897** (Thyatiridae) **Synonym(s):** *rectangulata* Ottolengui, 1897; *arizonensis* Barnes & McDunnough, 1912 **Range (in code):** **US Arz**
- 84484. *Habrosyne sanguinea* Moore, 1882** (Thyatiridae) **Synonym(s):** *sanguinea* Moore, 1882 **Range (in code):** **IN SI Djl**
- 84485. *Habrosyne scripta* Gosse, 1840** (Thyatiridae) **Synonym(s):** *scripta* Gosse, 1840; *abrassa* Guenée, 1852 **Range (in code):** **US Ny Col Als**
- 84486. *Habrosyne violacea* (Fixsen, 1887)** (Thyatiridae) **Synonym(s):** *violacea* Fixsen, 1887; *chinensis* Werny, [1967]; *pallascens* Werny, [1967] **Range (in code):** **IN SI NP MM Knc Kam CN Sz She**
- 84487. *Habrosyne violacea argenteipuncta* Hampson, [1893]** (Thyatiridae) **Synonym(s):** *argenteipuncta* Hampson, [1893]; *nigricans* Werny, [1967]; *szechwana* Werny, [1967] **Range (in code):** **IN SI NP MM Knc Kam CN Sz**
- 84488. *Habrosyne violacea violacea* (Fixsen, 1887)** (Thyatiridae) **Synonym(s):** *violacea* Fixsen, 1887; *chinensis* Werny, [1967]; *pallascens* Werny, [1967] **Range (in code):** **CN She**
- 84489. *Hiroshia albinigra* Laszlo, G. Ronkay, L. Ronkay, 2001** (Thyatiridae) **Synonym(s):** *albinigra* Laszlo, G. Ronkay, L. Ronkay, 2001 **Range (in code):**
- 84490. *Horipsestis aenea* (Wileman, 1911)** (Thyatiridae) **Synonym(s):** *aenea* Wileman, 1911 **Range (in code):** **TW CN VN Ton Fan**
- 84491. *Horipsestis aenea roseobasalis* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) **Synonym(s):** *roseobasalis* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 **Range (in code):** **VN Ton Fan**
- 84492. *Horipsestis angusta* Yoshimoto, 1996** (Thyatiridae) **Synonym(s):** *angusta* Yoshimoto, 1996 **Range (in code):** **TH CMa Int**
- 84493. *Horipsestis kisvaczak* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) **Synonym(s):** *kisvaczak* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 **Range (in code):** **TH CMa Pap**
- 84494. *Horipsestis mushana* (Matsumura, 1931)** (Thyatiridae) **Synonym(s):** *mushana* (Matsumura, 1931) **Range (in code):** **TW VN Ton Fan**
- 84495. *Horipsestis mushana schintlmeisteri* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) **Synonym(s):** *schintlmeisteri* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 **Range (in code):** **VN Ton Fan**
- 84496. *Horithyatira decorata* (Moore, 1881)** (Thyatiridae) **Synonym(s):** *decorata* Moore, 1881 **Range (in code):** **JP IN SI Djl NP MM CN MY Bor Sbh KBa Swk**
- 84497. *Horithyatira decorata birmanica* (Bryk, 1944)** (Thyatiridae) **Synonym(s):** *birmanica* Bryk, 1944 **Range (in code):** **MM**
- 84498. *Horithyatira decorata decorata* (Moore, 1881)** (Thyatiridae) **Synonym(s):** *decorata* Moore, 1881 **Range (in code):** **IN SI Djl**
- 84499. *Horithyatira decorata kawamurae* (Matsumura, 1921)** (Thyatiridae) **Synonym(s):** *kawamurae* Matsumura, 1921 **Range (in code):** **JP**
- 84500. *Horithyatira decorata thodungensis* Werny, [1967]** (Thyatiridae) **Synonym(s):** *thodungensis* Werny, [1967] **Range (in code):** **NP**
- 84501. *Horithyatira diehli* Werny, [1967]** (Thyatiridae) **Synonym(s):** *diehli* Werny, [1967]; *assamensis* Werny, [1967] **Range (in code):** **ID Sum Ja IN Meg Ass Khs**
- 84502. *Horithyatira diehli javanica* Werny, [1967]** (Thyatiridae) **Synonym(s):** *javanica* Werny, [1967] **Range (in code):** **ID Ja**
- 84503. *Horithyatira geminata* (Gaede, 1931)** (Thyatiridae) **Synonym(s):** *geminata* Gaede, 1931 **Range (in code):** **ID Sum**
- 84504. *Horithyatira hoenei* Werny, [1967]** (Thyatiridae) **Synonym(s):** *hoenei* Werny, [1967] **Range (in code):** **CN Yu**
- 84505. *Horithyatira ornata* (Roepke, 1944)** (Thyatiridae) **Synonym(s):** *ornata* Roepke, 1944; *dilutior* Roepke, 1944 **Range (in code):** **ID Ja**
- 84506. *Horithyatira takamukui* (Matsumura, 1921)** (Thyatiridae) **Synonym(s):** *takamukui* Matsumura, 1921 **Range (in code):** **JP**
- 84507. *Isopsestis cuprina* (Moore, 1881)** (Thyatiridae) **Synonym(s):** *cuprina* Moore, 1881 **Range (in code):** **IN SI Djl**
- 84508. *Isopsestis meyi* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) **Synonym(s):** *meyi* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 **Range (in code):** **VN Ton Fan**
- 84509. *Isopsestis moorei* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) **Synonym(s):** *moorei* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 **Range (in code):** **CN She**

- 84510. Isopsestis naumanni Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *naumanni* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN
- 84511. Koedfoltos hackeri Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *hackeri* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN
- 84512. Koedfoltos parducka Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *parducka* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN Ton Fan
- 84513. Lithocharis maxima (Leech,1888)** (Thyatiridae) Synonym(s): *maxima* Leech,1888
Range (in code): JP
- 84514. Marplena designina Lane,1973** (Thyatiridae) Synonym(s): *designina* Lane,1973 Range (in code): ET ZA
- 84515. Mimopsestis albogrisea (Mell,1942)** (Thyatiridae) Synonym(s): *albogrisea* Mell,1942
Range (in code): CN
- 84516. Mimopsestis basalis (Wileman,1911)** (Thyatiridae) Synonym(s): *basalis* Wileman,1911
Range (in code): JP
- 84517. Mimopsestis circumdata (Houlbert,1921)** (Thyatiridae) Synonym(s): *circumdata* Houlbert,1921 Range (in code): CN Sz T-T
- 84518. Mimopsestis curvata (Sick,1941)** (Thyatiridae) Synonym(s): *curvata* Sick,1941 Range (in code): CN
- 84519. Mimopsestis determinata Bryk,1943** (Thyatiridae) Synonym(s): *determinata* Bryk,1943
Range (in code): MM
- 84520. Mimopsestis flammifera (Houlbert,1921)** (Thyatiridae) Synonym(s): *flammifera* Houlbert,1921 Range (in code): CN
- 84521. Mimopsestis hoenei (Sick,1941)** (Thyatiridae) Synonym(s): *hoenei* Sick,1941 Original Reference: Spilobasis hoenei Sick,1941, Dt. ent. Z. 1941: 8. Range (in code): CN Yu TH CMa Mae Agk Fn
- 84522. Mimopsestis minor (Sick,1941)** (Thyatiridae) Synonym(s): *minor* Sick,1941 Range (in code): CN
- 84523. Mimopsestis pseudomaculata (Houlbert,1921)** (Thyatiridae) Synonym(s): *pseudomaculata* Houlbert,1921 Range (in code): CN Sz T-T
- 84524. Nemacerota bacsovi Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *bacsovi* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code):
- 84525. Nemacerota cinerea (W.Warren,1888)** (Thyatiridae) Synonym(s): *cinerea* W.Warren,1888 Original Reference: Asphalia cinerea W.Warren,1888, Proc. zool. Soc. Lond. 1888: 300. Syntypes 4♂ 1♀: [Pakistan]: Thundiani [near Abbotabad]. Range (in code): PK Haz Mre Thu Pj IN Hp
- 84526. Nemacerota igorkostjuki Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *igorkostjuki* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): NP
- 84527. Nemacerota inouei Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *inouei* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN She
- 84528. Nemacerota lobbichleri Werny,[1967]** (Thyatiridae) Synonym(s): *lobbichleri* Werny,[1967] Original Reference: Nemacerota lobbichleri Werny,[1967], Unters. Syst. Thyatirini Macrothyatirini Habrosynini Tetheini: 417, figs. 105, 107. Holotype ♂: Pakistan, Karakoram Mts. Darukush 3300m, leg. F.Lobbichler (ZSM). Range (in code): PK Gg Bt Deo
- 84529. Nemacerota mandibulata Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *mandibulata* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN She
- 84530. Nemacerota matsumurana Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) Synonym(s): *matsumurana* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): NP
- 84531. Nemacerota owadai Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *owadai* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN She
- 84532. Nemacerota stueningi Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *stueningi* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN
- 84533. Nemacerota taurina Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *taurina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): CN She
- 84534. Nemacerota umbrosa Wileman,1911** (Thyatiridae) Synonym(s): *umbrosa* Wileman,1911
Range (in code): JP
- 84535. Neotogaria baenzigeri Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae)
Synonym(s): *baenzigeri* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): TH Nan

- 84536. Neotogaria saitonis Matsumura,1931** (Thyatiridae) **Synonym(s):** *saitonis* Matsumura,1931 **Range (in code):** **TW CN She**
- 84537. Neotogaria saitonis sinjaevi Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *sinjaevi* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN She**
- 84538. Neotogaria thomaswitti Laszlo, G.Ronkay & L.Ronkay,2007** (Thyatiridae) **Synonym(s):** *thomaswitti* Laszlo, G.Ronkay & L.Ronkay,2007 **Range (in code):** **TH CMa**
- 84539. Ochropacha duplaris (Linnaeus,1761)** (Thyatiridae) **Synonym(s):** *duplaris* Linnaeus,1761; *bicolorata* Hufnagel,1766; *bipuncta* Borkhausen,1792; *binotata* Fabricius,1793; *kamschadalis* Sheljuzhko,1926 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Kmt MD UA BY**
- 84540. Paragnorima brunnea Leech,1900** (Thyatiridae) **Synonym(s):** *brunnea* Leech,1900 **Range (in code):** **CN**
- 84541. Paragnorima fuscescens Hampson,1912** (Thyatiridae) **Synonym(s):** *fuscescens* Hampson,1912; *dubitatrix* Bryk,1943 **Range (in code):** **IN**
- 84542. Parapsestis argenteopicta (Oberthür,1879)** (Thyatiridae) **Synonym(s):** *argenteopicta* Oberthür,1879 **Range (in code):** **RU Am Us KP KR CN JP VN NP**
- 84543. Parapsestis argenteopicta annamica Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *annamica* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **VN**
- 84544. Parapsestis argenteopicta nepalina Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *nepalina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **NP**
- 84545. Parapsestis cinerea Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *cinerea* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN She KP**
- 84546. Parapsestis cinerea pacifica Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *pacifica* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **KP**
- 84547. Parapsestis dabashana Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *dabashana* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN She**
- 84548. Parapsestis hausmanni Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *hausmanni* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **VN Ton Fan**
- 84549. Parapsestis implicata Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *implicata* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN She**
- 84550. Parapsestis lichenea splendida Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *splendida* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **VN**
- 84551. Parapsestis lichenea tsinlinga Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *tsinlinga* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN**
- 84552. Parapsestis tomponis (Matsumura,1933)** (Thyatiridae) **Synonym(s):** *tomponis* Matsumura,1933 **Range (in code):** **TW VN Ton Fan**
- 84553. Parapsestis tomponis almasderes Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *almasderes* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **VN Ton Fan**
- 84554. Parapsestis wernyaminta Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *wernyaminta* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **CN She**
- 84555. Polyploca arctipennis Butler,1878** (Thyatiridae) **Synonym(s):** *arctipennis* Butler,1878; *innotata* W.Warren,1912 **Range (in code):** **JP**
- 84556. Polyploca bifasciata Hampson,1895** (Thyatiridae) **Synonym(s):** *bifasciata* Hampson,1895 **Range (in code):** **IN SI**
- 84557. Polyploca galema Swinhoe,1894** (Thyatiridae) **Synonym(s):** *galema* Swinhoe,1894 **Range (in code):** **IN Ass Meg Cpj**
- 84558. Polyploca korbi Rebel,1901** (Thyatiridae) **Synonym(s):** *korbi* Rebel,1901 **Original Reference:** *Polyploca korbi* Rebel,1901, *Annln naturh. Mus. Wien* 16: 167. Type ♂: Türkei, Akşehir (ZMHU) [see: *Int. ent. Z.* 24 (45): *Tafel*, fig.2]. **Range (in code):** **TR IQ IL Pa SY IR**
- 84559. Polyploca laororshanae Laszlo, G.Ronkay, L.Ronkay & Witt,2006** (Thyatiridae) **Synonym(s):** *laororshanae* Laszlo, G.Ronkay, L.Ronkay & Witt,2006 **Original Reference:** *Polyploca laororshanae* Laszlo, G.Ronkay, L.Ronkay & Witt,2006, *Entomofauna* 27 (4): 64-67, figs. Holotype ♂: Israel, Upper Galilee, Kfar Hafradim 800m 27 4 1999 leg. Li & Müller (MWM). **Range (in code):** **IL Pa Hf**
- 84560. Polyploca latens Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *latens* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **AZ Len Cc Tlh**

- 84561. *Polyploca nigrofascicula* Graeser, 1888** (Thyatiridae) Synonym(s): *nigrofascicula* Graeser, 1888; *nigrofasciata* W. Warren, 1912 Range (in code): RU Us
- 84562. *Polyploca ornata* Leech, 1888** (Thyatiridae) Synonym(s): *ornata* Leech, 1888; *concolor* Leech, 1888 Range (in code): JP
- 84563. *Polyploca polychromata* Hampson, 1896** (Thyatiridae) Synonym(s): *polychromata* Hampson, 1896 Range (in code): IN SI
- 84564. *Polyploca punctigera* (Butler, 1885)** (Thyatiridae) Synonym(s): *punctigera* Butler, 1885 Range (in code): JP
- 84565. *Polyploca ridens* (Fabricius, 1787)** (Thyatiridae) Synonym(s): *ridens* Fabricius, 1787; *nitens* Villers, 1789; *xanthoceros* Borkhausen, 1792; *chrysoceras* Beckwith, 1794 Range (in code): PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE LV LT RU MD UA BY
- 84566. *Psidopala apicalis* (Leech, 1900)** (Thyatiridae) Synonym(s): *apicalis* Leech, 1900 Range (in code): CN
- 84567. *Psidopala kishidai* Yoshimoto, 1987** (Thyatiridae) Synonym(s): *kishidai* Yoshimoto, 1987 Range (in code): TW
- 84568. *Psidopala opalescens* (Alpheraky, 1897)** (Thyatiridae) Synonym(s): *opalescens* Alpheraky, 1897 Range (in code): CN Yu
- 84569. *Psidopala ornata* (Leech, 1900)** (Thyatiridae) Synonym(s): *ornata* Leech, 1900; *yuennanensis* Werny, [1967]; *indecorata* Werny, [1967]; *pseudoornata* Werny, [1967] Range (in code): CN Yu
- 84570. *Psidopala paeoniola* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) Synonym(s): *paeoniola* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 Range (in code): CN She
- 84571. *Psidopala pennata* (Wileman, 1914)** (Thyatiridae) Synonym(s): *pennata* Wileman, 1914 Original Reference: Thyatira pennata Wileman, 1914, *Entomologist* 47: 268. Holotype ♂: Formosa, Arizan 7300ft. (BMNH). Range (in code): TW
- 84572. *Psidopala roseola* Werny, [1967]** (Thyatiridae) Synonym(s): *roseola* Werny, [1967] Range (in code): CN She
- 84573. *Psidopala shirakii* (Matsumura, 1931)** (Thyatiridae) Synonym(s): *shirakii* Matsumura, 1931 Range (in code): TW
- 84574. *Psidopala tenuis* (Hampson, 1896)** (Thyatiridae) Synonym(s): *tenuis* Hampson, 1896; *falkneri* Werny, [1967] Range (in code): IN SI CN Ti NP
- 84575. *Psidopala undulans* (Hampson, 1893)** (Thyatiridae) Synonym(s): *undulans* Hampson, 1893; *ebba* Bryk, 1943 Range (in code): IN Ass Meg Khs MM
- 84576. *Psidopala warreni* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007** (Thyatiridae) Synonym(s): *warreni* Laszlo, G. Ronkay, L. Ronkay & Witt, 2007 Range (in code): CN She
- 84577. *Stenopsestis alternata* (Moore, 1881)** (Thyatiridae) Synonym(s): *alternata* Moore, 1881; *bryki* Yoshimoto, 1993 Range (in code): IN SI Djl
- 84578. *Takapsestis* (Neogaurena) *semiobsoleta* (W. Warren, 1915)** (Thyatiridae) Synonym(s): *semiobsoleta* W. Warren, 1915 Range (in code): ID Sum
- 84579. *Takapsestis* (Neogaurena) *semiobsoleta semiobsoleta* (W. Warren, 1915)** (Thyatiridae) Synonym(s): *semiobsoleta* W. Warren, 1915 Range (in code):
- 84580. *Takapsestis* (Neogaurena) *semiobsoleta sumatraensis* (Gaede, 1930)** (Thyatiridae) Synonym(s): *sumatraensis* Gaede, 1930 Range (in code): ID Sum
- 84581. *Takapsestis* (s.str.) *bifasciata* (Hampson, 1895)** (Thyatiridae) Synonym(s): *bifasciata* Hampson, 1895; *nepalensis* Yoshimoto, 1992; *harutai* Yoshimoto, 1994 Range (in code): NP
- 84582. *Takapsestis* (s.str.) *orbicularis* (Moore, 1888)** (Thyatiridae) Synonym(s): *orbicularis* Moore, 1888; *griseata* W. Warren, 1915 Range (in code): IN Hp Drm Pj PK Nwf Swa NP
- 84583. *Takapsestis* (s.str.) *wilemaniella* Matsumura, 1933** (Thyatiridae) Synonym(s): *wilemaniella* Matsumura, 1933 Range (in code): NP TW VN Ton Fan
- 84584. *Takapsestis* (s.str.) *wilemaniella* *continentalis* Laszlo, G. Ronkay, L. Ronkay, 2001** (Thyatiridae) Synonym(s): *continentalis* Laszlo, G. Ronkay, L. Ronkay, 2001 Range (in code): VN Ton Fan
- 84585. *Takapsestis* (s.str.) *wilemaniella plumbeata* Laszlo, G. Ronkay, L. Ronkay, 2001** (Thyatiridae) Synonym(s): *plumbeata* Laszlo, G. Ronkay, L. Ronkay, 2001 Range (in code): NP
- 84586. *Takapsestis* (s.str.) *wilemaniella wilemaniella* Matsumura, 1933** (Thyatiridae) Synonym(s): *wilemaniella* Matsumura, 1933 Range (in code): TW

- 84587. *Tethea aenea* (Wileman,1911)** (Thyatiridae) **Synonym(s):** *aenea* Wileman,1911 Original Reference: *Polyploca aenea* Wileman,1911, *Entomologist* 44: 150. **Type:** Formosa. Range (in code): **TW TH CMa CDo**
- 84588. *Tethea albicosta* (Moore,1867)** (Thyatiridae) **Synonym(s):** *albicosta* Moore,1867; *birmanica* Werny,[1967] Range (in code): **IN Ass Ben SI Djl MM Knc Kam TW**
- 84589. *Tethea albicosta albicosta* (Moore,1867)** (Thyatiridae) **Synonym(s):** *albicosta* Moore,1867; *birmanica* Werny,[1967] Range (in code): **IN Ass Ben SI Djl MM Knc Kam TW**
- 84590. *Tethea albicosta taiwana* (Matsumura,1931)** (Thyatiridae) **Synonym(s):** *taiwana* Matsumura,1931; *wilemani* Werny,[1967] Range (in code): **TW**
- 84591. *Tethea albicostata* (Bremer,1861)** (Thyatiridae) **Synonym(s):** *albicostata* Bremer,1861; *koreonaga* Bryk,1948; *japonibia* Werny,[1967]; *montana* Werny,[1967]; *contrastata* Werny,[1967] Range (in code): **RU Sb Am Us KP KR JP CN**
- 84592. *Tethea albidisca* (Moore,1888)** (Thyatiridae) **Synonym(s):** *albidisca* Moore,1888 Range (in code): **PK IN**
- 84593. *Tethea albuncula* (Eversmann,1851)** (Thyatiridae) **Synonym(s):** *albuncula* Eversmann,1851 Range (in code): **RU Ir Irk Sb**
- 84594. *Tethea alternata* (Moore,1881)** (Thyatiridae) **Synonym(s):** *alternata* Moore,1881 Range (in code): **IN SI Djl**
- 84595. *Tethea ampliata* (Butler,1878)** (Thyatiridae) **Synonym(s):** *ampliata* Butler,1878; *angustimedia* W.Warren,1912; *suffusa* W.Warren,1912; *askoldensis* Houlbert,1921 Range (in code): **RU Us KP KR JP CN**
- 84596. *Tethea ampliata shansiensis* Werny,[1967]** (Thyatiridae) **Synonym(s):** *shansiensis* Werny,[1967]; *griseofasciata* Werny,[1967] Range (in code): **CN**
- 84597. *Tethea aspera* (Walker,1865)** (Thyatiridae) **Synonym(s):** *aspera* Walker,1865 Range (in code):
- 84598. *Tethea basalis* (Wileman,1911)** (Thyatiridae) **Synonym(s):** *basalis* Wileman,1911 Range (in code): **JP**
- 84599. *Tethea brevis* (Leech,1900)** (Thyatiridae) **Synonym(s):** *brevis* Leech,1900 Range (in code): **CN Sz T-T**
- 84600. *Tethea brunnea* (Leech,1900)** (Thyatiridae) **Synonym(s):** *brunnea* Leech,1900 Range (in code): **CN**
- 84601. *Tethea consimilis* W.Warren,1912** (Thyatiridae) **Synonym(s):** *consimilis* W.Warren,1912; *birohoensis* Werny,[1967]; *flavescens* Werny,[1967]; *hoenei* Werny,[1967] Range (in code): **JP**
- 84602. *Tethea consimilis commifera* W.Warren,1912** (Thyatiridae) **Synonym(s):** *commifera* W.Warren,1912; *szechwanensis* Werny,[1967] Range (in code): **IN Pj CN Sz**
- 84603. *Tethea cuprina* (Moore,1881)** (Thyatiridae) **Synonym(s):** *cuprina* Moore,1881 Range (in code): **IN SI Djl**
- 84604. *Tethea deplanata* (Walker,1866)** (Thyatiridae) **Synonym(s):** *deplanata* Walker,1866 Range (in code): **TA**
- 84605. *Tethea intensa* (Butler,1881)** (Thyatiridae) **Synonym(s):** *octogesima* Butler,1878 *nec* Hbn.,1786; *intensa* Butler,1881; *angustata* Staudinger,1887 Range (in code): **JP RU Am**
- 84606. *Tethea leucocera* (Hampson,1894)** (Thyatiridae) **Synonym(s):** *leucocera* Hampson,1894 Range (in code): **IN**
- 84607. *Tethea longisigna* Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *longisigna* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 Range (in code): **CN Yu**
- 84608. *Tethea lugens* (Walker,1863)** (Thyatiridae) **Synonym(s):** *lugens* Walker,1863 Range (in code): **TA**
- 84609. *Tethea meterythra* (Hampson,1894)** (Thyatiridae) **Synonym(s):** *meterythra* Hampson,1894 Range (in code): **IN**
- 84610. *Tethea mirabilis* (Butler,1879)** (Thyatiridae) **Synonym(s):** *JP* Original Reference: *mirabilis* Butler,1879 Range (in code):
- 84611. *Tethea moderata* (Walker,1857)** (Thyatiridae) **Synonym(s):** *moderata* Walker,1857 Range (in code): **CO**
- 84612. *Tethea oberthueri* (Houlbert,1921)** (Thyatiridae) **Synonym(s):** *oberthueri* Houlbert,1921; *monticola* Bryk,1943; *chekiangensis* Werny,[1967]; *occidentalis* Werny,[1967]; *fukienensis* Werny,[1967] Range (in code): **IN SI MM Knc Kam TH CMa CDo MY Bor TW CN Yu**

- 84613. *Tethea oberthueri oberthueri* (Houlbert,1921)** (Thyatiridae) Synonym(s): *oberthueri* Houlbert,1921; *monticola* Bryk,1943; *chekiangensis* Werny,[1967]; *occidentalis* Werny,[1967]; *fukienensis* Werny,[1967] Range (in code): **IN SI MM Knc Kam TH CMa CDo MY Bor TW CN Yu**
- 84614. *Tethea octogesima* (Butler,1878)** (Thyatiridae) Synonym(s): *octogesima* Butler,1878; *angustata* Staudinger,1885 Range (in code):
- 84615. *Tethea ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kosswigi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901 Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sr Ur Da Am GG Bjo Lag Smt MD UA BY IQ Cc IL Pa AZ Lag Nv Ord Kir IR Elb Th Kdj Ak Shf UZ KG KK Na TJ CN** Bionomy: Larva on Salix (Wiltshire,1957).
- 84616. *Tethea ocularis amurensis* (W.Warren,1912)** (Thyatiridae) Synonym(s): *amurensis* W.Warren,1912; *tsinlingensis* Werny,[1967] Range (in code): **RU Am CN Shs**
- 84617. *Tethea ocularis ocularis* (Linnaeus,1767)** (Thyatiridae) Synonym(s): *ocularis* Linnaeus,1767; *octogena* Esper,1788; *kosswigi* Werny,[1967]; *caucasica* Werny,[1967] *nec* Krul.,1901 Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 84618. *Tethea ocularis opa* Zolotuhin,1997** (Thyatiridae) Synonym(s): *opa* Zolotuhin,1997 Range (in code): **UZ KG KK Na TJ**
- 84619. *Tethea ocularis osthelderi* (Bytinski-Salz & Brandt,1937)** (Thyatiridae) Synonym(s): *osthelderi* Bytinski-Salz & Brandt,1937; *#farinosa* Bytinski-Salz & Brandt,1937; *orientalis* Werny,[1967]; *caspiica* Ebert,1976 Original Reference: *Cymatophora osthelderi* Bytinski-Salz & Brandt,1937, Entomologist's Rec. J. Var. 49: 3-4. Syntypes 5♂: Iran: Keredj,1400m. Range (in code): **Cc AZ Lag Nv Ord IR Ak Shf Elb Th Kdj TR IQ**
- 84620. *Tethea ocularis sareptensis* (Spuler,1908)** (Thyatiridae) Synonym(s): *sareptensis* Spuler,1908 Range (in code): **RU Ur**
- 84621. *Tethea or* ([Denis & Schiffermüller],1775)** (Thyatiridae) Synonym(s): *#or* [Denis & Schiffermüller],1775; *gammagraecum* Retzius,1783; *consobrina* Borkhausen,1790; *gemina* Beckwith,1794 *nec* Vill.,1789; *terrosa* Graeser,1888; *graelica* Kane,1894; *fasciata* Spuler,1908; *obscura* Spuler,1908; *marginata* Warnecke,1911; *nigrescens* Werny,[1967] Original Reference: *Noctua or* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 87. Type(s): Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt Lag AM AZ Kir DK NO SE FI EE LV LT RU MD UA BY Sb Am Us KG CN Ii Ui** Bionomy: Larva on Populus nigra ([Denis & Schiffermüller],1775 et seq.).
- 84622. *Tethea ornata* (Leech,1900)** (Thyatiridae) Synonym(s): *ornata* Leech,1900; *unicolor* Leech,1900 Range (in code): **JP**
- 84623. *Tethea persimilis* (Hampson,1894)** (Thyatiridae) Synonym(s): *persimilis* Hampson,1894 Range (in code): **IN**
- 84624. *Tethea rubida* (Hampson,1894)** (Thyatiridae) Synonym(s): *rubida* Hampson,1894 Range (in code): **IN**
- 84625. *Tethea tankrei* (Graeser,1888)** (Thyatiridae) Synonym(s): *tankrei* Graeser,1888 Range (in code): **RU Am**
- 84626. *Tethea temperans* (Walker,1858)** (Thyatiridae) Synonym(s): *temperans* Walker,1858 Range (in code): **BR Rja**
- 84627. *Tethea trifolium* (Alpheraky,1895)** (Thyatiridae) Synonym(s): *trifolium* Alpheraky,1895 Range (in code): **RU Us**
- 84628. *Tetheella fluctuosa* (Hübner,[1803])** (Thyatiridae) Synonym(s): *fluctuosa* Hübner,[1803]; *isshikii* Matsumura,1921 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY JP**
- 84629. *Thyatira achatina* Weymer,1896** (Thyatiridae) Synonym(s): *achatina* Weymer,1896 Range (in code):
- 84630. *Thyatira albipuncta* Wileman,1910** (Thyatiridae) Synonym(s): *albipuncta* Wileman,1910 Range (in code): **TW**
- 84631. *Thyatira apicalis* Leech,1900** (Thyatiridae) Synonym(s): *apicalis* Leech,1900 Range (in code): **CN**
- 84632. *Thyatira arizana* Wileman,1910** (Thyatiridae) Synonym(s): *arizana* Wileman,1910 Range (in code): **TW**
- 84633. *Thyatira aurorina* (Butler,1881)** (Thyatiridae) Synonym(s): *aurorina* Butler,1881 Range (in code): **JP**

- 84634. *Thyatira batis* (Linnaeus,1758)** (Thyatiridae) **Synonym(s):** *batis* Linnaeus,1758; *indecorata* Turner,1926; *albopunctata* Spuler,1908; *confluens* Marschner,1908; *derosea* Maurer,1909; *conflua* Rebel,1910; *japonica* Werny,[1967]; *mandschurica* Werny,[1967] **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo Smt AM AZ DK NO SE FI EE LV LT RU MD UA BY Sb Us KP KR JP CN Mc MY Bor Sbh KBa Swk** **Bionomy:** Larva on Rubus (Rosaceae) (Yunus & Ho,1980).
- 84635. *Thyatira batis pallida* Rothschild,1926** (Thyatiridae) **Synonym(s):** *pallida* Rothschild,1926 **Range (in code):** **MY Bor Sbh KBa Swk** **Bionomy:** Larva on Rubus (Rosaceae) (Yunus & Ho,1980).
- 84636. *Thyatira batis rubescens* Werny,[1967]** (Thyatiridae) **Synonym(s):** *rubescens* Werny,[1967]; *assamensis* Werny,[1967]; *kwantungensis* Werny,[1967]; *nepalensis* Werny,[1967]; *obscura* Werny,[1967]; *orientalis* Werny,[1967]; *szechwana* Werny,[1967]; *tienmushana* Werny,[1967]; *vietnamensis* Werny,[1967] **Range (in code):** **TH CMa CDo**
- 84637. *Thyatira bodemeyeri* O.Bang-Haas,1934** (Thyatiridae) **Synonym(s):** *bodemeyeri* O.Bang-Haas,1934 **Original Reference:** *Thyatira bodemeyeri* O.Bang-Haas,1934, Ent. Z., Frankf. a. M. 48 (7): 56. Type ♀: Iran: Hyrcania occ. **Range (in code):** **IR Elb**
- 84638. *Thyatira casta* R.Felder & Rogenhofer,1868** (Thyatiridae) **Synonym(s):** *casta* R.Felder & Rogenhofer,1868 **Range (in code):** **CO**
- 84639. *Thyatira cognata* W.Warren,1888** (Thyatiridae) **Synonym(s):** *cognata* W.Warren,1888 **Range (in code):** **PK Haz Mre K-P IN**
- 84640. *Thyatira conspicua* Leech,1900** (Thyatiridae) **Synonym(s):** *conspicua* Leech,1900 **Range (in code):** **CN**
- 84641. *Thyatira delattini* (Werny,[1967])** (Thyatiridae) **Synonym(s):** *delattini* Werny,[1967] **Range (in code):** **PG**
- 84642. *Thyatira flavida* Butler,1885** (Thyatiridae) **Synonym(s):** *flavida* Butler,1885 **Range (in code):** **JP**
- 84643. *Thyatira flavimargo* Leech,1900** (Thyatiridae) **Synonym(s):** *flavimargo* Leech,1900 **Range (in code):** **CN**
- 84644. *Thyatira hedemanni* Christoph,1885** (Thyatiridae) **Synonym(s):** *hedemanni* Christoph,1885; *elbursina* Werny,[1967] **Range (in code):** **TR Cc GG Lag AZ Kir Tlh IR Elb Kh Mz Gh**
- 84645. *Thyatira hersilia* Druce,1889** (Thyatiridae) **Synonym(s):** *hersilia* Druce,1889 **Range (in code):** **GT**
- 84646. *Thyatira heurippa* Druce,1889** (Thyatiridae) **Synonym(s):** *heurippa* Druce,1889 **Range (in code):** **PA MX**
- 84647. *Thyatira hypatia* Druce,1889** (Thyatiridae) **Synonym(s):** *hypatia* Druce,1889 **Range (in code):** **PA**
- 84648. *Thyatira magniplaga* Walker,1858** (Thyatiridae) **Synonym(s):** *magniplaga* Walker,1858 **Range (in code):** **MY Bor Swk**
- 84649. *Thyatira mexicana* Edwards,1884** (Thyatiridae) **Synonym(s):** *mexicana* Edwards,1884; *superba* Barnes,1901 **Range (in code):** **MX Vcr US Arz PA GT**
- 84650. *Thyatira moellendorffii* Fixsen,1887** (Thyatiridae) **Synonym(s):** *moellendorffii* Fixsen,1887 **Range (in code):** **KP KR**
- 84651. *Thyatira oblonga* Poujade,1887** (Thyatiridae) **Synonym(s):** *oblonga* Poujade,1887 **Range (in code):** **CN**
- 84652. *Thyatira opalescens* Alpheraky,1897** (Thyatiridae) **Synonym(s):** *opalescens* Alpheraky,1897 **Range (in code):** **CN**
- 84653. *Thyatira ornata* Leech,1900** (Thyatiridae) **Synonym(s):** *ornata* Leech,1900 **Range (in code):** **CN**
- 84654. *Thyatira philippina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) **Synonym(s):** *philippina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007 **Range (in code):** **PH Mno**
- 84655. *Thyatira pryeri* Butler,1881** (Thyatiridae) **Synonym(s):** *pryeri* Butler,1881 **Range (in code):** **JP**
- 84656. *Thyatira repugnans* Walker,1865** (Thyatiridae) **Synonym(s):** *repugnans* Walker,1865 **Range (in code):** **IN LK**
- 84657. *Thyatira staphyla* Dognin,1890** (Thyatiridae) **Synonym(s):** *staphyla* Dognin,1890 **Range (in code):** **EC**
- 84658. *Thyatira stramineata* W.Warren,1912** (Thyatiridae) **Synonym(s):** *stramineata* W.Warren,1912 **Range (in code):** **IN Ass Khs Meg CN**

- 84659. *Thyatira tama* Schaus,1933** (Thyatiridae) *Synonym(s): tama Schaus,1933* Range (in code): CO
- 84660. *Thyatira trimaculata* Bremer,1861** (Thyatiridae) *Synonym(s): trimaculata Bremer,1861; albomaculata Leech,1890; chinensis Leech,1890* Range (in code): RU Sb Am Us KP KR CN
- 84661. *Thyatira undulans* Hampson,1893** (Thyatiridae) *Synonym(s): undulans Hampson,1893* Range (in code): IN
- 84662. *Thyatira vicina* (Guenée,1852)** (Thyatiridae) *Synonym(s): vicina Guenée,1852* Range (in code): ID Ja Bli
- 84663. *Thyatira violacea* Fixsen,1887** (Thyatiridae) *Synonym(s): violacea Fixsen,1887* Range (in code): KP KR CN
- 84664. *Wernya baenzigeri* Yoshimoto,1996** (Thyatiridae) *Synonym(s): baenzigeri Yoshimoto,1996* Original Reference: Wernya solena ssp. baenzigeri Yoshimoto,1996, Tinea 14 (4): 284. Range (in code): TH Loe
- 84665. *Wernya griseochrysa* Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) *Synonym(s): griseochrysa Laszlo,G.Ronkay,L.Ronkay,2001* Range (in code): VN Ton Tda
- 84666. *Wernya hreblayi* Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) *Synonym(s): hreblayi Laszlo, G.Ronkay, L.Ronkay & Witt,2007* Range (in code): TH CMa Pfa
- 84667. *Wernya karsholti* Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) *Synonym(s): karsholti Laszlo,G.Ronkay,L.Ronkay,2001* Range (in code): TH CMa Int
- 84668. *Wernya punctata* Yoshimoto,1987** (Thyatiridae) *Synonym(s): punctata Yoshimoto,1987* Range (in code): MY
- 84669. *Wernya sechuana* Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) *Synonym(s): sechuana Laszlo,G.Ronkay,L.Ronkay,2001* Range (in code): CN Sz
- 84670. *Wernya solena* (Swinhoe,1894)** (Thyatiridae) *Synonym(s): solena Swinhoe,1894* Original Reference: Gaurena solena Swinhoe,1894, Ann. Mag. Nat. Hist. (6) 14: 431. Type: India: Khasis Hills. Range (in code): IN Meg Ass Khs
- 84671. *Wernya thailandica* Yoshimoto,1987** (Thyatiridae) *Synonym(s): thailandica Yoshimoto,1987* Original Reference: Wernya thailandica Yoshimoto,1987, Tyo To Ga 38 (1): 46. Holotype ♂: Thailand, Chiang Mai (UOP). Range (in code): TH CMa VN Ton Fan
- 84672. *Wernya thailandica pallescens* Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) *Synonym(s): pallescens Laszlo,G.Ronkay,L.Ronkay,2001* Range (in code): VN Ton Fan
- 84673. *Wernya thailandica thailandica* Yoshimoto,1987** (Thyatiridae) *Synonym(s): thailandica Yoshimoto,1987* Original Reference: Wernya thailandica Yoshimoto,1987, Tyo To Ga 38 (1): 46. Holotype ♂: Thailand, Chiang Mai (UOP). Range (in code): TH CMa
- 84674. *Wernya witti* Laszlo,G.Ronkay,L.Ronkay,2001** (Thyatiridae) *Synonym(s): witti Laszlo,G.Ronkay,L.Ronkay,2001* Range (in code): VN Ton Fan
- 84675. *Wernya zita* Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) *Synonym(s): zita Laszlo, G.Ronkay, L.Ronkay & Witt,2007* Range (in code): TH CMa Pfa
- 84676. *Automolis abyssinibia* (Kiriakoff,1957)** (Thyretidae) *Synonym(s): #abyssinibia Strand,1920; abyssinibia Kiriakoff,1957* Range (in code): ET ET09
- 84677. *Automolis benitensis* (Holland,1893)** (Thyretidae) *Synonym(s): benitensis Holland,1893* Range (in code): ZA CM KE
- 84678. *Automolis benitensis benitensis* (Holland,1893)** (Thyretidae) *Synonym(s): benitensis Holland,1893* Range (in code): ZA CM
- 84679. *Automolis benitensis orientalis* (Kiriakoff,1956)** (Thyretidae) *Synonym(s): orientalis Kiriakoff,1956* Range (in code): KE
- 84680. *Automolis bicolora* (Walker,1856)** (Thyretidae) *Synonym(s): bicolora Walker,1856* Range (in code): ZA
- 84681. *Automolis bipartita* (Kiriakoff,1973)** (Thyretidae) *Synonym(s): bipartita Kiriakoff,1973* Range (in code): TZ
- 84682. *Automolis brunneipennis* (M.Hering,1932)** (Thyretidae) *Synonym(s): brunneipennis M.Hering,1932* Range (in code): ZR ZA
- 84683. *Automolis burgessi* (Kiriakoff,1957)** (Thyretidae) *Synonym(s): burgessi Kiriakoff,1957* Range (in code): UG
- 84684. *Automolis burra* (Schaus & Clemente,1893)** (Thyretidae) *Synonym(s): burra Schaus & Clemente,1893* Range (in code): ZA SL ZR UG

- 84685. Automolis burra burra (Schaus & Clemente,1893)** (Thyretidae) Synonym(s): *burra* Schaus & Clemente,1893; *#congonis* Strand,1917 Range (in code): SL ZR UG
- 84686. Automolis burra saalfeldi (Kiriakoff,1960)** (Thyretidae) Synonym(s): *saalfeldi* Kiriakoff,1960 Range (in code): ZA
- 84687. Automolis burungae (Debauche,1942)** (Thyretidae) Synonym(s): *burungae* Debauche,1942 Range (in code): ZR
- 84688. Automolis cameruna (Hampson,1914)** (Thyretidae) Synonym(s): *haematoessa* Oberthür nec Holl.; *cameruna* Hampson,1914 Range (in code): CM
- 84689. Automolis capricornis (Kiriakoff,1957)** (Thyretidae) Synonym(s): *capricornis* Kiriakoff,1957 Range (in code): AO
- 84690. Automolis carmel (Kiriakoff,1957)** (Thyretidae) Synonym(s): *carmel* Kiriakoff,1957 Range (in code): ET
- 84691. Automolis collocalia (Kiriakoff,1957)** (Thyretidae) Synonym(s): *collocalia* Kiriakoff,1957 Range (in code): ZW Vum MW ZR Kvu
- 84692. Automolis collocalia collocalia (Kiriakoff,1957)** (Thyretidae) Synonym(s): *collocalia* Kiriakoff,1957 Range (in code): ZW Vum
- 84693. Automolis collocalia montium (Kiriakoff,1957)** (Thyretidae) Synonym(s): *montium* Kiriakoff,1957 Range (in code): ZR Kvu
- 84694. Automolis confederationis (Kiriakoff,1961)** (Thyretidae) Synonym(s): *confederationis* Kiriakoff,1961 Original Reference: Metarctia (Metarhodia) *confederationis* Kiriakoff,1961, Mitt. münch. ent. Ges. 51: 101, fig. Holotype: South Africa: Natal. Range (in code): ZA Nta Kzu
- 84695. Automolis crassa (R.Felder & Rogenhofer,1874)** (Thyretidae) Synonym(s): *crassa* R.Felder & Rogenhofer,1874 Range (in code): ZA ET
- 84696. Automolis crassa crassa (R.Felder & Rogenhofer,1874)** (Thyretidae) Synonym(s): *crassa* R.Felder & Rogenhofer,1874 Range (in code): ZA
- 84697. Automolis crassa negusi (Kiriakoff,1957)** (Thyretidae) Synonym(s): *negusi* Kiriakoff,1957 Original Reference: Metarctia (Metarctia) *crassa* ssp. *negusi* Kiriakoff,1957, Tijdschr. Ent. 100 (1): 100. Holotype ♂: [Ethiopia]: Abyssinia" and Harrar (BMNH). Range (in code): ET
- 84698. Automolis crocina Kiriakoff,1973** (Thyretidae) Synonym(s): *crocina* Kiriakoff,1973 Range (in code): ZA ZW Har
- 84699. Automolis didyma (Kiriakoff,1957)** (Thyretidae) Synonym(s): *didyma* Kiriakoff,1957 Range (in code): NE CI TD
- 84700. Automolis dracoena (Kiriakoff,1953)** (Thyretidae) Synonym(s): *dracoena* Kiriakoff,1953 Range (in code): ZA
- 84701. Automolis fario (Kiriakoff,1957)** (Thyretidae) Synonym(s): *fario* Kiriakoff,1957 Range (in code): ZR
- 84702. Automolis flavivena (Hampson,1901)** (Thyretidae) Synonym(s): *flavivena* Hampson,1901 Range (in code): ZA
- 84703. Automolis flavivena flavivena (Hampson,1901)** (Thyretidae) Synonym(s): *flavivena* Hampson,1901 Range (in code): ZA
- 84704. Automolis fletcheri (Kiriakoff,1958)** (Thyretidae) Synonym(s): *fletcheri* Kiriakoff,1958 Range (in code): UG Rz
- 84705. Automolis flora (Kiriakoff,1957)** (Thyretidae) Synonym(s): *flora* Kiriakoff,1957 Range (in code): RW
- 84706. Automolis forsteri (Kiriakoff,1955)** (Thyretidae) Synonym(s): *forsteri* Kiriakoff,1955 Range (in code): CM RW
- 84707. Automolis forsteri forsteri (Kiriakoff,1955)** (Thyretidae) Synonym(s): *forsteri* Kiriakoff,1955 Range (in code): CM
- 84708. Automolis forsteri ruandae (Kiriakoff,1961)** (Thyretidae) Synonym(s): *ruandae* Kiriakoff,1961 Range (in code): RW
- 84709. Automolis ghesquierei (Kiriakoff,1953)** (Thyretidae) Synonym(s): *ghesquierei* Kiriakoff,1953 Range (in code): ZR
- 84710. Automolis hecqi (Kiriakoff,1959)** (Thyretidae) Synonym(s): *hecqi* Kiriakoff,1959 Range (in code): ZR
- 84711. Automolis hector (Kiriakoff,1959)** (Thyretidae) Synonym(s): *hector* Kiriakoff,1959 Range (in code): RW

- 84712. Automolis heinrichi (Kiriakoff,1961)** (Thyretidae) Synonym(s): *heinrichi* Kiriakoff,1961
Range (in code): AO
- 84713. Automolis helga (Kiriakoff,1957)** (Thyretidae) Synonym(s): *helga* Kiriakoff,1957 Range (in code): TZ
- 84714. Automolis hypomela (Kiriakoff,1956)** (Thyretidae) Synonym(s): *hypomela* Kiriakoff,1956
Range (in code): KE
- 84715. Automolis incensa (Walker,1864)** (Thyretidae) Synonym(s): *incensa* Walker,1864; *hewitti* Janse,1945 Range (in code): ZA
- 84716. Automolis infausta (Kiriakoff,1957)** (Thyretidae) Synonym(s): *infausta* Kiriakoff,1957
Range (in code): ZR
- 84717. Automolis invaria (Walker,1856)** (Thyretidae) Synonym(s): *invaria* Walker,1856; *erubescens* Walker,1864; *silacea* Plötz,1880; *syntomia* Plötz,1880; *pareclecta* Holland,1893; *conradti* Oberthür,1911; *#pusillima* Strand,1912; *postrosea* Rothschild,1913; *#opobensis* Strand,1917 Range (in code): SL CI NG ZR
- 84718. Automolis jacksoni (Kiriakoff,1956)** (Thyretidae) Synonym(s): *jacksoni* Kiriakoff,1956
Range (in code): UG
- 84719. Automolis jansei (Kiriakoff,1957)** (Thyretidae) Synonym(s): *jansei* Kiriakoff,1957 Range (in code): ZA Nta Kzu ZW KE
- 84720. Automolis johanna Kiriakoff,1979** (Thyretidae) Synonym(s): *johanna* Kiriakoff,1979
Range (in code): NG
- 84721. Automolis jordani (Kiriakoff,1957)** (Thyretidae) Synonym(s): *jordani* Kiriakoff,1957
Range (in code): AO
- 84722. Automolis jubdoensis (Kiriakoff,1955)** (Thyretidae) Synonym(s): *jubdoensis* Kiriakoff,1955 Range (in code): CM
- 84723. Automolis kamitugensis (Dufrane,1945)** (Thyretidae) Synonym(s): *kamitugensis* Dufrane,1945 Range (in code): ZR Kvu
- 84724. Automolis katriona (Kiriakoff,1957)** (Thyretidae) Synonym(s): *katriona* Kiriakoff,1957
Range (in code): RW
- 84725. Automolis kelleni Snellen,1886** (Thyretidae) Synonym(s): *kelleni* Snellen,1886; *#helleni* Hampson,1900 Range (in code): AO
- 84726. Automolis kenya (Kiriakoff,1957)** (Thyretidae) Synonym(s): *kenya* Kiriakoff,1957
Range (in code): KE ZA
- 84727. Automolis lateritia Herrich-Schäffer,1855** (Thyretidae) Synonym(s): *lateritia* Herrich-Schäffer,1855; *venosa* Walker,1856; *cinnamomea* Wallengren,1860; *unicolor* Oberthür,1880 Range (in code): ZA
- 84728. Automolis lateritia lateritia Herrich-Schäffer,1855** (Thyretidae) Synonym(s): *lateritia* Herrich-Schäffer,1855; *venosa* Walker,1856; *cinnamomea* Wallengren,1860; *unicolor* Oberthür,1880
Range (in code): ZA
- 84729. Automolis latipennis (Kiriakoff,1957)** (Thyretidae) Synonym(s): *latipennis* Kiriakoff,1957
Range (in code): ET
- 84730. Automolis lindemanna (Kiriakoff,1961)** (Thyretidae) Synonym(s): *lindemanna* Kiriakoff,1961; *#lindenmannae* Pinhey,1975 Range (in code): ZA
- 84731. Automolis major (Le Cerf,1922)** (Thyretidae) Synonym(s): *major* Le Cerf,1922 Range (in code): KE
- 84732. Automolis margaretha (Kiriakoff,1957)** (Thyretidae) Synonym(s): *margaretha* Kiriakoff,1957 Range (in code): KE Nai
- 84733. Automolis maria (Kiriakoff,1957)** (Thyretidae) Synonym(s): *maria* Kiriakoff,1957 Range (in code): GN
- 84734. Automolis meteus (Stoll,1781)** (Thyretidae) Synonym(s): *meteus* Stoll,1781; *#metus* Taylor,1968 Range (in code): ZA
- 84735. Automolis moira (Kiriakoff,1957)** (Thyretidae) Synonym(s): *moira* Kiriakoff,1957 Range (in code): SD
- 84736. Automolis morag (Kiriakoff,1957)** (Thyretidae) Synonym(s): *morag* Kiriakoff,1957
Range (in code): ZR Kvu
- 84737. Automolis nigriceps (Aurivillius,1904)** (Thyretidae) Synonym(s): *nigriceps* Aurivillius,1904 Range (in code): CM Bit
- 84738. Automolis ochreogaster (Joicey & Talbot,1921)** (Thyretidae) Synonym(s): *ochreogaster* Joicey & Talbot,1921 Range (in code): KE

- 84739. Automolis pallida (Hampson,1901)** (Thyretidae) Synonym(s): *pallida* Hampson,1901
Range (in code): ZA
- 84740. Automolis pamela (Kiriakoff,1957)** (Thyretidae) Synonym(s): *pamela* Kiriakoff,1957
Range (in code): CM Bit
- 84741. Automolis paremphares (Holland,1893)** (Thyretidae) Synonym(s): *paremphares* Holland,1893 Range (in code): ZA
- 84742. Automolis pavlitzkae (Kiriakoff,1961)** (Thyretidae) Synonym(s): *pavlitzkae* Kiriakoff,1961
Range (in code): TZ
- 84743. Automolis priscilla (Kiriakoff,1957)** (Thyretidae) Synonym(s): *priscilla* Kiriakoff,1957
Range (in code): GH
- 84744. Automolis quinta Kiriakoff,1973** (Thyretidae) Synonym(s): *quinta* Kiriakoff,1973 Range (in code): ZW Vum Uma
- 84745. Automolis rhodites (Kiriakoff,1957)** (Thyretidae) Synonym(s): *rhodites* Kiriakoff,1957
Range (in code): RW ZR
- 84746. Automolis rubra (Walker,1856)** (Thyretidae) Synonym(s): *rubra* Walker,1856 Range (in code): ZA Nta Kzu Dbn
- 84747. Automolis rubripuncta (Hampson,1898)** (Thyretidae) Synonym(s): *rubripuncta* Hampson,1898; *chapini* Holland,1920 Range (in code): ZA
- 84748. Automolis rufescens (Walker,1855)** (Thyretidae) Synonym(s): *rufescens* Walker,1855; *maculifera* Wallengren,1860 Range (in code): ZA
- 84749. Automolis salmonea (Kiriakoff,1957)** (Thyretidae) Synonym(s): *salmonea* Kiriakoff,1957
Range (in code): AO
- 84750. Automolis schoutedeni (Kiriakoff,1953)** (Thyretidae) Synonym(s): *schoutedeni* Kiriakoff,1953 Range (in code): ZR Kvu Rz KE Nai
- 84751. Automolis sheljuzkoi (Kiriakoff,1961)** (Thyretidae) Synonym(s): *sheljuzkoi* Kiriakoff,1961
Range (in code): CI
- 84752. Automolis subrosea (Kiriakoff,1957)** (Thyretidae) Synonym(s): *subrosea* Kiriakoff,1957
Range (in code): KE
- 84753. Automolis sudanica Kiriakoff,1973** (Thyretidae) Synonym(s): *sudanica* Kiriakoff,1973
Range (in code): SD Kgl
- 84754. Automolis transvaalica Kiriakoff,1973** (Thyretidae) Synonym(s): *transvaalica* Kiriakoff,1973 Range (in code): ZA Gau Tva Pre
- 84755. Balacra affinis (Rothschild,1910)** (Thyretidae) Synonym(s): *affinis* Rothschild,1910
Range (in code): CG
- 84756. Balacra batesi (Druce,1910)** (Thyretidae) Synonym(s): *batesi* Druce,1910; *congoensis* Rothschild,1910; *ugandae* Rothschild,1910; *decora* Oberthür,1911; *#elegantissima* Strand Range (in code): CM CG UG
- 84757. Balacra belga Kiriakoff,1954** (Thyretidae) Synonym(s): *belga* Kiriakoff,1954 Range (in code): ZR
- 84758. Balacra diaphana Kiriakoff,1957** (Thyretidae) Synonym(s): *diaphana* Kiriakoff,1957
Range (in code): UG
- 84759. Balacra rubricincta Holland,1893** (Thyretidae) Synonym(s): *rubricincta* Holland,1893; *furva* Hampson,1911; *ashantica* Strand,1917 Range (in code): AET GH GA
- 84760. Balacra simplex Aurivillius,1925** (Thyretidae) Synonym(s): *simplex* Aurivillius,1925
Range (in code): CG
- 84761. Balacra tamsi (Kiriakoff,1957)** (Thyretidae) Synonym(s): *tamsi* Kiriakoff,1957 Range (in code): ZR
- 84762. Melisa atavistis (Hampson,1911)** (Thyretidae) Synonym(s): *atavistis* Hampson,1911; *mariae* Dufrane,1945 Range (in code): AET GH ZR Kvu
- 84763. Melisa diptera Walker,1854** (Thyretidae) Synonym(s): *diptera* Walker,1854; *croceipes* Aurivillius,1892 Range (in code): AET GA CG NG Caa GH
- 84764. Melisa grandis Holland,1893** (Thyretidae) Synonym(s): *grandis* Holland,1893 Original Reference: Melisa grandis Holland,1893, Psyche 6: 394. Type: Gabon, Ogové river. Range (in code): AET GA Ogo
- 84765. Melisa hancocki Jordan,1936** (Thyretidae) Synonym(s): *hancocki* Jordan,1936 Range (in code): AET UG

- 84766. *Owambarctia owamboensis* Kiriakoff,1957** (Thyretidae) Synonym(s): *owamboensis* Kiriakoff,1957 Range (in code): ZR ZA
- 84767. *Owambarctia unipuncta* Kiriakoff,1973** (Thyretidae) Synonym(s): *unipuncta* Kiriakoff,1973 Range (in code): TZ
- 84768. *Takwa xenops* Kiriakoff,1957** (Thyretidae) Synonym(s): *xenops* Kiriakoff,1957 Range (in code): GH
- 84769. *Thyretes buettikeri* Wiltshire,1983** (Thyretidae) Synonym(s): *buettikeri* Wiltshire,1983 Range (in code): SA YE
- 84770. *Thyretes caffra* Wallengren,1863** (Thyretidae) Synonym(s): *caffra* Wallengren,1863 Range (in code): ZA Ec MZ Del
- 84771. *Thyretes hippotes* (Cramer,1780)** (Thyretidae) Synonym(s): *hippotes* Cramer,1780; *#hiphotes* Boisduval,1847; *#hiphotes* Wallengren,1856 Range (in code): ZA Ec
- 84772. *Thyretes montana* Boisduval,1847** (Thyretidae) Synonym(s): *montana* Boisduval,1847 Range (in code): ZA Nta Kzu Ec
- 84773. *Thyretes monteiroi* Butler,1876** (Thyretidae) Synonym(s): *monteiroi* Butler,1876; *angolensis* Gaede,1926 Range (in code): AO ZR
- 84774. *Thyretes negus* Oberthür,1878** (Thyretidae) Synonym(s): *negus* Oberthür,1878 Range (in code): ET ZA
- 84775. *Thyretes negus phasma* Butler,1897** (Thyretidae) Synonym(s): *phasma* Butler,1897; *misa* Strand,1911; *#misera* Pinhey,1975 Range (in code): ZA
- 84776. *Thyretes signivenis* M.Hering,1937** (Thyretidae) Synonym(s): *signivenis* M.Hering,1937 Range (in code): ZR
- 84777. *Thyretes trichaetiformis* Zerny,1912** (Thyretidae) Synonym(s): *trichaetiformis* Zerny,1912 Original Reference: *Thyretes trichaetiformis* Zerny,1912, Dt. ent. Z., Iris 26: inedit.? Range (in code): TZ Zz
- 84778. *Addaea candidalis* (Walker,1865)** (Thyridae) Synonym(s): *candidalis* Walker,1865 Range (in code): ID Crm Aru PG
- 84779. *Addaea castaneata* W.Warren,1908** (Thyridae) Synonym(s): *polyphoralis* Meyrick,1887 *nec* Wlk.,1866; *castaneata* W.Warren,1908 Range (in code): PG
- 84780. *Addaea fragilis* W.Warren,1899** (Thyridae) Synonym(s): *fragilis* W.Warren,1899 Range (in code): ID Dm
- 84781. *Addaea fulva* W.Warren,1907** (Thyridae) Synonym(s): *fulva* W.Warren,1907 Range (in code): PG
- 84782. *Addaea maculata* W.Warren,1906** (Thyridae) Synonym(s): *maculata* W.Warren,1906 Range (in code): PG
- 84783. *Addaea polyphoralis* (Walker,1866)** (Thyridae) Synonym(s): *polygraphalis* Walker,1865 *nec* Wlk.,1865; *polyphoralis* Walker,1866; *transversalis* Walker,1865; *pusilla* Butler,1887; *probolopsis* Meyrick,1894 Range (in code): MY Bor SB PG AU ID Sla
- 84784. *Addaea rectisecta* W.Warren,1897** (Thyridae) Synonym(s): *rectisecta* W.Warren,1897 Range (in code): ID Amb
- 84785. *Addaea subtessellata* Walker,1865** (Thyridae) Synonym(s): *subtessellata* Walker,1865 Range (in code): AU
- 84786. *Addaea symphonodes* Turner,1911** (Thyridae) Synonym(s): *symphonodes* Turner,1911 Range (in code): AU QAU Kda
- 84787. *Addaea syndesma* Meyrick,1894** (Thyridae) Synonym(s): *syndesma* Meyrick,1894 Range (in code): MY Bor
- 84788. *Addaea trimeronalis* (Walker,1859)** (Thyridae) Synonym(s): *trimeronalis* Walker,1859; *heliopsamma* Meyrick,1886 Range (in code): IN LK
- 84789. *Aglaopus carycina* (Turner,1915)** (Thyridae) Synonym(s): *carycina* Turner,1915; *anxia* Whalley,1976 Range (in code): AU
- 84790. *Aglaopus decussata* (Moore,1883)** (Thyridae) Synonym(s): *decussata* Moore,1883 Range (in code): TH IN TW MY ID Sum Sbh Bor Clb Mlc PG
- 84791. *Aglaopus floccosa* (W.Warren,1905)** (Thyridae) Synonym(s): *floccosa* W.Warren,1905; *niphocosma* Turner,1911 Range (in code): AU NAU Dwn
- 84792. *Arniocera auriguttata* Hopffer,1857** (Thyridae) Synonym(s): *auriguttata* Hopffer,1857; *melanopyga* Wallengren,1858; *chrysosticta* Butler,1898. Range (in code): ZA ZW ZM

- 84793. *Arniocera cyanoxantha* (Mabille,1893)** (Thyridae) Synonym(s): *cyanoxantha Mabille,1893* Original Reference: *Zygaena cyanoxantha* Mabille,1893, *Annls. ent. Soc. Belg.* 37: 57. Type ♂: [Ethiopia]: Abyssinie (coll. Staudinger). Range (in code): **ET ZA**
- 84794. *Arniocera cyanoxantha borotsana* Jordan,1915** (Thyridae) Synonym(s): *borotsana Jordan,1915* Range (in code): **ZA**
- 84795. *Arniocera cyanoxantha cyanoxantha* (Mabille,1893)** (Thyridae) Synonym(s): *cyanoxantha Mabille,1893* Original Reference: *Zygaena cyanoxantha* Mabille,1893, *Annls. ent. Soc. Belg.* 37: 57. Type ♂: [Ethiopia]: Abyssinie (coll. Staudinger). Range (in code): **ET ZA**
- 84796. *Arniocera cyanoxantha elegans* Weymer,1903** (Thyridae) Synonym(s): *elegans Weymer,1903* Range (in code): **ZA**
- 84797. *Arniocera cyanoxantha meyeri* Alberti,1957** (Thyridae) Synonym(s): *meyeri Alberti,1957* Range (in code): **ZA**
- 84798. *Arniocera elata* Jordan,1915** (Thyridae) Synonym(s): *elata Jordan,1915* Range (in code): **ZA**
- 84799. *Arniocera erythropyga* (Wallengren,1860)** (Thyridae) Synonym(s): *erythropyga Wallengren,1860*; *negamica Walker,1865* Range (in code): **ZA Lpo Tva Spb Mdk MZ BW ZW MW**
- 84800. *Arniocera lugubris* Gaede,1926** (Thyridae) Synonym(s): *lugubris Gaede,1926* Range (in code): **ZA**
- 84801. *Arniocera zambesina* (Walker,1866)** (Thyridae) Synonym(s): *zambesina Walker,1866* Range (in code): **ZA ZW ZM**
- 84802. *Banisia aldabrana* (Fryer,1912)** (Thyridae) Synonym(s): *aldabrana Fryer,1912* Range (in code): **ZA SC**
- 84803. *Banisia aldabrana cana* Whalley,1971** (Thyridae) Synonym(s): *cana Whalley,1971* Range (in code): **ZA**
- 84804. *Banisia angulata* (W.Warren,1899)** (Thyridae) Synonym(s): *angulata W.Warren,1899* Range (in code): **PG**
- 84805. *Banisia anthina* (Tams,1935)** (Thyridae) Synonym(s): *anthina Tams,1935* Range (in code): **WS FJ NH**
- 84806. *Banisia anthina bella* Whalley,1976** (Thyridae) Synonym(s): *bella Whalley,1976* Range (in code): **FJ**
- 84807. *Banisia anthina pervaga* Whalley,1976** (Thyridae) Synonym(s): *pervaga Whalley,1976* Range (in code): **NH**
- 84808. *Banisia antiopa* (Viette,1954)** (Thyridae) Synonym(s): *antiopa Viette,1954* Range (in code): **MG**
- 84809. *Banisia apicale* (Fryer,1912)** (Thyridae) Synonym(s): *apicale Fryer,1912* Range (in code): **SC**
- 84810. *Banisia argutula* Whalley,1976** (Thyridae) Synonym(s): *argutula Whalley,1976* Range (in code): **GF**
- 84811. *Banisia astra* Chu & Wang,1991** (Thyridae) Synonym(s): *astra Chu & Wang,1991* Range (in code): **CN**
- 84812. *Banisia barbatula* Whalley,1976** (Thyridae) Synonym(s): *barbatula Whalley,1976* Range (in code): **ID Clb**
- 84813. *Banisia clathrula* (Guenée,1877)** (Thyridae) Synonym(s): *clathrula Guenée,1877* Range (in code): **MU**
- 84814. *Banisia cognata* Whalley,1976** (Thyridae) Synonym(s): *cognata Whalley,1976* Range (in code): **Hw**
- 84815. *Banisia composita* (W.Warren,1907)** (Thyridae) Synonym(s): *composita W.Warren,1907* Range (in code): **PG**
- 84816. *Banisia extravagans* W.Warren,1908** (Thyridae) Synonym(s): *extravagans W.Warren,1908* Range (in code): **BR**
- 84817. *Banisia fenestrifera* Walker,1863** (Thyridae) Synonym(s): *fenestrifera Walker,1863* Range (in code): **TH CMA CDo Pki CN Hn IN MY Bor Swk SG ID Sum Ja Bli PH Clb Crm PG AU Nlr SB** Bionomy: Larva on *Palaquium gutta* (gutta-percha) (Sapotaceae) (Robinson et al.,1994).
- 84818. *Banisia fenestrifera* Walker,[1863]** (Thyridae) Synonym(s): *fenestrifera Walker,[1863]*; *daphoena Turner,1911* Range (in code): **IN SI MY Bor Swk ID Clb AU SB**
- 84819. *Banisia fenestrifera omissina* Whalley,1976** (Thyridae) Synonym(s): *omissina Whalley,1976* Range (in code): **ID Clb**

- 84820. *Banisia fenestrifera solomonensis* Whalley,1976** (Thyridae) **Synonym(s):** *solomonensis* Whalley,1976 Range (in code): **SB**
- 84821. *Banisia fenestrifera triferina* Whalley,1976** (Thyridae) **Synonym(s):** *triferina* Whalley,1976 Range (in code): **IN SI**
- 84822. *Banisia flavidiscalis* (Hampson,1914)** (Thyridae) **Synonym(s):** *flavidiscalis* Hampson,1914; *cyclothyris* Hampson,1914 Range (in code): **MY SG**
- 84823. *Banisia fuliginea* Whalley,1971** (Thyridae) **Synonym(s):** *fuliginea* Whalley,1971 Range (in code): **GH**
- 84824. *Banisia furva* (W.Warren,1905)** (Thyridae) **Synonym(s):** *furva* W.Warren,1905 Range (in code): **US FI DO BZ BR GF**
- 84825. *Banisia furva devincta* Whalley,1976** (Thyridae) **Synonym(s):** *devincta* Whalley,1976 Range (in code): **BR**
- 84826. *Banisia furva epasta* Whalley,1976** (Thyridae) **Synonym(s):** *epasta* Whalley,1976 Range (in code): **BZ**
- 84827. *Banisia furva fracta* Whalley,1976** (Thyridae) **Synonym(s):** *fracta* Whalley,1976 Range (in code): **US FI**
- 84828. *Banisia furva illicita* Whalley,1976** (Thyridae) **Synonym(s):** *illicita* Whalley,1976 Range (in code): **DO**
- 84829. *Banisia hyaena* (W.Warren,1905)** (Thyridae) **Synonym(s):** *hyaena* W.Warren,1905 Range (in code): **SB**
- 84830. *Banisia idalialis* (Walker,1859)** (Thyridae) **Synonym(s):** *idalialis* Walker,1859 Range (in code): **MY Bor Swk**
- 84831. *Banisia inoptata* Whalley,1971** (Thyridae) **Synonym(s):** *inoptata* Whalley,1971 Range (in code): **GH**
- 84832. *Banisia insignifica* (Rothschild,1915)** (Thyridae) **Synonym(s):** *insignifica* Rothschild,1915 Range (in code): **ID Ij**
- 84833. *Banisia intonsa* Whalley,1976** (Thyridae) **Synonym(s):** *intonsa* Whalley,1976 Range (in code): **MY Bor Sbh KBa**
- 84834. *Banisia iota* Chu & Wang,1991** (Thyridae) **Synonym(s):** *iota* Chu & Wang,1991 Range (in code): **CN**
- 84835. *Banisia joccata* (Whalley,1971)** (Thyridae) **Synonym(s):** *joccata* Whalley,1971 Range (in code): **ZA Tva Lpo**
- 84836. *Banisia lithophora* (Tams,1935)** (Thyridae) **Synonym(s):** *lithophora* Tams,1935 Range (in code): **WS**
- 84837. *Banisia lobata* (Moore,1882)** (Thyridae) **Synonym(s):** *lobata* Moore,1882 Range (in code): **LK IN Ass Meg Khs NC AU**
- 84838. *Banisia lobata caesia* Whalley,1976** (Thyridae) **Synonym(s):** *caesia* Whalley,1976 Range (in code): **NC**
- 84839. *Banisia lobata ceylonensis* Whalley,1976** (Thyridae) **Synonym(s):** *ceylonensis* Whalley,1976 Range (in code): **LK**
- 84840. *Banisia messoria* Whalley,1976** (Thyridae) **Synonym(s):** *messoria* Whalley,1976 Range (in code): **FJ**
- 84841. *Banisia minuta* Whalley,1962** (Thyridae) **Synonym(s):** *minuta* Whalley,1962 Range (in code): **SB Re**
- 84842. *Banisia myrsusalis* (Walker,1859)** (Thyridae) **Synonym(s):** *myrsusalis* Walker,1859; *pyraliata* Moore,1882; *zonula* Swinhoe,1885; *myrsalis* Turner,1911 Range (in code): **TH IN LK CN MY ID Sum Ja Bli BN Sbh Bor AU FJ VE** Bionomy: Larva on *Manilkara zapota* (sapodilla plum) (Sapotaceae) (Robinson et al.,1994).
- 84843. *Banisia myrsusalis cinereola* R.Felder & Rogenhofer,1785** (Thyridae) **Synonym(s):** *cinereola* R.Felder & Rogenhofer,1785 Range (in code): **VE**
- 84844. *Banisia myrsusalis elaralis* Walker,1859** (Thyridae) **Synonym(s):** *elaralis* Walker,1859 Range (in code): **LK**
- 84845. *Banisia myrsusalis sumatraensis* Whalley,1976** (Thyridae) **Synonym(s):** *sumatraensis* Whalley,1976 Range (in code): **ID Sum**
- 84846. *Banisia myrtaea* (Drury,1773)** (Thyridae) **Synonym(s):** *myrtaea* Drury,1773 Range (in code): **IN Mad**

- 84847. *Banisia orcina* Whalley,1976** (Thyridae) Synonym(s): *orcina* Whalley,1976 Range (in code): ID Ij Snw
- 84848. *Banisia ovifera* (Butler,1892)** (Thyridae) Synonym(s): *ovifera* Butler,1892 Range (in code): MY Bor Sbh Snk PG SB Chs
- 84849. *Banisia ovifera diversicolor* (W.Warren,1897)** (Thyridae) Synonym(s): *diversicolor* W.Warren,1897; *satelles* W.Warren,1906 Range (in code): SB PG
- 84850. *Banisia ovifera praevaria* Whalley,1976** (Thyridae) Synonym(s): *praevaria* Whalley,1976 Range (in code): SB Chs
- 84851. *Banisia owadai* Inoue,1976** (Thyridae) Synonym(s): *owadai* Inoue,1976 Range (in code): JP
- 84852. *Banisia pityos* Chu & Wang,1991** (Thyridae) Synonym(s): *pityos* Chu & Wang,1991 Range (in code): CN Hn
- 84853. *Banisia placida* Whalley,1976** (Thyridae) Synonym(s): *placida* Whalley,1976 Range (in code): PG Nlr
- 84854. *Banisia plagifera* (Butler,1886)** (Thyridae) Synonym(s): *plagifera* Butler,1886 Range (in code): SD SD113
- 84855. *Banisia strigigrapha* (Hampson,1914)** (Thyridae) Synonym(s): *strigigrapha* Hampson,1914 Range (in code): MY Bor
- 84856. *Banisia tibiale* (Fryer,1912)** (Thyridae) Synonym(s): *tibiale* Fryer,1912 Range (in code): SC
- 84857. *Banisia venustula* (W.Warren,1905)** (Thyridae) Synonym(s): *venustula* W.Warren,1905 Range (in code): PG Aro
- 84858. *Banisia whalleyi* Inoue,1998** (Thyridae) Synonym(s): *whalleyi* Inoue,1998 Range (in code): JP
- 84859. *Banisia zamia* (Whalley,1971)** (Thyridae) Synonym(s): *zamia* Whalley,1971 Range (in code): ZA Ec Stj
- 84860. *Beguma constellata* W.Warren,1896** (Thyridae) Synonym(s): *constellata* W.Warren,1896 Range (in code):
- 84861. *Beguma radiata* W.Warren,1908** (Thyridae) Synonym(s): *radiata* W.Warren,1908 Range (in code):
- 84862. *Belonoptera arachnida* W.Warren,1898** (Thyridae) Synonym(s): *arachnida* W.Warren,1898 Range (in code): PE
- 84863. *Belonoptera cancellata* W.Warren,1907** (Thyridae) Synonym(s): *cancellata* W.Warren,1907 Range (in code): PE
- 84864. *Belonoptera fratercula* (Pagenstecher,1892)** (Thyridae) Synonym(s): *fratercula* Pagenstecher,1892 Range (in code): US Cf
- 84865. *Belonoptera frondicula* Guenée,1877** (Thyridae) Synonym(s): *frondicula* Guenée,1877; *matricula* Guenée,1877 Range (in code): BR
- 84866. *Belonoptera nervicula* (Guenée,1857)** (Thyridae) Synonym(s): *nervicula* Guenée,1857 Range (in code): BR
- 84867. *Belonoptera patercula* (Pagenstecher,1892)** (Thyridae) Synonym(s): *patercula* Pagenstecher,1892 Range (in code): BR
- 84868. *Belonoptera phyllula* (Guenée,1857)** (Thyridae) Synonym(s): *phyllula* Guenée,1857 Range (in code): BR
- 84869. *Belonoptera sanguinea* W.Warren,1905** (Thyridae) Synonym(s): *sanguinea* W.Warren,1905 Range (in code): GN
- 84870. *Belonoptera selenioides* (Pagenstecher,1892)** (Thyridae) Synonym(s): *selenioides* Pagenstecher,1892 Range (in code): PY
- 84871. *Betousa dilecta* (Walker,1865)** (Thyridae) Synonym(s): *dilecta* Walker,1865; *aspirans* W.Warren,1899 Range (in code): PG SB
- 84872. *Betousa hemicycla* (Meyrick,1886)** (Thyridae) Synonym(s): *hemicycla* Meyrick,1886 Range (in code): WS FJ
- 84873. *Calindoea argentalis* (Walker,[1866])** (Thyridae) Synonym(s): *argentalis* Walker,[1866] Original Reference: *Pyalis argentalis* Walker,[1866], List Specimens lepid. Insects Colln Br. Mus. 34: 1522. Type: Java. Range (in code): TH IN HK CN LK MM MY SG ID Sum Ja Bli Bor Clb Bionomy: Larva on *Syzygium jambos* (Myrtaceae) (ex Li; Robinson et al.,1994).
- 84874. *Calindoea atripunctalis* (Walker,[1866])** (Thyridae) Synonym(s): *atripunctalis* Walker,[1866]; *australiae* W.Warren,1908 Range (in code): AU

- 84875. Calindoea dialitha (Tams,1935)** (Thyridae) Synonym(s): *dialitha* Tams,1935 Range (in code): WS
- 84876. Calindoea dorilusalis (Walker,1859)** (Thyridae) Synonym(s): *dorilusalis* Walker,1859; *albiferalis* Walker,[1866]; *imbutalis* Walker,[1866]; *acutipennis* Pagenstecher,1886; *elongata* W.Warren,1896 Range (in code): AU
- 84877. Calindoea polygraphalis (Walker,[1866])** (Thyridae) Synonym(s): *polygraphalis* Walker,[1866]; *rhythmica* Meyrick,1887 Range (in code): AU
- 84878. Calindoea sp.n.:** (Thyridae) Synonym(s): Range (in code): MM TH
- 84879. Calindoea trifascialis (Moore,1877)** (Thyridae) Synonym(s): *trifascialis* Moore,1877 Range (in code): TH MM IN Adm Bionomy: Larva on *Dipterocarpus tuberculatus* (Dipterocarpaceae) (Robinson et al.,1994).
- 84880. Camadena emarginalis Hampson,1906** (Thyridae) Synonym(s): *emarginalis* Hampson,1906 Range (in code): PG
- 84881. Camadena polystaeta Hampson,1906** (Thyridae) Synonym(s): *polystaeta* Hampson,1906 Range (in code): SI IN
- 84882. Camadena vespertilionis Moore,1888** (Thyridae) Synonym(s): *vespertilionis* Moore,1888; *acutipennis* Moore,1888 Range (in code): SI IN
- 84883. Camptochilus decoratus W.Warren,1899** (Thyridae) Synonym(s): *decoratus* W.Warren,1899 Range (in code): SB Rs
- 84884. Camptochilus divergens W.Warren,1898** (Thyridae) Synonym(s): *divergens* W.Warren,1898 Range (in code): JP
- 84885. Camptochilus funifer W.Warren,1898** (Thyridae) Synonym(s): *funifer* W.Warren,1898 Range (in code): IN Meg Khs Ass
- 84886. Camptochilus reticulatus (Moore,1888)** (Thyridae) Synonym(s): *reticulatus* Moore,1888 Range (in code): IN MM
- 84887. Camptochilus sinuosus W.Warren,1896** (Thyridae) Synonym(s): *sinuosus* W.Warren,1896 Range (in code): Mpr IN
- 84888. Canaea hyalospila (Lower,1894)** (Thyridae) Synonym(s): *hyalospila* Lower,1894; *monsfera* Whalley,1971 Range (in code): AU
- 84889. Canaea semitessellalis (Walker,[1866])** (Thyridae) Synonym(s): *semitessellalis* Walker,[1866] Range (in code): AU
- 84890. Canaea sp.:** (Thyridae) Synonym(s): Range (in code): TH
- 84891. Collinsa cuprea (Pagenstecher,1884)** (Thyridae) Synonym(s): *cuprea* Pagenstecher,1884; *costiscripta* W.Warren,1896; *pagenstecheri* Dalla Torre,1914 Range (in code): AU
- 84892. Collinsa decoratalis (W.Warren,1896)** (Thyridae) Synonym(s): *decoratalis* W.Warren,1896 Range (in code): IN Meg Ass Khs MM TH MY
- 84893. Collinsa roseopuncta (W.Warren,1902)** (Thyridae) Synonym(s): *roseopuncta* W.Warren,1902 Range (in code): ID Clb
- 84894. Collinsa submicans (W.Warren,1908)** (Thyridae) Synonym(s): *submicans* W.Warren,1908; *cryptilitha* Turner,1911 Range (in code): AU
- 84895. Cornuterus nigropunctula (Pagenstecher,1902)** (Thyridae) Synonym(s): *nigropunctula* Pagenstecher,1902; *seriata* W.Warren,1897 Range (in code): TZ Dss ZA Nta Kzu
- 84896. Cornuterus paratrivius Whalley,1971** (Thyridae) Synonym(s): *paratrivius* Whalley,1971 Range (in code): CM Bit
- 84897. Cornuterus trivius Whalley,1967** (Thyridae) Synonym(s): *trivius* Whalley,1967 Range (in code): MG
- 84898. Dixoa albatalis (Swinhoe,1889)** (Thyridae) Synonym(s): *albatalis* Swinhoe,1889 Range (in code): IN LK
- 84899. Draconia accipitrina W.Warren,1908** (Thyridae) Synonym(s): *accipitrina* W.Warren,1908 Range (in code): CO
- 84900. Draconia albiapicata W.Warren,1908** (Thyridae) Synonym(s): *albiapicata* W.Warren,1908 Range (in code): PE
- 84901. Draconia angulipenis Dognin,1911** (Thyridae) Synonym(s): *angulipenis* Dognin,1911 Range (in code): CO
- 84902. Draconia annuligera (Walker,1865)** (Thyridae) Synonym(s): *annuligera* Walker,1865 Range (in code): BR

- 84903. *Draconia basipleta* W.Warren,1905** (Thyridae) **Synonym(s):** *basipleta* W.Warren,1905
Range (in code): **GY**
- 84904. *Draconia denticulata* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *denticulata* Pagenstecher,1892 **Range (in code):** **BR**
- 84905. *Draconia dismulata* W.Warren,1908** (Thyridae) **Synonym(s):** *dismulata* W.Warren,1908
Range (in code): **BR**
- 84906. *Draconia mirabilis* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *mirabilis* Pagenstecher,1892 **Range (in code):** **PE**
- 84907. *Draconia oleigutta* (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *oleigutta* R.Felder & Rogenhofer,1875 **Range (in code):** **BR**
- 84908. *Draconia peripheta* (Cramer,1779)** (Thyridae) **Synonym(s):** *peripheta* Cramer,1779
Range (in code): **CR**
- 84909. *Draconia rusina* Druce,1895** (Thyridae) **Synonym(s):** *rusina* Druce,1895 **Range (in code):** **GT**
- 84910. *Draconia stenoptila* W.Warren,1908** (Thyridae) **Synonym(s):** *stenoptila* W.Warren,1908
Range (in code): **TT**
- 84911. *Draconia timida* W.Warren,1908** (Thyridae) **Synonym(s):** *timida* W.Warren,1908 **Range (in code):** **BR**
- 84912. *Dysodia albifurca* Hampson,1892** (Thyridae) **Synonym(s):** *albifurca* Hampson,1892
Range (in code): **IN SI**
- 84913. *Dysodia angulata* W.Warren,1901** (Thyridae) **Synonym(s):** *angulata* W.Warren,1901
Range (in code): **SL**
- 84914. *Dysodia bifenestrata* Semper,1902** (Thyridae) **Synonym(s):** *bifenestrata* Semper,1902
Range (in code): **PH**
- 84915. *Dysodia binoculata* W.Warren,1901** (Thyridae) **Synonym(s):** *binoculata* W.Warren,1901
Range (in code): **ZA**
- 84916. *Dysodia bipuncta* W.Warren,1900** (Thyridae) **Synonym(s):** *bipuncta* W.Warren,1900
Range (in code): **MY Prk**
- 84917. *Dysodia confusata* W.Warren,1908** (Thyridae) **Synonym(s):** *confusata* W.Warren,1908
Range (in code): **EC**
- 84918. *Dysodia constellata* W.Warren,1908** (Thyridae) **Synonym(s):** *constellata* W.Warren,1908
Range (in code): **ZA Tva Lpo MZ ZW ZM MW**
- 84919. *Dysodia crassa* (Walker,1865)** (Thyridae) **Synonym(s):** *crassa* Walker,1865 **Range (in code):** **ZA Nta Kzu**
- 84920. *Dysodia derufata* W.Warren,1908** (Thyridae) **Synonym(s):** *derufata* W.Warren,1908
Range (in code): **BR**
- 84921. *Dysodia fenestratella* W.Warren,1900** (Thyridae) **Synonym(s):** *fenestratella* W.Warren,1900 **Range (in code):** **KE**
- 84922. *Dysodia flagrata* (Walker,1865)** (Thyridae) **Synonym(s):** *flagrata* Walker,1865 **Range (in code):** **CO**
- 84923. *Dysodia hyalotypa* Bethune-Baker,1911** (Thyridae) **Synonym(s):** *hyalotypa* Bethune-Baker,1911 **Range (in code):**
- 84924. *Dysodia ignita* (Walker,1865)** (Thyridae) **Synonym(s):** *ignita* Walker,1833; *inaequalis* Walker,1865; *rajah* Boisduval,1874; *siculoides* R.Felder & Rogenhofer,1875; *ypsiloides* Pagenstecher,1892; *incudigera* Pagenstecher,1892; *taprobana* Moore,1885 **Range (in code):** **IN Syl ID Ja LK**
- 84925. *Dysodia innubila* W.Warren,1908** (Thyridae) **Synonym(s):** *innubila* W.Warren,1908
Range (in code): **BO PE**
- 84926. *Dysodia intermedia* (Walker,1865)** (Thyridae) **Synonym(s):** *intermedia* Walker,1865
Range (in code): **ZA Nta Kzu**
- 84927. *Dysodia laevis* W.Warren,1900** (Thyridae) **Synonym(s):** *laevis* W.Warren,1900 **Range (in code):** **IN SI Khs Ass**
- 84928. *Dysodia magnifica* Whalley,1968** (Thyridae) **Synonym(s):** *magnifica* Whalley,1968 **Range (in code):** **UG SA**
- 84929. *Dysodia miniata* (Walker,1864)** (Thyridae) **Synonym(s):** *miniata* Walker,1864; *fenestrata* Moore,1881 **Range (in code):** **TH IN Djl SG ID Sum BN Swk Bor MY**
- 84930. *Dysodia oculatana* Clemens,1860** (Thyridae) **Synonym(s):** *oculatana* Clemens,1860; *plena* Walker,1865; *fasciata* Grote & Robinson,1867; *montana* Edwards,1875; *aurea* Pagenstecher,1892 **Range (in code):** **US PA**

- 84931. *Dysodia pennitarsis* Hampson,1906** (Thyridae) Synonym(s): *pennitarsis* Hampson,1906
Original Reference: *Dysodia pennitarsis* Hampson,1906, Ann. Mag. nat. Hist. (7) 17: 113-114.
Range (in code): [ID Sum](#)
- 84932. *Dysodia rajah* (Boisduval,[1875])** (Thyridae) Synonym(s): *rajah* Boisduval,[1875] Range (in code): [IN Syl BD](#)
- 84933. *Dysodia rufiflava* Hampson,1906** (Thyridae) Synonym(s): *rufiflava* Hampson,1906
Original Reference: *Dysodia rufiflava* Hampson,1906, Ann. Mag. nat. Hist. (7) 17: 113. Type ♂: Singapore (Ridley). Range (in code): [SG MY](#)
- 84934. *Dysodia speculifera* Sepp,1830** (Thyridae) Synonym(s): *speculifera* Sepp,1830; *aequalis* Walker,1865 Range (in code): [US FI](#)
- 84935. *Dysodia spissicornis* W.Warren,1908** (Thyridae) Synonym(s): *spissicornis* W.Warren,1908 Range (in code): [BR](#)
- 84936. *Dysodia subsignata* W.Warren,1908** (Thyridae) Synonym(s): *subsignata* W.Warren,1908
Range (in code): [ZA Nta Kzu Dbn](#)
- 84937. *Dysodia thyridina* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *thyridina* R.Felder & Rogenhofer,1875 Range (in code): [PE CO EC](#)
- 84938. *Dysodia viridatrix* (Walker,1858)** (Thyridae) Synonym(s): *viridatrix* Walker,1858; *siccifolia* Moore,1881 Range (in code): [IN LK](#)
- 84939. *Dysodia vitrina* (Boisduval,1829)** (Thyridae) Synonym(s): *vitrina* Boisduval,1829 Range (in code): [US](#)
- 84940. *Endolophia hypohaemia* Hampson,1906** (Thyridae) Synonym(s): *hypohaemia* Hampson,1906 Range (in code): [GY](#)
- 84941. *Epaena candidatalis* (Swinhoe,1905)** (Thyridae) Synonym(s): *candidatalis* Swinhoe,1905
Range (in code): [TH IN MM](#)
- 84942. *Glanyeus blachieri* Oberthür,1910** (Thyridae) Synonym(s): *blachieri* Oberthür,1910
Range (in code): [CN](#)
- 84943. *Glanyeus insolitus* Walker,1855** (Thyridae) Synonym(s): *insolitus* Walker,1855 Range (in code): [SG IN Syl MY Bor TH TW](#)
- 84944. *Glanyeus tricolor* Moore,1879** (Thyridae) Synonym(s): *tricolor* Moore,1879 Range (in code): [IN Djl Ass Meg Khs TH MY BN Bor HK CN](#) Bionomy: Larva on Liquidambar formosana (Hamamelidaceae) (ex Li, Robinson et al.,1994).
- 84945. *Hepialodes follicula* (Guenée,1857)** (Thyridae) Synonym(s): *follicula* Guenée,1857 Range (in code): [US](#)
- 84946. *Hepialopsis sphingipennis* W.Warren,1907** (Thyridae) Synonym(s): *sphingipennis* W.Warren,1907 Range (in code): [PE](#)
- 84947. *Herdonia botydana* (Walker,1865)** (Thyridae) Synonym(s): *botydana* Walker,1865
Range (in code): [BR](#)
- 84948. *Herdonia miranda* W.Warren,1908** (Thyridae) Synonym(s): *miranda* W.Warren,1908
Range (in code): [BR](#)
- 84949. *Herdonia osacesalis* Walker,1859** (Thyridae) Synonym(s): *osacesalis* Walker,1859 Range (in code): [CN IN MM TH](#)
- 84950. *Herdonia papuensis* W.Warren,1907** (Thyridae) Synonym(s): *papuensis* W.Warren,1907
Range (in code): [PG](#)
- 84951. *Herdonia thetis* Druce,1899** (Thyridae) Synonym(s): *thetis* Druce,1899 Range (in code): [MX](#)
- 84952. *Herimba atkinsoni* Moore,1879** (Thyridae) Synonym(s): *atkinsoni* Moore,1879 Range (in code): [IN Ass MM](#)
- 84953. *Heteroschista nigranalis* W.Warren,1903** (Thyridae) Synonym(s): *nigranalis* W.Warren,1903 Range (in code): [NE](#)
- 84954. *Hexeris enhydri* Grote,1875** (Thyridae) Synonym(s): *enhydri* Grote,1875; *reticulina* Beutenmüller,1896 Range (in code): [US FI Cf](#)
- 84955. *Hyperthyris aperta* Leech,1889** (Thyridae) Synonym(s): *aperta* Leech,1889 Range (in code): [IN SI CN](#)
- 84956. *Hypolamprus aenictodes* Turner,1911** (Thyridae) Synonym(s): *aenictodes* Turner,1911
Range (in code): [AU NAu Dwn](#)
- 84957. *Hypolamprus albipunctulus* W.Warren,1908** (Thyridae) Synonym(s): *albipunctulus* W.Warren,1908 Range (in code): [MM IN Ass Mpr](#)

- 84958. *Hypolamprus angulalis* (Moore,1888)** (Thyridae) Synonym(s): *angulalis* Moore,1888
Range (in code): TH NP BT IN LK MM MY
- 84959. *Hypolamprus atrostriatus* Hampson,1892** (Thyridae) Synonym(s): *atrostriatus* Hampson,1892 Range (in code): IN Ass
- 84960. *Hypolamprus biplagiatus* W.Warren,1907** (Thyridae) Synonym(s): *biplagiatus* W.Warren,1907 Range (in code): PG
- 84961. *Hypolamprus bipunctatus* W.Warren,1897** (Thyridae) Synonym(s): *bipunctatus* W.Warren,1897 Range (in code): ID Ja
- 84962. *Hypolamprus cossoides* W.Warren,1899** (Thyridae) Synonym(s): *cossoides* W.Warren,1899 Range (in code):
- 84963. *Hypolamprus costiscriptus* W.Warren,1896** (Thyridae) Synonym(s): *costiscriptus* W.Warren,1896 Range (in code): PG Fg AU QAU
- 84964. *Hypolamprus fimbriatus* (W.Warren,1896)** (Thyridae) Synonym(s): *fimbriatus* W.Warren,1896 Range (in code): IN SI Ass
- 84965. *Hypolamprus fuliginosus* W.Warren,1907** (Thyridae) Synonym(s): *fuliginosus* W.Warren,1907 Range (in code): PG
- 84966. *Hypolamprus grandis* W.Warren,1907** (Thyridae) Synonym(s): *grandis* W.Warren,1907 Range (in code): PG
- 84967. *Hypolamprus hemicyclus* (Meyrick,1886)** (Thyridae) Synonym(s): *hemicyclus* Meyrick,1886 Range (in code): FJ
- 84968. *Hypolamprus inductalis* (Walker,1865)** (Thyridae) Synonym(s): *inductalis* Walker,1865; *peratopsis* Hampson,1897; *subnictitans* W.Warren,1897 Range (in code): ID Crm Bor MY Amb Fg PG
- 84969. *Hypolamprus laticosta* W.Warren,1907** (Thyridae) Synonym(s): *laticosta* W.Warren,1907 Range (in code): PG
- 84970. *Hypolamprus leopardatus* W.Warren,1897** (Thyridae) Synonym(s): *leopardatus* W.Warren,1897 Range (in code): AU QAU
- 84971. *Hypolamprus lepraota* Hampson,1910** (Thyridae) Synonym(s): *lepraota* Hampson,1910 Range (in code): LK
- 84972. *Hypolamprus lobulatus* (Moore,1888)** (Thyridae) Synonym(s): *lobulatus* Moore,1888 Range (in code): IN
- 84973. *Hypolamprus marginepunctalis* Leech,1899** (Thyridae) Synonym(s): *marginepunctalis* Leech,1899; *pallascens* Hampson,1898 Range (in code):
- 84974. *Hypolamprus minutulus* Saalmüller,1880** (Thyridae) Synonym(s): *minutulus* Saalmüller,1880 Range (in code): MG KE Mb
- 84975. *Hypolamprus obscuralis* Hampson,1892** (Thyridae) Synonym(s): *obscuralis* Hampson,1892 Range (in code): IN Ass
- 84976. *Hypolamprus parisignatus* W.Warren,1900** (Thyridae) Synonym(s): *parisignatus* W.Warren,1900 Range (in code): SR
- 84977. *Hypolamprus polycyma* W.Warren,1908** (Thyridae) Synonym(s): *polycyma* W.Warren,1908 Range (in code): MY Bor
- 84978. *Hypolamprus praelongatus* W.Warren,1898** (Thyridae) Synonym(s): *praelongatus* W.Warren,1898 Range (in code): IN
- 84979. *Hypolamprus rupinus* Swinhoe,1899** (Thyridae) Synonym(s): *rupina* Swinhoe,1899
Original Reference: *Hypolamprus rupina* Swinhoe,1899, Ann. Mag. nat. Hist. (7) 3: 116. Type ♀: [India]: "Jarimpur" (coll. Davidson). Range (in code): IN
- 84980. *Hypolamprus sciodes* Turner,1911** (Thyridae) Synonym(s): *sciodes* Turner,1911 Range (in code): AU Kda QAU
- 84981. *Hypolamprus semiustus* W.Warren,1908** (Thyridae) Synonym(s): *semiustus* W.Warren,1908 Range (in code): PG
- 84982. *Hypolamprus simplex* W.Warren,1908** (Thyridae) Synonym(s): *simplex* W.Warren,1908 Range (in code): Shn MM
- 84983. *Hypolamprus squalidus* W.Warren,1908** (Thyridae) Synonym(s): *squalidus* W.Warren,1908 Range (in code): LO
- 84984. *Hypolamprus stabilis* W.Warren,1908** (Thyridae) Synonym(s): *stabilis* W.Warren,1908 Range (in code): SB Chs
- 84985. *Hypolamprus striatalis* (Swinhoe,1885)** (Thyridae) Synonym(s): *striatalis* Swinhoe,1885 Range (in code): IN LK

- 84986. Hypolamprus stylophorus (Swinhoe,1895)** (Thyridae) **Synonym(s):** *stylophorus Swinhoe,1895* Range (in code): **IN LK**
- 84987. Hypolamprus submarmoratus W.Warren,1899** (Thyridae) **Synonym(s):** *submarmoratus W.Warren,1899* Range (in code):
- 84988. Hypolamprus subrosealis (Leech,1898)** (Thyridae) **Synonym(s):** *subrosealis Leech,1898* Range (in code): **CN LK ID MY Bor Sum Sba**
- 84989. Hypolamprus subumbratus W.Warren,1905** (Thyridae) **Synonym(s):** *subumbratus W.Warren,1905* Range (in code): **MM Shn**
- 84990. Hypolamprus tessellatus Swinhoe,1904** (Thyridae) **Synonym(s):** *tessellatus Swinhoe,1904* Range (in code): **ID Sum**
- 84991. Hypolamprus trifascialis (Moore,1877)** (Thyridae) **Synonym(s):** *trifascialis Moore,1877* Range (in code): **MM Adm**
- 84992. Hypolamprus unicolor W.Warren,1897** (Thyridae) **Synonym(s):** *unicolor W.Warren,1897* Range (in code): **ID Tim**
- 84993. Hypolamprus verticalis W.Warren,1899** (Thyridae) **Synonym(s):** *verticalis W.Warren,1899* Range (in code): **NE**
- 84994. Hypolamprus vinosatus W.Warren,1908** (Thyridae) **Synonym(s):** *vinosatus W.Warren,1908* Range (in code): **ID Tim**
- 84995. Iridesmoides cymoeasticha Bethune-Baker,1911** (Thyridae) **Synonym(s):** *cymoeasticha Bethune-Baker,1911* Range (in code):
- 84996. Iridesmoides phricosticha Bethune-Baker,1911** (Thyridae) **Synonym(s):** *phricosticha Bethune-Baker,1911* Range (in code):
- 84997. Isothauma opalinula (Mabille,1879)** (Thyridae) **Synonym(s):** *opalinula Mabille,1879* Range (in code): **MG**
- 84998. Isothauma serraticornis W.Warren,1899** (Thyridae) **Synonym(s):** *serraticornis W.Warren,1899* Range (in code): **KE**
- 84999. Kanschizeia hemicycla (Meyrick,1886)** (Thyridae) **Synonym(s):** *hemicycla Meyrick,1886* Range (in code): **AU**
- 85000. Letchenodes ninniusalis (Walker,1859)** (Thyridae) **Synonym(s):** *ninniusalis Walker,1859* Range (in code): **BR**
- 85001. Loxiorhiza cervinalis (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *cervinalis Pagenstecher,1892* Range (in code): **PE**
- 85002. Macrogonia igniaria Herrich-Schäffer,1850** (Thyridae) **Synonym(s):** *igniaria Herrich-Schäffer,1850* Range (in code): **BR**
- 85003. Macroprota eupithecula (Guenée,1877)** (Thyridae) **Synonym(s):** *eupithecula Guenée,1877* Range (in code):
- 85004. Marmax hyparchus (Cramer,1779)** (Thyridae) **Synonym(s):** *hyparchus Cramer,1779* Range (in code): **SL CI NG GA GO Bio**
- 85005. Marmax smaragdina (Butler,1888)** (Thyridae) **Synonym(s):** *smaragdina Butler,1888* Range (in code): **ZA**
- 85006. Mathoris apiceflava Dognin,1911** (Thyridae) **Synonym(s):** *apiceflava Dognin,1911* Range (in code):
- 85007. Mathoris lenistrialis Hampson,1906** (Thyridae) **Synonym(s):** *lenistrialis Hampson,1906* Range (in code): **CI**
- 85008. Mathoris mediaria (Walker,1860)** (Thyridae) **Synonym(s):** *mediaria Walker,1860* Range (in code): **BR**
- 85009. Mathoris multiguttata Hampson,1906** (Thyridae) **Synonym(s):** *multiguttata Hampson,1906* Range (in code): **BO**
- 85010. Mathoris quadrigata (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *quadrigata R.Felder & Rogenhofer,1875* Range (in code): **BR**
- 85011. Mathoris sp.:** (Thyridae) **Synonym(s):** Range (in code): **TH MY BN Bor**
- 85012. Mathoris vocata (Walker,1861)** (Thyridae) **Synonym(s):** *vocata Walker,1861; procurata Walker,1865; roseola R.Felder & Rogenhofer,1875; crepuscula Guenée,1877* Range (in code): **BR**
- 85013. Mellea ordinaria (W.Warren,1896)** (Thyridae) **Synonym(s):** *ordinaria W.Warren,1896; nigristriata W.Warren,1897; hyphenata W.Warren,1897* Range (in code): **AU**
- 85014. Mellea tetragonata (Walker,1863)** (Thyridae) **Synonym(s):** *tetragonata Walker,1863* Range (in code): **TH CMa CDo IN MY Bor Swk SG ID Sum PH PG Adl**

- 85015. Meskea dyspteraria Grote,1877** (Thyridae) **Synonym(s):** *dyspteraria* Grote,1877 Range (in code): US FI
- 85016. Meskea nigrata W.Warren,1897** (Thyridae) **Synonym(s):** *nigrata* W.Warren,1897 Range (in code): BR
- 85017. Microbelia curvinota W.Warren,1906** (Thyridae) **Synonym(s):** *curvinota* W.Warren,1906 Range (in code): PG
- 85018. Microbelia fasciata W.Warren,1908** (Thyridae) **Synonym(s):** *fasciata* W.Warren,1908 Range (in code): PG Fg Wd Goo SB Hon Chs
- 85019. Microbelia privata W.Warren,1908** (Thyridae) **Synonym(s):** *privata* W.Warren,1908 Range (in code): ID Amb Ban
- 85020. Microctenucha munda (Hampson,1892)** (Thyridae) **Synonym(s):** *munda* Hampson,1892 Range (in code): IN
- 85021. Morova innotata W.Warren,1904** (Thyridae) **Synonym(s):** *innotata* W.Warren,1904 Range (in code): AU QAU Tw
- 85022. Morova subfasciata Walker,1865** (Thyridae) **Synonym(s):** *subfasciata* Walker,1865; *gallicolens* Butler,1874 Range (in code): NZ FJ
- 85023. Obelura dohertyi (W.Warren,1897)** (Thyridae) **Synonym(s):** *dohertyi* W.Warren,1897; *stenosoma* Hampson,1898; *nigriflexa* W.Warren,1905; *longistriata* W.Warren,1907 Range (in code): ID Bli MY LK SB Chs
- 85024. Orneostoma subpulchra W.Warren,1907** (Thyridae) **Synonym(s):** *subpulchra* W.Warren,1907 Range (in code): PE
- 85025. Oxyophina theorina (Meyrick,1887)** (Thyridae) **Synonym(s):** *theorina* Meyrick,1887; *fenestrata* Pagestecher,1888; *subfenestrata* W.Warren,1896; *plana* Swinhoe,1900 Range (in code): ID Aru AU QAU PG NBr Kai
- 85026. Pharambara splendida Butler,1887** (Thyridae) **Synonym(s):** *splendida* Butler,1887 Range (in code): TH IN LK TW Adm MY ID Bli Sbh Bor Swk PH Clb Mlc PG AU SB WS
- 85027. Picrostomastis inductalis (Walker,[1866])** (Thyridae) **Synonym(s):** *inductalis* Walker,[1866] Range (in code): TH MM MY SG ID Sum Ja BN Swk Sbh Mlc Crm Tim PG
- 85028. Picrostomastis subrosealis (Leech,1889)** (Thyridae) **Synonym(s):** *subrosealis* Leech,1889 Range (in code): TH IN CN MM MY SG ID Ja Bli BN Bor Sbh Klt PH Clb Sba
- 85029. Plagiosella clathrata Hampson,1898** (Thyridae) **Synonym(s):** *clathrata* Hampson,1898 Range (in code): CI
- 85030. Plagiosella interrupta Hampson,1898** (Thyridae) **Synonym(s):** *interrupta* Hampson,1898 Range (in code): MG
- 85031. Plagiosella ochracea W.Warren,1908** (Thyridae) **Synonym(s):** *ochracea* W.Warren,1908 Range (in code): PG
- 85032. Plagiosella pectinifera Hampson,1906** (Thyridae) **Synonym(s):** *pectinifera* Hampson,1906 Original Reference: Plagiosella pectinifera Hampson,1906, Ann. Mag. nat. Hist. (7) 17: 122. Type ♂: Sierra Leone (Clements). Range (in code): SL
- 85033. Plesiodesma infans W.Warren,1908** (Thyridae) **Synonym(s):** *infans* W.Warren,1908 Range (in code): PG
- 85034. Proterozeugis ansorgei W.Warren,1899** (Thyridae) **Synonym(s):** *ansorgei* W.Warren,1899 Range (in code):
- 85035. Proterozeugis brunnea W.Warren,1908** (Thyridae) **Synonym(s):** *brunnea* W.Warren,1908 Range (in code): ZA Tva Lpo Spb Suw
- 85036. Proterozeugis splendida W.Warren,1899** (Thyridae) **Synonym(s):** *splendida* W.Warren,1899 Range (in code): ZA Nta Kzu
- 85037. Proterozeugis tessellata W.Warren,1908** (Thyridae) **Synonym(s):** *tessellata* W.Warren,1908 Range (in code): TZ
- 85038. Pycnopera crassisquama W.Warren,1898** (Thyridae) **Synonym(s):** *crassisquama* W.Warren,1898 Range (in code): MY Bor
- 85039. Pycnosoma angulatum Hampson,1898** (Thyridae) **Synonym(s):** *angulatum* Hampson,1898 Range (in code): BR
- 85040. Rhodogonia miniata W.Warren,1897** (Thyridae) **Synonym(s):** *miniata* W.Warren,1897 Range (in code): SR
- 85041. Rhodogonia subfusca W.Warren,1905** (Thyridae) **Synonym(s):** *subfusca* W.Warren,1905 Range (in code):

- 85042. *Rhodoneura acaciusalis* (Walker,1859)** (Thyridae) **Synonym(s):** *acaciusalis* Walker,1859; *minicula* Guenée,1877; *sordidula* Plötz,1880; *strigatula* R.Felder & Rogenhofer,1875; *rosacea* Pagenstecher,1892
Range (in code): **CN IN MY**
- 85043. *Rhodoneura acutalis* (Walker,1865)** (Thyridae) **Synonym(s):** *acutalis* Walker,1865; *nitens* Butler,1887 **Range (in code):** **ID Mi MY SB PG AU NAu**
- 85044. *Rhodoneura acygoniata* Hampson,1906** (Thyridae) **Synonym(s):** *acygoniata* Hampson,1906 **Range (in code):** **CO**
- 85045. *Rhodoneura aenea* (Saalmüller,1884)** (Thyridae) **Synonym(s):** *aenea* Saalmüller,1884
Range (in code):
- 85046. *Rhodoneura albicollaris* (Walker,1865)** (Thyridae) **Synonym(s):** *albicollaris* Walker,1865
Range (in code): **PG**
- 85047. *Rhodoneura albiferalis* (Walker,1865)** (Thyridae) **Synonym(s):** *albiferalis* Walker,1865
Range (in code): **PG AU QAU ID Bch**
- 85048. *Rhodoneura albifimbriata* (W.Warren,1897)** (Thyridae) **Synonym(s):** *albifimbriata* W.Warren,1897 **Range (in code):** **ID Ja**
- 85049. *Rhodoneura albipunctula* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *albipunctula* Pagenstecher,1892 **Range (in code):** **PE**
- 85050. *Rhodoneura albisignata* (W.Warren,1899)** (Thyridae) **Synonym(s):** *albisignata* W.Warren,1899 **Range (in code):** **NE**
- 85051. *Rhodoneura alternata* (Moore,1888)** (Thyridae) **Synonym(s):** *alternata* Moore,1888; *bifimbriata* W.Warren,1897 **Range (in code):** **IN MY Bor**
- 85052. *Rhodoneura amethystea* (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *amethystea* R.Felder & Rogenhofer,1875 **Range (in code):** **BR**
- 85053. *Rhodoneura anastomosalis* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *anastomosalis* Pagenstecher,1892 **Range (in code):** **CR MX**
- 85054. *Rhodoneura angulata* (W.Warren,1899)** (Thyridae) **Synonym(s):** *angulata* W.Warren,1899 **Range (in code):** **PG**
- 85055. *Rhodoneura angustifascia* W.Warren,1897** (Thyridae) **Synonym(s):** *angustifascia* W.Warren,1897 **Range (in code):** **ID Amb**
- 85056. *Rhodoneura ansorgei* (W.Warren,1899)** (Thyridae) **Synonym(s):** *ansorgei* W.Warren,1899 **Range (in code):**
- 85057. *Rhodoneura anticalis* (Walker,1865)** (Thyridae) **Synonym(s):** *anticalis* Walker,1865; *?puralis* Walker,1865; *tetraonalis* Moore,1877 **Range (in code):** **MM Adm Mi Bor ID MY**
- 85058. *Rhodoneura apicalis* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *apicalis* Pagenstecher,1892 **Range (in code):** **PE**
- 85059. *Rhodoneura arcuata* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *arcuata* Pagenstecher,1892 **Range (in code):** **PA**
- 85060. *Rhodoneura argentalis* (Walker,1865)** (Thyridae) **Synonym(s):** *argentalis* Walker,1865; *tuberosalis* W.Warren,1896 **Range (in code):** **BT Ass IN LK ID Ja**
- 85061. *Rhodoneura astrodora* (Meyrick,1897)** (Thyridae) **Synonym(s):** *astrodora* Meyrick,1897
Range (in code): **ID Amb**
- 85062. *Rhodoneura atomosalis* Hampson,1898** (Thyridae) **Synonym(s):** *atomosalis* Hampson,1898 **Range (in code):** **ID Ja Mi Adm Khs Meg Ass**
- 85063. *Rhodoneura atriclathrata* W.Warren,1896** (Thyridae) **Synonym(s):** *atriclathrata* W.Warren,1896 **Range (in code):** **IN Ass**
- 85064. *Rhodoneura atripunctalis* (Walker,1865)** (Thyridae) **Synonym(s):** *atripunctalis* Walker,1865 **Range (in code):** **IN NI ID Ja**
- 85065. *Rhodoneura atristrigulalis* Hampson,1896** (Thyridae) **Synonym(s):** *atristrigulalis* Hampson,1896 **Range (in code):** **BT**
- 85066. *Rhodoneura aurata* Butler,1882** (Thyridae) **Synonym(s):** *aurata* Butler,1882; *hydreutis* Meyrick,1886 **Range (in code):** **AU PG NBr**
- 85067. *Rhodoneura aurea* Butler,1881** (Thyridae) **Synonym(s):** *aurea* Butler,1881 **Range (in code):** **JP**
- 85068. *Rhodoneura aureopicta* Semper,1898** (Thyridae) **Synonym(s):** *aureopicta* Semper,1898
Range (in code): **PH**

- 85069. *Rhodoneura aurifera* Hampson, 1906** (Thyridae) Synonym(s): *aurifera* Hampson, 1906
Original Reference: *Rhodoneura aurifera* Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 122. Type
♂: Paraguay: Sapucay (Foster). Range (in code): PY
- 85070. *Rhodoneura australiae* (W. Warren, 1908)** (Thyridae) Synonym(s): *australiae*
W. Warren, 1908 Range (in code): ID Jp
- 85071. *Rhodoneura basalis* (W. Warren, 1906)** (Thyridae) Synonym(s): *basalis* W. Warren, 1906
Range (in code): PG NBr
- 85072. *Rhodoneura bastialis* (Walker, 1859)** (Thyridae) Synonym(s): *bastialis* Walker, 1859;
furcatula Pagenstecher, 1892 Range (in code): IN LK MM AU QAU ZA
- 85073. *Rhodoneura bipuncta* Hampson, 1892** (Thyridae) Synonym(s): *bipuncta* Hampson, 1892
Range (in code): MM
- 85074. *Rhodoneura bracteata* Hampson, 1892** (Thyridae) Synonym(s): *bracteata* Hampson, 1892
Range (in code): IN Ass Adm
- 85075. *Rhodoneura brunnea* (Leech, 1892)** (Thyridae) Synonym(s): *brunnea* Leech, 1892 Range
(in code): CN
- 85076. *Rhodoneura bullifera* (W. Warren, 1896)** (Thyridae) Synonym(s): *bullifera*
W. Warren, 1896 Range (in code): IN Ass
- 85077. *Rhodoneura bullita* Hampson, 1896** (Thyridae) Synonym(s): *bullita* Hampson, 1896
Range (in code): PE
- 85078. *Rhodoneura candidatalis* Swinhoe, 1905** (Thyridae) Synonym(s): *candidatalis*
Swinhoe, 1905 Range (in code): IN
- 85079. *Rhodoneura capotona* Swinhoe, 1903** (Thyridae) Synonym(s): *capotona* Swinhoe, 1903
Range (in code): MY
- 85080. *Rhodoneura carneola* (R. Felder & Rogenhofer, 1875)** (Thyridae) Synonym(s):
carneola R. Felder & Rogenhofer, 1875 Range (in code): BR
- 85081. *Rhodoneura catenula* (Pagenstecher, 1892)** (Thyridae) Synonym(s): *catenula*
Pagenstecher, 1892 Range (in code): CM
- 85082. *Rhodoneura cellulata* (W. Warren, 1908)** (Thyridae) Synonym(s): *cellulata*
W. Warren, 1908 Range (in code): ID Ja
- 85083. *Rhodoneura citrina* Hampson, 1897** (Thyridae) Synonym(s): *citrina* Hampson, 1897
Range (in code): ID TH Bor BN MY Swk Klt PH
- 85084. *Rhodoneura clathraria* W. Warren, 1902** (Thyridae) Synonym(s): *clathraria*
W. Warren, 1902 Range (in code): PG
- 85085. *Rhodoneura colorifera* (W. Warren, 1907)** (Thyridae) Synonym(s): *colorifera*
W. Warren, 1907 Range (in code): PE
- 85086. *Rhodoneura commanotata* (W. Warren, 1899)** (Thyridae) Synonym(s): *commanotata*
W. Warren, 1899 Range (in code): MY Bor
- 85087. *Rhodoneura comparalis* (W. Warren, 1908)** (Thyridae) Synonym(s): *comparalis*
W. Warren, 1908 Range (in code): IN Meg Ass Khs
- 85088. *Rhodoneura complicatilis* (W. Warren, 1897)** (Thyridae) Synonym(s): *complicatilis*
W. Warren, 1897 Range (in code): MY
- 85089. *Rhodoneura composita* (W. Warren, 1907)** (Thyridae) Synonym(s): *composita*
W. Warren, 1907 Range (in code): PG
- 85090. *Rhodoneura corticina* (Pagenstecher, 1892)** (Thyridae) Synonym(s): *corticina*
Pagenstecher, 1892 Range (in code): MY Bor
- 85091. *Rhodoneura crossosticha* Turner, 1911** (Thyridae) Synonym(s): *crossosticha* Turner, 1911
Range (in code): AU
- 85092. *Rhodoneura crypsilia* (Meyrick, 1887)** (Thyridae) Synonym(s): *crypsilia* Meyrick, 1887
Range (in code): AU
- 85093. *Rhodoneura crypsilitha* Turner, 1911** (Thyridae) Synonym(s): *crypsilitha* Turner, 1911
Range (in code): AU
- 85094. *Rhodoneura cumulalis* (Walker, 1863)** (Thyridae) Synonym(s): *cumulalis* Walker, 1863
Range (in code): MY Bor
- 85095. *Rhodoneura cuprea* (Butler, 1882)** (Thyridae) Synonym(s): *cuprea* Butler, 1882 Range
(in code): PG NBr
- 85096. *Rhodoneura cuprealis* Hampson, 1892** (Thyridae) Synonym(s): *cuprealis* Hampson, 1892
Range (in code): MM

- 85097. *Rhodoneura cuprizona* Hampson, 1910** (Thyridae) Synonym(s): *cuprizona* Hampson, 1910
Range (in code): IN Ass
- 85098. *Rhodoneura curviflua* (W. Warren, 1898)** (Thyridae) Synonym(s): *curviflua* W. Warren, 1898 Range (in code): NE
- 85099. *Rhodoneura curvilinea* (W. Warren, 1896)** (Thyridae) Synonym(s): *curvilinea* W. Warren, 1896 Range (in code): IN Ass
- 85100. *Rhodoneura curvistriga* (W. Warren, 1908)** (Thyridae) Synonym(s): *curvistriga* W. Warren, 1908 Range (in code): SR
- 85101. *Rhodoneura decoratalis* (W. Warren, 1896)** (Thyridae) Synonym(s): *decoratalis* W. Warren, 1896 Range (in code): IN Ass
- 85102. *Rhodoneura discata* (W. Warren, 1905)** (Thyridae) Synonym(s): *discata* W. Warren, 1905
Range (in code): ZA Kzu Nta Dbn
- 85103. *Rhodoneura discopis* Hampson, 1910** (Thyridae) Synonym(s): *discopis* Hampson, 1910
Range (in code): LK
- 85104. *Rhodoneura disparalis* Hampson, 1910** (Thyridae) Synonym(s): *disparalis* Hampson, 1910
Range (in code): LK
- 85105. *Rhodoneura dorilusalis* (Walker, 1859)** (Thyridae) Synonym(s): *dorilusalis* Walker, 1859; *imputalis* Walker, 1865; *acutipennis* Pagenstecher, 1886 Range (in code): MY Bor Swk Mi Aru AU QAU
- 85106. *Rhodoneura elongata* (W. Warren, 1896)** (Thyridae) Synonym(s): *elongata* W. Warren, 1896 Range (in code): AU
- 85107. *Rhodoneura elongatalis* Hampson, 1907** (Thyridae) Synonym(s): *elongatalis* Hampson, 1907 Range (in code): MY
- 85108. *Rhodoneura emblicalis* (Moore, 1888)** (Thyridae) Synonym(s): *emblicalis* Moore, 1888
Range (in code): IN
- 85109. *Rhodoneura erubescens* W. Warren, 1908** (Thyridae) Synonym(s): *erubescens* W. Warren, 1908 Range (in code): IN MM Meg Ass Khs Shn TH CMa Dst Ds10
- 85110. *Rhodoneura erythrinalis* (Pagenstecher, 1892)** (Thyridae) Synonym(s): *erythrinalis* Pagenstecher, 1892 Range (in code): BR
- 85111. *Rhodoneura eugrapha* Hampson, 1906** (Thyridae) Synonym(s): *eugrapha* Hampson, 1906
Range (in code):
- 85112. *Rhodoneura euprepes* Hampson, 1906** (Thyridae) Synonym(s): *euprepes* Hampson, 1906
Range (in code):
- 85113. *Rhodoneura extravagans* (W. Warren, 1908)** (Thyridae) Synonym(s): *extravagans* W. Warren, 1908 Range (in code): BR
- 85114. *Rhodoneura exusta* (Butler, 1879)** (Thyridae) Synonym(s): *exusta* Butler, 1879; *ardens* Butler, 1879; *erecta* Leech, 1889 Range (in code): JP IN SI
- 85115. *Rhodoneura fallax* (W. Warren, 1896)** (Thyridae) Synonym(s): *fallax* W. Warren, 1896
Range (in code): PG
- 85116. *Rhodoneura fasciata* (Moore, 1888)** (Thyridae) Synonym(s): *fasciata* Moore, 1888 Range (in code): IN Djl
- 85117. *Rhodoneura ferrofusa* Hampson, 1892** (Thyridae) Synonym(s): *ferrofusa* Hampson, 1892
Range (in code): IN Mh Bba
- 85118. *Rhodoneura ferrugata* (W. Warren, 1907)** (Thyridae) Synonym(s): *ferrugata* W. Warren, 1907 Range (in code): PE
- 85119. *Rhodoneura ferruginea* (Pagenstecher, 1892)** (Thyridae) Synonym(s): *ferruginea* Pagenstecher, 1892 Range (in code): PE
- 85120. *Rhodoneura ferruginosa* Hampson, 1906** (Thyridae) Synonym(s): *ferruginosa* Hampson, 1906 Original Reference: Rhodoneura ferruginosa Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 121. Type ♂: Sikhim (Dudgeon). Range (in code): SI IN
- 85121. *Rhodoneura figurata* (W. Warren, 1904)** (Thyridae) Synonym(s): *figurata* W. Warren, 1904 Range (in code): PE
- 85122. *Rhodoneura flavicilia* Hampson, 1906** (Thyridae) Synonym(s): *flavicilia* Hampson, 1906
Original Reference: Rhodoneura flavicilia Hampson, 1906, Ann. Mag. nat. Hist. (7) 17: 121. Type ♀: [Zimbabwe]: Rhodesia: Bulawayo (Eyles). Range (in code): ZW Bul
- 85123. *Rhodoneura flavula* (Pagenstecher, 1892)** (Thyridae) Synonym(s): *flavula* Pagenstecher, 1892 Range (in code):

- 85124. *Rhodoneura fractifascia* (W.Warren,1908)** (Thyridae) Synonym(s): *fractifascia* W.Warren,1908 Range (in code): NE
- 85125. *Rhodoneura fulviceps* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *fulviceps* R.Felder & Rogenhofer,1875 Range (in code): BR
- 85126. *Rhodoneura fulvipicta* (W.Warren,1908)** (Thyridae) Synonym(s): *fulvipicta* W.Warren,1908 Range (in code): IN Meg Ass Khs
- 85127. *Rhodoneura fumiceps* (W.Warren,1906)** (Thyridae) Synonym(s): *fumiceps* W.Warren,1906 Range (in code): PG
- 85128. *Rhodoneura funesta* (W.Warren,1908)** (Thyridae) Synonym(s): *funesta* W.Warren,1908 Range (in code): PG
- 85129. *Rhodoneura furcifera* Hampson,1900** (Thyridae) Synonym(s): *furcifera* Hampson,1900 Range (in code): IN AU
- 85130. *Rhodoneura furva* (W.Warren,1905)** (Thyridae) Synonym(s): *furva* W.Warren,1905 Range (in code):
- 85131. *Rhodoneura fuscibasis* Hampson,1910** (Thyridae) Synonym(s): *fuscibasis* Hampson,1910 Range (in code): ZR
- 85132. *Rhodoneura gemmata* Hampson,1906** (Thyridae) Synonym(s): *gemma* Hampson,1906 Range (in code): NG
- 85133. *Rhodoneura giulia* Swinhoe,1902** (Thyridae) Synonym(s): *giulia* Swinhoe,1902 Range (in code): PG
- 85134. *Rhodoneura glaphyralis* Hampson,1892** (Thyridae) Synonym(s): *glaphyralis* Hampson,1892 Range (in code): IN
- 85135. *Rhodoneura gracilis* Möschler,1881** (Thyridae) Synonym(s): *gracilis* Möschler,1881 Range (in code): SR
- 85136. *Rhodoneura guttata* Christoph,1880** (Thyridae) Synonym(s): *guttata* Christoph,1880; *lucidulina* Poujade,1894 Range (in code): RU Am CN Ti
- 85137. *Rhodoneura guttula* (Pagenstecher,1892)** (Thyridae) Synonym(s): *guttula* Pagenstecher,1892 Range (in code): BR
- 85138. *Rhodoneura guttulosa* (W.Warren,1905)** (Thyridae) Synonym(s): *guttulosa* W.Warren,1905 Range (in code):
- 85139. *Rhodoneura hampsoni* Dalla Torre,1914** (Thyridae) Synonym(s): *obliqualis* Hampson,1892 nec Wlk.,1865; *hampsoni* Dalla Torre,1914 Range (in code): SI IN
- 85140. *Rhodoneura hebra* Swinhoe,1895** (Thyridae) Synonym(s): *hebra* Swinhoe,1895 Range (in code): IN Ass
- 85141. *Rhodoneura hedilalis* (Walker,1859)** (Thyridae) Synonym(s): *hedilalis* Walker,1859 Range (in code): BR
- 85142. *Rhodoneura hieroglyphica* (W.Warren,1899)** (Thyridae) Synonym(s): *hieroglyphica* W.Warren,1899 Range (in code): PG
- 85143. *Rhodoneura hyaena* (W.Warren,1905)** (Thyridae) Synonym(s): *hyaena* W.Warren,1905 Range (in code): SB
- 85144. *Rhodoneura hypargyra* Hampson,1892** (Thyridae) Synonym(s): *hypargyra* Hampson,1892 Range (in code): MM MY Bor
- 85145. *Rhodoneura hypoxantha* Hampson,1892** (Thyridae) Synonym(s): *hypoxantha* Hampson,1892 Range (in code): IN Ass Djl MM
- 85146. *Rhodoneura illustrata* (W.Warren,1908)** (Thyridae) Synonym(s): *illustrata* W.Warren,1908 Range (in code): MY
- 85147. *Rhodoneura impletalis* (Walker,1873)** (Thyridae) Synonym(s): *impletalis* Walker,1873 Range (in code):
- 85148. *Rhodoneura interalbicans* (W.Warren,1897)** (Thyridae) Synonym(s): *interalbicans* W.Warren,1897 Range (in code): MY Bor
- 85149. *Rhodoneura intermedia* (W.Warren,1908)** (Thyridae) Synonym(s): *intermedia* W.Warren,1908 Range (in code): PE
- 85150. *Rhodoneura intimalis* (Moore,1888)** (Thyridae) Synonym(s): *intimalis* Moore,1888; *ulterior* W.Warren,1896; *compunctalis* W.Warren,1898 Range (in code): ID Ja Ass LK IN
- 85151. *Rhodoneura lacteguttata* (W.Warren,1904)** (Thyridae) Synonym(s): *lacteguttata* W.Warren,1904 Range (in code): PE

- 85152. *Rhodoneura lactiguttata* Hampson, 1910** (Thyridae) **Synonym(s):** *lactiguttata* Hampson, 1910 Range (in code): **BT**
- 85153. *Rhodoneura lateralis* (W. Warren, 1907)** (Thyridae) **Synonym(s):** *lateralis* W. Warren, 1907 Range (in code): **PG**
- 85154. *Rhodoneura lateritiata* Pagenstecher, 1900** (Thyridae) **Synonym(s):** *lateritiata* Pagenstecher, 1900 Range (in code): **Bsm PG**
- 85155. *Rhodoneura latizonalis* Hampson, 1898** (Thyridae) **Synonym(s):** *latizonalis* Hampson, 1898 Range (in code): **SL**
- 85156. *Rhodoneura lepida* (W. Warren, 1908)** (Thyridae) **Synonym(s):** *lepida* W. Warren, 1908 Range (in code): **ID MY MM Lb Sum Bor PH Mdo**
- 85157. *Rhodoneura leucosticta* Hampson, 1906** (Thyridae) **Synonym(s):** *leucosticta* Hampson, 1906 Range (in code):
- 85158. *Rhodoneura lilacina* (W. Warren, 1905)** (Thyridae) **Synonym(s):** *lilacina* W. Warren, 1905 Range (in code): **BR**
- 85159. *Rhodoneura lobulata* (Moore, 1888)** (Thyridae) **Synonym(s):** *lobulata* Moore, 1888 Range (in code): **IN Djl**
- 85160. *Rhodoneura loceusalis* (Walker, 1859)** (Thyridae) **Synonym(s):** *loceusalis* Walker, 1859 Range (in code): **LK**
- 85161. *Rhodoneura lucida* (W. Warren, 1907)** (Thyridae) **Synonym(s):** *lucida* (W. Warren, 1907) Range (in code): **PG**
- 85162. *Rhodoneura lunula* (R. Felder & Rogenhofer, 1875)** (Thyridae) **Synonym(s):** *lunula* R. Felder & Rogenhofer, 1875 Range (in code): **BR**
- 85163. *Rhodoneura maevina* Moore, 1888** (Thyridae) **Synonym(s):** *tetraonalis* Pagenstecher, 1886 *nec Mre.*, 1877; *maevina* Moore, 1888; *carneata* W. Warren, 1899 Range (in code): **IN Ass Meg Khs SI MM**
- 85164. *Rhodoneura magnifica* (Meyrick, 1887)** (Thyridae) **Synonym(s):** *magnifica* Meyrick, 1887 Range (in code): **AU NSw**
- 85165. *Rhodoneura margaritalis* Hampson, 1898** (Thyridae) **Synonym(s):** *margaritalis* Hampson, 1898 Range (in code): **MG**
- 85166. *Rhodoneura mediovincta* (W. Warren, 1905)** (Thyridae) **Synonym(s):** *mediovincta* W. Warren, 1905 Range (in code): **BR**
- 85167. *Rhodoneura melanostigmalis* Swinhoe, 1895** (Thyridae) **Synonym(s):** *melanostigmalis* Swinhoe, 1895 Range (in code): **IN Ass**
- 85168. *Rhodoneura melialis* Swinhoe, 1900** (Thyridae) **Synonym(s):** *melialis* Swinhoe, 1900 Range (in code): **AU QAU**
- 85169. *Rhodoneura mellea* Saalmüller, 1881** (Thyridae) **Synonym(s):** *mellea* Saalmüller, 1881 Range (in code): **MG**
- 85170. *Rhodoneura micacealis* (Walker, 1865)** (Thyridae) **Synonym(s):** *micacealis* Walker, 1865; *disjunctalis* Walker, 1865; *papuensis* Pagenstecher, 1886; *occlusa* W. Warren, 1897 Range (in code): **LK Mi ID Aru Bli**
- 85171. *Rhodoneura micragraphalis* Hampson, 1897** (Thyridae) **Synonym(s):** *micragraphalis* Hampson, 1897 Range (in code): **SL**
- 85172. *Rhodoneura miosticta* Hampson, 1906** (Thyridae) **Synonym(s):** *miosticta* Hampson, 1906 Range (in code):
- 85173. *Rhodoneura mollicellalis* W. Warren, 1896** (Thyridae) **Synonym(s):** *mollicellalis* W. Warren, 1896 Range (in code): **IN**
- 85174. *Rhodoneura mollis* (W. Warren, 1896)** (Thyridae) **Synonym(s):** *mollis* W. Warren, 1896; *mediostrigata* W. Warren, 1897 Range (in code): **SI IN Meg Ass Khs**
- 85175. *Rhodoneura moorei* (W. Warren, 1908)** (Thyridae) **Synonym(s):** *reticulata* Moore, 1888 *nec Wlk.*; *moorei* W. Warren, 1908 Range (in code): **IN**
- 85176. *Rhodoneura multifasciata* (W. Warren, 1900)** (Thyridae) **Synonym(s):** *multifasciata* W. Warren, 1900 Range (in code): **EC**
- 85177. *Rhodoneura multifenestrata* (W. Warren, 1896)** (Thyridae) **Synonym(s):** *multifenestrata* W. Warren, 1896 Range (in code): **PG ID Amb**
- 85178. *Rhodoneura multipunctata* Hampson, 1892** (Thyridae) **Synonym(s):** *multipunctata* Hampson, 1892 Range (in code): **IN MM**
- 85179. *Rhodoneura myrsusalis* (Walker, 1859)** (Thyridae) **Synonym(s):** *myrsusalis* Walker, 1859; *elalaris* Walker, 1859; *idalialis* Walker, 1859; Range (in code): **PR BR ZA Nta Kzu IN LK MM MY Bor**

- 85180. *Rhodoneura myrtacea* (Drury,1773)** (Thyridae) Synonym(s): *myrtacea* Drury,1773; *fenestrifera* Walker,1864; *fenestrina* R.Felder & Rogenhofer,1875; *clathrula* Guenée,1877; *fenestrata* Guenée,1877
Range (in code): IN Adm MY Bor ID Clb PG Tro
- 85181. *Rhodoneura nana* (W.Warren,1898)** (Thyridae) Synonym(s): *nana* W.Warren,1898
Range (in code): ID Sba
- 85182. *Rhodoneura neapolitana* (W.Warren,1905)** (Thyridae) Synonym(s): *neapolitana* W.Warren,1905 Range (in code): SR
- 85183. *Rhodoneura nebulosa* (W.Warren,1889)** (Thyridae) Synonym(s): *nebulosa* W.Warren,1889; *rotundula* Pagenstecher,1892 Range (in code): BR
- 85184. *Rhodoneura nephelopera* Hampson,1906** (Thyridae) Synonym(s): *nephelopera* Hampson,1906 Range (in code): IN Ass
- 85185. *Rhodoneura nigralbata* (W.Warren,1908)** (Thyridae) Synonym(s): *nigralbata* W.Warren,1908 Range (in code): PG
- 85186. *Rhodoneura nigrithorax* (W.Warren,1906)** (Thyridae) Synonym(s): *nigrithorax* W.Warren,1906 Range (in code): PG
- 85187. *Rhodoneura nitens* (Butler,1887)** (Thyridae) Synonym(s): *nitens* Butler,1887; *hamifera* Moore,1888; *ancyllosema* Meyrick,1894; *atribasalis* W.Warren,1899 Range (in code): JP IN LK SB PG Rs
- 85188. *Rhodoneura nitida* Pagenstecher,1888** (Thyridae) Synonym(s): *nitida* Pagenstecher,1888
Range (in code): IN Ass ID Amb MY Bor
- 85189. *Rhodoneura nostralis* (Walker,1858)** (Thyridae) Synonym(s): *nostralis* Walker,1858
Range (in code): VE
- 85190. *Rhodoneura notula* Pagenstecher,1892** (Thyridae) Synonym(s): *notula* Pagenstecher,1892 Range (in code): PH
- 85191. *Rhodoneura nubecula* Guenée,1857** (Thyridae) Synonym(s): *nubecula* Guenée,1857
Range (in code): BR
- 85192. *Rhodoneura nubila* Hampson,1906** (Thyridae) Synonym(s): *nubila* Hampson,1906
Range (in code): SR
- 85193. *Rhodoneura nullula* Guenée,1857** (Thyridae) Synonym(s): *nullula* Guenée,1857 Range (in code): BR
- 85194. *Rhodoneura obliquialis* (Walker,1865)** (Thyridae) Synonym(s): *obliquialis* Walker,1865; *bivittata* Pagenstecher,1886 Range (in code): ID Aru PG MM Mrg
- 85195. *Rhodoneura obliquifascia* (W.Warren,1908)** (Thyridae) Synonym(s): *obliquifascia* W.Warren,1908 Range (in code): AO
- 85196. *Rhodoneura ocellipennis* (W.Warren,1908)** (Thyridae) Synonym(s): *ocellipennis* W.Warren,1908 Range (in code): MM
- 85197. *Rhodoneura oligosticta* Hampson,1892** (Thyridae) Synonym(s): *oligosticta* Hampson,1892 Range (in code): SI IN
- 85198. *Rhodoneura ovifera* (Butler,1892)** (Thyridae) Synonym(s): *ovifera* Butler,1892 Range (in code): MY Bor
- 85199. *Rhodoneura pagenstecheri* Dalla Torre,1914** (Thyridae) Synonym(s): *cuprea* Pagenstecher,1884 nec Butl.,1882; *pagenstecheri* Dalla Torre,1914 Range (in code): ID Amb
- 85200. *Rhodoneura palairantha* Bethune-Baker,1911** (Thyridae) Synonym(s): *palairantha* Bethune-Baker,1911 Range (in code):
- 85201. *Rhodoneura palealides* Hampson,1906** (Thyridae) Synonym(s): *palealides* Hampson,1906 Original Reference: *Rhodoneura palealides* Hampson,1906, Ann. Mag. nat. Hist. (7) 17: 120-121. Type ♂: Mashonaland: Salisbury (Marshall). Range (in code): NA ZA ZW
- 85202. *Rhodoneura pallida* (Butler,1879)** (Thyridae) Synonym(s): *pallida* Butler,1879; *obliquistrigalis* W.Warren,1896 Range (in code): JP IN
- 85203. *Rhodoneura parallelina* Leech,1898** (Thyridae) Synonym(s): *parallelina* Leech,1898
Range (in code): CN
- 85204. *Rhodoneura patricolor* (W.Warren,1903)** (Thyridae) Synonym(s): *patricolor* W.Warren,1903 Range (in code): SB
- 85205. *Rhodoneura paullula* (Pagenstecher,1892)** (Thyridae) Synonym(s): *paullula* Pagenstecher,1892 Range (in code): PE
- 85206. *Rhodoneura perlula* Guenée,1857** (Thyridae) Synonym(s): *perlula* Guenée,1857 Range (in code):

- 85207. *Rhodoneura pernitescens* (W.Warren,1897)** (Thyridae) Synonym(s): *pernitescens* W.Warren,1897 Range (in code): ID Clb
- 85208. *Rhodoneura pexa* Hampson,1906** (Thyridae) Synonym(s): *pexa* Hampson,1906 Range (in code): NA ZA Wca
- 85209. *Rhodoneura phasianalis* Swinhoe,1900** (Thyridae) Synonym(s): *phasianalis* Swinhoe,1900 Range (in code): PG
- 85210. *Rhodoneura piperata* (W.Warren,1899)** (Thyridae) Synonym(s): *piperata* W.Warren,1899 Range (in code):
- 85211. *Rhodoneura plagiatus* Dalla Torre,1914** (Thyridae) Synonym(s): *plagiatus* W.Warren,1905 nec 1897; *plagiatus* Dalla Torre,1914 Range (in code): SB Chs
- 85212. *Rhodoneura plagifera* (Butler,1886)** (Thyridae) Synonym(s): *plagifera* Butler,1886 Range (in code): WS TO
- 85213. *Rhodoneura plana* Hampson,1897** (Thyridae) Synonym(s): *plana* Hampson,1897 Range (in code): ID Aru
- 85214. *Rhodoneura plumbea* (W.Warren,1908)** (Thyridae) Synonym(s): *plumbea* W.Warren,1908 Range (in code): IN Djl
- 85215. *Rhodoneura politula* (Pagenstecher,1892)** (Thyridae) Synonym(s): *politula* Pagenstecher,1892 Range (in code): PH
- 85216. *Rhodoneura polychlorialis* (Pagenstecher,1892)** (Thyridae) Synonym(s): *polychlorialis* Pagenstecher,1892 Range (in code): CR
- 85217. *Rhodoneura polygraphalis* (Walker,1865)** (Thyridae) Synonym(s): *polygraphalis* Walker,1865; *marmorealis* Moore,1877; *denticulosa* Moore,1885; *rhythmica* Meyrick,1887; *bastialis* Hampson,1892 Range (in code): IN ID MY TH SB AU QAU
- 85218. *Rhodoneura polystictalis* Hampson,1897** (Thyridae) Synonym(s): *polystictalis* Hampson,1897 Range (in code): ID Mi
- 85219. *Rhodoneura praeusta* (W.Warren,1897)** (Thyridae) Synonym(s): *praeusta* W.Warren,1897 Range (in code): ID Bch
- 85220. *Rhodoneura pudicula* Guenée,1857** (Thyridae) Synonym(s): *pudicula* Guenée,1857; *guttulosa* Walker,1864; *obsolescens* W.Warren,1908 Range (in code): TH MY ID Sum Ja Bli Bor Clb PG
- 85221. *Rhodoneura pulchelloides* (Pagenstecher,1892)** (Thyridae) Synonym(s): *pulchelloides* Pagenstecher,1892 Range (in code): CR
- 85222. *Rhodoneura punctum* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *punctum* R.Felder & Rogenhofer,1875; *puncta* Hampson,1897 Range (in code): BR
- 85223. *Rhodoneura puralis* (Walker,1865)** (Thyridae) Synonym(s): *puralis* Walker,1865 Range (in code): MY Bor Swk
- 85224. *Rhodoneura pusillata* (W.Warren,1902)** (Thyridae) Synonym(s): *pusillata* W.Warren,1902 Range (in code): NE
- 85225. *Rhodoneura quadrovata* (W.Warren,1896)** (Thyridae) Synonym(s): *quadrovata* W.Warren,1896 Range (in code): ID Tim
- 85226. *Rhodoneura quartaria* (W.Warren,1906)** (Thyridae) Synonym(s): *quartaria* W.Warren,1906 Range (in code): PG
- 85227. *Rhodoneura quinquelineata* (W.Warren,1897)** (Thyridae) Synonym(s): *quinquelineata* W.Warren,1897 Range (in code): CO
- 85228. *Rhodoneura quinquelineolata* Dalla Torre,1914** (Thyridae) Synonym(s): *quinquelineolata* W.Warren,1906 nec 1897; *quinquelineolata* Dalla Torre,1914 Range (in code): PG
- 85229. *Rhodoneura ramifera* (W.Warren,1897)** (Thyridae) Synonym(s): *ramifera* W.Warren,1897 Range (in code): PG
- 85230. *Rhodoneura rectiviata* (W.Warren,1899)** (Thyridae) Synonym(s): *rectiviata* W.Warren,1899 Range (in code): PG
- 85231. *Rhodoneura reticulalis* Moore,1877** (Thyridae) Synonym(s): *reticulalis* Moore,1877 Range (in code): Adm
- 85232. *Rhodoneura raphiducha* (W.Warren,1911)** (Thyridae) Synonym(s): *raphiducha* W.Warren,1911 Range (in code): AU
- 85233. *Rhodoneura rhomboidea* (W.Warren,1889)** (Thyridae) Synonym(s): *rhomboidea* W.Warren,1889; *laevigata* Pagenstecher,1892 Range (in code): BR
- 85234. *Rhodoneura ritteri* (Pagenstecher,1895)** (Thyridae) Synonym(s): *ritteri* Pagenstecher,1895 Range (in code): ID Ja

- 85235. *Rhodoneura rosenbergi* (W.Warren,1900)** (Thyridae) Synonym(s): *rosenbergi* W.Warren,1900 Range (in code): EC
- 85236. *Rhodoneura roseobrunnea* (W.Warren,1908)** (Thyridae) Synonym(s): *roseobrunnea* W.Warren,1908 Range (in code): PE
- 85237. *Rhodoneura rufareta* Hampson,1892** (Thyridae) Synonym(s): *rufareta* Hampson,1892 Range (in code): SI IN
- 85238. *Rhodoneura rufidorsata* (W.Warren,1908)** (Thyridae) Synonym(s): *rufidorsata* W.Warren,1908 Range (in code): SR
- 85239. *Rhodoneura rufifimbria* (W.Warren,1901)** (Thyridae) Synonym(s): *rufifimbria* W.Warren,1901 Range (in code): PA
- 85240. *Rhodoneura rufigrisea* (W.Warren,1900)** (Thyridae) Synonym(s): *rufigrisea* W.Warren,1900 Range (in code): VE
- 85241. *Rhodoneura rufistriga* (W.Warren,1907)** (Thyridae) Synonym(s): *rufistriga* W.Warren,1907 Range (in code): PG
- 85242. *Rhodoneura ruinosa* (W.Warren,1908)** (Thyridae) Synonym(s): *ruinosa* W.Warren,1908 Range (in code): IN SI
- 85243. *Rhodoneura salmo* (W.Warren,1908)** (Thyridae) Synonym(s): *salmo* W.Warren,1908 Range (in code): MY Bor
- 85244. *Rhodoneura satelles* (W.Warren,1906)** (Thyridae) Synonym(s): *satelles* W.Warren,1906 Range (in code): PG
- 85245. *Rhodoneura scripta* (W.Warren,1898)** (Thyridae) Synonym(s): *scripta* W.Warren,1898 Range (in code): IN Ass Meg Khs
- 85246. *Rhodoneura sectilinea* (W.Warren,1908)** (Thyridae) Synonym(s): *sectilinea* W.Warren,1908 Range (in code): BR
- 85247. *Rhodoneura semiperforata* (W.Warren,1896)** (Thyridae) Synonym(s): *semiperforata* W.Warren,1896 Range (in code): IN Ass
- 85248. *Rhodoneura semitessellata* (Walker,1864)** (Thyridae) Synonym(s): *semitessellata* Walker,1864; *semitessellalis* Walker,1865; *ignotalis* Röber,1892; *tessellatula* Pagenstecher,1892; *hyalospila* Lower,1894; *plagiata* W.Warren,1897 Range (in code): AU QAU PG PH Ceb Tro MM MY Bor
- 85249. *Rhodoneura separata* W.Warren,1908** (Thyridae) Synonym(s): *separata* W.Warren,1908 Range (in code): PG
- 85250. *Rhodoneura sericatalis* Rebel,1915** (Thyridae) Synonym(s): *sericatalis* Rebel,1915 Range (in code): WS
- 85251. *Rhodoneura setifera* Swinhoe,1895** (Thyridae) Synonym(s): *setifera* Swinhoe,1895 Range (in code): IN Ass
- 85252. *Rhodoneura sigillata* (W.Warren,1898)** (Thyridae) Synonym(s): *sigillata* W.Warren,1898 Range (in code): NE
- 85253. *Rhodoneura sparsireta* Hampson,1906** (Thyridae) Synonym(s): *sparsireta* Hampson,1906 Range (in code): CU
- 85254. *Rhodoneura spilotata* (W.Warren,1887)** (Thyridae) Synonym(s): *spilotata* W.Warren,1887; *complicata* W.Warren,1898 Range (in code): NE
- 85255. *Rhodoneura splendida* (Butler,1887)** (Thyridae) Synonym(s): *splendida* Butler,1887; *paucipunctalis* W.Warren,1896 Range (in code): IN Ass Adm SB
- 85256. *Rhodoneura spurcatula* (W.Warren,1908)** (Thyridae) Synonym(s): *spurcatula* W.Warren,1908 Range (in code): PY
- 85257. *Rhodoneura squalida* (W.Warren,1909)** (Thyridae) Synonym(s): *squalida* W.Warren,1909 Range (in code):
- 85258. *Rhodoneura squamigera* (Pagenstecher,1892)** (Thyridae) Synonym(s): *squamigera* Pagenstecher,1892 Range (in code): ZA Nta Kzu
- 85259. *Rhodoneura staccata* (W.Warren,1898)** (Thyridae) Synonym(s): *staccata* W.Warren,1898 Range (in code): CN
- 85260. *Rhodoneura sterna* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *sterna* R.Felder & Rogenhofer,1875; *virginula* Guenée,1877 Range (in code): BR
- 85261. *Rhodoneura stigmatophora* (W.Warren,1908)** (Thyridae) Synonym(s): *stigmatophora* W.Warren,1908 Range (in code): PE
- 85262. *Rhodoneura striativena* (Hampson,1890)** (Thyridae) Synonym(s): *striativena* Hampson,1890 Range (in code): IN MM

- 85263. *Rhodoneura striola* (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *striola* R.Felder & Rogenhofer,1875 **Range (in code):** **ID Amb**
- 85264. *Rhodoneura subcostalis* Hampson,1892** (Thyridae) **Synonym(s):** *subcostalis* Hampson,1892 **Range (in code):** **IN Ass**
- 85265. *Rhodoneura sublucens* (W.Warren,1908)** (Thyridae) **Synonym(s):** *sublucens* W.Warren,1908 **Range (in code):** **PG ID Kai**
- 85266. *Rhodoneura subolivescens* (W.Warren,1908)** (Thyridae) **Synonym(s):** *subolivescens* W.Warren,1908 **Range (in code):** **PE**
- 85267. *Rhodoneura suborbitalis* (W.Warren,1906)** (Thyridae) **Synonym(s):** *suborbitalis* W.Warren,1906 **Range (in code):** **PG**
- 85268. *Rhodoneura subscripta* (W.Warren,1899)** (Thyridae) **Synonym(s):** *subscripta* W.Warren,1899 **Range (in code):**
- 85269. *Rhodoneura subtransversalis* (W.Warren,1897)** (Thyridae) **Synonym(s):** *subtransversalis* W.Warren,1897 **Range (in code):** **SR**
- 85270. *Rhodoneura sulphurea* W.Warren,1898** (Thyridae) **Synonym(s):** *sulphurea* W.Warren,1898 **Range (in code):** **MY**
- 85271. *Rhodoneura taeniata* (W.Warren,1908)** (Thyridae) **Synonym(s):** *taeniata* W.Warren,1908 **Range (in code):** **SI IN Ass Meg Khs**
- 85272. *Rhodoneura taphiusalis* (Walker,1859)** (Thyridae) **Synonym(s):** *taphiusalis* Walker,1859 **Range (in code):** **SG MY Bor**
- 85273. *Rhodoneura terminalis* (Walker,1865)** (Thyridae) **Synonym(s):** *terminalis* Walker,1865 **Range (in code):** **HT**
- 85274. *Rhodoneura terreola* Mabilie,1880** (Thyridae) **Synonym(s):** *terreola* Mabilie,1880 **Range (in code):** **MG**
- 85275. *Rhodoneura tetragonata* (Walker,1864)** (Thyridae) **Synonym(s):** *tetragonata* Walker,1864; *vinosa* Butler,1892; *quadripunctula* Pagenstecher,1892; *jubralis* Swinhoe,1895; *dissimulans* W.Warren,1896; *ordinaria* W.Warren,1896 **Range (in code):** **IN Ass ID Sum MY Bor AU QAu**
- 85276. *Rhodoneura thiastorialis* (Walker,1859)** (Thyridae) **Synonym(s):** *thiastorialis* Walker,1859 **Range (in code):** **IN Ass MY**
- 85277. *Rhodoneura tigridula* Guenée,1857** (Thyridae) **Synonym(s):** *tigridula* Guenée,1857 **Range (in code):**
- 85278. *Rhodoneura triangularis* Pagenstecher,1892** (Thyridae) **Synonym(s):** *triangularis* Pagenstecher,1892 **Range (in code):** **PH**
- 85279. *Rhodoneura triangulifera* (W.Warren,1897)** (Thyridae) **Synonym(s):** *triangulifera* W.Warren,1897 **Range (in code):** **BR**
- 85280. *Rhodoneura trigoniphora* Hampson,1898** (Thyridae) **Synonym(s):** *trigoniphora* Hampson,1898 **Range (in code):** **BR**
- 85281. *Rhodoneura tristis* Hampson,1892** (Thyridae) **Synonym(s):** *tristis* Hampson,1892 **Range (in code):** **SI IN**
- 85282. *Rhodoneura tristriata* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *tristriata* Pagenstecher,1892 **Range (in code):** **UY**
- 85283. *Rhodoneura tritropha* Swinhoe,1895** (Thyridae) **Synonym(s):** *tritropha* Swinhoe,1895 **Range (in code):** **IN Ass**
- 85284. *Rhodoneura triumphans* (W.Warren,1904)** (Thyridae) **Synonym(s):** *triumphans* W.Warren,1904 **Range (in code):** **PE**
- 85285. *Rhodoneura turbatalis* W.Warren,1905** (Thyridae) **Synonym(s):** *turbatalis* W.Warren,1905 **Range (in code):** **IN**
- 85286. *Rhodoneura uniformis* Hampson,1892** (Thyridae) **Synonym(s):** *uniformis* Hampson,1892 **Range (in code):** **IN Adm**
- 85287. *Rhodoneura unitula* (Guenée,1877)** (Thyridae) **Synonym(s):** *unitula* Guenée,1877 **Range (in code):** **BR**
- 85288. *Rhodoneura variabilis* (Pagenstecher,1886)** (Thyridae) **Synonym(s):** *variabilis* Pagenstecher,1886 **Range (in code):** **PG**
- 85289. *Rhodoneura venustula* (W.Warren,1905)** (Thyridae) **Synonym(s):** *venustula* W.Warren,1905 **Range (in code):** **PG**
- 85290. *Rhodoneura vermiculata* (W.Warren,1907)** (Thyridae) **Synonym(s):** *vermiculata* W.Warren,1907 **Range (in code):** **PG**

- 85291. *Rhodoneura violalis* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *violalis* Pagenstecher,1892 **Range (in code):** **CR**
- 85292. *Rhodoneura viriditincta* (W.Warren,1908)** (Thyridae) **Synonym(s):** *viriditincta* W.Warren,1908 **Range (in code):** **EC**
- 85293. *Rhodoneura vittula* (Guenée,1877)** (Thyridae) **Synonym(s):** *vittula* Guenée,1877 **Range (in code):** **CN**
- 85294. *Rhodoneura werneburgalis* (Keferstein,1870)** (Thyridae) **Synonym(s):** *werneburgalis* Keferstein,1870; *plagula* Guenée,1877; *wirneburgalis* Hampson,1898 **Range (in code):** **MG**
- 85295. *Rhodoneura xanthina* (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *xanthina* R.Felder & Rogenhofer,1875 **Range (in code):** **BR**
- 85296. *Rhodoneura ypsilon* (W.Warren,1899)** (Thyridae) **Synonym(s):** *ypsilon* W.Warren,1899 **Range (in code):** **ID Dm**
- 85297. *Risama avicula* Guenée,1877** (Thyridae) **Synonym(s):** *avicula* Guenée,1877; *macropterana* Druce,1895 nec Wlk.,1865 **Range (in code):** **BR**
- 85298. *Risama eurymenana* (Walker,1865)** (Thyridae) **Synonym(s):** *eurymenana* Walker,1865; *subchalybaea* Walker,1865 **Range (in code):** **BR**
- 85299. *Risama falcata* (R.Felder & Rogenhofer,1875)** (Thyridae) **Synonym(s):** *falcata* R.Felder & Rogenhofer,1875; *serpula* Guenée,1877 **Range (in code):** **BR**
- 85300. *Risama mediula* Guenée,1877** (Thyridae) **Synonym(s):** *mediula* Guenée,1877 **Range (in code):** **BR**
- 85301. *Risama picta* (Walker,1865)** (Thyridae) **Synonym(s):** *picta* Walker,1865; *aurorula* Guenée,1877 **Range (in code):** **BR**
- 85302. *Risama reticula* Guenée,1857** (Thyridae) **Synonym(s):** *reticula* Guenée,1857 **Range (in code):** **BR**
- 85303. *Risama straminula* (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *straminula* Pagenstecher,1892 **Range (in code):** **BR**
- 85304. *Risama substrigata* (W.Warren,1900)** (Thyridae) **Synonym(s):** *substrigata* W.Warren,1900 **Range (in code):** **CR**
- 85305. *Risama transversa* (Walker,1865)** (Thyridae) **Synonym(s):** *transversa* Walker,1865 **Range (in code):** **BR**
- 85306. *Sonagara strigipennis* Moore,1882** (Thyridae) **Synonym(s):** *strigipennis* Moore,1882 **Range (in code):** **TH CMa Cz10 CN IN SI MM BN Swk Bor MY TW**
- 85307. *Stenocopsis albiapicata* W.Warren,1900** (Thyridae) **Synonym(s):** *albiapicata* W.Warren,1900 **Range (in code):**
- 85308. *Striglina anthina* Tams,1935** (Thyridae) **Synonym(s):** **Range (in code):** **WS**
- 85309. *Striglina asinina* W.Warren,1899** (Thyridae) **Synonym(s):** *asinina* W.Warren,1899 **Range (in code):**
- 85310. *Striglina bivittata* (Moore,1883)** (Thyridae) **Synonym(s):** *bivittata* Moore,1883; *decussata* Hampson,1892; *glareola* Hampson,1898 **Range (in code):** **Adm**
- 85311. *Striglina brunneata* W.Warren,1905** (Thyridae) **Synonym(s):** *brunneata* W.Warren,1905 **Range (in code):**
- 85312. *Striglina buergersi* Gaede,1922** (Thyridae) **Synonym(s):** *buergeri* Gaede,1922 **Range (in code):** **TW JP SG ID Sum Bli Sbh Bor MY PH Clb Mlc PG AU SB FJ TH**
- 85313. *Striglina centiginosa* Lucas,1898** (Thyridae) **Synonym(s):** *centiginosa* Lucas,1898; *striglina* Turner,1903; *cypholoma* Turner,1903 **Range (in code):** **AU QAU**
- 85314. *Striglina condensata* W.Warren,1907** (Thyridae) **Synonym(s):** *condensata* W.Warren,1907 **Range (in code):** **PG**
- 85315. *Striglina costirufata* W.Warren,1907** (Thyridae) **Synonym(s):** *costirufata* W.Warren,1907 **Range (in code):** **PG**
- 85316. *Striglina curvilinea* W.Warren,1905** (Thyridae) **Synonym(s):** *curvilinea* W.Warren,1905 **Range (in code):** **SB Bgv PG**
- 85317. *Striglina dentifascia* W.Warren,1907** (Thyridae) **Synonym(s):** *dentifascia* W.Warren,1907 **Range (in code):** **PG**
- 85318. *Striglina derasata* W.Warren,1897** (Thyridae) **Synonym(s):** *derasata* W.Warren,1897 **Range (in code):** **MY Bor PG Fg Tro**
- 85319. *Striglina divisata* W.Warren,1904** (Thyridae) **Synonym(s):** *divisata* W.Warren,1904 **Range (in code):**

- 85320. *Striglina duplicifimbria* W.Warren,1896** (Thyridae) Synonym(s): *duplicifimbria* W.Warren,1896 Range (in code): IN Ass Meg Khs BT CN MY ID Sum Bor Sbh TH
- 85321. *Striglina fixseni* Alpheraky,1897** (Thyridae) Synonym(s): *fixseni* Alpheraky,1897 Range (in code): KP KR
- 85322. *Striglina flammans* Hampson,1906** (Thyridae) Synonym(s): *flammans* Hampson,1906 Range (in code): PE
- 85323. *Striglina floccosa* W.Warren,1905** (Thyridae) Synonym(s): *floccosa* W.Warren,1905 Range (in code): PG NBr
- 85324. *Striglina glareola* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *glareola* R.Felder & Rogenhofer,1875; *decussata* Moore,1883; *sordida* Pagenstecher,1892; *platyntis* Meyrick,1894; *duplicifimbria* W.Warren,1896 Range (in code): IN LK MM Adm ID Bor MY Ja AU
- 85325. *Striglina guttistigma* Hampson,1906** (Thyridae) Synonym(s): *guttistigma* Hampson,1906 Range (in code): NG
- 85326. *Striglina hyperbolica* W.Warren,1898** (Thyridae) Synonym(s): *hyperbolica* W.Warren,1898 Range (in code): PG
- 85327. *Striglina ignefissa* W.Warren,1907** (Thyridae) Synonym(s): *ignefissa* W.Warren,1907 Range (in code): PG
- 85328. *Striglina ignepicta* Hampson,1905** (Thyridae) Synonym(s): *ignepicta* Hampson,1905 Range (in code): IN Mh Bba
- 85329. *Striglina irias* (Meyrick,1887)** (Thyridae) Synonym(s): *irias* Meyrick,1887 Range (in code): AU
- 85330. *Striglina jucunda* W.Warren,1908** (Thyridae) Synonym(s): *jucunda* W.Warren,1908 Range (in code): BR
- 85331. *Striglina leprosa* W.Warren,1898** (Thyridae) Synonym(s): *leprosa* W.Warren,1898 Range (in code): PG
- 85332. *Striglina lilacina* W.Warren,1898** (Thyridae) Synonym(s): *lilacina* W.Warren,1898; *loxomita* Turner,1905 Range (in code): AU
- 85333. *Striglina mediosecta* W.Warren,1899** (Thyridae) Synonym(s): *mediosecta* W.Warren,1899 Range (in code): ID Kai
- 85334. *Striglina metallifera* W.Warren,1907** (Thyridae) Synonym(s): *metallifera* W.Warren,1907 Range (in code): PG
- 85335. *Striglina nigripuncta* W.Warren,1907** (Thyridae) Synonym(s): *nigripuncta* W.Warren,1907 Range (in code): PG
- 85336. *Striglina ochracea* Möschler,1881** (Thyridae) Synonym(s): *ochracea* Möschler,1881 Range (in code): BR SR
- 85337. *Striglina oecia* Tams,1935** (Thyridae) Synonym(s): Range (in code): WS
- 85338. *Striglina pallidirufa* Hampson,1906** (Thyridae) Synonym(s): *pallidirufa* Hampson,1906 Range (in code): SB
- 85339. *Striglina pyrrhata* (Walker,1866)** (Thyridae) Synonym(s): *pyrrhata* Walker,1866; *australina* Guenée,1877 Range (in code): AU NSW
- 85340. *Striglina reversa* W.Warren,1899** (Thyridae) Synonym(s): *reversa* W.Warren,1899 Range (in code): PG
- 85341. *Striglina rothi* W.Warren,1898** (Thyridae) Synonym(s): *rothi* W.Warren,1898 Range (in code): NE
- 85342. *Striglina rufitibia* (R.Felder & Rogenhofer,1875)** (Thyridae) Synonym(s): *rufitibia* R.Felder & Rogenhofer,1875 Range (in code): BR
- 85343. *Striglina scalata* W.Warren,1903** (Thyridae) Synonym(s): *scalata* W.Warren,1903; *nigrata* W.Warren,1905 Range (in code): SB PG Bgv
- 85344. *Striglina scintillans* W.Warren,1905** (Thyridae) Synonym(s): *scintillans* W.Warren,1905 Range (in code): PG NBr
- 85345. *Striglina scitaria* (Walker,1862)** (Thyridae) Synonym(s): *scitaria* Walker,1862; *pyriniata* Walker,1862; *navigatorum* R.Felder & Rogenhofer,1875; *lineola* Guenée,1877; *thermesiodes* Snellen,1877; *cancellata* Christoph,1880; *vialis* Moore,1883; *superior* Butler,1887; *strigosa* Moore,1888; *strigipennis* Moore,1888; *henrici* Snellen,1890 Range (in code): RU Am JP TW IN LK MM Adm MY Bor TH CMa Sbu Ptn Chc Cph PG SB AU FJ Bionomy: Larva on leaf of *Quisqualis conferta* [Rangoon creeper] (Combretaceae), *Derris elliptica* [tuba root] (Fabaceae), *Phitecellobium dulce* [Manila tamarind] (Fabaceae), *Lagerstroemia speciosa* [queen's crape myrtle] (Lythraceae) (Lewvanich,2001).

- 85346. Striglina stramentaria Lucas,1898** (Thyridae) **Synonym(s):** *stramentaria* Lucas,1898
Range (in code): **AU QAU**
- 85347. Striglina straminea W.Warren,1903** (Thyridae) **Synonym(s):** *straminea* W.Warren,1903
Range (in code): **ID Amb**
- 85348. Striglina suffusa Leech,1898** (Thyridae) **Synonym(s):** *suffusa* Leech,1898 **CN** **Range (in code):**
- 85349. Striglina variegata W.Warren,1899** (Thyridae) **Synonym(s):** *variegata* W.Warren,1899
Range (in code): **PG**
- 85350. Striglina xanthoptera Hampson,1897** (Thyridae) **Synonym(s):** *xanthoptera* Hampson,1897 **Range (in code):** **BR**
- 85351. Striglina xanthosela W.Warren,1903** (Thyridae) **Synonym(s):** *xanthosela* W.Warren,1903
Range (in code): **PG**
- 85352. Symphleps atomosalis W.Warren,1897** (Thyridae) **Synonym(s):** *atomosalis* W.Warren,1897 **Range (in code):** **ID Kai**
- 85353. Symphleps ochracea Pagenstecher,1886** (Thyridae) **Synonym(s):** *ochracea* Pagenstecher,1886; *pallida* W.Warren,1899 **Range (in code):** **VE ID Bru PG**
- 85354. Symphleps perfusa W.Warren,1902** (Thyridae) **Synonym(s):** *perfusa* W.Warren,1902
Range (in code): **ID Clb**
- 85355. Symphleps suffusa W.Warren,1898** (Thyridae) **Synonym(s):** *suffusa* W.Warren,1898
Range (in code): **NE**
- 85356. Telchines vialis (Moore,1883)** (Thyridae) **Synonym(s):** *vialis* Moore,1883 **Range (in code):** **IN CN TH CMa CDo MY ID Sum Ja BN Sbh Bor**
- 85357. Thyris fenestrella (Scopoli,1763)** (Thyridae) **Synonym(s):** *fenestrella* Scopoli,1763; *fenestrina* [Denis & Schiffermüller],1775; *marica* Cyrillo,1792; *pyralidiformis* Hübner,1796; *fenestrata* Schrank,1801; *nevadae* Oberthür,1888; *nigra* A.Bang-Haas,1910. **Range (in code):** **PT ES FR Co Si IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR EE LV RU MD UA BY Cc GG Smt Bjo Aj AZ Len Da Der KG Lps At Am Prj Us KP KR CN**
- 85358. Thyris kasachstanica Zagulyaev,1987** (Thyridae) **Synonym(s):** *kasachstanica* Zagulyaev,1987 **Range (in code):** **KG Kw**
- 85359. Thyris lugubris Boisduval,1852** (Thyridae) **Synonym(s):** *lugubris* Boisduval,1852 **Range (in code):** **US**
- 85360. Thyris maculata Harris,1839** (Thyridae) **Synonym(s):** *maculata* Harris,1839; *perspicua* Walker,1856 **Range (in code):** **US**
- 85361. Thyris usitata Butler,1879** (Thyridae) **Synonym(s):** *usitata* Butler,1879 **Range (in code):** **JP**
- 85362. Tridesmodes ansorgei W.Warren,1901** (Thyridae) **Synonym(s):** *ansorgei* W.Warren,1901
Range (in code): **UG**
- 85363. Tridesmodes ramiculata W.Warren,1899** (Thyridae) **Synonym(s):** *ramiculata* W.Warren,1899 **Range (in code):**
- 85364. Trophoessa daphoena Turner,1911** (Thyridae) **Synonym(s):** *daphoena* Turner,1911
Range (in code): **AU QAU**
- 85365. Vadata macropterana Walker,1865** (Thyridae) **Synonym(s):** *macropterana* Walker,1865; *maculata* Pagenstecher,1892 **Range (in code):** **BR**
- 85366. Vaena eacleoides Walker,1873** (Thyridae) **Synonym(s):** *eacleoides* Walker,1873 **Range (in code):** **ZR**
- 85367. Vernifilia hyalipuncta Schultze,1907** (Thyridae) **Synonym(s):** *hyalipuncta* Schultze,1907
Range (in code): **PH**
- 85368. Zeuserodes argentistriata W.Warren,1900** (Thyridae) **Synonym(s):** *argentistriata* W.Warren,1900 **Range (in code):** **VE**
- 85369. Zeuserodes castanea W.Warren,1907** (Thyridae) **Synonym(s):** *castanea* W.Warren,1907; *caenosa* Dognin,1911 **Range (in code):** **PE**
- 85370. Zeuserodes fasciata W.Warren,1905** (Thyridae) **Synonym(s):** *fasciata* W.Warren,1905
Range (in code): **PE**
- 85371. Zeuserodes fumatilis Pagenstecher,1892** (Thyridae) **Synonym(s):** *fumatilis* Pagenstecher,1892 **Range (in code):** **PA**
- 85372. Zeuserodes leuconotula (Pagenstecher,1892)** (Thyridae) **Synonym(s):** *leuconotula* Pagenstecher,1892 **Range (in code):** **PA**

- 85373. *Zeuzerodes maculata* W.Warren,1907** (Thyridae) **Synonym(s):** *maculata* W.Warren,1907
Range (in code): **PE**
- 85374. *Zeuzerodes subfulvata* W.Warren,1904** (Thyridae) **Synonym(s):** *subfulvata* W.Warren,1904 **Range (in code):** **EC**
- 85375. "*Lecithocera*" *luridella* Christoph,1882** (Tineidae) **Synonym(s):** *luridella* Christoph,1882
Range (in code): **RU Am Us**
- 85376. "*Myrmecozela*" *paurosperma* Meyrick,1926** (Tineidae) **Synonym(s):** *paurosperma* Meyrick,1926 **Range (in code):** **ZA**
- 85377. "*Myrmecozela*" *pogonopis* Meyrick,1926** (Tineidae) **Synonym(s):** *pogonopis* Meyrick,1926 **Range (in code):** **ZA**
- 85378. "*Oinophila*" *xanthorrhabda* Meyrick,1915** (Tineidae) **Synonym(s):** *xanthorrhabda* Meyrick,1915 **Range (in code):** **IN**
- 85379. "*Oxymachaeris*" *zulella* (Walsingham,1881)** (Tineidae) **Synonym(s):** *zulella* Walsingham,1881 **Range (in code):** **ZA**
- 85380. "*Phyllobrostis*" *argillosa* Meyrick,1911** (Tineidae) **Synonym(s):** *argillosa* Meyrick,1911
Range (in code): **ZA Tva Gau Pre**
- 85381. "*Stenoptinea*" *argyrospora* (Meyrick,1931)** (Tineidae) **Synonym(s):** *argyrospora* Meyrick,1931 **Range (in code):** **SL**
- 85382. "*Tinea*" *aureomarmorata* Wollaston,1879** (Tineidae) **Synonym(s):** *aureomarmorata* Wollaston,1879 **Range (in code):** **ZA**
- 85383. "*Tinea*" *bicolor* Wollaston,1879** (Tineidae) **Synonym(s):** *bicolor* Wollaston,1879 **Range (in code):** **ZA**
- 85384. "*Tinea*" *encausta* Meyrick,1911** (Tineidae) **Synonym(s):** *encausta* Meyrick,1911 **Range (in code):** **ZA Tva Lpo Hae**
- 85385. "*Tinea*" *fasciolata* Wollaston,1879** (Tineidae) **Synonym(s):** *fasciolata* Wollaston,1879
Range (in code): **ZA**
- 85386. "*Tinea*" *flavofimbriata* Wollaston,1879** (Tineidae) **Synonym(s):** *flavofimbriata* Wollaston,1879 **Range (in code):** **ZA**
- 85387. "*Tinea*" *minutissima* Wollaston,1879** (Tineidae) **Synonym(s):** *minutissima* Wollaston,1879
Range (in code): **ZA**
- 85388. "*Tinea*" *pentametra* Meyrick,1921** (Tineidae) **Synonym(s):** *pentametra* Meyrick,1921
Range (in code): **ZA Nta Kzu Nha**
- 85389. "*Tinea*" *piperata* Wollaston,1879** (Tineidae) **Synonym(s):** *piperata* Wollaston,1879 **Range (in code):** **ZA**
- 85390. "*Tinea*" *pulveripennis* Wollaston,1879** (Tineidae) **Synonym(s):** *pulveripennis* Wollaston,1879 **Range (in code):** **ZA**
- 85391. "*Tinea*" *pulverulenta* Wollaston,1879** (Tineidae) **Synonym(s):** *pulverulenta* Wollaston,1879 **Range (in code):** **ZA**
- 85392. "*Tinea*" *spilocoma* Meyrick,1920** (Tineidae) **Synonym(s):** *spilocoma* Meyrick,1920 **Range (in code):** **ZA**
- 85393. *Acanthocheira loxopa* (Meyrick,1914)** (Tineidae) **Synonym(s):** *loxopa* Meyrick,1914
Range (in code): **ZA**
- 85394. *Acridotarsa melipecta* (Meyrick,1915)** (Tineidae) **Synonym(s):** *melipecta* Meyrick,1915; *divisa* Silvestri,1920; *integra* Silvestri,1920; *comprehensa* Meyrick,1921; *melicosma* Meyrick,1921; *tentatrix* Meyrick,1935 **Range (in code):** **ZA**
- 85395. *Afghanotinea klapperichi* Gozmany,1959** (Tineidae) **Synonym(s):** *klapperichi* Gozmany,1959 **Range (in code):** **AF Nu**
- 85396. *Afrocelestis evertata* Gozmany,1965** (Tineidae) **Synonym(s):** *evertata* Gozmany,1965
Range (in code): **ZR**
- 85397. *Afrocelestis inanis* Gozmany,1968** (Tineidae) **Synonym(s):** *inanis* Gozmany,1968 **Range (in code):** **SL**
- 85398. *Afrocelestis sacculata* Gozmany,1968** (Tineidae) **Synonym(s):** *sacculata* Gozmany,1968
Range (in code): **SL**
- 85399. *Agnathosia mendicella* ([Denis & Schiffermüller],1775)** (Tineidae) **Synonym(s):** *mendicella* [Denis & Schiffermüller],1775; *propulsatella* Rebel,1893; *flavimaculella* Toll,1942; *austriacella* Amsel,1954 **Original Reference:** *Tinea mendicella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): Vienna district. Range (in code):* **IT DE AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY Cc GG CN**

- 85400. Agnathosia sandoeensis** Jonasson,1977 (Tineidae) Synonym(s): *sandoeensis*
Jonasson,1977 Range (in code): AT SE LV
- 85401. Amorophaga hyrcanica** Zagulyaev,1968 (Tineidae) Synonym(s): *hyrcanica*
Zagulyaev,1968 Range (in code): Cc AZ
- 85402. Amorophaga japonica** G.S.Robinson,1986 (Tineidae) Synonym(s): *japonica*
G.S.Robinson,1986 Range (in code): JP
- 85403. Amorophaga rosemariae** G.S.Robinson,1986 (Tineidae) Synonym(s): *rosemariae*
G.S.Robinson,1986 Range (in code): NP
- 85404. Amphixystis aethalopis** (Meyrick,1930) (Tineidae) Synonym(s): *aethalopis* Meyrick,1930
Range (in code): MU
- 85405. Amphixystis anachoreta** (Meyrick,1921) (Tineidae) Synonym(s): *anachoreta*
Meyrick,1921 Range (in code): ZW
- 85406. Amphixystis anchiala** Meyrick,1909 (Tineidae) Synonym(s): *anchiala* Meyrick,1909;
oxystyla Meyrick,1911; *certa* Meyrick,1918 Range (in code): ZA Tva Gau Pre Mdt
- 85407. Amphixystis antiloga** (Meyrick,1915) (Tineidae) Synonym(s): *antiloga* Meyrick,1915
Range (in code): AU QAu
- 85408. Amphixystis antongilella** (Viette,1955) (Tineidae) Synonym(s): *antongilella* Viette,1955
Range (in code): MG
- 85409. Amphixystis aromaticella** (Viette,1957) (Tineidae) Synonym(s): *aromaticella* Viette,1957
Range (in code): RE MG
- 85410. Amphixystis artiphanes** (Meyrick,1915) (Tineidae) Synonym(s): *artiphanes* Meyrick,1915
Range (in code): LK
- 85411. Amphixystis beverrasella** (Legrand,1966) (Tineidae) Synonym(s): *beverrasella*
Legrand,1966 Range (in code): Mea Ald TZ
- 85412. Amphixystis canthopa** (Meyrick,1924) (Tineidae) Synonym(s): *canthopa* Meyrick,1924
Range (in code): Rdg
- 85413. Amphixystis carphota** (Meyrick,1915) (Tineidae) Synonym(s): *carphota* Meyrick,1915
Range (in code): BZ
- 85414. Amphixystis chrysodora** (Meyrick,1924) (Tineidae) Synonym(s): *chrysodora*
Meyrick,1924 Range (in code): Rdg
- 85415. Amphixystis cincinnata** (Meyrick,1915) (Tineidae) Synonym(s): *cincinnata* Meyrick,1915
Range (in code): LK
- 85416. Amphixystis colubrina** (Meyrick,1914) (Tineidae) Synonym(s): *colubrina* Meyrick,1914
Range (in code): MW
- 85417. Amphixystis commatias** (Meyrick,1915) (Tineidae) Synonym(s): *commatias* Meyrick,1915
Range (in code): LK
- 85418. Amphixystis copidora** (Meyrick,1915) (Tineidae) Synonym(s): *copidora* Meyrick,1915
Range (in code): LK
- 85419. Amphixystis crobylora** (Meyrick,1911) (Tineidae) Synonym(s): *crobylora* Meyrick,1911
Range (in code): SC
- 85420. Amphixystis crocinacma** (Meyrick,1930) (Tineidae) Synonym(s): *crocinacma*
Meyrick,1930 Range (in code): MU
- 85421. Amphixystis crypsrias** (Meyrick,1930) (Tineidae) Synonym(s): *crypsrias* Meyrick,1930
Range (in code): MU
- 85422. Amphixystis cyanodesma** (Meyrick,1911) (Tineidae) Synonym(s): *cyanodesma*
Meyrick,1911 Range (in code): SC
- 85423. Amphixystis cymataula** (Meyrick,1926) (Tineidae) Synonym(s): *cymataula* Meyrick,1926
Range (in code): ZW
- 85424. Amphixystis divulsa** (Meyrick,1923) (Tineidae) Synonym(s): *divulsa* Meyrick,1923
Range (in code): EG
- 85425. Amphixystis ensifera** (Meyrick,1911) (Tineidae) Synonym(s): *ensifera* Meyrick,1911
Range (in code): SC
- 85426. Amphixystis epirota** (Meyrick,1914) (Tineidae) Synonym(s): *epirota* Meyrick,1914
Range (in code): MW
- 85427. Amphixystis fragosa** (Meyrick,1910) (Tineidae) Synonym(s): *fragosa* Meyrick,1910
Range (in code): MU

- 85428. *Amphixystis fricata* (Meyrick,1911) (Tineidae) Synonym(s): *fricata* Meyrick,1911 Range (in code): SC**
- 85429. *Amphixystis glomerata* (Meyrick,1911) (Tineidae) Synonym(s): *glomerata* Meyrick,1911 Range (in code): SC**
- 85430. *Amphixystis gyracma* (Meyrick,1915) (Tineidae) Synonym(s): *gyracma* Meyrick,1915 Range (in code): IN**
- 85431. *Amphixystis habryntis* (Meyrick,1930) (Tineidae) Synonym(s): *habryntis* Meyrick,1930 Range (in code): IN**
- 85432. *Amphixystis hapalopa* (Meyrick,1922) (Tineidae) Synonym(s): *hapalopa* Meyrick,1922 Range (in code): FJ**
- 85433. *Amphixystis hapsimacha* Meyrick,1901 (Tineidae) Synonym(s): *hapsimacha* Meyrick,1901 Range (in code): NZ**
- 85434. *Amphixystis herbulotella* (Viette,1955) (Tineidae) Synonym(s): *herbulotella* Viette,1955 Range (in code): MG**
- 85435. *Amphixystis hermatias* (Meyrick,1911) (Tineidae) Synonym(s): *hermatias* Meyrick,1911 Range (in code): SC**
- 85436. *Amphixystis heteroclina* (Meyrick,1915) (Tineidae) Synonym(s): *heteroclina* Meyrick,1915 Range (in code): LK**
- 85437. *Amphixystis hydrochalca* (Meyrick,1930) (Tineidae) Synonym(s): *hydrochalca* Meyrick,1930 Range (in code): MU**
- 85438. *Amphixystis hypolampes* (Turner,1923) (Tineidae) Synonym(s): *hypolampes* Turner,1923 Range (in code): AU QAU**
- 85439. *Amphixystis ichnora* (Meyrick,1911) (Tineidae) Synonym(s): *ichnora* Meyrick,1911 Range (in code): SC**
- 85440. *Amphixystis irenica* (Meyrick,1911) (Tineidae) Synonym(s): *irenica* Meyrick,1911 Range (in code): SC**
- 85441. *Amphixystis islamella* (Turati,1927) (Tineidae) Synonym(s): *islamella* Turati,1927; *leucelloides* Amsel,1935; *eremica* Amsel,1935 Range (in code): LY Cy IL Pa**
- 85442. *Amphixystis lactiflua* (Meyrick,1911) (Tineidae) Synonym(s): *lactiflua* Meyrick,1911 Range (in code): SC**
- 85443. *Amphixystis leptorrhiza* Meyrick,1921 (Tineidae) Synonym(s): *leptorrhiza* Meyrick,1921 Range (in code): ID Ja**
- 85444. *Amphixystis leucorrhhoa* (Meyrick,1915) (Tineidae) Synonym(s): *leucorrhhoa* Meyrick,1915 Range (in code): MY Bor Swk**
- 85445. *Amphixystis ligyropa* (Meyrick,1915) (Tineidae) Synonym(s): *ligyropa* Meyrick,1915 Range (in code): LK**
- 85446. *Amphixystis maillardella* (Viette,1957) (Tineidae) Synonym(s): *maillardella* Viette,1957 Range (in code): RE**
- 85447. *Amphixystis multipunctella* (Legrand,1965) (Tineidae) Synonym(s): *multipunctella* Legrand,1965 Range (in code): SC**
- 85448. *Amphixystis nephalia* (Meyrick,1911) (Tineidae) Synonym(s): *nephalia* Meyrick,1911 Range (in code): SC**
- 85449. *Amphixystis oxymoris* (Meyrick,1916) (Tineidae) Synonym(s): *oxymoris* Meyrick,1916 Range (in code): IN**
- 85450. *Amphixystis paroditella* (Viette,1957) (Tineidae) Synonym(s): *paroditella* Viette,1957 Range (in code): RE**
- 85451. *Amphixystis pentacarpa* (Meyrick,1910) (Tineidae) Synonym(s): *pentacarpa* Meyrick,1910 Range (in code): MU**
- 85452. *Amphixystis polystrigella* (Legrand,1965) (Tineidae) Synonym(s): *polystrigella* Legrand,1965 Range (in code): SC**
- 85453. *Amphixystis protelestia* (Meyrick,1915) (Tineidae) Synonym(s): *protelestia* Meyrick,1915 Range (in code): IN**
- 85454. *Amphixystis reunionella* Guillermet,2011 (Tineidae) Synonym(s): *reunionella* Guillermet,2011 Range (in code): RE**
- 85455. *Amphixystis rhodoticta* (Meyrick,1911) (Tineidae) Synonym(s): *rhodoticta* Meyrick,1911 Range (in code): SC**

- 85456. *Amphixystis rorthiaula* (Meyrick,1911)** (Tineidae) **Synonym(s):** *rorthiaula* Meyrick,1911
Range (in code): SC
- 85457. *Amphixystis rorida* (Meyrick,1911)** (Tineidae) **Synonym(s):** *rorida* Meyrick,1911 **Range (in code):** SC
- 85458. *Amphixystis roseostrigella* (Legrand,1965)** (Tineidae) **Synonym(s):** *roseostrigella* Legrand,1965 **Range (in code):** Mea
- 85459. *Amphixystis rotata* (Meyrick,1915)** (Tineidae) **Synonym(s):** *rotata* Meyrick,1915 **Range (in code):** IN
- 85460. *Amphixystis sciadocoma* (Meyrick,1924)** (Tineidae) **Synonym(s):** *sciadocoma* Meyrick,1924 **Range (in code):** Rdg
- 85461. *Amphixystis selacta* (Meyrick,1911)** (Tineidae) **Synonym(s):** *selacta* Meyrick,1911 **Range (in code):** SC
- 85462. *Amphixystis serrata* (Meyrick,1914)** (Tineidae) **Synonym(s):** *serrata* Meyrick,1914
Range (in code): ZA MW
- 85463. *Amphixystis sicaria* (Meyrick,1911)** (Tineidae) **Synonym(s):** *sicaria* Meyrick,1911 **Range (in code):** SC
- 85464. *Amphixystis siccata* (Meyrick,1910)** (Tineidae) **Synonym(s):** *siccata* Meyrick,1910 **Range (in code):** MU
- 85465. *Amphixystis spathistis* (Meyrick,1930)** (Tineidae) **Synonym(s):** *spathistis* Meyrick,1930
Range (in code): MU
- 85466. *Amphixystis syntricha* (Meyrick,1910)** (Tineidae) **Synonym(s):** *syntricha* Meyrick,1910
Range (in code): ZA MU RE
- 85467. *Amphixystis tachygrapha* (Meyrick,1915)** (Tineidae) **Synonym(s):** *tachygrapha* Meyrick,1915 **Range (in code):** LK
- 85468. *Amphixystis tarsota* (Meyrick,1911)** (Tineidae) **Synonym(s):** *tarsota* Meyrick,1911 **Range (in code):** SC
- 85469. *Amphixystis thapsonota* (Meyrick,1915)** (Tineidae) **Synonym(s):** *thapsonota* Meyrick,1915 **Range (in code):** IN
- 85470. *Amphixystis trixysta* (Meyrick,1910)** (Tineidae) **Synonym(s):** *trixysta* Meyrick,1910
Range (in code): MU
- 85471. *Amphixystis undosa* (Walsingham,1908)** (Tineidae) **Synonym(s):** *undosa* Walsingham,1908 **Range (in code):** Cn ES
- 85472. *Anemapogon teberdella* (Zagulyaev,1963)** (Tineidae) **Synonym(s):** *teberdellus* Zagulyaev,1963; *georgiellus* Zagulyaev,1963; *teberdensis* Zagulyaev,1964; *georgicus* Zagulyaev,1964. **Original Reference:** *Nemapogon teberdellus* Zagulyaev,1963, Ent. Obozr. 42(2): 431-433 fig.5. Holotype ♀: Teberda. **Range (in code):** Cc GG Kc Teb Lag AZ Bak TR
- 85473. *Anomalotinea arabica* (G.Petersen,1961)** (Tineidae) **Synonym(s):** *arabica* G.Petersen,1961 **Original Reference:** *Fermocelina arabica* Petersen,1961, Beitr. naturk. Forsch. SWDtl. 20 (2): 109-110, fig. Holotype ♂: Zentral Arabien: Riad, 700m leg. Diehl (LNK). **Range (in code):** SA
- 85474. *Anomalotinea cubiculella* (Staudinger,1859)** (Tineidae) **Synonym(s):** *cubiculella* Staudinger,1859; *recticostella* Caradja,1920. **Original Reference:** *Tinea cubiculella* Staudinger,1859, Stettin ent. Ztg. 20: 235. Syntypes: Spain: Granada (ZMB). **Range (in code):** DZ ES Mu MT IL Pa
- 85475. *Anomalotinea cubiculella eremica* (Amsel,1935)** (Tineidae) **Synonym(s):** *eremica* Amsel,1935 **Range (in code):** IL Pa
- 85476. *Anomalotinea fulvescentella* (Lucas,1956)** (Tineidae) **Synonym(s):** *fulvescentella* Lucas,1956; *maroccana* G.Petersen & Gaedike,1979. **Original Reference:** *Tinea fulvescentella* Lucas,1956, Bull. Soc. Sci. nat. phys. Maroc 35: 258. Holotype ♂: Morocco: Ifrane (MNHNP). **Range (in code):** MA
- 85477. *Anomalotinea gardesanella* (Hartig,1950)** (Tineidae) **Synonym(s):** *gardesanella* Hartig,1950. **Original Reference:** *Tinea gardesanella* Hartig,1950, Boll. Ass. Rom. Ent. 4 (1949): 3. Type: N-Italia (coll. Hartig). **Range (in code):** IT HV GR
- 85478. *Anomalotinea iranica* (G.Petersen & Gaedike,1984)** (Tineidae) **Synonym(s):** *iranica* G.Petersen & Gaedike,1984 **Range (in code):** IR
- 85479. *Anomalotinea latiusculella* (Stainton,1867)** (Tineidae) **Synonym(s):** *latiusculella* Stainton,1867 **Original Reference:** *Tinea latiusculella* Stainton,1867, Tineina Syria Asia Minor: 41. **Range (in code):** DZ Orn Cst Bsk LB Bsa Bmm TR IL Pa JO

- 85480. *Anomalotinea leucelioides* (Amsel,1935)** (Tineidae) Synonym(s): *leucelioides* Amsel,1935
Range (in code): **IL Pa Jer**
- 85481. *Anomalotinea liguriella* (Millière,1879)** (Tineidae) Synonym(s): *inquinatella* Zeller,1852 nec [Den. & Schiff.],1775; *liguriella* Millière,1879. Original Reference: *Tinea liguriella* Millière,1879, Mém. Soc. Sci. Nat. Cannes 1879: 124, pl.6 fig.11. Type: Italia: Liguria. Range (in code): **PT ES Mu FR IT RO HV YU RU GR UA**
- 85482. *Anomalotinea paepalella* (Walsingham,1907)** (Tineidae) Synonym(s): *paepalella* Walsingham,1907; *nigropilella* Chrétien,1915. Original Reference: *Tineola paepalella* Walsingham,1907, Entomologist's mon. Mag. 43: 192. Syntypes 9♂: Algeria, Biskra, Hammam-es-Salahin. Range (in code): **DZ Bsk Hes TN Gf SA**
- 85483. *Antigambra amphitrocta* Meyrick,1927** (Tineidae) Synonym(s): *amphitrocta* Meyrick,1927 Range (in code): **ZA**
- 85484. *Archinemapogon assamensis* G.S.Robinson,1980** (Tineidae) Synonym(s): *assamensis* G.S.Robinson,1980 Original Reference: *Archinemapogon assamensis* G.S.Robinson,1980, Entomologist's Gaz. 31 (2): 140, figs. Holotype: India: Assam (BMNH). Range (in code): **IN Ass**
- 85485. *Archinemapogon bacurianus* Zagulyaev,1962** (Tineidae) Synonym(s): *bacurianus* Zagulyaev,1962 Range (in code): **Cc GG Smt Bku Lag** Bionomy: Larva on Fungi and dead wood (Zagulyaev,1964).
- 85486. *Archinemapogon schromicus* Zagulyaev,1964** (Tineidae) Synonym(s): *schromicus* Zagulyaev,1964 Range (in code): **RU Cc GG**
- 85487. *Archinemapogon ussuriensis* Zagulyaev,1962** (Tineidae) Synonym(s): *ussuriensis* Zagulyaev,1962 Range (in code): **RU Us**
- 85488. *Archinemapogon yildizae* Koçak,1981** (Tineidae) Synonym(s): *laterella* Thunberg,1794 nec [Denis & Schiff.],1775; *arcuatella* Stainton,1854 nec Schrank,1802; *yildizae* Koçak,1981. Original Reference: *Archinemapogon yildizae* Koçak,1981, Priamus 1 (1): 15 (nomen novum pro *laterella* Thunberg,1794 nec [Denis & Schiff.],1775). Range (in code): **ES FR Co IT GB DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU Ur Sb MD UA Cm BY KG Us MN**
- 85489. *Asymphyla asperata* (Meyrick,1918)** (Tineidae) Synonym(s): *asperata* Meyrick,1918 Range (in code): **ZA Nta Kzu Umk**
- 85490. *Asymplecta aplectodes* (Turner,1923)** (Tineidae) Synonym(s): *aplectodes* Turner,1923 Range (in code): **AU**
- 85491. *Asymplecta circumflua* Meyrick,1921** (Tineidae) Synonym(s): *circumflua* Meyrick,1921 Range (in code): **ID Ja**
- 85492. *Asymplecta phorbiophora* Diakonoff,1955** (Tineidae) Synonym(s): *phorbiophora* Diakonoff,1955 Range (in code): **PG**
- 85493. *Ateliotum arabicum* G.Petersen,1961** (Tineidae) Synonym(s): *arabicum* G.Petersen,1961 Range (in code): **YE Sna IR Ss AF Bm Srb**
- 85494. *Ateliotum confusum* G.Petersen,1966** (Tineidae) Synonym(s): *confusum* G.Petersen,1966 Range (in code): **IR Fa**
- 85495. *Ateliotum crymodes* (Meyrick,1908)** (Tineidae) Synonym(s): *crymodes* Meyrick,1908 Range (in code): **ZA Tva Gau Pre**
- 85496. *Ateliotum hungaricellum* Zeller,1839** (Tineidae) Synonym(s): *hungaricellum* Zeller,1839; *cypellias* Meyrick,1937 Original Reference: *Ateliotum hungaricellum* Zeller,1839, Isis 1839: 189. Range (in code): **ES FR IT DE AT PL CZ SK HU RO YU MK BG GR TR RU Da Cc AZ Tlh Dz Nv Sr Ao Or Ur UA Cm TJ KG**
- 85497. *Ateliotum insulare* (Rebel,1896)** (Tineidae) Synonym(s): *insulare* Rebel,1896 Range (in code): **Cn PT ES Si MT GB**
- 85498. *Ateliotum larseni* Gaedike,2011** (Tineidae) Synonym(s): *larseni* Gaedike,2011 Range (in code): **Cn**
- 85499. *Ateliotum petrinellum* (Herrich-Schäffer,1853)** (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886 Range (in code): **MA PT ES FR CH IT GR TR AF Kab**
- 85500. *Ateliotum petrinellum orientale* G.Petersen,1973** (Tineidae) Synonym(s): *orientale* G.Petersen,1973 Range (in code): **AF Kab**
- 85501. *Ateliotum petrinellum petrinellum* (Herrich-Schäffer,1853)** (Tineidae) Synonym(s): *petrinella* Herrich-Schäffer,1853; *turatiella* Millière,1886 Range (in code): **MA PT ES FR CH IT GR TR**
- 85502. *Ateliotum reluctans* (Meyrick,1921)** (Tineidae) Synonym(s): *reluctans* Meyrick,1921 Range (in code): **ZW**

- 85503. *Ateliotum syriacum* (Caradja,1920)** (Tineidae) **Synonym(s):** *syriacum* Caradja,1920
Range (in code): **Cr IL Pa Hf LB Bei Bsa Bmm TR**
- 85504. *Ateliotum taurensis* Zagulyaev,1966** (Tineidae) **Synonym(s):** *taurensis* Zagulyaev,1966
Original Reference: *Ateliotum taurensis* Zagulyaev,1966, Trudy zool. Inst. 37: 156-158. Type ♂:
Turkey: [Kahramanmaraş Prov.]: "Zeitoon" [=Süleymanlı] (coll.Caradja, Bucharest). **Range (in code):** **TR**
- 85505. *Betroka madagascariensis* (Gozmany,1969)** (Tineidae) **Synonym(s):** *madagascariensis* Gozmany,1969 **Range (in code):** **MG**
- 85506. *Betroka pauliani* (Gozmany,1970)** (Tineidae) **Synonym(s):** *pauliani* Gozmany,1970
Range (in code): **MG**
- 85507. *Bythocrates drosocycla* Meyrick,1919** (Tineidae) **Synonym(s):** *drosocycla* Meyrick,1919
Range (in code): **GY**
- 85508. *Cephimallota angusticostella* (Zeller,1839)** (Tineidae) **Synonym(s):** *angusticostella* Zeller,1839; *libanotica* G.Petersen,1959; *hasarorum* Zagulyaev,1965 **Range (in code):** **IT CZ SK HU RO YU AL BG GR Rd Cr CY LB Cc AM TR RU Sr MD UA BY**
- 85509. *Cephimallota crassiflavella* (Bruand,1851)** (Tineidae) **Synonym(s):** *crassiflavella* Bruand,1851; *simplicella* Zeller,1852. **Range (in code):** **MA DZ Cn PT ES Grn FR Co Sa IT BE NL DE CH AT PL CZ SK YU MK GR TR RU MD UA BY**
- 85510. *Cephimallota densoni* Robinson,1986** (Tineidae) **Synonym(s):** *densoni* Robinson,1986
Range (in code): **NP**
- 85511. *Cephimallota praetoriella* (Christoph,1872)** (Tineidae) **Synonym(s):** *praetoriella* Christoph,1872; *uralskella* Caradja,1920. **Original Reference:** *Tinea praetoriella* Christoph,1872, Horae Soc. ent. ross. 9: 19, Taf.1 fig.15. Type(s): (BMNH). **Range (in code):** **DE Cc RU Da Sr TM KG Uk Aa TR IR Kh**
- 85512. *Cephimallota repetekiella* Zagulyaev,1971** (Tineidae) **Synonym(s):** *striatella* Lucas,1942 *nec* [Denis & Schiff.],1775; ? *repetekiella* Zagulyaev,1971; *tunusensis* Koçak,1981. **Range (in code):** **DZ TN TJ TM Rpt**
- 85513. *Cephimallota tunesiella* (Zagulyaev,1966)** (Tineidae) **Synonym(s):** *tunesiella* Zagulyaev,1966 **Range (in code):** **ES TN TR RU Da TM Cr Cc AZ GG Lag IR Gls Bk**
- 85514. *Cephimallota vittatella* (Chrétien,1915)** (Tineidae) **Synonym(s):** *vittatella* Chrétien,1915
Range (in code): **TN Gf**
- 85515. *Cephitinea colognella* Zagulyaev,1964** (Tineidae) **Synonym(s):** *colognella* Zagulyaev,1964
Range (in code): **UA Cm GB**
- 85516. *Cephitinea colonella* (Erschoff,1874)** (Tineidae) **Synonym(s):** *colonella* Erschoff,1874
Range (in code): **KG Aa DsA TJ RU Am Us Vv UZ CN Ui Ku Sz**
- 85517. *Cephitinea longipennis* (Erschoff,1874)** (Tineidae) **Synonym(s):** *longipennis* Erschoff,1874 **Range (in code):** **KG Aa UZ**
- 85518. *Ceratobia ratjadae* Passerin d'Entrèves,1978** (Tineidae) **Synonym(s):** *ratjadae* Passerin d'Entrèves,1978 **Range (in code):** **ES**
- 85519. *Ceratophaga ethadopa* (Meyrick,1938)** (Tineidae) **Synonym(s):** *ethadopa* Meyrick,1938
Range (in code): **ZA**
- 85520. *Ceratophaga lichmodes* (Meyrick,1921)** (Tineidae) **Synonym(s):** *lichmodes* Meyrick,1921
Range (in code): **ZW Uma**
- 85521. *Ceratophaga obnoxia* (Meyrick,1917)** (Tineidae) **Synonym(s):** *obnoxia* Meyrick,1917
Range (in code): **ZA**
- 85522. *Ceratophaga tragoptila* (Meyrick,1917)** (Tineidae) **Synonym(s):** *tragoptila* Meyrick,1917
Range (in code): **ZA**
- 85523. *Ceratophaga vastella* (Zeller,1852)** (Tineidae) **Synonym(s):** *vastella* Zeller,1852; *gigantella* Stainton,1860; *lucidella* Walker,1863 **Range (in code):** **ZA**
- 85524. *Ceratophaga xanthastis* (Meyrick,1908)** (Tineidae) **Synonym(s):** *xanthastis* Meyrick,1908; *tolma* Bradley,1965 **Range (in code):** **ZA Tva Gau Pre**
- 85525. *Ceratosticha leptodeta* Meyrick,1935** (Tineidae) **Synonym(s):** *leptodeta* Meyrick,1935
Range (in code): **JP TW**
- 85526. *Ceratuncus affinitellus* (Rebel,1901)** (Tineidae) **Synonym(s):** *affinitellus* Rebel,1901; *#extinctella* Caradja,1920; *maraschensis* Rebel,1936; *irakella* Amsel,1949; *libanotica* Amsel,1951. **Original Reference:** *Myrmecozela affinitella* Rebel,1901, Dt. ent. Z., Iris 13: 184. Syntypes ♂♀: [Türkei]: "nördl. Mesopotamien (Mardin)" (ZMB). **Range (in code):** **TR IQ Dy Hjo Qg LB SY Ltk IR Elb Th Dam UA Cm AM Cc**

- 85527. *Ceratuncus danubiellus* (Mann,1866)** (Tineidae) **Synonym(s):** *danubiellus* Mann,1866
Range (in code): **AT RO YU BG GR MT TR Cc AM Eri GG Mng Tbl Lag AZ Nv Ord RU Da UA Cm**
- 85528. *Ceratuncus dzhungaricus* Zagulyaev,1971** (Tineidae) **Synonym(s):** *dzhungaricus* Zagulyaev,1971 **Range (in code):** **ES RU Cc Pja KG DsA**
- 85529. *Ceratuncus kirghizstanus* (Zagulyaev,2002)** (Tineidae) **Synonym(s):** *kirghizstanus* Zagulyaev,2002 **Range (in code):** **KK**
- 85530. *Ceratuncus maroccanellus* (Amsel,1951)** (Tineidae) **Synonym(s):** *maroccanellus* Amsel,1951 **Range (in code):** **MA**
- 85531. *Cimitra fetialis* (Meyrick,1917)** (Tineidae) **Synonym(s):** *fetialis* Meyrick,1917; *endroedyi* Gozmany,1965; *corrigata* Gozmany,1967 **Range (in code):** **ZA**
- 85532. *Cimitra horridella* (Walker,1863)** (Tineidae) **Synonym(s):** *horridella* Walker,1863 **Range (in code):** **ZA**
- 85533. *Cimitra seclusella* Walker,1864** (Tineidae) **Synonym(s):** *seclusella* Walker,1864; *spernatella* Walker,1864; *inconcisella* Walker,1864; *contexta* Meyrick,1916; *affabilis* Meyrick,1931; *hoenei* Petersen,1991
Range (in code): **IN Mh Nsk LK CN VN**
- 85534. *Cimitra spinignatha* (Gozmany,1968)** (Tineidae) **Synonym(s):** *spinignatha* Gozmany,1968
Range (in code): **ZA**
- 85535. *Cinnerethica optodes* (Meyrick,1922)** (Tineidae) **Synonym(s):** *optodes* Meyrick,1922; *tabghaella* Amsel,1935; *judaica* Amsel,1935 **Range (in code):** **IL Pa Hf IR Fa**
- 85536. *Clepticodes horocentra* Meyrick,1927** (Tineidae) **Synonym(s):** *horocentra* Meyrick,1927
Range (in code): **ZA**
- 85537. *Contralissa catagrapt* (Meyrick,1927)** (Tineidae) **Synonym(s):** *catagrapt* Meyrick,1927
Range (in code): **ZA**
- 85538. *Coryptilum rutilella* (Walker,1869)** (Tineidae) **Synonym(s):** *rutilella* Walker,1869; *formosanum* Matsumura,1931 **Range (in code):** **IN TH CMa TW**
- 85539. *Cosmeombra doxochares* (Meyrick,1926)** (Tineidae) **Synonym(s):** *doxochares* Meyrick,1926 **Range (in code):** **ZA**
- 85540. *Criticonoma aspergata* Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *aspergata* Gozmany & Vari,1973 **Range (in code):** **TZ**
- 85541. *Criticonoma chelonaea* Meyrick,1910** (Tineidae) **Synonym(s):** *chelonaea* Meyrick,1910
Range (in code): **ZA Ec Cto Fs**
- 85542. *Criticonoma crassa* Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *crassa* Gozmany & Vari,1973 **Range (in code):** **ZR ZM**
- 85543. *Criticonoma doliopis* (Meyrick,1932)** (Tineidae) **Synonym(s):** *doliopis* Meyrick,1932
Range (in code): **SL**
- 85544. *Criticonoma episcardina* (Gozmany,1965)** (Tineidae) **Synonym(s):** *episcardina* Gozmany,1965 **Range (in code):** **ZR**
- 85545. *Criticonoma esoterica* (Gozmany,1966)** (Tineidae) **Synonym(s):** *esoterica* Gozmany,1966
Range (in code): **UG Rz**
- 85546. *Criticonoma flaveata* (Gozmany,1968)** (Tineidae) **Synonym(s):** *flaveata* Gozmany,1968
Range (in code): **ZA Ec Ans**
- 85547. *Criticonoma gypsocoma* (Meyrick,1931)** (Tineidae) **Synonym(s):** *gypsocoma* Meyrick,1931 **Range (in code):** **GN**
- 85548. *Criticonoma phalacropis* (Meyrick,1915)** (Tineidae) **Synonym(s):** *phalacropis* Meyrick,1915 **Range (in code):** **MW**
- 85549. *Crypsithyris arenbergerarum* Gaedike,2012** (Tineidae) **Synonym(s):** *arenbergerarum* Gaedike,2012 **Range (in code):** **Ch**
- 85550. *Crypsithyris cerodectis* Meyrick,1921** (Tineidae) **Synonym(s):** *cerodectis* Meyrick,1921
Range (in code): **ZW Uma**
- 85551. *Crypsithyris cornuta* Gaedike,2012** (Tineidae) **Synonym(s):** *cornuta* Gaedike,2012 **Range (in code):** **NP**
- 85552. *Crypsithyris efflexa* (Xiao & Li,2006)** (Tineidae) **Synonym(s):** *efflexa* Xiao & Li,2006
Range (in code): **CN**
- 85553. *Crypsithyris fuscicoma* Meyrick,1937** (Tineidae) **Synonym(s):** *fuscicoma* Meyrick,1937
Range (in code): **ZA**
- 85554. *Crypsithyris hebeiensis* Xiao & Li,2005** (Tineidae) **Synonym(s):** *hebeiensis* Xiao & Li,2005 **Range (in code):** **CN Hph**

- 85555. *Crypsithyris hemiphracta* Meyrick, 1926** (Tineidae) Synonym(s): *hemiphracta* Meyrick, 1926 Range (in code): ZA
- 85556. *Crypsithyris hoenei* G.Petersen & Gaedike, 1993** (Tineidae) Synonym(s): *hoenei* G.Petersen & Gaedike, 1993 Range (in code): CN Yu
- 85557. *Crypsithyris insolita* Meyrick, 1918** (Tineidae) Synonym(s): *insolita* Meyrick, 1918 Range (in code): MZ Blv
- 85558. *Crypsithyris introflexa* Xiao & Li, 2005** (Tineidae) Synonym(s): *introflexa* Xiao & Li, 2005 Range (in code): CN
- 85559. *Crypsithyris japonica* G.Petersen & Gaedike, 1993** (Tineidae) Synonym(s): *japonica* G.Petersen & Gaedike, 1993 Range (in code): JP
- 85560. *Crypsithyris nepalicola* Gaedike, 2012** (Tineidae) Synonym(s): *nepalicola* Gaedike, 2012 Range (in code): NP
- 85561. *Crypsithyris obtusangula* Xiao & Li, 2005** (Tineidae) Synonym(s): *obtusangula* Xiao & Li, 2005 Range (in code): CN Yu
- 85562. *Crypsithyris spelaea* Meyrick, 1908** (Tineidae) Synonym(s): *spelaea* Meyrick, 1908 Range (in code): CN Yu MM
- 85563. *Crypsithyris spissa* Meyrick, 1918** (Tineidae) Synonym(s): *spissa* Meyrick, 1918 Range (in code): ZA Tva Gau Pre
- 85564. *Crypsithyris trimaculata* (G.Petersen, 1973)** (Tineidae) Synonym(s): *trimaculata* G.Petersen, 1973 Range (in code): AF Bkt
- 85565. *Crypsithyris turcica* Gaedike, 2007** (Tineidae) Synonym(s): *turcica* Gaedike, 2007
Original Reference: *Crypsithyris turcica* Gaedike, 2007, *Nota lepid.* 29 (3/4): 167, figs. Holotype ♂: Türkiye, Kanlıdivane 30km sw Mersin leg. W. Glaser (SMNK). Range (in code): TR
- 85566. *Dacryphanes cyanastra* Meyrick, 1907** (Tineidae) Synonym(s): *cyanastra* Meyrick, 1907 Range (in code): IN Ass Meg TW
- 85567. *Dasyses archipis* Gozmany, 1967** (Tineidae) Synonym(s): *archipis* Gozmany, 1967 Range (in code): ZR Lbu Kga
- 85568. *Dasyses centralis* Gozmany, 1967** (Tineidae) Synonym(s): *centralis* Gozmany, 1967 Range (in code): ZR RW
- 85569. *Dasyses colorata* Gozmany, 1967** (Tineidae) Synonym(s): *colorata* Gozmany, 1967 Range (in code): ZR
- 85570. *Dasyses dinoptera* Gozmany, 1967** (Tineidae) Synonym(s): *dinoptera* Gozmany, 1967 Range (in code): ZR
- 85571. *Dasyses incrustata* (Meyrick, 1930)** (Tineidae) Synonym(s): *incrustata* Meyrick, 1930 Range (in code): UG Kmp
- 85572. *Dasyses langenieri* Guillermet, 2009** (Tineidae) Synonym(s): *langenieri* Guillermet, 2009 Range (in code): RE
- 85573. *Dasyses nigerica* Gozmany, 1968** (Tineidae) Synonym(s): *nigerica* Gozmany, 1968 Range (in code): NG
- 85574. *Dasyses oblitterata* Gozmany, 1968** (Tineidae) Synonym(s): *oblitterata* Gozmany, 1968 Range (in code): ZW Har
- 85575. *Dasyses rugosella* (Stainton, 1859)** (Tineidae) Synonym(s): *rugosella* Stainton, 1859; *hirsutella* Walsingham, 1881 Range (in code): ZA Kzu Nta IN Cle ZR ET TH LK ID Ja Bionomy: Larva on dead *Cycas* stems (Cycadaceae) (Robinson et al., 1994).
- 85576. *Dasyses thanatis* Gozmany, 1967** (Tineidae) Synonym(s): *thanatis* Gozmany, 1967 Range (in code): ZR Skr
- 85577. *Daviscardia beckeri* G.S.Robinson, 1986** (Tineidae) Synonym(s): *beckeri* G.S.Robinson, 1986 Range (in code): MX CR
- 85578. *Daviscardia bicolorella* G.S.Robinson, 1986** (Tineidae) Synonym(s): *bicolorella* G.S.Robinson, 1986 Range (in code): BO
- 85579. *Daviscardia bimendella* (Zeller, 1863)** (Tineidae) Synonym(s): *bimendella* Zeller, 1863 Range (in code): VE
- 85580. *Daviscardia coloradella* (Dietz, 1905)** (Tineidae) Synonym(s): *coloradella* Dietz, 1905 Range (in code): US Col Arz NMx Ut Tx Mai MX
- 85581. *Daviscardia hypocritella* G.S.Robinson, 1986** (Tineidae) Synonym(s): *hypocritella* G.S.Robinson, 1986 Range (in code): PA Cq

- 85582. Daviscardia luctuosa (Walsingham,1914)** (Tineidae) **Synonym(s):** *luctuosa* Walsingham,1914 **Range (in code):** **CR**
- 85583. Daviscardia lupulella G.S.Robinson,1986** (Tineidae) **Synonym(s):** *lupulella* G.S.Robinson,1986 **Range (in code):** **PA Cq**
- 85584. Daviscardia mackiei G.S.Robinson,1986** (Tineidae) **Synonym(s):** *mackiei* G.S.Robinson,1986 **Range (in code):** **GT BO CO**
- 85585. Daviscardia radulella G.S.Robinson,1986** (Tineidae) **Synonym(s):** *radulella* G.S.Robinson,1986 **Range (in code):** **CR**
- 85586. Dentilunicula nigerica (Gozmany,1967)** (Tineidae) **Synonym(s):** *nigerica* Gozmany,1967 **Range (in code):** **NG**
- 85587. Dicanica acrocentra Meyrick,1913** (Tineidae) **Synonym(s):** *acrocentra* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Brb**
- 85588. Dinica aspirans (Meyrick,1920)** (Tineidae) **Synonym(s):** *aspirans* Meyrick,1920 **Range (in code):** **KE**
- 85589. Dinica diana Gozmany,1966** (Tineidae) **Synonym(s):** *diana* Gozmany,1966 **Range (in code):** **UG Rz**
- 85590. Dinica dierli G.Petersen,1983** (Tineidae) **Synonym(s):** *dierli* G.Petersen,1983 **Range (in code):** **NP**
- 85591. Dinica endochrysa (Meyrick,1935)** (Tineidae) **Synonym(s):** *endochrysa* Meyrick,1935 **Range (in code):** **JP IQ Bgd**
- 85592. Dinica hyacinthopa (Meyrick,1932)** (Tineidae) **Synonym(s):** *hyacinthopa* Meyrick,1932 **Range (in code):** **UG**
- 85593. Dinica orphnospila (Meyrick,1934)** (Tineidae) **Synonym(s):** *orphnospila* Meyrick,1934 **Range (in code):** **UG Rz**
- 85594. Drosica objectella Walker,1863** (Tineidae) **Synonym(s):** *objectella* Walker,1863 **Range (in code):** **ZA**
- 85595. Dryadula caucasica (Zagulyaev,1970)** (Tineidae) **Synonym(s):** *caucasica* Zagulyaev,1970 **Range (in code):** **Cc AZ RU Sm PL SE**
- 85596. Dryadula heindeli Gaedike & Scholz,1998** (Tineidae) **Synonym(s):** *heindeli* Gaedike & Scholz,1998 **Range (in code):** **FR Py ES CH DE**
- 85597. Dryadula hellenica Gaedike,1988** (Tineidae) **Synonym(s):** *hellenica* Gaedike,1988 **Range (in code):** **GR Cr**
- 85598. Dryadula irinae Savenkov,1989** (Tineidae) **Synonym(s):** *irinae* Savenkov,1989 **Range (in code):** **LV AT BG SK PL**
- 85599. Dryadula minuta Gaedike,2007** (Tineidae) **Synonym(s):** *minuta* Gaedike,2007 **Original Reference:** *Dryadula minuta* Gaedike,2007, *Nota lepid.* 29 (3/4): 160, figs. Holotype ♂: Türkei, Prov. Muğla, Marmaris leg. W.Mey (ZMUC). **Range (in code):** **Rd TR**
- 85600. Dryadula nedae (Gaedike,1983)** (Tineidae) **Synonym(s):** *nedae* Gaedike,1983; *nedae* Baldizzzone,1983 **Range (in code):** **HV GR CY TR**
- 85601. Dryadula pactolia Meyrick,1901** (Tineidae) **Synonym(s):** *pactolia* Meyrick,1901 **Range (in code):** **PT NL CH FR GB DE DK NZ**
- 85602. Dryadula zinica (Zagulyaev,1970)** (Tineidae) **Synonym(s):** *zinica* Zagulyaev,1970 **Range (in code):** **Cc Len AZ RU Da**
- 85603. Dryadula zygodes (Meyrick,1918)** (Tineidae) **Synonym(s):** *zygodes* Meyrick,1918 **Range (in code):** **ZA Nta Kzu Srn**
- 85604. Eccritothrix guenterella Koçak,1986** (Tineidae) **Synonym(s):** *trimaculella* Chambers,1873 nec Hw.,1828; *guenterella* Koçak,1986 **Original Reference:** *Eccritothrix guenterella* Koçak,1986, *Priamus* 4 (1/2): 55 (nomen novum pro *trimaculella* Chambers,1873 nec Hw.,1828). **Range (in code):** **US Knt**
- 85605. Ectabola deviata (Gozmany,1966)** (Tineidae) **Synonym(s):** *deviata* Gozmany,1966 **Range (in code):** **UG**
- 85606. Ectabola extans (Gozmany,1976)** (Tineidae) **Synonym(s):** *extans* Gozmany,1976 **Range (in code):** **ZR**
- 85607. Ectabola laxata (Gozmany,1967)** (Tineidae) **Synonym(s):** *laxata* Gozmany,1967 **Range (in code):** **ZR**
- 85608. Ectabola perversa (Gozmany,1967)** (Tineidae) **Synonym(s):** *perversa* Gozmany,1967 **Range (in code):** **ZR**

- 85609. Ectabola phaeocephala (Meyrick,1918)** (Tineidae) **Synonym(s):** *phaeocephala Meyrick,1918* Range (in code): **ZA Nta**
- 85610. Ectabola protracta Gozmany,1966** (Tineidae) **Synonym(s):** *protracta Gozmany,1966* Range (in code): **CF**
- 85611. Ectabola pygmina (Gozmany,1965)** (Tineidae) **Synonym(s):** *pygmina Gozmany,1965* Range (in code): **ET MA**
- 85612. Edosa aculeata Gaedike,2012** (Tineidae) **Synonym(s):** *aculeata Gaedike,2012* Range (in code): **NP**
- 85613. Edosa alanpricella Robinson,2008** (Tineidae) **Synonym(s):** *alanpricella Robinson,2008* Range (in code): **MY Bor**
- 85614. Edosa amseli (Petersen & Gaedike,1982)** (Tineidae) **Synonym(s):** *amseli Petersen & Gaedike,1982* Range (in code): **SA As**
- 85615. Edosa andersonella Robinson,2008** (Tineidae) **Synonym(s):** *andersonella Robinson,2008* Range (in code): **MY Pah**
- 85616. Edosa argocoma (Meyrick,1914)** (Tineidae) **Synonym(s):** *argocoma Meyrick,1914* Range (in code): **ZW KE TZ**
- 85617. Edosa audens (Meyrick,1921)** (Tineidae) **Synonym(s):** *audens Meyrick,1921* Range (in code): **ZA Tva Gau Pre ZW**
- 85618. Edosa aurea Yang, Wang & Li,2014** (Tineidae) **Synonym(s):** *aurea Yang, Wang & Li,2014* Range (in code): **CN Hn**
- 85619. Edosa baculiformis Yang, Wang & Li,2014** (Tineidae) **Synonym(s):** *baculiformis Yang, Wang & Li,2014* Range (in code): **CN Fkn Gn Kwa She**
- 85620. Edosa balanosema (Meyrick,1893)** (Tineidae) **Synonym(s):** *balanosema Meyrick,1893; heminephela Lower,1903* Range (in code): **AU NSw QAU**
- 85621. Edosa berryella Robinson,2008** (Tineidae) **Synonym(s):** *berryella Robinson,2008* Range (in code): **MY Pah**
- 85622. Edosa besucheti (Gozmany,1976)** (Tineidae) **Synonym(s):** *besucheti Gozmany,1976* Range (in code): **ZR**
- 85623. Edosa biclavata (Gozmany,1968)** (Tineidae) **Synonym(s):** *biclavata Gozmany,1968* Range (in code): **MW**
- 85624. Edosa bicolor Yang, Wang & Li,2014** (Tineidae) **Synonym(s):** *bicolor Yang, Wang & Li,2014* Range (in code): **CN Hn Kwa**
- 85625. Edosa bididdleella Robinson,2008** (Tineidae) **Synonym(s):** *bididdleella Robinson,2008* Range (in code): **MY**
- 85626. Edosa bifurcata Yang, Wang & Li,2014** (Tineidae) **Synonym(s):** *bifurcata Yang, Wang & Li,2014* Range (in code): **CN**
- 85627. Edosa bookerella Robinson,2008** (Tineidae) **Synonym(s):** *bookerella Robinson,2008* Range (in code): **BN Bor**
- 85628. Edosa broonzyella Robinson,2008** (Tineidae) **Synonym(s):** *broonzyella Robinson,2008* Range (in code): **BN Bor**
- 85629. Edosa buddyguyella Robinson,2008** (Tineidae) **Synonym(s):** *buddyguyella Robinson,2008* Range (in code): **BN Bor**
- 85630. Edosa caerulipennis (Erschoff,1874)** (Tineidae) **Synonym(s):** *caerulipennis Erschoff,1874; violaceus Christoph,1888; iritis Meyrick,1911; indiella Caradja,1920; hindostanica Zagulyaev,1966; glossoptera Rose & Pathania,2003* Original Reference: *Tinea caerulipennis Erschoff,1874, [in] Fedtschenko, Reise Turkestan: 97.* Range (in code): **IR Chh Irs Fa Ke Jrf Hz Bu Ss TM AF Kab Ca PK Krc Bl Qu Nwf Swa IN NP KG IN SI Djl**
- 85631. Edosa caradjella (Zagulyaev,1964)** (Tineidae) **Synonym(s):** *caradjella Zagulyaev,1964* Range (in code): **IN**
- 85632. Edosa carinata Yang, Wang & Li,2014** (Tineidae) **Synonym(s):** *carinata Yang, Wang & Li,2014* Range (in code): **CN Fkn**
- 85633. Edosa catharinae (Gozmany,1968)** (Tineidae) **Synonym(s):** *catharinae Gozmany,1968* Range (in code): **ZA**
- 85634. Edosa cheligera (Gozmany,1970)** (Tineidae) **Synonym(s):** *cheligera Gozmany,1970* Range (in code): **ZM**
- 85635. Edosa chenierella Robinson,2008** (Tineidae) **Synonym(s):** *chenierella Robinson,2008* Range (in code): **BN Bor**

- 85636. *Edosa chionarga* (Meyrick,1920)** (Tineidae) Synonym(s): *chionarga* Meyrick,1920; *leucomima* Meyrick,1921 Range (in code): ZW KE TZ UG ET
- 85637. *Edosa chrisreaella* Robinson,2008** (Tineidae) Synonym(s): *chrisreaella* Robinson,2008 Range (in code): ID Sum
- 85638. *Edosa citricoma* (Meyrick,1924)** (Tineidae) Synonym(s): *citricoma* Meyrick,1924 Range (in code): IN
- 85639. *Edosa citrocama* (Meyrick,1924)** (Tineidae) Synonym(s): *citrocama* Meyrick,1924 Range (in code): IN
- 85640. *Edosa claptonella* Robinson,2008** (Tineidae) Synonym(s): *claptonella* Robinson,2008 Range (in code): MY
- 85641. *Edosa clavifera* Gaedike,2012** (Tineidae) Synonym(s): *clavifera* Gaedike,2012 Range (in code): NP
- 85642. *Edosa conchata* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *conchata* Yang, Wang & Li,2014 Range (in code): CN Yu
- 85643. *Edosa cornuta* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *cornuta* Yang, Wang & Li,2014 Range (in code): CN Fkn Hn Yu
- 85644. *Edosa crassivalva* (Gozmany,1968)** (Tineidae) Synonym(s): *crassivalva* Gozmany,1968 Range (in code): TZ KE
- 85645. *Edosa crayella* Robinson,2008** (Tineidae) Synonym(s): *crayella* Robinson,2008 Range (in code): CN Fkn Gn Kwa Hn Hun Ti Yu MY
- 85646. *Edosa creagra* (Gozmany,1968)** (Tineidae) Synonym(s): *creagra* Gozmany,1968 Range (in code): GM
- 85647. *Edosa cristata* (Gozmany,1967)** (Tineidae) Synonym(s): *cristata* Gozmany,1967 Range (in code): GM NG SD
- 85648. *Edosa curvidorsalis* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *curvidorsalis* Yang, Wang & Li,2014 Range (in code): CN Fkn Gn Hn Hun Sz Yu She
- 85649. *Edosa cuspidata* (Gozmany,1968)** (Tineidae) Synonym(s): *cuspidata* Gozmany,1968 Range (in code): SL
- 85650. *Edosa cymopelta* (Meyrick,1925)** (Tineidae) Synonym(s): *cymopelta* Meyrick,1925 Range (in code): ID Kei
- 85651. *Edosa darjeelingella* (Zagulyaev,1964)** (Tineidae) Synonym(s): *darjeelingella* Zagulyaev,1964 Range (in code): IN SI DjI
- 85652. *Edosa decipiens* (Gozmany,1967)** (Tineidae) Synonym(s): *decipiens* Gozmany,1967 Range (in code): ZR
- 85653. *Edosa dentata* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *dentata* Yang, Wang & Li,2014 Range (in code): CN Hn
- 85654. *Edosa dierli* Gaedike,2012** (Tineidae) Synonym(s): *dierli* Gaedike,2012 Range (in code): NP
- 85655. *Edosa digitata* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *digitata* Yang, Wang & Li,2014 Range (in code): CN KwT
- 85656. *Edosa driscolella* Robinson,2008** (Tineidae) Synonym(s): *driscolella* Robinson,2008 Range (in code): MY Bor Sbh BN
- 85657. *Edosa duoprojecta* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *duoprojecta* Yang, Wang & Li,2014 Range (in code): CN Yu
- 85658. *Edosa eaglinella* Robinson,2008** (Tineidae) Synonym(s): *eaglinella* Robinson,2008 Range (in code): MY
- 85659. *Edosa ectofurca* (Gozmany,1965)** (Tineidae) Synonym(s): *ectofurca* Gozmany,1965 Range (in code): ZA
- 85660. *Edosa effulgens* (Gozmany,1965)** (Tineidae) Synonym(s): *effulgens* Gozmany,1965 Range (in code): ZA ZR
- 85661. *Edosa elmorella* Robinson,2008** (Tineidae) Synonym(s): *elmorella* Robinson,2008 Range (in code): ID Sum
- 85662. *Edosa elongata* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *elongata* Yang, Wang & Li,2014 Range (in code): CN Hn Fkn Gn Hun Yu
- 85663. *Edosa eminens* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *eminens* Yang, Wang & Li,2014 Range (in code): CN Hn

- 85664. *Edosa enchrsta* (Meyrick,1917)** (Tineidae) Synonym(s): *enchrsta* Meyrick,1917 Range (in code): MM
- 85665. *Edosa endroedyi* (Gozmany,1966)** (Tineidae) Synonym(s): *endroedyi* Gozmany,1966 Range (in code): GH SL
- 85666. *Edosa ensigera* (Gozmany,1966)** (Tineidae) Synonym(s): *ensigera* Gozmany,1966 Range (in code): UG
- 85667. *Edosa epiforma* (Gozmany,1967)** (Tineidae) Synonym(s): *epiforma* Gozmany,1967 Range (in code): ZR TZ
- 85668. *Edosa epixena* (Gozmany,1966)** (Tineidae) Synonym(s): *epixena* Gozmany,1966 Range (in code): UG
- 85669. *Edosa estesella* Robinson,2008** (Tineidae) Synonym(s): *estesella* Robinson,2008 Range (in code): BN Bor ID Sum
- 85670. *Edosa euplocamis* (Meyrick,1918)** (Tineidae) Synonym(s): *euplocamis* Meyrick,1918 Range (in code): ZA Nta Kzu Umk Pth
- 85671. *Edosa eurycera* (Diakonoff,1968)** (Tineidae) Synonym(s): *eurycera* Diakonoff,1968 Range (in code): PH Luz BN Bor
- 85672. *Edosa exhausta* (Meyrick,1917)** (Tineidae) Synonym(s): *exhausta* Meyrick,1917; *similis* Gozmany,1959; *gracilis* Gozmany,1959; *luteola* Petersen,1959 Range (in code): AF PK IN Hp Kul IR NP
- 85673. *Edosa exiguens* (Gozmany,1967)** (Tineidae) Synonym(s): *exiguens* Gozmany,1967 Range (in code): TZ
- 85674. *Edosa extraphalla* (Gozmany,1966)** (Tineidae) Synonym(s): *extraphalla* Gozmany,1966 Range (in code): UG
- 85675. *Edosa fastigata* Gaedike,2012** (Tineidae) Synonym(s): *fastigata* Gaedike,2012 Range (in code): PK Haz Msr NP
- 85676. *Edosa fibigeri* Gaedike,2012** (Tineidae) Synonym(s): *fibigeri* Gaedike,2012 Range (in code): NP
- 85677. *Edosa fletcheri* (Gozmany,1966)** (Tineidae) Synonym(s): *fletcheri* Gozmany,1966 Range (in code): UG
- 85678. *Edosa forficula* (Gozmany,1968)** (Tineidae) Synonym(s): *forficula* Gozmany,1968 Range (in code): SL
- 85679. *Edosa fraudulens* (Rosenstock,1885)** (Tineidae) Synonym(s): *fraudulens* Rosenstock,1885 Range (in code): AU SAu
- 85680. *Edosa fulsonella* Robinson,2008** (Tineidae) Synonym(s): *fulsonella* Robinson,2008 Range (in code): BN Bor
- 85681. *Edosa fuscoviolacella* (Ragonot,1895)** (Tineidae) Synonym(s): *violacella* Rebel,1893 (*praeocc.*); *fuscoviolacella* Ragonot,1895; *luteocapitella* Amsel,1935 Original Reference: Tineola fuscoviolacella Ragonot,1895, Bull. Soc. ent. Fr. 1895: cv. Type ♂: [Turquie]: Hte. Syrie, [Akbes]. Range (in code): CY TR IL Hf Js Pa IQ LB Bsa Bei Cc AZ Nv Ord SY Dms IR Lo Bk
- 85682. *Edosa gaedikei* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *spinosa* Gaedike,2012 *nec* Gaed.,1984; *gaedikei* Yang, Wang & Li,2014 Range (in code): PK Haz Abb NP CN She
- 85683. *Edosa griseella* (Robinson,1985)** (Tineidae) Synonym(s): *griseella* Robinson,1985 Original Reference: Episcardia grisella Robinson,1985, Entomologist's Gaz. 36: 278. Range (in code): IL Pa
- 85684. *Edosa gypsoptera* (Gozmany,1968)** (Tineidae) Synonym(s): *gypsoptera* Gozmany,1968 Range (in code): ZA
- 85685. *Edosa hackeri* Gaedike,2012** (Tineidae) Synonym(s): *hackeri* Gaedike,2012 Range (in code): IN Hp
- 85686. *Edosa hamata* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *hamata* Yang, Wang & Li,2014 Range (in code): CN Hn Kwa
- 85687. *Edosa haplodora* (Meyrick,1917)** (Tineidae) Synonym(s): *haplodora* Meyrick,1917 Range (in code): AU NSW
- 85688. *Edosa havensella* Robinson,2008** (Tineidae) Synonym(s): *havensella* Robinson,2008 Range (in code): MY Bor Swk
- 85689. *Edosa hemichrysella* Walker,1866** (Tineidae) Synonym(s): *hemichrysella* Walker,1866 Range (in code): ID Ja PH MY Bor Sbh Sum
- 85690. *Edosa hemilampira* (Diakonoff,1968)** (Tineidae) Synonym(s): *hemilampira* Diakonoff,1968 Range (in code): PH Luz

- 85691. *Edosa hemisema* (Lower,1903)** (Tineidae) Synonym(s): *hemisema* Lower,1903 Range (in code): AU
- 85692. *Edosa hendrixella* Robinson,2008** (Tineidae) Synonym(s): *hendrixella* Robinson,2008 Range (in code): CN Yu MY
- 85693. *Edosa hookerella* Robinson,2008** (Tineidae) Synonym(s): *hookerella* Robinson,2008 Range (in code): Bor ID
- 85694. *Edosa howlinwolfella* Robinson,2008** (Tineidae) Synonym(s): *howlinwolfella* Robinson,2008 Range (in code): BN Bor
- 85695. *Edosa hyalodes* (Meyrick,1913)** (Tineidae) Synonym(s): *hyalodes* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 85696. *Edosa incerta* (Gozmany,1960) (?)** (Tineidae) Synonym(s): *#incerta* Gozmany,1960 Original Reference: Episcardia incerta Gozmany,1960, Acta zool. Hung. 6: 114-115. Holotype ♀: Spain: Murcia, Alberca vi.1927 (leg. & coll. Coma) [status doubtful]. Range (in code): ES Mu
- 85697. *Edosa islamella* (G.Petersen & Gaedike,1982)** (Tineidae) Synonym(s): *islamella* G.Petersen & Gaedike,1982 Range (in code): SA As
- 85698. *Edosa isopela* (Meyrick,1917)** (Tineidae) Synonym(s): *isopela* Meyrick,1917 Range (in code): PK
- 85699. *Edosa jansei* (Gozmany,1965)** (Tineidae) Synonym(s): *jansei* Gozmany,1965 Range (in code): ZR ZA
- 85700. *Edosa jordanella* Robinson,2008** (Tineidae) Synonym(s): *jordanella* Robinson,2008 Range (in code): MY Bor Swk
- 85701. *Edosa judithella* Robinson,2008** (Tineidae) Synonym(s): *judithella* Robinson,2008 Range (in code): MY
- 85702. *Edosa kingella* Robinson,2008** (Tineidae) Synonym(s): *kingella* Robinson,2008 Range (in code): ID Sum
- 85703. *Edosa lardatella* (Lederer,1858)** (Tineidae) Synonym(s): *lardatella* Lederer,1858 Original Reference: Psecadia ? lardatella Lederer,1858, Wien. ent. Monatschr. 2: 151, Taf.4 fig.11. Syntypes ♂♀: locality unknown. Range (in code): MA DZ Gea Gha Omy Gtt Lbs Dja Eba Bsk TN Gf LY IL Pa Js JO LB Bei TR Sn EG SA OM IR Ab Oru Kd Mrv Bne Ak Tbz Kz Hz Dzf
- 85704. *Edosa leadbellyella* Robinson,2008** (Tineidae) Synonym(s): *leadbellyella* Robinson,2008 Range (in code): BN Bor
- 85705. *Edosa lenoirella* Robinson,2008** (Tineidae) Synonym(s): *lenoirella* Robinson,2008 Range (in code): BN Bor MY
- 85706. *Edosa leucastis* (Meyrick,1908)** (Tineidae) Synonym(s): *leucastis* Meyrick,1908 Range (in code): ZA Tva Lpo Gau Pre Pie
- 85707. *Edosa lewisella* Robinson,2008** (Tineidae) Synonym(s): *lewisella* Robinson,2008 Range (in code): BN Sbh Bor MY TH
- 85708. *Edosa liomorpha* (Meyrick,1894)** (Tineidae) Synonym(s): *liomorpha* Meyrick,1894 Range (in code): MM
- 85709. *Edosa lissochlora* (Meyrick,1921)** (Tineidae) Synonym(s): *lissochlora* Meyrick,1921 Range (in code): ZA Nta Kzu Kkf
- 85710. *Edosa longhairella* Robinson,2008** (Tineidae) Synonym(s): *longhairella* Robinson,2008 Range (in code): MY
- 85711. *Edosa longicornis* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *longicornis* Yang, Wang & Li,2014 Range (in code): CN Hn
- 85712. *Edosa luteola* (G.Petersen,1959)** (Tineidae) Synonym(s): *luteola* G.Petersen,1959; *similis* Gozmany,1959; *gracilis* Gozmany,1959 Range (in code): AF Kab Srb Bm Ca Nu Pnj
- 85713. *Edosa magna* Gaedike,2012** (Tineidae) Synonym(s): *magna* Gaedike,2012 Range (in code): NP PK Abb Haz
- 85714. *Edosa magnifica* (Gozmany,1967)** (Tineidae) Synonym(s): *magnifica* Gozmany,1967 Range (in code): ZR
- 85715. *Edosa mahunkai* (Gozmany,1976)** (Tineidae) Synonym(s): *mahunkai* Gozmany,1976 Range (in code): ZR
- 85716. *Edosa malthacopis* (Meyrick,1936)** (Tineidae) Synonym(s): *malthacopis* Meyrick,1936 Range (in code): CN Stg
- 85717. *Edosa mayallella* Robinson,2008** (Tineidae) Synonym(s): *mayallella* Robinson,2008 Range (in code): BN Swk Bor MY ID Sum

- 85718. *Edosa mcgheella* Robinson,2008** (Tineidae) Synonym(s): *mcgheella* Robinson,2008
Range (in code): **MY**
- 85719. *Edosa melanostoma* (Meyrick,1908)** (Tineidae) Synonym(s): *melanostoma* Meyrick,1908
Range (in code): **KE**
- 85720. *Edosa meliphanes* (Meyrick,1893)** (Tineidae) Synonym(s): *meliphanes* Meyrick,1893
Range (in code): **AU SAu**
- 85721. *Edosa minuta* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *minuta* Yang, Wang & Li,2014 Range (in code): **CN Hn**
- 85722. *Edosa montanata* (Gozmany,1968)** (Tineidae) Synonym(s): *montanata* Gozmany,1968
Range (in code): **MW**
- 85723. *Edosa montoyella* Robinson,2008** (Tineidae) Synonym(s): *montoyella* Robinson,2008
Range (in code): **BN Swk Bor MY**
- 85724. *Edosa nagyi* (Gozmany,1969)** (Tineidae) Synonym(s): *nagyi* Gozmany,1969 Range (in code): **TZ**
- 85725. *Edosa namakwana* Mey,2011** (Tineidae) Synonym(s): *namakwana* Mey,2011 Range (in code): **ZA**
- 85726. *Edosa namibiae* (Gozmany,2004)** (Tineidae) Synonym(s): *namibiae* Gozmany,2004
Range (in code): **NA**
- 85727. *Edosa nesocharis* (Meyrick,1928)** (Tineidae) Synonym(s): *nesocharis* Meyrick,1928
Range (in code): **PG NBr Nlr**
- 85728. *Edosa nestoria* (Meyrick,1910)** (Tineidae) Synonym(s): *nestoria* Meyrick,1910; *splendens* G.Petersen,1973 Range (in code): **IN AF Kab Pag Ch PK**
- 85729. *Edosa nigralba* (Gozmany,1968)** (Tineidae) Synonym(s): *nigralba* Gozmany,1968 Range (in code): **NG**
- 85730. *Edosa ochracea* (Meyrick,1893)** (Tineidae) Synonym(s): *ochracea* Meyrick,1893 Range (in code): **AU NSw**
- 85731. *Edosa ochranthes* (Meyrick,1893)** (Tineidae) Synonym(s): *ochranthes* Meyrick,1893
Range (in code): **AU NSw SAu TA**
- 85732. *Edosa oenopis* (Meyrick,1908)** (Tineidae) Synonym(s): *oenopis* Meyrick,1908 Range (in code): **ZA Gau Pre Tva Wo Lpo ZR ZM TZ ZW**
- 85733. *Edosa opsigona* (Meyrick,1911)** (Tineidae) Synonym(s): *opsigona* Meyrick,1911; *nepalensis* Petersen,1982; *neoopsigona* Rose & Pathania,2003 Range (in code): **NP IN LK**
- 85734. *Edosa oratrix* (Meyrick,1913)** (Tineidae) Synonym(s): *oratrix* Meyrick,1913 Range (in code): **ZA Tva Mpu Wv**
- 85735. *Edosa orphnodes* (Meyrick,1911)** (Tineidae) Synonym(s): *orphnodes* Meyrick,1911 Range (in code): **IN NP CN Yu**
- 85736. *Edosa paghmanella* Petersen,1973** (Tineidae) Synonym(s): *paghmanella* Petersen,1973
Original Reference: *Edosa paghmanella* Petersen,1973, Beitr. Ent. 23: 64. Range (in code): **AF Kab Pag**
- 85737. *Edosa paraglossoptera* Rose & Pathania,2003** (Tineidae) Synonym(s): *paraglossoptera* Rose & Pathania,2003 Range (in code): **IN**
- 85738. *Edosa paramecis* (Gozmany,1969)** (Tineidae) Synonym(s): *paramecis* Gozmany,1969
Range (in code): **ZA Tva**
- 85739. *Edosa paraxena* (Meyrick,1908)** (Tineidae) Synonym(s): *paraxena* Meyrick,1908 Range (in code): **ZA Tva Lpo Pie**
- 85740. *Edosa parva* Gaedike,2012** (Tineidae) Synonym(s): *parva* Gaedike,2012 Range (in code): **NP**
- 85741. *Edosa pauljonesella* Robinson,2008** (Tineidae) Synonym(s): *pauljonesella* Robinson,2008
Range (in code): **MY**
- 85742. *Edosa pectinigera* (Gozmany,1969)** (Tineidae) Synonym(s): *pectinigera* Gozmany,1969
Range (in code): **TZ**
- 85743. *Edosa perinipha* (Gozmany,1968)** (Tineidae) Synonym(s): *perinipha* Gozmany,1968
Range (in code): **ZA**
- 85744. *Edosa perseverans* (Meyrick,1926)** (Tineidae) Synonym(s): *perseverans* Meyrick,1926
Range (in code): **MY BN Bor Swk**
- 85745. *Edosa philbyi* (Robinson,1985)** (Tineidae) Synonym(s): *philbyi* Robinson,1985 Range (in code): **SA**

- 85746. *Edosa phlegethon* (Gozmany,1968)** (Tineidae) Synonym(s): *phlegethon* Gozmany,1968
Range (in code): NG TZ MW
- 85747. *Edosa platyntis* (Meyrick,1894)** (Tineidae) Synonym(s): *platyntis* Meyrick,1894; *sattleri* Rose & Pathania,2003 Range (in code): IN MM
- 85748. *Edosa platyphaea* (Meyrick,1926)** (Tineidae) Synonym(s): *platyphaea* Meyrick,1926
Range (in code): MY Bor Swk
- 85749. *Edosa porphyrophaes* (Turner,1917)** (Tineidae) Synonym(s): *porphyrophaes* Turner,1917
Range (in code): AU QAU
- 85750. *Edosa powelli* (Robinson,1985)** (Tineidae) Synonym(s): *powelli* Robinson,1985 Original Reference: *Episcardia powelli* Robinson,1985, Entomologist's Gaz. 36: 279, figs. Holotype ♂: Algeria. Range (in code): DZ Orn Lbs Cst MA
- 85751. *Edosa purella* (Walker,1863)** (Tineidae) Synonym(s): *purella* Walker,1863 Range (in code): AU NSw QAU SAU
- 85752. *Edosa purpurascens* (Diakonoff,1968)** (Tineidae) Synonym(s): *purpurascens* Diakonoff,1968 Range (in code): PH Luz
- 85753. *Edosa pygmaeana* (G.Petersen,1959)** (Tineidae) Synonym(s): *pygmaeana* G.Petersen,1959
Range (in code): AF Srb Bm
- 85754. *Edosa pyriata* (Meyrick,1917)** (Tineidae) Synonym(s): *pyriata* Meyrick,1917 Range (in code): IN
- 85755. *Edosa pyroceps* (Gozmany,1967)** (Tineidae) Synonym(s): *pyroceps* Gozmany,1967 Range (in code): TZ
- 85756. *Edosa pyrochra* (Gozmany,1965)** (Tineidae) Synonym(s): *pyrochra* Gozmany,1965 Range (in code): SD
- 85757. *Edosa rapticola* Gaedike,2012** (Tineidae) Synonym(s): *rapticola* Gaedike,2012 Range (in code): NP
- 85758. *Edosa rhodesica* (Gozmany,1967)** (Tineidae) Synonym(s): *rhodesica* Gozmany,1967
Range (in code): ZW
- 85759. *Edosa ricdifficultella* Robinson,2008** (Tineidae) Synonym(s): *ricdifficultella* Robinson,2008 Range (in code): BN Bor Swk MY ID
- 85760. *Edosa robustella* (Walker,1863)** (Tineidae) Synonym(s): *robustella* Walker,1863 Range (in code): MY Bor Swk
- 85761. *Edosa robustispina* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *robustispina* Yang, Wang & Li,2014 Range (in code): CN Yu
- 85762. *Edosa romieuxi* (Gozmany,1976)** (Tineidae) Synonym(s): *romieuxi* Gozmany,1976 Range (in code): ZR
- 85763. *Edosa sacerdos* (Walsingham,1885)** (Tineidae) Synonym(s): *sacerdos* Walsingham,1885
Range (in code): IN
- 85764. *Edosa sanctifica* (Meyrick,1921)** (Tineidae) Synonym(s): *sanctifica* Meyrick,1921 Range (in code): ZA Ec Ww
- 85765. *Edosa santanella* Robinson,2008** (Tineidae) Synonym(s): *santanella* Robinson,2008
Range (in code): BN Bor Swk MY ID
- 85766. *Edosa saskai* (Gozmany,1969)** (Tineidae) Synonym(s): *saskai* Gozmany,1969 Range (in code): TZ
- 85767. *Edosa screaminjayella* Robinson,2008** (Tineidae) Synonym(s): *screaminjayella* Robinson,2008 Range (in code): MY
- 85768. *Edosa semicircularis* Yang, Wang & Li,2014** (Tineidae) Synonym(s): *semicircularis* Yang, Wang & Li,2014 Range (in code): CN Fkn Gn Kwa
- 85769. *Edosa semiumbrata* (Meyrick,1920)** (Tineidae) Synonym(s): *semiumbrata* Meyrick,1920
Range (in code): KE NG SL UG
- 85770. *Edosa sinica* (Gaedike,1984)** (Tineidae) Synonym(s): *sinica* Gaedike,1984 Range (in code): CN Kwa Hn
- 85771. *Edosa sinuosa* (Gozmany,1966)** (Tineidae) Synonym(s): *sinuosa* Gozmany,1966 Range (in code): UG
- 85772. *Edosa slaughterella* Robinson,2008** (Tineidae) Synonym(s): *slaughterella* Robinson,2008
Range (in code): MY
- 85773. *Edosa smithaella* Robinson,2008** (Tineidae) Synonym(s): *smithaella* Robinson,2008
Range (in code): CN MY BN Bor

- 85774. *Edosa spatulata* (Gozmany,1967) (Tineidae) Synonym(s):** *spatulata* Gozmany,1967 Range (in code): ZW TZ
- 85775. *Edosa spinifurca* (Gozmany,1969) (Tineidae) Synonym(s):** *spinifurca* Gozmany,1969 Range (in code): GH
- 85776. *Edosa spinosa* (Gaedike,1984) (Tineidae) Synonym(s):** *spinosa* Gaedike,1984 Range (in code): CN She
- 85777. *Edosa spiveyaella* Robinson,2008 (Tineidae) Synonym(s):** *spiveyaella* Robinson,2008 Range (in code): BN Swk Bor MY
- 85778. *Edosa strepsineura* (Meyrick,1926) (Tineidae) Synonym(s):** *strepsineura* Meyrick,1926 Range (in code): MY
- 85779. *Edosa subochraceella* (Walsingham,1886) (Tineidae) Synonym(s):** *subochraceella* Walsingham,1886 Range (in code): IN TW LK MM CN Kwa Hn PH NP
- 85780. *Edosa synaema* (Meyrick,1905) (Tineidae) Synonym(s):** *synaema* Meyrick,1905 Range (in code): PK Msr Haz LK NP
- 85781. *Edosa szunyoghyi* (Gozmany,1969) (Tineidae) Synonym(s):** *szunyoghyi* Gozmany,1969 Range (in code): TZ
- 85782. *Edosa talansias* (Meyrick,1893) (Tineidae) Synonym(s):** *talansias* Meyrick,1893 Range (in code): AU QAU WAU
- 85783. *Edosa tanystis* (Meyrick,1908) (Tineidae) Synonym(s):** *tanystis* Meyrick,1908; *angulivalva* Gozmany,1965 Range (in code): ZA Tva Lpo Hae Wo Pie Gau Pre ZW
- 85784. *Edosa teebonella* Robinson,2008 (Tineidae) Synonym(s):** *teebonella* Robinson,2008 Range (in code): MY
- 85785. *Edosa torrifacta* (Gozmany,1965) (Tineidae) Synonym(s):** *torrifacta* Gozmany,1965 Range (in code): ET
- 85786. *Edosa torta* Yang, Wang & Li,2014 (Tineidae) Synonym(s):** *torta* Yang, Wang & Li,2014 Range (in code): CN Yu
- 85787. *Edosa trita* (Meyrick,1925) (Tineidae) Synonym(s):** *trita* Meyrick,1925 Range (in code): ID Sum
- 85788. *Edosa troutella* Robinson,2008 (Tineidae) Synonym(s):** *troutella* Robinson,2008 Range (in code): BN Bor MY
- 85789. *Edosa truncata* (Gozmany,1966) (Tineidae) Synonym(s):** *truncata* Gozmany,1966 Range (in code): CF
- 85790. *Edosa truncatula* Yang, Wang & Li,2014 (Tineidae) Synonym(s):** *truncatula* Yang, Wang & Li,2014 Range (in code): CN Yu
- 85791. *Edosa tyrannica* (Meyrick,1893) (Tineidae) Synonym(s):** *tyrannica* Meyrick,1893 Range (in code): AU QAU
- 85792. *Edosa uncusella* Yang, Wang & Li,2014 (Tineidae) Synonym(s):** *uncusella* Yang, Wang & Li,2014 Range (in code): CN Kwa KwT Hn Hun She TW
- 85793. *Edosa varians* Yang, Wang & Li,2014 (Tineidae) Synonym(s):** *variens* Yang, Wang & Li,2014 Range (in code): CN Kwa KwT Hn Hun Yu
- 85794. *Edosa vinsonella* Robinson,2008 (Tineidae) Synonym(s):** *vinsonella* Robinson,2008 Range (in code): BN Swk Bor MY
- 85795. *Edosa violacea* (Christoph,1888) (Tineidae) Synonym(s):** *violacea* Christoph,1888 Original Reference: Euplocamus violaceus Christoph,1888, Horae Soc. ent. ross. 22: 312. Type ♀: [Iran]: Schahrud. Range (in code): IR Se Srd
- 85796. *Edosa watersella* Robinson,2008 (Tineidae) Synonym(s):** *watersella* Robinson,2008 Range (in code): MY
- 85797. *Edosa williamsonella* Robinson,2008 (Tineidae) Synonym(s):** *williamsonella* Robinson,2008 Range (in code): PH BN Bor ID
- 85798. *Edosa witherspoonella* Robinson,2008 (Tineidae) Synonym(s):** *witherspoonella* Robinson,2008 Range (in code): ID Bli Ja Sbw
- 85799. *Edosa xerxes* (G.Petersen & Gaedike,1984) (Tineidae) Synonym(s):** *xerxes* G.Petersen & Gaedike,1984 Range (in code): IR
- 85800. *Edosa xystidophora* (Meyrick,1893) (Tineidae) Synonym(s):** *xystidophora* Meyrick,1893 Range (in code): AU QAU NSW
- 85801. *Elatobia bugrai* Koçak,1981 (Tineidae) Synonym(s):** *atrattella* Staudinger,1870 *nec* Fourcr.,1785; *bugrai* Koçak,1981. Range (in code): GR PI TR

- 85802. *Elatobia fuliginosella* (Lienig & Zeller,1846)** (Tineidae) **Synonym(s):** *fuliginosella* Lienig & Zeller,1846 **Original Reference:** *Tinea fuliginosella* Lienig & Zeller,1846, Isis 1846: 273, nr.18. **Range (in code):** MA DZ Bsk TN ES FR Sa IT DE CH AT PL SK HU BG GR TR NO SE FI LV RU MD UA BY IR Th Dam Elb MN Sb CA US Col
- 85803. *Elatobia montelliella* (Schantz,1951)** (Tineidae) **Synonym(s):** *montelliella* Schantz,1951 **Range (in code):** FI CA Abt
- 85804. *Ellochotis caligata* (Meyrick,1913)** (Tineidae) **Synonym(s):** *caligata* Meyrick,1913 **Range (in code):**
- 85805. *Ellochotis ectocharis* Gozmany,1976** (Tineidae) **Synonym(s):** *ectocharis* Gozmany,1976 **Range (in code):** ZA
- 85806. *Ellochotis exilis* Gozmany & Vari,1973** (Tineidae) **Synonym(s):** *exilis* Gozmany & Vari,1973 **Range (in code):** ZA
- 85807. *Ellochotis fraudulenta* (Meyrick,1912)** (Tineidae) **Synonym(s):** *fraudulenta* Meyrick,1912 **Range (in code):** ZA
- 85808. *Ellochotis infausta* Meyrick,1920** (Tineidae) **Synonym(s):** *infausta* Meyrick,1920 **Range (in code):** ZA
- 85809. *Ellochotis leontopa* (Meyrick,1908)** (Tineidae) **Synonym(s):** *leontopa* Meyrick,1908 **Range (in code):** ZA Tva Gau Pre
- 85810. *Ellochotis lyncodes* (Meyrick,1921)** (Tineidae) **Synonym(s):** *lyncodes* Meyrick,1921 **Range (in code):** MZ Mag
- 85811. *Ellochotis opifica* (Meyrick,1908)** (Tineidae) **Synonym(s):** *opifica* Meyrick,1908 **Range (in code):** ZA Tva Lpo Pic
- 85812. *Ellochotis picroxesta* (Meyrick,1926)** (Tineidae) **Synonym(s):** *picroxesta* Meyrick,1926 **Range (in code):** ZA
- 85813. *Ellochotis purpurea* (Stainton,1860)** (Tineidae) **Synonym(s):** *purpurea* Stainton,1860 **Range (in code):** ZA
- 85814. *Ellochotis territa* (Meyrick,1920)** (Tineidae) **Synonym(s):** *territa* Meyrick,1920 **Range (in code):** ZA
- 85815. *Ellochotis trophias* (Meyrick,1908)** (Tineidae) **Synonym(s):** *trophias* Meyrick,1908 **Range (in code):** ZA Tva Lpo Gau Pre Pic
- 85816. *Ellochotis verecunda* (Meyrick,1911)** (Tineidae) **Synonym(s):** *verecunda* Meyrick,1911 **Range (in code):** ZA Tva Hae Wo Lpo
- 85817. *Enargocrasis galactopis* (Meyrick,1921)** (Tineidae) **Synonym(s):** *galactopis* Meyrick,1921 **Range (in code):** MZ Mag
- 85818. *Epactris* sp.:** (Tineidae) **Synonym(s):** **Range (in code):** MY TH
- 85819. *Erechthias amphibaphes* (Meyrick,1939)** (Tineidae) **Synonym(s):** *amphibaphes* Meyrick,1939 **Range (in code):** ZR
- 85820. *Erechthias calypta* (Meyrick,1911)** (Tineidae) **Synonym(s):** *calypta* Meyrick,1911 **Range (in code):** SC
- 85821. *Erechthias dracaenura* (Meyrick,1934)** (Tineidae) **Synonym(s):** *dracaenura* Meyrick,1934 **Range (in code):** ST
- 85822. *Erechthias flavistriata* (Walsingham,1907)** (Tineidae) **Synonym(s):** *flavistriata* Walsingham,1907; *methodica* Meyrick,1911 **Range (in code):** SC
- 85823. *Erechthias glossophora* (Meyrick,1926)** (Tineidae) **Synonym(s):** *glossophora* Meyrick,1926 **Range (in code):** ZA
- 85824. *Erechthias leucopogon* (Meyrick,1924)** (Tineidae) **Synonym(s):** *leucopogon* Meyrick,1924 **Range (in code):** TH MY BN Swk Bor ID Clb **Bionomy:** Larvae bore *Bertholletia excelsa* (Brazil nuts) (Lecythidaceae) (Robinson et al.,1994).
- 85825. *Erechthias minuscula* (Walsingham,1897)** (Tineidae) **Synonym(s):** *minuscula* Walsingham,1897; *trichodora* Meyrick,1911 **Range (in code):** SC
- 85826. *Erechthias molynta* (Meyrick,1911)** (Tineidae) **Synonym(s):** *molynta* Meyrick,1911 **Range (in code):** SC
- 85827. *Erechthias nigromaculella* Guillermet,2009** (Tineidae) **Synonym(s):** *nigromaculella* Guillermet,2009 **Range (in code):** RE
- 85828. *Erechthias richardella* Viette,1957** (Tineidae) **Synonym(s):** *richardella* Viette,1957 **Range (in code):** RE

- 85829. *Erechthias scaligera* (Meyrick,1911)** (Tineidae) Synonym(s): *scaligera* Meyrick,1911
Range (in code): SC
- 85830. *Erechthias travestita* (Gozmany,1968)** (Tineidae) Synonym(s): *travestita* Gozmany,1968
Range (in code): GH SL NG
- 85831. *Erechthias zebrina* (Butler,1881)** (Tineidae) Synonym(s): *zebrina* Butler,1881; *xenica* Meyrick,1911 Range (in code): SC MU Hw IN ID Bor LK
- 85832. *Eremicola semitica* Amsel,1935** (Tineidae) Synonym(s): *semitica* Amsel,1935 Range (in code): IL Pa
- 85833. *Eriozancla trachyphaea* (Meyrick,1921)** (Tineidae) Synonym(s): *trachyphaea* Meyrick,1921 Range (in code): ZA Ec Stj
- 85834. *Eudarcia (Abchagleris) armatum* (Gaedike,1985)** (Tineidae) Synonym(s): *armatum* Gaedike,1985 Range (in code): GR
- 85835. *Eudarcia (Abchagleris) glaseri* (G.Petersen,1967)** (Tineidae) Synonym(s): *glaseri* G.Petersen,1967; *abchasicum* Zagulyaev,1979 Range (in code): ES FR GR Cr UA TR Cc GG
- 85836. *Eudarcia (Abchagleris) jaworskii* Gaedike,2011** (Tineidae) Synonym(s): *jaworskii* Gaedike,2011 Original Reference: Eudarcia (Abchagleris) jaworskii Gaedike,2011, *Nota lepid.* 34 (2): 139-140, figs. Holotype ♂: Turkey, Güzeloluk, Mersin [İçel] Prov., 14.vi.2009, T.Jaworski leg. (SDEI). Range (in code): TR
- 85837. *Eudarcia (Abchagleris) sutteri* Gaedike,1997** (Tineidae) Synonym(s): *sutteri* Gaedike,1997 Range (in code): GR Rd
- 85838. *Eudarcia (Meessia) alberti* (Amsel,1957)** (Tineidae) Synonym(s): *alberti* Amsel,1957
Range (in code): PT ES
- 85839. *Eudarcia (Meessia) brachyptera* (Passerin d'Entrèves,1974)** (Tineidae) Synonym(s): *brachyptera* Passerin d'Entrèves,1974 Range (in code): IT
- 85840. *Eudarcia (Meessia) daghestanica* (Zagulyaev,1993)** (Tineidae) Synonym(s): *daghestanica* Zagulyaev,1993 Range (in code): RU Da Cc
- 85841. *Eudarcia (Meessia) gallica* (G.Petersen,1962)** (Tineidae) Synonym(s): *gallica* G.Petersen,1962 Range (in code): ES FR
- 85842. *Eudarcia (Meessia) hellenica* Gaedike,2007** (Tineidae) Synonym(s): *hellenica* Gaedike,2007 Range (in code): GR
- 85843. *Eudarcia (Meessia) herculanella* (Capuse,1966)** (Tineidae) Synonym(s): *herculanella* Capuse,1966 Range (in code): RO SS GG Cc
- 85844. *Eudarcia (Meessia) leopoldella* (Costa,1832)** (Tineidae) Synonym(s): *leopoldella* Costa,1832 Range (in code): FR IT
- 85845. *Eudarcia (Meessia) mensella* (Walsingham,1900)** (Tineidae) Synonym(s): *mensella* Walsingham,1900 Range (in code): Co
- 85846. *Eudarcia (Meessia) nerviella* (Amsel,1954)** (Tineidae) Synonym(s): *nerviella* Amsel,1954 Range (in code): IT
- 85847. *Eudarcia (Meessia) nigraella* (Mariani,1937)** (Tineidae) Synonym(s): *nigraella* Mariani,1937 Range (in code): FR Sa Si IT HV TN Cc GG
- 85848. *Eudarcia (Meessia) pagenstecherella* (Hübner,[1825])** (Tineidae) Synonym(s): *pagenstecherella* Hübner,[1825]; *vinctella* Herrich-Schäffer,1850; *vinculella* Zeller,1852; *pachyceras* Walsingham,1900 Range (in code): FR BE PL CZ SK HU RO IT AT CH DE
- 85849. *Eudarcia (Meessia) richardsoni* (Walsingham,1900)** (Tineidae) Synonym(s): *richardsoni* Walsingham,1900 Range (in code): GB CH HV
- 85850. *Eudarcia (Meessia) sardoa* (Passerin d'Entrèves,1978)** (Tineidae) Synonym(s): *sardoa* Passerin d'Entrèves,1978 Range (in code): Sa
- 85851. *Eudarcia (Meessia) vacriensis* (Parenti,1964)** (Tineidae) Synonym(s): *vacriensis* Parenti,1964 Range (in code): IT
- 85852. *Eudarcia (Neomeessia) alanyacola* Gaedike,2011** (Tineidae) Synonym(s): *alanyacola* Gaedike,2011 Original Reference: Eudarcia (Neomeessia) alanyacola Gaedike,2011, *Nota lepid.* 34 (2): 140-141, figs. Holotype ♂: Türkiye, Alanya, Mahmutlar 17.vi.2005, W.Mey leg. (ZMHB). Range (in code): TR
- 85853. *Eudarcia (Neomeessia) gracilis* (G.Petersen,1968)** (Tineidae) Synonym(s): *gracilis* G.Petersen,1968 Original Reference: Neomeessia gracilis G.Petersen,1968, *Acta ent. bohemoslov.* 65 (1): 58-59, fig.4. Holotype ♂: [Türkei]: Taurus. Range (in code): TR

- 85854. Eudarcia (Neomeessia) lobata (G.Petersen & Gaedike,1979)** (Tineidae) Synonym(s): *lobata* G.Petersen & Gaedike,1979 Range (in code): GR Rd CY SY IL Pa
- 85855. Eudarcia (Obesoceras) aureliani (Capuse,1967)** (Tineidae) Synonym(s): *aureliani* Capuse,1967 Range (in code): RO
- 85856. Eudarcia (Obesoceras) balcanicum (Gaedike,1988)** (Tineidae) Synonym(s): *balcanica* Gaedike,1988 Range (in code): MK BG GR
- 85857. Eudarcia (Obesoceras) confusellum (Heydenreich,1851)** (Tineidae) Synonym(s): *confusella* Heydenreich,1851; *danubiellum* G.Petersen,1959; *nigrescens* Jäckh,1959; *orientale* Capuse,1966 Range (in code): IT DE CH AT RO HV B-H CZ GR
- 85858. Eudarcia (Obesoceras) croaticum (G.Petersen,1962)** (Tineidae) Synonym(s): *croaticum* G.Petersen,1962 Range (in code): HV
- 85859. Eudarcia (Obesoceras) dalmaticum (Gaedike,1988)** (Tineidae) Synonym(s): *dalmaticum* Gaedike,1988 Range (in code): YU
- 85860. Eudarcia (Obesoceras) derrai (Gaedike,1983)** (Tineidae) Synonym(s): *derrai* Gaedike,1983 Range (in code): Sa
- 85861. Eudarcia (Obesoceras) echinatum (G.Petersen & Gaedike,1985)** (Tineidae) Synonym(s): *echinata* G.Petersen & Gaedike,1985 Range (in code): CY
- 85862. Eudarcia (Obesoceras) fibigeri Gaedike,1997** (Tineidae) Synonym(s): *fibigeri* Gaedike,1997 Range (in code): GR
- 85863. Eudarcia (Obesoceras) forsteri (G.Petersen,1964)** (Tineidae) Synonym(s): *forsteri* G.Petersen,1964 Range (in code): MK BG GR TR
- 85864. Eudarcia (Obesoceras) graecum (Gaedike,1985)** (Tineidae) Synonym(s): *graecum* Gaedike,1985 Range (in code): GR
- 85865. Eudarcia (Obesoceras) granulatella (Zeller,1852)** (Tineidae) Synonym(s): *granulatella* Zeller,1852 Range (in code): IT RO HV AL BG
- 85866. Eudarcia (Obesoceras) hedemanni (Rebel,1899)** (Tineidae) Synonym(s): *hedemanni* Rebel,1899 Range (in code): IT AT
- 85867. Eudarcia (Obesoceras) kasyi (G.Petersen,1971)** (Tineidae) Synonym(s): *kasyi* G.Petersen,1971 Original Reference: *Obesoceras kasyi* Petersen,1971, Beitr. Ent. 21 (3/6): 268. Holotype ♂: Graecia (ZMB). Range (in code): MK AL BG GR SK
- 85868. Eudarcia (Obesoceras) moreae (G.Petersen & Gaedike,1983)** (Tineidae) Synonym(s): *moreae* G.Petersen & Gaedike,1983 Range (in code): GR
- 85869. Eudarcia (Obesoceras) romanum (G.Petersen,1958)** (Tineidae) Synonym(s): *romanum* G.Petersen,1958 Range (in code): IT
- 85870. Eudarcia (Obesoceras) turcica Gaedike,1997** (Tineidae) Synonym(s): *turcica* Gaedike,1997 Range (in code): TR
- 85871. Eudarcia (Pseudobesoceras) holtzi (Rebel,1902)** (Tineidae) Synonym(s): *holtzi* Rebel,1902; *libanoticum* G.Petersen,1968 Original Reference: *Tinea holtzi* Rebel,1902, Berl. ent. Z. 46: 109. Type: Greece. Range (in code): GR Cr CY RU Da Cc AM TR LB IR AF
- 85872. Eudarcia montanum (Gaedike,1985)** (Tineidae) Synonym(s): *montanum* Gaedike,1985 Range (in code): GR
- 85873. Euplocamus anthracinalis (Scopoli,1763)** (Tineidae) Synonym(s): *anthracinalis* Scopoli,1763; *anthracinella* [Denis & Schiffermüller],1775; *fuesslinella* Sulzer,1776; *guttella* Fabricius,1781; *anthracina* Borkhausen,1793; *fuesslinaria* Esper,[1801]; *guttatus* Latreille,1809; *monetellus* Lederer,1864; *amanalis* Osthelder,1935. Range (in code): FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG RU
- 85874. Euplocamus bienerti Staudinger,1870** (Tineidae) Synonym(s): *bienerti* Staudinger,1870 Original Reference: *Euplocamus bienerti* Staudinger,1870, Berl. ent. Z. 14: 207-208. Syntypes ♂♀: Iran, Elburs Gebirge, leg. Theophil Bienert. Range (in code): IR Elb Gor GlS Mz Kld
- 85875. Euplocamus charadropis Meyrick,1934** (Tineidae) Synonym(s): *charadropis* Meyrick,1934 Range (in code): CN
- 85876. Euplocamus delagrangi Ragonot,1895** (Tineidae) Synonym(s): *delagrangi* Ragonot,1895; *#delagrangeri* Gaedike,2011 Original Reference: *Euplocamus delagrangi* Ragonot,1895, Bull. Soc. ent. Fr. 1895: ciii-civ. Syntypes ♂♀: [Turquie]: Ht. Syrie: Akbes. Range (in code): TR
- 85877. Euplocamus demodes Meyrick,1924** (Tineidae) Synonym(s): *demodes* Meyrick,1924 Range (in code): IN
- 85878. Euplocamus melanchrodes Meyrick,1916** (Tineidae) Synonym(s): *melanchrodes* Meyrick,1916 Range (in code): IN

- 85879. *Euplocamus ophisus* (Cramer,[1779])** (Tineidae) Synonym(s): *ophisus* Cramer,[1779]; *#aurantiella* Frivaldsky,1835 Original Reference: *Phalaena ophisus* Cramer,[1779], Uitl. Kapellen: Pl.13 fig.C. Range (in code): **MK AL YU BG GR TR**
- 85880. *Euplocamus pallidellus* Christoph,1887** (Tineidae) Synonym(s): *pallidellus* Christoph,1887 Original Reference: *Euplocamus pallidellus* Christoph,1887, [in] Romanoff, Mém. lepid. 3: 117, Pl.5 fig.11. Range (in code):
- 85881. *Euplocamus schaeferi* Amsel,1959** (Tineidae) Synonym(s): *schaeferi* Amsel,1959 Original Reference: *Euplocamus schaeferi* Amsel,1959, Stuttg. Beitr. Naturk. 28: 37. Range (in code): **IR**
- 85882. *Euplocamus tanylopha* Meyrick,1932** (Tineidae) Synonym(s): *tanylopha* Meyrick,1932 Range (in code): **TW**
- 85883. *Euplocamus triplatynta* Meyrick,1934** (Tineidae) Synonym(s): *triplatynta* Meyrick,1934 Range (in code): **CN**
- 85884. *Exonomasis exolegens* (Meyrick,1926)** (Tineidae) Synonym(s): *exolegens* Meyrick,1926 Range (in code): **ZA**
- 85885. *Gaedikeia kokkariensis* Sutter,1998** (Tineidae) Synonym(s): *kokkariensis* Sutter,1998 Original Reference: *Gaedikeia kokkariensis* Sutter,1998, Reichenbachia 32 (2): 303, 8 figs. Holotype ♂: Griechenland, Samos, Kokkari (leg. & coll. Sutter). Range (in code): **ES Co GR Rd Ae Sms CY TR**
- 85886. *Gerontha acrosthena* Zagulyaev,1972** (Tineidae) Synonym(s): *acrosthena* Zagulyaev,1972 Range (in code):
- 85887. *Gerontha akahatii* Moriuti,1989** (Tineidae) Synonym(s): *akahatii* Moriuti,1989 Range (in code): **JP**
- 85888. *Gerontha albidicomans* Moriuti,1989** (Tineidae) Synonym(s): *albidicomans* Moriuti,1989 Range (in code): **MY Bor Sbh**
- 85889. *Gerontha borea* Moriuti,1977** (Tineidae) Synonym(s): *borea* Moriuti,1977 Range (in code): **JP**
- 85890. *Gerontha captiosella* Walker,1864** (Tineidae) Synonym(s): *captiosella* Walker,1864; *#capna* Diakonoff,[1968] Range (in code): **LK IN ID Sum Ja Adm AU PH Luz Mno TH CMA Nna Kao Knc Nst MY Bor Sbh**
- 85891. *Gerontha diascopa* Diakonoff,[1968]** (Tineidae) Synonym(s): *diascopa* Diakonoff,[1968] Range (in code): **PH Luz Pal MY Bor Sbh**
- 85892. *Gerontha dolichopthallica* Moriuti,1989** (Tineidae) Synonym(s): *dolichopthallica* Moriuti,1989 Range (in code): **ID Clb**
- 85893. *Gerontha dracuncula* Meyrick,1928** (Tineidae) Synonym(s): *dracuncula* Meyrick,1928 Range (in code): **IN SI Adm TH MY BN Bor TW CN NP**
- 85894. *Gerontha hoenei* Petersen,1987** (Tineidae) Synonym(s): *hoenei* Petersen,1987 Range (in code): **CN**
- 85895. *Gerontha hyalina* Moriuti,1989** (Tineidae) Synonym(s): *hyalina* Moriuti,1989 Range (in code): **MY Bor Sbh**
- 85896. *Gerontha melanopalpis* Moriuti,1989** (Tineidae) Synonym(s): *melanopalpis* Moriuti,1989 Range (in code): **ID Clb**
- 85897. *Gerontha monostigma* Diakonoff,[1968]** (Tineidae) Synonym(s): *monostigma* Diakonoff,[1968] Range (in code): **PH Mno**
- 85898. *Gerontha navapuriensis* Moriuti,1989** (Tineidae) Synonym(s): *navapuriensis* Moriuti,1989 Range (in code): **TH CMA**
- 85899. *Gerontha nivicaput* Diakonoff,[1968]** (Tineidae) Synonym(s): *nivicaput* Diakonoff,[1968] Range (in code): **PH Luz Mno**
- 85900. *Gerontha opaca* Moriuti,1989** (Tineidae) Synonym(s): *opaca* Moriuti,1989 Range (in code): **ID Clb**
- 85901. *Gerontha siamensis* Moriuti,1989** (Tineidae) Synonym(s): *siamensis* Moriuti,1989 Range (in code): **TH Cbi Loe Chy**
- 85902. *Gerontha siroii* Moriuti,1989** (Tineidae) Synonym(s): *siroii* Moriuti,1989 Range (in code): **TH Loe Cbi**
- 85903. *Gerontha sthearca* Zagulyaev,1972** (Tineidae) Synonym(s): *sthearca* Zagulyaev,1972 Range (in code): **ID Sum**
- 85904. *Gerontha sumihroi* Moriuti,1989** (Tineidae) Synonym(s): *sumihroi* Moriuti,1989 Range (in code): **TH Nna Kao CMA Cbi MY Pah**

- 85905. *Gerontha thailandiae* Moriuti,1989** (Tineidae) **Synonym(s):** *thailandiae* Moriuti,1989
Range (in code): **TH Cbi CMa Loe Dst Nna Kao**
- 85906. *Gerontha tudai* Moriuti,1989** (Tineidae) **Synonym(s):** *tudai* Moriuti,1989 **Range (in code):** **TH Nna Kao CMa**
- 85907. *Glaucostolella oxyteles* (Meyrick,1926)** (Tineidae) **Synonym(s):** *oxyteles* Meyrick,1926
Range (in code): **ZA**
- 85908. *Graphidivalva genitalis* (Meyrick,1913)** (Tineidae) **Synonym(s):** *genitalis* Meyrick,1913
Range (in code): **ZA Tva Gau Pre**
- 85909. *Haplotinea ditella* (Pierce & Diakonoff,1938)** (Tineidae) **Synonym(s):** *ditella* Pierce & Diakonoff,1938 **Range (in code):** **IT MT GB NL DE AT PL CZ SK HU RO BG TR DK NO SE FI LV RU Ur Or Da Cc GG Bku Bjo Smt AM Svn Eri MD UA Cm BY KG Aa TrA UZ Br TM**
- 85910. *Haplotinea insectella* (Fabricius,1794)** (Tineidae) **Synonym(s):** *insectella* Fabricius,1794; *misella* Zeller,1839. **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY YE**
- 85911. *Hapsifera asiatica* Amsel,1949** (Tineidae) **Synonym(s):** *asiatica* Amsel,1949 **Range (in code):** **IQ**
- 85912. *Hapsifera barbata* (Christoph,1882)** (Tineidae) **Synonym(s):** *barbata* Christoph,1882; *cinereella* Caradja,1926 **Range (in code):** **JP RU Us Am Ask CN Sz**
- 85913. *Hapsifera glebata* Meyrick,1908** (Tineidae) **Synonym(s):** *glebata* Meyrick,1908; *cervina* Gozmany,1965 **Range (in code):** **UG ZA Tva Gau Pre**
- 85914. *Hapsifera luridella* Zeller,1847** (Tineidae) **Synonym(s):** *luridella* Zeller,1847; *eburnea* Butler,1881; *palaestinensis* Rebel,1901; *baliopsamma* Meyrick,1921; *torulosa* Turati,1919; *cyrenaicensis* Turati,1924; *pustulatella* Lucas,1942 *nec* Zell.,1852; *kerbelella* Amsel,1949; *asiatica* Amsel,1949; *susaella* Amsel,1959 **Original Reference:** *Hapsifera luridella* Zeller,1847, Isis 1847: 33. Syntypes 3♂; Lectotype ♂: [Turkey]: "Patara", designated by Robinson,1982, Entomologist's Gaz. 33: 178 (BMNH). **Range (in code):** **MA TN LY Cy EG MK BG GR Cr TR CY LB Bei IL Pa Hf JO IQ Kbl Hjo SA YE IR Ab Oru Kz Ahz Yas Km Sdt Mak Ak Hz Bu Fa Shr Ss Ke Jrf Kaz Das Snj Kd Es Th Kdj Qz Gh Elb Dam UZ TJ PK Krc AF Srb BH Cc GG Lag AM AZ Kir Nv Ord SY Dms IN PH JP**
- 85915. *Hapsifera maculata* (Walsingham,1907)** (Tineidae) **Synonym(s):** *maculata* Walsingham,1907 **Original Reference:** *Euplocera maculata* Walsingham,1907, Entomologist's mon. Mag. 43: 187-188. Syntypes 3♂: Algeria, El-Kantara, Philippeville. **Range (in code):** **DZ Bsk Ktr Phv TN Gf**
- 85916. *Hapsifera marmarota* Meyrick,1914** (Tineidae) **Synonym(s):** *marmarota* Meyrick,1914
Range (in code): **ZA**
- 85917. *Hapsifera meliceris* Meyrick,1908** (Tineidae) **Synonym(s):** *meliceris* Meyrick,1908
Range (in code): **ZA Nta Kzu Tva Gau Pre**
- 85918. *Hapsifera multiguttella* (Ragonot,1895)** (Tineidae) **Synonym(s):** *multiguttella* Ragonot,1895; *jerichoella* Amsel,1935. **Original Reference:** *Euplocera multiguttella* Ragonot,1895, Bull. Soc. ent. Fr. 1895: civ-cv. Type ♂: [Turquie]: Hte. Syrie [Akbes] (MNHNP). **Range (in code):** **DZ TN LB Bei SY Dms JO IL Pa Jer TR**
- 85919. *Hapsifera ochroptila* Meyrick,1908** (Tineidae) **Synonym(s):** *ochroptila* Meyrick,1908
Range (in code): **ZA Tva Gau Pre**
- 85920. *Hapsifera pardalea* Meyrick,1908** (Tineidae) **Synonym(s):** *pardalea* Meyrick,1908 **Range (in code):** **ZA Nta Kzu**
- 85921. *Hapsifera punctata* Petersen,1961** (Tineidae) **Synonym(s):** *punctata* Petersen,1961 **Range (in code):** **YE Sna SA**
- 85922. *Hapsifera seclusella* (Walker,1864)** (Tineidae) **Synonym(s):** *seclusella* Walker,1864 **Original Reference:** *Cimitra seclusella* Walker,1864, List spec. lepid. Ins. Colln. Br. Mus. 29: 780. Type: [Sri Lanka]: Ceylon. **Range (in code):** **PK Cp LK TW**
- 85923. *Hapsifera septica* Meyrick,1908** (Tineidae) **Synonym(s):** *septica* Meyrick,1908 **Range (in code):** **ZA TZ**
- 85924. *Hapsiferona glareosa* (Meyrick,1912)** (Tineidae) **Synonym(s):** *glareosa* Meyrick,1912
Range (in code): **ZW SA**
- 85925. *Harmaclona afrotephrantha* Davis,1998** (Tineidae) **Synonym(s):** *afrotephrantha* Davis,1998 **Range (in code):** **CF**
- 85926. *Harmaclona berberea* Bradley,1956** (Tineidae) **Synonym(s):** *berberea* Bradley,1956
Range (in code): **MG**

- 85927. *Harmaclona cossidella* Busck,1914** (Tineidae) **Synonym(s):** *co ssidella* Busck,1914 **Range** (in code): **PA BZ BO BR VE PY**
- 85928. *Harmaclona hexacantha* Davis,1998** (Tineidae) **Synonym(s):** *hexacantha* Davis,1998 **Range** (in code): **AR**
- 85929. *Harmaclona hilethera* Bradley,1953** (Tineidae) **Synonym(s):** *hilethera* Bradley,1953 **Range** (in code): **GH CM CF**
- 85930. *Harmaclona natalensis* Bradley,1953** (Tineidae) **Synonym(s):** *natalensis* Bradley,1953; *#natalensis* Bradley,1956 **Range** (in code): **ZA Nta Kzu Tra Ec Stj Umk TZ AO CM Bia GH GN CI MG MZ L-M Del**
- 85931. *Harmaclona robinsoni* Davis,1998** (Tineidae) **Synonym(s):** *robinsoni* Davis,1998 **Range** (in code): **BN MY Pah Bor Swk ID Clb TH Chy**
- 85932. *Harmaclona tephrantha* (Meyrick,1916)** (Tineidae) **Synonym(s):** *tephrantha* Meyrick,1916 **Range** (in code): **ZA IN LK PG AU TH Chy Cbi CMA Dst Nna Kao Loe Ntt MY Sgo Pah Bor BN Sbh Swk PH Luz Mno Pal TW ID Ja Klt Clb** **Bionomy:** Larva on *Buchanania latifolia* (Anacardiaceae) (Fletcher,1933).
- 85933. *Harmaclona tetracantha* Davis,1998** (Tineidae) **Synonym(s):** *tetracantha* Davis,1998 **Range** (in code): **BR**
- 85934. *Harmaclona triacantha* Davis,1998** (Tineidae) **Synonym(s):** *triacantha* Davis,1998 **Range** (in code): **GF BR VE**
- 85935. *Homalopsycha pericharacta* Meyrick,1924** (Tineidae) **Synonym(s):** *pericharacta* Meyrick,1924 **Range** (in code): **ZA**
- 85936. *Homalopsycha rapida* (Meyrick,1909)** (Tineidae) **Synonym(s):** *rapida* Meyrick,1909; *aestuaria* Meyrick,1920 **Range** (in code): **ZA**
- 85937. *Hylophygas convicta* Meyrick,1932** (Tineidae) **Synonym(s):** *convicta* Meyrick,1932 **Original Reference:** *Hylophygas convicta* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 119-120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). **Range** (in code): **ET ET88 Sw**
- 85938. *Hyperbola chloristis* (Meyrick,1908)** (Tineidae) **Synonym(s):** *chloristis* Meyrick,1908 **Range** (in code): **ZA Tva Gau Pre**
- 85939. *Hyperbola mellichroa* (Gozmany,1968)** (Tineidae) **Synonym(s):** *mellichroa* Gozmany,1968 **Range** (in code): **ZA**
- 85940. *Hyperbola phocina* (Meyrick,1908)** (Tineidae) **Synonym(s):** *phocina* Meyrick,1908 **Range** (in code): **ZA Tva Gau Pre**
- 85941. *Infurcitinea albanica* G.Petersen,1963** (Tineidae) **Synonym(s):** *albanica* G.Petersen,1963 **Range** (in code): **MK YU AL ME**
- 85942. *Infurcitinea albicomella* (Stainton,1851)** (Tineidae) **Synonym(s):** *albicomella* Stainton,1851; *albicapilla* Zeller,1852; *luridella* Jäckh,1959; *raetica* Zagulyaev,1974 **Range** (in code): **ES FR IT IE GB DE CH AT PL CZ SK HU RO HV AL BG GR TR DK SE RU MD UA BY Cc GG**
- 85943. *Infurcitinea albulella* (Rebel,1935)** (Tineidae) **Synonym(s):** *albulella* Rebel,1935 **Original Reference:** *Tinea albulella* Rebel,1935, Z. öst. ent. Ver. Wien 20: 28. Syntypes: Spanien: S. Gredos. **Range** (in code): **ES**
- 85944. *Infurcitinea amseli* G.Petersen,1957** (Tineidae) **Synonym(s):** *amseli* G.Petersen,1957 **Range** (in code): **IL Pa JO IR AF Hr PK Bl Qu TM**
- 85945. *Infurcitinea anatolica* G.Petersen,1968** (Tineidae) **Synonym(s):** *anatolica* G.Petersen,1968 **Original Reference:** *Infurcitinea anatolica* Petersen,1968, Acta ent. bohemoslov. 65(1): 64-65, figs. 14,15. Holotype ♂: Türkei: Anatolien [Konya]: Kizilviran. **Range** (in code): **TR**
- 85946. *Infurcitinea arenbergeri* Gaedike,1988** (Tineidae) **Synonym(s):** *arenbergeri* Gaedike,1988 **Range** (in code): **GR**
- 85947. *Infurcitinea argentimaculella* (Stainton,1849)** (Tineidae) **Synonym(s):** *argentimaculella* Stainton,1849 **Range** (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE RU MD UA BY**
- 85948. *Infurcitinea atrifasciella* (Staudinger,1871)** (Tineidae) **Synonym(s):** *atريفasciella* Staudinger,1871; *diasi* Amsel,1957; *zernyi* Zagulyaev,1974 **Range** (in code): **MA TN PT ES FR IT CH AT**
- 85949. *Infurcitinea banatica* G.Petersen,1961** (Tineidae) **Synonym(s):** *banatica* G.Petersen,1961 **Range** (in code): **RO HV YU MK AL GR**
- 85950. *Infurcitinea belviella* Gaedike,1980** (Tineidae) **Synonym(s):** *belviella* Gaedike,1980 **Range** (in code): **Sa**
- 85951. *Infurcitinea brunneopterella* G.Petersen,1964** (Tineidae) **Synonym(s):** *brunneopterella* G.Petersen,1964 **Original Reference:** *Infurcitinea brunneopterella* Petersen,1964,

- Beitr. naturk. Forsch. SWDtl. 23 (2): 118, Abb.7. Holotype ♂: [Iran]: "Pir-i-zan". Range (in code): IR By Skh AF PK BI Qu
- 85952. Infurcitinea captans Gozmany,1960** (Tineidae) Synonym(s): *captans* Gozmany,1960 Range (in code): ES FR IT CH AT SL HV B-H YU
- 85953. Infurcitinea corleyi Gaedike,2011** (Tineidae) Synonym(s): *corleyi* Gaedike,2011 Range (in code): PT
- 85954. Infurcitinea corsica Gaedike,2010** (Tineidae) Synonym(s): *corsica* Gaedike,2010 Range (in code): Co
- 85955. Infurcitinea cyprica G.Petersen & Gaedike,1983** (Tineidae) Synonym(s): *cyprica* G.Petersen & Gaedike,1983 Range (in code): CY
- 85956. Infurcitinea fasciella Gaedike,1983** (Tineidae) Synonym(s): *fasciella* Gaedike,1983; *fasciella* G.Petersen,1984. Range (in code): IR
- 85957. Infurcitinea fibigeri Gaedike,2012** (Tineidae) Synonym(s): *fibigeri* Gaedike,2012 Range (in code): NP
- 85958. Infurcitinea finalis Gozmany,1959** (Tineidae) Synonym(s): *finalis* Gozmany,1959 Range (in code): ES FR IT GB CH AT CZ SK HU B-H HV SS BG GR
- 85959. Infurcitinea frustigerella (Walsingham,1907)** (Tineidae) Synonym(s): *frustigerella* Walsingham,1907; *absconditella* Chrétien,1915. Original Reference: Tinea frustigerella Walsingham,1907, Entomologist's mon. Mag. 43: 193. Syntypes 3♂: Algeria, Hammam-es-Salahin. Range (in code): DZ Hes MA TN Gf ES TR CY IR Mz Amo
- 85960. Infurcitinea gaedikei Baldizzzone,1984** (Tineidae) Synonym(s): *gaedikei* Baldizzzone,1984 Range (in code): ES An
- 85961. Infurcitinea graeca Gaedike,1983** (Tineidae) Synonym(s): *graeca* Gaedike,1983; *graeca* G.Petersen & Gaedike,1983 Range (in code): GR Cr TR CY HV
- 85962. Infurcitinea grisea G.Petersen,1973** (Tineidae) Synonym(s): *grisea* G.Petersen,1973 Range (in code): AF Pag TM
- 85963. Infurcitinea hellenica Gaedike,1997** (Tineidae) Synonym(s): *hellenica* Gaedike,1997 Range (in code): GR
- 85964. Infurcitinea iberica Gaedike,2010** (Tineidae) Synonym(s): *iberica* Gaedike,2010 Range (in code): ES
- 85965. Infurcitinea ignicomella (Heydenreich,1851)** (Tineidae) Synonym(s): *ignicomella* Heydenreich,1851; *flavicapilla* Zeller,1852. Range (in code): FR IT NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY
- 85966. Infurcitinea incertula (Meyrick,1928)** (Tineidae) Synonym(s): *incertula* Meyrick,1928 Range (in code): MA
- 85967. Infurcitinea iranensis G.Petersen,1964** (Tineidae) Synonym(s): *iranensis* G.Petersen,1964 Original Reference: Infurcitinea iranensis Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 117, Abb.5. Holotype ♂: Iran: Barfkhaneh, 900-1200ft, vi.1940, Wiltshire leg. Range (in code): IR
- 85968. Infurcitinea italica (Amsel,1954)** (Tineidae) Synonym(s): *italica* Amsel,1954 Range (in code): ES FR IT
- 85969. Infurcitinea karadaghica Zagulyaev,1979** (Tineidae) Synonym(s): *karadaghica* Zagulyaev,1979 Range (in code): PT RU Cm Cc AM
- 85970. Infurcitinea karmeliella (Amsel,1935)** (Tineidae) Synonym(s): *karmeliella* Amsel,1935 Range (in code): IL Pa JO LB SY
- 85971. Infurcitinea karsholti Gaedike,1992** (Tineidae) Synonym(s): *karsholti* Gaedike,1992 Range (in code): GR
- 85972. Infurcitinea kasyi G.Petersen,1962** (Tineidae) Synonym(s): *kasyi* G.Petersen,1962 Range (in code): YU GR BG MK
- 85973. Infurcitinea klimeschi Passerin d'Entrèves,1974** (Tineidae) Synonym(s): *klimeschi* Passerin d'Entrèves,1974 Range (in code): FR IT
- 85974. Infurcitinea lakoniae Gaedike,1983** (Tineidae) Synonym(s): *lakoniae* Gaedike,1983; *lakoniae* G.Petersen & Gaedike,1983. Range (in code): MK YU GR
- 85975. Infurcitinea lambessella G.Petersen,1958** (Tineidae) Synonym(s): *lambessella* G.Petersen,1958 Range (in code): DZ Lbs TN
- 85976. Infurcitinea lithochorella G.Petersen,1964** (Tineidae) Synonym(s): *lithochorella* G.Petersen,1964 Range (in code): GR

- 85977. Infurcitinea longipennis Zagulyaev,1979** (Tineidae) Synonym(s): *longipennis* Zagulyaev,1979 Range (in code): **Cc GG**
- 85978. Infurcitinea marcunella (Rebel,1901)** (Tineidae) Synonym(s): *marcunella* Rebel,1901 Range (in code): **DZ Lbs MA ES An Mu PT MR**
- 85979. Infurcitinea maroccana G.Petersen & Gaedike,1979** (Tineidae) Synonym(s): *maroccana* G.Petersen & Gaedike,1979 Range (in code): **MA**
- 85980. Infurcitinea maura G.Petersen,1962** (Tineidae) Synonym(s): *maura* G.Petersen,1962 Range (in code): **MA**
- 85981. Infurcitinea media (Walsingham,1907)** (Tineidae) Synonym(s): *media* Walsingham,1907; *intricatella* Chrétien,1915. Original Reference: *Tinea media* Walsingham,1907, Entomologist's mon. Mag. 43: 189-190. Syntypes 6♂: Algeria, El-Kantara. Range (in code): **DZ Ktr TN Gf**
- 85982. Infurcitinea megalopterella G.Petersen,1964** (Tineidae) Synonym(s): *megalopterella* G.Petersen,1964 Original Reference: *Infurcitinea megalopterella* Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 117, Abb.6. Holotype ♂: [Iran]: "Shiraz, Fars". Range (in code): **IR Fa Shr**
- 85983. Infurcitinea minuscula Gozmany,1960** (Tineidae) Synonym(s): *minuscula* Gozmany,1960 Range (in code): **ES**
- 85984. Infurcitinea montei Amsel,1957** (Tineidae) Synonym(s): *montei* Amsel,1957 Range (in code): **PT**
- 85985. Infurcitinea nigropluviella (Walsingham,1907)** (Tineidae) Synonym(s): *nigropluviella* Walsingham,1907; *maraschensis* G.Petersen,1968. Original Reference: *Tinea nigropluviella* Walsingham,1907, Entomologist's mon. Mag. 43: 190. Syntypes 16♂: Algeria, Hammam-es-Salahin. Range (in code): **DZ Hes TN TR GR Cr Rd CY IR Fa**
- 85986. Infurcitinea nuristanica G.Petersen,1963** (Tineidae) Synonym(s): *nuristanica* G.Petersen,1963 Range (in code): **AF Nu**
- 85987. Infurcitinea obscura G.Petersen,1973** (Tineidae) Synonym(s): *obscura* G.Petersen,1973 Range (in code): **AF Kab**
- 85988. Infurcitinea obscuroides Gaedike,1983** (Tineidae) Synonym(s): *obscuroides* Gaedike,1983; *obscuroides* G.Petersen & Gaedike,1983. Range (in code): **IR**
- 85989. Infurcitinea olympica G.Petersen,1958** (Tineidae) Synonym(s): *olympica* G.Petersen,1958; *romanica* Capuse,1966. Range (in code): **RO GR**
- 85990. Infurcitinea orchidella G.Petersen,1962** (Tineidae) Synonym(s): *orchidella* G.Petersen,1962 Range (in code): **YU MK GR**
- 85991. Infurcitinea parentii G.Petersen,1964** (Tineidae) Synonym(s): *parentii* G.Petersen,1964 Range (in code): **IT**
- 85992. Infurcitinea parnassiella Gaedike,1987** (Tineidae) Synonym(s): *parnassiella* Gaedike,1987 Range (in code): **GR Cr**
- 85993. Infurcitinea peterseni Baldizzone,1984** (Tineidae) Synonym(s): *peterseni* Baldizzone,1984 Range (in code): **ES An**
- 85994. Infurcitinea quettaella G.Petersen,1971** (Tineidae) Synonym(s): *quettaella* G.Petersen,1971 Range (in code): **PK Qu Bl**
- 85995. Infurcitinea raddei G.Petersen,1958** (Tineidae) Synonym(s): *raddei* G.Petersen,1958 Range (in code): **Cc GG RU**
- 85996. Infurcitinea rebeliella (Krone,1907)** (Tineidae) Synonym(s): *rebeliella* Krone,1907 Range (in code): **HV**
- 85997. Infurcitinea reisseri G.Petersen,1968** (Tineidae) Synonym(s): *reisseri* G.Petersen,1968 Range (in code): **GR Cr**
- 85998. Infurcitinea roesslerella (Heyden,1865)** (Tineidae) Synonym(s): *roesslerella* Heyden,1865; *alpicella* G.Petersen,1962. Range (in code): **ES FR IT DE CH AT PL CZ HU RU UA**
- 85999. Infurcitinea romanica Capuse,1966** (Tineidae) Synonym(s): *romanica* Capuse,1966 Range (in code): **RO BG**
- 86000. Infurcitinea rumelicella (Rebel,1903)** (Tineidae) Synonym(s): *rumelicella* Rebel,1903 Range (in code): **PT FR IT RO YU BG GR RU UA Cc GG AM MK TR TM Kp**
- 86001. Infurcitinea safedella G.Petersen,1973** (Tineidae) Synonym(s): *safedella* G.Petersen,1973 Range (in code): **AF Sfk PK**
- 86002. Infurcitinea sardica (Amsel,1952)** (Tineidae) Synonym(s): *sardica* Amsel,1952; *baldizzoni* Gaedike,1983. Range (in code): **FR Sa**

- 86003. Infurcitinea sardiniella Vari,1942** (Tineidae) Synonym(s): *sardiniella* Vari,1942 Range (in code): FR Co Sa
- 86004. Infurcitinea senecai Gaedike,1987** (Tineidae) Synonym(s): *senecai* Gaedike,1987 Range (in code): LY
- 86005. Infurcitinea siciliana G.Petersen,1964** (Tineidae) Synonym(s): *siciliana* G.Petersen,1964 Range (in code): Si
- 86006. Infurcitinea tauridella G.Petersen,1968** (Tineidae) Synonym(s): *tauridella* G.Petersen,1968; *juliae* Satschkov,1995. Original Reference: Infurcitinea tauridella Petersen,1968, Acta ent. bohemoslov. 65(1): 62-63, fig.10. Holotype ♂: [Türkei]: Taurus. Range (in code): BG GR TR RU Rd
- 86007. Infurcitinea taurus Gaedike,1988** (Tineidae) Synonym(s): *taurus* Gaedike,1988 Range (in code): GR Sms
- 86008. Infurcitinea teheranensis G.Petersen,1971** (Tineidae) Synonym(s): *teheranensis* G.Petersen,1971 Original Reference: Infurcitinea teheranensis Petersen,1971, Beitr. Ent. 21 (3/6): 268. Holotype ♂: N-Iran: 70km S Teheran, 1300m, 5.v.1965, Kasy & Vartian leg. Range (in code): IR Elb Th
- 86009. Infurcitinea teriolella (Amsel,1954)** (Tineidae) Synonym(s): *teriolella* Amsel,1954 Range (in code): FR ES CH NL IT
- 86010. Infurcitinea toechophila (Walsingham,1908)** (Tineidae) Synonym(s): *toechophila* Walsingham,1908 Range (in code): Cn
- 86011. Infurcitinea tribertii Gaedike,1983** (Tineidae) Synonym(s): *tribertii* Gaedike,1983; *tribertii* Baldizzzone,1983. Original Reference: Infurcitinea tribertii Gaedike,1983, Ent. Abh. St. Mus. Tierk. 46 (7): 126, figs.64-65. Holotype ♂: Mazedonien: Mt. Pelister, 2400m. Range (in code): MK GR TR
- 86012. Infurcitinea turcica G.Petersen,1968** (Tineidae) Synonym(s): *turcica* G.Petersen,1968 Original Reference: Infurcitinea turcica Petersen,1968, Acta ent. bohemoslov. 65(1): 63-64, figs. 12,13. Holotype ♂: [Türkei]: Anatolien: Kizilcahamam, 925m. Range (in code): TR GR Ae Le
- 86013. Infurcitinea vanderwolffi Gaedike,1997** (Tineidae) Synonym(s): *vanderwolffi* Gaedike,1997 Range (in code): HV BG GR
- 86014. Infurcitinea vartianae G.Petersen,1962** (Tineidae) Synonym(s): *vartianae* G.Petersen,1962 Range (in code): ES
- 86015. Infurcitinea walsinghami G.Petersen,1962** (Tineidae) Synonym(s): *walsinghami* G.Petersen,1962 Range (in code): FR Py
- 86016. Infurcitinea yildizae Koçak,1981** (Tineidae) Synonym(s): *sexguttella* Mann,1873 *nec* Thunb.,1794; *yildizae* Koçak,1981. Range (in code): FR IT
- 86017. Ischnoscia borreonella (Millière,1874)** (Tineidae) Synonym(s): *borreonella* Millière,1874 Range (in code): ES FR GB DE CH CZ RO
- 86018. Ischnoscia pandorella (Millière,1881)** (Tineidae) Synonym(s): *pandorella* Millière,1881 Range (in code): FR
- 86019. Janseana szeptica (Meyrick,1910)** (Tineidae) Synonym(s): *szeptica* Meyrick,1910 Range (in code): ZA Tva Lpo Wri Ec Tlb
- 86020. Janseana vibrata (Meyrick,1913)** (Tineidae) Synonym(s): *vibrata* Meyrick,1913; *crispa* Meyrick,1920 Range (in code): ZA Tva Mpu Brb Nta Kzu
- 86021. Karsholtia marianii (Rebel,1936)** (Tineidae) Synonym(s): *marianii* Rebel,1936 Range (in code): Si DK DE NO SE
- 86022. Kermania pistaciella Amsel,1964** (Tineidae) Synonym(s): *pistaciella* Amsel,1964 Original Reference: Kermania pistaciella Amsel,1964, Beitr. naturk. Forsch. SW-Dtl. 23 (2): 108-109. 3 figs. Holotype ♂: Iran: Kerman, leg. Dr. Leuchs. Range (in code): IR Ke Bionomy: Larva on Pistacia (Amsel,1964).
- 86023. Lichenotinea pustulatella (Zeller,1852)** (Tineidae) Synonym(s): *pustulatella* Zeller,1852; *igaloensis* Amsel,1951; *maculata* G.Petersen,1957 Range (in code): ES FR IT BE DE CH AT RO HV BG GR TR RU MD UA BY
- 86024. Linderia tessellatella Blanchard,1852** (Tineidae) Synonym(s): *tessellatella* Blanchard,1852; *variegella* Blanchard,1852; *bogotatella* Walker,1864; *cruciferella* Dietz,1905; *ehrhornella* Dietz,1905; *simulella* Dietz,1905; *calcularis* Meyrick,1906 Range (in code): ZA
- 86025. Lysitona euryacta Meyrick,1918** (Tineidae) Synonym(s): *euryacta* Meyrick,1918 Range (in code): MZ Blv

- 86026. *Machaeropteris petalacma* Meyrick, 1932** (Tineidae) **Synonym(s):** *petalacma* Meyrick, 1932 **Range (in code):** TW
- 86027. *Machaeropteris scythopa* (Meyrick, 1931)** (Tineidae) **Synonym(s):** *scythopa* Meyrick, 1931 **Range (in code):** TH MY VN Ton
- 86028. *Malacyntis stibarodes* Meyrick, 1908** (Tineidae) **Synonym(s):** *stibarodes* Meyrick, 1908 **Range (in code):** SL NG GH
- 86029. *Matratinea ruficaput* Sziraki & Szöcs, 1990** (Tineidae) **Synonym(s):** *ruficaput* Sziraki & Szöcs, 1990 **Range (in code):** HV HU GR Ae Le BG
- 86030. *Meneessia minutella* (G. Petersen, 1959)** (Tineidae) **Synonym(s):** *minutella* G. Petersen, 1959 **Range (in code):** AF PK TM TJ
- 86031. *Miarotagmata penetrata* (Meyrick, 1911)** (Tineidae) **Synonym(s):** *penetrata* Meyrick, 1911; *myelopsis* Meyrick, 1927 **Range (in code):** ZA Tva Wo
- 86032. *Micrerethista africana* Davis, 1998** (Tineidae) **Synonym(s):** *africana* Davis, 1998 **Range (in code):** CF
- 86033. *Micrerethista bifida* Davis, 1998** (Tineidae) **Synonym(s):** *bifida* Davis, 1998 **Range (in code):** MY Bor BN
- 86034. *Micrerethista denticulata* Davis, 1998** (Tineidae) **Synonym(s):** *denticulata* Davis, 1998 **Original Reference:** *Micrerethista denticulata* Davis, 1998, *Smithonian Contr. Zool.* 597: 29, figs. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m 1-4.Sept.1987, Moriuti, Saito, Arita & Yoshiyasu (UOP). **Range (in code):** JP TH CMa Dst MY Kdh Sgo BN Bor Sbh ID Clb
- 86035. *Micrerethista dissacca* Davis, 1998** (Tineidae) **Synonym(s):** *dissacca* Davis, 1998 **Range (in code):** MY BN Bor
- 86036. *Micrerethista entripta* (Meyrick, 1917)** (Tineidae) **Synonym(s):** *entripta* Meyrick, 1917 **Range (in code):** AU Cai NSw QAU Kda
- 86037. *Micrerethista eustena* Diakonoff, 1955** (Tineidae) **Synonym(s):** *eustena* Diakonoff, 1955 **Range (in code):** ID Ij Cyc PG
- 86038. *Micrerethista fasciola* Davis, 1998** (Tineidae) **Synonym(s):** *fasciola* Davis, 1998 **Range (in code):** AU QAU Cai NAU KY
- 86039. *Micrerethista fusca* Davis, 1998** (Tineidae) **Synonym(s):** *fusca* Davis, 1998 **Range (in code):** AU NAU QAU
- 86040. *Micrerethista mochlacma* Meyrick, 1938** (Tineidae) **Synonym(s):** *mochlacma* Meyrick, 1938 **Range (in code):** PG ID Ij Gth Crm Sum NIR
- 86041. *Micrerethista nigrapex* Davis, 1998** (Tineidae) **Synonym(s):** *nigrapex* Davis, 1998 **Range (in code):** AU NSw QAU TA
- 86042. *Micrerethista resima* Davis, 1998** (Tineidae) **Synonym(s):** *resima* Davis, 1998 **Original Reference:** *Micrerethista resima* Davis, 1998, *Smithonian Contr. Zool.* 597: 27, figs. Holotype ♂: Thailand: Nakhon Si Thammarat, Khao Luang NP, 150m, 18 Aug. 1990 I. Kitching & A. Cotton (BMNH). **Range (in code):** TH Nna
- 86043. *Micrerethista* sp.** (Tineidae) **Synonym(s):** **Range (in code):** MY Bor Swk
- 86044. *Minicorona tricarpa* (Meyrick, 1913)** (Tineidae) **Synonym(s):** *tricarpa* Meyrick, 1913 **Range (in code):** ZA Tva Mpu Brb
- 86045. *Moerarchis anomogramma* Meyrick, 1930** (Tineidae) **Synonym(s):** *anomogramma* Meyrick, 1930; *rectilinea* Diakonoff, 1968 **Range (in code):** AU
- 86046. *Moerarchis australasiella* (Donovan, 1805)** (Tineidae) **Synonym(s):** *australasiella* Donovan, 1805; *cossuna* Lewin, 1805 **Range (in code):** AU
- 86047. *Moerarchis clathrata* (Felder & Rogenhofer, 1875)** (Tineidae) **Synonym(s):** *clathrata* Felder & Rogenhofer, 1875; *dictyotis* Meyrick, 1893 **Range (in code):** AU
- 86048. *Moerarchis galactodelta* (Diakonoff, 1968)** (Tineidae) **Synonym(s):** *galactodelta* Diakonoff, 1968 **Range (in code):** PH
- 86049. *Moerarchis hypomacra* (Turner, 1923)** (Tineidae) **Synonym(s):** *hypomacra* Turner, 1923 **Range (in code):** AU
- 86050. *Moerarchis inconcisella* (Walker, 1863)** (Tineidae) **Synonym(s):** *inconcisella* Walker, 1863 **Range (in code):** AU
- 86051. *Moerarchis lanosa* (Diakonoff, 1949)** (Tineidae) **Synonym(s):** *lanosa* Diakonoff, 1949 **Range (in code):** AU
- 86052. *Moerarchis lapidea* Turner, 1927** (Tineidae) **Synonym(s):** *lapidea* Turner, 1927 **Range (in code):** AU

- 86053. Moerarchis placomorpha Meyrick, 1922** (Tineidae) Synonym(s): *placomorpha Meyrick, 1922* Range (in code): AU
- 86054. Moerarchis pyrochroa (Meyrick, 1893)** (Tineidae) Synonym(s): *pyrochroa Meyrick, 1893; xanthobapta Lower, 1903* Range (in code): AU
- 86055. Moerarchis rectitrigonia Yang & H.H.Li, 2013** (Tineidae) Synonym(s): *rectitrigonia Yang & H.H.Li, 2013* Range (in code): CN Hn Ahw KwT Tkg
- 86056. Monopis artasyras Meyrick, 1931** (Tineidae) Synonym(s): *artasyras Meyrick, 1931* Range (in code): CN Yu NP
- 86057. Monopis avara Meyrick, 1919** (Tineidae) Synonym(s): *avara Meyrick, 1919* Range (in code): PK Haz Msr NP IN Hp
- 86058. Monopis barbarosi (Koçak, 1981)** (Tineidae) Synonym(s): *irrearella Wollaston, 1858 nec Hbn., 1796; barbarosi Koçak, 1981* Original Reference: Reisserita barbarosi Koçak, 1981, Priamus 1 (3): 111 (nomen novum pro irrearella Wollaston, 1858 nec Hbn., 1796). Range (in code): Md
- 86059. Monopis burmanni G.Petersen, 1979** (Tineidae) Synonym(s): *burmanni G.Petersen, 1979; bisonella Sumpich, 2011* Range (in code): AT PL RU Ur
- 86060. Monopis christophi G.Petersen, 1957** (Tineidae) Synonym(s): *christophi G.Petersen, 1957; straminella Zagulyaev, 1958* Range (in code): Sr RU IR Ak Aha
- 86061. Monopis congestella (Walker, 1864)** (Tineidae) Synonym(s): *congestella Walker, 1864* Range (in code): MY BN Sbh Bor Swk ID Clb PH TH Bionomy: Larva zoophagous on feathers of birds (Robinson, 1988).
- 86062. Monopis crocicapitella (Clemens, 1859)** (Tineidae) Synonym(s): *crocicapitella Clemens, 1859; amandatella Walker, 1863; hyalinella Staudinger, 1870; lombardica Hering, 1889; heringi Richardson, 1893; ptilophaga Enderlein, 1909; prometopias Gyeen, 1913; ceconii Turati, 1919; dobrogica Georgescu, 1964* Range (in code): MA PT ES FR Co Si IT MT IE GB BE NL DE CH AT CZ SK HU RO YU BG GR Cr TR RU MD UA BY JP ZA
- 86063. Monopis desertella Amsel, 1935** (Tineidae) Synonym(s): *desertella Amsel, 1935* Range (in code): IL Pa Jer JO
- 86064. Monopis fenestratella (Heyden, 1863)** (Tineidae) Synonym(s): *fenestratella Heyden, 1863* Range (in code): FR GB BE NL DE AT CZ SK HU RO DK SE FI LV RU MD UA BY
- 86065. Monopis flavidorsalis (Matsumura, 1931)** (Tineidae) Synonym(s): *flavidorsalis Matsumura, 1931* Range (in code): JP CN Tkg
- 86066. Monopis imella (Hübner, [1813])** (Tineidae) Synonym(s): *imella Hübner, [1813]; nitidella Zagulyaev, 1960.* Range (in code): DZ Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR Cc LB Bsa DK SE FI EE LV LT RU MD UA BY IR Fa Shr Kh MN
- 86067. Monopis immaculata Gozmany, 1967** (Tineidae) Synonym(s): *immaculata Gozmany, 1967* Range (in code): ZA
- 86068. Monopis impressella (Walker, 1863)** (Tineidae) Synonym(s): *impressella Walker, 1863* Range (in code): IN LK MY BN Bor Sbh ID Clb TH Bionomy: Larva zoophagous on feathers of birds (Robinson, 1988).
- 86069. Monopis laevigella ([Denis & Schiffermüller], 1775)** (Tineidae) Synonym(s): *laevigella [Denis & Schiffermüller], 1775; rusticella Hübner, 1796; rustica Haworth, [1828]; saturella Haworth, [1828].* Original Reference: Tinea laevigella [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): Vienna district. Range (in code): PT ES FR Co IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Mz Gls
- 86070. Monopis lamprostola Meyrick, 1918** (Tineidae) Synonym(s): *lamprostola Meyrick, 1918* Range (in code): ZA Tva Gau Pre
- 86071. Monopis longella (Walker, 1863)** (Tineidae) Synonym(s): *longella Walker, 1863* Range (in code): IN Kma Hp NP SI MY TH NP PK CN JP IR Bionomy: Larva zoophagous on feathers of birds (Robinson, 1988).
- 86072. Monopis megalodelta Meyrick, 1908** (Tineidae) Synonym(s): *megalodelta Meyrick, 1908* Range (in code): ZA NG
- 86073. Monopis meleodes Meyrick, 1917** (Tineidae) Synonym(s): *meleodes Meyrick, 1917* Original Reference: Monopis meleodes Meyrick, 1917, Exot. Microlepid. 2: 84. Type ♂: [Turkey]: Almadagh. Range (in code): TR IQ
- 86074. Monopis meyricki Gozmany, 1967** (Tineidae) Synonym(s): *meyricki Gozmany, 1967* Range (in code): ZA

- 86075. *Monopis monachella* (Hübner,1796)** (Tineidae) Synonym(s): *monachella* Hübner,1796
Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT GR RU MD UA BY IR Elb Mz Clu NP**
- 86076. *Monopis nepheloscopa* Meyrick,1928** (Tineidae) Synonym(s): *nepheloscopa* Meyrick,1928
Range (in code): **ZA**
- 86077. *Monopis nigricantella* (Millière,1872)** (Tineidae) Synonym(s): *nigricantella* Millière,1872
Range (in code): **PT ES FR Sa IT MT DE**
- 86078. *Monopis obviella* ([Denis & Schiffermüller],1775)** (Tineidae) Synonym(s): *obviella* [Denis & Schiffermüller],1775; *ferruginella* Hübner,[1813] *nec* Thunberg,1788; *splendella* Hübner,[1813] *nec* [Denis & Schiffermüller],1775. Original Reference: *Tinea obviella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend: 142.* Type(s): Vienna district. Range (in code): **AD FR IT MT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA Cc IR Mz Gl**
- 86079. *Monopis pallidella* Zagulyaev,1955** (Tineidae) Synonym(s): *pallidella* Zagulyaev,1955; *orgidhani* Georgescu,1964 Range (in code): **RO RU Mo IR**
- 86080. *Monopis pavlovskii* (Zagulyaev,1955)** (Tineidae) Synonym(s): *pavlovskii* Zagulyaev,1955
Range (in code): **IR PK CN Yu Hun Kgs She JP RU Us Vv**
- 86081. *Monopis persimilis* Gozmany,1965** (Tineidae) Synonym(s): *persimilis* Gozmany,1965
Range (in code): **ZA**
- 86082. *Monopis rejectella* (Walker,1875)** (Tineidae) Synonym(s): *rejectella* Walker,1875; *pellucida* Wallengren,1875; *ubangi* Gozmany,1966 Range (in code): **ZA**
- 86083. *Monopis rutilicostella* Stainton,1860** (Tineidae) Synonym(s): *rutilicostella* Stainton,1860; *ethelella* Meyrick,1909; *perforata* Meyrick,1911 Range (in code):
- 86084. *Monopis speculella* (Zeller,1852)** (Tineidae) Synonym(s): *speculella* Zeller,1852 Range (in code): **ZA**
- 86085. *Monopis spilotella* (Tengström,1848)** (Tineidae) Synonym(s): *spilotella* Tengström,1848
Range (in code): **DK NO SE FI EE LV LT RU MD UA BY**
- 86086. *Monopis transeans* Gozmany,1965** (Tineidae) Synonym(s): *transeans* Gozmany,1965
Range (in code): **ZA**
- 86087. *Monopis trapezoides* G.Petersen & Gaedike,1993** (Tineidae) Synonym(s): *trapezoides* G.Petersen & Gaedike,1993 Range (in code): **CN Tkg**
- 86088. *Monopis triplacopa* Meyrick,1932** (Tineidae) Synonym(s): *triplacopa* Meyrick,1932
Original Reference: *Monopis triplacopa* Meyrick,1932, *Trans. R. ent. Soc. London* 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): **ET ET88 Sw**
- 86089. *Monopis ustella* Haworth,1828** (Tineidae) Synonym(s): *ustella* Haworth,1828 Range (in code):
- 86090. *Monopis weaverella* (Scott,1858)** (Tineidae) Synonym(s): *weaverella* Scott,1858 Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV RU MD UA BY GR**
- 86091. *Montescardia fuscofasciella* (Chambers,1875)** (Tineidae) Synonym(s): *fuscofasciella* Chambers,1875; *pravatella* Busck,1908 Range (in code): **US Tx Pns NCa**
- 86092. *Montescardia kurensovi* (Zagulyaev,1966)** (Tineidae) Synonym(s): *kurensovi* Zagulyaev,1966 Range (in code): **RU Us Krl Vv**
- 86093. *Montescardia tessulatellus* (Lienig & Zeller,1846)** (Tineidae) Synonym(s): *tessulatellus* Lienig & Zeller,1846 Original Reference: *Euplocamus tessulatellus* Lienig & Zeller,1846, *Stettin ent. Ztg.* 7: 178. Lectotype ♂: Austria: Semmering, 80km SW of Vienna (Mann leg.), designated Robinson,1986 (BMNH). Range (in code): **Si IT DE CH AT PL CZ SK HU RO YU BG TR NO SE FI EE LV LT RU MD UA Cm Sb BY Us MN** Bionomy: Larva on pore-fungi and dead wood of *Picea*, *Fagus* (Petersen,1969).
- 86094. *Montetinea montana* G.Petersen,1957** (Tineidae) Synonym(s): *montana* G.Petersen,1957
Range (in code): **FR IT**
- 86095. *Montetinea tenuicornella* (Klimesch,1942)** (Tineidae) Synonym(s): *tenuicornella* Klimesch,1942 Range (in code): **IT CH YU**
- 86096. *Morphophaga (bucephala-gr.) bucephala* (Snellen,1884)** (Tineidae) Synonym(s): *bucephala* Snellen,1884; *chomatias* Meyrick,1910; *rotundata* Matsumura,1931 Range (in code): **RU Am CN Yu JP KP KR IN Ass MM MY Bor ID Clb PG**
- 86097. *Morphophaga (bucephala-gr.) cremnarcha* (Meyrick,1932)** (Tineidae) Synonym(s): *cremnarcha* Meyrick,1932; *nigrocapitella* G.Petersen,1959 Range (in code): **IR Ke Jrf Ch AF IN Up Hp Drm NP**

- 86098. Morophaga (bucephala-gr.) soror** Gozmany,1965 (Tineidae) Synonym(s): *soror* Gozmany,1965 Range (in code): **ZA SL CI GH CM GO Bio UG KE ZR ZM**
- 86099. Morophaga (bucephala-gr.) vadonella** (Viette,1954) (Tineidae) Synonym(s): *vadonella* Viette,1954 Range (in code): **MG**
- 86100. Morophaga (choragella-gr.) choragella** ([Denis & Schiffermüller],1775) (Tineidae) Synonym(s): *choragella* [Denis & Schiffermüller],1775; *boleti* Fabricius,1777; *fungella* Thunberg,1794; *mediella* Hübner,1796 Original Reference: *Tinea choragella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 137. Type(s): Vienna district. Range (in code): **MA TN PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR KG Sb Cc**
- 86101. Morophaga (choragella-gr.) fasciculata** G.S.Robinson,1986 (Tineidae) Synonym(s): *fasciculata* G.S.Robinson,1986 Range (in code): **JP**
- 86102. Morophaga (choragella-gr.) hyrcanella** Zagulyaev,1966 (Tineidae) Synonym(s): *hyrcanella* Zagulyaev,1966; *talyshensis* Zagulyaev,1966 Range (in code): **Cc AZ Tlh Len IR Mz Sari**
- 86103. Morophaga (clonodes-gr.) clonodes** (Meyrick,1893) (Tineidae) Synonym(s): *clonodes* Meyrick,1893; *porphyrea* Lower,1903; *maculosa* Diakonoff,1949 Range (in code): **AU ID Bru Mlc PG NF**
- 86104. Morophaga (morella-gr.) morella** (Duponchel,1838) (Tineidae) Synonym(s): *morella* Duponchel,1838; *#fungicolella* Dumont,1930 Range (in code): **MA TN PT ES FR Co Sa IT MT GR Rd TR RU MD UA Cm AF**
- 86105. Morophaga (sistrata-gr.) borneensis** G.S.Robinson,1986 (Tineidae) Synonym(s): *borneensis* G.S.Robinson,1986 Range (in code): **MY Bor Sbh**
- 86106. Morophaga (sistrata-gr.) formosana** G.S.Robinson,1986 (Tineidae) Synonym(s): *formosana* G.S.Robinson,1986; *kobella* G.S.Robinson,1986 Range (in code): **TW CN JP**
- 86107. Morophaga (sistrata-gr.) iriomotensis** G.S.Robinson,1986 (Tineidae) Synonym(s): *iriomotensis* G.S.Robinson,1986 Range (in code): **JP Ri**
- 86108. Morophaga (sistrata-gr.) sistrata** (Meyrick,1916) (Tineidae) Synonym(s): *sistrata* Meyrick,1916 Range (in code): **LK IN TH MY ID Clb PH Mno Pal**
- 86109. Morophaga (sistrata-gr.) tholerodes** (Meyrick,1894) (Tineidae) Synonym(s): *tholerodes* Meyrick,1894 Range (in code): **MM Shn**
- 86110. Morophagoides berkeleyella** (Powell,[1968]) (Tineidae) Synonym(s): *berkeleyella* Powell,[1968] Range (in code): **US Cf** Bionomy: Larva on Polyporus gilvus (Polyporaceae) on fallen Quercus agrifolia; dead stems of Lupinus; a log of Lithocarpus (Lawrence & Powell,1969).
- 86111. Morophagoides burkerella** (Busck,1904) (Tineidae) Synonym(s): *burkerella* Busck,1904; *gracilis* Walsingham,1907; *caryophylella* Busck,1908; *errandella* Busck,1908 Range (in code): **US Cf Ut Pns CA CBo** Bionomy: Larva on Polyporaceae (Lawrence & Powell,1969).
- 86112. Morophagoides iranensis** G.Petersen,1960 (Tineidae) Synonym(s): *iranensis* G.Petersen,1960 Original Reference: *Morphagoides iranensis* Petersen,1960, Stuttg. Beitr. Naturk. 34: 1-2, Abb.1. Holotype ♂: Iran: Tahergourabe, v/vi.1950, leg. Schäuuffele (LNK). Range (in code): **Cc GG IR Tgo Gh** Bionomy: Larva on Polyporaceae (Fomes, Ganoderma, Polyporus, Coriolus) on Quercus, Zelkova, Parrotia (Zagulyaev,1973).
- 86113. Morophagoides iulina** (Walsingham,1914) (Tineidae) Synonym(s): *iulina* Walsingham,1914 Range (in code): **GT**
- 86114. Morophagoides montium** (Walsingham,1914) (Tineidae) Synonym(s): *montium* Walsingham,1914 Range (in code): **PA Cq**
- 86115. Morophagoides moriutii** G.S.Robinson,1986 (Tineidae) Synonym(s): *moriutii* G.S.Robinson,1986 Range (in code): **JP TW**
- 86116. Morophagoides nimbiferum** G.S.Robinson,1986 (Tineidae) Synonym(s): *nimbiferum* G.S.Robinson,1986 Range (in code): **GT**
- 86117. Morophagoides pythium** G.S.Robinson,1986 (Tineidae) Synonym(s): *pythium* G.S.Robinson,1986 Range (in code): **CR**
- 86118. Morophagoides ussuriensis** (Caradja,1920) (Tineidae) Synonym(s): *ussuriensis* Caradja,1920 Range (in code): **RU Us Am Vv**
- 86119. Moscardia renitens** (Meyrick,1922) (Tineidae) Synonym(s): *renitens* Meyrick,1922 Range (in code): **BR**
- 86120. Moscardia varna** G.S.Robinson,1986 (Tineidae) Synonym(s): *varna* G.S.Robinson,1986 Range (in code): **BO**

- 86121. Myrmecozela (Dulcana) cuencella (Caradja,1920)** (Tineidae) **Synonym(s):** *cuencella* Caradja,1920; *chellalaris* G.Petersen,1957 Range (in code): ES
- 86122. Myrmecozela (Dulcana) diacona Walsingham,1907** (Tineidae) **Synonym(s):** *diacona* Walsingham,1907 Original Reference: Myrmecozela diacona Walsingham,1907, Entomologist's mon. Mag. 43: 152. Syntypes 45♂♂: Algeria, Biskra, Hammam-es-Salahin. Range (in code): DZ Bsk Hes TN Gf TR
- 86123. Myrmecozela (Dulcana) lambesella Rebel,1901** (Tineidae) **Synonym(s):** *lambesella* Rebel,1901 Range (in code): DZ TN ES
- 86124. Myrmecozela (Flavida) armeniaca Zagulyaev,1971** (Tineidae) **Synonym(s):** *armeniaca* Zagulyaev,1971 Range (in code): Cc AM Eri
- 86125. Myrmecozela (Flavida) asariella Zagulyaev,1972** (Tineidae) **Synonym(s):** *asariella* Zagulyaev,1972 Range (in code): Cc AZ Nv Ord
- 86126. Myrmecozela (Flavida) carabachica Zagulyaev,1968** (Tineidae) **Synonym(s):** *carabachica* Zagulyaev,1968 Range (in code): Cc AZ Kir
- 86127. Myrmecozela (Flavida) gajndzhiella Zagulyaev,1968** (Tineidae) **Synonym(s):** *gajndzhiella* Zagulyaev,1968 Range (in code): Cc AZ Kir
- 86128. Myrmecozela (Flavida) hyrcanella Zagulyaev,1968** (Tineidae) **Synonym(s):** *hyrcanella* Zagulyaev,1968 Range (in code): Cc AZ Tlh
- 86129. Myrmecozela (Flavida) imeretica Zagulyaev,1972** (Tineidae) **Synonym(s):** *imeretica* Zagulyaev,1972 Range (in code): Cc GG Bjo
- 86130. Myrmecozela (Flavida) isopsamma Meyrick,1920** (Tineidae) **Synonym(s):** *isopsamma* Meyrick,1920; *favens* Meyrick,1917; *pelochlora* Meyrick,1920; *philoptica* Meyrick,1931; *abyssinica* Gozmany,1960; *ethiopica* Gozmany,1960 Range (in code): ET ZA
- 86131. Myrmecozela (Flavida) kasachstanica Zagulyaev,1972** (Tineidae) **Synonym(s):** *kasachstanica* Zagulyaev,1972 Range (in code): KG
- 86132. Myrmecozela (Flavida) lutosella (Eversmann,1844)** (Tineidae) **Synonym(s):** *lutosella* Eversmann,1844; *gigantea* Christoph,1873; *centrogramma* Meyrick,1921; *insignis* Amsel,1935; *stichograptia* Meyrick,1936 Range (in code): TR IL Pa IQ Bgd IR Elb Fa Bu Ke RU Ao Or Ur KG CN Ui Ku
- 86133. Myrmecozela (Flavida) mongolica G.Petersen,1965** (Tineidae) **Synonym(s):** *mongolica* G.Petersen,1965 Range (in code): MN
- 86134. Myrmecozela (Flavida) ordubasis Zagulyaev,1968** (Tineidae) **Synonym(s):** *ordubasis* Zagulyaev,1968 Range (in code): Cc AZ Nv Ord
- 86135. Myrmecozela (Flavida) pontica Zagulyaev,1971** (Tineidae) **Synonym(s):** *pontica* Zagulyaev,1971 Range (in code): UA
- 86136. Myrmecozela (Flavida) rjabovi Zagulyaev,1968** (Tineidae) **Synonym(s):** *rjabovi* Zagulyaev,1968 Range (in code): Cc RU Da Der
- 86137. Myrmecozela (Flavida) saule Zagulyaev,1972** (Tineidae) **Synonym(s):** *saule* Zagulyaev,1972 Range (in code): KG Tk
- 86138. Myrmecozela (Flavida) stepicola Zagulyaev,1972** (Tineidae) **Synonym(s):** *stepicola* Zagulyaev,1972 Range (in code): UA
- 86139. Myrmecozela (Promasia) ataxella (Chrétien,1905)** (Tineidae) **Synonym(s):** *ataxella* Chrétien,1905; *chneourella* Lucas,1950 Range (in code): DZ Bsk LY TN Gf ES Mu FR IT
- 86140. Myrmecozela (Promasia) deserticola Walsingham,1907** (Tineidae) **Synonym(s):** *deserticola* Walsingham,1907 Original Reference: Myrmecozela deserticola Walsingham,1907, Entomologist's mon. Mag. 43: 192-193. Syntypes 3♂♂: Algeria, Hammam-es-Salahin. Range (in code): DZ Hes
- 86141. Myrmecozela (Promasia) hispaniella Zagulyaev,1971** (Tineidae) **Synonym(s):** *hispaniella* Zagulyaev,1971 Range (in code): ES Mu
- 86142. Myrmecozela (Promasia) parnassiella (Rebel,1915)** (Tineidae) **Synonym(s):** *parnassiella* Rebel,1915 Range (in code): MK BG GR TR CY
- 86143. Myrmecozela (Promasia) sordidella (Caradja,1920)** (Tineidae) **Synonym(s):** *sordidella* Caradja,1920 Range (in code): TN Gf
- 86144. Myrmecozela (s.str.) changaicus Zagulyaev,1997** (Tineidae) **Synonym(s):** *changaicus* Zagulyaev,1997 Range (in code): MN
- 86145. Myrmecozela (s.str.) dzhungarica Zagulyaev,1971** (Tineidae) **Synonym(s):** *dzhungarica* Zagulyaev,1971 Range (in code): CN Ui Ku
- 86146. Myrmecozela (s.str.) heptapotamica Zagulyaev,1971** (Tineidae) **Synonym(s):** *heptapotamica* Zagulyaev,1971 Range (in code): KG Tk

- 86147. Myrmecozela (s.str.) ochraceella (Tengström,1848)** (Tineidae) **Synonym(s):** *ochraceella* Tengström,1848 Range (in code): **ES AD FR IT GB CH AT PL SK RO DK NO SE FI EE RU MD UA BY**
- 86148. Myrmecozela (s.str.) samurensis Zagulyaev,1997** (Tineidae) **Synonym(s):** *samurensis* Zagulyaev,1997 Range (in code): **RU Da Cc**
- 86149. Myrmecozela (s.str.) taurella Zagulyaev,1971** (Tineidae) **Synonym(s):** *taurella* Zagulyaev,1971 Range (in code): **UA Cm**
- 86150. Nearolyma pyrsocoma (Meyrick,1937)** (Tineidae) **Synonym(s):** *pyrsocoma* Meyrick,1937 Range (in code): **ZA**
- 86151. Nemapogon agenjoi G.Petersen,1959** (Tineidae) **Synonym(s):** *agenjoi* G.Petersen,1959; *hispanellus* Gozmany,1960 Range (in code): **PT ES Mu FR Co IT MA**
- 86152. Nemapogon anatolica Gaedike,1986** (Tineidae) **Synonym(s):** *anatolica* Gaedike,1986 Original Reference: *Nemapogon anatolica* Gaedike,1986, *Reichenbachia* 24(2): 27-29, figs. Holotype ♂: [Türkei]: [Isparta]: Eğridir, 1600m. Range (in code): **TR GR Rd JO**
- 86153. Nemapogon arcella (Fabricius,1777)** (Tineidae) **Synonym(s):** *arcella* Fabricius,1777; ? *niveella* Fabricius,1777; *clematella* Fabricius,1781; *repandella* Hübner,[1799]; *clematea* Haworth,1828; *auritinctella* Wallengren,1852 Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 86154. Nemapogon arenbergeri Gaedike,1986** (Tineidae) **Synonym(s):** *arenbergeri* Gaedike,1986 Original Reference: *Nemapogon arenbergeri* Gaedike,1986, *Reichenbachia* 24(2): 25-27,figs. Holotype ♂: [Türkei]: [Konya]: Anatolien: Kizilviran (Kizilören),1200m (coll. Arenberger). Range (in code): **MK GR TR**
- 86155. Nemapogon asyntacta (Meyrick,1917)** (Tineidae) **Synonym(s):** *asyntacta* Meyrick,1917 Range (in code): **CN Ti Ch Yu Sz IN Ass Meg NP**
- 86156. Nemapogon bachmarensis Zagulyaev,1964** (Tineidae) **Synonym(s):** *bachmarensis* Zagulyaev,1964 Range (in code): **Cc GG**
- 86157. Nemapogon bidentata Xiao & Li,2010** (Tineidae) **Synonym(s):** *bidentata* Xiao & Li,2010 Range (in code): **CN Hnn She**
- 86158. Nemapogon brandti Gaedike,1986** (Tineidae) **Synonym(s):** *brandti* Gaedike,1986 Original Reference: *Nemapogon brandti* Gaedike,1986, *Reichenbachia* 24 (2): 38-39. Holotype ♂: Iran: Elburs-Gebirge, Keredj, leg. F. Brandt (RMS=SMNH). Range (in code): **IR Elb Th**
- 86159. Nemapogon caucasica (Zagulyaev,1964)** (Tineidae) **Synonym(s):** *caucasica* Zagulyaev,1964 Range (in code): **RU Kr Cc Sok Tbl Mng GG**
- 86160. Nemapogon cloacella (Haworth,[1828])** (Tineidae) **Synonym(s):** *cloacella* Haworth,[1828]; *infimella* Herrich-Schäffer,1851; *nevellus* Zagulyaev,1963 Original Reference: *Tinea cloacella* Haworth,[1828], *Lepid. Br.*: 563. Type ♂: (BMNH). Range (in code): **DZ Anna PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY CA BCo**
- 86161. Nemapogon cyprica Gaedike,1986** (Tineidae) **Synonym(s):** *cyprica* Gaedike,1986 Original Reference: *Nemapogon cyprica* Gaedike,1986, *Reichenbachia* 24 (2): 31, figs. Holotype ♂: Zypern: Troodos Gebirge, Tripylos Cedar valley, 1300m (coll. E. Arenberger). Range (in code): **GR Cr CY**
- 86162. Nemapogon falstriella (Bang-Haas,1881)** (Tineidae) **Synonym(s):** *falstriella* Bang-Haas,1881 Range (in code): **DE AT SK HU CZ FR HV DK SE**
- 86163. Nemapogon flabellata Xiao & Li,2010** (Tineidae) **Synonym(s):** *flabellata* Xiao & Li,2010 Range (in code): **CN Ui**
- 86164. Nemapogon flavifrons G.Petersen,1959** (Tineidae) **Synonym(s):** *flavifrons* G.Petersen,1959; *kabulianus* Gozmany,1959. Range (in code): **AF Bm Kab UZ Smk Tas** Bionomy: Larva on *Lentinus tigrinus* on *Salix* sp., *Pleurotus ostreatus* on *Morus alba* (Petersen,1961).
- 86165. Nemapogon fungivorella (Benander,1939)** (Tineidae) **Synonym(s):** *fungivorella* Benander,1939 Range (in code): **DE CH AT PL CZ SK DK NO SE FI RU MD UA BY**
- 86166. Nemapogon gerasimovi Zagulyaev,1961** (Tineidae) **Synonym(s):** *gerasimovi* Zagulyaev,1961 Range (in code): **CN Pkn She Ui Jn KG RU Sb TM KK**
- 86167. Nemapogon gliiriella (Heyden,1865)** (Tineidae) **Synonym(s):** *gliiriella* Heyden,1865; *cachetiellus* Zagulyaev,1963; *cacheticus* Zagulyaev,1964; *ibericus* Zagulyaev,1968 Range (in code): **DE CH SK Cc GG Bjo AM TR**
- 86168. Nemapogon granella (Linnaeus,1758)** (Tineidae) **Synonym(s):** *granella* Linnaeus,1758; *domesticella* Scopoli,1763; *fenestrella* Scopoli,1763 (*praeocc.*); *nebulosella* Fourcroy,1785; *tesserella* Fabricius,1794; *costotristrigella* Chambers,1873; *marmorella* Chambers,1873; *fuscomaculella* Chambers,1875; *mancuniella*

- Hodgkinson, 1880; nigroatomella Dietz, 1905; fuscicomella Wörz, 1958* Original Reference: *Phalaena granella* Linnaeus, 1758, Syst. Nat. (Edn 10) 1: 537. Type(s) (Linn. Soc. London). Range (in code): MA DZ Clo PT ES FR Co IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR BG TR DK NO SE FI EE LV LT RU MD UA BY UZ Tas LB Bmm Bsa IL Pa AM Cc GG Tbl Sok Abk Mng Btm Aj Da IR GlS TM CN Ti JP ZA
- 86169. *Nemapogon gravosaellus* G.Petersen, 1957** (Tineidae) Synonym(s): *gravosaellus* G.Petersen, 1957; *signatellus* G.Petersen, 1960; *borshomi* Zagulyaev, 1964. Original Reference: *Nemapogon gravosaellus* G.Petersen, 1957, Beitr. Ent. 7: 72-73, figs. Type ♀: [Rumänien]: Banat, Orsova (DEI). Range (in code): Sa Si IT AT CZ SK HU RO YU MK BG GR Cr TR Cc GG Bjo RU MD UA IL Pa
- 86170. *Nemapogon grossi* Gaedike, 2007** (Tineidae) Synonym(s): *grossi* Gaedike, 2007 Original Reference: *Nemapogon grossi* Gaedike, 2007, Nota lepid. 29 (3/4): 163-164 figs. Holotype ♂: Türkei, Kars Prov., Sarıkamış 8km S 2200m 13 8 1976 leg. Gross (DEI). Range (in code): TR
- 86171. *Nemapogon hispanica* G.Petersen & Gaedike, 1992** (Tineidae) Synonym(s): *hispanica* G.Petersen & Gaedike, 1992 Range (in code): ES
- 86172. *Nemapogon hungarica* Gozmany, 1960** (Tineidae) Synonym(s): *hungaricus* Gozmany, 1960; *pliginskii* Zagulyaev, 1963. Range (in code): Sa IT SK HU RO YU BG GR TR RU MD UA Cm
- 86173. *Nemapogon inconditella* (Lucas, 1956)** (Tineidae) Synonym(s): *inconditella* Lucas, 1956; *buckwelli* Lucas, 1956; *heydeni* G.Petersen, 1957; *hispanellus* Gozmany, 1960; *thomasi* Capușe, 1975. Original Reference: *Aristotelia inconditella* Lucas, 1956, Bull. Soc. Sci. nat. phys. Maroc 35: 255. Holotype ♂: Morocco: Ifrane (MNHNP). Range (in code): MA ES FR Co Sa IT GB DE AT CZ SK HU RO YU BG GR TR Cc GG Bjo Tbl DK SE RU Sb MD UA Cm BY KG Aa CN At Ui
- 86174. *Nemapogon kasyi* Gaedike, 1986** (Tineidae) Synonym(s): *kasyi* Gaedike, 1986. Original Reference: *Nemapogon kasyi* Gaedike, 1986, Reichenbachia 24 (2): 29-31, figs. Holotype ♂: Syria: 25km NW Damaskus (NHMW). Range (in code): TR SY Dms
- 86175. *Nemapogon koenigi* Capușe, 1967** (Tineidae) Synonym(s): *albipunctellus* Haworth, [1828] *nec* [Denis & Schiff.], 1775; *koenigi* Capușe, 1967; *wolffiella* Karsholt & Nielsen, 1976. Range (in code): FR IT GB NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV RU MD UA BY SS GG AM Cc
- 86176. *Nemapogon lagodechiellus* Zagulyaev, 1962** (Tineidae) Synonym(s): *lagodechiellus* Zagulyaev, 1962; *teberdellus* Zagulyaev, 1963; *georgiellus* Zagulyaev, 1963 Range (in code): Cc GG Lag RU AZ TR
- 86177. *Nemapogon levantinus* G.Petersen, 1961** (Tineidae) Synonym(s): *levantinus* G.Petersen, 1961 Original Reference: *Nemapogon levantinus* Petersen, 1961, Cas. cesky Spol. ent. 58 (3): 282-283, fig. Holotype ♂: [Syria]: Shar Devesy, Haleb (BMNH). Range (in code): GR Cr SY Hal TR
- 86178. *Nemapogon meridionella* Zagulyaev, 1962** (Tineidae) Synonym(s): *meridionella* Zagulyaev, 1962; *#meridionalis* Zagulyaev, 1964 Range (in code): UA Cm RU Sm GG Lag Len AZ Cc TM BaA IR Mz Sari Gh GlS TJ
- 86179. *Nemapogon nevadella* (Caradja, 1920)** (Tineidae) Synonym(s): *nevadellus* Caradja, 1920 Original Reference: *Tinea arcella* var.? *nevadella* Caradja, 1920, Dt. ent. Z., Iris 34: 168. Type ♂: Spanien: Sierra Nevada (coll. Caradja). Range (in code): PT ES Mu FR Sa IT
- 86180. *Nemapogon nigralbella* (Zeller, 1839)** (Tineidae) Synonym(s): *nigralbella* Zeller, 1839 Range (in code): FR NL DE AT PL CZ SK YU GR BG RO DK NO SE FI EE LV LT RU MD UA BY
- 86181. *Nemapogon ningshanensis* Xiao & Li, 2010** (Tineidae) Synonym(s): *ningshanensis* Xiao & Li, 2010 Range (in code): CN She
- 86182. *Nemapogon orientalis* G.Petersen, 1961** (Tineidae) Synonym(s): *orientalis* G.Petersen, 1961 Original Reference: *Nemapogon orientalis* G.Petersen, 1961, Cas. cesky Spol. ent. 58 (3): 281-282, fig. Holotype ♂: [Libanon]: Beyrouth (ZMB). Range (in code): GR Cr Da AZ Bak Nv Ord Cc AM Eri GG Tbl LB Bei SY Hal IL Pa EG CY TR IR AF KG
- 86183. *Nemapogon palmella* (Chrétien, 1908)** (Tineidae) Synonym(s): *palmella* Chrétien, 1908; *oueddarella* Amsel, 1952 Cn TN MA GR
- 86184. *Nemapogon picarella* (Clerck, 1759)** (Tineidae) Synonym(s): *picarella* Clerck, 1759; *rigaella* Sodoffsky, 1830; *acerella* Treitschke, 1832; *riganella* Zeller, 1839 Range (in code): MA Ifr FR Co IT GB DE AT PL CZ SK HU DK NO SE FI EE LV LT RU Ur MD UA Cm BY Cc KG
- 86185. *Nemapogon quercicolella* (Zeller, 1852)** (Tineidae) Synonym(s): *quercicolellus* Zeller, 1852 Range (in code): DE AT PL CZ SK GR TR RU IR Elb Kdv
- 86186. *Nemapogon reisseri* G.Petersen & Gaedike, 1983** (Tineidae) Synonym(s): *reisseri* G.Petersen & Gaedike, 1983. Original Reference: *Nemapogon reisseri* Petersen & Gaedike, 1983, Ann. Musei Goulandris 6: 276-277, figs. 1-3, 14. Range (in code): GR Cr Rd TR ME

- 86187. *Nemapogon robusta* Gaedike, 2000** (Tineidae) Synonym(s): *robusta* Gaedike, 2000 Range (in code): **CN Hnn Mc RU**
- 86188. *Nemapogon ruricolella* (Stainton, 1859)** (Tineidae) Synonym(s): *ruricolella* Stainton, 1859; *cochylidella* Stainton, 1854. Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT CZ SK RO AL BG TR RU UA Cm MD**
- 86189. *Nemapogon sardica* Gaedike, 1983** (Tineidae) Synonym(s): *sardica* Gaedike, 1983 Range (in code): **MA Sa**
- 86190. *Nemapogon scholzi* Sutter, 2000** (Tineidae) Synonym(s): *scholzi* Sutter, 2000 Original Reference: *Nemapogon scholzi* Sutter, 2000, *Reichenbachia* 33 (56): 427-428, figs. Holotype ♂: Griechenland: Insel Zakynthos, südl. Vasilikos leg. Sutter (DEIE). Range (in code): **GR Cr**
- 86191. *Nemapogon scutifera* Gaedike, 2007** (Tineidae) Synonym(s): *scutifera* Gaedike, 2007 Original Reference: *Nemapogon scutifera* Gaedike, 2007, *Nota lepid.* 29 (3/4): 163-164 figs. Holotype ♀: Türkei, Gümüşhane 1050m leg. F. Kasy (NHMW). Range (in code): **TR GR**
- 86192. *Nemapogon signatella* G. Petersen, 1957** (Tineidae) Synonym(s): *signatellus* G. Petersen, 1957 Original Reference: *Nemapogon signatellus* Petersen, 1957, *Beitr. Ent.* 7: 80-81, fig. 20. Type ♀: Macedonia (ZMB). Range (in code): **IT MK AL BG GR TR LB SY JO CY IR**
- 86193. *Nemapogon somchetiella* Zagulyaev, 1961** (Tineidae) Synonym(s): *somchetiella* Zagulyaev, 1961 Range (in code): **IT Cc GG AM RU Nt**
- 86194. *Nemapogon variatella* (Clemens, 1859)** (Tineidae) Synonym(s): *variata* Clemens, 1859; *personella* Pierce & Metcalf, 1934; *secalella* Zacher, 1938; *infimella* Corbet, 1943. Range (in code): **ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG Lag KG**
- 86195. *Nemapogon vartianae* Gaedike, 1986** (Tineidae) Synonym(s): *vartianae* Gaedike, 1986 Original Reference: *Nemapogon vartianae* Gaedike, 1986, *Reichenbachia* 24(2): 37-38, figs. Holotype ♂: Syria: 60km No Ladikije. Range (in code): **SY LB TR**
- 86196. *Nemaxera betulina* (Paykull, 1785)** (Tineidae) Synonym(s): *betulina* Paykull, 1785; *betulea* Haworth, 1828; *corticella* Curtis, 1834; *emortuella* Zeller, 1839 Range (in code): **FR IT GB BE NL DE AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc SS HV**
- 86197. *Neospolarcha varii* (Gozmany, 1967)** (Tineidae) Synonym(s): *varii* Gozmany, 1967 Original Reference: *Perissomastix varii* Gozmany, 1967, *Novos Taxa Ent.* 53: 1-3, 2 figs. Range (in code): **ZA Ec Ste**
- 86198. *Neurothaumasia ankerella* (Mann, 1867)** (Tineidae) Synonym(s): *ankerella* Mann, 1867; *geratocoma* Walsingham, 1907; *nigratella* Chrétien, 1917; *burdigalensis* Le Marchand, 1934; *tirsella* Amsel, 1952; Original Reference: *Tinea ankerella* Mann, 1867, *Verh. zool.- bot. Ges. Wien* 17: 75. Range (in code): **MA DZ Anna Phv ES Mu FR Sa IT DE AT PL CZ SK HU RO YU AL BG GR TR DK RU MD UA Cm Cc GG IR**
- 86199. *Neurothaumasia fasciata* G. Petersen, 1959** (Tineidae) Synonym(s): *fasciata* G. Petersen, 1959 Range (in code): **IR Bk Kh AF Pli UZ Smk TM K-K TJ Pm Kud**
- 86200. *Neurothaumasia macedonica* G. Petersen, 1962** (Tineidae) Synonym(s): *macedonica* G. Petersen, 1962; *inornata* G. Petersen, 1966 Range (in code): **MK HV IT GR Cr CY IR Fa Com TR AM Cc**
- 86201. *Neurothaumasia ragusaella* (Wocke, 1889)** (Tineidae) Synonym(s): *ragusaella* Wocke, 1889; *purella* Chrétien, 1907; *bifasciatella* Turati, 1924; *roeweri* Amsel, 1939; *africana* Gozmany, 1960 Range (in code): **MA DZ TN LY EG PT ES Sa Si**
- 86202. *Neurothaumasia tenuipennella* Gaedike, 2011** (Tineidae) Synonym(s): *tenuipennella* Gaedike, 2011 Range (in code): **ES FR EG RO Cr HV Ae Le GR**
- 86203. *Neurothaumasia tinesiella* Gaedike, 2011** (Tineidae) Synonym(s): *tinesiella* Gaedike, 2011 Range (in code): **TN**
- 86204. *Niditinea fuscella* (Linnaeus, 1758)** (Tineidae) Synonym(s): *fuscella* Linnaeus, 1758; *spretella* [Denis & Schiffermüller], 1775; *crinitella* Schrank, 1802; *fuscipunctella* Haworth, [1828]; *nubilipennella* Clemens, 1859; *abligatella* Walker, 1863; *eurinella* Zagulyaev, 1952; *distans* Gozmany, 1959. Range (in code): **AD PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR CY TR Cc IQ Bgd DK NO SE FI EE LV LT RU MD UA BY AF Nu ZA**
- 86205. *Niditinea striolella* (Matsumura, 1931)** (Tineidae) Synonym(s): *striolella* Matsumura, 1931; *semidivisa* Meyrick, 1934; *piercella* Benthinck, 1935; *ignotella* Zagulyaev, 1956; *distinguenda* G. Petersen, 1957; *pacifella* Zagulyaev, 1960 Range (in code): **PT FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK NO SE FI EE LV RU TR IR Elb Mz Clu CN Yu Kgs Tkg**
- 86206. *Niditinea truncicolella* (Tengström, 1848)** (Tineidae) Synonym(s): *truncicolella* Tengström, 1848 Range (in code): **ES IT DE CH SK SE FI EE LV RU MD UA BY**

- 86207. *Niditinea tugurialis* (Meyrick,1932)** (Tineidae) **Synonym(s):** *tugurialis* Meyrick,1932; *baryspilas* Meyrick,1937; *unipunctella* Zagulyaev,1960 **Original Reference:** *Tinea tugurialis* Meyrick,1932, Exot. Microlepid. 4: 326. **Range (in code):** [CN Ui Kgs Ch IR Ab Oru Elb Th Kh Msh Bzg Mz IQ BH TR HV CY IL Pa JO SY EG LB TM K-K SA JP](#)
- 86208. *Novotinea albarracinella* G.Petersen,1967** (Tineidae) **Synonym(s):** *albarracinella* G.Petersen,1967 **Range (in code):** [ES FR](#)
- 86209. *Novotinea andalusiella* G.Petersen,1964** (Tineidae) **Synonym(s):** *andalusiella* G.Petersen,1964 **Range (in code):** [ES](#)
- 86210. *Novotinea carbonifera* (Walsingham,1900)** (Tineidae) **Synonym(s):** *carbonifera* Walsingham,1900 **Range (in code):** [Co Sa](#)
- 86211. *Novotinea fasciata* (Staudinger,1879)** (Tineidae) **Synonym(s):** *fasciata* Staudinger,1879 **Original Reference:** *Tinea fasciata* Staudinger,1879, Horae Soc. ent. ross. 15: 271-272. Type ♂: [Türkei]: Amasia (Caraman). **Range (in code):** [TR](#)
- 86212. *Novotinea klimeschi* (Rebel,1940)** (Tineidae) **Synonym(s):** *klimeschi* Rebel,1940 **Range (in code):** [HV AL GR](#)
- 86213. *Novotinea liguriella* Amsel,1950** (Tineidae) **Synonym(s):** *liguriella* Amsel,1950; *apicipunctella* Deschka & Huemer,1997 **Range (in code):** [IT](#)
- 86214. *Novotinea mistrettae* Parenti,1966** (Tineidae) **Synonym(s):** *mistrettae* Parenti,1966 **Range (in code):** [Si](#)
- 86215. *Novotinea muricolella* (Fuchs,1879)** (Tineidae) **Synonym(s):** *muricolella* Fuchs,1879 **Range (in code):** [PT ES FR DE](#)
- 86216. *Novotinea reinhardella* Nel,2014** (Tineidae) **Synonym(s):** *reinhardella* Nel,2014 **Range (in code):** [FR Cn](#)
- 86217. *Nyctocyrmata crotalopis* (Meyrick,1921)** (Tineidae) **Synonym(s):** *crotalopis* Meyrick,1921; *amphicrossa* Meyrick,1921 **Range (in code):** [ZA Tva Gau Pre](#)
- 86218. *Ochetoxena phaneraula* Meyrick,1920** (Tineidae) **Synonym(s):** *phaneraula* Meyrick,1920 **Range (in code):** [ZA](#)
- 86219. *Ocnophilella autocrypta* (Meyrick,1926)** (Tineidae) **Synonym(s):** *autocrypta* Meyrick,1926 **Range (in code):** [ZA](#)
- 86220. *Ocnophilella tetraula* (Meyrick,1926)** (Tineidae) **Synonym(s):** *tetraula* Meyrick,1926 **Range (in code):** [ZA](#)
- 86221. *Oinophila flavofasciella* (Duponchel,1844)** (Tineidae) **Synonym(s):** *flavofasciella* Duponchel,1844 **Range (in code):** [FR](#)
- 86222. *Oinophila nesiotis* Walsingham,1908** (Tineidae) **Synonym(s):** *nesiotis* Walsingham,1908 **Range (in code):** [Cn](#)
- 86223. *Oinophila v-flava* (Haworth,[1828])** (Tineidae) **Synonym(s):** *v-flava* Haworth,[1828] **Range (in code):** [ES FR GB BE NL LU CH AT HU GR DK ZA](#)
- 86224. *Opogona acteon* (Wollaston,1879)** (Tineidae) **Synonym(s):** *acteon* Wollaston,1879 **Range (in code):** [SH](#)
- 86225. *Opogona aemula* Meyrick,1915** (Tineidae) **Synonym(s):** *aemula* Meyrick,1915 **Range (in code):** [IN](#)
- 86226. *Opogona allaini* Clark,1971** (Tineidae) **Synonym(s):** *allaini* Clark,1971 **Range (in code):** [RA](#)
- 86227. *Opogona amphicausta* Meyrick,1907** (Tineidae) **Synonym(s):** *amphicausta* Meyrick,1907 **Range (in code):** [LK](#)
- 86228. *Opogona amphichorda* Meyrick,1921** (Tineidae) **Synonym(s):** *amphichorda* Meyrick,1921 **Range (in code):** [MZ Mag](#)
- 86229. *Opogona anachoreta* (Meyrick,1921)** (Tineidae) **Synonym(s):** *anachoreta* Meyrick,1921 **Range (in code):** [ZW](#)
- 86230. *Opogona anaclina* Meyrick,1915** (Tineidae) **Synonym(s):** *anaclina* Meyrick,1915 **Range (in code):** [IN](#)
- 86231. *Opogona anisacta* Meyrick,1920** (Tineidae) **Synonym(s):** *anisacta* Meyrick,1920 **Range (in code):** [KE](#)
- 86232. *Opogona antiarcha* Meyrick,1934** (Tineidae) **Synonym(s):** *antiarcha* Meyrick,1934 **Range (in code):** [ST](#)
- 86233. *Opogona anticella* (Walker,1875)** (Tineidae) **Synonym(s):** *anticella* Walker,1875 **Range (in code):** [SH](#)
- 86234. *Opogona apicalis* (Wollaston,1879)** (Tineidae) **Synonym(s):** *apicalis* Wollaston,1879 **Range (in code):** [SH](#)

- 86235. *Opogona arizonensis* Davis,1978** (Tineidae) **Synonym(s):** *arizonensis* Davis,1978 **Range (in code):** **US Arz**
- 86236. *Opogona asema* (Turner,1900)** (Tineidae) **Synonym(s):** *asema* Turner,1900 **Range (in code):** **AU QAU**
- 86237. *Opogona atlantica* (Wollaston,1879)** (Tineidae) **Synonym(s):** *atlantica* Wollaston,1879 **Range (in code):** **SH**
- 86238. *Opogona aurisquamosa* (Butler,1881)** (Tineidae) **Synonym(s):** *aurisquamosa* Butler,1881 **Range (in code):** **Hw**
- 86239. *Opogona autogama* (Meyrick,1911)** (Tineidae) **Synonym(s):** *autogama* Meyrick,1911 **Range (in code):** **SC**
- 86240. *Opogona autophyta* Meyrick,1915** (Tineidae) **Synonym(s):** *autophyta* Meyrick,1915 **Range (in code):** **PG**
- 86241. *Opogona basilissa* (Turner,1917)** (Tineidae) **Synonym(s):** *basilissa* Turner,1917 **Range (in code):** **AU QAU**
- 86242. *Opogona binotatella* (Walker,1875)** (Tineidae) **Synonym(s):** *binotatella* Walker,1875 **Range (in code):** **SH**
- 86243. *Opogona brunneomarmorata* (Wollaston,1879)** (Tineidae) **Synonym(s):** *brunneomarmorata* Wollaston,1879 **Range (in code):** **SH**
- 86244. *Opogona calculata* Meyrick,1919** (Tineidae) **Synonym(s):** *calculata* Meyrick,1919 **Range (in code):** **AU QAU**
- 86245. *Opogona caryospila* Meyrick,1920** (Tineidae) **Synonym(s):** *caryospila* Meyrick,1920 **Range (in code):** **AU QAU**
- 86246. *Opogona cataclasta* Meyrick,1915** (Tineidae) **Synonym(s):** *cataclasta* Meyrick,1915 **Range (in code):** **AU QAU**
- 86247. *Opogona chlorophaea* Meyrick,1921** (Tineidae) **Synonym(s):** *chlorophaea* Meyrick,1921 **Range (in code):** **ID Ja**
- 86248. *Opogona chlorophanes* Meyrick,1908** (Tineidae) **Synonym(s):** *chlorophanes* Meyrick,1908 **Range (in code):** **ZA Tva Gau Pre**
- 86249. *Opogona choleropis* Meyrick,1920** (Tineidae) **Synonym(s):** *choleropis* Meyrick,1920 **Range (in code):** **IN Adm**
- 86250. *Opogona chrysangela* Diakonoff,1955** (Tineidae) **Synonym(s):** *chrysangela* Diakonoff,1955 **Range (in code):** **PG**
- 86251. *Opogona chrysocapna* Diakonoff,1955** (Tineidae) **Synonym(s):** *chrysocapna* Diakonoff,1955 **Range (in code):** **PG**
- 86252. *Opogona chrysophanes* Meyrick,1915** (Tineidae) **Synonym(s):** *chrysophanes* Meyrick,1915; *semicuprea* Turner,1923 **Range (in code):** **AU QAU**
- 86253. *Opogona citrinodes* (Meyrick,1922)** (Tineidae) **Synonym(s):** *citrinodes* Meyrick,1922 **Range (in code):** **FJ**
- 86254. *Opogona citriseca* Meyrick,1928** (Tineidae) **Synonym(s):** *citriseca* Meyrick,1928 **Range (in code):** **IN Adm**
- 86255. *Opogona citrolopha* Meyrick,1932** (Tineidae) **Synonym(s):** *citrolopha* Meyrick,1932 **Range (in code):** **AU**
- 86256. *Opogona cleonyma* (Meyrick,1897)** (Tineidae) **Synonym(s):** *cleonyma* Meyrick,1897 **Range (in code):** **AU QAU**
- 86257. *Opogona clinomima* (Meyrick,1918)** (Tineidae) **Synonym(s):** *clinomima* Meyrick,1918 **Range (in code):** **IN**
- 86258. *Opogona compositarum* (Wollaston,1879)** (Tineidae) **Synonym(s):** *compositarum* Wollaston,1879 **Range (in code):** **SH**
- 86259. *Opogona comptella* (Walker,1864)** (Tineidae) **Synonym(s):** *comptella* Walker,1864 **Range (in code):** **AU TA**
- 86260. *Opogona confinis* Turner,1926** (Tineidae) **Synonym(s):** *confinis* Turner,1926 **Range (in code):** **AU QAU**
- 86261. *Opogona congenera* (Wollaston,1879)** (Tineidae) **Synonym(s):** *congenera* Wollaston,1879 **Range (in code):** **SH**
- 86262. *Opogona conjurata* (Meyrick,1920)** (Tineidae) **Synonym(s):** *conjurata* Meyrick,1920 **Range (in code):** **AU QAU**

- 86263. *Opogona crypsipyra* Turner,1923** (Tineidae) **Synonym(s):** *crypsipyra* Turner,1923 Range (in code): AU
- 86264. *Opogona cyrtomis* Meyrick,1915** (Tineidae) **Synonym(s):** *cyrtomis* Meyrick,1915 Range (in code): ZA
- 86265. *Opogona debilis* Meyrick,1921** (Tineidae) **Synonym(s):** *debilis* Meyrick,1921 Range (in code): ID Ja
- 86266. *Opogona dimidiatella* Zeller,1853** (Tineidae) **Synonym(s):** *dimidiatella* Zeller,1853; *semisuphurea* Stainton,1859; *dimidiatella* Walker,1864 Range (in code): ZA RE IN ID Ja
- 86267. *Opogona dimorpha* Davis,1994** (Tineidae) **Synonym(s):** *dimorpha* Davis,1994 Range (in code): CR
- 86268. *Opogona discordia* Clarke,1986** (Tineidae) **Synonym(s):** *discordia* Clarke,1986 Range (in code): Ms
- 86269. *Opogona divisa* (Wollaston,1879)** (Tineidae) **Synonym(s):** *divisa* Wollaston,1879 Range (in code): SH
- 86270. *Opogona doxophanes* Meyrick,1915** (Tineidae) **Synonym(s):** *doxophanes* Meyrick,1915 Range (in code): LK
- 86271. *Opogona dramatica* Meyrick,1911** (Tineidae) **Synonym(s):** *dramatica* Meyrick,1911 Range (in code): IN
- 86272. *Opogona echodes* Meyrick,1936** (Tineidae) **Synonym(s):** *echodes* Meyrick,1936 Range (in code): ID Ja
- 86273. *Opogona elaitis* Meyrick,1911** (Tineidae) **Synonym(s):** *elaitis* Meyrick,1911 Range (in code): IN
- 86274. *Opogona etiennella* Viette,1988** (Tineidae) **Synonym(s):** *etiennella* Viette,1988 Range (in code): RE
- 86275. *Opogona euchaetes* Bradley,1956** (Tineidae) **Synonym(s):** *euchaetes* Bradley,1956 Range (in code): AU Lhw
- 86276. *Opogona euprosopis* Meyrick,1927** (Tineidae) **Synonym(s):** *euprosopis* Meyrick,1927 Range (in code): WS
- 86277. *Opogona fasciculata* (Wollaston,1879)** (Tineidae) **Synonym(s):** *fasciculata* Wollaston,1879 Range (in code): SH
- 86278. *Opogona fascigera* Meyrick,1915** (Tineidae) **Synonym(s):** *fascigera* Meyrick,1915 Range (in code): AU QAU
- 86279. *Opogona fatima* Meyrick,1921** (Tineidae) **Synonym(s):** *fatima* Meyrick,1921 Range (in code): AU QAU
- 86280. *Opogona flavofasciata* (Stainton,1859)** (Tineidae) **Synonym(s):** *flavofasciata* Stainton,1859; *objectella* Walker,1864 Range (in code): LK IN
- 86281. *Opogona flavotincta* (Wollaston,1879)** (Tineidae) **Synonym(s):** *flavotincta* Wollaston,1879 Range (in code): SH
- 86282. *Opogona florea* (Meyrick,1911)** (Tineidae) **Synonym(s):** *florea* Meyrick,1911 Range (in code): SC
- 86283. *Opogona floridensis* Davis,1978** (Tineidae) **Synonym(s):** *floridensis* Davis,1978 Range (in code): US Fl
- 86284. *Opogona fumiceps* R.Felder & Rogenhofer,[1875]** (Tineidae) **Synonym(s):** *fumiceps* R.Felder & Rogenhofer,[1875] Range (in code): LK
- 86285. *Opogona glaphyra* Diakonoff,1948** (Tineidae) **Synonym(s):** *glaphyra* Diakonoff,1948 Range (in code): ID Bru
- 86286. *Opogona glycyphaga* Meyrick,1915** (Tineidae) **Synonym(s):** *glycyphaga* Meyrick,1915 Range (in code): AU QAU
- 86287. *Opogona gymnota* Diakonoff,1948** (Tineidae) **Synonym(s):** *gymnota* Diakonoff,1948 Range (in code): ID Bru
- 86288. *Opogona harpalea* Meyrick,1911** (Tineidae) **Synonym(s):** *harpalea* Meyrick,1911 Range (in code): ZA SC Ald
- 86289. *Opogona helenae* (Wollaston,1879)** (Tineidae) **Synonym(s):** *helenae* Wollaston,1879 Range (in code): SH
- 86290. *Opogona helenaeoides* (Wollaston,1879)** (Tineidae) **Synonym(s):** *helenaeoides* Wollaston,1879 Range (in code): SH

- 86291. *Opogona heliogramma* (Meyrick,1911)** (Tineidae) **Synonym(s):** *heliogramma* Meyrick,1911 **Range (in code):** **SC**
- 86292. *Opogona hemidryas* Meyrick,1915** (Tineidae) **Synonym(s):** *hemidryas* Meyrick,1915 **Range (in code):** **GY**
- 86293. *Opogona heroicella* Viette,1957** (Tineidae) **Synonym(s):** *heroicella* Viette,1957 **Range (in code):** **RE**
- 86294. *Opogona hylarcha* Meyrick,1928** (Tineidae) **Synonym(s):** *hylarcha* Meyrick,1928 **Range (in code):** **IN**
- 86295. *Opogona icterica* Meyrick,1915** (Tineidae) **Synonym(s):** *icterica* Meyrick,1915 **Range (in code):** **PH**
- 86296. *Opogona incorrectella* Viette,1957** (Tineidae) **Synonym(s):** *incorrectella* Viette,1957 **Range (in code):** **RE**
- 86297. *Opogona indiscreta* (Meyrick,1917)** (Tineidae) **Synonym(s):** *indiscreta* Meyrick,1917 **Range (in code):** **ZA**
- 86298. *Opogona iolychna* (Meyrick,1920)** (Tineidae) **Synonym(s):** *iolychna* Meyrick,1920 **Range (in code):** **IN**
- 86299. *Opogona iricharis* (Meyrick,1926)** (Tineidae) **Synonym(s):** *iricharis* Meyrick,1926 **Range (in code):** **ZA**
- 86300. *Opogona iridogramma* Meyrick,1924** (Tineidae) **Synonym(s):** *iridogramma* Meyrick,1924 **Range (in code):**
- 86301. *Opogona irrorata* (Wollaston,1879)** (Tineidae) **Synonym(s):** *irrorata* Wollaston,1879 **Range (in code):** **SH**
- 86302. *Opogona ischnoscia* Meyrick,1928** (Tineidae) **Synonym(s):** *ischnoscia* Meyrick,1928 **Range (in code):** **ZA**
- 86303. *Opogona isoclina* Meyrick,1907** (Tineidae) **Synonym(s):** *isoclina* Meyrick,1907 **Range (in code):** **IN**
- 86304. *Opogona isorthota* Meyrick,1925** (Tineidae) **Synonym(s):** *isorthota* Meyrick,1925 **Range (in code):** **RU Sb**
- 86305. *Opogona isotalanta* Meyrick,1930** (Tineidae) **Synonym(s):** *isotalanta* Meyrick,1930 **Range (in code):** **IN**
- 86306. *Opogona lamprocrossa* Meyrick,1928** (Tineidae) **Synonym(s):** *lamprocrossa* Meyrick,1928 **Range (in code):** **IN Adm**
- 86307. *Opogona lamprophanes* Meyrick,1915** (Tineidae) **Synonym(s):** *lamprophanes* Meyrick,1915 **Range (in code):** **LK**
- 86308. *Opogona leptynta* Meyrick,1915** (Tineidae) **Synonym(s):** *leptynta* Meyrick,1915 **Range (in code):** **GY**
- 86309. *Opogona liparopis* Meyrick,1922** (Tineidae) **Synonym(s):** *liparopis* Meyrick,1922 **Range (in code):** **IN**
- 86310. *Opogona loculata* Meyrick,1915** (Tineidae) **Synonym(s):** *loculata* Meyrick,1915 **Range (in code):** **IN**
- 86311. *Opogona lornatella* Legrand,1965** (Tineidae) **Synonym(s):** *lornatella* Legrand,1965 **Range (in code):** **SC**
- 86312. *Opogona lotoxantha* Meyrick,1915** (Tineidae) **Synonym(s):** *lotoxantha* Meyrick,1915 **Range (in code):** **GY**
- 86313. *Opogona lutigena* Meyrick,1915** (Tineidae) **Synonym(s):** *lutigena* Meyrick,1915 **Range (in code):** **IN**
- 86314. *Opogona masoalella* (Viette,1955)** (Tineidae) **Synonym(s):** *masoalella* Viette,1955 **Range (in code):** **MG**
- 86315. *Opogona mendanai* Bradley,1961** (Tineidae) **Synonym(s):** *mendanai* Bradley,1961 **Range (in code):** **SB**
- 86316. *Opogona metanastes* Walsingham,1914** (Tineidae) **Synonym(s):** *metanastes* Walsingham,1914 **Range (in code):** **MX**
- 86317. *Opogona metanopasta* Diakonoff,1955** (Tineidae) **Synonym(s):** *metanopasta* Diakonoff,1955 **Range (in code):** **PG**
- 86318. *Opogona micranthes* (Meyrick,1897)** (Tineidae) **Synonym(s):** *micranthes* Meyrick,1897 **Range (in code):** **AU QAU**

- 86319. *Opogona molybdis* Meyrick,1915** (Tineidae) Synonym(s): *molybdis* Meyrick,1915 Range (in code): IN
- 86320. *Opogona monosticta* Meyrick,1915** (Tineidae) Synonym(s): *monosticta* Meyrick,1915 Range (in code): IN
- 86321. *Opogona nebularis* (Meyrick,1897)** (Tineidae) Synonym(s): *nebularis* Meyrick,1897 Range (in code): AU QAU
- 86322. *Opogona nephelodesma* Diakonoff,1955** (Tineidae) Synonym(s): *nephelodesma* Diakonoff,1955 Range (in code): PG
- 86323. *Opogona nipponica* Stringer,1930** (Tineidae) Synonym(s): *nipponica* Stringer,1930 Range (in code): JP
- 86324. *Opogona niveopicta* (Wollaston,1879)** (Tineidae) Synonym(s): *niveopicta* Wollaston,1879 Range (in code): SH
- 86325. *Opogona omiastis* Meyrick,1937** (Tineidae) Synonym(s): *omiastis* Meyrick,1937 Range (in code): ZA
- 86326. *Opogona omoscopa* (Meyrick,1893)** (Tineidae) Synonym(s): *omoscopa* Meyrick,1893; *strassenella* Enderlein,1903; *apicalis* Swezey,1909; *praematura* Meyrick,1909 Range (in code): ZA ES DK RE AU Syd NSW Hw
- 86327. *Opogona orchestris* Meyrick,1911** (Tineidae) Synonym(s): *orchestris* Meyrick,1911 Range (in code): LK
- 86328. *Opogona orthotis* (Meyrick,1897)** (Tineidae) Synonym(s): *orthotis* Meyrick,1897 Range (in code): AU
- 86329. *Opogona pandora* Meyrick,1911** (Tineidae) Synonym(s): *pandora* Meyrick,1911 Range (in code): IN
- 86330. *Opogona papayae* Turner,1923** (Tineidae) Synonym(s): *papayae* Turner,1923 Range (in code): AU
- 86331. *Opogona pelinoma* Meyrick,1931** (Tineidae) Synonym(s): *pelinoma* Meyrick,1931 Range (in code): PE
- 86332. *Opogona percnodes* Meyrick,1910** (Tineidae) Synonym(s): *percnodes* Meyrick,1910 Range (in code): LK
- 86333. *Opogona perisema* Diakonoff,1955** (Tineidae) Synonym(s): *perisema* Diakonoff,1955 Range (in code): PG
- 86334. *Opogona phaeadelpha* Meyrick,1934** (Tineidae) Synonym(s): *phaeadelpha* Meyrick,1934 Range (in code): TW
- 86335. *Opogona phaeochalca* Meyrick,1908** (Tineidae) Synonym(s): *phaeochalca* Meyrick,1908 Range (in code): ZA RE
- 86336. *Opogona phaeocrana* Meyrick,1914** (Tineidae) Synonym(s): *phaeocrana* Meyrick,1914 Range (in code): ZA MW
- 86337. *Opogona plumbifera* (Meyrick,1914)** (Tineidae) Synonym(s): *plumbifera* Meyrick,1914 Range (in code): MW
- 86338. *Opogona pontigera* Meyrick,1927** (Tineidae) Synonym(s): *pontigera* Meyrick,1927 Range (in code): WS
- 86339. *Opogona praecincta* Meyrick,1916** (Tineidae) Synonym(s): *praecincta* Meyrick,1916 Range (in code): IN
- 86340. *Opogona praestans* (Walsingham,1892)** (Tineidae) Synonym(s): *praestans* Walsingham,1892 Range (in code): CU
- 86341. *Opogona promalacta* Meyrick,1915** (Tineidae) Synonym(s): *promalacta* Meyrick,1915 Range (in code): AU QAU
- 86342. *Opogona protodoxa* (Meyrick,1897)** (Tineidae) Synonym(s): *protodoxa* Meyrick,1897 Range (in code): AU QAU
- 86343. *Opogona protographa* Meyrick,1911** (Tineidae) Synonym(s): *protographa* Meyrick,1911 Range (in code): IN
- 86344. *Opogona protomima* (Meyrick,1918)** (Tineidae) Synonym(s): *protomima* Meyrick,1918 Range (in code): IN
- 86345. *Opogona psola* Bradley,1956** (Tineidae) Synonym(s): *psola* Bradley,1956 Range (in code): NF
- 86346. *Opogona punctata* (Walsingham,1900)** (Tineidae) Synonym(s): *punctata* Walsingham,1900 Range (in code): CX

- 86347. *Opogona purpuriella* Swezey,1913** (Tineidae) Synonym(s): *purpuriella* Swezey,1913
Range (in code): **Hw**
- 86348. *Opogona pyrangela* Meyrick,1928** (Tineidae) Synonym(s): *pyrangela* Meyrick,1928
Range (in code): **PG Nlr**
- 86349. *Opogona pyrographa* Walsingham,1914** (Tineidae) Synonym(s): *pyrographa* Walsingham,1914 Range (in code): **GT**
- 86350. *Opogona pyrometalla* (Meyrick,1928)** (Tineidae) Synonym(s): *pyrometalla* Meyrick,1928
Range (in code): **ZA**
- 86351. *Opogona recurva* (Wollaston,1879)** (Tineidae) Synonym(s): *recurva* Wollaston,1879
Range (in code): **SH**
- 86352. *Opogona regressa* Meyrick,1916** (Tineidae) Synonym(s): *regressa* Meyrick,1916 Range (in code): **FJ**
- 86353. *Opogona retractella* (Walker,1864)** (Tineidae) Synonym(s): *retractella* Walker,1864
Range (in code): **AU NSw**
- 86354. *Opogona rhynchacma* Meyrick,1920** (Tineidae) Synonym(s): *rhynchacma* Meyrick,1920
Range (in code): **BR**
- 86355. *Opogona saccharella* Swezey,1909** (Tineidae) Synonym(s): *saccharella* Swezey,1909
Range (in code): **PG**
- 86356. *Opogona sacchari* (Bojer,1856)** (Tineidae) Synonym(s): *sacchari* Bojer,1856; *subcervinella* Walker,1863; *plumipes* Butler,1876; *ligniferella* Walker,1875; *sanctahelenae* Walker,1875 Range (in code): **ES FR IT GB BE DK SE ZA RE MU SH**
- 86357. *Opogona salamolardella* Guillermet,2011** (Tineidae) Synonym(s): *salamolardella* Guillermet,2011 Range (in code): **RE**
- 86358. *Opogona salpictes* Diakonoff,1955** (Tineidae) Synonym(s): *salpictes* Diakonoff,1955
Range (in code): **PG**
- 86359. *Opogona sapphiropis* Meyrick,1927** (Tineidae) Synonym(s): *sapphiropis* Meyrick,1927
Range (in code): **WS**
- 86360. *Opogona sarophila* Meyrick,1915** (Tineidae) Synonym(s): *sarophila* Meyrick,1915 Range (in code): **AU QAU**
- 86361. *Opogona scabricoma* Meyrick,1934** (Tineidae) Synonym(s): *scabricoma* Meyrick,1934
Range (in code): **IN**
- 86362. *Opogona scalaris* (Wollaston,1879)** (Tineidae) Synonym(s): *scalaris* Wollaston,1879
Range (in code): **SH**
- 86363. *Opogona scalena* (Meyrick,1897)** (Tineidae) Synonym(s): *scalena* Meyrick,1897 Range (in code): **AU**
- 86364. *Opogona scaphopis* Meyrick,1909** (Tineidae) Synonym(s): *scaphopis* Meyrick,1909
Range (in code): **ZA**
- 86365. *Opogonaserta* Walsingham,1914** (Tineidae) Synonym(s): *serta* Walsingham,1914 Range (in code): **MX**
- 86366. *Opogona simoniella* (Wallengren,1861)** (Tineidae) Synonym(s): *simoniella* Wallengren,1861 Range (in code):
- 86367. *Opogona simplex* (Walsingham,1897)** (Tineidae) Synonym(s): *simplex* Walsingham,1897
Range (in code): **CU**
- 86368. *Opogona sogarella* Viette,1985** (Tineidae) Synonym(s): *sogarella* Viette,1985 Range (in code): **MG**
- 86369. *Opogona stathmota* Meyrick,1911** (Tineidae) Synonym(s): *stathmota* Meyrick,1911 Range (in code): **LK**
- 86370. *Opogona stenocraspeda* (Meyrick,1897)** (Tineidae) Synonym(s): *stenocraspeda* Meyrick,1897 Range (in code): **AU NSw**
- 86371. *Opogona stereodyta* (Meyrick,1897)** (Tineidae) Synonym(s): *stereodyta* Meyrick,1897
Range (in code): **AU NSw**
- 86372. *Opogona subaeneella* (Walker,1875)** (Tineidae) Synonym(s): *subaeneella* Walker,1875
Range (in code): **SH**
- 86373. *Opogona sublucida* Meyrick,1932** (Tineidae) Synonym(s): *sublucida* Meyrick,1932 Range (in code): **ID Ja**
- 86374. *Opogona succulenta* Meyrick,1931** (Tineidae) Synonym(s): *succulenta* Meyrick,1931
Range (in code): **IN Adm**

- 86375. *Opogona sultana* (Meyrick,1911)** (Tineidae) Synonym(s): *sultana* Meyrick,1911 Range (in code): SC
- 86376. *Opogona sycastella* Viette,1957** (Tineidae) Synonym(s): *sycastella* Viette,1957 Range (in code): RE
- 86377. *Opogona tamsi* Gerasimov,1930** (Tineidae) Synonym(s): *tamsi* Gerasimov,1930 Original Reference: *Opogona tamsi* Gerasimov,1930, Ann. Mus. Zool. Leningr. 31: 44, Pl.16 fig.1, Pl.13 fig.3. Range (in code): IR Elb Dam UZ
- 86378. *Opogona tanydora* Meyrick,1920** (Tineidae) Synonym(s): *tanydora* Meyrick,1920 Range (in code): KE
- 86379. *Opogona taochroa* Meyrick,1934** (Tineidae) Synonym(s): *taochroa* Meyrick,1934 Range (in code): PG NBr
- 86380. *Opogona tergemina* Meyrick,1915** (Tineidae) Synonym(s): *tergemina* Meyrick,1915 Range (in code): LK
- 86381. *Opogona tetrasema* (Turner,1917)** (Tineidae) Synonym(s): *tetrasema* Turner,1917 Range (in code): AU QAU
- 86382. *Opogona theobroma* Bradley,1956** (Tineidae) Synonym(s): *theobroma* Bradley,1956 Range (in code): MY
- 86383. *Opogona thiadelpha* Meyrick,1934** (Tineidae) Synonym(s): *thiadelpha* Meyrick,1934 Range (in code): JP
- 86384. *Opogona trachyclina* Meyrick,1935** (Tineidae) Synonym(s): *trachyclina* Meyrick,1935 Range (in code): CN
- 86385. *Opogona trichoceros* Meyrick,1930** (Tineidae) Synonym(s): *trichoceros* Meyrick,1930 Range (in code): GY
- 86386. *Opogona trigonomis* Meyrick,1907** (Tineidae) Synonym(s): *trigonomis* Meyrick,1907 Range (in code): LK
- 86387. *Opogona trissostacta* Meyrick,1934** (Tineidae) Synonym(s): *trissostacta* Meyrick,1934 Range (in code): Ms PF
- 86388. *Opogona tristicta* (Meyrick,1897)** (Tineidae) Synonym(s): *tristicta* Meyrick,1897 Range (in code): AU QAU
- 86389. *Opogona trophis* Meyrick,1913** (Tineidae) Synonym(s): *trophis* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 86390. *Opogona tubernatella* Legrand,1965** (Tineidae) Synonym(s): *tubernatella* Legrand,1965 Range (in code): SC
- 86391. *Opogona tyriopla* (Meyrick,1927)** (Tineidae) Synonym(s): *tyriopla* Meyrick,1927 Range (in code): WS
- 86392. *Opogona ursella* (Walker,1875)** (Tineidae) Synonym(s): *ursella* Walker,1875 Range (in code): SH
- 86393. *Opogona vilis* (Wollaston,1879)** (Tineidae) Synonym(s): *vilis* Wollaston,1879 Range (in code): SH
- 86394. *Opogona xanthcrita* Meyrick,1911** (Tineidae) Synonym(s): *xanthcrita* Meyrick,1911 Range (in code): IN
- 86395. *Opogona xerota* Walsingham,1914** (Tineidae) Synonym(s): *xerota* Walsingham,1914 Range (in code): PA
- 86396. *Opogona zophocrana* Meyrick,1915** (Tineidae) Synonym(s): *zophocrana* Meyrick,1915 Range (in code): MW
- 86397. *Opogona zygodonta* Meyrick,1931** (Tineidae) Synonym(s): *zygodonta* Meyrick,1931 Range (in code): IN
- 86398. *Organodesma erinacea* (Walker,1863)** (Tineidae) Synonym(s): *erinacea* Walker,1863 Range (in code): ZA
- 86399. *Oxymachaeis euryzancla* Meyrick,1918** (Tineidae) Synonym(s): *euryzancla* Meyrick,1918 Range (in code): ZA Nta Kzu Umk
- 86400. *Oxymachaeis zullella* (Walsingham,1881)** (Tineidae) Synonym(s): *zullella* Walsingham,1881 Range (in code): ZA
- 86401. *Pachyarthra asiatica* G.Petersen,1959** (Tineidae) Synonym(s): *asiatica* G.Petersen,1959 Range (in code): AF
- 86402. *Pachyarthra aurata* Gaedike,2012** (Tineidae) Synonym(s): *aurata* Gaedike,2012 Range (in code): NP

- 86403. *Pachyarthra brandti* G.Petersen,1966** (Tineidae) Synonym(s): *brandti* G.Petersen,1966
Original Reference: *Pachyarthra brandti* G.Petersen,1966, Ent. Tidskr. 87: 23-29. Holotype ♂: Iran: Laristan, Str. Bender-Abbas - Sardabad Sardze, 200m, leg. Brandt,1937 (SMNH). Range (in code): IR Ss
- 86404. *Pachyarthra dierli* Gaedike,2012** (Tineidae) Synonym(s): *dierli* Gaedike,2012 Range (in code): NP
- 86405. *Pachyarthra grisea* G.Petersen & Gaedike,1982** (Tineidae) Synonym(s): *grisea* G.Petersen & Gaedike,1982 Range (in code): IR Hz SA As
- 86406. *Pachyarthra iranica* G.Petersen & Gaedike,1984** (Tineidae) Synonym(s): *iranica* G.Petersen & Gaedike,1984 Range (in code): IR Hz
- 86407. *Pachyarthra lividella* (Chrétien,1915)** (Tineidae) Synonym(s): *lividella* Chrétien,1915
Original Reference: *Tineola lividella* Chrétien,1915, Annls Soc. ent. Fr. 84: 372-373. Syntypes: [Algérie]: "Biskra, en octobre et novembre". Range (in code): MA DZ Bsk TN LY
- 86408. *Pachyarthra mediterranea* (Baker,1894)** (Tineidae) Synonym(s): *mediterranea* Baker,1894; *serotinella* Chrétien,1915; *pallidella* Lucas,1933; *variegata* Lucas,1950 Range (in code): MA DZ TN Gf ES EG EGO5 IL Pa
- 86409. *Pachyarthra nepalica* Gaedike,2012** (Tineidae) Synonym(s): *nepalica* Gaedike,2012 Range (in code): NP
- 86410. *Pachyarthra ochroplicella* (Chrétien,1915)** (Tineidae) Synonym(s): *ochroplicella* Chrétien,1915; *pentatma* Meyrick,1937. Range (in code): MA DZ Agi TN LY
- 86411. *Pachypsaltis insolens* Meyrick,1914** (Tineidae) Synonym(s): *insolens* Meyrick,1914 Range (in code): TW
- 86412. *Paraptica concinerata* Meyrick,1917** (Tineidae) Synonym(s): *concinerata* Meyrick,1917 Range (in code): ZA
- 86413. *Pararhodobates syriacus* (Lederer,1857)** (Tineidae) Synonym(s): *syriacus* Lederer,1857; *macropodella* Erschoff,1874 Original Reference: *Chimabacche ? syriaca* Lederer,1857, Wien. ent. Monatschr. 1: 102. Type ♂: [Libanon]: Beirut (ZMB). Range (in code): LB KG Uk RU Sr CN Ui Ku KK Ax KG Uk Aa Kpt TM Kp UZ Smk TJ
- 86414. *Pelecystola fraudulentella* (Zeller,1852)** (Tineidae) Synonym(s): *fraudulentella* Zeller,1852 Range (in code): SE SK SS
- 86415. *Pelecystola hierophanta* (Meyrick,1916)** (Tineidae) Synonym(s): *hierophanta* Meyrick,1916 Range (in code): IN
- 86416. *Pelecystola melanchares* (Meyrick,1937)** (Tineidae) Synonym(s): *melanchares* Meyrick,1937 Range (in code): ZA
- 86417. *Pelecystola tephritis* (Meyrick,1911)** (Tineidae) Synonym(s): *tephritis* Meyrick,1911; *#tephrinistis* Janse,1917 Range (in code): ZA Tva Wo
- 86418. *Perilicmetis diplaca* Meyrick,1932** (Tineidae) Synonym(s): *diplaca* Meyrick,1932 Range (in code): BR Pran Sct Spa
- 86419. *Perissomastix (Aphrodoxa) amseli* (G.Petersen,1959)** (Tineidae) Synonym(s): *amseli* G.Petersen,1959; *mimetica* Gozmany,1959 Range (in code): AF Gbh Srb Kab
- 86420. *Perissomastix (Aphrodoxa) astarte* (Gozmany,1959)** (Tineidae) Synonym(s): *astarte* Gozmany,1959 Range (in code): AF Nu
- 86421. *Perissomastix (Aphrodoxa) cornuta* (G.Petersen,1959)** (Tineidae) Synonym(s): *cornuta* G.Petersen,1959 Original Reference: *Catabola cornuta* G.Petersen,1959, [in] Amsel, Bull. Soc. ent. Egypte 43: 70-71. Holotype ♂: Iraq: Haj Omran. Range (in code): IQ Hjo Ry Shq
- 86422. *Perissomastix (Aphrodoxa) falcata* G.Petersen,1988** (Tineidae) Synonym(s): *falcata* G.Petersen,1988 Original Reference: *Perissomastix (Aphrodoxa) falcata* G.Petersen,1988, Beitr. Ent. 38: 9. Holotype ♂: Iran: Beluchistan: "Djebal-barez". Range (in code): IR Ss
- 86423. *Perissomastix (Aphrodoxa) flava* (G.Petersen,1960)** (Tineidae) Synonym(s): *flava* G.Petersen,1960 Original Reference: *Catabola flava* Petersen,1960, Stuttg. Beitr. Naturk. 34: 2-3, Abb.2. Holotype ♂: Iran: Khuzistan: Shadegan, leg. Richter & Schäuuffele (LNK). Range (in code): IR Kz Sde Bu Fa Elb Th Hz Kh Ss SA SA63 YE BH IQ
- 86424. *Perissomastix (Aphrodoxa) peterseni* (Amsel,1959)** (Tineidae) Synonym(s): *peterseni* Amsel,1959; *astarte* Gozmany,1959. Range (in code): IR Hz Bu Ss PK Haz Bl Qu Krc AF Nu Ca IN
- 86425. *Perissomastix (Aphrodoxa) sarobiella* (G.Petersen,1959)** (Tineidae) Synonym(s): *sarobiella* G.Petersen,1959; *nuristanica* Gozmany,1959. Range (in code): AF Kab Srb Nu PK

- 86426. Perissomastix (Aphrodoxa) wiltshirella (G.Petersen,1964)** (Tineidae)
Synonym(s): *wiltshirella* G.Petersen,1964 Original Reference: *Catabola wiltshirella* Petersen,1964, Beitr. naturk. Forsch. SWDtl. 23 (2): 115, Abb.3. Holotype ♂: [Iran]: "Shiraz, Fars". Range (in code): **IR Ab Oru Fa Shr By Yas Skh Elb Th Kdj Kz Kd Snj Sdt Lo Ha Ke Km Hz TR**
- 86427. Perissomastix (s.str.) acutibasis Gozmany,1968** (Tineidae) Synonym(s): *acutibasis* Gozmany,1968 Range (in code): **MW**
- 86428. Perissomastix (s.str.) adamasta (Meyrick,1909)** (Tineidae) Synonym(s): *adamasta* Meyrick,1909 Range (in code): **ZA Tva**
- 86429. Perissomastix (s.str.) agenjoi (G.Petersen,1957)** (Tineidae) Synonym(s): *agenjoi* G.Petersen,1957 Range (in code): **MA DZ TN PT ES Mu**
- 86430. Perissomastix (s.str.) asiriella G.Petersen & Gaedike,1982** (Tineidae) Synonym(s): *asiriella* G.Petersen & Gaedike,1982 Range (in code): **SA As**
- 86431. Perissomastix (s.str.) atlantis (Zagulyaev,1975)** (Tineidae) Synonym(s): *atlantis* Zagulyaev,1975 Range (in code): **MA**
- 86432. Perissomastix (s.str.) bifurcatella (G.Petersen,1957)** (Tineidae) Synonym(s): *bifurcatella* G.Petersen,1957 Range (in code): **TN**
- 86433. Perissomastix (s.str.) biskraella (Rebel,1901)** (Tineidae) Synonym(s): *biskraella* Rebel,1901; *intermediella* Turati,1926. Range (in code): **DZ Bsk Omy Out Hes MA TN Gf LY EG IL Pa JO SY Dms TR**
- 86434. Perissomastix (s.str.) crassicornella (Zeller,1847)** (Tineidae) Synonym(s): *crassicornella* Zeller,1847 Range (in code): **TN Si IT AL GR Cr Rd TR Cc LB Bei Bsa**
- 86435. Perissomastix (s.str.) hirudinea (Meyrick,1928)** (Tineidae) Synonym(s): *hirudinea* Meyrick,1928 Range (in code): **MA**
- 86436. Perissomastix (s.str.) minuscula G.Petersen & Gaedike,1982** (Tineidae)
Synonym(s): *minuscula* G.Petersen & Gaedike,1982 Range (in code): **SA As**
- 86437. Perissomastix (s.str.) nigricephala (G.Petersen,1982)** (Tineidae) Synonym(s): *nigricephala* G.Petersen,1982 Range (in code): **NP**
- 86438. Perissomastix (s.str.) nigriceps W.Warren & Rothschild,1905** (Tineidae)
Synonym(s): *nigriceps* W.Warren & Rothschild,1905; *intermedia* G.Petersen,1961. Range (in code): **SD SA YE OM As EG JO**
- 86439. Perissomastix (s.str.) obscura (G.Petersen,1959)** (Tineidae) Synonym(s): *obscura* G.Petersen,1959; *mira* Gozmany,1959 Range (in code): **AF Srb Bsg Ch**
- 86440. Perissomastix (s.str.) othello (Meyrick,1907)** (Tineidae) Synonym(s): *othello* Meyrick,1907 Original Reference: *Tinea othello* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 988. Range (in code): **IN LK ET**
- 86441. Perissomastix (s.str.) palaestinella (Amsel,1956)** (Tineidae) Synonym(s): *palaestinella* Amsel,1956 Range (in code): **IL Pa MA**
- 86442. Perissomastix (s.str.) pantsa Gozmany,1967** (Tineidae) Synonym(s): *pantsa* Gozmany,1967 Range (in code): **BI**
- 86443. Perissomastix (s.str.) paramima (Meyrick,1917)** (Tineidae) Synonym(s): *paramima* Meyrick,1917 Range (in code): **IN**
- 86444. Perissomastix (s.str.) pauliani Gozmany,1970** (Tineidae) Synonym(s): *pauliani* Gozmany,1970 Range (in code): **MG**
- 86445. Perissomastix (s.str.) perdita Gozmany,1965** (Tineidae) Synonym(s): *perdita* Gozmany,1965 Range (in code): **SD Ksl ET SA As**
- 86446. Perissomastix (s.str.) ruwenzorica Gozmany & Vari,1973** (Tineidae) Synonym(s): *ruwenzorica* Gozmany & Vari,1973 Range (in code): **UG Rz**
- 86447. Perissomastix (s.str.) szunyoghysi Gozmany,1969** (Tineidae) Synonym(s): *szunyoghysi* Gozmany,1969 Range (in code): **TZ**
- 86448. Perissomastix (s.str.) taeniaecornis (Walsingham,1896)** (Tineidae) Synonym(s): *taeniaecornis* Walsingham,1896; *aegyptiella* Rebel,1914. Range (in code): **YE Ad EG EG39 SA ET As SD IQ Brs**
- 86449. Perissomastix (s.str.) tihamaella G.Petersen & Gaedike,1982** (Tineidae)
Synonym(s): *tihamaella* G.Petersen & Gaedike,1982 Range (in code): **SA As**
- 86450. Perissomastix (s.str.) topaz Gozmany,1967** (Tineidae) Synonym(s): *topaz* Gozmany,1967 Range (in code): **TZ**
- 86451. Perissomastix (s.str.) zernyi (G.Petersen,1957)** (Tineidae) Synonym(s): *zernyi* G.Petersen,1957 Range (in code): **MA**

- 86452. *Phaeoses amblyxena* (Meyrick,1920)** (Tineidae) Synonym(s): *amblyxena* Meyrick,1920
Range (in code): **FJ**
- 86453. *Phaeoses argoceros* (Meyrick,1937)** (Tineidae) Synonym(s): *argoceros* Meyrick,1937
Range (in code): **SG MY**
- 86454. *Phaeoses caenologa* (Meyrick,1915)** (Tineidae) Synonym(s): *caenologa* Meyrick,1915
Range (in code): **AU QAU**
- 86455. *Phaeoses chalinota* (Meyrick,1910)** (Tineidae) Synonym(s): *chalinota* Meyrick,1910
Range (in code): **LK IN**
- 86456. *Phaeoses chloracma* (Meyrick,1907)** (Tineidae) Synonym(s): *chloracma* Meyrick,1907
Range (in code): **LK**
- 86457. *Phaeoses flabilis* (Turner,1923)** (Tineidae) Synonym(s): *flabilis* Turner,1923 Range (in code): AU QAU
- 86458. *Phaeoses guppyi* (Bradley,1961)** (Tineidae) Synonym(s): *guppyi* Bradley,1961 Range (in code): SB
- 86459. *Phaeoses horolyca* (Meyrick,1915)** (Tineidae) Synonym(s): *horolyca* Meyrick,1915 Range (in code): PK IN
- 86460. *Phaeoses leucodeta* (Meyrick,1914)** (Tineidae) Synonym(s): *leucodeta* Meyrick,1914
Range (in code): **JP TH**
- 86461. *Phaeoses leucoprosopa* (Turner,1923)** (Tineidae) Synonym(s): *leucoprosopa* Turner,1923
Range (in code): **AU QAU**
- 86462. *Phaeoses lithacma* (Meyrick,1921)** (Tineidae) Synonym(s): *lithacma* Meyrick,1921 Range (in code): ZW Vf
- 86463. *Phaeoses meeki* (Bradley,1961)** (Tineidae) Synonym(s): *meeki* Bradley,1961 Range (in code): SB
- 86464. *Phaeoses pileigera* (Meyrick,1913)** (Tineidae) Synonym(s): *pileigera* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 86465. *Phaeoses sabinella* Forbes,1922** (Tineidae) Synonym(s): *sabinella* Forbes,1922 Range (in code): US
- 86466. *Phereoeca allutella* (Rebel,1902)** (Tineidae) Synonym(s): *allutella* Rebel,1902; *pachyspila* Meyrick,1911 Range (in code): SC
- 86467. *Phereoeca barysticta* (Meyrick,1927)** (Tineidae) Synonym(s): *barysticta* Meyrick,1927
Range (in code): **UG**
- 86468. *Phereoeca postulata* Gozmany,1967** (Tineidae) Synonym(s): *postulata* Gozmany,1967
Range (in code): **ZR CF**
- 86469. *Phereoeca praecox* Gozmany & Vari,1973** (Tineidae) Synonym(s): *praecox* Gozmany & Vari,1973 Range (in code): SL NG GH GM
- 86470. *Phereoeca proletaria* (Meyrick,1921)** (Tineidae) Synonym(s): *proletaria* Meyrick,1921
Range (in code): **SL NG GH GM**
- 86471. *Philagrias zelotica* Meyrick,1932** (Tineidae) Synonym(s): *zelotica* Meyrick,1932 Original Reference: Philagrias zelotica Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 119. Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): ET Sw ET88
- 86472. *Phthoropoea carpella* Walsingham,1896** (Tineidae) Synonym(s): *carpella* Walsingham,1896 Range (in code): YE Ad
- 86473. *Phthoropoea halogramma* (Meyrick,1927)** (Tineidae) Synonym(s): *halogramma* Meyrick,1927 Range (in code): SO
- 86474. *Phthoropoea oenochares* (Meyrick,1920)** (Tineidae) Synonym(s): *oenochares* Meyrick,1920 Range (in code): ZA NG GH ZR UG KE
- 86475. *Phthoropoea pycnosaris* (Meyrick,1932)** (Tineidae) Synonym(s): *pycnosaris* Meyrick,1932; *coniographa* Meyrick,1936 Range (in code): UG TZ
- 86476. *Phyciodyta neritis* Meyrick,1918** (Tineidae) Synonym(s): *neritis* Meyrick,1918 Range (in code): ZA Ec Stj
- 86477. *Pitharcha atrisecta* Meyrick,1918** (Tineidae) Synonym(s): *atrisecta* Meyrick,1918 Range (in code): MZ Blv
- 86478. *Pitharcha chalinaea* Meyrick,1908** (Tineidae) Synonym(s): *chalinaea* Meyrick,1908
Range (in code): **SL NG TZ ZA**
- 86479. *Pitharcha fasciata* (Ghesquière,1940)** (Tineidae) Synonym(s): *fasciata* Ghesquière,1940
Range (in code): **ZA**

- 86480. Praelongicera afghana** (G.Petersen,1959) (Tineidae) Synonym(s): *afghana* G.Petersen,1959 Range (in code): AF Nu Bsg Kab Srb NP PK Haz Abb
- 86481. Praelongicera palaestinella** (Amsel,1956) (Tineidae) Synonym(s): *palaestinella* Amsel,1956 Range (in code): IL Pa Js SA YE Ad SY LB Bei JP IQ TR IR Zj
- 86482. Pringleophaga crozetensis** Enderlein,1905 (Tineidae) Synonym(s): *crozetensis* Enderlein,1905 Range (in code): ZA
- 86483. Pringleophaga kerguelensis** Enderlein,1905 (Tineidae) Synonym(s): *kerguelensis* Enderlein,1905; *nigritarsis* Enderlein,1905 Range (in code): ZA
- 86484. Pringleophaga marioni** Viette,1968 (Tineidae) Synonym(s): *marioni* Viette,1968 Range (in code): ZA
- 86485. Probatostola ochromalla** Meyrick,1926 (Tineidae) Synonym(s): *ochromalla* Meyrick,1926 Range (in code): ZA
- 86486. Propachyarthra convallata** (Meyrick,1918) (Tineidae) Synonym(s): *convallata* Meyrick,1918 Range (in code): ZA Tva Mdt
- 86487. Protaphreutis antipyla** Meyrick,1930 (Tineidae) Synonym(s): *antipyla* Meyrick,1930 Range (in code): MU
- 86488. Protaphreutis borboniella** (Boisduval,1833) (Tineidae) Synonym(s): *borboniella* Boisduval,1833; *acquisitella* Walker,1863; *trancarti* Guillermet,2009 Range (in code): MU RE MG
- 86489. Protaphreutis brasmatias** Meyrick,1930 (Tineidae) Synonym(s): *brasmatias* Meyrick,1930 Range (in code): MU
- 86490. Protaphreutis cubitalis** (Meyrick,1910) (Tineidae) Synonym(s): *cubitalis* Meyrick,1910 Range (in code): MU
- 86491. Protaphreutis leucopsamma** Meyrick,1930 (Tineidae) Synonym(s): *leucopsamma* Meyrick,1930 Range (in code): MU
- 86492. Protaphreutis sauroderma** Meyrick,1930 (Tineidae) Synonym(s): *sauroderma* Meyrick,1930 Range (in code): MU
- 86493. Proterospastis antiphracta** (Meyrick,1909) (Tineidae) Synonym(s): *antiphracta* Meyrick,1909; *psacadias* Meyrick,1911 Range (in code): ZA Tva Wo
- 86494. Proterospastis barystacta** Meyrick,1937 (Tineidae) Synonym(s): *barystacta* Meyrick,1937 Range (in code): ZA
- 86495. Proterospastis craurota** (Meyrick,1920) (Tineidae) Synonym(s): *craurota* Meyrick,1920 Range (in code): ZA
- 86496. Proterospastis ellipticella** (Chrétien,1915) (Tineidae) Synonym(s): *ellipticella* Chrétien,1915 Range (in code): TN Gf
- 86497. Proterospastis homestia** (Meyrick,1908) (Tineidae) Synonym(s): *homestia* Meyrick,1908 Range (in code): ZA Tva Lpo Hae
- 86498. Proterospastis irakella** (G.Petersen,1959) (Tineidae) Synonym(s): *irakella* G.Petersen,1959 Original Reference: Paratinea irakella G.Petersen,1959, [in] Amsel, Bull. Soc. ent. Egypte 43: 72, Taf.8 fig.3. Holotype ♂: Iraq: Bagdad. Range (in code): IQ Bgd
- 86499. Proterospastis megaspila** (Meyrick,1913) (Tineidae) Synonym(s): *megaspila* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 86500. Proterospastis merdella** (Zeller,1847) (Tineidae) Synonym(s): *merdella* Zeller,1847; *autochthones* Walsingham,1907; *siccanella* Chrétien,1915; *palaestinella* Amsel,1935. Range (in code): Cn DZ Ktr Bsk ES Si MT YU HV Cr GR Ae Sms TR IL Pa Jer JO
- 86501. Proterospastis striaticostella** (G.Petersen,1959) (Tineidae) Synonym(s): *striaticostella* G.Petersen,1959 Original Reference: Paratinea striaticostella G.Petersen,1959, [in] Amsel, Bull. Soc. ent. Egypte 43: 71-72, Taf.8 fig.2, Taf.9 fig.1. Holotype ♂: Iraq: Bagdad. Range (in code): IQ Bgd
- 86502. Proterospastis taeniala** (Gozmany,1968) (Tineidae) Synonym(s): *taeniala* Gozmany,1968 Range (in code): ZA
- 86503. Proterospastis trilinguis** (Meyrick,1920) (Tineidae) Synonym(s): *trilinguis* Meyrick,1920 Range (in code): ZA
- 86504. Proterospastis zebra** (Walsingham,1891) (Tineidae) Synonym(s): *zebra* Walsingham,1891 Range (in code): ZA
- 86505. Prothinodes arvicola** Meyrick,1924 (Tineidae) Synonym(s): *arvicola* Meyrick,1924 Range (in code): ZA

- 86506. *Psephologa centrogramma* Meyrick,1921** (Tineidae) **Synonym(s):** *centrogramma* Meyrick,1921 **Original Reference:** *Psephologa centrogramma* Meyrick,1921, Exot. Microlepid. 2: 475. Syntypes 2♂♂: [Iraq]: "Mesopotamia, Shergat". **Range (in code):** **IQ**
- 86507. *Psolarcha* (Group 1) *lucifer* (Gozmany,1965)** (Tineidae) **Synonym(s):** *lucifer* Gozmany,1965 **Range (in code):** **ET**
- 86508. *Psolarcha* (Group 1) *onyx* (Gozmany,1966)** (Tineidae) **Synonym(s):** *onyx* Gozmany,1966 **Range (in code):** **CF**
- 86509. *Psolarcha* (Group 1) *sericea* (Gozmany,1966)** (Tineidae) **Synonym(s):** *sericea* Gozmany,1966 **Range (in code):** **GH**
- 86510. *Psolarcha* (Group 1) *topaz* (Gozmany,1967)** (Tineidae) **Synonym(s):** *topaz* Gozmany,1967 **Range (in code):** **TZ**
- 86511. *Psolarcha* (Group 10) *bergeri* (Gozmany,1967)** (Tineidae) **Synonym(s):** *bergeri* Gozmany,1967 **Range (in code):** **ZR**
- 86512. *Psolarcha* (Group 11) *gibi* (Gozmany,1965)** (Tineidae) **Synonym(s):** *gibi* Gozmany,1965 **Range (in code):** **BF**
- 86513. *Psolarcha* (Group 2) *melanops* (Gozmany,1967)** (Tineidae) **Synonym(s):** *melanops* Gozmany,1967 **Range (in code):** **ZR**
- 86514. *Psolarcha* (Group 2) *mili* (Gozmany,1965)** (Tineidae) **Synonym(s):** *mili* Gozmany,1965 **Range (in code):** **GA ZA**
- 86515. *Psolarcha* (Group 3) *acutibasis* (Gozmany,1968)** (Tineidae) **Synonym(s):** *acutibasis* Gozmany,1968 **Range (in code):** **MW**
- 86516. *Psolarcha* (Group 3) *adamasta* (Meyrick,1909)** (Tineidae) **Synonym(s):** *adamasta* Meyrick,1909 **Range (in code):** **ZA Tva Pre Wo**
- 86517. *Psolarcha* (Group 3) *catapulta* (Gozmany,1968)** (Tineidae) **Synonym(s):** *catapulta* Gozmany,1968 **Range (in code):** **KE**
- 86518. *Psolarcha* (Group 3) *fulvicoma* (Meyrick,1921)** (Tineidae) **Synonym(s):** *fulvicoma* Meyrick,1921 **Range (in code):** **ZW**
- 86519. *Psolarcha* (Group 3) *marcescens* (Meyrick,1908)** (Tineidae) **Synonym(s):** *marcescens* Meyrick,1908 **Range (in code):** **KE**
- 86520. *Psolarcha* (Group 3) *praxis* (Gozmany,1969)** (Tineidae) **Synonym(s):** *praxis* Gozmany,1969 **Range (in code):** **TZ**
- 86521. *Psolarcha* (Group 3) *pyroxantha* (Meyrick,1914)** (Tineidae) **Synonym(s):** *pyroxantha* Meyrick,1914 **Range (in code):** **MZ**
- 86522. *Psolarcha* (Group 3) *recurvata* (Gozmany,1968)** (Tineidae) **Synonym(s):** *recurvata* Gozmany,1968 **Range (in code):** **ZW**
- 86523. *Psolarcha* (Group 4) *caryocephala* (Meyrick,1937)** (Tineidae) **Synonym(s):** *caryocephala* Meyrick,1937 **Range (in code):** **ZA Cap Ec**
- 86524. *Psolarcha* (Group 4) *damnificella* (Zeller,1852)** (Tineidae) **Synonym(s):** *damnificella* Zeller,1852; *ochropsamma* Meyrick,1908 **Range (in code):** **ZA Ec Cap**
- 86525. *Psolarcha* (Group 4) *lala* (Gozmany,1967)** (Tineidae) **Synonym(s):** *lala* Gozmany,1967 **Range (in code):** **ZR RW**
- 86526. *Psolarcha* (Group 4) *szunyoghysi* (Gozmany,1969)** (Tineidae) **Synonym(s):** *szunyoghysi* Gozmany,1969 **Range (in code):** **TZ**
- 86527. *Psolarcha* (Group 5) *mucrapex* (Gozmany,1968)** (Tineidae) **Synonym(s):** *mucrapex* Gozmany,1968 **Range (in code):** **ZW**
- 86528. *Psolarcha* (Group 6) *nox* (Gozmany,1968)** (Tineidae) **Synonym(s):** *nox* Gozmany,1968 **Range (in code):** **ZA Ec Cap**
- 86529. *Psolarcha* (Group 7) *holopsamma* (Meyrick,1908)** (Tineidae) **Synonym(s):** *holopsamma* Meyrick,1908 **Range (in code):** **ZA Tva Lpo Pie**
- 86530. *Psolarcha* (Group 7) *mascherata* (Gozmany,1965)** (Tineidae) **Synonym(s):** *mascherata* Gozmany,1965 **Range (in code):** **ZA Tva Pre**
- 86531. *Psolarcha* (Group 8) *breviberbis* (Meyrick,1933)** (Tineidae) **Synonym(s):** *breviberbis* Meyrick,1933 **Range (in code):** **ZR CF KE**
- 86532. *Psolarcha* (Group 8) *christinae* (Gozmany,1965)** (Tineidae) **Synonym(s):** *christinae* Gozmany,1965 **Range (in code):** **TZ**
- 86533. *Psolarcha* (Group 8) *dentifera* (Gozmany,1973)** (Tineidae) **Synonym(s):** *dentifera* Gozmany,1973 **Range (in code):** **ZA Nta MW ZW ZM ZR**

- 86534. Psolarcha (Group 8) idolatrix (Gozmany,1973)** (Tineidae) Synonym(s): *idolatrix* Gozmany,1973 Range (in code): **CF**
- 86535. Psolarcha (Group 8) meruicola (Gozmany,1969)** (Tineidae) Synonym(s): *meruicola* Gozmany,1969 Range (in code): **TZ**
- 86536. Psolarcha (Group 8) montis (Gozmany,1968)** (Tineidae) Synonym(s): *montis* Gozmany,1968 Range (in code): **MW MZ**
- 86537. Psolarcha (Group 8) pantsa (Gozmany,1967)** (Tineidae) Synonym(s): *pantsa* Gozmany,1967 Range (in code): **RW**
- 86538. Psolarcha (Group 8) perlata (Gozmany,1967)** (Tineidae) Synonym(s): *perlata* Gozmany,1967 Range (in code): **ZR ZW**
- 86539. Psolarcha (Group 8) protaxia (Meyrick,1924)** (Tineidae) Synonym(s): *protaxia* Meyrick,1924 Range (in code): **ZR**
- 86540. Psolarcha (Group 8) ruwenzorica (Gozmany,1973)** (Tineidae) Synonym(s): *ruwenzorica* Gozmany,1973 Range (in code): **UG Rz KE**
- 86541. Psolarcha (Group 8) similatrix (Gozmany,1968)** (Tineidae) Synonym(s): *similatrix* Gozmany,1968 Range (in code): **NG SL**
- 86542. Psolarcha (Group 8) styx (Gozmany,1966)** (Tineidae) Synonym(s): *styx* Gozmany,1966 Range (in code): **GH**
- 86543. Psolarcha (Group 8) titanea (Gozmany,1967)** (Tineidae) Synonym(s): *titanea* Gozmany,1967 Range (in code): **ZR TZ ZM**
- 86544. Psolarcha (Group 9) gabori (Gozmany,1967)** (Tineidae) Synonym(s): *gabori* Gozmany,1967 Range (in code): **ZR**
- 86545. Psolarcha meretrix (Meyrick,1908)** (Tineidae) Synonym(s): *meretrix* Meyrick,1908 Range (in code): **ZA Ec Grh**
- 86546. Psychoides filicivora (Meyrick,1937)** (Tineidae) Synonym(s): *filicivora* Meyrick,1937 Range (in code): **IE GB**
- 86547. Psychoides verhuella Bruand,1853** (Tineidae) Synonym(s): *verhuella* Bruand,1853 Range (in code): **ES FR IE GB BE LU DE CH AT PL CZ SK HU RO YU AL NO SE RU MD UA BY**
- 86548. Reisserita arabica (G.Petersen,1961)** (Tineidae) Synonym(s): *arabica* G.Petersen,1961 Range (in code): **SA SA63**
- 86549. Reisserita chrysopterella (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *chrysopterella* Herrich-Schäffer,[1854]; *vitellinella* Staudinger,1859 Range (in code): **MA PT ES TR LB Bsa**
- 86550. Reisserita haasi (Rebel,1901)** (Tineidae) Synonym(s): *haasi* Rebel,1901 Range (in code): **ES**
- 86551. Reisserita luteoptera G.Petersen,1957** (Tineidae) Synonym(s): *luteoptera* G.Petersen,1957 Original Reference: Reisserita luteoptera Petersen,1957, Beitr. Ent. 7 (1/2): 112, fig.65. Holotype ♂: Marokko: Gr. Atlas, Goundafa (leg. Zerny) (NHMW). Range (in code): **MA**
- 86552. Reisserita mauritanica (Baker,1885)** (Tineidae) Synonym(s): *mauritanica* Baker,1885; *melitensis* Amsel,1952 Original Reference: Tinea mauritanica Baker,1885, Entomologist's mon. Mag. 21: 269. Syntypes: Algeria, Guelma. Range (in code): **DZ Gue MT**
- 86553. Reisserita panormitanella (Mann,1859)** (Tineidae) Synonym(s): *panormitanella* Mann,1859 Range (in code): **Sa Si**
- 86554. Reisserita parva G.Petersen & Gaedike,1979** (Tineidae) Synonym(s): *parva* G.Petersen & Gaedike,1979 Range (in code): **ES**
- 86555. Reisserita relicinella (Zeller,1839)** (Tineidae) Synonym(s): *relicinella* Zeller,1839 Range (in code): **IT AT CZ SK HU RO YU AL BG GR TR RU**
- 86556. Reisserita zelleri Zagulyaev,1992** (Tineidae) Synonym(s): *#zelleri* Caradja,1920; *zelleri* Zagulyaev,1992 Range (in code): **RU Tv KG**
- 86557. Reisserita zernyi G.Petersen,1957** (Tineidae) Synonym(s): *zernyi* G.Petersen,1957. Original Reference: Reisserita zernyi Petersen,1957, Beitr. Ent. 7 (1/2): 110, fig.62. Holotype ♂: S-Portugal: Monchique (NHMW). Range (in code): **PT ES**
- 86558. Rhodobates algericellus (Rebel,1901)** (Tineidae) Synonym(s): *algericellus* Rebel,1901; *chneouri* Lucas,1942; *mauretanicus* G.Petersen,1958. Range (in code): **MA DZ TN LY Cy EG**
- 86559. Rhodobates canariensis Petersen & Gaedike,1979** (Tineidae) Synonym(s): *canariensis* Petersen & Gaedike,1979 Range (in code): **Cn**
- 86560. Rhodobates dierli Gaedike,2012** (Tineidae) Synonym(s): *dierli* Gaedike,2012 Range (in code): **NP**

- 86561. Rhodobates friedeli G.Petersen,1987** (Tineidae) Synonym(s): *friedeli* G.Petersen,1987
Range (in code): MA ES
- 86562. Rhodobates laevigatellus (Herrich-Schäffer,[1854])** (Tineidae) Synonym(s): *laevigatellus* Herrich-Schäffer,[1854]. Original Reference: *Euplocamus laevigatellus* Herrich-Schäffer,[1854], Syst. Bearbeitung Schmett. Eur. 5: 82; 1851, ibidem 5: pl.39 fig.270 (non-binominal). Range (in code): TR Cc AM
- 86563. Rhodobates nodicornellus (Rebel,1911)** (Tineidae) Synonym(s): *nodicornellus* Rebel,1911
Range (in code): LB Bei JO
- 86564. Rhodobates pallipallus Rebel,1901** (Tineidae) Synonym(s): *pallipallus* Rebel,1901; *atactopis* Meyrick,1937; *transjordanus* Amsel,1935 Original Reference: *Rhodobates pallipallus* Rebel,1901, Dt. ent. Z., Iris 13(2): 179. Lectotype ♂: [Türkei]: Mardin (Petersen,1957, Beitr. Ent. 7:400). Range (in code): TR JO Amm IQ Hjo Ama Bgd Dk IR By Fa Spd Bu Sde Kz Skh Yas Ke
- 86565. Rhodobates paracosma (Meyrick,1908)** (Tineidae) Synonym(s): *paracosma* Meyrick,1908 Range (in code): ZA Tva Gau Pre
- 86566. Rhodobates pinkeri Petersen,1987** (Tineidae) Synonym(s): *pinkeri* Petersen,1987; *gomerae* Petersen,1987 [ssp.] Cn
- 86567. Rhodobates pusillus Gaedike,2012** (Tineidae) Synonym(s): *pusillus* Gaedike,2012 Range (in code): NP
- 86568. Rhodobates sp.** (Tineidae) Synonym(s): Range (in code): TH CMa Dst
- 86569. Rhodobates unicolor (Staudinger,1871)** (Tineidae) Synonym(s): *unicolor* Staudinger,1871; *tibulella* Rebel,1936. Original Reference: *Morophaga unicolor* Staudinger,1871, Berl. ent. Z. 14: 287. Range (in code): ES FR Co Sa Si IT MT GR Cr TN LY
- 86570. Sapheneutis cineracea Meyrick,1914** (Tineidae) Synonym(s): *cineracea* Meyrick,1914
Range (in code): TW
- 86571. Scalmatica myelodes (Meyrick,1921)** (Tineidae) Synonym(s): *myelodes* Meyrick,1921
Range (in code): ZA
- 86572. Scalmatica phaulocentra (Meyrick,1921)** (Tineidae) Synonym(s): *phaulocentra* Meyrick,1921 Range (in code): ZA
- 86573. Scardia alleni G.S.Robinson,1986** (Tineidae) Synonym(s): *alleni* G.S.Robinson,1986
Range (in code): MY Bor
- 86574. Scardia amurensis Zagulyaev,1965** (Tineidae) Synonym(s): *amurensis* Zagulyaev,1965
Range (in code): RU Am Us CN JP US Tx Vi Nje Mss NCa Mrl
- 86575. Scardia anatomella (Grote,1881)** (Tineidae) Synonym(s): *anatomella* Grote,1881; *fiskeella* Busck,1908 Range (in code): US Ny NCa Lou Org Cf Fl Pns Ilm Tx Ut CA On VE
- 86576. Scardia assamensis G.S.Robinson,1986** (Tineidae) Synonym(s): *assamensis* G.S.Robinson,1986 Range (in code): IN Meg Ass Khs
- 86577. Scardia boletella (Fabricius,1794)** (Tineidae) Synonym(s): *boletella* Fabricius,1794; *boleti* Fabricius,1798; *polypori* Esper,[1804]; *relicta* Kozhantschikov,1923 Range (in code): IT LU DE AT PL CZ SK HU RO YU GR NO SE FI EE LV LT RU Sb MD UA Cm BY Bionomy: Larva on Fomes, Ganoderma, Polyporus (Zagulyaev,1973).
- 86578. Scardia caucasica Zagulyaev,1965** (Tineidae) Synonym(s): *caucasica* Zagulyaev,1965
Range (in code): Cc GG Tbl Mng Lag AM
- 86579. Setomorpha rutella Zeller,1852** (Tineidae) Synonym(s): *rutella* Zeller,1852; *rupicella* Zeller,1852; *inamaonella* Zeller,1873; *operosella* Zeller,1873; *runderella* Zeller,1873; *clemensella* Chambers,1874; *multimaculella* Chambers,1878; *dryas* Butler,1881; *corticinella* Snellen,1885; *discipunctella* Rebel,1894; *fractiliniella* Dietz,1905; *majorella* Dietz,1905; *sigmoidella* Dietz,1905; *transversestrigella* Dietz,1905; *margalaeistrigata* Keuchenius,1917; *euryspoda* Lower,1918; *tineoides* Dammermann,1919; *contestata* Meyrick,1922; *nitella* Voute,1935 Range (in code): ZA RE MU SC SL ZR CF IN
- 86580. Silosca savannae Gozmany,1968** (Tineidae) Synonym(s): *savannae* Gozmany,1968 Range (in code): ZA
- 86581. Spatularia mimosae (Stainton,1859)** (Tineidae) Synonym(s): *mimosae* Stainton,1859; *seminivora* Walsingham,1899; *fuligineella* Deventer,1904; *ophionota* Meyrick,1907 Original Reference: *Laverna mimosae* Stainton,1859, Trans. ent. Soc. Londn (N.S.) 5: 126. Type: India (BMNH). Range (in code): IN LK TH MY ID Clb Mlc Ja SB Bionomy: Larva on seeds of Cassia, Caesalpinia pulcherrima, Albizia lebbeck, Mimosa arabica (Fabaceae) (Robinson et al.,1994).
- 86582. Sphallesthis ectofurca (Gozmany,1965)** (Tineidae) Synonym(s): *ectofurca* Gozmany,1965 Range (in code): ZA

- 86583. *Sphallesthis exarata* (Gozmany,1968)** (Tineidae) Synonym(s): *exarata* Gozmany,1968 Range (in code): **ZA**
- 86584. *Stenoptinea cyaneimarmorella* (Millière,1854)** (Tineidae) Synonym(s): *cyaneimarmorella* Millière,1854; *angustipennis* Herrich-Schäffer,1854; *angustipennis* Staudinger,1871 nec H.-S.,1854 Range (in code): **Cn DZ TN PT ES FR Sa IT GB NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI LV LT RU Us MD UA BY LB IR Gl**
- 86585. *Strophalinga glycinocoma* (Meyrick,1932)** (Tineidae) Synonym(s): *glycinocoma* Meyrick,1932 Original Reference: *Tinea glycinocoma* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). Range (in code): **ET ET88 Sw**
- 86586. *Struthisca agitata* Meyrick,1913** (Tineidae) Synonym(s): *agitata* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb Wv**
- 86587. *Struthisca areata* Meyrick,1908** (Tineidae) Synonym(s): *areata* Meyrick,1908 Range (in code): **ZA Tva Lpo Pie**
- 86588. *Struthisca hormotris* Meyrick,1908** (Tineidae) Synonym(s): *hormotris* Meyrick,1908 Range (in code): **ZA TZ**
- 86589. *Struthisca omichlodes* Meyrick,1908** (Tineidae) Synonym(s): *omichlodes* Meyrick,1908 Range (in code): **ZA Tva Gau Pre**
- 86590. *Tenaga nigripunctella* (Haworth,[1828])** (Tineidae) Synonym(s): *nigripunctella* Haworth,[1828]; *pomiliella* Clemens,1862; *moeniella* Rössler,1877; *linobola* Eyrick,1893; *sesquitertia* Meyrick,1909 Original Reference: *Tinea nigripunctella* Haworth,[1828], Lepid. Br.: 564. Type(s): Britain. Range (in code): **MA PT ES FR IT GB NL CH AT HV GR RU MD UA Cc GG ZA**
- 86591. *Tenaga rhenania* (G.Petersen,1962)** (Tineidae) Synonym(s): *rhenania* G.Petersen,1962 Range (in code): **ES FR Co Sa IT DE RO RU MD HV GR AT**
- 86592. *Tetracladessa chalcoxesta* (Meyrick,1920)** (Tineidae) Synonym(s): *chalcoxesta* Meyrick,1920 Range (in code): **ZA**
- 86593. *Theatrochora cosmophanes* Meyrick,1921** (Tineidae) Synonym(s): *cosmophanes* Meyrick,1921 Range (in code): **ZA Nta Kzu Kkf**
- 86594. *Thisizima antiphanes* Meyrick,1894** (Tineidae) Synonym(s): *antiphanes* Meyrick,1894 Original Reference: *Thisizima antiphanes* Meyrick,1894, Trans. ent. Soc. London 1894: 27. Type: [Myanmar]: Burma (BMNH). Range (in code): **MM TH**
- 86595. *Thisizima bovina* Meyrick,1928** (Tineidae) Synonym(s): *bovina* Meyrick,1928 Original Reference: *Thisizima bovina* Meyrick,1928, Exot. Microlepid. 3: 428. Type: Andamans. Range (in code): **IN Adm**
- 86596. *Thisizima bubalopa* Meyrick,1911** (Tineidae) Synonym(s): *bubalopa* Meyrick,1911 Original Reference: *Thisizima bubalopa* Meyrick,1911, J. Bombay nat. Hist. Soc. 21: 125. Type: [Sri Lanka]: Ceylon (BMNH). Range (in code): **LK**
- 86597. *Thisizima ceratella* Walker,1864** (Tineidae) Synonym(s): *ceratella* Walker,1864 Original Reference: *Thisizima ceratella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 29: 820. Type: Burma. Range (in code): **MM TH**
- 86598. *Thisizima sedilis* Meyrick,1907** (Tineidae) Synonym(s): *sedilis* Meyrick,1907 Original Reference: *Thisizima sedilis* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 989. Type: India (BMNH). Range (in code): **IN BT MM TH**
- 86599. *Thuriostoma homalospora* Meyrick,1934** (Tineidae) Synonym(s): *homalospora* Meyrick,1934 Original Reference: *Thuriostoma homalospora* Meyrick,1934, Exot. Microlep. 4: 515. Holotype ♂: Samoa: Upolu: Malololelei. Range (in code): **WS**
- 86600. *Tinea basifasciella* Ragonot,1895** (Tineidae) Synonym(s): *basifasciella* Ragonot,1895; *punctigera* Walsingham,1907; *nitentella* Chrétien,1908; *palaestinensis* Amsel,1955; *#basifasciella* Gaedike,2011 Range (in code): **MA DZ Cst Hes TN Gf LY PT ES FR Co Sa Si IT MT YU AL GR BG IL Pa Js TR IR**
- 86601. *Tinea bothniella* Svensson,1953** (Tineidae) Synonym(s): *bothniella* Svensson,1953 Range (in code): **NO SE FI EE RU MD UA BY**
- 86602. *Tinea columbariella* Wocke,1877** (Tineidae) Synonym(s): *columbariella* Wocke,1877 Range (in code): **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV RU MD UA BY**
- 86603. *Tinea dubiella* Stainton,1859** (Tineidae) Synonym(s): *dubiella* Stainton,1857; *turicensis* Müller-Rutz,1920; *tenerifi* Zagulyaev,1960; *bispinella* Zagulyaev,1960 Range (in code): **Md Cn DZ ES FR Si IT IE GB NL DE CH CZ HU RO HV YU BG Cc GG DK SE RU MD UA BY ZA SI SH AU NZ US**

- 86604. *Tinea flavescentella* Haworth,[1828]** (Tineidae) **Synonym(s):** *flavescentella* Haworth,[1828]; *tristigmatella* O.G.Costa,1836 **Range (in code):** **DZ ES FR IT IE GB LU DE AT RO YU HV GR DK**
- 86605. *Tinea flavofimbriella* (Chrétien,1925)** (Tineidae) **Synonym(s):** *flavofimbriella* Chrétien,1925 **Range (in code):** **PT ES**
- 86606. *Tinea lanella* Pierce & Metcalfe,1934** (Tineidae) **Synonym(s):** *lanella* Pierce & Metcalfe,1934 **Range (in code):** **ES GB RO**
- 86607. *Tinea luridula* Meyrick,1932** (Tineidae) **Synonym(s):** *luridula* Meyrick,1932 **Original Reference:** *Tinea luridula* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♀: [Ethiopia]: Mt.Chillalo (BMNH). **Range (in code):** **ET ET70 Sw**
- 86608. *Tinea melancholica* Gozmany,1967** (Tineidae) **Synonym(s):** *melancholica* Gozmany,1967 **Range (in code):** **ZA**
- 86609. *Tinea messalina* G.S.Robinson,1979** (Tineidae) **Synonym(s):** *messalina* G.S.Robinson,1979 **Range (in code):** **Cn DZ PT IT GR YE**
- 86610. *Tinea murariella* Staudinger,1859** (Tineidae) **Synonym(s):** *murariella* Staudinger,1859; *bipunctella* Ragonot,1874. **Range (in code):** **Cn Md Az DZ MA EG PT ES FR IT MT GB CH RO YU GR TR SA YE SD VE AR BR**
- 86611. *Tinea nepalica* Gaedike,2012** (Tineidae) **Synonym(s):** *nepalica* Gaedike,2012 **Range (in code):** **NP**
- 86612. *Tinea nephelotorna* Meyrick,1932** (Tineidae) **Synonym(s):** *nephelotorna* Meyrick,1932 **Original Reference:** *Tinea nephelotorna* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 120. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). **Range (in code):** **ET ET88 Sw**
- 86613. *Tinea nesiastis* (Meyrick,1911)** (Tineidae) **Synonym(s):** *nesiastis* Meyrick,1911 **Range (in code):** **ZA Tva Gau Pre**
- 86614. *Tinea omichlopis* Meyrick,1928** (Tineidae) **Synonym(s):** *omichlopis* Meyrick,1928; *nonimella* Zagulyaev,1955 **Range (in code):** **IT AT SK HU RO HV BG RU Sb IR Elb Mz Clu Cc**
- 86615. *Tinea pallescentella* Stainton,1851** (Tineidae) **Synonym(s):** *pallescentella* Stainton,1851 **Range (in code):** **FR IT IE GB NL DE AT PL CZ HU RO DK NO SE LV RU MD UA BY**
- 86616. *Tinea pellionella* Linnaeus,1758** (Tineidae) **Synonym(s):** *pellionella* Linnaeus,1758; *zoolegella* Scopoli,1763; *albella* Costa,[1836] *nec* Thunb.,1788; *demiurga* Meyrick,1920; *gerasimovi* Zagulyaev,1978. **Range (in code):** **DZ Agi ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR Cr TR Cc DK NO SE FI EE LV LT RU MD UA BY ZA YE IN Ass SI CA US NZ NO SE MN CN Ui AU**
- 86617. *Tinea roesleri* Gozmany,1969** (Tineidae) **Synonym(s):** *roesleri* Gozmany,1969 **Range (in code):** **NA**
- 86618. *Tinea rostrata* G.Petersen,1966** (Tineidae) **Synonym(s):** *rostrata* G.Petersen,1966 **Range (in code):** **IR Elb Th Kdj**
- 86619. *Tinea semifulvella* Haworth,[1828]** (Tineidae) **Synonym(s):** *semifulvella* Haworth,[1828] **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA IR Gl**
- 86620. *Tinea spinizona* Gozmany,1968** (Tineidae) **Synonym(s):** *spinizona* Gozmany,1968 **Range (in code):** **ZA**
- 86621. *Tinea squalida* Gozmany,1968** (Tineidae) **Synonym(s):** *squalida* Gozmany,1968 **Range (in code):** **ZA**
- 86622. *Tinea steueri* G.Petersen,1966** (Tineidae) **Synonym(s):** *steueri* G.Petersen,1966 **Range (in code):** **NL DE PL CZ SK RO DK FI LV RU MD UA BY**
- 86623. *Tinea subalbidella* Stainton,1867** (Tineidae) **Synonym(s):** *subalbidella* Stainton,1867; *liberiella* Zeller,1879; *excavata* Meyrick,1914; *frugivora* Meyrick,1917; *insectivora* Meyrick,1932; *arcanella* Zagulyaev,1960 **Range (in code):** **IL Pa Js PK Krc IN MM TH ZA** **Bionomy:** Larva zoophagous on feathers of birds and infesting mammal skins, horns and dried fruit (Robinson et al.,1994).
- 86624. *Tinea svenssoni* Opheim,1965** (Tineidae) **Synonym(s):** *svenssoni* Opheim,1965 **Range (in code):** **NO SE FI EE LV RU CA**
- 86625. *Tinea translucens* Meyrick,1917** (Tineidae) **Synonym(s):** *translucens* Meyrick,1917; *metonella* Pierce & Metcalfe,1934; *leonhardi* G.Petersen,1957; *margaritacea* Gozmany,1967; *forficata* Gozmany,1968. **Original Reference:** *Tinea translucens* Meyrick,1917, Exot. microlepid. 2: 78. Type ♀: Pakistan, Pashawar (BMNH). **Range (in code):** **ES FR Sa Si IT IE GB DE AT CZ SK HU RO YU AL GR Cr TR Cc IR Fa Shr SY TN EG PK Nwf Pes DK LV LT RU BY IN Ch LK NP JP TM AF Hr GA ZA ZW ZR US CL**

- 86626. *Tinea trinitella* Thunberg, 1794** (Tineidae) **Synonym(s):** *trinitella* Thunberg, 1794; *ganomella* Treitschke, 1833; *lappella* auct. **Range (in code):** **DZ PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Us MD UA BY**
- 86627. *Tineola bisselliella* (Hummel, 1823)** (Tineidae) **Synonym(s):** *flavifrontella* Thunberg, 1794 nec [Denis & Schiff.], 1775; *bisselliella* Hummel, 1823; *crinella* Sodoffsky, 1830; *destructor* Stephens, 1834; *lanariella* Clemens, 1859; *furciferella* Zagulyaev, 1954. **Range (in code):** **ES FR Co IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR IL LB DK NO SE FI EE LV LT RU MD UA BY ZA**
- 86628. *Tineovortex melanochrysus* (Meyrick, 1911)** (Tineidae) **Synonym(s):** *melanochrysus* Meyrick, 1911; *#melanochryseus* Moriuti, 1982 **Range (in code):** **LK TW**
- 86629. *Tinissa albipuncta* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *albipuncta* G.S. Robinson, 1976 **Range (in code):** **PG**
- 86630. *Tinissa amboinensis* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *amboinensis* G.S. Robinson, 1976 **Range (in code):** **ID Amb**
- 86631. *Tinissa araucariae* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *araucariae* G.S. Robinson, 1976 **Range (in code):** **PG**
- 86632. *Tinissa bakeri* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *bakeri* G.S. Robinson, 1976 **Range (in code):** **PH Luz**
- 86633. *Tinissa baliomicta* Meyrick, 1928** (Tineidae) **Synonym(s):** *baliomicta* Meyrick, 1928 **Range (in code):** **PH**
- 86634. *Tinissa chalcites* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *chalcites* G.S. Robinson, 1976 **Range (in code):** **PG**
- 86635. *Tinissa chaotica* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *chaotica* G.S. Robinson, 1976 **Range (in code):** **ID Amb**
- 86636. *Tinissa chloroplocama* Meyrick, 1938** (Tineidae) **Synonym(s):** *chloroplocama* Meyrick, 1938 **Range (in code):** **PG**
- 86637. *Tinissa cinerascens* Meyrick, 1910** (Tineidae) **Synonym(s):** *cinerascens* Meyrick, 1910 **Range (in code):** **PG**
- 86638. *Tinissa classeyi* G.S. Robinson, 1981** (Tineidae) **Synonym(s):** *classeyi* G.S. Robinson, 1981 **Range (in code):** **MY**
- 86639. *Tinissa convoluta* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *convoluta* G.S. Robinson, 1976 **Range (in code):** **PG**
- 86640. *Tinissa cultellata* (Gozmany & Vari, 1973)** (Tineidae) **Synonym(s):** *cultellata* Gozmany & Vari, 1973 **Range (in code):**
- 86641. *Tinissa goliath* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *goliath* G.S. Robinson, 1976 **Range (in code):** **ID Ij Gth**
- 86642. *Tinissa heterograpta* Meyrick, 1928** (Tineidae) **Synonym(s):** *heterograpta* Meyrick, 1928 **Range (in code):** **PG NBr**
- 86643. *Tinissa indica* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *indica* G.S. Robinson, 1976 **Range (in code):** **IN SI**
- 86644. *Tinissa insignis* Zagulyaev, 1972** (Tineidae) **Synonym(s):** *insignis* Zagulyaev, 1972 **Range (in code):** **ID Ja**
- 86645. *Tinissa insularia* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *insularia* G.S. Robinson, 1976 **Range (in code):** **ID Ja**
- 86646. *Tinissa kidukaroka* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *kidukaroka* G.S. Robinson, 1976 **Range (in code):** **MY Bor**
- 86647. *Tinissa krakatoa* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *krakatoa* G.S. Robinson, 1976 **Range (in code):** **ID Krkt**
- 86648. *Tinissa palmodes* Meyrick, 1917** (Tineidae) **Synonym(s):** *palmodes* Meyrick, 1917 **Range (in code):** **PG**
- 86649. *Tinissa parallela* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *parallela* G.S. Robinson, 1976 **Range (in code):** **ID Sum**
- 86650. *Tinissa philippinensis* G.S. Robinson, 1976** (Tineidae) **Synonym(s):** *philippinensis* G.S. Robinson, 1976 **Range (in code):** **PH Luz**
- 86651. *Tinissa phrictodes* Meyrick, 1910** (Tineidae) **Synonym(s):** *phrictodes* Meyrick, 1910 **Range (in code):** **SB**
- 86652. *Tinissa poliophasma* Bradley, 1965** (Tineidae) **Synonym(s):** *poliophasma* Bradley, 1965 **Range (in code):** **UG**

- 86653. *Tinissa polysema* Zagulyaev,1972** (Tineidae) **Synonym(s):** *polysema* Zagulyaev,1972
Range (in code): **ID Ja**
- 86654. *Tinissa polystacta* (Meyrick,1918)** (Tineidae) **Synonym(s):** *polystacta* Meyrick,1918;
perilithas Meyrick,1927 **Range (in code):** **ZA Tva Nha Nta Kzu**
- 86655. *Tinissa rigida* Meyrick,1910** (Tineidae) **Synonym(s):** *rigida* Meyrick,1910 **Range (in code):** **ID Kai**
- 86656. *Tinissa ruwenzorica* Gozmany,1966** (Tineidae) **Synonym(s):** *ruwenzorica* Gozmany,1966
Range (in code): **UG Rz**
- 86657. *Tinissa spaniastra* Meyrick,1932** (Tineidae) **Synonym(s):** *spaniastra* Meyrick,1932
Original Reference: *Tinissa spaniastra* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 118-119.
Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). **Range (in code):** **ET ET88 Sw**
- 86658. *Tinissa torvella* Walker,1864** (Tineidae) **Synonym(s):** *torvella* Walker,1864 **Range (in code):** **IN LK**
- 86659. *Tinissa torvella mysorensis* G.S.Robinson,1976** (Tineidae) **Synonym(s):** *mysorensis* G.S.Robinson,1976 **Range (in code):** **IN**
- 86660. *Tinissa transversella* (Walker,1864)** (Tineidae) **Synonym(s):** *transversella* Walker,1864
Original Reference: *Gelechia transversella* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 29: 641. Type: Sarawak (BMNH). **Range (in code):** **MY Bor Swk**
- 86661. *Tinissa yaloma* G.S.Robinson,1976** (Tineidae) **Synonym(s):** *yaloma* G.S.Robinson,1976
Range (in code): **PG NBr**
- 86662. *Tiquadra cultrifera* Meyrick,1914** (Tineidae) **Synonym(s):** *cultrifera* Meyrick,1914 **Range (in code):** **BJ ZR GH**
- 86663. *Tiquadra etiennei* Viette,1988** (Tineidae) **Synonym(s):** *etiennei* Viette,1988 **Range (in code):** **RE**
- 86664. *Tiquadra ghesquierei* Gozmany,1967** (Tineidae) **Synonym(s):** *ghesquierei* Gozmany,1967
Range (in code):
- 86665. *Tiquadra goochii* Walsingham,1881** (Tineidae) **Synonym(s):** *goochii* Walsingham,1881;
#goochi Gozmany,1968 **Range (in code):** **ZA KM GH ZR**
- 86666. *Tiquadra guillermeti* Viette,1988** (Tineidae) **Synonym(s):** *guillermeti* Viette,1988 **Range (in code):** **RE**
- 86667. *Tiquadra gypsatma* (Meyrick,1911)** (Tineidae) **Synonym(s):** *gypsatma* Meyrick,1911
Range (in code): **SC**
- 86668. *Tiquadra lichenea* Walsingham,1897** (Tineidae) **Synonym(s):** *lichenea* Walsingham,1897
Range (in code): **ZA UG TZ KE CG**
- 86669. *Tiquadra ochreata* Gozmany,1967** (Tineidae) **Synonym(s):** *ochreata* Gozmany,1967
Range (in code): **ZR**
- 86670. *Tiquadra seraphinei* Guillermet,2009** (Tineidae) **Synonym(s):** *seraphinei* Guillermet,2009 **Range (in code):** **RE**
- 86671. *Tiquadra trancarti* Guillermet,2010** (Tineidae) **Synonym(s):** *trancarti* Guillermet,2010
Range (in code): **RE**
- 86672. *Tracheloteina arctocephala* (Meyrick,1909)** (Tineidae) **Synonym(s):** *arctocephala* Meyrick,1909 **Range (in code):** **ZA**
- 86673. *Tracheloteina bilobata* Gozmany,1968** (Tineidae) **Synonym(s):** *bilobata* Gozmany,1968
Range (in code): **ZA**
- 86674. *Tracheloteina farraginella* (Zeller,1852)** (Tineidae) **Synonym(s):** *farraginella* Zeller,1852
Range (in code): **ZA**
- 86675. *Tracheloteina ordinata* (Meyrick,1921)** (Tineidae) **Synonym(s):** *ordinata* Meyrick,1921
Range (in code): **ZA**
- 86676. *Tracheloteina peloplaca* (Meyrick,1917)** (Tineidae) **Synonym(s):** *peloplaca* Meyrick,1917
Range (in code): **ZA**
- 86677. *Tracheloteina percastis* (Meyrick,1908)** (Tineidae) **Synonym(s):** *percastis* Meyrick,1908
Range (in code): **ZA Tva Gau Pre**
- 86678. *Tracheloteina spinipenis* Gozmany,1968** (Tineidae) **Synonym(s):** *spinipenis* Gozmany,1968 **Range (in code):** **ZA**
- 86679. *Tracheloteina suspiciosa* (Meyrick,1912)** (Tineidae) **Synonym(s):** *suspiciosa* Meyrick,1912; *favens* Meyrick,1917 (p.p.) **Range (in code):** **ZA**

- 86680. *Tracheloteina virgo* Gozmany,1967** (Tineidae) Synonym(s): *virgo* Gozmany,1967 Range (in code): ZA
- 86681. *Transmixta fortuita* (Meyrick,1920)** (Tineidae) Synonym(s): *fortuita* Meyrick,1920 Range (in code): ZA
- 86682. *Triaxomasia caprimulgella* (Stainton,1851)** (Tineidae) Synonym(s): *caprimulgella* Stainton,1851 Range (in code): FR Co IT GB SE NL DE CH AT PL CZ SK HU RO HV AL GR DK SE RU MD UA
- 86683. *Triaxomera baldensis* G.Petersen,1983** (Tineidae) Synonym(s): *baldensis* G.Petersen,1983 Range (in code): IT
- 86684. *Triaxomera caucasiella* Zagulyaev,1959** (Tineidae) Synonym(s): *caucasiella* Zagulyaev,1959 Range (in code): Cc AZ Nv Ord
- 86685. *Triaxomera fulvimitrella* (Sodoffsky,1830)** (Tineidae) Synonym(s): *fulvimitrella* Sodoffsky,1830 Original Reference: *Tinea fulvimitrella* Sodoffsky,1830, Bull. Soc. imp. Nat. Moscou 2: 74, pl.1 fig.6 Range (in code): FR GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY
- 86686. *Triaxomera marsica* G.Petersen,1984** (Tineidae) Synonym(s): *marsica* G.Petersen,1984 Range (in code): IT
- 86687. *Triaxomera parasitella* (Hübner,1796)** (Tineidae) Synonym(s): *parasitella* Hübner,1796 Range (in code): ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO B-H AL BG GR TR DK NO SE LV LT RU Or Ur MD UA BY CA BCo
- 86688. *Trichophaga bipartitella* (Ragonot,1892)** (Tineidae) Synonym(s): *abruptella* Wollaston,1858 (*praeocc.*); *bipartitella* Ragonot,1892; *desertella* Mabille,1907; *amina* Meyrick,1925 Original Reference: *Tinea bipartitella* Ragonot,1892, Bull. Soc. ent. Fr. 1892: lxxxii. Type: Tunis, Gabes. Range (in code): MA Cn DZ Ajj TN Gab PT ES Mu FR Sa IT MT RO YU BG GR Cr TR RU TM IR Hz Ss Bu Kz Ke Jrf Ahz SA IQ Bgd IL Pa Hf AE YE EG BH
- 86689. *Trichophaga cuspidata* Gozmany,1967** (Tineidae) Synonym(s): *cuspidata* Gozmany,1967 Range (in code): NA SA ZA
- 86690. *Trichophaga scandinaviella* Zagulyaev,1960** (Tineidae) Synonym(s): *scandinaviella* Zagulyaev,1960 Range (in code): DK NO SE FI LV LT RU MD UA BY
- 86691. *Trichophaga swinhoei* (Butler,1884)** (Tineidae) Synonym(s): *swinhoei* Butler,1884; *coprobiella* Ragonot,1894 Range (in code): YE Ad SA
- 86692. *Trichophaga tapetzella* (Linnaeus,1758)** (Tineidae) Synonym(s): *tapetzella* Linnaeus,1758; *pulchella* Fabricius,1794; *pulchana* Fabricius,1798; *#tapezana* Fabricius,1798; *#tapetiella* Zeller,1839; *palaestrica* Butler,1877 Range (in code): PT ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV RU MD UA BY ZA SA
- 86693. *Wegneria acervalis* (Meyrick,1914)** (Tineidae) Synonym(s): *acervalis* Meyrick,1914 Range (in code): MW
- 86694. *Wegneria astragalodes* (Meyrick,1922)** (Tineidae) Synonym(s): *astragalodes* Meyrick,1922 Range (in code): UG
- 86695. *Wegneria cavernicola* Diakonoff,1951** (Tineidae) Synonym(s): *cavernicola* Diakonoff,1951 Range (in code): ID Ja
- 86696. *Wegneria cerodelta* (Meyrick,1911)** (Tineidae) Synonym(s): *cerodelta* Meyrick,1911 Range (in code): IN
- 86697. *Wegneria chrysophthalma* (Meyrick,1934)** (Tineidae) Synonym(s): *chrysophthalma* Meyrick,1934 Range (in code): UG
- 86698. *Wegneria encharacta* (Meyrick,1915)** (Tineidae) Synonym(s): *encharacta* Meyrick,1915 Range (in code): IN
- 86699. *Wegneria impotens* (Meyrick,1915)** (Tineidae) Synonym(s): *impotens* Meyrick,1915 Range (in code): IN
- 86700. *Wegneria lachanitis* (Meyrick,1906)** (Tineidae) Synonym(s): *lachanitis* Meyrick,1906 Range (in code): LK
- 86701. *Wegneria oxydesma* (Meyrick,1918)** (Tineidae) Synonym(s): *oxydesma* Meyrick,1918 Range (in code): IN
- 86702. *Wegneria panchalcella* (Staudinger,1871)** (Tineidae) Synonym(s): *panchalcella* Staudinger,1871 Original Reference: *Opogona panchalcella* Staudinger,1871, Berl. ent. Z. 14: 325. Syntypes: Russia, Sarepta. Range (in code): RU Sr DZ Bsk TN Gf GR TR Cc AZ
- 86703. *Wegneria plasturga* (Meyrick,1911)** (Tineidae) Synonym(s): *plasturga* Meyrick,1911 Range (in code): IN

- 86704. Wegneria scaeozona (Meyrick,1920)** (Tineidae) Synonym(s): *scaeozona* Meyrick,1920 Range (in code): **KE**
- 86705. Wegneria speciosa (Meyrick,1914)** (Tineidae) Synonym(s): *speciosa* Meyrick,1914 Range (in code): **NG ZA**
- 86706. Wegneria sphaerotoma (Meyrick,1911)** (Tineidae) Synonym(s): *sphaerotoma* Meyrick,1911 Range (in code): **IN**
- 86707. Wegneria subtilis (Diakonoff,1955)** (Tineidae) Synonym(s): *subtilis* Diakonoff,1955 Range (in code): **PG**
- 86708. Wegneria villiersi (Viette,1955)** (Tineidae) Synonym(s): *villiersi* Viette,1955 Range (in code): **GN**
- 86709. Xerantica tephroclysta Meyrick,1930** (Tineidae) Synonym(s): *tephroclysta* Meyrick,1930; *trichophagoides* Zerny,1935 Original Reference: *Xerantica tephroclysta* Meyrick,1930, *Exot. Microlepid.* 3: 553. Type: Uganda. Range (in code): **UG MA**
- 86710. Xystrologa grenadella (Walsingham,1897)** (Tineidae) Synonym(s): *grenadella* Walsingham,1897; *antipathetica* Forbes,1931; *ochripenella* Nel & Varenne,2011 GD PR US FI DE FR Co
- 86711. Astrotischeria alcedoensis Landry,2004** (Tischeriidae) Synonym(s): *alcedoensis* Landry,2004 Range (in code): **GS**
- 86712. Astrotischeria scalesiaella Landry,2004** (Tischeriidae) Synonym(s): *scalesiaella* Landry,2004 Range (in code): **GS**
- 86713. Coptotriche Walsingham,1890** (Tischeriidae) Synonym(s): *Coptotriche* Walsingham,1890 Range (in code): **TR**
- 86714. Coptotriche africana Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *africana* Puplesis & Diskus,2003 Range (in code): **Bionomy:** Larva on *Rhus guenzii*, *R.lancea*, *R.pyroides* (Anacardiaceae) (Puplesis & Diskus,2005).
- 86715. Coptotriche angusticolella (Duponchel,1843)** (Tischeriidae) Synonym(s): *angusticolella* Duponchel,1843 Range (in code): **TR Cc TM RU Us KR JP** Bionomy: Larva on *Rosa* (Rosaceae) (Puplesis & Diskus,2005).
- 86716. Coptotriche angusticollella (Duponchel,1843)** (Tischeriidae) Synonym(s): *angusticollella* Duponchel,1843; *aurifrontella* Ragonot,1874. Range (in code): **ES FR Sa IT MT GB BE LU NL DE CH AT PL CZ SK HU RO YU TR NO SE FI LT RU MD UA BY**
- 86717. Coptotriche basipectinella Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *basipectinella* Puplesis & Diskus,2003 Range (in code): **ZA Gau Tva Pre ZW** Bionomy: Larva on *Terminalia sericea* (Combretaceae) (Puplesis & Diskus,2005).
- 86718. Coptotriche berberella (De Prins,1984)** (Tischeriidae) Synonym(s): *berberella* De Prins,1984 Range (in code): **PT ES MA TN** Bionomy: Larva on *Rubus* (Rosaceae) (Puplesis & Diskus,2005).
- 86719. Coptotriche berberella (De Prins,1984)** (Tischeriidae) Synonym(s): *berberella* De Prins,1984 Original Reference: *Tischeria berberella* De Prins,1984, *Nota lepid.* 7 (2): 172-175, figs. Holotype ♂: Morocco: High Atlas, Asni village 1150m (BMNH). Range (in code): **PT ES MA** Bionomy: Larva on *Rubus* (Rosaceae) (Prins,1984).
- 86720. Coptotriche gaunacella (Duponchel,1843)** (Tischeriidae) Synonym(s): *gaunacella* Duponchel,1843 Range (in code): **FR Co IT GB DE CH AT PL CZ SK HU RO MK GR SE RU MD UA BY**
- 86721. Coptotriche heinemanni (Wocke,1871)** (Tischeriidae) Synonym(s): *heinemanni* Wocke,1871 Range (in code): **TN DE FR IT GB NL BE DE AT PL CZ SK HU RO NO SE FI EE LV RU MD UA BY KR JP**
- 86722. Coptotriche longiciliella (Rebel,1896)** (Tischeriidae) Synonym(s): *longiciliella* Rebel,1896 Range (in code): **Cn** Bionomy: Larva on *Rubus* (Rosaceae) (Puplesis & Diskus,2005).
- 86723. Coptotriche marginea (Haworth,[1828])** (Tischeriidae) Synonym(s): *marginea* Haworth,[1828] Range (in code): **MA TM PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG MK GR Cr TR DK SE FI LT RU MD UA BY** Bionomy: Larva on *Rubus* (Rosaceae) (Prins,1984).
- 86724. Coptotriche szoecsi (Kasy,1961)** (Tischeriidae) Synonym(s): *szoecsi* Kasy,1961 Range (in code): **DE AT PL SK HU**
- 86725. Coptotriche tantalella (Walsingham,1907)** (Tischeriidae) Synonym(s): *tantalella* Walsingham,1907 Range (in code): **Cn** Bionomy: Larva on *Bencomia caudata*, *Sanguisorba verrucosa* (Rosaceae) (Puplesis & Diskus,2005).
- 86726. Coptotriche zimbabwiensis Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *zimbabwiensis* Puplesis & Diskus,2003 Range (in code): **ZW**

- 86727. *Tischeria antilope* Puplesis, Diskus & Mey,2003** (Tischeriidae) Synonym(s): *antilope* Puplesis, Diskus & Mey,2003 Range (in code): **NA**
- 86728. *Tischeria decidua* Wocke,1876** (Tischeriidae) Synonym(s): *decidua* Wocke,1876 Range (in code): **PT ES FR Si IT DE CH AT PL CZ SK HU RO YU LT RU MD UA BY** Bionomy: Larva mines leaves of *Quercus*, *Castanea* (Fagaceae).
- 86729. *Tischeria dodonaea* Stainton,1858** (Tischeriidae) Synonym(s): *dodonaea* Stainton,1858 Range (in code): **FR IT GB LU BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY IL** Bionomy: Larva on *Quercus ithaburensis* (Sternlicht,1968).
- 86730. *Tischeria ekebladella* (Bjerkander,1795)** (Tischeriidae) Synonym(s): *ekebladella* Bjerkander,1795; *complanella* Hübner,[1817]. Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Ur MD UA BY IL** Bionomy: Larva on *Quercus ithaburensis*, *Q. calliprinos*, *Q. boissieri*, *Castanea sativa* (Fagaceae) (Sternlicht,1968).
- 86731. *Tischeria ekebladoides* Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *ekebladoides* Puplesis & Diskus,2003 Range (in code): **PT ES TN** Bionomy: Larva on *Quercus mirbeckii* (Fagaceae) (Puplesis & Diskus,2005).
- 86732. *Tischeria martinkruegeri* Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *martinkruegeri* Puplesis & Diskus,2003 Range (in code): **ZA Tva Mpu**
- 86733. *Tischeria rubiphagella* Amsel,1935** (Tischeriidae) Synonym(s): *rubiphagella* Amsel,1935 Range (in code): **IL Pa** Bionomy: Larva on *Rubus* (Rosaceae) (Amsel,1935; Prins,1984).
- 86734. *Tischeria sparmanniae* Puplesis & Diskus,2003** (Tischeriidae) Synonym(s): *sparmanniae* Puplesis & Diskus,2003 Range (in code): **ZA ZW NA** Bionomy: Larva on *Sparmannia ricinocarpa* (Tiliaceae) (Puplesis & Diskus,2003).
- 86735. *Tischeria urticicolella* (Ghesquière,1940)** (Tischeriidae) Synonym(s): *urticicolella* Ghesquière,1940 Range (in code): **ZR** Bionomy: Larva on *Laportea podocarpa* (Urticaceae) (Puplesis & Diskus,2005).
- 86736. *Tischeria zestica* Meyrick,1911** (Tischeriidae) Synonym(s): *zestica* Meyrick,1911 Range (in code): **ZA Tva Gau Pre** Bionomy: Larva on *Grewia occidentalis* (Tiliaceae) (Puplesis & Diskus,2005).
- 86737. "Argyroploce" brevisecta** Meyrick,1930 (Tortricidae) Synonym(s): *brevisecta* Meyrick,1930 Range (in code): **NG**
- 86738. "Argyroploce" caryactis** Meyrick,1909 (Tortricidae) Synonym(s): *caryactis* Meyrick,1909 Range (in code): **IN Ass Meg Khs**
- 86739. "Argyroploce" catapittoma** Walsingham,1900 (Tortricidae) Synonym(s): *catapittoma* Walsingham,1900; *niphodelta* Meyrick,1925 Range (in code): **IN Ass Slo Meg Khs CN**
- 86740. "Argyroploce" chasmodes** Meyrick,1914 (Tortricidae) Synonym(s): *chasmodes* Meyrick,1914 Range (in code): **SB**
- 86741. "Argyroploce" chlorosaris** Meyrick,1914 (Tortricidae) Synonym(s): *chlorosaris* Meyrick,1914 Range (in code): **NZ**
- 86742. "Argyroploce" circumplexa** Meyrick,1922 (Tortricidae) Synonym(s): *circumplexa* Meyrick,1922 Range (in code): **BR Para**
- 86743. "Argyroploce" conchopleura** Meyrick,1911 (Tortricidae) Synonym(s): *conchopleura* Meyrick,1911 Range (in code): **SC**
- 86744. "Argyroploce" cyanostola** Meyrick,1937 (Tortricidae) Synonym(s): *cyanostola* Meyrick,1937 Range (in code): **CN Yu**
- 86745. "Argyroploce" cyphophragma** Meyrick,1931 (Tortricidae) Synonym(s): *cyphophragma* Meyrick,1931 Range (in code): **BR MtG**
- 86746. "Argyroploce" decidua** Meyrick,1934 (Tortricidae) Synonym(s): *decidua* Meyrick,1934 Range (in code): **ST**
- 86747. "Argyroploce" electrias** Meyrick,1912 (Tortricidae) Synonym(s): *electrias* Meyrick,1912 Range (in code): **BR**
- 86748. "Argyroploce" euryopis** Meyrick,1937 (Tortricidae) Synonym(s): *euryopis* Meyrick,1937 Range (in code): **CN Yu Lik**
- 86749. "Argyroploce" faceta** Meyrick,1917 (Tortricidae) Synonym(s): Range (in code):
- 86750. "Argyroploce" gutturalis** Meyrick,1934 (Tortricidae) Synonym(s): *gutturalis* Meyrick,1934 Range (in code): **ST**
- 86751. "Argyroploce" hedrotoma** Meyrick,1938 (Tortricidae) Synonym(s): *hedrotoma* Meyrick,1938 Range (in code): **CN Yu Lik**

- 86752. "Argyroploce" heliophanes Meyrick, 1922** (Tortricidae) Synonym(s): *heliophanes* Meyrick, 1922 Range (in code): PE
- 86753. "Argyroploce" hilaraspis Meyrick, 1931** (Tortricidae) Synonym(s): *hilaraspis* Meyrick, 1931 Range (in code): IN Ass Meg Khs
- 86754. "Argyroploce" hormoterma Meyrick, 1938** (Tortricidae) Synonym(s): *hormoterma* Meyrick, 1938 Range (in code): ZR
- 86755. "Argyroploce" hygrantis Meyrick, 1911** (Tortricidae) Synonym(s): *hygrantis* Meyrick, 1911 Range (in code): SC
- 86756. "Argyroploce" impolita Meyrick, 1917** (Tortricidae) Synonym(s): *impolita* Meyrick, 1917 Range (in code): CO
- 86757. "Argyroploce" intermissa Meyrick, 1931** (Tortricidae) Synonym(s): *intermissa* Meyrick, 1931 Range (in code): BR Spa
- 86758. "Argyroploce" iodoxa Meyrick, 1928** (Tortricidae) Synonym(s): *iodoxa* Meyrick, 1928 Range (in code): NH
- 86759. "Argyroploce" isopercna Meyrick, 1927** (Tortricidae) Synonym(s): *isopercna* Meyrick, 1927 Range (in code): CO
- 86760. "Argyroploce" limenosema Meyrick, 1931** (Tortricidae) Synonym(s): *limenosema* Meyrick, 1931 Range (in code): PG Bsm NBr
- 86761. "Argyroploce" logica Meyrick, 1912** (Tortricidae) Synonym(s): *logica* Meyrick, 1912 Range (in code): CO
- 86762. "Argyroploce" metaplecta Meyrick, 1920** (Tortricidae) Synonym(s): *metaplecta* Meyrick, 1920 Range (in code): TZ Kmj
- 86763. "Argyroploce" microplaca Meyrick, 1912** (Tortricidae) Synonym(s): *microplaca* Meyrick, 1912 Range (in code): IN Ass Meg Khs
- 86764. "Argyroploce" milichopis Meyrick, 1931** (Tortricidae) Synonym(s): *milichopis* Meyrick, 1931 Range (in code): JP
- 86765. "Argyroploce" mixanthes Meyrick, 1932** (Tortricidae) Synonym(s): *mixanthes* Meyrick, 1932 Range (in code): Ch GI IN
- 86766. "Argyroploce" nephelopsycha Meyrick, 1934** (Tortricidae) Synonym(s): *nephelopsycha* Meyrick, 1934 Range (in code): UG Rz
- 86767. "Argyroploce" nephelopyrga Meyrick, 1938** (Tortricidae) Synonym(s): *nephelopyrga* Meyrick, 1938 Range (in code): ZR
- 86768. "Argyroploce" ottomana Obraztsov, 1952** (Tortricidae) Synonym(s): *ottomana* Obraztsov, 1952 Original Reference: Argyroploce ottomana Obraztsov, 1952, Z. lepid. 2: 42. Holotype ♀: Türkiye. Range (in code): TR
- 86769. "Argyroploce" pachypleura Meyrick, 1921** (Tortricidae) Synonym(s): *pachypleura* Meyrick, 1921 Range (in code): FJ
- 86770. "Argyroploce" paragraphopis Meyrick, 1937** (Tortricidae) Synonym(s): *paragraphopis* Meyrick, 1937 Range (in code): CN Yu Lik
- 86771. "Argyroploce" perchnochlaena Meyrick, 1938** (Tortricidae) Synonym(s): *perchnochlaena* Meyrick, 1938 Range (in code): ZR
- 86772. "Argyroploce" phyllodoxa Meyrick, 1932** (Tortricidae) Synonym(s): *phyllodoxa* Meyrick, 1932 Range (in code): UG Rz
- 86773. "Argyroploce" platyzona Meyrick, 1917** (Tortricidae) Synonym(s): *platyzona* Meyrick, 1917 Range (in code): GF
- 86774. "Argyroploce" plumbifera Kennel, 1918** (Tortricidae) Synonym(s): *plumbifera* Kennel, 1918 Original Reference: Argyroploce plumbifera Kennel, 1918, Palaearct. Tortr.: 419. Type: [Armenia]: Erivan (MNHUB). Range (in code): Cc AM Eri
- 86775. "Argyroploce" porpocosma Meyrick, 1935** (Tortricidae) Synonym(s): *porpocosma* Meyrick, 1935 Range (in code): CN
- 86776. "Argyroploce" protocyma Meyrick, 1936** (Tortricidae) Synonym(s): *protocyma* Meyrick, 1936 Range (in code): TW
- 86777. "Argyroploce" sardiodes Meyrick, 1922** (Tortricidae) Synonym(s): *sardiodes* Meyrick, 1922 Range (in code): PE
- 86778. "Argyroploce" scansilis Meyrick, 1921** (Tortricidae) Synonym(s): *scansilis* Meyrick, 1921 Range (in code): ID Ja

- 86779. "Argyroploce" scolecitis Meyrick, 1916** (Tortricidae) **Synonym(s):** *scolecitis* Meyrick, 1916
Range (in code): IN Ben
- 86780. "Argyroploce" sideropetra Meyrick, 1932** (Tortricidae) **Synonym(s):** *sideropetra* Meyrick, 1932 Range (in code): BR
- 86781. "Argyroploce" solaris Meyrick, 1909** (Tortricidae) **Synonym(s):** *solaris* Meyrick, 1909
Range (in code): IN Ass Meg Khs
- 86782. "Argyroploce" symmictopa Meyrick, 1930** (Tortricidae) **Synonym(s):** *symmictopa* Meyrick, 1930 Range (in code): MU
- 86783. "Argyroploce" thermoptera Meyrick, 1930** (Tortricidae) **Synonym(s):** *thermoptera* Meyrick, 1930 Range (in code): CM
- 86784. "Argyroploce" torquata Meyrick, 1927** (Tortricidae) **Synonym(s):** *torquata* Meyrick, 1927
Range (in code): BM
- 86785. "Argyroploce" vandarbana Osthelder, 1938** (Tortricidae) **Synonym(s):** *vandarbana* Osthelder, 1938 Range (in code): IR Mz Elb Vdb
- 86786. "Argyroploce" vinculigera Meyrick, 1939** (Tortricidae) **Synonym(s):** *vinculigera* Meyrick, 1939 Range (in code): UG
- 86787. "Argyroploce" zelantha Meyrick, 1911** (Tortricidae) **Synonym(s):** *zelantha* Meyrick, 1911
Range (in code): SB
- 86788. "Argyroploce" zonastra Meyrick, 1931** (Tortricidae) **Synonym(s):** *zonastra* Meyrick, 1931
Range (in code): CN
- 86789. "Argyrotoxa" melanophyta Meyrick, 1913** (Tortricidae) **Synonym(s):** *melanophyta* Meyrick, 1913 Range (in code): AR
- 86790. "Caoecia" bitorata Meyrick, 1930** (Tortricidae) **Synonym(s):** *bitorata* Meyrick, 1930 Range (in code): BR
- 86791. "Caoecia" clivigera Meyrick, 1932** (Tortricidae) **Synonym(s):** *clivigera* Meyrick, 1932
Range (in code): PE
- 86792. "Caoecia" mansueta Meyrick, 1923** (Tortricidae) **Synonym(s):** *mansueta* Meyrick, 1923
Range (in code): BR Rja
- 86793. "Caoecia" recurvana Zeller, 1866** (Tortricidae) **Synonym(s):** *recurvana* Zeller, 1866 Range (in code): CO
- 86794. "Capua" alumnias (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *alumnias* Meyrick, 1912
Range (in code): CO
- 86795. "Capua" arrecta Meyrick, 1917** (Tortricidae) **Synonym(s):** *arrecta* Meyrick, 1917 Range (in code): PE
- 86796. "Capua" chrysostoma Meyrick, 1912** (Tortricidae) **Synonym(s):** *chrysostoma* Meyrick, 1912
Range (in code): CO
- 86797. "Capua" ruficapilla Meyrick, 1932** (Tortricidae) **Synonym(s):** *ruficapilla* Meyrick, 1932
Range (in code): BO
- 86798. "Capua" thiodyta Meyrick, 1931** (Tortricidae) **Synonym(s):** *thiodyta* Meyrick, 1931 Range (in code): BR Spa
- 86799. "Capua" tylonota Meyrick, 1926** (Tortricidae) **Synonym(s):** *tylonota* Meyrick, 1926 Range (in code): CO
- 86800. "Carpocapsa" atrochalybaeana (Walker, 1863)** (Tortricidae) **Synonym(s):** *atrochalybaeana* Walker, 1863 Range (in code): BR
- 86801. "Carpocapsa" carana Walker, 1863** (Tortricidae) **Synonym(s):** *carana* Walker, 1863
Range (in code): BR Azn
- 86802. "Carpocapsa" compensana Walker, 1863** (Tortricidae) **Synonym(s):** *compensana* Walker, 1863 Range (in code): BR Azn
- 86803. "Carpocapsa" conclusana Walker, 1863** (Tortricidae) **Synonym(s):** *conclusana* Walker, 1863 Range (in code): BR Azn
- 86804. "Carpocapsa" decretana Walker, 1863** (Tortricidae) **Synonym(s):** *decretana* Walker, 1863; *latiferana* Walker, 1863 Range (in code): BR
- 86805. "Carpocapsa" immanis Meyrick, 1886** (Tortricidae) **Synonym(s):** *immanis* Meyrick, 1886
Range (in code): FJ
- 86806. "Carpocapsa" influxana Walker, 1863** (Tortricidae) **Synonym(s):** *influxana* Walker, 1863
Range (in code): BR Azn

- 86807. "Carpocapsa" monstratana Walker, 1863** (Tortricidae) Synonym(s): *monstratana* Walker, 1863 Range (in code): **BR Azn**
- 86808. "Carpocapsa" plenana Walker, 1863** (Tortricidae) Synonym(s): *plenana* Walker, 1863; *incultana* Walker, 1866 Range (in code): **BR CO**
- 86809. "Carpocapsa" semicirculana Walker, 1863** (Tortricidae) Synonym(s): *semicirculana* Walker, 1863 Range (in code): **HN**
- 86810. "Carpocapsa" tonsana Walker, 1863** (Tortricidae) Synonym(s): *tonsana* Walker, 1863 Range (in code): **BR Azn**
- 86811. "Carpocapsa" transductana Walker, 1863** (Tortricidae) Synonym(s): *transductana* Walker, 1863 Range (in code): **BR**
- 86812. "Cnephasia" captiva Meyrick, 1911** (Tortricidae) Synonym(s): *captiva* Meyrick, 1911 Original Reference: *Cnephasia captiva* Meyrick, 1911, Ann. Transv. Mus. 2: 224. Type ♂: [South Africa]: Haenertsburg, Transvaal (BMNH) [cf. Clarke, 1958, Catalogue... 3: pl.43 figs.1-1b]. Range (in code): **ZA Tva Lpo Hae**
- 86813. "Cnephasia" catastrepta Meyrick, 1926** (Tortricidae) Synonym(s): *catastrepta* Meyrick, 1926 Range (in code): **ZA**
- 86814. "Cnephasia" cedrota (Meyrick, 1908)** (Tortricidae) Synonym(s): *cedrota* Meyrick, 1908 Original Reference: *Tortrix cedrota* Meyrick, 1908, Proc. zool. Soc. London 1908: 722. Type ♂: [South Africa]: Transvaal, Pretoria (BMNH) [cf. Clarke, 1958, Catalogue... 3: pl.43 figs.2-2b]. Range (in code): **ZA Tva Gau Pre**
- 86815. "Cnephasia" chlorocrossa Meyrick, 1926** (Tortricidae) Synonym(s): *chlorocrossa* Meyrick, 1926 Range (in code): **ZA**
- 86816. "Cnephasia" clisias Meyrick, 1912** (Tortricidae) Synonym(s): *clisias* Meyrick, 1912 Range (in code): **AR**
- 86817. "Cnephasia" dentata Meyrick, 1917** (Tortricidae) Synonym(s): *dentata* Meyrick, 1917 Range (in code): **EC**
- 86818. "Cnephasia" designata Meyrick, 1921** (Tortricidae) Synonym(s): *designata* Meyrick, 1921 Range (in code): **ZA Nta Kzu Kkf**
- 86819. "Cnephasia" dryoglypta Meyrick, 1913** (Tortricidae) Synonym(s): *dryoglypta* Meyrick, 1913 Range (in code): **AR**
- 86820. "Cnephasia" ergastularis Meyrick, 1911** (Tortricidae) Synonym(s): *ergastularis* Meyrick, 1911 Original Reference: *Cnephasia ergastularis* Meyrick, 1911, Ann. Transv. Mus. 2: 225. Type ♂: [South Africa]: Transvaal, Haenertsburg (BMNH) [cf. Clarke, 1958, Catalogue... 3: pl.43 figs.3-3b]. Range (in code): **ZA Tva Lpo Hae**
- 86821. "Cnephasia" finita Meyrick, 1924** (Tortricidae) Synonym(s): *finita* Meyrick, 1924 Range (in code): **ZA**
- 86822. "Cnephasia" flavisecta Meyrick, 1918** (Tortricidae) Synonym(s): *flavisecta* Meyrick, 1918 Range (in code): **ZA Nta Kzu Esw**
- 86823. "Cnephasia" hyacinthina Meyrick, 1912** (Tortricidae) Synonym(s): *hyacinthina* Meyrick, 1912 Range (in code): **CO**
- 86824. "Cnephasia" incepta Meyrick, 1912** (Tortricidae) Synonym(s): *incepta* Meyrick, 1912 Range (in code): **ZA**
- 86825. "Cnephasia" incusa Meyrick, 1917** (Tortricidae) Synonym(s): *incusa* Meyrick, 1917 Range (in code): **CO**
- 86826. "Cnephasia" macrostoma Meyrick, 1920** (Tortricidae) Synonym(s): *macrostoma* Meyrick, 1920 Range (in code): **ZA Ec Wth**
- 86827. "Cnephasia" olearis Meyrick, 1912** (Tortricidae) Synonym(s): *olearis* Meyrick, 1912 Range (in code): **ZA**
- 86828. "Cnephasia" opsarias Meyrick, 1911** (Tortricidae) Synonym(s): *opsarias* Meyrick, 1911 Range (in code): **ZA Tva Gau Pre Wo**
- 86829. "Cnephasia" pachydesma Meyrick, 1918** (Tortricidae) Synonym(s): *pachydesma* Meyrick, 1918 Range (in code): **ZA Nta Kzu**
- 86830. "Cnephasia" phalarocosma Meyrick, 1937** (Tortricidae) Synonym(s): *phalarocosma* Meyrick, 1937 Range (in code): **ZA**
- 86831. "Cnephasia" setosa Meyrick, 1917** (Tortricidae) Synonym(s): *setosa* Meyrick, 1917 Range (in code): **CO**

- 86832. "Cnephasia" temulenta Meyrick,1912** (Tortricidae) **Synonym(s):** *temulenta* Meyrick,1912
Range (in code): ZA
- 86833. "Cnephasia" tigrina (Walsingham,1891)** (Tortricidae) **Synonym(s):** *tigrina* Walsingham,1891 Range (in code): ZA
- 86834. "Cochylis" caesiata Clarke,1968** (Tortricidae) **Synonym(s):** *caesiata* Clarke,1968 Range (in code): VE
- 86835. "Cochylis" constantia Clarke,1968** (Tortricidae) **Synonym(s):** *constantia* Clarke,1968
Range (in code): PE
- 86836. "Cochylis" prolectana Möschler,1890** (Tortricidae) **Synonym(s):** *prolectana* Möschler,1890 Range (in code): PR
- 86837. "Cochylis" tectoniana Möschler,1890** (Tortricidae) **Synonym(s):** *tectoniana* Möschler,1890 Range (in code): PR
- 86838. "Cochylis" vicinitana Möschler,1890** (Tortricidae) **Synonym(s):** *vicinitana* Möschler,1890
Range (in code): PR
- 86839. "Conchylis" lindigana C.Felder & Rogenhofer,1875** (Tortricidae) **Synonym(s):** *lindigana* C.Felder & Rogenhofer,1875 Range (in code): CO
- 86840. "Conchylis" lorana Zeller,1877** (Tortricidae) **Synonym(s):** *lorana* Zeller,1877 Range (in code): CO
- 86841. "Conchylis" tricesimana (Zeller,1877)** (Tortricidae) **Synonym(s):** *tricesimana* Zeller,1877
Range (in code): PA
- 86842. "Dichrorampha" agraea Walsingham,1914** (Tortricidae) **Synonym(s):** *agraea* Walsingham,1914 Range (in code): MX Grr
- 86843. "Dichrorampha" aztecana Walsingham,1914** (Tortricidae) **Synonym(s):** *aztecana* Walsingham,1914 Range (in code): MX Grr
- 86844. "Dichrorampha" circumfusana Zeller,1877** (Tortricidae) **Synonym(s):** *circumfusana* Zeller,1877 Range (in code): CO
- 86845. "Dichrorampha" eulepidana Walsingham,1914** (Tortricidae) **Synonym(s):** *eulepidana* Walsingham,1914 Range (in code): MX Grr
- 86846. "Dichrorampha" heptagramma Walsingham,1914** (Tortricidae) **Synonym(s):** *heptagramma* Walsingham,1914 Range (in code): MX Tbo
- 86847. "Dichrorampha" pallidula Walsingham,1914** (Tortricidae) **Synonym(s):** *pallidula* Walsingham,1914 Range (in code): MX Grr
- 86848. "Dichrorampha" panterpes Walsingham,1914** (Tortricidae) **Synonym(s):** *panterpes* Walsingham,1914 Range (in code): MX Grr
- 86849. "Dichrorampha" sinuata Walsingham,1914** (Tortricidae) **Synonym(s):** *sinuata* Walsingham,1914 Range (in code): MX Grr
- 86850. "Dichrorampha" vinana Walsingham,1914** (Tortricidae) **Synonym(s):** *vinana* Walsingham,1914 Range (in code): MX Grr
- 86851. "Enarmonia" mixanthes (Meyrick,1932)** (Tortricidae) **Synonym(s):** *mixanthes* Meyrick,1932 Range (in code): Ch IN TH Nna Kao
- 86852. "Epagoge" somatina Dognin,1912** (Tortricidae) **Synonym(s):** *somatina* Dognin,1912
Range (in code): CO
- 86853. "Eulia" achyritis Meyrick,1926** (Tortricidae) **Synonym(s):** *achyritis* Meyrick,1926 Range (in code): CO
- 86854. "Eulia" epicremna Meyrick,1926** (Tortricidae) **Synonym(s):** *epicremna* Meyrick,1926
Range (in code): CO
- 86855. "Eulia" eurychlora Meyrick,1926** (Tortricidae) **Synonym(s):** *eurychlora* Meyrick,1926
Range (in code): CO
- 86856. "Eulia" flaminia Meyrick,1926** (Tortricidae) **Synonym(s):** *flaminia* Meyrick,1926 Range (in code): CO
- 86857. "Eulia" grammotorna Meyrick,1926** (Tortricidae) **Synonym(s):** *grammotorna* Meyrick,1926 Range (in code): CO
- 86858. "Eulia" haematitis Meyrick,1931** (Tortricidae) **Synonym(s):** *haematitis* Meyrick,1931
Range (in code): CL
- 86859. "Eulia" juncta Meyrick,1926** (Tortricidae) **Synonym(s):** *juncta* Meyrick,1926 Range (in code): CO

- 86860. "Eulia" leucobactra Meyrick,1926** (Tortricidae) **Synonym(s):** *leucobactra* Meyrick,1926
Range (in code): CO
- 86861. "Eulia" moniliata Meyrick,1936** (Tortricidae) **Synonym(s):** *moniliata* Meyrick,1936
Range (in code): VE
- 86862. "Eulia" multifurcata (Meyrick,1912)** (Tortricidae) **Synonym(s):** *multifurcata* Meyrick,1912; *multistrigata* Razowski,1964 Range (in code): CR
- 86863. "Eulia" ocystola Meyrick,1932** (Tortricidae) **Synonym(s):** *ocystola* Meyrick,1932 Range (in code): CR
- 86864. "Eulia" oppressa Meyrick,1926** (Tortricidae) **Synonym(s):** *oppressa* Meyrick,1926 Range (in code): CO
- 86865. "Eulia" pyrrhocolona Meyrick,1926** (Tortricidae) **Synonym(s):** *pyrrhocolona* Meyrick,1926 Range (in code): CO
- 86866. "Eulia" sclerophracta Meyrick,1936** (Tortricidae) **Synonym(s):** *sclerophracta* Meyrick,1936 Range (in code): VE
- 86867. "Eulia" sectionalis Meyrick,1932** (Tortricidae) **Synonym(s):** *sectionalis* Meyrick,1932
Range (in code): CR
- 86868. "Eulia" strophota Meyrick,1926** (Tortricidae) **Synonym(s):** *strophota* Meyrick,1926
Range (in code): CO
- 86869. "Eulia" trapeziodes Meyrick,1926** (Tortricidae) **Synonym(s):** *trapeziodes* Meyrick,1926
Range (in code): CO
- 86870. "Euxanthis" pyrrhodelta Meyrick,1931** (Tortricidae) **Synonym(s):** *pyrrhodelta* Meyrick,1931 Range (in code): CR
- 86871. "Grapholita" catabanana Rebel,1931** (Tortricidae) **Synonym(s):** *catabanana* Rebel,1931
Range (in code): YE Ad
- 86872. "Grapholita" conciliata (Meyrick,1920)** (Tortricidae) **Synonym(s):** *conciliata* Meyrick,1920; *heteropa* Meyrick,1920 Original Reference: *Eucosma conciliata* Meyrick,1920, *Exot. Microlepid.* 2: 345. Range (in code): IN Ben Up Ddu TH Bionomy: Larva on flowers of *Butea frondosa* (Fabaceae) (Clarke,1958).
- 86873. "Grapholitha" atrana Mabilie,1900** (Tortricidae) **Synonym(s):** *atrana* Mabilie,1900; *socratica* Meyrick,1930 Range (in code): MG MU
- 86874. "Grapholitha" orbitana Berg,1875** (Tortricidae) **Synonym(s):** *orbitana* Berg,1875 Range (in code): AR
- 86875. "Grapholitha" plectana C.Felder & Rogenhofer,1875** (Tortricidae) **Synonym(s):** *plectana* C.Felder & Rogenhofer,1875 Range (in code): BR
- 86876. "Grapholitha" selectana Walker,1863** (Tortricidae) **Synonym(s):** *selectana* Walker,1863
Range (in code): BR Azn
- 86877. "Homona" biscutata Meyrick,1931** (Tortricidae) **Synonym(s):** *biscutata* Meyrick,1931
Range (in code): GF
- 86878. "Lasiothyris" hemitephras Clarke,1968** (Tortricidae) **Synonym(s):** *hemitephras* Clarke,1968 Range (in code): MX
- 86879. "Olethreutes" canofascia Forbes,1930** (Tortricidae) **Synonym(s):** *canofascia* Forbes,1930
Range (in code): PR
- 86880. "Olethreutes" delphinosema Walsingham,1914** (Tortricidae) **Synonym(s):** *delphinosema* Walsingham,1914 Range (in code): GT
- 86881. "Olethreutes" gemmifera Walsingham,1914** (Tortricidae) **Synonym(s):** *gemmifera* Walsingham,1914 Range (in code): MX Tbo
- 86882. "Olethreutes" hemeropis Dognin,1912** (Tortricidae) **Synonym(s):** *hemeropis* Dognin,1912
Range (in code): CO
- 86883. "Olethreutes" hieroglypta Walsingham,1914** (Tortricidae) **Synonym(s):** *hieroglypta* Walsingham,1914 Range (in code): MX Vcr
- 86884. "Olethreutes" holodesma Walsingham,1914** (Tortricidae) **Synonym(s):** *holodesma* Walsingham,1914 Range (in code): MX Mor
- 86885. "Olethreutes" mochana Busck,1914** (Tortricidae) **Synonym(s):** *mochana* Busck,1914
Range (in code): GY
- 86886. "Olethreutes" olorina Walsingham,1914** (Tortricidae) **Synonym(s):** *olorina* Walsingham,1914 Range (in code): MX Tbo

- 86887. "Olethreutes" orestera Bradley,1965** (Tortricidae) **Synonym(s):** *orestera* Bradley,1965
Range (in code): UG Rz
- 86888. "Olethreutes" pachypleura (Meyrick,1921)** (Tortricidae) **Synonym(s):** *pachypleura* Meyrick,1921 Range (in code): FJ TH CMa Int
- 86889. "Penthina" asturana (C.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *asturana* C.Felder & Rogenhofer,1875; *cataphracta* Meyrick,1917 Range (in code): GY BR
- 86890. "Penthina" dissimilis C.Felder & Rogenhofer,1875** (Tortricidae) **Synonym(s):** *dissimilis* C.Felder & Rogenhofer,1875 Range (in code): BR
- 86891. "Penthina" fraudulentana Kennel,1901** (Tortricidae) **Synonym(s):** *fraudulentana* Kennel,1901 Range (in code): RU Am
- 86892. "Peronea" acmanthes Meyrick,1931** (Tortricidae) **Synonym(s):** *acmanthes* Meyrick,1931
Range (in code): CL
- 86893. "Peronea" crocoptycha Meyrick,1931** (Tortricidae) **Synonym(s):** *crocoptycha* Meyrick,1931 Range (in code): AR
- 86894. "Phalaena Tortrix" mumetes (Cramer,1779)** (Tortricidae) **Synonym(s):** *mumetes* Cramer,1779 Range (in code): SR
- 86895. "Phalaena" edleriana Stoll,1782** (Tortricidae) **Synonym(s):** *edleriana* Stoll,1782 Range (in code): SR
- 86896. "Phalaena" esperiana Stoll,1782** (Tortricidae) **Synonym(s):** *esperiana* Stoll,1782 Range (in code): SR
- 86897. "Phalonia" arizela Walsingham,1914** (Tortricidae) **Synonym(s):** *arizela* Walsingham,1914
Range (in code): PA
- 86898. "Phalonia" charma Clarke,1968** (Tortricidae) **Synonym(s):** *charma* Clarke,1968 Range (in code): AR
- 86899. "Phalonia" disputabilis Walsingham,1914** (Tortricidae) **Synonym(s):** *disputabilis* Walsingham,1914 Range (in code): MX Grr
- 86900. "Phalonia" embrithopa Meyrick,1927** (Tortricidae) **Synonym(s):** *embrithopa* Meyrick,1927 Range (in code): CO
- 86901. "Philedone" citrochyta Meyrick,1926** (Tortricidae) **Synonym(s):** *citrochyta* Meyrick,1926
Range (in code): EC
- 86902. "Pyralis" margana (Turton,1806)** (Tortricidae) **Synonym(s):** *margana* Turton,1806
Range (in code): CU
- 86903. "Sciaphila" crebrana Zeller,1877** (Tortricidae) **Synonym(s):** *crebrana* Zeller,1877 Range (in code): CO
- 86904. "Sciaphila" inclusana Walker,1863** (Tortricidae) **Synonym(s):** *inclusana* Walker,1863
Range (in code): BR
- 86905. "Sciaphila" incomptana Berg,1875** (Tortricidae) **Synonym(s):** *incomptana* Berg,1875
Range (in code): AR
- 86906. "Sciaphila" insipidana Zeller,1877** (Tortricidae) **Synonym(s):** *insipidana* Zeller,1877
Range (in code): CO
- 86907. "Sciaphila" leucomelaena Zeller,1877** (Tortricidae) **Synonym(s):** *leucomelaena* Zeller,1877 Range (in code): CO
- 86908. "Sericoris" apicipunctana Walsingham,1891** (Tortricidae) **Synonym(s):** *apicipunctana* Walsingham,1891 Range (in code): GM
- 86909. "Sericoris" caquenensis Butler,1883** (Tortricidae) **Synonym(s):** *caquenensis* Butler,1883
Range (in code): CL
- 86910. "Syndemis" saburrana Zeller,1852** (Tortricidae) **Synonym(s):** *saburrana* Zeller,1852
Range (in code): ZA
- 86911. "Teras" jamaicana Walker,1863** (Tortricidae) **Synonym(s):** *jamaicana* Walker,1863
Range (in code): JM
- 86912. "Teras" negatana Walker,1863** (Tortricidae) **Synonym(s):** *negatana* Walker,1863 Range (in code): BR
- 86913. "Teras" subtusnigra Hampson,1891** (Tortricidae) **Synonym(s):** *subtusnigra* Hampson,1891 Range (in code): IN NI
- 86914. "Tortrix" ambitana Zeller,1877** (Tortricidae) **Synonym(s):** *ambitana* Zeller,1877 Range (in code): CO

- 86915. "Tortrix" apatela Walsingham,1914** (Tortricidae) **Synonym(s):** *apatela Walsingham,1914*
Range (in code): **GT**
- 86916. "Tortrix" apochranta Meyrick,1930** (Tortricidae) **Synonym(s):** *apochranta Meyrick,1930*
Range (in code): **BR**
- 86917. "Tortrix" asaphes Walsingham,1914** (Tortricidae) **Synonym(s):** *asaphes Walsingham,1914*
Range (in code): **MX Grr**
- 86918. "Tortrix" biocellata Walsingham,1914** (Tortricidae) **Synonym(s):** *biocellata Walsingham,1914*
Range (in code): **MX Grr**
- 86919. "Tortrix" caryocryptis Meyrick,1932** (Tortricidae) **Synonym(s):** *caryocryptis Meyrick,1932*
Range (in code): **IN Ch GI**
- 86920. "Tortrix" chrysodetis Meyrick,1926** (Tortricidae) **Synonym(s):** *chrysodetis Meyrick,1926*
Range (in code): **CO**
- 86921. "Tortrix" cratista Walsingham,1914** (Tortricidae) **Synonym(s):** *cratista Walsingham,1914*
Range (in code): **GT**
- 86922. "Tortrix" fimbripedana Walker,1863** (Tortricidae) **Synonym(s):** *fimbripedana Walker,1863*
Range (in code): **MY Bor Swk**
- 86923. "Tortrix" fissiculata Meyrick,1917** (Tortricidae) **Synonym(s):** *fissiculata Meyrick,1917*
Range (in code): **PE**
- 86924. "Tortrix" funerana Walker,1863** (Tortricidae) **Synonym(s):** *funerana Walker,1863*
Range (in code): **SR**
- 86925. "Tortrix" hypocrita Walsingham,1914** (Tortricidae) **Synonym(s):** *hypocrita Walsingham,1914*
Range (in code): **GT**
- 86926. "Tortrix" insignitana Möschler,1890** (Tortricidae) **Synonym(s):** *insignitana Möschler,1890*
Range (in code): **PR**
- 86927. "Tortrix" memoriana Zeller,1877** (Tortricidae) **Synonym(s):** *memoriana Zeller,1877*
Range (in code): **CO**
- 86928. "Tortrix" minima Walsingham,1914** (Tortricidae) **Synonym(s):** *minima Walsingham,1914*
Range (in code): **MX Tbo**
- 86929. "Tortrix" noctivola Meyrick,1932** (Tortricidae) **Synonym(s):** *noctivola Meyrick,1932*
Range (in code): **IN Ch GI**
- 86930. "Tortrix" parana Busck,1911** (Tortricidae) **Synonym(s):** *parana Busck,1911*
Range (in code): **BR Pran**
- 86931. "Tortrix" praecisana Walsingham,1914** (Tortricidae) **Synonym(s):** *praecisana Walsingham,1914*
Range (in code): **MX Grr**
- 86932. "Tortrix" regilla Walsingham,1914** (Tortricidae) **Synonym(s):** *regilla Walsingham,1914*
Range (in code): **GT**
- 86933. "Tortrix" simiana Zeller,1866** (Tortricidae) **Synonym(s):** *simiana Zeller,1866*
Range (in code): **CO**
- 86934. "Tortrix" velitans Meyrick,1924** (Tortricidae) **Synonym(s):** *velitans Meyrick,1924*
Range (in code): **BR**
- 86935. "Tortrix" xestochalca Meyrick,1926** (Tortricidae) **Synonym(s):** *xestochalca Meyrick,1926*
Range (in code): **CO**
- 86936. "Trachybyrsis" chionochlaena Meyrick,1932** (Tortricidae) **Synonym(s):** *chionochlaena Meyrick,1932*
Original Reference: *Trachybyrsis chionochlaena Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 119. Type ♂: [Ethiopia]: Mt. Chilalo.*
Range (in code): **ET ET70**
- 86937. Abrepagoge osmangazii (Koçak,1986)** (Tortricidae) **Synonym(s):** *treitschkeana Treitschke,1835 nec Fröh.,1828; osmangazii Koçak,1986; cesa Kemal & Koçak,2004; #osmangasii Brown,2005*
Original Reference: *Epagoge osmangazii Koçak,1986, Priamus 4 (1/2): 56 (nomen novum pro treitschkeana Treitschke,1835 nec Fröh.,1828).*
Range (in code): **HU RO BG RU UA**
- 86938. Acanthoclita acrocroca Diakonoff,1982** (Tortricidae) **Synonym(s):** *acrocroca Diakonoff,1982*
Range (in code): **LK**
- 86939. Acanthoclita balanoptycha (Meyrick,1910)** (Tortricidae) **Synonym(s):** *balanoptycha Meyrick,1910*
Range (in code): **IN TH Knc Tpp**
- 86940. Acanthoclita balia Diakonoff,1982** (Tortricidae) **Synonym(s):** *balia Diakonoff,1982*
Range (in code): **LK TH Knc Tpp**
- 86941. Acanthoclita dejiciens (Meyrick,1932)** (Tortricidae) **Synonym(s):** *dejiciens Meyrick,1932; spilocausta Meyrick,1934*
Range (in code): **ID Ja**

- 86942. *Acanthoclitia iridorphna* (Meyrick,1936)** (Tortricidae) Synonym(s): *iridorphna* Meyrick,1936 Range (in code): IN Ddu LK TW
- 86943. *Acanthoclitia phaulomorpha* (Meyrick,1927)** (Tortricidae) Synonym(s): *phaulomorpha* Meyrick,1927 Range (in code): EG EG31
- 86944. *Acanthoclitia trichograptia* (Meyrick,1911)** (Tortricidae) Synonym(s): *trichograptia* Meyrick,1911; *taophanes* Meyrick,1921 Range (in code): AU QAU Cai Kda
- 86945. *Acarolella gentilis* Razowski,1994** (Tortricidae) Synonym(s): *gentilis* Razowski,1994 Range (in code): BO
- 86946. *Acarolella obnixa* Razowski & Becker,1983** (Tortricidae) Synonym(s): *obnixa* Razowski & Becker,1983 Range (in code): BR Pran
- 86947. *Acarolella steropsis* (Meyrick,1931)** (Tortricidae) Synonym(s): *steropsis* Meyrick,1931 Range (in code): AR
- 86948. *Accra erythrocyma* (Meyrick,1930)** (Tortricidae) Synonym(s): *erythrocyma* Meyrick,1930 Range (in code): CM
- 86949. *Accra ornata* Razowski,1966** (Tortricidae) Synonym(s): *ornata* Razowski,1966 Range (in code): GA Ogo
- 86950. *Accra plumbeana* Razowski,1966** (Tortricidae) Synonym(s): *plumbeana* Razowski,1966 Range (in code): KE Kky
- 86951. *Accra rubicunda* Razowski,1966** (Tortricidae) Synonym(s): *Accra rubicunda* Razowski,1966 Range (in code): ZR
- 86952. *Accra rubrothicta* Razowski,1986** (Tortricidae) Synonym(s): *rubrothicta* Razowski,1986 Range (in code): NG
- 86953. *Accra tanzanica* Razowski,1990** (Tortricidae) Synonym(s): *tanzanica* Razowski,1990 Range (in code): TZ Tnga Usa
- 86954. *Accra venatrix* (Meyrick,1930)** (Tortricidae) Synonym(s): *venatrix* Meyrick,1930 Range (in code): CM
- 86955. *Accra viridis* (Walsingham,1891)** (Tortricidae) Synonym(s): *viridis* Walsingham,1891 Range (in code): GH Acc
- 86956. *Accra witteae* Razowski,1964** (Tortricidae) Synonym(s): *witteae* Razowski,1964; *wittei* Razowski,1966 Range (in code): ZR
- 86957. *Acleris abietana* (Hübner,1822)** (Tortricidae) Synonym(s): ? *abietana* Villers,1789; *abietana* Hübner,1822; *confixana* Hübner,[1822]; *opacana* Geyer,[1833]; *erebana* Guenée,1845; *lutiaplaga* Rebel,1901; *nigricana* Hauser,1913; *mitterbergiana* Hauser,1914 Range (in code): FR IT GB BE NL DE CH AT PL CZ SK RO DK LT RU MD UA BY Bionomy: Larva on *Abies alba*, *Pinus*, *Picea excelsa* (Pinaceae) (Razowski,2001).
- 86958. *Acleris aestuosa* Yasuda,1965** (Tortricidae) Synonym(s): *aestuosa* Yasuda,1965 Range (in code): JP
- 86959. *Acleris affinatana* (Snellen,1883)** (Tortricidae) Synonym(s): *affinatana* Snellen,1883; *pryerana* Walsingham,1900 Range (in code): RU Am Us JP
- 86960. *Acleris albiscopulana* (Christoph,1881)** (Tortricidae) Synonym(s): *albiscopulana* Christoph,1881 Range (in code): RU Us Vv JP Hkk CN Ui Kml
- 86961. *Acleris alnivora* Oku,1956** (Tortricidae) Synonym(s): *alnivora* Oku,1956 Range (in code): JP Hkk
- 86962. *Acleris amurensis* (Caradja,1928)** (Tortricidae) Synonym(s): *amurensis* Caradja,1928 Range (in code): RU Us Vv JP
- 86963. *Acleris arctica* (Guenée,1845)** (Tortricidae) Synonym(s): *arctica* Guenée,1845; *walkerana* McDunnough,1934; *boreana* Wolff,1964 Range (in code): CA On Qb BCo Grl NO SE FI
- 86964. *Acleris arcuata* (Yasuda,1975)** (Tortricidae) Synonym(s): *arcuata* Yasuda,1975 Range (in code): JP
- 86965. *Acleris argyrograptia* Razowski,2003** (Tortricidae) Synonym(s): *argyrograptia* Razowski,2003 Range (in code): VN Ton Fan Lci
- 86966. *Acleris askoldana* (Christoph,1881)** (Tortricidae) Synonym(s): *askoldana* Christoph,1881; *#askoldana* Obratsov,1956 Range (in code): RU Us Vv Ask
- 86967. *Acleris atayalicana* Kawabe,1989** (Tortricidae) Synonym(s): *atayalicana* Kawabe,1989 Range (in code): TW
- 86968. *Acleris atomophora* Diakonoff,1976** (Tortricidae) Synonym(s): *atomophora* Diakonoff,1976 Range (in code): NP

- 86969. *Acleris auricaput* Razowski, 1971** (Tortricidae) Synonym(s): *auricaput* Razowski, 1971
Range (in code): **TW**
- 86970. *Acleris aurichalcana* (Bremer, 1865)** (Tortricidae) Synonym(s): *aurichalcana* Bremer, 1865; *auristellana* Caradja, 1916; *isschikii* Matsumura, 1931 Range (in code): **RU Am Us JP Hkk**
- 86971. *Acleris avicularia* Razowski, 1964** (Tortricidae) Synonym(s): *avicularia* Razowski, 1964
Range (in code): **GT**
- 86972. *Acleris azumina* Yasuda & Kawabe, 1980** (Tortricidae) Synonym(s): *azumina* Yasuda & Kawabe, 1980 Range (in code): **JP**
- 86973. *Acleris bacurana* (Turati, 1934)** (Tortricidae) Synonym(s): *bacurana* Turati, 1934 Range (in code): **LY Cy**
- 86974. *Acleris baleana* Razowski & Trematerra, 2010** (Tortricidae) Synonym(s): *baleana* Razowski & Trematerra, 2010 Range (in code): **ET Ble**
- 86975. *Acleris bengalica* Razowski, 1964** (Tortricidae) Synonym(s): *bengalica* Razowski, 1964
Range (in code): **IN Ben**
- 86976. *Acleris bicolor* Kawabe, 1963** (Tortricidae) Synonym(s): *bicolor* Kawabe, 1963 Range (in code): **JP**
- 86977. *Acleris blanda* (Yasuda, 1975)** (Tortricidae) Synonym(s): *blanda* Yasuda, 1975 Range (in code): **JP**
- 86978. *Acleris boscanoides* Razowski, 1959** (Tortricidae) Synonym(s): *boscanoides* Razowski, 1959
Range (in code): **MK BG GR RO TR UA Cm** Bionomy: Larva on *Ulmus* (Ulmaceae) (Klimesch, 1968).
- 86979. *Acleris bununa* Kawabe, 1989** (Tortricidae) Synonym(s): *bununa* Kawabe, 1989 Range (in code): **TW**
- 86980. *Acleris caerulea* (Walsingham, 1900)** (Tortricidae) Synonym(s): *caerulea* Walsingham, 1900; *staudingeri* Kennel, 1901 Range (in code): **JP RU Us Vv CN Hkk**
- 86981. *Acleris caledoniana* (Stephens, 1852)** (Tortricidae) Synonym(s): *caledoniana* Stephens, 1852 Range (in code): **IE GB PL** Bionomy: Larva on *Myrica* (Myricaceae), *Vaccinium myrtillus* (Vacciniaceae), *Alchemilla glabra alpestris*, *Rubus*, *Potentilla* (Rosaceae) (Razowski, 2001).
- 86982. *Acleris caryosphena* (Meyrick, 1937)** (Tortricidae) Synonym(s): *caryosphena* Meyrick, 1937
Range (in code): **Grl**
- 86983. *Acleris chionocentra* (Meyrick, 1908)** (Tortricidae) Synonym(s): *chionocentra* Meyrick, 1908; *erythrithes* Meyrick, 1928 Range (in code): **IN Ass Meg Khs ID Ja Ged**
- 86984. *Acleris chloroma* Razowski, 1993** (Tortricidae) Synonym(s): *chloroma* Razowski, 1993
Range (in code): **UG**
- 86985. *Acleris comariana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): *comariana* Lienig & Zeller, 1846; *proteana* Herrich-Schäffer, 1851; *potentillana* Wilkinson, 1859. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY TR Cc GG Lag Am Us Ld JP Hkk CN Kwa Tkg CA US NZ** Bionomy: Larva on *Comarum palustre*, *Potentilla*, *Fragaria* (Rosaceae), *Rhododendron* (Ericaceae), *Salix* (Salicaceae) (Zeller, 1846; Razowski, 2001).
- 86986. *Acleris compsoptila* (Meyrick, 1923)** (Tortricidae) Synonym(s): *compsoptila* Meyrick, 1923
Range (in code): **IN Ass Slo**
- 86987. *Acleris conchyloides* (Walsingham, 1900)** (Tortricidae) Synonym(s): *conchyloides* Walsingham, 1900; *arquatana* Kennel, 1901 Range (in code): **CN RU Us Vv Ask**
- 86988. *Acleris coniferarum* (Filipjev, 1962)** (Tortricidae) Synonym(s): *coniferarum* Filipjev, 1962
Range (in code): **KG Aa TrA**
- 86989. *Acleris crassa* Razowski & Yasuda, 1964** (Tortricidae) Synonym(s): *crassa* Razowski & Yasuda, 1964 Range (in code): **JP**
- 86990. *Acleris crataegi* (Kuznetsov, 1964)** (Tortricidae) Synonym(s): *crataegi* Kuznetsov, 1964
Range (in code): **RU Us Vv**
- 86991. *Acleris cribellata* (Falkovitsh, 1965)** (Tortricidae) Synonym(s): *cribellata* Falkovitsh, 1965
Range (in code): **RU Us Vv**
- 86992. *Acleris cristana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *cristana* [Denis & Schiffermüller], 1775; *rossiana* Fabricius, 1794; *desfontainana* Fabricius, 1794; *profanana* Fabricius, 1794; *ephippana* Donovan, 1794; *sericana* Hübner, [1799]; *spadiceana* Haworth, 1811; *ruficostana* Curtis, 1824; *brunneana* Stephens, 1834; *vittana* Stephens, 1834; *consimilana* Stephens, 1834; *albovittana* Stephens, 1834; *lefebvrana* Duponchel, 1835; *lichenana* Curtis, 1835; *semiustana* Curtis, 1835; *sequana* Curtis, 1835; *subcrystalana* Curtis, 1835; *insulana* Curtis, 1835; *bentleyana* Curtis, 1835; *alboflammana* Curtis, 1835; *chantana* Curtis, 1835; *ruficristana*

- Johnson, 1842; gumpinana Johnson, 1842; unicolorana Desvignes, 1845; curtisana Desvignes, 1845. Original Reference: Tortrix cristana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. Range (in code): [ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR Cc GG Lag DK NO SE LV LT RU MD UA BY Krl Us JP Hkk](#) Bionomy: Larva on Carpinus betulus (Corylaceae), Ulmus campestris (Ulmaceae), Rosa, Crataegus, Malus, Prunus spinosa, Pyrus (Rosaceae), Salix caprea (Salicaceae) (Razowski, 2001).*
- 86993. *Acleris curiosa* (Meyrick, 1908)** (Tortricidae) Synonym(s): *curiosa* Meyrick, 1908 Range (in code): [IN Ass Khs](#)
- 86994. *Acleris decolorata* Razowski, 1964** (Tortricidae) Synonym(s): *decolorata* Razowski, 1964; *dedita* Razowski, 1974 Range (in code): [IN Ass Cpj AF Pag Bm](#)
- 86995. *Acleris delicatana* (Christoph, 1881)** (Tortricidae) Synonym(s): *delicatana* Christoph, 1881 Range (in code): [RU Us Vv JP Hkk](#)
- 86996. *Acleris diadecta* Razowski, 2003** (Tortricidae) Synonym(s): *diadecta* Razowski, 2003 Range (in code): [VN Ton Fan Lci](#)
- 86997. *Acleris diaphora* Razowski, 2003** (Tortricidae) Synonym(s): *diaphora* Razowski, 2003 Range (in code): [VN Ton Fan Lci](#)
- 86998. *Acleris dictyodes* (Meyrick, 1907)** (Tortricidae) Synonym(s): *dictyodes* Meyrick, 1907 Original Reference: *Oxygrapha dictyodes* Meyrick, 1907, J. Bombay nat. Hist. soc. 17: 734. Lectotype ♂: [Sri Lanka]: Ceylon, Maskeliya (BMNH). Range (in code): [LK Mky](#)
- 86999. *Acleris dispar* (Liu & Bai, 1987)** (Tortricidae) Synonym(s): *dispar* Liu & Bai, 1987 Range (in code): [CN Sz](#)
- 87000. *Acleris dryadarcha* (Meyrick, 1912)** (Tortricidae) Synonym(s): *dryadarcha* Meyrick, 1912 Range (in code): [IN Ass Khs SI Djl](#)
- 87001. *Acleris dryochyta* (Meyrick, 1937)** (Tortricidae) Synonym(s): *dryochyta* Meyrick, 1937 Range (in code): [CN Yu](#)
- 87002. *Acleris duoloba* Razowski, 2003** (Tortricidae) Synonym(s): *duoloba* Razowski, 2003 Range (in code): [VN Ton Fan Lci](#)
- 87003. *Acleris duracina* Razowski, 1974** (Tortricidae) Synonym(s): *duracina* Razowski, 1974 Original Reference: *Acleris duracina* Razowski, 1974, Acta zool. cracov. 19 (8): 149, figs. Holotype ♀: China: Tapaishan in Tsinling, Süd Shensi (ZFMB). Range (in code): [CN Hun She](#)
- 87004. *Acleris elearcha* (Meyrick, 1908)** (Tortricidae) Synonym(s): *elearcha* Meyrick, 1908 Range (in code): [IN Ass Meg Khs](#)
- 87005. *Acleris elegans* Oku, 1956** (Tortricidae) Synonym(s): *elegans* Oku, 1956 Range (in code): [JP Hkk](#)
- 87006. *Acleris emargana* (Fabricius, 1775)** (Tortricidae) Synonym(s): *emargana* Fabricius, 1775; *caudana* Fabricius, 1775; *scabrana* Fabricius, 1781; *excavana* Donovan, 1794; *effractana* Hübner, [1799]. Original Reference: *Pyralis emargana* Fabricius, 1775; Syst. Ent.: 651. Type(s): Anglia. Range (in code): [ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY CN Ti She Yu Krl Sh KP KR Mnu Ur Sb JP CA US Cc GG](#) Bionomy: Larva on Populus, Salix caprea, S. purpurea (Salicaceae); Corylus (Corylaceae); Alnus, Betula alba (Betulaceae) (Razowski, 2001).
- 87007. *Acleris emargana tibetica* Razowski, 1964** (Tortricidae) Synonym(s): *tibetica* Razowski, 1964 Range (in code): [CN Ti](#)
- 87008. *Acleris emera* Razowski, 1993** (Tortricidae) Synonym(s): *emera* Razowski, 1993 Range (in code): [BO](#)
- 87009. *Acleris enitescens* (Meyrick, 1912)** (Tortricidae) Synonym(s): *enitescens* Meyrick, 1912 Range (in code): [IN Meg Ass Khs ID Ja TW CN RU Krl JP Hkk](#)
- 87010. *Acleris erioptila* (Meyrick, 1912)** (Tortricidae) Synonym(s): *erioptila* Meyrick, 1912 Original Reference: *Peronea erioptila* Meyrick, 1912, Exot. microlepid. 1: 16. Lectotype ♀: [Sri Lanka]: Ceylon, Maskeliya (BMNH). Range (in code): [LK Mky](#)
- 87011. *Acleris expressa* (Filipjev, 1931)** (Tortricidae) Synonym(s): *expressa* Filipjev, 1931 Range (in code): [RU Us Vv JP Hkk](#)
- 87012. *Acleris exsucana* (Kennel, 1901)** (Tortricidae) Synonym(s): *exsucana* Kennel, 1901 Range (in code): [RU Us KP KR JP Hkk](#)
- 87013. *Acleris extensana* (Walker, 1863)** (Tortricidae) Synonym(s): *extensana* Walker, 1863; *divisana* Walker, 1863 nec Hbn., [1813]; *dictyodes* Meyrick, 1907; *agrioma* Meyrick, 1920 Range (in code): [LK IN Meg Ass Khs Slo Djl Pj ID Bli CN Tkg Kwa Hun](#)
- 87014. *Acleris extranea* Razowski, 1975** (Tortricidae) Synonym(s): *extranea* Razowski, 1975 Range (in code): [CN Yu](#)

- 87015. *Acleris ferox* (Razowski,1975)** (Tortricidae) **Synonym(s):** *ferox* Razowski,1975 **Range (in code):** **CN Yu Lik**
- 87016. *Acleris ferrugana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *ferrugana* [Denis & Schiffermüller],1775; *rufana* Hübner,[1799] nec [Den. & Schiff.],1775; *tripunctulana* Haworth,1811; *bifidana* Haworth,1811; *brachiana* Freyer,1833; *rubidana* Herrich-Schäffer,1851; *selasana* Herrich-Schäffer,1851; *lithargyrana* Herrich-Schäffer,1851; *fissurana* Pierce & Metcalfe,1915. **Original Reference:** *Tortrix ferrugana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district. **Range (in code):** **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Quercus*, *Fagus* (Fagaceae), *Salix caprea* (Salicaceae) (Razowski,2001).
- 87017. *Acleris filipjevi* Obraztsov,1956** (Tortricidae) **Synonym(s):** *grisea* Filipjev,1931 nec Müller-Ru.,1924; *filipjevi* Obraztsov,1956 **Range (in code):** **RU Us JP Hkk**
- 87018. *Acleris fimbriana* (Thunberg,1791)** (Tortricidae) **Synonym(s):** *fimbriana* Thunberg,1791; *pulverana* Herrich-Schäffer,1851; *lubricana* Mann,1867; *crocopepla* Meyrick,1922; *tephromorpha* Meyrick,1930. **Range (in code):** **FR IT DE PL SK HU DK NO SE FI EE LV LT RU MD UA BY Cc GG Tbl KG Ur CN She Mc KP KR** **Bionomy:** Larva on *Prunus spinosa*, *Spirea*, *Cerasus*, *Amygdalus nana*, *Prunus persica*, *Malus domestica* (Rosaceae), *Vaccinium uliginosum* (Vacciniaceae), *Betula nana* (Betulaceae) (Razowski,2001).
- 87019. *Acleris fistularis* Diakonoff,1976** (Tortricidae) **Synonym(s):** *fistularis* Diakonoff,1976 **Range (in code):** **NP**
- 87020. *Acleris flavopterana* Liu & Bai,1993** (Tortricidae) **Synonym(s):** *flavopterana* Liu & Bai,1993 **Range (in code):** **CN Yu**
- 87021. *Acleris formosae* Razowski,1964** (Tortricidae) **Synonym(s):** *formosae* Razowski,1964 **Range (in code):** **TW**
- 87022. *Acleris fuscotogata* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *fuscotogata* Walsingham,1900; *pretiosana* Kennel,1901 **Range (in code):** **RU Sb Us Vv JP**
- 87023. *Acleris gatesclarkei* Kawabe,1982** (Tortricidae) **Synonym(s):** *gatesclarkei* Kawabe,1982 **Range (in code):** **TW**
- 87024. *Acleris glaucomis* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *glaucomis* Meyrick,1908 **Range (in code):** **IN Ass Meg Khs**
- 87025. *Acleris gobica* Kuznetsov,1975** (Tortricidae) **Synonym(s):** *gobica* Kuznetsov,1975 **Range (in code):** **MN**
- 87026. *Acleris griseopterana* Liu & Bai,1993** (Tortricidae) **Synonym(s):** *griseopterana* Liu & Bai,1993 **Range (in code):** **CN Sz**
- 87027. *Acleris hapalactis* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *hapalactis* Meyrick,1912 **Range (in code):** **IN Meg Ass Khs Slo CN Yu**
- 87028. *Acleris harena* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *harena* Razowski & Trematerra,2010 **Range (in code):** **ET Ble**
- 87029. *Acleris hastiana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *hastiana* Linnaeus,1758; *coronana* Thunberg,1784; *borana* Fabricius,1787; *liberana* Fabricius,1787; *byringerana* Hübner,1793; *blomiana* Thunberg,1797; *stickmanniana* Thunberg,1797; *radiana* Hübner,[1799]; *albistriana* Haworth,1811; *eximiana* Haworth,1811; *aquilana* Hübner,[1813]; *divisana* Hübner,[1813]; *combustana* Hübner,[1813]; *autumnana* Hübner,[1817]; *bollingerana* Hübner,[1825]; *veterana* Hübner,[1825]; *leprosana* Frölich,1828; *mayrana* Geyer,[1833]; *ramostriana* Stephens,1834; *centrovittana* Stephens,1834; *subcristana* Stephens,1834; *obsoletana* Stephens,1834; *leacheana* Curtis,1835; *leucophaeana* Humpreys & Westwood,1845; *basilineana* Peyerimhoff,1863. **Range (in code):** **DZ Btna Lbs PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA Cm BY KG DsA Sb Am IR Gls Gor Mz Amo** **Bionomy:** Larva on *Salix*, *Populus* (Salicaceae), *Rhamnus frangula* (Rhamnaceae) (Razowski,2001).
- 87030. *Acleris hectaea* (Meyrick,1911)** (Tortricidae) **Synonym(s):** *hectaea* Meyrick,1911 **Range (in code):** **ZA Tva Gau Pre**
- 87031. *Acleris helvolaris* (Liu & Bai,1987)** (Tortricidae) **Synonym(s):** *helvolaris* Liu & Bai,1987 **Range (in code):** **CN Fkn**
- 87032. *Acleris hippophaeana* (Heyden,1865)** (Tortricidae) **Synonym(s):** *hippophaeana* Heyden,1865 **Range (in code):** **FR Co IT BE DE CH AT SK RO RU MD UA BY LB Bsa** **Bionomy:** Larva on *Hippophae rhamnoides* (Eleagnaceae) (Heyden,1865).
- 87033. *Acleris hispidana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *hispidana* Christoph,1881 **Range (in code):** **RU Us Vv Am Krl JP**
- 87034. *Acleris hohuanshana* Kawabe,1989** (Tortricidae) **Synonym(s):** *hohuanshana* Kawabe,1989 **Range (in code):** **TW**

- 87035. *Acleris hokkaidana* Razowski & Yasuda,1964** (Tortricidae) **Synonym(s):** *hokkaidana* Razowski & Yasuda,1964 **Range (in code):** **JP Hkk**
- 87036. *Acleris hyemana* (Haworth,1811)** (Tortricidae) **Synonym(s):** *hyemana* Haworth,1811; *mixtana* Hübner,[1813]; *provinciana* Peyerimhoff,1872. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Calluna vulgaris*, *Erica* (Ericaceae) (Razowski,2001).
- 87037. *Acleris idonea* Razowski,1972** (Tortricidae) **Synonym(s):** *idonea* Razowski,1972 **Range (in code):** **MN**
- 87038. *Acleris implexana* (Walker,1863)** (Tortricidae) **Synonym(s):** *implexana* Walker,1863 **Range (in code):** **NO SE FI RU MD UA BY CA**
- 87039. *Acleris implexana ferrumixtana* (Benander,1934)** (Tortricidae) **Synonym(s):** *ferrumixtana* Benander,1934 **Range (in code):**
- 87040. *Acleris indignana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *indignana* Christoph,1881 **Range (in code):** **RU Us Vv**
- 87041. *Acleris issikii* Oku,1956** (Tortricidae) **Synonym(s):** *issikii* Oku,1956 **Range (in code):** **JP Hkk CN She RU Us Vv**
- 87042. *Acleris japonica* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *japonica* Walsingham,1900 **Range (in code):** **JP**
- 87043. *Acleris kinangopana* Razowski,1964** (Tortricidae) **Synonym(s):** *kinangopana* Razowski,1964 **Range (in code):** **KE**
- 87044. *Acleris kochiella* (Goeze,1783)** (Tortricidae) **Synonym(s):** *kochiella* Goeze,1783; *ternatella* Fourcroy,1785; *boscana* Fabricius,1794; *cerusana* Hübner,[1799]; *ulmana* Duponchel,1836; *parisiana* Guenée,1845. **Range (in code):** **ES FR Co Sa Si IT GB BE NL DE CH AT PL CZ SK RO YU TR EE LV RU MD UA BY Cc GG Bjo KG Ur Cm Us** **Bionomy:** Larva on *Ulmus campestris* (Ulmaceae) (Razowski,2001).
- 87045. *Acleris kodamai* Yasuda,1965** (Tortricidae) **Synonym(s):** *kodamai* Yasuda,1965 **Range (in code):** **JP**
- 87046. *Acleris lacordairana* (Duponchel,1836)** (Tortricidae) **Synonym(s):** *lacordairana* Duponchel,1836; *obtusana* Eversmann,1844; *dissonana* Herrich-Schäffer,1851; *roxana* Razowski & Yasuda,1964. **Range (in code):** **Cc GG Lag Tbl IR GlS Mz Sari TR IT CH PL RU Ur MD UA BY CN JP** **Bionomy:** Larva on *Ulmus* (Ulmaceae), *Salix* (Salicaceae) (Razowski,2001).
- 87047. *Acleris lacordairana caucasica* (Filipjev,1962)** (Tortricidae) **Synonym(s):** *caucasica* Filipjev,1962 **Range (in code):** **Cc GG Lag Tbl TR IR GlS Mz Sari**
- 87048. *Acleris lacordairana roxana* Razowski & Yasuda,1964** (Tortricidae) **Synonym(s):** *roxana* Razowski & Yasuda,1964 **Range (in code):** **JP**
- 87049. *Acleris laterana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *laterana* Fabricius,1794; *abildgaardana* Fabricius,1794; *latifasciana* Haworth,1811; *comparana* Hübner,[1825]; *labeculana* Freyer,1833; *costimaculana* Stephens,1834; *dormoyana* Duponchel,1835; *erebana* Guenée,1845; *perplexana* Barrett,1881. **Range (in code):** **PT FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU Mnu Sb Am Us Sh Krl KP KR MD UA BY CN JP** **Bionomy:** *Symphytum officinale* (Boraginaceae), *Vaccinium myrtillus* (Vacciniaceae), *Spiraea*, *Sorbus*, *Crataegus*, *Rubus*, *Prunus*, *Rosa* (Rosaceae), *Populus*, *Salix* (Salicaceae) (Razowski,2001).
- 87050. *Acleris leucophracta* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *leucophracta* Meyrick,1937 **Range (in code):** **CN Yu**
- 87051. *Acleris lipsiana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *lipsiana* [Denis & Schiffermüller],1775; *sudoriana* Hübner,[1823]. **Original Reference:** *Tortrix lipsiana* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 129. **Type(s):** Vienna district. **Range (in code):** **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO GR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Vaccinium myrtillus*, *V. vitis-idea* (Vacciniaceae), *Malus sylvestris*, *Pyrus* (Rosaceae), *Betula* (Betulaceae) (Razowski,2001).
- 87052. *Acleris literana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *literana* Linnaeus,1758; *squamana* Fabricius,1775; *aspersana* [Denis & Schiffermüller],1775; *romanana* Fabricius,1787; *squamulana* Hübner,1793; *irrorana* Hübner,[1799]; *tricolorana* Haworth,1811; *abjectana* Hübner,[1825]; *aerugana* Hübner,[1825]; *fulvomixtana* Stephens,1834; *suavana* Herrich-Schäffer,1851. **Range (in code):** **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG TR IL Pa Js Jf SY Hal DK NO SE FI EE LV LT RU Da Cc GG Lag Mnu Sb KG Ds MD UA Cm BY** **Bionomy:** Larva on *Quercus robur*, *Q. pedunculata* (Fagaceae), *Betula* (Betulaceae), *Acer* (Aceraceae) (Razowski,2001).
- 87053. *Acleris logiana* (Clerck,1759)** (Tortricidae) **Synonym(s):** *logiana* Clerck,1759; *treueriana* Denis & Schiffermüller,1775; *niveana* Fabricius,1787; *mulzeriana* Hübner,[1825]; *scotana* Stephens,1852; *placidana* Robinson,1869; *trisinana* Robinson,1869. **Range (in code):** **PT FR Co Sa Si IT GB BE NL LU DE CH AT PL**

- CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY KG DsA Ur Sb Sj Us Krl JP CA BCo On Qb Abt
US Id Vi Ny Pns Mai Nje Bionomy: Larva on Betula (Betulaceae) (Razowski,2001).
- 87054. *Acleris longipalpana* (Snellen,1883)** (Tortricidae) Synonym(s): *longipalpana* Snellen,1883; *electrina* Razowski & Yasuda,1964 Range (in code): **RU Us JP Hkk**
- 87055. *Acleris lorquiniana* (Duponchel,1835)** (Tortricidae) Synonym(s): *lorquiniana* Duponchel,1835; *uliginosana* Humpreys & Westwood,1845; *atrosignana* Herrich-Schäffer,1851. Range (in code): **FR GB NL DE CH AT PL CZ SK HU RO DK SE FI LV LT RU MD UA BY IR Gh Ra** Bionomy: Larva on Lythrum salicaria (Lythraceae) (Razowski,2001).
- 87056. *Acleris loxoscia* (Meyrick,1907)** (Tortricidae) Synonym(s): *loxoscia* Meyrick,1907 Original Reference: *Oxygrapha loxoscia* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 735. Lectotype ♂: [Sri Lanka]: Ceylon, Maskeliya (BMNH). Range (in code): **LK Mky IN Ass Pj Hp Sml CN**
- 87057. *Acleris lucipara* Razowski,1964** (Tortricidae) Synonym(s): *lucipara* Razowski,1964 Range (in code): **IN Ass Mpr**
- 87058. *Acleris lucipeta* Razowski,1966** (Tortricidae) Synonym(s): *lucipeta* Razowski,1966 Range (in code): **IN SI CN Yu**
- 87059. *Acleris maccana* (Treitschke,1835)** (Tortricidae) Synonym(s): *maccana* Treitschke,1835; *marmorana* Curtis,1835; *leporinana* Zetterstedt,1839; *torquana* Zetterstedt,1839; *basalticola* Staudinger,1857; *fishiana* Fernald,1902 Range (in code): **FR IS GB DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY JP Krl Us CA US On BCo Qb Mnt Msc Mai Vi** Bionomy: Larva on Vaccinium myrtillus, V. uliginosum (Vacciniaceae), Ledum palustre (Ericaceae), Myrica gale (Myricaceae) (Razowski,2001).
- 87060. *Acleris matthewsi* Razowski,1986** (Tortricidae) Synonym(s): *matthewsi* Razowski,1986 Range (in code): **CA Ont**
- 87061. *Acleris monagma* Diakonoff,1976** (Tortricidae) Synonym(s): *monagma* Diakonoff,1976 Range (in code): **NP**
- 87062. *Acleris nakajimai* Kawabe,1992** (Tortricidae) Synonym(s): *nakajimai* Kawabe,1992 Range (in code): **TW**
- 87063. *Acleris napaea* (Meyrick,1912)** (Tortricidae) Synonym(s): *napaea* Meyrick,1912; *sheljuzhkoi* Obratsov,1943; *heringi* Razowski,1958 Original Reference: *Peronea napaea* Meyrick,1912, Exot. Microlepid. 1: 18. Type ♂: [Pakistan]: "Quetta, India" (BMNH). Range (in code): **GG RU Da Sr Cc AM Eri UZ Smk Fe TJ Pm YM IR By Kh Gls Ke Zj Fa Shr AF Kab Bm Srb Hr PK BI Qu** Bionomy: Larva on Salix (Razowski,1963); ? *Populus nigra*, ? *Populus euphratica* (Razowski,1984).
- 87064. *Acleris nectaritis* (Meyrick,1912)** (Tortricidae) Synonym(s): *nectaritis* Meyrick,1912 Range (in code): **IN NI**
- 87065. *Acleris nigrilineana* (Kawabe,1963)** (Tortricidae) Synonym(s): *nigrilineana* Kawabe,1963; *vikeniana* Opheim,1968 Range (in code): **PL DK NO SE FI EE LV RU BY JP Hkk** Bionomy: Larva on Abies, Picea, Abies sachaliensis (Pinaceae) (Razowski,2001).
- 87066. *Acleris nigriradix* (Filipjev,1931)** (Tortricidae) Synonym(s): *nigriradix* Filipjev,1931 Range (in code): **RU Us CN Hun JP Hkk**
- 87067. *Acleris notana* (Donovan,1806)** (Tortricidae) Synonym(s): *tripunctana* Hübner,1799 nec [Denis & Schiff.],1775; *notana* Donovan,1806. Range (in code): **ES FR Sa IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Sb US CA** Bionomy: Larva on Betula, Alnus (Betulaceae), Fagus (Fagaceae), Populus (Salicaceae), Rubus, Pyrus (Rosaceae) (Razowski,2001).
- 87068. *Acleris obtusana* (Eversmann,1844)** (Tortricidae) Synonym(s): *obtusana* Eversmann,1844 Range (in code): **NO SE FI LV RU MD UA BY**
- 87069. *Acleris ochropicta* Razowski,1975** (Tortricidae) Synonym(s): *ochropicta* Razowski,1975 Range (in code): **CN**
- 87070. *Acleris ophthalmicana* Razowski & Yasuda,1964** (Tortricidae) Synonym(s): *ophthalmicana* Razowski & Yasuda,1964 Range (in code): **JP**
- 87071. *Acleris orphnocyena* (Meyrick,1937)** (Tortricidae) Synonym(s): *orphnocyena* Meyrick,1937 Range (in code): **CN Yu Ch IN Pj Kma Up**
- 87072. *Acleris osthelderi* Obratsov,1949** (Tortricidae) Synonym(s): *osthelderi* Obratsov,1949 Range (in code): **TR**
- 87073. *Acleris paradiseana* (Walsingham,1900)** (Tortricidae) Synonym(s): *paradiseana* Walsingham,1900 Range (in code): **JP Hkk RU Am Us Vv Sh Krl**
- 87074. *Acleris perfundana* Kuznetsov,1962** (Tortricidae) Synonym(s): *perfundana* Kuznetsov,1962; *nigropunctana* Kuznetsov,1962 Range (in code): **KP KR RU Am Us JP Hkk**

- 87075. *Acleris permutana* (Duponchel,1836)** (Tortricidae) **Synonym(s):** *permutana* Duponchel,1836; *permutatana* Herrich-Schäffer,1851. **Range (in code):** **PT ES FR IT IE GB BE NL LU DE AT CZ SK HU RO YU MK TR DK SE RU MD UA BY KG DsA Sr Ur Sb** **Bionomy:** Larva on *Rosa spinosissima*, *Prunus spinosa* (Rosaceae) (Razowski,2001).
- 87076. *Acleris phantastica* Razowski & Yasuda,1964** (Tortricidae) **Synonym(s):** *phantastica* Razowski & Yasuda,1964 **Range (in code):** **JP**
- 87077. *Acleris placata* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *placata* Meyrick,1912 **Range (in code):** **IN Meg Ass Khs TW JP**
- 87078. *Acleris placida* Yasuda & Kawabe,1980** (Tortricidae) **Synonym(s):** *placida* Yasuda & Kawabe,1980 **Range (in code):** **JP**
- 87079. *Acleris platynotana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *platynotana* Walsingham,1900; *ocydroma* Meyrick,1935 **Range (in code):** **CN Tkg Hun She JP Hkk RU Am**
- 87080. *Acleris porphyrocentra* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *porphyrocentra* Meyrick,1937 **Range (in code):** **CN Yu Lik**
- 87081. *Acleris proximana* (Caradja,1927)** (Tortricidae) **Synonym(s):** *proximana* Caradja,1927 **Range (in code):** **CN Sz Pkn She Mc**
- 87082. *Acleris pulchella* Kawabe,1963** (Tortricidae) **Synonym(s):** *pulchella* Kawabe,1963 **Range (in code):** **JP RU Us Vv**
- 87083. *Acleris pulchella mundana* Kuznetsov,1979** (Tortricidae) **Synonym(s):** *mundana* Kuznetsov,1979 **Range (in code):** **RU Us Vv**
- 87084. *Acleris pulchella pulchella* Kawabe,1963** (Tortricidae) **Synonym(s):** *pulchella* Kawabe,1963 **Range (in code):** **JP**
- 87085. *Acleris pulcherrima* Razowski,1971** (Tortricidae) **Synonym(s):** *pulcherrima* Razowski,1971 **Range (in code):** **TW**
- 87086. *Acleris quadridentana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *quadridentana* Walsingham,1900 **Range (in code):** **CN**
- 87087. *Acleris quercinana* (Zeller,1849)** (Tortricidae) **Synonym(s):** *quercinana* Zeller,1849; ? *mucidana* Peyerimhoff,1874 **Range (in code):** **PT ES FR Co Sa Si IT BE NL DE CH AT PL CZ HU RO YU HV MK AL BG GR TR DK SE EE RU MD UA BY Cc GG Lag IR Ab Sdt Km** **Bionomy:** Larva on *Quercus* (Fagaceae), *Pyrus* (Rosaceae) (Zeller,1849; Razowski,2001).
- 87088. *Acleris rantaizana* Razowski,1966** (Tortricidae) **Synonym(s):** *rantaizana* Razowski,1966 **Range (in code):** **TW**
- 87089. *Acleris rapax* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *rapax* Meyrick,1908 **Original Reference:** *Oxygrapha rapax* Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 624. Lectotype ♂: [Sri Lanka]: Ceylon, Maskeliya (BMNH). **Range (in code):** **LK Mky**
- 87090. *Acleris razowskii* (Yasuda,1975)** (Tortricidae) **Synonym(s):** *razowskii* Yasuda,1975 **Range (in code):** **JP**
- 87091. *Acleris recula* Razowski,1974** (Tortricidae) **Synonym(s):** *recula* Razowski,1974 **Original Reference:** *Acleris recula* Razowski,1974, Acta zool. cracov. 19 (8): 152, figs. Holotype ♂: China: Chekiang: West Tien-mu-shan (ZFMB). **Range (in code):** **CN Tkg**
- 87092. *Acleris retrusa* Razowski,1993** (Tortricidae) **Synonym(s):** *retrusa* Razowski,1993 **Range (in code):** **MX Vcr**
- 87093. *Acleris rhombana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *rhombana* [Denis & Schiffermüller],1775; *reticulata* Ström,1783; *centrana* Fabricius,1794; *contaminana* Hübner,[1799]; *ciliana* Hübner,[1799]; *obscurana* Donovan,1806 *nec* Schr.,1802; *dimidiana* Frölich,1828. **Original Reference:** *Tortrix rhombana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district. **Range (in code):** **PT ES FR Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Da MD UA Cm BY AM Eri AZ Cc GG TM IR GlS** **Bionomy:** Larva on *Quercus* (Fagaceae), *Corylus avellana* (Corylaceae), *Crataegus*, *Prunus*, *Pyrus*, *Rosa*, *Sorbus aucuparia* (Rosaceae) (Razowski,2001).
- 87094. *Acleris roscidana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *roscidana* Hübner,[1799]; *nebulana* Hübner,[1799] **Range (in code):** **FR IT DE CH AT PL CZ SK HU RO NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Populus tremula* (Salicaceae) (Razowski,2001).
- 87095. *Acleris rubivorella* (Filipjev,1962)** (Tortricidae) **Synonym(s):** *rubivorella* Filipjev,1962 **Range (in code):** **KG Ka Aa TrA**
- 87096. *Acleris rufana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *rufana* [Denis & Schiffermüller],1775; *apiciana* Hübner,1793; *bistriana* Haworth,1811; *bistriana* Haworth,1811; *similana* Curtis,1824; *lucidana* Treitschke,1830; *densana* Freyer,1833; *albicostana* Stephens,1834; *crassana*

- Duponchel, 1843; rubellana* Müller-Rutz, 1920 Original Reference: *Tortrix rufana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Ur Sb Us Krl JP Hkk** Bionomy: Larva on *Myrica gale* (Myricaceae), *Populus alba*, *P. canescens*, *Salix caprea* (Salicaceae), *Rubus idaeus*, *R. fruticosus*, *Filipendula ulmaria* (Rosaceae), *Viburnum* (Caprifoliaceae) (Razowski, 2001).
- 87097. *Acleris sagmatias* (Meyrick, 1905)** (Tortricidae) Synonym(s): *sagmatias* Meyrick, 1905 Original Reference: *Oxygrapha sagmatias* Meyrick, 1905, J. Bombay nat. Hist. Soc. 16: 588. Lectotype ♂: [Sri Lanka]: Ceylon, Maskeliya (BMNH). Range (in code): **LK Mky**
- 87098. *Acleris salicicola* Kuznetsov, 1970** (Tortricidae) Synonym(s): *salicicola* Kuznetsov, 1970 Range (in code): **RU Krl**
- 87099. *Acleris scabrana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *scabrana* [Denis & Schiffermüller], 1775; *elevana* Fabricius, 1787; *psorana* Frölich, 1828. Original Reference: *Tortrix scabrana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district. Range (in code): **FR BE NL DE CH AT PL CZ SK HU RO TR FI LV LT RU Ya KG UA Cm Us US Col Cf** Bionomy: Larva on *Salix*, *Populus* (Salicaceae) (Razowski, 2001).
- 87100. *Acleris schalleriana* (Linnaeus, 1761)** (Tortricidae) Synonym(s): *schalleriana* Linnaeus, 1761; *hirundana* Thunberg, 1791; *tristana* Hübner, [1799]; *castaneana* Haworth, 1811; *plumbosana* Haworth, 1811; *falsana* Hübner, [1825]; *germarana* Frölich, 1828; *trigonana* Stephens, 1834; *semirhombana* Curtis, 1835; *violaceana* Guenée, 1845; *erutana* Herrich-Schäffer, 1851. Range (in code): **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR NO SE FI EE LV LT RU MD UA BY KG Aa TrA Ur JP CN US CA** Bionomy: Larva on *Viburnum lantana*, *V. opulus* (Caprifoliaceae), *Azalea* (Razowski, 2001).
- 87101. *Acleris semitexta* (Meyrick, 1912)** (Tortricidae) Synonym(s): *semitexta* Meyrick, 1912 Range (in code): **SI IN CN Yu Ti Btn**
- 87102. *Acleris shepherdana* (Stephens, 1852)** (Tortricidae) Synonym(s): *shepherdana* Stephens, 1852 Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU Us MD UA BY CN Mc MN** Bionomy: Larva on *Spirea ulmaria*, *Sanguisorba officinalis*, *Ulmaria*, *Alchemilla* (Rosaceae) (Razowski, 2001).
- 87103. *Acleris siderota* (Meyrick, 1918)** (Tortricidae) Synonym(s): *siderota* Meyrick, 1918 Original Reference: *Peronea siderota* Meyrick, 1918, Exot. microlepid. 2: 171. Lectotype ♀: [Sri Lanka]: Ceylon, Peradeniya (BMNH). Range (in code): **LK Pdn**
- 87104. *Acleris similis* (Filipjev, 1931)** (Tortricidae) Synonym(s): *similis* Filipjev, 1931 Range (in code): **KG T-S TrA RU Sb Mnu Us JP Hkk**
- 87105. *Acleris sinuosaria* Razowski, 1964** (Tortricidae) Synonym(s): *sinuosaria* Razowski, 1964 Range (in code): **CN Yu Ats**
- 87106. *Acleris sordidata* Razowski, 1971** (Tortricidae) Synonym(s): *sordidata* Razowski, 1971 Range (in code): **AF Kab Bm Slg**
- 87107. *Acleris sparsana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *sparsana* [Denis & Schiffermüller], 1775; *sponsana* Fabricius, 1787; *halliana* Thunberg, 1791; *roborana* Fabricius, 1794; *favillaceana* Hübner, [1799]; *reticulana* Haworth, 1811; *fagana* Curtis, 1835; *longepartitana* Bruand, 1850; *malivorana* Ragonot, 1875; *pyrivorana* Ragonot, 1875. Original Reference: *Tortrix sparsana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY AZ Nv Ord Cc GG Smt Akh IR Gl** Bionomy: Larva on *Acer campestre* (Aceraceae), *Fagus sylvatica*, *Quercus* (Fagaceae), *Carpinus betulus*, *Betula* (Betulaceae), *Salix* (Salicaceae), *Vaccinium uliginosum* (Vacciniaceae), *Sorbus* (Rosaceae) (Razowski, 2001).
- 87108. *Acleris stachi* (Razowski, 1953)** (Tortricidae) Synonym(s): *stachi* Razowski, 1953 Original Reference: *Peronea stachi* Razowski, 1953, Polskie pismo Ent. 23: 107, figs. 1-4. Holotype ♂: [China: Uighur A.R.]: Kuldja (IZW). Range (in code): **CN Ui Ku**
- 87109. *Acleris strigifera* (Filipjev, 1931)** (Tortricidae) Synonym(s): *strigifera* Filipjev, 1931 Range (in code): **RU Us JP Hkk**
- 87110. *Acleris submaccana* (Filipjev, 1962)** (Tortricidae) Synonym(s): *submaccana* Filipjev, 1962; *simplex* Razowski & Yasuda, 1964 Range (in code): **RU Sb Mnu Us Krl CN Hun JP Hkk**
- 87111. *Acleris tabida* Razowski, 1975** (Tortricidae) Synonym(s): *tabida* Razowski, 1975 Range (in code): **CN Yu Lik**

- 87112. *Acleris takeuchii* Razowski & Yasuda,1964** (Tortricidae) **Synonym(s):** *takeuchii* Razowski & Yasuda,1964 **Range (in code):** **KP KR JP**
- 87113. *Acleris thiana* Razowski,1966** (Tortricidae) **Synonym(s):** *thiana* Razowski,1966 **Range (in code):** **CN Tk**
- 87114. *Acleris thomasi* Razowski,1990** (Tortricidae) **Synonym(s):** *thomasi* Razowski,1990 **Range (in code):** **IN SI**
- 87115. *Acleris tremewani* Razowski,1964** (Tortricidae) **Synonym(s):** *tremewani* Razowski,1964 **Range (in code):** **MM Hpi**
- 87116. *Acleris tsuifengana* Kawabe,1992** (Tortricidae) **Synonym(s):** *tsuifengana* Kawabe,1992 **Range (in code):** **TW**
- 87117. *Acleris tunicatana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *tunicatana* Walsingham,1900; *kurokoi* Yasuda,1965 **Range (in code):** **JP**
- 87118. *Acleris ulmicola* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *ulmicola* Meyrick,1930 **Range (in code):** **CN Mc Pkn RU Am Us Vv JP Hkk**
- 87119. *Acleris umbrana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *umbrana* Hübner,[1799] **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU RO NO SE FI LV LT RU Sb Am Us MD UA BY** **Bionomy:** Larva on *Alnus glutinosa* (Betulaceae), *Salix caprea* (Salicaceae), *Sorbus aucuparia*, *Prunus spinosa*, *Padus avium*, *Crataegus* (Rosaceae), *Cornus sanguinea* (Cornaceae), *Carpinus* (Corylaceae) (Razowski,2001).
- 87120. *Acleris undulana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *undulana* Walsingham,1900; *coprana* Walsingham,1900; *aphorista* Meyrick,1923; *subcoprana* Obraztsov,1956 **Original Reference:** *Oxygrapha undulana* Walsingham,1900, Ann. Mag. nat. Hist. (7) 5: 373. Type: [Turkey]: [Kahramanmaraş]: Zeitoon (Asia Minor)" (=Süleymanlı). **Range (in code):** **MA CY SY TR RU At**
- 87121. *Acleris uniformis* (Filipjev,1931)** (Tortricidae) **Synonym(s):** *uniformis* Filipjev,1931 **Range (in code):** **RU Us KP KR JP**
- 87122. *Acleris variegana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *variegana* [Denis & Schiffermüller],1775; *asperana* Fabricius,1777; *osbeckiana* Thunberg,1784; *nyctemerana* Hübner,[1817]; *blandiana* Charpentier,1821; *blandana* Hübner,[1825]; *cirrana* Curtis,1835; *albana* Humpreys & Westwood,1845; *insignana* Herrich-Schäffer, 1851. **Original Reference:** *Tortrix variegana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district. **Range (in code):** **MA Rbt DZ Anna PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cm Da LB Bsa IL Pa Js IQ Shq SY Ltk Hal Cc AM GG IR Es Dam Gls Mz Elb Kdj Th Kh KG Aa TrA T-S TM UZ Br US Cf CA BCo Org** **Bionomy:** Larva on *Crataegus*, *Malus*, *Pyrus communis*, *Prunus spinosa*, *P. avium*, *Rosa*, *Poterium*, *Cotoneaster*, *Potentilla fruticosa*, *Sanguisorba*, *Amygdalus* (Rosaceae), *Corylus* (Corylaceae), *Ulmus* (Ulmaceae), *Vaccinium myrtillus* (Vacciniaceae), *Colutea* (Fabaceae) (Razowski,2001).
- 87123. *Acleris venatana* Kawabe,1992** (Tortricidae) **Synonym(s):** *venatana* Kawabe,1992 **Range (in code):** **TW**
- 87124. *Acleris yasudai* Razowski,1966** (Tortricidae) **Synonym(s):** *yasudai* Razowski,1966 **Range (in code):** **JP**
- 87125. *Acleris zeta* Razowski,1964** (Tortricidae) **Synonym(s):** *zeta* Razowski,1964 **Range (in code):** **CN Yu Lik**
- 87126. *Acleris zimmermanni* (Clarke,1978)** (Tortricidae) **Synonym(s):** *zimmermanni* Clarke,1978 **Range (in code):** **Hw**
- 87127. *Acroclita altivaga* Meyrick,1921** (Tortricidae) **Synonym(s):** *altivaga* Meyrick,1921 **Range (in code):** **MY Bor Swk**
- 87128. *Acroclita anelpista* Diakonoff & Wolff,1976** (Tortricidae) **Synonym(s):** *anelpista* Diakonoff & Wolff,1976 **Range (in code):** **Md**
- 87129. *Acroclita belinda* Meyrick,1912** (Tortricidae) **Synonym(s):** *belinda* Meyrick,1912 **Range (in code):** **IN Ass Meg Khs**
- 87130. *Acroclita bryomorpha* Meyrick,1931** (Tortricidae) **Synonym(s):** *bryomorpha* Meyrick,1931 **Range (in code):** **BR Sct**
- 87131. *Acroclita catharotorna* Meyrick,1935** (Tortricidae) **Synonym(s):** *catharotorna* Meyrick,1935 **Range (in code):** **CN**
- 87132. *Acroclita causterias* Meyrick,1927** (Tortricidae) **Synonym(s):** *causterias* Meyrick,1927 **Range (in code):** **WS**

- 87133. *Acroclita cheradonta* Meyrick,1912** (Tortricidae) **Synonym(s):** *cheradonta* Meyrick,1912
Range (in code): **IN Ben LK VN Ton TH Knc Tpp**
- 87134. *Acroclita clarissa* Meyrick,1921** (Tortricidae) **Synonym(s):** *clarissa* Meyrick,1921 **Range (in code):** **ID Ja**
- 87135. *Acroclita convergens* Meyrick,1930** (Tortricidae) **Synonym(s):** *convergens* Meyrick,1930
Range (in code): **VN Ton**
- 87136. *Acroclita corinthia* Meyrick,1912** (Tortricidae) **Synonym(s):** *corinthia* Meyrick,1912
Range (in code): **IN Ddu Ass Khs LK Mky TH CMa Loe Nna Kao Chy TW**
- 87137. *Acroclita cryptiolitha* Fletcher,1940** (Tortricidae) **Synonym(s):** *cryptiolitha* Fletcher,1940
Range (in code): **IN**
- 87138. *Acroclita discariana* Philpott,1930** (Tortricidae) **Synonym(s):** *discariana* Philpott,1930
Range (in code): **NZ**
- 87139. *Acroclita elaeagnivora* Oku,1979** (Tortricidae) **Synonym(s):** *elaeagnivora* Oku,1979
Range (in code): **JP**
- 87140. *Acroclita esmeralda* Meyrick,1912** (Tortricidae) **Synonym(s):** *esmeralda* Meyrick,1912
Range (in code): **IN Ass Meg Khs**
- 87141. *Acroclita euphylla* Meyrick,1926** (Tortricidae) **Synonym(s):** *euphylla* Meyrick,1926
Range (in code): **MY Bor Swk**
- 87142. *Acroclita furculana* Kuznetsov,1996** (Tortricidae) **Synonym(s):** *furculana* Kuznetsov,1996
Range (in code): **KK**
- 87143. *Acroclita granitalis* (Butler,1881)** (Tortricidae) **Synonym(s):** *granitalis* Butler,1881
Range (in code): **JP**
- 87144. *Acroclita guanchana* Walsingham,1907** (Tortricidae) **Synonym(s):** *guanchana* Walsingham,1907 **Range (in code):** **Cn**
- 87145. *Acroclita gumicola* Oku,1979** (Tortricidae) **Synonym(s):** *gumicola* Oku,1979 **Range (in code):** **JP**
- 87146. *Acroclita hercoptila* Meyrick,1927** (Tortricidae) **Synonym(s):** *hercoptila* Meyrick,1927
Range (in code): **ID Sum**
- 87147. *Acroclita klimeschi* Diakonoff,1985** (Tortricidae) **Synonym(s):** *klimeschi* Diakonoff,1985
Range (in code): **Cn**
- 87148. *Acroclita lithoxoa* Diakonoff,1950** (Tortricidae) **Synonym(s):** *lithoxoa* Diakonoff,1950
Range (in code): **IN Ben TH Knc Tpp**
- 87149. *Acroclita loxoplecta* Meyrick,1935** (Tortricidae) **Synonym(s):** *loxoplecta* Meyrick,1935
Range (in code): **CN**
- 87150. *Acroclita macrosaris* (Meyrick,1938)** (Tortricidae) **Synonym(s):** *macrosaris* Meyrick,1938
Range (in code): **ID Ja TH Loe Knc Tpp**
- 87151. *Acroclita macrotoma* Turner,1918** (Tortricidae) **Synonym(s):** *macrotoma* Turner,1918
Range (in code): **NF**
- 87152. *Acroclita madens* Meyrick,1921** (Tortricidae) **Synonym(s):** *madens* Meyrick,1921;
cameraria Meyrick,1932 **Range (in code):** **ID Ja**
- 87153. *Acroclita neaera* Meyrick,1912** (Tortricidae) **Synonym(s):** *neaera* Meyrick,1912 **Range (in code):** **LK Mky**
- 87154. *Acroclita nigrovenana* Kuznetsov,1988** (Tortricidae) **Synonym(s):** *nigrovenana* Kuznetsov,1988 **Range (in code):** **VN Ton TH Knc Tpp JP CN Yu**
- 87155. *Acroclita notophthalma* Meyrick,1933** (Tortricidae) **Synonym(s):** *notophthalma* Meyrick,1933 **Range (in code):** **IN Ddu**
- 87156. *Acroclita paulina* Meyrick,1925** (Tortricidae) **Synonym(s):** *paulina* Meyrick,1925 **Range (in code):** **IN Hp Kma**
- 87157. *Acroclita pertracta* Diakonoff,1989** (Tortricidae) **Synonym(s):** *pertracta* Diakonoff,1989
Range (in code): **MG**
- 87158. *Acroclita prasinissa* Meyrick,1921** (Tortricidae) **Synonym(s):** *prasinissa* Meyrick,1921
Range (in code): **ID Ja**
- 87159. *Acroclita scatebrossa* Meyrick,1912** (Tortricidae) **Synonym(s):** *scatebrossa* Meyrick,1912
Range (in code): **IN Ass Meg Khs**
- 87160. *Acroclita sonchana* Walsingham,1907** (Tortricidae) **Synonym(s):** *sonchana* Walsingham,1907 **Range (in code):** **Cn**

- 87161. *Acroclita spiladorma* Meyrick, 1932** (Tortricidae) **Synonym(s):** *spiladorma* Meyrick, 1932
Range (in code): **ID Ja**
- 87162. *Acroclita stenoglypha* Diakonoff, 1971** (Tortricidae) **Synonym(s):** *stenoglypha* Diakonoff, 1971 Range (in code): **ID Ja**
- 87163. *Acroclita subsequana* (Herrich-Schäffer, 1851)** (Tortricidae) **Synonym(s):** *subsequana* Herrich-Schäffer, 1851; *hawkerana* Stephens, 1856; *arctana* Staudinger, 1859; *mulstantana* Milliére, 1860; *littorana* Constant, 1865; *convallensis* Walsingham, 1907 Range (in code): **Cn PT ES FR IT MT GB**
- 87164. *Acroclita thysanota* Meyrick, 1912** (Tortricidae) **Synonym(s):** *thysanota* Meyrick, 1912
Range (in code): **IN Ass Meg Khs**
- 87165. *Acroclita trachynota* Meyrick, 1926** (Tortricidae) **Synonym(s):** *trachynota* Meyrick, 1926
Range (in code): **MY Bor Swk**
- 87166. *Acroclita trichocnemis* Meyrick, 1914** (Tortricidae) **Synonym(s):** *trichocnemis* Meyrick, 1914 Range (in code): **MW**
- 87167. *Acroclita trimaelena* Meyrick, 1922** (Tortricidae) **Synonym(s):** *trimaelena* Meyrick, 1922
Range (in code): **MM**
- 87168. *Acroclita vigescens* Meyrick, 1920** (Tortricidae) **Synonym(s):** *vigescens* Meyrick, 1920
Range (in code):
- 87169. *Acroplectis haemanthes* Meyrick, 1927** (Tortricidae) **Synonym(s):** *haemanthes* Meyrick, 1927 Range (in code): **US Tx**
- 87170. *Actihema hemiacta* (Meyrick, 1920)** (Tortricidae) **Synonym(s):** *hemiacta* Meyrick, 1920
Range (in code): **KE**
- 87171. *Adoxophyes acrocindina* Diakonoff, 1983** (Tortricidae) **Synonym(s):** *acrocindina* Diakonoff, 1983 Range (in code): **ID Sum**
- 87172. *Adoxophyes aniara* Diakonoff, 1941** (Tortricidae) **Synonym(s):** *aniara* Diakonoff, 1941
Range (in code): **PG**
- 87173. *Adoxophyes aurantia* Clarke, 1976** (Tortricidae) **Synonym(s):** *aurantia* Clarke, 1976
Range (in code): **FM**
- 87174. *Adoxophyes aurantiana* Bradley, 1961** (Tortricidae) **Synonym(s):** *aurantiana* Bradley, 1961
Range (in code): **SB**
- 87175. *Adoxophyes aurata* Diakonoff, [1968]** (Tortricidae) **Synonym(s):** *aurata* Diakonoff, [1968]
Range (in code): **PH Luz**
- 87176. *Adoxophyes balioleuca* Clarke, 1976** (Tortricidae) **Synonym(s):** *balioleuca* Clarke, 1976
Range (in code): **FM**
- 87177. *Adoxophyes bematica* Meyrick, 1910** (Tortricidae) **Synonym(s):** *bematica* Meyrick, 1910
Range (in code): **SB**
- 87178. *Adoxophyes chloromydra* Meyrick, 1926** (Tortricidae) **Synonym(s):** *chloromydra* Meyrick, 1926 Range (in code): **MY Bor Swk**
- 87179. *Adoxophyes congruana* (Walker, 1863)** (Tortricidae) **Synonym(s):** *congruana* Walker, 1863; *shanghaiana* Walker, 1863 Range (in code): **CN**
- 87180. *Adoxophyes controversa* Diakonoff, 1952** (Tortricidae) **Synonym(s):** *controversa* Diakonoff, 1952 Range (in code): **PG**
- 87181. *Adoxophyes croesus* Diakonoff, 1975** (Tortricidae) **Synonym(s):** *croesus* Diakonoff, 1975
Range (in code): **ID Clb**
- 87182. *Adoxophyes cyrtosema* Meyrick, 1886** (Tortricidae) **Synonym(s):** *cyrtosema* Meyrick, 1886; *novohebridensis* Diakonoff, 1961 Range (in code): **TO FJ CN NH**
- 87183. *Adoxophyes dubia* Yashuda, 1998** (Tortricidae) **Synonym(s):** *dubia* Yashuda, 1998 Range (in code): **JP**
- 87184. *Adoxophyes ergatica* Meyrick, 1911** (Tortricidae) **Synonym(s):** *ergatica* Meyrick, 1911
Range (in code): **SC**
- 87185. *Adoxophyes fasciculana* (Walker, 1866)** (Tortricidae) **Synonym(s):** *fasciculana* Walker, 1866; *luzonica* Sauber, 1902; *epipepla* Lower, 1908 Range (in code): **PH Luz PG SB FJ TO AU Qau**
- 87186. *Adoxophyes flagrans* Meyrick, 1912** (Tortricidae) **Synonym(s):** *flagrans* Meyrick, 1912
Original Reference: *Adoxophyes flagrans* Meyrick, 1912, *Exot. microlepid.* 1: 3. Type ♀: [Myanmar]: "Upper Burma, Maymyo in May (H.L. Andrewes)". Range (in code): **MM May TH CMa Dst**
- 87187. *Adoxophyes furcatana* (Walker, 1863)** (Tortricidae) **Synonym(s):** *furcatana* Walker, 1863
Range (in code): **US**

- 87188. Adoxophyes heteroidana Meyrick, 1881** (Tortricidae) *Synonym(s): heteroidana Meyrick, 1881; ablepta Turner, 1945; amblychroa Turner, 1945* Range (in code): AU QAU
- 87189. Adoxophyes honmai Yashuda, 1998** (Tortricidae) *Synonym(s): honmai Yashuda, 1998* Range (in code): JP
- 87190. Adoxophyes horographa Meyrick, 1928** (Tortricidae) *Synonym(s): horographa Meyrick, 1928* Range (in code): PG NBr
- 87191. Adoxophyes instillata Meyrick, 1922** (Tortricidae) *Synonym(s): instillata Meyrick, 1922* Range (in code): AU QAU
- 87192. Adoxophyes liberatrix (Diakonoff, 1947)** (Tortricidae) *Synonym(s): liberatrix Diakonoff, 1947* Range (in code): CX
- 87193. Adoxophyes libralis Meyrick, 1927** (Tortricidae) *Synonym(s): libralis Meyrick, 1927* Range (in code): WS
- 87194. Adoxophyes marmarogodes Diakonoff, 1952** (Tortricidae) *Synonym(s): marmarogodes Diakonoff, 1952* Range (in code): PG
- 87195. Adoxophyes melia Clarke, 1976** (Tortricidae) *Synonym(s): melia Clarke, 1976* Range (in code): GU
- 87196. Adoxophyes melichroa (Lower, 1899)** (Tortricidae) *Synonym(s): melichroa Lower, 1899; rufostriatana Pagenstecher, 1900* Range (in code): PG AU QAU
- 87197. Adoxophyes microptycha Diakonoff, 1957** (Tortricidae) *Synonym(s): microptycha Diakonoff, 1957* Range (in code): RE
- 87198. Adoxophyes moderatana (Walker, 1863)** (Tortricidae) *Synonym(s): moderatana Walker, 1863; epizeucta Meyrick, 1910; insignifica Rothschild, 1915; prosiliens Meyrick, 1928* Range (in code): TH IN Adm MY Bor ID Clb PG SB
- 87199. Adoxophyes molybdaina Clarke, 1876** (Tortricidae) *Synonym(s): molybdaina Clarke, 1876* Range (in code): FM
- 87200. Adoxophyes nebrodes Meyrick, 1920** (Tortricidae) *Synonym(s): nebrodes Meyrick, 1920* Range (in code): PG
- 87201. Adoxophyes negundana (McDunnough, 1923)** (Tortricidae) *Synonym(s): negundana McDunnough, 1923* Range (in code): CA
- 87202. Adoxophyes nemorum Diakonoff, 1941** (Tortricidae) *Synonym(s): nemorum Diakonoff, 1941* Range (in code): ID Ja Ged
- 87203. Adoxophyes orana (Fischer v. Röslerstamm, 1834)** (Tortricidae) *Synonym(s): reticulana Hübner, [1819] (praeocc.); orana Fischer v. Röslerstamm, 1834; tripsiana Eversmann, 1844; fasciata Walsingham, 1900; minor Shiraki, 1913; sutschana Caradja, 1926; beijingensis Zhou, Qiu & Fu, 1997* Range (in code): ES FR IT GB BE LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY Cc TR GG CN Pkn TW JP
- 87204. Adoxophyes panxantha (Lower, 1901)** (Tortricidae) *Synonym(s): panxantha Lower, 1901* Range (in code): AU QAU
- 87205. Adoxophyes parastrophia Meyrick, 1912** (Tortricidae) *Synonym(s): parastrophia Meyrick, 1912; centroluta Diakonoff, 1951* Range (in code): IN Ass Meg Khs MM
- 87206. Adoxophyes perangusta Diakonoff, 1960** (Tortricidae) *Synonym(s): perangusta Diakonoff, 1960* Range (in code): MG
- 87207. Adoxophyes peritoma Meyrick, 1918** (Tortricidae) *Synonym(s): peritoma Meyrick, 1918* Range (in code): MG
- 87208. Adoxophyes perstricta Meyrick, 1928** (Tortricidae) *Synonym(s): perstricta Meyrick, 1928* Range (in code): PH Luz ID Ja SB NBr
- 87209. Adoxophyes privatana (Walker, 1863)** (Tortricidae) *Synonym(s): privatana Walker, 1863; euryomis Meyrick, 1902* Range (in code): HK Hn SG PH Luz IN MM Ass TH Nna Kao Yal Cbi CMA Kbi LK ID Sum Bor MY VN Ton Ja Tnm Trn Tal Clb Amb Bru PG FJ TO TW CN JP KP KR
- 87210. Adoxophyes psammocyma (Meyrick, 1908)** (Tortricidae) *Synonym(s): psammocyma Meyrick, 1908* Range (in code): IN Tn Pln
- 87211. Adoxophyes revoluta (Meyrick, 1908)** (Tortricidae) *Synonym(s): revoluta Meyrick, 1908* Range (in code): IN Ass Meg Khs
- 87212. Adoxophyes rhopalodesma Diakonoff, 1961** (Tortricidae) *Synonym(s): rhopalodesma Diakonoff, 1961* Range (in code): ID Ij Wg
- 87213. Adoxophyes telesticta Meyrick, 1930** (Tortricidae) *Synonym(s): telesticta Meyrick, 1930* Range (in code): MU

- 87214. Adoxophyes templana (Pagenstecher,1900)** (Tortricidae) Synonym(s): *templana* Pagenstecher,1900; *ioterma* Meyrick,1910; *thelcteropa* Turner,1945 Range (in code): **PG Bsm AU QAU Cai**
- 87215. Adoxophyes tetrapracta Meyrick,1938** (Tortricidae) Synonym(s): *tetrapracta* Meyrick,1938; *acropeta* Diakonoff,1952 Range (in code): **PG**
- 87216. Adoxophyes thoracica Diakonoff,1941** (Tortricidae) Synonym(s): *thoracica* Diakonoff,1941 Range (in code): **PG**
- 87217. Adoxophyes tripselia (Lower,1908)** (Tortricidae) Synonym(s): *tripselia* Lower,1908 Range (in code): **AU QAU**
- 87218. Adoxophyes trirhadba Diakonoff,1969** (Tortricidae) Synonym(s): *trirhadba* Diakonoff,1969 Range (in code): **PG**
- 87219. Adoxophyes vindicata Meyrick,1910** (Tortricidae) Synonym(s): *vindicata* Meyrick,1910 Range (in code): **SB**
- 87220. Aemulatrix aequilibra Diakonoff,1982** (Tortricidae) Synonym(s): *aequilibra* Diakonoff,1982 Range (in code): **LK TH Knc Tpp**
- 87221. Aemulatrix notognatha Diakonoff,1988** (Tortricidae) Synonym(s): *notognatha* Diakonoff,1988 Range (in code): **MG**
- 87222. Aesiocopa vacinana Zeller,1877** (Tortricidae) Synonym(s): *vacinana* Zeller,1877 Range (in code): **PA**
- 87223. Aethes affinis Razowski,1967** (Tortricidae) Synonym(s): *affinis* Razowski,1967 Range (in code): **CR**
- 87224. Aethes afghana Razowski,1983** (Tortricidae) Synonym(s): *afghana* Razowski,1983 Original Reference: *Aethes afghana* Razowski,1983, *Nota lepid.* 6 (4): 241, fig. Holotype ♂: Afghanistan: Koh-i Baba, Panjao 2650m (leg. Amsel) (LNK). Range (in code): **AF Kbb Bm Pnj Ld PK Swa**
- 87225. Aethes agelasta Razowski,1967** (Tortricidae) Synonym(s): *agelasta* Razowski,1967 Range (in code): **CR**
- 87226. Aethes alatafica (Danilevski,1962)** (Tortricidae) Synonym(s): *alatafica* Danilevski,1962 Range (in code): **KG TrA Aa MN CN Pkn IMn Ui She Ts Shs**
- 87227. Aethes alphetopa (Clarke,1968)** (Tortricidae) Synonym(s): *alphetopa* Clarke,1968 Range (in code): **VE**
- 87228. Aethes amseli Razowski,1967** (Tortricidae) Synonym(s): *amseli* Razowski,1967 Range (in code): **AF Pm Bm Pnj**
- 87229. Aethes amurensis Razowski,1964** (Tortricidae) Synonym(s): *amurensis* Razowski,1964 Range (in code): **RU Am CN Pkn Mc Gn Ts She Shs KP KR**
- 87230. Aethes angulatana (Robinson,1869)** (Tortricidae) Synonym(s): *angulatana* Robinson,1869 Range (in code): **US**
- 87231. Aethes annosa Razowski,1967** (Tortricidae) Synonym(s): *annosa* Razowski,1967 Range (in code): **PE**
- 87232. Aethes ardezana (Müller-Rutz,1922)** (Tortricidae) Synonym(s): *ardezana* Müller-Rutz,1922 Range (in code): **ES FR IT DE CH AT YU B-H**
- 87233. Aethes argyropsila Karisch,2005** (Tortricidae) Synonym(s): *argyropsila* Karisch,2005 Original Reference: *Aethes argyropsila* Karisch,2005, *Entomofauna* 26 (5): 48-50, Abb.1. Holotype ♂: Iran: Kordestan, Str. Baneh-Marivan, 25km E Baneh, 1950m, Ebert & Falkner leg. (LNK). Range (in code): **IR Kd Bne TR**
- 87234. Aethes atmospila (Meyrick,1937)** (Tortricidae) Synonym(s): *atmospila* Meyrick,1937 Range (in code): **CN Ui Yu**
- 87235. Aethes aurofasciana (Mann,1855)** (Tortricidae) Synonym(s): *aurofasciana* Mann,1855; *valdensiana* Herrich-Schäffer,1856. Range (in code): **IT DE CH AT PL SK** Bionomy: Larva on *Gentiana clusii* (Gentianaceae) (Klimesch,1961).
- 87236. Aethes austera Razowski,1967** (Tortricidae) Synonym(s): *austera* Razowski,1967 Range (in code): **BR Pran**
- 87237. Aethes beatricella (Walsingham,1898)** (Tortricidae) Synonym(s): *beatricella* Walsingham,1898 Range (in code): **DZ ES FR GB NL AT CZ SK HU RO B-H DK SE** Bionomy: Larva on *Pastinaca sativa* (Apiaceae) (Razowski,2001).
- 87238. Aethes bilbaensis (Rössler,1877)** (Tortricidae) Synonym(s): *bilbaensis* Rössler,1877; *loxopteroides* Walsingham,1903; *mediterranea* Rebel,1906; *#loxopteroides* Chrétien,1917; *reclusa* Meyrick,1923. Original Reference: *Conchylis francillana* var. *bilbaensis* Rössler,1877, *Stettin ent. Ztg.* 38: 372.

- Lectotype ♂: N-Spanien: Bilbao, designated by Razowski, 1970 (MNMB). Range (in code): **MA DZ Lbs PT ES FR Co Sa Si IT MT AT CZ SK HU RO YU HV AL BG Vrn GR Cr TR UA Cm RU Sr IL Jf Pa LB Bsa Say AF Pnj IR Fa Gh Tgo Mz Clu Th TM Kp PK Qu Bl KG TrA Ket Aa DsA KK** Bionomy: Larva on *Crithmum maritimum*, *Carum verticillatum* (Apiaceae) (Swatschek, 1958; Razowski, 2001).
- 87239. *Aethes bistigmatus* Byun & Li, 2006** (Tortricidae) Synonym(s): *bistigmatus* Byun & Li, 2006 Range (in code): **KP KR CN Jn**
- 87240. *Aethes capnospila* (Meyrick, 1912)** (Tortricidae) Synonym(s): *capnospila* Meyrick, 1912 Original Reference: *Phalonia capnospila* Meyrick, 1912, *Exot. microlepid.* 1: 20. Type ♂: [Turkey]: "Alma Dag". Range (in code): **GR Rd LB Bei TR**
- 87241. *Aethes caucasica* (Amsel, 1959)** (Tortricidae) Synonym(s): *caucasica* Amsel, 1959; *elsana* Razowski, 1961; *#caucasica* Brown, 2005. Range (in code): **IT RU Or Ur Cc GG Tbl TR**
- 87242. *Aethes cinereoviridana* (Kennel, 1899)** (Tortricidae) Synonym(s): *cinereoviridana* Kennel, 1899 Range (in code): **UZ Fe Nmg CN Ui**
- 87243. *Aethes citreoflava* Kuznetsov, 1966** (Tortricidae) Synonym(s): *citreoflava* Kuznetsov, 1966 Range (in code): **RU Am Prj Us CN Mc Jn MN**
- 87244. *Aethes cnicana* (Westwood, 1854)** (Tortricidae) Synonym(s): *cnicana* Westwood, 1854; *arcticana* Brandt, 1937 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY TW CN Pkn Mc IMn JP KP KR** Bionomy: Larva on *Carduus*, *Cirsium oleraceum*, *C. vulgare* (Asteraceae) (Razowski, 2001).
- 87245. *Aethes cnicana taiwanica* Razowski, 1977** (Tortricidae) Synonym(s): *taiwanica* Razowski, 1977 Range (in code): **TW**
- 87246. *Aethes conomochla* (Meyrick, 1933)** (Tortricidae) Synonym(s): *conomochla* Meyrick, 1933 Range (in code): **Ch GI IN Ld**
- 87247. *Aethes conversana* (Walsingham, 1908)** (Tortricidae) Synonym(s): *conversana* Walsingham, 1908 Range (in code): **Cn ES IR Mz Cls**
- 87248. *Aethes cremonana* (Ragonot, 1894)** (Tortricidae) Synonym(s): *cremonana* Ragonot, 1894 Original Reference: *Conchylis cremonana* Ragonot, 1894, *Annls. Soc. ent. Fr.* 63: 194. Holotype ♂: Syrié (MNHNP). Range (in code): **LB Bei TR IR SY**
- 87249. *Aethes deaurana* (Peyerimhoff, 1877)** (Tortricidae) Synonym(s): *deaurana* Peyerimhoff, 1877; *fusciella* Turati, 1924. Original Reference: *Cochylis deaurana* Peyerimhoff, 1877, *Petite nouv. ent.* 2: 101. Type: France: Insel St. Marguerite (Cannes). Range (in code): **DZ Phv LY Cy PT ES FR Sa IT MT YU TR** Bionomy: Larva on *Smyrnia olusatrum* (Swatschek, 1958).
- 87250. *Aethes decens* Razowski, 1970** (Tortricidae) Synonym(s): *decens* Razowski, 1970 Range (in code): **RU At Sj Tv MN**
- 87251. *Aethes decimana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *decimana* [Denis & Schiffermüller], 1775 Original Reference: *Tortrix decimana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 317. Type(s): Vienna district. Range (in code): **ES FR IT DE CH AT PL SK RO RU MD UA** Bionomy: Larva on *Centaurea montana* (Asteraceae) (Razowski, 2001).
- 87252. *Aethes delotypa* Razowski, 1970** (Tortricidae) Synonym(s): *delotypa* Razowski, 1970 Range (in code): **CN Ti Yu Lik**
- 87253. *Aethes dentifera* Razowski, 1967** (Tortricidae) Synonym(s): *dentifera* Razowski, 1967 Range (in code): **PE**
- 87254. *Aethes destituta* Razowski, 1983** (Tortricidae) Synonym(s): *destituta* Razowski, 1983 Original Reference: *Aethes destituta* Razowski, 1983, *Nota lepid.* 6 (4): 242-243, fig. Holotype ♀: Iran: Khuzestan, 30km S. Yassudi, Kuschak 2200m, (leg. Ebert & Falkner) (LNK). Range (in code): **IR Kz**
- 87255. *Aethes deutschiana* (Zetterstedt, 1839)** (Tortricidae) Synonym(s): *deutschiana* Zetterstedt, 1839; *lutulentana* Herrich-Schäffer, 1856; *chalcana* Packard, 1866. Range (in code): **FR IT DE CH AT BG MK NO SE FI EE RU At Sb Sj MD UA BY Cc Teb AM Eri UZ KK KG TrA Ket JP Hkk CN Gn MN CA Lbr IR Kd Mrv Es** Bionomy: Larva on *Bartsia* (Scrophulariaceae) (Razowski, 2001).
- 87256. *Aethes dilucidana* (Stephens, 1852)** (Tortricidae) Synonym(s): *dilucidana* Stephens, 1852 Range (in code): **DZ ES FR Si IT GB NL LU DE CH PL CZ HU DK NO SE LT RU Sb MD UA BY TM Krn TR KK Ik** Bionomy: Larva on *Peucedanum sativum*, *Pastinaca sativa*, *Heracleum sphondylium* (Apiaceae) (Kennel, 1913).
- 87257. *Aethes eberti* Sutter & Karisch, 2004** (Tortricidae) Synonym(s): *eberti* Sutter & Karisch, 2004 Range (in code): **IR Elb Th Kdj Ab Oru Fa**

- 87258. *Aethes eichleri* Razowski, 1983** (Tortricidae) Synonym(s): *eichleri* Razowski, 1983 Original Reference: *Aethes eichleri* Razowski, 1983, *Nota lepid.* 6 (4): 239-240, fig. Holotype ♀: Bulgaria: Pirin mont., Bez. Sandanski, Lilianovo, 800m (leg. & coll. F. Eichler) Range (in code): **BG IR Km**
- 87259. *Aethes elpidia* Razowski, 1983** (Tortricidae) Synonym(s): *elpidia* Razowski, 1983 Original Reference: *Aethes elpidia* Razowski, 1983, *Nota lepid.* 6 (4): 239, fig. Holotype ♂: Tunisia: Tozeur (HNHMB). Range (in code): **TN**
- 87260. *Aethes eryngiella* (Vallot, 1829)** (Tortricidae) Synonym(s): *eryngiella* Vallot, 1829; *flagellana* Duponchel, 1836; *helvticana* Heyden, 1865; *eryngiana* Heyden, 1865; *sardoa* Amsel, 1952. Range (in code): **MA DZ Anna Bsk ES FR Co Sa Si IT NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR LB Bsa SY Dms LT RU Sr Wo MD UA BY IR Elb Mz Clu Th Kdv TM Kp** Bionomy: Larva on *Eryngium campestre* (Apiaceae) (Vallot, 1829).
- 87261. *Aethes eryngiella atlas* Razowski, 1962** (Tortricidae) Synonym(s): *atlas* Razowski, 1962 Original Reference: *Aethes flagellana* ssp. *atlas* Razowski, 1962, *Acta zool. cracov.* 7 (13): 400. Holotype: Morocco: Great Atlas Mts., Tachdirt. Range (in code): **MA**
- 87262. *Aethes evanida* Razowski & Becker, 1983** (Tortricidae) Synonym(s): *evanida* Razowski & Becker, 1983 Range (in code): **BR Pran**
- 87263. *Aethes fennicana* (Hering, 1924)** (Tortricidae) Synonym(s): *fennicana* Hering, 1924; *adelaidae* Toll, 1955. Range (in code): **ES FR DE AT PL CZ SK SE FI LV LT IR Mz Elb Th RU Ur** Bionomy: Larva on *Angelica* (Apiaceae) (Razowski, 2001).
- 87264. *Aethes ferruginea* (Walsingham, 1900)** (Tortricidae) Synonym(s): *ferruginea* Walsingham, 1900 Original Reference: *Lozopera ferruginea* Walsingham, 1900, *Ann. Mag. nat. Hist.* 7 (6): 444-445. Type ♀: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham). Range (in code): **SY Hal**
- 87265. *Aethes flagellana* (Duponchel, 1836)** (Tortricidae) Synonym(s): *flagellana* Duponchel, 1836 Range (in code): **MA ES GR RU Ur KG TM IR Fa Sse Th LB TR**
- 87266. *Aethes flagellana atlas* Razowski, 1962** (Tortricidae) Synonym(s): *atlas* Razowski, 1962 Range (in code): **MA ES GR RU Ur KG TM IR Fa Sse Th LB TR**
- 87267. *Aethes francillana* (Fabricius, 1794)** (Tortricidae) Synonym(s): *francillana* Fabricius, 1794; *francillonana* Humprey & Westwood, 1845; *ferulae* Müller-Rutz, 1920. Range (in code): **Cn DZ MA PT ES FR Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI EE LV LT RU Tt MD UA BY LB AF Pag Pm TJ KG Dsa IR Elb Kdj Th** Bionomy: Larva on *Eryngium campestre*, *Daucus*, *Pastinaca*, *Peucedanum*, *Angelica sylvestris*, *Plaeoselinum meoides*, *Crithmum maritimum*, *Astydamia canariensis*, *Ferula communis* (Apiaceae) (Razowski, 2001).
- 87268. *Aethes furvescens* Bai, Guo & Guo, 1996** (Tortricidae) Synonym(s): *furvescens* Bai, Guo & Guo, 1996 Range (in code): **CN**
- 87269. *Aethes geniculata* (Meyrick, 1930)** (Tortricidae) Synonym(s): *geniculata* Meyrick, 1930 Range (in code): **IN Ass Slo**
- 87270. *Aethes grandaeva* Razowski & Becker, 1983** (Tortricidae) Synonym(s): *grandaeva* Razowski & Becker, 1983 Range (in code): **BR Pran**
- 87271. *Aethes hartmanniana* (Clerck, 1759)** (Tortricidae) Synonym(s): *lyonetella* Linnaeus, 1758; *#hartmanniana* Clerck, 1759; *wiedemannella* Müller, 1764; *baumanniana* [Denis & Schiffmüller], 1775; *allioniana* De Villers, 1789; *avellana* Hübner, 1822; *subbaumanniana* Wilkinson, 1859; *murciana* Caradja, 1916; *excelsior* Schawerda, 1920. Range (in code): **ES Mu FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FI EE LV LT RU Ur MD UA BY SY Hal** Bionomy: Larva on *Scabiosa ochroleuca*, *Knautia*, *Succisa* (Dipsacaceae) (Swatschek, 1958).
- 87272. *Aethes hoenei* Razowski, 1964** (Tortricidae) Synonym(s): *hoenei* Razowski, 1964 Range (in code): **CN Kig Hun She Lng**
- 87273. *Aethes hoppei* Blackstein & Karisch, 2011** (Tortricidae) Synonym(s): *hoppei* Blackstein & Karisch, 2011 Range (in code): **TN**
- 87274. *Aethes inexpecta* Razowski, 1967** (Tortricidae) Synonym(s): *inexpecta* Razowski, 1967 Range (in code): **AR**
- 87275. *Aethes iranica* Razowski, 1963** (Tortricidae) Synonym(s): *iranica* Razowski, 1963 Original Reference: *Aethes iranica* Razowski, 1963, *Acta zool. cracov.* 8: 272, figs. Holotype ♂: Iran: Alvand, 7000ft., leg. Wiltshire (LNK). Range (in code): **TR IR Ha Fa Th Es Ma Lo Ke Mz Elb Ha Avd**
- 87276. *Aethes jonesi* Razowski, 1967** (Tortricidae) Synonym(s): *jonesi* Razowski, 1967 Range (in code): **BR Pran**
- 87277. *Aethes kandovana* Alipanah, 2009** (Tortricidae) Synonym(s): *kandovana* Alipanah, 2009 Range (in code): **IR Elb Mz Kdv**

- 87278. *Aethes kasyi* Razowski, 1962** (Tortricidae) Synonym(s): *kasyi* Razowski, 1962 Range (in code): **IT MK TR IR Fa Elb Th Kdj Gor Kd Snj Ha Es JO Amm SK UA Cm SY**
- 87279. *Aethes kindermanniana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *kindermanniana* Treitschke, 1830 Range (in code): **DZ Lbs ES FR Sa IT DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Artemisia campestris*, *Chrysanthemum*, *Tanacetum corymbosum* (Asteraceae) (Razowski, 2001).
- 87280. *Aethes languidana* (Mann, 1855)** (Tortricidae) Synonym(s): *languidana* Mann, 1855; *reversana* Staudinger, 1859; *incommodana* Kennel, 1900; *versana* Walsingham, 1908. Range (in code): **PT ES Mu FR Co Sa IT BE AL?** Bionomy: Larva on *Helichrysum*, *Pagnalon* (Swatschek, 1958).
- 87281. *Aethes lassa* Razowski, 1986** (Tortricidae) Synonym(s): *lassa* Razowski, 1986 Range (in code): **MX Sin**
- 87282. *Aethes lateritia* Razowski, 1970** (Tortricidae) Synonym(s): *lateritia* Razowski, 1970 Range (in code): **IR Ss PK Bl Qu**
- 87283. *Aethes luteopictana* (Kennel, 1900)** (Tortricidae) Synonym(s): *luteopictana* Kennel, 1900 Original Reference: *Conchylis luteopictana* Kennel, 1900, Dt. ent. Z., Iris 13: 130, Taf.v fig.6. Type ♀: [Iran]: "Schahkuh". Range (in code): **IR Elb Se Shh**
- 87284. *Aethes lygrana* Karisch, 1992** (Tortricidae) Synonym(s): *lygrana* Karisch, 1992 Original Reference: *Aethes lygrana* Karisch, 1992, Dt. ent. Z. (N.F.) 39: 204-206, figs. Holotype ♂: Israel: Kefar-Stemmal, 4.4.1968, leg. Bleszynski (ZFMB). Range (in code): **IL Pa**
- 87285. *Aethes margaritana* (Haworth, [1811])** (Tortricidae) Synonym(s): *margaritana* Haworth, [1811]; *dipoltella* Hübner, [1813]. Range (in code): **ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Tt Wo Sr MD UA BY Cc AM Eri KG Uk TrA** Bionomy: Larva on *Tanacetum*, *Matricaria*, *Chamomilla*, *Achillea* (Asteraceae) (Swatschek, 1958).
- 87286. *Aethes margaritifera* Falkovitsh, 1963** (Tortricidae) Synonym(s): *margaritifera* Falkovitsh, 1963 Original Reference: *Aethes margaritifera* Falkovitsh, 1963, Zool. Zh. 42: 700, fig. Holotype ♂: Russia: Sopki Kokschetau, Fl. Terisakkan (ZIANL). Range (in code): **TR Cc AM Eri RU Or Sr KG Uk**
- 87287. *Aethes margarotana* (Duponchel, 1836)** (Tortricidae) Synonym(s): *margarotana* Duponchel, 1836; *maritimana* Guenée, 1845; *parallelana* Kennel, 1913; *edrisitana* Chrétien, 1922; *paronyma* Meyrick, 1932. Range (in code): **DZ PT ES FR Si IT GB DE AT PL CZ SK HU RO YU AL GR Cr TR Cc AM Eri IL Pa SY Ltk IR Fa By Ke Es Ss** Bionomy: Larva on *Eryngium maritimum* (Apiaceae) (Swatschek, 1958).
- 87288. *Aethes mauritanica* (Walsingham, 1898)** (Tortricidae) Synonym(s): *mauritanica* Walsingham, 1898; *#mauretanica* Kennel, 1910; *cornelia* Turati, 1924; *albella* Amsel, 1952. Original Reference: *Lozopera mauritanica* Walsingham, 1898, Entomologist's mon. Mag. 34: 73. Holotype ♂: Morocco: Mogador (BMNH). Range (in code): **MA Ess Tgr DZ Orn LY Cy ES Sa IT YU BG GR TR**
- 87289. *Aethes mesomelana* (Walker, 1863)** (Tortricidae) Synonym(s): *mesomelana* Walker, 1863 Range (in code): **CN Mc Lng Kgs Hpe RU Am Prj Us**
- 87290. *Aethes mirifica* Razowski & Becker, 1983** (Tortricidae) Synonym(s): *mirifica* Razowski & Becker, 1983 Range (in code): **BR Pran**
- 87291. *Aethes modica* Razowski, 1970** (Tortricidae) Synonym(s): *modica* Razowski, 1970 Range (in code): **ES**
- 87292. *Aethes monera* Razowski, 1986** (Tortricidae) Synonym(s): *monera* Razowski, 1986 Range (in code): **MX Dgo**
- 87293. *Aethes mordax* (Meyrick, 1917)** (Tortricidae) Synonym(s): *mordax* Meyrick, 1917 Range (in code): **AR**
- 87294. *Aethes moribundana* (Staudinger, 1859)** (Tortricidae) Synonym(s): *moribundana* Staudinger, 1859; *respirantana* Staudinger, 1879; *dispersana* Kennel, 1899; *dilutana* Kennel, 1899; *helvolana* Kennel, 1900; *lanceolata* Filipjev, 1924. Range (in code): **DZ Tni Tis PT ES An Mlg FR Si IT PL CZ SK HU RO YU AL TR IR Lo Th Ak Mz Ha Avd Fa AF RU Sb Ir MD UA BY Cc GG SY Dms Hal UZ Fe Smk Man KG Lps DsA MN CN IMn Ts Ui Hph**
- 87295. *Aethes munda* Karisch, 2003** (Tortricidae) Synonym(s): *munda* Karisch, 2003 Original Reference: *Aethes munda* Karisch, 2003, Naturw. Beitr. Mus. Dessau 15: 126-127, figs. Holotype ♀: Türkiye: Prov. Konya, Hadim 15.6.1974 leg. W. Thomas (coll. MNVD). Range (in code): **TR**
- 87296. *Aethes nefandana* (Kennel, 1899)** (Tortricidae) Synonym(s): *nefandana* Kennel, 1899; *diacrisiana* Rebel, 1903; *chersonana* Obratsov, 1937. Original Reference: *Cochylis nefandana* Kennel, 1899, Dt. ent. Z., Iris 12: 39, Taf.1 fig.38. Type ♂: [Türkei]: "Kaiserie" (ZMB). Range (in

- code): **AT CZ SK HU RO HV MK YU AL BG Vrn GR TR RU MD UA BY KG Uk** Bionomy: Larva on Eryngium ? (Apiaceae) (Razowski,2001).
- 87297. Aethes obscurana (Caradja,1916)** (Tortricidae) Synonym(s): *obscurana* Caradja,1916; *lacindana* Kennel,1919. Range (in code): **CN Ui Ju KG TrA DsA KK Al**
- 87298. Aethes pamirana Razowski,1967** (Tortricidae) Synonym(s): *pamirana* Razowski,1967 Range (in code): **AF Pm**
- 87299. Aethes pannosana (Kennel,1913)** (Tortricidae) Synonym(s): *pannosana* Kennel,1913 Original Reference: *Phalonia pannosana* Kennel,1913, *Zoologica* 21: 286, Taf.13 fig.6. Type ♂: [Türkei]: Kleinasien, Anatolien: Ak Chehir, Korb leg. (BMNH). Range (in code): **TR**
- 87300. Aethes pardaliana (Kennel,1899)** (Tortricidae) Synonym(s): *pardaliana* Kennel,1899 Range (in code): **IR KuM Kh AF Pag Pnj BdA Kbb UZ Smk Ch TM CN Ui**
- 87301. Aethes patricia Metzler,1999** (Tortricidae) Synonym(s): *patricia* Metzler,1999 Original Reference: *Aethes patricia* Metzler,1999, *The Gates Lakes Ent.* 32: 186. Range (in code): **US Oh**
- 87302. Aethes pemeantensis Gibeaux,1985** (Tortricidae) Synonym(s): *pemeantensis* Gibeaux,1985 Range (in code): **FR**
- 87303. Aethes perfidana (Kennel,1900)** (Tortricidae) Synonym(s): *perfidana* Kennel,1900 Range (in code): **ES**
- 87304. Aethes perflavescens (Meyrick,1934)** (Tortricidae) Synonym(s): *perflavescens* Meyrick,1934 Range (in code): **CN Kwa**
- 87305. Aethes persica Razowski,1963** (Tortricidae) Synonym(s): *persica* Razowski,1963 Range (in code): **IR Fa Kd Bne**
- 87306. Aethes piercei (Obraztsov,1952)** (Tortricidae) Synonym(s): *piercei* Obraztsov,1952; ? *gemmatella* Scopoli,1763 Range (in code): **ES FR IT IE GB BE NL DE CH AT CZ SK HU YU** Bionomy: Larva on *Succisa pratensis* (Dipsacaceae) (Razowski,2001).
- 87307. Aethes planaltinae Razowski & Becker,1983** (Tortricidae) Synonym(s): *planaltinae* Razowski & Becker,1983 Range (in code): **BR**
- 87308. Aethes portentosa Razowski & Becker,1983** (Tortricidae) Synonym(s): *portentosa* Razowski & Becker,1983 Range (in code): **BR**
- 87309. Aethes prangana (Kennel,1900)** (Tortricidae) Synonym(s): *prangana* Kennel,1900 Original Reference: *Conchylis prangana* Kennel,1900, *Dt. ent. Z., Iris* 13: 130-131, Taf.v fig.7. Syntypes 1♂ 1♀: Kaukasus (12 vi 1883, Christoph leg.); Lectotype ♀, [Azerbaidjan]: "Ordubad", designated by Razowski (1970: 343) (ZIANL). Range (in code): **SY Hal IR Kdj Fa Kdj AZ Nv Ord Cc AM Eri RU Ur TR**
- 87310. Aethes prefuscata (Meyrick,1925)** (Tortricidae) Synonym(s): *prefuscata* Meyrick,1925 Range (in code): **EG EG11**
- 87311. Aethes promptana (Robinson,1869)** (Tortricidae) Synonym(s): *promptana* Robinson,1869 Range (in code): **US Tx**
- 87312. Aethes rectilineana (Caradja,1939)** (Tortricidae) Synonym(s): *rectilineana* Caradja,1939; *bradleyi* Razowski,1962. Range (in code): **CN Shs Hpe Kgs Gn Mc Ui MN RU Ask Us Prj JP Hkk**
- 87313. Aethes rubigana (Treitschke,1830)** (Tortricidae) Synonym(s): *rubigana* Treitschke,1830; *arcticana* Brandt,1937. Range (in code): **FR IT IE GB BE NL DE CH? AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY Cc CN Mc Pkn Hph Jn NHu JP** Bionomy: Larva on *Arctium lappa*, *Cirsium oleraceum* (Asteraceae) (Swatschek,1958).
- 87314. Aethes rubiginana (Walsingham,1903)** (Tortricidae) Synonym(s): *rubiginana* Walsingham,1903 Range (in code): **ES IT Si MA DZ** Bionomy: Larva on *Thapsia*, *Ferula communis* (Apiaceae) (Trematerra,1999).
- 87315. Aethes rutilana (Hübner,[1817])** (Tortricidae) Synonym(s): *rutilana* Hübner,[1817]; *purpurella* Coq,1801 [nomen oblitum!]; *roridana* Mann,1867. Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU tt MD UA BY** Bionomy: Larva on *Juniperus communis* (Cupressaceae) (Swatschek,1958).
- 87316. Aethes sanguinana (Treitschke,1830)** (Tortricidae) Synonym(s): *sanguinana* Treitschke,1830; *#sanguinea* Humpreys & Westwood,1845; *#sanguinella* Bradley, Tremewan & Smith,1973 Range (in code): **DZ PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU GR TR RU MD UA BY** Bionomy: Larva on *Eryngium campestre* (Apiaceae) (Swatschek,1958).
- 87317. Aethes scabidulana (Lederer,1855)** (Tortricidae) Synonym(s): *scabidulana* Lederer,1855 Range (in code): **LB Bei**
- 87318. Aethes scalana (Zerny,1927)** (Tortricidae) Synonym(s): *scalana* Zerny,1927; *pacata* Falkovitsh,1963 Range (in code): **DZ ES RU Sr Da Cc UA Cm KG Aa Kpt TJ IR Elb Th**

- 87319. Aethes shakibai Huemer & Wieser, 2004** (Tortricidae) Synonym(s): *shakibai* Huemer & Wieser, 2004 Original Reference: *Aethes shakibai* Huemer & Wieser, 2004, *Carinthia* II 114 (2): 390. Holotype ♀: Iran: Mazandaran: Miankaleh, Miangaleh -15m, 15 5 2001, leg. P. Huemer (TLMF). Range (in code): **IR Mz Elb**
- 87320. Aethes smeathmanniana (Fabricius, 1781)** (Tortricidae) Synonym(s): *smeathmanniana* Fabricius, 1781; *fabriciana* Hübner, [1799]; *biviana* Duponchel, 1842; *stachydana* Herrich-Schäffer, 1851; *scissana* Walker, 1863. Original Reference: *Phalaena Pyralis smeathmanniana* Fabricius, 1781, *Spec. Ins.* 2: 278. Type(s): Anglia, Mus. Dom. Yeats. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ua MD UA BY KG Uk TrA CA Lbr** Bionomy: Larva on *Achillea millefolium*, *Anthemis cotula*, *Centaurea nigra* (Asteraceae), *Lactuca sativa* (Cichoriaceae) (Swatschek, 1958).
- 87321. Aethes sonorae (Walsingham, 1914)** (Tortricidae) Synonym(s): *sonorae* Walsingham, 1914 Range (in code): **MX Snr**
- 87322. Aethes speciosa Razowski, 1962** (Tortricidae) Synonym(s): *speciosa* Razowski, 1962 Range (in code): **TR**
- 87323. Aethes sphaenophora (Diakonoff, 1941)** (Tortricidae) Synonym(s): *sphaenophora* Diakonoff, 1941; *sphenophora* Diakonoff, 1948 Original Reference: *Phalonia sphaenophora* Diakonoff, 1941, *Treubia* 18: 397, pl. 17 figs. 1-2. Holotype ♂: Java. Range (in code): **ID Ja PH Luz**
- 87324. Aethes spirana (Kennel, 1899)** (Tortricidae) Synonym(s): *spirana* Kennel, 1899 Range (in code): **KG Lps DsA KK Ax UZ TJ IR Th Ss TR**
- 87325. Aethes stellans Razowski & Becker, 1994** (Tortricidae) Synonym(s): *stellans* Razowski & Becker, 1994 Range (in code): **BR Set**
- 87326. Aethes sulphurosana (Kennel, 1901)** (Tortricidae) Synonym(s): *sulphurosana* Kennel, 1901 Original Reference: *Conchylis sulphurosana* Kennel, 1901, *Dt. ent. Z., Iris* 13 (1900): 237. Type ♂: Algeria, Teniet el Haad (MNHU). Range (in code): **DZ Tni Tis**
- 87327. Aethes tesserana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791. Original Reference: *Tortrix tesserana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 126. Type(s): Vienna district. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU HV MK AL BG GR TR SY Hal LB DK SE FI EE LV LT RU Tt Pr IR Elb** Bionomy: Larva on *Crepis*, *Picris hieracioides*, *Hieracium*, *Conyza* (Asteraceae) (Swatschek, 1958).
- 87328. Aethes tesserana magister (Walsingham, 1900)** (Tortricidae) Synonym(s): *magister* Walsingham, 1900 Original Reference: *Pharmacis magister* Walsingham, 1900, *Ann. Mag. nat. Hist.* (7) 6: 443-444. Holotype ♂: [Syria]: Asiatic Turkey: Haleb, Shar Deresy (coll. Walsingham). Range (in code): **TR SY Hal**
- 87329. Aethes tesserana tesserana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *tesserana* [Denis & Schiffermüller], 1775; *aleella* Sulzer, 1776; *heiserana* Fabricius, 1787; *groendaliana* Thunberg, 1791. Original Reference: *Tortrix tesserana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 126. Type(s): Vienna district. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LV LT**
- 87330. Aethes tornella (Walsingham, 1898)** (Tortricidae) Synonym(s): *tornella* Walsingham, 1898 Range (in code): **PT ES FR Co Sa Si IT NL DE AT CZ HU YU BG TR IL Pa Js RU MD UA BY UZ Man**
- 87331. Aethes triangulana (Treitschke, 1835)** (Tortricidae) Synonym(s): *triangulana* Treitschke, 1835; *kühlweiniana* Fischer v. Rösslerstamm, [1836]; *tergana* Eversmann, 1844. Range (in code): **ES FR BE NL DE AT PL CZ SK HU RO YU AL BG GR NO SE FI EE LV LT RU Tt Ur Sb Am Us Prj MN MD UA BY KG DsA Am JP Hkk CN Mc Hnn** Bionomy: Larva on *Veronica longifolia* (Lamiaceae) (Razowski, 1970).
- 87332. Aethes turialba (Busck, 1920)** (Tortricidae) Synonym(s): *turialba* Busck, 1920 Range (in code): **CR**
- 87333. Aethes tuxtlana Razowski, 1986** (Tortricidae) Synonym(s): *tuxtlana* Razowski, 1986 Range (in code): **MX Cia**
- 87334. Aethes vicinana (Mann, 1859)** (Tortricidae) Synonym(s): *vicinana* Mann, 1859; *unicolor* Bethune-Baker, 1885; *durantana* Lucas, 1942. Original Reference: *Cochylis vicinana* Mann, 1859, *Wien. ent. Monatschr.* 3: 167. Lectotype ♂: Italy, Sicilia (NHMW). Range (in code): **MA DZ Lbs Si TN HU**
- 87335. Aethes williana (Brahm, 1791)** (Tortricidae) Synonym(s): *williana* Brahm, 1791; *cembrana* Hübner, [1825]; *zephyrana* Treitschke, 1830; *dubrisana* Curtis, 1834; *marmoratana* Curtis, 1834; *luteolana* Stephens, 1834; *virginana* Guenée, 1845; *loriculana* Guenée, 1849; *costignata* Filipjev, 1926. Range (in code): **DZ**

- Cst Orn TN Gf PT ES FR Co Sa Si IT GB BE NL LU DE CH AT CZ SK HU RO YU AL BG GR Cr TR RU St Ur Sb IR Gh MD UA BY LB IL TM MN** Bionomy: Larvae are pest on *Daucus carota* (Apiaceae); other foodplants: *Helichrysum arenarium*, *H. stoechas*, *Gnaphalium* (Asteraceae), *Eryngium campestre*, *E. maritimum*, *Ferula communis* (Apiaceae) (Razowski, 2001).
- 87336. *Aethes xanthina* Falkovitsh, 1963** (Tortricidae) Synonym(s): *xanthina* Falkovitsh, 1963 Range (in code): **KK KG Ka RU Ur TJ UZ TM IR Elb Th**
- 87337. *Aethesoides allodapa* Razowski, 1986** (Tortricidae) Synonym(s): *allodapa* Razowski, 1986 Range (in code): **MX Grr**
- 87338. *Aethesoides chalcospila* (Meyrick, 1932)** (Tortricidae) Synonym(s): *chalcospila* Meyrick, 1932 Range (in code): **CR**
- 87339. *Aethesoides columbiana* Razowski, 1967** (Tortricidae) Synonym(s): *columbiana* Razowski, 1967 Range (in code): **CO**
- 87340. *Aethesoides distigmatana* (Walsingham, 1897)** (Tortricidae) Synonym(s): *distigmatana* Walsingham, 1897 Range (in code): **GD**
- 87341. *Aethesoides enclitica* (Meyrick, 1917)** (Tortricidae) Synonym(s): *enclitica* Meyrick, 1917 Range (in code): **EC**
- 87342. *Aethesoides hondurasica* Razowski, 1986** (Tortricidae) Synonym(s): *hondurasica* Razowski, 1986 Range (in code): **HN**
- 87343. *Aethesoides inanita* (Razowski & Becker, 1986)** (Tortricidae) Synonym(s): *inanita* Razowski & Becker, 1986 Range (in code): **MX Ver**
- 87344. *Aethesoides mexicana* Razowski, 1986** (Tortricidae) Synonym(s): *mexicana* Razowski, 1986 Range (in code): **MX Mic**
- 87345. *Aethesoides timia* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *timia* Razowski & Becker, 1986 Range (in code): **MX Ver**
- 87346. *Afrocostosa flaviapicella* Aarvik, 2004** (Tortricidae) Synonym(s): *flaviapicella* Aarvik, 2004 Range (in code): **TZ**
- 87347. *Afroploce ealana* Aarvik, 2004** (Tortricidae) Synonym(s): *ealana* Aarvik, 2004 Range (in code): **ZR**
- 87348. *Afroploce karsholti* Aarvik, 2004** (Tortricidae) Synonym(s): *karsholti* Aarvik, 2004 Range (in code): **TZ Tnga Usa**
- 87349. *Afroploce turiana* Aarvik, 2004** (Tortricidae) Synonym(s): *turiana* Aarvik, 2004 Range (in code): **KE**
- 87350. *Afrothreutes madoffei* Aarvik, 2004** (Tortricidae) Synonym(s): *madoffei* Aarvik, 2004 Range (in code): **TZ**
- 87351. *Agapeta angelana* (Kennel, 1919)** (Tortricidae) Synonym(s): *angelana* Kennel, 1919 Original Reference: *Euxanthia angelana* Kennel, 1919, Mitt. münch. ent. Ges. 8: 68, Taf. 2 fig. 21, Taf. 4 fig. 6c-d. Lectotype ♂: Spain: Murcia, designated by Razowski, 1970 (ZMB). Range (in code): **ES Ag Mu**
- 87352. *Agapeta hamana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *hamana* Linnaeus, 1758; *trigonana* [Denis & Schiffermüller], 1775; *citrinella* Fourcroy, 1785; *cruciana* Fabricius, 1787; *diversana* Hübner, 1793 Original Reference: *Phalaena* (Tortrix) *hamana* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 530. Type(s): Sweden. Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR IR Kh Plr Dam Elb Gor Lo Zj Kd DK NO SE FI EE LV LT RU Cc MD UA BY AF KK Ik MN CN Ui Ku IN** Bionomy: Larva on *Ononis repens*, *Trifolium* (Fabaceae), *Cirsium arvense* (Asteraceae), (Razowski, 1970, 2001).
- 87353. *Agapeta largana* (Rebel, 1906)** (Tortricidae) Synonym(s): *largana* Rebel, 1906; *vicolana* Capuse, 1964. Range (in code): **FR AT RO AL BG GR Cr**
- 87354. *Agapeta translucidana* (Turati, 1934)** (Tortricidae) Synonym(s): *translucidana* Turati, 1934 Range (in code): **LY Cy**
- 87355. *Agapeta zoegana* (Linnaeus, 1767)** (Tortricidae) Synonym(s): *zoegana* Linnaeus, 1767; *cincta* Fourcroy, 1785; *flavella* Villers, 1789; *ferrugana* Haworth, [1811] nec [Denis & Schiff.], 1775; *#zaegana* Staudinger, 1879 Original Reference: *Phalaena* (Tortrix) *zoegana* Linnaeus, 1767, Syst. Nat. (Edn. 12): 876. Type(s): Europa. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H AL BG GR TR Cc DK NO SE FI EE LV LT RU Ur MD UA BY** Bionomy: Larva on *Scabiosa columbaria* (Dipsacaceae), *Centaurea panniculata*, *C. nigra*, *C. jacea*, *Jurinea linearifolia* (Asteraceae) (Razowski, 2001).
- 87356. *Age arabica* Kuznetsov, 1997** (Tortricidae) Synonym(s): *arabica* Kuznetsov, 1997 Range (in code): **AE**

- 87357. Age onychistica Diakonoff,1982** (Tortricidae) **Synonym(s):** *onychistica* Diakonoff,1982
Range (in code): **LK**
- 87358. Agriophanes pycnostrota Meyrick,1930** (Tortricidae) **Synonym(s):** *pycnostrota* Meyrick,1930 **Range (in code):** **IN Mad**
- 87359. Aleimma loeflingianum (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *loeflingiana* Linnaeus,1758; *mixtana* Fabricius,1794; *plumbana* Hübner,[1799]; *ectypana* Hübner,[1800]; *plumbeolana* Haworth,1811 **Original Reference:** Phalaena (Tortrix) loeflingiana Linnaeus,1758, Syst. Nat. (Edn.10) 1: 531. **Type(s):** Europa. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR GG Tbl SY Dms Hal DK NO SE FI EE LV LT RU MD UA BY Cm Da Cc IR By Kd Snj Sqq** **Bionomy:** Larva on Quercus petraea, Q. pubescens (Fagaceae) (auct.; Kemal (personal)).
- 87360. Alexiloga rubiginosana (Walker,1863)** (Tortricidae) **Synonym(s):** *rubiginosana* Walker,1863; *defluxana* Walker,1863 **Range (in code):** **BR**
- 87361. Alischirnevaia callirrhoa (Meyrick,1911)** (Tortricidae) **Synonym(s):** *callirrhoa* Meyrick,1911 **Range (in code):** **PG**
- 87362. Allobrachygonia sp.1** (Tortricidae) **Synonym(s):** **Range (in code):** **TH**
- 87363. Allobrachygonia sp.2** (Tortricidae) **Synonym(s):** **Range (in code):** **TH**
- 87364. Allodemis chelophora (Meyrick,1910)** (Tortricidae) **Synonym(s):** *chelophora* Meyrick,1910 **Range (in code):** **MY**
- 87365. Allodemis dionysia Diakonoff,1983** (Tortricidae) **Synonym(s):** *dionysia* Diakonoff,1983
Range (in code): **ID Sum**
- 87366. Allodemis euhelias Diakonoff,1983** (Tortricidae) **Synonym(s):** *euhelias* Diakonoff,1983
Range (in code): **ID Sum**
- 87367. Allodemis fulva Diakonoff,1983** (Tortricidae) **Synonym(s):** *fulva* Diakonoff,1983 **Range (in code):** **ID Sum**
- 87368. Allodemis pullatana (Snellen,1902)** (Tortricidae) **Synonym(s):** *pullatana* Snellen,1902
Range (in code): **ID Ja**
- 87369. Allodemis stegopa Diakonoff,1983** (Tortricidae) **Synonym(s):** *stegopa* Diakonoff,1983
Range (in code): **ID Sum**
- 87370. Amallectis devincta Meyrick,1917** (Tortricidae) **Synonym(s):** *devincta* Meyrick,1917
Range (in code): **PE Lma**
- 87371. Amorbia aequiflexa (Meyrick,1931)** (Tortricidae) **Synonym(s):** *aequiflexa* Meyrick,1931
Range (in code): **BR EsS**
- 87372. Amorbia chlorolyca Meyrick,1931** (Tortricidae) **Synonym(s):** *chlorolyca* Meyrick,1931
Range (in code): **BR EsS**
- 87373. Amorbia colubrana (Zeller,1866)** (Tortricidae) **Synonym(s):** *colubrana* Zeller,1866
Range (in code): **CO**
- 87374. Amorbia concavana (Zeller,1877)** (Tortricidae) **Synonym(s):** *concavana* Zeller,1877
Range (in code): **PA**
- 87375. Amorbia cuneana (Walsingham,1879)** (Tortricidae) **Synonym(s):** *cuneana* Walsingham,1879; *adumbrana* Walsingham,1879; *essigana* Busck,1929 **Range (in code):** **US Cf**
- 87376. Amorbia decerptana (Zeller,1877)** (Tortricidae) **Synonym(s):** *decerptana* Zeller,1877
Range (in code): **PA**
- 87377. Amorbia depicta Walsingham,1913** (Tortricidae) **Synonym(s):** *depicta* Walsingham,1913
Range (in code): **PA**
- 87378. Amorbia eccoapta Walsingham,1913** (Tortricidae) **Synonym(s):** *eccoapta* Walsingham,1913
Range (in code): **GT**
- 87379. Amorbia effoetana (Möschler,1890)** (Tortricidae) **Synonym(s):** *effoetana* Möschler,1890; *phaseolana* Busck,1931 **Range (in code):** **PR CU**
- 87380. Amorbia elaeopetra Meyrick,1932** (Tortricidae) **Synonym(s):** *elaopetra* Meyrick,1932
Range (in code): **BR EsS**
- 87381. Amorbia emigratella Busck,1909** (Tortricidae) **Synonym(s):** *emigratella* Busck,1909
Range (in code): **HW MX**
- 87382. Amorbia exsectana (Zeller,1877)** (Tortricidae) **Synonym(s):** *exsectana* Zeller,1877 **Range (in code):** **CO**
- 87383. Amorbia exustana (Zeller,1866)** (Tortricidae) **Synonym(s):** *exustana* Zeller,1866 **Range (in code):** **CO**

- 87384. *Amorbia helioxantha* Meyrick,1917** (Tortricidae) **Synonym(s):** *helioxantha* Meyrick,1917
Range (in code): **GF**
- 87385. *Amorbia laterculana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *laterculana* Zeller,1877
Range (in code): **MX**
- 87386. *Amorbia leptophracta* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *leptophracta* Meyrick,1931 Range (in code): **BR Spa**
- 87387. *Amorbia maracayana* Amsel,1956** (Tortricidae) **Synonym(s):** *maracayana* Amsel,1956
Range (in code): **VE**
- 87388. *Amorbia nuptana* (C.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *nuptana* C.Felder & Rogenhofer,1875 Range (in code): **VE**
- 87389. *Amorbia osmotris* Meyrick,1932** (Tortricidae) **Synonym(s):** *osmotris* Meyrick,1932
Range (in code): **CR**
- 87390. *Amorbia productana* (Walker,1863)** (Tortricidae) **Synonym(s):** *productana* Walker,1863; *revolutana* Zeller,1877; *catenana* Walsingham,1891 Range (in code): **HN PA**
- 87391. *Amorbia rectangularis* Meyrick,1931** (Tortricidae) **Synonym(s):** *rectangularis* Meyrick,1931 Range (in code): **BR**
- 87392. *Amorbia rectilineana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *rectilineana* Zeller,1877
Range (in code): **PA**
- 87393. *Amorbia spilocryptis* Meyrick,1932** (Tortricidae) **Synonym(s):** *spilocryptis* Meyrick,1932
Range (in code): **BO**
- 87394. *Amorbia teretana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *teretana* Zeller,1877 Range (in code): **PA**
- 87395. *Amphicoecia adamana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *adamana* Kennel,1919
Range (in code): **RU Sb At**
- 87396. *Amphicoecia phasmatica* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *phasmatica* Meyrick,1937 Range (in code): **CN Yu Lik**
- 87397. *Anaccra camerunica* (Razowski,1966)** (Tortricidae) **Synonym(s):** *camerunica* Razowski,1966 Range (in code): **CM**
- 87398. *Anaccra limitana* (Razowski,1966)** (Tortricidae) **Synonym(s):** *limitana* Razowski,1966
Range (in code): **CM**
- 87399. *Anacrusis aerobatica* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *aerobatica* Meyrick,1917
Range (in code): **CO**
- 87400. *Anacrusis atroparsana* Zeller,1877** (Tortricidae) **Synonym(s):** *atroparsana* Zeller,1877
Range (in code): **BR**
- 87401. *Anacrusis aulaeodes* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *aulaeodes* Meyrick,1926
Range (in code): **CO**
- 87402. *Anacrusis mariana* (Stoll,1782)** (Tortricidae) **Synonym(s):** *#marriana* Stoll,1781; *mariana* Stoll,1782 Range (in code): **BR Sct**
- 87403. *Anacrusis nephrodes* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *nephrodes* Walsingham,1914 Range (in code): **PA**
- 87404. *Anacrusis rhizosema* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *rhizosema* Meyrick,1931
Range (in code): **BR Spa**
- 87405. *Anacrusis ruptimacula* (Dognin,1904)** (Tortricidae) **Synonym(s):** *ruptimacula* Dognin,1904 Range (in code): **EC**
- 87406. *Anacrusis securiferana* (Walker,1866)** (Tortricidae) **Synonym(s):** *securiferana* Walker,1866; *iheringi* Kearfott,1911 Range (in code): **BR Spa**
- 87407. *Anacrusis stapiana* (C.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *stapiana* C.Felder & Rogenhofer,1875; *piriferana* Zeller,1877; *geographica* Meyrick,1912 Range (in code): **VE BR**
- 87408. *Anacrusis thunberghiana* (Stoll,1782)** (Tortricidae) **Synonym(s):** *thunberghiana* Stoll,1782 Range (in code): **SR**
- 87409. *Anameristes cyclopleura* (Turner,1916)** (Tortricidae) **Synonym(s):** *cyclopleura* Turner,1916 Range (in code): **AU QAu Kda**
- 87410. *Anameristes doryphora* (Liu & Bai,1986)** (Tortricidae) **Synonym(s):** *doryphora* Liu & Bai,1986 Range (in code): **CN Hn**
- 87411. *Anathamna megalozona* Meyrick,1916** (Tortricidae) **Synonym(s):** *megalozona* Meyrick,1916 Range (in code): **LK Mky**

- 87412. *Anathamna spermatophaga* Diakonoff & Bradley, 1976** (Tortricidae) **Synonym(s):** *spermatophaga* Diakonoff & Bradley, 1976 **Range (in code):** **TH Knc Tpp**
- 87413. *Anchicremna eulidias* Meyrick, 1926** (Tortricidae) **Synonym(s):** *eulidias* Meyrick, 1926 **Range (in code):** **CO**
- 87414. *Ancylis (Ancyloides) stenampyx* Diakonoff, 1982** (Tortricidae) **Synonym(s):** *stenampyx* Diakonoff, 1982 **Range (in code):** **LK**
- 87415. *Ancylis achatana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *achatana* [Denis & Schiffermüller], 1775; *inarmorana* Hübner, [1799]; *steveni* Portchinskij, 1888 **Original Reference:** *Tortrix achatana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 131. Type(s): Vienna district. **Range (in code):** **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI LV LT RU Ur MD UA BY SY Dms**
- 87416. *Ancylis amplimacula* Falkovitsh, 1965** (Tortricidae) **Synonym(s):** *amplimacula* Falkovitsh, 1965 **Range (in code):** **RU Us CN She Hnn**
- 87417. *Ancylis ancorata* Meyrick, 1912** (Tortricidae) **Synonym(s):** *ancorata* Meyrick, 1912 **Range (in code):** **LK**
- 87418. *Ancylis anthophanes* Meyrick, 1928** (Tortricidae) **Synonym(s):** *anthophanes* Meyrick, 1928 **Range (in code):** **TH Knc Tpp PG Nlr NBr**
- 87419. *Ancylis anthracaspis* Meyrick, 1931** (Tortricidae) **Synonym(s):** *anthracaspis* Meyrick, 1931 **Range (in code):** **CN Sz**
- 87420. *Ancylis apicella* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *apicella* [Denis & Schiffermüller], 1775; *leeana* Fabricius, 1777; *plumbana* Fabricius, 1787; *siculana* Hübner, [1799]; *#alpina* Weber, 1936 **Original Reference:** *Tinea apicella* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 136. Type(s): Vienna district. **Range (in code):** **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Am Prj Us MD UA BY IR Mz Gls MN KP KR CN Mc JP Hkk CA** **Bionomy:** Larva on *Frangula alnus*, *Rhamnus catharticus* (Rhamnaceae) (Bradley, 1979).
- 87421. *Ancylis arcitenens* Meyrick, 1922** (Tortricidae) **Synonym(s):** *arcitenens* Meyrick, 1922 **Range (in code):** **CN**
- 87422. *Ancylis argenticiliana* Walsingham, 1897** (Tortricidae) **Synonym(s):** *argenticiliana* Walsingham, 1897 **Range (in code):** **ZR ZA NG**
- 87423. *Ancylis aromatias* Meyrick, 1912** (Tortricidae) **Synonym(s):** *aromatias* Meyrick, 1912; *cyanostoma* Meyrick, 1916 **Range (in code):** **IN Ben TH Nna Kao Knc Tpp CN Yu Fkn** **Bionomy:** Larva on *Zizyphus jujuba* (Rhamnaceae) (Kawabe, 1989).
- 87424. *Ancylis badiana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *badiana* [Denis & Schiffermüller], 1775; *lundana* Fabricius, 1777. **Original Reference:** *Tortrix badiana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 126. Type(s): Vienna district. **Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Am Prj Us Krl MD UA BY Cc GG MN CN She Hnn Pkn Mc Sz KP KR JP Hkk** **Bionomy:** Larva on *Lathyrus pratensis*, *Trifolium repens*, *Vicia* (Fabaceae) (Bradley, 1979).
- 87425. *Ancylis bauhiniae* Busck, [1934]** (Tortricidae) **Synonym(s):** *bauhiniae* Busck, [1934] **Range (in code):** **CU**
- 87426. *Ancylis bucovinella* Peiu & Nemes, 1969** (Tortricidae) **Synonym(s):** *bucovinella* Peiu & Nemes, 1969 **Range (in code):** **RO**
- 87427. *Ancylis caudifer* Stringer, 1929** (Tortricidae) **Synonym(s):** *caudifer* Stringer, 1929 **Range (in code):** **IN Ass**
- 87428. *Ancylis celerata* (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *celerata* Meyrick, 1912 **Range (in code):** **IN TH Knc Tpp**
- 87429. *Ancylis charisema* Meyrick, 1934** (Tortricidae) **Synonym(s):** *charisema* Meyrick, 1934 **Range (in code):** **FJ**
- 87430. *Ancylis comptana* (Frölich, 1828)** (Tortricidae) **Synonym(s):** *comptana* Frölich, 1828; *conflexana* Walker, 1863; *pulchellana* Clemens, 1864; *lamiana* Clemens, 1864; *fragariae* Walsh & Riley, 1869; *floridana* Zeller, 1875; *amblygona* Zeller, 1875; *cometana* Walsingham, 1879; *sculpta* Meyrick, 1922 **Original Reference:** *Tortrix comptana* Frölich, 1828, *Enumerat. Tort. Würt.*: 99. **Range (in code):** **ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU Ur Sb Am Prj Us Krl MD UA BY Cc GG KP KR JP Hkk CN Mc Hbe She CA Nsc US Vi Mai Mon Oh Cf** **Bionomy:** Larva on *Thymus mongolicus*, *T. quinquecostatus*, *Teucrium* (Lamiaceae); *Sanguisorba officinalis*, *S. minor*, *Rubus*, *Potentilla*, *Dryas octopetala*, *Rosa*, *Fragaria* (Rosaceae) (Bradley, 1979).

- 87431. *Ancylis convergens* Diakonoff, 1984** (Tortricidae) **Synonym(s):** *convergens* Diakonoff, 1984
Range (in code): ID Sba
- 87432. *Ancylis cordiae* Busck, [1934]** (Tortricidae) **Synonym(s):** *cordiae* Busck, [1934] **Range (in code):** CU
- 87433. *Ancylis diminutana* (Haworth, [1811])** (Tortricidae) **Synonym(s):** *diminutana* Haworth, [1811] **Range (in code):** GB NL LU CH DK NO SE FI EE LV LT RU MD UA BY
- 87434. *Ancylis falsicoma* Meyrick, 1914** (Tortricidae) **Synonym(s):** *falsicoma* Meyrick, 1914 **Range (in code):** ZA Nta Kzu Ptw Tva Gau Pre
- 87435. *Ancylis geminana* (Donovan, 1806)** (Tortricidae) **Synonym(s):** *geminana* Donovan, 1806; *cuspidana* Treitschke, 1830; *biarcuana* Stephens, 1834; *crenana* Duponchel, 1835; *subarcuana* Douglas, 1847; *fluctigerana* Herrich-Schäffer, [1851]; *inornatana* Herrich-Schäffer, [1851]; *diminuatana* Kearfott, 1905 **Original Reference:** *Phalaena geminana* Donovan, 1806, Nat. Hist. Br. Insects 11: 29. Syntypes: Britain (BMNH). **Range (in code):** PT ES FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY KG CN She Gn Mc JP US Nje **Bionomy:** Larva on *Salix aurita*, *S. cinerea*, *S. repens* (Salicaceae) (Bradley, 1979).
- 87436. *Ancylis glycyphaga* Meyrick, 1912** (Tortricidae) **Synonym(s):** *glycyphaga* Meyrick, 1912 **Range (in code):** IN Ben CN JP
- 87437. *Ancylis habeleri* Huemer & Tarmann, 1997** (Tortricidae) **Synonym(s):** *habeleri* Huemer & Tarmann, 1997 **Range (in code):** AT
- 87438. *Ancylis halisparta* Meyrick, 1909** (Tortricidae) **Synonym(s):** *halisparta* Meyrick, 1909 **Range (in code):** ZA Tva Lpo Spb Wmb
- 87439. *Ancylis hemicatharta* Meyrick, 1935** (Tortricidae) **Synonym(s):** *hemicatharta* Meyrick, 1935 **Range (in code):** CN Hnn Hun She
- 87440. *Ancylis hygroberylla* (Meyrick, 1937)** (Tortricidae) **Synonym(s):** *hygroberylla* Meyrick, 1937 **Range (in code):** CN Yu
- 87441. *Ancylis hylaea* Meyrick, 1912** (Tortricidae) **Synonym(s):** *hylaea* Meyrick, 1912; *sasaki* Matsumura, 1917 **Original Reference:** *Ancylis hylaea* Meyrick, 1912, Exot. Microlepid. 1: 31. **Range (in code):** TH Nna Kao Cbi IN Ass Meg Khs JP
- 87442. *Ancylis impatiens* (Meyrick, 1921)** (Tortricidae) **Synonym(s):** *impatiens* Meyrick, 1921 **Range (in code):** MZ
- 87443. *Ancylis kenneli* Kuznetsov, 1962** (Tortricidae) **Synonym(s):** *kenneli* Kuznetsov, 1962 **Range (in code):** FI EE LV LT RU Sb Prj Us KG MN CN She JP Hkk
- 87444. *Ancylis laetana* (Fabricius, 1775)** (Tortricidae) **Synonym(s):** *laetana* Fabricius, 1775; *#lactana* Fabricius, 1781; *harpana* Hübner, [1799]. **Original Reference:** *Pylalis laetana* Fabricius, 1775; Syst. Ent.: 649. Type(s): Suecia. **Range (in code):** FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Us MD UA BY KG CN She Hbe **Bionomy:** Larva on *Populus tremula*, *P. nigra* (Bradley, 1979).
- 87445. *Ancylis loktini* Kuznetsov, 1969** (Tortricidae) **Synonym(s):** *loktini* Kuznetsov, 1969 **Range (in code):** RU Us CN Pkn Hbe Mc Hnn
- 87446. *Ancylis lomholdti* Kawabe, 1989** (Tortricidae) **Synonym(s):** *lomholdti* Kawabe, 1989 **Original Reference:** *Ancylis lomholdti* Kawabe, 1989, Microlepid. Thailand 2: 50-51, fig. 72. Holotype ♂: Thailand: Loe Prov., Phu Luang Wildlife Sanctuary, 1400-1500m (ZMC). **Range (in code):** TH Loe
- 87447. *Ancylis lutescens* Meyrick, 1912** (Tortricidae) **Synonym(s):** *lutescens* Meyrick, 1912 **Range (in code):** IN Pj Ben Ass TH Knc Tpp
- 87448. *Ancylis mandarinana* (Walsingham, 1900)** (Tortricidae) **Synonym(s):** *mandarinana* Walsingham, 1900 **Range (in code):** CN KP KR RU JP
- 87449. *Ancylis melanostigma* Kuznetsov, 1970** (Tortricidae) **Synonym(s):** *melanostigma* Kuznetsov, 1970 **Range (in code):** CN Mc JP KP KR RU
- 87450. *Ancylis minimana* (Caradja, 1916)** (Tortricidae) **Synonym(s):** *minimana* Caradja, 1916; *#minima* Popescu-Gorj, 1992 **Range (in code):** KG Uk RU Ur
- 87451. *Ancylis mitterbacheriana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *mitterbacheriana* [Denis & Schiffermüller], 1775; *subuncana* Haworth, 1811 **Original Reference:** *Tortrix mitterbacheriana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. **Range (in code):** FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR YU DK NO SE FI EE LV LT RU MD UA BY Cc GG CN **Bionomy:** Larva on *Quercus acutissimus*, *Q. variabilis*, *Fagus* (Fagaceae) (Bradley, 1979).

- 87452. *Ancylis myrtillana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *myrtillana* Treitschke,1830; *bidentana* Strand,1901 **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 87453. *Ancylis natalana* (Walsingham,1881)** (Tortricidae) **Synonym(s):** *natalana* Walsingham,1881 **Range (in code):** **ZA Kzu Nta**
- 87454. *Ancylis nemorana* Kuznetsov,1969** (Tortricidae) **Synonym(s):** *nemorana* Kuznetsov,1969 **Range (in code):** **RU Krl**
- 87455. *Ancylis nomica* Walsingham,1914** (Tortricidae) **Synonym(s):** *nomica* Walsingham,1914 **Range (in code):** **MX Grr**
- 87456. *Ancylis obtusana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *obtusana* Haworth,[1811]; *consobrinana* Curtis,1831; *distortana* Guenée,1845; *segmentana* Herrich-Schäffer,1851 **Original Reference:** Tortrix obtusana Haworth,[1811], Lepid. Br.: 453. **Type(s):** Britain. **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE FI EE LV LT RU Sb Prj Us MD UA BY Cc GG KG KP KR JP CN Gn Hne She** **Bionomy:** Larva on Rhamnus catharticus, Frangula alnus (Rhamnaceae) (Bradley,1979).
- 87457. *Ancylis oestobola* Diakonoff,1984** (Tortricidae) **Synonym(s):** *oestobola* Diakonoff,1984 **Range (in code):** **ID Sba**
- 87458. *Ancylis paludana* (Barrett,1871)** (Tortricidae) **Synonym(s):** *paludana* Barrett,1871; *rhusana* Fuchs,1903. **Original Reference:** Phoxopteryx paludana Barrett,1871, Entomologist's mon. Mag. 8: 134. **Type:** Great Britain. **Range (in code):** **IT GB NL DE AT CZ SK HU DK TR SE FI LV RU Sb Ya Prj Us MD UA BY Cc GG CN Mc MN JP** **Bionomy:** Larva on Lathyrus palustris (Fabaceae) (Bradley,1979).
- 87459. *Ancylis partitana* (Christoph,1882)** (Tortricidae) **Synonym(s):** *partitana* Christoph,1882 **Range (in code):** **RU Us Am CN Hnn She KP KR JP**
- 87460. *Ancylis percnobathra* Meyrick,1933** (Tortricidae) **Synonym(s):** *percnobathra* Meyrick,1933 **Range (in code):** **ID Sum**
- 87461. *Ancylis plumbata* (Clarke,1951)** (Tortricidae) **Synonym(s):** *plumbata* Clarke,1951 **Range (in code):** **AR**
- 87462. *Ancylis repandana* Kennel,1901** (Tortricidae) **Synonym(s):** *repandana* Kennel,1901 **Range (in code):** **RU Am CN Mc KP KR JP**
- 87463. *Ancylis rhenana* Müller-Rutz,1920** (Tortricidae) **Synonym(s):** *rhenana* Müller-Rutz,1920 **Range (in code):** **CH AT**
- 87464. *Ancylis rimosa* Meyrick,1921** (Tortricidae) **Synonym(s):** *rimosa* Meyrick,1921 **Range (in code):** **ZW Umv**
- 87465. *Ancylis rostrifera* Meyrick,1912** (Tortricidae) **Synonym(s):** *rostrifera* Meyrick,1912 **Range (in code):** **LK Mky**
- 87466. *Ancylis sativa* Liu,1979** (Tortricidae) **Synonym(s):** *sativa* Liu,1979 **Range (in code):** **CN Pkn Fkn Hbe Hnn Hun She Sha Sz Yu KP KR** **Bionomy:** Larva on Zizyphus jujuba var. spinosa (Rhamnaceae) (Bradley,1979).
- 87467. *Ancylis sculpta* Meyrick,1912** (Tortricidae) **Synonym(s):** *sculpta* Meyrick,1912 **Range (in code):** **KP KR CN Hnn Hbe Hun She Sz**
- 87468. *Ancylis sederana* Chrétien,1915** (Tortricidae) **Synonym(s):** *sederana* Chrétien,1915 **Original Reference:** *Ancylis sederana* Chrétien,1915, Annls Soc. ent. Fr. 84: 308-310. **Syntypes:** Algeria, Biskra; Tunisia, Gafsa. **Range (in code):** **TN Gf DZ Bsk** **Bionomy:** Larva on Zizyphus lotus [Rhamnaceae] (Chrétien,1915).
- 87469. *Ancylis selenana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *selenana* Guenée,1845; *curvana* Zeller,1849 **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO YU BG GR TR DK SE FI LV LT RU Sb Am Prj Us Krl MD UA BY Cc GG CN Gn Hbe Mc Hnn She Yu KP KR JP Hkk** **Bionomy:** Larva on Malus pumila, Crataegus pinnatifida, Pyrus, Prunus spinosa (Rosaceae) (Liu & Li,2002).
- 87470. *Ancylis sophroniella* Walsingham,1907** (Tortricidae) **Synonym(s):** *sophroniella* Walsingham,1907 **Range (in code):** **DZ Hes Cst**
- 87471. *Ancylis sparulana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *sparulana* Staudinger,1859 **Range (in code):** **PT ES**
- 87472. *Ancylis spinicola* Meyrick,1927** (Tortricidae) **Synonym(s):** *spinicola* Meyrick,1927 **Range (in code):** **SO**
- 87473. *Ancylis subacurana* (Douglas,1847)** (Tortricidae) **Synonym(s):** *subacurana* Douglas,1847 **Range (in code):** **GB DK NO SE FI EE LV LT RU MD UA BY**

- 87474. *Ancylis thalera* Meyrick, 1907** (Tortricidae) Synonym(s): *thalera* Meyrick, 1907 Range (in code): **IN Meg Ass Khs**
- 87475. *Ancylis tineana* (Hübner, [1799])** (Tortricidae) Synonym(s): *tineana* Hübner, [1799] Range (in code): **IT GB BE NL DE CH AT PL CZ SK HU RO AL DK NO SE FI EE LV LT RU MD UA BY Cc GG**
- 87476. *Ancylis transientana* Filipjev, 1926** (Tortricidae) Synonym(s): *transientana* Filipjev, 1926 Original Reference: *Ancylis transienta* Filipjev, 1926, Arch. Naturgesch. (1) 91 (1): 117. Type: Russia: Stavropol. Range (in code): **TR IR Cc GG RU St**
- 87477. *Ancylis tumida* Meyrick, 1912** (Tortricidae) Synonym(s): *tumida* Meyrick, 1912 Range (in code): **LK Kndy IN**
- 87478. *Ancylis uncella* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *uncella* [Denis & Schiffermüller], 1775; *uncana* Hübner, [1799]; *subuncana* Krulikowsky, 1907 Original Reference: *Tinea uncella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): Vienna district. Range (in code): **FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT TR IR RU Sb Am Prj Us MD UA BY KG CN Mc KP KR JP US**
- 87479. *Ancylis unculana* (Haworth, [1811])** (Tortricidae) Synonym(s): *unculana* Haworth, [1811]; *derasana* Hübner, [1813]. Range (in code): **ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Sb MD UA BY IR KG KP KR CN Mc Hnn Hbe Hun Sz** Bionomy: Larva on *Vaccinium vitis-idaea* (Ericaceae); *Prunus spinosa*, *Rubus* (Rosaceae); *Populus* (Salicaceae); *Pisum* (Fabaceae); *Frangula alnus*, *Rhamnus frangula*, *R. catharticus* (Rhamnaceae); *Corylus* (Betulaceae) (Bradley, 1979).
- 87480. *Ancylis unguicella* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *unguicella* Linnaeus, 1758; *unguicana* Fabricius, 1775; *falcana* Hübner, [1799]; *vappana* Hübner, [1817]; *plagosana* Clemens, 1864; *cuencana* Caradja, 1916; *#albida* Orstadius, 1932; *#unicolor* Orstadius, 1932 Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO AL BG GR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us Ya Krl MD UA BY KG KP KR JP Hkk CA Lbr**
- 87481. *Ancylis upupana* (Treitschke, 1835)** (Tortricidae) Synonym(s): *upupana* Treitschke, 1835; *castaneana* Peyerimhoff, 1863 Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK SE FI EE LV LT RU Sb Am Prj Us Krl MD UA BY KP KR CN Mc She JP** Bionomy: Larva on *Betula* (Betulaceae); *Ulmus* (Ulmaceae) (Bradley, 1979).
- 87482. *Ancylis ventriverticalis* Zhang & Li, 2008** (Tortricidae) Synonym(s): *ventriverticalis* Zhang & Li, 2008 Range (in code): **CN Gn She**
- 87483. *Ancylis virididorsana* (Möschler, 1890)** (Tortricidae) Synonym(s): *virididorsana* Möschler, 1890; *#virididorsana* Wolcott, 1924 Range (in code): **PR**
- 87484. *Ancylis youmiaae* Byun & Yan, 2005** (Tortricidae) Synonym(s): *youmiaae* Byun & Yan, 2005 Range (in code): **CN Mc**
- 87485. *Ancyroclepsis nakhasathieni* Tuck, 1995** (Tortricidae) Synonym(s): *nakhasathieni* Tuck, 1995 Original Reference: *Ancyroclepsis nakhasathieni* Tuck, 1995, Microlepid. Thailand 3: 90. Holotype ♂: Thailand: Chiang Mai, Inthanon NP (BMNH). Range (in code): **TH CMa Int**
- 87486. *Ancyroclepsis rhodoconia* Diakonoff, 1976** (Tortricidae) Synonym(s): *rhodoconia* Diakonoff, 1976 Range (in code): **NP**
- 87487. *Andrioplecta dierli* Komai, 1992** (Tortricidae) Synonym(s): *dierli* Komai, 1992 Range (in code): **TH Knc Tpp**
- 87488. *Andrioplecta leucodora* (Meyrick, 1928)** (Tortricidae) Synonym(s): *leucodora* Meyrick, 1928 Range (in code): **PH Luz**
- 87489. *Andrioplecta moriutii* Komai, 1992** (Tortricidae) Synonym(s): *moriutii* Komai, 1992 Range (in code): **TH Knc**
- 87490. *Andrioplecta oxystaura* (Meyrick, 1935)** (Tortricidae) Synonym(s): *oxystaura* Meyrick, 1935 Range (in code): **CN**
- 87491. *Andrioplecta phuluangensis* Komai, 1992** (Tortricidae) Synonym(s): *phuluangensis* Komai, 1992 Range (in code): **TH Loe**
- 87492. *Andrioplecta pulverula* (Meyrick, 1912)** (Tortricidae) Synonym(s): *pulverula* Meyrick, 1912 Range (in code): **IN Ass Meg Khs**
- 87493. *Andrioplecta rescissa* (Meyrick, 1921)** (Tortricidae) Synonym(s): *rescissa* Meyrick, 1921 Range (in code): **ID Ja**
- 87494. *Andrioplecta shoreae* Komai, 1992** (Tortricidae) Synonym(s): *shoreae* Komai, 1992 Range (in code): **TH Knc Tpp MY Bor Snk**

- 87495. Andrioplecta suboxystaura Komai,1992** (Tortricidae) Synonym(s): *suboxystaura* Komai,1992 Range (in code): TH Nna Kao
- 87496. Andrioplecta subpulverula (Obraztsov,1968)** (Tortricidae) Synonym(s): *subpulverula* Obraztsov,1968 Range (in code): TH Knc Tpp ID Ja
- 87497. Aneuxanthis locupletana (Hübner,[1819])** (Tortricidae) Synonym(s): *locupletana* Hübner,[1819] Range (in code): ES FR Co Sa Si
- 87498. Anielia paranica Razowski & Becker,1983** (Tortricidae) Synonym(s): *paranica* Razowski & Becker,1983 Range (in code): BR Pran
- 87499. Anopina anotera (Walsingham,1914)** (Tortricidae) Synonym(s): *anotera* Walsingham,1914 Range (in code): GT
- 87500. Anopina arizonana (Walsingham,1914)** (Tortricidae) Synonym(s): *arizonana* Walsingham,1914 Range (in code): US Arz
- 87501. Anopina confusa Obraztsov,1962** (Tortricidae) Synonym(s): *confusa* Obraztsov,1962 Range (in code): MX Grr
- 87502. Anopina desmatana (Walsingham,1914)** (Tortricidae) Synonym(s): *desmatana* Walsingham,1914 Range (in code): MX Grr
- 87503. Anopina guerrana Obraztsov,1962** (Tortricidae) Synonym(s): *guerrana* Obraztsov,1962 Range (in code): MX Grr
- 87504. Anopina hilasma (Walsingham,1914)** (Tortricidae) Synonym(s): *hilasma* Walsingham,1914 Range (in code): GT
- 87505. Anopina incana (Walsingham,1914)** (Tortricidae) Synonym(s): *incana* Walsingham,1914 Range (in code): MX Grr
- 87506. Anopina invitana (Zeller,1877)** (Tortricidae) Synonym(s): *invitana* Zeller,1877 Range (in code): CO
- 87507. Anopina orinoma (Walsingham,1914)** (Tortricidae) Synonym(s): *orinoma* Walsingham,1914 Range (in code): MX Grr
- 87508. Anopina parasema (Walsingham,1914)** (Tortricidae) Synonym(s): *parasema* Walsingham,1914 Range (in code): GT
- 87509. Anopina praecipua (Meyrick,1917)** (Tortricidae) Synonym(s): *praecipua* Meyrick,1917 Range (in code): CO
- 87510. Anopina scintillans (Walsingham,1914)** (Tortricidae) Synonym(s): *scintillans* Walsingham,1914 Range (in code): MX Grr
- 87511. Anopina trajectana (Zeller,1877)** (Tortricidae) Synonym(s): *trajectana* Zeller,1877 Range (in code): CO
- 87512. Anopina undata (Walsingham,1914)** (Tortricidae) Synonym(s): *undata* Walsingham,1914 Range (in code): MX
- 87513. Anopinella isodelta (Meyrick,1912)** (Tortricidae) Synonym(s): *isodelta* Meyrick,1912 Range (in code): CO
- 87514. Anopinella ophiodes (Walsingham,1914)** (Tortricidae) Synonym(s): *ophiodes* Walsingham,1914 Range (in code): GT
- 87515. Anopinella triquetra (Walsingham,1914)** (Tortricidae) Synonym(s): *triquetra* Walsingham,1914 Range (in code): GT
- 87516. Antaeola antaea (Meyrick,1912)** (Tortricidae) Synonym(s): *antaea* Meyrick,1912 Range (in code): TH CMa Int Nna Kao LK Kndy
- 87517. Anthozela chrysoxantha Meyrick,1913** (Tortricidae) Synonym(s): *chrysoxantha* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 87518. Antigraetis hemicrates Meyrick,1930** (Tortricidae) Synonym(s): *hemicrates* Meyrick,1930 Range (in code): ID Ij Gth
- 87519. Antiphrastis galenopa Meyrick,1930** (Tortricidae) Synonym(s): *galenopa* Meyrick,1930 Range (in code): VN Ton
- 87520. Antirrhopa grammateus Diakonoff,1973** (Tortricidae) Synonym(s): *grammateus* Diakonoff,1973 Range (in code): MY Bor
- 87521. Antirrhopa orthopa Diakonoff,1973** (Tortricidae) Synonym(s): *orthopa* Diakonoff,1973 Range (in code): MY Bor
- 87522. Apeleptera semnodryas (Meyrick,1936)** (Tortricidae) Synonym(s): *semnodryas* Meyrick,1936 Range (in code): TW

- 87523. *Aphalonia Razowski, 1984*** (Tortricidae) Synonym(s): *Aphalonia Razowski, 1984* Range (in code):
- 87524. *Aphalonia monstrata Razowski, 1984*** (Tortricidae) Synonym(s): *monstrata Razowski, 1984* Range (in code): **PE**
- 87525. *Aphalonia praeposita (Meyrick, 1917)*** (Tortricidae) Synonym(s): *praeposita Meyrick, 1917* Range (in code): **CO**
- 87526. *Aphelia (Anaphelia) aglossana (Kennel, 1899)*** (Tortricidae) Synonym(s): *aglossana Kennel, 1899; accuratana Kennel, 1901; continentana Rebel, 1916; iliensis Rebel, 1916; scutellana Obraztsov, 1943.* Range (in code): **KG Tar DsA Dj Tk Ii MN Tk CN Ui RU**
- 87527. *Aphelia (Zelothereses) aglossana (Kennel, 1899)*** (Tortricidae) Synonym(s): *aglossana Kennel, 1899; accuratana Kennel, 1901; continentana Rebel, 1916; iliensis Rebel, 1916; scutellana Obraztsov, 1943* Range (in code): **KG Sp Tar Tk Dj CN Ui Ii MN RU Sb Am**
- 87528. *Aphelia (Zelothereses) albociliana (Herrich-Schäffer, 1851)*** (Tortricidae) Synonym(s): *albociliana Herrich-Schäffer, 1851* Range (in code): **RU Ur KG**
- 87529. *Aphelia (Zelothereses) caucasica Kostyuk, 1975*** (Tortricidae) Synonym(s): *caucasica Kostyuk, 1975* Range (in code): **RU Cc**
- 87530. *Aphelia (Zelothereses) christophi Obraztsov, 1955*** (Tortricidae) Synonym(s): *verbasana Christoph, 1877 (homonym); christophi Obraztsov, 1955* Range (in code): **IR Elb Srd Ha Ar Th Kdj By**
- 87531. *Aphelia (Zelothereses) conscia Razowski, 1981*** (Tortricidae) Synonym(s): *conscia Razowski, 1981; #consica Alipanah, 2009* Range (in code): **IR Fa**
- 87532. *Aphelia (Zelothereses) deserticolor Diakonoff, [1984]*** (Tortricidae) Synonym(s): *deserticolor Diakonoff, [1984]* Range (in code): **SA As**
- 87533. *Aphelia (Zelothereses) disjuncta (Filipjev, 1924)*** (Tortricidae) Synonym(s): *disjuncta Filipjev, 1924* Range (in code): **RU To**
- 87534. *Aphelia (Zelothereses) effigies (Obraztsov, 1968)*** (Tortricidae) Synonym(s): *effigies Obraztsov, 1968* Range (in code): **Cc GG**
- 87535. *Aphelia (Zelothereses) euxina (Djakonov, 1929)*** (Tortricidae) Synonym(s): *euxina Djakonov, 1929; regisborissi Drenowski, 1931* Range (in code): **MK BG GR RU MD UA Cm TR**
- 87536. *Aphelia (Zelothereses) ferugana (Hübner, 1793)*** (Tortricidae) Synonym(s): *ferugana Hübner, 1793; ochreana Hübner, [1799]; shaqlawana Amsel, 1955; chretieni Obraztsov, 1957* Range (in code): **FR Sa Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IQ Shq SY Hal Cc AM Eri GG IR Qz Th Kdj** Bionomy: Larva on Anemone, Pulsatilla (Ranunculaceae), Arabis turrita (Brassicaceae), Ononis (Fabaceae), Linus (Linaceae) (Parenti, 2000); Carex nigra ssp. alpina (Poaceae) (Kemal & Koçak, 2004).
- 87537. *Aphelia (Zelothereses) flexiloqua Razowski, 1984*** (Tortricidae) Synonym(s): *flexiloqua Razowski, 1984* Range (in code): **CN Yu Lik**
- 87538. *Aphelia (Zelothereses) galilaica Obraztsov, 1968*** (Tortricidae) Synonym(s): *galilaica Obraztsov, 1968* Range (in code): **IL Pa**
- 87539. *Aphelia (Zelothereses) icteratana (Staudinger, 1880)*** (Tortricidae) Synonym(s): *icteratana Staudinger, 1880* Range (in code): **TR**
- 87540. *Aphelia (Zelothereses) ignoratana (Staudinger, 1880)*** (Tortricidae) Synonym(s): *ignoratana Staudinger, 1880* Original Reference: Tortrix ignoratana Staudinger, 1880, Horae Soc. ent. ross. 15: 234-235. Type ♂: [Türkei]: Amasia (coll. Lederer). Range (in code): **TR**
- 87541. *Aphelia (Zelothereses) imperfectana (Lederer, 1858)*** (Tortricidae) Synonym(s): *imperfectana Lederer, 1858; ineffecta Obraztsov, 1968.* Original Reference: Tortrix imperfectana Lederer, 1858, Wien. ent. Monatschr. 2: 151-152, Taf. 4 fig. 8. Type ♂: Libanon. Range (in code): **LB Bei Bsa SY Dms IL Pa RU Ur TR**
- 87542. *Aphelia (Zelothereses) insincera (Meyrick, 1912)*** (Tortricidae) Synonym(s): *insincera Meyrick, 1912* Original Reference: Tortrix insincera Meyrick, 1912, Exot. Microlepid. 1: 7. Lectotype ♂: [Turkey]: Alma Dag [Amanos Mountains] (BMNH). Range (in code): **TR**
- 87543. *Aphelia (Zelothereses) paleana (Hübner, 1793)*** (Tortricidae) Synonym(s): *paleana Hübner, 1793; flavana Hübner, [1799] nec Hübn., [1799]; icterana Fröhlich, 1828; intermediana Herrich-Schäffer, 1856 nec Heyd., 1851; rabeli Toll, 1951* Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb MD UA BY CN** Bionomy: Larva on Anemone, Ranunculus (Ranunculaceae), Scabiosa (Dipsacaceae), Filipendula (Rosaceae), Carduus, Centaurea, Cirsium (Asteraceae), Plantago (Plantaginaceae), Vaccinium (Vacciniaceae), Phleum (Poaceae), Quercus (Fagaceae) (Razowski, 2001).

- 87544. *Aphelia (Zelotherses) peramplana* (Hübner,[1825])** (Tortricidae) **Synonym(s):** *amplana* Hübner,[1813] *nec amplana* Hübner,[1799]; *peramplana* Hübner,[1825] **Range (in code):** **DZ MA TN PT ES Sa Si IT MT IR Gls GR Cr IQ Cc TR RU Sb**
- 87545. *Aphelia (Zelotherses) stigmatana* (Eversmann,1844)** (Tortricidae) **Synonym(s):** *stigmatana* Eversmann,1844 **Range (in code):** **RU Ur**
- 87546. *Aphelia (Zelotherses) tschetverikovi* Danilevsky,1963** (Tortricidae) **Synonym(s):** *tschetverikovi* Danilevsky,1963 **Range (in code):** **RU Cc GG Kc Teb**
- 87547. *Aphelia (Zelotherses) unitana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *unitana* Hübner,[1799]; *fumatana* Toll,1951; *pseudoviburniana* Toll,1951; *carpathica* Toll,1951; *fischeri* Toll,1951 **Range (in code):** **FR IT IE GB DE CH AT PL CZ SK YU DK NO SE FI EE LV LT KG RU Sb** **Bionomy:** Larva on Angelica (Apiaceae), Allium (Liliaceae) (Bradley,1973).
- 87548. *Aphelia (s.str.) viburniana* (Fabricius,1787)** (Tortricidae) **Synonym(s):** *#viburnana* [Denis & Schiffermüller],1775; *viburniana* Fabricius,1787 **Range (in code):** **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Us Krl MD UA BY Cc GG IR Zj MN** **Bionomy:** Larva on Vaccinium, Ledum (Ericaceae), Larix, Picea, Pinus (Pinaceae), Salix (Salicaceae), Myrica (Myricaceae), Sanguisorba (Rosaceae), Coronilla (Fabaceae), Viburnum (Caprifoliaceae), Alisma (Alismataceae), Artemisia (Asteraceae) (Razowski,2001).
- 87549. *Aphelia inumbratana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *inumbratana* Christoph,1881 **Range (in code):** **RU Vv Us**
- 87550. *Aphelia mongoliana* Razowski,1981** (Tortricidae) **Synonym(s):** *mongoliana* Razowski,1981 **Range (in code):** **MN**
- 87551. *Aphelia plagiferana* (Rebel,1916)** (Tortricidae) **Synonym(s):** *plagiferana* Rebel,1916 **Range (in code):** **MN**
- 87552. *Aphelia polyglochina* Razowski,1981** (Tortricidae) **Synonym(s):** *polyglochina* Razowski,1981 **Range (in code):** **MN**
- 87553. *Apinoglossa comburana* Möschler,1890** (Tortricidae) **Synonym(s):** *comburana* Möschler,1890 **Range (in code):** **PR**
- 87554. *Apolychrosis ambogonium* Pogue,1986** (Tortricidae) **Synonym(s):** *ambogonium* Pogue,1986 **Range (in code):** **MX**
- 87555. *Apolychrosis candidus* Pogue,1986** (Tortricidae) **Synonym(s):** *candidus* Pogue,1986 **Range (in code):** **MX**
- 87556. *Apolychrosis ferruginus* Pogue,1986** (Tortricidae) **Synonym(s):** *ferruginus* Pogue,1986 **Range (in code):** **MX Tlx**
- 87557. *Apolychrosis schwerdtfegeri* Amsel,1962** (Tortricidae) **Synonym(s):** *schwerdtfegeri* Amsel,1962 **Range (in code):** **GT**
- 87558. *Apolychrosis synchronis* Pogue,1986** (Tortricidae) **Synonym(s):** *synchronis* Pogue,1986 **Range (in code):** **MX Tlx**
- 87559. *Apotoforma algoana* (R.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *algoana* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA Ec Grh Wca Nta Kzu**
- 87560. *Apotoforma cimelia* (Diakonoff,1960)** (Tortricidae) **Synonym(s):** *cimelia* Diakonoff,1960 **Range (in code):** **MG**
- 87561. *Apotoforma cydna* Razowski,1993** (Tortricidae) **Synonym(s):** *cydna* Razowski,1993 **Range (in code):** **VE**
- 87562. *Apotoforma dolosa* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *dolosa* Walsingham,1914 **Range (in code):** **GT**
- 87563. *Apotoforma epacticta* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *epacticta* Razowski & Becker,1984 **Range (in code):** **BR**
- 87564. *Apotoforma fustigera* Razowski,1986** (Tortricidae) **Synonym(s):** *fustigera* Razowski,1986 **Range (in code):** **NG**
- 87565. *Apotoforma hodgesi* Razowski,1993** (Tortricidae) **Synonym(s):** *hodgesi* Razowski,1993 **Range (in code):** **PA**
- 87566. *Apotoforma jamaicana* Razowski,1984** (Tortricidae) **Synonym(s):** *jamaicana* Razowski,1984 **Range (in code):** **JM**
- 87567. *Apotoforma monochroma* (Walsingham,1897)** (Tortricidae) **Synonym(s):** *monochroma* Walsingham,1897 **Range (in code):** **HT**
- 87568. *Apotoforma negans* (Walsingham,1897)** (Tortricidae) **Synonym(s):** *negans* Walsingham,1897 **Range (in code):** **HT**

- 87569. Apotoforma ptygma Razowski,1993** (Tortricidae) Synonym(s): *ptygma* Razowski,1993
Range (in code): **MX**
- 87570. Apotoforma rotundipennis (Walsingham,1897)** (Tortricidae) Synonym(s): *rotundipennis* Walsingham,1897 Range (in code): **ST**
- 87571. Apotoforma uncifera Razowski,1964** (Tortricidae) Synonym(s): *uncifera* Razowski,1964
Original Reference: Apotoforma uncifera Razowski,1964, Acta zool. cracov. 9(5): 380, figs.32,33.
Holotype ♂: [South Africa]: Pinetown, Natal (BMNH). Range (in code): **NG ZA Nta Kzu Ptw**
- 87572. Apotomis afflicticia (Heinrich,1926)** (Tortricidae) Synonym(s): *afflicticia* Heinrich,1926
Range (in code): **US**
- 87573. Apotomis albeolana (Zeller,1875)** (Tortricidae) Synonym(s): *albeolana* Zeller,1875
Range (in code): **US Msc**
- 87574. Apotomis algidana Krogerus,1946** (Tortricidae) Synonym(s): *algidana* Krogerus,1946
Range (in code): **NO SE FI**
- 87575. Apotomis apateticana (McDunnough,1922)** (Tortricidae) Synonym(s): *deceptana* McDunnough,1922; *apateticana* McDunnough,1922 Range (in code): **CA On**
- 87576. Apotomis basipunctana (Walsingham,1900)** (Tortricidae) Synonym(s): *basipunctana* Walsingham,1900 Range (in code): **JP**
- 87577. Apotomis betuletana (Haworth,1811)** (Tortricidae) Synonym(s): *betuletana* Haworth,1811; *leucomelana* Guenée,1845 Original Reference: Tortrix betuletana Haworth,1811, Lepid. Br.: 432. Type(s): Anglia: Coomb Wood. Range (in code): **IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Betula (Haworth,1811).
- 87578. Apotomis biemina Kawabe,1980** (Tortricidae) Synonym(s): *biemina* Kawabe,1980 Range (in code): **JP**
- 87579. Apotomis bifida (McDunnough,1938)** (Tortricidae) Synonym(s): *bifida* McDunnough,1938 Range (in code): **CA On**
- 87580. Apotomis brevicornutana (McDunnough,1938)** (Tortricidae) Synonym(s): *brevicornutana* McDunnough,1938 Range (in code): **CA Qb**
- 87581. Apotomis capreana (Hübner,[1817])** (Tortricidae) Synonym(s): *capreana* Hübner,[1817]; *sapporensis* Matsumura,1931 Original Reference: Tortrix capreana Hübner,[1817], Samml. eur. Schmett. Tortrices: Pl.40, fig.250. Type(s): Europa. Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY JP Hkk US** Bionomy: Larva on Salix caprea, Populus (Salicaceae) (Razowski,1983).
- 87582. Apotomis coloradensis Adamski,1986** (Tortricidae) Synonym(s): *coloradensis* Adamski,1986 Range (in code): **US Col**
- 87583. Apotomis cuphostra (Butler,1879)** (Tortricidae) Synonym(s): *cuphostra* Butler,1879; *maenamii* Kawabe,1974 Range (in code): **JP**
- 87584. Apotomis davisii Kawabe,1983** (Tortricidae) Synonym(s): *davisii* Kawabe,1983 Range (in code): **TW**
- 87585. Apotomis deceptana (Kearfott,1905)** (Tortricidae) Synonym(s): *deceptana* Kearfott,1905; *salicaceana* Freeman,1957 Range (in code): **CA Mnt**
- 87586. Apotomis demissana (Kennel,1900)** (Tortricidae) Synonym(s): *demissana* Kennel,1900
Range (in code): **NO SE FI RU MD UA BY**
- 87587. Apotomis flavifasciana (Kawabe,1976)** (Tortricidae) Synonym(s): *flavifasciana* Kawabe,1976 Range (in code): **JP**
- 87588. Apotomis formalis (Meyrick,1935)** (Tortricidae) Synonym(s): *formalis* Meyrick,1935
Range (in code): **CN Tkg**
- 87589. Apotomis fraterculana Krogerus,1946** (Tortricidae) Synonym(s): *fraterculana* Krogerus,1946 Range (in code): **RO NO SE FI RU MD UA BY**
- 87590. Apotomis frigidana (Packard,1867)** (Tortricidae) Synonym(s): *frigidana* Packard,1867; *moeschleri* Kennel,1901 Range (in code): **RU CA Lbr**
- 87591. Apotomis funerea (Meyrick,1920)** (Tortricidae) Synonym(s): *funerea* Meyrick,1920; *youngana* McDunnough,1922 Range (in code): **CA On Qb**
- 87592. Apotomis fuscomaculata Kawabe,1993** (Tortricidae) Synonym(s): *fuscomaculata* Kawabe,1993 Range (in code): **TW**
- 87593. Apotomis geminata (Walsingham,1900)** (Tortricidae) Synonym(s): *geminata* Walsingham,1900 Range (in code): **JP**

- 87594. *Apotomis generosa* (Meyrick,1909)** (Tortricidae) Synonym(s): *generosa* Meyrick,1909
Range (in code): **IN Ass Meg Khs**
- 87595. *Apotomis infida* (Heinrich,1926)** (Tortricidae) Synonym(s): *infida* Heinrich,1926
Original Reference: *Aphania infida* Heinrich,1926, Bull. U.S. natn. Mus. 132: 121, figs. 271, 380.
Type: Canada: Quebec, St. Johns. Range (in code): **FR IT GB NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY CA Qb** Bionomy: Larva on *Salix* (Salicaceae) (Razowski,1983).
- 87596. *Apotomis inundana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *inundana* [Denis & Schiffermüller],1775 Original Reference: *Tortrix inundana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district. Range (in code): **IT BE LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Populus tremula* (Hannemann,1961).
- 87597. *Apotomis jucundana* Kawabe,1984** (Tortricidae) Synonym(s): *jucundana* Kawabe,1984
Range (in code): **JP**
- 87598. *Apotomis kazarmana* Falkovitsh,1966** (Tortricidae) Synonym(s): *kazarmana* Falkovitsh,1966 Range (in code): **RO RU KK**
- 87599. *Apotomis kusunokii* Kawabe,1993** (Tortricidae) Synonym(s): *kusunokii* Kawabe,1993
Range (in code): **JP Hkk**
- 87600. *Apotomis lactefacies* (Walsingham,1900)** (Tortricidae) Synonym(s): *lactefacies* Walsingham,1900 Range (in code): **JP**
- 87601. *Apotomis lemniscatana* (Kennel,1901)** (Tortricidae) Synonym(s): *lemniscatana* Kennel,1901 Range (in code): **NO SE FI RU MD UA BY**
- 87602. *Apotomis lineana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *hartmanniana* Linnaeus,1761 nec Cl.,1759; *lineana* [Denis & Schiffermüller],1775; *scriptana* Hübner,1799; *treitschkeana* Fröhlich,1828; *mienshani* Caradja,1939 Original Reference: *Tortrix lineana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV RU MD UA BY** Bionomy: Larva on *Salix alba*, *S. fragilis* (Salicaceae) (Razowski,1983).
- 87603. *Apotomis lutosana* (Kennel,1901)** (Tortricidae) Synonym(s): *lutosana* Kennel,1901
Range (in code): **RO RU UZ Fe**
- 87604. *Apotomis moestana* (Wocke,1862)** (Tortricidae) Synonym(s): *moestana* Wocke,1862; *sauteriana* Nolcken,1870 Range (in code): **NO SE FI**
- 87605. *Apotomis monotona* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *monotona* Kuznetsov,1962 Range (in code): **RU Am**
- 87606. *Apotomis paludicolana* (Brower,1953)** (Tortricidae) Synonym(s): *paludicolana* Brower,1953 Range (in code): **US Mai**
- 87607. *Apotomis platycremna* (Meyrick,1935)** (Tortricidae) Synonym(s): *platycremna* Meyrick,1935 Range (in code): **CN Tkg**
- 87608. *Apotomis removana* (Kearfott,1907)** (Tortricidae) Synonym(s): *removana* Kearfott,1907; *dextrana* McDunnough,1923 Range (in code): **US Pns**
- 87609. *Apotomis sauciana* (Frölich,1828)** (Tortricidae) Synonym(s): *sauciana* Frölich,1828; *grevillana* Curtis,1835; *boreana* Krogerus,1946 Original Reference: *Tortrix sauciana* Frölich,1828, Enum. Tortr. Würtemb.: 53. Type(s): [Deutschland]: Württembergia. Range (in code): **FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Vaccinium myrtillus*, *Sorbus aucuparia* (Razowski,1983).
- 87610. *Apotomis semifasciana* (Haworth,[1811])** (Tortricidae) Synonym(s): *semifasciana* Haworth,[1811]; *acutana* Treitschke,1835; *elutana* Duponchel,1836 Original Reference: *Tortrix semifasciana* Haworth,[1811], Lepid. Br.: 431. Type(s): Anglia: Kent. Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Salix* (Salicaceae) (Razowski,1983).
- 87611. *Apotomis sororculana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *sororculana* Zetterstedt,1839; *praelongana* Guenée,1845 Range (in code): **FR IT IS IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 87612. *Apotomis spinulana* (McDunnough,1938)** (Tortricidae) Synonym(s): *spinulana* McDunnough,1938 Range (in code): **CA Mnt**
- 87613. *Apotomis spiraeana* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *spiraeana* Kuznetsov,1962 Range (in code): **KG**
- 87614. *Apotomis spurinfida* Adamski,1986** (Tortricidae) Synonym(s): *spurinfida* Adamski,1986
Range (in code): **US Cf**

- 87615. Apotomis stagnana Kuznetsov,1962** (Tortricidae) Synonym(s): *stagnana* Kuznetsov,1962
Range (in code): RU Us
- 87616. Apotomis tertiana (McDunnough,1922)** (Tortricidae) Synonym(s): *tertiana* McDunnough,1922; *strigosa* Heinrich,1926 Range (in code): CA On US Als
- 87617. Apotomis trigonias Diakonoff,1973** (Tortricidae) Synonym(s): *trigonias* Diakonoff,1973
Range (in code): ID Ja
- 87618. Apotomis turbidana (Hübner,[1825])** (Tortricidae) Synonym(s): *corticana* Hübner,1799
nec Denis & Schiff.,1775; *turbidana* Hübner,[1825]; *pictana* Frölich,1828 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Salix, Populus (Salicaceae), Betula (Hannemann,1961).
- 87619. Apotomis vaccinii Kuznetsov,1969** (Tortricidae) Synonym(s): *vaccinii* Kuznetsov,1969
Range (in code): RU Krl
- 87620. Apotomis vigens Falkovitsh,1966** (Tortricidae) Synonym(s): *vigens* Falkovitsh,1966
Range (in code): RU Us
- 87621. Apotomops texasana (A.Blanchard & Knudson,1984)** (Tortricidae) Synonym(s): *texasana* A.Blanchard & Knudson,1984 Range (in code): US Tx
- 87622. Apotomops wellingtoniana (Kearfott,1907)** (Tortricidae) Synonym(s): *wellingtoniana* Kearfott,1907 Range (in code): CA BC
- 87623. Aprepodoxa glycitis (Meyrick,1928)** (Tortricidae) Synonym(s): *glycitis* Meyrick,1928
Range (in code): IN Ass Meg Khs
- 87624. Aprepodoxa mimocharis Meyrick,1937** (Tortricidae) Synonym(s): *mimocharis* Meyrick,1937 Range (in code): CN Yu VN Ton
- 87625. Apsidophora purpurorbis Diakonoff,1973** (Tortricidae) Synonym(s): *purpurorbis* Diakonoff,1973 Original Reference: Apsidophora purpurorbis Diakonoff,1973, Zool. Monogr. Rijksmus. Nat. Hist. 1: 330. Holotype ♂: Indonesia: West Celebes, Lindoe Paloe (BMNH). Range (in code): TH Loe CMa CDo Dst Knc Tpp MY PG ID Clb SG
- 87626. Arcesis anax Diakonoff,1983** (Tortricidae) Synonym(s): *anax* Diakonoff,1983 Range (in code): ID Sum TH Knc Tpp
- 87627. Arcesis threnodes (Meyrick,1905)** (Tortricidae) Synonym(s): *threnodes* Meyrick,1905; *hemiopta* Meyrick,1905; *tetracona* Meyrick,1907 Original Reference: Platypeplus threnodes Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 585. Holotype ♂: [Sri Lanka]: Kandy (BMNH). Range (in code): TH Loe CMa Int Chy Nna Kao NP IN LK Kndy Pdy Mky HK JP MY ID Sum BN Sbh Bor PH Clb Crm PG Bionomy: Larva on leaf of Bauhinia variegata (white jade orchid tree) (Fabaceae) (Robinson et al.,1994); Michelia alba (Magnoliaceae) [white chempaka] (Lewvanich,2001).
- 87628. Archicnephasia hartigi Razowski,1983** (Tortricidae) Synonym(s): *hartigi* Razowski,1983
Range (in code): IT
- 87629. Archidemmis anastea Diakonoff,[1968]** (Tortricidae) Synonym(s): *anastea* Diakonoff,[1968] Original Reference: Archidemmis anastea Diakonoff,[1968], Bull. U.S. nat. Mus. 257:30-32, figs. Holotype ♂: Philippine: Mindanao: Davao Pr. Mt. McKinley, 7000ft. Range (in code): PH Luz Mno
- 87630. Archigraptis haemorrhaga Tuck,1988** (Tortricidae) Synonym(s): *haemorrhaga* Tuck,1988 Range (in code): MY Bor Swk
- 87631. Archigraptis limacina Razowski,1964** (Tortricidae) Synonym(s): *limacina* Razowski,1964
Range (in code): MM Krh TH Rng
- 87632. Archigraptis limacinoides Kuznetsov,1992** (Tortricidae) Synonym(s): *limacinoides* Kuznetsov,1992 Range (in code): VN
- 87633. Archigraptis rosei Tuck,1988** (Tortricidae) Synonym(s): *rosei* Tuck,1988 Range (in code): MY Bor BN
- 87634. Archigraptis stauroma (Diakonoff,[1968])** (Tortricidae) Synonym(s): *stauroma* Diakonoff,[1968] Original Reference: Polemograptis stauroma Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 33-34, figs. Holotype ♀: Philippine: Oriental Negros, Canlaon 915m. Range (in code): PH Neg MY Sbh Bor KBa Snk
- 87635. Archigraptis strigifera Tuck,1988** (Tortricidae) Synonym(s): *strigifera* Tuck,1988 Range (in code): ID Klt Bor Pla MY Sbh
- 87636. Archilobesia chresta Diakonoff,1973** (Tortricidae) Synonym(s): *chresta* Diakonoff,1973
Range (in code): PG Fs

- 87637. Archilobesia dryoptila (Lower,1920)** (Tortricidae) **Synonym(s):** *dryoptila* Lower,1920; *axiologa* Turner,1946 Range (in code): AU QAU Cai ID Ja
- 87638. Archilobesia dryoptila crossoleuca (Meyrick,1933)** (Tortricidae) **Synonym(s):** *crossoleuca* Meyrick,1933 Range (in code): ID Ja
- 87639. Archilobesia formosana Diakonoff,1973** (Tortricidae) **Synonym(s):** *formosana* Diakonoff,1973 Range (in code): TW
- 87640. Archimaga philomina Meyrick,1918** (Tortricidae) **Synonym(s):** *philomina* Meyrick,1918 Range (in code): IN Ass Meg Khs
- 87641. Archimaga pyractis Meyrick,1905** (Tortricidae) **Synonym(s):** *pyractis* Meyrick,1905 Range (in code): LK
- 87642. Archipimima concavata (Meyrick,1930)** (Tortricidae) **Synonym(s):** *concavata* Meyrick,1930 Range (in code): PE
- 87643. Archipimima cosmoscelis (Meyrick,1932)** (Tortricidae) **Synonym(s):** *cosmoscelis* Meyrick,1932 Range (in code): BR Sct
- 87644. Archipimima flexicostalis (Dognin,1908)** (Tortricidae) **Synonym(s):** *flexicostalis* Dognin,1908 Range (in code): PE
- 87645. Archipimima labyrinthopa (Meyrick,1932)** (Tortricidae) **Synonym(s):** *labyrinthopa* Meyrick,1932 Range (in code): BR Sct
- 87646. Archips abiephage (Yasuda,1975)** (Tortricidae) **Synonym(s):** *abiephage* Yasuda,1975; *abiephagus* Razowski,1977 Range (in code): CN Mc JP Hkk Bionomy: Larva on *Abies concolor*, *A. koreana*, *A. firma*, *A. sachalinensis*, *Picea abies* (Pinaceae) (Jinbo,2006).
- 87647. Archips alleni Tuck,1990** (Tortricidae) **Synonym(s):** *alleni* Tuck,1990 Original Reference: Archips alleni Tuck,1990, Ent. scand. 21: 186. Holotype ♂: Thailand: Nakhon Nayok, Khao Yai (BMNH). Range (in code): TH Nna Kao
- 87648. Archips argyrospila (Walker,1863)** (Tortricidae) **Synonym(s):** *argyrospila* Walker,1863; *furvana* Robinson,1869 nec Zinck.,1821; *v-signatana* Packard,1875 Range (in code): US Ny Mai
- 87649. Archips atrolucens (Diakonoff,1941)** (Tortricidae) **Synonym(s):** *atrolucens* Diakonoff,1941 Range (in code): ID Ja
- 87650. Archips barlowi Tuck,1990** (Tortricidae) **Synonym(s):** *barlowi* Tuck,1990 Range (in code): MY Pah
- 87651. Archips betulanus (Hübner,1787)** (Tortricidae) **Synonym(s):** *betulanus* Hübner,1787; *decretana* Treitschke,1835 Range (in code): IT GB BE NL DE AT PL CZ DK NO SE FI EE LV LT RU MD UA TR BY KK Bionomy: Larva on *Betula* (Betulaceae), *Corylus* (Corylaceae), *Myrica gale*, *Vaccinium myrtillus* (Vacciniaceae) (Hübner,1787; Razowski,2001).
- 87652. Archips binigrata (Meyrick,1928)** (Tortricidae) **Synonym(s):** *binigrata* Meyrick,1928 Range (in code): IN Meg Ass Slo
- 87653. Archips cantinus Razowski,2006** (Tortricidae) **Synonym(s):** *cantinus* Razowski,2006 Range (in code): IN Ch Sri
- 87654. Archips carteri Rose & Pooni,2004** (Tortricidae) **Synonym(s):** *carteri* Rose & Pooni,2004 Range (in code): IN Hp Kgr
- 87655. Archips citimus Razowski,1987** (Tortricidae) **Synonym(s):** *citimus* Razowski,1987 Range (in code): AF Sfk
- 87656. Archips crassifolianus Liu,1990** (Tortricidae) **Synonym(s):** *crassifolianus* Liu,1990 Range (in code): CN
- 87657. Archips crataeganus (Hübner,[1799])** (Tortricidae) **Synonym(s):** *crataegana* Hübner,[1799]; *roborana* Hübner,[1799] Range (in code): ES Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE EE LV LT RU MD UA BY Cc GG IR Gh KG Bionomy: Larva on *Ulmus* (Ulmaceae), *Tilia* (Tiliaceae), *Salix* (Salicaceae), *Betula* (Betulaceae), *Crataegus*, *Pyrus*, *Prunus* (Rosaceae), *Populus* (Salicaceae), *Quercus* (Fagaceae) (Razowski,2001).
- 87658. Archips davisii Kawabe,1989** (Tortricidae) **Synonym(s):** *davisii* Kawabe,1989 Range (in code): TW
- 87659. Archips dicaeus Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *dicaeus* Diakonoff,[1968] Range (in code): PH Luz
- 87660. Archips dierli Diakonoff,1976** (Tortricidae) **Synonym(s):** *dierli* Diakonoff,1976 Range (in code): NP
- 87661. Archips difficilis (Meyrick,1928)** (Tortricidae) **Synonym(s):** *difficilis* Meyrick,1928 Range (in code): TH Kbi ID Ja MY Bor PH Luz

- 87662. Archips expansa (Diakonoff,1951)** (Tortricidae) Synonym(s): *expansa* Diakonoff,1951; *aperta* Diakonoff,[1968] Range (in code): ID Ja Ged PH Luz Mno
- 87663. Archips fraterna Tuck,1990** (Tortricidae) Synonym(s): *fraterna* Tuck,1990 Range (in code): MY Bor BN
- 87664. Archips hemixantha (Meyrick,1918)** (Tortricidae) Synonym(s): *hemixantha* Meyrick,1918; *expleta* Meyrick,1923 Range (in code): IN SI Djl Ass Meg Slo
- 87665. Archips inanis Razowski,1977** (Tortricidae) Synonym(s): *inanis* Razowski,1977 Range (in code): AF Sfk
- 87666. Archips kangraensis Rose & Pooni,2004** (Tortricidae) Synonym(s): *kangraensis* Rose & Pooni,2004 Range (in code): IN Hp Drm Kgr
- 87667. Archips kellerianus Liu,1987** (Tortricidae) Synonym(s): *kellerianus* Liu,1987 Range (in code): CN Yu
- 87668. Archips machlopi (Meyrick,1912)** (Tortricidae) Synonym(s): *machlopi* Meyrick,1912; *compacta* Meyrick,1918; *isocyrta* Meyrick,1920; *seminubila* Meyrick,1930; *transcutata* Meyrick,1935 Original Reference: Cacoecia machlopi Meyrick,1912, Exot. Microlepid. 1: 4. Lectotype ♀: [India]: Assam: Khasi Hills (BMNH), designated by Clarke,1958, Catalogue...3: 43. Range (in code): IN Ben Meg Ass Khs TH Knc CMA CDo ID Ja Sum Bli PK NP CN VN Ton MM
- 87669. Archips magnifica Tuck,1990** (Tortricidae) Synonym(s): *magnifica* Tuck,1990 Range (in code): MY Bor Sbh KBa
- 87670. Archips menotoma (Meyrick,1937)** (Tortricidae) Synonym(s): *menotoma* Meyrick,1937 Range (in code): CN Yu
- 87671. Archips meridionalis Yashuda & Kawabe,1980** (Tortricidae) Synonym(s): *meridionalis* Yashuda & Kawabe,1980 Range (in code): JP
- 87672. Archips mertias Rose & Pooni,2004** (Tortricidae) Synonym(s): *mertias* Rose & Pooni,2004 Range (in code): IN Hp Drm Kgr
- 87673. Archips micaceanus (Walker,1863)** (Tortricidae) Synonym(s): *micaceana* Walker,1863; *epicyrta* Meyrick,1905; *isocyrta* Meyrick,1920; *obscura* Diakonoff,1939; *euroca* Diakonoff,1958 Range (in code): CN HK VN Ann MM TH CMA Knc Bnk Pbu Cbu Ray Chi Kbi IN Up Ddu LK Mky Ptl Bionomy: Larva on Nephelium lappaceum [rambutan], Litchi chinensis [litchi], Dimocarpus longan [longan] (Sapindaceae), Mangifera indica (Anacardiaceae) [mango], Garcinia mangostana (Guttiferae) [mangosteen], Citrus maxima (Rutaceae) [pomelo], Eugenia (Myrtaceae) [rose apple], Atrocarpus heterophyllus (Moraceae) [jack fruit], Helianthus annuus (Asteraceae) [sunflower], Datura metel (Solanaceae) [thorn apple] (Lewvanich,2001).
- 87674. Archips naltarica Razowski,2006** (Tortricidae) Synonym(s): *naltarica* Razowski,2006 Original Reference: Archips naltarica Razowski,2006, Acta zool. cracov. 49B (1/2): 122-123, figs. Holotype ♂: Pakistan: Gilgit, Naltar 3000-3200m 19-23 vii 1982 leg. Eckweiler. Range (in code): PK Gg Ch
- 87675. Archips occidentalis (Walsingham,1891)** (Tortricidae) Synonym(s): *occidentalis* Walsingham,1891 Range (in code): ZA Tva Mpu Nel Wca Cto
- 87676. Archips oporanus (Linnaeus,1758)** (Tortricidae) Synonym(s): *oporanus* Linnaeus,1758; *piceana* Linnaeus,1758; *hermanniana* [Denis & Schiffermüller],1775; *dissimilana* Bentley,1845; *similis* Butler,1879; *impervia* Meyrick,1929; *bathyglypta* Meyrick,1932 Range (in code): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Pinus sylvestris, Abies alba, Picea, Larix (Pinaceae), Juniperus (Cupressaceae) (Razowski,2001).
- 87677. Archips philippus (Meyrick,1918)** (Tortricidae) Synonym(s): *phillipa* Meyrick,1918; *subsidiaria* Meyrick,1924 Original Reference: Cacoecia phillipa Meyrick,1918, Exot. microlepid. 2: 165. Type ♂: [Pakistan]: "N.W.India, Abbotabad, bred from larva on Hedera" (BMNH). Range (in code): PK Nwf Pes Abb Haz IN Ch Sri AF IR Ke
- 87678. Archips podanus (Scopoli,1763)** (Tortricidae) Synonym(s): *podana* Scopoli,1763; *fulvana* [Denis & Schiffermüller],1775; *pyrastrana* Hübner,[1799]; *congenerana* Hübner,[1824]; *sauberiana* Sørhagen,1882; *vulpeculana* Fuchs,1903; *meridana* Kozlov & Esartia,1991 Original Reference: Phalaena podana Scopoli,1763, Ent. Carn.: 232. Type(s): [Slovenia]: Carniola. Range (in code): PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY GG Lag Cc IR Th Kh Gls Bionomy: Larva on Corylus (Corylaceae), Fagus (Fagaceae), Malus, Pyrus, Rosa (Rosaceae), Ribes (Grossulariaceae), Vaccinium (Vacciniaceae), Trifolium (Fabaceae), Picea (Pinaceae) (Razowski,2001).
- 87679. Archips podanus meridanus Kozlov & Esartia,1991** (Tortricidae) Synonym(s): *meridanus* Kozlov & Esartia,1991 Range (in code): GG Lag Cc

- 87680. Archips pruneticolus (Meyrick,1935)** (Tortricidae) **Synonym(s):** *pruneticolus* Meyrick,1935 **Range (in code):** **IN**
- 87681. Archips pseudotermias Rose & Pooni,2004** (Tortricidae) **Synonym(s):** *pseudotermias* Rose & Pooni,2004 **Range (in code):** **IN Pj**
- 87682. Archips pulchra (Butler,1879)** (Tortricidae) **Synonym(s):** *pulchra* Butler,1879; *pulcher* Razowski,1977 **Range (in code):** **RU Us KP KR JP Hkk** **Bionomy:** Larva on *Abies sachalinensis*, *A. homolepis*, *A. firma*, *Picea abies* (Pinaceae), *Taxus cuspidata* (Taxaceae) (Jinbo,2006).
- 87683. Archips rosanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *rosana* Linnaeus,1758; *avellana* Linnaeus,1758; *ameriana* Linnaeus,1758; *laevigana* [Denis & Schiffermüller],1775; *oxycanthana* Hübner,[1799]; *acerana* Hübner,[1799]; *nebulana* Stephens,1834 **Range (in code):** **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IQ Shq Bgd Cc GG IR Th Dam Elb Qz Kh Mz Ab Sdt Gh Ak GlS Kd Ar KK** **Bionomy:** Larva on *Malus*, *Pyrus*, *Crataegus* (Rosaceae), *Ligustrum* (Oleaceae) (Razowski,2001).
- 87684. Archips sabrinae Leraut & Luquet,1996** (Tortricidae) **Synonym(s):** *sabrinae* Leraut & Luquet,1996 **Range (in code):** **FR**
- 87685. Archips salaconis (Meyrick,1912)** (Tortricidae) **Synonym(s):** *salaconis* Meyrick,1912; *xanthochroma* Wileman & Stringer,1929 **Range (in code):** **PH Mno Luz Ley**
- 87686. Archips sarcostega (Meyrick,1924)** (Tortricidae) **Synonym(s):** *sarcostega* Meyrick,1924 **Range (in code):** **PK IN Hp Kma Gg Ch Hu**
- 87687. Archips seditiosa (Meyrick,1921)** (Tortricidae) **Synonym(s):** *seditiosa* Meyrick,1921; *brachytoma* Meyrick,1932 **Range (in code):** **ID Ja MY Klu**
- 87688. Archips seditiosa orientalis (Diakonoff,1941)** (Tortricidae) **Synonym(s):** *orientalis* Diakonoff,1941 **Range (in code):** **ID Ja**
- 87689. Archips socotranus Walsingham,1900** (Tortricidae) **Synonym(s):** *socotranus* Walsingham,1900 **Range (in code):** **YE Sk**
- 87690. Archips stellata Jinbo,2006** (Tortricidae) **Synonym(s):** *stellata* Jinbo,2006 **Range (in code):** **JP**
- 87691. Archips strigopterus Liu,1987** (Tortricidae) **Synonym(s):** *strigopterus* Liu,1987 **Range (in code):** **CN Sz**
- 87692. Archips taichunganus Razowski,2000** (Tortricidae) **Synonym(s):** *taichunganus* Razowski,2000 **Range (in code):** **TW**
- 87693. Archips taiwanensis Kawabe,1985** (Tortricidae) **Synonym(s):** *taiwanensis* Kawabe,1985 **Range (in code):** **TW**
- 87694. Archips termias (Meyrick,1918)** (Tortricidae) **Synonym(s):** *termias* Meyrick,1918; *#terminas* Diakonoff,1971 **Range (in code):** **IN Ld Ass Meg Slo Hp Kma NP MM Kam Kch**
- 87695. Archips termias stenoptycha (Diakonoff,1951)** (Tortricidae) **Synonym(s):** *stenoptycha* Diakonoff,1951 **Range (in code):** **MM Kam Kch**
- 87696. Archips termias termias (Meyrick,1918)** (Tortricidae) **Synonym(s):** *termias* Meyrick,1918; *#terminas* Diakonoff,1971 **Range (in code):** **IN Ld Ass Meg Slo Hp Kma NP**
- 87697. Archips tharsaleopa (Meyrick,1935)** (Tortricidae) **Synonym(s):** *tharsaleopa* Meyrick,1935 **Range (in code):** **CN Yu**
- 87698. Archips tharsaleopa yunnanus Razowski,1977** (Tortricidae) **Synonym(s):** *yunnanus* Razowski,1977 **Range (in code):** **CN Yu**
- 87699. Archips vagrans Tuck,1990** (Tortricidae) **Synonym(s):** *vagrans* Tuck,1990 **Range (in code):** **ID Tim**
- 87700. Archips viola Falkovitsh,1965** (Tortricidae) **Synonym(s):** *viola* Falkovitsh,1965; *purpuratus* Kawabe,1965 **Range (in code):** **JP Hdo RU Vv Us**
- 87701. Archips wallacei Tuck,1990** (Tortricidae) **Synonym(s):** *wallacei* Tuck,1990 **Range (in code):** **ID Clb**
- 87702. Archips xylosteanus (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *xylosteanus* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901 **Original Reference:** *Phalaena* (Tortrix) *xylosteanus* Linnaeus,1758, Syst. Nat. (Edn.10): 531. Lectotype ♀: Europa, designated by Robinson & Nielsen,1983. **Range (in code):** **DZ PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG SA IR Ak Mrd GlS Mz Th Dam Zj** **Bionomy:** Larva on *Quercus* (Fagaceae), *Acer* (Aceraceae), *Betula* (Betulaceae), *Lonicera* (Caprifoliaceae), *Pyrus*, *Malus*, *Crataegus* (Rosaceae) (Razowski,2001).

- 87703. Archips xylosteanus sabrinae** Leraut & Luquet,1996 (Tortricidae) Synonym(s): *sabrinae* Leraut & Luquet,1996 Original Reference: Archips xylosteana ssp. sabrinae Leraut & Luquet,1996, Alexanor 19 (4): 249-251. Holotype ♀: France, Var, Maures, Cavalaire, e.l. sur Quercus suber, (E.Robert leg.) (NMHNP). Range (in code): **DZ PT ES FR Co**
- 87704. Archips xylosteanus xylosteanus** (Linnaeus,1758) (Tortricidae) Synonym(s): *xylosteana* Linnaeus,1758; *obliquana* Fabricius,1781; *westriniana* Thunberg,1784; *densata* Fourcroy,1785; *densana* Villers,1789; *characterana* Hübner,1793; *hybnerana* Fabricius,1794; *pallens* Kennel,1901 Original Reference: Phalaena (Tortrix) xylosteana Linnaeus,1758, Syst. Nat. (Edn.10): 531. Lectotype ♀: Europa, designated by Robinson & Nielsen,1983. Range (in code): **Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc GG TR**
- 87705. Ardeutica crypsilitha** (Meyrick,1932) (Tortricidae) Synonym(s): *crypsilitha* Meyrick,1932 Range (in code): **BR Sct**
- 87706. Ardeutica dryocremna** (Meyrick,1932) (Tortricidae) Synonym(s): *dryocremna* Meyrick,1932 Range (in code): **GT**
- 87707. Ardeutica emphantica** Razowski & Becker,1981 (Tortricidae) Synonym(s): *emphantica* Razowski & Becker,1981 Range (in code): **BR Pran**
- 87708. Ardeutica eupeplana** (Walsingham,1914) (Tortricidae) Synonym(s): *eupeplana* Walsingham,1914; *fluminana* Walsingham,1914 Range (in code): **GT**
- 87709. Ardeutica melidora** Razowski,1984 (Tortricidae) Synonym(s): *melidora* Razowski,1984 Range (in code): **CU**
- 87710. Ardeutica mezion** Razowski,1984 (Tortricidae) Synonym(s): *mezion* Razowski,1984 Range (in code): **CU**
- 87711. Ardeutica parmata** Razowski,1984 (Tortricidae) Synonym(s): *parmata* Razowski,1984 Range (in code): **CR**
- 87712. Ardeutica semipicta** Meyrick,1913 (Tortricidae) Synonym(s): *semipicta* Meyrick,1913 Range (in code): **BR Rja**
- 87713. Ardeutica spheobathra** (Meyrick,1917) (Tortricidae) Synonym(s): *spheobathra* Meyrick,1917 Range (in code): **GY**
- 87714. Ardeutica spumosa** Meyrick,1913 (Tortricidae) Synonym(s): *spumosa* Meyrick,1913 Range (in code): **PE**
- 87715. Ardeutica tonsilis** Razowski,1984 (Tortricidae) Synonym(s): *tonsilis* Razowski,1984 Range (in code): **CR**
- 87716. Argyroptocha phalaenopa** Diakonoff,[1968] (Tortricidae) Synonym(s): *phalaenopa* Diakonoff,[1968] Original Reference: Argyroptocha phalaenopa Diakonoff,[1968], Bull. U. S. nat. Mus. 257: 70-71, figs. Holotype ♂: Philippine: Luzon: Mt. Makiling. Range (in code): **PH Luz TH Knc Tpp**
- 87717. Argyrotaenia artocopa** (Meyrick,1932) (Tortricidae) Synonym(s): *artocopa* Meyrick,1932 Range (in code): **CR**
- 87718. Argyrotaenia atima** (Walsingham,1914) (Tortricidae) Synonym(s): *atima* Walsingham,1914 Range (in code): **PA**
- 87719. Argyrotaenia cibdela** Razowski,1988 (Tortricidae) Synonym(s): *cibdela* Razowski,1988 Range (in code): **PE**
- 87720. Argyrotaenia citharexylana** (Zeller,1866) (Tortricidae) Synonym(s): *citharexylana* Zeller,1866 Range (in code): **CO**
- 87721. Argyrotaenia dichotoma** (Walsingham,1914) (Tortricidae) Synonym(s): *dichotoma* Walsingham,1914 Range (in code): **MX Grr**
- 87722. Argyrotaenia dichroaca** (Walsingham,1914) (Tortricidae) Synonym(s): *dichroaca* Walsingham,1914 Range (in code): **CR**
- 87723. Argyrotaenia dispositana** (Zeller,1877) (Tortricidae) Synonym(s): *dispositana* Zeller,1877 Range (in code): **CO**
- 87724. Argyrotaenia fletcheriella** (Köhler,1939) (Tortricidae) Synonym(s): *fletcheriella* Köhler,1939 Range (in code): **AR**
- 87725. Argyrotaenia franciscana** (Walsingham,1879) (Tortricidae) Synonym(s): *franciscana* Walsingham,1879; *citrana* Fernald,1889 nec Hbn.,1799; *kearfotti* Obraztsov,1961; *insulana* Powell,1964; *cesa* Kemal & Koçak,2005 Range (in code): **US Cf**
- 87726. Argyrotaenia franciscana** (Walsingham,1879) (Tortricidae) Synonym(s): *franciscana* Walsingham,1879; *kearfotti* Obraztsov,1961 Range (in code): **US Cf**

- 87727. *Argyrotaenia guatemalica* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *guatemalica* Walsingham,1914 **Range (in code):** **GT**
- 87728. *Argyrotaenia haemothica* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *haemothica* Walsingham,1914 **Range (in code):** **CO**
- 87729. *Argyrotaenia hemixia* Razowski,1991** (Tortricidae) **Synonym(s):** *hemixia* Razowski,1991 **Range (in code):** **BR Sct**
- 87730. *Argyrotaenia heureta* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *heureta* Walsingham,1914 **Range (in code):** **GT**
- 87731. *Argyrotaenia iopsamma* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *iopsamma* Meyrick,1931 **Range (in code):** **BR Spa**
- 87732. *Argyrotaenia levidensa* Razowski,1991** (Tortricidae) **Synonym(s):** *levidensa* Razowski,1991 **Range (in code):** **BR Sct**
- 87733. *Argyrotaenia lignea* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *lignea* Meyrick,1917 **Range (in code):** **EC**
- 87734. *Argyrotaenia ljungiana* (Thunberg,1797)** (Tortricidae) **Synonym(s):** *ljungiana* Thunberg,1797; *sylvana* Hübner,[1799]; *pulchellana* Haworth,1811; *cognatana* Stephens,1852; *fuscociliana* Stephens,1852; *lepidana* Herrich-Schäffer,1854; *micantana* Lucas,1937. **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY IR Ar Gh** **Bionomy:** Larva on *Myrica* gale (Myricaceae), *Calluna*, *Erica* (Ericaceae), *Vaccinium* (Vacciniaceae), *Betula* (Betulaceae), *Malus*, *Prunus* (Rosaceae), *Abies*, *Picea*, *Larix* (Pinaceae) (Razowski,2001).
- 87735. *Argyrotaenia lobata* Razowski,1988** (Tortricidae) **Synonym(s):** *lobata* Razowski,1988 **Range (in code):** **BO**
- 87736. *Argyrotaenia loxonephes* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *loxonephes* Meyrick,1937 **Range (in code):** **AR**
- 87737. *Argyrotaenia martini* Powell,1960** (Tortricidae) **Synonym(s):** *martini* Powell,1960 **Range (in code):** **US Arz**
- 87738. *Argyrotaenia montezumae* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *montezumae* Walsingham,1914; *impositana* Walsingham,1914 **Range (in code):** **GT MX Grr**
- 87739. *Argyrotaenia niscana* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *niscana* Kearfott,1907 **Range (in code):** **US Cf**
- 87740. *Argyrotaenia oligachthes* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *oligachthes* Meyrick,1932 **Range (in code):** **CR**
- 87741. *Argyrotaenia oriphanes* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *oriphanes* Meyrick,1930 **Range (in code):** **PE**
- 87742. *Argyrotaenia polvosana* Obratzsov,1961** (Tortricidae) **Synonym(s):** *polvosana* Obratzsov,1961 **Range (in code):** **MX Chua**
- 87743. *Argyrotaenia ponera* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *ponera* Walsingham,1914 **Range (in code):** **MX**
- 87744. *Argyrotaenia purata* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *purata* Meyrick,1932 **Range (in code):** **CR**
- 87745. *Argyrotaenia sphaleropa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *sphaleropa* Meyrick,1909 **Range (in code):** **BO**
- 87746. *Argyrotaenia spoliata* (Zeller,1877)** (Tortricidae) **Synonym(s):** *spoliata* Zeller,1877 **Range (in code):** **CO**
- 87747. *Argyrotaenia tricensa* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *tricensa* Meyrick,1912 **Range (in code):** **IN Ass TH Int CDo Dst NP MY JP TW CN VN**
- 87748. *Argyrotaenia tristriata* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *tristriata* Meyrick,1931 **Range (in code):** **BR Spa**
- 87749. *Argyrotaenia urbana* (Busck,1912)** (Tortricidae) **Synonym(s):** *urbana* Busck,1912 **Range (in code):** **MX**
- 87750. *Argyrotaenia venezuelana* (Walker,1863)** (Tortricidae) **Synonym(s):** *venezuelana* Walker,1863 **Range (in code):** **VE**
- 87751. *Argyrotaenia wielgusi* Clarke,[1991]** (Tortricidae) **Synonym(s):** *wielgusi* Clarke,[1991] **Range (in code):** **US Arz**
- 87752. *Arotrophora arcuatalis* (Walker,1865)** (Tortricidae) **Synonym(s):** *arcuatalis* Walker,1865 **Range (in code):** **AU Syd**

- 87753. *Arotrophora bernardmyo* Razowski,2009** (Tortricidae) Synonym(s): *bernardmyo* Razowski,2009 Range (in code): TH Int MM
- 87754. *Arotrophora charassapex* Razowski,2009** (Tortricidae) Synonym(s): *charassapex* Razowski,2009 Original Reference: *Arotrophora charassapex* Razowski,2009, Polski pismo ent. 78: 38, figs. Holotype ♂: Thailand, Chiang Mai, Doi Chiang Dao, San Pakia. Range (in code): TH CMa CDo
- 87755. *Arotrophora charopa* Razowski,2009** (Tortricidae) Synonym(s): *charopa* Razowski,2009 Range (in code): TH Int
- 87756. *Arotrophora cherrapunji* Razowski,2009** (Tortricidae) Synonym(s): *cherrapunji* Razowski,2009 Range (in code): IN Ass Cpj
- 87757. *Arotrophora fijigena* Razowski,2009** (Tortricidae) Synonym(s): *fijigena* Razowski,2009 Range (in code): FJ
- 87758. *Arotrophora gilligani* Razowski,2009** (Tortricidae) Synonym(s): *gilligani* Razowski,2009 Range (in code): TW
- 87759. *Arotrophora hongsona* Razowski,2009** (Tortricidae) Synonym(s): *hongsona* Razowski,2009 Original Reference: *Arotrophora hongsona* Razowski,2009, Polski pismo ent. 78: 36-37, figs. Holotype ♂: Thailand, Mae Hong Son, Pai district 1240m. Range (in code): TH Mae Pai
- 87760. *Arotrophora inthanona* Razowski,2009** (Tortricidae) Synonym(s): *inthanona* Razowski,2009 Original Reference: *Arotrophora inthanona* Razowski,2009, Polski pismo ent. 78: 42, figs. Holotype ♂: Thailand, Inthanon NP 2550m. Range (in code): TH Int
- 87761. *Arotrophora khasiasana* Razowski,2009** (Tortricidae) Synonym(s): *khasiasana* Razowski,2009 Original Reference: *Arotrophora khasiasana* Razowski,2009, Polski pismo ent. 78: 37-38, figs. Holotype ♂: India, Khasia Hills (Doherty). Range (in code): IN Ass Meg Khs
- 87762. *Arotrophora khatana* Razowski,2009** (Tortricidae) Synonym(s): *khatana* Razowski,2009 Original Reference: *Arotrophora khatana* Razowski,2009, Polski pismo ent. 78: 38, figs. Holotype ♂: Thailand, Chiang Mai, Doi Chiang Dao, Den Yaa Khat. Range (in code): TH CMa CDo Kao
- 87763. *Arotrophora khunmaei* Razowski,2009** (Tortricidae) Synonym(s): *khunmaei* Razowski,2009 Original Reference: *Arotrophora khunmaei* Razowski,2009, Polski pismo ent. 78: 40-41, figs. Holotype ♀: Thailand, Chiang Mai, Doi Chiang Dao, Khun Mae Ngaay. Range (in code): TH CMa CDo
- 87764. *Arotrophora kundasanga* Razowski,2009** (Tortricidae) Synonym(s): *kundasanga* Razowski,2009 Range (in code): MY Bor Sbh KBa
- 87765. *Arotrophora obrimsocia* Razowski,2009** (Tortricidae) Synonym(s): *obrimsocia* Razowski,2009 Range (in code): TH Int IN Ass Khs Meg
- 87766. *Arotrophora paiana* Razowski,2009** (Tortricidae) Synonym(s): *paiana* Razowski,2009 Original Reference: *Arotrophora paiana* Razowski,2009, Polski pismo ent. 78: 39-40, figs. Holotype ♂: India, Khasia Hills (Doherty). Range (in code): IN Ass Meg Khs
- 87767. *Arotrophora semifulva* (Meyrick,1908)** (Tortricidae) Synonym(s): *semifulva* Meyrick,1908 Range (in code): IN Ass Meg Khs MY
- 87768. *Arotrophora tubulosa* Razowski,2009** (Tortricidae) Synonym(s): *tubulosa* Razowski,2009 Range (in code): ID Clb
- 87769. *Arotrophora utarana* Razowski,2009** (Tortricidae) Synonym(s): *utarana* Razowski,2009 Range (in code): ID Clb
- 87770. *Articolla cyclidias* Meyrick,1907** (Tortricidae) Synonym(s): *cyclidias* Meyrick,1907 Range (in code): LK Mky Pdn
- 87771. *Artiphanes prospera* (Meyrick,1909)** (Tortricidae) Synonym(s): *prospera* Meyrick,1909 Range (in code): IN Ass Meg Khs
- 87772. *Artiphanes scambodes* (Meyrick,1911)** (Tortricidae) Synonym(s): *scambodes* Meyrick,1911 Range (in code): AU QAu Cai
- 87773. *Asaphistis asema* Diakonoff,1973** (Tortricidae) Synonym(s): *asema* Diakonoff,1973 Range (in code): ID Ja Ged
- 87774. *Asaphistis cretata* (Diakonoff,1953)** (Tortricidae) Synonym(s): *cretata* Diakonoff,1953 Range (in code): PG
- 87775. *Asaphistis gypsopa* (Diakonoff,1953)** (Tortricidae) Synonym(s): *gypsopa* Diakonoff,1953 Range (in code): ID Ij Snw

- 87776. *Asaphistis haematina* (Diakonoff,1953)** (Tortricidae) Synonym(s): *haematina* Diakonoff,1953 Range (in code): ID Ij Snw
- 87777. *Asaphistis hemicyclia* (Diakonoff,1953)** (Tortricidae) Synonym(s): *hemicyclia* Diakonoff,1953 Range (in code): ID Ij Snw
- 87778. *Asaphistis lucifera* (Meyrick,1909)** (Tortricidae) Synonym(s): *lucifera* Meyrick,1909 Range (in code): IN Pln
- 87779. *Asaphistis maturicolor* Diakonoff,1973** (Tortricidae) Synonym(s): *maturicolor* Diakonoff,1973 Range (in code): ID Ij Gth
- 87780. *Asaphistis nobilis* Diakonoff,1973** (Tortricidae) Synonym(s): *nobilis* Diakonoff,1973 Range (in code): PG
- 87781. *Asaphistis phanerops* Diakonoff,1973** (Tortricidae) Synonym(s): *phanerops* Diakonoff,1973 Range (in code): ID Ja Ged
- 87782. *Asaphistis praeceps* (Meyrick,1909)** (Tortricidae) Synonym(s): *praeceps* Meyrick,1909 Range (in code): TH Loe NP IN Meg Khs Ass JP VN Ton
- 87783. *Asaphistis protosema* Diakonoff,1973** (Tortricidae) Synonym(s): *protosema* Diakonoff,1973 Range (in code): PG
- 87784. *Asaphistis purpurascens* (Diakonoff,1953)** (Tortricidae) Synonym(s): *purpurascens* Diakonoff,1953 Range (in code): ID Ij Snw
- 87785. *Asaphistis sappiroflua* (Diakonoff,1953)** (Tortricidae) Synonym(s): *sappiroflua* Diakonoff,1953 Range (in code): ID Ij Snw
- 87786. *Asketria cervinana* (Caradja,1916)** (Tortricidae) Synonym(s): *cervinana* Caradja,1916 Original Reference: Grapholitha cervinana Caradja,1916, Dt. ent. Z., Iris 30: 19. Syntypes: [Türkei]: Armenien, Kazikoparan (MGAB). Range (in code): TR RU Cc GG AZ AM
- 87787. *Asketria lepta* Falkovitsh,1964** (Tortricidae) Synonym(s): *lepta* Falkovitsh,1964 Range (in code): KG Aa MN
- 87788. *Assulella anoechtotera* Diakonoff,1983** (Tortricidae) Synonym(s): *anoechtotera* Diakonoff,1983 Range (in code): ID Ja
- 87789. *Assulella archaea* Diakonoff,1983** (Tortricidae) Synonym(s): *archaea* Diakonoff,1983 Range (in code): ID Sum TH CMa Int Knc Tpp VN
- 87790. *Assulella kuznetsovi* Diakonoff,1983** (Tortricidae) Synonym(s): *kuznetsovi* Diakonoff,1983 Range (in code): CN Yu
- 87791. *Assulella lithocosma* Diakonoff,1983** (Tortricidae) Synonym(s): *lithocosma* Diakonoff,1983 Range (in code): ID Sum
- 87792. *Assulella litigiosa* (Meyrick,1912)** (Tortricidae) Synonym(s): *litigiosa* Meyrick,1912; *#litigiosa* Diakonoff,1959 Range (in code): IN Ass Meg Khs NP TH CMa Hnd Int MY
- 87793. *Asymmetrarcha iograptia* (Meyrick,1907)** (Tortricidae) Synonym(s): *iograptia* Meyrick,1907 Range (in code): TH Loe IN Ass Meg Khs
- 87794. *Asymmetrarcha metallicana* Kuznetsov,1992** (Tortricidae) Synonym(s): *metallicana* Kuznetsov,1992 Range (in code): VN Ann
- 87795. *Asymmetrarcha thaiensis* Kawabe,1989** (Tortricidae) Synonym(s): *thaiensis* Kawabe,1989 Original Reference: Asymmetrarcha thaiensis Kawabe,1989, Microlepid. Thailand 2: 25, fig.3. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (Mae Klang), ca 1300m (UOP). Range (in code): TH CMa Int Loe
- 87796. *Asymmetrarcha torquens* Diakonoff,1973** (Tortricidae) Synonym(s): *torquens* Diakonoff,1973 Range (in code): ID Ja
- 87797. *Asymmetrarcha xenopa* Diakonoff,1973** (Tortricidae) Synonym(s): *xenopa* Diakonoff,1973 Range (in code): IN Ass Meg Khs
- 87798. *Atepa colaptis* Razowski,[1992]** (Tortricidae) Synonym(s): *colaptis* Razowski,[1992] Range (in code): CR
- 87799. *Atepa cordobana* Razowski,[1992]** (Tortricidae) Synonym(s): *cordobana* Razowski,[1992] Range (in code): MX Vcr
- 87800. *Atepa sinaloana* Razowski,[1992]** (Tortricidae) Synonym(s): *sinaloana* Razowski,[1992] Range (in code): MX Sin
- 87801. *Atepa triplagata* (Walsingham,1914)** (Tortricidae) Synonym(s): *triplagata* Walsingham,1914 Range (in code): MX Tbo
- 87802. *Aterpia andereggana* Guenée,1845** (Tortricidae) Synonym(s): *andereggana* Guenée,1845; *spuriana* Herrich-Schäffer,1851 Range (in code): ES FR IT DE CH AT PL SK TR

- 87803. *Aterpia approximana* (Heinrich,1919)** (Tortricidae) Synonym(s): *approximana* Heinrich,1919 Range (in code): **US Ny**
- 87804. *Aterpia bicolor* Kawabe,1978** (Tortricidae) Synonym(s): *bicolor* Kawabe,1978 Range (in code): **JP**
- 87805. *Aterpia chalybeia* Falkovitsh,1966** (Tortricidae) Synonym(s): *chalybeia* Falkovitsh,1966 Range (in code): **PL FI RU Sb Am JP**
- 87806. *Aterpia circumfluxana* (Christoph,1881)** (Tortricidae) Synonym(s): *circumfluxana* Christoph,1881 Range (in code): **IT RU Sb CN JP**
- 87807. *Aterpia corticana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *corticana* [Denis & Schiffermüller],1775; *charpenteriana* Hübner,[1823] Original Reference: Tortrix corticana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. Range (in code): **FR IT NL DE CH AT PL CZ SK HU RO EE LT RU MD UA BY**
- 87808. *Aterpia flavens* Falkovitsh,1966** (Tortricidae) Synonym(s): *flavens* Falkovitsh,1966 Original Reference: *Aterpia flavens* Falkovitsh,1966, Ent. Obozr. 45 (4): 868, fig.4. Holotype ♂: [Georgia]: Borshomi (ZMAS). Range (in code): **Cc GG Smt Bjo Abk TR RU Da**
- 87809. *Aterpia flavipunctana* (Christoph,1882)** (Tortricidae) Synonym(s): *flavipunctana* Christoph,1882 Range (in code): **RU Us**
- 87810. *Aterpia issikii* Kawabe,1980** (Tortricidae) Synonym(s): *issikii* Kawabe,1980 Range (in code): **JP**
- 87811. *Aterpia mensifera* (Meyrick,1916)** (Tortricidae) Synonym(s): *mensifera* Meyrick,1916 Range (in code): **IN SI Djl MM**
- 87812. *Aterpia microchlamys* (Diakonoff,1983)** (Tortricidae) Synonym(s): *microchlamys* Diakonoff,1983; *niphoclasma* Diakonoff,1992 Range (in code): **MG**
- 87813. *Aterpia palliata* (Meyrick,1909)** (Tortricidae) Synonym(s): *palliata* Meyrick,1909 Range (in code): **IN Ass Meg Khs**
- 87814. *Aterpia sieversiana* (Nolcken,1870)** (Tortricidae) Synonym(s): *sieversiana* Nolcken,1870 Range (in code): **DE AT SE EE LV RU MD UA BY**
- 87815. *Atteria docima* Druce,1912** (Tortricidae) Synonym(s): *docima* Druce,1912 Range (in code): **PE**
- 87816. *Atteria drucei* Walsingham,1914** (Tortricidae) Synonym(s): *drucei* Walsingham,1914 Range (in code): **PA**
- 87817. *Atteria pavimentata* Meyrick,1913** (Tortricidae) Synonym(s): *pavimentata* Meyrick,1913 Range (in code): **PE**
- 87818. *Atteria strigicinctana* Walker,1863** (Tortricidae) Synonym(s): *strigicinctana* Walker,1863 Range (in code): **CO**
- 87819. *Atteria transversana* (Walker,1863)** (Tortricidae) Synonym(s): *transversana* Walker,1863 Range (in code): **VE**
- 87820. *Auratonota aenigmatica* (Meyrick,1912)** (Tortricidae) Synonym(s): *aenigmatica* Meyrick,1912 Range (in code): **CO**
- 87821. *Auratonota aporema* (Dognin,1912)** (Tortricidae) Synonym(s): *aporema* Dognin,1912 Range (in code): **CO**
- 87822. *Auratonota aurantica* (Busck,1920)** (Tortricidae) Synonym(s): *aurantica* Busck,1920; *#autantica* Razowski,1987; *#urantica* Razowski,1987 Range (in code): **CR**
- 87823. *Auratonota dispersa* J.Brown,1990** (Tortricidae) Synonym(s): *dispersa* J.Brown,1990 Range (in code): **PA**
- 87824. *Auratonota dominica* J.Brown,1993** (Tortricidae) Synonym(s): *dominica* J.Brown,1993 Range (in code): **DM**
- 87825. *Auratonota hydrogramma* (Meyrick,1912)** (Tortricidae) Synonym(s): *hydrogramma* Meyrick,1912 Range (in code): **SR**
- 87826. *Auratonota petalocrossa* (Meyrick,1926)** (Tortricidae) Synonym(s): *petalocrossa* Meyrick,1926 Range (in code): **CO**
- 87827. *Avaria constanti* (Rebel,1894)** (Tortricidae) Synonym(s): *constanti* Rebel,1894 Range (in code): **Cn**
- 87828. *Avaria hyerana* (Millière,1858)** (Tortricidae) Synonym(s): *hyerana* Millière,1858; *reynana* Staudinger,1861; *lithosiana* Kennel,1899; *#alpha* Chapman,1906; *marginata* Chapman,1906 Range (in code): **Cn PT ES FR Sa Si IT MT YU GR**

- 87829. Avaria joannisiana (Ragonot,1888)** (Tortricidae) Synonym(s): *joannisiana* Ragonot,1888
Range (in code): **ES FR**
- 87830. Baburia abdita (Diakonoff,1973)** (Tortricidae) Synonym(s): *abdita* Diakonoff,1973 Range (in code): **TH Nna Kao MY Bor**
- 87831. Baburia astuta (Diakonoff,1973)** (Tortricidae) Synonym(s): *astuta* Diakonoff,1973 Range (in code): **CN Hn**
- 87832. Baburia trachymelas (Diakonoff,1973)** (Tortricidae) Synonym(s): *trachymelas* Diakonoff,1973 Range (in code): **ID Mlc Beh**
- 87833. Bactra (Chiloides) adelpha Diakonoff,1963** (Tortricidae) Synonym(s): *adelpha* Diakonoff,1963 Range (in code): **ZA**
- 87834. Bactra (Chiloides) angulata Diakonoff,1956** (Tortricidae) Synonym(s): *angulata* Diakonoff,1956 Range (in code): **TH Nna Kao Loe LK MY Bor ID Ja PG**
- 87835. Bactra (Chiloides) atopa Diakonoff,1989** (Tortricidae) Synonym(s): *atopa* Diakonoff,1989 Original Reference: Bactra (Chiloides) atopa Diakonoff,1989, *Nota lepid.* 11 (4): 244-247, figs. 2-4. Holotype ♀: Bahrein: "Adari spr." (Amsel coll., LNK). Range (in code): **BH**
- 87836. Bactra (Chiloides) cerata Meyrick,1909** (Tortricidae) Synonym(s): *cerata* Meyrick,1909 Range (in code): **FJ PG PW ID Sda LK IN TH CMa Fn Loe Knc Tpp**
- 87837. Bactra (Chiloides) clarescens Meyrick,1912** (Tortricidae) Synonym(s): *clarescens* Meyrick,1912 Range (in code): **SR**
- 87838. Bactra (Chiloides) copidotis Meyrick,1909** (Tortricidae) Synonym(s): *copidotis* Meyrick,1909; *phenacistis* Meyrick,1909; *commensalis* Meyrick,1922; *borealis* Diakonoff,1964 Range (in code): **IN NI LK TH Nna Kao**
- 87839. Bactra (Chiloides) coronata Diakonoff,1950** (Tortricidae) Synonym(s): *coronata* Diakonoff,1950 Original Reference: Bactra coronata Diakonoff,1950, *Bull. Br. Mus. nat. Hist. Ent.* 1: 286 pl.5 f.17 Holotype ♂: Java. Range (in code): **TH CMa Fn Nna Kao Knc Tpp PH Luz ID Bor Ja**
- 87840. Bactra (Chiloides) diakonoffi Amsel,1958** (Tortricidae) Synonym(s): *diakonoffi* Amsel,1958 Range (in code): **SA**
- 87841. Bactra (Chiloides) fasciata Diakonoff,1963** (Tortricidae) Synonym(s): *fasciata* Diakonoff,1963 Range (in code): **ZA**
- 87842. Bactra (Chiloides) jansei Diakonoff,1963** (Tortricidae) Synonym(s): *jansei* Diakonoff,1963 Range (in code): **ZA**
- 87843. Bactra (Chiloides) leucogama Meyrick,1909** (Tortricidae) Synonym(s): *leucogama* Meyrick,1909 Range (in code): **TH Cbi TW LK ID Cib**
- 87844. Bactra (Chiloides) ochrographa Diakonoff,1989** (Tortricidae) Synonym(s): *ochrographa* Diakonoff,1989 Range (in code): **NP**
- 87845. Bactra (Chiloides) orbiculi Diakonoff,1956** (Tortricidae) Synonym(s): *orbiculi* Diakonoff,1956 Range (in code): **PH Luz ID Bor Klt TH Knc Tpp**
- 87846. Bactra (Chiloides) orbiculi minax Diakonoff,1964** (Tortricidae) Synonym(s): *minax* Diakonoff,1964 Original Reference: Bactra (Chiloides) orbiculi minax Diakonoff,1964, *Zool. Verh.* 70: 51 figs. 45-447. Holotype ♂: Philippine: Luzon: Benquet, Klondyke 800ft. Range (in code): **PH Luz**
- 87847. Bactra (Chiloides) perisema Diakonoff,1964** (Tortricidae) Synonym(s): *perisema* Diakonoff,1964 Range (in code): **GY**
- 87848. Bactra (Chiloides) philocerca Diakonoff,1964** (Tortricidae) Synonym(s): *philocerca* Diakonoff,1964 Range (in code): **DM**
- 87849. Bactra (Chiloides) priapeia Heinrich,1923** (Tortricidae) Synonym(s): *lanceolana* Walsingham,1914 nec Hbn.,1822; *priapeia* Heinrich,1923 Range (in code): **US**
- 87850. Bactra (Chiloides) punctistrigana Mabille,1900** (Tortricidae) Synonym(s): *punctistrigana* Mabille,1900 Range (in code): **MA MG ?ZA**
- 87851. Bactra (Chiloides) rhabdonoma Diakonoff,1963** (Tortricidae) Synonym(s): *rhabdonoma* Diakonoff,1963 Range (in code): **ZA**
- 87852. Bactra (Chiloides) salpictris Diakonoff,1963** (Tortricidae) Synonym(s): *salpictris* Diakonoff,1963 Range (in code): **ZA**
- 87853. Bactra (Chiloides) sinassula Diakonoff,1963** (Tortricidae) Synonym(s): *sinassula* Diakonoff,1963 Range (in code): **ZA**
- 87854. Bactra (Chiloides) sordidata Diakonoff,1963** (Tortricidae) Synonym(s): *sordidata* Diakonoff,1963 Range (in code): **ZA**

- 87855. Bactra (Chiloides) stagnicolana Zeller, 1852** (Tortricidae) **Synonym(s):** *stagnicolana* Zeller, 1852; *siccella* Walker, 1866 **Range (in code):** **ZA Tva Gau Pre**
- 87856. Bactra (Chiloides) triceps Diakonoff, 1963** (Tortricidae) **Synonym(s):** *triceps* Diakonoff, 1963 **Range (in code):** **ZA**
- 87857. Bactra (Chiloides) trimera Diakonoff, 1963** (Tortricidae) **Synonym(s):** *trimera* Diakonoff, 1963 **Range (in code):** **ZA**
- 87858. Bactra (Chiloides) tylophora Diakonoff, 1963** (Tortricidae) **Synonym(s):** *tylophora* Diakonoff, 1963 **Range (in code):** **ZA**
- 87859. Bactra (Chiloides) venosana (Zeller, 1847)** (Tortricidae) **Synonym(s):** *venosana* Zeller, 1847; *truculenta* Meyrick, 1909; *scythrope* Meyrick, 1911; *geraropa* Meyrick, 1932; *banosii* Gozmany, 1960 **Original Reference:** *Phoxopteris venosana* Zeller, 1847, Isis 1847: 738. **Range (in code):** **Md Cn MA DZ Bsk TN Gf PT ES FR Co Sa Si IT MT CH SK GR EG SD IQ SA As TR LB Bei IN NP LK CN TH CMa Int Fn Nna Kao Cbi Knc Tpp Loe ID Ja Tim TW VN Ton JP PH AU Hw FJ Bor Sbh Klt KR** **Bionomy:** Larva on *Cyperus rotundus* (Cyperaceae) (Diakonoff, [1968]).
- 87860. Bactra (Nannobactra) aciculata Diakonoff, 1963** (Tortricidae) **Synonym(s):** *aciculata* Diakonoff, 1963 **Range (in code):** **ZA**
- 87861. Bactra (Nannobactra) cultellana Zeller, 1877** (Tortricidae) **Synonym(s):** *cultellana* Zeller, 1877 **Range (in code):** **CO**
- 87862. Bactra (Nannobactra) dasioma Diakonoff, 1963** (Tortricidae) **Synonym(s):** *dasioma* Diakonoff, 1963 **Range (in code):** **ZA**
- 87863. Bactra (Nannobactra) hostilis Diakonoff, 1956** (Tortricidae) **Synonym(s):** *hostilis* Diakonoff, 1956; *leonina* Diakonoff, 1959 **Range (in code):** **KP KR JP CN Hn TH CMa Fn IN**
- 87864. Bactra (Nannobactra) legitima Meyrick, 1911** (Tortricidae) **Synonym(s):** *legitima* Meyrick, 1911 **Range (in code):** **ZA SC SD SD91 Cn**
- 87865. Bactra (Nannobactra) legitima insignis Diakonoff, 1963** (Tortricidae) **Synonym(s):** *insignis* Diakonoff, 1963 **Original Reference:** *Bactra (Nannobactra) legitima* ssp. *insignis* Diakonoff, 1963, Annln naturh. Mus. Wien 66: 474-476, figs. Holotype ♂: Sudan: Wadi Halfa (ZSM). **Range (in code):** **SD SD91 Cn**
- 87866. Bactra (Nannobactra) minima Meyrick, 1909** (Tortricidae) **Synonym(s):** *minima* Meyrick, 1909; *phaeopsis* Meyrick, 1911; *anpingiana* Strand, 1920; *microtripa* Meyrick, 1927 **Range (in code):** **SA As Az Cn IN LK PG NP TH CMa Int TW PH ID Tim SB AU**
- 87867. Bactra (Nannobactra) minima psila Diakonoff, 1964** (Tortricidae) **Synonym(s):** *psila* Diakonoff, 1964 **Range (in code):** **Az Cn**
- 87868. Bactra (Nannobactra) phaulopa Meyrick, 1911** (Tortricidae) **Synonym(s):** *phaulopa* Meyrick, 1911 **Range (in code):** **ID Ja Sum Clb Kai PH Luz**
- 87869. Bactra (Nannobactra) sardonias (Meyrick, 1908)** (Tortricidae) **Synonym(s):** *sardonias* Meyrick, 1908 **Original Reference:** *Pamplusia sardonias* Meyrick, 1908, Proc. zool. Soc. London 1908: 718. Lectotype ♂: [South Africa]: Transvaal, N.E. Pretoria, designated by Clarke, 1958 (BMNH) [Clarke, 1958, Catalogue...3: pl. 156 figs. 1-1a]. **Range (in code):** **ZA Tva Gau Pre**
- 87870. Bactra (Nannobactra) verutana Zeller, 1875** (Tortricidae) **Synonym(s):** *verutana* Zeller, 1875; *dasioma* Diakonoff, 1863 **Range (in code):** **ZA Wca US Tx Cf**
- 87871. Bactra (Nannobactra) verutana chrysea Heinrich, 1926** (Tortricidae) **Synonym(s):** *chrysea* Heinrich, 1926 **Range (in code):** **US Cf**
- 87872. Bactra (Nannobactra) verutana verutana Zeller, 1875** (Tortricidae) **Synonym(s):** *verutana* Zeller, 1875; *dasioma* Diakonoff, 1863 **Range (in code):** **ZA Wca US Tx**
- 87873. Bactra (Spinobactra) spinosa Diakonoff, 1963** (Tortricidae) **Synonym(s):** *spinosa* Diakonoff, 1963 **Range (in code):** **ZA**
- 87874. Bactra (s.l.) fuscidorsana Zeller, 1877** (Tortricidae) **Synonym(s):** *fuscidorsana* Zeller, 1877 **Range (in code):** **CO**
- 87875. Bactra (s.l.) neuricana Zeller, 1877** (Tortricidae) **Synonym(s):** *neuricana* Zeller, 1877 **Range (in code):** **CO**
- 87876. Bactra (s.str.) adoceta Diakonoff, 1964** (Tortricidae) **Synonym(s):** *adoceta* Diakonoff, 1964 **Range (in code):** **BR Pran**
- 87877. Bactra (s.str.) amseli Diakonoff, 1959** (Tortricidae) **Synonym(s):** *amseli* Diakonoff, 1959 **Range (in code):** **AF**
- 87878. Bactra (s.str.) bactrana (Kennel, 1901)** (Tortricidae) **Synonym(s):** *bactrana* Kennel, 1901; *cyperana* Amsel, 1951; *mediterranea* Agenjo, 1952. **Original Reference:** *Semasia bactrana* Kennel, 1901,

- Dt. ent. Z., Iris 13: 269. Type: Spain: Malaga. Range (in code): Cn MA DZ PT ES FR IT Si MT GR RU EG SA As IQ Bgd IR AF Hr TJ UZ KK TR Cc PK IN
- 87879. *Bactra* (s.str.) *clarkei* Diakonoff,1964** (Tortricidae) Synonym(s): *clarkei* Diakonoff,1964
Range (in code): GY
- 87880. *Bactra* (s.str.) *confusa* Diakonoff,1963** (Tortricidae) Synonym(s): *confusa* Diakonoff,1963
Original Reference: Bactra (s.str.) confusa Diakonoff,1963, Tijdschr. Ent. 106 (7): 308, figs.16,19.
Holotype ♂: [South Africa: Limpopo]: Wylie's Poort, 6.xi.1020 (C.J.Swierstra) (TM). Range (in code): ZA Tva Lpo Spb Wp
- 87881. *Bactra* (s.str.) *dolia* Diakonoff,1963** (Tortricidae) Synonym(s): *dolia* Diakonoff,1963
Range (in code): ZA
- 87882. *Bactra* (s.str.) *fumosana* Kennel,1900** (Tortricidae) Synonym(s): *fumosana* Kennel,1900
Range (in code): IR Gh Tgo Fe UZ
- 87883. *Bactra* (s.str.) *furfurana* (Haworth,[1811])** (Tortricidae) Synonym(s): *furfurana* Haworth,[1811]; *gozmaniana* Toll,1958 Original Reference: Tortrix furfurana Haworth,[1811], Lepid. Br.: 466. Type(s): Anglia: Kent. Range (in code): DZ Bsk PT ES FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG KG Uk US
- 87884. *Bactra* (s.str.) *graminivora* Meyrick,1922** (Tortricidae) Synonym(s): *graminivora* Meyrick,1922; *cyperana* Amsel,1951; *mediterranean* Agenjo,1952 Original Reference: Bactra graminivora Meyrick,1922, Exot. Microlepid. 2: 521. Range (in code): Cn ES DZ MT MA EG SD GM CG SA IQ Cc AZ TM TJ IR AF PK ZA IN Bi Pus
- 87885. *Bactra* (s.str.) *honest* Meyrick,1909** (Tortricidae) Synonym(s): *honest* Meyrick,1909
Range (in code): TH Knc Tpp
- 87886. *Bactra* (s.str.) *lacteana* Caradja,1916** (Tortricidae) Synonym(s): *lacteana* Caradja,1916; *gozmanyana* Toll,1958 Original Reference: Bactra lanceolata var. lacteana Caradja,1916, Dt. ent. Z., Iris 30: 62. Lectotype ♂: Raddé [Russia, Siberia, Khabarovsk Krai] (MGAB). Range (in code): BE DE CH AT PL CZ SK HU DK NO SE FI EE LV LT Cc GG RU Sb
- 87887. *Bactra* (s.str.) *lancealana* (Hübner,[1799])** (Tortricidae) Synonym(s): *lancealana* Hübner,[1799]; *#lanceolata* Hübner,[1822]; *egestana* Haworth,1811; *plagana* Haworth,1811; *dibeliana* Hübner,[1819]; *rufana* Stephens,1834; *nigrovittana* Stephens,1852; *suspensa* Diakonoff,1962; *mongolica* Diakonoff,1972 Original Reference: Tortrix lancealana Hübner,[1799], Samml. eur. Schmett. Tortrices: Pl.13 fig.80. Type(s): Europa. Range (in code): DZ Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr DK NO SE FI EE LV LT RU MD UA BY TR IL Pa LB Cc AM Eri IQ Bsr Hjo IR Gh Tgo Mz Gl Kh TJ Pm MN CN Ui Kml US
- 87888. *Bactra* (s.str.) *longiqua* Diakonoff,1959** (Tortricidae) Synonym(s): *longiqua* Diakonoff,1959 Range (in code): IR Ss AF Bm Srb
- 87889. *Bactra* (s.str.) *longiqua iranica* Diakonoff,1959** (Tortricidae) Synonym(s): *iranica* Diakonoff,1959 Range (in code): IR Ss
- 87890. *Bactra* (s.str.) *longiqua longiqua* Diakonoff,1959** (Tortricidae) Synonym(s): *longiqua* Diakonoff,1959 Range (in code): AF Bm Srb
- 87891. *Bactra* (s.str.) *pythonia* Meyrick,1909** (Tortricidae) Synonym(s): *pythonia* Meyrick,1909; *hebetata* Meyrick,1911 Range (in code): ZA Tva Gau Pre Wo
- 87892. *Bactra* (s.str.) *robustana* (Christoph,1872)** (Tortricidae) Synonym(s): *robustana* Christoph,1872; *griseana* A.M.Djakonov,1929; *grisea* A.M.Djakonov,1929; *scirpicolana* Pierce,1935 Range (in code): MA ES FR Sa Si IT MT IE GB BE NL DE AT SK HU RO AL BG TR IR Gh Tgo DK NO SE FI EE LV RU MD UA BY Cc GG AF KG JP
- 87893. *Bactra* (s.str.) *scrupulosa* Meyrick,1909** (Tortricidae) Synonym(s): *scrupulosa* Meyrick,1909 Range (in code): ZA Tva Lpo Wo Pre Gau
- 87894. *Bactra* (s.str.) *seria* Meyrick,1917** (Tortricidae) Synonym(s): *seria* Meyrick,1917 Range (in code): PE
- 87895. *Bactra* (s.str.) *simpliciana* Chrétien,1915** (Tortricidae) Synonym(s): *simpliciana* Chrétien,1915; *lactosana* Turati,1922; *pauperrima* Turati,1934; *#telaviviana* Amsel,1933; *telaviviana* Amsel,1935 Original Reference: Bactra simpliciana Chrétien,1915, Annls Soc. ent. Fr. 84: 301-302. Syntypes: Tunisia, Gafsa. Range (in code): TN Gf LY Cy IL Jf Pa SA As OM Bionomy: Larva on Cyperus conglomeratus [Cyperaceae] (Chrétien,1915).
- 87896. *Bactra* (s.str.) *suedana* Bengtsson,1989** (Tortricidae) Synonym(s): *suedana* Bengtsson,1989 Range (in code): BE DK SE LV LT
- 87897. *Bactra* (s.str.) *tradens* Diakonoff,1963** (Tortricidae) Synonym(s): *tradens* Diakonoff,1963
Range (in code): ZA

- 87898. *Bactra tornastis* Meyrick, 1909** (Tortricidae) **Synonym(s):** *tornastis* Meyrick, 1909 **Range (in code):** **LK Nwp**
- 87899. *Bakia sordida* (Turner, 1945)** (Tortricidae) **Synonym(s):** *sordida* Turner, 1945; *reticulata* Turner, 1946 **Range (in code):** **AU QAU**
- 87900. *Balbidomaga dorophora* Diakonoff, 1983** (Tortricidae) **Synonym(s):** *dorophora* Diakonoff, 1983 **Range (in code):** **TH MY ID Sum BN Bor Sbh AU PG Ls**
- 87901. *Banhadoa luculenta* Razowski & Becker, 1983** (Tortricidae) **Synonym(s):** *luculenta* Razowski & Becker, 1983 **Range (in code):** **BR Pran**
- 87902. *Barbara herrichiana* Obraztsov, 1960** (Tortricidae) **Synonym(s):** *herrichiana* Obraztsov, 1960 **Range (in code):** **ES FR DE PL CZ SK RO TR RU MD UA BY**
- 87903. *Barbara osmana* Obraztsov, 1952** (Tortricidae) **Synonym(s):** *osmana* Obraztsov, 1952 **Range (in code):** **TR**
- 87904. *Bathypluta metoecca* Diakonoff, 1950** (Tortricidae) **Synonym(s):** *metoecca* Diakonoff, 1950 **Range (in code):** **ID Sda**
- 87905. *Bathypluta triphaenella* (Snellen, 1903)** (Tortricidae) **Synonym(s):** *triphaenella* Snellen, 1903; *melanoptera* Diakonoff, 1941; *nox* Diakonoff, 1941; *#triphanelia* Diakonoff, 1941 **Range (in code):** **ID Clb Ja**
- 87906. *Bathypluta triphaenella sparna* Diakonoff, 1950** (Tortricidae) **Synonym(s):** *sparna* Diakonoff, 1950; *sulawesiensis* Kawabe, 1993 **Range (in code):** **ID Clb Ja**
- 87907. *Bathypluta triphaenella triphaenella* (Snellen, 1903)** (Tortricidae) **Synonym(s):** *triphaenella* Snellen, 1903; *melanoptera* Diakonoff, 1941; *nox* Diakonoff, 1941; *#triphanelia* Diakonoff, 1941 **Range (in code):** **ID Ja**
- 87908. *Battalia acmemorpha* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *acmemorpha* Diakonoff, 1952 **Original Reference:** *Parachorista acmemorpha* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 132. Holotype ♀: New Guinea (Mist Camp) (RMNH). **Range (in code):** **PG**
- 87909. *Battalia anassa* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *anassa* Diakonoff, 1952 **Original Reference:** *Parachorista anassa* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 135. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH). **Range (in code):** **PG**
- 87910. *Battalia anisographa* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *anisographa* Diakonoff, 1952 **Original Reference:** *Parachorista anisographa* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 143. Holotype ♂: New Guinea (Top Camp) (RMNH). **Range (in code):** **PG**
- 87911. *Battalia anthracograptia* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *anthracograptia* Diakonoff, 1952 **Original Reference:** *Parachorista anthracograptia* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 131. Holotype ♂: New Guinea (Sigi Camp) (RMNH). **Range (in code):** **PG**
- 87912. *Battalia apheles* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *apheles* Diakonoff, 1952 **Original Reference:** *Parachorista apheles* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 124. Holotype ♀: New Guinea (Sigi Camp) (RMNH). **Range (in code):** **PG**
- 87913. *Battalia colobodesma* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *colobodesma* Diakonoff, 1952 **Original Reference:** *Parachorista colobodesma* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 130. Holotype ♀: New Guinea (Sigi Camp) (RMNH). **Range (in code):** **PG**
- 87914. *Battalia cricophora* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *cricophora* Diakonoff, 1952 **Original Reference:** *Parachorista cricophora* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 135. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH). **Range (in code):** **PG**
- 87915. *Battalia euphyes* (Diakonoff, 1952)** (Tortricidae) **Synonym(s):** *euphyes* Diakonoff, 1952 **Original Reference:** *Parachorista euphyes* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 141. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH). **Range (in code):** **PG**
- 87916. *Battalia fusca* (Diakonoff, 1953)** (Tortricidae) **Synonym(s):** *fusca* Diakonoff, 1953 **Original Reference:** *Parachorista fusca* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 474. Holotype ♂: New Guinea (Wissel Lakes, Arabu Camp) (RMNH). **Range (in code):** **PG**
- 87917. *Battalia insignis* (Diakonoff, 1953)** (Tortricidae) **Synonym(s):** *insignis* Diakonoff, 1953 **Original Reference:** *Parachorista insignis* Diakonoff, 1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 477. Holotype ♂: [Indonesia]: Irian Jaya: Arfak Mts. (RMNH). **Range (in code):** **ID Ij Afk**

- 87918. *Battalia lagaroptycha* (Diakonoff,1952)** (Tortricidae) Synonym(s): *lagaroptycha* Diakonoff,1952 Original Reference: Parachorista lagaroptycha Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 138. Holotype ♀: New Guinea (Moss Forest Camp) (RMNH). Range (in code): **PG**
- 87919. *Battalia lutescens* (Diakonoff,1952)** (Tortricidae) Synonym(s): *lutescens* Diakonoff,1952 Original Reference: Parachorista lutescens Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 144. Holotype ♀: New Guinea (Top Camp) (RMNH). Range (in code): **PG**
- 87920. *Battalia mimela* (Diakonoff,1952)** (Tortricidae) Synonym(s): *mimela* Diakonoff,1952 Original Reference: Parachorista mimela Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 126. Holotype ♀: New Guinea (Sigi Camp) (RMNH). Range (in code): **PG**
- 87921. *Battalia ochra* (Diakonoff,1952)** (Tortricidae) Synonym(s): *ochra* Diakonoff,1952 Original Reference: Parachorista ochra Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 128. Holotype ♂: New Guinea (Top Camp) (RMNH). Range (in code): **PG**
- 87922. *Battalia oligosta* (Diakonoff,1952)** (Tortricidae) Synonym(s): *oligosta* Diakonoff,1952 Original Reference: Parachorista oligosta Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 127. Holotype ♂: New Guinea (Mist Camp) (RMNH). Range (in code): **PG**
- 87923. *Battalia pityrochroa* (Diakonoff,1952)** (Tortricidae) Synonym(s): *pityrochroa* Diakonoff,1952 Original Reference: Parachorista pityrochroa Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 128. Holotype ♀: New Guinea (Sigi Camp) (RMNH). Range (in code): **PG**
- 87924. *Battalia psara* (Diakonoff,1952)** (Tortricidae) Synonym(s): *psara* Diakonoff,1952 Original Reference: Parachorista psara Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 137. Holotype ♀: New Guinea (Sigi Camp) (RMNH). Range (in code): **PG**
- 87925. *Battalia rhopalodes* (Diakonoff,1952)** (Tortricidae) Synonym(s): *rhopalodes* Diakonoff,1952 Original Reference: Parachorista rhopalodes Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 129. Holotype ♂: New Guinea (Mist Camp) (RMNH). Range (in code): **PG**
- 87926. *Battalia stenoptera* (Diakonoff,1952)** (Tortricidae) Synonym(s): *stenoptera* Diakonoff,1952 Original Reference: Parachorista stenoptera Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 140. Holotype ♀: New Guinea (Moss Forest Camp) (RMNH). Range (in code): **PG**
- 87927. *Battalia trulligera* (Diakonoff,1952)** (Tortricidae) Synonym(s): *trulligera* Diakonoff,1952 Original Reference: Parachorista trulligera Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 142. Holotype ♂: New Guinea (Moss Forest Camp) (RMNH). Range (in code): **PG**
- 87928. *Battalia verecunda* (Diakonoff,1952)** (Tortricidae) Synonym(s): *verecunda* Diakonoff,1952 Original Reference: Parachorista verecunda Diakonoff,1952, Verh. Konin. Neder. Akad. Weten. (2) 49 (1): 132. Holotype ♂: New Guinea (Sigi Camp) (RMNH). Range (in code): **PG**
- 87929. *Belemgena phlattotreta* Razowski & Becker,1994** (Tortricidae) Synonym(s): *phlattotreta* Razowski & Becker,1994 Range (in code): **BR Para**
- 87930. *Bicavernaria henicodes* Razowski,1988** (Tortricidae) Synonym(s): *henicodes* Razowski,1988 Range (in code): **PE**
- 87931. *Biclonuncaria alota* Razowski & Becker,1993** (Tortricidae) Synonym(s): *alota* Razowski & Becker,1993 Range (in code): **BR Pran**
- 87932. *Biclonuncaria cerucha* Razowski & Becker,1993** (Tortricidae) Synonym(s): *cerucha* Razowski & Becker,1993 Range (in code): **BR Pran**
- 87933. *Biclonuncaria coniata* Razowski & Becker,1993** (Tortricidae) Synonym(s): *coniata* Razowski & Becker,1993 Range (in code): **BR**
- 87934. *Biclonuncaria conica* Razowski & Becker,1993** (Tortricidae) Synonym(s): *conica* Razowski & Becker,1993 Range (in code): **MX Ver**
- 87935. *Biclonuncaria dalbergiae* Razowski & Becker,1993** (Tortricidae) Synonym(s): *dalbergiae* Razowski & Becker,1993 Range (in code): **BR Pran**
- 87936. *Biclonuncaria deuthera* Razowski & Becker,1993** (Tortricidae) Synonym(s): *deuthera* Razowski & Becker,1993 Range (in code): **BR MtG**
- 87937. *Biclonuncaria foeda* Razowski & Becker,1993** (Tortricidae) Synonym(s): *foeda* Razowski & Becker,1993 Range (in code): **BR MtG**
- 87938. *Biclonuncaria juanita* Razowski & Becker,1993** (Tortricidae) Synonym(s): *juanita* Razowski & Becker,1993 Range (in code): **MX Tam**

- 87939. Biclouncaria phaedroptera Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *phaedroptera* Razowski & Becker,1993 Range (in code): BR Sct
- 87940. Biclouncaria residua Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *residua* Razowski & Becker,1993 Range (in code): BR MtG
- 87941. Biclouncaria tetrica Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *tetrica* Razowski & Becker,1993 Range (in code): BR
- 87942. Bidorpidia boliviana J.Brown,1991** (Tortricidae) **Synonym(s):** *boliviana* J.Brown,1991 Range (in code): BO
- 87943. Bidorpidia cryptica J.Brown,1991** (Tortricidae) **Synonym(s):** *cryptica* J.Brown,1991 Range (in code): VE
- 87944. Bidorpidia dictyophanes (Meyrick,1926)** (Tortricidae) **Synonym(s):** *dictyophanes* Meyrick,1926 Range (in code): CO
- 87945. Bidorpidia exanthina (Meyrick,1931)** (Tortricidae) **Synonym(s):** *exanthina* Meyrick,1931 Range (in code): BR MiG
- 87946. Bidorpidia megasaccula J.Brown,1991** (Tortricidae) **Synonym(s):** *megasaccula* J.Brown,1991 Range (in code): GT
- 87947. Bidorpidia poolei J.Brown,1991** (Tortricidae) **Synonym(s):** *poolei* J.Brown,1991 Range (in code): VE
- 87948. Bipartivalva aquilana Kuznetsov,1988** (Tortricidae) **Synonym(s):** *aquilana* Kuznetsov,1988 Range (in code): TH Knc Tpp
- 87949. Bipartivalva eurypinax (Meyrick,1937)** (Tortricidae) **Synonym(s):** *eurypinax* Meyrick,1937 Range (in code): CN Yu
- 87950. Bonagota bogotana (Walker,1863)** (Tortricidae) **Synonym(s):** *bogotana* Walker,1863; *penthinella* Zeller,1877 Range (in code): CO
- 87951. Bonagota cranaodes (Meyrick,1937)** (Tortricidae) **Synonym(s):** *cranaodes* Meyrick,1937 Range (in code): AR
- 87952. Bonagota melanecta (Meyrick,1917)** (Tortricidae) **Synonym(s):** *melanecta* Meyrick,1917 Range (in code): EC
- 87953. Bonagota salubricola (Meyrick,1931)** (Tortricidae) **Synonym(s):** *salubricola* Meyrick,1931 Range (in code): AR
- 87954. Bonagota wilkinsonii (Butler,1883)** (Tortricidae) **Synonym(s):** *wilkinsonii* Butler,1883 Range (in code): CL
- 87955. Brachiocera gonioptera Diakonoff,1959** (Tortricidae) **Synonym(s):** *gonioptera* Diakonoff,1959 Range (in code): MM
- 87956. Brachiolia amblopiis (Meyrick,1911)** (Tortricidae) **Synonym(s):** *amblopiis* Meyrick,1911 Range (in code): SC
- 87957. Brachiolia egenella (Walker,1864)** (Tortricidae) **Synonym(s):** *egenella* Walker,1864; *obstinata* Meyrick,1908 Range (in code): LK
- 87958. Brachiolia obscurana Razowski,1966** (Tortricidae) **Synonym(s):** *obscurana* Razowski,1966 Range (in code): ZA Est Wnn Nta Kzu
- 87959. Brachiolia wojtusiaki Razowski,1986** (Tortricidae) **Synonym(s):** *wojtusiaki* Razowski,1986 Range (in code): NG
- 87960. Brachioxena lutrocopa (Meyrick,1914)** (Tortricidae) **Synonym(s):** *lutrocopa* Meyrick,1914 Range (in code): ZA Tva Mpu Brb
- 87961. Brachioxena niveipalpis (Meyrick,1938)** (Tortricidae) **Synonym(s):** *niveipalpis* Meyrick,1938 Range (in code): ZR
- 87962. Brachioxena pakistanella (Amsel,1968)** (Tortricidae) **Synonym(s):** *pakistanella* Amsel,1968 Range (in code): PK Krc Sd
- 87963. Brachioxena psammacta (Meyrick,1908)** (Tortricidae) **Synonym(s):** *psammacta* Meyrick,1908 Original Reference: *Cydia psammacta* Meyrick,1908, Proc. zool. Soc. London 1908: 721. Lectotype ♂: [South Africa]: Transvaal, Pretoria, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.191 figs.1-1a]. Range (in code): ZA Gau Tva Pre
- 87964. Brachioxena sparactis (Meyrick,1928)** (Tortricidae) **Synonym(s):** *sparactis* Meyrick,1928 Range (in code): UG
- 87965. Bubonoxena alatheta Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *alatheta* Razowski & Trematerra,2010 Range (in code): ET Ble

- 87966. Bubonoxena aspersana Kuznetsov,1988** (Tortricidae) Synonym(s): *aspersana* Kuznetsov,1988 Range (in code): VN Ton
- 87967. Bubonoxena endaphana Diakonoff,[1968]** (Tortricidae) Synonym(s): *endaphana* Diakonoff,[1968] Original Reference: Bubonoxena endaphana Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 67-68 figs. Holotype ♀: Philippine: Luzon: Rizal, Montalban. Range (in code): PH Luz
- 87968. Bubonoxena ephippias (Meyrick,1907)** (Tortricidae) Synonym(s): *ephippias* Meyrick,1907 Range (in code): IN LK VN Ton TH CMa Int Dst Knc Tpp ID Ja PH Bionomy: Larva on Commelina bengalensis (Commelinaceae) (Kawabe,1989).
- 87969. Bubonoxena spirographa Diakonoff,[1968]** (Tortricidae) Synonym(s): *spirographa* Diakonoff,[1968] Original Reference: Bubonoxena spirographa Diakonoff,[1968], Bull. U.S. natn. Mus. 257: 66-67, figs. Holotype ♂: Philippine: Luzon: Mt. Makiling. Range (in code): PH Luz TH Knc Tpp
- 87970. Bubonoxena transversa Diakonoff,1973** (Tortricidae) Synonym(s): *transversa* Diakonoff,1973 Range (in code): IN Meg Cpj Ass
- 87971. Cacocharis albimacula (Walsingham,1892)** (Tortricidae) Synonym(s): *albimacula* Walsingham,1892 Range (in code): VC
- 87972. Cacocharis cymotoma (Meyrick,1917)** (Tortricidae) Synonym(s): *cymotoma* Meyrick,1917 Range (in code): GY
- 87973. Cacoecimorpha pronubana (Hübner,[1799])** (Tortricidae) Synonym(s): *pronubana* Hübner,[1799]; *ambustana* Frölich,1830; *herminiana* Treitschke,1835; *insolatana* Lucas,1848; *perochreana* Herrich-Schäffer,1856; *obsoletana* Strand,1901 Range (in code): DZ Orn Anna TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL CH RO AL GR Rd CY TR SY Hal DK ?ZA UA Cm Bionomy: Larva on Aristolochia (Aristolochiaceae); Dianthus (Silenaceae); Euphorbia (Euphorbiaceae); Thymus (Lamiaceae); Saxifraga (Saxifragaceae); Hedera (Araliaceae); Ligustrum, Oliva europaea (Oleaceae); Pistacia (Anacardiaceae), Rubus, Rosa (Rosaceae); Viburnum (Caprifoliaceae), Robinia (Fabaceae) (Razowski,2001); Nerium oleander (Apocyanaceae) (Hornemann,2009).
- 87974. Caenognosis incisa Walsingham,1900** (Tortricidae) Synonym(s): *incisa* Walsingham,1900 Range (in code): AU PG PH Luz CX
- 87975. Callibryastis pachnota Meyrick,1912** (Tortricidae) Synonym(s): *pachnota* Meyrick,1912 Range (in code): IN Ass Meg Khs
- 87976. Camptrodoxa inclyta Meyrick,1925** (Tortricidae) Synonym(s): *inclyta* Meyrick,1925 Range (in code): ZA
- 87977. Capricornia boisduvaliana (Duponchel,1836)** (Tortricidae) Synonym(s): *boisduvaliana* Duponchel,1836 Range (in code): FR Si IT BE DE PL SK HU BG TR SE FI EE LV LT RU MD UA BY
- 87978. Capua aeluropa Meyrick,1926** (Tortricidae) Synonym(s): *aeluropa* Meyrick,1926 Range (in code): MY Bor Swk
- 87979. Capua arctophaea Meyrick,1924** (Tortricidae) Synonym(s): *arctophaea* Meyrick,1924 Range (in code): RW
- 87980. Capua aridela Turner,1918** (Tortricidae) Synonym(s): *aridela* Turner,1918 Range (in code): NF
- 87981. Capua changi Kawabe,1989** (Tortricidae) Synonym(s): *changi* Kawabe,1989 Range (in code): TW
- 87982. Capua chloraspis Meyrick,1924** (Tortricidae) Synonym(s): *chloraspis* Meyrick,1924 Range (in code): IN Ben TH CMa Int
- 87983. Capua cirrhanthes Meyrick,1921** (Tortricidae) Synonym(s): *cirrhanthes* Meyrick,1921 Range (in code): ID Clb
- 87984. Capua coenotoca Diakonoff,1983** (Tortricidae) Synonym(s): *coenotoca* Diakonoff,1983 Range (in code): ID Sum
- 87985. Capua cornigera Meyrick,1912** (Tortricidae) Synonym(s): *cornigera* Meyrick,1912 Range (in code): IN Mad
- 87986. Capua endocypha Meyrick,1931** (Tortricidae) Synonym(s): *endocypha* Meyrick,1931 Range (in code): FJ
- 87987. Capua fabrilis Meyrick,1912** (Tortricidae) Synonym(s): *fabrilis* Meyrick,1912 Original Reference: Capua fabrilis Meyrick,1912, Exot. microlepid. 1: 1-2. Type ♀: Philippines: Luzon, at 5000ft. Range (in code): PH Luz
- 87988. Capua liparcha Meyrick,1928** (Tortricidae) Synonym(s): *liparcha* Meyrick,1928 Range (in code): ZR

- 87989. *Capua lissochrysa* Diakonoff,1976** (Tortricidae) **Synonym(s):** *lissochrysa* Diakonoff,1976
Range (in code): **NP**
- 87990. *Capua morosa* Diakonoff,1975** (Tortricidae) **Synonym(s):** *morosa* Diakonoff,1975 **Range (in code):** **ID Ja Ged**
- 87991. *Capua oxycelis* Diakonoff,1983** (Tortricidae) **Synonym(s):** *oxycelis* Diakonoff,1983 **Range (in code):** **ID Sum**
- 87992. *Capua pantherina* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *pantherina* Meyrick,1908
Range (in code): **IN**
- 87993. *Capua reclina* Razowski,1978** (Tortricidae) **Synonym(s):** *reclina* Razowski,1978 **Range (in code):** **CN Shs**
- 87994. *Capua repentina* Razowski,1978** (Tortricidae) **Synonym(s):** *repentina* Razowski,1978
Range (in code): **CN Shs**
- 87995. *Capua retractana* (Walker,1863)** (Tortricidae) **Synonym(s):** *retractana* Walker,1863
Range (in code): **IN LK PH Luz Mno**
- 87996. *Capua retractana invalidana* (Walker,1863)** (Tortricidae) **Synonym(s):** *invalidana* Walker,1863 **Range (in code):** **PH Luz Mno**
- 87997. *Capua semiferana* (Walker,1863)** (Tortricidae) **Synonym(s):** *semiferana* Walker,1863; *admotella* Walker,1863; *detritana* Walker,1863; *abnegatana* Walker,1864; *polias* Meyrick,1913 **Range (in code):** **NZ**
- 87998. *Capua spilonoma* Meyrick,1932** (Tortricidae) **Synonym(s):** *spilonoma* Meyrick,1932
Original Reference: *Capua spilonoma* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest. **Range (in code):** **ET ET88 UG**
- 87999. *Capua spilonoma gitona* Bradley,1965** (Tortricidae) **Synonym(s):** *gitona* Bradley,1965
Range (in code): **UG Rz**
- 88000. *Capua spilonoma spilonoma* Meyrick,1932** (Tortricidae) **Synonym(s):** *spilonoma* Meyrick,1932 **Original Reference:** *Capua spilonoma* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest. **Range (in code):** **ET ET88**
- 88001. *Capua thelmae* Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *thelmae* Diakonoff,[1968]
Range (in code): **PH Mno**
- 88002. *Capua vulgana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *rusticana* Hübner,[1799] nec Hbn.,[1799]; *favillaceana* Hübner,[1817] nec Hbn.,[1799]; *vulgana* Frölich,1828; *ochraceana* Stephens,1834; *terreana* Treitschke,1835; *porcana* Zetterstedt,1839; *stramineana* Zetterstedt,1839 **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
Bionomy: Larva on *Vaccinium* (Vacciniaceae), *Quercus* (Fagaceae), *Ulmus* (Ulmaceae), *Betula*, *Alnus* (Betulaceae), *Sorbus*, *Rubus* (Rosaceae) (Razowski,2001).
- 88003. *Capua zapyrrha* Meyrick,1936** (Tortricidae) **Synonym(s):** *zapyrrha* Meyrick,1936 **Range (in code):** **WS**
- 88004. *Carolella aguila* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *aguila* Razowski & Becker,1986 **Range (in code):** **MX Vcr**
- 88005. *Carolella argentinae* Razowski,1967** (Tortricidae) **Synonym(s):** *argentinae* Razowski,1967
Range (in code): **AR**
- 88006. *Carolella asthenia* Clarke,1968** (Tortricidae) **Synonym(s):** *asthenia* Clarke,1968 **Range (in code):** **GT**
- 88007. *Carolella californica* Razowski,1986** (Tortricidae) **Synonym(s):** *californica* Razowski,1986
Range (in code): **US Cf MX BcN**
- 88008. *Carolella chemsakiana* Razowski,1986** (Tortricidae) **Synonym(s):** *chemsakiana* Razowski,1986 **Range (in code):** **MX Dgo**
- 88009. *Carolella desinens* Razowski,1986** (Tortricidae) **Synonym(s):** *desinens* Razowski,1986
Range (in code): **MX Vcr**
- 88010. *Carolella dyschiria* Razowski,1986** (Tortricidae) **Synonym(s):** *dyschiria* Razowski,1986
Range (in code): **MX Ox**
- 88011. *Carolella emergida* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *emergida* Razowski & Becker,1986 **Range (in code):** **HN**
- 88012. *Carolella hysterosiana* Razowski,1967** (Tortricidae) **Synonym(s):** *hysterosiana* Razowski,1967 **Range (in code):** **AR**
- 88013. *Carolella leonana* Razowski,1986** (Tortricidae) **Synonym(s):** *leonana* Razowski,1986
Range (in code): **MX Nle**

- 88014. *Carolella macneilli* Razowski,1986** (Tortricidae) **Synonym(s):** *macneilli* Razowski,1986
Range (in code): **MX Dgo**
- 88015. *Carolella medioxima* Razowski,1986** (Tortricidae) **Synonym(s):** *medioxima* Razowski,1986 **Range (in code):** **MX Nay**
- 88016. *Carolella mexicana* (Busck,1907)** (Tortricidae) **Synonym(s):** *mexicana* Busck,1907 **Range (in code):** **US NMx**
- 88017. *Carolella molybdina* Clarke,1968** (Tortricidae) **Synonym(s):** *molybdina* Clarke,1968
Range (in code): **MX Spo**
- 88018. *Carolella ochrolemma* Razowski,1986** (Tortricidae) **Synonym(s):** *ochrolemma* Razowski,1986 **Range (in code):** **MX Coa**
- 88019. *Carolella opalina* Razowski,1986** (Tortricidae) **Synonym(s):** *opalina* Razowski,1986
Range (in code): **MX Dgo**
- 88020. *Carolella uralia* Razowski,1986** (Tortricidae) **Synonym(s):** *uralia* Razowski,1986
Range (in code): **MX Dgo**
- 88021. *Carolella saltillana* Razowski,1986** (Tortricidae) **Synonym(s):** *saltillana* Razowski,1986
Range (in code): **MX Coa**
- 88022. *Cartagogenia februa* Razowski,[1992]** (Tortricidae) **Synonym(s):** *februa* Razowski,[1992]
Range (in code): **CR**
- 88023. *Cartagogenia ferruminata* Razowski,[1992]** (Tortricidae) **Synonym(s):** *ferruminata* Razowski,[1992] **Range (in code):** **CR**
- 88024. *Cartagogenia filtrata* Razowski,[1992]** (Tortricidae) **Synonym(s):** *filtrata* Razowski,[1992]
Range (in code): **CR**
- 88025. *Catamacta alopecana* Meyrick,1885** (Tortricidae) **Synonym(s):** *alopecana* Meyrick,1885
Range (in code): **NZ**
- 88026. *Catamacta gavisana* (Walker,1863)** (Tortricidae) **Synonym(s):** *gavisana* Walker,1863; *innotatana* Walker,1863; *marginana* Walker,1863; *aoristana* Meyrick,1881; *porphyreana* Meyrick,1881 **Range (in code):** **NZ**
- 88027. *Catamacta imbriculata* Meyrick,1938** (Tortricidae) **Synonym(s):** *imbriculata* Meyrick,1938 **Range (in code):** **ZR**
- 88028. *Catamacta lotinana* (Meyrick,1883)** (Tortricidae) **Synonym(s):** *lotinana* Meyrick,1883
Range (in code): **NZ**
- 88029. *Catamacta manticopa* Meyrick,1934** (Tortricidae) **Synonym(s):** *manticopa* Meyrick,1934; *melanophragma* Meyrick,1936 **Range (in code):** **ZR**
- 88030. *Catamacta rureana* (R.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *rureana* R.Felder & Rogenhofer,1875; *camelina* Meyrick,1891 **Range (in code):** **NZ**
- 88031. *Catamacta scrutatrix* Meyrick,1912** (Tortricidae) **Synonym(s):** *scrutatrix* Meyrick,1912
Original Reference: *Catamacta scrutatrix* Meyrick,1912, Exot. Microlepid. 1: 1. Type ♀: [South Africa]: Natal, Pinetown (BMNH) [cf. Clarke,1958, Catalogue... 3: pl.40 figs.1-1b]. **Range (in code):** **ZA Nta Kzu Ptw**
- 88032. *Catastega adobe* R.Brown,1992** (Tortricidae) **Synonym(s):** *adobe* R.Brown,1992 **Range (in code):** **US Arz**
- 88033. *Catastega nebula* R.Brown,1992** (Tortricidae) **Synonym(s):** *nebula* R.Brown,1992 **Range (in code):** **US Arz**
- 88034. *Catastega plicata* R.Brown,1992** (Tortricidae) **Synonym(s):** *plicata* R.Brown,1992 **Range (in code):** **US Arz**
- 88035. *Catastega spectra* R.Brown,1992** (Tortricidae) **Synonym(s):** *spectra* R.Brown,1992 **Range (in code):** **US Tx**
- 88036. *Catastega strigatella* R.Brown,1992** (Tortricidae) **Synonym(s):** *strigatella* R.Brown,1992
Range (in code): **US Tx**
- 88037. *Catastega triangulana* R.Brown,1992** (Tortricidae) **Synonym(s):** *triangulana* R.Brown,1992 **Range (in code):** **US Arz**
- 88038. *Celypha anatoliana* (Caradja,1916)** (Tortricidae) **Synonym(s):** *anatoliana* Caradja,1916
Original Reference: *Argyroplote striana* var. *anatoliana* Caradja,1916, Dt. ent. Z., Iris 30: 57. Lectotype ♂: [Turkey]: Konya: Akşehir (designated by Razowski,1971: 539). **Range (in code):** **RU Tv UA Cc TR KG MN**
- 88039. *Celypha aurofasciana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *aurofasciana* Haworth,[1811]; *venustana* Frölich,1828; *dormoyana* Duponchel,1835; *grapholitana* Guenée,1845; *implicana* Offmann,1850; *paleana* Caradja,1916 **Original Reference:** *Tortrix aurofasciana* Haworth,[1811], Lepid.

- Br.: 468. Type(s): England. Range (in code): **FR IT IE GB BE NL DE CH AT PL HU CZ RO BG TR DK SE EE LV RU MD UA BY Cc GG** Bionomy: Larva on Quercus (Fagaceae); Malus, Prunus (Rosaceae); Betula (Betulaceae) (Razowski,1983).
- 88040. Celypha capreolana (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *capreolana* Herrich-Schäffer,1851 Original Reference: Sericoris capreolana Herrich-Schäffer,[1851],Syst. Bearb. Schmett. Eur. 4: 209, Tab. 48, figs. 341,342. Syntypes: Germany: Regensburg; Austria: Vienna. Range (in code): **FR DE AT PL CZ SK HU RO BG EE LV RU Ur MD UA BY TR KG** Bionomy: Larva on Hieracium (Razowski,1983).
- 88041. Celypha cespitana (Hübner,[1817])** (Tortricidae) Synonym(s): ? *umbriana* Scopoli,1763; *cespitana* Hübner,[1817]; *gramineana* Curtis,1831; *poana* Zeller,1875 Original Reference: Tortrix cespitana Hübner,[1817], Samml. eur. Schmett., Tortrices: Tab. 39, figs. 244-245. Syntypes: Europa. Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR IR DK NO SE FI EE LV LT RU Ur Sb Tv Am Vv MD UA BY KK Cc GG CN Mc Jn KP KR JP Hkk US** Bionomy: Larva on Calluna (Ericaceae); Thymus (Lamiaceae); Trifolium (Fabaceae), Fragaria, Sarothamnus, Rosa (Rosaceae), Limonium, Armeria (Razowski,1983; 2003).
- 88042. Celypha confictana (Kennel,1901)** (Tortricidae) Synonym(s): *confictana* Kennel,1901 Original Reference: Pelatea confictana Kennel,1901, Dt. ent. Z., Iris 13: 262. Type ♂: [Kirgizistan]: Alexander Gebirge (MNHU). Range (in code): **KK Ax**
- 88043. Celypha constructa (Meyrick,1922)** (Tortricidae) Synonym(s): *constructa* Meyrick,1922 Original Reference: Argyroploce constructa Meyrick,1922, Exot. microlepid. 2: 526. Lectotype ♂: [Pakistan]: Murree (BMNH) [cf. Clarke,1958: 304, pl.151 figs.]. Range (in code): **IN Chr Sri Snnm Ld Pj PK Haz Mre**
- 88044. Celypha cornigerus (Oku,1968)** (Tortricidae) Synonym(s): *cornigerus* Oku,1968 Range (in code): **JP**
- 88045. Celypha ermolenkoi Kostyuk,1980** (Tortricidae) Synonym(s): *ermolenkoi* Kostyuk,1980 Range (in code): **Cm KK**
- 88046. Celypha erythrana (Tengström,1848)** (Tortricidae) Synonym(s): *erythrana* Tengström,1848 Range (in code): **FI**
- 88047. Celypha flavipalpana (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *flavipalpana* Herrich-Schäffer,[1851]; *lobocasis* Meyrick,1936 Original Reference: Sericoris flavipalpana Herrich-Schäffer,[1851],Syst. Bearb. Schmett. Eur. 4: 213, Tab. 30, figs. 216,217. Syntypes: Schweiz. Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU TR Cc AM DK LT RU MD UA BY JP**
- 88048. Celypha hydrangeana (Kuznetsov,1969)** (Tortricidae) Synonym(s): *hydrangeana* Kuznetsov,1969 Range (in code): **RU Krl**
- 88049. Celypha kurilensis (Oku,1965)** (Tortricidae) Synonym(s): *kurilensis* Oku,1965 Range (in code): **RU Krl**
- 88050. Celypha perexiguana (Kuznetsov,1988)** (Tortricidae) Synonym(s): *perexiguana* Kuznetsov,1988 Range (in code): **VN Ton**
- 88051. Celypha perfracta Diakonoff,1983** (Tortricidae) Synonym(s): *perfracta* Diakonoff,1983 Range (in code): **MG**
- 88052. Celypha pseudalarixicola Liu & Fang,1992** (Tortricidae) Synonym(s): *pseudalarixicola* Liu & Fang,1992 Range (in code): **CN Hun**
- 88053. Celypha rivulana (Scopoli,1763)** (Tortricidae) Synonym(s): *rivulana* Scopoli,1763; *rivellana* Fabricius,1775; *fasciella* Goeze,1783; *undulatella* Fourcroy,1785; *conchana* Hübner,[1799] Original Reference: Phalaena rivulana Scopoli,1763, Ent. Carn.: 237, nr.600. Type (s): [Slovenia]: "Carniolia". Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Sb Am Ur Us MN CN KP KR** Bionomy: Larva on Genista, Lotus, Medicago (Fabaceae), Orchis, Plantago, Scabiosa (Dipsacaceae), Fragaria, Ribes, Rubus, Vaccinium myrtillus, V. uliginosum, Geum, Betula (Betulaceae) (Razowski,1983, 2003).
- 88054. Celypha rosaceana (Schläger,1848)** (Tortricidae) Synonym(s): *purpurana* Haworth,1811 *nec* Thunb.,1784; *rosaceana* Schläger,1848. Range (in code): **FR IT IE GB BE DE CH AT CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 88055. Celypha rufana (Scopoli,1763)** (Tortricidae) Synonym(s): *rufana* Scopoli,1763; *rosetana* Hübner,[1799]; *arenana* Laharpe,1858 Original Reference: Phalaena rufana Scopoli,1763, Ent. Carn.: 235, nr.591. Type(s): [Slovenia]: "Carniolia". Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU Sb Tv MD UA BY KP KR** Bionomy: Larva on

Achillea, Chrysanthemum leucanthemum, Artemisia vulgaris, Sonchus arvensis (Asteraceae) (Razowski,1983).

88056. Celypha rurestrana (Duponchel,1843) (Tortricidae) Synonym(s): *rurestrana* Duponchel,1843; *lucivagana* Lienig & Zeller,1846; *#ruepestrana* Staudinger,1879; *kemnerana* Benander,1943. Original Reference: Sericoris rurestrana Duponchel,1843, Hist. nat. Lépid. Papillons Fr., Suppl. 4: 426, Pl. 84 fig.6. Type: France. Range (in code): **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV RU MD UA BY** Bionomy: Larva on Hieracium umbellatum, Sonchus (Asteraceae); Vaccinium (Ericaceae) (Razowski,1983).

88057. Celypha striana ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *striana* [Denis & Schiffermüller],1775; *rusticana* Hübner,[1799]; *biliturana* Donovan,1806; *fasciolana* Hübner,[1817]. Original Reference: Tortrix striana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): [Austria]: Vienna district. Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Plantago lanceolata (Plantaginaceae); Taraxacum officinale (Asteraceae) (Razowski,1983).

88058. Celypha subelectana (Kawabe,1976) (Tortricidae) Synonym(s): *subelectana* Kawabe,1976 Range (in code): **JP**

88059. Celypha tiedemanniana (Zeller,1845) (Tortricidae) Synonym(s): *tiedemanniana* Zeller,1845 Original Reference: Sericoris tiedemanniana Zeller,1845, Arch. vaterl. Int. 2: 530. Range (in code): **NL DE AT PL DK NO SE FI EE LV LT RU Sb Tv MD UA BY KG MN CN Mc** Bionomy: Larva on Equisetum (Razowski,1983).

88060. Celypha valesiana Guenée,1845 (Tortricidae) Synonym(s): *valesiana* Guenée,1845 Range (in code): **FR CH**

88061. Celypha woodiana (Barrett,1882) (Tortricidae) Synonym(s): *woodiana* Barrett,1882 Original Reference: Brachytaenia woodiana Barrett,1882, Entomologist's mon. Mag. 18: 185. Type: England: Herefordshire. Range (in code): **FR IT GB BE LU DE CH AT PL CZ SK GR TR RU MD UA BY GG Cc** Bionomy: Larva on Viscum album (Loranthaceae) (Razowski,1983).

88062. Centroxena ulophora Diakonoff,1971 (Tortricidae) Synonym(s): *ulophora* Diakonoff,1971 Original Reference: Centroxena ulophora Diakonoff,1971, Veröff. zool. Staatsamml. München 15: 184, figs. Type ♂: South Thailand, 20km S Krabi (ZSM). Range (in code): **TH Kbi LK**

88063. Cephalophyes cyanura (Meyrick,1909) (Tortricidae) Synonym(s): *cyanura* Meyrick,1909 Range (in code): **MY**

88064. Cephalophyes latens (Diakonoff,1973) (Tortricidae) Synonym(s): *latens* Diakonoff,1973 Range (in code): **IN Ass**

88065. Cephalophyes porphyrea Diakonoff,1973 (Tortricidae) Synonym(s): *porphyrea* Diakonoff,1973 Range (in code): **ID Ja Ged**

88066. Cephalophyes porphyrea temperans Diakonoff,1973 (Tortricidae) Synonym(s): *temperans* Diakonoff,1973 Range (in code): **ID Ja**

88067. Cerace anthera Diakonoff,1950 (Tortricidae) Synonym(s): *anthera* Diakonoff,1950 Range (in code): **CN**

88068. Cerace charidotis Razowski,1992 (Tortricidae) Synonym(s): *charidotis* Razowski,1992 Range (in code): **VN Ton Tda**

88069. Cerace cyanopyga Diakonoff,1950 (Tortricidae) Synonym(s): *cyanopyga* Diakonoff,1950 Range (in code): **MM May TH**

88070. Cerace diehli Buschbaum & Miller,2002 (Tortricidae) Synonym(s): *diehli* Buschbaum & Miller,2002 Range (in code): **ID Sum**

88071. Cerace euchrysa Diakonoff,1974 (Tortricidae) Synonym(s): *euchrysa* Diakonoff,1974 Original Reference: Cerace euchrysa Diakonoff,1974, Annls Soc. ent. Fr. (N.S.) 10(1): 220. Holotype ♂: Thailand: Chiang Mai (RMNH). Range (in code): **TH CMa**

88072. Cerace ios Diakonoff,1941 (Tortricidae) Synonym(s): *ios* Diakonoff,1941 Range (in code): **MY Bor Sbh KBa**

88073. Cerace lemeepauli Lemée,1950 (Tortricidae) Synonym(s): *lemeepauli* Lemée,1950 Range (in code): **VN Ton**

88074. Cerace loxodes Meyrick,1912 (Tortricidae) Synonym(s): *loxodes* Meyrick,1912 Range (in code): **MM Tns**

88075. Cerace malayana Diakonoff,1970 (Tortricidae) Synonym(s): *malayana* Diakonoff,1970 Range (in code): **MY**

- 88076. Cerace myriopa Meyrick,1922** (Tortricidae) Synonym(s): *myriopa* Meyrick,1922 Range (in code): CN Sz
- 88077. Cerace onustana Walker,1863** (Tortricidae) Synonym(s): *onustana* Walker,1863; *guttana* R.Felder & Rogenhofer,1875; *obscura* Diakonoff,1950 Range (in code): AF SI Djl IN Ben Ass Meg Khs Hp Kul NP
- 88078. Cerace sardias Meyrick,1907** (Tortricidae) Synonym(s): *sardias* Meyrick,1907 Range (in code): IN Ass Meg Khs Nag TH
- 88079. Cerace semnologa Diakonoff,1976** (Tortricidae) Synonym(s): *semnologa* Diakonoff,1976 Range (in code): NP
- 88080. Cerace stipana Walker,1863** (Tortricidae) Synonym(s): *stipana* Walker,1863; *clara* Diakonoff,1950 Range (in code): BD Syl MM TH CN SI IN Ass Meg Khs NP TW
- 88081. Cerace stipana birmensis Diakonoff,1950** (Tortricidae) Synonym(s): *birmensis* Diakonoff,1950 Range (in code): MM TH
- 88082. Cerace tetraonis Butler,1886** (Tortricidae) Synonym(s): *tetraonis* Butler,1886; *perdicina* Moore,1888 Original Reference: Cerace tetraonis Butler,1886, Proc. zool. Soc. Lond. 1886: 394. Type: [Pakistan]: Murree 28th August 1885. Range (in code): IN Ass Meg Khs Cpj SI Djl PK Haz Mre
- 88083. Cerace tetraonis archimedis Diakonoff,1950** (Tortricidae) Synonym(s): *archimedis* Diakonoff,1950 Range (in code): IN Ass Meg Khs Cpj
- 88084. Cerace vietnamna Kawabe,1993** (Tortricidae) Synonym(s): *vietnamna* Kawabe,1993 Range (in code): VN Ton Tda
- 88085. Cerace xanthocosma Diakonoff,1950** (Tortricidae) Synonym(s): *xanthocosma* Diakonoff,1950 Range (in code): JP
- 88086. Cerace xanthothrix Diakonoff,1950** (Tortricidae) Synonym(s): *xanthothrix* Diakonoff,1950 Range (in code): IN Meg Ass Khs
- 88087. Ceramea singularis Diakonoff,1951** (Tortricidae) Synonym(s): *singularis* Diakonoff,1951 Range (in code): MM
- 88088. Ceratoxanthia adriatica Elsner & Jaros,2003** (Tortricidae) Synonym(s): *adriatica* Elsner & Jaros,2003 Range (in code): YU
- 88089. Ceratoxanthia argentomixtana (Staudinger,1870)** (Tortricidae) Synonym(s): *argentomixtana* Staudinger,1870 Range (in code): RU Sr TR KG Uk Ind
- 88090. Ceratoxanthia externana (Eversmann,1844)** (Tortricidae) Synonym(s): *externana* Eversmann,1844 Range (in code): RU Ur Cc AZ Kir KG Ka
- 88091. Ceratoxanthia giansalottii Bassi,2014** (Tortricidae) Synonym(s): *giansalottii* Bassi,2014 Range (in code): GR Pl
- 88092. Ceratoxanthia iberica Baixeras,1992** (Tortricidae) Synonym(s): *iberica* Baixeras,1992 Range (in code): ES IR Ab Bzg
- 88093. Ceratoxanthia rakosyella Wieser & Huemer,2000** (Tortricidae) Synonym(s): *rakosyella* Wieser & Huemer,2000 Range (in code): RO
- 88094. Charitographa mikadonia (Stringer,1930)** (Tortricidae) Synonym(s): *mikadonia* Stringer,1930; *#micadonis* Issiki,1957 Range (in code): JP Hkk
- 88095. Charitostega poliocycla Diakonoff,1988** (Tortricidae) Synonym(s): *poliocycla* Diakonoff,1988 Range (in code): MG
- 88096. Chersomorpha biocellana (Walker,1863)** (Tortricidae) Synonym(s): *biocellana* Walker,1863 Range (in code): MY Bor Swk
- 88097. Chersomorpha hyphantria Diakonoff,1984** (Tortricidae) Synonym(s): *hyphantria* Diakonoff,1984 Range (in code): ID Sba
- 88098. Chersomorpha taospila Meyrick,1926** (Tortricidae) Synonym(s): *taospila* Meyrick,1926 Range (in code): PG Nir
- 88099. Chicotortrix zeteles Razowski,1987** (Tortricidae) Synonym(s): *zeteles* Razowski,1987 Range (in code): CO
- 88100. Chileulia stalactilis (Meyrick,1931)** (Tortricidae) Synonym(s): *stalactilis* Meyrick,1931 Range (in code): AR
- 88101. Chilips atalodes (Meyrick,1917)** (Tortricidae) Synonym(s): *atalodes* Meyrick,1917 Range (in code): CO
- 88102. Chilips claduncus Razowski,1988** (Tortricidae) Synonym(s): *claduncus* Razowski,1988 Range (in code): CL

- 88103. Chiraps alloica (Diakonoff,1948)** (Tortricidae) Synonym(s): *alloica* Diakonoff,1948
Range (in code): BT MY TH ID Ja
- 88104. Chiraps excurvata (Meyrick,1930)** (Tortricidae) Synonym(s): *excurvata* Meyrick,1930;
chlorotypa Meyrick,1934 Range (in code): VN Ton CN Kwa
- 88105. Chiraps paterata (Meyrick,1914)** (Tortricidae) Synonym(s): *paterata* Meyrick,1914 Range (in code): TW
- 88106. Chiraps phaedra (Diakonoff,1983)** (Tortricidae) Synonym(s): *phaedra* Diakonoff,1983
Range (in code): ID Sum
- 88107. Chlorortha chloromonas Razowski,1984** (Tortricidae) Synonym(s): *chloromonas* Razowski,1984 Range (in code): VE
- 88108. Choanograptis ambigua Diakonoff,1952** (Tortricidae) Synonym(s): *ambigua* Diakonoff,1952 Range (in code): ID Ij Cyc
- 88109. Choanograptis ammina (Diakonoff,[1984])** (Tortricidae) Synonym(s): *ammina* Diakonoff,[1984] Range (in code): SA As
- 88110. Choanograptis argyrocyta Diakonoff,1983** (Tortricidae) Synonym(s): *argyrocyta* Diakonoff,1983 Range (in code): PG
- 88111. Choanograptis concinna Diakonoff,1952** (Tortricidae) Synonym(s): *concinna* Diakonoff,1952 Range (in code): PG
- 88112. Choanograptis concurrens Diakonoff,1952** (Tortricidae) Synonym(s): *concurrrens* Diakonoff,1952 Range (in code): PG
- 88113. Choanograptis diagrapha Diakonoff,1953** (Tortricidae) Synonym(s): *diagrapha* Diakonoff,1953 Range (in code): PG
- 88114. Choanograptis didyma Meyrick,1938** (Tortricidae) Synonym(s): *didyma* Meyrick,1938
Range (in code): PG
- 88115. Choanograptis dihamma (Diakonoff,1941)** (Tortricidae) Synonym(s): *dihamma* Diakonoff,1941 Range (in code): ID Bor Klt
- 88116. Choanograptis fasciata Diakonoff,1952** (Tortricidae) Synonym(s): *fasciata* Diakonoff,1952 Range (in code): PG
- 88117. Choanograptis hamuligera Diakonoff,1953** (Tortricidae) Synonym(s): *hamuligera* Diakonoff,1953 Range (in code): PG
- 88118. Choanograptis paragrapha Diakonoff,1953** (Tortricidae) Synonym(s): *paragrapha* Diakonoff,1953 Range (in code): PG
- 88119. Choanograptis parorthota (Meyrick,1928)** (Tortricidae) Synonym(s): *parorthota* Meyrick,1928 Range (in code): PG NHa
- 88120. Choanograptis rhabdomaga (Meyrick,1938)** (Tortricidae) Synonym(s): *rhabdomaga* Meyrick,1938 Range (in code): PG
- 88121. Choanograptis tetraulax Diakonoff,1953** (Tortricidae) Synonym(s): *tetraulax* Diakonoff,1953 Range (in code): PG
- 88122. Choristoneura albaniana (Walker,1863)** (Tortricidae) Synonym(s): *albaniana* Walker,1863; *lapponana* Tengström,1869; *arctiana* Möschler,1874; *kukankana* Kearfott,1907 Range (in code): NO SE FI RU CA Als US
- 88123. Choristoneura ammina (Diakonoff,[1984])** (Tortricidae) Synonym(s): *ammina* Diakonoff,[1984] Range (in code): SA As SA50 Hj
- 88124. Choristoneura colyma Razowski,2006** (Tortricidae) Synonym(s): *colyma* Razowski,2006
Range (in code): IN Ch Snm
- 88125. Choristoneura diversana (Hübner,[1817])** (Tortricidae) Synonym(s): *diversana* Hübner,[1817]; *viduana* Frölich,1828; *transitana* Guenée,1845; *alfredana* Duponchel,1846 Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG
Bionomy: Larva on Betula, Alnus (Betulaceae), Populus (Salicaceae), Pyrus, Prunus, Alchemilla (Rosaceae), Trifolium (Fabaceae) (Razowski,2001).
- 88126. Choristoneura griseicoma (Meyrick,1924)** (Tortricidae) Synonym(s): *griseicoma* Meyrick,1924 Range (in code): IN Ch Sri
- 88127. Choristoneura hebenstreitella (Müller,1764)** (Tortricidae) Synonym(s): *hebenstreitella* Müller,1764; *pyrana* Villers,1789; *sorbiana* Hübner,[1799] Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG IR Th KG
Bionomy: Larva on Quercus (Fagaceae), Betula (Betulaceae), Corylus (Corylaceae), Sorbus (Rosaceae), Myrica (Myricaceae), Vaccinium (Vacciniaceae) (Razowski,2001).

- 88128. *Choristoneura heliaspis* (Meyrick,1909)** (Tortricidae) Synonym(s): *heliaspis* Meyrick,1909; *#heliastis* Pinhey,1975 Range (in code): **ZA Nta Kzu MZ ET Ble**
- 88129. *Choristoneura irina* Dubatolov & Syachina,2007** (Tortricidae) Synonym(s): *irina* Dubatolov & Syachina,2007 Range (in code): **RU Us**
- 88130. *Choristoneura jecorana* (Kennel,1899)** (Tortricidae) Synonym(s): *jecorana* Kennel,1899 Range (in code): **IR Elb Srd**
- 88131. *Choristoneura lafauryana* (Ragonot,1875)** (Tortricidae) Synonym(s): *lafauryana* Ragonot,1875; *inornatana* Walsingham,1900 Range (in code): **ES FR IT GB BE NL DE CH RO TR Cc GG IR Gh Kdj Th Elb Mz Amo RU Us CN JP Sb** Bionomy: Larva on *Fragaria*, *Malus*, *Pyrus* (Rosaceae), *Saxifragaceae*, *Myrica gale* (Myricaceae), *Citrus* (Rutaceae), *Abutilon* (Malvaceae), *Glycine* (Fabaceae) (Razowski,2001).
- 88132. *Choristoneura leptographa* (Meyrick,1924)** (Tortricidae) Synonym(s): *leptographa* Meyrick,1924 Range (in code): **IN Ch Snm Gl**
- 88133. *Choristoneura luticostana* (Christoph,1888)** (Tortricidae) Synonym(s): *luticostana* Christoph,1888; *gigantana* Kennel,1899. Range (in code): **RU Am Vv Prj Us CN Shs**
- 88134. *Choristoneura murinana* (Hübner,[1799])** (Tortricidae) Synonym(s): *murinana* Hübner,[1799]; *caprimulgana* Koch,1859; *besseri* Nowicki,1860; *histrionana* Ratzeburg,1868 *nec* Fröl.,1828; *immaculana* Wachtl,1882 Range (in code): **FR Co IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR LV LT RU MD UA BY Cc GG TR** Bionomy: Larva on *Abies alba*, *Abies cilicica* (Pinaceae) (Razowski,2001; Sarikaya & Avci,2002).
- 88135. *Choristoneura neurophaea* (Meyrick,1932)** (Tortricidae) Synonym(s): *neurophaea* Meyrick,1932 Range (in code): **IN Ch**
- 88136. *Choristoneura palladinoi* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *palladinoi* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 88137. *Choristoneura propensa* Razowski,1992** (Tortricidae) Synonym(s): *propensa* Razowski,1992 Range (in code): **AF Nu IN Ch Sri**
- 88138. *Choristoneura rosaceana* (Harris,1841)** (Tortricidae) Synonym(s): *rosaceana* Harris,1841; *vicariana* Walker,1863; *gossypiana* Packard,1869 Range (in code): **US Fl Mai**
- 88139. *Chrysoxena auriferana* (Busck,1911)** (Tortricidae) Synonym(s): *auriferana* Busck,1911 Range (in code): **BR Pran**
- 88140. *Cimeliomorpha cymbalora* (Meyrick,1907)** (Tortricidae) Synonym(s): *cymbalora* Meyrick,1907 Range (in code): **IN Ass Meg Khs MM TH Knc Tpp MY Bor Swk ID Ja**
- 88141. *Cimeliomorpha egregiana* (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *egregiana* R.Felder & Rogenhofer,1875 Range (in code): **ID Amb**
- 88142. *Cimeliomorpha nabokovi* Kuznetsov,1997** (Tortricidae) Synonym(s): *nabokovi* Kuznetsov,1997 Range (in code): **VN Ann**
- 88143. *Cirrilaspeyresia imbecillana* (Kennel,1901)** (Tortricidae) Synonym(s): *imbecillana* Kennel,1901 Original Reference: *Euxanthis imbecillana* Kennel,1901, Dt. ent. Z., Iris 13: 241. Type ♀: [Algeria]: Constantine. Range (in code): **DZ Bsk Cst** Bionomy: Larva on *Traganum nudatum* (Chrétien,1917).
- 88144. *Cirrilaspeyresia taeniosana* (Chrétien,1915)** (Tortricidae) Synonym(s): *taeniosana* Chrétien,1915 Original Reference: *Euxanthis taeniosana* Chrétien,1915, Annls Soc. ent. Fr. 84: 301. Syntypes: Algeria, Biskra. Range (in code): **DZ Bsk**
- 88145. *Cirriphora pharaonana* (Kollar,1858)** (Tortricidae) Synonym(s): *pharaonana* Kollar,1858 Original Reference: *Grapholitha pharaonana* Kollar,1858, Wien. ent. Monatschr. 2: 154. Syntypes: Aegypten. Range (in code): **EG TR SA As YE**
- 88146. *Cirrothaumatia tornosema* (Clarke,1968)** (Tortricidae) Synonym(s): *tornosema* Clarke,1968 Range (in code): **GT**
- 88147. *Cirrothaumatia vesta* (Clarke,1968)** (Tortricidae) Synonym(s): *vesta* Clarke,1968 Range (in code): **VE**
- 88148. *Clarkenienia lacertana* (Zeller,1866)** (Tortricidae) Synonym(s): *lacertana* Zeller,1866 Range (in code): **CO**
- 88149. *Clarkenienia miramundi* Razowski,1988** (Tortricidae) Synonym(s): *miramundi* Razowski,1988 Range (in code): **SV**
- 88150. *Clarkenienia nivescens* (Meyrick,1926)** (Tortricidae) Synonym(s): *nivescens* Meyrick,1926 Range (in code): **CO**

- 88151. *Clarckenia superba* Razowski,1988** (Tortricidae) **Synonym(s):** *superba* Razowski,1988
Range (in code): **CO**
- 88152. *Clarckenia trilobopa* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *trilobopa* Meyrick,1926
Range (in code): **BR RgS**
- 88153. *Clarkeulia aerumnosa* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *aerumnosa* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88154. *Clarkeulia ardalis* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *ardalis* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88155. *Clarkeulia aulon* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *aulon* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88156. *Clarkeulia bourquini* (Clarke,1949)** (Tortricidae) **Synonym(s):** *bourquini* Clarke,1949
Range (in code): **BR Pran**
- 88157. *Clarkeulia conistra* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *conistra* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88158. *Clarkeulia craterosema* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *craterosema* Meyrick,1912 **Range (in code):** **BR Spa**
- 88159. *Clarkeulia depectiva* (Clarke,1949)** (Tortricidae) **Synonym(s):** *depectiva* Clarke,1949
Range (in code): **BR Sct**
- 88160. *Clarkeulia dimorpha* (Clarke,1949)** (Tortricidae) **Synonym(s):** *dimorpha* Clarke,1949
Range (in code): **BR Sct**
- 88161. *Clarkeulia dubia* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *dubia* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88162. *Clarkeulia egena* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *egenae* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88163. *Clarkeulia episticta* (Clarke,1949)** (Tortricidae) **Synonym(s):** *episticta* Clarke,1949
Range (in code): **BR Sct**
- 88164. *Clarkeulia excerptana* (Walker,1863)** (Tortricidae) **Synonym(s):** *excerptana* Walker,1863
Range (in code): **BR**
- 88165. *Clarkeulia expedita* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *expedita* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88166. *Clarkeulia extinctrix* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *extinctrix* Meyrick,1931
Range (in code): **BR Spa**
- 88167. *Clarkeulia fortuita* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *fortuita* Razowski & Becker,1984 **Range (in code):** **BR MiG**
- 88168. *Clarkeulia lacrimosa* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *lacrimosa* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88169. *Clarkeulia licea* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *licea* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88170. *Clarkeulia mediana* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *mediana* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88171. *Clarkeulia mulsa* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *mulsa* Razowski & Becker,1984 **Range (in code):** **BR MiG**
- 88172. *Clarkeulia neoclypea* Razowski,1988** (Tortricidae) **Synonym(s):** *neoclypea* Razowski,1988
Range (in code): **CO**
- 88173. *Clarkeulia oreographa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *oreographa* Meyrick,1909 **Range (in code):** **BO**
- 88174. *Clarkeulia perversa* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *perversa* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88175. *Clarkeulia placabilis* Razowski & Becker,1984** (Tortricidae) **Synonym(s):** *placabilis* Razowski & Becker,1984 **Range (in code):** **BR Pran**
- 88176. *Clarkeulia radicana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *radicana* Zeller,1877 **Range (in code):** **CO**
- 88177. *Clarkeulia sellata* (Razowski,1982)** (Tortricidae) **Synonym(s):** *sellata* Razowski,1982
Range (in code): **BR Sct**
- 88178. *Clarkeulia semanota* (Razowski,1982)** (Tortricidae) **Synonym(s):** *semanota* Razowski,1982 **Range (in code):** **BR Sct**

- 88179. *Clarkeulia sematica* (Razowski,1982)** (Tortricidae) Synonym(s): *sematica* Razowski,1982; #*semantica* Razowski,1982 Range (in code): BR Sct
- 88180. *Clarkeulia semigrapha* (Razowski,1982)** (Tortricidae) Synonym(s): *semigrapha* Razowski,1982 Range (in code): BR Pran
- 88181. *Clarkeulia separabilis* (Razowski,1982)** (Tortricidae) Synonym(s): *separabilis* Razowski,1982 Range (in code): BR Sct
- 88182. *Clarkeulia sepiaria* (Razowski,1982)** (Tortricidae) Synonym(s): *spectanda* Razowski,1982 nec Raz.,1982; *sepiaria* Razowski,1982 Range (in code): BR Sct
- 88183. *Clarkeulia seposita* (Razowski,1982)** (Tortricidae) Synonym(s): *seposita* Razowski,1982 Range (in code): BR Sct
- 88184. *Clarkeulia simera* (Razowski,1982)** (Tortricidae) Synonym(s): *simera* Razowski,1982 Range (in code): BR Sct
- 88185. *Clarkeulia sonae* (Clarke,1949)** (Tortricidae) Synonym(s): *sonae* Clarke,1949 Range (in code): BR Sct
- 88186. *Clarkeulia spadix* (Razowski,1982)** (Tortricidae) Synonym(s): *spadix* Razowski,1982 Range (in code): BR Sct
- 88187. *Clarkeulia spectanda* (Razowski,1982)** (Tortricidae) Synonym(s): *spectanda* Razowski,1982 Range (in code): BR Pran
- 88188. *Clarkeulia umbrifera* (Razowski & Becker,1984)** (Tortricidae) Synonym(s): *umbrifera* Razowski & Becker,1984 Range (in code): BR Pran
- 88189. *Clarkeulia virga* (Clarke,1949)** (Tortricidae) Synonym(s): *virga* Clarke,1949 Range (in code): BR Sct
- 88190. *Clavigesta gerti* K.Larsen,2010** (Tortricidae) Synonym(s): *gerti* K.Larsen,2010 Range (in code): ES FR Co
- 88191. *Clavigesta purdeyi* (Durrant,1911)** (Tortricidae) Synonym(s): *purdeyi* Durrant,1911 Range (in code): FR Co ES AD IT GB NL DE DK Bionomy: Larva on *Pinus sylvestris*, *P. contorta* var. *latifolia*, var. *maritima* (Pinaceae) (Huemer & Luquet,1991).
- 88192. *Clavigesta sylvestrana* (Curtis,1850)** (Tortricidae) Synonym(s): *sylvestrana* Curtis,1850; *pollinis* Milliere,1874 Range (in code): Az AD Md Cn PT ES FR Co IT IE GB BE NL DE CH PL CZ RU MD UA BY GR
- 88193. *Clavigesta tokei* K.Larsen,2010** (Tortricidae) Synonym(s): *tokei* K.Larsen,2010 Original Reference: *Clavigesta tokei* K.Larsen,2010, *Phegea* 38 (2): 48-52, figs. Holotype ♂: Turkey, Antalya, Alanya 12km N 600m, 6 x 1995, Knud Larsen leg. (ZMUC). Range (in code): TR GR Rd
- 88194. *Clepsis aba* Razowski,1979** (Tortricidae) Synonym(s): *aba* Razowski,1979 Range (in code): CN Shs
- 88195. *Clepsis abscisana* (Zeller,1877)** (Tortricidae) Synonym(s): *abscisana* Zeller,1877 Range (in code): CO
- 88196. *Clepsis aerosana* (Lederer,1853)** (Tortricidae) Synonym(s): *aerosana* Lederer,1853 Range (in code): RU Ur At Sb Vv MN CN
- 88197. *Clepsis agenjoi* Obratzov,1950** (Tortricidae) Synonym(s): *agenjoi* Obratzov,1950 Range (in code): ES
- 88198. *Clepsis aliana* Kawabe,1965** (Tortricidae) Synonym(s): *aliana* Kawabe,1965 Range (in code): JP Hkk
- 88199. *Clepsis altitudinarius* (Filipjev,1962)** (Tortricidae) Synonym(s): *altitudinarius* Filipjev,1962 Range (in code): RU
- 88200. *Clepsis antigona* (Meyrick,1931)** (Tortricidae) Synonym(s): *antigona* Meyrick,1931 Range (in code): BG
- 88201. *Clepsis archidona* Razowski,1999** (Tortricidae) Synonym(s): *archidona* Razowski,1999 Range (in code): EC
- 88202. *Clepsis assensiodes* Razowski,2004** (Tortricidae) Synonym(s): *assensiodes* Razowski,2004 Range (in code): EC
- 88203. *Clepsis assensus* Razowski & Pelz,2004** (Tortricidae) Synonym(s): *assensus* Razowski & Pelz,2004 Range (in code): EC
- 88204. *Clepsis balcanica* (Rebel,1917)** (Tortricidae) Synonym(s): *balcanica* Rebel,1917; *wassiana* Schmidt,1930. Range (in code): RO B-H AL BG
- 88205. *Clepsis banhadana* Razowski & Becker,2003** (Tortricidae) Synonym(s): *banhadana* Razowski & Becker,2003 Range (in code): BR

- 88206. *Clepsis browni* Razowski & Pelz,2004** (Tortricidae) **Synonym(s):** *browni* Razowski & Pelz,2004 **Range (in code):** **EC**
- 88207. *Clepsis brunneograpt* Razowski & Pelz,2004** (Tortricidae) **Synonym(s):** *brunneograpt* Razowski & Pelz,2004 **Range (in code):** **EC**
- 88208. *Clepsis brusquea* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *brusquea* Razowski & Becker,2003 **Range (in code):** **BR Sct**
- 88209. *Clepsis burgasiensis* (Rebel,1916)** (Tortricidae) **Synonym(s):** *burgasiensis* Rebel,1916; *#burgasensis* Drenowsky,1924; *#burgisana* Thurner,1941 **Range (in code):** **MK BG Bgz**
- 88210. *Clepsis camposana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *camposana* Razowski & Becker,2003 **Range (in code):** **BR**
- 88211. *Clepsis canariensis* (Rebel,1896)** (Tortricidae) **Synonym(s):** *canariensis* Rebel,1896 **Range (in code):** **Cn**
- 88212. *Clepsis capnosticha* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *capnosticha* Meyrick,1917 **Range (in code):** **PE**
- 88213. *Clepsis carillana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *carillana* Razowski & Becker,2003 **Range (in code):** **BR**
- 88214. *Clepsis catarinana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *catarinana* Razowski & Becker,2003 **Range (in code):** **BR Sct**
- 88215. *Clepsis celsana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *celsana* Kennel,1919 **Range (in code):** **KG Tk Dj**
- 88216. *Clepsis centonata* Razowski & Becker,1999** (Tortricidae) **Synonym(s):** *centonata* Razowski & Becker,1999 **Range (in code):** **BR**
- 88217. *Clepsis chishimana* Oku,1965** (Tortricidae) **Synonym(s):** *chishimana* Oku,1965; *jinboi* Kawabe,1965 **Range (in code):** **RU Krl JP**
- 88218. *Clepsis chlorodoxa* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *chlorodoxa* Meyrick,1920 **Original Reference:** Tortrix chlorodoxa Meyrick,1920, Exot. microlepid. 2: 341. Lectotype ♂: [Pakistan]: Punjab, Murree, designated by Clarke (1958: 235) (BMNH). **Range (in code):** **PK Haz Mre Pj**
- 88219. *Clepsis clemensiana* (Fernald,1879)** (Tortricidae) **Synonym(s):** *clemensiana* Fernald,1879; *nervosana* Kearfott,1907 **Range (in code):** **US**
- 88220. *Clepsis confragosa* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *confragosa* Razowski & Becker,2003 **Range (in code):** **MX Vcr**
- 88221. *Clepsis consimilana* (Hübner,[1817])** (Tortricidae) **Synonym(s):** *consimilana* Hübner,[1817]; *unifasciana* Duponchel,1843; *productana* Zeller,1847; *obliterana* Herrich-Schäffer,1851; *peregrinana* Stephens,1852; *eatoniana* Ragonot,1881; *semiana* Chrétien,1915; *acclivana* Zerny,1933; *placida* Diakonoff,1948 **Range (in code):** **DZ TN Gf PT ES FR Co Sa Si IT MT IE GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR IR Th DK SE FI RU MD UA BY LB Bsa MG**
- 88222. *Clepsis coriacana* (Rebel,1894)** (Tortricidae) **Synonym(s):** *coriacana* Rebel,1894 **Range (in code):** **Cn MA ES GB**
- 88223. *Clepsis cremnobates* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *cremnobates* Walsingham,1914 **Range (in code):** **GT**
- 88224. *Clepsis crinis* Razowski,1979** (Tortricidae) **Synonym(s):** *crinis* Razowski,1979 **Range (in code):** **MX Nle**
- 88225. *Clepsis crispinana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *crispinana* Kennel,1919 **Range (in code):** **RU Sj**
- 88226. *Clepsis cristobaliana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *cristobaliana* Razowski & Becker,2003 **Range (in code):** **MX**
- 88227. *Clepsis danilevskyi* Kostjuk,1973** (Tortricidae) **Synonym(s):** *danilevskyi* Kostjuk,1973; *firthana* Matsumura,1986 **Range (in code):** **RU Tv At Sb Ya CA Yuk**
- 88228. *Clepsis devexa* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *devexa* Meyrick,1926 **Range (in code):** **CO**
- 88229. *Clepsis domabilis* Razowski & Becker,1999** (Tortricidae) **Synonym(s):** *domabilis* Razowski & Becker,1999 **Range (in code):** **BR**
- 88230. *Clepsis dubia* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *dubia* Razowski & Becker,2003 **Range (in code):** **MX**
- 88231. *Clepsis dumicolana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *dumicolana* Zeller,1847; *austriaca* Amsel,1952 **Range (in code):** **ES Co Sa Si IT CH TR**

- 88232. *Clepsis ecclisis* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *ecclisis* Walsingham,1914 **Range (in code):** **GT**
- 88233. *Clepsis enervis* Razowski,1979** (Tortricidae) **Synonym(s):** *enervis* Razowski,1979 **Range (in code):** **MX Nle**
- 88234. *Clepsis eura* Razowski,1979** (Tortricidae) **Synonym(s):** *eura* Razowski,1979 **Range (in code):** **MX Sin**
- 88235. *Clepsis exaraesima* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *exaraesima* Razowski & Becker,2003 **Range (in code):** **CR**
- 88236. *Clepsis fatiloqua* Razowski,1979** (Tortricidae) **Synonym(s):** *fatiloqua* Razowski,1979 **Range (in code):** **MX Vcr**
- 88237. *Clepsis finitima* Razowski,1979** (Tortricidae) **Synonym(s):** *finitima* Razowski,1979 **Range (in code):** **MX Vcr**
- 88238. *Clepsis flavidana* (McDunnough,1923)** (Tortricidae) **Synonym(s):** *flavidana* McDunnough,1923 **Range (in code):** **CA Mnt**
- 88239. *Clepsis flavifasciaria* Wang, Li & Wang,2003** (Tortricidae) **Synonym(s):** *flavifasciaria* Wang, Li & Wang,2003 **Range (in code):** **CN Shs**
- 88240. *Clepsis fluxa* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *fluxa* Razowski & Becker,2003 **Range (in code):** **BR Sct**
- 88241. *Clepsis fraterna* Razowski & Pelz,2004** (Tortricidae) **Synonym(s):** *fraterna* Razowski & Pelz,2004 **Range (in code):** **EC**
- 88242. *Clepsis fucana* (Walsingham,1879)** (Tortricidae) **Synonym(s):** *fucana* Walsingham,1879; *victoriana* Busck,1922; *busckana* Kiefer,1933 **Range (in code):** **US CA BCo**
- 88243. *Clepsis fumosa* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *fumosa* Razowski & Becker,2003 **Range (in code):** **BR Rja**
- 88244. *Clepsis gelophodes* (Meyrick,1936)** (Tortricidae) **Synonym(s):** *gelophodes* Meyrick,1936 **Range (in code):** **VE**
- 88245. *Clepsis gemina* Razowski,1979** (Tortricidae) **Synonym(s):** *gemina* Razowski,1979 **Range (in code):** **IN SI Djl BD**
- 88246. *Clepsis gerasimovi* Danilevsky,1962** (Tortricidae) **Synonym(s):** *gerasimovi* Danilevsky,1962 **Range (in code):** **UZ Br**
- 88247. *Clepsis hissarica* Danilevsky,1963** (Tortricidae) **Synonym(s):** *hissarica* Danilevsky,1963 **Range (in code):** **TJ**
- 88248. *Clepsis hohuanshanensis* Kawabe,1985** (Tortricidae) **Synonym(s):** *hohuanshanensis* Kawabe,1985 **Range (in code):** **TW**
- 88249. *Clepsis homophyla* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *homophyla* Meyrick,1917 **Range (in code):** **CO**
- 88250. *Clepsis homophyla* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *homophyla* Meyrick,1917 **Range (in code):** **CO**
- 88251. *Clepsis humana* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *humana* Meyrick,1912; *noseropis* Meyrick,1928; *khola* Yasuda,1969 **Range (in code):** **IN SI Ben Clc NP**
- 88252. *Clepsis illustrana* (Krogerus,1936)** (Tortricidae) **Synonym(s):** *illustrana* Krogerus,1936 **Range (in code):** **SE FI**
- 88253. *Clepsis ingenua* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *ingenua* Meyrick,1912 **Range (in code):** **IN SI Kgr Hp**
- 88254. *Clepsis insignata* Oku,1963** (Tortricidae) **Synonym(s):** *insignata* Oku,1963 **Range (in code):** **JP Hkk**
- 88255. *Clepsis joaquimana* Razowski & Becker,1999** (Tortricidae) **Synonym(s):** *joaquimana* Razowski & Becker,1999 **Range (in code):** **BR Sct**
- 88256. *Clepsis kearfotti* Obratzsov,1962** (Tortricidae) **Synonym(s):** *kearfotti* Obratzsov,1962 **Range (in code):** **CA CBo Abt**
- 88257. *Clepsis ketmenana* (Falkovitsh,1962)** (Tortricidae) **Synonym(s):** *ketmenana* Falkovitsh,1962 **Range (in code):** **KG Tk Ket**
- 88258. *Clepsis laetitia* Soria,1997** (Tortricidae) **Synonym(s):** *laetitia* Soria,1997 **Range (in code):** **ES**
- 88259. *Clepsis laetornata* Wang, Li & Wang,2003** (Tortricidae) **Synonym(s):** *laetornata* Wang, Li & Wang,2003 **Range (in code):** **CN Yu**

- 88260. *Clepsis laxa* Razowski,1979** (Tortricidae) **Synonym(s):** *laxa* Razowski,1979 **Range (in code):** **MX Chua**
- 88261. *Clepsis leptograpta* (Meyrick,1924)** (Tortricidae) **Synonym(s):** *leptograpta* Meyrick,1924 **Range (in code):** **Ch NP**
- 88262. *Clepsis limana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *limana* Razowski & Becker,2003 **Range (in code):** **BR**
- 88263. *Clepsis lindebergi* (Krogerus,1952)** (Tortricidae) **Synonym(s):** *lindebergi* Krogerus,1952 **Range (in code):** **IT AT PL SK FI EE** **Bionomy:** Larva on Asphodeline ? (Liliaceae) (Razowski,2001).
- 88264. *Clepsis lineata* Razowski & Pelz,2004** (Tortricidae) **Synonym(s):** *lineata* Razowski & Pelz,2004 **Range (in code):** **EC**
- 88265. *Clepsis listerana* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *listerana* Kearfott,1907 **Range (in code):** **US**
- 88266. *Clepsis luctuosana* (Rebel,1914)** (Tortricidae) **Synonym(s):** *luctuosana* Rebel,1914; *#lutosana* Rebel,1914 **Range (in code):** **CN Ui Ku T-S**
- 88267. *Clepsis lutosulana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *lutosulana* Zeller,1877 **Range (in code):** **CO**
- 88268. *Clepsis mehli* (Opheim,1964)** (Tortricidae) **Synonym(s):** *mehli* Opheim,1964 **Range (in code):** **NO RU**
- 88269. *Clepsis melaleucanus* (Walker,1863)** (Tortricidae) **Synonym(s):** *melaleucanus* Walker,1863; *invexana* Walker,1863; *semifuscana* Clemens,1864 **Range (in code):** **US CA**
- 88270. *Clepsis melissa* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *melissa* Meyrick,1908; *epiclintes* Meyrick,1928 **Range (in code):** **IN Ass Meg Khs Clc Ben**
- 88271. *Clepsis metalleta* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *metalleta* Walsingham,1914 **Range (in code):** **MX Grr**
- 88272. *Clepsis microchone* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *microchone* Razowski & Becker,2003 **Range (in code):** **MX**
- 88273. *Clepsis miserulana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *miserulana* Zeller,1877 **Range (in code):** **CO**
- 88274. *Clepsis misgurna* Razowski,[1992]** (Tortricidae) **Synonym(s):** *misgurna* Razowski,[1992] **Range (in code):** **CR**
- 88275. *Clepsis moeschleriana* (Wocke,1862)** (Tortricidae) **Synonym(s):** *moeschleriana* Wocke,1862; *algidana* Möschler,1862; *gelidana* Möschler,1862; *altaiensis* Kostyuk,1975. **Range (in code):** **RU Sb At KK Ik Ur CA US Als Lbr**
- 88276. *Clepsis monticolana* Kawabe,1964** (Tortricidae) **Synonym(s):** *monticolana* Kawabe,1964 **Range (in code):** **JP**
- 88277. *Clepsis murzini* Gibeaux,1999** (Tortricidae) **Synonym(s):** *murzini* Gibeaux,1999 **Range (in code):** **UZ**
- 88278. *Clepsis naucinum* Razowski,[1992]** (Tortricidae) **Synonym(s):** *naucinum* Razowski,[1992] **Range (in code):** **CR**
- 88279. *Clepsis neglectana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *neglectana* Herrich-Schäffer,1851; *flavana* Duponchel,1834 *nec* Hübn.,[1799]; *betulifolia* Lederer,1859; *striolana* Ragonot,1879; *xylotoma* Meyrick,1891; *severana* Kennel,1901; *delibatana* Rothschild,1912; *dorana* Kennel,1919; *acclivana* Zerny,1933. **Range (in code):** **DZ Phv TN PT FR IT MT BE DE CH AT PL CZ RO BG TR SE FI EE LV LT RU Tv MD UA BY LB Bsa Cc GG CY KK Ik KG Uk Tk Dj Ii**
- 88280. *Clepsis neomelissa* (Rose & Pooni,2004)** (Tortricidae) **Synonym(s):** *neomelissa* Rose & Pooni,2004 **Range (in code):** **IN Hp**
- 88281. *Clepsis nybomi* Hackman,1950** (Tortricidae) **Synonym(s):** *fuliginosana* Hackman,1950 (*praeocc.*); *nybomi* Hackman,1950 **Range (in code):** **FI**
- 88282. *Clepsis oblimatana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *oblimatana* Kennel,1901; *palaestinensis* Rebel,1911; *callimachana* Turati,1924. **Range (in code):** **LY Cy TN IL Jt Pa**
- 88283. *Clepsis opinabilis* Razowski,1979** (Tortricidae) **Synonym(s):** *opinabilis* Razowski,1979 **Range (in code):** **MX Ver**
- 88284. *Clepsis orycta* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *orycta* Walsingham,1914 **Range (in code):** **MX Ver**
- 88285. *Clepsis pallidana* (Fabricius,1776)** (Tortricidae) **Synonym(s):** *pallidana* Fabricius,1776; *strigana* Hübn.,[1799]; *stramineana* Herrich-Schäffer,[1851]; *quinquemaculana* Bremer,1864; *cesareana* Joannis,1891; *districta* Meyrick,1920. **Range (in code):** **DZ ES FR Co IT BE DE CH AT PL CZ SK HU RO**

- AL BG GR TR DK SE FI EE LV LT RU Sb Am Prj Us MD UA BY Cc GG IR Ak MN CN Shs Yu Tkg JP Hkk
KP KR Bionomy: Larva on *Jasione montana* (Campanulaceae) (Razowski,2001).
- 88286. *Clepsis parassensus* Razowski,2004** (Tortricidae) Synonym(s): *parassensus* Razowski,2004 Range (in code): **EC**
- 88287. *Clepsis parorycta* Razowski & Becker,2003** (Tortricidae) Synonym(s): *parorycta* Razowski & Becker,2003 Range (in code): **MX Vcr**
- 88288. *Clepsis parva* Razowski,2004** (Tortricidae) Synonym(s): *parva* Razowski,2004 Range (in code): **EC**
- 88289. *Clepsis pelospila* (Meyrick,1932)** (Tortricidae) Synonym(s): *pelospila* Meyrick,1932 Range (in code): **MX**
- 88290. *Clepsis penetralis* Razowski,1979** (Tortricidae) Synonym(s): *penetralis* Razowski,1979 Range (in code): **US Ut**
- 88291. *Clepsis peritana* (Clemens,1860)** (Tortricidae) Synonym(s): *peritana* Clemens,1860; *inconclusana* Walker,1863 Range (in code): **US Cf MX CA DK ES**
- 88292. *Clepsis persicana* (Fitch,1856)** (Tortricidae) Synonym(s): *persicana* Fitch,1856; *blandana* Clemens,1864; *conigerana* Zeller,1875 Range (in code): **US Ny**
- 88293. *Clepsis phaeana* (Rebel,1916)** (Tortricidae) Synonym(s): *phaeana* Rebel,1916 Range (in code): **RU Sb**
- 88294. *Clepsis powelli* Razowski,1979** (Tortricidae) Synonym(s): *powelli* Razowski,1979 Range (in code): **MX Vcr**
- 88295. *Clepsis praeclarana* (Kennel,1899)** (Tortricidae) Synonym(s): *praeclarana* Kennel,1899; *fucosana* Kennel,1901; *vittata* Obraztsov,1968. Range (in code): **RU Sr Sb KG Tar Ssn MN Cc GG KK Ik**
- 88296. *Clepsis provocata* (Meyrick,1912)** (Tortricidae) Synonym(s): *provocata* Meyrick,1912 Range (in code): **IN Ass Meg Khs**
- 88297. *Clepsis rasilis* Razowski,1979** (Tortricidae) Synonym(s): *rasilis* Razowski,1979 Range (in code): **MX Dgo**
- 88298. *Clepsis razowskii* Kawabe,1992** (Tortricidae) Synonym(s): *razowskii* Kawabe,1992 Range (in code): **TW**
- 88299. *Clepsis rogana* (Guenée,1845)** (Tortricidae) Synonym(s): *rogana* Guenée,1845; *lusana* Herrich-Schäffer,1851; *dohrniana* Herrich-Schäffer,1856 Range (in code): **ES FR IT DE CH AT PL CZ SK RO YU FI EE RU MD UA BY Ur Sb** Bionomy: Larva on *Vaccinium* (Vacciniaceae), *Luzula* (Juncaceae), *Veratrum album* (Liliaceae) (Razowski,2001).
- 88300. *Clepsis rolandiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rolandiana* Linnaeus,1758 Range (in code): **IT DE AT HU YU** Bionomy: Larva on *Veratrum album* (Liliaceae) (Razowski,2001).
- 88301. *Clepsis rurinana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *rurinana* Linnaeus,1758; *modeerinana* Linnaeus,1761; *angulosa* Fourcroy,1785; *semialbana* Guenée,1845; *idana* Kennel,1919; *liotoma* Meyrick,1935. Range (in code): **PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Sb Vv Ur MD UA BY Cc GG IR AF PK Ch Gg Hu MN NP Ch Sri Snn IN CN Mc Jn Sz Tkg JP Hkk** Bionomy: Larva on *Urtica* (Urticaceae), *Chelidonium* (Papaveraceae), *Convolvulus* (Convolvulaceae), *Euphorbia* (Euphorbiaceae), *Rumex* (Polygonaceae), *Aconitum* (Ranunculaceae), *Lilium* (Liliaceae), *Anthriscus* (Apiaceae), *Aster* (Asteraceae), *Rosa* (Rosaceae), *Lonicera xylosteum* (Caprifoliaceae), *Acer* (Aceraceae), *Quercus* (Fagaceae) (Razowski,2001).
- 88302. *Clepsis sarthana* (Ragonot,1894)** (Tortricidae) Synonym(s): *sarthana* Ragonot,1894 Range (in code): **TM UZ Fe Nmg Smk RU At KG Lps CN Ui Ku**
- 88303. *Clepsis semanta* Razowski & Becker,2003** (Tortricidae) Synonym(s): *semanta* Razowski & Becker,2003 Range (in code): **CR**
- 88304. *Clepsis senecionana* (Hübner,[1819])** (Tortricidae) Synonym(s): *rusticana* Hübner,[1799] (*praeocc.*); *senecionana* Hübner,[1819]; *helvolana* Fröhlich,1828; *stramineana* Zetterstedt,1839; *porcana* Zetterstedt,1839; *pulverana* Eversmann,1844; *culmana* Peyerimhoff,1864. Range (in code): **ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Ur Sb Kmt Us KG** Bionomy: Larva on *Myrica* (Myricaceae), *Vaccinium myrtillus* (Vacciniaceae), *Lotus*, *Onobrychis* (Fabaceae), *Polygonatum* (Polygonaceae), *Potentilla* (Rosaceae), *Convallaria* (Liliaceae), *Picea*, *Pinus*, *Larix* (Pinaceae) (Razowski,2001).
- 88305. *Clepsis siciliana* (Ragonot,1894)** (Tortricidae) Synonym(s): *siciliana* Ragonot,1894; *fluxana* Kennel,1901; *granadanus* Walsingham,1903 Range (in code): **DZ Tni Tis TN PT ES FR Si IT?**
- 88306. *Clepsis smicrotes* (Walsingham,1914)** (Tortricidae) Synonym(s): *smicrotes* Walsingham,1914 Range (in code): **MX Grr**

- 88307. *Clepsis soriana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *soriana* Kennel,1899; *seclusa* Meyrick,1926. **Range (in code):** **MA DZ IL Pa Hf LB Bei SY Hal**
- 88308. *Clepsis spectrana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *spectrana* Treitschke,1830; *vinculana* Treitschke,1830; *laticornis* Stainton,1857; *liverana* Mansbridge,1914; *intermedia* Mansbridge,1914 **Range (in code):** **FR IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Cc GG MD UA BY** **Bionomy:** Larva on *Scirpus lacustris* (Cyperaceae), *Comarum palustre*, *Spirea ulmaria* (Rosaceae), *Glyceria spectabilis* (Poaceae), *Cicuta* (Apiaceae), *Epilobium hirsutum* (Oenotheraceae), *Iris pseudacorus* (Iridaceae) (Razowski,2001).
- 88309. *Clepsis spirana* Razowski,1979** (Tortricidae) **Synonym(s):** *spirana* Razowski,1979 **Range (in code):** **MX Ver**
- 88310. *Clepsis steineriana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *steineriana* Hübner,[1799]; *chrysitana* Frölich,1828; *caprana* Della Beffa,1935; *roganodes* Hannemann,1960; *#chrysitana* Razowski,1979 **Range (in code):** **PT ES FR IT DE CH AT PL SK GR** **Bionomy:** Larva on *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae), *Veratrum album* (Liliaceae), *Anemone pulsatilla* (Ranunculaceae), *Luzula albida* (Juncaceae) (Razowski,2001).
- 88311. *Clepsis stenophora* (Bradley,1965)** (Tortricidae) **Synonym(s):** *stenophora* Bradley,1965 **Range (in code):** **UG**
- 88312. *Clepsis subcostana* (Stainton,1859)** (Tortricidae) **Synonym(s):** *subcostana* Stainton,1859; *retiferana* Stainton,1859. **Range (in code):** **Md**
- 88313. *Clepsis subjunctana* (Wollaston,1858)** (Tortricidae) **Synonym(s):** *subjunctana* Wollaston,1858 **Range (in code):** **Md**
- 88314. *Clepsis substrigana* (Constantini,1923)** (Tortricidae) **Synonym(s):** *substrigana* Constantini,1923 **Range (in code):** **IT**
- 88315. *Clepsis taima* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *taima* Razowski & Becker,2003 **Range (in code):** **BR**
- 88316. *Clepsis tannuolana* Kostyuk,1973** (Tortricidae) **Synonym(s):** *tannuolana* Kostyuk,1973 **Range (in code):** **RU Sb**
- 88317. *Clepsis tassa* Razowski & Pelz,2004** (Tortricidae) **Synonym(s):** *tassa* Razowski & Pelz,2004 **Range (in code):** **EC**
- 88318. *Clepsis teopisca* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *teopisca* Razowski & Becker,2003 **Range (in code):** **MX**
- 88319. *Clepsis tetralemma* (Diakonoff,1957)** (Tortricidae) **Synonym(s):** *tetralemma* Diakonoff,1957 **Range (in code):** **RE**
- 88320. *Clepsis translucida* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *translucida* Meyrick,1908 **Range (in code):** **IN Ch**
- 88321. *Clepsis trifasciata* Trematerra,2010** (Tortricidae) **Synonym(s):** *trifasciata* Trematerra,2010 **Range (in code):** **KK Ik**
- 88322. *Clepsis trivia* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *trivia* Meyrick,1913 **Range (in code):** **TN Tun KG Uk**
- 88323. *Clepsis truculenta* Razowski,1979** (Tortricidae) **Synonym(s):** *truculenta* Razowski,1979 **Range (in code):** **MX Ver**
- 88324. *Clepsis tuxtlana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *tuxtlana* Razowski & Becker,2003 **Range (in code):** **MX Ver**
- 88325. *Clepsis uncisecta* Razowski & Wolff,1998** (Tortricidae) **Synonym(s):** *uncisecta* Razowski & Wolff,1998 **Range (in code):** **Md**
- 88326. *Clepsis unicolorana* (Duponchel,1835)** (Tortricidae) **Synonym(s):** *unicolorana* Duponchel,1835; *asphodilana* Herrich-Schäffer,1851; *labatiana* Breignat,1890; *uhagonana* Constant,1891; *uhagoni* Seibold,1898; *iberica* Kennel,1910 **Range (in code):** **DZ Anna PT ES FR IT MT BE CH**
- 88327. *Clepsis violacea* Razowski,1966** (Tortricidae) **Synonym(s):** *violacea* Razowski,1966 **Range (in code):** **MN**
- 88328. *Clepsis virescana* (Clemens,1865)** (Tortricidae) **Synonym(s):** *virescana* Clemens,1865; *sescuplana* Zeller,1875; *glaucana* Walsingham,1879 **Range (in code):** **US MX Dgo**
- 88329. *Clepsis virescana salebrosa* Razowski,1979** (Tortricidae) **Synonym(s):** *salebrosa* Razowski,1979 **Range (in code):** **MX Dgo**
- 88330. *Clepsis vitiana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *vitiana* Zeller,1877 **Range (in code):** **CO**
- 88331. *Clepsis yakutica* (Koçak,1986)** (Tortricidae) **Synonym(s):** *plumbeolana* Bremer,1865 *nec* Hw.,1811; *yakutica* Koçak,1986 **Range (in code):** **RU Sb Us Ya**

- 88332. *Clepsis zelleriana* (Erschoff,1874)** (Tortricidae) **Synonym(s):** *zelleriana* Erschoff,1874
Range (in code): **UZ**
- 88333. *Clepsis zeuglodon* Razowski,1979** (Tortricidae) **Synonym(s):** *zeuglodon* Razowski,1979
Range (in code): **CN Tkq**
- 88334. *Clepsis zoquipana* Razowski & Becker,2003** (Tortricidae) **Synonym(s):** *zoquipana* Razowski & Becker,2003 **Range (in code):** **MX**
- 88335. *Cnephasia (Cnephasiella) abrasana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *abrasana* Duponchel,1843 **Range (in code):** **PT Co IT BE AT SK HU RO YU AL BG GR TR EE LT IR CN Ui Ku** **Bionomy:** Larva on *Achillea millefolium* (Asteraceae) (Razowski,2001).
- 88336. *Cnephasia (Cnephasiella) incertana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *incertana* Treitschke,1835; *subjectana* Guenée,1845; *minorana* Herrich-Schäffer,1851; *barbarana* Walsingham,1900; *kurdistanana* Amsel,1955; *atticana* Razowski,1958 **Original Reference:** *Sciaphila incertana* Treitschke,1835, Schmett. Eur. 10 (3): 91. **Syntypes:** Europe. **Range (in code):** **PT ES FR Sa Si? IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR SY DK NO SE FI EE LV LT RU MD UA BY Cc GG IQ Shq** **Bionomy:** Larva on *Chrysanthemum*, *Plantago* (Plantaginaceae), *Rumex* (Polygonaceae), *Ranunculus* (Ranunculaceae), *Trifolium*, *Pisum*, *Ononis*, *Medicago*, *Lotus* (Fabaceae), *Saxifraga* (Saxifragaceae), *Primula* (Primulaceae), *Petasites* (Asteraceae), *Malus* (Rosaceae), *Larix*, *Pseudotsuga* (Pinaceae) (Razowski,2001).
- 88337. *Cnephasia (s.str.) agathana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *agathana* Kennel,1919 **Range (in code):** **CN Ui Ju**
- 88338. *Cnephasia (s.str.) albatana* Chrétien,1915** (Tortricidae) **Synonym(s):** *albatana* Chrétien,1915 **Original Reference:** *Cnephasia albatana* Chrétien,1915, Anns Soc. ent. Fr. 84: 297. **Syntypes:** Algeria, Biskra; Tunisia, Gafsa. **Range (in code):** **DZ Bsk TN Gf**
- 88339. *Cnephasia (s.str.) alfacarana* Razowski,1958** (Tortricidae) **Synonym(s):** *alfacarana* Razowski,1958 **Range (in code):** **PT ES**
- 88340. *Cnephasia (s.str.) alticola* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *alticola* Kuznetsov,1966 **Range (in code):** **RU Us**
- 88341. *Cnephasia (s.str.) alticolana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *alticolana* Herrich-Schäffer,1851; *branderiana* Franz,1953; *nemesii* Stanoiu & Nemes,1974 **Range (in code):** **PT ES FR Co Sa IT DE CH AT PL CZ SK HU RO YU AL FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Plantago* (Plantaginaceae), *Primula* (Primulaceae), *Rumex* (Polygonaceae), *Taraxacum* (Asteraceae), *Salix* (Salicaceae) (Razowski,2001).
- 88342. *Cnephasia (s.str.) amseli* (Lucas,1942)** (Tortricidae) **Synonym(s):** *amseli* Lucas,1942; *taurominana* Razowski,1955 **Range (in code):** **Si TN**
- 88343. *Cnephasia (s.str.) asiatica* Kuznetsov,1956** (Tortricidae) **Synonym(s):** *asiatica* Kuznetsov,1956 **Range (in code):** **TR TM Kp**
- 88344. *Cnephasia (s.str.) asseclana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *asseclana* [Denis & Schiffermüller],1775; *interjectana* Haworth,1811; *virgaureana* Treitschke,1835; *#virgaureana* Ragonot,1895; *oleraceana* Gibson,1916 **Original Reference:** *Tortrix asseclana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. **Type(s):** Vienna district. **Range (in code):** **Cn ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY Cc GG TR** **Bionomy:** Larva on *Chrysanthemum* (Asteraceae), *Ranunculus* (Ranunculaceae), *Rumex* (Polygonaceae), *Plantago* (Plantaginaceae), *Lathyrus* (Fabaceae) (Razowski,2001).
- 88345. *Cnephasia (s.str.) bizensis* Razowski,1953** (Tortricidae) **Synonym(s):** *bizensis* Razowski,1953 **Range (in code):** **ES FR MT SK TR**
- 88346. *Cnephasia (s.str.) chrysanthæana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *chrysanthæana* Duponchel,1843; *cinareana* Chrétien,1892; *#cinereana* Meyrick,1912 **Range (in code):** **DZ Anna Blid PT ES FR Sa Si IT AT CZ HU RO? BG? TR IR Gh Tgo RU Cc MD UA BY** **Bionomy:** Larva on *Lathyrus* (Fabaceae), *Scabiosa* (Dipsacaceae), *Artemisia*, *Chrysanthemum*, *Cirsium*, *Carlina*, *Centaurea*, *taraxacum* (Asteraceae), *Pulmonaria* (Boraginaceae), *Eryngium* (Apiaceae) (Razowski,2001).
- 88347. *Cnephasia (s.str.) ciscaucasica* Filipjev** (Tortricidae) **Synonym(s):** **Range (in code):** **Cc GG** **Bionomy:** Larva on *Carduus* (Asteraceae) (Esartiya,1988).
- 88348. *Cnephasia (s.str.) communana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *communana* Herrich-Schäffer,[1851] **Range (in code):** **MA ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY LB Bsa Cc GG TM**

- Bionomy:** Larva on Platago (Plantaginaceae), Rumex (Polygonaceae), Chrysanthemum (Asteraceae), Lotus (Fabaceae) (Razowski,2001).
- 88349. Cnephasia (s.str.) conspersana Douglas,1846** (Tortricidae) **Synonym(s):** *conspersana* Douglas,1846; *cretaceana* Curtis,1850; *perterana* Doubleday,1850; *decolorana* Stephens,1852 **Range (in code):** **DZ Lbs PT ES FR IT IE GB Cc TR**
- 88350. Cnephasia (s.str.) constantinana Razowski,1958** (Tortricidae) **Synonym(s):** *constantinana* Razowski,1958 **Original Reference:** *Cnephasia constantinana* Razowski,1958, Acta zool. cracov. 2: 576. Holotype ♂: Algeria, Constantine (MNHU). **Range (in code):** **MA DZ Cst**
- 88351. Cnephasia (s.str.) cupressivorana (Staudinger,1871)** (Tortricidae) **Synonym(s):** *cupressivorana* Staudinger,1871; *appenicola* Obraztsov,1950; *orthoxyana* Réal,1951; *confluentana* Réal,1951 **Range (in code):** **ES FR Co Sa Si IT BE CH RO YU AL BG? GR TR KK Ik** **Bionomy:** Larva on Cupressus (Staudinger,1871).
- 88352. Cnephasia (s.str.) daedalea Razowski,1983** (Tortricidae) **Synonym(s):** *daedalea* Razowski,1983 **Range (in code):** **Sa**
- 88353. Cnephasia (s.str.) disformana Razowski,1983** (Tortricidae) **Synonym(s):** *disformana* Razowski,1983 **Range (in code):** **Cr**
- 88354. Cnephasia (s.str.) disparana Kuznetsov,1962** (Tortricidae) **Synonym(s):** *disparana* Kuznetsov,1962 **Range (in code):** **KG TrA**
- 88355. Cnephasia (s.str.) divisana Razowski,1959** (Tortricidae) **Synonym(s):** *divisana* Razowski,1959 **Range (in code):** **Cr**
- 88356. Cnephasia (s.str.) ecullyana Réal,1951** (Tortricidae) **Synonym(s):** *ecullyana* Réal,1951; *tyrrhaenica* Amsel,1952; *pollinoana* Trematerra,1991 **Range (in code):** **PT FR Sa Si IT DE CH AT CZ SK HU YU GR** **Bionomy:** Larva on Rosaceae (Razowski,2001).
- 88357. Cnephasia (s.str.) etnana Razowski & Trematerra,1999** (Tortricidae) **Synonym(s):** *etnana* Razowski & Trematerra,1999 **Range (in code):** **IT Si**
- 88358. Cnephasia (s.str.) facetana Kennel,1901** (Tortricidae) **Synonym(s):** *facetana* Kennel,1901 **Original Reference:** *Cnephasia* (Sciaphila) *facetana* Kennel,1901, Dt. ent. Z., Iris 13: 230-231. Type ♂: [Jordan]: "Jordanthal". **Range (in code):** **TR JO SY Dms IL Jt Pa**
- 88359. Cnephasia (s.str.) fiorii Razowski,1958** (Tortricidae) **Synonym(s):** *fiorii* Razowski,1958 **Range (in code):** **LY**
- 88360. Cnephasia (s.str.) fragosana (Zeller,1847)** (Tortricidae) **Synonym(s):** *fragosana* Zeller,1847; *adulterinana* Kennel,1901; *reisseri* Filipjev,1934; *distinctana* Lucas,1937 **Original Reference:** *Sciaphila fragosana* Zeller,1847, Isis 1847: 673. Type: Syracuse (BMNH). **Range (in code):** **MR MA DZ Lbs Tni Tis FR Sa Si IT? GR TR**
- 88361. Cnephasia (s.str.) fulturata Rebel,1940** (Tortricidae) **Synonym(s):** *fulturata* Rebel,1940; *#fulturana* Razowski,1959 **Original Reference:** *Cnephasia fulturata* Rebel,1940, Bull. Soc. Fouad I. Ent. (33) 24: 36. Holotype: Algeria. **Range (in code):** **DZ PT ES Grn Snv FR**
- 88362. Cnephasia (s.str.) genitalana Pierce & Metcalfe,1922** (Tortricidae) **Synonym(s):** *genitalana* Pierce & Metcalfe,1922; *gallicana* Réal,1953 **Range (in code):** **LY ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Da Cc o** **Bionomy:** Larva on Senecio, Chrysanthemum, Hieracium (Asteraceae), Teucrium (Lamiaceae), Ranunculus (Ranunculaceae) (Razowski,2001).
- 88363. Cnephasia (s.str.) graecana Rebel,1902** (Tortricidae) **Synonym(s):** *graecana* Rebel,1902; *#ochreana* Razowski,1961 **Range (in code):** **RO MK GR ?TR**
- 88364. Cnephasia (s.str.) grandis (Osthelder,1938)** (Tortricidae) **Synonym(s):** *grandis* Osthelder,1938 **Range (in code):** **RU LB Say Cc TR GG IR Elb Mz**
- 88365. Cnephasia (s.str.) gueneana (Duponchel,1836)** (Tortricidae) **Synonym(s):** *gueneana* Duponchel,1836; *segetana* Zeller,1847; *nuraghana* Amsel,1952 **Range (in code):** **Sa Si IT MT GB GR Cr**
- 88366. Cnephasia (s.str.) heinemanni Obraztsov,1957** (Tortricidae) **Synonym(s):** *monochromana* Heinemann,1863 (*praeocc.*); *heinemanni* Obraztsov,1957; *minima* Razowski,1959 **Original Reference:** *Cnephasia heinemanni* Obraztsov,1957, Tijdschr. Ent. 100 (3): 320 (nom. nov. pro *monochromana* Heinemann,1863). **Range (in code):** **ES Sa Si IT DE CH B-H YU RU IR Ab Mak Ar Elb Mz Dam Th Es GlS Ke Kh**
- 88367. Cnephasia (s.str.) helenica Obraztsov,1950** (Tortricidae) **Synonym(s):** *helenica* Obraztsov,1950; *hellenica* Obraztsov,1956 **Range (in code):** **PT ES RO GR TR RU Da Cc UA Cm**
- 88368. Cnephasia (s.str.) heringi Razowski,1958** (Tortricidae) **Synonym(s):** *heringi* Razowski,1958 **Original Reference:** *Cnephasia heringi* Razowski,1958, Acta zool. cracov. 2: 575. Holotype ♂: Turkey: Amasia (MNHU). **Range (in code):** **YU GR Cr TR RU Ur TM**

- 88369. Cnephasia (s.str.) hunzorum Diakonoff,1971** (Tortricidae) **Synonym(s):** *hunzorum* Diakonoff,1971 Range (in code): **PK Ch Hu Snn IN**
- 88370. Cnephasia (s.str.) jozefi Razowski,1961** (Tortricidae) **Synonym(s):** *jozefi* Razowski,1961 Range (in code): **DZ Orn Afl**
- 88371. Cnephasia (s.str.) kasyi Razowski,1971** (Tortricidae) **Synonym(s):** *kasyi* Razowski,1971 Range (in code): **AF BdA**
- 88372. Cnephasia (s.str.) kenneli Obraztsov,1956** (Tortricidae) **Synonym(s):** *obsoletana* Kennel,1901 nec Wd.,1832; *kenneli* Obraztsov,1956. Range (in code): **TR SY CN Ui Ku**
- 88373. Cnephasia (s.str.) klimeschi Razowski,1956** (Tortricidae) **Synonym(s):** *klimeschi* Razowski,1956 Range (in code): **MK**
- 88374. Cnephasia (s.str.) korvaci Razowski,1965** (Tortricidae) **Synonym(s):** *korvaci* Razowski,1965 Original Reference: *Cnephasia korvaci* Razowski,1965, Acta zool. cracov. 10: 239. Holotype ♂: [Turkey]: Malatya (BMNH). Range (in code): **TR**
- 88375. Cnephasia (s.str.) laetana (Staudinger,1871)** (Tortricidae) **Synonym(s):** *laetana* Staudinger,1871 Range (in code): **ES**
- 88376. Cnephasia (s.str.) lineata (Walsingham,1900)** (Tortricidae) **Synonym(s):** *lineata* Walsingham,1900; *terebrana* Amsel & M.Hering,1931 Range (in code): **IL Pa SY**
- 88377. Cnephasia (s.str.) longana (Haworth,[1811])** (Tortricidae) **Synonym(s):** *longana* Haworth,[1811]; *egenana* Haworth,[1811]; *expallidana* Haworth,[1811]; *ictericana* Haworth,[1811]; *lutosana* Hübner,[1813]; *capillana* Guenée,1845; *stratana* Zeller,1847; *loewiana* Zeller,1847; *luridalbana* Herrich-Schäffer,1851; *insolatana* Herrich-Schäffer,1851; *gratana* Laharpe,1860; *#ongana* Meyrick,1912; *cadizensis* Razowski,1959 Range (in code): **DZ Phv Bsk TN Gf PT ES FR Co Sa Si IT MT IE GB BE NL DE CH PL CZ SK GR Cr Rd TR DK SE EE RU MD UA BY KK US CA CBo Cf Org** Bionomy: Larva on *Spitzelia saharae* (Chrétien,1917); *Chrysanthemum*, *Anthemis*, *Aster* (Asteraceae), *Ranunculus* (Ranunculaceae), *Lychnis* (Silenaceae), *Convolvulus arvensis* (Convolvulaceae) (Razowski,2001).
- 88378. Cnephasia (s.str.) marcidana Kennel,1901** (Tortricidae) **Synonym(s):** *marcidana* Kennel,1901 Original Reference: *Cnephasia* (Sciaphila) *marcidana* Kennel,1901, Dt. ent. Z., Iris 13: 229. Type ♂: [China: Uighur A.R.]: "Kuruk Dag" [attribution to the genus "Tortrix" by Razowski (1991:147) and consideration as homonymy with *marcidana* Frölich is incorrect!] Range (in code): **CN Ui Krk**
- 88379. Cnephasia (s.str.) margelanensis Razowski,1958** (Tortricidae) **Synonym(s):** *margelanensis* Razowski,1958 Range (in code): **UZ Fe**
- 88380. Cnephasia (s.str.) microstrigana Razowski,1958** (Tortricidae) **Synonym(s):** *microstrigana* Razowski,1958 Range (in code): **ES**
- 88381. Cnephasia (s.str.) minutula (Falkovitsh,1962)** (Tortricidae) **Synonym(s):** *minutula* Falkovitsh,1962 Range (in code): **KG Aa TrA Ket KK Na AF**
- 88382. Cnephasia (s.str.) nesiotica Razowski,1983** (Tortricidae) **Synonym(s):** *nesiotica* Razowski,1983 Range (in code): **Cn**
- 88383. Cnephasia (s.str.) nigripunctana Amsel,1959** (Tortricidae) **Synonym(s):** *nigripunctana* Amsel,1959 Range (in code): **IQ Hjo**
- 88384. Cnephasia (s.str.) orientana (Alpheraky,1877)** (Tortricidae) **Synonym(s):** *orientana* Alpheraky,1877 Original Reference: *Sciaphila orientana* Alpheraky,1877, Trudy Vses. ent. Obstsh. 10 (1876): 48. Syntypes: Russia: Taganrog. Range (in code): **MT RO BG TR SY Dms RU UA Cm CY Cc AM Eri GG KG Uk TM UZ TJ IR Elb Dam Ar Ab Oru Es Gh Km Th IQ AF**
- 88385. Cnephasia (s.str.) oxyacanthana (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *oxyacanthana* (Herrich-Schäffer,[1851]). Range (in code): **AT CZ SK HU MK TR** Bionomy: Larva on *Crataegus* (Rosaceae) (Razowski,2001).
- 88386. Cnephasia (s.str.) parnassicola Razowski,1958** (Tortricidae) **Synonym(s):** *parnassicola* Razowski,1958 Range (in code): **ES GR**
- 88387. Cnephasia (s.str.) pasiutana (Hübner,[1799])** (Tortricidae) **Synonym(s):** *pasiutana* Hübner,[1799]; *obsoletana* Stephens,1835; *pumicana* Zeller,1847; *#pasivana* Staudinger,1879; *crassifasciana* Joannis,1920; *linophagana* Rebel,1939; *pyrophagana* Rebel,1939; *cleuana* Réal,1952; *pseudotypica* Réal,1952; *algerana* Réal,1953; *blezynskii* Toll,1953; *hagiosana* Razowski,1959 Range (in code): **DZ EG PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR SY DK NO SE FI EE LV LT RU Cc MD UA BY** Bionomy: Larva on *Chrysanthemum*, *Achillea*, *Aster*, *Cirsium*, *Artemisia*, *Anthemis* (Asteraceae), *Poaceae* (Razowski,2001).
- 88388. Cnephasia (s.str.) pirizanica Razowski,1965** (Tortricidae) **Synonym(s):** *amseli* Razowski,1957 nec Luc.,1942; *pirizanica* Razowski,1965 Range (in code): **IR Elb Th Fa**

- 88389. Cnephasia (s.str.) pollinoana Trematerra,1991** (Tortricidae) Synonym(s): *pollinoana Trematerra,1991* Range (in code): IT
- 88390. Cnephasia (s.str.) regifica Razowski,1971** (Tortricidae) Synonym(s): *regifica Razowski,1971* Range (in code): IR Fa
- 88391. Cnephasia (s.str.) sabulosa definita Filipjev** (Tortricidae) Synonym(s): Range (in code): IR Elb Kdv Dam
- 88392. Cnephasia (s.str.) sedana (Constant,1884)** (Tortricidae) Synonym(s): *sedana Constant,1884; marcidana Kennel,1901; valderiana Turati & Verity,1912; alaicana Caradja,1916; agathana Kennel,1919; obscurana Osthelder,1938; oricasis Meyrick,1932; amseli Razowski,1957; pirizanica Razowski,1965* Range (in code): ES FR IT BE DE CH AT TR SY Hal Cc GG IR IN Ch Gl MN CN Ui Ju RU At Ch Bionomy: Larva on Euphorbia (Euphorbiaceae), Sedum, Sempervivum (Crassulaceae), Primula (Primulaceae), Adenostyles, Centaurea, Cirsium (Asteraceae), Trifolium (Fabaceae), Valeriana (Valerianaceae), Astrantia (Apiaceae) (Razowski,2001).
- 88393. Cnephasia (s.str.) semibrunneata De Joannis,1891** (Tortricidae) Synonym(s): *semibrunneata De Joannis,1891* Range (in code): DZ Phv TR
- 88394. Cnephasia (s.str.) stachi Razowski,1958** (Tortricidae) Synonym(s): *stachi Razowski,1958* Range (in code): UZ Smk
- 88395. Cnephasia (s.str.) stephensiana (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana Doubleday,1849* Range (in code): MA PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Gl Mz Elb Th Sb Us Vv CN JP Bionomy: Larva on Chrysanthemum, Centaurea, Taraxacum, Inula, Hieracium (Asteraceae), Rumex (Polygonaceae), Plantago (Plantaginaceae), Vicia (Fabaceae) (Razowski,2001).
- 88396. Cnephasia (s.str.) stephensiana anatoliana Obratzov,1950** (Tortricidae) Synonym(s): *anatoliana Obratzov,1950* Range (in code): TR
- 88397. Cnephasia (s.str.) stephensiana atlantis Filipjev,1934** (Tortricidae) Synonym(s): *atlantis Filipjev,1934* Range (in code): MA
- 88398. Cnephasia (s.str.) stephensiana stephensiana (Doubleday,1849)** (Tortricidae) Synonym(s): *stephensiana Doubleday,1849; hispanica Obratzov,1950* Range (in code): PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr DK NO SE FI EE LV LT RU MD UA BY
- 88399. Cnephasia (s.str.) stephensiana stolidana (Walker,1863)** (Tortricidae) Synonym(s): *stolidana Walker,1863; cinereipalpana Razowski,1958; kurentsovi Filipjev,1962* Range (in code): RU Sb Us Vv CN JP
- 88400. Cnephasia (s.str.) tianshanica Filipjev,1934** (Tortricidae) Synonym(s): *tianshanica Filipjev,1934; osthelderi Obratzov,1950; sareptana Razowski,1959; alatauana Razowski,1961.* Range (in code): RU Sr TR T-S CN Ui Ku KK KG DsA Cc GG
- 88401. Cnephasia (s.str.) tofina (Meyrick,1922)** (Tortricidae) Synonym(s): *tofina Meyrick,1922; syriella Razowski,1956; tolli Razowski,1956; palaestinensis Amsel,1958* Original Reference: Cnephasia tofina Meyrick,1922, Exot. Microlepid. 2: 498. Type ♂: Palestine: Nazareth (BMNH) [Clarke,1958, Catalogue...3: pl.44 figs. 4-4b]. Range (in code): GR Cr SY IL Pa Hf CY TR
- 88402. Cnephasia (s.str.) transcaspica Filipjev** (Tortricidae) Synonym(s): Range (in code): TM Kp IR Elb Dam Mz Shh
- 88403. Cnephasia (s.str.) tremewani Razowski,1961** (Tortricidae) Synonym(s): *tremewani Razowski,1961* Original Reference: Cnephasia tremewani Razowski,1961, Polski pismo Ent. 31: 107. Holotype ♀: Algeria, Sidi-bel-Abbes (BMNH). Range (in code): DZ Abe
- 88404. Cnephasia (s.str.) tripolitana Razowski,1958** (Tortricidae) Synonym(s): *tripolitana Razowski,1958* Range (in code): LY
- 88405. Cnephasia (s.str.) tristrami (Walsingham,1900)** (Tortricidae) Synonym(s): *tristrami Walsingham,1900* Original Reference: Tortrix tristrami Walsingham,1900, Ann. Mag. nat. Hist. 7 (5): 460-461. Type ♂: Palestine (leg. Tristram) (coll. Walsingham). Range (in code): IL Js Pa TR SY LB
- 88406. Cnephasia (s.str.) uniformana Caradja,1916** (Tortricidae) Synonym(s): *uniformana Caradja,1916* Original Reference: Cnephasia uniformana Caradja,1916, Dt. ent. Z., Iris 30: 49-50. Type ♂: [Türkei]: Amasia. Range (in code): TR
- 88407. Cnephasia (s.str.) venusta Razowski,1971** (Tortricidae) Synonym(s): *venusta Razowski,1971* Range (in code): IR
- 88408. Cnephasia (s.str.) virginana (Kennel,1899)** (Tortricidae) Synonym(s): *virginana Kennel,1899; maraschana Caradja,1916.* Original Reference: Sciaphila virginana Kennel,1899, Dt. ent. Z., Iris 12: 12-13, Taf.I fig.10. Type ♂: Türkiye: Mardin. Range (in code): TR SY Hal

- 88409. Cnephasia (s.str.) wimmeri** Arenberger,1998 (Tortricidae) Synonym(s): *wimmeri* Arenberger,1998 Range (in code): **CY**
- 88410. Cnephasia (s.str.) zangheriana** Trematerra,1991 (Tortricidae) Synonym(s): *zangheriana* Trematerra,1991 Range (in code): **IT**
- 88411. Cnephasia (s.str.) zelleri** (Christoph,1877) (Tortricidae) Synonym(s): *zelleri* Christoph,1877 Range (in code): **RU Sr**
- 88412. Cnephasia (s.str.) zernyi** Razowski,1959 (Tortricidae) Synonym(s): *zernyi* Razowski,1959 Range (in code): **MA TN**
- 88413. Cnephasitis apodicta** Diakonoff,1974 (Tortricidae) Synonym(s): *apodicta* Diakonoff,1974 Range (in code): **MM Hpi CN She**
- 88414. Cnephasitis apodicta apodicta** Diakonoff,1974 (Tortricidae) Synonym(s): *apodicta* Diakonoff,1974 Range (in code): **MM Hpi**
- 88415. Cnephasitis apodicta palaeartica** Razowski,1984 (Tortricidae) Synonym(s): *palaeartica* Razowski,1984 Range (in code): **CN She**
- 88416. Cnephasitis dryadarcha** (Meyrick,1912) (Tortricidae) Synonym(s): *dryadarcha* Meyrick,1912 Range (in code): **IN Ass Meg Khs**
- 88417. Cnephasitis spinata** Liu & Bai,1986 (Tortricidae) Synonym(s): *spinata* Liu & Bai,1986 Range (in code): **CN Ti Yt**
- 88418. Cnesteboda anisocornutana** (Razowski,1964) (Tortricidae) Synonym(s): *anisocornutana* Razowski,1964 Range (in code): **MM Krh**
- 88419. Cnesteboda assamica** (Razowski,1964) (Tortricidae) Synonym(s): *assamica* Razowski,1964 Range (in code): **IN Ass Meg Khs**
- 88420. Cnesteboda celligera** (Meyrick,1918) (Tortricidae) Synonym(s): *celligera* Meyrick,1918; *plaucoprosopis* Meyrick,1931 Range (in code): **IN Ben Pus TW MY SG ID Ja BN Bor Swk TH**
- 88421. Cnesteboda davidsoni** Razowski,2000 (Tortricidae) Synonym(s): *davidsoni* Razowski,2000 Range (in code): **TW**
- 88422. Cnesteboda facilis** (Meyrick,1912) (Tortricidae) Synonym(s): *facilis* Meyrick,1912 Range (in code): **IN Ass Meg Khs**
- 88423. Cnesteboda haruspex** (Meyrick,1912) (Tortricidae) Synonym(s): *haruspex* Meyrick,1912 Range (in code): **LK**
- 88424. Cnesteboda musculus** (Diakonoff,1948) (Tortricidae) Synonym(s): *musculus* Diakonoff,1948 Range (in code): **ID Ja**
- 88425. Cnesteboda spinosa** (Diakonoff,1948) (Tortricidae) Synonym(s): *spinosa* Diakonoff,1948 Range (in code): **ID Ja**
- 88426. Cnesteboda variabilis** (Diakonoff,1941) (Tortricidae) Synonym(s): *variabilis* Diakonoff,1941 Range (in code): **ID Ja**
- 88427. Coccothera carolae** Razowski & Trematerra,2010 (Tortricidae) Synonym(s): *carolae* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 88428. Coccothera ferrifracta** Diakonoff,1969 (Tortricidae) Synonym(s): *ferrifracta* Diakonoff,1969 Range (in code): **GH**
- 88429. Coccothera spissana** (Zeller,1852) (Tortricidae) Synonym(s): *spissana* Zeller,1852 Range (in code): **ZA Tva Gau Pre Ec**
- 88430. Coccothera triorbis** Razowski & Trematerra,2010 (Tortricidae) Synonym(s): *triorbis* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 88431. Cochlidia altivaga** Diakonoff,1976 (Tortricidae) Synonym(s): *altivaga* Diakonoff,1976 Range (in code): **NP CN Gn Sz TW**
- 88432. Cochlidia contumescens** (Meyrick,1931) (Tortricidae) Synonym(s): *contumescens* Meyrick,1931 Range (in code): **JP Hkk RU KP KR CN Ahw KwT Hnn**
- 88433. Cochlidia heydeniana** (Herrich-Schäffer,[1851]) (Tortricidae) Synonym(s): *heydeniana* Herrich-Schäffer,[1851]; *pudorana* Staudinger,1859; *erigenana* Walsingham,1891; *sabulicola* Walsingham,1900; *almana* Kennel,1919; *obraztsovi* Amsel,1951; *amseli* Obraztsov,1956. Range (in code): **MA PT ES FR Co Si IT MT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR TR LB Bei DK NO SE FI LV LT RU MD UA BY CN Ui KP KR JP MN** Bionomy: Larva on Erigeron acre, Solidago virgaurea (Asteraceae) (Razowski,2001).
- 88434. Cochlidia implicitana** (Wocke,1856) (Tortricidae) Synonym(s): *implicitana* Wocke,1856; *coercitana* Staudinger,1859; *noctulatana* Agenjo,1952. Range (in code): **MA PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY KK KG TrA Aa DsA IR Mz CN Ui** Bionomy: Larva on Matricaria, Artemisia, Anthemis, Solidago, Chrysanthemum, Aster,

- Alchemilla, Chrysocoma, Gnaphalium, Helichrysum, Tanacetum (Asteraceae) (Razowski,1970,2001).
- 88435. *Cochylidia liui* Sun & Li,2012** (Tortricidae) Synonym(s): *liui* Sun & Li,2012 Range (in code): **CN Kwt**
- 88436. *Cochylidia moguntiana* (Rössler,1864)** (Tortricidae) Synonym(s): *moguntiana* Rössler,1864; *griseolana* W.Petersen,1924; *trafvenfelti* Benander,1949. Range (in code): **ES IT DE AT PL CZ SK HU RO YU DK SE EE LV LT RU Ur MD UA BY TR AF Kab CN Stg Ahw Pkn Fkn Gn Mc Hun IMn She Sz KwT Hnn Hph PK Pj Mre Haz IR Km Ab Mak** Bionomy: Larva on *Artemisia campestris* (Asteraceae) (Razowski,2001).
- 88437. *Cochylidia multispinalis* Sun & Li,2012** (Tortricidae) Synonym(s): *multispinalis* Sun & Li,2012 Range (in code): **CN Ahw Gn Kwt Hph Mc Hun Sz**
- 88438. *Cochylidia oblonga* Liu & Ge,2012** (Tortricidae) Synonym(s): *oblonga* Liu & Ge,2012 Range (in code): **CN Ahw Fkn Gn KwT KwT Hun Lng Hpe Hnn**
- 88439. *Cochylidia richteriana* (Fischer v. Röslerstamm,1837)** (Tortricidae) Synonym(s): *richteriana* Fischer v. Röslerstamm,1837; *olindiana* Snellen,1883; *ineptana* Kennel,1900; *xanthodryas* Meyrick,1936. Range (in code): **DZ Lbs IT DE CH PL SK HU NO SE FI EE LV LT RU Mo Pt Sb Am T-O UA BY CN Stg Btn Pkn Mc Hun IMn Ts Sz Shs Hph** Bionomy: Larva on *Artemisia campestris*, *Achillea millefolium* (Asteraceae) (Razowski,2001).
- 88440. *Cochylidia rupicola* (Curtis,1834)** (Tortricidae) Synonym(s): *rupicola* Curtis,1834; *marginana* Stephens,1834; *humidana* Herrich-Schäffer,1851 Range (in code): **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR LB DK SE FI LV LT RU MD UA IR Mz** Bionomy: Larva on *Eupatorium cannabinum* (Asteraceae), *Lycopus europaeus* (Lamiaceae), *Chrysocoma linosyris* (Razowski,2001).
- 88441. *Cochylidia subroseana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subroseana* Haworth,[1811]; *flammeolana* Tengström,1848; *phaleratana* Herrich-Schäffer,1851; *#derosana* Razowski,1960; *#roseotincta* Razowski,1960; *roseotincta* Razowski,1970. Range (in code): **FR Co IT GB DE CH AT PL CZ SK HU YU AL BG GR NO SE FI EE LV LT RU MD UA BY CN Mc Jn Ahw Hun Jn JP** Bionomy: Larva on *Solidago*, *Artemisia* (Asteraceae) (Razowski,2001).
- 88442. *Cochylidichnium amulanum* Razowski,1986** (Tortricidae) Synonym(s): *amulanum* Razowski,1986 Range (in code): **MX Grr**
- 88443. *Cochylimorpha acriapex* (Razowski,1967)** (Tortricidae) Synonym(s): *acriapex* Razowski,1967 Range (in code): **AF Bm Pnj Kab Haz Pag Slg PK Nar Kag**
- 88444. *Cochylimorpha additana* (Kennel,1901)** (Tortricidae) Synonym(s): *additana* Kennel,1901 Original Reference: *Euxanthis additana* Kennel,1901, Dt. ent. Z., Iris 13 (1900): 242. Syntypes 2♂: Algeria, Lambessa (MNHU). Range (in code): **DZ Lbs**
- 88445. *Cochylimorpha agenjoi* (Razowski,1963)** (Tortricidae) Synonym(s): *agenjoi* Razowski,1963 Range (in code): **ES**
- 88446. *Cochylimorpha alternana* (Stephens,1834)** (Tortricidae) Synonym(s): *alternana* Stephens,1834; *#gigantana* Doubleday,1849; *moscovana* Kennel,1913; *cinnamomella* Turati & C.G.Krüger,1936. Original Reference: *Lozopera alternana* Stephens,1834, Ill. Br. Ent. Haust. 4: 187, Pl.35 fig.2. Type(s): England: Dover. Range (in code): **TN FR IT GB NL DE CH AT PL CZ SK HU TR CY DK NO SE FI EE LV LT RU Ur Mo MD UA LY Cy IR Ar** Bionomy: Larva on *Centaurea scabiosa* (Asteraceae) (Kennel,1913; Razowski,2001).
- 88447. *Cochylimorpha alticolana* (Razowski,1964)** (Tortricidae) Synonym(s): *alticolana* Razowski,1964 Range (in code): **CN Ti**
- 88448. *Cochylimorpha amabilis* (Meyrick,1931)** (Tortricidae) Synonym(s): *amabilis* Meyrick,1931 Range (in code): **CN Ti KwT**
- 88449. *Cochylimorpha armeniana* (De Joannis,1891)** (Tortricidae) Synonym(s): *armeniana* De Joannis,1891. Original Reference: *Euxanthis armeniana* De Joannis,1891, Bull. Soc. ent. Fr. 1891: lxxiii. Syntypes: [Turquie]: Asie mineure: Césarée [Kayseri]. Range (in code): **TR TM Pm AF IR Ab Bzg**
- 88450. *Cochylimorpha asiana* (Kennel,1899)** (Tortricidae) Synonym(s): *asiana* Kennel,1899; *taganrogana* Kennel,1900; *mirabilana* Turati,1934. Range (in code): **LY Cy RU Da Ro Tgn Cc AZ Kir UA TM K-K KG Ka UZ Nmg Man Fe IR Elb Th Es Cls AF Kab Srb PK Haz Kag Nar TR CY MN KK Ik CN Pkn Gn Mc Ts She Hph Stg**
- 88451. *Cochylimorpha bipunctata* (Bai, Guo & Guo,1996)** (Tortricidae) Synonym(s): *bipunctata* Bai, Guo & Guo,1996 Range (in code): **CN Shs**
- 88452. *Cochylimorpha blandana* (Eversmann,1844)** (Tortricidae) Synonym(s): *blandana* Eversmann,1844; *punctulatana* Kennel,1900. Range (in code): **RU Ur KG Uk UA LB Bei**

- 88453. *Cochylimorpha brandti* Razowski,1963** (Tortricidae) **Synonym(s):** *brandti* Razowski,1963 **Range (in code):** **IR Kh KuB Msh Elb Th Kdj**
- 88454. *Cochylimorpha centralasiae* (Razowski,1964)** (Tortricidae) **Synonym(s):** *centralasiae* Razowski,1964 **Range (in code):** **UZ Fe Man TJ Al**
- 88455. *Cochylimorpha chionella* (Schawerda,1924)** (Tortricidae) **Synonym(s):** *chionella* Schawerda,1924 **Original Reference:** *Conchylis chionella* Schawerda,1924, Verh. zool.- bot. Ges. Wien 73: [163], fig.13. Type ♀: [Iraq]: Mosul (NHMW). **Range (in code):** **IQ Mos Shq**
- 88456. *Cochylimorpha clathrana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *clathrana* Staudinger,1871 **Range (in code):** **RU Sr KG Ind Uk**
- 88457. *Cochylimorpha clathratana* (Staudinger,1880)** (Tortricidae) **Synonym(s):** *clathratana* Staudinger,1880 **Range (in code):** **RU Ur**
- 88458. *Cochylimorpha coloratana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *coloratana* Kennel,1899 **Range (in code):** **KG Ssn**
- 88459. *Cochylimorpha conankinensis* (Ge,1992)** (Tortricidae) **Synonym(s):** *conankinensis* Ge,1992 **Range (in code):** **CN Sz Gn She**
- 88460. *Cochylimorpha cultana* (Lederer,1855)** (Tortricidae) **Synonym(s):** *cultana* Lederer,1855; *pontana* Staudinger,1859; *extensana* Staudinger,1859; *lambessana* Baker,1888; *oedemana* Constant,1893; *bigenerana* Kennel,1900; *assalana* Chrétien,1915; *albidana* Caradja,1916; *symmerista* Meyrick,1935. **Original Reference:** *Cochylis cultana* Lederer,1855, Verh. zool.-bot. Ges. Wien 5: 118, pl.2 fig.6. Type: Russia, Altai. **Range (in code):** **MA DZ Bsk Gha Lbs TN Gf PT ES An Mu FR RU Da Cc Ur At TR PK KG Uk TM Kp IR Elb Maz Clu CN Shs Hun Gn Jn Ts She Stg** **Bionomy:** Larva on *Artemisia campestris* (Razowski,1970).
- 88461. *Cochylimorpha cuspidata* (Ge,1992)** (Tortricidae) **Synonym(s):** *cuspidata* Ge,1992 **Range (in code):** **CN Ahw Pkn Gn Hph Mc Hnn Hpe IMn Lng She KP KR**
- 88462. *Cochylimorpha declivana* (Kennel,1900)** (Tortricidae) **Synonym(s):** *declivana* Kennel,1900 **Range (in code):** **RU Am**
- 88463. *Cochylimorpha decolorella* (Zeller,1839)** (Tortricidae) **Synonym(s):** *decolorella* Zeller,1839; *chamomillana* Herrich-Schäffer,[1851]; *pentactinana* Mann,1855. **Original Reference:** *Anarsia decolorella* Zeller,1839, Isis, Lepizig 1839: 190. Type: Sicilia. **Range (in code):** **Cn MA EG PT ES An B-I FR Co Sa Si MT BG TR**
- 88464. *Cochylimorpha despectana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *despectana* Kennel,1899; *uncinatana* Kennel,1900. **Range (in code):** **RU At UZ Fe Man**
- 88465. *Cochylimorpha diana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *diana* Kennel,1899; *iraniana* Razowski,1963 **Original Reference:** *Cochylis diana* Kennel,1899, Dt. ent. Z., Iris 12: 13-14, Taf. 1 fig.12. Type ♂: [Türkei]: "Maraseli" [Kahramanmaraş] (ZMB). **Range (in code):** **RU TR Cc IL Js Jt Pa JO Amm LB Baa SY Dms IR Fa Ab Oru Skn Bzg Qz Th Kdj Ma Fa Kz TM**
- 88466. *Cochylimorpha discolorana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *discolorana* Kennel,1899; *dichroina* Danilevsky,1962; *#sarobica* Razowski,1964; *#discolourana* Alipanah,2009 **Original Reference:** *Cochylis discolorana* Kennel,1899, Dt. ent. Z., Iris 12: 16-18, Taf.1 fig.15. Lectotype ♂: Turkestan, Transalai, designated by Razowski (1970: 171) (ZMB). **Range (in code):** **RO RU Da Sr Cc GG TR AZ Nv Ord IR Elb Mz Clu Km Kh UZ Man Fe TJ T-A KG Kpt TrA Aa AF Bm Srb**
- 88467. *Cochylimorpha discopunctana* (Eversmann,1844)** (Tortricidae) **Synonym(s):** *discopunctana* Eversmann,1844; *incretana* Lederer,1857; *coagulana* Christoph,1872; *punctiferana* Ragonot,1881. **Range (in code):** **PT RO RU Tt Ur Sr Or KG Uk MN**
- 88468. *Cochylimorpha eberti* Razowski,1967** (Tortricidae) **Synonym(s):** *eberti* Razowski,1967 **Range (in code):** **AF Pnj**
- 88469. *Cochylimorpha eburneana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *eburneana* Kennel,1899 **Original Reference:** *Cochylis eburneana* Kennel,1899, Dt. ent. Z., Iris 12: 31-32, Taf. 1, figs. 29,30. Lectotype ♂: [Türkei]: "Malatia" (designated by Razowski,1961) (ZMB) [Alipanah (2009) mentioned as "Malta" erroneously]. **Range (in code):** **TR UZ Fe AF Hr IR Kh Fa Th Sse AM Cc**
- 88470. *Cochylimorpha elegans* (Razowski,1963)** (Tortricidae) **Synonym(s):** *elegans* Razowski,1963 **Range (in code):** **IR Kh KuB**
- 88471. *Cochylimorpha elongana* (Fischer v. Röslerstamm,1839)** (Tortricidae) **Synonym(s):** *elongana* Fischer v. Röslerstamm,1839; *impurana* Mann,1855; *favillana* Staudinger,1859; *tetricana* Mann,1864 **Range (in code):** **PT ES An FR Co IT DE AT PL CZ SK HU RO HV TR RU** **Bionomy:** Larva on *Artemisia campestris*, *Helichrysum*, *Achillea millefolium* (Asteraceae) (Razowski,1970,2001).

- 88472. *Cochylimorpha emiliana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *emiliana* Kennel,1919
Range (in code): **MN CN Mc Ts**
- 88473. *Cochylimorpha flaveolana* (Falkovitsh,1963)** (Tortricidae) **Synonym(s):** *flaveolana* Falkovitsh,1963 **Range (in code):** **KG**
- 88474. *Cochylimorpha fluens* (Razowski,1970)** (Tortricidae) **Synonym(s):** *fluens* Razowski,1970
Range (in code): **AF IR Kh**
- 88475. *Cochylimorpha fucatana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *fucatana* Snellen,1883 **Range (in code):** **RU Ur Sb Am MN KG TrA Aa DsA KK Ik**
- 88476. *Cochylimorpha fucosa* (Razowski,1970)** (Tortricidae) **Synonym(s):** *fucosa* Razowski,1970 **Range (in code):** **IT? RO TR IR Elb Th**
- 88477. *Cochylimorpha fuscimacula* (Falkovitsh,1963)** (Tortricidae) **Synonym(s):** *fuscimacula* Falkovitsh,1963 **Range (in code):** **RU Sr TM KG Ka CN She Ui**
- 88478. *Cochylimorpha gracilens* (Ge,1992)** (Tortricidae) **Synonym(s):** *gracilens* Ge,1992 **Range (in code):** **CN Ti**
- 88479. *Cochylimorpha halophilana* (Christoph,1882)** (Tortricidae) **Synonym(s):** *halophilana* Christoph,1882; *clavana* Constant,1888 [ssp.] **Range (in code):** **FR SK HU RO IT Ch RU Sr Ur Cc GG Lag TM Kp IR Se Srd Elb Shh AF Pag CN Ui** **Bionomy:** Larva on *Artemisia gallica* (Asteraceae) (Razowski,2002).
- 88480. *Cochylimorpha hapala* (Diakonoff,1984)** (Tortricidae) **Synonym(s):** *hapala* Diakonoff,1984 **Range (in code):** **CN HK MY Bor**
- 88481. *Cochylimorpha hedemanniana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *hedemanniana* Snellen,1883; *rectifascia* Filipjev,1924. **Range (in code):** **RU Blg Mnu Sb Am CN Yu Kgs Shs Ahw Pkn Hph Mc Hnn Lng She Stg**
- 88482. *Cochylimorpha hilarana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *hilarana* Herrich-Schäffer,[1851]; *rheticana* LaHarpe,1864; *dilutana* Caradja,1916. **Original Reference:** *Cochylis hilarana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 4 (46): 185. Type: Deutschland, Bayern. **Range (in code):** **ES FR IT DE Bv CH AT PL CZ SK HU RO TR DK SE FI LT RU IL Jer Pa MN** **Bionomy:** Larva on *Artemisia campestris* (Asteraceae) (Swatschek,1958).
- 88483. *Cochylimorpha innotatana* (W.Warren,1888)** (Tortricidae) **Synonym(s):** *innotana* W.Warren,1888 **Original Reference:** *Xanthosetia innotatana* W.Warren,1888, Proc. zool. Soc. Lond. 1888: 37. Type ♀: [Pakistan]: Kala Pani, May 6 1887. **Range (in code):** **PK K-P**
- 88484. *Cochylimorpha isocornutana* (Razowski,1964)** (Tortricidae) **Synonym(s):** *isocornutana* Razowski,1964 **Range (in code):** **CN Yu**
- 88485. *Cochylimorpha jaculana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *jaculana* Snellen,1883 **Range (in code):** **Ch MN RU Sb Am Us Prj CN Mc Yu Ahw Pkn Hph IMn Jn She Stg Sz KP KR JP Hkk**
- 88486. *Cochylimorpha jucundana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *jucundana* Treitschke,1835 **Range (in code):** **ES FR IT BE CH HU RO YU HV B-H MK**
- 88487. *Cochylimorpha kohibabae* Razowski,2005** (Tortricidae) **Synonym(s):** *kohibabae* Razowski,2005 **Range (in code):** **AF Kbb**
- 88488. *Cochylimorpha kurdistan* (Amsel,1959)** (Tortricidae) **Synonym(s):** *kurdistan* Amsel,1959 **Original Reference:** *Euxanthis kurdistan* Amsel,1959, Bull. Soc. ent. Egypte 43: 57, t10, fig.7, t.11 fig.2. Holotype ♂: Iraq: Haji Omran (LNK). **Range (in code):** **TR IQ Hjo Shq IR Kd Bne Sqq Lo Th**
- 88489. *Cochylimorpha lagara* Diakonoff,1983** (Tortricidae) **Synonym(s):** *lagara* Diakonoff,1983 **Range (in code):** **SA**
- 88490. *Cochylimorpha langeana* (Kalchberg,1897)** (Tortricidae) **Synonym(s):** *langeana* Kalchberg,1897; *anticyphas* Meyrick,1936; *hannemanni* Razowski,1961 **Original Reference:** *Conchylis langeana* Kalchberg,1897, Dt. ent. Z., Iris 10: 188. Lectotype ♀: "Haifa, Syria", designated by Razowski,1970 (NHMW). **Range (in code):** **IL Hf Jt Pa TR LB Bmm IR Th**
- 88491. *Cochylimorpha lungtangensis* (Razowski,1964)** (Tortricidae) **Synonym(s):** *lungtangensis* Razowski,1964 **Range (in code):** **CN She Kgs Gn Kwt Hph Hnn Ts Sz**
- 88492. *Cochylimorpha maleropa* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *maleropa* Meyrick,1937 **Range (in code):** **CN Yu She**
- 88493. *Cochylimorpha meridiana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *meridiana* Staudinger,1859; *claviculana* Mann,1863; *frauenfeldi* Mann,1871; *naeviferana* Kennel,1899; *priscillana* Kennel,1919. **Range (in code):** **PT ES An FR IT CH YU MK AL BG RO GR TR RU Sr Ur Pr Cc GG AM LB KG Tk Dj CN Ui Ku**

- 88494. *Cochylimorpha meridiolana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *meridiolana* Ragonot,1894; *ochrostriana* Kennel,1899; *meridiolana* Kennel,1900 *nec* Ragonot,1894; *kenneli* Razowski,1967. **Range (in code):** **TR IQ IR Elb Th UZ Fe Smk CN Ui Ku KG TrA Aa**
- 88495. *Cochylimorpha mongolicana* (Ragonot,1894)** (Tortricidae) **Synonym(s):** *mongolicana* Ragonot,1894 **Range (in code):** **TM UZ Br KG Ssn CN Ui Ku**
- 88496. *Cochylimorpha monstrabilis* (Razowski,1970)** (Tortricidae) **Synonym(s):** *monstrabilis* Razowski,1970 **Range (in code):** **MN**
- 88497. *Cochylimorpha montana* (Razowski,1967)** (Tortricidae) **Synonym(s):** *montana* Razowski,1967 **Range (in code):** **AF Adr IR Gor Gls**
- 88498. *Cochylimorpha moriutii* (Kawabe,1987)** (Tortricidae) **Synonym(s):** *moriutii* Kawabe,1987 **Original Reference:** *Stenodes moriutii* Kawabe,1987, *Microlepid. Thailand* 1: 72-74. figs. **Holotype** ♂: Thailand: Chiang Mai, Doi Pui 1300m, 26-27 Oct.,1985 leg. S.Moriuti, T.Saito & Y.Arita (UOP). **Range (in code):** **TH CMa Dst**
- 88499. *Cochylimorpha nankinensis* (Razowski,1964)** (Tortricidae) **Synonym(s):** *nankinensis* Razowski,1964 **Range (in code):** **CN Kgs Tkg Hnn She**
- 88500. *Cochylimorpha nipponana* (Razowski,1977)** (Tortricidae) **Synonym(s):** *nipponana* Razowski,1977 **Range (in code):** **CN Mc She JP**
- 88501. *Cochylimorpha nodulana* (Möschler,1862)** (Tortricidae) **Synonym(s):** *nodulana* Möschler,1862 **Range (in code):** **RU Tv MN Sr KG Uk TR Cc IR Th**
- 88502. *Cochylimorpha nomadana* (Erschoff,1874)** (Tortricidae) **Synonym(s):** *nomadana* Erschoff,1874 **Range (in code):** **RU IR Elb Shh Ak Kdj Lo Bk TR Cc AM Eri TM Kp K-K UZ Smk KG DsA Tk Dj CN Ui Ku AF Kab**
- 88503. *Cochylimorpha nuristana* (Razowski,1967)** (Tortricidae) **Synonym(s):** *nuristana* Razowski,1967 **Range (in code):** **IR Bk Fa AF Ng Nu Kab**
- 88504. *Cochylimorpha obliquana* (Eversmann,1844)** (Tortricidae) **Synonym(s):** *obliquana* Eversmann,1844; *coenosana* Mann,1867. **Range (in code):** **AT SK HU RO RU Ro Tgn Ur Sr KG Uk** **Bionomy:** Larva on *Artemisia maritima*, *A.stepposa*, *A.santonicum* (Asteraceae) (Kasy,1958; Razowski,2001).
- 88505. *Cochylimorpha perfusana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *perfusana* Guenée,1845; *callosana* Herrich-Schäffer,1851. **Range (in code):** **FR Co IT CH AT CZ RO YU RU** **Bionomy:** Larva on *Centaurea stoebe*, *C. triumfetti* (Asteraceae) (Razowski,1970,2001).
- 88506. *Cochylimorpha perturbatana* (Kennel,1900)** (Tortricidae) **Synonym(s):** *perturbatana* Kennel,1900; *herminiana* Kennel,1919. **Range (in code):** **RU Ur Or KG Aa Uk Tk Dj TrA CN Ui Ku**
- 88507. *Cochylimorpha peucedana* (Ragonot,1889)** (Tortricidae) **Synonym(s):** *peucedana* Ragonot,1889; *corsicana* Walsingham,1898; *austriana* Chrétien,1902; *florana* Chrétien,1905; *toreumatana* Turati,1913. **Range (in code):** **PT ES FR Co Sa Si** **Bionomy:** Larva on *Peucedanum gallicum*, *Santolina chamaeciparissus*, *S. rosmarinifolia* (Chrétien,1902-1905).
- 88508. *Cochylimorpha pirizanica* (Razowski,1963)** (Tortricidae) **Synonym(s):** *pirizanica* Razowski,1963 **Range (in code):** **IR Fa KK Ik Fe Osh**
- 88509. *Cochylimorpha psalmophanes* (Meyrick,1925)** (Tortricidae) **Synonym(s):** *psalmophanes* Meyrick,1925 **Range (in code):** **EG** **Bionomy:** Larva on *Artemisia judaica* (Razowski,1970).
- 88510. *Cochylimorpha pseudoalternana* Chambon & Khou,1993** (Tortricidae) **Synonym(s):** *pseudoalternana* Chambon & Khou,1993 **Range (in code):** **DZ**
- 88511. *Cochylimorpha pyramidana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *pyramidana* Staudinger,1871 **Range (in code):** **ES SK TR Cc RU Sr Ur KG Uk**
- 88512. *Cochylimorpha razowskiana* (Kuznetsov,2005)** (Tortricidae) **Synonym(s):** *pallens* Kuznetsov,1966; *razowskiana* Kuznetsov,2005 **Range (in code):** **RU Vv Prj Us CN She Ts Gn Pkn Hph Shs Hnn**
- 88513. *Cochylimorpha salinarida* Groenen & K.Larsen,2003** (Tortricidae) **Synonym(s):** *salinarida* Groenen & K.Larsen,2003 **Range (in code):** **ES Vcl Ale**
- 88514. *Cochylimorpha santolinana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *santolinana* Staudinger,1871 **Range (in code):** **ES**
- 88515. *Cochylimorpha scoptes* (Razowski,1984)** (Tortricidae) **Synonym(s):** *scoptes* Razowski,1984 **Range (in code):** **IN Sri Ch**
- 88516. *Cochylimorpha scrophulana* (Razowski,1963)** (Tortricidae) **Synonym(s):** *scrophulana* Razowski,1963 **Range (in code):** **IR Fa Es By**

- 88517. *Cochylimorpha simplicis* (Bai, Guo & Guo,1996)** (Tortricidae) Synonym(s): *simplicis* Bai, Guo & Guo,1996 Range (in code): **CN Shs**
- 88518. *Cochylimorpha simulata* (Razowski,1970)** (Tortricidae) Synonym(s): *simulata* Razowski,1970 Range (in code): **IR Elb Se Kdv Shh Mz Clu**
- 88519. *Cochylimorpha sparsana* (Staudinger,1880)** (Tortricidae) Synonym(s): *sparsana* Staudinger,1880 Original Reference: *Cochylis sparsana* Staudinger,1880, Horae Soc. ent. ross. 15: 239-240. Type ♂: [Türkei]: Amasia (ZMB). Range (in code): **ES An IT TR**
- 88520. *Cochylimorpha stataria* (Razowski,1970)** (Tortricidae) Synonym(s): *stataria* Razowski,1970 Range (in code): **AF BdA**
- 88521. *Cochylimorpha straminea* (Haworth,[1811])** (Tortricidae) Synonym(s): *straminea* Haworth,[1811]; *tischerana* Treitschke,1830; *sudana* Duponchel,1836; *substraminea* Ragonot,1895; *scabiosa* Kennel,1900; *lentiginosana* Kennel,1900; *ramessana* Rebel,1912; *numidana* Turati,1924; *glaisana* Lucas,1942; *pallens* Lucas,1954. Range (in code): **Cn MA DZ Bsk Lbs Anna TN Gf LY Cy PT ES FR Co Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR CY IR Elb Mz Clu Ak Mrd Ar Km DK SE LT RU Pt Ur MD UA BY IL Pa Hf Js LB IQ Shq Hjo SY Dms Cc AM Eri AZ Len TM KG Uk** Bionomy: Larva on Scabiosa (Dipsacaceae), Artemisia, Centaurea (Asteraceae) (Swatschek,1958; Razowski,2001).
- 88522. *Cochylimorpha subwolniana* (Danilewski,1962)** (Tortricidae) Synonym(s): *subwolniana* Danilewski,1962 Range (in code): **KG DsA TrA Aa Tk Ket**
- 88523. *Cochylimorpha tamerlana* (Ragonot,1894)** (Tortricidae) Synonym(s): *tamerlana* Ragonot,1894 Range (in code): **UZ Smk**
- 88524. *Cochylimorpha thomasi* Karisch,2003** (Tortricidae) Synonym(s): *thomasi* Karisch,2003 Original Reference: *Cochylimorpha thomasi* Karisch,2003, Naturw. Beitr. Mus. Dessau 15: 123-124, figs. Holotype ♂: O-Türkei: Van Prov. Güzeldere Pass (MNVD). Range (in code): **TR**
- 88525. *Cochylimorpha tiraculana* (Bassi & Scaramozzino,1989)** (Tortricidae) Synonym(s): *tiraculana* Bassi & Scaramozzino,1989 Range (in code): **FR IT**
- 88526. *Cochylimorpha triangulifera* (Kuznetsov,1966)** (Tortricidae) Synonym(s): *triangulifera* Kuznetsov,1966 Range (in code): **RU Prj Us**
- 88527. *Cochylimorpha wiltshirei* Razowski,1963** (Tortricidae) Synonym(s): *wiltshirei* Razowski,1963 Range (in code): **IR Ak Kdj TR**
- 88528. *Cochylimorpha wolniana* (Schleich,1868)** (Tortricidae) Synonym(s): *wolniana* Schleich,1868; *lorana* Fuchs,1897. Range (in code): **FR IT DE CH AT PL CZ SK HU RO YU BG Vrn DK SE RU Sr MD UA KG Uk KK Ik TR** Bionomy: Larva on Artemisia absinthium (Asteraceae) (Razowski,2001).
- 88529. *Cochylimorpha wolniana luteola* Kuznetsov,1975** (Tortricidae) Synonym(s): *luteola* Kuznetsov,1975 Range (in code): **MN**
- 88530. *Cochylimorpha yangtsena* Razowski,2006** (Tortricidae) Synonym(s): *yangtsena* Razowski,2006 Range (in code): **CN Ti**
- 88531. *Cochylis aestiva* (Walsingham,1900)** (Tortricidae) Synonym(s): *aestiva* Walsingham,1900 Original Reference: *Phalonia aestiva* Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 445. Syntypes 3♂♂: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham). Range (in code): **SY Hal**
- 88532. *Cochylis amoenana* Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 Range (in code): **TR Cc IR Kh KuB AF TJ KK UZ PK CN Ui Ku**
- 88533. *Cochylis anerista* Razowski,1984** (Tortricidae) Synonym(s): *anerista* Razowski,1984 Range (in code): **MX**
- 88534. *Cochylis apricana* Kennel,1899** (Tortricidae) Synonym(s): *amoenana* Kennel,1899 *nec* Wlk.,1863; *apricana* Kennel,1899 Original Reference: *Cochylis apricana* Kennel,1899, Dt. ent. Z., Iris 12: 27, Taf.1 fig.24. Type ♂: [Georgia]: Kaukasus, Achalzich. Range (in code): **TR Cc GG Smt Akh IR Kh TJ Dsb Fe Nmg Man Smk UZ AF Bd Slg PK Pj Bl Qu KK Ax**
- 88535. *Cochylis argentinana* Razowski,1967** (Tortricidae) Synonym(s): *argentinana* Razowski,1967 Range (in code): **AR**
- 88536. *Cochylis atricapitana* (Stephens,1852)** (Tortricidae) Synonym(s): *atricapitana* Stephens,1852 Range (in code): **MA ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE RU Sr TR MD UA BY CN Ui** Bionomy: Larva on Senecio jacobea, Hypericum, Hieracium (Asteraceae) (Razowski,2001).
- 88537. *Cochylis catalonica* Gibeaux,1985** (Tortricidae) Synonym(s): *catalonica* Gibeaux,1985 Range (in code): **FR**
- 88538. *Cochylis caulocatax* Razowski,1984** (Tortricidae) Synonym(s): *caulocatax* Razowski,1984 Range (in code): **VE**

- 88539. *Cochylis conviva* Razowski,1990** (Tortricidae) **Synonym(s):** *conviva* Razowski,1990
Range (in code): **MX Grr**
- 88540. *Cochylis defessana* Mann,1861** (Tortricidae) **Synonym(s):** *defessana* Mann,1861;
centaureana Staudinger,1879. **Original Reference:** *Cochylis defessana* Mann,1861, Wien. ent.
Monatschr. 5: 185, fig. Syntypes: [Türkei]: Amasia. **Range (in code):** **MX BG GR TR IR Elb Th By**
TM Kp RU Sr SY Hal CN Ui **Bionomy:** Larva on *Centaurea divergens* at Amasia (Staudinger,1879).
- 88541. *Cochylis discerta* Razowski,1970** (Tortricidae) **Synonym(s):** *discerta* Razowski,1970
Range (in code): **MN CN Gn IMn**
- 88542. *Cochylis dubitana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *dubitana* Hübner,[1799];
ambigua Frölich,1828; *baseirufana* Bruand,1850; *albidana* Walker,1866. **Range (in code):** **PT ES FR Sa IT**
IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU Ur MD UA BY CN Shs
Mc US **Bionomy:** Larva on *Senecio*, *Crepis*, *Picris*, *Carduus nutans*, *C. acanthoides*, *Hieracium*,
Solidago, *Cirsium lanceolatum* (Asteraceae) (Razowski,2001).
- 88543. *Cochylis epilinana* Duponchel,1842** (Tortricidae) **Synonym(s):** *epilinana* Duponchel,1842;
carpophilana Staudinger,1859. **Range (in code):** **MA Cn ES An Grn Mu FR Co Sa Si IT BE DE CH AT PL**
CZ SK HU RO YU MK AL BG GR TR SY Hal IL Hf Pa DK SE FI EE LV LT RU Cc MD UA BY **Bionomy:**
Larva on *Linum usitatissimum*, *L. catharticum*, *L. campanullatum* (Linaceae), *Solidago*
(Asteraceae), *Cephalaria leucantha* (Dipsacaceae) (Razowski,2001).
- 88544. *Cochylis erromena* Razowski,1984** (Tortricidae) **Synonym(s):** *erromena* Razowski,1984
Range (in code): **MX Grr**
- 88545. *Cochylis eupacria* Razowski,1984** (Tortricidae) **Synonym(s):** *eupacria* Razowski,1984
Range (in code): **MX Nle**
- 88546. *Cochylis eureka* Razowski,1984** (Tortricidae) **Synonym(s):** *eureka* Razowski,1984 **Range**
(in code): **MX Dgo**
- 88547. *Cochylis eutaxia* Razowski,1984** (Tortricidae) **Synonym(s):** *eutaxia* Razowski,1984 **Range**
(in code): **MX BcN**
- 88548. *Cochylis eutheta* Razowski,1986** (Tortricidae) **Synonym(s):** *eutheta* Razowski,1986
Range (in code): **MX Vcr**
- 88549. *Cochylis exomala* Razowski,1984** (Tortricidae) **Synonym(s):** *exomala* Razowski,1984
Range (in code): **MX**
- 88550. *Cochylis faustana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *faustana* Kennel,1919 **Range**
(in code): **KG Tk Dj Ii AF Hr Bark Kab Srb PK Bl Qu Haz Kag Nar CN IMn Ui RU**
- 88551. *Cochylis flaviciliana* (Westwood,1854)** (Tortricidae) **Synonym(s):** *flaviciliana*
Westwood,1854 **Range (in code):** **DZ ES FR Sa Si IT IE GB NL LU DE CH AT PL CZ SK HU YU B-H DK**
NO SE FI EE LV LT RU MD UA BY **Bionomy:** Larva on *Scabiosa*, *Knautia* (Dipsacaceae)
(Razowski,2001).
- 88552. *Cochylis fulvotinctana* (Walsingham,1884)** (Tortricidae) **Synonym(s):** *fulvotinctana*
Walsingham,1884 **Range (in code):** **US Arz**
- 88553. *Cochylis heratana* Razowski,1967** (Tortricidae) **Synonym(s):** *heratana* Razowski,1967;
#heratna Razowski,1968 **Range (in code):** **AF Hr**
- 88554. *Cochylis hospes* (Walsingham,1884)** (Tortricidae) **Synonym(s):** *hospes* Walsingham,1884
Range (in code): **US NCa**
- 88555. *Cochylis hybridella* (Hübner,[1813])** (Tortricidae) **Synonym(s):** *hybridella* Hübner,[1813];
dissolutana Herrich-Schäffer,[1847]; *carduana* Zeller,1847; *clarana* Caradja,1916. **Range (in code):** **PT ES FR**
Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR LB SY Hal Cc AM DK SE FI EE LV RU Ur
Am Prj Us MD UA BY CN Shs Gn Mc IMn Jn Lng Ui IN Hp JP Hkk KP KR **Bionomy:** Larva on *Picris*
hieracioides, *Crepis* (Asteraceae) (Razowski,2001).
- 88556. *Cochylis indica* Razowski,1968** (Tortricidae) **Synonym(s):** *indica* Razowski,1968 **Range**
(in code): **PK AF Sfk IN Ch**
- 88557. *Cochylis insipida* Razowski,1990** (Tortricidae) **Synonym(s):** *insipida* Razowski,1990
Range (in code): **MX**
- 88558. *Cochylis lutosa* Razowski,1967** (Tortricidae) **Synonym(s):** *lutosa* Razowski,1967 **Range**
(in code): **AF Pnj BdA**
- 88559. *Cochylis maestana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *maestana* Kennel,1899;
suleimana Osthelder,1938. **Original Reference:** *Euxanthia maestana* Kennel,1899, Dt. ent. Z., Iris 12:
32, pl.1 fig.31. Type: Iran, Shahkuh. **Range (in code):** **IR Elb Shh Srd Se Gl Mz Ke TR AF BdA Kab**
Slg

- 88560. Cochylys magnaedoeagana (Gibbeaux,1985)** (Tortricidae) **Synonym(s):** *magnaedoeagana* Gibbeaux,1985 Range (in code): **FR**
- 88561. Cochylys methoeca Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *methoeca* Razowski & Becker,1986 Range (in code): **MX Vcr**
- 88562. Cochylys militariana Derra,1991** (Tortricidae) **Synonym(s):** *militariana* Derra,1991 Original Reference: *Cochylis militariana* Derra,1991, *Atalanta* 21 (3/4): 299, Abb.6. Holotype ♂: Türkiye: Prov. Mardin: Büyük-Trockental, 21km östl. Viranşehir, Soğukkuyu 400m 4.xi.1988 (leg. & coll. Derra). Range (in code): **TR**
- 88563. Cochylys molliculana Zeller,1847** (Tortricidae) **Synonym(s):** *molliculana* Zeller,1847; *rufosignana* Kennel,1899; *calavrytana* Rebel,1906. Range (in code): **TN ES An FR Co Si IT MT GB YU GR**
- 88564. Cochylys morosana Kennel,1899** (Tortricidae) **Synonym(s):** *morosana* Kennel,1899; *subobscurana* Kennel,1900 Range (in code): **UZ Al AF Adr Pm**
- 88565. Cochylys mystes Razowski,1990** (Tortricidae) **Synonym(s):** *mystes* Razowski,1990 Range (in code): **MX Grr**
- 88566. Cochylys nana (Haworth,[1811])** (Tortricidae) **Synonym(s):** *nana* Haworth,[1811]; *carneana* Guenée,1845; *cruentana* Guenée,1845; *pallidana* Herrich-Schäffer,1851 nec Zell.,1847; *ochreoalbana* Walker,1863; *albidana* Walker,1866; *altocorsicana* Petry,1904; *winniana* Kearfott,1905 Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR TR DK NO SE FI EE LV LT RU Am No Prj Us Tt MD UA BY CN Hph Mc Shs CA Nsc US Nje** Bionomy: Larva on *Betula nana* (Betulaceae) (Razowski,2001).
- 88567. Cochylys obtrusa Razowski & Becker,1983** (Tortricidae) **Synonym(s):** *obtrusa* Razowski & Becker,1983 Range (in code): **BR Pran**
- 88568. Cochylys pallidana Zeller,1847** (Tortricidae) **Synonym(s):** *pallidana* Zeller,1847 Original Reference: *Cochylis pallidana* Zeller,1847, *Isis* v.Oken 1847 (10): 742. Lectotype ♂: Germany (BMNH). Range (in code): **PT ES FR Sa Si IT IE GB NL DE CH AT PL CZ SK HU RO YU B-H AL BG GR TR LB Bei DK NO SE FI EE LV RU Sr Tt MD UA BY**
- 88569. Cochylys pallidana dolosana Kennel,1901** (Tortricidae) **Synonym(s):** *dolosana* Kennel,1901 Original Reference: *Conchylis dolosana* Kennel,1901, *Dt. ent. Z., Iris* 13: 234. Type ♂: [Türkei]: "Zeitun". Range (in code): **TR LB Bei**
- 88570. Cochylys pallidana glaseri Kasy,1972** (Tortricidae) **Synonym(s):** *glaseri* Kasy,1972 Original Reference: *Cochylis pallidana* ssp. *glaseri* Kasy,1972, *Annln naturh. Mus. Wien* 76: 737-741, figs. Holotype ♂: Türkiye: "Asia min. Turcia, 50km östl. Istanbul, 6.7.65, M. u. W. Glaser leg. (NHMW). Range (in code): **TR**
- 88571. Cochylys pallidana pallidana Zeller,1847** (Tortricidae) **Synonym(s):** *pallidana* Zeller,1847 Original Reference: *Cochylis pallidana* Zeller,1847, *Isis* v.Oken 1847 (10): 742. Lectotype ♂: Germany (BMNH). Range (in code): **PT ES FR Sa Si IT IE GB NL DE CH AT PL CZ SK HU RO YU B-H AL BG GR DK NO SE FI EE LV RU Sr Tt**
- 88572. Cochylys philypna Razowski & Becker,1994** (Tortricidae) **Synonym(s):** *philypna* Razowski & Becker,1994 Range (in code): **BR MiG**
- 88573. Cochylys piana (Kennel,1899)** (Tortricidae) **Synonym(s):** *piana* Kennel,1899; *pamira* Obraztsov,1943; *subposterana* Toll,1947; *pseudofessana* Razowski,1963 Range (in code): **IR KuM Kh Elb Th Ha Avd AF Adr Gbh Kab TJ Pm Chr Rsh KG Tk Ii Dj UZ MN CN Ui IMn Lng She**
- 88574. Cochylys pimana (Busck,1907)** (Tortricidae) **Synonym(s):** *pimana* Busck,1907 Range (in code): **US Arz**
- 88575. Cochylys posterana Zeller,1847** (Tortricidae) **Synonym(s):** *posterana* Zeller,1847; *nubivagana* Zerny,1935 Range (in code): **DZ PT ES FR Sa Si IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK SE FI EE LV LT RU MD UA BY LB Say SY Dms Cc AM Eri KK Ik IR KuM Kh Elb Kdv Th Gls Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse TM Kp IQ Hjo CN Ui Ku Gn** Bionomy: Larva on *Carduus nutans*, *Centaurea jacea*, *Cirsium lanceolatum* (Asteraceae) (Razowski,2001).
- 88576. Cochylys posterana hyrcana (Toll,1947)** (Tortricidae) **Synonym(s):** *hyrcana* Toll,1947 Range (in code): **IR KuM Kh Elb Kdv Th Gls Gor Es Se Zj Ha Bk Ab Mak Ar Lo Ak Fa Sse CN Ui Gn**
- 88577. Cochylys psychrasema (Meyrick,1937)** (Tortricidae) **Synonym(s):** *psychrasema* Meyrick,1937 Range (in code): **CN Yu Btn Ats**
- 88578. Cochylys ringsi Metzler,1999** (Tortricidae) **Synonym(s):** *ringsi* Metzler,1999 Original Reference: *Cochylis ringsi* Metzler,1999, *The Gates Lakes Ent.* 32: 191. Range (in code): **US Idp**
- 88579. Cochylys rosaria Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *rosaria* Razowski & Becker,1993 Range (in code): **MX Grr**

- 88580. *Cochylis roseana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *roseana* Haworth,[1811]; *rubellana* Hübner,[1823]; *dipsaceana* Duponchel,1843; *undulatana* Kennel,1899. **Range (in code):** **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR RU MD UA BY KG Uk IR Elb Th CN Gn** **Bionomy:** Larva on *Solidago* (Asteraceae), *Dipsacus sylvestris* (Dipsacaceae), *Antirrhinum* (Scrophulariaceae) (Razowski,1970).
- 88581. *Cochylis sagittigera* Razowski & Becker,1983** (Tortricidae) **Synonym(s):** *sagittigera* Razowski & Becker,1983 **Range (in code):** **BR MiG**
- 88582. *Cochylis salebrana* Mann,1862** (Tortricidae) **Synonym(s):** *salebrana* Mann,1862; *millierana* Peyerimhoff,1877. **Original Reference:** *Cochylis salebrana* Mann,1862, Wien. ent. Monatschr. 6: 395. Lectotype ♀: [Türkei]: Brussa [Bursa] (NHMW). **Range (in code):** **ES FR IT HU YU HV BG TR RU Da Cc MD UA BY**
- 88583. *Cochylis securifera* Razowski & Becker,1983** (Tortricidae) **Synonym(s):** *securifera* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 88584. *Cochylis similana* Razowski,1963** (Tortricidae) **Synonym(s):** *similana* Razowski,1963 **Range (in code):** **IR Yz Fa AF Kab LB Bsa Cc**
- 88585. *Cochylis striangula* Sun & Li,2013** (Tortricidae) **Synonym(s):** *striangula* Sun & Li,2013 **CN Yu Kwt**
- 88586. *Cochylis suaveolana* Fuchs,1903** (Tortricidae) **Synonym(s):** *suaveolana* Fuchs,1903 **Original Reference:** *Conchylis* (*Coccyx*) *suaveolana* Fuchs,1903, Stettin ent. Ztg. 64: 6. Type(s): [Türkei]: "Konia", "verloren" (Razowski,1970: 443). **Range (in code):** **TR**
- 88587. *Cochylis telephora* Razowski & Becker,1994** (Tortricidae) **Synonym(s):** *telephora* Razowski & Becker,1994 **Range (in code):** **BR MiG**
- 88588. *Cochylis tephrodrypta* Razowski,1984** (Tortricidae) **Synonym(s):** *tephrodrypta* Razowski,1984 **Range (in code):** **MX Snr**
- 88589. *Cochylis torva* Razowski & Becker,1983** (Tortricidae) **Synonym(s):** *torva* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 88590. *Cochylis typhlinea* Razowski,1984** (Tortricidae) **Synonym(s):** *typhlinea* Razowski,1984 **Range (in code):** **MX Vcr**
- 88591. *Cochylis yuccatana* (Busck,1907)** (Tortricidae) **Synonym(s):** *yuccatana* Busck,1907 **Range (in code):** **US Tx**
- 88592. *Coelostathma binotata* Walsingham,1913** (Tortricidae) **Synonym(s):** *binotata* Walsingham,1913 **Range (in code):** **MX Tbo**
- 88593. *Coelostathma contigua* Meyrick,1926** (Tortricidae) **Synonym(s):** *contigua* Meyrick,1926 **Range (in code):** **BR**
- 88594. *Coelostathma discopunctana* Clemens,1860** (Tortricidae) **Synonym(s):** *discopunctana* Clemens,1860; *discipunctana* Walsingham,1914 **Range (in code):** **US**
- 88595. *Coelostathma immutabilis* Meyrick,1926** (Tortricidae) **Synonym(s):** *immutabilis* Meyrick,1926 **Range (in code):** **BR**
- 88596. *Coelostathma paralellana* Walsingham,1897** (Tortricidae) **Synonym(s):** *paralellana* Walsingham,1897 **Range (in code):** **VG**
- 88597. *Collogenes percnophylla* Meyrick,1931** (Tortricidae) **Synonym(s):** *percnophylla* Meyrick,1931 **Range (in code):** **PG NHa Bsm**
- 88598. *Collogenes plumbosa* Diakonoff,1959** (Tortricidae) **Synonym(s):** *plumbosa* Diakonoff,1959 **Range (in code):** **PG Bsm NHa**
- 88599. *Collogenes pseusta* Diakonoff,1959** (Tortricidae) **Synonym(s):** *pseusta* Diakonoff,1959 **Range (in code):** **ID Clb Ja**
- 88600. *Commophila aeneana* (Hübner,[1800])** (Tortricidae) **Synonym(s):** *aeneana* Hübner,[1800] **Range (in code):** **FR IT? GB BE NL LU DE CH AT RO RU MD UA BY** **Bionomy:** Larva on *Picris hieracioides*, *Senecio paludosus*, *S. jacobaea* (Asteraceae) (Razowski,2001).
- 88601. *Commophila nevadensis* Traugott-Olsen,1990** (Tortricidae) **Synonym(s):** **Range (in code):** **ES Grn Snv**
- 88602. *Coniostola omistus* Diakonoff,1988** (Tortricidae) **Synonym(s):** *omistus* Diakonoff,1988 **Range (in code):** **MG**
- 88603. *Coniostola separata* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *separata* Razowski & Trematerra,2010 **Range (in code):** **Et Ble**
- 88604. *Coniostola stereoma* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *stereoma* Meyrick,1912; *eriomis* Meyrick,1933 **Original Reference:** *Eucosma stereoma* Meyrick,1912, J. Bombay nat. Hist.

- Soc. 21: 33. Range (in code): IN Ben Pus Ddu TH IN Ben ID Ja Bionomy: Larva on *Acacia catechu*, *A.pennata*, *Dichrostachys cinerea* (Fabaceae) (Robinson et al.,1994).
- 88605. *Coristaca capsularia* Razowski,[1992]** (Tortricidae) Synonym(s): capsularia Razowski,[1992] Range (in code): CR
- 88606. *Cornesia molytes* Razowski,1993** (Tortricidae) Synonym(s): molytes Razowski,1993 Range (in code): KE
- 88607. *Coryssovalva cosmocosta* Razowski,1987** (Tortricidae) Synonym(s): cosmocosta Razowski,1987 Range (in code): CO
- 88608. *Cosmorrhyncha acrocossa* (Meyrick,1908)** (Tortricidae) Synonym(s): acrocossa Meyrick,1908 Range (in code): KE
- 88609. *Cosmorrhyncha microcosma* Aarvik,2004** (Tortricidae) Synonym(s): microcosma Aarvik,2004 Range (in code): ZR KE ST UG
- 88610. *Cosmorrhyncha ocelliferana* (Walker,1863)** (Tortricidae) Synonym(s): ocelliferana Walker,1863; ocellata Mabille,1900; acrocossa Meyrick,1908 Range (in code): BR Azn MG MW
- 88611. *Costosa allochroma* Diakonoff,[1968]** (Tortricidae) Synonym(s): allochroma Diakonoff,[1968] Range (in code): PH Mno
- 88612. *Costosa aphenia* Diakonoff,1973** (Tortricidae) Synonym(s): aphenia Diakonoff,1973 Range (in code): PG
- 88613. *Costosa rhodantha* (Meyrick,1907)** (Tortricidae) Synonym(s): rhodantha Meyrick,1907 Range (in code): IN Meg Ass Khs LK TH NP
- 88614. *Crimnologa fletcheri* Bradley,1965** (Tortricidae) Synonym(s): fletcheri Bradley,1965 Range (in code): UG Rz
- 88615. *Crimnologa kirunguana* Razowski,2012** (Tortricidae) Synonym(s): kirunguana Razowski,2012 Range (in code): ZR
- 88616. *Crimnologa perspicua* (Meyrick,1920)** (Tortricidae) Synonym(s): perspicua Meyrick,1920 Range (in code): TZ Kmj
- 88617. *Crimnologa transmutata* (Meyrick,1931)** (Tortricidae) Synonym(s): transmutata Meyrick,1931 Range (in code): ZR RW
- 88618. *Crociosema accessa* (Heinrich,1931)** (Tortricidae) Synonym(s): accessa Heinrich,1931 Range (in code): PA
- 88619. *Crociosema aporema* (Walsingham,1914)** (Tortricidae) Synonym(s): aporema Walsingham,1914; opposita Heinrich,1931 Range (in code): CR PE
- 88620. *Crociosema bostrychodes* Diakonoff,1992** (Tortricidae) Synonym(s): bostrychodes Diakonoff,1992 Range (in code): MG
- 88621. *Crociosema callida* Meyrick,1917** (Tortricidae) Synonym(s): callida Meyrick,1917 Range (in code): PE
- 88622. *Crociosema calvifrons* (Walsingham,1892)** (Tortricidae) Synonym(s): calvifrons Walsingham,1892 Range (in code): VC
- 88623. *Crociosema cecidogena* (Keiffer,1908)** (Tortricidae) Synonym(s): cecidogena Keiffer,1908 Range (in code): CO
- 88624. *Crociosema chloroticana* (Zeller,1877)** (Tortricidae) Synonym(s): chloroticana Zeller,1877 Range (in code): CO
- 88625. *Crociosema compsoptila* Meyrick,1917** (Tortricidae) Synonym(s): compsoptila Meyrick,1917 Range (in code): VE
- 88626. *Crociosema cosmoptila* Meyrick,1917** (Tortricidae) Synonym(s): cosmoptila Meyrick,1917 Range (in code): AR
- 88627. *Crociosema evidens* (Meyrick,1917)** (Tortricidae) Synonym(s): evidens Meyrick,1917 Range (in code): GY
- 88628. *Crociosema impendens* Meyrick,1917** (Tortricidae) Synonym(s): impendens Meyrick,1917 Range (in code): EC
- 88629. *Crociosema longipalpana* (Möschler,1890)** (Tortricidae) Synonym(s): longipalpana Möschler,1890 Range (in code): PR
- 88630. *Crociosema lustromarginata* (Walsingham,1897)** (Tortricidae) Synonym(s): lustromarginata Walsingham,1897 Range (in code): VG
- 88631. *Crociosema meridospila* (Meyrick,1922)** (Tortricidae) Synonym(s): meridospila Meyrick,1922 Range (in code): AR

- 88632. *Crociosema nolckeniana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *nolckeniana* Zeller,1877 **Range (in code):** **CO**
- 88633. *Crociosema plebejana* Zeller,1847** (Tortricidae) **Synonym(s):** *plebejana* Zeller,1847; *altheana* Mann,1855; *lavaterana* Millière,1863; *peregrinana* Möschler,1866; *obscura* Wollaston,1879; *blackburnii* Butler,1881; *signatana* Walsingham,1894; *ptiladelpha* Meyrick,1917; *insulana* Aurivillius,1922; *synneurota* Meyrick,1926; *tornocycla* Turner,1946; *charmera* Turner,1946. **Original Reference:** *Crociosema plebejana* Zeller,1847, Isis 1847: 721. **Type(s):** Sicilia: Syracuse. **Range (in code):** **DZ Anna Bsk MA TN Gf Cn Md Az PT ES FR Co Sa Si IT MT IE GB BE DE CH AT PL CZ SK HU RO YU B-H HV MK SS AL BG GR Cr TR DK RU MD UA BY Cc GG AZ AM SA SD IR IL Hf LB Bsa SA As YE TM IN Hp Ddu LK TH CMa TW AU CA US Cf MX BR PE CO VE EC GS ZA PH Luz Hw SH CL FJ TO WS** **Bionomy:** Larva on Lavathera, Althaea, Malva parviflora, Hibiscus (Malvaceae); Crataegus (Rosaceae); Zea mays (Poaceae); Gossypium (Chrétien,1917; et seq.).
- 88634. *Crociosema pollutana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *pollutana* Zeller,1877 **Range (in code):** **CO**
- 88635. *Crociosema pristinana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *pristinana* Zeller,1877 **Range (in code):** **CO**
- 88636. *Crociosema pyrrhulana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *pyrrhulana* Zeller,1877 **Range (in code):** **CO**
- 88637. *Crociosema roraria* Meyrick,1917** (Tortricidae) **Synonym(s):** *roraria* Meyrick,1917 **Range (in code):** **PE**
- 88638. *Crociosema satellitana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *satellitana* Zeller,1877 **Range (in code):** **CO**
- 88639. *Crociosema sediliata* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *sediliata* Meyrick,1912 **Range (in code):** **CO**
- 88640. *Crociosema* sp.** (Tortricidae) **Synonym(s):** **Range (in code):** **ET Ble**
- 88641. *Crociosema unica* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *unica* Heinrich,1923 **Range (in code):** **US Tnn**
- 88642. *Crociosema veterana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *veterana* Zeller,1877 **Range (in code):** **CO**
- 88643. *Croesia arcuata* Yasuda,1975** (Tortricidae) **Synonym(s):** *arcuata* Yasuda,1975 **Range (in code):** **JP**
- 88644. *Croesia askoldana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *askoldana* Christoph,1881 **Range (in code):** **RU Us Ask Am Vv Krl JP Hkk**
- 88645. *Croesia aurichalcana* (Bremer,1864)** (Tortricidae) **Synonym(s):** *aurichalcana* Bremer,1864; *auristellana* Caradja,1916; *#isshiki* Matsumura,1931 **Range (in code):** **RU Am Us Vv CN She JP**
- 88646. *Croesia bergmanniana* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *bergmanniana* Linnaeus,1758; *rosana* Hübner,1822. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Sb MN Sj Sh Mnu** **Bionomy:** Larva on Rosa canina (Rosaceae), Rhamnus catharticus (Rhamnaceae) (Razowski,2001).
- 88647. *Croesia bicolor* Kuznetsov,1964** (Tortricidae) **Synonym(s):** *bicolor* Kuznetsov,1964 **Range (in code):** **RU Us CN Shs**
- 88648. *Croesia blanda* Yasuda,1975** (Tortricidae) **Synonym(s):** *blanda* Yasuda,1975 **Range (in code):** **JP**
- 88649. *Croesia conchyloides* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *conchyloides* Walsingham,1900; *arquatana* Kennel,1901 **Range (in code):** **RU Us Ask Vv CN Shs JP Hkk**
- 88650. *Croesia crataegi* (Kuznetsov,1964)** (Tortricidae) **Synonym(s):** *crataegi* Kuznetsov,1964 **Range (in code):** **RU Vv Us JP**
- 88651. *Croesia dealbata* Yasuda,1975** (Tortricidae) **Synonym(s):** *dealbata* Yasuda,1975 **Range (in code):** **JP Hkk**
- 88652. *Croesia delicata* Yasuda & Kawabe,1980** (Tortricidae) **Synonym(s):** *delicata* Yasuda & Kawabe,1980 **Range (in code):** **JP**
- 88653. *Croesia dentata* (Razowski,1966)** (Tortricidae) **Synonym(s):** *dentata* Razowski,1966 **Range (in code):** **JP Hkk**
- 88654. *Croesia elegans* (Oku,1956)** (Tortricidae) **Synonym(s):** *elegans* Oku,1956 **Range (in code):** **JP Hkk**
- 88655. *Croesia ferox* Razowski,1975** (Tortricidae) **Synonym(s):** *ferox* Razowski,1975 **Range (in code):** **CN Yu**

- 88656. Croesia forsskaleana (Linnaeus,1758)** (Tortricidae) Synonym(s): *forsskaleana* Linnaeus,1758; *forskaliana* Haworth,1811. Original Reference: *Phalaena Tortrix forsskaleana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 531. Type(s): Europa. Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG US Ny IR Bk Ak** Bionomy: Larva on *Acer campestre*, *A. pseudoplatanus* (Aceraceae), *Rosa* (Rosaceae) (Parenti,2000; Razowski,2001).
- 88657. Croesia holmiana (Linnaeus,1758)** (Tortricidae) Synonym(s): *holmiana* Linnaeus,1758; *stellata* Fourcroy,1785; *stellatella* Villers,1789. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG TR DK NO SE FI EE LV LT RU MD UA Cm BY** Bionomy: Larva on *Pyrus malus*, *Crataegus*, *Prunus*, *Rosa* (Rosaceae) (Linnaeus,1758; Razowski,2001).
- 88658. Croesia imitatrix Razowski,1975** (Tortricidae) Synonym(s): *imitatrix* Razowski,1975 Range (in code): **CN Tkg**
- 88659. Croesia indignana (Christoph,1881)** (Tortricidae) Synonym(s): *indignana* Christoph,1881 Range (in code): **RU Us Vv JP Hkk**
- 88660. Croesia leechi (Walsingham,1900)** (Tortricidae) Synonym(s): *leechi* Walsingham,1900; *sumptuosana* Caradja,1939 Range (in code): **CN Shs KP KR JP Hkk RU Us**
- 88661. Croesia phalera Kuznetsov,1964** (Tortricidae) Synonym(s): *phalera* Kuznetsov,1964 Range (in code): **RU Am Us Vv Ask Krl**
- 88662. Croesia quinquefasciana (Matsumura,1900)** (Tortricidae) Synonym(s): *quinquefasciana* Matsumura,1900 Range (in code): **JP Hkk**
- 88663. Croesia razowskii Yasuda,1975** (Tortricidae) Synonym(s): *razowskii* Yasuda,1975 Range (in code): **JP**
- 88664. Croesia sinica Razowski,1966** (Tortricidae) Synonym(s): *sinica* Razowski,1966 Range (in code): **CN Tkg**
- 88665. Croesia stibiana (Snellen,1883)** (Tortricidae) Synonym(s): *stibiana* Snellen,1883 Range (in code): **RU Am Us Vv JP**
- 88666. Croesia tigricolor (Walsingham,1900)** (Tortricidae) Synonym(s): *tigricolor* Walsingham,1900 Range (in code): **JP Hkk RU Us Vv**
- 88667. Croesia zimmermanni Clarke,1978** (Tortricidae) Synonym(s): *zimmermanni* Clarke,1978 Range (in code): **HW MX Ver**
- 88668. Crotalaria albapex Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *albapex* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 88669. Crotalaria crotalariae Razowski & Brown,2010** (Tortricidae) Synonym(s): *crotalariae* Razowski & Brown,2010 Range (in code): **KE**
- 88670. Crusimetra verecunda Meyrick,1912** (Tortricidae) Synonym(s): *verecunda* Meyrick,1912 Range (in code): **LK**
- 88671. Cryptaspa (Allobrachygonia) angulicostana (Walsingham,1900)** (Tortricidae) Synonym(s): *angulicostana* Walsingham,1900 Range (in code): **JP**
- 88672. Cryptaspa (Allobrachygonia) brachyptycha (Meyrick,1911)** (Tortricidae) Synonym(s): *brachyptycha* Meyrick,1911 Range (in code): **LK AU QAU ID Sum**
- 88673. Cryptaspa (Allobrachygonia) debeauforti Diakonoff,1959** (Tortricidae) Synonym(s): *debeauforti* Diakonoff,1959 Range (in code): **PG**
- 88674. Cryptaspa (Allobrachygonia) debeauforti brachyptera Diakonoff,1959** (Tortricidae) Synonym(s): *brachyptera* Diakonoff,1959 Range (in code): **PG**
- 88675. Cryptaspa (Allobrachygonia) geina Diakonoff,1959** (Tortricidae) Synonym(s): *geina* Diakonoff,1959 Range (in code): **ID Clb**
- 88676. Cryptaspa (Allobrachygonia) glebaecolor Diakonoff,1959** (Tortricidae) Synonym(s): *glebaecolor* Diakonoff,1959 Range (in code): **IN Ass Djl SI**
- 88677. Cryptaspa (Allobrachygonia) haplophytes Diakonoff,1959** (Tortricidae) Synonym(s): *haplophytes* Diakonoff,1959 Range (in code): **PG**
- 88678. Cryptaspa (Allobrachygonia) helota (Meyrick,1905)** (Tortricidae) Synonym(s): *helota* Meyrick,1905 Range (in code): **CN HK LK Mky IN NI MY Prk Bor BN Sbh Swk ID Ja TH CMa Dst CDo**
- 88679. Cryptaspa (Allobrachygonia) hesyca Diakonoff,1959** (Tortricidae) Synonym(s): *hesyca* Diakonoff,1959 Range (in code): **PH Luz**
- 88680. Cryptaspa (Allobrachygonia) lasiura (Meyrick,1912)** (Tortricidae) Synonym(s): *lasiura* Meyrick,1912 Range (in code): **IN Co**

- 88681. *Cryptaspasma* (*Allobrachygonia*) *ochrotricha* Diakonoff,1959** (Tortricidae)
Synonym(s): *ochrotricha* Diakonoff,1959 Range (in code): ID Ja
- 88682. *Cryptaspasma* (*Allobrachygonia*) *orphanina* Diakonoff,1959** (Tortricidae)
Synonym(s): *orphanina* Diakonoff,1959 Range (in code): PG Dmp
- 88683. *Cryptaspasma* (*Allobrachygonia*) *pelagia* Diakonoff,1959** (Tortricidae)
Synonym(s): *pelagia* Diakonoff,1959 Range (in code): NH
- 88684. *Cryptaspasma* (*Allobrachygonia*) *peratra* Diakonoff,1959** (Tortricidae)
Synonym(s): *peratra* Diakonoff,1959 Range (in code): PG
- 88685. *Cryptaspasma* (*Allobrachygonia*) *querula* (Meyrick,1912)** (Tortricidae)
Synonym(s): *querula* Meyrick,1912 Range (in code): AU QAU NZ
- 88686. *Cryptaspasma* (*Allobrachygonia*) *syostoma* Diakonoff,1959** (Tortricidae)
Synonym(s): *syostoma* Diakonoff,1959 Range (in code): ID Ja
- 88687. *Cryptaspasma* (*Allobrachygonia*) *triopis* Diakonoff,1959** (Tortricidae) Synonym(s):
triopis Diakonoff,1959 Range (in code): GU
- 88688. *Cryptaspasma* (*Allobrachygonia*) *zophocosma* (Meyrick,1931)** (Tortricidae)
Synonym(s): *zophocosma* Meyrick,1931 Range (in code): TW IN Ass Mpr
- 88689. *Cryptaspasma* (*Anaphorodes*) *anaphorana* (Walsingham,1914)** (Tortricidae)
Synonym(s): *anaphorana* Walsingham,1914 Range (in code): PA
- 88690. *Cryptaspasma* (*Anaphorodes*) *anisopis* Diakonoff,1959** (Tortricidae) Synonym(s):
anisopis Diakonoff,1959 Range (in code): BR Set
- 88691. *Cryptaspasma* (*Metaspasma*) *atrinodis* (Meyrick,1926)** (Tortricidae) Synonym(s):
atrinodis Meyrick,1926 Range (in code): UG ZA Wca Cto Nta Kzu Ptw
- 88692. *Cryptaspasma* (*Metaspasma*) *subtilis* Diakonoff,1959** (Tortricidae) Synonym(s):
subtilis Diakonoff,1959 Range (in code): MG
- 88693. *Cryptaspasma* (*Microcorses*) *marginifasciata* (Walsingham,1900)** (Tortricidae)
Synonym(s): *marginifasciata* Walsingham,1900 Range (in code): JP
- 88694. *Cryptaspasma* (s.str.) *acrolophoides* (Meyrick,1931)** (Tortricidae) Synonym(s):
acrolophoides Meyrick,1931 Range (in code): BR Set
- 88695. *Cryptaspasma* (s.str.) *athymopis* Diakonoff,1959** (Tortricidae) Synonym(s):
athymopis Diakonoff,1959 Range (in code): PE
- 88696. *Cryptaspasma* (s.str.) *lugubris* (R.Felder & Rogenhofer,1875)** (Tortricidae)
Synonym(s): *lugubris* R.Felder & Rogenhofer,1875 Range (in code): GY BR
- 88697. *Cryptaspasma* (s.str.) *microloga* Diakonoff,1959** (Tortricidae) Synonym(s):
microloga Diakonoff,1959 Range (in code): BR Set
- 88698. *Cryptocochylis* *conjunctana* (Mann,1864)** (Tortricidae) Synonym(s): *conjunctana*
Mann,1864; *grapholitana* Kennel,1913. Range (in code): IT DE HU RO MK BG GR TR RU St MD UA BY
Bionomy: Larva on *Achillea nobilis* (Asteraceae) (Razowski,2001).
- 88699. *Cryptomelaena* *dynastes* Diakonoff,1983** (Tortricidae) Synonym(s): *dynastes*
Diakonoff,1983 Range (in code): ID Sum
- 88700. *Cryptophlebia* *amblyopa* Clarke,1976** (Tortricidae) Synonym(s): *amblyopa* Clarke,1976
Range (in code): TH CMA Pki Int Nna Kao Cbi Rng Pgg Knc Tpp PW
- 88701. *Cryptophlebia* *aniacra* Diakonoff,1983** (Tortricidae) Synonym(s): *aniacra*
Diakonoff,1983 Range (in code): ID Sum
- 88702. *Cryptophlebia* *carpophagoides* Clarke,1951** (Tortricidae) Synonym(s): *carpophagoides*
Clarke,1951 Range (in code): AR
- 88703. *Cryptophlebia* *cnemoptila* (Meyrick,1930)** (Tortricidae) Synonym(s): *cnemoptila*
Meyrick,1930 Range (in code): BR Pbc
- 88704. *Cryptophlebia* *cortesi* Clarke,1986** (Tortricidae) Synonym(s): *cortesi* Clarke,1986 Range
(in code): CL
- 88705. *Cryptophlebia* *encarpa* (Meyrick,1920)** (Tortricidae) Synonym(s): *encarpa* Meyrick,1920
Range (in code): VN Ton IN LK ID Clb PH Luz
- 88706. *Cryptophlebia* *farraginea* (Meyrick,1931)** (Tortricidae) Synonym(s): *farraginea*
Meyrick,1931 Range (in code): ID Ja
- 88707. *Cryptophlebia* *hemitoma* Diakonoff,1976** (Tortricidae) Synonym(s): *hemitoma*
Diakonoff,1976 Range (in code): NP TH Loc Chy Nna Kao Cbi JP
- 88708. *Cryptophlebia* *leucotreta* (Meyrick,1913)** (Tortricidae) Synonym(s): *leucotreta*
Meyrick,1913 Original Reference: *Argyroproce leucotreta* Meyrick,1913, Ann. Transv. Mus. 3: 276.

- Type ♀: [South Africa]: Pretoria (BMNH) [Clarke,1958, Catalogue...3: pl.162 figs.1-1a]. Range (in code): ZA Tva Gau Pre Nta Kzu Dbn
- 88709. Cryptophlebia macrops Diakonoff,1959** (Tortricidae) Synonym(s): macrops Diakonoff,1959 Range (in code): ZA Wca Cto Ec Kwi Ans
- 88710. Cryptophlebia melanopoda Diakonoff,[1984]** (Tortricidae) Synonym(s): melanopoda Diakonoff,[1984] Range (in code): SA As
- 88711. Cryptophlebia moriutii Kawabe,1989** (Tortricidae) Synonym(s): moriutii Kawabe,1989 Original Reference: Cryptophlebia moriutii Kawabe,1989, Microlepid. Thailand 2: 64. Holotype: Thailand: Chiang Mai, Doi Ang Khang (UOP). Range (in code): TH CMa Agk
- 88712. Cryptophlebia ombrodelta (Lower,1898)** (Tortricidae) Synonym(s): ombrodelta Lower,1898; carpophaga Walsingham,1899; lasiandra Meyrick,1909; #lasiandra Hutacharern & Tubtim,1995; #ombodelta Hutacharern & Tubtim,1995 Range (in code): IN LK Tcm TW ID Ja MY Bor TH CMa Fn Chy Cbi Pty Knc Tpp Kbi PH Luz AU QAU NSw NAu VAu GU CN JP VN Sum BN Sbh Swk Klt PG Hw Cro Bionomy: Larva on Fabaceae; Litchi chinensis (Litchi) (Sapindaceae) (Robinson et al.,1994).
- 88713. Cryptophlebia pallifimbriana Bradley,1953** (Tortricidae) Synonym(s): pallifimbriana Bradley,1953 Range (in code): FJ
- 88714. Cryptophlebia peltastica (Meyrick,1921)** (Tortricidae) Synonym(s): peltastica Meyrick,1921 Range (in code): ZA Ec Tra Nta Kzu SA As
- 88715. Cryptophlebia perfracta Diakonoff,1957** (Tortricidae) Synonym(s): perfracta Diakonoff,1957 Range (in code): ID Ja
- 88716. Cryptophlebia praesiliens (Meyrick,1924)** (Tortricidae) Synonym(s): praesiliens Meyrick,1924; xylodelta Meyrick,1928 Range (in code): ZA
- 88717. Cryptophlebia repletana (Walker,1863)** (Tortricidae) Synonym(s): repletana Walker,1863; tricosema Meyrick,1914; tetraploca Meyrick,1928 Range (in code): IN TW JP TH CMa Fn Nna Kao Knc Cbi Pgg Knc Tpp ID Sum Ja Bli Swk PH Clb PG Nlr FJ
- 88718. Cryptophlebia rhizophorae Vari,1981** (Tortricidae) Synonym(s): rhizophorae Vari,1981 Range (in code): ZA Nta Kzu
- 88719. Cryptophlebia rhynchias (Meyrick,1905)** (Tortricidae) Synonym(s): rhynchias Meyrick,1905 Original Reference: Platypeplus rhynchias Meyrick,1905, J. Bombay nat. Hist. Soc. 16: 586. Syntypes 4♂♀: [Sri Lanka]: Ceylon, Kandy, Yatiyantola Lectotype ♂: Yatiyantola, designated by Clarke (1958: 327) (BMNH). Range (in code): TH Loe Nna Kao Knc Tpp IN LK Kndy WS NH AU Bionomy: Larva on Canavalia, Erythrina, Gajanus (Fabaceae) (Kawabe,1989).
- 88720. Cryptophlebia saileri Clarke,1986** (Tortricidae) Synonym(s): saileri Clarke,1986 Range (in code): CL
- 88721. Cryptophlebia semilunana (Saalmüller,1880)** (Tortricidae) Synonym(s): semilunana Saalmüller,1880; praesiliens Meyrick,1924; xylodelta Meyrick,1928 Range (in code): MG ZA UG
- 88722. Cryptophlebia sigerui Kawabe,1995** (Tortricidae) Synonym(s): sigerui Kawabe,1995 Original Reference: Cryptophlebia sigerui Kawabe,1995, Microlepid. Thailand 3: 55, Holotype ♂: Thailand: Nakhon Nayok, Khao Yai (UOP). Range (in code): TH Nna Kao
- 88723. Cryptophlebia socotrensis Walsingham,1900** (Tortricidae) Synonym(s): socotrensis Walsingham,1900 Range (in code): Sk YE
- 88724. Cryptophlebia sumatrana (Diakonoff,1957)** (Tortricidae) Synonym(s): sumatrana Diakonoff,1957 Range (in code): ID Sum
- 88725. Cryptophlebia tetraploca (Meyrick,1928)** (Tortricidae) Synonym(s): tetraploca Meyrick,1928 Range (in code): PH Luz Mno
- 88726. Cryptophlebia vitiensis Bradley,1953** (Tortricidae) Synonym(s): vitiensis Bradley,1953 Range (in code): FJ
- 88727. Cryptophlebia williamsi Bradley,1953** (Tortricidae) Synonym(s): williamsi Bradley,1953 Range (in code): MU ZA
- 88728. Cryptophlebia yasudai Kawabe,1972** (Tortricidae) Synonym(s): yasudai Kawabe,1972 Range (in code): JP
- 88729. Ctenopseustis haplodryas Meyrick,1920** (Tortricidae) Synonym(s): haplodryas Meyrick,1920 Range (in code): KE
- 88730. Cuproxena anielae (Razowski & Becker,1989)** (Tortricidae) Synonym(s): anielae Razowski & Becker,1989 Range (in code): BR Sct
- 88731. Cuproxena argentina J.Brown,1991** (Tortricidae) Synonym(s): argentina J.Brown,1991 Range (in code): AR

- 88732. *Cuproxena astraboda* (Razowski,1989)** (Tortricidae) Synonym(s): *astraboda* Razowski,1989 Range (in code): BR Para
- 88733. *Cuproxena auga* (Razowski & Becker,1989)** (Tortricidae) Synonym(s): *auga* Razowski & Becker,1989 Range (in code): BR Para
- 88734. *Cuproxena binotata* J.Brown & Obratzsov,1991** (Tortricidae) Synonym(s): *binotata* J.Brown & Obratzsov,1991 Range (in code): BR Sct
- 88735. *Cuproxena bramiliana* J.Brown,1991** (Tortricidae) Synonym(s): *bramiliana* J.Brown,1991 Range (in code): BR Rja
- 88736. *Cuproxena cara* J.Brown,1991** (Tortricidae) Synonym(s): *cara* J.Brown,1991 Range (in code): PE
- 88737. *Cuproxena chelograpta* (Meyrick,1917)** (Tortricidae) Synonym(s): *chelograpta* Meyrick,1917 Range (in code): GF
- 88738. *Cuproxena cornuta* J.Brown & Obratzsov,1991** (Tortricidae) Synonym(s): *cornuta* J.Brown & Obratzsov,1991 Range (in code): CR
- 88739. *Cuproxena duckworthorum* J.Brown,1991** (Tortricidae) Synonym(s): *duckworthorum* J.Brown,1991 Range (in code): CR
- 88740. *Cuproxena elongana* J.Brown,1991** (Tortricidae) Synonym(s): *elongana* J.Brown,1991 Range (in code): VE
- 88741. *Cuproxena eudiometra* (Razowski & Becker,1989)** (Tortricidae) Synonym(s): *eudiometra* Razowski & Becker,1989 Range (in code): BR Sct
- 88742. *Cuproxena flintana* J.Brown,1991** (Tortricidae) Synonym(s): *flintana* J.Brown,1991 Range (in code): MX Jls
- 88743. *Cuproxena flosculana* (Walsingham,1914)** (Tortricidae) Synonym(s): *flosculana* Walsingham,1914; *tephrodelta* Meyrick,1932 Range (in code): MX
- 88744. *Cuproxena hoffmanana* J.Brown,1991** (Tortricidae) Synonym(s): *hoffmanana* J.Brown,1991 Range (in code): BR Sct
- 88745. *Cuproxena latiana* J.Brown,1991** (Tortricidae) Synonym(s): *latiana* J.Brown,1991 Range (in code): VE
- 88746. *Cuproxena minimana* J.Brown,1991** (Tortricidae) Synonym(s): *minimana* J.Brown,1991 Range (in code): MX Grr
- 88747. *Cuproxena neonereidana* J.Brown,1991** (Tortricidae) Synonym(s): *neonereidana* J.Brown,1991 Range (in code): CR
- 88748. *Cuproxena nereidana* (Zeller,1866)** (Tortricidae) Synonym(s): *nereidana* Zeller,1866 Range (in code): CO
- 88749. *Cuproxena paracornuta* J.Brown,1991** (Tortricidae) Synonym(s): *paracornuta* J.Brown,1991 Range (in code): VE
- 88750. *Cuproxena pseudoplesia* J.Brown,1991** (Tortricidae) Synonym(s): *pseudoplesia* J.Brown,1991 Range (in code): VE
- 88751. *Cuproxena quinquenotata* (Walker,1862)** (Tortricidae) Synonym(s): *quinquenotata* Walker,1862 Range (in code): BR Azn
- 88752. *Cuproxena serrata* J.Brown,1991** (Tortricidae) Synonym(s): *serrata* J.Brown,1991 Range (in code): MX Ox
- 88753. *Cuproxena speculana* (Walsingham,1914)** (Tortricidae) Synonym(s): *speculana* Walsingham,1914 Range (in code): GT
- 88754. *Cuproxena subunicolora* J.Brown & Obratzsov,1991** (Tortricidae) Synonym(s): *subunicolora* J.Brown & Obratzsov,1991 Range (in code): AR
- 88755. *Cuproxena trema* J.Brown & Obratzsov,1991** (Tortricidae) Synonym(s): *trema* J.Brown & Obratzsov,1991 Range (in code): MX Grr
- 88756. *Cuproxena triphera* J.Brown & Obratzsov,1991** (Tortricidae) Synonym(s): *triphera* J.Brown & Obratzsov,1991 Range (in code): PA
- 88757. *Cuproxena virifloscula* J.Brown,1991** (Tortricidae) Synonym(s): *virifloscula* J.Brown,1991 Range (in code): VE
- 88758. *Cydia adenocarpi* (Ragonot,1875)** (Tortricidae) Synonym(s): *adenocarpi* Ragonot,1875 Range (in code): PT ES FR IT CH LT SY Hal
- 88759. *Cydia adjunctana* (Kennel,1901)** (Tortricidae) Synonym(s): *adjunctana* Kennel,1901 Original Reference: Grapholitha adjunctana Kennel,1901, Dt. ent. Z., Iris 13: 292-293. Syntypes

- 2♂ 7♀: [Uzbekistan]: Margelan; [Uighur A.R.]: Kuldja; [Turkmenistan]: Krasnowodsk; [Türkei]: Amasia. Range (in code): TR TM Krn UZ Fe Man CN Ui Ku IR Elb Mz Kdv AF MN
- 88760. *Cydia alabastrina* Diakonoff,[1984]** (Tortricidae) Synonym(s): alabastrina Diakonoff,[1984] Range (in code): SA As SA63
- 88761. *Cydia alazon* (Diakonoff,1976)** (Tortricidae) Synonym(s): alazon Diakonoff,1976 Range (in code): Cn Bionomy: Larva on *Pinus canariensis* (Pinaceae) (Jaros & Spitzer,2005).
- 88762. *Cydia albipicta* (Sauter,1968)** (Tortricidae) Synonym(s): albipicta Sauter,1968 Range (in code): FR IT CH AT RO
- 88763. *Cydia alienana* Caradja,1916** (Tortricidae) Synonym(s): alienana Caradja,1916; pfeifferi Rebel,1935 Range (in code): KK TR
- 88764. *Cydia amictana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): amictana C.Felder & Rogenhofer,1875 Range (in code): CO
- 88765. *Cydia amplana* (Hübner,[1799])** (Tortricidae) Synonym(s): amplana Hübner,[1799]; molybdana Constant,1884 Range (in code): PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR CY TR DK SE RU MD UA BY Cc GG
- 88766. *Cydia ancoloba* (Meyrick,1922)** (Tortricidae) Synonym(s): ancoloba Meyrick,1922 Range (in code): PE
- 88767. *Cydia andabatana* (Wolff,1957)** (Tortricidae) Synonym(s): andabatana Wolff,1957 Range (in code): FR IT AT DK RU MD UA BY
- 88768. *Cydia anthracotis* (Meyrick,1913)** (Tortricidae) Synonym(s): anthracotis Meyrick,1913 Range (in code): ZA Tva Mpu Mdd
- 88769. *Cydia aphrospila* (Meyrick,1921)** (Tortricidae) Synonym(s): aphrospila Meyrick,1921 Range (in code): ZA Tva Lpo Hae Nta Kzu Kkf
- 88770. *Cydia araucariae* (Pastrana,1922)** (Tortricidae) Synonym(s): araucariae Pastrana,1922 Range (in code): AR
- 88771. *Cydia arcuatana* (Kuznetsov,1992)** (Tortricidae) Synonym(s): arcuatana Kuznetsov,1992 Range (in code): VN Ton
- 88772. *Cydia areata* (Meyrick,1918)** (Tortricidae) Synonym(s): areata Meyrick,1918 Range (in code): ZA Tva Gau Pre
- 88773. *Cydia astragalana* (Staudinger,1871)** (Tortricidae) Synonym(s): astragalana Staudinger,1871 Range (in code): RU MD UA BY
- 88774. *Cydia astrapephora* (Diakonoff,1976)** (Tortricidae) Synonym(s): astrapephora Diakonoff,1976 Range (in code): NP
- 88775. *Cydia aureolana* (Tengström,1848)** (Tortricidae) Synonym(s): aureolana Tengström,1848; phacana Wocke,1864 Range (in code): FR IT DE CH AT NO SE FI RU MD UA BY Sb Us Kmt KG CN Ui Bionomy: Larva on *Astragalus frigidus* (Fabaceae) (Hannemann,1961).
- 88776. *Cydia auroscriptana* (Caradja,1916)** (Tortricidae) Synonym(s): auroscriptana Caradja,1916 Range (in code): RU Am
- 88777. *Cydia bagdadiana* (Amsel,1949)** (Tortricidae) Synonym(s): bagdadiana Amsel,1949 Original Reference: *Semasia bagdadiana* Amsel,1949, Bull. Soc. Fouad I Ent. 33: 312. Holotype ♂: Iraq: Bagdad (LNK). Range (in code): IQ Bgd
- 88778. *Cydia blackmoreana* (Walsingham,1903)** (Tortricidae) Synonym(s): blackmoreana Walsingham,1903 Range (in code): MA TN PT GR SY Dms IQ
- 88779. *Cydia caecana* (Schläger,1847)** (Tortricidae) Synonym(s): caecana Schläger,1847; obcaecana Ragonot,1876 Original Reference: *Grapholitha caecana* Schläger,1847, Ber. lepidopt. Tausch.-Ver. 1847: 234. Range (in code): DZ Lbs PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL TR SE FI EE LV RU Sb Us MD UA BY SY Hal IR Cc KG CN Bionomy: Larva on *Medicago sativa*, *Ononis repens*, *O. spinosa*, *Onobrychis viciifolia* (Fabaceae) (Razowski,2003).
- 88780. *Cydia calliglypta* (Meyrick,1932)** (Tortricidae) Synonym(s): calliglypta Meyrick,1932 Original Reference: *Laspeyresia calliglypta* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 112. Type ♀: [Ethiopia]: Jem-Jem Forest. Range (in code): ET Sw ET88
- 88781. *Cydia callisphena* (Meyrick,1907)** (Tortricidae) Synonym(s): callisphena Meyrick,1907 Range (in code): IN Meg Ass Khs
- 88782. *Cydia campestris* (Meyrick,1914)** (Tortricidae) Synonym(s): campestris Meyrick,1914 Range (in code): ZA Tva Gau Pre Bionomy: Larva on fruit of *Combretum* (Meyrick,1914).
- 88783. *Cydia caudicula* Diakonoff,1975** (Tortricidae) Synonym(s): caudicula Diakonoff,1975 Range (in code): MY Bor Swk

- 88784. *Cydia celiae* (Clarke,1976)** (Tortricidae) **Synonym(s):** *celiae* Clarke,1976 Range (in code): TH Knc Tpp
- 88785. *Cydia centralasiae* (Obraztsov,1949)** (Tortricidae) **Synonym(s):** *centralasiae* Obraztsov,1949; *intexta* Kuznetsov,1962 KG UZ RU Ur TM AT IT CH CZ SK ES FR BG UA KK Ik
- 88786. *Cydia centralasiae elegantana* Budashkin & Zlatkov,2012** (Tortricidae) **Synonym(s):** *elegantana* Budashkin & Zlatkov,2012 KK Ik
- 88787. *Cydia cerasivora* (Matsumura,1917)** (Tortricidae) **Synonym(s):** *cerasivora* Matsumura,1917 Range (in code): JP Hkk
- 88788. *Cydia chalybdica* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *chalybdica* Meyrick,1922 Range (in code): PE
- 88789. *Cydia charops* (Diakonoff,1971)** (Tortricidae) **Synonym(s):** *charops* Diakonoff,1971 Range (in code): TH Kbi
- 88790. *Cydia chelias* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *chelias* Meyrick,1907 Range (in code): LK Mky
- 88791. *Cydia chlamydata* (Meyrick,1924)** (Tortricidae) **Synonym(s):** *chlamydata* Meyrick,1924 Range (in code): BR Rn
- 88792. *Cydia cholerope* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *cholerope* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 88793. *Cydia chrysacrotoma* (Diakonoff,1976)** (Tortricidae) **Synonym(s):** *chrysacrotoma* Diakonoff,1976 Range (in code): NP
- 88794. *Cydia clerckiana* (Stoll,1782)** (Tortricidae) **Synonym(s):** *clerckiana* Stoll,1782 Range (in code): SR
- 88795. *Cydia cognatana* (Barrett,1874)** (Tortricidae) **Synonym(s):** *cognatana* Barrett,1874 Range (in code): GB DE CH AT CZ DK NO SE FI EE LV RU MD UA BY
- 88796. *Cydia coluteana* (Amsel,1959)** (Tortricidae) **Synonym(s):** *coluteana* Amsel,1959 Range (in code): IQ Slh Bionomy: Larva on Colutea (Amsel,1959).
- 88797. *Cydia comanticosta* (Kuznetsov,1988)** (Tortricidae) **Synonym(s):** *comanticosta* Kuznetsov,1988 Range (in code): VN Ton TH Knc Tpp
- 88798. *Cydia compositella* (Fabricius,1775)** (Tortricidae) **Synonym(s):** *compositella* Fabricius,1775; *quadrella* Goeze,1783; *quadratella* Fourcroy,1785; *composana* Fabricius,1798; *gundiana* Hübner,[1799]; *compositana* Haworth,1802; *simillimana* Toll,1953 Original Reference: *Tinea compositella* Fabricius,1775; Syst. Ent.: 663. Type(s): Anglia. Range (in code): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG
- 88799. *Cydia conicolana* (Heylaerts,1874)** (Tortricidae) **Synonym(s):** *conicolana* Heylaerts,1874 Range (in code): ES FR GB BE NL LU DE CH AT PL CZ SK HU AL GR TR DK
- 88800. *Cydia coniferana* (Saxesen,1840)** (Tortricidae) **Synonym(s):** *coniferana* Saxesen,1840; ? *ericicolana* Bruand,1850; *separatana* Herrich-Schäffer,1851 Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY
- 88801. *Cydia cornucopiae* (Tengström,1869)** (Tortricidae) **Synonym(s):** *cornucopiae* Tengström,1869 Range (in code): SE FI RU MD UA BY
- 88802. *Cydia corollana* (Hübner,[1823])** (Tortricidae) **Synonym(s):** *corollana* Hübner,[1823] Range (in code): FR Sa GB BE DE CH AT PL CZ SK HU YU GR DK NO SE FI EE LV LT RU MD UA BY
- 88803. *Cydia coronillana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** ? *turcica* Fourcroy,1785; *coronillana* Lienig & Zeller,1846; *moldovana* Caradja,1899 Range (in code): ES FR IT LU DE CH AT PL CZ SK HU RO AL BG GR TR LB Bsa
- 88804. *Cydia cosmophorana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *obscurana* Frölich,1828 nec Schr.,1802; *cosmophorana* Treitschke,1835; *geminana* Zetterstedt,1839 Range (in code): ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 88805. *Cydia cotoneastri* (Danilevsky,1968)** (Tortricidae) **Synonym(s):** *cotoneastri* Danilevsky,1968 Range (in code): RU Sb
- 88806. *Cydia curitibana* Schönherr,1987** (Tortricidae) **Synonym(s):** *curitibana* Schönherr,1987 Range (in code): BR Pran
- 88807. *Cydia curviphalla* (Liu & Yan,1998)** (Tortricidae) **Synonym(s):** *curviphalla* Liu & Yan,1998 Range (in code): CN Sz
- 88808. *Cydia cyanocephala* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *cyanocephala* Meyrick,1921 Range (in code): ZA Nta Kzu Ptw ZW Swm
- 88809. *Cydia cyanogona* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *cyanogona* Meyrick,1907 Range (in code): IN Meg Ass Khs

- 88810. *Cydia cythisanthana* Burmann & Pröse, 1988** (Tortricidae) Synonym(s): *cythisanthana* Burmann & Pröse, 1988 Range (in code): IT CH
- 88811. *Cydia daedalota* (Meyrick, 1916)** (Tortricidae) Synonym(s): *daedalota* Meyrick, 1916 Range (in code): IN Ben Pus
- 88812. *Cydia damascana* (Razowski, 1966)** (Tortricidae) Synonym(s): *damascana* Razowski, 1966 Original Reference: Laspeyresia *damascana* Razowski, 1966, Z. wien. ent. Ges. 51: 73-74, Abb. 1, 2. Holotype ♂: Syria: 25 km. W. v. Damaskus (Kasy & Vartian leg.) (Mus. Vind.). Range (in code): SY Dms
- 88813. *Cydia delineana* (Walker, 1863)** (Tortricidae) Synonym(s): *delineana* Walker, 1863; *apicatan* Walker, 1863; *sinana* Felder, 1874; *tetragrammana* Staudinger, 1879; *mundana* Christoph, 1881; *terstrigana* Ragonot, 1894; *quadristrana* Walsingham, 1900. Range (in code): FR IT DE AT PL CZ SK HU RO GR TR IR RU MD UA BY ZA Tva Gau Pre MU IN CN JP
- 88814. *Cydia derrai* Pröse, 1988** (Tortricidae) Synonym(s): *derrai* Pröse, 1988 Range (in code): Co Sa
- 88815. *Cydia deshaisiana* (Lucas, 1858)** (Tortricidae) Synonym(s): *deshaisiana* Lucas, 1858; *deshaysiana* Lucas, 1858; *saltitans* Westwood, 1858; *saltatoria* Somerville, 1890; *sebastianiae* Riley, 1891 Range (in code): MX
- 88816. *Cydia deyana* (Chrétien, 1915)** (Tortricidae) Synonym(s): *deyana* Chrétien, 1915 Original Reference: Grapholitha *deyana* Chrétien, 1915, Annls Soc. ent. Fr. 84: 304. Type ♂: [Algeria]: "Alger". Range (in code): DZ Agi
- 88817. *Cydia diaphorotorna* (Diakonoff, 1983)** (Tortricidae) Synonym(s): *diaphorotorna* Diakonoff, 1983 Range (in code): ID Sum
- 88818. *Cydia difficilana* (Walsingham, 1900)** (Tortricidae) Synonym(s): *difficilana* Walsingham, 1900; *difficilana* Kennel, 1901 Original Reference: Laspeyresia *difficilana* Walsingham, 1900, Ann. Mag. nat. Hist. 7 (6): 433. Type ♂: [Syria]: Asiatic Turkey: Haleb, Shar Deresy; [Turkey]: Zeitun [=Süleymanlı] (coll. Walsingham). Range (in code): DZ Lbs FR Sa IT BE DE SK HU RU MD UA BY TR SY Hal Bionomy: Larva on *Ulex europaeus* (Fabaceae) (ex Patocka, Razowski, 2003).
- 88819. *Cydia dilectabilis* (Kuznetsov, 1972)** (Tortricidae) Synonym(s): *dilectabilis* Kuznetsov, 1972 Range (in code): CN Yu
- 88820. *Cydia dimorpha* (Komai, 1979)** (Tortricidae) Synonym(s): *dimorpha* Komai, 1979 Range (in code): JP KP KR CN RU Us
- 88821. *Cydia dinshoi* Razowski & Trematerra, 2010** (Tortricidae) Synonym(s): *dinshoi* Razowski & Trematerra, 2010 Range (in code): ET Ble
- 88822. *Cydia dissoluta* Diakonoff, [1984]** (Tortricidae) Synonym(s): *dissoluta* Diakonoff, [1984] Range (in code): SA As
- 88823. *Cydia dissulta* Diakonoff, [1984]** (Tortricidae) Synonym(s): *dissulta* Diakonoff, [1984] Range (in code): SA As
- 88824. *Cydia dohrniana* (Zeller, 1863)** (Tortricidae) Synonym(s): *dohrniana* Zeller, 1863 Range (in code): VE
- 88825. *Cydia duplicana* (Zetterstedt, 1839)** (Tortricidae) Synonym(s): *?dahliana* Frölich, 1828; *duplicana* Zetterstedt, 1839; *#interruptana* Herrich-Schäffer, 1848; *interruptana* Herrich-Schäffer, 1851 Original Reference: Grapholitha *duplicana* Zetterstedt, 1839, Insecta lappon.: 986. Type: Norway. Range (in code): Cn PT ES FR Sa IT BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Cc Da Ur GG MD UA BY SY Hal KG TrA Bionomy: Larva on Pinus (Pinaceae), Abies, Picea excelsa, Juniperus (Razowski, 2003).
- 88826. *Cydia duplicana duplicana* (Zetterstedt, 1839)** (Tortricidae) Synonym(s): *?dahliana* Frölich, 1828; *duplicana* Zetterstedt, 1839; *#interruptana* Herrich-Schäffer, 1848; *interruptana* Herrich-Schäffer, 1851 Original Reference: Grapholitha *duplicana* Zetterstedt, 1839, Insecta lappon.: 986. Type: Norway. Range (in code): BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Ur MD UA BY KG TrA
- 88827. *Cydia duplicana graeca* (Staudinger, 1871)** (Tortricidae) Synonym(s): *graeca* Staudinger, 1871 Original Reference: Grapholitha *graeca* Staudinger, 1871, Horae Soc. ent. ross. 7: 225. Range (in code): Cn PT ES FR Sa IT YU AL BG GR TR Cc GG RU Da SY Hal
- 88828. *Cydia dysaethria* (Diakonoff, 1982)** (Tortricidae) Synonym(s): *dysaethria* Diakonoff, 1982 Range (in code): LK TH Knc Tpp
- 88829. *Cydia elevata* (Meyrick, 1916)** (Tortricidae) Synonym(s): *elevata* Meyrick, 1916 Range (in code): EC

- 88830. *Cydia endrosias* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *endrosias* Meyrick,1907
Range (in code): **IN Meg Ass Khs**
- 88831. *Cydia euclera* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *euclera* Meyrick,1921 **Range (in code):** **ZA Nta Kzu Dbn**
- 88832. *Cydia eucyanea* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *eucyanea* Walsingham,1914 **Range (in code):** **MX Ver**
- 88833. *Cydia eudesma* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *eudesma* Walsingham,1914
Range (in code): **MX Ver**
- 88834. *Cydia excoriata* (Meyrick,1918)** (Tortricidae) **Synonym(s):** *excoriata* Meyrick,1918 **Range (in code):** **ZA Nta Kzu Nkw**
- 88835. *Cydia exosticha* (Meyrick,1936)** (Tortricidae) **Synonym(s):** *exosticha* Meyrick,1936
Original Reference: *Laspeyresia exosticha* Meyrick,1936, *Exot. icrolep.* 5: 25. **Syntypes** ♂♀: Lebanon, Bhamdun and Luize, April. leg. & coll. Wiltshire. **Range (in code):** **LB Bmd**
- 88836. *Cydia exquisitana* (Rebel,1889)** (Tortricidae) **Synonym(s):** *exquisitana* Rebel,1889 **Range (in code):** **FR IT AT PL SK HU RO YU RU MD UA BY**
- 88837. *Cydia exsurgens* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *exsurgens* Meyrick,1922
Range (in code): **BR Para**
- 88838. *Cydia fabivora* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *fabivora* Meyrick,1928; *prosecta* Meyrick,1932; *leguminis* Heinrich,1943 **Range (in code):** **CO PE**
- 88839. *Cydia fahlbergiana* (Thunberg,1797)** (Tortricidae) **Synonym(s):** *fahlbergiana* Thunberg,1797; *flavicollis* Walsingham,1897 **Range (in code):** **VC**
- 88840. *Cydia farsica* (Danilevski & Kuznetsov,1968)** (Tortricidae) **Synonym(s):** *farsica* Danilevski & Kuznetsov,1968 **Range (in code):** **IR Fa Sse**
- 88841. *Cydia fimana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *fimana* Snellen,1883 **Range (in code):** **RU Sb Us Ask**
- 88842. *Cydia fissana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *fissana* Frölich,1828; *divisana* Duponchel,1836; *diffusana* Herrich-Schäffer,1851 **Range (in code):** **PT FR Sa Si IT LU DE CH AT PL CZ SK HU RO YU AL BG GR SY Hal TR SE RU MD UA BY** **Bionomy:** Larva on *Vicia cracca* (Fabaceae) (Corley et al.,2007).
- 88843. *Cydia funebrana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *funebrana* Treitschke,1835; *cerasana* Kozhantschikov,1953 **Range (in code):** **DZ PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Ce GG SY CY IR CN**
- 88844. *Cydia gemmiferana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *gemmiferana* Treitschke,1835; *olbiana* Guenée,1845 **Range (in code):** **PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR SE RU MD UA BY**
- 88845. *Cydia geniculana* (La Harpe,1858)** (Tortricidae) **Synonym(s):** *geniculana* La Harpe,1858; *discretana* Wocke,1861; **Range (in code):** **FR Si IT BE NL DE CH AT PL CZ SK HU RO YU AL DK SE FI LV LT RU Ce Sb UA BY KG** **Bionomy:** Larva on *Humulus lupulus* (Razowski,2003).
- 88846. *Cydia gilvicihana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *gilvicihana* Staudinger,1859 **Range (in code):** **ES Sa IT?**
- 88847. *Cydia glycyrrhizana* (Kuznetsov,1962)** (Tortricidae) **Synonym(s):** *glycyrrhizana* Kuznetsov,1962 **Range (in code):** **RU KG Aa**
- 88848. *Cydia gratulata* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *gratulata* Meyrick,1916 **Range (in code):** **PH Mno**
- 88849. *Cydia grunertiana* (Ratzeburg,1868)** (Tortricidae) **Synonym(s):** *grunertiana* Ratzeburg,1868 **Range (in code):** **DE CH AT PL CZ SK DK SE**
- 88850. *Cydia guttifera* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *guttifera* Meyrick,1913 **Range (in code):** **PY**
- 88851. *Cydia halmyris* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *halmyris* Meyrick,1909 **Range (in code):** **ZA Tva Gau Pre**
- 88852. *Cydia heptatoma* (Diakonoff,1976)** (Tortricidae) **Synonym(s):** *heptatoma* Diakonoff,1976
Range (in code): **NP**
- 88853. *Cydia hieroglyphana* A.Blanchard & Knudson,1984** (Tortricidae) **Synonym(s):** *hieroglyphana* A.Blanchard & Knudson,1984 **Range (in code):** **US Tx**
- 88854. *Cydia honorana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *honorana* Herrich-Schäffer,1851 **Range (in code):** **AT SK GR TR**
- 88855. *Cydia hyalitis* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *hyalitis* Meyrick,1909 **Range (in code):** **IN Ass Meg Khs**

- 88856. *Cydia hygrotrema* (Diakonoff,1971)** (Tortricidae) Synonym(s): *hygrotrema* Diakonoff,1971
Range (in code): TH Kbi
- 88857. *Cydia hylophanes* (Meyrick,1928)** (Tortricidae) Synonym(s): *hylophanes* Meyrick,1928
Range (in code): IN Hp Sml
- 88858. *Cydia ichthyura* (Meyrick,1926)** (Tortricidae) Synonym(s): *ichthyura* Meyrick,1926
Range (in code): ZA
- 88859. *Cydia ilipulana* (Walsingham,1903)** (Tortricidae) Synonym(s): *ilipulana* Walsingham,1903; *dioszeghi* Capuse,1970 Range (in code): ES FR IT AT CZ SK RO GR
- 88860. *Cydia illutana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *illutana* Herrich-Schäffer,1851; *ibzeliana* Karpinski,1962 Range (in code): FR IT GB NL LU DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY
- 88861. *Cydia indivisa* (Danilevsky,1963)** (Tortricidae) Synonym(s): *indivisa* Danilevsky,1963
Range (in code): FR DE CH AT PL CZ SK DK NO SE FI LV LT RU Sb Am
- 88862. *Cydia inflata* (Meyrick,1916)** (Tortricidae) Synonym(s): *inflata* Meyrick,1916 Range (in code): PH Mdo
- 88863. *Cydia injectiva* (Heinrich,1926)** (Tortricidae) Synonym(s): *injectiva* Heinrich,1926 Range (in code): US Ne
- 88864. *Cydia inopinata* (Heinrich,1928)** (Tortricidae) Synonym(s): *inopinata* Heinrich,1928; *prunifoliae* Kozhantschikov,1953 Range (in code): CN Mc RU Sb
- 88865. *Cydia inquinatana* (Hübner,[1799])** (Tortricidae) Synonym(s): *inquinatana* Hübner,[1799]
Range (in code): FR BE Si IT DE AT CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY
- 88866. *Cydia internana* (Guenée,1845)** (Tortricidae) Synonym(s): *internana* Guenée,1845; *erectana* Barrett,1875; *tristana* Toll,1953 Range (in code): PT ES FR IT IE GB BE DE AT PL SK YU RU MD UA BY
- 88867. *Cydia interscindana* (Möschler,1866)** (Tortricidae) Synonym(s): *interscindana* Möschler,1866; *opulentana* Millière,1875 Range (in code): ES FR IT BE
- 88868. *Cydia intexta* (Kuznetsov,1962)** (Tortricidae) Synonym(s): *intexta* Kuznetsov,1962
Original Reference: Laspeyresia *intexta* Kuznetsov,1962, Ent. Obozr. 41 (3): 636, fig.11. Holotype: Kazakhstan. Range (in code): ES FR IT CH AT CZ SK RU MD UA TM KG
- 88869. *Cydia ioxesta* (Meyrick,1922)** (Tortricidae) Synonym(s): *ioxesta* Meyrick,1922 Range (in code): BR Para
- 88870. *Cydia isacma* (Meyrick,1907)** (Tortricidae) Synonym(s): *isacma* Meyrick,1907 Range (in code): IN Ass Meg Khs
- 88871. *Cydia janthinana* (Duponchel,1843)** (Tortricidae) Synonym(s): *janthinana* Duponchel,1843; *incisana* Herrich-Schäffer,1851 Range (in code): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK SE LV RU MD UA BY Cc GG
- 88872. *Cydia jesonica* (Matsumura,1931)** (Tortricidae) Synonym(s): *jesonica* Matsumura,1931
Range (in code): JP Hkk
- 88873. *Cydia johanssoni* Aarvik & Karsholt,1993** (Tortricidae) Synonym(s): *johanssoni* Aarvik & Karsholt,1993 Original Reference: *Cydia johanssoni* Aarvik & Karsholt,1993, Nota lepid. 15 (3/4): 165-167, figs. Holotype ♂: Greece: Kos, Asfedion, 6-12.x.1988, R. Johansson leg. (ZMUC). Range (in code): GR Kos
- 88874. *Cydia jucundata* (Kuznetsov,1971)** (Tortricidae) Synonym(s): *jucundata* Kuznetsov,1971
Range (in code): CN Hun
- 88875. *Cydia junctistrigana* (Walsingham,1900)** (Tortricidae) Synonym(s): *junctistrigana* Walsingham,1900 Original Reference: Laspeyresia *junctistrigana* Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 434-435. Type ♀: [Syria]: Asiatic Turkey: Haleb, Shar Deresy (coll. Walsingham). Range (in code): TR SY Hal
- 88876. *Cydia jungiella* (Linnaeus,1761)** (Tortricidae) Synonym(s): *#jungiella* Clerck,1759; *jungiella* Linnaeus,1761; *perlepidana* Haworth,[1811]; *jungiana* Fröhlich,1828; *schränkiana* Fröhlich,1828; *albisecundella* Bruand,1850. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO GR TR DK NO SE FI EE LV LT RU MD UA BY
- 88877. *Cydia komaii* (Rose & Pooni,2003)** (Tortricidae) Synonym(s): *komaii* Rose & Pooni,2003
Range (in code): IN Pj
- 88878. *Cydia kurilana* (Kuznetsov,1976)** (Tortricidae) Synonym(s): *kurilana* Kuznetsov,1976
Range (in code): RU Krl
- 88879. *Cydia largo* Heppner,1981** (Tortricidae) Synonym(s): *largo* Heppner,1981 Range (in code): US Fl

- 88880. *Cydia larseni* (Rebel,1903)** (Tortricidae) Synonym(s): *larseni* Rebel,1903 Original Reference: Grapholita larseni Rebel,1903, Verh. zool.- bot. Ges. Wien 53: 93. Range (in code): **IT DE CZ SK HU RO RU MD UA BY TR**
- 88881. *Cydia latens* (Kuznetsov,1972)** (Tortricidae) Synonym(s): *latens* Kuznetsov,1972 Range (in code): **CN Yu**
- 88882. *Cydia latericia* (Komai,1999)** (Tortricidae) Synonym(s): *latericia* Komai,1999 Range (in code): **JP**
- 88883. *Cydia lathetica* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *lathetica* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 88884. *Cydia lathraeopa* (Meyrick,1922)** (Tortricidae) Synonym(s): *lathraeopa* Meyrick,1922 Range (in code): **BR Para**
- 88885. *Cydia lathyra* (Hübner,[1813])** (Tortricidae) Synonym(s): *lathyra* Hübner,[1813]; *scopariana* Herrich-Schäffer,1851; *stelliferana* Peyerimhoff,1863; *krausiana* Standfuss,1881 Range (in code): **FR Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG**
- 88886. *Cydia latiferreana* (Walsingham,1879)** (Tortricidae) Synonym(s): *latiferreana* Walsingham,1879; *aurichalceana* Riley,1881; *inquilina* Kearfott,1907 Range (in code): **US Cf Mon**
- 88887. *Cydia latisigna* W.Miller,1986** (Tortricidae) Synonym(s): *latisigna* W.Miller,1986 Range (in code): **MX Drr**
- 88888. *Cydia leguminana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *leguminana* Lienig & Zeller,1846 Range (in code): **FR IT GB DE AT PL CZ SK HU DK SE FI EE LV RU MD UA BY**
- 88889. *Cydia leptogramma* (Meyrick,1913)** (Tortricidae) Synonym(s): *leptogramma* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb**
- 88890. *Cydia leucatma* (Meyrick,1925)** (Tortricidae) Synonym(s): *leucatma* Meyrick,1925 Range (in code): **ZA**
- 88891. *Cydia leucogrammana* (Hofmann,1898)** (Tortricidae) Synonym(s): *leucogrammana* Hofmann,1898 Original Reference: Grapholitha leucogrammana Hofmann,1898, Dt. ent. Z., Iris 10: 237-238. Type ♂: [Türkei]: Angora [Ankara]. Range (in code): **RU Ur GG TR Cc SY Dms IL Pa IR AZ TM UZ** Bionomy: Larva on Peganum harmala (Razowski,2003).
- 88892. *Cydia leucostoma* (Meyrick,1912)** (Tortricidae) Synonym(s): *leucostoma* Meyrick,1912 Range (in code): **LK Mky IN Ass Meg Khs**
- 88893. *Cydia limbata* (Diakonoff,1969)** (Tortricidae) Synonym(s): *limbata* Diakonoff,1969 Range (in code): **SC**
- 88894. *Cydia lobarzewskii* (Nowicki,1860)** (Tortricidae) Synonym(s): *lobarzewskii* Nowicki,1860; *prunivorana* Ragonot,1879 Range (in code): **FR IT NL LU DE CH AT CZ SK HU RO TR RU MD UA BY**
- 88895. *Cydia lunulana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *lunulana* [Denis & Schiffermüller],1775; *mederleana* Frölich,1828; *jungiana* Frölich,1828; *selenana* Zeller,1847; *effusana* Lederer,1855; *conspectana* Lederer,1859; *selliferana* Kennel,1901; *bipartitana* Kennel,1901; *dimidiatana* Kennel,1901; *intacta* Walsingham, 1903; *amplidorsana* Caradja,1916; *exosticha* Meyrick,1936; *praedorsana* Amsel,1958 Original Reference: Tortrix lunulana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 127. Type(s): Vienna district. Range (in code): **DZ Lbs MA PT ES FR Sa Si IT MT IE GB BE NL DE CH AT PL CZ SK RO YU AL TR Cc CY LB DK NO SE FI EE LV LT RU Sb At MD UA BY CN Ui** Bionomy: Larva on Vicia cracca, Pisum sativum, Lathyrus montanus, Trifolium (Fabaceae) (auctorum).
- 88896. *Cydia maackiana* (Danilevsky,1963)** (Tortricidae) Synonym(s): *maackiana* Danilevsky,1963 Range (in code): **RU Us**
- 88897. *Cydia macrodrilus* (Diakonoff,1984)** (Tortricidae) Synonym(s): *macrodrilus* Diakonoff,1984 Range (in code): **ID Sba**
- 88898. *Cydia major* (Caradja,1916)** (Tortricidae) Synonym(s): *major* Caradja,1916; *pamira* Obratsov,1943 Range (in code): **TJ Pm UZ KK KG**
- 88899. *Cydia malacodes* (Meyrick,1911)** (Tortricidae) Synonym(s): *malacodes* Meyrick,1911 Range (in code): **ZA Tva Gau Pre**
- 88900. *Cydia malesana* (Meyrick,1920)** (Tortricidae) Synonym(s): *malesana* Meyrick,1920; *platydryas* Meyrick,1932 Range (in code): **IN TH Knc Tpp NA Dmr Bnd**
- 88901. *Cydia marathonana* Pröse & Sutter,1973** (Tortricidae) Synonym(s): *marathonana* Pröse & Sutter,1973 Range (in code): **GR Cr**
- 88902. *Cydia maxima* (Kuznetsov,1973)** (Tortricidae) Synonym(s): *maxima* Kuznetsov,1973 Range (in code): **IL Pa Js**

- 88903. *Cydia medicaginis* (Kuznetsov,1962)** (Tortricidae) **Synonym(s):** *medicaginis* Kuznetsov,1962 Range (in code): **FR IT GB DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU Sb Cc KG DsA** Bionomy: Larva on *Medicago caerulea* (Fabaceae) (Danilewsky & Kuznetsov,1968).
- 88904. *Cydia melanoptycha* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *melanoptycha* Diakonoff,[1984] Range (in code): **SA As**
- 88905. *Cydia melicrossis* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *melicrossis* Meyrick,1932 Range (in code): **IN Ch Gl**
- 88906. *Cydia melicrossis* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *melicrossis* Meyrick,1932 Range (in code): **Ch**
- 88907. *Cydia membrosa* (Heinrich,1926)** (Tortricidae) **Synonym(s):** *membrosa* Heinrich,1926 Range (in code): **US Tx**
- 88908. *Cydia menoides* Walsingham,1914** (Tortricidae) **Synonym(s):** *menoides* Walsingham,1914 Range (in code): **MX Grr**
- 88909. *Cydia mesoscia* Diakonoff,1969** (Tortricidae) **Synonym(s):** *mesoscia* Diakonoff,1969 Range (in code): **SC**
- 88910. *Cydia metaspilana* (Walker,1863)** (Tortricidae) **Synonym(s):** *metaspilana* Walker,1863 Range (in code): **BZ**
- 88911. *Cydia microgrammana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *microgrammana* Guenée,1845 Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE EE LV**
- 88912. *Cydia milleniana* (Adamczewski,1967)** (Tortricidae) **Synonym(s):** *zebeana* auct.; *milleniana* Adamczewski,1967; *deciduana* Steuer,1969 Range (in code): **FR IT GB BE DE CH AT PL CZ SK RU Ur Ya Sb Am CN Mc**
- 88913. *Cydia miranda* (Meyrick,1911)** (Tortricidae) **Synonym(s):** *miranda* Meyrick,1911 Range (in code): **SC**
- 88914. *Cydia modica* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *modica* Meyrick,1913 Range (in code): **ZA Tva Mpu Tst Gau Pre**
- 88915. *Cydia molesta* (Busck,1916)** (Tortricidae) **Synonym(s):** *molesta* Busck,1916 Range (in code): **ES FR Sa Si IT MT GB BE DE CH AT CZ SK HU RO YU BG GR TR DK SE LV LT Cc GG ZA US Vi**
- 88916. *Cydia montezuma* W.Miller,1986** (Tortricidae) **Synonym(s):** *montezuma* W.Miller,1986 Range (in code): **MX**
- 88917. *Cydia monticola* (Kuznetsov,1962)** (Tortricidae) **Synonym(s):** *monticola* Kuznetsov,1962 Range (in code): **KG TrA**
- 88918. *Cydia motrix* (Berg,1891)** (Tortricidae) **Synonym(s):** *motrix* Berg,1891 Range (in code): **AR**
- 88919. *Cydia multistriana* (Chrétien,1915)** (Tortricidae) **Synonym(s):** *multistriana* Chrétien,1915 Original Reference: *Grapholitha multistriana* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 303-304. Syntypes: Tunisia, Kebili; Algeria, Biskra. Range (in code): **DZ Bsk TN**
- 88920. *Cydia namatophora* (Diakonoff,1976)** (Tortricidae) **Synonym(s):** *namatophora* Diakonoff,1976 Range (in code): **NP**
- 88921. *Cydia nebritana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *nebritana* Treitschke,1830 Original Reference: *Grapholita nebritana* Treitschke,1830, *Schmett. Eur.* 8: 209. Type: Hungaria. Range (in code): **DZ PT ES FR Sa IT BE DE CH AT PL CZ SK HU RO YU AL GR Rd BG TR LT RU Ur UA Cm** Bionomy: Larva on *Colutea arborescens*, *Pisum* (Fabaceae) (Razowski,2003).
- 88922. *Cydia nebulocula* (Diakonoff,1976)** (Tortricidae) **Synonym(s):** *nebulocula* Diakonoff,1976 Range (in code): **NP**
- 88923. *Cydia neolopha* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *neolopha* Meyrick,1926 Range (in code): **CO**
- 88924. *Cydia nicomacha* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *nicomacha* Meyrick,1921 Range (in code): **ZW Uma**
- 88925. *Cydia nigra* (W.Miller,1967)** (Tortricidae) **Synonym(s):** *nigra* W.Miller,1967 Range (in code): **MX Tlx**
- 88926. *Cydia nigricana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *#rusticella* Clerck,1759; *nigricana* Fabricius,1794; *proximana* Haworth,1811; *pisana* Guenée,1845; *ratifera* Meyrick,1912; *novimundi* Heinrich,1920 Original Reference: *Pyralis nigricana* Fabricius,1794, *Ent. Syst.* 3 (2): 276. Syntypes: England (BMNH). Range (in code): **DZ Lbs PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU Sb TR MD UA BY**

- 88927. *Cydia nigrostriana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *nigrostriana* Snellen,1883
Range (in code): **SK RU MD UA BY**
- 88928. *Cydia nigrostriana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *nigrostriana* Snellen,1883
Range (in code): **RU Am**
- 88929. *Cydia nomaea* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *nomaea* Meyrick,1917 **Range (in code):** **GY**
- 88930. *Cydia obliqua* (Diakonoff,1982)** (Tortricidae) **Synonym(s):** *obliqua* Diakonoff,1982 **Range (in code):** **LK**
- 88931. *Cydia oblecta* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *oblecta* Meyrick,1922 **Range (in code):** **BR Azn**
- 88932. *Cydia obumbrana* Kuznetsov,1992** (Tortricidae) **Synonym(s):** *obumbrana* Kuznetsov,1992
Range (in code): **VN TH Knc Tpp**
- 88933. *Cydia ocnogramma* (Meyrick,1910)** (Tortricidae) **Synonym(s):** *ocnogramma* Meyrick,1910
Range (in code): **ZA**
- 88934. *Cydia odontica* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *odontica* Diakonoff,[1984]
Range (in code): **SA As**
- 88935. *Cydia okui* (Komai,1999)** (Tortricidae) **Synonym(s):** *okui* Komai,1999 **Range (in code):** **JP**
- 88936. *Cydia omana* Razowski,1995** (Tortricidae) **Synonym(s):** *omana* Razowski,1995 **Range (in code):** **OM**
- 88937. *Cydia omittana* (Kuznetsov,1988)** (Tortricidae) **Synonym(s):** *omittana* Kuznetsov,1988
Range (in code): **VN Ton**
- 88938. *Cydia optica* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *optica* Meyrick,1912 **Range (in code):** **IN Meg Ass Khs**
- 88939. *Cydia opulentica* (Kuznetsov,1992)** (Tortricidae) **Synonym(s):** *opulentica* Kuznetsov,1992
Range (in code): **VN Ton**
- 88940. *Cydia orbiapex* (Kuznetsov,1988)** (Tortricidae) **Synonym(s):** *orbiapex* Kuznetsov,1988
Range (in code): **VN Ton**
- 88941. *Cydia orobana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *orobana* Treitschke,1830;
arcigera Tengström,1847; *strandiana* Fuchs,1901; *persicana* Osthelder,1938 **Original Reference:** Grapholitha
orobana Treitschke,1830, Schmett. Eur. 8: 226. Type: Hungary. **Range (in code):** **FR Co Si IT GB**
BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA KG IR Mz Elb
Bionomy: Larva on Vicia cracca, V. sativa, Pisum sativum, Lathyrus paludosus, L. montanus
(Fabaceae) (Razowski,2003).
- 88942. *Cydia orthopyrga* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *orthopyrga* Meyrick,1922
Range (in code): **PE**
- 88943. *Cydia oxytropidis* (Martini,1912)** (Tortricidae) **Synonym(s):** *oxytropidis* Martini,1912
Range (in code): **ES IT DE CH AT PL CZ SK HU LT TR RU MD UA BY**
- 88944. *Cydia pactolana* (Zeller,1840)** (Tortricidae) **Synonym(s):** *pactolana* Zeller,1840; *pinetana*
Schläger,1847 **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI**
EE LV LT RU MD UA BY
- 88945. *Cydia pallifrontana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** ? *elegantana*
Frölich,1828; *pallifrontana* Lienig & Zeller,1846; *filana* Herrich-Schäffer,1851 **Range (in code):** **FR IT GB DE**
CH AT PL CZ SK HU RO YU TR DK NO SE LV LT RU MD UA BY SY Hal
- 88946. *Cydia patens* (Kuznetsov,1971)** (Tortricidae) **Synonym(s):** *patens* Kuznetsov,1971 **Range (in code):** **RU CN Sz**
- 88947. *Cydia pavonana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *pavonana*
Walsingham,1900 **Range (in code):** **JP**
- 88948. *Cydia peiui* Stanoi & Nemes,1974** (Tortricidae) **Synonym(s):** *peiui* Stanoi & Nemes,1974
Range (in code): **RO**
- 88949. *Cydia perelegans* (Kuznetsov,1962)** (Tortricidae) **Synonym(s):** *perelegans* Kuznetsov,1962
Range (in code): **RU Am**
- 88950. *Cydia perfricta* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *perfricta* Meyrick,1920 **Range (in code):** **IN**
- 88951. *Cydia pericydonia* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *pericydonia*
Diakonoff,[1984] **Range (in code):** **SA As**
- 88952. *Cydia perlaeta* Walsingham,1914** (Tortricidae) **Synonym(s):** *perlaeta* Walsingham,1914
Range (in code): **MX Grr**

- 88953. *Cydia perrupta* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *perrupta* Meyrick,1922 **Range (in code):** **BR Azn**
- 88954. *Cydia persica* (Danilevskii & Kuznetsov,1968)** (Tortricidae) **Synonym(s):** *persica* Danilevskii & Kuznetsov,1968 **Range (in code):** **IR Elb Th Kdj**
- 88955. *Cydia phalacris* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *phalacris* Meyrick,1912; *elongata* Kuznetsov,1962 **Range (in code):** **TR RU Da Cc**
- 88956. *Cydia phaulomorpha* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *phaulomorpha* Meyrick,1927 **Range (in code):** **ZA**
- 88957. *Cydia phyllisae* W.Miller,1986** (Tortricidae) **Synonym(s):** *phyllisae* W.Miller,1986 **Range (in code):** **MX Chua**
- 88958. *Cydia piperana* Kearfott,1907** (Tortricidae) **Synonym(s):** *piperana* Kearfott,1907 **Range (in code):** **US Ws**
- 88959. *Cydia platydryas* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *platydryas* Meyrick,1932 **Range (in code):** **ZA**
- 88960. *Cydia plectocosma* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *plectocosma* Meyrick,1921 **Range (in code):** **ZW Uma**
- 88961. *Cydia plerota* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *plerota* Meyrick,1921 **Range (in code):** **ZA Tva Gau Pre**
- 88962. *Cydia plumbiferana* (Staudinger,1870)** (Tortricidae) **Synonym(s):** *plumbiferana* Staudinger,1870 **Range (in code):** **GR LB Say**
- 88963. *Cydia pomonella* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *pomonella* Linnaeus,1758; *pomona* Fabricius,1775; *pomonana* [Denis & Schiffermüller],1775; *nitens* Fourcroy,1785; *aeneana* Villers,1789; *putaminana* Staudinger,1859 **Original Reference:** Phalaena Tinea pomonella Linnaeus,1758, Syst. Nat. 10 (1): 538. Type(s): "Habitat intra Poma Pyri". **Range (in code):** **DZ Cst BtNa PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr CY TR DK NO SE FI EE LV LT RU MD UA BY IL Pa IR Gh Tgo Ss Irs Cc GG LB Bsa SY Hal Ch PK Bl Qu CN Ui Ku Kl US MX CA AU NZ ZA**
- 88964. *Cydia praedorsana* (Amsel,1958)** (Tortricidae) **Synonym(s):** *praedorsana* Amsel,1958 **Original Reference:** Laspeyresia praedorsana Amsel,1958, Z. wien. ent. Ges. 43: 71-72 Abb.12. Holotype ♂: Cypern, Kyrenia, 14.3.1947, leg. Wiltshire. **Range (in code):** **CY**
- 88965. *Cydia procellosa* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *procellosa* Meyrick,1917 **Range (in code):** **PE**
- 88966. *Cydia prolopha* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *prolopha* Meyrick,1912 **Range (in code):** **IN Ass Meg Khs**
- 88967. *Cydia psamminitis* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *psamminitis* Meyrick,1913 **Range (in code):** **ZA Tva Gau Pre**
- 88968. *Cydia pulchella* Durrant,1914** (Tortricidae) **Synonym(s):** *pulchella* Durrant,1914 **Range (in code):** **MX Vcr**
- 88969. *Cydia pulverula* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *pulverula* Meyrick,1912 **Range (in code):** **IN Ass Khs**
- 88970. *Cydia pycnographa* (Meyrick,1936)** (Tortricidae) **Synonym(s):** *pycnographa* Meyrick,1936 **Range (in code):** **ID Ja**
- 88971. *Cydia pyraspis* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *pyraspis* Meyrick,1928 **Range (in code):** **CR**
- 88972. *Cydia pyrivora* Danilevsky,1947** (Tortricidae) **Synonym(s):** *pyrivora* Danilevsky,1947; *dannehli* Obrastsov,1950 **Range (in code):** **FR Sa Si IT AT CZ SK HU RO YU MK AL BG GR MD DZ UZ Cr LV TR Cc GG RU Sb T-S**
- 88973. *Cydia pyrozona* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *pyrozona* Meyrick,1916 **Range (in code):** **GY**
- 88974. *Cydia rhabdotacra* (Diakonoff,1969)** (Tortricidae) **Synonym(s):** *rhabdotacra* Diakonoff,1969 **Range (in code):** **SC**
- 88975. *Cydia rhodaspis* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *rhodaspis* Meyrick,1928 **Range (in code):** **PE**
- 88976. *Cydia rjabovi* (Kuznetsov,1962)** (Tortricidae) **Synonym(s):** *rjabovi* Kuznetsov,1962 **Original Reference:** Laspeyresia rjabovi Kuznetsov,1962, Ent. Obozr. 41: 638, fig. Holotype ♂: Armenia: Daralagezsky, Sultanbek (ZMAS). **Range (in code):** **AM Alg Cc**
- 88977. *Cydia sammuti* Diakonoff,1986** (Tortricidae) **Synonym(s):** *sammuti* Diakonoff,1986 **Range (in code):** **MT**

- 88978. *Cydia schizodelta* (Diakonoff,1982)** (Tortricidae) Synonym(s): *schizodelta* Diakonoff,1982
Range (in code): **LK**
- 88979. *Cydia scintillana* (Christoph,1882)** (Tortricidae) Synonym(s): *scintillana* Christoph,1882;
elegantana Kuznetsov,1968 *nec* Fröh.,1828 Range (in code): **RU Am Sb Us Vv**
- 88980. *Cydia seclusana* (Walker,1866)** (Tortricidae) Synonym(s): *seclusana* Walker,1866;
magnana Kuznetsov,1988 Range (in code): **PG VN Ton TH Knc Tpp IN Adm MY ID Sum BN Sbh Bor Klt PG**
- 88981. *Cydia selenana* (Zeller,1847)** (Tortricidae) Synonym(s): *jungiana sensu* Zeller,1847; *selenana* Zeller,1847 Original Reference: *Grapholitha selenana* Zeller,1847, Isis 1847 (10): 736-738.
Syntypes: Italia, Messina; Kleinasien. Range (in code): **IT Si Sa TR**
- 88982. *Cydia selliferana* (Kennel,1901)** (Tortricidae) Synonym(s): *selliferana* Kennel,1901
Original Reference: *Grapholitha selliferana* Kennel,1901, Dt. ent. Z., Iris 13: 299. Type ♀:
[Türkei]: "Eibes". Range (in code): **TR**
- 88983. *Cydia semicinctana* (Kennel,1901)** (Tortricidae) Synonym(s): *semicinctana* Kennel,1901
Original Reference: *Grapholitha semicinctana* Kennel,1901, Dt. ent. Z., Iris 13: 298-299.
Syntypes 2♀: Graecia. Range (in code): **FR IT CH YU BG? GR RU Cc GG**
- 88984. *Cydia semifusca* (Kuznetsov,1968)** (Tortricidae) Synonym(s): *semifusca* Kuznetsov,1968
Range (in code): **RU Us**
- 88985. *Cydia servillana* (Duponchel,1836)** (Tortricidae) Synonym(s): *servillana* Duponchel,1836;
putaminana Staudinger,1859 Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 88986. *Cydia shadawana* (Liu & Shen,2000)** (Tortricidae) Synonym(s): *shadawana* Liu & Shen,2000 Range (in code): **CN IMn**
- 88987. *Cydia signifer* Walsingham,1914** (Tortricidae) Synonym(s): *signifer* Walsingham,1914
Range (in code): **MX Tbo**
- 88988. *Cydia sinana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *sinana* C.Felder & Rogenhofer,1875 Range (in code): **TR**
- 88989. *Cydia sporosema* (Meyrick,1922)** (Tortricidae) Synonym(s): *sporosema* Meyrick,1922
Range (in code): **BR Azn**
- 88990. *Cydia staphiditis* (Meyrick,1930)** (Tortricidae) Synonym(s): *staphiditis* Meyrick,1930
Range (in code): **IN**
- 88991. *Cydia stelocosma* (Meyrick,1925)** (Tortricidae) Synonym(s): *stelocosma* Meyrick,1925
Range (in code): **ZA**
- 88992. *Cydia stelosema* (Meyrick,1931)** (Tortricidae) Synonym(s): *stelosema* Meyrick,1931
Range (in code): **UG**
- 88993. *Cydia steringus* (Diakonoff,[1984])** (Tortricidae) Synonym(s): *steringus* Diakonoff,[1984]
Range (in code): **SA As**
- 88994. *Cydia stirpicola* (Meyrick,1926)** (Tortricidae) Synonym(s): *stirpicola* Meyrick,1926;
stirpicola Meyrick,1927 Range (in code): **IN Or**
- 88995. *Cydia striatana* (Caradja,1916)** (Tortricidae) Synonym(s): *striatana* Caradja,1916 Range (in code): **KK**
- 88996. *Cydia strigulatana* (Kennel,1899)** (Tortricidae) Synonym(s): *strigulatana* Kennel,1899;
?cretaceana Kennel,1899; *seriana* Kennel,1901; *obesana* Kennel,1901; *escorialana* Schmidt,1933; *rebeli* Hartig,1938; *hartigi* Lucas,1942; *agenjoi* Obratzsov,1968 Range (in code): **MA DZ Tni Tis PT ES FR**
- 88997. *Cydia strobilella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *strobilella* Linnaeus,1758;
strobilana Hübner,[1799]; *kollarana* Treitschke,1829 Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY**
- 88998. *Cydia subapicana* (Walker,1863)** (Tortricidae) Synonym(s): *subapicana* Walker,1863
Range (in code): **DO**
- 88999. *Cydia succedana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *succedana* [Denis & Schiffermüller],1775; *asseclana* Hübner,[1800] *nec* [Den. & Schiff.],1775; *griseana* Osthelder,1938; *decolorana* Obratzsov,1949 Original Reference: *Tortrix succedana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. Range (in code): **DZ Cst Lbs TN PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Rd Cr TR DK NO SE FI EE LV LT RU MD UA BY IR Elb Mz LB Bsa Bmm Cc AM KG MN AF** Bionomy: Larva on *Ulex europaeus*, *Genista*, *Sarothamnus*, *Lotus*, *Cytisus* (Fabaceae) (Razowski,2003).

- 89000. *Cydia succedana armeniaca* (Kuznetsov,1968)** (Tortricidae) Synonym(s): *armeniaca* Kuznetsov,1968 Range (in code): AM Cc
- 89001. *Cydia suffusana* Zlatkov & Budashkin,2012** (Tortricidae) Synonym(s): *suffusana* Zlatkov & Budashkin,2012 Range (in code): BG
- 89002. *Cydia tenebrosana* (Duponchel,1843)** (Tortricidae) Synonym(s): *tenebrosana* Duponchel,1843; *roseticolana* Zeller,1849 Range (in code): ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY
- 89003. *Cydia tetrasticta* (Meyrick,1909)** (Tortricidae) Synonym(s): *tetrasticta* Meyrick,1909 Range (in code): BO
- 89004. *Cydia tonosticha* (Meyrick,1922)** (Tortricidae) Synonym(s): *tonosticha* Meyrick,1922; *cassiana* Lima,1952 Range (in code): BR Rja
- 89005. *Cydia torodetta* (Meyrick,1914)** (Tortricidae) Synonym(s): *torodetta* Meyrick,1914; *#torodelta* Claekr,1958 Range (in code): IN
- 89006. *Cydia torostoma* (Clarke,1972)** (Tortricidae) Synonym(s): *torostoma* Clarke,1972 Range (in code): CR
- 89007. *Cydia transcaucasica* Budashkin & Zlatkov,2012** (Tortricidae) Synonym(s): *transcaucasica* Budashkin & Zlatkov,2012 Range (in code): AZ Cc Nv
- 89008. *Cydia triangulella* (Goeze,1783)** (Tortricidae) Synonym(s): *triangulella* Goeze,1783; *bicolorata* Fourcroy,1785; *splendana* Hübner,[1799]; *#glandella* Schrank,1802; *reaumurana* Heinemann,1863 Original Reference: Phalaena triangulella Goeze,1783, Ent. Beytr. 3 (4): 163. Type: ? Germania. Range (in code): TN PT ES FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG
- 89009. *Cydia tricyanitis* (Diakonoff,1976)** (Tortricidae) Synonym(s): *tricyanitis* Diakonoff,1976 Range (in code): NP
- 89010. *Cydia trifasciolana* Schönherr,1987** (Tortricidae) Synonym(s): *trifasciolana* Schönherr,1987 Range (in code): BR
- 89011. *Cydia trigonoptila* (Meyrick,1921)** (Tortricidae) Synonym(s): *trigonoptila* Meyrick,1921 Range (in code): MZ Mag
- 89012. *Cydia trogodana* Pröse,1988** (Tortricidae) Synonym(s): *trogodana* Pröse,1988 Original Reference: Cydia trogodana Pröse,1988, Stafpia 16: 262, figs. Holotype: Cyprus. Range (in code): IT GR CY TR
- 89013. *Cydia tropicana* Kuznetsov,1992** (Tortricidae) Synonym(s): *tropicana* Kuznetsov,1992 Range (in code): VN Ton
- 89014. *Cydia truncatulana* (Zeller,1877)** (Tortricidae) Synonym(s): *truncatulana* Zeller,1877 Range (in code): CO
- 89015. *Cydia tumulata* Meyrick,1908** (Tortricidae) Synonym(s): *tumulata* Meyrick,1908 Original Reference: Cydia tumulata Meyrick,1908, Proc. zool. Soc. London 1908: 720. Type ♂: Transvaal, pretoria (BMNH) [Clarke,1958, Catalogue...3: pl.195, figs. 4-4c]. Range (in code): ZA Tva Gau Pre
- 89016. *Cydia tunisiana* Aarvik & Karsholt,1993** (Tortricidae) Synonym(s): *tunisiana* Aarvik & Karsholt,1993 Original Reference: Cydia tunisiana Aarvik & Karsholt,1993, Nota lepid. 15 (3/4): 167-172, figs. Holotype ♂: Tunisia: Tabarka area, 7-18.v.1988, O.Karsholt leg. (ZMUC). Range (in code): TN
- 89017. *Cydia turciana* Chambon,1993** (Tortricidae) Synonym(s): *turciana* Chambon,1993 Original Reference: Cydia turciana Chambon,1993, Bull. Soc. ent. Fr. 98: 181. Range (in code): TR
- 89018. *Cydia turifera* (Meyrick,1912)** (Tortricidae) Synonym(s): *turifera* Meyrick,1912 Range (in code): IN Ass Khs
- 89019. *Cydia tytthaspis* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *tytthaspis* Razowski & Trematerra,2010 Range (in code): ET Ble
- 89020. *Cydia ulicetana* (Haworth,[1811])** (Tortricidae) Synonym(s): *ulicetana* Haworth,[1811]; *consequana* Zeller,1847; *micaceana* Constant,1865; *conjunctana* Möschler,1866 Original Reference: Tortrix ulicetana Haworth,[1811], Lepid. Br.: 458. Syntypes: Britain (BMNH). Range (in code): DZ Lbs Bsk PT ES An FR IT DE CH? BG? TR RU MD UA BY LB Bsa
- 89021. *Cydia ulicetana lambessana* (Caradja,1916)** (Tortricidae) Synonym(s): *lambessana* Caradja,1916 Original Reference: Grapholitha adenocarpi var. lambessana Caradja,1916, Dt. ent. Z., Iris 30: 68. Syntypes: [Algeria]: "Lambèze, Biskra" [wrongly attributed to "Turkestan" [Tortricid.net]. Range (in code): DZ Lbs Bsk
- 89022. *Cydia valens* (Kuznetsov,1988)** (Tortricidae) Synonym(s): *valens* Kuznetsov,1988 Range (in code): VN Ton

- 89023. *Cydia vallesiaca* (Sauter,1968)** (Tortricidae) **Synonym(s):** *vallesiaca* Sauter,1968 **Range**
(in code): **ES FR CH**
- 89024. *Cydia victrix* (Meyrick,1918)** (Tortricidae) **Synonym(s):** *victrix* Meyrick,1918 **Range** (in code): **ZA Nta Kzu Umk**
- 89025. *Cydia violescens* (Meyrick,1918)** (Tortricidae) **Synonym(s):** *violescens* Meyrick,1918 **Range** (in code): **ZA Tva Gau Pre**
- 89026. *Cydia vitrana* (Walsingham,1879)** (Tortricidae) **Synonym(s):** *vitrana* Walsingham,1879 **Range** (in code): **US Org**
- 89027. *Cydia yasudai* (Komai,1999)** (Tortricidae) **Synonym(s):** *yasudai* Komai,1999 **Range** (in code): **JP**
- 89028. *Cydia zebeana* (Ratzeburg,1840)** (Tortricidae) **Synonym(s):** *zebeana* Ratzeburg,1840 **Range** (in code): **IT DE CH AT PL CZ SK DK RU MD UA BY**
- 89029. *Cylichneulia cylichna* Razowski,1994** (Tortricidae) **Synonym(s):** *cylichna* Razowski,1994 **Range** (in code): **VE**
- 89030. *Cylichneulia telesocia* Razowski,1994** (Tortricidae) **Synonym(s):** *telesocia* Razowski,1994 **Range** (in code): **VE**
- 89031. *Cymolomia hartigiana* (Saxesen,1840)** (Tortricidae) **Synonym(s):** *hartigiana* Saxesen,1840; *faillana* Fuchs,1903 **Range** (in code): **FR Si IT BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 89032. *Cymolomia jinboi* Kawabe,1976** (Tortricidae) **Synonym(s):** *jinboi* Kawabe,1976 **Range** (in code): **JP Hkk**
- 89033. *Cymolomia phaeopelta* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *phaeopelta* Meyrick,1921 **Range** (in code): **TH CMa CDo Int Nna Kao Knc Tpp BT NP IN MY ID Ja Bor Klt Crm**
Bionomy: Larva rolls leaves of *Schima noronhae* (Theaceae) (Diakonoff,1973).
- 89034. *Cymolomia taigana* Falkovitsh,1966** (Tortricidae) **Synonym(s):** *taigana* Falkovitsh,1966 **Range** (in code): **RU Us**
- 89035. *Cymolomia vinolenta* Diakonoff,1973** (Tortricidae) **Synonym(s):** *vinolenta* Diakonoff,1973 **Range** (in code): **ID Ja**
- 89036. *Dactylioglypha avita* Diakonoff,1973** (Tortricidae) **Synonym(s):** *avita* Diakonoff,1973 **Range** (in code): **PG**
- 89037. *Dactylioglypha mimas* Diakonoff,1973** (Tortricidae) **Synonym(s):** *mimas* Diakonoff,1973 **Range** (in code): **MY Prk**
- 89038. *Dactylioglypha pallens* Diakonoff,1973** (Tortricidae) **Synonym(s):** *pallens* Diakonoff,1973 **Range** (in code): **ID Ja Ged VN TH Knc Tpp**
- 89039. *Dactylioglypha tonica* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *tonica* Meyrick,1909 **Range** (in code): **TH CMa Msv Dst Knc Tpp IN Ass Meg Khs LK Mky Kndy TW JP MY ID Ja BN Bor Swk**
Bionomy: Larva on *Elaeocarpus japonicus*, *E. sylvestris* var. *ellipticus* (Elaeocarpaceae) (Kawabe,1989).
- 89040. *Dactylioglypha zonata* Diakonoff,1973** (Tortricidae) **Synonym(s):** *zonata* Diakonoff,1973 **Range** (in code): **ID Ja Ged**
- 89041. *Dasodis cladographa* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *cladographa* Diakonoff,[1984] **Range** (in code): **SA As**
- 89042. *Dasodis microphthora* (Meyrick,1936)** (Tortricidae) **Synonym(s):** *microphthora* Meyrick,1936 **Range** (in code): **ID Ja**
- 89043. *Decodes australus* Powell,1965** (Tortricidae) **Synonym(s):** *australus* Powell,1965 **Range** (in code): **MX Agc**
- 89044. *Decodes jonhstoni* Powell,1961** (Tortricidae) **Synonym(s):** *jonhstoni* Powell,1961 **Range** (in code): **US Cf**
- 89045. *Decodes macswaini* Powell,1980** (Tortricidae) **Synonym(s):** *macswaini* Powell,1980 **Range** (in code): **MX Nle**
- 89046. *Decodes placitus* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *placitus* Walsingham,1914 **Range** (in code): **MX Grr**
- 89047. *Decodes zimapanus* Powell,1980** (Tortricidae) **Synonym(s):** *zimapanus* Powell,1980 **Range** (in code): **MX Hda**
- 89048. *Decodina mazatlana* Powell,1980** (Tortricidae) **Synonym(s):** *mazatlana* Powell,1980 **Range** (in code): **MX Sin**

- 89049. *Deltinea costalimai* Pastrana,1961** (Tortricidae) **Synonym(s):** *costalimai* Pastrana,1961
Range (in code): **AR**
- 89050. *Deltobathra platamodes* Meyrick,1923** (Tortricidae) **Synonym(s):** *platamodes* Meyrick,1923 **Range (in code):** **PE**
- 89051. *Demeijerella bicolorana* (Bradley,1961)** (Tortricidae) **Synonym(s):** *bicolorana* Bradley,1961 **Range (in code):** **SB**
- 89052. *Demeijerella catharota* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *catharota* Meyrick,1928 **Range (in code):** **TH Nna Kao IN Adm**
- 89053. *Demeijerella chrysoplea* (Diakonoff,1975)** (Tortricidae) **Synonym(s):** *chrysoplea* Diakonoff,1975 **Range (in code):** **PG**
- 89054. *Demeijerella relapsa* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *relapsa* Meyrick,1928
Range (in code): **IN**
- 89055. *Demeijerella xanthorhina* Diakonoff,1954** (Tortricidae) **Synonym(s):** *xanthorhina* Diakonoff,1954 **Range (in code):** **PG**
- 89056. *Diactenis bidentifera* Meyrick,1928** (Tortricidae) **Synonym(s):** *bidentifera* Meyrick,1928
Range (in code): **IN Ass Khs**
- 89057. *Diactenis deformata* Meyrick,1928** (Tortricidae) **Synonym(s):** *deformata* Meyrick,1928
Range (in code): **IN Ass Khs**
- 89058. *Diactenis pteroneura* Meyrick,1907** (Tortricidae) **Synonym(s):** *pteroneura* Meyrick,1907
Range (in code): **LK Mky IN Co**
- 89059. *Diactenis veligera* Meyrick,1928** (Tortricidae) **Synonym(s):** *veligera* Meyrick,1928 **Range (in code):** **Adm**
- 89060. *Diakonoffiana cyanitis* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *cyanitis* Diakonoff,1973 **Range (in code):** **ID Mlc PG**
- 89061. *Diakonoffiana cyanitis* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *cyanitis* Diakonoff,1973 **Range (in code):** **ID Mlc Hm**
- 89062. *Diakonoffiana cyanosticha* (Clarke,1976)** (Tortricidae) **Synonym(s):** *cyanosticha* Clarke,1976 **Original Reference:** *Cymolomia cyanosticha* Clarke,1976, *Insects Micronesia* 9: 55. Holotype ♂: Micronesia, Kusaie Hill. **FM**
- 89063. *Diakonoffiana mataea* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *mataea* Diakonoff,1973 **Range (in code):** **PG**
- 89064. *Diakonoffiana mataea* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *mataea* Diakonoff,1973 **Range (in code):** **ID Ij**
- 89065. *Diakonoffiana saloris* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *saloris* Diakonoff,1973
Range (in code): **ID Ij**
- 89066. *Diakonoffiana saloris* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *saloris* Diakonoff,1973
Range (in code): **PG**
- 89067. *Diakonoffiana spumans* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *spumans* Diakonoff,1973 **PG**
- 89068. *Diakonoffiana syngena* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *syngena* Diakonoff,1973 **Range (in code):** **PG**
- 89069. *Diakonoffiana syngena* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *syngena* Diakonoff,1973 **Range (in code):** **PG**
- 89070. *Diakonoffiana tricolorana* (Meyrick,1881)** (Tortricidae) **Synonym(s):** *tricolorana* Meyrick,1881; *fungiferana* Meyrick,1881; *intricata* Turner,1916; *leucatma* Turner,1926; *lychnospila* Turner,1946; *metacycla* Diakonoff,1973 **Range (in code):** **AU Syd NWs QAU Bri PG Pmo**
- 89071. *Diakonoffiana tricolorana* (Meyrick,1881)** (Tortricidae) **Synonym(s):** *tricolorana* Meyrick,1881; *fungiferana* Meyrick,1881; *intricata* Turner,1916; *leucatma* Turner,1926; *metacycla* Diakonoff,1973
Original Reference: *Helictophanes tricolorana* Meyrick,1881, *Proc. Linn. Soc. N.S.W.* 6: 638. Holotype ♂: Australia, New South Wales, Sydney (BMNH). **AU QAU PG Syd NSW Bri**
- 89072. *Diakonoffiana vindemians* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *vindemians* Meyrick,1921 **Original Reference:** *Argyroproce vindemians* Meyrick,1921, *Exotic Microlepid.* 2: 449. Holotype ♂: Australia, Queensland, Cairns (SAMA). **AU QAU Cai**
- 89073. *Diakonoffiana vindemians* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *vindemians* Meyrick,1921 **Range (in code):** **AU QAU**
- 89074. *Dicellititis cornucopiae* Diakonoff,1941** (Tortricidae) **Synonym(s):** *cornucopiae* Diakonoff,1941 **Range (in code):** **ID Bru**

- 89075. *Dicellitis furcigera* Meyrick,1908** (Tortricidae) **Synonym(s):** *furcigera* Meyrick,1908
Range (in code): **PG Nlr**
- 89076. *Dicellitis nigracula* Meyrick,1908** (Tortricidae) **Synonym(s):** *nigracula* Meyrick,1908
Range (in code): **NP IN Ld**
- 89077. *Dicephalarcha acupicta* Diakonoff,1973** (Tortricidae) **Synonym(s):** *acupicta* Diakonoff,1973 **Range (in code):** **ID Ja Ged**
- 89078. *Dicephalarcha anemodes* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *anemodes* Meyrick,1912 **Range (in code):** **LK Kndy**
- 89079. *Dicephalarcha atava* Diakonoff,1973** (Tortricidae) **Synonym(s):** *atava* Diakonoff,1973
Range (in code): **ID Mlc Bch**
- 89080. *Dicephalarcha dependens* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *dependens* Meyrick,1909 **Range (in code):** **CN**
- 89081. *Dicephalarcha dimorpha* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *dimorpha* Meyrick,1909 **Range (in code):** **IN Meg Ass Khs**
- 89082. *Dicephalarcha herbosa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *herbosa* Meyrick,1909; *mnioptyrrha* Meyrick,1931 **Range (in code):** **IN Meg Ass Khs TH CMa Nna Kao Knc Tpp ID Clb Ja MY Bor Bli Mlc**
- 89083. *Dicephalarcha monometalla* Diakonoff,1973** (Tortricidae) **Synonym(s):** *monometalla* Diakonoff,1973 **Range (in code):** **PG**
- 89084. *Dicephalarcha sicca* Diakonoff,1973** (Tortricidae) **Synonym(s):** *sicca* Diakonoff,1973
Range (in code): **ID Ja Ged**
- 89085. *Diceratura amaranthica* Razowski,1963** (Tortricidae) **Synonym(s):** *amaranthica* Razowski,1963 **Range (in code):** **ES FR Co**
- 89086. *Diceratura diceratops* Razowski,1967** (Tortricidae) **Synonym(s):** *diceratops* Razowski,1967 **Range (in code):** **AF Slg Adr**
- 89087. *Diceratura infantana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *infantana* Kennel,1899; *puellana* Walsingham,1903. **Range (in code):** **MA DZ Lbs PT ES An Mu FR**
- 89088. *Diceratura ostrinana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *ostrinana* Guenée,1845; *purpuratana* Herrich-Schäffer,[1851]. **Range (in code):** **DZ Lbs ES FR Sa IT BE CH AT SK HU RO YU AL BG GR TR LB Bei Say RU Sb Sj SY Hal UA Cm IR Elb Th KG Uk** **Bionomy:** Larva on Chondrilla juncea (Cichoriaceae), Dipsacaceae (Dipsacaceae) (Razowski,2001).
- 89089. *Diceratura porrectana* Djakonov,1929** (Tortricidae) **Synonym(s):** *porrectana* Djakonov,1929 **Range (in code):** **Cc AZ Nv Ord IR Elb Th Se Shh Kdv**
- 89090. *Diceratura rhodograptia* Djakonov,1929** (Tortricidae) **Synonym(s):** *rhodograptia* Djakonov,1929 **Range (in code):** **FR Sa MK GR RU MD UA Cm BY TR Cc AZ Nv Ord SY Hal Dms**
- 89091. *Diceratura roseofasciana* (Mann,1855)** (Tortricidae) **Synonym(s):** *roseofasciana* Mann,1855; *aequana* Caradja,1916; *keredjana* Razowski,1963. **Range (in code):** **PT ES FR Co Sa Si IT HU RO YU TR IL LB Bsa Bei SY Dms Da Cc Hal RU Sr IR Kz Kdj Elb**
- 89092. *Diceratura teheranica* Razowski,1970** (Tortricidae) **Synonym(s):** *teheranica* Razowski,1970 **Range (in code):** **IR Elb Th**
- 89093. *Dichelia alexiana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *alexiana* Kennel,1919 **Original Reference:** *Cacoecia alexiana* Kennel,1919, Mitt. münch. ent. Ges. 8: 53. Holotype ♂: [Turkey: Hatay]: Akbes (MNHU). **Range (in code):** **TR**
- 89094. *Dichelia cedricola* (Diakonoff,1974)** (Tortricidae) **Synonym(s):** *cedricola* Diakonoff,1974 **Original Reference:** *Parasyndemis cedricola* Diakonoff,1974, Ent. Ber., Amst. 34: 20-21, fig.1. Holotype ♂: Central Lebanon: Barouk, 2-11.vi.1973; ex larva on Cedar needles (A. S. Talhouk leg.). **Range (in code):** **TR LB** **Bionomy:** Larva on Cedrus libani (Diakonoff,1974).
- 89095. *Dichelia histrionana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *pinana* [Denis & Schiffermüller],1775; *histrionana* Frölich,1828; *stygiaria* Rebel,1929 **Range (in code):** **ES IT BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY Cc GG** **Bionomy:** Larva on Abies, Picea excelsa (Pinaceae) (Razowski,2001).
- 89096. *Dichelia miserabilis* Strand,1918** (Tortricidae) **Synonym(s):** *miserabilis* Strand,1918
Range (in code): **TW**
- 89097. *Dichelia numidicola* Chambon,1990** (Tortricidae) **Synonym(s):** *numidicola* Chambon,1990 **Range (in code):** **DZ**
- 89098. *Dichrorampha abhasica* Danilevsky,1968** (Tortricidae) **Synonym(s):** *abhasica* Danilevsky,1968 **Range (in code):** **Cc GG Abk**

- 89099. *Dichrorampha acuminatana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *acuminatana* Lienig & Zeller,1846; *cochylana* Peyerimhoff,1863; *graminana* Peyerimhoff,1870 **Range (in code):** **FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA Cm BY** **Bionomy:** Larva on *Chrysanthemum leucanthemum*, *C. vulgare* (Asteraceae) (Razowski,2003).
- 89100. *Dichrorampha aeratana* (Pierce & Metcalfe,1915)** (Tortricidae) **Synonym(s):** *aeratana* Pierce & Metcalfe,1915; *torrana* Pierce & Metcalfe,1922 **Range (in code):** **FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY**
- 89101. *Dichrorampha agilana* (Tengström,1848)** (Tortricidae) **Synonym(s):** *agilana* Tengström,1848 **Range (in code):** **FR IT BE NL LU DE CH AT PL CZ HU YU TR DK NO SE FI EE LV LT RU MD UA BY**
- 89102. *Dichrorampha alaicana* (Rebel,1910)** (Tortricidae) **Synonym(s):** *alaicana* Rebel,1910; *tamerlana* Kennel,1919 **Range (in code):** **KK Al CN Ui Ku KG Tk Dj**
- 89103. *Dichrorampha alatafica* (Danilevsky,1960)** (Tortricidae) **Synonym(s):** *alatafica* Danilevsky,1960 **Range (in code):** **KG DsA**
- 89104. *Dichrorampha albicapitana* (Walsingham,1892)** (Tortricidae) **Synonym(s):** *albicapitana* Walsingham,1892 **Range (in code):** **VC**
- 89105. *Dichrorampha albimacula* (Danilevsky,1948)** (Tortricidae) **Synonym(s):** *albimacula* Danilevsky,1948 **Range (in code):** **RU Cc GG AZ AM**
- 89106. *Dichrorampha albistrana* Komai,1979** (Tortricidae) **Synonym(s):** *albistrana* Komai,1979 **Range (in code):** **JP**
- 89107. *Dichrorampha alexandrae* Passerin d'Entrèves,1972** (Tortricidae) **Synonym(s):** *alexandrae* Passerin d'Entrèves,1972 **Range (in code):** **FR IT**
- 89108. *Dichrorampha alpigenana* (Heinemann,1863)** (Tortricidae) **Synonym(s):** *alpigenana* Heinemann,1863; *pfisteri* Obraztsov,1953; *klimeschi* Obraztsov,1953 **Range (in code):** **FR IT DE CH AT**
- 89109. *Dichrorampha alpinana* (Treitschke,1830)** (Tortricidae) **Synonym(s):** *alpinana* Treitschke,1830; *quaestionana* Zeller,1878 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Am MD UA BY**
- 89110. *Dichrorampha altaica* Danilevsky,1968** (Tortricidae) **Synonym(s):** *altaica* Danilevsky,1968 **Range (in code):** **RU At**
- 89111. *Dichrorampha ambrosiana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *ambrosiana* Kennel,1919 **Range (in code):** **MN**
- 89112. *Dichrorampha assumptana* (Walker,1863)** (Tortricidae) **Synonym(s):** *assumptana* Walker,1863 **Range (in code):** **BR Azn**
- 89113. *Dichrorampha baixerasana* Trematerra,1991** (Tortricidae) **Synonym(s):** *baixerasana* Trematerra,1991 **Range (in code):** **IT HV AL RO**
- 89114. *Dichrorampha banana* (Busck,1906)** (Tortricidae) **Synonym(s):** *banana* Busck,1906; *sordescens* Meyrick,1912 **Range (in code):** **US Col**
- 89115. *Dichrorampha bittana* (Busck,1906)** (Tortricidae) **Synonym(s):** *bittana* Busck,1906; *immaculatan* McDunnough,1946 **Range (in code):** **US CA**
- 89116. *Dichrorampha broui* Knudson,1986** (Tortricidae) **Synonym(s):** *broui* Knudson,1986 **Range (in code):** **US**
- 89117. *Dichrorampha bugnionana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *bugnionana* Duponchel,1843 **Range (in code):** **FR IT DE CH AT SS**
- 89118. *Dichrorampha cacaleana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *cacaleana* Herrich-Schäffer,1851; *sheljzuhkoi* Obraztsov,1949 **Range (in code):** **ES FR Py IT DE CH AT PL CZ SK HU RO RU Cc Da MD UA BY** **Bionomy:** Larva on *Senecio glabra*, *Senecio tourneforti* (Asteraceae) (Razowski,2003).
- 89119. *Dichrorampha cacaleana pyrenaica* Huemer,1993** (Tortricidae) **Synonym(s):** *pyrenaica* Huemer,1993 **Range (in code):** **FR Py**
- 89120. *Dichrorampha cacaleana quadarramana* (Kennel,1921)** (Tortricidae) **Synonym(s):** *quadarramana* Kennel,1921 **Range (in code):** **ES** **Bionomy:** Larva on *Senecio tourneforti* (Asteraceae) (Razowski,2003).
- 89121. *Dichrorampha cancellatana* Kennel,1901** (Tortricidae) **Synonym(s):** *cancellatana* Kennel,1901 **Range (in code):** **RU Am**
- 89122. *Dichrorampha canimaculana* Komai,1979** (Tortricidae) **Synonym(s):** *canimaculana* Komai,1979 **Range (in code):** **JP**

- 89123. *Dichrorampha caucasica* (Danilevsky,1948)** (Tortricidae) Synonym(s): *caucasica* Danilevsky,1948 Original Reference: Hemimene caucasica Danilevsky,1948, Ent. Obozr. 30: 73. Holotype ♂: [Turkey]: Kazikoparan (ZMAS). Range (in code): **RU Cc GG AM AZ TR**
- 89124. *Dichrorampha chavanneana* (La Harpe,1858)** (Tortricidae) Synonym(s): *chavanneana* La Harpe,1858; *rhaeticana* Frey,1870 Range (in code): **ES FR IT CH AT**
- 89125. *Dichrorampha cinerascens* (Danilevsky,1948)** (Tortricidae) Synonym(s): *cinerascens* Danilevsky,1948 Range (in code): **DE AT PL CZ SK YU FI EE LV RU MD UA BY**
- 89126. *Dichrorampha cinerosana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *cinerosana* Herrich-Schäffer,1851; *eurychorana* Rebel,1941 Range (in code): **DE HU MK AL TR CN Ui Ku**
- 89127. *Dichrorampha comptana* (Walker,1863)** (Tortricidae) Synonym(s): *comptana* Walker,1863 Range (in code): **BR Azn**
- 89128. *Dichrorampha coniana* Obratzov,1953** (Tortricidae) Synonym(s): *coniana* Obratzov,1953 Original Reference: *Dichrorampha* (*Dichrorampha*) *coniana* Obratzov,1953, Mitt. münch. ent. Ges. 43: 41, fig.16. Holotype: Türkei: Konia. Range (in code): **MK? TR**
- 89129. *Dichrorampha consortana* (Stephens,1852)** (Tortricidae) Synonym(s): *fackiana* Schläger,1848; *consortana* Stephens,1852; *balticana* Strand,1917; *alticolana* Müller-Rutz,1934; *minorana* Osthelder,1939 Range (in code): **FR IT IE GB NL DE CH AT PL CZ SK HU RO AL? NO SE FI EE LV LT RU MD UA BY**
- 89130. *Dichrorampha coriana* (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *coriana* R.Felder & Rogenhofer,1875 Range (in code): **BR Azn**
- 89131. *Dichrorampha dana* (Kearfott,1907)** (Tortricidae) Synonym(s): *dana* Kearfott,1907; *aequorea* Meyrick,1912; *bradorensis* McDunnough,1930 Range (in code): **US Nj CA**
- 89132. *Dichrorampha danilevskyi* Obratzov,1958** (Tortricidae) Synonym(s): *immaculata* Danilevsky,1948 nec McDunn.,1946; *danilevskyi* Obratzov,1958 Range (in code): **Cc RU Da**
- 89133. *Dichrorampha dekanoidzei* Esartiya,1988** (Tortricidae) Synonym(s): *dekanoidzei* Esartiya,1988 Original Reference: *Dichrorampha dekanoidzei* Esartiya,1988, Ent. Obozr. 67: 139, fig. Holotype ♂: [Georgia]: Lagodekhi (ZMAS). Range (in code): **Cc GG Lag**
- 89134. *Dichrorampha dentivalva* Huemer,1996** (Tortricidae) Synonym(s): *dentivalva* Huemer,1996 Range (in code): **AT**
- 89135. *Dichrorampha discedana* (Danilevsky,1960)** (Tortricidae) Synonym(s): *discedana* Danilevsky,1960 Range (in code): **KG DsA**
- 89136. *Dichrorampha distinctana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *distinctana* Herrich-Schäffer,1851 Range (in code): **ES FR IT DE CH AT CZ SK HU**
- 89137. *Dichrorampha dzhungarica* (Danilevsky,1948)** (Tortricidae) Synonym(s): *dzhungarica* Danilevsky,1948 Range (in code): **KG DsA TrA CN Ui Ku**
- 89138. *Dichrorampha eidmanni* Obratzov,1953** (Tortricidae) Synonym(s): *eidmanni* Obratzov,1953 Range (in code): **DE**
- 89139. *Dichrorampha embolaea* (Meyrick,1918)** (Tortricidae) Synonym(s): *embolaea* Meyrick,1918 Range (in code): **ZA Tva Gau Pre**
- 89140. *Dichrorampha euterpes* Diakonoff,1971** (Tortricidae) Synonym(s): *euterpes* Diakonoff,1971 Range (in code): **PK Ch Hu Gg In Ld**
- 89141. *Dichrorampha excitana* (Möschler,1891)** (Tortricidae) Synonym(s): *excitana* Möschler,1891 Range (in code): **PR**
- 89142. *Dichrorampha eximia* (Danilevsky,1948)** (Tortricidae) Synonym(s): *eximia* Danilevsky,1948; *obraztsovi* Amsel,1959 Original Reference: Hemimene eximia Danilevsky,1948, Ent. Obozr. 30 (1-2): 76, fig.17. Holotype: Caucasus. Range (in code): **ES FR IT SK AL RU Da UA Cm TR IQ Er Hjo Cc AM AZ KG DsA TrA** Bionomy: Larva on Achillea (Asteraceae) (Razowski,2003).
- 89143. *Dichrorampha figurana* (Zeller,1877)** (Tortricidae) Synonym(s): *figurana* Zeller,1877 Range (in code): **VG**
- 89144. *Dichrorampha filipjevi* (Danilevsky,1948)** (Tortricidae) Synonym(s): *filipjevi* Danilevsky,1948 Range (in code): **GG Cc Bjo Smt**
- 89145. *Dichrorampha flavidorsana* Knaggs,1867** (Tortricidae) Synonym(s): *flavidorsana* Knaggs,1867 Range (in code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY**
- 89146. *Dichrorampha forsteri* Obratzov,1953** (Tortricidae) Synonym(s): *forsteri* Obratzov,1953 Range (in code): **FR IT DE**
- 89147. *Dichrorampha fusca* (Danilevsky,1948)** (Tortricidae) Synonym(s): *fusca* Danilevsky,1948 Range (in code): **Cc RU Da**

- 89148. *Dichrorampha gemellana* (Zeller,1847)** (Tortricidae) Synonym(s): *gemellana* Zeller,1847
Range (in code): **Co Sa Si IT**
- 89149. *Dichrorampha gracilis* (Danilevsky,1948)** (Tortricidae) Synonym(s): *gracilis* Danilevsky,1948 Range (in code): **Cc RU Da CN Ui Ku**
- 89150. *Dichrorampha gruneriana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *gruneriana* Herrich-Schäffer,1851 Range (in code): **FR IT BE DE CH AT PL CZ SK HU RO YU AL TR RU MD UA BY LB Bsa**
- 89151. *Dichrorampha hannemanni* Kuznetsov,1986** (Tortricidae) Synonym(s): *hannemanni* Kuznetsov,1986 Original Reference: *Dichrorampha hannemanni* Kuznetsov,1986, Vestn. zool. 1986 (4): 26. Holotype ♂: Algeria, Constantine (MNHU). Range (in code): **DZ Cst**
- 89152. *Dichrorampha harpeana* Frey,1870** (Tortricidae) Synonym(s): *harpeana* Frey,1870; *andorraensis* Huemer,1993 Range (in code): **ES FR AD IT CH AT BG?**
- 89153. *Dichrorampha heegerana* (Duponchel,1843)** (Tortricidae) Synonym(s): *heegerana* Duponchel,1843 Range (in code): **FR IT DE CH? AT CZ SK HU RO AL SE FI EE LV RU MD UA BY Cc**
- 89154. *Dichrorampha iberica* Kuznetsov,1978** (Tortricidae) Synonym(s): *iberica* Kuznetsov,1978 Range (in code): **ES**
- 89155. *Dichrorampha immaculata* (Danilevsky,1948)** (Tortricidae) Synonym(s): *immaculata* Danilevsky,1948 Range (in code): **Cc RU Da**
- 89156. *Dichrorampha impuncta* Komai,1979** (Tortricidae) Synonym(s): *impuncta* Komai,1979 Range (in code): **JP**
- 89157. *Dichrorampha incanana* (Clemens,1860)** (Tortricidae) Synonym(s): *incanana* Clemens,1860; *nigromaculana* Kearfott,1907 Range (in code): **US**
- 89158. *Dichrorampha incognitana* (Kremky & Maslowski,1933)** (Tortricidae) Synonym(s): *incognitana* Kremky & Maslowski,1933; *zermattana* Weber,1945 Range (in code): **DE CH AT PL CZ SK BG DK SE EE LV LT RU MD UA**
- 89159. *Dichrorampha inconspicua* (Danilevsky,1948)** (Tortricidae) Synonym(s): *inconspicua* Danilevsky,1948 Range (in code): **Cc AZ Nv Ord**
- 89160. *Dichrorampha incursana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *incursana* Herrich-Schäffer,1851 Range (in code): **FR IT DE CH AT CZ SK RO BG GR RU Ur MD UA Cm Cc** Bionomy: Larva on Asteraceae (Razowski,2003).
- 89161. *Dichrorampha infuscata* (Danilevsky,1960)** (Tortricidae) Synonym(s): *infuscata* Danilevsky,1960 Range (in code): **Cc RU Da Cm**
- 89162. *Dichrorampha insperata* (Danilevsky,1960)** (Tortricidae) Synonym(s): *insperata* Danilevsky,1960 Range (in code): **Cc RU**
- 89163. *Dichrorampha interponana* (Danilevsky,1960)** (Tortricidae) Synonym(s): *interponana* Danilevsky,1960 Range (in code): **RU Us**
- 89164. *Dichrorampha iranica* Danilevskii & Kuznetsov,1968** (Tortricidae) Synonym(s): *iranica* Danilevskii & Kuznetsov,1968 Original Reference: *Dichrorampha iranica* Danilevskii & Kuznetsov,1968, Fauna SSSR (n.s.) 5 (1): 204. Holotype ♂: Iran: Elbursgebirge Nissa 4000m 5.7.1936 coll.Brandt [examined R.M.prep.4322]. Range (in code): **IR Elb Th Nss**
- 89165. *Dichrorampha iverica* Esartiya,1988** (Tortricidae) Synonym(s): *iverica* Esartiya,1988 Original Reference: *Dichrorampha iverica* Esartiya,1988, Ent. Obozr. 67: 140, fig. Holotype ♂: [Georgia]: Lagodekhi (ZMAS). Range (in code): **Cc GG Lag**
- 89166. *Dichrorampha klimeschiana* Toll,1955** (Tortricidae) Synonym(s): *klimeschiana* Toll,1955 Range (in code): **IT Si RU**
- 89167. *Dichrorampha kuznetzovi* Esartiya,1988** (Tortricidae) Synonym(s): *kuznetzovi* Esartiya,1988 Original Reference: *Dichrorampha kuznetzovi* Esartiya,1988, Ent. Obozr. 67: 139, fig. Holotype ♂: [Georgia]: Borzhomi, Likanskoe Pass (ZMAS). Range (in code): **Cc GG Bjo Smt**
- 89168. *Dichrorampha larsana* (Danilevsky,1960)** (Tortricidae) Synonym(s): *larsana* Danilevsky,1960 Range (in code): **RU Cc**
- 89169. *Dichrorampha lasithicana* Rebel,1916** (Tortricidae) Synonym(s): *lasithicana* Rebel,1916 Range (in code): **Cr**
- 89170. *Dichrorampha latiflavana* Caradja,1916** (Tortricidae) Synonym(s): *latiflavana* Caradja,1916 Range (in code): **RU Kb**
- 89171. *Dichrorampha leopardana* (Busck,1906)** (Tortricidae) Synonym(s): *leopardana* Busck,1906 Range (in code): **US Mrl**

- 89172. *Dichrorampha letarfensis* Gibeaux,1983** (Tortricidae) Synonym(s): *letarfensis* Gibeaux,1983 Original Reference: *Dichrorampha letarfensis* Gibeaux,1983, Alexanor 13: 74-75. Syntypes 5♂: Algeria: Le Tarf (coll. Gibeaux). Range (in code): **MA DZ Elt TN Si**
- 89173. *Dichrorampha ligulana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *ligulana* Herrich-Schäffer,1851; *plusiana* Staudinger,1871; *obliterana* Müller-Rutz,1934 Range (in code): **IT CH AT SK YU BG TR**
- 89174. *Dichrorampha livens* (Walsingham,1892)** (Tortricidae) Synonym(s): *livens* Walsingham,1892 Range (in code): **VC**
- 89175. *Dichrorampha manilkara* Heppner,1981** (Tortricidae) Synonym(s): *manilkara* Heppner,1981 Range (in code): **US Fl**
- 89176. *Dichrorampha marginestriana* (Filipjev,1925)** (Tortricidae) Synonym(s): *marginestriana* Filipjev,1925 Range (in code): **Cc GG Smt Bjo**
- 89177. *Dichrorampha montanana* (Duponchel,1843)** (Tortricidae) Synonym(s): *montanana* Duponchel,1843; *alpestrana* Zeller,1843; *tanaceti* Stainton,1857; *monticolana* Heinemann,1863; *herbosana* Barrett,1872; *blasiana* Kennel,1919; *modestana* Müller-Rutz,1922; *olivacea* Müller-Rutz,1934 Range (in code): **FR IT IE GB BE DE CH AT PL CZ SK HU RO BG GR RU MD UA BY**
- 89178. *Dichrorampha niculescui* Stanoiu & Nemes,1974** (Tortricidae) Synonym(s): *niculescui* Stanoiu & Nemes,1974 Range (in code): **RO**
- 89179. *Dichrorampha nigrobrunneana* (Toll,1942)** (Tortricidae) Synonym(s): *nigrobrunneana* Toll,1942; *fusca* Danilevsky,1948 Range (in code): **IT SK EE LV RU Da Cc UA**
- 89180. *Dichrorampha obscuratana* (Wolff,1955)** (Tortricidae) Synonym(s): *obscuratana* Wolff,1955 Range (in code): **BE NL DE AT PL CZ SK HU DK NO SE FI LV RU MD UA BY**
- 89181. *Dichrorampha pastoralisi* Razowski & Tokar,2003** (Tortricidae) Synonym(s): *pastoralisi* Razowski & Tokar,2003 Original Reference: *Dichrorampha pastoralisi* Razowski & Tokar,2003, Shilap Revta lepid. 31 (123): 221-223, figs. Holotype ♂: Croatia: Azic, Lokva, 200m leg. *Pastoralis*. Range (in code): **HV**
- 89182. *Dichrorampha pentheriana* (Rebel,1917)** (Tortricidae) Synonym(s): *pentheriana* Rebel,1917 Range (in code): **YU**
- 89183. *Dichrorampha petiverella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *petiverella* Linnaeus,1758; *albinella* Linnaeus,1758; *dorsana* Fabricius,1775; *jacquiniana* [Denis & Schiffermüller],1775; *petiverana* Haworth,1809; *stelliferana* Curtis,1831; *gigantana* Staudinger,1879 Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 89184. *Dichrorampha piperana* (Busck,1906)** (Tortricidae) Synonym(s): *piperana* Busck,1906 Range (in code): **US Ws**
- 89185. *Dichrorampha plumbagana* (Treitschke,1830)** (Tortricidae) Synonym(s): *plumbagana* Treitschke,1830; *salicetana* Prittwitz,1844; *subsequana* Wocke,1871 Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK RO BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 89186. *Dichrorampha plumbana* (Scopoli,1763)** (Tortricidae) Synonym(s): *plumbana* Scopoli,1763; *saturnana* Guenée,1845; *ulicana* Guenée,1845; *blepharana* Herrich-Schäffer,1851; *rejectana* La Harpe,1858; *resplendana* Heinemann,1863 Range (in code): **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY SY Hal US Cf**
- 89187. *Dichrorampha podoliensis* (Toll,1942)** (Tortricidae) Synonym(s): *podoliensis* Toll,1942 Range (in code): **DE CZ SK HU RU MD UA BY**
- 89188. *Dichrorampha proxima* (Danilevsky,1948)** (Tortricidae) Synonym(s): *proxima* Danilevsky,1948 Original Reference: *Hemimene proxima* Danilevsky,1948, Ent. Obozr. 30: 68. Holotype ♂: [Turkey]: Kazikoparan (ZMAS). Range (in code): **TR Cc RU Da UA Cm**
- 89189. *Dichrorampha radicolana* Walsingham,1879** (Tortricidae) Synonym(s): *radicolana* Walsingham,1879 Range (in code): **US Org**
- 89190. *Dichrorampha rilana* Drenowski,1909** (Tortricidae) Synonym(s): *rilana* Drenowski,1909; *#rylana* Drenowski,1909 Range (in code): **AL BG**
- 89191. *Dichrorampha rjabovi* (Danilevsky,1948)** (Tortricidae) Synonym(s): *rjabovi* Danilevsky,1948 Range (in code): **Cc RU Da**
- 89192. *Dichrorampha sapodilla* Heppner,1981** (Tortricidae) Synonym(s): *sapodilla* Heppner,1981 Range (in code): **US Fl**
- 89193. *Dichrorampha sarmentana* (Zeller,1877)** (Tortricidae) Synonym(s): *sarmentana* Zeller,1877 Range (in code): **CO**
- 89194. *Dichrorampha sedatana* Busck,1906** (Tortricidae) Synonym(s): *sedatana* Busck,1906; *dana* Kearfott,1907; *aequorea* Meyrick,1912 Range (in code): **ES FR IT GB BE NL LU DE CH AT SK DK NO**

- SE FI EE LV RU MD UA BY US Col Nje Sb Cc KG Bionomy: Larva on Chrysanthemum leucanthemum, C. vulgare, Tanacetum (Asteraceae) (Danilevsky & Kuznetsov, 1968; et seq.).
- 89195. *Dichrorampha senectana* Guenée, 1845** (Tortricidae) Synonym(s): *senectana* Guenée, 1845; *pseudocinerosana* Obratzsov, 1958 Range (in code): ES FR IT GB BE DE CH AT SK HU RO YU BG SE FI EE LV LT RU MD UA BY CN Ui Ku
- 89196. *Dichrorampha sequana* (Hübner, [1799])** (Tortricidae) Synonym(s): *sequana* Hübner, [1799] Range (in code): FR IT GB BE LU DE CH AT PL CZ SK HU RO TR DK SE RU Sb MD UA Cc AM KK KG Bionomy: Larva on Achillea millefolium, Chrysanthemum leucanthemum, Tanacetum (Asteraceae) (Razowski, 2003).
- 89197. *Dichrorampha sericana* (Kennel, 1901)** (Tortricidae) Synonym(s): *sericana* Kennel, 1901 Original Reference: *Lipoptycha sericana* Kennel, 1901, Dt. ent. Z., Iris 13: 304. Holotype ♂: [Georgia]: Achalzich (MNHUB). Range (in code): Cc GG Smt Akh
- 89198. *Dichrorampha sheljuzhkoi* (Obratzsov, 1949)** (Tortricidae) Synonym(s): *sheljuzhkoi* Obratzsov, 1949 Range (in code): Cc RU Da
- 89199. *Dichrorampha simpliciana* (Haworth, 1811)** (Tortricidae) Synonym(s): *simpliciana* Haworth, 1811; *caliginosana* Treitschke, 1835; *artemisiae* Bentley, 1844; *heuseriana* Obratzsov, 1953 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY IR Bionomy: Larva on Artemisia vulgaris (Asteraceae) (Razowski, 2003).
- 89200. *Dichrorampha sinensis* Kuznetsov, 1971** (Tortricidae) Synonym(s): *sinensis* Kuznetsov, 1971 Range (in code): CN Shs
- 89201. *Dichrorampha subtilana* (C. Felder & Rogenhofer, 1875)** (Tortricidae) Synonym(s): *subtilana* C. Felder & Rogenhofer, 1875 Range (in code): BR Azn
- 89202. *Dichrorampha sugii* Kawabe, 1989** (Tortricidae) Synonym(s): *sugii* Kawabe, 1989 Range (in code): TW
- 89203. *Dichrorampha sylvicolana* (Heinemann, 1863)** (Tortricidae) Synonym(s): *sylvicolana* Heinemann, 1863; *pseudoalpestrana* Danilevsky, 1948 Range (in code): FR GB NL LU DE AT PL SK DK NO SE FI EE RU MD UA BY
- 89204. *Dichrorampha tayulingensis* Kawabe, 1986** (Tortricidae) Synonym(s): *tayulingensis* Kawabe, 1986 Range (in code): TW
- 89205. *Dichrorampha teichiana* Sules & Kerppola, 1997** (Tortricidae) Synonym(s): *teichiana* Sules & Kerppola, 1997 Range (in code): LT
- 89206. *Dichrorampha testacea* Komai, 1979** (Tortricidae) Synonym(s): *testacea* Komai, 1979 Range (in code): JP
- 89207. *Dichrorampha thomanni* Huemer, 1991** (Tortricidae) Synonym(s): *thomanni* Huemer, 1991 Range (in code): FR IT CH AT
- 89208. *Dichrorampha tianshanica* (Danilevsky, 1960)** (Tortricidae) Synonym(s): *tianshanica* Danilevsky, 1960 Range (in code): KG Tk Ket
- 89209. *Dichrorampha tshetverikovi* (Danilevsky, 1960)** (Tortricidae) Synonym(s): *tshetverikovi* Danilevsky, 1960 Range (in code): RU Kb Teb
- 89210. *Dichrorampha tshimgana* (Obratzsov, 1949)** (Tortricidae) Synonym(s): *tshimgana* Obratzsov, 1949 Range (in code): UZ T-S
- 89211. *Dichrorampha typhlodes* (Meyrick, 1931)** (Tortricidae) Synonym(s): *typhlodes* Meyrick, 1931 Range (in code): BG Vrn
- 89212. *Dichrorampha unicolor* (Danilevsky, 1948)** (Tortricidae) Synonym(s): *unicolor* Danilevsky, 1948 Range (in code): RU Da Cc GG
- 89213. *Dichrorampha uralensis* (Danilevsky, 1948)** (Tortricidae) Synonym(s): *uralensis* Danilevsky, 1948 Range (in code): LV RU Ur MD UA KG
- 89214. *Dichrorampha vacivana* (Chrétien, 1925)** (Tortricidae) Synonym(s): *vacivana* Chrétien, 1925 Range (in code): ES
- 89215. *Dichrorampha vancouverana* McDunnough, 1935** (Tortricidae) Synonym(s): *politana* auct.; *vancouverana* McDunnough, 1935; *gueneana* Obratzsov, 1953 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY TR CA BCo
- 89216. *Dicnecidia cataclasta* Diakonoff, 1982** (Tortricidae) Synonym(s): *cataclasta* Diakonoff, 1982 Range (in code): LK
- 89217. *Dicnecidia fumidana* Kuznetsov, 1997** (Tortricidae) Synonym(s): *fumidana* Kuznetsov, 1997 Range (in code): VN
- 89218. *Dierlia aurata* Diakonoff, 1976** (Tortricidae) Synonym(s): *aurata* Diakonoff, 1976 Range (in code): NP God

- 89219. Dierlia poeciloptera Diakonoff,1976** (Tortricidae) Synonym(s): *poeciloptera* Diakonoff,1976 Range (in code): NP God
- 89220. Dierlia sp.1** (Tortricidae) Synonym(s): Range (in code): TH Knc Tpp
- 89221. Dierlia sp.2** (Tortricidae) Synonym(s): Range (in code): TH Knc Tpp
- 89222. Dierlia sp.3** (Tortricidae) Synonym(s): Range (in code): TH Knc Tpp
- 89223. Dinogenes meteoropa Meyrick,1934** (Tortricidae) Synonym(s): *meteoropa* Meyrick,1934 Range (in code): UG
- 89224. Dinophalia egregia Razowski & Becker,1993** (Tortricidae) Synonym(s): *egregia* Razowski & Becker,1993 Range (in code): CR
- 89225. Ditula angustiorana (Haworth,[1811])** (Tortricidae) Synonym(s): *angustiorana* Haworth,[1811]; *rotundana* Haworth,[1811]; *dumeriliana* Duponchel,1836 Range (in code): TN PT ES Co Sa IT IE GB BE NL LU CH DK SE TR
- 89226. Ditula saturana (Turati,1913)** (Tortricidae) Synonym(s): *saturana* Turati,1913 Range (in code): Sa
- 89227. Dolichurella viridimicans Diakonoff,1983** (Tortricidae) Synonym(s): *viridimicans* Diakonoff,1983 Range (in code): ID Sum
- 89228. Doliochastis homograptia Meyrick,1920** (Tortricidae) Synonym(s): *homograptia* Meyrick,1920 Original Reference: Doliochastis homograptia Meyrick,1920, Ann. S. Afr. Mus. 17: 277. Holotype: South Africa: Transvaal junction Crocodile and Marico River (SAMC). Range (in code): ZA Tva ZW Har
- 89229. Doloploca punctulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *punctulana* [Denis & Schiffermüller],1775; *schlemmerella* Hübner,1793; *punctulella* Treitschke,1832 Original Reference: Tortrix punctulana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district. Range (in code): IT BE DE CH AT PL CZ SK HU RO YU SE FI EE LV LT RU MD UA BY Cc GG Bionomy: Larva on Fraxinus, Ligustrum vulgare (Oleaceae), Lonicera (Caprifoliaceae), Berberis (Berberidaceae) (Razowski,2001).
- 89230. Dorithia consacculana J.Brown,1991** (Tortricidae) Synonym(s): *consacculana* J.Brown,1991 Range (in code): MX Cia
- 89231. Dorithia crucifer (Walsingham,1914)** (Tortricidae) Synonym(s): *crucifer* Walsingham,1914 Range (in code): GT
- 89232. Dorithia equadentana J.Brown,1991** (Tortricidae) Synonym(s): *equadentana* J.Brown,1991 Range (in code): MX Tam
- 89233. Dorithia imitatrix J.Brown & Obraztsov,1991** (Tortricidae) Synonym(s): *imitatrix* J.Brown & Obraztsov,1991 Range (in code): GT
- 89234. Dorithia meridionalis J.Brown,1991** (Tortricidae) Synonym(s): *meridionalis* J.Brown,1991 Range (in code): CR
- 89235. Dorithia occidentana J.Brown,1991** (Tortricidae) Synonym(s): *occidentana* J.Brown,1991 Range (in code): MX Dgo
- 89236. Dorithia paraviridana J.Brown,1991** (Tortricidae) Synonym(s): *paraviridana* J.Brown,1991 Range (in code): GT
- 89237. Dorithia peroneana (Barnes & Busck,1920)** (Tortricidae) Synonym(s): *peroneana* Barnes & Busck,1920 Range (in code): US Arz
- 89238. Dorithia powellana J.Brown,1991** (Tortricidae) Synonym(s): *powellana* J.Brown,1991 Range (in code): MX Dgo
- 89239. Dorithia pseudocrucifer J.Brown,1991** (Tortricidae) Synonym(s): *pseudocrucifer* J.Brown,1991 Range (in code): MX Vcr
- 89240. Dorithia robustana J.Brown,1991** (Tortricidae) Synonym(s): *robustana* J.Brown,1991 Range (in code): MX Dgo
- 89241. Dorithia semicirculana (Fernald,1882)** (Tortricidae) Synonym(s): *semicirculana* Fernald,1882 Range (in code): US Col
- 89242. Dorithia spinosana J.Brown,1991** (Tortricidae) Synonym(s): *spinosana* J.Brown,1991 Range (in code): MX Tam
- 89243. Dorithia strigulana J.Brown & Obraztsov,1991** (Tortricidae) Synonym(s): *strigulana* J.Brown & Obraztsov,1991 Range (in code): MX Vcr
- 89244. Dorithia tototwana J.Brown,1991** (Tortricidae) Synonym(s): *tototwana* J.Brown,1991 Range (in code): MX Ox

- 89245. *Dorithia trigonana* J.Brown & Obraztsov,1991** (Tortricidae) Synonym(s): *trigonana* J.Brown & Obraztsov,1991 Range (in code): **MX Dgo**
- 89246. *Dorithia wellingana* J.Brown,1991** (Tortricidae) Synonym(s): *wellingana* J.Brown,1991 Range (in code): **GT**
- 89247. *Dracontogena bernardi* Karisch,2005** (Tortricidae) Synonym(s): *bernardi* Karisch,2005 Range (in code): **ZR Kvu**
- 89248. *Dracontogena hoppei* Karisch,2005** (Tortricidae) Synonym(s): *hoppei* Karisch,2005 Range (in code): **GO Bio**
- 89249. *Dracontogena lucki* Karisch,2005** (Tortricidae) Synonym(s): *lucki* Karisch,2005 Range (in code): **KE**
- 89250. *Dracontogena metamorphica* (Meyrick,1928)** (Tortricidae) Synonym(s): *metamorphica* Meyrick,1928 Range (in code): **ST**
- 89251. *Dracontogena niphadonta* Diakonoff,1970** (Tortricidae) Synonym(s): *niphadonta* Diakonoff,1970 Range (in code): **MG ZM ET Ble**
- 89252. *Dracontogena niphadonta continentalis* Karisch,2005** (Tortricidae) Synonym(s): *continentalis* Karisch,2005 Range (in code): **ZM**
- 89253. *Dracontogena schnirchi* Karisch,2005** (Tortricidae) Synonym(s): *schnirchi* Karisch,2005 Range (in code): **ZR**
- 89254. *Dracontogena tonitraulis* (Meyrick,1934)** (Tortricidae) Synonym(s): *tonitraulis* Meyrick,1934 Range (in code): **ST**
- 89255. *Droceta cedrota* (Meyrick,1908)** (Tortricidae) Synonym(s): *cedrota* Meyrick,1908 Original Reference: Tortrix cedrota Meyrick,1908, Proc. zool. Soc. London 1908: 722. Type: South Africa, Transvaal, Pretoria (BMNH). Range (in code): **ZA Tva Gau Pre Mpu Kwy**
- 89256. *Dudua adocima* Diakonoff,1981** (Tortricidae) Synonym(s): *adocima* Diakonoff,1981 Range (in code): **MG** Bionomy: Larva on leaves of *Glochidion obovatum* (Euphorbiaceae) (Kawabe,1989).
- 89257. *Dudua anaprobola* (Bradley,1953)** (Tortricidae) Synonym(s): *anaprobola* Bradley,1953; *cellifera* Diakonoff,1968 (part) Range (in code): **FJ PH NH**
- 89258. *Dudua aprobola* (Meyrick,1886)** (Tortricidae) Synonym(s): *aprobola* Meyrick,1886; *metallota* Lower,1901 Range (in code): **Ami QAu IN LK SC ID Ja VN Ton TW TH CMa CDo Nrt Chc Nkh Cbi Bnk Knc Tpp Kbi PG Eca Amb Bru Nlr TO AU WS FJ Cro Glb PH Mno Sum Bli Clb Mlc CN NP MV MM** Bionomy: Larva on Rosa (Rosaceae), Mangifera indica [mango], Lantana camara, Dahlia, Nephelium litchi [litchi] (Sapindaceae); Dimocarpus longan, Cassia tora, Polyalthia longifolia, Lagerstroemia flos-reginae (Myrtiflorae), Loranthus, Salix tetrasperma (Salicaceae), Schleicheria trijuga (Diakonoff,1973; Kawabe,1989; Lewvanich,2001).
- 89259. *Dudua atriphraga* (Diakonoff,[1968])** (Tortricidae) Synonym(s): *atriphraga* Diakonoff,[1968] Range (in code): **PH Mno**
- 89260. *Dudua brachytoma* Diakonoff,1973** (Tortricidae) Synonym(s): *brachytoma* Diakonoff,1973 Range (in code): **ID Ja TH CMa Pki Nna Kao Knc Tpp**
- 89261. *Dudua carpophora* Diakonoff,1973** (Tortricidae) Synonym(s): *carpophora* Diakonoff,1973 Range (in code): **ID Mlc**
- 89262. *Dudua cellifera* (Meyrick,1912)** (Tortricidae) Synonym(s): *cellifera* Meyrick,1912; *codonectis* Meyrick,1927 Range (in code): **IN LK Cob MY ID Sum Ja VN Ton PH Luz** Bionomy: Larva on Eugenia, Nephelium [rambutan] (Diakonoff,1973).
- 89263. *Dudua charadraea* (Meyrick,1909)** (Tortricidae) Synonym(s): *charadraea* Meyrick,1909; *ptarmicopa* Meyrick,1936 Original Reference: Argyroplote charadraea Meyrick,1909, J. Bombay nat. Hist. Soc. 19: 594. Lectotype ♂: Ceylon, Maskeliya, designated by Clarke (1958: 572) (BMNH). Range (in code): **LK Mky ID Ja Sum TW CN Sz TH CMa Loe Nna Kao Rng Knc Tpp JP PW VN**
- 89264. *Dudua chlorohygra* Diakonoff,1973** (Tortricidae) Synonym(s): *chlorohygra* Diakonoff,1973 Range (in code): **IN SI**
- 89265. *Dudua crossotoma* (Meyrick,1931)** (Tortricidae) Synonym(s): *crossotoma* Meyrick,1931 Range (in code): **PG Bsm**
- 89266. *Dudua cyclographa* Diakonoff,1973** (Tortricidae) Synonym(s): *cyclographa* Diakonoff,1973 Range (in code): **ID Mlc Bor Klt**
- 89267. *Dudua deceptor* (Diakonoff,1966)** (Tortricidae) Synonym(s): *deceptor* Diakonoff,1966 Range (in code): **PG Bsm NBr**

- 89268. *Dudua eumenica* (Meyrick,1929)** (Tortricidae) **Synonym(s):** *eumenica* Meyrick,1929
Range (in code): **Ms PF**
- 89269. *Dudua hemigrapta* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *hemigrapta* Meyrick,1931
Original Reference: *Argyroproce hemigrapta* Meyrick,1931, *Exot. Microlepid.* 4: 133. **Range (in code):** **TW TH CMa Fn JP**
- 89270. *Dudua hemitypa* Diakonoff,1983** (Tortricidae) **Synonym(s):** *hemitypa* Diakonoff,1983
Range (in code): **MG**
- 89271. *Dudua hesperialis* Walker,1864** (Tortricidae) **Synonym(s):** *hesperialis* Walker,1864
Range (in code): **MY Bor Swk ID Ob**
- 89272. *Dudua iniqua* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *iniqua* Meyrick,1921 **Range (in code):** **AU QAU Cai**
- 89273. *Dudua lamproterma* Diakonoff,1973** (Tortricidae) **Synonym(s):** *lamproterma* Diakonoff,1973 **Range (in code):** **PG Fg Ls**
- 89274. *Dudua metacyma* Diakonoff,1973** (Tortricidae) **Synonym(s):** *metacyma* Diakonoff,1973
Range (in code): **ID Clb PG**
- 89275. *Dudua microsema* Diakonoff,1973** (Tortricidae) **Synonym(s):** *microsema* Diakonoff,1973
Range (in code): **ID Clb**
- 89276. *Dudua perornata* Diakonoff,1973** (Tortricidae) **Synonym(s):** *perornata* Diakonoff,1973
Range (in code): **ID Clb**
- 89277. *Dudua perusta* Diakonoff,1983** (Tortricidae) **Synonym(s):** *perusta* Diakonoff,1983 **Range (in code):** **ID Sum**
- 89278. *Dudua phyllanthana* (Meyrick,1881)** (Tortricidae) **Synonym(s):** *phyllanthana* Meyrick,1881; *auchmera* Turner,1946; *empyra* Turner,1946 **Range (in code):** **AU QAU**
- 89279. *Dudua piratodes* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *piratodes* Meyrick,1930; *syndeltias* Meyrick,1938 **Range (in code):** **PG**
- 89280. *Dudua proba* Diakonoff,1973** (Tortricidae) **Synonym(s):** *proba* Diakonoff,1973 **Range (in code):** **ID Clb**
- 89281. *Dudua scaeaspis* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *scaeaspis* Meyrick,1937
Range (in code): **CN**
- 89282. *Dudua tectigera* (Meyrick,1910)** (Tortricidae) **Synonym(s):** *tectigera* Meyrick,1910 **Range (in code):** **ID Ja**
- 89283. *Dudua tetanota* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *tetanota* Meyrick,1909 **Range (in code):** **IN Meg Ass Khs TH CMa Dst Knc Tpp CN Hn ID Clb NP TW BN Bor Bru PG VN Ton**
- 89284. *Dudua ultima* Diakonoff,1973** (Tortricidae) **Synonym(s):** *ultima* Diakonoff,1973 **Range (in code):** **IN Nk**
- 89285. *Durangarchips druana* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *druana* Walsingham,1914 **Range (in code):** **MX Dgo**
- 89286. *Dynatocephala omophaea* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *omophaea* Meyrick,1926; *cirrhocrossa* Meyrick,1926; *cruenta* Diakonoff,1976; *erebenna* Diakonoff,1983 **Range (in code):** **TH NP IN MY ID Sum Bor Swk BN Sbh**
- 89287. *Eana (Eutrachia) goiiana* (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *#argentana* Clerck,1759; *goiiana* Linnaeus,1761; *govana* Fabricius,1775; *argyria* Retzius,1783; *gerningiana* Villers,1789; *margaritalis* Hübner,1790; *magnana* Hübner,[1813]; *georgiella* Hulst,1887 **Range (in code):** **ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR NO SE FI EE LV LT RU MD UA BY Cc GG IQ IR Elb Kdv Ha Mz Ch US Cf Col CN Ui Ku** **Bionomy:** Larva on Poaceae, Salix (Salicaceae), Picea (Pinaceae), Moosen (Razowski,2001).
- 89288. *Eana (Eutrachia) osseana* (Scopoli,1763)** (Tortricidae) **Synonym(s):** *osseana* Scopoli,1763; *angulella* Thunberg,1788; *quadripunctana* Haworth,1811; *pratana* Hübner,[1813]; *cantiana* Curtis,1826; *boreana* Zetterstedt,[1839]; *sulphurana* Guenée,1845; *vosgesiana* Peyerimhoff,1863; *stelviana* Millière,1874; *biformana* Réal,1953; *alpicola* Real,1953; *pratana* Real,1953 *nec* Hbn.,1813; *borreoni* Real,1953 **Range (in code):** **ES FR IT IS IE GB BE DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY Cc GG**
- 89289. *Eana (Subeana) canescana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *canescana* Guenée,1845; *styriacana* Herrich-Schäffer,1851; *candidana* La Harpe,1858; *monochromana* Lederer,1859; *rielana* Réal,1951; *hungariae* Razowski,1958 **Range (in code):** **ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR RU MD UA BY** **Bionomy:** Larva on *Saponaria officinalis* (Silenaceae), *Hippocrepis comosa* (Fabaceae) (Razowski,2001).
- 89290. *Eana (Subeana) filipjevi* (Real,1953)** (Tortricidae) **Synonym(s):** *filipjevi* Réal,1953; *pyrenaica* Toll,1954 **Range (in code):** **ES FR**

- 89291. Eana (s.str.) andreana (Kennel,1919)** (Tortricidae) Synonym(s): *andreana* Kennel,1919; *?kuldjaensis* Razowski,1959. Range (in code): RU KG Uk CN Ui Ku
- 89292. Eana (s.str.) biruptana (Oberthür,1922)** (Tortricidae) Synonym(s): *biruptana* Oberthür,1922 Range (in code): MA
- 89293. Eana (s.str.) caradjai Razowski,1965** (Tortricidae) Synonym(s): *caradjai* Razowski,1965 Range (in code): CN Shs
- 89294. Eana (s.str.) clercana (Joannis,1908)** (Tortricidae) Synonym(s): *clercana* Joannis,1908 Range (in code): ES FR
- 89295. Eana (s.str.) cottiana (Chrétien,1898)** (Tortricidae) Synonym(s): *cottiana* Chrétien,1898 Range (in code): ES FR CH
- 89296. Eana (s.str.) cyanescana (Real,1953)** (Tortricidae) Synonym(s): *cyanescana* Réal,1953 Range (in code): FR
- 89297. Eana (s.str.) derivana (La Harpe,1858)** (Tortricidae) Synonym(s): *derivana* La Harpe,1858; *paraliana* Zeller,1872 Range (in code): FR IT DE CH AT PL CZ SK HU RO GR SE LT
- 89298. Eana (s.str.) freii Weber,1945** (Tortricidae) Synonym(s): *freii* Weber,1945 Range (in code): CH
- 89299. Eana (s.str.) herzegovinae Razowski,1959** (Tortricidae) Synonym(s): *herzegovinae* Razowski,1959 Range (in code): YU B-H
- 89300. Eana (s.str.) incanana (Stephens,1852)** (Tortricidae) Synonym(s): *incanana* Stephens,1852; *sinuana* Stephens,1852; *infusana* Réal,1953 Range (in code): ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bionomy: Larva on Chrysanthemum (Asteraceae), Endymion leucanthemum, Ornithogalum nutans, Scilla (Liliaceae), Vaccinium (Vacciniaceae), Salix (Salicaceae) (Razowski,2001).
- 89301. Eana (s.str.) incognitana Razowski,1959** (Tortricidae) Synonym(s): *incognitana* Razowski,1959 Range (in code): CH
- 89302. Eana (s.str.) italica (Obraztsov,1950)** (Tortricidae) Synonym(s): *italica* Obraztsov,1950 Range (in code): IT YU AL GR
- 89303. Eana (s.str.) jaeckhi Razowski,1959** (Tortricidae) Synonym(s): *jaeckhi* Razowski,1959 Range (in code): FR
- 89304. Eana (s.str.) joannisi (Schawerda,1929)** (Tortricidae) Synonym(s): *joannisi* Schawerda,1929; *dumnoti* Réal,1953; *legrandi* Réal,1953 Range (in code): FR Co Sa
- 89305. Eana (s.str.) maroccana Filipjev,1935** (Tortricidae) Synonym(s): *maroccana* Filipjev,1935 Range (in code): MA
- 89306. Eana (s.str.) nervana (Joannis,1908)** (Tortricidae) Synonym(s): *nervana* Joannis,1908; *rastrata* Meyrick,1910 Range (in code): PT ES CH
- 89307. Eana (s.str.) nevadensis (Schawerda,1929)** (Tortricidae) Synonym(s): *nevadensis* Schawerda,1929 Range (in code): ES Grn Snv FR
- 89308. Eana (s.str.) penziana (Thunberg,1791)** (Tortricidae) Synonym(s): *penziana* Thunberg,1791; *bellana* Curtis,1826; *diurneana* Guenée,1845; *alpestris* Réal,1953 Range (in code): ES FR Co Sa Si IT IE GB DE CH AT PL CZ SK YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bionomy: Larva on Sempervivum (Crassulaceae), Euphrasia (Scrophulariaceae), Saxifraga (Saxifragaceae), Lotus (Fabaceae), Festuca ovina (Poaceae) (Razowski,2001).
- 89309. Eana (s.str.) rundiapicana Razowski,1959** (Tortricidae) Synonym(s): *rundiapicana* Razowski,1959 Range (in code): DE
- 89310. Eana (s.str.) samarcandae Razowski,1958** (Tortricidae) Synonym(s): *samarcandae* Razowski,1958 Range (in code): UZ Smk KK
- 89311. Eana (s.str.) schonmanni Razowski,1959** (Tortricidae) Synonym(s): *schonmanni* Razowski,1959 Range (in code): MA
- 89312. Eana (s.str.) similis Razowski,1965** (Tortricidae) Synonym(s): *similis* Razowski,1965 Range (in code): CN Ti
- 89313. Eana (s.str.) tibetana (Caradja,1939)** (Tortricidae) Synonym(s): *tibetana* Caradja,1939 Range (in code): CN Ti
- 89314. Eana (s.str.) vetulana (Christoph,1881)** (Tortricidae) Synonym(s): *vetulana* Christoph,1881 Range (in code): RU Us Vv
- 89315. Eana (s.str.) viardi (Réal,1953)** (Tortricidae) Synonym(s): *viardi* Réal,1953 Range (in code): FR IT CH
- 89316. Eana antiphila Meyrick,1913** (Tortricidae) Synonym(s): *antiphila* Meyrick,1913 TN

- 89317. Eboda bryochlora Diakonoff,1960** (Tortricidae) Synonym(s): *bryochlora* Diakonoff,1960
Range (in code): **MG**
- 89318. Eboda chloroclistis Razowski,1964** (Tortricidae) Synonym(s): *chloroclistis* Razowski,1964
Range (in code): **ID Clb**
- 89319. Eboda chrisitis Razowski,1964** (Tortricidae) Synonym(s): *chrisitis* Razowski,1964 Range (in code): **MY Bor**
- 89320. Eboda diakonoffi Razowski,1964** (Tortricidae) Synonym(s): *diakonoffi* Razowski,1964
Range (in code): **PG Ent Fg**
- 89321. Eboda discobola Diakonoff,1948** (Tortricidae) Synonym(s): *discobola* Diakonoff,1948
Range (in code): **ID Ja Ged**
- 89322. Eboda dissimilis Liu & Bai,1986** (Tortricidae) Synonym(s): *dissimilis* Liu & Bai,1986
Range (in code): **CN Yu Lik**
- 89323. Eboda ethnia Razowski,1991** (Tortricidae) Synonym(s): *ethnia* Razowski,1991 Range (in code): **IN SI**
- 89324. Eboda haruspex Meyrick,1912** (Tortricidae) Synonym(s): *haruspex* Meyrick,1912 Range (in code): **LK**
- 89325. Eboda obstinata Meyrick,1908** (Tortricidae) Synonym(s): *obstinata* Meyrick,1908 Range (in code): **LK Ptl IN Ben Pus**
- 89326. Eboda smaragdinana Walker,1866** (Tortricidae) Synonym(s): *smaragdinana* Walker,1866; *#smaragdina* Razowski,1963 Range (in code): **PG**
- 89327. Eboda virescens Razowski,1964** (Tortricidae) Synonym(s): *virescens* Razowski,1964
Range (in code): **IN Ass Meg Khs**
- 89328. Ebodina circensis (Meyrick,1928)** (Tortricidae) Synonym(s): *circensis* Meyrick,1928
Range (in code): **NBr PG**
- 89329. Ebodina elephantodes (Meyrick,1938)** (Tortricidae) Synonym(s): *elephantodes* Meyrick,1938; *discreta* Diakonoff,1941 Range (in code): **ID Ja**
- 89330. Ebodina lagoana Razowski & Tuck,2000** (Tortricidae) Synonym(s): *lagoana* Razowski & Tuck,2000 Range (in code): **NG**
- 89331. Ebodina lithoptila (Diakonoff,1960)** (Tortricidae) Synonym(s): *lithoptila* Diakonoff,1960
Range (in code): **MG**
- 89332. Ebodina simplex Diakonoff,[1968]** (Tortricidae) Synonym(s): *simplex* Diakonoff,[1968]
Range (in code): **PH Luz**
- 89333. Ebodina sinica Liu & Bai,1986** (Tortricidae) Synonym(s): *sinica* Liu & Bai,1986 Range (in code): **CN Yu**
- 89334. Eccopsis aegidia (Meyrick,1932)** (Tortricidae) Synonym(s): *aegidia* Meyrick,1932
Original Reference: *Argyroploce aegidia* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 112.
Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET Sw ET88**
- 89335. Eccopsis agassizi Aarvik,2004** (Tortricidae) Synonym(s): *agassizi* Aarvik,2004 Range (in code): **KE**
- 89336. Eccopsis bohatolae Razowski,2012** (Tortricidae) Synonym(s): *bohatolae* Razowski,2012
Range (in code): **ZR**
- 89337. Eccopsis brunneopostica Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *brunneopostica* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 89338. Eccopsis dallastai Razowski,2012** (Tortricidae) Synonym(s): *dallastai* Razowski,2012
Range (in code): **KE**
- 89339. Eccopsis deprinsi Aarvik,2004** (Tortricidae) Synonym(s): *deprinsi* Aarvik,2004 Range (in code): **KE**
- 89340. Eccopsis encardia Diakonoff,1983** (Tortricidae) Synonym(s): *encardia* Diakonoff,1983
Range (in code): **KM**
- 89341. Eccopsis heterodon Diakonoff,1981** (Tortricidae) Synonym(s): *heterodon* Diakonoff,1981
Range (in code): **KM**
- 89342. Eccopsis incultana (Walker,1863)** (Tortricidae) Synonym(s): *incultana* Walker,1863; *trixiphias* Meyrick,1939; *undosa* Diakonoff,1981 Range (in code): **MU ZA Tva Gau Pre ZR MG AO GM GH MW NA**
- 89343. Eccopsis lukiana Razowski,2012** (Tortricidae) Synonym(s): *lukiana* Razowski,2012
Range (in code): **ZR**

- 89344. *Eccopsis maschalista* (Meyrick,1932)** (Tortricidae) Synonym(s): *maschalista* Meyrick,1932 Original Reference: *Argyroploce maschalista* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 112. Syntypes ♂♀: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET Sw ET88**
- 89345. *Eccopsis minicecelie* Aarvik,2004** (Tortricidae) Synonym(s): *minicecelie* Aarvik,2004 Range (in code): **TZ**
- 89346. *Eccopsis morogoro* Aarvik,2004** (Tortricidae) Synonym(s): *morogoro* Aarvik,2004 Range (in code): **TZ**
- 89347. *Eccopsis nebulana* Walsingham,1891** (Tortricidae) Synonym(s): *nebulana* Walsingham,1891 Range (in code): **GM**
- 89348. *Eccopsis ochrana* Aarvik,2004** (Tortricidae) Synonym(s): *ochrana* Aarvik,2004 Range (in code): **TZ ZR**
- 89349. *Eccopsis praecedens* Walsingham,1897** (Tortricidae) Synonym(s): *praecedens* Walsingham,1897; *chromatica* Diakonoff,1983 Range (in code): **CG CV ZA**
- 89350. *Eccopsis subincana* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *subincana* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 89351. *Eccopsis tucki* Aarvik,2004** (Tortricidae) Synonym(s): *tucki* Aarvik,2004 Range (in code): **KE**
- 89352. *Eccopsis wahlbergiana* Zeller,1852** (Tortricidae) Synonym(s): *wahlbergiana* Zeller,1852; *fluctuatana* Walsingham,1881 Range (in code): **ZA Tva Gau Pre Cto Eca Nta Kzu Dbn SA As ZR MG**
- 89353. *Ecdytolopha aurantiana* (Lima,1927)** (Tortricidae) Synonym(s): *aurantiana* Lima,1927 Range (in code): **BR**
- 89354. *Ecdytolopha desotana* (Heinrich,1926)** (Tortricidae) Synonym(s): *desotana* Heinrich,1926 Range (in code): **US FI**
- 89355. *Ecdytolopha pithecolombiae* (Busck,[1934])** (Tortricidae) Synonym(s): *pithecolombiae* Busck,[1934] Range (in code): **CU**
- 89356. *Ecdytolopha punctidiscana* (Dyar,1904)** (Tortricidae) Synonym(s): *punctidiscana* Dyar,1904 Range (in code): **US**
- 89357. *Ecdytolopha torticornis* (Meyrick,1931)** (Tortricidae) Synonym(s): *torticornis* Meyrick,1931 Range (in code): **TT**
- 89358. *Ecdytolopha trachycera* (Forbes,1931)** (Tortricidae) Synonym(s): *trachycera* Forbes,1931 Range (in code): **PR**
- 89359. *Ecnomiomorpha nigrivelata* (Walsingham,1914)** (Tortricidae) Synonym(s): *nigrivelata* Walsingham,1914 Range (in code): **GT**
- 89360. *Electraglaia caementosa* (Meyrick,1908)** (Tortricidae) Synonym(s): *caementosa* Meyrick,1908 Range (in code): **IN Ass Meg Khs**
- 89361. *Electraglaia contracta* Wang & Li,2004** (Tortricidae) Synonym(s): *contracta* Wang & Li,2004 Range (in code): **CN**
- 89362. *Electraglaia isozona* (Meyrick,1908)** (Tortricidae) Synonym(s): *isozona* Meyrick,1908; *segnis* Meyrick,1918 Range (in code): **BD IN SI Djl Ass Meg Khs**
- 89363. *Electraglaia robusta* Wang & Li,2004** (Tortricidae) Synonym(s): *robusta* Wang & Li,2004 Range (in code): **CN**
- 89364. *Embolostoma plutostola* Diakonoff,1977** (Tortricidae) Synonym(s): *plutostola* Diakonoff,1977 Range (in code): **ID Ja**
- 89365. *Emrahia acanthis* (Meyrick,1920)** (Tortricidae) Synonym(s): *acanthis* Meyrick,1920 Range (in code): **IN Ben** Bionomy: Larva on *Justicia gendarussa* (Acanthaceae) (Robinson et al.,2007).
- 89366. *Emrahia hoplista* (Meyrick,1927)** (Tortricidae) Synonym(s): *hoplista* Meyrick,1927 Range (in code): **ID Sum TH Knc Tpp** Bionomy: Larva on *Barleria* (Acanthaceae), *Perilla frutescens* (Lamiaceae) (Robinson et al.,2007).
- 89367. *Emrahia tenuivalva* Razowski & Trematerra,2008** (Tortricidae) Synonym(s): *tenuivalva* Razowski & Trematerra,2008 Original Reference: *Emrahia tenuivalva* Razowski & Trematerra,2008, Redia 41: 33-40. Holotype ♂: Mozambique, Zitundo, leg. A.Palladino & A.Sciarretta (coll. Trematerra). Range (in code): **MZ**
- 89368. *Enallcochylis empeda* Razowski & Becker,1986** (Tortricidae) Synonym(s): *empeda* Razowski & Becker,1986 Range (in code): **CR**
- 89369. *Enallcochylis enochra* Razowski & Becker,1986** (Tortricidae) Synonym(s): *enochra* Razowski & Becker,1986 Range (in code): **CR**

- 89370. Enarmonia aechmobola Meyrick,1935** (Tortricidae) **Synonym(s):** *aechmobola Meyrick,1935* Range (in code): **CN**
- 89371. Enarmonia decolor Kawabe,1978** (Tortricidae) **Synonym(s):** *decolor Kawabe,1978* Range (in code): **JP**
- 89372. Enarmonia flammeata Kuznetsov,1971** (Tortricidae) **Synonym(s):** *flammeata Kuznetsov,1971* Range (in code): **RU Krl**
- 89373. Enarmonia formosana (Scopoli,1763)** (Tortricidae) **Synonym(s):** *formosana Scopoli,1763; woeberiana [Denis & Schiffermüller],1775; scriptana Thunberg,1784; ornatana Hübner,[1799].* Original Reference: Phalaena formosana Scopoli,1763, Ent. Cran.: 237. Type(s): [Slovenia]: Carniola. Range (in code): **ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU Ur Prj Us MD UA BY Cc GG KG JP Hkk**
- 89374. Enarmonia major (Walsingham,1900)** (Tortricidae) **Synonym(s):** *major Walsingham,1900* Range (in code): **JP**
- 89375. Enarmonia minuscula Kuznetsov,1981** (Tortricidae) **Synonym(s):** *minuscula Kuznetsov,1981* Range (in code): **RU**
- 89376. Enarmoniodes furcula Kuznetsov,1973** (Tortricidae) **Synonym(s):** *furcula Kuznetsov,1973* Range (in code): **TW**
- 89377. Enarmoniodes mirabilis Ghesquière,1940** (Tortricidae) **Synonym(s):** *mirabilis Ghesquière,1940* Range (in code): **ZR**
- 89378. Enarmoniodes praetextana (Walsingham,1897)** (Tortricidae) **Synonym(s):** *praetextana Walsingham,1897* Range (in code): **CG**
- 89379. Enarmonodes aeologlypta (Meyrick,1936)** (Tortricidae) **Synonym(s):** *aeologlypta Meyrick,1936* Range (in code): **JP**
- 89380. Enarmonodes aino Kuznetsov,1968** (Tortricidae) **Synonym(s):** *aino Kuznetsov,1968* Range (in code): **RU Krl**
- 89381. Enarmonodes kunashirica Kuznetsov,1969** (Tortricidae) **Synonym(s):** *kunashirica Kuznetsov,1969* Range (in code): **RU Krl**
- 89382. Enarmonodes recreantana (Kennel,1900)** (Tortricidae) **Synonym(s):** *recreantana Kennel,1900* Range (in code): **RU Am**
- 89383. Endothenia alpigena Bradley,1965** (Tortricidae) **Synonym(s):** *alpigena Bradley,1965* Range (in code): **UG Rz**
- 89384. Endothenia anthracana (Forbes,1931)** (Tortricidae) **Synonym(s):** *anthracana Forbes,1931* Range (in code): **PR**
- 89385. Endothenia atrata (Caradja,1926)** (Tortricidae) **Synonym(s):** *atrata Caradja,1926* Range (in code): **RU Us**
- 89386. Endothenia bacillata Diakonoff,1973** (Tortricidae) **Synonym(s):** *bacillata Diakonoff,1973* Range (in code): **ID Bli MY TH Nna Kao**
- 89387. Endothenia banausopis (Meyrick,1938)** (Tortricidae) **Synonym(s):** *banausopis Meyrick,1938* Range (in code): **CN Yu IN Ch Sri**
- 89388. Endothenia bira Kawabe,1976** (Tortricidae) **Synonym(s):** *bira Kawabe,1976* Range (in code): **JP**
- 89389. Endothenia citharistis (Meyrick,1909)** (Tortricidae) **Synonym(s):** *citharistis Meyrick,1909* Range (in code): **IN Meg Ass Khs MM Mm**
- 89390. Endothenia ericetana (Humphreys & Westwood,1845)** (Tortricidae) **Synonym(s):** *ericetana Humphreys & Westwood,1845; trifoliana Herrich-Schäffer,[1851].* Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO BG TR DK NO SE FI EE LV LT RU MD UA BY Sb KG CN MN** Bionomy: Larva on Erica (Ericaceae); Mentha arvensis, Stachys palustris (Lamiaceae), Picris (Asteraceae) (Humphreys & Westwood,1845; Razowski,2001).
- 89391. Endothenia ethiopica Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *ethiopica Razowski & Trematerra,2010* Range (in code): **ET Ble**
- 89392. Endothenia furvida Falkovitsh,1970** (Tortricidae) **Synonym(s):** *furvida Falkovitsh,1970* Range (in code): **RU Us**
- 89393. Endothenia gentianaeana (Hübner,[1799])** (Tortricidae) **Synonym(s):** ? *bidella Fourcroy,1785; gentianaeana Hübner,[1799]; gentianana Hübner,[1825]; oblongana Haworth,[1811]; sellana Frölich,1828; desertana Staudinger,1879; adelana Rebel,1892.* Range (in code): **PT ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR IL Pa Hf EE LV RU MD UA BY Cc GG TM Kp Sb MN CN KP KR JP US**

- 89394. *Endothenia gutturalis* (Meyrick,1934)** (Tortricidae) **Synonym(s):** *gutturalis* Meyrick,1934
Range (in code): **ST ET Ble**
- 89395. *Endothenia hebesana* (Walker,1863)** (Tortricidae) **Synonym(s):** *hebesana* Walker,1863; *inexpertana* Walker,1863; *fullerea* Riley,1870; *daeckiana* Kearfott,1907; *adustana* Krogerus,1947 **Range (in code):** **US Nje Mon NO SE RU**
- 89396. *Endothenia informalis* (Meyrick,1935)** (Tortricidae) **Synonym(s):** *informalis* Meyrick,1935 **Range (in code):** **CN Kgs**
- 89397. *Endothenia ingrata* Falkovitsh,1970** (Tortricidae) **Synonym(s):** *ingrata* Falkovitsh,1970
Range (in code): **RU Us**
- 89398. *Endothenia kostyuki* Kuznetsov,1994** (Tortricidae) **Synonym(s):** *kostyuki* Kuznetsov,1994; *#kostjuki* Razowski,1995 **Range (in code):** **Cc GG**
- 89399. *Endothenia lapideana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *lapideana* Herrich-Schäffer,[1851]; *digitaliana* Mühlig,1863 **Range (in code):** **FR IT LU DE CH AT PL CZ SK HU RO YU AL TR RU MD UA BY** **Bionomy:** Larva on *Digitalis grandiflora* (Plantaginaceae) (Razowski,2001).
- 89400. *Endothenia limata* Falkovitsh,1962** (Tortricidae) **Synonym(s):** *limata* Falkovitsh,1962
Range (in code): **RU Us**
- 89401. *Endothenia lutescens* Diakonoff,1973** (Tortricidae) **Synonym(s):** *lutescens* Diakonoff,1973
Range (in code): **ID Tim**
- 89402. *Endothenia marginana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *marginana* Haworth,[1811] **Range (in code):** **DZ PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU Ur MD UA BY Cc GG MN CN** **Bionomy:** Larva on *Betonica officinalis*, *Galeopsis* (Lamiaceae), *Pedicularis sylvatica*, *Alectorlophus minor* (Scrophulariaceae) (Razowski,2001).
- 89403. *Endothenia menthivora* (Oku,1963)** (Tortricidae) **Synonym(s):** *menthivora* Oku,1963
Range (in code): **JP Hkk**
- 89404. *Endothenia micans* Diakonoff,1973** (Tortricidae) **Synonym(s):** *micans* Diakonoff,1973
Range (in code): **ID Ja**
- 89405. *Endothenia mollisana* (Walker,1863)** (Tortricidae) **Synonym(s):** *mollisana* Walker,1863
Range (in code): **CN**
- 89406. *Endothenia nigricostana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *nigricostana* Haworth,[1811]; *squalidana* Herrich-Schäffer,[1851]; *remyana* Herrich-Schäffer,[1851]; *illegidana* Kennel,1901.
Range (in code): **PT ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK SE FI EE LV LT RU Sb MD UA BY Cc GG JP** **Bionomy:** Larva on *Stachys silvatica*, *S. palustris*, *Lamium* (Lamiaceae) (Razowski,2001).
- 89407. *Endothenia oblongana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *oblongana* Haworth,[1811]; *sellana* Frölich,1828. **Range (in code):** **DZ Lbs PT ES FR Sa Si IT GB BE LU DE AT CZ SK HU RO BG GR Cr TR IL Pa SY Hal IR Mz SA As DK NO SE FI EE**
- 89408. *Endothenia pauperculana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *pauperculana* Staudinger,1859; *nougatana* Chrétien,1898; *marrubiana* Walsingham,1908; *schmidtii* Rebel,1936 **Range (in code):** **TN PT ES FR CH** **Bionomy:** Larva on *Marrubium vulgare*, *Sideritis hirsuta* (Lamiaceae) (Chrétien,1917).
- 89409. *Endothenia pullana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *pullana* Haworth,[1811]; *fuligana* sensu Leraut,1980 **Range (in code):** **FR GB DE AT SK** **Bionomy:** Larva on *Stachys palustris* (Lamiaceae) (Razowski,2001).
- 89410. *Endothenia quadrimaculana* (Haworth,1811)** (Tortricidae) **Synonym(s):** *quadrimaculana* Haworth,1811; *antiquana* Hübner,[1813]; *obesana* Peyerimhoff,1863 **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG MN Sb** **Bionomy:** Larva on *Euphorbia amygdaloides* (Euphorbiaceae); *Stachys arvensis*, *S. palustris*, *Mentha spicata* (Lamiaceae); *Symphytum officinale* (Boraginaceae) (Razowski,2001).
- 89411. *Endothenia remigera* Falkovitsh,1970** (Tortricidae) **Synonym(s):** *remigera* Falkovitsh,1970 **Range (in code):** **RU Us**
- 89412. *Endothenia rhachistis* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *rhachistis* Diakonoff,1973 **Range (in code):** **IN Pus**
- 89413. *Endothenia sororiana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *#sororiana* Herrich-Schäffer,[1850]; *sororiana* Herrich-Schäffer,[1851]; *phlomidana* Staudinger,1871. **Original Reference:** *Penthina sororiana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 4: 230. Type: Sicily. **Range (in code):** **Si IT HU YU GR LT TR Cc GG UA**

- 89414. Endothenia trizona Diakonoff,1973** (Tortricidae) Synonym(s): *trizona* Diakonoff,1973
Range (in code): **ID Ob**
- 89415. Endothenia ustulana (Haworth,1811)** (Tortricidae) Synonym(s): *ustulana* Haworth,1811;
carbonana Doubleday,1849; *violana* Peyerimhoff,1863 Range (in code): **FR IT GB BE NL DE CH AT PL CZ**
SK HU BG DK NO LV LT RU MD UA BY Cc GG Bionomy: Larva on *Ajuga reptans* (Lamiaceae)
(Razowski,2001).
- 89416. Endothenia vasculigera Meyrick,1938** (Tortricidae) Synonym(s): *vasculigera*
Meyrick,1938 Range (in code): **ZR**
- 89417. Endothenia villosula Falkovitsh,1966** (Tortricidae) Synonym(s): *villosula* Falkovitsh,1966
Range (in code): **RU Sb Am**
- 89418. Engelana anisoptera (Meyrick,1921)** (Tortricidae) Synonym(s): *anisoptera* Meyrick,1921
Range (in code): **ID Ja**
- 89419. Epagoge conspersana Diakonoff,1953** (Tortricidae) Synonym(s): *conspersana*
Diakonoff,1953 Range (in code): **PG**
- 89420. Epagoge grotiana (Fabricius,1781)** (Tortricidae) Synonym(s): *grotiana* Fabricius,1781;
flavana Hübner,[1799]; *ochreana* Hübner,[1799]; *artificana* Herrich-Schäffer,1851; *amasiana* Caradja,1916.
Original Reference: *Pylalis grotiana* Fabricius,1781, Spec. Ins. 2: 508. Type(s): Germany. Range
(in code): **ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI**
EE LV LT RU MD UA BY Cc GG Bionomy: Larva on *Quercus* (Fagaceae), *Crataegus*, *Rubus*, *Rosa*
(Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 89421. Epagoge melanatma (Meyrick,1908)** (Tortricidae) Synonym(s): *melanatma* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 89422. Epagoge mellosa Diakonoff,1951** (Tortricidae) Synonym(s): *mellosa* Diakonoff,1951
Range (in code): **ID Ja Ged**
- 89423. Epagoge metacentra (Meyrick,1918)** (Tortricidae) Synonym(s): *metacentra* Meyrick,1918
Range (in code): **IN NI**
- 89424. Epagoge occidentalis Diakonoff,1948** (Tortricidae) Synonym(s): *occidentalis*
Diakonoff,1948 Range (in code): **ID Ja**
- 89425. Epagoge vulgaris (Meyrick,1921)** (Tortricidae) Synonym(s): *vulgaris* Meyrick,1921;
saltuaria Meyrick,1922 Range (in code): **ID Ja Ged**
- 89426. Epagoge xanthomitra Diakonoff,1941** (Tortricidae) Synonym(s): *xanthomitra*
Diakonoff,1941 Range (in code): **ID Ja**
- 89427. Epelebodina concolorata Razowski,2006** (Tortricidae) Synonym(s): *concolorata*
Razowski,2006 Range (in code): **IN Ld**
- 89428. Epibactra sareptana (Herrich-Schäffer,1861)** (Tortricidae) Synonym(s): *sareptana*
Herrich-Schäffer,1861; *verecundana* Caradja,1916. Original Reference: *Grapholitha sareptana* Herrich-
Schäffer,1861, Neue Schmett. 3: 30, figs.152-153. Syntypes: [Russia]: Sarepta. Range (in code):
AT CZ SK HU Cc AM RU Sr Sb MD UA BY TJ KK KG Uk
- 89429. Epibactra usuiana Kawabe,1976** (Tortricidae) Synonym(s): *usuiana* Kawabe,1976 Range
(in code): **JP**
- 89430. Epiblema absconditana (La Harpe,1860)** (Tortricidae) Synonym(s): *absconditana* La
Harpe,1860 Range (in code): **Si**
- 89431. Epiblema albohamulana (Rebel,1893)** (Tortricidae) Synonym(s): *albohamulana*
Rebel,1893 Range (in code): **ES Cc GG**
- 89432. Epiblema berolinensis Amsel,1932** (Tortricidae) Synonym(s): *berolinensis* Amsel,1932
Range (in code): **DE**
- 89433. Epiblema chretieni Obraztsov,1952** (Tortricidae) Synonym(s): *chretieni* Obraztsov,1952
Range (in code): **FR Si IT CH? AL**
- 89434. Epiblema cirsianum (Zeller,1843)** (Tortricidae) Synonym(s): *cirsianum* Zeller,1843
Original Reference: *Tortrix* (Paedisca) *cirsiana* Zeller,1843, Stettin ent. Ztg. 4: 150 Type:
Österreich. Range (in code): **GB LU AT DE DK NO SE EE TR RU Ur Us Sb KG** Bionomy: Larva on
Carlina, *Cirsium palustre*, *Centaurea nigra* (Asteraceae) (Razowski,2003).
- 89435. Epiblema cnicicolana (Zeller,1847)** (Tortricidae) Synonym(s): *cnicicolana* Zeller,1847;
littoralana Pierce & Metcalfe,1915 Range (in code): **ES Si IT GB NL AT? SK HU RO AL**
- 89436. Epiblema concava Diakonoff,1971** (Tortricidae) Synonym(s): *concava* Diakonoff,1971
Range (in code): **NP**
- 89437. Epiblema costipunctana (Haworth,[1811])** (Tortricidae) Synonym(s): *costipunctana*
Haworth,[1811]; *argyrana* Stephens,1829; *trigeminana* Stephens,1834; *poecilana* Guenée,1845; *ravulana* Herrich-

- Schäffer, 1851* Range (in code): **ES FR Sa? Si IT IE GB BE NL LU DE CH AT PL CZ SK RO BG GR TR RU MD UA BY**
- 89438. Epiblema cretana Osthelder, 1941** (Tortricidae) *Synonym(s):* *cretana Osthelder, 1941*
Range (in code): **GR Cr**
- 89439. Epiblema deflexana Heinrich, 1923** (Tortricidae) *Synonym(s):* *deflexana Heinrich, 1923*
Range (in code): **US Tx**
- 89440. Epiblema expressana (Christoph, 1882)** (Tortricidae) *Synonym(s):* *expressana Christoph, 1882; contrasignata Christoph, 1882; contrasignana Kennel, 1921* Range (in code): **RU Us Sb Vv TR Cc**
- 89441. Epiblema fiorii Turati, 1922** (Tortricidae) *Synonym(s):* *fiorii Turati, 1922* Range (in code): **LY Cy**
- 89442. Epiblema foenellum (Linnaeus, 1758)** (Tortricidae) *Synonym(s):* *foenella Linnaeus, 1758; hohenwartiana Scopoli, 1772; scopoliana [Denis & Schiffermüller], 1775; pflugiana Fabricius, 1787; tibialana Hübner, [1793]; interrogationana Donovan, 1793; clavigerana Walker, 1863; sinicana Walker, 1863* Original Reference: *Phalaena foenella Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 536. Syntypes: Europe.* Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY Cc GG KG KK CN Mc Sz Ui Yu Fkn Jn Hpe MN KP KR JP Hkk Sh Krl IN TW TH CMa Agk VN** Bionomy: Larva on *Artemisia argyi*, *A. vulgaris* (Asteraceae), *Phragmites communis* (Poaceae) (Kawabe, 1989; Kuznetsov, 2001).
- 89443. Epiblema foenellum foenellum (Linnaeus, 1758)** (Tortricidae) *Synonym(s):* *foenella Linnaeus, 1758; hohenwartiana Scopoli, 1772; scopoliana [Denis & Schiffermüller], 1775; pflugiana Fabricius, 1787; tibialana Hübner, [1793]; interrogationana Donovan, 1793; clavigerana Walker, 1863; sinicana Walker, 1863* Original Reference: *Phalaena foenella Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 536. Syntypes: Europe.* Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY Cc GG KG KK CN Mc Sz Ui Yu Fkn Jn Hpe MN KP KR JP Hkk Sh Krl IN TW TH CMa Agk VN** Bionomy: Larva on *Artemisia argyi*, *A. vulgaris* (Asteraceae), *Phragmites communis* (Poaceae) (Kawabe, 1989; Kuznetsov, 2001).
- 89444. Epiblema gammata (Mann, 1866)** (Tortricidae) *Synonym(s):* *gammata Mann, 1866*
Range (in code): **RO YU GR RU TR Cc AM AZ GG**
- 89445. Epiblema grandaevana (Lienig & Zeller, 1846)** (Tortricidae) *Synonym(s):* *cana Scopoli, 1763; grandaevana Lienig & Zeller, 1846; tussilaginata Herrich-Schäffer, 1851; laetulina Krulikowsky, 1909; baligrodana Toll, 1958; petastis Toll, 1958* Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 89446. Epiblema graphana (Treitschke, 1835)** (Tortricidae) *Synonym(s):* *graphana Treitschke, 1835; pierretana Duponchel, 1836* Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Sb MD UA BY IR AF KG CN LB**
- 89447. Epiblema hepaticana (Treitschke, 1835)** (Tortricidae) *Synonym(s):* *hepaticana Treitschke, 1835; senecionana Staudinger, 1871; tristana Hauder, 1918* Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR KG TM RU Sb**
- 89448. Epiblema indecorana Rebel, 1907** (Tortricidae) *Synonym(s):* *indecorana Rebel, 1907*
Range (in code): **YE Sk Ad**
- 89449. Epiblema junctana (Herrich-Schäffer, 1856)** (Tortricidae) *Synonym(s):* *junctana Herrich-Schäffer, 1856; jaspidana Christoph, 1872; maculiferana Kennel, 1900* Range (in code): **NL DE AT PL CZ SK HU RO YU BG DK SE RU Ur Sb Prj Us MD UA BY TR IR KG**
- 89450. Epiblema lasiovalva Razowski, 2006** (Tortricidae) *Synonym(s):* *lasiovalva Razowski, 2006*
Range (in code): **IN Ch**
- 89451. Epiblema lochmoda Razowski, 2006** (Tortricidae) *Synonym(s):* *lochmoda Razowski, 2006*
Range (in code): **IN Ch Sri**
- 89452. Epiblema luciana (Chrétien, 1908)** (Tortricidae) *Synonym(s):* *luciana Chrétien, 1908*
Range (in code): **FR**
- 89453. Epiblema mendiculana (Treitschke, 1835)** (Tortricidae) *Synonym(s):* *mendiculana Treitschke, 1835; hungaricana Herrich-Schäffer, 1851* Range (in code): **CH AT SK HU AL BG GR**
- 89454. Epiblema numerosana (Zeller, 1875)** (Tortricidae) *Synonym(s):* *numerosana Zeller, 1875*
Range (in code): **US Tx**
- 89455. Epiblema obscurana (Herrich-Schäffer, 1851)** (Tortricidae) *Synonym(s):* *obscurana Herrich-Schäffer, 1851; inulivora Meyrick, 1932.* Range (in code): **FR IT LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV TR**
- 89456. Epiblema praesumptiosa Heinrich, 1923** (Tortricidae) *Synonym(s):* *praesumptiosa Heinrich, 1923* Range (in code): **US Tx**

- 89457. Epiblema psychrodora (Meyrick,1936)** (Tortricidae) Synonym(s): *psychrodora* Meyrick,1936 Original Reference: Phtheochroa psychrodora Meyrick,1936, Exot. Microlepid. 5: 23. Syntypes 2♂♂: Syria: Bludan, June, E.P. Wiltshire leg. Range (in code): SY Bld
- 89458. Epiblema radui Stanoiu,1974** (Tortricidae) Synonym(s): *radui Stanoiu,1974* Range (in code): RO
- 89459. Epiblema rimosana (Christoph,1882)** (Tortricidae) Synonym(s): *rimosana* Christoph,1882; *rotundana* Snellen,1883; *bimaculosana* Caradja,1916 Range (in code): RU Sb Us CN Ui Ju
- 89460. Epiblema sarmatana (Christoph,1872)** (Tortricidae) Synonym(s): *sarmatana* Christoph,1872; *fuchsiana* Rössler,1877 Original Reference: Grapholitha sarmatana Christoph,1872, Horae Soc. ent. ross. 9: 16. Syntypes: Russia, Sarepta. Range (in code): FR IT DE CH AT SK RO BG RU Sr Ur Sb Am Prj Us MD UA BY KG CN Ui Ku
- 89461. Epiblema scutulana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *scutulana* [Denis & Schiffermüller],1775; *luctuosana* Duponchel,1836; *novana* Guenée,1845; *alsaticana* Peyerimhoff,1872 Original Reference: Tortrix scutulana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. Range (in code): PT ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG IR Gh Tgo
- 89462. Epiblema separationis Heinrich,1923** (Tortricidae) Synonym(s): *separationis* Heinrich,1923 Range (in code): US Tx
- 89463. Epiblema similana ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *similana* [Denis & Schiffermüller],1775; *fluidana* [Denis & Schiffermüller],1775 Original Reference: Tortrix similana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. Range (in code): FR IT BE LU DE CH AT PL CZ SK HU RO AL BG RU Sb KG EE LV LT MD UA BY
- 89464. Epiblema simploniana (Duponchel,1835)** (Tortricidae) Synonym(s): *simploniana* Duponchel,1835; *sublimana* Herrich-Schäffer,1851; *pictana* La Harpe,1858; *arctica* Miller,1985 Range (in code): ES FR Si IT DE CH AT PL NO SE FI RU Sb MD UA BY MN US Als
- 89465. Epiblema sosana (Kearfott,1907)** (Tortricidae) Synonym(s): *sosana* Kearfott,1907; *pelina* Meyrick,1912 Range (in code): US Ut
- 89466. Epiblema sticticana (Fabricius,1794)** (Tortricidae) Synonym(s): *sticticana* Fabricius,1794; *farfarae* Fletcher,1938. Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL BG TR DK NO SE FI EE LV LT RU Ur Prj Us Sb MD UA BY IR KG
- 89467. Epiblema strenuana (Walker,1863)** (Tortricidae) Synonym(s): *strenuana* Walker,1863; *exvagana* Walker,1863; *flavocellana* Clemens,1865; *subversana* Zeller,1875; *minutana* Kearfott,1905 *nec* Hbn.,1822; *antaxia* Meyrick,1912 Range (in code): US Nje Tx IL Pa
- 89468. Epiblema tripartitana (Zeller,1875)** (Tortricidae) Synonym(s): *tripartitana* Zeller,1875 Range (in code): US Tx
- 89469. Epiblema turbidana (Treitschke,1835)** (Tortricidae) Synonym(s): *turbidana* Treitschke,1835; *zelleriana* Schläger,1848 Range (in code): FR Sa IT IE GB BE NL LU DE CH? AT CZ SK HU RO YU AL BG TR RU MD UA BY
- 89470. Epichorista abdita Philpott,1924** (Tortricidae) Synonym(s): *abdita* Philpott,1924 Range (in code): NZ
- 89471. Epichorista aethocoma Meyrick,1923** (Tortricidae) Synonym(s): *aethocoma* Meyrick,1923 Range (in code): AO
- 89472. Epichorista allogama (Meyrick,1914)** (Tortricidae) Synonym(s): *allogama* Meyrick,1914 Range (in code): NZ
- 89473. Epichorista armigera Diakonoff,1956** (Tortricidae) Synonym(s): *armigera* Diakonoff,1956 Range (in code): PG
- 89474. Epichorista benevola Meyrick,1920** (Tortricidae) Synonym(s): *benevola* Meyrick,1920 Range (in code): KE
- 89475. Epichorista chloradelpha Meyrick,1912** (Tortricidae) Synonym(s): *chloradelpha* Meyrick,1912 Range (in code): ZA
- 89476. Epichorista cinerata Meyrick,1920** (Tortricidae) Synonym(s): *cinerata* Meyrick,1920 Range (in code): ZA Ec Wth
- 89477. Epichorista crypsidora (Meyrick,1909)** (Tortricidae) Synonym(s): *crypsidora* Meyrick,1909; *carcharodes* Meyrick,1914 Range (in code): NZ
- 89478. Epichorista elephantina (Meyrick,1885)** (Tortricidae) Synonym(s): *elephantina* Meyrick,1885 Range (in code): NZ

- 89479. *Epichorista emphanes* (Meyrick,1902)** (Tortricidae) **Synonym(s):** *emphanes* Meyrick,1902; *achrosta* Meyrick,1902; *epicura* Meyrick,1911; *theatralis* Philpott,1918; *candida* Clarke,1926
Range (in code): **NZ**
- 89480. *Epichorista eribola* (Meyrick,1889)** (Tortricidae) **Synonym(s):** *eribola* Meyrick,1889
Range (in code): **NZ**
- 89481. *Epichorista exanimata* Meyrick,1920** (Tortricidae) **Synonym(s):** *exanimata* Meyrick,1920
Range (in code): **ZA Ec Wth**
- 89482. *Epichorista fraudulenta* (Philpott,1928)** (Tortricidae) **Synonym(s):** *fraudulenta* Philpott,1928 **Range (in code):** **NZ**
- 89483. *Epichorista galeata* Meyrick,1921** (Tortricidae) **Synonym(s):** *galeata* Meyrick,1921 **Range (in code):** **ZW Uma**
- 89484. *Epichorista geraeas* Meyrick,1909** (Tortricidae) **Synonym(s):** *geraeas* Meyrick,1909
Range (in code): **ZA Tva Gau Pre**
- 89485. *Epichorista hemionana* (Meyrick,1883)** (Tortricidae) **Synonym(s):** *hemionana* Meyrick,1883 **Range (in code):** **NZ**
- 89486. *Epichorista lindsayi* Philpott,1928** (Tortricidae) **Synonym(s):** *lindsayi* Philpott,1928
Range (in code): **NZ**
- 89487. *Epichorista mesosceptra* Meyrick,1920** (Tortricidae) **Synonym(s):** *mesosceptra* Meyrick,1920 **Range (in code):** **KE**
- 89488. *Epichorista mimica* Philpott,1930** (Tortricidae) **Synonym(s):** *mimica* Philpott,1930
Range (in code): **NZ**
- 89489. *Epichorista niposema* Meyrick,1917** (Tortricidae) **Synonym(s):** *niposema* Meyrick,1917
Range (in code): **ZA**
- 89490. *Epichorista passaleuta* Meyrick,1920** (Tortricidae) **Synonym(s):** *passaleuta* Meyrick,1920
Range (in code): **KE**
- 89491. *Epichorista perversa* Meyrick,1912** (Tortricidae) **Synonym(s):** *perversa* Meyrick,1912
Original Reference: *Epichorista perversa* Meyrick,1912, *Exotic Microlepid.* 1: 9. Lectotype ♀: [South Africa]: Camperdown, Natal, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.57 figs. 1-1b]. **Range (in code):** **ZA Nta Kzu Ptw**
- 89492. *Epichorista phaeocoma* Meyrick,1914** (Tortricidae) **Synonym(s):** *phaeocoma* Meyrick,1914 **Range (in code):** **MW**
- 89493. *Epichorista phalaraea* Meyrick,1920** (Tortricidae) **Synonym(s):** *phalaraea* Meyrick,1920
Range (in code): **ZA Wca**
- 89494. *Epichorista prodigiosa* Meyrick,1920** (Tortricidae) **Synonym(s):** *prodigiosa* Meyrick,1920
Range (in code): **KE**
- 89495. *Epichorista psoropis* Meyrick,1920** (Tortricidae) **Synonym(s):** *psoropis* Meyrick,1920
Range (in code): **KE**
- 89496. *Epichorista samata* Diakonoff,1941** (Tortricidae) **Synonym(s):** *samata* Diakonoff,1941
Range (in code): **PG**
- 89497. *Epichorista sicca* Meyrick,1912** (Tortricidae) **Synonym(s):** *sicca* Meyrick,1912 **Range (in code):** **MG**
- 89498. *Epichorista siriana* (Meyrick,1881)** (Tortricidae) **Synonym(s):** *siriana* Meyrick,1881
Range (in code): **NZ**
- 89499. *Epichorista tenebrosa* Philpott,1917** (Tortricidae) **Synonym(s):** *tenebrosa* Philpott,1917
Range (in code): **NZ**
- 89500. *Epichorista tortuosa* Meyrick,1912** (Tortricidae) **Synonym(s):** *tortuosa* Meyrick,1912
Range (in code): **ZA**
- 89501. *Epichorista vestigialis* Meyrick,1914** (Tortricidae) **Synonym(s):** *vestigialis* Meyrick,1914
Range (in code): **ZA**
- 89502. *Epichorista zatrophana* (Meyrick,1883)** (Tortricidae) **Synonym(s):** *zatrophana* Meyrick,1883 **Range (in code):** **NZ**
- 89503. *Epichoristodes* (Tubula) *acerbella* (Walker,1864)** (Tortricidae) **Synonym(s):** *acerbella* Walker,1864; *iocoma* Meyrick,1908; *ionephela* Meyrick,1908; *galeata* Meyrick,1921 **Range (in code):** **ES Sa Si IT GB DK ZA Gau Pre Tva ZW Cto Eca**
- 89504. *Epichoristodes* (s.str.) *apilectica* Diakonoff,1960** (Tortricidae) **Synonym(s):** *apilectica* Diakonoff,1960 **Range (in code):** **MG**
- 89505. *Epichoristodes* (s.str.) *atricaput* Diakonoff,1973** (Tortricidae) **Synonym(s):** *atricaput* Diakonoff,1973 **Range (in code):** **MG**

- 89506. Epichoristodes (s.str.) atycta Bradley,1965** (Tortricidae) Synonym(s): *atycta* Bradley,1965 Range (in code): **UG**
- 89507. Epichoristodes (s.str.) canonicum Diakonoff,1973** (Tortricidae) Synonym(s): *canonicum* Diakonoff,1973 Range (in code): **MG**
- 89508. Epichoristodes (s.str.) goniopa Diakonoff,1960** (Tortricidae) Synonym(s): *goniopa* Diakonoff,1960 Range (in code): **MG**
- 89509. Epichoristodes (s.str.) heterotropa Bradley,1965** (Tortricidae) Synonym(s): *heterotropa* Bradley,1965 Range (in code): **UG**
- 89510. Epichoristodes (s.str.) incerta Diakonoff,1960** (Tortricidae) Synonym(s): *incerta* Diakonoff,1960; *nervosum* Diakonoff,1970 Range (in code): **MG**
- 89511. Epichoristodes (s.str.) leucocymba (Meyrick,1912)** (Tortricidae) Synonym(s): *leucocymba* Meyrick,1912 Range (in code): **MG**
- 89512. Epichoristodes (s.str.) licmaea (Meyrick,1920)** (Tortricidae) Synonym(s): *licmaea* Meyrick,1920 Range (in code): **KE**
- 89513. Epichoristodes (s.str.) macrosema Diakonoff,1970** (Tortricidae) Synonym(s): *macrosema* Diakonoff,1970 Range (in code): **MG**
- 89514. Epichoristodes (s.str.) panochra Bradley,1965** (Tortricidae) Synonym(s): *panochra* Bradley,1965 Range (in code): **UG**
- 89515. Epichoristodes (s.str.) psoricodes (Meyrick,1911)** (Tortricidae) Synonym(s): *psoricodes* Meyrick,1911 Original Reference: Tortrix psoricodes Meyrick,1911, Ann. Transv. Mus. 2: 223. Lectotype ♂: [South Africa]: Haenertsburg, Transvaal, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.126 figs.2-2b]. Range (in code): **ZA Tva Hae**
- 89516. Epichoristodes (s.str.) ypsilon Diakonoff,1960** (Tortricidae) Synonym(s): *ypsilon* Diakonoff,1960 Range (in code): **MG**
- 89517. Epinotia abbreviana (Fabricius,1794)** (Tortricidae) Synonym(s): *abbreviana* Fabricius,1794; *trimaculana* Donovan,1806; *ulmariana* Duponchel,[1843]; *excruciana* Stephens,1852 Range (in code): **PT ES FR SI IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY IR GLs KG Ur**
- 89518. Epinotia abnormana Kuznetsov,1973** (Tortricidae) Synonym(s): *abnormana* Kuznetsov,1973 Range (in code): **CN Shs**
- 89519. Epinotia albicapitana (Kearfott,1907)** (Tortricidae) Synonym(s): *albicapitana* Kearfott,1907 Range (in code): **US Cf**
- 89520. Epinotia albiguttata (Oku,1974)** (Tortricidae) Synonym(s): *albiguttata* Oku,1974; *albimaculata* Kuznetsov,1976 Range (in code): **JP RU Krl**
- 89521. Epinotia algeriensis Chambon,1990** (Tortricidae) Synonym(s): *algeriensis* Chambon,1990 Original Reference: Epinotia algeriensis Chambon,1990, [in] Chambon, Fabre & Khemeci, Bull. Soc. ent. Fr. (n.s.) 95: 131. Holotype ♂: Algeria, fort de Babor (INRA). Range (in code): **DZ**
- 89522. Epinotia anepenthes Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *anepenthes* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 89523. Epinotia aquila Kuznetsov,1968** (Tortricidae) Synonym(s): *aquila* Kuznetsov,1968 Range (in code): **RU Sh**
- 89524. Epinotia araea Diakonoff,1983** (Tortricidae) Synonym(s): *araea* Diakonoff,1983 Range (in code): **ID Sum**
- 89525. Epinotia atacta Diakonoff,1992** (Tortricidae) Synonym(s): *atacta* Diakonoff,1992 Range (in code): **MG**
- 89526. Epinotia autonoma Falkovitsh,1965** (Tortricidae) Synonym(s): *autonoma* Falkovitsh,1965; *tamaensis* Kawabe,1974 Range (in code): **RU Us JP**
- 89527. Epinotia balsamae Freeman,1965** (Tortricidae) Synonym(s): *balsamae* Freeman,1965 Range (in code): **CA Qb**
- 89528. Epinotia bicolor (Walsingham,1900)** (Tortricidae) Synonym(s): *bicolor* Walsingham,1900 Original Reference: Pelatea bicolor Walsingham,1900, Ann. Mag. nat. Hist. (7) 6: 335. Range (in code): **IN Ass TH CMa Dst Loc Nna Kao IN TW JP CN Fkn Hpe Hun Sz Gn KP KR VN** Bionomy: Larva on Quercus glauca, Q.phillyraeoides, Q.acutissima (Fagaceae) (Kawabe,1982).
- 89529. Epinotia bilunana (Haworth,[1811])** (Tortricidae) Synonym(s): *bilunana* Haworth,[1811]; *cretaceana* Frölich,1828 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU MD UA BY KG Sb Sh**

- 89530. *Epinotia brunnichiana* (Linnaeus,1767)** (Tortricidae) Synonym(s): *brunnichiana* Linnaeus,1767; *sinuana* [Denis & Schiffermüller],1775; *rhenana* Thunberg & Becklin,1791 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ AM KG Sb Sh CN**
- 89531. *Epinotia canthonias* (Meyrick,1920)** (Tortricidae) Synonym(s): *canthonias* Meyrick,1920 Range (in code): **IN Ben Pus Hp LK TH Knc Tpp** Bionomy: Larva on *Ficus glomerata*, *Loranthus* (leaves, flowers & shoots) (Diakonoff,1982).
- 89532. *Epinotia caprana* (Fabricius,1798)** (Tortricidae) Synonym(s): *caprana* Fabricius,1798; *piceana* Haworth,1811 *nec* Hbn.,1799; *semifuscana* Stephens,1834; *melaleucana* Duponchel,1836 Range (in code): **FR IS IE GB BE NL LU DE CH? AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 89533. *Epinotia cedricida* Diakonoff,1969** (Tortricidae) Synonym(s): *cedricida* Diakonoff,1969 Original Reference: *Epinotia cedricida* Diakonoff,1969, *Annls Soc. ent. Fr. (n.s.)* 5: 389-396. Range (in code): **MA Azr DZ Tni Tis Cré Dja FR AT TR** Bionomy: Larva on *Cedrus atlantica*, *C.libani* (Fabre,1997).
- 89534. *Epinotia cineracea* Nasu,1991** (Tortricidae) Synonym(s): *cineracea* Nasu,1991 Range (in code): **JP Hkk**
- 89535. *Epinotia clasta* Diakonoff,1983** (Tortricidae) Synonym(s): *clasta* Diakonoff,1983 Range (in code): **ID Sum**
- 89536. *Epinotia contrariana* (Christoph,1881)** (Tortricidae) Synonym(s): *contrariana* Christoph,1881 Range (in code): **RU Am Us Vv KR CN JP** Bionomy: Larva on *Astilbe microphylla* (Saxifragaceae) (Kawabe,1982).
- 89537. *Epinotia corynetes* Diakonoff,1982** (Tortricidae) Synonym(s): *corynetes* Diakonoff,1982 Range (in code): **IN Ddu LK**
- 89538. *Epinotia crenana* (Hübner,[1817])** (Tortricidae) Synonym(s): *crenana* Hübner,[1817] Range (in code): **FR IT GB BE NL DE CH AT PL CZ DK NO SE FI EE LV RU MD UA BY Ur BG**
- 89539. *Epinotia cruciana* (Linnaeus,1761)** (Tortricidae) Synonym(s): *cruciana* Linnaeus,1761; *gyllenhahliana* Thunberg,1784; *augustana* Hübner,[1813]; *viminana* Guenée,1845; *alticolana* Stephens,1852 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY Ur KG MN Sb Sh KP KR JP CN CA** Bionomy: Larva on *Salix* (Salicaceae) (Kawabe,1982).
- 89540. *Epinotia dalmatana* (Rebel,1891)** (Tortricidae) Synonym(s): *dalmatana* Rebel,1891; *luciana* Chrétien,1908; *psychrodora* Meyrick,1936; *mesopotamica* Obratzsov,1952; *obraztsovi* Agenjo,1967 Original Reference: *Grapholitha dalmatana* Rebel,1891, *Verh. zool. - bot. Ges. Wien* 41: 622. Type: Croatia. Range (in code): **ES FR IT YU HV GR TR RU MD Cc GG AZ AM IR IQ SY Dms Bld LB Bsa Cm** Bionomy: Larva on *Allium* sp. (Amaryllidaceae) (Chambon et al.,1992).
- 89541. *Epinotia demarniana* (Fischer v. Röslerstamm,1840)** (Tortricidae) Synonym(s): *demarniana* Fischer v. Röslerstamm,1840 Range (in code): **ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY Sb Sh**
- 89542. *Epinotia deruptana* (Kennel,1901)** (Tortricidae) Synonym(s): *deruptana* Kennel,1901 Original Reference: *Epiblema deruptana* Kennel,1901, *Dt. ent. Z., Iris* 13: 290-291. Type ♂: [Türkei]: Hadjin (MNHU). Range (in code): **TR**
- 89543. *Epinotia ethnica* Heinrich,1923** (Tortricidae) Synonym(s): *ethnica* Heinrich,1923 Range (in code): **US Cf**
- 89544. *Epinotia evidens* Kuznetsov,1971** (Tortricidae) Synonym(s): *evidens* Kuznetsov,1971 Range (in code): **CN Yu Lik**
- 89545. *Epinotia exquisitana* (Christoph,1881)** (Tortricidae) Synonym(s): *exquisitana* Christoph,1881; *pica* Walsingham,1900 Range (in code): **RU Vv Us Am KR JP** Bionomy: Larva on *Sorbus commixta*, *S.alnifolia* (Rosaceae) (Kawabe,1982).
- 89546. *Epinotia festivana* (Hübner,[1799])** (Tortricidae) Synonym(s): *festivana* Hübner,[1799] Range (in code): **PT FR Sa Si IT CH AT CZ SK HU RO YU AL GR BG TR RU MD UA BY Da Cc IR**
- 89547. *Epinotia fraternana* (Haworth,[1811])** (Tortricidae) Synonym(s): *fraternana* Haworth,[1811]; *proximana* Herrich-Schäffer,1851; *distinctana* Wilkinson,1859; *concretana* Peyerimhoff,1863 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG GR TR DK NO SE RU MD UA BY**
- 89548. *Epinotia gimmerthaliana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): *gimmerthaliana* Lienig & Zeller,1846 Range (in code): **AT CZ RO DK PL NO SE FI EE LV RU MD UA BY**
- 89549. *Epinotia granitana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *granitana* Herrich-Schäffer,1851 Range (in code): **FR IT BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**

- 89550. *Epinotia hungaricana* (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *hungaricana* Herrich-Schäffer,1851 **Range (in code):** **AT HU AL**
- 89551. *Epinotia immaculata* Peiu & Nemes,1968** (Tortricidae) **Synonym(s):** *immaculata* Peiu & Nemes,1968 **Range (in code):** **RO**
- 89552. *Epinotia immundana* (Fischer v. Röslerstamm,1839)** (Tortricidae) **Synonym(s):** *immundana* Fischer v. Röslerstamm,1839 **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG**
- 89553. *Epinotia indecorana* (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *indecorana* Zetterstedt,1839 **Range (in code):** **NO SE FI LV RU MD UA BY**
- 89554. *Epinotia infausta* (Walsingham,1881)** (Tortricidae) **Synonym(s):** *infausta* Walsingham,1881 **Range (in code):** **ZA**
- 89555. *Epinotia infessana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *infessana* Walsingham,1900; *#conturbatana* Caradja,1916 **Original Reference:** *Thiodia infessana* Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 404-405. Type ♂: [Syria]: Haleb, Shar Deresy; Palestine (coll. Walsingham). **Range (in code):** **SY Dms Hal IL Pa TR**
- 89556. *Epinotia ketamana* (Amsel,1956)** (Tortricidae) **Synonym(s):** *ketamana* Amsel,1956 **Range (in code):** **MA**
- 89557. *Epinotia kochiana* Herrich-Schäffer,[1851]** (Tortricidae) **Synonym(s):** *kochiana* Herrich-Schäffer,[1851] **Range (in code):** **IT DE AT CZ SK HU RO TR RU MD UA BY Cc GG KG**
- 89558. *Epinotia lantana* (Busck,1910)** (Tortricidae) **Synonym(s):** *lantana* Busck,1910; *polyphaea* Turner,1926; *phaedropa* Turner,1946; *tornocosma* Turner,1946; *corynetes* Diakonoff,1982 **Range (in code):** **HW MX AU QAU LK TH CMA Dst** **Bionomy:** Larva on Lantana camara (Verbenaceae) (Diakonoff,1982).
- 89559. *Epinotia latiloba* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *latiloba* Razowski & Trematerra,2010 **Range (in code):** **ET Ble**
- 89560. *Epinotia maculana* (Fabricius,1775)** (Tortricidae) **Synonym(s):** *maculana* Fabricius,1775; *ophthalmicana* Hübner,[1799] **Original Reference:** *Pyralis maculana* Fabricius,1775; Syst. Ent.: 647. Type(s): Suecia. **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Sb KG Sh**
- 89561. *Epinotia majorana* (Caradja,1916)** (Tortricidae) **Synonym(s):** *majorana* Caradja,1916; *leucantha* Meyrick,1931 **Original Reference:** *Gypsonoma incarnana* var.? *majorana* Caradja,1916, Dt. ent. Z., Iris 30: 61-62. Syntypes 5♂ 1♀: Raddé. **Range (in code):** **KR RU Us JP** **Bionomy:** Larva on Heracleum moellendorffii (Apiaceae) (Issiki,1057).
- 89562. *Epinotia mercuriana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *mercuriana* Frölich,1828; *monticolana* Duponchel,[1843] **Range (in code):** **FR IT IE GB BE NL DE CH AT PL SK RO YU NO SE FI RU MD UA BY Sb Krl**
- 89563. *Epinotia monticola* Kawabe,1993** (Tortricidae) **Synonym(s):** *monticola* Kawabe,1993 **Range (in code):** **TW**
- 89564. *Epinotia nanana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *nanana* Treitschke,1835; *immetallana* Peyerimhoff,1863 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Sb MN**
- 89565. *Epinotia nemorivaga* (Tengström,1848)** (Tortricidae) **Synonym(s):** *nemorivaga* Tengström,1848; *rhododendrana* Herrich-Schäffer,1851; *finitimana* Doubleday,1859 **Range (in code):** **ES FR IT IE GB DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY TR**
- 89566. *Epinotia nielsenii* (Kawabe,1989)** (Tortricidae) **Synonym(s):** *nielsenii* Kawabe,1989 **Original Reference:** *Griselda nielsenii* Kawabe,1989, Microlepid. Thailand 2: 58, fig.90. Holotype ♂: Thailand: Chiang Mai Prov., Huay Nam Dang (UOP). **Range (in code):** **TH CMA Hnd**
- 89567. *Epinotia nigricana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *nigricana* Herrich-Schäffer,[1851]; *suasana* Peyerimhoff,1863 **Original Reference:** *Coccyx nigricana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 4: 220. Syntypes: Germania. **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR TR DK SE RU MD UA BY**
- 89568. *Epinotia nisella* (Clerck,1759)** (Tortricidae) **Synonym(s):** *nisella* Clerck,1759; *boeberana* Fabricius,1787; *pavonana* Donovan,1804; *cuspidana* Haworth,1811; *rhombifasciana* Haworth,1811; *stictana* Haworth,1811; *cinereana* Haworth,1811; *nisana* Guenée,1845 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR Cc GG AZ DK NO SE FI EE LV LT RU MD UA BY KG Sb MN Sh Krl JP CN Ui Ku**
- 89569. *Epinotia parki* Bae,1997** (Tortricidae) **Synonym(s):** *parki* Bae,1997 **Range (in code):** **KR**

- 89570. *Epinotia pentagonana* Kennel,1901** (Tortricidae) Synonym(s): *pentagonana* Kennel,1901; *maculosa* Kuznetsov,1966 Range (in code): **RU Us KR JP CN** Bionomy: Larva on *Celtis* (Ulmaceae) (Kawabe,1982).
- 89571. *Epinotia piceae* (Issiki,1961)** (Tortricidae) Synonym(s): *piceae* Issiki,1961 Range (in code): **KR RU Sh Kr Us JP** Bionomy: Larva on *Abies mariesii*, *A.sachalinensis*, *Picea* (Oku,1968).
- 89572. *Epinotia pinicola* Kuznetsov,1969** (Tortricidae) Synonym(s): *pinicola* Kuznetsov,1969 Range (in code): **KR RU Am JP** Bionomy: Larva on *Pinus pumila* (Pinaceae) (Suzuki & Komai,1984).
- 89573. *Epinotia pusillana* (Peyerimhoff,1863)** (Tortricidae) Synonym(s): *pusillana* Peyerimhoff,1863 Range (in code): **FR DE CH AT PL CZ SK HU YU RU MD UA BY**
- 89574. *Epinotia pygmaeana* (Hübner,[1799])** (Tortricidae) Synonym(s): *pygmaeana* Hübner,[1799]; *huebneri* Koçak,1980. Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY Sb Sh JP**
- 89575. *Epinotia ramella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *ramella* Linnaeus,1758; *paykulliana* Fabricius,1787; *sesquilunana* Haworth,1811; *ramama* Frölich,1828; *costana* Duponchel,1836 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG KG Sb Sh CN JP**
- 89576. *Epinotia rasdolnyana* (Christoph,1882)** (Tortricidae) Synonym(s): *rasdolnyana* Christoph,1882 Range (in code): **RU Sb Us Vv KR JP** Bionomy: Larva on *Acer* (Aceraceae) (Kawabe,1982).
- 89577. *Epinotia rubiginosana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *rubiginosana* Herrich-Schäffer,1851; *bouchardana* Stainton,1859; *incognatana* Peyerimhoff,1863 Range (in code): **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb Us MD UA BY CN KP KR JP** Bionomy: Larva on *Pinus koraiensis*, *P.densiflora*, *P.strobus* (Pinaceae) (Oku,1968).
- 89578. *Epinotia rubiginosana koraiensis* Falkovitsh,1965** (Tortricidae) Synonym(s): *koraiensis* Falkovitsh,1965 Range (in code): **RU Sb Us KR CN JP** Bionomy: Larva on *Pinus koraiensis*, *P.densiflora*, *P.strobus* (Pinaceae) (Oku,1968).
- 89579. *Epinotia rubricana* Kuznetsov,1968** (Tortricidae) Synonym(s): *rubricana* Kuznetsov,1968 Range (in code): **RU Am Us Vv KR JP** Bionomy: Larva on *Alnus japonica* (Betulaceae) (Kawabe,1982).
- 89580. *Epinotia signatana* (Douglas,1845)** (Tortricidae) Synonym(s): *signatana* Douglas,1845; *padana* Lienig & Zeller,1846; *kroesmanniana* Heinemann,1863 Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY Sb Sh JP CN Jn KP KR MM** Bionomy: Larva on *Prunus spinosa*, *Padus avium*, *P. asiatica*, *P.siori*, *Cerasus*, *Malus sylvestris*, *Crataegus* (Rosaceae) (Kuznetsov,2001).
- 89581. *Epinotia signiferana* Heinrich,1923** (Tortricidae) Synonym(s): *signiferana* Heinrich,1923 Range (in code): **US Cf**
- 89582. *Epinotia slovacica* Patocka & Jaros,1991** (Tortricidae) Synonym(s): *slovacica* Patocka & Jaros,1991 Range (in code): **CZ SK**
- 89583. *Epinotia solandriana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *solandriana* Linnaeus,1758; *trapezana* Fabricius,1787; *semimaculana* Hübner,1793; *parmatana* Hübner,[1817]; *semilunana* Frölich,1828 Range (in code): **ES FR IT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO TR Cc GG DK NO SE FI EE LV LT RU MD UA BY Sb Sh KP KR JP CN**
- 89584. *Epinotia sordidana* (Hübner,[1824])** (Tortricidae) Synonym(s): *sordidana* Hübner,[1824]; *stabilana* Stephens,1852 Range (in code): **FR Si IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY KG Uk**
- 89585. *Epinotia subocellana* (Donovan,[1806])** (Tortricidae) Synonym(s): *subocellana* Donovan,[1806]; *arcaica* Strand,1911 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Ur Sb Sh** Bionomy: Larva on *Salix carpea*, *S. cinerea*, *S. aurita* (Salicaceae) (Bradley et al.,1979).
- 89586. *Epinotia subplicana* (Walsingham,1879)** (Tortricidae) Synonym(s): *subplicana* Walsingham,1879; *basipunctana* Walsingham,1879 Range (in code): **US Cf**
- 89587. *Epinotia subsequana* (Haworth,[1811])** (Tortricidae) Synonym(s): *subsequana* Haworth,[1811]; *abiegana* Duponchel,[1843] Range (in code): **ES An FR Sa IT IE GB DE CH AT PL CZ SK RO GR DK SE RU MD UA BY Cc GG**
- 89588. *Epinotia subuculana* (Rebel,1903)** (Tortricidae) Synonym(s): *subuculana* Rebel,1903 Range (in code): **IT CH AT RU RO MD UA BY**
- 89589. *Epinotia tedella* (Clerck,1759)** (Tortricidae) Synonym(s): *tedella* Clerck,1759; *comitana* [Denis & Schiffermüller],1775; *hercyniana* Uslar,1798; *piceana* Hübner,[1799]; *taedana* Doubleday,1859; *finitimana*

- Doubleday, 1859* Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY JP**
- 89590. *Epinotia tenerana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *tenerana* [Denis & Schiffermüller], 1775; *retusana* Haworth, 1811; *oblitana* Duponchel, 1842 Original Reference: *Tortrix tenerana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 129. Type(s): Vienna district. Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY Ur TR Cc GG Sh**
- 89591. *Epinotia tetraquetra* (Haworth, 1811)** (Tortricidae) Synonym(s): *tetraquetra* Haworth, 1811; *triquetra* Haworth, 1811; *angulana* Haworth, 1811; *frutetana* Hübner, [1824] Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY Ur Cc GG Sb KG Sh**
- 89592. *Epinotia thaiensis* Kawabe, 1995** (Tortricidae) Synonym(s): *thaiensis* Kawabe, 1995 Original Reference: *Epinotia thaiensis* Kawabe, 1995, *Microlepid. Thailand* 3: 54. Holotype ♂: Thailand: Loei Prov., Phu Luang Wildlife Sanctuary (UOP). Range (in code): **TH Loe CN Ahw**
- 89593. *Epinotia thapsiana* (Zeller, 1847)** (Tortricidae) Synonym(s): *thapsiana* Zeller, 1847 Original Reference: *Penthina thapsiana* Zeller, 1847, *Isis* 1847: 654. Syntypes: Italia. Range (in code): **Cn PT ES FR Co Sa Si IT MT CH AT CZ HU YU AL GR Cr TR RU MD UA BY IL IR Elb Kdv Cc Gls GG IN Ld KG KK TJ TM CN Ui Ku KP KR** Bionomy: Larva on *Laserpitium gallicum*, *Foeniculum officinale*, *Thapsia villosa*, *Ferula communis*, *Ligusticum pyrenaicum*, *Crithmum maritimum* (Apiaceae) (Hannemann, 1961).
- 89594. *Epinotia tianshanensis* Liu & Nasu, 1993** (Tortricidae) Synonym(s): *tianshanensis* Liu & Nasu, 1993 Original Reference: *Epinotia tianshanensis* Liu & Nasu, 1993, *Tyo to Ga* 44 (2): 60, figs. Holotype: Uighur |li: Tianshan [Tengri Tagh]. Range (in code): **CN Ui Ku** Bionomy: Larva on *Picea schrenkiana* (Pinaceae) (Liu & Li, 2002).
- 89595. *Epinotia trigonella* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *trigonella* Linnaeus, 1758; *stroemiana* Fabricius, 1781; *similana* Hübner, 1793; *bimaculana* Donovan, 1808; *indecorana* Zetterstedt, 1839 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV RU MD UA BY Sb Sh**
- 89596. *Epinotia ulmi* Kuznetsov, 1966** (Tortricidae) Synonym(s): *ulmi* Kuznetsov, 1966 Range (in code): **RU Us KR JP** Bionomy: Larva on *Ulmus davidiana*, *U. laciniata* (Ulmaceae) (Kuznetsov, 1966; Kawabe, 1982).
- 89597. *Epinotia ulmicola* Kuznetsov, 1966** (Tortricidae) Synonym(s): *ulmicola* Kuznetsov, 1966 Range (in code): **RU Us Vv Kr KR JP** Bionomy: Larva on *Zelkova serrata*, *Ulmus davidiana* var. *japonica*, *U. laciniata* (Ulmaceae) (Kawabe, 1982).
- 89598. *Epinotia unisignana* Kuznetsov, 1966** (Tortricidae) Synonym(s): *unisignana* Kuznetsov, 1966 Range (in code): **RU Am**
- 89599. *Epinotia yoshiyasui* Kawabe, 1989** (Tortricidae) Synonym(s): *yoshiyasui* Kawabe, 1989 Original Reference: *Epinotia yoshiyasui* Kawabe, 1989, *Microlepid. Thailand* 2: 55-56. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon, 2571m (UOP). Range (in code): **TH CMa Int Dst**
- 89600. *Epiphyas postvittana* (Walker, 1863)** (Tortricidae) Synonym(s): *postvittana* Walker, 1863 Range (in code): **GB**
- 89601. *Episimus argutanus* (Clemens, 1860)** (Tortricidae) Synonym(s): *argutanus* Clemens, 1860; *hamameliella* Clemens, 1861; *allutana* Zeller, 1879 Range (in code): **US Tx**
- 89602. *Episimus atricapillus* (Meyrick, 1917)** (Tortricidae) Synonym(s): *atricapillus* Meyrick, 1917 Range (in code): **GY**
- 89603. *Episimus atrorufanus* (Walker, 1863)** (Tortricidae) Synonym(s): *atorufanus* Walker, 1863 Range (in code): **BR**
- 89604. *Episimus augmentatus* (Zeller, 1877)** (Tortricidae) Synonym(s): *augmentatus* Zeller, 1877; *#augmentus* Kimball, 1965 Range (in code): **CU**
- 89605. *Episimus burserae* Heppner, 1994** (Tortricidae) Synonym(s): *burserae* Heppner, 1994 Range (in code): **US FI**
- 89606. *Episimus caveatus* (Meyrick, 1912)** (Tortricidae) Synonym(s): *caveatus* Meyrick, 1912 Range (in code): **VE**
- 89607. *Episimus condensatanus* (Zeller, 1877)** (Tortricidae) Synonym(s): *condensatanus* Zeller, 1877 Range (in code): **PA**
- 89608. *Episimus descriptana* (Walker, 1863)** (Tortricidae) Synonym(s): *descriptana* Walker, 1863 Range (in code): **BR Para**

- 89609. *Episimus dignus* (Meyrick,1917) (Tortricidae) Synonym(s): *dignus* Meyrick,1917 Range (in code): GY**
- 89610. *Episimus guiana* (Busck,1913) (Tortricidae) Synonym(s): *guiana* Busck,1913 Range (in code): GY**
- 89611. *Episimus kimballi* Heppner,1994 (Tortricidae) Synonym(s): *kimballi* Heppner,1994 Range (in code): US FI**
- 89612. *Episimus lagunculariae* Heppner,1994 (Tortricidae) Synonym(s): *lagunculariae* Heppner,1994 Range (in code): US FI**
- 89613. *Episimus ligneanus* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *ligneanus* C.Felder & Rogenhofer,1875 Range (in code): BR**
- 89614. *Episimus lupatus* (Meyrick,1912) (Tortricidae) Synonym(s): *lupatus* Meyrick,1912 Range (in code): CO**
- 89615. *Episimus mahaianus* (C.Felder & Rogenhofer,1875) (Tortricidae) Synonym(s): *mahaianus* C.Felder & Rogenhofer,1875; *encausticus* Meyrick,1922 Range (in code): BR**
- 89616. *Episimus melanaspis* (Meyrick,1927) (Tortricidae) Synonym(s): *melanaspis* Meyrick,1927 Range (in code): CO**
- 89617. *Episimus mesotricha* (Meyrick,1927) (Tortricidae) Synonym(s): *mesotricha* Meyrick,1927 Range (in code): BR Spa**
- 89618. *Episimus mollita* Meyrick,1931 (Tortricidae) Synonym(s): *mollita* Meyrick,1931 Range (in code): ID Ja TH Knc Tpp**
- 89619. *Episimus nesiotes* Walsingham,1897 (Tortricidae) Synonym(s): *nesiotes* Walsingham,1897 Range (in code): VG**
- 89620. *Episimus ortygus* (Meyrick,1917) (Tortricidae) Synonym(s): *ortygus* Meyrick,1917 Range (in code): GY**
- 89621. *Episimus phaedra* (Meyrick,1931) (Tortricidae) Synonym(s): *phaedra* Meyrick,1931 Range (in code): BR Sct**
- 89622. *Episimus prudens* (Meyrick,1917) (Tortricidae) Synonym(s): *prudens* Meyrick,1917 Range (in code): PE**
- 89623. *Episimus religiosus* (Meyrick,1917) (Tortricidae) Synonym(s): *religiosus* Meyrick,1917 Range (in code): GY**
- 89624. *Episimus strigulanus* (Walker,1863) (Tortricidae) Synonym(s): *strigulanus* Walker,1863; *leucomesanus* Walker,1863 Range (in code): BR**
- 89625. *Episimus submicans* Walsingham,1897 (Tortricidae) Synonym(s): *submicans* Walsingham,1897 Range (in code): GD**
- 89626. *Episimus terminanus* (Walker,1863) (Tortricidae) Synonym(s): *terminanus* Walker,1863 Range (in code): BR**
- 89627. *Episimus transferanus* (Walker,1863) (Tortricidae) Synonym(s): *transferanus* Walker,1863 Range (in code): BR Azn VC**
- 89628. *Episimus transferanus transferanus* (Walker,1863) (Tortricidae) Synonym(s): *transferanus* Walker,1863 Range (in code): BR Azn**
- 89629. *Episimus transferanus vincetanus* Walsingham,1892 (Tortricidae) Synonym(s): *vinctanus* Walsingham,1892 Range (in code): VC**
- 89630. *Episimus unguiculus* Clarke,1951 (Tortricidae) Synonym(s): *unguiculus* Clarke,1951 Range (in code): AR**
- 89631. *Episimus utilis* Zimmermann,1978 (Tortricidae) Synonym(s): *utilis* Zimmermann,1978 Range (in code): HW BR Rja**
- 89632. *Episimus vermiculatus* (Meyrick,1912) (Tortricidae) Synonym(s): *vermiculatus* Meyrick,1912 Range (in code): CO**
- 89633. *Episimus vittatus* (Walsingham,1914) (Tortricidae) Synonym(s): *vittatus* Walsingham,1914 Range (in code): MX Vcr**
- 89634. *Epitrichosma argenticola* Diakonoff,1974 (Tortricidae) Synonym(s): *argenticola* Diakonoff,1974 Range (in code): MY Prk**
- 89635. *Epitrichosma helioconis* (Diakonoff,1948) (Tortricidae) Synonym(s): *helioconis* Diakonoff,1948 Range (in code): ID Sum**
- 89636. *Eppihus hippeus* Razowski,2006 (Tortricidae) Synonym(s): *hippeus* Razowski,2006 Range (in code): IN Ch Dra**

- 89637. *Erinaea amphigonia* Diakonoff,[1968]** (Tortricidae) Synonym(s): *amphigonia* Diakonoff,[1968] Range (in code): PH Luz
- 89638. *Eriopsela aeriana* (Falkovitsh,1962)** (Tortricidae) Synonym(s): *aeriana* Falkovitsh,1962 Range (in code): KG T-S TrA
- 89639. *Eriopsela annana* (Kennel,1919)** (Tortricidae) Synonym(s): *annana* Kennel,1919 Range (in code): CN Ui Ju
- 89640. *Eriopsela bavarica* Obraztsov,1952** (Tortricidae) Synonym(s): *bavarica* Obraztsov,1952 Range (in code): DE Bv
- 89641. *Eriopsela danilevskyi* Kuznetsov,1972** (Tortricidae) Synonym(s): *danilevskyi* Kuznetsov,1972 Range (in code): Cc GG Abk
- 89642. *Eriopsela falkovitshi* Kostyuk,1979** (Tortricidae) Synonym(s): *falkovitshi* Kostyuk,1979 Range (in code): RU At
- 89643. *Eriopsela fenestrellensis* Huemer,1992** (Tortricidae) Synonym(s): *fenestrellensis* Huemer,1992 Range (in code): FR IT
- 89644. *Eriopsela klapperichi* Razowski,1967** (Tortricidae) Synonym(s): *klapperichi* Razowski,1967 Range (in code): AF Pag
- 89645. *Eriopsela klimeschi* Obraztsov,1952** (Tortricidae) Synonym(s): *klimeschi* Obraztsov,1952 Range (in code): AT
- 89646. *Eriopsela mongunana* Kostyuk,1973** (Tortricidae) Synonym(s): *mongunana* Kostyuk,1973 Range (in code): RU Sb Tv
- 89647. *Eriopsela quadrana* (Hübner,[1813])** (Tortricidae) Synonym(s): *quadrana* Hübner,[1813]; *strigulosana* Zetterstedt,1839; *abiskoana* Caradja,1916; *roseni* Obraztsov,1952; *bavarica* Obraztsov,1952 Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU TR DK NO SE FI EE LV LT RU MD UA BY Sb
- 89648. *Eriopsela rosinana* (Kennel,1918)** (Tortricidae) Synonym(s): *rosinana* Kennel,1918 Range (in code): RU Sj
- 89649. *Eriotortrix iresinephora* Razowski,1988** (Tortricidae) Synonym(s): *iresinephora* Razowski,1988 Range (in code): CO
- 89650. *Eriotortrix isipida* Razowski,1988** (Tortricidae) Synonym(s): *isipida* Razowski,1988 Range (in code): CO
- 89651. *Ernocornutia capronata* Razowski,1988** (Tortricidae) Synonym(s): *capronata* Razowski,1988 Range (in code): CO
- 89652. *Ernocornutia carycodes* (Meyrick,1926)** (Tortricidae) Synonym(s): *carycodes* Meyrick,1926 Range (in code): CO
- 89653. *Ernocornutia catopta* Razowski,1988** (Tortricidae) Synonym(s): *catopta* Razowski,1988 Range (in code): CO
- 89654. *Ernocornutina gambra* Razowski,1988** (Tortricidae) Synonym(s): *gambra* Razowski,1988 Range (in code): AR
- 89655. *Ethelgoda texanana* (Walsingham,1879)** (Tortricidae) Synonym(s): *texanana* Walsingham,1879 Range (in code): US Tx
- 89656. *Eubrochoneura altissima* Kawabe,1978** (Tortricidae) Synonym(s): *altissima* Kawabe,1978 Range (in code): TH Loe JP
- 89657. *Eucoenogenes ancyrota* (Meyrick,1907)** (Tortricidae) Synonym(s): *ancyrota* Meyrick,1907 Range (in code): TH CMa Loc Nna Kao Pty IN LK Mky JP MM MY BN Bor Bionomy: Larva on Ternstroemia (Theaceae) (Kawabe,1989).
- 89658. *Eucoenogenes cyanopis* (Meyrick,1912)** (Tortricidae) Synonym(s): *cyanopis* Meyrick,1912; *melanochlaena* Meyrick,1936; *#cyanopsis* Kawabe,1989. Original Reference: *Eucosma cyanopis* Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 866. Range (in code): IN Ass Meg Khs MM LK TH CMa Agk Fn Loe Knc Tpp ID Ja Ged
- 89659. *Eucoenogenes deltostoma* Diakonoff,[1968]** (Tortricidae) Synonym(s): *deltostoma* Diakonoff,[1968] Range (in code): PH Luz
- 89660. *Eucoenogenes euphlebia* Kawabe,1989** (Tortricidae) Synonym(s): *euphlebia* Kawabe,1989 Original Reference: *Eucoenogenes euphlebia* Kawabe,1989, Microlepid. Thailand 2: 53, fig. 79. Holotype ♂: Thailand: Nakhon Nayok: Khao Yai NP (UOP). Range (in code): TH Nna Kao
- 89661. *Eucoenogenes japonica* Kawabe,1978** (Tortricidae) Synonym(s): *japonica* Kawabe,1978 Range (in code): JP TH CMa Pki Nna Kao

- 89662. *Eucoenogenes levatana* Kuznetsov,1977** (Tortricidae) Synonym(s): *levatana* Kuznetsov,1977 Original Reference: *Eucoenogenes levatana* Kuznetsov,1977, Ent. Obozr. 76: 197. Range (in code): VN Ann
- 89663. *Eucoenogenes melanancalis* (Meyrick,1937)** (Tortricidae) Synonym(s): *melanancalis* Meyrick,1937 Range (in code): IN Up Ddu
- 89664. *Eucoenogenes munda* (Diakonoff,1983)** (Tortricidae) Synonym(s): *munda* Diakonoff,1983 Range (in code): ID Sum TH Knc Tpp
- 89665. *Eucoenogenes pythonias* (Meyrick,1910)** (Tortricidae) Synonym(s): *pythonias* Meyrick,1910 Original Reference: *Rhopobota pythonias* Meyrick,1910, Trans. ent. Soc. Lond. 1910: 434. Range (in code): ID Ja
- 89666. *Eucoenogenes segregana* Kuznetsov,1997** (Tortricidae) Synonym(s): *segregana* Kuznetsov,1997 Range (in code): VN Ann
- 89667. *Eucoenogenes teliferana* (Christoph,1882)** (Tortricidae) Synonym(s): *teliferana* Christoph,1882 Range (in code): RU Vv Us
- 89668. *Eucosma abacana* (Erschoff,1877)** (Tortricidae) Synonym(s): *abacana* Erschoff,1877; *#abascana* Kurentsov,1950 Range (in code): RO? RU Sb
- 89669. *Eucosma accipitrina* Meyrick,1913** (Tortricidae) Synonym(s): *accipitrina* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 89670. *Eucosma actiosa* Meyrick,1913** (Tortricidae) Synonym(s): *actiosa* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 89671. *Eucosma aemulana* (Schläger,1849)** (Tortricidae) Synonym(s): *aemulana* Schläger,1849; *laticornis* Herrich-Schäffer,1851 Range (in code): PT ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY
- 89672. *Eucosma agnatana* (Christoph,1872)** (Tortricidae) Synonym(s): *agnatana* Christoph,1872 Range (in code): RO TR RU KG MN
- 89673. *Eucosma albarracina* Hartig,1941** (Tortricidae) Synonym(s): *albarracina* Hartig,1941 Range (in code): ES
- 89674. *Eucosma albicosta* Falkovitsh,1964** (Tortricidae) Synonym(s): *albicosta* Falkovitsh,1964 Range (in code): KG TrA Aa
- 89675. *Eucosma albicostella* (Turati & C.G.Krüger,1936)** (Tortricidae) Synonym(s): *albicostella* Turati & C.G.Krüger,1936 Range (in code): LY Cy
- 89676. *Eucosma albidula* Walsingham,1914** (Tortricidae) Synonym(s): *albidula* Walsingham,1914 Range (in code): MX Grr
- 89677. *Eucosma albidulana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *#albidulana* Herrich-Schäffer,1848; *albidulana* Herrich-Schäffer,[1851] Original Reference: *Semasia albidulana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 4: 245. Syntypes: Germany. Range (in code): DZ Lbs PT ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR EE LT TR IR KG
- 89678. *Eucosma albuncana* (Zeller,1847)** (Tortricidae) Synonym(s): *albuncana* Zeller,1847; *#albuncana* Lederer,1859 Range (in code): DZ Cst PT ES FR Sa Si IT RO YU
- 89679. *Eucosma alphabetica* Walsingham,1914** (Tortricidae) Synonym(s): *alphabetica* Walsingham,1914 Range (in code): MX
- 89680. *Eucosma amara* Meyrick,1913** (Tortricidae) Synonym(s): *amara* Meyrick,1913 Range (in code): ZA Tva Mpu Brb
- 89681. *Eucosma amulana* Walsingham,1914** (Tortricidae) Synonym(s): *amulana* Walsingham,1914 Range (in code): MX Grr
- 89682. *Eucosma anisodelta* Meyrick,1923** (Tortricidae) Synonym(s): *anisodelta* Meyrick,1923 Range (in code): AO
- 89683. *Eucosma antidora* Meyrick,1921** (Tortricidae) Synonym(s): *antidora* Meyrick,1921 Range (in code): ZW Uma
- 89684. *Eucosma antidora* Meyrick,1921** (Tortricidae) Synonym(s): *antidora* Meyrick,1921 Range (in code): ZW
- 89685. *Eucosma antirrhoa* Meyrick,1920** (Tortricidae) Synonym(s): *antirrhoa* Meyrick,1920 Range (in code): KE
- 89686. *Eucosma apocrypha* Falkovitsh,1964** (Tortricidae) Synonym(s): *apocrypha* Falkovitsh,1964 Range (in code): RU Ur Sb Prj Us KG MN
- 89687. *Eucosma argentifera* Razowski,1972** (Tortricidae) Synonym(s): *argentifera* Razowski,1972 Range (in code): MN

- 89688. *Eucosma argyrocyra* Meyrick, 1922** (Tortricidae) **Synonym(s):** *argyrocyra* Meyrick, 1922
Range (in code): **IN Ass Slo**
- 89689. *Eucosma aspidiscana* (Hübner, [1817])** (Tortricidae) **Synonym(s):** *obscurana* Fabricius, 1798; *aspidiscana* Hübner, [1817]; *zachana* Hübner, [1817]; *dahlbomiana* Zetterstedt, 1839; *rubescana* Constant, 1895 **Range (in code):** **ES FR Sa IT IE GB BE LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Prj Us Krl MD UA BY MN**
- 89690. *Eucosma atacosana* A. Blanchard, 1980** (Tortricidae) **Synonym(s):** *atacosana* A. Blanchard, 1980 **Range (in code):** **US Tx**
- 89691. *Eucosma australis* Kuznetsov, 1988** (Tortricidae) **Synonym(s):** *australis* Kuznetsov, 1988
Range (in code): **VN**
- 89692. *Eucosma bactropa* Meyrick, 1927** (Tortricidae) **Synonym(s):** *bactropa* Meyrick, 1927
Range (in code): **CO**
- 89693. *Eucosma balatonana* (Osthelder, 1937)** (Tortricidae) **Synonym(s):** *balatonana* Osthelder, 1937 **Range (in code):** **FR IT DE CH AT PL CZ SK HU YU DK SE EE LV RU MD UA BY KG**
- 89694. *Eucosma beryllina* Meyrick, 1927** (Tortricidae) **Synonym(s):** *beryllina* Meyrick, 1927
Range (in code): **CO**
- 89695. *Eucosma bisecta* Meyrick, 1918** (Tortricidae) **Synonym(s):** *bisecta* Meyrick, 1918 **Range (in code):** **ZA Ntz Kzu Esw**
- 89696. *Eucosma blanditana* (Kuznetsov, 1988)** (Tortricidae) **Synonym(s):** *blanditana* Kuznetsov, 1988 **Range (in code):** **VN Ton Tda**
- 89697. *Eucosma bobana* Kearfott, 1907** (Tortricidae) **Synonym(s):** *bobana* Kearfott, 1907; *antichroma* Meyrick, 1912 **Range (in code):** **US Col**
- 89698. *Eucosma brigittana* (Kennel, 1919)** (Tortricidae) **Synonym(s):** *brigittana* Kennel, 1919
Range (in code): **RU Sb**
- 89699. *Eucosma calculosa* Meyrick, 1913** (Tortricidae) **Synonym(s):** *calculosa* Meyrick, 1913
Range (in code): **MU ZA Tva Mpu Brb Tst MZ**
- 89700. *Eucosma caliacrana* (Caradja, 1931)** (Tortricidae) **Synonym(s):** *luciana* Kennel, 1919 (*praeocc.*); *caliacrana* Caradja, 1931; *nessebarana* Soffner, 1962; *galactica* Obratsov, 1968 **Range (in code):** **RO BG RU MD UA BY KG UK**
- 89701. *Eucosma calliarma* Meyrick, 1909** (Tortricidae) **Synonym(s):** *calliarma* Meyrick, 1909
Range (in code): **ZA Nta Kzu Tva Gau Pre**
- 89702. *Eucosma calligrapha* (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *calligrapha* Meyrick, 1912
Range (in code): **TH Knc Tpp IN Ass Meg Khs**
- 89703. *Eucosma campoliliana* ([Denis & Schiffermüller], 1775)** (Tortricidae) **Synonym(s):** *campoliliana* [Denis & Schiffermüller], 1775 **Original Reference:** *Tortrix campoliliana* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 318. **Type(s):** Vienna district. **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 89704. *Eucosma cana* (Haworth, 1811)** (Tortricidae) **Synonym(s):** *marmorana* Fabricius, 1798; *cana* Haworth, 1811; *monetulana* Hübner, [1817]; *carduana* Guenée, 1845; *subvittana* Staudinger, 1892. **Range (in code):** **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT TR Ce Ksp RU Ur Sb Am Vv Prj Us MD UA BY IR GlS KG CN JP**
- 89705. *Eucosma capitulata* (Meyrick, 1907)** (Tortricidae) **Synonym(s):** *capitulata* Meyrick, 1907
Range (in code): **LK Mky**
- 89706. *Eucosma carcharitis* Meyrick, 1924** (Tortricidae) **Synonym(s):** *carcharitis* Meyrick, 1924
Range (in code): **AO**
- 89707. *Eucosma caryocrossa* Meyrick, 1932** (Tortricidae) **Synonym(s):** *caryocrossa* Meyrick, 1932
Range (in code): **CO**
- 89708. *Eucosma cataclystiana* (Walker, 1863)** (Tortricidae) **Synonym(s):** *cataclystiana* Walker, 1863; *ochreana* Clemens, 1864 **Range (in code):** **US Vi**
- 89709. *Eucosma catoptrana* (Rebel, 1903)** (Tortricidae) **Synonym(s):** *catoptrana* Rebel, 1903; *heringiana* Jäckh, 1953 **Range (in code):** **ES FR IT GB NL DE AT SK RO DK KG**
- 89710. *Eucosma cerdalea* Walsingham, 1914** (Tortricidae) **Synonym(s):** *cerdalea* Walsingham, 1914 **Range (in code):** **CR**
- 89711. *Eucosma ceriodes* Meyrick, 1909** (Tortricidae) **Synonym(s):** *ceriodes* Meyrick, 1909 **Range (in code):** **IN Ass Khs**
- 89712. *Eucosma certana* Kuznetsov, 1967** (Tortricidae) **Synonym(s):** *certana* Kuznetsov, 1967
Range (in code): **RU Us**

- 89713. *Eucosma chlorobathra* Meyrick,1911** (Tortricidae) **Synonym(s):** *chlorobathra* Meyrick,1911 **Range (in code):** **SC**
- 89714. *Eucosma chloromima* Meyrick,1931** (Tortricidae) **Synonym(s):** *chloromima* Meyrick,1931 **Range (in code):** **IN Hp Dlh Ch CN**
- 89715. *Eucosma chloroterma* Meyrick,1913** (Tortricidae) **Synonym(s):** *chloroterma* Meyrick,1913 **Original Reference:** *Eucosma chloroterma* Meyrick,1913, Ann. Transv. Mus. 3: 272. Type ♂: Pretoria (BMNH) [Clarke,1958, Catalogue...3: pl.176 figs.2-2a]. **Range (in code):** **ZA Gau Pre Tva**
- 89716. *Eucosma chrysypis* Razowski,1972** (Tortricidae) **Synonym(s):** *chrysypis* Razowski,1972 **Range (in code):** **MN**
- 89717. *Eucosma cittopa* Walsingham,1914** (Tortricidae) **Synonym(s):** *cittopa* Walsingham,1914 **Range (in code):** **MX Ver**
- 89718. *Eucosma clarens* Kuznetsov,1964** (Tortricidae) **Synonym(s):** *clarens* Kuznetsov,1964 **Range (in code):** **RU KG MN**
- 89719. *Eucosma clarifica* Meyrick,1913** (Tortricidae) **Synonym(s):** *clarifica* Meyrick,1913 **Range (in code):** **ZA Tva Gau Pre**
- 89720. *Eucosma coagulana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *coagulana* Kennel,1901 **Original Reference:** *Epiblema coagulana* Kennel,1901, Dt. ent. Z., Iris 13: 278. Lectotype ♀: [Turkey]: Kazikoparan (MNHUB). **Range (in code):** **TR RU Da Cc IR Elb Kdv KG**
- 89721. *Eucosma comatulana* (Zeller,1875)** (Tortricidae) **Synonym(s):** *comatulana* Zeller,1875 **Range (in code):** **US Tx**
- 89722. *Eucosma conformana* (Mann,1872)** (Tortricidae) **Synonym(s):** *conformana* Mann,1872; *umbratana* Staudinger,1880; *significanta* Kennel,1901 **Original Reference:** *Grapholitha conformana* Mann,1872, Verh. zool.- bot. Ges. Wien 22: 36. Syntypes: [Croatia]: Dalmatia: Ragusa. **Range (in code):** **Si IT AT HU RO YU HV MK AL BG GR TR LB Bei**
- 89723. *Eucosma confunda* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *confunda* Kuznetsov,1966 **Range (in code):** **RU Us Vv**
- 89724. *Eucosma conterminana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *conterminana* Guenée,1845 **Original Reference:** *Catoptria conterminana* Guenée,1845, Annls Soc. ent. Fr. (2) 3: 189. Type: France (MNH Paris). **Range (in code):** **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK SE FI EE LT TR IR Cc GG AZ AM RU Ur Sb Prj Us MD UA BY KG Uk KK Ik Fe Osh IN Ld CN MN**
- 89725. *Eucosma corosana* (Walsingham,1884)** (Tortricidae) **Synonym(s):** *corosana* Walsingham,1884 **Range (in code):** **US Mon**
- 89726. *Eucosma costastrigulana* Kearfott,1907** (Tortricidae) **Synonym(s):** *costastrigulana* Kearfott,1907 **Range (in code):** **US Cf**
- 89727. *Eucosma cremastropis* Meyrick,1930** (Tortricidae) **Synonym(s):** *cremastropis* Meyrick,1930 **Range (in code):** **UG**
- 89728. *Eucosma cremnitis* Meyrick,1912** (Tortricidae) **Synonym(s):** *cremnitis* Meyrick,1912 **Range (in code):** **LK Mky**
- 89729. *Eucosma cretaceana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *cretaceana* Kennel,1899 **Range (in code):** **ES AL**
- 89730. *Eucosma critica* (Meyrick,1905)** (Tortricidae) **Synonym(s):** *critica* Meyrick,1905; *ludicra* Meyrick,1912; *pseudomorpha* Meyrick,1916; *trichocrossa* Meyrick,1916 **Range (in code):** **IN Mh Bba Ben Pus Coo**
- 89731. *Eucosma culmana* (Müller-Rutz,1932)** (Tortricidae) **Synonym(s):** *culmana* Müller-Rutz,1932 **Range (in code):** **CH**
- 89732. *Eucosma cumulana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *cumulana* Guenée,1845; *obscurana* Caradja,1916 nec Fabricius,1798; *caradjai* Obratsov,1968. **Range (in code):** **ES FR AT CZ SK HU RO MK BG GR RU MD UA BY TM**
- 89733. *Eucosma deltoplaca* Meyrick,1921** (Tortricidae) **Synonym(s):** *deltoplaca* Meyrick,1921 **Range (in code):** **ID Ja**
- 89734. *Eucosma deltozyga* Meyrick,1928** (Tortricidae) **Synonym(s):** *deltozyga* Meyrick,1928 **Range (in code):** **ZA Tva**
- 89735. *Eucosma desipiens* Meyrick,1918** (Tortricidae) **Synonym(s):** *desipiens* Meyrick,1918 **Range (in code):** **ZA Tva Gau Pre**
- 89736. *Eucosma diabolana* A.Blanchard,1980** (Tortricidae) **Synonym(s):** *diabolana* A.Blanchard,1980 **Range (in code):** **US Tx**

- 89737. *Eucosma diakonoffi* Gibeaux,1984** (Tortricidae) **Synonym(s):** *diakonoffi* Gibeaux,1984
Range (in code): **FR**
- 89738. *Eucosma dianthes* Meyrick,1928** (Tortricidae) **Synonym(s):** *dianthes* Meyrick,1928
Range (in code): **IN Ass Slo**
- 89739. *Eucosma dilatana* (Walsingham,1895)** (Tortricidae) **Synonym(s):** *dilatana* Walsingham,1895 **Range (in code):** **US Arz**
- 89740. *Eucosma diogma* Meyrick,1927** (Tortricidae) **Synonym(s):** *diogma* Meyrick,1927 **Range (in code):** **CO**
- 89741. *Eucosma directa* Meyrick,1912** (Tortricidae) **Synonym(s):** *directa* Meyrick,1912 **Original Reference:** *Eucosma directa* Meyrick,1912, Exot. Microlepid. 1: 34. Type ♂: [Turkey]: Asia Minor: Taurus Mts. (BMNH). **Range (in code):** **TR**
- 89742. *Eucosma disjectana* (Kennel,1921)** (Tortricidae) **Synonym(s):** *disjectana* Kennel,1921
Range (in code): **RU LT**
- 89743. *Eucosma doiinthanonensis* Kawabe,1989** (Tortricidae) **Synonym(s):** *doiinthanonensis* Kawabe,1989 **Original Reference:** *Eucosma doiinthanonensis* Kawabe,1989, Microlepid. Thailand 2: 61, fig.91. Holotype ♂: Thailand: Chiang Mai Prov., Doi Chiang Dao, 1130m (OPU). **Range (in code):** **TH CMA Int CDo VN**
- 89744. *Eucosma drastica* Meyrick,1918** (Tortricidae) **Synonym(s):** *drastica* Meyrick,1918 **Range (in code):** **ZA Ec Stj Nta Kzu Ptw**
- 89745. *Eucosma dryochra* Meyrick,1937** (Tortricidae) **Synonym(s):** *dryochra* Meyrick,1937
Range (in code): **TT**
- 89746. *Eucosma elaeochroa* Walsingham,1914** (Tortricidae) **Synonym(s):** *elaeochroa* Walsingham,1914 **Range (in code):** **PA**
- 89747. *Eucosma ephedrana* (Christoph,1877)** (Tortricidae) **Synonym(s):** *ephedrana* Christoph,1877 **Range (in code):** **IR Elb TM AF KK Ik Cc**
- 89748. *Eucosma erebantra* Meyrick,1937** (Tortricidae) **Synonym(s):** *erebantra* Meyrick,1937
Range (in code): **CN Yu Lik**
- 89749. *Eucosma eremodora* Meyrick,1932** (Tortricidae) **Synonym(s):** *eremodora* Meyrick,1932
Range (in code): **TR**
- 89750. *Eucosma eridarcha* Meyrick,1927** (Tortricidae) **Synonym(s):** *eridarcha* Meyrick,1927
Range (in code): **CO**
- 89751. *Eucosma esmodes* Meyrick,1937** (Tortricidae) **Synonym(s):** *esmodes* Meyrick,1937
Original Reference: *Eucosma esmodes* Meyrick,1937, Exot. Microlepid. 5: 99. Type ♂: Iraq: Diana, 2800ft., May, E.P.Wiltshire leg. (BMNH). **Range (in code):** **IQ Dia**
- 89752. *Eucosma eutechna* Meyrick,1936** (Tortricidae) **Synonym(s):** *eutechna* Meyrick,1936
Range (in code): **MY Klu**
- 89753. *Eucosma explicatana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *explicatana* Kennel,1901
Range (in code): **RU Ur Sb KG MN CN**
- 89754. *Eucosma fervidana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *fervidana* Zeller,1847
Original Reference: *Paedisca fervidana* Zeller,1847, Isis 1847: 730. Type: Syracuse (BMNH).
Range (in code): **DZ Lbs FR Sa Si IT DE AT CZ SK HU RO YU RU Sb KG TM UZ**
- 89755. *Eucosma flavispecula* Kuznetsov,1964** (Tortricidae) **Synonym(s):** *flavispecula* Kuznetsov,1964 **Range (in code):** **IT AT RO RU Sb Prj Us Vv MD UA BY KG MN** **Bionomy:** Larva on *Centaurea jacea* (Asteraceae) (Razowski,2003).
- 89756. *Eucosma floescens* Meyrick,1925** (Tortricidae) **Synonym(s):** *floescens* Meyrick,1925
Range (in code): **ZA**
- 89757. *Eucosma floescens* Meyrick,1925** (Tortricidae) **Synonym(s):** *floescens* Meyrick,1925
Range (in code): **ZW**
- 89758. *Eucosma fraudulentana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *fraudulentana* Kennel,1901 **Range (in code):** **KG DsA MN**
- 89759. *Eucosma fulvana* (Stephens,1834)** (Tortricidae) **Synonym(s):** *#fulvana* Stephens,1829; *fulvana* Stephens,1834 **Range (in code):** **IE GB NL DE CH AT PL CZ SK HU RO YU AL TR RU MD UA BY**
- 89760. *Eucosma fuscida* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *fuscida* Kuznetsov,1966
Range (in code): **KG DsA RU Prj Us**
- 89761. *Eucosma galactitis* Meyrick,1912** (Tortricidae) **Synonym(s):** *galactitis* Meyrick,1912
Range (in code): **ZA**

- 89762. *Eucosma getonia* Razowski,1972** (Tortricidae) **Synonym(s):** *getonia* Razowski,1972
Range (in code): **MN**
- 89763. *Eucosma giarabubensis* (Turati,1930)** (Tortricidae) **Synonym(s):** *giarabubensis* Turati,1930 **Range (in code):** **LY Cy**
- 89764. *Eucosma glebana* (Snellen,1883)** (Tortricidae) **Synonym(s):** *glebana* Snellen,1883; *sinensis* Walsingham,1900 **Range (in code):** **RU Us CN Tkg**
- 89765. *Eucosma glyphicodes* Meyrick,1918** (Tortricidae) **Synonym(s):** *glyphicodes* Meyrick,1918
Range (in code): **ZA Nta Kzu Srn**
- 89766. *Eucosma gomphacma* Meyrick,1928** (Tortricidae) **Synonym(s):** *gomphacma* Meyrick,1928
Range (in code): **ZA**
- 89767. *Eucosma gomphacma* Meyrick,1928** (Tortricidae) **Synonym(s):** *gomphacma* Meyrick,1928
Range (in code): **ZW**
- 89768. *Eucosma gonzalezalvarezi* Agenjo,1969** (Tortricidae) **Synonym(s):** *gonzalezalvarezi* Agenjo,1969 **Range (in code):** **ES**
- 89769. *Eucosma gorodkovi* Kuznetsov,1979** (Tortricidae) **Synonym(s):** *gorodkovi* Kuznetsov,1979
Range (in code): **RU Us**
- 89770. *Eucosma gradensis* (Galvagni,1909)** (Tortricidae) **Synonym(s):** *gradensis* Galvagni,1909
Range (in code): **FR IT SK**
- 89771. *Eucosma graziella* A.Blanchard,1968** (Tortricidae) **Synonym(s):** *graziella* A.Blanchard,1968 **Range (in code):** **US Tx**
- 89772. *Eucosma griselda* A.Blanchard & Knudson,1982** (Tortricidae) **Synonym(s):** *griselda* A.Blanchard & Knudson,1982 **Range (in code):** **US Tx**
- 89773. *Eucosma guentheri* (Tengström,1869)** (Tortricidae) **Synonym(s):** *guentheri* Tengström,1869 **Range (in code):** **NO FI RU MD UA BY**
- 89774. *Eucosma guttulana* A.Blanchard,1980** (Tortricidae) **Synonym(s):** *guttulana* A.Blanchard,1980 **Range (in code):** **US Tx**
- 89775. *Eucosma gypsatana* (Kennel,1921)** (Tortricidae) **Synonym(s):** *gypsatana* Kennel,1921
Original Reference: *Epiblema gypsatana* Kennel,1921, Palaeart. Tort.: 557. Type ♀: [Turkey]: Anatolia, Konia (MGAB). **Range (in code):** **TR**
- 89776. *Eucosma haberhaueri* (Kennel,1901)** (Tortricidae) **Synonym(s):** *haberhaueri* Kennel,1901
Range (in code): **CN Ui Ku UZ Nmg Fe**
- 89777. *Eucosma habrotoma* Meyrick,1934** (Tortricidae) **Synonym(s):** *habrotoma* Meyrick,1934
Range (in code): **ZA**
- 89778. *Eucosma habrotoma* Meyrick,1934** (Tortricidae) **Synonym(s):** *habrotoma* Meyrick,1934
Range (in code): **ZW**
- 89779. *Eucosma haematospila* Meyrick,1921** (Tortricidae) **Synonym(s):** *haematospila* Meyrick,1921 **Range (in code):** **MZ Mag**
- 89780. *Eucosma hapalosarca* Meyrick,1924** (Tortricidae) **Synonym(s):** *hapalosarca* Meyrick,1924
Range (in code): **Pj PK Mln**
- 89781. *Eucosma hazelana* Klots,1936** (Tortricidae) **Synonym(s):** *hazelana* Klots,1936 **Range (in code):** **US Col**
- 89782. *Eucosma hebesana* Kuznetsov,1986** (Tortricidae) **Synonym(s):** *hebesana* Kuznetsov,1986
Range (in code): **UZ Smk**
- 89783. *Eucosma hohenwartiana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *cervana* Scopoli,1763; *hohenwartiana* [Denis & Schiffermüller],1775; *pupillana* Hübner,[1799]; *scopoliana* Haworth,[1811]; *strigana* Curtis,1831; *decipiana* Laharpe,1858 **Original Reference:** *Tortrix hohenwartiana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. **Range (in code):** **ES FR Sa Si IT IE GB BE NL LU DE CH AT CZ SK HU RO YU TR DK NO SE FI EE LV LT RU Sb At MD UA BY Cc GG CN**
- 89784. *Eucosma ignotana* (Caradja,1916)** (Tortricidae) **Synonym(s):** *ignotana* Caradja,1916
Range (in code): **RU Sb**
- 89785. *Eucosma impatiens* Meyrick,1921** (Tortricidae) **Synonym(s):** *impatiens* Meyrick,1921
Range (in code): **MZ Mag**
- 89786. *Eucosma imposita* Meyrick,1937** (Tortricidae) **Synonym(s):** *imposita* Meyrick,1937
Range (in code): **ID Ja**
- 89787. *Eucosma incinerana* (Constant,1888)** (Tortricidae) **Synonym(s):** *incinerana* Constant,1888 **Range (in code):** **FR**

- 89788. *Eucosma individiosana* (Kennel,1901)** (Tortricidae) Synonym(s): *individiosana* Kennel,1901 Original Reference: *Epiblema individiosana* Kennel,1901, Dt. ent. Z., Iris 13: 278. Type ♂: [Algeria]: Lambese. Range (in code): **DZ Lbs ES Si IT**
- 89789. *Eucosma inscita* Meyrick,1913** (Tortricidae) Synonym(s): *inscita* Meyrick,1913 Range (in code): **ZA Mpu Tva Brb Mdd**
- 89790. *Eucosma insolens* Meyrick,1909** (Tortricidae) Synonym(s): *insolens* Meyrick,1909 Range (in code): **ZA Tva Gau Pre**
- 89791. *Eucosma intermediana* (Kennel,1900)** (Tortricidae) Synonym(s): *intermediana* Kennel,1900 Range (in code): **RU Am**
- 89792. *Eucosma iographa* Diakonoff,[1968]** (Tortricidae) Synonym(s): *iographa* Diakonoff,[1968] Range (in code): **PH Mno**
- 89793. *Eucosma ioplintha* Meyrick,1930** (Tortricidae) Synonym(s): *ioplintha* Meyrick,1930 Range (in code): **SD Kht**
- 89794. *Eucosma isogramma* (Meyrick,1908)** (Tortricidae) Synonym(s): *isogramma* Meyrick,1908 Original Reference: *Cydia isogramma* Meyrick,1908, Proc. zool. Soc. London 1908: 720. Lectotype ♂: [Sri Lanka]: Ceylon, Patipola, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.183 figs.1-1a]. Range (in code): **ZA Tva Gau Pre LK**
- 89795. *Eucosma jaceana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *jaceana* Herrich-Schäffer,1851 Range (in code): **Sa IT DE PL HU RO RU MD UA BY**
- 89796. *Eucosma jansei* Diakonoff,1956** (Tortricidae) Synonym(s): *inconspicua* Diakonoff,1953 *nec* Wals.,1900; *jansei* Diakonoff,1956 Range (in code): **PG**
- 89797. *Eucosma jerusalemiana* (Amsel,1935)** (Tortricidae) Synonym(s): *jerusalemiana* Amsel,1935 Range (in code): **IL Js Pa IR Kz Ssh**
- 89798. *Eucosma krygeri* (Rebel,1937)** (Tortricidae) Synonym(s): *krygeri* Rebel,1937 Range (in code): **DK SE RU MD UA BY KG**
- 89799. *Eucosma kurdistaniana* (Amsel,1959)** (Tortricidae) Synonym(s): *kurdistaniana* Amsel,1959 Range (in code): **IQ Hjo**
- 89800. *Eucosma lacteana* (Treitschke,1835)** (Tortricidae) Synonym(s): *lacteana* Treitschke,1835 Range (in code): **ES FR IT GB BE NL DE AT PL CZ SK HU RO DK NO SE FI EE RU Sb Prj Us MN**
- 89801. *Eucosma legitima* Meyrick,1912** (Tortricidae) Synonym(s): *legitima* Meyrick,1912 Range (in code): **IN Ass Meg Khs**
- 89802. *Eucosma leptozona* Meyrick,1921** (Tortricidae) Synonym(s): *leptozona* Meyrick,1921 Range (in code): **MZ Mag**
- 89803. *Eucosma leucodesma* Meyrick,1912** (Tortricidae) Synonym(s): *leucodesma* Meyrick,1912 Range (in code): **AR**
- 89804. *Eucosma leucopetra* Meyrick,1908** (Tortricidae) Synonym(s): *leucopetra* Meyrick,1908 Original Reference: *Eucosma leucopetra* Meyrick,1908, Proc. zool. Soc. London 1908: 719. Lectotype ♂: Transvaal, Pretoria, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.165 figs.2-2a]. Range (in code): **ZA Gau Tva Pre**
- 89805. *Eucosma lignana* (Snellen,1883)** (Tortricidae) Synonym(s): *lignana* Snellen,1883; *malitiosana* Kennel,1901; *elongata* Filipjev,1924. Range (in code): **RU Sb Ya KG MN Uli**
- 89806. *Eucosma lobostola* Meyrick,1918** (Tortricidae) Synonym(s): *lobostola* Meyrick,1918 Range (in code): **MZ Mag**
- 89807. *Eucosma lochmaea* Meyrick,1920** (Tortricidae) Synonym(s): *lochmaea* Meyrick,1920 Range (in code): **ZA Nta Kzu Dbn**
- 89808. *Eucosma loxaspis* Meyrick,1931** (Tortricidae) Synonym(s): *loxaspis* Meyrick,1931 Range (in code): **ID Ja**
- 89809. *Eucosma lugubrana* (Treitschke,1830)** (Tortricidae) Synonym(s): *lugubrana* Treitschke,1830 Range (in code): **FR Si IT AT SK HU YU GR KG**
- 89810. *Eucosma lyrana* (Snellen,1883)** (Tortricidae) Synonym(s): *lyrana* Snellen,1883 Range (in code): **RU Sb**
- 89811. *Eucosma magnana* Kuznetsov,1978** (Tortricidae) Synonym(s): *magnana* Kuznetsov,1978 Range (in code): **KK KG**
- 89812. *Eucosma marmara* Meyrick,1909** (Tortricidae) Synonym(s): *marmara* Meyrick,1909 Range (in code): **ZA Tva Gau Pre**
- 89813. *Eucosma marocana* (Lucas,1954)** (Tortricidae) Synonym(s): *marocana* Lucas,1954 Range (in code): **MA**

- 89814. *Eucosma melanoneura* Meyrick, 1912** (Tortricidae) Synonym(s): *melanoneura* Meyrick, 1912 Range (in code): **IN Ass Khs Hp TH Nna CMa Int JP**
- 89815. *Eucosma messingiana* (Fischer v. Röslerstamm, 1837)** (Tortricidae) Synonym(s): *messingiana* Fischer v. Röslerstamm, 1837 Range (in code): **ES DE PL HU DK SE FI LV LT RU Sb MD UA BY KG MN**
- 89816. *Eucosma metagraptia* Meyrick, 1932** (Tortricidae) Synonym(s): *metagraptia* Meyrick, 1932 Range (in code): **ID Ja**
- 89817. *Eucosma metana* (Kennel, 1919)** (Tortricidae) Synonym(s): *metana* Kennel, 1919 Range (in code): **CN**
- 89818. *Eucosma metzneriana* (Treitschke, 1830)** (Tortricidae) Synonym(s): *metzneriana* Treitschke, 1830; *anserana* Heinemann, 1863; *intacta* Walsingham, 1900; *joannisiola* Dufrane, 1955; *phaenops* Razowski, 1972; *#metzneriana* Trematerra, 2010 Original Reference: *Cochylis metzneriana* Treitschke, 1830, [in] Ochsenheimer, Schmett. Eur. 8: 277. Syntypes: Hungary, Germany. Range (in code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IR DK FI LV LT RU Sb Am Prj Us MD UA BY KG KK Ik CN MN KP KR JP** Bionomy: Larva bore in stems of *Artemisia vulgaris*, *A. absinthium* (Asteraceae) (Kennel, 1916).
- 89819. *Eucosma micropterana* (Turati, 1930)** (Tortricidae) Synonym(s): *micropterana* Turati, 1930 Range (in code): **LY Cy**
- 89820. *Eucosma mirificana* (Peyerimhoff, 1876)** (Tortricidae) Synonym(s): *mirificana* Peyerimhoff, 1876 Range (in code): **FR IT CH**
- 89821. *Eucosma momana* Kearfott, 1907** (Tortricidae) Synonym(s): *momana* Kearfott, 1907; *metaschista* Meyrick, 1912 Range (in code): **US Arz**
- 89822. *Eucosma monitrix* Meyrick, 1909** (Tortricidae) Synonym(s): *monitrix* Meyrick, 1909 Range (in code): **ZA Tva Gau Pre**
- 89823. *Eucosma monstratana* (Rebel, 1906)** (Tortricidae) Synonym(s): *monstratana* Rebel, 1906 Range (in code): **FR IT CH AT SK RO RU Da Cc MD UA BY**
- 89824. *Eucosma muscosa* Meyrick, 1927** (Tortricidae) Synonym(s): *muscosa* Meyrick, 1927 Range (in code): **CO**
- 89825. *Eucosma nasuta* Meyrick, 1911** (Tortricidae) Synonym(s): *nasuta* Meyrick, 1911 Original Reference: *Eucosma nasuta* Meyrick, 1911, Ann. Transv. Mus. 3 (1): 63. Type ♂: South Africa: West Pondoland: Ngqeleni (TMP). Range (in code): **ZA Ngg Tra**
- 89826. *Eucosma nereidopa* Meyrick, 1927** (Tortricidae) Synonym(s): *nereidopa* Meyrick, 1927; *phylloscia* Meyrick, 1937 Range (in code): **KE UG**
- 89827. *Eucosma nereidopa* Meyrick, 1927** (Tortricidae) Synonym(s): *nereidopa* Meyrick, 1927; *phylloscia* Meyrick, 1937 Range (in code): **KE UG**
- 89828. *Eucosma niphaspis* Meyrick, 1918** (Tortricidae) Synonym(s): *niphaspis* Meyrick, 1918 Range (in code): **ZA**
- 89829. *Eucosma noctivola* (Meyrick, 1932)** (Tortricidae) Synonym(s): *noctivola* Meyrick, 1932 Range (in code): **Ch**
- 89830. *Eucosma numellata* Meyrick, 1912** (Tortricidae) Synonym(s): *numellata* Meyrick, 1912 Range (in code): **IN Ass Meg Khs**
- 89831. *Eucosma obumbratana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): *obumbratana* Lienig & Zeller, 1846 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR Cr DK NO SE FI EE LV LT RU Sb Am Prj Us MD UA BY KG**
- 89832. *Eucosma ochricostana* Razowski, 1972** (Tortricidae) Synonym(s): *ochricostana* Razowski, 1972 Range (in code): **CN Mc Jn**
- 89833. *Eucosma ocladias* (Meyrick, 1906)** (Tortricidae) Synonym(s): *ocladias* Meyrick, 1906 Range (in code): **LK Mky**
- 89834. *Eucosma odotatana* (Kennel, 1901)** (Tortricidae) Synonym(s): *odotatana* Kennel, 1901 Range (in code): **RU Cc**
- 89835. *Eucosma operta* Meyrick, 1917** (Tortricidae) Synonym(s): *operta* Meyrick, 1917 Range (in code): **MX Vcr**
- 89836. *Eucosma opsonoma* Meyrick, 1918** (Tortricidae) Synonym(s): *opsonoma* Meyrick, 1918 Range (in code): **ZA Tva Gau Pre**
- 89837. *Eucosma orphnogenes* Meyrick, 1939** (Tortricidae) Synonym(s): *orphnogenes* Meyrick, 1939 Range (in code): **ZR**
- 89838. *Eucosma orthopeda* Meyrick, 1934** (Tortricidae) Synonym(s): *orthopeda* Meyrick, 1934 Range (in code): **UG**

- 89839. *Eucosma ottoniana* (Kennel,1918)** (Tortricidae) Synonym(s): *ottoniana* Kennel,1918
Range (in code): **CN Ui Ln**
- 89840. *Eucosma paetulana* (Kennel,1901)** (Tortricidae) Synonym(s): *paetulana* Kennel,1901
Range (in code): **SK TR RU Sb MD UA BY**
- 89841. *Eucosma palmodes* Meyrick,1920** (Tortricidae) Synonym(s): *palmodes* Meyrick,1920
Range (in code): **LK Mky**
- 89842. *Eucosma pamirana* Kuznetsov,1972** (Tortricidae) Synonym(s): *pamirana* Kuznetsov,1972
Range (in code): **TJ Pm Chr MN**
- 89843. *Eucosma paracremna* Meyrick,1913** (Tortricidae) Synonym(s): *paracremna* Meyrick,1913
Range (in code): **ZA Tva Mpu Tst**
- 89844. *Eucosma paradelta* Meyrick,1925** (Tortricidae) Synonym(s): *paradelta* Meyrick,1925
Range (in code): **ZA**
- 89845. *Eucosma passiva* Meyrick,1913** (Tortricidae) Synonym(s): *passiva* Meyrick,1913 Range
(in code): **ZA Tva Gau Pre**
- 89846. *Eucosma patriciana* Walsingham,1914** (Tortricidae) Synonym(s): *patriciana* Walsingham,1914 Range (in code): **MX Vcr**
- 89847. *Eucosma pedisignata* Diakonoff,1948** (Tortricidae) Synonym(s): *pedisignata* Diakonoff,1948 Range (in code): **VN Ton**
- 89848. *Eucosma pergratana* (Rebel,1914)** (Tortricidae) Synonym(s): *pergratana* Rebel,1914
Original Reference: *Steganoptycha pergratana* Rebel,1914, Dt. ent. Z., Iris 28: 274, pl.4 fig.11.
Type: [China: Uighur A.R.]: Kuldja. Range (in code): **CN Ui Ku KG MN**
- 89849. *Eucosma persiae* Razowski,1963** (Tortricidae) Synonym(s): *persiae* Razowski,1963
Range (in code): **IR Fa**
- 89850. *Eucosma phaecochoyta* Bradley,1965** (Tortricidae) Synonym(s): *phaecochoyta* Bradley,1965
Range (in code): **UG ZR Rz**
- 89851. *Eucosma phaeochoyta* Bradley,1965** (Tortricidae) Synonym(s): *phaeochoyta* Bradley,1965
Range (in code): **UG Rz**
- 89852. *Eucosma phoenocrossa* Meyrick,1925** (Tortricidae) Synonym(s): *phoenocrossa* Meyrick,1925 Range (in code): **IN Tvc**
- 89853. *Eucosma picrodelta* Meyrick,1932** (Tortricidae) Synonym(s): *picrodelta* Meyrick,1932
Range (in code): **ET**
- 89854. *Eucosma picrodelta* Meyrick,1932** (Tortricidae) Synonym(s): *picrodelta* Meyrick,1932
Original Reference: *Eucosma picrodelta* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 111.
Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET Sw ET88**
- 89855. *Eucosma plumbaginea* Meyrick,1931** (Tortricidae) Synonym(s): *plumbaginea* Meyrick,1931 Range (in code): **UG**
- 89856. *Eucosma plumbaginea* Meyrick,1932** (Tortricidae) Synonym(s): *plumbaginea* Meyrick,1932 Range (in code): **UG**
- 89857. *Eucosma ponderosa* Powell,1968** (Tortricidae) Synonym(s): *ponderosa* Powell,1968
Range (in code): **US Org**
- 89858. *Eucosma projecta* Meyrick,1921** (Tortricidae) Synonym(s): *projecta* Meyrick,1921 Range
(in code): **ZA Nta Kzu Rie**
- 89859. *Eucosma prominens* Meyrick,1922** (Tortricidae) Synonym(s): *prominens* Meyrick,1922
Range (in code): **IN Ddu Pj PK Haz Mre**
- 89860. *Eucosma pseudostrigulata* Rose & Pooni,2005** (Tortricidae) Synonym(s): *pseudostrigulata* Rose & Pooni,2005 Range (in code): **IN Ddu**
- 89861. *Eucosma psychrodora* (Meyrick,1936)** (Tortricidae) Synonym(s): *psychrodora* Meyrick,1936 Original Reference: *Phtheochroa psychrodora* Meyrick,1936, Exot. Microlepid. 5: 23.
Type ♂: Syria: Bludan (BMNH) [Clarke,1958, Catalogue...3: pl.191, figs.2-2a]. Range (in code): **SY Bld**
- 89862. *Eucosma pulveratana* (Walsingham,1879)** (Tortricidae) Synonym(s): *pulveratana* Walsingham,1879 Range (in code): **US Cf**
- 89863. *Eucosma pupillana* (Clerck,1759)** (Tortricidae) Synonym(s): *pupillana* Clerck,1759
Range (in code): **ES FR Si IT GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU Ur MD UA BY TR IR Elb Dam Gor KG KK Ik TJ**
- 89864. *Eucosma ragonoti* (Walsingham,1895)** (Tortricidae) Synonym(s): *ragonoti* Walsingham,1895; *barnesiana* Dyar,1903 Range (in code): **US Col**

- 89865. *Eucosma recentana* (Zerny,1933)** (Tortricidae) Synonym(s): *recentana* Zerny,1933
Original Reference: Epiblema recentana Zerny,1933, Dt. ent. Z., Iris 48: 16-17, Taf.1 fig.9.
Syntypes: Libanon: Zeder; [Iraq]: Mosul (NMHW). Range (in code): ES LB Bsa Cc GG Mng AM IQ Mos Nw TR
- 89866. *Eucosma recentana iberica* Kuznetsov,1972** (Tortricidae) Synonym(s): *iberica* Kuznetsov,1972 Range (in code): Cc GG Mng
- 89867. *Eucosma referenda* Meyrick,1921** (Tortricidae) Synonym(s): *referenda* Meyrick,1921
Range (in code): ID Ja
- 89868. *Eucosma regionalis* Meyrick,1934** (Tortricidae) Synonym(s): *regionalis* Meyrick,1934
Range (in code): ZR
- 89869. *Eucosma riciniata* Meyrick,1911** (Tortricidae) Synonym(s): *riciniata* Meyrick,1911
Original Reference: *Eucosma riciniata* Meyrick,1911, Ann. Transv. Mus. 2: 226. Lectotype ♂: Transvaal, Haenertsburg, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.165 figs.3-3a]. Range (in code): ZA Tva Lpo Hae
- 89870. *Eucosma rigens* Meyrick,1938** (Tortricidae) Synonym(s): *rigens* Meyrick,1938 Range (in code): ZR
- 89871. *Eucosma rindgei* Miller,1985** (Tortricidae) Synonym(s): *rindgei* Miller,1985 Range (in code): US Col
- 89872. *Eucosma robinsonana* (Grote,1872)** (Tortricidae) Synonym(s): *robinsonana* Grote,1872; *quintana* Zeller,1875; *tryonana* Kearfott,1905 Range (in code): US Tx Alb NCa
- 89873. *Eucosma rufescens* Meyrick,1913** (Tortricidae) Synonym(s): *rufescens* Meyrick,1913
Range (in code): ZA Tva Mpu Brb Tst
- 89874. *Eucosma salticola* Meyrick,1913** (Tortricidae) Synonym(s): *salticola* Meyrick,1913 Range (in code): ZA Tva Mpu Brb Tst Wv
- 89875. *Eucosma sandiego* Kearfott,1908** (Tortricidae) Synonym(s): *sandiego* Kearfott,1908; *sandiegana* Meyrick,1912 Range (in code): US Cf
- 89876. *Eucosma sardoensis* (Rebel,1935)** (Tortricidae) Synonym(s): *sardoensis* Rebel,1935
Range (in code): Sa
- 89877. *Eucosma saussureana* (Benander,1928)** (Tortricidae) Synonym(s): *saussureana* Benander,1928 Range (in code): NO SE FI
- 89878. *Eucosma scenica* Meyrick,1911** (Tortricidae) Synonym(s): *scenica* Meyrick,1911 Range (in code): ZA Lpo Tva Hae
- 89879. *Eucosma scorzonera* (Benander,1942)** (Tortricidae) Synonym(s): *scorzonera* Benander,1942 Range (in code): PL CZ SK NO SE FI EE LV RU MD UA BY KG
- 89880. *Eucosma scutana* (Constant,1893)** (Tortricidae) Synonym(s): *scutana* Constant,1893
Range (in code): FR Si IT DE CH AT CZ SK RO
- 89881. *Eucosma siccescens* Meyrick,1912** (Tortricidae) Synonym(s): *siccescens* Meyrick,1912
Range (in code): ZA
- 89882. *Eucosma sollennis* Meyrick,1913** (Tortricidae) Synonym(s): *sollennis* Meyrick,1913
Range (in code): ZA Tva Mpu Brb
- 89883. *Eucosma somalica* Durrant,1916** (Tortricidae) Synonym(s): *somalica* Durrant,1916
Range (in code): SO
- 89884. *Eucosma sparsana* (Rebel,1935)** (Tortricidae) Synonym(s): *sparsana* Rebel,1935 Original Reference: Semasia sparsana Rebel,1935, Mitt. Schweiz. ent. Ges. 16: 442-443. Holotype ♂: [Türkei]: Ankara (leg. Noack, vi.1934) (NHMW). Range (in code): TR
- 89885. *Eucosma speculatrix* (Meyrick,1907)** (Tortricidae) Synonym(s): *speculatrix* Meyrick,1907
Range (in code): SI Djl IN Ass Khs
- 89886. *Eucosma spicea* Meyrick,1912** (Tortricidae) Synonym(s): *spicea* Meyrick,1912 Range (in code): IN Ass Meg Khs
- 89887. *Eucosma spiculifera* Meyrick,1913** (Tortricidae) Synonym(s): *spiculifera* Meyrick,1913
Range (in code): ZA Tva Mpu Brb Nta Kzu Ptw
- 89888. *Eucosma sublucidana* (Kennel,1901)** (Tortricidae) Synonym(s): *sublucidana* Kennel,1901
Original Reference: Epiblema sublucidana Kennel,1901, Dt. ent. Z., Iris 13: 282. Type ♂: [Spain]: Cuenca. Range (in code): ES
- 89889. *Eucosma suomiana* (Hoffmann,1893)** (Tortricidae) Synonym(s): *suomiana* Hoffmann,1893 Range (in code): SE FI LV RU MD UA BY

- 89890. *Eucosma superciliosa* Meyrick, 1920** (Tortricidae) Synonym(s): *superciliosa* Meyrick, 1920
Range (in code): **KE**
- 89891. *Eucosma sybillana* (Kennel, 1919)** (Tortricidae) Synonym(s): *sybillana* Kennel, 1919
Range (in code): **RU Sj**
- 89892. *Eucosma symbola* Meyrick, 1909** (Tortricidae) Synonym(s): *symbola* Meyrick, 1909 Range (in code): **ZA Tva Gau Pre**
- 89893. *Eucosma tenax* Meyrick, 1920** (Tortricidae) Synonym(s): *tenax* Meyrick, 1920 Range (in code): **ZA Ec Wth**
- 89894. *Eucosma tetraplana* (Möschler, 1866)** (Tortricidae) Synonym(s): *tetraplana* Möschler, 1866 Range (in code): **IN Ld RU Sb Prj Us MD UA BY TR Cc IR KG Uk MN**
- 89895. *Eucosma thalameuta* Meyrick, 1918** (Tortricidae) Synonym(s): *thalameuta* Meyrick, 1918
Range (in code): **ZA Ec Stj**
- 89896. *Eucosma thematica* Meyrick, 1918** (Tortricidae) Synonym(s): *thematica* Meyrick, 1918
Range (in code): **ZA Tva Gau Pre**
- 89897. *Eucosma torrens* Meyrick, 1927** (Tortricidae) Synonym(s): *torrens* Meyrick, 1927 Range (in code): **CO**
- 89898. *Eucosma translucens* Walsingham, 1914** (Tortricidae) Synonym(s): *translucens* Walsingham, 1914 Range (in code): **MX Grr**
- 89899. *Eucosma transmutata* Meyrick, 1931** (Tortricidae) Synonym(s): *transmutata* Meyrick, 1931
Range (in code): **ZR**
- 89900. *Eucosma tremula* Meyrick, 1909** (Tortricidae) Synonym(s): *tremula* Meyrick, 1909 Range (in code): **ZA Tva Gau Pre**
- 89901. *Eucosma tridentata* Walsingham, 1914** (Tortricidae) Synonym(s): *tridentata* Walsingham, 1914 Range (in code): **PA**
- 89902. *Eucosma trimarginata* Walsingham, 1914** (Tortricidae) Synonym(s): *trimarginata* Walsingham, 1914 Range (in code): **MX Grr**
- 89903. *Eucosma tripoliana* (Barrett, 1880)** (Tortricidae) Synonym(s): *tripoliana* Barrett, 1880
Range (in code): **FR IT GB BE NL DE CH CZ DK SE BG**
- 89904. *Eucosma tundrana* (Kennel, 1900)** (Tortricidae) Synonym(s): *tundrana* Kennel, 1900
Range (in code): **DE CZ SK HU RO RU Sb Am Prj Us KG CN Ui Ku**
- 89905. *Eucosma urbana* (Kennel, 1901)** (Tortricidae) Synonym(s): *urbana* Kennel, 1901 Original Reference: *Semasia urbana* Kennel, 1901, Dt. ent. Z., Iris 13: 271-272. Syntypes 2♂: [Türkei]: Amasia; [Spain]: St. Ildefonso; Lectotype ♂: Turkey: Amasia (MNHU). Range (in code): **ES TR**
- 89906. *Eucosma ursulana* (Kennel, 1919)** (Tortricidae) Synonym(s): *ursulana* Kennel, 1919
Range (in code): **KG Uk**
- 89907. *Eucosma victoriana* (Kennel, 1919)** (Tortricidae) Synonym(s): *victoriana* Kennel, 1919
Range (in code): **RU Sb**
- 89908. *Eucosma vulpecularis* Meyrick, 1932** (Tortricidae) Synonym(s): *vulpecularis* Meyrick, 1932
Original Reference: *Eucosma vulpecularis* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 111. Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET Sw ET88**
- 89909. *Eucosma williamsi* Powell, 1963** (Tortricidae) Synonym(s): *williamsi* Powell, 1963 Range (in code): **US Cf**
- 89910. *Eucosma wimmerana* (Treitschke, 1835)** (Tortricidae) Synonym(s): *wimmerana* Treitschke, 1835; *incana* Lienig & Zeller, 1846; *maritimana* Walker, 1863; *gracilis* Filipjev, 1924 Range (in code): **FR Si IT BE NL DE CH AT PL CZ SK HU RO LV LT KG MN RU Sb Prj Us JP**
- 89911. *Eucosma xenarcha* Meyrick, 1920** (Tortricidae) Synonym(s): *xenarcha* Meyrick, 1920
Range (in code): **TZ Kmj**
- 89912. *Eucosma xerophloea* Meyrick, 1933** (Tortricidae) Synonym(s): *xerophloea* Meyrick, 1933
Original Reference: *Eucosma xerophloea* Meyrick, 1933, Exot. Microlepid. 4: 418. Lectotype ♀: [Pakistan]: Multan (BMNH). Range (in code): **PK Pj Mln**
- 89913. *Eucosma yasudai* Nasu, 1982** (Tortricidae) Synonym(s): *yasudai* Nasu, 1982 Range (in code): **JP**
- 89914. *Eucosmogastra aeolantha* (Meyrick, 1914)** (Tortricidae) Synonym(s): *aeolantha* Meyrick, 1914 Range (in code): **IN Ass Meg Khs**
- 89915. *Eucosmogastra aeraria* (Meyrick, 1909)** (Tortricidae) Synonym(s): *aeraria* Meyrick, 1909
Range (in code): **IN Ass Meg Khs**

- 89916. Eucosmogastra anthochroa** Diakonoff,1975 (Tortricidae) Synonym(s): *anthochroa* Diakonoff,1975 Range (in code): **PG**
- 89917. Eucosmogastra callicratis** (Meyrick,1909) (Tortricidae) Synonym(s): *callicratis* Meyrick,1909 Range (in code): **IN Ass Meg Khs**
- 89918. Eucosmogastra miltographa** (Meyrick,1907) (Tortricidae) Synonym(s): *miltographa* Meyrick,1907; *miltoxantha* Meyrick,1911 Range (in code): **LK Pdy IN PI ID Mlc PG AU QAU**
- 89919. Eucosmogastra poetica** (Meyrick,1909) (Tortricidae) Synonym(s): *mosaica* Meyrick,1907 (*praeocc.*); *poetica* Meyrick,1909 Range (in code): **LK Mky IN PI**
- 89920. Eucosmogastra pyrrhopa** (Lower,1896) (Tortricidae) Synonym(s): *pyrrhopa* Lower,1896 Range (in code): **AU QAU Mck**
- 89921. Eucosmomorpha albersana** (Hübner,[1813]) (Tortricidae) Synonym(s): *albersana* Hübner,[1813]; *ussuriana* Caradja,1916. Range (in code): **FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU Sb At Prj Us MD UA BY Cc GG KG**
- 89922. Eucosmomorpha figurana** (Kuznetsov,1997) (Tortricidae) Synonym(s): *figurana* Kuznetsov,1997 Range (in code): **VN**
- 89923. Eucosmomorpha multicolor** Kuznetsov,1964 (Tortricidae) Synonym(s): *multicolor* Kuznetsov,1964; *#multicola* Park & Ahn,1987 Range (in code): **RU Us KR**
- 89924. Eucosmomorpha nearctica** Miller,2002 (Tortricidae) Synonym(s): *nearctica* Miller,2002 Range (in code): **US Mis**
- 89925. Eudemis (Acanthothyspoda) chortodes** Diakonoff,[1968] (Tortricidae) Synonym(s): *chortodes* Diakonoff,[1968] Range (in code): **PH Luz**
- 89926. Eudemis (Acanthothyspoda) homalopa** Diakonoff,[1968] (Tortricidae) Synonym(s): *homalopa* Diakonoff,[1968] Range (in code): **PH Mno**
- 89927. Eudemis (s.str.) archimedi** (Meyrick,1912) (Tortricidae) Synonym(s): *archimedi* Meyrick,1912; *purpurissatana* Clark,1958 *nec* Kenn.,1901 Range (in code): **IN CN VN LK VN PH ID Ja** Bionomy: Larva on Litsea, Cinnamomum, Eugenia (Diakonoff,1973).
- 89928. Eudemis (s.str.) centritis** (Meyrick,1912) (Tortricidae) Synonym(s): *centritis* Meyrick,1912 Range (in code): **IN Ass Meg Khs**
- 89929. Eudemis (s.str.) gyrotis** (Meyrick,1909) (Tortricidae) Synonym(s): *gyrotis* Meyrick,1909 Range (in code): **IN Ass Meg Khs**
- 89930. Eudemis (s.str.) oxygona** Diakonoff,[1968] (Tortricidae) Synonym(s): *oxygona* Diakonoff,[1968] Range (in code): **PH Luz**
- 89931. Eudemis (s.str.) polychroma** (Diakonoff,1981) (Tortricidae) Synonym(s): *polychroma* Diakonoff,1981 Range (in code): **MG**
- 89932. Eudemis (s.str.) porphyra** (Hübner,[1799]) (Tortricidae) Synonym(s): *porphyra* Hübner,[1799]; *pomedaxana* Pierce & Metcalfe,1915 Original Reference: Tortrix *porphyra* Hübner,[1799], Samml. eur. Schmett. Tortrices: Pl. 5 fig.26. Type(s): Europa. Range (in code): **FR Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU At Vv Cc GG MD UA BY CN** Bionomy: Larva on Quercus infectoria (Fagaceae) by Kemal & Koçak (2013).
- 89933. Eudemis (s.str.) profundana** ([Denis & Schiffermüller],1775) (Tortricidae) Synonym(s): *profundana* [Denis & Schiffermüller],1775; *triangulella* Goeze,1783; *nebulana* Donovan,1806; *aethiopiana* Haworth,1811; *wellesiana* Hübner,[1813]; *alphonsiana* Duponchel,1834; *#obscurata* Gibeaux & Luquet,1998; *#satans* Gibeaux & Luquet,1998 Original Reference: Tortrix *profundana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI LV LT RU MD UA BY** Bionomy: Larva on Quercus infectoria (Fagaceae) by Kemal & Koçak (2013).
- 89934. Eudemopsis albopunctata** Liu & Bai,1982 (Tortricidae) Synonym(s): *albopunctata* Liu & Bai,1982 Original Reference: Eudemopsis *albopunctata* Liu & Bai,1982, Sinozoologia 2: 47, 50. Range (in code): **CN Yu Lik**
- 89935. Eudemopsis brevis** Liu & Bai,1982 (Tortricidae) Synonym(s): *brevis* Liu & Bai,1982 Original Reference: Eudemopsis *brevis* Liu & Bai,1982, Sinozoologia 2: 47, 50. Range (in code): **TH Nna Kao CN Sz**
- 89936. Eudemopsis flexis** Liu & Bai,1982 (Tortricidae) Synonym(s): *flexis* Liu & Bai,1982 Range (in code): **CN Pkn**
- 89937. Eudemopsis heteroclita** Liu & Bai,1982 (Tortricidae) Synonym(s): *heteroclita* Liu & Bai,1982 Range (in code): **CN**

- 89938. Eudemopsis pompholycias (Meyrick,1935)** (Tortricidae) Synonym(s): *pompholycias Meyrick,1935* Range (in code): **CN**
- 89939. Eudemopsis purpurissatana (Kennel,1901)** (Tortricidae) Synonym(s): *purpurissatana Kennel,1901* Original Reference: *Penthina purpurissatana* Kennel,1901, Dt. ent. Z., Iris 13: 252. Range (in code): **TR CN**
- 89940. Eudemopsis ramiformis Liu & Bai,1982** (Tortricidae) Synonym(s): *ramiformis Liu & Bai,1982* Range (in code): **CN Sz**
- 89941. Eudemopsis tokui Kawabe,1974** (Tortricidae) Synonym(s): *tokui Kawabe,1974* Range (in code): **JP**
- 89942. Eudemopsis toshimai Kawabe,1974** (Tortricidae) Synonym(s): *toshimai Kawabe,1974* Range (in code): **JP**
- 89943. Eugnosta acanthana Razowski,1967** (Tortricidae) Synonym(s): *acanthana Razowski,1967* Range (in code): **AF**
- 89944. Eugnosta anxifera Razowski,1993** (Tortricidae) Synonym(s): *anxifera Razowski,1993* Range (in code): **ZA Wca Cto**
- 89945. Eugnosta aphrobapta (Meyrick,1931)** (Tortricidae) Synonym(s): *aphrobapta Meyrick,1931* Range (in code): **BR EsS**
- 89946. Eugnosta arrecta Razowski,1970** (Tortricidae) Synonym(s): *arrecta Razowski,1970* Range (in code): **AF Pag Slg**
- 89947. Eugnosta assecula (Meyrick,1909)** (Tortricidae) Synonym(s): *assecula Meyrick,1909* Original Reference: *Pharmacis assecula* Meyrick,1909, Ann. Transv. Mus. 2 (1): 5, pl.2 fig.5. Holotype ♀: [South Africa: Gauteng]: Pretoria, leg. Janse (BMNH); Shilap Revta lepid. 35 (138): 105, fig.1. Range (in code): **ZA Tva Gau Pre**
- 89948. Eugnosta cataracta Aarvik,2004** (Tortricidae) Synonym(s): *cataracta Aarvik,2004* Range (in code): **NA Dmr Bnd**
- 89949. Eugnosta dives (Butler,1878)** (Tortricidae) Synonym(s): *metaphaeala Walker,1863; dives Butler,1878* Range (in code): **JP RU Ya Am Vv Prj Us CN IMn Stg She Kgs Mc Jn KP KR**
- 89950. Eugnosta falarica Razowski,1970** (Tortricidae) Synonym(s): *falarica Razowski,1970* Range (in code): **MN**
- 89951. Eugnosta fenestrana Razowski,1964** (Tortricidae) Synonym(s): *fenestrana Razowski,1964* Range (in code): **CN Stg Pkn Ts Jn RU Sb Ir MN**
- 89952. Eugnosta feriata (Meyrick,1913)** (Tortricidae) Synonym(s): *feriata Meyrick,1913* Original Reference: *Pharmacis feriata* Meyrick,1913, Ann. Transv. Mus. 3 (4): 270. Holotype ♂: [South Africa: Mpumalanga]: Barberton, leg. Janse (TMP); Shilap Revta lepid. 35 (138): 106, fig.2. Range (in code): **ZA Tva Mpu Brb**
- 89953. Eugnosta heteroclita Razowski,1993** (Tortricidae) Synonym(s): *heteroclita Razowski,1993* Original Reference: *Eugnosta heteroclita* Razowski,1993, Acta zool. cracov. 36 (1): 140, fig.28. Holotype ♀: [South Africa: Western Cape]: Kleinmond, Cape, leg.V.G.Dickson (TMP); Shilap Revta lepid. 35 (138): 106, fig.3. Range (in code): **ZA Wca Cto**
- 89954. Eugnosta hydrargyrana (Eversmann,1842)** (Tortricidae) Synonym(s): *hydrargyrana Eversmann,1842* Range (in code): **FR DE CH AT CZ SK RO RU Ur Sr Wo KG TrA Aa UZ Fe Nmg AF TJ Pm MN CN Pkn Mc She Stg** Bionomy: Larva on *Jurinea cyanoides* (Asteraceae) (Razowski,2001).
- 89955. Eugnosta hydrargyrana hydrargyrana (Eversmann,1842)** (Tortricidae) Synonym(s): *hydrargyrana Eversmann,1842* Range (in code): **RO RU Ur Sr Wo KG TrA Aa UZ Fe Nmg AF TJ Pm**
- 89956. Eugnosta hydrargyrana mongolica Razowski,1970** (Tortricidae) Synonym(s): *mongolica Razowski,1970* Range (in code): **MN CN Pkn Mc She Stg**
- 89957. Eugnosta hydrargyrana parreyssiana (Duponchel,1843)** (Tortricidae) Synonym(s): *parreyssiana Duponchel,1843; insequana Eversmann,1844; mercuriana Guenée,1845; anargyrana Ragonot,1894.* Range (in code): **FR DE AT HU RU Sr CZ SK**
- 89958. Eugnosta lathoniana (Hübner,[1800])** (Tortricidae) Synonym(s): *lathoniana Hübner,[1800]* Original Reference: *Tortrix lathoniana* Hübner,[1800], Samml. eur. Schmett. 7: pl.30 fig.189. Type: Europa. Range (in code): **DZ PT ES Abr FR AT SK HU RO YU HV MK BG GR PI TR Cc GG Smt Akh AM Eri RU Ur Sr St Tt UA Cm KG Uk IR Ab Mak Khy Ar Ak Aha** Bionomy: Larva on *Carduus?* (Asteraceae) (Razowski,2001).
- 89959. Eugnosta magnificana (Rebel,1914)** (Tortricidae) Synonym(s): *margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914.* Original

- Reference: *Euxanthis magnificana* Rebel, 1914, Dt. ent. Z., Iris 28: 273. Lectotype ♂: [Uighur Ili]: Kuldja, designated by Razowski, 1964 (MGAB). Range (in code): ES FR Si IT DE SK HU RO YU MK RU Sr MD UA BY TR Cc AM IR Elb Dam Kdv Ar Th Kh Ak AF KG Uk T-S CN Ui Ku IMn
- 89960. *Eugnosta magnificana iberica* Obraztsov, 1964** (Tortricidae) Synonym(s): *iberica* Obraztsov, 1964 Range (in code): ES
- 89961. *Eugnosta medvedevi* (Gerasimov, 1929)** (Tortricidae) Synonym(s): *medvedevi* Gerasimov, 1929 Range (in code): UA
- 89962. *Eugnosta meyi* Aarvik, 2004** (Tortricidae) Synonym(s): *meyi* Aarvik, 2004 Range (in code): NA Dmr Bnd
- 89963. *Eugnosta misella* Razowski, 1993** (Tortricidae) Synonym(s): *misella* Razowski, 1993 Original Reference: *Eugnosta misella* Razowski, 1993, Acta zool. cracov. 36 (1): 142, fig. 30. Holotype ♀: [South Africa: Limpopo]: Woodbush, leg. Swierstra (TMP); Shilap Revta lepid. 35 (138): 106, fig. 4. Range (in code): ZA Tva Lpo Wo
- 89964. *Eugnosta molybdanthes* (Meyrick, 1932)** (Tortricidae) Synonym(s): *molybdanthes* Meyrick, 1932 Range (in code): BR Sct
- 89965. *Eugnosta multifasciana* (Kennel, 1899)** (Tortricidae) Synonym(s): *multifasciana* Kennel, 1899 Range (in code): KK Ax US Fe Man TrA KG Lps
- 89966. *Eugnosta namibiana* Aarvik, 2004** (Tortricidae) Synonym(s): *namibiana* Aarvik, 2004 Range (in code): NA Dmr Bnd
- 89967. *Eugnosta pamirana* Obraztsov, 1943** (Tortricidae) Synonym(s): *pamirana* Obraztsov, 1943 Range (in code): TJ Pm AF BdA Kbb
- 89968. *Eugnosta parapamirana* Razowski, 2005** (Tortricidae) Synonym(s): *parapamirana* Razowski, 2005 Range (in code): AF Kbb
- 89969. *Eugnosta plusiana* (Kennel, 1899)** (Tortricidae) Synonym(s): *plusiana* Kennel, 1899; *#clarana* Obraztsov, 1943 Range (in code): TM UZ Smk TJ Pm RU
- 89970. *Eugnosta replicata* (Meyrick, 1913)** (Tortricidae) Synonym(s): *replicata* Meyrick, 1913 Range (in code): ZA Tva Lpo Hae
- 89971. *Eugnosta romanovi* (Kennel, 1900)** (Tortricidae) Synonym(s): *romanovi* Kennel, 1900 Original Reference: *Euxanthis romanovi* Kennel, 1900, Dt. ent. Z., Iris 13: 131-132, Tab. v fig. 8. Type ♂: [Uighur Ili]: Thian Shan [Kuldja] (ZIANL). Range (in code): CN Ui Au Ku KG TrA Aa Tk Dj RU
- 89972. *Eugnosta selecta* (Meyrick, 1931)** (Tortricidae) Synonym(s): *selecta* Meyrick, 1931 Range (in code): PY
- 89973. *Eugnosta stigmatica* (Meyrick, 1909)** (Tortricidae) Synonym(s): *stigmatica* Meyrick, 1909 Range (in code): ZA Nta Kzu Ptw Wnn Est Kkf Wca Cto Grg Pel Umk Tva Gau Pre
- 89974. *Eugnosta synaetera* Razowski & Becker, 1994** (Tortricidae) Synonym(s): *synaetera* Razowski & Becker, 1994 Range (in code): BR Sct
- 89975. *Eugnosta tenacia* Razowski & Becker, 1994** (Tortricidae) Synonym(s): *tenacia* Razowski & Becker, 1994 Range (in code): BR Sct
- 89976. *Eugnosta trimeni* (R. Felder & Rogenhofer, 1875)** (Tortricidae) Synonym(s): *trimeni* R. Felder & Rogenhofer, 1875; *minor* R. Felder & Rogenhofer, 1875. Range (in code): ZA Nta Kzu Wca Cto
- 89977. *Eugnosta uganoo* Razowski, 1993** (Tortricidae) Synonym(s): *uganoo* Razowski, 1993 Range (in code): TZ
- 89978. *Eugnosta umbraculata* (Meyrick, 1918)** (Tortricidae) Synonym(s): *umbraculata* Meyrick, 1918 Range (in code): ZA Tva Lpo Mdd Nha Nta Kzu Wca Cto
- 89979. *Eugnosta ussuriana* (Caradja, 1926)** (Tortricidae) Synonym(s): *ussuriana* Caradja, 1926; *cosmolitha* Meyrick, 1931. Range (in code): RU Prj Us Am JP Hkk
- 89980. *Eugnosta vecorda* Razowski, 1993** (Tortricidae) Synonym(s): *vecorda* Razowski, 1993 Range (in code): ZA Tva Gau Pre
- 89981. *Eugnosta xanthochroma* Razowski, 1993** (Tortricidae) Synonym(s): *xanthochroma* Razowski, 1993 Range (in code): ZA Nta Kzu Dbn Kmb
- 89982. *Eulia ministrana* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *ministrana* Linnaeus, 1758; *ferugana* Hübner, [799] *nec* Den. & Schiff., 1775; *subfascianus* Stephens, 1834; *livoniana* Duponchel, [1845] Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO AL DK NO SE FI EE LV LT
- 89983. *Eumaroza beckeri* Clarke, 1973** (Tortricidae) Synonym(s): *beckeri* Clarke, 1973 Range (in code): CR

- 89984. Eumarozia elaeantes** (Meyrick,1927) (Tortricidae) Synonym(s): *elaeantes* Meyrick,1927 Range (in code): **BO**
- 89985. Eumarozia malachitana** (Zeller,1875) (Tortricidae) Synonym(s): *malachitana* Zeller,1875 Range (in code): **US Mon**
- 89986. Eupoecilia aburica** Razowski,1993 (Tortricidae) Synonym(s): *aburica* Razowski,1993 Range (in code): **CI**
- 89987. Eupoecilia ambiguella** (Hübner,1796) (Tortricidae) Synonym(s): *ambiguella* Hübner,1796; *omphaciella* Faure-Bignot,1801; *roserana* Frölich,1828; *turbinaris* Meyrick,1928 Range (in code): **ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE LV LT RU MD UA BY KG TrA Aa DsA CN Ahw Pkn Hn Mc Hun Fkn Gn Kwa Lng She Sz Ui Yu TW JP NP IN Ass Meg Khs MY Sbh Bor KP KR TH CMA CDo** Bionomy: Larva on Vitis. Other foodplants are *Hedera helix* (Araliaceae), *Cornus mas* (Cornaceae), *Syringa persica*, *Ligustrum vulgare* (Oleaceae), *Viburnum*, *Acer campestre* (Aceraceae), *Rhamnus frangula*, *Ligustrum*, *Symphoricarpos racemosus* (sensu auct.).
- 89988. Eupoecilia amphimnestra** (Meyrick,1928) (Tortricidae) Synonym(s): *amphimnestra* Meyrick,1928 Range (in code): **IN Up Bhi PK Haz Kag Nar**
- 89989. Eupoecilia anebrica** Diakonoff,1983 (Tortricidae) Synonym(s): *anebrica* Diakonoff,1983 Range (in code): **ID Sum**
- 89990. Eupoecilia angustana** (Hübner,[1799]) (Tortricidae) Synonym(s): *angustana* Hübner,[1799]; *fasciella* Donovan,1808 nec Goeze,1783; *cruentana* Herrich-Schäffer,[1851]. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG TR DK NO SE FI EE LV LT RU Sr Ur Tt Pr MD UA BY Cc GG CN Ahw Pkn Gn Mc Jn NHu Hnn Hph She JP Hkk** Bionomy: Larva on *Thymus*, *Origanum* (Lamiaceae), *Solidago*, *Achillea* (Asteraceae), *Plantago* (Plantaginaceae), *Calluna* (Ericaceae) (Razowski,2001).
- 89991. Eupoecilia anisoneura** Diakonoff,1982 (Tortricidae) Synonym(s): *anisoneura* Diakonoff,1982 Range (in code): **LK**
- 89992. Eupoecilia armifera** Razowski,1968 (Tortricidae) Synonym(s): *armifera* Razowski,1968 Range (in code): **IN Ass Nag**
- 89993. Eupoecilia cebrana** (Hübner,[1813]) (Tortricidae) Synonym(s): *cebrana* Hübner,[1813]. Range (in code): **FR DE AT PL SK YU GR SE EE LV LT RU MD UA BY** Bionomy: Larva on *Helichrysum* (Asteraceae) (Swatschek,1958).
- 89994. Eupoecilia charixantha** (Meyrick,1928) (Tortricidae) Synonym(s): *charixantha* Meyrick,1928 Range (in code): **LK**
- 89995. Eupoecilia citrinana** Razowski,1960 (Tortricidae) Synonym(s): *citrinana* Razowski,1960 Range (in code): **CN Mc Kgs Pkn Hph Hun Jn She JP KP KR RU Sb Prj Us**
- 89996. Eupoecilia crocina** Razowski,1968 (Tortricidae) Synonym(s): *crocina* Razowski,1968 Range (in code): **AF Nu Bkt TJ**
- 89997. Eupoecilia crocina hissarica** Kuznetsov,1976 (Tortricidae) Synonym(s): *hissarica* Kuznetsov,1976 Range (in code): **TJ**
- 89998. Eupoecilia diana** Razowski,1968 (Tortricidae) Synonym(s): *diana* Razowski,1968 Original Reference: *Eupoecilia diana* Razowski,1968, *Acta zool. cracov.* 13: 123. Holotype: Solomon Isl., Guadalcanal. Range (in code): **TH Nna Kao SB Hon**
- 89999. Eupoecilia dynodesma** (Diakonoff,1971) (Tortricidae) Synonym(s): *dynodesma* Diakonoff,1971 Original Reference: *Cryptocochylis dynodesma* Diakonoff,1971, *Veröff. zool. Staatssamml. München* 15: 200. Holotype: Pakistan: NW Karakoram, Hunza, Nagar Kuto (ZSM). Range (in code): **PK Gg Hu Ch Ld IN**
- 90000. Eupoecilia eucalypta** (Meyrick,1928) (Tortricidae) Synonym(s): *eucalypta* Meyrick,1928 Range (in code): **TH Cbi LK**
- 90001. Eupoecilia ingens** Sun & H.H.Li,2013 (Tortricidae) Synonym(s): *ingens* Sun & H.H.Li,2013 Range (in code): **CN Fkn Kwt**
- 90002. Eupoecilia inouei** Kawabe,1972 (Tortricidae) Synonym(s): *inouei* Kawabe,1972 Range (in code): **JP CN Kwt Hph Mc Hnn Jn NHu She Shs KP KR RU**
- 90003. Eupoecilia kobeana** Razowski,1968 (Tortricidae) Synonym(s): *kobeana* Razowski,1968 Range (in code): **JP CN Kwt Kwt Hnn Hun TW Yu KP KR RU**
- 90004. Eupoecilia kruegeriana** Razowski,1993 (Tortricidae) Synonym(s): *kruegeriana* Razowski,1993 Original Reference: *Eupoecilia kruegeriana* Razowski,1993, *Acta zool. cracov.* 36 (1): 148, fig.37. Holotype ♀: [South Africa: Mpumalanga]: Mariepskop, leg.Vari (TMP); Shilap *Revta lepid.* 35 (138): 106, fig.5. Range (in code): **ZA Tva Mpu ZA14**

- 90005. *Eupoecilia lata* Razowski, 1968** (Tortricidae) **Synonym(s):** *lata* Razowski, 1968 **Range (in code):** **IN SI**
- 90006. *Eupoecilia ochrotona* Razowski, 1968** (Tortricidae) **Synonym(s):** *ochrotona* Razowski, 1968 **Range (in code):** **ID Bli**
- 90007. *Eupoecilia quinaspinalis* Zhang & Li, 2008** (Tortricidae) **Synonym(s):** *quinaspinalis* Zhang & Li, 2008 **CN Fkn Hn**
- 90008. *Eupoecilia reliquatrix* (Meyrick, 1928)** (Tortricidae) **Synonym(s):** *ambiguella* Meyrick, 1921; *reliquatrix* Meyrick, 1928; *opisthodonta* Diakonoff, 1941 **Range (in code):** **ID Ja Sum TH CMa**
- 90009. *Eupoecilia sanguisorbana* (Herrich-Schäffer, 1856)** (Tortricidae) **Synonym(s):** *sanguisorbana* Herrich-Schäffer, 1856 **Range (in code):** **FR IT NL DE CH AT PL CZ SK RO NO SE LV RU Ur MD UA BY KG KK CN Mc Hph IMn** **Bionomy:** Larva on *Sanguisorba officinalis* (Rosaceae) (Herrich-Schäffer, 1856; Razowski, 2001).
- 90010. *Eupoecilia subkobeana* Sun & H.H.Li, 2013** (Tortricidae) **Synonym(s):** *subkobeana* Sun & H.H.Li, 2013 **Range (in code):** **CN Yu**
- 90011. *Eupoecilia sumatrana* Diakonoff, 1983** (Tortricidae) **Synonym(s):** *sumatrana* Diakonoff, 1983 **Range (in code):** **ID Sum**
- 90012. *Eupoecilia tenggerensis* (Diakonoff, 1949)** (Tortricidae) **Synonym(s):** *tenggerensis* Diakonoff, 1949 **Range (in code):** **ID Ja**
- 90013. *Eupoecilia thalia* Diakonoff, 1984** (Tortricidae) **Synonym(s):** *thalia* Diakonoff, 1984 **Range (in code):** **MY Bor BN**
- 90014. *Eupoecilia wegneri* (Diakonoff, 1941)** (Tortricidae) **Synonym(s):** *wegneri* Diakonoff, 1941 **Range (in code):** **TH CMa Dst MY ID Ja BN Sbh Bor**
- 90015. *Exapate congelatella* (Clerck, 1759)** (Tortricidae) **Synonym(s):** *congelatella* Clerck, 1759 **Range (in code):** **Si IT GB BE LU DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY Cc GG** **Bionomy:** Larva on *Ligustrum* (Oleaceae), *Rhamnus* (Rhamnaceae), *Quercus* (Fagaceae), *Vaccinium* (Vacciniaceae), *Crataegus*, *Malus* (Rosaceae), *Berberis* (Berberidaceae), *Salix* (Salicaceae) (Razowski, 2001).
- 90016. *Exapate duratella* Heyden, 1864** (Tortricidae) **Synonym(s):** *duratella* Heyden, 1864 **Range (in code):** **ES FR IT CH AT** **Bionomy:** Larva on *Larix* (Pinaceae) (Razowski, 2001).
- 90017. *Exoletuncus exoristus* Razowski, 1988** (Tortricidae) **Synonym(s):** *exoristus* Razowski, 1988 **Range (in code):** **CO**
- 90018. *Falseuncaria brunnescens* Bai, Guo & Guo, 1996** (Tortricidae) **Synonym(s):** *brunnescens* Bai, Guo & Guo, 1996 **CN Shs**
- 90019. *Falseuncaria degreyana* (McLachlan, 1869)** (Tortricidae) **Synonym(s):** *degreyana* McLachlan, 1869; *alaiana* Caradja, 1916; *roseotincta* Filipjev, 1924 **Range (in code):** **FR IT GB BE DE CH PL SK HU RO YU DK NO SE FI LV LT RU At Sb MD UA BY KK KG MN CN Ui Ku** **Bionomy:** Larva on *Plantago* (Plantaginaceae), *Linaria*, *Antirrhinum* (Scrophulariaceae) (Razowski, 2001).
- 90020. *Falseuncaria kaszabi* Razowski, 1966** (Tortricidae) **Synonym(s):** *kaszabi* Razowski, 1966 **Range (in code):** **MN CN Gn IMn NHu Ts She**
- 90021. *Falseuncaria lechriotoma* Razowski, 1970** (Tortricidae) **Synonym(s):** *lechriotoma* Razowski, 1970 **Range (in code):** **MN CN Hph**
- 90022. *Falseuncaria rjaboviana* Kuznetsov, 1979** (Tortricidae) **Synonym(s):** *rjaboviana* Kuznetsov, 1979 **Original Reference:** *Falseuncaria rjaboviana* Kuznetsov, 1979, *Trudy Vses. Ent. Obsch.* 61: 98. Holotype ♂: Georgia (ZMAS). **Range (in code):** **Cc GG**
- 90023. *Falseuncaria ruficiliana* (Haworth, [1811])** (Tortricidae) **Synonym(s):** *ciliella* Hübner, [1796] *nec* [Denis & Schiff.], 1775; *ruficiliana* Haworth, [1811]; *coniana* Fuchs, 1903; *tectana* Fuchs, 1903. **Range (in code):** **ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY KG Uk DsA AF Bd CN Ui** **Bionomy:** Larva on *Primula veris*, *P. farinosa* (Primulaceae), *Linaria vulgaris*, *Antirrhinum* (Scrophulariaceae), *Inula officinalis*, *Aster linosyris*, *Bellis perennis* (Asteraceae), *Gentiana verna* (Gentianaceae) (Razowski, 2001).
- 90024. *Fibuloides aestuosa* (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *aestuosa* Meyrick, 1912; *ligyropis* Meyrick, 1937 **Original Reference:** *Spilonota aestuosa* Meyrick, 1912, *J. Bombay nat. Hist. Soc.* 21: 854. Lectotype ♂: India, Bangla, Darjiling (BMNH). **Range (in code):** **IN Djl SI Ass CN Yu**
- 90025. *Fibuloides bicucullus* (Pinkaw, 2005)** (Tortricidae) **Synonym(s):** *bicucullus* Pinkaw, 2005 **Range (in code):** **TH Knc Tpp**
- 90026. *Fibuloides bulla* Jaikla & Pinkaw, 2013** (Tortricidae) **Synonym(s):** *bulla* Jaikla & Pinkaw, 2013 **Range (in code):** **TH Trat**

- 90027. *Fibuloides corinthia* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *corinthia* Meyrick,1912
Range (in code): **LK TH**
- 90028. *Fibuloides cyanopsis* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *cyanopsis* Meyrick,1912;
melanochlaena Meyrick,1936 **Range (in code):** **TH CMa JP IN ID Ja**
- 90029. *Fibuloides euphlebia* Kawabe,1989** (Tortricidae) **Synonym(s):** *euphlebia* Kawabe,1989
Range (in code): **TH Nna**
- 90030. *Fibuloides geniculata* Pinkaew & Zhang,2012** (Tortricidae) **Synonym(s):** *geniculata*
Pinkaew & Zhang,2012 **Range (in code):** **TH**
- 90031. *Fibuloides japonica* (Kawabe,1978)** (Tortricidae) **Synonym(s):** *japonica* Kawabe,1978
Range (in code): **JP TH**
- 90032. *Fibuloides khaonanensis* Pinkaew,2008** (Tortricidae) **Synonym(s):** *khaonanensis*
Pinkaew,2008 **Range (in code):** **TH Nst**
- 90033. *Fibuloides khaoyai* Pinkaew & Zhang,2012** (Tortricidae) **Synonym(s):** *khaoyai* Pinkaew
& Zhang,2012 **Range (in code):** **TH**
- 90034. *Fibuloides macrosaris* (Meyrick,1938)** (Tortricidae) **Synonym(s):** *macrosaris*
Meyrick,1938 **Range (in code):** **TH ID Ja**
- 90035. *Fibuloides modificana* Kuznetsov,1997** (Tortricidae) **Synonym(s):** *modificana*
Kuznetsov,1997 **Range (in code):** **VN**
- 90036. *Fibuloides munda* (Diakonoff,1983)** (Tortricidae) **Synonym(s):** *munda* Diakonoff,1983
Range (in code): **TH ID Sum**
- 90037. *Fibuloides tratensis* Jaikla & Pinkaew,2013** (Tortricidae) **Synonym(s):** *tratensis* Jaikla
& Pinkaew,2013 **Range (in code):** **TH Trat**
- 90038. *Fibuloides vaneae* (Pinkaew,2005)** (Tortricidae) **Synonym(s):** *vaneae* Pinkaew,2005
Range (in code): **TH Knc Tpp**
- 90039. *Fulcrifera affectana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *affectana* Kennel,1901
Range (in code): **RU Cc GG**
- 90040. *Fulcrifera aphrospila* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *aphrospila* Meyrick,1921
Range (in code): **ET Ble ZA Nta Kzu MZ**
- 90041. *Fulcrifera arabica* (Amsel,1958)** (Tortricidae) **Synonym(s):** *arabica* Amsel,1958 **Range**
(in code): **SA**
- 90042. *Fulcrifera cirrata* (Diakonoff,1987)** (Tortricidae) **Synonym(s):** *cirrata* Diakonoff,1987
Range (in code): **MG**
- 90043. *Fulcrifera fumida* Kuznetsov,1971** (Tortricidae) **Synonym(s):** *fumida* Kuznetsov,1971
Range (in code): **CN Yu Lik**
- 90044. *Fulcrifera infirmana* (Kennel,1900)** (Tortricidae) **Synonym(s):** *infirmana* Kennel,1900
Range (in code): **TM Kp**
- 90045. *Fulcrifera leucophaea* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *leucophaea*
Diakonoff,[1984] **Range (in code):** **SA As SA63**
- 90046. *Fulcrifera mongolica* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *mongolica*
Kuznetsov,1968 **Range (in code):** **MN U-B**
- 90047. *Fulcrifera nigroliciana* (Chrétien,1915)** (Tortricidae) **Synonym(s):** *nigroliciana*
Chrétien,1915 **Original Reference:** *Grapholitha nigroliciana* Chrétien,1915, *Annsl Soc. ent. Fr.* 84:
303. Type: [Algeria, Naama] "Ain-Sefra". **Range (in code):** **DZ Naam OM**
- 90048. *Fulcrifera noctivaga* Razowski,1971** (Tortricidae) **Synonym(s):** *noctivaga* Razowski,1971
Range (in code): **AF Nu**
- 90049. *Fulcrifera orientis* (Kuznetsov,1966)** (Tortricidae) **Synonym(s):** *orientis* Kuznetsov,1966
Range (in code): **RU Us**
- 90050. *Fulcrifera periculosa* (Meyrick,1913)** (Tortricidae) **Synonym(s):** *periculosa* Meyrick,1913
Range (in code): **ZA Tva Tst**
- 90051. *Fulcrifera refrigescens* (Meyrick,1924)** (Tortricidae) **Synonym(s):** *refrigescens*
Meyrick,1924 **Original Reference:** *Laspeyresia refrigescens* Meyrick,1924, *Exot. Microlepid.* 3: 68.
Lectotype ♂: Egypt: Aswan (BMNH). **Range (in code):** **SA As OM EG EGo7 SD SD91**
- 90052. *Fulcrifera tricentra* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *tricentra* Meyrick,1907;
crocopa Meyrick,1907; *pseudonectis* Meyrick,1907 **Range (in code):** **ZA Gau Lpo Tva Pre Pie IN Bba Mh LK**
Mky Pdy TH Knc Tpp

- 90053. *Fulvoclysia albertii* Razowski, 1983** (Tortricidae) Synonym(s): *albertii* Razowski, 1983
Original Reference: *Fulvoclysia albertii* Razowski, 1983, *Nota lepid.* 6: 38-39, figs. 1, 2. Holotype: NW Caucasus, Dombai 1600m 13 viii 1963 leg. Alberti (LNK). Range (in code): **RU Cc GG**
- 90054. *Fulvoclysia arguta* Razowski, 1968** (Tortricidae) Synonym(s): *arguta* Razowski, 1968
Original Reference: *Fulvoclysia arguta* Razowski, 1968, *Acta zool. cracov.* 13: 89, figs. 19, 20. Holotype ♂: [Syria]: "Shar Devesy (Haleb)" (BMNH). Range (in code): **SY Hal**
- 90055. *Fulvoclysia aulica* Razowski, 1968** (Tortricidae) Synonym(s): *aulica* Razowski, 1968.
Original Reference: *Fulvoclysia aulica* Razowski, 1968, *Acta zool. cracov.* 13: 87, figs. 17, 18. Holotype ♂: [Turkey]: Kasikoparan (BMNH). Range (in code): **TR Cc**
- 90056. *Fulvoclysia defectana* (Lederer, 1870)** (Tortricidae) Synonym(s): *defectana* Lederer, 1870
Original Reference: *Euxanthia defectana* Lederer, 1870, *Annls Soc. ent. Belg.* 28: 25. Lectotype ♀: "Caucas. [us]", designated by Razowski, 1970 (ZMB). Range (in code): **Cc SY Hal AZ Kir**
- 90057. *Fulvoclysia dictyodana* (Staudinger, 1880)** (Tortricidae) Synonym(s): *dictyodana* Staudinger, 1880; *#insignatana* Staudinger, 1880; *acutana* Kennel, 1913 Original Reference: *Cochylis dictyodana* Staudinger, 1880, *Horae Soc. ent. ross.* 15: 238-239. Syntypes: [Türkei]: Amasia (Maidan, Caraman, Jenikeui-Hochebene); Lectotype ♀: "Karaman" designated by Razowski, 1970 (ZMB). Range (in code): **TR Cc AM Eri**
- 90058. *Fulvoclysia forsteri* (Osthelder, 1938)** (Tortricidae) Synonym(s): *forsteri* Osthelder, 1938
Original Reference: *Euxanthia forsteri* Osthelder, 1938, *Mitt. münch. ent. Ges.* 28: 25. Holotype ♂: Iran, Nordpersien, Elburs Geb. Särdaab-Tal (ZSM). Range (in code): **IR Elb Mz**
- 90059. *Fulvoclysia nerminae* Koçak, 1982** (Tortricidae) Synonym(s): *fulvana* Fischer von Rösslerstamm, [1836] nec [Denis & Schiff.], 1775; *nerminae* Koçak, 1982. Original Reference: *Fulvoclysia nerminae* Koçak, 1982, *Priamus* 2: 64 (nomen novum pro *fulvana* Fischer von Rösslerstamm, [1836] nec [Denis & Schiff.], 1775). Range (in code): **ES FR IT DE Bv AT PL CZ SK HU RO B-H BG TR UA RU Chu** Bionomy: Larva on Scabiosa (Dipsacaceae) (Razowski, 2001).
- 90060. *Fulvoclysia pallorana* (Lederer, 1864)** (Tortricidae) Synonym(s): *pallorana* Lederer, 1864; *armeniaca* Obratzsov, 1943. Original Reference: *Conchylis pallorana* Lederer, 1864, *Wien. ent. Monatschr.* 8: 171, Taf. 3 fig. 11. Lectotype ♀: [Turkey]: Karaman [Amasya] (MNHUB). Range (in code): **TR Cc AM AZ Kir SY Hal**
- 90061. *Fulvoclysia proxima* Razowski, 1970** (Tortricidae) Synonym(s): *proxima* Razowski, 1970
Original Reference: *Fulvoclysia proxima* Razowski, 1970, *Microlepid. palaearkt.* 3: 443, Taf. 27 fig. 291. Holotype ♂: Türkiye: Kleinasien: Aband, 1300m (ZZSK). Range (in code): **TR**
- 90062. *Fulvoclysia rjabovi* Kuznetsov, 1976** (Tortricidae) Synonym(s): *rjabovi* Kuznetsov, 1976
Original Reference: *Fulvoclysia rjabovi* Kuznetsov, 1976, *Trudy zool. Inst. Leningr.* 64: 5, fig. Type: Armenia. Range (in code): **Cc AM IR Ak Ab Mak Ar Sbl**
- 90063. *Fulvoclysia subdolana* (Kennel, 1901)** (Tortricidae) Synonym(s): *subdolana* Kennel, 1901; *subflavana* Amsel, 1959 Original Reference: *Euxanthia subdolana* Kennel, 1901, *Dt. ent. Z., Iris* 13: 240-241. Type ♂: [Türkei]: [Adana Prov.]: "Hadjin" (ZMB). Range (in code): **SY TR Cc AM IQ Hjo IR Kd Bne Ab Oru Ak Qz**
- 90064. *Galomecalpa megaloplaca* Razowski, 1990** (Tortricidae) Synonym(s): *megaloplaca* Razowski, 1990 Range (in code): **BO**
- 90065. *Gatesclarkeana erotias* (Meyrick, 1905)** (Tortricidae) Synonym(s): *erotias* Meyrick, 1905
Range (in code): **ID Ja Kai Tim IN LK Mky Pdy SI TH Kbi** Bionomy: Larva on Mangifera (tender shoots), Loranthus (young leaves), Cynoglossum (leaves) (Diakonoff, 1971).
- 90066. *Gatesclarkeana idia* Diakonoff, 1973** (Tortricidae) Synonym(s): *idia* Diakonoff, 1973
Range (in code): **ID Ja Bli Sum Clb Bor Klt Mlc Bru Tal Ob TH CMa Fn Loc Chy Nna Kao Cbi Phu Knc Tpp MM MY Sbh JP CN** Bionomy: Larva on leaves and flowers of Thea (Theaceae), Citrus (Rutaceae), Aleurites, Ricinus (Euphorbiaceae), Perilla (Lamiaceae), Eugenia (Myrtaceae), Nephelium (Sapindaceae), Averrhoa carambola (Oxalidaceae) (Kawabe, 1989).
- 90067. *Gatesclarkeana senior* Diakonoff, 1966** (Tortricidae) Synonym(s): *senior* Diakonoff, 1966; *asynthetes* Diakonoff, [1968] Range (in code): **ID Ja Bli Tim Mlc PH Mno Luz Neg Pal TH Chu Pty** Bionomy: Larva on Mallotus (Euphorbiaceae) (Kawabe, 1989).
- 90068. *Gauruncus gampsognathos* Razowski, 1988** (Tortricidae) Synonym(s): *gampsognathos* Razowski, 1988 Range (in code): **BO**
- 90069. *Gauruncus gelastes* Razowski, 1988** (Tortricidae) Synonym(s): *gelastes* Razowski, 1988
Range (in code): **AR**

- 90070. Geita bjoernstadi Aarvik, 2004** (Tortricidae) Synonym(s): *bjoernstadi Aarvik, 2004* Range (in code): TZ
- 90071. Geitocochylis gustatoria Razowski, 1984** (Tortricidae) Synonym(s): *gustatoria Razowski, 1984* Range (in code): MX Dgo
- 90072. Geitocochylis gyrantrum Razowski, 1984** (Tortricidae) Synonym(s): *gyrantrum Razowski, 1984* Range (in code): MX Nle
- 90073. Geitocochylis paromala Razowski, 1984** (Tortricidae) Synonym(s): *paromala Razowski, 1984* Range (in code): MX Vcr
- 90074. Geitocochylis tarphionima Razowski, 1984** (Tortricidae) Synonym(s): *tarphionima Razowski, 1984* Range (in code): MX Hda
- 90075. Genetancylis homalota Razowski, 1995** (Tortricidae) Synonym(s): *homalota Razowski, 1995* Original Reference: Genetancylis homalota Razowski, 1995, Shilap Revta lepid. 23(90): 134-135, fig. Holotype ♀: Saudi Arabia: Makkah, Bani Omar, 1730m 22-24.viii.1985 leg. & coll. W. Büttiker Range (in code): SA SA50 Hj
- 90076. Gibberifera alba Kawabe & Nasu, 1994** (Tortricidae) Synonym(s): *alba Kawabe & Nasu, 1994* Range (in code): NP
- 90077. Gibberifera angkhangensis Kawabe & Nasu, 1994** (Tortricidae) Synonym(s): *angkhangensis Kawabe & Nasu, 1994* Original Reference: Gibberifera angkhangensis Kawabe & Nasu, 1994, Tyo to Ga 45: 86. Holotype ♂: Thailand: Chiang Mai, Doi Angkhang (OPU). Range (in code): TH CMa Agk
- 90078. Gibberifera glaciata (Meyrick, 1907)** (Tortricidae) Synonym(s): *glaciata Meyrick, 1907* Original Reference: Cydia glaciata Meyrick, 1907, J. Bombay nat. Hist. Soc. 18: 143. Range (in code): PK NP IN Ass Meg Khs Ddu CN Hun Sz Yu Ti TW TH Bionomy: Larva on Salix (Salicaceae) (Liu & Li, 2002).
- 90079. Gibberifera monticola Kuznetsov, 1971** (Tortricidae) Synonym(s): *monticola Kuznetsov, 1971* Range (in code): CN Yu Ats
- 90080. Gibberifera nigrovena Kawabe & Nasu, 1994** (Tortricidae) Synonym(s): *nigrovena Kawabe & Nasu, 1994* Range (in code): NP
- 90081. Gibberifera obscura Diakonoff, 1955** (Tortricidae) Synonym(s): *obscura Diakonoff, 1955* Range (in code): IN Ch Snm Ld PK NP
- 90082. Gibberifera simplana (Fischer v. Röslerstamm, 1836)** (Tortricidae) Synonym(s): *simplana Fischer v. Röslerstamm, 1836* Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO DK SE FI EE LV LT RU MD UA BY TH CMa Hnd Pki Int CN JP Bionomy: Larva on Populus tremula (Salicaceae) (Kawabe, 1989).
- 90083. Gibberifera yadongensis Nasu & Liu, 1996** (Tortricidae) Synonym(s): *yadongensis Nasu & Liu, 1996* Range (in code): CN Ti
- 90084. Gnathmocerodes euplectra (Lower, 1908)** (Tortricidae) Synonym(s): *euplectra Lower, 1908* Range (in code): AU QAu
- 90085. Gnathmocerodes lecythocera (Meyrick, 1937)** (Tortricidae) Synonym(s): *lecythocera Meyrick, 1937* Range (in code): ID Ja
- 90086. Gnathmocerodes petrifraga Diakonoff, [1968]** (Tortricidae) Synonym(s): *petrifraga Diakonoff, [1968]* Original Reference: Gnathmocerodes petrifraga Diakonoff, [1968], Bull. U.S. natn. Mus. 257: 72-73, figs. Holotype ♂: Philippine: Luzon: Mt. Apo. Range (in code): PH Luz IN Clc
- 90087. Gnathmocerodes tonsoria (Meyrick, 1909)** (Tortricidae) Synonym(s): *tonsoria Meyrick, 1909* Range (in code): LK TH Kbi IN Adm ID Ja Bionomy: Larva on Barringtonia racemosa (Myrtaceae) (Diakonoff, 1973).
- 90088. Gnorismoneura cylindrata Wang, Li & Wang, 2004** (Tortricidae) Synonym(s): *cylindrata Wang, Li & Wang, 2004* Range (in code): CN
- 90089. Gnorismoneura exulis Issiki & Stringer, 1932** (Tortricidae) Synonym(s): *exulis Issiki & Stringer, 1932* Range (in code): TW
- 90090. Gnorismoneura grandiprocessa Wang, Li & Wang, 2004** (Tortricidae) Synonym(s): *grandiprocessa Wang, Li & Wang, 2004* Range (in code): CN
- 90091. Gnorismoneura hoshinoi (Kawabe, 1964)** (Tortricidae) Synonym(s): *hoshinoi Kawabe, 1964* Range (in code): JP
- 90092. Gnorismoneura mesoloba (Meyrick, 1937)** (Tortricidae) Synonym(s): *mesoloba Meyrick, 1937* Range (in code): CN Yu Lik

- 90093. Gnorismoneura mesotoma (Yasuda,1975)** (Tortricidae) **Synonym(s):** *mesotoma* Yasuda,1975 **Range (in code):** **JP**
- 90094. Gnorismoneura micronca (Meyrick,1937)** (Tortricidae) **Synonym(s):** *micronca* Meyrick,1937 **Range (in code):** **CN Yu Lik**
- 90095. Gnorismoneura orientis (Filipjev,1962)** (Tortricidae) **Synonym(s):** *orientis* Filipjev,1962 **Range (in code):** **RU Us**
- 90096. Gnorismoneura prochyta (Meyrick,1908)** (Tortricidae) **Synonym(s):** *prochyta* Meyrick,1908 **Range (in code):** **IN Ass Meg Khs**
- 90097. Gnorismoneura quadrativalvata Wang, Li & Wang,2004** (Tortricidae) **Synonym(s):** *quadrativalvata* Wang, Li & Wang,2004 **Range (in code):** **CN**
- 90098. Gnorismoneura serrata Wang, Li & Wang,2004** (Tortricidae) **Synonym(s):** *serrata* Wang, Li & Wang,2004 **Range (in code):** **CN**
- 90099. Gnorismoneura stereomorpha (Meyrick,1931)** (Tortricidae) **Synonym(s):** *stereomorpha* Meyrick,1931 **Range (in code):** **CN Sz**
- 90100. Gnorismoneura taeniodesma (Meyrick,1934)** (Tortricidae) **Synonym(s):** *taeniodesma* Meyrick,1934 **Range (in code):** **CN Sz**
- 90101. Gnorismoneura tragoditis (Meyrick,1935)** (Tortricidae) **Synonym(s):** *tragoditis* Meyrick,1935 **Range (in code):** **CN**
- 90102. Gnorismoneura vallifica (Meyrick,1935)** (Tortricidae) **Synonym(s):** *vallifica* Meyrick,1935 **Range (in code):** **CN**
- 90103. Gnorismoneura zetessima Razowski,1977** (Tortricidae) **Synonym(s):** *zetessima* Razowski,1977 **Range (in code):** **CN Shs**
- 90104. Gnorismoneura zyzzogeton Razowski,1977** (Tortricidae) **Synonym(s):** *zyzzogeton* Razowski,1977 **Range (in code):** **CN Tkg**
- 90105. Grapholita insperata Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *insperata* Razowski & Trematerra,2010 **Range (in code):** **ET**
- 90106. Gravarmata margarotana (Heinemann,1863)** (Tortricidae) **Synonym(s):** *margarotana* Heinemann,1863; *amethystana* Peyerimhoff,1872; *retiferana* Wocke,1879 **Range (in code):** **ES FR BE DE CH AT PL CZ HU RO GR TR LV LT RU MD UA BY**
- 90107. Gravarmata osmana Obraztsov,1952** (Tortricidae) **Synonym(s):** *osmana* Obraztsov,1952 **Range (in code):** **RU MD UA BY**
- 90108. Gretchena concitatricana (Heinrich,1923)** (Tortricidae) **Synonym(s):** *concitatricana* Heinrich,1923 **Range (in code):** **US Tx**
- 90109. Gretchena garai W.Miller,1987** (Tortricidae) **Synonym(s):** *garai* W.Miller,1987 **Range (in code):** **EC**
- 90110. Gryposcleroma schidia Razowski,1986** (Tortricidae) **Synonym(s):** *schidia* Razowski,1986 **Range (in code):** **MX Nle**
- 90111. Gynnidomorpha alismana (Ragonot,1883)** (Tortricidae) **Synonym(s):** *alismana* Ragonot,1883 **Range (in code):** **FR IT IE GB NL DE AT PL CZ SK DK SE FI EE LV LT RO CN Mc IMn Fkn Hun Yu Ahw Kwa Kwt Hph Jn She KP KR** **Bionomy:** Larva on Alisma plantago (Alismataceae) (Kennel,1913).
- 90112. Gynnidomorpha curviphalla Sun & Li,2013** (Tortricidae) **Synonym(s):** *curviphalla* Sun & Li,2013 **Range (in code):** **CN Hph Pkn Kwt**
- 90113. Gynnidomorpha datetis (Diakonoff,1984)** (Tortricidae) **Synonym(s):** *datetis* Diakonoff,1984 **Range (in code):** **TH Bnk CN Ahw Gn Kwt Hph She Hnn**
- 90114. Gynnidomorpha julianiensis (Liu & Ge,1991)** (Tortricidae) **Synonym(s):** *julianiensis* Liu & Ge,1991 **Range (in code):** **CN Hun Kwt**
- 90115. Gynnidomorpha luridana (Gregson,1870)** (Tortricidae) **Synonym(s):** *luridana* Gregson,1870 **Range (in code):** **ES FR Co GB BE DE HU DK SE FI LV HV RU MD UA TR Us Krl BY CN Lng Jn Hnn Mc KP KR JP** **Bionomy:** Larva on Matricaria recutita (Asteraceae) (Razowski,2001).
- 90116. Gynnidomorpha mesotypa (Razowski,1970)** (Tortricidae) **Synonym(s):** *mesotypa* Razowski,1970 **Range (in code):** **CN Kwt She JP**
- 90117. Gynnidomorpha minimana (Caradja,1916)** (Tortricidae) **Synonym(s):** *minimana* Caradja,1916; *walsinghamana* Meyrick,1928. **Range (in code):** **FR Co IT IE GB NL DE PL SK RO AL DK NO SE FI EE LV LT RU Pt Prj Us Vv MD UA BY CN Mc Yu Hph Jn TW KP KR JP** **Bionomy:** Larva on Pedicularis palustris (Razowski,1970).

- 90118. *Gynnidomorpha permixtana* ([Denis & Schiffermüller],1775)** (Tortricidae)
Synonym(s): *permixtana* [Denis & Schiffermüller],1775; *antennana* Frölich,1828; *mussehlana* Treitschke,1835; *dymotana* Treitschke,1835. Original Reference: Tortrix permixtana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Wienergegend: 129. Type(s): Wien (lost). Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO GR TR IL Pa Hf DK SE FI EE LV LT RU MD UA BY UZ Br IR Elb Mz Clu Gh AF Srb CN Mc Kgs Pkn Hph Ahw She Stg Shs Fkn Sz Hn Kwt Gn Ui Ti MN KP KR JP** Bionomy: Larva on Alectrolophus, Pedicularis (Scrophulariaceae), Gentiana lutea (Gentianaceae), Solidago virgaurea (Asteraceae), Alisma plantago -aquatica (Alismataceae), Butomus (Butomaceae) (Razowski,2001).
- 90119. *Gynnidomorpha pista* (Diakonoff,1984)** (Tortricidae) Synonym(s): *pista* Diakonoff,1984
Range (in code): **CN Pkn Ahw Fkn Kwt Hn Lng KwT**
- 90120. *Gynnidomorpha rubricana* (Peyerimhoff,1877)** (Tortricidae) Synonym(s): *rubricana* Peyerimhoff,1877 Range (in code): **ES FR IT SK YU RU MD UA BY KP KR CN Jn**
- 90121. *Gynnidomorpha vectisana* (Humphreys & Westwood,1845)** (Tortricidae)
Synonym(s): *vectisana* Humphreys & Westwood,1845; *griseana* Haworth,[1811]; *geyeriana* Herrich-Schäffer,1851; *griseana* Durrant & Joannis,1922. Range (in code): **ES Si IT IE GB BE NL DE AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY CN Jn Tkg Hun She Kgs Hpe Ui KP KR JP** Bionomy: Larva on Plantago maritima (Plantaginaceae), Salicornia (Chenopodiaceae), Triglochin palustre (Juncaginaceae) (Razowski,2001).
- 90122. *Gypsonoma aceriana* (Duponchel,1843)** (Tortricidae) Synonym(s): *aceriana* Duponchel,1843; *belgiensis* Dufrane,1945 Range (in code): **DZ Cst PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU YU AL BG GR TR DK NO SE IQ RU Ur**
- 90123. *Gypsonoma amseli* Razowski,1967** (Tortricidae) Synonym(s): *amseli* Razowski,1967
Original Reference: Gypsonoma amseli Razowski,1967, Beitr. naturk. Forsch. SdwDtl. 26: 97. Holotype ♀: Afghanistan (LNK). Range (in code): **AF**
- 90124. *Gypsonoma anthracitis* Meyrick,1912** (Tortricidae) Synonym(s): *anthracitis* Meyrick,1912
Original Reference: Gypsonoma anthracitis Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 863. Lectotype ♂: [Sri Lanka]: Ceylon, Maskeliya (BMNH). Range (in code): **TH Knc Tpp LK Mky**
- 90125. *Gypsonoma attrita* Falkovitsh,1965** (Tortricidae) Synonym(s): *attrita* Falkovitsh,1965
Range (in code): **RU Us**
- 90126. *Gypsonoma bifasciata* Kuznetsov,1966** (Tortricidae) Synonym(s): *bifasciata* Kuznetsov,1966 Range (in code): **RU Us**
- 90127. *Gypsonoma buettikeri* Razowski,1995** (Tortricidae) Synonym(s): *buettikeri* Razowski,1995 Original Reference: Gypsonoma buettikeri Razowski,1995, Shilap Revta lepid. 23(90): 133-134, fig. Holotype ♀: Saudi Arabia: Makkah, Bani Omar,1730m 22-24.viii.1985 leg.& coll.W.Büttiker Range (in code): **SA SA5o Hj**
- 90128. *Gypsonoma cnephasiana* (Obraztsov,1943)** (Tortricidae) Synonym(s): *cnephasiana* Obraztsov,1943 Range (in code): **TJ Pm KG**
- 90129. *Gypsonoma dealbana* (Frölich,1828)** (Tortricidae) Synonym(s): *dealbana* Frölich,1828; *incarnana* Haworth,1811; *minorana* Treitschke,1830; *alnetana* Guenée,1845; *#reconditana* Herrich-Schäffer,1848; *obscurifasciana* Heinemann,1854 Original Reference: Tortrix dealbana Frölich,1828, Enumeration Tort. Württemb.: 51. Type: Germania, Württemberg. Range (in code): **PT ES FR Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT KG RU Sb Us Sh Ur MD UA Cm BY Cc GG CN JP** Bionomy: Larva on Corylus, Crataegus (Rosaceae), Alnus, Betula Populus tremula, Salix caprea (Salicaceae); Quercus (Fagaceae) (Razowski,2003).
- 90130. *Gypsonoma euphraticana* (Amsel,1935)** (Tortricidae) Synonym(s): *euphraticana* Amsel,1935 Original Reference: Semasia euphraticana Amsel,1935, Mitt. zool. Mus. Berlin 20: 291. Holotype: Palestine (LNK). Range (in code): **DZ TR IR IQ Bgd Bsr IL Pa Jer KG TM UZ TJ AF PK** Bionomy: Larva on Populus euphratica (Amsel, 1935, 1955).
- 90131. *Gypsonoma giorgiae* Razowski & Trematerra,2012** (Tortricidae) Synonym(s): *giorgiae* Razowski & Trematerra,2012 Original Reference: Gypsonoma giorgiae Razowski & Trematerra,2012, J. Ent. Acar. Res. 44: 39. Holotype ♂: Ethiopia, Ilubator, Bedelle, Dabeta River (TREM). **ET**
- 90132. *Gypsonoma gymnesiarum* (Rebel,1934)** (Tortricidae) Synonym(s): *gymnesiarum* Rebel,1934 Range (in code): **ES B-I**
- 90133. *Gypsonoma imparana* Müller-Rutz,1914** (Tortricidae) Synonym(s): *imparana* Müller-Rutz,1914 Range (in code): **FR** Bionomy: Larva on Salix viminalis (Salicaceae) (Huemer & Luquet,1991).

- 90134. *Gypsonoma infusca* Kuznetsov, 1988** (Tortricidae) Synonym(s): *infusca* Kuznetsov, 1988 Range (in code): VN TH Knc Tpp
- 90135. *Gypsonoma minutana* (Hübner, [1799])** (Tortricidae) Synonym(s): *minutana* Hübner, [1799]; *vermiculana* Duponchel, 1836; *albifasciana* Caradja, 1916 Range (in code): PT ES FR Co Si IT GB BE NL DE CH AT PL CZ SK HU RO YU BG GR DK SE FI EE LV LT RU Ur Prj Us TR IR Cc GG AM Eri IL Pa AF KG Uk MN CN KP KR JP Hkk
- 90136. *Gypsonoma monotonica* Kuznetsov, 1991** (Tortricidae) Synonym(s): *monotonica* Kuznetsov, 1991 Range (in code): RU Sb
- 90137. *Gypsonoma mutabilana* Kuznetsov, 1985** (Tortricidae) Synonym(s): *mutabilana* Kuznetsov, 1985 Range (in code): RU At
- 90138. *Gypsonoma nitidulana* (Lienig & Zeller, 1846)** (Tortricidae) Synonym(s): *nitidulana* Lienig & Zeller, 1846; *#ericetana* Lienig & Zeller, 1846 Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY
- 90139. *Gypsonoma obratzsovi* Amsel, 1959** (Tortricidae) Synonym(s): *obratzsovi* Amsel, 1959 Range (in code): RO RU TR SY Dms IR Ke Ana IL Pa TJ Cc GG AZ AM
- 90140. *Gypsonoma ochrotona* Razowski, 1963** (Tortricidae) Synonym(s): *ochrotona* Razowski, 1963 Range (in code): IR Fa
- 90141. *Gypsonoma oppressana* (Treitschke, 1835)** (Tortricidae) Synonym(s): *oppressana* Treitschke, 1835; *cnephasiana* Obratzsov, 1943 Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU RO DK SE FI LV LT RU MD UA BY TJ KG KK
- 90142. *Gypsonoma parryana* (Curtis, 1835)** (Tortricidae) Synonym(s): *parryana* Curtis, 1835; *arcticana* Kuznetsov, 1979 Range (in code): RU Ya CA
- 90143. *Gypsonoma phaeocremna* (Meyrick, 1937)** (Tortricidae) Synonym(s): *phaeocremna* Meyrick, 1937 Range (in code): CN Yu Lik
- 90144. *Gypsonoma riparia* Meyrick, 1933** (Tortricidae) Synonym(s): *riparia* Meyrick, 1933 Range (in code): SA As IN Pj PK Mln
- 90145. *Gypsonoma rubescens* Kuznetsov, 1971** (Tortricidae) Synonym(s): *rubescens* Kuznetsov, 1971 Range (in code): CN Yu Lik
- 90146. *Gypsonoma scolopiae* Razowski & Brown, 2012** (Tortricidae) Synonym(s): *scolopiae* Razowski & Brown, 2012 KE
- 90147. *Gypsonoma simulantana* (Staudinger, 1879)** (Tortricidae) Synonym(s): *simulantana* Staudinger, 1879 Original Reference: *Steganoptycha simulantana* Staudinger, 1879, *Horae Soc. ent. ross.* 15: 261-262. Syntypes 2♂ 1♀ (Lectotype ♂): [Türkei]: Amasia (MNHU). Range (in code): TR
- 90148. *Gypsonoma sociana* (Haworth, [1811])** (Tortricidae) Synonym(s): *sociana* Haworth, [1811]; *neglectana* Duponchel, 1844 Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU Ur Sb Prj Us MD UA BY Cc AZ JP
- 90149. *Gypsonoma solidata* (Meyrick, 1912)** (Tortricidae) Synonym(s): *solidata* Meyrick, 1912 Range (in code): IN Ass Meg Khs
- 90150. *Harposcleritia stictoneura* (Meyrick, 1930)** (Tortricidae) Synonym(s): *stictoneura* Meyrick, 1930 Range (in code): BR
- 90151. *Hedya atrifraga* Diakonoff, [1968]** (Tortricidae) Synonym(s): *atrifraga* Diakonoff, [1968] Range (in code): PH Mno
- 90152. *Hedya dimidiana* (Clerck, 1759)** (Tortricidae) Synonym(s): *#dimidiana* Clerck, 1759; *schreberiana* Linnaeus, 1761 Range (in code): ES FR IT MT DE AT PL CZ SK HU RO TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Padus avium* (Kuznetsov, 1979).
- 90153. *Hedya dimidioalba* (Retzius, 1783)** (Tortricidae) Synonym(s): *dimidioalba* Retzius, 1783; *variegana* Hübner, [1799] *nec* [Denis & Schiff.], 1775; *nubiferana* Haworth, [1811] Range (in code): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU Sr Ur MD UA BY Cc GG IQ Shq IR Mz Gl Bionomy: Larva on *Crataegus*, *Rosa* (Rosaceae), *Betula*, *Alnus*, *Salix* (Salicaceae), *Quercus* (Fagaceae) (Razowski & Wjackowski, 1959).
- 90154. *Hedya ebenina* (Meyrick, 1916)** (Tortricidae) Synonym(s): *ebenina* Meyrick, 1916 Range (in code): IN TH Rng Bionomy: Larva on *Diospyros* sp. (Ebenaceae) (Kawabe, 1989).
- 90155. *Hedya iophaea* (Meyrick, 1912)** (Tortricidae) Synonym(s): *iophaea* Meyrick, 1912 Range (in code): LK Mky IN TH CMa Pki Int Nna Kao Cbi TW JP Bionomy: Larva on *Eurya japonica* (Theaceae) (Kawabe, 1989).
- 90156. *Hedya kurokoi* Kawabe, 1995** (Tortricidae) Synonym(s): *kurokoi* Kawabe, 1995 Original Reference: *Hedya kurokoi* Kawabe, 1995, *Microlepid. Thailand* 3: 53. Holotype ♂: Thailand: Nakhom Nayok, Khao Yai NP (UOP). Range (in code): TH Nna Kao

- 90157. *Hedya manoi* Kawabe, 1987** (Tortricidae) Synonym(s): *manoi* Kawabe, 1987 Range (in code): JP TH CMa Pki Nna Kao
- 90158. *Hedya ochroleucana* (Frölich, 1828)** (Tortricidae) Synonym(s): *ochroleucana* Frölich, 1828; *nibatana* Clemens, 1860; *contrariana* Walker, 1863; *consanguinana* Walsingham, 1879 Original Reference: *Tortrix ochroleucana* Frölich, 1828, Enum. Tortr. Württemberg.: 49. Type(s): [Deutschland]: Württembergia. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on Rosa, Malus (Razowski, 1983).
- 90159. *Hedya pruniana* (Hübner, [1799])** (Tortricidae) Synonym(s): *pruniana* Hübner, [1799]; *pruneticolana* Zeller, 1849 Original Reference: *Tortrix pruniana* Hübner, [1799], Samml. eur. Schmett. Tortrices: pl.3 fig.15. Type(s): Europa. Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY AZ Cc GG IR KG Bionomy: Larva on Crataegus, Corylus avellana (Kuznetsov, 1979).
- 90160. *Hedya roseomaculana* (Herrich-Schäffer, 1851)** (Tortricidae) Synonym(s): *roseomaculana* Herrich-Schäffer, 1851; *lienigiana* Heinemann, 1863 Original Reference: *roseomaculana* Herrich-Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 229; *ibid.* 1848: Pl.23 fig.163 [non binominal]. Range (in code): FR IT CH AT RO DK NO SE FI LV LT RU Am Bionomy: Larva on Pirola secunda (Razowski, 1983).
- 90161. *Hedya salicella* (Linnaeus, 1758)** (Tortricidae) Synonym(s): *salicella* Linnaeus, 1758; *salicana* [Denis & Schiffermüller], 1775 Original Reference: *Phalaena salicella* Linnaeus, 1758, Syst. Nat. (Edn.10) 1: 536. Type(s): Europa. Range (in code): ES FR Sa IT GB BE NL LU DE CH AT PL CZ SK HU RO AL BG GR TR Cc DK NO SE FI EE LV LT RU MD UA BY JP Bionomy: Larva on Salix caprea, Populus tremula, P. nigra (Salicaceae) (Linnaeus, 1758 et seq.).
- 90162. *Hedya tritofa* Alipanah & Baixeras, 2011** (Tortricidae) Synonym(s): *tritofa* Alipanah & Baixeras, 2011 Range (in code): IR Gh Mz Gls
- 90163. *Heleanna physalodes* (Meyrick, 1910)** (Tortricidae) Synonym(s): *physalodes* Meyrick, 1910 Range (in code): TH Knc Tpp SC LK FJ
- 90164. *Helicteulia heos* Razowski, 1988** (Tortricidae) Synonym(s): *heos* Razowski, 1988 Range (in code): BO
- 90165. *Helictophanes argillacea* (Clarke, 1976)** (Tortricidae) Synonym(s): *argillacea* Clarke, 1976 Range (in code): GU
- 90166. *Helictophanes dryocoma* (Meyrick, 1916)** (Tortricidae) Synonym(s): *dryocoma* Meyrick, 1916 Range (in code): VN IN Ddu LK
- 90167. *Helictophanes uberana* Meyrick, 1881** (Tortricidae) Synonym(s): *uberana* Meyrick, 1881; *metallicosma* Turner, 1925 Range (in code): AU QAU Bri NSw Syd
- 90168. *Henricus ademonius* (Clarke, 1968)** (Tortricidae) Synonym(s): *ademonius* Clarke, 1968 Range (in code): CR
- 90169. *Henricus ateleutus* Razowski, 1991** (Tortricidae) Synonym(s): *ateleutus* Razowski, 1991 Range (in code): MX Dgo
- 90170. *Henricus charagus* Razowski, 1991** (Tortricidae) Synonym(s): *charagus* Razowski, 1991 Range (in code): MX Nay
- 90171. *Henricus chroicopterus* Razowski, 1991** (Tortricidae) Synonym(s): *chroicopterus* Razowski, 1991 Range (in code): MX Dgo
- 90172. *Henricus cognatus* (Walsingham, 1914)** (Tortricidae) Synonym(s): *cognatus* Walsingham, 1914 Range (in code): MX Vcr
- 90173. *Henricus comes* (Walsingham, 1884)** (Tortricidae) Synonym(s): *comes* Walsingham, 1884 Range (in code): MX Vcr US Arz
- 90174. *Henricus comes comes* (Walsingham, 1884)** (Tortricidae) Synonym(s): *comes* Walsingham, 1884 Range (in code): US Arz
- 90175. *Henricus comes vicecomes* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *vicecomes* Razowski & Becker, 1986 Range (in code): MX Vcr
- 90176. *Henricus edwardsianus* (Walsingham, 1884)** (Tortricidae) Synonym(s): *edwardsianus* Walsingham, 1884 Range (in code): US Arz
- 90177. *Henricus ellampus* Razowski, [1992]** (Tortricidae) Synonym(s): *ellampus* Razowski, [1992] Range (in code): CR
- 90178. *Henricus exploratus* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *exploratus* Razowski & Becker, 1986 Range (in code): CR

- 90179. *Henricus hemitelius* Razowski,1991** (Tortricidae) Synonym(s): *hemitelius* Razowski,1991
Range (in code): **MX Nay**
- 90180. *Henricus icogrammus* (Clarke,1968)** (Tortricidae) Synonym(s): *icogrammus* Clarke,1968
Range (in code): **GT**
- 90181. *Henricus improvisus* Razowski & Becker,1986** (Tortricidae) Synonym(s): *improvisus* Razowski & Becker,1986 Range (in code): **MX Ver**
- 90182. *Henricus inanimalis* Razowski & Becker,1986** (Tortricidae) Synonym(s): *inanimalis* Razowski & Becker,1986 Range (in code): **MX Cia**
- 90183. *Henricus inchoatus* Razowski & Becker,1986** (Tortricidae) Synonym(s): *inchoatus* Razowski & Becker,1986 Range (in code): **MX Hda**
- 90184. *Henricus infernalis* (Heinrich,1920)** (Tortricidae) Synonym(s): *infernalis* Heinrich,1920
Range (in code): **US NMx**
- 90185. *Henricus insolitus* Razowski & Becker,1986** (Tortricidae) Synonym(s): *insolitus* Razowski & Becker,1986 Range (in code): **MX**
- 90186. *Henricus inspergatus* Razowski & Becker,1986** (Tortricidae) Synonym(s): *inspergatus* Razowski & Becker,1986 Range (in code): **MX Cia**
- 90187. *Henricus macrocarpanus* (Walsingham,1895)** (Tortricidae) Synonym(s): *macrocarpanus* Walsingham,1895 Range (in code): **US Cf**
- 90188. *Henricus melanoleucus* (Clarke,1968)** (Tortricidae) Synonym(s): *melanoleucus* Clarke,1968 Range (in code): **MX**
- 90189. *Henricus ophyrodes* (Meyrick,1927)** (Tortricidae) Synonym(s): *ophyrodes* Meyrick,1927
Range (in code): **CR**
- 90190. *Henricus palimpsestus* Razowski & Becker,1986** (Tortricidae) Synonym(s): *palimpsestus* Razowski & Becker,1986 Range (in code): **MX Ver**
- 90191. *Henricus paredrus* Razowski,1991** (Tortricidae) Synonym(s): *paredrus* Razowski,1991
Range (in code): **MX Nay**
- 90192. *Henricus parmulus* Razowski,1991** (Tortricidae) Synonym(s): *parmulus* Razowski,1991
Range (in code): **MX Dgo**
- 90193. *Henricus platinus* (Clarke,1968)** (Tortricidae) Synonym(s): *platinus* Clarke,1968 Range (in code): **CR**
- 90194. *Henricus powelli* Razowski,1984** (Tortricidae) Synonym(s): *powelli* Razowski,1984
Range (in code): **MX Nle**
- 90195. *Henricus rhiobursa* Razowski,1991** (Tortricidae) Synonym(s): *rhiobursa* Razowski,1991
Range (in code): **MX Nay**
- 90196. *Henricus rubrograptus* Razowski,1991** (Tortricidae) Synonym(s): *rubrograptus* Razowski,1991 Range (in code): **MX Jls**
- 90197. *Henricus turbulus* (Clarke,1968)** (Tortricidae) Synonym(s): *turbulus* Clarke,1968 Range (in code): **GT**
- 90198. *Henricus umbrabasanus* (Kearfott,1908)** (Tortricidae) Synonym(s): *umbrabasanus* Kearfott,1908 Range (in code): **US Cf**
- 90199. *Henricus zalotes* Razowski & Becker,1986** (Tortricidae) Synonym(s): *zalotes* Razowski & Becker,1986 Range (in code): **MX Ver**
- 90200. *Heppnerographa arammclaina* Razowski,1987** (Tortricidae) Synonym(s): *arammclaina* Razowski,1987 Range (in code): **CR**
- 90201. *Hermenias implexa* Meyrick,1912** (Tortricidae) Synonym(s): *implexa* Meyrick,1912
Range (in code): **LK**
- 90202. *Hermenias pachnitis* Meyrick,1912** (Tortricidae) Synonym(s): *pachnitis* Meyrick,1912
Range (in code): **LK Mky TH Knc Tpp**
- 90203. *Hermenias palmicola* Meyrick,1912** (Tortricidae) Synonym(s): *palmicola* Meyrick,1912
Range (in code): **LK Tcm Ptl**
- 90204. *Herpystis assimulatana* Kuznetzov,1997** (Tortricidae) Synonym(s): *assimulatana* Kuznetzov,1997 Range (in code): **VN**
- 90205. *Herpystis avida* Meyrick,1911** (Tortricidae) Synonym(s): *avida* Meyrick,1911 Range (in code): **AU QAU Cai**
- 90206. *Herpystis capeana* Razowski & Brown,2009** (Tortricidae) Synonym(s): *capeana* Razowski & Brown,2009 Range (in code): **ZA Cto**

- 90207. *Herpystis cuscutea* Bradley,1968** (Tortricidae) Synonym(s): *cuscutea* Bradley,1968
Original Reference: *Herpystis cuscutea* Bradley,1968, Bull. ent. Res. 57 (4): 615. Holotype: West Pakistan, Barakahu (BMNH). Range (in code): PK
- 90208. *Herpystis insinuans* (Meyrick,1914)** (Tortricidae) Synonym(s): *insinuans* Meyrick,1914
Range (in code): LK
- 90209. *Herpystis iodryas* Meyrick,1937** (Tortricidae) Synonym(s): *iodryas* Meyrick,1937 Range (in code): CN Yu Lik
- 90210. *Herpystis jejuna* Meyrick,1916** (Tortricidae) Synonym(s): *jejuna* Meyrick,1916 Range (in code): IN Co
- 90211. *Herpystis maurodicha* Clarke,1976** (Tortricidae) Synonym(s): *maurodicha* Clarke,1976
Range (in code): FM
- 90212. *Herpystis mica* Kuznetsov,1988** (Tortricidae) Synonym(s): *mica* Kuznetsov,1988 Range (in code): TH Knc Tpp VN Ton
- 90213. *Herpystis mimica* Clarke,1976** (Tortricidae) Synonym(s): *mimica* Clarke,1976 Range (in code): FM
- 90214. *Herpystis pallidula* Meyrick,1912** (Tortricidae) Synonym(s): *pallidula* Meyrick,1912
Range (in code): IN Co
- 90215. *Herpystis rusticula* Meyrick,1911** (Tortricidae) Synonym(s): *rusticula* Meyrick,1911
Range (in code): SC
- 90216. *Herpystis theodora* Clarke,1976** (Tortricidae) Synonym(s): *theodora* Clarke,1976 Range (in code): FM
- 90217. *Herpystis tinctoria* Meyrick,1916** (Tortricidae) Synonym(s): *tinctoria* Meyrick,1916
Range (in code): IN Co
- 90218. *Hilarographa bellica* Meyrick,1912** (Tortricidae) Synonym(s): *bellica* Meyrick,1912
Range (in code): SR
- 90219. *Hilarographa bryonota* Meyrick,1921** (Tortricidae) Synonym(s): *bryonota* Meyrick,1921
Range (in code): PE
- 90220. *Hilarographa dulcisana* (Walker,1863)** (Tortricidae) Synonym(s): *dulcisana* Walker,1863; *dulciana* Meyrick,1921 Range (in code): BR
- 90221. *Hilarographa eriglypta* Meyrick,1921** (Tortricidae) Synonym(s): *eriglypta* Meyrick,1921
Range (in code): PE
- 90222. *Hilarographa euphronica* Meyrick,1920** (Tortricidae) Synonym(s): *euphronica* Meyrick,1920 Range (in code): BR Para
- 90223. *Hilarographa hexapeda* Meyrick,1913** (Tortricidae) Synonym(s): *hexapeda* Meyrick,1913
Range (in code): GY
- 90224. *Hilarographa methystis* Meyrick,1921** (Tortricidae) Synonym(s): *methystis* Meyrick,1921
Range (in code): PE
- 90225. *Hilarographa orthochrysa* Meyrick,1932** (Tortricidae) Synonym(s): *orthochrysa* Meyrick,1932 Range (in code): BR Sct
- 90226. *Hilarographa plectanodes* Meyrick,1921** (Tortricidae) Synonym(s): *plectanodes* Meyrick,1921 Range (in code): PE
- 90227. *Hilarographa quinquestrigana* (Walker,1866)** (Tortricidae) Synonym(s): *quinquestrigana* Walker,1866; *firmana* C.Felder & Rogenhofer,1875 Range (in code): BR Spa
- 90228. *Hilarographa refluxana* (Walker,1863)** (Tortricidae) Synonym(s): *refluxana* Walker,1863 Range (in code): BR Rja
- 90229. *Hilarographa ribbei* (Zeller,1877)** (Tortricidae) Synonym(s): *ribbei* Zeller,1877 Range (in code): PA
- 90230. *Hilarographa swederiana* (Stoll,1790)** (Tortricidae) Synonym(s): *swederiana* Stoll,1790; *trabeana* C.Felder & Rogenhofer,1875 Range (in code): CR SR BR
- 90231. *Hilarographa thaliarca* Meyrick,1920** (Tortricidae) Synonym(s): *thaliarca* Meyrick,1920
Range (in code): BR Para
- 90232. *Hilarographa xanthotoxa* Meyrick,1920** (Tortricidae) Synonym(s): *xanthotoxa* Meyrick,1920 Range (in code): BR
- 90233. *Histura bicornigera* Razowski,1984** (Tortricidae) Synonym(s): *bicornigera* Razowski,1984
Range (in code): CO
- 90234. *Histura boliviana* Razowski,1984** (Tortricidae) Synonym(s): *boliviana* Razowski,1984
Range (in code): BO

- 90235. *Histura chlorotypa* Razowski & Becker, 1981** (Tortricidae) Synonym(s): *chlorotypa* Razowski & Becker, 1981 Range (in code): BR Pran
- 90236. *Histura cuprata* (Meyrick, 1917)** (Tortricidae) Synonym(s): *cuprata* Meyrick, 1917 Range (in code): GY
- 90237. *Histura doriae* Razowski & Becker, 1981** (Tortricidae) Synonym(s): *doriae* Razowski & Becker, 1981 Range (in code): BR Sct
- 90238. *Histura hirsuta* (Walsingham, 1914)** (Tortricidae) Synonym(s): *hirsuta* Walsingham, 1914; *#hirsuta* Razowski, 1981 Range (in code): PA
- 90239. *Histura limosa* (Meyrick, 1912)** (Tortricidae) Synonym(s): *limosa* Meyrick, 1912 Range (in code): CO
- 90240. *Histura xanthotypa* Razowski & Becker, 1981** (Tortricidae) Synonym(s): *xanthotypa* Razowski & Becker, 1981 Range (in code): BR Pran
- 90241. *Histurodes costaricana* Razowski, 1984** (Tortricidae) Synonym(s): *costaricana* Razowski, 1984 Range (in code): CR
- 90242. *Histurodes taetera* Razowski, 1984** (Tortricidae) Synonym(s): *taetera* Razowski, 1984 Range (in code): GT
- 90243. *Holoptygma lurida* (Meyrick, 1912)** (Tortricidae) Synonym(s): *lurida* Meyrick, 1912 Range (in code): CO
- 90244. *Homona aestivana* (Walker, 1866)** (Tortricidae) Synonym(s): *aestivana* Walker, 1866; *posticana* Walker, 1866 Original Reference: *Ericia aestivana* Walker, 1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1803 Type ♂. New Guinea. Range (in code): PG PH? ID Mi Wg Tj Sla
- 90245. *Homona bakeri* Diakonoff, [1968]** (Tortricidae) Synonym(s): *bakeri* Diakonoff, [1968] Range (in code): PH Luz
- 90246. *Homona bicornis* Diakonoff, [1968]** (Tortricidae) Synonym(s): *bicornis* Diakonoff, [1968] Range (in code): PH Luz Mno
- 90247. *Homona coffearia* (Nieter, 1861)** (Tortricidae) Synonym(s): *coffearia* Nieter, 1861; *fasciculana* Walker, 1863; *menciana* Walker, 1863; *simulana* Walker, 1866; *fimbriana* Walker, 1869; *socialis* Meyrick, 1912 Original Reference: *Tortrix coffearia* Nieter, 1861, Enem. Coff. Ceylon: 24. Type: [Sri Lanka]: Ceylon. Range (in code): TH CMa CDo Nan LK PK Abb IN Ass Meg SI Djl Snm Ch CN MY ID Ja BN Bor Swk Shh
- 90248. *Homona eductana* (Walker, 1863)** (Tortricidae) Synonym(s): *eductana* Walker, 1863; *difficilis* Meyrick, 1928; *permutata* Meyrick, 1928 Range (in code): TH CMa CDo CN HK NP IN Adm MM MY ID Ja BN Sbh Swk PH
- 90249. *Homona encausta* (Meyrick, 1907)** (Tortricidae) Synonym(s): *encausta* Meyrick, 1907 Original Reference: *Tortrix encausta* Meyrick, 1907, J. Bombay Nat. Hist. Soc. 17: 735. Lectotype ♂: [Sri Lanka]: Ceylon, Gampola (BMNH). Range (in code): LK Pdn Mky NP TH CMa Dst Dso9 IN MY ID Clb Mlc VN
- 90250. *Homona intermedia* Diakonoff, 1948** (Tortricidae) Synonym(s): *intermedia* Diakonoff, 1948 Range (in code): ID Ja
- 90251. *Homona nakaoi* Yasuda, 1969** (Tortricidae) Synonym(s): *nakaoi* Yasuda, 1969 Range (in code): NP IN Ch Snm
- 90252. *Homona phanaea* Meyrick, 1910** (Tortricidae) Synonym(s): *phanaea* Meyrick, 1910 Range (in code): SB PG Kai PH?
- 90253. *Homona polyarcha* Meyrick, 1924** (Tortricidae) Synonym(s): *polyarcha* Meyrick, 1924 Range (in code): ZA
- 90254. *Homona wetan* Diakonoff, 1941** (Tortricidae) Synonym(s): *wetan* Diakonoff, 1941 Range (in code): ID Ja
- 90255. *Hoplitendemis centrasis* Diakonoff, 1973** (Tortricidae) Synonym(s): *centrasis* Diakonoff, 1973 Range (in code): ID Clb
- 90256. *Hoplitendemis erebodes* Diakonoff, 1973** (Tortricidae) Synonym(s): *erebodes* Diakonoff, 1973 Range (in code): ID Ja TH Nna Kao Chi Bionomy: Larva on *Eugenia pomyantha* (Myrtaceae) (Kawabe, 1989).
- 90257. *Hoplitendemis inauditana* Kuznetsov, 1988** (Tortricidae) Synonym(s): *inauditana* Kuznetsov, 1988 Range (in code): VN Ton
- 90258. *Hoplitendemis pogonopoda* Diakonoff, 1973** (Tortricidae) Synonym(s): *pogonopoda* Diakonoff, 1973 Range (in code): ID Ja Ged
- 90259. *Hynhamia brunana* J. Brown, 1990** (Tortricidae) Synonym(s): *brunana* J. Brown, 1990 Range (in code): PE

- 90260. *Hynhamia cornutia* J.Brown,1990** (Tortricidae) **Synonym(s):** *cornutia* J.Brown,1990
Range (in code): **CO**
- 90261. *Hynhamia hemileuca* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *hemileuca* Meyrick,1932
Range (in code): **CO**
- 90262. *Hynhamia sciodyras* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *sciodyras* Meyrick,1926
Range (in code): **CO**
- 90263. *Hypenolobosa glechoma* Razowski,[1992]** (Tortricidae) **Synonym(s):** *glechoma* Razowski,[1992] **Range (in code):** **MX Chua**
- 90264. *Hypostromatia versicolorana* Zeller,1866** (Tortricidae) **Synonym(s):** *versicolorana* Zeller,1866 **Range (in code):** **CO**
- 90265. *Hyptiharpa hypostas* Razowski,[1992]** (Tortricidae) **Synonym(s):** *hypostas* Razowski,[1992] **Range (in code):** **MX Sin**
- 90266. *Hysterophora maculosana* (Haworth,[1811])** (Tortricidae) **Synonym(s):** *maculosana* Haworth,[1811]; *purgatana* Treitschke,1835; *porculana* Mann,1862. **Original Reference:** Tortrix maculosana Haworth,[1811], Lep. Br.: 438. Type(s): England. **Range (in code):** **PT ES FR Co Sa Si IT IE GB BE DE AT CZ SK HU RO YU HV MK BG GR TR RU MD UA Cm IL Jt Jr Pa** **Bionomy:** Larva on *Scilla festalis* (Liliaceae), *Endymion non-scriptus*, *Chondrilla juncea* (Cichoriaceae) (Dufrane,1942).
- 90267. *Icteralaria ichnobursa* Razowski,[1992]** (Tortricidae) **Synonym(s):** *ichnobursa* Razowski,[1992] **Range (in code):** **CO**
- 90268. *Icteralaria idiochroma* Razowski,[1992]** (Tortricidae) **Synonym(s):** *idiochroma* Razowski,[1992] **Range (in code):** **CR**
- 90269. *Idiothauma africanum* Walsingham,1897** (Tortricidae) **Synonym(s):** *africanum* Walsingham,1897 **Range (in code):** **ZR**
- 90270. *Idiothauma druidica* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *druidica* Meyrick,1909
Range (in code): **IN Ass Meg Khs**
- 90271. *Idiothauma malgassicella* Viette,1958** (Tortricidae) **Synonym(s):** *malgassicella* Viette,1958 **Range (in code):** **MG**
- 90272. *Idiothauma rigatiella* Ghesquière,1940** (Tortricidae) **Synonym(s):** *rigatiella* Ghesquière,1940 **Range (in code):** **ZR**
- 90273. *Idolatteria cantharopisca* Obraztsov,1966** (Tortricidae) **Synonym(s):** *cantharopisca* Obraztsov,1966 **Range (in code):** **BO**
- 90274. *Idolatteria fasciata* Obraztsov,1966** (Tortricidae) **Synonym(s):** *fasciata* Obraztsov,1966
Range (in code): **BO**
- 90275. *Idolatteria maon* (Druce,1901)** (Tortricidae) **Synonym(s):** *maon* Druce,1901 **Range (in code):** **EC**
- 90276. *Idolatteria mydros* Obraztsov,1966** (Tortricidae) **Synonym(s):** *mydros* Obraztsov,1966
Range (in code): **EC**
- 90277. *Idolatteria orgias* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *orgias* Meyrick,1930 **Range (in code):** **CO**
- 90278. *Idolatteria pyropis* Walsingham,1914** (Tortricidae) **Synonym(s):** *pyropis* Walsingham,1914 **Range (in code):** **CR**
- 90279. *Idolatteria simulatrix* Walsingham,1914** (Tortricidae) **Synonym(s):** *simulatrix* Walsingham,1914 **Range (in code):** **GT**
- 90280. *Idolatteria xanthocapna* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *xanthocapna* Meyrick,1930 **Range (in code):** **CO**
- 90281. *Inape auxoplaca* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *auxoplaca* Meyrick,1926
Range (in code): **CO**
- 90282. *Inape biremis* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *biremis* Meyrick,1926 **Range (in code):** **CO**
- 90283. *Inape iantha* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *ianta* Meyrick,1912 **Range (in code):** **CO**
- 90284. *Inape penai* Razowski,1988** (Tortricidae) **Synonym(s):** *penai* Razowski,1988 **Range (in code):** **BO**
- 90285. *Inape xerophanes* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *xerophanes* Meyrick,1909
Range (in code): **PE**

- 90286. Inape zelotypa (Meyrick,1912)** (Tortricidae) **Synonym(s):** *zelotypa* Meyrick,1912 **Range (in code):** **CO**
- 90287. Isodemis illiberalis (Meyrick,1918)** (Tortricidae) **Synonym(s):** *illiberalis* Meyrick,1918; *interjecta* Meyrick,1922; *montivola* Diakonoff,1941 **Range (in code):** **IN SI Djl TH CMa Dst**
- 90288. Isodemis proxima Razowski,2000** (Tortricidae) **Synonym(s):** *proxima* Razowski,2000 **Range (in code):** **TW**
- 90289. Isodemis serpentinana (Walker,1863)** (Tortricidae) **Synonym(s):** *serpentinana* Walker,1863; *sulana* Walker,1866 **Range (in code):** **MY Bor ID Sum Ja Sba PG IN LK MM TH Knc CMa Dst PH Luz**
- 90290. Isodemis stenotera Diakonoff,1983** (Tortricidae) **Synonym(s):** *stenotera* Diakonoff,1983 **Range (in code):** **ID Sum**
- 90291. Isotenes inae Diakonoff,1948** (Tortricidae) **Synonym(s):** *inae* Meyrick,1938; *miserana* T.B.Fletcher,1920 *nec* Walk.,1863 **Original Reference:** *Isotenes inae* Diakonoff,1948, *Treubia* 19 (3): 493-495. Holotype ♂: [Indonesia]: East Java, Tengger Mts. **Range (in code):** **IN Ass ID Sum Ja Ged TH CMa Dst NP MY PH Luz Mno** **Bionomy:** Larva on Thea, Pinus merkusii (Diakonoff,[1968]).
- 90292. Isotenes thaumasia Diakonoff,1948** (Tortricidae) **Synonym(s):** *thaumasia* Diakonoff,1948 **Range (in code):** **ID Ja Sum** **Bionomy:** Larva on leaves of Citrus (Rutaceae) (Diakonoff,1948).
- 90293. Isotrias buckwelli (Lucas,1954)** (Tortricidae) **Synonym(s):** *buckwelli* Lucas,1954 **Range (in code):** **MA**
- 90294. Isotrias cuencana (Kennel,1899)** (Tortricidae) **Synonym(s):** *cuencana* Kennel,1899 **Original Reference:** *Olindia cuencana* Kennel,1899, *Dt. ent. Z., Iris* 12: 13, pl.1 fig.11. Syntypes: Spanien: Cuenca. **Range (in code):** **ES An Cue**
- 90295. Isotrias huemeri Trematerra,1993** (Tortricidae) **Synonym(s):** *huemeri* Trematerra,1993 **Range (in code):** **IT**
- 90296. Isotrias hybridana (Hübner,[1817])** (Tortricidae) **Synonym(s):** *cingulana* Scopoli,1772; *hybridana* Hübner,[1817]; *puellana* Frölich,1828; *pedemontana* Staudinger,1871; *fingalana* Millière,1884; *castiliana* Ragonot,1894 **Range (in code):** **PT ES FR Si IT DE AT PL CZ SK HU RO YU AL BG GR TR RU MD UA BY**
- 90297. Isotrias joannisana (Turati,1921)** (Tortricidae) **Synonym(s):** *joannisana* Turati,1921 **Range (in code):** **IT**
- 90298. Isotrias martelliana Trematerra,1990** (Tortricidae) **Synonym(s):** *martelliana* Trematerra,1990 **Range (in code):** **IT**
- 90299. Isotrias rectifasciana (Haworth,[1811])** (Tortricidae) **Synonym(s):** *trifasciana* Donovan,[1806] (*praeocc.*); *rectifasciana* Haworth,[1811]; *nemorana* Frölich,1828; *curvifasciana* Stephens,1834; *albulana* Treitschke,1835; *insubrica* Müller-Rutz,1920; *pseudomodestana* Obraztsov,1957 **Range (in code):** **FR IT GB BE NL LU DE CH AT CZ HU GR TR DK Cc GG**
- 90300. Isotrias stramentana (Guenée,1845)** (Tortricidae) **Synonym(s):** *stramentana* Guenée,1845 **Range (in code):** **ES FR IT DE CH**
- 90301. Josefrazowskia recondita (Razowski,2006)** (Tortricidae) **Synonym(s):** *recondita* Razowski,2006 **Original Reference:** *Worcesteria recondita* Razowski,2006, *Polski pismo Ent.* 75 (3): 420-421, fig.1. Holotype ♂: South Africa: Worcester 14 & 21.x.1966 Vari & Potgieter leg. (TM). **Range (in code):** **ZA**
- 90302. Juxtolena omphalia Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *omphalia* Razowski & Becker,1993 **Range (in code):** **CR**
- 90303. Juxtolena oncodina Razowski & Becker,1993** (Tortricidae) **Synonym(s):** *oncodina* Razowski & Becker,1993 **Range (in code):** **BR**
- 90304. Karacaoglania sp.1** (Tortricidae) **Synonym(s):** **Range (in code):** **TH Knc Tpp**
- 90305. Karacaoglania sp.2** (Tortricidae) **Synonym(s):** **Range (in code):** **TH Knc Tpp**
- 90306. Karacaoglania xerophila (Meyrick,1939)** (Tortricidae) **Synonym(s):** *xerophila* Meyrick,1939 **Original Reference:** *Laspeyresia xerophila* Meyrick,1939, *Trans. R. ent. Soc. Lond.* 89: 51. **Range (in code):** **IN**
- 90307. Kennelia albifacies (Walsingham,1900)** (Tortricidae) **Synonym(s):** *albifacies* Walsingham,1900; *corthyntis* Meyrick,1909 **Range (in code):** **LK IN CN**
- 90308. Kennelia tropica Razowski,2009** (Tortricidae) **Synonym(s):** *tropica* Razowski,2009 **Range (in code):** **VN Fan**
- 90309. Kennelia xylinana (Kennel,1900)** (Tortricidae) **Synonym(s):** *xylinana* Kennel,1900 **Range (in code):** **RU Am Us**

- 90310. Kenneliola fagiglandana (Zeller,1841)** (Tortricidae) Synonym(s): *grossana* Haworth,[1811] nec Thunb.,1791; *fagiglandana* Zeller,1841. Range (in code): **PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE RU MD UA BY Cc GG LB Bsa SY Dms Hal JP**
- 90311. Kenneliola fagiglandana corsica (Gibeaux,1999)** (Tortricidae) Synonym(s): *corsica* Gibeaux,1999 Range (in code): **Co**
- 90312. Kenneliola molybdana Constant,1884** (Tortricidae) Synonym(s): *molybdana* Constant,1884 Range (in code): **TR**
- 90313. Lambertiodes harmonia (Meyrick,1908)** (Tortricidae) Synonym(s): *harmonia* Meyrick,1908 Original Reference: *Epagoge harmonia* Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 617. Range (in code): **IN SI Djl Meg Ass Khs TH CMa Int**
- 90314. Lasiothyris cerastes Razowski & Becker,1986** (Tortricidae) Synonym(s): *cerastes* Razowski & Becker,1986 Range (in code): **CR**
- 90315. Lasiothyris cinigmula Razowski & Becker,1986** (Tortricidae) Synonym(s): *cinigmula* Razowski & Becker,1986 Range (in code): **MX Ver**
- 90316. Lasiothyris cnestovalva Razowski & Becker,1986** (Tortricidae) Synonym(s): *cnestovalva* Razowski & Becker,1986 Range (in code): **CR**
- 90317. Lasiothyris competitrix (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *competitrix* Razowski & Becker,1983 Range (in code): **BR Pran**
- 90318. Lasiothyris diclada Razowski & Becker,1986** (Tortricidae) Synonym(s): *diclada* Razowski & Becker,1986 Range (in code): **CR**
- 90319. Lasiothyris ficta Razowski & Becker,1983** (Tortricidae) Synonym(s): *ficta* Razowski & Becker,1983 Range (in code): **BR Pran**
- 90320. Lasiothyris gravida Razowski,1986** (Tortricidae) Synonym(s): *gravida* Razowski,1986 Range (in code): **MX Ver**
- 90321. Lasiothyris heterophaea (Clarke,1968)** (Tortricidae) Synonym(s): *heterophaea* Clarke,1968 Range (in code): **CO**
- 90322. Lasiothyris horrens (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *horrens* Razowski & Becker,1983 Range (in code): **BR Set**
- 90323. Lasiothyris ichthyochroa (Walsingham,1897)** (Tortricidae) Synonym(s): *ichthyochroa* Walsingham,1897 Range (in code): **VG**
- 90324. Lasiothyris ilingocornuta Razowski & Becker,1993** (Tortricidae) Synonym(s): *ilingocornuta* Razowski & Becker,1993 Range (in code): **BR**
- 90325. Lasiothyris limatula Meyrick,1917** (Tortricidae) Synonym(s): *limatula* Meyrick,1917 Range (in code): **EC**
- 90326. Lasiothyris luminosa (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *luminosa* Razowski & Becker,1983 Range (in code): **BR Set**
- 90327. Lasiothyris megapenis Razowski & Becker,1993** (Tortricidae) Synonym(s): *megapenis* Razowski & Becker,1993 Range (in code): **BR MiG**
- 90328. Lasiothyris micida Razowski & Becker,1986** (Tortricidae) Synonym(s): *micida* Razowski & Becker,1986 Range (in code): **CR**
- 90329. Lasiothyris omissa Razowski & Becker,1993** (Tortricidae) Synonym(s): *omissa* Razowski & Becker,1993 Range (in code): **BR Para**
- 90330. Lasiothyris perjura Razowski & Becker,1993** (Tortricidae) Synonym(s): *perjura* Razowski & Becker,1993 Range (in code): **BR Set**
- 90331. Lasiothyris pervicax Razowski & Becker,1993** (Tortricidae) Synonym(s): *pervicax* Razowski & Becker,1993 Range (in code): **BR**
- 90332. Lasiothyris revulsa Razowski & Becker,1993** (Tortricidae) Synonym(s): *revulsa* Razowski & Becker,1993 Range (in code): **BR**
- 90333. Lasiothyris sorbia Razowski & Becker,1993** (Tortricidae) Synonym(s): *sorbia* Razowski & Becker,1993 Range (in code): **BR**
- 90334. Lasiothyris tardans Razowski & Becker,1993** (Tortricidae) Synonym(s): *tardans* Razowski & Becker,1993 Range (in code): **BR MiG**
- 90335. Lathronympha balearici Diakonoff,1972** (Tortricidae) Synonym(s): *balearici* Diakonoff,1972 Range (in code): **ES**
- 90336. Lathronympha christenseni Aarvik & Karsholt,1993** (Tortricidae) Synonym(s): *christenseni* Aarvik & Karsholt,1993 Original Reference: *Lathronympha christenseni* Aarvik &

- Karsholt, 1993, *Nota lepid.* 15 (3/4): 176-177, figs. Holotype ♂: Greece: Lakonia, G. Christensen leg. (ZMUC). Range (in code): GR
- 90337. *Lathronympha strigana* (Fabricius, 1775)** (Tortricidae) Synonym(s): *strigana* Fabricius, 1775; *politana* [Denis & Schiffermüller], 1775; *hypericana* Hübner, [1799]. Original Reference: *Pyalis strigana* Fabricius, 1775; *Syst. Ent.*: 654. Type(s): Suecia. Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG KP KR JP CN Mc Bionomy: Larva on *Hypericum perforatum*, *H. hirsutum* (Hypericaceae) (Bradley et al., 1979).
- 90338. *Lepteucosma aethopa* (Diakonoff, 1984)** (Tortricidae) Synonym(s): *aethopa* Diakonoff, 1984 Range (in code): ID Sba
- 90339. *Lepteucosma blanda* (Kawabe, 1989)** (Tortricidae) Synonym(s): *blanda* Kawabe, 1989 Original Reference: *Epinotia blanda* Kawabe, 1989, *Microlepid. Thailand* 2: 56. Holotype: Thailand: Chiang Mai, Doi Pakia, 1500m (UOP). Range (in code): TH CMa Dst Fn Int Chy
- 90340. *Lepteucosma ceriodes* (Meyrick, 1909)** (Tortricidae) Synonym(s): *ceriodes* Meyrick, 1909 Range (in code): IN Ass Meg Khs JP VN
- 90341. *Lepteucosma charassuncus* Razowski, 2006** (Tortricidae) Synonym(s): *charassuncus* Razowski, 2006 Range (in code): IN Ch Sri
- 90342. *Lepteucosma huebneriana* (Koçak, 1980)** (Tortricidae) Synonym(s): *ustulana* Hübner, [1813] *nec* Haw., [1811]; *huebneriana* Koçak, 1980 Original Reference: *Epinotia huebneriana* Koçak, 1980, *Comm. Fac. Sci. Univ. Ankara* 24 (C): 11 (nomen novum pro *ustulana* Hübner, [1813] *nec* Haworth, [1811]). Range (in code): FR IT DE CH AT CZ SK RO LV LT RU MD UA BY Cc GG AZ Sb Am Sh KP KR JP CN Fkn Ahw Hpe Hun Jn Kwt Mc Bionomy: Larva on *Rubus fruticosus*, *R. crataegifolius*, *R. sachalinensis* (Rosaceae), *Lycium chinense* (Solanaceae) (Park, 1983; Kuznetsov, 2001).
- 90343. *Lepteucosma leucotoma* (Diakonoff, 1955)** (Tortricidae) Synonym(s): *leucotoma* Diakonoff, 1955 Range (in code): NP
- 90344. *Lepteucosma lutescens* (Razowski, 1967)** (Tortricidae) Synonym(s): *lutescens* Razowski, 1967 Range (in code): AF Pag IN Ch Dra Ld
- 90345. *Lepteucosma oxychrysa* Diakonoff, 1971** (Tortricidae) Synonym(s): *oxychrysa* Diakonoff, 1971 Original Reference: *Lepteucosma oxychrysa* Diakonoff, 1971, *Veröff. zool. Staatssamml. München* 15: 181. Holotype: Pakistan: NW Karakoram, Gilgit, Banidas (ZSM). Range (in code): PK Gg Ch Snm Sri Dra IN VN
- 90346. *Lepteucosma oxychrysoides* Kuznetsov, 1997** (Tortricidae) Synonym(s): *oxychrysoides* Kuznetsov, 1997 Range (in code): VN Ann
- 90347. *Lepteucosma punjabica* Kuznetsov, 1988** (Tortricidae) Synonym(s): *punjabica* Kuznetsov, 1988 Range (in code): IN Hp Pj Drm
- 90348. *Lepteucosma siamensis* (Kawabe, 1989)** (Tortricidae) Synonym(s): *siamensis* Kawabe, 1989 Range (in code): TH CMa Dst Int
- 90349. *Lepteucosma srinagara* Razowski, 2006** (Tortricidae) Synonym(s): *srinagara* Razowski, 2006 Range (in code): IN Ch Sri
- 90350. *Lincicochylis argentifusa* (Walsingham, 1914)** (Tortricidae) Synonym(s): *argentifusa* Walsingham, 1914 Range (in code): MX Grr
- 90351. *Lipoptycha grueneriana* Herrich-Schäffer, [1851]** (Tortricidae) Synonym(s): *grueneriana* Herrich-Schäffer, [1851] Range (in code): TR
- 90352. *Lipsotelus anacanthus* Diakonoff, 1973** (Tortricidae) Synonym(s): *anacanthus* Diakonoff, 1973 Range (in code): IN Meg Ass Khs MM Peg Krh ID Ja CN Hn
- 90353. *Lipsotelus anacanthus amicus* Diakonoff, 1973** (Tortricidae) Synonym(s): *amicus* Diakonoff, 1973 Range (in code): MM Peg Krh
- 90354. *Lipsotelus anacanthus anacanthus* Diakonoff, 1973** (Tortricidae) Synonym(s): *anacanthus* Diakonoff, 1973 Range (in code): ID Ja
- 90355. *Lipsotelus anacanthus calens* Diakonoff, 1973** (Tortricidae) Synonym(s): *calens* Diakonoff, 1973 Range (in code): IN Meg Ass Khs
- 90356. *Lipsotelus anacanthus insulae* Diakonoff, 1973** (Tortricidae) Synonym(s): *insulae* Diakonoff, 1973 Range (in code): CN Hn
- 90357. *Lipsotelus armiger* Diakonoff, 1973** (Tortricidae) Synonym(s): *armiger* Diakonoff, 1973 Range (in code): MM Tns Mrg

- 90358. *Lipsotelus lichenoides* Walsingham,1900** (Tortricidae) Synonym(s): *lichenoides* Walsingham,1900 Range (in code): **MM Tns Mrg**
- 90359. *Lipsotelus xyloides* Diakonoff,1973** (Tortricidae) Synonym(s): *xyloides* Diakonoff,1973 Range (in code): **MY Bor Swk**
- 90360. *Lobesia (Harmosma) harmonia* (Meyrick,1908)** (Tortricidae) Synonym(s): *harmonia* Meyrick,1908 Original Reference: Polychrosis *harmonia* Meyrick,1908, Proc. zool. Soc. London 1908: 716. Lectotype ♂: N.E.Pretoria, Transvaal, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.154, figs.2-2a]. Range (in code): **ZA Tva Gau Pre MG**
- 90361. *Lobesia (Lomaschiza) bisyringnata* Bae,1993** (Tortricidae) Synonym(s): *bisyringnata* Bae,1993 Range (in code): **MY Bor Sbh**
- 90362. *Lobesia (Lomaschiza) kurokoi* Bae,1995** (Tortricidae) Synonym(s): *kurokoi* Bae,1995 Original Reference: *Lobesia kurokoi* Bae,1995, Microlepid. Thailand 3. 36. Holotype ♀: Thailand: Chiang Mai, Doi Pakia (OPU). Range (in code): **TH Cma Dst Knc Tpp**
- 90363. *Lobesia (Lomaschiza) quadratica* (Meyrick,1911)** (Tortricidae) Synonym(s): *quadratica* Meyrick,1911 Original Reference: *Bactra quadratica* Meyrick,1911, Ann. Transv. Mus. 3 (1): 63. Type ♀: South Africa: West Pondoland: Ngqeleni (TMP). Range (in code): **ZA Ngg Tra**
- 90364. *Lobesia (Lomaschiza) ultima* Diakonoff,1954** (Tortricidae) Synonym(s): *ultima* Diakonoff,1954; ? *moriutii* Bae,1995 Range (in code): **ID Ja TH**
- 90365. *Lobesia (Polychrosis) cetratana* (Rebel,1907)** (Tortricidae) Synonym(s): *cetratana* Rebel,1907 Original Reference: Polychrosis *cetratana* Rebel,1907, Dt. ent. Z., Iris 19: 117. Holotype: Sokotra. Range (in code): **YE Sk**
- 90366. *Lobesia (Polychrosis) deltophora* (Meyrick,1921)** (Tortricidae) Synonym(s): *deltophora* Meyrick,1921 Range (in code): **MZ Mag**
- 90367. *Lobesia (Polychrosis) ephippias* (Meyrick,1907)** (Tortricidae) Synonym(s): *ephippias* Meyrick,1907 Range (in code): **ZA**
- 90368. *Lobesia (Polychrosis) metachlora* (Meyrick,1913)** (Tortricidae) Synonym(s): *metachlora* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb Gau Pre**
- 90369. *Lobesia (Polychrosis) primaria* (Meyrick,1909)** (Tortricidae) Synonym(s): *primaria* Meyrick,1909 Range (in code): **ZA Tva Gau Pre**
- 90370. *Lobesia (Polychrosis) scorpiodes* (Meyrick,1908)** (Tortricidae) Synonym(s): *scorpiodes* Meyrick,1908 Range (in code): **ZA Tva Pie Gau Lpo Pre**
- 90371. *Lobesia (Polychrosis) stenaspis* (Meyrick,1921)** (Tortricidae) Synonym(s): *stenaspis* Meyrick,1921 Range (in code): **ZA Nta Kzu Dbn**
- 90372. *Lobesia (Polychrosis) stericta* (Meyrick,1911)** (Tortricidae) Synonym(s): *stericta* Meyrick,1911 Original Reference: Polychrosis *stericta* Meyrick,1911, Ann. Transv. Mus. 3 (1): 63-64. Type ♂: South Africa: Haenertsburg (TMP). Range (in code): **ZA Lpo Tva Hae**
- 90373. *Lobesia (s.str.) abscissana* (Doubleday,1849)** (Tortricidae) Synonym(s): *abscissana* Doubleday,1849; *pullana* Kennel,1900. Range (in code): **FR IT GB BE NL LU DE AT PL CZ SK HU DK NO SE FI EE LV RU Sb MD UA BY TJ**
- 90374. *Lobesia (s.str.) andereggiana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *andereggiana* Herrich-Schäffer,1851; *andereggi* Ragonot,1884; *kreithneriana* Hornig,1882. Range (in code): **CH AT SK RO HV TR?**
- 90375. *Lobesia (s.str.) arguta* Bae & Komai,1991** (Tortricidae) Synonym(s): *arguta* Bae & Komai,1991 Range (in code): **JP Hkk**
- 90376. *Lobesia (s.str.) artemisiana* (Zeller,1847)** (Tortricidae) Synonym(s): *artemisiana* Zeller,1847; *trifasciana* Herrich-Schäffer,1851; *amaryllana* Millière,1876 Original Reference: *Sericoris artemisiana* Zeller,1847, Isis 1847: 27-28. Syntypes: Deutschland: Frankfurt; Türkei, "Brussa" [Bursa]. Range (in code): **ES FR Sa Si IT NL DE CH AT PL CZ SK HU RO YU BG GR TR EE LT RU MD UA BY IQ Shq IR Cc GG** Bionomy: Larva on *Artemisia* (Zeller,1847).
- 90377. *Lobesia (s.str.) atsushii* Bae,1993** (Tortricidae) Synonym(s): *atsushii* Bae,1993 Range (in code): **TW**
- 90378. *Lobesia (s.str.) attributana* (Kennel,1901)** (Tortricidae) Synonym(s): *attributana* Kennel,1901 Original Reference: Polychrosis (Eudemis) *attributana* Kennel,1901, Dt. ent. Z., Iris 13 (1900): 259-260. Type ♀: [Türkei]: "Marasch" (MNHU). Range (in code): **TR**
- 90379. *Lobesia (s.str.) bicinctana* (Duponchel,1844)** (Tortricidae) Synonym(s): *bicinctana* Duponchel,1844; *lugdunana* Guenée,1845 Range (in code): **ES FR Si IT DE CH AT PL CZ SK HU RO YU AL BG TR DK NO SE FI EE RU Sb MD UA BY CN Mc MN JP CA**

- 90380. Lobesia (s.str.) cinerariae (Nolcken,1882)** (Tortricidae) **Synonym(s):** *cinerariae* Nolcken,1882; *helichrysana* Ragonot,1879 **Original Reference:** *Eudemis cinerariae* Nolcken,1882, Stettin ent. Ztg. 43: 184. Type: France: St. Marguerite. **Range (in code):** **PT ES FR IT TR** **Bionomy:** Larva on *Helichrysium* (Asteraceae) (Ragonot,1879).
- 90381. Lobesia (s.str.) clarisecta Meyrick,1932** (Tortricidae) **Synonym(s):** *clarisecta* Meyrick,1932 **Range (in code):** **IN Ch GI**
- 90382. Lobesia (s.str.) confinitana (Staudinger,1870)** (Tortricidae) **Synonym(s):** *confinitana* Staudinger,1870 **Range (in code):** **HU GR**
- 90383. Lobesia (s.str.) crimea Falkovitsh,1970** (Tortricidae) **Synonym(s):** *crimea* Falkovitsh,1970 **Range (in code):** **RU MD UA Cm BY**
- 90384. Lobesia (s.str.) fictana (Kennel,1901)** (Tortricidae) **Synonym(s):** *fictana* Kennel,1901 **Original Reference:** *Polychrosis (Eudemis) fictana* Kennel,1901, Dt. ent. Z., Iris 13: 258-259. Type ♂: [Libanon]: "Beirut". **Range (in code):** **LB Bei**
- 90385. Lobesia (s.str.) glebifera (Meyrick,1912)** (Tortricidae) **Synonym(s):** *glebifera* Meyrick,1912 **Original Reference:** *Polychrosis glebifera* Meyrick,1912, Exot. Microlepid. 1: 34. Type ♂: [Turkey]: Asia Minor: Alma Dagħ [Amanos Dağları] (BMNH). **Range (in code):** **TR**
- 90386. Lobesia (s.str.) globosterigma Liu & Bae,1994** (Tortricidae) **Synonym(s):** *globosterigma* Liu & Bae,1994 **Range (in code):** **CN**
- 90387. Lobesia (s.str.) helichrysana (Ragonot,1879)** (Tortricidae) **Synonym(s):** *helichrysana* Ragonot,1879 **Range (in code):** **PT ES FR**
- 90388. Lobesia (s.str.) herculeana (Kennel,1900)** (Tortricidae) **Synonym(s):** *herculeana* Kennel,1900 **Original Reference:** *Polychrosis (Eudemis) herculeana* Kennel,1900, Dt. ent. Z., Iris 13: 139-140, Taf.v fig.15. Syntypes: Uighur Ili: Kuldja (BNHU). **Range (in code):** **CN Ui Ku**
- 90389. Lobesia (s.str.) indusiana (Zeller,1847)** (Tortricidae) **Synonym(s):** *indusiana* Zeller,1847; *staticeana* Millière,1869; *cognata* Obratzsov,1949. **Original Reference:** *Sericoris indusiana* Zeller,1847, Isis 1847 (9): 667. Syntypes: Italia: Sicilia. **Range (in code):** **DZ Bsk ES FR Sa Si IT YU BG TR RU MD UA BY** **Bionomy:** Larva on *Statice delicatula* (Chrétien,1917).
- 90390. Lobesia (s.str.) limoniana (Millière,1860)** (Tortricidae) **Synonym(s):** *limoniana* Millière,1860 **Range (in code):** **ES FR Si IT IR Mz**
- 90391. Lobesia (s.str.) littoralis (Westwood & Humphreys,1845)** (Tortricidae) **Synonym(s):** *littoralis* Westwood & Humphreys,1845; *venustana* Douglas,1846; *morbida* Doubleday,1850; *hibernana* Staudinger,1859; *annetensis* Turner,1934. **Range (in code):** **PT ES FR Si IT IS IE GB BE NL CH DK NO SE FI TR**
- 90392. Lobesia (s.str.) longisterigma Liu & Bae,1994** (Tortricidae) **Synonym(s):** *longisterigma* Liu & Bae,1994 **Range (in code):** **CN Sz**
- 90393. Lobesia (s.str.) macroptera Liu & Bae,1994** (Tortricidae) **Synonym(s):** *macroptera* Liu & Bae,1994 **Range (in code):** **CN Sz**
- 90394. Lobesia (s.str.) matici Stanoiu,1974** (Tortricidae) **Synonym(s):** *matici* Stanoiu,1974 **Range (in code):** **RO**
- 90395. Lobesia (s.str.) moriutii Bae,1995** (Tortricidae) **Synonym(s):** *moriutii* Bae,1995 **Original Reference:** *Lobesia moriutii* Bae,1995, Microlepid. Thailand 3: 41. Holotype ♂: Thailand: Chiang Mai, Fang (OPU). **Range (in code):** **TH Cma Fn**
- 90396. Lobesia (s.str.) pattayae Bae,1995** (Tortricidae) **Synonym(s):** *pattayae* Bae,1995 **Original Reference:** *Lobesia pattayae* Bae,1995, Microlepid. Thailand 3: 33. Holotype ♂: Thailand: Chon Buri, Pattaya (ZMUC). **Range (in code):** **TH Pty Cbi**
- 90397. Lobesia (s.str.) porrectana (Zeller,1847)** (Tortricidae) **Synonym(s):** *porrectana* Zeller,1847 **Original Reference:** *Sericoris porrectana* Zeller,1847, Isis 1847: 665. Type(s): Sicilia. **Range (in code):** **ES FR Co Sa Si IT MT IL LB TR SY Dms**
- 90398. Lobesia (s.str.) postica Bae,1993** (Tortricidae) **Synonym(s):** *postica* Bae,1993 **Range (in code):** **TW**
- 90399. Lobesia (s.str.) pyriformis Bae & Park,1992** (Tortricidae) **Synonym(s):** *pyriformis* Bae & Park,1992 **Range (in code):** **KR**
- 90400. Lobesia (s.str.) quaggana (Mann,1855)** (Tortricidae) **Synonym(s):** *quaggana* Mann,1855; *restructana* Turati,1913. **Range (in code):** **PT ES Co Sa Si IT YU AL TR**
- 90401. Lobesia (s.str.) reliquana (Hübner,[1825])** (Tortricidae) **Synonym(s):** *reliquana* Hübner,[1825]; *leucoptera* Frölich,1828; *fischerana* Treitschke,1835. **Range (in code):** **ES FR Sa? Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU Sb Am Vv MD UA BY Cc GG IR Gl CN KP KR JP**

- 90402. *Lobesia* (s.str.) *schmidtii* (Rebel,1936)** (Tortricidae) **Synonym(s):** *schmidtii* Rebel,1936
Range (in code): **ES**
- 90403. *Lobesia* (s.str.) *serangodes* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *serangodes* Meyrick,1920; *#sarangodes* Razowski,1966 **Original Reference:** Polychrosis *serangodes* Meyrick,1920, Exot. Microlepid. 2: 346. Type: [Pakistan]: Abbottabad (BMNH). **Range (in code):** **PK Abb Pj SY Dms**
- 90404. *Lobesia* (s.str.) *siamensis* Bae,1995** (Tortricidae) **Synonym(s):** *siamensis* Bae,1995
Original Reference: *Lobesia* (*Lomaschizodes*) *siamensis* Bae,1995, Microlepid. Thailand 3: 33. Holotype: Thailand: Nakhon Nayok Prov.: Khao Yai NP (ZMUC). **Range (in code):** **TH Kao Nna**
- 90405. *Lobesia* (s.str.) *subherculeana* (Filipjev,1925)** (Tortricidae) **Synonym(s):** *subherculeana* Filipjev,1925 **Range (in code):** **RU Sb TR**
- 90406. *Lobesia* (s.str.) *takahiroi* Bae,1996** (Tortricidae) **Synonym(s):** *takahiroi* Bae,1996 **Range (in code):** **JP**
- 90407. *Lobesia* (s.str.) *vectis* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *vectis* Diakonoff,[1984] **Range (in code):** **SA As**
- 90408. *Lobesia* (s.str.) *virulenta* Bae & Komai,1991** (Tortricidae) **Synonym(s):** *virulenta* Bae & Komai,1991 **Range (in code):** **JP**
- 90409. *Lobesia* (s.str.) *vitisana* (Jacquin,1788)** (Tortricidae) **Synonym(s):** *#botrana* [Denis & Schiffermüller],1775; *vitisana* Jacquin,1788; *rosmarinana* Milliere,1865. **Original Reference:** *Phalaena vitisana* Jacquin,1788, Collectanea 2: 97. **Range (in code):** **DZ EG ER ET KE LY PT ES FR Co Sa Si IT MT GB BE DE CH AT PL CZ SK HU RO BG GR Cr TR DK SE LT RU MD UA BY Cc AZ AM GG IQ Shq Bgd LB Say IL Pa JO IR Ab Oru Mz Gls KG TM UZ TJ JP** **Bionomy:** Larva on *Vitis vinifera* (Vitaceae), *Ligustrum vulgare*, *Berberis vulgaris*, *Lonicera*, *Clematis*, *Hedera*, *Cornus*, *Prunus spinosa* (Rosaceae), *Rubus*, *Crataegus*, *Ribes* (Razowski,2003).
- 90410. *Lobesia* (s.str.) *yasudai* Bae & Komai,1991** (Tortricidae) **Synonym(s):** *yasudai* Bae & Komai,1991 **Range (in code):** **JP Hkk**
- 90411. *Lobesia* *acroleuca* Diakonoff,1973** (Tortricidae) **Synonym(s):** *acroleuca* Diakonoff,1973
Range (in code): **ID Ja**
- 90412. *Lobesia* *aeolopa* Meyrick,1907** (Tortricidae) **Synonym(s):** *aeolopa* Meyrick,1907; *proterandra* Meyrick,1921; *dryopelta* Meyrick,1932; *eustales* Bradley,1956 **Original Reference:** *Lobesia aeolopa* Meyrick,1907, J Bombay Nat. Hist. Soc. 17: 976. Lectotype ♂: [Sri Lanka]: Maskeliya, Ceylon (BMNH), designated by Diakonoff,1950. **Range (in code):** **LK Pdy Mky IN Bba TH Knc Tpp TW MY ID Ja Sba AU Lhw**
- 90413. *Lobesia* *albategula* Diakonoff,1954** (Tortricidae) **Synonym(s):** *albategula* Diakonoff,1954
Range (in code): **ID Ja**
- 90414. *Lobesia* *ambigua* Diakonoff,1954** (Tortricidae) **Synonym(s):** *ambigua* Diakonoff,1954
Range (in code): **ID Ja**
- 90415. *Lobesia* *archaetypa* Diakonoff,1992** (Tortricidae) **Synonym(s):** *archaetypa* Diakonoff,1992
Range (in code): **MG**
- 90416. *Lobesia* *arenacea* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *arenacea* Meyrick,1917
Range (in code): **EC**
- 90417. *Lobesia* *arescophanes* (Turner,1945)** (Tortricidae) **Synonym(s):** *arescophanes* Turner,1945 **Range (in code):** **AU QAU**
- 90418. *Lobesia* *atrata* Diakonoff,1973** (Tortricidae) **Synonym(s):** *atrata* Diakonoff,1973 **Range (in code):** **GU**
- 90419. *Lobesia* *candida* Diakonoff,1973** (Tortricidae) **Synonym(s):** *candida* Diakonoff,1973
Range (in code): **ID Tnm**
- 90420. *Lobesia* *carduana* (Busck,1907)** (Tortricidae) **Synonym(s):** *carduana* Busck,1907 **Range (in code):** **US Mrl**
- 90421. *Lobesia* *coccophaga* Falkovitsh,1970** (Tortricidae) **Synonym(s):** *coccophaga* Falkovitsh,1970 **Range (in code):** **RU Us**
- 90422. *Lobesia* *crithopa* Diakonoff,1957** (Tortricidae) **Synonym(s):** *crithopa* Diakonoff,1957
Range (in code): **MG**
- 90423. *Lobesia* *duplicata* Falkovitsh,1970** (Tortricidae) **Synonym(s):** *duplicata* Falkovitsh,1970
Range (in code): **RU Sb Us**
- 90424. *Lobesia* *embrithes* Diakonoff,1961** (Tortricidae) **Synonym(s):** *embrithes* Diakonoff,1961
Range (in code): **MU**

- 90425. Lobesia fetalis (Meyrick,1920)** (Tortricidae) Synonym(s): *fetalis* Meyrick,1920 Range (in code): **IN Bi Pus**
- 90426. Lobesia gabina (Meyrick,1909)** (Tortricidae) Synonym(s): *gabina* Meyrick,1909 Range (in code): **IN Ass Khs**
- 90427. Lobesia genialis Meyrick,1912** (Tortricidae) Synonym(s): *genialis* Meyrick,1912 Range (in code): **TH Knc Tpp LK Pdy**
- 90428. Lobesia hendrickxi (Ghesquière,1940)** (Tortricidae) Synonym(s): *hendrickxi* Ghesquière,1940 Range (in code): **ZR**
- 90429. Lobesia incystata Liu & Yang,1987** (Tortricidae) Synonym(s): *incystata* Liu & Yang,1987; *arguta* Bae & Komai,1991 Range (in code): **CN Yu Lik JP Hkk**
- 90430. Lobesia isochroa (Meyrick,1891)** (Tortricidae) Synonym(s): *isochroa* Meyrick,1891 Original Reference: Eudemis isochroa Meyrick,1891, Entomologist's mon. Mag. 27: 12. Type: Algeria (BMNH). Range (in code): **DZ**
- 90431. Lobesia lithogonia Diakonoff,1954** (Tortricidae) Synonym(s): *lithogonia* Diakonoff,1954 Range (in code): **TH Knc Tpp ID Ja**
- 90432. Lobesia mieae Kawabe,1980** (Tortricidae) Synonym(s): *mieae* Kawabe,1980 Range (in code): **JP**
- 90433. Lobesia minuta Diakonoff,1956** (Tortricidae) Synonym(s): *minuta* Diakonoff,1956 Range (in code): **ID Sba**
- 90434. Lobesia montana Diakonoff,1954** (Tortricidae) Synonym(s): *montana* Diakonoff,1954 Range (in code): **ID Ja**
- 90435. Lobesia neptunia (Walsingham,1907)** (Tortricidae) Synonym(s): *neptunia* Walsingham,1907 Range (in code): **Cn**
- 90436. Lobesia oluducha Razowski,2012** (Tortricidae) Synonym(s): *oluducha* Razowski,2012 Range (in code): **NG**
- 90437. Lobesia organica (Meyrick,1920)** (Tortricidae) Synonym(s): *organica* Meyrick,1920 Range (in code): **LK Kndy**
- 90438. Lobesia orphica (Meyrick,1920)** (Tortricidae) Synonym(s): *orphica* Meyrick,1920 Range (in code): **IN Ass Meg Khs**
- 90439. Lobesia orthomorpha (Meyrick,1928)** (Tortricidae) Synonym(s): *orthomorpha* Meyrick,1928 Range (in code): **NH**
- 90440. Lobesia oxymochla (Meyrick,1917)** (Tortricidae) Synonym(s): *oxymochla* Meyrick,1917 Range (in code): **PE Lma**
- 90441. Lobesia oxypercna (Meyrick,1930)** (Tortricidae) Synonym(s): *oxypercna* Meyrick,1930 Range (in code): **MU**
- 90442. Lobesia paradisea Diakonoff,1953** (Tortricidae) Synonym(s): *paradisea* Diakonoff,1953 Range (in code): **ID Ij**
- 90443. Lobesia peplotoma Meyrick,1928** (Tortricidae) Synonym(s): *peplotoma* Meyrick,1928 Range (in code): **NH**
- 90444. Lobesia relictata Diakonoff,1954** (Tortricidae) Synonym(s): *relictata* Diakonoff,1954 Range (in code): **ID Ja**
- 90445. Lobesia rhipidoma (Meyrick,1925)** (Tortricidae) Synonym(s): *rhipidoma* Meyrick,1925 Range (in code): **FJ**
- 90446. Lobesia rhombophora Diakonoff,1954** (Tortricidae) Synonym(s): *rhombophora* Diakonoff,1954 Range (in code): **ID Ja**
- 90447. Lobesia scopifera Razowski,2012** (Tortricidae) Synonym(s): *scopifera* Razowski,2012 Range (in code): **ZR Lbu**
- 90448. Lobesia semosa Diakonoff,1992** (Tortricidae) Synonym(s): *semosa* Diakonoff,1992 Range (in code): **MG**
- 90449. Lobesia sitophaga Meyrick,1922** (Tortricidae) Synonym(s): *sitophaga* Meyrick,1922 Range (in code): **UG**
- 90450. Lobesia subherculeana (Filipjev,1924)** (Tortricidae) Synonym(s): *subherculeana* Filipjev,1924 Range (in code): **RU Sb Mnu**
- 90451. Lobesia sutteri Diakonoff,1956** (Tortricidae) Synonym(s): *sutteri* Diakonoff,1956 Range (in code): **ID Sba**
- 90452. Lobesia talyana Razowski,2012** (Tortricidae) Synonym(s): *talyana* Razowski,2012 Range (in code): **ZR**

- 90453. Lobesia thlastopa Meyrick,1937** (Tortricidae) **Synonym(s):** *thlastopa Meyrick,1937* **Range** (in code): **CN Yu**
- 90454. Lobesia transtrifera (Meyrick,1920)** (Tortricidae) **Synonym(s):** *transtrifera Meyrick,1920* **Range** (in code): **AU QAU Bri**
- 90455. Lobesia ultima Diakonoff,1954** (Tortricidae) **Synonym(s):** *ultima Diakonoff,1954* **Range** (in code): **ID Ja**
- 90456. Lobesia vanillana (De Joannis,1900)** (Tortricidae) **Synonym(s):** *vanillana De Joannis,1900; triancanthis Diakonoff,1992* **Range** (in code): **MG RE**
- 90457. Lobesia virulenta Bae & Komai,1991** (Tortricidae) **Synonym(s):** *virulenta Bae & Komai,1991* **Range** (in code): **JP DK**
- 90458. Lobesia virulenta mieana Falck & Karsholt,1998** (Tortricidae) **Synonym(s):** *mieana Falck & Karsholt,1998* **Range** (in code): **DK**
- 90459. Lobesia virulenta virulenta Bae & Komai,1991** (Tortricidae) **Synonym(s):** *virulenta Bae & Komai,1991* **Range** (in code): **JP**
- 90460. Lobesia vittigera (Meyrick,1932)** (Tortricidae) **Synonym(s):** *pusillana Mabilie,1900 (praeocc.); vittigera Meyrick,1932* **Range** (in code): **MG**
- 90461. Lobesia xenosema Diakonoff,1983** (Tortricidae) **Synonym(s):** *xenosema Diakonoff,1983* **Range** (in code): **MG**
- 90462. Lobesia yasudai Bae & Komai,1991** (Tortricidae) **Synonym(s):** *yasudai Bae & Komai,1991* **Range** (in code): **JP Hkk**
- 90463. Lobesiodes euphorbiana (Freyer,1842)** (Tortricidae) **Synonym(s):** *euphorbiana Freyer,1842* **Range** (in code): **FR Si IT NL DE AT PL CZ SK HU TR FI EE RU MD UA BY** **Bionomy:** Larva on Euphorbia (Freyer,1842).
- 90464. Lobesiodes occidentis Falkovitsh,1970** (Tortricidae) **Synonym(s):** *occidentis Falkovitsh,1970* **Range** (in code): **FR Si GB DE AT PL SK RO RU MD UA BY TR**
- 90465. Lobogenesis lobata Razowski,1990** (Tortricidae) **Synonym(s):** *lobata Razowski,1990* **Range** (in code): **CR**
- 90466. Loboschiza clytocarpa (Meyrick,1920)** (Tortricidae) **Synonym(s):** *clytocarpa Meyrick,1920* **Range** (in code): **PH**
- 90467. Loboschiza halysideta (Walsingham,1900)** (Tortricidae) **Synonym(s):** *halysideta Walsingham,1900* **Range** (in code): **CX**
- 90468. Loboschiza koenigiana (Fabricius,1775)** (Tortricidae) **Synonym(s):** *koenigiana Fabricius,1775; #koenigiana Fabricius,1787; aurantiana Pryer,1877; vulnerata Walsingham,1900; delectana Snellen,1902* **Range** (in code): **TH Knc Tpp NP IN Mh Nsk Ddu Pj LK MM Tns ID Ja CN PK MY VN Ton JP PG AU** **Bionomy:** Larva on Melia azedarach, Jasminum sambac (Diakonoff,1982).
- 90469. Lopharcha amethystas (Meyrick,1912)** (Tortricidae) **Synonym(s):** *amethystas Meyrick,1912* **Range** (in code): **IN Meg Ass Khs**
- 90470. Lopharcha angustior (Diakonoff,1941)** (Tortricidae) **Synonym(s):** *angustior Diakonoff,1941* **Range** (in code): **ID Ja**
- 90471. Lopharcha chalcophanes (Meyrick,1931)** (Tortricidae) **Synonym(s):** *chalcophanes Meyrick,1931* **Range** (in code): **IN Up Ddu**
- 90472. Lopharcha chionea Diakonoff,1974** (Tortricidae) **Synonym(s):** *chionea Diakonoff,1974* **Range** (in code): **ID Ja Ged**
- 90473. Lopharcha conia Diakonoff,1983** (Tortricidae) **Synonym(s):** *conia Diakonoff,1983* **Range** (in code): **ID Sum**
- 90474. Lopharcha cryptacantha Diakonoff,1974** (Tortricidae) **Synonym(s):** *cryptacantha Diakonoff,1974* **Range** (in code): **IN Bba**
- 90475. Lopharcha curiosa (Meyrick,1908)** (Tortricidae) **Synonym(s):** *curiosa Meyrick,1908* **Range** (in code): **IN Ass Meg Khs**
- 90476. Lopharcha deliqua Diakonoff,1974** (Tortricidae) **Synonym(s):** *deliqua Diakonoff,1974* **Range** (in code): **PG Nlr**
- 90477. Lopharcha ditissima Diakonoff,1974** (Tortricidae) **Synonym(s):** *ditissima Diakonoff,1974* **Range** (in code): **ID Ja**
- 90478. Lopharcha erioptila (Meyrick,1912)** (Tortricidae) **Synonym(s):** *erioptila Meyrick,1912* **Range** (in code): **LK**
- 90479. Lopharcha halidora (Meyrick,1908)** (Tortricidae) **Synonym(s):** *halidora Meyrick,1908* **Range** (in code): **LK**

- 90480. *Lopharcha herbaecolor* (Diakonoff,1941)** (Tortricidae) **Synonym(s):** *herbaecolor* Diakonoff,1941 **Range (in code):** **ID Ja**
- 90481. *Lopharcha insolita* (Dugdale,1966)** (Tortricidae) **Synonym(s):** *insolita* Dugdale,1966 **Range (in code):** **NZ**
- 90482. *Lopharcha iriodis* Diakonoff,1976** (Tortricidae) **Synonym(s):** *iriodis* Diakonoff,1976 **Range (in code):** **NP**
- 90483. *Lopharcha kopeci* Razowski,1992** (Tortricidae) **Synonym(s):** *kopeci* Razowski,1992; *#kopeci* Razowski,1992 **Range (in code):** **VN Ton Tda**
- 90484. *Lopharcha maurognoma* Diakonoff,1974** (Tortricidae) **Synonym(s):** *maurognoma* Diakonoff,1974 **Range (in code):** **PG**
- 90485. *Lopharcha moriutii* Nasu,2006** (Tortricidae) **Synonym(s):** *moriutii* Nasu,2006 **Range (in code):** **TH CN HK**
- 90486. *Lopharcha orthioterma* (Diakonoff,1941)** (Tortricidae) **Synonym(s):** *orthioterma* Diakonoff,1941 **Range (in code):** **ID Ja**
- 90487. *Lopharcha psathyra* Diakonoff,1989** (Tortricidae) **Synonym(s):** *psathyra* Diakonoff,1989 **Range (in code):** **JP**
- 90488. *Lopharcha quinquestriata* Diakonoff,1941** (Tortricidae) **Synonym(s):** *quinquestriata* Diakonoff,1941 **Range (in code):** **ID Ja**
- 90489. *Lopharcha rapax* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *rapax* Meyrick,1908 **Range (in code):** **IN LK MM ID Shw TH**
- 90490. *Lopharcha siderota* (Meyrick,1918)** (Tortricidae) **Synonym(s):** *siderota* Meyrick,1918 **Range (in code):** **LK**
- 90491. *Lorita baccharivora* Pogue,1988** (Tortricidae) **Synonym(s):** *baccharivora* Pogue,1988 **Range (in code):** **US FI**
- 90492. *Lorita scarificata* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *scarificata* Meyrick,1917; *abornana* Busck,1939; *chatka* Busck,1939 **Range (in code):** **GY US Cf MX Sin**
- 90493. *Lozotaenia capensana* (Walker,1863)** (Tortricidae) **Synonym(s):** *capensana* Walker,1863; *meridionana* Walker,1863; *reciprocana* Walker,1863; *adustana* Walsingham,1881; *dorsiplagana* Walsingham,1881; *catadryas* Meyrick,1937 **Range (in code):** **ZA**
- 90494. *Lozotaenia capitana* (R.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *capitana* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA**
- 90495. *Lozotaenia cedrivora* Chambon,1990** (Tortricidae) **Synonym(s):** *cedrivora* Chambon,1990 **Range (in code):** **DZ**
- 90496. *Lozotaenia coniferana* (Issiki,1961)** (Tortricidae) **Synonym(s):** *coniferana* Issiki,1961 **Range (in code):** **JP**
- 90497. *Lozotaenia cupidinana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *cupidinana* Staudinger,1859; *rasana* Zerny,1935 **Range (in code):** **MA TN PT ES Si**
- 90498. *Lozotaenia djakonovi* Danilevsky,1963** (Tortricidae) **Synonym(s):** *djakonovi* Danilevsky,1963 **Range (in code):** **TR Cc RU**
- 90499. *Lozotaenia edwardi* Razowski,1999** (Tortricidae) **Synonym(s):** *edwardi* Razowski,1999 **Range (in code):** **KP**
- 90500. *Lozotaenia edwardsi* (Bradley,1965)** (Tortricidae) **Synonym(s):** *edwardsi* Bradley,1965 **Range (in code):** **UG**
- 90501. *Lozotaenia forsterana* (Fabricius,1781)** (Tortricidae) **Synonym(s):** *forsterana* Fabricius,1781; *retucilana* Frölich,1828; *adiunctana* Treitschke,1830; *sineana* Freyer,1833; *luteolana* Humpreys & Westwood,1845; *argyllaceana* Zetterstedt,1839; *immaculana* Strand,1900; *fagi* Constantini,1923 **Original Reference:** *Pyralis forsterana* Fabricius,1781, Species Insectorum 2: 279. Syntypes: Great Britain. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU BG DK NO SE FI EE LV LT RU MD UA BY TR** **Bionomy:** Larva on *Ledum* (Ericaceae), *Vaccinium* (Vacciniaceae), *Stachys* (Lamiaceae), *Hedera* (Araliaceae), *Lonicera* (Caprifoliaceae), *Ribes* (Grossulariaceae), *Larix*, *Picea*, *Abies* (Pinaceae) (Razowski,2001).
- 90502. *Lozotaenia karchana* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *karchana* Razowski & Trematerra,2010 **Range (in code):** **ET Ble**
- 90503. *Lozotaenia kumatai* Oku,1963** (Tortricidae) **Synonym(s):** *kumatai* Oku,1963 **Range (in code):** **JP Hkk**
- 90504. *Lozotaenia mabilliana* (Ragonot,1875)** (Tortricidae) **Synonym(s):** *mabilliana* Ragonot,1875; *pistaciana* Ragonot,1875; *straminea* Schawerda,1936 **Range (in code):** **ES FR Co Sa Si IT**

- 90505. *Lozotaenia retiana* (Turati,1912)** (Tortricidae) Synonym(s): *retiana* Turati,1912; *#acervosana* Turati,1912; *turatiana* Schawerda,1934 Range (in code): **Sa IT**
- 90506. *Lozotaenia sciarettae* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *sciarettae* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 90507. *Lozotaeniodes brusseauxi* Gibeaux,1999** (Tortricidae) Synonym(s): *brusseauxi* Gibeaux,1999 Original Reference: *Lozotaeniodes brusseauxi* Gibeaux,1999, *Alexanor* 20 (6): 356-357, figs. Holotype ♂: Corse, Le Lac env. 1000m (G.Brusseaux leg.). Range (in code): **Co**
- 90508. *Lozotaeniodes cupressana* (Duponchel,1836)** (Tortricidae) Synonym(s): *cupressana* Duponchel,1836 Original Reference: *Tortrix cupressana* Duponchel,1836, *Hist. Nat. Lepid. Pap. Fr.* 6: 495, pl.262 fig.2. Lectotype ♂: France: env. d'Aix-en-Provence, designated by Gibeaux,1999, *Alexanor* 20 (6): 355 (MNHNP). Range (in code): **PT ES An FR IT TR** Bionomy: Larva on Cupressus (Duponchel,1836).
- 90509. *Lozotaeniodes cupressana cupressana* (Duponchel,1836)** (Tortricidae) Synonym(s): *cupressana* Duponchel,1836 Original Reference: *Tortrix cupressana* Duponchel,1836, *Hist. Nat. Lepid. Pap. Fr.* 6: 495, pl.262 fig.2. Lectotype ♂: France: env. d'Aix-en-Provence, designated by Gibeaux,1999, *Alexanor* 20 (6): 355 (MNHNP). Range (in code): **PT FR IT TR** Bionomy: Larva on Cupressus (Duponchel,1836).
- 90510. *Lozotaeniodes cupressana nobiliana* (Staudinger,1859)** (Tortricidae) Synonym(s): *nobiliana* Staudinger,1859 Range (in code): **ES An**
- 90511. *Lozotaeniodes formosana* (Geyer,1830)** (Tortricidae) Synonym(s): *formosana* Geyer,1830 Range (in code): **PT ES FR Co IT GB BE CH RU MD UA BY**
- 90512. *Lumaria afrotropica* Razowski,2002** (Tortricidae) Synonym(s): *afrotropica* Razowski,2002 Range (in code): **CM**
- 90513. *Lumaria imperita* (Meyrick,1927)** (Tortricidae) Synonym(s): *imperita* Meyrick,1927 Range (in code): **CN Yu Lik**
- 90514. *Lumaria lotsunica* Razowski,2006** (Tortricidae) Synonym(s): *lotsunica* Razowski,2006 Range (in code): **IN Ld**
- 90515. *Lumaria minuta* (Walker,1863)** (Tortricidae) Synonym(s): *minuta* Walker,1863 Range (in code): **IN Ld LK ID Ja Bli**
- 90516. *Lumaria petrophora* (Meyrick,1938)** (Tortricidae) Synonym(s): *petrophora* Meyrick,1938 Range (in code): **ZR**
- 90517. *Lumaria probolias* (Meyrick,1907)** (Tortricidae) Synonym(s): *probolias* Meyrick,1907; *exalbescens* Meyrick,1922 Range (in code): **TH NP IN LK TW MY ID Ja Sbh Bor UG MW**
- 90518. *Lumaria pusillana* (Walker,1863)** (Tortricidae) Synonym(s): *pusillana* Walker,1863 Range (in code): **LK**
- 90519. *Lumaria rhythmologa* (Meyrick,1937)** (Tortricidae) Synonym(s): *rhythmologa* Meyrick,1937 Range (in code): **CN**
- 90520. *Lumaria zeteotoma* Razowski,1984** (Tortricidae) Synonym(s): *zeteotoma* Razowski,1984 Range (in code): **CN Yu Lik**
- 90521. *Lumaria zeugmatovalva* Razowski,1984** (Tortricidae) Synonym(s): *zeugmatovalva* Razowski,1984 Range (in code): **CN Shs**
- 90522. *Lumaria zorotypa* Razowski,1984** (Tortricidae) Synonym(s): *zorotypa* Razowski,1984 Range (in code): **CN Yu Lik**
- 90523. *Lydontopa polydonta* Razowski & Pelz,2003** (Tortricidae) Synonym(s): *polydonta* Razowski & Pelz,2003 Range (in code): **EC**
- 90524. *Lypothora blanchardii* (Butler,1883)** (Tortricidae) Synonym(s): *blanchardii* Butler,1883 Range (in code): **CL**
- 90525. *Lypothora fernaldii* (Butler,1883)** (Tortricidae) Synonym(s): *fernaldii* Butler,1883 Range (in code): **CL**
- 90526. *Lypothora walsinghamii* (Butler,1883)** (Tortricidae) Synonym(s): *walsinghamii* Butler,1883 Range (in code): **CL**
- 90527. *Macrochlidia major* J.Brown,1990** (Tortricidae) Synonym(s): *major* J.Brown,1990 Range (in code): **CO**
- 90528. *Macrochlidia minor* J.Brown,1990** (Tortricidae) Synonym(s): *minor* J.Brown,1990 Range (in code): **VE**
- 90529. *Marylinka mimera* Razowski & Becker,1983** (Tortricidae) Synonym(s): *mimera* Razowski & Becker,1983 Range (in code): **BR Pran**

- 90530. *Matsumuraeses acrocosma* Diakonoff,1971** (Tortricidae) **Synonym(s):** *acrocosma* Diakonoff,1971 **Original Reference:** *Matsumuraeses acrocosma* Diakonoff,1971, Veröff. zool. StSamml.Münch. 15: 176, figs. Holotype: Thailand: Krabi. **Range (in code):** **TH Kbi**
- 90531. *Matsumuraeses capax* Razowski & Yasuda,1975** (Tortricidae) **Synonym(s):** *capax* Razowski & Yasuda,1975 **Range (in code):** **MN RU Sb Us IN Ld Ch Sri**
- 90532. *Matsumuraeses elpisma* Diakonoff,1972** (Tortricidae) **Synonym(s):** *elpisma* Diakonoff,1972 **Range (in code):** **ID Ja**
- 90533. *Matsumuraeses falcana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *falcana* Walsingham,1900 **Range (in code):** **JP**
- 90534. *Matsumuraeses felix* Diakonoff,1972** (Tortricidae) **Synonym(s):** *felix* Diakonoff,1972 **Range (in code):** **ID Ja**
- 90535. *Matsumuraeses melaneula* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *melaneula* Meyrick,1916 **Range (in code):** **IN Pus**
- 90536. *Matsumuraeses ochreocervina* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *ochreocervina* Walsingham,1900 **Range (in code):** **IN Ch Gs**
- 90537. *Matsumuraeses patialaensis* Rose & Pooni,2003** (Tortricidae) **Synonym(s):** *patialaensis* Rose & Pooni,2003 **Range (in code):** **IN Pj**
- 90538. *Matsumuraeses phaseoli* (Matsumura,1900)** (Tortricidae) **Synonym(s):** *phaseoli* Matsumura,1900; *elutana* Kennel,1900 **Range (in code):** **JP RU Am**
- 90539. *Matsumuraeses tetramorpha* Diakonoff,1972** (Tortricidae) **Synonym(s):** *tetramorpha* Diakonoff,1972 **Range (in code):** **NP**
- 90540. *Matsumuraeses trophiodes* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *trophiodes* Meyrick,1908 **Original Reference:** *Eucosma trophiodes* Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 613. Lectotype ♂: Ceylon, Hakgala, designated by Clarke (1958: 559). **Range (in code):** **LK Mky Mwe IN NI Co Ass Khs**
- 90541. *Matsumuraeses ussuriensis* (Caradja,1916)** (Tortricidae) **Synonym(s):** *ussuriensis* Caradja,1916; *monstruosana* Kuznetsov,1962 **Range (in code):** **RU Us**
- 90542. *Matsumuraeses xantholoba* Diakonoff,1972** (Tortricidae) **Synonym(s):** *xantholoba* Diakonoff,1972 **Range (in code):** **NP**
- 90543. *Maurecochylis limenarchis* Razowski,1986** (Tortricidae) **Synonym(s):** *limenarchis* Razowski,1986 **Range (in code):** **CR**
- 90544. *Maurecochylis ramosa* Razowski & Becker,1983** (Tortricidae) **Synonym(s):** *ramosa* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 90545. *Megaherpystis eusema* Diakonoff,1969** (Tortricidae) **Synonym(s):** *eusema* Diakonoff,1969 **Range (in code):** **SC**
- 90546. *Megaherpystis melaneura* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *melaneura* Meyrick,1912 **Original Reference:** *Eucosma melaneura* Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 866. **Range (in code):** **TH CMa Nna Kao Int Knc Tpp IN LK MM JP**
- 90547. *Megalota anceps* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *anceps* Meyrick,1909 **Range (in code):** **LK**
- 90548. *Megalota archana* Aarvik,2004** (Tortricidae) **Synonym(s):** *archana* Aarvik,2004 **Range (in code):** **TZ Usa Tnga Ani**
- 90549. *Megalota fallax* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *fallax* Meyrick,1909 **Range (in code):** **IN Meg Ass Khs Clc TH Knc Tpp**
- 90550. *Megalota geminus* Diakonoff,1973** (Tortricidae) **Synonym(s):** *geminus* Diakonoff,1973 **Range (in code):** **ID Bli Sda**
- 90551. *Megalota helicana* (Meyrick,1881)** (Tortricidae) **Synonym(s):** *helicana* Meyrick,1881 **Range (in code):** **AU NSw QAu**
- 90552. *Megalota insolenta* Razowski,2012** (Tortricidae) **Synonym(s):** *insolenta* Razowski,2012 **Range (in code):** **ZR**
- 90553. *Megalota lygaria* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *lygaria* Razowski & Trematerra,2010 **Range (in code):** **ET Ble**
- 90554. *Megalota namibiana* Aarvik,2004** (Tortricidae) **Synonym(s):** *namibiana* Aarvik,2004 **Range (in code):** **NA**
- 90555. *Megalota purpurana* Aarvik,2004** (Tortricidae) **Synonym(s):** *purpurana* Aarvik,2004 **Range (in code):** **KE Nai**

- 90556. *Megalota rhopalitis* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *rhopalitis* Meyrick,1920
Range (in code): **KE Nai**
- 90557. *Megalota solida* Diakonoff,1973** (Tortricidae) **Synonym(s):** *solida* Diakonoff,1973 **Range (in code):** **ID Bli Clb**
- 90558. *Megalota spondylis* (Meyrick,1918)** (Tortricidae) **Synonym(s):** *spondylis* Meyrick,1918
Range (in code): **ZA**
- 90559. *Megalota vera* Diakonoff,1966** (Tortricidae) **Synonym(s):** *vera* Diakonoff,1966 **Range (in code):** **AU QAU PG Bsm Bli ID Mlc NHa TH Nna Kao Phu Knc Tpp**
- 90560. *Mehteria bathysema* (Diakonoff,1984)** (Tortricidae) **Synonym(s):** *bathysema* Diakonoff,1984 **Range (in code):** **ID Sba**
- 90561. *Mehteria hemidoxa* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *hemidoxa* Meyrick,1907
Range (in code): **LK**
- 90562. *Mehteria perdigna* (Kuznetsov,1976)** (Tortricidae) **Synonym(s):** *perdigna* Kuznetsov,1976
Range (in code): **CN**
- 90563. *Meiligma impigris* Diakonoff,1973** (Tortricidae) **Synonym(s):** *impigris* Diakonoff,1973
Original Reference: *Meiligma impigris* Diakonoff,1973, Monog. Zool. 1:310, fig. Holotype ♂: [Indonesia]: South Sumatra: Pangkalan Balai, near Palembang, Japanese prisoners of war camp, 50m, bred from leaves of unnamed tree (?Schima norohae), 14.v.1944, A.Diakonoff leg. **Range (in code):** **ID Sum PG Bia** **Bionomy:** Larva on ?Schima norohae (Diakonoff,1973).
- 90564. *Melanolopha lathraea* Diakonoff,1941** (Tortricidae) **Synonym(s):** *lathraea* Diakonoff,1941
Range (in code): **ID Ja**
- 90565. *Meridemis bathyglypta* Diakonoff,1976** (Tortricidae) **Synonym(s):** *bathyglypta* Diakonoff,1976 **Range (in code):** **NP**
- 90566. *Meridemis furtiva* Diakonoff,1976** (Tortricidae) **Synonym(s):** *furtiva* Diakonoff,1976
Range (in code): **NP TW TH CMa CDo Dsk Dst MY ID Sum Ja Bli Clb VN Ton Tda**
- 90567. *Meridemis insulata* (Meyrick,1908)** (Tortricidae) **Synonym(s):** *insulata* Meyrick,1908
Range (in code): **IN Hp Sml**
- 90568. *Meridemis invalidana* (Walker,1863)** (Tortricidae) **Synonym(s):** *invalidana* Walker,1863
Range (in code): **LK**
- 90569. *Meridemis obratzovi* Rose & Pooni,2004** (Tortricidae) **Synonym(s):** *obratzovi* Rose & Pooni,2004 **Range (in code):** **IN Hp**
- 90570. *Meridemis punjabensis* Rose & Pooni,2004** (Tortricidae) **Synonym(s):** *punjabensis* Rose & Pooni,2004 **Range (in code):** **IN Pj**
- 90571. *Meridemis subbathymorpha* Razowski,2006** (Tortricidae) **Synonym(s):** *subbathymorpha* Razowski,2006 **Range (in code):** **IN Ld**
- 90572. *Meridemis vietorum* Razowski,1989** (Tortricidae) **Synonym(s):** *vietorum* Razowski,1989
Range (in code): **VN Ton Tda**
- 90573. *Mesocallyntera siderostola* Diakonoff,1959** (Tortricidae) **Synonym(s):** *siderostola* Diakonoff,1959 **Range (in code):** **PG**
- 90574. *Mesocallyntera squamosa* Diakonoff,1959** (Tortricidae) **Synonym(s):** *squamosa* Diakonoff,1959 **Range (in code):** **PG ID Clb TH Knc Tpp**
- 90575. *Mesocallyntera squamosa loricata* Diakonoff,1959** (Tortricidae) **Synonym(s):** *loricata* Diakonoff,1959 **Range (in code):** **PG**
- 90576. *Metacosma impolitana* Kuznetsov,1985** (Tortricidae) **Synonym(s):** *impolitana* Kuznetsov,1985 **Range (in code):** **RU Us Sb**
- 90577. *Metacosma miratorana* Kuznetsov,1988** (Tortricidae) **Synonym(s):** *miratorana* Kuznetsov,1988 **Range (in code):** **VN Ton Tda**
- 90578. *Metamesia dilucida* Diakonoff,1960** (Tortricidae) **Synonym(s):** *dilucida* Diakonoff,1960
Range (in code): **MG**
- 90579. *Metamesia elegans* (Walsingham,1881)** (Tortricidae) **Synonym(s):** *elegans* Walsingham,1881; *hedrastis* Meyrick,1908; *prona* Meyrick,1911. **Range (in code):** **ZA Tva Gau Pre Lpo Hae Nta Kzu Dbn Ptw**
- 90580. *Metamesia endopyrrha* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *endopyrrha* Meyrick,1930 **Range (in code):** **UG**
- 90581. *Metamesia episema* Diakonoff,1960** (Tortricidae) **Synonym(s):** *episema* Diakonoff,1960
Range (in code): **MG ET Ble**

- 90582. *Metamesia octogona* Bradley,1965** (Tortricidae) Synonym(s): *octogona* Bradley,1965
Range (in code): **UG**
- 90583. *Metamesia physetopa* (Meyrick,1932)** (Tortricidae) Synonym(s): *physetopa* Meyrick,1932
Range (in code): **ET Ble**
- 90584. *Metendothenia albomaculata* Kawabe,1989** (Tortricidae) Synonym(s): *albomaculata* Kawabe,1989 Original Reference: *Metendothenia albomaculata* Kawabe,1989, Microlepid. Thailand 2: 49. Holotype: Thailand: Nakhon Nayok: Khao Yai NP. Range (in code): **TH Nna Kao**
- 90585. *Metendothenia atropunctana* (Zetterstedt,1839)** (Tortricidae) Synonym(s): *atropunctana* Zetterstedt,1839; *ochromelana* Guenée,1845 Original Reference: *Penthina atropunctana* Zetterstedt,1839, Ins. Lapponica: 977. Type(s): Lapponia. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG US** Bionomy: Larva on *Betula* (Betulaceae), *Salix* (Salicaceae), *Tilia* (Tiliaceae), *Fagus* (Fagaceae), *Alnus*, *Crataegus* (Rosaceae) (Razowski,1983).
- 90586. *Metendothenia balanacma* (Meyrick,1914)** (Tortricidae) Synonym(s): *balanacma* Meyrick,1914; *anaclina* Meyrick,1921 Range (in code): **MZ ZR Knh ZW Uma**
- 90587. *Metendothenia fidelis* Diakonoff,1973** (Tortricidae) Synonym(s): *fidelis* Diakonoff,1973
Range (in code): **TH ID Bli**
- 90588. *Metendothenia inouei* Kawabe,1987** (Tortricidae) Synonym(s): *inouei* Kawabe,1987
Range (in code): **JP**
- 90589. *Metendothenia pulchra* Kawabe,1989** (Tortricidae) Synonym(s): *pulchra* Kawabe,1989
Original Reference: *Metendothenia pulchra* Kawabe,1989, Microlepid. Thailand 2: 48. Holotype: Thailand: Khao Soi Dao. Range (in code): **TH**
- 90590. *Microsarotis lucida* (Meyrick,1916)** (Tortricidae) Synonym(s): *lucida* Meyrick,1916
Range (in code): **TH Knc Tpp**
- 90591. *Microsarotis palamedes* (Meyrick,1916)** (Tortricidae) Synonym(s): *palamedes* Meyrick,1916 Range (in code): **TH Knc Tpp**
- 90592. *Mictocommosis stemmatias* (Meyrick,1921)** (Tortricidae) Synonym(s): *stematias* Meyrick,1921 Range (in code): **ID Clb**
- 90593. *Mictopsichia callicharis* Meyrick,1921** (Tortricidae) Synonym(s): *callicharis* Meyrick,1921
Range (in code): **BR**
- 90594. *Mictopsichia durranti* Walsingham,1914** (Tortricidae) Synonym(s): *durranti* Walsingham,1914 Range (in code): **BR**
- 90595. *Mictopsichia fuesliniana* (Cramer,[1781])** (Tortricidae) Synonym(s): *fuesliniana* Cramer,[1781]; *fueslynialis* Cramer,[1782]; *fuesslyana* Walsingham,1914 Range (in code): **SR**
- 90596. *Mictopsichia gemmisparsana* (Walker,1863)** (Tortricidae) Synonym(s): *gemmisparsana* Walker,1863 Range (in code): **BR**
- 90597. *Mictopsichia godmani* Walsingham,1914** (Tortricidae) Synonym(s): *godmani* Walsingham,1914 Range (in code): **MX Tbo**
- 90598. *Mictopsichia hubneriana* (Stoll,[1782])** (Tortricidae) Synonym(s): *hubneriana* Stoll,[1782]; *superba* C.Felder & Rogenhofer,1875 Range (in code): **SR**
- 90599. *Mictopsichia miocentra* Meyrick,1920** (Tortricidae) Synonym(s): *miocentra* Meyrick,1920 Range (in code): **BR**
- 90600. *Mictopsichia ornatissima* (Dognin,1909)** (Tortricidae) Synonym(s): *ornatissima* Dognin,1909 Range (in code): **PE**
- 90601. *Mictopsichia periopta* Meyrick,1913** (Tortricidae) Synonym(s): *periopta* Meyrick,1913
Range (in code): **GY**
- 90602. *Mictopsichia renandalis* (Stoll,1787)** (Tortricidae) Synonym(s): *renandalis* Stoll,1787
Range (in code): **SR**
- 90603. *Mielkeana affecta* (Razowski,1986)** (Tortricidae) Synonym(s): *affecta* Razowski,1986
Range (in code): **MX Vcr**
- 90604. *Mielkeana angysocia* Razowski & Becker,1986** (Tortricidae) Synonym(s): *angysocia* Razowski & Becker,1986 Range (in code): **CR**
- 90605. *Mielkeana gelasima* Razowski & Becker,1983** (Tortricidae) Synonym(s): *gelasima* Razowski & Becker,1983 Range (in code): **BR Pran**
- 90606. *Mimcochylis ochroplasta* Razowski,1985** (Tortricidae) Synonym(s): *ochroplasta* Razowski,1985 Range (in code): **MX Sin**

- 90607. *Mimcochylis plagiusa* Razowski, 1985** (Tortricidae) **Synonym(s):** *plagiusa* Razowski, 1985
Range (in code): **MX Dgo**
- 90608. *Mimcochylis planola* Razowski, 1985** (Tortricidae) **Synonym(s):** *planola* Razowski, 1985
Range (in code): **MX BcN**
- 90609. *Mimcochylis plasmodia* Razowski, 1985** (Tortricidae) **Synonym(s):** *plasmodia* Razowski, 1985 **Range (in code):** **MX Sin**
- 90610. *Mimeoclysia dentata* Diakonoff, 1953** (Tortricidae) **Synonym(s):** *dentata* Diakonoff, 1953
Range (in code): **ID Sba**
- 90611. *Mimeoclysia incomptana* Kuznetsov, 2003** (Tortricidae) **Synonym(s):** *incomptana* Kuznetsov, 2003 **Range (in code):** **VN**
- 90612. *Mimeoclysia mauroprosopa* Diakonoff, 1984** (Tortricidae) **Synonym(s):** *mauroprosopa* Diakonoff, 1984 **Range (in code):** **ID Bor**
- 90613. *Mimeoclysia piridina* Diakonoff, 1941** (Tortricidae) **Synonym(s):** *piridina* Diakonoff, 1941
Range (in code): **ID Ja**
- 90614. *Mimeoclysia strongylopa* Diakonoff, 1983** (Tortricidae) **Synonym(s):** *strongylopa* Diakonoff, 1983 **Range (in code):** **ID Sum**
- 90615. *Mimeugnosta arta* Razowski & Becker, 1986** (Tortricidae) **Synonym(s):** *arta* Razowski & Becker, 1986 **Range (in code):** **GT**
- 90616. *Mimeugnosta enopla* Razowski & Becker, 1986** (Tortricidae) **Synonym(s):** *enopla* Razowski & Becker, 1986 **Range (in code):** **CR**
- 90617. *Mimeugnosta particeps* Razowski, 1986** (Tortricidae) **Synonym(s):** *particeps* Razowski, 1986 **Range (in code):** **HN**
- 90618. *Monimosocia parvisignis* (Meyrick, 1931)** (Tortricidae) **Synonym(s):** *parvisignis* Meyrick, 1931 **Range (in code):** **BR Spa**
- 90619. *Monoceratuncus autolytus* (Razowski, 1986)** (Tortricidae) **Synonym(s):** *autolytus* Razowski, 1986 **Range (in code):** **MX Sin**
- 90620. *Monoceratuncus cristatus* (Razowski & Becker, 1986)** (Tortricidae) **Synonym(s):** *cristatus* Razowski & Becker, 1986 **Range (in code):** **MX Vcr**
- 90621. *Monoceratuncus cryphalus* Razowski, 1993** (Tortricidae) **Synonym(s):** *cryphalus* Razowski, 1993 **Range (in code):** **PE**
- 90622. *Monoceratuncus eriodens* (Razowski, 1986)** (Tortricidae) **Synonym(s):** *eriodens* Razowski, 1986 **Range (in code):** **MX Tbo**
- 90623. *Monoceratuncus lugens* (Razowski, 1986)** (Tortricidae) **Synonym(s):** *lugens* Razowski, 1986; *#lugenes* Razowski, 1986 **Range (in code):** **MX**
- 90624. *Monoceratuncus peltatus* Razowski & Becker, 1993** (Tortricidae) **Synonym(s):** *peltatus* Razowski & Becker, 1993 **Range (in code):** **MX Grr**
- 90625. *Monoceratuncus tantulus* (Razowski & Becker, 1986)** (Tortricidae) **Synonym(s):** *tantulus* Razowski & Becker, 1986 **Range (in code):** **MX Grr**
- 90626. *Monortha corusca* (Meyrick, 1912)** (Tortricidae) **Synonym(s):** *corusca* Meyrick, 1912
Range (in code): **GF**
- 90627. *Monortha funestra* Razowski & Becker, 1981** (Tortricidae) **Synonym(s):** *funestra* Razowski & Becker, 1981 **Range (in code):** **BR Sct**
- 90628. *Monortha illaqueata* (Meyrick, 1917)** (Tortricidae) **Synonym(s):** *illaqueata* Meyrick, 1917; *#illaquaeata* Clarke, 1958 **Range (in code):** **GF**
- 90629. *Monortha pleodontia* Razowski, 1987** (Tortricidae) **Synonym(s):** *pleodontia* Razowski, 1987 **Range (in code):** **PA**
- 90630. *Muhabbetina chromataspis* (Meyrick, 1913)** (Tortricidae) **Synonym(s):** *chromataspis* Meyrick, 1913 **Original Reference:** *Laspeyresia chromataspis* Meyrick, 1913, Ann. Transvaal Mus. 8: 62. Holotype ♀: [Zimbabwe]: Rhodesia, Umtali (TMP). **Range (in code):** **ZW Uma**
- 90631. *Muhabbetina pectinata* (Diakonoff, 1988)** (Tortricidae) **Synonym(s):** *pectinata* Diakonoff, 1988 **Range (in code):** **MG**
- 90632. *Muhabbetina psimythistes* (Diakonoff, 1988)** (Tortricidae) **Synonym(s):** *psimythistes* Diakonoff, 1988 **Range (in code):** **MG**
- 90633. *Multiquaestia aequivoca* Razowski & Trematerra, 2010** (Tortricidae) **Synonym(s):** *aequivoca* Razowski & Trematerra, 2010 **Range (in code):** **ET Ble**
- 90634. *Multiquaestia agassizi* Aarvik & Karisch, 2009** (Tortricidae) **Synonym(s):** *agassizi* Aarvik & Karisch, 2009 **Range (in code):** **KE**

- 90635. *Multiquaestia albimaculana* Karisch,2005** (Tortricidae) Synonym(s): *albimaculana* Karisch,2005 Range (in code): AO
- 90636. *Multiquaestia andersi* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *andersi* Aarvik & Karisch,2009 Range (in code): TZ
- 90637. *Multiquaestia dallastai* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *dallastai* Aarvik & Karisch,2009 Range (in code): KE
- 90638. *Multiquaestia fibigeri* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *fibigeri* Aarvik & Karisch,2009 Range (in code): TZ
- 90639. *Multiquaestia iringana* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *iringana* Aarvik & Karisch,2009 Range (in code): TZ Iri
- 90640. *Multiquaestia kingstoni* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *kingstoni* Aarvik & Karisch,2009 Range (in code): MW
- 90641. *Multiquaestia purana* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *purana* Aarvik & Karisch,2009 Range (in code): TZ Iri
- 90642. *Multiquaestia skulei* Aarvik & Karisch,2009** (Tortricidae) Synonym(s): *skulei* Aarvik & Karisch,2009 Range (in code): MW
- 90643. *Namasia catoptrica* Diakonoff,[1984]** (Tortricidae) Synonym(s): *catoptrica* Diakonoff,[1984] Range (in code): SA As
- 90644. *Neobarbara olivacea* Liu & Nasu,1993** (Tortricidae) Synonym(s): *olivacea* Liu & Nasu,1993 Range (in code): CN Ts
- 90645. *Neocalyptis affinisana* (Walker,1863)** (Tortricidae) Synonym(s): *affinisana* Walker,1863 Range (in code): TH CMa Dst NP IN LK HK IN Adm MY ID Sum Ja BN Bor Sbh Swk Clb Sbw
- 90646. *Neocalyptis chlansignum* Razowski,2006** (Tortricidae) Synonym(s): *chlansignum* Razowski,2006 Range (in code): IN Ld
- 90647. *Neocalyptis conicus* Rose & Pooni,2004** (Tortricidae) Synonym(s): *conicus* Rose & Pooni,2004 Range (in code): IN Ddu
- 90648. *Neocalyptis ladakhana* Razowski,2006** (Tortricidae) Synonym(s): *ladakhana* Razowski,2006 Range (in code): IN Ld
- 90649. *Neocalyptis nematodes* (Meyrick,1928)** (Tortricidae) Synonym(s): *nematodes* Meyrick,1928 Range (in code): PH Luz
- 90650. *Neocalyptis nematodes insularis* Diakonoff,1948** (Tortricidae) Synonym(s): *insularis* Diakonoff,1948 Range (in code): ID Ja
- 90651. *Neocalyptis nematodes nematodes* (Meyrick,1928)** (Tortricidae) Synonym(s): *nematodes* Meyrick,1928 Range (in code): PH Luz
- 90652. *Neocalyptis nuristana* (Razowski,1967)** (Tortricidae) Synonym(s): *nuristana* Razowski,1967 Range (in code): AF IN Ld Ch Sri Dra
- 90653. *Neocalyptis owadai* Kawabe,1992** (Tortricidae) Synonym(s): *owadai* Kawabe,1992 Range (in code): TW
- 90654. *Neocalyptis platytera* (Diakonoff,1983)** (Tortricidae) Synonym(s): *platytera* Diakonoff,1983 Range (in code): ID Sum
- 90655. *Neocalyptis rotundata* Diakonoff,1941** (Tortricidae) Synonym(s): *rotundata* Diakonoff,1941 Range (in code): ID Sum
- 90656. *Neocalyptis sodaliana* Kuznetsov,1992** (Tortricidae) Synonym(s): *sodaliana* Kuznetsov,1992 Range (in code): VN
- 90657. *Neocalyptis taiwana* Razowski,2000** (Tortricidae) Synonym(s): *taiwana* Razowski,2000 Range (in code): TW
- 90658. *Neocalyptis telutanda* Diakonoff,1941** (Tortricidae) Synonym(s): *telutanda* Diakonoff,1941 Range (in code): ID Ja
- 90659. *Neoeulia dorsistriatana* (Walsingham,1884)** (Tortricidae) Synonym(s): *dorsistriatana* Walsingham,1884 Range (in code): US Arz
- 90660. *Neohermenias angulata* (Diakonoff,1953)** (Tortricidae) Synonym(s): *angulata* Diakonoff,1953 Range (in code): PG
- 90661. *Neohermenias apertana* Kuznetsov,1988** (Tortricidae) Synonym(s): *apertana* Kuznetsov,1988 Range (in code): VN
- 90662. *Neohermenias asbolandra* (Meyrick,1938)** (Tortricidae) Synonym(s): *asbolandra* Meyrick,1938 Range (in code): PG

- 90663. *Neohermenias conglomerata* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *conglomerata* Diakonoff,1953 Range (in code): PG
- 90664. *Neohermenias corticina* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *corticina* Diakonoff,1953 Range (in code): PG
- 90665. *Neohermenias dendrosema* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *dendrosema* Diakonoff,1953 Range (in code): PG
- 90666. *Neohermenias dirupta* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *dirupta* Diakonoff,1953 Range (in code): PG
- 90667. *Neohermenias eugena* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *eugena* Diakonoff,1953 Range (in code): PG
- 90668. *Neohermenias gracilis* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *gracilis* Diakonoff,1953 Range (in code): PG
- 90669. *Neohermenias melanastraptis* Diakonoff,1969** (Tortricidae) **Synonym(s):** *melanastraptis* Diakonoff,1969 Range (in code): SC
- 90670. *Neohermenias merodelta* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *merodelta* Diakonoff,1953 Range (in code): PG
- 90671. *Neohermenias niphobola* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *niphobola* Diakonoff,1953 Range (in code): PG
- 90672. *Neohermenias platysphena* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *platysphena* Diakonoff,1953 Range (in code): PG
- 90673. *Neohermenias pollostes* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *pollostes* Diakonoff,1953 Range (in code): PG
- 90674. *Neohermenias psimythographa* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *psimythographa* Diakonoff,1953 Range (in code): PG
- 90675. *Neohermenias saxicolor* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *saxicolor* Diakonoff,1953 Range (in code): PG
- 90676. *Neohermenias scoliomelas* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *scoliomelas* Diakonoff,1953 Range (in code): PG
- 90677. *Neohermenias serrula* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *serrula* Diakonoff,1953 Range (in code): PG
- 90678. *Neohermenias stichoceros* (Meyrick,1938)** (Tortricidae) **Synonym(s):** *stichoceros* Meyrick,1938 Range (in code): PG
- 90679. *Neohermenias terminata* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *terminata* Diakonoff,1953 Range (in code): PG
- 90680. *Neohermenias textrix* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *textrix* Diakonoff,1953 Range (in code): PG
- 90681. *Neohermenias thalassitis* (Meyrick,1910)** (Tortricidae) **Synonym(s):** *thalassitis* Meyrick,1910 Range (in code): ID Ja TH CMa Loe Knc Tpp
- 90682. *Neohermenias tristis* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *tristis* Diakonoff,1953 Range (in code): PG
- 90683. *Neohermenias xylogena* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *xylogena* Diakonoff,1953 Range (in code): PG
- 90684. *Neopotamia angulata* Kawabe,1995** (Tortricidae) **Synonym(s):** *angulata* Kawabe,1995 Original Reference: *Neopotamia angulata* Kawabe,1995, *Microlepid. Thailand* 3: 51. Range (in code): TH Rng
- 90685. *Neopotamia armatana* Kuznetsov,1988** (Tortricidae) **Synonym(s):** *armatana* Kuznetsov,1988 Range (in code): VN Ton Tdo
- 90686. *Neopotamia calogona* Diakonoff,1973** (Tortricidae) **Synonym(s):** *calogona* Diakonoff,1973 Range (in code): ID Ja Ged
- 90687. *Neopotamia cathemacta* Diakonoff,1983** (Tortricidae) **Synonym(s):** *cathemacta* Diakonoff,1983 Range (in code): ID Sum TH Knc Tpp
- 90688. *Neopotamia cryptocosma* Diakonoff,1973** (Tortricidae) **Synonym(s):** *cryptocosma* Diakonoff,1973; *taiwana* Kawabe,1992 Range (in code): IN SI TW
- 90689. *Neopotamia divisa* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *divisa* Walsingham,1900; *acrosema* Meyrick,1909 Original Reference: *Phaecedophora divisa* Walsingham,1900, *Ann. Mag. nat. Hist.* (7) 6: 132. Range (in code): TH CMa Int IN Ass Khs Nag Meg

- 90690. *Neopotamia formosa* Kawabe,1989** (Tortricidae) Synonym(s): *formosa* Kawabe,1989
Original Reference: *Neopotamia formosa* Kawabe,1989, Microlepid. Thailand 2: 59. Range (in code): TH Nna Kao Rng Knc Tpp TW
- 90691. *Neopotamia glyceranthes* (Meyrick,1928)** (Tortricidae) Synonym(s): *glyceranthes* (Meyrick,1928) Range (in code): ID Adm
- 90692. *Neopotamia ioxantha* (Meyrick,1907)** (Tortricidae) Synonym(s): *ioxantha* Meyrick,1907
Range (in code): IN Meg Ass Khs
- 90693. *Neopotamia leucotoma* Diakonoff,1973** (Tortricidae) Synonym(s): *leucotoma* Diakonoff,1973 Range (in code): ID Ja Ged
- 90694. *Neopotamia ochracea* (Walsingham,1900)** (Tortricidae) Synonym(s): *ochracea* Walsingham,1900 Range (in code): KP KR
- 90695. *Neopotamia orophias* (Meyrick,1907)** (Tortricidae) Synonym(s): *orophias* Meyrick,1907
Range (in code): IN Hp Sml SI Djl Meg Ass Khs Bhi
- 90696. *Neopotamia punctata* Kawabe,1989** (Tortricidae) Synonym(s): *punctata* Kawabe,1989
Original Reference: *Neopotamia punctata* Kawabe,1989, Microlepid. Thailand 2: 38. Holotype: Thailand: Nakhon Nayok Prov., Khao Yai NP. Range (in code): TH Nna Kao
- 90697. *Neopotamia rubra* Kawabe,1992** (Tortricidae) Synonym(s): *rubra* Kawabe,1992 Range (in code): TW
- 90698. *Neopotamia siamensis* Kawabe,1995** (Tortricidae) Synonym(s): *siamensis* Kawabe,1995
Original Reference: *Neopotamia siamensis* Kawabe,1995, Microlepid. Thailand 3: 52, figs. Holotype ♂: Thailand: Chiang Mai, Hui Nam Dung (UOP). Range (in code): TH CMa Hnd
- 90699. *Neopotamia streblopa* (Meyrick,1936)** (Tortricidae) Synonym(s): *streblopa* Meyrick,1936
Range (in code): GT
- 90700. *Neopotamia tornocroca* Diakonoff,1973** (Tortricidae) Synonym(s): *tornocroca* Diakonoff,1973 Range (in code): IN SI
- 90701. *Neorrhyncha camerunica* Aarvik,2004** (Tortricidae) Synonym(s): *camerunica* Aarvik,2004 Range (in code): CM
- 90702. *Neorrhyncha congolana* Aarvik,2004** (Tortricidae) Synonym(s): *congolana* Aarvik,2004
Range (in code): ZR
- 90703. *Neosphaleroptera nubilana* (Hübner,[1799])** (Tortricidae) Synonym(s): ? *alniana* [Denis & Schiffermüller],1775; *nubilana* Hübner,[1799]; *glareana* Schrank,1802; *perfuscana* Haworth,1811; *conradii* Portshinkij,1888 Range (in code): ES FR SI IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT RU MD UA BY Bionomy: Larva on Crataegus, Prunus, Pyrus (Rosaceae) (Razowski,2001).
- 90704. *Nephograptis necropina* Razowski,1981** (Tortricidae) Synonym(s): *necropina* Razowski,1981 Range (in code): NG
- 90705. *Nesochoris brachystigma* Clarke,1965** (Tortricidae) Synonym(s): *brachystigma* Clarke,1965 Range (in code): CL
- 90706. *Nesochoris holographa* Clarke,1965** (Tortricidae) Synonym(s): *holographa* Clarke,1965
Range (in code): CL
- 90707. *Netechma technema* (Walsingham,1914)** (Tortricidae) Synonym(s): *technema* Walsingham,1914 Range (in code): CR
- 90708. *Nexosa aureola* Diakonoff,1977** (Tortricidae) Synonym(s): *aureola* Diakonoff,1977 Range (in code): PG NBr
- 90709. *Nexosa hexaphala* (Meyrick,1912)** (Tortricidae) Synonym(s): *hexaphala* Meyrick,1912
Range (in code): LK
- 90710. *Nexosa marmarastra* (Meyrick,1932)** (Tortricidae) Synonym(s): *marmarastra* Meyrick,1932 Range (in code): ID Ja
- 90711. *Nexosa picturata* (Meyrick,1912)** (Tortricidae) Synonym(s): *picturata* Meyrick,1912
Range (in code): IN Ass ID Ja
- 90712. *Noduliferola niphanda* (Diakonoff,1984)** (Tortricidae) Synonym(s): *niphanda* Diakonoff,1984 Range (in code): ID Sba VN Ton TH Knc Tpp
- 90713. *Notocelia aquana* (Hübner,[1799])** (Tortricidae) Synonym(s): ? *roborana* [Denis & Schiffermüller],1775; *aquana* Hübner,[1799]. Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG IR KG CN
- 90714. *Notocelia aritai* Kawabe,1989** (Tortricidae) Synonym(s): *aritai* Kawabe,1989 Original Reference: *Notocelia aritai* Kawabe,1989, Microlepid. Thailand 2: 59, fig.91. Holotype ♂: Thailand: Chiang Mai, Doi Pui, 1300m (UOP). Range (in code): TH CMa Int Dst

- 90715. Notocelia circumfluxana (Christoph,1881)** (Tortricidae) Synonym(s): *circumfluxana* Christoph,1881 Range (in code): **RU Us**
- 90716. Notocelia cynosbatella (Linnaeus,1758)** (Tortricidae) Synonym(s): *cynosbatella* Linnaeus,1758; *cynosbana* Fabricius,1775; *tripunctana* [Denis & Schifferrmüller],1775; *#cynobatella* Razowski,1966; *damascena* Tuleskov & Nikolova,1967. Original Reference: Phalaena (Tortrix) *cynosbatella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 536. Range (in code): **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR BG TR DK NO SE FI EE LV LT RU Ur Sb Am Prj Us MD UA BY SY Dms LB BSa IR KG** Bionomy: Larva on Rosa, Malus, Pyrus, Prunus, Crataegus (Rosaceae), Carpinus, Quercus (Fagaceae) (Razowski,2003).
- 90717. Notocelia donaldana Kawabe,1993** (Tortricidae) Synonym(s): *donaldana* Kawabe,1993 Range (in code): **TW**
- 90718. Notocelia incarnatana (Hübner,[1800])** (Tortricidae) Synonym(s): *incarnatana* Hübner,[1800]; *incarnana* Haworth,1811; *amoenana* Hübner,[1817]; *longispina* Nasu,1980 Original Reference: Tortrix *incarnatana* Hübner,[1800], Samml. eur. Schmett. 7: pl.30 fig.191. Type(s): Europe. Range (in code): **PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY IR GlS CN Ui Ku KG TM MN JP Hkk** Bionomy: Larva on Rosa canina (Rosaceae) (Kuznetsov,1994).
- 90719. Notocelia kurosawai Kawabe,1986** (Tortricidae) Synonym(s): *kurosawai* Kawabe,1986 Range (in code): **TW**
- 90720. Notocelia mediterranea (Obratsov,1952)** (Tortricidae) Synonym(s): *mediterranea* Obratsov,1952 Range (in code): **Si IT**
- 90721. Notocelia nigripunctata Kuznetsov,1973** (Tortricidae) Synonym(s): *nigripunctata* Kuznetsov,1973 Range (in code): **CN She**
- 90722. Notocelia nimia Falkovitsh,1965** (Tortricidae) Synonym(s): *nimia* Falkovitsh,1965 Range (in code): **RU Us**
- 90723. Notocelia nobilis Kuznetsov,1973** (Tortricidae) Synonym(s): *nobilis* Kuznetsov,1973 Range (in code): **CN Shs**
- 90724. Notocelia punicana Kuznetsov,1956** (Tortricidae) Synonym(s): *punicana* Kuznetsov,1956 Original Reference: Notocelia *punicana* Kuznetsov,1956, Ent. Obozr. 35: 449. Holotype ♂: [Turkmenistan]: Kara Kala (OPU). Range (in code): **TM K-K IR Yz**
- 90725. Notocelia rosaecolana (Doubleday,1850)** (Tortricidae) Synonym(s): *rosaecolana* Doubleday,1850; *rosae* Matsumura,1917 Original Reference: Sponota *rosaecolana* Doubleday,1850, Zoologist 8 (App.): cvi. Syntypes: Great Britain (BMNH). Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY TR IR GlS**
- 90726. Notocelia tetragonana (Stephens,1834)** (Tortricidae) Synonym(s): *tetragonana* Stephens,1834 Original Reference: Sponota *tetragonana* Stephens,1834, Illustr. Br. Ent., Haustellata 4: 96. Syntypes: Great Britain (BMNH). Range (in code): **FR IT IE GB BE DE CH AT PL CZ SK RO AL NO SE FI EE LV RU Sb MD UA BY Cc GG** Bionomy: Larva on Rosa, Rubus (Rosaceae) (Kuznetsov,1994).
- 90727. Notocelia trimaculana (Haworth,[1811])** (Tortricidae) Synonym(s): *trimaculana* Haworth,[1811]; *suffusana* Duponchel,1843. Range (in code): **DZ Anna ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc IR Mz GlS DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Crataegus, Prunus spinosa, Pyrus (Rosaceae) (Razowski,2003).
- 90728. Notocelia uddmanniana (Linnaeus,1758)** (Tortricidae) Synonym(s): *uddmanniana* Linnaeus,1758; *rubiana* Scopoli,1763; *achatana* Hübner,[1799] Original Reference: Phalaena *uddmanniana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 823. Type: Europa. Range (in code): **DZ Anna ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL GR TR DK NO SE FI EE LV LT RU MD UA BY LB Bei IL Pa SA AZ Len Cc GG IR Mz KG TJ** Bionomy: Larva on Rubus fruticosus, R. caesius (Rosaceae); Fragaria (Kuznetsov,1994).
- 90729. Notocelia uddmanniana orientana Caradja,1916** (Tortricidae) Synonym(s): *orientana* Caradja,1916 Original Reference: Notocelia *uddmanniana* var. *orientana* (Stgr. i.l.?) Caradja,1916, Dt. ent. Z., Iris 30: 64. Lectotype ♂: [Azerbaijan]: Lenkoran (MGAB). Range (in code): **Cc GG AZ Len TR**
- 90730. Notocelia yakushimensis Kawabe,1974** (Tortricidae) Synonym(s): *yakushimensis* Kawabe,1974 Range (in code): **JP**
- 90731. Notocelia zelota (Meyrick,1916)** (Tortricidae) Synonym(s): *zelota* Meyrick,1916 Original Reference: Eucosma *zelota* Meyrick,1916, Exotic Microlepid. 2: 18. Holotype ♀: India, Assam, Khasi Hills (BMNH). Range (in code): **IN Ass Meg Khs PK Abb**

- 90732. *Nuritamburia chlorocalla* (Walsingham,1907)** (Tortricidae) Synonym(s): *chlorocalla* Walsingham,1907 Range (in code): **Hw**
- 90733. *Nuritamburia metallurgica* (Walsingham,1907)** (Tortricidae) Synonym(s): *metallurgica* Walsingham,1907 Range (in code): **Hw**
- 90734. *Nuritamburia phyllanthana* (Swezey,1913)** (Tortricidae) Synonym(s): *phyllanthana* Swezey,1913 Range (in code): **Hw**
- 90735. *Nuritamburia semicineriana* (Swezey,1913)** (Tortricidae) Synonym(s): *semicineriana* Swezey,1913 Range (in code): **Hw**
- 90736. *Nuritamburia thoracina* (Walsingham,1907)** (Tortricidae) Synonym(s): *thoracina* Walsingham,1907 Range (in code): **Hw**
- 90737. *Odonthalitus lacticus* Razowski,1990** (Tortricidae) Synonym(s): *lacticus* Razowski,1990 Range (in code): **MX Dgo**
- 90738. *Ofatulena duodecemstriata* (Walsingham,1884)** (Tortricidae) Synonym(s): *duodecemstriata* Walsingham,1884 Range (in code): **US Arz**
- 90739. *Ofatulena jamaicana* (Walsingham,1897)** (Tortricidae) Synonym(s): *jamaicana* Walsingham,1897 Range (in code): **JM**
- 90740. *Ofatulena luminosa* Heinrich,1926** (Tortricidae) Synonym(s): *luminosa* Heinrich,1926 Range (in code): **US Tx**
- 90741. *Olethreutes* (Argyroploce) ? *plumbiferana* Kennel,1916** (Tortricidae) Synonym(s): *plumbiferana* Kennel,1916 Range (in code): **Cc AM Eri IR Elb Kdv**
- 90742. *Olethreutes* (Argyroploce) *acroplecta* (Meyrick,1921)** (Tortricidae) Synonym(s): *acroplecta* Meyrick,1921 Range (in code): **ZA Nta Kzu Rie ZW Umv**
- 90743. *Olethreutes* (Argyroploce) *affluens* (Meyrick,1921)** (Tortricidae) Synonym(s): *affluens* Meyrick,1921 Range (in code): **MZ Mag**
- 90744. *Olethreutes* (Argyroploce) *aquilonana* (Karvonen,1932)** (Tortricidae) Synonym(s): *aquilonana* Karvonen,1932; *helvomaculana* Kostyuk,1975; *kononenkoi* Kuznetsov,1991 Range (in code): **NO SE FI RU At Sb Ya MD UA BY**
- 90745. *Olethreutes* (Argyroploce) *arbutella* (Linnaeus,1758)** (Tortricidae) Synonym(s): *arbutella* Linnaeus,1758; *arbutana* Hübner,[1813] Original Reference: *Phalaena arbutella* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 538. Range (in code): **ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on *Vaccinium vitis-idaea*, *V. uliginosum*, *Arcostaphylos uva-ursi* (Razowski,1983).
- 90746. *Olethreutes* (Argyroploce) *arsiptera* (Meyrick,1921)** (Tortricidae) Synonym(s): *arsiptera* Meyrick,1921 Range (in code): **ZA Nta Kzu Dbn**
- 90747. *Olethreutes* (Argyroploce) *asterota* (Meyrick,1918)** (Tortricidae) Synonym(s): *asterota* Meyrick,1918 Range (in code): **ZA Nta Kzu Esw**
- 90748. *Olethreutes* (Argyroploce) *aviana* Falkovitsh,1959** (Tortricidae) Synonym(s): *aviana* Falkovitsh,1959 Range (in code): **KG At**
- 90749. *Olethreutes* (Argyroploce) *bipunctana* (Fabricius,1794)** (Tortricidae) Synonym(s): *bipunctana* Fabricius,1794 Original Reference: *Pyralis bipunctana* Fabricius,1794, Ent. Syst. 3 (2): 250. Range (in code): **FR IT BE NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU Us MD UA BY CA Mnt** Bionomy: Larva on *Vaccinium myrtillus*, *V. vitis-idaea* (Ericaceae) (Razowski,1983).
- 90750. *Olethreutes* (Argyroploce) *brevibasana* (Walsingham,1891)** (Tortricidae) Synonym(s): *brevibasana* Walsingham,1891 Range (in code): **ZA Tva Gau Pre**
- 90751. *Olethreutes* (Argyroploce) *camillana* (Kennel,1918)** (Tortricidae) Synonym(s): *camillana* Kennel,1918 Range (in code): **RU At**
- 90752. *Olethreutes* (Argyroploce) *carceraria* (Meyrick,1913)** (Tortricidae) Synonym(s): *carceraria* Meyrick,1913 Range (in code): **ZA Tva Mpu Wv**
- 90753. *Olethreutes* (Argyroploce) *caryocoma* (Meyrick,1918)** (Tortricidae) Synonym(s): *caryocoma* Meyrick,1918 Range (in code): **ZA Nta Kzu Umk**
- 90754. *Olethreutes* (Argyroploce) *concretana* (Wocke,1862)** (Tortricidae) Synonym(s): *concretana* Wocke,1862 Range (in code): **DE AT NO SE FI RU MD UA BY**
- 90755. *Olethreutes* (Argyroploce) *criopis* (Meyrick,1928)** (Tortricidae) Synonym(s): *criopis* Meyrick,1928 Range (in code): **ZA**
- 90756. *Olethreutes* (Argyroploce) *delitana* (Staudinger,1879)** (Tortricidae) Synonym(s): *delitana* Staudinger,1879; *laurentiana* Kennel,1919; *flava* Kennel,1919. Original Reference: *Penthina*

- delitana Staudinger, 1879, Horae Soc. ent. ross. 15: 250-251. Syntypes: Balkan, Hankynda (Caucasus), Ak-Dagh. Range (in code): **TR Cc AZ RU KG GG UA Ur**
- 90757. Olethreutes (Argyroploce) diremptana (Walker, 1863)** (Tortricidae) Synonym(s): *diremptana* Walker, 1863 Range (in code): **ZA**
- 90758. Olethreutes (Argyroploce) dissolutana (Stange, 1866)** (Tortricidae) Synonym(s): *dissolutana* Stange, 1866 Original Reference: *Sericoris dissolutana* Stange, 1866, Stettin ent. Ztg. 47: 282. Range (in code): **DE CH AT PL CZ DK NO SE FI EE LV LT RU At**
- 90759. Olethreutes (Argyroploce) encharacta (Meyrick, 1918)** (Tortricidae) Synonym(s): *encharacta* Meyrick, 1918 Range (in code): **ZA Ec Stj**
- 90760. Olethreutes (Argyroploce) ernestiana (Obratzsov, 1961)** (Tortricidae) Synonym(s): *ernestiana* Obratzsov, 1961 Original Reference: *Argyroploce ernestiana* Obratzsov, 1961, Mitt. münch. ent. Ges. 51: 155-156, figs. Holotype ♂: [Türkei]: Anatolien: Akshehir 1000m, 31.v.1926, Pfeiffer leg. (ZSM). Range (in code): **TR**
- 90761. Olethreutes (Argyroploce) erythrope (Meyrick, 1918)** (Tortricidae) Synonym(s): *erythrope* Meyrick, 1918 Range (in code): **ZA Nta Kzu Umk**
- 90762. Olethreutes (Argyroploce) exhilarata (Meyrick, 1918)** (Tortricidae) Synonym(s): *exhilarata* Meyrick, 1918; *eoplecta* Meyrick, 1925 Range (in code): **ZA Tva Gau Pre**
- 90763. Olethreutes (Argyroploce) glaphyraspis (Meyrick, 1921)** (Tortricidae) Synonym(s): *glaphyraspis* Meyrick, 1921 Range (in code): **ZA Ec Stj**
- 90764. Olethreutes (Argyroploce) globigera (Meyrick, 1914)** (Tortricidae) Synonym(s): *globigera* Meyrick, 1914 Range (in code): **ZA**
- 90765. Olethreutes (Argyroploce) hyperboreana Karvonen, 1932** (Tortricidae) Synonym(s): *hyperboreana* Karvonen, 1932 Range (in code): **NO SE FI RU MD UA BY**
- 90766. Olethreutes (Argyroploce) inquietana (Walker, 1863)** (Tortricidae) Synonym(s): *inquietana* Walker, 1863 Range (in code): **RU MD UA BY**
- 90767. Olethreutes (Argyroploce) iorrhoa (Meyrick, 1914)** (Tortricidae) Synonym(s): *iorrhoa* Meyrick, 1914 Range (in code): **ZA MW Mje**
- 90768. Olethreutes (Argyroploce) kurdistan Amsel, 1959** (Tortricidae) Synonym(s): *kurdistan* Amsel, 1959 Original Reference: *Phiaris kurdistan* Amsel, 1959, Bull. Soc. ent. Egypte 43: 59, Pl. 9 fig. 10. Holotype ♂: Iraq: Haj Omran. Range (in code): **IQ Hjo**
- 90769. Olethreutes (Argyroploce) lacunana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *lacunana* [Denis & Schiffermüller], 1775; *herbana* Guenée, 1845 Original Reference: *Tortrix lacunana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): Vienna district. Range (in code): **PT ES FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG IR Mz MN CN** Bionomy: Larva on *Mentha*, *Chrysanthemum*, *Fragaria*, *Urtica*, *Salix*, *Betula*, *Larix* (Razowski, 1983).
- 90770. Olethreutes (Argyroploce) lediana (Linnaeus, 1758)** (Tortricidae) Synonym(s): *lediana* Linnaeus, 1758; *westwoodana* Zetterstedt, 1839; *lienigiana* Zeller, 1846; *szmyti* Toll, 1957 Original Reference: *Phalaena lediana* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 532. Range (in code): **BE NL DE AT PL CZ SK NO SE FI EE LV LT RU Sb Am Krl MD UA BY** Bionomy: Larva on *Ledum palustre* (Linnaeus, 1758).
- 90771. Olethreutes (Argyroploce) lobotona (Meyrick, 1921)** (Tortricidae) Synonym(s): *lobotona* Meyrick, 1921 Range (in code): **ZW Swm**
- 90772. Olethreutes (Argyroploce) lutipennis (Meyrick, 1921)** (Tortricidae) Synonym(s): *lutipennis* Meyrick, 1921 Range (in code): **MZ Mag**
- 90773. Olethreutes (Argyroploce) metallicana (Hübner, [1799])** (Tortricidae) Synonym(s): *metallicana* Hübner, [1799]; *metallana* Frölich, 1828 Original Reference: *Tortrix metallicana* Hübner, [1799], Samml. eur. Schmett. Tortrices: Pl. 11 fig. 68. Type(s): Europa. Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT TR RU MD UA BY CN JP** Bionomy: Larva on *Vaccinium myrtillus* (Razowski, 1983).
- 90774. Olethreutes (Argyroploce) micana ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *micana* [Denis & Schiffermüller], 1775; *olivana* Treitschke, 1830; *bistrigana* Stephens, 1834; *haworthiana* Stephens, 1834 Original Reference: *Tortrix micana* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 127. Type(s): Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Sb Am MD UA BY**
- 90775. Olethreutes (Argyroploce) micrograpta (Meyrick, 1921)** (Tortricidae) Synonym(s): *micrograpta* Meyrick, 1921 Range (in code): **MZ Mag**

- 90776. Olethreutes (Argyroploce) mixanthes (Meyrick,1932)** (Tortricidae) **Synonym(s):** *mixanthes* Meyrick,1932 **Range (in code):** **IN Ch GI**
- 90777. Olethreutes (Argyroploce) mochlaspis (Meyrick,1921)** (Tortricidae) **Synonym(s):** *mochlaspis* Meyrick,1921 **Range (in code):** **ZW Har**
- 90778. Olethreutes (Argyroploce) mygindiana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *mygindiana* [Denis & Schiffermüller],1775; *fulvipunctana* Haworth,1811; *flammeana* Frölich,1828 **Original Reference:** *Tortrix mygindiana* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 131. **Type(s):** Vienna district. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO YU DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Vaccinium vitis-idaea*, *V. uliginosum*, *Arctostaphylos uva-ursi*, *Myrica gale* (Razowski,1983).
- 90779. Olethreutes (Argyroploce) nectarodes (Meyrick,1921)** (Tortricidae) **Synonym(s):** *nectarodes* Meyrick,1921 **Range (in code):** **ZA Nta Kzu Kkf**
- 90780. Olethreutes (Argyroploce) niphadastra (Meyrick,1921)** (Tortricidae) **Synonym(s):** *niphadastra* Meyrick,1921 **Range (in code):** **MZ L-M**
- 90781. Olethreutes (Argyroploce) noricana (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *noricana* Herrich-Schäffer,1851 **Original Reference:** *Paedisca noricana* Herrich-Schäffer,1851, *Syst. Bearb. Schmett. Eur.* 4: 236; *ibid.* 1848: Pl.21 fig.147 [non binominal]. **Type:** Keiserstein. **Range (in code):** **FR IT DE CH AT PL SK BG NO SE FI**
- 90782. Olethreutes (Argyroploce) nucleata (Meyrick,1913)** (Tortricidae) **Synonym(s):** *nucleata* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Tst**
- 90783. Olethreutes (Argyroploce) orichlora (Meyrick,1920)** (Tortricidae) **Synonym(s):** *orichlora* Meyrick,1920 **Range (in code):** **ZA Wca**
- 90784. Olethreutes (Argyroploce) orthacta (Meyrick,1908)** (Tortricidae) **Synonym(s):** *orthacta* Meyrick,1908 **Range (in code):** **ZA Tva Gau Pre Lpo Spb**
- 90785. Olethreutes (Argyroploce) palustrana (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *palustrana* Lienig & Zeller,1846; *disertana* Herrich-Schäffer,1848 **Original Reference:** *Sericoris palustrana* Lienig & Zeller,1846, *Isis* 1846: 230. **Type(s):** Bundelwald. **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 90786. Olethreutes (Argyroploce) pfeifferiana (Obraztsov,1961)** (Tortricidae) **Synonym(s):** *pfeifferiana* Obraztsov,1961 **Original Reference:** *Argyroploce pfeifferiana* Obraztsov,1961, *Mitt. münch. ent. Ges.* 51: 156-157, figs. **Holotype** ♂: [Türkei]: Türkisch Nordsyrien: Marasch Umg., Achyr Dag, Bertiz Jaila, 1800m, 9-13.vi.1929, Pfeiffer leg. (ZSM). **Range (in code):** **TR**
- 90787. Olethreutes (Argyroploce) phoeniodes (Meyrick,1921)** (Tortricidae) **Synonym(s):** *phoeniodes* Meyrick,1921 **Range (in code):** **MZ Mag**
- 90788. Olethreutes (Argyroploce) polymorpha (Meyrick,1932)** (Tortricidae) **Synonym(s):** *polymorpha* Meyrick,1932 **Original Reference:** *Argyroploce polymorpha* Meyrick,1932, *Trans. R. ent. Soc. London* 80 (1): 112. **Syntypes** ♂♀: [Ethiopia]: Jem-Jem Forest. **Range (in code):** **ET Sw ET88**
- 90789. Olethreutes (Argyroploce) predotai (Hartig,1938)** (Tortricidae) **Synonym(s):** *predotai* Hartig,1938 **Range (in code):** **ES Abr**
- 90790. Olethreutes (Argyroploce) prodroma (Meyrick,1913)** (Tortricidae) **Synonym(s):** *prodroma* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Tst Brb**
- 90791. Olethreutes (Argyroploce) propitia (Meyrick,1918)** (Tortricidae) **Synonym(s):** *propitia* Meyrick,1918 **Range (in code):** **ZA Nta Kzu Esw**
- 90792. Olethreutes (Argyroploce) ptilonota (Meyrick,1921)** (Tortricidae) **Synonym(s):** *ptilonota* Meyrick,1921 **Range (in code):** **ZA Tva Gau Pre**
- 90793. Olethreutes (Argyroploce) rhetorica (Meyrick,1920)** (Tortricidae) **Synonym(s):** *rhetorica* Meyrick,1920 **Original Reference:** *Argyroploce rhetorica* Meyrick,1920, *Exot. Microlepid.* 2: 350. **Type** ♂: [Iran]: N.W.Persia, Enzeli, leg. Capt. P.A.Buxton (BMNH) [Clarke,1958, *Catalogue...*3: pl.270 fig.2]. **Range (in code):** **IR Gh Elb**
- 90794. Olethreutes (Argyroploce) sagata (Meyrick,1913)** (Tortricidae) **Synonym(s):** *sagata* Meyrick,1913 **Range (in code):** **ZA Tva Mpu Tst**
- 90795. Olethreutes (Argyroploce) scabellana (Zeller,1852)** (Tortricidae) **Synonym(s):** *scabellana* Zeller,1852 **Range (in code):** **ZA**
- 90796. Olethreutes (Argyroploce) schaefferana (Herrich-Schäffer,1851)** (Tortricidae) **Synonym(s):** *schaefferana* Herrich-Schäffer,1851 **Original Reference:** *Sericoris schaefferana* Herrich-

- Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 217; *ibid.* 1847: Pl. 20 figs. 144-145 [non binominal].
Range (in code): **IT DE CH AT PL SK RO NO SE FI RU MD UA BY**
- 90797. *Olethreutes (Argyroploce) schulziana (Fabricius, 1777)*** (Tortricidae) Synonym(s): *schulziana* Fabricius, 1777; *pinetana* Hübner, [1799]; *bentleiana* Donovan, 1801; *zinkenana* Frölich, 1828; *daleana* Doubleday, 1859 Original Reference: *Pyralis schulziana* Fabricius, 1777, Gen. Ins.: 293-294. Type(s): Germania: Hamburg. Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Kmt Sb MD UA BY US** Bionomy: Larva on *Vaccinium uliginosum*, *Calluna vulgaris* (Ericaceae) (Razowski, 1983).
- 90798. *Olethreutes (Argyroploce) scoriana (Guenée, 1845)*** (Tortricidae) Synonym(s): *scoriana* Guenée, 1845; *metalliferana* Herrich-Schäffer, 1851 Original Reference: *Sericoris metallica* var.? *scoriana* Guenée, 1845, Annls Soc. ent. Fr. (2) 3: 158. Range (in code): **FR IT DE CH AT PL SK HU RO**
- 90799. *Olethreutes (Argyroploce) sistrata (Meyrick, 1911)*** (Tortricidae) Synonym(s): *sistrata* Meyrick, 1911 Original Reference: *Argyroploce sistrata* Meyrick, 1911, Ann. Transv. Mus. 2: 228. Lectotype ♂: [South Africa]: Natal, Pinetown, designated by Clarke, 1958 (BMNH) [Clarke, 1958, Catalogue...3: pl. 273 figs. 2-2a]. Range (in code): **ZA Tva Lpo Wo Nta Kzu Ptw**
- 90800. *Olethreutes (Argyroploce) stibiana (Guenée, 1845)*** (Tortricidae) Synonym(s): *stibiana* Guenée, 1845; *sibirana* Caradja, 1916; *fluviana* Kennel, 1919. Original Reference: *Sericoris stibiana* Guenée, 1845, Annls Soc. ent. Fr. (2) 3: 158. Type(s): Austria. Range (in code): **ES FR IT BE DE AT PL CZ SK HU RO YU AL BG GR TR RU UA Ur Sb Sj KK MN KG Uk CN Ui Ku SY Hal** Bionomy: Larva on *Rubus*, *Prunus spinosa* (Rosaceae), *Vaccinium* (Ericaceae) (Razowski, 1983).
- 90801. *Olethreutes (Argyroploce) transformis (Meyrick, 1921)*** (Tortricidae) Synonym(s): *transformis* Meyrick, 1921 Range (in code): **ZW Hfo**
- 90802. *Olethreutes (Argyroploce) trithyra (Meyrick, 1921)*** (Tortricidae) Synonym(s): *trithyra* Meyrick, 1921 Range (in code): **ZW Hfo**
- 90803. *Olethreutes (Argyroploce) turfosa (Herrich-Schäffer, 1851)*** (Tortricidae) Synonym(s): *turfosa* Herrich-Schäffer, 1851 Original Reference: *Sericoris turfosa* Herrich-Schäffer, 1851, Syst. Bearb. Schmett. Eur. 4: 217; *ibid.* 1848: Pl. 30 figs. 220-221 [non binominal]. Syntypes: Brandenburgia. Range (in code): **FR IT BE DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY**
- 90804. *Olethreutes (s.str.) agatha Falkovitsh, 1966*** (Tortricidae) Synonym(s): *agatha* Falkovitsh, 1966 Range (in code): **RU Us Vv**
- 90805. *Olethreutes (s.str.) arcuana (Linnaeus, 1761)*** (Tortricidae) Synonym(s): *#arcuella* Clerck, 1759; *arcuana* Linnaeus, 1761; *lambergiana* Scopoli, 1763. Original Reference: *Phalaena arcuana* Linnaeus, 1761, Faun. Suec.: nr. 1317 Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc AM GG IR KG KP KR CN JP**
- 90806. *Olethreutes (s.str.) astrana (Guenée, 1845)*** (Tortricidae) Synonym(s): *astrana* Guenée, 1845 Range (in code): **FR CH**
- 90807. *Olethreutes (s.str.) cacuminana (Kennel, 1901)*** (Tortricidae) Synonym(s): *cacuminana* Kennel, 1901; *gordiana* Kennel, 1919 Range (in code): **RU Us**
- 90808. *Olethreutes (s.str.) captiosana (Falkovitsh, 1960)*** (Tortricidae) Synonym(s): *captiosana* Falkovitsh, 1960 Range (in code): **RU Am**
- 90809. *Olethreutes (s.str.) dalecarliana (Guenée, 1845)*** (Tortricidae) Synonym(s): *dalecarliana* Guenée, 1845; *pyrolana* Wocke, 1857 Range (in code): **FR NL DE AT PL CZ SK DK NO SE FI EE LV LT RU Sb** Bionomy: Larva on *Ledum palustre*, *Pirola secunda*, *P. rotundifolia* (Razowski, 1983).
- 90810. *Olethreutes (s.str.) dolosana (Kennel, 1901)*** (Tortricidae) Synonym(s): *dolosana* Kennel, 1901 Range (in code): **RU Us**
- 90811. *Olethreutes (s.str.) doubledayana (Barrett, 1872)*** (Tortricidae) Synonym(s): *doubledayana* Barrett, 1872 Range (in code): **FR IT GB CH AT HU RO RU MD UA BY IR Gh Tgo Cc GG**
- 90812. *Olethreutes (s.str.) electana (Kennel, 1901)*** (Tortricidae) Synonym(s): *electana* Kennel, 1901 Range (in code): **RU Us**
- 90813. *Olethreutes (s.str.) examinatus Falkovitsh, 1966*** (Tortricidae) Synonym(s): *examinatus* Falkovitsh, 1966 Range (in code): **RU Am**
- 90814. *Olethreutes (s.str.) exilis Falkovitsh, 1966*** (Tortricidae) Synonym(s): *exilis* Falkovitsh, 1966 Range (in code): **RU Us**
- 90815. *Olethreutes (s.str.) helveticana (Duponchel, 1845)*** (Tortricidae) Synonym(s): *helveticana* Duponchel, 1845 Range (in code): **FR IT DE CH AT**

- 90816. *Olethreutes* (s.str.) *irina* Falkovitsh,1966** (Tortricidae) **Synonym(s):** *irina* Falkovitsh,1966 **Range (in code):** **RU Us**
- 90817. *Olethreutes* (s.str.) *madagana* (Falkovitsh,1965)** (Tortricidae) **Synonym(s):** *madagana* Falkovitsh,1965 **Range (in code):** **RU Mgd**
- 90818. *Olethreutes* (s.str.) *moderata* Falkovitsh,1962** (Tortricidae) **Synonym(s):** *moderata* Falkovitsh,1962 **Range (in code):** **RU Us**
- 90819. *Olethreutes* (s.str.) *nigricrista* Kuznetsov,1976** (Tortricidae) **Synonym(s):** *nigricrista* Kuznetsov,1976 **Range (in code):** **RU Us**
- 90820. *Olethreutes* (s.str.) *obsoletana* (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *obsoletana* Zetterstedt,1839; *nebulosana* Zetterstedt,1839; *schoenerrhana* Guenée,1845; *sudetana* Standfuss,1846; *irriguana* Herrich-Schäffer,1856 **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU NO SE FI EE RU At MD UA BY TR MN**
- 90821. *Olethreutes* (s.str.) *praeterminata* (Caradja,1933)** (Tortricidae) **Synonym(s):** *praeterminata* Caradja,1933 **Range (in code):** **RU**
- 90822. *Olethreutes* (s.str.) *siderana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *siderana* Treitschke,1835; *notata* Walsingham,1900 **Original Reference:** *Sericoris siderana* Treitschke,1835, Schmett. Eur. 10 (3): 81. Type(s): Banat. **Range (in code):** **FR IT BE LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Spiraea (Razowski,1983).
- 90823. *Olethreutes* (s.str.) *spiraeanus* Kuznetsov,1962** (Tortricidae) **Synonym(s):** *spiraeanus* Kuznetsov,1962 **Range (in code):** **KG**
- 90824. *Olethreutes* (s.str.) *subtilana* (Falkovitsh,1959)** (Tortricidae) **Synonym(s):** *subtilana* Falkovitsh,1959 **Range (in code):** **RU Sb**
- 90825. *Olethreutes* (s.str.) *tephrea* Falkovitsh,1966** (Tortricidae) **Synonym(s):** *tephrea* Falkovitsh,1966 **Range (in code):** **RU Us**
- 90826. *Olethreutes* (s.str.) *transversana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *transversana* Christoph,1881 **Range (in code):** **RU Us Vv**
- 90827. *Olethreutes* (s.str.) *umbrosana* (Freyer,1842)** (Tortricidae) **Synonym(s):** *umbrosana* Freyer,1842 **Original Reference:** *Sericoris umbrosana* Freyer,1842, Beitr. Gesch. Schmett. 4: 46, Tab.318 fig.1. **Range (in code):** **ES FR IT BE DE CH AT PL CZ SK HU RO AL TR DK SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on Mentha (Lamiaceae) (Razowski,1983).
- 90828. *Olethreutes* *anaplecta* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *anaplecta* Meyrick,1909 **Range (in code):** **LK Mky**
- 90829. *Olethreutes* *aristomorpha* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *aristomorpha* Meyrick,1931 **Range (in code):** **SL**
- 90830. *Olethreutes* *bryoscopa* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *bryoscopa* Meyrick,1928 **Range (in code):** **CM Bit**
- 90831. *Olethreutes* *calchantis* (Meyrick,1914)** (Tortricidae) **Synonym(s):** *calchantis* Meyrick,1914 **Range (in code):** **MW Mje**
- 90832. *Olethreutes* *cenchropis* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *cenchropis* Meyrick,1920 **Range (in code):** **IN Pus**
- 90833. *Olethreutes* *cerographa* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *cerographa* Meyrick,1907 **Range (in code):** **LK Mky**
- 90834. *Olethreutes* *corthyntis* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *corthyntis* Meyrick,1909 **Range (in code):** **LK**
- 90835. *Olethreutes* *craserias* (Meyrick,1905)** (Tortricidae) **Synonym(s):** *craserias* Meyrick,1905 **Range (in code):** **LK**
- 90836. *Olethreutes* *cybicopa* (Meyrick,1933)** (Tortricidae) **Synonym(s):** *cybicopa* Meyrick,1933 **Range (in code):** **SL**
- 90837. *Olethreutes* *doctrinalis* (Meyrick,1934)** (Tortricidae) **Synonym(s):** *doctrinalis* Meyrick,1934 **Range (in code):** **ST**
- 90838. *Olethreutes* *molybdachtha* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *molybdachtha* Meyrick,1930 **Range (in code):** **CI**
- 90839. *Olethreutes* *pontifraga* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *pontifraga* Meyrick,1928 **Range (in code):** **UG**
- 90840. *Olethreutes* *rhodochranta* (Meyrick,1933)** (Tortricidae) **Synonym(s):** *rhodochranta* Meyrick,1933 **Range (in code):** **UG**
- 90841. *Olethreutes* *sandycota* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *sandycota* Meyrick,1912 **Range (in code):** **LK**

- 90842. *Olethreutes stellans* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *stellans* Meyrick,1922; *cassiterastra* Meyrick,1931 **Range (in code):** **UG**
- 90843. *Olindia schumacherana* (Fabricius,1787)** (Tortricidae) **Synonym(s):** *schumacherana* Fabricius,1787; *ulmana* Hübner,[1823]; *areolana* Hübner,[1823]; *obscurana* Burmann,1949; *cruciana* Burmann,1949. **Original Reference:** *Pylalis schumacherana* Fabricius,1787, *Mantissa Insectorum* 2: 236. Type: Hafnia. **Range (in code):** **FR Co Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY**
- 90844. *Omiostola adamantea* Meyrick,1922** (Tortricidae) **Synonym(s):** *adamantea* Meyrick,1922 **Range (in code):** **BR**
- 90845. *Omiostola alphetopa* Meyrick,1922** (Tortricidae) **Synonym(s):** *alphetopa* Meyrick,1922 **Range (in code):** **BR**
- 90846. *Omiostola gerda* (Busck,1911)** (Tortricidae) **Synonym(s):** *gerda* Busck,1911 **Range (in code):** **GF**
- 90847. *Omiostola macrotrachela* Meyrick,1922** (Tortricidae) **Synonym(s):** *macrotrachela* Meyrick,1922 **Range (in code):** **CO**
- 90848. *Ophiorrhabda cellifera* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *cellifera* Meyrick,1912; *codonectis* Meyrick,1927; *pottsi* Clarke,1976 **Range (in code):** **MY Klu LK**
- 90849. *Ophiorrhabda ergasima* (Meyrick,1911)** (Tortricidae) **Synonym(s):** *ergasima* Meyrick,1911; *dryoptycha* Meyrick,1922; *empherana* Bradley,1961 **Range (in code):** **PG Wd ID Ja SB**
- 90850. *Ophiorrhabda favillosa* Diakonoff,1973** (Tortricidae) **Synonym(s):** *favillosa* Diakonoff,1973 **Range (in code):** **ID Ja**
- 90851. *Ophiorrhabda harmonica* (Meyrick,1905)** (Tortricidae) **Synonym(s):** *harmonica* Meyrick,1905; *crocospila* Meyrick,1939 **Range (in code):** **LK Pdy ID Ja**
- 90852. *Ophiorrhabda leveri* (Bradley,1954)** (Tortricidae) **Synonym(s):** *leveri* Bradley,1954 **Range (in code):** **MY**
- 90853. *Ophiorrhabda mormopa* (Meyrick,1906)** (Tortricidae) **Synonym(s):** *mormopa* Meyrick,1906; *#melanocyclus* Common,1970 **Original Reference:** *Platypeplus mormopa* Meyrick,1906, *J. Bombay nat. Hist. Soc.* 17: 136. Lectotype ♂: [Sri Lanka]: Maskeliya (BMNH). **Range (in code):** **TH CMa Fn Nna Kao Knc Tpp VN Ton IN NP LK Mky MY ID Sum Ja BN Sbh Bor Swk PH Luz Clb Crm PG AU SB** **Bionomy:** Larva on *Syzgium vulgaris*, *Jambosa vulgaris*, *Eugenia jambos* (rose apple) (Myrtaceae), *Citrus* (Rutaceae) (Kawabe,1989; Robinson et al.,1994).
- 90854. *Ophiorrhabda mystérica* (Turner,1916)** (Tortricidae) **Synonym(s):** *mystérica* Turner,1916 **Range (in code):** **AU QAU Kda**
- 90855. *Ophiorrhabda philocompsa* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *philocompsa* Meyrick,1921 **Range (in code):** **ID Ja TH Nna Kao Loc Knc Tpp VN** **Bionomy:** Larva on *Eugenia* (Diakonoff,1973).
- 90856. *Ophiorrhabda philocompsa* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *philocompsa* Meyrick,1921 **Range (in code):** **ID Ja**
- 90857. *Ophiorrhabda quartaria* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *quartaria* Diakonoff,1973 **Range (in code):** **TH MY ID Sum Ja BN Sbh Bor** **Bionomy:** Larva on *Bauhinia* (Fabaceae) (Diakonoff,1973).
- 90858. *Ophiorrhabda scaristis* (Meyrick,1921)** (Tortricidae) **Synonym(s):** *scaristis* Meyrick,1921 **Range (in code):** **Wd PG**
- 90859. *Ophiorrhabda tokui* (Kawabe,1974)** (Tortricidae) **Synonym(s):** *tokui* Kawabe,1974 **Range (in code):** **JP**
- 90860. *Ophiorrhabda unicolor* (Diakonoff,1973)** (Tortricidae) **Synonym(s):** *unicolor* Diakonoff,1973 **Range (in code):** **ID Clb**
- 90861. *Oregocerata orcula* Razowski,1988** (Tortricidae) **Synonym(s):** *orcula* Razowski,1988 **Range (in code):** **BO**
- 90862. *Orilesa mediocris* (Meyrick,1914)** (Tortricidae) **Synonym(s):** *mediocris* Meyrick,1914 **Range (in code):** **KE**
- 90863. *Orilesa olearis* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *olearis* Meyrick,1912 **Original Reference:** *Cnephasia olearis* Meyrick,1912, *Exot. microlepid.* 1: 10. Type: South Africa, Transvaal, Barberton. **Range (in code):** **ZA Tva Mpu Brb SZ**
- 90864. *Orthocomotis aglaia* Clarke,1956** (Tortricidae) **Synonym(s):** *aglaia* Clarke,1956 **Range (in code):** **BR Rja**
- 90865. *Orthocomotis aphanisma* Razowski & Becker,1990** (Tortricidae) **Synonym(s):** *aphanisma* Razowski & Becker,1990 **Range (in code):** **MX Ver**

- 90866. Orthocomotis argodonta Clarke, 1956** (Tortricidae) Synonym(s): *argodonta* Clarke, 1956
Range (in code): BR Sct
- 90867. Orthocomotis attonsa Razowski, 1982** (Tortricidae) Synonym(s): *attonsa* Razowski, 1982
Range (in code): BR Sct
- 90868. Orthocomotis auchmera Razowski, 1982** (Tortricidae) Synonym(s): *auchmera* Razowski, 1982 Range (in code): BR Pran
- 90869. Orthocomotis boscantina (Dognin, 1912)** (Tortricidae) Synonym(s): *boscantina* Dognin, 1912 Range (in code): CO
- 90870. Orthocomotis chaldera (Druce, 1889)** (Tortricidae) Synonym(s): *chaldera* Druce, 1889
Range (in code): CR
- 90871. Orthocomotis chloantha (Walsingham, 1914)** (Tortricidae) Synonym(s): *chloantha* Walsingham, 1914 Range (in code): MX Grr
- 90872. Orthocomotis cristata Clarke, 1956** (Tortricidae) Synonym(s): *cristata* Clarke, 1956
Range (in code): CR
- 90873. Orthocomotis euchaldera Clarke, 1956** (Tortricidae) Synonym(s): *euchaldera* Clarke, 1956
Range (in code): CO
- 90874. Orthocomotis exolivata Clarke, 1956** (Tortricidae) Synonym(s): *exolivata* Clarke, 1956
Range (in code): BR Sct
- 90875. Orthocomotis herbacea Clarke, 1956** (Tortricidae) Synonym(s): *herbacea* Clarke, 1956
Range (in code): CR
- 90876. Orthocomotis herbaria (Busck, 1920)** (Tortricidae) Synonym(s): *herbaria* Busck, 1920
Range (in code): GT
- 90877. Orthocomotis leucothorax Clarke, 1956** (Tortricidae) Synonym(s): *leucothorax* Clarke, 1956 Range (in code): BR Sct
- 90878. Orthocomotis magicana (Zeller, 1866)** (Tortricidae) Synonym(s): *magicana* Zeller, 1866
Range (in code): CO
- 90879. Orthocomotis mareda Clarke, 1956** (Tortricidae) Synonym(s): *mareda* Clarke, 1956;
jordani Clarke, 1956 Range (in code): BR Sct
- 90880. Orthocomotis melania Clarke, 1956** (Tortricidae) Synonym(s): *melania* Clarke, 1956
Range (in code): JM
- 90881. Orthocomotis melanochlora (Meyrick, 1931)** (Tortricidae) Synonym(s): *melanochlora* Meyrick, 1931 Range (in code): BR MiG
- 90882. Orthocomotis muscosana (Zeller, 1866)** (Tortricidae) Synonym(s): *muscosana* Zeller, 1866 Range (in code): CO
- 90883. Orthocomotis nitida Clarke, 1956** (Tortricidae) Synonym(s): *nitida* Clarke, 1956 Range (in code): GT
- 90884. Orthocomotis ochracea Clarke, 1956** (Tortricidae) Synonym(s): *ochracea* Clarke, 1956
Range (in code): CR
- 90885. Orthocomotis ochrosaphes Clarke, 1956** (Tortricidae) Synonym(s): *ochrosaphes* Clarke, 1956 Range (in code): BR Sct
- 90886. Orthocomotis olivata Dognin, 1905** (Tortricidae) Synonym(s): *olivata* Dognin, 1905
Range (in code): CO
- 90887. Orthocomotis phenax Razowski & Becker, 1990** (Tortricidae) Synonym(s): *phenax* Razowski & Becker, 1990 Range (in code): CR MX Ver
- 90888. Orthocomotis phenax phenax Razowski & Becker, 1990** (Tortricidae) Synonym(s): *phenax* Razowski & Becker, 1990 Range (in code): CR
- 90889. Orthocomotis phenax phobetica Razowski & Becker, 1990** (Tortricidae) Synonym(s): *phobetica* Razowski & Becker, 1990 Range (in code): MX Ver
- 90890. Orthocomotis prochaldera Clarke, 1956** (Tortricidae) Synonym(s): *prochaldera* Clarke, 1956 Range (in code): EC
- 90891. Orthocomotis pseudolivata Clarke, 1956** (Tortricidae) Synonym(s): *pseudolivata* Clarke, 1956 Range (in code): BR Sct
- 90892. Orthocomotis smaragditis (Meyrick, 1912)** (Tortricidae) Synonym(s): *smaragditis* Meyrick, 1912 Range (in code): AR
- 90893. Orthocomotis subolivata Clarke, 1956** (Tortricidae) Synonym(s): *subolivata* Clarke, 1956
Range (in code): CR

- 90894. Orthocomotis trissophricta (Meyrick,1932)** (Tortricidae) **Synonym(s):** *trissophricta* Meyrick,1932 **Range (in code):** **BR Sct**
- 90895. Orthocomotis twila Clarke,1956** (Tortricidae) **Synonym(s):** *twila* Clarke,1956 **Range (in code):** **BR Sct**
- 90896. Orthocomotis uragia Razowski & Becker,1990** (Tortricidae) **Synonym(s):** *uragia* Razowski & Becker,1990 **Range (in code):** **CR**
- 90897. Orthognathosia santamariana Razowski,1988** (Tortricidae) **Synonym(s):** *santamariana* Razowski,1988 **Range (in code):** **GT**
- 90898. Orthotaenia secunda Falkovitsh,1962** (Tortricidae) **Synonym(s):** *secunda* Falkovitsh,1962 **Range (in code):** **RU Us**
- 90899. Orthotaenia undulana ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *undulana* [Denis & Schiffermüller],1775; *urticana* Hübner,1796; *campestrana* Zeller,1875; *dilutifusca* Walsingham,1879 **Original Reference:** Tortrix undulana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. **Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR Cc GG DK NO SE FI EE LV LT RU MD UA BY US** **Bionomy:** Larva on Lonicera, Vaccinium, Betula, Salix, Acer, Urtica, Pinus, Juniperus (Razowski,1983).
- 90900. Oryguncus oribasus Razowski,1988** (Tortricidae) **Synonym(s):** *oribasus* Razowski,1988 **Range (in code):** **PE**
- 90901. Osmaria psaeoptera (Razowski & Becker,1986)** (Tortricidae) **Synonym(s):** *psaeoptera* Razowski & Becker,1986 **Range (in code):** **MX Vcr**
- 90902. Osthelderiella amardiana Obratzov,1961** (Tortricidae) **Synonym(s):** *amardiana* Obratzov,1961 **Original Reference:** Osthelderiella amardiana Obratzov,1961, Mitt. münch. ent. Ges. 51: 152-153, figs. Holotype ♂: Nordiran: Elbursgebirge: Tacht i Suleiman-Gebiet, Särädab-Tal, 1000-1400m, 7-10.vii.1937, Pfeiffer & Forster leg. (ZSM). **Range (in code):** **IR Elb Mz**
- 90903. Oxypteron algerianum Razowski,1965** (Tortricidae) **Synonym(s):** *algerianum* Razowski,1965 **Range (in code):** **DZ Ges**
- 90904. Oxypteron eremica (Walsingham,1907)** (Tortricidae) **Synonym(s):** *eremica* Walsingham,1907; *partitanum* Chrétien,1915; *#partinatum* Razowski,1961 **Original Reference:** Tortricodes eremica Walsingham,1907, Entomologist's mon. Mag. 43: 194. Syntypes 19♂: Algeria, Biskra, Hammam-es-Salahin. **Range (in code):** **DZ Bsk Hes TN Gf**
- 90905. Oxypteron exiguana (La Harpe,1860)** (Tortricidae) **Synonym(s):** *exiguana* La Harpe,1860; *chapmani* Walsingham,1907; *#exigua* Gozmany,1954 **Range (in code):** **DZ Cst PT FR Co Si IT**
- 90906. Oxypteron homsana Amsel,1954** (Tortricidae) **Synonym(s):** *homsana* Amsel,1954 **Original Reference:** Oxypteron homsana Amsel,1954, Bull. Soc. Fouad I Ent. 38: 47-48, fig.1. Type ♂: "Homs (Syrien), 1.11.1952, leg. A.S.Talhok". **Range (in code):** **SY Hms**
- 90907. Oxypteron impar Staudinger,1871** (Tortricidae) **Synonym(s):** *impar* Staudinger,1871 **Range (in code):** **RU Sr TR IQ Dy KG**
- 90908. Oxypteron kruegeri (Turati,1924)** (Tortricidae) **Synonym(s):** *kruegeri* Turati,1924 **Range (in code):** **LY**
- 90909. Oxypteron palmoni (Amsel,1940)** (Tortricidae) **Synonym(s):** *palmoni* Amsel,1940 **Range (in code):** **IL Pa SY IR Fa Bu TR RU Cc GG TM KG**
- 90910. Oxypteron polita (Walsingham,1907)** (Tortricidae) **Synonym(s):** *polita* Walsingham,1907 **Original Reference:** Tortricodes polita Walsingham,1907, Entomologist's mon. Mag. 43: 194. Syntypes 4♂: Algeria, Philippeville. **Range (in code):** **DZ Phv ES**
- 90911. Oxypteron schawerdai (Rebel,1936)** (Tortricidae) **Synonym(s):** *schawerdai* Rebel,1936; *neogena* Gozmany,1954 **Range (in code):** **ES Sa IT**
- 90912. Oxypteron wertheimsteini (Rebel,1913)** (Tortricidae) **Synonym(s):** *wertheimsteini* Rebel,1913; *#wertheimsteini* Obratzov,1935; *amseli* Razowski,1957 **Range (in code):** **SK HU RO RU Cc GG AZ AM IR Ar TM** **Bionomy:** Larva on Chondrilla juncea (Cichoriaceae) (Razowski,1957).
- 90913. Pammene aceris Kuznetsov,1968** (Tortricidae) **Synonym(s):** *aceris* Kuznetsov,1968 **Range (in code):** **RU Krl**
- 90914. Pammene adusta Kuznetsov,1972** (Tortricidae) **Synonym(s):** *adusta* Kuznetsov,1972 **Range (in code):** **JP**
- 90915. Pammene agnotana Rebel,1914** (Tortricidae) **Synonym(s):** *vernana* Snellen,1882; *agnotana* Rebel,1914; *snellana* Bentick,1947 **Range (in code):** **GB NL DE AT PL CZ SK RO DK SE RU MD UA BY**

- 90916. *Pammene ainorum* Kuznetsov, 1968** (Tortricidae) **Synonym(s):** *ainorum* Kuznetsov, 1968
Range (in code): **RU Krl**
- 90917. *Pammene albuginana* (Guenée, 1845)** (Tortricidae) **Synonym(s):** *albuginana* Guenée, 1845; *reisseri* Rebel, 1937 **Range (in code):** **PT ES FR IT GB BE NL DE CH AT PL CZ SK HU RO AL TR DK NO SE FI RU MD UA BY**
- 90918. *Pammene amygdalana* (Duponchel, 1842)** (Tortricidae) **Synonym(s):** *amygdalana* Duponchel, 1842 **Range (in code):** **PT ES FR Sa Si IT BE DE CH AT CZ SK RO YU BG RU MD UA BY TR SY Hal IR** **Bionomy:** Larva lives as inquiline in *Andricus cecconi*, *A. multiplicatus* (Nazemii et al., 2008); in *Aphelonyx persica* galls (Kemal & Koçak, 2010).
- 90919. *Pammene ardescens* (Meyrick, 1916)** (Tortricidae) **Synonym(s):** *ardescens* Meyrick, 1916
Range (in code): **PE**
- 90920. *Pammene argyran* (Hübner, [1799])** (Tortricidae) **Synonym(s):** *argyran* Hübner, [1799]; *atromargana* Haworth, [1811]; *melaleucana* Frölich, 1828; *argentimicana* Bruand, 1850; *vernana* Knaggs, 1867
Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Cc MD UA BY** **Bionomy:** Larva in galls of hymenopterans (*Andricus*, *Biorhiza*, *Cynips*) on oaks (*Quercus robur*) (Fagaceae) (Danilewsky & Kuznetsov, 1968).
- 90921. *Pammene aurana* (Fabricius, 1775)** (Tortricidae) **Synonym(s):** *aurana* Fabricius, 1775; *mediana* [Denis & Schiffermüller], 1775; *fulvella* Fabricius, 1794; *bimaculella* Thunberg, 1794; *fulvana* Fabricius, 1798; *aurantiana* Kollar, 1832; *#cuprea* Obraztsov, 1959; *#obscurana* Obraztsov, 1959 **Original Reference:** *Pyralis aurana* Fabricius, 1775; Syst. Ent.: 653. Type(s): Anglia. **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK SE FI LV RU MD UA BY**
- 90922. *Pammene aurita* Razowski, 1992** (Tortricidae) **Synonym(s):** *aurantiana* Staudinger, 1871 *nec* Stgr., 1870; *aurita* Razowski, 1992 **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO GR DK SE RU MD Cc GG**
- 90923. *Pammene avetianae* Kuznetsov, 1964** (Tortricidae) **Synonym(s):** *avetianae* Kuznetsov, 1964 **Range (in code):** **Cc AM Eri**
- 90924. *Pammene bathysema* Diakonoff, 1976** (Tortricidae) **Synonym(s):** *bathysema* Diakonoff, 1976 **Range (in code):** **NP**
- 90925. *Pammene blanda* Bae & Park, 1998** (Tortricidae) **Synonym(s):** *blanda* Bae & Park, 1998
Range (in code): **KR**
- 90926. *Pammene blockiana* (Herrich-Schäffer, [1851])** (Tortricidae) **Synonym(s):** *blockiella* Rossi, 1794 ?; *blockiana* Herrich-Schäffer, [1851]; *cupressana* Zerny, 1927 **Range (in code):** **FR IT DE YU RU MD UA BY TR AM Cc Eri** **Bionomy:** Larva on *Cupressus* ? (Zerny, 1927).
- 90927. *Pammene bowmanana* (McDunnough, 1927)** (Tortricidae) **Synonym(s):** *bowmanana* McDunnough, 1927 **Range (in code):** **CA BCo Abt**
- 90928. *Pammene caliginosa* Kuznetsov, 1972** (Tortricidae) **Synonym(s):** *caliginosa* Kuznetsov, 1972 **Range (in code):** **IR Fa**
- 90929. *Pammene carneola* (Meyrick, 1916)** (Tortricidae) **Synonym(s):** *carneola* Meyrick, 1916
Range (in code): **EC**
- 90930. *Pammene christophana* (Möschler, 1862)** (Tortricidae) **Synonym(s):** *christophana* Möschler, 1862 **Range (in code):** **DE PL HU RO YU BG GR RU MD UA BY**
- 90931. *Pammene citrophricta* (Meyrick, 1922)** (Tortricidae) **Synonym(s):** *citrophricta* Meyrick, 1922 **Range (in code):** **BR Para**
- 90932. *Pammene clanculana* (Tengström, 1869)** (Tortricidae) **Synonym(s):** *clanculana* Tengström, 1869 **Range (in code):** **IT NO SE FI LV RU**
- 90933. *Pammene cocciferana* (Walsingham, 1903)** (Tortricidae) **Synonym(s):** *cocciferana* Walsingham, 1903 **Range (in code):** **ES FR MA**
- 90934. *Pammene crataegicola* Liu & Komai, 1993** (Tortricidae) **Synonym(s):** *crataegicola* Liu & Komai, 1993 **Range (in code):** **CN**
- 90935. *Pammene crataegophila* Amsel, 1935** (Tortricidae) **Synonym(s):** *crataegophila* Amsel, 1935
Range (in code): **IL Pa**
- 90936. *Pammene cyanatra* (Diakonoff, 1976)** (Tortricidae) **Synonym(s):** *cyanatra* Diakonoff, 1976
Range (in code): **NP**
- 90937. *Pammene cytisana* (Zeller, 1847)** (Tortricidae) **Synonym(s):** *cytisana* Zeller, 1847 **Range (in code):** **FR Sa Si IT? RU MD UA BY**
- 90938. *Pammene daedalopsis* (Meyrick, 1922)** (Tortricidae) **Synonym(s):** *daedalopsis* Meyrick, 1922
Range (in code): **PE**

- 90939. Pammene diagrapta (Meyrick,1916)** (Tortricidae) **Synonym(s):** *diagrapta* Meyrick,1916
Range (in code): **GY**
- 90940. Pammene dicastica Meyrick,1922** (Tortricidae) **Synonym(s):** *dicastica* Meyrick,1922
Range (in code): **PK Haz Mre Pj**
- 90941. Pammene engadinensis Müller-Rutz,1920** (Tortricidae) **Synonym(s):** *engadinensis* Müller-Rutz,1920
Range (in code): **CH**
- 90942. Pammene epanthista (Meyrick,1922)** (Tortricidae) **Synonym(s):** *epanthista* Meyrick,1922
Range (in code): **FR**
- 90943. Pammene exscribana Kuznetsov,1986** (Tortricidae) **Synonym(s):** *exscribana* Kuznetsov,1986
Range (in code): **RU Sh Krl**
- 90944. Pammene fasciana (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *fasciana* Linnaeus,1761; *trinotata* Frölich,1828; *juliana* Curtis,1836; *nimbana* Herrich-Schäffer,1851; *herrichiana* Heinemann,1854
Range (in code): **PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI LV LT RU MD UA BY Cc GG**
- 90945. Pammene felicitana Heinrich,1923** (Tortricidae) **Synonym(s):** *felicitana* Heinrich,1923
Range (in code): **CA**
- 90946. Pammene ferrata (Meyrick,1916)** (Tortricidae) **Synonym(s):** *ferrata* Meyrick,1916
Range (in code): **GY**
- 90947. Pammene festiva Kuznetsov,1972** (Tortricidae) **Synonym(s):** *festiva* Kuznetsov,1972
Range (in code): **IR Ss**
- 90948. Pammene flavicellula Kuznetsov,1971** (Tortricidae) **Synonym(s):** *flavicellula* Kuznetsov,1971
Range (in code): **RU Us**
- 90949. Pammene fulminea Komai,1999** (Tortricidae) **Synonym(s):** *fulminea* Komai,1999
Range (in code): **JP**
- 90950. Pammene fulvipalpis (Meyrick,1922)** (Tortricidae) **Synonym(s):** *fulvipalpis* Meyrick,1922
Range (in code): **BR Para**
- 90951. Pammene gallicana (Guenée,1845)** (Tortricidae) **Synonym(s):** *gallicana* Guenée,1845; *rufillana* Doubleday,1850; *pudicana* Herrich-Schäffer,1851; *implicatana* Christoph,1881; *#alberici* Dufrane,1944
Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI LV LT RU MD UA BY**
- 90952. Pammene gallicolana (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *gallicolana* Lienig & Zeller,1846
Original Reference: Grapholitha gallicolana Lienig & Zeller,1846, Isis, Leipzig 3: 255. Syntypes: Livlandia & Kurlandia.
Range (in code): **IT NL DE CH? AT CZ SK HU RO GR TR LV RU MD UA BY**
Bionomy: Larva in dry galls Biorhiza pallida (Cynipidae, Hym.) on Quercus (Fagaceae) (Danilewsky & Kuznetsov,1968); on gall Aceria salicina (Eriophyiidae, Acarina) (Kemal, in litt.).
- 90953. Pammene germmana (Hübner,[1799])** (Tortricidae) **Synonym(s):** *germmana* Hübner,[1799]; *stagnana* Hübner,[1799]; *atropurpurana* Haworth,[1811]; *germarana* Hübner,[1825]; *puncticostana* Stephens,1834; *immaculana* Guenée,1845; *fulvifrontana* Zeller,1849
Range (in code): **FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO TR DK SE FI EE LV LT RU Cc MD UA BY Sb Us Krl**
Bionomy: Larva on Prunus domesticus, Crataegus (Rosaceae); Quercus (Fagaceae) (Bradley et al.,1979; et seq.).
- 90954. Pammene giganteana (Peyerimhoff,1863)** (Tortricidae) **Synonym(s):** *fimbriana* Haworth,1811 (homonym); *giganteana* Peyerimhoff,1863; *inquilina* T.B.Fletcher,1938
Range (in code): **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE**
- 90955. Pammene ginkgoicola Liu,1992** (Tortricidae) **Synonym(s):** *ginkgoicola* Liu,1992
Range (in code): **CN**
- 90956. Pammene griseana Walsingham,1900** (Tortricidae) **Synonym(s):** *griseana* Walsingham,1900
Range (in code): **JP**
- 90957. Pammene griseomaculana Kuznetsov,1960** (Tortricidae) **Synonym(s):** *griseomaculana* Kuznetsov,1960
Range (in code): **RU Us Sb**
- 90958. Pammene grunini Kuznetsov,1960** (Tortricidae) **Synonym(s):** *grunini* Kuznetsov,1960
Range (in code): **RU Us**
- 90959. Pammene ignorata Kuznetsov,1968** (Tortricidae) **Synonym(s):** *ignorata* Kuznetsov,1968
Range (in code): **GB NL AT DK NO SE FI EE LV LT RU Us MD UA BY**
- 90960. Pammene insolentana Kuznetsov,1964** (Tortricidae) **Synonym(s):** *insolentana* Kuznetsov,1964
Range (in code): **RU Us Vv**
- 90961. Pammene instructana Kuznetsov,1964** (Tortricidae) **Synonym(s):** *instructana* Kuznetsov,1964
Range (in code): **RU Am**

- 90962. *Pammene insulana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *insulana* Guenée,1845; *motacillana* Zeller,1847; *stragulana* Tengström,1848; *ovulana* Tengström,1848. **Range (in code):** **FR IT BE NL DE CH AT PL CZ SK HU YU TR NO SE FI EE LV LT RU MD UA BY**
- 90963. *Pammene iocrossa* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *iocrossa* Meyrick,1916 **Range (in code):** **CO**
- 90964. *Pammene ionia* Wileman & Stringer,1929** (Tortricidae) **Synonym(s):** *ionia* Wileman & Stringer,1929 **Range (in code):** **PH Luz**
- 90965. *Pammene isocampta* Meyrick,1914** (Tortricidae) **Synonym(s):** *isocampta* Meyrick,1914 **Range (in code):** **LK Pdy**
- 90966. *Pammene japonica* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *japonica* Kuznetsov,1968 **Range (in code):** **JP RU Krl**
- 90967. *Pammene juniperana* (Millière,1858)** (Tortricidae) **Synonym(s):** *juniperana* Millière,1858; *tergorana* Frölich,1828; *thuriferana* Cleu,1926 **Range (in code):** **ES FR IT NL DE RO YU RU MD UA BY**
- 90968. *Pammene laserpitiana* Huemer & Erlebach,1999** (Tortricidae) **Synonym(s):** *laserpitiana* Huemer & Erlebach,1999 **Range (in code):** **IT**
- 90969. *Pammene latebrata* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *latebrata* Meyrick,1916 **Range (in code):** **GY**
- 90970. *Pammene leucitis* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *leucitis* Meyrick,1907 **Range (in code):** **IN Ass Meg Khs**
- 90971. *Pammene leucodora* Meyrick,1928** (Tortricidae) **Synonym(s):** *leucodora* Meyrick,1928 **Range (in code):** **PH Luz**
- 90972. *Pammene limenita* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *limenita* Meyrick,1922 **Range (in code):** **BR Azn**
- 90973. *Pammene luctifica* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *luctifica* Meyrick,1916 **Range (in code):** **GY**
- 90974. *Pammene luculentana* Kuznetsov,1962** (Tortricidae) **Synonym(s):** *luculentana* Kuznetsov,1962 **Range (in code):** **KG DsA**
- 90975. *Pammene luedersiana* (Sorhagen,1885)** (Tortricidae) **Synonym(s):** *luedersiana* Sorhagen,1885 **Original Reference:** *Steganoptycha luedersiana* Sorhagen,1885, Ent. Nachr. 11 (18): 284. Type: Deutschland. **Range (in code):** **ES FR IT GB NL DE CZ DK NO SE FI EE LV LT RU MD UA BY TR Cc** **Bionomy:** Larva on *Myrica gale* (Razowski,2003).
- 90976. *Pammene macrolepis* Diakonoff,1976** (Tortricidae) **Synonym(s):** *macrolepis* Diakonoff,1976 **Range (in code):** **Rd GR**
- 90977. *Pammene mariana* (Zerny,1920)** (Tortricidae) **Synonym(s):** *mariana* Zerny,1920; *pontica* Obratsov,1960 **Range (in code):** **RO HV MK YU TR Cc RU** **Bionomy:** Larva on *Juniperus oxycedrus*, *J. foetidissima* (Razowski,2003).
- 90978. *Pammene medioalbana* Knudson,1986** (Tortricidae) **Synonym(s):** *medioalbana* Knudson,1986 **Range (in code):** **US Tx**
- 90979. *Pammene megalcephala* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *megalcephala* Diakonoff,[1984] **Range (in code):** **SA As**
- 90980. *Pammene militaris* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *militaris* Meyrick,1916 **Range (in code):** **GY**
- 90981. *Pammene monotincta* Kuznetsov,1976** (Tortricidae) **Synonym(s):** *monotincta* Kuznetsov,1976 **Range (in code):** **RU Us**
- 90982. *Pammene nannodes* Walsingham,1900** (Tortricidae) **Synonym(s):** *nannodes* Walsingham,1900; *macilentana* Kennel,1901 **Original Reference:** *Pammene nannodes* Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 435436. Holotype ♂: Libanon: Beirut; Palestine (coll. Walsingham). **Range (in code):** **IL Pa LB Bei**
- 90983. *Pammene nemorosa* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *nemorosa* Kuznetsov,1968 **Range (in code):** **RU Us**
- 90984. *Pammene neotricha* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *neotricha* Meyrick,1922 **Range (in code):** **PE**
- 90985. *Pammene nequior* Kuznetsov,1964** (Tortricidae) **Synonym(s):** *nequior* Kuznetsov,1964 **Range (in code):** **KG TrA**
- 90986. *Pammene nescia* Kuznetsov,1972** (Tortricidae) **Synonym(s):** *nescia* Kuznetsov,1972 **Range (in code):** **CN**

- 90987. *Pammene nigritana* (Mann,1862)** (Tortricidae) **Synonym(s):** *nigritana* Mann,1862
Original Reference: *Grapholitha nigritana* Mann,1862, Wiener ent. Monatschr. 6: 397. Lectotype ♂: [Turkey]: Kleinasien: Brussa (ZMAS). **Range (in code):** **TR RU**
- 90988. *Pammene obscurana* (Stephens,1834)** (Tortricidae) **Synonym(s):** *obscurana* Stephens,1834; *tomiana* Zeller,1868 **Range (in code):** **ES FR IT GB BE NL LU DE CH AT PL CZ HU AL DK NO SE FI LV LT RU MD UA BY**
- 90989. *Pammene ochsenheimeriana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *?panzerana* Frölich,1828; *ochsenheimeriana* Lienig & Zeller,1846; *loxiana* Herrich-Schäffer,1851; *luctiferana* Herrich-Schäffer,1851 **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV RU Us Kr MD UA BY CN** **Bionomy:** Larva on Pinus, Abies, Picea (Pinaceae) (Patocka,1960 et seq.).
- 90990. *Pammene ocliferia* (Heinrich,1926)** (Tortricidae) **Synonym(s):** *ocliferia* Heinrich,1926 **Range (in code):** **US Ne**
- 90991. *Pammene octavia* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *octavia* Meyrick,1922 **Range (in code):** **PE**
- 90992. *Pammene oreina* Kuznetsov,1973** (Tortricidae) **Synonym(s):** *oreina* Kuznetsov,1973 **Range (in code):** **CN Yu Lik**
- 90993. *Pammene orientana* Kuznetsov,1960** (Tortricidae) **Synonym(s):** *orientana* Kuznetsov,1960 **Range (in code):** **RU Sb Am**
- 90994. *Pammene ornata* Walsingham,1903** (Tortricidae) **Synonym(s):** *ornata* Walsingham,1903 **Range (in code):** **MA**
- 90995. *Pammene oxycedrana* (Millière,1876)** (Tortricidae) **Synonym(s):** *oxycedrana* Millière,1876 **Range (in code):** **FR IT**
- 90996. *Pammene patriocosma* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *patriocosma* Meyrick,1927 **Range (in code):** **PE**
- 90997. *Pammene paula* (Heinrich,1926)** (Tortricidae) **Synonym(s):** *paula* Heinrich,1926 **Range (in code):** **CA**
- 90998. *Pammene penetralis* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *penetralis* Meyrick,1916 **Range (in code):** **GY**
- 90999. *Pammene percognata* Diakonoff,1976** (Tortricidae) **Synonym(s):** *percognata* Diakonoff,1976 **Range (in code):** **MK**
- 91000. *Pammene peristictis* Meyrick,1912** (Tortricidae) **Synonym(s):** *peristictis* Meyrick,1912 **Range (in code):** **LK Mky**
- 91001. *Pammene perstructana* (Walker,1863)** (Tortricidae) **Synonym(s):** *perstructana* Walker,1863; *signifera* Heinrich,1926 **Range (in code):** **CA On**
- 91002. *Pammene phthoneris* Diakonoff,1976** (Tortricidae) **Synonym(s):** *phthoneris* Diakonoff,1976 **Range (in code):** **NP**
- 91003. *Pammene piceae* Komai,1999** (Tortricidae) **Synonym(s):** *piceae* Komai,1999 **Range (in code):** **JP Hkk**
- 91004. *Pammene polyplecta* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *polyplecta* Meyrick,1922 **Range (in code):** **BR Para**
- 91005. *Pammene populana* (Fabricius,1787)** (Tortricidae) **Synonym(s):** *populana* Fabricius,1787; *ephippana* Hübner,[1817]; *sticticana* Frölich,1828 **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK DK NO SE FI EE LV LT RU MD UA BY**
- 91006. *Pammene praecisa* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *praecisa* Meyrick,1916 **Range (in code):** **GY**
- 91007. *Pammene psacastis* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *psacastis* Meyrick,1922 **Range (in code):** **BR Para**
- 91008. *Pammene pulchella* Amsel,1935** (Tortricidae) **Synonym(s):** *pulchella* Amsel,1935 **Range (in code):** **IL Pa**
- 91009. *Pammene pullana* Kuznetsov,1986** (Tortricidae) **Synonym(s):** *pullana* Kuznetsov,1986
Original Reference: *Pammene pullana* Kuznetsov,1986, Vestn. Zool. 1986 (4): 27. Holotype ♂: [Turkey]: [Kahramanmaraş]: Zeitoon [Süleymanlı] (MNHUB). **Range (in code):** **TR**
- 91010. *Pammene purpureana* Constant,1888** (Tortricidae) **Synonym(s):** *purpureana* Constant,1888 **Range (in code):** **FR CH**
- 91011. *Pammene querceti* (Gozmany,1957)** (Tortricidae) **Synonym(s):** *querceti* Gozmany,1957 **Range (in code):** **FR IT CZ SK HU YU**

- 91012. *Pammene regiana* (Zeller,1849)** (Tortricidae) **Synonym(s):** *regiana* Zeller,1849 **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI RU MD UA BY Cc GG Smt Bku** **Bionomy:** Larva on *Acer pseudoplatanus*, *A. platanoides*, *A. campestre* (Razowski,2003).
- 91013. *Pammene regiana caucasica* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *caucasica* Kuznetsov,1968 **Range (in code):** **Cc GG Smt Bku**
- 91014. *Pammene rhediella* (Linnaeus,1761)** (Tortricidae) **Synonym(s):** *#rhediella* Clerck,1759; *rhediella* Linnaeus,1761; *daldorfana* Fabricius,1787; *dimidiana* Donovan,[1804]; *rhediana* Hübner,[1825]; *parvulana* Frölich,1828 **Range (in code):** **FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL TR DK NO SE FI EE LV LT RU MD UA BY**
- 91015. *Pammene salvana* (Staudinger,1859)** (Tortricidae) **Synonym(s):** *salvana* Staudinger,1859 **Range (in code):** **ES FR DE**
- 91016. *Pammene semiarcha* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *semiarcha* Meyrick,1922 **Range (in code):** **BR Para**
- 91017. *Pammene seminotata* Filipjev,1926** (Tortricidae) **Synonym(s):** *seminotata* Filipjev,1926 **Range (in code):** **RU St**
- 91018. *Pammene sevocata* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *sevocata* Meyrick,1916 **Range (in code):** **GY**
- 91019. *Pammene shicotanica* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *shicotanica* Kuznetsov,1968 **Range (in code):** **RU Krl**
- 91020. *Pammene siderophanes* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *siderophanes* Meyrick,1922 **Range (in code):** **PE**
- 91021. *Pammene soyoensis* Bae & Park,1998** (Tortricidae) **Synonym(s):** *soyoensis* Bae & Park,1998 **Range (in code):** **KR**
- 91022. *Pammene spiniana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *spiniana* Duponchel,1843; *trigonana* Stephens,1829; *trigonana* Stephens,1834; *spinetorum* Herrich-Schäffer,1851 **Range (in code):** **DZ Anna Cst ES FR IT IE GB BE NL DE CH AT PL CZ SK HU DK SE LV LT RU MD UA BY Cc GG** **Bionomy:** Larva on *Prunus spinosa*, *Crataegus* (Rosaceae); *Viburnum*, *Sorbus* (Razowski,2003).
- 91023. *Pammene splendidulana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *strobilana* Haworth,1811; *splendidulana* Guenée,1845; *plumbatana* Lienig & Zeller,1846; *suberana* Constant,1895 **Range (in code):** **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU TR Cc DK NO SE FI EE LV RU MD UA BY** **Bionomy:** Larva on *Quercus robur* (Fagaceae) (Razowski,2003).
- 91024. *Pammene stabulata* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *stabulata* Meyrick,1916 **Range (in code):** **CO**
- 91025. *Pammene strophodina* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *strophodina* Meyrick,1932 **Range (in code):** **BO**
- 91026. *Pammene stugae* Issiki,1961** (Tortricidae) **Synonym(s):** *stugae* Issiki,1961 **Range (in code):** **JP**
- 91027. *Pammene subsalvana* Kuznetsov,1960** (Tortricidae) **Synonym(s):** *subsalvana* Kuznetsov,1960 **Range (in code):** **RU Am**
- 91028. *Pammene suspectana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *suspectana* Lienig & Zeller,1846; *fraxinana* Peyerimhoff,1872 **Range (in code):** **DZ PT FR GB DE CH AT PL CZ SK HU DK NO SE FI LV RU MD UA BY Cc GG AM TJ** **Bionomy:** Larva under bark of *Fraxinus excelsior* (Oleaceae) (Corley et al.,2007).
- 91029. *Pammene tauriana* Kuznetsov,1960** (Tortricidae) **Synonym(s):** *tauriana* Kuznetsov,1960 **Range (in code):** **CZ SK RU MD UA Cm**
- 91030. *Pammene theristis* Meyrick,1912** (Tortricidae) **Synonym(s):** *theristis* Meyrick,1912 **Original Reference:** *Pammene theristis* Meyrick,1912, J. Bombay nat. Hist. Soc. 21: 874. Lectotype ♂: Ceylon, Maskeliya, designated by Clarke (1958: 567). **Range (in code):** **LK Mky IN Kma**
- 91031. *Pammene thylacura* (Meyrick,1922)** (Tortricidae) **Synonym(s):** *thylacura* Meyrick,1922 **Range (in code):** **BR Azn**
- 91032. *Pammene tornograptia* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *tornograptia* Meyrick,1927 **Range (in code):** **PE**
- 91033. *Pammene trauniana* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *trauniana* [Denis & Schiffermüller],1775; *floricolana* Frölich,1828; *notata* Westwood,1845; *conjugana* Zeller,1849 **Original Reference:** *Tortrix trauniana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes

- Schmett. Wienergegend: 132. Type(s): Vienna district. Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO TR DK RU MD UA BY**
- 91034. *Pammene tricuneana* (Kennel,1900)** (Tortricidae) Synonym(s): *tricuneana* Kennel,1900 Range (in code): **Cc GG Bjo Smt**
- 91035. *Pammenemima ochropa* (Meyrick,1905)** (Tortricidae) Synonym(s): *ochropa* Meyrick,1905; *dissias* Meyrick,1907 Range (in code): **LK Kndy**
- 91036. *Pammenitis calligrapha* Diakonoff,1988** (Tortricidae) Synonym(s): *calligrapha* Diakonoff,1988 Range (in code): **MG**
- 91037. *Pammenopsis critica* (Meyrick,1905)** (Tortricidae) Synonym(s): *critica* Meyrick,1905; *ludicra* Meyrick,1912; *pseudomorpha* Meyrick,1916; *trichocrossa* Meyrick,1916 Range (in code): **IN Ben Pus Bba**
- 91038. *Pandemis canadana* Kearfott,1905** (Tortricidae) Synonym(s): *canadana* Kearfott,1905 **CA Ssk**
- 91039. *Pandemis capnobathra* (Meyrick,1930)** (Tortricidae) Synonym(s): *capnobathra* Meyrick,1930 **MG**
- 91040. *Pandemis caryocentra* Diakonoff,1960** (Tortricidae) Synonym(s): *caryocentra* Diakonoff,1960 **MG**
- 91041. *Pandemis cataxesta* Meyrick,1937** (Tortricidae) Synonym(s): *cataxesta* Meyrick,1937 Original Reference: *Pandemis cataxesta* Meyrick,1937, Dt. ent. Z., Iris 51: 174. Holotype: China, Yunnan, Likiang. **CN Yu Lik**
- 91042. *Pandemis cerasana* (Hübner,1786)** (Tortricidae) Synonym(s): *cerasana* Hübner,1786; *ribeana* Hübner,[1799]; *grossulariana* Stephens,1834 Original Reference: *Phalaena cerasana* Hübner,1786, Beitr. Gesch. Schmett. 1 (1): 14, pl.2 figs.H1-3. Type: Germania. Range (in code): **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Us MD UA BY Cc GG KG IR Gh Ak Th Kh Ma MN CN CA** Bionomy: Larva on *Corylus avellana*, *Fagus*, *Quercus* (Fagaceae); *Fraxinus* (Oleaceae); *Acer*, *Ulmus* (Ulmaceae); *Salix* (Salicaceae); *Betula* (Betulaceae); *Tilia* (Tiliaceae); *Malus*, *Pyrus* (Rosaceae); *Larix*, *Pinus* (Pinaceae) (Bovey,1966).
- 91043. *Pandemis cerioschema* (Meyrick,1934)** (Tortricidae) Synonym(s): *cerioschema* Meyrick,1934 Original Reference: *Homona cerioschema* Meyrick,1934, Exotic Microlepid. 4: 526. Holotype ♀: Uganda, Kampala (BMNH). Range (in code): **UG Kmp**
- 91044. *Pandemis chlorograptia* Meyrick,1921** (Tortricidae) Synonym(s): *chlorograptia* Meyrick,1921 Range (in code): **CN**
- 91045. *Pandemis chondrillana* (Herrich-Schäffer,1860)** (Tortricidae) Synonym(s): *chondrillana* Herrich-Schäffer,1860; *praecloratana* Kennel,1901; *laurana* Kennel,1919; *elsana* Kennel,1919; *eulogiana* Kennel,1919; *#unicolor* Obraztsov,1943. Original Reference: *Lozotaenia chondrillana* Herrich-Schäffer,1860, Neue Schmett. 2: 13, fig.82. Type(s): Russia: Sarepta. Range (in code): **FR RO BG RU Sr Sb MD UA Cm BY TR IR Mz Elb Gh Dam Kh Msh Ak Mrd Gls Gor Ar Se UZ KG Tk Dj KK CN Ui Ju MN Cc GG AF**
- 91046. *Pandemis cinnamomeana* (Treitschke,1830)** (Tortricidae) Synonym(s): *croceana* Hübner,[1799]; *croceana* Frölich,1828 (praeocc.); *cinnamomeana* Treitschke,1830; *basana* Zerny,1935 Range (in code): **MA PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY TR MN CN KK KP KR JP** Bionomy: Larva on *Larix*, *Abies* (Pinaceae), *Quercus* (Fagaceae), *Betula* (Betulaceae), *Pyrus* (Rosaceae), *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 91047. *Pandemis corylana* (Fabricius,1794)** (Tortricidae) Synonym(s): *avellana* Poda,1761 (praeocc.); *corylana* Fabricius,1794; *textana* Hübner,[1799] Original Reference: *Pyrallis corylana* Fabricius,1794, Ent. Syst. 3 (2): 216. Type: Germania. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Us MD UA BY IR CN KG** Bionomy: Larva on *Betula* (Betulaceae), *Corylus avellana* (Corylaceae), *Fagus*, *Quercus* (Fagaceae), *Fraxinus* (Oleaceae), *Pinus*, *Larix* (Pinaceae) (Razowski,2001).
- 91048. *Pandemis dispersa* (Diakonoff,1960)** (Tortricidae) Synonym(s): *dispersa* Diakonoff,1960 Range (in code): **MG**
- 91049. *Pandemis dryoxesta* Meyrick,1920** (Tortricidae) Synonym(s): *dryoxesta* Meyrick,1920 Original Reference: *Pandemis dryoxesta* Meyrick,1920, Exotic Microlepid. 2: 341. Lectotype ♂: [Pakistan], Punjab, Murree (BMNH). Range (in code): **PK Pj Haz Mre**
- 91050. *Pandemis dumetana* (Treitschke,1835)** (Tortricidae) Synonym(s): *dumetana* Treitschke,1835; *gravana* Caradja,1932 Original Reference: *Tortrix dumetana* Treitschke,1835, Schmett. Eur. 10: 160. Syntypes: Hungary. Range (in code): **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO BG DK SE FI EE LV LT RU Sb us MD UA BY Cc GG TR IR Mz Gh KP KR CN Ch JP**

Bionomy: Larva on *Urtica* (Urticaceae), *Chenopodium* (Chenopodiaceae), *Valeriana* (Valerianaceae), *Lonicera* (Caprifoliaceae), *Rubus* (Rosaceae), *Quercus* (Fagaceae), *Origanum*, *Mentha* (Lamiaceae), *Fragaria*, *Sanguisorba* (Rosaceae) (Razowski, 2001).

- 91051. *Pandemis emptycta* Meyrick, 1937** (Tortricidae) Synonym(s): *emptycta* Meyrick, 1937
Range (in code): **CN**
- 91052. *Pandemis euryloncha* (Diakonoff, 1973)** (Tortricidae) Synonym(s): *euryloncha* Diakonoff, 1973
Range (in code): **MG**
- 91053. *Pandemis eustropha* (Bradley, 1965)** (Tortricidae) Synonym(s): *eustropha* Bradley, 1965
Range (in code): **UG Rz**
- 91054. *Pandemis fulvastra* Bai, 1984** (Tortricidae) Synonym(s): *fulvastra* Bai, 1984
Range (in code): **CN**
- 91055. *Pandemis griveaudi* (Diakonoff, 1960)** (Tortricidae) Synonym(s): *griveaudi* Diakonoff, 1960
Range (in code): **MG**
- 91056. *Pandemis heparana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *heparana* [Denis & Schiffermüller], 1775
Original Reference: Tortrix heparana [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district.
Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Ur Sb Am MD UA BY Cc GG IR Gh Mz Sari Fa Gls Gor CN KP KR JP**
- 91057. *Pandemis ianus* (Diakonoff, 1970)** (Tortricidae) Synonym(s): *ianus* Diakonoff, 1970
Range (in code): **MG**
- 91058. *Pandemis ignescana* (Kuznetsov, 1976)** (Tortricidae) Synonym(s): *ignescana* Kuznetsov, 1976
Range (in code): **RU Us**
- 91059. *Pandemis inouei* Kawabe, 1968** (Tortricidae) Synonym(s): *inouei* Kawabe, 1968
Range (in code): **TW**
- 91060. *Pandemis isotetras* (Meyrick, 1934)** (Tortricidae) Synonym(s): *isotetras* Meyrick, 1934
Original Reference: Tortrix isotetras Meyrick, 1934, Ann. Mag. nat. Hist. (10) 14: 403. Holotype ♀: [Equatorial Guinea]: Fernando Po Is.
Range (in code): **GO Bio**
- 91061. *Pandemis monticolana* Yasuda, 1975** (Tortricidae) Synonym(s): *monticolana* Yasuda, 1975
Range (in code): **JP**
- 91062. *Pandemis orophila* (Bradley, 1965)** (Tortricidae) Synonym(s): *orophila* Bradley, 1965
Range (in code): **UG Rz**
- 91063. *Pandemis pauliani* (Diakonoff, 1960)** (Tortricidae) Synonym(s): *pauliani* Diakonoff, 1960
Range (in code): **MG**
- 91064. *Pandemis phaedroma* Razowski, 1978** (Tortricidae) Synonym(s): *phaedroma* Razowski, 1978
Range (in code): **CN She**
- 91065. *Pandemis phaenotherion* Razowski, 1978** (Tortricidae) Synonym(s): *phaenotherion* Razowski, 1978
Range (in code): **CN She**
- 91066. *Pandemis piceocola* Liu, 1990** (Tortricidae) Synonym(s): *piceocola* Liu, 1990
Range (in code): **CN Gn**
- 91067. *Pandemis regalis* (Diakonoff, 1960)** (Tortricidae) Synonym(s): *regalis* Diakonoff, 1960
Range (in code): **MG**
- 91068. *Pandemis thomasi* Razowski, 2006** (Tortricidae) Synonym(s): *thomasi* Razowski, 2006
Range (in code): **IN Ch**
- 91069. *Parabactra arenosa* (Meyrick, 1909)** (Tortricidae) Synonym(s): *arenosa* Meyrick, 1909
Range (in code): **LK Mky**
- 91070. *Parabactra foederata* (Meyrick, 1909)** (Tortricidae) Synonym(s): *foederata* Meyrick, 1909
Range (in code): **LK Mky**
- 91071. *Parabactra sociata* (Meyrick, 1909)** (Tortricidae) Synonym(s): *sociata* Meyrick, 1909
Range (in code): **LK Mky**
- 91072. *Parachanda phantastis* Meyrick, 1927** (Tortricidae) Synonym(s): *phantastis* Meyrick, 1927
Range (in code): **BO**
- 91073. *Parachanda polycosma* Meyrick, 1930** (Tortricidae) Synonym(s): *polycosma* Meyrick, 1930
Range (in code): **BR**
- 91074. *Paracomotis smaragdophaea* (Meyrick, 1932)** (Tortricidae) Synonym(s): *smaragdophaea* Meyrick, 1932
Range (in code): **BR Sct**
- 91075. *Paracroesia abievora* (Issiki, 1961)** (Tortricidae) Synonym(s): *abievora* Issiki, 1961; *pusilla* Kuznetsov, 1973
Range (in code): **JP RU Us**

- 91076. *Paraeccopsis insellata* (Meyrick,1920)** (Tortricidae) Synonym(s): *insellata* Meyrick,1920; *inflicta* Meyrick,1920; *atricapsis* Meyrick,1930 Range (in code): **NG KE IN**
- 91077. *Paramesia alhamana* (Schmidt,1934)** (Tortricidae) Synonym(s): *alhamana* Schmidt,1934 Original Reference: Tortrix (Cnephasia) alhamana Schmidt,1934, Boln. R. Soc. esp. Hist. nat. 33 (10): 401. Syntypes: Spain: Prov. Murcia, Sierra de Espuna, A.Schmidt leg. Range (in code): **ES Mu**
- 91078. *Paramesia gnomana* (Clerck,1759)** (Tortricidae) Synonym(s): *gnomana* Clerck,1759; *costana* [Denis & Schiffermüller],1775; *livoniana* Sodoffsky,1829; *diffusana* Kennel,1899; *montedorea* Wehrli,1925; *schawerdae* Rebel,1926; *aetnana* Zerny,1943. Original Reference: [Phalaena] gnomana Clerck,1759, Icones Ins.: pl.4 fig.13. Range (in code): **ES An Mlg FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI LV LT EE RU Cc GG MD UA BY SY Hal IR KG** Bionomy: Larva on Quercus (Fagaceae), Vaccinium myrtillus (Vacciniaceae), Stachys (Lamiaceae), Iris (Iridaceae), Plantago (Plantaginaceae), Taraxacum (Asteraceae), Poaceae (Razowski,2001).
- 91079. *Paramesia paracinctana* (Chambon & Khous,1993)** (Tortricidae) Synonym(s): *paracinctana* Chambon & Khous,1993 Original Reference: Ramapezia paracinctana Chambon & Khous,1993, Nouv. Rev. Ent. 10: 226. Holotype ♂: Algeria. Range (in code): **DZ Agi**
- 91080. *Paramesia pygmaeana* (Amsel,1956)** (Tortricidae) Synonym(s): *pygmaeana* Amsel,1956 Range (in code): **MA**
- 91081. *Paramesiodes aprepta* Bradley,1965** (Tortricidae) Synonym(s): *aprepta* Bradley,1965 Range (in code): **UG**
- 91082. *Paramesiodes longirostris* Diakonoff,1960** (Tortricidae) Synonym(s): *longirostris* Diakonoff,1960 Range (in code): **MG**
- 91083. *Paramesiodes minor* Diakonoff,1960** (Tortricidae) Synonym(s): *minor* Diakonoff,1960 Range (in code): **MG**
- 91084. *Paramorbia chionophthalma* (Meyrick,1932)** (Tortricidae) Synonym(s): *chionophthalma* Meyrick,1932 Range (in code): **BO**
- 91085. *Paramorbia ithyclina* (Meyrick,1926)** (Tortricidae) Synonym(s): *ithyclina* Meyrick,1926 Range (in code): **CO**
- 91086. *Paramorbia rostellana* (Zeller,1877)** (Tortricidae) Synonym(s): *rostellana* Zeller,1877 Range (in code): **CO**
- 91087. *Parapammene amphibola* (Diakonoff,1982)** (Tortricidae) Synonym(s): *amphibola* Diakonoff,1982 Range (in code):
- 91088. *Parapammene ellipticopa* (Meyrick,1934)** (Tortricidae) Synonym(s): *ellipticopa* Meyrick,1934 Original Reference: Pammene ellipticopa Meyrick,1934, Exot. microlepid. 4: 486. Syntypes 2♂: [Indonesia]: "Java, Telawa, bred October from larvae feeding in shoots...(Dr.L.G.E.Kalshoven)". Range (in code): **ID Ja**
- 91089. *Parapammene glaucana* (Kennel,1901)** (Tortricidae) Synonym(s): *glaucana* Kennel,1901 Range (in code):
- 91090. *Parapammene harmologa* (Obraztsov,1968)** (Tortricidae) Synonym(s): *harmologa* Obraztsov,1968 Range (in code):
- 91091. *Parapammene hexaphora* (Meyrick,1935)** (Tortricidae) Synonym(s): *hexaphora* Meyrick,1935 Range (in code):
- 91092. *Parapammene petulantana* (Kennel,1901)** (Tortricidae) Synonym(s): *petulantana* Kennel,1901 Range (in code): **RU Am**
- 91093. *Paraptila argocosma* Meyrick,1912** (Tortricidae) Synonym(s): *argocosma* Meyrick,1912 Range (in code): **CO**
- 91094. *Paraptila biserrata* J.Brown,1991** (Tortricidae) Synonym(s): *biserrata* J.Brown,1991 Range (in code): **CR**
- 91095. *Paraptila bloomfieldi* J.Brown,1991** (Tortricidae) Synonym(s): *bloomfieldi* J.Brown,1991 Range (in code): **MX Jpa**
- 91096. *Paraptila cornucopis* (Walsingham,1914)** (Tortricidae) Synonym(s): *cornucopis* Walsingham,1914 Range (in code): **MX Ox**
- 91097. *Paraptila equadora* J.Brown,1991** (Tortricidae) Synonym(s): *equadora* J.Brown,1991 Range (in code): **EC**
- 91098. *Paraptila gamma* (Walsingham,1914)** (Tortricidae) Synonym(s): *gamma* Walsingham,1914; *infusoria* Meyrick,1926 Range (in code): **CR MX Ver**
- 91099. *Paraptila pseudogamma* J.Brown,1991** (Tortricidae) Synonym(s): *pseudogamma* J.Brown,1991 Range (in code): **SV**

- 91100. Paraptila symmetriana J.Brown,1991** (Tortricidae) Synonym(s): *symmetriana* J.Brown,1991 Range (in code): BO
- 91101. Paratorna catenuella (Christoph,1882)** (Tortricidae) Synonym(s): *catenuella* Christoph,1882; *seriepuncta* Filipjev,1962 Range (in code): RU Am Us Vv
- 91102. Paratorna cuprescens Falkovitsh,1965** (Tortricidae) Synonym(s): *cuprescens* Falkovitsh,1965 Range (in code): RU Us Vv JP
- 91103. Paratorna dorcas Meyrick,1907** (Tortricidae) Synonym(s): *dorcas* Meyrick,1907 Range (in code): IN Ass Meg Khs
- 91104. Paratorna fenestralis Razowski,1964** (Tortricidae) Synonym(s): *fenestralis* Razowski,1964 Range (in code): IN Ass Cpj
- 91105. Paratorna oenina Diakonoff,1976** (Tortricidae) Synonym(s): *oenina* Diakonoff,1976 Range (in code): NP
- 91106. Paratorna pterofulva Liu & Bai,1988** (Tortricidae) Synonym(s): *pterofulva* Liu & Bai,1988 Range (in code): CN Sz
- 91107. Paratorna pteropolia Liu & Bai,1988** (Tortricidae) Synonym(s): *pteropolia* Liu & Bai,1988 Range (in code): CN Sz
- 91108. Paratorna schintlmeisteri Razowski,1991** (Tortricidae) Synonym(s): *schintlmeisteri* Razowski,1991 Range (in code): PH Luz
- 91109. Parirazona brusqueana Razowski & Becker,1993** (Tortricidae) Synonym(s): *brusqueana* Razowski & Becker,1993 Range (in code): BR Sct
- 91110. Parirazona dolorosa (Meyrick,1932)** (Tortricidae) Synonym(s): *dolorosa* Meyrick,1932 Range (in code): BR Sct
- 91111. Parirazona illota Razowski & Becker,1993** (Tortricidae) Synonym(s): *illota* Razowski & Becker,1993 Range (in code): BR Pran
- 91112. Parirazona lagoana Razowski & Becker,1993** (Tortricidae) Synonym(s): *lagoana* Razowski & Becker,1993 Range (in code): BR MtG
- 91113. Parirazona penthinana (Razowski,1967)** (Tortricidae) Synonym(s): *penthinana* Razowski,1967 Range (in code): BR Rja
- 91114. Parirazona serena (Clarke,1968)** (Tortricidae) Synonym(s): *serena* Clarke,1968 Range (in code): BR Sct
- 91115. Parirazona sobrina Razowski & Becker,1993** (Tortricidae) Synonym(s): *sobrina* Razowski & Becker,1993 Range (in code): BR Sct
- 91116. Pelatea klugiana (Freyer,[1834])** (Tortricidae) Synonym(s): *klugiana* Freyer,[1834] Original Reference: Tortrix klugiana Freyer,[1834], Neuere Beitr. Schmett. 2: 144. Type: Italia. Range (in code): ES FR IT NL DE AT SS HV HU RO BG RU MD UA TR Bionomy: Larva in flower buds of *Paeonia rosea* (Paeoniaceae) (Razowski,2003).
- 91117. Pelochrista agrestana (Treitschke,1830)** (Tortricidae) Synonym(s): *agrestana* Treitschke,1830; *fultana* Zeller,1847 Range (in code): FR Co Si IT AT HV YU BG GR Cr TR LT
- 91118. Pelochrista alexinschiana (Peiu & Nemes,1968)** (Tortricidae) Synonym(s): *alexinschiana* Peiu & Nemes,1968 Range (in code): RO
- 91119. Pelochrista apheliana (Kennel,1901)** (Tortricidae) Synonym(s): *apheliana* Kennel,1901; *corneliana* Kennel,1919. Range (in code): RO RU Sb KG Tk Dj Ii MN CN
- 91120. Pelochrista arabescana (Eversmann,1844)** (Tortricidae) Synonym(s): *arabescana* Eversmann,1844 Range (in code): HU RO RU Ur MD UA BY TR Cc GG
- 91121. Pelochrista argenteana (Walsingham,1895)** (Tortricidae) Synonym(s): *argenteana* Walsingham,1895 Range (in code): US Col
- 91122. Pelochrista aureliana Popescu-Gorj,1984** (Tortricidae) Synonym(s): *aureliana* Popescu-Gorj,1984 Range (in code): RO
- 91123. Pelochrista bleuseana (Oberthür,1888)** (Tortricidae) Synonym(s): *bleuseana* Oberthür,1888; *nubilana* Caradja,1916; *#beluseana* Vives Moreno,1991 Original Reference: Grapholitha bleuseana Oberthür,1888, Etud. Ent. 12: 42-43, pl.vi figs.24g. Syntypes: Algérie, Lambèse (Bleuse leg.). Range (in code): MA DZ Tou Lbs TN Gf ES IT
- 91124. Pelochrista buddhana (Kennel,1919)** (Tortricidae) Synonym(s): *buddhana* Kennel,1919 Original Reference: Epiblema buddhana Kennel,1919, Mitt. münch. ent. Ges. 8: 92. Range (in code): CN Ui

- 91125. *Pelochrista caecimaculana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *caecimaculana* Hübner,[1799]; *kollariana* Herrich-Schäffer,[1851] **Range (in code):** **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc AM DK NO SE FIEE LV LT RU MD UA BY**
- 91126. *Pelochrista caementana* (Christoph,1872)** (Tortricidae) **Synonym(s):** *caementana* Christoph,1872 **Original Reference:** *Grapholitha caementana* Christoph,1872, *Horae Soc. ent. ross.* 9: 14, pl.1 fig.11. **Type:** Russia: Sarepta. **Range (in code):** **RU Sr**
- 91127. *Pelochrista cannatana* Trematerra,2000** (Tortricidae) **Synonym(s):** *cannatana* Trematerra,2000 **Range (in code):** **IT Si**
- 91128. *Pelochrista collilonga* A.Blanchard & Knudson,1984** (Tortricidae) **Synonym(s):** *collilonga* A.Blanchard & Knudson,1984 **Range (in code):** **US Tx**
- 91129. *Pelochrista confidana* (Chrétien,1915)** (Tortricidae) **Synonym(s):** *confidana* Chrétien,1915 **Original Reference:** *Epiblema confidana* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 302-303. **Type** ♂: Tunisia, Thala. **Range (in code):** **TN**
- 91130. *Pelochrista daemonicana* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *daemonicana* Heinrich,1923 **Range (in code):** **US NMx**
- 91131. *Pelochrista dagestana* Obraztsov,1949** (Tortricidae) **Synonym(s):** *dagestana* Obraztsov,1949; *pinxana* Kuznetsov,1976 **Range (in code):** **RU Da Cc AM AZ**
- 91132. *Pelochrista danilevskyi* Kostyuk,1975** (Tortricidae) **Synonym(s):** *danilevskyi* Kostyuk,1975 **Range (in code):** **RU Tv**
- 91133. *Pelochrista decolorana* (Freyer,1842)** (Tortricidae) **Synonym(s):** *decolorana* Freyer,1842 **Range (in code):** **ES FR Si DE AT PL SK HU RO BG RU MD UA BY**
- 91134. *Pelochrista dernina* (Turati,1930)** (Tortricidae) **Synonym(s):** *dernina* Turati,1930 **Range (in code):** **LY Cy**
- 91135. *Pelochrista dira* Razowski,1972** (Tortricidae) **Synonym(s):** *dira* Razowski,1972 **Range (in code):** **MN**
- 91136. *Pelochrista disquei* (Kennel,1901)** (Tortricidae) **Synonym(s):** *disquei* Kennel,1901; *congeminata* Obraztsov,1967 **Range (in code):** **MN UI**
- 91137. *Pelochrista duercki* (Osthelder,1941)** (Tortricidae) **Synonym(s):** *duercki* Osthelder,1941 **Range (in code):** **GR Cr**
- 91138. *Pelochrista edrisiana* (Chrétien,1922)** (Tortricidae) **Synonym(s):** *edrisiana* Chrétien,1922 **Range (in code):** **MA**
- 91139. *Pelochrista elegantana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *elegantana* Kennel,1901 **Range (in code):** **DZ Tni Tis**
- 91140. *Pelochrista eversmanni* (Kennel,1901)** (Tortricidae) **Synonym(s):** *eversmanni* Kennel,1901; *aristidana* Rebel,1910 **Range (in code):** **MN UI TJ AI**
- 91141. *Pelochrista expolitana* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *expolitana* Heinrich,1923 **Range (in code):** **US Ut**
- 91142. *Pelochrista figurana* Razowski,1972** (Tortricidae) **Synonym(s):** *figurana* Razowski,1972 **Range (in code):** **MN**
- 91143. *Pelochrista fratrueis* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *fratrueis* Heinrich,1923 **Range (in code):** **US NCa**
- 91144. *Pelochrista frustata* Razowski,2006** (Tortricidae) **Synonym(s):** *frustata* Razowski,2006 **Range (in code):** **IN Ch Dra Ld**
- 91145. *Pelochrista fulvostrigana* (Constant,1888)** (Tortricidae) **Synonym(s):** *fulvostrigana* Constant,1888 **Range (in code):** **FR Co Sa?**
- 91146. *Pelochrista fuscosparsa* (Walsingham,1895)** (Tortricidae) **Synonym(s):** *fuscosparsa* Walsingham,1895 **Range (in code):** **US Col**
- 91147. *Pelochrista fusculana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *fusculana* Zeller,1847; *crustulana* Lederer,1859; *obstinatana* Kennel,1901 **Range (in code):** **MA DZ Agi Lbs ES Mu FR Sa Si IT RO YU AL BG GR**
- 91148. *Pelochrista griseolana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *griseolana* Zeller,1847 **Original Reference:** *Paedisca griseolana* Zeller,1847, *Isis* 1847: 726. **Syntypes:** Italia, Sicilia. **Range (in code):** **ES Si Cc TR**
- 91149. *Pelochrista hepatariana* (Herrich-Schäffer,[1851])** (Tortricidae) **Synonym(s):** *hepatariana* Herrich-Schäffer,[1851]; *obnuptana* Herrich-Schäffer,[1851] **Range (in code):** **FR Si IT MT DE AT CZ SK HU RO TR**

- 91150. *Pelochrista huebneriana* (Lienig & Zeller,1846)** (Tortricidae) **Synonym(s):** *huebneriana* Lienig & Zeller,1846; *chanana* Staudinger,[1900] **Range (in code):** **DE AT PL CZ SK DK SE FI EE LV LT RU Sb KG MN CN Ui Kml**
- 91151. *Pelochrista idahoana* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *idahoana* Kearfott,1907 **Range (in code):** **US Id**
- 91152. *Pelochrista idotatana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *idotatana* Kennel,1901; *#idotatana* Kennel,1921 **Original Reference:** *Epiblema idotatana* Kennel,1901, Dt. ent Z., Iris 13: 277. Syntypes: [Uighur İli]: Kuldja (MNHU). **Range (in code):** **RU KG Uk CN Ui Ku**
- 91153. *Pelochrista infidana* (Hübner,[1824])** (Tortricidae) **Synonym(s):** *infidana* Hübner,[1824]; *bulgarica* Soffner,1967 **Range (in code):** **PT ES FR IT DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 91154. *Pelochrista invisitana* Kuznetsov,1986** (Tortricidae) **Synonym(s):** *invisitana* Kuznetsov,1986 **Original Reference:** *Pelochrista invisitana* Kuznetsov,1986, Vestn. Zool. 1986 (4): 24. Holotype ♂: Turkey: Mardin (MNHU). **Range (in code):** **TR**
- 91155. *Pelochrista jodocana* (Kennel,1919)** (Tortricidae) **Synonym(s):** *jodocana* Kennel,1919 **Range (in code):** **RU Tv**
- 91156. *Pelochrista kuznetsovi* Kostyuk,1975** (Tortricidae) **Synonym(s):** *kuznetsovi* Kostyuk,1975 **Range (in code):** **RU Sb**
- 91157. *Pelochrista labyrinthicana* (Christoph,1872)** (Tortricidae) **Synonym(s):** *labyrinthicana* Christoph,1872 **Range (in code):** **RO RU Sr UA KG Uk CN Ui KI**
- 91158. *Pelochrista latericana* (Rebel,1919)** (Tortricidae) **Synonym(s):** *#croatica* Rebel,1893; *latericana* Rebel,1919 **Range (in code):** **IT AT HU HV YU RU Sb KG**
- 91159. *Pelochrista latipalpana* (Razowski,1967)** (Tortricidae) **Synonym(s):** *latipalpana* Razowski,1967 **Range (in code):** **AF Bm Pnj**
- 91160. *Pelochrista lineolana* Kuznetsov,1964** (Tortricidae) **Synonym(s):** *lineolana* Kuznetsov,1964 **Range (in code):** **RU Or KG**
- 91161. *Pelochrista maculiferana* (Kennel,1900)** (Tortricidae) **Synonym(s):** *maculiferana* Kennel,1900 **Range (in code):** **RU Ur**
- 91162. *Pelochrista mancipiana* (Mann,1855)** (Tortricidae) **Synonym(s):** *mancipiana* Mann,1855 **Range (in code):** **FR Co Sa Si IT**
- 91163. *Pelochrista marmaroxantha* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *marmaroxantha* Meyrick,1937 **Range (in code):** **CN Yu**
- 91164. *Pelochrista medullana* (Staudinger,1880)** (Tortricidae) **Synonym(s):** *medullana* Staudinger,1880 **Original Reference:** *Grapholitha medullana* Staudinger,1880, Horae Soc. ent. ross. 15: 254-255. Syntypes: [Türkei]: Brussa, Taurus, Smyrna. **Range (in code):** **CZ SK YU BG GR TR LB IR KK**
- 91165. *Pelochrista metariana* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *metariana* Heinrich,1923 **Range (in code):** **US Cf**
- 91166. *Pelochrista metria* Falkovitsh,1964** (Tortricidae) **Synonym(s):** *metria* Falkovitsh,1964 **Range (in code):** **RU KG Uk**
- 91167. *Pelochrista modicana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *modicana* Zeller,1847; *definitana* Kennel,1901; *hinnebergiana* Fuchs,1902; *modestana* Herrich-Schäffer,[1851] **Range (in code):** **TN PT ES FR Sa Si IT DE CH AT PL CZ SK HU RO YU AL BG RU MD UA BY TR TM KG Uk**
- 91168. *Pelochrista mollitana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *mollitana* Zeller,1847; *trishnana* Nolcken,1870; *commodestana* Rössler,1877; *modestana* Seebold,1879 nec H.-S.,[1851] **Range (in code):** **PT ES FR Sa Si IT MT CH AT CZ SK HU RO BG SE EE LV RU MD UA BY SY Ltk**
- 91169. *Pelochrista muhabbet* Koçak,2006** (Tortricidae) **Synonym(s):** *chanana* Kennel,1901 nec Stgr.,[1900]; *muhabbet* Koçak,2006 **Original Reference:** *Pelochrista muhabbet* Koçak,2006, Cent. ent. Stud., Misc. Pap. 98: 4 (nomen novum pro *chanana* Kennel,1901 nec Stgr.,[1900]). **Range (in code):** **RU Da Cc**
- 91170. *Pelochrista notocelioides* Oku,1972** (Tortricidae) **Synonym(s):** *notocelioides* Oku,1972 **Range (in code):** **JP**
- 91171. *Pelochrista obscura* Kuznetsov,1978** (Tortricidae) **Synonym(s):** *obscura* Kuznetsov,1978 **Range (in code):** **SK RU KG**
- 91172. *Pelochrista occipitana* (Zeller,1875)** (Tortricidae) **Synonym(s):** *occipitana* Zeller,1875 **Range (in code):** **US Tx**
- 91173. *Pelochrista ornamentana* (Rebel,1916)** (Tortricidae) **Synonym(s):** *ornamentana* Rebel,1916 **Range (in code):** **RU Tv**

- 91174. *Pelochrista ornata* Kuznetsov,1967** (Tortricidae) Synonym(s): *ornata* Kuznetsov,1967
Range (in code): **RU Am**
- 91175. *Pelochrista pallidipalpna* (Kearfott,1905)** (Tortricidae) Synonym(s): *pallidipalpna* Kearfott,1905 Range (in code): **US Dc**
- 91176. *Pelochrista palousana* (Kearfott,1907)** (Tortricidae) Synonym(s): *palousana* Kearfott,1907 Range (in code): **US Ws**
- 91177. *Pelochrista palpana* (Walsingham,1879)** (Tortricidae) Synonym(s): *palpana* Walsingham,1879 Range (in code): **US Cf**
- 91178. *Pelochrista passerana* (Walsingham,1879)** (Tortricidae) Synonym(s): *passerana* Walsingham,1879 Range (in code): **US Cf**
- 91179. *Pelochrista perpropinqua* (Heinrich,1929)** (Tortricidae) Synonym(s): *perpropinqua* Heinrich,1929 Range (in code): **US Arz**
- 91180. *Pelochrista pfisteri* (Obraztsov,1952)** (Tortricidae) Synonym(s): *pfisteri* Obraztsov,1952
Range (in code): **DE**
- 91181. *Pelochrista pollinaria* Diakonoff,1971** (Tortricidae) Synonym(s): *pollinaria* Diakonoff,1971 Original Reference: *Pelochrista pollinaria* Diakonoff,1971, Veröff. zool. Staatssamml. München 15: 181. Holotype: Pakistan: NW Karakoram, Gilgit, Banidas (ZSM).
Range (in code): **PK Gg TH Knc Tpp**
- 91182. *Pelochrista popana* (Kearfott,1907)** (Tortricidae) Synonym(s): *popana* Kearfott,1907; *carcharias* Meyrick,1912 Range (in code): **US Ut**
- 91183. *Pelochrista prae fractana* (Kennel,1901)** (Tortricidae) Synonym(s): *prae fractana* Kennel,1901 Original Reference: *Epiblema prae fractana* Kennel,1901, Dt. ent. Z., Iris 13: 87. Type ♀: [Türkei]: Amasia (MNHUB). Range (in code): **TR**
- 91184. *Pelochrista reversana* (Kearfott,1907)** (Tortricidae) Synonym(s): *reversana* Kearfott,1907 Range (in code): **US Tx**
- 91185. *Pelochrista rorana* (Kearfott,1907)** (Tortricidae) Synonym(s): *rorana* Kearfott,1907; *sceletopa* Meyrick,1912 Range (in code): **US Ut**
- 91186. *Pelochrista ruschana* (Obraztsov,1943)** (Tortricidae) Synonym(s): *ruschana* Obraztsov,1943 Range (in code): **TJ Pm**
- 91187. *Pelochrista scintillana* (Clemens,1865)** (Tortricidae) Synonym(s): *scintillana* Clemens,1865; *dodecana* Zeller,1875; *randana* Kearfott,1907; *paraglypta* Meyrick,1912 Range (in code): **US Col Tx Pns**
- 91188. *Pelochrista sordicomana* (Staudinger,1859)** (Tortricidae) Synonym(s): *sordicomana* Staudinger,1859; *grammana* Constant,1884 Range (in code): **PT ES FR Co IT**
- 91189. *Pelochrista subtiliana* (Jäckh,1960)** (Tortricidae) Synonym(s): *subtiliana* Jäckh,1960
Range (in code): **IT DE AT CZ SK HU**
- 91190. *Pelochrista succineana* (Kennel,1901)** (Tortricidae) Synonym(s): *succineana* Kennel,1901
Range (in code): **UZ**
- 91191. *Pelochrista tahoensis* (Heinrich,1923)** (Tortricidae) Synonym(s): *tahoensis* Heinrich,1923; *subditiva* Heinrich,1929 Range (in code): **US Cf**
- 91192. *Pelochrista telopea* Razowski,2006** (Tortricidae) Synonym(s): *telopea* Razowski,2006
Range (in code): **IN Ld Ch Snm**
- 91193. *Pelochrista tholera* Falkovitsh,1964** (Tortricidae) Synonym(s): *tholera* Falkovitsh,1964
Range (in code): **RU KG**
- 91194. *Pelochrista tibetana* (Caradja,1939)** (Tortricidae) Synonym(s): *tibetana* Caradja,1939
Range (in code): **CN Ti Btn**
- 91195. *Pelochrista tolerans* (Meyrick,1930)** (Tortricidae) Synonym(s): *tolerans* Meyrick,1930
Range (in code): **CN Ti Gy**
- 91196. *Pelochrista tornimaculana* (Zerny,1935)** (Tortricidae) Synonym(s): *tornimaculana* Zerny,1935 Range (in code): **MA**
- 91197. *Pelochrista turiana* (Zerny,1927)** (Tortricidae) Synonym(s): *turiana* Zerny,1927 Range (in code): **ES**
- 91198. *Pelochrista umbraculana* (Eversmann,1844)** (Tortricidae) Synonym(s): *umbraculana* Eversmann,1844; *subterminana* Erschoff,1871; *inignana* Kennel,1901 Range (in code): **RU Ur Sb Ir Am Blg CN Ui Ku**
- 91199. *Pelochrista vandana* (Kearfott,1907)** (Tortricidae) Synonym(s): *vandana* Kearfott,1907; *pholas* Meyrick,1912 Range (in code): **US FI**

- 91200. *Pelochrista womanana* (Kearfott,1907)** (Tortricidae) Synonym(s): *womanana* Kearfott,1907; *semnitis* Meyrick,1912 Range (in code): US Oh
- 91201. *Pelochrista zomonana* (Kearfott,1907)** (Tortricidae) Synonym(s): *zomonana* Kearfott,1907; *explosa* Meyrick,1912 Range (in code): US Pns
- 91202. *Pentacitrotus leechi* Diakonoff,1970** (Tortricidae) Synonym(s): *aeneus* Diakonoff,1950 *nec* Lch.,1890; *leechi* Diakonoff,1970 Range (in code): CN
- 91203. *Pentacitrotus maculatus* Kawabe,1993** (Tortricidae) Synonym(s): *maculatus* Kawabe,1993 Range (in code): NP
- 91204. *Pentacitrotus quercivorus* Diakonoff,1950** (Tortricidae) Synonym(s): *quercivorus* Diakonoff,1950 Range (in code): IN
- 91205. *Pentacitrotus tetrakore* (Wileman & Stringer,1929)** (Tortricidae) Synonym(s): *tetrakore* Wileman & Stringer,1929 Range (in code): TW
- 91206. *Pentacitrotus vulneratus* Butler,1881** (Tortricidae) Synonym(s): *vulneratus* Butler,1881; *aeneus* Leech,1890; *congruens* Diakonoff,1950; *distinctus* Diakonoff,1950 Range (in code): PK Pj Mre Haz Thu IN Hp Kul SI Djl Ass
- 91207. *Penthostola albomaculatis* Liu & Bai,1985** (Tortricidae) Synonym(s): *albomaculatis* Liu & Bai,1985 Range (in code): CN Yu TH Knc Tpp
- 91208. *Penthostola diakonoffi* Kawabe,1995** (Tortricidae) Synonym(s): *diakonoffi* Kawabe,1995 Original Reference: Penthostola diakonoffi Kawabe,1995, Microlepid. Thailand 3: 50. Range (in code): TH CMA Agk
- 91209. *Penthostola hemeronyx* (Diakonoff,1953)** (Tortricidae) Synonym(s): *hemeronyx* Diakonoff,1953 Range (in code): PG
- 91210. *Penthostola nigrantis* Kawabe,1995** (Tortricidae) Synonym(s): *nigrantis* Kawabe,1995 Original Reference: Penthostola nigrantis Kawabe,1995, Microlepid. Thailand 3: 50. Range (in code): TH CMA Hnd
- 91211. *Penthostola semna* Diakonoff,1978** (Tortricidae) Synonym(s): *semna* Diakonoff,1978 Range (in code): ID Ja Ged
- 91212. *Penthostola tricolorana* Kuznetsov,2000** (Tortricidae) Synonym(s): *tricolorana* Kuznetsov,2000 Range (in code): VN Ann
- 91213. *Periclepsis accinctana* (Chrétien,1915)** (Tortricidae) Synonym(s): *accinctana* Chrétien,1915; *pierrelouyana* Dumont,1931; *abdallah* Le Cerf,1932 Original Reference: Eulia accinctana Chrétien,1915, Annls Soc. ent. Fr. 84: 297. Type: Tunisia. Range (in code): TN MA
- 91214. *Periclepsis cinctana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *cinctana* [Denis & Schiffermüller],1775; *ceretana* Fabricius,1787; *albidana* Hübner,[1799] Original Reference: Tortrix cinctana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 129. Type(s): Vienna district. Range (in code): ES IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE EE LV LT RU MD UA BY KG UK Bionomy: Larva on Artemisia (Asteraceae), Anthyllis, Genista, Sarothamnus (Fabaceae) (Razowski,2001).
- 91215. *Peridaedala algosa* (Meyrick,1912)** (Tortricidae) Synonym(s): *algosa* Meyrick,1912 Range (in code): IN Ass Meg Khs
- 91216. *Peridaedala archaea* Diakonoff,1953** (Tortricidae) Synonym(s): *archaea* Diakonoff,1953 Range (in code): PG
- 91217. *Peridaedala beryllina* (Meyrick,1925)** (Tortricidae) Synonym(s): *beryllina* Meyrick,1925 Range (in code): ID Ja
- 91218. *Peridaedala biuncana* Kuznetsov,1997** (Tortricidae) Synonym(s): *biuncana* Kuznetsov,1997 Range (in code): VN
- 91219. *Peridaedala chlorissa* (Meyrick,1912)** (Tortricidae) Synonym(s): *chlorissa* Meyrick,1912 Range (in code): IN Ass Meg Khs
- 91220. *Peridaedala crastidochroa* Diakonoff,1953** (Tortricidae) Synonym(s): *crastidochroa* Diakonoff,1953 Range (in code): PG
- 91221. *Peridaedala crocoptila* Diakonoff,[1968]** (Tortricidae) Synonym(s): *crocoptila* Diakonoff,[1968] Range (in code): PH Mno
- 91222. *Peridaedala dendrochlora* Diakonoff,[1968]** (Tortricidae) Synonym(s): *dendrochlora* Diakonoff,[1968] Range (in code): PH Luz
- 91223. *Peridaedala enantiosema* Diakonoff,1983** (Tortricidae) Synonym(s): *enantiosema* Diakonoff,1983 Range (in code): ID Sum

- 91224. *Peridaedala hagna* Diakonoff,1948** (Tortricidae) Synonym(s): *hagna* Diakonoff,1948
Range (in code): **PG**
- 91225. *Peridaedala hierograpta* Meyrick,1925** (Tortricidae) Synonym(s): *hierograpta* Meyrick,1925
Range (in code): **PG**
- 91226. *Peridaedala japonica* Oku,1979** (Tortricidae) Synonym(s): *japonica* Oku,1979; *optabilana* Kuznetsov,1979
Range (in code): **JP RU Us Vv**
- 91227. *Peridaedala melanantha* Diakonoff,[1968]** (Tortricidae) Synonym(s): *melanantha* Diakonoff,[1968]
Range (in code): **PH Mno**
- 91228. *Peridaedala physoptila* Diakonoff,[1968]** (Tortricidae) Synonym(s): *physoptila* Diakonoff,[1968]
Range (in code): **PH Mno**
- 91229. *Peridaedala prasina* Diakonoff,1953** (Tortricidae) Synonym(s): *prasina* Diakonoff,1953
Range (in code): **PG**
- 91230. *Peridaedala* sp.** (Tortricidae) Synonym(s): Range (in code): **TH Knc Tpp**
- 91231. *Peridaedala stenoglypha* Diakonoff,[1968]** (Tortricidae) Synonym(s): *stenoglypha* Diakonoff,[1968]
Range (in code): **PH Luz**
- 91232. *Peridaedala thesauropora* Diakonoff,1983** (Tortricidae) Synonym(s): *thesauropora* Diakonoff,1983
Range (in code): **ID Sum**
- 91233. *Peridaedala thylacophora* Diakonoff,[1968]** (Tortricidae) Synonym(s): *thylacophora* Diakonoff,[1968]
Range (in code): **PH Mno**
- 91234. *Peridaedala tonkinana* Kuznetsov,1988** (Tortricidae) Synonym(s): *tonkinana* Kuznetsov,1988
Range (in code): **VN Ton Tda**
- 91235. *Peridaedala triangulosa* Diakonoff,1983** (Tortricidae) Synonym(s): *triangulosa* Diakonoff,1983
Range (in code): **ID Sum**
- 91236. *Phaecedophora acutana* Walsingham,1900** (Tortricidae) Synonym(s): *acutana* Walsingham,1900
Range (in code): **JP**
- 91237. *Phaecedophora fimbriata* Walsingham,1900** (Tortricidae) Synonym(s): *fimbriata* Walsingham,1900; *metactenis* Meyrick,1909; *eucrossa* Meyrick,1914; *eaolotehna* Meyrick,1935; *leucocteis* Diakonoff,1953; *aeolotechna* Diakonoff,1968
Range (in code): **IN Ass MM Peg TW JP PG CN TH CMa CDo**
Dst Cbi Knc Tpp NP ID Ja Swk BN Bor MY VN Bionomy: Larva on leaves of *Quercus glauca* (Fabaceae) (Kawabe,1989).
- 91238. *Phaecasiophora amoena* Kawabe,1986** (Tortricidae) Synonym(s): *amoena* Kawabe,1986
Range (in code): **TW**
- 91239. *Phaecasiophora astrosema* (Meyrick,1909)** (Tortricidae) Synonym(s): *astrosema* Meyrick,1909
Range (in code): **IN Meg Khs Ass**
- 91240. *Phaecasiophora attica* (Meyrick,1907)** (Tortricidae) Synonym(s): *attica* Meyrick,1907
Original Reference: *Eucosma attica* Meyrick,1907, J. Bombay nat. Hist. Soc. 18: 137.
Range (in code): **TH CMa Int IN Ass SI MM CN**
- 91241. *Phaecasiophora auroraegera* Diakonoff,1983** (Tortricidae) Synonym(s): *auroraegera* Diakonoff,1983
Range (in code): **MG**
- 91242. *Phaecasiophora basicornis* Walsingham,1891** (Tortricidae) Synonym(s): *basicornis* Walsingham,1891
Range (in code): **GA**
- 91243. *Phaecasiophora caelatrix* Diakonoff,1983** (Tortricidae) Synonym(s): *caelatrix* Diakonoff,1983
Range (in code): **ID Sum**
- 91244. *Phaecasiophora caryosema* (Meyrick,1931)** (Tortricidae) Synonym(s): *caryosema* Meyrick,1931
Range (in code): **TH Nna Kao IN Meg Ass Khs TW**
- 91245. *Phaecasiophora cornigera* Diakonoff,1959** (Tortricidae) Synonym(s): *cornigera* Diakonoff,1959
Range (in code): **TH CMa Dst IN Ass Meg Khs Cpj MY Sbh BN Bor MM** Bionomy: Larva on dry old leaves of *Cinnamomum zeylanicum* (cinnamon, tarçın) (Lauraceae) (Robinson et al.,1994).
- 91246. *Phaecasiophora cornigera burmensis* Diakonoff,1959** (Tortricidae) Synonym(s): *burmensis* Diakonoff,1959; *#birmensis* Diakonoff,1973
Range (in code): **MM Kch Kam TH CMa Dst**
- 91247. *Phaecasiophora cornigera cornigera* Diakonoff,1959** (Tortricidae) Synonym(s): *cornigera* Diakonoff,1959
Range (in code): **IN Ass Meg Cpj Khs**
- 91248. *Phaecasiophora decolor* Diakonoff,1983** (Tortricidae) Synonym(s): *decolor* Diakonoff,1983
Range (in code): **ID Sum TH CMa Dst**
- 91249. *Phaecasiophora diluta* Diakonoff,1973** (Tortricidae) Synonym(s): *diluta* Diakonoff,1973
Range (in code): **IN Meg Ass Khs**

- 91250. *Phaecasiophora diserta* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *diserta* Meyrick,1909
Range (in code): **IN Meg Ass Khs**
- 91251. *Phaecasiophora ectropa* Diakonoff,1973** (Tortricidae) **Synonym(s):** *ectropa* Diakonoff,1973 **Range (in code):** **PG**
- 91252. *Phaecasiophora fernaldana* Walsingham,1900** (Tortricidae) **Synonym(s):** *fernaldana* Walsingham,1900; *latior* Diakonoff,1959 **Range (in code):** **JP ID Sum**
- 91253. *Phaecasiophora finitimana* Kuznetsov,1997** (Tortricidae) **Synonym(s):** *finitimana* Kuznetsov,1997 **Range (in code):** **VN Ann**
- 91254. *Phaecasiophora dispersa* Heinrich,1931** (Tortricidae) **Synonym(s):** *dispersa* Heinrich,1931 **Range (in code):** **US Fl**
- 91255. *Phaecasiophora jubilans* Diakonoff,1959** (Tortricidae) **Synonym(s):** *jubilans* Diakonoff,1959 **Range (in code):** **MM Kch Kam**
- 91256. *Phaecasiophora kurokoi* Kawabe,1989** (Tortricidae) **Synonym(s):** *kurokoi* Kawabe,1989
Range (in code): **TH Nna Kao**
- 91257. *Phaecasiophora leechi* Diakonoff,1973** (Tortricidae) **Synonym(s):** *leechi* Diakonoff,1973
Range (in code): **CN**
- 91258. *Phaecasiophora maculosana* Kuznetsov,1997** (Tortricidae) **Synonym(s):** *maculosana* Kuznetsov,1997 **Range (in code):** **VN Ann**
- 91259. *Phaecasiophora obligata* Kawabe,1993** (Tortricidae) **Synonym(s):** *obligata* Kawabe,1993
Range (in code): **TW**
- 91260. *Phaecasiophora obratzovi* Diakonoff,1973** (Tortricidae) **Synonym(s):** *obratzovi* Diakonoff,1973 **Range (in code):** **JP**
- 91261. *Phaecasiophora pertexta* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *pertexta* Meyrick,1920; *guttulosa* Diakonoff,1973 **Range (in code):** **IN SI Djl**
- 91262. *Phaecasiophora pyragra* Diakonoff,1973** (Tortricidae) **Synonym(s):** *pyragra* Diakonoff,1973 **Range (in code):** **CN Hn**
- 91263. *Phaecasiophora roseana* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *roseana* Walsingham,1900 **Range (in code):** **JP**
- 91264. *Phaecasiophora thaiensis* Kawabe,1987** (Tortricidae) **Synonym(s):** *thaiensis* Kawabe,1987 **Original Reference:** *Phaecasiophora thaiensis* Kawabe,1987, Microlepid. Thailand 1: 62. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon 2150m (UOP). **Range (in code):** **TH CMA Int**
- 91265. *Phaecasiophora turmaria* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *turmaria* Meyrick,1931 **Range (in code):** **PG Bsm**
- 91266. *Phaecasiophora variabilis* Walsingham,1891** (Tortricidae) **Synonym(s):** *variabilis* Walsingham,1891 **Range (in code):** **GA**
- 91267. *Phaecasiophora walsinghami* Diakonoff,1959** (Tortricidae) **Synonym(s):** *walsinghami* Diakonoff,1959 **Range (in code):** **TH CMA Dst Nna Kao CDo Knc Tpp ID Ja Ged**
- 91268. *Phalarocarpa crocus* Razowski,2012** (Tortricidae) **Synonym(s):** *crocus* Razowski,2012
Range (in code): **ZR**
- 91269. *Phalarocarpa harmographa* Meyrick,1937** (Tortricidae) **Synonym(s):** *harmographa* Meyrick,1937 **Range (in code):** **UG ZR**
- 91270. *Phalonidia acutana* (Kennel,1913)** (Tortricidae) **Synonym(s):** *acutana* Kennel,1913
Original Reference: *Phalonia acutana* Kennel,1913, Zoologica 21: 290, Taf.13 fig.18. Type ♂: Armenia: Erivan (BMNH). **Range (in code):** **SK RO RU TR Cc AM Eri** **Bionomy:** Larva on ? *Inula ensifolia* (Asteraceae) (Razowski,2001).
- 91271. *Phalonidia aetheria* Razowski,1967** (Tortricidae) **Synonym(s):** *aetheria* Razowski,1967
Range (in code): **BR Spa**
- 91272. *Phalonidia affinitana* (Douglas,1846)** (Tortricidae) **Synonym(s):** *affinitana* Douglas,1846; *cancellana* Zeller,1847; *inulana* Constant,1884; *littorana* Galvagni,1906. **Range (in code):** **ES FR Si IT IE GB BE NL LU DE AT PL CZ SK HU RO YU AL BG DK NO SE RU Sr Da Ro Tgn MD UA Cm BY Cc GG** **Bionomy:** Larva on *Aster tripolium* (Asteraceae) (Kasy,1959).
- 91273. *Phalonidia affinitana tauriana* (Kennel,1899)** (Tortricidae) **Synonym(s):** *tauriana* Kennel,1899 **Range (in code):** **UA Cm BG RU Tgn Ro Sr Da Cc**
- 91274. *Phalonidia albipalpina* (Zeller,1847)** (Tortricidae) **Synonym(s):** *albipalpina* Zeller,1847
Range (in code): **ES FR Co Si IT AT HU RO GR TR RU Sr Tgn Ro Ur Da Cc MD UA BY KG Uk Tar Ssn UZ Fe Nmg** **Bionomy:** Larva on *Limonium sinuatum* (Plumbaginaceae) (Razowski,2001).

- 91275. *Phalonidia aliena* Kuznetsov,1966** (Tortricidae) Synonym(s): *aliena* Kuznetsov,1966
Range (in code): RU Vv
- 91276. *Phalonidia amasiana* (Ragonot,1894)** (Tortricidae) Synonym(s): *amasiana* Ragonot,1894
Original Reference: *Conchylis amasiana* Ragonot,1894, *Annls Soc. ent. Fr.* 63: 189. Type ♀:
[Turquie]: Amasia (MNHNP). Range (in code): TR
- 91277. *Phalonidia argyraspis* (Razowski,1984)** (Tortricidae) Synonym(s): *argyraspis* Razowski,1984 Range (in code): VE
- 91278. *Phalonidia assensus* Razowski,1967** (Tortricidae) Synonym(s): *assensus* Razowski,1967
Range (in code): BR Spa
- 91279. *Phalonidia astricta* (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *astricta* Razowski & Becker,1983 Range (in code): BR Pran
- 91280. *Phalonidia brilhanteana* (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *brilhanteana* Razowski & Becker,1983 Range (in code): BR MiG
- 91281. *Phalonidia chloridia* Razowski & Becker,1994** (Tortricidae) Synonym(s): *chloridia* Razowski & Becker,1994 Range (in code): BR
- 91282. *Phalonidia chlorolitha* (Meyrick,1931)** (Tortricidae) Synonym(s): *chlorolitha* Meyrick,1931; *azyga* Meyrick,1935. Range (in code): CN Tkg Mc Jn Gn Hnn Hph Lng NHu Shs Sz RU Prj Us JP Hkk KP KR
- 91283. *Phalonidia contractana* (Zeller,1847)** (Tortricidae) Synonym(s): *contractana* Zeller,1847; *manifestana* Kennel,1900; *exaequata* Meyrick,1923; *thermoconis* Meyrick,1925. Range (in code): DZ Bsk Anna PT ES FR Sa Si IT MT AT CZ SK HU RO MK AL BG Bgz GR TR CY LB Bei IL Hf Js Pa Cc AM Eri SY Dms IR Gor Elb Mz Clu Kh GlS Th Dam Ar Fa Gh TM Kp AF Srb PK TJ Pm Ch RU Sr Ur KG Uk CN Hnn Ui Ku KK IN Ch Sri Bionomy: Larva on *Artemisia*, *Anthemis*, *Cichorium*, *Inula viscosa*, *I. graveolens* (Asteraceae), *Lactuca* (Cichoriaceae) (Kennel,1913; Bovey,1966, Razowski,2001).
- 91284. *Phalonidia curvistrigana* (Stainton,1859)** (Tortricidae) Synonym(s): *curvistrigana* Stainton,1859 Range (in code): FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO B-H DK NO SE FI EE LV LT KG Uk RU Sr Prj Us Sb CN Ahw Pkn Gn Mc She Kwt KP KR JP Bionomy: Larva on *Solidago virgaurea* (Asteraceae), *Prenanthes purpurea*, *Mycelis* (*Lactuca*) *muralis* (Cichoriaceae) (Razowski,1970,2001).
- 91285. *Phalonidia datetis* Diakonoff,1984** (Tortricidae) Synonym(s): *datetis* Diakonoff,1984
Original Reference: *Phalonidia datetis* Diakonoff,1984, *Zool. Meded.* 58: 264, figs.3-6. Holotype: Thailand: Bangkok. Range (in code): TH Cbi Knc CMa Int Fn Bnk
- 91286. *Phalonidia deliphrobursa* Razowski,[1992]** (Tortricidae) Synonym(s): *deliphrobursa* Razowski,[1992] Range (in code): CR
- 91287. *Phalonidia diamphidia* (Clarke,1968)** (Tortricidae) Synonym(s): *diamphidia* Clarke,1968
Range (in code): PE
- 91288. *Phalonidia diaphona* Razowski & Becker,1986** (Tortricidae) Synonym(s): *diaphona* Razowski & Becker,1986 Range (in code): MX Vcr
- 91289. *Phalonidia dotica* Razowski,1993** (Tortricidae) Synonym(s): *dotica* Razowski,1993
Range (in code): PE
- 91290. *Phalonidia droserantha* Razowski,1970** (Tortricidae) Synonym(s): *droserantha* Razowski,1970 Range (in code): CN Yu
- 91291. *Phalonidia dyas* (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *dyas* Razowski & Becker,1983 Range (in code): BR Sct
- 91292. *Phalonidia dysmorphia* (Clarke,1968)** (Tortricidae) Synonym(s): *dysmorphia* Clarke,1968 Range (in code): BO
- 91293. *Phalonidia dysodona* (Caradja,1916)** (Tortricidae) Synonym(s): *dysodona* Caradja,1916
Range (in code): RU Prj Us CN Mc
- 91294. *Phalonidia ecuadorensis* Razowski,1967** (Tortricidae) Synonym(s): *ecuadorensis* Razowski,1967 Range (in code): EC
- 91295. *Phalonidia embaphion* (Razowski,1984)** (Tortricidae) Synonym(s): *embaphion* Razowski,1984 Range (in code): VE
- 91296. *Phalonidia fatua* (Razowski & Becker,1983)** (Tortricidae) Synonym(s): *fatua* Razowski & Becker,1983 Range (in code): BR Sct
- 91297. *Phalonidia fraterna* Razowski,1970** (Tortricidae) Synonym(s): *fraterna* Razowski,1970
Range (in code): RU Us Prj Vv Ask CN Mc Hnn KP KR
- 91298. *Phalonidia fulvimixta* (Filipjev,1940)** (Tortricidae) Synonym(s): *fulvimixta* Filipjev,1940
Range (in code): RU Prj Us Vv CN Tkg

- 91299. *Phalonidia gilvicomana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *gilvicomana* Zeller,1847; *flaviscapulana* Herrich-Schäffer,1851; *gratiosana* Laharpe,1858. **Range (in code):** **ES FR IT GB DE CH AT PL CZ SK HU RO BG DK NO SE FI EE LV LT RU** **Bionomy:** Larva on *Lapsana communis*, *Prenanthes purpurea*, *Mycelis muralis* (Cichoriaceae), *Solidago* (Asteraceae), *Chenopodium* (Chenopodiaceae) (Razowski,1970,2001).
- 91300. *Phalonidia haesitans* Razowski & Becker,1994** (Tortricidae) **Synonym(s):** *haesitans* Razowski & Becker,1994 **Range (in code):** **BR MiG**
- 91301. *Phalonidia haplobursa* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *haplobursa* Razowski & Becker,1986 **Range (in code):** **CR**
- 91302. *Phalonidia hypagosocia* Razowski,1993** (Tortricidae) **Synonym(s):** *hypagosocia* Razowski,1993 **Range (in code):** **BO**
- 91303. *Phalonidia introrsa* Razowski,1993** (Tortricidae) **Synonym(s):** *introrsa* Razowski,1993 **Range (in code):** **BO**
- 91304. *Phalonidia karsholti* Razowski,1993** (Tortricidae) **Synonym(s):** *karsholti* Razowski,1993 **Range (in code):** **PE**
- 91305. *Phalonidia kathetospina* Razowski,1993** (Tortricidae) **Synonym(s):** *kathetospina* Razowski,1993 **Range (in code):** **PE**
- 91306. *Phalonidia laetitia* (Clarke,1968)** (Tortricidae) **Synonym(s):** *laetitia* Clarke,1968 **Range (in code):** **AR**
- 91307. *Phalonidia lagrana* (Diakonoff,[1984])** (Tortricidae) **Synonym(s):** *lagrana* Diakonoff,[1984] **Range (in code):** **SA As**
- 91308. *Phalonidia latifasciana* Razowski,1970** (Tortricidae) **Synonym(s):** *latifasciana* Razowski,1970 **Range (in code):** **RU CN Jn Sz JP KP KR**
- 91309. *Phalonidia lochites* Razowski,1993** (Tortricidae) **Synonym(s):** *lochites* Razowski,1993 **Range (in code):** **PE**
- 91310. *Phalonidia lydiae* (Filipjev,1940)** (Tortricidae) **Synonym(s):** *lydiae* Filipjev,1940 **Range (in code):** **RU Prj Us CN Ahw Pkn Gn Kwt Mc Hun Jn Lng NHu Yu KP KR JP**
- 91311. *Phalonidia manniana* (Fischer v. Röslerstamm,1839)** (Tortricidae) **Synonym(s):** *manniana* Fischer v. Röslerstamm,1839; *notulana* Zeller,1847; *udana* Guenée,1845; *tolli* Razowski,1960. **Range (in code):** **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU MK AL BG GR TR LB DK NO SE FI EE LV LT RU Prj Us UA KG TrA Ket Tk CN Mc IR Mz Elb** **Bionomy:** Larva on *Mentha piperita*, *M. aquatica*, *M. longifolia*, *Lycopus* (Lamiaceae), *Alisma plantago* (Alismataceae), *Butomus* (Butomaceae), *Inula* (Asteraceae) (Razowski,1970,2001).
- 91312. *Phalonidia meizobursa* Razowski & Becker,1994** (Tortricidae) **Synonym(s):** *meizobursa* Razowski & Becker,1994 **Range (in code):** **BR MiG**
- 91313. *Phalonidia melanothica* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *melanothica* Meyrick,1927; *hygrodes* Meyrick,1936. **Original Reference:** *Phalonia melanothica* Meyrick,1927, *Exot. Microlepid.* 3: 367. Type ♂: China: Prov. Kiangsu: Shanghai (MGAB). **Range (in code):** **CN Kgs Yu Sz Tkg Ahw Fkn Kwt Hph Hun NHu KwT JP**
- 91314. *Phalonidia melletes* Razowski & Becker,1994** (Tortricidae) **Synonym(s):** *melletes* Razowski & Becker,1994 **Range (in code):** **BR**
- 91315. *Phalonidia mesotypa* Razowski,1970** (Tortricidae) **Synonym(s):** *mesotypa* Razowski,1970 **Range (in code):** **CN Kgs**
- 91316. *Phalonidia mimohospes* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *mimohospes* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 91317. *Phalonidia nicotiana* Liu & Ge,1991** (Tortricidae) **Synonym(s):** *nicotiana* Liu & Ge,1991 **CN Mc Lng**
- 91318. *Phalonidia ochracea* Razowski,1967** (Tortricidae) **Synonym(s):** *ochracea* Razowski,1967 **Range (in code):** **EC**
- 91319. *Phalonidia ochrimixtana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *ochrimixtana* Zeller,1877 **Range (in code):** **CO**
- 91320. *Phalonidia olivana* (Razowski,1967)** (Tortricidae) **Synonym(s):** *olivana* Razowski,1967 **Range (in code):** **BR Pran**
- 91321. *Phalonidia paliki* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *paliki* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 91322. *Phalonidia pallax* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *pallax* Razowski & Becker,1983 **Range (in code):** **BR Pran**

- 91323. *Phalonidia praemorsa* Razowski,1993** (Tortricidae) **Synonym(s):** *praemorsa* Razowski,1993 **Range (in code):** **PE**
- 91324. *Phalonidia remota* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *remota* Razowski & Becker,1983 **Range (in code):** **BR MiG**
- 91325. *Phalonidia rufoatra* Razowski,[1992]** (Tortricidae) **Synonym(s):** *rufoatra* Razowski,[1992] **Range (in code):** **CR**
- 91326. *Phalonidia sarovalva* Razowski,1993** (Tortricidae) **Synonym(s):** *sarovalva* Razowski,1993 **Range (in code):** **PE**
- 91327. *Phalonidia scabra* Liu & Ge,1991** (Tortricidae) **Synonym(s):** *scabra* Liu & Ge,1991 **CN Gn Kwt Mc Lng Shs Yu KP KR**
- 91328. *Phalonidia scolopis* Razowski,1993** (Tortricidae) **Synonym(s):** *scolopis* Razowski,1993 **Range (in code):** **PE**
- 91329. *Phalonidia silvestris* Kuznetsov,1966** (Tortricidae) **Synonym(s):** *silvestris* Kuznetsov,1966 **Range (in code):** **RU Am Vv CN Gn Mc Hph Hun NHu Lng KP KR**
- 91330. *Phalonidia squalida* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *squalida* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 91331. *Phalonidia submissana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *submissana* Zeller,1877 **Range (in code):** **CO**
- 91332. *Phalonidia swammerdamiana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *swammerdamiana* Zeller,1877 **Range (in code):** **CO**
- 91333. *Phalonidia synucha* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *synucha* Razowski & Becker,1986 **Range (in code):** **CR**
- 91334. *Phalonidia tornocarpa* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *tornocarpa* Meyrick,1932 **Range (in code):** **PA**
- 91335. *Phalonidia unguifera* (Razowski,1967)** (Tortricidae) **Synonym(s):** *unguifera* Razowski,1967 **Range (in code):** **BR Pran**
- 91336. *Phalonidia vorticana* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *vorticana* Meyrick,1912 **Range (in code):** **AR**
- 91337. *Phalonidia walkerana* Razowski,1967** (Tortricidae) **Synonym(s):** *walkerana* Razowski,1967 **Range (in code):** **PE**
- 91338. *Phalonidia zygota* Razowski,1964** (Tortricidae) **Synonym(s):** *zygota* Razowski,1964 **Range (in code):** **RU Am MN CN Stg Pkn Gn Mc IMn Jn Stg Ts KP KR JP**
- 91339. *Phaneta apacheana* (Walsingham,1884)** (Tortricidae) **Synonym(s):** *apacheana* Walsingham,1884 **Range (in code):** **US Arz**
- 91340. *Phaneta argenticostana* (Walsingham,1879)** (Tortricidae) **Synonym(s):** *argenticostana* Walsingham,1879 **Range (in code):** **US Org**
- 91341. *Phaneta argutipunctana* A.Blanchard & Knudson,1983** (Tortricidae) **Synonym(s):** *argutipunctana* A.Blanchard & Knudson,1983 **Range (in code):** **US Tx**
- 91342. *Phaneta autochthones* (Walsingham,1897)** (Tortricidae) **Synonym(s):** *autochthones* Walsingham,1897 **Range (in code):** **TN Gf VG**
- 91343. *Phaneta benjamini* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *benjamini* Heinrich,1923 **Range (in code):** **US Ut**
- 91344. *Phaneta linitipunctana* A.Blanchard & Knudson,1983** (Tortricidae) **Synonym(s):** *linitipunctana* A.Blanchard & Knudson,1983 **Range (in code):** **US Tx**
- 91345. *Phaneta musetta* A.Blanchard & Knudson,1983** (Tortricidae) **Synonym(s):** *musetta* A.Blanchard & Knudson,1983 **Range (in code):** **US Tx**
- 91346. *Phaneta pallidacris* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *pallidacris* Heinrich,1923 **Range (in code):** **US Cf**
- 91347. *Phaneta pauperana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *pauperana* Duponchel,1843 **Range (in code):** **ES FR IT GB BE CH AT PL CZ SK HU RO YU MK BG TR RU Da Cc MD UA Cm BY**
- 91348. *Phaneta pylonitis* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *pylonitis* Meyrick,1932 **Range (in code):** **IN Ch Gl**
- 91349. *Phaneta straminiana* (Walsingham,1879)** (Tortricidae) **Synonym(s):** *straminiana* Walsingham,1879 **Range (in code):** **US Col**
- 91350. *Phaneta subminimana* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *subminimana* Heinrich,1923 **Range (in code):** **US Cf**

- 91351. *Phaulacantha acyclica* Diakonoff,1973** (Tortricidae) Synonym(s): *acyclica* Diakonoff,1973
Range (in code): TW
- 91352. *Phaulacantha catharostoma* (Meyrick,1921)** (Tortricidae) Synonym(s): *catharostoma* Meyrick,1921 Range (in code): ID Ja
- 91353. *Phaulacantha metamelas* Diakonoff,1973** (Tortricidae) Synonym(s): *metamelas* Diakonoff,1973 Range (in code): TH CMA Dst Bor Knc Tpp ID Klt
- 91354. *Philedone gerningana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *gerningana* [Denis & Schiffermüller],1775; *pectinana* Hübner,[1799]. Original Reference: Tortrix gerningana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 318. Type(s): Vienna district. Range (in code): ES Si IT IE GB BE NL DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Bionomy: Larva on Lotus (Fabaceae), Plantago (Plantaginaceae), Scabiosa (Dipsacaceae), Peucedanum (Apiaceae), Potentilla (Rosaceae), Vaccinium (Vacciniaceae) (Razowski,2001).
- 91355. *Philedonides alexinschii* Stanoi & Nemes,1974** (Tortricidae) Synonym(s): *alexinschii* Stanoi & Nemes,1974 Range (in code): RO
- 91356. *Philedonides lunana* (Thunberg,1784)** (Tortricidae) Synonym(s): *lunana* Thunberg,1784; *prodromana* Hübner,[1816]; *walkerana* Curtis,1828; *rungsi* Lucas,1954 Range (in code): MA IT IE GB BE DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY Cc GG Bionomy: Larva on Potentilla (Rosaceae), Aster (Asteraceae), Daucus (Apiaceae), Valeriana (Valerianaceae), Mentha (Lamiaceae), Calluna, Erica, Myrica (Ericaceae), Vaccinium (Vacciniaceae), Picea, Pinus (Pinaceae) (Razowski,2001).
- 91357. *Philedonides rhombicana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *rhombicana* Herrich-Schäffer,1851 Range (in code): IT AT CZ SK HU RO YU Bionomy: Larva on Mentha, Salvia (Lamiaceae), Lotus (Fabaceae), Rumex (Polygonaceae) (Razowski,2001).
- 91358. *Philedonides seeboldiana* (Rössler,1877)** (Tortricidae) Synonym(s): *seeboldiana* Rössler,1877 Range (in code): PT ES
- 91359. *Phlebozemia sandrinae* Diakonoff,1985** (Tortricidae) Synonym(s): *sandrinae* Diakonoff,1985 Range (in code): ZA
- 91360. *Phricanthes biocellana* (Walker,1863)** (Tortricidae) Synonym(s): *biocellana* Walker,1863 Range (in code): MY Bor PH Luz
- 91361. *Phricanthes flexilineana* (Walker,1863)** (Tortricidae) Synonym(s): *flexilineana* Walker,1863; *macroua* Lower,1908 Range (in code): LK IN MM ID Ja PH Luz PG GY AU QAU MG
- 91362. *Phtheochroa acosmetes* Razowski,1986** (Tortricidae) Synonym(s): *acosmetes* Razowski,1986 Range (in code): MX Dgo
- 91363. *Phtheochroa albiceps* (Walsingham,1914)** (Tortricidae) Synonym(s): *albiceps* Walsingham,1914 Range (in code): MX Grr
- 91364. *Phtheochroa annae* Huemer,1990** (Tortricidae) Synonym(s): *annae* Huemer,1990 Range (in code): AT CZ SK RO GR
- 91365. *Phtheochroa arrhostia* Clarke,1968** (Tortricidae) Synonym(s): *arrhostia* Clarke,1968 Range (in code): PE
- 91366. *Phtheochroa aureopunctana* (Ragonot,1894)** (Tortricidae) Synonym(s): *aureopunctana* Ragonot,1894 Original Reference: Conchylis aureopunctana Ragonot,1894, Annls Soc. ent. Fr. 63: 189. Type ♂: Syrien (MNHNP). Range (in code): TR LB Bei IR IL Hf Pa
- 91367. *Phtheochroa calyptrophanes* Meyrick,1932** (Tortricidae) Synonym(s): *calyptrophanes* Meyrick,1932 Range (in code): PE
- 91368. *Phtheochroa chalcantha* (Meyrick,1912)** (Tortricidae) Synonym(s): *chalcantha* Meyrick,1912 Original Reference: Pharmacis chalcantha Meyrick,1912, Exot. Microlepid. 1: 20. Lectotype ♂: [Turkey]: Kleinasien: Alma Dagħ [Amanos Mts.] (BMNH). Range (in code): RU TR
- 91369. *Phtheochroa chaunax* Razowski,1991** (Tortricidae) Synonym(s): *chaunax* Razowski,1991 Range (in code): MX Jls
- 91370. *Phtheochroa chriacta* Razowski,1991** (Tortricidae) Synonym(s): *chriacta* Razowski,1991 Range (in code): MX Jls
- 91371. *Phtheochroa chriodes* Razowski,1991** (Tortricidae) Synonym(s): *chriodes* Razowski,1991 Range (in code): MX Dgo
- 91372. *Phtheochroa ciona* Razowski,1991** (Tortricidae) Synonym(s): *ciona* Razowski,1991 Range (in code): MX Nay

- 91373. *Phtheochroa circina* Razowski,1991** (Tortricidae) **Synonym(s):** *circina* Razowski,1991
Range (in code): **MX Sin**
- 91374. *Phtheochroa cistobursa* Razowski,1991** (Tortricidae) **Synonym(s):** *cistobursa* Razowski,1991
Range (in code): **MX Jls**
- 91375. *Phtheochroa cymatodana* (Rebel,1927)** (Tortricidae) **Synonym(s):** *cymatodana* Rebel,1927; *hermosa* Schmidt,1934
Range (in code): **ES An Mu FR**
- 91376. *Phtheochroa decipiens* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *decipiens* Walsingham,1900; *rocharva* Obratzov,1943; *berberidana* Danilevsky,1955. **Original Reference:** *Hysterosia decipiens* Walsingham,1900, Ann. Mag. nat. Hist. 7 (6): 447. Syntypes 4♂♂: [Syria]: Asiatic Turkey: Haleb Shar Deresy (coll. Walsingham). **Range (in code):** **TR SY Hal Cc TM Kp K-K TJ Pm KG Aa DsA RU Ur IR Se Srd** **Bionomy:** Larva on Berberis at Alma Ata (Danilevsky,1955).
- 91377. *Phtheochroa deltochlaena* Meyrick,1930** (Tortricidae) **Synonym(s):** *deltochlaena* Meyrick,1930 **BO** **Range (in code):**
- 91378. *Phtheochroa descensa* Razowski,1991** (Tortricidae) **Synonym(s):** *descensa* Razowski,1991
Range (in code): **MX Jls**
- 91379. *Phtheochroa dodrantaria* Razowski,1970** (Tortricidae) **Synonym(s):** *dodrantaria* Razowski,1970
Range (in code): **LB Bei**
- 91380. *Phtheochroa drenowskyi* (Rebel,1916)** (Tortricidae) **Synonym(s):** *drenowskyi* Rebel,1916
Range (in code): **IT YU AL BG**
- 91381. *Phtheochroa duponchelana* (Duponchel,1843)** (Tortricidae) **Synonym(s):** *duponchelana* Duponchel,1843; *duponcheliana* Costa,1847; *gloriosana* Herrich-Schäffer,1851; *syriaca* Walsingham,1900 **Original Reference:** *Seriacoris duponchelana* Duponchel,1843, Hist. Nat. Lep. Fr., Suppl. 4: 43, Pl. 62 fig.5. Type: [Italy]: Neapel (MNHN). **Range (in code):** **MA DZ FR Si MT IT HU HV B-H YU AL GR Cr TR LB Bei SY** **Bionomy:** Larva on *Acanthus spinosus* (Razowski,1970).
- 91382. *Phtheochroa durbonana* (Lhomme,1937)** (Tortricidae) **Synonym(s):** *durbonana* Lhomme,1937
Range (in code): **FR TR IR Gh Mz Elb Amo**
- 91383. *Phtheochroa ecballiella* Huemer,1990** (Tortricidae) **Synonym(s):** *ecballiella* Huemer,1990 **Original Reference:** *Phtheochroa ecballiella* Huemer,1990, Nota lepid. 12 (4): 273, figs. Holotype ♂: Spain: Cadiz. **Range (in code):** **PT ES Cn** **Bionomy:** Larva on *Ecballium elaterium* (Huemer,1990).
- 91384. *Phtheochroa ersodes* Meyrick,1927** (Tortricidae) **Synonym(s):** *ersodes* Meyrick,1927
Range (in code): **CO**
- 91385. *Phtheochroa exasperantana* (Christoph,1872)** (Tortricidae) **Synonym(s):** *exasperantana* Christoph,1872; *#exasperatana* Caradja,1916; *cornigera* Razowski,1970
Range (in code): **RU Sr KG Uk TJ**
- 91386. *Phtheochroa farinosana* (Herrich-Schäffer,1856)** (Tortricidae) **Synonym(s):** *farinosana* Herrich-Schäffer,1856
Range (in code): **RU Sr KG Uk**
- 91387. *Phtheochroa faulkneri* Razowski,1991** (Tortricidae) **Synonym(s):** *faulkneri* Razowski,1991
Range (in code): **MX Jls**
- 91388. *Phtheochroa frigidana* (Guenée,1845)** (Tortricidae) **Synonym(s):** *frigidana* Guenée,1845
Range (in code): **ES FR IT YU AL**
- 91389. *Phtheochroa fulvicinctana* (Constant,1893)** (Tortricidae) **Synonym(s):** *fulvicinctana* Constant,1893
Range (in code): **FR CZ HU RO HV AL RU Da Cc** **Bionomy:** Larva on *Limonium vulgare* (Swatschek,1958).
- 91390. *Phtheochroa gigantea* (Busck,1920)** (Tortricidae) **Synonym(s):** *gigantica* Busck,1920
Range (in code): **MX Df**
- 91391. *Phtheochroa gracillimana* (Rebel,1910)** (Tortricidae) **Synonym(s):** *gracillimana* Rebel,1910
Range (in code): **ES Cue**
- 91392. *Phtheochroa hamartopenis* Razowski,1986** (Tortricidae) **Synonym(s):** *hamartopenis* Razowski,1986
Range (in code): **MX Dgo**
- 91393. *Phtheochroa haplidia* Razowski,1986** (Tortricidae) **Synonym(s):** *haplidia* Razowski,1986
Range (in code): **MX Dgo**
- 91394. *Phtheochroa huachuacana* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *huachuacana* Kearfott,1907
Range (in code): **US NMx**
- 91395. *Phtheochroa hyboscia* Razowski,1991** (Tortricidae) **Synonym(s):** *hyboscia* Razowski,1991
Range (in code): **MX Jls**
- 91396. *Phtheochroa hybrata* Razowski,1991** (Tortricidae) **Synonym(s):** *hybrata* Razowski,1991
Range (in code): **MX Jls**

- 91397. *Phtheochroa hydnum* Razowski,1991** (Tortricidae) Synonym(s): *hydnum* Razowski,1991
Range (in code): **MX Chua**
- 91398. *Phtheochroa imitana* Derra,1991** (Tortricidae) Synonym(s): *imitana* Derra,1991 Original Reference: *Phtheochroa imitana* Derra,1991, *Atalanta* 21 (3/4): 298-299, Abb.2. Holotype ♂: Türkiye: Prov. Hakkari: Cilo Dagi, 1350m, 5km n. Agacsiz, 28.iv.1987 (leg. Schreier & coll. Derra).
Range (in code): **TR**
- 91399. *Phtheochroa inexacta* Butler,1883** (Tortricidae) Synonym(s): *inexacta* Butler,1883
Range (in code): **CL**
- 91400. *Phtheochroa ingridae* Huemer,1990** (Tortricidae) Synonym(s): *ingridae* Huemer,1990
Range (in code): **IT**
- 91401. *Phtheochroa inopiana* (Haworth,1811)** (Tortricidae) Synonym(s): *inopiana* Haworth,1811; *centrana* Herrich-Schäffer,1851; *obscurana* Kennel,1913; *pallidana* Caradja,1916. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU HV RO YU AL BG DK NO SE FI EE LV LT RU Da Cc Ur Sb Am MD UA IR Ab Mak BY TJ Pm MN KG KK Uk DsA TrA MN CN Ui Ii CN Mc Pkn Gn Hph Jn JP US Cf** Bionomy: Larva on *Artemisia campestris*, *Eupatorium cannabinum* (Asteraceae) (Razowski,1970,2001).
- 91402. *Phtheochroa iodes* (Clarke,1968)** (Tortricidae) Synonym(s): *iodes* Clarke,1968 Range (in code): **GT**
- 91403. *Phtheochroa kenneli* (Obraztsov,1944)** (Tortricidae) Synonym(s): *kenneli* Obraztsov,1944 Range (in code): **RU Sr Da Cc Ur UA Cm IR Ak Aha**
- 91404. *Phtheochroa krulikowskii* (Obraztsov,1944)** (Tortricidae) Synonym(s): *krulikowskii* Obraztsov,1944; *kazachstanica* Danilevsky,1962. Range (in code): **RU KG Aa KK MN** Bionomy: Larva on *Nanophyton caspicum* (Razowski,1970).
- 91405. *Phtheochroa larseni* Huemer,1990** (Tortricidae) Synonym(s): *larseni* Huemer,1990 Original Reference: *Phtheochroa larseni* Huemer,1990, *Nota lepid.* 12 (4): 278. Abb. Holotype ♂: [Türkei]: Anatolien: Kizilcahamam, 16.v.1973 (leg. Pinker) (NM). Range (in code): **TR**
- 91406. *Phtheochroa loricata* (Razowski,1984)** (Tortricidae) Synonym(s): *loricata* Razowski,1984 Range (in code): **MX**
- 91407. *Phtheochroa lucentana* (Kennel,1899)** (Tortricidae) Synonym(s): *lucentana* Kennel,1899 Original Reference: *Cochylis lucentana* Kennel,1899, *Dt. ent. Z.*, *Iris* 12: 30, Taf.1 fig.28. Holotype ♂: [Türkei]: "Marasch" [Kahramanmaraş] (ZMB). Range (in code): **TR IR Fa Shr**
- 91408. *Phtheochroa melasma* (Clarke,1968)** (Tortricidae) Synonym(s): *melasma* Clarke,1968
Range (in code): **GT**
- 91409. *Phtheochroa meraca* (Razowski,1984)** (Tortricidae) Synonym(s): *meraca* Razowski,1984
Range (in code): **MX**
- 91410. *Phtheochroa neoma* Razowski,1991** (Tortricidae) Synonym(s): *neoma* Razowski,1991
Range (in code): **MX Jls**
- 91411. *Phtheochroa nigrisparsana* (Chrétien,1922)** (Tortricidae) Synonym(s): *nigrisparsana* Chrétien,1922 Range (in code): **MA**
- 91412. *Phtheochroa noctivaga* (Razowski,1984)** (Tortricidae) Synonym(s): *noctivaga* Razowski,1984 Range (in code): **MX Nle**
- 91413. *Phtheochroa obnubila* (Razowski,1984)** (Tortricidae) Synonym(s): *obnubila* Razowski,1984 Range (in code): **MX Hda**
- 91414. *Phtheochroa ochodes* Razowski,1991** (Tortricidae) Synonym(s): *ochodes* Razowski,1991
Range (in code): **MX Dgo**
- 91415. *Phtheochroa ochrobasana* (Chrétien,1915)** (Tortricidae) Synonym(s): *ochrobasana* Chrétien,1915; *undulata* Lucas,1946. Original Reference: *Euxanthia ochrobasana* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 301. Syntypes: Algeria, Biskra. Range (in code): **DZ Bsk TN Gf ES SA**
- 91416. *Phtheochroa ochrolana* (Chrétien,1915)** (Tortricidae) Synonym(s): *ochrolana* Chrétien,1915; *bedeella* Lucas,1946. Original Reference: *Euxanthia ochrolana* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 300. Syntypes: Tunisia, Gafsa; Algeria, Biskra. Range (in code): **DZ Bsk TN Gf Sfx LY SA SA63 GR** Bionomy: Larva on *Haloxylon articulatum* (Chrétien,1915).
- 91417. *Phtheochroa osthelderi* Huemer,1990** (Tortricidae) Synonym(s): *osthelderi* Huemer,1990 Original Reference: *Phtheochroa osthelderi* Huemer,1990, *Nota lepid.* 12 (4): 278-279. Abb. Holotype ♀: [Türkei]: Syria sept., Taurus Marasch 800m, 14.v.28 (leg. Osthelder) (ZSM). Range (in code): **TR**

- 91418. *Phtheochroa palpana* (Ragonot,1894)** (Tortricidae) Synonym(s): *palpana* Ragonot,1894
Original Reference: *Conchylis palpana* Ragonot,1894, Annls Soc. ent. Fr. 63: 195. Type ♂: [Turquie]: Hadjin (MNHNP). Range (in code): **TR SY Hal IQ JO**
- 91419. *Phtheochroa piptmachaeria* Razowski,1986** (Tortricidae) Synonym(s): *piptmachaeria* Razowski,1986 Range (in code): **MX Dgo**
- 91420. *Phtheochroa pistrinana* (Erschoff,1877)** (Tortricidae) Synonym(s): *pistrinana* Erschoff,1877; *coreana* Walsingham,1900; *albiscutellum* Walsingham,1900; *heptapotamica* Obraztsov,1944. Range (in code): **KG Tk Dj MN CN Ts Kno Gn Sz KwT Pkn Ti RU Ir Irk Sb Am KP KR JP**
- 91421. *Phtheochroa primula* (Walsingham,1914)** (Tortricidae) Synonym(s): *primula* Walsingham,1914 Range (in code): **MX Df**
- 91422. *Phtheochroa procerana* (Lederer,1853)** (Tortricidae) Synonym(s): *procerana* Lederer,1853 Original Reference: *Conchylis procerana* Lederer,1853, Wien. ent. Monatschr. 7: 45, Tab. fig.11. Type ♂: Bulgarien: "Varna" (ZMB). Range (in code): **HU RO BG Slv Vrn TR**
- 91423. *Phtheochroa pulvillana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *pulvillana* Herrich-Schäffer,1851 Range (in code): **IT DE AT PL CZ SK HU RO BG YU RU Cc IR Mz Gls MD UA Us** Bionomy: Larva on *Asparagus officinalis* (Liliaceae) (Kennel,1913).
- 91424. *Phtheochroa pulvillana dispuncta* (Kuznetsov,1976)** (Tortricidae) Synonym(s): *dispuncta* Kuznetsov,1976 Range (in code): **RU Us**
- 91425. *Phtheochroa purana* (Guenée,1845)** (Tortricidae) Synonym(s): *purana* Guenée,1845; *limbatana* Herrich-Schäffer,[1851]. Original Reference: *Argyrolepis purana* Guenée,1845, Annls Soc. nat. Fr. 3 (2): 302. Type(s): France. Range (in code): **FR IT HU RO YU HV B-H TR** Bionomy: Larva on *Cephalaria leucantha* (Razowski,1970).
- 91426. *Phtheochroa purissima* (Osthelder,1938)** (Tortricidae) Synonym(s): *purissima* Osthelder,1938 Range (in code): **IR Elb Mz**
- 91427. *Phtheochroa quaesita* (Razowski,1984)** (Tortricidae) Synonym(s): *quaesita* Razowski,1984 Range (in code): **MX Zac**
- 91428. *Phtheochroa rectangulana* (Chrétien,1915)** (Tortricidae) Synonym(s): *rectangulana* Chrétien,1915 Original Reference: *Conchylis rectangulana* Chrétien,1915, Annls Soc. ent. Fr. 84: 299-300. Syntypes: Tunisia, Gafsa. Range (in code): **DZ TN Gf ES MT**
- 91429. *Phtheochroa reisseri* Razowski,1970** (Tortricidae) Synonym(s): *reisseri* Razowski,1970 Range (in code): **Cr**
- 91430. *Phtheochroa retextana* (Erschoff,1874)** (Tortricidae) Synonym(s): *retextana* Erschoff,1874 Range (in code): **RU Da TM Cc AZ Bak**
- 91431. *Phtheochroa rugosana* (Hübner,[1799])** (Tortricidae) Synonym(s): *rugosana* Hübner,[1799]; *v-albana* Donovan,1806. Original Reference: *Tortrix rugosana* Hübner,[1799], Samml. eur. Schmett. 7: Taf.14, fig.82. Neotype ♂: Germany: BRD: "Württemberg, Marbach/Neckar, designayed by Huemer,1990 (TLMF). Range (in code): **Cn MA DZ PT ES FR IT GB BE NL LU DE CH AT PL CZ RO YU B-H TR Cc AM Eri** Bionomy: Larva on *Bryonia dioica*, *Ecballium elaterium* (Cucurbitaceae) (Swatschek,1958).
- 91432. *Phtheochroa schreibersiana* (Frölich,1828)** (Tortricidae) Synonym(s): *schreibersiana* Frölich,1828 Range (in code): **ES FR Co Sa IT GB BE NL DE CH AT PL CZ SK HU RO TR SE FI EE LV RU Sr MD UA BY Cc GG** Bionomy: Larva on *Ulmus campestris* (Ulmaceae), *Populus* (Salicaceae), *Prunus* (Rosaceae) (Sorhagen,1882; Klimesch ex Razowski,1970; Razowski,2001).
- 91433. *Phtheochroa schreieri* Derra,1991** (Tortricidae) Synonym(s): *schreieri* Derra,1991 Original Reference: *Phtheochroa schreieri* Derra,1991, Atalanta 21 (3/4): 296-298, Abb.1. Holotype ♂: Türkiye: Prov. Hakkari: Cilo Dagi, 1350m, 5km n. Agacsiz, 28.iv.1987 (leg. Schreier & coll. Derra). Range (in code): **TR**
- 91434. *Phtheochroa simoniana* (Staudinger,1859)** (Tortricidae) Synonym(s): *simoniana* Staudinger,1859 Range (in code): **DZ MA PT ES An IT?**
- 91435. *Phtheochroa sinecarina* Huemer,1990** (Tortricidae) Synonym(s): *sinecarina* Huemer,1990 Range (in code): **MA DZ**
- 91436. *Phtheochroa sociana* Esartiya,1988** (Tortricidae) Synonym(s): *sociana* Esartiya,1988 Range (in code): **Cc GG**
- 91437. *Phtheochroa sodaliana* (Haworth,1811)** (Tortricidae) Synonym(s): *sodaliana* Haworth,1811; *amandana* Herrich-Schäffer,1851. Original Reference: *Tortrix sodaliana* Haworth,1811, Lepid. Br. 3: 436. Type(s): Great Britain. Range (in code): **FR IT IE GB NL DE CH AT PL CZ SK HU**

- RO YU HV GR TR CY LB? DK NO SE FI EE LV LT RU Ur MD UA BY KG Uk** Bionomy: Larva on Rhamnus catharticus, Frangula alnus (Rhamnaceae) (Kennel,1913).
- 91438. Phtheochroa subfumida (Falkovitsh,1963)** (Tortricidae) Synonym(s): *subfumida* Falkovitsh,1963 Original Reference: Hysterosia (Propira) subfumida Falkovitsh,1963, Zool. Zh. 42: 697, fig.1. Holotype ♂: Armenia: "Jeriwan" (ZIANL). Range (in code): **Cc AM Eri KG Ka IR Ar** Bionomy: Larva on Haloxylon ammodendron, Salsola arbuscula, Iljenia regelii (Razowski,1970).
- 91439. Phtheochroa superbissima (Razowski,1984)** (Tortricidae) Synonym(s): *superbissima* Razowski,1984 Range (in code): **MX Vcr**
- 91440. Phtheochroa syrtana Ragonot,1888** (Tortricidae) Synonym(s): *syrtana* Ragonot,1888 Original Reference: Phtheochroa syrtana Ragonot,1888, Anns. Soc. ent. Fr. (6) 8 (Bull.): lxxxviii. Type: Tunisia. Range (in code): **DZ Bsk TN Gf PT ES IL Hf Js Jer Pa IR Yz** Bionomy: Larva on Anabasis aphylla (ex Gafsa), A.articulata (ex Biskra) (Chrétien,1917).
- 91441. Phtheochroa tenerima Razowski,1986** (Tortricidae) Synonym(s): *tenerima* Razowski,1986 Range (in code): **MX Nle**
- 91442. Phtheochroa thiana Staudinger,[1900]** (Tortricidae) Synonym(s): *thiana* Staudinger,[1900]; *dilectana* Kennel,1900. Original Reference: Phtheochroa? (Cochylis?) thiana Staudinger,[1900], Dt. ent. Z., Iris 12: 348-349. Type ♀: [China: Uighur A.R.]: Chamyl [Kumul]. Range (in code): **CN Ui Kml T-S RU Sr TR**
- 91443. Phtheochroa uighurica Kemal & Koçak,2004** (Tortricidae) Synonym(s): *undulata* Danilevski,1962 nec Luc.,1946; *uighurica* Kemal & Koçak,2004 Original Reference: Phtheochroa uighurica Kemal & Koçak,2004, Cent. ent. Stud., Misc. Pap. 90: 5-6 (nomen novum pro undulata Danilevski,1962 nec Lucas,1946). Range (in code): **KG DsA MN**
- 91444. Phtheochroa unionana (Kennel,1900)** (Tortricidae) Synonym(s): *unionana* Kennel,1900 Original Reference: Hysterosia (Idiographis) unionana Kennel,1900, Dt. ent. Z., Iris 13: 135, Taf.5 fig.11. Syntypes 2♂♂: Kaukasus. Range (in code): **RO TR Cc GG AM AZ**
- 91445. Phtheochroa variolosana (Christoph,1887)** (Tortricidae) Synonym(s): *variolosana* Christoph,1887 Range (in code): **IR Ke Yz Es Fa Gl Kh Kdj AF Hr Kab TM Kp K-K UZ Smk KG DsA Ket**
- 91446. Phtheochroa veirsi Razowski,1986** (Tortricidae) Synonym(s): *veirsi* Razowski,1986 Range (in code): **MX Dgo**
- 91447. Phtheochroa vicina (Walsingham,1910)** (Tortricidae) Synonym(s): *vicina* Walsingham,1910 Range (in code): **GT**
- 91448. Phtheochroa vulneratana (Zetterstedt,1839)** (Tortricidae) Synonym(s): *vulneratana* Zetterstedt,1839; *exsulana* Lederer,1855; *nipponica* Matsumura,1931; *meincki* Amsel,1932. Range (in code): **IT CH AT YU? NO SE FI RU Ur Sj Sb MD UA BY TJ Pm MN JP**
- 91449. Phtheochroa zacualpana (Busck,1913)** (Tortricidae) Synonym(s): *zacualpana* Busck,1913 Range (in code): **MX Df**
- 91450. Phtheochroa zerena Razowski & Becker,1993** (Tortricidae) Synonym(s): *zerena* Razowski & Becker,1993 Range (in code): **MX Vcr**
- 91451. Phtheochroides apicana (Walsingham,1900)** (Tortricidae) Synonym(s): *apicana* Walsingham,1900 Range (in code): **JP Hkk**
- 91452. Phtheochroides clandestina Razowski,1968** (Tortricidae) Synonym(s): *clandestina* Razowski,1968 Range (in code): **TJ Pm JP Hkk**
- 91453. Piniphila bifasciana (Haworth,1811)** (Tortricidae) Synonym(s): *bifasciana* Haworth,1811; *daleana* Haworth,1811; *bicinctana* Tengström,1848; *decrepitana* Herrisch-Schäffer,1851; *silphana* Millière,1874 Range (in code): **PT ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Sb Am Us** Bionomy: Larva on Pinus maritimus, P. nigra (Pinaceae); Vaccinium myrtillus, V. vitis-idaea, Rhododendron (Ericaceae), Pyrola secunda (Pyrolaceae) (Kennel,1921).
- 91454. Planaltinella rhatyma Razowski & Becker,1994** (Tortricidae) Synonym(s): *rhatyma* Razowski & Becker,1994 Range (in code): **BR**
- 91455. Planostocha cumulata (Meyrick,1907)** (Tortricidae) Synonym(s): *cumulata* Meyrick,1907 Range (in code): **TH CMa CDo NP IN Co LK Mky MM BN Bor PG AU QAU Kda PMo**
- 91456. Platphalonidia assector (Razowski,1967)** (Tortricidae) Synonym(s): *assector* Razowski,1967 Range (in code): **AR**
- 91457. Platphalonidia californica Razowski,1986** (Tortricidae) Synonym(s): *californica* Razowski,1986 Range (in code): **MX Bcn**

- 91458. *Platphalonidia domna* (Clarke,1968)** (Tortricidae) **Synonym(s):** *domna* Clarke,1968
Range (in code): **CO**
- 91459. *Platphalonidia dubia* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *dubia* Razowski & Becker,1983 **Range (in code):** **BR MiG**
- 91460. *Platphalonidia felix* (Walsingham,1895)** (Tortricidae) **Synonym(s):** *felix* Walsingham,1895 **Range (in code):** **US Col**
- 91461. *Platphalonidia fusifera* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *fusifera* Meyrick,1912
Range (in code): **BR Spa**
- 91462. *Platphalonidia galbanea* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *galbanea* Meyrick,1917 **Range (in code):** **GY**
- 91463. *Platphalonidia luxata* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *luxata* Razowski & Becker,1986 **Range (in code):** **MX**
- 91464. *Platphalonidia mendora* (Clarke,1968)** (Tortricidae) **Synonym(s):** *mendora* Clarke,1968
Range (in code): **CL**
- 91465. *Platphalonidia mimosina* Razowski,1986** (Tortricidae) **Synonym(s):** *mimosina* Razowski,1986 **Range (in code):** **MX Vcr**
- 91466. *Platphalonidia ochraceana* (Razowski,1967)** (Tortricidae) **Synonym(s):** *ochraceana* Razowski,1967 **Range (in code):** **AR**
- 91467. *Platphalonidia paranae* (Razowski & Becker,1983)** (Tortricidae) **Synonym(s):** *paranae* Razowski & Becker,1983 **Range (in code):** **BR Pran**
- 91468. *Platphalonidia plicana* (Walsingham,1884)** (Tortricidae) **Synonym(s):** *plicana* Walsingham,1884 **Range (in code):** **MX Snr**
- 91469. *Platphalonidia stibeutes* Razowski,[1992]** (Tortricidae) **Synonym(s):** *stibeutes* Razowski,[1992] **Range (in code):** **CR**
- 91470. *Platphalonidia sublimis* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *sublimis* Meyrick,1917
Range (in code): **PE**
- 91471. *Platphalonidia subolivacea* (Walsingham,1897)** (Tortricidae) **Synonym(s):** *subolivacea* Walsingham,1897 **Range (in code):** **VG**
- 91472. *Platphalonidia tehuacana* Razowski,1986** (Tortricidae) **Synonym(s):** *tehuacana* Razowski,1986 **Range (in code):** **MX**
- 91473. *Platynota breviplicana* Walsingham,1897** (Tortricidae) **Synonym(s):** *breviplicana* Walsingham,1897; *diminutana* Walsingham,1897 **Range (in code):** **GD**
- 91474. *Platynota calidana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *calidana* Zeller,1877 **Range (in code):** **CU**
- 91475. *Platynota capella* Walsingham,1913** (Tortricidae) **Synonym(s):** *capella* Walsingham,1913
Range (in code): **GT**
- 91476. *Platynota colobota* Meyrick,1926** (Tortricidae) **Synonym(s):** *colobota* Meyrick,1926
Range (in code): **GS**
- 91477. *Platynota egana* (Walker,1866)** (Tortricidae) **Synonym(s):** *egana* Walker,1866 **Range (in code):** **BR**
- 91478. *Platynota flavedana* Clemens,1860** (Tortricidae) **Synonym(s):** *flavedana* Clemens,1860; *concurana* Walker,1863; *laterana* Robinson,1869 **Range (in code):** **US**
- 91479. *Platynota helianthes* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *helianthes* Meyrick,1932
Range (in code): **CR**
- 91480. *Platynota illuminata* (Meyrick,1917)** (Tortricidae) **Synonym(s):** *illuminata* Meyrick,1917
Range (in code): **GF**
- 91481. *Platynota labiosana* (Zeller,1875)** (Tortricidae) **Synonym(s):** *labiosana* Zeller,1875 **Range (in code):** **US Tx**
- 91482. *Platynota larreana* (Comstock,1939)** (Tortricidae) **Synonym(s):** *larreana* Comstock,1939
Range (in code): **US Cf**
- 91483. *Platynota obliqua* Walsingham,1913** (Tortricidae) **Synonym(s):** *obliqua* Walsingham,1913
Range (in code): **MX Tbo**
- 91484. *Platynota offuscata* Walsingham,1913** (Tortricidae) **Synonym(s):** *offuscata* Walsingham,1913 **Range (in code):** **GT**
- 91485. *Platynota restitutana* (Walker,1863)** (Tortricidae) **Synonym(s):** *restitutana* Walker,1863
Range (in code): **DO**

- 91486. *Platynota rostrana* (Walker,1863)** (Tortricidae) Synonym(s): *rostrana* Walker,1863; *connexana* Walker,1863; *repandana* Walker,1863; *saturatana* Walker,1863 Range (in code): US VE HN DO
- 91487. *Platynota rubiginis* Walsingham,1913** (Tortricidae) Synonym(s): *rubiginis* Walsingham,1913 Range (in code): GT
- 91488. *Platynota stultana* Walsingham,1884** (Tortricidae) Synonym(s): *stultana* Walsingham,1884; *chiquitana* Barnes & Busck,1920 Range (in code): US Cf MX Snr Hw ES Mu
- 91489. *Platynota subacida* (Meyrick,1917)** (Tortricidae) Synonym(s): *subacida* Meyrick,1917 Range (in code): GF
- 91490. *Platynota subargentea* Walsingham,1913** (Tortricidae) Synonym(s): *subargentea* Walsingham,1913 Range (in code): CR
- 91491. *Platynota viridana* Barnes & Busck,1920** (Tortricidae) Synonym(s): *viridana* Barnes & Busck,1920 Range (in code): US Arz
- 91492. *Platynota wenzelana* (Heimbach,1915)** (Tortricidae) Synonym(s): *wenzelana* Heimbach,1915 Range (in code): US Arz
- 91493. *Platynota xylophaea* (Meyrick,1911)** (Tortricidae) Synonym(s): *xylophaea* Meyrick,1911 Range (in code): AR
- 91494. *Platynota yumana* (Kearfott,1907)** (Tortricidae) Synonym(s): *yumana* Kearfott,1907 Range (in code): US Arz
- 91495. *Platynota zymogramma* (Meyrick,1926)** (Tortricidae) Synonym(s): *zymogramma* Meyrick,1926 Range (in code): PE
- 91496. *Plutographa anopa* Diakonoff,1989** (Tortricidae) Synonym(s): *anopa* Diakonoff,1989 Range (in code): MG
- 91497. *Plutographa authodes* Diakonoff,1992** (Tortricidae) Synonym(s): *authodes* Diakonoff,1992 Range (in code): MG
- 91498. *Plutographa brochota* Diakonoff,1989** (Tortricidae) Synonym(s): *brochota* Diakonoff,1989 Range (in code): MG
- 91499. *Plutographa cryphaea* Diakonoff,1989** (Tortricidae) Synonym(s): *cryphaea* Diakonoff,1989 Range (in code): MG
- 91500. *Plutographa cyanea* Diakonoff,1989** (Tortricidae) Synonym(s): *cyanea* Diakonoff,1989 Range (in code): MG
- 91501. *Plutographa cyclops* Diakonoff,1970** (Tortricidae) Synonym(s): *cyclops* Diakonoff,1970 Range (in code): MG
- 91502. *Plutographa dyspotma* Diakonoff,1989** (Tortricidae) Synonym(s): *dyspotma* Diakonoff,1989 Range (in code): MG
- 91503. *Plutographa encharacta* (Meyrick,1918)** (Tortricidae) Synonym(s): *encharacta* Meyrick,1918 Range (in code): ZA
- 91504. *Plutographa erytema* Diakonoff,1989** (Tortricidae) Synonym(s): *erytema* Diakonoff,1989 Range (in code): MG
- 91505. *Plutographa eudela* Diakonoff,1989** (Tortricidae) Synonym(s): *eudela* Diakonoff,1989 Range (in code): MG
- 91506. *Plutographa glochydosema* Diakonoff,1989** (Tortricidae) Synonym(s): *glochydosema* Diakonoff,1989 Range (in code): MG
- 91507. *Plutographa heteranthera* Diakonoff,1970** (Tortricidae) Synonym(s): *heteranthera* Diakonoff,1970 Range (in code): MG
- 91508. *Plutographa latefracta* Diakonoff,1989** (Tortricidae) Synonym(s): *latefracta* Diakonoff,1989 Range (in code): MG
- 91509. *Plutographa lichenophyes* Diakonoff,1989** (Tortricidae) Synonym(s): *lichenophyes* Diakonoff,1989 Range (in code): MG
- 91510. *Plutographa microsarca* Diakonoff,1989** (Tortricidae) Synonym(s): *microsarca* Diakonoff,1989 Range (in code): MG
- 91511. *Plutographa monopa* Diakonoff,1989** (Tortricidae) Synonym(s): *monopa* Diakonoff,1989 Range (in code): MG
- 91512. *Plutographa nigrivittata* Diakonoff,1989** (Tortricidae) Synonym(s): *nigrivittata* Diakonoff,1989 Range (in code): MG
- 91513. *Plutographa orbiculi* Diakonoff,1989** (Tortricidae) Synonym(s): *orbiculi* Diakonoff,1989 Range (in code): MG

- 91514. *Plutographa phloena* Diakonoff,1989** (Tortricidae) **Synonym(s):** *phloena* Diakonoff,1989
Range (in code): **MG**
- 91515. *Plutographa phloeorrhages* Diakonoff,1970** (Tortricidae) **Synonym(s):** *phloeorrhages* Diakonoff,1970 Range (in code): **MG**
- 91516. *Plutographa pictura* (Diakonoff,1970)** (Tortricidae) **Synonym(s):** *pictura* Diakonoff,1970
Range (in code): **MG**
- 91517. *Plutographa reducta* Diakonoff,1989** (Tortricidae) **Synonym(s):** *reducta* Diakonoff,1989
Range (in code): **MG**
- 91518. *Plutographa rhodana* Diakonoff,1989** (Tortricidae) **Synonym(s):** *rhodana* Diakonoff,1989
Range (in code): **MG**
- 91519. *Plutographa semna* Diakonoff,1989** (Tortricidae) **Synonym(s):** *semna* Diakonoff,1989
Range (in code): **MG**
- 91520. *Plutographa seriopa* Diakonoff,1989** (Tortricidae) **Synonym(s):** *seriopa* Diakonoff,1989
Range (in code): **MG**
- 91521. *Plutographa spodostoma* Diakonoff,1989** (Tortricidae) **Synonym(s):** *spodostoma* Diakonoff,1989 Range (in code): **MG**
- 91522. *Plutographa tetracelis* Diakonoff,1989** (Tortricidae) **Synonym(s):** *tetracelis* Diakonoff,1989 Range (in code): **MG**
- 91523. *Plutographa tomion* Diakonoff,1989** (Tortricidae) **Synonym(s):** *tomion* Diakonoff,1989
Range (in code): **MG**
- 91524. *Plutographa transversa* (Diakonoff,1970)** (Tortricidae) **Synonym(s):** *transversa* Diakonoff,1970 Range (in code): **MG**
- 91525. *Plutographa xanthala* Razowski & Trematerra,2010** (Tortricidae) **Synonym(s):** *xanthala* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 91526. *Plutographa xyloglypha* Diakonoff,1989** (Tortricidae) **Synonym(s):** *xyloglypha* Diakonoff,1989 Range (in code): **MG**
- 91527. *Polemograptis chrysodesma* Diakonoff,1952** (Tortricidae) **Synonym(s):** *chrysodesma* Diakonoff,1952 Range (in code): **MY Prk ID Kai Ob Mlc Ij**
- 91528. *Polemograptis miltocosma* Meyrick,1910** (Tortricidae) **Synonym(s):** *miltocosma* Meyrick,1910 Range (in code): **MY Bor Kcg Klu Pah Sbh Snk ID Pla Klt** Bionomy: Larva on *Cinnamomum camphora* (Tuck,1988).
- 91529. *Polemograptis rubristria* Razowski,1966** (Tortricidae) **Synonym(s):** *rubristria* Razowski,1966 Range (in code): **MY Prk Bor Sbh**
- 91530. *Polylopha cassicola* Liu & Kawabe,1993** (Tortricidae) **Synonym(s):** *cassicola* Liu & Kawabe,1993 Range (in code): **CN HK**
- 91531. *Polyortha atroperla* Razowski,1980** (Tortricidae) **Synonym(s):** *atroperla* Razowski,1980
Range (in code): **CR**
- 91532. *Polyortha biezanskoi* Becker,1970** (Tortricidae) **Synonym(s):** *biezanskoi* Becker,1970
Range (in code): **BR Pran**
- 91533. *Polyortha bryographa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *bryographa* Meyrick,1909 Range (in code): **PE**
- 91534. *Polyortha bryometalla* Meyrick,1932** (Tortricidae) **Synonym(s):** *bryometalla* Meyrick,1932 Range (in code): **CR**
- 91535. *Polyortha chiriquitana* (Zeller,1877)** (Tortricidae) **Synonym(s):** *chiriquitana* Zeller,1877
Range (in code): **PA Cq**
- 91536. *Polyortha chlamydata* Dognin,1912** (Tortricidae) **Synonym(s):** *chlamydata* Dognin,1912
Range (in code): **CO**
- 91537. *Polyortha clarkeana* Razowski,1984** (Tortricidae) **Synonym(s):** *clarkeana* Razowski,1984
Range (in code): **AR**
- 91538. *Polyortha euchlorana* Walsingham,1914** (Tortricidae) **Synonym(s):** *euchlorana* Walsingham,1914 Range (in code): **MX Tab**
- 91539. *Polyortha evestigana* Razowski,1984** (Tortricidae) **Synonym(s):** *evestigana* Razowski,1984 Range (in code): **SV**
- 91540. *Polyortha glaucotes* Walsingham,1914** (Tortricidae) **Synonym(s):** *glaucotes* Walsingham,1914 Range (in code): **PA**
- 91541. *Polyortha gradatulana* (Zeller,1866)** (Tortricidae) **Synonym(s):** *gradatulana* Zeller,1866
Range (in code): **CO**

- 91542. *Polyortha halianassa* Meyrick,1932** (Tortricidae) Synonym(s): *halianassa* Meyrick,1932
Range (in code): BE Sct
- 91543. *Polyortha larocae* Razowski & Becker,1981** (Tortricidae) Synonym(s): *larocae* Razowski & Becker,1981 Range (in code): BR Pran
- 91544. *Polyortha lyncurion* Razowski,1980** (Tortricidae) Synonym(s): *lyncurion* Razowski,1980
Range (in code): CR
- 91545. *Polyortha magnifica* Walsingham,1914** (Tortricidae) Synonym(s): *magnifica* Walsingham,1914 Range (in code): PA
- 91546. *Polyortha marmarodes* (Meyrick,1912)** (Tortricidae) Synonym(s): *marmarodes* Meyrick,1912 Range (in code): CO
- 91547. *Polyortha myoxa* Razowski,1984** (Tortricidae) Synonym(s): *myoxa* Razowski,1984
Range (in code): BR Sct
- 91548. *Polyortha naevifera* Razowski,1984** (Tortricidae) Synonym(s): *naevifera* Razowski,1984
Range (in code): VE
- 91549. *Polyortha nigriguttata* Walsingham,1914** (Tortricidae) Synonym(s): *nigriguttata* Walsingham,1914 Range (in code): PA
- 91550. *Polyortha niveopunctata* Dognin,1905** (Tortricidae) Synonym(s): *niveopunctata* Dognin,1905 Range (in code): EC
- 91551. *Polyortha paranae* Razowski & Becker,1981** (Tortricidae) Synonym(s): *paranae* Razowski & Becker,1981 Range (in code): BR Pran
- 91552. *Polyortha purpurascens* (Meyrick,1912)** (Tortricidae) Synonym(s): *purpurascens* Meyrick,1912 Range (in code): PE
- 91553. *Polyortha radiata* Razowski & Becker,1981** (Tortricidae) Synonym(s): *radiata* Razowski & Becker,1981 Range (in code): BR Rja
- 91554. *Polyortha sagax* Razowski,1984** (Tortricidae) Synonym(s): *sagax* Razowski,1984 Range (in code): BO
- 91555. *Polyortha suffalcata* Walsingham,1914** (Tortricidae) Synonym(s): *suffalcata* Walsingham,1914 Range (in code): PA
- 91556. *Polyortha symphila* Razowski,1984** (Tortricidae) Synonym(s): *symphila* Razowski,1984
Range (in code): BO
- 91557. *Polyortha tersa* Walsingham,1914** (Tortricidae) Synonym(s): *tersa* Walsingham,1914
Range (in code): GT
- 91558. *Polyortha thammiana* (Zeller,1877)** (Tortricidae) Synonym(s): *thammiana* Zeller,1877
Range (in code): PE
- 91559. *Polyortha trochilodes* (Meyrick,1912)** (Tortricidae) Synonym(s): *trochilodes* Meyrick,1912
Range (in code): CO
- 91560. *Polythora viridescens* (Meyrick,1912)** (Tortricidae) Synonym(s): *viridescens* Meyrick,1912; *mollinediella* Busck,1932 Range (in code): BR RgS
- 91561. *Popayanita hydrochoa* (Meyrick,1930)** (Tortricidae) Synonym(s): *hydrochoa* Meyrick,1930; *hydrochroa* Clarke,1958 Range (in code): EC
- 91562. *Popayanita ptycta* Razowski,1987** (Tortricidae) Synonym(s): *ptycta* Razowski,1987
Range (in code): CO
- 91563. *Pristerognatha fuligana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *fuligana* [Denis & Schiffermüller],1775 Original Reference: Tortrix fuligana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 132. Type(s): Vienna district. Range (in code): ES FR NL DE CH AT PL CZ SK RO DK SE FI LV LT Cc GG TR RU Sb KG
Bionomy: Larva on Impatiens noli-tangere (Razowski,1983).
- 91564. *Pristerognatha penthinana* (Guenée,1845)** (Tortricidae) Synonym(s): *penthinana* Guenée,1845; *postremana* Lienig & Zeller,1846 Original Reference: Sericoris penthinana Guenée,1845, Annls Soc. ent. Fr. (2) 3: 159. Type(s): Anglia. Range (in code): FR Co Si IT GB BE DE CH AT PL CZ SK HU RO BG DK NO SE LV LT RU MD UA BY Bionomy: Larva on Impatiens noli-tangere (Razowski,1983).
- 91565. *Prochlidonia amiantana* (Hübner,[1799])** (Tortricidae) Synonym(s): *amiantana* Hübner,[1799] Range (in code): FR IT DE AT PL CZ SK HU YU MK AL GR Bionomy: Larva on ? Helianthemum (Cistaceae) (Razowski,2001).

- 91566. *Prochlidonia ochromixtana* (Kennel,1913)** (Tortricidae) Synonym(s): *ochromixtana* Kennel,1913 Original Reference: *Euxanthia ochromixtana* Kennel,1913, *Zoologica* 21: 325, Taf.14 fig.31. Type ♂: [Türkei]: Konia, Anatolia (BMNH). Range (in code): **TR**
- 91567. *Procoronis swinhoeiana* (Walsingham,1890)** (Tortricidae) Synonym(s): *swinhoeiana* Walsingham,1890; *rhothias* Meyrick,1911 Original Reference: *Grapholitha swinhoeiana* Walsingham,1890, [in] Swinhoe, Trans. ent. Soc. London 1890: 294, pl.8 fig.19. Type: Burma. Range (in code): **TH Knc Tpp IN MM MY ID Clb Mlc Crm PG SB FJ NH NC**
- 91568. *Procricea Diakonoff,1960*** (Tortricidae) Synonym(s): *Procricea Diakonoff,1960* Range (in code):
- 91569. *Procricea agrapha* Diakonoff,1983** (Tortricidae) Synonym(s): *agrapha* Diakonoff,1983 Range (in code): **KM**
- 91570. *Procricea camerunica* Razowski,2002** (Tortricidae) Synonym(s): *camerunica* Razowski,2002 Range (in code): **CM**
- 91571. *Procricea diarda* Diakonoff,1983** (Tortricidae) Synonym(s): *diarda* Diakonoff,1983 Range (in code): **KM**
- 91572. *Procricea dinshona* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *dinshona* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 91573. *Procricea imitans* (Diakonoff,1947)** (Tortricidae) Synonym(s): *imitans* Diakonoff,1947 Range (in code): **MG**
- 91574. *Procricea intrepida* (Meyrick,1912)** (Tortricidae) Synonym(s): *intrepida* Meyrick,1912; *obscura* Diakonoff,1960 Range (in code): **KM MG**
- 91575. *Procricea ochrata* Razowski,2002** (Tortricidae) Synonym(s): *ochrata* Razowski,2002 Range (in code): **CM**
- 91576. *Procricea ophiograptia* (Meyrick,1932)** (Tortricidae) Synonym(s): *ophiograptia* Meyrick,1932 Original Reference: *Tortrix ophiograptia* Meyrick,1932, Trans. R. ent. Soc. London 80(1): 110. Type ♂: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET ET70 ET88 Sw Ble**
- 91577. *Procricea parisii* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *parisii* Razowski & Trematerra,2010 Range (in code): **ET Ble**
- 91578. *Procricea parva* Razowski,2002** (Tortricidae) Synonym(s): *parva* Razowski,2002 Range (in code): **KE**
- 91579. *Procricea sanidota* (Meyrick,1912)** (Tortricidae) Synonym(s): *sanidota* Meyrick,1912 Range (in code): **KM**
- 91580. *Procricea semilutea* Diakonoff,1960** (Tortricidae) Synonym(s): *semilutea* Diakonoff,1960 Range (in code): **MG**
- 91581. *Proeulia aethalea* Obraztsov,1964** (Tortricidae) Synonym(s): *aethalea* Obraztsov,1964 Range (in code): **CL**
- 91582. *Proeulia apospasta* Obraztsov,1964** (Tortricidae) Synonym(s): *apospasta* Obraztsov,1964 Range (in code): **CL**
- 91583. *Proeulia approximata* (Butler,1883)** (Tortricidae) Synonym(s): *approximata* Butler,1883 Range (in code): **CL**
- 91584. *Proeulia auraria* (Clarke,1949)** (Tortricidae) Synonym(s): *auraria* Clarke,1949 Range (in code): **CL**
- 91585. *Proeulia boliviae* Razowski,1988** (Tortricidae) Synonym(s): *boliviae* Razowski,1988 Range (in code): **BO**
- 91586. *Proeulia chrysopteris* (Butler,1883)** (Tortricidae) Synonym(s): *chrysopteris* Butler,1883 Range (in code): **CL**
- 91587. *Proeulia clenchi* Clarke,1980** (Tortricidae) Synonym(s): *clenchi* Clarke,1980 Range (in code): **CL**
- 91588. *Proeulia cneca* Obraztsov,1964** (Tortricidae) Synonym(s): *cneca* Obraztsov,1964 Range (in code): **CL**
- 91589. *Proeulia dives* (Butler,1883)** (Tortricidae) Synonym(s): *dives* Butler,1883 Range (in code): **CL**
- 91590. *Proeulia exusta* (Butler,1883)** (Tortricidae) Synonym(s): *exusta* Butler,1883 Range (in code): **CL**
- 91591. *Proeulia fulvaria* (Blanchard,1852)** (Tortricidae) Synonym(s): *fulvaria* Blanchard,1852 Range (in code): **CL**

- 91592. *Proeulia griseiceps* (Aurivillius,1922)** (Tortricidae) Synonym(s): *griseiceps* Aurivillius,1922; *striolana* Aurivillius,1922 Range (in code): CL
- 91593. *Proeulia inconspicua* Obraztsov,1964** (Tortricidae) Synonym(s): *inconspicua* Obraztsov,1964 Range (in code): CL
- 91594. *Proeulia kuscheli* Clarke,1980** (Tortricidae) Synonym(s): *kuscheli* Clarke,1980 Range (in code): CL
- 91595. *Proeulia leonina* (Butler,1883)** (Tortricidae) Synonym(s): *leonina* Butler,1883 Range (in code): CL
- 91596. *Proeulia montana* (Bartlett-Calvert,1893)** (Tortricidae) Synonym(s): *montana* Bartlett-Calvert,1893 Range (in code): CL
- 91597. *Proeulia robinsoni* (Aurivillius,1922)** (Tortricidae) Synonym(s): *robinsoni* Aurivillius,1922 Range (in code): CL
- 91598. *Proeulia tenontias* (Meyrick,1912)** (Tortricidae) Synonym(s): *tenontias* Meyrick,1912 Range (in code): CL
- 91599. *Proeulia triquetra* Obraztsov,1964** (Tortricidae) Synonym(s): *triquetra* Obraztsov,1964 Range (in code): CL
- 91600. *Prohysterophora chionopa* (Meyrick,1891)** (Tortricidae) Synonym(s): *chionopa* Meyrick,1891; *neftana* Lucas,1943 Range (in code): DZ Bsk TN Bionomy: Larva on *Traganum* (Chrétien,1917).
- 91601. *Propiromorpha rhodophana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *rhodophana* Herrich-Schäffer,[1851] Range (in code): ES FR Co IT AT YU AL BG MK GR TR RU Vv MD UA BY CN MN Bionomy: Larva on *Clematis integrifolia* (Ranunculaceae) (Razowski,2001).
- 91602. *Proschistis atricapsis* (Meyrick,1930)** (Tortricidae) Synonym(s): *atricapsis* Meyrick,1930 Range (in code): NG
- 91603. *Proschistis inflicta* (Meyrick,1920)** (Tortricidae) Synonym(s): *inflicta* Meyrick,1920 Range (in code): IN Mh Bba
- 91604. *Proschistis invida* Meyrick,1909** (Tortricidae) Synonym(s): *invida* Meyrick,1909 Range (in code): IN Meg Ass Khs
- 91605. *Proschistis marmoropa* (Meyrick,1907)** (Tortricidae) Synonym(s): *marmoropa* Meyrick,1907 Original Reference: *Sporocelis marmoropa* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 732. Lectotype ♂: Ceylon, Maskeliya, designated by Clarke (1958: 591) (BMNH). Range (in code): LK Mky TH Nna Kao
- 91606. *Proschistis sideroxyla* (Meyrick,1931)** (Tortricidae) Synonym(s): *sideroxyla* Meyrick,1931 Range (in code): TW
- 91607. *Proschistis zaleuta* Meyrick,1907** (Tortricidae) Synonym(s): *zaleuta* Meyrick,1907 Original Reference: *Proschistis zaleuta* Meyrick,1907, J. Bombay nat. Hist. Soc. 17: 731. Lectotype ♂: Ceylon, Maskeliya, designated by Clarke (1958: 576) (BMNH). Range (in code): LK Mky
- 91608. *Protancylis amseli* Diakonoff,[1984]** (Tortricidae) Synonym(s): *amseli* Diakonoff,[1984] Range (in code): SA As
- 91609. *Protancylis bisecta* Razowski,2002** (Tortricidae) Synonym(s): *bisecta* Razowski,2002 Range (in code): CM
- 91610. *Protarchella nivis* (Diakonoff,1941)** (Tortricidae) Synonym(s): *nivis* Diakonoff,1941 Range (in code): TH MY ID Ja Sum Bor Klt BN Sbh Swk VN Ton Tda
- 91611. *Proteoteras implicata* Heinrich,1924** (Tortricidae) Synonym(s): *implicata* Heinrich,1924 Range (in code): US FI
- 91612. *Protobactra diachorda* (Meyrick,1932)** (Tortricidae) Synonym(s): *diachorda* Meyrick,1932 Range (in code): BR
- 91613. *Protopterna chalybias* Meyrick,1908** (Tortricidae) Synonym(s): *chalybias* Meyrick,1908 Range (in code): IN Ass Khs Meg
- 91614. *Protopterna citrophanes* Meyrick,1921** (Tortricidae) Synonym(s): *citrophanes* Meyrick,1921 Range (in code): ID Ja
- 91615. *Protopterna eremia* Yashuda & Razowski,1991** (Tortricidae) Synonym(s): *eremia* Yashuda & Razowski,1991 Range (in code): JP
- 91616. *Psecmatica pachnostola* Meyrick,1930** (Tortricidae) Synonym(s): *pachnostola* Meyrick,1930 Range (in code): FJ

- 91617. *Pseudacroclita hapalaspis* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *hapalaspis* Meyrick,1931 **Range (in code):** **JP TH CMa Dst Phu Nna Kao** **Bionomy:** Larva on *Rubus siiboldii*, *R. buergeri* (Rosaceae) (Kawabe,1989).
- 91618. *Pseudacroclita luteispecula* (Kuznetsov,1979)** (Tortricidae) **Synonym(s):** *luteispecula* Kuznetsov,1979 **Range (in code):** **RU Us**
- 91619. *Pseudamelia rogana* Guenée,1845** (Tortricidae) **Synonym(s):** *rogana* Guenée,1845 **Range (in code):** **TR**
- 91620. *Pseudargyrotoza conwagana* (Fabricius,1775)** (Tortricidae) **Synonym(s):** *montana* Scopoli,1763; *conwagana* Fabricius,1775; *hofmannseggana* Hübner,[1799]; *spixiana* Frölich,1828; *subaurantiana* Stephens,1834; *graphitana* Eversmann,1844; *#conwajana* Staudinger,1879. **Original Reference:** *Pyralis conwagana* Fabricius,1775; Syst. Ent.: 653. Type(s): Anglia. **Range (in code):** **PT ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Us CN JP** **Bionomy:** Larva on *Ligustrum*, *Syringa*, *Fraxinus* (Oleaceae), *Berberis* (Berberidaceae) (Razowski,2001).
- 91621. *Pseudargyrotoza leucophracta* (Meyrick,1937)** (Tortricidae) **Synonym(s):** *leucophracta* Meyrick,1937 **Range (in code):** **CN Yu**
- 91622. *Pseudatteria analoga* (Obratzov,1966)** (Tortricidae) **Synonym(s):** *analoga* Obratzov,1966 **Range (in code):** **BO**
- 91623. *Pseudatteria ardoris* (Obratzov,1966)** (Tortricidae) **Synonym(s):** *ardoris* Obratzov,1966 **Range (in code):** **PE**
- 91624. *Pseudatteria bradleyi* (Obratzov,1966)** (Tortricidae) **Synonym(s):** *bradleyi* Obratzov,1966 **Range (in code):** **BO**
- 91625. *Pseudatteria buckleyi* (Druce,1901)** (Tortricidae) **Synonym(s):** *buckleyi* Druce,1901; *purpurea* Dognin,1904 **Range (in code):** **EC**
- 91626. *Pseudatteria cantharopa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *cantharopa* Meyrick,1909 **Range (in code):** **BO PE**
- 91627. *Pseudatteria cantharopa cantharopa* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *cantharopa* Meyrick,1909 **Range (in code):** **BO**
- 91628. *Pseudatteria cantharopa pulchra* (Obratzov,1966)** (Tortricidae) **Synonym(s):** *pulchra* Obratzov,1966 **Range (in code):** **PE**
- 91629. *Pseudatteria chrysanthema* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *chrysanthema* Meyrick,1912 **Range (in code):** **CO**
- 91630. *Pseudatteria cladodes* Walsingham,1914** (Tortricidae) **Synonym(s):** *cladodes* Walsingham,1914 **Range (in code):** **CR**
- 91631. *Pseudatteria dictyanthes* Meyrick,1936** (Tortricidae) **Synonym(s):** *dictyanthes* Meyrick,1936 **Range (in code):** **EC**
- 91632. *Pseudatteria dognini* Obratzov,1966** (Tortricidae) **Synonym(s):** *dognini* Obratzov,1966 **Range (in code):** **EC**
- 91633. *Pseudatteria fumipennis* (Dognin,1904)** (Tortricidae) **Synonym(s):** *fumipennis* Dognin,1904 **Range (in code):** **CO**
- 91634. *Pseudatteria heliocausta* (Dognin,1912)** (Tortricidae) **Synonym(s):** *heliocausta* Dognin,1912; *fornicata* Meyrick,1917; *baccheutis* Meyrick,1924; *metacapna* Meyrick,1924 **Range (in code):** **CO CR**
- 91635. *Pseudatteria igniflora* Meyrick,1930** (Tortricidae) **Synonym(s):** *igniflora* Meyrick,1930 **Range (in code):** **BO**
- 91636. *Pseudatteria leopardina* (Butler,1872)** (Tortricidae) **Synonym(s):** *leopardina* Butler,1872 **Range (in code):** **CO**
- 91637. *Pseudatteria maenas* Meyrick,1924** (Tortricidae) **Synonym(s):** *maenas* Meyrick,1924 **Range (in code):** **PA**
- 91638. *Pseudatteria marmarantha* Meyrick,1924** (Tortricidae) **Synonym(s):** *marmarantha* Meyrick,1924 **Range (in code):** **CO**
- 91639. *Pseudatteria myriocosma* Meyrick,1930** (Tortricidae) **Synonym(s):** *myriocosma* Meyrick,1930 **Range (in code):** **BO**
- 91640. *Pseudatteria pantherina* (C.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *pantherina* C.Felder & Rogenhofer,1875 **Range (in code):** **CO**
- 91641. *Pseudatteria pseudomaenas* (Obratzov,1966)** (Tortricidae) **Synonym(s):** *pseudomaenas* Obratzov,1966 **Range (in code):** **CR**

- 91642. *Pseudatteria shafferi* (Obraztsov,1966)** (Tortricidae) **Synonym(s):** *shafferi* Obraztsov,1966 **Range (in code):** **CO**
- 91643. *Pseudatteria splendens* (Druce,1901)** (Tortricidae) **Synonym(s):** *splendens* Druce,1901; *flabellata* Meyrick,1912 **Range (in code):** **EC**
- 91644. *Pseudatteria symplacota* Meyrick,1930** (Tortricidae) **Synonym(s):** *symplacota* Meyrick,1930; *anemonantha* Meyrick,1932 **Range (in code):** **EC PE**
- 91645. *Pseudatteria tremewani* (Obraztsov,1966)** (Tortricidae) **Synonym(s):** *tremewani* Obraztsov,1966 **Range (in code):** **PE**
- 91646. *Pseudatteria unciana* (Dognin,1904)** (Tortricidae) **Synonym(s):** *unciana* Dognin,1904 **Range (in code):** **EC**
- 91647. *Pseudatteria volcanica* (Butler,1872)** (Tortricidae) **Synonym(s):** *volcanica* Butler,1872; *mimica* C.Felder & Rogenhofer,1875 **Range (in code):** **CO PA MX Vcr**
- 91648. *Pseudatteria volcanica rivularis* (Butler,1875)** (Tortricidae) **Synonym(s):** *rivularis* Butler,1875; *potamites* Walsingham,1913; *geminipuncta* Walsingham,1914 **Range (in code):** **PA MX Vcr**
- 91649. *Pseudatteria volcanica volcanica* (Butler,1872)** (Tortricidae) **Synonym(s):** *volcanica* Butler,1872; *mimica* C.Felder & Rogenhofer,1875 **Range (in code):** **CO**
- 91650. *Pseudeboda africana* Razowski,1964** (Tortricidae) **Synonym(s):** *africana* Razowski,1964 **Original Reference:** *Pseudeboda africana* Razowski,1964, Acta zool. cracov. 9(5): 381-382, figs.35-37. Holotype ♂: [South Africa]: Port S.John, Pondoland. **Range (in code):** **ZA Stj Tra**
- 91651. *Pseudeulia asinana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *asinana* Hübner,[1799] **Range (in code):** **IT AT SK HU RO YU BG TR RU MD UA BY IQ Shq Cc GG CN JP** **Bionomy:** Larva on *Laurus nobilis* (Lauraceae), *Pyrus* (Rosaceae) (Razowski,2001).
- 91652. *Pseudexentera habrosana* (Heinrich,1923)** (Tortricidae) **Synonym(s):** *habrosana* Heinrich,1923 **Range (in code):** **US Cf**
- 91653. *Pseudexentera oreios* W.Miller,1987** (Tortricidae) **Synonym(s):** *oreios* W.Miller,1987 **Range (in code):** **US Arz**
- 91654. *Pseudococcyx mughiana* (Zeller,1868)** (Tortricidae) **Synonym(s):** *mughiana* Zeller,1868 **Range (in code):** **IT DE AT PL CZ SK RO RU MD UA**
- 91655. *Pseudococcyx posticana* (Zetterstedt,1839)** (Tortricidae) **Synonym(s):** *posticana* Zetterstedt,1839; *fulvimitrana* Heinemann,1863 **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK RO BG DK NO SE FI EE LV LT RU MD UA BY**
- 91656. *Pseudococcyx tessulatana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *tessulatana* Staudinger,1871 **Original Reference:** *Retinia tessulatana* Staudinger,1871, Berl. ent. Z. 14 (1870): 280. Type: Spain. **Range (in code):** **DZ PT ES FR Sa Si IT MT CH YU AL BG TR GR RU MD UA BY** **Bionomy:** Larva on cones of *Cupressus* (Cupressaceae) (Swatschek,1958).
- 91657. *Pseudococcyx turionella* (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *turionella* Linnaeus,1758; *turionana* Haworth,1811 **Range (in code):** **FR IT GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU Sb MD UA BY CN KP KR JP**
- 91658. *Pseudocomotis agatharcha* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *agatharcha* Meyrick,1926 **Range (in code):** **CO**
- 91659. *Pseudocomotis albolineana* J.Brown,1990** (Tortricidae) **Synonym(s):** *albolineana* J.Brown,1990 **Range (in code):** **EC**
- 91660. *Pseudocomotis citroleuca* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *citroleuca* Meyrick,1912 **Range (in code):** **CO**
- 91661. *Pseudocomotis scardiana* (Dognin,1905)** (Tortricidae) **Synonym(s):** *scardiana* Dognin,1905 **Range (in code):** **EC**
- 91662. *Pseudocomotis serendipita* J.Brown,1990** (Tortricidae) **Synonym(s):** *serendipita* J.Brown,1990 **Range (in code):** **EC**
- 91663. *Pseudocroesia coronaria* Razowski,1966** (Tortricidae) **Synonym(s):** *coronaria* Razowski,1966 **Range (in code):** **CN She**
- 91664. *Pseudohedya cincta* Falkovitsh,1962** (Tortricidae) **Synonym(s):** *cincta* Falkovitsh,1962 **Range (in code):** **RU Us Vv**
- 91665. *Pseudohedya gradana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *gradana* Christoph,1881 **Range (in code):** **JP RU Us**
- 91666. *Pseudohermenias abietana* (Fabricius,1787)** (Tortricidae) **Synonym(s):** *abietana* Fabricius,1787 **Original Reference:** *Pyralis abietana* Fabricius,1787, Mantissa Insectorum 2: 237. Type: Suecia, on *Abietis*. **Range (in code):** **FR Sa IT BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**

- 91667. *Pseudomeritastis clarkei* Obratzov,1966** (Tortricidae) Synonym(s): *clarkei* Obratzov,1966 Range (in code): CO
- 91668. *Pseudomeritastis cordigera* (Walsingham,1914)** (Tortricidae) Synonym(s): *cordigera* Walsingham,1914 Range (in code): PA
- 91669. *Pseudomeritastis decora* Obratzov,1966** (Tortricidae) Synonym(s): *decora* Obratzov,1966 Range (in code): CO
- 91670. *Pseudomeritastis distincta* Obratzov,1966** (Tortricidae) Synonym(s): *distincta* Obratzov,1966 Range (in code): CR
- 91671. *Pseudomeritastis heliadelpha* (Meyrick,1932)** (Tortricidae) Synonym(s): *heliadelpha* Meyrick,1932 Range (in code): BO
- 91672. *Pseudomeritastis orphnoxantha* Obratzov,1966** (Tortricidae) Synonym(s): *orphnoxantha* Obratzov,1966 Range (in code): CR
- 91673. *Pseudomeritastis voluta* (Meyrick,1912)** (Tortricidae) Synonym(s): *voluta* Meyrick,1912 Range (in code): CO
- 91674. *Pseudophiaris sappadana* (Della Beffa,1937)** (Tortricidae) Synonym(s): *sappadana* Della Beffa,1937 Range (in code): IT AT
- 91675. *Pseudosciaphila branderiana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *branderiana* Linnaeus,1758; *fuscana* Linnaeus,1758; *wahlbomiana* Linnaeus,1758; *asinana* Clerck,1759; *grossana* Thunberg,1791; *achariana* Thunberg,1797; *maurana* Hübner,[1799]; *sajana* Caradja,1938 Original Reference: *Phalaena branderiana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 531. Type(s): Europa. Range (in code): DZ Eba FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO BG TR IL Pa Hf DK NO SE FI EE LV LT RU MD UA BY Cc GG JP Bionomy: Larva on *Populus tremula* (Razowski,1983).
- 91676. *Pseudosciaphila rhactistis* Diakonoff,1973** (Tortricidae) Synonym(s): *rhactistis* Diakonoff,1973 Range (in code): IN Bionomy: Larva on *Tasticia gandarussa* (Diakonoff,1973).
- 91677. *Psiathovalva spinacea* Razowski,1994** (Tortricidae) Synonym(s): *spinacea* Razowski,1994 Range (in code): VE
- 91678. *Ptoseulia oxyropa* Razowski,1990** (Tortricidae) Synonym(s): *oxyropa* Razowski,1990 Range (in code): CR
- 91679. *Ptoseulia ozonia* Razowski,1990** (Tortricidae) Synonym(s): *ozonia* Razowski,1990 Range (in code): BO
- 91680. *Ptycholoma erschoffi* (Christoph,1877)** (Tortricidae) Synonym(s): *erschoffi* Christoph,1877 Range (in code): RU IR Elb Gl TM
- 91681. *Ptycholoma lecheana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *lecheana* Linnaeus,1758; *obsoletana* Stephens,1834 Range (in code): PT ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY Cc GG KG Bionomy: Larva on *Quercus* (Fagaceae), *Acer* (Aceraceae), *Populus* (Salicaceae), *Abies*, *Larix* (Pinaceae) (Razowski,2001).
- 91682. *Ptychalomoides aeriferanus* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): *aeriferana* Herrich-Schäffer,1851 Range (in code): ES IT GB BE NL LU DE CH AT PL CZ SK HU BG GR DK NO SE EE LV LT RU MD UA BY JP Bionomy: Larva on *Larix* (Pinaceae) (Razowski,2001).
- 91683. *Ptyognathosia oxybela* Razowski,1988** (Tortricidae) Synonym(s): *oxybela* Razowski,1988 Range (in code): CO
- 91684. *Punctapinella braziliana* J.Brown,1991** (Tortricidae) Synonym(s): *braziliana* J.Brown,1991 Range (in code): BR Sct
- 91685. *Punctapinella chionocarpa* (Meyrick,1932)** (Tortricidae) Synonym(s): *chionocarpa* Meyrick,1932 Range (in code): CO
- 91686. *Punctapinella conchitis* (Meyrick,1912)** (Tortricidae) Synonym(s): *conchitis* Meyrick,1912 Range (in code): CO
- 91687. *Punctapinella niphastra* (Meyrick,1931)** (Tortricidae) Synonym(s): *niphastra* Meyrick,1931 Range (in code): BR EsS
- 91688. *Punctapinella scleroductus* J.Brown,1991** (Tortricidae) Synonym(s): *scleroductus* J.Brown,1991 Range (in code): BR Rja
- 91689. *Punctapinella theta* J.Brown,1991** (Tortricidae) Synonym(s): *theta* J.Brown,1991 Range (in code): VE
- 91690. *Pysarcha hypsicrates* Meyrick,1932** (Tortricidae) Synonym(s): *hypsicrates* Meyrick,1932 Range (in code): IN Ch Gl

- 91691. Quasieulia endela (Walsingham,1914)** (Tortricidae) **Synonym(s):** *endela* Walsingham,1914 **Range (in code):** **GT**
- 91692. Quasieulia hirsutipalpis (Walsingham,1914)** (Tortricidae) **Synonym(s):** *hirsutipalpis* Walsingham,1914 **Range (in code):** **GT**
- 91693. Quasieulia mcguffini Powell,1986** (Tortricidae) **Synonym(s):** *mcguffini* Powell,1986 **Range (in code):** **MX Dgo**
- 91694. Razowskina eurydice (Butler,1883)** (Tortricidae) **Synonym(s):** *eurydice* Butler,1883 **Range (in code):** **CL**
- 91695. Razowskina fortunearia (Razowski,1991)** (Tortricidae) **Synonym(s):** *fortunearia* Razowski,1991 **Range (in code):** **BR**
- 91696. Razowskina glochina (Razowski & Becker,1991)** (Tortricidae) **Synonym(s):** *glochina* Razowski & Becker,1991 **Range (in code):** **BR**
- 91697. Razowskina glomerula (Razowski & Becker,1991)** (Tortricidae) **Synonym(s):** *glomerula* Razowski & Becker,1991 **Range (in code):** **BR**
- 91698. Razowskina psychotria (Razowski & Becker,1991)** (Tortricidae) **Synonym(s):** *psychotria* Razowski & Becker,1991 **Range (in code):** **BR**
- 91699. Razowskina psydra (Razowski & Becker,1991)** (Tortricidae) **Synonym(s):** *psydra* Razowski & Becker,1991 **Range (in code):** **BR Set**
- 91700. Razowskina ptilota (Razowski & Becker,1991)** (Tortricidae) **Synonym(s):** *ptilota* Razowski & Becker,1991 **Range (in code):** **BR**
- 91701. Razowskina senilis (Razowski,1987)** (Tortricidae) **Synonym(s):** *senilis* Razowski,1987 **Range (in code):** **BO**
- 91702. Rebinea erebina (Butler,1883)** (Tortricidae) **Synonym(s):** *erebina* Butler,1883; *balsamodes* Meyrick,1931 **Range (in code):** **CL AR**
- 91703. Reptilisocia paraxena Diakonoff,1983** (Tortricidae) **Synonym(s):** *paraxena* Diakonoff,1983 **Range (in code):** **ID Sum**
- 91704. Reptilisocia paryphaea (Meyrick,1907)** (Tortricidae) **Synonym(s):** *paryphaea* Meyrick,1907 **Range (in code):** **IN Ass Meg Khs**
- 91705. Retinia albicapitana (Busck,1914)** (Tortricidae) **Synonym(s):** *albicapitana* Busck,1914; *albicapitana* McGuffin,1967 **Range (in code):** **CA MX Dgo CA Ssk**
- 91706. Retinia arizonensis (Heinrich,1920)** (Tortricidae) **Synonym(s):** *arizonensis* Heinrich,1920 **Range (in code):** **US Arz**
- 91707. Retinia coeruleostriana (Caradja,1939)** (Tortricidae) **Synonym(s):** *coeruleostriana* Caradja,1939; *gemmeata* Kuznetsov,1970; *splendida* Oku & Satoh,1971 **Range (in code):** **RU Us CN JP Hdo**
- 91708. Retinia cristata (Walsingham,1900)** (Tortricidae) **Synonym(s):** *cristata* Walsingham,1900; *insignis* Heinrich,1928 **Range (in code):** **JP Hdo TH CMa Int CN** **Bionomy:** Larva on *Pinus desiflora*, *P. thunbergi* (Pinaceae) (Kawabe,1989).
- 91709. Retinia edemoidana (Dyar,1903)** (Tortricidae) **Synonym(s):** *edemoidana* Dyar,1903 **Range (in code):** **US Arz**
- 91710. Retinia immanitana (Kuznetsov,1969)** (Tortricidae) **Synonym(s):** *immanitana* Kuznetsov,1969 **Range (in code):** **RU Us**
- 91711. Retinia impropria (Meyrick,1932)** (Tortricidae) **Synonym(s):** *perangustana* Snellen,1883 (*praeocc.*); *impropria* Meyrick,1932; *zonovae* Florow,1951 **Range (in code):** **FR CH PL SK SE RU Am Sb**
- 91712. Retinia jezoensis Nasu,1991** (Tortricidae) **Synonym(s):** *jezoensis* Nasu,1991 **Range (in code):** **JP Hkk**
- 91713. Retinia khasiensis (Miller,1977)** (Tortricidae) **Synonym(s):** *khasiensis* Miller,1977 **Range (in code):** **IN Meg Ass Khs Slo**
- 91714. Retinia lemniscata (Kuznetsov,1973)** (Tortricidae) **Synonym(s):** *lemniscata* Kuznetsov,1973 **Range (in code):** **RU Us**
- 91715. Retinia monopunctata (Oku,1968)** (Tortricidae) **Synonym(s):** *monopunctata* Oku,1968; *pini* Kuznetsov,1969 **Range (in code):** **JP Hkk RU Us**
- 91716. Retinia pseudotsugaicola Liu & Wu,2001** (Tortricidae) **Synonym(s):** *pseudotsugaicola* Liu & Wu,2001 **Range (in code):** **CN Yu**
- 91717. Retinia resinella (Linnaeus,1758)** (Tortricidae) **Synonym(s):** *resinella* Linnaeus,1758; *resinana* Fabricius,1775; *resinea* Haworth,[1811]. **Range (in code):** **PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU Sb Prj Us MD UA BY**

- 91718. *Retinia salweenensis* (Miller,1977)** (Tortricidae) Synonym(s): *salweenensis* Miller,1977
Original Reference: Petrova *salweenensis* Miller,1977, J. lepid. Soc. 31: 136. Holotype ♂: Thailand: Baw Luang, 20 March 1972, leg.D.Chaiglom (NMNH). Range (in code): TH Nan
- 91719. *Retinia scalaris* (Diakonoff,[1968])** (Tortricidae) Synonym(s): *#scalaris* Diakonoff,[1968]
Original Reference: Petrova *scalaris* Diakonoff,[1968], Bull. U.S.nat. Mus. 257: 86-87, figs. Holotype ♀: Philippines: Luzon [proposed conditionally, unavailable name!]. Range (in code): PH Luz
- 91720. *Retinia teleopa* (Meyrick,1927)** (Tortricidae) Synonym(s): *teleopa* Meyrick,1927 Range (in code): CN
- 91721. *Revertuncaria spathula* Razowski,1986** (Tortricidae) Synonym(s): *spathula* Razowski,1986 Range (in code): MX Snr
- 91722. *Rhctogonia ancilota* (Meyrick,1907)** (Tortricidae) Synonym(s): *ancilota* Meyrick,1907
Range (in code): TH IN LK Kndy Mky MM
- 91723. *Rhodacra parvusa* Kawabe,1995** (Tortricidae) Synonym(s): *parvusa* Kawabe,1995
Original Reference: *Rhodacra parvusa* Kawabe,1995, Microlepid. Thailand 3: 51. Range (in code): TH Loe
- 91724. *Rhodacra pyrrhocrossa* (Meyrick,1912)** (Tortricidae) Synonym(s): *pyrrhocrossa* Meyrick,1912 Range (in code): IN Meg Ass Khs TH Nna Kao Knc Tpp TW JP
- 91725. *Rhodacra rupifera* (Meyrick,1909)** (Tortricidae) Synonym(s): *rupifera* Meyrick,1909
Range (in code): IN Meg Ass Khs
- 91726. *Rhodocosmaria occidentalis* Diakonoff,1973** (Tortricidae) Synonym(s): *occidentalis* Diakonoff,1973 Range (in code): MY Klu
- 91727. *Rhopaltriplasia anamilleta* Diakonoff,1973** (Tortricidae) Synonym(s): *anamilleta* Diakonoff,1973 Range (in code): PG TH Loe Nna Kao
- 91728. *Rhopaltriplasia insignata* Kuznetsov,1977** (Tortricidae) Synonym(s): *insignata* Kuznetsov,1977 Range (in code): VN Ann
- 91729. *Rhopaltriplasia macrorhis* Diakonoff,1983** (Tortricidae) Synonym(s): *macrorhis* Diakonoff,1983 Range (in code): ID Sum
- 91730. *Rhopaltriplasia trimelaena* (Meyrick,1922)** (Tortricidae) Synonym(s): *trimelaena* Meyrick,1922 Range (in code): MM
- 91731. *Rhopobota amphigonia* (Diakonoff,[1968])** (Tortricidae) Synonym(s): *amphigonia* Diakonoff,[1968] Range (in code): PH Luz
- 91732. *Rhopobota ancyloides* Kuznetsov,1988** (Tortricidae) Synonym(s): *ancyloides* Kuznetsov,1988 Range (in code): VN Ton
- 91733. *Rhopobota antecellana* Kuznetsov,1988** (Tortricidae) Synonym(s): *antecellana* Kuznetsov,1988 Range (in code): VN Ton TH Knc Tpp
- 91734. *Rhopobota antrifera* (Meyrick,1935)** (Tortricidae) Synonym(s): *antrifera* Meyrick,1935
Range (in code): CN
- 91735. *Rhopobota argyrophenga* (Diakonoff,1950)** (Tortricidae) Synonym(s): *argyrophenga* Diakonoff,1950 Range (in code): IN Ass Meg Khs
- 91736. *Rhopobota bicolor* Kawabe,1989** (Tortricidae) Synonym(s): *bicolor* Kawabe,1989
Original Reference: *Rhopobota bicolor* Kawabe,1989, Microlepid. Thailand 2: 62. Holotype: Thailand: Chiang Mai, Doi Inthanon NP (UOP). Range (in code): TH CMa Int Loe Nna Kao TW JP CN Hun Sz
- 91737. *Rhopobota blanditana* Kuznetsov,1988** (Tortricidae) Synonym(s): *blanditana* Kuznetsov,1988 Range (in code): VN
- 91738. *Rhopobota bostrichus* Diakonoff,1983** (Tortricidae) Synonym(s): *bostrichus* Diakonoff,1983 Range (in code): ID Sum
- 91739. *Rhopobota chlorantha* (Meyrick,1907)** (Tortricidae) Synonym(s): *chlorantha* Meyrick,1907 Range (in code): LK Mky
- 91740. *Rhopobota cicatrix* Razowski,1999** (Tortricidae) Synonym(s): *cicatrix* Razowski,1999
Range (in code): DO
- 91741. *Rhopobota clivosa* (Meyrick,1912)** (Tortricidae) Synonym(s): *clivosa* Meyrick,1912
Range (in code): IN Ass Meg Khs
- 91742. *Rhopobota cornuta* Razowski,1995** (Tortricidae) Synonym(s): *cornuta* Razowski,1995
Original Reference: *Rhopobota cornuta* Razowski,1995, Shilap Revta lepid. 23(90): 132-133, fig.

- Holotype ♀: Saudi Arabia: Makkah, Bani Omar, 1730m 22-24.viii.1985 leg. & coll. W. Büttiker
Range (in code): SA SA50 Hj
- 91743. *Rhopobota dietziana* (Kearfott, 1907)** (Tortricidae) Synonym(s): *dietziana* Kearfott, 1907
Range (in code): US
- 91744. *Rhopobota eclipticodes* (Meyrick, 1935)** (Tortricidae) Synonym(s): *eclipticodes* Meyrick, 1935 Range (in code): CN
- 91745. *Rhopobota falcata* Nasu, 1999** (Tortricidae) Synonym(s): *falcata* Nasu, 1999 Range (in code): JP Hkk
- 91746. *Rhopobota falcigera* (Diakonoff, 1950)** (Tortricidae) Synonym(s): *falcigera* Diakonoff, 1950 Range (in code): LK
- 91747. *Rhopobota finitimana* (Heinrich, 1923)** (Tortricidae) Synonym(s): *finitimana* Heinrich, 1923 Range (in code): US
- 91748. *Rhopobota grypodes* (Meyrick, 1912)** (Tortricidae) Synonym(s): *grypodes* Meyrick, 1912; *vulturina* Meyrick, 1936 Range (in code): LK Mky IN Hp Ddu Up ID Ja Ged
- 91749. *Rhopobota hypomelas* Diakonoff, 1983** (Tortricidae) Synonym(s): *hypomelas* Diakonoff, 1983 Range (in code): ID Sum
- 91750. *Rhopobota kaempferiana* (Oku, 1971)** (Tortricidae) Synonym(s): *kaempferiana* Oku, 1971 Range (in code): JP
- 91751. *Rhopobota leucognoma* (Clarke, 1976)** (Tortricidae) Synonym(s): *leucognoma* Clarke, 1976 Range (in code): MP
- 91752. *Rhopobota macroceria* Razowski, 1999** (Tortricidae) Synonym(s): *macroceria* Razowski, 1999 Range (in code): DO
- 91753. *Rhopobota macrosepalana* (Oku, 1971)** (Tortricidae) Synonym(s): *macrosepalana* Oku, 1971 Range (in code): JP
- 91754. *Rhopobota metastena* Diakonoff, 1984** (Tortricidae) Synonym(s): *metastena* Diakonoff, 1984 Range (in code): ID Sba
- 91755. *Rhopobota microceria* Razowski, 1999** (Tortricidae) Synonym(s): *microceria* Razowski, 1999 Range (in code): DO
- 91756. *Rhopobota microrrhyncha* (Meyrick, 1931)** (Tortricidae) Synonym(s): *microrrhyncha* Meyrick, 1931 Range (in code): IN Hp
- 91757. *Rhopobota multiplex* (Meyrick, 1911)** (Tortricidae) Synonym(s): *multiplex* Meyrick, 1911 Range (in code): LK
- 91758. *Rhopobota myrtillana* (Humphreys & Westwood, 1845)** (Tortricidae) Synonym(s): *myrtillana* Humphreys & Westwood, 1845; *vacciniana* Lienig & Zeller, 1846; *latifasciana* Peyerimhoff, 1863. Range (in code): FR IT IE GB BE NL LU DE CH AT PL CZ SK HU YU TR DK NO SE FI EE LV LT RU Sb MD UA BY US Bionomy: Larva on *Vaccinium* (Lienig & Zeller, 1846).
- 91759. *Rhopobota naevana* (Hübner, [1817])** (Tortricidae) Synonym(s): *unipunctana* Haworth, 1811 (praeocc.); *naevana* Hübner, [1817]; *geminana* Stephens, 1852; *luctiferana* Walker, 1863; *vacciniana* Packard, 1869 (praeocc.); *ilicifolia* Kearfott, 1907; *microrrhyncha* Meyrick, 1931; *malivorella* Matsumura, 1931 Range (in code): PT ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ Sb Sh KP KR JP CN MN Yu IN Ch Sri LK TH Nna Kao TW US Bionomy: Larva on *Prunus*, *Pyrus*, *Malus*, *Sorbus*, *Crataegus* (Rosaceae), *Ilex* (Aquifoliaceae), *Vaccinium* (Ericaceae) (Kawabe, 1989).
- 91760. *Rhopobota punctiferana* Kuznetsov, 1988** (Tortricidae) Synonym(s): *punctiferana* Kuznetsov, 1988 Range (in code): VN JP
- 91761. *Rhopobota safidana* (Razowski, 1963)** (Tortricidae) Synonym(s): *safidana* Razowski, 1963 Range (in code): IR Fa
- 91762. *Rhopobota scleropa* (Meyrick, 1912)** (Tortricidae) Synonym(s): *scleropa* Meyrick, 1912
Original Reference: *Acroclita scleropa* Meyrick, 1912, J. Bombay nat. Hist. Soc. 21: 857. Syntypes ♂♀: Ceylon, Namunakuli, Makeliya; Lectotype ♂: Namunakuli, selected by Diakonoff (BMNH) [cf. Clarke, 1958: 280 pl. 139 figs.] Range (in code): LK Mky
- 91763. *Rhopobota shikokuensis* (Oku, 1971)** (Tortricidae) Synonym(s): *shikokuensis* Oku, 1971 Range (in code): JP
- 91764. *Rhopobota* sp.1** (Tortricidae) Synonym(s): Range (in code): TH Knc Tpp
- 91765. *Rhopobota* sp.2** (Tortricidae) Synonym(s): Range (in code): TH Knc Tpp
- 91766. *Rhopobota stagnana* ([Denis & Schiffermüller], 1775)** (Tortricidae) Synonym(s): *stagnana* [Denis & Schiffermüller], 1775; *fractifasciana* Haworth, [1811]; *cuphana* Duponchel, 1843; *resupinatana* Kennel, 1901; *berolinensis* Amsel, 1932 Original Reference: *Tortrix stagnana* [Denis &

- Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 131. Type(s): Vienna district. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR DK NO SE FI EE LV LT RU MD UA BY Cc GG Ur Sb
- 91767. *Rhopobota svetlanæ* Kuznetsov,2003** (Tortricidae) Synonym(s): svetlanæ Kuznetsov,2003 Range (in code): VN Ann
- 91768. *Rhopobota symbolias* (Meyrick,1912)** (Tortricidae) Synonym(s): symbolias Meyrick,1912 Range (in code): IN Ass Meg Khs JP TH CMa Int Knc Tpp
- 91769. *Rhopobota toshimai* (Kawabe,1978)** (Tortricidae) Synonym(s): toshimai Kawabe,1978 Range (in code): JP
- 91770. *Rhopobota unidens* Razowski,1999** (Tortricidae) Synonym(s): unidens Razowski,1999 Range (in code): DO
- 91771. *Rhopobota ustomaculana* (Curtis,1831)** (Tortricidae) Synonym(s): ustomaculana Curtis,1831; ilexi Kuznetsov,1967 Range (in code): FR IT GB BE NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY Us
- 91772. *Rhopobota visenda* (Kuznetsov,1973)** (Tortricidae) Synonym(s): visenda Kuznetsov,1973 Range (in code): CN
- 91773. *Rhyacionia aureola* Powell,1978** (Tortricidae) Synonym(s): aureola Powell,1978 Range (in code): MX Sin
- 91774. *Rhyacionia buoliana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): buoliana [Denis & Schiffermüller],1775; herbstella Goeze,1783; thurificana Lederer,1855; #bouoliana Kalchberg,1897 Original Reference: Tortrix buoliana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 128. Type(s): Vienna district. Range (in code): Md MA PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG GR TR CY DK NO SE FI EE LV LT RU Ur MD UA BY LB Bei IL Pa Hf KP KR CN JP US AR Bionomy: Larva on Pinus sylvestris, P.radiata, P.maritima, P.muricata, P.jeffreyi, P.densiflora, P.virgiana, P.brutia, P.nigra, P.pinea, P.halepensis (Seven et al.,2005).
- 91775. *Rhyacionia duplana* (Hübner,[1813])** (Tortricidae) Synonym(s): ? piceella Brahm,1791; duplana Hübner,[1813]; coruscana Frölich,1828 Range (in code): PT ES FR IT GB BE NL DE CH AT PL CZ SK YU DK NO SE FI EE LV LT RU MD UA BY KG CN KP KR JP
- 91776. *Rhyacionia flammicolor* Powell,1978** (Tortricidae) Synonym(s): flammicolor Powell,1978 Range (in code): MX Dgo
- 91777. *Rhyacionia frustrana* (Comstock,1880)** (Tortricidae) Synonym(s): frustrana Comstock,1880; pseudostrobana Amsel,1962; #schwerdtfegeri W.Miller,1967 Range (in code): US GT
- 91778. *Rhyacionia hafneri* (Rebel,1937)** (Tortricidae) Synonym(s): hafneri Rebel,1937 Range (in code): GR CZ HU HV SS BG
- 91779. *Rhyacionia logaea* Durrant,1911** (Tortricidae) Synonym(s): logaea Durrant,1911 Range (in code): GB DK NO SE
- 91780. *Rhyacionia maritimana* Pröse,1981** (Tortricidae) Synonym(s): maritimana Pröse,1981 Range (in code): ES Co
- 91781. *Rhyacionia miniatana* (Staudinger,1871)** (Tortricidae) Synonym(s): miniatana Staudinger,1871 Range (in code): FR
- 91782. *Rhyacionia piniana* (Herrich-Schäffer,1851)** (Tortricidae) Synonym(s): piniana Herrich-Schäffer,1851 Range (in code): ES FR IT DE CH AT CZ SK HU YU NO SE FI LV RU MD UA BY
- 91783. *Rhyacionia pinicolana* (Doubleday,1849)** (Tortricidae) Synonym(s): pinicolana Doubleday,1849; cocinnana Lederer,1859 Range (in code): PT ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO TR YU DK NO SE FI EE LV LT RU Ur Sb Am Us Prj MD UA BY CN KP KR JP Hkk Bionomy: Larva on Pinus sylvestris (Seven et al.,2005).
- 91784. *Rhyacionia pinivorana* (Lienig & Zeller,1846)** (Tortricidae) Synonym(s): pinivorana Lienig & Zeller,1846; albionana Doubleday,1850; pudendana Herrich-Schäffer,1851; rhaeticana Thomann,1914; hafneri Rebel,1937 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU Ur Sb Am Us Prj MD UA BY KG CN KP KR JP Bionomy: Larva on Pinus sylvestris (Seven et al.,2005).
- 91785. *Rhyacionia rigidana* (Fernald,1880)** (Tortricidae) Synonym(s): rigidana Fernald,1880 Range (in code): US Ny
- 91786. *Rhyacionia salminicolor* Powell,1978** (Tortricidae) Synonym(s): salminicolor Powell,1978 Range (in code): US Tx
- 91787. *Rhyacionia subtropica* W.Miller,1961** (Tortricidae) Synonym(s): subtropica W.Miller,1961 Range (in code): US FI

- 91788. *Rhyacionia walsinghami* (Rebel,1896)** (Tortricidae) Synonym(s): *walsinghami* Rebel,1896 Range (in code): Cn
- 91789. *Rhychophyllis categorica* Meyrick,1932** (Tortricidae) Synonym(s): *categorica* Meyrick,1932 Range (in code): BR Sct
- 91790. *Rhythmologa numerata* Meyrick,1926** (Tortricidae) Synonym(s): *numerata* Meyrick,1926 Range (in code): CO
- 91791. *Riculoides gallicola* Pastrana,1952** (Tortricidae) Synonym(s): *gallicola* Pastrana,1952 Range (in code): AR
- 91792. *Rigidsociaria erinaceola* Razowski,1986** (Tortricidae) Synonym(s): *erinaceola* Razowski,1986 Range (in code): MX Sin
- 91793. *Rubidograptis regulus* Razowski,1981** (Tortricidae) Synonym(s): *regulus* Razowski,1981 Range (in code): NG
- 91794. *Rubrograptis recrudescencia* Razowski,1981** (Tortricidae) Synonym(s): *recrudescencia* Razowski,1981 Range (in code): NG
- 91795. *Rudenia nigrans* Razowski,1985** (Tortricidae) Synonym(s): *nigrans* Razowski,1985 Range (in code): MX BcN
- 91796. *Rudenia paupercula* Razowski,1985** (Tortricidae) Synonym(s): *paupercula* Razowski,1985 Range (in code): MX BcN
- 91797. *Rudisociaria expeditana* (Snellen,1833)** (Tortricidae) Synonym(s): *expeditana* Snellen,1833 Range (in code): RU Am MD UA BY
- 91798. *Russograptis albulata* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *albulata* Razowski & Trematerra,2010 Range (in code): ET Ble
- 91799. *Russograptis callopista* (Durrant,1914)** (Tortricidae) Synonym(s): *callopista* Durrant,1914 Original Reference: Tortrix callopista Durrant,1914, Trans. ent. Soc. London 1913 (4): 513-514. Type ♀: [Nigeria]: Oni, near Lagos (Oxf. Uni.Mus.). Range (in code): NG Lgo
- 91800. *Russograptis canthararcha* (Meyrick,1937)** (Tortricidae) Synonym(s): *canthararcha* Meyrick,1937; #*cantararcha* Razowski,1966 Range (in code): ZR
- 91801. *Russograptis medleri* Razowski,1981** (Tortricidae) Synonym(s): *medleri* Razowski,1981 Range (in code): NG
- 91802. *Russograptis praeconia* (Meyrick,1937)** (Tortricidae) Synonym(s): *praeconia* Meyrick,1937 Range (in code): ZR
- 91803. *Russograptis solaris* Razowski,1981** (Tortricidae) Synonym(s): *solaris* Razowski,1981 Range (in code): NG
- 91804. *Rutilograptis cornesi* Razowski,1981** (Tortricidae) Synonym(s): *cornesi* Razowski,1981 Range (in code): NG
- 91805. *Rutilograptis couteauxi* (Ghesquière,1940)** (Tortricidae) Synonym(s): *couteauxi* Ghesquière,1940 Range (in code): ZR
- 91806. *Saetosacculina degenerans* (Meyrick,1930)** (Tortricidae) Synonym(s): *degenerans* Meyrick,1930 Range (in code): BR
- 91807. *Saliciphaga acharis* (Butler,1879)** (Tortricidae) Synonym(s): *acharis* Butler,1879 Range (in code): JP RU Sb Us
- 91808. *Saliciphaga caesia* Falkovitsh,1962** (Tortricidae) Synonym(s): *caesia* Falkovitsh,1962 Range (in code): RU Us
- 91809. *Salsolicola emerobia* Falkovitsh,1964** (Tortricidae) Synonym(s): *emerobia* Falkovitsh,1964 Range (in code): KG UZ
- 91810. *Salsolicola rjabovi* Kuznetsov,1960** (Tortricidae) Synonym(s): *rjabovi* Kuznetsov,1960 Range (in code): KG TM Kp UZ TJ
- 91811. *Salsolicola stshetkini* Kuznetsov,1960** (Tortricidae) Synonym(s): *stshetkini* Kuznetsov,1960 Range (in code): TJ RU TM UZ MN
- 91812. *Sambara sciara* Razowski,2012** (Tortricidae) Synonym(s): *sciara* Razowski,2012 Range (in code): ZR
- 91813. *Sambara sinuata* Aarvik,2004** (Tortricidae) Synonym(s): *sinuata* Aarvik,2004 Range (in code): TZ
- 91814. *Saphenista aculeata* (Razowski,1967)** (Tortricidae) Synonym(s): *aculeata* Razowski,1967 Range (in code): EC
- 91815. *Saphenista aeraria* (Razowski,1967)** (Tortricidae) Synonym(s): *aeraria* Razowski,1967 Range (in code): PE

- 91816. *Saphenista amusa* Razowski,1993** (Tortricidae) Synonym(s): *amusa* Razowski,1993
Range (in code): PE
- 91817. *Saphenista anaxia* (Clarke,1968)** (Tortricidae) Synonym(s): *anaxia* Clarke,1968 Range (in code): GT
- 91818. *Saphenista bunteoides* Forbes,1931** (Tortricidae) Synonym(s): *bunteana* Walsingham,1892 nec Rob.,1869; *bunteoides* Forbes,1931 Range (in code): PR
- 91819. *Saphenista burreus* Razowski,1993** (Tortricidae) Synonym(s): *burreus* Razowski,1993
Range (in code): PE
- 91820. *Saphenista campalita* Razowski,1993** (Tortricidae) Synonym(s): *campalita* Razowski,1993 Range (in code): PE
- 91821. *Saphenista chloromixta* Razowski,[1992]** (Tortricidae) Synonym(s): *chloromixta* Razowski,[1992] Range (in code): CR
- 91822. *Saphenista consona* Razowski & Becker,1983** (Tortricidae) Synonym(s): *consona* Razowski & Becker,1983 Range (in code): BR Pran
- 91823. *Saphenista consulta* Razowski,1986** (Tortricidae) Synonym(s): *consulta* Razowski,1986
Range (in code): CR
- 91824. *Saphenista cordifera* (Meyrick,1932)** (Tortricidae) Synonym(s): *cordifera* Meyrick,1932
Range (in code): BO
- 91825. *Saphenista cryptogramma* Razowski & Becker,1994** (Tortricidae) Synonym(s): *cryptogramma* Razowski & Becker,1994 Range (in code): BO
- 91826. *Saphenista delapsa* Razowski,1990** (Tortricidae) Synonym(s): *delapsa* Razowski,1990
Range (in code): MX Grr
- 91827. *Saphenista delicatulana* (Zeller,1877)** (Tortricidae) Synonym(s): *delicatulana* Zeller,1877
Range (in code): CO
- 91828. *Saphenista dexia* Razowski & Becker,1986** (Tortricidae) Synonym(s): *dexia* Razowski & Becker,1986 Range (in code): CR
- 91829. *Saphenista embolina* Razowski,1984** (Tortricidae) Synonym(s): *embolina* Razowski,1984
Range (in code): VE
- 91830. *Saphenista endomyca* Razowski,[1992]** (Tortricidae) Synonym(s): *endomyca* Razowski,[1992] Range (in code): CR
- 91831. *Saphenista eneilema* Razowski,[1992]** (Tortricidae) Synonym(s): *eneilema* Razowski,[1992] Range (in code): CR
- 91832. *Saphenista ephimera* Razowski,[1992]** (Tortricidae) Synonym(s): *ephimera* Razowski,[1992] Range (in code): CR
- 91833. *Saphenista epiera* Razowski,[1992]** (Tortricidae) Synonym(s): *epiera* Razowski,[1992]
Range (in code): CR
- 91834. *Saphenista epipolea* Razowski,[1992]** (Tortricidae) Synonym(s): *epipolea* Razowski,[1992] Range (in code): CR
- 91835. *Saphenista eranna* Razowski & Becker,1986** (Tortricidae) Synonym(s): *eranna* Razowski & Becker,1986 Range (in code): CR
- 91836. *Saphenista erasmia* Razowski,[1992]** (Tortricidae) Synonym(s): *erasmia* Razowski,[1992]
Range (in code): CR
- 91837. *Saphenista ereba* Razowski,[1992]** (Tortricidae) Synonym(s): *ereba* Razowski,[1992]
Range (in code): CR
- 91838. *Saphenista euprepia* Razowski,1993** (Tortricidae) Synonym(s): *euprepia* Razowski,1993
Range (in code): PE
- 91839. *Saphenista fluida* Razowski,1986** (Tortricidae) Synonym(s): *fluida* Razowski,1986 Range (in code): MX Vcr
- 91840. *Saphenista frangula* (Clarke,1968)** (Tortricidae) Synonym(s): *frangula* Clarke,1968
Range (in code): VE
- 91841. *Saphenista gilva* Razowski & Becker,1986** (Tortricidae) Synonym(s): *gilva* Razowski & Becker,1986 Range (in code): CR
- 91842. *Saphenista glorianda* Razowski,1986** (Tortricidae) Synonym(s): *glorianda* Razowski,1986
Range (in code): MX Nle
- 91843. *Saphenista gnathmocera* Razowski,[1992]** (Tortricidae) Synonym(s): *gnathmocera* Razowski,[1992] Range (in code): CR

- 91844. *Saphenista illimis* Razowski, 1986** (Tortricidae) Synonym(s): *illimis* Razowski, 1986
Range (in code): MX Sin
- 91845. *Saphenista imaginaria* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *imaginaria* Razowski & Becker, 1986 Range (in code): CR
- 91846. *Saphenista incauta* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *incauta* Razowski & Becker, 1986 Range (in code): CR
- 91847. *Saphenista juvenca* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *juvenca* Razowski & Becker, 1986 Range (in code): CR
- 91848. *Saphenista lacteipalpis* (Walsingham, 1891)** (Tortricidae) Synonym(s): *lacteipalpis* Walsingham, 1891 Range (in code): VC
- 91849. *Saphenista lathridia* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *lathridia* Razowski & Becker, 1986 Range (in code): CR
- 91850. *Saphenista lepidulana* Forbes, 1931** (Tortricidae) Synonym(s): *lepidana* Walsingham, 1892 *nec* Clem., 1860; *lepidulana* Forbes, 1931 Range (in code): PR
- 91851. *Saphenista livida* Razowski, 1986** (Tortricidae) Synonym(s): *livida* Razowski, 1986 Range (in code): MX Dgo
- 91852. *Saphenista mediocris* Razowski, 1986** (Tortricidae) Synonym(s): *mediocris* Razowski, 1986 Range (in code): MX Nle
- 91853. *Saphenista melema* Razowski, [1992]** (Tortricidae) Synonym(s): *melema* Razowski, [1992] Range (in code): CR
- 91854. *Saphenista mira* Razowski, 1989** (Tortricidae) Synonym(s): *mira* Razowski, 1989 Range (in code): GT
- 91855. *Saphenista multistrigata* Walsingham, 1892** (Tortricidae) Synonym(s): *multistrigata* Walsingham, 1892 Range (in code): MX Vcr
- 91856. *Saphenista nauphraga* Razowski & Becker, 1983** (Tortricidae) Synonym(s): *nauphraga* Razowski & Becker, 1983 Range (in code): BR Sct
- 91857. *Saphenista neanica* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *neanica* Razowski & Becker, 1986 Range (in code): MX Vcr
- 91858. *Saphenista nongrata* Razowski, 1986** (Tortricidae) Synonym(s): *nongrata* Razowski, 1986 Range (in code): MX Vcr
- 91859. *Saphenista omoea* Razowski, 1993** (Tortricidae) Synonym(s): *omoea* Razowski, 1993 Range (in code): PE
- 91860. *Saphenista onychina* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *onychina* Razowski & Becker, 1986 Range (in code): CR
- 91861. *Saphenista oreada* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *oreada* Razowski & Becker, 1986 Range (in code): MX Cia
- 91862. *Saphenista orescia* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *orescia* Razowski & Becker, 1986 Range (in code): MX Df
- 91863. *Saphenista orichalcana* Razowski & Becker, 1986** (Tortricidae) Synonym(s): *orichalcana* Razowski & Becker, 1986 Range (in code): CR
- 91864. *Saphenista penai* (Clarke, 1968)** (Tortricidae) Synonym(s): *penai* Clarke, 1968 Range (in code): BO
- 91865. *Saphenista peruviana* Razowski, 1993** (Tortricidae) Synonym(s): *peruviana* Razowski, 1993 Range (in code): PE
- 91866. *Saphenista praefasciata* (Meyrick, 1932)** (Tortricidae) Synonym(s): *praefasciata* Meyrick, 1932 Range (in code): CR
- 91867. *Saphenista praia* Razowski, 1986** (Tortricidae) Synonym(s): *praia* Razowski, 1986 Range (in code): CR
- 91868. *Saphenista pruinosa* (Zeller, 1877)** (Tortricidae) Synonym(s): *pruinosa* Zeller, 1877 Range (in code): CO
- 91869. *Saphenista raphaeliana* Razowski, 1989** (Tortricidae) Synonym(s): *raphaeliana* Razowski, 1989 Range (in code): CO
- 91870. *Saphenista ryriloba* Razowski, 1990** (Tortricidae) Synonym(s): *ryriloba* Razowski, 1990 Range (in code): MX
- 91871. *Saphenista sclerorhaphia* Razowski & Becker, 1994** (Tortricidae) Synonym(s): *sclerorhaphia* Razowski & Becker, 1994 Range (in code): BR Sct

- 91872. *Saphenista semistrigata* Forbes,1931** (Tortricidae) **Synonym(s):** *semistrigata* Forbes,1931
Range (in code): **PR**
- 91873. *Saphenista sphragidias* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *sphragidias* Meyrick,1932 **Range (in code):** **BO**
- 91874. *Saphenista storthingoloba* Razowski,[1992]** (Tortricidae) **Synonym(s):** *storthingoloba* Razowski,[1992] **Range (in code):** **CR**
- 91875. *Saphenista substructa* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *substructa* Meyrick,1927 **Range (in code):** **CO**
- 91876. *Saphenista temperata* Razowski,1986** (Tortricidae) **Synonym(s):** *temperata* Razowski,1986 **Range (in code):** **MX Tam**
- 91877. *Saphenista teopiscana* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *teopiscana* Razowski & Becker,1986 **Range (in code):** **MX Cia**
- 91878. *Schoenotenes collarigera* Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *collarigera* Diakonoff,[1968] **Range (in code):** **PH Neg**
- 91879. *Schoenotenes pseudurga* Diakonoff,1960** (Tortricidae) **Synonym(s):** *pseudurga* Diakonoff,1960 **Range (in code):** **TH MM MY ID Ja**
- 91880. *Scotiophyes faeculosa* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *faeculosa* Meyrick,1928
Range (in code): **NP IN TH CDo CMa Int Dst**
- 91881. *Scotiophyes hemiptycha* Diakonoff,1983** (Tortricidae) **Synonym(s):** *hemiptycha* Diakonoff,1983 **Range (in code):** **ID Sum**
- 91882. *Scotiophyes nebrias* Diakonoff,1984** (Tortricidae) **Synonym(s):** *nebrias* Diakonoff,1984
Range (in code): **MY Bor BN**
- 91883. *Selania acquiescens* Diakonoff,1976** (Tortricidae) **Synonym(s):** *acquiescens* Diakonoff,1976 **Range (in code):** **NP**
- 91884. *Selania aeologramma* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *aeologramma* Meyrick,1916 **Original Reference:** *Laspeyresia aeologramma* Meyrick,1916, Exot. Microlepid. 2: 21. Holotype ♀: [Myanmar]: Burma: Minbu (BMNH). **Range (in code):** **MM**
- 91885. *Selania bengalica* (Obratzsov,1968)** (Tortricidae) **Synonym(s):** *bengalica* Obratzsov,1968
Range (in code): **IN Bi Pus**
- 91886. *Selania capparidana* (Zeller,1847)** (Tortricidae) **Synonym(s):** *capparidana* Zeller,1847; *rhezana* Chrétien,1915 **Original Reference:** *Grapholitha capparidana* Zeller,1847, Isis, Leipzig: 734. Type: Sicilia. **Range (in code):** **DZ Bsk ES Sa Si IT MT YU GR** **Bionomy:** Larva on *Capparis spinosa* [Capparaceae] (Zeller,1847; Chrétien,1915).
- 91887. *Selania costifuscana* Aarvik,2004** (Tortricidae) **Synonym(s):** *costifuscana* Aarvik,2004
Range (in code): **NA Dmr Bnd**
- 91888. *Selania detrita* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *detrita* Meyrick,1928 **Original Reference:** *Laspeyresia detrita* Meyrick,1928, Exot. Microlepid. 3: 450. Lectotype ♀: Sudan: Medani (BMNH). **Range (in code):** **SD Wme**
- 91889. *Selania diplosperma* (Diakonoff,1984)** (Tortricidae) **Synonym(s):** *diplosperma* Diakonoff,1984 **Range (in code):** **ID Sba**
- 91890. *Selania diplosperma* (Diakonoff,1984)** (Tortricidae) **Synonym(s):** *diplosperma* Diakonoff,1984 **Range (in code):** **ID Sba**
- 91891. *Selania exornata* (Diakonoff,1969)** (Tortricidae) **Synonym(s):** *exornata* Diakonoff,1969
Range (in code): **SC Ald**
- 91892. *Selania friganosa* Kuznetsov,1968** (Tortricidae) **Synonym(s):** *friganosa* Kuznetsov,1968
Range (in code): **IR Ss**
- 91893. *Selania leplastriana* (Curtis,1831)** (Tortricidae) **Synonym(s):** *leplastriana* Curtis,1831; *guerini* Duponchel,1836; *maderae* Wollaston,1858; *vana* Kennel,1901; *malcolmia* Walsingham,1903; *decoratana* Chrétien,1915; *extinctana* Chrétien,1915; *#decorata* Caradja,1916 **Original Reference:** *Carpocapsa leplastriana* Curtis,1831, Brit. Ent. Explor. 8: 352. Type: Great Britain. **Range (in code):** **Md DZ Bsk TN Gf PT ES An FR Co Sa Si IT MT GB LU AT SK HU RO YU TR RU** **Bionomy:** Larva on *Brassica oleracea*, *Malcolmia littorea*, *Alisum maritimum*, *Moricandia suffruticosa* (Brassicaceae) (Chrétien,1915; Razowski,2003).
- 91894. *Selania macella* Diakonoff,1976** (Tortricidae) **Synonym(s):** *macella* Diakonoff,1976 **Range (in code):** **Cn**
- 91895. *Selania minuta* (Obratzsov,1968)** (Tortricidae) **Synonym(s):** *minuta* Obratzsov,1968
Range (in code): **IN Bi Pus**

- 91896. *Selania planifrontana* (Rebel,1912)** (Tortricidae) Synonym(s): *planifrontana* Rebel,1912;
lotana Chrétien,1915 Range (in code): EG EG34 DZ Bsk
- 91897. *Selania resedana* (Obraztsov,1959)** (Tortricidae) Synonym(s): *resedana* Obraztsov,1959
Range (in code): SA As ES FR IT
- 91898. *Selania resedana arenosa* (Diakonoff,[1984])** (Tortricidae) Synonym(s): *arenosa*
Diakonoff,[1984] Range (in code): SA As
- 91899. *Selania resedana salvadorae* (Diakonoff,[1984])** (Tortricidae) Synonym(s):
salvadorae Diakonoff,[1984] Range (in code): SA SA63
- 91900. *Selenodes karelica* (Tengström,1875)** (Tortricidae) Synonym(s): *textana* Frölich,1828 nec
Hbn.,1828; *karelica* Tengström,1875; *norvegicana* Schöyen,1887 Range (in code): FR IT NL DE CH AT PL
CZ SK HU DK NO SE FI EE LV LT RU MD UA BY Bionomy: Larva on *Knautia arvensis*
(Razowski,1983).
- 91901. *Semniotes abrupta* Diakonoff,1973** (Tortricidae) Synonym(s): *abrupta* Diakonoff,1973
Range (in code): Bor ID TH CMa Fn Nna Kao
- 91902. *Semniotes bellana* Kuznetsov,1988** (Tortricidae) Synonym(s): *bellana* Kuznetsov,1988
Range (in code): VN Tdo Ton
- 91903. *Semniotes confinana* Kuznetsov,2003** (Tortricidae) Synonym(s): *confinana*
Kuznetsov,2003 Range (in code): VN Ann
- 91904. *Semniotes halantha* (Meyrick,1909)** (Tortricidae) Synonym(s): *halantha* Meyrick,1909
Range (in code): IN Pln
- 91905. *Semutophila saccharopa* Tuck,1986** (Tortricidae) Synonym(s): *saccharopa* Tuck,1986
Range (in code): VN MY TH Knc Tpp
- 91906. *Seticosta aeolozona* (Meyrick,1926)** (Tortricidae) Synonym(s): *aeolozona* Meyrick,1926
Range (in code): CO
- 91907. *Seticosta arachnogramma* (Meyrick,1926)** (Tortricidae) Synonym(s): *arachnogramma*
Meyrick,1926 Range (in code): CO
- 91908. *Seticosta homosacta* (Meyrick,1930)** (Tortricidae) Synonym(s): *homosacta* Meyrick,1930
Range (in code): EC
- 91909. *Seticosta hypsithrona* (Meyrick,1926)** (Tortricidae) Synonym(s): *hypsithrona*
Meyrick,1926 Range (in code): CO
- 91910. *Seticosta mirana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *mirana*
C.Felder & Rogenhofer,1875 Range (in code): VE
- 91911. *Seticosta multifidana* (Zeller,1877)** (Tortricidae) Synonym(s): *multifidana* Zeller,1877
Range (in code): CO
- 91912. *Seticosta sagmatica* (Meyrick,1912)** (Tortricidae) Synonym(s): *sagmatica* Meyrick,1912
Range (in code): CO
- 91913. *Seticosta tambomachaya* Razowski,1988** (Tortricidae) Synonym(s): *tambomachaya*
Razowski,1988 Range (in code): PE
- 91914. *Seticosta tholeraula* (Meyrick,1912)** (Tortricidae) Synonym(s): *tholeraula* Meyrick,1912
Range (in code): AR
- 91915. *Seticosta tridens* Razowski,1988** (Tortricidae) Synonym(s): *tridens* Razowski,1988
Range (in code): CO
- 91916. *Seticosta versabilis* (Meyrick,1926)** (Tortricidae) Synonym(s): *versabilis* Meyrick,1926
Range (in code): BO
- 91917. *Siclobola micromys* (Stringer,1929)** (Tortricidae) Synonym(s): *micromys* Stringer,1929
Range (in code): TR SY LB
- 91918. *Sisona albitibiana* Snellen,1902** (Tortricidae) Synonym(s): *albitibiana* Snellen,1902
Range (in code): TH Cbi Knc Tpp ID Ja
- 91919. *Sisurcana defricata* (Meyrick,1926)** (Tortricidae) Synonym(s): *defricata* Meyrick,1926
Range (in code): CO
- 91920. *Sisurcana furcatana* Powell,1986** (Tortricidae) Synonym(s): *furcatana* Powell,1986
Range (in code): CO
- 91921. *Sisurcana leprana* (C.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *leprana*
C.Felder & Rogenhofer,1875 Range (in code): CO
- 91922. *Sisurcana ranunculata* (Meyrick,1912)** (Tortricidae) Synonym(s): *ranunculata*
Meyrick,1912 Range (in code): CO

- 91923. *Sisurcana umbellifera* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *umbellifera* Meyrick,1926 **Range (in code):** **CO**
- 91924. *Snodgrassia stenochorda* (Meyrick,1928)** (Tortricidae) **Synonym(s):** *stenochorda* Meyrick,1928 **Range (in code):** **PH Luz**
- 91925. *Sonia filiana* (Busck,1907)** (Tortricidae) **Synonym(s):** *filiana* Busck,1907 **Range (in code):** **US Cf**
- 91926. *Sonia vovana* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *vovana* Kearfott,1907; *fraternana* Busck,1907; *typicodes* Meyrick,1912 **Range (in code):** **US Ut Cf**
- 91927. *Sorolopha aeolochlora* (Meyrick,1916)** (Tortricidae) **Synonym(s):** *aeolochlora* Meyrick,1916 **Range (in code):** **TH CMa IN Ass Meg Khs**
- 91928. *Sorolopha agalma* Diakonoff,1973** (Tortricidae) **Synonym(s):** *agalma* Diakonoff,1973 **Range (in code):** **PG ID Ij Gth**
- 91929. *Sorolopha agana* (Falkovitsh,1966)** (Tortricidae) **Synonym(s):** *agana* Falkovitsh,1966 **Range (in code):** **CN Tkg**
- 91930. *Sorolopha agathopis* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *agathopis* Meyrick,1927 **Range (in code):** **WS**
- 91931. *Sorolopha archimediass* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *archimediass* Meyrick,1912; *oxygona* Diakonoff,[1968] **Range (in code):** **PH Luz CN HK TH Knc Tpp**
- 91932. *Sorolopha arctosceles* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *arctosceles* Meyrick,1931 **Range (in code):** **SB Bsm Nlr**
- 91933. *Sorolopha argyropha* Diakonoff,1973** (Tortricidae) **Synonym(s):** *argyropha* Diakonoff,1973 **Range (in code):** **MY Bor ID**
- 91934. *Sorolopha artocincta* Diakonoff,1973** (Tortricidae) **Synonym(s):** *artocincta* Diakonoff,1973 **Range (in code):** **ID Mlc**
- 91935. *Sorolopha asphaeropa* Diakonoff,1973** (Tortricidae) **Synonym(s):** *asphaeropa* Diakonoff,1973 **Range (in code):** **PG**
- 91936. *Sorolopha asymmetrana* Koznetsov,2003** (Tortricidae) **Synonym(s):** *asymmetrana* Koznetsov,2003 **Range (in code):** **VN**
- 91937. *Sorolopha atmochlora* (Meyrick,1930)** (Tortricidae) **Synonym(s):** *atmochlora* Meyrick,1930 **Range (in code):** **ID Ja**
- 91938. *Sorolopha auribasis* Diakonoff,1973** (Tortricidae) **Synonym(s):** *auribasis* Diakonoff,1973 **Range (in code):** **PG**
- 91939. *Sorolopha authadis* Diakonoff,1973** (Tortricidae) **Synonym(s):** *authadis* Diakonoff,1973 **Range (in code):** **PG**
- 91940. *Sorolopha autoberylla* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *autoberylla* Meyrick,1932 **Range (in code):** **ID Ja**
- 91941. *Sorolopha bathysema* Diakonoff,1973** (Tortricidae) **Synonym(s):** *bathysema* Diakonoff,1973 **Range (in code):** **TH Chy Cbi Phu PG**
- 91942. *Sorolopha bruneiregalis* Tuck & G.S.Robinson,1993** (Tortricidae) **Synonym(s):** *bruneiregalis* Tuck & G.S.Robinson,1993 **Range (in code):** **MY Bor BN**
- 91943. *Sorolopha bryana* (R.Felder & Rogenhofer,[1875])** (Tortricidae) **Synonym(s):** *bryana* R.Felder & Rogenhofer,[1875] **Range (in code):** **LK**
- 91944. *Sorolopha callichlora* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *callichlora* Meyrick,1909 **Range (in code):** **IN Meg Ass Khs**
- 91945. *Sorolopha camarotis* (Meyrick,1936)** (Tortricidae) **Synonym(s):** *camarotis* Meyrick,1936 **Range (in code):** **IN Ben TH CMa Int Loe Nna Kao MY ID Ja** **Bionomy:** Larva on *Michelia champaca* (Magnoliaceae) (Diakonoff,1973).
- 91946. *Sorolopha caryochlora* Diakonoff,1973** (Tortricidae) **Synonym(s):** *caryochlora* Diakonoff,1973 **Range (in code):** **PG**
- 91947. *Sorolopha cervicata* Diakonoff,1973** (Tortricidae) **Synonym(s):** *cervicata* Diakonoff,1973 **Range (in code):** **MM Tha**
- 91948. *Sorolopha Chiangmaiensis* Kawabe,1989** (Tortricidae) **Synonym(s):** *Chiangmaiensis* Kawabe,1989 **Range (in code):** **TH CMa Dst Int**
- 91949. *Sorolopha chlorotica* Liu & Bai,1985** (Tortricidae) **Synonym(s):** *chlorotica* Liu & Bai,1985 **Range (in code):** **CN Yu**
- 91950. *Sorolopha chortodes* (Diakonoff,[1968])** (Tortricidae) **Synonym(s):** *chortodes* Diakonoff,[1968] **Range (in code):** **PH Luz**

- 91951. *Sorolopha compsitis* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *compsitis* Meyrick,1912
Range (in code): **LK Mky**
- 91952. *Sorolopha cyclotoma* Lower,1901** (Tortricidae) **Synonym(s):** *cyclotoma* Lower,1901
Range (in code): **AU QAU**
- 91953. *Sorolopha cyclotoma* Lower,1901** (Tortricidae) **Synonym(s):** *cyclotoma* Lower,1901
Range (in code): **TH Loe PG AU QAU**
- 91954. *Sorolopha delochlora* (Turner,1916)** (Tortricidae) **Synonym(s):** *delochlora* Turner,1916;
#aelochlora Hutacharern & Tubtim,1995 **Range (in code):** **AU QAU TH**
- 91955. *Sorolopha dictyonophora* Diakonoff,1973** (Tortricidae) **Synonym(s):** *dictyonophora*
Diakonoff,1973 **Range (in code):** **ID Ja Ged**
- 91956. *Sorolopha doryphora* Diakonoff,1973** (Tortricidae) **Synonym(s):** *doryphora*
Diakonoff,1973 **Range (in code):** **MY Bor**
- 91957. *Sorolopha dyspeista* Diakonoff,1973** (Tortricidae) **Synonym(s):** *dyspeista* Diakonoff,1973
Range (in code): **ID Clb**
- 91958. *Sorolopha elaeodes* (Lower,1908)** (Tortricidae) **Synonym(s):** *elaodes* Lower,1908;
lasiosoma Meyrick,1921; *temenopsis* Meyrick,1936; *parachlora* Diakonoff,1973 **Range (in code):** **AU QAU ID**
Clb TW
- 91959. *Sorolopha englyptopa* (Meyrick,1938)** (Tortricidae) **Synonym(s):** *englyptopa*
Meyrick,1938; *#englyptopa* Clarke,1958 **Range (in code):** **ID Ja**
- 91960. *Sorolopha epichares* Diakonoff,1973** (Tortricidae) **Synonym(s):** *epichares* Diakonoff,1973
Range (in code): **PG**
- 91961. *Sorolopha euochropa* Diakonoff,1973** (Tortricidae) **Synonym(s):** *euochropa*
Diakonoff,1973 **Range (in code):** **ID Sum**
- 91962. *Sorolopha eurychlora* Diakonoff,1973** (Tortricidae) **Synonym(s):** *eurychlora*
Diakonoff,1973 **Range (in code):** **ID Ja**
- 91963. *Sorolopha ferruginosa* Kawabe,1989** (Tortricidae) **Synonym(s):** *ferruginosa*
Kawabe,1989 **Range (in code):** **TH CMA**
- 91964. *Sorolopha ghilarovi* Kuznetsov,1988** (Tortricidae) **Synonym(s):** *ghilarovi* Kuznetsov,1988
Range (in code): **VN Ton**
- 91965. *Sorolopha herbifera* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *herbifera* Meyrick,1909
Range (in code): **NP IN Ass Khs Meg LK TH Loe CMA Int Nna Kao Knc Tpp MY ID Sum Ja Sbh Bor**
Bionomy: Larva on leaves of *Cinnamomum camphora* (camphor) (Lauraceae) (Kawabe,1989).
- 91966. *Sorolopha homalopa* (Diakonoff,[1968])** (Tortricidae) **Synonym(s):** *homalopa*
Diakonoff,[1968]; *#homolopa* Brown & Lewis,2000 **Range (in code):** **PH Mno**
- 91967. *Sorolopha hydrargyra* (Meyrick,1931)** (Tortricidae) **Synonym(s):** *hydrargyra*
Meyrick,1931; *#hydrargyra* Diakonoff,1949 **Range (in code):** **PG Bsm**
- 91968. *Sorolopha karsholti* Kawabe,1989** (Tortricidae) **Synonym(s):** *karsholti* Kawabe,1989
Range (in code): **TH CMA Int**
- 91969. *Sorolopha khaoyaiensis* Kawabe,1989** (Tortricidae) **Synonym(s):** *khaoyaiensis*
Kawabe,1989 **Original Reference:** *Sorolopha khaoyaiensis* Kawabe,1989, Microlepid. Thailand 2:
28. **Range (in code):** **TH Nna Kao**
- 91970. *Sorolopha leptochlora* (Turner,1916)** (Tortricidae) **Synonym(s):** *leptochlora* Turner,1916
Range (in code): **AU QAU**
- 91971. *Sorolopha liochlora* (Meyrick,1914)** (Tortricidae) **Synonym(s):** *liochlora* Meyrick,1914
Range (in code): **IN**
- 91972. *Sorolopha longurus* Liu & Bai,1982** (Tortricidae) **Synonym(s):** *longurus* Liu & Bai,1982
Range (in code): **CN**
- 91973. *Sorolopha margaritopa* (Diakonoff,1953)** (Tortricidae) **Synonym(s):** *margaritopa*
Diakonoff,1953 **Range (in code):** **PG**
- 91974. *Sorolopha melancycla* Diakonoff,1973** (Tortricidae) **Synonym(s):** *melancycla*
Diakonoff,1973 **Range (in code):** **PG**
- 91975. *Sorolopha metastena* Diakonoff,1973** (Tortricidae) **Synonym(s):** *metastena*
Diakonoff,1973 **Range (in code):** **ID Clb**
- 91976. *Sorolopha mniochlora* (Meyrick,1907)** (Tortricidae) **Synonym(s):** *mniochlora*
Meyrick,1907 **Range (in code):** **IN Pln**
- 91977. *Sorolopha muscida* Wileman & Stringer,1929** (Tortricidae) **Synonym(s):** *muscida*
Wileman & Stringer,1929 **Range (in code):** **TW**

- 91978. *Sorolopha nagaii* Kawabe,1989** (Tortricidae) Synonym(s): *nagaii* Kawabe,1989 Original Reference: *Sorolopha nagaii* Kawabe,1989, Microlepid. Thailand 2: 26. Holotype: Thailand: Chiang Mai, Doi Pui. Range (in code): **TH CMa Dst Knc Tpp MY Bor Sbh**
- 91979. *Sorolopha nucleata* Diakonoff,1973** (Tortricidae) Synonym(s): *nucleata* Diakonoff,1973 Range (in code): **ID Ja Ged**
- 91980. *Sorolopha phyllochloa* (Meyrick,1905)** (Tortricidae) Synonym(s): *phyllochloa* Meyrick,1905; *ptilosema* Meyrick,1916 Range (in code): **LK Kndy Pdy IN TW**
- 91981. *Sorolopha plinthograptia* (Meyrick,1931)** (Tortricidae) Synonym(s): *plinthograptia* Meyrick,1931; *#plinthographia* Hutacharern & Tubtim,1995 Range (in code): **TW TH CMa Nna Kao Knc Tpp JP ID Ja VN** Bionomy: Larva on *Machilus thunbergii*, *Cinnamomum japonicum*, *C.camphora* (Kawabe,1989).
- 91982. *Sorolopha plumboviridis* Diakonoff,1973** (Tortricidae) Synonym(s): *plumboviridis* Diakonoff,1973 Range (in code): **ID Mlc Bch TH Loe CN**
- 91983. *Sorolopha prasinias* (Meyrick,1916)** (Tortricidae) Synonym(s): *prasinias* Meyrick,1916 Range (in code): **IN Knr LK**
- 91984. *Sorolopha rubescens* Diakonoff,1973** (Tortricidae) Synonym(s): *rubescens* Diakonoff,1973 Range (in code): **ID Hm TH CMa Fn Nna Kao**
- 91985. *Sorolopha saitoi* Kawabe,1989** (Tortricidae) Synonym(s): *saitoi* Kawabe,1989 Original Reference: *Sorolopha saitoi* Kawabe,1989, Microlepid. Thailand 2: 31. Holotype ♂: Thailand: Chiang Mai Prov., Doi Pui. Range (in code): **TH CMa Dst VN**
- 91986. *Sorolopha semiculta* (Meyrick,1909)** (Tortricidae) Synonym(s): *semiculta* Meyrick,1909; *heteraspis* Meyrick,1936 Range (in code): **IN Ass Khs LK TH Nna Kao Knc Tpp TW SB** Bionomy: Larva on *Alceodaphne semicarpifolia* (Lauraceae) (Kawabe,1989).
- 91987. *Sorolopha* sp.:** (Tortricidae) Synonym(s): Range (in code): **TH**
- 91988. *Sorolopha sphaerocopa* (Meyrick,1929)** (Tortricidae) Synonym(s): *sphaerocopa* Meyrick,1929 Original Reference: *Argyroploce sphaerocopa* Meyrick,1929, Annls Soc. ent. Fr. 98: 481. Range (in code): **VN Ton TH Loe Nna Kao Rng Knc Tpp CN JP ID Sum Ja Mlc**
- 91989. *Sorolopha stygiaula* (Meyrick,1933)** (Tortricidae) Synonym(s): *stygiaula* Meyrick,1933 Range (in code): **ID Ja TH Knc Tpp**
- 91990. *Sorolopha tenuirurus* Lui & Bai,1982** (Tortricidae) Synonym(s): *tenuirurus* Lui & Bai,1982 Range (in code): **CN Sz**
- 91991. *Sorolopha timiochlora* Diakonoff,1973** (Tortricidae) Synonym(s): *timiochlora* Diakonoff,1973 Range (in code): **MY Bor**
- 91992. *Sparganopseustis acrocharis* (Meyrick,1932)** (Tortricidae) Synonym(s): *acrocharis* Meyrick,1932 Range (in code): **CO**
- 91993. *Sparganopseustis aurolimbana* (Zeller,1866)** (Tortricidae) Synonym(s): *aurolimbana* Zeller,1866 Range (in code): **CO**
- 91994. *Sparganopseustis elimata* (Meyrick,1930)** (Tortricidae) Synonym(s): *elimata* Meyrick,1930 Range (in code): **EC**
- 91995. *Sparganopseustis flaviciliana* (Walsingham,1913)** (Tortricidae) Synonym(s): *flaviciliana* Walsingham,1913 Range (in code): **CR**
- 91996. *Sparganopseustis flavicirrata* (Walsingham,1914)** (Tortricidae) Synonym(s): *flavicirrata* Walsingham,1914 Range (in code): **MX Vcr**
- 91997. *Sparganopseustis geminorum* (Meyrick,1932)** (Tortricidae) Synonym(s): *geminorum* Meyrick,1932 Range (in code): **CR**
- 91998. *Sparganopseustis martinana* Powell,1986** (Tortricidae) Synonym(s): *martinana* Powell,1986 Range (in code): **MX Dgo**
- 91999. *Sparganopseustis myrota* (Meyrick,1912)** (Tortricidae) Synonym(s): *myrota* Meyrick,1912 Range (in code): **CO**
- 92000. *Sparganopseustis ningorana* (Walsingham,1914)** (Tortricidae) Synonym(s): *ningorana* Walsingham,1914 Range (in code): **GT**
- 92001. *Sparganopseustis niveigutta* (Walsingham,1913)** (Tortricidae) Synonym(s): *niveigutta* Walsingham,1913 Range (in code): **GT**
- 92002. *Sparganopseustis tessellata* (Walsingham,1913)** (Tortricidae) Synonym(s): *tessellata* Walsingham,1913 Range (in code): **GT**
- 92003. *Sparganopseustis unipunctata* (Walsingham,1914)** (Tortricidae) Synonym(s): *unipunctata* Walsingham,1914 Range (in code): **GT**

- 92004. *Sparganothina amoebaea* (Walsingham,1913)** (Tortricidae) Synonym(s): *amoebaea* Walsingham,1913 Range (in code): **MX Grr**
- 92005. *Sparganothina decagramma* (Meyrick,1932)** (Tortricidae) Synonym(s): *decagramma* Meyrick,1932 Range (in code): **BR Sct**
- 92006. *Sparganothina nephela* (Walsingham,1913)** (Tortricidae) Synonym(s): *nephela* Walsingham,1913 Range (in code): **PA**
- 92007. *Sparganothina xanthista* (Walsingham,1913)** (Tortricidae) Synonym(s): *xanthista* Walsingham,1913 Range (in code): **MX Grr**
- 92008. *Sparganothis pilleriana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *pillieriana* [Denis & Schiffermüller],1775 Original Reference: Tortrix pilleriana [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 126. Type(s): Vienna district. Range (in code): **PT ES FR Co Sa Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE LT IQ Shq IR Gh Tgo**
- 92009. *Sparganothis praecana* (Kennel,1900)** (Tortricidae) Synonym(s): *praecana* Kennel,1900 Range (in code): **NO SE FI**
- 92010. *Sparganothis rubicundana* (Herrich-Schäffer,1856)** (Tortricidae) Synonym(s): *rubicundana* Herrich-Schäffer,1856 Range (in code): **PL CZ NO SE FI RU MD UA BY**
- 92011. *Sparganothis senecionana* (Walsingham,1879)** (Tortricidae) Synonym(s): *senecionana* Walsingham,1879; *rudana* Walsingham,1879 Range (in code): **US Cf**
- 92012. *Sparganothis sulfureana* (Clemens,1860)** (Tortricidae) Synonym(s): *sulfureana* Clemens,1860; *gratana* Walker,1863; *gallivorana* Clemens,1864; *virginana* Clemens,1864; *fluvoroesana* Clemens,1864; *#sulphureana* Barnes & Busck,1920 Range (in code): **US**
- 92013. *Sparganothoides albescens* (Walsingham,1913)** (Tortricidae) Synonym(s): *albescens* Walsingham,1913 Range (in code): **MX Grr**
- 92014. *Sparganothoides castanea* (Walsingham,1913)** (Tortricidae) Synonym(s): *castanea* Walsingham,1913 Range (in code): **GT**
- 92015. *Sparganothoides hydeana* (Klots,1936)** (Tortricidae) Synonym(s): *hydeana* Klots,1936 Range (in code): **US NMx**
- 92016. *Sparganothoides lentiginosana* (Walsingham,1879)** (Tortricidae) Synonym(s): *lentiginosana* Walsingham,1879 Range (in code): **US Tx**
- 92017. *Sparganothoides lugens* (Walsingham,1913)** (Tortricidae) Synonym(s): *lugens* Walsingham,1913 Range (in code): **MX Vcr**
- 92018. *Sparganothoides machimiana* (Barnes & Busck,1920)** (Tortricidae) Synonym(s): *machimiana* Barnes & Busck,1920 Range (in code): **US Arz**
- 92019. *Sparganothoides morata* (Walsingham,1913)** (Tortricidae) Synonym(s): *morata* Walsingham,1913 Range (in code): **PA**
- 92020. *Sparganothoides schausiana* (Walsingham,1913)** (Tortricidae) Synonym(s): *schausiana* Walsingham,1913 Range (in code): **MX Vcr**
- 92021. *Sparganothoides spadicea* (Walsingham,1913)** (Tortricidae) Synonym(s): *spadicea* Walsingham,1913 Range (in code): **MX Grr**
- 92022. *Sparganothoides vinolenta* (Walsingham,1913)** (Tortricidae) Synonym(s): *vinolenta* Walsingham,1913 Range (in code): **MX Vcr**
- 92023. *Spatalistis aglaoxantha* Meyrick,1924** (Tortricidae) Synonym(s): *aglaoxantha* Meyrick,1924 Range (in code): **CN Tkg**
- 92024. *Spatalistis armata* Razowski,1966** (Tortricidae) Synonym(s): *armata* Razowski,1966 Range (in code): **IN Ass Meg Khs**
- 92025. *Spatalistis bifasciana* (Hübner,1787)** (Tortricidae) Synonym(s): *bifasciana* Hübner,1787; *audouinana* Duponchel,1836; *apicalis* Humphreys & Westwood,1845 Range (in code): **FR IT GB BE NL DE CH AT PL CZ SK HU RO YU B-H DK SE FI EE LV LT RU Ur MD UA BY** Bionomy: Larva on *Vaccinium myrtillus*, *V. uliginosum* (Vacciniaceae); *Rhamnus catharticus* (Rhamnaceae); *Cornus mas* (Cornaceae); *Ligustrum vulgare* (Oleaceae) (Razowski,2001).
- 92026. *Spatalistis christophana* (Walsingham,1900)** (Tortricidae) Synonym(s): *christophana* Walsingham,1900; *exuberans* Walsingham,1900; *joannisi* Walsingham,1900 Range (in code): **JP KP KR CN Tkg Mc RU Us Vv**
- 92027. *Spatalistis crocomis* (Meyrick,1908)** (Tortricidae) Synonym(s): *crocomis* Meyrick,1908 Range (in code): **IN**
- 92028. *Spatalistis cyanoxantha* Meyrick,1907** (Tortricidae) Synonym(s): *cyanoxantha* Meyrick,1907 Range (in code): **LK Mky**

- 92029. *Spatalistis delta* Razowski, 2003** (Tortricidae) **Synonym(s):** *delta* Razowski, 2003 **Range** (in code): **VN**
- 92030. *Spatalistis droserantha* Meyrick, 1930** (Tortricidae) **Synonym(s):** *droserantha* Meyrick, 1930 **Range** (in code): **IN Ass Meg Slo**
- 92031. *Spatalistis dulcedana* Kuznetsov, 1992** (Tortricidae) **Synonym(s):** *dulcedana* Kuznetsov, 1992 **Range** (in code): **VN**
- 92032. *Spatalistis egesta* Razowski, 1974** (Tortricidae) **Synonym(s):** *egesta* Razowski, 1974 **Original Reference:** *Spatalistis egesta* Razowski, 1974, *Acta zool. cracov.* 19 (8): 147-149, figs. **Holotype** ♀: Japan: Honshyu, Kogigatake, 1200m, Razowski leg. (PAS). **Range** (in code): **JP Hkk Krl Sh CN Shs**
- 92033. *Spatalistis gerdia* Diakonoff, 1976** (Tortricidae) **Synonym(s):** *gerdia* Diakonoff, 1976 **Range** (in code): **NP**
- 92034. *Spatalistis gratiosa* Razowski, 1964** (Tortricidae) **Synonym(s):** *gratiosa* Razowski, 1964 **Range** (in code): **IN Ass Meg**
- 92035. *Spatalistis hormota* Meyrick, 1907** (Tortricidae) **Synonym(s):** *hormota* Meyrick, 1907 **Range** (in code): **IN Ass Meg Khs**
- 92036. *Spatalistis nephritica* Razowski, 1966** (Tortricidae) **Synonym(s):** *nephritica* Razowski, 1966; *beryllocentra* Diakonoff, 1983 **Range** (in code): **ID Clb**
- 92037. *Spatalistis numismata* Diakonoff, [1968]** (Tortricidae) **Synonym(s):** *numismata* Diakonoff, [1968] **Range** (in code): **PH Mno**
- 92038. *Spatalistis orbigera* Meyrick, 1912** (Tortricidae) **Synonym(s):** *orbigera* Meyrick, 1912 **Range** (in code): **IN Ass Meg Khs**
- 92039. *Spatalistis philauta* Diakonoff, 1983** (Tortricidae) **Synonym(s):** *philauta* Diakonoff, 1983 **Range** (in code): **ID Ja**
- 92040. *Spatalistis rhopica* Meyrick, 1907** (Tortricidae) **Synonym(s):** *rhopica* Meyrick, 1907 **Range** (in code): **ID Ass Meg Khs**
- 92041. *Spatalistis translineata* Meyrick, 1921** (Tortricidae) **Synonym(s):** *translineata* Meyrick, 1921 **Range** (in code): **ID Ja**
- 92042. *Spatalistis tyrophthora* Meyrick, 1912** (Tortricidae) **Synonym(s):** *tyrophthora* Meyrick, 1912 **Range** (in code): **IN Ass Meg Khs**
- 92043. *Spatalistis violacea* Diakonoff, 1953** (Tortricidae) **Synonym(s):** *violacea* Diakonoff, 1953 **Range** (in code): **PG**
- 92044. *Spatalistis zygota* Razowski, 1964** (Tortricidae) **Synonym(s):** *zygota* Razowski, 1964 **Range** (in code): **IN Ass Meg**
- 92045. *Sphaleroptera adamelloi* Whitebread, 2006** (Tortricidae) **Synonym(s):** *adamelloi* Whitebread, 2006 **Range** (in code): **IT**
- 92046. *Sphaleroptera alpicolana* (Frölich, 1830)** (Tortricidae) **Synonym(s):** *alpicolana* Frölich, 1830; *#obscurana* Burmann, 1958 **Range** (in code): **IT DE Bv CH AT**
- 92047. *Sphaleroptera dentana* Whitebread, 2006** (Tortricidae) **Synonym(s):** *dentana* Whitebread, 2006 **Range** (in code): **AT IT**
- 92048. *Sphaleroptera occidentana* Whitebread, 2006** (Tortricidae) **Synonym(s):** *occidentana* Whitebread, 2006 **Original Reference:** *Sphaleroptera occidentana* Whitebread, 2006, *Veröff. Tirol. Landesmus. Ferd.* 86: 192-194, figs. **Holotype** ♂: Schweiz, Zermatt 2580m (NHMB). **Range** (in code): **CH FR IT**
- 92049. *Sphaleroptera orientana* Whitebread, 2006** (Tortricidae) **Synonym(s):** *orientana* Whitebread, 2006; *suborientana* Whitebread, 2006 [ssp.] **Range** (in code): **AT CH IT**
- 92050. *Spilonota albicana* (Motschulsky, 1866)** (Tortricidae) **Synonym(s):** *albicana* Motschulsky, 1866 **Range** (in code): **JP**
- 92051. *Spilonota albitegulana* Kuznetsov, 1997** (Tortricidae) **Synonym(s):** *albitegulana* Kuznetsov, 1997 **Range** (in code): **VN Ann**
- 92052. *Spilonota allodapa* Diakonoff, 1953** (Tortricidae) **Synonym(s):** *allodapa* Diakonoff, 1953 **Range** (in code): **PG**
- 92053. *Spilonota aphrocymba* Meyrick, 1927** (Tortricidae) **Synonym(s):** *aphrocymba* Meyrick, 1927 **Range** (in code): **WS**
- 92054. *Spilonota babylonica* Meyrick, 1912** (Tortricidae) **Synonym(s):** *babylonica* Meyrick, 1912 **Range** (in code): **IN NI TH Knc Tpp**

- 92055. *Spilonota calceata* (Meyrick,1907)** (Tortricidae) Synonym(s): *calceata* Meyrick,1907
Range (in code): IN Meg Ass Khs
- 92056. *Spilonota chlorotripta* Meyrick,1921** (Tortricidae) Synonym(s): *chlorotripta* Meyrick,1921
Range (in code): ID Ja
- 92057. *Spilonota conica* Meyrick,1911** (Tortricidae) Synonym(s): *conica* Meyrick,1911 Range (in code): ZA Tva Gau Pre Wo
- 92058. *Spilonota cryptogramma* Meyrick,1922** (Tortricidae) Synonym(s): *cryptogramma* Meyrick,1922 Range (in code): FJ
- 92059. *Spilonota dissoplaca* (Meyrick,1936)** (Tortricidae) Synonym(s): *dissoplaca* Meyrick,1936
Range (in code): ID Ja
- 92060. *Spilonota distyliana* Moriuti,1958** (Tortricidae) Synonym(s): *distyliana* Moriuti,1958
Range (in code): JP
- 92061. *Spilonota eremitana* Moriuti,1972** (Tortricidae) Synonym(s): *eremitana* Moriuti,1972
Range (in code): JP
- 92062. *Spilonota hexametra* Meyrick,1920** (Tortricidae) Synonym(s): *hexametra* Meyrick,1920
Original Reference: *Spilonota hexametra* Meyrick,1920, Exot. microlepid. 2: 342. Type ♀: [Pakistan]: N.W.India, Peshawar (BMNH). Range (in code): PK Nwf Pes
- 92063. *Spilonota incretata* Meyrick,1931** (Tortricidae) Synonym(s): *incretata* Meyrick,1931
Range (in code): ID Ja
- 92064. *Spilonota laricana* (Heinemann,1863)** (Tortricidae) Synonym(s): *laricana* Heinemann,1863 Range (in code): FR IT IE GB BE LU DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ Sb Am Sh IR Mz CN
- 92065. *Spilonota lechriaspis* Meyrick,1932** (Tortricidae) Synonym(s): *lechriaspis* Meyrick,1932
Range (in code): CN Mc
- 92066. *Spilonota lobata* Diakonoff,1953** (Tortricidae) Synonym(s): *lobata* Diakonoff,1953 Range (in code): PG
- 92067. *Spilonota melanacta* (Meyrick,1907)** (Tortricidae) Synonym(s): *melanacta* Meyrick,1907
Range (in code): IN Ass Meg Khs
- 92068. *Spilonota melanocopa* (Meyrick,1912)** (Tortricidae) Synonym(s): *melanocopa* Meyrick,1912 Range (in code): LK IN Ass Meg Khs TH CMa Int Loe Nna Kao Knc Tpp VN
- 92069. *Spilonota mortuana* (Walker,1863)** (Tortricidae) Synonym(s): *mortuana* Walker,1863
Range (in code): MY Bor Swk
- 92070. *Spilonota ocellana* ([Denis & Schiffermüller],1775)** (Tortricidae) Synonym(s): *ocellana* [Denis & Schiffermüller],1775; *luscana* Fabricius,1794; *comitana* Hübner,[1799]; *pyrifoliana* Clemens,1860; *occulana* Harris,1862; *zellerana* Borgmann,1895; *centralasiae* Obratzsov,1949 Original Reference: *Tortrix ocellana* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 130. Type(s): Vienna district. Range (in code): PT ES FR Co Sa Si IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG AZ AM IR Sb KG UZ TJ Pm Am Sh KP KR JP CN MN US Ny CA
- 92071. *Spilonota prognathana* (Snellen,1883)** (Tortricidae) Synonym(s): *prognathana* Snellen,1883 Range (in code): CN Mc
- 92072. *Spilonota pyrochlora* Diakonoff,1953** (Tortricidae) Synonym(s): *pyrochlora* Diakonoff,1953 Range (in code): PG
- 92073. *Spilonota pyrusicola* Liu & Liu,1994** (Tortricidae) Synonym(s): *pyrusicola* Liu & Liu,1994
Range (in code): CN
- 92074. *Spilonota selene* Diakonoff,1953** (Tortricidae) Synonym(s): *selene* Diakonoff,1953 Range (in code): PG
- 92075. *Spilonota semicurva* (Meyrick,1912)** (Tortricidae) Synonym(s): *semicurva* Meyrick,1912
Range (in code): TH CMa Pki Int Dst Loe IN Ass Meg Khs
- 92076. *Spilonota semirufana* (Christoph,1882)** (Tortricidae) Synonym(s): *semirufana* Christoph,1882; *ochrea* Kuznetsov,1966 Range (in code): RU Vv Us
- 92077. *Spilonota sinuosa* Meyrick,1917** (Tortricidae) Synonym(s): *sinuosa* Meyrick,1917 Range (in code): ZA Kzu Nta Dbn
- 92078. *Spilonota trilithopa* (Meyrick,1937)** (Tortricidae) Synonym(s): *trilithopa* Meyrick,1937
Range (in code): CN Yu Lik
- 92079. *Spinipogon atrox* Razowski & Becker,1983** (Tortricidae) Synonym(s): *atrox* Razowski & Becker,1983 Range (in code): BR Pran

- 92080. *Spinipogon elaphroterus* Razowski & Becker, 1986** (Tortricidae) **Synonym(s):** *elaphroterus* Razowski & Becker, 1986 **Range (in code):** **CR**
- 92081. *Spinipogon harmozones* Razowski, 1986** (Tortricidae) **Synonym(s):** *harmozones* Razowski, 1986 **Range (in code):** **MX Nle**
- 92082. *Spinipogon ialtris* Razowski, 1986** (Tortricidae) **Synonym(s):** *ialtris* Razowski, 1986 **Range (in code):** **MX Vcr**
- 92083. *Spinipogon luxuria* Razowski, 1993** (Tortricidae) **Synonym(s):** *luxuria* Razowski, 1993 **Range (in code):** **PE**
- 92084. *Spinipogon spiniferus* Razowski, 1967** (Tortricidae) **Synonym(s):** *spiniferus* Razowski, 1967 **Range (in code):** **BR Para**
- 92085. *Spinipogon studiosus* Razowski & Becker, 1993** (Tortricidae) **Synonym(s):** *studiosus* Razowski & Becker, 1993 **Range (in code):** **MX Grr**
- 92086. *Spinipogon thes* Razowski & Becker, 1983** (Tortricidae) **Synonym(s):** *thes* Razowski & Becker, 1983 **Range (in code):** **BR Sct**
- 92087. *Spinipogon trivius* Razowski, 1967** (Tortricidae) **Synonym(s):** *trivius* Razowski, 1967 **Range (in code):** **BR Pran**
- 92088. *Spinipogon veracruzianus* Razowski & Becker, 1986** (Tortricidae) **Synonym(s):** *veracruzianus* Razowski & Becker, 1986 **Range (in code):** **MX Vcr**
- 92089. *Statherotis agitata* (Meyrick, 1909)** (Tortricidae) **Synonym(s):** *agitata* Meyrick, 1909 **Range (in code):** **LK Mky**
- 92090. *Statherotis amaeboea* (Lower, 1896)** (Tortricidae) **Synonym(s):** *amaeboea* Lower, 1896; *leucotorna* Diakonoff, 1973 **Range (in code):** **AU QAU Bri ID Bru**
- 92091. *Statherotis ancosema* (Meyrick, 1932)** (Tortricidae) **Synonym(s):** *ancosema* Meyrick, 1932 **Range (in code):** **FJ**
- 92092. *Statherotis antisema* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *antisema* Diakonoff, 1973 **Range (in code):** **ID Bor Klt**
- 92093. *Statherotis aspidias* (Meyrick, 1909)** (Tortricidae) **Synonym(s):** *aspidias* Meyrick, 1909 **Range (in code):** **IN Meg Ass Khs**
- 92094. *Statherotis catharosema* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *catharosema* Diakonoff, 1973 **Range (in code):** **ID Ja Ged**
- 92095. *Statherotis catherota* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *catherota* Diakonoff, 1973 **Range (in code):** **IN Adm**
- 92096. *Statherotis decorata* Meyrick, 1909** (Tortricidae) **Synonym(s):** *decorata* Meyrick, 1909 **Range (in code):** **LK Mky**
- 92097. *Statherotis diakonoffi* Kuznetsov, 1988** (Tortricidae) **Synonym(s):** *diakonoffi* Kuznetsov, 1988 **Range (in code):** **VN Ton**
- 92098. *Statherotis discana* (R. Felder & Rogenhofer, 1875)** (Tortricidae) **Synonym(s):** *discana* R. Felder & Rogenhofer, 1875; *cuneata* Diakonoff, 1973; *saturata* Diakonoff, 1973 **Range (in code):** **TH CMA Cbi Knc Tpp PH Mno TW VN Ton IN ID Ja Mlc SB** **Bionomy:** Larva on young leaves of *Nephelium lappaceum* [rambutan], *Litchi chinensis* [litchi], *Dimocarpus longan* [longan] (Sapindaceae) (Kawabe, 1989; Lewvanich, 2001).
- 92099. *Statherotis holotricha* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *holotricha* Diakonoff, 1973 **Range (in code):** **ID Clb**
- 92100. *Statherotis iricolor* (Meyrick, 1930)** (Tortricidae) **Synonym(s):** *iricolor* Meyrick, 1930 **Range (in code):** **ID Ij Gth**
- 92101. *Statherotis leucapsis* (Meyrick, 1902)** (Tortricidae) **Synonym(s):** *leucapsis* Meyrick, 1902 **Range (in code):** **TH CMA Fn Int Dst Lam Nrt Cbi Knc Tpp MM LK IN MY ID Ja Bli SC MV** **Bionomy:** Larva on *Litchi chinensis* [litchi], *Nephelium lappaceum* [rambutan], *Dimocarpus longan* [longan] (Sapindaceae) (Kawabe, 1989; Nasu et al., 1993; Lewvanich, 2001).
- 92102. *Statherotis licnuphora* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *licnuphora* Diakonoff, 1973 **Range (in code):** **ID Ja Ged**
- 92103. *Statherotis olenarcha* (Meyrick, 1931)** (Tortricidae) **Synonym(s):** *olenarcha* Meyrick, 1931 **Range (in code):** **TW PH Mno**
- 92104. *Statherotis relapsa* Meyrick, 1928** (Tortricidae) **Synonym(s):** *relapsa* Meyrick, 1928 **Range (in code):** **LK Ptl**
- 92105. *Statherotis solomonensis* Bradley, 1957** (Tortricidae) **Synonym(s):** *solomonensis* Bradley, 1957 **Range (in code):** **SB**

- 92106. *Statherotis tapinopa* Diakonoff,1973** (Tortricidae) **Synonym(s):** *tapinopa* Diakonoff,1973
Range (in code): **PG**
- 92107. *Statherotis tetrarcha* (Meyrick,1920)** (Tortricidae) **Synonym(s):** *tetrarcha* Meyrick,1920
Range (in code): **AU QAU**
- 92108. *Statherotis towadaensis* Kawabe,1978** (Tortricidae) **Synonym(s):** *towadaensis* Kawabe,1978 **Range (in code):** **JP**
- 92109. *Statherotis toxosema* (Turner,1946)** (Tortricidae) **Synonym(s):** *toxosema* Turner,1946
Range (in code): **AU QAU**
- 92110. *Statherotis transsecta* Diakonoff,1973** (Tortricidae) **Synonym(s):** *transsecta* Diakonoff,1973 **Range (in code):** **ID Obi**
- 92111. *Statherotmantis laetana* Kuznetsov,1988** (Tortricidae) **Synonym(s):** *laetana* Kuznetsov,1988 **Range (in code):** **VN Ton Tda**
- 92112. *Statherotmantis peregrina* (Falkovitsh,1966)** (Tortricidae) **Synonym(s):** *peregrina* Falkovitsh,1966 **Range (in code):** **RU Us**
- 92113. *Statherotmantis pictana* (Kuznetsov,1969)** (Tortricidae) **Synonym(s):** *pictana* Kuznetsov,1969 **Range (in code):** **RU Krl**
- 92114. *Statherotmantis shicotana* (Kuznetsov,1969)** (Tortricidae) **Synonym(s):** *shicotana* Kuznetsov,1969 **Range (in code):** **RU Krl**
- 92115. *Statherotoxys acrorhaga* Diakonoff,1973** (Tortricidae) **Synonym(s):** *acrorhaga* Diakonoff,1973 **Range (in code):** **LK**
- 92116. *Statherotoxys eurydelta* Diakonoff,1973** (Tortricidae) **Synonym(s):** *eurydelta* Diakonoff,1973 **Range (in code):** **SB**
- 92117. *Statherotoxys hedraea* (Meyrick,1905)** (Tortricidae) **Synonym(s):** *hedraea* Meyrick,1905
Range (in code): **LK Kndy**
- 92118. *Statherotoxys niphophora* Diakonoff,1973** (Tortricidae) **Synonym(s):** *niphophora* Diakonoff,1973 **Range (in code):** **TH ID Ja Sbh Swk Bor**
- 92119. *Statherotoxys pudica* Diakonoff,1973** (Tortricidae) **Synonym(s):** *pudica* Diakonoff,1973
Range (in code): **ID Bor Klt**
- 92120. *Statignatha novitana* Kuznetsov,1992** (Tortricidae) **Synonym(s):** *novitana* Kuznetsov,1992 **Range (in code):** **VN**
- 92121. *Statignatha primigena* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *primigena* Meyrick,1912 **Range (in code):** **IN Ass Meg Khs**
- 92122. *Stenarchella eupista* Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *eupista* Diakonoff,[1968] **Range (in code):** **PH Mno**
- 92123. *Strepsicrates cryptosema* Diakonoff,[1984]** (Tortricidae) **Synonym(s):** *cryptosema* Diakonoff,[1984] **Range (in code):** **SA As**
- 92124. *Strepsicrates discobola* Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *discobola* Diakonoff,[1968] **Range (in code):** **PH Mno TH Knc Tpp**
- 92125. *Strepsicrates ejectana* (Walker,1863)** (Tortricidae) **Synonym(s):** *ejectana* Walker,1863; *servilisana* Walker,1863; *ligniferana* Walker,1863; *holotehras* Meyrick,1925; *eumarodes* Meyrick,1925; *mesosticha* Turner,1946; *metabola* Turner,1946; *sphenophora* Turner,1946; *subpallida* Turner,1946; *zophotypa* Turner,1946
Original Reference: *Sciaphila ejectana* Walker,1863, List Specimens lepid. Insects Colln Br. Mus. 28: 350. Type ♂: Sydney. **Range (in code):** **TA AU NSw Syd NZ FJ PH Neg Luz** **Bionomy:** Larva on *kunzea capitata*, *Darwinia fasciculata*, *Leptospermum ericoides*, *Psidium guajava* (Myrtaceae) (Diakonoff,[1968]).
- 92126. *Strepsicrates emplasta* Meyrick,1901** (Tortricidae) **Synonym(s):** *emplasta* Meyrick,1901
Range (in code): **NZ**
- 92127. *Strepsicrates fenestrata* Walsingham,1907** (Tortricidae) **Synonym(s):** *fenestrata* Walsingham,1907 **Range (in code):** **Cn**
- 92128. *Strepsicrates glaucothoe* (Meyrick,1927)** (Tortricidae) **Synonym(s):** *glaucothoe* Meyrick,1927; *baryphragma* Meyrick,1937 **Range (in code):** **WS FJ**
- 92129. *Strepsicrates inobtrusa* Diakonoff,[1968]** (Tortricidae) **Synonym(s):** *inobtrusa* Diakonoff,[1968] **Range (in code):** **TH MY ID Ja BN Sbh Bor Swk PH**
- 92130. *Strepsicrates prolongata* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *prolongata* Meyrick,1932 **Range (in code):** **CR**
- 92131. *Strepsicrates routhia* (Meyrick,1910)** (Tortricidae) **Synonym(s):** *routhia* Meyrick,1910
Range (in code): **ZA VN MU LK Mky TH CMA Int Loe IN Ddu Pj Pus Ben JP** **Bionomy:** Larva on *Psidium guajava*, *Eugenia jambolana* (Myrtaceae) (Kawabe,1989).

- 92132. *Strepsicrates smithiana* Walsingham, 1892** (Tortricidae) **Synonym(s):** *smithiana* Walsingham, 1892; *indentatus* Dyar, 1903; *imminens* Meyrick, 1917 **Range (in code):** **US FI GY VC**
- 92133. *Strepsicrates tetropis* (Busck, 1913)** (Tortricidae) **Synonym(s):** *tetropis* Busck, 1913; *viridans* Meyrick, 1917 **Range (in code):** **GY**
- 92134. *Strepsicrates trimaura* Diakonoff, 1985** (Tortricidae) **Synonym(s):** *trimaura* Diakonoff, 1985 **Range (in code):** **Cn**
- 92135. *Strophedra nitidana* (Fabricius, 1794)** (Tortricidae) **Synonym(s):** *nitidana* Fabricius, 1794; *redimitana* Guenée, 1845; *flexana* Zeller, 1849; *vigiliana* Herrich-Schäffer, 1853. **Range (in code):** **FR Co IT IE GB BE NL DE CH AT PL CZ SK HU TR DK NO SE FI EE LT RU MD UA BY JP**
- 92136. *Strophedra weirana* (Douglas, 1850)** (Tortricidae) **Synonym(s):** *weirana* Douglas, 1850 **Range (in code):** **FR IT GB BE NL LU DE AT PL CZ SK HU YU TR DK NO SE LV RU MD UA BY Cc GG**
- 92137. *Strophotina apparata* Razowski & Pelz, 2003** (Tortricidae) **Synonym(s):** *apparata* Razowski & Pelz, 2003 **Range (in code):** **EC**
- 92138. *Strophotina chorestis* (Razowski & Becker, 1999)** (Tortricidae) **Synonym(s):** *chorestis* Razowski & Becker, 1999; *#choretis* Razowski & Becker, 1999 **Range (in code):** **EC**
- 92139. *Strophotina curvidagus* Brown, 1998** (Tortricidae) **Synonym(s):** *curvidagus* Brown, 1998 **Range (in code):** **CR**
- 92140. *Strophotina niphochondra* (Razowski & Becker, 1999)** (Tortricidae) **Synonym(s):** *niphochondra* Razowski & Becker, 1999 **Range (in code):** **BR**
- 92141. *Strophotina strophota* (Meyrick, 1926)** (Tortricidae) **Synonym(s):** *strophota* Meyrick, 1926 **Range (in code):** **CO**
- 92142. *Subtranstillaspis hypochloris* (Meyrick, 1932)** (Tortricidae) **Synonym(s):** *hypochloris* Meyrick, 1932 **Range (in code):** **CR**
- 92143. *Suleima mendaciana* A. Blanchard & Knudson, 1983** (Tortricidae) **Synonym(s):** *mendaciana* A. Blanchard & Knudson, 1983 **Range (in code):** **US Tx**
- 92144. *Suleima skinnerana* Heinrich, 1923** (Tortricidae) **Synonym(s):** *skinnerana* Heinrich, 1923 **Range (in code):** **US Arz**
- 92145. *Sycacantha (inodes-gr.) amphimorpha* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *amphimorpha* Diakonoff, 1973 **Range (in code):** **ID Ja**
- 92146. *Sycacantha (inodes-gr.) beatana* Kuznetsov, 2003** (Tortricidae) **Synonym(s):** *beatana* Kuznetsov, 2003 **Range (in code):** **VN**
- 92147. *Sycacantha (inodes-gr.) choanantha* Diakonoff, 1971** (Tortricidae) **Synonym(s):** *choanantha* Diakonoff, 1971 **Range (in code):** **TH Nna Kao Cbi Kbi MM Tns ID Sba**
- 92148. *Sycacantha (inodes-gr.) cinerascens* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *cinerascens* Diakonoff, 1973 **Range (in code):** **ID Bor Klt**
- 92149. *Sycacantha (inodes-gr.) complicitana* (Walker, 1863)** (Tortricidae) **Synonym(s):** *complicitana* Walker, 1863 **Range (in code):** **MY Bor Swk IN Ass CN Hn ID Baw Bli Sbw Mlc PG TH Nna Kao Trat**
- 92150. *Sycacantha (inodes-gr.) complicitana complicitana* (Walker, 1863)** (Tortricidae) **Synonym(s):** *complicitana* Walker, 1863 **Range (in code):** **TH Nna Kao Trat MY Bor IN Ass CN Hn ID Baw Bli Sbw Mlc PG**
- 92151. *Sycacantha (inodes-gr.) complicitana elegans* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *elegans* Diakonoff, 1973 **Range (in code):** **MY Bor Swk**
- 92152. *Sycacantha (inodes-gr.) crocamicta* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *crocamicta* Diakonoff, 1973 **Range (in code):** **ID Bli Bor Klt**
- 92153. *Sycacantha (inodes-gr.) diakonoffi* Kawabe, 1987** (Tortricidae) **Synonym(s):** *diakonoffi* Kawabe, 1987 **Range (in code):** **TH CMa**
- 92154. *Sycacantha (inodes-gr.) dissita* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *dissita* Diakonoff, 1973 **Range (in code):** **ID Snd**
- 92155. *Sycacantha (inodes-gr.) escharota* (Meyrick, 1910)** (Tortricidae) **Synonym(s):** *escharota* Meyrick, 1910 **Range (in code):** **ID Clb**
- 92156. *Sycacantha (inodes-gr.) formosa* Diakonoff, 1971** (Tortricidae) **Synonym(s):** *formosa* Diakonoff, 1971 **Range (in code):** **MY Bor Swk TH CMa Fn Cbi Trat Kbi**
- 92157. *Sycacantha (inodes-gr.) formosa formosa* Diakonoff, 1971** (Tortricidae) **Synonym(s):** *formosa* Diakonoff, 1971 **Range (in code):** **TH CMa Fn Cbi Trat Kbi**
- 92158. *Sycacantha (inodes-gr.) formosa rutila* Diakonoff, 1973** (Tortricidae) **Synonym(s):** *rutila* Diakonoff, 1973 **Range (in code):** **MY Bor Swk**

- 92159. *Sycacantha* (inodes-gr.) hilarograpta (Meyrick,1933)** (Tortricidae) Synonym(s): *hilarograpta* Meyrick,1933; *auriflora* Diakonoff,1959 Range (in code): IN Meg Ass Khs ID Ja
- 92160. *Sycacantha* (inodes-gr.) homichlodes Diakonoff,1973** (Tortricidae) Synonym(s): *homichlodes* Diakonoff,1973 Range (in code): ID Sum Dp
- 92161. *Sycacantha* (inodes-gr.) inodes (Meyrick,1911)** (Tortricidae) Synonym(s): *inodes* Meyrick,1911 Range (in code): ID Sum Ja Bli MY BN Bor Sbh Klt SB Eca Bsm Clb Baw Klt TH CMA CDo Nna Kao Cbi Kbi PG NBr Nlr Wd PH Luz VN
- 92162. *Sycacantha* (inodes-gr.) inodes celebensis Diakonoff,1973** (Tortricidae) Synonym(s): *celebensis* Diakonoff,1973 Range (in code): ID Clb
- 92163. *Sycacantha* (inodes-gr.) inodes inodes (Meyrick,1911)** (Tortricidae) Synonym(s): *inodes* Meyrick,1911 Range (in code): ID Ja Bli SB Bsm PG Wd NBr Nlr
- 92164. *Sycacantha* (inodes-gr.) inodes perspicua Diakonoff,[1968]** (Tortricidae) Synonym(s): *perspicua* Diakonoff,[1968] Range (in code): PH Luz
- 92165. *Sycacantha* (inodes-gr.) inodes rubida Diakonoff,1971** (Tortricidae) Synonym(s): *rubida* Diakonoff,1971 Range (in code): TH CMA CDo Nna Kao Cbi ID Baw MY BN Bor Sbh Klt
- 92166. *Sycacantha* (inodes-gr.) inopinata Diakonoff,1973** (Tortricidae) Synonym(s): *inopinata* Diakonoff,1973 Range (in code): ID Bli TH CMA Int Cbi Nna Kao Pgg VN
- 92167. *Sycacantha* (inodes-gr.) occulta Diakonoff,1973** (Tortricidae) Synonym(s): *occulta* Diakonoff,1973 Range (in code): ID Ja Bor Klt
- 92168. *Sycacantha* (inodes-gr.) ostracachtys Diakonoff,1973** (Tortricidae) Synonym(s): *ostracachtys* Diakonoff,1973 Range (in code): PG
- 92169. *Sycacantha* (inodes-gr.) potamographa Diakonoff,[1968]** (Tortricidae) Synonym(s): *potamographa* Diakonoff,[1968] Range (in code): TH Chy PH Mno ID Bor
- 92170. *Sycacantha* (inodes-gr.) praeclara Diakonoff,1973** (Tortricidae) Synonym(s): *praeclara* Diakonoff,1973 Range (in code): ID Mlc
- 92171. *Sycacantha* (inodes-gr.) quadrata Diakonoff,1973** (Tortricidae) Synonym(s): *quadrata* Diakonoff,1973 Range (in code): ID Adm
- 92172. *Sycacantha* (inodes-gr.) rhodocroca Diakonoff,1973** (Tortricidae) Synonym(s): *rhodocroca* Diakonoff,1973 Range (in code): PG
- 92173. *Sycacantha* (inodes-gr.) rivulosa (Diakonoff,1953)** (Tortricidae) Synonym(s): *rivulosa* Diakonoff,1953 Range (in code): PG
- 92174. *Sycacantha* (inodes-gr.) rufescens Diakonoff,1973** (Tortricidae) Synonym(s): *rufescens* Diakonoff,1973 Range (in code): ID Ja
- 92175. *Sycacantha* (inodes-gr.) siamensis Diakonoff,1971** (Tortricidae) Synonym(s): *siamensis* Diakonoff,1971 Range (in code): TH Kbi Nna Kao
- 92176. *Sycacantha* (inodes-gr.) siamensis siamensis Diakonoff,1971** (Tortricidae) Synonym(s): *siamensis* Diakonoff,1971 Range (in code): TH Kbi Nna Kao
- 92177. *Sycacantha* (inodes-gr.) solemnis Diakonoff,1973** (Tortricidae) Synonym(s): *solemnis* Diakonoff,1973 Range (in code): PG
- 92178. *Sycacantha* (inodes-gr.) subiecta Diakonoff,1973** (Tortricidae) Synonym(s): *subiecta* Diakonoff,1973 Range (in code): IN Up Grp
- 92179. *Sycacantha* (inodes-gr.) tapaenophyes Diakonoff,1973** (Tortricidae) Synonym(s): *tapaenophyes* Diakonoff,1973 Range (in code): ID Sba
- 92180. *Sycacantha* (thermographa-gr.) caryozona Diakonoff,1973** (Tortricidae) Synonym(s): *caryozona* Diakonoff,1973 Range (in code): PG
- 92181. *Sycacantha* (thermographa-gr.) catharia Diakonoff,1973** (Tortricidae) Synonym(s): *catharia* Diakonoff,1973 Range (in code): ID Sba
- 92182. *Sycacantha* (thermographa-gr.) concentra Diakonoff,1973** (Tortricidae) Synonym(s): *concentra* Diakonoff,1973 Range (in code): ID Sba Bli TH Nna Kao MY
- 92183. *Sycacantha* (thermographa-gr.) diatoma Diakonoff,1966** (Tortricidae) Synonym(s): *diatoma* Diakonoff,1966 Range (in code): PG
- 92184. *Sycacantha* (thermographa-gr.) exedra (Turner,1916)** (Tortricidae) Synonym(s): *exedra* Turner,1916 Range (in code): AU QAU
- 92185. *Sycacantha* (thermographa-gr.) incondita Diakonoff,1973** (Tortricidae) Synonym(s): *incondita* Diakonoff,1973 Range (in code): ID Ja
- 92186. *Sycacantha* (thermographa-gr.) maior Diakonoff,1973** (Tortricidae) Synonym(s): *maior* Diakonoff,1973 Range (in code): MY Bor Swk

- 92187. *Sycacantha (thermographa-gr.) thermographa* Diakonoff,1973** (Tortricidae)
Synonym(s): *thermographa* Diakonoff,1973 Range (in code): ID Clb
- 92188. *Sycacantha (thermographa-gr.) tornophanes* (Meyrick,1930)** (Tortricidae)
Synonym(s): *tornophanes* Meyrick,1930 Range (in code): SB
- 92189. *Sycacantha (thermographa-gr.) versicolor* Diakonoff,1973** (Tortricidae)
Synonym(s): *versicolor* Diakonoff,1973 Range (in code): MY Bor Swk
- 92190. *Syndemis duplex* Diakonoff,1948** (Tortricidae) Synonym(s): *duplex* Diakonoff,1948
Range (in code): VN Ton
- 92191. *Syndemis miae* Diakonoff,1948** (Tortricidae) Synonym(s): *miae* Diakonoff,1948 Original Reference: *Syndemis miae* Diakonoff,1948, Treubia 19 (3): 510-511, fig.8. Holotype ♂: [Indonesia]: West Java, Mt. Gede-Panggerango, Tjisarua-Zuid, 1000m. Range (in code): ID Ja Ged
- 92192. *Syndemis musculana* (Hübner,[1799])** (Tortricidae) Synonym(s): *musculana* Hübner,[1799]; *musculinana* Kennel,1899; *nipponensis* Yasuda,1975. Range (in code): ES FR Co Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU MD UA BY Cc GG JP
Bionomy: Larva on Rubus (Rosaceae), Betula (Betulaceae), Quercus (Fagaceae), Picea, Pinus (Pinaceae) (Razowski,2001).
- 92193. *Syndemis supervacanea* Razowski,1984** (Tortricidae) Synonym(s): *supervacanea* Razowski,1984 Range (in code): CN Shs
- 92194. *Syndemis xanthopterana* Kostyuk,1980** (Tortricidae) Synonym(s): *xanthopterana* Kostyuk,1980 Range (in code): Cc AZ Tlh
- 92195. *Syntozyga anconia* (Meyrick,1911)** (Tortricidae) Synonym(s): *anconia* Meyrick,1911
Range (in code): AU QAu
- 92196. *Syntozyga bicuspis* Diakonoff,1973** (Tortricidae) Synonym(s): *bicuspis* Diakonoff,1973
Range (in code): IN
- 92197. *Syntozyga macrosperma* Diakonoff,1971** (Tortricidae) Synonym(s): *macrosperma* Diakonoff,1971 Range (in code): TH Kbi
- 92198. *Syntozyga pedias* (Meyrick,1920)** (Tortricidae) Synonym(s): *pedias* Meyrick,1920; *familiaris* Meyrick,1921 Range (in code): IN Ben ID Ja Bli Clb Bor Klt PG TH CMa Knc Tpp
- 92199. *Syntozyga psammetalla* Lower,1901** (Tortricidae) Synonym(s): *psammetalla* Lower,1901
Range (in code): AU NSw QAu ID Sba Tim Bli
- 92200. *Syntozyga sedifera* (Meyrick,1911)** (Tortricidae) Synonym(s): *sedifera* Meyrick,1911
Range (in code): AU QAu
- 92201. *Syntozyga stagonophora* Diakonoff,1973** (Tortricidae) Synonym(s): *stagonophora* Diakonoff,1973 Range (in code): LK
- 92202. *Taiteccopsis taitana* Razowski,2012** (Tortricidae) Synonym(s): *taitana* Razowski,2012
Range (in code): KE Tet
- 92203. *Talponia batesi* Heinrich,1932** (Tortricidae) Synonym(s): *batesi* Heinrich,1932 Range (in code): GT
- 92204. *Tambomachaya pollexifera* Razowski,1989** (Tortricidae) Synonym(s): *pollexifera* Razowski,1989 Range (in code): PE
- 92205. *Teleta talaris* (Durrant,1915)** (Tortricidae) Synonym(s): *talaris* Durrant,1915; *xanthogastra* Meyrick,1921 Range (in code): TH CMa Dst CDo Nna Kao Knc Tpp ID Ij Ja BN Bor Sbh Clb PG
- 92206. *Telurips peruvianus* Razowski,1988** (Tortricidae) Synonym(s): *peruvianus* Razowski,1988 Range (in code): PE
- 92207. *Temnolopha abstrusana* Kuznetsov,1988** (Tortricidae) Synonym(s): *abstrusana* Kuznetsov,1988 Range (in code): VN Ton
- 92208. *Temnolopha biguttata* Diakonoff,1973** (Tortricidae) Synonym(s): *biguttata* Diakonoff,1973 Range (in code): ID Bor Klt
- 92209. *Temnolopha matura* Diakonoff,1973** (Tortricidae) Synonym(s): *matura* Diakonoff,1973
Range (in code): ID Bor Klt TH Loe Knc Tpp
- 92210. *Temnolopha mosaica* Lower,1901** (Tortricidae) Synonym(s): *mosaica* Lower,1901; *clydonias* Meyrick,1907 Range (in code): AU QAu IN LK TH KH ID Ja Clb Mlc PH Luz
- 92211. *Temnolopha sponditis* (Meyrick,1918)** (Tortricidae) Synonym(s): *sponditis* Meyrick,1918
Range (in code): ZA Ec Stj Nta Kzu Ptw
- 92212. *Templemania animosana* (Busck,1907)** (Tortricidae) Synonym(s): *animosana* Busck,1907 Range (in code): MX Vcr

- 92213. Templemania millistriata (Walsingham,1914)** (Tortricidae) **Synonym(s):** *millistriata* Walsingham,1914 **Range (in code):** **MX Ver**
- 92214. Templemania rhythmogramma (Meyrick,1924)** (Tortricidae) **Synonym(s):** *rhythmogramma* Meyrick,1924 **Range (in code):** **MX**
- 92215. Templemania sarothrura (C.Felder & Rogenhofer,1875)** (Tortricidae) **Synonym(s):** *sarothrura* C.Felder & Rogenhofer,1875; *auricomana* Busck,1907 **Range (in code):** **MX**
- 92216. Terinebrica fortifera Razowski,1991** (Tortricidae) **Synonym(s):** *fortifera* Razowski,1991 **Range (in code):** **BR Sct**
- 92217. Terinebrica inouei Razowski,1987** (Tortricidae) **Synonym(s):** *inouei* Razowski,1987 **Range (in code):** **BR Sct**
- 92218. Terinebrica orthoscia (Meyrick,1936)** (Tortricidae) **Synonym(s):** *orthoscia* Meyrick,1936 **Range (in code):** **VE**
- 92219. Terinebrica pharetrata Razowski,1987** (Tortricidae) **Synonym(s):** *pharetrata* Razowski,1987 **Range (in code):** **AR**
- 92220. Terinebrica saetigera Razowski,1987** (Tortricidae) **Synonym(s):** *saetigera* Razowski,1987 **Range (in code):** **BO**
- 92221. Terinebrica seiugata Razowski,1987** (Tortricidae) **Synonym(s):** *seiugata* Razowski,1987 **Range (in code):** **PE**
- 92222. Terinebrica tenebrica Razowski,1987** (Tortricidae) **Synonym(s):** *tenebrica* Razowski,1987 **Range (in code):** **PE**
- 92223. Terricula bifurcata Wang & Li,2004** (Tortricidae) **Synonym(s):** *bifurcata* Wang & Li,2004 **Range (in code):** **CN Hun**
- 92224. Terricula violetana (Kawabe,1964)** (Tortricidae) **Synonym(s):** *violetana* Kawabe,1964; *noctis* Falkovitsh,1965 **Range (in code):** **JP**
- 92225. Terthreutis argentea (Butler,1886)** (Tortricidae) **Synonym(s):** *argentea* Butler,1886 **Range (in code):** **IN SI**
- 92226. Terthreutis bipunctata Bai,1993** (Tortricidae) **Synonym(s):** *bipunctata* Bai,1993 **Range (in code):** **CN Hn**
- 92227. Terthreutis bulligera Meyrick,1928** (Tortricidae) **Synonym(s):** *bulligera* Meyrick,1928 **Range (in code):** **IN Ben Clc**
- 92228. Terthreutis series Bai,1993** (Tortricidae) **Synonym(s):** *series* Bai,1993 **Range (in code):** **CN Sz**
- 92229. Terthreutis sp.[1]:** (Tortricidae) **Synonym(s):** **Range (in code):** **MM MY ID Sum TH**
- 92230. Terthreutis sp.[2]:** (Tortricidae) **Synonym(s):** **Range (in code):** **TH**
- 92231. Terthreutis sphaerocosma Meyrick,1918** (Tortricidae) **Synonym(s):** *sphaerocosma* Meyrick,1918; *duosticta* Wileman & Stringer,1929 **Range (in code):** **SI IN Ass Meg Khs TW**
- 92232. Terthreutis xanthocycla (Meyrick,1938)** (Tortricidae) **Synonym(s):** *xanthocycla* Meyrick,1938 **Range (in code):** **CN Yu Lik**
- 92233. Tetramoera flavescens Kuznetsov,1988** (Tortricidae) **Synonym(s):** *flavescens* Kuznetsov,1988 **Range (in code):** **VN Ton TH Knc Tpp**
- 92234. Tetramoera paragramma (Meyrick,1909)** (Tortricidae) **Synonym(s):** *paragramma* Meyrick,1909 **Range (in code):** **TH IN Ben ID Ja** **Bionomy:** Larva on young shoots of bamboos (Poaceae) (Robinson et al.,1994).
- 92235. Tetramoera schistaceana (Snellen,1891)** (Tortricidae) **Synonym(s):** *schistaceana* Snellen,1891 **Range (in code):** **CN Mc JP IN TW MY VN PH Luz Mno ID Ja MG Hw MU RE**
- 92236. Thaumato-grapha citharistis (Meyrick,1909)** (Tortricidae) **Synonym(s):** *citharistis* Meyrick,1909 **Range (in code):** **IN Up Ass Meg Cpj**
- 92237. Thaumato-grapha cladara Diakonoff,1977** (Tortricidae) **Synonym(s):** *cladara* Diakonoff,1977 **Range (in code):** **MY ID Bor**
- 92238. Thaumato-grapha cubensis Heppner,1982** (Tortricidae) **Synonym(s):** *cubensis* Heppner,1982 **Range (in code):** **CU**
- 92239. Thaumato-grapha dolichosticha Diakonoff,1977** (Tortricidae) **Synonym(s):** *dolichosticha* Diakonoff,1977 **Range (in code):** **ID Ja**
- 92240. Thaumato-grapha excellens Pagenstecher,1900** (Tortricidae) **Synonym(s):** *excellens* Pagenstecher,1900; *pyranthis* Meyrick,1907 **Range (in code):** **PG**
- 92241. Thaumato-grapha ferox (Meyrick,1921)** (Tortricidae) **Synonym(s):** *ferox* Meyrick,1921 **Range (in code):** **ID Ja**

- 92242. *Thaumatographa jonesi* (Brower,1953)** (Tortricidae) Synonym(s): *jonesi* Brower,1953
Range (in code): US Mai
- 92243. *Thaumatographa leucopyrga* (Meyrick,1912)** (Tortricidae) Synonym(s): *leucopyrga* Meyrick,1912 Range (in code): JP ID Ja
- 92244. *Thaumatographa ludens* (Diakonoff,1948)** (Tortricidae) Synonym(s): *ludens* Diakonoff,1948 Range (in code): ID Bru
- 92245. *Thaumatographa macaria* Diakonoff,1977** (Tortricidae) Synonym(s): *macaria* Diakonoff,1977 Range (in code): ID Ja
- 92246. *Thaumatographa mesostigmatias* Diakonoff,1977** (Tortricidae) Synonym(s): *mesostigmatias* Diakonoff,1977 Range (in code): TW
- 92247. *Thaumatographa oenobapta* Diakonoff,1977** (Tortricidae) Synonym(s): *oenobapta* Diakonoff,1977 Range (in code): ID Ja
- 92248. *Thaumatographa opistocapna* Diakonoff,1977** (Tortricidae) Synonym(s): *opistocapna* Diakonoff,1977 Range (in code): PG
- 92249. *Thaumatographa phlox* Diakonoff,1977** (Tortricidae) Synonym(s): *phlox* Diakonoff,1977 Range (in code): ID Ja
- 92250. *Thaumatographa spermatodesma* (Diakonoff,1955)** (Tortricidae) Synonym(s): *spermatodesma* Diakonoff,1955 Range (in code): PG
- 92251. *Thaumatographa tornoxena* Diakonoff,1977** (Tortricidae) Synonym(s): *tornoxena* Diakonoff,1977 Range (in code): ID Ja
- 92252. *Thaumatographa undosa* Diakonoff,1977** (Tortricidae) Synonym(s): *undosa* Diakonoff,1977 Range (in code): PG
- 92253. *Thaumatographa zapyra* (Meyrick,1886)** (Tortricidae) Synonym(s): *zapyra* Meyrick,1886 Range (in code): PG PMo
- 92254. *Thaumatotibia batrachopa* (Meyrick,1908)** (Tortricidae) Synonym(s): *batrachopa* Meyrick,1908 Original Reference: *Enarmonia batrachopa* Meyrick,1908, Proc. zool. Soc. London 1908: 718. Lectotype ♂: [South Africa]: Kongha, Cape Colony, designated by Clarke,1958 (BMNH) [Clarke,1958, Catalogue...3: pl.161 figs.1-1a]. Range (in code): ZA Wca Ec Nta Kzu Tva Lpo ZW MG ET Ble
- 92255. *Thaumatotibia hemitoma* (Diakonoff,1976)** (Tortricidae) Synonym(s): *hemitoma* Diakonoff,1976 Range (in code): TH Knc Tpp NP
- 92256. *Thaumatotibia spinai* Razowski & Trematerra,2010** (Tortricidae) Synonym(s): *spinai* Razowski & Trematerra,2010 Range (in code): ET
- 92257. *Theorica lamyra* (Meyrick,1911)** (Tortricidae) Synonym(s): *lamyra* Meyrick,1911 Range (in code): PG Wd
- 92258. *Theorica secunda* Kuznetsov,1977** (Tortricidae) Synonym(s): *secunda* Kuznetsov,1977 Range (in code): VN
- 92259. *Thiodia albocella* Razowski & Trematerra,2008** (Tortricidae) Synonym(s): *albocella* Razowski & Trematerra,2008 Range (in code): MZ
- 92260. *Thiodia anatoliana* Kennel,1916** (Tortricidae) Synonym(s): *anatoliana* Kennel,1916; *#anatoleana* Kuznetsov,1976 Original Reference: *Thiodia anatoliana* Kennel,1916, Palaeart. Tortr.: 532, Taf. xx fig.39. Type ♀: [Armenia]: "Anatolien (Erivan)" (MGAB). Range (in code): Cc AM Eri IR Elb Kdv LB
- 92261. *Thiodia caradjana* Kennel,1916** (Tortricidae) Synonym(s): *caradjana* Kennel,1916 Original Reference: *Thiodia caradjana* Kennel,1916, Palaeart. Tortr.: 533, Taf. xx fig.40. Type ♂: [Armenia]: "Anatolien (Erivan)" (MGAB). Range (in code): Cc AM Eri
- 92262. *Thiodia citrana* (Hübner,[1799])** (Tortricidae) Synonym(s): *citrana* Hübner,[1799]; *libanicolana* Obratzov,1964 [ssp.] Range (in code): ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG TR AM Eri SY Dms Hal DK NO SE FI EE LV LT RU MD UA BY LB Bsa Cc GG AZ IR KG Uk TM Sb Sh
- 92263. *Thiodia confusana* Kuznetsov,1972** (Tortricidae) Synonym(s): *confusana* Kuznetsov,1972 Range (in code): IR Elb Kdj Th
- 92264. *Thiodia couleruana* (Duponchel,1835)** (Tortricidae) Synonym(s): *couleruana* Duponchel,1835; *castiliana* Caradja,1917; *pseudodelitanus* Obratzov,1952 Range (in code): PT ES Cs Bgs FR CH UA Cm IR TR
- 92265. *Thiodia dahurica* (Falkovitsh,1965)** (Tortricidae) Synonym(s): *dahurica* Falkovitsh,1965 Range (in code): RU Us

- 92266. *Thiodia densistriata* (Falkovitsh,1964)** (Tortricidae) **Synonym(s):** *densistriata* Falkovitsh,1964 **Range (in code):** **KG Tk Ket**
- 92267. *Thiodia elbursica* Kuznetsov,1972** (Tortricidae) **Synonym(s):** *elbursica* Kuznetsov,1972 **Range (in code):** **IR Elb Kdj Th**
- 92268. *Thiodia excavana* Aarvik,2004** (Tortricidae) **Synonym(s):** *excavana* Aarvik,2004 **Range (in code):** **NA Dmr Bnd**
- 92269. *Thiodia fessana* (Mann,1873)** (Tortricidae) **Synonym(s):** *fessana* Mann,1873 **Original Reference:** *Grapholitha fessana* Mann,1873, Verh. zool.- bot. Ges. Wien 23: 573. Type ♂: [Türkei; İçel Prov.]: "bei Gülek aus Sträuchern geschucht" (NMNW). **Range (in code):** **Cc TR AM** **Bionomy:** pupa found on an old stem of *Salvia candelabrum* at Amasia (Staudinger,1879).
- 92270. *Thiodia glandulosana* Walsingham,1907** (Tortricidae) **Synonym(s):** *glandulosana* Walsingham,1907 **Range (in code):** **Cn**
- 92271. *Thiodia hyrcana* Kuznetsov,1976** (Tortricidae) **Synonym(s):** *hyrcana* Kuznetsov,1976 **Original Reference:** *Thiodia hyrcana* Kuznetsov,1976, Trudy Zool. Inst. Leningr. 64: 27. Holotype ♀: Iran, Shahkuh (ZMAS). **Range (in code):** **IR Elb Shh Se**
- 92272. *Thiodia irinae* Budashkin,1990** (Tortricidae) **Synonym(s):** *irinae* Budashkin,1990 **Range (in code):** **UA Cm**
- 92273. *Thiodia lerneana* (Treitschke,1835)** (Tortricidae) **Synonym(s):** *lerneana* Treitschke,1835 **Range (in code):** **ES FR IT AT HU RO BG LT RU MD UA BY Ur KG TM KK**
- 92274. *Thiodia major* (Rebel,1903)** (Tortricidae) **Synonym(s):** *major* Rebel,1903; *sardiniana* Schawerda,1936 **Range (in code):** **FR Co Sa Si IT RO YU BG Slv GR**
- 92275. *Thiodia nasifera* Razowski & Trematerra,2008** (Tortricidae) **Synonym(s):** *nasifera* Razowski & Trematerra,2008 **Range (in code):** **MZ**
- 92276. *Thiodia placidana* (Staudinger,1871)** (Tortricidae) **Synonym(s):** *placidana* Staudinger,1871 **Original Reference:** *Grapholitha placidana* Staudinger,1871, Berl. ent. Z. 14 (1870): 281. Lectotype ♀: Russia, Volgograd. **Range (in code):** **RU Sr Cc GG**
- 92277. *Thiodia sulphurana* (Christoph,1888)** (Tortricidae) **Synonym(s):** *sulphurana* Christoph,1888 **Original Reference:** *Grapholitha sulphurana* Christoph,1888, Horae Soc. ent. ross. 22: 311. Syntypes: Russia, Sarepta. **Range (in code):** **RU Sr Cc GG KG**
- 92278. *Thiodia torridana* (Lederer,1859)** (Tortricidae) **Synonym(s):** *torridana* Lederer,1859 **Range (in code):** **FR IT DE CH AT PL CZ SK HU YU RU Ur Sb Am Us Sh Krl Cc GG TR KG Uk TM KK CN Ui Ku**
- 92279. *Thiodia trochillana* (Frölich,1828)** (Tortricidae) **Synonym(s):** *trochillana* Frölich,1828; *delitana* Fischer v. Rösslerstamm,[1839] **Original Reference:** *Tortrix trochillana* Frölich,1828, Enum. Tortr. Wrtemberg.: 55. Syntypes: Deutschland, Württemberg. **Range (in code):** **DZ MA ES FR Co Si IT DE CH AT CZ SK HU RO YU AL BG GR TR IR Kh Cc GG AM LB Say TM LV RU MD UA BY**
- 92280. *Thiodia tscheliana* (Caradja,1927)** (Tortricidae) **Synonym(s):** *tscheliana* Caradja,1927 **Range (in code):** **RO**
- 92281. *Thiodiodes seeboldi* (Rössler,1877)** (Tortricidae) **Synonym(s):** *seeboldi* Rössler,1877 **Original Reference:** *Grapholitha seeboldi* Rössler,1877, Stettin ent. Ztg. 38: 373. Syntypes: Spain: Bilbao. **Range (in code):** **PT ES FR**
- 92282. *Thoridia veirsi* J.Brown,1991** (Tortricidae) **Synonym(s):** *veirsi* J.Brown,1991 **Range (in code):** **CR**
- 92283. *Thymioptila oedalea* (Meyrick,1909)** (Tortricidae) **Synonym(s):** *oedalea* Meyrick,1909; *neolopha* Meyrick,1931 **Range (in code):** **TH Kbi MY LK Kndy Pdy CN Hn IN Adm ID Sum BN Bor Klt Sba Bru Mlc Bsm**
- 92284. *Thysanocrepis celebensis* Diakonoff,1975** (Tortricidae) **Synonym(s):** *celebensis* Diakonoff,1975 **Range (in code):** **ID Clb**
- 92285. *Thysanocrepis crossota* (Meyrick,1911)** (Tortricidae) **Synonym(s):** *crossota* Meyrick,1911 **Range (in code):** **TH Nna Kao Knc Tpp IN MY ID Bli BN Bor Klt Clb PG AU SB Adl**
- 92286. *Thysanphalonia cirrhites* Razowski & Becker,1986** (Tortricidae) **Synonym(s):** *cirrhites* Razowski & Becker,1986 **Range (in code):** **MX Vcr**
- 92287. *Tia enervana* (Erschoff,1877)** (Tortricidae) **Synonym(s):** *enervana* Erschoff,1877; *vulgana* McDunnough,1922 **Range (in code):** **RU Sb CA Abt**
- 92288. *Tina audaculana* (Busck,1907)** (Tortricidae) **Synonym(s):** *audaculana* Busck,1907 **Range (in code):** **MX Vcr**
- 92289. *Tinacruris apertana* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *apertana* Walsingham,1914 **Range (in code):** **MX Vcr**

- 92290. *Tinacruris aquila* (Busck,1914)** (Tortricidae) **Synonym(s):** *aquila* Busck,1914; *consobrina* Busck,1914 **Range (in code):** **PA**
- 92291. *Tinacruris patulana* (Walker,1863)** (Tortricidae) **Synonym(s):** *patulana* Walker,1863 **Range (in code):** **MX Ox**
- 92292. *Tinacruris sebasta* (Walsingham,1914)** (Tortricidae) **Synonym(s):** *sebasta* Walsingham,1914 **Range (in code):** **GT**
- 92293. *Tortricodes alternella* ([Denis & Schiffermüller],1775)** (Tortricidae) **Synonym(s):** *alternella* [Denis & Schiffermüller],1775; *violella* Razowski,1956 **Original Reference:** *Tinea alternella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 135. **Type(s):** Vienna district. **Range (in code):** **MA DZ PT ES FR Si IT IE GB BE LU DE CH AT PL CZ SK HU YU DK NO SE EE LV LT RU MD UA BY** **Bionomy:** Larva on *Quercus* (Fagaceae), *Carpinus*, *Corylus* (Corylaceae), *Betula* (Betulaceae), *Salix* (Salicaceae), *Crataegus*, *Prunus* (Rosaceae) (Razowski,2001).
- 92294. *Tortricodes selma* Koçak,1991** (Tortricidae) **Synonym(s):** *selma* Koçak,1991 **Range (in code):** **TR**
- 92295. *Tortrix agroeca* Meyrick,1908** (Tortricidae) **Synonym(s):** *agroeca* Meyrick,1908 **Original Reference:** *Tortrix agroeca* Meyrick,1908, *Proc. zool. Soc. London* 1908: 723. **Type** ♂: [South Africa]: Transvaal, Pretoria (BMNH) [Clarke,1958, *Catalogue...3*: pl.116 figs.1-1b]. **Range (in code):** **ZA Gau Tva Pre**
- 92296. *Tortrix albescens* Meyrick,1912** (Tortricidae) **Synonym(s):** *albescens* Meyrick,1912 **Range (in code):** **ZA**
- 92297. *Tortrix biformis* Meyrick,1920** (Tortricidae) **Synonym(s):** *biformis* Meyrick,1920 **Range (in code):** **ZA Ec Wth**
- 92298. *Tortrix capensana* (Walker,1863)** (Tortricidae) **Synonym(s):** *capensana* Walker,1863; *adustana* Walsingham,1881 **Range (in code):** **ZA Wca Ec Tva Nta Kzu**
- 92299. *Tortrix capitana* R.Felder & Rogenhofer,1875** (Tortricidae) **Synonym(s):** *capitana* R.Felder & Rogenhofer,1875 **Range (in code):** **ZA**
- 92300. *Tortrix catadryas* Meyrick,1937** (Tortricidae) **Synonym(s):** *catadryas* Meyrick,1937 **Range (in code):** **ZA**
- 92301. *Tortrix corroborata* Meyrick,1918** (Tortricidae) **Synonym(s):** *corroborata* Meyrick,1918 **Range (in code):** **ZA Nta Kzu**
- 92302. *Tortrix crispata* Meyrick,1912** (Tortricidae) **Synonym(s):** *crispata* Meyrick,1912 **Range (in code):** **ZA**
- 92303. *Tortrix diametrica* Meyrick,1932** (Tortricidae) **Synonym(s):** *diametrica* Meyrick,1932 **Original Reference:** *Tortrix diametrica* Meyrick,1932, *Trans. R. ent. Soc. London* 80 (1): 110-111. **Syntypes** 2♂: [Ethiopia]: Jem-Jem Forest. **Range (in code):** **ET Sw ET88**
- 92304. *Tortrix diluticiliana* Walsingham,1881** (Tortricidae) **Synonym(s):** *diluticiliana* Walsingham,1881 **Range (in code):** **ZA**
- 92305. *Tortrix dorsiplagana* (Walsingham,1881)** (Tortricidae) **Synonym(s):** *dorsiplagana* Walsingham,1881 **Range (in code):** **ZA**
- 92306. *Tortrix furtiva* Meyrick,1911** (Tortricidae) **Synonym(s):** *furtiva* Meyrick,1911 **Original Reference:** *Tortrix furtiva* Meyrick,1911, *Ann. Transv. Mus.* 2: 223. **Lectotype** ♂: [South Africa]: Transvaal, Haenertsburg, designated by Clarke,1958 (BMNH) [Clarke,1958, *Catalogue...3*: pl.119 figs.4-4b]. **Range (in code):** **ZA Tva Lpo Hae**
- 92307. *Tortrix intensa* Meyrick,1921** (Tortricidae) **Synonym(s):** *intensa* Meyrick,1921 **Range (in code):** **ZA Nta Kzu Kkf**
- 92308. *Tortrix intrepida* Meyrick,1912** (Tortricidae) **Synonym(s):** *intrepida* Meyrick,1912 **Original Reference:** *Tortrix intrepida* Meyrick,1912, *Exot. Microlepid.* 1: 7. **Lectotype** ♂: Anjouan, Comoro Is., designated by Clarke,1958 (BMNH) [Clarke,1958, *Catalogue...3*: pl.121 figs.4-4b]. **Range (in code):** **KM ZA Nta Kzu Ptw**
- 92309. *Tortrix mensaria* Meyrick,1912** (Tortricidae) **Synonym(s):** *mensaria* Meyrick,1912 **Range (in code):** **ZA**
- 92310. *Tortrix meridionana* (Walker,1863)** (Tortricidae) **Synonym(s):** *meridionana* Walker,1863; *#meridionana* Pinhey,1975 **Range (in code):** **ZA**
- 92311. *Tortrix metapyrrha* Meyrick,1918** (Tortricidae) **Synonym(s):** *metapyrrha* Meyrick,1918 **Range (in code):** **ZA Tva Gau Pre**
- 92312. *Tortrix myroxesta* Meyrick,1924** (Tortricidae) **Synonym(s):** *myroxesta* Meyrick,1924 **Range (in code):** **ZA**

- 92313. *Tortrix operosa* (Meyrick,1908)** (Tortricidae) Synonym(s): *operosa* Meyrick,1908 Range (in code): LK Mky
- 92314. *Tortrix pharetrata* Meyrick,1909** (Tortricidae) Synonym(s): *pharetrata* Meyrick,1909 Original Reference: *Tortrix pharetrata* Meyrick,1909, Ann. Transv. Mus. 2(1): 6, pl.ii fig.7. Type ♀: South Africa: "Pretoria". Range (in code): ZA Gau Pre Mdd Tva Lpo
- 92315. *Tortrix physetopa* Meyrick,1932** (Tortricidae) Synonym(s): *physetopa* Meyrick,1932 Original Reference: *Tortrix physetopa* Meyrick,1932, Trans. R. ent. Soc. London 80 (1): 111. Syntypes 5♂♀: [Ethiopia]: Jem-Jem Forest and Mt. Chillalo. Range (in code): ET ET70 ET88 Sw
- 92316. *Tortrix platystega* Meyrick,1920** (Tortricidae) Synonym(s): *platystega* Meyrick,1920 Range (in code): ZA
- 92317. *Tortrix pleuroptila* Meyrick,1937** (Tortricidae) Synonym(s): *pleuroptila* Meyrick,1937 Range (in code): ZA
- 92318. *Tortrix polytechna* Meyrick,1924** (Tortricidae) Synonym(s): *polytechna* Meyrick,1924 Range (in code): ZA
- 92319. *Tortrix praeclinata* Meyrick,1921** (Tortricidae) Synonym(s): *praeclinata* Meyrick,1921 Range (in code): ZW Uma
- 92320. *Tortrix reciprocana* (Walker,1863)** (Tortricidae) Synonym(s): *reciprocana* Walker,1863 Range (in code): ZA
- 92321. *Tortrix sinapina* (Butler,1899)** (Tortricidae) Synonym(s): *sinapina* Butler,1899; *kawabei* Razowski,1966 Range (in code): JP Hkk CN She RU Us Vv Ask
- 92322. *Tortrix spilographa* Meyrick,1937** (Tortricidae) Synonym(s): *spilographa* Meyrick,1937 Original Reference: *Tortrix spilographa* Meyrick,1937, Exot. Microlepid. 5: 127. Type ♂: South Africa: Cape Province (BMNH) [Clarke,1958, Catalogue...3: pl.127 figs.3-3b]. Range (in code): ZA Wca Abd
- 92323. *Tortrix spinulosa* Meyrick,1924** (Tortricidae) Synonym(s): *spinulosa* Meyrick,1924 Range (in code): ZA
- 92324. *Tortrix sporadias* Meyrick,1920** (Tortricidae) Synonym(s): *sporadias* Meyrick,1920 Range (in code): ZA Ec Vrb
- 92325. *Tortrix symplecta* Meyrick,1910** (Tortricidae) Synonym(s): *symplecta* Meyrick,1910 Range (in code): ZA
- 92326. *Tortrix viridana* (Linnaeus,1758)** (Tortricidae) Synonym(s): *viridana* Linnaeus,1758; *suttneriana* [Denis & Schiffermüller],1775; *flavipes* Fourcroy,1785; *flavana* Zincken,1821 nec Hübn.,[1799]; *coeruleana* Sorhagen,1881. Original Reference: *Phalaena Tortrix viridana* Linnaeus,1758, Syst. Nat. (Edn.10) 1: 530. Type(s): Europa. Range (in code): MA DZ Tou TN PT ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR AZ Kir Nv Ord AM Cc GG DK NO SE FI EE LV LT RU Da MD UA Cm BY IQ Hjo IR Fa Elb Kdv By Kz Lo Gl Kh SY Hal Bionomy: Larva on *Quercus pedunculata*, *Q. sessilifolia* (Fagaceae), *Urtica*, *Vaccinium* (Vacciniaceae) (Razowski,2001).
- 92327. *Tosirips magyarus* Razowski,1987** (Tortricidae) Synonym(s): *magyarus* Razowski,1987 Original Reference: *Tosirips magyarus* Razowski,1987, Nota lepid. 10 (1): 91, figs. Holotype ♂: "Borosjeno" Range (in code): Co IT RO YU BG SY Bionomy: Larva on *Quercus robur* (Fagaceae) (Razowski,1987).
- 92328. *Tosirips magyarus syriacus* Razowski,1987** (Tortricidae) Synonym(s): *syriacus* Razowski,1987 Original Reference: *Tosirips magyarus* ssp. *syriacus* Razowski,1987, Nota lepid. 10 (1): 91-92. Holotype ♂: "Syrien" (MNHUB). Range (in code): SY
- 92329. *Tosirips perpulchranus* (Kennel,1901)** (Tortricidae) Synonym(s): *perpulchranus* Kennel,1901 Original Reference: *Tortrix perpulchrana* Kennel,1901, Dt. ent. Z., Iris 13 (1900): 223. Type(s): Biskin. Range (in code): JP RU Am Prj Us CN KP KR
- 92330. *Tosirips perpulchranus ceramus* Razowski,1987** (Tortricidae) Synonym(s): *ceramus* Razowski,1987 Original Reference: *Tosirips perpulchranus* ssp. *ceramus* Razowski,1987, Nota lepid. 10 (1): 91, figs.5,6. Holotype ♂: "Mt. Mie, Kyoto, Takeuchi" (Univ. Osaka). Range (in code): JP
- 92331. *Trachybyrsis euglypta* Meyrick,1927** (Tortricidae) Synonym(s): *euglypta* Meyrick,1927 Range (in code): RW
- 92332. *Trachybyrsis hypsitropha* Bradley,1965** (Tortricidae) Synonym(s): *hypsitropha* Bradley,1965 Range (in code): UG Rz
- 92333. *Trachysmia jerichoana* (Amsel,1935)** (Tortricidae) Synonym(s): *jerichoana* Amsel,1935 Range (in code): IL Jer St Pa SA As SA63 BH IR Lo Gl

- 92334. *Transtillaspis baea* Razowski,1987** (Tortricidae) **Synonym(s):** *baea* Razowski,1987
Range (in code): **CO**
- 92335. *Transtillaspis bascanion* Razowski,1987** (Tortricidae) **Synonym(s):** *bascanion* Razowski,1987
Range (in code): **PE**
- 92336. *Transtillaspis batoidea* Razowski,1987** (Tortricidae) **Synonym(s):** *batoidea* Razowski,1987
Range (in code): **PE**
- 92337. *Transtillaspis bebela* Razowski,1987** (Tortricidae) **Synonym(s):** *bebela* Razowski,1987
Range (in code): **CO**
- 92338. *Transtillaspis blechra* Razowski,1987** (Tortricidae) **Synonym(s):** *blechra* Razowski,1987
Range (in code): **CO**
- 92339. *Transtillaspis brachistocera* Razowski,1987** (Tortricidae) **Synonym(s):** *brachistocera* Razowski,1987
Range (in code): **CO**
- 92340. *Transtillaspis brandinojuxta* Razowski,1987** (Tortricidae) **Synonym(s):** *brandinojuxta* Razowski,1987
Range (in code): **BO**
- 92341. *Transtillaspis hedychnium* Razowski,1991** (Tortricidae) **Synonym(s):** *hedychnium* Razowski,1991
Range (in code): **VE**
- 92342. *Triheteracra melanoxenia* Diakonoff,1971** (Tortricidae) **Synonym(s):** *melanoxenia* Diakonoff,1971
Range (in code): **LK TH Kbi**
- 92343. *Tritopterna anachastopa* (Meyrick,1934)** (Tortricidae) **Synonym(s):** *anachastopa* Meyrick,1934
Range (in code): **TH Knc Tpp**
- 92344. *Trymalitis cataracta* Meyrick,1907** (Tortricidae) **Synonym(s):** *cataracta* Meyrick,1907; *optima* Meyrick,1911; *macarista* Meyrick,1934
Original Reference: *Trymalitis cataracta* Meyrick,1907, J. Bombay Nat. Hist. Soc. 18: 153. Type ♂: [Sri Lanka]: Ceylon.
Range (in code): **Adm LK ID Ja TH AU QAU PG FJ PH Luz**
- 92345. *Trymalitis climacias* Meyrick,1911** (Tortricidae) **Synonym(s):** *climacias* Meyrick,1911
Range (in code): **AU QAU**
- 92346. *Trymalitis escharia* Clarke,1976** (Tortricidae) **Synonym(s):** *escharia* Clarke,1976
Range (in code): **GU**
- 92347. *Trymalitis macarista* Meyrick,1934** (Tortricidae) **Synonym(s):** *macarista* Meyrick,1934
Range (in code): **FJ**
- 92348. *Trymalitis margarias* Meyrick,1905** (Tortricidae) **Synonym(s):** *margarias* Meyrick,1905
Range (in code): **LK**
- 92349. *Trymalitis optima* Meyrick,1911** (Tortricidae) **Synonym(s):** *optima* Meyrick,1911
Range (in code): **AU QAU Bri**
- 92350. *Trymalitis scalifera* Meyrick,1912** (Tortricidae) **Synonym(s):** *scalifera* Meyrick,1912
Range (in code): **ZA Nta Kzu ET Ble**
- 92351. *Trymalitis* sp.:** (Tortricidae) **Synonym(s):** **Range (in code):** **TH SB** **Bionomy:** Larva bores into *Manilkara zapota* (sapodilla) (Sapotaceae) (Robinson et al.,1994).
- 92352. *Tsinilla lineana* (Fernald,1901)** (Tortricidae) **Synonym(s):** *lineana* Fernald,1901
Range (in code): **US Fl**
- 92353. *Tuckia africana* (Walsingham,1881)** (Tortricidae) **Synonym(s):** *africana* Walsingham,1881
Range (in code): **ZA Tva Kzu Nta**
- 92354. *Tuckia zuluana* Razowski,2001** (Tortricidae) **Synonym(s):** *zuluana* Razowski,2001
Range (in code): **ZA Kzu Nta**
- 92355. *Tymbarcha cerinopa* Meyrick,1908** (Tortricidae) **Synonym(s):** *cerinopa* Meyrick,1908
Original Reference: *Tymbarcha cerinopa* Meyrick,1908, J. Bombay Nat. Hist. Soc. 18: 622. Type ♂: [India]: Assam: Khasi Hills (BMNH).
Range (in code): **IN Meg Ass Khs TH MY ID Ja Klt Bor Clb**
- 92356. *Tymbarcha translucida* Diakonoff,1941** (Tortricidae) **Synonym(s):** *translucida* Diakonoff,1941
Range (in code): **ID Ja Ged**
- 92357. *Uelia sepidapex* Razowski,1982** (Tortricidae) **Synonym(s):** *sepidapex* Razowski,1982
Range (in code): **BR Sct**
- 92358. *Ulodemis hyalura* Diakonoff,1983** (Tortricidae) **Synonym(s):** *hyalura* Diakonoff,1983
Range (in code): **ID Sum**
- 92359. *Ulodemis idjen* Diakonoff,1941** (Tortricidae) **Synonym(s):** *idjen* Diakonoff,1941
Range (in code): **ID Ja**
- 92360. *Ulodemis pangerango* Diakonoff,1941** (Tortricidae) **Synonym(s):** *pangerango* Diakonoff,1941
Range (in code): **ID Ja**

- 92361. *Ulodemis tridentata* Liu & Bai,1982** (Tortricidae) **Synonym(s):** *tridentata* Liu & Bai,1982
Range (in code): **CN Sz**
- 92362. *Ulodemis trigrapha* Meyrick,1907** (Tortricidae) **Synonym(s):** *trigrapha* Meyrick,1907;
falsa Meyrick,1914 **Original Reference:** *Ulodemis trigrapha* Meyrick,1907, J. Bombay Nat. Hist. Soc.
17: 736. Type: Himalaya. **Range (in code):** **IN Ld NI LK BT NP TH CMA Dst CDo Nrt CN Yu**
Bionomy: Larva on *Syzygium cumini* (Myrtaceae) [black plum] (Lewvanich,2001).
- 92363. *Uncida galerasiana* Razowski,1988** (Tortricidae) **Synonym(s):** *galerasiana*
Razowski,1988 **Range (in code):** **CO**
- 92364. *Utrivalva melitocrossa* (Meyrick,1926)** (Tortricidae) **Synonym(s):** *melitocrossa*
Meyrick,1926 **Range (in code):** **CO**
- 92365. *Utrivalva usurpata* Razowski,1987** (Tortricidae) **Synonym(s):** *usurpata* Razowski,1987
Range (in code): **GT**
- 92366. *Vellonifer doncasteri* Razowski,1964** (Tortricidae) **Synonym(s):** *doncasteri*
Razowski,1964 **Range (in code):** **IN Ass Cpj**
- 92367. *Vialonga pallior* Diakonoff,1960** (Tortricidae) **Synonym(s):** *pallior* Diakonoff,1960 **Range**
(in code): **MG**
- 92368. *Vialonga polyantha* Diakonoff,1960** (Tortricidae) **Synonym(s):** *polyantha* Diakonoff,1960
Range (in code): **MG**
- 92369. *Viettea spectabilis* Diakonoff,1960** (Tortricidae) **Synonym(s):** *spectabilis* Diakonoff,1960
Range (in code): **MG**
- 92370. *Vulpoxena vulpicoma* (Meyrick,1932)** (Tortricidae) **Synonym(s):** *vulpicoma* Meyrick,1932
Range (in code): **BR Sct**
- 92371. *Williella angulata* Horak,1984** (Tortricidae) **Synonym(s):** *angulata* Horak,1984 **Range (in**
code): **NC**
- 92372. *Williella sauteri* Horak,1984** (Tortricidae) **Synonym(s):** *sauteri* Horak,1984 **Range (in**
code): **NC**
- 92373. *Xeneboda kumasiana* Razowski & Tuck,2000** (Tortricidae) **Synonym(s):** *kumasiana*
Razowski & Tuck,2000 **Range (in code):** **GH**
- 92374. *Xeneda coena* Diakonoff,1961** (Tortricidae) **Synonym(s):** *coena* Diakonoff,1961 **Range (in**
code): **NC**
- 92375. *Xenophylla megalogona* (Diakonoff,1947)** (Tortricidae) **Synonym(s):** *megalogona*
Diakonoff,1947 **Range (in code):** **MG**
- 92376. *Xenothictis atriflora* Meyrick,1930** (Tortricidae) **Synonym(s):** *atriflora* Meyrick,1930;
melananchis Meyrick,1933 **Range (in code):** **FJ**
- 92377. *Xenothictis gnetivora* Brown, Miller & Horak,2003** (Tortricidae) **Synonym(s):**
gnetivora Brown, Miller & Horak,2003 **Original Reference:** *Xenothictis gnetivora* Brown, Miller &
Horak,2003, Proc. ent. Soc. Wash. 105 (4): 1044-1049, figs. Holotype ♂: Papua New Guinea:
Madang Prov., Ohu village 5 July 1999 (NMNH). **Range (in code):** **PG** **Bionomy:** Larva on
Gnetum gnetum (Brown, Miller & Horak,2003).
- 92378. *Xenothictis noctiflua* Diakonoff,1961** (Tortricidae) **Synonym(s):** *noctiflua* Diakonoff,1961
Range (in code): **NH**
- 92379. *Xenothictis paragona* Meyrick,1910** (Tortricidae) **Synonym(s):** *paragona* Meyrick,1910
Range (in code): **LO**
- 92380. *Xenothictis sciaphila* (Turner,1925)** (Tortricidae) **Synonym(s):** *sciaphila* Turner,1925
Range (in code): **AU QAU**
- 92381. *Xenothictis semiota* Meyrick,1910** (Tortricidae) **Synonym(s):** *semiota* Meyrick,1910
Range (in code): **LO**
- 92382. *Xerocnephasia rigana* (Sodoffsky,1829)** (Tortricidae) **Synonym(s):** *rigana*
Sodoffsky,1829; *horridana* Frölich,1830; *modestana* Treitschke,1830; *monticolana* Frey,1880 **Range (in code):**
ES FR IT CH AT PL CZ SK HU RO YU GR TR DK SE EE LV LT RU Am Us Ja MD UA BY KP KR MN CN
JP **Bionomy:** Larva on *Clematis*, *Pulsatilla*, *Anemone* (Ranunculaceae) (Razowski,2001).
- 92383. *Yunusemreia triangulum* (Diakonoff,1970)** (Tortricidae) **Synonym(s):** *triangulum*
Diakonoff,1970 **Range (in code):** **MG**
- 92384. *Zacorisca electrina* (Meyrick,1912)** (Tortricidae) **Synonym(s):** *electrina* Meyrick,1912
Range (in code): **PH Mno**
- 92385. *Zacorisca heliaula* (Meyrick,1910)** (Tortricidae) **Synonym(s):** *heliaula* Meyrick,1910
Range (in code): **PH Mdo**

- 92386. *Zacorisca pulchella* (Schultze,1910)** (Tortricidae) **Synonym(s):** *pulchella* Schultze,1910
Range (in code): **PH Luz Pan**
- 92387. *Zeiraphera argutana* (Christoph,1881)** (Tortricidae) **Synonym(s):** *argutana* Christoph,1881; *subcorticana* Snellen,1883; *imprimata* Caradja,1916; *lavata* Caradja,1916 **Range (in code):** **RU Us Vv**
- 92388. *Zeiraphera atra* Falkovitsh,1965** (Tortricidae) **Synonym(s):** *atra* Falkovitsh,1965 **Range (in code):** **RU Us**
- 92389. *Zeiraphera bicolora* Kawabe,1976** (Tortricidae) **Synonym(s):** *bicolora* Kawabe,1976
Range (in code): **JP**
- 92390. *Zeiraphera caeruleumana* Kawabe,1980** (Tortricidae) **Synonym(s):** *caeruleumana* Kawabe,1980 **Range (in code):** **JP**
- 92391. *Zeiraphera canadensis* Mutuura & Freeman,1967** (Tortricidae) **Synonym(s):** *canadensis* Mutuura & Freeman,1967 **Range (in code):** **CA**
- 92392. *Zeiraphera claypoleana* Riley,1882** (Tortricidae) **Synonym(s):** *#instrutana* Claypole,1881; *claypoleana* Riley,1882 **Range (in code):** **US Oh**
- 92393. *Zeiraphera corpulentana* (Kennel,1901)** (Tortricidae) **Synonym(s):** *corpulentana* Kennel,1901 **Range (in code):** **RU Us**
- 92394. *Zeiraphera demutata* (Walsingham,1900)** (Tortricidae) **Synonym(s):** *demutata* Walsingham,1900 **Range (in code):** **JP Hkk**
- 92395. *Zeiraphera fortunata* (Kearfott,1907)** (Tortricidae) **Synonym(s):** *fortunata* Kearfott,1907
Range (in code): **CA**
- 92396. *Zeiraphera fulvomixtana* Kawabe,1974** (Tortricidae) **Synonym(s):** *fulvomixtana* Kawabe,1974 **Range (in code):** **JP**
- 92397. *Zeiraphera funesta* Filipjev,1931** (Tortricidae) **Synonym(s):** *funesta* Filipjev,1931 **Range (in code):** **RU Us**
- 92398. *Zeiraphera gansuensis* Liu & Bae,1994** (Tortricidae) **Synonym(s):** *gansuensis* Liu & Bae,1994 **Range (in code):** **CN Gn**
- 92399. *Zeiraphera griseana* (Hübner,[1799])** (Tortricidae) **Synonym(s):** *griseana* Hübner,[1799]; *diniana* Guenée,1845; *occultana* Douglas,1846; *pinicolana* Lienig & Zeller,1846; *desertana* Caradja,1916 **Range (in code):** **ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL DK NO SE FI EE LV LT RU MD UA BY Cc GG KG MN Sb KP KR JP**
- 92400. *Zeiraphera hesperiana* Mutuura & Freeman,1967** (Tortricidae) **Synonym(s):** *hesperiana* Mutuura & Freeman,1967 **Range (in code):** **CA**
- 92401. *Zeiraphera hirosii* Kawabe,1980** (Tortricidae) **Synonym(s):** *hirosii* Kawabe,1980
Range (in code): **JP**
- 92402. *Zeiraphera hohuanshana* Kawabe,1986** (Tortricidae) **Synonym(s):** *hohuanshana* Kawabe,1986 **Range (in code):** **TW**
- 92403. *Zeiraphera improbana* (Walker,1863)** (Tortricidae) **Synonym(s):** *improbana* Walker,1863; *destitutana* Walker,1863; *diffiniana* Walker,1863; *indivisana* Walker,1863; *pseudotsugana* Kearfott,1904 **Range (in code):** **CA BCo On**
- 92404. *Zeiraphera isertana* (Fabricius,1794)** (Tortricidae) **Synonym(s):** *isertana* Fabricius,1794; *communana* Fabricius,1794; *cuiviana* Fabricius,1794; *adustana* Hübner,[1813]; *corticana* Hübner,[1813]; *kuhlweiniana* Hübner,[1825]; *licheana* Treitschke,1829; *nigricans* Sorhagen,1882; *steiniana* Sorhagen,1882; *wautersi* Dufrane,1945 **Range (in code):** **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG DK NO SE FI EE LV LT RU MD UA BY Cc GG AM TR IR Gl**
- 92405. *Zeiraphera lariciana* Kawabe,1980** (Tortricidae) **Synonym(s):** *lariciana* Kawabe,1980
Range (in code): **JP**
- 92406. *Zeiraphera luciferana* Kawabe,1980** (Tortricidae) **Synonym(s):** *luciferana* Kawabe,1980
Range (in code): **JP**
- 92407. *Zeiraphera nigra* Kawabe,1995** (Tortricidae) **Synonym(s):** *nigra* Kawabe,1995 **Original Reference:** *Zeiraphera nigra* Kawabe,1995, Microlepid. Thailand 3: 55. Holotype ♂: Thailand: Chiang Mai, Doi Inthanon (OPU). **Range (in code):** **TH CMa Int**
- 92408. *Zeiraphera pacifica* Freeman,1966** (Tortricidae) **Synonym(s):** *pacifica* Freeman,1966
Range (in code): **CA BCo**
- 92409. *Zeiraphera ratzeburgiana* (Saxesen,1840)** (Tortricidae) **Synonym(s):** *ratzeburgiana* Saxesen,1840; *abietisana* Freyer,1842; *errana* Guenée,1845; *bimaculana* Schläger,1848; *binotana* Wocke,1861; *paludiphila* Toll,1957 **Range (in code):** **FR IT IE GB BE DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY Sb Sh MN**

- 92410. *Zeiraphera rufimitrana* (Herrich-Schäffer,[1851])** (Tortricidae) Synonym(s): *#rufimitrana* Herrich-Schäffer,1847; *rufimitrana* Herrich-Schäffer,[1851] Original Reference: *Coccyx rufimitrana* Herrich-Schäffer,[1851], Syst. Bearb. Schmett. Eur. 4: 220. Syntypes: Österreich, Deutschland. Range (in code): **ES IT GB BE DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE RU MD UA BY KG MN CN Sb Sh Krl JP Hkk**
- 92411. *Zeiraphera rufimitrana truncata* Oku,1968** (Tortricidae) Synonym(s): *truncata* Oku,1968 Range (in code): **JP Jkk**
- 92412. *Zeiraphera shimekii* Kawabe,1974** (Tortricidae) Synonym(s): *shimekii* Kawabe,1974 Range (in code): **JP**
- 92413. *Zeiraphera smaragdina* Razowski,1963** (Tortricidae) Synonym(s): *smaragdina* Razowski,1963 Range (in code): **IR Fa Shr**
- 92414. *Zeiraphera suzukii* Oku,1968** (Tortricidae) Synonym(s): *suzukii* Oku,1968 Range (in code): **JP Hkk**
- 92415. *Zeiraphera taiwana* Kawabe,1986** (Tortricidae) Synonym(s): *taiwana* Kawabe,1986 Range (in code): **TW**
- 92416. *Zeiraphera thymelopa* (Meyrick,1936)** (Tortricidae) Synonym(s): *thymelopa* Meyrick,1936; *hohuanshana* Kawabe,1986 Range (in code): **CN Fkn Ti Shs Gn Yu TW**
- 92417. *Zeiraphera vancouverana* McDunnough,1925** (Tortricidae) Synonym(s): *vancouverana* McDunnough,1925 Range (in code): **CA BCo**
- 92418. *Zeiraphera virinea* Falkovitsh,1965** (Tortricidae) Synonym(s): *virinea* Falkovitsh,1965 Range (in code): **RU Us**
- 92419. *Zellereccopsis caffreana* Razowski,2008** (Tortricidae) Synonym(s): *caffreana* Razowski,2008 Range (in code): **ZA**
- 92420. *Zellereccopsis nowaki* Razowski,2012** (Tortricidae) Synonym(s): *nowaki* Razowski,2012 Range (in code): **CM**
- 92421. *Zomaria andromedana* (Barnes & McDunnough,1917)** (Tortricidae) Synonym(s): *andromedana* Barnes & McDunnough,1917 Range (in code): **US FI**
- 92422. *Zomaria interruptolineana* (Fernald,1882)** (Tortricidae) Synonym(s): *interruptolineana* Fernald,1882 Range (in code): **US**
- 92423. *Zomaria rosaochreana* (Kearfott,1907)** (Tortricidae) Synonym(s): *rosaochreana* Kearfott,1907 Range (in code): **US FI**
- 92424. *Zomariana carnicolor* (Meyrick,1931)** (Tortricidae) Synonym(s): *carnicolor* Meyrick,1931 Range (in code): **ID Ja**
- 92425. *Zomariana doxasticana* (Meyrick,1881)** (Tortricidae) Synonym(s): *doxasticana* Meyrick,1881; *phoenicoplaca* Turner,1945; *eurypolia* Turner,1946 Range (in code): **AU NSw Syd QAU**
- 92426. "*Epiplema*" *certaria* (Walker,1861)** (Uraniidae) Synonym(s): *certaria* Walker,1861 Range (in code): **MY Bor Sbh Swk**
- 92427. "*Epiplema*" *clathrata* W.Warren,1896** (Uraniidae) Synonym(s): *clathrata* W.Warren,1896 Range (in code): **IN MY Bor ID Ja Bli**
- 92428. "*Epiplema*" *saccata* Holloway,1998** (Uraniidae) Synonym(s): *saccata* Holloway,1998 Range (in code): **MY Bor Swk**
- 92429. "*Gathynia*" *mesilauensis* Holloway,1976** (Uraniidae) Synonym(s): *mesilauensis* Holloway,1976 Range (in code): **MY Bor Sbh KBa**
- 92430. *Acropteris ciniferaria* (Walker,1866)** (Uraniidae) Synonym(s): *ciniferaria* Walker,1866; *obliquaria* Moore,1877 Original Reference: *Micronia ciniferaria* Walker,1866, List Specimens lepid. Insects Colln Br. Mus. 35: 1642. Range (in code): **IN ID Clb MY Bor Sbh KBa TH CMa Cu0 Cu05 Cu02** Bionomy: Larva on Dregia (Asclepiadaceae) (Lees & Smith,1991).
- 92431. *Acropteris grammearia* Geyer,1832** (Uraniidae) Synonym(s): *grammearia* Geyer,1832; *caseata* Guenée,1857 Range (in code): **IN MM ID Ja MY Bor Swk**
- 92432. *Acropteris illiturlata* W.Warren,1897** (Uraniidae) Synonym(s): *illiturlata* W.Warren,1897 Range (in code): **ZA**
- 92433. *Acropteris iphiata* Guenée,[1858]** (Uraniidae) Synonym(s): *iphiata* Guenée,[1858]; *pontiata* Guenée,[1858]; *convexaria* Walker Range (in code): **JP CN IN Meg Ass Khs MM TH CMa Cu0 Cu05 Cu01**
- 92434. *Acropteris leptaliata* (Guenée,[1858])** (Uraniidae) Synonym(s): *leptaliata* Guenée,[1858]; *vagata* Moore,1877 Range (in code): **IN Adm ID Sum MY Bor TW**
- 92435. *Acropteris obliquaria* Moore,1877** (Uraniidae) Synonym(s): *obliquaria* Moore,1877 Range (in code): **IN SI Meg Khs Ass MM Tns Adm**

- 92436. *Acropterus rectinervata* (Guenée,[1858])** (Uraniidae) **Synonym(s):** *rectinervata* Guenée,[1858] **Range (in code):** **IN ID Sum MY Bor Swk**
- 92437. *Acropterus striataria* (Clerk,1759)** (Uraniidae) **Synonym(s):** *striataria* Clerk,1759; *grammearia* Geyer,1832; *caseata* Guenée,[1858]; *teriadata* Guenée,[1858]; *sparsaria* Walker; *ciniferaria* Walker,1866; *vagata* Moore,1877 **Range (in code):** **IN Ass MM Mrg TH Ja ID**
- 92438. *Amana angulifera* Walker,1855** (Uraniidae) **Synonym(s):** *angulifera* Walker,1855 **Range (in code):** **IN Meg Ass Khs**
- 92439. *Arussiana herbuloti* Rougeot,1977** (Uraniidae) **Synonym(s):** *herbuloti* Rougeot,1977 **Range (in code):** **ET**
- 92440. *Brachydecetia calcarea* Holloway,1998** (Uraniidae) **Synonym(s):** *calcarea* Holloway,1998 **Range (in code):** **MY Bor Swk ID Sum**
- 92441. *Brachydecetia n.sp.*** (Uraniidae) **Synonym(s):** **Range (in code):** **TH**
- 92442. *Brachydecetia rufescens* (Butler,1880)** (Uraniidae) **Synonym(s):** *rufescens* Butler,1880 **Range (in code):** **MY Bor Swk**
- 92443. *Chaetoceras labecula* (Swinhoe,1902)** (Uraniidae) **Synonym(s):** *labecula* Swinhoe,1902 **Range (in code):** **MY Bor**
- 92444. *Chaetoceras poi* Holloway,1998** (Uraniidae) **Synonym(s):** *poi* Holloway,1998 **Range (in code):** **MY Bor Swk**
- 92445. *Chionopplema paradeicta* (W.Warren,1897)** (Uraniidae) **Synonym(s):** *paradeicta* W.Warren,1897 **Range (in code):** **MY Bor Swk ID Clb Mlc**
- 92446. *Chionopplema psara* Holloway,1998** (Uraniidae) **Synonym(s):** *psara* Holloway,1998 **Range (in code):** **MY Bor Sbh**
- 92447. *Chionopplema smarti* (Holloway,1976)** (Uraniidae) **Synonym(s):** *smarti* Holloway,1976 **Range (in code):** **MY Bor Swk BN Sbh KBa**
- 92448. *Chundana emarginata* (Hampson,1891)** (Uraniidae) **Synonym(s):** *emarginata* Hampson,1891 **Range (in code):** **IN TW MY Bor Sbh KBa ID Ja Crm** **Bionomy:** Larva on *Wendlandia* (Rubiaceae) (Holloway,1998).
- 92449. *Chundana exangulata* (W.Warren,1897)** (Uraniidae) **Synonym(s):** *exangulata* W.Warren,1897 **Range (in code):** **MY Bor Swk**
- 92450. *Chundana lugubris* Walker,1862** (Uraniidae) **Synonym(s):** *lugubris* Walker,1862 **Range (in code):** **MY Bor Swk**
- 92451. *Chundana rufinervis* (Holloway,1976)** (Uraniidae) **Synonym(s):** *rufinervis* Holloway,1976 **Range (in code):** **MY Bor Swk Sbh KBa**
- 92452. *Decetia numicusarioides* Holloway,1998** (Uraniidae) **Synonym(s):** *numicusarioides* Holloway,1998 **Range (in code):** **MY Bor Swk**
- 92453. *Decetia pallidaria* Pagenstecher,1888** (Uraniidae) **Synonym(s):** *pallidaria* Pagenstecher,1888 **Range (in code):** **ID Mlc Clb MY Bor Swk**
- 92454. *Decetia pallidaria occidentalis* Holloway,1998** (Uraniidae) **Synonym(s):** *occidentalis* Holloway,1998 **Range (in code):** **MY Bor Swk**
- 92455. *Decetia subflavata* (W.Warren,1898)** (Uraniidae) **Synonym(s):** *subflavata* W.Warren,1898 **Range (in code):** **MY Bor Sbh KBa PH Bal ID Sum Bli**
- 92456. *Dirades latibrunnea* W.Warren,1896** (Uraniidae) **Synonym(s):** *latibrunnea* W.Warren,1896 **Range (in code):** **NC**
- 92457. *Dirades robinsoni* Holloway,1979** (Uraniidae) **Synonym(s):** *robinsoni* Holloway,1979 **Range (in code):** **NC**
- 92458. *Dirades theclata* (Guenée,[1858])** (Uraniidae) **Synonym(s):** *theclata* Guenée,[1858]; *sigillata* Mabille,1898 **Range (in code):** **ZA YE Sna SL MG IN NP JP**
- 92459. *Dysaethria albolilacina* Holloway,1998** (Uraniidae) **Synonym(s):** *albolilacina* Holloway,1998 **Range (in code):** **MY Bor Swk ID Clb**
- 92460. *Dysaethria bellissima* (W.Warren,1900)** (Uraniidae) **Synonym(s):** *bellissima* W.Warren,1900 **Original Reference:** *Epiplema bellissima* W.Warren,1900, Novit. zool. 7: 101. Type: Malaysia: Penang. **Range (in code):** **MY Pen**
- 92461. *Dysaethria caerulimargo* (Holloway,1976)** (Uraniidae) **Synonym(s):** *caerulimargo* Holloway,1976 **Range (in code):** **MY Bor Sbh KBa**
- 92462. *Dysaethria columba* (Holloway,1976)** (Uraniidae) **Synonym(s):** *columba* Holloway,1976 **Range (in code):** **MY Bor Swk Sbh KBa**

- 92463. *Dysaethria danum* Holloway,1998** (Uraniidae) Synonym(s): *danum* Holloway,1998
Range (in code): **MY Bor Sbh**
- 92464. *Dysaethria diffinaria* (Walker,1861)** (Uraniidae) Synonym(s): *diffinaria* Walker,1861
Range (in code): **MY Bor Swk ID Bgk**
- 92465. *Dysaethria erasaria* (Christoph,1881)** (Uraniidae) Synonym(s): *erasaria* Christoph,1881;
schidacina Butler,1881; *pallidistriata* W.Warren,1899 Range (in code): **RU Sb Us KP KR JP TW CN Hn ID**
Sum MY Bor Sbh KBa TH CMa Bionomy: Larva on Viburnum (Caprifoliaceae) (Holloway,1998).
- 92466. *Dysaethria exprimataria* (Walker,1861)** (Uraniidae) Synonym(s): *exprimataria*
Walker,1861 Range (in code): **MY Bor Sbh KBa**
- 92467. *Dysaethria flavida* (W.Warren,1909)** (Uraniidae) Synonym(s): *flavida* W.Warren,1909;
everetti Holloway,1976 Range (in code): **MY Bor Swk ID Sum**
- 92468. *Dysaethria flavistriga* (W.Warren,1901)** (Uraniidae) Synonym(s): *flavistriga*
W.Warren,1901 Range (in code): **IN JP MY Bor Sbh KBa CN TW** Bionomy: Larva on Daphniphyllum
(Daphniphyllaceae) (Holloway,1998).
- 92469. *Dysaethria fulvihamata* (Hampson,1912)** (Uraniidae) Synonym(s): *fulvihamata*
Hampson,1912 Range (in code): **LK IN TW JP Ri MY Bor**
- 92470. *Dysaethria grisea* (W.Warren,1896)** (Uraniidae) Synonym(s): *grisea* W.Warren,1896;
catenigera W.Warren,1905 Range (in code): **IN MY Bor PG SB**
- 92471. *Dysaethria harmani* Holloway,1998** (Uraniidae) Synonym(s): *harmani* Holloway,1998
Range (in code): **MY Bor BN**
- 92472. *Dysaethria indignaria* (Walker,1866)** (Uraniidae) Synonym(s): *indignaria* Walker,1866;
fucina Swinhoe,1902 Range (in code): **MY Bor PG**
- 92473. *Dysaethria lilacina* (Moore,1887)** (Uraniidae) Synonym(s): *lilacina* Moore,1887 Range
(in code): **IN MY Bor Sbh Bsm SB**
- 92474. *Dysaethria lunulimargo* Holloway,1998** (Uraniidae) Synonym(s): *lunulimargo*
Holloway,1998 Range (in code): **MY Bor BN**
- 92475. *Dysaethria nigrifrons* (Hampson,1896)** (Uraniidae) Synonym(s): *nigrifrons*
Hampson,1896 Range (in code): **IN MM ID Ja Flo MY Bor BN Swk Sbh KBa**
- 92476. *Dysaethria oriocharis* (West,1932)** (Uraniidae) Synonym(s): *oriocharis* West,1932
Range (in code): **MY Bor Sbh PH**
- 92477. *Dysaethria plicata* (Snellen,1877)** (Uraniidae) Synonym(s): *plicata* Snellen,1877 Range
(in code): **TW MY Bor AU QAU**
- 92478. *Dysaethria punctata* (Holloway,1976)** (Uraniidae) Synonym(s): *punctata* Holloway,1976
Range (in code): **MY Bor Sbh KBa**
- 92479. *Dysaethria quadricaudata* (Walker,1861)** (Uraniidae) Synonym(s): *quadricaudata*
Walker,1861; *varisaria* Walker,1861; *subproximans* W.Warren,1896 Range (in code): **IN LK TW SB MY Bor**
Sbh KBa Bionomy: Larva on Anthocephalus, Cinchona (Rubiaceae) (Sevastopulo,1940 et seq.).
- 92480. *Dysaethria rhagavolita* Holloway,1998** (Uraniidae) Synonym(s): *rhagavolita*
Holloway,1998 Range (in code): **MY Bor Swk IN Ass Meg Khs**
- 92481. *Dysaethria rhagavolita* Holloway,1998** (Uraniidae) Synonym(s): *rhagavolita*
Holloway,1998 Range (in code): **MY Bor Swk TH**
- 92482. *Dysaethria rubrililacina* Holloway,1998** (Uraniidae) Synonym(s): *rubrililacina*
Holloway,1998 Range (in code): **MY Bor Swk BN ID Ja**
- 92483. *Dysaethria scopocera* (Hampson,1896)** (Uraniidae) Synonym(s): *scopocera*
Hampson,1896; *formosibia* Strand,1917 Range (in code): **LK IN TW MY Bor Swk**
- 92484. *Dysaethria secutaria* (Walker,1866)** (Uraniidae) Synonym(s): *secutaria* Walker,1866
Range (in code): **ID Sum**
- 92485. *Dysaethria subalbata* (Guenée,[1858])** (Uraniidae) Synonym(s): *subalbata* Guenée,[1858]
Range (in code): **PH ?Luz ID Ja? MY Bor Swk**
- 92486. *Dysaethria subflavida* (Swinhoe,1906)** (Uraniidae) Synonym(s): *subflavida*
Swinhoe,1906 Range (in code): **MY Bor Sbh KBa ID Ja** Bionomy: Larva on Viburnum
(Caprifoliaceae) (Holloway,1998).
- 92487. *Dysaethria walkeri* Holloway,1998** (Uraniidae) Synonym(s): *walkeri* Holloway,1998
Range (in code): **MY Bor BN Swk ID ?Sum**
- 92488. *Dysaethria wilemani* (West,1932)** (Uraniidae) Synonym(s): *wilemani* West,1932 Original
Reference: Epiplema wilemani West,1932, Novit. zool. 37: 217. Type: Philippines. Range (in
code): **PH ID Clb**

- 92489. *Epimesophantia schawerdae* (Zerny,1929) (Uraniidae) Synonym(s):** *schawerdae* Zerny,1929 Range (in code): ES
- 92490. *Epiplema amygdalipennis* W.Warren,1897 (Uraniidae) Synonym(s):** *amygdalipennis* W.Warren,1897 Range (in code): WS
- 92491. *Epiplema anomala* Janse,1932 (Uraniidae) Synonym(s):** *anomala* Janse,1932 Range (in code): ZA
- 92492. *Epiplema apicalis* Hampson,1895 (Uraniidae) Synonym(s):** *apicalis* Hampson,1895 Range (in code): IN SI Ass Nag MM
- 92493. *Epiplema asinina* W.Warren,1905 (Uraniidae) Synonym(s):** *asinina* W.Warren,1905 Range (in code): ZA
- 92494. *Epiplema columbaris* Butler,1889 (Uraniidae) Synonym(s):** *columbaris* Butler,1889 Range (in code): IN Hp Drm Sml
- 92495. *Epiplema conflictaria* Walker,1861 (Uraniidae) Synonym(s):** *conflictaria* Walker,1861; *exprimataria* Walker,1861; *diffiniaria* Walker,1861; *secutaria* Walker,1866; *parvula* Moore,1887; *lilacina* Moore,1887 Range (in code): LK IN SI Ass Nag MM MY Prk SG ID Sum Ja Bor Crm SB
- 92496. *Epiplema desistaria* (Walker,1861) (Uraniidae) Synonym(s):** *desistaria* Walker,1861 Range (in code): MY Bor
- 92497. *Epiplema desistaria instabilata* (Walker,1866) (Uraniidae) Synonym(s):** *instabilata* Walker,1866 Range (in code): IN LK AU QAU ID Mlc PG FJ NC
- 92498. *Epiplema fulvilinea* Hampson (Uraniidae) Synonym(s):** Range (in code): IN SI Meg Ass Khs MM Shn NI
- 92499. *Epiplema hapala* Tams,1935 (Uraniidae) Synonym(s):** *hapala* Tams,1935 Range (in code): WS
- 92500. *Epiplema herbuloti* Boudinot,1982 (Uraniidae) Synonym(s):** *herbuloti* Boudinot,1982 Range (in code): MG
- 92501. *Epiplema himala* (Butler,1880) (Uraniidae) Synonym(s):** *himala* Butler,1880; *evanescens* Alpheraky,1897 Range (in code): CN IN SI Djl Ass Meg Khs
- 92502. *Epiplema illineata* W.Warren,1898 (Uraniidae) Synonym(s):** *illineata* W.Warren,1898; *illiturata* W.Warren,1898 Range (in code): ZA
- 92503. *Epiplema inconspicua* Janse,1932 (Uraniidae) Synonym(s):** *inconspicua* Janse,1932 Range (in code): ZA
- 92504. *Epiplema instabilata* Walker,1866 (Uraniidae) Synonym(s):** *instabilata* Walker,1866; *insolita* Walker,1866; *conchiferata* Moore,1887 Range (in code): CN IN Meg Ass Khs LK Bba MM Peg ID Sla Flo Mi SB
- 92505. *Epiplema irrorata* Moore,1887 (Uraniidae) Synonym(s):** *irrorata* Moore,1887 Range (in code): IN Meg Ass Khs NI LK
- 92506. *Epiplema lateritica* Holloway,1979 (Uraniidae) Synonym(s):** *lateritica* Holloway,1979 Range (in code): NC
- 92507. *Epiplema latifasciata* Moore,1887 (Uraniidae) Synonym(s):** *latifasciata* Moore,1887 Range (in code): LK
- 92508. *Epiplema lypera* Tams,1935 (Uraniidae) Synonym(s):** *lypera* Tams,1935 Range (in code): WS
- 92509. *Epiplema moza* (Butler,1878) (Uraniidae) Synonym(s):** *moza* Butler,1878 Original Reference: Erosia moza Butler,1878, Ann. Mag. nat. Hist. (5) 1: 402. Type: Japan: Kiu-shiu. Range (in code): JP IN Hp Sml Dlh Ass Meg Khs
- 92510. *Epiplema multistrigaria* Moore,1879 (Uraniidae) Synonym(s):** *multistrigaria* Moore,1879 Original Reference: Epiplema multistrigaria Moore,1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 260. Range (in code): IN Hp Sml SI
- 92511. *Epiplema obscuraria* Moore,1887 (Uraniidae) Synonym(s):** *obscuraria* Moore,1887 Range (in code): LK
- 92512. *Epiplema ocusta* Swinhoe,1894 (Uraniidae) Synonym(s):** *ocusta* Swinhoe,1894 Range (in code): IN SI Meg Ass Khs
- 92513. *Epiplema pulveralis* Janse,1932 (Uraniidae) Synonym(s):** *pulveralis* Janse,1932 Range (in code): ZA
- 92514. *Epiplema reducta* Janse,1932 (Uraniidae) Synonym(s):** *reducta* Janse,1932 Range (in code): ZA
- 92515. *Epiplema restricta* Hampson,1895 (Uraniidae) Synonym(s):** *restricta* Hampson,1895 Range (in code): IN SI Ass Nag

- 92516. *Epiplema reticulata* Moore, 1879** (Uraniidae) Synonym(s): *reticulata* Moore, 1879 Original Reference: *Epiplema reticulata* Moore, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 259. Range (in code): **IN SI Meg Ass Khs**
- 92517. *Epiplema rhagavata* Walker, 1861** (Uraniidae) Synonym(s): *rhagavata* Walker, 1861; *palaca* Walker, 1861; *bidens* R.Felder & Rogenhofer, 1874 Range (in code): **LK IN SI Meg Ass Khs**
- 92518. *Epiplema ruptaria* Moore, 1879** (Uraniidae) Synonym(s): *ruptaria* Moore, 1879 Original Reference: *Epiplema ruptaria* Moore, 1879, [in] Hewitson & Moore, Descr. new Indian lepid. Insects Colln late Mr W.S. Atkinson (1): 259. Range (in code): **IN Clc Hp Drm**
- 92519. *Epiplema spatulata* Holloway, 1979** (Uraniidae) Synonym(s): *spatulata* Holloway, 1979 Range (in code): **NC**
- 92520. *Epiplema sreapa* Swinhoe, 1894** (Uraniidae) Synonym(s): *sreapa* Swinhoe, 1894 Range (in code): **IN Meg Ass Khs**
- 92521. *Epiplema tristis* Janse, 1932** (Uraniidae) Synonym(s): *tristis* Janse, 1932 Range (in code): **ZA**
- 92522. *Epiplema yoshimotoi* Holloway, 1979** (Uraniidae) Synonym(s): *yoshimotoi* Holloway, 1979 Range (in code): **NC**
- 92523. *Europelema bilobuncus* Holloway, 1998** (Uraniidae) Synonym(s): *bilobuncus* Holloway, 1998 Range (in code): **MY Bor Swk BN**
- 92524. *Europelema desistaria* (Walker, 1861)** (Uraniidae) Synonym(s): *desistaria* Walker, 1861; *inclarata* Walker, 1866; *insolita* Walker, 1866; *fuscata* Dalla Torre, 1924 Original Reference: *Erosia desistaria* Walker, 1861, List Specimens lepid. Insects Colln Br. Mus. 23: 853. Type ♂: Borneo: Sarawak. Range (in code): **IN MM TH MY Bor Swk ID Sly Clb Flo AU QAU**
- 92525. *Europelema instabilata* (Walker, 1866)** (Uraniidae) Synonym(s): *instabilata* Walker, 1866 Range (in code): **MY Bor ID Mlc Mi PG NC AU QAU**
- 92526. *Europelema nivosaria* (Walker, 1866)** (Uraniidae) Synonym(s): *nivosaria* Walker, 1866; *paucifera* Walker, 1866 Range (in code): **TW CN Hn SB Bsm MY Bor Sbh** Bionomy: Larva on Premna (Verbenaceae) (Chen, 1997).
- 92527. *Europelema poecilaria* (Swinhoe, 1905)** (Uraniidae) Synonym(s): *poecilaria* Swinhoe, 1905 Range (in code): **ID Sum MY Bor Sbh KBA**
- 92528. *Europelema semibrunnea* (Pagenstecher, 1888)** (Uraniidae) Synonym(s): *semibrunnea* Pagenstecher, 1888; *caesia* W.Warren, 1897; *okinawana* Matsumura, 1931 Range (in code): **JP Ri IN Nk TW PH ID Clb Mlc MY Bor BN SB PG FJ AU QAU** Bionomy: Larva on Premna (Verbenaceae) (Chen, 1997).
- 92529. *Gathynia lugens* (W.Warren, 1897)** (Uraniidae) Synonym(s): *lugens* W.Warren, 1897 Range (in code): **WS**
- 92530. *Heteroplema dependens* W.Warren, 1902** (Uraniidae) Synonym(s): *dependens* W.Warren, 1902 Range (in code): **ZA**
- 92531. *Hypoplema fumella* Janse, 1932** (Uraniidae) Synonym(s): *fumella* Janse, 1932 Range (in code): **ZA**
- 92532. *Leucoplema ansorgei* (W.Warren, 1901)** (Uraniidae) Synonym(s): *ansorgei* W.Warren, 1901 Range (in code): **ZA**
- 92533. *Leucoplema dohertyi* (W.Warren, 1904)** (Uraniidae) Synonym(s): *dohertyi* W.Warren, 1904 Range (in code): **ZA**
- 92534. *Leucoplema ruptifascia* (W.Warren, 1897)** (Uraniidae) Synonym(s): *ruptifascia* W.Warren, 1897 Range (in code): **MY Bor ID Bli**
- 92535. *Leucoplema triumbrata* (W.Warren, 1902)** (Uraniidae) Synonym(s): *triumbrata* W.Warren, 1902 Range (in code): **ZA**
- 92536. *Micronia aculeata* Guenée, [1858]** (Uraniidae) Synonym(s): *aculeata* Guenée, [1858]; *sondaicata* Guenée, [1858] Range (in code): **CN TW IN LK MM Adm MY Bor ID Ja**
- 92537. *Micronia cynthiae* Holloway, 1979** (Uraniidae) Synonym(s): *cynthiae* Holloway, 1979 Range (in code): **NC**
- 92538. *Micronia pluviosa* W.Warren, 1897** (Uraniidae) Synonym(s): *pluviosa* W.Warren, 1897 Range (in code): **MY Bor ID Sum**
- 92539. *Monobolodes ? prunaria* (Moore, 1887)** (Uraniidae) Synonym(s): *prunaria* Moore, 1887; *oribates* West, 1932 Range (in code): **MY Bor Sbh TW JP Ri IN LK CN HK** Bionomy: Larva on Gardenia (Rubiaceae) (Chen, 1997).

- 92540. *Monobolodes parvinigrata* Holloway,1998** (Uraniidae) Synonym(s): *parvinigrata* Holloway,1998 Range (in code): LK MY Bor Swk
- 92541. *Monobolodes pseudosimulans* Holloway,1998** (Uraniidae) Synonym(s): *pseudosimulans* Holloway,1998 Range (in code): MY Bor Swk PH Mno
- 92542. *Monobolodes rectifascia* Holloway,1998** (Uraniidae) Synonym(s): *rectifascia* Holloway,1998 Range (in code): MY Bor Swk Sbh KBa
- 92543. *Monobolodes ruptifascia* Holloway,1998** (Uraniidae) Synonym(s): *ruptifascia* Holloway,1998 Range (in code): MY Bor
- 92544. *Monobolodes undatifascia* Holloway,1998** (Uraniidae) Synonym(s): *undatifascia* Holloway,1998 Range (in code): MY Bor BN Swk
- 92545. *Monoplema fumigera* (W.Warren,1905)** (Uraniidae) Synonym(s): *fumigera* W.Warren,1905 Range (in code): ZA
- 92546. *Nyctalemon curvatus* Skinner,1903** (Uraniidae) Synonym(s): *curvatus* Skinner,1903 Range (in code): NH
- 92547. *Nyctalemon macleayi* (Montrouzier,1856)** (Uraniidae) Synonym(s): *macleayi* Montrouzier,1856; *goldiei* Druce,1882 Range (in code): PG PMo ID Bia Aru Tnm Slw Wd Vu Kkr
- 92548. *Nyctalemon macleayi kotzenbergi* Pfeiffer,1925** (Uraniidae) Synonym(s): *kotzenbergi* Pfeiffer,1925 Range (in code): ID Aru Tnm
- 92549. *Nyctalemon macleayi macleayi* (Montrouzier,1856)** (Uraniidae) Synonym(s): *macleayi* Montrouzier,1856; *goldiei* Druce,1882 Range (in code): PG PMo ID Bia Slw Wd Vu Kkr
- 92550. *Nyctalemon menoetius* Hopffer,1856** (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925 Range (in code): ID Clb PH Luz Mno MY Bor TH
- 92551. *Nyctalemon menoetius adspersus* Altena,1953** (Uraniidae) Synonym(s): *adspersus* Altena,1953 Range (in code): MY Bor
- 92552. *Nyctalemon menoetius celebensis* Altena,1953** (Uraniidae) Synonym(s): *celebensis* Altena,1953 Range (in code): ID Clb
- 92553. *Nyctalemon menoetius menoetius* Hopffer,1856** (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925 Range (in code): PH Luz Mno MY Bor
- 92554. *Nyctalemon mutatus* (Butler,1887)** (Uraniidae) Synonym(s): *mutatus* Butler,1887; *ulysses* Pfeiffer,1925 Range (in code): SB
- 92555. *Nyctalemon mutatus fletcheri* Altena,1954** (Uraniidae) Synonym(s): *fletcheri* Altena,1954 Range (in code): PG Bgv SB
- 92556. *Nyctalemon patroclus* (Linnaeus,1758)** (Uraniidae) Synonym(s): *patroclus* Linnaeus,1758; *achillaria* Hübner,[1823]; *velutinus* Röber,1927 Range (in code): ID Bch Crm Trn Grm Kai Clb Bru Amb Mcl SB NBr PG Wit Nlr
- 92557. *Nyctalemon patroclus patroclus* (Linnaeus,1758)** (Uraniidae) Synonym(s): *patroclus* Linnaeus,1758; *achillaria* Hübner,[1823]; *velutinus* Röber,1927 Range (in code): ID Bch Crm Trn Grm Kai Clb Bru Amb Mcl SB NBr PG Nlr Wit
- 92558. *Nyctalemon toxopeusi* Altena,1953** (Uraniidae) Synonym(s): *toxopeusi* Altena,1953 Range (in code): ID Bia PG NBr Nlr Bch Amb
- 92559. *Nyctalemon zampa* Butler,1869** (Uraniidae) Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874 Range (in code): PH Mno CN IN Ass MM VN Ton Hn MY TH CMa ID Ja Sum SG Nia Btg
- 92560. *Nyctalemon zampa dilutus* Röber,1927** (Uraniidae) Synonym(s): *dilutus* Röber,1927 Range (in code): ID Clb
- 92561. *Nyctalemon zampa docilis* Godman, Salvin & Druce,1878** (Uraniidae) Synonym(s): *docilis* Godman, Salvin & Druce,1878; *deliensis* V.Mohr,1933 Range (in code): TH CMa MY ID Ja Sum SG Nia Btg
- 92562. *Nyctalemon zampa najabula* Moore,1877** (Uraniidae) Synonym(s): *najabula* Moore,1877 Range (in code): Adm
- 92563. *Nyctalemon zampa ssp.*** (Uraniidae) Synonym(s): Range (in code): PH Mno
- 92564. *Nyctalemon zampa zampa* Butler,1869** (Uraniidae) Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874 Range (in code): CN IN Ass MM VN Ton Hn
- 92565. *Oroplema oyamana* (Matsumura,1931)** (Uraniidae) Synonym(s): *oyamana* Matsumura,1931 Range (in code): IN JP PH Luz MY Bor Sbh KBa TW Bionomy: Larva on *Daphniphyllum* (Daphniphyllaceae) (Chen,1997).

- 92566. Orolema parvipallida Holloway,1998** (Uraniidae) Synonym(s): *parvipallida* Holloway,1998 Range (in code): MY Bor ID Crm
- 92567. Orolema simplex (W.Warren,1899)** (Uraniidae) Synonym(s): *simplex* W.Warren,1899 Range (in code): IN NI
- 92568. Orudiza protheclaria Walker,1861** (Uraniidae) Synonym(s): *protheclaria* Walker,1861; *luctiferata* Snellen,1880 Range (in code): TH CMa Cuo Cuo1 Cuo5 Cuo7 IN BD Syl KH ID Sum Ja Clb MM Ass Meg Khs Poo MY Bor
- 92569. Pardecetia myra Swinhoe,1902** (Uraniidae) Synonym(s): *myra* Swinhoe,1902 Range (in code): CN
- 92570. Phazaca ? alikangensis (Strand,1916)** (Uraniidae) Synonym(s): *alikangensis* Strand,1916 Range (in code): MY Bor Sbh KBa JP Ri TW Bionomy: Larva on Mussaenda (Rubiaceae) (Chen,1997).
- 92571. Phazaca acutilinea (W.Warren,1897)** (Uraniidae) Synonym(s): *acutilinea* W.Warren,1897 Range (in code): MY Bor
- 92572. Phazaca cesena (Swinhoe,1902)** (Uraniidae) Synonym(s): *cesena* Swinhoe,1902 Range (in code): MY Bor Sbh
- 92573. Phazaca cesenaleuca Holloway,1998** (Uraniidae) Synonym(s): *cesenaleuca* Holloway,1998 Range (in code): MY Bor BN
- 92574. Phazaca coniferoides Holloway,1998** (Uraniidae) Synonym(s): *coniferoides* Holloway,1998 Range (in code): MY Bor Sbh KBa
- 92575. Phazaca cythera (Swinhoe,1902)** (Uraniidae) Synonym(s): *cythera* Swinhoe,1902 Range (in code): FJ
- 92576. Phazaca kellersi Tams,1935** (Uraniidae) Synonym(s): *kellersi* Tams,1935 Range (in code): WS
- 92577. Phazaca leucocera (Hampson,1891)** (Uraniidae) Synonym(s): *leucocera* Hampson,1891 Range (in code): LK MY Bor BN SB Bionomy: Larva on Canthium (Rubiaceae) (Holloway,1998).
- 92578. Phazaca monticesena Holloway,1998** (Uraniidae) Synonym(s): *monticesena* Holloway,1998 Range (in code): MY Bor Sbh KBa
- 92579. Phazaca mutans (Butler,1887)** (Uraniidae) Synonym(s): *mutans* Butler,1887; *conscripta* Lucas,1894; *annulifer* W.Warren,1896; *seminigra* W.Warren,1896 Range (in code): ID Sum MY Bor Swk SB AU QAU
- 92580. Phazaca unicaudoides Holloway,1998** (Uraniidae) Synonym(s): *unicaudoides* Holloway,1998 Range (in code): MY Bor Swk BN
- 92581. Pseudodirades lactea (W.Warren,1897)** (Uraniidae) Synonym(s): *lactea* W.Warren,1897 Range (in code): ZA
- 92582. Pseudodirades transgrisea (Holloway,1976)** (Uraniidae) Synonym(s): *transgrisea* Holloway,1976 Range (in code): MY Bor Sbh KBa
- 92583. Pseudomicronia adjudicataria Walker** (Uraniidae) Synonym(s): Range (in code):
- 92584. Pseudomicronia advocataria (Walker,1861)** (Uraniidae) Synonym(s): *advocataria* Walker,1861 Range (in code): MY Bor PH ID Mlc
- 92585. Pseudomicronia bundutuhan Holloway,1998** (Uraniidae) Synonym(s): *bundutuhan* Holloway,1998 Range (in code): MY Bor Sbh KBa
- 92586. Pseudomicronia coelata Moore,1887** (Uraniidae) Synonym(s): *coelata* Moore,1887; *fraterna* Moore,1887 Range (in code): IN SI Meg Ass Khs NI LK MY Bor ID Crm
- 92587. Pseudomicronia simplicifascia Hampson,1895** (Uraniidae) Synonym(s): *simplicifascia* Hampson,1895 Range (in code): IN Adm
- 92588. Pterotosoma castanea (W.Warren,1898)** (Uraniidae) Synonym(s): *castanea* W.Warren,1898; *kinabalua* Holloway,1976 Range (in code): IN TW MY Bor Swk Sbh KBa Bionomy: Larva on Rubiaceae (Holloway,1998).
- 92589. Rhombophylla edentata (Hampson,1895)** (Uraniidae) Synonym(s): *edentata* Hampson,1895 Range (in code): IN SI TH MY Bor Sbh BN ID Ja Bionomy: Larva on Olea, Linociera (Oleaceae) (Holloway,1998).
- 92590. Rhombophylla xylinopis (Turner,1903)** (Uraniidae) Synonym(s): *xylinopis* Turner,1903 Range (in code): AU QAU
- 92591. Strophidia caudata (Fabricius,1781)** (Uraniidae) Synonym(s): *fasciata* Cramer,1777 *nec* Sc.,1763; *caudata* Fabricius,1781; *caudaria* Hübner,[1823]; *obtusata* Guenée,1857 Original Reference: Phalaena caudata Fabricius,1781, Spec. Insect. 2: 253. Type: [Indonesia: Java]: [Jakarta]: Batavia. Range (in code): IN SI Ass LK MM Tvy Adm MY SG Bor Swk Sbh ID Ja Clb

- 92592. *Urapteroides astheniata* (Guenée,[1858])** (Uraniidae) **Synonym(s):** *astheniata* Guenée,[1858] **Range (in code):** **IN SI Ass Meg Khs LK MY Pen Bor**
- 92593. *Urapteroides falcifera* (Weymer,1892)** (Uraniidae) **Synonym(s):** *falcifera* Weymer,1892 **Range (in code):** **ZA**
- 92594. *Urapteroides recurvata* W.Warren,1898** (Uraniidae) **Synonym(s):** *recurvata* W.Warren,1898; *#recurva* Janse,1917 **Range (in code):** **ZA**
- 92595. *Warreniiplema fumicosta* (W.Warren,1896)** (Uraniidae) **Synonym(s):** *fumicosta* W.Warren,1896 **Range (in code):** **IN TW MY Bor Sbh KBa BN** **Bionomy:** Larva on *Mussaenda* (Rubiaceae) (Chen,1997).
- 92596. *Wockia asperipunctella* (Bruand,1851)** (Urodidae) **Synonym(s):** *asperipunctella* Bruand,1851 **Range (in code):** **FR IT LU DE AT PL CZ SK HU RO YU SE FI EE LV RU MD UA BY**
- 92597. "*Lecithocera*" *baeopsis* Meyrick,1929** (Xyloryctidae) **Synonym(s):** *baeopsis* Meyrick,1929 **Range (in code):** **IN Ass**
- 92598. "*Lecithocera*" *deltospila* Meyrick,1911** (Xyloryctidae) **Synonym(s):** *deltospila* Meyrick,1911 **Range (in code):** **IN Ass**
- 92599. "*Mystax*" *sikkimella* Caradja,1920** (Xyloryctidae) **Synonym(s):** *sikkimella* Caradja,1920 **Range (in code):** **IN SI Djl**
- 92600. *Caenorycta acrostega* Diakonoff,1966** (Xyloryctidae) **Synonym(s):** *acrostega* Diakonoff,1966 **Range (in code):** **ID Clb**
- 92601. *Caenorycta anholochrysa* Diakonoff,1966** (Xyloryctidae) **Synonym(s):** *anholochrysa* Diakonoff,1966 **Original Reference:** *Caenorycta anholochrysa* Diakonoff,1966, Tijdschr. Ent. 109: 56, figs. Holotype: Indonesia: Celebes. **Range (in code):** **TH MY Bor BN ID Clb**
- 92602. *Caenorycta dryoxantha* Meyrick,1922** (Xyloryctidae) **Synonym(s):** *dryoxantha* Meyrick,1922 **Range (in code):** **PG**
- 92603. *Caenorycta platyleucota* Meyrick,1938** (Xyloryctidae) **Synonym(s):** *platyleucota* Meyrick,1938 **Range (in code):** **PG**
- 92604. *Caenorycta plutotera* Diakonoff,1966** (Xyloryctidae) **Synonym(s):** *plutotera* Diakonoff,1966 **Range (in code):** **PG**
- 92605. *Caenorycta thiobapta* Meyrick,1930** (Xyloryctidae) **Synonym(s):** *thiobapta* Meyrick,1930 **Range (in code):** **ID Ij Gth**
- 92606. *Chlorolychnis agnatella* (Walker,1864)** (Xyloryctidae) **Synonym(s):** *agnatella* Walker,1864 **Range (in code):** **LK**
- 92607. *Cladophantis pristina* Meyrick,1925** (Xyloryctidae) **Synonym(s):** *pristina* Meyrick,1925 **Range (in code):** **ZA**
- 92608. *Cladophantis spilozeucta* Meyrick,1927** (Xyloryctidae) **Synonym(s):** *spilozeucta* Meyrick,1927 **Range (in code):** **ZA**
- 92609. *Cladophantis xylophracta* Meyrick,1918** (Xyloryctidae) **Synonym(s):** *xylophracta* Meyrick,1918 **Range (in code):** **ZA**
- 92610. *Cophomantella elaphopis* (Meyrick,1910)** (Xyloryctidae) **Synonym(s):** *elaphopis* Meyrick,1910 **Range (in code):** **IN Ass Meg Khs**
- 92611. *Cryptophasa aethoptera* Meyrick,1938** (Xyloryctidae) **Synonym(s):** *aethoptera* Meyrick,1938 **Range (in code):** **PG**
- 92612. *Cryptophasa aggesta* Meyrick,1925** (Xyloryctidae) **Synonym(s):** *aggesta* Meyrick,1925 **Range (in code):** **ID Ij**
- 92613. *Cryptophasa aglaodes* Lower,1893** (Xyloryctidae) **Synonym(s):** *aglaodes* Lower,1893 **Range (in code):** **KY AU**
- 92614. *Cryptophasa albacosta* Lewin,1805** (Xyloryctidae) **Synonym(s):** *albacosta* Lewin,1805 **Range (in code):** **AU NSW**
- 92615. *Cryptophasa amphicroca* Meyrick,1925** (Xyloryctidae) **Synonym(s):** *amphicroca* Meyrick,1925 **Range (in code):** **ID Ij**
- 92616. *Cryptophasa antalba* Diakonoff,1966** (Xyloryctidae) **Synonym(s):** *proleuca* Diakonoff,1948 nec Meyr.; *antalba* Diakonoff,1966 **Range (in code):** **PG**
- 92617. *Cryptophasa* sp.:** (Xyloryctidae) **Synonym(s):** **Range (in code):** **TH**
- 92618. *Cynicocrates tachytoma* Meyrick,1935** (Xyloryctidae) **Synonym(s):** *tachytoma* Meyrick,1935 **Range (in code):** **TW**
- 92619. *Enthetica picryntis* Meyrick,1916** (Xyloryctidae) **Synonym(s):** *picryntis* Meyrick,1916 **Range (in code):** **IN**

- 92620. *Epichostis antigama* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *antigama* Meyrick,1908
Range (in code): **IN Tn Pln**
- 92621. *Epichostis barathrias* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *barathrias* Meyrick,1908 Range (in code): **LK**
- 92622. *Epichostis cryphaea* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *cryphaea* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 92623. *Epichostis dicremna* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *dicremna* Meyrick,1908
Range (in code): **LK**
- 92624. *Epichostis elephantias* Meyrick,1906** (Xyloryctidae) Synonym(s): *elephantias* Meyrick,1906 Range (in code): **LK**
- 92625. *Epichostis leptorthra* Meyrick,1931** (Xyloryctidae) Synonym(s): *leptorthra* Meyrick,1931
Range (in code): **CN**
- 92626. *Epichostis leucorma* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *leucorma* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 92627. *Epichostis melanocona* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *melanocona* Meyrick,1908 Range (in code): **LK**
- 92628. *Epichostis metrodelta* (Meyrick,1905)** (Xyloryctidae) Synonym(s): *metrodelta* Meyrick,1905 Range (in code): **LK**
- 92629. *Epichostis microdelta* Meyrick,1927** (Xyloryctidae) Synonym(s): *microdelta* Meyrick,1927
Range (in code): **CN**
- 92630. *Epichostis stelota* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *stelota* Meyrick,1908
Range (in code): **IN Ass Meg Khs**
- 92631. *Epichostis tympanias* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *tympanias* Meyrick,1908 Original Reference: Hermogenes tympanias Meyrick,1908, J. Bombay nat. Hist. Soc. 18: 628. Lectotype ♂: [India]: Khasis (BMNH), designated by Clarke, Meyrick Catalogue 2: 430, pl.214 fig.3,3a). Range (in code): **IN Ass Meg Khs CN Ti MY**
- 92632. *Epimactis crambalea* Meyrick,1910** (Xyloryctidae) Synonym(s): *crambalea* Meyrick,1910
Range (in code): **ID Ja**
- 92633. *Epimactis infulata* Meyrick,1914** (Xyloryctidae) Synonym(s): *infulata* Meyrick,1914
Range (in code): **LK**
- 92634. *Epimactis melithorax* Meyrick,1923** (Xyloryctidae) Synonym(s): *melithorax* Meyrick,1923
Range (in code): **IN Hp Kma**
- 92635. *Epimactis monodoxa* Meyrick,1907** (Xyloryctidae) Synonym(s): *monodoxa* Meyrick,1907
Range (in code): **BT**
- 92636. *Epimactis spasmodes* Meyrick,1914** (Xyloryctidae) Synonym(s): *spasmodes* Meyrick,1914
Range (in code): **IN Tn Pln**
- 92637. *Epimactis strombodes* Meyrick,1914** (Xyloryctidae) Synonym(s): *strombodes* Meyrick,1914 Range (in code): **LK**
- 92638. *Epimactis suffusella* (Walker,1864)** (Xyloryctidae) Synonym(s): *suffusella* Walker,1864
Range (in code): **NP IN MY Bor BN Swk**
- 92639. *Epimactis talantias* Meyrick,1908** (Xyloryctidae) Synonym(s): *talantias* Meyrick,1908
Range (in code): **LK**
- 92640. *Epimactis turbida* Meyrick,1914** (Xyloryctidae) Synonym(s): *turbida* Meyrick,1914 Range (in code): **IN Ass Meg Khs**
- 92641. *Eporycta chionaula* Meyrick,1920** (Xyloryctidae) Synonym(s): *chionaula* Meyrick,1920
Range (in code): **ZA**
- 92642. *Eporycta incanescens* Meyrick,1921** (Xyloryctidae) Synonym(s): *incanescens* Meyrick,1921
Range (in code): **ZA**
- 92643. *Eporycta tarbalea* Meyrick,1908** (Xyloryctidae) Synonym(s): *tarbalea* Meyrick,1908
Range (in code): **ZA**
- 92644. *Eupetochira axysta* Meyrick,1927** (Xyloryctidae) Synonym(s): *axysta* Meyrick,1927
Range (in code): **ZA**
- 92645. *Eupetochira xystopala* (Meyrick,1908)** (Xyloryctidae) Synonym(s): *xystopala* Meyrick,1908 Range (in code): **ZA**
- 92646. *Exacristis euryopa* Meyrick,1921** (Xyloryctidae) Synonym(s): *euryopa* Meyrick,1921
Range (in code):

- 92647. Gemorodes delphinopa Meyrick,1930** (Xyloryctidae) Synonym(s): *delphinopa Meyrick,1930* Range (in code): MM
- 92648. Gemorodes diclera Meyrick,1925** (Xyloryctidae) Synonym(s): *diclera Meyrick,1925* Range (in code): ZA
- 92649. Glycynympha roseocostella (Walsingham,1881)** (Xyloryctidae) Synonym(s): *roseocostella Walsingham,1881; sandycopa Meyrick,1917* Range (in code): ZA
- 92650. Lasiodictis melistoma Meyrick,1912** (Xyloryctidae) Synonym(s): *melistoma Meyrick,1912* Range (in code): IN Ass Meg Khs
- 92651. Letogenes festalis Meyrick,1930** (Xyloryctidae) Synonym(s): *festalis Meyrick,1930* Range (in code): RU Us
- 92652. Linoclostis brachyloga Meyrick,1917** (Xyloryctidae) Synonym(s): *brachyloga Meyrick,1917* Range (in code): ID Ja
- 92653. Linoclostis gonatias Meyrick,1908** (Xyloryctidae) Synonym(s): *gonatias Meyrick,1908* Range (in code): TH IN Ass Meg Khs MY Bor Sbh BN ID Ja
- 92654. Linoclostis musicodes Meyrick,1910** (Xyloryctidae) Synonym(s): *musicodes Meyrick,1910* Range (in code): MY Bor
- 92655. Metantithyra silvestrella Viette,1957** (Xyloryctidae) Synonym(s): *silvestrella Viette,1957* Range (in code): MG RE
- 92656. Metathrinca ancistrias (Meyrick,1906)** (Xyloryctidae) Synonym(s): *ancistrias Meyrick,1906* Range (in code): LK
- 92657. Metathrinca ceromorpha (Meyrick,1923)** (Xyloryctidae) Synonym(s): *ceromorpha Meyrick,1923* Range (in code): IN Ass Slo
- 92658. Metathrinca illuvialis (Meyrick,1914)** (Xyloryctidae) Synonym(s): *illuvialis Meyrick,1914* Range (in code): IN Ass Meg Khs
- 92659. Metathrinca intacta (Meyrick,1938)** (Xyloryctidae) Synonym(s): *intacta Meyrick,1938* Range (in code): CN Yu
- 92660. Metathrinca loranthivora (Meyrick,1937)** (Xyloryctidae) Synonym(s): *loranthivora Meyrick,1937* Range (in code): MY Bor Sbh ID Ja Bionomy: Larva on Loranthus (Loranthaceae) (Meyrick,1937).
- 92661. Metathrinca memnon Meyrick,1914** (Xyloryctidae) Synonym(s): *memnon Meyrick,1914* Range (in code): LK
- 92662. Metathrinca ophiura Meyrick,1908** (Xyloryctidae) Synonym(s): *ophiura Meyrick,1908* Range (in code): LK
- 92663. Metathrinca parabola (Meyrick,1914)** (Xyloryctidae) Synonym(s): *parabola Meyrick,1914* Range (in code): LK
- 92664. Metathrinca rosaria (Meyrick,1907)** (Xyloryctidae) Synonym(s): *rosaria Meyrick,1907* Range (in code): BT
- 92665. Microphidias bacteriopsis Meyrick,1937** (Xyloryctidae) Synonym(s): *bacteriopsis Meyrick,1937* Range (in code): ZA
- 92666. Paralecta acutangula Diakonoff,1954** (Xyloryctidae) Synonym(s): *acutangula Diakonoff,1954* Range (in code): PG
- 92667. Paralecta amplificata Meyrick,1925** (Xyloryctidae) Synonym(s): *amplificata Meyrick,1925* Range (in code): ID Ij
- 92668. Paralecta antistola Meyrick,1930** (Xyloryctidae) Synonym(s): *antistola Meyrick,1930* Range (in code): MY TH Bionomy: Larva bores stems of Syzgium aromaticum (cloves) (Myrtaceae) (Robinson et al.,1994).
- 92669. Paralecta cerocrossa Meyrick,1928** (Xyloryctidae) Synonym(s): *cerocrossa Meyrick,1928* Range (in code): PG
- 92670. Paralecta chalarodes Meyrick,1925** (Xyloryctidae) Synonym(s): *chalarodes Meyrick,1925* Range (in code): PG
- 92671. Philarachnis xerophaga Meyrick,1925** (Xyloryctidae) Synonym(s): *xerophaga Meyrick,1925* Range (in code): IN LK
- 92672. Semnolocha pachysticta Meyrick,1936** (Xyloryctidae) Synonym(s): *pachysticta Meyrick,1936* Range (in code): JP
- 92673. Sisyr Rodonta ochrosidera Meyrick,1922** (Xyloryctidae) Synonym(s): *ochrosidera Meyrick,1922* Range (in code): AU

- 92674. *Sphagiocrates lusoria* (Meyrick,1922)** (Xyloryctidae) Synonym(s): *lusoria* Meyrick,1922
Range (in code): **ID Ja**
- 92675. *Xylorycta artigena* Meyrick,1914** (Xyloryctidae) Synonym(s): *artigena* Meyrick,1914
Range (in code): **ZA**
- 92676. "Genus" *euryphracta* (Meyrick,1893)** (Yponomeutidae) Synonym(s): *euryphracta* Meyrick,1893 Range (in code): **AU**
- 92677. *Acrolepia afghanistanella* Gaedike,1968** (Yponomeutidae) Synonym(s): *afghanistanella* Gaedike,1968 Range (in code): **AF Kab** Bionomy: Larva on Phagnalon (Gaedike,1968)
- 92678. *Acrolepia aleuritidis* Meyrick,1913** (Yponomeutidae) Synonym(s): *aleuritidis* Meyrick,1913
Range (in code): **LK**
- 92679. *Acrolepia autumnitella* Curtis,1838** (Yponomeutidae) Synonym(s): *autumnitella* Curtis,1838; *pygmeana* Haworth,1811 *nec* Hübn.,1799; *lefeburiella* Duponchel,1838; *heleniella* Zeller,1839; *dulcamarella* Bruand,1856; *submontana* Osthelder,1951 Range (in code): **FR Co IT GB BE NL DE CH AT PL SK HU RO SS YU BG DK SE LV LT RU MD UA BY**
- 92680. *Acrolepia canachopis* Meyrick,1913** (Yponomeutidae) Synonym(s): *canachopis* Meyrick,1913 Original Reference: *Acrolepia canachopis* Meyrick,1913, Ann. Transv. Mus. 3: 325-326. Type ♀: [South Africa]: Barberton, leg. Janse (TMP). Range (in code): **ZA Tva Mpu Brb**
- 92681. *Acrolepia chalarodesma* Meyrick,1927** (Yponomeutidae) Synonym(s): *chalarodesma* Meyrick,1927 Original Reference: *Acrolepia chalarodesma* Meyrick,1927, Exot. Microlepid. 3: 359. Type ♂: [South Africa]: Natal, Rietvlei (coll. Janse). Range (in code): **ZA Nta Kzu Ric**
- 92682. *Acrolepia conchitis* Meyrick,1913** (Yponomeutidae) Synonym(s): *conchitis* Meyrick,1913
Range (in code): **IN Ass Meg Khs**
- 92683. *Acrolepia exsuccella* Erschoff,1874** (Yponomeutidae) Synonym(s): *exsuccella* Erschoff,1874 Range (in code): **KG AF Pag Kab**
- 92684. *Acrolepia gelida* Meyrick,1921** (Yponomeutidae) Synonym(s): *gelida* Meyrick,1921 Original Reference: *Acrolepia gelida* Meyrick,1921, Ann. Transv. Mus. 8: 123. Type ♂: [South Africa]: Natal, Karkloof, leg. Janse (TMP). Range (in code): **ZA Nta Kzu Kkf**
- 92685. *Acrolepia kasyi* Gaedike,1968** (Yponomeutidae) Synonym(s): *kasyi* Gaedike,1968 Range (in code): **AF Pag** Bionomy: Larva on Nepeta pinetorum (Gaedike,1968).
- 92686. *Acrolepia nodulata* Meyrick,1921** (Yponomeutidae) Synonym(s): *nodulata* Meyrick,1921
Range (in code): **IN Ass Slo**
- 92687. *Acrolepia xylophragma* (Meyrick,1926)** (Yponomeutidae) Synonym(s): *xylophragma* Meyrick,1926 Range (in code): **ZA**
- 92688. *Acrolepiopsis assectella* (Zeller,1839)** (Yponomeutidae) Synonym(s): *assectella* Zeller,1839; *vigiliella* Duponchel,1843; *porella* Raspail,1855 Range (in code): **DZ ES FR Co IT GB BE NL LU DE CH AT PL CZ SK HU YU DK NO SE FI EE LV LT RU MD UA BY** Bionomy: Larva on Allium cepa (Schütze,1931).
- 92689. *Acrolepiopsis betulella* (Curtis,1850)** (Yponomeutidae) Synonym(s): *betulella* Curtis,1850; *unicolor* Wocke,1884; *ursinella* Weber,1945 Range (in code): **GB CH AT PL CZ BG NO LV RU MD UA BY**
- 92690. *Acrolepiopsis caucasica* Zagulyaev,1980** (Yponomeutidae) Synonym(s): *caucasica* Zagulyaev,1980 Range (in code): **RU Cc**
- 92691. *Acrolepiopsis chirapanthui* Moriuti,1984** (Yponomeutidae) Synonym(s): *chirapanthui* Moriuti,1984 Original Reference: *Acrolepiopsis chirapanthui* Moriuti,1984, Tyo to Ga 35 (1): 28-31, figs. Syntypes 2♂♂: Thailand: Chiang Mai (UOP). Range (in code): **TH CMa**
- 92692. *Acrolepiopsis corticosa* (Meyrick,1913)** (Yponomeutidae) Synonym(s): *corticosa* Meyrick,1913 Range (in code): **LK**
- 92693. *Acrolepiopsis manganeutis* (Meyrick,1913)** (Yponomeutidae) Synonym(s): *manganeutis* Meyrick,1913 Range (in code): **LK IN Ass Ben** Bionomy: Larva on Dioscorea (Gaedike,1986).
- 92694. *Acrolepiopsis marcidella* (Curtis,1850)** (Yponomeutidae) Synonym(s): *marcidella* Curtis,1850; *fumociliella* Mann,1855 Range (in code): **PT ES FR Co Sa Si IT GB CH HV BG** Bionomy: Larva on Ruscus.
- 92695. *Acrolepiopsis tauricella* (Staudinger,1871)** (Yponomeutidae) Synonym(s): *tauricella* Staudinger,1871 Range (in code): **IT CH HU RU MD UA BY**
- 92696. *Acrolepiopsis vesperella* (Zeller,1850)** (Yponomeutidae) Synonym(s): *vesperella* Zeller,1850; *smilaxella* Millière,1864; *tami* Hering,1927 Range (in code): **MA Cn TN PT ES FR Co Sa Si IT DE YU GR TR**

- 92697. Anoista insolita** Turner,1939 (Yponomeutidae) Synonym(s): *insolita* Turner,1939 Range (in code): AU
- 92698. Anthonympha devota** (Meyrick,1913) (Yponomeutidae) Synonym(s): *devota* Meyrick,1913 Range (in code): IN Ass
- 92699. Anthonympha duplicata** (Meyrick,1913) (Yponomeutidae) Synonym(s): *duplicata* Meyrick,1913 Range (in code): LK
- 92700. Anthonympha oxydelta** (Meyrick,1913) (Yponomeutidae) Synonym(s): *oxydelta* Meyrick,1913 Range (in code): IN
- 92701. Anthonympha sp.:** (Yponomeutidae) Synonym(s): Range (in code): TH
- 92702. Anthonympha speciosa** Moriuti,1974 (Yponomeutidae) Synonym(s): *speciosa* Moriuti,1974 Range (in code): TW
- 92703. Argyresthia (Blastotere) amiantella** (Zeller,1847) (Yponomeutidae) Synonym(s): *amiantella* Zeller,1847 Range (in code): FR IT DE CH AT PL CZ SK YU FI
- 92704. Argyresthia (Blastotere) arceuthina** Zeller,1839 (Yponomeutidae) Synonym(s): *argentella* Linnaeus,1761 nec Cl.,1759; *arceuthina* Zeller,1839; *arceuthinella* Duponchel,[1845] Range (in code): PT ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI LV
- 92705. Argyresthia (Blastotere) bergiella** (Ratzeburg,1840) (Yponomeutidae) Synonym(s): *bergiella* Ratzeburg,1840; *certella* Zeller,1847 Range (in code): FR IT NL LU DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU MD UA BY
- 92706. Argyresthia (Blastotere) buvati** Gibeaux,1992 (Yponomeutidae) Synonym(s): *buvati* Gibeaux,1992 Range (in code): FR
- 92707. Argyresthia (Blastotere) chrysidella** Peyerimhoff,1877 (Yponomeutidae) Synonym(s): *chrysidella* Peyerimhoff,1877; *walsinghamella* Millière,1881 Range (in code): FR Bionomy: Larva on *Juniperus oxycedrae* (Cupressaceae) (Caradja,1920).
- 92708. Argyresthia (Blastotere) dilectella** Zeller,1847 (Yponomeutidae) Synonym(s): *dilectella* Zeller,1847 Range (in code): FR IT IE GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 92709. Argyresthia (Blastotere) glabratella** (Zeller,1847) (Yponomeutidae) Synonym(s): *glabratella* Zeller,1847; *oleaginella* Standfuss,1851 Range (in code): FR IT GB BE NL DE CH AT PL CZ SK RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 92710. Argyresthia (Blastotere) illuminatella** Zeller,1839 (Yponomeutidae) Synonym(s): *illuminatella* Zeller,1839 Range (in code): ES FR IT BE NL DE CH AT PL CZ SK RO BG EE LT RU MD UA BY
- 92711. Argyresthia (Blastotere) impura** (Staudinger,1879) (Yponomeutidae) Synonym(s): *impura* Staudinger,1879 Original Reference: Zelleria ? *impura* Staudinger,1879, *Horae Soc. ent. ross.* 15: 280-281. Syntypes 7♂ 3♀: [Türkei]: Amasia (Jenikeui-Hochebene). Range (in code): YU TR
- 92712. Argyresthia (Blastotere) laevigatella** (Heydenreich,1851) (Yponomeutidae) Synonym(s): *laevigatella* Heydenreich,1851; *atmoriella* Bankes,1856; *atmorella* Tutt,1896 Range (in code): FR IT IE GB NL DE CH AT PL CZ SK HU DK NO SE FI LV RU MD UA BY
- 92713. Argyresthia (Blastotere) praecocella** Zeller,1839 (Yponomeutidae) Synonym(s): *praecocella* Zeller,1839 Range (in code): ES FR IT GB BE NL DE CH AT PL CZ SK HU DK NO SE FI EE LV LT RU MD UA BY
- 92714. Argyresthia (Blastotere) reticulata** Staudinger,1871 (Yponomeutidae) Synonym(s): *reticulata* Staudinger,1871 Range (in code): FR NL CH
- 92715. Argyresthia (Blastotere) tatrixa** Baraniak, Kulfan & Patocka,2003 (Yponomeutidae) Synonym(s): *tatrixa* Baraniak, Kulfan & Patocka,2003 Range (in code): SK
- 92716. Argyresthia (Blastotere) thuiella** (Packard,1871) (Yponomeutidae) Synonym(s): *thuiella* Packard,1871 Range (in code): BE NL DE CH AT CZ
- 92717. Argyresthia (Blastotere) thuriferana** Gibeaux,1992 (Yponomeutidae) Synonym(s): *thuriferana* Gibeaux,1992 Range (in code): FR
- 92718. Argyresthia (Blastotere) trifasciata** Staudinger,1871 (Yponomeutidae) Synonym(s): *trifasciata* Staudinger,1871 Range (in code): ES FR IT? GB BE NL CH AT SE
- 92719. Argyresthia (s.str.) abdominalis** Zeller,1839 (Yponomeutidae) Synonym(s): *abdominalis* Zeller,1839; *abdominella* Duponchel,[1845]; *inauratella* Tengström,1848; *abdominella* Herrich-Schäffer,1855; *helvetica* Heinemann,[1876] Range (in code): FR IT GB BE NL DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV RU MD UA BY

- 92720. *Argyresthia* (s.str.) *albigaria* (Haworth,1828)** (Yponomeutidae) Synonym(s): *albigaria* Haworth,1828; *fagetella* Zeller,1839; *albigaria* Bruand,1850; *tarnis* Réal,1990 Range (in code): ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI LV LT RU MD UA BY IR Gl
- 92721. *Argyresthia* (s.str.) *aurulentella* Stainton,1849** (Yponomeutidae) Synonym(s): *aurulentella* Stainton,1849 Range (in code): FR Sa IT GB BE NL DE CH AT PL CZ SK YU DK NO SE FI EE LV LT RU MD UA BY
- 92722. *Argyresthia* (s.str.) *bonnetella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *bonnetella* Linnaeus,1758; *tetrapodella* Linnaeus,1767; *ossea* Haworth,1828; *denudatella* Zeller,1847; *purpurascens* Stainton,1849; *osseella* Bruand,1850 Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 92723. *Argyresthia* (s.str.) *brockeella* (Hübner,[1813])** (Yponomeutidae) Synonym(s): *brockeella* Hübner,[1813]; *iwella* Haworth,1828; *aurivittella* Haworth,1828; *fulguralis* Matsumura,1931 Range (in code): ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY
- 92724. *Argyresthia* (s.str.) *conjugella* Zeller,1839** (Yponomeutidae) Synonym(s): *conjugella* Zeller,1839; ? *aerariella* Stainton,1871 Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU TR IL Pa DK NO SE FI EE LV LT RU MD UA BY
- 92725. *Argyresthia* (s.str.) *curvella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *curvella* Linnaeus,1761; *nitidella* Denis & Schiffermüller,[1775]; *arcella* Fabricius,1777; *curva* Haworth,1828; *sparsella* sensu Zell.,1839 Range (in code): FR Co IT IE GB BE NL DE CH AT PL CZ SK HU RO BG DK NO SE FI LV LT RU MD UA BY
- 92726. *Argyresthia* (s.str.) *fundella* (Fischer v. Röslerstamm,1835)** (Yponomeutidae) Synonym(s): *fundella* Fischer v. Röslerstamm,1835 Range (in code): FR IT BE NL DE CH AT PL CZ SK RO YU BG DK NO SE RU MD UA BY
- 92727. *Argyresthia* (s.str.) *glaucinella* Zeller,1839** (Yponomeutidae) Synonym(s): *glaucinella* Zeller,1839; *dzieduszyckii* Nowicki,1860 Range (in code): ES FR BE IE GB NL DE CH AT PL CZ HU RO YU BG GR DK SE FI EE LV LT RU MD UA BY Bionomy: Larva on Quercus (Fagaceae); Aesculus hippocastanum, Betula (Betulaceae).
- 92728. *Argyresthia* (s.str.) *goedartella* (Linnaeus,1758)** (Yponomeutidae) Synonym(s): *goedartella* Linnaeus,1758; *semiargentea* Donovan,1793; *literella* Haworth,1828 Range (in code): PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY
- 92729. *Argyresthia* (s.str.) *hilfiella* Rebel,1910** (Yponomeutidae) Synonym(s): *hilfiella* Rebel,1910 Range (in code): GR
- 92730. *Argyresthia* (s.str.) *huguenini* Frey,1882** (Yponomeutidae) Synonym(s): *huguenini* Frey,1882 Range (in code): CH
- 92731. *Argyresthia* (s.str.) *ivella* (Haworth,1828)** (Yponomeutidae) Synonym(s): *ivella* Haworth,1828; *andereggiella* Duponchel,[1840]; *kuwayamella* Matsumura,1931 Range (in code): FR GB BE DE CH AT PL CZ HU RO DK NO SE EE LV LT RU MD UA BY
- 92732. *Argyresthia* (s.str.) *kasyi* Friese,1963** (Yponomeutidae) Synonym(s): *kasyi* Friese,1963 Range (in code): YU
- 92733. *Argyresthia* (s.str.) *liparodes* Meyrick,1914** (Yponomeutidae) Synonym(s): *liparodes* Meyrick,1914 Range (in code): ZA
- 92734. *Argyresthia* (s.str.) *marmorata* Frey,1880** (Yponomeutidae) Synonym(s): *marmorata* Frey,1880 Range (in code): CH
- 92735. *Argyresthia* (s.str.) *mirabiella* Toll,1947** (Yponomeutidae) Synonym(s): *mirabiella* Toll,1947 Original Reference: *Argyresthia mirabiella* Toll,1947, Z. Wien. ent. Ges. 32: 114, Taf.4 fig.13. Type ♀: Iran: Kuh-i-Mirabi Gebirge. Range (in code): IR Kh
- 92736. *Argyresthia* (s.str.) *pentanoma* Meyrick,1913** (Yponomeutidae) Synonym(s): *pentanoma* Meyrick,1913 Range (in code): ZA Tva Mpu Tst
- 92737. *Argyresthia* (s.str.) *prejella* Rebel,1901** (Yponomeutidae) Synonym(s): *prejella* Rebel,1901 Range (in code): YU
- 92738. *Argyresthia* (s.str.) *pretiosa* Staudinger,1879** (Yponomeutidae) Synonym(s): *pretiosa* Staudinger,1879 Original Reference: *Argyresthia pretiosa* Staudinger,1879, Horae Soc. ent. ross. 15: 281-282. Syntypes 2 ex: [Türkei]: Amasia (Jenikeui-Hochebene). Range (in code): TR
- 92739. *Argyresthia* (s.str.) *pruniella* (Clerck,1759)** (Yponomeutidae) Synonym(s): *#pruniella* Clerck,1759; *comella* Scopoli,1763; *ephippella* Fabricius,1777; *ephippium* Fabricius,1798; *pruni* Haworth,[1828]; *#ephippiella* Staudinger,1879. Range (in code): ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY
- 92740. *Argyresthia* (s.str.) *pulchella* Lienig & Zeller,1846** (Yponomeutidae) Synonym(s): *pulchella* Lienig & Zeller,1846 Range (in code): FR IT NL DE CH AT PL CZ SK RO NO SE FI EE LV RU MD UA BY

- 92741. *Argyresthia* (s.str.) *pygmaeella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) Synonym(s): *pygmaeella* [Denis & Schiffermüller],1775; *rudolphella* Esper,1791; *semifasciella* Stephens,1834; *alpina* Müller-Rutz,1920 Original Reference: *Tinea pygmaeella* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 141. Type(s): Vienna district. Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 92742. *Argyresthia* (s.str.) *retinella* Zeller,1839** (Yponomeutidae) Synonym(s): ? *ocellea* Stephens,1834; *retinella* Zeller,1839; *albicornis* Caradja,1920 Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO DK NO SE FI EE LV LT RU MD UA BY**
- 92743. *Argyresthia* (s.str.) *semifusca* (Haworth,1828)** (Yponomeutidae) Synonym(s): *semifusca* Haworth,1828; *semipurpurella* Stephens,1834; *spiniella* Zeller,1839; *semifuscella* Herrich-Schäffer,1855 Range (in code): **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE LV LT RU MD UA BY**
- 92744. *Argyresthia* (s.str.) *semitestacella* (Curtis,1833)** (Yponomeutidae) Synonym(s): *semitestacella* Curtis,1833 Range (in code): **FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU DK NO SE RU MD UA BY**
- 92745. *Argyresthia* (s.str.) *sorbiella* (Treitschke,1833)** (Yponomeutidae) Synonym(s): *esperella* Villers,1789 nec Goetz,1783; *sorbiella* Treitschke,1833 Range (in code): **FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU DK NO SE FI EE RU MD UA BY**
- 92746. *Argyresthia* (s.str.) *spinosella* Stainton,1849** (Yponomeutidae) Synonym(s): *mendica* auct; *spinosella* Stainton,1849. Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU MD UA BY IR Gl**
- 92747. *Argyresthia* (s.str.) *stilpnota* Meyrick,1913** (Yponomeutidae) Synonym(s): *stilpnota* Meyrick,1913 Range (in code): **ZA Tva Mpu Brb Wv**
- 92748. *Argyresthia* (s.str.) *submontana* Frey,1870** (Yponomeutidae) Synonym(s): *submontana* Frey,1870 Range (in code): **FR IT DE CH AT SE LV**
- 92749. *Argyresthia* (s.str.) *tarmanni* Gibeaux,1993** (Yponomeutidae) Synonym(s): *tarmanni* Gibeaux,1993 Range (in code): **AT**
- 92750. *Argyresthia* *kaoyaiensis* Moriuti** (Yponomeutidae) Synonym(s): Range (in code): **TH Nna Kao**
- 92751. *Atemelia* *torquatella* (Lienig & Zeller,1846)** (Yponomeutidae) Synonym(s): *torquatella* Lienig & Zeller,1846; *fuscifrontella* Stainton,1849 Range (in code): **TR KG UK**
- 92752. *Atteva* *albiguttata* (Zeller,1873)** (Yponomeutidae) Synonym(s): *albiguttata* Zeller,1873 Range (in code): **AU**
- 92753. *Atteva* *charopis* Turner,1903** (Yponomeutidae) Synonym(s): *charopis* Turner,1903 Range (in code): **AU**
- 92754. *Atteva* *fabriciella* (Swederus,1787)** (Yponomeutidae) Synonym(s): *fabriciella* Swederus,1787; *brucea* Moore,1859; *niviguttella* Walker,1863 Original Reference: *Phalaena fabriciella* Swederus,1787, *Köngl. Svensk. Vet. Akad. Handl.* 8: 277. Type(s): India, Borneo. Range (in code): **IN TW AU ID Sum Ja Bli TH CMa Uth Cbi Lop Chc Phe LK CN Sz Yu MY Bor Clb PH Luz** Bionomy: Larva on leaf of *Acacia auriculaeformis* [mayom pa] (Fabaceae), *Ailanthus* (Simaroubaceae) (Robinson et al.,1994; Lewvanich,2001).
- 92755. *Atteva* *megalatra* Meyrick,1907** (Yponomeutidae) Synonym(s): *megalatra* Meyrick,1907 Range (in code): **AU**
- 92756. *Atteva* *niphocosma* Turner,1903** (Yponomeutidae) Synonym(s): *niphocosma* Turner,1903; *myriatra* Meyrick,1907 Range (in code): **AU**
- 92757. *Atteva* *niveigutta* Walker,1854** (Yponomeutidae) Synonym(s): *niveigutta* Walker,1854 Range (in code): **BD IN Ass Khs Cpj TH Int CMa Dst Nan Nrt Uth**
- 92758. *Atteva* *sciodoxa* Meyrick,1908** (Yponomeutidae) Synonym(s): *sciodoxa* Meyrick,1908 Range (in code): **MM MY Pen Bor TH Chy** Bionomy: Larva on Weed (Lewvanich,2001).
- 92759. *Atteva* *wallengreni* Sohn & Wu,2013** (Yponomeutidae) Synonym(s): *wallengreni* Sohn & Wu,2013 Range (in code): **CN Kwa HK VN TH CMa Dst Cz10 Phe ID Bli MY Prk**
- 92760. *Atteva* *yanguifella* Sohn & Wu,2013** (Yponomeutidae) Synonym(s): *yanguifella* Sohn & Wu,2013 Range (in code): **CN Ti**
- 92761. *Banghaasia* *ildefonsella* Friese,1960** (Yponomeutidae) Synonym(s): *ildefonsella* Friese,1960 Range (in code): **ES**
- 92762. *Callitrinca* *angoonae* Moriuti,1982** (Yponomeutidae) Synonym(s): *angoonae* Moriuti,1982 Original Reference: *Callitrinca angoonae* Moriuti,1982, *Trans. lepid. Soc. Japan* 33 (1/2): 68, fig. Range (in code): **TH Cbi Knc**

- 92763. *Callitrinca evocatella* (Walker,1863)** (Yponomeutidae) **Synonym(s):** *evocatella* Walker,1863 **Range (in code):** **MY Bor**
- 92764. *Callitrinca niphopyrrha* Meyrick,1927** (Yponomeutidae) **Synonym(s):** *niphopyrrha* Meyrick,1927 **Range (in code):** **FJ**
- 92765. *Callitrinca* sp.n.** (Yponomeutidae) **Synonym(s):** **Range (in code):** **TH**
- 92766. *Callitrinca sphendonista* Meyrick,1927** (Yponomeutidae) **Synonym(s):** *sphendonista* Meyrick,1927 **Range (in code):** **WS**
- 92767. *Cedestis gysseleniella* Zeller,1839** (Yponomeutidae) **Synonym(s):** *gysseleniella* Zeller,1839; *gysseleniella* Duponchel,1840; *fuscilineella* Bruand,1850 **Range (in code):** **ES FR IT GB BE NL DE CH AT PL CZ SK HU RO BG GR DK NO SE FI EE LV LT RU MD UA BY** **Bionomy:** Larva on *Pinus montana*, *P. sylvestris* (Pinaceae) (Schütze,1931).
- 92768. *Cedestis subfasciella* (Stephens,1834)** (Yponomeutidae) **Synonym(s):** *subfasciella* Stephens,1834; *farinatella* Zeller,1839. **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU GR DK NO SE FI EE LV LT RU MD UA BY KG Uk**
- 92769. *Charicrita citrozona* Meyrick,1913** (Yponomeutidae) **Synonym(s):** *citrozona* Meyrick,1913 **Range (in code):** **AU**
- 92770. *Charicrita orthonina* Turner,1927** (Yponomeutidae) **Synonym(s):** *orthonina* Turner,1927 **Range (in code):** **AU**
- 92771. *Charicrita sericoleuca* Turner,1923** (Yponomeutidae) **Synonym(s):** *sericoleuca* Turner,1923 **Range (in code):** **AU**
- 92772. *Chionogenes drosochlora* (Meyrick,1907)** (Yponomeutidae) **Synonym(s):** *drosochlora* Meyrick,1907 **Range (in code):** **AU**
- 92773. *Chionogenes isanema* (Meyrick,1907)** (Yponomeutidae) **Synonym(s):** *isanema* Meyrick,1907 **Range (in code):** **AU**
- 92774. *Chionogenes trimetra* Meyrick,1913** (Yponomeutidae) **Synonym(s):** *trimetra* Meyrick,1913 **Range (in code):** **AU**
- 92775. *Conchiophora spinosella* Chrétien,1915** (Yponomeutidae) **Synonym(s):** *spinosella* Chrétien,1915 **Range (in code):** **DZ Bsk TN Gf**
- 92776. *Diaphragmistis macroglena* Meyrick,1914** (Yponomeutidae) **Synonym(s):** *macroglena* Meyrick,1914 **Range (in code):** **IN Ass TH**
- 92777. *Digitivalva (Inuliphila) christophi* (Toll,1958)** (Yponomeutidae) **Synonym(s):** *christophi* Toll,1958 **Range (in code):** **Cc AZ Nv Ord**
- 92778. *Digitivalva (Inuliphila) granitella* (Treitschke,1833)** (Yponomeutidae) **Synonym(s):** *granitella* Treitschke,1833; *variella* Müller-Rutz,1920 **Range (in code):** **ES FR Sa Si IT BE DE CH AT PL CZ HU YU BG GR**
- 92779. *Digitivalva (Inuliphila) macedonica* (Klimesch,1956)** (Yponomeutidae) **Synonym(s):** *macedonica* Klimesch,1956 **Range (in code):** **MK Och Skj**
- 92780. *Digitivalva (Inuliphila) occidentella* (Klimesch,1956)** (Yponomeutidae) **Synonym(s):** *occidentella* Klimesch,1956. **Range (in code):** **ES FR Co Sa IT Si RO YU GR TR** **Bionomy:** Larva on *Inula conyza*, *I. squamosa* (Asteraceae) (Gaedike,1971).
- 92781. *Digitivalva (Inuliphila) orientella* (Klimesch,1956)** (Yponomeutidae) **Synonym(s):** *orientella* Klimesch,1956 **Range (in code):** **HV MK Skj RU Sr**
- 92782. *Digitivalva (Inuliphila) pulicariae* (Klimesch,1956)** (Yponomeutidae) **Synonym(s):** *pulicariae* Klimesch,1956 **Range (in code):** **ES FR Co IT IE GB BE NL DE CH AT SK HU RO YU BG GR TR CY** **Bionomy:** Larva on *Pulicaria dysenterica* (Gaedike,1971).
- 92783. *Digitivalva (Inuliphila) rungsella* (Lucas,1943)** (Yponomeutidae) **Synonym(s):** *rungsella* Lucas,1943 **Range (in code):** **MA**
- 92784. *Digitivalva (Inuliphila) solidaginis* (Staudinger,1859)** (Yponomeutidae) **Synonym(s):** *solidaginis* Staudinger,1859 **Range (in code):** **ES Grn FR**
- 92785. *Digitivalva (Inuliphila) wolfschlaegeri* (Klimesch,1956)** (Yponomeutidae) **Synonym(s):** *wolfschlaegeri* Klimesch,1956 **Range (in code):** **MK Och TR**
- 92786. *Digitivalva (s.str.) afghanistanella* (Gaedike,1968)** (Yponomeutidae) **Synonym(s):** *afghanistanella* Gaedike,1968 **Range (in code):** **AF Kab** **Bionomy:** Larva on *Phagnalon* sp. (Gaedike,1968).
- 92787. *Digitivalva (s.str.) eglanteriella* (Mann,1855)** (Yponomeutidae) **Synonym(s):** *eglanteriella* Mann,1855; *cydoniella* Rebel,1916; *maculatella* Turati,1930; *heringi* Klimesch,1956 **Range (in code):** **ES FR Co Sa IT MK GR Cr** **Bionomy:** Larva on *Inula aschersoniana*, *Helychrysum angustifolium* (Asteraceae) (Gaedike,1970).

- 92788. Digitivalva (s.str.) excussella (Erschoff,1874)** (Yponomeutidae) **Synonym(s):** *excussella* Erschoff,1874 **Range (in code):** **KG Tks AF Pag Kab UZ IR Fa Shr**
- 92789. Digitivalva (s.str.) kasyi (Gaedike,1968)** (Yponomeutidae) **Synonym(s):** *kasyi* Gaedike,1968 **Range (in code):** **AF Pag Kab** **Bionomy:** Larva on *Nepeta pinetorum* (Lamiaceae) (Gaedike,1968)
- 92790. Digitivalva (s.str.) pappella (Walsingham,1907)** (Yponomeutidae) **Synonym(s):** *pappella* Walsingham,1907 **Range (in code):** **Cn ES** **Bionomy:** Larva on *Allagopappus dichotomus* (Gaedike,1970).
- 92791. Digitivalva (s.str.) perlepidella (Stainton,1849)** (Yponomeutidae) **Synonym(s):** *perlepidella* Stainton,1849; *fulviceps* Wocke,1850; *ruficeps* Herrich-Schäffer,1853 **Range (in code):** **FR GB NL DE CH AT PL CZ SK YU** **Bionomy:** Larva on *Solanum dulcamara* (Solanaceae); *Inula conyza*, *Conyza squamosa* (Asteraceae) (Hering,1963).
- 92792. Digitivalva amseli Gaedike,1975** (Yponomeutidae) **Synonym(s):** *amseli* Gaedike,1975 **Original Reference:** *Digitivalva amseli* Gaedike,1975, Beitr. Ent. 25 (2): 214-216, fig. Holotype ♂: NO-Afghanistan: Wakhan Tal, 3400m Kotal-e- Dalez, W_Seite, leg. G.Ebert & Naumann (LNK). **Range (in code):** **AF Bd**
- 92793. Digitivalva arnicella (Heyden,1863)** (Yponomeutidae) **Synonym(s):** *arnicella* Heyden,1863, *adjectella* Heyden,1863 **Range (in code):** **FR IT BE NL DE CH AT PL CZ SK HU DK NO SE LT**
- 92794. Digitivalva falkneri Amsel,1974** (Yponomeutidae) **Synonym(s):** *falkneri* Amsel,1974 **Range (in code):** **RU IR Mz Elb Dam Gl**
- 92795. Digitivalva glaseri Gaedike,1971** (Yponomeutidae) **Synonym(s):** *glaseri* Gaedike,1971. **Original Reference:** *Digitivalva glaseri* Gaedike,1971, Beitr. Ent. 11 (1/2): 51, fig. Holotype ♂: Türkei: Asia min., Turcia, [Ankara Prov.]: "Kizilcahaman" [=Kizilcahamam] (leg. & coll. Glaser). **Range (in code):** **TR**
- 92796. Digitivalva reticulella (Hübner,1796)** (Yponomeutidae) **Synonym(s):** *reticulella* Hübner,1796; *cariosella* Treitschke,1835. **Range (in code):** **ES IT BE DE CH AT PL CZ SK RO YU BG TR NO SE FI LV RU MD UA BY** **Bionomy:** Larva on the flower of *Gnaphalium luteoalbum*, *G. sylvaticum* (Gaedike,1975).
- 92797. Digitivalva sp.** (Yponomeutidae) **Synonym(s):** **Range (in code):** **TR**
- 92798. Digitivalva trapezopa (Meyrick,1914)** (Yponomeutidae) **Synonym(s):** *trapezopa* Meyrick,1914 **Range (in code):** **ZA**
- 92799. Digitivalva valeriella (Snellen,1878)** (Yponomeutidae) **Synonym(s):** *valeriella* Snellen,1878 **Range (in code):** **FR DE AT PL SK HU RO DK LV LT RU**
- 92800. Distagmos ledereri Herrich-Schäffer,1853** (Yponomeutidae) **Synonym(s):** *ledereri* Herrich-Schäffer,1853; *ledereriella* Herrich-Schäffer,1855; *jaurella* Chrétien,1905 **Range (in code):** **PT ES FR**
- 92801. Eidophasia aereolella Lhomme,1949** (Yponomeutidae) **Synonym(s):** *aereolella* Lhomme,1949 **Range (in code):** **FR**
- 92802. Eidophasia insulella Walsingham,1900** (Yponomeutidae) **Synonym(s):** *insulella* Walsingham,1900 **Range (in code):** **Co**
- 92803. Eidophasia messingiella (Fischer v. Röslerstamm,1840)** (Yponomeutidae) **Synonym(s):** *messingiella* Fischer v. Röslerstamm,1840; *transversella* Stephens,1841; *infusca* Staudinger,1870; *mullerella* Rougemont,1903; *dorsana* Caradja,1920 **Original Reference:** *Plutella messingiella* Fischer v. Röslerstamm,1840, Abbildungen Schmettkde.: 193, pl.68 fig.3. Syntypes: Germany, Neustrelitz; Hungary. **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Sb MD UA BY**
- 92804. Eidophasia syenitella (Heydenreich,1851)** (Yponomeutidae) **Synonym(s):** *syenitella* Heydenreich,1851; *concinnella* Christoph,1888 [ssp.]; *zukowskyi* Amsel,1939 **Range (in code):** **ES FR Si IT? HU RO YU AL BG GR TR RU MD UA BY Cc**
- 92805. Eidophasia tauricella Staudinger,1879** (Yponomeutidae) **Synonym(s):** *tauricella* Staudinger,1879 **Original Reference:** *Eidophasia tauricella* Staudinger,1879, Horae Soc. ent. ross. 15: 282-284. Type ♀: [Türkei]: "Taurus" (leg. Haberhauer). **Range (in code):** **TR**
- 92806. Euhypnometeuta stannella (Thunberg,1794)** (Yponomeutidae) **Synonym(s):** *stannella* Thunberg,1794; *rufimitrellus* Zeller,1844 **Range (in code):** **FR IT GB DE CH AT PL CZ SK HU RO NO SE FI RU MD UA BY**
- 92807. Euhypnometeutoides albithoracellus Gaj,1954** (Yponomeutidae) **Synonym(s):** *rufella* Tengström,1848 nec Panz.,1804; *albithoracellus* Gaj,1954 **Range (in code):** **FR IT DE CH AT PL SK RO? DK NO SE FI EE LV LT RU MD UA BY**

- 92808. *Euhypnometoides ribesiella* (Joannis,1900)** (Yponomeutidae) **Synonym(s):** *ribesiella* Joannis,1900 Range (in code): **FR BE DE AT PL SK NO SE FI RU MD UA BY**
- 92809. *Galactica caradjae* Walsingham,1911** (Yponomeutidae) **Synonym(s):** *caradjae* Walsingham,1911 Original Reference: *Galactica caradjae* Walsingham,1911, Entomologist's mon. Mag. 47: 15. Syntypes 3 ex: Algeria, Biskra (leg. Korb). **DZ Bsk**
- 92810. *Galactica pluripunctella* Caradja,1920** (Yponomeutidae) **Synonym(s):** *pluripunctella* Caradja,1920 **RU**
- 92811. *Galactica variinotella* (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** *variinotella* Chrétien,1915 Range (in code): **TN Gf**
- 92812. *Galactica walsinghami* Caradja,1920** (Yponomeutidae) **Synonym(s):** *walsinghami* Caradja,1920 **RU**
- 92813. *Genosteles reniger* Walsingham,1900** (Yponomeutidae) **Synonym(s):** *reniger* Walsingham,1900 Range (in code): **YE**
- 92814. *Gypsosaris conia* Meyrick,1909** (Yponomeutidae) **Synonym(s):** *conia* Meyrick,1909 Range (in code): **ZA**
- 92815. *Kessleria* (Hofmannia) *fasciapennella* (Stainton,1849)** (Yponomeutidae) **Synonym(s):** *fasciapennella* Stainton,1849; *longipennella* Friese,1960 Range (in code): **ES GB CH AT NO SE FI EE LV LT**
- 92816. *Kessleria* (Hofmannia) *saxifragae* (Stainton,1868)** (Yponomeutidae) **Synonym(s):** *saxifragae* Stainton,1868 Range (in code): **PT ES FR IT IE GB DE CH AT PL SK RO YU IL Pa** Bionomy: Larva on *Saxifraga oppositifolia*, *S. spathularis*, *S. paniculata*, *S. aizoides*, *S. grisebachii* (Saxifragaceae) (Huemer & Tarmann,1991).
- 92817. *Kessleria* (s.str.) *albanica* Friese,1960** (Yponomeutidae) **Synonym(s):** *albanica* Friese,1960 Range (in code): **YU AL**
- 92818. *Kessleria* (s.str.) *albescens* (Rebel,1899)** (Yponomeutidae) **Synonym(s):** *albescens* Rebel,1899 Range (in code): **IT**
- 92819. *Kessleria* (s.str.) *albomaculata* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *albomaculata* Huemer & Tarmann,1992 Range (in code): **FR**
- 92820. *Kessleria* (s.str.) *alpicella* (Stainton,1851)** (Yponomeutidae) **Synonym(s):** *alpicella* Stainton,1851 Range (in code): **IT DE CH AT PL CZ SK RO YU AL BG**
- 92821. *Kessleria* (s.str.) *alternans* (Staudinger,1871)** (Yponomeutidae) **Synonym(s):** *alternans* Staudinger,1871 Range (in code): **FR IT CH**
- 92822. *Kessleria* (s.str.) *brachypterella* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *brachypterella* Huemer & Tarmann,1992 Range (in code): **ES FR**
- 92823. *Kessleria* (s.str.) *brevicornuta* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *brevicornuta* Huemer & Tarmann,1992 Range (in code): **ES**
- 92824. *Kessleria* (s.str.) *burmanni* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *burmanni* Huemer & Tarmann,1992 Range (in code): **CH AT YU**
- 92825. *Kessleria* (s.str.) *caflischii* (Frey,1880)** (Yponomeutidae) **Synonym(s):** *caflischii* Frey,1880 Range (in code): **IT CH AT**
- 92826. *Kessleria* (s.str.) *caucasica* Friese,1960** (Yponomeutidae) **Synonym(s):** *caucasica* Friese,1960 Original Reference: *Kessleria caucasica* Friese,1960, Beitr. Ent. 10: 77, fig.47. Holotype ♂: Caucasus occ.: Kirala, 1000m (coll. Moucha). Range (in code): **Cc GG TR**
- 92827. *Kessleria* (s.str.) *diabolica* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *diabolica* Huemer & Tarmann,1992 Range (in code): **ES**
- 92828. *Kessleria* (s.str.) *egregiella* (Duponchel,[1839])** (Yponomeutidae) **Synonym(s):** *egregiella* Duponchel,[1839] Range (in code): **PT ES FR Co Sa IT CH YU**
- 92829. *Kessleria* (s.str.) *hauderi* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *hauderi* Huemer & Tarmann,1992 Range (in code): **AT**
- 92830. *Kessleria* (s.str.) *helvetica* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *helvetica* Huemer & Tarmann,1992 Range (in code): **CH**
- 92831. *Kessleria* (s.str.) *inexpectata* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *inexpectata* Huemer & Tarmann,1992 Range (in code): **FR**
- 92832. *Kessleria* (s.str.) *insubrica* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *insubrica* Huemer & Tarmann,1992 Range (in code): **IT**
- 92833. *Kessleria* (s.str.) *klimeschi* Huemer & Tarmann,1992** (Yponomeutidae) **Synonym(s):** *klimeschi* Huemer & Tarmann,1992 Range (in code): **IT YU**

- 92834. Kessleria (s.str.) macedonica Huemer & Tarmann,1992** (Yponomeutidae)
Synonym(s): *macedonica* Huemer & Tarmann,1992 Range (in code): **MK**
- 92835. Kessleria (s.str.) mixta Huemer & Tarmann,1992** (Yponomeutidae) Synonym(s):
mixta Huemer & Tarmann,1992 Range (in code): **AL**
- 92836. Kessleria (s.str.) nivescens Burmann,1980** (Yponomeutidae) Synonym(s): *nivescens*
Burmann,1980 Range (in code): **IT YU**
- 92837. Kessleria (s.str.) osyridella Stainton,1869** (Yponomeutidae) Synonym(s): *osyridellus*
Stainton,1869 Range (in code): **PT ES FR Sa YU GR TR**
- 92838. Kessleria (s.str.) petrobiella (Zeller,1868)** (Yponomeutidae) Synonym(s): *petrobiella*
Zeller,1868 Range (in code): **IT AT YU**
- 92839. Kessleria (s.str.) pyrenaea Friese,1960** (Yponomeutidae) Synonym(s): *pyrenaea*
Friese,1960 Range (in code): **FR**
- 92840. Kessleria (s.str.) restrictella (Chrétien,1915)** (Yponomeutidae) Synonym(s):
restrictella Chrétien,1915 Original Reference: *Paradoxus restrictellus* Chrétien,1915, *Annls Soc. ent.*
Fr. 84: 311. Syntypes: Tunisia, Gafsa. Range (in code): **TN Gf**
- 92841. Kessleria (s.str.) wehrlii Huemer & Tarmann,1992** (Yponomeutidae) Synonym(s):
wehrlii Huemer & Tarmann,1992 Range (in code): **FR**
- 92842. Kessleria (s.str.) zimmermanni Nowicki,1864** (Yponomeutidae) Synonym(s):
zimmermanni Nowicki,1864 Range (in code): **PL SK**
- 92843. Lepocnemis bascanopa Meyrick,1913** (Yponomeutidae) Synonym(s): *bascanopa*
Meyrick,1913 Range (in code): **ZA Tva**
- 92844. Lepocnemis metapelista Meyrick,1932** (Yponomeutidae) Synonym(s): *metapelista*
Meyrick,1932 Original Reference: *Lepocnemis metapelista* Meyrick,1932, *Trans. R. ent. Soc.*
London 80 (1): 117. Syntypes 5♂♂: [Ethiopia]: Jem-Jem Forest. Range (in code): **ET ET88 Sw**
- 92845. Lissochroa argostola Turner,1923** (Yponomeutidae) Synonym(s): *argostola* Turner,1923
Range (in code): **AU**
- 92846. Litaneutis sacrifica Meyrick,1913** (Yponomeutidae) Synonym(s): *sacrificata* Meyrick,1913
Range (in code): **AU**
- 92847. Lunakia alyssella (Klimesch,1941)** (Yponomeutidae) Synonym(s): *alyssella* Klimesch,1941
Range (in code): **AT**
- 92848. Mieza inornata Walsingham,1900** (Yponomeutidae) Synonym(s): *inornata*
Walsingham,1900 Range (in code): **Sk YE**
- 92849. Niphonympha albella (Zeller,1847)** (Yponomeutidae) Synonym(s): *albella* Zeller,1847;
dealbatella Zeller,1847; *immaculanella* Bruand,1850; *cignivicinella* Bruand,1859 Range (in code): **FR Co Si IT**
DE CH AT CZ SK HU RO YU TR
- 92850. Niphonympha bootella (Turati,1926)** (Yponomeutidae) Synonym(s): *bootella*
Turati,1926 Range (in code): **LY Cy**
- 92851. Niphonympha oxydelta (Meyrick,1913)** (Yponomeutidae) Synonym(s): *oxydelta*
Meyrick,1913 Range (in code): **AU**
- 92852. Nosymna macrorrhyncha Meyrick,1930** (Yponomeutidae) Synonym(s):
macrorrhyncha Meyrick,1930 Range (in code): **PG**
- 92853. Nosymna obnubila Durrant,1916** (Yponomeutidae) Synonym(s): *obnubila* Durrant,1916
Range (in code): **PG**
- 92854. Nosymna ochrochorda Meyrick,1924** (Yponomeutidae) Synonym(s): *ochrochorda*
Meyrick,1924 Range (in code): **ID Sum**
- 92855. Nosymna punctata Walsingham,1900** (Yponomeutidae) Synonym(s): *punctata*
Walsingham,1900 Range (in code): **SI IN Ass**
- 92856. Nosymna repletella Walker,1864** (Yponomeutidae) Synonym(s): *repletella* Walker,1864
Original Reference: *Nosymna repletella* Walker,1864, *List Specimens lepid. Insects Colln Br.*
Mus. 29: 831. Type: Borneo. Range (in code): **MY Bor**
- 92857. Nosymna sp.** (Yponomeutidae) Synonym(s): Range (in code): **TH Lmp** Bionomy: Larva
on leaf of weed (Lewvanich,2001).
- 92858. Nosymna stipella Snellen,1903** (Yponomeutidae) Synonym(s): *stipella* Snellen,1903
Range (in code): **TH MY BN Bor Swk Klt ID Sum Ja**
- 92859. Nymphonia zaleuca Meyrick,1913** (Yponomeutidae) Synonym(s): *zaleuca* Meyrick,1913
Range (in code): **AU**

- 92860. *Ochsenheimeria algeriella* Zagulyaev, 1966** (Yponomeutidae) **Synonym(s):** *algeriella* Zagulyaev, 1966 **Original Reference:** *Ochsenheimeria algeriella* Zagulyaev, 1966, Trans. Zool. Inst. Acad. Sci. USSR 37: 150. Type: Algeria, Teniet-el-Had. **Range (in code):** **DZ Tni Tis**
- 92861. *Ochsenheimeria bubalella* (Hübner, [1813])** (Yponomeutidae) **Synonym(s):** *bubalella* Hübner, [1813] **Range (in code):** **ES FR**
- 92862. *Ochsenheimeria capella* Möschler, 1860** (Yponomeutidae) **Synonym(s):** *capella* Möschler, 1860 **Range (in code):** **HU RU KG**
- 92863. *Ochsenheimeria glabratella* Müller-Rutz, 1914** (Yponomeutidae) **Synonym(s):** *glabratella* Müller-Rutz, 1914 **Range (in code):** **CH AT**
- 92864. *Ochsenheimeria hugginsi* Bradley, 1953** (Yponomeutidae) **Synonym(s):** *hugginsi* Bradley, 1953 **Original Reference:** *Ochsenheimeria hugginsi* Bradley, 1953, Ann. Mag. nat. Hist. (12) 6: 832-833, pl. Holotype ♂: India: C. Himalaya, Tehri-Garhwal, Rudugira Gael, 15400ft. (H.F. Lamprey). **Range (in code):** **IN Up**
- 92865. *Ochsenheimeria kisilkuma* Zagulyaev, 1966** (Yponomeutidae) **Synonym(s):** *kisilkuma* Zagulyaev, 1966 **Range (in code):** **UZ**
- 92866. *Ochsenheimeria lovyi* Dumont, 1930** (Yponomeutidae) **Synonym(s):** *lovyi* Dumont, 1930 **Range (in code):** **TN**
- 92867. *Ochsenheimeria mediopectinella* (Haworth, [1828])** (Yponomeutidae) **Synonym(s):** *mediopectinella* Haworth, [1828] **Range (in code):** **GB**
- 92868. *Ochsenheimeria talhouki* Amsel, 1947** (Yponomeutidae) **Synonym(s):** *talhouki* Amsel, 1947 **Range (in code):** **LB**
- 92869. *Ochsenheimeria taurella* ([Denis & Schiffermüller], 1775)** (Yponomeutidae) **Synonym(s):** *taurella* [Denis & Schiffermüller], 1775; *mediopectinellus* Haworth, 1828; *birdella* Curtis, 1831; *trifasciata* Wocke, 1871; *hederarum* Millière, 1874; *talhouki* Amsel, 1947; *baurella* Zagulyaev, 1966 **Original Reference:** *Tinea taurella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 142. Type(s): Vienna district. **Range (in code):** **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK HU YU AL GR Cr TR IR DK NO SE FI EE LV RU MD UA BY** **Bionomy:** Larva on *Alopecurus pratensis*, *Poa trivialis*, *Secale cereale*, *Avena sativa*, *Hordeum vulgare*, *Triticum aestivum*, *Bromus*, *Triticum*, *Agropyrum*, *Phleum* (Poaceae) (Réal, 1966; Zagulyaev, 1971, 1988).
- 92870. *Ochsenheimeria urella* Fischer v. Röslerstamm, 1842** (Yponomeutidae) **Synonym(s):** *urella* Fischer v. Röslerstamm, 1842; *bisontella* Lienig & Zeller, 1846; *hirculella* Tengström, 1848; *scabrosella* Tengström, 1848; *porphyrella* Tengström, 1848; *distinctella* Zagulyaev, 1972 **Range (in code):** **FR IT IE GB BE NL LU DE CH AT PL CZ SK DK NO SE FI EE LV RU MD UA BY KG CN** **Bionomy:** Larva on *Secale*, *Triticum*, *Hordeum*, *Agropyrum*, *Bromus*, *Dactylis*, *Melica* (Poaceae) (Zagulyaev, 1988).
- 92871. *Ochsenheimeria vacculella* Fischer v. Röslerstamm, 1842** (Yponomeutidae) **Synonym(s):** *vacculella* Fischer v. Röslerstamm, 1842; *chenopodiella* Stainton, 1849; *danilevskii* Zagulyaev, 1972 **Range (in code):** **ES FR GB BE NL DE CH AT PL CZ SK RO DK NO SE FI EE LV LT RU Prj Us Vv MD UA BY KG US CA TR JO** **Bionomy:** Larva on *Secale*, *Triticum*, *Hordeum*, *Agropyrum*, *Bromus*, *Festuca*, *Roegneria*, *Phleum*, *Lolium*, *Poa* (Poaceae) (Zagulyaev, 1988).
- 92872. *Ocnerostoma friesei* Svensson, 1966** (Yponomeutidae) **Synonym(s):** *friesei* Svensson, 1966 **Range (in code):** **ES FR IE GB BE NL DE CH AT PL CZ SK RO? DK NO SE FI EE LV LT RU MD UA BY**
- 92873. *Ocnerostoma piniariella* Zeller, 1847** (Yponomeutidae) **Synonym(s):** *piniariella* Zeller, 1847; *copiosella* Frey, 1856 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK RO BG DK NO SE FI EE LV RU MD UA BY** **Bionomy:** Larva on *Pinus* (Schütze, 1931).
- 92874. *Opsiclina leucomorpha* (Lower, 1900)** (Yponomeutidae) **Synonym(s):** *leucomorpha* Lower, 1900; *leucophasa* Lower, 1908 **Range (in code):** **AU**
- 92875. *Orsocoma macrogona* Meyrick, 1921** (Yponomeutidae) **Synonym(s):** *macrogona* Meyrick, 1921 **Range (in code):**
- 92876. *Palleura nitida* Turner, 1926** (Yponomeutidae) **Synonym(s):** *nitida* Turner, 1926 **Range (in code):** **AU**
- 92877. *Paraswammerdamia albicapitella* (Scharfenberg, 1805)** (Yponomeutidae) **Synonym(s):** *albicapitella* Scharfenberg, 1805; *spiniella* Hübner, [1808]; *caesiella* Hübner, [1813] *nec* Hbn., 1796 **Range (in code):** **ES FR Co Sa IT IE GB BE NL DE CH AT PL CZ SK RO YU AL BG GR DK NO SE FI EE RU MD UA BY CA BC**
- 92878. *Paraswammerdamia conspersella* (Tengström, 1848)** (Yponomeutidae) **Synonym(s):** *conspersella* Tengström, 1848 **Range (in code):** **CH DK NO SE FI EE LV LT RU MD UA BY CA**

- 92879. *Paraswammerdamia iranella* Friese, 1960** (Yponomeutidae) **Synonym(s):** *iranella* Friese, 1960 **Original Reference:** *Paraswammerdamia iranella* Friese, 1960, Beitr. Ent. 10: 104, fig. 47. Holotype ♂: Iran: Keredj, Elburs Gebirge (LNK). **Range (in code):** **IR Elb Mz Th Kdj**
- 92880. *Paraswammerdamia lapponica* (W. Petersen, 1932)** (Yponomeutidae) **Synonym(s):** *lapponica* W. Petersen, 1932 **Range (in code):** **NO SE FI RU MD UA BY**
- 92881. *Paraswammerdamia lutarea* (Haworth, [1828])** (Yponomeutidae) **Synonym(s):** *lutarea* Haworth, [1828] **Range (in code):** **PT ES FR Sa IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY**
- 92882. *Paraswammerdamia ornichella* Friese, 1960** (Yponomeutidae) **Synonym(s):** *ornichella* Friese, 1960 **Original Reference:** *Paraswammerdamia ornichella* Friese, 1960, Beitr. Ent. 10: 110. Holotype ♂: Russia: Sarepta (ZSM). **Range (in code):** **RU Ur**
- 92883. *Paraswammerdamia ruthiella* Steuer, 1993** (Yponomeutidae) **Synonym(s):** *ruthiella* Steuer, 1993 **Range (in code):** **DE**
- 92884. *Phrealcia eximiella* (Rebel, 1899)** (Yponomeutidae) **Synonym(s):** *eximiella* Rebel, 1899; *brevipalpella* Chrétien, 1900 **Range (in code):** **ES FR IT CH AT**
- 92885. *Plutella* (Anadetia) *porrectella* (Linnaeus, 1758)** (Yponomeutidae) **Synonym(s):** *porrectella* Linnaeus, 1758; *hesperidis* Retzius, 1783; *julianella* Olivier, 1789; *hesperidella* Hübner, 1796; *vittatus* Fabricius, 1798 **Range (in code):** **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU TR AL DK NO SE FI EE LV LT RU Cc Sb MD UA BY KG Uk IL P** **Bionomy:** Larva on Brassicaceae (Zagulyaev, 1981).
- 92886. *Plutella* (s.str.) *balanopsis* Meyrick, 1909** (Yponomeutidae) **Synonym(s):** *balanopsis* Meyrick, 1909 **Range (in code):** **ZA**
- 92887. *Plutella* (s.str.) *dryoxyla* Meyrick, 1932** (Yponomeutidae) **Synonym(s):** *dryoxyla* Meyrick, 1932 **Original Reference:** *Plutella dryoxyla* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 118. Type ♂: [Ethiopia]: Mt. Chillalo (BMNH). **Range (in code):** **ET ET7o Sw**
- 92888. *Plutella* (s.str.) *geniatella* Zeller, 1839** (Yponomeutidae) **Synonym(s):** *geniatella* Zeller, 1839; *bicingulella* Duponchel, [1840] **Range (in code):** **FR IT DE CH AT RO**
- 92889. *Plutella* (s.str.) *haasi* Staudinger, 1883** (Yponomeutidae) **Synonym(s):** *haasi* Staudinger, 1883 **Range (in code):** **FR GB NO SE RU MD UA BY**
- 92890. *Plutella* (s.str.) *hyperboreella* Strand, 1902** (Yponomeutidae) **Synonym(s):** *hyperboreella* Strand, 1902 **Range (in code):** **NO SE FI RU MD UA BY CA**
- 92891. *Plutella* (s.str.) *mariae* Rebel, 1923** (Yponomeutidae) **Synonym(s):** *mariae* Rebel, 1923 **Range (in code):** **RU**
- 92892. *Plutella* (s.str.) *oxylopha* Meyrick, 1932** (Yponomeutidae) **Synonym(s):** *oxylopha* Meyrick, 1932 **Original Reference:** *Plutella oxylopha* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 118. Syntypes 2♂: [Ethiopia]: Mt. Chillalo, Mt. Zukwala (BMNH). **Range (in code):** **ET ET7o Sw**
- 92893. *Plutella* (s.str.) *polaris* Zeller, 1880** (Yponomeutidae) **Synonym(s):** *polaris* Zeller, 1880 **Range (in code):** **RU**
- 92894. *Plutella* (s.str.) *stichocentra* Meyrick, 1932** (Yponomeutidae) **Synonym(s):** *stichocentra* Meyrick, 1932 **Original Reference:** *Plutella stichocentra* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 118. Syntypes 9♂♀: [Ethiopia]: Mt. Chillalo (BMNH). **Range (in code):** **ET ET7o Sw**
- 92895. *Plutella* (s.str.) *xylostella* (Linnaeus, 1758)** (Yponomeutidae) **Synonym(s):** *xylostella* Linnaeus, 1758; *cinerea* Fourcroy, 1785 nec Hufn., 1766; *xylostei* Fabricius, 1798; *maculipennis* Curtis, 1832; *niveella* Zeller, 1839; *cruciferarum* Zeller, 1843; *brassicella* Fitch, 1856; *limbipennella* Clemens, 1860; *mollipedella* Clemens, 1860; *cicerella* Rondani, 1876; *dubiosella* Beutenmüller, 1889; *albovenosa* Walsingham, 1897; *megapterella* Benthinck, 1943 **Original Reference:** *Phalaena* Tinea *xylostella* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 538. **Range (in code):** **DZ Ajj Gha TN PT ES FR Co Sa Si IT MT IS IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY AF Hr IR Elb Kdv Dam Mz Kh Gls IQ Njf Hjo LB Bsa IL Hf Pa ZA TH MY Cmh IN Hp SA AE YE** **Bionomy:** Larva on Brassica (Brassicaceae) (Staudinger, 1879); *Capsella bursa-pastoris* (Brassicaceae) (Kemal et al., 2009).
- 92896. *Prays amblystola* Turner, 1923** (Yponomeutidae) **Synonym(s):** *amblystola* Turner, 1923 **Range (in code):** **AU**
- 92897. *Prays autocasis* Meyrick, 1907** (Yponomeutidae) **Synonym(s):** *autocasis* Meyrick, 1907 **Range (in code):** **AU**
- 92898. *Prays calycias* Meyrick, 1907** (Yponomeutidae) **Synonym(s):** *calycias* Meyrick, 1907 **Range (in code):** **AU**

- 92899. Prays citri (Millière,1873)** (Yponomeutidae) Synonym(s): *citri* Millière,1873 Range (in code): **MA DZ TN PT ES FR Co Sa Si IT MT GR Cr LB IL Pa ZA IN ID MY JP AU**
- 92900. Prays fraxinella (Bjerkander,1784)** (Yponomeutidae) Synonym(s): *fraxinella* Bjerkander,1784; *curtisella* Donovan,1793; *circulella* Fabricius,1794; *coenobitella* Hübner,[1813]; *curtisii* Haworth,1828; *hortulella* Stephens,1828 Range (in code): **PT ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO TR AL BG DK NO SE FI EE LV LT RU MD UA BY**
- 92901. Prays inscripta Meyrick,1907** (Yponomeutidae) Synonym(s): *inscripta* Meyrick,1907 Range (in code): **AU**
- 92902. Prays nephelomima Meyrick,1907** (Yponomeutidae) Synonym(s): *nephelomima* Meyrick,1907 Range (in code): **AU**
- 92903. Prays oleae (Bernard,1788)** (Yponomeutidae) Synonym(s): *oleae* Bernard,1788; *oleellus* Fabricius,1794; *oliviella* Boyer,1837; *adpersella* Heydenreich,1851; *adpersigriseella* Bruand,1859 Range (in code): **Cn MA Fez PT ES FR Co Sa Si IT MT AT YU AL GR Cr TR RU MD UA BY**
- 92904. Prays parilis Turner,1923** (Yponomeutidae) Synonym(s): *parilis* Turner,1923 Range (in code): **AU**
- 92905. Prays ruficeps (Heinemann,1854)** (Yponomeutidae) Synonym(s): *ruficeps* Heinemann,1854 Range (in code): **GB DE CH AT PL DK NO SE FI LV LT**
- 92906. Prays tyrastis Meyrick,1907** (Yponomeutidae) Synonym(s): *tyrastis* Meyrick,1907 Range (in code): **AU**
- 92907. Pseudoswammerdamia combinella (Hübner,1786)** (Yponomeutidae) Synonym(s): *combinella* Hübner,1786 Range (in code): **ES FR Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE RU MD UA BY**
- 92908. Rhigognostis annulatella (Curtis,1832)** (Yponomeutidae) Synonym(s): *annulatella* Curtis,1832; *immaculicornella* Guenée,1845 Range (in code): **PT ES FR Co Sa? Si? IT? IE GB BE DE CH AT PL CZ SK RO GR DK NO SE LV RU MD UA BY IR Elb Kdv**
- 92909. Rhigognostis hufnagelii (Zeller,1839)** (Yponomeutidae) Synonym(s): *hufnagelii* Zeller,1839; *hufnageliella* Duponchel,[1845] Range (in code): **ES FR Si? DE CH AT CZ SK HU YU AL LV RU MD UA BY**
- 92910. Rhigognostis incarnatella (Steudel,1873)** (Yponomeutidae) Synonym(s): *incarnatella* Steudel,1873 Range (in code): **ES FR IT? IE GB DE CH AT PL CZ HU RO DK NO SE FI LV LT**
- 92911. Rhigognostis kovacsi (Gozmany,1952)** (Yponomeutidae) Synonym(s): *kovacsi* Gozmany,1952 Range (in code): **HU**
- 92912. Rhigognostis kuusamoensis Kyrki,1989** (Yponomeutidae) Synonym(s): *kuusamoensis* Kyrki,1989 Range (in code): **NO SE FI**
- 92913. Rhigognostis schmaltzella (Zetterstedt,[1839])** (Yponomeutidae) Synonym(s): *schmaltzella* Zetterstedt,[1839] Range (in code): **DE NO SE FI EE LV**
- 92914. Rhigognostis senilella (Zetterstedt,[1839])** (Yponomeutidae) Synonym(s): *senilella* Zetterstedt,[1839]; *dalella* Stainton,1849; *marmarosella* Wocke,1850; *septentrionum* Zeller,1857 Original Reference: *Plutella senilella* Zetterstedt,[1839], Ins. Lapp.: 1001. Type: Greenland. Range (in code): **FR Sa IT IS IE GB DE CH AT PL CZ SK TR DK NO SE FI LV RU Cc KG JP** Bionomy: Larva on *Arabis* (Brassicaceae) (Wallengren,1880).
- 92915. Rhigognostis wolfschlaegeri (Rebel,1940)** (Yponomeutidae) Synonym(s): *wolfschlaegeri* Rebel,1940 Range (in code): **YU BG GR**
- 92916. Scythropia crataegella (Linnaeus,1767)** (Yponomeutidae) Synonym(s): *crataegella* Linnaeus,1767 Range (in code): **ES FR Co Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LT RU MD UA BY**
- 92917. Spaniophylla epiclithra Turner,1917** (Yponomeutidae) Synonym(s): *epiclithra* Turner,1917 Range (in code): **AU**
- 92918. Swammerdamia caesiella (Hübner,1796)** (Yponomeutidae) Synonym(s): *caesiella* Hübner,1796; *heroldella* Hübner,[1825]; *caesia* Haworth,1828; *nubeculella* Tengström,1848; *griseocapitella* Stainton,1851 Range (in code): **ES FR Sa Si IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV RU MD UA BY**
- 92919. Swammerdamia passerella (Zetterstedt,1839)** (Yponomeutidae) Synonym(s): *passerella* Zetterstedt,1839 Range (in code): **GB NO SE FI EE RU MD UA BY**
- 92920. Swammerdamia pyrella (Villers,1789)** (Yponomeutidae) Synonym(s): *pelicariapyri* Retzius,1783; *pyrella* Villers,1789; *cerasiella* Hübner,[1813]; *sapporensis* Matsumura,1931 Range (in code): **ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK SE FI EE LV LT RU MD UA BY IR**

- 92921. Syncrotaula strepsicentra Meyrick, 1937** (Yponomeutidae) **Synonym(s):** *strepsicentra Meyrick, 1937* Original Reference: Syncrotaula strepsicentra Meyrick, 1937, Exot. Microlepid. 5: 143. Type ♀: Armenia, June. Range (in code): **Cc AM**
- 92922. Teinoptila interruptella Sauber, 1902** (Yponomeutidae) **Synonym(s):** *interruptella Sauber, 1902* Range (in code): **AU**
- 92923. Telosphrantis aethiopica Meyrick, 1932** (Yponomeutidae) **Synonym(s):** *aethiopica Meyrick, 1932* Original Reference: Telosphrantis aethiopica Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 116. Syntypes 9♂♂: [Ethiopia]: Mt. Chillalo (BMNH). Range (in code): **ET ET70 Sw**
- 92924. Thecobathra acrivallata Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *acrivallata Fan, Jin & Li, 2008* Range (in code): **CN**
- 92925. Thecobathra acroperena Meyrick, 1922** (Yponomeutidae) **Synonym(s):** *acroperena Meyrick, 1922* Range (in code): **IN Ass**
- 92926. Thecobathra badagongshana Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *badagongshana Fan, Jin & Li, 2008* Range (in code): **CN**
- 92927. Thecobathra basilobata Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *basilobata Fan, Jin & Li, 2008* Range (in code): **CN**
- 92928. Thecobathra kurokoi Moriuti, 1982** (Yponomeutidae) **Synonym(s):** *kurokoi Moriuti, 1982* Range (in code): **TH**
- 92929. Thecobathra lambda Moriuti, 1963** (Yponomeutidae) **Synonym(s):** *lambda Moriuti, 1963* Range (in code): **TW CN TH** Bionomy: Larva on Liquidambar formosana (Hammamelidaceae) (Moriuti, 1971).
- 92930. Thecobathra latibasis Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *latibasis Fan, Jin & Li, 2008* Range (in code): **CN**
- 92931. Thecobathra longisaccata Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *longisaccata Fan, Jin & Li, 2008* Range (in code): **CN**
- 92932. Thecobathra paranas Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *paranas Fan, Jin & Li, 2008* Range (in code): **CN**
- 92933. Thecobathra partinuda Fan, Jin & Li, 2008** (Yponomeutidae) **Synonym(s):** *partinuda Fan, Jin & Li, 2008* Range (in code): **CN**
- 92934. Turneriella araeoptila (Turner, 1939)** (Yponomeutidae) **Synonym(s):** *araeoptila Turner, 1939* Range (in code): **AU**
- 92935. Yponomeuta albonigratus Gershenson, 1972** (Yponomeutidae) **Synonym(s):** *albonigratus Gershenson, 1972* Range (in code): **IL Pa TJ UZ KK** Bionomy: Larva on Salix (Salicaceae) (Gershenson, 1972)
- 92936. Yponomeuta bolidias Meyrick, 1913** (Yponomeutidae) **Synonym(s):** *bolidias Meyrick, 1913* Original Reference: Yponomeuta bolidias Meyrick, 1913, Exot. Microlepid. 1: 137. Type: [Thailand]: Siam. Range (in code): **TH MY**
- 92937. Yponomeuta cognagellus (Hübner, [1813])** (Yponomeutidae) **Synonym(s):** *cognagella Hübner, [1813]* Range (in code): **ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Cc** Bionomy: Larva on Evonymus eorupeus, E. verrucosus (Celastraceae) (Staudinger, 1879; Friese, 1960 et seq.).
- 92938. Yponomeuta evonymellus (Linnaeus, 1758)** (Yponomeutidae) **Synonym(s):** *evonymella Linnaeus, 1758; padi Zeller, 1846* Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR DK NO SE FI EE LV LT RU Am Us Vv MD UA BY CN**
- 92939. Yponomeuta gigas Rebel, 1892** (Yponomeutidae) **Synonym(s):** *gigas Rebel, 1892* Range (in code): **Cn**
- 92940. Yponomeuta internellus (Walker, 1863)** (Yponomeutidae) **Synonym(s):** *internellus Walker, 1863* Range (in code): **AU**
- 92941. Yponomeuta irrorellus (Hübner, 1796)** (Yponomeutidae) **Synonym(s):** *irrorellus Hübner, 1796; irrorea Haworth, 1828; huebneri Koçak, 1982.* Range (in code): **FR Co IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK SE FI LV LT RU MD UA BY**
- 92942. Yponomeuta liberalis (Meyrick, 1913)** (Yponomeutidae) **Synonym(s):** *liberalis Meyrick, 1913* Range (in code): **AU**
- 92943. Yponomeuta mahalebella Guenée, 1845** (Yponomeutidae) **Synonym(s):** *mahalebella Guenée, 1845* Range (in code): **FR Sa Si IT**
- 92944. Yponomeuta malinellus Zeller, 1838** (Yponomeutidae) **Synonym(s):** *malinellus Zeller, 1838* Range (in code): **DZ ES FR Co Sa Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR Cc AM DK NO SE FI EE LV LT RU MD UA BY**

- 92945. Yponomeuta meridionalis Gershenson, 1972** (Yponomeutidae) **Synonym(s):** *meridionalis* Gershenson, 1972 **Range (in code):** **IL Pa Hf TJ** **Bionomy:** Larva on *Crataegus korolkowii*, *C. songarica*, *C. turkestanica* (Rosaceae) (Sherniyazova, 1975).
- 92946. Yponomeuta millepunctatella (W. Warren, 1888)** (Yponomeutidae) **Synonym(s):** *millepunctatella* W. Warren, 1888 **Original Reference:** *Hyponomeuta millepunctatellus* W. Warren, 1888, Proc. zool. Soc. Lond. 1888: 338. Syntypes 2♂: [Pakistan]: Kala Pani, August 9 1886. **Range (in code):** **PK K-P**
- 92947. Yponomeuta myriosema (Turner, 1898)** (Yponomeutidae) **Synonym(s):** *myriosema* Turner, 1898 **Range (in code):** **AU**
- 92948. Yponomeuta ocypora (Meyrick, 1932)** (Yponomeutidae) **Synonym(s):** *ocypora* Meyrick, 1932 **Original Reference:** *Hyponomeuta ocypora* Meyrick, 1932, Trans. R. ent. Soc. London 80 (1): 115-116. Type ♂: [Ethiopia]: Jem-Jem Forest (BMNH). **Range (in code):**
- 92949. Yponomeuta padellus (Linnaeus, 1758)** (Yponomeutidae) **Synonym(s):** *padella* Linnaeus, 1758; *evonymella* Scopoli, 1763 nec Linn., 1758; *malinella* Zeller, 1838; *variabilis* Zeller, 1844; *diffuellus* Heinemann, 1870. **Original Reference:** *Phalaena padella* Linnaeus, 1758, Syst. nat. (10) 1: 535. Type: (Linn. Soc. London). **Range (in code):** **MA ES FR Co Sa IT MT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR DK NO SE FI EE LV LT RU MD UA BY MK IR Elb Mz**
- 92950. Yponomeuta paurodes Meyrick, 1907** (Yponomeutidae) **Synonym(s):** *paurodes* Meyrick, 1907 **Range (in code):** **AU**
- 92951. Yponomeuta plumbellus ([Denis & Schiffermüller], 1775)** (Yponomeutidae) **Synonym(s):** *plumbellus* [Denis & Schiffermüller], 1775; *nigrifimbriatus* Christoph, 1882 **Original Reference:** *Tinea plumella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 139. Type(s): Vienna district. **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK SE FI EE LV LT RU Vv Ask MD UA BY IL Pa**
- 92952. Yponomeuta polystigmellus (Felder, 1862)** (Yponomeutidae) **Synonym(s):** *polystigmella* Felder, 1862 **Range (in code):** **JP CN Mc NP KP KR**
- 92953. Yponomeuta pustulellus (Walker, 1863)** (Yponomeutidae) **Synonym(s):** *pustulellus* Walker, 1863; *grossipunctella* Guenée, 1879 **Range (in code):** **AU**
- 92954. Yponomeuta rorrellus (Hübner, 1796)** (Yponomeutidae) **Synonym(s):** *rorrella* Hübner, 1796; *helicella* Freyer, 1827; *rorea* Haworth, 1828. **Range (in code):** **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ HU RO BG GR TR DK SE FI LV LT RU MD UA BY**
- 92955. Yponomeuta vigintipunctatus (Retzius, 1783)** (Yponomeutidae) **Synonym(s):** *vigintipunctata* Retzius, 1783; *sedella* Treitschke, 1832; *vigintipunctella* Doubleday, 1859; *apicalis* Matsumura, 1931; *elementaris* Meyrick, 1931. **Original Reference:** *Phalaena viginti-punctata* Retzius, 1783, Genera et Species Insectorum: 52-53. Type(s): [Europe]. **Range (in code):** **ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT IL Pa RU Us MD UA BY KG Uk CN**
- 92956. Ypsolopha acerella Ponomarenko, Sohn & Zinchenko, 2011** (Yponomeutidae) **Synonym(s):** *acerella* Ponomarenko, Sohn & Zinchenko, 2011 **Range (in code):** **RU Us KP KR CN NHu**
- 92957. Ypsolopha acuminata (Butler, 1878)** (Yponomeutidae) **Synonym(s):** *acuminata* Butler, 1878 **Range (in code):** **CN NHu Mc KP KR JP RU**
- 92958. Ypsolopha affinitella (Staudinger, 1892)** (Yponomeutidae) **Synonym(s):** *affinitella* Staudinger, 1892 **Range (in code):** **RU Us Prj MN**
- 92959. Ypsolopha albidorsella (Staudinger, 1879)** (Yponomeutidae) **Synonym(s):** *albidorsella* Staudinger, 1879 **Original Reference:** *Cerostoma albidorsella* Staudinger, 1879, Horae Soc. ent. ross. 15: 287-288. Syntypes 1♂ 3♀: [Iran]: Persien, Schahrud. **Range (in code):** **IR Elb Srd Mz T-S**
- 92960. Ypsolopha albiramella (Mann, 1861)** (Yponomeutidae) **Synonym(s):** *albiramella* Mann, 1861 **Range (in code):** **ES IT? YU AL GR Cr TR IL Pa IR RU Cc AM TM CN Ui** **Bionomy:** Larva on *Ephedra* (Staudinger, 1879).
- 92961. Ypsolopha albistriata (Issiki, 1930)** (Yponomeutidae) **Synonym(s):** *albistriata* Issiki, 1930 **Range (in code):** **CN Hnn Sz JP RU**
- 92962. Ypsolopha albula Jin, Wang & Li, 2013** (Yponomeutidae) **Synonym(s):** *albula* Jin, Wang & Li, 2013 **Range (in code):** **CN Hph**
- 92963. Ypsolopha allochroa Jin, Wang & Li, 2013** (Yponomeutidae) **Synonym(s):** *allochroa* Jin, Wang & Li, 2013 **Range (in code):** **CN Hph IMn**
- 92964. Ypsolopha alpella ([Denis & Schiffermüller], 1775)** (Yponomeutidae) **Synonym(s):** *alpella* [Denis & Schiffermüller], 1775; *alpinus* Fabricius, 1798 **Original Reference:** *Tinea alpella* [Denis & Schiffermüller], 1775, Ankündigung syst. Werkes Schmett. Wienergegend: 135. Type(s): Vienna

- district. Range (in code): **FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL BG DK NO SE RU MD UA BY**
- 92965. *Ypsolopha altissimella* (Chrétien,1915)** (Yponomeutidae) Synonym(s): *altissimella* Chrétien,1915 Original Reference: *Cerostoma altissimella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 311-312. Syntypes: Tunisia, Gafsa. Range (in code): **TN Gf CN Ui** Bionomy: Larva on *Ephedra altissima* [Ephedraceae] (Chrétien,1915).
- 92966. *Ypsolopha amoenella* (Christoph,1882)** (Yponomeutidae) Synonym(s): *amoenella* Christoph,1882 Range (in code): **CN Hph Hnn JP KP KR RU**
- 92967. *Ypsolopha asperella* (Linnaeus,1761)** (Yponomeutidae) Synonym(s): *asperella* Linnaeus,1761; *clairvillella* Fabricius,1798; *falcatella* Donovan,1801 Range (in code): **ES FR IT GB LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY IL Pa Sb CN Pkn IMn KP KR** Bionomy: Larva on Rosaceae (Zagulyaev,1981).
- 92968. *Ypsolopha aurea* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *aurea* Jin, Wang & Li,2013 Range (in code): **CN Gn**
- 92969. *Ypsolopha bicostata* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *bicostata* Jin, Wang & Li,2013 Range (in code): **CN Ui**
- 92970. *Ypsolopha bisticta* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *bisticta* Jin, Wang & Li,2013 Range (in code): **CN Gn**
- 92971. *Ypsolopha blandella* (Christoph,1882)** (Yponomeutidae) Synonym(s): *blandella* Christoph,1882 Range (in code): **ES EE CN Gn Hph Mc Hnn IMn Sz Ui JP KP KR RU Am Us**
- 92972. *Ypsolopha brevivalva* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *brevivalva* Jin, Wang & Li,2013 Range (in code): **CN Gn Ui**
- 92973. *Ypsolopha capitalba* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *capitalba* Jin, Wang & Li,2013 Range (in code): **CN Ui**
- 92974. *Ypsolopha chazariella* (Mann,1866)** (Yponomeutidae) Synonym(s): *chazariella* Mann,1866 Range (in code): **FR CZ SK HU RO YU AL BG FI LV LT RU MD UA BY**
- 92975. *Ypsolopha chlorina* Jin, Wang & Li,2013** (Yponomeutidae) Synonym(s): *chlorina* Jin, Wang & Li,2013 Range (in code): **CN Gn Ts**
- 92976. *Ypsolopha colleaguella* Baraniak,2007** (Yponomeutidae) Synonym(s): *colleaguella* Baraniak,2007 Range (in code): **RU Sr KG Ssn**
- 92977. *Ypsolopha contractella* (Caradja,1920)** (Yponomeutidae) Synonym(s): *contractella* Caradja,1920 Range (in code): **CN Gn IMn Ts JP RU KP KR**
- 92978. *Ypsolopha coriacella* (Herrich-Schäffer,1855)** (Yponomeutidae) Synonym(s): *coriacella* Herrich-Schäffer,1855 Range (in code): **FR DE CH AT PL CZ SK RU MD UA BY**
- 92979. *Ypsolopha costibasella* (Caradja,1939)** (Yponomeutidae) Synonym(s): *costibasella* Caradja,1939 Range (in code): **CN**
- 92980. *Ypsolopha cristata* Moriuti,1977** (Yponomeutidae) Synonym(s): *cristata* Moriuti,1977 Range (in code): **CN Mc KP KR RU JP**
- 92981. *Ypsolopha curatorella* Baraniak,2005** (Yponomeutidae) Synonym(s): *curatorella* Baraniak,2005 Original Reference: *Ypsolopha curatorella* Baraniak,2005, *Polski pismo Ent.* 74: 89-97. Holotype: Lebanon, Beirut. Range (in code): **LB Bei**
- 92982. *Ypsolopha dentella* (Fabricius,1775)** (Yponomeutidae) Synonym(s): *dentella* Fabricius,1775; *harpella* [Denis & Schiffermüller],1775; *caprifolii* Retzius,1783; *dentatus* Fabricius,1798; *pallescentella* Staudinger,1892 Original Reference: *Alucita dentella* Fabricius,1775, *Syst. Ent.*: 667. "Sueciae nemoribus". Range (in code): **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU GR TR DK NO SE FI EE LV LT RU MD UA BY Cc IL Pa Sb CN Ui Mc JP** Bionomy: Larva on *Lonicera* (Zagulyaev,1981).
- 92983. *Ypsolopha diana* (Caradja,1939)** (Yponomeutidae) Synonym(s): *diana* Caradja,1939 Range (in code): **CN Hph Sz**
- 92984. *Ypsolopha divisella* (Chrétien,1915)** (Yponomeutidae) Synonym(s): *divisella* Chrétien,1915 Original Reference: *Cerostoma divisella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 313. Syntypes: Tunisia, Gafsa. Range (in code): **TN Gf FR** Bionomy: Larva on *Ephedra altissima* [Ephedraceae] (Chrétien,1915).
- 92985. *Ypsolopha ephedrella* (Christoph,1873)** (Yponomeutidae) Synonym(s): *ephedrella* Christoph,1873 Original Reference: *Cerostoma ephedrella* Christoph,1873, *Horae Soc. ent. ross.* 10: 51-52, pl.1 fig.11. Type: Persia, Schahrud. Range (in code): **IR Srd Kh**

- 92986. *Ypsolopha excisella* (Lederer,1855)** (Yponomeutidae) **Synonym(s):** *excisella* Lederer,1855
Original Reference: *Plutella excisella* Lederer,1855, Verh. zool.- bot. Ver. Wien 5: 119-120, pl.2 fig.7. Type ♂: Russia, Altai. **Range (in code):** **ES TR MN IR Mz Kh RU At**
- 92987. *Ypsolopha exsularis* (Meyrick,1937)** (Yponomeutidae) **Synonym(s):** *exsularis* Meyrick,1937 **Range (in code):** **ZA**
- 92988. *Ypsolopha falcella* ([Denis & Schiffermüller],1775)** (Yponomeutidae) **Synonym(s):** *falcella* [Denis & Schiffermüller],1775; *schellenbergella* Fabricius,1798; *harnatus* Fabricius,1798; *falcatus* Fabricius,1798 **Original Reference:** *Tinea falcella* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 136. Type(s): Vienna district. **Range (in code):** **FR IT DE CH AT PL CZ SK HU RO YU AL BG NO SE FI EE LV LT RU MD UA BY CN Hnn**
- 92989. *Ypsolopha fascimaculata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *fascimaculata* Jin, Wang & Li,2013 **Range (in code):** **CN Sz**
- 92990. *Ypsolopha flavida* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *flavida* Jin, Wang & Li,2013 **Range (in code):** **CN Hnn Gn**
- 92991. *Ypsolopha flaviterminata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *flaviterminata* Jin, Wang & Li,2013 **Range (in code):** **CN Gn**
- 92992. *Ypsolopha fractella* (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** *fractella* Chrétien,1915 **Original Reference:** *Cerostoma fractella* Chrétien,1915, Anns Soc. ent. Fr. 84: 314-315. Syntypes: Tunisia, Gafsa. **Range (in code):** **TN Gf ES** **Bionomy:** Larva on *Ephedra altissima* [Ephedraceae] (Chrétien,1915).
- 92993. *Ypsolopha fujimotoi* Moriuti,1964** (Yponomeutidae) **Synonym(s):** *fujimotoi* Moriuti,1964 **Range (in code):** **JP**
- 92994. *Ypsolopha hebeiensis* Yang,1977** (Yponomeutidae) **Synonym(s):** *hebeiensis* Yang,1977 **Range (in code):** **CN Hph Pkn**
- 92995. *Ypsolopha helva* Sohn & Wu,2010** (Yponomeutidae) **Synonym(s):** *helva* Sohn & Wu,2010 **Range (in code):** **CN Ui Ts**
- 92996. *Ypsolopha horridella* (Treitschke,1835)** (Yponomeutidae) **Synonym(s):** *horridella* Treitschke,1835 **Range (in code):** **FR IT GB NL LU DE CH AT PL HU RO BG DK NO SE FI EE LV LT RU MD UA BY CN Gn IMn NHu TR**
- 92997. *Ypsolopha indecorella* (Rebel,1903)** (Yponomeutidae) **Synonym(s):** *indecorella* Rebel,1903 **Original Reference:** *Cerostoma indecorella* Rebel,1903, Verh. zool.-bot. Ges. Wien 53: 410-411. Type ♀: Algeria, "Ouargl.Ghard., Hammada". **Range (in code):** **DZ Bsk Hes Ktr Ogl Gha FR IQ Kbl**
- 92998. *Ypsolopha instabilella* (Mann,1866)** (Yponomeutidae) **Synonym(s):** *instabilella* Mann,1866 **Range (in code):** **ES FR CH RO YU TR RU MD UA BY KG Ssn KK TJ UZ IL Pa IR Elb Plr Mz Shh** **Bionomy:** Larva on *Ephedra* (Zagulyaev,1981).
- 92999. *Ypsolopha japonica* Moriuti,1964** (Yponomeutidae) **Synonym(s):** *japonica* Moriuti,1964 **Range (in code):** **JP Gn Hnn CN KP KR**
- 93000. *Ypsolopha kotschi* (Toll,1947)** (Yponomeutidae) **Synonym(s):** *kotschi* Toll,1947 **Original Reference:** *Cerostoma kotschi* Toll,1947, Z. Wien. ent. Ges. 32: 115, Taf.4 fig.25. Type ♂: Iran: Kuh-i-Mirabi Gebirge. **Range (in code):** **IR Kh**
- 93001. *Ypsolopha kristalleniae* Rebel,1916** (Yponomeutidae) **Synonym(s):** *kristalleniae* Rebel,1916 **Range (in code):** **Cr TR**
- 93002. *Ypsolopha laorum* Moriuti,1987** (Yponomeutidae) **Synonym(s):** *laorum* Moriuti,1987 **Range (in code):** **TH CMa Int Dst**
- 93003. *Ypsolopha latiuscula* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *latiuscula* Jin, Wang & Li,2013 **Range (in code):** **CN Gn Ui**
- 93004. *Ypsolopha leuconotella* (Snellen,1884)** (Yponomeutidae) **Synonym(s):** *leuconotella* Snellen,1884 **Range (in code):** **RO SK HU RU Us KG Uk CN Pkn Hph Mc Hnn IMn Ui JP KG**
- 93005. *Ypsolopha longa* Moriuti,1964** (Yponomeutidae) **Synonym(s):** *longa* Moriuti,1964 **Range (in code):** **CN Hph Sz JP KP KR RU**
- 93006. *Ypsolopha longifloccosa* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *longifloccosa* Jin, Wang & Li,2013 **Range (in code):** **CN NHu Hph**
- 93007. *Ypsolopha longisaccata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *longisaccata* Jin, Wang & Li,2013 **Range (in code):** **CN IMn Sz**
- 93008. *Ypsolopha lonicerella* Stöckl,1922** (Yponomeutidae) **Synonym(s):** *lonicerella* Stöckl,1922 **Range (in code):** **PL**

- 93009. *Ypsolopha lucella* (Fabricius,1775)** (Yponomeutidae) **Synonym(s):** *lucella* Fabricius,1775; *antennella* [Denis & Schiffermüller],1775; *retusana* Thunberg,1784; *mucronella* Hübner,1796 nec Sc.,1763; *lucorum* Fabricius,1798 **Original Reference:** *Alucita lucella* Fabricius,1775, Syst. Ent.: 667. "Suecia". **Range (in code):** **PT ES FR Si IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 93010. *Ypsolopha lutisplendida* Sohn & Wu,2011** (Yponomeutidae) **Synonym(s):** *lutisplendida* Sohn & Wu,2011 **Range (in code):** **CN She**
- 93011. *Ypsolopha manniella* (Staudinger,1879)** (Yponomeutidae) **Synonym(s):** *manniella* Staudinger,1879 **Original Reference:** *Cerostoma manniella* Staudinger,1879, Horae Soc. ent. ross. 15: 288-289. Syntypes: [Türkei]: Amasia (Tschirtschirthal). **Range (in code):** **Cr TR** **Bionomy:** Larva on Ephedra (Staudinger,1879).
- 93012. *Ypsolopha melanocnista* (Meyrick,1938)** (Yponomeutidae) **Synonym(s):** *melanocnista* Meyrick,1938 **Range (in code):** **CN Yu**
- 93013. *Ypsolopha mienshani* (Caradja,1939)** (Yponomeutidae) **Synonym(s):** *mienshani* Caradja,1939 **Range (in code):** **CN**
- 93014. *Ypsolopha minotaurella* (Rebel,1916)** (Yponomeutidae) **Synonym(s):** *minotaurella* Rebel,1916 **Range (in code):** **YU AL GR Cr**
- 93015. *Ypsolopha minuta* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *minuta* Jin, Wang & Li,2013 **Range (in code):** **CN Gn**
- 93016. *Ypsolopha mrabrorum* Moriuti,1987** (Yponomeutidae) **Synonym(s):** *mrabrorum* Moriuti,1987 **Range (in code):** **TH CMa Int**
- 93017. *Ypsolopha mucronella* (Scopoli,1763)** (Yponomeutidae) **Synonym(s):** *mucronella* Scopoli,1763; *caudella* Linnaeus,1767; *panzerella* Donovan,1794; *cultrella* Hübner,1796; *acinacidella* Hübner,1796; *mucronatus* Fabricius,1798; *helwigella* Fabricius,1798; *acinacidea* Haworth,1828 **Range (in code):** **PT ES FR Sa Si IT GB BE NL DE CH AT PL CZ SK HU RO YU AL TR IL Pa DK SE EE RU MD UA BY** **Bionomy:** Larva on Euonymus (Zagulyaev,1981).
- 93018. *Ypsolopha mucronulata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *mucronulata* Jin, Wang & Li,2013 **Range (in code):** **CN Ui**
- 93019. *Ypsolopha nebulella* (Staudinger,1871)** (Yponomeutidae) **Synonym(s):** *nebulella* Staudinger,1871 **Range (in code):** **LU RU MD UA BY TR**
- 93020. *Ypsolopha nemorella* (Linnaeus,1758)** (Yponomeutidae) **Synonym(s):** *nemorella* Linnaeus,1758; *nemorum* Fabricius,1798; *hamella* Hübner,[1805] **Range (in code):** **ES FR Si IT IE GB BE NL DE CH AT PL CZ SK RO AL DK NO SE FI EE LV LT RU MD UA BY CN Anh Gn Mc Hun She JP** **Bionomy:** Larva on Lonicera (Caprifoliaceae) (Linnaeus,1758).
- 93021. *Ypsolopha nervosella* (Zerny,1940)** (Yponomeutidae) **Synonym(s):** *nervosella* Zerny,1940 **Original Reference:** *Cerostoma nervosellum* Zerny,1940, Z. Wien. entVer. 25: 43-44. Type ♀: Iran, Pers. Elbursgeb. Tarseegbiet 2200m leg. Schwingenschuss (NHMW). **Range (in code):** **TR IR Elb Mz**
- 93022. *Ypsolopha nigrofasciata* Yang,1977** (Yponomeutidae) **Synonym(s):** *nigrofasciata* Yang,1977 **Range (in code):** **CN Hph RU Us**
- 93023. *Ypsolopha parallela* (Caradja,1939)** (Yponomeutidae) **Synonym(s):** *parallela* Caradja,1939 **Range (in code):** **CN Gn Hnn Sz JP KP KR RU**
- 93024. *Ypsolopha parenthesella* (Linnaeus,1761)** (Yponomeutidae) **Synonym(s):** *parenthesella* Linnaeus,1761; *costella* Fabricius,1775; *genistella* [Denis & Schiffermüller],1775; *ochrella* Hübner,1793; *maculella* Fabricius,1794; *costatus* Fabricius,1798; *maculatus* Fabricius,1798; *ochroleucus* Haworth,1828; *ermineus* Haworth,1828; *ustulatus* Haworth,1828; *takamukui* Matsumura,1931 **Range (in code):** **ES FR Co IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT TR RU MD UA BY CN Pkn Gn Hnn KP KR JP**
- 93025. *Ypsolopha paristrigosa* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *paristrigosa* Jin, Wang & Li,2013 **Range (in code):** **CN She**
- 93026. *Ypsolopha parodaula* (Meyrick,1938)** (Yponomeutidae) **Synonym(s):** *parodaula* Meyrick,1938 **Range (in code):** **CN Yu**
- 93027. *Ypsolopha persicella* (Fabricius,1787)** (Yponomeutidae) **Synonym(s):** *persicella* Fabricius,1787; *sulphurella* Hübner,1793; *#persicellume* Noack,1960. **Original Reference:** *Alucita persicella* Fabricius,1787, Mantissa Insectorum 2: 255. Type: Austria. **Range (in code):** **PT ES FR IT BE DE CH AT PL CZ SK HU RO YU BG GR TR RU Cc IL Pa MD UA Cm BY** **Bionomy:** Larva on Rosaceae (Zagulyaev,1981).
- 93028. *Ypsolopha purpurata* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *purpurata* Jin, Wang & Li,2013 **Range (in code):** **CN IMn NHu Ts Ui**

- 93029. *Ypsolopha reticulatella* (Chrétien,1915)** (Yponomeutidae) **Synonym(s):** *reticulatella* Chrétien,1915 **Original Reference:** *Cerostoma reticulatella* Chrétien,1915, *Annls Soc. ent. Fr.* 84: 313-314. **Syntypes:** Tunisia, Gafsa. **Range (in code):** **TN Gf** **Bionomy:** Larva on *Ephedra altissima* [Ephedraceae] (Chrétien,1915).
- 93030. *Ypsolopha rhytidota* (Meyrick,1938)** (Yponomeutidae) **Synonym(s):** *rhytidota* Meyrick,1938 **Range (in code):** **CN Yu**
- 93031. *Ypsolopha saitoi* Moriuti,1964** (Yponomeutidae) **Synonym(s):** *saitoi* Moriuti,1964 **Range (in code):** **JP CN Gn She**
- 93032. *Ypsolopha sarmaticella* (Rebel,1917)** (Yponomeutidae) **Synonym(s):** *sarmaticella* Rebel,1917 **Range (in code):** **FI EE LV RU CN Ui**
- 93033. *Ypsolopha satellitella* (Staudinger,1871)** (Yponomeutidae) **Synonym(s):** *satellitella* Staudinger,1871 **Range (in code):** **RU CN Ui KI RU KK TM AF TR UZ Man** **Bionomy:** Larva on *Ephedra* (Gershenson & Kozhevnikova,2013).
- 93034. *Ypsolopha scabrella* (Linnaeus,1761)** (Yponomeutidae) **Synonym(s):** *scabrella* Linnaeus,1761; *bifissella* [Denis & Schiffermüller],1775; *pterodactylella* Hübner,1793 **Range (in code):** **ES FR IT IE GB BE NL DE CH AT PL CZ SK HU RO YU BG DK NO SE FI EE LV LT RU MD UA BY TR CN Gn Hnn Sz Yu**
- 93035. *Ypsolopha scenites* (Meyrick,1909)** (Yponomeutidae) **Synonym(s):** *scenites* Meyrick,1909 **Range (in code):** **ZA**
- 93036. *Ypsolopha sculpturella* (Herrich-Schäffer,[1854])** (Yponomeutidae) **Synonym(s):** *sculpturella* Herrich-Schäffer,[1854] **Range (in code):** **YU BG GR Cr TR RU MD UA BY** **Bionomy:** Larva on *Ephedra* (Staudinger,1879).
- 93037. *Ypsolopha semitessella* (Mann,1861)** (Yponomeutidae) **Synonym(s):** *semitessella* Mann,1861 **Range (in code):** **YU TR RU** **Bionomy:** Larva on *Ephedra* (Staudinger,1879).
- 93038. *Ypsolopha seniculella* (Christoph,1872)** (Yponomeutidae) **Synonym(s):** *seniculella* Christoph,1872 **Original Reference:** *Anarsia ? seniculella* Christoph,1872, *Horae Soc. ent. ross.* 9: 27-28, pl.2 fig. 23. Type ♂: Persia, Schahrud. **Range (in code):** **IR Srd Kh**
- 93039. *Ypsolopha sequella* (Clerck,1759)** (Yponomeutidae) **Synonym(s):** *#sequella* Clerck,1759; *nycthemerella* [Denis & Schiffermüller],1775; *nyctemerus* Fabricius,1798; *leucophaea* Zeller,1839 **Range (in code):** **FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU BG TR DK NO SE FI EE LV LT RU MD UA BY**
- 93040. *Ypsolopha sordida* Sohn & Wu,2010** (Yponomeutidae) **Synonym(s):** *sordida* Sohn & Wu,2010; *sordidella* Sohn & Wu,2010 **Range (in code):** **CN Fkn**
- 93041. *Ypsolopha strigosa* (Butler,1879)** (Yponomeutidae) **Synonym(s):** *strigosa* Butler,1879 **Range (in code):** **CN Hnn JP KP KR RU**
- 93042. *Ypsolopha sylvella* (Linnaeus,1767)** (Yponomeutidae) **Synonym(s):** *sylvella* Linnaeus,1767; *bifasciatus* Haworth,1828 **Range (in code):** **ES FR IT GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR DK NO SE FI EE LV LT RU MD UA BY**
- 93043. *Ypsolopha triangula* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *triangula* Jin, Wang & Li,2013 **Range (in code):** **CN**
- 93044. *Ypsolopha trichonella* (Mann,1861)** (Yponomeutidae) **Synonym(s):** *trichonella* Mann,1861 **Original Reference:** *Plutella trichonella* Mann,1861, *Wien. ent. Monatschr.* 5: 189-190, Taf. 3 fig.5 Type ♀: [Türkei]: Amasia. **Range (in code):** **ES YU TR LB Bei RU IR Kh**
- 93045. *Ypsolopha ulingensis* Yang,1977** (Yponomeutidae) **Synonym(s):** *ulingensis* Yang,1977 **Range (in code):** **CN Hph Sz Ts**
- 93046. *Ypsolopha umbrina* Jin, Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *umbrina* Jin, Wang & Li,2013 **Range (in code):** **CN She Hnn**
- 93047. *Ypsolopha ustella* (Clerck,1759)** (Yponomeutidae) **Synonym(s):** *#ustella* Clerck,1759; *ciliella* [Denis & Schiffermüller],1775; *radiatella* Donovan,1794 nec Fourc.,1785; *variella* Hübner,1796 nec [Den. & Schiff.],1775; *fissella* Hübner,1796; *cornutus* Fabricius,1798; *unguiculatus* Fabricius,1798; *parallela* Panzer,1799; *byssinella* Hübner,[1813]; *quinquepunctatus* Haworth,1828; *lutosus* Haworth,1828; *flaviciliatus* Haworth,1828; *varians* Haworth,1828; *fissus* Haworth,1828; *radiatus* Haworth,1828; *fulvella* Duponchel,1839 **Range (in code):** **ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU MD UA BY IR Gl**
- 93048. *Ypsolopha varidentella* Wang & Li,2013** (Yponomeutidae) **Synonym(s):** *varidentella* Wang & Li,2013 **Range (in code):** **CN Gn Nhu**
- 93049. *Ypsolopha vittella* (Linnaeus,1758)** (Yponomeutidae) **Synonym(s):** *vittella* Linnaeus,1758; *sisymbrella* Denis & Schiffermüller,[1775]; *lanceolata* Fabricius,1777; *lancea* Borkhausen,1792; *dorsella*

- Fabricius,1794; dorsatus Fabricius,1798; #vitellum Noack,1960. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO BG TR DK NO SE FI EE LV LT RU MD UA BY CN*
- 93050. *Ypsolopha yangi* Ponomarenko & Sohn,2011** (Yponomeutidae) *Synonym(s): yangi Ponomarenko & Sohn,2011 Range (in code): CN Pkn Hph NHu Sz RU Us*
- 93051. *Ypsolopha yasudai* Moriuti,1964** (Yponomeutidae) *Synonym(s): yasudai Moriuti,1964 Range (in code): JP KP KR RU CN Mc Ui*
- 93052. *Zarcinia nigrosignatella* Chrétien,1915** (Yponomeutidae) *Synonym(s): nigrosignatella Chrétien,1915 Original Reference: Zarcinia nigrosignatella Chrétien,1915, Annls Soc. ent. Fr. 84: 310-311. Type: "Zarcine-Kebili (Sud Tunisien)". Range (in code): TN*
- 93053. *Zelleria abisella* (Chrétien,1910)** (Yponomeutidae) *Synonym(s): abisella Chrétien,1910 Range (in code): FR*
- 93054. *Zelleria aphrospora* Meyrick,1893** (Yponomeutidae) *Synonym(s): aphrospora Meyrick,1893 Range (in code): AU*
- 93055. *Zelleria araeodes* Meyrick,1893** (Yponomeutidae) *Synonym(s): araeodes Meyrick,1893 Range (in code): AU*
- 93056. *Zelleria callidoxa* Meyrick,1893** (Yponomeutidae) *Synonym(s): callidoxa Meyrick,1893 Range (in code): AU*
- 93057. *Zelleria citrina* Meyrick,1893** (Yponomeutidae) *Synonym(s): citrina Meyrick,1893 Range (in code): AU*
- 93058. *Zelleria cremnospila* Lower,1900** (Yponomeutidae) *Synonym(s): cremnospila Lower,1900 Range (in code): AU*
- 93059. *Zelleria cryptica* Meyrick,1913** (Yponomeutidae) *Synonym(s): cryptica Meyrick,1913 Range (in code): AU*
- 93060. *Zelleria cyanoleuca* (Lower,1908)** (Yponomeutidae) *Synonym(s): cyanoleuca Lower,1908; perimeces Turner,1923 Range (in code): AU*
- 93061. *Zelleria cynetica* Meyrick,1893** (Yponomeutidae) *Synonym(s): cynetica Meyrick,1893 Range (in code): AU*
- 93062. *Zelleria euthysema* Turner,1923** (Yponomeutidae) *Synonym(s): euthysema Turner,1923 Range (in code): AU*
- 93063. *Zelleria hemixipha* Lower,1900** (Yponomeutidae) *Synonym(s): hemixipha Lower,1900 Range (in code): AU*
- 93064. *Zelleria hepariella* Stainton,1849** (Yponomeutidae) *Synonym(s): hepariella Stainton,1849 Range (in code): ES FR Co Sa Si IT IE GB NL DE CH AT PL SK RO YU GR TR DK NO SE LV*
- 93065. *Zelleria isopyrrha* Meyrick,1921** (Yponomeutidae) *Synonym(s): isopyrrha Meyrick,1921 Range (in code): AU*
- 93066. *Zelleria malacodes* Turner,1939** (Yponomeutidae) *Synonym(s): malacodes Turner,1939 Range (in code): AU*
- 93067. *Zelleria memorella* Meyrick,1893** (Yponomeutidae) *Synonym(s): memorella Meyrick,1893 Range (in code): AU*
- 93068. *Zelleria mystarcha* Meyrick,1893** (Yponomeutidae) *Synonym(s): mystarcha Meyrick,1893 Range (in code): AU*
- 93069. *Zelleria oleastrella* (Millière,1864)** (Yponomeutidae) *Synonym(s): oleastrella Millière,1864 Range (in code): Cn PT ES FR Co Sa Si MT YU GR Cr CY TR*
- 93070. *Zelleria orthopleura* Turner,1923** (Yponomeutidae) *Synonym(s): orthopleura Turner,1923 Range (in code): AU*
- 93071. *Zelleria panceuthes* Turner,1923** (Yponomeutidae) *Synonym(s): panceuthes Turner,1923 Range (in code): AU*
- 93072. *Zelleria plumbeella* Staudinger,1871** (Yponomeutidae) *Synonym(s): plumbeella Staudinger,1871 Range (in code): ES*
- 93073. *Zelleria proterospila* Meyrick,1893** (Yponomeutidae) *Synonym(s): proterospila Meyrick,1893 Range (in code): AU*
- 93074. *Zelleria pyroleuca* Meyrick,1893** (Yponomeutidae) *Synonym(s): pyroleuca Meyrick,1893 Range (in code): AU*
- 93075. *Zelleria sigillata* Meyrick,1893** (Yponomeutidae) *Synonym(s): sigillata Meyrick,1893 Range (in code): AU*
- 93076. *Zelleria stylographa* Meyrick,1907** (Yponomeutidae) *Synonym(s): stylographa Meyrick,1907 Range (in code): AU*

- 93077. "Agalope" ardjuna Roepke,1936** (Zygaenidae) Synonym(s): *ardjuna Roepke,1936* Range (in code): ID Ja
- 93078. "Agalope" glacialis (Moore,1872)** (Zygaenidae) Synonym(s): *glacialis Moore,1872* Range (in code): IN SI Djl CN ID Ja
- 93079. "Agalope" glacialis angustifasciata M.Hering,1922** (Zygaenidae) Synonym(s): *angustifasciata M.Hering,1922* Range (in code): CN
- 93080. "Agalope" glacialis parthenie Jordan,1907** (Zygaenidae) Synonym(s): *parthenie Jordan,1907* Range (in code): ID Ja
- 93081. "Cyclosia" notabilis Kishida & Endo,1999** (Zygaenidae) Synonym(s): *notabilis Kishida & Endo,1999* Range (in code): CN
- 93082. Achelura bani Owada & Horie,1999** (Zygaenidae) Synonym(s): *bani Owada & Horie,1999* Range (in code): MM
- 93083. Achelura bifasciata (Hope,1840)** (Zygaenidae) Synonym(s): *bifasciata Hope,1840* Original Reference: Chelura bifasciata Hope,1840, Trans. linn. Soc. 18: 447. Range (in code): IN SI Ass NP MM TH CMA Bionomy: Larva on Lagerstroemia indica (Lythraceae) [crape mytle], Rhododendron (Ericaceae) [azalia], Betula alnoides (Betulaceae) [kamlang suea khrong] (Lewvanich,2001).
- 93084. Achelura hai Owada,1996** (Zygaenidae) Synonym(s): *hai Owada,1996* Range (in code): VN
- 93085. Achelura hemileuca (Rothschild,1894)** (Zygaenidae) Synonym(s): *hemileuca Rothschild,1894* Range (in code): PG
- 93086. Achelura javana Aurivillius,1894** (Zygaenidae) Synonym(s): *javana Aurivillius,1894* Range (in code): ID Ja
- 93087. Achelura maymoyoana Owada,1999** (Zygaenidae) Synonym(s): *maymoyoana Owada,1999* Range (in code): MM
- 93088. Achelura sanguifasciata Horie,1994** (Zygaenidae) Synonym(s): *sanguifasciata Horie,1994* Range (in code): TW
- 93089. Achelura simplex Jordan,1925** (Zygaenidae) Synonym(s): *simplex Jordan,1925* Range (in code): PG
- 93090. Achelura yunnanensis Horie & Xue,1999** (Zygaenidae) Synonym(s): *yunnanensis Horie & Xue,1999* Range (in code): CN
- 93091. Adscita (Procriterna) amaura (Staudinger,1887)** (Zygaenidae) Synonym(s): *amaura Staudinger,1887; banghaasi Alberti,1938* Range (in code): UZ TJ
- 93092. Adscita (Procriterna) jordani (Naufock,1921)** (Zygaenidae) Synonym(s): *jordani Naufock,1921* Range (in code): PT ES
- 93093. Adscita (Procriterna) pligori Efetov,2012** (Zygaenidae) Synonym(s): *pligori Efetov,2012* Original Reference: Adscita (Procriterna) pligori Efetov,2012, Entomologist's Gaz. 63: 99-105, 5 figs. Holotype ♂: Afghanistan, Bamian, Band-e-Amir 3400m 8.7.2009, I.Pljushtch leg. (coll. Efetov). AF Bm BdA
- 93094. Adscita (Procriterna) subdolosa (Staudinger,1887)** (Zygaenidae) Synonym(s): *subdolosa Staudinger,1887; pamirensis Hampson,1920* Range (in code): TJ Pm UZ KK KG AF
- 93095. Adscita (Procriterna) subtristis (Staudinger,1887)** (Zygaenidae) Synonym(s): *subtristis Staudinger,1887; dolosa Staudinger,1887* Range (in code): UZ TJ KK KG Fe
- 93096. Adscita (Tarmannita) bolivari (Agenjo,1937)** (Zygaenidae) Synonym(s): *bolivari Agenjo,1937* Range (in code): ES Bionomy: Larva probably on Helianthemum (Asteraceae) (Naumann et al.,1999).
- 93097. Adscita (Tarmannita) mannii (Lederer,1853)** (Zygaenidae) Synonym(s): *mannii Lederer,1853; heydenreichii Lederer,1853; crassicornis Staudinger,1862; prasina Rothschild,1917; glauca Verity,1946; pseudostatice Verity,1946.* Range (in code): DZ Khh TN DhM ES FR Si IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Tbl Bionomy: Larva on Helianthemum (Asteraceae); Cistus salviaefolius (Cistaceae); Rumex (Polygonaceae) (Naumann et al.,1999).
- 93098. Adscita (Tarmannita) mannii atlantica (Alberti,1937)** (Zygaenidae) Synonym(s): *atlantica Alberti,1937* Range (in code):
- 93099. Adscita (Tarmannita) mannii mannii (Lederer,1853)** (Zygaenidae) Synonym(s): *mannii Lederer,1853; heydenreichii Lederer,1853; crassicornis Staudinger,1862; prasina Rothschild,1917; glauca Verity,1946; pseudostatice Verity,1946.* Range (in code): ES FR Si IT DE CH AT RO YU AL BG GR TR Cc GG Smt Bjo Tbl

- 93100. Adscita (s.str.) albanica (Naufock,1926)** (Zygaenidae) Synonym(s): *albanica* Naufock,1926 Range (in code): IT CH YU AL BG GR RU MD UA BY Bionomy: Larva on Geranium sanguineum, Erodium ((Geraniaceae); Helianthemum, Rumex (Naumann et al.,1999).
- 93101. Adscita (s.str.) alpina (Alberti,1937)** (Zygaenidae) Synonym(s): *alpina* Alberti,1937; *hyalicolor* Verity,1946; *#minuscula* Verity,1946; *bellissima* Verity,1946. Range (in code): FR IT CH AT Bionomy: Larva on Rumex acetosa, R.alpestris, R.scutatus (Polygonaceae) (Naumann et al.,1999).
- 93102. Adscita (s.str.) capitalis (Staudinger,1878)** (Zygaenidae) Synonym(s): *capitalis* Staudinger,1878 Original Reference: Ino capitalis Staudinger,1878, Horae Soc. ent. ross. 14: 317. Syntypes: [Türkei]: Amasia (Caraman). Range (in code): YU MK TR Bionomy: Larva on Helianthemum (Asteraceae) (Naumann et al.,1999).
- 93103. Adscita (s.str.) geryon (Hübner,[1813])** (Zygaenidae) Synonym(s): *geryon* Hübner,[1813] Range (in code): PT ES FR IT GB BE DE CH AT PL CZ SK HU RO YU AL BG GR RU MD UA BY Bionomy: Larva on Helianthemum (Asteraceae); Geranium (Geraniaceae) (Hering,1964; Naumann et al.,1999).
- 93104. Adscita (s.str.) krymensis Efetov,1994** (Zygaenidae) Synonym(s): *krymensis* Efetov,1994 Range (in code): UA
- 93105. Adscita (s.str.) obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862. Original Reference: Procris obscura Zeller,1847, Isis 1847: 15. Lectotype ♂: [Greece]: Rhodos, designated by Tarmann & Tremewan,1995 (BMNH). Range (in code): MK BG GR Rd CY TR RU Da Cc GG SY LB Bsa Pa IL Hf EG IQ IR Fa Sse Gls Kh Bionomy: Larva on Helianthemum (Cistaceae) (Naumann et al.,1999); Helianthemum syriacum (de Freina,2003).
- 93106. Adscita (s.str.) obscura balcanica (Staudinger,1862)** (Zygaenidae) Synonym(s): *balcanica* Staudinger,1862 Range (in code):
- 93107. Adscita (s.str.) obscura maxima (Alberti,1938)** (Zygaenidae) Synonym(s): *maxima* Alberti,1938 Range (in code):
- 93108. Adscita (s.str.) obscura obscura (Zeller,1847)** (Zygaenidae) Synonym(s): *obscura* Zeller,1847; *anceps* Staudinger,1862. Original Reference: Procris obscura Zeller,1847, Isis 1847: 15. Lectotype ♂: [Greece]: Rhodos, designated by Tarmann & Tremewan,1995 (BMNH). Range (in code): Rd GR CY Cc TR Bionomy: Larva on Helianthemum (Cistaceae) (Naumann et al.,1999); Helianthemum syriacum (de Freina,2003).
- 93109. Adscita (s.str.) obscura pallida (Alberti,1938)** (Zygaenidae) Synonym(s): *pallida* Alberti,1938 Range (in code): TR
- 93110. Adscita (s.str.) schmidtii (Naufock,1933)** (Zygaenidae) Synonym(s): *schmidtii* Naufock,1933 Range (in code): PT ES Bionomy: Larva on Rumex acetosa, R.acetosella (Naumann et al.,1999).
- 93111. Adscita (s.str.) statices (Linnaeus,1758)** (Zygaenidae) Synonym(s): *statices* Linnaeus,1758; *turcosa* Retzius,1783; *stuticus* Fourcroy,1785; *micans* Freyer,1833; *extensa* Alberti,1937; *anomala* Verity,1946; *lutrinensis* Heuser,1960; *heuseri* Reichl,1964 Original Reference: Sphinx statices Linnaeus,1758, Syst. Nat. (Edn.10) 1: 495. Type(s): Europa. Range (in code): ES FR IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR TR DK NO SE FI EE LV LT RU Sb Cc GG MD UA BY KK KG CN Ui Ii Bionomy: Larva on Rumex acetosa, R.acetosella (Hering,1964; Naumann et al.,1999).
- 93112. Adscita (s.str.) statices drenowskii Alberti,1939** (Zygaenidae) Synonym(s): *drenowskii* Alberti,1939 Range (in code): BG GR TR
- 93113. Adscita (s.str.) storaiae (Tarmann,1977)** (Zygaenidae) Synonym(s): *storaiae* Tarmann,1977 Original Reference: Procris (s.str.) storaiae Tarmann,1977, NachrBl. bayer. Ent. 26 (2): 97-108, figs. Holotype ♂: SE-Türkei, Prov. Bitlis 50km SE Tatvan 1900-2000m, 25.vi.1977 lef. C. & S.Naumann. Range (in code): Cc TR Bionomy: Larva on Rumex acetosa (Naumann et al.,1999).
- 93114. Agalope aurelia Oberthür,1923** (Zygaenidae) Synonym(s): *aurelia* Oberthür,1923 Range (in code): CN Yu
- 93115. Agalope basiflava (Moore,1879)** (Zygaenidae) Synonym(s): *basiflava* Moore,1879 Range (in code): SI IN
- 93116. Agalope bieti (Oberthür,1886)** (Zygaenidae) Synonym(s): *bieti* Oberthür,1886 Range (in code): CN Sz T-T

- 93117. *Agalope bifasciata* (Hope,1840)** (Zygaenidae) Synonym(s): *bifasciata* Hope,1840 Range (in code): IN SI NP Ass MM
- 93118. *Agalope dejeani* Oberthür,1893** (Zygaenidae) Synonym(s): *dejeani* Oberthür,1893 Range (in code): CN Sz T-T
- 93119. *Agalope eroniodes* (Moore,1879)** (Zygaenidae) Synonym(s): *eroniodes* Moore,1879; *diluta* Jordan,1907 Range (in code): IN Ass SI CN Sz
- 93120. *Agalope formosana* Matsumura,1927** (Zygaenidae) Synonym(s): *formosana* Matsumura,1927 Range (in code): TW
- 93121. *Agalope glacialis* Butler,1881** (Zygaenidae) Synonym(s): *glacialis* Butler,1881; *butleri* Owada & Horie,2000 Range (in code): IN NP
- 93122. *Agalope grandis* Mell,1922** (Zygaenidae) Synonym(s): *grandis* Mell,1922 Range (in code): CN
- 93123. *Agalope harutai* Horie,2000** (Zygaenidae) Synonym(s): *harutai* Horie,2000 Range (in code): NP
- 93124. *Agalope hemileuca* (Rothschild,1904)** (Zygaenidae) Synonym(s): *hemileuca* Rothschild,1904; *ceramensis* Joicey & Talbot,1922; *fumosa* Joicey & Talbot,1922; *buruensis* Talbot,1929 Range (in code): PG ID Bru Crm
- 93125. *Agalope hyalina* (Kollar,[1844])** (Zygaenidae) Synonym(s): *hyalina* Kollar,[1844]; *basalis* Walker,1854; *primularis* Butler,1895; *formosana* Matsumura,1927 Range (in code): AF PK Thu Mre Haz Swa Sgl IN Ch SI Djl MM CN TW
- 93126. *Agalope immaculata* Leech,1898** (Zygaenidae) Synonym(s): *immaculata* Leech,1898 Range (in code): CN Sz T-T
- 93127. *Agalope javana* (Aurivillius,1894)** (Zygaenidae) Synonym(s): *javana* Aurivillius,1894; *javanica* Jordan,1907; *bifasciata* Snellen,[1902] nec Hpe.,1840; *olgae* M.Hering,1922; *olga* M.Hering,1926 Range (in code): ID Ja
- 93128. *Agalope kishidagrandis* Owada & Horie,2000** (Zygaenidae) Synonym(s): *kishidagrandis* Owada & Horie,2000 Range (in code): VN Ton
- 93129. *Agalope livida* Moore,1879** (Zygaenidae) Synonym(s): *livida* Moore,1879; *davidi* Oberthür,1884 Range (in code): IN CN Sz
- 93130. *Agalope lucia* Oberthür,1923** (Zygaenidae) Synonym(s): *lucia* Oberthür,1923 Range (in code): CN
- 93131. *Agalope mineti* Owada,2000** (Zygaenidae) Synonym(s): *mineti* Owada,2000 Range (in code): CN
- 93132. *Agalope pica* (Wileman,1910)** (Zygaenidae) Synonym(s): *pica* Wileman,1910; *karenkonis* Matsumura,1927 Range (in code): TW
- 93133. *Agalope simplex* Jordan,1925** (Zygaenidae) Synonym(s): *simplex* Jordan,1925 Range (in code): PG
- 93134. *Agalope suzukikojii* Horie,2000** (Zygaenidae) Synonym(s): *suzukikojii* Horie,2000 Range (in code): NP
- 93135. *Agalope trimacula* Matsumura,1927** (Zygaenidae) Synonym(s): *trimacula* Matsumura,1927 Range (in code): TW
- 93136. *Agalope wangi* Owada,1992** (Zygaenidae) Synonym(s): *wangi* Owada,1992 Range (in code): TW
- 93137. *Agalope infausta* (Linnaeus,1767)** (Zygaenidae) Synonym(s): *infausta* Linnaeus,1767 Range (in code): PT ES Mu FR DE CH
- 93138. *Agalope labasi* Oberthür,1922** (Zygaenidae) Synonym(s): *labasi* Oberthür,1922 Range (in code): DZ
- 93139. *Allocaprima duganga* (Semper,1898)** (Zygaenidae) Synonym(s): *duganga* Semper,1898 Range (in code): PH Mno
- 93140. *Allocaprima tricoloratus* (Semper,1898)** (Zygaenidae) Synonym(s): *tricoloratus* Semper,1898 Range (in code): PH
- 93141. *Allocyclosia porphyropyga* M.Hering,1925** (Zygaenidae) Synonym(s): *porphyropyga* M.Hering,1925 Range (in code): ID Clb
- 93142. *Alophogaster ludius* Jordan,1925** (Zygaenidae) Synonym(s): *ludius* Jordan,1925 Range (in code): VN Ton
- 93143. *Alophogaster melli* M.Hering,1925** (Zygaenidae) Synonym(s): *melli* M.Hering,1925 Range (in code): CN

- 93144. *Alophogaster overdijkinki* Joicey & Talbot, 1925** (Zygaenidae) Synonym(s): *overdijkinki* Joicey & Talbot, 1925 Range (in code): ID Ja
- 93145. *Alophogaster rubribasis* Hampson, 1892** (Zygaenidae) Synonym(s): *rubribasis* Hampson, 1892; *serraticornis* Hampson, 1896 Range (in code): IN Ass Meg Khs Nag TH
- 93146. *Alophogaster tensipennis* (Walker, 1862)** (Zygaenidae) Synonym(s): *tensipennis* Walker, 1862 Original Reference: Phauda *tensipennis* Walker, 1862, J. linn. Soc. Zool. 6: 92. Range (in code): MY Bor Swk
- 93147. *Amesia aliris* (Doubleday, 1847)** (Zygaenidae) Synonym(s): *aliris* Doubleday, 1847 Original Reference: *Gynautocera aliris* Doubleday, 1847, Ann. Mag. nat. Hist. (1) 19: 74. Range (in code): CN Hn MM Tns IN Ass Syl BD MM Krh
- 93148. *Amesia aliris aliris* (Doubleday, 1847)** (Zygaenidae) Synonym(s): *aliris* Doubleday, 1847 Original Reference: *Gynautocera aliris* Doubleday, 1847, Ann. Mag. nat. Hist. (1) 19: 74. Range (in code): IN Ass Syl BD MM Krh
- 93149. *Amesia aliris analis* Jordan, 1907** (Zygaenidae) Synonym(s): *analis* Jordan, 1907 Range (in code): MM Tns
- 93150. *Amesia aliris majoripuncta* (Joicey & Talbot, 1921)** (Zygaenidae) Synonym(s): *majoripuncta* Joicey & Talbot, 1921 Range (in code): CN Hn
- 93151. *Amesia apoensis* Kishida & Horie, 1989** (Zygaenidae) Synonym(s): *apoensis* Kishida & Horie, 1989 Range (in code): PH Mno
- 93152. *Amesia namouna* (Doubleday, 1847)** (Zygaenidae) Synonym(s): *namouna* Doubleday, 1847; *euploeoides* Herrich-Schäffer, 1853; *noctipennis* Walker, 1862; *semiradiata* Walker, 1864; *pexifascia* Butler, 1877; *hyala* Druce, 1885; *desmiata* Jordan, 1907; *modesta* Snellen, [1902] Range (in code): MY Bor Sbh KBa Swk ID Sum Ja IN SI Djl TH
- 93153. *Amesia sanguiflua* (Drury, 1773)** (Zygaenidae) Synonym(s): *sanguiflua* Drury, 1773 Range (in code): TH IN ID Ja Sum TW
- 93154. *Amesia sanguiflua gedearia* Fruhstorfer, 1897** (Zygaenidae) Synonym(s): *gedearia* Fruhstorfer, 1897; *javana* Dohrn, 1906 Range (in code): ID Ja
- 93155. *Amesia sanguiflua korintjensis* Talbot, 1929** (Zygaenidae) Synonym(s): *korintjensis* Talbot, 1929 Range (in code): ID Sum
- 93156. *Amesia sanguiflua lugens* Dohrn, 1906** (Zygaenidae) Synonym(s): *lugens* Dohrn, 1906 Range (in code): ID Sum
- 93157. *Amesia sanguiflua sanguiflua* (Drury, 1773)** (Zygaenidae) Synonym(s): *sanguiflua* Drury, 1773 Range (in code): IN TH
- 93158. *Amesia sanguiflua viriditincta* Hampson, 1919** (Zygaenidae) Synonym(s): *viriditincta* Hampson, 1919; *sauteri* M. Hering, 1922 Range (in code): TW
- 93159. *Anticrates crocophaea* Meyrick, 1921** (Zygaenidae) Synonym(s): *crocophaea* Meyrick, 1921 Range (in code): ZA
- 93160. *Anticrates electropis* Meyrick, 1921** (Zygaenidae) Synonym(s): *electropis* Meyrick, 1921 Range (in code): ZA
- 93161. *Aphantocephala centralis* Rothschild, 1898** (Zygaenidae) Synonym(s): *centralis* Rothschild, 1898 Range (in code): PG
- 93162. *Aphantocephala collaris* Jordan, 1926** (Zygaenidae) Synonym(s): *collaris* Jordan, 1926 Range (in code): PG NHa
- 93163. *Aphantocephala fragilis* Rothschild, 1899** (Zygaenidae) Synonym(s): *fragilis* Rothschild, 1899 Range (in code): PG
- 93164. *Aphantocephala moluccarum* C. Felder, 1861** (Zygaenidae) Synonym(s): *moluccarum* C. Felder, 1861 Range (in code): ID Amb
- 93165. *Aphantocephala solitaria* Jordan, 1907** (Zygaenidae) Synonym(s): *solitaria* Jordan, 1907 Range (in code): PG
- 93166. *Aphantocephala vicina* Jordan, 1925** (Zygaenidae) Synonym(s): *vicina* Jordan, 1925 Range (in code): PG
- 93167. *Arachotia aenea* Jordan, 1908** (Zygaenidae) Synonym(s): *aenea* Jordan, 1908 Range (in code): PH Luz
- 93168. *Arachotia euglenia* Jordan, 1908** (Zygaenidae) Synonym(s): *euglenia* Jordan, 1908 Range (in code): IN Meg Ass Khs
- 93169. *Arachotia flaviplaga* Moore, 1879** (Zygaenidae) Synonym(s): *flaviplaga* Moore, 1879 Range (in code): IN SI Nag Djl

- 93170. *Arachotia hyalina* M.Hering,1925** (Zygaenidae) **Synonym(s):** *hyalina* M.Hering,1925
Range (in code): **PH Luz**
- 93171. *Arachotia quadricolor* (Semper,1898)** (Zygaenidae) **Synonym(s):** *quadricolor* Semper,1898 **Range (in code):** **PH**
- 93172. *Arachotia vespoides* Moore,1879** (Zygaenidae) **Synonym(s):** *vespoides* Moore,1879
Range (in code): **IN**
- 93173. *Araecocera compta* Jordan,1908** (Zygaenidae) **Synonym(s):** *compta* Jordan,1908 **Range (in code):** **ID Flo**
- 93174. *Araecocera cyanescens* Hampson,1892** (Zygaenidae) **Synonym(s):** *cyanescens* Hampson,1892 **Range (in code):** **MM**
- 93175. *Araecocera posthyalina* Hampson,1892** (Zygaenidae) **Synonym(s):** *posthyalina* Hampson,1892 **Range (in code):** **IN SI**
- 93176. *Araecocera prasina* Jordan,1931** (Zygaenidae) **Synonym(s):** *prasina* Jordan,1931 **Range (in code):** **ID Ja**
- 93177. *Arbudas bicolor* Moore,1879** (Zygaenidae) **Synonym(s):** *bicolor* Moore,1879 **Range (in code):** **IN**
- 93178. *Arbudas funerea* Jordan,1907** (Zygaenidae) **Synonym(s):** *funerea* Jordan,1907 **Range (in code):** **CN Hn**
- 93179. *Arbudas leno* Swinhoe,1900** (Zygaenidae) **Synonym(s):** *leno* Swinhoe,1900 **Range (in code):** **TW**
- 93180. *Arbudas melanoleuca* Tarmann,1992** (Zygaenidae) **Synonym(s):** *melanoleuca* Tarmann,1992 **Range (in code):** **VN**
- 93181. *Arbudas rubricolla* (Alberti,1954)** (Zygaenidae) **Synonym(s):** *rubricolla* Alberti,1954
Range (in code): **CN**
- 93182. *Arbudas* sp.** (Zygaenidae) **Synonym(s):** **Range (in code):** **VN**
- 93183. *Arbudas submacula* (Wileman,1910)** (Zygaenidae) **Synonym(s):** *submacula* Wileman,1910; *rubricollis* Matsumura,1927 **Range (in code):** **TW**
- 93184. *Arbudas tobaensis* Tarmann,1992** (Zygaenidae) **Synonym(s):** *tobaensis* Tarmann,1992
Range (in code): **ID Sum**
- 93185. *Arbudas truncatus* Jordan,1907** (Zygaenidae) **Synonym(s):** *truncatus* Jordan,1907 **Range (in code):** **MM**
- 93186. *Artona albifascia* (Leech,1898)** (Zygaenidae) **Synonym(s):** *albifascia* Leech,1898 **Range (in code):** **CN Sz T-T**
- 93187. *Artona aurulenta* (Poujade,1886)** (Zygaenidae) **Synonym(s):** *aurulenta* Poujade,1886
Range (in code): **CN Sz**
- 93188. *Artona celebensis* (Poujade,1886)** (Zygaenidae) **Synonym(s):** *celebensis* Poujade,1886
Range (in code): **ID Clb**
- 93189. *Artona clathrata* (Poujade,1886)** (Zygaenidae) **Synonym(s):** *clathrata* Poujade,1886
Range (in code): **CN Sz**
- 93190. *Artona cuenonotata* Leech,1898** (Zygaenidae) **Synonym(s):** *cuenonotata* Leech,1898
Range (in code): **CN**
- 93191. *Artona delavayi* Oberthür,1894** (Zygaenidae) **Synonym(s):** *delavayi* Oberthür,1894 **Range (in code):** **CN Yu**
- 93192. *Artona discivitta* Walker,1854** (Zygaenidae) **Synonym(s):** *discivitta* Walker,1854 **Range (in code):** **IN NI**
- 93193. *Artona flaviciliata* Hampson,1919** (Zygaenidae) **Synonym(s):** *flaviciliata* Hampson,1919
Range (in code): **MM**
- 93194. *Artona flavigula* (Hampson,1896)** (Zygaenidae) **Synonym(s):** *flavigula* Hampson,1896
Range (in code): **IN Ass Khs Meg**
- 93195. *Artona flavipuncta* Hampson,1900** (Zygaenidae) **Synonym(s):** *flavipuncta* Hampson,1900
Range (in code): **IN Ass Khs Meg**
- 93196. *Artona hypomelas* Jordan,1907** (Zygaenidae) **Synonym(s):** *hypomelas* Jordan,1907
Range (in code): **IN SI**
- 93197. *Artona lucasseni* (Snellen,[1902])** (Zygaenidae) **Synonym(s):** *lucasseni* Snellen,[1902]
Range (in code): **ID Ja**
- 93198. *Artona lugubris* Jordan,1907** (Zygaenidae) **Synonym(s):** *lugubris* Jordan,1907 **Range (in code):** **TW IN Meg Ass Khs**

- 93199. Artona maerens (Staudinger,1887)** (Zygaenidae) Synonym(s): *maerens* Staudinger,1887
Range (in code): **RU Vv CN Mc**
- 93200. Artona manza (Alpheraky,1892)** (Zygaenidae) Synonym(s): *manza* Alpheraky,1892
Range (in code): **CN**
- 93201. Artona microstigma Jordan,1907** (Zygaenidae) Synonym(s): *microstigma* Jordan,1907
Range (in code): **IN Meg Ass Khs**
- 93202. Artona phaeoxantha Hampson,1919** (Zygaenidae) Synonym(s): *phaeoxantha* Hampson,1919 Range (in code): **IN**
- 93203. Artona pluristrigata Hampson,1907** (Zygaenidae) Synonym(s): *pluristrigata* Hampson,1907 Range (in code): **ID**
- 93204. Artona postalba Elwes,1890** (Zygaenidae) Synonym(s): *postalba* Elwes,1890 Range (in code): **SI IN**
- 93205. Artona posthyalina (Hampson,1892)** (Zygaenidae) Synonym(s): *posthyalina* Hampson,1892 Range (in code): **IN SI**
- 93206. Artona pulchra (Drury,1773)** (Zygaenidae) Synonym(s): *pulchra* Drury,1773 Range (in code): **CN**
- 93207. Artona quadrisignata (Snellen,[1902])** (Zygaenidae) Synonym(s): *quadrisignata* Snellen,[1902] Range (in code): **ID Ja**
- 93208. Artona refulgens (Hampson,1892)** (Zygaenidae) Synonym(s): *refulgens* Hampson,1892
Range (in code): **MM**
- 93209. Artona sieversi Alpheraky,1892** (Zygaenidae) Synonym(s): *sieversi* Alpheraky,1892
Range (in code): **CN Ts Kno**
- 93210. Artona sikkimensis Elwes,1890** (Zygaenidae) Synonym(s): *sikkimensis* Elwes,1890 Range (in code): **IN SI**
- 93211. Artona sinica (Alpheraky,1897)** (Zygaenidae) Synonym(s): *sinica* Alpheraky,1897 Range (in code): **CN Sz**
- 93212. Artona superba Alpheraky,1897** (Zygaenidae) Synonym(s): *superba* Alpheraky,1897
Range (in code): **CN**
- 93213. Artona sythoffi (Snellen,[1902])** (Zygaenidae) Synonym(s): *sythoffi* Snellen,[1902] Range (in code): **ID Ja**
- 93214. Artona tokyonella Matsumura,1927** (Zygaenidae) Synonym(s): *tokyonella* Matsumura,1927 Range (in code): **JP**
- 93215. Artona zebra Elwes,1890** (Zygaenidae) Synonym(s): *zebra* Elwes,1890 Range (in code): **IN SI**
- 93216. Astyloneura glennia (Jordan,1907)** (Zygaenidae) Synonym(s): *glennia* Jordan,1907
Range (in code): **ZA MZ ZM**
- 93217. Astyloneura meridionalis (Hampson,1920)** (Zygaenidae) Synonym(s): *meridionalis* Hampson,1920 Range (in code): **ZA**
- 93218. Astyloneura trefurthi Gaede,1914** (Zygaenidae) Synonym(s): *trefurthi* Gaede,1914; *cyanopsis* Hampson,1919 Range (in code): **ZA**
- 93219. Atelesia nivosa Jordan,1930** (Zygaenidae) Synonym(s): *nivosa* Jordan,1930 Range (in code): **PG**
- 93220. Balataea aegeriaeformis (Alberti,1954)** (Zygaenidae) Synonym(s): *aegeriaeformis* Alberti,1954 Range (in code): **CN**
- 93221. Balataea angusta Alberti,1954** (Zygaenidae) Synonym(s): *angusta* Alberti,1954 Range (in code): **CN**
- 93222. Balataea chorista (Jordan,1907)** (Zygaenidae) Synonym(s): *chorista* Jordan,1907 Range (in code): **IN Ass**
- 93223. Balataea cyclops (Staudinger,1887)** (Zygaenidae) Synonym(s): *cyclops* Staudinger,1887
Range (in code): **CN RU Am KP KR**
- 93224. Balataea elegantior Alberti,1954** (Zygaenidae) Synonym(s): *elegantior* Alberti,1954
Range (in code): **CN**
- 93225. Balataea funeralis (Butler,1879)** (Zygaenidae) Synonym(s): *funeralis* Butler,1879; *chinensis* Leech,1898 Range (in code): **CN KP KR JP**
- 93226. Balataea gracilis (Walker,1864)** (Zygaenidae) Synonym(s): *gracilis* Walker,1864; *tomarena* Bryk,1942 Range (in code): **CN JP KP KR RU KrI**

- 93227. *Balataea intermedia* Alberti, 1954** (Zygaenidae) Synonym(s): *intermedia* Alberti, 1954
Range (in code): CN
- 93228. *Balataea lugubris* (Jordan, 1907)** (Zygaenidae) Synonym(s): *lugubris* Jordan, 1907 Range (in code): IN Ass Meg Khs TW
- 93229. *Balataea neglecta* M. Hering, 1925** (Zygaenidae) Synonym(s): *neglecta* M. Hering, 1925
Range (in code): CN
- 93230. *Balataea octomaculata* (Bremer, 1861)** (Zygaenidae) Synonym(s): *octomaculata* Bremer, 1861; *aegerioides* Walker, 1864 Range (in code): RU CN JP Am KP KR
- 93231. *Balataea postvitta* (Moore, 1879)** (Zygaenidae) Synonym(s): *postvitta* Moore, 1879 Range (in code): IN SI DjI
- 93232. *Balataea trisignata* (Snellen, [1902])** (Zygaenidae) Synonym(s): *trisignata* Snellen, [1902]
Range (in code): ID Ja
- 93233. *Balataea uniformis* Alberti, 1954** (Zygaenidae) Synonym(s): *uniformis* Alberti, 1954 Range (in code): CN
- 93234. *Balataea walkeri* (Moore, 1859)** (Zygaenidae) Synonym(s): *walkeri* Moore, 1859 Range (in code): IN Pj SI ID Bli CN Hn TW
- 93235. *Balataea walkeri baliensis* Jordan, 1907** (Zygaenidae) Synonym(s): *baliensis* Jordan, 1907
Range (in code): ID Bli
- 93236. *Balataea walkeri hainana* Butler, 1876** (Zygaenidae) Synonym(s): *hainana* Butler, 1876
Original Reference: Artona hainana Butler, 1876, J. linn. Soc. Lond., Zool. 12: 357. Type: China: Hainan (Swinhoe leg.) (coll. F. Moore). Range (in code): CN Hn TW
- 93237. *Balataea walkeri nigrescens* Butler, 1876** (Zygaenidae) Synonym(s): *nigrescens* Butler, 1876 Original Reference: Artona nigrescens Butler, 1876, J. linn. Soc. Lond., Zool. 12: 356. Type: [India]: Punjab hills (coll. F. Moore). Range (in code): IN Pj SI
- 93238. *Balataea walkeri walkeri* (Moore, 1859)** (Zygaenidae) Synonym(s): *walkeri* Moore, 1859
Range (in code):
- 93239. *Balataea zebraica* (Butler, 1876)** (Zygaenidae) Synonym(s): *zebraica* Butler, 1876; *fulvida* Butler, 1876; *diffusa* Oberthür, 1894 Original Reference: Artona zebraica Butler, 1876, J. linn. Soc. Lond., Zool. 12: 356. Syntypes: N. India: Almorah, Massuri (BMNH). Range (in code): IN Meg Ass Khs Hp Kgr SI Nag Prk MY ID Sum MM Mm TH Cma Cuo Cuo5 Cuo7 TW
- 93240. *Balataea zebraica guttata* (Snellen, 1892)** (Zygaenidae) Synonym(s): *guttata* Snellen, 1892 Range (in code): ID Sum
- 93241. *Balataea zebraica khasiana* (Jordan, 1907)** (Zygaenidae) Synonym(s): *khasiana* Jordan, 1907 Range (in code): IN Meg Ass Khs
- 93242. *Balataea zebraica zebraica* (Butler, 1876)** (Zygaenidae) Synonym(s): *zebraica* Butler, 1876; *fulvida* Butler, 1876; *diffusa* Oberthür, 1894 Original Reference: Artona zebraica Butler, 1876, J. linn. Soc. Lond., Zool. 12: 356. Syntypes: N. India: Almorah, Massuri (BMNH). Range (in code): IN Hp Kgr SI Nag Prk MY MM Mm TH Cma Cuo Cuo5 Cuo7
- 93243. *Barbaroscia amabilis* Jordan, 1907** (Zygaenidae) Synonym(s): *amabilis* Jordan, 1907
Range (in code): VN Ton
- 93244. *Boradia carneola* Moore, 1879** (Zygaenidae) Synonym(s): *carneola* Moore, 1879 Range (in code): IN Hp Sml Kgr Drm
- 93245. *Boradiopsis grisea* (Semper, 1898)** (Zygaenidae) Synonym(s): *grisea* Semper, 1898
Range (in code): PH Luz
- 93246. *Brachartona catoxantha* Hampson, 1892** (Zygaenidae) Synonym(s): *catoxantha* Hampson, 1892 Range (in code): MM Tns TH Pkk Sbu Ray Cbi Ntt Cph MY ID Bor Bionomy: Larva on Cocos nucifera [coconut], Arenga saccharifera, Elaeis guineensis, Livistona rotundifolia, Metroxylon sagu (Palmae), Etlingera elatior (Zingiberaceae) [torch ginger / san yai], Musa (Musaceae), Saccharum officinarum (Poaceae), Butea monosperma (Fabaceae) (Lewvanich, 2001; Robinson et al., 2005).
- 93247. *Brachartona quadrimaculata* (Hampson, 1879)** (Zygaenidae) Synonym(s): *quadrimaculata* Hampson, 1879 Range (in code): IN Drm Hp Kgr Mus
- 93248. *Cadphises maculata* Moore, 1865** (Zygaenidae) Synonym(s): *maculata* Moore, 1865; *azim* Doubleday, 1847 Range (in code): IN SI Ass DjI
- 93249. *Cadphises moorei* Butler, 1875** (Zygaenidae) Synonym(s): *moorei* Butler, 1875; *javanensis* M. Hering, 1922 Range (in code): ID Ja IN BT Ass SI DjI

- 93250. Callartona purpurascens (Hampson,1891)** (Zygaenidae) Synonym(s): *purpurascens* Hampson,1891 Range (in code): IN NI
- 93251. Callizygaena ada Butler,1892** (Zygaenidae) Synonym(s): *ada* Butler,1892 Range (in code): TH MY Bor
- 93252. Callizygaena aurata (Cramer,1779)** (Zygaenidae) Synonym(s): *auratus* Cramer,1779; *gana* Swinhoe,1891; *auricincta* Swinhoe,1897 Range (in code): LK Tem IN Oi NI
- 93253. Callizygaena aurata nivimacula R.Felder & Rogenhofer,1875** (Zygaenidae) Synonym(s): *nivimacula* R.Felder & Rogenhofer,1875 Range (in code): LK Tem
- 93254. Campylotes altissimus Elwes,1890** (Zygaenidae) Synonym(s): *altissimus* Elwes,1890 Range (in code): IN
- 93255. Campylotes atkinsoni Moore,1879** (Zygaenidae) Synonym(s): *atkinsoni* Moore,1879 Range (in code): SI IN Djl
- 93256. Campylotes burmanus Hampson,[1920]** (Zygaenidae) Synonym(s): *burmanus* Hampson,[1920] Range (in code): MM
- 93257. Campylotes desgodinsi (Oberthür,1884)** (Zygaenidae) Synonym(s): *desgodinsi* Oberthür,1884; *yunnanensis* Joicey & Talbot,1925 Range (in code): CN Ti IN Ass Nag CN Yu
- 93258. Campylotes excelsus Oberthür,1896** (Zygaenidae) Synonym(s): *excelsus* Oberthür,1896 Range (in code): IN
- 93259. Campylotes histrionicus Westwood,1839** (Zygaenidae) Synonym(s): *histrionicus* Westwood,1839 Range (in code): AF IN CN SI BT NP
- 93260. Campylotes kotzschii Röber,1926** (Zygaenidae) Synonym(s): *kotzschii* Röber,1926; *#kotzechi* Yen, G.S.Robinson et al.,2005 Range (in code): IN Ass Nag
- 93261. Campylotes maculosus Wileman,1910** (Zygaenidae) Synonym(s): *maculosus* Wileman,1910 Range (in code): TW
- 93262. Campylotes minimus Oberthür,1894** (Zygaenidae) Synonym(s): *minimus* Oberthür,1894 Range (in code): CN Sz T-T
- 93263. Campylotes philomenus Oberthür,1923** (Zygaenidae) Synonym(s): *philomenus* Oberthür,1923 Range (in code): CN Sz T-T
- 93264. Campylotes pratti Leech,1890** (Zygaenidae) Synonym(s): *pratti* Leech,1890 Range (in code): CN
- 93265. Campylotes romanovi Leech,1898** (Zygaenidae) Synonym(s): *romanovi* Leech,1898 Range (in code): CN
- 93266. Campylotes sikkimensis Elwes,1890** (Zygaenidae) Synonym(s): *sikkimensis* Elwes,1890 Range (in code): IN SI Ass
- 93267. Campylotes sp.** (Zygaenidae) Synonym(s): Range (in code): TH
- 93268. Campylotes splendidus Elwes,1890** (Zygaenidae) Synonym(s): *splendidus* Elwes,1890 Range (in code): IN
- 93269. Campylotes wernickei Röber,1925** (Zygaenidae) Synonym(s): *wernickei* Röber,1925 Range (in code): IN Ass
- 93270. Cerodendra bipuncta (Hampson,1895)** (Zygaenidae) Synonym(s): *bipuncta* Hampson,1895; *bipunctata* Jordan,1907 Range (in code): IN
- 93271. Cerodendra quadripunctata (Hampson,1892)** (Zygaenidae) Synonym(s): *quadripunctata* Hampson,1892 Range (in code): LK
- 93272. Chalcophaedra zuleika (Doubleday,1847)** (Zygaenidae) Synonym(s): *zuleika* Doubleday,1847; *corusca* Herrich-Schäffer,1853 Range (in code): TH IN SI BT Meg Ass Khs Slo BD MM
- 93273. Chalcosia affinis (Guérin-Ménéville,1843)** (Zygaenidae) Synonym(s): *affinis* Guérin-Ménéville,1843 Range (in code): TW
- 93274. Chalcosia alpherakyi (Leech,1898)** (Zygaenidae) Synonym(s): *alpherakyi* Leech,1898 Range (in code): CN Ti
- 93275. Chalcosia diana Butler,1877** (Zygaenidae) Synonym(s): *diana* Butler,1877; *formosicola* Matsumura,1931 Range (in code): TW
- 93276. Chalcosia flavicollis Jordan,1907** (Zygaenidae) Synonym(s): *flavicollis* Jordan,1907 Range (in code): ID Flo
- 93277. Chalcosia formosana Matsumura,1911** (Zygaenidae) Synonym(s): *formosana* Matsumura,1911; *yayeyamana* Matsumura,1927 Range (in code): TW Ri JP
- 93278. Chalcosia formosana controdicta Inoue,1991** (Zygaenidae) Synonym(s): *controdicta* Inoue,1991 Range (in code): TW

- 93279. *Chalcosia idaeoides* (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *idaeoides* Herrich-Schäffer,1853 Range (in code): IN
- 93280. *Chalcosia nyctemeroides* Semper,1898** (Zygaenidae) Synonym(s): *nyctemeroides* Semper,1898 Range (in code): PH Luz
- 93281. *Chalcosia nympa* Moore,1878** (Zygaenidae) Synonym(s): *nympa* Moore,1878 Range (in code): CN Hn
- 93282. *Chalcosia pectinicornis* (Linnaeus,1758)** (Zygaenidae) Synonym(s): *pectinicornis* Linnaeus,1758; *auxo* Linnaeus,1767; *thallo* Linnaeus,1767; *tiberina* Cramer,[1775]; *guerini* Kirby,1892 Range (in code): CN TW
- 93283. *Chalcosia phalaenaria* (Guérin-Ménéville,1843)** (Zygaenidae) Synonym(s): *phalaenaria* Guérin-Ménéville,1843 Range (in code): ID Ja
- 93284. *Chalcosia pretiosa* Walker,1854** (Zygaenidae) Synonym(s): *pretiosa* Walker,1854 Range (in code): LK
- 93285. *Chalcosia suffusa* Leech,1898** (Zygaenidae) Synonym(s): *suffusa* Leech,1898 Range (in code): CN Sz TW
- 93286. *Chalcosia suffusa thaivana* Jordan,1907** (Zygaenidae) Synonym(s): *thaivana* Jordan,1907 Range (in code): TW
- 93287. *Chalcosia syfanica* (Oberthür,1894)** (Zygaenidae) Synonym(s): *syfanica* Oberthür,1894 Range (in code): CN Sz
- 93288. *Chalcosia tibetana* (Oberthür,1894)** (Zygaenidae) Synonym(s): *tibetana* Oberthür,1894 Range (in code): CN Ti
- 93289. *Chalcosia venosa* Walker,1854** (Zygaenidae) Synonym(s): *venosa* Walker,1854 Range (in code):
- 93290. *Chalcosia zehma* (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *zehma* Herrich-Schäffer,1853; *viridisuffusa* Swinhoe,1904 Range (in code): BD Syl MY Pah Bor ID Sum Ja
- 93291. *Chalcosiopsis melli* Alberti,1954** (Zygaenidae) Synonym(s): *melli* Alberti,1954 Original Reference: Chalcosiopsis melli Alberti,1954, Mitt. zool. Mus. Berl. 30: 199, figs. Range (in code): CN
- 93292. *Chalcosiopsis quadriplaga* (M.Hering,1922)** (Zygaenidae) Synonym(s): *quadriplaga* M.Hering,1922 Original Reference: Eumorphiopaïs quadriplaga M.Hering,1922, Arch. Naturg. 88 A (11): 17. Type: Borneo: Kina-Balu. Range (in code): MY Bor KBa
- 93293. *Chalcosiopsis variata* Swinhoe,1894** (Zygaenidae) Synonym(s): *variata* Swinhoe,1894 Original Reference: Chalcosiopsis variata Swinhoe,1894, Ann. Mag. nat. Hist. (6) 14: 442-443, fig. Type(s): India: Assam Khasia (Shillong). Range (in code): IN Meg Ass Khs Slo BD
- 93294. *Chrysartona refulgens* Hampson,1892** (Zygaenidae) Synonym(s): *refulgens* Hampson,1892 Range (in code): MM
- 93295. *Chrysartona stipata* (Walker,1854)** (Zygaenidae) Synonym(s): *stipata* Walker,1854 Range (in code): IN Hp Kgr SI MM ID Sum Ja
- 93296. *Cicinnocnemis magnifica* (Alberti,1957)** (Zygaenidae) Synonym(s): *magnifica* Alberti,1957 Range (in code): ZR
- 93297. *Cicinnocnemis plumipes* (Drury,1782)** (Zygaenidae) Synonym(s): *plumipes* Drury,1782; *cornuta* Holland,1893 Original Reference: Sphinx plumipes Drury,1782, Illustr. exot. Ins. 3: pl.2 fig.3. Range (in code): CM CI SL
- 93298. *Cicinnocnemis saphira* (Aurivillius,1900)** (Zygaenidae) Synonym(s): *saphira* Aurivillius,1900 Range (in code): ZR
- 93299. *Clelea albomacula* (Leech,1898)** (Zygaenidae) Synonym(s): *albomacula* Leech,1898 Range (in code): CN
- 93300. *Clelea chala* (Moore,1859)** (Zygaenidae) Synonym(s): *chala* Moore,1859 Range (in code): ID Ja
- 93301. *Clelea cyanicornis* (Poujade,1886)** (Zygaenidae) Synonym(s): *cyanicornis* Poujade,1886 Range (in code): CN Sz
- 93302. *Clelea discriminis* Swinhoe,1891** (Zygaenidae) Synonym(s): *discriminis* Swinhoe,1891 Range (in code): SI Nag IN
- 93303. *Clelea explorata* M.Hering,1925** (Zygaenidae) Synonym(s): *explorata* M.Hering,1925 Range (in code): PG
- 93304. *Clelea formosana* Strand,1915** (Zygaenidae) Synonym(s): *formosana* Strand,1915; *simplicior* Strand,1915 Range (in code): TW

- 93305. *Clelea fusca* (Leech,1887)** (Zygaenidae) **Synonym(s):** *fusca* Leech,1887; *microphaea* Hampson,1919; *syriaca* Hampson,1919; *maerens* Matsumura,1925 *nec* Stgr.,1887; *sachalinensis* Matsumura,1927
Range (in code): **JP KP KR RU Sh TR SY**
- 93306. *Clelea impellucida* (Graeser,1888)** (Zygaenidae) **Synonym(s):** *impellucida* Graeser,1888
Range (in code): **RU Vv**
- 93307. *Clelea melli* M.Hering,1925** (Zygaenidae) **Synonym(s):** *melli* M.Hering,1925 **Range (in code):** **CN**
- 93308. *Clelea metacyanea* Hampson,1896** (Zygaenidae) **Synonym(s):** *metacyanea* Hampson,1896
Range (in code): **IN Meg Ass Khs**
- 93309. *Clelea metaleuca* Jordan,1907** (Zygaenidae) **Synonym(s):** *metaleuca* Jordan,1907 **Range (in code):** **CN Sz T-T**
- 93310. *Clelea nigroviridis* Elwes,1890** (Zygaenidae) **Synonym(s):** *nigroviridis* Elwes,1890 **Range (in code):** **MM IN Nag Ass PH TW**
- 93311. *Clelea plumbeola* Hampson,1892** (Zygaenidae) **Synonym(s):** *plumbeola* Hampson,1892
Range (in code): **MM BT IN Ass**
- 93312. *Clelea pravata* (Moore,1859)** (Zygaenidae) **Synonym(s):** *pravata* Moore,1859 **Range (in code):** **ID Ja MY Bor PH**
- 93313. *Clelea refulgens* Hampson,1905** (Zygaenidae) **Synonym(s):** *refulgens* Hampson,1905
Range (in code): **MM IN Meg Ass Khs Mpr**
- 93314. *Clelea sapphirina* Walker,1854** (Zygaenidae) **Synonym(s):** *sapphirina* Walker,1854 **Range (in code):** **SI IN MM CN HK**
- 93315. *Clelea simplex* Jordan,1908** (Zygaenidae) **Synonym(s):** *simplex* Jordan,1908 **Range (in code):** **IN Meg Ass Khs**
- 93316. *Clelea syfanicum* (Oberthür,1894)** (Zygaenidae) **Synonym(s):** *syfanicum* Oberthür,1894
Range (in code): **CN Sz**
- 93317. *Clelea variata* (Swinhoe,1892)** (Zygaenidae) **Synonym(s):** *variata* Swinhoe,1892 **Range (in code):** **ID Bch Amb PG Kai**
- 93318. *Cleoda syntomoides* (Walker,[1865])** (Zygaenidae) **Synonym(s):** *syntomoides* Walker,[1865] **Range (in code):** **MY ID Ja**
- 93319. *Coptoproctis languida* Zeller,1852** (Zygaenidae) **Synonym(s):** *languida* Zeller,1852
Range (in code): **ZA**
- 93320. *Corma fragilis* (Walker,1862)** (Zygaenidae) **Synonym(s):** *fragilis* Walker,1862 **Range (in code):** **MY Bor Swk**
- 93321. *Corma laranda* Druce,1896** (Zygaenidae) **Synonym(s):** *laranda* Druce,1896 **Range (in code):** **TH CN**
- 93322. *Corma maculata* Hampson,1892** (Zygaenidae) **Synonym(s):** *maculata* Hampson,1892
Range (in code): **IN Ass MM**
- 93323. *Corma tamsi* Lemeé,1950** (Zygaenidae) **Synonym(s):** *tamsi* Lemeé,1950 **Range (in code):** **VN**
- 93324. *Corma zelica* (Doubleday,1847)** (Zygaenidae) **Synonym(s):** *zelica* Doubleday,1847; *leucomelas* Moore,1886; *neoterica* Swinhoe,1890; *nectarina* Kirby,1892 **Range (in code):** **IN Ass MM Rgo TH**
- 93325. *Corma zenotia* (Doubleday,1847)** (Zygaenidae) **Synonym(s):** *zenotia* Doubleday,1847; *zenotea* Walker,1854; *spoliata* Walker,1864 **Range (in code):** **IN Ass MM Mm TH VN Ton**
- 93326. *Cryptophysophilus bicoloratus* (Semper,1898)** (Zygaenidae) **Synonym(s):** *bicoloratus* Semper,1898 **Range (in code):** **PH Mno Boh**
- 93327. *Cyclosia chartacea* (Swinhoe,1892)** (Zygaenidae) **Synonym(s):** *chartacea* Swinhoe,1892; *chartaceomorpha* M.Hering,1922; *tenebrosa* Jordan,1933; *virgata* Jordan,1933; *dorsalis* Jordan,1933 **Range (in code):** **PH Boh Mno Luz Sam**
- 93328. *Cyclosia curiosa* (Swinhoe,1900)** (Zygaenidae) **Synonym(s):** *curiosa* Swinhoe,1900; *aspasia* Snellen,1903 **Range (in code):** **ID Ja**
- 93329. *Cyclosia danaides* Walker,1864** (Zygaenidae) **Synonym(s):** *danaides* Walker,1864; *rhadamantha* Butler,1877; *triangularis* M.Hering,1922 **Range (in code):** **ID Sum MY Bor Pen**
- 93330. *Cyclosia distant* (Druce,1891)** (Zygaenidae) **Synonym(s):** *distanti* Druce,1891 **Range (in code):** **MY**
- 93331. *Cyclosia dolichoptera* Hampson,1919** (Zygaenidae) **Synonym(s):** *dolichoptera* Hampson,1919 **Range (in code):** **PH Luz**
- 93332. *Cyclosia electra* (Swinhoe,1905)** (Zygaenidae) **Synonym(s):** *electra* Swinhoe,1905 **Range (in code):** **MY Bor**

- 93333. *Cyclosia eucharis* Jordan,1907** (Zygaenidae) Synonym(s): *eucharis* Jordan,1907 Range (in code): MY Pen
- 93334. *Cyclosia hecabe* Jordan,1907** (Zygaenidae) Synonym(s): *hecabe* Jordan,1907 Range (in code): MY Bor Pen
- 93335. *Cyclosia imitans* (Butler,1881)** (Zygaenidae) Synonym(s): *imitans* Butler,1881 Range (in code): TH SI IN BT Ass PH Pal?
- 93336. *Cyclosia inclusa* (Walker,1864)** (Zygaenidae) Synonym(s): *inclusa* Walker,1864; *bicolor* Moore,1879; *inclusa* Swinhoe,1892; *inclusum* Kirby,1892 Range (in code): ID Ja Sum MY Bor IN Ass
- 93337. *Cyclosia inclusoides* M.Hering,1922** (Zygaenidae) Synonym(s): *inclusoides* M.Hering,1922 Range (in code): ID Sum
- 93338. *Cyclosia inornata* (Walker,1864)** (Zygaenidae) Synonym(s): *inornata* Walker,1864; *sobria* Walker,1864; *cuprea* Swinhoe,1891; *tristis* Jordan,1902 Range (in code): MY Bor ID Sum CN Hn TH IN Meg Ass Khs MM
- 93339. *Cyclosia latipennis* Hampson,1891** (Zygaenidae) Synonym(s): *latipennis* Hampson,1891 Range (in code): IN NI
- 93340. *Cyclosia macularia* (Guérin-Ménéville,[1844])** (Zygaenidae) Synonym(s): *macularia* Guérin-Ménéville,[1844]; *metachloros* Walker,1854; *castigata* Walker,1864; *cyanea* Butler,1883; *phonia* Swinhoe,1901; *uniformis* Snellen,1903; *snelleni* Jordan,1907; *purpurea* Jordan,1907; *violetta* Van Eecke,1919; *transita* M.Hering,1922 Range (in code): ID Nia Ja Sme Baw Sum MY Bor
- 93341. *Cyclosia midama* (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *midama* Herrich-Schäffer,1853; *venusta* Walker,1854; *submaculans* Walker,1859; *spilophila* Walker,1869; *juvenis* Butler,1879; *terpsichrois* Butler,1883; *stelligera* Butler,1887; *striata* Druce,1891; *padangana* Jordan,1907 Range (in code): ID Nia Sum Bor MY SG Ja Tns MM LK BD Syl BT TH SI IN Ass
- 93342. *Cyclosia nivipetens* Walker,1863** (Zygaenidae) Synonym(s): *nivipetens* Walker,1863; *panthona* Swinhoe,1890; *suffusa* M.Hering,1922 Range (in code): MY Bor Sum ID
- 93343. *Cyclosia pagenstecheri* (Grünberg,1908)** (Zygaenidae) Synonym(s): *pagenstecheri* Grünberg,1908 Range (in code): PH Pal
- 93344. *Cyclosia panthona* (Stoll,[1780])** (Zygaenidae) Synonym(s): *panthona* Stoll,[1780] Range (in code): CN HK IN Mrg MM LK TH CMa CDo Phr Phi Bionomy: Larva on leaf of weed (Lewvanich,2001).
- 93345. *Cyclosia papilionaris* (Drury,[1782])** (Zygaenidae) Synonym(s): *papilionaris* Drury,[1782]; *venaria* Fabricius,1775; *ferrea* Walker,1854; *nigrescens* Moore,1877; *parvula* Butler,1883; *australinda* Hampson,1891; *latipennis* Hampson,1891; *enodis* Swinhoe,1892; *nicobarensis* M.Hering,1922; *philippinensis* Draeseke,1924 Range (in code): CN Hn Ton VN TH CRa Pbu Cbi MY ID Sum Ja MM Mrg Shn Tns IN NI Adm Nk Ass BT SI PH Bionomy: Larva on *Baccaurea ramiflora* (Euphorbiaceae) [mafa], *Macadamia integrifolia* (Proteaceae) [macadamia nut] (Lewvanich,2001).
- 93346. *Cyclosia parantica* Holloway,1982** (Zygaenidae) Synonym(s): *parantica* Holloway,1982 Range (in code): MY Bor ID Sum
- 93347. *Cyclosia perakensis* M.Hering,1922** (Zygaenidae) Synonym(s): *perakensis* M.Hering,1922 Range (in code): MY Prk
- 93348. *Cyclosia philippinensis* Draeseke,1924** (Zygaenidae) Synonym(s): *philippinensis* Draeseke,1924 Range (in code): PH Luz
- 93349. *Cyclosia pieridoides* (Herrich-Schäffer,1853)** (Zygaenidae) Synonym(s): *pieridoides* Herrich-Schäffer,1853; *glaucia* Walker,1856; *hestinoides* Walker,1862; *binghami* Butler,1882; *melasina* Jordan,1892; *cyanescens* Hampson,1895; *virgo* Jordan,1907; *bangkana* M.Hering,1922; *labuana* M.Hering,1922 Range (in code): MY Bor Swk VN Ton ID Bgk Sum Nia Ja MM Tns TH
- 93350. *Cyclosia pieroides* Walker,1862** (Zygaenidae) Synonym(s): *pieroides* Walker,1862; *ficta* Walker,1862; *subflava* Moore,1879; *lactea* Butler,1883; *pandemia* Rothschild,1896; *transitaria* M.Hering,1922; *sumatrensis* M.Hering,1922 Range (in code): MY Bor Swk Shh KBa ID Ja Sum
- 93351. *Cyclosia podagra* (Swinhoe,1908)** (Zygaenidae) Synonym(s): *podagra* Swinhoe,1908 Range (in code): ID Sum
- 93352. *Cyclosia pseudospargens* M.Hering,1922** (Zygaenidae) Synonym(s): *pseudospargens* M.Hering,1922 Range (in code): PH Mno
- 93353. *Cyclosia sordida* (Walker,1862)** (Zygaenidae) Synonym(s): *sordida* Walker,1862; *insularis* Swinhoe,1892; *bungauensis* Schultze,1925 Range (in code): PH Taw SG Bor Swk MY Pen ID Sum
- 93354. *Cyclosia spargens* Walker,1864** (Zygaenidae) Synonym(s): *spargens* Walker,1864; *celebensis* Rothschild,1899; *luteago* Jordan,1907 Range (in code): ID Clb
- 93355. *Cyclosia tamara* M.Hering,1922** (Zygaenidae) Synonym(s): *tamara* M.Hering,1922 Range (in code): ID Clb

- 93356. *Cyclosia thecloides* (Walker,1862)** (Zygaenidae) Synonym(s): *thecloides* Walker,1862; *uniformis* Butler,1877; *olivescens* Snellen,1880 Range (in code): MY Bor Swk ID Clb Sum
- 93357. *Cyclosia unicolor* Hampson,[1920]** (Zygaenidae) Synonym(s): *unicolor* Hampson,[1920] Range (in code): MY Bor
- 93358. *Dilophura caudata* (Jordan,1907)** (Zygaenidae) Synonym(s): *caudata* Jordan,1907 Range (in code): ZA
- 93359. *Docleomorpha boholica* (Semper,1898)** (Zygaenidae) Synonym(s): *boholica* Semper,1898 Range (in code): PH Boh
- 93360. *Docleopsis boradioides* (Semper,1898)** (Zygaenidae) Synonym(s): *boradioides* Semper,1898 Range (in code): PH Luz
- 93361. *Docleopsis dohertyi* (Rothschild,1899)** (Zygaenidae) Synonym(s): *dohertyi* Rothschild,1899 Range (in code): ID Clb
- 93362. *Docleopsis duganga* (Semper,1898)** (Zygaenidae) Synonym(s): *duganga* Semper,1898 Range (in code): PH Mno
- 93363. *Docleopsis fumigata* (Rothschild,1899)** (Zygaenidae) Synonym(s): *fumigata* Rothschild,1899 Range (in code): ID Clb
- 93364. *Docleopsis stigma* (Rothschild,1899)** (Zygaenidae) Synonym(s): *stigma* Rothschild,1899 Range (in code): ID Clb
- 93365. *Docleopsis sulaensis* Jordan,1907** (Zygaenidae) Synonym(s): *sulaensis* Jordan,1907 Range (in code): ID Sla
- 93366. *Docleopsis zamboanga* (Semper,1898)** (Zygaenidae) Synonym(s): *zamboanga* Semper,1898 Range (in code): PH Mno
- 93367. *Elcysma delavayi* Oberthür,1891** (Zygaenidae) Synonym(s): *delavayi* Oberthür,1891 Range (in code): CN
- 93368. *Elcysma dohertyi* Elwes,1890** (Zygaenidae) Synonym(s): *dohertyi* Elwes,1890 Range (in code): IN Ass Nag
- 93369. *Elcysma westwoodii* (Vollenhoven,1863)** (Zygaenidae) Synonym(s): *westwoodii* Vollenhoven,1863; *translucida* Butler,1881 Range (in code): JP RU Am
- 93370. *Elcysma westwoodii caudata* (Bremer,1864)** (Zygaenidae) Synonym(s): *caudata* Bremer,1864 Range (in code): RU Am
- 93371. *Elcysma westwoodii westwoodii* (Vollenhoven,1863)** (Zygaenidae) Synonym(s): *westwoodii* Vollenhoven,1863; *translucida* Butler,1881 Range (in code): JP
- 93372. *Ephemerioidea ariel* Hampson,1892** (Zygaenidae) Synonym(s): *ariel* Hampson,1892 Range (in code): MM Bmy
- 93373. *Ephemerioidea cyanea* Jordan,1908** (Zygaenidae) Synonym(s): *cyanea* Jordan,1908 Range (in code): IN Meg Ass Khs
- 93374. *Ephemerioidea flavocincta* Hampson,1892** (Zygaenidae) Synonym(s): *flavocincta* Hampson,1892 Range (in code): MM Mte
- 93375. *Ephemerioidea virescens* Snellen,[1902]** (Zygaenidae) Synonym(s): *virescens* Snellen,[1902] Range (in code): ID Sum Ja
- 93376. *Epiorna abessynica* (Koch,1865)** (Zygaenidae) Synonym(s): *abessynica* Koch,1865; *holoxanthina* Mabille,1892; *procrioides* Butler,1893; *xanthosoma* Jordan,1907 Range (in code): ET SD SO UG
- 93377. *Epiorna ochreipennis* (Butler,1874)** (Zygaenidae) Synonym(s): *ochreipennis* Butler,1874; *tricolorata* Westwood,1881; *nigromarginata* Bethune-Baker,1911; *occidentalis* M.Hering,1929 Range (in code): ZA Nta Kzu Tva MZ Del ZW ZM
- 93378. *Erasmia pulchella* Hope,1841** (Zygaenidae) Synonym(s): *pulchella* Hope,1840; *#cyanea* Jordan,1907; *hainana* Jordan,1907; *chinensis* Hering,1922 Original Reference: Erasmia pulchella Hope,1840, Trans. linn. Soc. London 18: 446, pl.31 fig.5. Range (in code): TW CN Hn HK MM IN Ass Meg SI TH JP
- 93379. *Erasmia pulchella fritzei* Jordan,1907** (Zygaenidae) Synonym(s): *fritzei* Jordan,1907 Original Reference: Erasmia pulchella ssp. fritzei Jordan,1907, [in] Seitz,A., Die Gross-Schmett. Erde 10: 24. Type: [Japan]: Okinawa. Range (in code): JP TH
- 93380. *Erasmia pulchella hobsoni* Butler,1889** (Zygaenidae) Synonym(s): *hobsoni* Butler,1889; *#conjuncta* Strand,1916 Original Reference: Erasmia pulchella ssp. hobsoni Butler,1889, Ann. Mag. nat. Hist. (6) 4: 53. Type: Formosa. Range (in code): TW
- 93381. *Erasmia pulchella kumageana* Inoue,1975** (Zygaenidae) Synonym(s): *kumageana* Inoue,1975 Range (in code): JP

- 93382. *Erasmia pulchella nipponica* Inoue,1976** (Zygaenidae) **Synonym(s):** *nipponica* Inoue,1976 **Range (in code):** **JP**
- 93383. *Erasmia pulchella pulchella* Hope,1841** (Zygaenidae) **Synonym(s):** *pulchella* Hope,1841; *#cyanea* Jordan,1907; *hainana* Jordan,1907; *chinensis* Hering,1922 **Original Reference:** *Erasmia pulchella* Hope,1840, Trans. linn. Soc. London 18: 446, pl.31 fig.5. **Range (in code):** **MM IN Ass Meg SI**
- 93384. *Erasmia pulchella sakisimana* Inoue,1976** (Zygaenidae) **Synonym(s):** *sakisimana* Inoue,1976 **Range (in code):** **JP**
- 93385. *Erasmia sangaica* Moore,1877** (Zygaenidae) **Synonym(s):** *sangaica* Moore,1877; *shanghaica* Jordan,1907 **Range (in code):** **CN JP**
- 93386. *Erasmiphleboecta picturata* (Wileman,1910)** (Zygaenidae) **Synonym(s):** *picturata* Wileman,1910 **Range (in code):** **TW**
- 93387. *Eterusia aedea* (Linnaeus,1763)** (Zygaenidae) **Synonym(s):** *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881; **Range (in code):** **IN SI Dj MM Krh BT Khs Ass Meg TH CMa CDo Hn VN Ton BD Slo CN Ti Sz T-T Kig Fkn Hun Hpe Tkg LK TW JP**
- 93388. *Eterusia aedea aedea* (Linnaeus,1763)** (Zygaenidae) **Synonym(s):** *aedea* Linnaeus,1763; *edocla* Doubleday,1844; *signata* Möschler,1872; *magnifica* Butler,1879; *dulcis* Butler,1881; **Range (in code):** **IN SI Dj MM Krh BT Khs Ass Meg TH CMa CDo Hn VN Ton BD Slo**
- 93389. *Eterusia aedea azumai* Owada,2001** (Zygaenidae) **Synonym(s):** *azumai* Owada,2001 **Range (in code):** **JP**
- 93390. *Eterusia aedea cingala* Moore,1877** (Zygaenidae) **Synonym(s):** *cingala* Moore,1877; *septentrionica* C.Felder & R.Felder,1862 **Range (in code):** **LK**
- 93391. *Eterusia aedea formosana* Jordan,1907** (Zygaenidae) **Synonym(s):** *formosana* Jordan,1907; *#postlutea* Strand,1916 **Range (in code):** **TW**
- 93392. *Eterusia aedea hamajii* Owada,2001** (Zygaenidae) **Synonym(s):** *hamajii* Owada,2001 **Range (in code):** **JP**
- 93393. *Eterusia aedea masatakasatoi* Owada,2001** (Zygaenidae) **Synonym(s):** *masatakasatoi* Owada,2001 **Range (in code):** **JP**
- 93394. *Eterusia aedea micromaculata* Inoue,1982** (Zygaenidae) **Synonym(s):** *micromaculata* Inoue,1982 **Range (in code):** **JP**
- 93395. *Eterusia aedea okinawana* Matsumura,1931** (Zygaenidae) **Synonym(s):** *#okinawana* Matsumura,1927; *okinawana* Matsumura,1931; *ishigakiana* Inoue,1982 **Range (in code):** **JP**
- 93396. *Eterusia aedea sakaguchii* Matsumura,1927** (Zygaenidae) **Synonym(s):** *sakaguchii* Matsumura,1927 **Range (in code):** **JP**
- 93397. *Eterusia aedea sinica* Ménétriés,1857** (Zygaenidae) **Synonym(s):** *sinica* Ménétriés,1857 **Range (in code):** **CN Ti Sz T-T Kig Fkn Hun Hpe Tkg**
- 93398. *Eterusia aedea sugitanii* Matsumura,1927** (Zygaenidae) **Synonym(s):** *sugitanii* Matsumura,1927; *okinoshimensis* Esaki & Inoue,1956 **Range (in code):** **JP**
- 93399. *Eterusia aedea tomokunii* Owada,1989** (Zygaenidae) **Synonym(s):** *tomokunii* Owada,1989 **Range (in code):** **JP**
- 93400. *Eterusia aedea virescens* (Butler,1881)** (Zygaenidae) **Synonym(s):** *virescens* Butler,1881 **Range (in code):** **IN**
- 93401. *Eterusia culoti* Oberthür,1910** (Zygaenidae) **Synonym(s):** *culoti* Oberthür,1910 **Range (in code):** **CN**
- 93402. *Eterusia distincta* Guérin-Ménéville,1830** (Zygaenidae) **Synonym(s):** *distincta* Guérin-Ménéville,1830 **Range (in code):** **MM MY Bor ID Sum Ja** **Bionomy:** Larva on *Syzigium densiflora*, *Melastoma polyanthum* (Barlow,1982).
- 93403. *Eterusia feminata* Kishida & Endo,1999** (Zygaenidae) **Synonym(s):** *feminata* Kishida & Endo,1999 **Range (in code):** **PH Mno**
- 93404. *Eterusia joiceyi* Talbot,1929** (Zygaenidae) **Synonym(s):** *joiceyi* Talbot,1929 **Range (in code):** **ID Sum**
- 93405. *Eterusia lacreuzei* Oberthür,1910** (Zygaenidae) **Synonym(s):** *lacreuzei* Oberthür,1910 **Range (in code):** **CN**
- 93406. *Eterusia lativitta* Moore,1879** (Zygaenidae) **Synonym(s):** *lativitta* Moore,1879; *fasciata* Möschler,1872 **Range (in code):** **IN SI DjI Ass Meg Khs Nag BD Syl**
- 93407. *Eterusia ni* (Swinhoe,1919)** (Zygaenidae) **Synonym(s):** *ni* Swinhoe,1919 **Range (in code):** **MM Tns**

- 93408. *Eterusia nobuoi* Owada,1996** (Zygaenidae) Synonym(s): *nobuoi* Owada,1996 Range (in code): VN
- 93409. *Eterusia proprimarginata* Prout,1918** (Zygaenidae) Synonym(s): *proprimarginata* Prout,1918 Range (in code): CN
- 93410. *Eterusia raja* Moore,1859** (Zygaenidae) Synonym(s): *raja* Moore,1859; *#rajah* Jordan,1907 Range (in code): IN SI Djl Ass
- 93411. *Eterusia repleta* Walker,1864** (Zygaenidae) Synonym(s): *repleta* Walker,1864; *alompra* Moore,1879; *urania* Schaus,1890 Original Reference: *Eterusia repleta* Walker,1864, List Specimens lepid. Insects Colln Br. Mus. 31: 118. Range (in code): KH IN MM TH CMa Cuo
- 93412. *Eterusia subcyanea* Walker,1854** (Zygaenidae) Synonym(s): *subcyanea* Walker,1854; *scintillans* Herrich-Schäffer,1854 Range (in code): ID Ja
- 93413. *Eterusia sublutea* Walker,1854** (Zygaenidae) Synonym(s): *sublutea* Walker,1854 Original Reference: *Eterusia sublutea* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 436. Type ♂: [Bangladesh]; Sylhet. Range (in code): BD Syl TH CMa
- 93414. *Eterusia subnigra* Bethune-Baker,1911** (Zygaenidae) Synonym(s): *subnigra* Bethune-Baker,1911 Range (in code): PG
- 93415. *Eterusia taiwana* Wileman,1911** (Zygaenidae) Synonym(s): *formosana* Wileman,1911 nec Jdn.,1907; *taiwana* Wileman,1911; *formosibia* Strand,1916 Range (in code): TW
- 93416. *Eterusia tricolor* Hope,1840** (Zygaenidae) Synonym(s): *tricolor* Hope,1840; *trimacula* Möschler,1872 Range (in code): TH CMa CDo CN IN SI BT Ass MM
- 93417. *Eterusia venus* (Rothschild,1915)** (Zygaenidae) Synonym(s): *venus* Rothschild,1915 Range (in code): ID Ij
- 93418. *Eterusia vitessa* Yen,2003** (Zygaenidae) Synonym(s): *vitessa* Yen,2003 Range (in code): PH Mno
- 93419. *Eterusia watanabei* Inoue,1982** (Zygaenidae) Synonym(s): *watanabei* Inoue,1982 Range (in code): JP
- 93420. *Eucorma euphaena* Jordan,1907** (Zygaenidae) Synonym(s): *euphaena* Jordan,1907 Range (in code): ID Clb
- 93421. *Eucorma hampsoni* (Holland,1900)** (Zygaenidae) Synonym(s): *hampsoni* Holland,1900 Range (in code): ID Bru
- 93422. *Eucorma intercisa* (Walker,1854)** (Zygaenidae) Synonym(s): *intercisa* Walker,1854 Range (in code): ID Ja
- 93423. *Eucorma obliquaria* (Fabricius,1787)** (Zygaenidae) Synonym(s): *obliquaria* Fabricius,1787; *subdives* Walker,1854; *transversa* Walker,1864; *eusemioides* R.Felder & Rogenhofer,1874 Range (in code): ID Nia Sum Ja Clb MY Bor TH
- 93424. *Eucorma obliquaria zebra* (Butler,1884)** (Zygaenidae) Synonym(s): *zebra* Butler,1884; *laja* Pagenstecher,1885; *interrupta* M.Hering,1922 Range (in code): ID Nia
- 93425. *Eucormopsis lampra* Jordan,1907** (Zygaenidae) Synonym(s): *lampra* Jordan,1907; *baluensis* M.Hering,1922 Range (in code): MY Bor Sbh KBa ID Ja
- 93426. *Eumorphiopais iris* Tarmann,1992** (Zygaenidae) Synonym(s): *iris* Tarmann,1992 Range (in code): ID Sum
- 93427. *Eumorphiopais leis* (Swinhoe,1894)** (Zygaenidae) Synonym(s): *leis* Swinhoe,1894 Range (in code): IN Ass
- 93428. *Eumorphiopais quadriplaga* M.Hering,1922** (Zygaenidae) Synonym(s): *quadriplaga* M.Hering,1922 Range (in code): MY Bor
- 93429. *Eusphalera aurantidiscus* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *aurantidiscus* Joicey & Talbot,1922 Range (in code): PG
- 93430. *Eusphalera bellula* Kishida & Endo,1999** (Zygaenidae) Synonym(s): *bellula* Kishida & Endo,1999 Range (in code): PH Mno
- 93431. *Eusphalera bicolora* Bethune-Baker,1908** (Zygaenidae) Synonym(s): *bicolora* Bethune-Baker,1908 Range (in code): PG
- 93432. *Eusphalera buergesi* M.Hering,1922** (Zygaenidae) Synonym(s): *buergesi* M.Hering,1922 Range (in code): PG
- 93433. *Eusphalera cadmium* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *cadmium* Joicey & Talbot,1922 Range (in code): PG
- 93434. *Eusphalera casta* Jordan,1915** (Zygaenidae) Synonym(s): *casta* Jordan,1915 Range (in code): PG

- 93435. *Eusphalera flavifrons* Jordan,1912** (Zygaenidae) Synonym(s): *flavifrons* Jordan,1912
Range (in code): PG
- 93436. *Eusphalera hampsoni* (Holland,1900)** (Zygaenidae) Synonym(s): *hampsoni* Holland,1900 Range (in code): ID Bru
- 93437. *Eusphalera janthina* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *janthina* Joicey & Talbot,1922 Range (in code): ID Crm
- 93438. *Eusphalera jordani* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *jordani* Joicey & Talbot,1922 Range (in code): PG
- 93439. *Eusphalera ligata* (Rothschild,1903)** (Zygaenidae) Synonym(s): *ligata* Rothschild,1903
Range (in code): PG
- 93440. *Eusphalera lutescens* Bethune-Baker,1908** (Zygaenidae) Synonym(s): *lutescens* Bethune-Baker,1908 Range (in code): PG
- 93441. *Eusphalera milionioides* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *milionioides* Joicey & Talbot,1922 Range (in code): PG
- 93442. *Eusphalera multicolor* Jordan,1925** (Zygaenidae) Synonym(s): *multicolor* Jordan,1925
Range (in code): PG Nir
- 93443. *Eusphalera nigrovata* Bethune-Baker,1908** (Zygaenidae) Synonym(s): *nigrovata* Bethune-Baker,1908 Range (in code): PG
- 93444. *Eusphalera permitens* Jordan,1925** (Zygaenidae) Synonym(s): *permitens* Jordan,1925
Range (in code): PG
- 93445. *Eusphalera picturata* (Talbot & Joicey,1992)** (Zygaenidae) Synonym(s): *picturata* Talbot & Joicey,1992 Range (in code): PG
- 93446. *Eusphalera pratti* Bethune-Baker,1908** (Zygaenidae) Synonym(s): *pratti* Bethune-Baker,1908 Range (in code): PG
- 93447. *Eusphalera regina* (Rothschild,1903)** (Zygaenidae) Synonym(s): *regina* Rothschild,1903
Range (in code): PG
- 93448. *Eusphalera satisbonensis* Jordan,1915** (Zygaenidae) Synonym(s): *satisbonensis* Jordan,1915 Range (in code): PG
- 93449. *Eusphalera semiflava* Rothschild,1904** (Zygaenidae) Synonym(s): *semiflava* Rothschild,1904 Range (in code): PG
- 93450. *Eusphalera splendens* Bethune-Baker,1908** (Zygaenidae) Synonym(s): *splendens* Bethune-Baker,1908 Range (in code): PG
- 93451. *Eusphalera subnigra* (Bethune-Baker,1911)** (Zygaenidae) Synonym(s): *subnigra* Bethune-Baker,1911 Range (in code): PG
- 93452. *Eusphalera uniens* Hulstaert,1924** (Zygaenidae) Synonym(s): *uniens* Hulstaert,1924
Range (in code): PG
- 93453. *Eusphalera venus* (Rothschild,1915)** (Zygaenidae) Synonym(s): *venus* Rothschild,1915
Range (in code): PG
- 93454. *Euxanthopyge hexophthalma* M.Hering,1922** (Zygaenidae) Synonym(s): *hexophthalma* M.Hering,1922 Range (in code): PG ID Clb
- 93455. *Euxanthopyge toxopeii* Roepke,1943** (Zygaenidae) Synonym(s): *toxopeii* Roepke,1943
Range (in code): ID Clb
- 93456. *Euxanthopyge yazakii* (Kishida & Endo,1999)** (Zygaenidae) Synonym(s): *yazakii* Kishida & Endo,1999 Range (in code): ID Clb
- 93457. *Formozygaena shibatai* Inoue,1987** (Zygaenidae) Synonym(s): *shibatai* Inoue,1987
Range (in code): TW
- 93458. *Goe dentata* Efetov,1998** (Zygaenidae) Synonym(s): *dentata* Efetov,1998 Range (in code): CN Hun
- 93459. *Goe diaphana* Hampson,[1893]** (Zygaenidae) Synonym(s): *diaphana* Hampson,[1893]
Range (in code): MM
- 93460. *Goe heringi* (Draeseke,1926)** (Zygaenidae) Synonym(s): *heringi* Draeseke,1926 Range (in code): CN Sz
- 93461. *Goe tarmanni* Efetov,1998** (Zygaenidae) Synonym(s): *tarmanni* Efetov,1998 Range (in code): CN Sz
- 93462. *Gyneutocera papilionaris* Guérin-Méneville,1831** (Zygaenidae) Synonym(s): *papilionaris* Guérin-Méneville,1831; *seline* Kollar,[1844]; *fraterna* Moore,1883; *zara* Swinhoe,1891 Original

- Reference: *Gyneutocera papilionaris* Guérin-Méneville, 1831, Mag. Zool. 1830: 12. Range (in code): **BD Syl IN Clc Ch Ass Meg Khs TH VN Ton**
- 93463. *Gyneutocera philomela* Herrich-Schäffer, 1853** (Zygaenidae) Synonym(s): *philomela* Herrich-Schäffer, 1853; *virescens* C.Felder & R.Felder, 1862; *buruensis* Rothschild, 1899; *celebensis* Rothschild, 1899; *reducta* Rothschild, 1899; *pavo* Dohrn, 1899; *philippinensis* M.Hering, 1922; *djilolensis* M.Hering, 1922 Range (in code): **ID Bch Amb Hlm Sum Ja Lb Bru Clb PH Luz**
- 93464. *Gyneutocera rubriscutellata* M.Hering, 1922** (Zygaenidae) Synonym(s): *rubriscutellata* M.Hering, 1922 Range (in code): **TW**
- 93465. *Gyneutocera zera* Swinhoe, 1891** (Zygaenidae) Synonym(s): *zera* Swinhoe, 1891 Range (in code): **VN**
- 93466. *Hampsonia pulcherrima* Swinhoe, 1894** (Zygaenidae) Synonym(s): *pulcherrima* Swinhoe, 1894 Range (in code): **IN Meg Ass Khs**
- 93467. *Hampsonia weharai* Owada & Horie, 2002** (Zygaenidae) Synonym(s): *weharai* Owada & Horie, 2002 Range (in code): **VN**
- 93468. *Harrisina americana* Guérin-Méneville, 1829** (Zygaenidae) Synonym(s): *americana* Guérin-Méneville, 1829 Range (in code): **US**
- 93469. *Hemiscia albivitta* (Rothschild, 1899)** (Zygaenidae) Synonym(s): *albivitta* Rothschild, 1899 Range (in code): **PG**
- 93470. *Hemiscia meeki* (Rothschild, 1896)** (Zygaenidae) Synonym(s): *meeki* Rothschild, 1896 Range (in code): **PG**
- 93471. *Hemiscia parthenia* Jordan, 1930** (Zygaenidae) Synonym(s): *parthenia* Jordan, 1930 Range (in code): **PG**
- 93472. *Hemiscia xenia* M.Hering, 1922** (Zygaenidae) Synonym(s): *xenia* M.Hering, 1922 Range (in code): **Hm ID**
- 93473. *Herpidia eupompa* (Swinhoe, 1897)** (Zygaenidae) Synonym(s): *eupompa* Swinhoe, 1897 Range (in code): **IN Ass Meg Khs**
- 93474. *Herpidia* sp.** (Zygaenidae) Synonym(s): Range (in code): **LA**
- 93475. *Heteropanula flavimacula* (Hampson, 1892)** (Zygaenidae) Synonym(s): *flavimacula* Hampson, 1892 Range (in code): **MM**
- 93476. *Heterusinula dichroa* (Jordan, 1907)** (Zygaenidae) Synonym(s): *dichroa* Jordan, 1907 Range (in code): **IN Meg Ass Khs MY Bor Swk**
- 93477. *Histia albimacula* Hampson, 1892** (Zygaenidae) Synonym(s): *albimacula* Hampson, 1892 Range (in code): **MM TH**
- 93478. *Histia dolens* Druce, 1888** (Zygaenidae) Synonym(s): *dolens* Druce, 1888 Range (in code): **ID Clb**
- 93479. *Histia eurhodia* Jordan, 1907** (Zygaenidae) Synonym(s): *eurhodia* Jordan, 1907 Range (in code): **PH Luz**
- 93480. *Histia flabellicornis* (Fabricius, 1775)** (Zygaenidae) Synonym(s): *flabellicornis* Fabricius, 1775; *rhodope* Cramer, 1775; *flabelliformis* Gmelin, [1793] Range (in code): **MM Tns Shn TH CMa TW**
- 93481. *Histia flabellicornis cometaris* Butler, 1882** (Zygaenidae) Synonym(s): *cometaris* Butler, 1882 Original Reference: *Histia rhodope* ssp. *cometaris* Butler, 1882, Ann. Mag. nat. Hist. (5) 10: 374. Range (in code): **MM Tns Shn TH CMa**
- 93482. *Histia flabellicornis ultima* M.Hering, 1922** (Zygaenidae) Synonym(s): *ultima* M.Hering, 1922 Range (in code): **TW**
- 93483. *Histia libelluloides* (Herrich-Schäffer, 1853)** (Zygaenidae) Synonym(s): *libelluloides* Herrich-Schäffer, 1853 Range (in code): **ID Ja**
- 93484. *Histia nigradorsalis* Röber, 1925** (Zygaenidae) Synonym(s): *nigradorsalis* Röber, 1925 Range (in code): **ID Ja**
- 93485. *Histia porphyropyga* (M.Hering, 1925)** (Zygaenidae) Synonym(s): *porphyropyga* M.Hering, 1925 Range (in code): **ID Clb**
- 93486. *Homophylotis aenea* Jordan, 1925** (Zygaenidae) Synonym(s): *aenea* Jordan, 1925 Range (in code): **PG Nir**
- 93487. *Homophylotis assimilis* Jordan, 1908** (Zygaenidae) Synonym(s): *assimilis* Jordan, 1908 Range (in code): **MY Prk**
- 93488. *Homophylotis leptis* Jordan, 1907** (Zygaenidae) Synonym(s): *leptis* Jordan, 1907 Range (in code): **AO**

- 93489. Homophylotis melaleuca Jordan,1908** (Zygaenidae) Synonym(s): *melaleuca Jordan,1908* Range (in code): PG
- 93490. Homophylotis nigra (Hampson,1892)** (Zygaenidae) Synonym(s): *nigra Hampson,1892* Range (in code): MM Bmy
- 93491. Homophylotis purpurata Jordan,1908** (Zygaenidae) Synonym(s): *purpurata Jordan,1908* Range (in code): PG
- 93492. Homophylotis sciara Jordan,1908** (Zygaenidae) Synonym(s): *sciara Jordan,1908* Range (in code): ID Amb
- 93493. Homophylotis xanthosoma Jordan,1908** (Zygaenidae) Synonym(s): *xanthosoma Jordan,1908* Range (in code): ID Sla
- 93494. Hysteroscene extravagans M.Hering,1925** (Zygaenidae) Synonym(s): *#annulatissima Strand,1915; extravagans M.Hering,1925* Range (in code): TW
- 93495. Hysteroscene hyalina (Leech,1889)** (Zygaenidae) Synonym(s): *hyalina Leech,1889; #univittata Strand,1915; univittata M.Hering,1925* Range (in code): CN Ui TW
- 93496. Hysteroscene melli M.Hering,1925** (Zygaenidae) Synonym(s): *melli M.Hering,1925* Range (in code): CN
- 93497. Illiberis (Hedina) nigra (Leech,[1889])** (Zygaenidae) Synonym(s): *nigra Leech,[1889]* Range (in code): JP
- 93498. Illiberis (Hedina) taiwana Efetov,1997** (Zygaenidae) Synonym(s): *taiwana Efetov,1997* Range (in code): TW
- 93499. Illiberis (Hedina) vietnama Efetov,1997** (Zygaenidae) Synonym(s): *vietnama Efetov,1997* Range (in code): VN Ton Fan
- 93500. Illiberis (Primilliberis) rotundata Jordan,1907** (Zygaenidae) Synonym(s): *rotundata Jordan,1907* Range (in code): RU Am CN
- 93501. Illiberis (Primilliberis) yeni Efetov,1997** (Zygaenidae) Synonym(s): *yeni Efetov,1997* Range (in code): TW
- 93502. Illiberis albiventris Alberti,1954** (Zygaenidae) Synonym(s): *albiventris Alberti,1954* Range (in code): CN
- 93503. Illiberis aomoriensis Matsumura,1927** (Zygaenidae) Synonym(s): *aomoriensis Matsumura,1927* Range (in code): JP
- 93504. Illiberis assimilis Jordan,1907** (Zygaenidae) Synonym(s): *assimilis Jordan,1907* Range (in code): KP KR
- 93505. Illiberis coreana Matsumura,1927** (Zygaenidae) Synonym(s): *coreana Matsumura,1927* Range (in code): KP KR
- 93506. Illiberis cyanocera (Hampson,1892)** (Zygaenidae) Synonym(s): *cyanocera Hampson,1892; ignea Oberthür,1894* Range (in code): MM
- 93507. Illiberis dirce Leech,1888** (Zygaenidae) Synonym(s): *dirce Leech,1888* Range (in code): KP KR CN
- 93508. Illiberis distinctus Kardakoff,1928** (Zygaenidae) Synonym(s): *distinctus Kardakoff,1928* Range (in code): RU Vv
- 93509. Illiberis elegans Poujade,1886** (Zygaenidae) Synonym(s): *elegans Poujade,1886* Range (in code): CN Hun
- 93510. Illiberis endocyanea Hampson,1919** (Zygaenidae) Synonym(s): *endocyanea Hampson,1919* Range (in code): IN Ass
- 93511. Illiberis formosensis Strand,1914** (Zygaenidae) Synonym(s): *formosensis Strand,1914* Range (in code): TW
- 93512. Illiberis fujisana Matsumura,1927** (Zygaenidae) Synonym(s): *fujisana Matsumura,1927* Range (in code): JP
- 93513. Illiberis fuliginosa (Moore,1879)** (Zygaenidae) Synonym(s): *fuliginosa Moore,1879* Range (in code): IN SI Djl
- 93514. Illiberis glaucosquamata Strand,1915** (Zygaenidae) Synonym(s): *glaucosquamata Strand,1915* Range (in code): TW
- 93515. Illiberis horishana Matsumura,1931** (Zygaenidae) Synonym(s): *horishana Matsumura,1931* Range (in code): TW
- 93516. Illiberis hyalina (Staudinger,1887)** (Zygaenidae) Synonym(s): *hyalina Staudinger,1887; consimilis Leech,1898; hyaliana Matsumura,1927* Range (in code): RU Vv JP CN Sz

- 93517. Illiberis kaszabi Daniel,1970** (Zygaenidae) Synonym(s): *kaszabi Daniel,1970* Range (in code): MN
- 93518. Illiberis laeva Püngeler,1914** (Zygaenidae) Synonym(s): *laeva Püngeler,1914* Range (in code): CN
- 93519. Illiberis ochracea Leech,1898** (Zygaenidae) Synonym(s): *ochracea Leech,1898* Range (in code): CN
- 93520. Illiberis phacusana Strand,1915** (Zygaenidae) Synonym(s): *phacusana Strand,1915* Range (in code): TW
- 93521. Illiberis pruni Dyar,1905** (Zygaenidae) Synonym(s): *pruni Dyar,1905* Range (in code): JP
- 93522. Illiberis psychina (Oberthür,1880)** (Zygaenidae) Synonym(s): *psychina Oberthür,1880* Range (in code): RU Us Vv Ask
- 93523. Illiberis serrata Alberti,1954** (Zygaenidae) Synonym(s): *serrata Alberti,1954* Range (in code): CN Yu
- 93524. Illiberis sinensis Walker,1854** (Zygaenidae) Synonym(s): *sinensis Walker,1854* Range (in code): CN JP
- 93525. Illiberis taikozana (Matsumura,1927)** (Zygaenidae) Synonym(s): *taikozana Matsumura,1927* Range (in code): TW
- 93526. Illiberis tenuis (Butler,1877)** (Zygaenidae) Synonym(s): *tenuis Butler,1877* Range (in code): JP RU Am CN Mc
- 93527. Illiberis transvena Jordan,1907** (Zygaenidae) Synonym(s): *transvena Jordan,1907* Range (in code): CN
- 93528. Illiberis ulmivora Graeser,1888** (Zygaenidae) Synonym(s): *ulmivora Graeser,1888* Range (in code): RU Am
- 93529. Illiberis ussuriensis Alberti,1951** (Zygaenidae) Synonym(s): *ussuriensis Alberti,1951* Range (in code): RU Us
- 93530. Illiberis yunnanensis Alberti,1951** (Zygaenidae) Synonym(s): *yunnanensis Alberti,1951* Range (in code): CN Sz Yu
- 93531. Inouela exiguitata Inoue,1976** (Zygaenidae) Synonym(s): *exiguitata Inoue,1976* Range (in code): JP
- 93532. Inouela formosensis Efetov,1999** (Zygaenidae) Synonym(s): *formosensis Efetov,1999* Range (in code): TW
- 93533. Janseola titaea (Druce,1896)** (Zygaenidae) Synonym(s): *titaea Druce,1896; #fitaea Swierstra,1917* Range (in code): ZA Tva
- 93534. Jordanita (Gregorita) algerica (Rothschild,1917)** (Zygaenidae) Synonym(s): *algerica Rothschild,1917* Original Reference: *Procris orana* ssp. *algerica* Rothschild,1917, Novit. zool. 24: 345. Lectotype ♂: Algeria, Khenchela, designated by Tarmann & Tremewan (1995) (BMNH). Range (in code): MA DZ Cst Khk Bttna TN Si Bionomy: Larva on *Carthamus calvus* (Asteraceae) (Naumann et al.,1999).
- 93535. Jordanita (Gregorita) benderi (Tarmann,1985)** (Zygaenidae) Synonym(s): *benderi Tarmann,1985* Range (in code): MA
- 93536. Jordanita (Gregorita) carolae (Dujardin,1973)** (Zygaenidae) Synonym(s): *carolae Dujardin,1973* Range (in code): MA
- 93537. Jordanita (Gregorita) cognata (Herrich-Schäffer,1847)** (Zygaenidae) Synonym(s): *cognata Herrich-Schäffer,1847* Range (in code): DZ TN
- 93538. Jordanita (Gregorita) hispanica (Alberti,1937)** (Zygaenidae) Synonym(s): *hispanica Alberti,1937* Range (in code): PT ES FR Bionomy: Larva on *Centaurea paniculata* (Asteraceae) (Naumann et al.,1999).
- 93539. Jordanita (Gregorita) maroccana (Naufok,1937)** (Zygaenidae) Synonym(s): *maroccana Naufok,1937* Range (in code): MA
- 93540. Jordanita (Gregorita) minutissima (Oberthür,1916)** (Zygaenidae) Synonym(s): *minutissima Oberthür,1916* Range (in code): DZ Bionomy: Larva on *Centaurea solstitialis*, *C. salnitana*, *Carduus arabicus*, *C. uncinatus*, *Jurinea sordida*, *Xeranthemum annuum* (Asteraceae) (Naumann et al.,1999).
- 93541. Jordanita (Gregorita) rungsi (Dujardin,1973)** (Zygaenidae) Synonym(s): *rungsii Dujardin,1973* Range (in code): MA
- 93542. Jordanita (Lucasiterna) cirtana (Lucas,1849)** (Zygaenidae) Synonym(s): *cirtana Lucas,1849; orana Austaut,1880; orana Bethune-Baker,1888; bakeri Kirby,1892* Original Reference: *Procris*

- cirtana Lucas, 1849, Explor. Sci. Algérie (Zool.) 3: 374, pl.3 fig.3. Lectotype ♂, designated by Viette (1953) (MNHN Paris). Range (in code): DZ Lbs Cst Sbd Orn Dje TN
- 93543. Jordanita (Lucasiterna) solana (Staudinger, 1887)** (Zygaenidae) Synonym(s): *solana* Staudinger, 1887; *gouldschaensis* Alberti, 1937 Range (in code): UZ Nmg KG KK Gul
- 93544. Jordanita (Lucasiterna) subsolana (Staudinger, 1862)** (Zygaenidae) Synonym(s): *cognata* Rambur, 1858 nec H.-Sch., 1847; *subsolana* Staudinger, 1862; *schuetzei* Alberti, 1940; *modesta* Verity, 1946; *venusta* Verity, 1946 Range (in code): ES FR Si IT BE DE CH AT CZ SK HU RO YU AL BG GR Rd TR Cc SY IQ Ama RU MD UA At UZ Smk Man Nmg KK Gul Bionomy: Larva on Carduncellus monspeliensis, Carlina vulgaris, Centaurea, Cirsium eriophorum, Echinops sphaerocephalus (Asteraceae) (Hering, 1964; Naumann et al., 1999).
- 93545. Jordanita (Praviela) anatolica (Naufock, 1929)** (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998. Range (in code): TR Cc AZ Nv IR Lo Fa Shr LB Bsa SY CY EG Sn LY JO IQ Bionomy: Larva on Echinops spinosus (Asteraceae) (Naumann et al., 1999).
- 93546. Jordanita (Praviela) anatolica anatolica Naufock, 1929** (Zygaenidae) Synonym(s): *anatolica* Naufock, 1929; *levantina* Jordan, 1931; *pfeifferi* Naufock, 1935; ? *christinae* Keil, 1998. Range (in code): TR Cc AZ Nv LB SY CY JO IQ Bionomy: Larva on Echinops spinosus (Asteraceae) (Naumann et al., 1999).
- 93547. Jordanita (Praviela) anatolica christinae Keil, 1998** (Zygaenidae) Synonym(s): *christinae* Keil, 1998 Range (in code): IR Lo Fa Shr
- 93548. Jordanita (Praviela) anatolica kruegeri (Turati, 1930)** (Zygaenidae) Synonym(s): *kruegeri* Turati, 1930 Range (in code): EG LY
- 93549. Jordanita (Rjabovia) horni (Alberti, 1937)** (Zygaenidae) Synonym(s): *horni* Alberti, 1937; *#armena* Alberti, 1970. Original Reference: Procris horni Alberti, 1937, Mitt. münch. ent. Ges. 27: 93. Holotype ♂: Armenia (DEIE). Range (in code): TR Cc AM Geg AZ Nv Ord IR Elb Plr Kdv
- 93550. Jordanita (Roccia) budensis (Speyer & Speyer, 1858)** (Zygaenidae) Synonym(s): *budensis* Speyer & Speyer, 1858 Range (in code): ES FR IT CH AT SK HU RO YU AL BG GR TR Cc RU MD UA BY CN Ui Ju Ku Bionomy: Larva on Centaurea paniculata, C. triumfetti, Achillea setacea (Asteraceae) (M. Hering, 1964; Naumann, et al., 1999); Echinops orientalis (de Freina, 2003).
- 93551. Jordanita (Roccia) budensis centralasiae (Alberti, 1937)** (Zygaenidae) Synonym(s): *centralasiae* Alberti, 1937 Range (in code): CN Ui Ku Ju
- 93552. Jordanita (Roccia) hector (Jordan, 1909)** (Zygaenidae) Synonym(s): *hector* Jordan, 1909; *#monotona* Alberti, 1937 Range (in code): TR LB Bionomy: Larva probably on Centaurea chirolopha (Asteraceae) (Naumann et al., 1999).
- 93553. Jordanita (Roccia) kurdica (Tarmann, 1987)** (Zygaenidae) Synonym(s): *kurdica* Tarmann, 1987 Original Reference: Adscita (Roccia) kurdica Tarmann, 1987, Nachr. ent. Ver. Apollo (N.F.) 8 (1): 1-5, figs. Holotype ♂: Türkei: Prov. Hakkari: Zabtal, 40km N Yüksekova, 1700m, 9.6.1981 leg. K. Warncke (coll. Tarmann, Innsbruck). Range (in code): TR IR
- 93554. Jordanita (Roccia) naufocki (Alberti, 1937)** (Zygaenidae) Synonym(s): *naufocki* Alberti, 1937 Original Reference: Procris naufocki Alberti, 1937, Mitt. münch. ent. Ges. 27: 88. Syntypes: [China: Uighur A.R.]: "Chin. Turkestan, Juldus Tal, 2500m" (ZMWM). Range (in code): CN Ui Ku Ju KK KG DsA TrA Aa Ax Ket Tk Dj
- 93555. Jordanita (Roccia) paupera (Christoph, 1887)** (Zygaenidae) Synonym(s): *paupera* Christoph, 1887; *mollis* Groum-Grshimailo, 1893; *hamifera* Jordan, 1909; *tamerlana* Alberti, 1937; *minor* Alberti, 1937 Original Reference: Ino paupera Christoph, 1887, Stettin ent. Ztg. 48: 162. Lectotype ♀: Turkmenisna: Germob, designated by Efetov & Tarmann, 1999 (ZIAN). Range (in code): TR JO TM Ger KG TJ UZ Smk IR Shh Elb CN Ui Um Ku Kl Ju RU Vv KP KR Bionomy: Larva on Artemisia (Asteraceae) (Naumann et al., 1999).
- 93556. Jordanita (Roccia) staudingeri Alberti, 1954** (Zygaenidae) Synonym(s): *staudingeri* Alberti, 1954 Range (in code): TR
- 93557. Jordanita (Roccia) suspecta (Staudinger, 1887)** (Zygaenidae) Synonym(s): *suspecta* Staudinger, 1887 Range (in code): UZ Fe Nmg Smk KK Osh
- 93558. Jordanita (Roccia) tianshanica (Efetov, 1990)** (Zygaenidae) Synonym(s): *tianshanica* Efetov, 1990 Range (in code): KK Ik
- 93559. Jordanita (Roccia) volgensis (Möschler, 1862)** (Zygaenidae) Synonym(s): *volgensis* Möschler, 1862 Range (in code): RU UA KG TR SY Dms AM AZ Kir Nv Ord Bak Cc GG Smt Akh

- 93560. Jordanita (Roccia) volgensis grandis (Alberti,1974)** (Zygaenidae) Synonym(s): *grandis* Alberti,1974 Range (in code): Cc TR SY Dms
- 93561. Jordanita (Roccia) volgensis muelleri (Alberti,1974)** (Zygaenidae) Synonym(s): *muelleri* Alberti,1974 Range (in code): Cc AM AZ Bak
- 93562. Jordanita (Roccia) volgensis volgensis (Möschler,1862)** (Zygaenidae) Synonym(s): *volgensis* Möschler,1862 Range (in code): RU UA KG
- 93563. Jordanita (Tremewania) ambigua (Staudinger,1887)** (Zygaenidae) Synonym(s): *ambigua* Staudinger,1887 Range (in code): TJ UZ Fe KK TeA Gul Ax UZ Nmg Man Ik Na AF Kbb Sfk IR Shh IQ Hjo
- 93564. Jordanita (Tremewania) ambigua ambigua (Staudinger,1887)** (Zygaenidae) Synonym(s): *ambigua* Staudinger,1887 Range (in code): TJ UZ Fe Man
- 93565. Jordanita (Tremewania) ambigua asiatica (Staudinger,1887)** (Zygaenidae) Synonym(s): *asiatica* Staudinger,1887 Range (in code): AF Sfk KK TeA Gul Ax UZ Nmg Man Ik Na
- 93566. Jordanita (Tremewania) ambigua omotoi (Alberti,1965)** (Zygaenidae) Synonym(s): *omotoi* Alberti,1965 Range (in code): AF Kbb
- 93567. Jordanita (Tremewania) ambigua schakuhensis (Alberti,1954)** (Zygaenidae) Synonym(s): *schakuhensis* Alberti,1954 Range (in code): IR Elb Shh
- 93568. Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) Synonym(s): *notata* Zeller,1847 Original Reference: *Atychia notata* Zeller,1847, Isis, Leipzig 40: col.294, nr.64(2). Type: Sicilia, Syracuse. Range (in code): DZ Lbs Sbd Afl Ges Khh Lbs DhM TN PT ES Mu FR Si IT DE CH AT CZ SK HU RO YU AL BG GR Cr TR Cc IR Ab Jal RU MD UA Cm Bionomy: Larva on *Centaurea stoebe*, *C.scabiosa*, *C.jacea*, *Cirsium*, *Inula* (Asteraceae); *Scabiosa* (Dipsacaceae); *Globularia* (Globulariaceae) (Hering,1964, Naumann et al.,1999).
- 93569. Jordanita (Tremewania) splendens (Staudinger,1887)** (Zygaenidae) Synonym(s): *splendens* Staudinger,1887 Range (in code): UZ Fe Man Nmg CN Ui Ku KK Ik KG Tk Dj Ax
- 93570. Jordanita (Tremewania) splendens heringi (Alberti,1937)** (Zygaenidae) Synonym(s): *heringi* Alberti,1937 Range (in code): CN Ui Ku KK Ik KG Tk Dj
- 93571. Jordanita (Tremewania) splendens incerta (Staudinger,1887)** (Zygaenidae) Synonym(s): *incerta* Staudinger,1887 Range (in code): KK Ax UZ Nmg
- 93572. Jordanita (Tremewania) splendens splendens (Staudinger,1887)** (Zygaenidae) Synonym(s): *splendens* Staudinger,1887 Range (in code): UZ Fe Man
- 93573. Jordanita (s.str.) chloronota Staudinger,1870** (Zygaenidae) Synonym(s): *chloronota* Staudinger,1870; *#minima* Alberti,1937 Range (in code): TR
- 93574. Jordanita (s.str.) chloros (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834. Range (in code): FR IT DE CH AT CZ SK HU RO YU AL MK BG GR TR RU MD UA SY IQ IR Bionomy: Larva on *Globularia* (Globulariaceae); *Centaurea paniculata*, *C. stoebe*, *C. maculosa*, *C. scabiosa*, *C. jacea*, *C. triumfetti*, *Carduus uncinatus*, *C.arabicus*, *C.salonitana*, *Jurinea sordida*, *Staelina uniflosculosa* (Asteraceae) (Romanoff,1884; Hering,1964; Naumann et al.,1999).
- 93575. Jordanita (s.str.) chloros chloros (Hübner,[1813])** (Zygaenidae) Synonym(s): *chloros* Hübner,[1813]; *sepium* Boisduval,1834. Range (in code): FR IT DE CH AT CZ SK HU RO YU TR RU MD UA SY IQ IR Bionomy: Larva on *Centaurea paniculata*, *C. stoebe*, *C. maculosa*, *C. scabiosa*, *C. jacea*, *C. triumfetti*, *Carduus uncinatus*, *C.arabicus*, *C.salonitana*, *Jurinea sordida* (Asteraceae) (Naumann et al.,1999).
- 93576. Jordanita (s.str.) chloros hades (Alberti,1970)** (Zygaenidae) Synonym(s): *hades* Alberti,1970 Original Reference: *Procris chloros* ssp. *hades* Alberti,1970, Mitt. münch. ent. Ges. 58: 82. Holotype ♂: Graecia: Olympgeb. Mon.Ag. Dionysios, 1000m (leg. Thurner) (ZSM). Range (in code): MK AL BG GR Bionomy: Larva on *Staelina uniflosculosa* (Naumann et al.,1999).
- 93577. Jordanita (s.str.) chloros haegeri (Alberti,1973)** (Zygaenidae) Synonym(s): *haegeri* Alberti,1973 Range (in code): Cc GG AM AZ
- 93578. Jordanita (s.str.) fazekasi Efetov,1998** (Zygaenidae) Synonym(s): *fazekasi* Efetov,1998 Range (in code): HU
- 93579. Jordanita (s.str.) globulariae (Hübner,1793)** (Zygaenidae) Synonym(s): *globulariae* Hübner,1793 Range (in code): PT ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU AL BG GR Cr TR RU MD UA Cc GG Bjo Smt Tbl AZ Kir Nv Ord Bionomy: Larva on *Centaurea*, *Cirsium tuberosum* (Asteraceae); *Globularia* (Globulariaceae); *Scabiosa* (Dipsacaceae) (Hübner,1793; Hering,1964; Naumann et al.,1999).

- 93580. *Jordanita (s.str.) graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907
Range (in code): SK HU RO YU HV AL BG GR TR RU MD UA Cm AM Cc GG AZ CY IQ IR Elb Th Kdj
Bionomy: Larva on *Centaurea solstitialis*, *C. salonitana*, *Centaurea melitensis*, *Cirsium creticum*, *Carduus arabis*, *C.uncinatus*, *Jurinea sordida*, *Xeranthemum annuum* (Asteraceae) (Hering,1964; Naumann et al.,1999; et seq.).
- 93581. *Jordanita (s.str.) graeca graeca* (Jordan,1907)** (Zygaenidae) Synonym(s): *graeca* Jordan,1907
Range (in code): SK HU RO YU HV AL BG GR RU MD UA Cm AM Cc GG AZ CY
Bionomy: Larva on *Centaurea melitensis*, *Cirsium creticum* (Asteraceae) (Naumann et al.,1999).
- 93582. *Jordanita (s.str.) graeca persica* (Alberti,1938)** (Zygaenidae) Synonym(s): *persica* Alberti,1938
Original Reference: *Procris graeca* ssp.? *persica* Alberti,1938, Mitt. münch. ent. Ges. 27: 125-126. Holotype ♂: Iran, Keredj 1200m, coll. Bytinski-Salz. Range (in code): IR Elb Th Kdj TR
- 93583. *Jordanita (s.str.) graeca sultana* (Alberti,1937)** (Zygaenidae) Synonym(s): *sultana* Alberti,1937
Original Reference: *Procris graeca* ssp. *sultana* Alberti,1937, Mitt. münch. ent. Ges. 27: 96. Holotype ♂: [Türkei: Konya Prov.]: "Ak-chehir, 1000-1500m 20.6.34" coll.Daniel. Range (in code): TR
- 93584. *Jordanita (s.str.) syriaca* (Alberti,1937)** (Zygaenidae) Synonym(s): *syriaca* Alberti,1937
Original Reference: *Procris syriaca* Alberti,1937, Mitt. münch. ent. Ges. 27: 94-96. Syntypes: "Palaestina". Range (in code): CY SY LB IL Js Pa
- 93585. *Jordanita (s.str.) tenuicornis* (Zeller,1847)** (Zygaenidae) Synonym(s): *tenuicornis* Zeller,1847
Range (in code): DZ Lbs Si IT TR LB Bei Cc AZ Nv Ord Bionomy: Larva on *Cirsium arvense*, *Carlina vulgaris*, *Centaruea ambigua* (Asteraceae) (Hering,1964; Naumann et al.,1999).
- 93586. *Jordanita (s.str.) vartianae* (Malicky,1961)** (Zygaenidae) Synonym(s): *vartianae* Malicky,1961
Range (in code): ES
- 93587. *Lamprochrysa scintillans* Butler,1893** (Zygaenidae) Synonym(s): *scintillans* Butler,1893
Range (in code): ZA
- 93588. *Lophosoma cupreum* (Walker,1856)** (Zygaenidae) Synonym(s): *cupreum* Walker,1856
Range (in code): IN SI Kul Hp Adm
- 93589. *Lophosoma quadricolor* (Walker,1856)** (Zygaenidae) Synonym(s): *quadricolor* Walker,1856
Range (in code): IN Ben
- 93590. *Malamblia durbanica* Jordan,1907** (Zygaenidae) Synonym(s): *durbanica* Jordan,1907
Range (in code): ZA Kzu Nta Dbn
- 93591. *Milleria adalifa* (Doubleday,1847)** (Zygaenidae) Synonym(s): *adalifa* Doubleday,1847; *virginalis* Herrich-Schäffer,1853; *subcyanescens* Walker,1854
Range (in code): IN SI Djl Meg Ass Khs BT TH ID Sum Ja TW BD Syl
- 93592. *Milleria adalifa adalifa* (Doubleday,1847)** (Zygaenidae) Synonym(s): *adalifa* Doubleday,1847; *virginalis* Herrich-Schäffer,1853; *subcyanescens* Walker,1854
Range (in code): IN SI Djl Meg Ass Khs BT TH
- 93593. *Milleria adalifa candida* (Vollenhoven,1863)** (Zygaenidae) Synonym(s): *candida* Vollenhoven,1863; *cardinalis* Moore,1879; *forbesi* Druce,1882; *cyanivena* Hampson,1892
Range (in code): ID Sum Ja
- 93594. *Milleria adalifa fuhoshonis* Strand,1916** (Zygaenidae) Synonym(s): *fuhoshonis* Strand,1916
Range (in code): TW
- 93595. *Milleria adalifa fuliginosa* (Walker,1854)** (Zygaenidae) Synonym(s): *fuliginosa* Walker,1854
Range (in code): IN Ass BD Syl
- 93596. *Milleria adalifoides* Schultze,1925** (Zygaenidae) Synonym(s): *adalifoides* Schultze,1925
Range (in code): PH
- 93597. *Milleria dualis* M.Hering,1941** (Zygaenidae) Synonym(s): *dualis* M.Hering,1941
Range (in code): IN
- 93598. *Milleria formosana* Matsumura,1911** (Zygaenidae) Synonym(s): *formosana* Matsumura,1911
Range (in code): TW
- 93599. *Milleria hamiltoni* Swinhoe,1891** (Zygaenidae) Synonym(s): *hamiltoni* Swinhoe,1891
Range (in code): IN Meg Ass Khs
- 93600. *Milleria lingnami* Mell,1922** (Zygaenidae) Synonym(s): *lingnami* Mell,1922
Range (in code): CN
- 93601. *Milleria litana* (Druce,1896)** (Zygaenidae) Synonym(s): *litana* Druce,1896
Range (in code): CN Hpe

- 93602. *Milleria okushimai* Owada & Horie,1999** (Zygaenidae) Synonym(s): *okushimai* Owada & Horie,1999 Range (in code): VN Ton
- 93603. *Milleria rehfousi* (Oberthür,1910)** (Zygaenidae) Synonym(s): *rehfousi* Oberthür,1910 Range (in code): CN
- 93604. *Milleria reticularis* Leech,1898** (Zygaenidae) Synonym(s): *reticularis* Leech,1898 Range (in code): CN
- 93605. *Mimascaptysyle terioides* (Mell,1922)** (Zygaenidae) Synonym(s): *terioides* Mell,1922 Range (in code): CN Yu
- 93606. *Mimascaptysyle zelotypia* M.Hering,1922** (Zygaenidae) Synonym(s): *zelotypia* M.Hering,1922 Range (in code): MY Prk
- 93607. *Neochalcusia remota* (Walker,1862)** (Zygaenidae) Synonym(s): *remota* Walker,1862 Range (in code): JP CN Sz
- 93608. *Neochalcusia witti* Buchsbaum, Chen & Speidel,2010** (Zygaenidae) Synonym(s): *witti* Buchsbaum, Chen & Speidel,2010 Range (in code): CN Sz
- 93609. *Neoherpa eleonora* (Oberthür,1923)** (Zygaenidae) Synonym(s): *eleonora* Oberthür,1923 Range (in code): CN Sz T-T
- 93610. *Neoherpa luteola* (Leech,1898)** (Zygaenidae) Synonym(s): *luteola* Leech,1898 Range (in code): CN
- 93611. *Neoherpa ochracea* (Leech,1898)** (Zygaenidae) Synonym(s): *ochracea* Leech,1898 Range (in code): CN
- 93612. *Neoherpa primulina* (Elwes,1890)** (Zygaenidae) Synonym(s): *primulina* Elwes,1890 Range (in code): IN Ass Nag
- 93613. *Neoherpa sinica* (Oberthür,1891)** (Zygaenidae) Synonym(s): *sinica* Oberthür,1891 Range (in code): CN
- 93614. *Neoherpa subhyalina* (Moore,1879)** (Zygaenidae) Synonym(s): *subhyalina* Moore,1879; *elongatissima* Oberthür,1910 Range (in code): IN SI Ass BD Syl CN
- 93615. *Neoherpa venosa* (Walker,1854)** (Zygaenidae) Synonym(s): *venosa* Walker,1854 Range (in code): IN Ass BD Syl
- 93616. *Neopryeria jezoensis* Matsumura,1927** (Zygaenidae) Synonym(s): *jezoensis* Matsumura,1927 Range (in code): JP Hkk
- 93617. *Netrocera* C.Felder & R.Felder,1874** (Zygaenidae) Synonym(s): *Netrocera* C.Felder & R.Felder,1874 Range (in code):
- 93618. *Netrocera basalis* Jordan,1907** (Zygaenidae) Synonym(s): *basalis* Jordan,1907 Range (in code): AO MZ
- 93619. *Netrocera diffinis* Jordan,1907** (Zygaenidae) Synonym(s): *diffinis* Jordan,1907 Range (in code): KE TZ
- 93620. *Netrocera euxantha* M.Hering,1929** (Zygaenidae) Synonym(s): *euxantha* M.Hering,1929 Range (in code):
- 93621. *Netrocera hemichrysa* (Hampson,1910)** (Zygaenidae) Synonym(s): *hemichrysa* Hampson,1910 Range (in code): ZA ZW
- 93622. *Netrocera jordani* Joicey & Talbot,1921** (Zygaenidae) Synonym(s): *jordani* Joicey & Talbot,1921 Range (in code): MZ
- 93623. *Netrocera overlaeti* Talbot,1928** (Zygaenidae) Synonym(s): *overlaeti* Talbot,1928 Range (in code): ZR
- 93624. *Netrocera satanas* M.Hering,1931** (Zygaenidae) Synonym(s): *satanas* M.Hering,1931 Range (in code): ZR
- 93625. *Netrocera setioides* C.Felder & R.Felder,1874** (Zygaenidae) Synonym(s): *setioides* C.Felder & R.Felder,1874 Range (in code): ZA SD UG
- 93626. *Netrocera seydeli* M.Hering,1931** (Zygaenidae) Synonym(s): *seydeli* M.Hering,1931 Range (in code): ZR
- 93627. *Neurosymploca affinis* Jordan,1907** (Zygaenidae) Synonym(s): *affinis* Jordan,1907 Range (in code): ZA
- 93628. *Neurosymploca caffra* (Linnaeus,1764)** (Zygaenidae) Synonym(s): *caffra* Linnaeus,1764 Range (in code): ZA
- 93629. *Neurosymploca concinna* (Dalman,1823)** (Zygaenidae) Synonym(s): *concinna* Dalman,1823; *pulchella* Guérin-Méneville,1832; *wallengreni* Kirby,1892 Range (in code): ZA

- 93630. *Neurosymploca hottentota* (Herrich-Schäffer,[1854])** (Zygaenidae) **Synonym(s):** *hottentota* Herrich-Schäffer,[1854] **Range (in code):** **ZA**
- 93631. *Neurosymploca meterythra* Hampson,1920** (Zygaenidae) **Synonym(s):** *meterythra* Hampson,1920 **Range (in code):** **ZA**
- 93632. *Neurosymploca pagana* Kirby,1892** (Zygaenidae) **Synonym(s):** *pagana* Kirby,1892 **Range (in code):** **ZA**
- 93633. *Opisoplatia grandis* Jordan,1907** (Zygaenidae) **Synonym(s):** *grandis* Jordan,1907 **Range (in code):** **MY Bor Sbh KBa**
- 93634. *Orna contraria* (Walker,1854)** (Zygaenidae) **Synonym(s):** *contraria* Walker,1854; *pectinicornis* Schaufuss,1870; *subdiaphana* R.Felder & Rogenhofer,1874; *zygaenoides* R.Felder & Rogenhofer,1874; *postrosea* Hampson,1920 **Range (in code):** **ZA**
- 93635. *Orna nebulosa* (Guérin-Ménéville,1832)** (Zygaenidae) **Synonym(s):** *nebulosa* Guérin-Ménéville,1832; *hyalina* Hampson,1920 **Range (in code):** **ZA**
- 93636. *Panherpina basiflava* (Oberthür,1891)** (Zygaenidae) **Synonym(s):** *basiflava* Oberthür,1891 **Range (in code):** **CN Sz T-T**
- 93637. *Phacusa arisana* Matsumura,1930** (Zygaenidae) **Synonym(s):** *arisana* Matsumura,1930 **Range (in code):** **TW**
- 93638. *Phacusa birmana* (Oberthür,1894)** (Zygaenidae) **Synonym(s):** *birmana* Oberthür,1894 **Range (in code):** **MM**
- 93639. *Phacusa chalcobasis* Hampson,1919** (Zygaenidae) **Synonym(s):** *chalcobasis* Hampson,1919 **Range (in code):** **ID Sum**
- 93640. *Phacusa discoidalis* Swinhoe,1903** (Zygaenidae) **Synonym(s):** *discoidalis* Swinhoe,1903 **Range (in code):** **VN Ton**
- 93641. *Phacusa dolosa* (Walker,1856)** (Zygaenidae) **Synonym(s):** *dolosa* Walker,1856 **Range (in code):** **IN MM Ass**
- 93642. *Phacusa drjeuma* Oberthür,1892** (Zygaenidae) **Synonym(s):** *drjeuma* Oberthür,1892 **Range (in code):** **CN**
- 93643. *Phacusa horni* Strand,1915** (Zygaenidae) **Synonym(s):** *horni* Strand,1915 **Range (in code):** **TW**
- 93644. *Phacusa khasiana* (Moore,1879)** (Zygaenidae) **Synonym(s):** *khasiana* Moore,1879 **Range (in code):** **IN Meg Ass Khs**
- 93645. *Phacusa manilensis* Hampson,1919** (Zygaenidae) **Synonym(s):** *manilensis* Hampson,1919 **Range (in code):** **PH Luz**
- 93646. *Phacusa nicobarica* Hampson,1919** (Zygaenidae) **Synonym(s):** *nicobarica* Hampson,1919 **Range (in code):** **IN Nk**
- 93647. *Phacusa nigrigemma* (Walker,1854)** (Zygaenidae) **Synonym(s):** *nigrigemma* Walker,1854 **Range (in code):** **CN IN**
- 93648. *Phacusa nigrigemma vitrea* Jordan,1908** (Zygaenidae) **Synonym(s):** *vitrea* Jordan,1908 **Range (in code):** **IN**
- 93649. *Phacusa properta* (Swinhoe,1890)** (Zygaenidae) **Synonym(s):** *properta* Swinhoe,1890; *dohertyi* Oberthür,1894 **Range (in code):** **IN Nk MM Rgo**
- 93650. *Phacusa silvestris* Strand,1915** (Zygaenidae) **Synonym(s):** *silvestris* Strand,1915 **Range (in code):** **TW**
- 93651. *Phacusa tenebrosa* Walker,1854** (Zygaenidae) **Synonym(s):** *tenebrosa* Walker,1854 **Range (in code):** **TH Rng ID Ja Clb Amb Bru PH IN Nk**
- 93652. *Phacusa tenebrosa crawfurdi* (Moore,1859)** (Zygaenidae) **Synonym(s):** *crawfurdi* Moore,1859; *strigosa* Walker,1864 **Range (in code):** **ID Ja Clb Amb Bru PH IN Nk**
- 93653. *Phacusa tenebrosa siamensis* Oberthür,1894** (Zygaenidae) **Synonym(s):** *siamensis* Oberthür,1894 **Range (in code):** **TH Rng**
- 93654. *Phacusa translucida* (Poujade,1885)** (Zygaenidae) **Synonym(s):** *translucida* Poujade,1885 **Range (in code):** **CN**
- 93655. *Phauda arikana* Matsumura,1927** (Zygaenidae) **Synonym(s):** *pratti* Matsumura,1922 *nec* Lch.,1890; *arikana* Matsumura,1927 **Range (in code):** **TW**
- 93656. *Phauda flammans* (Walker,1854)** (Zygaenidae) **Synonym(s):** *flammans* Walker,1854; *kantonensis* Mell,1922 **Original Reference:** *Euchromia flammans* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 1: 257, nr.98. **Range (in code):** **CN IN PK Lh Sml Hp MM SI TH Bnk ID Ja TW** **Bionomy:** Larva on *Ficus callophylla* (Moraceae) [sai] (Lewvanich,2001).

- 93657. Phauda horishana Matsumura,1927** (Zygaenidae) **Synonym(s):** *horishana* Matsumura,1927 **Range (in code):** **TW**
- 93658. Phauda mimica Strand,1915** (Zygaenidae) **Synonym(s):** *mimica* Strand,1915 **Range (in code):** **TW**
- 93659. Phauda rubra Jordan,1907** (Zygaenidae) **Synonym(s):** *rubra* Jordan,1907 **Range (in code):** **TW**
- 93660. Phauda similis M.Hering,1925** (Zygaenidae) **Synonym(s):** *similis* M.Hering,1925 **Range (in code):** **TW**
- 93661. Phauda triadum (Walker,1854)** (Zygaenidae) **Synonym(s):** *triadum* Walker,1854 **Range (in code):** **IN CN SG PH Luz ID Sum Ja TW**
- 93662. Philipator basimaculata Moore,[1866]** (Zygaenidae) **Synonym(s):** *basimaculata* Moore,[1866] **Range (in code):** **IN Ass SI Djl**
- 93663. Philipator flavofasciata Matsumura,1911** (Zygaenidae) **Synonym(s):** *flavofasciata* Matsumura,1911 **Range (in code):** **JP**
- 93664. Philipator leucoptera Yen & Xue,2003** (Zygaenidae) **Synonym(s):** *leucoptera* Yen & Xue,2003 **Range (in code):** **CN**
- 93665. Philipator rotunda Hampson,1896** (Zygaenidae) **Synonym(s):** *rotunda* Hampson,1896 **Range (in code):** **IN Meg Ass SI Khs Nag Mpr**
- 93666. Phlebohecta flavicosta Elwes,1890** (Zygaenidae) **Synonym(s):** *flavicosta* Elwes,1890 **Range (in code):** **SI IN MM**
- 93667. Phlebohecta fuscescens Moore,1879** (Zygaenidae) **Synonym(s):** *fuscescens* Moore,1879 **Range (in code):** **IN SI**
- 93668. Phlebohecta jordani (West,1932)** (Zygaenidae) **Synonym(s):** *jordani* West,1932 **Range (in code):** **PH**
- 93669. Phlebohecta lithosina (C.Felder & R.Felder,1874)** (Zygaenidae) **Synonym(s):** *lithosina* C.Felder & R.Felder,1874; *#lithosia* Oberthür,1894 **Range (in code):** **MY Bor MM**
- 93670. Phlebohecta lypusa Jordan,1907** (Zygaenidae) **Synonym(s):** *lypusa* Jordan,1907 **Range (in code):** **ID**
- 93671. Phlebohecta viduata Jordan,1912** (Zygaenidae) **Synonym(s):** *viduata* Jordan,1912 **Range (in code):** **MY Bor**
- 93672. Piarosoma albicinctum Hampson,1892** (Zygaenidae) **Synonym(s):** *albicinctum* Hampson,1892 **Range (in code):** **MM Bmy**
- 93673. Piarosoma hyalina (Leech,1889)** (Zygaenidae) **Synonym(s):** *hyalina* Leech,1889; *thibetana* Oberthür,1894; *annulatissima* Strand,1914; *univittata* Strand,1915 **Range (in code):** **CN Sz T-T TW**
- 93674. Piarosoma sizala (Swinhoe,1894)** (Zygaenidae) **Synonym(s):** *sizala* Swinhoe,1894 **Range (in code):** **IN Meg Ass Khs Slo BD**
- 93675. Pidorus albifascia (Moore,1879)** (Zygaenidae) **Synonym(s):** *albifascia* Moore,1879 **Range (in code):** **IN Ass MM VN Ton CN Yu TH**
- 93676. Pidorus albifascia amplifascia Joicey & Talbot,1925** (Zygaenidae) **Synonym(s):** *amplifascia* Joicey & Talbot,1925 **Range (in code):** **CN Yu**
- 93677. Pidorus albifascia steleus Jordan,1907** (Zygaenidae) **Synonym(s):** *steleus* Jordan,1907 **Range (in code):** **VN Ton**
- 93678. Pidorus bifasciata (Walker,1883)** (Zygaenidae) **Synonym(s):** *bifasciata* Walker,1883 **Range (in code):** **MY Bor Swk**
- 93679. Pidorus chalybeatus Joicey & Talbot,1922** (Zygaenidae) **Synonym(s):** *chalybeatus* Joicey & Talbot,1922 **Range (in code):** **ID Ij**
- 93680. Pidorus circe (Herrich-Schäffer,1853)** (Zygaenidae) **Synonym(s):** *circe* Herrich-Schäffer,1853; *metallica* Walker,1854 **Range (in code):** **IN SI Ass**
- 93681. Pidorus constrictus Walker,1854** (Zygaenidae) **Synonym(s):** *constrictus* Walker,1854 **Range (in code):** **SG MY Bor ID Sum**
- 93682. Pidorus corculum (Butler,1879)** (Zygaenidae) **Synonym(s):** *corculum* Butler,1879; *flavofasciatus* Pagenstecher,1885 **Range (in code):** **ID Ja Sum Nia Bor MY PH Pal**
- 93683. Pidorus cyrtus Jordan,1907** (Zygaenidae) **Synonym(s):** *cyrtus* Jordan,1907 **Range (in code):** **CN Hn**
- 93684. Pidorus euchromioides (Walker,1864)** (Zygaenidae) **Synonym(s):** *euchromioides* Walker,1864 **Range (in code):** **JP KP KR CN**

- 93685. *Pidorus geminus* (Walker,1854)** (Zygaenidae) Synonym(s): *gemina* Walker,1854 Range (in code): CN HK IN KH Hn MY Bor TH Phi TW Bionomy: Larva on leaf of weed (Lewvanich,2001).
- 93686. *Pidorus glaucopis* (Drury,1773)** (Zygaenidae) Synonym(s): *glaucopis* Drury,1773; *rubrocollaris* Goeze,1781 Range (in code): IN VN Ton CN JP KP KR Mc TW Hn
- 93687. *Pidorus glaucopis atratus* Butler,1877** (Zygaenidae) Synonym(s): *atratus* Butler,1877 Range (in code): CN JP KP KR Mc TW
- 93688. *Pidorus glaucopis hainanensis* Talbot,1932** (Zygaenidae) Synonym(s): *hainanensis* Talbot,1932 Range (in code): CN Hn
- 93689. *Pidorus hilaris* Jordan,1907** (Zygaenidae) Synonym(s): *hilaris* Jordan,1907 Range (in code): MY Bor Sbh KBa
- 93690. *Pidorus latifasciata* Talbot,1929** (Zygaenidae) Synonym(s): *latifasciata* Talbot,1929 Range (in code): ID Sum
- 93691. *Pidorus leechi* Jordan,1907** (Zygaenidae) Synonym(s): *leechi* Jordan,1907 Range (in code): CN
- 93692. *Pidorus leno* Swinhoe,1900** (Zygaenidae) Synonym(s): *leno* Swinhoe,1900 Range (in code): IN CN Hn TW
- 93693. *Pidorus marginatus* Wileman,1910** (Zygaenidae) Synonym(s): *marginatus* Wileman,1910 Range (in code): TW
- 93694. *Pidorus miles* (Butler,1881)** (Zygaenidae) Synonym(s): *miles* Butler,1881 Range (in code): IN SI Djl BT
- 93695. *Pidorus ochrolophus* Mell,1922** (Zygaenidae) Synonym(s): *ochrolophus* Mell,1922 Range (in code): CN
- 93696. *Pidorus splendens* Jordan,1907** (Zygaenidae) Synonym(s): *splendens* Jordan,1907 Range (in code): MY Bor Sbh KBa
- 93697. *Pidorus truncatus* Jordan,1907** (Zygaenidae) Synonym(s): *truncatus* Jordan,1907 Range (in code): IN SI
- 93698. *Platyzygaena moelleri* Elwes,1890** (Zygaenidae) Synonym(s): *möller* Elwes,1890; *moelleri* Kirby,1892; *molleri* T.B.Fletcher,1925 Range (in code): IN SI Ass
- 93699. *Polianista inconspicua* Strand,1915** (Zygaenidae) Synonym(s): *inconspicua* Strand,1915 Range (in code): TW
- 93700. *Pollanisus viridipulverulenta* Guérin-Méneville,1839** (Zygaenidae) Synonym(s): *viridipulverulenta* Guérin-Méneville,1839 Range (in code): AU
- 93701. *Pompelon marginatum* (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *marginata* Guérin-Méneville,1843; *valentula* Swinhoe,1889; *philippensis* Druce,1891; *rotundata* Swinhoe,1892; *subcyanea* Swinhoe,1892; *cynosura* Druce,1894; *albocyaneum* Semper,1898; *anethusa* Snellen,1903; *albiapicalis* M.Hering,1922 Range (in code): MM Peg MY Prk SG ID Ja Sum Clb Baw Bor PH Pal Mno Bionomy: Larva on Cinnamomum (Lauraceae) (Barlow,1982).
- 93702. *Pompelon marginatum acrocyanum* (Herrich-Schäffer,1854)** (Zygaenidae) Synonym(s): *acrocyanum* Herrich-Schäffer,1854 Range (in code): ID Ja
- 93703. *Pompelon marginatum ampliatus* Butler,1878** (Zygaenidae) Synonym(s): *ampliatum* Butler,1878 Range (in code): ID Clb
- 93704. *Pompelon marginatum baweanum* M.Hering,1925** (Zygaenidae) Synonym(s): *baweanum* M.Hering,1925 Range (in code): ID Baw
- 93705. *Pompelon marginatum glenum* Jordan,1907** (Zygaenidae) Synonym(s): *glenum* Jordan,1907 Range (in code): ID Sum
- 93706. *Pompelon marginatum marginatum* (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *marginata* Guérin-Méneville,1843; *valentula* Swinhoe,1889; *philippensis* Druce,1891; *rotundata* Swinhoe,1892; *subcyanea* Swinhoe,1892; *cynosura* Druce,1894; *albocyaneum* Semper,1898; *anethusa* Snellen,1903; *albiapicalis* M.Hering,1922 Range (in code): MM Peg MY SG ID Sum Clb Bor PH Pal Mno
- 93707. *Pompelon marginatum modestum* Dohrn,1906** (Zygaenidae) Synonym(s): *modestum* Dohrn,1906 Range (in code): ID Sum
- 93708. *Pompelon marginatum perakanum* Swinhoe,1906** (Zygaenidae) Synonym(s): *perakanum* Swinhoe,1906 Range (in code): MY Prk
- 93709. *Praezygaena afghana* (Moore,[1860])** (Zygaenidae) Synonym(s): *afghana* Moore,[1860] Original Reference: Zygaena afghana Moore,[1860], [in] Horsfield & Moore, Cat. lepid. Ins. Mus. East India Company 2: 286, pl.7a, fig.1. Type: Afghanistan. Range (in code): AF PK BI Qu IR

- 93710. *Praezygaena agria* (Distant,1892)** (Zygaenidae) Synonym(s): *agria* Distant,1892; *muraena* Druce,1899 Range (in code): **ZA Nta Kzu Tva**
- 93711. *Praezygaena caschmirensis* (Kollar,[1844])** (Zygaenidae) Synonym(s): *caschmirensis* Kollar,[1844] Original Reference: *Zygaena caschmirensis* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 459 pl.19 fig.6. Type: Kaschmir. Range (in code): **AF PK Rw Mre Haz Thu C-P NP Ch IN Hp Sml**
- 93712. *Praezygaena caschmirensis asoka* (Moore,1879)** (Zygaenidae) Synonym(s): *asoka* Moore,1879 Range (in code): **NP**
- 93713. *Praezygaena caschmirensis caschmirensis* (Kollar,[1844])** (Zygaenidae) Synonym(s): *caschmirensis* Kollar,[1844] Original Reference: *Zygaena caschmirensis* Kollar,[1844], [in] Hügel, Kaschmir und das Reich der Siek 4: 459 pl.19 fig.6. Type: Kaschmir. Range (in code): **AF PK Rw Mre Haz Thu C-P Ch IN Hp Sml**
- 93714. *Praezygaena conjuncta* (Hampson,1919)** (Zygaenidae) Synonym(s): *conjuncta* Hampson,1919 Original Reference: *Neurosymploca conjuncta* Hampson,1919, Novit. Zool. 26: 271-272. Type: South Africa, Nagelani, Pondoland. Range (in code): **ZA**
- 93715. *Praezygaena erythrosoma* (Hampson,[1893])** (Zygaenidae) Synonym(s): *erythrosoma* Hampson,[1893] Range (in code): **SI IN Hp Kma**
- 93716. *Praezygaena lateralis* (Jordan,1907)** (Zygaenidae) Synonym(s): *lateralis* Jordan,1907 Range (in code): **ZA Nta Kzu Tva**
- 93717. *Praezygaena microsticha* (Jordan,1907)** (Zygaenidae) Synonym(s): *microsticha* Jordan,1907 Range (in code): **ZA Ec Grh**
- 93718. *Praezygaena myodes* (Druce,1899)** (Zygaenidae) Synonym(s): *myodes* Druce,1899; *mitisi* Dziurzynski,1906 Original Reference: *Zygaena myodes* Druce,1899, Ann. Mag. nat. Hist. (7) 3: 232. Type: South Africa: Graham's Town. Range (in code): **ZA Tva Nta Kzu Ec Grh**
- 93719. *Praezygaena ochroptera* (R.Felder & Rogenhofer,1874)** (Zygaenidae) Synonym(s): *ochroptera* R.Felder & Rogenhofer,1874 Range (in code): **ZA Cto Ec**
- 93720. *Procotes diminuta* (Walker,1854)** (Zygaenidae) Synonym(s): *diminuta* Walker,1854 Range (in code): **LK**
- 93721. *Prosopandrophila distincta* (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *distincta* Guérin-Méneville,1843 Range (in code): **TH MY Pen ID Ja Sum MM Mrg Bor KH**
- 93722. *Prosopandrophila distincta albina* (Jordan,1907)** (Zygaenidae) Synonym(s): *albina* Jordan,1907 Range (in code): **MM Mrg**
- 93723. *Prosopandrophila distincta distincta* (Guérin-Méneville,1843)** (Zygaenidae) Synonym(s): *distincta* Guérin-Méneville,1843 Range (in code): **TH MY Pen ID Sum**
- 93724. *Prosopandrophila distincta drataraja* (Moore,1859)** (Zygaenidae) Synonym(s): *drataraja* Moore,1859; *#drataraga* Swinhoe,1892 Range (in code): **ID Ja Mrg MM TH**
- 93725. *Prosopandrophila distincta indistincta* (Swinhoe,1892)** (Zygaenidae) Synonym(s): *indistincta* Swinhoe,1892 Range (in code): **MY Bor**
- 93726. *Prosopandrophila distincta xanthina* (Jordan,1907)** (Zygaenidae) Synonym(s): *xanthina* Jordan,1907 Range (in code): **KH**
- 93727. *Prosopandrophila mirifica* (Swinhoe,1903)** (Zygaenidae) Synonym(s): *mirifica* Swinhoe,1903 Original Reference: *Corma mirifica* Swinhoe,1903, Ann. Mag. nat. Hist. (7) 11: 500. Type ♀: [Thailand]: Siam: Muok-Lek. Range (in code): **TH**
- 93728. *Prosopandrophila oenone* (Butler,1883)** (Zygaenidae) Synonym(s): *oenone* Butler,1883 Range (in code): **ID Nia**
- 93729. *Pryeria simonyi* (Rebel,1899)** (Zygaenidae) Synonym(s): *simonyi* Rebel,1899; *sylviae* Tremewan,1959 Range (in code): **SA OM YE**
- 93730. *Pryeria simonyi simonyi* (Rebel,1899)** (Zygaenidae) Synonym(s): *simonyi* Rebel,1899; *sylviae* Tremewan,1959 Range (in code): **SA OM**
- 93731. *Pryeria simonyi yemenicola* (Tremewan,1959)** (Zygaenidae) Synonym(s): *yemenicola* Tremewan,1959 Range (in code): **YE**
- 93732. *Pryeria sinica* Moore,1877** (Zygaenidae) Synonym(s): *sinica* Moore,1877; *pryeri* Jordan,1907 Range (in code): **JP CN**
- 93733. *Psaphis albivitta* (Rothschild,1900)** (Zygaenidae) Synonym(s): *albivitta* Rothschild,1900 Range (in code): **ID Ja Lb**
- 93734. *Psaphis azurea* Kishida & Endo,1999** (Zygaenidae) Synonym(s): *azurea* Kishida & Endo,1999 Range (in code): **PH Mno**

- 93735. *Psaphis camadeva* (Doubleday,1847)** (Zygaenidae) Synonym(s): *camadeva* Doubleday,1847; *resumpta* Walker,1862; *semiplena* Walker,1864; *naturansis* Rothschild,1896 Range (in code): ID Clb MY Bor Swk Nat SG Ja
- 93736. *Psaphis euschemoides* (Moore,1865)** (Zygaenidae) Synonym(s): *euschemoides* Moore,1865 Range (in code): IN SI Ass BD Syl MY Bor ID Ja Sum
- 93737. *Psaphis euschemoides javanicus* (Rothschild,1896)** (Zygaenidae) Synonym(s): *javanicus* Rothschild,1896; *javana* Röber,1897 Range (in code): ID Ja Sum MY
- 93738. *Psaphis gloriosus* (Rothschild,1900)** (Zygaenidae) Synonym(s): *gloriosus* Rothschild,1900 Range (in code): ID Sum MY Bor
- 93739. *Psaphis gloriosus borneensis* Jordan,1907** (Zygaenidae) Synonym(s): *borneensis* Jordan,1907 Range (in code): MY Bor
- 93740. *Psaphis rothschildi* Joicey & Talbot,1922** (Zygaenidae) Synonym(s): *rothschildi* Joicey & Talbot,1922 Range (in code): ID Sum
- 93741. *Psaphis scotais* Jordan,1907** (Zygaenidae) Synonym(s): *scotais* Jordan,1907 Range (in code): MY Bor
- 93742. *Pseudarbudas ochrea* (Elwes,1890)** (Zygaenidae) Synonym(s): *ochrea* Elwes,1890 Range (in code): IN
- 93743. *Pseudarbudas* sp.** (Zygaenidae) Synonym(s): Range (in code): VN
- 93744. *Pseudocaptisyle circumdata* (Walker,[1865])** (Zygaenidae) Synonym(s): *circumdata* Walker,[1865] Range (in code): IN Ass Meg Khs Slo BD ID Sum
- 93745. *Pseudocaptisyle circumdata circumdata* (Walker,[1865])** (Zygaenidae) Synonym(s): *circumdata* Walker,[1865] Range (in code): IN
- 93746. *Pseudocaptisyle circumdata citrana* M.Hering,1922** (Zygaenidae) Synonym(s): *citrana* M.Hering,1922 Range (in code): ID Sum
- 93747. *Pseudocaptisyle circumdata purpuralis* (Jordan,1907)** (Zygaenidae) Synonym(s): *purpuralis* Jordan,1907 Range (in code): IN Ass Meg Khs Slo BD
- 93748. *Pseudonyctemera adalifoides* Schultz,1925** (Zygaenidae) Synonym(s): *adalifoides* Schultz,1925 Range (in code): PH Pal
- 93749. *Pseudonyctemera decipiens* Snellen,1898** (Zygaenidae) Synonym(s): *decipiens* Snellen,1898 Range (in code): ID Ja
- 93750. *Pseudonyctemera dissimulata* (Walker,1862)** (Zygaenidae) Synonym(s): *dissimulata* Walker,1862; *ficta* Walker,1862; *pontioides* Butler,1881; *analis* Snellen,1889 Range (in code): MY Bor Swk ID Sum Btg IN Ass
- 93751. *Pseudonyctemera dissimulata pura* Jordan,1907** (Zygaenidae) Synonym(s): *pura* Jordan,1907 Range (in code): IN Ass
- 93752. *Pseudonyctemera invaria* (Walker,1864)** (Zygaenidae) Synonym(s): *invaria* Walker,1864 Range (in code): MM Peg SG MY Mor ID Sum
- 93753. *Pseudonyctemera invaria griseifusa* (Hampson,1892)** (Zygaenidae) Synonym(s): *griseifusa* Hampson,1892 Range (in code): MM Peg
- 93754. *Pseudonyctemera invaria invaria* (Walker,1864)** (Zygaenidae) Synonym(s): *invaria* Walker,1864 Range (in code): SG MY Mor ID Sum
- 93755. *Pseudonyctemera marginale* (Vollenhoven,1863)** (Zygaenidae) Synonym(s): *marginale* Vollenhoven,1863; *arcuata* Kirby,1892; *marginalis* Kirby,1892 Range (in code): ID Ja Sum PG Nia
- 93756. *Pseudonyctemera marginale jahni* M.Hering,1922** (Zygaenidae) Synonym(s): *jahni* M.Hering,1922 Range (in code): PG
- 93757. *Pseudonyctemera marginale marginale* (Vollenhoven,1863)** (Zygaenidae) Synonym(s): *marginale* Vollenhoven,1863; *arcuata* Kirby,1892; *marginalis* Kirby,1892 Range (in code):
- 93758. *Pseudonyctemera marginale perlata* Jordan,1907** (Zygaenidae) Synonym(s): *perlata* Jordan,1907 Range (in code): ID Sum
- 93759. *Pseudonyctemera marginale taminata* Jordan,1907** (Zygaenidae) Synonym(s): *taminata* Jordan,1907 Range (in code): ID Nia
- 93760. *Pseudonyctemera minima* M.Hering,1922** (Zygaenidae) Synonym(s): *minima* M.Hering,1922 Range (in code): MY Bor
- 93761. *Pseudopidorus fasciatus* (C.Felder & R.Felder,1862)** (Zygaenidae) Synonym(s): *fasciatus* C.Felder & R.Felder,1862 Range (in code): CN
- 93762. *Pyromorpha* sp.** (Zygaenidae) Synonym(s): Range (in code): GT
- 93763. *Retina rubrivitta* Walker,1854** (Zygaenidae) Synonym(s): *rubrivitta* Walker,1854 Range (in code): SI IN Ass BD Syl

- 93764. *Retina vitripennis* (De Joannis,1903)** (Zygaenidae) Synonym(s): *vitripennis* De Joannis,1903 Range (in code): **KH VN Ton**
- 93765. *Rhagades (Naufockia) brandti* (Alberti,1938)** (Zygaenidae) Synonym(s): *brandti* Alberti,1938 Range (in code): **IR Fa Sse** Bionomy: Larva on *Prunus amygdalus*, *Amygdalus* (Rosaceae) (Wiltshire,1946; Keil,1998).
- 93766. *Rhagades (Wiegelia) amasina* (Herrich-Schäffer,1851)** (Zygaenidae) Synonym(s): *amasina* Herrich-Schäffer,1851 Range (in code): **GR Rd TR LB** Bionomy: Larva on *Prunus spinosa*, *Crataegus* (Rosaceae) (Naumann et al.,1999).
- 93767. *Rhagades (Wiegelia) predotae* (Naufock,1931)** (Zygaenidae) Synonym(s): *predotae* Naufock,1931 Range (in code): **ES** Bionomy: Larva on *Prunus spinosa*, *Pyrus bourgeana* (Rosaceae) (Naumann et al.,1999).
- 93768. *Rhagades (Wiegelia) tarmanni* Keil,1999** (Zygaenidae) Synonym(s): *tarmanni* Keil,1999 Range (in code): **IR**
- 93769. *Rhagades (s.str.) pruni* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *#pruni* [Denis & Schiffermüller],1775 Original Reference: *Sphinx pruni* [Denis & Schiffermüller],1775, *Ankündigung syst. Werkes Schmett. Wienergegend:* 308. Type(s): Vienna district. Range (in code): **ES FR IT BE NL LU DE CH AT PL CZ SK HU RO YU AL BG GR FI EE LV LT RU MD UA Cm BY KG Ssn CN** Bionomy: Larva on *Prunus spinosa*, *P.mahalep*, *P.stepposa* (Rosaceae); *Calluna vulgaris* (Ericaceae); *Helianthemum nummularium* (Asteraceae) ([Denis & Schiffermüller],1775; Spuler,1910; Naumann et al.,1999).
- 93770. *Rhodopsona bocki* (Swinhoe,1905)** (Zygaenidae) Synonym(s): *bocki* Swinhoe,1905 Range (in code): **MM CN MY**
- 93771. *Rhodopsona costata* (Walker,1854)** (Zygaenidae) Synonym(s): *costata* Walker,1854 Range (in code): **CN**
- 93772. *Rhodopsona decolorata* M.Hering,1930** (Zygaenidae) Synonym(s): *decolorata* M.Hering,1930 Range (in code): **IN CN VN Ton**
- 93773. *Rhodopsona jordani* Oberthür,1910** (Zygaenidae) Synonym(s): *jordani* Oberthür,1910 Range (in code): **CN**
- 93774. *Rhodopsona marginatus* (Wileman,1910)** (Zygaenidae) Synonym(s): *marginatus* Wileman,1910 Range (in code): **TW**
- 93775. *Rhodopsona matsumotoi* Owada & Horie,1999** (Zygaenidae) Synonym(s): *matsumotoi* Owada & Horie,1999 Range (in code): **CN**
- 93776. *Rhodopsona reverdini* Oberthür,1910** (Zygaenidae) Synonym(s): *reverdini* Oberthür,1910 Range (in code): **CN**
- 93777. *Rhodopsona rubiginosa* Leech,1898** (Zygaenidae) Synonym(s): *rubiginosa* Leech,1898 Range (in code): **CN Ti**
- 93778. *Rhodopsona rutila* Jordan,1910** (Zygaenidae) Synonym(s): *rutila* Jordan,1910 Range (in code): **TW**
- 93779. *Saliunca assimilis* Jordan,1907** (Zygaenidae) Synonym(s): *assimilis* Jordan,1907 Range (in code): **ZA**
- 93780. *Saliunca homochroa* (Holland,1897)** (Zygaenidae) Synonym(s): *homochroa* Holland,1897 Range (in code): **ZA MZ ZW KE TZ SO UG**
- 93781. *Saliunca meruana* Aurivillius,1910** (Zygaenidae) Synonym(s): *meruana* Aurivillius,1910 Range (in code): **ZA**
- 93782. *Saliunca styx* (Fabricius,1775)** (Zygaenidae) Synonym(s): *styx* Fabricius,1775 Range (in code): **ZA**
- 93783. *Saliunca styx* (Fabricius,1775)** (Zygaenidae) Synonym(s): *styx* Fabricius,1775 Range (in code): **CM**
- 93784. *Saliuncella marshalli* Jordan,1907** (Zygaenidae) Synonym(s): *marshalli* Jordan,1907 Range (in code): **ZA**
- 93785. *Scotopais tristis* (Mell,1922)** (Zygaenidae) Synonym(s): *tristis* Mell,1922 Range (in code): **CN Kwa**
- 93786. *Soritia angustipennis* (Röber,1897)** (Zygaenidae) Synonym(s): *angustipennis* Röber,1897 Original Reference: *Heterusia angustipennis* Röber,1897, *Ent. Nachr.* 23: 6. Range (in code): **ID Ja Sum Bor MY**

- 93787. *Soritia angustipennis gaedei* Hering,1922** (Zygaenidae) Synonym(s): *gaedei* Hering,1922 Original Reference: *Soritia angustipennis* ssp. *gaedei* Hering,1922, Archiv. f. Naturg. 88 A 11: 56,60 pl.1 fig.15. Type(s): [Indonesia]: Java (Gede Mt.). Range (in code): **ID Ja**
- 93788. *Soritia azurea* Yen,2003** (Zygaenidae) Synonym(s): *azurea* Yen,2003 Range (in code): **TW**
- 93789. *Soritia bicolor* (Moore,1884)** (Zygaenidae) Synonym(s): *bicolor* Moore,1884 Original Reference: *Devanica bicolor* Moore,1884, Trans. ent. Soc. London 1884: 955. Range (in code): **IN**
- 93790. *Soritia binotata* (Mell,1922)** (Zygaenidae) Synonym(s): *binotata* Mell,1922 Original Reference: *Eterusia binotata* Mell,1922, Dt. ent. Z. 1922: 127. Type(s): China: N. Kuangtung. Range (in code): **CN Kwa**
- 93791. *Soritia cecilia* Oberthür,1923** (Zygaenidae) Synonym(s): *cecilia* Oberthür,1923 Original Reference: *Soritia cecilia* Oberthür,1923, Etud. lepid. comp. 20: 211, fig. Type: China: Sia-lu. Range (in code): **CN**
- 93792. *Soritia choui* Yen & Yang,1998** (Zygaenidae) Synonym(s): *choui* Yen & Yang,1998 Range (in code): **TW**
- 93793. *Soritia circinata* (Herrich-Schäffer,1854)** (Zygaenidae) Synonym(s): *circinata* Herrich-Schäffer,1854; *fasciata* Walker,1869 Range (in code): **IN SI Ass**
- 93794. *Soritia costimacula* Aurivillius,1894** (Zygaenidae) Synonym(s): *costimacula* Aurivillius,1894; *ochracea* Aurivillius,1894; *leptalinoides* Aurivillius,1894 Original Reference: *Soritia costimacula* Aurivillius,1894, Ent. Tidschr. 15: 169 fig. 1a. Type: [Indonesia]: Java. Range (in code): **ID Ja Sum MY prk**
- 93795. *Soritia costimacula battakorum* (Dohrn,1906)** (Zygaenidae) Synonym(s): *battakorum* Dohrn,1906 Original Reference: *Chalcusia costimacula* ssp. *battakorum* Dohrn,1906, Stettin ent. Ztg. 67: 176-177. Type(s): [Indonesia]: Sumatra, Battak Berge. Range (in code): **ID Sum**
- 93796. *Soritia costimacula costimacula* Aurivillius,1894** (Zygaenidae) Synonym(s): *costimacula* Aurivillius,1894; *ochracea* Aurivillius,1894; *leptalinoides* Aurivillius,1894 Original Reference: *Soritia costimacula* Aurivillius,1894, Ent. Tidschr. 15: 169 fig. 1a. Type: [Indonesia]: Java. Range (in code): **ID Ja**
- 93797. *Soritia costimacula malaccensis* (Jordan,1907)** (Zygaenidae) Synonym(s): *malaccensis* Jordan,1907 Original Reference: *Eterusia costimacula malaccensis* Jordan,1907, [in] Seitz,A., Die Gross-Schmett. Erde 10: 32, pl.6a. Type(s): [Malaysia]: Perak (Guong Ijau). Range (in code): **MY Prk**
- 93798. *Soritia elizabetha* (Walker,1854)** (Zygaenidae) Synonym(s): *elizabetha* Walker,1854; *dirupta* Walker,1864; *microcephala* R.Felder & Rogenhofer,1874 Original Reference: *Eterusia elizabetha* Walker,1854, List Specimens lepid. Insects Colln Br. Mus. 2: 433, nr.11. Range (in code): **CN HK**
- 93799. *Soritia lacreuzei* (Oberthür,1910)** (Zygaenidae) Synonym(s): *lacreuzei* Oberthür,1910 Range (in code): **CN**
- 93800. *Soritia lata* (Jordan,1907)** (Zygaenidae) Synonym(s): *lata* Jordan,1907 Original Reference: *Eterusia bicolor* ssp. *lata* Jordan,1907, [in] Seitz,A. Die Gross-Schmett. Erde 10: 32, pl.6b. Type(s): [Vietnam]: Zentral Tonkin. Range (in code): **VN Ton**
- 93801. *Soritia lydia* (Oberthür,1923)** (Zygaenidae) Synonym(s): *lydia* Oberthür,1923 Range (in code): **CN**
- 93802. *Soritia moerens* (Oberthür,1910)** (Zygaenidae) Synonym(s): *moerens* Oberthür,1910 Range (in code): **CN**
- 93803. *Soritia nigribasalis* Hampson,1892** (Zygaenidae) Synonym(s): *nigribasalis* Hampson,1892 Original Reference: *Soritia nigribasalis* Hampson,1892, Fauna Br. Ind. Moths 1: 253, nr.528. Type: Sikkim. Range (in code): **IN SI**
- 93804. *Soritia proprimarginata* (Prout,1918)** (Zygaenidae) Synonym(s): *proprimarginata* Prout,1918 Range (in code): **CN**
- 93805. *Soritia pulchella* (Kollar,[1848])** (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata* Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879 Range (in code): **IN Ass Meg Khs Ch SI Syl BD PK Thu AF CN MM VN Ton TH**
- 93806. *Soritia pulchella major* Jordan,1907** (Zygaenidae) Synonym(s): *major* Jordan,1907 Range (in code): **VN Ton**
- 93807. *Soritia pulchella pulchella* (Kollar,[1848])** (Zygaenidae) Synonym(s): *pulchella* Kollar,[1848]; *leptalina* Kollar,[1848]; *sempunctata* Walker,1854; *triliturata* Walker,1863; *octopunctata*

- Möschler,1872; *flavomaculata* Möschler,1872; *cicada* R.Felder & Rogenhofer,1875; *olivascens* Moore,1879 Range (in code): IN Ass Meg Khs Ch SI Syl BD PK Thu AF CN MM TH
- 93808. *Soritia risa* (Doubleday,1844)** (Zygaenidae) Synonym(s): *risa* Doubleday,1844; *javanica* Hering,1922 Range (in code): MY Bor ID Ja
- 93809. *Soritia semiflava* (Talbot & Joicey,1922)** (Zygaenidae) Synonym(s): *semiflava* Talbot & Joicey,1922 Range (in code): ID Sum
- 93810. *Soritia sevastopuloi* Tremewan,1959** (Zygaenidae) Synonym(s): *sevastopuloi* Tremewan,1959 Range (in code): IN
- 93811. *Soritia shahama* (Moore,1865)** (Zygaenidae) Synonym(s): *shahama* Moore,1865 Range (in code): SI IN DjI
- 93812. *Soritia strandi* Kishida,1995** (Zygaenidae) Synonym(s): *strandi* Kishida,1995 Range (in code): TW
- 93813. *Soritia terioides* (Mell,1922)** (Zygaenidae) Synonym(s): *terioides* Mell,1922 Range (in code): CN
- 93814. *Soritia viridibasalis* (Dudgeon,1905)** (Zygaenidae) Synonym(s): *viridibasalis* Dudgeon,1905 Range (in code): IN
- 93815. *Soritia viridivena* Hampson,1892** (Zygaenidae) Synonym(s): *viridivena* Hampson,1892 Range (in code): IN Nag
- 93816. *Soritia zelotypia* M.Hering,1922** (Zygaenidae) Synonym(s): *zelotypia* M.Hering,1922 Range (in code): MY
- 93817. *Tascia finalis* (Walker,1854)** (Zygaenidae) Synonym(s): *finalis* Walker,1854; *chrysotelus* Walker,1856; *aethiops* Distant,1897 Range (in code): ZA
- 93818. *Tascia rhabdophora* Vari,2002** (Zygaenidae) Synonym(s): *rhabdophora* Vari,2002 Range (in code): ZA
- 93819. *Tascia virescens* Butler,1876** (Zygaenidae) Synonym(s): *virescens* Butler,1876 Range (in code): ZA
- 93820. *Tasema bipars* Walker,1856** (Zygaenidae) Synonym(s): *bipars* Walker,1856 Range (in code): IN Hp Kgr Nag Sml Meg Khs Ass
- 93821. *Tasema fuliginosa* Moore,1879** (Zygaenidae) Synonym(s): *fuliginosa* Moore,1879 Range (in code): IN Clc
- 93822. *Tasema fulvithorax* Hampson,1919** (Zygaenidae) Synonym(s): *fulvithorax* Hampson,1919 Range (in code): ZA
- 93823. *Tasema longipennis* Hampson,1892** (Zygaenidae) Synonym(s): *longipennis* Hampson,1892 Range (in code): MM Bmy
- 93824. *Theresimima ampelophaga* (Bayle-Barelle,1808)** (Zygaenidae) Synonym(s): *ampelophaga* Bayle-Barelle,1808; *#ampelophaga* Staudinger,1878. Original Reference: *Zygaena ampelophaga* Bayle-Barelle,1808, Giorn. Soc. D'Incorrag. Sci. Milano 5: 40, pl.1 figs. Type: Italia; Prov. Pavia: Piemonte, Appennino Ligure, between Broni and Casteggio. Range (in code): DZ ES FR IT Co Sa Si SK HU RO YU MK AL BG GR Cr TR RU MD AZ GG AM CY IL Pa SY LB Bionomy: Larva on *Vitis vinifera* (Vitaceae) (Bayle-Barelle,1808).
- 93825. *Thibetana delavayi* (Oberthür,1894)** (Zygaenidae) Synonym(s): *delavayi* Oberthür,1894 Range (in code): CN Ti
- 93826. *Thibetana sieversi* (Alpheraky,1892)** (Zygaenidae) Synonym(s): *sieversi* Alpheraky,1892 Range (in code): CN Sz
- 93827. *Thibetana witti* Efetov,1997** (Zygaenidae) Synonym(s): *witti* Efetov,1997 Range (in code): CN Ti
- 93828. *Thyrassia apreps* Swinhoe,1905** (Zygaenidae) Synonym(s): *apreps* Swinhoe,1905 Range (in code): ID Kai Sba
- 93829. *Thyrassia inconcinna* Swinhoe,1892** (Zygaenidae) Synonym(s): *inconcinna* Swinhoe,1892 Range (in code): AU QAU
- 93830. *Thyrassia penangae* (Moore,1859)** (Zygaenidae) Synonym(s): *penangae* Moore,1859; *diversa* Walker,1864; *penanga* Hampson,1896 Range (in code): CN MY Pen MM Tns SG ID Ja Bli
- 93831. *Thyrassia penangae rafflesi* (Moore,1859)** (Zygaenidae) Synonym(s): *rafflesi* Moore,1859 Range (in code): ID Ja Bli
- 93832. *Thyrassia philippina* Jordan,1908** (Zygaenidae) Synonym(s): *philippina* Jordan,1908 Range (in code): PH

- 93833. *Thyrassia procumbens* Snellen,1895** (Zygaenidae) Synonym(s): *procumbens* Snellen,1895
Range (in code): **ID Ja Sum**
- 93834. *Thyrassia scutellaris* Jordan,1925** (Zygaenidae) Synonym(s): *scutellaris* Jordan,1925
Range (in code): **ID Tnm**
- 93835. *Thyrassia subcordata* (Walker,1854)** (Zygaenidae) Synonym(s): *subcordata* Walker,1854;
aurodisca Hampson,1891; *subcaudata* Swinhoe,1892 Range (in code): **IN NI LK**
- 93836. *Thyrassia virescens* (Hampson,1892)** (Zygaenidae) Synonym(s): *virescens*
Hampson,1892 Range (in code): **LK**
- 93837. *Toosa batesi* Bethune-Baker,1927** (Zygaenidae) Synonym(s): *batesi* Bethune-Baker,1927
Range (in code): **CM**
- 93838. *Toosa glaucopiformis* Walker,1856** (Zygaenidae) Synonym(s): *glaucopiformis*
Walker,1856 Range (in code): **ZA**
- 93839. *Trypanophora anchora* Druce,1891** (Zygaenidae) Synonym(s): *anchora* Druce,1891
Range (in code): **ID Sum Bor MY**
- 93840. *Trypanophora australis* Jordan,1907** (Zygaenidae) Synonym(s): *australis* Jordan,1907
Range (in code): **IN**
- 93841. *Trypanophora deligata* Jordan,1907** (Zygaenidae) Synonym(s): *deligata* Jordan,1907
Range (in code): **PH Mdo**
- 93842. *Trypanophora dissimilis* Snellen,[1902]** (Zygaenidae) Synonym(s): *dissimilis*
Snellen,[1902] Range (in code): **ID Ja**
- 93843. *Trypanophora elliptica* Jordan,1907** (Zygaenidae) Synonym(s): *elliptica* Jordan,1907
Range (in code): **ID Sbw Sba Alo**
- 93844. *Trypanophora elliptica elliptica* Jordan,1907** (Zygaenidae) Synonym(s): *elliptica*
Jordan,1907 Range (in code): **ID Alo**
- 93845. *Trypanophora elliptica sambawana* Jordan,1907** (Zygaenidae) Synonym(s):
sambawana Jordan,1907 Range (in code): **ID Sbw**
- 93846. *Trypanophora elliptica sumbana* Jordan,1907** (Zygaenidae) Synonym(s): *sumbana*
Jordan,1907 Range (in code): **ID Sba**
- 93847. *Trypanophora flavalis* Hampson,1892** (Zygaenidae) Synonym(s): *flavalis* Hampson,1892
Original Reference: *Trypanophora flavalis* Hampson,1892, Fauna Br. India (Moths) 1: 250. Type
♀: [Myanmar]: Birma: Matelai. Range (in code): **MM**
- 93848. *Trypanophora hosemanni* M.Hering,1922** (Zygaenidae) Synonym(s): *hosemanni*
M.Hering,1922 Range (in code): **IN SI DjI**
- 93849. *Trypanophora javanica* Snellen,[1902]** (Zygaenidae) Synonym(s): *javanica*
Snellen,[1902] Range (in code): **ID Ja**
- 93850. *Trypanophora luzonensis* Semper,1898** (Zygaenidae) Synonym(s): *luzonensis*
Semper,1898 Range (in code): **PH Luz**
- 93851. *Trypanophora producens* (Walker,1862)** (Zygaenidae) Synonym(s): *producens*
Walker,1862; *festinata* Snellen,1895 Range (in code): **ID Nia Sum Bor MY**
- 93852. *Trypanophora semihyalina* Kollar,[1844]** (Zygaenidae) Synonym(s): *semihyalina*
Kollar,[1844]; *humeralis* Walker,1854; *argyrospila* Walker,1863; *glaucopoides* Walker,1863; *atkinsoni* Moore,1879;
malayana Roepke,1943 Range (in code): **Ch PK IN Hp Kgr SI Clc CN TH CMa Cuog ID Ja**
- 93853. *Trypanophora taprobanes* Walker,1854** (Zygaenidae) Synonym(s): *taprobanes*
Walker,1854; *#traprobanes* Kirby,1892 Range (in code): **LK**
- 93854. *Watermenia bifasciata* (Tremewan,1959)** (Zygaenidae) Synonym(s): *bifasciata*
Tremewan,1959 Range (in code): **IN**
- 93855. *Zeuxippa catoxantha* (Hampson,1892)** (Zygaenidae) Synonym(s): *catoxantha*
Hampson,1892 Range (in code): **MM Tns MY SG ID Sum Ja**
- 93856. *Zeuxippa digitata* (Hampson,1919)** (Zygaenidae) Synonym(s): *digitata* Hampson,1919
Range (in code): **SI IN MM MY**
- 93857. *Zutulba namaqua* (Boisduval,1847)** (Zygaenidae) Synonym(s): *namaqua* Boisduval,1847;
ampla Walker,1854 Range (in code): **ZA Tva ZW ZM**
- 93858. *Zutulba namaqua namaqua* (Boisduval,1847)** (Zygaenidae) Synonym(s): *namaqua*
Boisduval,1847; *ampla* Walker,1854 Range (in code): **ZA**
- 93859. *Zutulba namaqua zelleri* (Wallengren,1860)** (Zygaenidae) Synonym(s): *zelleri*
Wallengren,1860; *transversalis* Westwood,1889; *octo* Mabille,1892 Range (in code): **ZA Tva ZW ZM**

- 93860. *Zutulba ocellaris* (R.Felder & Rogenhofer,1874)** (Zygaenidae) Synonym(s): *ocellaris* R.Felder & Rogenhofer,1874 Range (in code): **ZA**
- 93861. *Zygaena (Agrumenia) afghana* Moore,[1860]** (Zygaenidae) Synonym(s): *afghana* Moore,[1860]; *mangeri* Burgeff,1927 Range (in code): **AF Bm Kab Pag Kbb Pnj PK Qu**
- 93862. *Zygaena (Agrumenia) afghana panjaoica* Reiss & Schulte,1964** (Zygaenidae) Synonym(s): *panjaoica* Reiss & Schulte,1964 Original Reference: *Zygaena (Agrumenia) mangeri* ssp. *panjaoica* Reiss & Schulte,1964, Ent. Z., Frankf. a. M. 74 (14): 158-159. Holotype ♂: Afghanistan: Koh-i-Baba, Panjao, 2700-3000m leg. Omoto (ZSM). Range (in code): **AF Kbb Pnj**
- 93863. *Zygaena (Agrumenia) algira* Boisduval,1834** (Zygaenidae) Synonym(s): *algira* Boisduval,1834; *algira* Duponchel,1835; *bachagha* Oberthür,1916 Original Reference: *Zygaena algira* Boisduval,1834, Icones hist. Lépid. nouv. 2: 75. Type: Algeria, Algier. Range (in code): **MA Ifr DZ Dzc Hrh Hmk Ahr Sfr Agi Btina Lbs Khk Orn Sbd Phv Béj Dhm TN** Bionomy: Larva on *Coronilla minima*, *C. juncea*, *C. valentina* (Fabaceae) (Naumann et al.,1999).
- 93864. *Zygaena (Agrumenia) algira algira* Boisduval,1834** (Zygaenidae) Synonym(s): *algira* Boisduval,1834; *algira* Duponchel,1835; *bachagha* Oberthür,1916 Original Reference: *Zygaena algira* Boisduval,1834, Icones hist. Lépid. nouv. 2: 75. Type: Algeria, Algier. Range (in code): **DZ Agi Dzc Hrh Hmk Ahr Sfr Orn Agi Phv Dhm TN**
- 93865. *Zygaena (Agrumenia) algira exigua* Rothschild,1917** (Zygaenidae) Synonym(s): *exigua* Rothschild,1917 Range (in code): **DZ Btina Lbs Khk**
- 93866. *Zygaena (Agrumenia) algira florum* Slaby,1974** (Zygaenidae) Synonym(s): *florum* Slaby,1974 Range (in code): **DZ Béj**
- 93867. *Zygaena (Agrumenia) algira ifranica* Hofmann & Reiss,1981** (Zygaenidae) Synonym(s): *ifranica* Hofmann & Reiss,1981 Range (in code): **MA Ifr**
- 93868. *Zygaena (Agrumenia) algira kebirica* H.Reiss,1944** (Zygaenidae) Synonym(s): *kebirica* H.Reiss,1944 Range (in code): **MA**
- 93869. *Zygaena (Agrumenia) algira oreodoxa* Marten,1944** (Zygaenidae) Synonym(s): *oreodoxa* Marten,1944 Range (in code): **MA**
- 93870. *Zygaena (Agrumenia) alluaudi* Oberthür,1922** (Zygaenidae) Synonym(s): *alluaudi* Oberthür,1922 Range (in code): **MA** Bionomy: Larva on *Coronilla minima*, *C.juncea* (Fabaceae) (Naumann et al.,1999).
- 93871. *Zygaena (Agrumenia) alluaudi alluaudi* Oberthür,1922** (Zygaenidae) Synonym(s): *alluaudi* Oberthür,1922 Range (in code): **MA**
- 93872. *Zygaena (Agrumenia) alluaudi inula* H.Reiss,1944** (Zygaenidae) Synonym(s): *inula* H.Reiss,1944 Range (in code): **MA**
- 93873. *Zygaena (Agrumenia) alluaudi jessima* Rungs,1972** (Zygaenidae) Synonym(s): *jessima* Rungs,1972 Range (in code): **MA**
- 93874. *Zygaena (Agrumenia) alluaudi lamprotes* Dujardin,1973** (Zygaenidae) Synonym(s): *lamprotes* Dujardin,1973 Range (in code): **MA**
- 93875. *Zygaena (Agrumenia) armena* Eversmann,1851** (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864 Original Reference: *Zygaena armena* Eversmann,1851, Bull. Soc. Nat. Moscou 24: 625. Type: [Georgia]: Abas-Tuman]. Range (in code): **TR GG Aba Smt Akh Cc RU Kb Teb**
- 93876. *Zygaena (Agrumenia) armena armena* Eversmann,1851** (Zygaenidae) Synonym(s): *armena* Eversmann,1851; *kadenii* Lederer,1864 Original Reference: *Zygaena armena* Eversmann,1851, Bull. Soc. Nat. Moscou 24: 625. Type: [Georgia]: Abas-Tuman]. Range (in code): **TR GG Aba Smt Akh Cc**
- 93877. *Zygaena (Agrumenia) armena caucasica* Rebel,1901** (Zygaenidae) Synonym(s): *caucasica* Rebel,1901; *alpina* Dziurszynski,1903; *apennina* Dziurszynski,1904 Range (in code): **Cc GG**
- 93878. *Zygaena (Agrumenia) armena dombaiensis* Alberti,1954** (Zygaenidae) Synonym(s): *dombaiensis* Alberti,1954 Range (in code): **RU Kb Teb Cc**
- 93879. *Zygaena (Agrumenia) banghaasi* Burgeff,1927** (Zygaenidae) Synonym(s): *banghaasi* Burgeff,1927 Range (in code): **UZ Br**
- 93880. *Zygaena (Agrumenia) beatrix* Przegendza,1932** (Zygaenidae) Synonym(s): *beatrix* Przegendza,1932 Original Reference: *Zygaena beatrix* Przegendza,1932, Ent. Z., Frankf.a.M. 46: 113, figs. Type: Algeria, Sebdou. Range (in code): **DZ Sbd MA Rf**
- 93881. *Zygaena (Agrumenia) beatrix beatrix* Przegendza,1932** (Zygaenidae) Synonym(s): *beatrix* Przegendza,1932 Original Reference: *Zygaena beatrix* Przegendza,1932, Ent. Z., Frankf.a.M. 46: 113, figs. Type: Algeria, Sebdou. Range (in code): **DZ Sbd**

- 93882. *Zygaena (Agrumenia) beatrix felicina* H.Reiss,1944** (Zygaenidae) Synonym(s): *felicina* H.Reiss,1944 Range (in code): MA
- 93883. *Zygaena (Agrumenia) beatrix ouzlii* Hofmann & Reiss,1984** (Zygaenidae) Synonym(s): *ouzlii* Hofmann & Reiss,1984 Range (in code): MA Rf
- 93884. *Zygaena (Agrumenia) beatrix pudiga* H.Reiss,1944** (Zygaenidae) Synonym(s): *pudiga* H.Reiss,1944 Range (in code): MA
- 93885. *Zygaena (Agrumenia) carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909 Original Reference: *Sphinx carniolica* Scopoli,1763, *Entomologia Carniolica*: 189. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): ES FR Si IT BE LU DE Brd CH AT Stm PL CZ SK HU RO Do B-H Sjn HV Zad SS YU MK Skj AL BG Vrn Ppp Slv GR Cr Ve Prn TR IR Elb Mz Dam KG Tk Ii CN Ui UZ LB Ksr Bsa SY Nv Ord AZ AM Alg GG Smt Im Kta Akh Cc LV RU Ur Nt Sr Da Aty Nov Kr Kis Tua MD UA Cm BY
- 93886. *Zygaena (Agrumenia) carniolica achalzichensis* H.Reiss,1935** (Zygaenidae) Synonym(s): *achalzichensis* H.Reiss,1935 Original Reference: *Zygaena carniolica* ssp. *achalzichensis* H.Reiss,1935, *Int. ent. Z.* 29: 161. Syntypes: [Georgia]: Achalzich. Range (in code): TR GG Smt Akh Cc
- 93887. *Zygaena (Agrumenia) carniolica albarracina* Staudinger,1887** (Zygaenidae) Synonym(s): *albarracina* Staudinger,1887 Range (in code): ES
- 93888. *Zygaena (Agrumenia) carniolica alibotensis* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#alibotensis* Holik,1939; *alibotensis* H.Reiss & Tremewan,1967 Range (in code): BG
- 93889. *Zygaena (Agrumenia) carniolica alta* H.Reiss,1921** (Zygaenidae) Synonym(s): *alta* H.Reiss,1921 Range (in code): RU Cc Nt GG Im Kta
- 93890. *Zygaena (Agrumenia) carniolica amabilis* H.Reiss,1921** (Zygaenidae) Synonym(s): *amabilis* H.Reiss,1921 Original Reference: *Zygaena carniolica* ssp. *amabilis* H.Reiss,1921, *Int. ent. Z.* 15: 21. Type: [Türkei]: Kazikoparan. Range (in code): Cc TR
- 93891. *Zygaena (Agrumenia) carniolica amanda* H.Reiss,1921** (Zygaenidae) Synonym(s): *amanda* H.Reiss,1921 Range (in code): IT
- 93892. *Zygaena (Agrumenia) carniolica amasina* Staudinger,1879** (Zygaenidae) Synonym(s): *amasina* Staudinger,1879 Original Reference: *Zygaena carniolica* var. *amasina* Staudinger,1879, *Horae Soc. ent. ross.* 14: 325-326. Syntypes: [Türkei]: Amasia (Caraman). Range (in code): TR
- 93893. *Zygaena (Agrumenia) carniolica antitaurica* Holik,1942** (Zygaenidae) Synonym(s): *antitaurica* Holik,1942 Original Reference: *Zygaena carniolica* ssp. *antitaurica* Holik,1942, *Mitt. naturw. Inst. Sofia* 15: 255. Type: Kleinasien: Antitaurus 3300m. Range (in code): TR
- 93894. *Zygaena (Agrumenia) carniolica anzascana* Verity,1930** (Zygaenidae) Synonym(s): *anzascana* Verity,1930 Range (in code): IT
- 93895. *Zygaena (Agrumenia) carniolica atatuerki* Tremewan,1970** (Zygaenidae) Synonym(s): *atatuerki* Tremewan,1970 Original Reference: *Zygaena carniolica* ssp. *atatuerki* Tremewan,1970, *Proc. Br. Ent. Nat. Hist. Soc.* 3: 76. Holotype ♂: Turkey: Ankara Prov., Bala, Beynam forest. Range (in code): TR
- 93896. *Zygaena (Agrumenia) carniolica berolinensis* Lederer,1853** (Zygaenidae) Synonym(s): *berolinensis* Lederer,1853 Range (in code): DE Brd
- 93897. *Zygaena (Agrumenia) carniolica bohemia* Komarek,1958** (Zygaenidae) Synonym(s): *bohemia* Komarek,1958 Range (in code): CZ SK
- 93898. *Zygaena (Agrumenia) carniolica calabricosa* Verity,1946** (Zygaenidae) Synonym(s): *calabrica* Turati,1913 nec *Calb.*,1895; *calabricosa* Verity,1946 Range (in code): IT
- 93899. *Zygaena (Agrumenia) carniolica caliacrae* H.Reiss,1931** (Zygaenidae) Synonym(s): *caliacrae* H.Reiss,1931 Range (in code): RO Do
- 93900. *Zygaena (Agrumenia) carniolica carinthiae* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#carinthiae* Holik,1939; *carinthiae* H.Reiss & Tremewan,1967 Range (in code): AT
- 93901. *Zygaena (Agrumenia) carniolica carniolica* (Scopoli,1763)** (Zygaenidae) Synonym(s): *carniolica* Scopoli,1763; *nigra* Dziurzynski,1909; *transiensnigra* Dziurzynski,1909 Original Reference: *Sphinx carniolica* Scopoli,1763, *Entomologia Carniolica*: 189. Type(s): [Slovenien]: Carniolia [Krain]. Range (in code): SS

- 93902. *Zygaena (Agrumenia) carniolica croatica* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#croatica* H.Reiss,1941; *croatica* H.Reiss & Tremewan,1967 Range (in code): HV
- 93903. *Zygaena (Agrumenia) carniolica cruenta* (Pallas,1773)** (Zygaenidae) Synonym(s): *cruenta* Pallas,1773 Range (in code): RU Sr
- 93904. *Zygaena (Agrumenia) carniolica crymaea* Stauder,1925** (Zygaenidae) Synonym(s): *crymaea* Stauder,1925 Range (in code): UA Cm
- 93905. *Zygaena (Agrumenia) carniolica demavendi* Holik,1936** (Zygaenidae) Synonym(s): *demavendi* Holik,1936; *vandarbanensis* Reiss,1938. Range (in code): IR Dam Elb Mz
- 93906. *Zygaena (Agrumenia) carniolica descimonti* Lucas,1959** (Zygaenidae) Synonym(s): *descimonti* Lucas,1959 Range (in code): FR
- 93907. *Zygaena (Agrumenia) carniolica diluviicola* Burgeff,1926** (Zygaenidae) Synonym(s): *diluviicola* Burgeff,1926 Range (in code): DE Bw
- 93908. *Zygaena (Agrumenia) carniolica diniensis* Herrich-Schäffer,1852** (Zygaenidae) Synonym(s): *diniensis* Herrich-Schäffer,1852; *azona* F.Wagner,1919 Range (in code): FR
- 93909. *Zygaena (Agrumenia) carniolica dinioides* Burgeff,1926** (Zygaenidae) Synonym(s): *dinioides* Burgeff,1926 Range (in code): FR
- 93910. *Zygaena (Agrumenia) carniolica djakovensis* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#djakovensis* Holik,1939; *djakovens* H.Reiss & Tremewan,1967 Range (in code): MK
- 93911. *Zygaena (Agrumenia) carniolica dulcis* Burgeff,1926** (Zygaenidae) Synonym(s): *dulcis* Burgeff,1926 Range (in code): IT
- 93912. *Zygaena (Agrumenia) carniolica duponti* Rocci,1921** (Zygaenidae) Synonym(s): *duponti* Rocci,1921 Range (in code): FR
- 93913. *Zygaena (Agrumenia) carniolica eibesiana* Koch,1938** (Zygaenidae) Synonym(s): *eibesiana* Koch,1938 Original Reference: *Zygaena carniolica* ssp. *eibesiana* Koch,1938, Ent. Z., Stuttg. 52: 87-88. Syntypes ♂♀: [Türkei]: [Antakya Prov.]: Eibes [Akbes] (coll.Staudinger). Range (in code): TR
- 93914. *Zygaena (Agrumenia) carniolica eminens* Verity,1946** (Zygaenidae) Synonym(s): *eminens* Verity,1946 Range (in code): IT
- 93915. *Zygaena (Agrumenia) carniolica eurythaenica* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#eurythaenica* Holik,1939; *eurythaenica* H.Reiss & Tremewan,1967 Range (in code): GR Ve
- 93916. *Zygaena (Agrumenia) carniolica euxina* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *euxina* Holik & Sheljuzhko,1956 Range (in code): Cc RU Kr Nov
- 93917. *Zygaena (Agrumenia) carniolica florentina* Verity,1920** (Zygaenidae) Synonym(s): *florentina* Verity,1920 Range (in code): IT
- 93918. *Zygaena (Agrumenia) carniolica formiacola* H.Reiss & Tremewan,1964** (Zygaenidae) Synonym(s): *magnaustalis* Verity,1946 nec Vrtj.,1926; *formiacola* H.Reiss & Tremewan,1964 Range (in code): IT
- 93919. *Zygaena (Agrumenia) carniolica gaumaisiensis* Holik,1936** (Zygaenidae) Synonym(s): *gaumaisiensis* Holik,1936 Range (in code): BE
- 93920. *Zygaena (Agrumenia) carniolica gessa* Burgeff,1950** (Zygaenidae) Synonym(s): *gessa* Burgeff,1950 Range (in code): IT
- 93921. *Zygaena (Agrumenia) carniolica gradiscana* Stauder,1922** (Zygaenidae) Synonym(s): *gradiscana* Stauder,1922 Range (in code): IT
- 93922. *Zygaena (Agrumenia) carniolica graeca* Staudinger,1870** (Zygaenidae) Synonym(s): *graeca* Staudinger,1870; *scopjiana* Burgeff,1926; *paeoniae* Burgeff,1926; *djakovens* Holik,1939; *tiranica* Holik,1939; *eurythaenica* Holik,1939; *alibotensis* Holik,1939 Range (in code): GR Prn MK Skj AL BG
- 93923. *Zygaena (Agrumenia) carniolica hedysari* (Hübner,1796)** (Zygaenidae) Synonym(s): *hedysari* Hübner,1796 Range (in code): IT
- 93924. *Zygaena (Agrumenia) carniolica herzegovinea* Burgeff,1926** (Zygaenidae) Synonym(s): *herzegovinea* Burgeff,1926 Range (in code): B-H
- 93925. *Zygaena (Agrumenia) carniolica histria* Burgeff,1926** (Zygaenidae) Synonym(s): *histria* Burgeff,1926 Range (in code): IT
- 93926. *Zygaena (Agrumenia) carniolica iberica* Kolenati,1946** (Zygaenidae) Synonym(s): *iberica* Kolenati,1946 Range (in code): GG Cc

- 93927. *Zygaena (Agrumenia) carniolica illitterata* Koch,1938** (Zygaenidae) Synonym(s): *illitterata* Koch,1938 Original Reference: *Zygaena carniolica* ssp. *illitterata* Koch,1938, Ent. Z., Stuttg. 52: 88-89. Syntypes ♂♂: Libanon (coll.Koch). Range (in code): LB
- 93928. *Zygaena (Agrumenia) carniolica incerta* Rocci,1914** (Zygaenidae) Synonym(s): *incerta* Rocci,1914 Range (in code): IT
- 93929. *Zygaena (Agrumenia) carniolica incompta* Koch,1938** (Zygaenidae) Synonym(s): *incompta* Koch,1938 Original Reference: *Zygaena carniolica* ssp. *incompta* Koch,1938, Ent. Z., Stuttg. 52: 89. Type ♂: Libanon: Beirut (coll.Koch). Range (in code): LB Bei
- 93930. *Zygaena (Agrumenia) carniolica interposita* Burgeff,1926** (Zygaenidae) Synonym(s): *interposita* Burgeff,1926 Range (in code): AT
- 93931. *Zygaena (Agrumenia) carniolica jadrana* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#jadrana* Holik,1939; *jadrana* H.Reiss & Tremewan,1967 Range (in code): HV Zad
- 93932. *Zygaena (Agrumenia) carniolica larchensis* Holik,1938** (Zygaenidae) Synonym(s): *larchensis* Holik,1938 Range (in code): FR
- 93933. *Zygaena (Agrumenia) carniolica leonhardi* H.Reiss,1921** (Zygaenidae) Synonym(s): *leonhardi* H.Reiss,1921 Range (in code): AT
- 93934. *Zygaena (Agrumenia) carniolica leonhardiana* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#leonhardiana* Holik,1939; *leonhardiana* H.Reiss & Tremewan,1967 Range (in code): B-H
- 93935. *Zygaena (Agrumenia) carniolica lesgina* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *lesgina* Holik & Sheljuzhko,1956 Range (in code): Cc RU Da Aty
- 93936. *Zygaena (Agrumenia) carniolica livornica* Burgeff,1926** (Zygaenidae) Synonym(s): *livornica* Burgeff,1926 Range (in code): IT
- 93937. *Zygaena (Agrumenia) carniolica ludmilae* Obratsov,1936** (Zygaenidae) Synonym(s): *ludmilae* Obratsov,1936 Range (in code): UA
- 93938. *Zygaena (Agrumenia) carniolica lusatica* Holik,1935** (Zygaenidae) Synonym(s): *lusatica* Holik,1935 Range (in code): DE
- 93939. *Zygaena (Agrumenia) carniolica magdalenae* Abeille,1909** (Zygaenidae) Synonym(s): *magdalenae* Abeille,1909 Range (in code): FR
- 93940. *Zygaena (Agrumenia) carniolica marinensis* Przegandza & Prack,1943** (Zygaenidae) Synonym(s): *marinensis* Przegandza & Prack,1943 Range (in code): IT
- 93941. *Zygaena (Agrumenia) carniolica media* H.Reiss,1918** (Zygaenidae) Synonym(s): *media* H.Reiss,1918 Range (in code): DE
- 93942. *Zygaena (Agrumenia) carniolica menaggia* Przegandza,1932** (Zygaenidae) Synonym(s): *menaggia* Przegandza,1932 Range (in code): IT
- 93943. *Zygaena (Agrumenia) carniolica mendolensis* Dannehl,1929** (Zygaenidae) Synonym(s): *mendolensis* Dannehl,1929 Range (in code): AT
- 93944. *Zygaena (Agrumenia) carniolica microhistria* H.Reiss & Tremewan,1967** (Zygaenidae) Synonym(s): *#microhistria* Holik,1939; *microhistria* H.Reiss & Tremewan,1967 Range (in code): IT
- 93945. *Zygaena (Agrumenia) carniolica miniorubens* Dujardin,1956** (Zygaenidae) Synonym(s): *miniorubens* Dujardin,1956 Range (in code): FR
- 93946. *Zygaena (Agrumenia) carniolica misoriensis* Koch,1937** (Zygaenidae) Synonym(s): *misoriensis* Koch,1937 Range (in code): BG Vrn
- 93947. *Zygaena (Agrumenia) carniolica modesta* Burgeff,1914** (Zygaenidae) Synonym(s): *modesta* Burgeff,1914 Range (in code): DE
- 93948. *Zygaena (Agrumenia) carniolica moraulti* Holik,1938** (Zygaenidae) Synonym(s): *moraulti* Holik,1938 Range (in code): FR
- 93949. *Zygaena (Agrumenia) carniolica notissima* Rocci,1941** (Zygaenidae) Synonym(s): *notissima* Rocci,1941; *microhedysari* Verity,1946 Range (in code): IT
- 93950. *Zygaena (Agrumenia) carniolica nuratanya* Burgeff,1926** (Zygaenidae) Synonym(s): *nuratanya* Burgeff,1926 Range (in code): UZ
- 93951. *Zygaena (Agrumenia) carniolica onobrychis* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *onobrychis* [Denis & Schiffermüller],1775; *flaveola* Esper,1786 Range (in code): AT Wn
- 93952. *Zygaena (Agrumenia) carniolica onobrychoidea* Burgeff,1926** (Zygaenidae) Synonym(s): *onobrychoidea* Burgeff,1926 Range (in code): B-H Sju

- 93953. *Zygaena (Agrumenia) carniolica ordubadina* Koch,1936** (Zygaenidae) **Synonym(s):** *ordubadina* Koch,1936 Original Reference: *Zygaena carniolica* ssp. *ordubadina* Koch,1936, Ent. Z., Frankf. a. M. 50 (34): 398. Holotype: [Azerbaidzhan]: Nachitschewan: Ordubad. Range (in code): Cc AZ Nv Ord
- 93954. *Zygaena (Agrumenia) carniolica padana* Rocci,1921** (Zygaenidae) **Synonym(s):** *padana* Rocci,1921 Range (in code): IT
- 93955. *Zygaena (Agrumenia) carniolica parisiensis* Holik,1938** (Zygaenidae) **Synonym(s):** *parisiensis* Holik,1938 Range (in code): FR
- 93956. *Zygaena (Agrumenia) carniolica piemonticola* H.Reiss & Tremewan,1967** (Zygaenidae) **Synonym(s):** *#piemonticola* H.Reiss,1941; *piemonticola* H.Reiss & Tremewan,1967 Range (in code): IT
- 93957. *Zygaena (Agrumenia) carniolica pinskica* H.Reiss,1941** (Zygaenidae) **Synonym(s):** *pinskica* H.Reiss,1941 Range (in code): BY
- 93958. *Zygaena (Agrumenia) carniolica pommerana* Holik,1935** (Zygaenidae) **Synonym(s):** *pommerana* Holik,1935 Range (in code): DE PL
- 93959. *Zygaena (Agrumenia) carniolica praetans* Oberthür,1910** (Zygaenidae) **Synonym(s):** *praetans* Oberthür,1910 Range (in code): TR LB Bsa
- 93960. *Zygaena (Agrumenia) carniolica rhaeticola* Burgeff,1926** (Zygaenidae) **Synonym(s):** *rhaeticola* Burgeff,1926 Range (in code): CH
- 93961. *Zygaena (Agrumenia) carniolica riparia* Rocci,1941** (Zygaenidae) **Synonym(s):** *riparia* Rocci,1941 Range (in code): IT
- 93962. *Zygaena (Agrumenia) carniolica roccii* Verity,1920** (Zygaenidae) **Synonym(s):** *roccii* Verity,1920 Range (in code): IT
- 93963. *Zygaena (Agrumenia) carniolica roja* Burgeff,1950** (Zygaenidae) **Synonym(s):** *roja* Burgeff,1950 Range (in code): IT
- 93964. *Zygaena (Agrumenia) carniolica rueckbeili* Sheljuzhko,1919** (Zygaenidae) **Synonym(s):** *rueckbeili* Sheljuzhko,1919 Range (in code): KG Tk li CN Ui
- 93965. *Zygaena (Agrumenia) carniolica rumelica* H.Reiss & Tremewan,1967** (Zygaenidae) **Synonym(s):** *#rumelica* Holik,1939; *rumelica* H.Reiss & Tremewan,1967 Range (in code): BG Ppp
- 93966. *Zygaena (Agrumenia) carniolica sagarraiana* H.Reiss & Tremewan,1964** (Zygaenidae) **Synonym(s):** *catalonica* De Sagarra,1940 nec Sag.,1924; *sagarraiana* H.Reiss & Tremewan,1964 Range (in code): ES
- 93967. *Zygaena (Agrumenia) carniolica savoia* Holik,1938** (Zygaenidae) **Synonym(s):** *savoia* Holik,1938 Range (in code): FR
- 93968. *Zygaena (Agrumenia) carniolica siciliana* H.Reiss,1921** (Zygaenidae) **Synonym(s):** *siciliana* H.Reiss,1921; *sicilica* Ragusa,1924 Range (in code): IT Si
- 93969. *Zygaena (Agrumenia) carniolica siehei* Holik & Sheljuzhko,1956** (Zygaenidae) **Synonym(s):** *siehei* Holik & Sheljuzhko,1956 Range (in code): TR
- 93970. *Zygaena (Agrumenia) carniolica* ssp.** (Zygaenidae) **Synonym(s):** Range (in code): TR
- 93971. *Zygaena (Agrumenia) carniolica styriaca* H.Reiss & Tremewan,1967** (Zygaenidae) **Synonym(s):** *#styriaca* Holik,1939; *styriaca* H.Reiss & Tremewan,1967 Range (in code): AT Stm
- 93972. *Zygaena (Agrumenia) carniolica suavis* Burgeff,1926** (Zygaenidae) **Synonym(s):** *suavis* Burgeff,1926 Original Reference: *Zygaena (Agrumenia) carniolica suavis* Burgeff,1926, Mitt. münch. ent. Ges. 16: 62. Syntypes: [Georgia]: "Achalzich (Chambobel)" (leg.Korb). Range (in code): TR Cc AZ Nv AM
- 93973. *Zygaena (Agrumenia) carniolica subincerta* Rocci,1941** (Zygaenidae) **Synonym(s):** *subincerta* Rocci,1941 Range (in code): IT
- 93974. *Zygaena (Agrumenia) carniolica subonobrychis* H.Reiss & Tremewan,1967** (Zygaenidae) **Synonym(s):** *#subonobrychis* Holik,1939; *subonobrychis* H.Reiss & Tremewan,1967 Range (in code): BG Vrn
- 93975. *Zygaena (Agrumenia) carniolica subviridis* Holik,1932** (Zygaenidae) **Synonym(s):** *subviridis* Holik,1932 Range (in code): PL
- 93976. *Zygaena (Agrumenia) carniolica tanara* Burgeff,1950** (Zygaenidae) **Synonym(s):** *tanara* Burgeff,1950 Range (in code): IT
- 93977. *Zygaena (Agrumenia) carniolica taurica* Staudinger,1879** (Zygaenidae) **Synonym(s):** *taurica* Staudinger,1879 Original Reference: *Zygaena carniolica* var. *taurica*

- Staudinger, 1879, Horae Soc. ent. ross. 14: 326. Syntypes: [Türkei]: Taurus [Külek] (leg. Haberhauer). Range (in code): TR
- 93978. *Zygaena (Agrumenia) carniolica tiranica* H.Reiss & Tremewan, 1967** (Zygaenidae) Synonym(s): *#tiranica Holik, 1939; tiranica H.Reiss & Tremewan, 1967* Range (in code): AL
- 93979. *Zygaena (Agrumenia) carniolica tkatshukovi* Holik & Sheljuzhko, 1956** (Zygaenidae) Synonym(s): *tkatshukovi Holik & Sheljuzhko, 1956* Range (in code): Cc AZ
- 93980. *Zygaena (Agrumenia) carniolica tokatensis* Tremewan, 1970** (Zygaenidae) Synonym(s): *tokatensis Tremewan, 1970* Original Reference: Zygaena carniolica ssp. tokatensis Tremewan, 1970, Proc. Br. Ent. Nat. Hist. Soc. 3: 75. Holotype ♂: Turkey: Tokat Prov., Kızılınış, Saylar, Çamlıbel. Range (in code): TR
- 93981. *Zygaena (Agrumenia) carniolica tonzanica* H.Reiss & Tremewan, 1967** (Zygaenidae) Synonym(s): *#tonzanica Holik, 1939; tonzanica H.Reiss & Tremewan, 1967* Range (in code): BG Slv
- 93982. *Zygaena (Agrumenia) carniolica transiens* Staudinger, 1887** (Zygaenidae) Synonym(s): *transiens Staudinger, 1887* Range (in code): IR Mz Se
- 93983. *Zygaena (Agrumenia) carniolica tuapsica* H.Reiss, 1941** (Zygaenidae) Synonym(s): *tuapsica H.Reiss, 1941* Range (in code): Cc RU Kr Tua
- 93984. *Zygaena (Agrumenia) carniolica uralia* Burgeff, 1926** (Zygaenidae) Synonym(s): *uralensis Krulikowsky, 1897 nec H.-Sch., 1846; uralia Burgeff, 1926* Range (in code): RU Ur
- 93985. *Zygaena (Agrumenia) carniolica valesiae* Burgeff, 1926** (Zygaenidae) Synonym(s): *valesiae Burgeff, 1926* Range (in code): CH
- 93986. *Zygaena (Agrumenia) carniolica verrina* Burgeff, 1926** (Zygaenidae) Synonym(s): *verrina Burgeff, 1926* Range (in code): DE
- 93987. *Zygaena (Agrumenia) carniolica violascens* Holik, 1935** (Zygaenidae) Synonym(s): *violascens Holik, 1935* Range (in code): DE
- 93988. *Zygaena (Agrumenia) carniolica viridis* Przegendza, 1932** (Zygaenidae) Synonym(s): *viridis Przegendza, 1932* Range (in code): UA
- 93989. *Zygaena (Agrumenia) carniolica wiedemannii* Ménéttriés, 1832** (Zygaenidae) Synonym(s): *wiedemannii Ménéttriés, 1832; europaea Burgeff, 1926; caliacrae H.Reiss, 1931; misiorienis Koch, 1937; europaea Koch, 1937; tonzanica Holik, 1939; rumelica Holik, 1939; subonobrychis Holik, 1939; hyperonobrychis Holik, 1939* Range (in code): TR
- 93990. *Zygaena (Agrumenia) carniolica zhicharevi* Holik & Sheljuzhko, 1956** (Zygaenidae) Synonym(s): *zhicharevi Holik & Sheljuzhko, 1956* Range (in code): Cc RU Kis
- 93991. *Zygaena (Agrumenia) cashmirensis* Kollar, [1848]** (Zygaenidae) Synonym(s): *cashmirensis Kollar, [1848]; asoka Moore, 1879* Range (in code): Ch IN Kgr Hp Pj NP
- 93992. *Zygaena (Agrumenia) cashmirensis cashmirensis* Kollar, [1848]** (Zygaenidae) Synonym(s): *cashmirensis Kollar, [1848]; asoka Moore, 1879* Range (in code): Ch IN Kgr Hp Pj NP
- 93993. *Zygaena (Agrumenia) chirazica* H.Reiss, 1938** (Zygaenidae) Synonym(s): *chirazica H.Reiss, 1938* Range (in code): IR Fa Shr Bl Ke
- 93994. *Zygaena (Agrumenia) chirazica chirazica* H.Reiss, 1938** (Zygaenidae) Synonym(s): *chirazica H.Reiss, 1938* Range (in code): IR Fa Shr
- 93995. *Zygaena (Agrumenia) chirazica eckweileri* C.Naumann & S.Naumann, 1980** (Zygaenidae) Synonym(s): *eckweileri C.Naumann & S.Naumann, 1980* Range (in code): IR Bl Ke
- 93996. *Zygaena (Agrumenia) christa* H.Reiss & Schulte, 1967** (Zygaenidae) Synonym(s): *christa H.Reiss & Schulte, 1967* Original Reference: Zygaena christa H.Reiss & Schulte, 1967, Ent. Z., Frankf.a.M. 77: 129-134. Holotype: Iran: E.Azerbaijan, 40km NW of Tabriz, Dugijan Karadagh, 13-15 vii 1966, leg.C.Wyatt Range (in code): IR Ak Tbz
- 93997. *Zygaena (Agrumenia) cocandica* Erschoff, 1874** (Zygaenidae) Synonym(s): *cocandica Erschoff, 1874* Range (in code): UZ Fe TJ Pm
- 93998. *Zygaena (Agrumenia) cocandica cocandica* Erschoff, 1874** (Zygaenidae) Synonym(s): *cocandica Erschoff, 1874* Range (in code): UZ Fe
- 93999. *Zygaena (Agrumenia) cocandica karategina* Groum-Grshimailo, 1890** (Zygaenidae) Synonym(s): *karategina Groum-Grshimailo, 1890* Range (in code): UZ
- 94000. *Zygaena (Agrumenia) cocandica minor* Erschoff, 1874** (Zygaenidae) Synonym(s): *minor Erschoff, 1874* Range (in code): UZ Fe
- 94001. *Zygaena (Agrumenia) cocandica pamira* Sheljuzhko, 1919** (Zygaenidae) Synonym(s): *pamira Sheljuzhko, 1919; avinoffi Hampson, 1920* Range (in code): TJ Pm

- 94002. *Zygaena (Agrumenia) erschoffi* Staudinger, 1887** (Zygaenidae) Synonym(s): *erschoffi* Staudinger, 1887 Range (in code): UZ Tas Nmg Man Fe KK Osh TJ
- 94003. *Zygaena (Agrumenia) erschoffi* Staudinger, 1887** (Zygaenidae) Synonym(s): *erschoffi* Staudinger, 1887 Range (in code): UZ Man Fe KK Osh
- 94004. *Zygaena (Agrumenia) erschoffi kohistana* Groum-Grshimailo, 1893** (Zygaenidae) Synonym(s): *kohistana* Groum-Grshimailo, 1893 Range (in code): TJ
- 94005. *Zygaena (Agrumenia) erschoffi sovinskiji* Holik & Sheljuzhko, 1956** (Zygaenidae) Synonym(s): *sovinskiji* Holik & Sheljuzhko, 1956 Range (in code): UZ Fe Nmg
- 94006. *Zygaena (Agrumenia) erschoffi tashkentensis* H. Reiss, 1932** (Zygaenidae) Synonym(s): *tashkentensis* H. Reiss, 1932 Range (in code): UZ Tas
- 94007. *Zygaena (Agrumenia) erythrosoma* Hampson, 1892** (Zygaenidae) Synonym(s): *erythrosoma* Hampson, 1892 Range (in code): IN
- 94008. *Zygaena (Agrumenia) escaleraei* Poujade, 1900** (Zygaenidae) Synonym(s): *escaleraei* Poujade, 1900 Range (in code): IR Lo Fa
- 94009. *Zygaena (Agrumenia) escaleraei* Poujade, 1900** (Zygaenidae) Synonym(s): *escaleraei* Poujade, 1900 Range (in code): IR Lo Fa
- 94010. *Zygaena (Agrumenia) escaleraei thomasorum* Naumann & Racheli, 1978** (Zygaenidae) Synonym(s): *thomasorum* Naumann & Racheli, 1978 Range (in code): IR Fa
- 94011. *Zygaena (Agrumenia) essenii* Blom, 1973** (Zygaenidae) Synonym(s): *essenii* Blom, 1973 Original Reference: Zygaena essenii Blom, 1973, Ent. Ber. 33: 168-169. Holotype ♂: Iran: Khorasan: Tus 1000m. Range (in code): IR Kh
- 94012. *Zygaena (Agrumenia) excelsa* Rothschild, 1917** (Zygaenidae) Synonym(s): *excelsa* Rothschild, 1917 Original Reference: Zygaena excelsa Rothschild, 1917, Novit. zool. 24: 340. Type: Algeria, Djebel Mekter nr. Ain Sefra (Djebel Mekter) 1600-1900m [Naama Prov.]. Range (in code): DZ Naam MA
- 94013. *Zygaena (Agrumenia) excelsa* Rothschild, 1917** (Zygaenidae) Synonym(s): *excelsa* Rothschild, 1917 Original Reference: Zygaena excelsa Rothschild, 1917, Novit. zool. 24: 340. Type: Algeria, Djebel Mekter nr. Ain Sefra (Djebel Mekter) 1600-1900m [Naama Prov.]. Range (in code): DZ Naam
- 94014. *Zygaena (Agrumenia) excelsa rosei* Hofmann, 1980** (Zygaenidae) Synonym(s): *rosei* Hofmann, 1980 Range (in code): MA
- 94015. *Zygaena (Agrumenia) exulans* Reiner & Hohenwarth, 1792** (Zygaenidae) Synonym(s): *exulans* Reiner & Hohenwarth, 1792 Range (in code): RU Sb KG Tar DsA
- 94016. *Zygaena (Agrumenia) fausta* (Linnaeus, 1767)** (Zygaenidae) Synonym(s): *fausta* Linnaeus, 1767 Range (in code): PT ES Mu FR IT DE CH AT
- 94017. *Zygaena (Agrumenia) felix* Oberthür, 1876** (Zygaenidae) Synonym(s): *felix* Oberthür, 1876; *mauretanica* Staudinger, 1887; *eudaemon* Mabille, 1885; *andalusiae* Burgeff, 1914; *pseudofelix* H. Reiss, 1933 Original Reference: Zygaena felix Oberthür, 1876, Et. Ent. 1: 36. Lectotype ♂: Algeria, Lambessa, designated by Tremewan (1962, Entomologist's Rec. J. Var. 74: 125, pl. 2 figs. 1, 16-18). Range (in code): MA DZ Sbd Sét Cst Lbs Taz Btina Mage Dje Khh Agi TN LY Bionomy: Larva on *Astragalus incanus*, *A. monspessulanus*, *A. nemorosus*, *Hedysarum humile*, *H. pallidum*, *H. perrauderianum*, *Lotus creticus* (Fabaceae) (Naumann et al., 1999).
- 94018. *Zygaena (Agrumenia) felix barraguei* Dujardin, 1964** (Zygaenidae) Synonym(s): *barraguei* Dujardin, 1964 Range (in code): DZ
- 94019. *Zygaena (Agrumenia) felix boursini* Dujardin, 1973** (Zygaenidae) Synonym(s): *boursini* Dujardin, 1973 Range (in code): MA
- 94020. *Zygaena (Agrumenia) felix constantinensis* H. Reiss & Tremewan, 1964** (Zygaenidae) Synonym(s): *faustula* H. Reiss, 1933 nec Ramb., 1866; *constantinensis* H. Reiss & Tremewan, 1964 Range (in code): DZ Sét Cst
- 94021. *Zygaena (Agrumenia) felix* Oberthür, 1876** (Zygaenidae) Synonym(s): *felix* Oberthür, 1876; *eudaemon* Mabille, 1885; *mauretanica* Staudinger, 1887; *andalusiae* Burgeff, 1914; *pseudofelix* H. Reiss, 1933 Original Reference: Zygaena felix Oberthür, 1876, Et. Ent. 1: 36. Lectotype ♂: Algeria, Lambessa, designated by Tremewan (1962, Entomologist's Rec. J. Var. 74: 125, pl. 2 figs. 1, 16-18). Range (in code): DZ Lbs Taz Btina Mage Dje Khh Agi
- 94022. *Zygaena (Agrumenia) felix quercina* Burgeff, 1926** (Zygaenidae) Synonym(s): *quercina* Burgeff, 1926 Range (in code): LY

- 94023. *Zygaena (Agrumenia) felix silvestrii* Romei,1927** (Zygaenidae) Synonym(s): *silvestrii* Romei,1927 Range (in code): LY
- 94024. *Zygaena (Agrumenia) ferganae* Sheljuzhko,1941** (Zygaenidae) Synonym(s): *ferganae* Sheljuzhko,1941 Range (in code): UZ Fe
- 94025. *Zygaena (Agrumenia) formosa* Herrich-Schäffer,[1852]** (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer,[1852] Range (in code): Cc TR
- 94026. *Zygaena (Agrumenia) formosa eximia* Tremewan,1970** (Zygaenidae) Synonym(s): *eximia* Tremewan,1970 Range (in code): TR
- 94027. *Zygaena (Agrumenia) formosa formosa* Herrich-Schäffer,[1852]** (Zygaenidae) Synonym(s): *formosa* Herrich-Schäffer,[1852] Range (in code): TR
- 94028. *Zygaena (Agrumenia) formosa hadjinica* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *hadjinensis* Holik & Sheljuzhko,1956 *nec* Reis.,1931; *hadjinica* Holik & Sheljuzhko,1958 Range (in code): TR
- 94029. *Zygaena (Agrumenia) formosa kotschi* H.Reiss,1935** (Zygaenidae) Synonym(s): *kotschi* H.Reiss,1935 Range (in code): Cc TR
- 94030. *Zygaena (Agrumenia) formosa malatiana* Rebel,1901** (Zygaenidae) Synonym(s): *malatiana* Rebel,1901 Range (in code): TR
- 94031. *Zygaena (Agrumenia) formosa molleti* A.Hofmann,2005** (Zygaenidae) Synonym(s): *molleti* A.Hofmann,2005 Range (in code): TR
- 94032. *Zygaena (Agrumenia) fraxini* Ménéttriés,1832** (Zygaenidae) Synonym(s): *fraxini* Ménéttriés,1832; *scovitzii* Ménéttriés,1832; *cingulata* Sheljuzhko,1958 Range (in code): TR RU AZ Len Tlh Kir GG Tbl Cc Bjo Smt Der Da Bionomy: Larva on *Astragalus microcephalus*, *Onobrychis radiata* (Fabaceae) (Naumann et al.,1999).
- 94033. *Zygaena (Agrumenia) fraxini fraxini* Ménéttriés,1832** (Zygaenidae) Synonym(s): *fraxini* Ménéttriés,1832; *scovitzii* Ménéttriés,1832; *cingulata* Sheljuzhko,1908 Range (in code): AZ Len Tlh Cc Bionomy: Larva on *Astragalus microcephalus*, *Onobrychis radiata* (Fabaceae) (Naumann et al.,1999).
- 94034. *Zygaena (Agrumenia) fraxini oribasus* Herrich-Schäffer,1846** (Zygaenidae) Synonym(s): *oribasus* Herrich-Schäffer,1846; *rognada* Boisduval,1848; *oribasus* Frey,1852 Range (in code): Cc AZ Kir
- 94035. *Zygaena (Agrumenia) fraxini perdita* Staudinger,1887** (Zygaenidae) Synonym(s): *perdita* Staudinger,1887 Range (in code): GG Cc RU
- 94036. *Zygaena (Agrumenia) fraxini slabyiana* H.Reiss,1965** (Zygaenidae) Synonym(s): *slabyiana* H.Reiss,1965 Original Reference: *Zygaena (Agrumenia) fraxini* ssp. *slabyiana* H.Reiss,1965, Entomologist's Rec. J. Var. 77: 166-168, pl.ii. Holotype ♂: U.S.S.R.: Gruzia [Georgia]: Tbilisi 28.5-9.6.1964, leg.& coll. O.Slaby. Range (in code): Cc GG Tbl
- 94037. *Zygaena (Agrumenia) glasunovi* Groum-Grshimailo,1893** (Zygaenidae) Synonym(s): *glasunovi* Groum-Grshimailo,1893 Range (in code): TJ
- 94038. *Zygaena (Agrumenia) gundafica* Reiss & Tremewan,1960** (Zygaenidae) Synonym(s): *gundafica* Reiss & Tremewan,1960 Range (in code): MA
- 94039. *Zygaena (Agrumenia) gundafica gundafica* Reiss & Tremewan,1960** (Zygaenidae) Synonym(s): *gundafica* Reiss & Tremewan,1960 Range (in code): MA
- 94040. *Zygaena (Agrumenia) haberhaueri* Lederer,1870** (Zygaenidae) Synonym(s): *haberhaueri* Lederer,1870 Original Reference: *Zygaena haberhaueri* Lederer,1870, Annls Soc. ent. Belg. 13: 29, 45-46. Type: [Azerbaijan]: Hankynda. Range (in code): GG Tbl AZ Hkd Cc IR Elb Mz Th Ha Bionomy: Larva on *Astragalus microcephalus* (Fabaceae) (Naumann et al.,1999).
- 94041. *Zygaena (Agrumenia) haberhaueri demangei* A.Hofmann,2005** (Zygaenidae) Synonym(s): *demangei* A.Hofmann,2005 Range (in code): IR Elb Kdv
- 94042. *Zygaena (Agrumenia) haberhaueri elbursica* Tremewan,1975** (Zygaenidae) Synonym(s): *elbursica* Tremewan,1975 Range (in code): IR Th Mz Elb Ha
- 94043. *Zygaena (Agrumenia) haberhaueri haberhaueri* Lederer,1870** (Zygaenidae) Synonym(s): *haberhaueri* Lederer,1870 Original Reference: *Zygaena haberhaueri* Lederer,1870, Annls Soc. ent. Belg. 13: 29, 45-46. Type: [Azerbaijan]: Hankynda. Range (in code): Cc AZ Hkd GG Tbl
- 94044. *Zygaena (Agrumenia) harterti* Rothschild,1925** (Zygaenidae) Synonym(s): *harterti* Rothschild,1925 Range (in code): MA

- 94045. *Zygaena (Agrumenia) harterti harterti* Rothschild, 1925** (Zygaenidae) Synonym(s): *harterti* Rothschild, 1925 Range (in code): **MA**
- 94046. *Zygaena (Agrumenia) hilaris Ochsenheimer, 1808*** (Zygaenidae) Synonym(s): *hilaris* Ochsenheimer, 1808 Range (in code): **PT ES Mu FR IT** Bionomy: Larva on *Ononis arvensis*, *O. minutissima*, *O. natrix* (Fabaceae) (Naumann et al., 1999).
- 94047. *Zygaena (Agrumenia) hilaris aphrodisia* Burgeff, 1926** (Zygaenidae) Synonym(s): *aphrodisia* Burgeff, 1926 Range (in code): **ES**
- 94048. *Zygaena (Agrumenia) hilaris catalonica* De Sagarra, 1924** (Zygaenidae) Synonym(s): *catalonica* De Sagarra, 1924; *cataloniana* Burgeff, 1926 Range (in code): **ES**
- 94049. *Zygaena (Agrumenia) hilaris chrysophaea* Le Charles, 1935** (Zygaenidae) Synonym(s): *chrysophaea* Le Charles, 1935 Range (in code): **FR**
- 94050. *Zygaena (Agrumenia) hilaris escorialensis* Oberthür, 1884** (Zygaenidae) Synonym(s): *escorialensis* Oberthür, 1884 Range (in code): **ES**
- 94051. *Zygaena (Agrumenia) hilaris galliae* Oberthür, 1910** (Zygaenidae) Synonym(s): *galliae* Oberthür, 1910 Range (in code): **FR**
- 94052. *Zygaena (Agrumenia) hilaris hilaris* Ochsenheimer, 1808** (Zygaenidae) Synonym(s): *hilaris* Ochsenheimer, 1808 Range (in code): **PT**
- 94053. *Zygaena (Agrumenia) hilaris leonina* Tremewan, 1961** (Zygaenidae) Synonym(s): *leonina* Tremewan, 1961 Range (in code): **ES**
- 94054. *Zygaena (Agrumenia) hilaris lucifera* H. Reiss, 1936** (Zygaenidae) Synonym(s): *lucifera* H. Reiss, 1936 Range (in code): **ES**
- 94055. *Zygaena (Agrumenia) hilaris milae* Storace, 1961** (Zygaenidae) Synonym(s): *milae* Storace, 1961 Range (in code): **IT**
- 94056. *Zygaena (Agrumenia) hilaris nicaeica* H. Reiss, 1958** (Zygaenidae) Synonym(s): *nicaeica* H. Reiss, 1958 Range (in code): **FR**
- 94057. *Zygaena (Agrumenia) hilaris ononidis* Millière, 1878** (Zygaenidae) Synonym(s): *ononidis* Millière, 1878 Range (in code): **FR**
- 94058. *Zygaena (Agrumenia) hilaris piemontica* H. Reiss, 1941** (Zygaenidae) Synonym(s): *piemontica* H. Reiss, 1941 Range (in code): **IT**
- 94059. *Zygaena (Agrumenia) hilaris superononidis* Dujardin, 1964** (Zygaenidae) Synonym(s): *superononidis* Dujardin, 1964 Range (in code): **FR**
- 94060. *Zygaena (Agrumenia) johannae* Le Cerf, 1923** (Zygaenidae) Synonym(s): *johannae* Le Cerf, 1923 Range (in code): **MA** Bionomy: Larva on *Astragalus ibrahimianus* (Fabaceae) (Naumann et al., 1999).
- 94061. *Zygaena (Agrumenia) johannae berabera* De Freina, 1993** (Zygaenidae) Synonym(s): *berabera* De Freina, 1993 Range (in code): **MA**
- 94062. *Zygaena (Agrumenia) johannae charlottae* Wiegel, 1965** (Zygaenidae) Synonym(s): *charlottae* Wiegel, 1965 Range (in code): **MA**
- 94063. *Zygaena (Agrumenia) johannae johannae* Le Cerf, 1923** (Zygaenidae) Synonym(s): *johannae* Le Cerf, 1923 Range (in code): **MA**
- 94064. *Zygaena (Agrumenia) johannae turbeti* Le Cerf, 1929** (Zygaenidae) Synonym(s): *turbeti* Le Cerf, 1929 Range (in code): **MA**
- 94065. *Zygaena (Agrumenia) kavrigini* Groum-Grshimailo, 1887** (Zygaenidae) Synonym(s): *kavrigini* Groum-Grshimailo, 1887; *rhodogastra* Staudinger, 1889 Range (in code): **UZ Br**
- 94066. *Zygaena (Agrumenia) loti* ([Denis & Schiffermüller], 1775)** (Zygaenidae) Synonym(s): *loti* [Denis & Schiffermüller], 1775; *fulvia* Fabricius, 1777 Original Reference: *Sphinx loti* [Denis & Schiffermüller], 1775, *Ankündigung syst. Werkes Schmett. Wienergegend*: 45. Type(s): Vienna district. Range (in code): **ES FR IT GB BE LU DE CH AT PL CZ SK HU RO YU HV B-H MK AL BG Slv GR TR IR GG Sva Sok Abk Aba Cc AM Eri AZ Nv RU Kb Teb Da Kis MD UA Cm BY**
- 94067. *Zygaena (Agrumenia) loti aktashi* Koch, 1936** (Zygaenidae) Synonym(s): *aktashi* Koch, 1936 Original Reference: *Zygaena loti* var. *aktashi* Koch, 1936, *Ent. Z., Stuttg.* 50: 20. Type: [Türkei]: Khashkhash Dag bei Aktash, Kars. Range (in code): **Cc TR**
- 94068. *Zygaena (Agrumenia) loti anatolica* Burgeff, 1926** (Zygaenidae) Synonym(s): *anatolica* Burgeff, 1926 Original Reference: *Zygaena achilleae* ssp. *anatolica* Burgeff, 1926, *Mitt. münch. ent. Ges.* 16: 37. Syntypes: [Türkei]: 13♂♂ 4♀♀ Es-Schehir [Eskişehir]; 5♂♂ 4♀♀; [Kahramanmaraş]: "Marasch in Taurus 2000m". Range (in code): **TR**

- 94069. *Zygaena (Agrumenia) loti antiochena* Staudinger, 1887** (Zygaenidae) Synonym(s): *antiochena* Staudinger, 1887 Original Reference: *Zygaena loti* var. *antiochena* Staudinger, 1887, Berl. ent. Z. 31: 34, 35. Syntypes: [Türkei]: Kleinasien: Antiochia. Range (in code): **TR**
- 94070. *Zygaena (Agrumenia) loti balcanica* H.Reiss, 1922** (Zygaenidae) Synonym(s): *balcanica* H.Reiss, 1922 Range (in code): **B-H**
- 94071. *Zygaena (Agrumenia) loti beynamensis* Tremewan, 1970** (Zygaenidae) Synonym(s): *beynamensis* Tremewan, 1970 Original Reference: *Zygaena loti* ssp. *beynamensis* Tremewan, 1970, Proc. Br. ent. N.H.S. 3: 77. Holotype ♂: Turkey: Ankara Prov., Beynam. Range (in code): **TR**
- 94072. *Zygaena (Agrumenia) loti caliacrensis* H.Reiss, 1931** (Zygaenidae) Synonym(s): *caliacrensis* H.Reiss, 1931 Range (in code): **RO**
- 94073. *Zygaena (Agrumenia) loti eriwanensis* H.Reiss, 1935** (Zygaenidae) Synonym(s): *eriwanensis* Reiss, 1935 Original Reference: *Zygaena achilleae* ssp. *eriwanensis* H.Reiss, 1935, Int. ent. Z. 29: 150. Syntypes: [Armenia]: Erivan; [Türkei]: [Ardahan Prov.]: Çambeli [Chambobel]; ? Kulp. Range (in code): **Cc AM Eri TR**
- 94074. *Zygaena (Agrumenia) loti georgiae* H.Reiss, 1922** (Zygaenidae) Synonym(s): *georgiae* H.Reiss, 1922 Range (in code): **Cc GG Aba TR**
- 94075. *Zygaena (Agrumenia) loti islimjensis* Holik, 1938** (Zygaenidae) Synonym(s): *islimjensis* Holik, 1938 Range (in code): **BG Slv**
- 94076. *Zygaena (Agrumenia) loti jagludarensis* Holik & Sheljuzhko, 1955** (Zygaenidae) Synonym(s): *jagludarensis* Holik & Sheljuzhko, 1955 Range (in code): **Cc AZ Nv AM**
- 94077. *Zygaena (Agrumenia) loti karatshaica* Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *karatshaica* Sheljuzhko, 1936 Range (in code): **Cc RU Kb Teb**
- 94078. *Zygaena (Agrumenia) loti latifa* C.Naumann & S.Naumann, 1977** (Zygaenidae) Synonym(s): *latifa* C.Naumann & S.Naumann, 1977 Range (in code): **TR**
- 94079. *Zygaena (Agrumenia) loti macedonica* Burgeff, 1926** (Zygaenidae) Synonym(s): *macedonica* Burgeff, 1926 Original Reference: *Zygaena achilleae* ssp. *macedonica* Burgeff, 1926, Mitt. münch. ent. Ges. 16: 37. Syntypes 75♂♂ 14♀♀ Macedonia: Veles u. Dorjan-See, leg. H.Burgeff. Range (in code): **MK**
- 94080. *Zygaena (Agrumenia) loti narzhanica* Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *narzhanica* Sheljuzhko, 1936 Range (in code): **RU Kis Cc**
- 94081. *Zygaena (Agrumenia) loti phoenicea* Staudinger, 1887** (Zygaenidae) Synonym(s): *phoenicea* Staudinger, 1887 Range (in code): **TR**
- 94082. *Zygaena (Agrumenia) loti pontica* Holik & Sheljuzhko, 1955** (Zygaenidae) Synonym(s): *pontica* Holik & Sheljuzhko, 1955 Original Reference: *Zygaena loti* ssp. *pontica* Holik & Sheljuzhko, 1955, Mitt. münch. ent. Ges. 44/45: 143. Type: Amasia. Range (in code): **TR**
- 94083. *Zygaena (Agrumenia) loti senilis* Burgeff, 1914** (Zygaenidae) Synonym(s): *senilis* Burgeff, 1914 Original Reference: *Zygaena achilleae* var. *senilis* Burgeff, 1914, Mitt. münch. ent. Ges. 5: 48, pl.2 fig.161; pl.6 fig.46. Syntypes ♂♂: [Türkei]: alpine Gebirgszone um Malatia (leg. & coll. Philipps). Range (in code): **TR**
- 94084. *Zygaena (Agrumenia) loti suanetica* Holik & Sheljuzhko, 1955** (Zygaenidae) Synonym(s): *suanetica* Holik & Sheljuzhko, 1955 Original Reference: *Zygaena loti* ssp. *suanetica* Holik & Sheljuzhko, 1955, Mitt. münch. ent. Ges. 44/45: 136. Range (in code): **Cc GG Sva**
- 94085. *Zygaena (Agrumenia) loti suchumensis* Holik & Sheljuzhko, 1955** (Zygaenidae) Synonym(s): *suchumensis* Holik & Sheljuzhko, 1955 Range (in code): **Cc GG Sok Abk**
- 94086. *Zygaena (Agrumenia) loti suleimanica* H.Reiss, 1937** (Zygaenidae) Synonym(s): *suleimanica* H.Reiss, 1937 Original Reference: *Zygaena achilleae* ssp. *suleimanica* H.Reiss, 1937, Ent. Rdsch. 54: 453. Syntypes 5♂ 1♀: Iran: nördl. Elburs, Tacht-i Suleiman, Hasankif, 1000m. Range (in code): **IR Mz Elb**
- 94087. *Zygaena (Agrumenia) loti tatvanensis* H.Reiss & G.Reiss, 1973** (Zygaenidae) Synonym(s): *tatvanensis* H.Reiss & G.Reiss, 1973 Original Reference: *Zygaena* (s.str.) *loti tatvanensis* H.Reiss & G.Reiss, 1973, Entomologist's Rec. J. Var. 85: 193-194, Pl.15 figs. 10, 11. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.1971 leg. Schubert (coll. Reiss). Range (in code): **TR**
- 94088. *Zygaena (Agrumenia) loti weidingeri* H.Reiss, 1939** (Zygaenidae) Synonym(s): *weidingeri* H.Reiss, 1939 Range (in code): **UA Cm**
- 94089. *Zygaena (Agrumenia) loti winneguthi* Holik, 1938** (Zygaenidae) Synonym(s): *winneguthi* Holik, 1938 Range (in code): **MK**

- 94090. *Zygaena (Agrumenia) lucasi* Le Charles, 1946** (Zygaenidae) Synonym(s): *lucasi* Le Charles, 1946 Range (in code): **MA**
- 94091. *Zygaena (Agrumenia) lucasi lucasi* Le Charles, 1946** (Zygaenidae) Synonym(s): *lucasi* Le Charles, 1946 Range (in code): **MA**
- 94092. *Zygaena (Agrumenia) magnifica* H. Reiss, 1935** (Zygaenidae) Synonym(s): *magnifica* H. Reiss, 1935 Range (in code): **UZ Br**
- 94093. *Zygaena (Agrumenia) marcuna* Oberthür, 1888** (Zygaenidae) Synonym(s): *marcuna* Oberthür, 1888 Original Reference: *Zygaena marcuna* Oberthür, 1888, Et. Ent. 12: 27. Type: Algeria, Marcuna près Lambessa. Range (in code): **MA Rf Btaz Taz Lbs Cst DZ TN** Bionomy: Larva on *Ononis natrix*, *O. fruticosa* (Fabaceae) (Naumann et al., 1999).
- 94094. *Zygaena (Agrumenia) marcuna ahmarica* H. Reiss, 1944** (Zygaenidae) Synonym(s): *ahmarica* H. Reiss, 1944 Range (in code): **MA**
- 94095. *Zygaena (Agrumenia) marcuna marcuna* Oberthür, 1888** (Zygaenidae) Synonym(s): *marcuna* Oberthür, 1888 Original Reference: *Zygaena marcuna* Oberthür, 1888, Et. Ent. 12: 27. Type: Algeria, Marcuna près Lambessa. Range (in code): **DZ Btaz Taz Lbs Cst**
- 94096. *Zygaena (Agrumenia) marcuna tlemceni* Slaby, 1974** (Zygaenidae) Synonym(s): *tlemceni* Slaby, 1974 Range (in code): **DZ**
- 94097. *Zygaena (Agrumenia) maroccana* Rothschild, 1917** (Zygaenidae) Synonym(s): *maroccana* Rothschild, 1917 Original Reference: *Zygaena carniolica* ssp. *maroccana* Rothschild, 1917, Novit. zool. 24: 342. Type ♀: [Marocco]: "Mogador". Range (in code): **MA Ess**
- 94098. *Zygaena (Agrumenia) maroccana irhis* Wiegel, 1965** (Zygaenidae) Synonym(s): *irhis* Wiegel, 1965 Range (in code): **MA**
- 94099. *Zygaena (Agrumenia) maroccana maroccana* Rothschild, 1917** (Zygaenidae) Synonym(s): *maroccana* Rothschild, 1917 Original Reference: *Zygaena carniolica* ssp. *maroccana* Rothschild, 1917, Novit. zool. 24: 342. Type ♀: [Marocco]: "Mogador". Range (in code): **MA Ess**
- 94100. *Zygaena (Agrumenia) marteni* H. Reiss, 1943** (Zygaenidae) Synonym(s): *marteni* H. Reiss, 1943 Range (in code): **MA Rf**
- 94101. *Zygaena (Agrumenia) marteni marteni* H. Reiss, 1943** (Zygaenidae) Synonym(s): *marteni* H. Reiss, 1943 Range (in code): **MA Rf**
- 94102. *Zygaena (Agrumenia) merzbacheri* H. Reiss, 1933** (Zygaenidae) Synonym(s): *merzbacheri* H. Reiss, 1933 Range (in code): **Na KK KG Tk AF Hk**
- 94103. *Zygaena (Agrumenia) merzbacheri merzbacheri* H. Reiss, 1933** (Zygaenidae) Synonym(s): *merzbacheri* H. Reiss, 1933 Range (in code): **KK Na**
- 94104. *Zygaena (Agrumenia) merzbacheri scheibei* Kardakoff, 1937** (Zygaenidae) Synonym(s): *scheibei* Kardakoff, 1937 Range (in code): **AF Hk**
- 94105. *Zygaena (Agrumenia) nuksanensis* Koch, 1937** (Zygaenidae) Synonym(s): *nuksanensis* Koch, 1937 Original Reference: *Zygaena nuksanensis* Koch, 1937, Ent. Z., Frankf. a. M. 51: 61. Type ♂ (Syntypes 6♂ 10♀): Afghanistan: Hindukusch-Gebiet, Nuksan Pass, 3500-4000m. Range (in code): **AF Nks Adr Bd Bqu Anj PK Ci Nwf**
- 94106. *Zygaena (Agrumenia) nuksanensis andarabensis* Koch, 1938** (Zygaenidae) Synonym(s): *andarabensis* Koch, 1938 Range (in code): **AF Adr**
- 94107. *Zygaena (Agrumenia) nuksanensis nuksanensis* Koch, 1937** (Zygaenidae) Synonym(s): *nuksanensis* Koch, 1937 Original Reference: *Zygaena nuksanensis* Koch, 1937, Ent. Z., Frankf. a. M. 51: 61. Type ♂ (Syntypes 6♂ 10♀): Afghanistan: Hindukusch-Gebiet, Nuksan Pass, 3500-4000m. Range (in code): **AF Nks PK Ci Nwf**
- 94108. *Zygaena (Agrumenia) occitanica* (Villers, 1789)** (Zygaenidae) Synonym(s): *occitanica* Villers, 1789 Range (in code): **PT ES Mu FR IT**
- 94109. *Zygaena (Agrumenia) olivieri* Boisduval, 1828** (Zygaenidae) Synonym(s): *olivieri* Boisduval, 1828; *cremonae* Seitz, 1907 Original Reference: *Zygaena olivieri* Boisduval, 1828, Essai Monogr. Zygénides: 98 pl. 6 fig. 4. Type: [Liban]: Beirut. Range (in code): **TR Cc GG Akh Smt IR LB Zah Bsa Bei SY AM Alg Eri Zng AZ Nv Ord Kir** Bionomy: Larva on *Astragalus echinus*, *Astracantha zahlbruckneri* (Fabaceae) (Naumann et al., 1999).
- 94110. *Zygaena (Agrumenia) olivieri dsidsilia* Freyer, 1852** (Zygaenidae) Synonym(s): *dsidsilia* Freyer, 1852; *#tricolor* Reiss, 1933 Range (in code): **TR Cc AZ Kir GG Akh Smt**
- 94111. *Zygaena (Agrumenia) olivieri ganymedes* Freyer, 1851** (Zygaenidae) Synonym(s): *ganymedes* Freyer, 1851; *sultana* Schulte, 1968 Range (in code): **TR Cc AM Alg Eri Zng AZ Nv Ord**

- 94112. *Zygaena (Agrumenia) olivieri laetifica* Herrich-Schäffer,[1846]** (Zygaenidae)
Synonym(s): *laetifica* Herrich-Schäffer,[1846] Range (in code): **TR**
- 94113. *Zygaena (Agrumenia) olivieri leukothea* G.Reiss,1969** (Zygaenidae) Synonym(s):
leukothea G.Reiss,1969 Original Reference: *Zygaena laetifica* ssp. *leukothea* G.Reiss,1969, Stuttg.
Beit. Naturk. 205: 3-6, Taf.1. Holotype ♂: Antalya Alanya yolu, Kapkara Burun, 10 6 1967. Range
(in code): **TR**
- 94114. *Zygaena (Agrumenia) olivieri libanicola* Burgeff,1927** (Zygaenidae) Synonym(s):
libanicola Burgeff,1927 Range (in code): **LB Zah Bsa SY**
- 94115. *Zygaena (Agrumenia) olivieri nevshehirica* Junge, C.Naumann & Rose,1977**
(Zygaenidae) Synonym(s): *nevshehirica* Junge, C.Naumann & Rose,1977 Range (in code): **TR**
- 94116. *Zygaena (Agrumenia) olivieri olivieri* Boisduval,1828** (Zygaenidae) Synonym(s):
olivieri Boisduval,1828; *cremonae* Seitz,1907 Original Reference: *Zygaena olivieri* Boisduval,1828, Essai
Monogr. Zygénides: 98 pl.6 fig.4. Type: [Liban]: Beirut. Range (in code): **LB Bei**
- 94117. *Zygaena (Agrumenia) omotoi* Reiss & Schulte,1964** (Zygaenidae) Synonym(s):
omotoi Reiss & Schulte,1964 Range (in code): **AF Bd Bqu Anj**
- 94118. *Zygaena (Agrumenia) optima* H.Reiss,1939** (Zygaenidae) Synonym(s): *nobilis*
H.Reiss,1933 nec Navas,1924; optima H.Reiss,1939. Range (in code): **Cc GG Im Kta RU Da**
- 94119. *Zygaena (Agrumenia) orana* Duponchel,1835** (Zygaenidae) Synonym(s): *orana*
Duponchel,1835; barbara Herrich-Schäffer,1846; *nedroma* Oberthür,1881; *oberthueri* Bethune-Baker,1888; *minor*
Seitz,1907; minima Seitz,1907 Original Reference: *Zygaena orana* Duponchel,1835, [in] Godart &
Duponchel, Hist. nat. Lépid. Papill. Fr. Suppl. 2: 145, pl.12 fig.8. Type: Algeria, Oran. Range (in
code): **DZ Dje Tlm Khh Sbd Cst Clo Lbs Eba Orn Btna TN Tun MA IT Sa**
- 94120. *Zygaena (Agrumenia) orana allardi* Oberthür,1878** (Zygaenidae) Synonym(s):
allardi Oberthür,1878 Range (in code): **DZ Khh Lbs Btna**
- 94121. *Zygaena (Agrumenia) orana contristans* Oberthür,1922** (Zygaenidae) Synonym(s):
contristans Oberthür,1922 Range (in code): **MA**
- 94122. *Zygaena (Agrumenia) orana hajebensis* Reiss & Tremewan,1960** (Zygaenidae)
Synonym(s): *hajebensis* Reiss & Tremewan,1960 Range (in code): **MA**
- 94123. *Zygaena (Agrumenia) orana lahayei* Oberthür,1890** (Zygaenidae) Synonym(s):
lahayei Oberthür,1890; *powelli* Oberthür,1911 Range (in code): **DZ Eba Dje**
- 94124. *Zygaena (Agrumenia) orana limitans* Rothschild,1917** (Zygaenidae) Synonym(s):
limitans Rothschild,1917; *#autumnalis* Burgeff,1926 Range (in code): **DZ Cst Clo Tun TN**
- 94125. *Zygaena (Agrumenia) orana orana* Duponchel,1835** (Zygaenidae) Synonym(s):
orana Duponchel,1835; *nedroma* Oberthür,1881; *minor* Seitz,1907; *minima* Seitz,1907 Original Reference:
Zygaena orana Duponchel,1835, [in] Godart & Duponchel, Hist. nat. Lépid. Papill. Fr. Suppl. 2:
145, pl.12 fig.8. Type: Algeria, Oran. Range (in code): **DZ Orn**
- 94126. *Zygaena (Agrumenia) orana sardoa* Mabille,1892** (Zygaenidae) Synonym(s): *sardoa*
Mabille,1892; suffusa Turati,1919 Range (in code): **IT Sa**
- 94127. *Zygaena (Agrumenia) orana tatla* H.Reiss,1943** (Zygaenidae) Synonym(s): *tatla*
H.Reiss,1943 Range (in code): **MA**
- 94128. *Zygaena (Agrumenia) peschmerga* Eckweiler & Görgner,1981** (Zygaenidae)
Synonym(s): *peschmerga* Eckweiler & Görgner,1981 Original Reference: *Zygaena (Agrumenia)*
peschmerga Eckweiler & Görgner,1981, Atalanta 12 (2): 139-145, figs. Holotype ♂: SE-Türkei:
Prov. Hakkari, Karadağ, 3000-3200m, 22-25.vii.1980, leg. Eckweiler (coll. Reiss). Range (in
code): **TR**
- 94129. *Zygaena (Agrumenia) peschmerga peschmerga* Eckweiler & Görgner,1981**
(Zygaenidae) Synonym(s): *peschmerga* Eckweiler & Görgner,1981 Original Reference: *Zygaena*
(*Agrumenia*) *peschmerga* Eckweiler & Görgner,1981, Atalanta 12 (2): 139-145, figs. Holotype ♂:
SE-Türkei: Prov. Hakkari, Karadağ, 3000-3200m, 22-25.vii.1980, leg. Eckweiler (coll. Reiss).
Range (in code): **TR**
- 94130. *Zygaena (Agrumenia) rosinae* Korb,1903** (Zygaenidae) Synonym(s): *rosinae* Korb,1903
Original Reference: *Zygaena rosinae* Korb,1903, Dt. ent. Z., Iris 15: 326-327. Syntypes ♂♂♀♀:
[Türkei]: "Russisch-Armenien: bei dem Dorfe Kulp" [Gaziler, Iğdır Prov.]. Range (in code): **TR Cc**
AM Alg AZ Nv IR Elb Mz Bl Ke Bionomy: Larva on Coronilla (auf einer gelben Wickenart)
(Fabaceae) (Korb,1903); ?*Astragalus* (Fabaceae) (Naumann et al.,1999).

- 94131. *Zygaena (Agrumenia) rosinae brandti* Reiss,1937** (Zygaenidae) Synonym(s): *brandti* Reiss,1937 Original Reference: *Zygaena* (Coelestis) *brandti* Reiss,1937, Ent. Rdsch. 55: 30-31, fig. a3. Syntypes 2♂ 2♀: [Iran]: Keredj (1800m), Nissa (2700m). Range (in code): **IR Elb Fa Es**
- 94132. *Zygaena (Agrumenia) rosinae cyrus* Tremewan,1975** (Zygaenidae) Synonym(s): *cyrus* Tremewan,1975 Original Reference: *Zygaena* (Agrumenia) *brandti* ssp. *cyrus* Tremewan,1975, Entomologist's Gaz. 26: 229. Range (in code): **IR** Bionomy: Larva on *Astragalus compylorhynchus* (Fabaceae) (Tremewan,1975).
- 94133. *Zygaena (Agrumenia) rosinae nissana* Reiss,1937** (Zygaenidae) Synonym(s): *nissana* Reiss,1937. Original Reference: *Zygaena* (Coelestis) *brandti* [ssp.*brandti*] var. *nissana* Reiss,1937, Ent. Rdsch. 55: 32. Syntypes: [Iran]: Nissa [unavailable, quadriminomial name!]. Range (in code): **IR Mz**
- 94134. *Zygaena (Agrumenia) rosinae rosinae* Korb,1903** (Zygaenidae) Synonym(s): *rosinae* Korb,1903 Original Reference: *Zygaena* *rosinae* Korb,1903, Dt. ent. Z., Iris 15: 326-327. Syntypes ♂♂♀♀: [Türkei]: "Russisch-Armenien: bei dem Dorfe Kulp" [Gaziler, Iğdır Prov.]. Range (in code): **TR Cc** Bionomy: Larva on *Coronilla* (auf einer gelben Wickenart) (Fabaceae) (Korb,1903); ?*Astragalus* (Fabaceae) (Naumann et al.,1999).
- 94135. *Zygaena (Agrumenia) rosinae tuerki* Koçak,1986** (Zygaenidae) Synonym(s): *concinna* Holik & Sheljuzhko,1956 nec Dalm.,1823; *tuerki* Koçak,1986 Original Reference: *Zygaena* *rosinae* ssp. *tuerki* Koçak,1986, Priamus 4 (1/2): 59 (nomen novum pro *concinna* Holik & Sheljuzhko,1956 nec Dalm.,1823). Range (in code): **Cc AM Alg AZ Nv**
- 94136. *Zygaena (Agrumenia) rothschildi* Reiss,1930** (Zygaenidae) Synonym(s): *rothschildi* Reiss,1930 Range (in code): **TJ**
- 94137. *Zygaena (Agrumenia) saadii* H.Reiss,1938** (Zygaenidae) Synonym(s): *saadii* H.Reiss,1938 Range (in code): **IR Fa Ha Km**
- 94138. *Zygaena (Agrumenia) sedi* Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787 Original Reference: *Zygaena* *sedi* Fabricius,1787, Mant. Ins. 2: 101, nr.4. Type(s): Russia meridionali. Range (in code): **BG Slv GR TR Cc UA Cm RU**
- 94139. *Zygaena (Agrumenia) sedi dellabrunai* Dujardin,1981** (Zygaenidae) Synonym(s): *dellabrunai* Dujardin,1981 Range (in code): **GR**
- 94140. *Zygaena (Agrumenia) sedi expectata* T.Racheli,1990** (Zygaenidae) Synonym(s): *expectata* T.Racheli,1990 Original Reference: *Zygaena* (Agrumenia) *sedi* ssp. *expectata* T.Racheli,1990, Fragm. ent. Roma 22 (2): 290-292, figs. Holotype ♂: Turchia: Kras: Sarikamis, 20km SW 2135m, 9-17.vii.1990, T.Racheli leg. (Museo Univ. Roma). Range (in code): **Cc TR**
- 94141. *Zygaena (Agrumenia) sedi kocaki* S.Naumann & C.M.Naumann,1980** (Zygaenidae) Synonym(s): *kocaki* S.Naumann & C.M.Naumann,1980 Original Reference: *Zygaena* (Agrumenia) *sedi* ssp. *kocaki* S.Naumann & C.M.Naumann,1980, Entomofauna 1 (16): 314-317, Abb. 3-6. Holotype ♂: N-Türkei: Tokat, Çamlıbel 1300m, leg. de Freina (coll. Witt). Range (in code): **TR**
- 94142. *Zygaena (Agrumenia) sedi roxana* S.Naumann & C.M.Naumann,1980** (Zygaenidae) Synonym(s): *roxana* S.Naumann & C.M.Naumann,1980 Original Reference: *Zygaena* (Agrumenia) *sedi* ssp. *roxana* S.Naumann & C.M.Naumann,1980, Entomofauna 1 (16): 317-319, Abb. 7-8. Holotype ♂: SE-Türkei: südl. Van-See-Gebiet: Kuzgunkiran geçidi, 2235m, leg. S. & C.Naumann (coll. Naumann). Range (in code): **TR**
- 94143. *Zygaena (Agrumenia) sedi sedi* Fabricius,1787** (Zygaenidae) Synonym(s): *sedi* Fabricius,1787 Original Reference: *Zygaena* *sedi* Fabricius,1787, Mant. Ins. 2: 101, nr.4. Type(s): Russia meridionali. Range (in code): **RU UA Cm**
- 94144. *Zygaena (Agrumenia) sedi sliwenensis* H.Reiss,1933** (Zygaenidae) Synonym(s): *sliwenensis* H.Reiss,1933 Range (in code): **BG Slv**
- 94145. *Zygaena (Agrumenia) sengana* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *sengana* Holik & Sheljuzhko,1956 Range (in code): **IR Bl Ke Ss**
- 94146. *Zygaena (Agrumenia) sengana kermana* C.Naumann & S.Naumann,1980** (Zygaenidae) Synonym(s): *kermana* C.Naumann & S.Naumann,1980 Range (in code): **IR Ss Ke**
- 94147. *Zygaena (Agrumenia) shivacola* Reiss & Schulte,1962** (Zygaenidae) Synonym(s): *shivacola* Reiss & Schulte,1962 Range (in code): **AF Bd Shv**
- 94148. *Zygaena (Agrumenia) sogdiana* Erschoff,1874** (Zygaenidae) Synonym(s): *sogdiana* Erschoff,1874 Range (in code): **KG TM UZ Tas Fe Nmg Nam KK T-A Tls Kat Ax UZ Fe Na**

- 94149. *Zygaena (Agrumenia) sogdiana altissima* Burgeff,1914** (Zygaenidae) Synonym(s): *altissima* Burgeff,1914 Range (in code): **KK T-A**
- 94150. *Zygaena (Agrumenia) sogdiana karatauensis* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *karatauensis* Holik & Sheljuzhko,1956 Range (in code): **UZ Kat**
- 94151. *Zygaena (Agrumenia) sogdiana margelanensis* Reiss,1933** (Zygaenidae) Synonym(s): *margelanensis* Reiss,1933 Range (in code): **UZ Fe Nmg Man**
- 94152. *Zygaena (Agrumenia) sogdiana padshaatensis* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *padshaatensis* Holik & Sheljuzhko,1956 Range (in code): **UZ Fe Nam**
- 94153. *Zygaena (Agrumenia) sogdiana separata* Staudinger,1887** (Zygaenidae) Synonym(s): *separata* Staudinger,1887 Range (in code): **KK Ax UZ Fe Na**
- 94154. *Zygaena (Agrumenia) sogdiana sogdiana* Erschoff,1874** (Zygaenidae) Synonym(s): *sogdiana* Erschoff,1874 Range (in code): **TM UZ Tas**
- 94155. *Zygaena (Agrumenia) sogdiana talassinensis* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *talassica* Holik & Sheljuzhko,1956 *nec* 1953; *talassinensis* Holik & Sheljuzhko,1958 Range (in code): **KK Tls**
- 94156. *Zygaena (Agrumenia) sogdiana tshimganica* Holik,1935** (Zygaenidae) Synonym(s): *tshimganica* Holik,1935 Range (in code): **UZ**
- 94157. *Zygaena (Agrumenia) tenhagenova* A.Hofmann,2005** (Zygaenidae) Synonym(s): *tenhagenova* A.Hofmann,2005 Range (in code): **IR Kd**
- 94158. *Zygaena (Agrumenia) tingitana* H.Reiss,1937** (Zygaenidae) Synonym(s): *tingitana* H.Reiss,1937 Range (in code): **MA Rf**
- 94159. *Zygaena (Agrumenia) tingitana oreodoxa* Marten,1944** (Zygaenidae) Synonym(s): *oreodoxa* Marten,1944 Range (in code): **MA Rf**
- 94160. *Zygaena (Agrumenia) tingitana tingitana* H.Reiss,1937** (Zygaenidae) Synonym(s): *tingitana* H.Reiss,1937 Range (in code): **MA Rf**
- 94161. *Zygaena (Agrumenia) transpamirina* Koch,1936** (Zygaenidae) Synonym(s): *transpamirina* Koch,1936 Range (in code): **Ch PK Nwf**
- 94162. *Zygaena (Agrumenia) tremewani* Hofmann & Reiss,1983** (Zygaenidae) Synonym(s): *tremewani* Hofmann & Reiss,1983 Range (in code): **TN** Bionomy: Larva on *Coronilla minima* (Fabaceae) (Naumann et al.,1999).
- 94163. *Zygaena (Agrumenia) truchmena* Eversmann,1854** (Zygaenidae) Synonym(s): *truchmena* Eversmann,1854; *carbuncula* Burgeff,1926 Range (in code): **TM UZ Fe**
- 94164. *Zygaena (Agrumenia) truchmena ferganica* Holik & Sheljuzhko,1956** (Zygaenidae) Synonym(s): *ferganica* Holik & Sheljuzhko,1956 Range (in code): **UZ Fe**
- 94165. *Zygaena (Agrumenia) truchmena truchmena* Eversmann,1854** (Zygaenidae) Synonym(s): *truchmena* Eversmann,1854; *carbuncula* Burgeff,1926 Range (in code): **TM UZ**
- 94166. *Zygaena (Agrumenia) youngi* Rothschild,1925** (Zygaenidae) Synonym(s): *youngi* Rothschild,1925; *media* Rothschild,1925; *rothschildiana* H.Reiss,1930 Range (in code): **MA** Bionomy: Larva on *Ononis cristata*, *O. fruticosa*, *O. natrix*, *O. thomsonii*, *O. viscosa* (Fabaceae) (Naumann et al.,1999).
- 94167. *Zygaena (Agrumenia) youngi marteni* H.Reiss,1943** (Zygaenidae) Synonym(s): *marteni* H.Reiss,1943 Range (in code): **MA**
- 94168. *Zygaena (Agrumenia) youngi youngi* Rothschild,1925** (Zygaenidae) Synonym(s): *youngi* Rothschild,1925; *media* Rothschild,1925; *rothschildiana* H.Reiss,1930 Range (in code): **MA**
- 94169. *Zygaena (Agrumenia) zoraida* H.Reiss,1943** (Zygaenidae) Synonym(s): *zoraida* H.Reiss,1943 Range (in code): **MA Rf**
- 94170. *Zygaena (Agrumenia) zoraida zoraida* H.Reiss,1943** (Zygaenidae) Synonym(s): *zoraida* H.Reiss,1943 Range (in code): **MA Rf**
- 94171. *Zygaena (Mesembrynus) adsharica* H.Reiss,1935** (Zygaenidae) Synonym(s): *adsharica* H.Reiss,1935; *#interrupta* H.Reiss,1935; *#omniconfluens* H.Reiss,1935 Range (in code): **TR Cc GG Smt Akh AZ Bak**
- 94172. *Zygaena (Mesembrynus) adsharica adsharica* H.Reiss,1935** (Zygaenidae) Synonym(s): *adsharica* H.Reiss,1935; *#interrupta* H.Reiss,1935; *#omniconfluens* H.Reiss,1935 Range (in code): **TR Cc GG Smt Akh**
- 94173. *Zygaena (Mesembrynus) adsharica shemachensis* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *shemachensis* Holik & Sheljuzhko,1955 Range (in code): **Cc AZ Bak**

- 94174. *Zygaena (Mesembrynus) afghanica* H.Reiss,1940** (Zygaenidae) Synonym(s): *afghanica* H.Reiss,1940 Range (in code): AF
- 94175. *Zygaena (Mesembrynus) aisha* Naumann & Naumann,1980** (Zygaenidae) Synonym(s): *aisha* Naumann & Naumann,1980 Range (in code): IR Ss Ke
- 94176. *Zygaena (Mesembrynus) alpherakyi* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *alpherakyi* Sheljuzhko,1936 Range (in code): RU Da Kus Nt Ce
- 94177. *Zygaena (Mesembrynus) alpherakyi alpherakyi* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *alpherakyi* Sheljuzhko,1936 Range (in code): RU Da Kus Ce
- 94178. *Zygaena (Mesembrynus) alpherakyi ossetica* Holik,1939** (Zygaenidae) Synonym(s): *ossetica* Holik,1939 Range (in code): RU Cc Nt
- 94179. *Zygaena (Mesembrynus) araxis* Koch,1936** (Zygaenidae) Synonym(s): *araxis* Koch,1936 Original Reference: *Zygaena manlia* ssp. *araxis* Koch,1936, Dt. ent. Z., Iris 50: 41. Type ♂: [Azerbaidjan]: Ordubad. Range (in code): TR Cc AZ Nv Ord IR Zj
- 94180. *Zygaena (Mesembrynus) araxis araxis* Koch,1936** (Zygaenidae) Synonym(s): *araxis* Koch,1936 Original Reference: *Zygaena manlia* ssp. *araxis* Koch,1936, Dt. ent. Z., Iris 50: 41. Type ♂: [Azerbaidjan]: Ordubad. Range (in code): Cc AZ Nv Ord IR Zj
- 94181. *Zygaena (Mesembrynus) araxis kurdi* Görgner & Hofmann,1982** (Zygaenidae) Synonym(s): *kurdi* Görgner & Hofmann,1982 Original Reference: *Zygaena (Mesembrynus) araxis* ssp. *kurdi* Görgner & Hofmann,1982, Entomofauna 3 (4): 45, figs. Holotype ♂: Türkei: Van, 10km südl., [Kurubaş Geçidi], 1900-2100m. Range (in code): TR
- 94182. *Zygaena (Mesembrynus) aurata* Blachier,1905** (Zygaenidae) Synonym(s): *aurata* Blachier,1905 Original Reference: *Zygaena aurata* Blachier,1905, Bull. Soc. ent. Fr. 1905: 213-214. Syntypes: Maroc, Atlas Mt. Range (in code): MA
- 94183. *Zygaena (Mesembrynus) aurata aurata* Blachier,1905** (Zygaenidae) Synonym(s): *aurata* Blachier,1905 Original Reference: *Zygaena aurata* Blachier,1905, Bull. Soc. ent. Fr. 1905: 213-214. Syntypes: Maroc, Atlas Mt. Range (in code): MA
- 94184. *Zygaena (Mesembrynus) aurata blachieri* Rothschild,1931** (Zygaenidae) Synonym(s): *blachieri* Rothschild,1931 Range (in code): MA
- 94185. *Zygaena (Mesembrynus) aurata opaca* Blachier,1908** (Zygaenidae) Synonym(s): *opaca* Blachier,1908 Range (in code): MA
- 94186. *Zygaena (Mesembrynus) aurata tachdirtica* H.Reiss,1943** (Zygaenidae) Synonym(s): *tachdirtica* H.Reiss,1943 Range (in code): MA
- 94187. *Zygaena (Mesembrynus) brizae* (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800 Original Reference: *Sphinx brizae* Esper,1800, Schmett. Suppl. 2 (2): 27, pl.43 figs.3,4. Type(s): Ungarn, Ofen. Range (in code): FR IT AT PL CZ SK HU B-H MK AL GR Cr TR RU AZ Hkd GG Smt Akh Cc Bjo Bku Aba Kir Bionomy: Larva on *Cirsium arvense*, *C. eriophorum*, *C. tuberosum*, *Onopordum acanthium* (Asteraceae) (Naumann et al.,1999).
- 94188. *Zygaena (Mesembrynus) brizae adanensis* H.Reiss,1929** (Zygaenidae) Synonym(s): *adanensis* H.Reiss,1929 Range (in code): TR
- 94189. *Zygaena (Mesembrynus) brizae amseli* Bytinski-Salz,1936** (Zygaenidae) Synonym(s): *amseli* Bytinski-Salz,1936 Range (in code): IL Pa Js
- 94190. *Zygaena (Mesembrynus) brizae araratensis* H.Reiss,1935** (Zygaenidae) Synonym(s): *araratensis* H.Reiss,1935 Original Reference: *Zygaena araratensis* H.Reiss,1935, Int. ent. Z. 29: 139. Type: [Türkei]: Kazikoparan. Range (in code): Cc TR
- 94191. *Zygaena (Mesembrynus) brizae bernhaueri* H.Reiss & G.Reiss,1972** (Zygaenidae) Synonym(s): *bernhaueri* H.Reiss & G.Reiss,1972 Range (in code): TR
- 94192. *Zygaena (Mesembrynus) brizae brizae* (Esper,1800)** (Zygaenidae) Synonym(s): *brizae* Esper,1800 Original Reference: *Sphinx brizae* Esper,1800, Schmett. Suppl. 2 (2): 27, pl.43 figs.3,4. Type(s): Ungarn, Ofen. Range (in code): HU AT PL B-H CZ SK
- 94193. *Zygaena (Mesembrynus) brizae brussensis* H.Reiss,1929** (Zygaenidae) Synonym(s): *brussensis* H.Reiss,1929 Range (in code): TR
- 94194. *Zygaena (Mesembrynus) brizae corycia* Staudinger,1871** (Zygaenidae) Synonym(s): *corycia* Staudinger,1871; *corycia* Staudinger,1878; *lycaonica* H.Reiss,1935 Original Reference: *Zygaena brizae* var. *corycia* Staudinger,1878, Horae Soc. ent. ross. 14: 318. Syntypes: [Türkei]: Taurus (Haberhauer leg.). Range (in code): TR IL Pa Js LB Bsa Ctr
- 94195. *Zygaena (Mesembrynus) brizae muchei* Alberti,1971** (Zygaenidae) Synonym(s): *muchei* Alberti,1971 Range (in code): RU Cc

- 94196. *Zygaena (Mesembrynus) brizae ochrida* Holik,1937** (Zygaenidae) Synonym(s): *ochrida* Holik,1937 Range (in code): **MK**
- 94197. *Zygaena (Mesembrynus) brizae staudingeriana* H.Reiss,1932** (Zygaenidae) Synonym(s): *staudingeriana* H.Reiss,1932 Range (in code): **LB Bsa**
- 94198. *Zygaena (Mesembrynus) brizae vesubiana* Le Charles,1933** (Zygaenidae) Synonym(s): *vesubiana* Le Charles,1933 Range (in code): **FR IT**
- 94199. *Zygaena (Mesembrynus) brizae wiltshirei* Bytinski-Salz,1936** (Zygaenidae) Synonym(s): *wiltshirei* Bytinski-Salz,1936 Range (in code): **LB**
- 94200. *Zygaena (Mesembrynus) cacuminum* Christoph,1877** (Zygaenidae) Synonym(s): *cacuminum* Christoph,1877 Range (in code): **IR Elb Mz**
- 94201. *Zygaena (Mesembrynus) cadillaci* Oberthür,1921** (Zygaenidae) Synonym(s): *cadillaci* Oberthür,1921; *confluens* H.Reiss,1943 Range (in code): **MA**
- 94202. *Zygaena (Mesembrynus) cambysea* Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870 Range (in code): **Cc TR AM Eri AZ Ist IR Mz Th Elb Fa Sse IQ** Bionomy: Larva on *Eryngium campestre*, *E. maritimum* (Apiaceae) (Tremewan,1978).
- 94203. *Zygaena (Mesembrynus) cambysea cambysea* Lederer,1870** (Zygaenidae) Synonym(s): *cambysea* Lederer,1870 Range (in code): **IR Mz Th Elb** Bionomy: Larva on *Eryngium campestre*, *E. maritimum* (Apiaceae) (Tremewan,1978).
- 94204. *Zygaena (Mesembrynus) cambysea hafis* Reiss,1938** (Zygaenidae) Synonym(s): *hafis* Reiss,1938; *farsica* Ebert,1974. Range (in code): **IR Fa Sse**
- 94205. *Zygaena (Mesembrynus) cambysea rosacea* Romanoff,1884** (Zygaenidae) Synonym(s): *rosacea* Romanoff,1884 Range (in code): **Cc AM Eri AZ Ist TR IQ**
- 94206. *Zygaena (Mesembrynus) centaureae* Fischer v. Waldheim,1832** (Zygaenidae) Synonym(s): *centaureae* Fischer v. Waldheim,1832; *mannerheimi* Chardiny,1836; *#evandrus* Heydenreich,1851 Range (in code): **RU Sr UA Kiw**
- 94207. *Zygaena (Mesembrynus) centaureae centaureae* Fischer v. Waldheim,1832** (Zygaenidae) Synonym(s): *centaureae* Fischer v. Waldheim,1832; *mannerheimi* Chardiny,1836; *#evandrus* Heydenreich,1851 Range (in code): **RU Sr**
- 94208. *Zygaena (Mesembrynus) centaureae ukrainica* Sheljuzhko,1924** (Zygaenidae) Synonym(s): *ukrainica* Sheljuzhko,1924 Range (in code): **UA Kiw**
- 94209. *Zygaena (Mesembrynus) contaminei* Boisduval,1834** (Zygaenidae) Synonym(s): *contaminei* Boisduval,1834 Range (in code): **ES FR**
- 94210. *Zygaena (Mesembrynus) corsica* Boisduval,1828** (Zygaenidae) Synonym(s): *corsica* Boisduval,1828 Range (in code): **Co Sa FR IT**
- 94211. *Zygaena (Mesembrynus) cuvieri* Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828 Original Reference: *Zygaena cuvieri* Boisduval,1828, Essai Monogr. Zygénides: 53, pl.3 fig.6. Syntypes: "Environs d'Amaden, Perse". Range (in code): **TR IR Ab Oru Ha Kd IQ Ama Cc AM Eri SY TM Kp LB Bei Bsa AZ Nv Ord** Bionomy: Larva on *Eryngium glomeratum*, *Ferula elaeochrytris*, *F. cassii*, *Ferulago trachycarpa*, *Prangos* (Apiaceae) (Tremewan,1977; Naumann & Naumann,1980; Naumann et al.,1999).
- 94212. *Zygaena (Mesembrynus) cuvieri achaltekkensis* Koch,1937** (Zygaenidae) Synonym(s): *#achaltekkensis* Koch,1937 Original Reference: *Zygaena cuvieri* [ssp. *cuvieri*] var. *achaltekkensis* Koch,1937, Ent. Z., Frankf. a. M. 51 (3): 38. Holotype ♂: [Turkmenistan]: Jablonowka, Achal-Tekke (coll. Koch) (unavailable, quadrinomial name!). Range (in code): **TM Kp**
- 94213. *Zygaena (Mesembrynus) cuvieri cuvieri* Boisduval,1828** (Zygaenidae) Synonym(s): *cuvieri* Boisduval,1828 Original Reference: *Zygaena cuvieri* Boisduval,1828, Essai Monogr. Zygénides: 53, pl.3 fig.6. Syntypes: "Environs d'Amaden, Perse". Range (in code): **Cc TR IR Ab Oru Ha Kd IQ Ama**
- 94214. *Zygaena (Mesembrynus) cuvieri libani* Burgeff,1914** (Zygaenidae) Synonym(s): *libani* Burgeff,1914 Range (in code): **LB Bei Bsa** Bionomy: Larva on *Eryngium glomeratum*, *Ferula cassii* (Apiaceae) (ex Larsen) from Lebanon (Tremewan,1977).
- 94215. *Zygaena (Mesembrynus) cuvieri melitensis* Koch,1941** (Zygaenidae) Synonym(s): *melitensis* Koch,1941 Range (in code): **TR**
- 94216. *Zygaena (Mesembrynus) cuvieri okhtchaperdica* Reiss,1941** (Zygaenidae) Synonym(s): *okhtchaperdica* Reiss,1941 Range (in code): **Cc AM Eri**
- 94217. *Zygaena (Mesembrynus) cynarae* (Esper,[1789])** (Zygaenidae) Synonym(s): *cynarae* Esper,[1789]; *genistae* Herrich-Schäffer,1846 Range (in code): **FR IT BE DE AT PL CZ SK HU YU RU Sm**

- Ur Kkn Voo Uzb St Pik TR GG Smt Akh Aj Cc MD UA Kiw Bionomy: Larva on Peucedanum (Apiaceae) (Naumann & Naumann,1980).
- 94218. Zygaena (Mesembrynus) cynarae adriatica Burgeff,1926** (Zygaenidae)
Synonym(s): *adriatica* Burgeff,1926 Range (in code): HV
- 94219. Zygaena (Mesembrynus) cynarae adzharensis Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *adzharensis* Holik & Sheljuzhko,1955 Range (in code): TR GG Cc Aj
- 94220. Zygaena (Mesembrynus) cynarae austriaca Schwingenschuss,1952** (Zygaenidae)
Synonym(s): *austriaca* Schwingenschuss,1952 Range (in code): AT
- 94221. Zygaena (Mesembrynus) cynarae baschkirica Holik,1939** (Zygaenidae)
Synonym(s): *baschkirica* Holik,1939 Range (in code): RU Ur Uzb
- 94222. Zygaena (Mesembrynus) cynarae centrorossica Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *centrorossica* Holik & Sheljuzhko,1955 Range (in code): RU Voo
- 94223. Zygaena (Mesembrynus) cynarae ceriana Burgeff,1926** (Zygaenidae) Synonym(s): *ceriana* Burgeff,1926 Range (in code): IT
- 94224. Zygaena (Mesembrynus) cynarae curtyi Dujardin,1965** (Zygaenidae) Synonym(s): *curtyi* Dujardin,1965 Range (in code): FR
- 94225. Zygaena (Mesembrynus) cynarae cynarae (Esper,[1789])** (Zygaenidae)
Synonym(s): *cynarae* Esper,[1789]; *genistae* Herrich-Schäffer,1846 Range (in code): DE
- 94226. Zygaena (Mesembrynus) cynarae eurogramma Dujardin,1965** (Zygaenidae)
Synonym(s): *eurogramma* Dujardin,1965 Range (in code): FR
- 94227. Zygaena (Mesembrynus) cynarae florianii Dujardin,1965** (Zygaenidae)
Synonym(s): *florianii* Dujardin,1965 Range (in code): FR
- 94228. Zygaena (Mesembrynus) cynarae franconica Holik,1936** (Zygaenidae)
Synonym(s): *franconica* Holik,1936 Range (in code): DE
- 94229. Zygaena (Mesembrynus) cynarae goberti Le Charles,1952** (Zygaenidae)
Synonym(s): *goberti* Le Charles,1952 Range (in code): FR
- 94230. Zygaena (Mesembrynus) cynarae humilis Rocci,1926** (Zygaenidae) Synonym(s): *humilis* Rocci,1926 Range (in code): IT
- 94231. Zygaena (Mesembrynus) cynarae millefolii (Borkhausen,1789)** (Zygaenidae)
Synonym(s): *millefolii* Borkhausen,1789 Range (in code): AT Wn
- 94232. Zygaena (Mesembrynus) cynarae parvisi Dujardin,1965** (Zygaenidae) Synonym(s): *parvisi* Dujardin,1965 Range (in code): IT
- 94233. Zygaena (Mesembrynus) cynarae pinskensis Burgeff,1914** (Zygaenidae)
Synonym(s): *pinskensis* Burgeff,1914 Range (in code): RU Pik
- 94234. Zygaena (Mesembrynus) cynarae pusztiae Burgeff,1926** (Zygaenidae) Synonym(s): *pusztiae* Burgeff,1926 Range (in code): HU
- 94235. Zygaena (Mesembrynus) cynarae samarensis Holik,1939** (Zygaenidae)
Synonym(s): *samarensis* Holik,1939 Range (in code): RU Cc St Sm
- 94236. Zygaena (Mesembrynus) cynarae strongyla Dujardin,1965** (Zygaenidae)
Synonym(s): *strongyla* Dujardin,1965 Range (in code): IT
- 94237. Zygaena (Mesembrynus) cynarae sylvana Przegendza,1932** (Zygaenidae)
Synonym(s): *sylvana* Przegendza,1932 Range (in code): UA Kiw
- 94238. Zygaena (Mesembrynus) cynarae taurinorum Veirt,1930** (Zygaenidae)
Synonym(s): *taurinorum* Veirt,1930 Range (in code): IT
- 94239. Zygaena (Mesembrynus) cynarae tolmezzana Meier,1957** (Zygaenidae)
Synonym(s): *tolmezzana* Meier,1957 Range (in code): IT
- 94240. Zygaena (Mesembrynus) cynarae transuralica Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *transuralica* Holik & Sheljuzhko,1955 Range (in code): RU Ur Kkn
- 94241. Zygaena (Mesembrynus) cynarae turatii Standfuss,1892** (Zygaenidae)
Synonym(s): *turatii* Standfuss,1892 Range (in code): IT
- 94242. Zygaena (Mesembrynus) cynarae tusca Verity,1930** (Zygaenidae) Synonym(s): *tusca* Verity,1930 Range (in code): IT
- 94243. Zygaena (Mesembrynus) cynarae uralensis Herrich-Schäffer,1846** (Zygaenidae)
Synonym(s): *uralensis* Herrich-Schäffer,1846 Range (in code): RU Ur
- 94244. Zygaena (Mesembrynus) cynarae vallettensis Reiss,1958** (Zygaenidae)
Synonym(s): *vallettensis* Reiss,1958 Range (in code): FR

- 94245. *Zygaena (Mesembrynus) cynarae wachauensis* Leinfest,1952** (Zygaenidae)
Synonym(s): *wachauensis* Leinfest,1952 Range (in code): AT
- 94246. *Zygaena (Mesembrynus) cynarae waltharii* Burgeff,1926** (Zygaenidae)
Synonym(s): *waltharii* Burgeff,1926 Range (in code): AT
- 94247. *Zygaena (Mesembrynus) erythrus* (Hübner,[1806])** (Zygaenidae) Synonym(s):
erythrus Hübner,[1806] Range (in code): FR Si IT
- 94248. *Zygaena (Mesembrynus) favonia* Freyer,1845** (Zygaenidae) Synonym(s): *favonia* Freyer,1845; *cedri* Bruand,1846; *mediterranea* Herrich-Schäffer,1846; *#flava* Rothschild,1917; *#pseudostaudingeri* Burgeff,1926 Range (in code): MA Ess Tgr DZ Agi Sbd Cst Tlm Khh Saia Agi Lbs DhM Tun BtNa Eba Abe Orn Mage Anna Ndr
- 94249. *Zygaena (Mesembrynus) favonia ahmarensis* H.Reiss,1943** (Zygaenidae)
Synonym(s): *ahmarensis* H.Reiss,1943 Range (in code): MA
- 94250. *Zygaena (Mesembrynus) favonia borreyi* Oberthür,1922** (Zygaenidae)
Synonym(s): *borreyi* Oberthür,1922 Range (in code): MA
- 94251. *Zygaena (Mesembrynus) favonia favonia* Freyer,1845** (Zygaenidae) Synonym(s):
favonia Freyer,1845; *cedri* Bruand,1846; *mediterranea* Herrich-Schäffer,1846; *#flava* Rothschild,1917; *#pseudostaudingeri* Burgeff,1926 Range (in code): DZ Agi Khh Saia Agi Lbs DhM Tun BtNa Eba
- 94252. *Zygaena (Mesembrynus) favonia kabylica* H.Reiss,1941** (Zygaenidae) Synonym(s):
kabylica H.Reiss,1941 Range (in code): MA
- 94253. *Zygaena (Mesembrynus) favonia littoralis* Rothschild,1917** (Zygaenidae)
Synonym(s): *littoralis* Rothschild,1917; *cingulata* H.Reiss,1943 Range (in code): MA Ess
- 94254. *Zygaena (Mesembrynus) favonia maroccensis* H.Reiss,1930** (Zygaenidae)
Synonym(s): *intermedia* Rothschild,1917 nec Rocc.,1914; *maroccensis* H.Reiss,1930 Range (in code): MA
- 94255. *Zygaena (Mesembrynus) favonia sebdouensis* Przegendza,1932** (Zygaenidae)
Synonym(s): *sebdouensis* Przegendza,1932 Range (in code): DZ Tlm Sbd
- 94256. *Zygaena (Mesembrynus) favonia vitrina* Staudinger,1887** (Zygaenidae)
Synonym(s): *vitrina* Staudinger,1887 Original Reference: Zygaena favonia var. vitrina Staudinger,1887, Berl. ent. Z. 31: 32. Type: Algerien, Constantine. Range (in code): DZ Cst
- 94257. *Zygaena (Mesembrynus) fredii* H.Reiss,1938** (Zygaenidae) Synonym(s): *fredii* H.Reiss,1938 Range (in code): IR Fa Sse Es Ha Kz Lo Ke
- 94258. *Zygaena (Mesembrynus) fredii escaleraiana* Holik,1958** (Zygaenidae) Synonym(s):
escaleraiana Holik,1958 Original Reference: Zygaena (Coelestis) seitzi ssp. escaleraiana Holik,1958, Ent. Z., Frankf. a. M. 68: 17. Range (in code): IR Fa Kz
- 94259. *Zygaena (Mesembrynus) fredii fredii* H.Reiss,1938** (Zygaenidae) Synonym(s): *fredii* H.Reiss,1938 Range (in code): IR Fa Sse
- 94260. *Zygaena (Mesembrynus) fredii syntopica* Hofmann & Tremewan,2003** (Zygaenidae) Synonym(s): *syntopica* Hofmann & Tremewan,2003 Range (in code): IR Es o
- 94261. *Zygaena (Mesembrynus) fredii valii* A.Hofmann & Keil,2011** (Zygaenidae)
Synonym(s): *valii* A.Hofmann & Keil,2011 Range (in code): IR Ke
- 94262. *Zygaena (Mesembrynus) ginnereissi* Hofmann,2000** (Zygaenidae) Synonym(s):
ginnereissi Hofmann,2000 Range (in code): IR Ke
- 94263. *Zygaena (Mesembrynus) haematina* Kollar,[1849]** (Zygaenidae) Synonym(s):
haematina Kollar,[1849] Range (in code): TR IR Fa By Lo Es Bionomy: Larva on ? Echinophora cinerea (Naumann et al.,1999).
- 94264. *Zygaena (Mesembrynus) haematina aurora* Hofmann,2000** (Zygaenidae)
Synonym(s): *aurora* Hofmann,2000 Range (in code): IR Es
- 94265. *Zygaena (Mesembrynus) haematina firuzica* Reiss,1981** (Zygaenidae) Synonym(s):
firuzica Reiss,1981 Range (in code): IR Fa
- 94266. *Zygaena (Mesembrynus) haematina fusca* Hofmann,2000** (Zygaenidae)
Synonym(s): *fusca* Hofmann,2000 Range (in code): IR Es
- 94267. *Zygaena (Mesembrynus) haematina haematina* Kollar,[1849]** (Zygaenidae)
Synonym(s): *haematina* Kollar,[1849] Range (in code): IR Fa By Es
- 94268. *Zygaena (Mesembrynus) haematina kordestani* Reiss,1981** (Zygaenidae)
Synonym(s): *kordestani* Reiss,1981 Original Reference: Zygaena haematina ssp. kordestani Reiss,1981, Atalanta 12 (5): 377-382, figs. 25-29. Holotype ♂: Türkiye: Van, Van / Aatak, 2000m, 10.vii.1978, leg. G. Betti (coll. Reiss). Range (in code): TR
- 94269. *Zygaena (Mesembrynus) haematina lorestanensis* Hofmann & Klir,2000** (Zygaenidae) Synonym(s): *lorestanensis* Hofmann & Klir,2000 Range (in code): IR Lo Es

- 94270. *Zygaena (Mesembrynus) hindukuchi* Koch,1937** (Zygaenidae) Synonym(s): *hindukuchi* Koch,1937 Range (in code): AF
- 94271. *Zygaena (Mesembrynus) kermanensis* Tremewan,1975** (Zygaenidae) Synonym(s): *kermanensis* Tremewan,1975 Range (in code): IR Fa Ke
- 94272. *Zygaena (Mesembrynus) kermanensis askarii* Tremewan,1975** (Zygaenidae) Synonym(s): *askarii* Tremewan,1975 Range (in code): IR Fa
- 94273. *Zygaena (Mesembrynus) kermanensis qashqai* Tremewan,1975** (Zygaenidae) Synonym(s): *qashqai* Tremewan,1975 Range (in code): IR Fa
- 94274. *Zygaena (Mesembrynus) laeta* (Hübner,1790)** (Zygaenidae) Synonym(s): *laeta* Hübner,1790 Original Reference: Sphinx *laeta* Hübner,1790, Beitr. Gesch. Schmett. 2: 88, pl.2 fig.H. Type: Österreich: Wiener Becken. Range (in code): AT CZ SK HU RO YU AL MK BG GR Rd TR RU MD UA BY
- 94275. *Zygaena (Mesembrynus) laeta akschehirensis* Reiss,1929** (Zygaenidae) Synonym(s): *akschehirensis* Reiss,1929 Original Reference: *Zygaena laeta akschehirensis* Reiss,1929, Int. ent. Z. 23: 151. Type: Kleinasien: Ak-Schehir, 900-1100m. Range (in code): TR
- 94276. *Zygaena (Mesembrynus) laeta danieli* H.Reiss,1935** (Zygaenidae) Synonym(s): *danieli* H.Reiss,1935; *laetissima* Holik,1935. Original Reference: *Zygaena laeta* ssp. *danieli* H.Reiss,1935, Int. ent. Z. 29: 159-160. Syntypes: Kleinasien: Marasch 600-1000m. Range (in code): TR
- 94277. *Zygaena (Mesembrynus) laeta orientis* Burgeff,1926** (Zygaenidae) Synonym(s): *orientis* Burgeff,1926; *#orientalis* Bender,1963 Range (in code): MK Rd
- 94278. *Zygaena (Mesembrynus) loyselii* Oberthür,1876** (Zygaenidae) Synonym(s): *loyselii* Oberthür,1876 Original Reference: *Zygaena loyselii* Oberthür,1876, Et. Ent. 1: 34. Type: Algeria, [Batna Prov., Tazoult]: Lambessa. Range (in code): MA DZ Bttna Tis Tni Taz Lbs Ges Dje Khh Agi Eba
- 94279. *Zygaena (Mesembrynus) loyselii fracticingulata* Rothschild,1925** (Zygaenidae) Synonym(s): *fracticingulata* Rothschild,1925 Range (in code): MA
- 94280. *Zygaena (Mesembrynus) loyselii loyselii* Oberthür,1876** (Zygaenidae) Synonym(s): *loyselii* Oberthür,1876 Original Reference: *Zygaena loyselii* Oberthür,1876, Et. Ent. 1: 34. Type: Algeria, [Batna Prov., Tazoult]: Lambessa. Range (in code): DZ Bttna Taz Lbs Ges Dje Khh Agi
- 94281. *Zygaena (Mesembrynus) loyselii montana* Rothschild,1925** (Zygaenidae) Synonym(s): *montana* Rothschild,1925 Range (in code): MA
- 94282. *Zygaena (Mesembrynus) loyselii occidentis* Burgeff,1926** (Zygaenidae) Synonym(s): *occidentalis* Oberthür,1916 nec Obth.,1907; *occidentis* Burgeff,1926 Range (in code): DZ Eba
- 94283. *Zygaena (Mesembrynus) loyselii olivacea* Rothschild,1925** (Zygaenidae) Synonym(s): *olivacea* Rothschild,1925 Range (in code): MA
- 94284. *Zygaena (Mesembrynus) loyselii xauensis* H.Reiss,1943** (Zygaenidae) Synonym(s): *xauensis* H.Reiss,1943 Range (in code): MA
- 94285. *Zygaena (Mesembrynus) lydia* Staudinger,1887** (Zygaenidae) Synonym(s): *lydia* Staudinger,1887 Original Reference: *Zygaena lydia* Staudinger,1887, Berl. ent. Z. 31: 36. Type: Kleinasien: Malatia. Range (in code): Cc TR Bionomy: Larva on *Eryngium giganteum*, Prangos (Apiaceae) (Naumann et al.,1999).
- 94286. *Zygaena (Mesembrynus) lydia hadjinensis* Reiss,1931** (Zygaenidae) Synonym(s): *hadjinensis* Reiss,1931 Original Reference: *Zygaena lydia hadjinensis* Reiss,1931, Int. ent. Z. 25: 342, 359. Type: Kleinasien: Hadjin [Saimbeyli]. Range (in code): TR
- 94287. *Zygaena (Mesembrynus) lydia lydia* Staudinger,1887** (Zygaenidae) Synonym(s): *lydia* Staudinger,1887 Original Reference: *Zygaena lydia* Staudinger,1887, Berl. ent. Z. 31: 36. Type: Kleinasien: Malatia. Range (in code): Cc TR SY Hal
- 94288. *Zygaena (Mesembrynus) lydia osmanica* Wiegel,1984** (Zygaenidae) Synonym(s): *osmanica* Wiegel,1984 Original Reference: *Zygaena (Mesembrynus) lydia* ssp. *osmanica* Wiegel,1984, Entomofauna 5 (5): 55-57, figs. Holotype ♂: NE-Türkei: Prov. Kars: vic. Sarıkamış, 2000-2300m 25.6.1980, leg. Sailer (coll. Wiegel). Range (in code): Cc TR
- 94289. *Zygaena (Mesembrynus) manlia* Lederer,1870** (Zygaenidae) Synonym(s): *manlia* Lederer,1870 Original Reference: *Zygaena manlia* Lederer,1870, Horae Soc. ent. ross. 6: 87, pl.5 fig.7. Range (in code): TR IR Ke Ss Es Fa Bl Mz Kh IQ Cc AM AZ Nv Ord TM Bl Elb TM Kp Kh Bionomy: Larva on *Eryngium billardieri* (Apiaceae) (Naumann et al.,1999).

- 94290. *Zygaena (Mesembrynus) manlia belutschistani* Koch,1941** (Zygaenidae)
Synonym(s): *belutschistani* Koch,1941 Range (in code): IR Ss
- 94291. *Zygaena (Mesembrynus) manlia manlia* Lederer,1870** (Zygaenidae) Synonym(s):
manlia Lederer,1870; *schahrudensis* Koch,1941. Original Reference: *Zygaena manlia* Lederer,1870,
Horae Soc. ent. ross. 6: 87, pl.5 fig.7. Range (in code): IR BI Mz Kh Cc AM AZ Nv Ord TM BI Elb
- 94292. *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller],1775)** (Zygaenidae)
Synonym(s): *minos* [Denis & Schiffermüller],1775. Original Reference: *Sphinx minos* [Denis &
Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna
district. Range (in code): FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR SY Hal GG AZ Len Cc
AM Alg DK SE FI EE LV LT RU Sr Da IR Elb Glb TM Kp Bionomy: Larva on *Eryngium* (Apiaceae)
(Naumann & Naumann, 1980,1985).
- 94293. *Zygaena (Mesembrynus) minos alagezi* Holik & Sheljuzhko,1953** (Zygaenidae)
Synonym(s): *alagezi* Holik & Sheljuzhko,1953 Range (in code): Cc AM Alg
- 94294. *Zygaena (Mesembrynus) minos alanyca* Reiss & Reiss,1972** (Zygaenidae)
Synonym(s): *alanyca* Reiss & Reiss,1972 Range (in code): TR
- 94295. *Zygaena (Mesembrynus) minos anadoluica* Tremewan,1970** (Zygaenidae)
Synonym(s): *anadoluica* Tremewan,1970 Range (in code): TR
- 94296. *Zygaena (Mesembrynus) minos chamurli* Koch,1934** (Zygaenidae) Synonym(s):
chamurli Koch,1934 Original Reference: *Zygaena purpuralis* ssp. *chamurli* Koch,1934, Dt. ent. Z.,
Iris 48: 192. Syntypes 14♂ 5♀: [Türkei]: Kars Prov., Sarikamisch, Geröllhalden 2900m des
Chamurlu-Dagh (leg. Kotzsch). Range (in code): Cc TR
- 94297. *Zygaena (Mesembrynus) minos clavigera* Burgeff,1914** (Zygaenidae) Synonym(s):
clavigera Burgeff,1914 Range (in code): TR SY Hal
- 94298. *Zygaena (Mesembrynus) minos dagestana* Sheljuzhko,1936** (Zygaenidae)
Synonym(s): *dagestana* Sheljuzhko,1936 Range (in code): Cc RU Da
- 94299. *Zygaena (Mesembrynus) minos diaphana* Staudinger,1887** (Zygaenidae)
Synonym(s): *diaphana* Staudinger,1887 Range (in code): TR
- 94300. *Zygaena (Mesembrynus) minos ingens* Burgeff,1926** (Zygaenidae) Synonym(s):
ingens Burgeff,1926 Range (in code): Cc GG AM AZ
- 94301. *Zygaena (Mesembrynus) minos persica* Burgeff,1926** (Zygaenidae) Synonym(s):
persica Burgeff,1926 Range (in code): IR Elb
- 94302. *Zygaena (Mesembrynus) minos pseudosmirnovi* Reiss,1941** (Zygaenidae)
Synonym(s): *pseudosmirnovi* Reiss,1941 Range (in code): IR Kh
- 94303. *Zygaena (Mesembrynus) minos rosea* Burgeff,1914** (Zygaenidae) Synonym(s): *rosea*
Burgeff,1914; *rosalis* Burgeff,1926 Range (in code): TR
- 94304. *Zygaena (Mesembrynus) minos sareptensis* Rebel,1901** (Zygaenidae) Synonym(s):
sareptensis Rebel,1901 Range (in code): RU Sr
- 94305. *Zygaena (Mesembrynus) minos smirnovi* Christoph,1884** (Zygaenidae)
Synonym(s): *smirnovi* Christoph,1884 Range (in code): TM Kp IR Kh
- 94306. *Zygaena (Mesembrynus) minos tatvanica* Reiss & Reiss,1973** (Zygaenidae)
Synonym(s): *tatvanica* Reiss & Reiss,1973 Range (in code): TR
- 94307. *Zygaena (Mesembrynus) mirzayansi* A.Hofmann & Keil,2011** (Zygaenidae)
Synonym(s): *mirzayansi* A.Hofmann & Keil,2011 Range (in code): IR Es
- 94308. *Zygaena (Mesembrynus) nocturna* Ebert,1974** (Zygaenidae) Synonym(s): *nocturna*
Ebert,1974 Original Reference: *Zygaena nocturna* Ebert,1974, Beitr. naturk. Forsch. SüdWdtl. 33:
164, figs. 2-6. Holotype ♂: Iran: Fars, 50km NW. Ardakan [Sepidan], 2250m. Range (in code): IR
Es Fa By Lo
- 94309. *Zygaena (Mesembrynus) nocturna eberti* A.Hofmann,2005** (Zygaenidae)
Synonym(s): *eberti* A.Hofmann,2005 Range (in code): IR Lo
- 94310. *Zygaena (Mesembrynus) nocturna meinekei* Hofmann & Tremewan,2003**
(Zygaenidae) Synonym(s): *meinekei* Hofmann & Tremewan,2003 Range (in code): IR Es Fa
- 94311. *Zygaena (Mesembrynus) nocturna nocturna* Ebert,1974** (Zygaenidae) Synonym(s):
nocturna Ebert,1974 Original Reference: *Zygaena nocturna* Ebert,1974, Beitr. naturk. Forsch.
SüdWdtl. 33: 164, figs. 2-6. Holotype ♂: Iran: Fars, 50km NW. Ardakan [Sepidan], 2250m.
Range (in code): IR Fa By
- 94312. *Zygaena (Mesembrynus) pseudorubicundus* Klir & Naumann,2002** (Zygaenidae)
Synonym(s): *pseudorubicundus* Klir & Naumann,2002 Range (in code): IR Th Elb

- 94313. *Zygaena (Mesembrynus) punctum* Ochsenheimer, 1808** (Zygaenidae) **Synonym(s):** *punctum* Ochsenheimer, 1808 **Original Reference:** *Zygaena punctum* Ochsenheimer, 1808, Schmett. Eur. 2: 36-38. Type(s): Ungarn. **Range (in code):** [Si IT AT CZ SK HU RO YU AL BG GR Cr Rd TR AZ GG Cc Bjo Smt Akh AM Eri RU Sr](#)
- 94314. *Zygaena (Mesembrynus) punctum anatoliensis* Reiss, 1929** (Zygaenidae) **Synonym(s):** *anatoliensis* Reiss, 1929 **Original Reference:** *Zygaena punctum* ssp. *anatoliensis* Reiss, 1929, Int. ent. Z. 23: 148. Type ♂: [Türkei]: [Konya Pr.]: Ak-Schehir, 1000-1500m. **Range (in code):** [TR](#)
- 94315. *Zygaena (Mesembrynus) punctum athenae* Reiss, 1962** (Zygaenidae) **Synonym(s):** *athenae* Reiss, 1962 **Range (in code):** [GR](#)
- 94316. *Zygaena (Mesembrynus) punctum chersonesica* Reiss, 1941** (Zygaenidae) **Synonym(s):** *chersonesica* Reiss, 1941 **Range (in code):** [UA Cm](#)
- 94317. *Zygaena (Mesembrynus) punctum dalmatina* Boisduval, 1834** (Zygaenidae) **Synonym(s):** *dalmatina* Boisduval, 1834 **Range (in code):** [HV](#)
- 94318. *Zygaena (Mesembrynus) punctum dystrepta* Fischer-Waldheim, 1832** (Zygaenidae) **Synonym(s):** *dystrepta* Fischer-Waldheim, 1832 **Range (in code):** [RU Sr GG Cc Bjo Smt Akh AM Eri](#)
- 94319. *Zygaena (Mesembrynus) punctum excelsior* Verity, 1930** (Zygaenidae) **Synonym(s):** *excelsior* Verity, 1930 **Range (in code):** [IT](#)
- 94320. *Zygaena (Mesembrynus) punctum faitensis* Stauder, 1929** (Zygaenidae) **Synonym(s):** *faitensis* Stauder, 1929 **Range (in code):** [IT](#)
- 94321. *Zygaena (Mesembrynus) punctum isaszeghensis* Reiss, 1929** (Zygaenidae) **Synonym(s):** *isaszeghensis* Reiss, 1929 **Range (in code):** [HU](#)
- 94322. *Zygaena (Mesembrynus) punctum itala* Burgeff, 1926** (Zygaenidae) **Synonym(s):** *itala* Burgeff, 1926; *italica* Rebel, 1901 nec Caradj., 1895 **Range (in code):** [IT](#)
- 94323. *Zygaena (Mesembrynus) punctum italaparva* Verity, 1930** (Zygaenidae) **Synonym(s):** *italaparva* Verity, 1930 **Range (in code):** [IT](#)
- 94324. *Zygaena (Mesembrynus) punctum kalavrytica* Reiss, 1962** (Zygaenidae) **Synonym(s):** *kalavrytica* Reiss, 1962 **Range (in code):** [GR](#)
- 94325. *Zygaena (Mesembrynus) punctum kefersteini* Herrich-Schäffer, 1846** (Zygaenidae) **Synonym(s):** *kefersteini* Herrich-Schäffer, 1846 **Range (in code):** [GR Cr](#)
- 94326. *Zygaena (Mesembrynus) punctum kolbi* Reiss, 1933** (Zygaenidae) **Synonym(s):** *kolbi* Reiss, 1933 **Range (in code):** [HV](#)
- 94327. *Zygaena (Mesembrynus) punctum kremkyi* Holik, 1939** (Zygaenidae) **Synonym(s):** *kremkyi* Holik, 1939 **Range (in code):** [UA](#)
- 94328. *Zygaena (Mesembrynus) punctum ledereri* Rambur, 1866** (Zygaenidae) **Synonym(s):** *ledereri* Rambur, 1866; *contamineoides* Staudinger, 1871 **Range (in code):** [IT Si](#)
- 94329. *Zygaena (Mesembrynus) punctum malatina* Dziurzynski, 1902** (Zygaenidae) **Synonym(s):** *malatina* Dziurzynski, 1902 **Original Reference:** *Zygaena punctum malatina* Dziurzynski, 1902, Dt. ent. Z., Iris 15: 337. Syntypes: [Türkei]: Malatia. **Range (in code):** [TR](#)
- 94330. *Zygaena (Mesembrynus) punctum punctum* Ochsenheimer, 1808** (Zygaenidae) **Synonym(s):** *punctum* Ochsenheimer, 1808 **Original Reference:** *Zygaena punctum* Ochsenheimer, 1808, Schmett. Eur. 2: 36-38. Type(s): Ungarn. **Range (in code):** [HU AT](#)
- 94331. *Zygaena (Mesembrynus) punctum rhodosica* Reiss, 1962** (Zygaenidae) **Synonym(s):** *rhodosica* Reiss, 1962 **Range (in code):** [GR Rd](#)
- 94332. *Zygaena (Mesembrynus) punctum scupensis* Koch, 1942** (Zygaenidae) **Synonym(s):** *scupensis* Koch, 1942 **Range (in code):** [MK](#)
- 94333. *Zygaena (Mesembrynus) punctum vanica* Reiss & Reiss, 1973** (Zygaenidae) **Synonym(s):** *vanica* Reiss & Reiss, 1973 **Original Reference:** *Zygaena (Mesembrynus) punctum* ssp. *vanica* Reiss & Reiss, 1973, Entomologist's Rec. J. Var. 85: 191-192, Pl. 14 figs. 3, 4. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.6.1970 leg. Schubert (coll. Reiss) (MW). **Range (in code):** [TR](#)
- 94334. *Zygaena (Mesembrynus) punctum zangherii* Dujardin, 1965** (Zygaenidae) **Synonym(s):** *zangherii* Dujardin, 1965 **Range (in code):** [IT](#)
- 94335. *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763)** (Zygaenidae) **Synonym(s):** *purpuralis* Brünnich, 1763; *pythia* Fabricius, 1777; *scabiosae* Scheven, 1777; *pilosellae* Esper, 1780; *pluto* Ochsenheimer, 1808; *pasiphae* Meigen, [1829]; *tatvanica* Reiss & Reiss, 1973. **Range (in code):** [ES FR Si IT IE GB BE LU DE CH AT PL CZ SK HU RO B-H HV MK Och Doj YU AL BG Slv GR TR AM Alg GG Smt Akh](#)

- Tbl Cc DK LT RU Kc Teb Kis Pja Da Der At MD UA Cm BY KK KG Lps Ket CN Ui Ku T-S Na** Bionomy:
Larva on Thymus (Lamiaceae) (Naumann & Naumann, 1980, 1985).
- 94336. Zygaena (Mesembrynus) purpuralis agridaghi Holik, 1941** (Zygaenidae)
Synonym(s): *agridaghi Holik, 1941* Original Reference: Zygaena purpuralis var. agridaghi Holik, 1941, Mitt. münch. ent. Ges. 31: 778. Syntypes 5♂ 4♀: Agri-Dagh, 2500-3000m. Range (in code): Cc TR
- 94337. Zygaena (Mesembrynus) purpuralis alagezi Holik & Sheljuzhko, 1953** (Zygaenidae) Synonym(s): *alagezi Holik & Sheljuzhko, 1953* Range (in code): Cc AM Alg
- 94338. Zygaena (Mesembrynus) purpuralis alagirica Holik & Sheljuzhko, 1953** (Zygaenidae) Synonym(s): *alagirica Holik & Sheljuzhko, 1953* Range (in code): RU Cc
- 94339. Zygaena (Mesembrynus) purpuralis barthai Reiss, 1929** (Zygaenidae) Synonym(s): *barthai Reiss, 1929* Range (in code): TR
- 94340. Zygaena (Mesembrynus) purpuralis bosniaca Burgeff, 1914** (Zygaenidae) Synonym(s): *bosniaca Burgeff, 1914* Range (in code): B-H
- 94341. Zygaena (Mesembrynus) purpuralis bukuwskyi Holik, 1937** (Zygaenidae) Synonym(s): *bukuwskyi Holik, 1937* Range (in code): MK Och
- 94342. Zygaena (Mesembrynus) purpuralis chatiparae Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *chatiparae Sheljuzhko, 1936* Range (in code): RU Cc Kc Teb
- 94343. Zygaena (Mesembrynus) purpuralis dagestana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *dagestana Sheljuzhko, 1936* Range (in code): RU Cc Da Der
- 94344. Zygaena (Mesembrynus) purpuralis dojrana Burgeff, 1926** (Zygaenidae) Synonym(s): *dojrana Burgeff, 1926* Range (in code): MK Doj
- 94345. Zygaena (Mesembrynus) purpuralis hellena Burgeff, 1926** (Zygaenidae) Synonym(s): *graeca Tutt, 1895 nec Stgr., 1871; hellena Burgeff, 1926* Range (in code): GR
- 94346. Zygaena (Mesembrynus) purpuralis ingens Burgeff, 1926** (Zygaenidae) Synonym(s): *ingens Burgeff, 1926* Range (in code): GG Cc Tbl
- 94347. Zygaena (Mesembrynus) purpuralis kasakstana Holik, 1939** (Zygaenidae) Synonym(s): *kasakstana Holik, 1939* Range (in code): KG TrA T-S Ket Aa KuA KK Ik
- 94348. Zygaena (Mesembrynus) purpuralis kislovosdskana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *kislovosdskana Sheljuzhko, 1936* Range (in code): RU Cc Kis
- 94349. Zygaena (Mesembrynus) purpuralis lathyri Boisduval, 1828** (Zygaenidae) Synonym(s): *lathyri Boisduval, 1828* Range (in code): HV
- 94350. Zygaena (Mesembrynus) purpuralis martirosensis Koch, 1942** (Zygaenidae) Synonym(s): *martirosensis Koch, 1942* Range (in code): Cc AM
- 94351. Zygaena (Mesembrynus) purpuralis mirabilis Verity, 1922** (Zygaenidae) Synonym(s): *mirabilis Verity, 1922* Range (in code): IT
- 94352. Zygaena (Mesembrynus) purpuralis naryna Burgeff, 1926** (Zygaenidae) Synonym(s): *naryna Burgeff, 1926* Range (in code): KK Na
- 94353. Zygaena (Mesembrynus) purpuralis pseudodiaphana Tremewan, 1958** (Zygaenidae) Synonym(s): *pseudodiaphana Tremewan, 1958* Range (in code): TR
- 94354. Zygaena (Mesembrynus) purpuralis rebeli Drenowki, 1928** (Zygaenidae) Synonym(s): *rebeli Drenowki, 1928; drenowskii Holik, 1937* Range (in code): BG
- 94355. Zygaena (Mesembrynus) purpuralis simferopolica Reiss, 1939** (Zygaenidae) Synonym(s): *simferopolica Reiss, 1939* Range (in code): UA Cm
- 94356. Zygaena (Mesembrynus) purpuralis slivnenska Koch, 1942** (Zygaenidae) Synonym(s): *slivnenska Koch, 1942* Range (in code): BG Slv
- 94357. Zygaena (Mesembrynus) purpuralis strandiana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *strandiana Sheljuzhko, 1936* Range (in code): RU Kc Teb
- 94358. Zygaena (Mesembrynus) purpuralis strandiana Sheljuzhko, 1936** (Zygaenidae) Synonym(s): *strandiana Sheljuzhko, 1936* Range (in code): RU Cc Kc Teb
- 94359. Zygaena (Mesembrynus) purpuralis sultanbeki Holik, 1941** (Zygaenidae) Synonym(s): *sultanbeki Holik, 1941* Original Reference: Zygaena purpuralis var. sultanbeki Holik, 1941, Mitt. münch. ent. Ges. 31: 778-779. Syntypes 4♂ 1♀: Armenien: Sultanbek. Range (in code): Cc AM
- 94360. Zygaena (Mesembrynus) purpuralis thracica Holik, 1937** (Zygaenidae) Synonym(s): *thracica Holik, 1937* Range (in code): BG

- 94361. *Zygaena (Mesembrynus) purpuralis tianschanica* Burgeff,1926** (Zygaenidae)
Synonym(s): *tianschanica* Burgeff,1926 Range (in code): CN T-S Au Ui Ku
- 94362. *Zygaena (Mesembrynus) purpuralis tirabzona* Sheljuzhko,1936** (Zygaenidae)
Synonym(s): *tirabzona* Sheljuzhko,1936 Range (in code): TR
- 94363. *Zygaena (Mesembrynus) purpuralis villosa* Burgeff,1914** (Zygaenidae)
Synonym(s): *villosa* Burgeff,1914 Range (in code): Cc GG TR
- 94364. *Zygaena (Mesembrynus) purpuralis zangezuri* Holik & Sheljuzhko,1953** (Zygaenidae) Synonym(s): *zangezuri* Holik & Sheljuzhko,1953 Range (in code): Cc AM
- 94365. *Zygaena (Mesembrynus) rubicundus* (Hübner,[1817])** (Zygaenidae) Synonym(s): *rubicundus* Hübner,[1817] Range (in code): IT
- 94366. *Zygaena (Mesembrynus) rubricollis* Hampson,1900** (Zygaenidae) Synonym(s): *rubricollis* Hampson,1900 Original Reference: *Zygaena rubricollis* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 224, pl.B fig.9. Range (in code): PK Nwf Ci Bl Qu IR Fa Ke Kz Ha Ss Cc AM Azb IQ AF Bionomy: Larva on *Eryngium billardieri* (Apiaceae) (Naumann et al.,1999).
- 94367. *Zygaena (Mesembrynus) rubricollis arachosica* A.Hofmann,2005** (Zygaenidae)
Synonym(s): *arachosica* A.Hofmann,2005 Range (in code): PK Bl Qu
- 94368. *Zygaena (Mesembrynus) rubricollis daralagezica* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *daralagezica* Holik & Sheljuzhko,1955 Original Reference: *Zygaena manlia* ssp. *daralagezica* Holik & Sheljuzhko,1955, Mitt. münch. ent. Ges. 45: 53. Holotype ♂: [Armenia]: Daralagez-Gebirge. Range (in code): Cc AM Azb Alg
- 94369. *Zygaena (Mesembrynus) rubricollis rubricollis* Hampson,1900** (Zygaenidae)
Synonym(s): *rubricollis* Hampson,1900 Original Reference: *Zygaena rubricollis* Hampson,1900, J. Bombay nat. Hist. Soc. 13: 224, pl.B fig.9. Range (in code): PK Nwf Ci
- 94370. *Zygaena (Mesembrynus) rubricollis shahkuhica* A.Hofmann,2005** (Zygaenidae)
Synonym(s): *shahkuhica* A.Hofmann,2005 Range (in code): IR Mz Elb
- 94371. *Zygaena (Mesembrynus) rubricollis taftanica* Reiss,1960** (Zygaenidae)
Synonym(s): *taftanica* Reiss,1960 Original Reference: *Zygaena manlia* ssp. *taftanica* Reiss,1960, Ent. Z., Frankf. a. M. 70 (7): 78-79, 2 Abb. Holotype ♂: Iran: Beluchistan: Kouh-i Taftan [pyrophil!]. Range (in code): IR Ss
- 94372. *Zygaena (Mesembrynus) sarpedon* (Hübner,1790)** (Zygaenidae) Synonym(s): *sarpedon* Hübner,1790; *trimaculata* Esper,[1794] Range (in code): PT ES Mu B-I FR IT
- 94373. *Zygaena (Mesembrynus) sarpedon algecirensis* H.Reiss,1927** (Zygaenidae)
Synonym(s): *algecirensis* H.Reiss,1927 Range (in code): ES
- 94374. *Zygaena (Mesembrynus) sarpedon anadipsia* Marten,1957** (Zygaenidae)
Synonym(s): *#anadipsia* Marten,1957 Range (in code): ES
- 94375. *Zygaena (Mesembrynus) sarpedon balearica* Boisducal,1828** (Zygaenidae)
Synonym(s): *balearica* Boisducal,1828 Range (in code): ES B-I
- 94376. *Zygaena (Mesembrynus) sarpedon bethunei* Romei,1927** (Zygaenidae)
Synonym(s): *bethunei* Romei,1927; *bethunei* H.Reiss,1927 Range (in code): ES
- 94377. *Zygaena (Mesembrynus) sarpedon carmencita* Oberthür,1910** (Zygaenidae)
Synonym(s): *#vernetensis* Oberthür,1884; *carmencita* Oberthür,1910 Range (in code): FR
- 94378. *Zygaena (Mesembrynus) sarpedon cimballi* Reiss & Tremewan,1967** (Zygaenidae)
Synonym(s): *#cimballi* Marten,1957; *cimballi* Reiss & Tremewan,1967 Range (in code): ES
- 94379. *Zygaena (Mesembrynus) sarpedon confluenta* H.Reiss,1927** (Zygaenidae)
Synonym(s): *confluenta* H.Reiss,1927; *ampla* Marten,1957 *nec* Walk.,1854 Range (in code): ES Mu
- 94380. *Zygaena (Mesembrynus) sarpedon crozesi* Marten,1957** (Zygaenidae) Synonym(s): *#crozesi* Marten,1957 Range (in code): FR
- 94381. *Zygaena (Mesembrynus) sarpedon escorialica* H.Reiss,1936** (Zygaenidae)
Synonym(s): *escorialica* H.Reiss,1936 Range (in code): ES
- 94382. *Zygaena (Mesembrynus) sarpedon hispanica* Rambur,1866** (Zygaenidae)
Synonym(s): *hispanica* Rambur,1866; *granadina* Marten,1957 Range (in code): ES
- 94383. *Zygaena (Mesembrynus) sarpedon irene* Reiss & Tremewan,1967** (Zygaenidae)
Synonym(s): *#irene* Marten,1957; *irene* Reiss & Tremewan,1967 Range (in code): ES
- 94384. *Zygaena (Mesembrynus) sarpedon leuzensis* Dujardin,1956** (Zygaenidae)
Synonym(s): *leuzensis* Dujardin,1956 Range (in code): FR
- 94385. *Zygaena (Mesembrynus) sarpedon lusitanica* H.Reiss,1936** (Zygaenidae)
Synonym(s): *lusitanica* H.Reiss,1936 Range (in code): PT

- 94386. *Zygaena (Mesembrynus) sarpedon musza* Marten, 1957** (Zygaenidae) Synonym(s): *#musza Marten, 1957* Range (in code): ES
- 94387. *Zygaena (Mesembrynus) sarpedon pictonorum Bernardi & Viette, 1959*** (Zygaenidae) Synonym(s): *pictonorum Bernardi & Viette, 1959* Range (in code): FR
- 94388. *Zygaena (Mesembrynus) sarpedon rianoica Tremewan, 1961*** (Zygaenidae) Synonym(s): *rianoica Tremewan, 1961* Range (in code): ES
- 94389. *Zygaena (Mesembrynus) sarpedon sarpedon (Hübner, 1790)*** (Zygaenidae) Synonym(s): *sarpedon Hübner, 1790; trimaculata Esper, [1794]* Range (in code): FR
- 94390. *Zygaena (Mesembrynus) sarpedon subalmanzorica Koch, 1945*** (Zygaenidae) Synonym(s): *subalmanzorica Koch, 1945* Range (in code): ES
- 94391. *Zygaena (Mesembrynus) sarpedon tipula Reiss, 1966*** (Zygaenidae) Synonym(s): *#tipula Marten, 1957; tipula Reiss, 1966* Range (in code): ES
- 94392. *Zygaena (Mesembrynus) sarpedon variabilis Burgeff, 1926*** (Zygaenidae) Synonym(s): *variabilis Burgeff, 1926* Range (in code): ES
- 94393. *Zygaena (Mesembrynus) sarpedon xerophila Dujardin, 1956*** (Zygaenidae) Synonym(s): *xerophila Dujardin, 1956* Range (in code): FR
- 94394. *Zygaena (Mesembrynus) sarpedon zapateri H. Reiss, 1936*** (Zygaenidae) Synonym(s): *zapateri H. Reiss, 1936* Range (in code): ES
- 94395. *Zygaena (Mesembrynus) seitzi H. Reiss, 1938*** (Zygaenidae) Synonym(s): *seitzi H. Reiss, 1938* Range (in code): IR Es Fa
- 94396. *Zygaena (Mesembrynus) seitzi seitzi Reiss, 1938*** (Zygaenidae) Synonym(s): *seitzi Reiss, 1938* Range (in code): IR Fa
- 94397. *Zygaena (Mesembrynus) seitzi tenhageni Hofmann & Tremewan, 2003*** (Zygaenidae) Synonym(s): *tenhageni Hofmann & Tremewan, 2003* Range (in code): IR Es
- 94398. *Zygaena (Mesembrynus) speciosa Reiss, 1937*** (Zygaenidae) Synonym(s): *speciosa Reiss, 1937; #suleimanicola Reiss, 1938*. Original Reference: *Zygaena speciosa* Reiss, 1937, Ent. Rdsch. 54: 466, Abb. Syntypes 16♂ 6♀: Iran: nördl. Elburs: Hecarcaltal, 2800-3200m. Range (in code): IR Elb Mz Th Gh
- 94399. *Zygaena (Mesembrynus) staudingeri Austaut, 1878*** (Zygaenidae) Synonym(s): *staudingeri Austaut, 1878* Original Reference: *Zygaena staudingeri* Austaut, 1878, Petites Nouv. Ent. 2: 243. Type: Algeria, Nemours [Tlemcen Prov.]. Range (in code): DZ Tlm
- 94400. *Zygaena (Mesembrynus) superba Reiss & Schulte, 1964*** (Zygaenidae) Synonym(s): *superba Reiss & Schulte, 1964* Range (in code): AF Bqu Anj
- 94401. *Zygaena (Mesembrynus) tamara Christoph, 1889*** (Zygaenidae) Synonym(s): *tamara Christoph, 1889* Original Reference: *Zygaena tamara* Christoph, 1889, Horae Soc. ent. ross. 23: 300. Type: [Azerbaijan]: Ordubad. Range (in code): TR IQ IR Ak Ab Mha Sdt Krd Kdv Lo Es Km Zj Th Ha Kd Bne Mrv Bjr Cc AM Azb Alg AZ Nv Ord Bionomy: Larva on *Eryngium billardieri*, *E. giganteum*, *Prangos* (Apiaceae) (Naumann, et al., 1999).
- 94402. *Zygaena (Mesembrynus) tamara bijarica G. Reiss, 1978*** (Zygaenidae) Synonym(s): *bijarica G. Reiss, 1978* Original Reference: *Zygaena tamara* ssp. *bijarica* G. Reiss, 1978, Atalanta 9 (4a): 352-353, figs. Holotype ♀: Iran, Kordestan, Bijar 40km E Tshang-Almas, Hassanteimur 2200-2500m leg. Dezfullah & Iranshar (LNK). Range (in code): IR Kd Bjr
- 94403. *Zygaena (Mesembrynus) tamara daralagezi Holik & Sheljuzhko, 1955*** (Zygaenidae) Synonym(s): *daralagezi Holik & Sheljuzhko, 1955* Range (in code): Cc AM Azb Alg
- 94404. *Zygaena (Mesembrynus) tamara fahima Naumann & Naumann, 1980*** (Zygaenidae) Synonym(s): *fahima Naumann & Naumann, 1980* Range (in code): IR Lo Es
- 94405. *Zygaena (Mesembrynus) tamara kendevarica Tremewan, 1977*** (Zygaenidae) Synonym(s): *kendevarica Tremewan, 1977* Range (in code): IR Elb Mz Th Kdv Zj Ak
- 94406. *Zygaena (Mesembrynus) tamara kerendica G. Reiss, 1978*** (Zygaenidae) Synonym(s): *kerendica G. Reiss, 1978* Original Reference: *Zygaena tamara* ssp. *kerendica* G. Reiss, 1978, Atalanta 9 (4a): 353, figs. Holotype ♂: Iran: Kermanshahan: Kerend, Branij 26.vi.1968 leg. Dezfulian & Iranshar (LNK). Range (in code): IR Km Krd Lo
- 94407. *Zygaena (Mesembrynus) tamara mahabadica G. Reiss, 1978*** (Zygaenidae) Synonym(s): *mahabadica G. Reiss, 1978* Original Reference: *Zygaena tamara* ssp. *mahabadica* G. Reiss, 1978, Atalanta 9 (4a): 348, figs. Holotype ♂: Iran: [West] Azarbaijan, Mahabad 1300m 20.vii.1975 leg. Heinz (coll. Reiss). Range (in code): TR IR Ab Mha Sdt Zj Kd Bne Mrv Ha

- 94408. *Zygaena (Mesembrynus) tamara ochtsii* Koch,1940** (Zygaenidae) Synonym(s): *ochtsii* Koch,1940 Range (in code): Cc AM
- 94409. *Zygaena (Mesembrynus) tamara placida* A.Bang-Haas,1913** (Zygaenidae) Synonym(s): *placida* A.Bang-Haas,1913 Original Reference: *Zygaena tamara* ssp. *placida* A.Bang-Haas,1913, Dt. ent. Z., Iris 27: 108. Type ♂: [Türkei]: "Wan-See Gebiet". Range (in code): TR IQ
- 94410. *Zygaena (Mesembrynus) tamara tamara* Christoph,1889** (Zygaenidae) Synonym(s): *tamara* Christoph,1889 Original Reference: *Zygaena tamara* Christoph,1889, Horae Soc. ent. ross. 23: 300. Type: [Azerbaidjan]: Ordubad. Range (in code): Cc AZ Nv Ord
- 94411. *Zygaena (Mesembrynus) tamara zuleiqa* S.Naumann & C.M.Naumann,1980** (Zygaenidae) Synonym(s): *zuleiqa* S.Naumann & C.M.Naumann,1980 Original Reference: *Zygaena (Mesembrynus) tamara* ssp. *zuleiqa* S.Naumann & C.M.Naumann,1980, Entomofauna 1: 346-348, figs. Holotype ♂: SE-Türkei, Prov. Hakkari, 30km N. Oramar, Sat Dağ, 1650-1850m 9.8.1978, leg. & coll. S. & C.M. Naumann. Range (in code): TR
- 94412. *Zygaena (Mesembrynus) thevestis* Staudinger,1887** (Zygaenidae) Synonym(s): *thevestis* Staudinger,1887 Original Reference: *Zygaena thevestis* Staudinger,1887, Berl. ent. Z. 31: 33. Type: Algeria, [Batna Prov., Tazoult]: Lambessa. Range (in code): DZ Eba Bttna Taz Lbs Ges
- 94413. *Zygaena (Mesembrynus) thevestis centralgeria* H.Reiss,1933** (Zygaenidae) Synonym(s): *centralgeria* H.Reiss,1933 Range (in code): DZ Eba
- 94414. *Zygaena (Mesembrynus) thevestis thevestis* Staudinger,1887** (Zygaenidae) Synonym(s): *thevestis* Staudinger,1887 Original Reference: *Zygaena thevestis* Staudinger,1887, Berl. ent. Z. 31: 33. Type: Algeria, [Batna Prov., Tazoult]: Lambessa. Range (in code): DZ Bttna Taz Lbs Ges
- 94415. *Zygaena (Mesembrynus) turkmenica* H.Reiss,1933** (Zygaenidae) Synonym(s): *turkmenica* H.Reiss,1933 Range (in code): AF Kbb Pnj BdA TM Kp IR Fa Kh Es Ss TR IQ
- 94416. *Zygaena (Mesembrynus) turkmenica excellens* H.Reiss,1940** (Zygaenidae) Synonym(s): *excellens* H.Reiss,1940 Range (in code): AF Kbb Pnj BdA IR Ss
- 94417. *Zygaena (Mesembrynus) turkmenica isfahanica* Tremewan,1975** (Zygaenidae) Synonym(s): *isfahanica* Tremewan,1975 Range (in code): IR Es Fa
- 94418. *Zygaena (Mesembrynus) turkmenica pjotri* Hofmann,1983** (Zygaenidae) Synonym(s): *pjotri* Hofmann,1983 Original Reference: *Zygaena (Mesembrynus) manlia* ssp. *pjotri* Hofmann,1983, Ent. Z., Frankf. a. M. 93 (9): 115-118, figs. Holotype ♂: Türkiye: Hakkari vic., 2000m (coll. A. Hofmann). Range (in code): TR IQ
- 94419. *Zygaena (Mesembrynus) ungemachi* Le Cerf,1923** (Zygaenidae) Synonym(s): *ungemachi* Le Cerf,1923 Range (in code): MA Azr
- 94420. *Zygaena (Mesembrynus) zuleima* Pierret,1837** (Zygaenidae) Synonym(s): *zuleima* Pierret,1837; *ludicra* Lucas,1849; *#aestiva* Burgeff,1914 Original Reference: *Zygaena zuleima* Pierret,1837, Annls Soc. ent. Fr. 6: 22, pl.1 fig.8. Type: [Algérie], Bone, Constantine. Range (in code): MA DZ Orn Agi Cst Ahr TN
- 94421. *Zygaena (Mesembrynus) zuleima zuleima* Pierret,1837** (Zygaenidae) Synonym(s): *zuleima* Pierret,1837; *ludicra* Lucas,1849; *#aestiva* Burgeff,1914 Original Reference: *Zygaena zuleima* Pierret,1837, Annls Soc. ent. Fr. 6: 22, pl.1 fig.8. Type: Algeria, Bone, Constantine. Range (in code): MA DZ Orn Agi Cst Ahr TN
- 94422. *Zygaena (s.str.) amanica* Reiss,1935** (Zygaenidae) Synonym(s): *amanica* Reiss,1935 Range (in code): TR
- 94423. *Zygaena (s.str.) angelicae* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *angelicae* Ochsenheimer,1808 Range (in code): DE CH? AT PL CZ SK HU RO YU AL BG GR LT RU MD UA BY
- 94424. *Zygaena (s.str.) anthyllidis* Boisduval,1828** (Zygaenidae) Synonym(s): *anthyllidis* Boisduval,1828; *erebus* Meigen,1829; *anthillidis* Freyer,1842 Range (in code): ES FR
- 94425. *Zygaena (s.str.) araratica* Staudinger,1871** (Zygaenidae) Synonym(s): *araratica* Staudinger,1871 Range (in code): Cc AM TR GG Tbl
- 94426. *Zygaena (s.str.) dorycnii* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer,1808 Original Reference: *Zygaena dorycnii* Ochsenheimer,1808, Schmett. Eur. 2: 69. Syntypes: Russland. Range (in code): TR GG Cc Smt Bjo Len Lag Kir Mng Dar IR Th Ak Mz Gls AM AZ RU MD UA Bionomy: Larva on *Dorycnium* (Fabaceae) (Ochsenheimer,1808; et seq.).
- 94427. *Zygaena (s.str.) dorycnii dorycnii* Ochsenheimer,1808** (Zygaenidae) Synonym(s): *dorycnii* Ochsenheimer,1808 Original Reference: *Zygaena dorycnii* Ochsenheimer,1808, Schmett. Eur. 2: 69. Syntypes: Russland. Range (in code): RU

- 94428. *Zygaena* (s.str.) *dorycnii grusica* Reiss,1936** (Zygaenidae) Synonym(s): *grusica* Reiss,1936 Range (in code): Cc GG Aba
- 94429. *Zygaena* (s.str.) *dorycnii karabaghensis* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *karabaghensis* Holik & Sheljuzhko,1958 Range (in code): Cc AZ
- 94430. *Zygaena* (s.str.) *dorycnii keredjensis* Reiss,1937** (Zygaenidae) Synonym(s): *keredjensis* Reiss,1937; *hasankifensis* Reiss,1938. Original Reference: *Zygaena* (Polymorpha) *dorycnii* ssp. *keredjensis* Reiss,1937, Ent. Rdsch. 55 (3): 40-41, fig. Syntypes 2♂: [Iran]: Nordpersien: Tacht i Suleiman, Hasankif 700-1000m. Range (in code): IR Th Ak Mz Kdj
- 94431. *Zygaena* (s.str.) *dorycnii kertschensis* Obraztsov,1935** (Zygaenidae) Synonym(s): *crimea* Burgeff,1926 nec Stdr.,1925; *kertschensis* Obraztsov,1935 Range (in code): UA Cm
- 94432. *Zygaena* (s.str.) *dorycnii korbiana* Reiss,1935** (Zygaenidae) Synonym(s): *korbiana* Reiss,1935 Range (in code): TR Cc GG Smt Akh
- 94433. *Zygaena* (s.str.) *dorycnii kubana* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *kubana* Holik & Sheljuzhko,1958 Range (in code): RU Cc
- 94434. *Zygaena* (s.str.) *dorycnii ochtshiensis* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *ochtshiensis* Holik & Sheljuzhko,1958 Range (in code): Cc AM AZ
- 94435. *Zygaena* (s.str.) *dorycnii teberdensis* H.Reiss,1936** (Zygaenidae) Synonym(s): *teberdensis* H.Reiss,1936 Range (in code): Cc RU Kc Teb
- 94436. *Zygaena* (s.str.) *dorycnii wagneriana* Reiss,1929** (Zygaenidae) Synonym(s): *wagneriana* Reiss,1929 Range (in code): TR
- 94437. *Zygaena* (s.str.) *ecki* Christoph,1882** (Zygaenidae) Synonym(s): *ecki* Christoph,1882 Range (in code): IR Mz Elb
- 94438. *Zygaena* (s.str.) *ecki schwingenschussi* Reiss,1937** (Zygaenidae) Synonym(s): *schwingenschussi* Reiss,1937. Original Reference: *Zygaena ecki* ssp. *schwingenschussi* Reiss,1937, Ent. Rdsch. 54: 454. Syntypes: Iran: nördl. Elburs, Demawend, 3200-3700m. Range (in code): IR Mz
- 94439. *Zygaena* (s.str.) *epialtes* (Linnaeus,1767)** (Zygaenidae) Synonym(s): *epialtes* Linnaeus,1767; *scheveni* Oberthür,1910; *esper* Oberthür,1910; *unipunctata* Vorbrodt,1913; *valesiaca* Burgeff,1914; *herrichschaefferi* Burgeff,1914 Original Reference: *Sphinx epialtes* Linnaeus,1767, Syst. Nat. (ed.12) 1(2): 806. Range (in code): ES FR IT BE DE CH AT PL CZ SK HU RO YU AL BG GR Cr Rd LT RU MD UA Cm Kiw BY
- 94440. *Zygaena* (s.str.) *epialtes albaflavens* Verity,1920** (Zygaenidae) Synonym(s): *albaflavens* Verity,1920 Range (in code): IT
- 94441. *Zygaena* (s.str.) *epialtes albarubens* Verity,1946** (Zygaenidae) Synonym(s): *albarubens* Verity,1946 Range (in code): IT
- 94442. *Zygaena* (s.str.) *epialtes antiqua* Slaby,1953** (Zygaenidae) Synonym(s): *antiqua* Slaby,1953 Range (in code): CZ
- 94443. *Zygaena* (s.str.) *epialtes athamanthae* (Esper,1789)** (Zygaenidae) Synonym(s): *athamanthae* Esper,1789; *veronicae* Borkhausen,1789 Range (in code): DE
- 94444. *Zygaena* (s.str.) *epialtes baltica* Holik,1937** (Zygaenidae) Synonym(s): *baltica* Holik,1937 Range (in code): PL
- 94445. *Zygaena* (s.str.) *epialtes bohemia* Reiss,1922** (Zygaenidae) Synonym(s): *bohemia* Reiss,1922 Range (in code): DE
- 94446. *Zygaena* (s.str.) *epialtes borealis* Burgeff,1914** (Zygaenidae) Synonym(s): *borealis* Burgeff,1914 Range (in code): DE
- 94447. *Zygaena* (s.str.) *epialtes chalkidikae* Holik,1937** (Zygaenidae) Synonym(s): *chalkidikae* Holik,1937 Range (in code): GR
- 94448. *Zygaena* (s.str.) *epialtes chremisa* Koch,1940** (Zygaenidae) Synonym(s): *chremisa* Koch,1940 Range (in code): AT
- 94449. *Zygaena* (s.str.) *epialtes coronillae* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *#coronillae* [Denis & Schiffermüller],1775; *falcata* [Denis & Schiffermüller],1775; *aeacus* [Denis & Schiffermüller],1775; *schafferi* Scheven,1777; *trigonellae* Esper,1783; *icterica* Lederer,1853 Original Reference: *Sphinx coronillae* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district. Range (in code): AT Bionomy: Larva on *Coronilla varia* (Fabaceae) ([Denis & Schiffermüller],1775; et seq.).
- 94450. *Zygaena* (s.str.) *epialtes danastriensis* Holik,1939** (Zygaenidae) Synonym(s): *danastriensis* Holik,1939 Range (in code): PL

- 94451. *Zygaena* (s.str.) *ephialtes ephialtes* (Linnaeus,1767) (Zygaenidae) Synonym(s):**
ephialtes Linnaeus,1767 Range (in code): CH
- 94452. *Zygaena* (s.str.) *ephialtes fatrica* Holik,1937 (Zygaenidae) Synonym(s):** *fatrica*
Holik,1937 Range (in code): CZ
- 94453. *Zygaena* (s.str.) *ephialtes galgoczensis* Koch,1940 (Zygaenidae) Synonym(s):**
galgoczensis Koch,1940 Range (in code): SK
- 94454. *Zygaena* (s.str.) *ephialtes istoki* Silbernagel,1944 (Zygaenidae) Synonym(s):** *istoki*
Silbernagel,1944 Range (in code): MK
- 94455. *Zygaena* (s.str.) *ephialtes kiewensis* Reiss,1932 (Zygaenidae) Synonym(s):** *kiewensis*
Reiss,1932 Range (in code): UA Kiw
- 94456. *Zygaena* (s.str.) *ephialtes ligus* Verity,1946 (Zygaenidae) Synonym(s):** *ligus* Verity,1946
Range (in code): IT
- 94457. *Zygaena* (s.str.) *ephialtes lurica* Dujardin,1965 (Zygaenidae) Synonym(s):** *lurica*
Dujardin,1965 Range (in code): FR
- 94458. *Zygaena* (s.str.) *ephialtes medusa* (Pallas,1771) (Zygaenidae) Synonym(s):** *medusa*
Pallas,1771 Range (in code): RU Sm
- 94459. *Zygaena* (s.str.) *ephialtes meridiei* Burgeff,1914 (Zygaenidae) Synonym(s):**
meridionalis Burgeff,1914 nec Obth.,1911; *meridiei* Burgeff,1914 Range (in code): AT
- 94460. *Zygaena* (s.str.) *ephialtes pannonica* Holik,1937 (Zygaenidae) Synonym(s):**
pannonica Holik,1937; *#paradisiae* Reipich,1960 Range (in code): CZ
- 94461. *Zygaena* (s.str.) *ephialtes peucedani* (Esper,1781) (Zygaenidae) Synonym(s):**
peucedani Esper,1781 Range (in code): DE
- 94462. *Zygaena* (s.str.) *ephialtes podolica* Holik,1932 (Zygaenidae) Synonym(s):** *podolica*
Holik,1932 Range (in code): UA
- 94463. *Zygaena* (s.str.) *ephialtes praeagrailis* Koch,1940 (Zygaenidae) Synonym(s):**
praeagrailis Koch,1940 Range (in code): PL
- 94464. *Zygaena* (s.str.) *ephialtes retyesati* Holik,1948 (Zygaenidae) Synonym(s):** *retyesati*
Holik,1948 Range (in code): RO
- 94465. *Zygaena* (s.str.) *ephialtes roussilloni* Koch,1940 (Zygaenidae) Synonym(s):**
roussilloni Koch,1940 Range (in code): FR
- 94466. *Zygaena* (s.str.) *ephialtes rubens* Verity,1946 (Zygaenidae) Synonym(s):** *rubens*
Verity,1946 Range (in code): FR
- 94467. *Zygaena* (s.str.) *ephialtes rudolfi* Koch,1940 (Zygaenidae) Synonym(s):** *rudolfi*
Koch,1940 Range (in code): CZ
- 94468. *Zygaena* (s.str.) *ephialtes semimixta* Povolny & Gregor,1946 (Zygaenidae)**
Synonym(s): *semimixta* Povolny & Gregor,1946 Range (in code): CZ
- 94469. *Zygaena* (s.str.) *ephialtes slabyi* Reiss & Tremewan,1964 (Zygaenidae)**
Synonym(s): *montana* Slaby,1953 nec Roth.,1925; *slabyi* Reiss & Tremewan,1964 Range (in code): CZ
- 94470. *Zygaena* (s.str.) *ephialtes strandi* Obratzov,1936 (Zygaenidae) Synonym(s):** *strandi*
Obratzov,1936 Range (in code): UA
- 94471. *Zygaena* (s.str.) *ephialtes styria* Burgeff,1914 (Zygaenidae) Synonym(s):** *styria*
Burgeff,1914 Range (in code): AT
- 94472. *Zygaena* (s.str.) *ephialtes tambovensis* Holik & Sheljuzhko,1953 (Zygaenidae)**
Synonym(s): *tambovensis* Holik & Sheljuzhko,1953 Range (in code): RU
- 94473. *Zygaena* (s.str.) *ephialtes taurida* Holik & Sheljuzhko,1953 (Zygaenidae)**
Synonym(s): *taurida* Holik & Sheljuzhko,1953 Range (in code): UA Cm
- 94474. *Zygaena* (s.str.) *ephialtes transpadana* Verity,1946 (Zygaenidae) Synonym(s):**
transpadana Verity,1946 Range (in code): IT
- 94475. *Zygaena* (s.str.) *ephialtes tymphrestica* Holik,1948 (Zygaenidae) Synonym(s):**
tymphrestica Holik,1948 Range (in code): GR
- 94476. *Zygaena* (s.str.) *ephialtes vardarica* Daniel,1957 (Zygaenidae) Synonym(s):** *vardarica*
Daniel,1957 Range (in code): MK
- 94477. *Zygaena* (s.str.) *exulans* (Hohenwarth,1792) (Zygaenidae) Synonym(s):** *exulans*
Hohenwarth,1792; *altaretensis* Le Charles,1942; *alpigena* Le Charles,1942; *#nivicola* Le Charles,1942; *bourgognei*
Le Charles,1942; *stenostigma* Dujardin,1956 Range (in code): ES FR IT GB DE CH AT RO YU AL NO SE FI
RU MD UA BY
- 94478. *Zygaena* (s.str.) *filipendulae* (Linnaeus,1758) (Zygaenidae) Synonym(s):** *filipendulae*
Linnaeus,1758; *aries* Retzius,1783 Original Reference: Sphinx filipendulae Linnaeus,1758, Syst. Nat.

- (Edn.10) 1: 494. Range (in code): ES Mu FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO YU BG GR TR Cc GG Bjo GG Abk Sok AZ AM DK NO SE FI EE LV LT RU Kc Teb Nt MD UA Kiw BY IR Ak Ab LB Bei Bsa Aiz Bionomy: Larva on Spiraea, Filipendula (Rosaceae) (Linnaeus,1758).
- 94479. *Zygaena (s.str.) filipendulae akdaghi* Holik & Sheljuzhko,1958** (Zygaenidae)
Synonym(s): *akdaghi* Holik & Sheljuzhko,1958 Original Reference: *Zygaena filipendulae* ssp. *akdaghi* Holik & Sheljuzhko,1958, Mitt. münch. ent. Ges. 48: Holotype ♂: [Türkei]: Amasia, Akdagh. Range (in code): TR
- 94480. *Zygaena (s.str.) filipendulae anodolitia* H.Reiss,1929** (Zygaenidae) Synonym(s): *anodolitia* H.Reiss,1929 Range (in code): TR
- 94481. *Zygaena (s.str.) filipendulae borzhomensis* Sheljuzhko,1936** (Zygaenidae)
Synonym(s): *borzhomensis* Sheljuzhko,1936 Range (in code): Cc GG Bjo
- 94482. *Zygaena (s.str.) filipendulae ciscaucasica* Sheljuzhko,1936** (Zygaenidae)
Synonym(s): *ciscaucasica* Sheljuzhko,1936 Range (in code): Cc RU Kc Teb
- 94483. *Zygaena (s.str.) filipendulae daghana* Holik & Sheljuzhko,1958** (Zygaenidae)
Synonym(s): *daghana* Holik & Sheljuzhko,1958 Original Reference: *Zygaena filipendulae* ssp. *daghana* Holik & Sheljuzhko,1958, Mitt. münch. ent. Ges. 48: 185. Holotype: Kleinasien: Kastamonu. Range (in code): TR
- 94484. *Zygaena (s.str.) filipendulae hadjina* Rebel,1901** (Zygaenidae) Synonym(s): *hadjina* Rebel,1901 Range (in code): TR
- 94485. *Zygaena (s.str.) filipendulae karsiana* Sheljuzhko,1936** (Zygaenidae) Synonym(s): *karsiana* Sheljuzhko,1936 Range (in code): Cc TR
- 94486. *Zygaena (s.str.) filipendulae kulpiensis* H.Reiss,1935** (Zygaenidae) Synonym(s): *kulpiensis* H.Reiss,1935 Range (in code): Cc TR IR
- 94487. *Zygaena (s.str.) filipendulae petsherkensis* Holik & H.Reiss,1932** (Zygaenidae)
Synonym(s): *petsherkensis* Holik & H.Reiss,1932 Range (in code): UA Kiw
- 94488. *Zygaena (s.str.) filipendulae schuberti* H.Reiss & G.Reiss,1973** (Zygaenidae)
Synonym(s): *schuberti* H.Reiss & G.Reiss,1973 Original Reference: *Zygaena (s.str.) filipendulae* ssp. *schuberti* H.Reiss & G.Reiss,1973, Entomologist's Rec. J. Var. 85: 195, Pl.15 figs. 12-15. Holotype ♂: Turkey: Bitlis: Lake Van, Tatvan, 1700m 6.1970 leg. Schubert (coll. Reiss). Range (in code): TR
- 94489. *Zygaena (s.str.) filipendulae superflua* Tremewan,1970** (Zygaenidae) Synonym(s): *superflua* Tremewan,1970 Original Reference: *Zygaena filipendulae* ssp. *superflua* Tremewan,1970, Proc. Brit. ent. N.H. S. 3: 78. Holotype: Turkey: 8km W. Ürgüp. Range (in code): TR
- 94490. *Zygaena (s.str.) filipendulae syriaca* Oberthür,1896** (Zygaenidae) Synonym(s): *syriaca* Oberthür,1896; #*quinquemaculata* Oberthür,1896; #*confluens* Oberthür,1896 Original Reference: *Zygaena syriaca* Oberthür,1896, Etüd. d'Ent. 20: 46. Lectotype ♀: [Turkey]: Syrie: Akbes, leg. Ch. Delangrange, 1890 (BMNH). Range (in code): TR
- 94491. *Zygaena (s.str.) filipendulae tiefi* Holik & Sheljuzhko,1958** (Zygaenidae)
Synonym(s): *tiefi* Holik & Sheljuzhko,1958 Range (in code): Cc GG Abk Sok
- 94492. *Zygaena (s.str.) filipendulae tirabzonica* Koch,1942** (Zygaenidae) Synonym(s): *tirabzonica* Koch,1942 Range (in code): TR
- 94493. *Zygaena (s.str.) filipendulae wiegelorum* A.Hofmann,2005** (Zygaenidae)
Synonym(s): *wiegelorum* A.Hofmann,2005 Range (in code): TR
- 94494. *Zygaena (s.str.) filipendulae wojtusiaki* Holik,1939** (Zygaenidae) Synonym(s): *wojtusiaki* Holik,1939 Range (in code): RU Nt Cc
- 94495. *Zygaena (s.str.) filipendulae zangezurica* Holik & Sheljuzhko,1958** (Zygaenidae)
Synonym(s): *zangezurica* Holik & Sheljuzhko,1958 Range (in code): Cc AZ Nv
- 94496. *Zygaena (s.str.) graslini* Lederer,1855** (Zygaenidae) Synonym(s): *graslini* Lederer,1855 Original Reference: *Zygaena graslini* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 197, pl.2 figs. 3,4. Type: Beirut. Range (in code): LB Bsa Ctr Bei IL Pa Hf JO TR SY Bionomy: Larva on *Eryngium creticum*, *E. falcatum* (Apiaceae) (Naumann et al.,1999).
- 94497. *Zygaena (s.str.) graslini graslini* Lederer,1855** (Zygaenidae) Synonym(s): *graslini* Lederer,1855 Original Reference: *Zygaena graslini* Lederer,1855, Verh. zool.- bot. Ges. Wien 5: 197, pl.2 figs. 3,4. Type: Beirut. Range (in code): LB Bsa Ctr Bei IL Pa Hf JO
- 94498. *Zygaena (s.str.) graslini kulzeri* H.Reiss,1932** (Zygaenidae) Synonym(s): *kulzeri* H.Reiss,1932 Range (in code): LB
- 94499. *Zygaena (s.str.) graslini maraschensis* H.Reiss,1935** (Zygaenidae) Synonym(s): #*maraschensis* H.Reiss,1935 Original Reference: *Zygaena graslini* ssp. *rebeli* var. *maraschensis*

- H.Reiss,1935, Int. ent. Z. 29: 150-151. Syntypes: Marasch [unavailable quadrinomial name!].
Range (in code): TR
- 94500. *Zygaena* (s.str.) *graslini pfeifferi* H.Reiss,1932** (Zygaenidae) Synonym(s): *pfeifferi* H.Reiss,1932 Range (in code): LB Bsa
- 94501. *Zygaena* (s.str.) *graslini rebeliana* H.Reiss & Tremewan,1964** (Zygaenidae) Synonym(s): *rebeli* H.Reiss,1932 nec Dren.,1928; *rebeliana* H.Reiss & Tremewan,1964 Original Reference: *Zygaena graslini rebeliana* Reiss & Tremewan,1964, Entomologist's Rec. J. Var. 76: 133 (nomen novum pro *rebeli* H.Reiss,1932 nec Drenowski,1928). Range (in code): TR
- 94502. *Zygaena* (s.str.) *huguenini* Staudinger,1887** (Zygaenidae) Synonym(s): *huguenini* Staudinger,1887 Range (in code): UZ Fe Man
- 94503. *Zygaena* (s.str.) *ignifera* Korb,1897** (Zygaenidae) Synonym(s): *ignifera* Korb,1897 Range (in code): ES Mu
- 94504. *Zygaena* (s.str.) *lavandulae* (Esper,1783)** (Zygaenidae) Synonym(s): *lavandulae* Esper,1783; *lavandulae* Fabricius,1793; *spicae* Hübner,1796; *altalavandulae* Reiss,1953; *lecharlesi* Bernardi & Viette,1959; *eucyanea* Dujardin,1969 Range (in code): MA PT ES Mu FR IT
- 94505. *Zygaena* (s.str.) *lavandulae alfacarica* Tremewan,1961** (Zygaenidae) Synonym(s): *alfacarica* Tremewan,1961 Range (in code): ES
- 94506. *Zygaena* (s.str.) *lavandulae barcelonica* H.Reiss,1936** (Zygaenidae) Synonym(s): *barcelonica* H.Reiss,1936 Range (in code): ES
- 94507. *Zygaena* (s.str.) *lavandulae consobrina* Germar,1835** (Zygaenidae) Synonym(s): *consobrina* Germar,1835 Range (in code): FR
- 94508. *Zygaena* (s.str.) *lavandulae espunnensis* H.Reiss,1922** (Zygaenidae) Synonym(s): *espunnensis* H.Reiss,1922 Range (in code): ES Mu
- 94509. *Zygaena* (s.str.) *lavandulae genoata* Storace,1956** (Zygaenidae) Synonym(s): *genoata* Storace,1956 Range (in code): IT
- 94510. *Zygaena* (s.str.) *lavandulae huescae* Tremewan,1963** (Zygaenidae) Synonym(s): *huescae* Tremewan,1963 Range (in code): ES
- 94511. *Zygaena* (s.str.) *lavandulae izilanica* H.Reiss,1944** (Zygaenidae) Synonym(s): *izilanica* H.Reiss,1944 Range (in code): MA
- 94512. *Zygaena* (s.str.) *lavandulae lavandulae* (Esper,1783)** (Zygaenidae) Synonym(s): *lavandulae* Esper,1783; *lavandulae* Fabricius,1793; *spicae* Hübner,1796; *altalavandulae* Reiss,1953; *lecharlesi* Bernardi & Viette,1959; *eucyanea* Dujardin,1969 Range (in code): FR
- 94513. *Zygaena* (s.str.) *lavandulae michaelae* Rungs & Le Charles,1943** (Zygaenidae) Synonym(s): *michaelae* Rungs & Le Charles,1943 Range (in code): MA
- 94514. *Zygaena* (s.str.) *lavandulae oropesica* Reiss,1965** (Zygaenidae) Synonym(s): *oropesica* Reiss,1965 Range (in code): ES
- 94515. *Zygaena* (s.str.) *lavandulae teruelensis* H.Reiss,1936** (Zygaenidae) Synonym(s): *teruelensis* H.Reiss,1936 Range (in code): ES
- 94516. *Zygaena* (s.str.) *lonicerae* (Scheven,1777)** (Zygaenidae) Synonym(s): *lonicerae* Scheven,1777; *graminis* Villers,1789; *rechei* Dujardin,1965; *microdoxa* Dujardin,1965 Range (in code): ES FR Si IT IE GB BE NL LU DE CH AT PL CZ SK HU RO MK BG GR TR GG Aba Smt Akh Sok Tbl Cc AZ AM IR Ak DK NO SE FI EE LV LT RU Da Kc Teb Nt Ur MD UA Kiw BY
- 94517. *Zygaena* (s.str.) *lonicerae abbastumana* H.Reiss,1922** (Zygaenidae) Synonym(s): *abbastumana* H.Reiss,1922 Range (in code): TR Cc GG Aba Tbl IR Ak
- 94518. *Zygaena* (s.str.) *lonicerae abchasica* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *abchasica* Holik & Sheljuzhko,1958 Range (in code): Cc GG Abk Sok
- 94519. *Zygaena* (s.str.) *lonicerae achalcea* Burgeff,1926** (Zygaenidae) Synonym(s): *achalcea* Burgeff,1926 Range (in code): Cc GG Smt Akh TR
- 94520. *Zygaena* (s.str.) *lonicerae centricaucasica* Holik,1939** (Zygaenidae) Synonym(s): *centricaucasica* Holik,1939 Range (in code): RU Nt Cc
- 94521. *Zygaena* (s.str.) *lonicerae kindermanni* Oberthür,1910** (Zygaenidae) Synonym(s): *kindermanni* Oberthür,1910 Range (in code): Cc RU Da
- 94522. *Zygaena* (s.str.) *lonicerae kubanensis* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *kubanensis* Holik & Sheljuzhko,1958 Range (in code): RU Kc Teb
- 94523. *Zygaena* (s.str.) *lonicerae nachitshevanica* Holik,1937** (Zygaenidae) Synonym(s): *nachitshevanica* Holik,1937 Range (in code): Cc AZ Nv
- 94524. *Zygaena* (s.str.) *lonicerae natolica* H.Reiss,1929** (Zygaenidae) Synonym(s): *natolica* H.Reiss,1929 Range (in code): TR

- 94525. *Zygaena* (s.str.) *lonicerae pseudangelicae* A.Hofmann,2005** (Zygaenidae)
Synonym(s): *pseudangelicae* A.Hofmann,2005 Range (in code): **TR**
- 94526. *Zygaena* (s.str.) *lonicerae sarykamysheensis* Holik & Sheljuzhko,1958** (Zygaenidae) Synonym(s): *sarykamysheensis* Holik & Sheljuzhko,1958 Range (in code): **Cc TR**
- 94527. *Zygaena* (s.str.) *lonicerae thurneri* Holik,1943** (Zygaenidae) Synonym(s): *thurneri* Holik,1943 Range (in code): **MK**
- 94528. *Zygaena* (s.str.) *lonicerae ukraina* Przegendza,1932** (Zygaenidae) Synonym(s): *ukraina* Przegendza,1932 Range (in code): **UA Kiw**
- 94529. *Zygaena* (s.str.) *lonicerae uzjana* Holik,1939** (Zygaenidae) Synonym(s): *uzjana* Holik,1939 Range (in code): **RU Ur**
- 94530. *Zygaena* (s.str.) *mana* Kirby,1892** (Zygaenidae) Synonym(s): *erebus* Staudinger,1867 nec Meig.,1830; *mana* Kirby,1892; *erebaea* Burgeff,1926 Range (in code): **Cc GG Aj Tbl RU Da Mah**
- 94531. *Zygaena* (s.str.) *mana chaos* Burgeff,1926** (Zygaenidae) Synonym(s): *chaos* Burgeff,1926 Range (in code): **Cc GG Tbl**
- 94532. *Zygaena* (s.str.) *mana mana* Kirby,1892** (Zygaenidae) Synonym(s): *erebus* Staudinger,1867 nec Meig.,1830; *mana* Kirby,1892; *erebaea* Burgeff,1926 Range (in code): **Cc GG Aj**
- 94533. *Zygaena* (s.str.) *mana tarkiensis* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *tarkiensis* Holik & Sheljuzhko,1955 Range (in code): **Cc RU Da Mah**
- 94534. *Zygaena* (s.str.) *naumanni* Hille & Keil,1999** (Zygaenidae) Synonym(s): *naumanni* Hille & Keil,1999 Range (in code): **IR**
- 94535. *Zygaena* (s.str.) *nevadensis* Rambur,1858** (Zygaenidae) Synonym(s): *nevadensis* Rambur,1858 Range (in code): **PT ES Grn Snv FR IT RO YU GR RU MD UA BY**
- 94536. *Zygaena* (s.str.) *osterodensis* H.Reiss,1921** (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921 Range (in code): **ES FR IT DE CH AT PL CZ SK HU RO YU AL BG GR TR Cc GG Smt Akh DK NO SE FI EE LV RU At Sb Ur Sr Ba MD UA BY MN U-B**
- 94537. *Zygaena* (s.str.) *osterodensis altaica* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *altaica* Holik & Sheljuzhko,1955 Range (in code): **RU At**
- 94538. *Zygaena* (s.str.) *osterodensis asiatica* Burgeff,1926** (Zygaenidae) Synonym(s): *asiatica* Burgeff,1926 Range (in code): **RU Ur**
- 94539. *Zygaena* (s.str.) *osterodensis bitlisica* G.Reiss,1976** (Zygaenidae) Synonym(s): *bitlisica* G.Reiss,1976 Original Reference: *Zygaena* (s.str.) *osterodensis* ssp. *bitlisica* G.Reiss,1976, Entomologist's Gaz. 27: 31, pl.2 figs. 3-4. Holotype ♂: Asia minor or.: Distrikt Bitlis, Van-See, Tatvan, 53km O., 1900m, 20-21.6.1974 leg. D.Bernhauer. Range (in code): **TR**
- 94540. *Zygaena* (s.str.) *osterodensis caucasi* Burgeff,1926** (Zygaenidae) Synonym(s): *caucasica* Spuler,1906 nec Rbl.,1901; *caucasi* Burgeff,1926 Range (in code): **Cc GG Smt Akh**
- 94541. *Zygaena* (s.str.) *osterodensis filipjevi* Holik,1939** (Zygaenidae) Synonym(s): *filipjevi* Holik,1939 Range (in code): **RU Ba**
- 94542. *Zygaena* (s.str.) *osterodensis ikizderica* H.Reiss & G.Reiss,1972** (Zygaenidae) Synonym(s): *ikizderica* H.Reiss & G.Reiss,1972 Original Reference: *Zygaena* *osterodensis* ssp. *ikizderica* H.Reiss & G.Reiss,1972, Entomologist's Rec. J. Var. 84: 227, fig. Holotype: Turkey: Rize Prov., Ikizdere. Range (in code): **TR**
- 94543. *Zygaena* (s.str.) *osterodensis irpenjensis* Holik & H.Reiss,1932** (Zygaenidae) Synonym(s): *irpenjensis* Holik & H.Reiss,1932 Range (in code): **UA**
- 94544. *Zygaena* (s.str.) *osterodensis kenteina* Burgeff,1926** (Zygaenidae) Synonym(s): *kenteina* Burgeff,1926 Range (in code): **MN U-B**
- 94545. *Zygaena* (s.str.) *osterodensis osterodensis* H.Reiss,1921** (Zygaenidae) Synonym(s): *osterodensis* H.Reiss,1921 Range (in code): **DE**
- 94546. *Zygaena* (s.str.) *osterodensis saratovensis* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *saratovensis* Holik & Sheljuzhko,1955 Range (in code): **RU Sr**
- 94547. *Zygaena* (s.str.) *osterodensis sibirica* Holik & Sheljuzhko,1955** (Zygaenidae) Synonym(s): *sibirica* Holik & Sheljuzhko,1955 Range (in code): **RU Sb**
- 94548. *Zygaena* (s.str.) *oxytropis* Boisduval,1828** (Zygaenidae) Synonym(s): *oxytropis* Boisduval,1828 Range (in code): **Si IT**
- 94549. *Zygaena* (s.str.) *persephone* Zerny,1934** (Zygaenidae) Synonym(s): *persephone* Zerny,1934 Range (in code): **MA**
- 94550. *Zygaena* (s.str.) *problematica* Naumann,1966** (Zygaenidae) Synonym(s): *problematica* Naumann,1966 Range (in code): **TR**

- 94551. *Zygaena* (s.str.) *ramburii* Herrich-Schäffer,1861** (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861 Original Reference: *Zygaena ramburii* Herrich-Schäffer,1861, Neue Schmett. 3: 32, figs.161-162. Syntypes: [Türkei]: "Antiochia, Mersin". Range (in code): **GR MK TR**
- 94552. *Zygaena* (s.str.) *ramburii europensis* Daniel,1957** (Zygaenidae) Synonym(s): *europensis* Daniel,1957 Range (in code): **MK**
- 94553. *Zygaena* (s.str.) *ramburii helmosica* Reiss,1962** (Zygaenidae) Synonym(s): *helmosica* Reiss,1962 Range (in code): **GR**
- 94554. *Zygaena* (s.str.) *ramburii mersina* Herrich-Schäffer,1861** (Zygaenidae) Synonym(s): *mersina* Herrich-Schäffer,1861; *gurda* Lederer,1861 Original Reference: *Zygaena mersina* Herrich-Schäffer,1861, Neue Schmett. 3: 32, fig.163. Type(s): [Türkei]: "Mersin". Range (in code): **TR**
- 94555. *Zygaena* (s.str.) *ramburii noacki* Reiss,1962** (Zygaenidae) Synonym(s): *noacki* Reiss,1962 Range (in code): **GR**
- 94556. *Zygaena* (s.str.) *ramburii ramburii* Herrich-Schäffer,1861** (Zygaenidae) Synonym(s): *ramburii* Herrich-Schäffer,1861; *ramburi* Lederer,1861 Original Reference: *Zygaena ramburii* Herrich-Schäffer,1861, Neue Schmett. 3: 32, figs.161-162. Syntypes: [Türkei]: "Antiochia, Mersin". Range (in code): **TR**
- 94557. *Zygaena* (s.str.) *ramburii rosa* Oberthür,1909** (Zygaenidae) Synonym(s): *rosa* Oberthür,1909 Original Reference: *Zygaena rosa* Oberthür,1909, Etud. lépid. comp. 3: pl.22 fig.s106,107. Type ♂: [Turkey]: Syrie: Akbes, leg. Ch. Delangrange, 1890 (BMNH). Range (in code): **TR**
- 94558. *Zygaena* (s.str.) *rhadamanthus* (Esper,1789)** (Zygaenidae) Synonym(s): *rhadamanthus* Esper,1789; *rhadamanthus* Hübner,1790 Range (in code): **PT ES Mu FR IT**
- 94559. *Zygaena* (s.str.) *rjabovi* Holik,1939** (Zygaenidae) Synonym(s): *rjabovi* Holik,1939 Range (in code): **Cc AM Dar**
- 94560. *Zygaena* (s.str.) *romeo* Duponchel,1835** (Zygaenidae) Synonym(s): *romeo* Duponchel,1835 Range (in code): **ES FR Si IT CH**
- 94561. *Zygaena* (s.str.) *senescens* Staudinger,1887** (Zygaenidae) Synonym(s): *senescens* Staudinger,1887 Range (in code): **TR**
- 94562. *Zygaena* (s.str.) *teberdica* H.Reiss,1939** (Zygaenidae) Synonym(s): *teberdica* H.Reiss,1939 Range (in code): **Cc RU Kc Teb**
- 94563. *Zygaena* (s.str.) *theryi* De Joannis,1908** (Zygaenidae) Synonym(s): *theryi* De Joannis,1908 Original Reference: *Zygaena theryi* De Joannis,1908, Bull. Soc. ent. Fr. 1908: 203. Type: Algeria, Philippeville. Range (in code): **DZ Dzc Agi Cst** Bionomy: Larva on Coronilla (Fabaceae) ex Djebel Zaccar (DZ) (Rothschild,1917).
- 94564. *Zygaena* (s.str.) *theryi mercyi* Le Charles,1936** (Zygaenidae) Synonym(s): *mercyi* Le Charles,1936 Range (in code): **DZ Agi**
- 94565. *Zygaena* (s.str.) *theryi nisseni* Rothschild,1908** (Zygaenidae) Synonym(s): *nisseni* Rothschild,1908 Range (in code): **DZ**
- 94566. *Zygaena* (s.str.) *theryi theryi* De Joannis,1908** (Zygaenidae) Synonym(s): *theryi* De Joannis,1908 Original Reference: *Zygaena theryi* De Joannis,1908, Bull. Soc. ent. Fr. 1908: 203. Type: Algeria, Philippeville. Range (in code): **DZ Cst**
- 94567. *Zygaena* (s.str.) *transalpina* (Esper,1780)** (Zygaenidae) Synonym(s): *transalpina* Esper,1780 Range (in code): **ES FR IT BE LU DE CH AT YU**
- 94568. *Zygaena* (s.str.) *trifolii* (Esper,1783)** (Zygaenidae) Synonym(s): *trifolii* Esper,1783; *pratorum* Villers,1789; *syracusia* Zeller,1847; *vogesiaca* Przegendza,1932; *carueli* Le Charles,1960 Original Reference: *Sphinx trifolii* Esper,1783, Die Schmett. 2 (7): 223, pl.34 figs.4,5. Range (in code): **DZ Eba Lbs Khk Clo Phv Agi Btna Tun Anna TN MA PT ES Mu FR Si GB BE NL LU DE CH AT PL CZ SK GR DK LT RU MD UA BY**
- 94569. *Zygaena* (s.str.) *trifolii australis* Oberthür,1910** (Zygaenidae) Synonym(s): *australis* Oberthür,1910 Range (in code): **DZ Lbs**
- 94570. *Zygaena* (s.str.) *trifolii diffusemarginata* Rothschild,1933** (Zygaenidae) Synonym(s): *diffusemarginata* Rothschild,1933 Range (in code): **MA**
- 94571. *Zygaena* (s.str.) *trifolii espunnica* H.Reiss,1936** (Zygaenidae) Synonym(s): *espunnica* H.Reiss,1936 Range (in code): **ES Mu**
- 94572. *Zygaena* (s.str.) *trifolii lucida* H.Reiss,1944** (Zygaenidae) Synonym(s): *lucida* H.Reiss,1944 Range (in code): **MA**

- 94573. *Zygaena (s.str.) trifolii magnaustalis* Verity,1926** (Zygaenidae) **Synonym(s):** *magnaustalis* Verity,1926 **Range (in code):** **DZ Khh**
- 94574. *Zygaena (s.str.) trifolii serizati* Oberthür,1876** (Zygaenidae) **Synonym(s):** *serizati* Oberthür,1876 **Original Reference:** *Zygaena serizati* Oberthür,1876, Etud. Ent. 1: 33. Type: Algérie, Collo. **Range (in code):** **DZ Clo Phv Agi Anna**
- 94575. *Zygaena (s.str.) trifolii tizeragis* Wiegel,1965** (Zygaenidae) **Synonym(s):** *tizeragis* Wiegel,1965 **Range (in code):** **MA**
- 94576. *Zygaena (s.str.) viciae* ([Denis & Schiffermüller],1775)** (Zygaenidae) **Synonym(s):** *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829 **Original Reference:** *Sphinx viciae* [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district. **Range (in code):** **ES FR Si IT GB BE LU DE CH AT PL CZ SK HU RO YU B-H MK AL BG GR TR IR Mz Gls Cc GG Abk Tbl Aba AZ AM DK NO SE FI EE LV LT RU Da Mah Bgo Kc Teb Nt Sb Ur MD UA BY MN U-B KG DsA UZ** **Bionomy:** Larva on *Vicia*, *Lathyrus pratensis*, *Trifolium*, *Lotus corniculatus* (Fabaceae) ([Denis & Schiffermüller],1775; et seq.).
- 94577. *Zygaena (s.str.) viciae amanica* H.Reiss,1935** (Zygaenidae) **Synonym(s):** *amanica* H.Reiss,1935 **Range (in code):** **TR**
- 94578. *Zygaena (s.str.) viciae bosniensis* H.Reiss,1932** (Zygaenidae) **Synonym(s):** *bosniensis* H.Reiss,1932 **Range (in code):** **B-H**
- 94579. *Zygaena (s.str.) viciae burgeffiana* H.Reiss,1930** (Zygaenidae) **Synonym(s):** *burgeffiana* H.Reiss,1930 **Range (in code):** **IR Elb Mz**
- 94580. *Zygaena (s.str.) viciae caradjai* Holik & Sheljuzhko,1957** (Zygaenidae) **Synonym(s):** *caradjai* Holik & Sheljuzhko,1957 **Range (in code):** **RO**
- 94581. *Zygaena (s.str.) viciae charon* (Hübner,1796)** (Zygaenidae) **Synonym(s):** *charon* Hübner,1796 **Range (in code):** **FR**
- 94582. *Zygaena (s.str.) viciae confusa* Staudinger,1881** (Zygaenidae) **Synonym(s):** *confusa* Staudinger,1881 **Range (in code):** **KG DsA Tk Dj**
- 94583. *Zygaena (s.str.) viciae dahurica* Boisduval,1834** (Zygaenidae) **Synonym(s):** *dahurica* Boisduval,1834 **Range (in code):** **RU Sb**
- 94584. *Zygaena (s.str.) viciae digorica* Holik,1939** (Zygaenidae) **Synonym(s):** *viciae digorica* Holik,1939 **Range (in code):** **Cc RU Nt**
- 94585. *Zygaena (s.str.) viciae intersita* Holik,1943** (Zygaenidae) **Synonym(s):** *intersita* Holik,1943 **Range (in code):** **UZ**
- 94586. *Zygaena (s.str.) viciae kazikoparana* H.Reiss,1935** (Zygaenidae) **Synonym(s):** *kazikoparana* H.Reiss,1935 **Range (in code):** **Cc TR**
- 94587. *Zygaena (s.str.) viciae kotshubeji* Holik & Sheljuzhko,1957** (Zygaenidae) **Synonym(s):** *kotshubeji* Holik & Sheljuzhko,1957 **Range (in code):** **Cc GG Abk**
- 94588. *Zygaena (s.str.) viciae laphria* Freyer,1851** (Zygaenidae) **Synonym(s):** *laphria* Freyer,1851; *#laphira* Herrich-Schäffer,1851; *ledereri* Rebel,1901; *cilicica* Burgeff,1926 **Range (in code):** **TR**
- 94589. *Zygaena (s.str.) viciae lesghierica* Holik,1943** (Zygaenidae) **Synonym(s):** *lesghierica* Holik,1943 **Range (in code):** **Cc RU Da**
- 94590. *Zygaena (s.str.) viciae martirosica* Holik & Sheljuzhko,1957** (Zygaenidae) **Synonym(s):** *martirosica* Holik & Sheljuzhko,1957 **Range (in code):** **Cc AM**
- 94591. *Zygaena (s.str.) viciae menoetius* Holik,1943** (Zygaenidae) **Synonym(s):** *#menoetius* Burgeff,1926; *menoetius* Holik,1943 **Range (in code):** **B-H**
- 94592. *Zygaena (s.str.) viciae mongolica* Rebel,1901** (Zygaenidae) **Synonym(s):** *mongolica* Rebel,1901 **Range (in code):** **MN U-B**
- 94593. *Zygaena (s.str.) viciae occidosibirica* Holik & Sheljuzhko,1957** (Zygaenidae) **Synonym(s):** *occidosibirica* Holik & Sheljuzhko,1957 **Range (in code):** **RU Sb**
- 94594. *Zygaena (s.str.) viciae philomelica* H.Reiss,1935** (Zygaenidae) **Synonym(s):** *philomelica* H.Reiss,1935 **Range (in code):** **TR**
- 94595. *Zygaena (s.str.) viciae schneideri* H.Reiss,1932** (Zygaenidae) **Synonym(s):** *schneideri* H.Reiss,1932 **Range (in code):** **RU Ur**
- 94596. *Zygaena (s.str.) viciae sricula* Calberla,1895** (Zygaenidae) **Synonym(s):** *sricula* Calberla,1895 **Range (in code):** **IT Si**
- 94597. *Zygaena (s.str.) viciae silbernageli* H.Reiss,1943** (Zygaenidae) **Synonym(s):** *silbernageli* H.Reiss,1943 **Range (in code):** **MK Och**

- 94598. *Zygaena* (s.str.) *viciae stentzii* Freyer,[1839]** (Zygaenidae) Synonym(s): *stentzii* Freyer,[1839] Range (in code): IT
- 94599. *Zygaena* (s.str.) *viciae tarkiana* Holik & Sheljuzhko,1957** (Zygaenidae) Synonym(s): *tarkiana* Holik & Sheljuzhko,1957 Range (in code): Cc RU Da Mah
- 94600. *Zygaena* (s.str.) *viciae tbilisiensis* H.Reiss,1935** (Zygaenidae) Synonym(s): *tbilisiensis* H.Reiss,1935 Range (in code): Cc GG Tbl Aba
- 94601. *Zygaena* (s.str.) *viciae teberdina* Holik & Sheljuzhko,1957** (Zygaenidae) Synonym(s): *teberdina* Holik & Sheljuzhko,1957 Range (in code): Cc RU Kc Teb
- 94602. *Zygaena* (s.str.) *viciae tindiensis* Holik,1943** (Zygaenidae) Synonym(s): *tindiensis* Holik,1943 Range (in code): RU Cc Da Bgo
- 94603. *Zygaena* (s.str.) *viciae vardariensis* Holik,1943** (Zygaenidae) Synonym(s): *vardariensis* Holik,1943 Range (in code): MK
- 94604. *Zygaena* (s.str.) *viciae viciae* ([Denis & Schiffermüller],1775)** (Zygaenidae) Synonym(s): *viciae* [Denis & Schiffermüller],1775; *meliloti* Esper,1789; *buglossi* Boisduval,1829 Original Reference: Sphinx viciae [Denis & Schiffermüller],1775, Ankündigung syst. Werkes Schmett. Wienergegend: 45. Type(s): Vienna district. Range (in code): FR CZ AT
- 94605. *Zygaena* (s.str.) *wyatti* Reiss & Schulte,1961** (Zygaenidae) Synonym(s): *wyatti* Reiss & Schulte,1961 Range (in code): AF Kbb Pnj
- 94606. *Zygaenoprocris* (Efetovia) *fredi* (Alberti,1939)** (Zygaenidae) Synonym(s): *fredi* Alberti,1939 Range (in code): IR Kh Msh
- 94607. *Zygaenoprocris* (Keilia) *albertii* Efetov,1991** (Zygaenidae) Synonym(s): *albertii* Efetov,1991 Range (in code): TM
- 94608. *Zygaenoprocris* (Keilia) *minna* Efetov,1991** (Zygaenidae) Synonym(s): *minna* Efetov,1991 Range (in code): TM Kp
- 94609. *Zygaenoprocris* (Keilia) *naumanni* Efetov,1994** (Zygaenidae) Synonym(s): *naumanni* Efetov,1994 Range (in code): AF
- 94610. *Zygaenoprocris* (Molletia) *duskei* (Groum-Grshimailo,1902)** (Zygaenidae) Synonym(s): *duskei* Groum-Grshimailo,1902; *sengana* Alberti,1939 Range (in code): IR Ss Bmp Ke Se
- 94611. *Zygaenoprocris* (Molletia) *duskei aerea* (Groum-Grshimailo,1902)** (Zygaenidae) Synonym(s): *aerea* Groum-Grshimailo,1902; *mekrana* Alberti,1939 Range (in code): IR Ss
- 94612. *Zygaenoprocris* (Molletia) *duskei duskei* (Groum-Grshimailo,1902)** (Zygaenidae) Synonym(s): *duskei* Groum-Grshimailo,1902; *sengana* Alberti,1939 Range (in code): IR Ss Bmp Se
- 94613. *Zygaenoprocris* (Molletia) *duskei kermana* (Alberti,1967)** (Zygaenidae) Synonym(s): *kermana* Alberti,1967 Range (in code): IR Ke
- 94614. *Zygaenoprocris* (Molletia) *persepolis* (Alberti,1938)** (Zygaenidae) Synonym(s): *persepolis* Alberti,1938 Original Reference: Procris persepolis Alberti,1938, Ent. Rdsch. 55: 399. Holotype ♂: Iran: Fars: Str. Chiraz-Kazeroun, Fort Sine Sefid, 2000m, coll. Brandt. Range (in code): IR Fa Sse Yz Ke Bionomy: Larva feeds on leaves of Polygonum spinosum [Polygonaceae] (Keil & Tarmann, 2003).
- 94615. *Zygaenoprocris* (Molletia) *taftana* (Alberti,1939)** (Zygaenidae) Synonym(s): *taftana* Alberti,1939 Original Reference: Procris taftana Alberti,1939, Ent. Rdsch. 56: 4. Holotype ♂: Iran: Balutschistan: Kouh-i-Taftan (Khach), 2500m. Range (in code): Cc AM Eri IR Ss Bionomy: Larva on Atraphaxis spinosa, A. replicata, Polygonum aviculare (Polygonaceae) (Naumann et al.,1999; Efetov & Tarmann,1999).
- 94616. *Zygaenoprocris* (s.str.) *chalcoclora* (Hampson,1900)** (Zygaenidae) Synonym(s): *chalcoclora* Hampson,1900; *mystrocera* Püngeler,1914; *chorassana* Alberti,1939 Range (in code): PK Nwf Ci TM Kp AF Kab IR Se Shh Kh KuB
- 94617. *Zygaenoprocris* (s.str.) *eberti* (Alberti,1968)** (Zygaenidae) Synonym(s): *eberti* Alberti,1968 Range (in code): AF Kbb
- 94618. *Zygaenoprocris* (s.str.) *rjabovi* (Alberti,1938)** (Zygaenidae) Synonym(s): *rjabovi* Alberti,1938 Range (in code): IR Se Elb Shh Mz

Bibliography

1. **Aarvik, L. & K. Berggren**, 2004, Description of *Elachista tanaella* sp.n. (Elachistidae) from Arctic Norway. *Nota lepid.* 26 (3/4): 83-87, figs. [[available in Cesa Library](#)]
2. **Aarvik, L. & K. Larsen**, 1984, *Clepsia mehli* (Opheim, 1964) a distinct species (Lepidoptera Tortricidae). *Nota lepid.* 7 (3): 187-192, 12 figs. [[available in Cesa Library](#)]
3. **Aarvik, L. & O. Karsholt**, 1993, New and little known Grapholitini (Lepidoptera, Tortricidae) from the Mediterranean area. *Nota lepid.* 15 (3/4): 164-178, figs. [[available in Cesa Library](#)]
4. **Aarvik, L. & T. Karisch**, 2009, Revision of *Multiquaestia* Karisch (Lepidoptera, Tortricidae, Grapholitini). *Zootaxa* 2026: 18-32, figs. [[available in Cesa Library](#)]
5. **Aarvik, L.**, 2004, A new genus and species of Tortricidae (Lepidoptera) from Africa. *Norw. J. Ent.* 51: 67-70.
6. **Aarvik, L.**, 2004, Revision of African *Cryptaspa* Walsingham, 1900 (Lepidoptera, Tortricidae). *Norw. J. Ent.* 51: 193-201.
7. **Aarvik, L.**, 2004, Revision of the subtribe Neopotamiae (Lepidoptera, Tortricidae) in Africa. *Norw. J. Ent.* 51: 71-122, figs. [[available in Cesa Library](#)]
8. **Aarvik, L.**, 2004, A new genus and species of Tortricidae (Lepidoptera) from Africa. *Norw. J. Ent.* 51: 67-70, figs. [[available in Cesa Library](#)]
9. **Aarvik, L., Karsholt, O., Larsen, K., & K. Schnack**, 1988, New and interesting records of Lepidoptera from Norway. *Fauna norv. Ser. B* 33: 77-90.
10. **Abadjiev, S. & J. Ganev**, 1990, *Anthocharis gruneri macedonica* (Buresch, 1921) syn. nov. of *Anthocharis gruneri gruneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). *Phegea* 18 (2): 65-66. [[available in Cesa Library](#)]
11. **Abadjiev, S. & S. Beshkov**, 1996, *Gonepteryx farinosa* (Zeller, 1847) and *Pieris krueperi* Staudinger, 1860 confirmed for Albania, with a list of species observed in June 1995 (Lepidoptera, Papilionoidea). *Phegea* 24(2): 81-82. [[available in Cesa Library](#)]
12. **Abadjiev, S. & S. Beshkov**, 2000, On the identity of taxa of the genus *Boloria* (Smoljana) *rhodopensis* (Lepidoptera, Nymphalidae, Heliconiinae). *Phegea* 28 (1): 19-24, figs. [[available in Cesa Library](#)]
13. **Abadjiev, S.**, 1992, Butterflies of Bulgaria Part 1. Papilionidae & Pieridae. 91 pp. Verena Publishers, Sofia.
14. **Abadjiev, S.**, 1993, Butterflies of Bulgaria Part 2, Nymphalidae, Libytheinae, Satyrinae. 127pp. Verena Publishers, Sofia.
15. **Abadjiev, S.**, 1994, The larval foodplant of *Colias caucasica balcanica* (Rebel, 1901) in Bulgaria (Lepidoptera, Pieridae). *Phegea* 22(3): 97-98. [[available in Cesa Library](#)]
16. **Abadjiev, S.**, 1994, On the occurrence of *Pseudochazara orestes* de Prins & van der Poorten, 1981 in Bulgaria (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 22(2): 73-74, 1 fig. [[available in Cesa Library](#)]
17. **Abai, M.**, 1975, *Euproctis* (= *Porthesia*) *karghalica* Moore in Iran. *J. ent. Soc. Iran* 2 (2): 77-84. [[available in Cesa Library](#)]
18. **Abai, M.**, 1976, *Porthesia melania* Stgr. (Lep., Lymantriidae) in Iran. *Ent. Etud. phytopath. Appl.* 41: 7-15.
19. **Abai, M.**, 1980-1981, Zur Kenntnis von *Leucoma wiltshirei* Coll. (Lep., Lymantriidae), eines neuen Schädling iranischer Eichenwälder. *J. Appl. Ent.* 90 (1-5): 511-519; 91 (1-5): 86-99.
20. **Abbas, M., Rafi, M.A. & M. Inayatullah**, 2002, The butterflies of Skardu Region, Pakistan. *Tax. Rep. Int. Lepid. Surv.* 3 (9): 1-16. [[available in Cesa Library](#)]
21. **Abos Castel, F.**, 1975, *Euchloe tagis* Hübner en la provincia de Huesca. *Revta Lepid.* 3: 221-222.
22. **Abos Castel, F.**, 1976, *Parnassius mnemosyne* en el Pirineo de Huesca. *Revta Lepid.* 3 (1975): 295-298.
23. **Abos Castel, F.**, 1978, Protección de la especie *Parnassius mnemosyne* (Linneo). *Revta Lepid.* 6: 12.
24. **Abos Castel, F.**, 1981, Lepidopteros de la provincia de Huesca Zona 4.- Cuencas de los ríos Cinqueta y alta del Cinca (II). *Revta Lepid.* 9: 67-68, 141-144.
25. **Abos Castel, F.**, 1982, Lepidopteros de la provincia de Huesca Zona 5.- Cuencas de los ríos Ara y Arzas. *Revta Lepid.* 10: 115-120, 197-201.

26. **Abos Castel,F.**, 1983, Capturas interesantes en la provincia de Huesca. Revta Lepid. 11: 60.
27. **Abos Castel,F.**, 1983, Lepidopteros de la provincia de Huesca Zona 6.- Cuenca alta y media del gallego. Revta Lepid. 11: 157-160, 249-254.
28. **Abud,G.A.Q.**, 1987, Aspectos ecológico y taxonómico de insectos (orden Lepidoptera e Hymenoptera) en el Bosque-Escuela de la Sierra de la Primavera. Tesis de Licenciado en Biología. Facultad de Ciencias, Universidad de Guadalajara. 323 pp.
29. **Abud,G.A.Q.**, 1988, Aspectos ecológico y taxonómico de insectos (orden Lepidoptera e Hymenoptera) en el Bosque-Escuela de la Sierra de la Primavera. Amatl. Bol. Dif. Inst. Madera Cel. Pap. U. G.México 2: 12-21.
30. **Acatay,A.**, 1953, Çam kese böceği (*Thaumatopoea pityocampa* Schiff., *Thaumatopoea wilkinsoni* Tams) hakkında araştırmalar ve adalardaki mücadelesi. Ist. Univ. Orman Fak. Dergisi 3(1/2): 29-47, 9 şekil [[available in Cesa Library](#)]
31. **Acatay,A.**, 1972, *Thaumatopoea* Hbst. (Lep., *Thaumatopoeidae*) Arten in der Türkei. 13Int. Congr. Ent. Moscow, Proceedings 3: 8-9.
32. **Ackery,P.R.**, 1973, A list of the type-specimens of *Parnassius* in the British Museum (Natural History). Bull. Br. Mus. (Nat. Hist.) Ent. 29: 1-35. [[available in Cesa Library](#)]
33. **Ackery,P.R.**, 1975, A Guide to the genera and species of *Parnassiinae* (Lepidoptera, Papilionidae). Bull. Br. Mus. (Nat. Hist.) Ent. 31 (4): 71-105, 32 figs., 16 pls. [[available in Cesa Library](#)]
34. **Ackery,P.R.**, 1987, The danaid genus *Tellervo* (Lepidoptera, Nymphalidae) - a cladistic approach. Zool. J. Linn. Soc. 89: 203-274.
35. **Ackery,P.R., Smith,C.R. & R.I.Vane-Wright**, 1995, Carcasson's African Butterflies. An annotated Catalogue of the Papilionoidea and Hesperioidea of the Afrotropical Region. xi+803pp., CSIRO Publ., Australia. [[available in Cesa Library](#)]
36. **Adamczewski,S.**, 1951, On the systematics and origin of the generic group *Oxyptilus* Zeller (Lepidoptera, Alucitidae). Bull. Br. Mus. (Nat. Hist.) Ent. 1 (5): 301-388, pls. [[available in Cesa Library](#)]
37. **Adams,M.J. & G.I.Bernard**, 1977, Pronophilinae butterflies (Satyridae) of the Sierra Nevada de Santa Marta Colombia. Syst. Ent. 2: 263-281, figs. [[available in Cesa Library](#)]
38. **Adamski,D. & O.Karsholt**, 1999, First records of brachyptery in the gelechioid taxa Elachistidae-Blastobasinae and Coleophoridae- Agonoxeninae: Three new species from the High Andes of Peru (Insecta, Lepidoptera). Steenstrupia (in press).
39. **Adamski,D.**, 2002, Blastobasinae (Lepidoptera: Gelechioidea, Coleophoridae) of Thailand I. Four new species of *Calosima* Dietz,1910. Insecta Koreana 19 (3/4): 233-239, figs.
40. **Adamski,D.**, 2003, Blastobasinae (Lepidoptera: Gelechioidea, Coleophoridae) of Thailand II. Four new species of *Blastobasis* Zeller,1855. Insecta Koreana 20 (1): 1-6, figs.
41. **Adamski,D., Copeland,R.S., Miller,S.E., Hebert,P.D.N., Darrow,K. & Q.Luke**, 2010, A review of African Blastobasinae (Lepidoptera, Gelechioidea, Coleophoridae), with new taxa reared from native fruits in Kenya. Smiths. Contr. Zool. 630: 1-68, figs. [[available in Cesa Library](#)]
42. **Adkin,R.**, 1911, The Lepidoptera of a London garden. Proc. S. Lond. ent. nat. Hist. Soc. 1910/11: 1-12.
43. **Adkin,R.**, 1913, Labelling entomological specimens. Proc. S. Lond. ent. nat. Hist. Soc. 1912/13: 7-12.
44. **Adkin,R.**, 1915, *Colias edusa* in Britain. Proc. S. Lond. ent. nat. Hist. Soc. 1914/15: 22-30.
45. **Adkin,R.**, 1915, Some lepidopterous pupal habitations and some reminiscences. Proc. S. Lond. ent. nat. Hist. Soc. 1914/15: 59-69.
46. **Adkin,R.**, 1916, The autumn butterflies at Eastbourne and some other notes. Proc. S. Lond. ent. nat. Hist. Soc. 1915/16: 62-67.
47. **Adkin,R.**, 1918, The weather of 1916 and the occurrence of some of the commoner butterflies at Eastbourne. Proc. S. Lond. ent. nat. Hist. Soc. 1917/18: 8-12.
48. **Adkin,R.**, 1923, The lepidopterous enemies of man. With special reference to species that occur in Britain. Proc. S. Lond. ent. nat. Hist. Soc. 1922/23: 26-27.
49. **Adkin,R.**, 1925, Some phases of parallel variation in the British Lepidoptera. Proc. S. Lond. ent. nat. Hist. Soc. 1924/25: 8-15.
50. **Adkin,R.**, 1927, The balance in nature. With special reference to local species of British Lepidoptera and their protection. Proc. S. Lond. ent. nat. Hist. Soc. 1926/27: 45-54.

51. **Adkin, R.**, 1929, On the white-spotted forms of *Dryas paphia* and some other species. Proc. S. Lond. ent. nat. Hist. Soc. 1928/29: 32-36.
52. **Aerheiler, T.**, 1980, Beschreibung einer Zucht von *Melanargia galathea magdalenae* Reichel. Nachr. ent. Ver. Apollo (N.F.) 1: 72-76. [[available in Cesa Library](#)]
53. **Agassiz, D. & O. Karsholt**, 1989, *Cydia medicaginis* (Kuznetzov, 1962) (Lepidoptera: Tortricidae) in the British Isles. Entomologist's Gaz. 40: 193-196.
54. **Agassiz, D.J.L. & L. Aarvik**, 2014, New Tortricidae (Lepidoptera) from East Africa with an account of the tortricid fauna of acacia in the Kenya Rift Valley. Zootaxa 3861 (4): 369-397, figs. [[available in Cesa Library](#)]
55. **Agassiz, D.J.L.**, 2011, The Lepidoptera of *Acacia domatia* in Kenya, with description of two new genera and six new species. J. Nat. Hist. 45: 1867-1893, figs. [[available in Cesa Library](#)]
56. **Agassiz, D.J.L.**, 2012, The Acentropinae (Lepidoptera, Pyraloidea, Crambidae) of Africa. Zootaxa 3494: 1-73, figs. [[available in Cesa Library](#)]
57. **Agassiz, J.L.R.**, 1846-1847, Nomenclator zoologicus, continens nomina systematica generum animalium tam viventium quam fossilium [Lepidoptera: fascicle 9-10 (1846), index universalis (1847)]. Soloduri, Jent and Grassman.
58. **Agassiz, R.D. & B. Skinner**, 1980, The apparent absence from Britain of *Thera variata* (Denis & Schiffermueller) and related changes in the nomenclature. Entomologist's Rec. J. Var. 92(7/8): 162-166, pls. [[available in Cesa Library](#)]
59. **Agenjo, R.**, 1934, Estudio sobre las formas espanoles de *Melitaea* del grupo *athalia* Rott. Eos 9: 99-122.
60. **Agenjo, R.**, 1934, Nuevas formas de *Rhopaloceros* y *Gripoceros* de Espana. Eos 9: 311-320.
61. **Agenjo, R.**, 1935, Primeros datos lepidopterologicos sobre la provincia de Alava. Eos 10: 197-219.
62. **Agenjo, R.**, 1941, Monografia de la Familia *Thaumetopoeidae* (Lepidoptera). Eos 17: 69-130, 5 pls. [[available in Cesa Library](#)]
63. **Agenjo, R.**, 1944, Sobre la Morfologia y distribucion geografica del *Chrysophanus hippothoe* (Linneo) en la Peninsula Ibérica (Lep., Lycaen.). Eos 20: 71-82, Lam. II. [[available in Cesa Library](#)]
64. **Agenjo, R.**, 1948, Catalogo ordenador de los Lepidopteros en Espana. Graellsia 5:
65. **Agenjo, R.**, 1948, Sobre la morfologia y distribucion geografica de *Issoria lathonia* (L.) en Espana. Eos 24: 29-35.
66. **Agenjo, R.**, 1952, Faunula lepidopterologica Almeriense. 370pp., 35 figs., 24 Pls., Consejo Superior de invest. Cientificas, Madrid.
67. **Agenjo, R.**, 1953, Subespecies nuevas de Lepidopteros santanderinos. Graellsia 11: 1-4.
68. **Agenjo, R.**, 1956, Monografia del genero *Narraga* Wlk. (Lepidoptera, Geometridae). Eos 32: 7-56, pls. [[available in Cesa Library](#)]
69. **Agenjo, R.**, 1956, Consideraciones sobre el estedio de las formulas chromosomicas en los Lepidopteros y sobre todo en el complejo de formas del grupo *Plebejus* (*Lysandra*) *coridon* (Poda) con la descripcion de tres nuevas subespecies. Graellsia 14: 73-87.
70. **Agenjo, R.**, 1958, Tribus y Subtribus de la Subfamilia *Phycitinae* Cotes, 1899 (Lepidoptera, Phycitidae). Eos 34: 205-208. [[available in Cesa Library](#)]
71. **Agenjo, R.**, 1959, Existe la *Gegenes pumilio* (Hoffm., 1804) en Espana? Eos 35: 197-208, 6 figs. [[available in Cesa Library](#)]
72. **Agenjo, R.**, 1961, Morfologia y distribucion geografica de *Hipparchia statilinus* (Hfn., 1766) en Espana (Lep., Satyridae). Eos 37: 7-15.
73. **Agenjo, R.**, 1961, Morfologia y distribucion geografica en Espana de *Hipparchia alcyone* (Schiff., 1776) (Lep., Satyridae). Graellsia 19: 3-10.
74. **Agenjo, R.**, 1961, Morfologia y distribucion geografica de la *Chazara briseis* (L., 1764) en la peninsula Espana. Eos 37: 113-123.
75. **Agenjo, R.**, 1962, Una nueva raza espanola de *Brenthis pales* (Schiff., 1776). Eos 38: 337-338.
76. **Agenjo, R.**, 1963, Morfologia y distribucion geografica de los *Satyrus actaea* (Esp., 1780) y *bryce* (Hb., 1790-93) en Espana (Lep., Satyridae). Eos 39: 313-336, Lam. III. [[available in Cesa Library](#)]
77. **Agenjo, R.**, 1963, Distribucion geografica y morfologia del *Pyrgus alveus* (Hb., 1802) en Espana. Una cline de su andropigio (Lep., Hesperidae). Eos 39: 7-22, Lam. [[available in Cesa Library](#)]

78. **Agénjo, R.**, 1963, Sobre la morfología y distribución geográfica del *Zegris eupheme* (Esp., 1800) en España. *Eos* 39: 313-336.
79. **Agénjo, R.**, 1964, Los nombres vulgares de las mariposas españolas. *Graellsia* 20: 149-162, 163-190.
80. **Agénjo, R.**, 1966, Morfología y distribución geográfica en España de la "Nina Hoceillas" *Plebejus* (*Plebejus*) *argus* (L., 1758) (Lep., *Lycaenidae*). *Eos* 41: 163-179, 5 figs. [[available in Cesa Library](#)]
81. **Agénjo, R.**, 1966, Morfología y distribución geográfica en España de la "Falsa Inerme" *Plebejus* (*Lycaeides*) *idas* (L., 1761) (Lep., *Lycaenidae*). *Eos* 41: 515-528, 4 figs. [[available in Cesa Library](#)]
82. **Agénjo, R.**, 1966, Morfología y distribución geográfica en España de la "manchas verdes" *Glaucopsyche alexis* (Poda, 1761) (Lep., *Lycaenidae*). *Eos* 42: 291-298, 3 figs. [[available in Cesa Library](#)]
83. **Agénjo, R.**, 1967, Morfología y distribución geográfica en España de la "Nina del Astragalo" *Plebejus* (*Plebejus*) *pylaon* (F.D.W., 1824) (Lep., *Lycaenidae*). *Eos* 43: 21-25, 3 figs. [[available in Cesa Library](#)]
84. **Agénjo, R.**, 1967, Morfología y distribución geográfica en España de la "escamas azules" *Glaucopsyche melanops* (B., 1828) (Lep., *Lycaenidae*). *Eos* 43: 13-20, 3 figs. [[available in Cesa Library](#)]
85. **Agénjo, R.**, 1968, Tres nuevas razas de la "superspecies" *Plebejus* (*Lysandra*) *coridon* (Poda, 1761). *Graellsia* 24: 45-48.
86. **Agénjo, R.**, 1968, Morfología, distribución geográfica y bionomía en España del al "cuatro colas" *Charaxes jasius* (L., 1767). *Eos* 43: 345-355.
87. **Agénjo, R.**, 1970, Sobre la presencia en España de la *Colotis evagore nouna* Lucas, 1849 (Lep., *Pieridae*). *Graellsia* 25: 141-148.
88. **Agénjo, R.**, 1970, Morfología y distribución geográfica en España de *Hipparchia fagi* (Sc., 1763). *Eos* 45: 15-28 figs.
89. **Agénjo, R.**, 1970, La "cuatro colas" o "mariposa del madroño" *Charaxes jasius* (L., 1767). *Boln. Serv. Plagas for.* 13: 3-10.
90. **Agénjo, R.**, 1970, Sobre la presencia en España de la *Colotis evagore nouna* Lucas, 1849. *Graellsia* 25: 141-148.
91. **Agénjo, R.**, 1973, Las Apatura F., 1807 de España. *Graellsia* 26 (1971): 3-20.
92. **Agénjo, R.**, 1973, Nuevas subespecies de *Rhopaloceros* ibéricos. *Graellsia* 26 (1971): 25-36.
93. **Agénjo, R.**, 1975, Las *Melitaea* (*Melicta*) *deione* Gey., 1827-1832, *athalia* (Rott., 1775) y *parthenoides* Kef., 1851 en España. *Graellsia* 30: 3-61.
94. **Agénjo, R.**, 1976, *Erebia alberganus luciulupoi* Agénjo, 9 de enero de 1975 (♀ *Erebia alberganus barcoi* Gómez, 10 de julio de 1975), con rectificaciones sobre datos falsos y errores conceptuales de este autor. *Eos* 51: 17-38.
95. **Agénjo, R.**, 1977, Emendata II. *Graellsia* 32: 19-34.
96. **Agénjo, R.**, 1977, Rectificación. *Graellsia* 32: 35-38.
97. **Aguiar, A.M.F. & O. Karsholt**, 2006, Systematic catalogue of the Entomofauna of the Madeira Archipelago and Selvagens Islands *Lepidoptera* vol.1. *Bol. Mus. Mun. Funchal Suppl.* 9: 5-139, figs. [[available in Cesa Library](#)]
98. **Aharoni, J.**, 1912, *Lepidopteren*, [in] Blanckenhorn, M., *Naturwissenschaftliche Studien am Toten Meer und im Jordantal*. Berlin.
99. **Ahmad, T.**, 1946, Insect Fauna of Afghanistan-IV. *Lepidoptera*. *Ind. J. Ent.* 8: 202-223.
100. **Ahmed, Z., Khatri, I. & A. Naemuddin**, 2015, First record of *Trypanophora semihyalina* Kollar, 1844 (*Lepidoptera*, *Zygaenidae*, *Chalcosiinae*) from Pakistan. *Arq. Ent.* 13: 376-377.
101. **Ahola, M.**, 1986, Larvae of European *Polia* Ochsenheimer (*Lepidoptera*, *Noctuidae*), with proposals on a subgeneric division and phylogeny. *Ent. scand.* 17: 55-74, figs. [[available in Cesa Library](#)]
102. **Aigner-Abafi, L.v.**, 1901, Zur Biologie der Agrotiden. *Allg. Z. Ent.* 6: 72-74. [[available in Cesa Library](#)]
103. **Aigner-Abafi, L.v.**, 1901, *Lepidopteren Wanderungen in Ungarn*. *Allg. Z. Ent.* 6: 102-103. [[available in Cesa Library](#)]
104. **Aigner-Abafi, L.v.**, 1901, *Smerinthus quercus*. *Allg. Z. Ent.* 6: 137-138. [[available in Cesa Library](#)]

105. **Aigner-Abafi, L.v.**, 1901, *Nemeophila metelkana* Led. Allg. Z. Ent. 6: 153-154. [[available in Cesa Library](#)]
106. **Aigner-Abafi, L.v.**, 1901, *Über Deilephila nerii* L. Allg. Z. Ent. 6: 226-228. [[available in Cesa Library](#)]
107. **Aigner-Abafi, L.v.**, 1902, *Über Mimikry*. Allg. Z. Ent. 7: 368-372, 405-409. [[available in Cesa Library](#)]
108. **Aigner-Abafi, L.v.**, 1906, *Neue Falterformen aus Ungarn*. Ent. Z., Stuttgart 19: 207-209. [[available in Cesa Library](#)]
109. **Aigner-Abafi, L.v.**, 1910, *Beiträge zur Lepidopterenfauna des ungarischen Litorale, von Kroatien und Dalmatien*. Rovart. Lap. 17: 55-57, 71-105. [[available in Cesa Library](#)]
110. **Aistleitner, E. & L. Rezbanyai**, 1982, *Neu für Österreich: Diachrysia nadeja* Obth. 1880 auch nördlich der Alpen nachgewiesen (Noctuidae). Nota lepid. 5 (2/3): 55-56, 1 Abb. [[available in Cesa Library](#)]
111. **Aistleitner, E.**, 1983, *Eine neue Unterart von Erebia meolans* (de Prunner, 1798) aus dem ENE der provinz Teruel / Hispania. Nachr. ent. Ver. Apollo (N.F.) 4: 105. [[available in Cesa Library](#)]
112. **Aistleitner, E.**, 1989, *Lysandra hispana* Herrich-Schäffer, 1852 *gudarensis* subspec.n. aus dem NE der Provinz Teruel/Hispania centr. (Lep., Lycaenidae). Atalanta 19 (3/4): 75-86, figs. [[available in Cesa Library](#)]
113. **Aizpurua, C.G.de**, 1974, *Catalogo de los Lepidopteros*. Caja de Ahorros Provincial de Guipozcoa, San Sebastian.
114. **Ajac, J. & A. Ajac**, 1969, *Rhopaloceres de l'Aude*. Alexanor 6: 17-24.
115. **Ajac, J. & A. Ajac**, 1969, *Callophrys avis* Chapman dans l'Aude. Alexanor 6: 97.
116. **Akbulut, S., Yüksel, B. & A. Ketten**, 2003, *The Lepidoptera (Insecta) Fauna of Düzce Province, Turkey*. Türk J. Zool. 27: 257-268 [with some nomenclatural errors!]. [[available in Cesa Library](#)]
117. **Akkuzu, E., Ayberk, H. & S. Inac**, 2007, *Hawk moths (Lepidoptera, Sphingidae) of Turkey and their zoogeographical distribution*. J. env. biol. 28 (4): 723-730. [[available in Cesa Library](#)]
118. **Akın, K.**, 2008, *Ceylanpınar (Şanlıurfa) Papilionoidea ve Hesperioidea (Lepidoptera) faunası ve ekolojisi üzerine araştırmalar*. 107s., şekil, harita. Yükseköğretim Kurulu Ulusal Tez Merkezi, 213464[1]pdf <<http://tez.yok.gov.tr/>> [accessed 15.9.2009]. [[available in Cesa Library](#)]
119. **Akın, K.**, 2011, *On the distribution and biology of Orthosia rubricosa* (Esper, [1786]) in Turkey (Lepidoptera, Noctuidae). Cesa News 70: 3-5, 2 figs. 1 map. [[available in Cesa Library](#)]
120. **Akın, K.**, 2013, *Dolicharthria intervacatalis* (Chr.), new to the fauna of Turkey (Pyralidae, Lepidoptera). Cesa News 92: 2-3, 1 fig. [[available in Cesa Library](#)]
121. **Akın, K.**, 2014, *Mutki ilçesi (Bitlis) Pyralidae (Lepidoptera) faunası ve ekolojisi üzerine araştırmalar*. xxii+340 s., şekil, harita, çizelge. YYÜ Fen Bilim. Enst. Doktora tezi.
122. **Akın, K.**, 2015, *New species and genera for the fauna of Turkey (Lepidoptera, Pyralidae, Phycitinae)*. Ent. News 125 (1): 38-42. [[available in Cesa Library](#)]
123. **Akın, K., Seven, E. & K. Layci**, 2015, *About distribution of Acrobasis advenella* Zincken, 1818 in Turkey. BEU J. Sci. 4 (1): 65-67.
124. **Akın, Ç.**, 2000, *Edirne kelebekleri hakkında notlar* (Lepidoptera). Centr. ent. Stud., Misc. Pap. 63: 5-8. [[available in Cesa Library](#)]
125. **Al-Houty, W.**, 2000, *Some Lepidoptera from Kuwait*. Nachr. ent. Ver. Apollo (N.F.) 21 (2): 109-111. [[available in Cesa Library](#)]
126. **Albers, T. & F. Diehl**, 1938, *Beitrag zur Verbreitung von Chloridea dipsacea* L. und *maritima* Grasl. Ent. Rdsch. 55: 461-465. [[available in Cesa Library](#)]
127. **Albers, T.**, 1940, *Beiträge zur Kenntnis der Gattung Boarmia* Tr. (Geom., pal.) I. *Boarmia correptaria* Z. und ihre Stellung im System. Z. Wien. ent. Ver. 25: 65-69, Taf. xii-xiii. [[available in Cesa Library](#)]
128. **Albers, T.**, 1941, *Beiträge zur Kenntnis der Gattung Boarmia* Tr. (Geom., pal.) II. *Die männlichen Genitalarmaturen der europäischen und nordafrikanischen Boarmien*. Mitt. münch. ent. Ges. 31: 948-982, 25 Abb. [[available in Cesa Library](#)]
129. **Albert, H.L.**, 1969, *Albinismus bei Satyriden-Weibchen*. Mitt. ent. Ges. Basel 19: 114-115.
130. **Alberti, B. & G. Alberti**, 1978, *Zur Kenntnis von Syntomis mogadorensis* Blachier (Lep., Syntomidae). Ent. Z., Frankf.a.M. 88: 110-115.
131. **Alberti, B. & K. Fritsch**, 1983, *Über einige bemerkenswerte Funde von Lepidoptera aus dem Grossen Kaukasus*. Nota lepid. 6 (4): 192-202, figs. [[available in Cesa Library](#)]
132. **Alberti, B.**, 1922, *Beitrag zur Kenntnis der Macrolepidopterenfauna Mazedoniens*. Z. wiss. InsektBiol. 17: 33-40, 73-82. [[available in Cesa Library](#)]

133. **Alberti, B.**, 1928, Über *Lycaena thersites* Cant. Dt. ent. Z. 1928: 211-217.
134. **Alberti, B.**, 1937-1938, Revision und Neubeschreibungen asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 27(2): 67-101; 27(3): 116-126, 3 Taf. [[available in Cesa Library](#)]
135. **Alberti, B.**, 1938, *Procris*-Arten aus Farsistan. Ent. Rdsch. 55: 397-402, 12 Abb. [[available in Cesa Library](#)]
136. **Alberti, B.**, 1938, Nachtrag zur Revision asiatischer *Procris*-Arten. Mitt. münch. ent. Ges. 28(2): 92-96, figs. [[available in Cesa Library](#)]
137. **Alberti, B.**, 1939, *Hesperia badachschan* nov.sp. Ent. Rdsch. 56: 107-109. [[available in Cesa Library](#)]
138. **Alberti, B.**, 1939, Neue *Procris*-Arten aus Iran. Ent. Rdsch. 56(1/2): 1-5; (5):28-32. [[available in Cesa Library](#)]
139. **Alberti, B.**, 1939, Eine neue Schmetterlingsart- *Procris drenowskii* nov. sp. aus Bulgarien. Izv. tsarsk. prirodnauch. Ins. Sof. 12: 43-47. [[available in Cesa Library](#)]
140. **Alberti, B.**, 1953, Über *Colias hyale* und *erate* Esp. Ent. Z., Frankf. a. M. 63: 65-67.
141. **Alberti, B.**, 1954, Über die stammesgeschichtliche Gliederung der *Zygaenidae*, nebst Revision einiger Gruppen (Insecta, Lepidoptera). Mitt. zool. Mus. Berl. 30: 115-480, 33 figs., 63 pls. [[available in Cesa Library](#)]
142. **Alberti, B.**, 1955, Zur Stammesgeschichte und Systematik der *Zygaenini* (Lepidoptera, *Zygaenidae*). Dt. ent. Z. (N.F.) 2: 301-321, 5 figs., 5 Pls. [[available in Cesa Library](#)]
143. **Alberti, B.**, 1955, Zur Kenntnis der Gattung *Carcharodus* Hbn., mit einer Betrachtung zum Art-, und Gattungsbegriff. Z. Lepid. 3: 105-142, figs. [[available in Cesa Library](#)]
144. **Alberti, B.**, 1955, Eine neue Vikariante der *Pyrgus malvae* L.-Gruppe (Lep., *Hesperiidae*). Z. Wien. ent. Ges. 40: 43-46, figs. [[available in Cesa Library](#)]
145. **Alberti, B.**, 1956, Zur Umgrenzung und Gliederung von *Zygaena* F. Ent. Z., Frankf. a. M. 66: 200-206. [[available in Cesa Library](#)]
146. **Alberti, B.**, 1957, Wesen und praktische Bedeutung des Gattungs-Begriffes. Wanderversamml. dt. Ent. 8: 138-147.
147. **Alberti, B.**, 1959, Nomenklatorsorgen. Ent. Z., Frankf. a. M. 69: 57-62.
148. **Alberti, B.**, 1960, Individualismus oder Gemeinschaftsgedanke in der Handhabung von Taxonomie und Nomenklatur? Ent. Z., Frankf. a. M. 70: 60-65.
149. **Alberti, B.**, 1962, Anmerkungen zur Theorie der Artspaltung. Zool. Anz. 169: 492-497.
150. **Alberti, B.**, 1962, Bemerkungen zur Frage des Prioritätsprinzips in der zoologischen Nomenklatur. Entomophaga 7: 33-35.
151. **Alberti, B.**, 1962, Priorität- oder Kontinuitätsprinzip in der Zoologischen Nomenklatur seit London 1958. Zool. Anz. 168: 142-146.
152. **Alberti, B.**, 1964, Über Verbreitungsbild und systematische Wertung von *Carcharodus orientalis* Rev. and *altheae* Hbn. (Lepidoptera, *Hesperiidae*). Z. wien. ent. Ges. 49: 99-103, figs. [[available in Cesa Library](#)]
153. **Alberti, B.**, 1965, Zur Kenntnis der *Plusia modesta* Hb.-Gruppe (Lepidoptera, *Noctuidae*). Dt. ent. Z. (N.F.) 12(4/5): 365-369, figs. [[available in Cesa Library](#)]
154. **Alberti, B.**, 1965, Westasiatische und nordkaukasische *Procris* Funde (Lepidoptera, *Zygaenidae*). Opusc. zool. 88: 1-7, figs. [[available in Cesa Library](#)]
155. **Alberti, B.**, 1965, Über *Eupithecia subfenestrata* Stgr. (Lepidoptera, *Geometridae*). Dt. ent. Z. (N.F.) 12(4/5): 375-377, 2 Abb. [[available in Cesa Library](#)]
156. **Alberti, B.**, 1967, Eine neue *Procris*-Art aus Persien. Mitt. münch. ent. Ges. 57: 99-101, 2 figs. [[available in Cesa Library](#)]
157. **Alberti, B.**, 1968, Neue oder bemerkenswerte Lepidopteren-Formen aus dem Großen Kaukasus. Dt. ent. Z. (N.F.) 16(1/3): 189-203, 3 Taf., 1 Karte. [[available in Cesa Library](#)]
158. **Alberti, B.**, 1968, Zur Kenntnis des Genus *Procris* F. in Afghanistan (Lepidoptera, *Zygaenidae*). Reichenbachia 10: 249-253, 4 figs. [[available in Cesa Library](#)]
159. **Alberti, B.**, 1969, Neue oder bemerkenswerte Lepidopteren-Formen aus dem Großen Kaukasus. Dt. ent. Z. (N.F.) 16(1/3): 189-203, 3 Taf., 1 Karte. [[available in Cesa Library](#)]
160. **Alberti, B.**, 1970, Über zwei Taxa der Gattung *Procris* F. (Lepidoptera, *Zygaenidae*). Mitt. münch. ent. Ges. 58: 78-83, 1 Abb. [[available in Cesa Library](#)]
161. **Alberti, B.**, 1971, Über *Zygaena dorycnii* O. und forma *araratica* Stgr. (Lepidoptera, *Zygaenidae*). NachrBl. bayer. Ent. 20: 1-4. [[available in Cesa Library](#)]

162. **Alberti, B.**, 1973, Zweite Mitteilung ueber einige neue oder bemerkenswerte Lepidopteren-Formen aus dem Grossen Kaukasus und Transkaukasien (Lepidoptera). *Atalanta* 4(6): 380-393, 2 pls. [\[available in Cesa Library\]](#)
163. **Alberti, B.**, 1973, Ergänzende Bemerkungen zu Higgins & Riley "A field guide to the butterflies of Britain and Europe", nebst Beschreibung der *Lycaena pyrenaica latedisjuncta* n.subsp. *Ent. Z., Frankf. a. M.* 83: 217-223. [\[available in Cesa Library\]](#)
164. **Alberti, B.**, 1974, Ergebnisse der tschechoslovakisch- iranischen entomologischen Expedition nach der Iran 1970 (mit Angaben ueber einige Sammelresultate in Anatolien). Nr.5 Lepidoptera: Hesperidae, Syntomidae, Zygaenidae. *Acta ent. Mus. natn. Pragae (suppl.)* 6: 79-85. [\[available in Cesa Library\]](#)
165. **Alberti, B.**, 1974, Zur Kenntnis der Artgruppe um *Melitaea athalia* im Kaukasus (Lepidoptera, Nymphalidae). *Ent. Z., Frankf. a. M.* 84: 157-164, figs. [\[available in Cesa Library\]](#)
166. **Alberti, B.**, 1974, Über die Identität von *Procris staudingeri* Alberti, mit *Procris hector* Jordan, nebst Beschreibung einer neuen Unterart von *Procris volgensis* (Lepidoptera, Zygaenidae). *Ent. Z., Frankf. a. M.* 84: 48-51, 6 figs. [\[available in Cesa Library\]](#)
167. **Alberti, B.**, 1975, Über eine neue Form von *Endromis versicolora* (Lep., Endromidae). *Ent. Z., Frankf. a. M.* 85(8): 85-89, Abb. [\[available in Cesa Library\]](#)
168. **Alberti, B.**, 1975, Über einige Artprobleme in der Gattung *Zygaena* (Lepidoptera, Zygaenidae). *NachrBl. bayer. Ent.* 22: 8-15. [\[available in Cesa Library\]](#)
169. **Alberti, B.**, 1978, Quelques considerations sur le probleme du "genre". *Linn. belg.* 7: 175-177.
170. **Alberti, B.**, 1979, Artenschutz vordringlich über Rote Listen oder Biotopschutz? *Nota lepid.* 2(1/2): 3-7. [\[available in Cesa Library\]](#)
171. **Alberti, B.**, 1981, Über Wesen und Aussagegrenzen der "Phylogenetischen Systematik" von Hennig, untersucht am Beispiel der Zygaenidae. *Mitt. münch. ent. Ges.* 71: 1-31, 7 figs. [\[available in Cesa Library\]](#)
172. **Alberti, B.**, 1983, In Memoriam Erst und Herta Urbahn. *Nota lepid.* 6 (2/3): 67-68, fig. [\[available in Cesa Library\]](#)
173. **Alberti, B.**, 1983, Dr.Burchard Alberti Autobiographie. *Nota lepid.* 6 (1): 3-4. [\[available in Cesa Library\]](#)
174. **Alberti, B.**, 1983, Autobiographie 1922-1982. *Nota lepid.* 6 (1): 5-16. [\[available in Cesa Library\]](#)
175. **Alberti, B.**, 1984, Zur Taxonomie der *Pyrgus alveus* Hb.- Gruppe (Lepidoptera, Hesperidae). *Nota lepid.* 7 (1): 2-6. [\[available in Cesa Library\]](#)
176. **Albrecht, M. & M.Goldschalt**, 1993, Beitrag zur Biologie des Heilziest-Dickkopffalters (*Carcharodus flocciferus* Zeller, 1847) in Oberschwaben (Lepidoptera, Hesperidae). *Nachr. ent. Ver. Apollo (N.F.)* 14(3): 201-211, figs. [\[available in Cesa Library\]](#)
177. **Albrecht, M., Goldschalt, M. & R.Treiber**, 1999, Der Heilziest-Dickkopffalter *Carcharodus flocciferus* (Zeller, 1847) (Lepidoptera, Hesperidae). *Nachr. ent. Ver. Apollo, Suppl.* 18: 1-256, 76 Abb. Tab. [\[available in Cesa Library\]](#)
178. **Alderson, J.**, 1921, Some notes on rearing *Erebia epiphron*. *Entomologist* 54: 56-63.
179. **Aldin, A.**, 1930, Matériaux pour servir à un catalogue des Macrolepidoptères du département de l'Oise. *Encycl. ent. (B)* 3(3): 153-185.
180. **Aliev, S.V.**, 1984, Noctuidae (Lepidoptera) of Azerbaidzhan. *Elm, Baku* 1984: 1-277, figs.
181. **Alipanah, H. & J.Baixeras**, 2011, A new species of *Hedya* Hübner from Iran with proposed rearrangement of some species currently assigned to *Metendothenia* Diakonoff (Lepidoptera, Tortricidae). *Zootaxa* 2879: 33-44, figs. [\[available in Cesa Library\]](#)
182. **Alipanah, H. & C.Gielis**, 2010, Notes on the tribes Platyptiliini and Exelastini from Iran (Lepidoptera, Pterophoridae). *Shilap Revta lepid.* 38 (149): 57-63. [\[available in Cesa Library\]](#)
183. **Alipanah, H. & P.Ustjuzhanin**, 2005, An annotated checklist of the Pterophorinae (Oidaematophorini and Pterophorini) of Iran (Lepidoptera, Pterophoridae). *Ent. fennica* 16: 129-143, figs. [\[available in Cesa Library\]](#)
184. **Alipanah, H. & P.Ustjuzhanin**, 2007, A new species, a new synonym, and new distribution records in the genus *Agdistis* Hübner, 1825 from Iran (Pterophoridae, Agdistinae). *Nota lepid.* 29 (3/4): 177-184, figs. [\[available in Cesa Library\]](#)
185. **Alipanah, H. & P.Ustjuzhanin**, 2013, New findings of the tribe Oxyptilini Arenberger, 1995 in Iran (Lepidoptera, Pterophoridae, Pterophorinae). *Shilap Revta lepid.* 41 (164): 559-563. [\[available in Cesa Library\]](#)

186. **Alipanah, H. & P. Ustjuzhanin**, 2014, Additional notes to the family Alucitidae from Iran (Lepidoptera, Alucitoidea). *Shilap Revta lepid.* 42 (165): 143-149, 2 figs. [[available in Cesa Library](#)]
187. **Alipanah, H.**, 2003, Faunal study of *Euchromius* Guenée (Lepidoptera, Pyralidae, Crambinae) species in Iran. *J. Ent. Soc. Iran* 23 (1): 115-134.
188. **Alipanah, H.**, 2004, Description of the female of *Notocelia punicana* Kuznetsov, 1956 (Tortricidae, Olethreutinae). *Nota lepid.* 27 (2/3): 245-247, figs. [[available in Cesa Library](#)]
189. **Alipanah, H.**, 2008, New record of a choreutid species (Lepidoptera, Choreutidae) from Iran. *Zool. Middle East* 45: 114-115. [[available in Cesa Library](#)]
190. **Alipanah, H.**, 2009, A brief study on the tribes Tortricini and Archipini (Lepidoptera, Tortricidae) from Iran. *Entomofauna* 30 (10): 137-152. [[available in Cesa Library](#)]
191. **Alipanah, H.**, 2009, Synopsis of the Cochylini (Tortricidae, Tortricinae, Cochylini) of Iran, with a description of a new species. *Zootaxa* 2245: 1-31, figs. [[available in Cesa Library](#)]
192. **Alipanah, H.**, 2014, *Agdistis falkovitshi* Zagulyaev (Lepidoptera, Pterophoridae, Agdistinae) as a first record for the fauna of Iran. *J. ent. Soc. Iran* 34 (2): [in press].
193. **Alipanah, H., Ahmadian, H.A. & A. Pazuki**, 2003, Introduction of *Marasmarcha ehrenbergianus* (Zeller) (Lepidoptera, Pterophoridae) as first record for fauna of Iran. *Appl. Ent. phytopath.* 71 (1): 139.
194. **Alipanah, H., Asselbergs, J. & M. Shams-Zadeh**, 2014, *Gymnancyla* (*Gymnancyla*) *iranella* (Lepidoptera, Pyralidae, Phycitinae), a new species from Iran. *Zootaxa* 3794 (2): 279-288, figs. [[available in Cesa Library](#)]
195. **Alipanah, H., Sari, A., Sarafrazi, A. & Gielis, C. & S. Manzari**, 2010, Key to the genera of Oxyptilini (Lepidoptera, Pterophoridae, Pterophorinae), with descriptions of two new genera. *Zootaxa* 2693: 21-34, figs. [[available in Cesa Library](#)]
196. **Alkan, B.**, 1946, Kızılcahamam, Bolu (Abant) ve Düzce ormanlarında entomolojik araştırmalar. 28pp. 26 figs. Hüsnütabiat Basımevi, İstanbul [in Turkish]. [[available in Cesa Library](#)]
197. **Allan, P.B.M.**, 1949, Larval foodplants. 126 pp. Watkins & Doncaster, London.
198. **Allan, P.B.M.**, 1956, The Middle Copper, *Heodes virgaureae* L. *Entomologist's Rec. J. Var.* 68: 68-73.
199. **Allan, P.B.M.**, 1958, *Papilio machaon* L., in England. *Entomologist's Rec. J. Var.* 78: 161-168.
200. **Allan, P.B.M.**, 1966, Copper butterflies in the West Country. *Entomologist's Rec. J. Var.* 78: 161-168.
201. **Allcard, H.G. & A. Valletta**, 1981, The Canary Island revisited in 1979. *Entomologist's Rec. J. Var.* 93: 120-125. [[available in Cesa Library](#)]
202. **Allcard, H.G. & A. Valletta**, 1982, Two weeks at the Canary Islands in 1981. *Entomologist's Rec. J. Var.* 94: 111-116. [[available in Cesa Library](#)]
203. **Allcard, H.G. & A. Valletta**, 1984, A week in La Palma, Canary Islands, in 1982. *Revta Lepid.* 11 (1983): 319-321.
204. **Allen, M.**, 1993, Marvellous moths of Nepal. 72pp., 188 figs., 2 maps. Bangkok. [[available in Cesa Library](#)]
205. **Allenspach, V.**, 1965, Eine entomologische Sammelreise nach dem Tessin vor 100 Jahre. *Mitt. ent. Ges. Basel* 15: 10-12.
206. **Alpheraky, S.**, 1897, Memoire sur differents lépidoptères, tant nouveaux que peu connue de la faune paléarctique, [in] Romanoff, *Mém. lépid.* 9: 185-227. [[available in Cesa Library](#)]
207. **Alpheraky, S.N.**, 1876, Die Schmetterlinge der Umgegend von Taganrog. *Trudy russk. ent. Obshch.* 8: 150-226.
208. **Alpheraky, S.N.**, 1877, Lepidoptera Caucasi Septentrionalis. *Trudy russk. ent. Obshch.* 10: 3-34.
209. **Alpheraky, S.N.**, 1880, *Hypenodes balneorum* sp.n. *Horae Soc. ent. ross.* 15: 137-138. [[available in Cesa Library](#)]
210. **Alpheraky, S.N.**, 1880, Die Lepidopteren der Umgegend von Taganrog. *Trudy russk. ent. Obshch.* 11: 45-50.
211. **Alpheraky, S.N.**, 1881, Lépidoptères du district de Kouldja et des montagnes environnantes. Iere Partie. *Rhopalocera*. *Horae Soc. ent. ross.* 16: 334-435, pls. [[available in Cesa Library](#)]
212. **Alpheraky, S.N.**, 1882, Lépidoptères du district de Kouldja et des montagnes environnantes II. Partie. *Horae Soc. ent. ross.* 17: 15-103, pls. [[available in Cesa Library](#)]

213. **Alpheraky, S.N.**, 1883, Lépidoptères du district de Kouldja et des montagnes environnantes III. Partie. Horae Soc. ent. ross. 17: 156-227, pls. [\[available in Cesa Library\]](#)
214. **Alpheraky, S.N.**, 1883, Ueber die Gattung Colias F. Stettin ent. Ztg. 44: 488-495. [\[available in Cesa Library\]](#)
215. **Alpheraky, S.N.**, 1887, Diagnosen einiger neuer centralasiatischer Lepidopteren. Stettin ent. Ztg. 48: 167-171. [\[available in Cesa Library\]](#)
216. **Alpheraky, S.N.**, 1888, Neue Lepidopteren. Stettin ent. Ztg. 49: 66-69. [\[available in Cesa Library\]](#)
217. **Alpheraky, S.N.**, 1889, Lépidoptères rapportés du Thibet par le Général N.M. Przewalsky de son voyage de 1884-1885. [In] Romanoff, N.M., Mém. Lépid. 5: 59-89, Taf. iv. [\[available in Cesa Library\]](#)
218. **Alpheraky, S.N.**, 1889, Le Pamir et sa faune lépidoptérologique. Noctuelites. [In] Romanoff, N.M., Mém. Lépid. 5: 124-191. [\[available in Cesa Library\]](#)
219. **Alpheraky, S.N.**, 1889, Lépidoptères rapportés de la Chine et de la Mongolie par G.N. Potanine. [In] Romanoff, N.M., Mém. Lépid. 5: 90-123, pl. 5. [\[available in Cesa Library\]](#)
220. **Alpheraky, S.N.**, 1891, Kuldzha i Tyan-Shan. Putevye zametki. [Kuldja and Tien-Shan, Traveller's Notes]. Zapiski Russkogo Geograficheskogo Obshchestva 23 (1): 1-192.
221. **Alpheraky, S.N.**, 1892, Lépidoptères de la Chine et de la Mongolie par G.N. Potanine. [In] Romanoff, N.M., Mém. Lépid. 6: 1-81. [\[available in Cesa Library\]](#)
222. **Alpheraky, S.N.**, 1892, Lepidoptera nova a Gr. Grum-Grshimailo in Asia Centrali novissime lecta. Horae Soc. ent. ross. 26: 444-459. [\[available in Cesa Library\]](#)
223. **Alpheraky, S.N.**, 1893, Metopoplus gen. n., [in] Christoph, A., Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 92. [\[available in Cesa Library\]](#)
224. **Alpheraky, S.N.**, 1897, Lepidopteren aus Kamtschatka gesammelt von O. Herz. [In] Romanoff, N.M., Mém. Lépid. 9: 301-347.
225. **Alpheraky, S.N.**, 1897, Lepidoptera de l'Amour et la Corée. [In] Romanoff, N.M., Mém. Lépid. 9: 151-184.
226. **Alpheraky, S.N.**, 1908, Schmetterlinge der Umgebung von Taganrog. Horae Soc. ent. ross. 38: 558-627. [\[available in Cesa Library\]](#)
227. **Alpheraky, S.N.**, 1913, Quelques données sur les races de la Zegris eupheme Esper. Etud. Lépid. comp. 7: 221-234.
228. **Alpheraky, S.N.**, [1894], Lepidoptera nova Asiae Centralis. Dt. ent. Z., Iris 6: 346-347. [\[available in Cesa Library\]](#)
229. **Altena, O.C.R.v.**, 1948, Macrolepidoptera collected in Teneriffe and La Palma in the spring of 1947. Tijdschr. Ent. 91: 12-22.
230. **Altena, O.C.R.v.**, 1953, A revision of the genus Nyctalemon Dalman (Lepidoptera, Uraniidae) with notes on the biology distribution and evolution of its species. Zool. Verh. 19: 1-57, 4 pls. [\[available in Cesa Library\]](#)
231. **Altermatt, F.**, 2008, A new species of Agdistis Hübner, 1825 from Tadjikistan (Pterophoridae). Nota lepid. 31 (1): 65-68, figs. [\[available in Cesa Library\]](#)
232. **Altınayar, G.**, 1981, Orta Anadolu Bölgesi tahıl tarlalarındaki böcek faunasının saptanması üzerine çalışmalar. Bitki Koruma Bült. 21 (2): 53-88 [80-81]. [\[available in Cesa Library\]](#)
233. **Alvarez, J. & J. Templado**, 1982, Zur Lebensgeschichte eines ibero-marokkanischen Falters - der Weissling Zegris eupheme. Natur Mus., Frankf. 112: 230-234.
234. **Amr, Z.S., Al-Melhim, W.N., Katbeh-Bader, A. & W. Schneider**, 1997, On the common Insecta of Al Azraq, Jordan. Entomologist's Gaz. 48: 55-66.
235. **Amsel, H.G.**, 1933, Die Lepidopteren Palästinas. Eine zoogeographisch-ökologisch-faunistische Studie. Zoogeographica 2(1): 1-146. [\[available in Cesa Library\]](#)
236. **Amsel, H.G.**, 1935, Zur Kenntnis der Microlepidopterenfauna des südlichen Toten-Meer-Gebietes, nebst Beschreibung neuer palästinensischer Macro- und Microlepidoptera. Veröff. dt. Kolon. Übers.-Mus. 1(2): 203-221, 2 Taf. [\[available in Cesa Library\]](#)
237. **Amsel, H.G.**, 1935, Weitere Mitteilungen ueber palaestinensische Lepidopteren. Veröff. dt. Kolon. Übers.-Mus. 1(2): 223-277. [\[available in Cesa Library\]](#)
238. **Amsel, H.G.**, 1936, Die palaarktischen Isophrictis- Arten (Lepidoptera, Gelechiidae). Veröff. dt. Kolon. Übers.-Mus. Bremen. 1(3): 369-376. [\[available in Cesa Library\]](#)
239. **Amsel, H.G.**, 1938, Beiträge zur Kleinschmetterlingsfauna der Balkanländer und Kleinasien. Dt. ent. Z., Iris 52: 152-159, pl. [\[available in Cesa Library\]](#)

- 240.** Amsel, H.G., 1939, Grundsätzliche Bemerkungen zur Frage der Faunenelemente. Zool. Jb. 72: 1-16.
- 241.** Amsel, H.G., 1942, Revision der Gattung *Holcopogon* Stgr. (Lepidoptera, Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 224-237, pls. [[available in Cesa Library](#)]
- 242.** Amsel, H.G., 1942, Die Gattung *Epidola* Stgr. (Lep., Scythrididae). Veröff. dt. Kolon. Übers.-Mus. Bremen 3(3): 217-223. [[available in Cesa Library](#)]
- 243.** Amsel, H.G., 1949, Die Microlepidopteren der Brandt'schen Iran Ausbeute I. Bull. Soc. Fouad I Ent. 33: 227-269, figs. [[available in Cesa Library](#)]
- 244.** Amsel, H.G., 1949, On the Microlepidoptera collected by E.P. Wiltshire in Iraq and Iran. Bull. Soc. Fouad I Ent. 33: 271-351, figs. [[available in Cesa Library](#)]
- 245.** Amsel, H.G., 1950, Die Lepidopteren der Brandt'schen Iran Ausbeute II. Ark. Zool. 1(17): 223-257, figs. [[available in Cesa Library](#)]
- 246.** Amsel, H.G., 1951, Die Microlepidopteren der Brandt'schen Iran Ausbeute III. Ark. Zool. 1(36): 525-563, figs. [[available in Cesa Library](#)]
- 247.** Amsel, H.G., 1952, Neue Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad Ier Ent 36: 127-134, 11 Abb. [[available in Cesa Library](#)]
- 248.** Amsel, H.G., 1952, Über einige von Hampson beschriebene palaearktische Pyraliden (Lepidoptera, Pyralidae). Mitt. münch. ent. Ges. 42: 40-70, figs. [[available in Cesa Library](#)]
- 249.** Amsel, H.G., 1952, [in] Hartig & Amsel, Lepidoptera Sardinica 3. Fragm. ent., Roma 1: 101-144, figs. [[available in Cesa Library](#)]
- 250.** Amsel, H.G., 1953, Die Microlepidopteren der Brandt'schen Iran Ausbeute IV. Ark. Zool. 6 (16): 255-326, figs. [[available in Cesa Library](#)]
- 251.** Amsel, H.G., 1953, Über einen tiergeographisch interessanten Kleinschmetterlingen Süddeutschlands. Die Unterart- Bildung bei *Pristophora florella* Mn. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 12: 12-16, pl. [[available in Cesa Library](#)]
- 252.** Amsel, H.G., 1953, Wissenschaftliche Ergebnisse der zoologischen Expedition des National Museum in Prag nach der Türkei. Sb. ent. Odd. nar. Mus. Praze 28: 411-429, figs. [[available in Cesa Library](#)]
- 253.** Amsel, H.G., 1953, Ueber einige von Ragonot und Dumont beschriebene palaearktische Microlepidopteren des Pariser Museums. Revue fr. Ent. 20 (3): 223-230, 11 figs. [[available in Cesa Library](#)]
- 254.** Amsel, H.G., 1954, Neue Pterophoriden, Gelechiiden und Tineiden aus Palästina und Malta (Microlepidoptera). Bull. Soc. Fouad Ier Ent. 38: 51-57, 8 figs. [[available in Cesa Library](#)]
- 255.** Amsel, H.G., 1954, Neue oder bemerkenswerte Kleinschmetterlinge aus Syrien. Bull. Soc. Fouad Ier Ent. 38: 47-50, figs. [[available in Cesa Library](#)]
- 256.** Amsel, H.G., 1955, Irakische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 14 (2): 119-129, pl. [[available in Cesa Library](#)]
- 257.** Amsel, H.G., 1955, Über mediterrane Microlepidopteren und einige transcaspische Arten. Bull. Inst. R. Sci. nat. Belg. 31: 1-64. [[available in Cesa Library](#)]
- 258.** Amsel, H.G., 1955, Berichtigung *Postsalebria* nom. nov. für *Praesalebria* Amsel, 1954. Z. Wien. ent. Ges. 40: 357. [[available in Cesa Library](#)]
- 259.** Amsel, H.G., 1955, Zur Synonymie von *Coleophora lassella* Stgr. Z. Wien. ent. Ges. 40: 42. [[available in Cesa Library](#)]
- 260.** Amsel, H.G., 1956, Kleinschmetterlinge vom mittleren Jordantal. Beitr. naturk. Forsch. Südwdtl. 15(1): 56-62, 6 Abb., Taf. IV. [[available in Cesa Library](#)]
- 261.** Amsel, H.G., 1957, Pyraliden Studien I. (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 16: 105-109, pl. [[available in Cesa Library](#)]
- 262.** Amsel, H.G., 1957, Die Deutsche Afghanistan Expedition 1956 der Landessammlungen für Naturkunde in Karlsruhe (Reisebericht). Beitr. naturk. Forsch. Südwdtl. 16: 5-29.
- 263.** Amsel, H.G., 1958, Cyprische Kleinschmetterlinge. Z. wien. ent. Ges. 43: 51-58, 69-75, 135, pl. [[available in Cesa Library](#)]
- 264.** Amsel, H.G., 1959, Microlepidopteren aus dem Kaukasus und der Ukraine. Acta ent. Mus. natn. Pragae 33: 419-422. [[available in Cesa Library](#)]
- 265.** Amsel, H.G., 1959, Irakische Kleinschmetterlinge II. Bull. Soc. ent. Egypte 43: 41-83, Taf. [[available in Cesa Library](#)]
- 266.** Amsel, H.G., 1959, Microlepidoptera aus Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr. 25). Stuttg. Beitr. Naturk. 28: 1-47, Abb., 5 Taf. [[available in Cesa Library](#)]

267. **Amsel, H.G.**, 1961, Die Microlepidopteren der Brandt'schen Iran Ausbeute V. Ark. Zool. 13 (17): 323-445, figs. [\[available in Cesa Library\]](#)
268. **Amsel, H.G.**, 1961, Zwei neue Evippe- Arten aus Afghanistan, Iran und Nordsyrien (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 20: 99-103, figs. [\[available in Cesa Library\]](#)
269. **Amsel, H.G.**, 1961, Zur Systematik von Margaretania superba Amsel, 1961 (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SW-Deutschl. 20 (2): 105. [\[available in Cesa Library\]](#)
270. **Amsel, H.G.**, 1964, Ein neuer Kleinschmetterling als Pistazien-Schädling aus Iran (Lepidoptera, Oinophilidae). Beitr. naturk. Forsch. SW-Deutschl. 23(2): 107-109, 4 figs. [\[available in Cesa Library\]](#)
271. **Amsel, H.G.**, 1966, Neue Synonymien und Bemerkungen zu paläarktischen Pyraliden (Lepidoptera, Pyralidae). Z. Wien. ent. Ges. 51: 53-55. [\[available in Cesa Library\]](#)
272. **Amsel, H.G.**, 1967, Die afghanischen Arten des Anarsia- Komplexes. Zugleich eine vorläufige Revision der sonstigen palaearktischen Arten (Lepidoptera, Gelechiidae). Beitr. naturk. Forsch. SWDtl. 26(3): 17-31, figs. [\[available in Cesa Library\]](#)
273. **Amsel, H.G.**, 1967, Eine neue afghanische Stenoptilia-Art (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 26(1): 15-16, 1Abb. [\[available in Cesa Library\]](#)
274. **Amsel, H.G.**, 1967, Die zweite Deutsch Afghanistan-Expedition 1966 der Landessammlungen für Naturkunde Karlsruhe. Ein Reisebericht. Beitr. naturk. Forsch. SWDtl. 26(1): 3-14. [\[available in Cesa Library\]](#)
275. **Amsel, H.G.**, 1968, Zur Kenntnis der Microlepidopterenfauna von Karachi (Pakistan). Stuttg. Beitr. Naturk. 191: 1-48, 12 Taf. [\[available in Cesa Library\]](#)
276. **Amsel, H.G.**, 1969, Die afghanische Ethmia-Arten (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SWDtl. 28(2): 115-119, 2Abb. [\[available in Cesa Library\]](#)
277. **Amsel, H.G.**, 1970, Afghanische Pyraustinae (Lepidoptera, Pyralidae). Beitr. naturk. Forsch. SWDtl. 29: 25-66, 27 textfigs., 4 pls. [\[available in Cesa Library\]](#)
278. **Amsel, H.G.**, 1972, Depressarien aus Afghanistan, Iran, Irak und Arabien (Lepidoptera, Oecophoridae). Beitr. naturk. Forsch. Südwdtl. 31: 133-144, 5 Taf. [\[available in Cesa Library\]](#)
279. **Amsel, H.G.**, 1974, Neue iranische Kleinschmetterlinge. Beitr. naturk. Forsch. SWDtl. 33: 197-203, 2 Abb. [\[available in Cesa Library\]](#)
280. **Amsel, H.G.**, 1977, Vier neue Kleinschmetterlingsarten aus Iran (Lepidoptera). Beitr. naturk. Forsch. Südwdtl. 36: 227-236, 4 figs. [\[available in Cesa Library\]](#)
281. **Amsel, H.G.**, 1978, Eine neue Carposinide aus West-Iran (Lepidoptera, Carposinidae). Beitr. naturk. Forsch. Südwdtl. 37: 215-216, 3 Abb. [\[available in Cesa Library\]](#)
282. **Amsel, H.G.**, 1979, Zur Unterartbildung bei Axia theresiae (Korb, 1900) (Lepidoptera, Axiidae). Atalanta 10 (1): 70-77, pl. [\[available in Cesa Library\]](#)
283. **Amsel, H.G.**, 1983, Die Gattungen Lymira Ragonot, 1888 und Hosidia Hampson, 1901 (Lepidoptera, Pyralidae, Phycitinae, Peorini). Andrias 3: 55-58, 10 Abb. [\[available in Cesa Library\]](#)
284. **Andreas, K.**, 1910, Herminia flavicrinalis n.sp. (Eine neue palaearktische Schnabeleule). Ent. Z., Stuttgart 24 (29): 160-161. [\[available in Cesa Library\]](#)
285. **Andreini, A.**, 1913, Materiali per lo studio della fauna Eritrea raccolti nel 1901-03. Bull. Soc. ent. ital. 44: 115-147, 6 figs.
286. **Andrews, C.W.**, 1900, A monograph of Christmas Island (Indian Ocean). xiii+337pp. 32 Pls. Stephen Austin & Sons. London.
287. **Andrews, H.W.**, 1917, Some entomological notes from Egypt and Palestine. Entomologist's Rec. J. Var. 29: 223-226.
288. **Andrews, H.W.**, 1920, Further notes from Palestine. Entomologist's Rec. J. Var. 32: 130-140.
289. **Angulo, A.O.**, 1973, Estados postembrionales y algunas consideraciones sistemáticas acerca de Euxoa lutescens (Blanchard) (Lepidoptera, Noctuidae). Bol. Soc. Biol. Concepción. 46: 177-184.
290. **Angulo, A.O.**, 1973, Estados preimaginales de Syngrapha gammoides (Blanchard) (Lepidoptera, Noctuidae). Bol. Soc. Biol. Concepción. 46: 155-162
291. **Angulo, A.O.**, 1978, La subfamilia Phytometrinae en Chile (Lepidoptera, Noctuidae). Brenesia 14/15: 57-95
292. **Angulo, A.O.**, 1978, Las fases geobióticas en lepidópteros noctuidos (Lepidoptera: Noctuidae). Medio ambiente. 3 (2): 14-19

293. **Angulo, A.O.**, 1984, A new *Melipotis* Hübner from Chile (Lepidoptera: Noctuidae). Studies on Neotropical Fauna and Environment. 19 (4): 181-184.
294. **Angulo, A.O.**, 1984, Morfofuncionalidad en larvas de lepidópteros. Gayana Zool. 48 (3-4): 75-91
295. **Anikin, V.V. & V.I. Piskunov**, 1999, Two species of the genus *Scrobipalpa* Janse, 1951 (Lepidoptera, Gelechiidae, Gnorimoschemini) new for the fauna of Russia. Russ. ent. J. 7 (1998) (1/2): 69-70.
296. **Anikin, V.V.**, 1998, The Casebeareres of the Volga-Ural inter-river region (Lepidoptera, Coleophoridae). Entomofauna 19(2): 33-44, 8 figs. [[available in Cesa Library](#)]
297. **Anikin, V.V.**, 1999, A record of the moth *Cephitinea colonella* (Erschov, 1874) (Lepidoptera, Tineidae) in the Lower Volga Region. Russ. ent. J. 7 (1998): 219.
298. **Anikin, V.V., Sachov, S.A. & V.V. Zolotuhin**, 1993, "Fauna lepidopterologica Volgo-Uralensis" 150 years later: changes and additions. Part 1. Rhopalocera (Insecta, Lepidoptera). Atalanta 24 (1/2): 89-120. [[available in Cesa Library](#)]
299. **Anikin, V.V., Sachov, S.A., Zolotuhin, V.V. & S.Y. Sinev**, 2007, "Fauna Lepidopterologica Volgo-Uralensis" 150 years later: Changes and additions. Part 14. Elachistidae (Insecta, Lepidoptera). Atalanta 38 (3/4): 395-402, figs. [[available in Cesa Library](#)]
300. **Anken, R.H. & M.H. Pinto Bivar**, 1996, Further remarks on the occurrence of the southern African Butterfly *Cacyreus marshalli* (Butler, 1898) on the European mainland. Entomologist's Gaz. 47(3): 151-155.
301. **Anker, L.**, 1870, Ein neues Microlepidopteron aus Ungarn. Butalis emichi. Stettin ent. Ztg. 31: 143-144.
302. **Anonymous**, 2008, Catalogue of Life: 2008 annual checklist.- <http://www.catalogueoflife.org/annual-checklist/2008/> [last accessed: 10.xi.2008].
303. **Anonymous**, 2012, Lepidopterists' Society of Africa. <http://www.lepsoc.org.za/> [latest access: 23 March, 2012]
304. **Antonova, E.M. & M.A. Klepikov**, 2000, Geometrid moths (Lepidoptera) of Yaroslav Area. Russ. ent. J. 9 (1): 79-90.
305. **Antonova, E.M.**, 1981, Type-material of Lepidoptera deposited in the collection of the Zoological Museum of Moscow State University. Sb. Trud. zool. Mus. MGU 19: 208-227.
306. **Antonova, E.M.**, 1981, Type-material of Lepidoptera deposited in the collection of the Zoological Museum of Moscow State University. Sb. Trud. zool. Mus. MGU 19: 208-227.
307. **Antonova, E.M., Mironov, V.G., Sviridov, A.V. & I.V. Shmytova**, 1999, New and rare records of moths (Lepidoptera, Heterocera) for the upper Oka river basin. Russ. ent. J. 8 (1): 53-56.
308. **Antoshin, D.A. & V.V. Zolotuhin**, 2013, Taxonomic remarks on the Lemoniidae (Lepidoptera) with description of a new species from Iran. Tinea 22 (3): 168-174, figs.
309. **Antram, C.B.**, 1924, Butterflies of India. Calcutta & Simla.
310. **Antram, C.B.**, 1947, Note on the butterflies of the New Forest area in 1947, in connection with weather conditions. Entomologist's Rec. J. Var. 63: 128-130.
311. **Antram, C.B.**, 1947, Note on the butterflies of the New Forest area in 1947, in connection with weather conditions. Entomologist's Rec. J. Var. 63: 128-130.
312. **Aoki, T. & S. Yamaguchi**, 1984, Notes on Butterflies of the Genus *Mycalesis* Collected in Thailand, together with Description of a New Species. (Lepidoptera: Satyridae). Res. Inst. Evol. Biol. Sci. Rep. 2: 45-60.
313. **Aoki, T. & Y. Uémura**, 1982, Description of new species and new subspecies of South-east Asian Diurnal Lepidoptera belonging to the family Satyridae, with some taxonomic notes. Mem. Tsukada Coll. 4: 1-64, 8 Pls. [[available in Cesa Library](#)]
314. **Aoki, T. & Y. Uémura**, 1984, Studies on the genus *Ypthima* (Lepidoptera, Satyridae) in Thailand. Tokurana 6/7: 71-103, 43 figs., Pl. 5. [[available in Cesa Library](#)]
315. **Aoyama, J.**, 1998, Butterflies of China 409pp., 232 col. pls.
316. **Archer-Loch, A. & E.C.M. Haes**, 1983, The Red Admiral early in 1983. Entomologist's Rec. J. Var. 95: 112. [[available in Cesa Library](#)]
317. **Archer-Loch, A.**, 1981, The White-letter Hairstreak: *Strymonidia w-album*. Entomologist's Rec. J. Var. 92 (1980): 254-255. [[available in Cesa Library](#)]
318. **Archer-Loch, A.**, 1981, The Monarch: *Danaus plexippus* Linn. in England. Entomologist's Rec. J. Var. 93: 199-201. [[available in Cesa Library](#)]

319. **Archer-Loch,A.**, 1982, The White-letter Hairstreak: *Strymonidia w-album* Knoch. Entomologist's Rec. J. Var. 93: 16-17. [\[available in Cesa Library\]](#)
320. **Areekul,S., Bhonuangpol,C. & D.Ekapat**, 1971, Effects of humidity temperature and light on the growth and development of *Chilotraea polychrysa* (Meyrick) and *Tryporyza incertulas* (Walker). Proc. Symp. Rice Insects 1971: 49-62. [\[available in Cesa Library\]](#)
321. **Arenberger,E. & J.Wimmer**, 1996, Erster Nachtrag zur Mikrolepidopterenfauna Zyperns. Nachr. ent. Ver. Apollo (N.F.) 17 (2): 209-224. [\[available in Cesa Library\]](#)
322. **Arenberger,E. & M.Lödl**, 1993, Preliminary contribution to the *Endotricha* species from the Cameron Highlands, Peninsular Malaysia (Lepidoptera: Pyralidae). Shilap Revta. lepid. 21 (81): 55-58. [\[available in Cesa Library\]](#)
323. **Arenberger,E.**, 1972, Eine neue *Agdistis*-Art aus Kleinasien (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 31: 151-152. [\[available in Cesa Library\]](#)
324. **Arenberger,E.**, 1975, Pterophoriden aus Aegypten (Lepidoptera). Ent. Z., Frankf. a. M. 85 (10): 111-116 4 Abb. [\[available in Cesa Library\]](#)
325. **Arenberger,E.**, 1975, Eine neue *Agdistis*- Art aus der Caradja-Sammlung (Lepidoptera, Pterophoridae). Trav. Mus. Hist. nat. "Gr.Antipa" 16: 205-206, 2 figs.
326. **Arenberger,E.**, 1977, Die palaearktischen *Agdistis*- Arten (Lepidoptera, Pterophoridae). Beitr. naturk. Forsch. SWDtl. 36: 185-226, 1 Abb. 15 Taf. [\[available in Cesa Library\]](#)
327. **Arenberger,E.**, 1981, Die Pterophorus- Arten West- und Zentralasiens. 2.Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 33 (1/2): 17-29, figs. [\[available in Cesa Library\]](#)
328. **Arenberger,E.**, 1981, Die Pterophorus- Arten West- und Zentralasiens. 1.Beitrag (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 32 (3/4): 97-110, figs. [\[available in Cesa Library\]](#)
329. **Arenberger,E.**, 1983, Ergänzungen zur Gattung *Agdistis* (Lepidoptera, Pterophoridae). Andrias 3: 51-54, 5 Abb. [\[available in Cesa Library\]](#)
330. **Arenberger,E.**, 1985, Zur Synonymie einiger Pterophoridae (Lepidoptera). Ent. Z., Frankf. a. M. 95: 244-250, 4 figs.
331. **Arenberger,E.**, 1985, Contribution to the distribution of the Pterophoridae in Saudi Arabia. Fauna Saudi Arabia 7: 165-171, figs.
332. **Arenberger,E.**, 1986, Die Pterophoriden (Lepidoptera) aus der Oman-Ausbeute von T.B.Larsen. Ent. Z., Frankf. a. M. 96: 102-106, 4 Abb. [\[available in Cesa Library\]](#)
333. **Arenberger,E.**, 1986, Ergänzende Bemerkungen zur Familie Pterophoridae (Lepidoptera). Z. ArbGem. öst. Ent. 37 (3/4): 76-80, figs. [\[available in Cesa Library\]](#)
334. **Arenberger,E.**, 1987, Pterophoridae aus dem östlichen Mittelmeerraum (Lepidoptera). Z. ArbGem. öst. Ent. 38 (3/4) (1986): 103-106, figs. [\[available in Cesa Library\]](#)
335. **Arenberger,E.**, 1988, Pterophoridae aus Kaschmir. Z. ArbGem. öst. Ent. 40(1/2): 23-32, 13 Abb. [\[available in Cesa Library\]](#)
336. **Arenberger,E.**, 1988, Taxonomische Klarstellungen bei den Pterophoridae (Lepidoptera). Staphia 16: 1-12, 18 figs.
337. **Arenberger,E.**, 1988, Weitere palaearktische Pterophoridae (Lepidoptera). Z. ArbGem. öst. Ent. 39 (3/4): 65-70, 8 Abb. [\[available in Cesa Library\]](#)
338. **Arenberger,E.**, 1989, Beitrag zur Kenntnis der indo-australischen Pterophorus-Arten (Lepidoptera, Pterophoridae). Ent. Z., Frankf. a. M. 99(7): 81-88, 7 Abb. [\[available in Cesa Library\]](#)
339. **Arenberger,E.**, 1989, Die Pterophoriden (Lepidoptera) der sowjetisch-finnischen Sibirienexpeditionen 1982-1984 mit Beschreibung einer neuen Art. Ann. ent. fenn. 55: 153-160, 10 Abb. [\[available in Cesa Library\]](#)
340. **Arenberger,E.**, 1995, Eine neue Art der Gattung *Hexadactilia* Flecher 1910 von Sabah (Lepidoptera, Pterophoridae). Ent. Z., Frankf. a. M. 105: 138-140, 2 Abb. [\[available in Cesa Library\]](#)
341. **Arenberger,E.**, 1995, Pterophoridae Teilband I, [In] Amsel,H.G., Reisser,H. & F.Gregor: Microlepidoptera Palaearctica 9: xxv + 258 pp. 153 Taf. Karlsruhe. [\[available in Cesa Library\]](#)
342. **Arenberger,E.**, 1997, The types of the species *Cosmoclostis* Meyrick (Lepidoptera, Pterophoridae) and their genitalia. Ent. Scand. 28 (4): 367-379, figs. [\[available in Cesa Library\]](#)
343. **Arenberger,E.**, 1997, Österreichische Turkmenistan-Expedition 1996 (Microlepidoptera). Z. ArbGem. Öst. Ent. 49: 77-82, figs. [\[available in Cesa Library\]](#)
344. **Arenberger,E.**, 1998, Pterophoridae aus dem Kaukasus-Gebiet. Quadrifina 1: 277-284, figs. [\[available in Cesa Library\]](#)
345. **Arenberger,E.**, 1999, Pterophoridae aus Zentralasien und angrenzenden Territorien 2. Teil (Lepidoptera). Quadrifina 2: 215-226, figs. [\[available in Cesa Library\]](#)

346. **Arenberger,E.**, 2002, Die Pterophoridae der 2. Jemen-Expedition durchgeführt im Frühjahr 1998 von den Herren Bischof,A., Bittermann,J., Fibiger,M., Hacker,H., Peks,H. & H.-P.Schreier. Esperiana [[available in Cesa Library](#)]
347. **Arenberger,E.**, 2002, Pterophoridae aus Zentralasien und angrenzenden Territorien (5.Teil) (Lepidoptera). Z. ArbGem. Öst. Ent. 54: 133-143, figs. [[available in Cesa Library](#)]
348. **Arenberger,E.**, 2002, Pterophoridae Teilband II, [In] Gaedike,R., Microlepidoptera Palaearctica 11: 287 pp. 96 Taf. Goecke & Evers, Keltern. [[available in Cesa Library](#)]
349. **Arenberger,E.**, 2002, Einführung einer Determinationhilfe bei den Stenoptilia - Arten mit der Beschreibung von Stenoptilia bassii sp.nov. (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 54: 127-131, figs. [[available in Cesa Library](#)]
350. **Arenberger,E.**, 2005, Pterophoridae Teilband III, [In] Gaedike,R., Microlepidoptera Palaearctica 12: 191 pp. 50 Taf. Goecke & Evers, Keltern. [[available in Cesa Library](#)]
351. **Arenberger,E.**, 2006, Pterophoridae von den Kapverden (Lepidoptera). Z. ArbGem. öst. Ent. 58: 67-76, figs. [[available in Cesa Library](#)]
352. **Arenberger,E.**, 2006, Beitrag zur Fauna Australiens (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 58: 111-124, figs. [[available in Cesa Library](#)]
353. **Arenberger,E.**, 2007, Beitrag zur Kenntnis der Pterophoridenfauna des Himalaya-Gebietes (Lepidoptera). Z. ArbGem. öst. Ent. 59: 9-12, figs. [[available in Cesa Library](#)]
354. **Arenberger,E.**, 2007, Eine kleine Pterophoridae-Ausbeute aus Georgien (Lepidoptera). Z. ArbGem. öst. Ent. 59: 61-64, figs. [[available in Cesa Library](#)]
355. **Arenberger,E.**, 2008, Pterophoridae aus dem Oman mit der Beschreibung einer neuen Agdistis (Lepidoptera). Z. ArbGem. öst. Ent. 60: 81-86, figs. [[available in Cesa Library](#)]
356. **Arenberger,E.**, 2009, Zur Verbreitung der Pterophoridae im südlichen Afrika. 5.Beitrag (Lepidoptera). Z. ArbGem. öst. Ent. 61: 19-28, figs. [[available in Cesa Library](#)]
357. **Arenberger,E.**, 2009, Faunistische Angaben über Pterophoridae vom Sokotra Archipel mit der Neubeschreibung von Agdistis haghieri sp.n. (Lepidoptera). Z. ArbGem. öst. Ent. 61: 95-100, figs. [[available in Cesa Library](#)]
358. **Arenberger,E.**, 2010, Stichprobenartige Untersuchungen der Fauna Thailands (Lepidoptera, Pterophoridae). Z. ArbGem. öst. Ent. 62: 1-16, figs. [[available in Cesa Library](#)]
359. **Arenberger,E.**, 2010, Agdistis ratri sp.n., aus dem südlichen Afrika mit weiteren Angaben zur Verbreitung der Gattung Agdistis Hübner,[1825]. 6.Beitrag (Lepidoptera). Z. ArbGem. öst. Ent. 62: 75-80, figs. [[available in Cesa Library](#)]
360. **Arenberger,E.**, 2010, Pterophoridae aus dem Jemen. 3. Beitrag mit der Beschreibung von Hellinsia bawana sp.n., Megalorhipida parvula sp.n. und Stenoptilia balsami sp.n. Z. ArbGem. öst. Ent. 62: 135-142, figs. [[available in Cesa Library](#)]
361. **Arenberger,E.**, 2011, Die Pterophoridae (Lepidoptera) des Kanarischen Archipels. Z. ArbGem. öst. Ent. 63: 81-99, figs. [[available in Cesa Library](#)]
362. **Arenberger,E., Gurko,V. & S.A.Binyason**, 2011, Beitrag zur Kenntnis der Lepidoptera-Fauna des Sudan (Lepidoptera, Pterophoridae). Beitr. Ent. 61 (2): 277-284, figs. [[available in Cesa Library](#)]
363. **Arheilger,T. & J.Wolf**, 1991, Zum Vorkommen von Euchloe penia Freyer auf dem Peloponnes (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 12 (2): 93-95, 1 Abb. [[available in Cesa Library](#)]
364. **Arita,Y. & A.Kallies**, 2003, A new species of the genus Trilochana Moore,1879 (Lepidoptera, Sesiidae) from Sulawesi. Trans. lepid. Soc. Japan 54 (4): 229-232, figs. [[available in Cesa Library](#)]
365. **Arita,Y. & O. Gorbunov**, 1996, New and unrecorded clearwing moths of the genus Melittia Hübner,1819 (Lepidoptera, Sesiidae) from Thailand. Trans. lepid. Soc. Japan 47 (3): 157-173. [[available in Cesa Library](#)]
366. **Arita,Y. & O.G.Gorbunov**, 2000, On the tribe Melittiini (Lepidoptera, Sesiidae). Tinea 16 (4): 252-291.
367. **Arita,Y. & O.Gorbunov**, 1995, A review of the genus Macrotarsipus Hampson,[1893] (Lepidoptera, Sesiidae) of the Oriental Region. Trans. lep. Soc. Japan 46 (2): 103-111, figs. [[available in Cesa Library](#)]
368. **Arita,Y.**, 1983, Six new species of Glyphipterix Hübner (Lepidoptera, Glyphipterigidae) from Thailand. Tyo to Ga 33: 149-156, figs.
369. **Arita,Y.**, 1985, A new Carmentina (Lepidoptera, Glyphipterigidae) from Thailand. Tyo to Ga 36: 87-90, figs.

370. **Arita,Y.**, 1985, Two new species of *Glyphipterix* Hübner (Lepidoptera, Glyphipterigidae) from Thailand. *Tyo to Ga* 36: 97-101, figs.
371. **Arita,Y.**, 1987, Description of a new species of *Carmentina* from Thailand (Lepidoptera, Glyphipterigidae), [in] Kuroko,H. & S.Moriuti, *Microlepidoptera of Thailand* 1: 57-59, figs. University of Osaka. [\[available in Cesa Library\]](#)
372. **Arita,Y.**, 1987, *Brenthiinae* (Lepidoptera, Choreutidae) of Thailand. [in] Kuroko,H. & S.Moriuti, *Microlepidoptera of Thailand* 1: 7-55, figs. University of Osaka. [\[available in Cesa Library\]](#)
373. **Arita,Y.**, 1989, Two new and an unrecorded clearwing moths (Lepidoptera, Sesiidae) from Thailand. [in] Moriuti,S., *Microlepidoptera of Thailand* 2: 9-14, figs. University of Osaka. [\[available in Cesa Library\]](#)
374. **Arita,Y.**, 1989, Records of two species of *Phycodes* Guenée (Lepidoptera, Brachodidae) from Thailand. [in] Moriuti,S., *Microlepidoptera of Thailand* 2: 15-21, figs. University of Osaka. [\[available in Cesa Library\]](#)
375. **Arnaud,J.-P.**, 2000, *Cacyreus marshalli* Butler en France: contribution a l'ébauche de la cartographie de son extention (Lepidoptera, Lycaenidae). *Alexanor* 21 (2): 111-112. [\[available in Cesa Library\]](#)
376. **Arnold,E.**, 1909, Auf die Suche nach *Parnassius nordmanni*. *Ent. Z., Stuttgart* 23(36): 159-161, 2 figs.
377. **Arnold,E.**, 1912, Aparte *Parnassier*formen aus den Alpen. *Mitt. münch. ent. Ges.* 3: 26-28.
378. **Arnold,E.**, 1921, Festnummer zur Ehren des 70. Geburtstages von Max Korb. *Mitt. münch. ent. Ges.* 11: 45-49.
379. **Arnscheid,W. & P.Ross**, 1976, Eine neue Subspecies von *Erebia cassioides* aus Norditalien. *Ent. Z., Frankf. a. M.* 86: 69-71.
380. **Arnscheid,W. & P.Ross**, 1976, *Erebia ligea suederlandica* ssp.nov. *Dortmund. Beitr. Landeskd* 11: 25-34.
381. **Arnscheid,W. & P.Ross**, 1977, Spezifität von *Erebia orientalis* Elwes,1900. *Beiträge zur Kenntnis der Erebien* VI. *Atalanta* 8: 110-112. [\[available in Cesa Library\]](#)
382. **Arnscheid,W. & P.Ross**, 1977, Differenzierung der Subspecies von *Erebia euryale* Esper in Mitteleuropa unter besonderer Berücksichtigung von Mischpopulationen. *Ent. Z., Frankf. a. M.* 87: 201-211.
383. **Arnscheid,W. & P.Ross**, 1978, Über die Zucht und die Preimaginalstadien von *Erebia alberganus* Prunner. *Ent. Z., Frankf. a. M.* 88: 66-68.
384. **Arnscheid,W. & P.Ross**, 1981, Ein Beitrag zum Vorkommen von *Erebia pharte* (Hübner,1804) in den Vogesen. *Ent. Z., Frankf. a. M.* 91: 66-69.
385. **Arnscheid,W. & P.Ross**, 1984, Die Preimaginalstadien von *Erebia medusa* ([Denis & Schiffermüller],1775). *Beiträge zur Kenntnis der Erebien* XV. *Entomofauna* 4: 77-84. [\[available in Cesa Library\]](#)
386. **Arnscheid,W. & V.Sterba**, 1978, Eine neue Subspecies von *Erebia epiphron* aus dem Pelistergebirge in Mazedonien (Lep., Satyridae). *Ent. Z., Frankf. a. M.* 88(22): 257-260, 3 Abb. [\[available in Cesa Library\]](#)
387. **Arnscheid,W.**, 1975, Ein Beitrag zur Makrolepidopteren-Fauna des südlichen Ruhrgebietes: Der Isenberg bei Hattingen an der Ruhr.-Dortmud. *Beitr. Landeskd.* 8: 3-20.
388. **Arnscheid,W.**, 1975, Ein Beitrag zur Makrolepidopteren-Fauna des südlichen Ruhrgebietes: Der Isenberg bei Hattingen an der Ruhr.-Dortmud. *Beitr. Landeskd.* 8: 3-20.
389. **Arnscheid,W.**, 1976, Ist *Gonepteryx cleopatra* (Linne,1767) ein Wanderfalter? *Atalanta* 7: 141-142. [\[available in Cesa Library\]](#)
390. **Artemyeva,E.A.**, 1992, Wing pattern seasonal variation in *Polyommatus icarus* (Lepidoptera, Lycaenidae). *Vest. zool.* 1992 (4): 61-64, 4 figs. [\[available in Cesa Library\]](#)
391. **Artemyeva,E.A.**, 1998, The blue butterfly *Agrodiaetus ripartii* (Freyer,1830) (Lepidoptera, Lycaenidae) from the Middle Volga. *Russ. ent. J.* 6 (1997) (1/2): 127-128. [\[available in Cesa Library\]](#)
392. **Arutyunyan,R.G.**, 1989, New data on *Phycitinae* (Lepidoptera) of Armenia. *Ent. Obozr.* 69 (3): 642-656, figs. [\[available in Cesa Library\]](#)
393. **Ashby,E.B.**, 1924, Digne and Basses-Alpes in July 1924. *Entomologist's Rec. J. Var.* 36: 102-106, 122-126.
394. **Ashby,E.B.**, 1929, Hyères and Draguignan in April,1928. *Entomologist's Rec. J. Var.* 41: 134-136, 150-152.

395. **Ashby,E.B.**, 1930, Cavalaire and the new Riviera. Entomologist's Rec. J. Var. 42: 9-11, 38-39. [[available in Cesa Library](#)]
396. **Ashby,E.B.**, 1931, Draguignan and St.Aygulf, Var, France as collecting centres in April-may,1930. Entomologist's Rec. J. Var. 43: 131-133, 149-151. [[available in Cesa Library](#)]
397. **Ashby,E.B.**, 1932, Aigle and the Rhone Valley, Switzerland, in May,1931. Entomologist's Rec. J. Var. 44: 55-58, 72-74.
398. **Ashby,E.B.**, 1933, Paris and Mouthier (Doubs), July/August 1932. Entomologist's Rec. J. Var. 45: 84-85, 119-123, 150-151.
399. **Ashby,E.B.**, 1934, The Cottian Alps and Turin in June-July,1933. Entomologist's Rec. J. Var. 46: 81-83, 105-107, 116-117.
400. **Ashby,E.B.**, 1935, Coutrexeville, Vosges, France in June,1934 and Lacquignol, Forest of Mormale, France, in July,1934. Entomologist's Rec. J. Var. 47: 7-8, 29-32.
401. **Ashby,E.B.**, 1936, Ozoir-la-Ferriere; Puy de Dome mountain; and Le Mont Dore, France, in June-August 1935. Entomologist's Rec. J. Var. 48: 70-73, 81-83.
402. **Asselbergs,J.**, 2008, Order Lepidoptera, superfamily Pyraloidea, [in] A.v.Harten, Arthropod fauna of the UAE 1: 469-561, figs. [[available in Cesa Library](#)]
403. **Asselbergs,J.E.F.**, 1975, Lepidoptera verzameld tijdens een reis naar Ohrid (Jugoslavisch-Macedonie) en tijdens het verblijf aldaar. Ent. Ber., Amst. 35: 20-26.
404. **Asselbergs,J.E.F.**, 1978, A contribution to the knowledge of the Lepidoptera fauna of Samos. Ent. Ber., Amst. 38: 55-57.
405. **Asselbergs,J.E.F.**, 1994, Sefidia clasperella sp.n. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Nota lepid. 16(3/4): 171-178, 5 figs. [[available in Cesa Library](#)]
406. **Asselbergs,J.E.F.**, 1997, Merulempista wolschrijni spec. nov from The Netherlands and Merulempista brucella (Staudinger) stat.nov. from Turkey (Lepidoptera, Pyralidae, Phycitinae). Ent. Ber., Amst. 57 (1): 8-13, 20 figs. [[available in Cesa Library](#)]
407. **Asselbergs,J.E.F.**, 1997, A new Euzophera species from Turkey (Pyralidae, Phycitinae). Nota lepid. 20 (3/4): 305-309, figs.
408. **Asselbergs,J.E.F.**, 2004, Three new species of Phycitinae from Central Asia (Pyraloidea, Pyralidae). Nota lepid. 27 (1): 51-58, figs. [[available in Cesa Library](#)]
409. **Asselbergs,J.E.F.**, 2006, Ancylosis (Syria) limoniella (Chrétien,1911) new to the fauna of the Canary Islands, Spain (Lepidoptera, Pyralidae). Shilap Revta. lepid. 34 (135): 253-254, figs. [[available in Cesa Library](#)]
410. **Asselbergs,J.E.F.**, 2009, Descriptions of new Pyraloidea from the Palaearctic Region (Lepidoptera, Pyraloidea, Pyralidae, Pyralinae, Phycitinae, Crambinae). Phegea 37 (2): 55-68, figs. [[available in Cesa Library](#)]
411. **Asselbergs,J.E.F.**, 2009, New data for Pyraloidea from Fuerteventura (Canary Islands, Spain) including a species new to science (Lepidoptera, Pyraloidea). Shilap Revta lepid. 37 (148): 405-420, figs. [[available in Cesa Library](#)]
412. **Atahan,A., Bozacı,V., Çelikkaya,D., Gül,O., Hançer,M. & K.Şimşek**, 2009, Illustrated list of the butterflies of İzmir Province (Turkey). Cesa News 45: 1-132, 239 figs. [[available in Cesa Library](#)]
413. **Atay,E. & B.Altıntaş**, 2005, Anania verbascalis (Denis & Schiffermüller,1775) (Lepidoptera, Crambidae, Pyraustinae), new for Turkey. Zool. Middle East 34: 117-118, 3 figs. [Faunal information, consequently the title of the article incorrect! Since 1861, this species is known from Turkey (Mann,1861, Wien. ent. Monatschr. 5: 162)]. [[available in Cesa Library](#)]
414. **Atay,E. & E.Oğur**, 2011, Occurence of species of Pyralidae and Crambidae in Cyprus (Lepidoptera). Zool. Middle East 53: 79-86, figs. [some specific identifications are incorrect!] [[available in Cesa Library](#)]
415. **Atay,E. & F.Can**, 2007, External and genital morphology of Eurrhynx hortulata (Linnaeus,1758) (Crambidae). J. Ent. 4 (6): 479-483, figs. [a weak scientific attempt!] [[available in Cesa Library](#)]
416. **Atay,E. & S.Yolcu**, 2012, Butterfly fauna of the province of Hatay, Turkey and major taxonomic characters of Polyommatus bollandi Dumont,1998 (Lycaenidae). Pakistan J. Zool. 44 (3): 893-896 [with some incorrect specific identifications, and incorrect citations of the references]. [[available in Cesa Library](#)]
417. **Atay,E.**, 2000, Hatay ilinde bulunan Pyraloidea (Lepidoptera) faunası üzerine taksonomik-sistematik çalışmalar [Master thesis, 165 pp., no.98227. <http://tez2.yok.gov.tr>

- access: 1.2.2012] [a weak thesis from various aspects, with conceptual error among fauna, taxonomy and systematics in the title]. [[available in Cesa Library](#)]
418. **Atay,E.**, 2003, *Tegostoma baphialis* (Staudinger,1871) (Lepidoptera, Crambidae): new for Turkey. Zool. Middle East 30: 117-118, 2 figs. [Faunal information, consequently the title of the article incorrect! Since 1879, this species is known from Turkey (Staudinger,1879, Horae Soc. ent. ross. 15: 166)]. [[available in Cesa Library](#)]
419. **Atay,E.**, 2004, *Herpetogramma licarsisalis* (Walker,1859) (Lepidoptera, Crambidae): the Grass Webworm new for Turkey. Zool. Middle East 31: 117-118. [[available in Cesa Library](#)]
420. **Atay,E.**, 2005, Adana Mersin ve Osmaniye illerinde bulunan *Pyraloidea* (Lepidoptera) faunası üzerine taksonomik-sistemik çalışmalar [Doktora tezi, 284 s., no.170563. <http://tez2.yok.gov.tr> access: 1.2.2012] [with some serious nomenclatural, faunal, and identification errors]. [[available in Cesa Library](#)]
421. **Atay,E.**, 2005, A new record for the Turkish *Dolicharthria* Stephens,1834 (Lepidoptera, Crambidae, Pyraustinae) fauna of Adana Province. Ekoloji 56: 30-32, figs. [Faunal information in the text is incorrect! Since 1879, *Dolicharthria bruguieralis* is known from Turkey (Staudinger,1879, Horae Soc. ent. ross. 15: 183)]. [[available in Cesa Library](#)]
422. **Atay,E.**, 2006, The identity of *Parapoynx affinalis* (Guenée,1854) (Lepidoptera, Crambidae, Nymphulinae) in Turkey. J. Ent. 3 (1): 76-81, figs. [Faunal information in the text is incorrect! Since 1935, *Parapoynx affinalis* is known from Turkey (Osthelder,1935, Mitt. münch. ent. Ges. 25: 95)]. [[available in Cesa Library](#)]
423. **Atay,E.**, 2012, The genital morphology and major taxonomic characteristics of *Zerynthia deyrollei* (Oberthür,1869) and *Zerynthia cerisyi* (Godart,1822) (Lepidoptera, Papilionidae, Zerynthiinae). Pakistan J. Zool. 44 (5): 1343-1347, figs. [See Larsen (1973) for specific identity and diagnostic features of the species. In Atay's paper, *Z.cerisyi* is identified as *deyrollei* erroneously. The paper contains also numerous errors. A very weak paper]. [[available in Cesa Library](#)]
424. **Atkins,A.F. & E.D. (Ted) Edwards**, 1996, *Hesperioidea*, [in] Nielsen, Edwards & Rangi, Monographs on Australian Lepidoptera vol.4, Checklist of the Lepidoptera of Australia, 232-236pp. CSIRO Division of Entomology, Canberra. Australia. [[available in Cesa Library](#)]
425. **Aubert,J.-F.**, 1959, Les Geometrides palaeartiques du genre *Entephria* Hb. Description d'un genre nouveau pour *argenti-plumbea* Hamp. Z. wien. ent. Ges. 44 (11/12): 177-209, 6 pls., figs. [[available in Cesa Library](#)]
426. **Aubert,J.-F.**, 1961, Papillons d'Europe I. Diurnes et Ecaillés. 237 pp. 56 Pls., 45 figs. Delachaux & Niestlé S.A., Neuchâtel (Suisse). [[available in Cesa Library](#)]
427. **Aubert,J.-F.**, 1962, Révision des Géométrides asiatiques du groupe de *Xanthorhoe* (recte *Odontorhoe* gen.nov.) *tianschanica* Alph., avec description d'une espèce nouvelle. Z. wien. ent. Ges. 47: 28-38, 44-51, 60-65, 4 pls., 8 figs. 1 carte. [[available in Cesa Library](#)]
428. **Aue,A.U.E.**, 1927, Zuchten von *Erebia evias* God. Ent. Z., Frankf. a. M. 41: 364-367.
429. **Aue,A.U.E.**, 1936, *Chamaepora* (Acronicta) *euphorbiae* F. (Lep.). Ent. Rdsch. 53: 388-389. [[available in Cesa Library](#)]
430. **Auel,H.**, 1902, Beitrag zur Entwicklungsgeschichte von *Pieris brassicae* L. (Kohlweissling). Beobachtungen über das Erscheinen der Generationen. Allg. Z. Ent. 7: 113-117, 139-142, 184-187. [[available in Cesa Library](#)]
431. **Auriol,H.de**, 1916, Des variations de *Parnassius apollo* dans le Jura. Bull. Soc. lepidopt. Genève 3: 129-151.
432. **Auriol,H.de**, 1917, Etudes sur les Pierides du Jura. Archs. Sci. phys. nat. (4)44: 32-47, 111-121.
433. **Aurivillius,C.**, 1894, Die palaearktischen Gattungen der Lasiocampiden, Striphropterygiden und Megalopygiden. Dt. ent. Z., Iris 7: 121-192. [[available in Cesa Library](#)]
434. **Aurivillius,C.**, 1901, Diagnosen neuer Lepidopteren aus Afrika. Ent. Tidskr. 22 (2): 113-128, figs. [[available in Cesa Library](#)]
435. **Aurivillius,C.**, 1902, Beiträge zur Kenntnis der Insektenfauna von Kamerun No.11. Lepidoptera Heterocera. Ent. Tidskr. 23 (4): 273-288, Taf.4-6. [[available in Cesa Library](#)]
436. **Aurivillius,C.**, 1903, Zwei neue Afrikanische Heteroceren. Ent. Tidskr. 24 (1): 106. [[available in Cesa Library](#)]
437. **Aurivillius,C.**, 1905, Lieutenant A.Schultzes Sammlung von Lepidopteren aus West-Afrika. Ark. Zool. 2 (12): 1-47, 5 Taf. [[available in Cesa Library](#)]

438. **Aurivillius,C.**, 1906, Verzeichnis von Lepidopteren gesammelt bei Mukimbungu am unteren Kongo von Herrn E.Laman (zweite u. dritte Sendung). Ark. zool. 3 (1): 1-16, pl.1, 6 textfigs. [\[available in Cesa Library\]](#)
439. **Aurivillius,C.**, 1907, Diagnosen neuer Lepidopteren aus Africa. Ark. zool. 3 (19): 1-7, 5 figs. [\[available in Cesa Library\]](#)
440. **Aurivillius,C.**, 1908-1925, Die afrikanischen Tagfalter, [in] Seitz,A. Die Gross-Schmetterlinge der Erde (2) 13: [iii][♀] [x][♀] 614pp., 80 Pls. Lehmann/Kernen, Stuttgart.
441. **Aurivillius,C.**, 1911, Chrysopolomidae. [in] Aurivillius,C. & H.Wagner, Lepidopterorum Catalogus Pars 1. 4pp. Dr.W.Junk Berlin. [\[available in Cesa Library\]](#)
442. **Aurivillius,C.**, 1921, Sammlungen der schwedischen Elgon-Expedition im Jahre 1920. Ark. zool. 14 (5): 1-27, figs. [\[available in Cesa Library\]](#)
443. **Aurivillius,P.O.C.**, [1898], Bemerkungen zu den von J. Chr. Fabricius aus danischen Sammlungen beschriebenen Lepidopteren. Ent. Tidskr. 18 (3/4): 139-174.
444. **Aussem,B. & G.Hesselbarth**, 1980, Die Präimaginalstadien von Pseudochazara cingowskii (Gross,1973). Nota lepid. 3(1/2): 17-23, 15 figs. [\[available in Cesa Library\]](#)
445. **Aussem,B.**, 1978, Beitrag zur systematischen Stellung von Pseudochazara graeca und Beschreibung einer neuen Subspecies (Lep., Satyridae). Ent. Z., Frankf. a. M. 88 (3): 13-22, 21 Abb. [\[available in Cesa Library\]](#)
446. **Aussem,B.**, 1980, Ein Freiland-Hybrid der Gattung Pseudochazara (Lepidoptera, Satyridae). Satyriden-Studie 2. Ent. Z., Frankf. a. M. 90 (15): 161-165, Abb. [\[available in Cesa Library\]](#)
447. **Aussem,B.**, 1980, Eine neue Satyride der Gattung Pseudochazara de Lesse,1951 aus Afghanistan (Satyridae). Nota lepid. 3(1/2): 5-15, figs. [\[available in Cesa Library\]](#)
448. **Aussem,B.**, 1980, Die Präimaginalstadien der Gattung Pseudochazara de Lesse,1951 (Lepidoptera, Satyridae) Teil 1. Pseudochazara graeca (Staudinger,1870). Mitt. münch. ent. Ges. 69: 1-7, figs. [\[available in Cesa Library\]](#)
449. **Aussem,B.**, 1980, Satyriden-Studie III. Sonderbildung an den Mandibeln der Raupen des Tribus Satyrini Boisduval,1836. Entomofauna 1: 226-233.
450. **Aussem,B.**, 1980, Satyriden-Studie I. Zur Kenntnis der Androkonienfelder von Pseudochazara telephassa (Geyer,1827) und Pseudochazara anthelea (Hübner,1824). Entomofauna 1: 354-356.
451. **Aussem,B., Freina,J.J.de & T.Witt**, 1985, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Zur Situation der Gattung Paidia Hbn. [1819] 1816 in Europa und Nordwestafrika (Lepidoptera, Arctiidae) VII. Atalanta 16: 109-113. [\[available in Cesa Library\]](#)
452. **Austaut,J.L.**, 1879, Description d'un Lépidoptère nouveau d'Algerie. Naturaliste 1: 138. [\[available in Cesa Library\]](#)
453. **Austaut,J.L.**, 1880, Lépidoptères nouveaux d'Algerie. Naturaliste 2: 284. [\[available in Cesa Library\]](#)
454. **Austaut,J.L.**, 1885, Lépidoptères nouveaux d'Algerie. Naturaliste 7: 141-142. [\[available in Cesa Library\]](#)
455. **Austaut,J.L.**, 1889, Les Parnassiens de la faune Palearctique. 222pp., 32 Pls., Leipzig. [\[available in Cesa Library\]](#)
456. **Austaut,J.L.**, 1905, Notice sur quelques Lepidopteres nouveaux. Ent. Z., Stuttgart 18: 143.
457. **Austaut,J.L.**, 1908, Notice sur quelques formes nouvelles ou peu connues du genre Oeneis. Ent. Z., Stuttgart 22: 43, 44, 56.
458. **Austaut,J.L.**, 1909, Notice sur quelques Oeneis nouveaux. Ent. Z., Stuttgart 23: 23-26.
459. **Avci,M.**, 1997, Marmara Bölgesi Ormanlarının Tortricidae (Lep.) Faunası. Ist Univ. Orman Fak. Derg. (A) 47 (1): 111-138. [\[available in Cesa Library\]](#)
460. **Avinoff,A. & W.R.Sweadner**, 1951, The Karanasa butterflies, a study in evolution. Ann. Carneg. Mus. 32 (1): 1-250, figs.
461. **Avinoff,A.**, 1912, Quelques formes nouvelles du genre Parnassius Latr. Horae Soc. ent. ross. 40(5): 1-21, 2 Pls. [\[available in Cesa Library\]](#)
462. **Avinoff,A.**, 1915, Some new forms of Parnassius. Trans. ent. Soc. London 1915: 351-360. [\[available in Cesa Library\]](#)
463. **Avinoff,A.N.**, 1910, Formes nouvelles de Rhopaloceres du Ferghana. Horae Soc. ent. ross. 39: 247-250, pl.14. [\[available in Cesa Library\]](#)
464. **Avise,J.**, 1974, Systematic value of electrophoretic data. Syst. zool. 23: 465-481.

465. **Ayala, F.J.**, 1975, Genetic differentiation during the speciation process. *Evolutionary biol.* 8: 1-78.
466. **Ayberk, H. & E. Akkuzu**, 2007, Contributions to the knowledge of Papilionoidea (Lepidoptera, Rhopalocera) fauna from northern Cyprus. *Pak. J. Biol. Sci.* 10 (11): 1845-1849. [[available in Cesa Library](#)]
467. **Ayberk, H., Hakyemez, A. & H. Cebeci**, 2010, Light trap surveys for moths in Sile [sic!] region of Istanbul [sic!] Turkey. *African J. Biotech.* 9 (29): 4624-4630. [[available in Cesa Library](#)]
468. **Aydın, M.**, 2012, Sarım çayı vadisi (Kulp) Papilionoidea ve Hesperioidea (Lepidoptera) faunası ve ekolojisi üzerine araştırmalar. 87s. Yüksek lisans tezi. Yüzüncü Yıl Üniversitesi Fen Bilimleri Enstitüsü, Van. Tez no 309837 [erişim 23 5 2015]. [[available in Cesa Library](#)]
469. **Aytekin, H.U.**, 2011, Gaziantep ilinde Pyraloidea (Lepidoptera) faunası ve sistematigi üzerine araştırmalar 120s. [Thesis of MSc was confirmed and published by the Council of Higher Education in 2011; access 10 12 2012]. [comment: In the text, given information extremely poor, mostly incorrect, some images copied from internet without citing the necessary references but defaced. An unadvisable publication]. [[available in Cesa Library](#)]
470. **Ayvalı, C.**, 1989, Metamorfoz sırasında *Agrotis ipsilon* (Hufn.) (Lepidoptera, Noctuidae) hemositleri üzerine araştırmalar Ankara Univ. Ziraat Fak. Yay. no.1149, 20 s., 21 şek. [[available in Cesa Library](#)]
471. **Azuma, S.**, 1990, Some Sphingidae collected in Thailand (Lepidoptera). *Esakia* 1 (special issue): 155-160, figs. [[available in Cesa Library](#)]
472. **Babics, J.**, 2014, On the taxonomy of the *Lygephila* Billberg, 1820- *Autophila* Hübner, [1823]- *Apopestes* Hübner, [1823] generic complex (Lepidoptera, Noctuidae, Erebininae) with the description of three new taxa and *Katyusha* raised to generic status. *Esperiana* 19: 297-336, figs. [[available in Cesa Library](#)]
473. **Bacallado Aranega, J.J.**, 1976, *Biologia de Cyclirius webbianus* (Brulle) especie endemica de las Islas Canarias. *Vieraea* 6: 139-150. [[available in Cesa Library](#)]
474. **Baccetti, B.**, 1963, Roger Verity. *Atti Accad. naz. ital. Ent. Rc.* 11: 17-33.
475. **Bachelard, P. & H. Descimon**, 1999, *Lycaena helle* (Denis & Schiffermüller, 1775) dans le Massif central (France): une analyse écogéographique (Lepidoptera, Lycaenidae). *Linneana Belgica* 17(1): 23-41, figs. [[available in Cesa Library](#)]
476. **Bachmann, O.**, 1911-1913, Beobachtungen über blütenbesuchende Insekten in der Eichstätter Alb. *Mitt. münch. ent. Ges.* 1 (1911): 74-80, 91-94; 2(1912): 14-16, 3(1913): 28-32, 41-48, 59-64, 96-105.
477. **Bachmetjew, P.**, 1901, Warum fliegen die Tagschmetterlinge nur am Tage und die meisten Nachtschmetterlinge in der Nacht? *Societas ent.* 15: 171-173, 179-181.
478. **Bachmetjew, P.**, 1902, Die Schmetterlinge Bulgariens. *Horae Soc. ent. ross.* 35: 356-466. [[available in Cesa Library](#)]
479. **Bachmetjew, P.**, 1909, On questions regarding lepidopterous fauna of Bulgaria. *Russk. ent. Obozr.* 9: 278-289.
480. **Back, H.-E.**, 1977, Die Lepidopteren Sammlung im Zoologischen Forschungsinstitut und Museum Alexander Koenig. *Bonn. zool. Beitr.* 28: 198-205.
481. **Back, H.E.**, 1973, Untersuchungen über die Systematik und Zoogeographie der Gattung *Pleurota* (Lepidoptera, Oecophoridae). 413 pp., figs. Saarbrücken. [[available in Cesa Library](#)]
482. **Back, H.E.**, 1978, *Pyronia bathseba* (Fabricius, 1793) en Tunisie. *Alexandria* 10: 343-344.
483. **Back, H.E.**, 1978, Vorkommen und Verbreitung der Rhopaloceren in der zentralen Sahara. *Nota lepid.* 1(2): 53-63. [[available in Cesa Library](#)]
484. **Back, H.E.**, 1981, Beitrag zur Faunistik und Zoogeographie der Lepidopteren in der östlichen Sahara. *Nota lepid.* 4 (4): 111-124, map. [[available in Cesa Library](#)]
485. **Back, W. & E.J. Reissinger**, 1989, *Euchloe tagis reisseri* subsp. n. eine gut charakterisierte Unterart aus dem Rif-Gebirge (Lepidoptera, Pieridae). *Nota lepid.* 12: 86-102, Abb.
486. **Back, W. & R. Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe lessei* Bernardi, 1957 dans la chaîne de Qohrud (Iran central): *E. lessei qohrudicus* ssp. nov. (Lepidoptera, Pieridae). *Linneana Belg.* 18 (4): 187-190, figs. [[available in Cesa Library](#)]
487. **Back, W. & R. Leestmans**, 2001, Une nouvelle sous-espèce d'*Euchloe penia* (Freyer, 1852) du Nord-Ouest de l'Iran: *taleschicus* ssp. nova (Lepidoptera, Pieridae). *Linneana Belg.* 18 (4): 193-198, figs. [[available in Cesa Library](#)]

488. **Back, W. & U.Eitschberger**, 1976, Die Unterarten von *Euchloe charlonia* Donzel, 1842. *Atalanta* 7 (3): 142-160, pls. [\[available in Cesa Library\]](#)
489. **Back, W. & U.Eitschberger**, 1977, Corrigenda und Ergänzungen zu dem Beitrag "Die Unterarten von *Euchloe charlonia* Donzel, 1842". *Atalanta* 8 (1): 40. [\[available in Cesa Library\]](#)
490. **Back, W.**, 1976, Ist *Pontia chloridice* (Hübner, 1808) ein Binnenwanderer II. Ordnung? *Atalanta* 7: 22-24. [\[available in Cesa Library\]](#)
491. **Back, W.**, 1977, Zur Artenverschiedenheit von *Anthocharis belia belia* (Linné, 1767) und *A. euphenoides euphenoides* (Staudinger, 1869) (Lep., Pieridae). *Atalanta* 8 (1): 30-39, 11 Abb. [\[available in Cesa Library\]](#)
492. **Back, W.**, 1979, Zur Biologie der europäischen und nordwestafrikanischen Populationen von *Euchloe ausonia* Hübner, 1804. *Atalanta* 10: 225-243, figs. [\[available in Cesa Library\]](#)
493. **Back, W.**, 1982, Über die Biologie von *Euchloe charlonia amseli* Gross & Ebert, 1975. *Atalanta* 13: 48-60, figs. [\[available in Cesa Library\]](#)
494. **Back, W.**, 1984, Beschreibung der Präimaginalstadien von *Euchloe tagis pechi* Staudinger, 1885 (Lep., Pieridae). *Atalanta* 15 (1/2): 152-164, Taf. [\[available in Cesa Library\]](#)
495. **Back, W.**, 1984, Die Präimaginalstadien von *Euchloe falloui* Allard, 1867 (Lep., Pieridae). *Atalanta* 15 (1/2): 165-166, Taf. [\[available in Cesa Library\]](#)
496. **Back, W.**, 1985, Zur Biologie von *Anthocharis damone* (Boisduval, 1836) und *Anthocharis grueneri* (Herrich-Schäffer, 1851) (Lepidoptera, Pieridae). *Atalanta* 16: 105-108. [\[available in Cesa Library\]](#)
497. **Back, W.**, 1991, Taxonomische Untersuchungen innerhalb der Artengruppe um *Euchloe ausonia* (Hübner, 1804) (Lepidoptera, Pieridae). *Atalanta* 21 (3/4) (1990): 187-206, Taf. ii, iii. [\[available in Cesa Library\]](#)
498. **Back, W.**, 1991, Die Präimaginalstadien von *Euchloe charlonia* (Donzel, 1842) im Vergleich zu *Euchloe penia* (Freyer, 1852) und *Euchloe transcaspica* ssp. *amseli* (Gross & Ebert, 1975) (Lepidoptera, Pieridae). *Atalanta* 22 (2/4): 357-366, Pls. [\[available in Cesa Library\]](#)
499. **Back, W.**, 2001, Beschreibung einer neuen Unterart von *Euchloe tagis* Hübner, 1804: *Euchloe tagis piemonti* subsp. nov. (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 99-102, pls. iii, iv. [\[available in Cesa Library\]](#)
500. **Back, W.**, 2001, Zur Biologie von *Euchloe belemia hesperidum* Rothschild, 1913 (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 103-106, pl.v, vi. [\[available in Cesa Library\]](#)
501. **Back, W.**, 2013, Verbreitung von *Euchloe ausonia* (Hübner, 1804), *Euchloe daphalis* (Moore, 1865) und *Euchloe persica* Verity, 1908 stat. nov. im Iran (Lepidoptera, Pieridae). *Atalanta* 44 (1/4): 109-117, figs. [\[available in Cesa Library\]](#)
502. **Back, W., Leestmans, R. & A.R.Naderi**, 2003, Discovery of the female of *Euchloe ziyani* Leestmans & Back, 2001 (Lepidoptera, Pieridae). *Linneana Belg.* 19 (1): 1-3, figs. [\[available in Cesa Library\]](#)
503. **Bacot, A.W.**, 1895, The genus *Smerinthus*. *Entomologist's Rec. J. Var.* 6(8): 173-181. [\[available in Cesa Library\]](#)
504. **Bacot, A.W.**, 1896, Notes on the life-history of *Papilio machaon*. *Entomologist's Rec. J. Var.* 8: 240-241. [\[available in Cesa Library\]](#)
505. **Bacot, A.W.**, 1897, Notes on the cocoon and pupa of *Saturnia pyri*. *Entomologist's Rec. J. Var.* 9: 144-146. [\[available in Cesa Library\]](#)
506. **Bacot, A.W.**, 1897, Note on the newly emerged larva of *Polygonia egea*. *Entomologist's Rec. J. Var.* 9: 178. [\[available in Cesa Library\]](#)
507. **Bacot, A.W.**, 1900, Newly hatched larva of *Erebia ceto*. *Entomologist's Rec. J. Var.* 12: 108-109. [\[available in Cesa Library\]](#)
508. **Bacot, A.W.**, 1900, Eggs of Lepidoptera. *Entomologist's Rec. J. Var.* 12: 131-132. [\[available in Cesa Library\]](#)
509. **Bacot, A.W.**, 1901, Larvae of *Lasiocampa quercus* and its vars. *callunae*, *Palm.*, *viburni*, *Gn.*, *meridionalis*, *Tutt.*, and *sicula*, *Staud.*, and of cross-pairings between these races. *Entomologist's Rec. J. Var.* 13: 114-117, 142-144. [\[available in Cesa Library\]](#)
510. **Bacot, A.W.**, 1903, Notes on the life-history of *Coenonympha corinna*. *Entomologist's Rec. J. Var.* 15: 94-96. [\[available in Cesa Library\]](#)
511. **Baisch, G., Beshkov, S.V., Gelbrecht, J., Hacker, H., Huber, K., Kallies, A. et al.**, 1998, Bausteine zur Fauna der Noctuoidea der Türkei mit einer Übersicht aller in der Türkei bisher beobachteten Noctuoidea (Lepidoptera). *Esperiana* 6: 213-373. [\[available in Cesa Library\]](#)

512. **Baixeras, J. & O. Karsholt**, 2011, The Tortricidae described by J.C. Fabricius (Lepidoptera). Zootaxa 3127: 1-37, figs. [\[available in Cesa Library\]](#)
513. **Baker, G.T.**, 1885, Descriptions of some new species of Lepidoptera from Algeria. Entomologist's mon. Mag. 21: 241-245, 268-270. [\[available in Cesa Library\]](#)
514. **Baker, G.T.**, 1886, Notes on some Lepidoptera from Algeria. Entomologist's mon. Mag. 22: 250-254. [\[available in Cesa Library\]](#)
515. **Baker, G.T.**, 1888, Descriptions of some new species of Lepidoptera from Algeria. Trans. ent. Soc. London 1888: 117-121. [\[available in Cesa Library\]](#)
516. **Baker, G.T.**, 1888, Descriptions of some new species of Micro-Lepidoptera from Algeria. Entomologist's mon. Mag. 24: 254-257. [\[available in Cesa Library\]](#)
517. **Baker, R.R.**, 1968, A possible method of evolution of the migratory habit in butterflies. Phil. Trans. R. Soc. (B) 253: 309-341.
518. **Baker, R.R.**, 1968, Sun orientation during migration in some British butterflies. Proc. R. ent. Soc. Lond. (A) 43: 89-95.
519. **Baker, R.R.**, 1969, The evolution of the migratory habit in butterflies. J. anim. Ecol. 38: 703-746.
520. **Baker, R.R.**, 1972, The geographical origin of the British spring individuals of the butterflies *Vanessa atalanta* (L.) and *V. cardui* (L.). J. Ent. (B) 46: 185-196.
521. **Baker, R.R.**, 1978, The evolutionary ecology of animal migration. 7+1012 pp., illustr. Hodder & Stoughton, London.
522. **Baker, R.R.**, 1983, Insect territoriality. A. Rev. Ent. 28: 65-89.
523. **Bakowski, M. & R. Dobosz**, 2005, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae), Part II. Ann. Upp. Sil. Mus. (Ent.) 13: 77-79. [\[available in Cesa Library\]](#)
524. **Bakowski, M.**, 1998, A contribution to the knowledge of the clearwing moths of Turkey (Lepidoptera, Sesiidae). Phegea 26 (3): 85-86. [\[available in Cesa Library\]](#)
525. **Bakowski, M.**, 2007, New records of *Paranthrene insolita* Le Cerf, 1914 (Lepidoptera, Sesiidae) in south-eastern Turkey. Annls Upp. Sil. Mus. 14-15: 131-134, figs. [\[available in Cesa Library\]](#)
526. **Bakowski, M., Bartsch, D. & A. Kallies**, 2008, A review of the Similipepsini of the Afrotropical Region (Lepidoptera, Sesiidae, Tinthiinae). Ann. zool. 58 (4): 785-797, figs. [\[available in Cesa Library\]](#)
527. **Balazuc, J. & J. Bourgonne**, 1968, Nouvelles observations teratologiques chez les Lépidoptères. Alexanor 5: 339-342.
528. **Baldizzone, G. & H. Patzak**, 1991, Sur quelques Coleophoridae de la région de Berdjansk (Ukraine). Beitr. Ent. 41 (2): 351-369, 8 pls. [\[available in Cesa Library\]](#)
529. **Baldizzone, G. & H.W. van der Wolf**, 2003, A review of the genus *Ischnophanes* Meyrick, 1891, with descriptions of two new species (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 31 (123): 205-215, figs. [\[available in Cesa Library\]](#)
530. **Baldizzone, G. & J. Nel**, 1994, Nouvelles données sur quatre espèces méconnues du genre *Coleophora* Hübner, 1822 (Lepidoptera, Coleophoridae). Linneana Belgica 14(7): 351-367, 17 figs. [\[available in Cesa Library\]](#)
531. **Baldizzone, G. & J. Nel**, 2004, Description d'une nouvelle espèce du genre *Coleophora* Hübner: *C. retrodentella* Baldizzone & Nel, sp.n., de France et d'Italie (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 32 (126): 161-167, 10 figs. [\[available in Cesa Library\]](#)
532. **Baldizzone, G. & J. Tabell**, 1999, *Coleophora conspersa* Baldizzone & Tabell, sp.n., *C. daglarica* Baldizzone & Tabell, sp.n., and some further notes on the coleophorids from Turkey (Lepidoptera, Coleophoridae). Revta lepid. 27 (108): 525-537, figs. [\[available in Cesa Library\]](#)
533. **Baldizzone, G. & J. Tabell**, 2006, Three new species of the genus *Coleophora* Hübner from Bulgaria and adjacent countries (Lepidoptera, Coleophoridae). Shilap Revta lepid. 34 (133): 93-102, figs.
534. **Baldizzone, G. & M.F.V. Corley**, 2004, *Coleophora lusitanica* Baldizzone & Corley, sp.n., a new species from Portugal (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 32 (126): 149-152, 5 figs. [\[available in Cesa Library\]](#)
535. **Baldizzone, G. & Wolf, H.W. van der**, 2003, A taxonomic review of the Coleophoridae (Lepidoptera) of the Indian Subcontinent and Sri Lanka described by Edward Meyrick. Tijdschr. Ent. 146: 1-31, figs. [\[available in Cesa Library\]](#)
536. **Baldizzone, G.**, 1967, *Brenthis hecate* razza lemmis nov. Boll. Ass. romana Ent. 22: 59-61.

537. **Baldizzone, G.**, 1971, La femmina dell'Erebia manto Schiff. ssp. valmaritima Floriani. Boll. Soc. ent. ital. 101: 42-43.
538. **Baldizzone, G.**, 1979, Les espèces de Coleophoridae décrites par Pierre Chretien. Alexanor 11 (3): 111-130, 115 figs. [[available in Cesa Library](#)]
539. **Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae xxv. Les taxa décrits par H.Rebel (2e partie). Linneana Belgica (8) 10: 425-438, 48 figs. [[available in Cesa Library](#)]
540. **Baldizzone, G.**, 1982, Contributions a la connaissance des Coleophoridae, xxx. Nouvelles espèces du genre Coleophora Hübner en France, Espagne, Maroc et Isles Canaries (Coleophoridae). Nota lepid. 5 (2/3): 57-76, 57 figs. [[available in Cesa Library](#)]
541. **Baldizzone, G.**, 1983, Infurcitinea tribertii n.sp. et I. nedae n. sp. Les femelles de I.banatica Petersen, I.teriolella (Amsel) et I.ochridella Petersen (Tineidae). Nota lepid. 6 (1): 17-23, 11 figs.
542. **Baldizzone, G.**, 1984, Insects of Saudi Arabia Lepidoptera Fam. Coleophoridae. Fauna Saudi Arabia 6: 376-387, figs.
543. **Baldizzone, G.**, 1984, Deux nouvelles espèces du genre Infurcitinea Spuler (Tineidae). Nota lepid. 7 (3): 193-198, 10 figs. [[available in Cesa Library](#)]
544. **Baldizzone, G.**, 1984, Contributions a la connaissance des Coleophoridae, xxxvii. Ischnophanes canariella n.sp. Nota lepid. 7 (2): 101-106, 13 figs. [[available in Cesa Library](#)]
545. **Baldizzone, G.**, 1985, Contributions a la connaissance des Coleophoridae XXXVI. Coleophora anitella n.sp. (Lepidoptera). Alexanor 13 (8) (1984): 349-353, 12 figs. [[available in Cesa Library](#)]
546. **Baldizzone, G.**, 1987, Sur quelques espèces de Coleophoridae de Libye (Lepidoptera). Alexanor 15 (1): Suppl.: [3]-[16], 29 figs. [[available in Cesa Library](#)]
547. **Baldizzone, G.**, 1987, Sue quelques Coleophoridae de la collection von Heyden (Lepidoptera). Alexanor 15 (1): Suppl.: [17]-[28], 2 figs. [[available in Cesa Library](#)]
548. **Baldizzone, G.**, 1988, Contributions a la connaissance des Coleophoridae XLIX. Nouvelles especes du genre Coleophora Hübner d'Algerie et Tunisie (Lepidoptera). Stapfia 16: 27-47, figs. [[available in Cesa Library](#)]
549. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LIV. Deux nouvelles espèces du genre Coleophora Hübner: C. aporiella sp.n. et C. longiductella sp.n. (Lepidoptera). Nota lepid. 12 (2): 103-112, 18 figs. [[available in Cesa Library](#)]
550. **Baldizzone, G.**, 1989, Contributions a la connaissance des Coleophoridae LV. Deux espèces nouvelles du genre Coleophora Hübner de l'Afghanistan (Lepidoptera). Nota lepid. 12 (2): 113-120, 12 figs. [[available in Cesa Library](#)]
551. **Baldizzone, G.**, 1990, Lepidoptera Fam. Coleophoridae of Saudi Arabia. Fauna Saudi Arabia 11: 82-90.
552. **Baldizzone, G.**, 1990, Contributions a la connaissance des Coleophoridae Lxi. Trois especes nouvelles du groupe de Coleophora attalicella Zeller, 1871 (Lepidoptera, Coleophoridae). Nota lepid. 13 (2/3): 108-119, figs. [[available in Cesa Library](#)]
553. **Baldizzone, G.**, 1993, Tetanocentria sinevi n.sp. (Lepidoptera, Momphidae, Blastodacninae). Shilap, Revta lepid. 21(84): 245-248, 6 figs. [[available in Cesa Library](#)]
554. **Baldizzone, G.**, 1994, Contribuzioni alla conoscenza dei Coleophoridae LXXV. Coleophoridae dell'Area Irano-Anatolica e regioni limitrofe (Lepidoptera). Assoc. natur. Piemont. Memorie 3: 1-423, 699 figs. [[available in Cesa Library](#)]
555. **Baldizzone, G.**, 1996, Contribuzioni alla conoscenza dei Coleophoridae. LXXXVI.I Coleophoridae di Cipro (Lepidoptera, Coleophoridae). Shilap 24 (96): 359-367, 12 figs. [[available in Cesa Library](#)]
556. **Baldizzone, G.**, 2001, Contribuzioni alla conoscenza del Coleophoridae XCV. Nuove specie di Coleophoridae della collezione Klimesch (Lepidoptera, Coleophoridae). Revta lepid. 29 (114): 131-144, figs. [[available in Cesa Library](#)]
557. **Baldizzone, G.**, 2007, Contribuzioni alla conoscenza dei Coleophoridae CXV. Su alcune interessanti specie di Coleophoridae della Turchia e regioni limitrofe (Lepidoptera, Coleophoridae). Shilap Revta. lepid. 35 (139): 355-367, figs. [[available in Cesa Library](#)]
558. **Baldizzone, G., Gozmany, L.A., Huemer, P., Karsholt, O., Lvovsky, A., Parenti, U.**, 1995, Lepidoptera Gelechioidea. Checklist delle specie delle fauna Italiana, fasc. 83: 1-41.
559. **Baldizzone, G., Tokar, Z., Kovacs, Z. & S.Kovacs**, 2004, New records of Coleophoridae from Romania (Lepidoptera). Beitr. Ent. 54 (1): 127-146, figs. [[available in Cesa Library](#)]

560. **Baldock,D.W. & R.F.Bretherton**, 1988, Some butterflies from Turkish Asia Minor. Entomologist's Rec. J. Var. 100: 133-134. [[available in Cesa Library](#)]
561. **Baldock,D.W. & R.F.Bretherton**, 1981, Butterflies in Corfu (Kerkyra) in late August,1980, with a provisional list of all species known from it. Proc. Trans. Br. ent. nat. Hist. Soc. 14: 8-10, 101-107.
562. **Balfour-Browne,F.**, 1958, The origin of our British Swallowtail and our Large Copper butterflies. Entomologist's Rec. J. Var. 70: 33-36.
563. **Balfour-Browne,R.**, 1963, A code of entomological nomenclature. Entomologist's Rec. J. Var. 75: 209-214.
564. **Balinsky,B.I.**, 1991, New and inadequately described genera and species of Phycitinae (Pyralidae, Lepidoptera) from Southern Africa. S. Afr. J. Zool. 26 (3): 93-114, 87 figs. (7 col.). [[available in Cesa Library](#)]
565. **Balinsky,B.I.**, 1991, On genitalia of some southern African Phycitinae (Lepidoptera, Phycitinae). S. Afr. J. Zool. 26 (1): 11-35, 67 figs. (3 col.). [[available in Cesa Library](#)]
566. **Balinsky,B.I.**, 1994, A Study of African Phycitinae in the Transvaal Museum. 208 pp. 542 figs. Vanderbilpark. [[available in Cesa Library](#)]
567. **Balint,Z. & A.Kertesz**, 1990, A survey of the subgenus Plebejides (Sauter,1968) - preliminary revision. Linneana Belgica 12 (5): 190-224, figs. [[available in Cesa Library](#)]
568. **Balint,Z. & G.Szabo**, 1981, Lycaena helle Den. & Schiff. from Roumanian part of the Szatmar lowland. Folia ent. hung. 42: 235-236. [[available in Cesa Library](#)]
569. **Balint,Z. & K.Johnson**, 1997, Reformation of the Polyommatus section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommataini). Neue ent. Nachr. 40: 1-68, Pls., figs. [[available in Cesa Library](#)]
570. **Balint,Z. & V.A.Lukhtanov**, 1990, Plebejus (Plebejides) pylaon (Fischer de Waldheim,1832) s.str. et ses sous-especes (Lepidoptera, Lycaenidae). Linneana Belgica 12 (7): 274-292, 13 figs. [[available in Cesa Library](#)]
571. **Balint,Z.**, 1985, Plebicula dorylas magna nov.ssp. (Lep., Lycaenidae) from the Eastern Carpathians, Rumania. Neue ent. Nachr. 14: 14-20.
572. **Balint,Z.**, 1987, Description of a new subspecies of Plebejus (Plebejides) sephyrus Frivaldsky,1835 from Macedonia with short note on the pylaon complex (Lepidoptera, Lycaenidae). Galathea 3/4: 98-108. [[available in Cesa Library](#)]
573. **Balint,Z.**, 1989, Hairstreaks, Coppers and Blues from Mongolia (Lepidoptera, Lycaenidae). Atalanta 19: 87-100, figs. Pl. [[available in Cesa Library](#)]
574. **Balint,Z.**, 1992, A new species of Plebejides Sauter,1968 from Central Asia (Lepidoptera, Lycaenidae) Atalanta 23 (1/2): 133-138, pl.viii. [[available in Cesa Library](#)]
575. **Balint,Z.**, 1995, Two new Polyommatus species from the Himalayan region (Lepidoptera, Lycaenidae, Polyommataini). Annln. hist. nat. Mus. Nat. Hung. 87: 93-102.
576. **Balint,Z.**, 1997, A new Orthomiella species from Nepal (Lepidoptera, Lycaenidae). Folia ent. hung. 58: 5-8, figs. [[available in Cesa Library](#)]
577. **Balint,Z.**, 1997, A report of an entomological expedition in Peru with special reference to lycaenid butterflies (Lepidoptera, Lycaenidae) Folia ent hung. 58: 9-17, figs. [[available in Cesa Library](#)]
578. **Balint,Z.**, 1999, Annotated list of the type specimens of Polyommatus sensu Eliot of the Natural History Museum London (Lepidoptera, Lycaenidae). Neue ent. Nachr. 46: 1-89, 4 Pls. [[available in Cesa Library](#)]
579. **Balint,Z., Herczig,B., Hreblay,M. & A.Uherkovich**, 1996, Contribution to the knowledge of the butterfly fauna of the northeastern Caucasus region (Lepidoptera, Rhopalocera and Hesperidae). Linneana Belgica 15 (8): 348-355, 1 Pl. [[available in Cesa Library](#)]
580. **Balint,Z., Kertesz,A. & V.A.Lukhtanov**, 1992, A survey of the subgenus Plebejides Sauter,1968 (Lepidoptera, Lycaenidae). Ent. Obozr. 71 (4): 863-886, 74 figs. [[available in Cesa Library](#)]
581. **Ball,S.**, 1990, The conservation of insects and their habitats. Antenna 14: 28-32.
582. **Ballacado Aranega,J.J.**, 1976, Biologia de Cyclirius webbianus (Brulle) especie endemica de las Islas Canarias. Vieraea 6: 139-150. [[available in Cesa Library](#)]
583. **Balletto,E. & G.G.Toso**, 1975, Reperti di Ropaloceri nelle Alpi Liguri. Boll. Soc. ent. ital. 107 (9/10): 160-163.
584. **Balletto,E. & G.G.Toso**, 1976, Euphydryas aurinia tiragalloi n.ssp. dell'Apenino Ligure-Piemontese. Doriana 5: 1-7.

585. **Balletto,E. & G.G.Toso**, 1978, Nuovi reperti di Ropaloceri nelle Alpi Liguri. Secondo contributo. Boll. Soc. ent. ital. 108: 49-52.
586. **Balletto,E. & G.G.Toso**, 1978, Nuovi reperti di Ropaloceri nelle Alpi occidentali. Boll. Soc. ent. ital. 110: 35-38.
587. **Balletto,E. & G.G.Toso**, 1979, On a new species of *Agrodiaetus* (Lycaenidae) from southern Italy. Nota lepid. 2(1/2): 13-25, 7 figs. [\[available in Cesa Library\]](#)
588. **Balletto,E. & G.G.Toso**, 1980, Electrophoretic techniques as a systematic research on Lepidoptera. Nota lepid. 3(1/2): 25-31. [\[available in Cesa Library\]](#)
589. **Balletto,E. & G.G.Toso**, 1980, Valeur taxonomique de la conformation des tegulae dans le genre *Agrodiaetus* Hübner (Lycaenidae). Nota lepid. 3 (1/2): 33-38, figs. [\[available in Cesa Library\]](#)
590. **Balletto,E. & O.Kudrna**, 1986, An annotated catalogue of the Burnets and Foresters (Lepidoptera, Zygaenidae) named by Roger Verity. J. Res. Lepid. 24: 226-249.
591. **Balletto,E. & O.Kudrna**, 1987, Some aspects of the conservation of butterflies in Italy, and recommendations for a future strategy. Boll. Soc. ent. ital. 177: 39-59.
592. **Balletto,E. & O.Kudrna**, 1989, On a small collection of butterflies from NW. Afghanistan (Province of Herat), with additions to the Afghan fauna and a checklist of the species known for this country. Entomologist's Gaz. 40: 245-265. [\[available in Cesa Library\]](#)
593. **Balletto,E. & Y.P.Nekrutenko**, 1986, A new blue butterfly species (Lepidoptera, Lycaenidae) from the Middle Asia. Vestn. Zool. 1986(1): 76-78, figs.
594. **Balletto,E., Camporesi,S., Cassulo,L.A., Fiumi,G., Karsholt,O. & S.Zangheri**, 1995, Lepidoptera, Cossoidea, Sesioidea, Zygaenoidea, Choreutoidea. Checklist delle specie della fauna Italiana, fasc. 84: 1-8.
595. **Balletto,E., Toso,G.G. & G.Troiano**, 1981, *Aricia cramera* (Erschscholtz,1821) in Sardinia (Lycaenidae, Plebejinae). Nota lepid. 4(3): 81-92, 5 figs. [\[available in Cesa Library\]](#)
596. **Balli,A. & C. Moscardini**, 1945-1947, I Lepidotteri del Modenese. I,II. Atti Soc. Nat. Mat. 76: 40-59; 78: 149-172.
597. **Ballion,E.**, 1886, Verläufiges Verzeichnis der Schmetterlinge aus der Umgegend von Novorossijk am Schwarzen Meere im Caucasus. Bull. Soc. nat. Moscou 62: 241-290. [\[available in Cesa Library\]](#)
598. **Ballmer,G.R. & D.M.Wright**, 2008, Life history and larval chaetotaxy of *Ahmetia achaja* (Lepidoptera, Lycaenidae, Lycaeninae, Theclini, Cheritrina). Zootaxa 1845: 47-59, figs. [\[available in Cesa Library\]](#)
599. **Balsac,H.H. & M. Choul**, 1972, Les Lépidoptères de la Gaume franco-belge I. Alexanor 7: 261-275, 297-312, 351-364.
600. **Balsac,H.H. & M. Choul**, 1973, Les Lépidoptères de la Gaume franco-belge II. Alexanor 8: 3-14, 85-96, 161-172.
601. **Balsac,H.H. & M. Choul**, 1974, Les Lépidoptères de la Gaume franco-belge III. Alexanor 8: 203-215, 257-268, 321-332.
602. **Balsac,H.H. & M. Choul**, 1975, Les Lépidoptères de la Gaume franco-belge IV. Alexanor 9: 85-96, 173-184.
603. **Balsac,H.H. & M. Choul**, 1976, Les Lépidoptères de la Gaume franco-belge V. Alexanor 9: 259-270, 291-302.
604. **Balsac,H.H. & M. Choul**, 1978, Les Lépidoptères de la Gaume franco-belge VI. Alexanor 10: 205-216, 253-264, 345-356.
605. **Balsac,H.H. & M. Choul**, 1979, Les Lépidoptères de la Gaume franco-belge VII. Alexanor 11: 2-12.
606. **Bandermann,R.**, 1915, Ueberwintert *Pyrameis cardui*? Ent. Z., Frankf. a. M. 29: 75-76.
607. **Bandermann,R.**, 1917, Geruchs- und Farbsinn bei Tagfaltern. Societas ent. 32: 49.
608. **Bang-Haas,A.**, 1906, Neue oder wenig bekannte palaearctische Macrolepidopteren. Dt. ent. Z., Iris 19: 127-129. [\[available in Cesa Library\]](#)
609. **Bang-Haas,A.**, 1907, Neue oder wenig bekannte palaearctische Macrolepidopteren. Dt. ent. Z., Iris 20: 69-88, Taf. [\[available in Cesa Library\]](#)
610. **Bang-Haas,A.**, 1910, Neue oder wenig bekannte palaearctische Macrolepidopteren. Dt. ent. Z., Iris 24: 27-51, 2 Taf. [\[available in Cesa Library\]](#)
611. **Bang-Haas,A.**, 1912, Neue oder wenig bekannte palaearctische Makrolepidopteren V. Dt. ent. Z., Iris 26: 139-162, Taf.vi. [\[available in Cesa Library\]](#)
612. **Bang-Haas,A.**, 1912, Neue oder wenig bekannte palaearctische Makrolepidopteren IV. Dt. ent. Z., Iris 26: 103-110. [\[available in Cesa Library\]](#)

613. **Bang-Haas,A.**, 1913, Neue oder wenig bekannte palaearktische Makrolepidopteren VI. Dt. ent. Z., Iris 26 [31.12.1912] (4): 229-230. [[available in Cesa Library](#)]
614. **Bang-Haas,A.**, 1913, Neue oder wenig bekannte palaearktische Macrolepidopteren VII. Dt. ent. Z., Iris 27: 108. [[available in Cesa Library](#)]
615. **Bang-Haas,O.**, 1915, Rhopalocera der Chotan-Ausbeute 1914. Dt. ent. Z., Iris 29: 92-100. [[available in Cesa Library](#)]
616. **Bang-Haas,O.**, 1915, Zur Kenntnis von Parnassius delphius Eversmann und verwandte Arten. Dt. ent. Z., Iris 29: 148-170, Pls. 4,5. [[available in Cesa Library](#)]
617. **Bang-Haas,O.**, 1915, Einiges über Parnassius. Dt. ent. Z., Iris 29: 170-175, Pl.5 [[available in Cesa Library](#)]
618. **Bang-Haas,O.**, 1926, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 1. Bis zum Jahre 1920. Novit. macrolepid. 1: xx⁺ 238pp.
619. **Bang-Haas,O.**, 1927, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 2. Vom Jahre 1921 bis 1926. Novit. macrolepid. 2: xxii⁺ 301pp.
620. **Bang-Haas,O.**, 1927, Horae Macrolepidopterologicae regionis palaearticae Vol. 1. Neubeschreibungen und Berichtigungen der Palaearktischen Lepidopterenfauna. xxviii⁺ 128S. 11 Taf. Dresden-Blasewitz. [[available in Cesa Library](#)]
621. **Bang-Haas,O.**, 1928, Katalog der im "Seitz-Werke" nicht erhaltenen und seitdem neu beschriebenen palaearktischen Macrolepidopteren 3. Neubeschreibungen des Jahres 1927. Novit. macrolepid. 3: xvi⁺ 104pp.
622. **Bang-Haas,O.**, 1928, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna 1. Ent. Z., Frankf. a. M. 42: 59-61.
623. **Bang-Haas,O.**, 1929, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 4. Neubeschreibungen des Jahres 1928. Novit. macrolepid. 4: xvi⁺ 80pp.
624. **Bang-Haas,O.**, 1929, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna II. Ent. Z., Frankf. a. M. 43: 122-124.
625. **Bang-Haas,O.**, 1930, Novitates Macrolepidopterologicae Band vi. Neubeschreibungen des Jahres 1929. Faunenverzeichnisse der Jahre 1758 bis 1930. Dresden-Blasewitz. [[available in Cesa Library](#)]
626. **Bang-Haas,O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Faunenverzeichnisse der Jahre 1758 bis 1930. Novit. macrolepid. 5: xvi⁺ 1-152.
627. **Bang-Haas,O.**, 1930, Katalog der Neubeschreibungen von palaearktischen Macrolepidopteren 5. Neubeschreibungen des Jahres 1929. Novit. macrolepid. 5: 153-207.
628. **Bang-Haas,O.**, 1932, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna III. Ent. Z., Frankf. a. M. 46: 200.
629. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IV. Ent. Z., Frankf. a. M. 46: 261-263.
630. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna V. Ent. Z., Frankf. a. M. 47: 90-92.
631. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VI. Ent. Z., Frankf. a. M. 47: 97-100. [[available in Cesa Library](#)]
632. **Bang-Haas,O.**, 1933, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IV. Ent. Z., Frankf. a. M. 46: 261-263.
633. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VII. Ent. Z., Frankf. a. M. 47: 178-179.
634. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna VIII. Ent. Z., Frankf. a. M. 48: 7-8.
635. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna IX. Ent. Z., Frankf. a. M. 48: 16.
636. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna X. Ent. Z., Frankf. a. M. 48: 48.
637. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIII. Ent. Z., Frankf. a. M. 48: 108-110.

638. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIV. Ent. Z., Frankf. a. M. 48: 128.
639. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XV. Ent. Z., Frankf. a. M. 48: 135.
640. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XVI. Ent. Z., Frankf. a. M. 48: 152.
641. **Bang-Haas,O.**, 1934, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XVII. Ent. Z., Frankf. a. M. 48: 183-184.
642. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XIX. Ent. Z., Frankf. a. M. 49: 35.
643. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XX. Ent. Z., Frankf. a. M. 49: 111-112.
644. **Bang-Haas,O.**, 1935, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXI. Ent. Z., Frankf. a. M. 49: 128.
645. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXII. Ent. Z., Frankf. a. M. 50: 108-109.
646. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXIV. Ent. Z., Frankf. a. M. 50: 287-288.
647. **Bang-Haas,O.**, 1936, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXV. Ent. Z., Frankf. a. M. 50: 345-348.
648. **Bang-Haas,O.**, 1937 Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXVII. Ent. Z., Frankf. a. M. 50: 562-564, 4 Abb. [[available in Cesa Library](#)]
649. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxxi. Ent. Z., Frankf. a. M. 51: 302-304. [[available in Cesa Library](#)]
650. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxix. Ent. Z., Frankf. a. M. 51: 120. [[available in Cesa Library](#)]
651. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxxii. Ent. Z., Frankf. a. M. 51: 329-330. [[available in Cesa Library](#)]
652. **Bang-Haas,O.**, 1937, Neubeschreibungen und Berichtigungen der Palaearktischen Macrolepidopterenfauna xxviii. Ent. Z., Frankf. a. M. 51: 35-36. [[available in Cesa Library](#)]
653. **Bang-Haas,O.**, 1938, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXIII. Ent. Z., Frankf. a. M. 51: 351-352.
654. **Bang-Haas,O.**, 1938, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXXVI. Ent. Z., Frankf. a. M. 52: 177-180.
655. **Bang-Haas,O.**, 1938, Die Unterarten von Parnassius des westlichen China. Parnassiana 5: 61-65.
656. **Bang-Haas,O.**, 1938, Parnassius epaphus beresowskyi Staudinger. Parnassiana 5: 59-60.
657. **Bang-Haas,O.**, 1939, Neubeschreibungen und Berichtigungen der palaearktischen Macrolepidopterenfauna XXXVIII. Dt. ent. Z., Iris 53: 49-60.
658. **Banks,C.S.**, 1919, Iontha ida, a new Philippine Noctuid. Philipp. J. Sci. 14: 71-73, 1 Pl.
659. **Barakanova,N.I.**, 1986, Review of Lepidoptera found on legumes in eastern Kirgizia. Ent. Obozr. 66 (3): 503-512. [[available in Cesa Library](#)]
660. **Baraniak,E. & U.Walczak**, 2014, Redescription of Ypsolopha nervosella (Zerny,1940) (Lepidoptera, Ypsolophidae) with first description of the female genitalia. Zootaxa 3856 (2): 297-300, fig.
661. **Baraniak,E. & U.Walczak**, 2014, Redescription of Ypsolopha kotzschi (Toll,1947) (Lepidoptera, Ypsolophidae). Zootaxa 3852 (5): 591-594, fig.
662. **Baraniak,E., Bakowski,M. & J.Nowacki**, 1994, A Contribution to the Knowledge of the Lepidoptera of European Turkey Part I.Macrolepidoptera. Cent. ent. Stud., Misc. Pap. 9: 1-5. [[available in Cesa Library](#)]
663. **Baraniak,E., Gaedike,R., Karsholt,O., Triberti,P. & S.Zangheri**, 1995, Lepidoptera Tineoidea II. Checklist delle specie delle fauna Italiana, fasc. 82: 1-9.
664. **Baraniak,E., Walczak,U. & R.Gaedike**, 2014, The Plutellidae to Ypsolophidae in the Lepidoptera collection of Senckenberg Deutsches Entomologisches Institut. Contribution to the knowledge of Yponomeutoidea. X (Lepidoptera, Yponomeutoidea). Shilap. Revta lepid. 42 (165): 83-90, fig. [[available in Cesa Library](#)]
665. **Baraud,J.**, 1961, Pieris ergane Geyer dans les Pyrenees-Orientales. Alexanor 2: 7-8.

666. **Barlow, H.S.**, 1982, An Introduction to the Moths of South East Asia. x+305pp., 50 Pls., 72 figs. Kuala Lumpur. [[available in Cesa Library](#)]
667. **Baron, T.**, 2007, *Araschnia levana* (Lepidoptera, Nymphalidae), a new species for the Turkish fauna. *Phegea* 35 (2): 65-68, fig. [see also Göbekçioğlu, Z. & N. Aktaş, 1990] [[available in Cesa Library](#)]
668. **Baron, T.**, 2008, The moths fauna (Lepidoptera) of Şile in the Asian part of Istanbul Province, Turkey. *Esperiana* 14: 545-558, pl. 39. [[available in Cesa Library](#)]
669. **Barou, J.**, 1967, Contribution a la connaissance de la Faune des Lépidopteres de l'Iran. 18pp. 1 map. [Teheran].
670. **Barraud, P.J.**, 1920-1923, Entomology in the Holy Land. *Entomologist* 53: 170-173, 225-227; 56: 38-41, 58-62. [[available in Cesa Library](#)]
671. **Barrett, J.P.**, 1911, The butterflies of Sicily. *Proc. S. Lond. ent. nat. Hist. Soc.* 1910/1911: 30-38.
672. **Bartel, M. & A. Herz**, 1902, Handbuch der Gross-Schmetterlinge des Berliner Gebietes. 92 pp. A. Böttcher, Berlin.
673. **Bartel, M.**, 1899-1902, Nachtfalter. [In] Rühl, F., Die Palaearktischen Gross-Schmetterlinge und ihre Naturgeschichte. Vol. 2. (Lief. 17-23). 336 pp. Leipzig. [[available in Cesa Library](#)]
674. **Bartel, M.**, 1903, Neue aethiopische Arctiidae der Sammlung des Kgl. Museums für Naturkunde in Berlin. *Dt. ent. Z., Iris* 16: 170-220. [[available in Cesa Library](#)]
675. **Bartel, M.**, 1904, *Eriogaster philippii* n.sp. *Dt. ent. Z., Iris* 17: 10-11. [[available in Cesa Library](#)]
676. **Bartel, M.**, 1904, Zwei neue Arten aus Palästina. *Dt. ent. Z., Iris* 17: 158. [[available in Cesa Library](#)]
677. **Bartel, M.**, 1912, Aegeriidae (Sesiidae). [In] Seitz, A., Die Gross-Schmetterlinge der Erde 2: 375-416, pls. Stuttgart. [[available in Cesa Library](#)]
678. **Bartel, M.**, 1914, Über einige Lepidopteren-Arten der Uralsteppen. *Mitt. münch. ent. Ges.* 56: 5-25.
679. **Bartel, M.**, [1903], Lepidopteren des südlichen Urals. *Dt. ent. Z., Iris* 15 (1902): 181-230. [[available in Cesa Library](#)]
680. **Barth, R.**, 1949, Vergleichende morphologische Studien über die Duftsuppen der Pieriden *Pieris brassicae* und *Pieris rapae* und der Satyrine *Coenonympha pamphilus*. *Zool. Jb. [Anatomie]* 70: 397-426, Abb.
681. **Bartol, B., Bartol, V. & S. Michieli**, 1964, Beitrag zur Kenntnis der Macrolepidopterenfauna der adriatischen Insel Krk (Veglia). *NachrBl. bayer. Ent.* 13: 33-36, 44-48, 55-59.
682. **Bartsch, D. & A. Lingenhöle**, 2011, *Chamaesphecia cilicia* sp. nov. aus dem Taurus Gebirge, Türkei (Lepidoptera, Sesiidae). *Ent. Z., Stuttg.* 121 (2): 89-91, 7 Abb.
683. **Bartsch, D. & J. Berg**, 2012, New species and review of the Afrotropical clearwing moth genus *Camaegeria* Strand, 1914 (Sesiidae, Synanthedonini). *Zootaxa* 3181: 28-46, figs. [[available in Cesa Library](#)]
684. **Bartsch, D. & K. Spatenka**, 2010, *Bembecia magnifica* und *Bembecia afghana*, zwei neue Glasflügler Arten aus Afghanistan (Lepidoptera, Sesiidae). *Ent. Z., Stuttg.* 120 (6): 243-248, 12 Abb.
685. **Bartsch, D.**, 2008, A review of the Paranthrenini of the Afrotropical Region (Lepidoptera, Sesiidae). *Ent. Z.* 118 (6): 265-280.
686. **Bartsch, D.**, 2009, *Melittosesia*, a new genus of clearwing moths with a review of the Sesiini Boisduval, 1828 in Madagascar (Lepidoptera, Sesiidae). *Ent. Z.* 119 (1): 9-16.
687. **Bartsch, D.**, 2012, Revision of types of several species of *Bembecia* Hübner, 1819 from northern Africa and southwestern Europe (Sesiidae) *Nota lepid.* 35 (2): 125-133, figs. [[available in Cesa Library](#)]
688. **Bartsch, D.**, 2013, Revisionary checklist of the Southern African Sesiini (Lepidoptera, Sesiidae) with description of new species. *Zootaxa* 3741 (1): 1-54, figs. [[available in Cesa Library](#)]
689. **Bassi, G.**, 2012, New Afrotropical species of the genus *Crambus* Fabricius, 1798 (Lepidoptera, Pyralidae, Crambinae). *Revue Suisse Zool.* 119 (3): 269-286, figs. [[available in Cesa Library](#)]
690. **Bassi, G.**, 2013, Revisione delle specie afrotropicali del genere *Ancylolomia* Hübner, [1825] I. i gruppi indica e *chrysargyria* (Lepidoptera, Pyralidae, Crambinae). *Shilap Revta lepid.* 41 (164): 517-529, figs. [[available in Cesa Library](#)]

691. **Bassi,G.**, 2014, A new species of *Ceratoxanthia* Razowski, 1960 from Greece (Lepidoptera, Tortricidae, Tortricinae, Cochylini). *Shilap Revta lepid.* 42 (167): 489-492, figs. [[available in Cesa Library](#)]
692. **Bassi,N.**, 1969, Una sottospecie inedita di *Lepidottero* dell'Appennino Marchigiano: *Euphydryas aurinia teobaldii* subspecies nova. *Boll. Ass. romana Ent.* 24: 97-98.
693. **Bast,B.de**, 1985, La notion d'espece dans le genre *Lysandra* Hemming, 1933 (Lepidoptera, Lycaenidae) (Prem. Partie) *Linneana Belgica* 10(3): 98-110. [[available in Cesa Library](#)]
694. **Bastelberger,M.**, 1904, Beschreibung drei neuer *Dysphania*- (früher *Euschema*) Arten aus meiner Sammlung. *Ent. Z., Stuttgart* 18(29): 115-116. [[available in Cesa Library](#)]
695. **Bastelberger,M.**, 1905, Neue Geometriden aus meiner Sammlung. *Ent. Z., Stuttgart* 20(2): 5-6. [[available in Cesa Library](#)]
696. **Bastelberger,M.**, 1905, Neue *Dysphaniinae* aus meiner Sammlung und kritische Bemerkungen zu einigen Arten dieser Familie. *Stettin ent. Ztg.* 66(2): 177-224.
697. **Bastelberger,M.**, 1907, Neue exotische Geometriden. *Berl. ent. Z.* 52: 53-62. [[available in Cesa Library](#)]
698. **Bastelberger,M.**, 1907, Neue afrikanische Geometriden aus meiner Sammlung. *Int. ent. Z.* 1: 167-168.
699. **Bastelberger,M.**, 1908, Besprechung und Beschreibung einiger neuer oder sonst interessanter Arten von exotischen Geometriden in Naturhistorischen Museum zu Wiesbaden. *Jb.Nassau. Ver. Naturk.* 59: 71-77.
700. **Bastelberger,M.**, 1908, Neue exotische *Acidaliden* aus meiner Sammlung. *Int. ent. Z.* 2(5): 33-34; 2(6): 37-38. [[available in Cesa Library](#)]
701. **Bastelberger,M.**, 1908, Weitere neue Geometriden aus meiner Sammlung. *Int. ent. Z.* 2: 98-99. [[available in Cesa Library](#)]
702. **Bastelberger,M.**, 1909, Nachtrag zu Neue Geometriden aus Central-Formosa. *Ent. Z., Stuttgart* 23 (16): 77. [[available in Cesa Library](#)]
703. **Bastelberger,M.**, 1909, Ein neues Genus und neun neue afrikanische Geometriden aus meiner Sammlung. *Int. ent. Z.* 3: 100-101. [[available in Cesa Library](#)]
704. **Bastelberger,M.**, 1909, Beschreibung eines neuen genus und fünf neuer Spannerarten aus Angola in meiner Sammlung. *Ent. Z., Stuttgart* 45: 281-285.
705. **Bastelberger,M.**, 1911, Neue Geometriden aus meiner Sammlung. *Int. ent. Z.* 5(21): 148-150. [[available in Cesa Library](#)]
706. **Bastelberger,M.**, 1911, Neubeschreibungen von Geometriden aus dem Hochgebirge von Formosa. *Int. ent. Z.* 4: 241-242, 248-249. [[available in Cesa Library](#)]
707. **Bastelberger,M.**, 1911, Neue *Milionia*-Formen aus meiner Sammlung. *Int. ent. Z.* 4(47): [[available in Cesa Library](#)]
708. **Bastelberger,M.**, 1911, Sechs neue *Hemitheinae* aus meiner Sammlung. *Int. ent. Z.* 5(8): 53-54. [[available in Cesa Library](#)]
709. **Bastelberger,M.**, 1911, Drei neue *Dysphanien*-Formen aus meiner Sammlung. *Int. ent. Z.* 5(8): 54-55. [[available in Cesa Library](#)]
710. **Bastelberger,M.**, 1911, Eine neue *Braccine* aus Borneo. *Int. ent. Z.* 5(8): 54. [[available in Cesa Library](#)]
711. **Bastelberger,M.J.**, 1907, Neue afrikanische Geometriden aus meiner Sammlung. *Int. ent. Z.* 1: 167-168.
712. **Bastelberger,[M.,]** 1900, Ueber Genitalanhänge der Männchen unserer europäischen *Zonosoma*- (*Ephyra*-) Formen. *Dt. ent. Z., Iris* 13: 73-94, Taf. [[available in Cesa Library](#)]
713. **Bata,L.**, 1929-1931, Versuch einer faunistischen Bearbeitung der Makrolepidopteren des südlichsten Böhmens. *Z. öst. EntVer.* 14 (1929): 49-51, 62-64, 82-83, 91-92, 127-128; 15 (1930): 73-76, 83-84, 90-92, 122-123; 16 (1931): 6-7, 14-16. [[available in Cesa Library](#)]
714. **Bata,L.**, 1930, Fauna motyli a flora jiznich Cech s hlediska biocenoty. *Roc. vlastived. Spol. jihoces.* 1 (1929): 92-110.
715. **Bata,L.**, 1933, Dosavadni vysledky zoologickeho vyzkumu jiznich Cech. 67 pp. Vlastivedna Spolecnost Jihoceska Ceske Budejovice.
716. **Bate,D.C.**, 1895, Stray notes on the Macro-Lepidoptera of Dulwich and Neighbourhood. *Entomologist's Rec. J. Var.* 7: 301-306. [[available in Cesa Library](#)]
717. **Bates,H.W.**, 1870, Order Lepidoptera, [in] Henderson,G. & A.O.Huwe, Lahore to Yarkand, pp.305-307.

718. **Bates, H.W.**, 1875, Appendix "Diurnal Lepidoptera of Siam", [in] Thomson, J., The Straits of Malacca, Indo-China, or ten years' Travels, Adventures and Residence abroad. vx. pp. 546-547, figs. pls. London.
719. **Bates, H.W.**, [1868], A Catalogue of Erycinidae, a family of Diurnal Lepidoptera. J. Linn. Soc. (Zool.) (1866) 9: 367-459.
720. **Batkowski, S., Palik, E. & R.Szpor**, 1972, Motyle wieksze Tatr Polskich. Polskie Pismo ent. 42: 637-688.
721. **Battenfeld, P.**, 1978, Sammelergebnisse von Ankara (08.07-4.07.197). Nachr. ent. Ver. Apollo 3: 44-47, 54-58. [\[available in Cesa Library\]](#)
722. **Battenfeld, P.**, 1981, Reiseerlebnisse in Israel. Nachr. ent. Ver. Apollo (N.F.) 2(2): 64-68. [\[available in Cesa Library\]](#)
723. **Bauer, E.**, 1982, Bundesartenschutzverordnung: Artenschutz statt Biotopschutz? Eine kritische Analyse I. Neue ent. Nachr. 2: 27-29.
724. **Bauer, E.**, 1983, Bundesartenschutzverordnung: Artenschutz statt Biotopschutz? Eine kritische Analyse II. Neue ent. Nachr. 4: 29-31.
725. **Baumann, E.**, 1967, Eine erste Bestandaufnahme und zoogeographische Analyse der Gross-Schmetterlinge im Naturschutzpark "Hoher Vogelsberg". Ber. oberhess. Ges. Nat. u. Heilk. 35: 53-92.
726. **Baumann, E.**, 1981, Erfolgreiche Wiedereinbürgerung von *Zerynthia polyxena* auf einem ehemaligen Weinberg am Stadtrand von Graz. Beih. Veröff. Natursch. Landschaftspfl. Bad.-Württ. 21: 177-179.
727. **Baumann, H. & K.Rehnelt**, 1969, Beitrag zur Tagfalterfauna des Thinnebachtales bei Klausen. NachrBl. bayer. Ent. 18: 33-42.
728. **Baumann, U.**, 1970, Wanderfalter bei Alassio. Atalanta 3: 14-15. [\[available in Cesa Library\]](#)
729. **Bayard, A.**, 1946, *Heodes dispar* en Charente-Maritime. Revue fr. Lepidopt. 10: 345-349.
730. **Bayle, B.G.**, 1809, Saggio intorno agli Insetti nocivi ai vege-tabili oeconomici, agli animali utili, all'agricoltura ed ai prodotti dell'oeconomia rurale. 180pp., 2pls. Milano.
731. **Bayne, F.**, 1892, The Lepidoptera of Epping forest. Entomologist's Rec. J. Var. 3: 82-84, 114-115, 133-135, 165-166. [\[available in Cesa Library\]](#)
732. **Baynes, E.S.A.**, 1950, The Irish race of *Argynnis euphrosyne* L. Entomologist 83: 105-108.
733. **Baynes, E.S.A.**, 1958, *Aricia agestis* Denis and Schiff. in Ireland? Entomologist's Rec. J. Var. 70: 183-184.
734. **Baynes, E.S.A.**, 1960, A list of Irish butterflies. 10 pp. Stationary Office, Dublin.
735. **Baynes, E.S.A.**, 1964, A revised catalogue of Irish Macrolepidoptera. 110 pp. E.W.Classey, Hampton.
736. **Baynes, E.S.A.**, 1970, Supplement to a revised catalogue of Irish Macrolepidoptera (butterflies and moths). 28 pp. E.W.Classey, Hampton.
737. **Baynes, E.S.A.**, 1973, A revised catalogue of Irish Macrolepidoptera (Edn.2). 3 ♀ 110 pp. E.W.Classey, Hampton.
738. **Baz, A.**, 1988, On the distribution of *Tarucus theophrastus* (Fabricius, 1793) in Marocco. Nota lepid. 11(2): 177-181.
739. **Başaran, A.**, 1974, Gündoğdu köyü (İzmit) gündüz kelebekleri. Diyarbakır Univ. Tıp Fak. Derg. 3 (1): 117-128, şekil. [\[available in Cesa Library\]](#)
740. **Başaran, A.**, 1975, Diyarbakır ve Çevresi Gündüz Kelebeklerinin Sistemik Araştırılması. Diyarbakır Üniv. Tıp Fak. Derg. 3 (3): 529-547. [\[available in Cesa Library\]](#)
741. **Başoğlu, M. & N.Öztürk**, 1955, İstanbul civarındaki gündüz kelebekleri için familyalara kadar bir tayin anahtarı. Biyoloji 5: 74-81. [\[available in Cesa Library\]](#)
742. **Beadle, H.A.**, 1895, Macro-Lepidoptera taken in Keswick and district. Entomologist's Rec. J. Var. 6: 276-283. [\[available in Cesa Library\]](#)
743. **Beall, G.**, 1946, Seasonal variation in sex proportion and wing length in the migrant butterfly, *Danaus plexippus* L. Trans. R. ent. Soc. Lond. 97: 337-353.
744. **Beattie, J.R.**, 1976, The Rhopalocera directory. 13 ♀ 365 pp. JB Indexes, Berkeley, California.
745. **Beaulaton, J.**, 1972, Contribution a l'etude du peuplement en Lépidoptères du département du Puy-de-Dôme (Massif Central) I. Inventaire faunistique. Annls Stn. biol. Besse-en-Chandesse 6/7 (1971/1972): 77-240.

746. **Beaulaton, J.**, 1975, Contribution a l'etude du peuplement en Lépidoptères du departement du Puy-de-Dome (Massif Central) II. Donnees ecologiques et biogeographiques. *Annls Stn. biol. Besse-en-Chandesse* 9 (1974/1975): 327-341.
747. **Beaulaton, J.**, 1975, Contribution a l'etude du peuplement en Lépidoptères du departement du Puy-de-Dome (Massif Central) III. Premier complement et corrections a l'inventaire faunistique. *Annls Stn. biol. Besse-en-Chandesse* 9 (1974/1975): 343-355.
748. **Beck, H.**, 1974, Zur Beschreibung der Zeichnung (Ornamentik) von Insektenlarven. Eine Anleitung am Beispiel von Noctuidenlarven. *Atalanta* 5: 121-143. [[available in Cesa Library](#)]
749. **Beck, H.**, 1989, Verantwortungsvolles Taxieren, Appell an den "Internationalen Trust for Zoological Nomenclature". Beschreibung einer neuen Unterart von *Cucullia blattariae* (Esper, 1790): *Cucullia blattariae eugeniae* subsp. n. Synonymien im Genus *Cucullia* (Lep., Noctuidae). *Atalanta* 19: 189-217, figs. [[available in Cesa Library](#)]
750. **Beck, H.**, 1991, Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae). *Atalanta* 22 (2/4): 175-232. [[available in Cesa Library](#)]
751. **Beck, H.**, 1992, New view of higher classification of the Noctuidae (Lepidoptera). *Nota lepid.* 15(1): 3-28, 7 figs. [[available in Cesa Library](#)]
752. **Beck, H.**, 1993, III. Corrigenda and Addenda zu Beck (1991): "Taxonomische Aenderungen bei den Noctuinae, Cuculliinae und Plusiinae (Lepidoptera, Noctuidae)". Beschreibung der Raupe von *Perplexhadena syriaca* (Osthelder, 1933) comb. nov. *Atalanta* 23 (3/4): 605-611, pls. [[available in Cesa Library](#)]
753. **Beck, H.**, 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). *Neue ent. Nachr.* 36: 1-122. [[available in Cesa Library](#)]
754. **Beck, H.**, 1999-2000, Die Larven der europäischen Noctuidae. 4 Bde. *Herbipoliana* vol. 5. Marktleuthen. [[available in Cesa Library](#)]
755. **Beck, H., Kobes, L. & M. Ahola**, 1993, Die generische Aufgliederung von *Noctua* Linnaeus, 1758 (Lepidoptera, Noctuidae, Noctuinae). *Atalanta* 24 (1/2): 207-264, 16 Pls. [[available in Cesa Library](#)]
756. **Beck, J. & I. J. Kitching**, 2004, The Sphingidae of Southeast Asia (incl. New Guinea, Bismarck and Solomon Islands). Version 1.3. <<http://www.sphingidae-sea.biozentrum.uni-wuerzburg.de>> [[available in Cesa Library](#)]
757. **Beck, J.**, 2005, The macroecology of Southeast-Asian hawkmoths (Lepidoptera, Sphingidae). 213 pp., figs., Würzburg. [[available in Cesa Library](#)]
758. **Beck, K.-R. & T. Karisch**, 2004, Eine neue Spezies aus der Gattung *Achrosis* Guenée, [1858] (Lepidoptera, Geometridae, Ennominae). *Ent. Z., Stuttg.* 114 (6): 259-261, figs. [[available in Cesa Library](#)]
759. **Becker, F.**, 1935, Schmetterlingsausbeute einer Reise durch Italien. *Int. ent. Z.* 29: 76-77.
760. **Beer, S.**, 1942, Ricerche sulla morfologia dei disegni nelle ali dei Papilionidi. *Commentat. pontif. Acad. Scient.* 6: 27-181.
761. **Beer, S.**, 1945, Osservazioni sulle variazioni di colore della larva di *Zerynthia hypsipyle* Schulz. *Atti Soc. ital. Sci. nat.* 84: 114-124.
762. **Beer, S.**, 1946, Ricerche sulla biologia di *Zerynthia hypsipyle* Schulz. *Memoire Soc. ent. ital.* 25: 34-73.
763. **Beer, S.**, 1954, Recensioni. Verity, R.: *Le farfalle diurne d'Italia*, vol. 5. *Natura*, Milano 45: 89-94.
764. **Beer, S.**, 1959, Ruggero Verity. *Natura*, Milano 50: 129-132.
765. **Beer, S.**, 1960, Ruggero Verity. *Memoire Soc. ent. ital.* 38 (1959): 137-148.
766. **Behounek, G. & H. Hacker**, 1986, *Lygephila schachti* n.sp., eine neue Noctuidenart aus der Ost-Türkei, nebst faunistischen Angaben für neunundzwanzig weitere Noctuiden Arten aus der Ost-Türkei (Lepidoptera, Noctuidae). *Entomofauna* 7 (3): 41-53, 8 Abb. [[available in Cesa Library](#)]
767. **Behounek, G. & L. Ronkay**, 1999, On the taxonomy and biogeography of the Plusiinae of south-east Asia (Noctuidae, Plusiinae). *Spixiana* 22 (2): 109-142, figs. [[available in Cesa Library](#)]
768. **Behounek, G. & V. S. Kononenko**, 2010, Fourteen new species of the genus *Stenoloba* Staudinger, 1892 from the South East Asia (Lepidoptera, Noctuidae, Bryophilinae). *Zootaxa* 2679: 1-31, figs.
769. **Behounek, G. & W. Speidel**, 2007, The taxonomical status of *Wittstrofia flavannamica* nuntia (Lepidoptera, Noctuidae). *Mitt. münch. ent. Ges.* 97: 127-130, 4 figs. [[available in Cesa Library](#)]

770. **Behounek,G.**, 1983, Kleiner Beitrag zur Noctuidae-Fauna Kleinasiens. Entomofauna 4 (25): 401-404. [[available in Cesa Library](#)]
771. **Behounek,G.**, 1984, Ergebnisse einer Sammelreise durch Nordgriechenland und Anatolien (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 4(3): 71-80. [[available in Cesa Library](#)]
772. **Behounek,G.**, 1986, Beitrag zur Noctuiden-Fauna der Türkei und des Irans. Neue Erkenntnisse zur Verbreitung von *heliophobus reticulata* (Goeze,1780) (Lep., Noctuidae). NachrBl. bayer. Ent. 36: 115-122, 3 figs. [[available in Cesa Library](#)]
773. **Behounek,G.**, 1992, Die holarktischen Arten der Gattung *Lacanobia* Billberg,1820 (Lepidoptera, Noctuidae, Hadeninae). Esperiana 3: 33-65, Abb. [[available in Cesa Library](#)]
774. **Behounek,G.**, 1997, Beschreibung einer neuen Art aus der Gattung *Clethrorsa* Hampson,1910 aus Nord Vietnam und Süd China (Lepidoptera, Noctuidae, Amphipyrinae). Spixiana 20 (3): 281-284, figs. [[available in Cesa Library](#)]
775. **Behounek,G.**, 1999, Beschreibung von zwei neuen Arten aus der Gattung *Borbotana* Walker,1858 aus Südost Asien (Noctuidae, Amphipyrinae). Spixiana 22 (2): 103-107, figs. [[available in Cesa Library](#)]
776. **Behounek,G.**, 2010, A new synonymy in the genus *Catocala* (Lepidoptera, Noctuidae). Acta zool. lithuanica 20 (4): 204. [[available in Cesa Library](#)]
777. **Behounek,G., Han,H.L. & V.S.Kononenko**, 2012, Revision of the genus *Donda* Moore,1882 with description two new species from East Asia (Lepidoptera, Noctuidae, Pantheinae). Revision of Pantheinae, contribution v. Zootaxa 3582: 37-47, figs. [[available in Cesa Library](#)]
778. **Behounek,G., Han,H.L. & V.S.Kononenko**, 2013, Revision of the Old World genera *Panthea* Hübner,[1820] 1816 and *Pantheana* Hreblay,1998 with description two new species from China (Lepidoptera, Noctuidae, Pantheinae). Revision of Pantheinae, contribution ix. Zootaxa 3746 (3): 422-438, figs. [[available in Cesa Library](#)]
779. **Behounek,G., Han,H.L. & V.S.Kononenko**, 2013, Revision of the genus *Ortopla* Walker,[1859] with description two new species from Southeast Asia (Lepidoptera, Noctuidae, Pantheinae). Revision of Pantheinae, contribution x. Zootaxa 3746 (2): 240-256, figs. [[available in Cesa Library](#)]
780. **Behounek,G., Speidel,W. & H.Thöny**, 1996, Revision der Gattung *Baorisa* Moore,1882 (Lepidoptera, Noctuidae). Esperiana 4: 53-64, 12 Abb. Taf. [[available in Cesa Library](#)]
781. **Beirne,B.P.**, 1942, The morphology of the male genitalia of the lepidoptera. Entomologist's Rec. J. Var. 54: 17-22, 37-39, 81-83.
782. **Beirne,B.P.**, 1942-1943, Notes on the morphology and taxonomy of the genitalia of the British Rhopalocera. Entomologist 75 (1942): 211-216; 76 (1943): 50-54.
783. **Beirne,B.P.**, 1943, The distribution and origin of the British Lepidoptera. Proc. R. ir. Acad. (B) 49: 27-59.
784. **Beirne,B.P.**, 1943, The relationships and origin of the Lepidoptera of the Outer Hebrides, Shetlands, Faroes and Iceland. Proc. R. ir. Acad. (B) 49: 91-101.
785. **Beirne,B.P.**, 1945, The Lepidoptera of Shetland. Entomologist's Rec. J. Var. 57: 37-40.
786. **Beirne,B.P.**, 1947, The effects of human activities on the distribution and abundance of the Lepidoptera. Entomologist's Rec. J. Var. 59: 37-42.
787. **Beirne,B.P.**, 1947, The origin and history of the British Macro-Lepidoptera. Trans. R. ent. Soc. Lond. 98: 273-372.
788. **Beirne,B.P.**, 1947, The seasonal abundance of the British Lepidoptera. Entomologist 80: 49-53.
789. **Beirne,B.P.**, 1954, British Pyralid & Plume Moths. 208 pp. 405 figs. 16 Pls. Frederick Warne, London & New York. [[available in Cesa Library](#)]
790. **Beirne,B.P.**, 1955, Natural fluctuation in the abundance of British Lepidoptera. Entomologist's Gaz. 6: 21-52.
791. **Belik,A. & R.V.Yakovlev**, 1998, Confirmed occurrence of *Oeneis jutta* in the Altai Mts. (Russia) with description of a new subspecies (Lepidoptera, Nymphalidae, Satyrinae). Phegea 26(4): 131-139, figs. [[available in Cesa Library](#)]
792. **Belik,A.G.**, 1996, A new subspecies of *Parnassius phoebus* Fabricius,1793 from the Northwest of Eastern Siberia (Lepidoptera, Papilionidae). Atalanta 27 (1/2): 189-193, Pl. [[available in Cesa Library](#)]

793. **Belik,A.G.**, 1996, New subspecies of *Erebia anyuica* Kurentsov,1966 and *Clossiana erda* (Christoph,1893) from the Vostochnyy Sayan mountains, Russia (Lepidoptera, Nymphalidae). *Phegea* 24(4): 157-166, 2 Pls., 7 figs. [[available in Cesa Library](#)]
794. **Beljaev,E.A. & S.V.Vasilenko**, 1998, New and little known Ennominae from Turkmenistan with description of two new species (Lepidoptera, Geometridae). *Atalanta* 28 (3/4): 315-326, 4 figs. [[available in Cesa Library](#)]
795. **Beljaev,E.A.**, 2000, Remarkable new genus and new species of the geometrid moths from Central Asia, related to the genus *Desertobia* Viidallepp, 1989 (Lepidoptera, Geometridae, Ennominae) with notes on the taxonomy of the Desertobiini. *Tinea* 16 (4): 240-245.
796. **Beljaev,E.A.**, 2008, A new concept of the generic composition of the Geometrid moth tribe Ennomini (Lepidoptera, Geometridae) based on functional morphology of the male genitalia. *Ent. Obozr.* 87(1): 152-165, figs. [*Ent. Rev.* 88 (1): 50-60, figs.] [[available in Cesa Library](#)]
797. **Bell,E.L. & W.P.Comstock**, 1941, The synonymy of *Papilio coridon* Poda, *Papilio phocion* Fabricius and others. *Jl. N. Y. ent. Soc.* 49: 371-374.
798. **Bell,T.R.D. & F.B.Scott**, 1937, The Fauna of British India including Ceylon and Burma. Moths. Sphingidae. Vol.5. xviii^o 537pp., 15 pls., figs. 1 map, London. [[available in Cesa Library](#)]
799. **Bellier,C.**, 1858, *Agrotis celsicola*. *Annls Soc. ent. Fr.* 3 (6): ccliii. [[available in Cesa Library](#)]
800. **Bellier,C.**, 1859, Observations sur les Lépidoptères des Basses-Alpes Environs de Larche. *Annls Soc. ent. Fr.* 3 (7): 177-193, pl.
801. **Belter,G.**, 1931, *Fabriciana niobe chinensis* nov. subspec. *Ent. Z., Frankf. a. M.* 45(4): 62-63. [[available in Cesa Library](#)]
802. **Belter,G.**, 1934, Neues aus der *Melitaea didyma* Esp.- Gruppe, mit Berücksichtigung des Materials des Deutschen Entomologischen Instituts. *Arb. morph. taxon. Ent. Berl.* 1: 105-115, figs. [[available in Cesa Library](#)]
803. **Belter,G.**, 1935, Zwei neue *Brenthis*-Rassen aus Kleinasien. *Ent. Z., Frankf. a. M.* 49: 71-72. [[available in Cesa Library](#)]
804. **Bender,R. & C.M.Naumann**, 1980, Eine neue *Arctia intercalaris*- Subspezies aus dem Hindukusch (Lepidoptera, Arctiidae). *Atalanta* 11 (1): 21-28, figs. [[available in Cesa Library](#)]
805. **Bender,R. & W.Dierl**, 1982, Zur Kenntnis der Lepidoptera Sumatras. Eine neue Art der Gattung *Streblote* Hübner,[1820] 1816 (Lepidoptera, Lasiocampidae). *Entomofauna* 3 (23): 367-370, 2 Abb. [[available in Cesa Library](#)]
806. **Bender,R.**, 1963, Beiträge zur Lepidopterenfauna der Insel Rhodos. *Z. wien. ent. Ges.* 48: 11-20, 2 Taf. [[available in Cesa Library](#)]
807. **Bender,R.**, 1985, Notodontidae von Sumatra. *Heterocera Sumatrana* 5: 1-122, 16 Taf. [[available in Cesa Library](#)]
808. **Benedek,B. & L.Ronkay**, 2001, Two new Noctuidae species from Iran (Lepidoptera). *Folia ent. hung.* 62: 191-198, figs. [[available in Cesa Library](#)]
809. **Benedek,B. & L.Ronkay**, 2002, Two new species of the *Polymixis-Mniotype* complex (Lepidoptera, Noctuidae) from Asia. *Esperiana* 9: 411-419, pl.22. [[available in Cesa Library](#)]
810. **Benedek,B., Saldaitis,A. & J.Babics**, 2014, On the taxonomy of the genus *Dasytopia* (Lepidoptera, Noctuidae, Xylenini). *Entomofauna (Suppl.)* 17: 17-28, figs. [[available in Cesa Library](#)]
811. **Bengtsson,B.A. & G.R.Langohr**, 1989, *Scythris lempkei* n.sp. from Southwest Europe (Lepidoptera, Scythrididae). *Ent. Ber., Amst.* 49: 72-74, figs. [[available in Cesa Library](#)]
812. **Bengtsson,B.A. & J.Liska**, 1996, Notes on Asian scythridids with description of four new species (Lepidoptera, Scythrididae). *Phegea* 24 (1): 33-39, 15 figs. [[available in Cesa Library](#)]
813. **Bengtsson,B.A. & P.Huemer**, 2003, Eine neue Art der Familie Scythrididae aus dem Iran (Lepidoptera, Scythrididae). *Carinthia II* 193/113: 573-578, figs. [[available in Cesa Library](#)]
814. **Bengtsson,B.A. & P.Passerin d'Entrèves**, 1988, Description of two new species from southwest Europe, *Enolmis vivesi* n.sp. and *Scythris lhommei* n.sp. (Lepidoptera, Scythrididae). *Shilap Revta lepid.* 16: 90-101, figs. [[available in Cesa Library](#)]
815. **Bengtsson,B.A. & R.Sutter**, 1992, Die fallacella-Gruppe (Lepidoptera, Scythrididae). *Nota lepid.* 15: 90-101, figs.
816. **Bengtsson,B.A.**, 1977, Two new species of Microlepidoptera from the northern Sweden (Lepidoptera, Elachistidae, Scythrididae). *Ent. scand.* 8: 55-58, figs.
817. **Bengtsson,B.A.**, 1984, The Scythrididae (Lepidoptera) of Northern Europe. *Fauna ent. scand.* 13: 1-137, figs.

818. **Bengtsson,B.A.**, 1989, Two new scythridis species from South Europe - *Scythris jaeckhi* n.sp. and *S. nieukerkeni* n.sp. (Lepidoptera, Scythrididae). *Phegea* 17: 75-81, figs. [[available in Cesa Library](#)]
819. **Bengtsson,B.A.**, 1991, Review of the fuscoaenea species-group of *Scythris* (Lepidoptera, Scythrididae). *Ent. scand.* 21: 405-414, 25 figs. [[available in Cesa Library](#)]
820. **Bengtsson,B.A.**, 1996, Scythridids found by H.Hacker in Pakistan 1988 and India 1992. *Esperiana* 4: 467-481, Abb. [[available in Cesa Library](#)]
821. **Bengtsson,B.A.**, 1997, Scythrididae, [in] Huemer,P. Karsholt,O. & L.Lyneborg, *Microlepidoptera of Europe* 2: 1-301, Pls. [Incomprehensible thing is that numerous species from North Africa and the Middle East are described in an European book!]. [[available in Cesa Library](#)]
822. **Bengtsson,B.A.**, 2002, Scythridids of the Arabian Peninsula I. Oman (Lepidoptera, Scythrididae). *Phegea* 30 (3): 105-118, 25 figs. [[available in Cesa Library](#)]
823. **Bengtsson,B.A.**, 2002, Scythridids of the Arabian Peninsula, II. Yemen (Lepidoptera, Scythrididae). *Esperiana* 9: 61-127, 156 figs. [[available in Cesa Library](#)]
824. **Bengtsson,B.A.**, 2005, Notes on Palaearctic scythridids, with descriptions of nine new species (Lepidoptera, Scythrididae). *Ent. fennica* 16 (4): 207-220, figs. [[available in Cesa Library](#)]
825. **Bennett,N.H.**, 1950, A revision of the echerius group of the genus *Abisara*. *Entomologist* 83: 1-9, 34-42.
826. **Bennett,N.H.**, 1954, The two new species of *Lycaenidae* from South East Africa. *Entomologist* 87: 170-173.
827. **Bennett,N.H.**, 1981, *Les Papillons du Zaïre*. Weissenbruch, Bruxelles.
828. **Benyamini,D. & M.Avni**, 2001, *Muschampia proteides stepporum* subsp.nov. from the steppe belts of eastern Israel and western Jordan (Lepidoptera, Hesperidae). *Linneana Belgica* 18 (1): 45-54, figs. [[available in Cesa Library](#)]
829. **Benyamini,D.**, 1984, The butterflies of the Sinai peninsula (Lep., Rhopalocera). *Nota lepid.* 7 (4): 309-321, map. [[available in Cesa Library](#)]
830. **Benyamini,D.**, 1984, The butterflies of the Sinai Peninsula (Lepidoptera, Rhopalocera). *Nota lepid.* 7 (4): 309-321, figs. [[available in Cesa Library](#)]
831. **Benyamini,D.**, 1987, The butterflies of Mt. Hermon. *News Israeli lepidopterists Soc.* 4(2): 4-7, 11-15 [in Hebrew].
832. **Benyamini,D.**, 1988, The zoogeography of the butterflies (Lepidoptera, Rhopalocera) of Israel and nearby areas. *Monogr. biol.* 62: 309-324, 6 figs.
833. **Benyamini,D.**, 1990, The zoogeography and the uniqueness of the butterflies in the Hermon Mt. The Hermon research group. *Golan Inst.* 1989-1990: 6-12 [in Hebrew].
834. **Benyamini,D.**, 1990, A mountain of butterflies. The uniqueness and zoogeography of the butterflies of Mt. Hermon. *Teva va-Aretz* 32 (6): 13-16 [in Hebrew].
835. **Benyamini,D.**, 1990, *Gomalia elma* Trimen,1862, new to Israel and the Palaearctic Region (Lepidoptera, Hesperidae). *Nota lepid.* 12 (4): 238-245, figs. [[available in Cesa Library](#)]
836. **Benyamini,D.**, 1990, A field guide to the butterflies of Israel including butterflies of Mt. Hermon and Sinai. 234 pp. Keter Publishing House Ltd.
837. **Benyamini,D.**, 1992, The butterflies of the Golan. *News Israeli lepidopterists Soc.* 9: 4-7 [in Hebrew].
838. **Benyamini,D.**, 1993, The butterflies of Mt Hermon (Lepidoptera, Rhopalocera and Hesperidae). *Linneana Belgica* 14(4): 167-204, pls. [[available in Cesa Library](#)]
839. **Benyamini,D.**, 1999, The biology and conservation of *Iolana alferii* Wiltshire,1948 the Burning Bush Blue (Lepidoptera, Lycaenidae). *Linneana Belg.* 17 (4): 119-134, 7 figs., 3 pls. [[available in Cesa Library](#)]
840. **Benyamini,D.**, 1999, The butterflies of South Jordan (Lepidoptera, Rhopalocera). *News Israeli lepidopterists Soc.* 16 (1): 3-7 [in Hebrew].
841. **Berard,R.**, 1996, *Ekboarmia fascianaria* (Staudinger,1859), espece nouvelle pour le faune de France (Lepidoptera, Geometridae, Ennominae). *Alexanor* 19 (3) (1995): 171, 1 fig. [[available in Cesa Library](#)]
842. **Berger,L.A.**, 1950, Catalogue raisonnés de la faune entomologique du Congo Belge Lépidoptères - Rhopalocères 1. *Fam.Papilionidae. Annls Mus. R. Congo Belge (C) Zool.* 8: 1-102.
843. **Berger,L.A.**, 1969, Note sur *Graphium olbrechtsi* Bger. *Lambillionea* 67: 84-85.
844. **Berger,L.A.**, 1977, Hesperidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 94-95. [[available in Cesa Library](#)]

- 845. Berger, L.A.**, 1978, *Abantis meneliki* n.sp. (Lepidoptera, Hesperidae). *Lambillionea* 78: 67-69, figs. [[available in Cesa Library](#)]
- 846. Berger, L.A.**, 1981, *Les Papillons du Zaïre*. 543pp. 213 Pls. Bruxelles.
- 847. Berger, L.A.**, 1984, Hesperidae [in] *Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 59, Pl.12. [[available in Cesa Library](#)]
- 848. Bergh, P.J.v.d.**, 1915, *Attacus staudingeri* Rothschild (nieuw voor de Fauna van Sumatra). *Tijdschr. Ent.* 58: 277, pl.9.
- 849. Bergmann, A. & H.Thöny**, 1996, Zwei neue Arten aus der Gattung *Pseudopseutis* Hampson, 1910 aus Turkmenien (Lepidoptera, Noctuidae, Amphipyridae). *Facetta* 13(2): 11-17, figs. [[available in Cesa Library](#)]
- 850. Bergmann, A.**, 1952, *Die Großschmetterlinge Mitteldeutschlands Bd.2 Tagfalter*. Urania Verlag. Leipzig, Jena. [[available in Cesa Library](#)]
- 851. Bergmann, A.**, 1995, Eine neue Unterart von *Parnassius* (Koramius) *maximinus* (Staudinger, 1891) aus Usbekistan (Lepidoptera, Papilionidae). *Atalanta* 26 (1/2): 139-142, Abb. [[available in Cesa Library](#)]
- 852. Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 2: 1-79, Pls. 15-48. Hanau.
- 853. Bergsträßer, J.A.B.**, 1779, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 3: 1-48, Pls. 49-72. Hanau.
- 854. Bergsträßer, J.A.B.**, 1780, Nomenclatur und Beschreibung der Insekten in der Grafschaft Hanau - Münzenberg, wie auch der Wetterau und der angrenzenden Nachbarschaft dies- und jenseits des Mains 4: 1-47, Pls. 73-96. Hanau.
- 855. Berio, E.**, 1934, *Lepidotteri raccolti dal Prof. L.Cipriani del Fezzan (1932)*. *Boll. Soc. ent. ital.* 66(6): 124-127, 3 figs. [[available in Cesa Library](#)]
- 856. Berio, E.**, 1935, *Nuove Arctiidae d'Africa del Museo di Genova*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 26-27. [[available in Cesa Library](#)]
- 857. Berio, E.**, 1936, *Contributo alla conoscenza della variazione di Agrotis puta (Hb., 1802) Ochsh., 1816*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 69-117, 4 Tav. [[available in Cesa Library](#)]
- 858. Berio, E.**, 1936, *Descrizione di una nuova Limantride dell'Etiopia (Lepidoptera)*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 42. [[available in Cesa Library](#)]
- 859. Berio, E.**, 1936, *Specie nuove di Lepidotteri della Somalia Italiana (Arctiidae, Eurastrinae)*. *Boll. Soc. ent. ital.* 58(1/2): 27-28, 2 figs. [[available in Cesa Library](#)]
- 860. Berio, E.**, 1937, *Eteroceri Africani Apparentemente Nuovi*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 59: 370-393. [[available in Cesa Library](#)]
- 861. Berio, E.**, 1937, *Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Arctiidae Noctuidae*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 56-65, 7 figs. [[available in Cesa Library](#)]
- 862. Berio, E.**, 1937, *Spedizione zoologica del Marchese Saverio Patrizi nel basso Guiba e nell'Oltreguiba Giugno-Agosto 1934 Nuove Specie di Eteroceri Noctuidae Lymantriidae Limacodidae Geometridae*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 174-181, figs. [[available in Cesa Library](#)]
- 863. Berio, E.**, 1938, *Spedizione Zoologica del Marchese Saverio Patrizi nel Basso Guiba e nell'Oltreguiba Giugno-Agosto 1934*. *Annali Mus. civ. Stor. nat. Giacomo Doria* 58: 189-203. [[available in Cesa Library](#)]
- 864. Berio, E.**, 1938, *Una nuova specie di Chaerocina di Eritrea (Lepid., Sphingidae)*. *Boll. Soc. ent. ital.* 70(5): 85-86, fig. [[available in Cesa Library](#)]
- 865. Berio, E.**, 1939, *Contributi alla conoscenza dei Lepidotteri eteroceri dell'Eritrea II. Eteroceri raccolti dal Cap. Antonio Richini e Famiglia nella zona di Adua*. *Boll. Soc. ent. ital.* 71(8): 164-165. [[available in Cesa Library](#)]
- 866. Berio, E.**, 1939, *Contributi alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea I. Lista delle specie con descrizioni delle nuove entità raccolte negli anni 1934 al 1937 dal Sig. Francesco Vaccaro*. *Memorie Soc. ent. ital.* 17: 47-62, 2 Tav. [[available in Cesa Library](#)]
- 867. Berio, E.**, 1939, *Contributi alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea I. Lista delle specie con descrizioni delle nuove entità raccolte negli anni 1934 dal Sig. Francesco Vaccaro*. *Memorie Soc. ent. ital.* 17: 47-61, 2 Tav. [[available in Cesa Library](#)]

- 868. Berio, E.,** 1939, Lepidoptera. Missione Biol. Paese dei Borana 3: 9-15, 4 figs. [[available in Cesa Library](#)]
- 869. Berio, E.,** 1940, Lepidotteri raccolti dal Col. Mommeret ad Asmara del Luglio-Ottobre 1934 con descrizione di una nuova *Asticta* (Noctuidae). Boll. Soc. ent. ital. 72(3): 42-44. [[available in Cesa Library](#)]
- 870. Berio, E.,** 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea V. Diagnosi di nuove Noctuidae raccolte da F. Vaccaro nel 1934-37. Boll. Soc. ent. ital. 72(8): 122-126. [[available in Cesa Library](#)]
- 871. Berio, E.,** 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea III. Eteroceri Raccolti dal Cap. Richini ad Adi-Abuna (Adua) in Marzo-Aprile 1939-xvii. Boll. Soc. ent. ital. 72: 21-24, 6 figs. [[available in Cesa Library](#)]
- 872. Berio, E.,** 1940, Diagnosi di Eteroceri Africani. Memorie Soc. ent. ital. 19: 125-128. [[available in Cesa Library](#)]
- 873. Berio, E.,** 1940, Contributi per una Monografia del genere *Ozarba* Hb. (Lep., Noctuidae) I. Diagnosi di alcune nuove specie del globo. Memorie Soc. ent. ital. 19: 173-189, 33 figs. [[available in Cesa Library](#)]
- 874. Berio, E.,** 1940, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea IV. Eteroceri Raccolti dal Cap. Richini ad Adi-Abuna (Adua) nel Giugno-Luglio 1939-xvii. Memorie Soc. ent. ital. 19: 190-192. [[available in Cesa Library](#)]
- 875. Berio, E.,** 1941, Contributi allo Studio dei Lepidotteri Eteroceri dell'Eritrea VII. *Euchromiidae*, *Arctiidae*, *Agaristidae*, *Lymantriidae*, *Lasiocampidae*, *Noctuidae* raccolte dal Sig. G. Vaccaro nel 1938. Annali Mus. civ. Stor. nat. Giacomo Doria 61: 176-190. [[available in Cesa Library](#)]
- 876. Berio, E.,** 1941, Contributo alla conoscenza dei Lepidotteri Eteroceri dell'Eritrea VI. Eteroceri raccolti dal Cap. Richini ad Adi-Abuna (Adua) nel Marzo 1940. Boll. Soc. ent. ital. 72(10): 161-165, figs. [[available in Cesa Library](#)]
- 877. Berio, E.,** 1941, Elenco di Lepidotteri Eteroceri raccolti da Querci-Romei in Somalia con diagnosi di nuove specie. Memorie Soc. ent. ital. 20: 118-124, 4 figs. [[available in Cesa Library](#)]
- 878. Berio, E.,** 1943, Descrizione dell'Armatura genitale di alcune *Hypotacha* e diagnosi di una nuova specie (Lep., Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 62: 25-29, 2 figs. [[available in Cesa Library](#)]
- 879. Berio, E.,** 1944, Missione Biologia Sagan-Omo Diretta dal Prof. E. Zavattari Lepidoptera *Agaristidae* e *Noctuidae*. Memorie Soc. ent. ital. 23: 74-79. [[available in Cesa Library](#)]
- 880. Berio, E.,** 1945, Reperti di nuove Noctuidae dell'Africa orientale. Memorie Soc. ent. ital. 24: 81-83. [[available in Cesa Library](#)]
- 881. Berio, E.,** 1947, Contributo alla conoscenza del genere *Ozarba* Hb. (Lep., Noctuidae) II. Note critiche sulla sinonimia e distribuzione geografica di alcune specie. Boll. Soc. ent. ital. 77(3/4): 27-30. [[available in Cesa Library](#)]
- 882. Berio, E.,** 1947, Diagnosi di alcune *Erastrinae* Africane (Lep., Noctuidae). Memorie Soc. ent. ital. 26: 12-15, 4 figs. [[available in Cesa Library](#)]
- 883. Berio, E.,** 1950, Terzo Contributo alla conoscenza del gen. *Ozarba* Wlk. (Lep., Noctuidae) sulla sistematica di alcune specie ascritte a questo genere. Annali Mus. civ. Stor. nat. Giacomo Doria 64: 131-157, 98 figs. [[available in Cesa Library](#)]
- 884. Berio, E.,** 1950, Diagnosi di nuove specie di Nottue (Lepidoptera, Noctuidae=Agrotidae). Boll. Soc. ent. ital. 80(9/10): 89-92. [[available in Cesa Library](#)]
- 885. Berio, E.,** 1953, Contributo alla conoscenza di Noctuidae poco note, diagnosi di nuove specie e note critiche. *Doriana* 1(34): 1-6, 13 figs. [[available in Cesa Library](#)]
- 886. Berio, E.,** 1954, *Trigonodes hyppasia* Cram. e *T. exportata* Guén. (Lepidoptera, Noctuidae). Annali Mus. civ. Stor. nat. Giacomo Doria 66: 295-300, 8 figs. [[available in Cesa Library](#)]
- 887. Berio, E.,** 1954, Diagnosi di nuove *Catocalinae* Africane (Lep., Noctuidae). Boll. Soc. ent. ital. 84(3/4): 55-58, figs. [[available in Cesa Library](#)]
- 888. Berio, E.,** 1954, Osservazioni su *Polydesma umbricola* Bdv. e sul genere *Polydesma* Bdv. (Lep., Noctuidae). *Doriana* 1(50): 1-8, 13 figs. [[available in Cesa Library](#)]
- 889. Berio, E.,** 1955, Sulla distribuzione geografica della *Noctua algira* L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs. [[available in Cesa Library](#)]
- 890. Berio, E.,** 1955, Appunti sul genere *Pericyma* H.-S. e affini (Lep., Noctuidae). Memorie Soc. ent. ital. 33: 147-154, 17 figs. [[available in Cesa Library](#)]

891. **Berio, E.**, 1955, *Georyx muscosa* Gey. e le specie affini (Lep., Noctuidae). *Revue zool. bot. Afr.* 51 (3/4): 212-222, 10 figs. [\[available in Cesa Library\]](#)
892. **Berio, E.**, 1956, *Grammodes geometrica* F. e le specie affini (Lep., Noctuidae). *Boll. Soc. ent. ital.* 86(3/4): 34-43, 12 figs. [\[available in Cesa Library\]](#)
893. **Berio, E.**, 1956, Appunti su alcune specie del genere *Calpe* Tr. (Lep., Noctuidae). *Memorie Soc. ent. ital.* 35: 109-119, 20 figs. [\[available in Cesa Library\]](#)
894. **Berio, E.**, 1960, Diagnosi di una nuova specie di *Heteropalpia* (Lep., Noctuidae, Catocalinae). *Boll. Soc. ent. ital.* 90(5/6): 102-103, 8 figs. [\[available in Cesa Library\]](#)
895. **Berio, E.**, 1962, Descrizione di nuove Noctuidae Africane (Euxoinae). *Annali Mus. civ. Stor. nat. Giacomo Doria* 73: 196-208, 12 figs. [\[available in Cesa Library\]](#)
896. **Berio, E.**, 1962, Diagnosi di alcune specie di Noctuidae Africane. *Boll. Soc. ent. ital.* 91 (7/8): 122-126, figs. [\[available in Cesa Library\]](#)
897. **Berio, E.**, 1963, Descrizione di alcune Jaspidiinae Africane del British Museum (Lepidoptera, Noctuidae). *Boll. Soc. ent. ital.* 42(5/6): 72-74. [\[available in Cesa Library\]](#)
898. **Berio, E.**, 1964, Considerazioni su alcuni taxa appartenenti alla sottofamiglia delle Westermanniinae (Lep., Noctuidae). *Boll. Soc. ent. ital.* 94(9/10): 152-159, 18 figs. [\[available in Cesa Library\]](#)
899. **Berio, E.**, 1965, Le Catocaline Africane a tibie spinose del Museo di Tervuren. *Annali Mus. civ. Stor. nat. Giacomo Doria* 75: 181-332, 18 Taf. [\[available in Cesa Library\]](#)
900. **Berio, E.**, 1967, Revisione di alcune *Hyblaea* del gruppo di *puera* Cr. (Lep., Noctuidae). *Doriana* 4(182): 1-10, 10 figs. [\[available in Cesa Library\]](#)
901. **Berio, E.**, 1969, Nuovo genere e specie di Noctuidae d'Africa (Lepidoptera). *Boll. Soc. ent. ital.* 99-101: 45-48, 2 figs. [\[available in Cesa Library\]](#)
902. **Berio, E.**, 1982, *Egira servadeii* n.sp. del Pamir (Lepidoptera, Noctuidae, Hadeninae). *Memorie Soc. ent. ital.* 60: 61-62, 3 figs. [\[available in Cesa Library\]](#)
903. **Berio, E.**, 1984, Noctuidae (Quadrifinae, en majorité) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A, Zool.)* 128: 42-48, Pl.3 8 figs. [\[available in Cesa Library\]](#)
904. **Bernardi, G. & M.Lagnel**, 1966, Une espèce jumelle méconnue du genre *Maniola* Schrank (Lep., Nymphalidae, Satyrinae). *Bull. Soc. ent. Fr.* 71: 35-40, 11 figs. [\[available in Cesa Library\]](#)
905. **Bernardi, G.**, 1945, Etudes sur le genre *Euchloe* Hb. (Lep., Pieridae). *Misc. Ent.* 42: 65-103, Pls. [\[available in Cesa Library\]](#)
906. **Bernardi, G.**, 1957, Contribution a l'étude des pseudodualspecies: une nouvelle espece iranienne d'*Euchloe* Hb. (Lep., Pieridae). *Bull. Soc. ent. Fr.* 62: 38-41, 4figs. [\[available in Cesa Library\]](#)
907. **Bernardi, G.**, 1964, Lépidoptères Lycaenidae (sauf *Agrodiaetus*) récoltés en Iran par H.de Lesse en 1955 et 1958. *Alexandria* 3: 209-216, 273-278. [\[available in Cesa Library\]](#)
908. **Bernardi, G.**, 1970, Note sur la Variation géographique d'*Allancastris cerisyi* Godart (Papilionidae). *Lambillionea* 70: 55-64. [\[available in Cesa Library\]](#)
909. **Bernardi, G.**, 1970, La Variation géographique de l'*Anthocharis grüneri* H.S. *Lambillionea* 70: 1-13, figs. [\[available in Cesa Library\]](#)
910. **Bernardi, G.**, 1977, Danaidae, Nymphalidae (sauf Charaxinae, Euphaedra et Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 104-108. [\[available in Cesa Library\]](#)
911. **Bernardi, G.**, 1977, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 96-101. [\[available in Cesa Library\]](#)
912. **Bernardi, G.**, 1980], Contribution a la biogeographie des montagnes africaines 2. Le genre *Issoria* Hübner (Lepidoptera, Nymphalidae). *Compte r. Séanc. Soc. Biogéogr.* 55(487), 1978: 189-199, figs.
913. **Bernardi, G.**, 1984, Pieridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 60-61, fig.9. [\[available in Cesa Library\]](#)
914. **Bernardi, G.**, 1986, Les Papillons menacés: disparitions, responsabilités, protection. *Bull. Rech. agron. Gembloux* 21(2): 227-244.
915. **Beshkov, S. & D.Vassilev**, 1996, Migrant Lepidoptera species in Bulgaria, 1994. *Atalanta* 27 (1/2): 127-155. [\[available in Cesa Library\]](#)

916. **Beshkov,S. & K.Misja**, 1995, A Contribution to the knowledge of the Lepidoptera fauna of Albania. I. Some materials from the collection of K.Misja in the Natural History Museum Tirana and some results of the collecting trip of Beshkov during 1992 (Lep., Macrolepidoptera). *Atalanta* 26 (1/2): 345-363. [\[available in Cesa Library\]](#)
917. **Beshkov,S. & S.Abadjiev**, 1996, Migrant Lepidoptera species in Macedonia and Albania, 1994. *Atalanta* 27 (1/2): 157-164. [\[available in Cesa Library\]](#)
918. **Beshkov,S. & Z.Kolev**, 1996, A new Chersotis Boisduval,1840 species for the Bulgarian fauna and a second record of its closely related species from Bulgaria with a review of their nomenclature (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 98-101, 5 figs. [\[available in Cesa Library\]](#)
919. **Beshkov,S.**, 1995, A Contribution to the knowledge of the Lepidoptera fauna of Albania 2. Some findings of a collecting trip in September 1993 (Lep., Macrolepidoptera). *Atalanta* 26 (1/2): 365-399, figs. [\[available in Cesa Library\]](#)
920. **Beshkov,S.**, 1996, Migrant Lepidoptera Species in Bulgaria in 1995 (Insecta, Lepidoptera). *Atalanta* 27 (3/4): 517-533. [\[available in Cesa Library\]](#)
921. **Beshkov,S.**, 1996, Migrant Lepidoptera Species in Albania and Macedonia in 1995 (Insecta, Lepidoptera). *Atalanta* 27 (3/4): 535-543. [\[available in Cesa Library\]](#)
922. **Beshkov,S.**, 1996, *Yigoga flavina flavina* (Herrich-Schäffer,1852) =*Yigoga flavina pretiosa* (Caradja,1931) syn.n.,stat.rev. (Lepidoptera, Noctuidae, Noctuinae). *Phegea* 24(2): 69-80, 13 figs., 2 Pls. [\[available in Cesa Library\]](#)
923. **Beshkov,S.**, 1996, A new subspecies of *Erebia cassioides* (Reiner & Hohenwarth,1792) from Bulgaria: *Erebia cassioides kinoshitai* ssp.n. (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 24(3): 109-124, 44 figs. [\[available in Cesa Library\]](#)
924. **Beshkov,S.**, 1997, A new noctuid moth from Bulgaria: *Oncocnemis confusa michaelorum* ssp.n. (Lepidoptera, Noctuidae). *Phegea* 25(4): 153-161, figs. [\[available in Cesa Library\]](#)
925. **Beshkov,S.**, 2006, *Nola ronkayorum* sp n., a new species from Bulgaria and Turkey (Lepidoptera, Nolidae). *Phegea* 34 (1): 17-32, figs. [\[available in Cesa Library\]](#)
926. **Beshkov,S., K.Misja & S.Abadjiev**, 1996, A contribution to the knowledge of the Lepidoptera fauna of Albania. 3. Some results of the collecting in April 1994 and some materials from the collection of the Natural History Museum of Tirana (Lepidoptera, Macrolepidoptera, Heterocera). *Atalanta* 27 (3/4): 623-648, figs., Pls. [\[available in Cesa Library\]](#)
927. **Bethune-Baker,G.T.**, 1891, Notes on the Lepidoptera collected in Madeira by the late T.Vernon Wollaston. *Trans. ent. Soc. London* 1891: 197-221. [\[available in Cesa Library\]](#)
928. **Bethune-Baker,G.T.**, 1897, Four new species of *Arhopala*. *Entomologist's mon. Mag.* 33 (9): 202-205. [\[available in Cesa Library\]](#)
929. **Bethune-Baker,G.T.**, 1903, A revision of the *Amblypodia* group of butterflies of the family *Lycaenidae* *Trans. zool. Soc. Lond.* 17 (1): 1-164, pls.1-5.
930. **Bethune-Baker,G.T.**, 1903, A new species of *Arhopala* from Singapore. *Entomologist's mon. Mag.* 39 (9): 218. [\[available in Cesa Library\]](#)
931. **Bethune-Baker,G.T.**, 1905, Notes on a small collection of Heterocera from the Fiji Islands with descriptions of some new species. *Proc. zool. Soc. Lond.* 75: 88-95, pls. viii-ix [\[available in Cesa Library\]](#)
932. **Bethune-Baker,G.T.**, 1908, Descriptions of new *Rhopalocera* from the Upper Congo. *Ann. Mag. nat. Hist.* 8 (2): 469-482. [\[available in Cesa Library\]](#)
933. **Bethune-Baker,G.T.**, 1908, descriptions of new African Heterocera. *Ann. Mag. nat. Hist.* (8) 2: 255-264. [\[available in Cesa Library\]](#)
934. **Bethune-Baker,G.T.**, 1910, A revision of the African species of the *Lycaenesthes* group of *Lycaenidae*. *Trans. ent. Soc. London* 1910: 1-84, figs. [\[available in Cesa Library\]](#)
935. **Bethune-Baker,G.T.**, 1911, Descriptions of new species of Lepidoptera from Tropical Africa. *Ann. Mag. nat. Hist.* (8) 8: 506-544. [\[available in Cesa Library\]](#)
936. **Bethune-Baker,G.T.**, 1913, Notes on the specific distinction of certain species in the *orbitulus* and *pheretiades* section of the genus *Plebeius*. *Trans. ent. Soc. London* 1913: 205-212, pls.vi-viii. [\[available in Cesa Library\]](#)
937. **Bethune-Baker,G.T.**, 1914, Eighteen days on Mount Canigu Pyrenées orientales. *Entomologist's Rec. J. Var.* 26: 53-. [\[available in Cesa Library\]](#)
938. **Bethune-Baker,G.T.**, 1918, A Revision of the genus *Tarucus*. *Trans. ent. Soc. London* (1917) 65(2/4): 269-296, pls.xiv-xx. [\[available in Cesa Library\]](#)

939. **Bethune-Baker, G.T.**, 1921, A new palaearctic species of the Lycaeninae. Entomologist's Rec. J. Var. 33 (4): 63-64.
940. **Bethune-Baker, G.T.**, 1923, A monograph of the genus *Catochrysops* Boisd. Trans. ent. Soc. London 1922: 275-366.
941. **Bethune-Baker, G.T.**, 1926, Description of a new form of *Acraea* from the Cameroons. Entomologist's Rec. J. Var. 38: 115-116. [[available in Cesa Library](#)]
942. **Bettag, E.**, 1997, *Bembecia joesti* sp.n., ein neuer Glasflügler aus Marokko (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo N.F. 18 (1): 23-27, 2 Abb. [[available in Cesa Library](#)]
943. **Betti, G.**, 1977, Nouvelles sous-espèces des Lycaenidae paléarctiques. Alexanor 10 (2): 87-95, Tab.i-iv. [[available in Cesa Library](#)]
944. **Betti, G.**, 1989, Contribution a la connaissance des *Parnassius* d'Anatolie (Lepidoptera, Papilionidae). Linneana Belg. 12 (2): 67-76, 3 figs. [[available in Cesa Library](#)]
945. **Betts, E.B.C.**, 1922, Rhopalocera from Rhodes, Samos, Gallipoli etc. Entomologist 55: 137-138.
946. **Beuret, H.**, 1938-1939, Beitrag zur Kenntnis der alpinen Formen von *Lycaeides idas* L. (=argyrognomon auct. nec Bergstr.). Ent. Rdsch. 55 (1938): 507-512, 575-577, 638-644, 680-683; 56 (1939): 21-23, 52-54, 83-86, 143-144, 205-207, 261-264. [[available in Cesa Library](#)]
947. **Beuret, H.**, 1951, Eine interessante Form von *Aricia agestis* Schiff. Mitt. ent. Ges. Basel 1: 53-55, fig. [[available in Cesa Library](#)]
948. **Beuret, H.**, 1952, *Palaeochrysophanus candens* H.S., eine bisher verkannte Art (Lycaenidae). Mitt. ent. Ges. Basel 2: 57-64, figs. [[available in Cesa Library](#)]
949. **Beuret, H.**, 1955, *Zizeeria karsandra* Moore in Europa und die systematische Stellung der Zizeerinae (Lepidoptera, Lycaenidae). Mitt. ent. Ges. Basel 5 (9): 123-130, figs. [[available in Cesa Library](#)]
950. **Beuret, H.**, 1958, Zur systematischen Stellung einiger wenig bekannten *Glaucopsyche* (Lep., Lycaenidae). Mitt. ent. Ges. Basel 8: 61-79, 81-100, pls. [[available in Cesa Library](#)]
951. **Beuret, H.**, 1960, Versuch einer taxonomischen Deutung der schweizerischen *agestis*-Formen. Mitt. ent. Ges. Basel (N.F.) 10: 1-96.
952. **Beutelspacher, C.R.**, 1998, Lepidopteros de Los Altos de Chiapas, Mexico I (Lepidoptera, Sphingidae). Revta lepid. 26 (102): 117-123. [[available in Cesa Library](#)]
953. **Beutelspacher, C.R.**, 1998, Lepidopteros de Rizo der Oro, Chiapas, Mexico II (Lepidoptera, Arctiidae). Revta lepid. 26 (104): 187-195. [[available in Cesa Library](#)]
954. **Beutenmüller, W.**, 1899, New African Sesiidae. J. New York Ent. Soc. 7: 170-172. [[available in Cesa Library](#)]
955. **Bianchini, R.**, 1995, Observations de *Colias palaeno* Linné, 1761, et de ses sous-espèces du cap Nord aux Alpes-Maritimes (Lepidoptera, Pieridae). Alexanor 18(8): 471-474, 1 fig. [[available in Cesa Library](#)]
956. **Bianchini, R.**, 1995, *Melanargia galathea* Linné, 1758, et ses formes individuelles voisines de *tenebrosa* dans les Alpes-Maritimes (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 18(8): 503-504, figs. [[available in Cesa Library](#)]
957. **Bidzilya, O. & H.Li**, 2009, A review of the genus *Athrips* Billberg (Lepidoptera, Gelechiidae) in China. Dt. ent. Z. 56 (2): 323-333, figs. [[available in Cesa Library](#)]
958. **Bidzilya, O. & H.Li**, 2010, The genus *Scrobipalpa* Janse (Lepidoptera, Gelechiidae) in China, with descriptions of 13 new species. Zootaxa 2513: 1-26, figs. [[available in Cesa Library](#)]
959. **Bidzilya, O. & O.Karsholt**, 2008, New data on Anomologini from Palaearctic Asia (Gelechiidae). Nota lepid. 31 (2): 199-213, figs. [[available in Cesa Library](#)]
960. **Bidzilya, O.**, 1996, A new species of the genus *Bryotropha* (Lepidoptera, Gelechiidae) from the South Ukraine. Vestn. zool. 1996: 83.
961. **Bidzilya, O.**, 2005, A review of the genus *Athrips* (Lepidoptera, Gelechiidae) in the Palaearctic Region. Dt. ent. Z. 52 (1): 3-72, figs. [[available in Cesa Library](#)]
962. **Bidzilya, O.**, 2005, A review of the genus *Metanarsia* Staudinger, 1871 (Gelechiidae). Nota lepid. 27 (4): 273-297, figs. [[available in Cesa Library](#)]
963. **Bidzilya, O.**, 2008, New species and new records of the genus *Metanarsia* Staudinger, 1871 (Lepidoptera, Gelechiidae). Shilap Revta lepid. 36 (144): 531-538, figs. [[available in Cesa Library](#)]
964. **Bidzilya, O.**, 2014, A remarkable new species of the genus *Catantagma* Rebel, 1903 (Lepidoptera, Gelechiidae) from Turkmenistan. Nota lepid. 37 (1): 67-74, figs. [[available in Cesa Library](#)]

965. **Bidzilya, O.V.**, 2005, Three new species of the genus *Syncopacma* (Lepidoptera, Gelechiidae) from Central Asia. *Vestnik Zool.* 39 (1): 77-82, figs. [[available in Cesa Library](#)]
966. **Biermann, H. & F.-J. Hesch**, 1982, Beitrag zur Tagfalterfauna Sardinines (Lep., Rhopalocera u. Hesperidae). *Atalanta* 13 (4): 266-293, Karte, Abb. [[available in Cesa Library](#)]
967. **Biermann, H.**, 1990, Nachtrag zu "Beitrag zur Tagfalterfauna Sardinines (Lep., Rhopalocera u. Hesperidae)". *Atalanta* 21 (1/2): 81-82. [[available in Cesa Library](#)]
968. **Biermann, H.**, 1998, Tabellarische Übersicht über die Tagfalter der tyrrhenischen Inseln und des angrenzenden Festlands. *Atalanta* 28 (3/4): 277-287. [[available in Cesa Library](#)]
969. **Bigger, T.R.L.**, 1960, Chromosome numbers of Lepidoptera. Pt.1. *Entomologist's Gaz.* 11: 149-152.
970. **Bigot, L. & J. Picard**, 2002, Les *Stenoptilia* de la section *grisescens* en France. *Stenoptilia mariae-luisae* nov.sp. et *Stenoptilia inopinata* nov.sp. (Lepidoptera, Pterophoridae). *Alexanor* 21 (5): 301-311, figs. [[available in Cesa Library](#)]
971. **Bigot, L.**, 1963, Les Pterophoridae de l'île de Crète. *Lambillionea* 63: 9-12, figs.
972. **Bigot, L.**, 1968, Les Pterophoridae de l'Iran [Lep]. *Ark. Zool.* (2) 20 (12): 243-251, 12 figs. [[available in Cesa Library](#)]
973. **Bigot, L.**, 1977, Pterophoridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 30. [[available in Cesa Library](#)]
974. **Bigot, L.**, 1984, Pterophoridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 9-10. [[available in Cesa Library](#)]
975. **Bigot, L., Gibeaux, C., Nel, J. & J. Picard**, 1998, Réflexion sur la classification des Pterophores français Utilité et utilisation de la notion de section (Lepidoptera, Pterophoridae). *Alexanor* 20(5): 287-302. [[available in Cesa Library](#)]
976. **Billberg, G.J.**, 1820, *Enumeratio insectorum in Museo Billberg*, 138pp., Holmiae. [[available in Cesa Library](#)]
977. **Binagot, J.F. & D. Lartique**, 1998, Une nouvelle entité subspécifique de *Zerynthia rumina* (Linné, 1758) dans le Sud-ouest marocain (Lepidoptera, Papilionidae). *Linneana Belgica* 16(8): 323-334, figs. [[available in Cesa Library](#)]
978. **Binder, A.**, 1994, Beitrag zur Schmetterlingsfauna Böhmens (Insecta, Lepidoptera). *Neue ent. Nachr.* 32: 150S. [[available in Cesa Library](#)]
979. **Birket-Smith, S.J.R.**, 1974, Morphology of the male genitalia of Lepidoptera II. Monotrysis, Zeugloptera, and discussion. *Ent. scand.* 5: 161-183, 28 figs.
980. **Bischoff, H.**, 1932, Über einen bisher unbeachteten Sexualcharakter der Parnassier. *Parnassiana* 2: 16-19, figs. 3-4.
981. **Bivar de Sous, A. & L.F. Mendes**, 2007, On the genus *Eagris* Guenée, 1863 in Angola (Lepidoptera, Hesperidae). *Shilap Revta lepid.* 35 (139): 311-316, figs. [[available in Cesa Library](#)]
982. **Bjorn, P., Jernes, J.E. & O. Karsholt**, 1976, *Eupithecia selinata* Herrich-Schäffer, 1861 (Lepidoptera, Geometridae) i Danmark. *Ent. Meddr* 44: 19-22.
983. **Bjorn, P., Jernes, J.E. & O. Karsholt**, 1976, *Eupithecia selinata* Herrich-Schäffer, 1861, i Danmark. *Lepidoptera, Kbh. N. S.* 3: 15-18.
984. **Blab, J. et al.**, 1977, Rote Liste der gefährdeten Tiere und Pflanzen in der Bundesrepublik Deutschland. *Naturschutz Aktuell* 1: 1-66. [[available in Cesa Library](#)]
985. **Blachier, C.**, 1905, Lépidoptères du Maroc. Remarques sur diverses especes et descriptions de variétés nouvelles. *Annls Soc. ent. Fr.* 77 (2): 209-222, Pl.4.
986. **Blachier, C.**, 1905, Descriptions de Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 1905: 212-215. [[available in Cesa Library](#)]
987. **Blachier, C.**, 1912, Especes ou formes nouvelles de Lépidoptères africains appartenant aux genres *Acraea* et *Mylothris*. *Bull. Soc. lepid. Genève* 2: 173-177, Pl.15.
988. **Blachier, C.**, 1912, Notes complémentaires sur quelques Papillons d'Algérie et du Maroc, récemment décrits. *Bull. Soc. lepid. Genève* 2: 251-253.
989. **Blackstein, H. & T. Karisch**, 2011, Zur Wicklerfauna Tunesiens (Tortricidae). *Nota lepid.* 33 (2): 219-229, figs. [[available in Cesa Library](#)]
990. **Blanchard, E.**, 1840-1841, Histoire naturelle des insectes Orthopteres Neuropteres Hemipteres Hymenopteres Lepidopteres et Dipteres; avec une introduction par M. Brulle. 3 vols. 150 pls. Paris.
991. **Blanchard, E.**, 1844], Les Insectes, [in] Jacquemont, V., Le Voyage dans l'Inde. 1841-1844, 31pp., pl. col. Paris.

- 992. Blanchard, E.**, 1871, Remarques sur la faune de la principauté thibétaine du Moupin. C. r. hebdomadaire. Séances Acad. Sci., Paris 72: 807-813.
- 993. Blaschke, P.**, 1914, Die Raupen Europas mit ihren Futterpflanzen. 29♀+264♀+75S. 28 Taf. Grasers Verlag, Annaberg. [\[available in Cesa Library\]](#)
- 994. Blasius, R.**, 1993, Neues vom Eichenzweig-Glaslügler *Paranthrene insolita*. *Melanargia* 5 (2): 37-45. [\[available in Cesa Library\]](#)
- 995. Bleszynski, S. & R.J. Collins**, 1962, A short catalogue of the world species of the family Crambidae (Lepidoptera). *Acta zool. cracov.* 7 (12): 197-389. [\[available in Cesa Library\]](#)
- 996. Bleszynski, S.**, 1955, Materialien zur Kenntnis der Crambinae X. Über die systematische Stellung der *Crambus delicatellus* Zeller-Gruppe. *Z. wien. ent. Ges.* 40: 266-269, 3 figs. [\[available in Cesa Library\]](#)
- 997. Bleszynski, S.**, 1957, Studies on the Crambidae (Lepidoptera). Part XIV. Revision of the European species of the generic group *Crambus* (s.l.). *Acta zool. cracov.* 1: 161-622, pls. 27-92. [\[available in Cesa Library\]](#)
- 998. Bleszynski, S.**, 1958, Studies on the Crambidae (Lepidoptera), Part xviii. Revision of the genus *Chrysocrambus* Blesz. *Acta zool. cracov.* 2 (34): 845-870, Pls. [\[available in Cesa Library\]](#)
- 999. Bleszynski, S.**, 1960, Studies on the Crambidae (Lepidoptera). Part XXIII. New species of the generic group *Crambus* F. *Polski Pismo Ent.* 30 (2): 11-22, 10 figs. [\[available in Cesa Library\]](#)
- 1000. Bleszynski, S.**, 1961, Studies on the Crambinae (Lepidoptera). part xxvi. Preliminary study on the genus *Euchromius* Gn. *Acta ent. Mus. natn. Pragae* 34: 451-468, 26 figs. [\[available in Cesa Library\]](#)
- 1001. Bleszynski, S.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XV. Lepidoptera Crambidae. *Annln naturh. Mus. Wien* 66: 471. [\[available in Cesa Library\]](#)
- 1002. Bleszynski, S.**, 1965, Crambinae, [In] Amsel, H.G., Reisser, H. & F. Gregor: *Microlepidoptera Palaearctica* 1: xlvii ♀ 533pp. 133 pls., Wien [\[available in Cesa Library\]](#)
- 1003. Bleszynski, S.**, 1969, Crambinae aus der Türkei und aus Griechenland (Lepidoptera, Pyralidae). *Ent. Z., Frankf. a. M.* 79: 25-27. [\[available in Cesa Library\]](#)
- 1004. Bleszynski, S.**, 1970, A revision of the world species of *Chilo* Zincken (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 25: 101-195, 5 pls. [\[available in Cesa Library\]](#)
- 1005. Bleszynski, S.**, 1970, New genera and species of tropical Crambinae (Studies on the Crambinae, Lepidoptera, Pyralidae, part 48). *Tijdschr. Ent.* 113 (1): 1-26, 48 figs. [\[available in Cesa Library\]](#)
- 1006. Bleszynski, S.**, 1970, A revision of the oriental species of the genus *Ancylolomia* Hübner (Studies on the Crambinae, Lepidoptera, Pyralidae, part 49). *Tijdschr. Ent.* 113 (1): 27-43, 33 figs. [\[available in Cesa Library\]](#)
- 1007. Bleszynski, S.**, 1970, A revision of the genus *Culladia* Moore (Studies on the Crambidae, Lepidoptera, Pyralidae, part 50). *Tijdschr. Ent.* 113 (1): 44-59, 28 figs. [\[available in Cesa Library\]](#)
- 1008. Blom, W. & C. Eisner**, 1979, *Parnassiana nova* LV. *Allancastria louristana boyrahmediensis* subsp. nov. *Zool. Meded.* 54(18): 277-278, 1 Pl. [\[available in Cesa Library\]](#)
- 1009. Blom, W.L.**, 1979, Descriptions of new butterflies from Iran. *Ent. Ber., Amst.* 39: 10-14, 15 figs. [\[available in Cesa Library\]](#)
- 1010. Blom, W.L.**, 1979, New butterflies from Iran (Lepidoptera, Rhopalocera). *Ent. Ber., Amst.* 39: 185-188, 12 figs. [\[available in Cesa Library\]](#)
- 1011. Bodenheimer, F.S.**, 1930, Die Schädlingsfauna Palästinas. Berlin.
- 1012. Bodenheimer, F.S.**, 1930, Zur Kenntnis der Mikrolepidopterenfauna Palästinas. *Dt. ent. Z., Iris* 44: 169-175.
- 1013. Bodenheimer, F.S.**, 1932, Beitrag zur Kenntnis der Lepidopterenfauna Palästinas. *Dt. ent. Z., Iris* 46: 93-96. [\[available in Cesa Library\]](#)
- 1014. Bodenheimer, F.S.**, 1936, The Zoogeography of the Sinai Peninsula. *Comptes Rendus xii. congrès Int. Zool., Lisbonne 1935*: 1138-1164. [\[available in Cesa Library\]](#)
- 1015. Bodenheimer, F.S.**, 1941, Türkiye Entomolojisi II. Türkiye Haşerat Familyalarının Resimli Teşhis Anahtarı. 103 S., xxxiii Tablo. T.C. Ziraat Vekaleti Neşriyatı, Sayı 531, Nebat Hastalıkları 7, Çankaya Matbaası, Ankara. [\[available in Cesa Library\]](#)
- 1016. Bodenheimer, F.S.**, 1951, Citrus Entomology in the Middle East with special references to Egypt, Iran, Irak, Palestine, Syria, Turkey. xii♀+663pp. s'Gravenhage.
- 1017. Boeber, J. de**, 1809, Descriptions de quelques nouvelles espèces de Papillons découvertes en Sibérie. *Mém. Soc. Nat. Moscou* 2: 305-310, tab. 19.

- 1018. Bogdanov,P.V.**, 1997, Geographical division, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia.
- 1019. Bogdanov,P.V., Samodurov,G.D. & V.K.Tusov**, 1997, Family: Satyridae, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [\[available in Cesa Library\]](#)
- 1020. Bogner,A.**, 1999, Eine Zuchtbeschreibung von Streblote panda (Hübner,1820) (Lepidoptera, Lasiocampidae). Nachr. ent. Ver. Apollo N.F. 20 (2): 127-132, 12 Abb. [\[available in Cesa Library\]](#)
- 1021. Bohatsch,O.**, 1880, Nachtrag zur Lepidopterenfauna Syriens. Verh. zool.- bot. Ges. Wien 29 (1879): 405-410. [\[available in Cesa Library\]](#)
- 1022. Bohatsch,O.**, 1883, Eine neue Boarmia aus Ungarn Wien. ent. Ztg. 2: 111-114, fig. [\[available in Cesa Library\]](#)
- 1023. Bohatsch,O.**, 1886, Beitrag zur Lepidopterenfauna Transkaukasiens. Wien. ent. Ztg. 5: 123-128, 200-203. [\[available in Cesa Library\]](#)
- 1024. Bohatsch,O.**, 1893, Mittheilungen über Eupitheciën. Dt. ent. Z., Iris 6: 1-35. [\[available in Cesa Library\]](#)
- 1025. Bohatsch,O.**, 1910, Neue palaearktische Macrolepidopteren. Jber. wien. ent. Ver.19: 163-164. [\[available in Cesa Library\]](#)
- 1026. Boillat,H.**, 1989, Coenonympha (superspecies dorus) austauti Oberthür Etude taxinomique et biogéographique (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 15 (7): 393-417, figs. [\[available in Cesa Library\]](#)
- 1027. Boillat,H.**, 1991, Coenonympha (superspecies gargetta) orientalis Rebel Mise au point taxinomique (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 16 (7): 395-412, figs. [\[available in Cesa Library\]](#)
- 1028. Boisduval,B.B.A.D.de**, 1832, Voyage de découvertes de l'Astrolabe..., Première Partie Lépidoptères. 267 pp. Paris. [\[available in Cesa Library\]](#)
- 1029. Boisduval,J.B.A.**, 1828, Europaeorum Lepidopterorum index methodicus. 103 pp., Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 845] [\[available in Cesa Library\]](#)
- 1030. Boisduval,J.B.A.**, 1828, Essai sur une Monographie des Zygénides, suivie d'un tableau méthodique de classification des Lépidoptères. xxvi+132 pp. 8 pls. Paris. [issued Nov.1828; vide Bibl. Franç. 1828: 836]
- 1031. Boisduval,J.B.A.**, 1832, Voyage de Découvertes de l'Astrolabe exécuté par Ordre du Roi pendant des Années 1826-1829 sous le Commandement de M.J.Dumont d'Urville. Faune Entomologique de l'Océan Pacifique avec l'illustration des Insectes nouveaux recueillis pendant le Voyage. I. Lépidoptères. [iv], I-IV, 5-8, 10-267 pp. Pls. Ins. 1-5. Paris
- 1032. Boisduval,J.B.A.**, 1832-1843, Collection iconographique et historique des Chenilles d'Europe...42 livr. 2 pls. Roret, Paris.
- 1033. Boisduval,J.B.A.**, 1832-[1834], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.1, 252 pp., 47 pls. Paris.
- 1034. Boisduval,J.B.A.**, 1834-[1841], Icones historiques des Lépidoptères nouveaux ou peu connus. Collection, avec figures coloriées, des Papillons d'Europe nouvellement découverts; ouvrage formant le complément de tous les Auteurs iconographes vol.2, 208 pp., 37 pls. Paris.
- 1035. Boisduval,J.B.A.**, 1836, Histoire naturelle des Insectes. Spécies général des Lépidoptères vol.1, [4] xii + 690 + 6pp., 24 pls. Paris. [\[available in Cesa Library\]](#)
- 1036. Boisduval,J.B.A.**, 1840, Genera et Index Methodicus Europaeorum Lepidopterorum, 238 pp. Paris. [out by 9 May; vide Bibl. Franç.]. [\[available in Cesa Library\]](#)
- 1037. Boisduval,J.B.A.**, 1847, Catalogue des Lépidoptères recueillie par M.Delegorgue pendant les années 1838-1844 à Port Natal, au pays de Amazoulous et dans la contrée de Massilicatzi. [in] Delegorgue,A., Voyage dans l'Afrique australe 2: 585-602. Paris.
- 1038. Boisduval,J.B.A.**, 1848, Note relative aux Lépidoptères recueillis par Kindermann aux environs d'Odessa et au pied du Caucase. Annls Soc. ent. Fr. 2(6): xxviii- xxx. [\[available in Cesa Library\]](#)
- 1039. Boisduval,J.B.A.**, 1852, Trois nouvelles espèces de Psyche. Annls Soc. ent. Fr. 2(10): xxii. [\[available in Cesa Library\]](#)
- 1040. Boisduval,J.B.A.**, 1859, Lépidoptères nouveaux de la Nouvelle Calédonie. Annls Soc. ent. Fr. (3) 7: Bull.: 154-157.
- 1041. Boisduval,J.B.A.**, 1869, Lépidoptères de la Californie. Annls Soc. ent. Belg. 12: 5-94.

- 1042. Boisduval, J.B.A.**, 1870, Considérations sur des Lépidoptères envoyés du Guatemala a M. de l'Orza. ii+100 pp. Paris.
- 1043. Boisduval, J.B.A.**, [1875], Spécies général des Lépidoptères Héterocères 1. Sphigides, Sesiides, Castniides, [in] Boisduval & Guenee, Histoire naturelle d'Insectes 1. 380 pp. Paris.
- 1044. Bollino, M. & G.Sala**, 1992, *Papilio alexanor eitschbergeri*, a new subspecies from Samos Island (Greece) and Western Turkey (Lepidoptera, Papilionidae). *Atalanta* 23(1/2): 127-131, pl.vii. [\[available in Cesa Library\]](#)
- 1045. Bollino, M. & G.Sala**, 1995, Considerations about proposed synonymy of some *Papilio alexanor* subspecies (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 16(2/3): 253-258. [\[available in Cesa Library\]](#)
- 1046. Bollino, M. & J.A.Salazar**, 2001, Una nouva sottoespecie colobiana del genre *Parides* (Lep., Papilionidae). *Lambillionea* 101 (4): 641-644.
- 1047. Bollow, C.**, 1929, Gattung *Parnassius* Latr. [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 20-91, pls. Stuttgart. [\[available in Cesa Library\]](#)
- 1048. Bollow, C.**, 1929-1930, Gattung *Parnassius* Latr. [In] Seitz, A., *Gross-Schmett. Erde, Suppl.* 1: 20-83. Stuttgart. [\[available in Cesa Library\]](#)
- 1049. Bollow, C.**, 1930, Familie *Pieridae*. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 96-125. Stuttgart. [\[available in Cesa Library\]](#)
- 1050. Bollow, C.**, 1930, Familie *Nymphalidae*. Gruppe: *Apaturidi*. [In] Seitz, A., *Die Gross-Schmett. Erde, Suppl.* 1: 191-196. Stuttgart. [\[available in Cesa Library\]](#)
- 1051. Bollow, C.**, 1930, Subfam. *Nymphalinae*. [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 191-198, pl. Stuttgart. [\[available in Cesa Library\]](#)
- 1052. Bollow, C.**, 1930, Fam. *Lycaenidae* (Gattung *Virachola-Taraca*). [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 251-306, pls. Stuttgart [\[available in Cesa Library\]](#)
- 1053. Bollow, C.**, 1930, Fam. *Pieridae*. [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 93-125, pls. Stuttgart. [\[available in Cesa Library\]](#)
- 1054. Bollow, C.**, 1930-1931, Familie *Lycaenidae*. [In] Seitz, A., *Die Gross-Schmett. Erde* (Suppl.) 1: 249-296. Stuttgart. [\[available in Cesa Library\]](#)
- 1055. Bollow, C.**, 1931, Nachträge zur Familie *Papilionidae*, *Pieridae*, *Satyridae* (*Lethe-Erebia*). [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 327-339, pl. Stuttgart. [\[available in Cesa Library\]](#)
- 1056. Bollow, C.**, 1931, Nachträge zu den *Lycaenidae* (Gruppe der *Lycaenini*), *Hesperiidae*. [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 353-354. Stuttgart. [\[available in Cesa Library\]](#)
- 1057. Bollow, C.**, 1931, Nachträge zur Fam. *Nymphalidae* (*Nymphalinae*). [In] Seitz, A., *Die Gross-Schmett. Erde* (suppl.) 1: 341-342. Stuttgart. [\[available in Cesa Library\]](#)
- 1058. Bollow, C.**, 1932, Familie *Saturniidae*. In Seitz, A., *Gross-Schmett. Erde, Suppl.* 2: 129-135. Stuttgart.
- 1059. Boness, M.**, [1990], *Wanderfalter aus dem Bergland Andalusiens*. *Atalanta* 20 (1989): 127-130. [\[available in Cesa Library\]](#)
- 1060. Boonvanno, K. Watanasit, S. & S.Permkam**, 2000, Butterfly diversity at Ton Nga-Chang Wildlife Sanctuary, Songkla Province, Southern Thailand. *Science Asia* 26: 105-110.
- 1061. Booth, G.**, 1892, Attractiveness of flowers to moths. *Entomologist's Rec. J. Var.* 3: 17. [\[available in Cesa Library\]](#)
- 1062. Bordoni, A.**, 1984, *Limenitis populi* (L.) dans les Alpes Ligures (Lep., *Nymphalidae*). *Nota lepid.* 7 (2): 107-108. [\[available in Cesa Library\]](#)
- 1063. Bordoni, A.**, 1984, *Limenitis populi* (L.) dans les Alpes Ligures. *Nota lepid.* 7 (2): 107-108, 1 fig. [\[available in Cesa Library\]](#)
- 1064. Borkhausen, M.B.**, 1788, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 1. 288pp. Frankfurt. [\[available in Cesa Library\]](#)
- 1065. Borkhausen, M.B.**, 1789, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 2. 239pp. pl., Frankfurt.
- 1066. Borkhausen, M.B.**, 1790, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 3. 476pp. Frankfurt.
- 1067. Borkhausen, M.B.**, 1792, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 4. 809pp. Frankfurt.
- 1068. Borkhausen, M.B.**, 1794, *Naturgeschichte der europäischen Schmetterlinge nach systematischer Ordnung*, Tome 5. 572pp. Frankfurt.

1069. **Borodin,A.M., Bannekov,A.G. & V.E. Sokolov et al.**, 1984, Red Book of the SSSR 1: 390pp. figs. Moscow. [\[available in Cesa Library\]](#)
1070. **Borth,R., Ivinskis,P., Saldaitis,A. & R.Yakovlev**, 2011, Cossidae of the Socotra Archipelago (Yemen). Zookeys 122: 45-69, figs. [\[available in Cesa Library\]](#)
1071. **Bortolin,A. Fabiano,F. & A.Sforzi**, 1998, A contribution to the knowledge of the Sphingidae of North India (Insecta, Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 19 (2): 141-148. [\[available in Cesa Library\]](#)
1072. **Boudinot,J.**, 1986, Observations sur le cycle biologiques d'*Azuritis reducta* (Stgr.) (Lepidoptera, Nymphalidae) Alexanor 14 (7): 315-322, 12 figs. [\[available in Cesa Library\]](#)
1073. **Boudinot,J.**, 1986, Description d'un genre nouveau parmi les Limenitini paléarctiques (Lepidoptera, Nymphalidae) Nouv. Rev. Ent. (n.s.) 2 (4): 403-409. [\[available in Cesa Library\]](#)
1074. **Boudinot,J.**, 1987, Ethologie et cycle biologique de *Limenitis populi* (Linné) (Lepidoptera, Nymphalidae). Alexanor 15 (2): 67-79, 27 figs. [\[available in Cesa Library\]](#)
1075. **Boudinot,J.**, 1988, Biologie de *Ladoga camilla* (L.) comparée a celle de deux taxa voisins (Lepidoptera, Nymphalidae, Limenitini). Alexanor 15 (3) (1987): 161-167, 23 figs. [\[available in Cesa Library\]](#)
1076. **Bourgogne,J. & H. de Lesse**, 1951, Un Rhopalocere de plus inscrire au catalogue des Lépidoptères de France: *Euphydryas ichnea* dv. (= *intermedia* Mén.). Revue fr. Lepidopt. 13: 143-152.
1077. **Bourgogne,J. G.C.Luquet**, 1977, Un exemple a ne pas suivre. Alexanor 10: 34.
1078. **Bourgogne,J.**, 1939, Une Psychide nouvelle de Syrie (Lep.). Bull. Soc. ent. Fr. 1939: 199-200, 2 figs. [\[available in Cesa Library\]](#)
1079. **Bourgogne,J.**, 1949, Un type nouveau d'appareil génital femelle chez les Lépidopteres. Annls Soc. ent. Fr. 115: 69-80, 9 figs.
1080. **Bourgogne,J.**, 1949, Note sur la systématique des Lépidopteres et création de deux superfamilles. Revue fr. Ent. 16 (2): 74-77.
1081. **Bourgogne,J.**, 1951, Ordre des Lépidopteres, [in] Grassé,P.P., Traité de Zoologie. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
1082. **Bourgogne,J.**, 1953, *Melitaea athalia* *athalia* Rott. et *M. athalia helvetica* Rühl (pseudoathalia Rev.) en France. Etude biogeographique. Annls Soc. ent. Fr. 122: 131-176.
1083. **Bourgogne,J.**, 1954, La sous-espece *helvetica* Rühl (pseudoathalia Rev.) de *Melitaea athalia* existe-t-elle en Gironde? Revue fr. Lepidopt. 14 (1953): 116-118.
1084. **Bourgogne,J.**, 1956, Particularites de deux aires contigues chez un Lepidoptere Rhopalocere. C.r.Somm. Seanc. Soc. Biogeogr. 1956: 4-9.
1085. **Bourgogne,J.**, 1960, Observations sur les lycenes des landes du Finistre. Alexanor 1: 129-134.
1086. **Bourgogne,J.**, 1960, *Euphydryas intermedia* Men. dans les Hautes-Alpes. Alexanor 2: 253-254.
1087. **Bourgogne,J.**, 1962, Une bonne localite: Pralognan-la-Vanoise. Alexanor 2: 201-206, 255-262.
1088. **Bourgogne,J.**, 1962, Sur la presence de *Melanargia russiae* Esp. dans les Pyrenees françaises. Alexanor 2: 276.
1089. **Bourgogne,J.**, 1964, Reflexions au sujet d'une espece singuliere, *Erebia serotina*. Alexanor 3: 363-368.
1090. **Bourgogne,J.**, 1964, Presentation de deux notes inedites de Rene Oberthür. Alexanor 3: 363-368.
1091. **Bourgogne,J.**, 1965, Une nouvelle localite pyreneenne pour *Boloria napaea*. Alexanor 4: 2.
1092. **Bourgogne,J.**, 1968, Notions elementaires sur les types. Alexanor 5: 193-202.
1093. **Bourgogne,J.**, 1969, Un Lepidoptere americain capture dans les Pyrenees. Alexanor 6: 15-16.
1094. **Bourgogne,J.**, 1969, *Danaus plexippus* observe en France. Alexanor 6: 192.
1095. **Bourgogne,J.**, 1973, Premier inventaire des Macrolepidopteres et Pyralides du Parc National de la Vanoise. Trav. scient. Parc. natn. Vanoise 3: 115-131.
1096. **Bourgogne,J.**, 1977, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 19. [\[available in Cesa Library\]](#)
1097. **Bourgogne,J.**, 1980, Un *Acanthopsyche* nouveau d'Ethiopie (description, observation éthologiques) (Lepidoptera, Psychidae). Revue fr. Ent. (N.S.). 2(4): 162-168, figs.

1098. **Bourgogne, J.**, 1984, Psychidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 7. [\[available in Cesa Library\]](#)
1099. **Bourgogne, J.**, 1986, Un Psychidae nouveau de l'Arabie Saoudite (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 22(2): 277-279, 2 figs. [\[available in Cesa Library\]](#)
1100. **Bourgogne, J.**, 1986, Lepidoptera Fam. Psychidae from Saudi Arabia and Africa. Fauna Saudi Arabia 8: 246-248, 1 fig.
1101. **Bourquin, H.-D.**, 1997, Anmerkungen zu den Artikeln über die Gefährdung des Mosel-Apollos (*Parnassius apollo* ssp. *vinningensis* Stichel, 1899) *Melanargia* 9(2) 1997. *Melanargia* 9(4): 90-93.
1102. **Boursin, C.**, 1932, Zwei neue *Athetis* aus dem Libanon. *Int. ent. Z.* 26: 245-248, Pl. [\[available in Cesa Library\]](#)
1103. **Boursin, C.**, 1933, Neue *Cucullia* und *Athetis* von Marasch in türkisch Nordsyrien, von der Expedition L.Osthelder und E.Pfeiffer. *Mitt. münch. ent. Ges.* 23(1): 8-26, 6 pls. [\[available in Cesa Library\]](#)
1104. **Boursin, C.**, 1934, Contributions a l'etude des Noctuidae-Trifidae. *Revue fr. Ent.* 58(1): 143-153, 12 figs, 3 tab. [\[available in Cesa Library\]](#)
1105. **Boursin, C.**, 1936, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XVII. Eine neue *Heterographa* aus Russisch - Turkestan. *Ent. Rdsch.* 54 (2): 17-21; (6): 54-57, Taf.1, 8 figs. [\[available in Cesa Library\]](#)
1106. **Boursin, C.**, 1936, Contributions a l'étude des Agrotidae Trifinae XV. Nouvelles *Athetis* (*Caradrina* auct.) paléarctiques. *Bull. Soc. ent. Fr.* 1936 (6): 87-94. [\[available in Cesa Library\]](#)
1107. **Boursin, C.**, 1936, Contributions a l'étude des Agrotidae Trifinae (Lep.) XVI. Nouvelles especes paléarctiques. *Bull. Soc. ent. Fr.* 1936 (12): 224-226. [\[available in Cesa Library\]](#)
1108. **Boursin, C.**, 1939, Beiträge zur Kenntnis der Agrotidae-Trifinae XXII. *Elaphria* Arten aus der 1937 Expedition von Herrn F.H.Brandt in Farsistan. *Ent. Rdsch.* 56: 289-293, 321-325, pls. [\[available in Cesa Library\]](#)
1109. **Boursin, C.**, 1940, Contributions a l'etude des Agrotidae-Trifinae XXVI. Description d'un *Copiphana* nouveau de Macédonie. *Bull. mens. Soc. linn. Lyon* 9(5): 70-75, 1 pl. [\[available in Cesa Library\]](#)
1110. **Boursin, C.**, 1940, Contributions a l'etude des Agrotidae-Trifinae XXIV. Une nouvelle *Stilbia* du Maroc. *Revue fr. Ent.* 7 (1): 83-85, pl.2. [\[available in Cesa Library\]](#)
1111. **Boursin, C.**, 1940, Beiträge zur Kenntnis der "Agrotidae-Trifinae" XXIII. *Mitt. münch. ent. Ges.* 30: 474-543, Taf.viii-xii. [\[available in Cesa Library\]](#)
1112. **Boursin, C.**, 1940, Nouveaux Agrotidae Paléarctiques (Contributions a l'Etude des "Agrotidae-Trifinae". XXVII) *Mém. Mus. Hist. nat. Paris.* 12 (4): 303-330, Pl.9-10, 26 figs. [\[available in Cesa Library\]](#)
1113. **Boursin, C.**, 1941, Die *Cucullia*-Arten aus Dr.H.Höne's China-Ausbeuten während der Jahre 1931 bis 1938. *Dt. ent. Z., Iris* 55: 28-84, pls.7-13. [\[available in Cesa Library\]](#)
1114. **Boursin, C.**, 1942, Die *Elaphria*-Arten der 1937/38- Sammelreisen von Herrn Fred H. Brandt in Süd- und Nordost-Iran (Laristan, Iranisch-Belutchistan und Khorassan), nebst Beschreibung von 4 neuen Arten und mehreren Formen. *Z. wien. EntVer.* 27: 89-101, Taf. 6-7. [\[available in Cesa Library\]](#)
1115. **Boursin, C.**, 1943, Über die systematische Stellung einiger Typen von Moore aus der Sammlung des Zoologischen Museums Berlin, nebst Beschreibung einer neuen Gattung. Beiträge zur Kenntnis der "Agrotidae - Trifinae" XXXIII. *Z. wien. ent. Ges.* 28: 337-343, Taf. XLI-XLII, 18 figs. [\[available in Cesa Library\]](#)
1116. **Boursin, C.**, 1943, Eine neue Gattung der Unterfamilie Zenobiinae aus Iran. *Z. wien. ent. Ges.* 28: 314-316, Taf. [\[available in Cesa Library\]](#)
1117. **Boursin, C.**, 1944, Contributions a l'Etude de la Faune du Caucase et de l'Arménie. *Revue fr. Ent.* 10: 75-84, pls. [\[available in Cesa Library\]](#)
1118. **Boursin, C.**, 1945, Un nouveau *Chersotis* d'Arménie: *Chersotis elegantula* n.sp. (Lepidoptera, Agrotinae). *Revue fr. lépid.* 10: 64-69, pl. [\[available in Cesa Library\]](#)
1119. **Boursin, C.**, 1946, Trois nouveaux genres paléarctiques de la sous-famille des Agrotinae. *Revue fr. lépid.* 10: 186-192. [\[available in Cesa Library\]](#)
1120. **Boursin, C.**, 1948, Über zwei *Autophila*-Arten aus den Brandtschen Ausbeuten in Süd- und Ost-Iran. *Z. wien. ent. Ges.* 32 (1947): 142-148, pls.8-10. [\[available in Cesa Library\]](#)
1121. **Boursin, C.**, 1948, Neue palaearktische Agrotis-Arten aus dem naturhistorischen Museum in Wien, nebst Synonymie-Notizen. Beiträge zur Kenntnis der Agrotidae-Trifinae xlv. *Z. wien. ent. Ges.* 33: 97-136, 14 Taf. [\[available in Cesa Library\]](#)

- 1122. Boursin, C.**, 1949, Eine neue Gattung der Unterfamilie Zenobiinae aus dem Syr-Darja-Gebiet. Z. wien. ent. Ges. 34: 158-160, Taf.16, 5 figs. [[available in Cesa Library](#)]
- 1123. Boursin, C.**, 1951, Eine neue *Agrochola* Hb.(*Orthosia* auct.) aus Kleinasien. Z. wien. ent. Ges. 36: 158-161. [[available in Cesa Library](#)]
- 1124. Boursin, C.**, 1952, Beiträge zur Kenntnis der Agrotidae-Trifinae, XLIX. Synonymie Notizen nebst verschiedenen Bemerkungen, III. Z. f. Lepidopt. 2 (1): 49-68. [[available in Cesa Library](#)]
- 1125. Boursin, C.**, 1953, Über die Gattung "Allophytes" Tams nebst Beschreibung einer neuen Art aus Klein-Asien Lep. Phalaenidae (Noctuidae) (Beiträge zur Kenntnis der "Agrotidae-Trifinae", LIX). Mitt. münch. ent. Ges. 43: 239-247, Taf. ii-v. [[available in Cesa Library](#)]
- 1126. Boursin, C.**, 1954, Die "Agrotis"- Arten aus Dr.h.c. H.Höne's China-Ausbeuten I. Die Gattung *Diarsia* Hb. (= *Oxira* Wlk.). Bonn. zool. Beitr. 5(3/4): 213-309, 14 pls. 1 map. [[available in Cesa Library](#)]
- 1127. Boursin, C.**, 1954, Contribution to the knowledge of the Agrotidae-Trifinae of Kashmir lxiv (Lepidoptera). Bull. Soc. Fouad Ier Ent. 38: 81-106, 4 pls. [[available in Cesa Library](#)]
- 1128. Boursin, C.**, 1954, Zwei neue *Cryphia* Hb. (*Bryophila*)-Arten aus dem vorderasiatisch-mediterranen Faunenkreis (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXVI (66)). Z. wien. ent. Ges. 39: 85-89, 2 Taf. [[available in Cesa Library](#)]
- 1129. Boursin, C.**, 1954, Eine neue palaearktische (und europäische) *Cryphia* Hb. (*Bryophila*)-Art. Z. wien. ent. Ges. 39: 78-85, Taf. 5,6. [[available in Cesa Library](#)]
- 1130. Boursin, C.**, 1954, Zwei neue *Cryphia* Hb. (*Bryophila*)-Arten aus Französisch- Nordafrika. Z. wien. ent. Ges. 39: 123-126, 7 Abb. [[available in Cesa Library](#)]
- 1131. Boursin, C.**, 1955, Die *Apopestes* Hb.-und *Autophila* Hb.-Arten aus Dr.h.c.H.Höne's China-Ausbeuten. Z. wien. ent. Ges. 40: 164-171, pls.13-15. [[available in Cesa Library](#)]
- 1132. Boursin, C.**, 1955, Eine neue südchinesische *Synvaleria* Btl. (*Valeria* Steph.) aus Dr. H. Höne's China- Ausbeuten. Z. wien. ent. Ges. 40: 47-48, Abb. 1. [[available in Cesa Library](#)]
- 1133. Boursin, C.**, 1956, Über die Gattung *Lophotyna* Hps. (Lep. Phal. Zenobiinae). Z. wien. ent. Ges. 41: 298-301, Taf.30-31, 10 figs. [[available in Cesa Library](#)]
- 1134. Boursin, C.**, 1956, Eine neue *Arenostola* Hb. aus Zentral-Asien (Beiträge zur Kenntnis der "Agrotidae-Trifinae" LXXXVI [86]). Mitt. münch. ent. Ges. 46: 306-307, Taf.13. [[available in Cesa Library](#)]
- 1135. Boursin, C.**, 1957, Description de huit nouvelles *Caradrina* O. d'Afghanistan, de l'expédition Klapperich, et de deux *Oedibrya* Hps. (Perse et Afghanistan) (Lep., Phalaenidae) (Diagnoses préliminaires) (Contribution a l'étude des Agrotidae-Trifinae xc/90). Bull. mens. Soc. linn. Lyon 26(6): 158-163. [[available in Cesa Library](#)]
- 1136. Boursin, C.**, 1957, Eine neue *Allophytes* Tams aus Mittelchina (Aus Dr.Höne's China-Ausbeuten) (Beiträge zur Kenntnis der Agrotidae-Trifinae xciii(93)). Z. wien. ent. Ges. 42: 103-106, 1 Taf. [[available in Cesa Library](#)]
- 1137. Boursin, C.**, 1957, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.). Bull. mens. Soc. linn. Lyon 26 (9): 242-250. [[available in Cesa Library](#)]
- 1138. Boursin, C.**, 1959, Über zwei für Europa neue *Hadena*-Arten (= *Dianthoecia* B.) *Hadena clara* Stgr. (1901), *bona* sp.! und *Hadena urumovi* Dren. (1931), *bona* sp.! Z. wien. ent. Ges. 44: 113-131, pls.5-11. [[available in Cesa Library](#)]
- 1139. Boursin, C.**, 1960, Eine neue *Eremodrina* Brsn. aus dem Thian-Schan. Opusc. zool. 50: 1-3, 6 figs [[available in Cesa Library](#)]
- 1140. Boursin, C.**, 1960, Eine neue *Apamea* O. aus Iranisch-Belutschistan. Stuttg. Beitr. Naturk. 43: 1-3, pls. [[available in Cesa Library](#)]
- 1141. Boursin, C.**, 1960, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.) (2. note). Bull. mens. Soc. linn. Lyon 29: 136-
- 1142. Boursin, C.**, 1960, Nouvelles "Trifinae" d'Afghanistan de l'expédition Klapperich (Lep., Noct.) (3. note). Bull. mens. Soc. linn. Lyon 29: 167-
- 1143. Boursin, C.**, 1961, Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe Noctuidae-Trifinae (Lep.). Beitr. naturk. Forsch. SWDtl. 19(3): 373-398, pls.5-10, 1 map. [[available in Cesa Library](#)]
- 1144. Boursin, C.**, 1962, Eine neue *Cosmia* Hb. (*Calymnia* auct.) aus dem Balkan und Kleinasien. Z. wien. ent. Ges. 47: 65-69, pls. [[available in Cesa Library](#)]
- 1145. Boursin, C.**, 1962, Eine neue *Aegle* Hb. aus Anatolien. Z. wien. ent. Ges. 47: 183-186, Taf. 18, 19. [[available in Cesa Library](#)]

- 1146. Boursin,C.**, 1962, Eine neue *Mythimna* O. aus Südwestchina. Z. wien. ent. Ges. 47: 140-142, Taf.13, 2 figs. [[available in Cesa Library](#)]
- 1147. Boursin,C.**, 1962, Eine neue *Cardepi* Hps. aus Turkestan. Z. wien. ent. Ges. 47: 160-162, Taf.14. [[available in Cesa Library](#)]
- 1148. Boursin,C.**, 1962, Nouvelles races de Noctuidae Palaearctiques avec une note synonymique (Lep.). Bull. mens Soc. linn. Lyon 31: 302-305. [[available in Cesa Library](#)]
- 1149. Boursin,C.**, 1962, *Lithophane semibrunnea* Haw. Eine vorderasiatisch-mediterrane Art mit Beschreibung einer neuen Subspecies. Z. wien. ent. Ges. 47: 92-94, Taf.11. [[available in Cesa Library](#)]
- 1150. Boursin,C.**, 1963, Nouvelles races de Noctuidae Palaearctiques (Lep., Noctuidae). Bull. mens Soc. linn. Lyon 32: 254-262. [[available in Cesa Library](#)]
- 1151. Boursin,C.**, 1963, Die *Isochlora* Stgr.- und *Grumia* Alph.-Arten aus Dr. h.c. H. Hönes China -Ausbeuten. Z. wien. ent. Ges. 48: 123-127, Taf. 21-23. [[available in Cesa Library](#)]
- 1152. Boursin,C.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XII. Lepidoptera: Noctuidae-Trifinae. Annln naturh. Mus. Wien 66: 459-461. [[available in Cesa Library](#)]
- 1153. Boursin,C.**, 1963, Eine neue *Pseudohadena* Stgr. aus Chinesisch-Turkestan (Beiträge zur Kenntnis der Noctuidae-Trifinae, 131). Z. wien. ent. Ges. 48: 38-40, 2 Taf. [[available in Cesa Library](#)]
- 1154. Boursin,C.**, 1964, Lepidoptera der Deutschen Nepal Expedition 1955, Teil II. Noctuidae Trifinae. Zweiter Beitrag zur Kenntnis der Fauna der Noctuidae von Nepal. Veröff. zool. StSamml. Münch. 8: 3-40, 5 textfigs., 23 pls. [[available in Cesa Library](#)]
- 1155. Boursin,C.**, 1964, Eine neue *Haderonia* Stgr. aus Russisch - Turkestan (Beiträge zur Kenntnis der "Noctuidae-Trifinae") Z. wien. ent. Ges. 49: 173-176. Taf.22, 4 figs. [[available in Cesa Library](#)]
- 1156. Boursin,C.**, 1964, Eine neue *Anamecia* Brsn. aus Westpakistan. Z. wien. ent. Ges. 49: 34-35, Taf.3. [[available in Cesa Library](#)]
- 1157. Boursin,C.**, 1966, Eine neue *Conisania* Hps. aus Sining nebst Synonymie-Notizen. Z. wien. ent. Ges. 51: 154-159, Tab.13-17, 17 figs. [[available in Cesa Library](#)]
- 1158. Boursin,C.**, 1967, Die neuen *Hermonassa* Wlk.-Arten aus Dr. H. Höne's China-Ausbeuten. Z. wien. ent. Ges. 52: 25-37, Taf. 1-9. [[available in Cesa Library](#)]
- 1159. Boursin,C.**, 1967, Eine neue *Mythimna* O. aus Ostanatolien. Z. wien. ent. Ges. 52: 90-91, pl. [[available in Cesa Library](#)]
- 1160. Boursin,C.**, 1970, Description de 40 especes nouvelles de Noctuidae Trifinae paléarctiques et de deux genres nouveaux des sous-familles Noctuinae et Amphipyrrinae 2e série. Contributions a l'etude des Noctuidae Trifinae, 166. Entomops 18: 45-79, figs.52-122. [[available in Cesa Library](#)]
- 1161. Bouyer,T.**, 1993, *Maltagorea* n.gen. un nouveau genre de Saturniidae malgache (Lepidoptera, Saturniidae, Saturniinae, Pseudapheliini). Lambillionea 93 (1): 97-102.
- 1162. Bowden,S.R.**, 1954, *Pieris napi* L. f. *hibernica* Schmidt, eine künstliche Aberration? Der gegenwärtige Stand der Frage. Mitt. ent. Ges. Basel 4: 9-15, 17-22.
- 1163. Bowden,S.R.**, 1956, Hybrids within the European *Pieris napi* - species group. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1954/55: 135-159.
- 1164. Bowden,S.R.**, 1979, Ultra-Violet Photography of Lepidoptera. Nota lepid. 2(1/2): 27-30, figs. [[available in Cesa Library](#)]
- 1165. Bowell,E.W.**, 1891, The *Rhopalocera* of Herefordshire. Entomologist's Rec. J. Var. 2: 136-138. [[available in Cesa Library](#)]
- 1166. Boy,P.**, 2005, Beobachtungen auffälliger Tagfalter (Lep., Papilionidae) im Khao Yai Nationalpark / Thailand. 2. Teil: Papilionini - Gattungen *Chilasa*, *Atrophaneura* und *Papilio*. Galathea 21 (2): 59-66; 21 (4): 155-166, figs. [[available in Cesa Library](#)]
- 1167. Bozaci,V.**, 2010, "K" lar haftası. Cesa News 55: 20-87, 133 figs. [[available in Cesa Library](#)]
- 1168. Bozano,G.C. & C.D.Bruna**, 2006, A survey of the genus *Chonala* Moore, 1893 with description of a new species (Lepidoptera, Nymphalidae, Satyrinae). Nachr. ent. Ver. Apollo (N.F.) 27 (1/2): 59-63, figs. [[available in Cesa Library](#)]
- 1169. Bozano,G.C. & E.Giacomazo**, 1988, The Moroccan Anti-Atlas: a four day survey of the *Rhopalocera* in April 1987 (Lepidoptera). Nota lepid. 11: 83-84.
- 1170. Bozano,G.C. & F.Fantoni**, 1997, New records of *Zerynthia rumina* (Linnaeus, 1758) in the Moroccan Anti-Atlas (Lepidoptera, Papilionidae). Linneana Belgica 16 (1): 3-4, figs. [[available in Cesa Library](#)]
- 1171. Bozano,G.C.**, 1990, A contribution to the knowledge of the butterfly fauna of East Jordan. Nota lepid. 13 (1): 2-7. [[available in Cesa Library](#)]

1172. **Bozano, G.C.**, 1991, Note on a little known Chinese lycaenid: *Lycaena svenhedini* (Nordström). Nachr. ent. Ver. Apollo (N.F.) 12 (3): 211-213, 3 figs. [\[available in Cesa Library\]](#)
1173. **Bozano, G.C.**, 1993, A new lycaenid butterfly from China: *Satyrium redae* sp.n. (Lepidoptera, Lycaenidae). Nota lepid. 15 (3/4): 179-183.
1174. **Bozano, G.C.**, 1996, *Satyrium giacomazzoi* spec. nov. from Shaanxi, China (Lepidoptera, Lycaenidae, Theclinae). Atalanta 27 (1/2): 329-332, 5 figs. [\[available in Cesa Library\]](#)
1175. **Braby, M.F.**, 2000, Butterflies of Australia: their identification, biology and distribution. Vol.1: xx+1-458pp; Vol.2: vii+549-976pp. CSIRO Publishing Collinwood.
1176. **Bradley, J.D. & M.Schaffer**, 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Microlepidoptera. Cas. morav. Mus. Brne 54 (suppl.): 415-430, 3 figs. [\[available in Cesa Library\]](#)
1177. **Bradley, J.D.**, 1953, A new species of *Ochsenheimeria* Huebner from Central Himalaya (Lepidoptera, Tineidae). Ann. Mag. nat. Hist. (12) 6: 832-833, Pl. [\[available in Cesa Library\]](#)
1178. **Bradley, J.D.**, 1953, A new species of *Casmara* Walker, 1863, from Malaya (Lepidoptera, Oecophoridae). Ann. Mag. nat. Hist. (12) 6: 319-320. [\[available in Cesa Library\]](#)
1179. **Bradley, J.D.**, 1956, Records and Descriptions of Microlepidoptera, from Lord Howe Island and Norfolk Island Collected by the British Museum (Natural History) Kennell Island Expedition, 1953. Bull. Br. Mus. (Nat. Hist.) Ent. 4 (4): 143-164, 26 figs. [\[available in Cesa Library\]](#)
1180. **Bradley, J.D.**, 1961, Microlepidoptera from the Solomon Islands and additional records and descriptions of Microlepidoptera collected in the Solomon Islands by the Rennell Island Expedition 1953-54. Bull. Br. Mus. (Nat. Hist.) Ent. 10 (4): 113-168, 2 figs. Pls.5-19. [\[available in Cesa Library\]](#)
1181. **Bradley, J.D.**, 1962, Microlepidoptera from the New Hebrides Records and Descriptions of Microlepidoptera collected on the islands of Aneityum by Miss Evelyn Cheesman, O.B.E. Bull. Br. Mus. (Nat. Hist.) Ent. 12 (5): 247-271, 14-27 Pls. [\[available in Cesa Library\]](#)
1182. **Bradley, J.D.**, 1965, Ruwenzori Expedition 1952. Volume II, Number 12. Microlepidoptera. Brit. Mus. (Nat. Hist.), London. [\[available in Cesa Library\]](#)
1183. **Bradley, J.D.**, 1965, A new species belonging to the genus *Anonaepestis* Ragonot (Lepidoptera, Phycitinae) attacking Black Pepper (*Piper nigrum*) in West Africa. Bull. ent. Res. 56 (2): 299-302, pl.viii. [\[available in Cesa Library\]](#)
1184. **Bradley, J.D.**, 1966, A comparative study of the coconut flat moth (*Agonoxena argaula* Meyr.) and its allies, including a new species (Lepidoptera, Agonoxenidae). Buu. ent. Res. 56: 453-472, figs. 1-38.
1185. **Bradley, J.D.**, 1968, A new species of *Herpystis* Meyrick (Lepidoptera, Tortricidae) on *Cuscuta reflexa* in West Pakistan. Bull. ent. Res. 57 (4): 615-618, figs.
1186. **Bradley, J.D.**, 1980, *Patna rhizolineata* sp.n. (Lepidoptera, Pyralidae) on Johnson grass (*Sorghum halepense*) in Pakistan. Bull. ent. Res. 70 (2): 273-276, figs.
1187. **Bradley, J.D.**, 1980, A new species of *Phyllonorycter* (Lepidoptera, Gracillariidae) on *Lonicera quinquelocularis* in northern Pakistan. Bull. ent. Res. 70 (1): 61-63, figs.
1188. **Bradley, J.D.**, 1981, *Anarsia achrasella* sp.n. (Lepidoptera, Gelechiidae) on *Sapodilla* (*Achras zapota*) in northern India and Pakistan. Bull. ent. Res. 71 (4): 617-619.
1189. **Bradley, J.D.**, 1986, Identity of the South-East Asian cocoa moth, *Conopomorpha cramerella* (Snellen) (Lepidoptera, Gracillariidae), with descriptions of three allied new species. Bull. ent. Res. 76: 41-51, figs.1-20.
1190. **Bradley, J.D., Jacobs, S.N.A. & W.G.Tremewan**, 1969, A key to the British and French species of *Phyllonorycter* Hübner (*Lithocolletis* Hübner) (Lep. Gracillariidae). Entomologist's Gaz. 20: 3-34, figs. [\[available in Cesa Library\]](#)
1191. **Braine, S.F. & G.A.Henning**, 1984, The life history and habits of *Acraea hypoleuca* Trimen from South West Africa (Namibia). Metamorphosis 1 (10): 6.
1192. **Bramson, K.L.**, 1910, Analytische Uebersicht der Formen von *Melitaea didyma* O. Horae Soc. ent. ross. 39: 391-410. [\[available in Cesa Library\]](#)
1193. **Brandt, W.**, 1938, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 55: 497-505, 516-523, 548-554, 558-561, 567-574, 584-588, 597-602, 616-621, 632-634, 671-675, 698-699, 701-702, Abb. Taf. [\[available in Cesa Library\]](#)
1194. **Brandt, W.**, 1939, Beitrag zur Lepidopteren-Fauna von Iran. Neue Gattungen, Arten und Formen (Macrolepidoptera). Ent. Rdsch. 56: 11-15, 23-24, 32-34, 59-61, 86-88, 109-111, 139-142, 161-163, Abb. [\[available in Cesa Library\]](#)

- 1195. Brandt, W.**, 1939, Beitrag zur Lepidopteren-Fauna von Iran. Einige neue Agrotiden aus Laristan und Baloutchistan. Ent. Rdsch. 56(23): 241-245; (25): 268-273; (27): 294-300, 3 Taf. [\[available in Cesa Library\]](#)
- 1196. Brandt, W.**, 1941, Beitrag zur Lepidopterenfauna von Iran (4). Geometridae. Mitt. münch. ent. Ges. 31: 864-886, figs. [\[available in Cesa Library\]](#)
- 1197. Brandt, W.**, 1941, Beitrag zur Lepidopterenfauna von Iran (3). Agrotiden. Mitt. münch. ent. Ges. 31: 835-863, figs. [\[available in Cesa Library\]](#)
- 1198. Braun, A.F.**, 1915, New genera and species of Tineina. Can. Ent. 47: 188-197. [\[available in Cesa Library\]](#)
- 1199. Brechlin, R.**, 1997, Saturnia (Rinaca) witti n.sp., eine neue Saturniide aus Nepal (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo N.F. 17(4): 423-433, figs. [\[available in Cesa Library\]](#)
- 1200. Brechlin, R.**, 1997, Eine weitere neue Schwärmerart aus Vietnam: Callambulyx schintlmeisteri n.sp. (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo N.F. 17(4): 367-376, figs. [\[available in Cesa Library\]](#)
- 1201. Brechlin, R.**, 1997, Zwei neue Saturniiden aus dem Gebirgsmassiv des Fan Si Pan (nördliches Vietnam): Salassa fansipana n.sp. und Loepa roseomarginata n.sp. (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 18 (1): 75-87, figs. [\[available in Cesa Library\]](#)
- 1202. Brechlin, R.**, 2000, Saturnia (Rinaca) winbrechlini n.sp., eine neue Saturniide aus China (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 21 (1): 5-10, figs. [\[available in Cesa Library\]](#)
- 1203. Brechlin, R.**, 2000, Eine neue Art der Gattung Actias Leach, 1815 aus Südvietnam: Actias australovietnama n.sp. (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 21 (1): 33-37, figs. [\[available in Cesa Library\]](#)
- 1204. Brechlin, R.**, 2000, Zwei neue Arten der Gattung Smerinthulus Huwe, 1895 (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 103-108, figs. [\[available in Cesa Library\]](#)
- 1205. Brechlin, R.**, 2001, Rhodinia broschii n.sp., eine neue Saturniide aus China (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 22 (1): 45-48, figs. [\[available in Cesa Library\]](#)
- 1206. Bremer, O. & W. Grey**, 1852, Diagnoses de Lépidoptères nouveaux trouvés par Mss. Tatarinoff et Gaschkewitsch aus environs de Pekin, [in] Motschulsky, Etüd. Ent. 1: 58-67.
- 1207. Bremer, O. & W. Grey**, 1853, Beiträge zur Schmetterlings-Fauna des nördlichen Chinas mit 50 colorirten Abbildungen neuer Species. 23 pp., X Tab., St. Petersburg. [\[available in Cesa Library\]](#)
- 1208. Bremer, O.**, 1861, Neue Lepidopteren aus Ost-Sibirien und dem Amur Lande, gesammelt von Radde und Maack. Bull. Acad. Sci. St. Petersb. 3 (7): 461-496.
- 1209. Bremer, O.**, 1864, Lepidopteren Ost-Sibiriens, insbesondere der Amur-Landes, gesammelt von Herren G. Radde, R. Maack und P. Wulfius. Mém. Acad. imp. Sci. St. Petersb. (Ser. 7) 8(1): 1-103.
- 1210. Bretherton, P.M.**, 1971, Butterflies in the island of Rhodes, May 1971. Entomologist's Rec. J. Var. 83: 327-332.
- 1211. Bretherton, R.F. & O. Kudrna**, 1977, The discovery of Brenthis daphne (Denis & Schiffermüller) in south Spain (Nymphalidae). Nota lepid. 1(3): 17-18. [\[available in Cesa Library\]](#)
- 1212. Bretherton, R.F.**, 1966, A distribution list of the butterflies of western and southern Europe. Trans. Soc. Br. ent. 17: 1-94. [\[available in Cesa Library\]](#)
- 1213. Bretherton, R.F.**, 1970, Butterflies in central Greece, June 1970. Entomologist's Rec. J. Var. 82: 277-285.
- 1214. Brevignon, C.**, 1985, Les Lépidoptères printaniers du Maroc (deuxième note) Alexanor 13 (8) (1984): 339-347, 12 figs. [\[available in Cesa Library\]](#)
- 1215. Bridges, C.A.**, 1988, Catalogue of the family-group genus-group and species-group names of the Hesperioidea (Lepidoptera) of the World. Urbana Illinois (Selbstverlag).
- 1216. Bridges, C.A.**, 1993, Catalogue of the family group, genus-group and species-group names of the Sphingidae of the World. C.A. Bridges, Urbana, Illinois.
- 1217. Brink, H.v.d. & H.v. Oorschot**, 1996, Additions and corrections to "Die Tagfalter der Türkei". I. Interesting observations of butterflies in Turkey during the 37th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Hesperiidae, Pieridae, Lycaenidae). Phegea 24(1): 19-23, 1 fig. Pl. 1. [\[available in Cesa Library\]](#)
- 1218. Brock, J.P.**, 1971, A contribution towards an understanding of the morphology and phylogeny of the ditrysian Lepidoptera. J. nat. Hist. 5: 29-102. [\[available in Cesa Library\]](#)

- 1219. Brock, J.P.**, [1968], The systematic position of the Choreutinae (Lepidoptera, Glyphipterygidae). *Entomologist's mon. Mag.* 103: 245-246.
- 1220. Brockmann, E. & R.Thust**, 1993, Bestimmulsschlüssel der mitteleuropäischen, nitchalpinen Pyrgus-Arten (Lepidoptera, Hesperidae). *Nachr. ent. Ver. Apollo (N.F.)* 14(3): 189-200, figs. [[available in Cesa Library](#)]
- 1221. Brooks, C.J.**, 1950, A revision of the genus *Tenaris* Hübner. *Trans. R. ent. Soc. Lond.* 101: 179-238, 8 pls. 1 map, 1 fig.
- 1222. Bros, E.de & W.Schmidt-Koehl**, 1979, Beitrag der Lepidopteren-Fauna des Rif-Atlas in Nord-Marokko. *Mitt. ent. Ges. Basel* 29(1): 1-26.
- 1223. Bros, E.de**, 1965, Eine jemenitische Lepidopteren-Ausbeute. *Mitt. ent. Ges. Basel* 15: 29-32. [[available in Cesa Library](#)]
- 1224. Bros, E.de**, 1991, Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei. *Mitt. ent. Ges. Basel* 41(4): 112-135, 6 Abb. [[available in Cesa Library](#)]
- 1225. Bros, E.de**, 1993, November in Israel. Lepidopterologische Stichprobe. *Mitt. ent. Ges. Basel* 42 (3): 88-97, 11 figs.
- 1226. Bros, E.de**, 1994, Corrigenda zum "Beitrag zur Kenntnis der Lepidopteren-Fauna von Antalya und des lykischen Taurus in der Südwesttürkei" (*Mitt. ent. Ges. Basel* 41(4), 112-135, 1991). *Mitt. ent. Ges. Basel* 44(2): 74-75. [[available in Cesa Library](#)]
- 1227. Brosch, U., Naumann, S., Paukstadt, L.H., Paukstadt, U., Tcherniak, I. & M.Beeke**, 1999, Anmerkungen zur Brahmaeiden- und Saturniidenfauna von Laos und Kambodscha (Lepidoptera, Bombycoidea). *Galathea Suppl.* 6: 33-58, figs.
- 1228. Brown, J. & C.G.M.de Worms**, 1975, *Agrodiaetus damone* (Eversmann) (Lep., Lycaenidae) discovered in the Peloponnese. *Entomologist's Gaz.* 26: 191-196, pl. [[available in Cesa Library](#)]
- 1229. Brown, J.**, 1976, A Review of the genus *Pseudochazara* de Lesse 1951 (Lep., Satyridae) in Greece. *Entomologist's Gaz.* 27: 85-90, 13 figs. [[available in Cesa Library](#)]
- 1230. Brown, J.**, 1976, Notes on *Gonepteryx cleopatra* Linnaeus, 1767 (Lepidoptera, Pieridae) in Greece. *Entomologist's Rec. J. Var.* 88: 93. [[available in Cesa Library](#)]
- 1231. Brown, J.**, 1976, Notes regarding previously undescribed European taxa of the genera *Agrodiaetus* Hübner, 1822 and *Polyommatus* Kluk, 1901 [sic!] (Lep., Lycaenidae). *Entomologist's Gaz.* 27: 77-84, 10 figs. [[available in Cesa Library](#)]
- 1232. Brown, J.**, 1976, On two previously undescribed subspecies of Lycaenidae (Lepidoptera) from Greece. *Ent. Ber., Amst.* 36: 46-47.
- 1233. Brown, J.**, 1976, *Plebejus pylaon brethertoni* Brown in Attica. *Entomologist's Rec. J. Var.* 88: 195. [[available in Cesa Library](#)]
- 1234. Brown, J.**, 1976, An extension of the known range of *Colias aurorina heldreichi* Staudinger. *Entomologist's Rec. J. Var.* 88: 299. [[available in Cesa Library](#)]
- 1235. Brown, J.**, 1976, *Aricia anteros* Freyer on Mt. Taygetos. *Entomologist's Rec. J. Var.* 88: 314. [[available in Cesa Library](#)]
- 1236. Brown, J.**, 1977, A new subspecies of *Pseudochazara graeca* (Staudinger, 1870) (Lep., Satyridae) from Greece. *Entomologist's Rec. J. Var.* 89: 68-69.
- 1237. Brown, J.**, 1978, Subspeciation in the butterflies (Lepidoptera) of the Peloponnese with notes on adjacent parts of Greece. *Entomologist's Gaz.* 28: 141-174. [[available in Cesa Library](#)]
- 1238. Brown, J.W. & J.A.Powell**, 2000, Systematics of *Anopina* Obratzsov (Lepidoptera, Tortricidae, Euliini). *Univ. Calif. Publ. Ent.* 120: 1-127, 174 figs.
- 1239. Brown, J.W.**, 1999, A new euliine genus from Costa Rica and Venezuela (Lepidoptera, Tortricidae). *Jl. N.Y. ent Soc.* 106: 177-184, figs.
- 1240. Brown, J.W.**, 2005, *World Catalogue of Insects*. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [[available in Cesa Library](#)]
- 1241. Bruna, C.D., Gallo, E., Lucarelli, M. & V.Sbordoni**, 2000, *Eugrumia*, a new name for *Grumia* (Lepidoptera, Satyridae, Satyrinae, Ypthimini). *Fragm. ent., Roma* 32 (2): 297-298. [[available in Cesa Library](#)]
- 1242. Brusseaux, G.**, 1995, *Ceutholopha isidis* Zeller, 1867, sur l'Ile de Beauté (Lepidoptera, Pyralidae, Phycitinae). *Alexandor* 18 (7) (1994): 389-390, 1 fig. [[available in Cesa Library](#)]
- 1243. Brusseaux, G.**, 1995, Cinquième contribution à l'inventaire des Lépidoptères de Corse Onze Lépidoptères nouveaux pour l'Ile (Lepidoptera, Geometridae, Noctuidae et Pyralidae). *Alexandor* 18 (6) (1994): 369-374, 15 figs. [[available in Cesa Library](#)]

- 1244. Brusseaux, G.**, 1996, Septieme contribution a la connaissance des Lépidoptères de Corse. Six nouvelles espèces inédites pour l'Ile (Lep., Geometridae, Sterrhinae, Larentiinae). *Alexanor* 19 (3) (1995): 165-166. [\[available in Cesa Library\]](#)
- 1245. Brusseaux, G.**, 1998, Une Pyrale nouveau pour la France: *Phycita meliella* Mann, 1864 (Lepidoptera, Pyralidae, Phycitinae). *Alexanor* 20 (3): 161-162, 1 fig. [\[available in Cesa Library\]](#)
- 1246. Bryk, F.** 1942, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera Thyatiridae. *Arkiv Zool.* 34A (11): 1-16, 2 Pls., 1 Map
- 1247. Bryk, F. & C. Eisner**, 1929, Eine neue subspecies von *Parn. apollo* aus Piedmont. *Societas Ent.* 44: 27.
- 1248. Bryk, F. & C. Eisner**, 1929, *Parn. stubbendorfi* Elwes subspecies *diabolicus* (n.). *Societas Ent.* 44: 47-48, figs. 1-4.
- 1249. Bryk, F. & C. Eisner**, 1930, *Parnassius apollo* L. in Klein-Asien. *Parnassiana* 1 (4): 1-3, figs.
- 1250. Bryk, F. & C. Eisner**, 1930, *Parn. mnemosyne* subspecies *gallicus* (n.). *Societas Ent.* 45: 4, figs. 1-3.
- 1251. Bryk, F. & C. Eisner**, 1930, Eine neue Rasse von *Parnassius acdestis* Gr. Gr. (Lep. Parnass.). *Mitt. dt. ent. Ges.* 1: 7-8, figs. 1-2.
- 1252. Bryk, F. & C. Eisner**, 1930, *Parnassius apollo eubohemicus* subsp. nov. (Lep., Rhop.). *Mitt. dt. ent. Ges.* 1: 37-38.
- 1253. Bryk, F. & C. Eisner**, 1930, Eine neue Rasse von *Parnassius simo*. *Parnassiana* 1 (1): 1-3, figs. 1-4.
- 1254. Bryk, F. & C. Eisner**, 1930, Zur Präzisierung von *Parn. mnemosyne hungaricus* Rothsch. *Parnassiana* 1 (2): 1-3, figs. 1-4.
- 1255. Bryk, F. & C. Eisner**, 1930, *Parnassius mnemosyne* L. subspecies *balcanica* (n.). *Parnassiana* 1 (2): 3-4, figs. 5-6.
- 1256. Bryk, F. & C. Eisner**, 1931, *Parnassius mnemosyne* L. in Klein-Asien. *Parnassiana* 1 (7/8): 1-3 figs.
- 1257. Bryk, F. & C. Eisner**, 1931, *P. stenosemus* Honr. subspecies *divinus* (n.). *Parnassiana* 1 (5): 3-4, fig. 3.
- 1258. Bryk, F. & C. Eisner**, 1931, Neue *Parnassius*-Formen. *Parnassiana* 1 (5): 4.
- 1259. Bryk, F. & C. Eisner**, 1931, Zwei neue *Phoebus*-Rassen. *Parnassiana* 1 (5): 5-7, , figs. 4-7.
- 1260. Bryk, F. & C. Eisner**, 1931, *Parnassius actius* Ev. und seine Rassen. *Parnassiana* 1 (6): 1-3, figs. 1-4.
- 1261. Bryk, F. & C. Eisner**, 1931, *Parnassius apollo* L. subsp. *bellingi* (nom. nov.). *Parnassiana* 1 (6): 5.
- 1262. Bryk, F. & C. Eisner**, 1931, Variabilität der Antennen bei der Gattung *Parnassius*. *Parnassiana* 1 (6): 5-6.
- 1263. Bryk, F. & C. Eisner**, 1931, *Parnassius mnemosyne* L. subsp. *mixtus* Fr. ab. *pleth. intermediatus* (m.). *Parnassiana* 1 (6): 6, fig. 5.
- 1264. Bryk, F. & C. Eisner**, 1931, Über *Parnassius szechenyi* Friv. *Parnassiana* 1 (7/8): 6-8, figs. 6-9.
- 1265. Bryk, F. & C. Eisner**, 1931, *Parnassius jacquemonti tibetanulus* (subspecies nova). *Parnassiana* 1 (7/8): 9-10, fig. 10-11.
- 1266. Bryk, F. & C. Eisner**, 1931, Zwei neue Abarten von *Parnassius apollonius* Eversm. *Parnassiana* 1 (7/8): 15.
- 1267. Bryk, F. & C. Eisner**, 1931-1939, Kritische Revision der Gattung unter Benutzung des Materials der Kollektion Eisner, Dahlem. *Parnassiana* 1 (7/8): 11-15; 2: 27-30, 34-42, 51-65, 69-102, 3: 3-22, 33-37, 47-62, 69-75, 77-95; 4: 9-14, 60-63; 5: 9-15, 21-28, 60; 6: 6-12, 24-31, 33-38, 50-57, figs.
- 1268. Bryk, F. & C. Eisner**, 1932, Neue *Parnassier*. *Parnassiana* 2: 6-9, 23-25, 104-105, figs.
- 1269. Bryk, F. & C. Eisner**, 1932, Beschreibung der von Herrn O. Bang-Haas i.l. aufgestellten Rassen von *P. nomion* F. d. W. *Parnassiana* 2: 26-27.
- 1270. Bryk, F. & C. Eisner**, 1932, Neue *Parnassius*-Rassen aus Kansu. *Parnassiana* 2: 33-34.
- 1271. Bryk, F. & C. Eisner**, 1932, Ein neuer *Delphius* Ev. *Parnassiana* 2: 42.
- 1272. Bryk, F. & C. Eisner**, 1932, Die Variabilität von *P. cephalus* Gr. Gr. *Parnassiana* 2: 44-46, fig. 2.
- 1273. Bryk, F. & C. Eisner**, 1932, Die Rassen von *P. tenedius* Eversm. *Parnassiana* 2: 22-23.
- 1274. Bryk, F. & C. Eisner**, 1932, Ein neuer *Charltonius*. *Parnassiana* 2: 66.

- 1275. Bryk,F. & C.Eisner**, 1934, Eine neue geographische Konvergenzerscheinung aus dem Kansu-Gebiet. *Parnassiana* 3: 24-27, figs. 3-8.
- 1276. Bryk,F. & C.Eisner**, 1934, Zwei neue Rassen von *P. mnemosyne* L. aus Armenien. *Parnassiana* 3: 38-39, figs. 3-4.
- 1277. Bryk,F. & C.Eisner**, 1934, Eine neue Form von *Parnassius orleans* Oberthür. *Parnassiana* 3: 39.
- 1278. Bryk,F. & C.Eisner**, 1934, Das Männchen von *P. stoliczkanus* Feld. subsp. *tytlerianus* (n.). *Parnassiana* 3: 40.
- 1279. Bryk,F. & C.Eisner**, 1934, *P. epaphus* Oberth., subspecies *epicus* (subsp. nova). *Parnassiana* 3: 41.
- 1280. Bryk,F. & C.Eisner**, 1935, *Parnassius actius* subspecies *sulla* (subsp.nova). *Parnassiana* 3: 42.
- 1281. Bryk,F. & C.Eisner**, 1935, *K. cephalus* subsp. *capitalis* (subsp. nova). *Parnassiana* 3: 63, fig.5.
- 1282. Bryk,F. & C.Eisner**, 1935, *Koramius stoliczkanus tytlerianus*. *Parnassiana* 3: 64, fig.6.
- 1283. Bryk,F. & C.Eisner**, 1935, Zur Prazisierung des Fundortes von *P. apollo* ssp. *graslini* Oberth. *Parnassiana* 3: 67-68, 3 figs.
- 1284. Bryk,F. & C.Eisner**, 1935, Die Frühlingsform von *Sericinus* ssp. *montela* Gray. *Parnassiana* 3: 67-68, 3 figs.
- 1285. Bryk,F. & C.Eisner**, 1935, Eine auffallende Form von *Koramius cephalus* Gr. Gr. *Parnassiana* 3: 69.
- 1286. Bryk,F. & C.Eisner**, 1937, Eine neue *Parnassius*-Ausbeute aus der Burchan-Buddhakette. *Parnassiana* 4: 57-58.
- 1287. Bryk,F. & C.Eisner**, 1937, Eine neue Unterart von *Parnassius apollo* L. *Parnassiana* 4: 63.
- 1288. Bryk,F. & C.Eisner**, 1937, *Parnassius stubbendorfi* aus Peiling-Shan. *Parnassiana* 4: 64.
- 1289. Bryk,F. & C.Eisner**, 1939, Die grichischen Unterarten von *Parnassius mnemosyne* L. *Parnassiana* 6: 43-44.
- 1290. Bryk,F. & C.Eisner**, 1939, *Parnassius epaphus* subspecies *sculptor* (subsp.n.). *Parnassiana* 6: 48.
- 1291. Bryk,F.**, 1911, Eine seltsame Aberration der neuen karelischen Rasse von *Parnassius apollo* L. (Lep., Rhop.). *Berl. ent. Z.* 55 (1910): 255-261, Taf.iii, fig.8. [[available in Cesa Library](#)]
- 1292. Bryk,F.**, 1911, Über eine neue Aberration von *Parnassius apollo*, im finnischen Ladogagebiete (*Karelia ladogensis*) *carelius* nov. subsp. Bryk). *Societas Ent.* 25: 97-98, 1 fig.
- 1293. Bryk,F.**, 1911, Der Linnésche *Apollo*. *Int. ent. Z.* 5: 155-156, figs. 6,9.
- 1294. Bryk,F.**, 1911, Über die karelische *Mnemosyne* (*Parn. mnemosyne* var. *karjala* nov. subsp. Bryk). *Societas Ent.* 26: 37-40, figs. 1-4.
- 1295. Bryk,F.**, 1911, Über eine unbekannte Neuerung in der Flügeltracht der Gattung *Parnassius* Latr. *Societas Ent.* 26: 54-55.
- 1296. Bryk,F.**, 1911, *Parnassiana*. Nova subspecies seu nova species (*Parnassius mnemosyne adolphi* m. nov. subsp. seu? *Parnassius adolphi* m. nov. species? (Syn.: *Parnassius mnemosyne* var. *hyrcana* Bang-Haas i.l.). *Societas Ent.* 26: 60, 62-63, figs. 1-3.
- 1297. Bryk,F.**, 1912, *Syntomidae*. [in] Wagner,H., *Lepidopterorum Catalogus Pars 7*. 179pp. Dr.W.Junk Berlin. [[available in Cesa Library](#)]
- 1298. Bryk,F.**, 1912, Vornehme *Parnassius*-formen. *Jb. Nassau. Ver. Natruk.* 65: 2-35, pl.1
- 1299. Bryk,F.**, 1912, Referat von A.Pagenstecher, Über die Geschichte, das Vorkommen und die Erscheinungsweise von *Parnassius mnemosyne* L. *Societas Ent.* 27: 64-66, 1 fig.
- 1300. Bryk,F.**, 1912, *Parnassiana* viii. Noch einmal über den Linnéschen *Apollo*. *Societas Ent.* 27: 95-97, figs. 1-5.
- 1301. Bryk,F.**, 1912, *Parnassiana* vi. Über die *Aeugle* des amerikanischen *Delius*. *Societas Ent.* 27: 57-58, figs. 1-4.
- 1302. Bryk,F.**, 1912, *Parnassiana* iii. Der *Apollo* aus dem Sajangebirge. *Societas Ent.* 27: 11-12, figs. 1-4.
- 1303. Bryk,F.**, 1912-1914, *Parnassiana* v. Zur Synopsis der asiatischen *Mnemosyne*. *Societas Ent.* 27 (1912): 24-25, 38-40, 48-50, 52-53, 61-62, 87-89, 99-101, 106-107, 25 figs.; *ibid.* 28 (1913): 14-16; 29 (1914): 42-44, 66-71, figs.
- 1304. Bryk,F.**, 1913, *Parnassiana* viii. Noch einmal über den Linnéschen *Apollo*. Die nomenklatorische Behandlung des fennoskandischen *Apollo*s. *Societas Ent.* 28: 31-34, figs. 1-3.

- 1305. Bryk, F.**, 1913, Parnassiana xi. Neue Spielarten von Parnassius apollo L. Societas Ent. 28: 65-66.
- 1306. Bryk, F.**, 1913, Parnassiana xii. Neue Aberrationen von Parnassius nomion F. d. W. Societas Ent. 28: 71, figs. 1-2.
- 1307. Bryk, F.**, 1913, Eine neuer Parnassius. Arch. Naturgesch. 79 A (6): 123-124.
- 1308. Bryk, F.**, 1913, Parnassiana xiii. Zehn neue Namen! Societas Ent. 28: 94-95.
- 1309. Bryk, F.**, 1913, Parnassius mnemosyne ugrjumovi n. subsp. Berl. ent. Z. 58: 201-210, figs. a-d, pl.2.
- 1310. Bryk, F.**, 1914, Randbemerkungen zu Dr. Pagenstechers Parnassius apollo in Kaukasien. Mitt. münch. ent. Ges. 4: 70-74, figs. [\[available in Cesa Library\]](#)
- 1311. Bryk, F.**, 1914, Parnassiana xiv. Ein neuer Acdestis (Tadumia acdestis Gr. Gr. subsp. priamus B.-Hs. i.l.). Societas Ent. 29: 24-25, figs. 1-3.
- 1312. Bryk, F.**, 1914, Über die Variabilität von Parnassius bremeri Feld. (Lep. Rhop.). Ent. Mitt. 3: 74-83, figs. 1-2, pl.
- 1313. Bryk, F.**, 1914, Referat von Charles Oberthür, A propos des races géographiques de Parnassius apollo. Societas Ent. 29: 27-29, figs. 1-2.
- 1314. Bryk, F.**, 1914, Neue Parnassiiden. Mitt. münch. ent. Ges. 5: 26-34, figs. 1-2, pl.1. [\[available in Cesa Library\]](#)
- 1315. Bryk, F.**, 1914-1915, Über das Abändern von Parnassius apollo L. Untersuchungen über Biologie und Zeichnungsverhältnisse des Formenkreis Parnassius apollo L. Arch. Naturgesch. 80 A (5): 131-160, figs. 1-9, pl. 1-3 [1914]; (6): 149-180, figs. 10-29, pl.4-8 [1914]; (7): 153-184, figs. 30-36, pl.9-13 [1915]; (8): 143-174, pl.14-21 [1915]; (9): 133-164, pl.22-29 [1915]; (10): 147-167, pl.30-35 [1915].
- 1316. Bryk, F.**, 1920, Zur nomenklaturfrage der schwedischen Argynnis improba Btlr. Ent. Tidskr. 41: 129-132.
- 1317. Bryk, F.**, 1921, Bibliotheka sphragiodologica. Arch. Naturgesch. (A) 85 (5) (1919): 102-183.
- 1318. Bryk, F.**, 1921, Zur nomenklaturfrage von Parnassius mnemosyne var. bohemiensis Bryk. Societas Ent. 36: 27.
- 1319. Bryk, F.**, 1921, Parnassius mnemosyne in Europa. Die nordischen Rassen. Societas Ent. 36: 17-19, figs. 1-3; 21-23, figs. 2,4,5.
- 1320. Bryk, F.**, 1921, Die Variabilität der Flügelzeichnung im Genus Luehdorfia Crüger. Z. Öster. EntVer. 6: 31-34, figs. 1-5. [\[available in Cesa Library\]](#)
- 1321. Bryk, F.**, 1921, Neue Parnassiiden. Ent. Tidskr. 42: 112-119, figs. 1-13.
- 1322. Bryk, F.**, 1921, Parnassius mnemosyne in Europa. Die estnische Form. Societas Ent. 37: 5-6.
- 1323. Bryk, F.**, 1922, Parnassius mnemosyne in Europa. Einige südländische Formen meiner Sammlung. Societas Ent. 37: 11-12, 13-16, 18-20, 22-23, 25-26, 15 figs.
- 1324. Bryk, F.**, 1922, Eine neue Mnemosyneform aus Niederösterreich. Z. Öster. EntVer. 7: 1-2. [\[available in Cesa Library\]](#)
- 1325. Bryk, F.**, 1922, Über das Abändern von Parnassius apollo L. Nachtrag. Arch. Naturgesch. 87 A (10): 230-243, fig. 1-9.
- 1326. Bryk, F.**, 1923, Parnassiana. Eine neue spanische Apollorasse. Societas Ent. 43: 29-30, figs. 1-2.
- 1327. Bryk, F.**, 1923, Baroniidae, Teinopalpidae, Parnassiidae. [in] Strand, E. Lepidopterorum Catalogus 24 (27): 1-247.
- 1328. Bryk, F.**, 1923, Neue Parnassier. Ent. Z., Frankf. a. M. 36: 56, 1 fig.
- 1329. Bryk, F.**, 1925, Parnassiana. Parnassius mnemosyne L. in Galizien und Rumänien. Societas Ent. 40: 29-30.
- 1330. Bryk, F.**, 1928, Parnassius phoebus ab ernae Eisner. Societas Ent. 43: 38, figs. 1-2.
- 1331. Bryk, F.**, 1929, Parnassiana. Eine neue Rasse von Parnassius phoebus. Societas Ent. 44: 17-18, figs. 1-15.
- 1332. Bryk, F.**, 1930, Über Melanismus bei Parnassius apollo L. Parnassiana 1 (4): 3-5, fig.5.
- 1333. Bryk, F.**, 1931, Kailasius charltonius subsp. eisnerianus (m.) Parnassiana 1 (5): 1-2, figs. 1-2.
- 1334. Bryk, F.**, 1931, Parnassius rothschildianus m. Parnassiana 1 (6): 4.
- 1335. Bryk, F.**, 1931, Eine neue Form von Baronia. Parnassiana 1 (7/8): 8-9.

- 1336. Bryk, F.**, 1931, Die Abhängigkeit der Augenflecke vom Flügelgeäder in der Gattung *Parnassius* Latr. Ein Beitrag zur Zeichnung der Lepidopteren. Zool. Jb Syst. 62: 149-174, figs. 1-32.
- 1337. Bryk, F.**, 1932, *Parnassius honrathi* ssp. *ernesti* (ssp. *nova*). *Parnassiana* 2: 65.
- 1338. Bryk, F.**, 1932, Neue Thais-Rassen. *Parnassiana* 2: 66.
- 1339. Bryk, F.**, 1932, Neue Zerynthiinae. *Parnassiana* 2: 102-104.
- 1340. Bryk, F.**, 1932-1934, Parnassiologische Studien aus England. *Parnassiana* 2: 1-6, 19-21, 31-33, 46-50, 67-68; 3: 27-28, 31-32, figs.
- 1341. Bryk, F.**, 1934, Lymantriidae, [in] E. Strand, *Lepidopterorum Catalogus*. Pars 62: 1-441 pp. W. Junk, Berlin. [[available in Cesa Library](#)]
- 1342. Bryk, F.**, 1934, *Lepidoptera* Baroniidae, Teinopalpidae, Parnassiidae Pt.1 Tierreich 64: xxiii ♀ 129 pp., 87 figs.
- 1343. Bryk, F.**, 1935, *Koramus cephalus* Leech forma ven. met. *tadumica* Bryk (forma *nova*). *Parnassiana* 3: 63.
- 1344. Bryk, F.**, 1935, *Lepidoptera* Parnassiidae Pt. II (Subfam. Parnassiinae). Tierreich 65: li ♀ 788 pp., 698 figs.
- 1345. Bryk, F.**, 1935, Parnassiinae (Lepid.). [in] Visser, P.C. & J. Visser-Hooft, Wissenschaftliche Ergebnisse der Niederländischen Expeditionen in den Karakorum und die angrenzenden Gebiete in den Jahren 1922, 1925 und 1929/30: 337-340, figs. 1-2, pl. 1 fig. 2.
- 1346. Bryk, F.**, 1936, H. Hönes *Parnassius*ausbeute vom Jahre 1936. *Parnassiana* 4: 1-4, 1 fig.
- 1347. Bryk, F.**, 1936, Zygaenidae II. [in] Bryk, F., *Lepidopterorum Catalogus* Pars 71. 95-332 pp. Dr. W. Junk 's-Gravenhage. [[available in Cesa Library](#)]
- 1348. Bryk, F.**, 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk, F., *Lepidopterorum Catalogus* Pars 82. 105 pp. Dr. W. Junk 's-Gravenhage. [[available in Cesa Library](#)]
- 1349. Bryk, F.**, 1938, Die Zeichnung der Flügelunterseite von *Kailasius autocrator* Avinoff. *Parnassiana* 5: 19-21, 2 figs.
- 1350. Bryk, F.**, 1938, Die Zeichnung der Flügelunterseite von *Kailasius autocrator* Avinoff. *Parnassiana* 5: 19-21, figs. 1-2.
- 1351. Bryk, F.**, 1938, Neue Parnassiiden aus dem Zoologischen Reichmuseum Alexander Koenig in Bonn. *Parnassiana* 5: 50-54, figs. 1-3; 6: 1-5, fig. 1.
- 1352. Bryk, F.**, 1938, Ein neuer Genus-Namen. *Parnassiana* 5: 54.
- 1353. Bryk, F.**, 1940, Geographische Variabilität von *Melitaea didyma* (Esper). *Folia zool. hydrobiol.* 10: 293-353, 6 pls.
- 1354. Bryk, F.**, 1942, Zur Kenntnis der Grossschmetterlinge der Kurilen. *Dt. ent. Z., Iris* 56: 1-90, 2 Taf., 4 figs.
- 1355. Bryk, F.**, 1943, Neue Tibetanische Parnassier aus dem Reichsmuseum König (Lep.). *Mitt. münch. ent. Ges.* 33: 26-32, pl. 5-6.
- 1356. Bryk, F.**, 1943, Entomological results from Swedish Expedition 1934 to Burma and British India, *Lepidoptera* Drepanidae. *Arkiv Zool.* 34A (13): 1-30, 3 Pls., 1 Map
- 1357. Bryk, F.**, 1944, Entomological results from Swedish Expedition 1934 to Burma and British India, *Lepidoptera*: Saturniidae, Bombycidae, Eupterotidae, Uraniidae, Epiplemidiae und Sphingidae, gesammelt von René Malaise. *Arkiv Zool.* 35A (8): 1-55, 6 Pls.
- 1358. Bryk, F.**, 1946, Zur Kenntnis der Großschmetterlinge von Korea. Pars I. *Rhopalocera*, *Hesperioidea* et *Macrofrenatae* I (Sphingidae). *Arkiv. Zool.* 38A (3): 1-74, 4 Pls. [[available in Cesa Library](#)]
- 1359. Bryk, F.**, 1949, Entomological results from Swedish Expedition 1934 to Burma and British India, *Lepidoptera* Notodontidae Stephens, Cossidae Newman and Hepialidae Stephens collected by René Malaise. *Arkiv Zool.* 42A (19): 1-51, 4 Pls. 1 Map.
- 1360. Bryk, F.**, 1951, Neue achine-Formen. *Ent. Tidskr.* 72: 181-183.
- 1361. Bryner, R.**, 1987, Zur Insektenfauna vom Chasseral, Berner Jura. II. *Lepidoptera* 1. *Rhopalocera* und heliophile *Macroheterocera* (Tagfalter und tagaktive "Nachtgrossfalter"). *Ent. Ber., Luzern* 18: 17-30. [[available in Cesa Library](#)]
- 1362. Brännlich, M. T.**, 1863, *Insecta Lepidoptera* [in] Pontoppidan, E., *Den Danske Atlas I*: 684-689, pl. 30, figs. Kiøbenhavn.
- 1363. Buakwun, O., Watanasit, S. & C. Pholpunthin**, 2000, Biological control of rice leaffolder, *Cnaphalocrocis medinalis* (Guenee) (*Lepidoptera*, *Pyrilidae*) by nematode

- Steinernema carpocapsae* Weiser (Rhabditidae, Steinemematidae). Songklanakarin J. Sci. Technol. 22 (3): 293-300.
1364. **Bubacek, O.**, 1915, Eine Sammeltour in die Ostpyraeneen. Verh. zool.- bot. Ges. Wien 65: 101-111. [[available in Cesa Library](#)]
1365. **Bubacek, O.**, 1923, Sammelausbeute aus Korsica. Verh. zool.- bot. Ges. Wien 72: 28-34.
1366. **Bubics, J. & L. Ronkay**, 2009, Two new *Lygephila* Billberg, 1820 species from the Himalayan-Sino-Tibetan region (Lepidoptera, Noctuidae, Catocalinae). Folia ent. hung. 70: 169-180, figs. [[available in Cesa Library](#)]
1367. **Bubnova, T. V.**, 1980, The noctuid fauna of western Altai (Lepidoptera, Noctuidae). Trudy biol. Inst. sib. Otd. Akad. Nauk SSSR 43: 52-121.
1368. **Buchan, P. B. & O. Kudrna**, 1980, An improved dissecting technique of genitalia of Lepidoptera. Nota lepid. 3(1/2): 39-40. [[available in Cesa Library](#)]
1369. **Buchsbaum, U. & M.-Y. Chen**, 2010, *Camptoloma quimeiae* sp.n., a new Camptolominae species from Taiwan (Lepidoptera, Noctuidae). Entomofauna 31 (6): 49-56, figs. [[available in Cesa Library](#)]
1370. **Buchsbaum, U.**, 2000, Eine neue Pyralide der Gattung *Vitessa* Moore, [1860], aus Sabah, North-Borneo, Malaysia (Lepidoptera, Pyralidae). Ent. Z., Frankf. a. M. 110 (11): 337-339, figs.
1371. **Buchsbaum, U.**, 2000, *Agnidra alextoba* sp.n. aus Sumatra (Lepidoptera, Drepanidae). Mitt. münch. ent. Ges. 90: 85-89, figs. [[available in Cesa Library](#)]
1372. **Buchsbaum, U.**, 2002, *Leucoblepsis taiwanensis* sp.nov., a new species of Drepanidae from Taiwan (Insecta, Lepidoptera). Formosan Ent. 22: 101-114, figs. [[available in Cesa Library](#)]
1373. **Buchsbaum, U.**, 2010, *Nordstromia guenterriedeli* sp.n. from Sumatra (Indonesia) (Lepidoptera, Drepanidae). Entomofauna 31 (7): 57-68, figs. [[available in Cesa Library](#)]
1374. **Buchsbaum, U., Brüggemeier, F. & Mei-Yu Chen**, 2014, A new species of the genus *Callidrepana* Felder, 1861 from Laos (Lepidoptera, Drepanidae). Entomofauna (Suppl.) 17: 33-42, figs. [[available in Cesa Library](#)]
1375. **Buchsbaum, U., Chen, M.-Y. & W. Speidel**, 2010, *Neochalcusia witti* sp.n., a new Zygaenidae species (Chalcosiinae) from southeast China (Lepidoptera). Entomofauna 31 (32): 493-502, figs. [[available in Cesa Library](#)]
1376. **Buchsbaum, U., Speidel, W. & Mei-Yu Chen**, 2014, *Vitessa segereri* sp.n. (Lepidoptera, Pyralidae) from the Tanimbar Islands (Indonesia). Entomofauna (Suppl.) 17: 33-42, figs. [[available in Cesa Library](#)]
1377. **Buckell, F. J.**, 1892, The ova state of Geometrae. Entomologist's Rec. J. Var. 3: 255. [[available in Cesa Library](#)]
1378. **Buckell, F. J.**, 1893, Specific nomenclature: present, past and future. Entomologist's Rec. J. Var. 4: 127-140. [[available in Cesa Library](#)]
1379. **Buckell, F. J.**, 1893, Notes on the early stages of certain Geometrina. Entomologist's Rec. J. Var. 4: 241-242. [[available in Cesa Library](#)]
1380. **Buckell, F. J.**, 1893, The history of butterfly classification. Entomologist's Rec. J. Var. 4: 315-325. [[available in Cesa Library](#)]
1381. **Buckell, F. J.**, 1894, *Danais archippus*, *Anosia plexippus*, or what? Entomologist's Rec. J. Var. 5: 1-5. [[available in Cesa Library](#)]
1382. **Buckell, F. J.**, 1894, Have we two indigenous species of *Euchloe*? Entomologist's Rec. J. Var. 5: 172-173. [[available in Cesa Library](#)]
1383. **Buckell, F. J.**, 1894, *Erebia epiphron*, and its named varieties. A study in synonymy. Entomologist's Rec. J. Var. 5(7): 161-165. [[available in Cesa Library](#)]
1384. **Buckell, F. J.**, 1895, On a uniform terminal for superfamily names. Entomologist's Rec. J. Var. 6: 258. [[available in Cesa Library](#)]
1385. **Buckle, A. S.**, 1908, Notes on a collection of Lepidoptera from Aden and from the Transvaal. Entomologist 41: 7-10. [[available in Cesa Library](#)]
1386. **Buckmaster, M. A.**, 1898, *Polyommatus iolas* and *P. zephyrus* var. *lycidas* in Switzerland. Entomologist's Rec. J. Var. 10: 280. [[available in Cesa Library](#)]
1387. **Buckmeister, C. J.**, 1897, Spring Lepidoptera at Hyères in 1897. Entomologist's Rec. J. Var. 9: 303-304. [[available in Cesa Library](#)]
1388. **Buckwell, P.**, 1954, Quelques chenilles et papillons nouveaux de la région d'Ifrane. Bull. Soc. sci. Nat. Maroc. 34: 351-356.
1389. **Bucsek, K.**, 2008, Contribution to the knowledge of the genus *Eugoa* Walker, 1858 (Lepidoptera, Arctiidae, Lithosiinae). Entomofauna 29 (26): 417-468, figs. [[available in Cesa Library](#)]

- 1390. Budashkin, J. & V.A. Lukhtanov**, 1993, Eine neue Art Untergattung *Agrodiaetus* von der Krim (Lepidoptera, Lycaenidae). *Atalanta* 24 (1/2): 85-87, Pl.V. [[available in Cesa Library](#)]
- 1391. Budashkin, J.**, 1990, Biology of *Agrodiaetus poseidon krymaeus* (Shelj.). *Vestn. zool.* 1990: 85
- 1392. Bugnion, C.**, 1837, Description de quatre nouvelles especes de Lépidopteres de la Syrie et de l'Egypte. *Annls Soc. ent. Fr.* 6: 439-444, pl.16. [[available in Cesa Library](#)]
- 1393. Bugnion, C.**, 1839, Note sur la Sphinx cretica. *Annls Soc. ent. Fr.* 1839: 113-116.
- 1394. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O. & K. Larsen**, 1992, Fund af smasommerfugle fra Danmark i 1991 (Lepidoptera). *Ent. Meddr* 60: 101-110.
- 1395. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O. & K. Larsen**, 1992, Fund af smasommerfugle fra Danmark i 1991 (Lepidoptera). *Ent. Meddr* 60: 101-110. [[available in Cesa Library](#)]
- 1396. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1993, Fund af smasommerfugle fra Danmark i 1992 (Lepidoptera). *Ent. Meddr* 61: 135-147. [[available in Cesa Library](#)]
- 1397. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1993, Fund af smasommerfugle fra Danmark i 1992 (Lepidoptera). *Ent. Meddr* 61: 135-147.
- 1398. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1994, Fund af smasommerfugle fra Danmark i 1993 (Lepidoptera). *Ent. Meddr* 62: 106-115. [[available in Cesa Library](#)]
- 1399. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1994, Fund af smasommerfugle fra Danmark i 1993 (Lepidoptera). *Ent. Meddr* 62: 106-115.
- 1400. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1995, Fund af smasommerfugle fra Danmark i 1994 (Lepidoptera). *Ent. Meddr* 63: 61-74. [[available in Cesa Library](#)]
- 1401. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1995, Fund af smasommerfugle fra Danmark i 1994 (Lepidoptera). *Ent. Meddr* 63: 61-74.
- 1402. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1996, Fund af smasommerfugle fra Danmark i 1995 (Lepidoptera). *Ent. Meddr* 64: 277-287.
- 1403. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1997, Fund af smasommerfugle fra Danmark i 1996 (Lepidoptera). *Ent. Meddr* 65: 148-159.
- 1404. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K. & F. Vilhelmsen**, 1998, Fund af smasommerfugle fra Danmark i 1997 (Lepidoptera). *Ent. Meddr* 66: 105-115.
- 1405. Buhl, O., Falck, P., Jorgensen, B., Karsholt, O., Larsen, K., & K. Schnack**, 1992, Fund af smasommerfugle fra Danmark i 1990 (Lepidoptera). *Ent. Meddr* 60: 1-12. [[available in Cesa Library](#)]
- 1406. Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack**, 1987, Fund af smasommerfugle fra Danmark i 1985 (Lepidoptera). *Ent. Meddr* 55: 43-56. [[available in Cesa Library](#)]
- 1407. Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack**, 1988, Fund af smasommerfugle fra Danmark i 1986 (Lepidoptera). *Ent. Meddr* 56: 99-112. [[available in Cesa Library](#)]
- 1408. Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack**, 1989, Fund af smasommerfugle fra Danmark i 1987 (Lepidoptera). *Ent. Meddr* 57: 123-135. [[available in Cesa Library](#)]
- 1409. Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack**, 1990, Fund af smasommerfugle fra Danmark i 1988 (Lepidoptera). *Ent. Meddr* 58: 33-41. [[available in Cesa Library](#)]
- 1410. Buhl, O., Falck, P., Karsholt, O., Larsen, K., & K. Schnack**, 1991, Fund af smasommerfugle fra Danmark i 1989 (Lepidoptera). *Ent. Meddr* 59: 29-40. [[available in Cesa Library](#)]
- 1411. Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack**, 1981, Fund af smasommerfugle fra Danmark i 1979 (Lepidoptera). *Ent. Meddr* 49: 19-27. [[available in Cesa Library](#)]
- 1412. Buhl, O., Karsholt, O., Larsen, K., Nielsen, E.S., Pallesen, G., Palm, E. & K. Schnack**, 1982, Fund af smasommerfugle fra Danmark i 1980 (Lepidoptera). *Ent. Meddr* 49: 49-57. [[available in Cesa Library](#)]

1413. **Buhl,O., Karsholt,O., Larsen,K., Nielsen,E.S., Pallesen,G., Palm,E. & K.Schnack**, 1983, Fund af smasommerfugle fra Danmark i 1981. Ent. Meddr 50: 11-20. [[available in Cesa Library](#)]
1414. **Buhl,O., Karsholt,O., Larsen,K., Nielsen,E.S., Pallesen,G., Palm,E. & K.Schnack**, 1983, Fund af smasommerfugle fra Danmark i 1982 (Lepidoptera). Ent. Meddr 50: 119-136. [[available in Cesa Library](#)]
1415. **Buhl,O., Karsholt,O., Larsen,K., Palm,E. & K.Schnack**, 1984, Fund af smasommerfugle fra Danmark i 1983 (Lepidoptera). Ent. Meddr 52: 1-21. [[available in Cesa Library](#)]
1416. **Buhl,O., Karsholt,O., Larsen,K., Palm,E. & K.Schnack**, 1987, Fund af smasommerfugle fra Danmark i 1984 (Lepidoptera). Ent. Meddr 54: 97-112. [[available in Cesa Library](#)]
1417. **Bulgakova,L.L. & A.V.-A.Kreuzberg**, 1985, Connection of papilionids (Lepidoptera,Papilionidae) with plant communities in the eastern part of Vakhn Ridge. Byulleten' Mosk. Obshch. Ispyt. Prir. (Otd.Biol.) 90(5): 33-41, figs.
1418. **Bullini,L., Cianchi,R. Stefani,C. & V.Sbordoni**, 1981, Biochemical Taxonomy of the Italian Species of the Amata phegea complex (Ctenuchidae, Syntominae). Nota lepid. 4(4): 125-127. [[available in Cesa Library](#)]
1419. **Bunge,H.**, 1918, Kriegserlebnisse in Palästina. Int. ent. Z. 12: 31-32, 44-47.
1420. **Buntebarth,G.**, 1979, Zur Biologie der Zygaena formosa und der Zygaena carniolica kappadokiae (Lep., Zygaenidae). Ent. Z., Frankf. a. M. 89 (9): 100-104, 2 figs.
1421. **Buresch,I. & K.Tuleschcow**, 1929, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien (1). Izv. tsarsk. prirodnauch. Ins. Sof. 2: 145-250.
1422. **Buresch,I. & K.Tuleschcow**, 1930, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien (2). Izv. tsarsk. prirodnauch. Ins. Sof. 3: 145-248.
1423. **Buresch,I. & K.Tuleschcow**, 1943, Die horizontale Verbreitung der Schmetterlinge (Lepidoptera) in Bulgarien 5. Izv. tsarsk. prirodnauch. Ins. Sof. 16: 79-188.
1424. **Buresch,I. & N.Karnojicki**, 1942, Biologische Beobachtungen über die Schmetterlinge der Varna-Gegend. Izv. bulg. ent. Druzh. 12: 127-162.
1425. **Buresch,I.**, 1915, Biology of Doritis apollinus Hbst. and its distribution in the Balkan Peninsula. Spis. bulg. Akad. Nauk. 12: 15-36.
1426. **Buresch,I.**, 1918, Beitrag zur Lepidopterenfauna des Piringebirges in Mazedonien. Z. wiss. Insektbiol. 14: 97-107, 137-144, 224-231, 271-281.
1427. **Buresch,I.**, 1925, Zwei in Europa selten vorkommende Arten der Schmetterlingsgattung Euchloe nebst Beschreibung einer neuen Unterart Euchloe grüneri macedonica m. Mitt. bulg. ent. Ges. 2: 61-64.
1428. **Buresch,I.**, 1930, Zweiter Beitrag zur Schmetterlingsfauna vom Schlosspark Euxinograd bei der Stadt Varna am Schwarzen Meer. Izv. bulg. ent. Druzh. 5: 207-252.
1429. **Burgeff,H.**, 1914, Kommentar zum paläarktischen Teil der Gattung Zygaena des von Chr. Aurivillius und H. Wagner herausgegebenen Catalogue Lepidopterorum. Mitt. münch. ent. Ges. 5 (5/8): 35-70; (9/12): 77-78, Taf.ii-vi. [[available in Cesa Library](#)]
1430. **Burmann,K. & G.Tarmann**, 1986, Zwei neue Unterarten von Noctua comes (Hübner,[1809-1813]) aus dem Ostalpenraum (Insecta, Lepidoptera, Noctuidae). Annln naturh. Mus. Wien 88/89B: 727-732,figs. [[available in Cesa Library](#)]
1431. **Burns,J.M.**, 1964, Evolution in Skipper Butterflies of the genus Erynnis. 217 pp., 1 pl. University of California Press, Berkeley & Los Angeles. [[available in Cesa Library](#)]
1432. **Burr,M.**, 1944, Parnassius apollo, race kosswigi, de Lattin. Entomologist's Rec. J. Var. 56: 41, 57-58. [[available in Cesa Library](#)]
1433. **Burr,M.**, 1944, Bithynian Mt. Olympus. Entomologist's Rec. J. Var. 56: 100-104. [[available in Cesa Library](#)]
1434. **Burr,M.**, 1949, Catocala fraxini commits suicide. Entomologist's Rec. J. Var. 61: 119. [[available in Cesa Library](#)]
1435. **Burrows,C.R.N.**, 1901, The food-plants of Phorodesma smaragdaria Fab. Entomologist's Rec. J. Var. 13: 197-198. [[available in Cesa Library](#)]
1436. **Bury,J.**, 2014, Rediscovering of Charaxes jasius jasius (Linnaeus,1767) (Lepidoptera, Nymphalidae) in Lebanon. Cesa News 97: 13-19, 2 figs. [[available in Cesa Library](#)]
1437. **Buszko,J.**, 1997, A distributional atlas of butterflies in Poland 1986-1995. 170pp. maps.
1438. **Butler,A.G.**, 1865, Description of six new species of exotic butterflies in the collection of the British Museum. Proc. zool. Soc. Lond. 1865: 455-459, Pl.26. [[available in Cesa Library](#)]

- 1439. Butler, A.G.**, 1865, Description of six species of diurnal Lepidoptera in the British Museum Collection. Proc. zool. Soc. London 1865: 430-434, Pl 25. [\[available in Cesa Library\]](#)
- 1440. Butler, A.G.**, 1865, Monograph of species of Charaxes, a genus of diurnal Lepidoptera. Proc. zool. Soc. London 1865: 622-639, 2 pls.
- 1441. Butler, A.G.**, 1868, An Essay towards an arrangement of the genera of the family Satyridae. Entomologist's mon. Mag. 4: 193-197. [\[available in Cesa Library\]](#)
- 1442. Butler, A.G.**, 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London. [\[available in Cesa Library\]](#)
- 1443. Butler, A.G.**, 1869, Descriptions of species of Lepidoptera, confounded with others described by Linnaeus and Fabricius. Entomologist's mon. Mag. 5: 270-273. [\[available in Cesa Library\]](#)
- 1444. Butler, A.G.**, 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
- 1445. Butler, A.G.**, 1870, On new diurnal Lepidoptera. Ann. Mag. nat. Hist. (4) 5: 362-365. [\[available in Cesa Library\]](#)
- 1446. Butler, A.G.**, 1870, List of the species in a small collection of butterflies from the South Seas. Ann. Mag. nat. Hist. (4) 5: 357-361. [\[available in Cesa Library\]](#)
- 1447. Butler, A.G.**, 1874, List of the diurnal Lepidoptera of the South-Sea Islands. Proc. zool. Soc. Lond. 1874: 274- , Pl.xliv.
- 1448. Butler, A.G.**, 1874, Notes on the Aegeriidae with descriptions of new genera and species. Ann. Mag. nat. Hist. (4) 14: 407-411. [\[available in Cesa Library\]](#)
- 1449. Butler, A.G.**, 1874, Notes on a collection of butterflies recently brought from Cape Coast, West Africa with description of a new species from Natal. Entomologist's mon. Mag. 11: 57-58. [\[available in Cesa Library\]](#)
- 1450. Butler, A.G.**, 1875, On a collection of Southern Africa with descriptions of new genera and species. Ann. Mag. nat. Hist. (4) 16: 394-420. [\[available in Cesa Library\]](#)
- 1451. Butler, A.G.**, 1875, Contributions towards a knowledge of the Rhopalocera of Australia. Trans. ent. Soc. Lond. 1875: 1-10. [\[available in Cesa Library\]](#)
- 1452. Butler, A.G.**, 1875, A list of the Lepidoptera referable to the genus Hypsa of Walker's list, with descriptions of new genera and species. Trans. ent. Soc. Lond. 1875 (4): 315-329. [\[available in Cesa Library\]](#)
- 1453. Butler, A.G.**, 1875, Descriptions of thirty-three new or little known species of Sphingidae in the collection of the British Museum. Proc. zool. Soc. London 1875: 3-16, pls.1-2. [\[available in Cesa Library\]](#)
- 1454. Butler, A.G.**, 1875, Descriptions of new species of Sphingidae. Proc. zool. Soc. London 1875: 238-261, pls.36-37. [\[available in Cesa Library\]](#)
- 1455. Butler, A.G.**, 1875, Descriptions of four new species of Protogonius. Proc. zool. Soc. London 1875: 35-36, pl.v. [\[available in Cesa Library\]](#)
- 1456. Butler, A.G.**, 1875, Descriptions of several new species of Sphingidae. Proc. zool. Soc. London 1875: 621-623. [\[available in Cesa Library\]](#)
- 1457. Butler, A.G.**, 1875, Revision of the genus Spilosoma and allied groups of the family Arctiidae. Cist. ent. 2: 21-44. [\[available in Cesa Library\]](#)
- 1458. Butler, A.G.**, 1876, Revision of the heterocerous Lepidoptera of the family Sphingidae. Trans zool. Soc. Lond. 1876 (3): 511-644, Pls.90-94.
- 1459. Butler, A.G.**, 1876, Notes on the Lepidoptera of the family Zygaenidae with descriptions of new genera and species. J. linn. Soc. Lond., Zool. 12: 342-406, pls.xxvii-xxviii [\[available in Cesa Library\]](#)
- 1460. Butler, A.G.**, 1876, Revision of the lepidopterous genus Teracolus with descriptions of the new species. Proc. zool. Soc. Lond. 1876: 126-165, pls.vi,vii. [\[available in Cesa Library\]](#)
- 1461. Butler, A.G.**, 1877, On the lepidoptera from Japan and Shanghai. Ann. Mag. nat. Hist. (4) 19: 91-97. [\[available in Cesa Library\]](#)
- 1462. Butler, A.G.**, 1877, On two collections of Heterocerous Lepidoptera from New Zealand with descriptions of new genera and species. Proc. zool. Soc. Lond. 1877: 379-407, pls. xlii-xliii. [\[available in Cesa Library\]](#)
- 1463. Butler, A.G.**, 1877, On a collection of Lepidoptera made in Northern Formosa by H.E.Hobson, Esq. Proc. zool. Soc. London 1877: 810-816. [\[available in Cesa Library\]](#)
- 1464. Butler, A.G.**, 1877, Descriptions of new species of Heterocerous Lepidoptera in the collection of the British Museum. Proc. zool. Soc. London 1877: 168-170. [\[available in Cesa Library\]](#)

- 1465. Butler, A.G.**, 1877, Descriptions of several African and Australian Lepidoptera in the collection of the British Museum. *Ann. Mag. nat. Hist.* (4) 19: 458-462. [[available in Cesa Library](#)]
- 1466. Butler, A.G.**, 1879, The butterflies of Malacca. *Trans. linn. Soc. Lond.* (2), Zool. 1 (8): 553-568, pls. 68, 69.
- 1467. Butler, A.G.**, 1880, On a collection of Lepidoptera from Candahar. *Proc. zool. Soc. London* 1880: 403-415, pl.xxxix. [[available in Cesa Library](#)]
- 1468. Butler, A.G.**, 1880, On a new and little-known butterfly from India. *Proc. zool. Soc. London* 1880: 147-152, pl.xv. [[available in Cesa Library](#)]
- 1469. Butler, A.G.**, 1881, On a collection of Lepidoptera from Western India, Beloochistan and Afghanistan. *Proc. zool. Soc. London* 1881: 602-624. [[available in Cesa Library](#)]
- 1470. Butler, A.G.**, 1882, On a small collection of Lepidoptera principally from Candahar. *Ann. Mag. nat. Hist.* (5) 9: 206-211. [[available in Cesa Library](#)]
- 1471. Butler, A.G.**, 1882, Descriptions of new species of Lepidoptera, chiefly from Duke-of-York Island and New Britain. *Ann. Mag. nat. Hist.* (5) 10: 36-43, 149-160, 226-238. [[available in Cesa Library](#)]
- 1472. Butler, A.G.**, 1883, List of Lepidoptera collected by Mr. H.O. Forbes in the Islands of Timor Laut. *Proc. zool. Soc. Lond.* 1883: 365-371, Pl.xxxviii. [[available in Cesa Library](#)]
- 1473. Butler, A.G.**, 1884, On an undescribed butterfly of the genus *Teracolus* from Arabia. *Entomologist's mon. Mag.* 21: 81. [[available in Cesa Library](#)]
- 1474. Butler, A.G.**, 1885, An account of two collections of Lepidoptera recently received from Somali-land. *Proc. zool. Soc. Lond.* 1885: 756-776, Pl.47. [[available in Cesa Library](#)]
- 1475. Butler, A.G.**, 1886, On the Lepidoptera collected by Major Yerbury in Western India. *Proc. zool. Soc. Lond.* 1886: 355-395, Pl.xxxv. [[available in Cesa Library](#)]
- 1476. Butler, A.G.**, 1887, Descriptions of new species of Heterocerous Lepidoptera (Pyrallites) from the Solomon Islands. *Ann. Mag. nat. Hist.* (5) 20: 114-124. [[available in Cesa Library](#)]
- 1477. Butler, A.G.**, 1888, On the Lepidoptera received from Dr. Emin Pasha. *Proc. zool. Soc. Lond.* 1888: 56-85. [[available in Cesa Library](#)]
- 1478. Butler, A.G.**, 1889, Illustrations of typical specimens of Lepidoptera Heterocera in the Collection of the British Museum vol.7, 124 pp. Taylor & Francis, London. [[available in Cesa Library](#)]
- 1479. Butler, A.G.**, 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to *Eriopus* and *Callopietria*. *Ann. Mag. nat. Hist.* (6) 8: 70-78, plate ix. [[available in Cesa Library](#)]
- 1480. Butler, A.G.**, 1891, List of Lepidoptera in a collection made by Emin Pasha in Central Africa. *Ann. Mag. nat. Hist.* (6) 7: 40-51. [[available in Cesa Library](#)]
- 1481. Butler, A.G.**, 1892, On a collection of Lepidoptera from Sandakan, N.E. Borneo. *Proc. zool. Soc. Lond.* 1892: 120-133, Pl.vi. [[available in Cesa Library](#)]
- 1482. Butler, A.G.**, 1893, On two collections of Lepidoptera sent by H.H. Johnston, Esq., C.B., from British Central Africa. *Proc. zool. Soc. Lond.* 1893: 643-684, Pl.60 [[available in Cesa Library](#)]
- 1483. Butler, A.G.**, 1895, On collections of Lepidoptera from British Central Africa and Lake Tanganyika. *Proc. zool. Soc. London* 1895: 250-270, pls.xv,xvi. [[available in Cesa Library](#)]
- 1484. Butler, A.G.**, 1895, On a small collection of butterflies made by Consul Alfred Sharpe at Zomba, British Central Africa. *Proc. zool. Soc. London* 1895: 720-721. [[available in Cesa Library](#)]
- 1485. Butler, A.G.**, 1896, On the butterflies obtained in Arabia and Somaliland by Capt. Chas. G. Nurse and Col. J.W. Yerbury in 1894 and 1895. *Proc. zool. Soc. Lond.* 1896: 242-256, Pl.10. [[available in Cesa Library](#)]
- 1486. Butler, A.G.**, 1897, On a new Nymphalid butterfly from N.E. Borneo. *Ann. Mag. nat. Hist.* (6) 19: 469-470. [[available in Cesa Library](#)]
- 1487. Butler, A.G.**, 1897, On a new African Pierine Butterfly of the genus *Mylothris*. *Ann. Mag. nat. Hist.* (6) 19: 627. [[available in Cesa Library](#)]
- 1488. Butler, A.G.**, 1897, A revision of the Pierine butterflies of the genus *Delias*. *Ann. Mag. nat. Hist.* (6) 20: 143-167. [[available in Cesa Library](#)]
- 1489. Butler, A.G.**, 1897, Revision of the species of butterflies belonging to the genus *Teracolus* Swain. *Ann. Mag. nat. Hist.* (6) 20: 385-399, 451-473, 495-507. [[available in Cesa Library](#)]
- 1490. Butler, A.G.**, 1897, On a collection of Lepidoptera obtained in the Arusa Galla country in 1894 by Mr. F. Gillet. *Proc. zool. Soc. Lond.* 1897: 692-694-? [[available in Cesa Library](#)]
- 1491. Butler, A.G.**, 1898, A revision of the species of the genus *Hebomoia*. *Ann. Mag. nat. Hist.* 7 (1): 289-293. [[available in Cesa Library](#)]

- 1492. Butler, A.G.**, 1898, Revision of the butterflies of the genus *Ixias*. Ann. Mag. nat. Hist. 7 (1): 133-143. [[available in Cesa Library](#)]
- 1493. Butler, A.G.**, 1898, On the Pierine butterflies of the genus *Catophaga*. Ann. Mag. nat. Hist. 7 (2): 392-401, 458-467. [[available in Cesa Library](#)]
- 1494. Butler, A.G.**, 1898, Revision of the Pierine butterflies of the genus *Terias* of the Old World. Ann. Mag. nat. Hist. 7 (1): 56-82. [[available in Cesa Library](#)]
- 1495. Butler, A.G.**, 1898, On a collection of Lepidoptera made in British East Africa by Mr. C. S. Betton. Proc. zool. Soc. Lond. 1898: 395-444, Pls. 32, 33. [[available in Cesa Library](#)]
- 1496. Butler, A.G.**, 1898, On the lepidopterous insects collected by G.A.K. Marshall in Natal and Mashonaland in 1895 and 1897. Proc. zool. Soc. London 1898: 186-201.
- 1497. Butler, A.G.**, 1898, Descriptions of some new species of butterflies of the subfamily Pierinae. Ann. Mag. nat. Hist. 7 (1): 294-295. [[available in Cesa Library](#)]
- 1498. Butler, A.G.**, 1899, A revision of the Dismorphina of the New World, with descriptions of new species. Ann. Mag. nat. Hist. (7) 3: 373-393. [[available in Cesa Library](#)]
- 1499. Butler, A.G.**, 1899, A revision of the Pierine genus *Huphina*, with notes on the seasonal phases and descriptions of new species. Ann. Mag. nat. Hist. (7) 3: 201-214. [[available in Cesa Library](#)]
- 1500. Butler, A.G.**, 1900, Insecta (Lepidoptera, Rhopalocera) [in] Günther, R.T., Contributions to the Natural History of Lake Urmi, N.W. Persia, and its neighbourhood. J. linn. Soc., Zool. 27: 408-411. [[available in Cesa Library](#)]
- 1501. Butler, A.G.**, [1898], On three consignments of butterflies collected in Natal in 1896 and 1897 by Mr. Guy A. K. Marshall, F.Z.S. Proc. zool. Soc. Lond. 1897: 835-857, 1 pl.
- 1502. Butler, G.**, 2001, Lepidoptera [in] Checklists for the fauna of the Western Soutpansberg. 51pp. The Soutpansberg Conservancy. [[available in Cesa Library](#)]
- 1503. Buvat, R.**, 1996, *Phyllonorycter neli* n.sp. (Lepidoptera, Gracilariidae, Lithocolletinae). Alexanor 19 (3) (1995): 167-170, figs. [[available in Cesa Library](#)]
- 1504. Buxton, D.A.J.**, 1916, Lepidoptera at the Dardanelles. Entomologist's Rec. J. Var. 28 (10): 213-217. [[available in Cesa Library](#)]
- 1505. Buxton, P.A.**, 1920, A Liparid moth, *Ocnogryia amanda* Staud., destructive to figs in Mesopotamia. Bull. ent. Res. 11: 181-186.
- 1506. Buxton, P.A.**, 1921, Butterflies of Ghilan, N.W. Persia. Entomologist's Rec. J. Var. 33: 29-32. [[available in Cesa Library](#)]
- 1507. Bytinski-Salz, H. & W. Brandt**, 1937, New Lepidoptera from Iran. Entomologist's Rec. J. Var. 49: 1-15. [[available in Cesa Library](#)]
- 1508. Bytinski-Salz, H.**, 1936, New Lepidoptera from Asia Minor. Entomologist's Rec. J. Var. 48: 1-6. [[available in Cesa Library](#)]
- 1509. Bytinski-Salz, H.**, 1939, New Amatidae from Asia. Entomologist's Rec. J. Var. 51: 149-153, pl. x. [[available in Cesa Library](#)]
- 1510. Bänziger, H. & D.S. Fletcher**, 1985, Three new zoophilous moths of the genus *Scopula* (Lepidoptera, Geometridae) from South-east Asia. J. nat. Hist. 19: 851-860, 17 figs. [[available in Cesa Library](#)]
- 1511. Bänziger, H. & D.S. Fletcher**, 1988, Description of five new lachryphagous and zoophilous *Semiothisa* moths from SE Asia, with five new synonymies (Lepid., Geometridae). Revue suisse Zool. 95 (4): 933-952, 44 figs. [[available in Cesa Library](#)]
- 1512. Bänziger, H. & W. Büttiker**, 1969, Records of eye-frequenting Lepidoptera from man. J. med. Ent. 6: 53-58, 4 figs. [[available in Cesa Library](#)]
- 1513. Bänziger, H.**, 1973, Biologie der lachryphagen Lepidopteren in Thailand und Malaya. Revue suisse Zool. 79: 1381-1469, Abb. [[available in Cesa Library](#)]
- 1514. Bänziger, H.**, 1979, Description of 3 new species of *Calyptra* Ochsenh. [Calpe Treit.] (Lep., Noctuidae). Mitt. Schweiz. ent. Ges. 52: 103-108, 14 figs. [[available in Cesa Library](#)]
- 1515. Bänziger, H.**, 1980, Skin-piercing blood-sucking moths III. Feeding act and piercing mechanism of *Calyptra eustrigata* (Hmps.) (Lep., Noctuidae). Mitt. Schweiz. ent. Ges. 53: 127-142, 28 figs. [[available in Cesa Library](#)]
- 1516. Bänziger, H.**, 1982, Fruit-piercing moths in Thailand: A general survey and some new perspectives. Mitt. Schweiz. ent. Ges. 55: 213-240, 17 figs. [[available in Cesa Library](#)]
- 1517. Bänziger, H.**, 1983, Lachryphagous Lepidoptera recorded for the first time in Laos and China. Mitt. schweiz. ent. Ges. 56: 73-82, 11 figs. [[available in Cesa Library](#)]

1518. **Bänziger, H.**, 1983, A taxonomic revision of the fruit and blood-sucking moths genus *Calyptra* Ochsenheimer [=Calpe Treitschke] (Lep., Noctuidae). Ent. scand. 14: 467-491, figs. [[available in Cesa Library](#)]
1519. **Bänziger, H.**, 1984, Description of *Adris suthepensis* n.sp., a suspected fruit-piercing moth (Lepidoptera, Noctuidae) from N. Thailand and contiguous mountain regions. Mit. Schweiz. ent. Ges. 57: 173-177, figs. [[available in Cesa Library](#)]
1520. **Bänziger, H.**, 1985, Description of three new lachryphagous moths of the genus *Mabra* from Thailand, Malaysia, and China (Lepidoptera, Pyralidae). Mitt. schweiz. ent. Ges. 58: 23-30, 14 figs. [[available in Cesa Library](#)]
1521. **Bänziger, H.**, 1986, *Anomis fructusterebrans* sp.nov., a new fruit-piercing moth of Northern Thailand, with notes on agriculturally important *Anomis* spp. (Lepidoptera, Noctuidae). Nat. Hist. Bull. Siam Soc. 34: 59-64, figs. [[available in Cesa Library](#)]
1522. **Bänziger, H.**, 1987, Biological and taxonomic studies on immature and adult fruitpiercing moths in Nepal, with reference to Thailand. Nat. Hist. Bull. Siam Soc. 35: 1-17. [[available in Cesa Library](#)]
1523. **Bänziger, H.**, 1987, Description of new moths which settle on man and animals in S.E.Asia (genera *Thliptoceras*, *Hemiscopis*, *Toxobotys*, Pyralidae, Lepid.). Revue suisse Zool. 94 (4): 671-681, 33 figs. [[available in Cesa Library](#)]
1524. **Bänziger, H.**, 1988, The heaviest tear drinkers: Ecology and systematics of new and unusual Notodontid moths. Nat. Hist. Bull. Siam Soc. 36: 17-53, figs. [[available in Cesa Library](#)]
1525. **Bänziger, H.**, 1988, Lachryphagous Lepidoptera recorded for the first time in Indonesia (Sumatra) and Papua New Guinea. Heteroc. Sumatr. 2: 133-144, figs. [[available in Cesa Library](#)]
1526. **Bänziger, H.**, 1988, Unsuspected tear-drinking and anthropophily in thyatirid moths, with similar notes on sphingids. Nat. Hist. Bull. Siam Soc. 36: 117-133, figs. [[available in Cesa Library](#)]
1527. **Bänziger, H.**, 1989, A persistent tear drinker: Notodontid moth *Poncetia lacrimisaddicta* sp.n., with notes on its significance to conservation. Nat. Hist. Bull. Siam Soc. 37: 31-46, figs. [[available in Cesa Library](#)]
1528. **Bänziger, H.**, 1992, Remarkable new cases of moths drinking human tears in Thailand (Lepidoptera, Thyatiridae, Sphingidae, Notodontidae). Nat. Hist. Bull. Siam Soc. 40: 90-102, 9 figs. [[available in Cesa Library](#)]
1529. **Bänziger, H.**, 1995, *Microstega homocolorum* sp.n. - the most frequently observed lachryphagous moth of man (Lepidoptera, Pyralidae, Pyraustinae). Revue suisse Zool. 102 (2): 265-276, 18 figs. [[available in Cesa Library](#)]
1530. **Börner, C.**, 1939, Die Grundlagen meines Lepidopterensystems. Verh. VII. Int. Kongr. Ent. 1938, 2: 1372-1424, 51 figs. [[available in Cesa Library](#)]
1531. **Böttcher, A.**, 1905, Neue und wenig bekannte Arctiiden aus Turkestan. Ent. Z. Stuttgart 19 (11): 53-55; (12): 61-63, Abb. [[available in Cesa Library](#)]
1532. **Cadiou, J.-M.**, 2000, A new *Lithosphingia* from Tanzania and a new *Craspedortha* from China (Lepidoptera, Sphingidae). Ent. Africana 5 (1): 135-152, figs.
1533. **Cadiou, J.M. & I.J.Kitching**, 1990, New Sphingidae from Thailand (Lepidoptera). Lambillionea 90 (4): 3-34, figs.
1534. **Cadiou, J.M. & J.D.Holloway**, 1989, Endemic Sphingidae from Sulawesi (Lepidoptera). Lambillionea 89 (9/12): 130-158.
1535. **Cadiou, J.M.**, 1988, A new Sphingid from Sulawesi: *Daphnis hayesi* (Lepidoptera, Sphingidae). Lambillionea 88 (9/10): 138-143, figs.
1536. **Cadiou, J.M.**, 1990, A new Sphingid from Thailand: *Rhodambulyx schnitzleri* (Lepidoptera, Sphingidae). Lambillionea 90 (2): 42-48, figs.
1537. **Cadiou, J.M.**, 1991, A further new Sphingid from Thailand: *Gehlenia pinratanai* (Lepidoptera, Sphingidae). Lambillionea 91 (1): 66-70, figs.
1538. **Calberla, H.**, 1887, Die Macrolepidopterenfauna der römischen Campagna und der angrenzenden Provinzen Mittelitaliens. Dt. ent. Z., Iris 1: 119-158. [[available in Cesa Library](#)]
1539. **Calberla, H.**, 1891, Verzeichniss der von Herrn Dr. Alphons Stuebel in Palestina und Syrien gesammelten Lepidopteren, darunter 3 neue Arten. Dt. ent. Z., Iris 4: 34-52. [[available in Cesa Library](#)]
1540. **Calle, J.A.**, 1977, Nuevas ediciones de Noctuidae en Guadalajara. Shilap Revta lepid. 18: 142.
1541. **Calle, J.A.**, 1977, Rectificaciones a trabajos de V. Redondo y J.J.Pérez, y algunos lepidópteros de Benicasim (Castellón). Shilap Revta lepid. 19: 216-217.

1542. **Calle, J.A.**, 1978, Ensayo a los Noctuidae de Murcia. Shilap Revta lepid. 20: 293-302; 21: 27-36.
1543. **Calle, J.A.**, 1979, Los Noctuidae de la Sierra de Cazorla (Jaén). Shilap Revta lepid. 24: 283-285.
1544. **Calle, J.A.**, 1979, Revision de las Alexia de Laever, 1979 y Agrochola Hübner, 1816 de Espana. Shilap Revta lepid. 25: 23-30.
1545. **Calle, J.A.**, 1979, Glosario critico y nuevas adiciones de Guadalajara. Shilap Revta lepid. 26: 133-135.
1546. **Calle, J.A.**, 1980, Los Noctuidae de Segovia. Shilap Revta lepid. 28: 247-252; 29: 27-32; 30: 107-112.
1547. **Calle, J.A.**, 1980, Noctuidae recolectados en Sierra Nevada (Granada). Shilap Revta lepid. 31: 210-212.
1548. **Calle, J.A.**, 1981, Contribucion a los Noctuidae espanoles Nr. 24. Bol. Soc. Esp. Ent. 4: 79-84.
1549. **Calle, J.A.**, 1981, Noctuidae del valle de Aran (Lérida), colectados en 1979. Bull. Soc. Cat. Lep. 32: 17-20.
1550. **Calle, J.A.**, 1981, Contribucion a los Noctuidae espanoles Nr. 28. Shilap Revta lepid. 32: 263.
1551. **Calle, J.A.**, 1981, Noctuidae de los Picos de Europa. Revta Apatura 2: 29-47.
1552. **Calle, J.A.**, 1981, Nuevas ediciones de Noctuidae en Guadalajara. Shilap Revta lepid. 34: 124.
1553. **Calle, J.A.**, 1982, Noctuidos Espanoles. 430pp., 56 Lam., 681 figs. Ministerio de Agricultura, Pesca y Alimentacion, Madrid. [[available in Cesa Library](#)]
1554. **Calle, J.A.**, 1982, Dysgonia torrida (Guenée, 1852) (Lep., Noctuidae) en Espana. Bol. Asoc. esp. Ent. 6 (1): 125-126, figs. [[available in Cesa Library](#)]
1555. **Calle, J.A., Lencina, F. & A.S. Ortiz**, 2002, Contribucion al conocimiento faunistico de los macrolepidopteros de Murcia, Espana (Insecta, Lepidoptera). Shilap Revta lepid. 30 (118): 135-148, figs. [[available in Cesa Library](#)]
1556. **Calle, J.A., Lencina, F., Gonzalez, F. & A.S. Ortiz**, 2000, Las mariposas de la Region de Murcia. Macrolepidopteros diurnos y nocturnos. 396pp. Pls., Nausicaä, Murcia. [[available in Cesa Library](#)]
1557. **Calora, F.B.**, 1966, A revision of the species of the Leucania Complex occurring in the Philippines (Lepidoptera, Noctuidae). The Philip. Agric. 50: 633-728, figs.
1558. **Cama, A.**, 1997, Etude faunistique des Lépidoptères de l'Indre-et-Loire (suite) (Heterocera, Pterophoridae). Alexanor 19(7): 413-414. [[available in Cesa Library](#)]
1559. **Cameron-Curry, P., Leigh, G., Riboni, E. & V. Cameron-Curry**, 1983, Euchloe tagis Hb. and Artogeia ergane G.-H. in Piedmont (North Italy) (Pieridae). Nota lepid. 6 (1): 35-37, fig. [[available in Cesa Library](#)]
1560. **Can Cengiz, F. & A. Hausmann**, 2014, The Geometridae of Amanos mountains in southern Turkey - with a review of the historical exploration. Spixiana 37 (2): 263 [Only a very short text of two paragraphs, completely irrelevant with its striking title. No scientific information!] [[available in Cesa Library](#)]
1561. **Can, F. & N. Arap**, 2005, On the geometrid moths (Lepidoptera) of northern Cyprus, including three new records. Zool. Middle East 35: 79-86.
1562. **Can, F. & V. Mironov**, 2006, Perizoma onurcani sp.n. from Turkey (Geometridae, Larentiinae). Nota lepid. 28 (3/4): 163-166, figs.
1563. **Can, F.**, 2008, Geometrid moths (Lepidoptera) from the middle and eastern Black Sea Regions of Turkey. Turk J. Zool. 32: 1-8. [[available in Cesa Library](#)]
1564. **Can, F.**, 2009, DNA barcoding confirms species rank for a cryptic geometrid species from Turkey and Bulgaria (Lepidoptera, Geometridae, Sterrhinae). Zootaxa 2314: 63-68, figs. [[available in Cesa Library](#)]
1565. **Can, F.**, 2010, Evaluation of morphological characters and male genitalia features of emerald moths (Lepidoptera, Geometridae, Geometrinae) from Turkey. Afr. J. Agr. Res. 5 (9): 867-873, figs. [[available in Cesa Library](#)]
1566. **Can, F., Garrevoet, T. & A.I. Sağiroğlu**, 2010, Synanthedon syriaca, a new species to the Turkish fauna (Lepidoptera, Sesiidae). Phegea 38 (1): 8-10. [[available in Cesa Library](#)]
1567. **Candeze, L.**, 1927, Lépidoptères Hétérocères de l'Indochine française. Ency. Ent. (Ser.B) II, 2: 73-133.

1568. **Cannaviello, E.**, 1900, Contributo alla Fauna Entomologica. Della Colonia Eritrea. Boll. Soc. ent. Ital. 32: 289-308.
1569. **Cano, J.M.**, 1983, Species densities and geographical distribution of Lycaenids on the Iberian Peninsula. Nota lepid. 6 (1): 24-34, figs. [[available in Cesa Library](#)]
1570. **Canterer, L.P.**, 1834-[1835], Histoire naturelle des Lépidopteres Rhopaloceres ou Papillons diurnes, des Départements des Haut et Bas-Rhin, de la Moselle, de la Meurthe et des Vosges. 166 pp., 39 pls. Paris.
1571. **Capdeville, P. & P.-C. Rougeot**, 1969, Une nouvelle sous-espece ibérique de *Parnassius apollo* (Linné) (Lep., Papilionidae). Bull. Soc. ent. Fr. 74(7/8): 200.
1572. **Capdeville, P.**, 1967, Note sur la classification des races ibériques de *Parnassius apollo* (Papilionidae). Alexanor 5(4): 167-172.
1573. **Capdeville, P.**, 1978-1980, Les races géographiques de *Parnassius apollo*. 6 parts. 191pp. 24 col. pls.
1574. **Capronnier, J.B.**, 1889, Liste des Lépidopteres captures au Congo par Messieurs Thys. Legat. Martini et Machado en 1887. Annls Soc. ent. Belg. 33: Bull., cxviii-cxxvi. [[available in Cesa Library](#)]
1575. **Capronnier, J.B.**, 1889, Liste d'une collection de Lépidopteres recueillis au Gabon. Annls Soc. ent. Belg. 33: Bull., cxli-cxviii. [[available in Cesa Library](#)]
1576. **Capuse, I. & D. Dogof**, 1969, Contribution a l'étude de *Janthinea frivaldszkyi* (Dup) de Bulgarie (Lepidoptera, Noctuidae). Bull. Soc. ent. Mulhouse 1969: 81-84, 3 figs. [[available in Cesa Library](#)]
1577. **Capuse, I.**, 1958, *Ancata* n.g. (*Taeniocampa* Gn., partim, Lepidoptera). Polski Pismo Ent. 28: 167-171.
1578. **Capuse, I.**, 1966, New and rare palaearctic Tineidae (Lepidoptera). Tijdschr. Ent. 109 (5): 103-124, 49 figs. [[available in Cesa Library](#)]
1579. **Capuse, I.**, 1967, Beiträge zur Kenntnis der paläarktischen Tineiden (Lepidoptera, Tineidae). Ent. Ber., Amst. 27: 109-118, 25 figs. [[available in Cesa Library](#)]
1580. **Capuse, I.**, 1971, Recherches Morphologiques et Systematiques sur la famille des Coleophoridae (Lepidoptera). 66 pp., pls. Bucharest.
1581. **Capuse, I.**, 1972, Über den Genitalapparat der *Nycteola*-Arten (Lep., Noctuidae) nebst Beschreibung einer neuen Untergattung *Dufayella*. Ent. Z., Frankf.a.M. 82: 87-92, Abb.1-2. [[available in Cesa Library](#)]
1582. **Capuse, I.**, 1973, Zur Systematik und Morphologie der Typen der Sesiidae (Lepidoptera) in der R. Puengeler- Sammlung des Zoologischen Museums zu Berlin. Mitt. münch. ent. Ges. 63: 134-171, figs.
1583. **Caradja, A.v.**, 1929, *Antigastra catalaunalis* nov.ab.sionensis. Eine noch unbeschriebene Pyralidenformen aus Palästina. Acad. Roum. Bull. Sect. Sci. 12:6.
1584. **Caradja, A.v. & E. Meyrick**, 1934, Materialien zu einer Microlepidopteren-Fauna Kwangtungs. Dt. ent. Z., Iris 48: 28-43.
1585. **Caradja, A.v. & E. Meyrick**, 1935, Materialien zu einer Microlepidopteren-Fauna der chinesischen Provinzen Kiangsu, Chekiang und Hunan. 96S. Berlin.
1586. **Caradja, A.v. & E. Meyrick**, 1937-1938, Materialien zu einer Microlepidopteren-Fauna des Yülingshanmassivs (Provinz Yünnan). Dt. ent. Z., Iris 51: 137-182; 52: 1-29.
1587. **Caradja, A.v. & E. Meyrick**, 1938, Materialien zu einer Microlepidopteren-Fauna des Taipeishanmassivs (Tsinlinshan), Provinz Shensi. Dt. ent. Z., Iris 52: 104-111.
1588. **Caradja, A.v.**, 1895, Die Großschmetterlinge des königreiches Rumänien. Dt. ent. Z., Iris 8: 1-102. [[available in Cesa Library](#)]
1589. **Caradja, A.v.**, 1900, Die Mikrolepidopteren Rumäniens. Bull. Soc. scient. Bucarest 10: 111-168.
1590. **Caradja, A.v.**, 1910, Beitrag zur Kenntnis über die geographische Verbreitung der Pyraliden des europäischen Faunengebietes nebst Beschreibung einiger neuer Formen. Dt. ent. Z., Iris 24: 105-147, Taf.14. [[available in Cesa Library](#)]
1591. **Caradja, A.v.**, 1916, Beitrag zur Kenntnis der geographische Verbreitung der Pyraliden und Tortriciden des europäischen Faunengebietes, nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 30 (1): 1-88, 151-152. [[available in Cesa Library](#)]
1592. **Caradja, A.v.**, 1920, Beitrag zur Kenntnis der geographischen Verbreitung der Microlepidopteren des palaearktischen Faunengebietes nebst Beschreibung neuer Formen. Dt. ent. Z., Iris 34: 75-179. [[available in Cesa Library](#)]

- 1593. Caradja, A.v.**, 1925, Über Chinas Pyraliden, Tortriciden, Tineiden nebst kurzen Betrachtungen, zu denen das Studium dieser Fauna Veranlassung gibt (Eine biogeographische Skizze). Memle. Sect. stiint. Acad. rom. (Ser.3) 3: 257-383, 2 Taf.
- 1594. Caradja, A.v.**, 1927, Die Kleinfalter der Stötzner'schen Ausbeute, nebst Zuträge aus meiner Sammlung (zweite biogeographische Skizze: "Zentralasien"). Memle. Sect. stiint. Acad. rom. (Ser.3) 4: 361-428.
- 1595. Caradja, A.v.**, 1935, Beitrag zur Kleinfalterfauna Inneranatoliens. Dt. ent. Z., Iris 48: 183-184. [\[available in Cesa Library\]](#)
- 1596. Carbonell, F. & A. Karbalaye**, 1998, Contribution a la connaissance des genres *Allancastris* Bryk, 1934 et *Archon* Hübner, 1822 en Iran (Lepidoptera, Papilionidae). Linneana Belgica 16 (6): 245-248, figs. [\[available in Cesa Library\]](#)
- 1597. Carbonell, F. & A. Naderi**, 2006, *Melanargia sadjadii* n.sp., du nord de l'Iran (Lepidoptera, Nymphalidae). Bull. Soc. ent. Fr. 111 (4): 465-468, figs. [\[available in Cesa Library\]](#)
- 1598. Carbonell, F. & A. Naderi**, 2007, *Melanargia grumi lorestanensis* n. ssp. dans le sud-ouest de l'Iran (Lep., Nymphalidae). Bull. Soc. ent. Fr. 112 (4): 454, figs. [\[available in Cesa Library\]](#)
- 1599. Carbonell, F. & A.R. Naderi**, 2000, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), *A. arasbarani* nouvelle espèce dans le nord-ouest de l'Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (5): 218-220, figs. [\[available in Cesa Library\]](#)
- 1600. Carbonell, F. & C. Brevignon**, 1982, Une nouvelle sous-espèce d'*Archon apollinus* de Turquie (Lepidoptera, Papilionidae). Alexanor 12 (8): 339-343, figs. [\[available in Cesa Library\]](#)
- 1601. Carbonell, F. & C. Brevignon**, 1983, Notes sur les Lépidoptères de la Turquie du sud a Paques. Alexanor 13 (2): 50-53. [\[available in Cesa Library\]](#)
- 1602. Carbonell, F. & P. Skala**, 2005, *Sublysandra myrrha bahramii* n.ssp. et *S. myrrha garrina* n.ssp. du nord-ouest de l'Iran (Lepidoptera, Lycaenidae). Bull. Soc. ent. Fr. 110 (4/5): 381-382, figs. [\[available in Cesa Library\]](#)
- 1603. Carbonell, F. & W. Back**, 2009, *Anthocharis gruneri fereiduni* n.ssp. dans le sud-ouest de l'Iran (Lep., Pieridae). Bull. Soc. ent. Fr. 114 (4): 473-474, figs. [\[available in Cesa Library\]](#)
- 1604. Carbonell, F.**, 1991, Une espèce jumelle méconnue du genre *Polyommatus* (*Neolysandra*) Koçak, 1977. Linneana Belgica 13 (1): 35-45, figs. [\[available in Cesa Library\]](#)
- 1605. Carbonell, F.**, 1991, Contribution a la connaissance du genre *Archon* Hübner, 1822. Découverte de zones de sympatrie pour *Archon apollinus* (Herbst) et *A. apollinaris* Staudinger (Lepidoptera, Papilionidae). Linneana Belgica 13 (1): 3-12, figs. [\[available in Cesa Library\]](#)
- 1606. Carbonell, F.**, 1991, Contribution a la connaissance du genre *Polyommatus* en Turquie orientale (Lepidoptera, Lycaenidae). Linneana Belgica 13 (4): 221-235, figs. [\[available in Cesa Library\]](#)
- 1607. Carbonell, F.**, 1993, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): le complexe ultraspécifique d'*A. transcaspica* Staudinger (1899) (Lepidoptera, Lycaenidae). Linneana Belgica 14 (2): 89-116, 12 figs. Tab. [\[available in Cesa Library\]](#)
- 1608. Carbonell, F.**, 1994, Contribution à la connaissance du genre *Polyommatus* Latreille (1804): le complexe ultraspécifique de *Polyommatus eros-eroides* au Moyen-Orient et en Transcaucasie (Lepidoptera, Lycaenidae) (1re partie: descriptions de nouveaux taxa). Linneana Belgica 14 (4): 227-234, figs. [\[available in Cesa Library\]](#)
- 1609. Carbonell, F.**, 1994, Le complexe d'*Agrodiaetus poseidon* Herrich-Schäffer (1851) en Turquie et au Liban. Description d'une nouvelle sous-espèce d'*A. theresiae* (Lepidoptera, Lycaenidae). Linneana Belgica 14 (6): 291-302, Pls. [\[available in Cesa Library\]](#)
- 1610. Carbonell, F.**, 1995, Contribution a la connaissance du genre *Polyommatus* Latreille (1804): le complexe ultraspécifique de *Polyommatus eros-eroides* au Moyen-Orient et en Transcaucasie (2ème partie). Linneana Belgica 14 (8): 439-454, figs. [\[available in Cesa Library\]](#)
- 1611. Carbonell, F.**, 1996, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A. lycius* nouvelle espèce en Turquie méridionale. Linneana Belgica 15 (7): 89-116, figs. [\[available in Cesa Library\]](#)
- 1612. Carbonell, F.**, 1996, Contribution a la connaissance du genre *Allancastris* Bryk (1934). Morphologie, biologie et ecologie d'*Allancastris louristana* (Le Cerf, 1908). Linneana Belgica 15 (6): 231-236, figs. [\[available in Cesa Library\]](#)
- 1613. Carbonell, F.**, 1996, Contribution a la connaissance des genres *Agrodiaetus* Hübner, (1822) *Agrodiaetus lycius* n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). Linneana Belgica 15 (7): 281-285, figs. [\[available in Cesa Library\]](#)

- 1614. Carbonell, F.**, 1997, Contribution à la connaissance du genre *Allancastris* Bryk (1934) Morphologie, biologie et écologie d'*Allancastris cretica* (Rebel, 1904) (Lepidoptera, Papilionidae). *Linneana Belgica* 15 (8): 303-308, 1 Pl. 3 figs. [[available in Cesa Library](#)]
- 1615. Carbonell, F.**, 1997, *Hyponphele shirazica* n.sp. en Iran méridionale (Lepidoptera, Nymphalidae, Satyridae). *Linneana Belgica* 16 (3): 99-104, 9 col. figs., 1 text-figs. [[available in Cesa Library](#)]
- 1616. Carbonell, F.**, 1997, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822): *A. actis artvinensis* nouvelle sous-espèce en Turquie orientale. *Linneana Belgica* 15 (11): 139-142, figs. [[available in Cesa Library](#)]
- 1617. Carbonell, F.**, 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), position taxinomique d'*Agrodiaetus anticarmon* Koçak, 1983 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (7): 263-265, 6 figs.; 16(8): 349. [[available in Cesa Library](#)]
- 1618. Carbonell, F.**, 1998, Contribution a la connaissance du genre *Agrodiaetus* Hübner, 1822 *Agrodiaetus cilicius* n.sp. en Turquie méridionale (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (8): 343-349, maps, pl. [[available in Cesa Library](#)]
- 1619. Carbonell, F.**, 2000, Contribution a la connaissance du genre *Agrodiaetus* Hübner (1822), *A. barmifiruze* n.sp. et *A. musa esfahensis* n.ssp. en Iran méridional (Lepidoptera, Lycaenidae). *Linneana Belgica* 17 (5): 211-217, figs., maps. [[available in Cesa Library](#)]
- 1620. Carbonell, F.**, 2000, Contribution a la connaissance du genre *Chazara* Moore, 1893 *Chazara eгина mortezai* n.ssp. en Iran (Lepidoptera: Nymphalidae, Satyrinae). *Linneana Belgica* 17 (6): 247-254, figs. map. [[available in Cesa Library](#)]
- 1621. Carbonell, F.**, 2000, Découverte de la femelle d'*Hyponphele shirazica* Carbonell, 1977 [sic!] (Lepidoptera, Nymphalidae, Satyrinae). *Linneana Belgica* 17 (7): 271-272, figs. [[available in Cesa Library](#)]
- 1622. Carbonell, F.**, 2002, *Agrodiaetus erzindjanensis* n.sp. de Turquie (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 107: 524.
- 1623. Carbonell, F.**, 2003, *Agrodiaetus antidolus pertekensis* n.ssp., de Turquie orientale, et *A. morgani sanandajensis* n.ssp., de l'ouest de l'Iran (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 108 (5): 441-445, figs. [[available in Cesa Library](#)]
- 1624. Carbonell, F.**, 2003, *Agrodiaetus damocles tortumensis* n.ssp. et *A. d. urartua* n.ssp. de Turquie orientale (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 108 (2): 167-175, figs. [[available in Cesa Library](#)]
- 1625. Carbonell, F.**, 2013, Nouvelle plante-hôte pour *Allancastris louristana* (Le Cerf) et *Archon apollinaris* (Staudinger) (Lep., Papilionidae). *Bull. Soc. ent. Fr.* 118 (4): 426, figs. [[available in Cesa Library](#)]
- 1626. Carcasson, R.H.**, 1975, The Swallowtail Butterflies of East Africa (Lepidoptera, Papilionidae). 30pp, 11 Pls. (reprint) Clasesy Ltd., Faringdon, Oxon, England. [[available in Cesa Library](#)]
- 1627. Carpenter, G.D.H. & T.H.E. Jackson**, 1950, New butterflies from East Africa and the Ituri forest. *Proc. R. ent. Soc. Lond. (B)* 19: 97-108, 1 pl.
- 1628. Carpenter, G.D.H.**, 1928, Two collections of butterflies from the S.E. corner of the Sudan. *Trans. ent. Soc. London* 76 (1): 25-54, 3 Pls., 2 figs. [[available in Cesa Library](#)]
- 1629. Carpenter, G.D.H.**, 1935, The Rhopalocera of Abyssinia. A Faunistic Study. *Trans. R. ent. Soc. Lond.* 83(3): 313-447, 6 Pls., 1 Map. [[available in Cesa Library](#)]
- 1630. Carpenter, G.D.H.**, 1937, Description of *Charaxes jahlusa ganensis* subsp.n. from Abyssinia (Lep., Rhopalocera). *Proc. R. ent. Soc. Lond. (B)* 6: 64.
- 1631. Carpenter, G.D.H.**, 1938, Some interesting Rhopalocera from the southern Sudan. *Trans. R. ent. Soc. Lond.* 87: 217-232, 1 pl. [[available in Cesa Library](#)]
- 1632. Carpenter, G.D.H.**, 1951, *Colotis fausta somalica* Hale Carpenter and Jackson, 1950 (Lep., Pieridae). *Proc. R. ent. Soc. Lond. (B)* 20: 106.
- 1633. Carter, D.**, 1992, Butterflies and Moths. 304pp., figs. Dorling Kindersley, London [[available in Cesa Library](#)]
- 1634. Casale, A. & S.A. Cecchin**, 1990, Further data on *Parnassius apollo* Linné, 1758 in the Peloponnesos (Lepidoptera, Papilionidae). *Nota lepid.* 13(1): 8-11, 4 figs. [[available in Cesa Library](#)]
- 1635. Casini, P.M.**, 1981, Distribution and voltinism of *Lycaena dispar* Haw. (Lycaenidae) populations in Northern Italy. *Nota lepid.* 4(1/2): 12-15, figs., map. [[available in Cesa Library](#)]
- 1636. Casini, P.M.**, 1983, Distribution of *Heteropterus morpheus* Pallas (Hesperiidae) in Northern Italy. *Nota lepid.* 6 (2/3): 81-83, 2 figs. [[available in Cesa Library](#)]

- 1637. Casini, P.M.**, 1984, First confirmed report of *Thersamonia thersamon* Esp. (Lycaenidae) in Tuscany, Northern-Central Italy. *Nota lepid.* 7 (2): 109-112, fig.1. [[available in Cesa Library](#)]
- 1638. Casini, P.M.**, 1993, Première station pour l'Italie péninsulaire d'*Euchloe tagis* (Hübner, 1804) et description de la ssp. *calvensis* (Lepidoptera, Pieridae). *Linneana Belg.* 14 (1): 3-14, figs. [[available in Cesa Library](#)]
- 1639. Casini, P.M.**, 1999, *Heodes tityrus subalpinus* (Speyer, 1851) *Linneana Belgica* 17 (1): 5-10, 5 figs. [[available in Cesa Library](#)]
- 1640. Cebeci, Z. & M.Çelik**, 2012, Sultan'ın günlüğü. Sultan (*Danaus chrysippus* L.) kelebeğinin biyolojisi ve ekolojisi. 26s. [http://www.adameros.org/contents/download/Sultan_20\(Danaus_20chrysippus\)_20Turkey.pdf](http://www.adameros.org/contents/download/Sultan_20(Danaus_20chrysippus)_20Turkey.pdf) [access 29 11 2012]. [[available in Cesa Library](#)]
- 1641. Celik, T.**, 1994, NajjuznejŬa najdiŬca vrste *Maculinea teleius* Bergstr. v Sloveniji (Lepidoptera: Lycaenidae). [The southernmost localities of the species *Maculinea teleius* Bergstr. in Slovenia (Lepidoptera: Lycaenidae)]. *Acta ent. Slovenica* 2: 19-24.
- 1642. Cerf, F.le**, 1912, Notes sur les différentes formes d'*Epinephele jurtina* L., et *E. telmessia* Z. *Bull. Soc. ent. Fr.* 1912: 225-231, 6 figs. [[available in Cesa Library](#)]
- 1643. Cerf, F.le**, 1912, Une variété nouvelle de *Callimorpha dominula* L. (Lepidoptera, Hypsidae). *Bull. Soc. ent. Fr.* 1912: 248-250. [[available in Cesa Library](#)]
- 1644. Cerf, F.le**, 1914, Description d'une espèce nouvelle du genre *Zenodoxus* Gr. et Rob. (Lep., Aegeriidae). *Bull. Soc. ent. Fr.* 1914: 272-275, 1 figs. [[available in Cesa Library](#)]
- 1645. Cerf, F.le**, 1914, Description de deux espèces nouvelles d'Aegeriidae (Lep.). *Bull. Soc. ent. Fr.* 1914: 61-63, 3 figs. [[available in Cesa Library](#)]
- 1646. Cerf, F.le**, 1917, Contributions à l'étude des Aegeriidae. Description et Iconographie d'espèces et variétés nouvelles. [in] Oberthür, C., *Etudes lépid. comp.* 14: 137-388, pls. 475-481. [[available in Cesa Library](#)]
- 1647. Cerf, F.le**, 1918, Description d'une *Triphosa* nouvelle de Corse et observations sur les formes apparentes à *Triphosa sabaudia* Dup. *Bull. Mus. natn. Hist. nat. Paris* 24: 403-417, pl. 9.
- 1648. Cerf, F.le**, 1920, Contributions à l'étude des Aegeriidae II. Révision des Aegeriidae de Barbarie. [in] Oberthür, C., *Etudes lépid. comp.* 17: 181-57, 581-583. [[available in Cesa Library](#)]
- 1649. Cerf, F.le**, 1922, Les Lépidoptères du Maroc. [in] Oberthür, C., *Etudes lépid. comp.* 19 (1): 13-403. [[available in Cesa Library](#)]
- 1650. Cerf, F.le**, 1922, Troisième contribution à l'étude des Aegeriidae. Descriptions d'espèces et variétés nouvelles. [in] Oberthür, C., *Etudes lépid. comp.* 19 (2): 17-39, 190-191, pls. 539-540. [[available in Cesa Library](#)]
- 1651. Cerf, F.le**, 1923, Lépidoptères nouveaux recueillis au Maroc par M.H. Ungemach. *Bull. Soc. ent. Fr.* 1923: 197-200.
- 1652. Cerf, F.le**, 1925, Aegeriidae nouveaux du Maroc (Lep.). *Bull. Soc. ent. Fr.* (13): 210-212.
- 1653. Cerf, F.le**, 1928, Lépidoptères africains nouveaux I. Maroc. *Ency. ent., Lepid.* 3: 117-120.
- 1654. Cerf, F.le**, 1932, Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 37: 163-166.
- 1655. Cerf, F.le**, 1934, Lépidoptères nouveaux du Maroc. *Bull. Soc. ent. Fr.* 39 (1): 11-13.
- 1656. Cerf, F.le**, 1937, Aegeriidae [sic!] nouvelles d'Asie Mineure. *Bull. ent. Soc. Fr.* 42: 172-176. [[available in Cesa Library](#)]
- 1657. Cerf, F.le**, 1937, Aegeriidae nouvelles ou peu connues d'Asie Antérieure. *Z. öst. EntVer.* 22: 81-89, 96-99, 103-109, 1 pl. 6 figs. [[available in Cesa Library](#)]
- 1658. Cerf, F.le**, 1938, Aegerides nouvelles d'Iran. *Notul. ent.* 18: 92-104.
- 1659. Cerf, F.le**, 1941, Description d'un genre nouveau et d'une nouvelle espèce de *Cymatophoridae* (Le.) du Tonkin. *Bull. Soc. ent. Fr.* 46: 93-96.
- 1660. Cerf, F.le**, 1957, Nouveaux genres et espèces d'Aegeriidae de Madagascar (Lepi). *Bull. Soc. ent. Fr.* 62 (3/4): 97-100.
- 1661. Cerf, F.le**, [1910], Collections recueillies en Perse par M.J. de Morgan. Lépidoptères. Description d'espèces nouvelles des genres *Lycaena* et *Phlyctaenodes*. *Bull. Mus. natn. Hist. nat. Paris* 3: 535-536. [[available in Cesa Library](#)]
- 1662. Cerny, K.**, 1986, *Carcinopyga lindti* spec. nov. (Lepidoptera, Arctiidae) aus Tian-Schan. *Neue ent Nachr.* 19: 31-36. [[available in Cesa Library](#)]
- 1663. Cerny, K.**, 1986, Lepidopterologische Eindrücke aus Mittelasien. *Neue ent Nachr.* 19: 37-38.

1664. **Cerny, K.**, 1993, A Contribution to the knowledge of the genus *Doliche* Walker (Lepidoptera, Arctiidae, Lithosiinae) from the Philippines. Nachr. ent. Ver. Apollo (N.F.) Suppl. 13: 31-97, 111 figs. [[available in Cesa Library](#)]
1665. **Cerny, K.**, 1995, A Contribution to the knowledge of the Arctiidae (Lepidoptera) of the Philippines. Nachr. ent. Ver. Apollo (N.F.) Suppl. 14: 149-174, 50 figs. [[available in Cesa Library](#)]
1666. **Cerny, K.**, 2011, A review of the subfamily Arctiinae (Lepidoptera, Arctiidae) from the Philippines. Entomofauna 32 (3): 29-92, pls. [[available in Cesa Library](#)]
1667. **Chainey, J.E.**, 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London. Zool. J. Linn. Soc. 145: 283-337, 43 figs. [[available in Cesa Library](#)]
1668. **Champion, H.G.**, 1926, Entomological notes on a tour of Kumaon-Tibet border. Entomologist's mon. Mag. 62: 271-275, Pls. 2, 3.
1669. **Chapman, M.D.**, 1902, On Hypotianae, a new subfamily of Pyralidae. Trans. ent. Soc. London 1902: 49-55. [[available in Cesa Library](#)]
1670. **Chapman, T.A.**, 1893, New classification of the Lepidoptera-Heterocera. Entomologist's Rec. J. Var. 4: 73-74. [[available in Cesa Library](#)]
1671. **Chapman, T.A.**, 1893, The pupal and imaginal wings of Lepidoptera. Entomologist's Rec. J. Var. 4: 195-196. [[available in Cesa Library](#)]
1672. **Chapman, T.A.**, 1893-1894, On the larva of *Arctia caia*, with special reference to its correlated variations in plumage, moulting and hybernation. Entomologist's Rec. J. Var. 4 (1893): 265-268, 288-290; 5 (1894): 11-12, 32-35, 131-133, pl. [[available in Cesa Library](#)]
1673. **Chapman, T.A.**, 1894, Hair tufts and androconia in *Eustroma reticulata*. Entomologist's Rec. J. Var. 5: 5-6. [[available in Cesa Library](#)]
1674. **Chapman, T.A.**, 1894, The evolution of the lepidopterous pupa. A sketch. Entomologist's Rec. J. Var. 5: 25-28. [[available in Cesa Library](#)]
1675. **Chapman, T.A.**, 1894, Notes on the breedings of *Cyclopides palaemon*, *Acronycta psi* and *Pachetra leucophaea*. Entomologist's Rec. J. Var. 5: 174-175. [[available in Cesa Library](#)]
1676. **Chapman, T.A.**, 1895, Notes on the butterfly pupae with some remarks on the phylogenesis of the Rhopalocera. Entomologist's Rec. J. Var. 6: 101-107, 125-131, 147-152, pl. [[available in Cesa Library](#)]
1677. **Chapman, T.A.**, 1896, The characters of the eggs of Lepidoptera, as affording a basis for classification. Entomologist's Rec. J. Var. 8: 287-289. [[available in Cesa Library](#)]
1678. **Chapman, T.A.**, 1897, Notes on *Charaxes jassius*: its life-history, protective resemblance, etc, with some observations on moulting and pupation. Entomologist's Rec. J. Var. 9: 192-194, 217-220. [[available in Cesa Library](#)]
1679. **Chapman, T.A.**, 1897, On the wing-scales and their pigment in Lepidoptera. Entomologist's Rec. J. Var. 9: 78-79. [[available in Cesa Library](#)]
1680. **Chapman, T.A.**, 1898, The structure of the spiracles in Lepidoptera. Entomologist's Rec. J. Var. 10: 215-216. [[available in Cesa Library](#)]
1681. **Chapman, T.A.**, 1899, On the unity of the Psychidae. Entomologist's Rec. J. Var. 11: 200-203. [[available in Cesa Library](#)]
1682. **Chapman, T.A.**, 1899, Lepidoptera at Locarno. Entomologist's Rec. J. Var. 11: 116-117. [[available in Cesa Library](#)]
1683. **Chapman, T.A.**, 1899, The larva of *Melitaea cynthia*. Entomologist's Rec. J. Var. 11: 249. [[available in Cesa Library](#)]
1684. **Chapman, T.A.**, 1899, Entomological notes from the Riviera. Entomologist's Rec. J. Var. 11: 96-97, 114-117. [[available in Cesa Library](#)]
1685. **Chapman, T.A.**, 1900, The pupa of *Libythea celtis*. Entomologist's Rec. J. Var. 12: 284-286. [[available in Cesa Library](#)]
1686. **Chapman, T.A.**, 1900, Some points in the evolution of the lepidopterous antenna. Proc. S. Lond. ent. nat. Hist. Soc. 1899: 1-19.
1687. **Chapman, T.A.**, 1900, Notes on the habits and structure of *Acanthopsyche opacella* H.-S. Trans. ent. Soc. Lond. 1900: 403-410, 1 Pl. [[available in Cesa Library](#)]
1688. **Chapman, T.A.**, 1900, On some wing structures in Lepidoptera. Proc. S. Lond. ent. nat. Hist. Soc. 1900: 31-45, 2 pl.
1689. **Chapman, T.A.**, 1901, Butterflies at Cannes. Entomologist's Rec. J. Var. 13: 188-189. [[available in Cesa Library](#)]

- 1690. Chapman, T.A.**, 1901, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 13: 226. [[available in Cesa Library](#)]
- 1691. Chapman, T.A.**, 1901, Ovum of *Lachneis lanestris*. Entomologist's Rec. J. Var. 13: 225-226. [[available in Cesa Library](#)]
- 1692. Chapman, T.A.**, 1901, *Luffia maggiella* n.sp. Entomologist's Rec. J. Var. 13: 80-81. [[available in Cesa Library](#)]
- 1693. Chapman, T.A.**, 1901, Notes on *Luffias*- with incidental remarks on the phenomenon of parthenogenesis Entomologist's Rec. J. Var. 13: 91-95, 149-153, 178-180. [[available in Cesa Library](#)]
- 1694. Chapman, T.A.**, 1901, The cry of *Acherontia atropos*. Entomologist's Rec. J. Var. 13: 127-128. [[available in Cesa Library](#)]
- 1695. Chapman, T.A.**, 1901, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 13: 160. [[available in Cesa Library](#)]
- 1696. Chapman, T.A.**, 1901, Notes on *Bankesia conspurcatella*, &c. Entomologist's Rec. J. Var. 13: 173-174. [[available in Cesa Library](#)]
- 1697. Chapman, T.A.**, 1905, Cryptic form and colouring of *Melitaea* larvae. Entomologist 38: 73.
- 1698. Chapman, T.A.**, 1905, Sculpturing of the pupa of *Thestor ballus*. Entomologist's Rec. J. Var. 17: 145. [[available in Cesa Library](#)]
- 1699. Chapman, T.A.**, 1905, Pupal skin of *Chrysophanus phlaeas*. Entomologist's Rec. J. Var. 17: 172-173. [[available in Cesa Library](#)]
- 1700. Chapman, T.A.**, 1905, Trumpet-hairs on a skipper larva. Entomologist's Rec. J. Var. 17: 281-282. [[available in Cesa Library](#)]
- 1701. Chapman, T.A.**, 1905, Trumpet-hairs on the pupa of *Chrysophanus dispar*. Entomologist's Rec. J. Var. 17: 322-324. [[available in Cesa Library](#)]
- 1702. Chapman, T.A.**, 1905, On *Erebia palарica* n.sp., and *Erebia stygne*; chiefly in regard to its association with *E. evias*, in Spain. Trans. ent. Soc. London 1905: 9-35.
- 1703. Chapman, T.A.**, 1905, On the pupal suspension of *Thais*. Trans. ent. Soc. London 1905: 203-218.
- 1704. Chapman, T.A.**, 1906, The pupa of *Chrysophanus dispar*. Entomologist's Rec. J. Var. 18: 15-17.
- 1705. Chapman, T.A.**, 1906, Trumpet-hairs on the pupa of *Chrysophanus virgaureae* var. *miegi*. Entomologist's Rec. J. Var. 18: 89.
- 1706. Chapman, T.A.**, 1906, Trumpet-hairs on full-grown larva of *Urbicola comma*. Entomologist's Rec. J. Var. 18: 117-118.
- 1707. Chapman, T.A.**, 1906, The butterflies at rest. Entomologist's Rec. J. Var. 18: 168-170.
- 1708. Chapman, T.A.**, 1906, Pupal skin and pupal hairs of *Zephyrus quercus*. Entomologist's Rec. J. Var. 18: 237.
- 1709. Chapman, T.A.**, 1908, *Erebia lefebvrei* and *Lycaena pyrenaica*. Trans. ent. Soc. London 1908 (2): 307-316, pls. viii-xiii. [[available in Cesa Library](#)]
- 1710. Chapman, T.A.**, 1908, Are *Everes argiades* and *coretas* distinct species? Trans. ent. Soc. London 1908 (2): 371-374, pls. xix-xx. [[available in Cesa Library](#)]
- 1711. Chapman, T.A.**, 1910, On *Zizeeria* Chapman, *Zizera* Moore. A Group of *Lycaenid* Butterflies. Trans. ent. Soc. Lond. 1910 (4): 479-497, pl.51-60, 4 text figs. [[available in Cesa Library](#)]
- 1712. Chapman, T.A.**, 1911, Two new species of *Lycaenopsis* from Borneo (Sarawak). Trans. ent. Soc. Lond. 1911 (1): 184-186, pl.28. [[available in Cesa Library](#)]
- 1713. Chapman, T.A.**, 1912, The food-plant of *Callophrys avis*. Trans. ent. Soc. London 1912 (2): 409-411. [[available in Cesa Library](#)]
- 1714. Chapman, T.A.**, 1912, An unrecognised European *Lycaena* identified as *Agriades thersites* (Boisd.MSS), Canterer. Trans. ent. Soc. London 1912 (2): 662-677, figs. [[available in Cesa Library](#)]
- 1715. Chapman, T.A.**, 1914, A contribution to the life history of *Agriades thersites*, Canterer. Trans. ent. Soc. London 1914: 285-308, pls. [[available in Cesa Library](#)]
- 1716. Chapman, T.A.**, 1917, *Micropteryx* entitled to ordinal rank. Order *Zeugloptera*. Trans. ent. Soc. London 1916: 310-314, 12 figs. [[available in Cesa Library](#)]
- 1717. Chapman, T.A.**, 1920, An undescribed *Lycaenid* butterfly from Cyprus, *Glaucopsyche paphos*, sp.n. (*Lycaenidae*). Trans. ent. Soc. Lond. 1920 (1/2): 166-169, Pl.v. [[available in Cesa Library](#)]
- 1718. Chapman, T.A.**, [1915], A contribution to the life history of *Polyommatus eros*. Trans. ent. Soc. London 1914: 469-481, pls. [[available in Cesa Library](#)]

1719. **Charet, G. & M. Charet**, 1999, Contribution a l'etude des Rhopalocères du Maroc (Lepidoptera, Papilionoidea). *Alexanor* 20 (7) (1998): 435-446, figs. [[available in Cesa Library](#)]
1720. **Charmeux, J.-F. & J.-M. Desse**, 2006, Bilan de huit séjours au Pakistan et description de *Cupido nagarensis* sp. nova et de *Paralasa gohlshali* sp. nova. *Bull. Lépid. Parisiens* 15 (35): 81-136, figs.
1721. **Charmeux, J.-F. & J. Pages**, 2004, Une nouvelle espece du genre *Turanana* du Pakistan (Lepidoptera, Lycaenidae). *Phegea* 32 (2): 63-69, 2 pls. [[available in Cesa Library](#)]
1722. **Charmeux, J.-F.**, 2001, Une nouvelle espece de *Lasiommata* (Lepidoptera, Nymphalidae, Satyrinae) du nord-ouest Pakistan. *Phegea* 29 (3): 113-119, figs. [[available in Cesa Library](#)]
1723. **Chauliac, A.**, 1981, Répartition d'*Agrodiaetus dolus* Hb et d'*A. ripartii* Freyer en France (Lepidoptera, Lycaenidae). *Alexanor* 12 (2): 70-72, figs. [[available in Cesa Library](#)]
1724. **Cheesman, W.**, 1898, Lepidoptera captured in the Orkney Islands. *Entomologist's Rec. J. Var.* 10: 204-206. [[available in Cesa Library](#)]
1725. **Chen, F.Q. & D.Y. Xue**, 2013, New species of *Actinotia* Hübner, [1821] from China (Lepidoptera, Noctuidae, Xyleninae, Actinotiini). *Shilap Revta lepid.* 41 (164): 421-426, figs. [[available in Cesa Library](#)]
1726. **Chen, S. & H. Wang**, 1993, On new species of Endromididae from China (Lepidoptera, Endromididae). *Acta ent. Sinica* 36: 85-87.
1727. **Chiba, H. & J.N. Eliot**, 1991, A revision of the genus *Parnara* Moore (Lepidoptera, Hesperidae) with special reference to the Asian species. *Tyo to Ga* 17: 179-194, figs.
1728. **Chnéour, A.**, 1954, Macrolépidoptères de Tunisie I, II. *Rhopalocera, Grypocera*. *Bull. Soc. Sci. Nat., Tunis* 7: 207-239, 5 Pls.
1729. **Choi, S.-W. & S.-S. Kim**, 2006, Taxonomic review of the genus *Trichopterigia* Hampson (Lepidoptera, Geometridae) in Korea. *Ent. Res.* 36: 24-26, figs. [[available in Cesa Library](#)]
1730. **Choi, S.-W.**, 1998, Systematics of the genus *Cidaria* Treitschke (Lepidoptera, Geometridae, Larentiinae). *Zool. J. linn. Soc.* 122: 555-580, 29 figs. [[available in Cesa Library](#)]
1731. **Choi, S.-W.**, 1999, Taxonomic review of a new genus, *Diathera* gen.n. from southeast Asia (Lepidoptera, Geometridae, Larentiinae). *J. nat. Hist.* 33: 1039-1048, figs. [[available in Cesa Library](#)]
1732. **Choi, S.-W.**, 2000, A cladistic analysis of the Therini: A new synonym of the *Cidariini* (Lepidoptera, Geometridae, Larentiinae). *Amer. Mus. Novit.* 3295: 1-25, 61 figs., 3 tab. [[available in Cesa Library](#)]
1733. **Choi, S.-W.**, 2001, Phylogeny of *Eulithis* Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. *Amer. Mus. Novit.* 3318: 1-37, 24 figs., 2 Tab. [[available in Cesa Library](#)]
1734. **Chou, I. & Y. Chiang-Chu**, 1979, A taxonomic study on the steppe caterpillars (Lep., Lymantriidae). *Entomotaxonomia* 1: 23-28.
1735. **Chou, I.**, 1998, Classification and Identification of Chinese Butterflies. ca. 340pp. 1317 figs.
1736. **Chou, I.**, 1998, Monographia *Rhopalocerorum Sinensium*. 2 vols. (2nd Edn.) 900pp. figs.
1737. **Chouvalitwongporn, P. & A. Vattanatungum**, 1994, The research for Potato Tuber Moth (*Phthorimaea operculella* (Zeller)). The Second National Plant Protection Conference 1: 108-115. [[available in Cesa Library](#)]
1738. **Christ, H.**, 1889, Zur Lepidopteren-Fauna der Canarischen Inseln. *Mitt. schweiz. ent. Ges.* 8(3): 97-101.
1739. **Christoph, H.**, 1862, Der Begattungsact von *Orgyia dubia* und wahrscheinlich noch mehrerer *Orgyia*-Arten. *Stettin ent. Ztg.* 23: 154-155. [[available in Cesa Library](#)]
1740. **Christoph, H.**, 1867, Biologische Notizen über einige Schmetterlinge. *Stettin ent. Ztg.* 28: 240-246. [[available in Cesa Library](#)]
1741. **Christoph, H.**, 1872, Neue Lepidoptera des europäischen Faunengebietes. *Horae Soc. ent. ross.* 9: 3-39, 2 Tab. [[available in Cesa Library](#)]
1742. **Christoph, H.**, 1881, Eine Reise im westlichen Caucasus. *Stettin ent. Ztg.* 42(4/6): 157-166. [[available in Cesa Library](#)]
1743. **Christoph, H.**, 1882, Einige neue Lepidoptera aus Russisch-Armenien. *Horae Soc. ent. ross.* 17: 104-122. [[available in Cesa Library](#)]
1744. **Christoph, H.**, 1885, Lepidoptera aus dem Achal-Tekke Gebiete 2.Theil. [in] Romanoff, *Mém. Lépid.* 2: 119-171, Pls. vi-viii, xv. [[available in Cesa Library](#)]
1745. **Christoph, H.**, 1887, Diagnosen neuer Lepidopteren aus Tekke. *Stettin ent. Ztg.* 48: 162-167. [[available in Cesa Library](#)]

- 1746. Christoph, H.**, 1888, Diagnosen zu einigen neuen Lepidopteren des palaearctischen Faunengebietes. Horae Soc. ent. ross. 22: 308-314. [\[available in Cesa Library\]](#)
- 1747. Christoph, H.**, 1892, Pellonia tabidaria Z. und Pellonia sieversi Chr. Stettin ent. Ztg. 53: 245-247. [\[available in Cesa Library\]](#)
- 1748. Christoph, H.**, 1893, Lepidoptera nova faunae palaearcticae. Dt. ent. Z., Iris 6: 86-96. [\[available in Cesa Library\]](#)
- 1749. Chrétien, P.**, 1896, Description de Microlépidoptères nouveaux. Bull. Soc. ent. Fr. 1896: 190-193. [\[available in Cesa Library\]](#)
- 1750. Chrétien, P.**, 1907, Description de deux espèces nouvelles de Depressaria d'Algérie (Lep.). Bull. Soc. ent. Fr. 1907: 276-279. [\[available in Cesa Library\]](#)
- 1751. Chrétien, P.**, 1907, Description de nouvelles espèces de Lépidoptères d'Algérie. Bull. Soc. ent. Fr. 1907: 305-308. [\[available in Cesa Library\]](#)
- 1752. Chrétien, P.**, 1908, Description de nouvelles Géléchides d'Algérie (Lep.). Bull. Soc. ent. Fr. 1908: 140-144, figs. [\[available in Cesa Library\]](#)
- 1753. Chrétien, P.**, 1908, Description de deux Géléchides nouvelles d'Algérie [Lép.]. Bull. Soc. ent. Fr. 1908: 91-93. [\[available in Cesa Library\]](#)
- 1754. Chrétien, P.**, 1911, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Annls Soc. ent. Fr. 79 (1910): 497-531. [\[available in Cesa Library\]](#)
- 1755. Chrétien, P.**, 1912, Note sur les premiers états de trois Euchloe (Anthocharis) (Lep., Pieridae) de Mauritanie. Bull. Soc. ent. Fr. 1912: 301-304. [\[available in Cesa Library\]](#)
- 1756. Chrétien, P.**, 1915, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Annls Soc. ent. Fr. 84: 289-374. [\[available in Cesa Library\]](#)
- 1757. Chrétien, P.**, 1917, Contribution à la connaissance des Lépidoptères du nord de l'Afrique. Notes biologiques et critiques. Annls Soc. ent. Fr. 85: 369-502. [\[available in Cesa Library\]](#)
- 1758. Churkin, S. & J. Grieshuber**, 2001, Taxonomic notes on Colias Fabricius, 1807 from North Russia (Lepidoptera, Pieridae) with descriptions of new subspecies. Helios 2: 174-189, Taf. 15-16.
- 1759. Churkin, S., Grieshuber, J., Bogdanov, P. & D. Zamolodchikov**, 2001, Taxonomic notes on Colias tyche Böber, 1812 and Colias nastes Boisduval, 1832 (Lepidoptera, Pieridae) from the Russian Far East with the description of new subspecies. Helios 2: 103-115, Taf. 8-10.
- 1760. Churkin, S.V. & V.K. Tusov**, 2000, Revision of the Erebia radians species-group from Tian-Shan and Pamiro-Alai regions (Lepidoptera, Satyridae). Atalanta 31 (1/2): 87-112, figs., 3 pls. [\[available in Cesa Library\]](#)
- 1761. Churkin, S.V.**, 2000, Taxonomical notes on Melitaea ambrisia Higgins, 1935 and Melitaea alraschid Higgins, 1941 stat. nov. from Central Asia (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 113-122, pl. iv. [\[available in Cesa Library\]](#)
- 1762. Churkin, S.V.**, 2002, Taxonomic notes on the Thersamonia solskyi species group (Lepidoptera, Lycaenidae) with description of a new subspecies. Helios 3: 172-196, figs.
- 1763. Churkin, S.V.**, 2005, A review of Agriades glandon (de Prunner, 1798) from the Asian part of Russia and Mongolia with notes on the zoogeography of the complex (Lepidoptera, Lycaenidae). Helios 6: 3-38, figs.
- 1764. Churkin, S.V.**, 2006, A new subspecies of Vacciniina fergana (Staudinger, 1881) from Kazakhstan (Lepidoptera, Lycaenidae). Helios 7: 9-13, figs.
- 1765. Claassens, A.J.M. & A. Heath**, 1997, Notes on the myrmecophilous early stages of two species of Thestor Hübner (Lepidoptera, Lycaenidae) from South Africa. Metamorphosis 8(2): 56-61, 4 figs. [\[available in Cesa Library\]](#)
- 1766. Claassens, A.J.M.**, 1996, Description of a later instar larva of Thestor yildizae. Metamorphosis 7(3): 139-140. [\[available in Cesa Library\]](#)
- 1767. Clark, F.N.**, 1900, Photographing the eggs of Lepidoptera. Entomologist's Rec. J. Var. 12: 281-282, Pl. xi. [\[available in Cesa Library\]](#)
- 1768. Clark, J.A.**, 1892, A melanic race of Liparis monacha. Entomologist's Rec. J. Var. 3: 222-224, pl. [\[available in Cesa Library\]](#)
- 1769. Clarke, C.A. & T.B. Larsen**, 1986, Speciation problem in the Papilio machaon group of butterflies (Lepidoptera, Papilionidae). Syst. Ent. 11: 175-181, 3 figs. 2 Tab. [\[available in Cesa Library\]](#)
- 1770. Clarke, J.F.G.**, 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London. [\[available in Cesa Library\]](#)

1771. **Clarke, J.F.G.**, 1971, The Lepidoptera of Rapa Island. *Smiths. Contr. Zool.* 56: 1-282, 175 figs. 29 Pls. [\[available in Cesa Library\]](#)
1772. **Clench, H.K. & N.Shoumatoff**, 1956, The 3rd Danish Expedition to Central Asia. Zoological Results: 21. Lepidoptera Rhopalocera (Insecta) from Afghanistan. *Vidensk Medd. Naturh. Foren.* 118: 141-191, 23 figs. 1 pl. [\[available in Cesa Library\]](#)
1773. **Clerck, C.**, 1759-[1764], *Icones Insectorum Rarioum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae.* [\[available in Cesa Library\]](#)
1774. **Closs, A.**, 1911, Neue Sphingiden-Formen in meiner Sammlung. *Int. ent. Z.* 5(7): 50-51. [\[available in Cesa Library\]](#)
1775. **Cockerell, T.D.A.**, 1930, A new moth from Siam. *Bull. Brooklyn Ent. Soc.* 25: 42-43.
1776. **Coenen, F. & A.Olivier**, 1989, Au sujet du statut taxonomique d'*Euchloe belemia* moslemi Seyer, 1988 (Lepidoptera, Pieridae). *Phegea* 17 (1): 19-25, 2 Pls. [\[available in Cesa Library\]](#)
1777. **Coenen, F.**, 1990, Révision du statut taxonomique de quelques populations de *Pieris napi* (Linnaeus, 1758) du sud-est de l'Europe et du Proche-Orient (Lepidoptera, Pieridae). *Phegea* 18 (2): 89-124, 38 figs. [\[available in Cesa Library\]](#)
1778. **Collenette, C.L.**, 1931, New African Lymantriidae in the British Museum Collection. *Trans. ent. Soc. London* 79 (2): 341-363, pls. 12, 13. [\[available in Cesa Library\]](#)
1779. **Collenette, C.L.**, 1932, The Lymantriidae of Malay Peninsula. *Novit. zool.* 38: 49-102.
1780. **Collenette, C.L.**, 1932, New African and Indo-Australian Lymantriidae. *Novit. zool.* 37 (2): 159-180, pl.1. [\[available in Cesa Library\]](#)
1781. **Collenette, C.L.**, 1936, On a collection of Lymantriidae (Heterocera) from North Yunnan. *Ann. Mag. nat. Hist.* (10) 17: 329-346, pl. vii. [\[available in Cesa Library\]](#)
1782. **Collenette, C.L.**, 1936, Dr. Karl Jordan's expedition to south-west Africa and Angola: New Lymantriidae from Angola. *Novit. zool.* 40 (1): 147-169, pl.xii. [\[available in Cesa Library\]](#)
1783. **Collenette, C.L.**, 1937, New African Lymantriidae (Lepidoptera, Heterocera). *Ann. Mag. nat. Hist.* (10) 20: 604-617, Pl.13. [\[available in Cesa Library\]](#)
1784. **Collenette, C.L.**, 1938, New Palaearctic and Indo-Australian Lymantriidae in the British Museum Collection. *Ann. Mag. nat. Hist.* (11) 2: 368-387, Pl.xiv.
1785. **Collenette, C.L.**, 1939, New Lymantriidae (Lepidoptera, Heterocera) from Asia and the East Indies. *Ann. Mag. nat. Hist.* (11) 4: 329-338, Pl.XII. [\[available in Cesa Library\]](#)
1786. **Collenette, C.L.**, 1947, The Lymantriidae of Celebes. *Ann. Mag. nat. Hist.* (11) 14: 1-60, 5 Pls. [\[available in Cesa Library\]](#)
1787. **Collenette, C.L.**, 1948, The Lymantriidae of Java. *Ann. Mag. nat. Hist.* (12) 1: 685-744, Pl.13-15. [\[available in Cesa Library\]](#)
1788. **Collenette, C.L.**, 1949, The Lymantriidae of Bali. *Entomologist* 82: 169-175.
1789. **Collenette, C.L.**, 1953, Notes on African Lymantriidae, with descriptions of some new species. *Ann. Mag. nat. Hist.* (12) 6: 561-578, pl.xiii. [\[available in Cesa Library\]](#)
1790. **Collenette, C.L.**, 1953, New and little known Indonesian Lymantriidae (Lep.). *Treubia* 22: 225-232.
1791. **Collenette, C.L.**, 1960, Entomological results from the Swedish Expedition 1934 to Burma and British India. Lepidoptera Heterocera: Lymantriidae, collected by Dr. Rene Malaise in Burma. *Ent. Tidskr.* 81: 74-76, 3 figs.
1792. **Collenette, C.L.**, 1960, New African Lymantriidae (Lepidoptera, Heterocera). *Ann. Mag. nat. Hist.* (13) 3: 91-101, 1 pl.
1793. **Collenette, C.L.**, 1960, Some new Lymantriidae from the Congo. *Lambillionea* 60: 95-106, 1 pl.
1794. **Collins, N.M. & M.G.Morris**, 1985, Threatened Swallowtail Butterflies of the World. 401pp. 8 Pls. IUCN, Gland & Cambridge. [\[available in Cesa Library\]](#)
1795. **Collins, S.C. & T.B.Larsen**, 1994, The Abantis bismarcki-group of skipper butterflies with the description of *Abantis bamptoni* sp. nov. (Lepidoptera, Hesperidae). *Entomologists' Rec. J. Var.* 106: 1-5, figs. [\[available in Cesa Library\]](#)
1796. **Colynkin, A.V., Titov, S.V. & S.A.Knyazev**, 2014, A new *Perigrapha* Lederer, 1857 from South Kazakhstan (Lepidoptera, Noctuidae). *Zootaxa* 3856 (2): 292-296, figs.
1797. **Common, I.F.B.**, 1966, A new family of Bombycoidea (Lepidoptera) based on *Carthaea saturnioides* Walker from Western Australia. *J. ent. Soc. Queensl.* 5: 29-36.
1798. **Common, I.F.B.**, 1975, Evolution and classification of the Lepidoptera. *Ann. rev. Ent.* 20: 183-203. [\[available in Cesa Library\]](#)

- 1799. Conradt, L.**, 1886, Auszug aus brieflichen Mittheilungen. Stettin ent. Ztg. 47: 300-303. [[available in Cesa Library](#)]
- 1800. Corbet, A.S.**, 1933, A new *Delias* from the Malay Peninsula (Lepidoptera, Pieridae). Entomologist 66 (3): 66.
- 1801. Corbet, A.S.**, 1937, Observations on species of Papilionidae, Pieridae and Danaidae from the Malay Peninsula. Proc. R. ent. Soc. Lond. (B) 6 (3): 45-52.
- 1802. Corbet, A.S.**, 1937, A revision of the Malayan species of *Curetis* Hübner. Proc. R. ent. Soc. Lond. (B) 6: 224-233, figs.
- 1803. Corbet, A.S.**, 1937, A revision of the Malayan species of *Celastrina* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 86 (2): 19-33, 12 figs.
- 1804. Corbet, A.S.**, 1937, Observations on species of Nymphalidae and Riodinidae from the Malay Peninsula. Proc. R. ent. Soc. Lond. (B) 6: 99-104.
- 1805. Corbet, A.S.**, 1938, A revision of the Malayan species of the *Nacaduba* group of genera. Trans. R. ent. Soc. Lond. 87 (5): 125-146, 26 figs. 1 Pl. [[available in Cesa Library](#)]
- 1806. Corbet, A.S.**, 1938, New *Celastrina* and *Taraka* forms from Malay Peninsula (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. London 87 (5): 161-164, pl.1. [[available in Cesa Library](#)]
- 1807. Corbet, A.S.**, 1939, A revision of the Malayan species of *Allotinus* Felder & Felder (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. London 89 (5): 63-77, 23 figs., 1 pl. [[available in Cesa Library](#)]
- 1808. Corbet, A.S.**, 1939, A revision of the Malayan species of *Rapala* Moore. Proc. R. ent. Soc. Lond. (B) 8: 25-31.
- 1809. Corbet, A.S.**, 1939, A revision of the Malayan species of *Miletus* Hübner (*Gerydus* Boisduval). Proc. R. ent. Soc. Lond. (B) 8: 25-31, figs.
- 1810. Corbet, A.S.**, 1940, A revision of the Malayan species of *Poritiinae* (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 90 (11): 337-350, figs. [[available in Cesa Library](#)]
- 1811. Corbet, A.S.**, 1940, A revision of the Malayan species of *Tajuria* Mre (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 90 (5): 107-120, 24 figs. 1 Pl. [[available in Cesa Library](#)]
- 1812. Corbet, A.S.**, 1940, Revisional notes on Malayan *Rhopalocera*. Entomologist 73 (2): 39-43.
- 1813. Corbet, A.S.**, 1941, The Linnean Names of Indo-Australian *Rhopalocera*. Proc. R. ent. Soc. Lond. (B) 10: 8-16.
- 1814. Corbet, A.S.**, 1941, A key to the Indo-Malayan species of *Arhopala* Boisduval (Lepidoptera, Lycaenidae). Proc. R. ent. Soc. Lond. (B) 10: 149-183.
- 1815. Corbet, A.S.**, 1941, The distribution of butterflies in the Malay Peninsula (Lepid.). Proc. R. ent. Soc. Lond. (A) 16 (10/12): 101-116. [[available in Cesa Library](#)]
- 1816. Corbet, A.S.**, 1942, Revisional Notes on the Genus *Euploea* F. Ann. Mag. nat. Hist. (11) 9: 253-267. [[available in Cesa Library](#)]
- 1817. Corbet, A.S.**, 1942, *Spolia Mentawiensis*. *Rhopalocera* Danaidae. Ann. Mag. nat. Hist. (11) 9: 267-271. [[available in Cesa Library](#)]
- 1818. Corbet, A.S.**, 1945, The species of the *aconthea* group of the genus *Euthalia* Hübner. Entomologist 78: 177-183.
- 1819. Corbet, A.S.**, 1946, Observations on the Indo-Australian species of the genus *Arhopala* Boisduval (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 96: 73-88, 6 Pls. [[available in Cesa Library](#)]
- 1820. Corbet, A.S.**, 1947, The "Preliminary list of the *Rhopalocera* of Borneo" by W.B. Pryer and D. Cator. Ann. Mag. nat. Hist. (11) 14: 415-420. [[available in Cesa Library](#)]
- 1821. Corbett, H.H.**, 1895, Some varieties of Noctuae from Doncaster. Entomologist's Rec. J. Var. 6: 250-255. [[available in Cesa Library](#)]
- 1822. Corley, M.F.V.**, 2001, *Pseudosophronia*, a new genus of Gelechiidae (Lepidoptera). Entomologist's Gaz. 52: 213-225, figs. [[available in Cesa Library](#)]
- 1823. Cormier, A.C. du**, 1982, *Boloria banghaasi* Seitz, espèce méconnue (Lep., Nymphalidae). Alexanor 12(7): 290-295, figs.
- 1824. Cormier, A.C. du, Guérin, P. & H. de Lesse**, 1957, Une nouvelle forme de *Boloria* aux Alpes Pontiques. Lambillionea 57(5/6): 34-37. [[available in Cesa Library](#)]
- 1825. Cornes, M.A.**, 1969, A checklist of the Nigerian Lycaenoidea. Occ. Publ. ent. Soc. Nigeria 3: 1-23.
- 1826. Cornes, M.A.**, 1971, A checklist of the Nigerian HesperIIDae. Occ. Publ. ent. Soc. Nigeria 7: 1-10.

- 1827. Corti, A. & H. Zerny**, 1933, [in] Zerny, H., *Lepidopteren aus dem nördlichen Libanon* (Fortsetzung) Noctuidae. Dt. ent. Z., Iris 47: 66-84. [[available in Cesa Library](#)]
- 1828. Corti, A.**, 1927, Studien über die Subfamilie der Agrotinae (Lep.) XIV. Zwei neue palaearktische Agrotinae. Mitt. münch. ent. Ges. 17: 9-12, 1Taf. [[available in Cesa Library](#)]
- 1829. Costa, O.G.**, 1832-[1836], *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque le bagnano, contenente la descrizione de nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinti al naturale*. A Lepidotteri. 321 pp. 23 Pls. Napoli.
- 1830. Costa, O.G.**, 1840, *Catalogo dei Lepidotteri del regno di Napoli*. Napoli.
- 1831. Cotty, A. & M. Dethier**, 1981, Les Lépidoptères d'une pelouse alpine au Parc national suisse. *Nota lepid.* 4(4): 129-150, figs. [[available in Cesa Library](#)]
- 1832. Courtois, J.M.**, 1987, Les Lépidoptères Eupitheciini du pays Messin (Lep., Geometridae, Larentiinae). *Alexanor* 15 (2): 81-86. [[available in Cesa Library](#)]
- 1833. Courvoisier, L.G.**, 1911, Einige neue oder wenig bekannte Lycaeniden Formen. Dt. ent. Z., Iris 25: 103-109, pl.2. [[available in Cesa Library](#)]
- 1834. Courvoisier, L.G.**, 1913, Zur Nomenklatur und Diagnose der europäischen Theclinen. *Int. ent. Z.* 7: 231-233, 239-240, 243-244, 251-253.
- 1835. Coutsis, J.G. & Borie, J.-P.**, 2007, *Turanana dushak* new to Iran, a re-description of its valva and of the valva of *Turanana panaegides*, and new sampling locality data for *Turanana endymion endymion* and *Turanana endymion ahasveros* (Lepidoptera, Lycaenidae). *Phegea* 35 (2): 57-63, figs. [[available in Cesa Library](#)]
- 1836. Coutsis, J.G. & J. de Prins**, 2005, A new brown *Polyommatus* (*Agrodiaetus*) from northern Greece (Lepidoptera, Lycaenidae). *Phegea* 33 (4): 129-137, figs. [[available in Cesa Library](#)]
- 1837. Coutsis, J.G. & N. Ghavalas**, 1988, *Neptis rivularis* (Scopoli, 1763), new to Greece (Lepidoptera, Nymphalidae). *Phegea* 16 (2): 59-60, 1 fig. [[available in Cesa Library](#)]
- 1838. Coutsis, J.G. & N. Ghavalas**, 1991, *Agriades pyrenaicus* (Boisduval, 1840) from N. Greece and notes on *Apatura metis* (Freyer, [1829]) from N.E. Greece (Lepidoptera, Lycaenidae, Nymphalidae). *Phegea* 19 (4): 133-135, 3 figs. [[available in Cesa Library](#)]
- 1839. Coutsis, J.G. & N. Ghavalas**, 1996, Ultra-violet reflection pattern in *Polyommatus andronicus* Coutsis & Ghavalas, 1995 and *Polyommatus icarus* (Rottemburg, 1775) (Lepidoptera, Lycaenidae). *Phegea* 24 (4): 167-169, 17 figs. [[available in Cesa Library](#)]
- 1840. Coutsis, J.G.**, 1969, List of Grecian butterflies. *Entomologist* 102: 264-268. [[available in Cesa Library](#)]
- 1841. Coutsis, J.G.**, 1972, List of Grecian butterflies: Additional records 1969-1971. *Entomologist's Rec. J. Var.* 84: 145-151. [[available in Cesa Library](#)]
- 1842. Coutsis, J.G.**, 1978, List of Grecian butterflies: Additions and corrections. *Entomologist's Rec. J. Var.* 90: 137-140. [[available in Cesa Library](#)]
- 1843. Coutsis, J.G.**, 1986, Notes concerning the taxonomic status of *Turanana panagaea taygetica* Rebel (Lep. Lycaenidae). *Nota lepid.* 9 (1/2): 35-38, 2 figs. [[available in Cesa Library](#)]
- 1844. Coutsis, J.G.**, 1988, Records of *Zygaena Fabricius*, 1775, from Greece (Lepidoptera, Zygaenidae). *Entomologist's Gaz.* 39: 49-64, 27 figs. 13 maps. [[available in Cesa Library](#)]
- 1845. Coutsis, J.G.**, 1994, Larvae found in the abdomen of *Pyrginae* Burmeister, 1878 (Lepidoptera, Hesperidae). *Phegea* 22 (3): 115-116, 1 fig. [[available in Cesa Library](#)]
- 1846. Coutsis, J.G.**, 1996, Additional butterfly records from the Greek islands of Santorini and Siros (Lepidoptera, Papilionoidea). *Phegea* 24 (1): 13-16, 2 Pls. [[available in Cesa Library](#)]
- 1847. Coutsis, J.G.**, 2001, The male genitalia of the butterflies placed in the subgenus *Neolysandra* of the genus *Polyommatus* (Lycaenidae). *Nota lepid.* 24 (1/2): 65-72, figs. [[available in Cesa Library](#)]
- 1848. Coutsis, J.G.**, 2004, Revision of the *Turanana endymion* species-group (Lycaenidae). *Nota lepid.* 27 (4): 251-272. [[available in Cesa Library](#)]
- 1849. Coutsis, J.G.**, 2006, Revision of the *Turanana endymion* species-group (Lycaenidae) - a correction. *Nota lepid.* 28 (3/4) (2005): 202.
- 1850. Coutsis, J.G.**, 2006, Additional revisionary actions and corrections in the *Turanana endymion* species-group (Lepidoptera). *Nota lepid.* 29 (1/2): 17-25.
- 1851. Coutsis, J.G.**, 2008, *Pseudophilotes bavius casimiri*, the most differentiated subspecies of the *P. bavius* species-group. *Pseudophilotes fatma*, a distinct species (Lepidoptera, Lycaenidae, Scolitantiditi). *Phegea* 36 (4): 121-125, 24 figs. [[available in Cesa Library](#)]

- 1852. Coutsis, J.G., Prins, W.de & D.v.d.Poorten**, 1997, *Turanana laspura* Evans separated from *T.cytis* (Christoph) as a distinct species (Lepidoptera, Lycaenidae). *Phegea* 25 (3): 135-140, 9 figs. [\[available in Cesa Library\]](#)
- 1853. Cowan, C.F.**, 1965, The nomenclature of *Cheritra freija* (Fab.). *Entomologist* 98: 68-72.
- 1854. Cowan, C.F.**, 1966, Indo-Oriental *Horagini* (Lepidoptera, Lycaenidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 18: 103-141, 3 pls. [\[available in Cesa Library\]](#)
- 1855. Cowan, C.F.**, 1967, Indo-Oriental *Cheritini* (Lepidoptera, Lycaenidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 20: 75-103, 4 pls. [\[available in Cesa Library\]](#)
- 1856. Cowan, C.F.**, 1974, The Indo-Oriental genus *Drupadia* Moore (Lepidoptera, Lycaenidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 29 (6): 281-356, 6 Pls.
- 1857. Cowan, C.F.**, 1985, The type-species of *Hipparchia* Fabricius, 1807 (Lepidoptera, Satyridae). *Entomologist's Gaz.* 36: 284.
- 1858. Cramer, P.**, [1775], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx*, 16 pp. 1-132, pls. 1-84, "1779". Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1859. Cramer, P.**, [1776], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156*, pls. 85-96, Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1860. Cramer, P.**, [1777], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152*, pls. 97-192, Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1861. Cramer, P.**, [1779], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104*, pls. 193-252, Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1862. Cramer, P.**, [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176*, pls. 253-288, Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1863. Cramer, P.**, [1780], *Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28*, pls. 289-304, Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 1864. Cretschmar, M.**, 1963, Die Stammform des Maulbeerseidenspinners. *Mitt. dt. ent. Ges.* 22 (2): 27-35, (3): 45-54.
- 1865. Crompton, S.E.**, 1895, A few remarks on the Lepidoptera of Tenerife. *Entomologist's Rec. J. Var.* 7: 9-11. [\[available in Cesa Library\]](#)
- 1866. Crowley, P.**, 1890, On some new species of African diurnal Lepidoptera. *Trans. ent. Soc. London* 1890 (3): 551-556, pls. xvii, xviii. [\[available in Cesa Library\]](#)
- 1867. Crumb, S.E.**, 1934, A classification of some Noctuid larvae of the subfamily Hypeninae. *Ent. Amer.* 14: 133-196, 7 figs.
- 1868. Crüger, C.**, 1874, *Lepidopteren von Turkestan*, bearbeitet von N.G.Erschoff, wirkkl. Mitglied der russ. entomol. Gesellschaft von Petersburg. *Stettin ent. Ztg.* 35: 386-417. [\[available in Cesa Library\]](#)
- 1869. Culot, J.**, 1917-[1918], *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iii).* 268 pp., 1-37 pls. Genève. [\[available in Cesa Library\]](#)
- 1870. Culot, J.**, 1919-1920, *Noctuelles et Géomètres d'Europe. Iconographie complete de toutes les Espèces européennes. Deuxième Partie Géomètres (vol.iv).* 167 pp., 38-69 pls. Genève. [\[available in Cesa Library\]](#)
- 1871. Curtis, J.**, 1823-1840, *British Entomology, being illustrations and descriptions of the genera of insects found in Great Britain and Ireland; containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found.* 16 vols. 770 pls. London. [\[available in Cesa Library\]](#)
- 1872. Cyrillo, D.**, 1787-1792, *Entomologiae Neapolitanae Specimen primum.* 8 pp., 12 Tab., Napoli.
- 1873. Çelikkaya, D.**, 2009, 19 yıl sonra 19 Temmuz... *Cesa News* 48: 1-60, 111 figs. [\[available in Cesa Library\]](#)
- 1874. D'Abrera, B.**, 1977, *Butterflies of the Australian Region (2nd Edn.).* xx ♀ 415 pp. Melbourne. [\[available in Cesa Library\]](#)
- 1875. D'Abrera, B.**, 1980, *Butterflies on the Afrotropical Region.* 593 pp., Pls. Lansdowne Ed., Melbourne. [\[available in Cesa Library\]](#)

- 1876. D'Abrera, B.**, 1982, Butterflies of the Oriental Region 1. Papilionidae, Pieridae and Danaidae. xxi ♀ 244 pp. Ferny Creek, Australia. [\[available in Cesa Library\]](#)
- 1877. D'Abrera, B.**, 1985, Butterflies of the Oriental Region 2. Nymphalidae, Satyridae and Amathusiidae 245-534 pp. Ferny Creek, Australia. [\[available in Cesa Library\]](#)
- 1878. D'Abrera, B.**, 1986, Butterflies of the Oriental Region 3. Lycaenidae and Riodinidae. 535-672 pp. Ferny Creek, Australia. [\[available in Cesa Library\]](#)
- 1879. D'Abrera, B.**, [1987], Sphingidae Mundi: Hawk Moths of the World. x♀226pp., Faringdon.
- 1880. Dabrowski, J.S.**, 1981, Selected problems of Lepidoptera protection in Soviet Central Asia, Armenia and the Caucasus Mountains. *Nota lepid.* 4(3): 93-98, 4 figs. [\[available in Cesa Library\]](#)
- 1881. Dacie, J.V., Dacie, M.K.V. & P.Grammaticos**, 1972, Butterflies in northern and central Greece, July 1971. *Entomologist's Rec. J. Var.* 84: 257-266.
- 1882. Dacie, J.V., Dacie, M.K.V., Grammaticos, P. & J.Coutsis**, 1982, Butterflies in northern Greece, June-July 1980. *Entomologist's Rec. J. Var.* 94: 18-20. [\[available in Cesa Library\]](#)
- 1883. Dacie, J.V., Dacie, M.K.V., Grammaticos, P., Higgins, L.G. & N.Higgins**, 1979, Butterflies in northern Greece, June-July 1979. *Entomologist's Rec. J. Var.* 91: 311-314.
- 1884. Dadd, E.M.**, 1901, Finding cocoons of *Hybocampa milhauseri* and *Cerura bicuspis*. *Entomologist's Rec. J. Var.* 13: 158-159. [\[available in Cesa Library\]](#)
- 1885. Dadd, E.M.**, 1911, *Acidalia myrtillata* n.sp. *Berl. ent. Z.* 55 (1910): 262-263. [\[available in Cesa Library\]](#)
- 1886. Dahl, F.**, 1921-1923, *Grundlagen einer ökologischen Tiergeographie* 1,2. Jena. [\[available in Cesa Library\]](#)
- 1887. Dalglish, A.A.**, 1901, Lepidoptera from south-west Scotland. *Entomologist's Rec. J. Var.* 13: 133-135. [\[available in Cesa Library\]](#)
- 1888. Dall'asta, U.**, 1977, Lymantriidae [in] Rougeot, *Missions Entomologiques en Ethiopie* 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 39-42. [\[available in Cesa Library\]](#)
- 1889. Dalla Torre, K.W.v.**, 1914, Thyrididae. [in] Wagner, H., *Lepidopterorum Catalogus Pars* 20. 55pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 1890. Dalla Torre, K.W.v.**, 1923, Cossidae. [in] Strand, E., *Lepidopterorum Catalogus Pars* 29. 63pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 1891. Dalman, J.W.**, 1816, Försök till systematik Upptällning af Sveriges Fjarilar. *K. svenska VetenskAkad. Handl.* 37: 48-105, 199-225, 2 Taf. [\[available in Cesa Library\]](#)
- 1892. Daniel, F. & L.Kolb**, 1929-1930, Beiträge zur Lepidopteren-Fauna Zentral-Ungarns. *Mitt. münch. ent. Ges.* 19: 335-346; 20: 49-92. [\[available in Cesa Library\]](#)
- 1893. Daniel, F. & W.Forster**, 1955, Ernst Pfeiffer. *Mitt. münch. ent. Ges.* 45: 532-536, Taf.ix. [\[available in Cesa Library\]](#)
- 1894. Daniel, F.**, 1932, Neue Schmetterlingsformen und -Arten aus Marasch in Nordsyrien. *Mitt. münch. ent. Ges.* 22: 15-16. [\[available in Cesa Library\]](#)
- 1895. Daniel, F.**, 1932, Zygaenidae-Cymatophoridae. [in] Osthelder, L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 22 (2): 52-73, pls. [\[available in Cesa Library\]](#)
- 1896. Daniel, F.**, 1932, *Cossus osthelderi* spec.nov. *Mitt. münch. ent. Ges.* 22: 95. [\[available in Cesa Library\]](#)
- 1897. Daniel, F.**, 1932, Thyrididae-Hepialidae. [In] Osthelder, L. & E.Pfeiffer, *Lepidopteren-Fauna von Marasch in türkisch Nordsyrien*. *Mitt. münch. ent. Ges.* 22(2):74-82. [\[available in Cesa Library\]](#)
- 1898. Daniel, F.**, 1933, [in] Zerny, H., *Lepidopteren aus dem nördlichen Libanon (Fortsetzung)* Arctiidae, Cossidae. *Dt. ent. Z., Iris* 47: 102-104, 106-108, Taf. [\[available in Cesa Library\]](#)
- 1899. Daniel, F.**, 1934, Beitrag zur Syntomis Fauna der Balkan-Halbinsel. *Mitt. münch. ent. Ges.* 24: 58-60, Taf.3, Abb.7-9.
- 1900. Daniel, F.**, 1935, Beiträge zur Verbreitung und Rassebildung von *Chelis maculosa* Gerning. *Mitt. münch. ent. Ges.* 25 (2): 45-55, pl. [\[available in Cesa Library\]](#)
- 1901. Daniel, F.**, 1935, *Roeselia taurica* sp. nova. *Mitt. münch. ent. Ges.* 25(2): 42. [\[available in Cesa Library\]](#)
- 1902. Daniel, F.**, 1937, Zwei neue Cossidae aus Persien. *Mitt. münch. ent. Ges.* 27: 49-51, Taf.iii. [\[available in Cesa Library\]](#)
- 1903. Daniel, F.**, 1937, *Lacydes elbursi* sp.n. *Mitt. münch. ent. Ges.* 27(1): 37-38. [\[available in Cesa Library\]](#)
- 1904. Daniel, F.**, 1938, Neuheiten aus Vorderasien (Lepidoptera). *Mitt. münch. ent. Ges.* 28(1): 2-6, pl. [\[available in Cesa Library\]](#)

- 1905. Daniel, F.**, 1939, Gedanken zu einigen Arctiiden Formen (Lepidoptera). Mitt. münch. ent. Ges. 29: 354-368, Taf. xi (25 figs). [[available in Cesa Library](#)]
- 1906. Daniel, F.**, 1939, Zygaenidae-Hepialidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 29: 84-103, pl. [[available in Cesa Library](#)]
- 1907. Daniel, F.**, 1940, Die Cossidae und Hepialidae der Ausbeuten Höne. Mitt. münch. ent. Ges. 30: 1004-1024, Taf. 28-31. [[available in Cesa Library](#)]
- 1908. Daniel, F.**, 1943, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten H. Höne's aus diesem Gebiet. I. Callimorphinae und Nyctemerinae. Mitt. münch. ent. Ges. 33: 247-269, Taf. 13.
- 1909. Daniel, F.**, 1943, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten H. Höne's aus diesem Gebiet. II. Hypsinae, Micrarctiinae, Spilosominae, Arctiinae. Mitt. münch. ent. Ges. 33: 673-759, Taf. 14-22.
- 1910. Daniel, F.**, 1949, Die Cossidae und Hepialidae der Ausbeuten Höne.- Nachtrag. Mitt. münch. ent. Ges. 35-39: 226-230, Taf. I.
- 1911. Daniel, F.**, 1949, Malacosoma tianshanica spec. nov. Entomon 1: 163-164.
- 1912. Daniel, F.**, 1949, Neue palaearktische Heterocera (Lep.). Mitt. münch. ent. Ges. 39: 235-236, Taf. viii, ix. [[available in Cesa Library](#)]
- 1913. Daniel, F.**, 1951, Zygaenidae- Hepialidae, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 18-35, Taf. [[available in Cesa Library](#)]
- 1914. Daniel, F.**, 1951-1955, Beiträge zur Kenntnis der Arctiidae Ostasiens unter besonderer Berücksichtigung der Ausbeuten von Dr. h.c.H. Höne aus diesem Gebiet. III. Teil. Lithosiinae. Bonn. zool. Beitr. 2 (1951): 291-327, Taf. I; 3 (1952): 75-90, 305-324; 5 (1954): 89-138; 6 (1955): 132-145. Taf.
- 1915. Daniel, F.**, 1953, Neue Heterocera-Arten und -Formen. Mitt. münch. ent. Ges. 43: 252-261, Taf. vii. [[available in Cesa Library](#)]
- 1916. Daniel, F.**, 1955, Monographie der Cossidae-I. Kritische Beurteilung der bisher dem Genus Stygia Latr. zugeteilten Arten. Mitt. münch. ent. Ges. 44/45: 159-181, pl. [[available in Cesa Library](#)]
- 1917. Daniel, F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen.n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, Taf. viii-x, 4 Abb. [[available in Cesa Library](#)]
- 1918. Daniel, F.**, 1956, Die Formen von Trichiura crataegi L. (Lep., Lasiocampidae). NachrBl. bayer. Ent. 5: 67-71, 78-80, 87-94. [[available in Cesa Library](#)]
- 1919. Daniel, F.**, 1956, Monographie der palaearktischen Cossidae II. Die Genera Cossus Fabr. und Lamellacossus gen. n. (Lep.). Mitt. münch. ent. Ges. 46: 243-288, pls. [[available in Cesa Library](#)]
- 1920. Daniel, F.**, 1957, Bemerkungen zu einigen Zygaena- und Dysauxes Arten Mazedoniens (Lepidoptera, Heterocera). Acta Mus. maced. Sci. nat. 4: 211-222.
- 1921. Daniel, F.**, 1958, Zwei neue Rethera-Arten aus Afghanistan (Lepidoptera, Sphingidae). Beitr. naturk. Forsch. SW-Deutschl. 17(1): 83-84, Taf. vi. [[available in Cesa Library](#)]
- 1922. Daniel, F.**, 1958, Die Vertreter der Gattung Zygaena im Olympgebiet in Nordgriechenland. Fragm. balcan. 2(6): 37-46. [[available in Cesa Library](#)]
- 1923. Daniel, F.**, 1959, Die Südformen der Dendrolimus pini L. (Lepidoptera, Lasiocampidae). Fragm. balcan. 2(13): 97-105, 2 Taf. [[available in Cesa Library](#)]
- 1924. Daniel, F.**, 1959, Monographie der palaearktischen Cossidae III. Das Genus Holcocerus Stgr. Mitt. münch. ent. Ges. 49: 102-160, Taf. ii-v. [[available in Cesa Library](#)]
- 1925. Daniel, F.**, 1960, Monographie der palaearktischen Cossidae IV. Die Genera Cossulinus Kby., Dyspessacossus Dan. und Isoceras Tti. (Lep.). Mitt. münch. ent. Ges. 50: 93-118, Taf. xiv, xv. [[available in Cesa Library](#)]
- 1926. Daniel, F.**, 1960, Laelia richteri, eine neue Lymantriide aus Iran (Lepidoptera) (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956- Nr.33). Stuttg. Beitr. Naturk. 45: 1-2, 2 Abb. [[available in Cesa Library](#)]
- 1927. Daniel, F.**, 1961, Monographie der palaearktischen Cossidae V. Die Genera Parahypopta g.n., Sinicossus Clench und Catopta Stgr. Mitt. münch. ent. Ges. 51: 160-212, 10 Abb., Taf. xvi, xvii. [[available in Cesa Library](#)]
- 1928. Daniel, F.**, 1961, Die Bombyces und Sphinges einer Lepidopteren-Ausbeute aus dem Iran (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr.38). Stuttg. Beitr. Naturk. 53: 1-5. [[available in Cesa Library](#)]

- 1929. Daniel, F.**, 1962, Monographie der palaearktischen Cossidae VI. Genus *Dyspessa* Hbn. Erster Teil. Mitt. münch. ent. Ges. 52: 1-38, Taf. I, II. [\[available in Cesa Library\]](#)
- 1930. Daniel, F.**, 1963, Ein Beitrag zur Spinner- und Schwärmerfauna des Iran und Afghanistans. Z. wien. ent. Ges. 48 (9): 145-155, 26-28. Taf. [\[available in Cesa Library\]](#)
- 1931. Daniel, F.**, 1964, Die Lepidopterenfauna jugoslawisch Mazedoniens II. *Bombyces* et *Sphinges*. 74S. Prirodonaucen Muzej Skopje. [\[available in Cesa Library\]](#)
- 1932. Daniel, F.**, 1964, Monographie der palaearktischen Cossidae VII. Genus *Dyspessa* Hbn. Zweiter Teil. Genus *Paropta* Stgr. Mitt. münch. ent. Ges. 54: 181-236, 4 Abb., Taf. iii-vi. [\[available in Cesa Library\]](#)
- 1933. Daniel, F.**, 1964, Cossidae aus Afghanistan. Opusc. zool. 77: 1-8, Taf. 1.
- 1934. Daniel, F.**, 1965, Monographie der palaearktischen Cossidae VIII. Nachträge und Register zur Subfamilie Cossinae. Mitt. münch. ent. Ges. 55: 77-114, Taf. II, III. [\[available in Cesa Library\]](#)
- 1935. Daniel, F.**, 1965, Das Genus *Harpyia* O. (= *Cerura* auct.) im palaearktischen Raum unter Einschluß der naheverwandten nordamerikanischen Formen Z. wien. ent. Ges. 50: 5-47, 23 figs., 6 Taf. [\[available in Cesa Library\]](#)
- 1936. Daniel, F.**, 1965, *Lemonia beirutica* sp.n. (Lep., Lemoniidae). Z. wien. ent. Ges. 50: 74, fig. [\[available in Cesa Library\]](#)
- 1937. Daniel, F.**, 1965, Österreichische Entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 4. Z. wien. ent. Ges. 50(9/10): 121-145, Taf. 8 figs. [\[available in Cesa Library\]](#)
- 1938. Daniel, F.**, 1966, Zwei neue Arctiidae aus Afghanistan (Lep.). Mitt. münch. ent. Ges. 56: 161-164, Taf. iii. [\[available in Cesa Library\]](#)
- 1939. Daniel, F.**, 1966, *Heterogynis andalusica* sp.n. (Lep., Heterogynidae). Z. wien. ent. Ges. 51 (8): 101-103. [\[available in Cesa Library\]](#)
- 1940. Daniel, F.**, 1967, Beitrag zur Kenntnis südosteuropäischer und vorderasiatischer Hepialidae (Lep.). Mitt. münch. ent. Ges. 57: 91-97, Taf. II-IV, 3 Abb. [\[available in Cesa Library\]](#)
- 1941. Daniel, F.**, 1970, Rassenanalytische Untersuchungen bei *Phragmatobia fluginosa* L. und *Phragmatobia amurensis* Seitz (Lep., Arctiidae). Z. ArbGem. öst. Ent. 22: 2-17, figs. [\[available in Cesa Library\]](#)
- 1942. Daniel, F.**, 1971, Österreichische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 16 (3. Beitrag zur *Bombyces*- und *Sphinges*-Fauna). Annln naturh. Mus. Wien 75: 651-660, 2 Taf. [\[available in Cesa Library\]](#)
- 1943. Danilevsky, A.S. & V.I. Kuznetsov**, 1968, Tortricidae, Laspeyresiini. Fauna SSSR 5(1): 1-635, figs.
- 1944. Danilevsky, A.S.**, 1969, New Glyphipterigid moths (Lepidoptera, Glyphipterigidae) of the fauna of the U.S.S.R. Ent. Obozr. 48: 919-932, figs.
- 1945. Danilevsky, A.S.**, 1976, New Glyphipterygid species (Lepidoptera, Glyphipterygidae) from mountains of the Caucasus. Proc. zool. Inst. USSR 64: 34-35. [\[available in Cesa Library\]](#)
- 1946. Danov, R.A. & S.V. Pereladov**, 1985, List of species of hawk-moths (Lepidoptera, Sphingidae) from south-western Kopetdag. Ylym, Ashkhabad 1985: 246-249.
- 1947. Dantchenko, A. & V.A. Lukhtanov**, 1993, Zur Systematik und Verbreitung der Arten der *Polyommatus* (*Agrodiaetus*) *damome*-Gruppe Südosteuropas und Südwestsibiriens (Lepidoptera, Lycaenidae). Atalanta 24 (1/2): 75-83, Pl. IV. [\[available in Cesa Library\]](#)
- 1948. Dantchenko, A. & V. Lukhtanov**, 2005, New taxa of the "brown" species-complex of the genus *Agrodiaetus* Hübner, 1822 from the Transcaucasia (Lepidoptera, Lycaenidae). Atalanta 35 (3/4): 327-334, figs. [\[available in Cesa Library\]](#)
- 1949. Dantchenko, A.**, 2005, A new species of the genus *Agrodiaetus* Hübner, 1822 from Transcaucasia (Lepidoptera, Lycaenidae). Atalanta 35 (3/4): 323-326, figs. [\[available in Cesa Library\]](#)
- 1950. Dantchenko, A., Andreev, S., Tchuvilin, A. & A. Sourakov**, 1996, Notes on butterfly collecting in a natural steppe reserve in Central Russia (Lepidoptera, Rhopalocera). Atalanta 27 (3/4): 649-656. [\[available in Cesa Library\]](#)
- 1951. Dantchenko, A.V. & V.A. Lukhtanov**, 1994, New taxa of the subgenus *Agrodiaetus* Hübner, 1822 from Caucasus (Lepidoptera, Lycaenidae). Atalanta 25 (1/2): 207-213, Pl. VIII. [\[available in Cesa Library\]](#)
- 1952. Dantchenko, A.V.**, 1994, New taxa of the genus *Polyommatus* Latreille, 1804 from Tadzhikistan (Lepidoptera, Lycaenidae). Atalanta 25 (1/2): 203-206, Pl. VIIb. [\[available in Cesa Library\]](#)

- 1953. Dantchenko,A.V.**, 1997, Notes on the biology and distribution of the damone and damocles species-complexes of of [sic!] the subgenus *Polyommatus* (*Agrodiaetus*) (Lep., Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetu* Nachr. Ent. Ver. Apollo, Suppl. 16: 23-42, figs. [[available in Cesa Library](#)]
- 1954. Dantchenko,A.V.**, 2000, A new taxon of the genus *Polyommatus* Latreille,1804 from the Transcaucasus (Lepidoptera, Lycaenidae). Neue ent. Nachr. 48: 69-71, 94-95 figs. [[available in Cesa Library](#)]
- 1955. Darge,P.**, 1975, Lépidoptères Attacidae et Sphingidae de la République Unie du Cameroun, du Rwanda, de l'Ethiopie (avec descriptions de deux especes et six sous-especes nouvelles). Annls Fac. Sci. Univ. féd. Cameroun (19): 76-96.
- 1956. Daricheva,M. & A.Devjatkin**, 1990, Fauna and ecology of Lepidoptera (Hesperiidae) in Turkmenistan. Izvestiya Akad. Nauk turkmen.SSR (Ser. biol. nauk.) 1990(1): 34-38.
- 1957. Dastgheyb-Beheshti,N. & H.Seyedoleslami**, 1987, Forecasting Codling Moth phenology based on the degree day summation in the Apple orchards in west of Esfahan. Ent. phyt. Appl. 54(1/2): 7-12, 25-43 (persian pages). [[available in Cesa Library](#)]
- 1958. Davenport,D.**, 1941, The butterflies of satyrid genus *Coenonympha*. Bull. Mus. comp. Zool. Harv. 87 (4): 214-349, 10 Tab. [[available in Cesa Library](#)]
- 1959. Davis,D.R. & G.Deschka**, 2001, Biology and systematics of the North American *Phyllonorycter* Leafminers on Salicaceae, with a synoptic catalog of the Palearctic species (Lepidoptera, Gracillariidae). Smithsonian Contr. Zool. 614: iv+1-89 pp., Pls. [[available in Cesa Library](#)]
- 1960. Davis,D.R.**, 1975, A review of *Ochsenheimeriidae* and the introduction of the Cereal Stem Moth *Ochsenheimeria vcculella* into the United States (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 192: 1-20, 31 figs. 2 maps. [[available in Cesa Library](#)]
- 1961. Davis,D.R.**, 1989, Generic revision of the *Opostegidae*, with a synoptic catalog of the World's species (Lepidoptera, Nepticuloidea). Smithsonian Contr. Zool. 478: 1-97, figs. [[available in Cesa Library](#)]
- 1962. Davis,D.R.**, 1998, A world classification of the *Harmacloninae*, a new subfamily of *Tineidae* (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 597: iv+1-81 pp., Pls. [[available in Cesa Library](#)]
- 1963. Davis,D.R., Karsholt,O., Kristensen,N.P. & E.S.Nielsen**, 1995, Revision of the Genus *Ogygiotes* (Palaeosetidae). Invertebr. Taxon. 9: 1231-1263.
- 1964. Daws,W.**, 1899, The butterflies and sphingids of the Penzance district. Entomologist's Rec. J. Var. 11: 317-319. [[available in Cesa Library](#)]
- 1965. Debauche,H.R.**, 1937, Entomological Expedition to Abyssinia, 1926-1927: Lepidoptera Geometridae. Ann. Mag. nat. Hist. (10) 20: 320-344, Pls.7,8. [[available in Cesa Library](#)]
- 1966. Degtjarjova,V.I.**, 1973, Dendrophileous Lepidoptera of the Hissar Mountains and Hissar valley. 195pp. Dushanbe.
- 1967. Demaison,L.**, 1888, [no title]. Bull. Soc. ent. Fr. (6)8: 65-67.
- 1968. Dempster,J.P., King,M.L. & K.H.Lakhani**, 1976, The status of the Swallowtail butterfly in Britain. Ecol. ent. 1: 71-84.
- 1969. Denis,M. & I.Schiffermüller**, 1775, Ankündigung eines systematischen Werkes von den Schmetterlingen der Wiener Gegend. 322 pp. 2 Pls. Wien. [[available in Cesa Library](#)]
- 1970. Denmark,H.A.**, 1956, Ethyl Acetate as a killing agent for Insects. Lep. News 10: 150-151. [[available in Cesa Library](#)]
- 1971. Dennis, R.L.H., Porter,K. & W.R.Williams**, 1984, Ocellation in *Coenonympha tullia* (Müller) (Lepidoptera, Satyridae) I. Structures in correlation matrices. Nota lepid. 7 (3): 199-219, 6 figs., 3 tab. [[available in Cesa Library](#)]
- 1972. Dennis,R.H.**, 1991, *Kirinia roxelana* Cramer,1777 (Lepidoptera, Nymphalidae, Satyrinae) oviposition on an arboreal substrate. Entomologist's Gaz. 42: 239-241, figs. 1a, 1b. [[available in Cesa Library](#)]
- 1973. Dennis,R.L.H. (ed.)**, 1992, The ecology of butterflies in Britain. 354pp. figs.
- 1974. Dennis,R.L.H.**, 1977, The British butterflies. Their origin and establishment. 318pp., 20 figs. 15 tab. E.W.Classey Ltd. Faringdon, Oxon.
- 1975. Denso,P.**, 1913, *Celerio zygophylli* O.I. Dt. ent. Z., Iris 27: 145-146, Taf.V. [[available in Cesa Library](#)]
- 1976. Denso,P.**, 1913, *Celerio hippophaes* Esp. Dt. ent. Z., Iris 27: 22-45, Taf.I,II. [[available in Cesa Library](#)]

1977. **Derra,G. & H.Hacker**, 1981, Contribution to the Lepidoptera fauna of Spain. Heterocera of a three week visit in summer 1980. Shilap Revta lepid. 34: 127-138. [[available in Cesa Library](#)]
1978. **Derra,G. & H.P.Schreier**, 1990, Beitrag zur Noctuidae-Fauna der Türkei (Lepidoptera). Esperiana 1: 393-403, 19 figs. [[available in Cesa Library](#)]
1979. **Derra,G.**, 1985, *Euchromius gartheellus* n.sp., eine neue Crambidae aus der Türkei (Lepidoptera). Ent. Z., Frankf. a. M. 95: 237-240. [[available in Cesa Library](#)]
1980. **Derra,G.**, 1990, Neue Tortricidae aus der Türkei (Lepidoptera, Tortricidae). Atalanta 21 (3/4): 295-300, Taf. [[available in Cesa Library](#)]
1981. **Derra,G.**, 2008, Holcopogoninae aus dem Yemen und aus Israel, mit Neubeschreibungen (Lepidoptera, Autostichidae). Esperiana 14: 581-594, figs. [[available in Cesa Library](#)]
1982. **Derra,G.**, 2011, Beschreibung neuer Arten der Familien Gelechiidae, Holcopogonidae und Oecophoridae (Lepidoptera). Esperiana 16: 207-212, figs.
1983. **Derzhavets,Y.A.**, 1984, Review of the classification of the Sphingidae (Lepidoptera), with a list of the species of the USSR. Ent. Obozr. 63(4): 604-620. [[available in Cesa Library](#)]
1984. **Derzhavets,Y.A.**, 1993, Phylogenetic interrelations of the Sphinx moths of the genus Hyles Hübner (Lepidoptera, Sphingidae). Ent. Obozr. 72(3): 648-663 [engl. transl. Ent. rev. 73(4): 34-52, 23 figs.,1994]
1985. **Derzhavets,Y.A., Ivanov,A.I.,et al.**, 1986, A list of Macrolepidoptera of the Leningrad Region. Trudy vses. ent. Obshch. 67: 186-270, figs. [[available in Cesa Library](#)]
1986. **Deschka,G.**, 1970, *Lithocolletis (Phyllonorycter) anatolica* spec.nov. Polski Pismo ent. 40:739-743. [[available in Cesa Library](#)]
1987. **Deschka,G.**, 1971, *Lithocolletis (Phyllonorycter) macedonica* n.sp. Z. ArbGem. öst. Ent. 23(4): 105-107, 2 Abb. [[available in Cesa Library](#)]
1988. **Deschka,G.**, 1972, *Lithocolletis (=Phyllonorycter) libanotica* spec.nov. (Lep.,Lithocolletidae). Ent. Ber., Amst. 32: 88-90, 3 figs. [[available in Cesa Library](#)]
1989. **Deschka,G.**, 1972, Eine neue Bucculatrix-Art: *Bucculatrix anthemidella* n.sp. (Lep., Bucculatricidae). Ent. Z., Frankf. a. M. 82(9): 81-86, 6 figs. [[available in Cesa Library](#)]
1990. **Deschka,G.**, 1973, *Bucculatrix centaureae* spec. nov. (Lepidoptera, Bucculatricidae). Ent. Ber., Amst. 33(8): 141-144, 6 figs. [[available in Cesa Library](#)]
1991. **Deschka,G.**, 1974, Neue Lithocolletiden von Zypern (Lepidoptera, Lithocolletidae). Ent. Ber., Amst. 34: 174-179, 9 Abb. [[available in Cesa Library](#)]
1992. **Deschka,G.**, 1979, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten II.Teil. Z. ArbGem. öst. Ent. 30(3/4): 81-84, 8 Abb. [[available in Cesa Library](#)]
1993. **Deschka,G.**, 1986, Blattminierende Lepidopteren aus dem Nahen und Mittleren Osten V.Teil. Z. ArbGem. öst. Ent. 37(3/4): 65-75, 20 Abb. [[available in Cesa Library](#)]
1994. **Deschka,G.**, 2013, Eine neue Phyllonorycter-Art vom Taurus-Gebirge in der Türkei (Lepidoptera, Gracillariidae). Linzer biol. Beitr. 45 (1): 601-605, figs. [[available in Cesa Library](#)]
1995. **Descimon,H.**, 1980, *Heodes tityrus tityrus* Poda et *H.tityrus subalpina* Speyer (Lycaenidae): un problème de spéciation en milieu alpin. Nota lepid. 2(4): 123-125. [[available in Cesa Library](#)]
1996. **Desmarest,E.**, 1857, Papillons, Nocturnes. [In] Chenu, J.C., Encyclopédie d'Histoire naturelle. iv^o 312pp., 40 pls. Paris.
1997. **Dethier,V.G.**, 1941, The antennae of lepidopterous larvae. Bull. Mus. Comp. Zool. 87: 455-507, figs.
1998. **Devarenne,M.**, 1981, Contribution a l'Etude des Rhopalocères d'Algérie (Lepidoptera). Alexanor 12 (4): 167-176. [[available in Cesa Library](#)]
1999. **Devyatkin,A.L. & A.L.Monastyrskii**, 2002, Hesperidae of Vietnam, 11. A further contribution to the Hesperidae fauna of North and Central Vietnam. Atalanta 33 (1-2): 137-155, figs. [[available in Cesa Library](#)]
2000. **Devyatkin,A.L. & A.L.Monastyrskii**, 2003, Hesperidae of Vietnam, 15. New records of Hesperidae from southern Vietnam (Lepidoptera, Hesperidae). Atalanta 34 (1-2): 119-133. [[available in Cesa Library](#)]
2001. **Devyatkin,A.L.**, 1987, The fritillary, *Melitaea turkmenica* (Lepidoptera, Nymphalidae) in the west Kopet-Dagh. Vestn. Zool. 1987 (5): 73-75, figs.
2002. **Devyatkin,A.L.**, 1987, A little-known skipper species of the genus *Carcharodus* (Lepidoptera, Hesperidae) from west Kopet-Dagh. Vestn. Zool. 1987 (3): 79-81, figs.
2003. **Devyatkin,A.L.**, 1989, New Data on the Macrolepidoptera of West Kopetdagh. Ent. Obozr. 1989 (3): 568-575. [[available in Cesa Library](#)]

- 2004. Devyatkin, A.L.**, 1996, New HesperIIDae from North Vietnam, with the description of a new genus (Lepidoptera, Rhopalocera). *Atalanta* 27 (3/4): 595-604, Pl. [\[available in Cesa Library\]](#)
- 2005. Devyatkin, A.L.**, 1996, Taxonomic notes on the genus *Erynnis* Schrank, 1801. *Atalanta* 27 (3/4): 605-614, figs., Pl. [\[available in Cesa Library\]](#)
- 2006. Devyatkin, A.L.**, 1997, A new species of *Halpe* Moore, 1878 from North Vietnam (Lepidoptera, HesperIIDae). *Atalanta* 28 (1/2): 121-124, Pl. [\[available in Cesa Library\]](#)
- 2007. Devyatkin, A.L.**, 1997, Family: HesperIIDae, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [\[available in Cesa Library\]](#)
- 2008. Devyatkin, A.L.**, 1998, HesperIIDae of Vietnam, 3. A new species of *Celaenorrhinus* Hübner, 1819 from Vietnam, with revisional notes on the *C. aurivittata* (Moore, 1879) group (Lepidoptera, HesperIIDae). *Neue ent. Nachr.* 41: 289-294, figs. [\[available in Cesa Library\]](#)
- 2009. Devyatkin, A.L.**, 1998, HesperIIDae of Vietnam, 4. A new species and a new subspecies of *Pintara* Evans, 1932 from Vietnam, with notes on the genus (Lepidoptera, HesperIIDae). *Neue ent. Nachr.* 41: 295-301, figs. [\[available in Cesa Library\]](#)
- 2010. Devyatkin, A.L.**, 2000, HesperIIDae of Vietnam 6. Two new species of the genera *Suada* de Niceville, 1895 (Lepidoptera, HesperIIDae). *Atalanta* 31 (1/2): 193-197, pl. xva. [\[available in Cesa Library\]](#)
- 2011. Devyatkin, A.L.**, 2000, HesperIIDae of Vietnam 7. A contribution to the HesperIIDae fauna of the southern Vietnam (Lepidoptera). *Atalanta* 31 (1/2): 198-204. [\[available in Cesa Library\]](#)
- 2012. Devyatkin, A.L.**, 2000, HesperIIDae of Vietnam 8. Three new species of *Celaenorrhinus* Hübner, 1819, with notes on the *C. maculosa* (C. & F. Felder, [1867]) - *oscula* Evans, 1949 group (Lepidoptera, HesperIIDae). *Atalanta* 31 (1/2): 205-211, pl. xvb. [\[available in Cesa Library\]](#)
- 2013. Devyatkin, A.L.**, 2002, HesperIIDae of Vietnam, 10. A new species of *Coladenia* Moore, [1881] (Lepidoptera, HesperIIDae). *Atalanta* 33 (1-2): 123-125, figs. [\[available in Cesa Library\]](#)
- 2014. Devyatkin, A.L.**, 2002, HesperIIDae of Vietnam, 11. New taxa of the subfamily HesperIinae (Lepidoptera, HesperIIDae). *Atalanta* 33 (1-2): 127-135, figs. [\[available in Cesa Library\]](#)
- 2015. Devyatkin, A.L.**, 2003, HesperIIDae of Vietnam, 13. A new species and a new subspecies of *Potanthus* Scudder, 1872 from Vietnam and Burma (Lepidoptera, HesperIIDae). *Atalanta* 34 (1-2): 111-114, figs. [\[available in Cesa Library\]](#)
- 2016. Devyatkin, A.L.**, 2003, HesperIIDae of Vietnam, 14. A new species of the genus *Celaenorrhinus* Hübner, 1819 (Lepidoptera, HesperIIDae). *Atalanta* 34 (1-2): 115-118, figs. [\[available in Cesa Library\]](#)
- 2017. Devyatkin, A.L.**, 2007, A further new species of the genus *Aemona* Hewitson, [1868] from North Vietnam (Lepidoptera, Amathusiidae). *Atalanta* 38 (3/4): 343-345, figs. [\[available in Cesa Library\]](#)
- 2018. Devyatkin, A.L.**, 2007, HesperIIDae of Vietnam, 16. A new species and a new record of the HesperIIDae from Central Vietnam with a revisional note on the genus *Hidari* Distant, 1886 (Lepidoptera, HesperIIDae). *Atalanta* 38 (3/4): 347-349, figs. [\[available in Cesa Library\]](#)
- 2019. Dewitz, H.**, 1879, Afrikanische Tagsschmetterlinge. *Nova Acta Acad. Caesar. Leop.* 41(2): 173-212, 2 Pls.
- 2020. Diakonoff, A. & B.V. Lefebvre**, 1980, Rediscovery of *Eratophyes aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber., Amst.* 40(3): 38-40, figs. [\[available in Cesa Library\]](#)
- 2021. Diakonoff, A. & E.J. van Nieuwerkerken**, 1987, *Eratophyes amasiella* (Herrich-Schäffer) comb. nov., a senior synonym of *E. aleatrix* Diakonoff (Lepidoptera, Oecophoridae). *Ent. Ber. (Amst.)* 47(7): 103-104, figs. [\[available in Cesa Library\]](#)
- 2022. Diakonoff, A. & J. Razowski**, 1971, Description of a new genus of Tortricidae from Asia (Lepidoptera). *Ent. Ber., Amst.* 31: 36-40, 4 figs. [\[available in Cesa Library\]](#)
- 2023. Diakonoff, A. & K. Sattler**, 1966, Description of a new species of Ethmiidae (Lepidoptera). *Ent. Ber., Amst.* 26: 189-190, 3 figs. [\[available in Cesa Library\]](#)
- 2024. Diakonoff, A. & Y. Arita**, 1979, Three new species of the so-called Glyphipterigidae auctorum from Japan (Lepidoptera). *Zool. Meded.* 54 (6): 87-100, figs. [\[available in Cesa Library\]](#)
- 2025. Diakonoff, A.**, 1939, A new species of *Blastodacna* Wocke from Syria (Fam. Cosmopterygidae). *Tijdschr. Ent.* 82: 78-80, figs. 10-11. [\[available in Cesa Library\]](#)
- 2026. Diakonoff, A.**, 1941, New Asiatic and Papuan Tortricidae with records of other species (3d communication on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18(1): 29-44, 3 Pls. [\[available in Cesa Library\]](#)

- 2027. Diakonoff, A.**, 1941, Notes and Descriptions of Microlepidoptera (I) (7th Paper on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18 (2): 395-439, 7 figs., Pls.17-21. [\[available in Cesa Library\]](#)
- 2028. Diakonoff, A.**, 1941, Fauna Buruana Lepidoptera, Fam. Tortricidae (5th Communication on Indo-Malayan and Papuan Microlepidoptera). *Treubia* 18 (2): 213-216, Pls.7,8. [\[available in Cesa Library\]](#)
- 2029. Diakonoff, A.**, 1941, Tortricidae chiefly from the collection of the Institute for Plant Diseases at Buitenzorg. *Treubia* 18 (2): 377-392, pl.16. [\[available in Cesa Library\]](#)
- 2030. Diakonoff, A.**, 1947, Notes on Tortricidae from Malay Archipelago with description of a new species (Lepid.). *Tijdschr. Ent.* 87: 340-344. [\[available in Cesa Library\]](#)
- 2031. Diakonoff, A.**, 1948, Fauna Buruana Microlepidoptera II. *Treubia* 19 (2): 197-219, 28 figs. [\[available in Cesa Library\]](#)
- 2032. Diakonoff, A.**, 1948, Records and descriptions of Microlepidoptera (2). *Treubia* 19 (3): 483-524, figs. [\[available in Cesa Library\]](#)
- 2033. Diakonoff, A.**, 1951, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera, collected by René Malaise, Microlepidoptera I. *Arkiv Zool.* 3 (6): 59-94, 35 figs. 1 map.
- 2034. Diakonoff, A.**, 1952, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands- Indian Expedition 1938-1939) Part I. *Verh. K. ned. Akad. Wet.* 49(1): 1-167, figs.1-208. [\[available in Cesa Library\]](#)
- 2035. Diakonoff, A.**, 1952, New Guinean Microlepidoptera, III. *Verh. K. ned. Akad. Wet. (Ser.C)* 55(5): 643-655, 9 figs. [\[available in Cesa Library\]](#)
- 2036. Diakonoff, A.**, 1952, New Guinean Microlepidoptera, I. *Verh. K. ned. Akad. Wet. (Ser.C)* 55(4): 382-393, 8 figs. [\[available in Cesa Library\]](#)
- 2037. Diakonoff, A.**, 1952, New Guinean Microlepidoptera, II. *Verh. K. ned. Akad. Wet. (Ser.C)* 55(4): 394-406, 8 figs. [\[available in Cesa Library\]](#)
- 2038. Diakonoff, A.**, 1953, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands- Indian Expedition 1938-1939) Part II. *Verh. K. ned. Akad. Wet.* 49(3): 1-166, figs. 209-372. [\[available in Cesa Library\]](#)
- 2039. Diakonoff, A.**, 1953, New Guinean Microlepidoptera, IV. *Verh. K. ned. Akad. Wet. (Ser.C)* 56(4): 474-485, 6 figs. [\[available in Cesa Library\]](#)
- 2040. Diakonoff, A.**, 1954, Revision of the Hypertrophinae (Lepidoptera, Glyphipterygidae). I. *Verh. K. ned. Akad. Wet. (Ser.C)* 57(3): 273-285; (4): 471-482, 483-490; (5): 686-695, 46 figs., Pl. [\[available in Cesa Library\]](#)
- 2041. Diakonoff, A.**, 1954, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands- Indian Expedition 1938-1939) Part III. *Verh. K. ned. Akad. Wet.* 49(4): 1-164, figs.373-551. [\[available in Cesa Library\]](#)
- 2042. Diakonoff, A.**, 1954, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands- Indian Expedition 1938-1939) Part IV. *Verh. K. ned. Akad. Wet.* 50(1): 1-192, figs.552-719. [\[available in Cesa Library\]](#)
- 2043. Diakonoff, A.**, 1955, Microlepidoptera of New Guinea. Results of the third Archbold Expedition (American- Netherlands- Indian Expedition 1938-1939) Part V. *Verh. K. ned. Akad. Wet.* 50(3): 1-210, figs. 720-861. [\[available in Cesa Library\]](#)
- 2044. Diakonoff, A.**, 1956, New Guinean Microlepidoptera, VIb. *Verh. K. ned. Akad. Wet. (Ser.C)* 59(5): 643-651, 10-16 figs. [\[available in Cesa Library\]](#)
- 2045. Diakonoff, A.**, 1956, New Guinean Microlepidoptera, VIa. *Verh. K. ned. Akad. Wet. (Ser.C)* 59(5): 634-642, 9 figs. [\[available in Cesa Library\]](#)
- 2046. Diakonoff, A.**, 1956, New Guinean Microlepidoptera, Vb. *Verh. K. ned. Akad. Wet. (Ser.C)* 59(4): 528-534, 8 figs. [\[available in Cesa Library\]](#)
- 2047. Diakonoff, A.**, 1956, New Guinean Microlepidoptera, Va. *Verh. K. ned. Akad. Wet. (Ser.C)* 59(4): 520-527, 7 figs. [\[available in Cesa Library\]](#)
- 2048. Diakonoff, A.**, 1957, Remarks on *Cryptophlebia* Walsingham and related genera (Lepidoptera, Tortricidae, Oleuthretinae). *Tijdschr. Ent.* 100 (2): 129-146, 23 figs. [\[available in Cesa Library\]](#)
- 2049. Diakonoff, A.**, 1959, Revision of *Cryptaspassa* Walsingham, 1900 (Lepidoptera, Tortricidae). *Zool. Verh.* 43: 1-60, 14 figs., 13 Pls. [\[available in Cesa Library\]](#)

- 2050. Diakonoff, A.**, 1959, Entomological results from Swedish Expedition 1934 to Burma and British India, Lepidoptera collected by René Malaise, Microlepidoptera II. Arkiv Zool. 12 (13): 165-182, 6 figs. 7 Pls.
- 2051. Diakonoff, A.**, 1959, Additions to descriptions of new Olethreutinae and Carposinidae in the British Museum (Natural History). Bull. Br. Mus. (Nah. Hist.) Ent. 8 (3): 119-126, 5-10 Pls. 2 text-figs. [\[available in Cesa Library\]](#)
- 2052. Diakonoff, A.**, 1962, Preliminary survey of the Palaearctic species of the subgenus *Bactra* Stephens (*Bactra*, Tortricidae, Lepidoptera). Zool. Verh. 59: 1-48, 37 figs., 13 Pls. [\[available in Cesa Library\]](#)
- 2053. Diakonoff, A.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XVI. Lepidoptera Tortricidae, Olethreutinae. Annln naturh. Mus. Wien 66: 473-476, 3 Abb., 1 Taf. [\[available in Cesa Library\]](#)
- 2054. Diakonoff, A.**, 1963, African species of the genus *Bactra* Stephens (Lepidoptera, Tortricidae). Tijdschr. Ent. 106(7): 285-357, 73 figs. [\[available in Cesa Library\]](#)
- 2055. Diakonoff, A.**, 1963, Records and descriptions of South Asiatic Microlepidoptera. Tijdschr. Ent. 109 (3): 49-88, figs. [\[available in Cesa Library\]](#)
- 2056. Diakonoff, A.**, 1964, Further records and descriptions of the species of *Bactra* Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs. [\[available in Cesa Library\]](#)
- 2057. Diakonoff, A.**, 1966, Records and descriptions of South Asiatic Microlepidoptera. Tijdschr. Ent. 109 (3): 49-86, 44 figs. 1 Pl. [\[available in Cesa Library\]](#)
- 2058. Diakonoff, A.**, 1968, Lectotype selection for south Asiatic Microlepidoptera. Ent. Ber., Amst. 28: 136-140. [\[available in Cesa Library\]](#)
- 2059. Diakonoff, A.**, 1969, Additional notes on the Microlepidoptera of New Guinea. Verh. K. ned. Akad. Wet. (Ser.C) 72(2): 151-156. [\[available in Cesa Library\]](#)
- 2060. Diakonoff, A.**, 1969, Tortricidae from Seychelles and Aldabra (Lepidoptera). Tijdschr. Ent. 112 (3): 81-100, 13 pls. [\[available in Cesa Library\]](#)
- 2061. Diakonoff, A.**, 1970, Designation of lectotypes for two South Asiatic Tortricidae (Lepidoptera). Ent. Ber., Amst. 30: 48. [\[available in Cesa Library\]](#)
- 2062. Diakonoff, A.**, 1970, Notes on the Ceracini (Lepidoptera, Tortricidae). Tijdschr. Ent. 113 (3): 91-103, Pl.1. [\[available in Cesa Library\]](#)
- 2063. Diakonoff, A.**, 1971, South Asiatic Tortricidae from the Zoological Collection of the Bavarian State (Lepidoptera). Veröff. Zool. Staatssamml. München 15: 167-202, 15 figs. 7 pls. [\[available in Cesa Library\]](#)
- 2064. Diakonoff, A.**, 1973, The South Asiatic Olethreutini (Lepidoptera, Tortricidae). Zool. Monogr. 1: xxi+700 pp., Pls. Rijksmuseum van Natuurlijke Historie, Leiden, E.J.Brill. [\[available in Cesa Library\]](#)
- 2065. Diakonoff, A.**, 1973, Papuan Tortricoidea, chiefly Schenoteninae (Lepidoptera), II. Verh. K. ned. Akad. Wet. (Ser.C) 76(5): 548-556, 16-25 figs. [\[available in Cesa Library\]](#)
- 2066. Diakonoff, A.**, 1973, Papuan Tortricoidea, chiefly Schenoteninae (Lepidoptera), I. Verh. K. ned. Akad. Wet. (Ser.C) 76(5): 536-547, 19 figs. [\[available in Cesa Library\]](#)
- 2067. Diakonoff, A.**, 1974, A new species of Tortricidae, injurious to Cedar in Lebanon (Lepidoptera). Ent. Ber., Amst. 34: 210-212, 1 fig. [\[available in Cesa Library\]](#)
- 2068. Diakonoff, A.**, 1975, A surprising new addition to the Dutch fauna of Microlepidoptera (Oecophoridae). Ent. Ber., Amst. 35: 187-189, figs. [\[available in Cesa Library\]](#)
- 2069. Diakonoff, A.**, 1979, Descriptions of new taxa of the so-called Glyphipterigidae auctorum (Lepidoptera). Zool. Meded. 54 (21): 291-312, figs. [\[available in Cesa Library\]](#)
- 2070. Diakonoff, A.**, 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Tortricidae, Choreutidae, Brachodidae and Carposinidae. Fauna Saudi Arabia 5: 240-287, figs.
- 2071. Diakonoff, A.**, 1984, Synopsis and descriptions of new species of the South Asiatic Cochyliinae (Lepidoptera, Tortricidae), with an appendix. Zool. Meded. 58: 261-293, figs.
- 2072. Diakonoff, A.**, 1986, Glyphipterigidae auctorum sensu lato, [in] Amsel, H.G. et al., Microlepidoptera Palaearctica vol. 7. Text & Taf. G.Braun Druckerei, Karlsruhe. [\[available in Cesa Library\]](#)
- 2073. Diakonoff, A.**, 1989, Remarks on *Bactra* Stephens, with the description of two new species from Bahrein and Nepal (Lepidoptera, Tortricidae, Olethreutinae). Nota lepid. 11(4): 242-250, 5 figs. [\[available in Cesa Library\]](#)

- 2074. Diakonoff,A.**, 1989, Revision of the palaearctic Carposinidae with description of a new genus and new species (Lepidoptera, Pyraloidea). Zool. Verh. 251: 1-155, 50 figs. [[available in Cesa Library](#)]
- 2075. Diakonoff,A.**, [1968], Microlepidoptera of the Philippine Islands. Bull. U.S. nat. Mus. 257: 1-484, 846 figs. [[available in Cesa Library](#)]
- 2076. Didmanidze,E.**, 2008, Checklist of Lasiocampids (Lepidoptera, Lasiocampidae) [sic!] of Transcaucasus. Proc. Inst. Zool. (Tbilisi) 23: 159-162 [with numerous errors!]. [[available in Cesa Library](#)]
- 2077. Didmanidze,E.A. & R.V.Yakovlev**, 2007, Cossidae (Lepidoptera) of Georgia. Entomofauna 28 (1): 1-16, 1 fig., 14 maps. [[available in Cesa Library](#)]
- 2078. Didmanidze,E.A.**, 1978, Lepidoptera trockener Landschaften Georgiens (Lepidoptera, Heterocera). Trudy Georg. Tbilisi 1978: 1-321, Pls. [[available in Cesa Library](#)]
- 2079. Didmanidze,E.A.**, 1980, A new subspecies of a butterfly [sic] - *Lemonia balcanica* vashlovani Did. ssp. nova in the Caucasus. Soobshcheniya Akad. Nauk Gruz.SSR 97(2): 453-456, figs.
- 2080. Dierl,W.**, 1969, Die Typus-Arten von vier asiatischen Gattungen der Familie Psychidae (Lep.). Opusc. zool. 107: 1-10, 10 Abb., 5 figs. [[available in Cesa Library](#)]
- 2081. Dierl,W.**, 1970, Compoctenidae: Ein neues Taxon von Familienstatus (Lepidoptera). Veröff. zool. St. Samml. München 14: 1-41, figs. [[available in Cesa Library](#)]
- 2082. Dierl,W.**, 1976, Neue Notodontidae (Lep.) aus Asien. Ent. Z., Frankf. a. M. 86(8): 83-85, 2 Abb. [[available in Cesa Library](#)]
- 2083. Dierl,W.**, 1977, Die Identität von *Papilio machaon asiaticus* Ménétrés (Lepidoptera, Papilionidae). Mitt. münch. ent. Ges. 67: 85-89. [[available in Cesa Library](#)]
- 2084. Dierl,W.**, 1978, Revision der orientalischen Bombycidae (Lepidoptera) Teil I. Die Ocinar-Gruppe. Spixiana 1 (3): 225-268, figs. [[available in Cesa Library](#)]
- 2085. Dierl,W.**, 1980, Der Typus von *Ornithoptera paradisea* Staudinger, 1893 Spixiana 3 (3): 291-294. [[available in Cesa Library](#)]
- 2086. Dierl,W.**, 1981, Eine neue Benbowia-Art aus Sumatra: *Bembowia elisabethae* sp.n. (Lepidoptera, Notodontidae). Entomofauna 2 (15): 169-174, 3 Abb. [[available in Cesa Library](#)]
- 2087. Dierl,W.**, 1982, *Lobopplusia vanderweelei* Roepke: a little known oriental Noctuid (Lep.). Ent. Z., Frankf. a. M. 92: 245-246. [[available in Cesa Library](#)]
- 2088. Dierl,W.**, 1984, New species of Noctuidae (Noctuinae) - moths from Nepal (Lep.). Spixiana 7 (2): 195-201, 22 figs. [[available in Cesa Library](#)]
- 2089. Dierl,W.**, 1996, Der Familienstatus von *Lypusa maurella* Denis & Schiffermüller, 1775 (Insecta, Lepidoptera). Spixiana 19 (1): 39-42. [[available in Cesa Library](#)]
- 2090. Dierl,W.**, 1997, *Degia Walker*, 1862 und *Mekla Swinhoe*, 1892: Zwei orientalische Psychidae-Gattungen. Spixiana 20 (3): 261-270, figs. [[available in Cesa Library](#)]
- 2091. Dietrich,K.**, 1862, Zur Systematik der Schmetterlinge. Stettin ent. Ztg. 23: 466-479. [[available in Cesa Library](#)]
- 2092. Dietze,C.**, 1910-1913, Biologie der Eupitheciiden (Tafeln & Text). 1. Teil (Abbildungen): 82 Tafeln und Erklärungen der Tafeln, 1910; 2. Teil (Text): 172 pp. Pls. 83-86, 1913. Berlin. [[available in Cesa Library](#)]
- 2093. Dietze,K.**, 1900, Beiträge zur Kenntnis der Eupitheciiden. Dt. ent. Z., Iris 12: 306-327, 1 Taf. [[available in Cesa Library](#)]
- 2094. Dietze,K.**, 1901, Beiträge zur Kenntnis der Eupitheciiden. Dt. ent. Z., Iris 13: 251-264, 1 Taf. [[available in Cesa Library](#)]
- 2095. Dionisio,M.H.**, 2004, Estados inmaduros de Lepidoptera (xx). Dos especies del genero *Ornithoptera* Gozmany, 1955 en Huelva, Espana (Lepidoptera, Gelechiidae). Shilap Revta. lepid. 32 (126): 85-93, figs. [[available in Cesa Library](#)]
- 2096. Dionisio,M.H.**, 2004, Estados inmaduros de Lepidoptera (xxi). *Mirificarma denotata* Pitkin, 1984 en Huelva, Espana (Lepidoptera, Gelechiidae). Shilap Revta. lepid. 32 (126): 99-104, figs. [[available in Cesa Library](#)]
- 2097. Distant,W.L. & W.B.Pryer**, 1887, On the Rhopalocera of Northern Borneo. Ann. Mag. nat. Hist. (5) 19: 264-275. [[available in Cesa Library](#)]
- 2098. Distant,W.L.**, 1882, Undescribed Rhopalocera from the Malay Peninsula. Ann. Mag. nat. Hist. (5) 10 (57): 245-248. [[available in Cesa Library](#)]
- 2099. Distant,W.L.**, 1882, On some apparently undescribed Rhopalocera. Ann. Mag. nat. Hist. (5) 10 (59): 405-407. [[available in Cesa Library](#)]

- 2100. Distant, W.L.**, 1882-1886, *Rhopalocera Malayana: A Description of the Butterflies of Malay Peninsula*. xvi, 481 [-482], [4] pp., 129 text figs., 46 pls. London & Penang.
- 2101. Distant, W.L.**, 1883, Description of a new species of *Rhopalocera*. *Ann. Mag. nat. Hist.* (5) 11 (63): 174. [[available in Cesa Library](#)]
- 2102. Distant, W.L.**, 1883, Contributions to a knowledge of Malayan Entomology. I. *Ann. Mag. nat. Hist.* (5) 12 (70): 241-243. [[available in Cesa Library](#)]
- 2103. Distant, W.L.**, 1883, Contributions to a knowledge of Malayan Entomology. 2. *Ann. Mag. nat. Hist.* (5) 12 (71): 351-353. [[available in Cesa Library](#)]
- 2104. Distant, W.L.**, 1884, Contributions to a knowledge of Malayan Entomology. 3. *Ann. Mag. nat. Hist.* (5) 14 (81): 198-202. [[available in Cesa Library](#)]
- 2105. Distant, W.L.**, 1885, Description of a new species of Pierinae from the Malay Peninsula. *Entomologist* 18 (5): 146-147.
- 2106. Distant, W.L.**, 1885, Description of a new species of *Mycalesis* from the Malay Peninsula. *Entomologist* 18 (11): 289.
- 2107. Distant, W.L.**, 1886, Contributions to a knowledge of Malayan Entomology, Part V. *Ann. Mag. nat. Hist.* (5) 17 (102): 530-532. [[available in Cesa Library](#)]
- 2108. Distant, W.L.**, 1886, Descriptions of new species and a new genus from the Malay Peninsula. *Entomologist* 19 (1): 11-12.
- 2109. Distant, W.L.**, 1886, Contributions to a knowledge of Malayan Entomology 4. *Ann. Mag. nat. Hist.* (5) 17 (99): 251-254. [[available in Cesa Library](#)]
- 2110. Distant, W.L.**, 1897, On a collection of Heterocera made in the Transvaal. *Ann. Mag. nat. Hist.* (6) 20: 15-17, 197-211. [[available in Cesa Library](#)]
- 2111. Distant, W.L.**, 1897, On a collection of Heterocera made in the Transvaal. *Ann. Mag. nat. Hist.* (6) 19: 390-394, 579-580. [[available in Cesa Library](#)]
- 2112. Distant, W.L.**, 1898, The butterflies of the Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 47-56. [[available in Cesa Library](#)]
- 2113. Distant, W.L.**, 1898, On a collection of Heterocera made in Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 218-231. [[available in Cesa Library](#)]
- 2114. Distant, W.L.**, 1898, Heterocera from the Transvaal. *Ann. Mag. nat. Hist.* (7) 1: 116-118. [[available in Cesa Library](#)]
- 2115. Distant, W.L.**, 1899, Some apparently undescribed insects from the Transvaal. *Ann. Mag. nat. Hist.* (7) 3: 461-465. [[available in Cesa Library](#)]
- 2116. Distant, W.L.**, 1899, Some apparently undescribed species of the Heterocera from the Transvaal. *Ann. Mag. nat. Hist.* (7) 4: 359-362. [[available in Cesa Library](#)]
- 2117. Distant, W.L.**, 1899, On some South African Insects. *Ann. Mag. nat. Hist.* (7) 3: 178-180. [[available in Cesa Library](#)]
- 2118. Distant, W.L.**, 1901, Descriptions of four new species of Noctuidae from the Transvaal. *Entomologist* 34: 284-285. [[available in Cesa Library](#)]
- 2119. Distant, W.L.**, 1902, Descriptions of new species of Heterocera from the Transvaal. *Entomologist* 34: 284-285. [[available in Cesa Library](#)]
- 2120. Distant, W.L.**, 1903-1906, *Insecta Transvaaliensia* 1: 49-96, 167, pls. [[available in Cesa Library](#)]
- 2121. Dixon, G.B.**, 1898, Leicestershire Lepidoptera, 1898. *Entomologist's Rec. J. Var.* 10: 252-254. [[available in Cesa Library](#)]
- 2122. Djakonoff, A.M.**, 1935, Un nouveau représentant du genre *Synopsisia* Ld. (Lepidoptera, Geometridae) de la Transcaucasie. *Lambillionea* 35 (7): 142-147, 3 figs. [[available in Cesa Library](#)]
- 2123. Doherty, W.**, 1889, Notes on Assam butterflies. *J. Asiat. Soc. Beng.* (11) 58: 118-134, 1 pl.
- 2124. Doherty, W.**, 1889, On certain Lycaenidae from lower Tenasserim. *J. Asiat. Soc. Beng.* (11) 58(4): 409-440, pl. 23pl.
- 2125. Doherty, W.**, 1891, A list of the butterflies of Engano, with some remarks on the Danaidae. *J. Asiat. Soc. Beng.* 60 (2): 4-32, 1 pl.
- 2126. Doherty, W.**, 1891, The butterflies of Sumba and Sambawa, with some account of the Island of Sumba. *J. Asiat. Soc. Beng.* 60 (2): 141-197, 1 pl.
- 2127. Dolinskaya, L.V.**, 1989, Egg morphology of Notodontid Moths (Lepidoptera, Notodontidae) of the USSR. *Ent. Obozr.* 1989(2): 361-368, 40 figs. [[available in Cesa Library](#)]
- 2128. Domingo, J., Huemer, P. & J. Baixeras**, 2003, *Ethmia penyagolosella* sp.n. (Lepidoptera, Ethmiidae), a new species from Spain. *Nachr. ent. Ver. Apollo (N.F.)* 24 (4): 183-188, figs. [[available in Cesa Library](#)]

- 2129. Donevski, L. & M. Kusevska**, 1980, Extensive occurrence of *Drymonia ruficornis* Hbn. (Lep., Notodontidae) to *Quercus pubescens* Willd. in Macedonia. Godisen Zb. Zemjob.-shumarsk. Fak. Univ. Skopje 29: 39-48, figs.
- 2130. Donovan, E.**, 1798, An epitome of the natural history of the insects of China, 50 pls. London.
- 2131. Donzel, M.**, 1837, Observations sur l'accouplement de quelques genres de Lépidoptères diurnes, et sur le genre *Piéride*. Annls Soc. ent. Fr. 6 (1): 77-81. [available in Cesa Library]
- 2132. Donzel, M.**, 1842, Description de deux Lépidoptères nouveaux recueillis en barbarie par le capitaine Charlon. Annls Soc. ent. Fr. 11 (2): 197-199, pl. 8. [available in Cesa Library]
- 2133. Dorp, K. van**, 2004, Molecular systematics of *Lycaena* F., 1807 (Lepidoptera, Lycaenidae) - some preliminary results. Proc. neth. ent. Soc. 15: 65-70, 2 figs. [available in Cesa Library]
- 2134. Doubleday, E.**, 1847, Description of a new species of the genus *Actias* of Hübner from northern India. Ann. Mag. nat. Hist. 19: 95-97, Pl. vii. [available in Cesa Library]
- 2135. Douma-Petridou, E. Koutsaftikis, A. & V. Kokkinou**, 1986, Berichtigungen der Lepidopterenfauna in Achaia-Peloponnisos (Monastiri, Aegion). Cent. ent. Stud., Priamus 4(1/2): 37-44, 2 Abb. [available in Cesa Library]
- 2136. Doux, C. le**, 1928, Acraeen-Studien III. (Lep., Rhop.) Dt. ent. Z. 1928 (2): 97-115, 2 Taf. [available in Cesa Library]
- 2137. Doux, C. le**, 1931, Eine neue Subspecies von *Acraea chilo* Godm. aus Süd-Arabien (*Acraea chilo yemensis*). Mitt. dt. ent. Ges. 2: 42-43.
- 2138. Dowdeswell, W. H.**, 1981, The life of Meadow Brown. 8♀165pp. 19 Pls. 29 figs. Heinemann Educational Books, London.
- 2139. Doğanlar, F. & S. Kornoşor**, 2003, Doğu Akdeniz Bölgesi Ennominae (Lepidoptera, Geometridae) faunası. Ç.Ü. Zir. Fak. Derg. 18 (3): 79-88 [extracted from doctoral thesis]. [available in Cesa Library]
- 2140. Doğanlar, F.**, 2003, Doğu Akdeniz Bölgesi Geometridae (Lepidoptera) familyası üzerinde faunistik ve sistematik araştırmalar. Doktora tezi no.135727. YÖK Ulusal Tez Merkezi, 275s., <http://tez2.yok.gov.tr/> [access 25 2 2011] [available in Cesa Library]
- 2141. Doğanlar, M. & O. Doğanlar**, 2005, Türkiye Thaumetopeidae [sic!] türleri tanımları dağılışı alanları doğal düşmanları mücadele yöntemleri. 56s. Kültür Ofset, Antakya. [available in Cesa Library]
- 2142. Doğanlar, M., et al.**, 2005, Morphology and systematics of European species of *Traumatocampa* Wallengren, 1871 with descriptions of two new species from the Mediterranean region of Turkey (Lepidoptera, Thaumetopoeidae). Entomofauna 26 (13): 229-240, figs. [available in Cesa Library]
- 2143. Doğanlar, M., Özbek, H., Ecevit, O. & H. Yüksel**, 1982, Doğu Anadolu Bölgesinin Bazı Lepidopterleri. Bitki Koruma Bül. 21 (3): 155-172. [available in Cesa Library]
- 2144. Draeseke, J.**, 1926, Die Schmetterlinge der Stötznerschen Ausbeute. Phalaenae Nachtfalter. Dt. ent. Z., Iris 40: 44-55.
- 2145. Draeseke, J.**, 1941, Eine neue *Lasiocampide* aus Java. Dt. ent. Z., Iris 55: 125-126.
- 2146. Draudt, M.**, 1909, Zwei neue *Heteroceren* aus Aegypten. Int. ent. Z. 3: 206-207. [available in Cesa Library]
- 2147. Draudt, M.**, 1912, Zwei neue *Acidalien* aus Aegypten. Int. ent. Z. 5(52): 374. [available in Cesa Library]
- 2148. Draudt, M.**, 1931, Familie *Arctiidae*. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 61-94. Stuttgart.
- 2149. Draudt, M.**, 1931, Familie *Syntomidae*. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 53-60. Stuttgart.
- 2150. Draudt, M.**, 1933, Neue *Heteroceren* des paläarktischen Faunengebietes. Ent. Rdsch. 50(12): 157-160, 167-169, 186-188, 2 Taf. [available in Cesa Library]
- 2151. Draudt, M.**, 1933-1934, Nachträge und Berichtigungen zum Supplementband 2. Familie *Syntomidae*, *Arctiidae*. In Seitz, A., Gross-Schmett. Erde, Suppl. 2: 278-281. Stuttgart.
- 2152. Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer *Heteroceren*. I. Beschreibung eines neuen Spanners. Ent. Rdsch. 52: 174-175. [available in Cesa Library]
- 2153. Draudt, M.**, 1935, Beiträge zur Biologie einiger kleinasiatischer *Heteroceren*. Ent. Rdsch. 52 (17): 225-230, 1 fig. [available in Cesa Library]
- 2154. Draudt, M.**, 1936, Neue Arten und Formen von *Noctuiden*. Ent. Rdsch. 53: 457-462, 465-471, 491-493, 1 Taf. [available in Cesa Library]

- 2155. Draudt, M.**, 1937, Zur Frage der Larentia (Euphyia) noacki Drt. Ent. Rdsch. 54: 154-156, 4 figs. [[available in Cesa Library](#)]
- 2156. Draudt, M.**, 1938, Einiges über Chloridea maritima Grasl. und dipsacea L. Ent. Rdsch. 55: 306-309, Abb. [[available in Cesa Library](#)]
- 2157. Draudt, M.**, 1938, Zusätzliche Berichtigung zum Aufsatz über Chloridea maritima und dipsacea. Ent. Rdsch. 55: 371-372. [[available in Cesa Library](#)]
- 2158. Draudt, M.**, 1938, Neue Noctuidenrassen und Arten aus dem Elbursgebirge. Mitt. münch. ent. Ges. 28(1): 29-31. [[available in Cesa Library](#)]
- 2159. Draudt, M.**, 1939, Die Gattung Orthogonica Fldr. (Lep., Noct.) in den Höne-Ausbeuten. Ent. Rdsch. 56 (15): 145-150, 3 Abb. [[available in Cesa Library](#)]
- 2160. Draudt, M.**, 1950, Beiträge zur Kenntnis der Agrotinen-Fauna Chinas. Aus den Ausbeuten Dr.H.Höne's. Mitt. münch. ent. Ges. 40: 1-174.
- 2161. Drenowsky, A.K.**, 1909-1910, Beitrag zur Lepidopterenfauna des höchsten Teils des Zentral-Balkans (Stara Planina) in Bulgarien. Ent. Rdsch. 26 (1909): 120-121, 127-128; 27 (1910): 17-18, 22-23, 441-445.
- 2162. Drenowsky, A.K.**, 1910, Über die vertikale Verbreitung der Lepidopteren auf dem Ryla-Gebirge (2924m) in Bulgarien. Z. wiss. InsektBiol. 6: 81-85, 174-177.
- 2163. Drenowsky, A.K.**, 1912, Zweiter Beitrag zur Lepidopterenfauna des höchsten Teiles des Zentral-Balkans (Stara Planina) in Bulgarien. Z. wiss. InsektBiol. 8: 309-313, 340-344, 367-371.
- 2164. Drenowsky, A.K.**, 1920, Ein Beitrag zur Schmetterlingsfauna des Pirin-, Maleschewska- und Belasitza-Gebirges in West Thrazien. Z. wiss. InsektBiol. 15: 231-246.
- 2165. Drenowsky, A.K.**, 1921, Zur Lepidopterenfauna Mazedoniens. Z. wiss. InsektBiol. 16: 164-166.
- 2166. Drenowsky, A.K.**, 1924-1925, Die Lepidopterenfauna der Zentral-Rhodopen in Bulgarien. Z. wiss. InsektBiol. 19(1924): 233-238; 20(1925): 1-5, 28-33, 39-44.
- 2167. Drenowsky, A.K.**, 1925, Die vertikale Verteilung der Lepidopteren in den Hochgebirgen Bulgariens. Dt. ent. Z. 1925: 29-75, 97-125.
- 2168. Drenowsky, A.K.**, 1928, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens. Sb. bulg. Akad. Nauk. 23: 1-120.
- 2169. Drenowsky, A.K.**, 1929, Über die Lepidopteren-Formationen in den Hochgebirgen Bulgariens. Dt. ent. Z. 1929: 129-140.
- 2170. Drenowsky, A.K.**, 1930, Verzeichnis der auf dem Alibotusch-Gebirge gesammelten Lepidopteren. Izv. bulg. ent. Druzh. 5: 107-124.
- 2171. Drenowsky, A.K.**, 1930, Untersuchungen über die Lepidopterenfauna des Ossogowa-Gebirges. Sb. bulg. Akad. Nauk. 16: 1-83.
- 2172. Drenowsky, A.K.**, 1930, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens 2. Sb. bulg. Akad. Nauk. 25: 1-76.
- 2173. Drenowsky, A.K.**, 1930, Beitrag zur Lepidopterenfauna des südwestlichen Mazedonien. Sb. bulg. Akad. Nauk. 42: 129-177.
- 2174. Drenowsky, A.K.**, 1930, Die Lepidopterenfauna auf den Hochgebirgen Bulgariens 3. Teil. Über den Charakter der bulgarischen Lepidopteren-Fauna. Trud. bulg. prir. Druzh. 14(1929): 57-98.
- 2175. Drenowsky, A.K.**, 1931, Zweites Verzeichnis der auf dem Alibotuschgebirge gesammelten Lepidopteren. Izv. bulg. ent. Druzh. 6: 49-67.
- 2176. Drenowsky, A.K.**, 1932, Eine vergleichende Übersicht der Gebirgsschmetterlingsfauna auf den Hochgebirgen Bulgariens. Izv. bulg. ent. Druzh. 7: 31-55.
- 2177. Druce, H.**, 1874, A list of Lepidopterous Insects collected by Mr. L. Layard at Chentaboon and Nahconchaisee, Siam, with descriptions of new species. Proc. zool. Soc. Lond. 1874: 102-109, 1 pl.
- 2178. Druce, H.**, 1875, A list of the collection of diurnal Lepidoptera made by J.J. Monteiro in Angola with description of some new species. Proc. zool. Soc. Lond. 1875: 406-417.
- 2179. Druce, H.**, 1877, A revision of the lepidopterous genus Paphia. Proc. zool. Soc. Lond. 1877: 632-652, pls. lxi-lxiv. [[available in Cesa Library](#)]
- 2180. Druce, H.**, 1883, Descriptions of new species of Zygaenidae and Arctiidae. Proc. zool. Soc. Lond. 1883: 372-384, pls. xxxix-xl. [[available in Cesa Library](#)]
- 2181. Druce, H.**, 1884, Description of new species of Heterocera. Entomologist's mon. Mag. 20: 155-157. [[available in Cesa Library](#)]

- 2182. Druce, H.**, 1885, Descriptions of new species of Lepidoptera Heterocera chiefly from South America. Proc. zool. Soc. Lond. 1885: 518-536, pls. xxxii-xxxiii. [[available in Cesa Library](#)]
- 2183. Druce, H.**, 1890, Descriptions of new species of Lepidoptera Heterocera from Central and South America. Proc. zool. Soc. Lond. 1890: 493-520, pls. xlii-xliii. [[available in Cesa Library](#)]
- 2184. Druce, H.**, 1891, A monograph of the Lycaenid genus Hypochrysops with descriptions of new species. Trans. ent. Soc. London 1891 (2): 179-195, 2 pls. [[available in Cesa Library](#)]
- 2185. Druce, H.**, 1893, Descriptions of new species of Lepidoptera Heterocera from Central and South America. Proc. zool. Soc. Lond. 1893: 280-311, pls. xix-xxi. [[available in Cesa Library](#)]
- 2186. Druce, H.**, 1894, Descriptions of some new species of Agaristidae. Ann. Mag. nat. Hist. (6) 14: 21-24. [[available in Cesa Library](#)]
- 2187. Druce, H.**, 1895, A monograph of the Bornean Lycaenidae. Proc. zool. Soc. Lond. 1895 (3): 556-627, pls. 31-34.
- 2188. Druce, H.**, 1896, Contributions to our knowledge of the Bornean Lycaenidae. Proc. zool. Soc. Lond. 1896 (3): 650-683, pls. 29-31.
- 2189. Druce, H.**, 1897, Descriptions of four new species of Lycaenidae from the Eastern Archipelago. Ann. Mag. nat. Hist. (6) 19: 13-16. [[available in Cesa Library](#)]
- 2190. Druce, H.**, 1898, Description of some new species of Heterocera. Ann. Mag. nat. Hist. (7) 1: 146-149, 207-215. [[available in Cesa Library](#)]
- 2191. Druce, H.**, 1899, Descriptions of some new species of Heterocera from Tropical America, Africa, and the Eastern Islands. Ann. Mag. nat. Hist. (7) 3: 228-236. [[available in Cesa Library](#)]
- 2192. Druce, H.**, 1899, Descriptions of some new species of Heterocera from Tropical America. Ann. Mag. nat. Hist. (7) 3: 293-302. [[available in Cesa Library](#)]
- 2193. Druce, H.**, 1899, Descriptions of some new species of Heterocera. Ann. Mag. nat. Hist. (7) 3: 200-205. [[available in Cesa Library](#)]
- 2194. Druce, H.**, 1904, Descriptions of some new species of butterflies belonging to the family Erycinidae from Tropical South America. Proc. zool. Soc. Lond. 1904: 481-489, pls. xxxiii-xxxiv. [[available in Cesa Library](#)]
- 2195. Druce, H.**, 1911, Descriptions of some new species of Heterocera, chiefly from Tropical South America. Ann. Mag. nat. Hist. (8) 8: 138-150. [[available in Cesa Library](#)]
- 2196. Drumont, A., Delahaye, N., Sudre, J. & Bouyer, Th.**, 2005, Une nouvelle especes du complexe de *Pseudoclanis postica* (Walker, 1856), originaire de Tanzanie (Lepidoptera, Sphingidae). Ent. Africana 10 (2): 43-46.
- 2197. Drury, D.**, 1773-1782], Illustrations of Natural History. 3 vols. London.
- 2198. Du, Y., Li, H. & S. Wang**, 2002, A taxonomic study on the genus *Ceroprepes* Zeller, 1867 from China (Lepidoptera, Pyralidae, Phycitinae). Shilap Revta lepid. 30 (118): 113-118, figs. [[available in Cesa Library](#)]
- 2199. Dubatolov, V.V. & A.N. Streltsov**, 1999, A new subspecies of *Satyrus ferula* (Fabricius, 1793) from the Amur Province (Lepidoptera, Satyridae). Atalanta 30 (1/4): 125-128, figs. [[available in Cesa Library](#)]
- 2200. Dubatolov, V.V. & J.D. Holloway**, 2006, A new species of the *Cretonotos transiens*-group (Lepidoptera, Arctiidae) from Sulawesi, Indonesia. Bonner zool. Beitr. 55 (2): 113-121, figs. [[available in Cesa Library](#)]
- 2201. Dubatolov, V.V. & J.P. Korshunov**, 1984, New data on taxonomy of the butterflies of the USSR. Chlenistonogie i gel'minty, Sibir. Otdel. Ak. Nauk USSR, Novosibirsk: 51-57.
- 2202. Dubatolov, V.V. & O.E. Kosterin**, 1998, [The history and origin of the fauna of nemoral Lepidoptera in Siberia]. [in] [Biological Diversity of Animals in Siberia], Tomsk 28-30th October 1998: 50-52. [[available in Cesa Library](#)]
- 2203. Dubatolov, V.V. & O.E. Kosterin**, [1995], A new subspecies of the *Euchloe ausonia* Hübner species group from the highlands of the Dzhungarian Alatau (East Kazakhstan) (Lepidoptera, Pieridae). Atalanta 25 (3/4): 513-520, Abb. [[available in Cesa Library](#)]
- 2204. Dubatolov, V.V. & P.G. Haynes**, 2008, Reviewing the African tiger-moth genera I. New genera from the late Prof. V.S. Murzin's collection (Lepidoptera, Arctiidae). Atalanta 39 (1/4): 356-366, figs. [[available in Cesa Library](#)]
- 2205. Dubatolov, V.V. & P.Y. Ustjuzhanin**, 1998, A new *Ethmia* species (Ethmiidae) from Turkmenistan. Nota lepid. 21 (2): 101-105.
- 2206. Dubatolov, V.V. & R. Zahiri**, [2006], Tiger-moths of Iran (Lepidoptera, Arctiidae, Arctiinae). Atalanta 36 (3/4) 2005: 481-525, figs. [[available in Cesa Library](#)]

- 2207. Dubatolov, V.V. & V.O. Gurko**, 2004, New Arctiinae species from Azad Kashmir, Pakistan (Lepidoptera, Arctiidae). *Atalanta* 35 (1/2): 84-90, pl. ivb. [[available in Cesa Library](#)]
- 2208. Dubatolov, V.V. & V.V. Zolotuhin**, 1992, A list of Lasiocampidae from the territory of the former USSR (Insecta, Lepidoptera). *Atalanta* 23 (3/4): 531-548. [[available in Cesa Library](#)]
- 2209. Dubatolov, V.V. & V.V. Zolotuhin**, 2000, A list of Lasiocampidae (Insecta, Lepidoptera) of a territory of the previous USSR. <http://szmn.eco.nsc.ru/vvdubat/pdf/lasiocampidae.htm> [access on 2 September, 2013] [with disinformation on *Orientrix divisa* (Moore, 1879)]. [[available in Cesa Library](#)]
- 2210. Dubatolov, V.V. & V.V. Zolotuhin**, 2011, Does *Eilema* Hübner, [1819] (Lepidoptera, Arctiidae, Lithosiinae) present one or several genera? *Euroasian Ent. J.* 10 (3): 367-380, pl. vii. [[available in Cesa Library](#)]
- 2211. Dubatolov, V.V. & Y. Kishida**, 2005, Review of the genus *Alphaea* Walker, 1855 (Lepidoptera, Arctiidae). *Tinea* 18: 241-252, figs.
- 2212. Dubatolov, V.V. & Y. Kishida**, 2005, New genera of Arctiinae (Lepidoptera, Arctiidae) from South and East Asia. *Tinea* 18 (4): 307-314, figs. [[available in Cesa Library](#)]
- 2213. Dubatolov, V.V.**, 1989, A revision of the genus *Axiopoea* (Lepidoptera, Arctiidae). *Vestn. Zool.* 1: 8-13.
- 2214. Dubatolov, V.V.**, 1989, New species of *Diurna* (Lepidoptera, Lycaenidae, Satyridae) from Middle Asia. *Proc. zool. Inst. USSR* 200: 136-139, figs. [[available in Cesa Library](#)]
- 2215. Dubatolov, V.V.**, 1992, New species of Nymphalid and Satyrid butterflies (Lepidoptera, Rhopalocera) from Yakutia. *Vestn. zool.* 6: 40-45.
- 2216. Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. *Sinowatsonia*, a new genus of Arctiidae from Tibet (China) (on the systematics of the genus *Micrarctia* Seitz s.l., Part 2). *Neue ent. Nachr.* 37: 5-8, figs. [[available in Cesa Library](#)]
- 2217. Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A Review of the genus *Palaearctia* Ferguson (on the systematics of the genus *Micrarctia* Seitz s.l., Part 3). *Neue ent. Nachr.* 37: 9-37, figs. [[available in Cesa Library](#)]
- 2218. Dubatolov, V.V.**, 1996, Three contributions to the knowledge of palaearctic Arctiinae (Lepidoptera, Arctiidae) I. A list of the Arctiinae of the territory of the former U.S.S.R. (Lepidoptera, Arctiidae). *Neue ent. Nachr.* 37: 39-89, figs. [[available in Cesa Library](#)]
- 2219. Dubatolov, V.V.**, 2003, A new subspecies of *Hemaris fuciformis* (Linnaeus, 1758) from the Kopetdagh Mountains in Southern Turkmenistan (Lepidoptera, Sphingidae) *Eur. Ent. J.* 2 (1): 67-68, 1 fig. [[available in Cesa Library](#)]
- 2220. Dubatolov, V.V.**, 2004, A new genus established for *Bombyx lineola* Fabricius, 1793, with systematic notes on the genus *Aloa* Walker, 1855 (Lepidoptera, Arctiidae). *Atalanta* 35 (3/4): 403-413, figs. [[available in Cesa Library](#)]
- 2221. Dubatolov, V.V.**, 2005, Tiger Moths (Lepidoptera, Arctiidae) of China. <http://szmn.eco.nsc.ru/Arctiidae/ArctiinaeChina.html> [last access: 2.3.2014]
- 2222. Dubatolov, V.V.**, 2006, Tiger Moths (Lepidoptera, Arctiidae) of the Afrotropics. <http://fen.nsu.ru/~vvdubat/Arctiidae/ArctiinaeAfrotropics.html> [[available in Cesa Library](#)]
- 2223. Dubatolov, V.V.**, 2006, Review of the genus *Tatargina* Butler, 1877, with the description of a new subgenus (Lepidoptera, Arctiidae). *Atalanta* 37 (1/2): 206-215, figs. [[available in Cesa Library](#)]
- 2224. Dubatolov, V.V.**, 2007, New tiger moth taxa from Eurasia (Lepidoptera, Arctiidae). *Atalanta* 38 (3/4): 351-359, figs. [[available in Cesa Library](#)]
- 2225. Dubatolov, V.V.**, 2008, Analysis of Insect distribution in the northern Hemisphere by the example of the subfamily Arctiinae (Lepidoptera, Arctiidae) I. Genus level. *Contemporary Problems of Ecology* 1 (2): 183-193, figs. [[available in Cesa Library](#)]
- 2226. Dubatolov, V.V.**, 2010, Tiger-moths of Eurasia (Lepidoptera, Arctiidae). *Neue ent. Nachr.* 65: 1-106.
- 2227. Dubatolov, V.V.**, 2011, Arctiinae from African expeditions of V. Kovtunovich & P. Ustjuzhanin in 2009-2011, with description of new taxa and taxonomic notes (Lepidoptera, Arctiidae). *Atalanta* 42 (1/4): 125-135, figs. [[available in Cesa Library](#)]
- 2228. Dubatolov, V.V.**, 2012, New genus, species and faunistic records of lichen-moths (Lepidoptera, Arctiidae, Lithosiinae) from Vietnam. *Eurasian Ent. J.* 11 (6): 507-512, figs. [[available in Cesa Library](#)]

- 2229. Dubatolov, V.V.**, 2013, A new species and new combinations of *Danielithosia* from eastern China and Indochina, with check-list of the genus (Lepidoptera, Arctiidae, Lithosiinae). *Acta ent. Mus. natn. Pragae* 53 (1): 381-386, figs. [\[available in Cesa Library\]](#)
- 2230. Dubatolov, V.V., Haynes, P. & Y. Kishida**, 2007, Review of the genus *Rajendra* Moore, with systematic notes on the genus *Nannoarctia* Koda (Lepidoptera, Arctiidae). *Tinea* 20 (1): 67-76, figs. [\[available in Cesa Library\]](#)
- 2231. Dubatolov, V.V., Kishida, Y. & W. Min**, 2012, New records of lichen-moths from the Nanling Mts., Guangdong, South China, with descriptions of new genera and species (Lepidoptera, Arctiidae, Lithosiinae). *Tinea* 22 (1): 25-52, figs. [\[available in Cesa Library\]](#)
- 2232. Dubatolov, V.V., Korshunov, Y.P., Gorbunov, P.Y., Kosterin, O.E. & A.L. Lvovsky**, 1998, A review of the *Erebia ligea*-complex (Lepidoptera, Satyridae) from Eastern Asia. *Trans. lepid. Soc. Japan* 49: 177-193. [\[available in Cesa Library\]](#)
- 2233. Dubatolov, V.V., Sergeev, M.G. & A.B. Zhdanko**, 1994, New and little known species of the butterfly genus *Hyponephele* Muschamp, 1915 (Lepidoptera, Satyridae). *Atalanta* 25 (1/2): 171-177, 4 figs. [\[available in Cesa Library\]](#)
- 2234. Dubatolov, V.V., Ustjuzhanin, P.A. & V.K. Zintshenko**, 1997, A review of the Ethmiidae of the Asian part of Russia and neighbouring territories (Lepidoptera, Ethmiidae). *Atalanta* 28 (1/2): 161-171, 19 figs. [\[available in Cesa Library\]](#)
- 2235. Dufay, C. & Z. Varga**, 1995, A new noctuid species from Iran: *Chersotis eberti* sp.n. (Lepidoptera, Noctuidae). *Acta zool. hung.* 41: 35-45, figs.
- 2236. Dufay, C.**, 1958, Révision des *Nycteola* Hübner (*Sarrothripus* Curtis) Paléarctiques (Lepidoptera, Noctuidae, Nycteolinae). *Annls Soc. ent. Fr.* 27: 107-132, Pl.ii,iii,A,B. [\[available in Cesa Library\]](#)
- 2237. Dufay, C.**, 1958, Descriptions de nouvelles *Abrostola* africaines (Lep., Noctuidae). Contribution a l'étude des Noctuidae "Quadrifinae", V. *Bull. Inst. fr. Afr. Noire, ser.A*, 20(1): 199-216, 3 Pls. [\[available in Cesa Library\]](#)
- 2238. Dufay, C.**, 1958, Mise au point de la synonymie des *Nycteola* Hb. (*Sarrothripus* Curt.) européennes. *Bull. mens. Soc. linn. Lyon* 27: 108-120.
- 2239. Dufay, C.**, 1961, Les *Nycteola* Hübner (*Sarrothripus* Curtis) de la Staudinger description d'une espèce nouvelle d'Asie centrale et antérieure. *Dt. ent. Z. (N.F.)* 8 (5): 431-440, 4 figs. [\[available in Cesa Library\]](#)
- 2240. Dufay, C.**, 1963, Descriptions de trois nouvelles espèces d'*Euchalcia* Hb. d'Asie Antérieure (Lepidoptera, Noctuidae, Plusiinae). *Bull. mens. Soc. linn. Lyon* 32(3): 68-72. [\[available in Cesa Library\]](#)
- 2241. Dufay, C.**, 1966, Description de deux nouvelles espèces d'*Euchalcia* Hübner du Caucase (Lep., Noctuidae, Plusiinae) (note préliminaire). *Entomops* 4: 123-126, 2 figs.
- 2242. Dufay, C.**, 1969, Description d'*Euchalcia stilpna* n.sp., de l'Iran (Lep., Noctuidae, Plusiinae). *Opusc. zool.* 110: 1-4, 2 figs. [\[available in Cesa Library\]](#)
- 2243. Dufay, C.**, 1970, Insectes Lépidoptères, Noctuidae Plusiinae, [in] *Faune de Madagascar* 31: 1-198, 116 figs., 2 Pls. [\[available in Cesa Library\]](#)
- 2244. Dufay, C.**, 1970, Descriptions de nouvelles espèces et d'un genre de Plusiinae Indo-Australiens (Lep., Noctuidae) (Note Préliminaire). *Bull. mens. Soc. linn. Lyon* 39 (3): 101-107. [\[available in Cesa Library\]](#)
- 2245. Dufay, C.**, 1971, Description d'*Abrostola kaszabi* n.sp., de Mongolie, et note synonymique sur des *Abrostola* asiatiques (Lepidoptera, Noctuidae, Plusiinae). *Reichenbachia* 13 (30): 269-273, figs. [\[available in Cesa Library\]](#)
- 2246. Dufay, C.**, 1973, *Cryphia amasina* Drdt. espèce nouvelle pour l'Europe (Noctuidae, Apatelinae). *Entomops* 30: 185-186, 1 fig. [\[available in Cesa Library\]](#)
- 2247. Dufay, C.**, 1973, Contributions à l'étude des Lépidoptères de la Macédoine Yougoslave. Six espèces nouvelles pour la Macédoine. *Entomops* 30: 187-192, 7 figs.
- 2248. Dufay, C.**, 1975, *Dryobotodes carbonis* Wgn., bona species, espèce nouvelle en Europe, et en France (Lepidoptera, Noctuidae, Cuculliinae). *Bull. Soc. linn. Lyon* 44: 24-27. [\[available in Cesa Library\]](#)
- 2249. Dufay, C.**, 1976, *Agrochola dujardini* Dufay, espèce française méconnue (Lep., Noctuidae, Cuculliinae). *Entomops* 38: 211-218, 6 figs.
- 2250. Dufay, C.**, 1977, Contributions à l'étude de la faune entomologique de la Grèce (première note). *Entomops* 41: 29-32.

- 2251. Dufay, C.**, 1977, Seconde contribution a l'etude des Lepidopteres de la Macedonie Yugoslave. Entomops 41: 22-28.
- 2252. Dufay, C.**, 1977, Noctuidae (Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 42-51, Pls. [\[available in Cesa Library\]](#)
- 2253. Dufay, C.**, 1978, Contributions a l'etude de la faune entomologique de la Grèce (Seconde note). Entomops 46: 181-184, 6 figs.
- 2254. Dufay, C.**, 1978, Thera albonigrata (Gornik) espece française meconnue (Lep., Geometridae, Larentiinae). Entomops 46: 185-196, 11 figs.
- 2255. Dufay, C.**, 1978, Cryphia vandalusia (Duponchel) espece française meconnue (Lep., Noctuidae, Acronictinae). Entomops 45: 149-158, 18 figs.
- 2256. Dufay, C.**, 1982, Description de nouveaux Plusiinae indo-australiens (Lepidoptera, Noctuidae). Bull. mens. Soc. linn. Lyon 51(3): 71-76, 12 figs. [\[available in Cesa Library\]](#)
- 2257. Dufay, C.**, 1982, Decouverte en Grèce de Lophoterges hoerhammeri (F.Wagner), bona sp., espece nouvelle pour l'Europe (Noctuidae, Cucullinae). Nota lepid. 5 (2/3): 77-80, 6 figs. [\[available in Cesa Library\]](#)
- 2258. Dufay, C.**, 1982, Leptidea morsei major Grund, en Grèce. Nota lepid. 5 (1): 17-19.
- 2259. Dufay, C.**, 1983, Ochropleura gracilis (F.Wagner), bona sp., espece nouvelle pour l'Europe: description de sa sous- espece hellenique (Noctuidae, Noctuinae). Nota lepid. 6 (1): 41-48, 10 figs. [\[available in Cesa Library\]](#)
- 2260. Dufay, C.**, 1983, Description d'un nouveau Geometridae espagnol: Rheumaptera gudarica nova sp.(Geometridae, Larentiinae). Nota lepid. 6 (1): 49-52, 4 figs. [\[available in Cesa Library\]](#)
- 2261. Dufay, C.**, 1984, Révision du statut taxonomique de quelques Noctuidae européens (1re note préliminaire). Nota lepid. 7 (2): 113-116. [\[available in Cesa Library\]](#)
- 2262. Dufay, C.**, 1984, Noctuidae (Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 49. [\[available in Cesa Library\]](#)
- 2263. Dufay, C.**, 1986, Révision de la nomenclature de deux Chersotis Boisduval distingués récemment (Noctuidae, Noctuinae). Nota lepid. 9 (1/2): 51-54. [\[available in Cesa Library\]](#)
- 2264. Dufrane, A.**, 1954, Sur quelques Lycaenidae d'Afrique. Bull. Annls. Soc. R. ent. Belg. 90: 282-286.
- 2265. Dugdale, J.S.**, 1974, Female genital configuration in the classification of Lepidoptera. N.Z. J. Zool. 1(2): 127-146, 30 figs. 2 pls.
- 2266. Dugdale, J.S.**, 1978, Notes on Lepidoptera of Lakeba and Moce Is. Lau Group, Fiji, with an annotated list of the Macrolepidoptera. Bull. R. Soc. New Zealand 17: 63-89. [\[available in Cesa Library\]](#)
- 2267. Dugdale, J.S.**, 1988, Lepidoptera - annotated catalogue and keys to family group taxa [in] Fauna of New Zealand, number 14. 269pp. Auckland. [\[available in Cesa Library\]](#)
- 2268. Dujardin, F.**, 1946, Monographie succinte de Erebia aethiopellus Hoffmansegg (1806) = gorgophone Bellier de la Chavignerie (1863). Revue fr. lépid. 10: 170-172. [\[available in Cesa Library\]](#)
- 2269. Dujardin, F.**, 1946, Deux curieuses aberrations de Polyommatus icarus Rott. Revue fr. lépid. 10: 172-173. [\[available in Cesa Library\]](#)
- 2270. Dujardin, F.**, 1964, Description de sous-espèces nouvelles de Nymphalidae des Alpes-Maritimes et des Hautes-Alpes (Lepidoptera). Riviera scient. 1: 4pp. [\[available in Cesa Library\]](#)
- 2271. Dujardin, F.**, 1966, Description de Maculinea arion bordei nouvelle sous-espece du sud-est la France. Riviera scient. 1: 15-16. [\[available in Cesa Library\]](#)
- 2272. Dujardin, F.**, 1968, Recherches sur les proximae du groupe coridon et description de 3 nouveaux taxa (Lep., Lycaenidae). Riviera scient. 3: 53-56. [\[available in Cesa Library\]](#)
- 2273. Dujardin, F.**, 1970, Description de Zygaena loti failliei ssp. n. et ses affinités en France Centrale. Entomops 18: 41-44, 2 figs. [\[available in Cesa Library\]](#)
- 2274. Dujardin, F.**, 1972, Description de Callophrys avis barraguei subspecies nova et observations biologiques sur la sous-espece nominative. Entomops 25: 2-18.
- 2275. Dujardin, F.**, 1976, Etude des genitalia males de Euchloe insularis Staudinger species bona. Entomops 39: 243-252, 6 figs.
- 2276. Dujardin, F.**, 1977, Description de deux nouvelles sous-especes de Polyommatus atlanticus Elwes avec des regroupements dans le statut génériques de soun espece (avec 14 figures). Entomops 43: 93-100.

- 2277. Dumont, C.**, 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Description d'une espece nouvelle de Trifinae (Lep., Noctuidae). Bull. Soc. ent. Fr. 1920: 102-104, 1 fig. [[available in Cesa Library](#)]
- 2278. Dumont, C.**, 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Description de deux especes nouvelles de Quadrifinae (Lep., Noctuidae). Bull. Soc. ent. Fr. 1920: 275-279. [[available in Cesa Library](#)]
- 2279. Dumont, C.**, 1920, Contribution a l'étude des Lépidoptères du Sahara algérien. Notes sur le genre Anumeta Walk. (Lep., Noctuidae) et description d'une espece nouvelle. Bull. Soc. ent. Fr. 1920: 321-324. [[available in Cesa Library](#)]
- 2280. Dumont, C.**, 1922, Diagnoses de Lépidoptères nouveaux du Nord de l'Afrique. Bull. Soc. ent. Fr. 1922: 215-220. [[available in Cesa Library](#)]
- 2281. Dumont, D.**, 1998, Une nouvelle espèce de Lycaenidae du sud de la Turquie: *Polyommatus bollandi* n.sp. Linneana Belg. 16 (8): 335-338, 7 figs. map. [[available in Cesa Library](#)]
- 2282. Dumont, D.**, 2000, Découverte et description de la femelle de *Polyommatus bollandi* Dumont, 1998 et considérations nouvelles sur le male (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 273-275, figs. [[available in Cesa Library](#)]
- 2283. Dumont, D.**, 2004, Révision du genre *Iolana* Bethune-Baker, 1914 (Lepidoptera, Lycaenidae). Description d'une nouvelle espèce: *kermani* n.sp. Linneana Belg. 19 (8): [[available in Cesa Library](#)]
- 2284. Duponchel, P.A.J.**, 1821-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.1 Diurnes. 12+303+7 pp., tab. 1-12, Paris.
- 2285. Duponchel, P.A.J.**, 1821-1828, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.3 Crepusculaires. 200 pp., tab. 13-22, Paris.
- 2286. Duponchel, P.A.J.**, 1822-1823, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.4 Bombycites. 424 pp., tab. 1-40, Paris.
- 2287. Duponchel, P.A.J.**, 1822-1830, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.2 Diurnes. 246 pp., tab. 1-28, Paris.
- 2288. Duponchel, P.A.J.**, 1824-1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.5 Tineites & Noctuelites. 524 pp., tab. 41-71, Paris.
- 2289. Duponchel, P.A.J.**, 1826, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.6. Noctuelites. 475 pp., tab. 72-100, Paris.
- 2290. Duponchel, P.A.J.**, 1827, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (1). Noctuelites. 524 pp., tab. 101-132, Paris.
- 2291. Duponchel, P.A.J.**, 1829, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.7 (2). Phalenites. 507 pp., tab. 133-170, Paris.
- 2292. Duponchel, P.A.J.**, 1830-1832, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (1). Phalenites. 597 pp., tab. 171-210, Paris.
- 2293. Duponchel, P.A.J.**, 1833, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.8 (2). Pyralites. 402 pp., tab. 211-236, Paris.
- 2294. Duponchel, P.A.J.**, 1834-1835, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.9 Platyomides. 626 pp., tab. 237-266, Paris.
- 2295. Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.10. Crambites & Yponomeutides. 384 pp., tab. 267-286, Paris.
- 2296. Duponchel, P.A.J.**, 1836, Histoire naturelle des Lépidoptères, ou papillons de la France. Vol.11. Tineites & Pterophorites. 720 pp., tab. 287-314, Paris.
- 2297. Duponchel, P.A.J.**, 1844-1846, Catalogue méthodique des Lépidoptères d'Europe. 523 pp. Paris. [[available in Cesa Library](#)]
- 2298. Duquef, M.**, 1964, Quelques Rhopaloceres de l'Oasis d'Ouargla (Sahara Algerien). Alexanor 3: 338.
- 2299. Durand, R.**, 1961, Bilan d'un voyage en Grece. Alexanor 2: 33-35, 93-96.
- 2300. Durante, A. & L.Potenza**, 2014, Novitates from Gabon (Erebidae, Arctiinae, Syntomini, Thyretina). Lambillionea 114 (3): 260-263, figs. [[available in Cesa Library](#)]
- 2301. Durante, A.**, 2008, Asuroides, a new genus of lithosiine moths (Lepidoptera, Arctiidae, Lithosiinae). Zootaxa 1713: 53-68, figs. [[available in Cesa Library](#)]
- 2302. Durante, A.**, 2012, New genera and problematic species in African Lithosiinae (Lepidoptera, Arctiidae, Lymantriidae). Eur. J. Tax. 22: 1-16, figs. [[available in Cesa Library](#)]

- 2303. Durante,A., Apinda-Legnouo,E.A. & C. Romano**, 2013, Second contribution to the knowledge of the Lithosiini of Gabon: the genus *Nanna* Birket-Smith (Lepidoptera, Erebidae, Arctiinae). *Eur. J. Tax.* 65: 1-15, figs. [[available in Cesa Library](#)]
- 2304. Durante,M.A. & S.Panzer**a, 1999, I Lepidotteri del delta del Niger primo contributo. Conferma di *Tesma fractifascia* (Hampson,1918) e descrizione della femmina (Lepidoptera, Arctiidae, Lithosiinae). *Lambillionea* 99 (3): 439-448, Tav. [[available in Cesa Library](#)]
- 2305. Durante,M.A. & S.Panzer**a, 2001 I Lepidotteri del delta del Niger (Secondo contributo) (Lepidoptera, Arctiidae, Lithosiinae). *Lambillionea* 101 (2): 203-215, 7 Tav. [[available in Cesa Library](#)]
- 2306. Durante,M.A. & S.Panzer**a, 2002, I Lepidotteri del delta del Niger (Quarto contributo) (Arctiidae, Lithosiinae). *Lambillionea* 102 (2): 135-139, 2 Tav. [[available in Cesa Library](#)]
- 2307. Durante,M.A. & S.Panzer**a, 2002, I Lepidotteri del delta del Niger (Quinto contributo) (Arctiidae, Lithosiinae). *Lambillionea* 102 (3): 282-286, 2 Tav. [[available in Cesa Library](#)]
- 2308. Durante,M.A. & S.Panzer**a, 2002, *Pusiola unipunctana maior* n.ssp. della Repubblica di Guinea (Lepidoptera, Arctiidae, Lithosiinae). *Lambillionea* 102 (1): 88-90, Tav. [[available in Cesa Library](#)]
- 2309. Durrant,J.H.**, 1906, *Tineina*, [in], Elwes,H.J., Hampson,G. & J.H.Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. *Proc. zool. Soc. Lond.* 1906: 496-498. [[available in Cesa Library](#)]
- 2310. Durrant,J.H.**, 1914, Descriptions of two new *Tineina* (Lep.) from the Lagos district. *Trans. ent. Soc. London* 1913 (4): 513-514. [[available in Cesa Library](#)]
- 2311. Durrant,J.H.**, 1916, *Tineina*, [in] Poulton,E.B., On a collection of moths made in Somaliland by Mr. W.Feather. *Proc. zool. Soc. Lond.* 1916: 179-181. [[available in Cesa Library](#)]
- 2312. Dyar,H.G.**, 1894, A classification of lepidopterous larvae. *Ann. N.Y. Acad. Sci.* 8: 194-232, 5 figs.
- 2313. Dyar,H.G.**, 1897, On lepidopterous larvae. *Entomologist's Rec. J. Var.* 9: 136-137. [[available in Cesa Library](#)]
- 2314. Dyar,H.G.**, 1899, The phylogeny of the lasiocampids. *Entomologist's Rec. J. Var.* 11: 141-142, Pl.ii. [[available in Cesa Library](#)]
- 2315. Dyar,H.G.**, 1901, A century of larval descriptions. *Entomologist's Rec. J. Var.* 13: 37-41. [[available in Cesa Library](#)]
- 2316. Dürck,H.**, 1922, *Parnassius mnemosyne benacensis*. *Ent. Rdsch.* 39: 33-34, figs. 1-2.
- 2317. Döring,E.**, 1955, *Zur Morphologie der Schmetterlingseier*. Akademie Verlag, Berlin.
- 2318. Ebert,G. & E.Rennwald**, 1991, *Die Schmetterlinge Baden Württembergs. Tagfalter. Band 1 & 2.* 552 & 535 S. Ulmer, Stuttgart-Hohenheim. [[available in Cesa Library](#)]
- 2319. Ebert,G. & H.Hacker**, 2002, Beitrag zur Fauna der Noctuidae des Iran: Verzeichnis der Bestände im Staatlichen Museum für Naturkunde Karlsruhe, taxonomische Bemerkungen und Beschreibung neuer Taxa (Noctuidae, Lepidoptera). *Esperiana* 9: 237-409, figs. [[available in Cesa Library](#)]
- 2320. Ebert,G.**, 1965, *Afghanische Geometriden (Lep.) I.* Stuttg. Beitr. Naturk. 142: 1-32, 4 Taf. [[available in Cesa Library](#)]
- 2321. Ebert,G.**, 1967, Bemerkungen zur Verbreitung Ökologie und Phenologie afghanischer Schmetterlinge. *Beitr. naturk. Forsch. SWDtl.* 26 (3): 109-135. [[available in Cesa Library](#)]
- 2322. Ebert,G.**, 1968, *Afghanische Bombyces und Sphinges 1. Lymantriidae.* Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. *Reichenbachia* 10: 181-187, figs.
- 2323. Ebert,G.**, 1968, *Afghanische Bombyces und Sphinges 2. Notodontidae.* Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. *Reichenbachia* 10: 199-205, figs.
- 2324. Ebert,G.**, 1968, Revision der Gattung *Gnophosema* (Lepidoptera, Geometridae). *Ark. Zool.* (Ser.2) 22(6): 163-199, 20 figs. 1 Pl. [[available in Cesa Library](#)]
- 2325. Ebert,G.**, 1969, *Afghanische Bombyces und Sphinges 3. Sphingidae.* Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. *Reichenbachia* 12: 37-53, figs.
- 2326. Ebert,G.**, 1969, *Afghanische Bombyces und Sphinges 4. Ctenuchidae.* Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. *Reichenbachia* 12: 157-165, figs.

- 2327. Ebert, G.**, 1969, Afghanische Bombyces und Sphinges 5. Lasiocampidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 12: 195-202, figs.
- 2328. Ebert, G.**, 1971, Drei neue Macrolepidoptera-Arten aus Iran. Beitr. naturk. Forsch. SWDtl. 30: 65-71, 1 Taf., 9 Abb. [[available in Cesa Library](#)]
- 2329. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges. 7. Nolidae. Ergebnisse der 2. Deutschen Afghanistan-Expedition (1966) der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14(24): 197-204, 7 Abb. [[available in Cesa Library](#)]
- 2330. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges. 6. Arctiidae. Reichenbachia 14: 47-74, figs. [[available in Cesa Library](#)]
- 2331. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges 8. Thaumetopoeidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 205-214, figs.
- 2332. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges 9. Bombycidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 215.
- 2333. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges 10. Drepanidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 215-216.
- 2334. Ebert, G.**, 1973, Afghanische Bombyces und Sphinges 11. Limacodidae. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 14: 216-217.
- 2335. Ebert, G.**, 1974, Afghanische Bombyces und Sphinges 12. Nachträge und Zusammenfassung. Ergebnisse der 2. Deutschen Afghanistan- Expedition 1966 der Landessammlungen für Naturkunde in Karlsruhe. Reichenbachia 15: 1-15.
- 2336. Ebert, G.**, 1976, Beiträge zur Kenntnis der Bombyces und Sphinges Irans 2. Beitrag: Eine neue Tethea-Art aus Iran (Lepidoptera, Thyatiridae). J. ent. Soc. Iran 3 (1/2): 101-104, 1 fig. [[available in Cesa Library](#)]
- 2337. Ebert, G.**, 1976, Beiträge zur Kenntnis der Bombyces und Sphinges Irans 1. Beitrag: Die Arten und Formen der Gattungen Berutana und Deilephila (Lep., Sphingidae). J. ent. Soc. Iran 3(1/2): 85-99, 3 figs. [[available in Cesa Library](#)]
- 2338. Ebert, G.**, 1978, Neue Taxa paläarktischer Noctuidae aus dem wissenschaftlichen Nachlaß von Charles Boursin (Lep. Noct. Trifin.). 1. Die Arten der Gattung Oncocnemis Lederer, 1853. Beitr. naturk. Forsch. SüdwDtl. 37: 193-207, figs. [[available in Cesa Library](#)]
- 2339. Ebert, G.**, 1994, Die Schmetterlinge Baden Württembergs. Nachtfalter. Band 3 & 4. 511 & 535 S. Ulmer, Stuttgart-Hohenheim. [[available in Cesa Library](#)]
- 2340. Ebert, G.**, 1996, Hyles robertsi elisabethae nom. nov. pro Celerio robertsi orientalis Ebert, 1969 (Lepidoptera, Sphingidae). Atalanta 27 (1/2): 334. [[available in Cesa Library](#)]
- 2341. Ebert, G.**, 1997, Die Schmetterlinge Baden Württembergs. Nachtfalter. Band 5 & 6. 575 & 622 S. Ulmer, Stuttgart-Hohenheim. [[available in Cesa Library](#)]
- 2342. Ebert, G.**, 2010, Auf Expedition in Afghanistan. Ein Insektenforscher erzählt von seinen Reisen (1957-1971).
- 2343. Ebert, G., Hesselbarth, G. & F. Kasy**, 1978, Die Bedeutung Roter Listen in der Lepidopterologie. Nota lepid. 1(2): 69-76. [[available in Cesa Library](#)]
- 2344. Eckweiler, W. & C. L. Häuser**, 1997, An illustrated checklist of Agrodiaetus Hübner, 1822, a subgenus of Polyommatus Latreille, 1804 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 113-168, figs. [[available in Cesa Library](#)]
- 2345. Eckweiler, W. & E. Görgner**, 1981, Eine neue Art der Gattung Zygaena F. aus Türkisch-Kurdistan. Atalanta 12 (2): 139-146, figs. [[available in Cesa Library](#)]
- 2346. Eckweiler, W. & E. Görgner**, 1981, Rhopaloceren- Fauna des Palandöken-Gebirges in Ostanatolien. Nachr. ent. Ver. Apollo 2: 80-96, 97-116, figs. [[available in Cesa Library](#)]
- 2347. Eckweiler, W. & G. C. Bozano**, 2011, Guide to the butterflies of the palaearctic region. Satyrinae. Part iv. 102pp.
- 2348. Eckweiler, W. & G. Hesselbarth**, 1978, Eine neue Unterart von Agriades pyrenaicus Boisduval aus Ostanatolien. Nachr. bayer. Ent. 27: 64-68, figs. [[available in Cesa Library](#)]
- 2349. Eckweiler, W. & K. G. Schurian**, 1980, Verbreitung und subspezifische Gliederung von Neolysandra coelestina (Eversmann, 1843) (Lep., Lycaenidae). Atalanta 11 (1): 69-78, 8 figs. [[available in Cesa Library](#)]

- 2350. Eckweiler, W. & K.G. Schurian**, 2013, Eine neue Unterart von *Polyommatus* (*Agrodiaetus*) *iphigenia* (Herrich-Schäffer, [1847]) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 33 (4): 185-186, figs. [[available in Cesa Library](#)]
- 2351. Eckweiler, W. & K. Rose**, 1988, Identität, Verbreitung und subspezifische Gliederung von *Pseudochazara lydia* (Staudinger, 1878) (Lepidoptera, Satyridae). *Nachr. ent. Ver. Apollo* (N.F.) 9(4): 213-223, figs. [[available in Cesa Library](#)]
- 2352. Eckweiler, W. & K. Rose**, 1993, Zwei neue Lycaeniden aus der Südwesttürkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 13(3a): 355-364, figs. [[available in Cesa Library](#)]
- 2353. Eckweiler, W. & P. Hofmann**, 1980, Verzeichnis iranischer Tagfalter. *Nachr. ent. Ver. Apollo* (N.F.) Suppl.1: 1-28. [[available in Cesa Library](#)]
- 2354. Eckweiler, W. & W. Ten Hagen**, 1998, Zur Taxonomie von *Polyommatus* (*Agrodiaetus*) *phyllis* (Christoph, 1877), *P. posthumus* (Christoph, 1877) und *P. darius* spec. nov. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 19 (2): 109-118, figs. [[available in Cesa Library](#)]
- 2355. Eckweiler, W. & W. Ten Hagen**, 2001, Eine neue Unterart von *Lycaena* (*Phoenicurusia*) *phoenicurus* (Lederer, 1871) aus Zentraliran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 22 (2): 49-52, figs. [[available in Cesa Library](#)]
- 2356. Eckweiler, W. & W. Ten Hagen**, 2003, Eine neue Art des Subgenus *Superflua* Strand, 1910 aus Südiran (Lepidoptera, Lycaenidae, Genus *Satyrium* Scudder, 1876). *Nachr. ent. Ver. Apollo* (N.F.) 23 (4): 213-216, figs. [[available in Cesa Library](#)]
- 2357. Eckweiler, W.**, 1976, Fangtage in Griechenland (15.v-19.v und 29.v.-6.6.75). *Nachr. ent. Ver. Apollo* 1: [107]-[112]. [[available in Cesa Library](#)]
- 2358. Eckweiler, W.**, 1976, Fangtage in Jugoslawisch-Mazedonien (20.v. bis 6.vi.1975). *Nachr. ent. Ver. Apollo* (N.F.) 1 (2): 37-43. [[available in Cesa Library](#)]
- 2359. Eckweiler, W.**, 1978, Eine neue Art der Gattung *Hyponephele* Muschamp aus der Südosttürkei (Lepidoptera, Satyridae). *Atalanta* 9 (4a): 375-379, 9 figs. [[available in Cesa Library](#)]
- 2360. Eckweiler, W.**, 1978, Zwei Lycaeniden-Neufunde aus Nordostanatolien. *Nota lepid.* 1(3): 115-118, 8 Abb. [[available in Cesa Library](#)]
- 2361. Eckweiler, W.**, 1979, Eine neue Subspecies von *Colias aurorina* aus dem Süd-Iran (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 89(3): 29-32, 2 Abb. [[available in Cesa Library](#)]
- 2362. Eckweiler, W.**, 1984, Eine neue Unterart von *Turanana cytis* (Christoph, 1877) aus Türkisch- Kurdistan (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 5(2/3): 63-70, figs. [[available in Cesa Library](#)]
- 2363. Eckweiler, W.**, 1987, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expeditionen nach dem Iran 1970, 1973 und 1977. Lepidoptera, Lycaenidae. *Acta ent. Mus. natn. Pragae* 42: 39-55, figs. [[available in Cesa Library](#)]
- 2364. Eckweiler, W.**, 1989, Drei neue Lycaeniden aus der Türkei (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 10(2): 81-102, 50 figs. [[available in Cesa Library](#)]
- 2365. Eckweiler, W.**, 1990, Eine neue Art der Gattung *Karanasa* Moore aus Gansu, China (Lepidoptera, Satyridae). *Nachr. ent. Ver. Apollo* (N.F.) 11(3): 143-150, Abb. [[available in Cesa Library](#)]
- 2366. Eckweiler, W.**, 1991, Vergleich der Lepidopteren-fauna des chinesischen Altay und des Tian-Shan. *Verh. Westd. Ent. Tag. Düsseldorf* 1990: 355-361. [[available in Cesa Library](#)]
- 2367. Eckweiler, W.**, 1997, Neue Taxa von *Polyommatus* (*Agrodiaetus*) (Lepidoptera, Lycaenidae) [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep., Lycaenidae). *Nachr. Ent. Ver. Apollo*, Suppl. 16: 7-22, figs. [[available in Cesa Library](#)]
- 2368. Eckweiler, W.**, 1998, Neue taxa der Gattungen *Polyommatus* Latreille, 1804 und *Plebeius* Kluk, 1780 aus dem Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 19 (3/4): 219-238, 4 Karte, 4 Taf. [[available in Cesa Library](#)]
- 2369. Eckweiler, W.**, 2000, Eine neue *Colias*-Art aus dem östlichen Iran (Lepidoptera, Pieridae). *Nachr. ent. Ver. Apollo* (N.F.) 21 (1): 45-48, figs. [[available in Cesa Library](#)]
- 2370. Eckweiler, W.**, 2002, Zwei neue Unterarten des Subgenus *Agrodiaetus* Hübner, 1822 aus Nordwest Iran (Lepidoptera, Lycaenidae, Gattung *Polyommatus*). *Nachr. ent. Ver. Apollo* (N.F.) 23 (1/2): 77-79, figs. [[available in Cesa Library](#)]
- 2371. Eckweiler, W.**, 2003, Zwei neue Unterarten des Subgenus *Agrodiaetus* Hübner, 1822 aus Ostiran (Lepidoptera, Lycaenidae, Gattung *Polyommatus*). *Nachr. ent. Ver. Apollo* (n.s.) 24 (1/2): 51-54, figs. [[available in Cesa Library](#)]

- 2372. Eckweiler, W.**, 2004, *Lycaena* (Phoenicurusia) *phoenicurus monalisa* ssp.n. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 25 (3): 104, fig. [[available in Cesa Library](#)]
- 2373. Eckweiler, W.**, 2004, Die Verbreitung und subspezifische Gliederung von *Pseudochazara mamurra* (Herrich-Schaffer, [1846]) (Lepidoptera, Nymphalidae, Satyrinae). Nachr. ent. Ver. Apollo (N.F.) 25 (1/2): 9-14, figs. [[available in Cesa Library](#)]
- 2374. Eckweiler, W.**, 2005, Neue Taxa der Gattung *Hyponephele* Muschamp, 1915 aus Iran (Lepidoptera, Nymphalidae, Satyrinae). Nachr. ent. Ver. Apollo (N.F.) 26 (4): 217-220, figs. [[available in Cesa Library](#)]
- 2375. Eckweiler, W.**, 2008, *Melitaea oorschoti* sp.n., eine neue Art der Gattung *Melitaea* Fabricius, 1807 aus Mittelasien (Lepidoptera, Nymphalidae). Nachr. ent. Ver. Apollo (n.s.) 28 (3/4): 109-110, figs. [[available in Cesa Library](#)]
- 2376. Eddrup, T.B.**, 1899, Lepidoptera of North Wilts[hire]. Entomologist's Rec. J. Var. 11: 26-27. [[available in Cesa Library](#)]
- 2377. Edge, D.A. & E.L. Pringle**, 1996, Notes on the Natural History of the Brenton Blue, *Orachrysops niobe* (Trimen) (Lepidoptera, Lycaenidae). Metamorphosis 7(3): 109-120, 2 Pls. 4 figs. [[available in Cesa Library](#)]
- 2378. Edwards, E.D. (Ted)**, 1996, Papilionoidea, Lasiocampidae, [in] Nielsen, Edwards & Rangsi, Monographs on Australian Lepidoptera vol.4, Checklist of the Lepidoptera of Australia, 237-257pp. CSIRO Division of Entomology, Canberra. Australia. [[available in Cesa Library](#)]
- 2379. Eecke, v.R.**, 1925, Cochlidionidae (Limacodidae), [in] Strand, E., Lepidopterorum Catalogus 32: 1-79. W.Junk, Berlin. [[available in Cesa Library](#)]
- 2380. Eecke, v.R.**, 1928, De Heterocera van Sumatra -V. Zool. Meded., Leiden. 11: 49-145.
- 2381. Efetov, K.A. & G.M. Tarmann**, 1994, A revision of *Zygaenoprocris* Hampson, 1900, a subgenus of *Adscita* Retzius, 1783 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 81-105, 62 figs. [[available in Cesa Library](#)]
- 2382. Efetov, K.A. & G.M. Tarmann**, 1995, An annotated check-list of the Palaearctic Procrinae (Lepidoptera, Zygaenidae), with description of new taxa. Entomologist's Gaz. 46: 63-103, 23 figs.
- 2383. Efetov, K.A. & G.M. Tarmann**, 1999, Forester Moths. 192 pp., Apollo Books. [see review: Koçak, A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7-8]. [[available in Cesa Library](#)]
- 2384. Efetov, K.A.**, 1991, New species of the genus *Adscita* (Lepidoptera, Zygaenidae) from Turkmenia. Zool. Zh. 70(9): 155-159.
- 2385. Efetov, K.A.**, 1993, On the reputed occurrence of *Zygaena* (*Mesembrynus*) *cuvieri* Boisduval, [1828] (Lepidoptera, Zygaenidae) in Turkmenistan. Entomologist's Gaz. 4: 211-215, 7 figs.
- 2386. Efetov, K.A.**, 1994, *Adscita* (*Zygaenoprocris*) *naumanni* sp.n. from Afghanistan (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 53-56, 7 figs. [[available in Cesa Library](#)]
- 2387. Efetov, K.A.**, 1994, The biology and description of the larva of *Adscita* (*Zygaenoprocris*) *minna* Efetov, 1991 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 45: 115-121, 9 figs.
- 2388. Efetov, K.A.**, 1997, Two new species of the genus *Artona* Walker, 1854 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 48: 165-177, 19 figs. [[available in Cesa Library](#)]
- 2389. Efetov, K.A.**, 1997, *Thibetana witti* sp.nov. from Tibet (Lepidoptera, Zygaenidae, Procrinae). Entomofauna 18 (30): 509-513, 10 figs. [[available in Cesa Library](#)]
- 2390. Efetov, K.A.**, 1997, Three new species of the genus *Illiberis* Walker, 1854, from Taiwan and Vietnam (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 48: 231-244, figs. [[available in Cesa Library](#)]
- 2391. Efetov, K.A.**, 1998, A revision of the genus *Goe* Hampson, [1893] (Lepidoptera, Zygaenidae, Procrinae), with descriptions of two new species. Entomologist's Gaz. 49(1): 49-62, figs. [[available in Cesa Library](#)]
- 2392. Efetov, K.A.**, 2001, On the systematic position of *Zygaenoprocris* Hampson, 1900 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 41-48, 15 figs.
- 2393. Efetov, K.A.**, 2001, An annotated check-list of Forester moths (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 153-162, figs. [[available in Cesa Library](#)]
- 2394. Efetov, K.A.**, 2012, *Adscita* (*Procriterna*) *pligori* sp. nov. (Lepidoptera, Zygaenidae, Procrinae) from Afghanistan. Entomologist's Gaz. 63: 99-105, figs. [[available in Cesa Library](#)]
- 2395. Efetov, K.A., Mollet, B. & G.M. Tarmann**, 2010, The biology and early stages of *Adscita* (*Adscita*) *capitalis* (Staudinger, 1879) (Lepidoptera, Zygaenidae, Procrinae). Nachr. ent. Ver. Apollo (N.F.) 31 (3): 119-125, figs. [[available in Cesa Library](#)]

- 2396. Effendi, R.M.E.**, 1984, Foodplants of *Anthocharis gruneri armeniaca* Christoph (Lepidoptera, Pieridae). Vestn. Zool. 1984 (5): 74.
- 2397. Effendi, R.M.E.**, 1987, On the colour variation of *Zygaena tamara* Christoph (Lepidoptera: Zygaenidae). Vestn. Zool. 1987(2): 38.
- 2398. Eghtedar, E.**, 1988, Some researches on Codling Moth in Fars Province. Ent. phyt. Appl. 55(1/2): 27, 99-109 (persian pages). [[available in Cesa Library](#)]
- 2399. Ehrlich, P.R.**, 1958, The comparative morphology, philogeny and higher classification of the butterflies (Lepidoptera, Papilionoidea). Univ. Kans. Sci. Bull. 39(8): 305-370.
- 2400. Eimer, G. H. T.**, 1889-1895, Die Artbildung der Verwandtschaft bei den Schmetterlingen. Jena.
- 2401. Eisner, C. & C.M.Naumann**, 1980, Parnassiana nova, LVII. Beitrag zur Ökologie und Taxonomie der afghanischen Parnassiidae (Lepidoptera). Zool. Verh. 178: 1-35, figs. [[available in Cesa Library](#)]
- 2402. Eisner, C. & C.M.Naumann**, 1980, Beitrag zur Ökologie und Taxonomie der Afghanischen Parnassiidae (Lepidoptera). Zool. Verh., Leiden 178: 3-35, 9 Taf. [[available in Cesa Library](#)]
- 2403. Eisner, C. & S.Sakai**, 1975, Parnassiana nova L. Eine neue Unterart on Parnassius jacquemonti Boisduval. Zool. Meded. 40: 83-84, pl.1. [[available in Cesa Library](#)]
- 2404. Eisner, C. & S.Wagner**, 1974, Zwei neue Unterarten von *Allancastris cerisyi* Godart aus Anatolien (Lepidoptera, Parnassidae). Zool. Meded. 48(10): 81-83, figs. [[available in Cesa Library](#)]
- 2405. Eisner, C.**, 1928, Neue Parnassius-Formen. Int. ent. Z. 22: 302.
- 2406. Eisner, C.**, 1928, Eine neue spanische Apollo-Rasse, Parnassius apollo, forma kricheldorfii (m.). Int. ent. Z. 22: 309-311, figs.1-3.
- 2407. Eisner, C.**, 1929, Parnassius apollo L. var. suevicus Pag. (v.thiemo Fr.) ab. complexa (m.). Ent. Z., Frankf. a. M. 23: 11, 1 fig.
- 2408. Eisner, C.**, 1930, Eine neue Rasse von P. simo Gray. Parnassiana 1 (3): 5.
- 2409. Eisner, C.**, 1930, P. nomion subsp. chosensis O.B.H. ab. flavoozellata (m.). Parnassiana 1 (4): 6.
- 2410. Eisner, C.**, 1930, Eine neue Rasse von P.simo Gray. Parnassiana 1 (3): 5.
- 2411. Eisner, C.**, 1932, P. actius subsp. pseudobrutus Bryk & Eisner. Parnassiana 2: 11-12.
- 2412. Eisner, C.**, 1932, Eine neue subspecies von P. cephalus Gr. Gr. Parnassiana 2: 15-16, figs.1-2.
- 2413. Eisner, C.**, 1932, Parnassius epaphus subsp. gyaella (nova subsp.). Parnassiana 2: 68.
- 2414. Eisner, C.**, 1932, Ist Parnassius mephisto Hering eine gute subspecies? Parnassiana 2: 9-10.
- 2415. Eisner, C.**, 1933, Two new subspecies of Parnassius acdestis (Lep., Papilionidae). Entomologist 66: 169-170, pl.4.
- 2416. Eisner, C.**, 1936, Die zweite Generation von Parnassius apollo L. Parnassiana 3: 108.
- 2417. Eisner, C.**, 1936, Eine neue Rasse von Parnassius mnemosyne L. Parnassiana 3: 108.
- 2418. Eisner, C.**, 1936, P. mnemosyne subsp. bulgarica (subsp. nova). Parnassiana 4: 9.
- 2419. Eisner, C.**, 1936, Zwei neue Parnassius-Formen. Parnassiana 4: 14.
- 2420. Eisner, C.**, 1937, Zwei neue Unterarten von Parn. mnemosyne. Parnassiana 5: 15-16.
- 2421. Eisner, C.**, 1938, Eine neue Unterart von P.mnemosyne L. Parnassiana 6: 6.
- 2422. Eisner, C.**, 1938, Randbemerkungen zu P.actius subsp. sulla (n.). Parnassiana 5: 30.
- 2423. Eisner, C.**, 1938, Die Beick'sche Ausbeute in Parnassiern aus Kansu im Zoologischen Museum der Universität Berlin. Parnassiana 5: 49.
- 2424. Eisner, C.**, 1938, Neue Parnassius-Formen. Parnassiana 5: 29.
- 2425. Eisner, C.**, 1938, Zwei neue Parnassier. Parnassiana 5: 29-30.
- 2426. Eisner, C.**, 1938, P. mnemosyne clorinda Kolar u. Querci. Parnassiana 5: 30.
- 2427. Eisner, C.**, 1938, Beitrag zur Kenntnis von T. simo (Gray). Parnassiana 5: 55-56.
- 2428. Eisner, C.**, 1939, Zwei neue Parnassius-Unterarten aus Korea. Parnassiana 6: 38-39.
- 2429. Eisner, C.**, 1939, Eine interessante Parnassius-Ausbeute. Parnassiana 6: 39-43.
- 2430. Eisner, C.**, 1939, P. glacialis subsp. shikokuensis Nakahara. Parnassiana 6: 48.
- 2431. Eisner, C.**, 1939, Parnassius glacialis subsp. aomoriensis (ssp.n.). Parnassiana 6: 49-50.
- 2432. Eisner, C.**, 1939, zu P. subbendorfi koyaensis O.Bang-Haas. Parnassiana 6: 59.
- 2433. Eisner, C.**, 1939, Koramius delphius im Tianschan. Parnassiana 6: 58.
- 2434. Eisner, C.**, 1940, Parnassius honrathi afghanistanus nov. subsp. Temminckia 5: 264-265.
- 2435. Eisner, C.**, 1952, Eine neue Rasse von Parnassius bremeri Feld. Bonn. zool. Beitr. 3: 90.

- 2436. Eisner, C.**, 1954, *Parnassiana nova* i. Kritische Revision der Gattung *Parnassius* (Fortsetzung I). Zool. Meded. 33: 41-48. [[available in Cesa Library](#)]
- 2437. Eisner, C.**, 1954, *Parnassiana nova* iii. Einige neue Formen in der Familie *Parnassiidae*. Zool. Meded. 33: 55-57. [[available in Cesa Library](#)]
- 2438. Eisner, C.**, 1954, *Parnassiana nova* ii. *Archon apollinus* Herbst. Zool. Meded. 33 (7): 49-53, Leiden. [[available in Cesa Library](#)]
- 2439. Eisner, C.**, 1955, *Parnassiana nova* iv. Kritische Revision der Gattung *Parnassius* (Fortsetzung 2). Zool. Meded. 33: 127-156, pl.23. [[available in Cesa Library](#)]
- 2440. Eisner, C.**, 1955, *Parnassiana nova* v. *Nomina collectiva*. Zool. Meded. 33: 177-179. [[available in Cesa Library](#)]
- 2441. Eisner, C.**, 1955, *Parnassiana nova* vi. Kritische Revision der Gattung *Parnassius* (Fortsetzung 3). Zool. Meded. 33: 181-207, pl.24. [[available in Cesa Library](#)]
- 2442. Eisner, C.**, 1955, *Parnassiana nova* vii. Kritische Revision der Gattung *Parnassius* (Fortsetzung 4). Zool. Meded. 34: 1-16. [[available in Cesa Library](#)]
- 2443. Eisner, C.**, 1956, *Parnassiana nova* viii. Kritische Revision der Gattung *Parnassius* (Fortsetzung 5). Zool. Meded. 34: 155-172, pls.1-2. [[available in Cesa Library](#)]
- 2444. Eisner, C.**, 1956, *Parnassiana nova* ix. Kritische Revision der Gattung *Parnassius* (Fortsetzung 6). Zool. Meded. 34: 201-222. [[available in Cesa Library](#)]
- 2445. Eisner, C.**, 1956, *Parnassiana nova* x. Zwei neue nordamerikanische *Parnassius* subspecies. Zool. Meded. 34: 243-245, pl.3 [[available in Cesa Library](#)]
- 2446. Eisner, C.**, 1956, *Parnassiana nova* xi. Kritische Revision der Gattung *Parnassius* (Fortsetzung 7). Zool. Meded. 34: 247-270. [[available in Cesa Library](#)]
- 2447. Eisner, C.**, 1957, *Parnassiana nova* xii. Kritische Revision der Gattung *Parnassius* (Fortsetzung 8). Zool. Meded. 35: 33-49. [[available in Cesa Library](#)]
- 2448. Eisner, C.**, 1957, *Parnassiana nova* xiii. Vier neue Hybriden. Zool. Meded. 35: 51-53, pl.1. [[available in Cesa Library](#)]
- 2449. Eisner, C.**, 1957, *Parnassiana nova* xiv. Kritische Revision der Gattung *Parnassius* (Fortsetzung 9). Zool. Meded. 35: 79-111, pl.4. [[available in Cesa Library](#)]
- 2450. Eisner, C.**, 1957, *Parnassiana nova* xv. Kritische Revision der Gattung *Parnassius* (Fortsetzung 10). Zool. Meded. 35: 177-203. [[available in Cesa Library](#)]
- 2451. Eisner, C.**, 1957, *Parnassiana nova* xvi. Kritische Revision der Gattung *Parnassius* (Fortsetzung 11). Zool. Meded. 35: 241-260. [[available in Cesa Library](#)]
- 2452. Eisner, C.**, 1957, *Parnassiana nova* xvii. Kritische Revision der Gattung *Parnassius* (Fortsetzung 12). Zool. Meded. 35: 283-298. [[available in Cesa Library](#)]
- 2453. Eisner, C.**, 1958, *Parnassiana nova* xviii. *Varia*. Zool. Meded. 36: 1-3. [[available in Cesa Library](#)]
- 2454. Eisner, C.**, 1958, *Parnassiana nova* xix. Kritische Revision der Gattung *Parnassius* (Fortsetzung 13). Zool. Meded. 36: 5-32. [[available in Cesa Library](#)]
- 2455. Eisner, C.**, 1958, *Parnassiana nova* xx. Kritische Revision der Gattung *Parnassius* (Fortsetzung 14). Zool. Meded. 34: 77-82. [[available in Cesa Library](#)]
- 2456. Eisner, C.**, 1958, *Parnassiana nova* xxi. Kritische Revision der Gattungen *Lingamius* und *Koramius*. Zool. Meded. 36: 83-112. [[available in Cesa Library](#)]
- 2457. Eisner, C.**, 1958, *Parnassiana nova* xxii. Kritische Revision der Gattungen *Lingamius* und *Koramius* (Fortsetzung 2). Zool. Meded. 36: 143-163. [[available in Cesa Library](#)]
- 2458. Eisner, C.**, 1959, *Parnassiana nova* xxiv. Kritische Revision der Gattung *Tadumia*. Zool. Meded. 36: 165-192. [[available in Cesa Library](#)]
- 2459. Eisner, C.**, 1959, *Parnassiana nova* xxv. Kritische Revision der Gattung *Tadumia*. Zool. Meded. 36: 233-247. [[available in Cesa Library](#)]
- 2460. Eisner, C.**, 1959, *Parnassiana nova* xxvi. Kritische Revision der Gattung *Kailasius*. Zool. Meded. 36: 249-266, pls.9-10. [[available in Cesa Library](#)]
- 2461. Eisner, C.**, 1966, *Parnassiidae*-Typen in der Sammlung J.C.Eisner. Zool. Verh., Leiden 81: 1-190, 84 Pls. [[available in Cesa Library](#)]
- 2462. Eisner, C.**, 1968, *Parnassiana nova* XLIII. Nachträgliche Betrachtungen zu der Revision der Subfamilie *Parnassiinae* (Fortsetzung 16). Zool. Meded 43 (2): 9-17, 2 Taf. [[available in Cesa Library](#)]
- 2463. Eisner, C.**, 1974, *Parnassiana nova* xlix. Die Arten und Unterarten der *Baroniidae*, *Teinopalpidae* und *Parnassiidae* (Erster Teil) (Lepidoptera). Zool. Verh., Leiden 135: 3-96. [[available in Cesa Library](#)]

- 2464. Eisner, C.**, 1975, *Parnassiana nova* L. Neue Unterarten der Parnassiidae. Zool. Meded. 49 (8): 81-83, Taf. [\[available in Cesa Library\]](#)
- 2465. Eisner, C.**, 1976, *Parnassiana nova* xlix. Die Arten und Unterarten der Parnassiidae (Lepidoptera) (Zweiter Teil). Zool. Verh., Leiden 146: 99-266, 2 Taf. [\[available in Cesa Library\]](#)
- 2466. Eisner, C.**, 1978, *Parnassiana nova* LIII. Vier neue Parnassius Unterarten. Zool. Meded. 53 (11): 107-109, Taf.2. [\[available in Cesa Library\]](#)
- 2467. Eisner, C.**, 1979, *Parnassiana nova* LVI. *Koramius patricius haugumensis*, eine neue Unterart aus Kirgistan. Zool. Meded. 54 (19): 279-280, 1 Pl. [\[available in Cesa Library\]](#)
- 2468. Eisner, C.**, 1980, Autobiographie. Nota lepid. 2(4): 127-135. [\[available in Cesa Library\]](#)
- 2469. Eitschberger, E.**, 1996, Herbert Seidlein, 1936-1995. Atalanta 27 (1/2): i-ii, Abb. [\[available in Cesa Library\]](#)
- 2470. Eitschberger, U. & H. Steiniger**, 1973, Wanderfalterbeobachtungen im Sommer 1972 auf der Iberischen Halbinsel. Atalanta 4(6): 361-376, map. [\[available in Cesa Library\]](#)
- 2471. Eitschberger, U. & H. Steiniger**, 1973, Eine neue Unterart von *Pieris manni* aus Südspanien, zugleich ein Beitrag zur Verbreitung von *P. manni* und *P. ergane* in Spanien (Lep., Pieridae). Ent. Z., Frankf. a. M. 83: 65-72.
- 2472. Eitschberger, U. & H. Steiniger**, 1973, Beschreibung der Frühjahrsgeneration von *Pieris manni roberti* Eitschberger & Steiniger, 1973 und die Verbreitung dieser Unterart in Südspanien (Lep., Pieridae). Atalanta 4 (5): 335-343. [\[available in Cesa Library\]](#)
- 2473. Eitschberger, U. & H. Steiniger**, 1975, Ergänzender Beitrag zur Verbreitung und Biologie von *Pieris ergane* und *Pieris manni* in Spanien (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(10): 117-120, 3 Abb. [\[available in Cesa Library\]](#)
- 2474. Eitschberger, U. & H. Steiniger**, 1975, Die geographische Variation von *Eumedonia eumedon* (Esper, 1780) in der westlichen Palaearktis (Lep., Lycaenidae). Atalanta 6(2): 84-125, 3 Abb., Taf. [\[available in Cesa Library\]](#)
- 2475. Eitschberger, U. & M. Ströhle**, 1987, Eine neue Art der Gattung *Isoceras* Turati, 1924 aus der Türkei (Lepidoptera, Cossidae). Atalanta 18: 93-95, 21 figs. [\[available in Cesa Library\]](#)
- 2476. Eitschberger, U. & M. Ströhle**, 1990, Die Strukturen des Eies von *Colias crocea* (Fourcroy, 1785) und *Colias myrmidone* (Esper, 1781) im Vergleich (Lepidoptera, Pieridae). Atalanta 21(3/4): 229-234, 14 Abb. [\[available in Cesa Library\]](#)
- 2477. Eitschberger, U. & M. Ströhle**, 1990, Zehnte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)". Aufzucht und Beschreibung der Praeimaginalstadien von *Pieris bryoniae adalwinda* Fruhstorfer, 1909 und der Phaenotyp der Imagines (Lepidoptera, Pieridae). Atalanta 21(3/4): 239-252, Taf. v-ix. [\[available in Cesa Library\]](#)
- 2478. Eitschberger, U. & M. Wiemers**, 1990, Dreizehnte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)". Das Ei von *Pieris cheiranthi* (Hübner, 1806) (Lepidoptera, Pieridae). Atalanta 21(3/4): 265-268, 4 Abb. [\[available in Cesa Library\]](#)
- 2479. Eitschberger, U. & P. Hofmann**, 2002, Morphologische Untersuchungen an einigen *Aporia crataegi*-Populationen aus dem Iran (Lepidoptera, Pieridae). Atalanta 33 (3/4): 373-387. [\[available in Cesa Library\]](#)
- 2480. Eitschberger, U. & P. Stamer**, 1990, *Cacyreus marshalli* Butler, 1898, eine neue Tagfalterart für die europäische fauna? (Lepidoptera, Lycaenidae). Atalanta 21 (1/2): 101-108. [\[available in Cesa Library\]](#)
- 2481. Eitschberger, U. & V. A. Lukhtanov**, 1992, Ein Totalmelanismus bei *Aporia crataegi* (Linnaeus, 1758). Atalanta 23(1/2): 107, Abb. 4. [\[available in Cesa Library\]](#)
- 2482. Eitschberger, U. & V. A. Lukhtanov**, 1994, Eine neue Unterart von *Oeneis tarpeia* Pallas, 1717 aus Buratien im Transbaikal (Lepidoptera, Satyridae). Atalanta 25 (1/2): 163-166, Pl. Va. [\[available in Cesa Library\]](#)
- 2483. Eitschberger, U. & V. A. Lukhtanov**, 1996, Neue Unterarten und Namen bei westpalaearktischen Sphingiden (Lepidoptera, Sphingidae). Atalanta 27(3/4): 615-621. [\[available in Cesa Library\]](#)
- 2484. Eitschberger, U. & V. Zolotuhin**, 1997, Die Gattung *Dolbina* Staudinger, 1877 mit der Beschreibung eines neuen Subgenus *Elegodolba* subgen. nov. (Lepidoptera, Sphingidae). Atalanta 28(1/2): 135-144, 5 Abb. [\[available in Cesa Library\]](#)
- 2485. Eitschberger, U.**, 1969, Die Unterscheidung Merkmale der europäischen Arten der Gattung *Pieris* Schrank. Atalanta 2: 211-233, 14 figs. [\[available in Cesa Library\]](#)

- 2486. Eitschberger, U.**, 1972, Wanderfalterbeobachtungen im Juni 1970 in Spanien. Zugleich ein Beitrag über Gonadenuntersuchungen an Wanderfaltern. *Atalanta* 4(1): 21-43, 3 Abb. [[available in Cesa Library](#)]
- 2487. Eitschberger, U.**, 1972, Zur Frage der Hybridnatur von *Pieris napi* (L.) mit *bryoniae* O. im nichtalpinen raum. *Atalanta* 4(1): 3-14 3 Taf., Abb. [[available in Cesa Library](#)]
- 2488. Eitschberger, U.**, 1972, Eine neue Rasse von *Amathes c-nigrum* (Linné) aus Spanien (Lep., Noctuidae). *Atalanta* 4(1): 14-21, 3 Taf. [[available in Cesa Library](#)]
- 2489. Eitschberger, U.**, 1976, Prof. Dr. phil. Dr.hc. Hans Burgeff 1883-1976. *Atalanta* 7(3): 105-109, Abb. [[available in Cesa Library](#)]
- 2490. Eitschberger, U.**, 1990, Beitrag zur Kenntnis der Präimaginalstadien, der Biologie und der Variabilität einer Population von *Aporia crataegi* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 213-222, Taf. iv. [[available in Cesa Library](#)]
- 2491. Eitschberger, U.**, 1990, Die REM-Darstellung des Eies und einiger Details des letzten Raupenstadiums von *Anthocharis cardamines* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 223-228, 12 Abb. [[available in Cesa Library](#)]
- 2492. Eitschberger, U.**, 1990, Die REM-Darstellung des Eies von *Gonepteryx rhamni* (Linnaeus, 1758) (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 235-237, 5 Abb. [[available in Cesa Library](#)]
- 2493. Eitschberger, U.**, 1990, Zwölfte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)". Die Puppe von *Pieris brassicoides brassicoides* Guérin, 1849 (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 261-264, Taf. [[available in Cesa Library](#)]
- 2494. Eitschberger, U.**, 1990, Die Taxa der *Pieris napi*-Gruppe in Südeuropa dem Balkan, der Türkei und Persien (Lepidoptera, Pieridae). *Atalanta* 21(3/4): 269-271. [[available in Cesa Library](#)]
- 2495. Eitschberger, U.**, 1993, Zur Artverschiedenheit der europäischen *Iphiclides*-Arten (Lepidoptera, Papilionidae). *Atalanta* 24(1/2): 9-13, 12 Abb. [[available in Cesa Library](#)]
- 2496. Eitschberger, U.**, 1993, Die Struktur der Eihüllen einiger *Papilio*-Arten im Vergleich unter dem REM/SEM (Lepidoptera, Papilionidae). *Atalanta* 24(1/2): 15-32, 46 Abb. [[available in Cesa Library](#)]
- 2497. Eitschberger, U.**, 1993, *Phlogophora lamii* Schädewald, 1992- Zur Verbreitung dieser Art (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 593-597, pls. [[available in Cesa Library](#)]
- 2498. Eitschberger, U.**, 1993, *Autographa messmeri* Schädewald, 1992 und *Autographa voelkeri* Schädewald, 1992- Anmerkungen zur Verbreitung beider Arten (Lepidoptera, Noctuidae). *Atalanta* (1992) 23(3/4): 581-587, pls. [[available in Cesa Library](#)]
- 2499. Eitschberger, U.**, 2001, Fünzehnte Ergänzung zu "Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.)" Eine neue Unterart von *Pieris napi* (Linnaeus, 1758) vom Polar Ural (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 85-88, pl. 1. [[available in Cesa Library](#)]
- 2500. Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Amorpha* Hübner, [1819], *Laothoe* Fabricius, 1807, *Pachysphinx* Rothschild & Jordan, 1903 und *Phyllosphinxia* Swinhoe, 1897, mit den Abbildungen der Genitalstrukturen einiger Arten (Sphingidae). *Neue ent. Nachr.* 23: 151-195, figs. [[available in Cesa Library](#)]
- 2501. Eitschberger, U.**, 2002, Revidierte Checkliste der Gattungen *Paonias* Hübner, [1819], sowie *Smerinthus* Latreille, [1802], mit der Beschreibung neuer *Paonias*-Arten (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 23: 85-149, figs. [[available in Cesa Library](#)]
- 2502. Eitschberger, U.**, 2003, Eine neue *Meganoton*-Art aus Südthailand (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 54: 139-147, figs. [[available in Cesa Library](#)]
- 2503. Eitschberger, U.**, 2003, Eine neue Art der Gattung *Leucophlebia* Westwood, 1847 aus dem Norden Thailands (Lepidoptera, Sphingidae). *Atalanta* 34 (1/2): 209-217, figs. [[available in Cesa Library](#)]
- 2504. Eitschberger, U.**, 2003, Revision und Neugliederung der Schwärmer-Gattung *Leucophlebia* Westwood, 1847 (Lepidoptera, Sphingidae). *Neue ent. Nachr.* 56: 1-400, pls. [[available in Cesa Library](#)]
- 2505. Eitschberger, U.**, [1984], Systematische Untersuchungen am *Pieris napi-bryoniae*-Komplex (s.l.) (Lepidoptera, Pieridae). *Herbipoliana* 1 (1): xxii+504pp., 1(2): 601pp. Markt Leuthen. [[available in Cesa Library](#)]
- 2506. Eitschberger, U., Danner, F. & B. Surholt**, 1992, Zweiter Beitrag zu "Taxonomische Veränderungen bei den Sphingiden Europas" und die Beschreibung einer neuen *Sphinx*-Unterart aus der Türkei (Lepidoptera, Sphingidae). *Atalanta* 23 (1/2): 245-247, pl. iv. [[available in Cesa Library](#)]

- 2507. Elekçioğlu, N.Z. & N.Uygun**, 2006, The Parasitoid complex of the Citrus Leafminer, *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in the East Mediterranean region of Turkey and their role in biological control. *Turk. J. Zool.* 30: 155-160. [[available in Cesa Library](#)]
- 2508. Eliot, J.N. & A.Kawazoe**, 1984, Blue butterflies of the *Lycaenopsis* group. 306 pp., 6 Pls., figs. British Museum (Natural History), London. [[available in Cesa Library](#)]
- 2509. Eliot, J.N. & L.G.Kirton**, 2000, Revisional notes and nomenclatural changes of some peninsular Malaysian butterflies. *Malayan Nat. J.* 54: 131-141.
- 2510. Eliot, J.N.**, 1955, Notes on the *Nacaduba hermus* (C.Felder) complex (Lepidoptera, Lycaenidae). *Proc. R. ent. Soc. Lond. (B)* 24 (9/10): 153-158.
- 2511. Eliot, J.N.**, 1956, New and little known Rhopalocera from the Oriental Region. *Bull Raffles Mus.* 27: 32-38, 3 figs.
- 2512. Eliot, J.N.**, 1957, Notes on the genus *Poritia* Moore (Lepidoptera, Lycaenidae). *Entomologist* 90 (3): 70-74, 18 figs.
- 2513. Eliot, J.N.**, 1959, New and little known butterflies from Malaya. *Bull. Br. Mus. nat. Hist. (Ent.)* 7 (8): 369-391, 7 figs., pl.10.
- 2514. Eliot, J.N.**, 1960, A new species of *Potanthus* (Hesperiidae) and some other butterflies from Malaya. *Entomologist* 93 (12): 241-245, 2 figs.
- 2515. Eliot, J.N.**, 1962, On some Lycaenidae and Hesperiidae from Malaya. *Entomologist* 95 (9): 217-225, 2 figs. pl.4
- 2516. Eliot, J.N.**, 1963, The *Heliophorus epicles* (Godart, 1823) [sic] (Lepidoptera, Lycaenidae) Complex. *Entomologist* 96 (8): 169-180, 14 figs.
- 2517. Eliot, J.N.**, 1963, A key to the Malayan species of *Arhopala* Boisduval, 1832. *Malayan Nat. J.* 17: 188-217.
- 2518. Eliot, J.N.**, 1964, An analysis of the genus *Deramas* Distant (Lepidoptera, Lycaenidae, Poritiinae). *Entomologist* 97 (11): 241-247, 6 figs.
- 2519. Eliot, J.N.**, 1967, The *sakra* Moore, 1857 Section of the satyrid genus *Ypthima* Hübner. *Entomologist* 100 (3): 49-61, figs.
- 2520. Eliot, J.N.**, 1967, Revisional notes on Oriental butterflies, with special reference to Malaya. *Entomologist* 100: 3-7, 137-141, 146-156, figs.
- 2521. Eliot, J.N.**, 1969, An analysis of the Eurasian and Australian Neptini (Lepidoptera, Nymphalidae). *Bull. Br. Mus. (Nat. Hist.) Ent., Suppl.* 15: 1-150, Pls. [[available in Cesa Library](#)]
- 2522. Eliot, J.N.**, 1969, More revisional notes on oriental butterflies. *Entomologist* 102 (12): 269-278, 8 figs. pl.9.
- 2523. Eliot, J.N.**, 1970, A new Skipper and a Swallowtail aberration from Malaya (Lepidoptera, Rhopalocera). *Entomologist* 103 (2): 73-74, 1 pl.
- 2524. Eliot, J.N.**, 1970, New *Deramas* from Borneo (Lepidoptera, Lycaenidae). *Entomologist* 103 (2): 30-32, 2 figs.
- 2525. Eliot, J.N.**, 1972, Some *Arhopala* from Borneo with a revision of the *Arhopala cleander* Group (Lepidoptera, Lycaenidae). *J. nat. Hist.* 6 (1): 1-15, 21 figs.
- 2526. Eliot, J.N.**, 1973, More revisional notes on Oriental butterflies. *Entomologist* 106 (1): 1-15, 10 figs.
- 2527. Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidoptera): A tentative arrangement. *Bull. Br. Mus. (Nat. Hist.) Ent.* 28 (6): 373-505, figs., 6 Pls. [[available in Cesa Library](#)]
- 2528. Eliot, J.N.**, 1975, A new lycaenid butterfly from West Malaysia, and an allied species from Papua New Guinea. *Malay. Nat. J.* 28 (2) (Dec. 1974): 110-112, pl.1.
- 2529. Eliot, J.N.**, 1978, [Descriptions new taxa], [in] Corbet, A.S. & H.M. Pendlebury, *The Butterflies of the Malay Peninsula*. 3rd ed., xiv + 578 pp. 35 pls., 438 genitalia figs. Malayan Nature Society, Kuala Lumpur.
- 2530. Eliot, J.N.**, 1980, New information on the butterflies of the Malay Peninsula. *Malay. Nat. J.* 33: 137-155, 16 figs.
- 2531. Eliot, J.N.**, 1982, On three swallowtail butterflies from Peninsular Malaysia. *Malay. Nat. J.* 35: 179-182.
- 2532. Eliot, J.N.**, 1983, *Pathysa antiphates pulauensis* nom.n. *Malay. Nat. J.* 36: 284.
- 2533. Eliot, J.N.**, 1984, On some butterflies from Malaysia and Peninsular Thailand. *Malay. Nat. J.* 38: 99-111, 8 figs.
- 2534. Eliot, J.N.**, 1986, Additions and nomenclatural changes to the Lycaenid and Hesperiid butterflies of the Malay Peninsula. *Malay. Nat. J.* 39: 221-224, 2 figs.

- 2535. Eliot, J.N.**, 1986, A review of the Miletini (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 53 (1): 1-105, 108 figs. [[available in Cesa Library](#)]
- 2536. Eliot, J.N.**, 1987, On Some Butterflies from Nepal, Bhutan and Thailand. Tyo to Ga 38 (1): 21-29.
- 2537. Eller, K.**, 1936, Die Rassen von *Papilio machaon* L. Abh. bayer. Acad. Wiss.(N.F.) 36: xiv+96 pp. [[available in Cesa Library](#)]
- 2538. Eller, K.**, 1938, Zur Rassen- und Artfrage, untersucht an dem Formenkreis von *Papilio machaon* L. (Lep., Rhopalocera). Z. angew. Ent. 24: 145-149, 2 Abb.
- 2539. Eller, K.**, 1939, Fragen und Probleme zur Zoogeographie und zur Rassen- und Artbildung in der *Papilio machaon*- Gruppe. Verh. VII. Int. Congr. Ent. 1938 (1): 74-101, Pls.
- 2540. Ellison, R.E. & E.P. Wiltshire**, 1939, The Lepidoptera of the Lebanon: with notes on their season and distribution [Introduction]. Trans. R. ent. Soc. Lond. 88 (1): 1-11. [[available in Cesa Library](#)]
- 2541. Ellison, R.E.**, 1939, [in] Ellison, R.E. & E.P. Wiltshire, The Lepidoptera of the Lebanon: with notes on their season and distribution Part.I. Rhopalocera. Trans. R. ent. Soc. Lond. 88 (1): 11-23. [[available in Cesa Library](#)]
- 2542. Elsner, G., Liska, J. & M. Petru**, 2008, Eine neue Art der Gattung *Lypusa* Zeller, 1852 (Lepidoptera, Lypusidae). Ent. Z., Stuttg. 118 (3): 107-112.
- 2543. Eltringham, H.**, 1911, Preliminary description of some new or little-known forms of the genus *Acraea*. Novit. zool. 18: 149-153.
- 2544. Eltringham, H.**, 1912, A monograph of the African species of the genus *Acraea* Fab., with a supplement on those of the Oriental Region. Trans. ent. Soc. London 1912: 1-374, 16 Pls. [[available in Cesa Library](#)]
- 2545. Elwes, H.J. & J. Edwards**, 1893, A Revision of the Genus *Ypthima*, with especial reference to the characters afforded by the male genitalia. Trans. ent. Soc. London 1893: 1-54, Pl.3. [[available in Cesa Library](#)]
- 2546. Elwes, H.J. & J. Edwards**, 1897, A Revision of the oriental Hesperiidæ. Trans. zool. Soc. Lond. 14 (4) 101-324, pls. 18-27.
- 2547. Elwes, H.J.**, 1881, On the butterflies of Amurland, North China and Japan. Proc. zool. Soc. Lond. 1881: 858-916.
- 2548. Elwes, H.J.**, 1885, On the genus *Aulocera* Butler. Entomologist's mon. Mag. 22: 10-12. [[available in Cesa Library](#)]
- 2549. Elwes, H.J.**, 1889, A revision of the genus *Argynnis*. Trans. ent. soc. London 1889 (4): 535-575, [3 figs]. [[available in Cesa Library](#)]
- 2550. Elwes, H.J.**, 1890, On some moths allied to *Himantopterus* with description of a new species. Trans. ent. Soc. London 1890 (2): 329-338, pl. x. [[available in Cesa Library](#)]
- 2551. Elwes, H.J.**, 1891, On butterflies collected by Mr. W. Doherty in the Naga and Karen Hills and in Perak, Part I. Proc. zool. Soc. Lond. 1891 (2): 249-289, pl. 27. [[available in Cesa Library](#)]
- 2552. Elwes, H.J.**, 1892, On butterflies collected by Mr. W. Doherty in the Naga and Karen Hills and in Perak, Part II. Proc. zool. Soc. Lond. 1892 (4): 617-664, pls. 43, 44. [[available in Cesa Library](#)]
- 2553. Elwes, H.J.**, 1896, Notes on *Coenonympha tiphon* and its allies. Entomologist's Rec. J. Var. 8: 228-230. [[available in Cesa Library](#)]
- 2554. Elwes, H.J.**, 1899, On the Lepidoptera of the Altai mountains. Trans. ent. Soc. Lond. 1899: 295-367, Pls. 11-14. [[available in Cesa Library](#)]
- 2555. Elwes, H.J.**, 1906, Butterflies, [in] Elwes, H.J., Hampson, G. & J.H. Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. Proc. zool. Soc. Lond. 1906: 479-485, Pl. 36. [[available in Cesa Library](#)]
- 2556. Elwes, H.J.**, 1906, *Lycaena atlantica* Elwes, [in] Meade-Waldo, E.G.D., On a collection of butterflies made in Morocco in 1900-01-02. Trans. ent. Soc. London 53(4): 369-381, 2 Pls.
- 2557. Embacher, G.**, 1976, Neue Macrolepidopterenfunde in Salzburg. NachrBl. bayer. Ent. 25(5): 81-89. [[available in Cesa Library](#)]
- 2558. Embacher, G.**, 1979, Neue Macrolepidopterenfunde in Salzburg. 2. Beitrag. NachrBl. bayer. Ent. 28(3): 55-60. [[available in Cesa Library](#)]
- 2559. Embacher, G.**, 1982, Neue Macrolepidopterenfunde in Salzburg. 3. Beitrag. NachrBl. bayer. Ent. 31(2): 17-23. [[available in Cesa Library](#)]
- 2560. Embacher, G.**, 1994, Zwei neue Sesiiden-Arten für die Fauna Salzburgs. NachrBl. bayer. Ent. 43 (3/4): 46-47.

- 2561. Emich, G.**, 1872, Beitrag zur Lepidopteren-Fauna Transkaukasiens und Beschreibung zwei neuer Arten. Horae Soc. ent. ross. 9: 40-44, Tab. [\[available in Cesa Library\]](#)
- 2562. Emmel, T.C., Sourakov, A. & A. Dantchenko**, 1996, A butterfly expedition to Armenia. Holarctic Lepidoptera 3 (2): 36-41, figs. [\[available in Cesa Library\]](#)
- 2563. Engel, D.E.**, 1987, Beitrag zur Faunistik der hessischen Tagfalter (Insecta, Lepidoptera, Papilionoidea). Nachr. ent. Ver. Apollo, Suppl. 7: 1-116. [\[available in Cesa Library\]](#)
- 2564. Englert, W.D.**, 1974, Revision der Gattung Metzneria Zeller (Lepid., Gelechiidae) mit Beiträgen zur Biologie der Arten. Z. angew. Ent. 75 (4): 381-421, 27 Abb. [\[available in Cesa Library\]](#)
- 2565. Epstein, H.J.**, 1980, The foodplant of *Erebia aethiopella* (Hoffmannsegg, 1806) (Satyridae). Nota lepid. 2(4): 137-138. [\[available in Cesa Library\]](#)
- 2566. Erhart, S., Kratochvil, H. & M. Lödl**, 1991, Schwimmende Gelbfallen zum Anlocken von Insekten. Entomologentagung Wien, 1991.
- 2567. Erhart, S., Kratochvil, H. & M. Lödl**, 1993, Fang von Anfluginskten mittels "schwimmender Gelbfallen". Mitt. dt. Ges. allg. angew. Entomol. 8 (Verhbd. Wien).
- 2568. Erichson, W.F.**, 1834, Lepidoptera [in] Meyens Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde. Acta Acad. Leopold. Carol. 16 (suppl.1): 219-284, 1 Taf.
- 2569. Erlacher, S.-I.**, 1998, Die phylogenetischen Beziehungen innerhalb des Taxon *Dyscia* Hübner, [1825] (Lepidoptera, Geometridae). Diplomarbeit. 105 Seite 5 Tafeln, Jena. http://www.naturkunde-chemnitz.de/dateien/Diplarb_Dyscia_Erlacher.pdf [access on 10 September 2013]. [\[available in Cesa Library\]](#)
- 2570. Erlacher, S. & C. Junghans**, 2009, On the identity of *Psodos perlinii* Turati, 1914 (Geometridae, Ennominae). Nota lepid. 32 (1): 47-54, figs. [\[available in Cesa Library\]](#)
- 2571. Erlacher, S. & R. Trusch**, 1999, Phylogenie und Verbreitung der Arten der *Dyscia conspersaria*-Gruppe (= *Dyscia* s.str.) (Lepidoptera, Geometridae). Cour. Forsch.-Inst. Senckenb. 215: 67-81, figs. [\[available in Cesa Library\]](#)
- 2572. Erlacher, S.**, 2000, Rote Liste der Spanner (Lepidoptera, Geometridae) Thüringens. Naturschutzreport 18: 235-240. [\[available in Cesa Library\]](#)
- 2573. Erschoff, N.G.**, 1872, Notice Lépidoptérologique. Horae Soc. ent. ross. 9: 160. [\[available in Cesa Library\]](#)
- 2574. Erschoff, N.G.**, 1874, Lepidopteren von Turkestan, [in] A.P. Fedtschenko, Reise in Turkestan, 2. Lieferung, Zoogeographische Untersuchungen Theil V, Abtheilung 3. 128 S., 6 Tafeln. St. Petersburg & Moskau. Stettin. ent. Ztg. 35: 386-417. [\[available in Cesa Library\]](#)
- 2575. Erschoff, N.G.**, 1877, Diagnosen neuer Lepidopteren aus den verschiedenen Provinzen des Russischen Reiches. Horae Soc. ent. ross. 12: 336-348. [\[available in Cesa Library\]](#)
- 2576. Erschoff, N.G.**, 1885, Verzeichniss von Schmetterlingen aus Central Sibirien. [in] Romanoff, Mém. lépid. 2: 208-211. [\[available in Cesa Library\]](#)
- 2577. Esaki, T.**, 1936, A new butterfly of the genus *Oeneis* from the Azores. Annotnes zool. jap. 15: 483-485.
- 2578. Esartiya, G.K.**, 1988, Some peculiarities of distribution of Tortricidae (Lepidoptera) on the southern slopes of Caucasus Major in Eastern Gruzia and description of new species. Ent. Obozr. 1988: 131-141, figs. [\[available in Cesa Library\]](#)
- 2579. Escherich, K.**, 1897, Bilder aus der Asiatischen Türkei. Allg. Ztg. 156/157: 1-36 (Sonderabdruck aus der Beilage). [\[available in Cesa Library\]](#)
- 2580. Eschscholtz, J.F.**, 1821, Beschreibung neuer ausländischer Schmetterling. [in] Chamisso, A.v., Bemerkungen und Ansichten auf einer Entdeckungsreise O.v. Kutzbue's [sic] 3: 202-216. Weimar.
- 2581. Esfandiari, M., Mossadegh, M.S., Shishehbor, P., Mikkola, K. & S.H. Hodjat**, 2010, Four noctuid (Lepidoptera, Noctuidae) taxa new for the fauna of Iran. Phegea 38 (2): 62-67, figs. [\[available in Cesa Library\]](#)
- 2582. Esper, E.J.C.**, [1776-1830], Die europäischen Schmetterlinge in Abbildungen nach der Natur mit Beschreibungen. Teil 1 Tagvögel 2 Bde: Bd.1 (1777), p.1-388, Pls. 1-50; Bd.2 (1780), pl.1-190, Pls. 51-93; Suppl. 1 (1805), p.1-120, Pls. 94-116; Suppl.2 (1805), p.1-48, Pls. 117-123; Teil 2 Nachtvögel (1779), p.1-234, Pls. 1-36; Suppl. (1807), p.1-52, Pls. 37-47. Teil 3 (1782), p.1-396, Pls. 1-79; Suppl. (1807) 1-104, Pls. 80-94. Teil 4 2 Bde Bd.1 & 2 (1786); Teil 5 (1794) p.1-276, Pls. 1-52 Erlangen.
- 2583. Essayan, R. & C. Cintré**, 1980, Notes sur les Rhopaloceres de la Peninsule Balkanique et de la Turquie occidentale. Alexanor 11 (6): 261-271. [\[available in Cesa Library\]](#)

- 2584. Evans, W.H.**, 1912, A list of Indian Butterflies. J. Bombay nat. Hist. Soc. 21 (2): 553-584; (3): 969-1008. [\[available in Cesa Library\]](#)
- 2585. Evans, W.H.**, 1915, A list of butterflies caught by Capt. F.M. Bailey in S.E. Tibet during 1913. J. Bombay nat. Hist. Soc. 23: 532-546, Pl.
- 2586. Evans, W.H.**, 1922, Butterfly collecting in India. J. Bombay nat. Hist. Soc. 28: 500-517, 9 text-figs. [\[available in Cesa Library\]](#)
- 2587. Evans, W.H.**, 1922, The identification of Indian Butterflies (Introduction). J. Bombay nat. Hist. Soc. 28: 740-747, 2 text-figs. [\[available in Cesa Library\]](#)
- 2588. Evans, W.H.**, 1923, The identification of Indian Butterflies, Pt. I. Papilionidae, Pieridae. J. Bombay nat. Hist. Soc. 29: 230-260, pl. i-ix. [\[available in Cesa Library\]](#)
- 2589. Evans, W.H.**, 1923, The identification of Indian Butterflies, Pt. II. Danaidae, Satyridae. J. Bombay nat. Hist. Soc. 29: 519-537, pls. [\[available in Cesa Library\]](#)
- 2590. Evans, W.H.**, 1923, The identification of Indian Butterflies, Pt. III. Satyridae (cont.). J. Bombay nat. Hist. Soc. 29: 780-797, 4 pls. [\[available in Cesa Library\]](#)
- 2591. Evans, W.H.**, 1923, A list of butterflies caught by Major H.T. Morshead during the Mount Everest Expedition 1921, [in] Riley, N.D., Rhopalocera of the Mount Everest 1921 Expedition. Trans. ent. Soc. London 1922: 477-478. [\[available in Cesa Library\]](#)
- 2592. Evans, W.H.**, 1924, Notes on Indian butterflies. J. Bombay nat. Hist. Soc. 29: 971-973. [\[available in Cesa Library\]](#)
- 2593. Evans, W.H.**, 1926, The Identification of Indian Butterflies. Part ix. Hesperidae. J. Bombay nat. Hist. Soc. 31 (1): 49-83, Taf. 30. [\[available in Cesa Library\]](#)
- 2594. Evans, W.H.**, 1927, Lepidoptera- Rhopalocera obtained by Mme J. Visser-Hooft of the Hague (Holland) during an exploration of previously unknown country in the Western Karakorum, N.W. India. Tijdschr. Ent. 70: 158-162. [\[available in Cesa Library\]](#)
- 2595. Evans, W.H.**, 1927, Identification of Indian butterflies. xviii + 302 pp., 32 Pls. Madras.
- 2596. Evans, W.H.**, 1932, The Identification of Indian Butterflies (2nd edn.). x + 454 pp., Madras. [\[available in Cesa Library\]](#)
- 2597. Evans, W.H.**, 1932, The butterflies of Baluchistan. J. Bombay nat. Hist. Soc. 36: 196-209. [\[available in Cesa Library\]](#)
- 2598. Evans, W.H.**, 1934, Indo-Australian Hesperidae; descriptions of new genera, species and subspecies, parts 1-6. Entomologist 67: 33-36, 61-65, 148-151, 181-184, 206-209, 231-234.
- 2599. Evans, W.H.**, 1937, Indo-Australian Hesperidae; descriptions of new genera, species and subspecies, Parts 9-12. Entomologist 70: 16-19, 38-40, 64-66, 81-83.
- 2600. Evans, W.H.**, 1937, A Catalogue of the African Hesperidae indicating the classification and nomenclature adopted in the British Museum. xii + 212 pp., 30 pls. London. [\[available in Cesa Library\]](#)
- 2601. Evans, W.H.**, 1941, A revision of the genus *Erionota* Mabille (Lep., Hesperidae). Entomologist 74: 158-160.
- 2602. Evans, W.H.**, 1941, Changes in nomenclature affecting Malayan Hesperidae (Lepidoptera). Entomologist 74 (11): 244-246.
- 2603. Evans, W.H.**, 1941, The *callineura* Group of the genus *Platingia* Butler (Lepidoptera, Hesperidae). Ann. Mag. nat. Hist. (11) 8: 66-71.
- 2604. Evans, W.H.**, 1943, A revision of the genus *Suastus* Moore (Lepidoptera, Hesperidae). Proc. R. ent. Soc. Lond. (B) 12 (7/8): 95-96.
- 2605. Evans, W.H.**, 1943, A revision of the genus *Aeromachus* de N. (Lepidoptera, Hesperidae). Proc. R. ent. Soc. Lond. (B) 12 (7/8): 97-101.
- 2606. Evans, W.H.**, 1947, Revisional Notes on African Hesperidae. Ann. Mag. nat. Hist. (11) 13: 641-648.
- 2607. Evans, W.H.**, 1949, A Catalogue of the Hesperidae from Europe, Asia and Australia in the British Museum (Natural History). London. [\[available in Cesa Library\]](#)
- 2608. Evans, W.H.**, 1954, A revision of the genus *Curetis* (Lepidoptera, Lycaenidae). Entomologist 87: 190-194, 212-216, 241-247, 13 figs.
- 2609. Evans, W.H.**, 1955, A revision of the genus *Tarucus* (Lep., Lycaenidae) of Europe, North Africa and Asia. Entomologist 88: 179-187. [\[available in Cesa Library\]](#)
- 2610. Evans, W.H.**, 1956, Revisional notes on the Hesperidae of Europe, Asia and Australia. Ann. Mag. nat. Hist. (12) 9: 749-752.
- 2611. Evans, W.H.**, 1957, A revision of the genus *Arhopala* group of the Oriental Lycaenidae (Lepidoptera, Rhopalocera). Bull. Br. Mus. nat. Hist. (Ent.) 5 (3): 85-141, figs.

- 2612. Evans, W.H.**, [1933], Some little known or apparently unrecorded Lycaenidae and Hesperidae from the Malay Peninsula. *J. fed. Malay St. Mus.* 17 (2): 406-417.
- 2613. Evans, W.H.**, [1939], Some interesting Malayan Hesperidae and an analysis of the genus *Sepa*. *J. fed. Malay St. Mus.* 18 (3): 395-405, pl.7.
- 2614. Evenhuis, N.L.**, 2006, Checklist of Fijian Lepidoptera. Bishop Museum Technical Report 35 (13): 1-46. <http://bhs.bishopmuseum.org/fiji/checklists/lepidoptera.html> [available in Cesa Library]
- 2615. Eversmann, E.**, 1831, Enumeratio Lepidopterorum fluvium Volgam inter et montes Uralenses habitantium. *Bull. Soc. nat. Moscou* 3: 241-252.
- 2616. Eversmann, E.**, 1832, Lepidopterorum species nollunae novae gubernium Orenburgense incolentes. *Mém. Soc. nat. Moscou* 8: 347-354, 2 Taf. [available in Cesa Library]
- 2617. Eversmann, E.**, 1842, Quaedam Lepidopterorum species novae, in Rossia orientali observatae. *Bull. Soc. nat. Moscou* 15: 543-565, 2 Taf.
- 2618. Eversmann, E.**, 1843, Quaedam Lepidopterorum species novae, in montibus Uralensibus et Altaicis habitantes. *Bull. Soc. imp. Nat. Moscou* 16: 535-555, 3 Taf.
- 2619. Eversmann, E.**, 1844, De quibusdam Lepidopteris Rossicis. *Bull. Soc. imp. Nat. Moscou* 17: 538-604, 3 Taf.
- 2620. Eversmann, E.**, 1844, Fauna lepidopterologica Volgo-Uralensis exhibens Lepidopterorum species quas per viginti quinque annos in provinciis Volgam fluvium inter et montes Uralenses sitis observavit.
- 2621. Eversmann, E.**, 1848, Beschreibung einiger neuen Falter Russlands. *Bull. Soc. imp. nat. Moscou* 21 (2): 205-232. [available in Cesa Library]
- 2622. Eversmann, E.**, 1851, Description de quelques nouvelles especes de Lépidopteres de la Russie. *Bull. Soc. imp. nat. Moscou* 24 (1): 610-644.
- 2623. Eversmann, E.**, 1854, Beiträge zur Lepidopterologie Russlands, und Beschreibung einiger anderen Insecten aus den südlichen Kirghisensteppen, den nördlichen Ufern des Aral Sees, und des Sir-Darjas. *Bull. Soc. imp. nat. Moscou* 27 (2): 174-205, 1 Taf. [available in Cesa Library]
- 2624. Eversmann, E.**, 1855-1859, Les Noctuérites de la Russie. *Bull. Soc. imp. nat. Moscou* 28: 129-203, 313-427; 29(2): 161-233, Tab.3; 29(3): 1-120; 30: 48-150, 355-439; 32: 550-584. [available in Cesa Library]
- 2625. Fabiano, F.**, 1993, A new subspecies of *Euchloe charltonia* Donzel, 1842 from southern Spain: *bazae* ssp. nov. (Lepidoptera, Pieridae). *Linneana Belgica* 14 (4): 205-216, figs. [available in Cesa Library]
- 2626. Fabiano, F.**, 1998, Lepidoptera Rhopalocera of the Hisma Basin (southern Jordan). *Linneana Belgica* 16 (8): 307-322, 9 figs. [available in Cesa Library]
- 2627. Fabre, J.-P.**, 1997, Geographical distribution of the tortricid moth *Epinotia cedricida* (Lepidoptera, Tortricidae) within the natural and artificial ranges of the cedar trees *Cedrus atlantica* and *C. libani*. *Eur. J. Ent.* 94: 485-494, figs. [available in Cesa Library]
- 2628. Fabricius, J.C.**, 1775, *Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adjectis synonymis, locis, descriptionibus, observationibus*. 832 pp. Flensburgi et Lipsiae. [available in Cesa Library]
- 2629. Fabricius, J.C.**, 1777, *Genera Insectorum*. Chilonii. [available in Cesa Library]
- 2630. Fabricius, J.C.**, 1781, *Species Insectorum* vol. 1, viii^o 552 pp., vol. 2, 494 pp. Hamburgi et Kilonii. [available in Cesa Library]
- 2631. Fabricius, J.C.**, 1787, *Mantissa Insectorum*. vol. 1 xx⁺348 pp., vol.2, 382pp. Hafniae. [available in Cesa Library]
- 2632. Fabricius, J.C.**, 1793, *Entomologia systematica*. vol.2, viii^o519 pp. Hafniae. [available in Cesa Library]
- 2633. Fabricius, J.C.**, 1794, *Entomologia systematica*. vol.3, pars 2, 349 pp. Hafniae. [available in Cesa Library]
- 2634. Fabricius, J.C.**, 1798, *Supplementum Entomologiae systematicae*. 572 pp., Hafniae. [available in Cesa Library]
- 2635. Falck, P. & O.Karsholt**, 1993, *Cydia grunertiana* (Ratzeburg, 1868), stat. rev. - an ignored species of Tortricidae. *Nota lepid. Suppl.* 16: 79-90.
- 2636. Falck, P. & O.Karsholt**, 1998, *Lobesia virulenta* Bae & Komai, 1991 recorded for the first time in Europe, with description of a new subspecies (Lepidoptera, Tortricidae). *Ent. Meddr* 66: 117-126.

- 2637. Falkovitsh, M.I.**, 1963, New species of the family Cochyliidae (Lepidoptera) from Kazakhstan and the Caucasus. Zool. Zh. 42: 697-703, figs. [[available in Cesa Library](#)]
- 2638. Falkovitsh, M.I.**, 1973, Contribution to the knowledge of Casebearers (Lepidoptera, Coleophoridae) of the Kisilkum Desert. Trudy vses. ent. Obshch. 56: 199-233, 70 figs.
- 2639. Falkovitsh, M.I.**, 1976, New species of the genus Constantia Rag. (Lepidoptera, Pyralidae) from Middle Asia. Proc. zool. Inst. USSR 64: 44-57, 20 figs. [[available in Cesa Library](#)]
- 2640. Falkovitsh, M.I.**, 1986, Lepidoptera of the Monadnock Mountains of Kudzhuktau and the subalpine plain (south west Kyzylkum). Trudy vses. ent. Obshch. 67: 131-186, 16 figs.
- 2641. Falkovitsh, M.I.**, 1987, New genera of Casebearers (Lepidoptera, Coleophoridae) from the desert zone of the Palaearctic Region. Ent. Obozr. 1987 (4): 817-826, 5 figs. [[available in Cesa Library](#)]
- 2642. Falkovitsh, M.I.**, 1988, A new genus and four new species of Casebearers (Lepidoptera, Coleophoridae) from Turkmenia. Ent. Obozr. 1988 (4): 811-820, 10 figs. [[available in Cesa Library](#)]
- 2643. Falkovitsh, M.I.**, 1989, New species of Casebearers (Lepidoptera, Coleophoridae) from Kazakhstan and Central Asia. Ent. Obozr. 1989 (4): 759-774, 26 figs. [[available in Cesa Library](#)]
- 2644. Farid, A.**, 1987, Some bio-ecological features of *Heliothis armigera* Hb. on tomatoes in Djiroft. Ent. phyt. Appl. 54(1/2): 5-6, 15-24, 2 figs. (persian pages). [[available in Cesa Library](#)]
- 2645. Farid, A.**, 1987, Some bio-ecological features of Citrus Butterfly in South-East Iran. Ent. phyt. Appl. 54 (1/2): 49-50, 129-137, 6 figs. (persian pages). [[available in Cesa Library](#)]
- 2646. Faroult, V.**, 1917, Notes on captures of Algerian and Tunisian Lepidoptera. Novit. zool. 24: 318-322. [[available in Cesa Library](#)]
- 2647. Farren, W.**, 1893, On the variation of *Papilio machaon*. Entomologist's Rec. J. Var. 4: 100-108. [[available in Cesa Library](#)]
- 2648. Fawcett, J.M.**, 1897, On new species of Rhopalocera from Toungoo, Burma, and the Battak Mountains in Sumatra. Ann. Mag. nat. Hist. (6) 20: 111-113. [[available in Cesa Library](#)]
- 2649. Fawcett, J.M.**, 1904, On some new and little-known butterflies, mainly from high elevations in the N.E. Himalayas. Proc. zool. Soc. Lond. 1904: 134-141, Pl.9. [[available in Cesa Library](#)]
- 2650. Fawcett, J.M.**, 1915, Notes on a collection of Heterocera made by Mr. W. Feather in British East Africa, 1911-1912. Proc. zool. Soc. Lond. 1915: 91-113, 2 Pls. [[available in Cesa Library](#)]
- 2651. Fawcett, J.M.**, 1916, Notes on a collection of Heterocera made by Mr. W. Feather in British East Africa, 1911-1913. Proc. zool. Soc. Lond. 1916: 707-737, Pl.1 [[available in Cesa Library](#)]
- 2652. Fawcett, J.M.**, 1918, Notes on a collection of Heterocera made by Mr. W. Feather in British East Africa, 1911-1913. Proc. zool. Soc. Lond. 1917: 233-250, 1 Pl. [[available in Cesa Library](#)]
- 2653. Fazekas, I. & T. Balazs**, 1979, Taxonomische, ökologische und faunistische Überprüfung des *Palaeochrysophanus hippothoe sumadiensis* Szabo 1956 (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 89 (20): 230-236, 4 Abb. [[available in Cesa Library](#)]
- 2654. Fazekas, I.**, 1977, Daten zur Verbreitung und Phenologie der Eupithecini-Fauna Süd-Transdanubiens. Janus Pannonius Muz. Evk. H-Pecs. 20/21: 49-56.
- 2655. Fazekas, I.**, 1979, Die Gross-Schmetterlingsfauna des Matra-Gebirges I. Geometridae: Eupithecia Curt. I. Fol. Hist.-nat. Mus. Matr., H-Gyöngyös 5: 63-75.
- 2656. Fazekas, I.**, 1980, Die Eupithecia-Fauna des Bakony-Gebirges I. A Veszpr. megyei Muz. KöZL., H-Veszprém 15: 131-140.
- 2657. Fazekas, I.**, 1982, Daten zur Verbreitung der Eupithecia-Fauna der Balkanhalbinsel (Geometridae). Nota lepid. 5 (4): 143-153, 7 Abb. [[available in Cesa Library](#)]
- 2658. Fazekas, I.**, 1983, Katalog der geschützten Schmetterlinge Ungarns. Nota lepid. 6 (1): 53-56. [[available in Cesa Library](#)]
- 2659. Fazekas, I.**, 1984, *Iolana iolas obscuriolas* Betti, 1977 (Lycaenidae) a synonym of *I. iolas* Ochsenheimer, 1816. Nota lepid. 7 (1): 21-26, 4 figs. [[available in Cesa Library](#)]
- 2660. Fazekas, I.**, 1984, *Oligia latruncula erewani* ssp. nova (Noctuidae, Amphipyryinae). Nota lepid. 7 (2): 117-120, 2 Abb. [[available in Cesa Library](#)]
- 2661. Fazekas, I.**, 1986, Die Spialia-Arten des Karpatenbeckens und ihre Verbreitung (Lepidoptera, Hesperiiidae). Nachr. ent. Ver. Apollo (N.F.) 7(2/3): 49-55, 6 Abb. [[available in Cesa Library](#)]
- 2662. Fazekas, I.**, 1987, *Poecilocampa populi grisea* Daniel 1963, neue Synonymie und neuer Status als Forma (Lepidoptera, Lasiocampidae). Ent. Z., Frankf. a. M. 97: 298-301, 3 Abb. [[available in Cesa Library](#)]
- 2663. Fazekas, I.**, 1990, *Catoptria aetnella* (Zerny, 1943) und *C. wolfi* Ganév & Hacker, 1984 neue Synonyme von *C. dimorphella* (Staudinger 1882) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 11 (2): 105-111, 11 figs. [[available in Cesa Library](#)]

- 2664. Fazekas, I.**, 1991, *Agriphila tolli beieri* Bleszynski, 1955 status novus (Lepidoptera, Crambidae). *Annln naturh. Mus. Wien* 92 (B): 113-119, 11 Abb. [[available in Cesa Library](#)]
- 2665. Fazekas, I.**, 1993, Eine Revision der westpaläarktischen Unterarten von *Crambus perlellus* Scopoli, 1763 (Lepidoptera, Crambinae). *Annln naturh. Mus. Wien* 94/95B: 595-502, figs. [[available in Cesa Library](#)]
- 2666. Fazekas, I.**, 1995, Systematisches und synonymisches Verzeichnis der Cochylini Ungarns (Lepidoptera, Tortricidae). *Nachr. ent. Ver. Apollo (N.F.)* 16(1): 29-46, figs. [[available in Cesa Library](#)]
- 2667. Fazekas, I.**, 1995, Beiträge zur Pterophoriden-Fauna des Balkans und des Karpatenbeckens (Lepidoptera). *Nachr. ent. Ver. Apollo (N.F.)* 16(1): 99-113, figs. [[available in Cesa Library](#)]
- 2668. Fazekas, I.**, 2000, Notes on the genus *Agdistis* from Asia Minor, with descriptions of two new species (Lepidoptera, Pterophoridae, Agdistinae). *NachrBl. bayer. Ent.* 49 (1/2): 2-11, figs. [[available in Cesa Library](#)]
- 2669. Fazekas, I.**, 2002, Die taxonomische und tiergeographische Revision des Artenpaares *Catoptria confusella* (Staudinger, 1882) und *Catoptria incertella* (Herrich-Schäffer, 1852) (Lepidoptera, Crambidae). *Quadrifina* 5: 1-16, figs. [[available in Cesa Library](#)]
- 2670. Fazekas, I.**, 2003, Federmotten aus der Mongolei, Russland, der Türkei, der Balkanhalbinsel und Afrika mit Beschreibung neuer Arten (Microlepidoptera, Pterophoridae). *Folia comloensis* 12: 5-24, figs. [[available in Cesa Library](#)]
- 2671. Fazekas, I.**, 2009, *Stenoptilia mariaeluisae* Bigot & Picard, 2002 and *Crombrugghia reichli* Arenberger, 1998 in Turkey (Lepidoptera, Pterophoridae). *Acta natur. pannon.* 4 (2): 131-136, figs. [[available in Cesa Library](#)]
- 2672. Fazekas, I.**, 2009, Contribution to the Microlepidoptera fauna of Balkans Nr.1 (Lepidoptera). *Natura Somogyiensis* 15: 181-194, figs. [[available in Cesa Library](#)]
- 2673. Fazekas, I.**, 2010, Provisional atlas and checklist of the Alucitidae fauna of Hungary (Lepidoptera). *Natura Somog.* 17: 257-272, figs. [[available in Cesa Library](#)]
- 2674. Fazekas, I.**, 2013, Disjunct distribution of *Evergestis alborivularis* (Eversmann, 1843) in the palaearctic (Lepidoptera, Crambidae, Evergestinae). *Nat. Somogy.* 23 211-220, figs. [[available in Cesa Library](#)]
- 2675. Federley, H.**, 1938, Chromosomenzahlen finnländischer Lepidopteren I. Rhopalocera. *Hereditas* 24: 397-464.
- 2676. Feige, R.**, 1976, Eine übersehene Noctuide aus Malaysia *Othreis kinabaluensis* n.sp. (Lep.). *Ent. Z., Frankf. a. M.* 86: 188-190, 2 Abb. [[available in Cesa Library](#)]
- 2677. Felder, C. & R. Felder**, 1861, *Lepidoptera nova*. *Wien. ent. Monatschr.* 5 (10): 297-306. [[available in Cesa Library](#)]
- 2678. Felder, C. & R. Felder**, 1862, *Observationes de Lepidopteris nonnullis Chinae centralis et Japonie*. *Wien. ent. Monatschr.* 6: 22-32. [[available in Cesa Library](#)]
- 2679. Felder, C. & R. Felder**, 1863, *Lepidoptera nova*. *Wien. ent. Monatschr.* 7 (4): 105-127. [[available in Cesa Library](#)]
- 2680. Felder, C. & R. Felder**, 1864, *Species Lepidopterorum hucusque descriptae vel iconibus expressae in seiem systematicam digestae*. *Verh. zool.- bot. Ges. Wien* 14: 289-378.
- 2681. Felder, C. & R. Felder**, 1865-[1867], *Reise der Österreichischen Fregatte Novara um die Erde*. vi+549 pp., 137 Pls. Wien. [[available in Cesa Library](#)]
- 2682. Felder, C., Felder, R. & A.F. Rogenhofer**, 1864-[1875], *Reise der Österreichischen Fregatte Novara um die Erde*. (2) (Atlas) 20 pp. + 140 Pls. Wien. [[available in Cesa Library](#)]
- 2683. Fenn, C.**, 1892, Times of flight of the Crambi. *Entomologist's Rec. J. Var.* 3: 139. [[available in Cesa Library](#)]
- 2684. Fenn, C.**, 1892, The ova state of Geometrae. *Entomologist's Rec. J. Var.* 3: 173-176. [[available in Cesa Library](#)]
- 2685. Fenn, C.**, 1895, On the gradual disappearance of Lepidoptera from south-eastern London and its neighbourhood. *Entomologist's Rec. J. Var.* 6: 228-232. [[available in Cesa Library](#)]
- 2686. Fernald, C.H.**, 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
- 2687. Fernandez Vidal, E.H.**, 1981, Aportacion al conocimiento sobre la distribucion de *Euchloe belemia hesperidum* Rothschild (Lep., Pieridae) en la Isla de Gran Canaria. *Shilap* 9(36): 253-259.
- 2688. Fernandez Vidal, E.H.**, 1986, Notas sobre Rhopaloceras de Tejeda, Gran Canaria (Islas Canarias). *Shilap* 14(54): 33-42.

- 2689. Fernandez,J., Cifuentes,J., Romera,L., Alcobendas,M. & J.L.Viejo,** 2006, Los Noctuidae de Madrid (Espana): Subfamilia: Hadeninae (Lepidoptera, Noctuidae). Shilap Revta lepid. 34 (136): 309-336. [\[available in Cesa Library\]](#)
- 2690. Fernandez,J.M.,** 1970, Los Lepidopteros diurnos de las Islas Canarias. Aula de cultura, Santa Cruz de Tenerife.
- 2691. Fernandez-Rubio,F.,** 1991, Guia de Mariposas Diurnas de la Peninsula Ibérica, Baleares, Canarias, Azores y Madeira. 824pp. 2 vols. pls., maps.
- 2692. Ferris,C.D. & V.G.Mironov,** 2007, Replacement name for Eupithecia deserticola (Lepidoptera, Geometridae, Eupitheciini). Can. Ent. 139 (1): 131-132.
- 2693. Ferris,C.D.,** 2007, Three new species of Eupithecia Curtis from Arizona and New Mexico with discussion of associated species (Lepidoptera, Geometridae, Eupitheciini). Zootaxa 1516: 49-60, figs. [\[available in Cesa Library\]](#)
- 2694. Ferris,C.D., Dos Passos,C.F., Ebner,J.A. & J.D.Lafontaine,** 1983, An annotated list of the butterflies (Lepidoptera) of the Yukon Territory Canada. Can. Ent. 115: 823-840.
- 2695. Fetz,R.,** 1994, Larvalmorphologische Beiträge zum phylogenetischen System der ehemaligen Oecophoridae (Lepidoptera,Gelechioidea). Neue ent. Nachr. 33: 1-270, Abb. [\[available in Cesa Library\]](#)
- 2696. Fibiger,M. & D.Agassiz,** 2001, Araeopteron ecphaea, a small noctuid moth in the West Palaearctic (Noctuidae, Acontiinae). Nota lepid. 24 (1/2): 29-36.
- 2697. Fibiger,M. & H.Hacker,** 1992, Systematic List of the Noctuidae of Europe Corrigenda and Addenda I. [Title in english, text in german!] Esperiana 3: 507-511, 2 Abb. [\[available in Cesa Library\]](#)
- 2698. Fibiger,M. & H.Hacker,** 1998, Systematic List of the Noctuidae of Europe Corrigenda et Addenda II. Esperiana 6: 9-40. [\[available in Cesa Library\]](#)
- 2699. Fibiger,M. & H.Hacker,** 2002, The Eublemma Hübner,[1821] species of Yemen with description of ten new species (Lepidoptera, Noctuidae, Eublemminae) (Part 1). Esperiana 9: 481-510, Pls.24,25. [\[available in Cesa Library\]](#)
- 2700. Fibiger,M. & H.Hacker,** 2007, Noctuidae Europaeae vol.9: Amphipyrynae, Condicinae, Eriopinae, Xyleninae (part). 410pp. Pls. Soro. [\[available in Cesa Library\]](#)
- 2701. Fibiger,M. & J.D.Lafontaine,** 2005, A review of higher classification of the Noctuoidea (Lepidoptera) with special reference to the Holarctic fauna. Esperiana 11: 7-92. [\[available in Cesa Library\]](#)
- 2702. Fibiger,M. & L.Ronkay,** 1991, New Autophila taxa from Sicily and Turkey (Lepidoptera, Noctuidae). Ann. Hist. Nat. Mus. nat. Hung. 83: 135-137, figs. [\[available in Cesa Library\]](#)
- 2703. Fibiger,M. & O.Karsholt,** 1998, First records of Nola harouni from Europe and comments on the taxonomic status of N.centonalis holsatica (Nolidae). Nota lepid. 21: 194-205.
- 2704. Fibiger,M. & P.Svendsen,** 2006, News about Dasypolia fibigeri Hacker & Moberg,1988, incl. description of the female (Lepidoptera, Noctuidae). Esperiana 12: 196-199, figs. [\[available in Cesa Library\]](#)
- 2705. Fibiger,M. & R.Zahiri,** 2006, A new species of Gortyna Ochsenheimer,1816 from Golestan forests of Iran (Noctuidae). Nota lepid. 29 (3/4): 215-220, figs. [\[available in Cesa Library\]](#)
- 2706. Fibiger,M.,** 1990, Noctuidae Europaeae vol.1 Noctuinae I. 208 pp., 16 Pls., text-figs. Entomological Press, Soro. [\[available in Cesa Library\]](#)
- 2707. Fibiger,M.,** 1992, Contribution to the knowledge of the Lepidoptera fauna of Greece. Noctuidae in Crete during November 1991- with a description of one new species and three new subspecies (Lepidoptera, Noctuidae). Esperiana 3: 379-390, 1 Pl. 9 figs. [\[available in Cesa Library\]](#)
- 2708. Fibiger,M.,** 1992, Contribution to the knowledge of the Lepidoptera fauna of Turkey 1. Description of a new species in the subfamily Noctuinae: Yigoga hackeri Fibiger, sp.n. Esperiana 3: 447-449, figs [\[available in Cesa Library\]](#)
- 2709. Fibiger,M.,** 1992, Autophila libanotica osthelderi Boursin,1940 and Characoma nilotica (Rogenhofer,1882) new to Europe (Lepidoptera, Noctuidae, Catocalinae, Ophiderinae). Nota lepid. 14 (4): 297-301, figs. [\[available in Cesa Library\]](#)
- 2710. Fibiger,M.,** 1993, Noctuidae Europaeae vol.2 Noctuinae II. 230 pp., 11 Pls., text-figs. Entomological Press, Soro. [\[available in Cesa Library\]](#)
- 2711. Fibiger,M.,** 1995, Anumeta arax sp.n. from Turkish Armenia (Lepidoptera, Noctuidae, Catocalinae). Nota lepid. 17 (3/4): 107-112, 4 figs. [\[available in Cesa Library\]](#)
- 2712. Fibiger,M.,** 1997, New Noctuid Moths from Cyprus with winter appearance (Lepidoptera, Noctuidae). Ent. Meddr. 65(1): 17-27, 21 figs. 1 Pl. [\[available in Cesa Library\]](#)

- 2713. Fibiger, M.**, 1997, *Micronoctua karsholti* gen. et sp.n.: an astonishing small noctuid moth (Noctuidae). *Nota lepid.* 20: 23-30, figs.
- 2714. Fibiger, M.**, 2001, A new species of the genus *Lophoterges* Hampson, 1906 from Iran: *L. mariannae* sp.n. (Lepidoptera, Noctuidae, Cuculliinae). *Acta zool. hung.* 46 (4): 333-336, figs.
- 2715. Fibiger, M.**, 2002, A new species in the genus *Dichagyris* Lederer, 1857 hitherto regarded as the Turkish form of *D. eremicola* (Standfuss, 1888); *Dichagyris wilsoni* sp.n. (Lepidoptera, Noctuidae). *Esperiana* 9: 511-515, pl. 9. [[available in Cesa Library](#)]
- 2716. Fibiger, M.**, 2007, Revision of the Micronoctuidae (Lepidoptera, Noctuoidea) Part 1. Taxonomy of the Pollexinae. *Zootaxa* 1567: 1-116, 27 pls. [[available in Cesa Library](#)]
- 2717. Fibiger, M.**, 2008, Revision of the Micronoctuidae (Lepidoptera, Noctuoidea) Part 2. Taxonomy of the Bellulinae, Magninae, and Parachrostiinae. *Zootaxa* 1867: 1-136, 28 pls. [[available in Cesa Library](#)]
- 2718. Fibiger, M., Kravchenko, V.D., Li, C., Mooser, J. & G.C. Müller**, 2006, A new species in the genus *Pseudohadena* Alpheraky, 1889 in Israel (Lepidoptera, Noctuidae, Xyleninae). *Shilap Revta lepid.* 34 (136): 337-343, figs. [[available in Cesa Library](#)]
- 2719. Fibiger, M., Mikkola, K., Moberg, A. & P. Svendsen**, 1984, *Mesapamea secalella* Remm, 1983, a new species found in Western Europe. *Nota lepid.* 7 (2): 121-131, figs. [[available in Cesa Library](#)]
- 2720. Fibiger, M., Nilsson, D. & P. Svendsen**, 1999, Contribution to the Noctuidae fauna of Cyprus, with descriptions of four new species, six new subspecies and reports of 55 species not previously found on Cyprus (Lepidoptera, Noctuidae). *Esperiana* 7: 639-667, figs. [[available in Cesa Library](#)]
- 2721. Fibiger, M., Stangelmaier, G., Wieser, C. & R. Zahiri**, 2008, *Dichonia jahannamah*, a new species from Iran in the subgenus *Dichonia* Tams, 1939 (Lepidoptera, Noctuidae, Xyleninae). *Nachr. ent. Ver. Apollo* (n.s.) 28 (3/4): 121-124, figs. [[available in Cesa Library](#)]
- 2722. Fiedler, K. & K.G. Schurian**, 1994, Oviposition behaviour in *Lycaena thetis* Klug (Lepidoptera, Lycaenidae). *Nota lepid.* 17(1/2): 25-29, 1 fig. [[available in Cesa Library](#)]
- 2723. Fiedler, K.**, 1990, New information on the biology of *Maculinea nausithous* and *M. teleius* (Lepidoptera, Lycaenidae). *Nota lepid.* 12 (4): 246-256.
- 2724. Fiedler, K.**, 1990, Bemerkungen zur Larvalbiologie von *Callophrys rubi* L. (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 11(3): 121-141, Abb. [[available in Cesa Library](#)]
- 2725. Fiedler, K.**, 1991, European and North African Lycaenidae (Lepidoptera) and their associations with Ants. *J. Res. lepid.* 28(4): 239-257.
- 2726. Fiedler, K.**, 1991, Systematic, evolutionary, and ecological implications of myrmecophily within the Lycaenidae (Insecta, Lepidoptera, Papilionoidea). *Bonner zool. Monogr.* 31: 1-210.
- 2727. Fiedler, K.**, 1995, Associations of Lycaenid Butterflies with Ants in Turkey. [In] Hesselbarth, et al., *Die Tagfalter der Türkei, unter Berücksichtigung der angrenzenden Länder* 1: 437-450. Bocholt. [[available in Cesa Library](#)]
- 2728. Fiedler, K., Schurian, K.G. & M. Hahn**, 1994, The life-history and myrmecophily of *Polyommatus candalus* (Herrich-Schäffer) from Turkey (Lep., Lycaenidae). *Linneana Belgica* 14(6): 315-332, figs. [[available in Cesa Library](#)]
- 2729. Filipjev, I.**, 1971, Zur Fauna der Tagfalter des Transil-Alatau. *Trudy inst. zool. AN KazSSR* 32: 138.
- 2730. Filipjev, N.**, 1931, Lepidoptera. Abhandlungen der Pamir-Expedition 1928, 8: 149-150.
- 2731. Filipjev, N.N.**, 1916, Liste des Lépidoptères capturés en 1913 aux Batum. *Russk. ent. Obozr.* 16: 361-367. [[available in Cesa Library](#)]
- 2732. Filipjev, N.N.**, 1962, New species of the Tortricinae (Lepidoptera, Tortricinae) in the fauna of the USSR. *Arb. zool. Inst. Akad. Wiss. USSR* 30: 369-381, figs. [[available in Cesa Library](#)]
- 2733. Fischer, E.**, 1901, Lepidopterologische Experimental-Forschungen. Kritische Abhandlung über Ursache und Wesen der Kälte-Varietäten der Vanesen II. Experimente. *Allg. Z. Ent.* 6: 305-307, 325-327, 3 figs. [[available in Cesa Library](#)]
- 2734. Fischer, E.**, 1902, Weitere Untersuchungen über die Vererbung erworbener Eigenschaften. *Allg. Z. Ent.* 7: 201-205, 241-246, 266-272, 301-306, 452-456, 476-483, 506-514, 521-525, 31 figs. [[available in Cesa Library](#)]
- 2735. Fischer, H. & P. Ivinskis**, 2007, Die Geometridenfauna Madeiras (Lepidoptera, Geometridae). *Atalanta* 38 (3/4): 361-364, figs. [[available in Cesa Library](#)]
- 2736. Fischer, H.**, 2006, A new tribe, genus and species of clearwing moths from the Afrotropical Regions (Lepidoptera, Sesiidae, Sesiinae). *Atalanta* 37 (1/2): 219-224, figs. [[available in Cesa Library](#)]

- 2737. Fischer, H.**, 2007, Eine neue Gattung mit einer neuen Art *Rubukona svetlanae* gen. et spec. nov. in der Tribus Paranthrenini Niculescu, 1964 aus der afrotropischen Region (Lepidoptera, Sesiidae, Paranthrenini). *Atalanta* 38 (3/4): 361-364, figs. [[available in Cesa Library](#)]
- 2738. Fischer, H., Saidaitis, A. & P. Ivinskis**, 2007, Eine neue Art der Gattung *Eremobastis* Perez-Lopez & Morente-Benitez, 1996 von der Kanareninsel Los Lobos (Lepidoptera, Noctuidae). *Atalanta* 38 (3/4): 377-380, figs. [[available in Cesa Library](#)]
- 2739. Fischer, K.**, 1999, Partielle Subitangeneration bei alpinen *Lycaena virgaureae* (Linnaeus, 1758) unter Zuchtbedingungen (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 20(1): 17-18. [[available in Cesa Library](#)]
- 2740. Fisher, E.G.**, 1973, Notes on *Rhopalocera* found on the Elburz Mountains and at Tehran in Northern Iran, July 1970. *Entomologist* 106: 83-94, 3 figs. [[available in Cesa Library](#)]
- 2741. Fison, L.M.**, 1931-1932, Notes on Algerian butterflies with special reference to some localities in Kabylia. *Entomologist's Rec. J. Var.* 43 (11): 166-167; 44 (1): 7-8, 58-60. [[available in Cesa Library](#)]
- 2742. Fison, L.M.**, 1932, The spring of 1931 in Kabylia. *Entomologist's Rec. J. Var.* 44: 74-77, 90-93. [[available in Cesa Library](#)]
- 2743. Fison, L.M.**, 1933, Further notes from Kabylia. *Entomologist's Rec. J. Var.* 45 (3): 45-46. [[available in Cesa Library](#)]
- 2744. Fiumi, G.**, 1983, Bemerkungen über das Vorkommen von *Aglia tau* L. in der Romagne, Italien (Lepidoptera, Saturniidae). *Neue ent. Nachr.* 6: 65-66. [[available in Cesa Library](#)]
- 2745. Fixsen, F.**, 1887, Lepidoptera aus Korea. [in] Romanoff, *Mém. lépid.* 3: 233-356. [[available in Cesa Library](#)]
- 2746. Fleming, W.A.**, 1975, Butterflies of West Malaysia and Singapore. 2 vols. Kuala Lumpur.
- 2747. Fletcher, D.S. & I.W.B. Nye**, 1982, Bombycoidea, Castnioidea, Cossioidea, Mimallonoidea, Sesiioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol. 4. xiv+192 pp., 1 frontispiece, London. [[available in Cesa Library](#)]
- 2748. Fletcher, D.S. & I.W.B. Nye**, 1984, Pyraloidea. [In] Nye, I.W.B., *The Generic Names of Moths of the World* vol. 5. xv+185 pp., London. [[available in Cesa Library](#)]
- 2749. Fletcher, D.S.**, 1953, A Revision of the genus *Carecomotis* (Lep., Geometridae). *Ann. Mag. nat. Hist.* (12) 6: 100-142, Pls. 3-6. [[available in Cesa Library](#)]
- 2750. Fletcher, D.S.**, 1956, *Spodoptera mauritia* (Boisduval) and *S. trituratora* (Walker), two distinct species. *Bull. ent. Res.* 47: 215-217, Pl. [[available in Cesa Library](#)]
- 2751. Fletcher, D.S.**, 1959, Three new species of Heterocera from Northern Ethiopia. *Entomologist* 92: 45-48, 9 figs.
- 2752. Fletcher, D.S.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIV. Lepidoptera Geometridae. *Annln naturh. Mus. Wien* 66: 469-470. [[available in Cesa Library](#)]
- 2753. Fletcher, D.S.**, 1963, A New species of *Comibaena* (Lep., Geometridae) from the Elburs Mts. *Mitt. münch. ent. Ges.* 53: 116-117, Pl. viii. [[available in Cesa Library](#)]
- 2754. Fletcher, D.S.**, 1967, A Revision of the Ethiopian Species and a Check List of the World Species of *Cleora* (Lepidoptera, Geometridae). *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 8: 3-119, 14 textfigs, 14 Pls., 9 Maps. [[available in Cesa Library](#)]
- 2755. Fletcher, D.S.**, 1974, A Revision of the Old World Genus *Zamarada* (Lepidoptera, Geometridae). *Bull. Br. Mus. (Nat. Hist.) Ent. Suppl.* 22: 1-498, 452 figs., 123 Pls., 5 Maps. [[available in Cesa Library](#)]
- 2756. Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. *The Generic Names of Moths of the World* vol. 3, xx+243 pp. 2 frontispieces, London. [[available in Cesa Library](#)]
- 2757. Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. *Mem. Dep. Agric. India ent. Ser.* 11: ix+244 pp. Calcutta. [[available in Cesa Library](#)]
- 2758. Fletcher, T.B.**, 1943, On the dates of Fischer von Röslerstamm, *Abbildungen zur Berichtigung und Ergänzung der Schmetterlingskunde*, &c. *J. Soc. Bibli Nat. Hist.* 1(12): 465-469. [[available in Cesa Library](#)]
- 2759. Fologne, E.**, 1860, *Nepticula ulmivora*. *Ent. Wkly Intell.* 8: 92.
- 2760. Forbes, T.M.**, 1955, The subdivision of the Eupterotidae (Lepidoptera). *Tijdschr. Ent.* 98: 85-132, figs. [[available in Cesa Library](#)]
- 2761. Forbes, W.T.M.**, 1910, A structural study of some caterpillars. *Ann. ent. Soc. Amer.* 3: 94-143, 143 figs.
- 2762. Ford, E.B. & W.H. Dowdeswell**, 1948, The genetics of habit in the genus *Colias*. *Entomologist* 81: 209-212.

- 2763. Ford, E.B.**, 1924, The geographical races of *Heodes phlaeas* L. Trans. ent. Soc. London 1923: 692-743. [\[available in Cesa Library\]](#)
- 2764. Ford, E.B.**, 1937, Problems of heredity in the Lepidoptera. Biol. Rev. 12: 461-503.
- 2765. Ford, E.B.**, 1941, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 2. The anthoxanthins. Proc. R. ent. Soc. Lond. (A) 16: 65-90.
- 2766. Ford, E.B.**, 1942, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 2. Red pigments in the genus *Delias* Hübner. Proc. R. ent. Soc. Lond. (A) 17: 87-92.
- 2767. Ford, E.B.**, 1943, Two rare Cumberland butterflies. Proc. R. ent. Soc. Lond. (A) 18: 18.
- 2768. Ford, E.B.**, 1944, Studies on the chemistry of pigments in the Lepidoptera with reference to their bearing on systematics 3. The red pigments of Papilionidae. Proc. R. ent. Soc. Lond. (A) 19: 92-106. [\[available in Cesa Library\]](#)
- 2769. Ford, E.B.**, 1962, The theory of genetic polymorphism. Symp. R. ent. Soc. Lond. 1 (1961): 11-19.
- 2770. Ford, E.B.**, 1975, Ecological Genetics (Edn.4). 20 ♀ 442 pp. 18 Pls. Chapman & Hall, London.
- 2771. Ford, E.B.**, 1977, Butterflies (Edn.3). 368 pp., illustr. Collins & London.
- 2772. Ford, H.D. & E.B. Ford**, 1930, Fluctuation in numbers and its influence on variation in *Melitaea aurinia* Rott. Trans. ent. Soc. London 78: 345-351.
- 2773. Ford, L.T.**, 1951, The Plutellidae. Proc. S. Lond. Ent. Nat. Hist. Soc. 1949-1950: 85-93, pl. xii. [\[available in Cesa Library\]](#)
- 2774. Forster, W. & T.A. Wohlfahrt**, 1955, Die Schmetterlinge Mitteleuropas. Bd.II. Tagfalter: Diurna (Rhopalocera und Hesperidae). 126S., 28Taf. Stuttgart.
- 2775. Forster, W.**, 1936, Beitrag zur Systematik des Tribus Lycaenini unter besonderer Berücksichtigung der argyrognomon- und der argus-Gruppe. Mitt. münch. ent. Ges. 26(2): 41-140. [\[available in Cesa Library\]](#)
- 2776. Forster, W.**, 1937, Liste der von H. und E. Kotsch im Hindukusch erbeuteten Lycaeniden. Mitt. münch. ent. Ges. 27: 57-64. [\[available in Cesa Library\]](#)
- 2777. Forster, W.**, 1938, Die Lycaena pylaon-Gruppe. Ent. Rdsch. 55: 213-219, 236-239, 334-337, 361-364, 417-420, 485-490, 4 Pls. [\[available in Cesa Library\]](#)
- 2778. Forster, W.**, 1938, Das System der palaearktischen Polyommata (Lep., Lycaen.). Mitt. münch. ent. Ges. 28: 97-118, 395. [\[available in Cesa Library\]](#)
- 2779. Forster, W.**, 1940, Neue Lycaeniden Formen aus China I. Mitt. münch. ent. Ges. 30 (3): 870-883, figs.
- 2780. Forster, W.**, 1951, Rhopalocera, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 5-18. [\[available in Cesa Library\]](#)
- 2781. Forster, W.**, 1951, Noctuidae- Geometridae, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 35-55. [\[available in Cesa Library\]](#)
- 2782. Forster, W.**, 1956, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) I. Z. wien. ent. Ges. 41: 42-61, 70-89, 118-127, Taf. 8-13. [\[available in Cesa Library\]](#)
- 2783. Forster, W.**, 1960, Einige neue Formen der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.). Ent. Z., Frankf. a. M. 70 (3): 17-22. [\[available in Cesa Library\]](#)
- 2784. Forster, W.**, 1960-1961, Bausteine zur Kenntnis der Gattung *Agrodiaetus* Scudd. (Lep., Lycaen.) II. Z. wien. ent. Ges. 45: 105-142; 46: 8-13, 38-47, 74-79, 88-94, 110-116, Taf. 10-15. [\[available in Cesa Library\]](#)
- 2785. Forster, W.**, 1961, Rhopalocera [in] Lepidoptera der Deutschen Nepal-Expedition 1955. Veröff. zool. StSamml. Münch. 6: 138-150, Taf. xiv. [\[available in Cesa Library\]](#)
- 2786. Forster, W.**, 1961, Presidential address to the seventh Pacific Slope Meeting of the Lepidopterist's Society. J. Lepid. Soc. 15 (2): 116-120. [\[available in Cesa Library\]](#)
- 2787. Forster, W.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XI. Lepidoptera Rhopalocera. Annln naturh. Mus. Wien 66: 457-458. [\[available in Cesa Library\]](#)
- 2788. Forster, W.**, 1965, 58. Rhopalocera et Hesperidae Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Reichenbachia 7: 165-178. [\[available in Cesa Library\]](#)
- 2789. Forster, W.**, 1967, 102. Rhopalocera et Hesperidae II. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Reichenbachia 9: 121-134. [\[available in Cesa Library\]](#)

- 2790. Forster, W.**, 1970, Franz Daniel. NachrBl. bayer. Ent. 19: 94-101. [\[available in Cesa Library\]](#)
- 2791. Forster, W.**, 1971, Leo Sheljuzhko 1890-1969. NachrBl. bayer. Ent. 20(5): 81-86. [\[available in Cesa Library\]](#)
- 2792. Forster, W.**, 1971, 224. Rhopalocera et Hesperidae IV. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Lepidoptera). Faun. Abh. st. Mus. Tierk. Dresden 3(17): 187-217, 32 figs. [\[available in Cesa Library\]](#)
- 2793. Forster, W.**, 1972, Neubeschreibung einiger Lycaeniden (Lep.) aus Afghanistan. Ent. Z., Frankf. a. M. 82 (20): 225-235, 14 Abb. [\[available in Cesa Library\]](#)
- 2794. Forster, W.**, 1973, Agrodiaetus afghanica n.sp., eine bisher unbekannte Lycaeniden-Art aus Afghanistan (Lep.). Ent. Z., Frankf. a. M. 83 (18): 209-211, 2 Abb. [\[available in Cesa Library\]](#)
- 2795. Forster, W.**, 1980, Einige neue Tagfalterformen aus Nepal (Lepidoptera, Rhopalocera). Spixiana 3(1): 1-9, figs. [\[available in Cesa Library\]](#)
- 2796. Fountaine, M.**, 1902, A few notes on some of the butterflies of Syria and Palestine. Entomologist 35: 60-63, 97-101.
- 2797. Fountaine, M.**, 1902, Butterfly hunting in Greece, in the year 1900. Entomologist's Rec. J. Var. 14: 29-35, 64-67. [\[available in Cesa Library\]](#)
- 2798. Fountaine, M.**, 1904, A "butterfly summer" in Asia Minor. Entomologist 37: 79-84, 105-108, 135-137, 157-159, 184-186. [\[available in Cesa Library\]](#)
- 2799. Fountaine, M.**, 1906, Melitaea desfontainii and M. aurinia var. iberica in central Aragon. Entomologist 39: 42-43.
- 2800. Fountaine, M.**, 1906, Algerian butterflies in the spring and summer of 1904. Entomologist 39: 84-89, 107-109. [\[available in Cesa Library\]](#)
- 2801. Fountaine, M.**, 1907, A few notes on some of the Corsican butterflies. Entomologist 40: 100-103.
- 2802. Fountaine, M.**, 1925-1926, Amongst the Rhopalocera of the Philippines. Entomologist 58: 235-239, 263-265; 59: 9-11, 31-34, 53-57.
- 2803. Fountaine, M.**, 1980, Love among the butterflies. 223 pp., figs., Collins, London.
- 2804. Fourcroy, A.F.**, 1785, Entomologia Parisiens. vol.2. Paris. [\[available in Cesa Library\]](#)
- 2805. Fox, R.M., Lindsey, A.W., Clench, H.K. & L.D. Miller**, 1965, The Butterflies of Liberia. Mem. Am. ent. Soc. 19: 1-438.
- 2806. Fracker, S.B.**, 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs.
- 2807. Franke, G. & I. Franke**, 1993, 15 Jahre Zucht: Beobachtungen an Parnassius apollo L. (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 13: 457-505, Pls. [\[available in Cesa Library\]](#)
- 2808. Fraser, F.C.**, 1911, Colotis in Sid. J. Bombay nat. Hist. Soc. 20: 867-869.
- 2809. Freierabend, D.**, 1989, Erstfund von Hypolimnas misippus (Linnaeus, 1764) auf La Gomera (Kanarische Inseln). Atalanta 19: 51-52. [\[available in Cesa Library\]](#)
- 2810. Freina, J.J.de & A. Lingenhöle**, 2000, Beitrag zur Sesiidae-Fauna Israels und Palaestinas (Insecta, Lepidoptera, Sesiidae). Mitt. münch. ent. Ges. 90: 75-84, figs. [\[available in Cesa Library\]](#)
- 2811. Freina, J.J.de & A.R. Naderi**, 2003, Beschreibung einer neuen Unterart von Archon apollinaris (Staudinger, [1892]) aus dem südwestlichen Zentral-Zagros, bostanchii subspec. nov. mit ergänzenden Angaben zur Gesamtverbreitung der Art (Papilionidae, Parnassiini). Atalanta 34 (3/4): 429-434, pl. xxvi. [\[available in Cesa Library\]](#)
- 2812. Freina, J.J.de & B. Aussem**, 1987, Chazara bischoffi (Herrich-Schäffer, 1846) und ihre nächstverwandten Arten (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 36 (1): 1-10, figs. [\[available in Cesa Library\]](#)
- 2813. Freina, J.J.de & B. Aussem**, 1987, Hyponephele urartua sp.n., eine neue Satyriden-Art aus Anatolien (Lep., Satyridae). Nota lepid. 9 (3/4): 200-212, 29 Abb. [\[available in Cesa Library\]](#)
- 2814. Freina, J.J.de & H. Hacker**, 1985, Neue Arten und Unterarten der Familie Noctuidae aus Anatolien und Türkisch-Kurdistan (Lepidoptera, Noctuidae). Entomofauna 6: 241-261, 27 figs. [\[available in Cesa Library\]](#)
- 2815. Freina, J.J.de & M. Geck**, 2003, Studien zur Ökologie, Biologie, Verbreitung und geographischen Variabilität von Akbesia davidi (Oberthür, 1884) (Lepidoptera, Sphingidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 167-180, figs. [\[available in Cesa Library\]](#)
- 2816. Freina, J.J.de & R. Leestmans**, 2003, Une nouvelle sous-espèce mélanisante d'Archon apollinus (Herbst, 1789) dans le Sud syrien et données sur la répartition générale des taxa du

- genre Archon Hübner, 1822 (Lepidoptera, Papilionidae, Parnassini). Linneana Belg. 19 (1): 21-34, figs. [\[available in Cesa Library\]](#)
- 2817. Freina, J.J.de & T.J.Witt**, 1982, Nachweis von *Brahmaea* (*Brahmophthalma*) *wallichii* (Gray, 1833) im westlichen Himalaya: *Brahmaea wallichii saifulica* ssp.n. (Brahmaeidae). *Nota lepid.* 5 (2/3): 81-85, 2 Abb. [\[available in Cesa Library\]](#)
- 2818. Freina, J.J.de & T.J.Witt**, 1983, Zwei neue Lycaenidae-Arten aus Türkisch-Kurdistan: *Lysandra dezina* sp.n. und *Polyommatus ciloicus* sp.n. (Lep., Lycaenidae). *Entomofauna* 4 (14): 181-197, figs. [\[available in Cesa Library\]](#)
- 2819. Freina, J.J.de & T.J.Witt**, 1983, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. *Stoermeriana* gen. nov., eine neue Gattung der Familie Lasiocampidae (Lepidoptera, Lasiocampidae IV). *Mitt. münch. ent. Ges.* 73: 15-22, figs. [\[available in Cesa Library\]](#)
- 2820. Freina, J.J.de & T.J.Witt**, 1984, Zwei neue Arctiidae Gattungen für den westpaläarktischen Faunenbereich: *Watsonarctia* gen.n. und *Maurica* gen.n. (Lep., Arctiidae). *Entomofauna* 5 (28): 323-334, figs. [\[available in Cesa Library\]](#)
- 2821. Freina, J.J.de & T.J.Witt**, 1984, *Antennola* gen.n.; *Antennola impura* (Mann, 1862) comb.n. neu für Europa (Lep., Nolidae). *Entomofauna* 5 (23): 267-272, figs. [\[available in Cesa Library\]](#)
- 2822. Freina, J.J.de & T.J.Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über die Berechtigung von Unterarten bei *Spiris striata* (Linnaeus, 1758) und *Coscinia cribraria* (Linnaeus, 1758). *Ergebnisse einer Teilrevision*. *Nota lepid.* 7 (3): 223-236, [\[available in Cesa Library\]](#)
- 2823. Freina, J.J.de & T.J.Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas (Lepidoptera, Noctuoidea: Nolidae I). *Nota lepid.* 7 (2): 132-142, 3 Abb. [\[available in Cesa Library\]](#)
- 2824. Freina, J.J.de & T.J.Witt**, 1984, Taxonomische Veränderungen bei den Bombyces und Sphinges Europas und Nordwestafrikas. Über *Taleporia improvisella* (Staudinger, 1859) und *Taleporia pseudoimprovisella* sp.n. (Lepidoptera, Psychidae). *Entomofauna* 5 (13): 153-163, 3 Abb. [\[available in Cesa Library\]](#)
- 2825. Freina, J.J.de & T.J.Witt**, 1984, *Setina pontica* stat. nov., die Flechtenbären aus dem Nordostanatolisch-kaukasischen Raum (Lepidoptera, Lithosiidae). *NachrBl. bayer. Ent.* 33 (2): 50-57, 6 Abb. [\[available in Cesa Library\]](#)
- 2826. Freina, J.J.de & T.J.Witt**, 1985, *Arctia weigerti* sp.n., eine neue Bärenspinnerart aus dem Karakorum (Lepidoptera, Arctiidae). *Nota lepid.* 8(1): 21-24, 1 Abb. [\[available in Cesa Library\]](#)
- 2827. Freina, J.J.de & T.J.Witt**, 1986, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 1. 708 S., 46 Pls. München. [\[available in Cesa Library\]](#)
- 2828. Freina, J.J.de & T.J.Witt**, 1987, Über Trennungsmerkmale und die Verbreitung von *Cilix glaucata* (Scopoli, 1763) und *Cilix asiatica* Bang-Haas, 1907 (Lepidoptera, Drepanidae). *NachrBl. bayer. Ent.* 36 (1): 10-14, Abb. 5. [\[available in Cesa Library\]](#)
- 2829. Freina, J.J.de & T.J.Witt**, 1988, *Stoermeriana omana* sp.n., eine bisher unbekannte Lasiocampidae-Art aus Südarabien (Lepidoptera, Lasiocampidae). *Mitt. münch. ent. Ges.* 78: 187-190, figs. [\[available in Cesa Library\]](#)
- 2830. Freina, J.J.de & T.J.Witt**, 1989, Kritische Betrachtung der um Genus *Stygia* Latreille, 1803 zusammengefaßten Taxa. *Mitt. münch. ent. Ges.* 79: 119-125.
- 2831. Freina, J.J.de & T.J.Witt**, 1990, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 2. 142 S., 10 Pls. München.
- 2832. Freina, J.J.de & T.J.Witt**, 1997, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 4. 432 S., 32 Pls. München.
- 2833. Freina, J.J.de & T.J.Witt**, 1999, Die Bombyces und Sphinges der Westpalaearktis (Insecta, Lepidoptera) Band 3. München.
- 2834. Freina, J.J.de & T.J.Witt**, 2004, *Paidia elegantia* spec. nov., eine neue Flechtenbärenart aus dem südlichen Iran (Lepidoptera, Arctiidae, Lithosiinae). *Atalanta* 35 (1/2): 109-113, figs. [\[available in Cesa Library\]](#)
- 2835. Freina, J.J.de & W.Ten Hagen**, 2003, Contribution a la connaissance des Syntominiæ d'Iran: les taxons du complexe *Amata wiltshirei* Bytinski-Salz, 1939 et description d'*Amata wiltshirei kordestana* ssp.n. (Lepidoptera, Arctiidae, Syntominiæ, Syntomini). *Linneana Belg.* 19 (1): 51-60, figs. map. [\[available in Cesa Library\]](#)

- 2836. Freina, J.J.de**, 1974, Eine neue Unterart von *Aporia crataegi* aus Afghanistan (Lep., Pieridae). Ent. Z., Frankf. a. M. 84 (24): 266-268, Abb. [\[available in Cesa Library\]](#)
- 2837. Freina, J.J.de**, 1975, Ein Beitrag zur Schmetterlingsfauna von Spanien und Marokko unter Berücksichtigung der Wanderfalter. Atalanta 6(1): 35-49. [\[available in Cesa Library\]](#)
- 2838. Freina, J.J.de**, 1976, *Callistege mi elzei* n.subsp., eine neue Noctuidenrasse von der Schwarzmeerküste (Lepidoptera, Noctuidae). Atalanta 7(2): 99-101, 12 figs. [\[available in Cesa Library\]](#)
- 2839. Freina, J.J.de**, 1979, Eine beobachtete Massenwanderung von *Colias crocea* Fourcroy, 1785 in Südost-Anatolien. Atalanta 10: 94-96, 1 fig. [\[available in Cesa Library\]](#)
- 2840. Freina, J.J.de**, 1979, Zur Kenntnis der Gattung *Allancastris* unter Berücksichtigung der Arten *A. cerisyi* und *A. deyrollei* (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 89: 129-142, 5 figs. [\[available in Cesa Library\]](#)
- 2841. Freina, J.J.de**, 1980, Eine neue Unterart von *Parnassius nordmanni* Nordmann aus Kleinasien (Lepidoptera, Papilionidae). NachrBl. bayer. Ent. 29: 50-62, figs. [\[available in Cesa Library\]](#)
- 2842. Freina, J.J.de**, 1980, Hinweis auf die Typusart des Genus *Wittia* de Freina, 1980 (Lepidoptera, Arctiidae). NachrBl. bayer. Ent. 29(6): 125. [\[available in Cesa Library\]](#)
- 2843. Freina, J.J.de**, 1980, *Wittia* nom.nov. (Lepidoptera, Arctiidae). NachrBl. bayer. Ent. 29(4): 80. [\[available in Cesa Library\]](#)
- 2844. Freina, J.J.de**, 1980, *Melitaea tangigharuensis* n.sp., eine neue Nymphalidenart für Afghanistan nebst vergleichender Betrachtung zur *M. sarvistana* Wiltshire, 1941 (Lepidoptera, Nymphalidae). Atalanta 11 (1): 11-18, 9 Abb. [\[available in Cesa Library\]](#)
- 2845. Freina, J.J.de**, 1981, Über die Berechtigung von Unterarten des Wiener Nachtpfauenauges, *Saturnia pyri* (Denis & Schiffermüller) in Kleinasien. Ent. Z., Frankf. a. M. 91: 17. [\[available in Cesa Library\]](#)
- 2846. Freina, J.J.de**, 1982, Eine neue Population von *Brahmaea ledereri* Rogenhofer, 1873 (*Brahmaea ledereri zaba* ssp.n.) in türkisch-Kurdistan, sowie Nachweis der Konspezifität von *Brahmaea ledereri* Rogenhofer, 1873 und *Brahmaea christophi* Staudinger, 1873 (Lep., Brahmaeidae). Entomofauna 3 (9): 129-139, figs. [\[available in Cesa Library\]](#)
- 2847. Freina, J.J.de**, 1982, 4. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Neue Kenntnisse über Artenspektrum, Systematik und Nomenklatur sowie Beschreibungen neuer Taxa (Lepidoptera). Mitt. münch. ent. Ges. 72: 57-127, figs. [\[available in Cesa Library\]](#)
- 2848. Freina, J.J.de**, 1982, *Carcinopyga lichenigera nuytenae* ssp.n. (Lepidoptera, Arctiidae). Entomofauna 3 (1): 1-20, figs. [\[available in Cesa Library\]](#)
- 2849. Freina, J.J.de**, 1983, *Papilio alexanor orientalis* Romanoff, 1885. Angaben zur Biologie, Verbreitung und zur Frage der Berechtigung dieses Taxons (Lepidoptera, Papilionidae). Atalanta 14: 23-30, figs. [\[available in Cesa Library\]](#)
- 2850. Freina, J.J.de**, 1985, Zur Verbreitung von *Eupatúra mirza* Ebert, 1971 in Kleinasien (Lepidoptera, Nymphalidae). NachrBl. bayer. Ent. 34(2): 49-51, figs. [\[available in Cesa Library\]](#)
- 2851. Freina, J.J.de**, 1985, Neuere Kenntnisse über die Biologie und Systematik von *Brahmaea ledereri* Rogenhofer, 1873 und deren Verbreitung in Kleinasien (Lepidoptera, Brahmaeidae). Mitt. münch. ent. Ges. 74: 77-90, figs. [\[available in Cesa Library\]](#)
- 2852. Freina, J.J.de**, 1985, Revision der Gattung *Archon* Hübner, 1822 mit Angaben zur Biologie, Verbreitung, Morphologie und Systematik von *Archon apollinus* (Herbst, 1798) und *Archon apollinaris* Staudinger, 1892 (stat.nov.) (Lepidoptera, Papilionidae). Nota lepid. 8 (2): 97-128, figs. [\[available in Cesa Library\]](#)
- 2853. Freina, J.J.de**, 1986, Über die Verbreitung von *Trichiura veranae* Witt, 1981 (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 36 (4): 113-114, 1 Abb. [\[available in Cesa Library\]](#)
- 2854. Freina, J.J.de**, 1987, Eine neue entdeckte Lymantriiden-Art aus Kashmir, *Arctornis kohistana* sp.n. (Lepidoptera, Lymantriidae). Nota lepid. 10 (2): 119-126, 16 Abb. [\[available in Cesa Library\]](#)
- 2855. Freina, J.J.de**, 1988, 5. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Eine neue *Eriogaster nippei* spec.n. aus dem Taurus (Lep., Lasiocampidae). Atalanta 18: 379-383, 3 figs. [\[available in Cesa Library\]](#)
- 2856. Freina, J.J.de**, 1989, Nachtrag zur Beschreibung der *Gonepteryx cleopatra petronella* de Freina, 1977 von Ibiza (Lepidoptera, Pieridae). Atalanta 19: 71-73, Pl. [\[available in Cesa Library\]](#)

- 2857. Freina, J.J.de**, 1989, *Gonepteryx rhamni* (Linnaeus, 1758) in Kleinasien. Bemerkungen zur Bionomie und geographischen Variabilität mit Beschreibung einer neuen Unterart (Lepidoptera, Pieridae). Mitt. münch. ent. Ges. 79: 111-117, 7 Abb. [[available in Cesa Library](#)]
- 2858. Freina, J.J.de**, 1989, Beitrag zur Bombyces- und Sphinges-Fauna Algeriens und Tunesiens. Ergebnisse einer Frühjahrsexkursion mit supplementärer Auflistung der Rhopaloceren- und Noctuiden-Nachweise (Insecta, Lepidoptera). Entomofauna 10 (6): 73-94, 10 Abb. [[available in Cesa Library](#)]
- 2859. Freina, J.J.de**, 1992, Beschreibung des Weibchens von *Eriogaster nippei* de Freina, 1988 i Vergleich mit vorderasiatischen *Eriogaster*-Arten und Angaben zur Verbreitung der Art (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 41(3): 90-95, 7 Abb. [[available in Cesa Library](#)]
- 2860. Freina, J.J.de**, 1992, Beitrag zur Kenntnis der Gattung *Neoris* Moore, 1862 mit Beschreibung ihrer kleinasiatischen Vertreter (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 102 (13): 233-252, 14 Abb. [[available in Cesa Library](#)]
- 2861. Freina, J.J.de**, 1994, 9. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung von Cossidae, Psychidae, Cochlididae, Syntomidae, Brahmaeidae, Drepanidae, Axiidae, Hepialidae *Atalanta* 25 (1/2): 317-349, Taf. xiv, xv. [[available in Cesa Library](#)]
- 2862. Freina, J.J.de**, 1994, Untersuchungen zur Eimorphologie bei *Parnassius mnemosyne* (Linnaeus, 1758) und ihrer infraspezifischen Variabilität an Hand von REM-Darstellungen (Lepidoptera, Papilionidae). *Nota lepid.* 16 (3/4): 179-194, 20 figs. [[available in Cesa Library](#)]
- 2863. Freina, J.J.de**, 1997, Nouvelles Arctiides de la faune paléarctique asiatique (Lepidoptera, Arctiidae, Arctiinae). *Linnaeana Belg.* 16 (1): 49-60, 11 figs. [[available in Cesa Library](#)]
- 2864. Freina, J.J.de**, 1999, 10. Beitrag zur systematischen Erfassung der Bombyces und Sphinges-Fauna Kleinasiens. Weitere Kenntnisse über Artenspektrum, Systematik und Verbreitung der Lasiocampidae, Lemoniidae, Notodontidae, Thaumetopoeidae, Lymantriidae, Arctiidae... *Atalanta* 30 (1/4): 187-257, Taf. xi, xia. [[available in Cesa Library](#)]
- 2865. Freina, J.J.de**, 2000, Zur Verbreitung von drei Procrinae-Arten im Nahen Osten (Lepidoptera, Zygaenidae, Procrinae). *Atalanta* 31 (1/2): 223-224. [[available in Cesa Library](#)]
- 2866. Freina, J.J.de**, 2002, Beitrag zur Rhopalocera-Fauna der nordmalayischen Insel Langkawi mit Bemerkungen zu Artstatus und Verbreitung der Lycaenide *Chilades putli* Kollar, 1848 (Insecta, Lepidoptera). *Atalanta* 33 (3/4): 389-402, Taf. xxiv. [[available in Cesa Library](#)]
- 2867. Freina, J.J.de**, 2002, *Stoemeriana nabataea* sp.n., eine neue Lasiocampiden-Art aus Südwestjordanien (Lepidoptera, Lasiocampidae). *Esperiana* 9: 147-152, Taf. 7. [[available in Cesa Library](#)]
- 2868. Freina, J.J.de**, 2002, Zur Phaenologie und Biologie von *Bufonidia ledereri* (Koçak, 1981) und ihrer Praeimagonalstadien mit nachweis von Saisondimorphismus (Lepidoptera, Lasiocampidae). *Esperiana* 9: 153-156, Taf. 8. [[available in Cesa Library](#)]
- 2869. Freina, J.J.de**, 2003, Zur Kenntnis der Biologie, Morphologie und Taxonomie von *Heterogynis andalusica* Daniel, 1966 sowie ergänzenden Bemerkungen zum Status von *Heterogynis thomasi* Zilli, 1987 stat. nov. (Lepidoptera, Zygaenoidea, Heterogynidae). *Atalanta* 34 (1/2): 179-192, pls. xv-xix. [[available in Cesa Library](#)]
- 2870. Freina, J.J.de**, 2003, *Heterogynis jellaba* spec. nov. und *Heterogynis rifensis* spec. nov., zwei neue nordafrikanische *Heterogynis* Arten aus Marokko mit ergänzenden Bemerkungen zum Verbreitungsbild und Artenspektrum der Gattung *Heterogynis* Rambur, 1837 (Heterogynidae). *Atalanta* 34 (1/2): 193-208, Pl. xvi-xix. [[available in Cesa Library](#)]
- 2871. Freina, J.J.de**, 2003, Neue Wirtspflanzennachweise für *Adscita* (*Adscita*) *obscura* (Zeller, 1847) und *Jordanita* (*Roccia*) *budensis* (Speyer & Speyer, 1858). *Atalanta* 34 (3-4): 453-456, figs. [[available in Cesa Library](#)]
- 2872. Freina, J.J.de**, 2004, Zur Kenntnis [sic!] der Flechtenbärenarten des Nahen Ostens. Beschreibung von *Paidia moabitica* spec. nov., Anmerkungen zur Artdefinition von *Paidia albescens* Staudinger, 1891 sowie Wiederbeschreibung und Neukombination von *Paidia cinerascens palaestinensis* Amsel, 1935 (Lepidoptera, Arctiidae, Lithosiinae). *Atalanta* 35 (3/4): 427-436, Taf. xxiv. [[available in Cesa Library](#)]
- 2873. Freina, J.J.de**, 2006, *Paidia minoica* sp.n. von Kreta, eine neue *Paidia* für Europa. Beschreibung und Angaben zur Phänologie der Art (Lepidoptera, Arctiidae, Lithosiinae). Mitt. münch. ent. Ges. 96: 21-27, figs. [[available in Cesa Library](#)]

- 2874. Freina, J.J.de**, 2007, *Cretonotos omanirana* sp.n. aus dem Oman und dem Iran (Arctiidae, Arctiinae). *Nota lepid.* 30 (2): 375-386, figs. [[available in Cesa Library](#)]
- 2875. Freina, J.J.de**, 2008, Beschreibung von *Cabomina* gen.n., *Cabomina monicae* sp.n. und *Cabomina dracomontana* sp.n. aus Südafrika (Lepidoptera, Sesiidae, Sesiinae, Osminiini). *Nachr. ent. Ver. Apollo* (n.f.). 29 (3): 163-169, figs. [[available in Cesa Library](#)]
- 2876. Freina, J.J.de**, 2008, Bemerkungen zu südafrikanischen Syntomini mit Beschreibung der Gattung *Hampsonata* gen.nov. und *H.natalithala* spec. nov. (Lepidoptera, Arctiidae, Syntomini, Syntomini). *Mitt. münch. ent. Ges.* 98: 13-20, figs.
- 2877. Freina, J.J.de**, 2010, Beitrag zur Kenntnis der Sesien-Fauna der westhimalayanischen Regionen Lahoul und Spiti in Nordindien (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo* (n.f.) 30 (4): 209-213, figs. [[available in Cesa Library](#)]
- 2878. Freina, J.J.de**, 2010, Eine Revision der Syntomini Irans (Lepidoptera, Arctiidae, Syntomini). *Nachr. ent. Ver. Apollo* (N.F.) 31 (3): 97-118, figs. [[available in Cesa Library](#)]
- 2879. Freina, J.J.de**, 2011, Vier neue Sesiiden und eine unbestimmte Homogyna-Art aus dem südlichen Afrika (Lepidoptera, Sesiidae, Osminiini, Sesiini). *Nachr. ent. Ver. Apollo* (n.f.). 31 (4): 211-218, figs. [[available in Cesa Library](#)]
- 2880. Freina, J.J.de**, 2011, *Noctusphecia puchneri* gen. et sp.n., eine neue Gattung und nachtaktive Glasflüglerart aus Tansania (Lepidoptera, Sesiidae, Sesiinae, Osminiini). *Nachr. ent. Ver. Apollo* (n.f.). 32 (1/2): 48-50, figs. [[available in Cesa Library](#)]
- 2881. Freina, J.J.de**, 2011, Neue Arten der Gattung *Thyranthrene* Hampson, 1919 aus Südafrika (Lepidoptera, Sesiidae, Paranthrenini). *Nachr. ent. Ver. Apollo* (n.f.) 32 (1/2): 51-56, figs. [[available in Cesa Library](#)]
- 2882. Freina, J.J.de**, 2011, Revision des *Arctia villica*-Komplexes 2. Teil Nomenklatur und Systematik der osteuropäisch-asiatischen Arten *Arctia villica* (Linnaeus, 1758) (part.), *Arctia marchandi* de Freina, 1983 stat.n. & *Arctia confluens* Romanoff, 1884 stat.n. (Lepidoptera, Arctiidae). *Entomofauna* 32 (4): 93-124, figs. [[available in Cesa Library](#)]
- 2883. Freina, J.J.de**, 2012, 11. Beitrag zur systematischen Erfassung der Bombyces- und Sphinges-Fauna Kleinasiens- Ergänzungen zu Artenspektrum und Verbreitungsbildern durch interessante Nachweise (Insecta, Lepidoptera). *Atalanta* 43 (1/2): 191-210, 19 Abb. [with some errors of label information]. [[available in Cesa Library](#)]
- 2884. Freina, J.J.de**, [1987], Bemerkungen zur Biologie Verbreitung und Systematik kleinasiatischen Papilioniden (Lepidoptera, Papilionidae). *Atalanta* 17 (1/4) (1986): 205-208, Taf. [[available in Cesa Library](#)]
- 2885. Freyer, C.F.**, 1828-1830, Beiträge zur Geschichte europäischer Schmetterlinge mit Abbildungen nach der Natur. 3 vols. 1 (1828): 164pp., 48 Tab.; 2 (1829): 166pp., 48 Tab.; 3 (1830): 168pp., 48 Tab. Nürnberg. [[available in Cesa Library](#)]
- 2886. Freyer, C.F.**, 1831-1858, Neuere Beiträge zur Schmetterlingskunde mit Abbildungen nach der Natur. 7 vols. 700 pls. Augsburg. [[available in Cesa Library](#)]
- 2887. Freyer, C.F.**, 1860, Die Falter um Augsburg, ein weiterer Beitrag zur Bayrischen Fauna. Bericht naturh. Ver. Augsburg 1860: 19-86.
- 2888. Freytag, K.**, 1996, Bemerkungen zu weiteren 16 Hadeninae-Arten (Lepidoptera, Noctuidae, Hadeninae). *Facetta* 13(2): 26-30, figs. [[available in Cesa Library](#)]
- 2889. Fric, Z. & V.Hula**, 2013, *Zizula hylax* (Fabricius, 1775) new butterfly species for Sokotra (Lepidoptera, Lycaenidae). *Shilap Revta lepid.* 41 (164): 571-575. [[available in Cesa Library](#)]
- 2890. Fric, Z., Wahlberg, N., Pech, P. & J.Zrzavy**, 2007, Phylogeny and classification of the Phengaris-Maculinea clade (Lepidoptera, Lycaenidae): total evidence and phylogenetic species concepts. *Syst. Ent.* 32: 558-567. [[available in Cesa Library](#)]
- 2891. Friedel, G.**, 1968, *Thera juniperata* ssp.n. *loeberbaueri* Friedel (Lep., Geometridae). *Z. wien. ent. Ges.* 53: 17-18. [[available in Cesa Library](#)]
- 2892. Friedel, G.**, 1968, *Perisomena caecigena* ssp. *parviocellata* Friedel (Lepidoptera, Saturniidae). *Z. wien. ent. Ges.* 53: 18-19. [[available in Cesa Library](#)]
- 2893. Friedel, G.**, 1968, *Rhegmaphila alpina* ssp.n. *osmana* Friedel. *Z. wien. ent. Ges.* 52: 52-54. [[available in Cesa Library](#)]
- 2894. Friedel, G.**, 1977, Eine neue Rasse von *Cossus cossus* L. aus Ost- Anatolien (Lepidoptera, Cossidae). *Z. ArbGem. öst. Ent.* 29(1/2): 29-30. [[available in Cesa Library](#)]
- 2895. Friese, G.**, 1959, *Dysauxes punctata* (F.) und *famula* (FRR.) und ihre Rassenkreise (Lep., Syntomidae). *Dt. ent. Z. (N.F.)* 6(1/3): 251-259, 2 Abb. [[available in Cesa Library](#)]

- 2896. Frohawk, F.W.**, 1934, The complete book of British butterflies. 32 Pls.
- 2897. Froreich, v.**, 1938, Eine neue Unterart von *Celerio zygophylli* O. Ent. Rdsch. 55: 256-259, 2 Abb. [[available in Cesa Library](#)]
- 2898. Fruhstorfer, H.**, 1894, Ein neuer Tagfalter aus Deutsch-Neu-Guinea. Berl. ent. Z. 39: 248, Taf. XVII. [[available in Cesa Library](#)]
- 2899. Fruhstorfer, H.**, 1894, Neue und wenig bekannte Java-Rhopaloceren. Berl. ent. Z. 39: 241-247, Taf. XVII, XVIII. [[available in Cesa Library](#)]
- 2900. Fruhstorfer, H.**, 1896, Liste javanischer Lepidopteren, gesammelt in den Jahren 1890-1893. Berl. ent. Z. 41 (4): 299-310. [[available in Cesa Library](#)]
- 2901. Fruhstorfer, H.**, 1897, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 41 (4): 311-314. [[available in Cesa Library](#)]
- 2902. Fruhstorfer, H.**, 1897, Aufzählung der von mir auf der Insel Lombok im Jahre 1896 gefangenen Rhopaloceren. Berl. ent. Z. 42 (1): 1-14. [[available in Cesa Library](#)]
- 2903. Fruhstorfer, H.**, 1897, Eine neue *Delias* von Flores. Berl. ent. Z. 42 (1): 15. [[available in Cesa Library](#)]
- 2904. Fruhstorfer, H.**, 1897, Eine neue *Euploea* aus Borneo. Berl. ent. Z. 42 (1): 16. [[available in Cesa Library](#)]
- 2905. Fruhstorfer, H.**, 1897, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 42 (1/2): 113-118. [[available in Cesa Library](#)]
- 2906. Fruhstorfer, H.**, 1897, Rhopalocera Lombokiana. Berl. ent. Z. 42 (1/2): 119-126, ... [[available in Cesa Library](#)]
- 2907. Fruhstorfer, H.**, 1898, Neue *Papilio*-Formen aus dem Malayischen Archipel. Berl. ent. Z. 43: 419-430. [[available in Cesa Library](#)]
- 2908. Fruhstorfer, H.**, 1898, Neue Lepidopteren aus Asien. Berl. ent. Z. 43: 175-199. [[available in Cesa Library](#)]
- 2909. Fruhstorfer, H.**, 1898, Übersicht der bekannten *Hebomoia*-Arten und Lokalformen. Berl. ent. Z. 43: 171-174. [[available in Cesa Library](#)]
- 2910. Fruhstorfer, H.**, 1898, Eine neue Pieride von den Sula-Inseln. Berl. ent. Z. 43: 430. [[available in Cesa Library](#)]
- 2911. Fruhstorfer, H.**, 1898, Neue Rhopaloceren aus dem Indo-malayischen Archipel. Berl. ent. Z. 42(3/4): 311-344. [[available in Cesa Library](#)]
- 2912. Fruhstorfer, H.**, 1898, Neue *Papilio*-formen aus dem Indo-malayischen Peloponnes. Berl. ent. Z. 42(3/4): 303-310. [[available in Cesa Library](#)]
- 2913. Fruhstorfer, H.**, 1898, Eine neue *Libythea* aus Asien. Berl. ent. Z. 43: 169-170. [[available in Cesa Library](#)]
- 2914. Fruhstorfer, H.**, 1899, Neue asiatische Lepidopteren. Berl. ent. Z. 44: 49-64. [[available in Cesa Library](#)]
- 2915. Fruhstorfer, H.**, 1899, Neue *Euploea*-en aus Deutsch-Neu-Guinea. Berl. ent. Z. 44 (3/4): 284. [[available in Cesa Library](#)]
- 2916. Fruhstorfer, H.**, 1899, Pieriden-Studien. Berl. ent. Z. 44: 100-104. [[available in Cesa Library](#)]
- 2917. Fruhstorfer, H.**, 1899, Neue *Tirumala* und Übersicht der bekannten asiatischen Spezies. Berl. ent. Z. 44: 113-121. [[available in Cesa Library](#)]
- 2918. Fruhstorfer, H.**, 1899, Eine seltene Pieride vom Kina-Balu. *Huphina pactolicus* Butl. Berl. ent. Z. 44: 112. [[available in Cesa Library](#)]
- 2919. Fruhstorfer, H.**, 1899, Drei neue *Papilio*. Berl. ent. Z. 44 (3/4): 283-284, Taf. II. [[available in Cesa Library](#)]
- 2920. Fruhstorfer, H.**, 1899, Eine neue *Lycaenide* aus Nias. Berl. ent. Z. 44: 157. [[available in Cesa Library](#)]
- 2921. Fruhstorfer, H.**, 1899, Eine neue *Phrissura*. Berl. ent. Z. 44: 111-112. [[available in Cesa Library](#)]
- 2922. Fruhstorfer, H.**, 1899, Einige neue *Doleschallien*. Berl. ent. Z. 44: 278-283, Taf. II. [[available in Cesa Library](#)]
- 2923. Fruhstorfer, H.**, 1899, Übersicht der Indo-Australischen *Danaiden* und Beschreibung neuer Formen. Berl. ent. Z. 44: 64-87. [[available in Cesa Library](#)]
- 2924. Fruhstorfer, H.**, 1899, Eine neue *Zethera*. Berl. ent. Z. 44: 99. [[available in Cesa Library](#)]
- 2925. Fruhstorfer, H.**, 1899, Zwei neue *Euploea*-en von den Sula-Inseln. Berl. ent. Z. 44: 156-157. [[available in Cesa Library](#)]
- 2926. Fruhstorfer, H.**, 1899, Celebische *Euploea*-en. Stettin ent. Ztg. 60: 145-159.
- 2927. Fruhstorfer, H.**, 1899, Neue *Euthalia*-en von Nord-Borneo. Berl. ent. Z. 44: 121-155. [[available in Cesa Library](#)]

- 2928. Fruhstorfer, H.**, 1899, Übersicht der bekannten Prioneris-Arten und Beschreibung einer neuen Lokalforn und bisher unbekannten ♀♀. Berl. ent. Z. 44: 105-111. [[available in Cesa Library](#)]
- 2929. Fruhstorfer, H.**, 1899, Revision der asiatischen Ergolis. Berl. ent. Z. 44: 88-99. [[available in Cesa Library](#)]
- 2930. Fruhstorfer, H.**, 1899, Neue Rhopaloceren aus dem malayischen Archipel. Berl. ent. Z. 44 (3/4): 285-288, Taf.ii fig.13. [[available in Cesa Library](#)]
- 2931. Fruhstorfer, H.**, 1899-1900, Rhopalocera Bazilana. Verzeichnis der von W.Doherty auf der Insel Bazilan gesammelten Tagfalter. Berl. ent. Z. 44 (1899): Taf.II; 45 (1900): 1-38. [[available in Cesa Library](#)]
- 2932. Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über Arten und Localformen der indischen Rhopaloceren-Gattung Cynthia. Berl. ent. Z. 45: (26)-(28). [[available in Cesa Library](#)]
- 2933. Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über wenig bekannte Euthalien von Kina-Balu (Nord Borneo). Berl. ent. Z. 45: (25). [[available in Cesa Library](#)]
- 2934. Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über neue exotische Satyriden. Berl. ent. Z. 45: (24). [[available in Cesa Library](#)]
- 2935. Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über Euripus aus dem Malayischen Gebiet. Berl. ent. Z. 45: (22)-(24). [[available in Cesa Library](#)]
- 2936. Fruhstorfer, H.**, 1900, Sitzungsberichte des Berliner Entomologischen Vereins für das Jahr 1899 über die Lepidopteren-Fauna der Fidji-Inseln. Berl. ent. Z. 45: (29)-(30). [[available in Cesa Library](#)]
- 2937. Fruhstorfer, H.**, 1903, Verzeichnis der in Tonkin, Annam und Siam gesammelten Papilioniden und Beschreibung verwandter Formen. Berl. ent. Z. 47 (3/4) (1902): 167-234. [[available in Cesa Library](#)]
- 2938. Fruhstorfer, H.**, 1903, Neue Colias-Unterart. Insektenbörse 17: 48.
- 2939. Fruhstorfer, H.**, 1904, Neue Rhopaloceren aus dem malayischen Gebiet. Berl. ent. Z. 49: 165-169, Taf.I,II. [[available in Cesa Library](#)]
- 2940. Fruhstorfer, H.**, 1904, Beitrag zur Kenntniss der Rhopaloceren-Fauna der Insel Engano. Berl. ent. Z. 49: 170-206, Taf.I,II. [[available in Cesa Library](#)]
- 2941. Fruhstorfer, H.**, 1904, Zwei neue Papilios. Ent. Z., Stuttgart 18(12): 45-46. [[available in Cesa Library](#)]
- 2942. Fruhstorfer, H.**, 1904, Neue Tenaris. Ent. Z., Stuttgart 18(30): 118-119. [[available in Cesa Library](#)]
- 2943. Fruhstorfer, H.**, 1904, Ein neuer Parnassius. Parnassius delphius dolabella nov.subspec. Ent. Z., Stuttgart 18 (8): 29-30. [[available in Cesa Library](#)]
- 2944. Fruhstorfer, H.**, 1904, Ein neuer Ornithoptera. Troides oblongomaculatus hanno nov.subspec. Ent. Z., Stuttgart 18: 27. [[available in Cesa Library](#)]
- 2945. Fruhstorfer, H.**, 1905, Neue Neptis- (Phaedyra) Lokalrassen. Ent. Z., Stuttgart 19(17): 89-90. [[available in Cesa Library](#)]
- 2946. Fruhstorfer, H.**, 1905, Neue Pieriden. Ent. Z., Stuttgart 19(17): 89. [[available in Cesa Library](#)]
- 2947. Fruhstorfer, H.**, 1905, Neue Cethosia-Formen. Ent. Z., Stuttgart 19(19): 105-106. [[available in Cesa Library](#)]
- 2948. Fruhstorfer, H.**, 1905, Neue Rhopaloceren aus dem Indo-Australischen Gebiet. Ent. Z., Stuttgart 19: 55-57, 63-64, figs.6-10. [[available in Cesa Library](#)]
- 2949. Fruhstorfer, H.**, 1906, Neue Rhopaloceren. Ent. Z., Stuttgart 19: 215-216. [[available in Cesa Library](#)]
- 2950. Fruhstorfer, H.**, 1906, Verzeichnis der von mir in Tonkin, Annam und Siam gesammelten Nymphaliden und Besprechung verwandter Formen. Wien. ent. Ztg 25: 307-362, pls.1,2. [[available in Cesa Library](#)]
- 2951. Fruhstorfer, H.**, 1907, Monographische Revision der Pieridengattung Hebomoia. Dt. ent. Z., Iris 20: 89-109. [[available in Cesa Library](#)]
- 2952. Fruhstorfer, H.**, 1907, Neue Lokalrassen von Paläarktischen Rhopaloceren. Int. ent. Z. 1: 386-392, 4 Abb.
- 2953. Fruhstorfer, H.**, 1907, Eine bisher unbeachtete Lokalrasse einer Nymphalide aus Ost-Java. Stettin ent. Ztg. 68: 17-18. [[available in Cesa Library](#)]
- 2954. Fruhstorfer, H.**, 1907, Zwei neue Acraeen aus dem Papua Gebiet. Stettin ent. Ztg. 68: 19-21. [[available in Cesa Library](#)]

- 2955. Fruhstorfer, H.**, 1907, Verzeichnis der von Herrn Dr. Theodor Koch-Grünberg am oberen Waupes 1903-1905 gesammelten Rhopaloceren mit Besprechung verwandter Arten. Stettin ent. Ztg. 1907: 117-164. [[available in Cesa Library](#)]
- 2956. Fruhstorfer, H.**, 1908, Neue Curetis und Uebersicht der bekannten Arten. Stettin ent. Ztg. 69: 49-59.
- 2957. Fruhstorfer, H.**, 1908, Neue Papilio-Rassen. Int. ent. Z. 2(8): 49-50. [[available in Cesa Library](#)]
- 2958. Fruhstorfer, H.**, 1908, Eine neue Neptis von der Insel Saleyer. Int. ent. Z. 2: 238-239. [[available in Cesa Library](#)]
- 2959. Fruhstorfer, H.**, 1908, Neue Lycaeniden des Papua-Gebiets. Int. ent. Z. 2: 114. [[available in Cesa Library](#)]
- 2960. Fruhstorfer, H.**, 1908, Neue europäische Satyriden. Ent. Z., Stuttgart 22(30): 120.
- 2961. Fruhstorfer, H.**, 1908, Neue Hesperiden. Int. ent. Z. 2: 149-150. [[available in Cesa Library](#)]
- 2962. Fruhstorfer, H.**, 1908, Neues über die Gattung Waigeum. Int. ent. Z. 2(18): 113. [[available in Cesa Library](#)]
- 2963. Fruhstorfer, H.**, 1908, Neue Lycaeniden. Int. ent. Z. 2: 85-86, 91-92, 99-100. [[available in Cesa Library](#)]
- 2964. Fruhstorfer, H.**, 1908, Eine neue Ornithopterarasse von den Südphilippinen. Int. ent. Z. 2: 39. [[available in Cesa Library](#)]
- 2965. Fruhstorfer, H.**, 1908, Drei neue Limenitis-Rassen. Int. ent. Z. 2(8): 50. [[available in Cesa Library](#)]
- 2966. Fruhstorfer, H.**, 1908, Neue indische Tagfalter-Formen. Ent. Z., Stuttgart 22(34): 135. [[available in Cesa Library](#)]
- 2967. Fruhstorfer, H.**, 1908, Neue Paläarktische Satyriden-Rassen. Ent. Z., Stuttgart 22: 127-128.
- 2968. Fruhstorfer, H.**, 1908, Lepidopterologisches Pele-Mele. VI. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22: 118-119. [[available in Cesa Library](#)]
- 2969. Fruhstorfer, H.**, 1908, Versuch einer monographischen Revision der Indo-Australischen Neptiden. Stettin ent. Ztg. 69: 240-412.
- 2970. Fruhstorfer, H.**, 1908, Neues über die Copulationsorgane der Satyriden. Ent. Z., Stuttgart 22(30): 120-122, 8 figs.
- 2971. Fruhstorfer, H.**, 1908, Neue Argynnis und Melitaea. Int. ent. Z. 1: 550-552.
- 2972. Fruhstorfer, H.**, 1908, Neue Rhopalocerenrassen der Insel Bali. Int. ent. Z. 2: 238. [[available in Cesa Library](#)]
- 2973. Fruhstorfer, H.**, 1908, Ein mimetischer Papilio aus Formosa. Int. ent. Z. 2: 282. [[available in Cesa Library](#)]
- 2974. Fruhstorfer, H.**, 1908, Zwei neue Lokalrassen von Satyrus actaea Esp. Int. ent. Z. 1: 601-603.
- 2975. Fruhstorfer, H.**, 1908, Neue Papilio-Rassen. Ent. Z., Stuttgart 22(18): 72-73.
- 2976. Fruhstorfer, H.**, 1908, Neue Papilio-Rassen aus der Eurypilus-Gruppe. Ent. Z., Stuttgart 22: 222. [[available in Cesa Library](#)]
- 2977. Fruhstorfer, H.**, 1909, Lepidopterologisches Pele-Mele. XII. Neue Rhopaloceren von Formosa und den Nachbarländern. Ent. Z., Stuttgart 22(41): 167. [[available in Cesa Library](#)]
- 2978. Fruhstorfer, H.**, 1909, Lepidopterologisches Pele-Mele. XI. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22(41): 167. [[available in Cesa Library](#)]
- 2979. Fruhstorfer, H.**, 1909, Neue Hesperiden. Ent. Z., Stuttgart 23(39): 171-174. [[available in Cesa Library](#)]
- 2980. Fruhstorfer, H.**, 1909, Lepidopterologisches Pele-Mele. XI. Eine neue Nymphalide von der Insel Nias. Ent. Z., Stuttgart 22(41): 167. [[available in Cesa Library](#)]
- 2981. Fruhstorfer, H.**, 1909, Neue asiatische Papilio-Rassen. Ent. Z., Stuttgart 22: 175. [[available in Cesa Library](#)]
- 2982. Fruhstorfer, H.**, 1909, Drei neue Libythea-Rassen. Ent. Z., Stuttgart 22: 209. [[available in Cesa Library](#)]
- 2983. Fruhstorfer, H.**, 1909, Neue Rassen von Papilio agestor Gray. Ent. Z., Stuttgart 22: 190. [[available in Cesa Library](#)]
- 2984. Fruhstorfer, H.**, 1909, Lepidopterologisches Pele-Mele. XIV. Neue Rhopaloceren von Formosa. Ent. Z., Stuttgart 22: 209. [[available in Cesa Library](#)]
- 2985. Fruhstorfer, H.**, 1910, Neues über Eumenis fagi und alcyone. Ent. Z., Stuttgart 24: 71-73, 75-77, 82-83, 86-88, 22 Abb.
- 2986. Fruhstorfer, H.**, 1910, Neue palaearktische Argynnisrassen. Ent. Z., Stuttgart 24(7): 37.

- 2987. Fruhstorfer, H.**, 1910, Familia Pieridae [in] Seitz, A., Die Gross-Schmett. Erde 9: 119-190, pls.
- 2988. Fruhstorfer, H.**, 1910, Neue Cyaniris-Rassen und Übersicht der bekannten Arten. Stettin ent. Ztg. 71 (1909): 282-305. [\[available in Cesa Library\]](#)
- 2989. Fruhstorfer, H.**, 1911, Neue Papilioniden aus der Sammlung Staudinger des Berliner Zoolog. Museums. Ent. Rdsch. 28(23): 177-178. [\[available in Cesa Library\]](#)
- 2990. Fruhstorfer, H.**, 1911, Neue Papilioniden aus meiner Sammlung. Ent. Rdsch. 28(23): 178-179. [\[available in Cesa Library\]](#)
- 2991. Fruhstorfer, H.**, 1911, Neue Pieriden aus der Sammlung Staudinger des Berliner Zoologischen Museums. Ent. Rdsch. 28(24): 185-187. [\[available in Cesa Library\]](#)
- 2992. Fruhstorfer, H.**, 1911, Neue Pieriden aus der Sammlung Semper des Senckenbergischen Museums in Frankfurt a.M. Ent. Rdsch. 28(24): 187-188. [\[available in Cesa Library\]](#)
- 2993. Fruhstorfer, H.**, 1911, Satyrus geyeri aristochinus. [In] Seitz, A., Die Gross-Schmetterlinge der Erde 9: 307-308.
- 2994. Fruhstorfer, H.**, 1912, Übersicht der Lycaeniden des Indo-Australischen Gebiets. Berl. ent. Z. 56: 197-277. [\[available in Cesa Library\]](#)
- 2995. Fruhstorfer, H.**, 1915-1924, Familia Lycaenidae [i] Seitz, A., Die Gross-Schmett. Erde 9: 803-901, pls.
- 2996. Fruhstorfer, H.**, 1916, Eine neue deutsche Parnassiusrasse. Societas Ent. 31: 49.
- 2997. Fruhstorfer, H.**, 1916, Neue Rhopaloceren aus der Sammlung Leonhard. Arch. Naturg. (A) 82 (2): 1-28, 1 Taf. [\[available in Cesa Library\]](#)
- 2998. Fruhstorfer, H.**, 1918, Revision der Lycaenidengruppe Heliophorus auf Grund der Morphologie der Klammerorgane. Tijdschr. Ent. 61: 45-53, Taf.6. [\[available in Cesa Library\]](#)
- 2999. Fruhstorfer, H.**, 1918, Neue palaearktische Rhopaloceren. Ent. Z., Stuttgart 31 (21): 77-78, 81-82. [\[available in Cesa Library\]](#)
- 3000. Fruhstorfer, H.**, 1920, Altes und Neues über Erebien. Arch. Naturg. (A) 84 (7): 83-108.
- 3001. Fröhlich, F.**, 1828, Enumeratio Tortricum Würtembergiae. Dissert. Inaug. 102pp. Tübingae.
- 3002. Fuchs, F.**, 1908, Sesia spuleri nov.spec. Int. ent. Z. 2(5): 33. [\[available in Cesa Library\]](#)
- 3003. Fuchs, J.**, 1989, Ein Vorkommen von Thersamonia thetis (Klug) in Mittelgriechenland (Lep., Lycaenidae, Lycaeninae). Galathea 5 (1): 11-18. [\[available in Cesa Library\]](#)
- 3004. Fuchs, J.**, 1995, Beobachtungen bei der Zucht von Archon apollinus thracicus (Buresch, 1915) aus Nordostgriechenland (Lepidoptera, Papilionidae). Atalanta 26 (1/2): 145-154, Pl. [\[available in Cesa Library\]](#)
- 3005. Fuchs, J.**, 1996, Zwei Wochen Schmetterlingsbeobachtungen auf Zypern (4-18.6.1995). Galathea 12 (2): 57-62. [\[available in Cesa Library\]](#)
- 3006. Fuessly, J.C.**, 1781-1786, Archiv der Insektengeschichte. Heft 1-8, 50 Tafeln. Zürich u. Winterthur. [\[available in Cesa Library\]](#)
- 3007. Furth, D.G. & J. Halperin**, 1980, Observations on the phenology and biogeography of Thaumetopoea jordana (Staudinger) (Lepidoptera, Thaumetopoeidae). Israel J. Ent. 13: 1-11, figs.
- 3008. Fänger, H. & C.M. Naumann**, 1993, Correlation between the mesodermal male genital system and the structure of the spermatophore of Zygaena trifolii (Esper, 1783) (Insecta, Lepidoptera, Zygaenidae). Acta zool. 74: 239-246.
- 3009. Föhst, P.**, 1991, Ein Beitrag zur Makrolepidopterenfauna des südlichen Teils des Lago d'Iseo in der Lombardei (Prov. Bergamo). Atalanta 22(2/4): 271-351, Abb. [\[available in Cesa Library\]](#)
- 3010. Gabor, P.**, 2008, The checklist of Microlepidoptera occurred in the territory of Hungary, No.2 (Lepidoptera, Microlepidoptera). Acta nat. Pannonica 3, Suppl.2: 1-79. [\[available in Cesa Library\]](#)
- 3011. Gabriel, A.G.**, 1936, New forms of Papilio from the Indo-Australian Region. Entomologist 69: 281-282.
- 3012. Gabriel, A.G.**, 1937, Lepidoptera Butterflies, [in] Buxton, Insects of the Lake Rudolf Rift Valley Expedition, 1934. Ann. Mag. nat. Hist. (10) 20: 584-586. [\[available in Cesa Library\]](#)
- 3013. Gabriel, A.G.**, 1942, A new species of Bhutanitis (Lep., Papilionidae). Entomologist 75: 189.
- 3014. Gabriel, A.G.**, 1943, A revision of the genus Ixias Hübner. Proc. R. ent. Soc. Lond. (B) 12: 55-70.

- 3015. Gabriel,A.G.,** 1949, Notes on the Rhopalocera of Abyssinia. Proc. R. ent. Soc. Lond. (B) 18 (11/12): 207-216, 1 Pl. [\[available in Cesa Library\]](#)
- 3016. Gabriel,A.G.,** 1954, Lepidoptera Rhopalocera. British Museum (Natural History) expedition to south-west Arabia 1937-1938. 1: 351-391, 3 Pls. [\[available in Cesa Library\]](#)
- 3017. Gaede,M.,** 1914, Über die Lepidopteren -Gattung Agape Snellen. Ent. Rdsch. 31: 74. [\[available in Cesa Library\]](#)
- 3018. Gaede,M.,** 1923, Alte und neue Arctiinae des Berliner Zoologischen Museums. Ent. Rdsch. 40: 14-15, 19-20, 27-29.
- 3019. Gaede,M.,** 1926, Familie Arctiidae, Subfamilien Hypsinae, Micrarctiinae, Spilosominae etc. In Seitz,A., Gross-Schmett. Erde 14: 88-122. Tafeln, Stuttgart.
- 3020. Gaede,M.,** 1930, Familie Satyridae. Gattung: Ypthima Hbn., Callerebia Btlr. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 130-132. Stuttgart. [\[available in Cesa Library\]](#)
- 3021. Gaede,M.,** 1930, Familie Satyridae. Gattungen: Melanargia Meigen- Triphysa Z. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 153-179. Stuttgart. [\[available in Cesa Library\]](#)
- 3022. Gaede,M.,** 1930, Familie Erycinidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 237-238. Stuttgart. [\[available in Cesa Library\]](#)
- 3023. Gaede,M.,** 1930, Familie Nymphalidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 196-227. Stuttgart. [\[available in Cesa Library\]](#)
- 3024. Gaede,M.,** 1930, Familie Lycaenidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 239-249. Stuttgart. [\[available in Cesa Library\]](#)
- 3025. Gaede,M.,** 1931, Drepanidae. [in] Strand,E., Lepidopterorum Catalogus Pars 49. 60pp. Dr.W.Junk Berlin. [\[available in Cesa Library\]](#)
- 3026. Gaede,M.,** 1932, Aganaidae. [in] Strand,E., Lepidopterorum Catalogus Pars 52. 39pp. Dr.W.Junk Berlin. [\[available in Cesa Library\]](#)
- 3027. Gaede,M.,** 1932, Familie Lemoniidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 127-128. Stuttgart.
- 3028. Gaede,M.,** 1932, Familie Lymantriidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 95-106. Stuttgart.
- 3029. Gaede,M.,** 1932, Familie Thaumetopoeidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 107-108. Stuttgart.
- 3030. Gaede,M.,** 1932, Familie Lasiocampidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 109-125. Stuttgart.
- 3031. Gaede,M.,** 1933, Familie Hepialidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 247-248. Stuttgart.
- 3032. Gaede,M.,** 1933, Familie Aegeriidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 229-240. Stuttgart.
- 3033. Gaede,M.,** 1933, Familie Drepanidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 167-170. Stuttgart.
- 3034. Gaede,M.,** 1933, Familie Notodontidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 173-186. Stuttgart.
- 3035. Gaede,M.,** 1933, Familie Thyrididae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 227-228. Stuttgart.
- 3036. Gaede,M.,** 1933, Familie Cossidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 241-245. Stuttgart.
- 3037. Gaede,M.,** 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Aegeriidae, Cossidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 287. Stuttgart.
- 3038. Gaede,M.,** 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Lymantriidae, Lemoniidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 282-285. Stuttgart.
- 3039. Gaede,M.,** 1937, Gelechiidae [in] Bryk,F., Lepidopterorum Catalogus. Pars 79, 630pp. [\[available in Cesa Library\]](#)
- 3040. Gaede,M.,** 1938-1939, Oecophoridae [in] Bryk,F., Lepidopterorum Catalogus. Pars 92, 209-476pp. [\[available in Cesa Library\]](#)
- 3041. Gaedike,R. & G.Baldizzone,** 2008, Records of Lepidoptera Tineidae Epermeniidae and Acrolepiidae from Krk Island (Croatia). Ent. Croat. 12 (1): 65-80. [\[available in Cesa Library\]](#)
- 3042. Gaedike,R. & H. Henderickx,** 1999, A new species of Eudarcia subgenus Abchagleris and description of the hitherto unknown female of E. (A.) sutteri (Tineidae). Nota lepid. 22 (1): 2-9, 7 figs. [\[available in Cesa Library\]](#)

- 3043. Gaedike, R. & H. Alipanah**, 2011, The Tineidae in the Lepidoptera collection of the Iranian Research Institute of Plant Protection (IRIPP) (Lepidoptera, Tineidae). Shilap, Revta lepid. 39 (155): 273-284, figs. [[available in Cesa Library](#)]
- 3044. Gaedike, R. & H. Kuroko**, 2000, A new species of the genus *Epermenia* (Lepidoptera, Epermeniidae) from Japan. Tinea 16 (4): 218-221.
- 3045. Gaedike, R. & R. Mally**, 2014, On the taxonomic status of *Ochromolopis ictella* (Hübner, 1813) and *O. zagulajevi* Budashkin & Sachkov, 1991 (Lepidoptera, Epermeniidae). Nota lepid. 37 (1): 49-62, figs. [[available in Cesa Library](#)]
- 3046. Gaedike, R. & Z. Tokar**, 2010, *Pelecystola fraudulentella* (Zeller, 1852) discovered in Slovakia, a third locality record (Tineidae). Nota lepid. 33 (1): 25-29, figs. [[available in Cesa Library](#)]
- 3047. Gaedike, R. Kuroko, H. & K. Funahashi**, 2008, A new species of *Sinicaepermenia* (Lepidoptera, Epermeniidae) from Thailand. Trans. lepid. Soc. Japan 59 (2): 149-153, figs. [[available in Cesa Library](#)]
- 3048. Gaedike, R.**, 1966, Ergebnisse der Albanien - Expedition 1961 des DEI. 53. Beitrag: Lepidoptera: Epermeniidae. Beitr. Ent. Berlin 16 (3/4): 461-466. [[available in Cesa Library](#)]
- 3049. Gaedike, R.**, 1966, Die Genitalien der europäischen Epermeniidae. Beitr. Ent. Berlin 16 (5/6): 633-692, 12 Taf. [[available in Cesa Library](#)]
- 3050. Gaedike, R.**, 1966, Beitrag zur Epermeniidae- Fauna Ungarns (Lep.). Folia Ent. Hung. Budapest 19 (26): 479-490.
- 3051. Gaedike, R.**, 1966, Eine neue Art der Gattung *Epermenia* Hb. aus dem Orient (Lepidoptera, Epermeniidae). Reichenbachia 6(20): 151-154, 5 figs. [[available in Cesa Library](#)]
- 3052. Gaedike, R.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna, Teil 8. Epermeniidae. Z. wien. ent. Ges. 51: 108-109. [[available in Cesa Library](#)]
- 3053. Gaedike, R.**, 1967, Zur systematische Stellung einiger Gattungen der Heliodinidae/Schreckensteiniidae sowie Revision der paläarktischen Arten der Gattung *Pancalia* Curtis, 1830 (Lepidoptera). Beitr. Ent. 17(3/4): 363-374, 23 figs.
- 3054. Gaedike, R.**, 1967, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil V. Epermeniidae. Z. wien. ent. Ges. 52: 85-87. [[available in Cesa Library](#)]
- 3055. Gaedike, R.**, 1968, Amerikanische entomologische Dissertationen, 1962 -1965. Beitr. Ent. Berlin 18 (1/2): 153-174.
- 3056. Gaedike, R.**, 1968, Ergebnisse der zoologischen Forschung Dr. Z. Kaszab in der Mongolei. 150. Beitrag. Lepidoptera: Epermeniidae. Beitr. Ent. Berlin 18 (1/2): 175-176.
- 3057. Gaedike, R.**, 1968, Beiträge zur Insektenfauna der DDR: Lepidoptera- Epermeniidae. Beitr. Ent. Berlin 18 (3/4): 300-310, 13 figs.
- 3058. Gaedike, R.**, 1968, Ergebnisse einer Österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon. Teil V: Epermeniidae. Z. wien. ent. Ges. 52 (1967): 85-88. [[available in Cesa Library](#)]
- 3059. Gaedike, R.**, 1968, Österreichische entomologische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 11, Acrolepiidae. Annln naturh. Mus. Wien 72: 529-533, 9 figs. [[available in Cesa Library](#)]
- 3060. Gaedike, R.**, 1968, Revision der Epermeniidae Australiens und Ozeaniens (Lepidoptera: Epermeniidae). Pacific Insects, Honolulu 10 (3/4): 599-627, 69 figs.
- 3061. Gaedike, R.**, 1968, Beitrag zur Epermeniidae - Fauna der Tschechoslowakei (Lepidoptera: Epermeniidae). Acta faun. ent. Mus. Nat. Pragae 13 (151): 149-153.
- 3062. Gaedike, R.**, 1969, Zum Erforschungsstand der Mikrolepidopteren Mitteleuropas. Abh. Ber. Naturkundemus. G÷rlitz 44 (2): 101-108.
- 3063. Gaedike, R.**, 1969, Beitrag zur Kenntnis der Acrolepiidae - Fauna der Balkanhalbinsel. Beitr. Ent. Berlin 19 (1/2): 141-146.
- 3064. Gaedike, R.**, 1970, Beiträge zur Insektenfauna der DDR: Lepidoptera - Acrolepiidae. Beitr. Ent. Berlin 20 (3/4): 209-222, 32 figs., 20 Farbb.
- 3065. Gaedike, R.**, 1970, Zur Anatomie des männlichen Kopulationsapparates bei *Epermenia illigerella* (Hübner) (Lepidoptera: Epermeniidae). Beitr. Ent. Berlin 20 (5/6): 429-437, 10 figs.
- 3066. Gaedike, R.**, 1970, Revision der paläarktischen Acrolepiidae (Lepidoptera). Ent. Abh. 38: 1-54, 101 figs. [[available in Cesa Library](#)]
- 3067. Gaedike, R.**, 1971, Zur Verbreitung der Epermeniidae und Acrolepiidae auf der Iberischen Halbinsel. Beitr. Ent. Berlin 21 (1/2): 33 - 41.

- 3068. Gaedike, R.**, 1971, Die Epermeniidae und Acrolepiidae des Vorderen und Mittleren Orients. Beitr. Ent. Berlin 21 (1/2): 43-54, 13 figs. [[available in Cesa Library](#)]
- 3069. Gaedike, R.**, 1971, Die Acrolepiidae der China - Ausbeute H. Höne. Beitr. Ent. Berlin 21 (3/6): 273-277, 13 figs.
- 3070. Gaedike, R.**, 1972, Beitrag zur Kenntnis der Epermeniidae- und Acrolepiidae-Fauna der DDR. Dt. ent. Z. (N. F.) 19 (1/3): 31 - 44.
- 3071. Gaedike, R.**, 1972, Zweiter Beitrag zur Kenntnis der Epermeniidae - Fauna Australiens und Ozeaniens. Beitr. Ent. Berlin 22 (3/6): 143 - 147, 9 figs.
- 3072. Gaedike, R.**, 1972, Errata- Nomenklatorische Bemerkungen zu paläarktischen Epermeniidae und Acrolepiidae (Lepidoptera). Dt. ent. Z. (N.F.) 19 (4/5): 301-302. [[available in Cesa Library](#)]
- 3073. Gaedike, R.**, 1973, Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei. 233. Beitrag: Epermeniidae, Acrolepiidae, mit einer Übersicht über die Epermeniidae- und Acrolepiidae - Fauna Ostasiens (Lepidoptera). Reichenbachia 14 (12): 95-100, 6 figs.
- 3074. Gaedike, R.**, 1973, Zum Status der von Rebel, Krone und Gozmany beschriebenen Elachista - Arten (Lepidoptera, Elachistidae). Ann. Hist. Nat. Mus. Nat. Hung. Budapest 65: 239 - 248, 40 figs.
- 3075. Gaedike, R.**, 1974, Revision der paläarktischen Douglassiidae (Lepidoptera). Acta faun. ent. Mus. Nat. Pragae 15 (176): 79-102, 69 figs. [[available in Cesa Library](#)]
- 3076. Gaedike, R.**, 1975, Die Genitalien der Epermeniidae der orientalischen Region (Lepidoptera). Beitr. Ent. Berlin 25 (1): 33 - 38, 16 figs.
- 3077. Gaedike, R.**, 1975, Zur Kenntnis der Mikrolepidopterenfauna der Vorderen und Mittleren Orient (Epermeniidae, Acrolepiidae, Douglassiidae). Beitr. Ent. Berlin 25 (2): 213 - 219, 5 figs. [[available in Cesa Library](#)]
- 3078. Gaedike, R.**, 1986, Die Typen der orientalischen, australischen und äthiopischen Acrolepiidae (Lepidoptera) Beitr. Ent. 36: 63-68. [[available in Cesa Library](#)]
- 3079. Gaedike, R.**, 1987, Beitrag zur Kenntnis der palaearktischen Douglassiidae (Lepidoptera). Tinagma klimeschi sp.nov. aus Rhodos. Nota lepid. 10 (2): 158-162, 16 figs.
- 3080. Gaedike, R.**, 1989, Was ist Tinea opimella Denis & Schiffermüller, 1775 ? (Lepidoptera). Nota lepid. 12 (3): 172-174. [[available in Cesa Library](#)]
- 3081. Gaedike, R.**, 1994, Zur Kenntnis der ostpaläarktischen Acrolepiidae (Lepidoptera). Beitr. Ent. 44 (2): 319-328, 11 figs. [[available in Cesa Library](#)]
- 3082. Gaedike, R.**, 1997, 3. Nachtrag zur Revision der Gattung Infurcitinea Spuler, 1910 (Lepidoptera, Tineidae). Beitr. Ent. 47 (1): 35-53, 13 figs. [[available in Cesa Library](#)]
- 3083. Gaedike, R.**, 2000, Axel Scholz (11.6.1957-30.6.1998) Nota lepid. 23 (1): 78-80, figs., [[available in Cesa Library](#)]
- 3084. Gaedike, R.**, 2004, New genera and species of Epermeniid moths from the Afrotropical Region (Lepidoptera, Epermeniidae). Ann. Transv. Mus. 41: 41-59, figs. [[available in Cesa Library](#)]
- 3085. Gaedike, R.**, 2007, New and poorly known Lepidoptera from the West Palaearctic (Tineidae, Acrolepiidae, Douglassiidae, Epermeniidae). Nota lepid. 29 (3/4): 159-176, figs. [[available in Cesa Library](#)]
- 3086. Gaedike, R.**, 2010, New and poorly known Palaearctic Microlepidoptera (Tineidae, Acrolepiidae, Douglassiidae, Epermeniidae). Nota lepid. 33 (1): 9-24, figs. [[available in Cesa Library](#)]
- 3087. Gaedike, R.**, 2011, Contributions to the knowledge of Palaearctic Tineidae. Nota lepid. 34 (2): 137-144, figs. [[available in Cesa Library](#)]
- 3088. Gaedike, R.**, 2011, New and poorly known Tineidae from the Western Palaearctic (Lepidoptera). Beitr. Ent. 61 (2): 357-370, figs. [[available in Cesa Library](#)]
- 3089. Gaedike, R.**, 2012, Beitrag zur Kenntnis der Tineiden von Nepal und benachbarter Gebiete (Lepidoptera, Tineidae). Beitr. Ent. 62 (1): 165-206, figs. [[available in Cesa Library](#)]
- 3090. Gaedike, R.**, 2013, New or poorly known Epermeniidae of the Afrotropis (Lepidoptera, Epermenioidea). Beitr. Ent. 63 (1): 149-168, figs. [[available in Cesa Library](#)]
- 3091. Gaedike, R.**, 2015, Tineidae I, [in] Nuss, M. et al. (ed.), Microlepidoptera of Europe. xxviii+308 pp. Brill, Leiden & Boston. [[available in Cesa Library](#)]
- 3092. Gaedike, R., Hattenschwiler, P., Karsholt, O., Triberti, P. & S. Zangheri**, 1995, Lepidoptera Tineoidea I. Checklist delle specie della fauna Italiana, fasc. 81: 1-21.
- 3093. Gallo, E.**, 1989, On the presence of *Pyrgus alveus* (Hübner, 1803) in the Peloponnesus (Lepidoptera, Hesperiidae). Nota lepid. 12: 164-165.

- 3094. Gallo, E.**, 1998, Some new records of *Pyrgus alveus* (Hübner, [1803]) in China (Lepidoptera, Hesperidae). *Neue ent. Nachr.* 41: 283-287, figs. [\[available in Cesa Library\]](#)
- 3095. Ganev, J. & D. Kiriakov**, 1986, *Cymbalophora rivularis* (Ménétriér, 1832) eine neue Art für die bulgarische Fauna (Lepidoptera, Arctiidae). *Articulata* 2 (8): 257-259.
- 3096. Ganev, J. & H. Hacker**, 1984, *Agrochola osthelderi* Boursin, 1951 eine neue Art für Europa (Lepidoptera, Noctuidae, Cuculliinae). *Articulata* 2(5): 104-105, fig. [\[available in Cesa Library\]](#)
- 3097. Ganev, J. & H. Hacker**, 1984, Beitrag zur Kenntnis der Microlepidopteren der Türkei. Die Crambidae (Lepidoptera, Pyraloidea) der Ausbeute H. Hacker aus dem Jahr 1983 nebst Beschreibung neuer Taxa. *Nota lepid.* 7 (3): 237-250; 7 (4): 308, 8 Abb. [\[available in Cesa Library\]](#)
- 3098. Ganev, J. & H. Hacker**, 1985, Weiterer Beitrag zur Kenntnis der Crambidae Griechenlands und der Türkei. *Nota lepid.* 8(4): 329-330. [\[available in Cesa Library\]](#)
- 3099. Ganev, J. & H. Hacker**, 1986, Beitrag zur Kenntnis der Crambidae (Lepidoptera, Pyraloidea) von Griechenland und der Türkei mit Beschreibung einer neuen Art *Euchromius siuxellus* n.sp. *Z. ArbGem. öst. Ent.* 37(3/4): 81-83. [\[available in Cesa Library\]](#)
- 3100. Ganev, J. & S. Beschkov**, 1987, Records of Macrolepidoptera from Bulgaria (Lepidoptera). *Phegea* 15(2): 113-117. [\[available in Cesa Library\]](#)
- 3101. Ganev, J.**, 1982, *Trichiura verenae witti* ssp.n. (Lepidoptera, Lasiocampidae). *Entomofauna* 3 (5): 57-61, 4 figs. [\[available in Cesa Library\]](#)
- 3102. Ganev, J.**, 1982, Records of new and local species of Heterocera from Bulgaria. *Nota lepid.* 5 (4): 157-168. [\[available in Cesa Library\]](#)
- 3103. Ganev, J.**, 1983, Some butterfly records from Bulgaria. *Nota lepid.* 6 (1): 57-60.
- 3104. Ganev, J.**, 1984, Eine neue Unterart *Archiearis puella mediterranea* n.ssp. aus Bulgarien (Lepidoptera, Geometridae). *Z. ArbGem. öst. Ent.* 36(1/2): 15-16, figs. [\[available in Cesa Library\]](#)
- 3105. Ganev, J.**, 1984, Die von Josef de Freina gesammelten Microlepidoptera aus der Türkei, Afghanistan und Pakistan. Eine faunistische und taxonomische Studie (Lepidoptera, Ethmiidae und Crambidae). *Articulata* 2 (4): 80-84.
- 3106. Ganev, J.**, 1985, Zweiter Beitrag zur Noctuiden-Fauna auf der Balkan-Halbinsel. *Noctua haywardi balcanica* Slivov, 1985 syn.n. (Lepidoptera, Noctuidae). *Articulata* 2(7): 181-182, Abb. [\[available in Cesa Library\]](#)
- 3107. Ganev, J.**, 1985, Red List of Bulgarian Butterflies and Larger Moths. *Entomologist's Gaz.* 36(2): 115-118.
- 3108. Ganev, J.**, 1985, *Agriphila beieri josifovi* n.ssp. aus der Türkei (Lepidoptera, Crambidae). *NachrBl. bayer. Ent.* 34(4): 139-141, figs. [\[available in Cesa Library\]](#)
- 3109. Ganev, J.**, 1985, A list of the Odontiinae (Lepidoptera, Pyraloidea) from Bulgaria. *Nota lepid.* 8(3): 279-282, map. [\[available in Cesa Library\]](#)
- 3110. Ganev, J.**, 1985, Ein Beitrag zur Noctuidenfauna auf der Balkanhalbinsel. *Chersotis cuprea jordanovi* Tuleschkow syn.n. und *Conistra ragusae* Failla Tedaldi eine neue Art für die bulgarische Fauna. *Nota lepid.* 8(2): 129-130.
- 3111. Ganev, J.**, 1987, Beschreibung des Männchens von *Catoptria fenestrella* (Caradja, 1928) (Lepidoptera, Pyraloidea, Crambidae). *Articulata* 2 (10): 363.
- 3112. Ganev, J.**, 1987, Zur Systematik der Crambidae der Balkan Halbinsel -V (Lepidoptera, Pyraloidea). *Articulata* 2 (10): 364-366.
- 3113. Ganev, J.**, 1987, On Crambidae in the collection of the Copenhagen Museum (Lepidoptera, Pyraloidea). *Entomofauna* 8 (4): 41-52, figs. [\[available in Cesa Library\]](#)
- 3114. Ganev, J.**, 1988, Katalog der Unterfamilien Pyraustinae, Eulocastinae, Acentropinae und Nachtrag zur Untersuchung der Pyraloidea in Bulgarien (Lepidoptera). *Staphia* 16: 85-113.
- 3115. Gardiner, A.**, 1883, On Lepidoptera from Manchuria and the Corea. *Ann. Mag. nat. Hist.* (5) 11: 109-117, 278-279. [\[available in Cesa Library\]](#)
- 3116. Gardner, J.C.M.**, 1938, Immature stages of Indian Lepidoptera (I). *Lymantriidae*. *Indian Forest Rec. (N.S.)* 3: 187-212.
- 3117. Garrevoet, T. & W. Garrevoet**, 2002, *Synanthedon rubiana*, a new species to the European fauna (Lepidoptera, Sesiidae). *Phegea* 30 (3): 103. [\[available in Cesa Library\]](#)
- 3118. Garrevoet, T., Bartsch, D. & A. Lingenhöle**, 2013, On the knowledge of *Bembecia rushana* Gorbunov, 1992 and some related species (Lepidoptera, Sesiidae). *Nota lepid.* 36 (2): 95-108, figs. [\[available in Cesa Library\]](#)
- 3119. Garrevoet, T., Garrevoet, J. & W. Garrevoet**, 2015, On the knowledge of *Bembecia hofmanni* with description of the female (Lepidoptera, Sesiidae). *Phegea* 43 (2): 26-30, figs. [\[available in Cesa Library\]](#)

- 3120. Garrevoet,T., Garrevoet,W. & H.Özbek**, 2005, A contribution to the knowledge of the Sesiidae of Turkey (Lepidoptera). Turk J. Zool. 29: 27-38. [[available in Cesa Library](#)]
- 3121. Gassmann,D., Hille,A. & C.M.Naumann**, 1994, Morphometrische Variation in der Kontaktzone zweier Semispezies des Zygaena-transalpina-Komplexes (Lepidoptera. Zygaenidae). Verh. dt. zool. Ges. 87 (Kurzpublik.): 223.
- 3122. Gauckler,H.**, 1896, Verzeichniss der Gross-Schmetterlinge der Umgegend von Karlsruhe, mit Baden, Bruchsal, Durlach und Ettlingen nebst Angabe über deren Erscheinungszeit und Fundorte. Karlsruhe.
- 3123. Gauckler,H.**, 1906, Beiträge zur Lepidopterenfauna Palästinas. Dt. ent. Z., Iris 19: 1-5. [[available in Cesa Library](#)]
- 3124. Gauthier,A.**, 1984, Neue Unterarten und neue Namen in den Gattungen Papilio, Graphium und Parnassius (Lep., Papilionidae). Ent. Z., Frankf. a.M. 94(21): 314-320, 6 Abb. [[available in Cesa Library](#)]
- 3125. Geest,W.**, 1902, Eine Aberration von Rhodocera rhamnii und Entwicklung der Pieriden-Färbung. Allg. Z. Ent. 7: 529-534, Abb. [[available in Cesa Library](#)]
- 3126. Gehlen,B.**, 1932, Familie Sphingidae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 137-166. Stuttgart.
- 3127. Geiger,H., Descimon,H. & A.Scholl**, 1988, Evidence for speciation within nominal Pontia daplidice (Linnaeus,1758) in southern Europe (Lepidoptera, Pieridae). Nota lepid. 11 (1): 7-20, 5 figs. 2 Tab. [[available in Cesa Library](#)]
- 3128. Geiger,H.-J. & A.Scholl**, 1982, Pontia daplidice (Lepidoptera, Pieridae)in Südeuropa-eine Gruppe von zwei Arten. Mitt. schweiz. ent. Ges. 55: 107-114.
- 3129. Gelbrecht,J. & A.Hausmann**, 1997, Scopula immistaria beshkovi ssp.n. - neu für Bulgarien und den Balkan (Lepidoptera, Geometridae). Linzer biol. Beitr. 29 (2): 983-990, figs. [[available in Cesa Library](#)]
- 3130. Gelbrecht,J., Malkiewicz,A. & R.Stelmaszczyk**, 2004, Lomaspilis bithynica Wehrli,1954 stat.rev., a distinct species new for Europe (Geometridae). Nota lepid. 27 (2/3): 179-186, figs. [[available in Cesa Library](#)]
- 3131. Genre,C.**, 1984, Rhopaloceres de la République de Djibouti [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 70-80. [[available in Cesa Library](#)]
- 3132. Gençer,L. & S.Seven**, 2005, Chalcidoid parasitoids of Micrurapteryx sophorivora (Lepidoptera, Gracillariidae) in Kuluncak, Turkey Phytprotection 86 (2): 133-134. [[available in Cesa Library](#)]
- 3133. Geoffroy,E.L.**, 1785, Lepidoptera. [In] Fourcroy,A.F., Entomologia parisiensis, sive catalogus Insectorum, quae in agro parisiensi reperiuntur; secundum methodum Geoffraeanam in sectiones, genera et species distributus; cui addita sunt nomina trivialia et fere trecentae novae species. I: 1-231; 2: 233-544. Paris.
- 3134. Georghiou,G.P.**, 1977, The insects and mites of Cyprus. 347 pp. Athens.
- 3135. Gerasimov,A.M.**, 1931, Zur Lepidopterenfauna von Mittelasien III. Neue Lithocolletis. Ent. Z., Frankf. a. M. 45: 125-132, 5 figs.
- 3136. Gerasimov,A.M.**, 1935, Zur Frage der Homodynamie der Borsten von Schmetterlingsraupen. Zool. Anz. 112: 177-194, 8 figs.
- 3137. Gerasimov,A.M.**, 1937, Hepialidenraupen (Lepid.) Ent. Z., Frankf. a. M. 51(9): 81-84. [[available in Cesa Library](#)]
- 3138. Gerhard,B.**, 1882, Lepidopterologisches. Berl. ent. Z. 26 (1): 125-128. [[available in Cesa Library](#)]
- 3139. Gerhard,B.**, 1883, Ueber die geographische Verbreitung der Macro-Lepidopteren auf der Erde. Berl. ent. Z. 27(2): 173-185. [[available in Cesa Library](#)]
- 3140. Gerhard,B.**, [1850]-[1853], Versuch einer Monographie der europäischen Schmetterlingsarten: Thecla, Polyommattus [sic!], Lycaena, Nemeobius. 21pp., 39 Taf. Hamburg. [[available in Cesa Library](#)]
- 3141. Gershenson,Z.S. & S.A.Ulenberg**, 1998, The Yponomeutinae (Lepidoptera) of the World exclusive of the Americas. Kon. Ned. Akad. Wet. Verh. Afd. Naturk. 1998: 1-202.
- 3142. Gershenson,Z.S.**, 1972, New species of Ermine Moths of the genus Yponomeuta Latr. (Lepidoptera, Yponomeutidae) from Middle Asia. Revue Ent. USSR 51 (3): 633-636, figs.

- 3143. Gershenson,Z.S., Pavlicek,T. Chikatunov,V.I. & E.Nevo,** 2002, New records of Yponomeutid moths (Lepidoptera, Yponomeutidae, Plutellidae) from Israel. Vestnik Zool. 36 (5): 77-80. [[available in Cesa Library](#)]
- 3144. Gerstaecker,A.,** 1871, Beitrag zur Insektenfauna von Zanzibar. Archiv f. Naturg. 1871(1): 345-363.
- 3145. Gerstberger,M.,** 1981, Glyptoteles leucacrinella Z. und Euzophera bigella Z. Zwei verwechselte Arten (Pyralidae, Phycitinae). Nota lepid. 4(4): 151-154, figs. [[available in Cesa Library](#)]
- 3146. Gerwien,E.,** 1911, Deskriptives und biologisches über Taeniocampa rorida H.-S. (Friv?). Berl. ent. Z. 55 (1910): 174-178, Taf.iii figs.1-6. [[available in Cesa Library](#)]
- 3147. Gess,F.W.,** 1967, Poliana natalensis (Butl.) and P. ohefferani sp.n., two hitherto confused hawkmoths (Lepidoptera, Sphingidae) from South Africa. Novos Taxa Ent. 54: 1-10, figs. [[available in Cesa Library](#)]
- 3148. Geyer,C. [in] Hübner,J.,** [1819]-[1832], Sammlung exotischer Schmetterlinge 2: [5] pp., [225] Pls. Augsburg.
- 3149. Geyer,C. [in] Hübner,J.,** [1827]-[1838], Sammlung exotischer Schmetterlinge 3: [53] Pls. Augsburg.
- 3150. Geyer,C.,** [1832], Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. Viertes Hundert: 1-48, figs. 401-600. Augsburg.
- 3151. Geyer,C., [in] Hübner,J.,** 1831, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 3: 1-48, figs.401-600. Augsburg.
- 3152. Geyer,C., [in] Hübner,J.,** 1832, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 4: 1-48, figs.601-800. Augsburg.
- 3153. Geyer,C., [in] Hübner,J.,** 1837, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 1: 1-52, figs.801-1000. Augsburg.
- 3154. Gibeaux,C.,** 1983, Dichrorampha letarfensis sp.nov. (Lep., Tortricidae). Alexanor 13: 74-75. [[available in Cesa Library](#)]
- 3155. Gibeaux,C.,** 1985, Scythris elegantella (Lucas,1955), comb.nov.,= Scythris limbelloides Jäckh,1977, syn.nov. (Lep., Scythrididae). Alexanor 14 (1): 22-23, 6 figs. [[available in Cesa Library](#)]
- 3156. Gibeaux,C.,** 1987, Etude des Pterophoridae paléarctiques (6.note) Stenoptilia arida (Zeller,1847), stat.rev., bona species et sa synonymie; Stenoptilia scabiodactyla (Gregson,1869), stat.rev., bona sp. en France (Lepidoptera, Pterophoridae). Alexanor 15 (1) Suppl.: [38]-[44], figs. [[available in Cesa Library](#)]
- 3157. Gibeaux,C.,** 1997, Etude des Pterophoridae (40e note) Eléments pour une faune des Pterophoridae d'Asie centrale (Lepidoptera, Pterophoridae). Alexanor 19(7): 415-448, 78 figs. [[available in Cesa Library](#)]
- 3158. Gielis,C.,** 1988, Synonyms in the European genus complex Stenoptilia-Platyptilia and reestablishment of Stenoptilia arvenicus (de Peyerimhoff,1875) (Lepidoptera, Pterophoridae). Phegea 16(2): 51-58, 7 figs. [[available in Cesa Library](#)]
- 3159. Gielis,C.,** 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs. [[available in Cesa Library](#)]
- 3160. Gielis,C.,** 1996, Pterophoridae, [in] Huemer,P., Karsholt,O. & L.Lyneborg (eds.), Microlepidoptera of Europe 1: 1-222, 16 pls. 288 figs. Apollo Books, Stenstrup. [[available in Cesa Library](#)]
- 3161. Gielis,C.,** 2003, Pterophoroidea and Alucitoidea (Lepidoptera). World Catalogue of Insects 4, 198pp. Apollo Books, Stenstrup.
- 3162. Gielis,C.,** 2008, Order Lepidoptera, family Ethmiidae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 407-410, figs. [[available in Cesa Library](#)]
- 3163. Gielis,C.,** 2008, Order Lepidoptera, family Batrachedridae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 428-429, figs. [[available in Cesa Library](#)]
- 3164. Gielis,C.,** 2008, Order Lepidoptera, family Autostichidae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 442-443, figs. [[available in Cesa Library](#)]
- 3165. Gilbert,P. & C.J.Hamilton,** 1990, Entomology: a guide to information sources. 8 ♀ 259pp., 2nd. edn., London.

- 3166. Gilbert, P.**, 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London. [\[available in Cesa Library\]](#)
- 3167. Giligan, T.M. & D.J. Wright**, 2013, Revised world catalogue of Eucopina, Eucosma, Pelochrista, and Phaneta (Lepidoptera, Tortricidae, Eucosmini). Zootaxa 3746 (2): 301-337. [\[available in Cesa Library\]](#)
- 3168. Gillmer, M.**, 1902, Fünf Zwitter. Allg. Z. Ent. 7: 208-212, 10 figs. [\[available in Cesa Library\]](#)
- 3169. Gillmer, M.**, 1904, *Lycaena icarus* Rott., ab. *persica* Bien. Ent. Z., Stuttgart 17(20): 76. [\[available in Cesa Library\]](#)
- 3170. Gillmer, M.**, 1904, Nochmals *Lycaena icarus*, Rott., var. *persica*, Bien. Ent. Z., Stuttgart 17 (22): 84-85. [\[available in Cesa Library\]](#)
- 3171. Girgin, S.**, 1990, Bazı Satyrinae türlerinin erginlerinde ikinci abdomen sternit yapısı üzerine araştırmalar (Satyridae, Lepidoptera). Doğa J. Zool. 14: 127-138, 14 figs. [\[available in Cesa Library\]](#)
- 3172. Gistel, J.**, 1857, Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Vacuna 2 (2): 513-606.
- 3173. Glaser, W.**, 1981, Beitrag zur Kenntnis der Coleophoridae xii (Lepidoptera, Coleophoridae). Z. ArbGem. öst. Ent. 32(3/4): 133-135, 6 Abb. [\[available in Cesa Library\]](#)
- 3174. Glassl, H.**, 1993, *Parnassius apollo*. Seine Unterarten. 214pp. pls. maps. H.Glassl Verlag. Möhrendorf.
- 3175. Gleichauf, R.**, 1993, Die Schmetterlingsfauna von Celle und seiner Umgebung I. Einleitung, Tagfalter. Nachr. ent. Ver. Apollo N.F. 14(3): 249-260, Abb. [\[available in Cesa Library\]](#)
- 3176. Goater, B.**, 2003, *Evergestis pechi* (Bethune-Baker, 1885) in southern Spain. A new species for Spain and Europe (Lepidoptera, Pyralidae, Evergestinae). Shilap Revta. lepid. 31 (123): 225-228, fig. [\[available in Cesa Library\]](#)
- 3177. Godart, J.B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp.329-828 [1824]. Paris.
- 3178. Godfrey, E.J.**, 1916, The butterflies of Siam. J. Nat. Hist. Soc. Siam 2: 106-147. [\[available in Cesa Library\]](#)
- 3179. Godfrey, E.J.**, 1919, On Butterflies collected by Malcolm A. Smith and C. Boden Kloss in Southern Annam. J. Nat. Hist. Soc. Siam. 3 (4): 463-470.
- 3180. Godfrey, E.J.**, 1927, A list of butterflies collected in Northern Siam by Mr. M.B. Tennent. J. Nat. Hist. Soc. Siam. 7 (2): 119-127. [\[available in Cesa Library\]](#)
- 3181. Godfrey, E.J.**, 1930, A revised list of the butterflies of Siam, with notes on their geographical distribution. J. Siam Soc. Nat. Hist. Suppl. 7 (4): 203-397. [\[available in Cesa Library\]](#)
- 3182. Godfrey, E.J.**, 1931, On a collection of Butterflies from Kaw Tao. J. Nat. Hist. Soc. Siam 8 (3): 191-196. [\[available in Cesa Library\]](#)
- 3183. Godfrey, E.J.**, 1932, A list of butterflies collected by Dr. A. F. G. Kerr in Peninsular Siam. J. Nat. Hist. Soc. Siam. 8 (4): 263-277. [\[available in Cesa Library\]](#)
- 3184. Godfrey, E.J.**, 1932, A Supplementary List of the Butterflies of Siam. J. Nat. Hist. Soc. Siam 8 (4): 321-331. [\[available in Cesa Library\]](#)
- 3185. Godman, F.D. & O. Salvin**, 1888, New species of butterflies collected by Mr. C.M. Woodford in the Solomon Islands. Ann. Mag. nat. Hist. (6) 1: 90-101. [\[available in Cesa Library\]](#)
- 3186. Godman, F.D. & O. Salvin**, 1880, A list of diurnal Lepidoptera collected in the Sierra Nevada of Santa Marta Colombia and the vicinity. Trans. ent. Soc. London 1880: 119-132.
- 3187. Goeze, J.A.E.**, 1777-1783, Entomologische Beyträge zu des Ritter Linné zwölften Ausgabe des Natursystems. Bd. 1 [1777], xvi + 736 pp.; Bd. 2 [1778], lxxii + 352 pp., Bd. 3 (1) [1779], xi + 390pp.; Bd. 3 (2) [1780], xxiv + 350 pp.; Bd. 3 (3) [1781] xlviii + 439pp.; Bd. 4 [1783], xx + 178pp. Leipzig. [\[available in Cesa Library\]](#)
- 3188. Goeze, J.A.E.**, 1781, Entomologische Beytraege zu des Ritter Linné zwölften Ausgabe des Natursystems 3: 1-439. [\[available in Cesa Library\]](#)
- 3189. Goldbach, G.**, 1993, Schmetterlingsarten aus dem Gebiet von Moatize/Moçambique (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 14(1): 71-80, 5 Abb. [\[available in Cesa Library\]](#)
- 3190. Goltz, H.F.v.d.**, 1930, Familie Satyridae. Gattung: *Erebia* Dalm. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 132-152. Stuttgart. [\[available in Cesa Library\]](#)
- 3191. Goltz, H.F.v.d.**, 1934, Über *Erebia sedakovii* Ev. und *alcmena* Gr-Grsh. Dt. ent. Z., Iris 48: 54-59.
- 3192. Goltz, H.F.v.d.**, 1934, Noch einmal *Erebia sedakovii* Ev. Dt. ent. Z., Iris 49: 138.

- 3193. Goltz, H.F.v.d.**, 1937, Erebien aus dem Hindukusch. Ent. Rdsch. 54: 357-364. [[available in Cesa Library](#)]
- 3194. Goltz, H.F.v.d.**, 1938, Eine neue Erebienart aus West China. Dt. ent. Z., Iris 52: 43-47. [[available in Cesa Library](#)]
- 3195. Goltz, H.F.v.d.**, 1938-1939, Die Callerebien der Ausbeute Höne. Ent. Rdsch. 55 (1938): 666-671, 56 (1939): 41-45, 102-107, 124-126, 163-166, 8 Abb. [[available in Cesa Library](#)]
- 3196. Goltz, H.F.v.d.**, 1939, Ergänzungen und Berichtigungen zu "Die Callerebien der Ausbeute Höne". Ent. Rdsch. 56: 174. [[available in Cesa Library](#)]
- 3197. Gomboc, S.**, 1993, Mellicta britomartis Assmann 1847 (Nymphalidae) najdena tudi v Prekmurju. [Eine neue Lokalität von Mellicta britomartis Assmann 1847 (Nymphalidae) im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 37-40.
- 3198. Gomboc, S.**, 1993, Apamea sicula syriaca (Osthelder, 1993) (Lep., Noctuidae), nova vrsta za slovensko favno metuljev, najdena v Prekmurju. [Apamea sicula syriaca (Osthelder, 1993) (Lep., Noctuidae) neu für Slowenien, im Prekmurje/Murgebiet]. Acta ent. Slovenica 1: 41-42.
- 3199. Gomboc, S.**, 1996, Vier weitere Neufunde für die Grossschmetterlingsfauna Sloweniens. Acta ent. Slovenica 4(2): 101-105.
- 3200. Gomez-Bustillo, M.R.**, 1978, Los planes sistematicos mas destacados en los ultimos treinta anos. Shilap 6(23): [246]-261, 1 dépl.
- 3201. Gonseth, Y.**, 1987, Atlas de distribution des Papillons Diurnes de Suisse (Lepid. Rhopalocera). 242pp. maps.
- 3202. Gonzales-Estébanez, F.J. & D.C. Mancenido-Gonzalez**, 2013, Udea lutealis (Hübner, [1809]) nueva especie para la fauna de Espana (Lepidoptera, Crambidae, Spilomeninae). Shilap Revta lepid. 41 (164): 427-430, figs. [[available in Cesa Library](#)]
- 3203. Gooch, W.D.**, 1880-1881, Notes on the Lepidoptera of Natal. Entomologist 13: 226-231, 273-276; 14: 1-7, 35-40.
- 3204. Goodger, D.T. & A. Watson**, 1995, The Afrotropical Tiger-Moths. An illustrated catalogue, with generic diagnoses and species distribution, of the Afrotropical Arctiinae (Lepidoptera, Arctiidae). 65pp. 198 figs. Apollo Books, Stenstrup. [[available in Cesa Library](#)]
- 3205. Gorbunov, O. & K. Spatenka**, 1992, A new species of the genus Chamaesphecia Spuler, 1910 from the Transcaucasus and Northern Iran (Lepidoptera, Sesiidae). Atalanta 23(1/2): 255-258, 5 figs. [[available in Cesa Library](#)]
- 3206. Gorbunov, O.**, 1990, A new species of the genus Bembecia Hübner, 1819 from the Caucasus, USSR (Lep., Sesiidae). Atalanta 20 (1989): 119-123, figs. 6, 7. [[available in Cesa Library](#)]
- 3207. Gorbunov, O.**, 1992, Two new species of the genus Bembecia Hübner, 1819 from Middle Asia (Lepidoptera, Sesiidae). Atalanta 23(1/2): 249-253, 5 figs. [[available in Cesa Library](#)]
- 3208. Gorbunov, O.G. & Y. Arita**, 1995, New taxa of the tribe Melittiini (Lepidoptera, Sesiidae) from the Oriental Region. Tinea 14 (3): 149-156, figs.
- 3209. Gorbunov, O.G. & Y. Arita**, 1999, New taxa of the clearwing moths (Lepidoptera, Sesiidae) from Nepal. Tinea 16 (2): 106-143.
- 3210. Gorbunov, O.G. & Y. Arita**, 2000, Ravitria nom. nov. for Vittraria Gorbunov & Arita, 1999 (Lepidoptera, Sesiidae). Tinea 16 (4): 231.
- 3211. Gorbunov, O.G.**, 1991, Six new species of the clearwing moths from the Caucasus, USSR. Atalanta 22 (2/4): 125-143, pl. xxii. [[available in Cesa Library](#)]
- 3212. Gorbunov, O.G.**, 1991, Review of the genus Dipchasphecia Capuse, 1973 (Lep., Sesiidae). Atalanta 22 (2/4): 145-167, pl. xxiii. [[available in Cesa Library](#)]
- 3213. Gorbunov, O.G.**, 2014, Crinipus leucozonipus Hampson, 1896 - a new genus and species for the palaearctic fauna (Lepidoptera, Sesiidae). Cesa News 101: 1-6, 5 figs. [[available in Cesa Library](#)]
- 3214. Gornik, F.**, 1935, Beobachtungen über das Entstehen von Zwergformen bei Pieris bryoniae O. und über deren Ein- und Mehrbrütigkeit. Z. öst. EntVer. 20: 75-??? [[available in Cesa Library](#)]
- 3215. Gotthardt, I.**, 1936, Tabelle zum Bestimmen mitteleuropäischer Arten der Gattung Hesperia an Hand der Form des männlichen Kopulationsapparates. Ent. Rdsch. 53: 183. [[available in Cesa Library](#)]
- 3216. Gough, W.G.H.**, 1935, Some butterflies of Nepal. J. Bombay nat. Hist. Soc. 38: 258-265.
- 3217. Gozmany, L. & W. Mey**, 2005, Eine neue Art der Familie Lecithoceridae aus der Türkei (Lep., Gelechioidea). Ent. Nachr. Ber. 49 (2): 127-128, fig.
- 3218. Gozmany, L.A. & L. Vari**, 1973, The Tineidae of the Ethiopian Region. Transvaal Mus. Mem. 18: 1-238, figs. Pretoria. [[available in Cesa Library](#)]

- 3219. Gozmany, L.A.**, 1959, Tineid moths from Afghanistan (Lep., Tineidae). Acta zool. Acad. Sci. Hung. 5: 341-352.
- 3220. Gozmany, L.A.**, 1960, New and rare Tineids from the Palaearctic Region and one from Ethiopia (Lepidoptera). Acta zool. hung. 6(1/2): 103-115, 6 figs. [[available in Cesa Library](#)]
- 3221. Gozmany, L.A.**, 1960, New and rare Tineids from the Palearctic Region and one from Ethiopia (Lepidoptera). Acta zool. Acad. Sci. Hung. 6(1/2): 103-115, 6 figs.
- 3222. Gozmany, L.A.**, 1960, Records on Microlepidoptera. Ann. hist.-nat. Mus. natn. hung. 52: 423-428, 2 figs.
- 3223. Gozmany, L.A.**, 1962, New and interesting Symmocoid species in the Zoological Collection of the Bavarian State, Munich, Germany (Lep., Gelechiidae). Opusc. zool. 64: 1-6, 5 figs. [[available in Cesa Library](#)]
- 3224. Gozmany, L.A.**, 1965, Some collections of Tineid Moths from Africa (Microlepidoptera). Acta zool. hung. 11: 253-294, figs.
- 3225. Gozmany, L.A.**, 1965, On the genus *Apiletria* Lederer, 1855 (Lepidoptera, Symmocidae). Acta zool. Acad. Sci. Hung. 11 (1/2): 101-120, 16 figs. [[available in Cesa Library](#)]
- 3226. Gozmany, L.A.**, 1967, *Perissomastix varii* spec. nov. (Lepidoptera, Tineidae). Novos Taxa Ent. 53: 1-3, 2 figs. [[available in Cesa Library](#)]
- 3227. Gozmany, L.A.**, 1968, Some Tineid Moths of the Ethiopian Region in the collections of the British Museum (Nat. Hist) II. Acta zool. Acad. Sci. Hung. 14: 301-334, figs. [[available in Cesa Library](#)]
- 3228. Gozmany, L.A.**, 1968, Die von E. Arenberger in Kleinasien gesammelten Symmociden (Lepidoptera). Z. wien. ent. Ges. 53: 20-28, 6 figs. [[available in Cesa Library](#)]
- 3229. Gozmany, L.A.**, 1977, Tineidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 19. [[available in Cesa Library](#)]
- 3230. Gozmany, L.A.**, 1978, Natur- und Artenschutz, besonders bei Schmetterlingen, in Ungarn. Nota lepid. 1(3): 135-136. [[available in Cesa Library](#)]
- 3231. Gozmany, L.A.**, 1978, Pyralid, Pyraustid, and Gallerid species (Lepidoptera) from Tunisia. Folia ent. hung. 31 (2): 171-173. [[available in Cesa Library](#)]
- 3232. Gozmany, L.A.**, 1978, Noctuid moths from Tunisia (Lepidoptera, Noctuidae). Faun. Abh. st. Mus. Tierk. Dresden 7 (4): 25-28. [[available in Cesa Library](#)]
- 3233. Gozmany, L.A.**, 1978, Symmocid, Holcopogonid, Pterolonchid, Ethmiid and Plutellid species from Tunisia (Lepidoptera). Faun. Abh. st. Mus. Tierk. Dresden 7 (7): 61-63. [[available in Cesa Library](#)]
- 3234. Gozmany, L.A.**, 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Symmocidae. Fauna Saudi Arabia 4: 347-349, figs.
- 3235. Gozmany, L.A.**, 1986, New Symmocid and Holcopogonid species from Eastern Mediterranean (Lepidoptera, Symmocidae, Holcopogonidae). Entomofauna 7 (14): 201-214, 8 figs. [[available in Cesa Library](#)]
- 3236. Gozmany, L.A.**, 1987, A new species of *Ceuthomadarus* Mann, 1864 from Afghanistan (Lepidoptera, Lecithoceridae). Mus. eg. Sci. nat. Boll. (Turin) 5(2): 613-615, figs.
- 3237. Gozmany, L.A.**, 2000, Two new Holcopogonid species from Africa (Insecta, Lepidoptera, Holcopogonidae). Spixiana 23 (3): 279-281, 2 figs. [[available in Cesa Library](#)]
- 3238. Gozmany, L.A.**, 2000, Holcopogonidae, [in] Gaedike, R. Microlepidoptera Palaearctica vol. 10 176 pp. Pls. Goecke & Evers, Keltorn. [[available in Cesa Library](#)]
- 3239. Gozmany, L.A.**, 2002, Some Lecithocerid species from Morocco and Middle East (Lepidoptera, Lecithoceridae). Shilap Revta lepid. 30 (117): 33-38, figs. [[available in Cesa Library](#)]
- 3240. Graeser, L.**, 1888, Beiträge zur Kenntnis der Lepidopteren-Fauna des Amurlandes. Berl. ent. Z. 32 (1): 33-153. [[available in Cesa Library](#)]
- 3241. Graeser, L.**, 1892, Neue Lepidopteren aus Central Asien. Berl. ent. Z. 37 (3): 299-318. [[available in Cesa Library](#)]
- 3242. Graeser, L.**, 1892, Beiträge zur Kenntnis der Lepidopteren-Fauna des Amurlandes V. Berl. ent. Z. 37 (2): 209-234. [[available in Cesa Library](#)]
- 3243. Grant, W.R.**, 1899, Description of three new species of butterflies. Bull. Lpool. Mus. 2: 10-11.
- 3244. Graslin, A. de**, 1836, Notice sur une Exploration entomologique en Andalousie, suivie de la description, accompagnée de figures, de plusieurs Lépidoptères nouveaux trouvés dans cette partie de l'Espagne. Annls Soc. ent. Fr. 5: 547-572.

- 3245. Graves, P.P. & R.E. Ellison**, 1928, The butterflies of Jebel Qineisa, Lebanon. Entomologist's Rec. J. Var. 40: 177-180. [[available in Cesa Library](#)]
- 3246. Graves, P.P.**, 1910, A day's lepidopterology near Scutari. Entomologist's Rec. J. Var. 22: 215. [[available in Cesa Library](#)]
- 3247. Graves, P.P.**, 1910, Virachola (Hypolycaena) livia, Klug - A syrian insect. Entomologist's Rec. J. Var. 22: 225-226. [[available in Cesa Library](#)]
- 3248. Graves, P.P.**, 1910, "Lampides" galba, Led., A plea for accuracy. Entomologist's Rec. J. Var. 22: 287-289. [[available in Cesa Library](#)]
- 3249. Graves, P.P.**, 1910-1911, A contribution to the fauna of Syria. Entomologist's Rec. J. Var. 22: 271-273; *ibid.* 23: 31-36. [[available in Cesa Library](#)]
- 3250. Graves, P.P.**, 1911-1912, A season's collecting at Constantinople in 1911. Entomologist's Rec. J. Var. 23: 315-318; *ibid.* 24: 10-12; 74. [[available in Cesa Library](#)]
- 3251. Graves, P.P.**, 1912, Notes of the season 1912 at Constantinople. Entomologist's Rec. J. Var. 24: 293-294. [[available in Cesa Library](#)]
- 3252. Graves, P.P.**, 1913, Lycaena arion at Constantinople. Entomologist's Rec. J. Var. 25: 118. [[available in Cesa Library](#)]
- 3253. Graves, P.P.**, 1913, Constantinople and Syrian Butterflies. Corrections and additions. Entomologist's Rec. J. Var. 25: 139-140. [[available in Cesa Library](#)]
- 3254. Graves, P.P.**, 1914, Near eastern Urbicolids. Entomologist's Rec. J. Var. 26: 193-194. [[available in Cesa Library](#)]
- 3255. Graves, P.P.**, 1914, Collecting in Turkey, mainly near Constantinople in 1913. Entomologist's Rec. J. Var. 26: 17-21. [[available in Cesa Library](#)]
- 3256. Graves, P.P.**, 1915, Collecting at Constantinople in 1914. Entomologist's Rec. J. Var. 27: 35-40. [[available in Cesa Library](#)]
- 3257. Graves, P.P.**, 1915, Egyptian butterflies. Entomologist's Rec. J. Var. 27: 128-129. [[available in Cesa Library](#)]
- 3258. Graves, P.P.**, 1915, Certain Egyptian Urbicolids. Entomologist's Rec. J. Var. 27: 268-270. [[available in Cesa Library](#)]
- 3259. Graves, P.P.**, 1918, Collecting in various places (1914-1917). Entomologist's Rec. J. Var. 30: 62-65. [[available in Cesa Library](#)]
- 3260. Graves, P.P.**, 1919, Agriades thetis race vectae, Verity. Entomologist's Rec. J. Var. 31: 90. [[available in Cesa Library](#)]
- 3261. Graves, P.P.**, 1919, Hamearis lucina at Constantinople. Entomologist's Rec. J. Var. 31: 111. [[available in Cesa Library](#)]
- 3262. Graves, P.P.**, 1919, Collecting in various places in 1916-1918. Entomologist's Rec. J. Var. 31: 5-8, 61-66, 156-158. [[available in Cesa Library](#)]
- 3263. Graves, P.P.**, 1920, Collecting in Turkey in 1919. Entomologist's Rec. J. Var. 32: 105-107. [[available in Cesa Library](#)]
- 3264. Graves, P.P.**, 1921, Collecting in Palestine in March 1921. Entomologist's Rec. J. Var. 33: 193-195.
- 3265. Graves, P.P.**, 1921, Some new records for the Constantinople district and Bithynia. Entomologist's Rec. J. Var. 33: 165-166. [[available in Cesa Library](#)]
- 3266. Graves, P.P.**, 1921, Review: Lepidoptera of the Amanus. Entomologist's Rec. J. Var. 33: 141-142. [[available in Cesa Library](#)]
- 3267. Graves, P.P.**, 1921, Collecting in Asia Minor in 1920. Entomologist's Rec. J. Var. 33: 41-48. [[available in Cesa Library](#)]
- 3268. Graves, P.P.**, 1921, A note from Constantinople - A third brood of *P. chloridice*. Entomologist's Rec. J. Var. 33: 199. [[available in Cesa Library](#)]
- 3269. Graves, P.P.**, 1923, Notes on the Lepidoptera of the Constantinople district (Asia) and Brusa. Entomologist's Rec. J. Var. 35: 95-96. [[available in Cesa Library](#)]
- 3270. Graves, P.P.**, 1924, *Euchloe* (*Anthocharis*) *ausonia*, Hb. (= *belia* auct.) and its second brood. Entomologist's Rec. J. Var. 36: 90-91. [[available in Cesa Library](#)]
- 3271. Graves, P.P.**, 1925, The Lepidoptera of Constantinople. Entomologist 58: 191-194, 242-245, 260-262, 291-294. [[available in Cesa Library](#)]
- 3272. Graves, P.P.**, 1925, Some Pyralids from southern Palestine. Entomologist's Rec. J. Var. 37: 99-101. [[available in Cesa Library](#)]
- 3273. Graves, P.P.**, 1925, The Rhopalocera and Grypocera of Palestine and Transjordan. Trans. ent. Soc. London 73: 17-125, figs. [[available in Cesa Library](#)]

- 3274. Graves, P.P.**, 1926, Heterocera from Macedonia, Gallipoli and Central Greece. Entomologist's Rec. J. Var. 38: 152-158, 165-170. [[available in Cesa Library](#)]
- 3275. Graves, P.P.**, 1926, Additions to the Lepidoptera of the Constantinople district. Entomologist 59: 249-253, 262-265. [[available in Cesa Library](#)]
- 3276. Graves, P.P.**, 1928, Epinephele cypricola sp. nov. Entomologist 61: 5-7, pl.1 [[available in Cesa Library](#)]
- 3277. Graves, P.P.**, 1928, Collecting in Bulgaria, 1925 and 1927. Entomologist's Rec. J. Var. 40: 65-67, 81-84.
- 3278. Graves, P.P.**, 1928, The seasonal variation of Spilothyrus (Carcharodus) orientalis Rev. Entomologist's Rec. J. Var. 40: 77.
- 3279. Graves, P.P.**, 1938, A New Subspecies of Leptidea duponcheli Stgr. Entomologist 71: 154-155. [[available in Cesa Library](#)]
- 3280. Gray, D.**, 1978, Butterflies on my mind. 125pp. pls. Angus & Robertson Publ. Brighton.
- 3281. Gray, G.R.**, 1831, Descriptions of eight new species of Indian butterflies from the collection of General Hardwicke. Zool. Misc. 1831: 32-33.
- 3282. Gray, G.R.**, 1832, Lepidoptera, [in] Cuvier, Animal Kingdom, vol.xv.
- 3283. Gray, G.R.**, 1846, Descriptions and figures of some new lepidopterous insects chiefly from Nepaul. 16 pp., 15 pls. London.
- 3284. Gray, G.R.**, [1853], Catalogue of lepidopterous insects in the collection of the British Museum Part I. Papilionidae. 84pp., 13 pls. & supplementary plate. London. [[available in Cesa Library](#)]
- 3285. Greer, T.**, 1898, Lepidoptera of Ireland, 1898. Entomologist's Rec. J. Var. 10: 309-310. [[available in Cesa Library](#)]
- 3286. Grice, F.L.**, 1896, On the ovum, oviposition and food-plants of Callophrys (Thecla) rubi. Entomologist's Rec. J. Var. 8: 83-84. [[available in Cesa Library](#)]
- 3287. Grieshuber, J.**, 1996, Die subspezifische Gliederung von Colias nina Fawcett und Beschreibung einer neuen Unterart. Lambillionea 46 (3): 552-560, pl.1,2.
- 3288. Griffin, F.J.**, 1964, Arthur Francis Hemming, C.M.G., C.B.E., (1893-1964). J. Soc. Bibl. Nat. Hist. 4 (4): 203-205. [[available in Cesa Library](#)]
- 3289. Grillo, N.**, 1999, Record of Danaus chrysippus (Linnaeus, 1758) in the province of Palermo (Sicily, Italy) (Lepidoptera, Danaidae). Linneana Belgica 17(1): 3-4, figs. [[available in Cesa Library](#)]
- 3290. Grose-Smith, H.**, 1887, Descriptions of two new species of butterflies from south Afghanistan. Ann. Mag. nat. Hist. (5) 20: 129-130. [[available in Cesa Library](#)]
- 3291. Grose-Smith, H.**, 1894, Descriptions of eight new species of butterflies from New Britain and Duke of York Islands, in the collections of Hon. Walter Rothschild and Mr. Grose-Smith, captured by... Ann. Mag. nat. Hist. (6) 13: 496-502. [[available in Cesa Library](#)]
- 3292. Grose-Smith, H.**, 1895, Descriptions of new species of butterflies captured by Mr. Doherty in the islands of the eastern Archipelago and now in the Museum of the Hon. Walter Rothschild at Tring. Part I, II. Novit. zool. 2: 75-81; 505-514. [[available in Cesa Library](#)]
- 3293. Grose-Smith, H.**, 1897, Descriptions of new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 19: 172-180. [[available in Cesa Library](#)]
- 3294. Grose-Smith, H.**, 1897, Descriptions of further new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 19: 403-407. [[available in Cesa Library](#)]
- 3295. Grose-Smith, H.**, 1897, Descriptions of further new species of butterflies from the Pacific Islands. Ann. Mag. nat. Hist. (6) 20: 515-518. [[available in Cesa Library](#)]
- 3296. Gross, F.J. & G.Ebert**, 1975, Beiträge zur Kenntnis der Rhopaloceren Irans 2. Beitrag. Neue Taxa der Pieridae, Satyridae und Nymphalidae. J. ent. Soc. Iran (suppl.1): 8-45, figs. [[available in Cesa Library](#)]
- 3297. Gross, F.J.**, 1973, Satyrus sintenisi auch in Europa, nebst Beschreibung einer neuen Unterart. Ent. Z., Frankf. a. M. 83: 211-214, Abb.
- 3298. Gross, F.J.**, 1977, Über Hyponephele narica und H. naricina und deren Verbreitung in der Türkei (Lep., Satyridae). Atalanta 8 (2): 123-125. [[available in Cesa Library](#)]
- 3299. Gross, F.J.**, 1978, Beitrag zur Systematik von Pseudochazara-Arten (Lep., Satyridae). Atalanta 9(1): 41-103, figs. [[available in Cesa Library](#)]
- 3300. Gross, G.H.**, 1894, Zur Biologie der Spilothyrus altheae Hübner. Stettin ent. Ztg. 55: 77-78.
- 3301. Gross, G.H.**, 1901, Beitrag zur Macrolepidopterenfauna von Oberösterreich und dem angrenzenden Theile von Steiermark. Jb. Wien. ent. Ver. 11 (1900): 25-83.

- 3302. Grote, A.R.**, 1895, Generic names in the Noctuidae. Entomologist's Rec. J. Var. 6: 27-30, 77-81. [[available in Cesa Library](#)]
- 3303. Grote, A.R.**, 1895, Entomologist's Rec. J. Var. 6: 189-190. [[available in Cesa Library](#)]
- 3304. Grote, A.R.**, 1895, The Hadenoid genera with hairy eyes. Entomologist's Rec. J. Var. 6: 283-286. [[available in Cesa Library](#)]
- 3305. Grote, A.R.**, 1898, Classification of the Saturniades. Entomologist's Rec. J. Var. 10: 145-146. [[available in Cesa Library](#)]
- 3306. Grote, A.R.**, 1901, Fossile Schmetterlinge und die Schmetterlingsflügel. Verh. zool.- bot. Ges. Wien 51: 655-661. [[available in Cesa Library](#)]
- 3307. Grote, A.R.**, 1901, The century and the lepidopterist. Entomologist's Rec. J. Var. 13: 41-43. [[available in Cesa Library](#)]
- 3308. Grote, A.R.**, 1902, Die Gattungsnamen der europäischen Noctuiden. Allg. Z. Ent. 7: 395-400. [[available in Cesa Library](#)]
- 3309. Grote, A.R.**, 1902, Die Gattungsnamen der europäischen Geometriden. Allg. Z. Ent. 7: 470-472. [[available in Cesa Library](#)]
- 3310. Groum-Grshimailo, G.**, 1888, Novae species et varietates Rhopalocerorum e Pamir. Horae Soc. ent. ross. 22: 303-307. [[available in Cesa Library](#)]
- 3311. Groum-Grshimailo, G.**, 1890, Le Pamir et sa faune lépidopterologique. [in] Romanoff, Mém. lépid. 4: 1-577, Pls. [[available in Cesa Library](#)]
- 3312. Groum-Grshimailo, G.**, 1890, Lepidoptera nova in asia centrali novissime lecta et descripta. Horae Soc. ent. ross. 25 (1890-1891): 445-465. [[available in Cesa Library](#)]
- 3313. Groum-Grshimailo, G.**, 1893, Lepidoptera Palaearctica Nova I. Horae Soc. ent. ross. 27: 127-129. [[available in Cesa Library](#)]
- 3314. Groum-Grshimailo, G.**, 1893, Lepidoptera Palaearctica Nova II. Horae Soc. ent. ross. 27: 379-386. [[available in Cesa Library](#)]
- 3315. Groum-Grshimailo, G.**, 1894, Verzeichnis der von D.Glasunow 1892 im Gebiete des Serafschan-Thales und in der Wüste Kisilkum gesammelten Lepidopteren. Horae Soc. ent. ross. 28: 88-95. [[available in Cesa Library](#)]
- 3316. Groum-Grshimailo, G.**, 1895, Lepidoptera Palaearctica Nova. III. Horae Soc. ent. ross. 29: 290-293. [[available in Cesa Library](#)]
- 3317. Groum-Grshimailo, G.**, 1899, Lepidoptera nova vei parum cognita regionis palaearcticae. Ann. Mus. Zool. Akad. St. Petersb. 4: 455-472. [[available in Cesa Library](#)]
- 3318. Groum-Grshimailo, G.**, 1902, Lepidoptera nova vei parum cognita regionis palaearcticae. Ann. Mus. Zool. Akad. St. Petersb. 7: 191-204.
- 3319. Grover, W.**, 1897, Notes on the Rhopalocera of the Gulford district during the years 1896-7. Entomologist's Rec. J. Var. 9: 310-314. [[available in Cesa Library](#)]
- 3320. Groß, H.**, 1887, Zur Biologie der Acidalia punctata Tr. Stettin ent. Ztg. 48: 48. [[available in Cesa Library](#)]
- 3321. Grund, A.**, 1905, Leptidea sinapis in der Umgebung Agrams (Kroatien) mit drei neuen Formen. Int. ent. Z. 19(26): 145-148, 20 figs.
- 3322. Grünberg, K.**, 1907, Neue afrikanische Heteroceren nebst einigen synonymischen Bemerkungen. Berl. ent. Z. 52: 63-75, 6 figs. [[available in Cesa Library](#)]
- 3323. Grünberg, K.**, 1914, Eine neue indo-australische Lasiocampiden-Gattung. Syrastrenopsis moltrechti nov. gen. nov. spec. Ent. Rdsch. 31: 38-40, figs. [[available in Cesa Library](#)]
- 3324. Gu, M. et al.**, 1997, Butterflies in Hainan Island. 355p. pls.
- 3325. Guenée, A.**, 1838, Matériaux pour servir à la classification des Noctuéliques. Annls Soc. ent. Fr. 7: 107-125, 201-230. [[available in Cesa Library](#)]
- 3326. Guenée, A.**, 1845, Essai sur une nouvelle classification des Microlépidoptères et catalogue des espèces européennes connues jusqu'à jour. Annls Soc. ent. Fr. (2) 3: 105-192, 207-344 [[available in Cesa Library](#)]
- 3327. Guenée, A.**, 1846, Europaeorum Microlepidopterorum Index Methodicus. [[available in Cesa Library](#)]
- 3328. Guenée, A.**, 1852, Noctuélites II. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 6. xcvi ♀ 407 pp. Paris. [[available in Cesa Library](#)]
- 3329. Guenée, A.**, 1852, Noctuélites III. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 7. 442 pp. Paris. [[available in Cesa Library](#)]
- 3330. Guenée, A.**, 1852, Noctuélites I. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 5. xcvi ♀ 407 pp. Paris. [[available in Cesa Library](#)]

- 3331. Guenée, A.**, 1854, Deltoïdes et Pyralites. [In] Boisduval, J.A. & A.Guenée, Histoire naturelle des Insectes. Species général des Lépidoptères 8. 448 ♀ 6 pp., 10 Pls. Paris. [\[available in Cesa Library\]](#)
- 3332. Guillaumin, A.**, 1977, Nymphaidae (genre Euphaedra) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 112-114. [\[available in Cesa Library\]](#)
- 3333. Guillaumin, M.**, 1984, Euphaedra neumanni Rothschild et E.perochrata Ungemach en Ethiopie, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 67-69. [\[available in Cesa Library\]](#)
- 3334. Guillermet, C.**, 2009, Contribution a l'étude des Hétérocères de la Reunion: trois nouveaux Tineidae et un nouveau Noctuidae (Lepidoptera). l'Entomologiste 65 (3): 117-123.
- 3335. Gurko, V.O., Inayatullah, M. & M.A.Mashwani**, 2011, New faunistic records of Tiger-Moths in West Pakistan (Lepidoptera, Arctiidae, Arctiinae). Vestn. Zool. 45 (1): 31-33, map. [\[available in Cesa Library\]](#)
- 3336. Gurkovich, A.V. & V.V.Zolotuhin**, 2009, A revision of the African Odontocheilopteryx Wallengren, 1860 (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 77-101, pls. [\[available in Cesa Library\]](#)
- 3337. Gurule, S.A. & S.M.Nikam**, 2013, The moths (Lepidoptera, Heterocera) of northern Maharashtra: a preliminary checklist. J. Threat. Taxa 5 (12). 4693-4713, figs. [\[available in Cesa Library\]](#)
- 3338. Gustafsson, B. (ed.)**, 1994, Catalogus Lepidopterorum Sueciae. 2nd ed. 198pp. [\[available in Cesa Library\]](#)
- 3339. Gustafsson, B.**, 1985, New species of Stigmella from Gambia (Lepidoptera, Nepticulidae). Tijdschr. Ent. 127 (8): 165-177, figs.
- 3340. Guérin-Ménéville, F.E.**, 1843, Descriptions des Insectes [in] A.Delessert, Souvenirs d'un voyage dans l'Inde, pp.33-98, Pls. 11-27. Paris. [\[available in Cesa Library\]](#)
- 3341. Gyukai, P. & M.Hreblay**, 1992, New results on the research of the Noctuid fauna of Usbekistan. Esperiana 3: 451-455. [\[available in Cesa Library\]](#)
- 3342. Gyulai, P. & A.Saldaitis**, 2014, A new species of Cardepiia Hampson, 1905 (Lepidoptera, Noctuidae) from China. Zootaxa 3821 (3): 391-397, figs. [\[available in Cesa Library\]](#)
- 3343. Gyulai, P. & L.Ronkay**, 1995, New Noctuidae (Lepidoptera) species from West and Central Asia. Folia ent. hung. 56: 27-35, figs. [\[available in Cesa Library\]](#)
- 3344. Gyulai, P. & L.Ronkay**, 2002, A taxonomic survey of the genus Scotocampa Staudinger, 1888, with descriptions of a new genus and two new species (Noctuidae, Hadeninae). Esperiana 9: 420-430, Pl.22. [\[available in Cesa Library\]](#)
- 3345. Gyulai, P. & L.Ronkay**, 2006, Two new Isochlora species (Lepidoptera, Noctuidae, Heliethinae) from Tibet. Esperiana 12: 247-252, figs. [\[available in Cesa Library\]](#)
- 3346. Gyulai, P. & L.Ronkay**, 2006, New Noctuidae taxa from Iran and Turkey (Lepidoptera). Esperiana 12: 253-264, figs. [\[available in Cesa Library\]](#)
- 3347. Gyulai, P. & L.Ronkay**, 2006, Contribution to the knowledge of the Noctuidae fauna of the Levante (Lepidoptera). Esperiana 12: 265-269, figs. [\[available in Cesa Library\]](#)
- 3348. Gyulai, P. & Z.Varga**, 2006, New taxa of Noctuidae, Noctuinae from Iran and Central Asia (Lepidoptera). Esperiana 12: 271-281, figs. [\[available in Cesa Library\]](#)
- 3349. Gyulai, P.**, 1984, Entephria cyanata gerennae ssp. nova (Lep., Geometridae) from Hungary. Nota lepid. 7 (3): 251-256, 15 figs. [\[available in Cesa Library\]](#)
- 3350. Gyulai, P.**, 1993, Orthosia ivani species nova from Turkey (Lepidoptera, Noctuidae). Entomofauna 14 (20): 329-340, figs. [\[available in Cesa Library\]](#)
- 3351. Gyulai, P.**, 2002, Four new Hadula Staudinger, 1889 taxa from Asia (Lepidoptera, Noctuidae). Esperiana 9: 231-236, Pls.18,20. [\[available in Cesa Library\]](#)
- 3352. Gyulai, P.**, 2006, Addenda and corrigenda "Revision of the genus Caradrina Ochsenheimer, 1816 with notes on other genera of the tribus caradrini (Lepidoptera, Noctuidae). Esperiana 12: 201-202. [\[available in Cesa Library\]](#)
- 3353. Gyulai, P.**, [1990], The Noctuid Material of a Mongolian light-trap. Atalanta 20 (1989): 105-110, figs. [\[available in Cesa Library\]](#)
- 3354. Gyulai, P., Hreblay, M. & L.Ronkay**, 1992, New taxa and synonyms in the Oncocnemis exacta Christoph, 1887 Group (Lepidoptera, Noctuidae). Acta zool. Hung. 38: 33-46, figs.

- 3355. Gyulai,P., Rabieh,M.M., Seraj,A.A., Ronkay,L. M.Esfandiari,** 2013, *Anagorisma chamrani* sp.n. (Lepidoptera, Noctuidae) from Iran. *Zookeys* 317: 17-25, figs. [[available in Cesa Library](#)]
- 3356. Gyulai,P., Ronkay,L. & A.Saldaitis,** 2011, New Noctuidae species from China (Lepidoptera, Noctuoidea). *Zootaxa* 2896: 46-52, figs. [[available in Cesa Library](#)]
- 3357. Gyulai,P., Ronkay,L. & A.Saldaitis,** 2013, Two new *Xestia* Hübner, 1818 species from China (Lepidoptera, Noctuidae). *Zootaxa* 3734 (1): 096-100, figs. [[available in Cesa Library](#)]
- 3358. Génè,C.G.,** 1839, *De quibusdam Insectis Sardiniae novis aut minus cognitis*. Mem. Accad. Torin 1839: 43-82, 2 pl. col.
- 3359. Göbekçioğlu,Z. & N.Aktaş,** 1990, Trakya Bölgesi (Istranca Dağları) Gündüz Kelebekleri (Lepidoptera, Papilionoidea, Hesperioidea). X. Ulusal Biyoloji Kongresi 18-20 Temmuz 1990, Erzurum: 193-202. [[available in Cesa Library](#)]
- 3360. Gömürgen,A.N.,** 1991, Bazı Hesperiidler üzerinde morfolojik araştırmalar (Hesperiidae, Lepidoptera). *Doğa J. Zool.* 15: 1-15, 18 figs. [[available in Cesa Library](#)]
- 3361. Gömürgen,A.N.,** 1992, Bazı Hesperiidlerin erkek dış genital organları üzerine araştırmalar (Hesperiidae, Lepidoptera). *Doğa J. Zool.* 16: 209-228, 19 şekil. [[available in Cesa Library](#)]
- 3362. Gömürgen,A.N.,** 1993, Bazı Hesperiidlerin dişi dış genital organları üzerine araştırmalar (Hesperiidae, Lepidoptera). *Doğa J. Zool.* 17: 379-403, 17 şekil. [[available in Cesa Library](#)]
- 3363. Görgner,E.,** 1984, Beitrag zur Biologie von *Euapatura mirza* Ebert, 1971 (Lep., Nymphalidae). *Nachr. ent. Ver. Apollo (N.F.)* 5(1): 7-17, figs. [Corrigendum: *ibid.*, 5 (2/3): 42]. [[available in Cesa Library](#)]
- 3364. Görgner,E.,** 1985, Beiträge zur Kenntnis der Lepidopteren der südosttürkischen Provinz Hakkari, I. Allgemeines, Papilionidae. *Nachr. ent. Ver. Apollo (N.F.)* 5 (4): 77-94, figs. [[available in Cesa Library](#)]
- 3365. Habeler,H.,** 1974, Zum Problem *Horisme tersata* Schiff./ *testacea* Hbn. *Mitt. münch. ent. Ges.* 64: 1-12.
- 3366. Habisch,O.,** 1905, [Beschreibung einer neuen Noctuidae aus Haifa]. *Verh. zool.- bot. Ges. Wien* 55: 20-21. [[available in Cesa Library](#)]
- 3367. Hacker,H. & A.Moberg,** 1988, Zwei neue *Dasypolia* Guenée, 1852 Arten aus der östlichen Türkei (Lepidoptera, Noctuidae, Cuculliinae). *Mitt. münch. ent. Ges.* 78: 179-185, figs. [[available in Cesa Library](#)]
- 3368. Hacker,H. & A.Moberg,** 1989, Zwei neue *Agrochola* Hübner, [1821] - Arten (Lepidoptera, Noctuidae, Cuculliinae) aus der Türkei und aus Griechenland. *Nota lepid.* 12 (2): 121-132, 4 figs. [[available in Cesa Library](#)]
- 3369. Hacker,H. & A.S.Talhok,** 1998, Contribution to the Noctuidae fauna of Lebanon with first proof of ten species and taxonomic comments (Lepidoptera, Noctuidae). *Esperiana* 6: 376-380, figs. [[available in Cesa Library](#)]
- 3370. Hacker,H. & H.Peks,** 1990, Beschreibung neuer Taxa und Übersicht über das Artenspektrum des von Dr.W.Thomas 1980-1988 in Ladakh gesammelten Materials, Teil 1. *Esperiana* 1: 277-322, figs.29-52. [[available in Cesa Library](#)]
- 3371. Hacker,H. & H.Peks,** 1990, Beitrag zur Kenntnis der Noctuidenfauna Russisch-Zentralasiens. *Esperiana* 1: 403-420, 5 figs. [[available in Cesa Library](#)]
- 3372. Hacker,H. & H.Peks,** 1992, Neue Taxa himalayanischer Noctuidae. *Esperiana* 3: 151-183, figs. [[available in Cesa Library](#)]
- 3373. Hacker,H. & H.Peks,** 1992, Übersicht über das im nordindischen Bundesstaat-Himachal Pradesh im Oktober 1990 erforschte Artenspektrum. *Esperiana* 3: 123-149, figs. [[available in Cesa Library](#)]
- 3374. Hacker,H. & J.-U.Meineke,** 2001, Beitrag zur Fauna der Noctuidae des Iran: Ergebnisse von Forschungen der Jahre 1998 bis 2000 (Lepidoptera). *Esperiana* 8: 791-810. [[available in Cesa Library](#)]
- 3375. Hacker,H. & L.Ronkay,** 1988, *Cucullia behouneki* sp.nov., *Cucullia armena* Ronkay & Ronkay, 1986 und *Cucullia prenanthis* Boisduval, 1840, in der Türkei (Lepidoptera, Cuculliinae). *Nota lepid.* 11 (1): 39-44, figs. [[available in Cesa Library](#)]
- 3376. Hacker,H. & L.Ronkay,** 1990, Liste der *Cucullia* Schrank, 1802, *Agrochola* Hübner, [1821] und *Autophila* Hübner, [1823]- Arten mit Beschreibung neuer Taxa. *Esperiana* 1: 377-392, figs.71-78, pl. [[available in Cesa Library](#)]

- 3377. Hacker,H. & L.Ronkay**, 1990, Liste der Cucullia Schrank,1802, Agrochola Hübner,[1821] und Autophila Hübner,[1823] - Arten mit Beschreibung neuer Taxa. Esperiana 1: 377-392, Abb. [\[available in Cesa Library\]](#)
- 3378. Hacker,H. & L.Ronkay**, 1992, Beschreibungen neuer Taxa der Spätherbst-Noctuidae-Fauna Zentralasiens und des Himalayaraumes (Cuculliinae sensu Hampson) (Lepidoptera). Esperiana 3: 193-221, 33 Abb. [\[available in Cesa Library\]](#)
- 3379. Hacker,H. & L.Ronkay**, 1992, Taxonomic news in the genus Euchalcia Hübner,1821 (Lepidoptera, Noctuidae, Plusiinae) Part 1. Esperiana 3: 457-471, figs. [\[available in Cesa Library\]](#)
- 3380. Hacker,H. & L.Ronkay**, 1992, Das Genus Polymixis Hübner,[1820] mit Beschreibung neuer Taxa und Festlegung neuer Stati (Lepidoptera, Noctuidae). Esperiana 3: 473-496, figs. [\[available in Cesa Library\]](#)
- 3381. Hacker,H. & L.Weigert**, 1986, Sechster Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Das Artenspektrum im April und Oktober. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus neueren Aufsammlungen (Lepidoptera). Neue ent. Nachr. 19 (3/4): 133-188, figs. [\[available in Cesa Library\]](#)
- 3382. Hacker,H. & L.Weigert**, 1990, Übersicht über das Artenspektrum in Nordpakistan (Karakorum, Westhimalaya) im September und Oktober. Esperiana 1: 237-275, 28 figs. [\[available in Cesa Library\]](#)
- 3383. Hacker,H. & L.Weigert**, 1990, Übersicht über die von Weigert in den Jahren 1983, 1987 und 1989 im Juli und August in Nordpakistan festgestellten Arten. Esperiana 1: 323-357, figs.53-60. [\[available in Cesa Library\]](#)
- 3384. Hacker,H. & L.Weigert**, 1990, 1.Übersicht über das Artenspektrum in Nordpakistan (Karakorum, Westhimalaya) in September und Oktober. Esperiana 1: 237-275, 28 Abb. [\[available in Cesa Library\]](#)
- 3385. Hacker,H. & L.Weigert**, 1990, 3.Übersicht über die von Weigert in den Jahren 1983, 1987 und 1989 im Juli und August in Nordpakistan festgestellten Arten. Esperiana 1: 323-357, 60 Abb. [\[available in Cesa Library\]](#)
- 3386. Hacker,H. & L.Weigert**, 1996, Beitrag zur Faunistik und Zoogeographie der Noctuidae der Hochgebirge der beiden nordwestindischen Bundesstaaten Himachal Pradesh und Jammu & Kashmir (Lepidoptera, Noctuidae). Esperiana 4: 419-433, Abb. [\[available in Cesa Library\]](#)
- 3387. Hacker,H. & M.Lödl**, 1989, Taxonomisch und faunistisch bemerkenswerte Funde aus der Sammlung Pinker im Naturhistorischen Museum Wien. Neunter Beitrag zur systematischen Erfassung der Noctuidae (Lepidoptera) der Türkei. Z. ArbGem. Öst. Ent. 40 (1/2): 65-82. [\[available in Cesa Library\]](#)
- 3388. Hacker,H. & P.Gyulai**, 2013, Supplement to the revision of the genus Hadena Schrank,1802 by Hacker (1993,1996). Esperiana 18: 225-253, figs. [\[available in Cesa Library\]](#)
- 3389. Hacker,H. & P.Kuhna**, 1986, Drei neue Noctuidae-Arten aus der Türkei (Lepidoptera). Nota lepid. 9 (3/4): 179-188, Taf.1, 3 Abb. [\[available in Cesa Library\]](#)
- 3390. Hacker,H. & R.Pinker**, 1987, Cucullia mixta ronkayi n.ssp. aus der Osttürkei (Lep., Noctuidae). Z. ArbGem. öst. Ent. 38 (3/4): 107-109, 1 Abb. [\[available in Cesa Library\]](#)
- 3391. Hacker,H. & W.Speidel**, 1992, Eine neue Conisania Hampson,1905 aus SW-China (Lepidoptera, Noctuidae). Esperiana 3: 17-18, figs. [\[available in Cesa Library\]](#)
- 3392. Hacker,H. Kautt,P. & V.Weisz**, 1996, Noctuidae gesammelt von Kautt und Weisz im Sommer 1994 in Spiti Valley in Himachal Pradesh. Esperiana 4: 395-417, Abb. [\[available in Cesa Library\]](#)
- 3393. Hacker,H.**, 1983, Faunistische und taxonomische Beiträge zur Noctuidenfauna des Mittelmeergebietes (Lepidoptera). Neue ent. Nachr. 6: 43-57, 18 figs.
- 3394. Hacker,H.**, 1985, Dritter Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von Hacker und Wolf aus dem Jahr 1984 (Lepidoptera). Neue Ent. Nachr. 15: 1-65, Taf. [\[available in Cesa Library\]](#)
- 3395. Hacker,H.**, 1986, 2. Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufsammlungen von de Freina aus den Jahren 1976-1983 (Lepidoptera). Spixiana 9 (1): 25-81, figs. [\[available in Cesa Library\]](#)
- 3396. Hacker,H.**, 1989, Die Noctuidae Griechenlands, mit einer Übersicht über die Fauna des Balkanraumes. Herbiopoliana 2: 1-590, Taf.

- 3397. Hacker,H.,** 1990, Systematik und Faunistik der Noctuidae (Lepidoptera) des himalayanischen Raumes. Beitrag 1. Esperiana 1: 219-236. [\[available in Cesa Library\]](#)
- 3398. Hacker,H.,** 1990, Die Genera Cryphia Hübner,1818 und Mniotype Franclemont,1941 im himalayanischen Raum. Esperiana 1: 359-375, figs.61-70. [\[available in Cesa Library\]](#)
- 3399. Hacker,H.,** 1990, Die Noctuidae Vorderasiens (Lepidoptera). Neue ent. Nachr. 27: 1-707, 16 Taf. [\[available in Cesa Library\]](#)
- 3400. Hacker,H.,** 1990, Die Genera Cryphia Hübner,1818 und Mniotype Franclemont,1941 im himalayanischen Raum. Esperiana 1: 359-375, Abb. [\[available in Cesa Library\]](#)
- 3401. Hacker,H.,** 1990, Das Noctuidae - Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426. [\[available in Cesa Library\]](#)
- 3402. Hacker,H.,** 1992, Übersicht über die Genera Platyperigea Smith,1894, Eremodrina Boursin,1937 und Paradrina Boursin,1937 im himalayanischen Raum. Esperiana 3: 223-230, 6 Abb. [\[available in Cesa Library\]](#)
- 3403. Hacker,H.,** 1992, Ergänzungen und Berichtigungen zu Beitrag I. Esperiana 3: 231-233. [\[available in Cesa Library\]](#)
- 3404. Hacker,H.,** 1992, Revision der Gattung Hadenia Schrank,1802 (Lepidoptera) Teil 1. Esperiana 3: 243-361, 65 Abb. [\[available in Cesa Library\]](#)
- 3405. Hacker,H.,** 1992, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei (Lepidoptera). Esperiana 3: 409-446, Abb. [\[available in Cesa Library\]](#)
- 3406. Hacker,H.,** 1992, Das Artenspektrum der subtropischen Gebiete des Kumaon-Himalaya (Lepidoptera: Noctuidae, Notodontidae, Lymantriidae, Sphingidae). Esperiana 3: 71-121, figs. [\[available in Cesa Library\]](#)
- 3407. Hacker,H.,** 1992, Die Noctuidae Griechenlands 1.Nachrag. Esperiana 3: 363-377. [\[available in Cesa Library\]](#)
- 3408. Hacker,H.,** 1992, Neue Noctuidae-Arten aus Nordthailand. Esperiana 3: 185-191, figs. [\[available in Cesa Library\]](#)
- 3409. Hacker,H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera). Esperiana 4: 273-330, Abb. [\[available in Cesa Library\]](#)
- 3410. Hacker,H.,** 1996, Ergänzungen zu "Die Noctuidae Vorderasiens" und neuere Forschungsergebnisse zur Fauna der Türkei II (Lepidoptera) Nachtrag zu S.273-330. Esperiana 4: 453-458, Abb. [\[available in Cesa Library\]](#)
- 3411. Hacker,H.,** 1996, Nachträge und Ergänzungen zu den ersten beiden Beiträgen. Esperiana 4: 435-439, Abb. [\[available in Cesa Library\]](#)
- 3412. Hacker,H.,** 1998, Die Typen der von E. J. Ch. Esper (1742-1810) in seinem "Die Schmetterlinge in Abbildungen nach der Natur" beschriebenen Noctuoidea (Lepidoptera). Esperiana 6: 433-468, Taf. [\[available in Cesa Library\]](#)
- 3413. Hacker,H.,** 1998, Revision der Gattungen Hadula Stgr.,1889 (=Discestra Hmps.,1905;Aglossestra Hmps.,1905;Cardiestra Brsn.,1963), Anartomorpha Alph.,1892, Trichanarta Hmps.,1895, Anarta Ochs.,1816 und Cardepia Hmps.,1905 mit Beschreibung einer neuen Gattung Hadumorpha g.n. Esperiana 6: 577-843, Taf., figs. [\[available in Cesa Library\]](#)
- 3414. Hacker,H.,** 1998, Ergänzungen zu "Die Noctuidae Vorderasiens" III (Lepidoptera). Esperiana 6: 185-212, figs. [\[available in Cesa Library\]](#)
- 3415. Hacker,H.,** 2001, Zwei neue Noctuidae-Arten aus Vorder und Zentralasien. Esperiana 8: 825-826, Taf.29. [\[available in Cesa Library\]](#)
- 3416. Hacker,H.,** 2004, Revision of the genus Caradrina Ochsenheimer,1816, with notes on other genera of the tribe Caradrini (Lepidoptera, Noctuidae). Esperiana 10: 7-690, 27 Pls. [\[available in Cesa Library\]](#)
- 3417. Hacker,H.,** [1987], Erster Beitrag zur systematischen Erfassung der Noctuidae der Türkei (Lepidoptera). Atalanta 17 (1/4) (1986): 1-26, 2 Taf. [\[available in Cesa Library\]](#)
- 3418. Hacker,H.,** [1987], Fünfter Beitrag zur systematischen Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa und faunistisch bemerkenswerte Funde aus der Aufsammlungen von Wolf und Hacker aus dem Jahr 1985 sowie Ergänzungen zu früheren Arbeiten (Lepidoptera). Atalanta 17 (1/4) (1986): 27-83, 13 Taf. [\[available in Cesa Library\]](#)
- 3419. Hacker,H., Hassler,M. & A.Schmidt,** 1988, Apamea zeta in Griechenland mit Beschreibung einer neuen Subspezies (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 9(2): 61-67, 4 Abb. [\[available in Cesa Library\]](#)

- 3420. Hacker,H., Kuhna,P. & F.J.Gross**, [1987], 4.Beitrag zur Erfassung der Noctuidae der Türkei. Beschreibung neuer Taxa, Erkenntnisse zur Systematik der kleinasiatischen Arten und faunistisch bemerkenswerte Funde aus den Aufssamlungen von Gross und Kuhna aus den Jahren 1968-1984 (Lep., Noctuidae). Mitt. münch. ent. Ges. 76 (31.12.1986): 79-141, figs. [[available in Cesa Library](#)]
- 3421. Hacker,H., Legrain,A. & M.Fibiger**, 2008, Revision of the genus *Acontia* Ochenheimer,1816 and the tribus Acontiini Guenée,1841 (Old World) (Lepidoptera, Noctuidae, Acontiinae). *Esperiana* 14: 7-533, figs. [[available in Cesa Library](#)]
- 3422. Hacker,H.H.**, 2001, Fauna of the Nolidae and Noctuidae of the Levante with descriptions and taxonomica notes. Appendix: Revision Genus *Clytie* Hübner,1823. *Esperiana* 8: 7-398, figs. [[available in Cesa Library](#)]
- 3423. Hacker,H.H., Fibiger,M. & A.Legrain**, 2002, Thyrididae, Uraniidae and Noctuidae (Lepidoptera) from the Arabian Peninsula with descriptions of new species. *Esperiana* 9: 189-207, Pl.6. [[available in Cesa Library](#)]
- 3424. Hacker,H.H., Schreier,H.-P. & B.Goater**, 2012, Revision of the tribe Nolini of Africa and the Western Palaearctic Region (Lepidoptera, Noctuoidea, Noctuidae, Nolinae). *Esperiana* 17: 1-614, figs. [diagnostic characters of the most of African new species are not concrete] [[available in Cesa Library](#)]
- 3425. Hackman,W.**, 1952, On the insect fauna of Cyprus. Results of the expedition of 1939 by Harald, Hakan and P.H.Lindberg. *Commentat. biol.* 13: 1-9, 1 fig. [[available in Cesa Library](#)]
- 3426. Haddadian,M., Alipanah,H., Ostovan,H. & A.Sarafrazi**, 2014, Phylogenetic relationship among genera of the tribe Cnephasiini (Lepidoptera, Tortricidae, Tortricinae) based on morphological characters of adults. *J. Nat. Hist.* 48: [[available in Cesa Library](#)]
- 3427. Haeger,J.F.**, 1986, Capturas de Colotis evagore (Klug,1829) en el sur de Espana. *Graellsia* 42: 233-235. [[available in Cesa Library](#)]
- 3428. Haensch,R.**, 1903, Kurzer Bericht über die entomolog. Ergebnisse meiner Ecuador-Reise. *Berl. ent. Z.* 48 (3): 149-156. [[available in Cesa Library](#)]
- 3429. Haensch,R.**, 1903, Die Ithomiinen (Neotropiden) meiner Ecuador-Reise. Mit Beschreibungen neuer Formen und biologischen Notizen. *Berl. ent. Z.* 48 (3): 157-214, 3.Taf [[available in Cesa Library](#)]
- 3430. Hagen,B.**, 1892, Beitrag zur Kenntnis der Rhopaloceren der Insel Banka. *Berl. ent. Z.* 37 (2): 139-158. [[available in Cesa Library](#)]
- 3431. Hagen,B.**, 1894, Verzeichniss der von mir auf Sumatra gefangenen Rhopaloceren. *Dt. ent. Z., Iris* 7: 1-41. [[available in Cesa Library](#)]
- 3432. Hagen,B.**, 1895, *Pyrameis samani* n.sp. *Dt. ent. Z., Iris* 7: 359-360. [[available in Cesa Library](#)]
- 3433. Hagen,H.T.**, 1862, *Bibliotheca Entomologica* 2 Vols. Leipzig. [[available in Cesa Library](#)]
- 3434. Hall,D.**, 1986, Butterflies in Morocco. *Entomologist's Rec. J. Var.* 98: 62-69.
- 3435. Hamborg,D.**, 1990, Der Glasflügler *Paranthrene novaki* (Tosevski,1987), ein Neufund für Österreich. *Mitt. Abt. Zool. Landesmus. Joanneum* 44: 35-42.
- 3436. Hampson,G.F.**, 1893, Illustrations of typical specimens of Lepidoptera Heterocera in the collections of British Museum . The Macrolepidoptera Heterocera of Ceylon 9: 79pp. London. [[available in Cesa Library](#)]
- 3437. Hampson,G.F.**, 1894, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 2: xxii[♀] 609pp., 287 figs. Taylor & Francis, London. [[available in Cesa Library](#)]
- 3438. Hampson,G.F.**, 1895, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 3. Taylor & Francis, London. [[available in Cesa Library](#)]
- 3439. Hampson,G.F.**, 1895, Descriptions of new Heterocera from India. *Trans. ent. Soc. London* 1895: 277-315. [[available in Cesa Library](#)]
- 3440. Hampson,G.F.**, 1896, Moths. [in] Blanford,W.T., The Fauna of British India, including Ceylon and Burma. Vol. 4: xxviii[♀] 449pp., 239 figs. Taylor & Francis, London. [[available in Cesa Library](#)]
- 3441. Hampson,G.F.**, 1896, On the classification of three subfamilies of moths of the family Pyralidae: the Epipaschiinae, Endotrichinae, and Pyralinae. *Trans. ent. Soc. London* 1896 (4): 451-550, figs. [[available in Cesa Library](#)]
- 3442. Hampson,G.F.**, 1897, On the classification of the Chrysauginae, a subfamily of moths of the family Pyralidae. *Proc. zool. Soc. Lond.* 1897: 633-692, figs. [[available in Cesa Library](#)]

- 3443. Hampson, G.F.**, 1897, On the classification of the Thyrididae- a family of the Lepidoptera Phalaenae. Proc. zool. Soc. Lond. 1897: 603-633, figs. [\[available in Cesa Library\]](#)
- 3444. Hampson, G.F.**, 1897, On the classification of two subfamilies of moths of the family Pyralidae: the Hydrocampinae and Scopariinae. Trans. ent. Soc. London 1897 (2): 127-240, figs. [\[available in Cesa Library\]](#)
- 3445. Hampson, G.F.**, 1897-1901, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay nat. Hist. Soc. 11 (2) (1897): 277-297; 11 (1898): 438-462, 698-724; 12 (1898): 73-98; 12 (1899): 304-314, 475-485, 697-715; 13 (1900): 37-51, 223-235; 13 (1901): 499-520, 571-591.
- 3446. Hampson, G.F.**, 1898, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. i. Syntomidae. xxi+559 pp., Pls. i-xvii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3447. Hampson, G.F.**, 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49,50. [\[available in Cesa Library\]](#)
- 3448. Hampson, G.F.**, 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291, pls. 16-19. [\[available in Cesa Library\]](#)
- 3449. Hampson, G.F.**, 1900, New Palaearctic Pyralidae. Trans. ent. Soc. Lond. 1900: 369-401, Pl. [\[available in Cesa Library\]](#)
- 3450. Hampson, G.F.**, 1900, The moths of South Africa Pt.1. Ann. S. Afr. Mus. 2: 33-66. [\[available in Cesa Library\]](#)
- 3451. Hampson, G.F.**, 1900, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ii. Arctiidae (Nolinae, Lithosiinae). 589 pp., Pls. xviii-xxxv. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3452. Hampson, G.F.**, 1900, Insecta (Lepidoptera, Phalaenae), [in] Günther, R.T., Contributions to the Natural History of Lake Urmi, N.W. Persia, and its neighbourhood. J. linn. Soc., Zool. 27: 411-414. [\[available in Cesa Library\]](#)
- 3453. Hampson, G.F.**, 1900-1903, The moths of India. Supplementary paper to the volumes in "The fauna of British India" series II, Parts I-X. J. Bombay Nat. Hist. Soc. 13: 37-51, 223-235, 499-520, 571-591; 14: 103-117, 197-219, 494-519, 639-659; 15: 19-37, 206-226, pls. B, C [\[available in Cesa Library\]](#)
- 3454. Hampson, G.F.**, 1901, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iii. Arctiidae & Agaristidae. xix+690 pp., Pls. xxxvi-liv. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3455. Hampson, G.F.**, 1901, A classification of a new family of the Lepidoptera. Trans. ent. Soc. London 1901 (2): 187-192, figs. [\[available in Cesa Library\]](#)
- 3456. Hampson, G.F.**, 1902, The moths of South Africa Pt.2. Ann. S. Afr. Mus. 2: 255-446. [\[available in Cesa Library\]](#)
- 3457. Hampson, G.F.**, 1903, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. iv. Noctuidae (Agrotinae). Pls. lv-lxxvii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3458. Hampson, G.F.**, 1905, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. v. Noctuidae (Hadeninae). Pls. lxxviii-xcv. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3459. Hampson, G.F.**, 1905, Descriptions of new genera and species of Syntomidae, Arctiidae, Agaristidae and Noctuidae. Ann. Mag. nat. Hist. (7) 15: 425-453. [\[available in Cesa Library\]](#)
- 3460. Hampson, G.F.**, 1905, The moths of South Africa Pt.3. Ann. S. Afr. Mus. 3: 389-438. [\[available in Cesa Library\]](#)
- 3461. Hampson, G.F.**, 1906, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vi. Family Noctuidae (Cucullianae). Pls. xcv-cvii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3462. Hampson, G.F.**, 1906, Lepidoptera-Phalaenae, [in], Elwes, H.J., Hampson, G. & J.H. Durrant, On the Lepidoptera collected by the Officers on the recent Tibet Frontier Commission. Proc. zool. Soc. Lond. 1906: 485-496, Pl. 36. [\[available in Cesa Library\]](#)
- 3463. Hampson, G.F.**, 1908, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. vii. Noctuidae (Acronictinae). Pls. cviii-cxxii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)

- 3464. Hampson, G.F.**, 1909, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. viii. Noctuidae (Acronictinae). Pls. cxxiii-cxxxvi. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3465. Hampson, G.F.**, 1910, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. ix. Noctuidae (Acronictinae). Pls. cxxxvii-cxlvii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3466. Hampson, G.F.**, 1910, The moths of India: Supplementary paper to the volumes in "The Fauna of British India". J. Bombay nat. Hist. Soc. 20: 83-125, 634-674, 1046-1083.
- 3467. Hampson, G.F.**, 1911, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. x. Noctuidae (Erastrinae). Pls. cxlviii-clxxiii. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3468. Hampson, G.F.**, 1911, Descriptions of new genera and species of Syntomidae, Arctiidae, Agaristidae, and Noctuidae. Ann. Mag. nat. Hist. (8) 8: 393-445. [\[available in Cesa Library\]](#)
- 3469. Hampson, G.F.**, 1912, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xi. Noctuidae (Euteliaenae to Acontianae). xvii+689 pp., Pls. clxxiv-cxci. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3470. Hampson, G.F.**, 1912-1913, Descriptions of new species of Pyralidae of the subfamily Pyraustinae. Ann. Mag. Nat. Hist. (8) 9: 149-174, 242-269, 321-336, 433-444, 625-633; (8) 10: 1-20, 557-573; (8) 11: 322-342, 509-530; (8) 12: 1-38, 299-319. [\[available in Cesa Library\]](#)
- 3471. Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xii. Noctuidae. Pls. cxcii-cxxxi. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3472. Hampson, G.F.**, 1913, Catalogue of the Lepidoptera Phalaenae in the Collection of the British Museum. vol. xiii. Noctuidae. Pls. ccxxii-ccxxxix. Printed by the order of the Trustees British Museum (Natural History), London. [\[available in Cesa Library\]](#)
- 3473. Hampson, G.F.**, 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373. [\[available in Cesa Library\]](#)
- 3474. Hampson, G.F.**, 1916, Description of new species [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 91: 91-182, 2 Pls. [\[available in Cesa Library\]](#)
- 3475. Hampson, G.F.**, 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58. [\[available in Cesa Library\]](#)
- 3476. Hampson, G.F.**, 1918, Descriptions of new Pyralidae of the subfamily Pyraustinae. Ann. Mag. nat. Hist. (9) 1: 125-136, 252-262, 265-280; (9) 2: 181-196, 393-407. [\[available in Cesa Library\]](#)
- 3477. Hampson, G.F.**, 1919, Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. Ann. Mag. nat. Hist. (9) 3: 275-292, 437-457, 533-547; (9) 4: 53-68, 137-154, 305-326. [\[available in Cesa Library\]](#)
- 3478. Hampson, G.F.**, 1919, A classification of the Aegeriidae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119. [\[available in Cesa Library\]](#)
- 3479. Hampson, G.F.**, 1920, On new genera and species of Lepidoptera Phalaenae, with the characters of two new families. Novit. zool. 26(2): 253-282.
- 3480. Hampson, G.F.**, 1926, Description of new genera and species of Lepidoptera Phalaenae of the subfamily Noctuinae (Noctuidae) in the British Museum. 641 pp. Brit. Mus. (Nat. Hist.), London.
- 3481. Hampson, G.F.**, 1930, New genera and species of Phycitinae (Lepidoptera, Pyralidae). Ann. Mag. nat. Hist. (10) 5: 50-80. [\[available in Cesa Library\]](#)
- 3482. Hampson, G.F.**, [1893], Moths. [in] Blanford, W.T., The Fauna of British India, including Ceylon and Burma. Vol. 1: xxiii+ 527pp., 333 figs. Taylor & Francis, London. [\[available in Cesa Library\]](#)
- 3483. Han, H. & D. Xue**, 2011, Thalassodes and related taxa of emerald moths in China (Geometridae, Geometrinae). Zootaxa 3019: 26-50, figs. [\[available in Cesa Library\]](#)
- 3484. Han, H., Stüning, D. & D. Xue**, 2007, Epichrysodes gen.n., a new genus of Geometrinae from the West Tianmu mountains China (Lepidoptera, Geometridae), with description of a new species. Dt. ent. Z. (N.F.) 54 (1): 127-135, figs. [\[available in Cesa Library\]](#)

- 3485. Han, H.-X., Xue, D.-Y. & H.-M. Li**, 2003, A study on the genus *Herochroma* Swinhoe in China, with descriptions of four new species (Lepidoptera, Geometridae, Geometrinae). *Acta ent. sinica* 46 (5): 629-639, figs. [\[available in Cesa Library\]](#)
- 3486. Han, H.L. & V.S. Kononenko**, 2009, A review of the genus *Stenoloba* Staudinger, 1892 from China, with description of 6 new species and 7 new records for China (Lepidoptera, Noctuidae, Bryophilinae). *Zootaxa* 2268: 1-22, figs. [\[available in Cesa Library\]](#)
- 3487. Han, H.L. & V.S. Kononenko**, 2010, New species of the genera *Acronicta* Ochsenheimer, 1816 and *Craniophora* Snellen, 1867 from China with notes on synonymy and checklist (Lepidoptera, Noctuidae, Acronictinae). *Zootaxa* 2678: 48-68, figs.
- 3488. Hanafusa, H.**, 1990, Four new subspecies of Nymphalid Butterflies from Indonesia and Thailand. *Futao* 5: 12-13, figs. [\[available in Cesa Library\]](#)
- 3489. Hanboonsong, Y., Rattanapan, A., Waikakul, Y. & A. Lewvanich**, 2001, Edible insect survey in Northeastern Thailand. *Khon Kaen Agric.* 29 (1): 35-44, figs. [in Thai]. [\[available in Cesa Library\]](#)
- 3490. Hancock, D.L.**, 1980, The status of the genera *Atrophaneura* Reakirt and *Pachliopta* Reakirt (Lepidoptera, Papilionidae). *Australian ent. Mag.* 7(2): 27-32, figs.
- 3491. Handlirsch, A.**, 1924, *Ordnung Lepidoptera (Schmetterlinge)*, [in] Schröder, *Handb. Ent.* 3: 852-941, figs. 747-840. [\[available in Cesa Library\]](#)
- 3492. Hanisch, H.**, 1993, Einige Tagfalterbeobachtungen in Mazedonien und Griechenland (Lepidoptera, Papilionoidea). *Nachr. ent. Ver. Apollo (N.F.)* 14(3): 231-248, 6 Abb. [\[available in Cesa Library\]](#)
- 3493. Hannemann, H.J.**, 1953, Natürliche Gruppierung der europäischen Arten der Gattung *Depressaria* s.l. (Lep., Oecoph.). *Mitt. zool. Mus. Berlin* 29 (2): 269-373, Abb. [\[available in Cesa Library\]](#)
- 3494. Hannemann, H.J.**, 1959, Neue *Depressaria* aus der Sammlung S. Toll (Lepidoptera, Oecophoridae). *Dt. ent. Z. (N.F.)* 6 (1/3): 34-43, 15 Abb. [\[available in Cesa Library\]](#)
- 3495. Hannemann, H.J.**, 1961, Zoologische Ergebnisse der Mazedonienreisen Friedrich Kasys II. Teil Lepidoptera, Scythridae. *Sber. öst. Akad. Wiss.* 170(7/10): 305-309, 4 Abb.
- 3496. Hannemann, H.J.**, 1964, Kleinschmetterlinge oder Microlepidoptera II. Die Wickler (s.l.) (Cochylidae, Carposinidae). Die Zünslerartigen (Pyraloidea). [in] Dahl, F., *Die Tierwelt Deutschlands und der angrenzenden Meeresteile*. 50 Teil, viii + 401 pp. 22 Taf. Jena. [\[available in Cesa Library\]](#)
- 3497. Hannemann, H.J.**, 1974, Studien an Pterophoriden (Lep., Pterophoridae). *Dt. ent. Z. (N.F.)* 21(4/5): 349-351. [\[available in Cesa Library\]](#)
- 3498. Hannemann, H.J.**, 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Oecophoridae. *Fauna Saudi Arabia* 4: 350-352.
- 3499. Hanus, J. & D. Hoareau**, 1998, *Polyommatus (Agrodiaetus) dama* (Staudinger, 1892) on the Nemrut Dağı in Turkey (Lepidoptera, Lycaenidae). *Neue ent. Ver. Apollo (N.F.)* 18(4): 416. [\[available in Cesa Library\]](#)
- 3500. Hanus, J.**, 1996, New Butterfly taxa from Kirghizia (Lepidoptera, Rhopalocera). *Atalanta* 27(1/2): 203-210, Pls. [\[available in Cesa Library\]](#)
- 3501. Hanus, J., Hoareau, D., Manon, D. & P. Manon**, 1997, Vacances entomologiques en Kirghizie (Lepidoptera, Rhopalocera). *Linneana Belgica* 16(1): 5-22; 16(2): 79-96, figs. [\[available in Cesa Library\]](#)
- 3502. Harrison, E.S.**, 1897, The Lepidoptera of the Romanche Valley. [in] Tutt, J.W., *Contributions to the fauna of Dauphiné Alps-V. Entomologist's Rec. J. Var.* 9: 83-84. [\[available in Cesa Library\]](#)
- 3503. Harrison, J.W.H.**, 1913, The genus *Ithysia* (Hb.). The hybrid *Biston*iae. *Etud. lep. comp.* 7: 5-167, Pls. [\[available in Cesa Library\]](#)
- 3504. Hartig, F. & H.G. Amsel**, 1952, *Lepidoptera Sardinica* 1,2. *Fragm. ent., Roma* 1: 3-100. [\[available in Cesa Library\]](#)
- 3505. Hartig, F.**, 1952, [in] Hartig & Amsel, *Lepidoptera Sardinica* 4. *Fragm. ent., Roma* 1: 145-159, figs. [\[available in Cesa Library\]](#)
- 3506. Hartig, F.G.**, 1937, Eine Mikrolepidopteren- Ausbeute aus dem Hindukusch Gebiet. *Z. öst. EntVer.* 22: 68-79, 3 Abb. [\[available in Cesa Library\]](#)
- 3507. Hartig, F.G.**, 1963, Beitrag zur Kenntnis der Gattung *Ocneria* Hbn. II. Die Genitalapparaturen einiger *Ocneria*-Arten und Versuch einer Revision der Arten (Lepidoptera, Lymantriidae). *Mitt. münch. ent. Ges.* 53: 57-69, 12 Abb. [\[available in Cesa Library\]](#)

- 3508. Harz, K.**, 1969-1970, Orientiert sich der Admiral nach dem Erdmagnetismus? *Atalanta* 2(8): 249-250, fig.; 3(1): 121-123. [[available in Cesa Library](#)]
- 3509. Harz, K.**, 1970, Distelfalterzüge in Ostanatolien und im Iran. *Atalanta* 3(1): 16. [[available in Cesa Library](#)]
- 3510. Hasenfuss, I.**, 1980, Die Präimaginalstadien von *Thyris fenestrella* Scopoli (Thyrididae, Lepidoptera) *Bonner zool. Beitr.* 31(1/2): 168-190, figs.
- 3511. Hashimoto, S.**, 1995, New and unrecorded species of the tribe Trichopterygini (Lepidoptera, Geometridae) from Thailand. *Trans. lepid. Soc. Japan* 46 (3): 129-136, figs. [[available in Cesa Library](#)]
- 3512. Hassanyar, M.**, 2006, Biological diversity of Lepidoptera in Iran (Geographic distribution of 2200 species). 389pp. Shabpareh Publ., Tehran. [A compilation work of a low scientific value].
- 3513. Hasselbach, W.**, 1985, Lepidopteren aus der Levante. *Ent. Z., Frankf. a. M.* 95: 125-128. [[available in Cesa Library](#)]
- 3514. Hassler, M. & W. Speidel**, 1986, Beitrag zur Verbreitung von *Dioryctria simplicella* (Heinemann) (Lepidoptera, Pyralidae, Phycitinae). *Ent. Z., Frankf. a. M.* 96(22): 321-324, 2 Abb. [[available in Cesa Library](#)]
- 3515. Hassler, M. & W. Weber**, 1982, Eine neue Subspecies von *Neptis rivularis* (Scopoli, 1763) aus Rumänien (Lep., Nymphalidae). *Atalanta* 13(3): 230-233, 11 Abb. [[available in Cesa Library](#)]
- 3516. Hassler, M., Schmidt, A. & H. Feil**, 1988, Entomologische Eindrücke aus Mazedonien und Griechenland Teil II. Makroheterocera (Lepidoptera). *Nachr. ent. Ver. Apollo (N.F.)* 9(3): 101-144, 12 figs. [[available in Cesa Library](#)]
- 3517. Haugum, J. & A. M. Low**, 1981, The Ornithoptera Updated (Lepidoptera, Papilionidae). *Tokurana* 2: 1-29, 6 Pls. [[available in Cesa Library](#)]
- 3518. Haugum, J. & A. M. Low**, 1982-1985, A Monograph of the Birdwing Butterflies. Vol. 2. The genera *Trogonoptera*, *Ripponia* & *Troides*. E.J.Brill. Scandinavian Press Ltd. Leiden & Copenhagen.
- 3519. Haugum, J. Ebner, J. & T. Racheli**, 1980, The Papilionidae of Celebes (Sulawesi) An Annotated List. *Lepid. Group 68 Suppl.* 9: 1-21, 1 map, 3 pls. [[available in Cesa Library](#)]
- 3520. Haugum, J.**, 1981, Notes on the *Aristolochia* of the Papuan region with particular reference to the larval foodplants of the Ornithoptera. *Lepid. Group 68, Newsletter* 2(10): 171-177. [[available in Cesa Library](#)]
- 3521. Haumann, A.**, 1999, Falsification of an entomological rule: Polymorphic genitalia in Geomeyrid moths (Lepidoptera, Geometridae). *Spixiana* 22 (1): 83-90, figs. [[available in Cesa Library](#)]
- 3522. Hauser, E.**, 1993, Das Paarungsverhalten von *Praesolenobia clathrella* (F.v.R.) im Vergleich zu den übrigen Psychiden, mit Angaben zur Zucht und Ökologie (Lepidoptera, Psychidae). *Nota lepid.* 15 (3/4): 233-240, 4 Abb. [[available in Cesa Library](#)]
- 3523. Hausmann, A. & A. Parenzan**, 1990, Neue und interessante Geometridenarten für die Südtalienfauna (Lepidoptera, Geometridae). *Entomofauna* 11 (29): 497-503. [[available in Cesa Library](#)]
- 3524. Hausmann, A. & A. Seguna**, 2005, *Lithostege fissurata* Mabille, 1888 from Malta, new for the fauna of Europe (Geometridae, Larentiinae). *Nota lepid.* 28 (1): 11-15, figs. [[available in Cesa Library](#)]
- 3525. Hausmann, A. & G. M. Laszlo**, 1999, Taxonomic and faunistic studies on Turkmenian Sterrhinae (Lepidoptera, Geometridae). *Folia ent. hung.* 60: 317-324, figs. [[available in Cesa Library](#)]
- 3526. Hausmann, A. & J. Viidalepp**, 2012, The Geometrid Moths of Europe. 3. volume, Apollo Books, Stenstrup. [[available in Cesa Library](#)]
- 3527. Hausmann, A. & L. E. Parra**, 2009, An unexpected hotspot of moth biodiversity in Chilean northern Patagonia (Lepidoptera, Geometridae). *Zootaxa* 1989: 23-38, figs. [[available in Cesa Library](#)]
- 3528. Hausmann, A. & S. Dötterl**, 2004, Nectar plants and larval plants of the genus *Glossotrophia* (Geometridae, Sterrhinae) studies on pollen grains attached to museum specimens. *Nota lepid.* 26 (3/4): 127-136. [[available in Cesa Library](#)]
- 3529. Hausmann, A.**, 1988, Grossschmetterlinge im Münchner Norden. Schriftenreihe Bayer. Landesamt für Umweltschutz 83: 61-95.
- 3530. Hausmann, A.**, 1988, *Thera britannica* (Turner, 1925) (= *Thera albonigrata* Gornik) in Südbayern (Lep., Geom.). *NachrBl. bayer Ent.* 37 (4): 101-103. [[available in Cesa Library](#)]
- 3531. Hausmann, A.**, 1989, *Eupithecia dodoneata* Guenée, 1857, neu für die Fauna Südbayerns (Lep., Geom.). *NachrBl. bayer Ent.* 38(4): 114-116. [[available in Cesa Library](#)]

- 3532. Hausmann,A.**, 1990, Die Bedeutung verschiedener Friedhofstypen in städtischen Ballungsräumen am Beispiel des Waldfriedhofs und des Neuen Südfriedhofs in München. Teil 1. Das Gartenamt 39 (11): 718-724; 39 (12): 814-818.
- 3533. Hausmann,A.**, 1990, Zur Dynamik von Nachtfalter-Artenspekten: Turnover und Dispersionsverhalten als Elemente von Verbreitungsstrategien. Spixiana Suppl. 16: 1-222. [[available in Cesa Library](#)]
- 3534. Hausmann,A.**, 1990, Gedanken zu einem Dezemberfang von *Mythimna unipuncta* Haw. Atalanta 21 (1/2): 63-64. [[available in Cesa Library](#)]
- 3535. Hausmann,A.**, 1990, *Enconista rubrior* sp.n. aus West-Marokko mit weiteren Anmerkungen zur Gattung *Enconista* Lederer (Lepidoptera, Geometridae, Ennominae). NachrBl. bayer Ent. 39 (4): 104-110. [[available in Cesa Library](#)]
- 3536. Hausmann,A.**, 1990, *Noctua interjecta* Hübner,[1803]: Erstnachweis für die Südbayernfauna im Münchner. NachrBl. bayer Ent. 39 (4): 127-128. [[available in Cesa Library](#)]
- 3537. Hausmann,A.**, 1990, Die Bedeutung des genauen Lichtfallen-Standortes für die Aussagekraft des Fangergebnisses (Lepidoptera, Macroheterocera). Atalanta 21 (3/4): 301-312. [[available in Cesa Library](#)]
- 3538. Hausmann,A.**, 1991, Ergänzungen zur Grossschmetterlingsfauna des Münchner Nordens (Lepidoptera). Entomofauna 12 (6): 81-96. [[available in Cesa Library](#)]
- 3539. Hausmann,A.**, 1991, Beitrag zur Geometridenfauna Palästinas: Die Spanner der Klapperich-Ausbeute aus Jordan (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 81: 111-163, 62 Abb., 17 Taf. [[available in Cesa Library](#)]
- 3540. Hausmann,A.**, 1991, Taxonomische Untersuchungen an der *Idaea obsoletaria* Rmb.-Gruppe (Lepidoptera,Geometridae). NachrBl. bayer. Ent. 40 (2): 33-42, 17 Abb. [[available in Cesa Library](#)]
- 3541. Hausmann,A.**, 1992, Nachtrag zur Geometridenfauna Jordaniens (Lepidoptera, Geometridae). NachrBl. bayer. Ent. 41(3): 98-100, 3 Abb. [[available in Cesa Library](#)]
- 3542. Hausmann,A.**, 1992, *Idaea fittkau* sp.n. aus Afghanistan mit weiteren Bemerkungen zur Systematik der 13. Gruppe der Gattung *Idaea* (Lepidoptera, Geometridae). NachrBl. bayer. Ent. 41 (2): 46-55, figs. [[available in Cesa Library](#)]
- 3543. Hausmann,A.**, 1993, Der Aussagewert struktureller Unterschiede im 8.Sternit. Revision der in Italien vorkommenden Arten der Gattung *Glossotrophia* Prout,1913 (Lepidoptera, Geometridae). Atalanta 24 (1/2): 265-297, 43 Abb. [[available in Cesa Library](#)]
- 3544. Hausmann,A.**, 1993, Zweiter Beitrag zur Taxonomie und Systematik der Gattung *Glossotrophia* Prout,1913 (Lepidoptera, Geometridae, Sterrhinae). Mitt. münch. ent. Ges. 83: 77-107, 68 Abb. [[available in Cesa Library](#)]
- 3545. Hausmann,A.**, 1993, *Heterolocha xerophilaria* Püngeler,1902- ein Synonym von *Pseudosterrha rufistrigata* (Hampson,1896), comb.n., mit weiteren Anmerkungen zur Systematik der Sterrhinae (Lepidoptera, Geometridae). Nota lepid. 16 (1): 23-33, 11 Abb. [[available in Cesa Library](#)]
- 3546. Hausmann,A.**, 1993, Revision of the Palaearctic species of the genus *Victoria* Warren,1897 (Lepidoptera, Geometridae). Spixiana 16 (1): 53-60, 14 figs. [[available in Cesa Library](#)]
- 3547. Hausmann,A.**, 1993, Beitrag zur Taxonomie und Systematik des *Gnophos poggearia* Lederer,1855 Verwandtschaftskreises (Lepidoptera, Geometridae, Ennominae). Bonn. zool. Beitr. 44 (3/4): 225-240, Abb. [[available in Cesa Library](#)]
- 3548. Hausmann,A.**, 1994, Notes on the morphology of some little known species of the genus *Idaea* Treitschke,1825 in the Middle East (Lepidoptera, Geometridae, Sterrhinae). Bonner zool. Beitr. 45 (1): 67-78, figs. [wrong journal citation by Hausmann (2001: 569) as "Bonner Zool. Nachr."] [[available in Cesa Library](#)]
- 3549. Hausmann,A.**, 1994, Morphology and taxonomy of the species belonging to the genus *Myinodes* Meyrick,1892 (Lepidoptera, Geometridae). Nota lepid. 17 (1/2): 31-43, 17 figs. [[available in Cesa Library](#)]
- 3550. Hausmann,A.**, 1994, Dritter Beitrag zur Revision der Gattung *Glossotrophia* Prout,1913 nebst Beschreibung zweier neuer Gattungen (Lepidoptera, Geometridae, Sterrhinae). Nota lepid. 16(3/4): 195-211, 25 Abb., 1 Tab. [[available in Cesa Library](#)]
- 3551. Hausmann,A.**, 1995, Neue Geometriden-Funde aus Zypern und Gesamtübersicht über die Fauna. Mitt. münch. ent. Ges. 85: 79-111. [[available in Cesa Library](#)]
- 3552. Hausmann,A.**, 1995, Zur Systematik einiger ostmediterraner Geometridenarten (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 85: 73-78, figs. [[available in Cesa Library](#)]

- 3553. Hausmann,A.**, 1996, The morphology of the geometrid moths of the Levant and the neighbouring countries. *Nota lepid.* 19 (1/2): 3-90, 148 figs. [\[available in Cesa Library\]](#)
- 3554. Hausmann,A.**, 1996, Systematic list of the geometrid moths of the Levant and neighbouring countries. Part I. Orthostixinae and Geometrinae. *Nota lepid.* 19 (1/2): 91-106. [\[available in Cesa Library\]](#)
- 3555. Hausmann,A.**, 1996, In memoriam Dr. Wolfgang Dierl (20.1.1935-26.3.1996). *NachrBl. bayer. Ent.* 45 (3/4): 50-55. [\[available in Cesa Library\]](#)
- 3556. Hausmann,A.**, 1996, Zwei neue Geometridenarten aus Vorderasien (Insecta, Lepidoptera, Geometridae). *Spixiana Suppl.* 22: 3-10, figs. [\[available in Cesa Library\]](#)
- 3557. Hausmann,A.**, 1996, Eine neue Art der Gattung Hemidromodes Prout, 1916 aus Tansania (Insecta, Lepidoptera, Geometridae, Geometrinae). *Spixiana Suppl.* 22: 11-14, figs. [\[available in Cesa Library\]](#)
- 3558. Hausmann,A.**, 1997, The Geometrid Moths of various entomological collections in Israel (Lepidoptera, Geometridae). *Entomofauna* 18 (1): 1-19, 7 figs. [\[available in Cesa Library\]](#)
- 3559. Hausmann,A.**, 1997, Eine neue Art der Gattung Nebula Bruand, 1846 von der Sinai-Halbinsel (Geometridae, Larentiinae). *Spixiana* 20 (3): 285-290, figs. [\[available in Cesa Library\]](#)
- 3560. Hausmann,A.**, 1997, Beitrag zur Systematik der Gattung Mixocera Warren, 1901 (Geometridae, Geometrinae). *Spixiana* 20 (3): 291-302, figs. [\[available in Cesa Library\]](#)
- 3561. Hausmann,A.**, 1998, New and interesting geometrid moths from the Oman (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 88: 85-98, figs. [\[available in Cesa Library\]](#)
- 3562. Hausmann,A.**, 1998, *Scotopteryx ignorata* sp.n., eine bisher übersehene europäische Art des *Scotopteryx mucronata-luridata*-Komplexes (Geometridae). *Nota lepid.* 21 (4): 240-263, figs. [\[available in Cesa Library\]](#)
- 3563. Hausmann,A.**, 2001, The Geometrid Moths of Europe Vol. 1 282 pp., 8 Pls. Apollo Books. [\[available in Cesa Library\]](#)
- 3564. Hausmann,A.**, 2003, New Sterrhinae from Europe, North Africa and the Caucasus (Lepidoptera, Geometridae). *Ent. Z.* 113 (11): 319-328, figs.
- 3565. Hausmann,A.**, 2004, The Geometrid Moths of Europe Vol. 2 Sterrhinae. 600 pp., figs. Pls. Apollo Books. [\[available in Cesa Library\]](#)
- 3566. Hausmann,A.**, 2006, Revision of the *Idaea inquinata* (Scopoli, 1763) species-group s.str. from the Middle East (Lepidoptera, Geometridae, Sterrhinae). *Mitt. münch. ent. Ges.* 95: 37-47, figs. [\[available in Cesa Library\]](#)
- 3567. Hausmann,A.**, 2006, The geometrid moths of Yemen- with 50 new records for the country and description of 20 new taxa (Lepidoptera, Geometridae). *Esperiana* 12: 9-62, figs. [\[available in Cesa Library\]](#)
- 3568. Hausmann,A.**, 2011, An integrative taxonomic approach to resolving some difficult questions in the Larentiinae of the Mediterranean region (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 101: 73-97, figs. [\[available in Cesa Library\]](#)
- 3569. Hawkeswood,T.J.**, 1992, Beobachtungen an Schmetterlingen in Papua Neuguinea. *Ent. Z., Frankf. a. M.* 102: 294-299. [\[available in Cesa Library\]](#)
- 3570. Hawkins,C.N.**, 1942, The insects of Norfolk Island, including a preliminary report on a recent collection. *Lepidoptera. Ann. Mag. nat. Hist.* (11) 9: 865-879. [\[available in Cesa Library\]](#)
- 3571. Haworth,A.H.**, 1803-1828, *Lepidoptera Britannica*, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London. [\[available in Cesa Library\]](#)
- 3572. Hayashi,H.**, 1976, A new subspecies of *Hasora schoenherr* Latreille from Palawan (Lepidoptera, Hesperidae). *Tyo to Ga* 27: 96.
- 3573. Hayashi,H.**, 1976, New subspecies of *Jamides* and *Udara* from Palawan (Lepidoptera, Lycaenidae). *Tyo to Ga* 27 (4): 151-155, figs.
- 3574. Hayashi,H.**, 1978, Lycaenid butterflies from Mindanao, with the descriptions of new genus, new species and new subspecies (Lepidoptera, Lycaenidae). *Tyo to Ga* 29 (3): 164-168, 19 figs.
- 3575. Hayashi,H.**, 1979, New lycaenid butterflies from Mindanao, the Philippines. *Tyo to Ga* 30 (1/2): 83-90, figs.
- 3576. Hayashi,H.**, 1980, New Hesperiid Butterflies from Mindanao, the Philippines. *Tyo to Ga* 30: 172-175.
- 3577. Hayashi,H.**, 1984, Zwei neue Lycaeniden-Arten von den Philippinen (Lep., Lycaenidae). *Ent. Z., Frankf. a.M.* 94(21): 311-314, 3 Abb. [\[available in Cesa Library\]](#)

- 3578. Hayes, A.H.**, 1963, A new species of *Chaerocina* (Lepidoptera, Sphingidae, Choerocampinae) from Abyssinia. *Entomologist* 96: 97-99, 9 figs.
- 3579. Hayes, A.H.**, 1980, A revision of the Pantropical genus *Tathorhynchus* Hampson (Lep., Noctuidae, Ophiderinae). *Proc. Br. ent. nat. Hist. Soc.* 1980: 25-30, 5 Pls. [[available in Cesa Library](#)]
- 3580. Hayward, K.J.**, 1925-1926, Notes on Egyptian Lepidoptera observed at Reservoirs Aswan between October 1919 and April 1922. *Entomologist's Rec. J. Var.* 37 (1925): 1-16; 38 (1926): 17. [[available in Cesa Library](#)]
- 3581. Hayward, K.J.**, 1926, A List of Egyptian Microlepidoptera collected in the Aswan district. *Entomologist's Rec. J. Var.* 38: (24)-(26). [[available in Cesa Library](#)]
- 3582. Hayward, K.J.**, 1926, A note on the Noctuidae of the Aswan district of Egypt, III. *Entomologist's Rec. J. Var.* 38: (18)-(22). [[available in Cesa Library](#)]
- 3583. Heath, J.**, 1965, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes 33. Beitrag Lepidoptera-Micropterigidae. *Dt. ent. Z. (N.F.)* 15(5/6): 641-647. [[available in Cesa Library](#)]
- 3584. Heath, J.**, 1981, Threatened *Rhopalocera* (butterflies) in Europe. *Nature Environ. Ser.* 23: 1-157.
- 3585. Heath, J.**, 1985, New species of *Micropterix* Hübner (Lepidoptera, Zeugloptera, Micropterigidae) from Greece and Cyprus. *Nota lepid.* 8(4): 336-340, 4 figs. [[available in Cesa Library](#)]
- 3586. Heath, J.**, 1986, The micropterigid fauna of North Africa. *Entomologist's Gaz.* 37: 17-32, 126, figs.
- 3587. Heath, J.**, 1987, A Check List of the genus *Micropterix* Hübner, [1825] (Lepidoptera, Micropterigidae). *Entomologist's Gaz.* 38: 205-207. [[available in Cesa Library](#)]
- 3588. Heckford, R.J.**, 2011, *Syncopacma captivella* (Herrich-Schäffer, 1854) new to Spain, reared from a new larval foodplant (Lepidoptera, Gelechiidae). *Shilap Revta lepid.* 39 (154): 185-187, figs. [[available in Cesa Library](#)]
- 3589. Hecq, J.** 1976, Essai classification du genre *Euphaedra* Hbn. (Lepid., Nymph. Afric.). *Lambillionea* 76: 38-48, 53-63. [[available in Cesa Library](#)]
- 3590. Hedemann, W.v.**, 1881, Beitrag zur Lepidopteren-Fauna des Amurlandes (Forts.). *Horae Soc. ent. ross.* 16: 43-57, pl.x. [[available in Cesa Library](#)]
- 3591. Heeger, E.**, 1838, Beiträge zur Schmetterlingskunde oder Abbildungen und Beschreibungen neuer sicilischen Schmetterlinge. 7pp. 3 pls. Wien.
- 3592. Heidemann, H.**, 1979, Bemerkenswerte Funde von Zünslern (Lepidoptera, Pyraustidae und Crambidae). *Articulata* 1 (14): 140-141.
- 3593. Heikkilä, M. & L. Kaila**, 2010, Reassessment of the enigmatic Lepidopteran family Lypusidae (Lepidoptera, Tineoidea, Gelechioidea). *Syst. Ent.* 35 (1): 71-89, figs.
- 3594. Heine, S. & C.M. Naumann**, 1994, Sexuelle Selektion und die Evolution tageszeitlich variierender Partnerfindungsmechanismen bei *Zygaena trifolii* (Esper, 1783) (Insecta, Lepidoptera). *Mitt. dt. Ges. allg. angew. Ent.* 8: 649-658.
- 3595. Heinemann, H.v.** 1859, Die Schmetterlinge Deutschlands und der Schweiz. Erste Abtheilung: Die Grossschmetterlinge. 23 ♀ 840pp. Braunschweig. [[available in Cesa Library](#)]
- 3596. Heinkele, P.**, 2000, Beitrag zur Revision des *Parnassius delphius*- *staudingeri*-Komplexes mit Beschreibung einer neuen Subspezies von *Parnassius staudingeri* Bang-Haas, 1882 aus Afghanistan (Lepidoptera, Papilionidae). *Galathea* 16 (2): 59-70, 8 Abb. [[available in Cesa Library](#)]
- 3597. Heinrich, C.**, 1956, American moths of the subfamily Phycitinae. *Bull. U. S. natn. Mus.* 207: viii + 581 pp. 1138 figs. Washington.
- 3598. Heinrich, R.**, 1910, Pommersche Gross-Schmetterlinge. *Berl. ent. Z.* 55: 104-122. [[available in Cesa Library](#)]
- 3599. Heinrich, R.**, 1916, Beitrag zur Feststellung der Veränderungen der Berliner Gross-Schmetterlingsfauna in neuester Zeit. *Dt. ent. Z.* 1916: 499-546.
- 3600. Heinrich, R.**, 1923, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). *Dt. ent. Z.* 1923 (suppl.): 1-124.
- 3601. Heinrich, R.**, 1928, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). I. Nachtrag. *Dt. ent. Z.* 1928: 177-210.
- 3602. Heinrich, R.**, 1929, Jaques L. Reverdin. Ein Nachruf. *Int. ent. Z.* 23: 13-18.
- 3603. Heinrich, R.**, 1938, Beitrag zur Makrolepidopterenfauna von Digne (Basses-Alpes). II. Nachtrag. *Dt. ent. Z.* 1938: 1-40.

- 3604. Hellmich, W.**, 1969, Bemerkungen zur Tiergeographie und Ökologie des Vansee-Beckens in Ostanatolien. Veröff. Zool. Staatssamml. München 13: 143-154.
- 3605. Helps, A.**, 1891, Lepidoptera of Dulwich. Entomologist's Rec. J. Var. 2: 140-141. [[available in Cesa Library](#)]
- 3606. Hemming, A.F.**, 1928, *Baoris zelleri* Led. an unrecognized European Hesperid. Proc. ent. Soc. London 3: 61-64, figs. [[available in Cesa Library](#)]
- 3607. Hemming, A.F.**, 1928, *Maniola lupinus* Costa. A species not previously recorded from France. Proc. ent. Soc. London 3: 1-4, 2 figs. [[available in Cesa Library](#)]
- 3608. Hemming, A.F.**, 1929, *Carcharodus dravira* Moore, a good species. Proc. ent. Soc. London 4: 1-3, pl.i. [[available in Cesa Library](#)]
- 3609. Hemming, A.F.**, 1929, Two new subspecies of *Polyomatus loewii* Zell. Proc. ent. Soc. London 4: [[available in Cesa Library](#)]
- 3610. Hemming, A.F.**, 1929, Notes on the generic names of the Holarctic Lycaenidae (Lep., Rhop.). Ann. Mag. nat. Hist. (10) 3: 217-245. [[available in Cesa Library](#)]
- 3611. Hemming, A.F.**, 1929, A new subspecies of *Zegris eupheme* Esper. Proc. ent. Soc. London 4: 26-29, 2 figs. [[available in Cesa Library](#)]
- 3612. Hemming, A.F.**, 1929, A new Indian species of the genus *Lycaenopsis* Feld. Proc. ent. Soc. London 3: 29-30, Pl.2. [[available in Cesa Library](#)]
- 3613. Hemming, A.F.**, 1931, On the dates of publication of F.Rühl's "Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte". Ann. Mag. nat. Hist. 10 (8): 405-406. [[available in Cesa Library](#)]
- 3614. Hemming, A.F.**, 1931, Revision of the genus *Iolana* Bethune-Baker (Lepidoptera, Lycaenidae). Trans. ent. Soc. London 79(2): 323-333, Pl. [[available in Cesa Library](#)]
- 3615. Hemming, A.F.**, 1931, Descriptions of three palaeartic butterflies. Ann. Mag. nat. Hist. 10 (8): 534-536. [[available in Cesa Library](#)]
- 3616. Hemming, A.F.**, 1932, Revisional notes on certain generic and specific names proposed for species of the genus *Agapetes* Billberg (Lepidoptera, Satyridae). Ann. Mag. nat. Hist. (10) 10: 571-574. [[available in Cesa Library](#)]
- 3617. Hemming, A.F.**, 1932, Supplementary notes on the collections of butterflies made in Greece, *T. vicrama astabene* nom. nov. Entomologist 65: 179-183. [[available in Cesa Library](#)]
- 3618. Hemming, A.F.**, 1932, The Butterflies of Transjordan. Trans. ent. Soc. Lond. 80(2): 269-299, 3 text-figs., Pls.xv,xvi. [[available in Cesa Library](#)]
- 3619. Hemming, A.F.**, 1933, A new Syrian butterfly (Lepidoptera, Lycaenidae). Entomologist 66: 7-8.
- 3620. Hemming, A.F.**, 1934, The generic names of the Holarctic butterflies. vol.1: 1758-1863. 184pp. [[available in Cesa Library](#)]
- 3621. Hemming, A.F.**, 1934, Notes on two collections of butterflies made in Palestine, with a note on the occurrence in Transjordan of an unrecorded species. Entomologist 67: 1-4, 29-32, 135-137, 196-199. [[available in Cesa Library](#)]
- 3622. Hemming, A.F.**, 1934, Revisional notes on certain species of *Rhopalocera* (Lepidoptera) *Stylops* 3(9): 193-200. [[available in Cesa Library](#)]
- 3623. Hemming, A.F.**, 1935, On the identity of four species of *Rhopalocera* described by Johannes Gistel in 1857. *Stylops* 4 (6): 122.
- 3624. Hemming, A.F.**, 1937, Hübner. A Bibliographical and systematic account of the entomological works of Jacob Hübner and of the supplements thereto by Carl Geyer, Gottf. Franz von Fröhlich and Gottl. August Wilhelm Herrich-Schäffer. Vol.I (xxxiv+605pp); vol.II (x+274pp), London. [[available in Cesa Library](#)]
- 3625. Hemming, A.F.**, 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509. [[available in Cesa Library](#)]
- 3626. Hennig, W.**, 1965, Phylogenetic systematics. Ann. Rev. Ent. 10: 97-116.
- 3627. Hennig, W.**, 1966, Phylogenetic systematics. Univ. of Illinois Press, Chicago.
- 3628. Henning, G.A. & E.L.L.Pringle**, 1994, Pennington's Butterflies of southern Africa (2dn Edn). [[available in Cesa Library](#)]
- 3629. Henning, G.A. & S.F.Henning**, 1997, Revisional notes on the African Satyrinae (Lepidoptera, Nymphalidae) with a description of a new genus. *Metamorphosis* 8(3): 135-140, 11 figs. [[available in Cesa Library](#)]

- 3630. Henning, S.F. & G.A. Henning**, 1989, South African Red Data Book - Butterflies. South African National Scientific Programmes Report no.158. 175pp. 106 figs., maps. [\[available in Cesa Library\]](#)
- 3631. Henning, S.F. & G.A. Henning**, 1996, A Review of the genus *Axiocerses* Hübner (Lepidoptera, Lycaenidae), with descriptions of nine new species and three new subspecies. *Metamorphosis, Occ. Suppl.* 1: 1-48, 52 figs., 4 Pls. [\[available in Cesa Library\]](#)
- 3632. Henriksen, J.J. & I. Kreutzer**, 1982, The Butterflies of Scandinavia in nature. 215pp. 102 Pls. Scandinavian Bogforlag, Odense.
- 3633. Henriot, P.**, 1927, Dix jours de chasse dans les Pyrénées orientales. *Amat. Pap.* 3: 273-279.
- 3634. Hensle, J.**, 1993, Beobachtungen bei westanatolischen Osterluzeifaltern (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 14(3): 289-299, 13 Abb. [\[available in Cesa Library\]](#)
- 3635. Hensle, J.**, 1998, Tagfalter (Papilionoidea) von Eichstetten (Ostkaiserstuhl). *Nachr. ent. Ver. Apollo (N.F.)* 19(3/4): 271-279, 3 Abb. [\[available in Cesa Library\]](#)
- 3636. Hensle, J.**, 2001, Zur Frage der subspezifischen Zuordnung von "*Pieris bryoniae lappona*" Rangnow, 1935 (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 89-95, pl.ii. [\[available in Cesa Library\]](#)
- 3637. Hensle, J.**, 2001, Kleiner Beitrag zur Kenntnis der Biologie von *Pieris cheiranthi benchoavensis* Pinker, 1968 (Lepidoptera, Pieridae). *Atalanta* 32 (1/2): 97-98. [\[available in Cesa Library\]](#)
- 3638. Heppner, J.B. & W.D. Duckworth**, 1981, Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia). *Smiths. Contr. Zool.* 314: 1-144, figs. [\[available in Cesa Library\]](#)
- 3639. Heppner, J.B.**, 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. *J. Lepid. Soc.* 31(2): 124-134. [\[available in Cesa Library\]](#)
- 3640. Heppner, J.B.**, 1979, Brachodidae, a new family name for Atychidae (Lep., Sesiioidea). *Ent. Ber., Amst.* 39 (8): 127-128. [\[available in Cesa Library\]](#)
- 3641. Heppner, J.B.**, 1982, Millieriinae, a new subfamily of Choreutidae, with new taxa from Chile and United States (Lepidoptera, Sesiioidea). *Smiths. Contr. Zool.* 370: 1-27, 63 figs. [\[available in Cesa Library\]](#)
- 3642. Heppner, J.B.**, 1982, Dates of selected Lepidoptera literature for the western hemisphere fauna. *J. Lepid. Soc.* 36 (2): 87-111. [\[available in Cesa Library\]](#)
- 3643. Heppner, J.B.**, 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). *N.Y. ent. Soc.* 89(4): 220-294. [\[available in Cesa Library\]](#)
- 3644. Herbst, J.F.H.**, 1783-1804, *Natursystem aller bekannten in- und ausländischen Insecten*. Band 11-21 (Schmetterlinge). T.5 (1792) 230 pp., 37 Tab.; Tom 9 (1798) 206 pp., 30 Tab. Berlin. [\[available in Cesa Library\]](#)
- 3645. Herbulot, C.**, 1977, Geometridae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 30-36, Pls. [\[available in Cesa Library\]](#)
- 3646. Herbulot, C.**, 1979, Un nouvel Hyposidra africain (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 48(6): 370-371, 3 figs. [\[available in Cesa Library\]](#)
- 3647. Herbulot, C.**, 1981, Description d'un nouveau Larentiinae du Cameroun (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 50(4): [\[available in Cesa Library\]](#)
- 3648. Herbulot, C.**, 1981, Un nouveau Dyscia du Maroc (Lep., Geometridae, Ennominae). *Alexandria* 12 (2): 95-96, 2 figs. [\[available in Cesa Library\]](#)
- 3649. Herbulot, C.**, 1981, Quatre nouveaux Larentiinae du Maroc (Lepidoptera, Geometridae). *Alexandria* 12 (4): 182-184, 2 figs. [\[available in Cesa Library\]](#)
- 3650. Herbulot, C.**, 1983, Missions de M. P.-C. Rougeot en Ethiopie et en République de Djibouti (Lepidoptera, Geometridae). *Bull. mens. Soc. linn. Lyon* 52(1): 10-21, 23 figs. [\[available in Cesa Library\]](#)
- 3651. Herbulot, C.**, 1984, Replacement of a generic name. *Bull. mens. Soc. linn. Lyon* 53 (4): 159. [\[available in Cesa Library\]](#)
- 3652. Herbulot, C.**, 1984, Geometridae Description d'Espèces nouvelles ou peu connues [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 128: 11-12, Pl.1. [\[available in Cesa Library\]](#)
- 3653. Herbulot, C.**, 1985, Un Nouvel Asmate du Nord de l'Inde (Lepidoptera, Geometridae). *Alexandria* 13 (8) (1984): 354, 2 figs. [\[available in Cesa Library\]](#)
- 3654. Hering, E.**, 1889, Mémoires sur les Lépidoptères rédigés par N.M. Romanoff. Tome III. St. Petersburg 1887. *Stettin ent. Ztg.* 50: 257-278. [\[available in Cesa Library\]](#)
- 3655. Hering, E.**, 1891, Nachwort. *Stettin ent. Ztg.* 52(4/6): 116-128. [\[available in Cesa Library\]](#)

- 3656. Hering, E.M.**, 1950, Die Oligophagie phytophager Insekten als Hinweis auf eine Verwandtschaft der Rosaceae mit den Familien der Amentiferae. Verh. 8. Int. ent. Kongr., Stockholm: 74-79.
- 3657. Hering, E.M.**, 1950, Monophagie und Xenophagie. Naturwissenschaft. 37: 531-536.
- 3658. Hering, M.**, 1922, Revision der orientalischen Chalcosinen. Ark. f. Naturg. 88 A: 1-93.
- 3659. Hering, M.**, 1929, Alte und neue Lasiocampiden von Afrika im Zoologischen Museum Berlin. Mitt. zool. Mus. Berlin 14: 490.
- 3660. Hering, M.**, 1930, *Parnassius orleans* Obth. und seine Rassen. Parnassiana 1 (3): 1-4, pl.1.
- 3661. Hering, M.**, 1931, *Parnassius delphius mephisto* subsp.nov. Parnassiana 1(7/8): 4-6, figs. 4-5.
- 3662. Hering, M.**, 1931, *Parnassius glacialis* Btl. als bona species. Parnassiana 1 (7/8): 10-11.
- 3663. Hering, M.**, 1932, *Parnassius delphius mephisto* als bona ssp. Entgegen zu den vorstehenden Ausführungen. Parnassiana 2: 10-11.
- 3664. Hering, M.**, 1932, Ergänzungband 1. Die Schmetterlinge. Tierwelt Mitteleur. 6(3) (suppl.): 1-545. [[available in Cesa Library](#)]
- 3665. Hering, M.**, 1932, 24. Ordnung: Schmetterlinge, Lepidoptera. Tierwelt Mitteleur. 6(3): 1-94. [[available in Cesa Library](#)]
- 3666. Hering, M.**, 1932, *Parnassius mnemosyne* in Westpreussen. Parnassiana 2: 43-44, fig.1.
- 3667. Hering, M.**, 1933, Familie Megalopygidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 197-199. Stuttgart.
- 3668. Hering, M.**, 1933, Lepidoptera Sureyana. Weitere Noctuiden und Geometriden von Ankara. Int. ent. Z. 26: 411-415. [[available in Cesa Library](#)]
- 3669. Hering, M.**, 1933, Familie Limacodidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 201-209. Stuttgart.
- 3670. Hering, M.**, 1934, Eine neue geographische Form von *Parnassius mnemosyne glacialis* Btlr. Parnassiana 3: 1-2.
- 3671. Hering, M.**, 1937, Die Genital-Morphologie von *Parnassius autocrator* Av. Parnassiana 4: 38-42, 2 figs.
- 3672. Hering, M.**, 1940, Lepidopterologisches Wörterbuch. 123S., 81 Abb. Alfred Kernen Verlag. Stuttgart. [[available in Cesa Library](#)]
- 3673. Hering, M.**, 1957, Zur Blattminenkunde von Südafrika. Ann. Transv. Mus. 23: 81-86. [[available in Cesa Library](#)]
- 3674. Hering, M.**, 1964, Die Lebensweise von *Procris graeca* Jord. (Lepidoptera, Zygaenidae). Z. wien. ent. Ges. 49: 75-81, 4 Abb. [[available in Cesa Library](#)]
- 3675. Herrich-Schäffer, G.A.W.**, 1843-[1856], Systematische Bearbeitung der Schmetterlinge von Europa, zugleich als Text, Revision und Supplement zu Jacob Hübner's Sammlung europäischer Schmetterlinge. 6 vols. Regensburg. [[available in Cesa Library](#)]
- 3676. Herrich-Schäffer, G.A.W.**, 1869, Neue Schmetterlinge aus dem Museum Godeffroy in Hamburg. Erste Abtheilung: die Tagfalter. Stettin ent. Ztg. 30: 65-80, 4 Tab.
- 3677. Herz, O.**, 1897, Reise von Jakutsk nach Kamtschatka im Jahre 1890. [in] Romanoff, Mém. lépid. 9: 239-299.
- 3678. Herzog, J.**, 1910-1911, Mein Schmetterlingfang in Aegypten und Syrien. Jb. ent. Ver. Wien 21: 85-91; 22:1.
- 3679. Heslop, I.R.P.**, 1945, Check-list of the British Lepidoptera with English name of each of the 2299 species.- 35 pp. Watkins & Doncaster, London.
- 3680. Hesselbarth, G. & K.G.Schurian**, 1984, Beitrag zur Taxonomie, Verbreitung und Biologie von *Tomares nogelii* (Herrich-Schäffer, 1851) in der Türkei (Lep., Lycaenidae). Entomofauna 5(20): 243-250. [[available in Cesa Library](#)]
- 3681. Hesselbarth, G. & W.Siepe**, 1993, *Polyommatus (Aricia) torulensis* - eine bisher nicht bekannte Lycaenide aus Anatolien (Lepidoptera, Lycaenidae). Phegea 21(2): 47-53, Pls. [[available in Cesa Library](#)]
- 3682. Hesselbarth, G.**, 1974, Anmerkungen zu den ersten Ständen von *Hipparchia fatua*. NachrBl. bayer. Ent. 23(2): 23-28, Abb. [[available in Cesa Library](#)]
- 3683. Hesselbarth, G.**, 1977, Anmerkungen zur Biologie von *Chazara bischoffi* (Herrich-Schäffer) (Satyridae). Nota lepid. 1(1): 39-41. [[available in Cesa Library](#)]
- 3684. Hesselbarth, G.**, 1983, Beitrag zur Biologie von *Ypthima asterope* Klug (Lepidoptera, Satyridae). Nachr. ent. Ver. Apollo (N.F.) 4 (1): 7-14, 5 figs. [[available in Cesa Library](#)]

- 3685. Hesselbarth, G.**, 1983, Anmerkungen zur Biologie und Verbreitung von *Coenonympha saadi* Kollar (Lepidoptera, Satyridae). *Nota lepid.* 6 (2/3): 111-120, 5 figs. [[available in Cesa Library](#)]
- 3686. Hesselbarth, G.**, 1987, Beitrag zur Kenntnis der ersten Stände und zum Biotopverhalten von *Pseudochazara mnischei* (Herrich-Schäffer, 1851) und *P. mamurra* (Herrich-Schäffer, 1846) (Lep., Nymphalidae, Satyrinae). *Phegea* 15(3): 121-129, figs. [[available in Cesa Library](#)]
- 3687. Hesselbarth, G., Oorschot, H.v. & S. Wagener**, 1995, Die Tagfalter der Türkei unter Berücksichtigung der angrenzenden Länder. Bde. 1 & 2: 1354 S. 75 Abb., 21 Tab., 2 fb. Karte, 36 fb. Tab. Bd.3: 847 S., 128 fb. Tab., 13 sw Tab., vi+342 Karte. Selbstverlag S.Wagener, Bocholt. [[available in Cesa Library](#)]
- 3688. Hewett, G.M.A.**, 1891, Hybernating *Apatura iris*. *Entomologist's Rec. J. Var.* 2: 139. [[available in Cesa Library](#)]
- 3689. Hewett, G.M.A.**, 1895, About larvae. *Entomologist's Rec. J. Var.* 6: 1-4. [[available in Cesa Library](#)]
- 3690. Hewitson, W.C.**, 1851-1861, Exotic Butterflies, being illustrations of new species selected chiefly from the collection of William Wilson Saunders and William C. Hewitson. London.
- 3691. Hewitson, W.C.**, 1872, Description of a new species of *Papilio* from Lagos. *Entomologist's mon. Mag.* 9: 146-147.
- 3692. Hewitson, W.C.**, 1874, A list of the butterflies with descriptions of new species from the Andaman Islands. *Ann. Mag. nat. Hist.* (4) 14: 356-360. [[available in Cesa Library](#)]
- 3693. Hewitson, W.C.**, 1874, Descriptions of new *Lycaenidae* from West Africa. *Entomologist's mon. Mag.* 11: 36. [[available in Cesa Library](#)]
- 3694. Hewitson, W.C.**, 1874, Descriptions of new species of butterflies. *Entomologist's mon. Mag.* 11: 56. [[available in Cesa Library](#)]
- 3695. Hewitson, W.C.**, 1876, Description of twenty new species of *Hesperiidae*. *Ann. Mag. nat. Hist.* (4) 18: 347-355. [[available in Cesa Library](#)]
- 3696. Hewitson, W.C.**, 1876, Description of twenty-five new species of *Hesperiidae* from his own collection. *Ann. Mag. nat. Hist.* (4) 18: 449-457. [[available in Cesa Library](#)]
- 3697. Hewitson, W.C.**, 1877, Description of twenty-five new species of *Hesperiidae*. *Ann. Mag. nat. Hist.* (4) 19: 76-85. [[available in Cesa Library](#)]
- 3698. Hewitson, W.C.**, 1877, Description of twenty-three new species of *Hesperiidae* from his own collection. *Ann. Mag. nat. Hist.* (4) 20: 319-328. [[available in Cesa Library](#)]
- 3699. Heydari, H.**, 1987, Garlic moth (*Dyspessa ulula* Bkh.) in Iran (Lep., Cossidae). *Ent. phyt. Appl.* 54 (1/2): 1, 1-8, 2 figs. (persian pages). [[available in Cesa Library](#)]
- 3700. Heydemann, F. & A. Schulte**, 1963, Beitrag zur Macrolepidopterenfauna des Irak. *Mitt. münch. ent. Ges.* 53: 80-107, Taf. vii, 2 Abb. [[available in Cesa Library](#)]
- 3701. Heydemann, F.**, 1932, Zur Morphologie und Formenbildung der Gattung *Miana* Steph. (Lep., Noctuidae) I. Die *Miana strigilis* L.-Gruppe. *Ent. Z., Frankf. a. M.* 46 (5): 55-77; (7): 78-82, Taf. I, II.
- 3702. Heydemann, F.**, 1938, Zu *Chloridea maritima* Graslin. *Ent. Rdsch.* 55: 368-371, Abb. [[available in Cesa Library](#)]
- 3703. Heydemann, F.**, 1938, *Lyc. idas* L. (*argyrognomon* aut.) *dalmatina* Neust.=*croatica* Grund. *Ent. Rdsch.* 55: 372. [[available in Cesa Library](#)]
- 3704. Heydemann, F.**, 1938, Zur Morphologie und Anatomie des Genus *Crino* Hbn. (Lep., Noct.). *Ent. Rdsch.* 55: 325-331, 347-348, 374-380, Abb. [[available in Cesa Library](#)]
- 3705. Heydemann, F.**, 1942, Über einige Tagfalterrassen. *Dt. ent. Z., Iris* 55: 85-106.
- 3706. Heydemann, F.**, 1954, Beitrag zur Lepidopteren-Fauna Afghanistans. *Z. wien. ent. Ges.* 39: 385-396, 412-428, Taf. [[available in Cesa Library](#)]
- 3707. Heyden, T.v.d.**, 2009, Bemerkungen zur Biologie, zur Ökologie und zur Verbreitung von *Danaus chrysippus* Linnaeus, 1758 im Mittelmeerraum, insbesondere in der Türkei (Lepidoptera, Nymphalidae, Danainae). *Nachr. ent. Ver. Apollo (N.F.)* 30 (3): 173-176, figs. [[available in Cesa Library](#)]
- 3708. Heyden, v.d.T.**, 1991, Anmerkungen zu den Danaiden der Kanarische Inseln/Spanien (Lepidoptera). *Ent. Z., Frankf. a. M.* 101: 199-204.
- 3709. Heyden, v.d.T.**, 1992, Neue Funde von *Hipparchia wyssii* (Christ, 1889) auf Gran Canaria, Kanarische Inseln (Lepidoptera, Satyridae). *Ent. Z., Frankf. a. M.* 101: 131-132.
- 3710. Heylaerts, F.J.M.**, 1881, Essai d'une Monographie des Psychides de la faune européenne précédé de considérations générales sur la famille des Psychides. *Annls Soc. ent. Belg.* 25: 29-73. [[available in Cesa Library](#)]

- 3711. Heylaerts, F.J.M.**, 1881, Description of a new Psychid from Java. Notes Leyden Mus. 3: 89-91. [[available in Cesa Library](#)]
- 3712. Heylaerts, F.J.M.**, 1883, *Epichnopteryx flavescens* Heyl. var. *kuldchaensis* m. Annls Soc. ent. Belg. 27: Bull., xlviii.
- 3713. Heylaerts, F.J.M.**, 1883, *Bijugis alpherakii* m. Annls Soc. ent. Belg. 27: Bull., xlvii.
- 3714. Heylaerts, F.J.M.**, 1885, *Heterocera* récoltes par M.Weyers a Sumatra (Ier serie). Annls Soc. ent. Belg. 29: Bull., cxxi-cxxiii.
- 3715. Heylaerts, F.J.M.**, 1885, Psychides nouvelles ou moins connues de l'Empire Russe. [in] Romanoff, Mém. lépid. 2: 176-194, pls.ix,x. [[available in Cesa Library](#)]
- 3716. Heylaerts, F.J.M.**, 1886, Une Psychide nouvelle de Java. *Eumeta tjipannensis* m. Annls Soc. ent. Belg. 30: Bull., xiv-xv.
- 3717. Heylaerts, F.J.M.**, 1886, Quatre Psychides nouvelles de l'île de Sumatra. Annls Soc. ent. Belg. 27: Bull., clxxii-clxxv.
- 3718. Heylaerts, F.J.M.**, 1887, Trois Psychides nouvelles décrites. Annls Soc. ent. Belg. 31: Bull., lxxxv-lxxxviii.
- 3719. Heylaerts, F.J.M.**, 1888, Noctuelle inédite de l'île de Sumatra *Eriocera cluysenaeri* m. Annls Soc. ent. Belg. 32: Bull., lxi-lxii.
- 3720. Heylaerts, F.J.M.**, 1889, Une Psychide nouvelle de l'Asie centrale, *Chalia staudingeri* m. Annls Soc. ent. Belg. 33: Bull., lvi. [[available in Cesa Library](#)]
- 3721. Heylaerts, F.J.M.**, 1890, Trois Psychides inédites de l'Afrique orientale meridionale. Annls Soc. ent. Belg. 34: Bull., clxxx-clxxxiii.
- 3722. Heylaerts, F.J.M.**, 1890, *Heterocera exotica* nouveaux genre et especes des indes orientales néerlandaises (suite). Annls Soc. ent. Belg. 34: Bull., xxvi-xxx. [[available in Cesa Library](#)]
- 3723. Heylaerts, F.J.M.**, 1890, Trois nouvelles espèces de Psychides des Indes Anglaises. Annls. Soc. ent. Belg. 34: Bull., x-xii. [[available in Cesa Library](#)]
- 3724. Heylaerts, F.J.M.**, 1890, Une Psychide nouvelle d'Assam, *Kophene snelleni* m. Annls. Soc. ent. Belg. 34: Bull., xii-xiii. [[available in Cesa Library](#)]
- 3725. Heylaerts, F.J.M.**, 1890, Quatre espèces nouvelles de Glaucopidae du Brésil. Annls. Soc. ent. Belg. 34: Bull., xiii-xvi. [[available in Cesa Library](#)]
- 3726. Heylaerts, F.J.M.**, 1890, Descriptions de quelques Hétérocères inédits des indes orientales néerlandaises. Annls. Soc. ent. Belg. 34: Bull., xvi-xx. [[available in Cesa Library](#)]
- 3727. Heylaerts, F.J.M.**, 1891, Hétérocera exotica, nouveaux genre et espèces des Indes Orientales neerlandaises (suite). Annls Soc. ent. Belg. 35: Bull., cccix-cccxcvii. [[available in Cesa Library](#)]
- 3728. Heylaerts, F.J.M.**, 1891, Deux espèces nouvelles et un genre nouveau de Lépidoptères Africains. Annls Soc. ent. Belg. 35: Bull., ccclxxiv- ccclxxvi. [[available in Cesa Library](#)]
- 3729. Heylaerts, F.J.M.**, 1892, Hétérocera exotica, nouveaux espèces des Indes Orientales Neerlandaises (suite). Annls Soc. ent. Belg. 36: 7-16, 43-48. [[available in Cesa Library](#)]
- 3730. Heyne, A.**, 1893]-1895, [in] Rühl, F., Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 385-857S. Leipzig. [[available in Cesa Library](#)]
- 3731. Heyne, A.**, 1897, *Polyommatus virgaureae* L. nov. var. *aureomicans* Heyne. Societas ent. 12: 9. [[available in Cesa Library](#)]
- 3732. Higgins, L.G. & E.P.Wiltshire**, 1956, Bemerkungen zu *Melitaea*- und *Pararge*-Formen aus dem Mittleren Osten, veranlasst durch F.Heydemanns kürzlich erschienene Artikel über *Rhopaloceren* aus Afghanistan. Z. wien. ent. Ges. 41: 10-15. [[available in Cesa Library](#)]
- 3733. Higgins, L.G. & N.D.Riley**, 1970, A Field Guide to the Butterflies of Britain and Europe. 380pp. 60 Pls., 371 maps. Collins St James's Place, London. [[available in Cesa Library](#)]
- 3734. Higgins, L.G. & N.D.Riley**, 1976, *Satyrus sintenisi* Staudinger, 1895. A Synonym of *Satyrus mamurra* Herrich-Schäffer, 1845 (Lep., Satyridae). Entomologist's Gaz. 27: 213-214, pl. [[available in Cesa Library](#)]
- 3735. Higgins, L.G.**, 1925, On the Ethiopian species of the genus *Hesperia* (Lep., Rhop.), with descriptions of two new species. Trans. ent. Soc. London 1925: 64-120, 4 Pls.
- 3736. Higgins, L.G.**, 1940, A new species and two new subspecies of *Melitaea* (Lep., Nymphalidae). Entomologist 73: 51-53. [[available in Cesa Library](#)]
- 3737. Higgins, L.G.**, 1941, An illustrated catalogue of the Palaearctic *Melitaea* (Lep., Rhopalocera). Trans. R. ent. Soc. Lond. 91 (7): 175-354, 16 Pls, 214 figs., 7 maps. [[available in Cesa Library](#)]
- 3738. Higgins, L.G.**, 1948, Butterflies in Granada. Entomologist 81: 25-29, 49-53.

- 3739. Higgins, L.G.**, 1950, A descriptive catalogue of the Palaearctic Euphydryas (Lepidoptera, Rhopalocera). Trans. R. ent. Soc. Lond. 101 (2): 435-489, 7 maps, 44 figs. [[available in Cesa Library](#)]
- 3740. Higgins, L.G.**, 1955, A descriptive catalogue of the genus Mellicta Billberg (Lepidoptera, Nymphalidae) and its species, with supplementary notes on the genera Melitaea and Euphydryas. Trans. R. ent. Soc. Lond. 106 (1): 1-131, 2 Pls., 4 maps, 88 figs. [[available in Cesa Library](#)]
- 3741. Higgins, L.G.**, 1958, A holiday amongst Macedonian butterflies. Entomologist 91: 225-228. [[available in Cesa Library](#)]
- 3742. Higgins, L.G.**, 1958, Butterflies in Kurdistan. Entomologist 91: 38-45. [[available in Cesa Library](#)]
- 3743. Higgins, L.G.**, 1961, Butterflies in the eastern Alps, 1960. Entomologist 94: 82-83.
- 3744. Higgins, L.G.**, 1964, Butterflies of Lebanon. Entomologist 97: 193-200, Pl.viii. [[available in Cesa Library](#)]
- 3745. Higgins, L.G.**, 1965, Five new butterflies. Entomologist 98: 10-12. [[available in Cesa Library](#)]
- 3746. Higgins, L.G.**, 1965, Boisduval, Europaeorum Lepidopterorum index methodicus. Entomologist 98: 241-242.
- 3747. Higgins, L.G.**, 1966, Check-List of Turkish Butterflies. Entomologist 99: 209-222, 1 map. [[available in Cesa Library](#)]
- 3748. Higgins, L.G.**, 1967, Hipparchia (Pseudotergumia) wyssii Christ, with description of two new subspecies. Entomologist 100: 169-171.
- 3749. Higgins, L.G.**, 1969, A New Genus of European Butterflies (Lycaenidae). Entomologist 102: 67. [[available in Cesa Library](#)]
- 3750. Higgins, L.G.**, 1974, A new subspecies of Spialia phlomidis (Herrich-Schäffer) (Lepidoptera, Rhopalocera). J. Ent. (B) 43(1): 83-87, 14 figs. [[available in Cesa Library](#)]
- 3751. Higgins, L.G.**, 1975, The classification of European butterflies. 320 pp., 402 text-figs. Collins, London. [[available in Cesa Library](#)]
- 3752. Higgins, L.G.**, 1977, New Palaearctic Butterflies. Entomologist's Rec. J. Var. 89: 189-191, Pl. xiv 9 figs., [2] textfigs. [[available in Cesa Library](#)]
- 3753. Higgins, L.G.**, 1978, A Revision of the genus Euphydryas Scudder (Lep., Nymphalidae). Entomologist's Gaz. 29: 109-115, 19 figs. [[available in Cesa Library](#)]
- 3754. Higgins, L.G.**, 1984, A new Pyrginae Skipper from Nepal (Lepidoptera, Hesperidae). Entomologist's Gaz. 35: 97-99.
- 3755. Hill, B.G.**, 1966, Insects of cultivated and wild plants, Harar Province Ethiopia, 1960-1964. Bull. ent. Res. 56: 659-670. [[available in Cesa Library](#)]
- 3756. Hille, A. & C.M.Naumann**, 1992, Allozyme differentiation in Zygaena transalpina Esper, 1780 (Lepidoptera: Zygaenidae). In Dutreix, C. et al. (eds) Recent advances in burnet moth research (Lep., Zygaenidae). Proc. of the 4th Symposium on Zygaenidae, Nantes 11-13 Sept.1987 pp.59-87.
- 3757. Hille, A. & C.M.Naumann**, 1994, Allel-Stufenkline und Multilocus-Kopplungsgleichgewichte von Allzymen kennzeichnen eine parapatrische Kontaktzone zwischen Zygaena angelicae und Z. hippocrepidis (Insecta, Lepidopt., Zygaenidae) in Süddeutschland Verh. dt. zool. Ges. 87 (Kurzpublik.): 225
- 3758. Hille, A. & T.Keil**, 2000, Eine neue Zygaene aus dem Iran - Zygaena naumanni n.sp. (Lep., Zygaenidae). Ent. Nachr. Ber. 43 (3/4): 249-253.
- 3759. Hille, A., Ockenfels, P., Böhmer, T. & C.M.Naumann**, 1993, Untersuchungen zur Pheromonspezifität zweier parapatrischer Zygaena Species. Verh. Dt. zool. Ges. 86: 244.
- 3760. Hinton, H.E.**, 1946, On the Homology and Nomenclature of the setae of Lepidopterous larvae, with some notes on the Phylogeny of the Lepidoptera. Trans. R. ent. Soc. Lond. 97(1): 1-37, 24 figs. [[available in Cesa Library](#)]
- 3761. Hinton, H.E.**, 1958, The phylogeny of the Panorpoid Orders. Annu. Rev. Ent. 3: 181-206.
- 3762. Hirschfeld, G. & W.Back**, 2001, Anthocharis bieti tsangpoana Riley, 1928: Biotop und Status (Lepidoptera, Pieridae). Atalanta 32 (1/2): 107-109, pl. vii. [[available in Cesa Library](#)]
- 3763. Hiura, I. & R.E.Alagar**, 1971, Studies on the Philippine Butterflies chiefly collected by the cooperative survey by the Osaka Museum of Natural History and the National Museum of the Philippines, 1969. Part I. Papilionidae. Bull. Osaka Mus. nat. Hist. 24: 29-44.
- 3764. Hiura, I.**, 1980, A phylogeny of the genera of Parnassiinae based on analysis of wing pattern, with description of a new genus (Lepidoptera, Papilionidae). Bull. Osaka Mus. nat. Hist. 33: 71-95, figs.

- 3765. Hockin,D.C.**, 1980, The biogeography of the butterflies of the Mediterranean Islands. *Nota lepid.* 3(1/2): 119-125, figs. [[available in Cesa Library](#)]
- 3766. Hodges,R.W. et al.**, 1983, Check List of the Lepidoptera of America North of Mexico including Greenland. Classey Ltd. London. [[available in Cesa Library](#)]
- 3767. Hodges,R.W.**, 1964, A review of the North American moths of the family Walshidae (Lepidoptera, Gelechioidea). *Proc. U.S. nat. Mus.* 115: 289-330, figs. [[available in Cesa Library](#)]
- 3768. Hodges,R.W.**, 1966, Revision of Nearctic Gelechiidae I. The Lita Group (Lepidoptera, Gelechioidea). *Proc. U.S. nat. Mus.* 119: 1-66, 31 Pls. [[available in Cesa Library](#)]
- 3769. Hoegh-Guldberg,O. & F.V.L.Jarvis**, 1969, Central and North European Ariciae (Lep.). Relationships, Heredity, Evolution (Aricia Studies No.10). *Natura Jutlandica* 15: 1-106, figs., pls. [[available in Cesa Library](#)]
- 3770. Hoegh-Guldberg,O.**, 1966, North European Groups of Aricia allous G.-Hb. Their Variability and Relationship to A. agestis Schiff. (Aricia Studies No.6). *Natura Jutlandica* 13: 1-184, figs., pls. [[available in Cesa Library](#)]
- 3771. Hoegh-Guldberg,O.**, 1968, Evolutionary Trends in the Genus Aricia (Lep.). Further information on distribution, taxonomy and biology of A. allous G.-Hb. and A. agestis Schiff. (Aricia Studies No.9). *Natura Jutlandica* 14: 1-77, figs. [[available in Cesa Library](#)]
- 3772. Hoegh-Guldberg,O.**, 1974, Polymorphism in Ariciae (Lep., Rhopalocera) in the field and laboratory (Aricia Studies No.15). *Natura Jutlandica* 17: 99-127, figs.
- 3773. Hoegh-Guldberg,O.**, 1979, The relationship of Aricia agestis (Lycaenidae) and its closest relatives in Europe. *Nota lepid.* 2(1/2): 35-39. [[available in Cesa Library](#)]
- 3774. Hoeven,J.van der.**, 1840, Beschrijving eeniger nieuwe of weinig bekende uitlandsche soorten van Lepidoptera. *Tijdschr. natur. Gesch. Phys.* 7: 276-283, 3 Pls.
- 3775. Hoffmann,O.**, 1898, Eine neue Amblyptilia. *Dt. ent. Z., Iris* 11: 33-34. [[available in Cesa Library](#)]
- 3776. Hoffmann,O.**, 1898, Die Orneodiden (Alucitiden) des paläarktischen Gebietes. *Dt. ent. Z., Iris* 11: 329-359. [[available in Cesa Library](#)]
- 3777. Hoffmann,O.**, [1898], Verzeichniss d. von K. Escherich und Prof. Dr. L. Kathariner bei Angora in Zentral Kleinasien gesammelten Schmetterlinge. *Dt. ent. Z., Iris* 10: 231-240, figs. [[available in Cesa Library](#)]
- 3778. Hoffmansegg,G.v.**, 1804, Alphabetisches Verzeichniss zu J.Hübners Abbildungen der papilionen mit den beigefügten vorzüglichsten Synonymen. *Illiger's Magasin* 3: 181-206. [[available in Cesa Library](#)]
- 3779. Hoffmansegg,G.v.**, 1806, Nachtrag zu Alphabetisches Verzeichniss zu J.Hübners Abbildungen der papilionen mit den beigefügten vorzüglichsten Synonymen. *Illiger's Magasin* 5: 176-183.
- 3780. Hofmann,A. & T.Keil**, 2011, Contribution to the knowledge of the genus Zygaena Fabricius,1775, in Iran (Zygaenidae). Part IX. On two newly discovered Mesembrynus taxa from the central and southern Zagros range. *Nota lepid.* 33 (2): 233-248, figs. [[available in Cesa Library](#)]
- 3781. Hofmann,A. & T.Kia-Hofmann**, 2008, Contribution to the knowledge of the genus Zygaena Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part VIII: Bionomics of high mountain species in the Alborz Mountains and adjacent areas (Introduction, Z. speciosa, Z. cacuminum). *Nota lepid.* 31 (1): 25-52, figs. [[available in Cesa Library](#)]
- 3782. Hofmann,A. & W.G.Tremewan**, 1996, A systematic catalogue of the Zygaeninae (Lepidoptera, Zygaenidae). 251pp. Colchester.
- 3783. Hofmann,A. & W.G.Tremewan**, 2001, Contribution to the knowledge of the genus Zygaena Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part V. Zygaena tamara. *Linneana belg.* 18: 125-136, figs. [[available in Cesa Library](#)]
- 3784. Hofmann,A. & W.G.Tremewan**, 2003, Contribution to the knowledge of the genus Zygaena Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part VI. Zygaena nocturna, Z. aisha, Z. rubricollis and Z. fredii (addenda based on results of fieldwork in 2001 and 2003). *Linneana belg.* 19: 9-20, figs. [[available in Cesa Library](#)]
- 3785. Hofmann,A. & W.G.Tremewan**, 2005, Contribution to the knowledge of the genus Zygaena Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part VII. Records from the Zarde Kuh region with the description of a new species. *Linneana belg.* 20 (1): 15-21, figs. [[available in Cesa Library](#)]

- 3786. Hofmann,A. & W.G.Tremewan**, 2010, A revised check-list of the genus *Zygaena* Fabricius,1775 (Lepidoptera, Zygaenidae, Zygaeninae), based on the biospecies concept. *Entomologist's Gaz.* 61: 119-131. [[available in Cesa Library](#)]
- 3787. Hofmann,A.**, 1983, Beitrag zur Zygaenenfauna Südost-Anatoliens: *Zygaena* (Mesembrynus) *manlia* pjetri n.subsp.- ein Erstnachweis für die Türkei (Lepidoptera, Zygaenidae). *Ent. Z., Frankf. a. M.* 93 (9): 113-119, 10 Abb. [[available in Cesa Library](#)]
- 3788. Hofmann,A.**, 1999, Günter Reiss (2.xi.1925-16.ii.1999). *Atalanta* 30 (1/4): 1-16. [[available in Cesa Library](#)]
- 3789. Hofmann,A.**, 2000, Contribution to the knowledge of the genus *Zygaena* Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part III. *Zygaena haematina*. *Linneana Belg.* 17 (7): 293-299, figs. [[available in Cesa Library](#)]
- 3790. Hofmann,A.**, 2000, Contribution to the knowledge of the genus *Zygaena* Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part I. Introduction, systematic part: *Zygaena* (Mesembrynus) *seitzi*, *Z. ?seitzi nocturna*, *Z.manlia*. *Linneana belg.* 17: 171-196, figs. [[available in Cesa Library](#)]
- 3791. Hofmann,A.**, 2000, Contribution to the knowledge of the genus *Zygaena* Fabricius,1775 in Iran (Lepidoptera, Zygaenidae). Part II. *Zygaena rubricollis*. *Linneana belg.* 17 (6): 227-232, figs. [[available in Cesa Library](#)]
- 3792. Hofmann,A.**, 2005, Neue *Zygaena*-Taxa aus Südosteuropa, Vorder- und Zentralasien (Lepidoptera, Zygaenidae). *Bonn. zool. Beitr.* 53 (1/2) (2004): 81-97, 63 figs. [[available in Cesa Library](#)]
- 3793. Hofmann,A., Günther,R. & W.G.Tremewan**, 1987, Vorarbeit zur *Zygaena* -Fauna Tunesiens (1.Beitrag) (Lepidoptera, Zygaenidae). *Ent. Z., Frankf. a. M.* 97: 45-48.
- 3794. Hofmann,A., Günther,R. & W.G.Tremewan**, 1994, Preliminary notes on the *Zygaena* Fabricius,1777, fauna of Tunisia (Lepidoptera, Zygaenidae): part 2. *Entomologist's Gaz.* 45: 39-51, 7 figs. [[available in Cesa Library](#)]
- 3795. Hofmann,E.**, 1893, Die Raupen der Gross-Schmetterlinge Europas. 318 S., 50 Tafeln, 1900 Abb. Stuttgart. [[available in Cesa Library](#)]
- 3796. Hofmann,O.**, 1874, Necrolog [Dr. Gottlieb August Herrich-Schäffer]. *Stettin ent. Ztg.* 35: 277-284. [[available in Cesa Library](#)]
- 3797. Hofmann,P. & K.Rose**, 1987, Zur Rhopaloceren-Fauna Zyperns. *Nachr. ent. Ver. Apollo* (N.F.) 7 (4): 133-141, 7 Abb. [[available in Cesa Library](#)]
- 3798. Hofmann,P. & M.Dietz**, 1984, Entomologische Aufsammlungen und Beobachtungen in der Umgebung von Jeddah und Abha (Saudi-Arabien) (Lep., Rhopalocera). *Nachr. ent. Ver. Apollo* (N.F.) 5 (2/3): 43-60, figs. [[available in Cesa Library](#)]
- 3799. Hofmann,P.**, 1980, Wanderfalterbeobachtungen im Juni 1978 in Südgriechenland. *Nachr. ent. Ver. Apollo* (N.F.) 1(2): 30-32. [[available in Cesa Library](#)]
- 3800. Hofmann,P.**, 1980, Auf *Colias aurorina*-fang in Südgriechenland (vom 7.vi bis 19.vi.1978). *Nachr. ent. Ver. Apollo* A.F. 4(3/4): 30-36. [[available in Cesa Library](#)]
- 3801. Hofmann,P., Beck,W. & R. Leestmans**, 2003, Une nouvelle sous-espèce d'*Anthocharis damone* (Boisduval,1836) trouvée en Iran et données générales sur la répartition (Lepidoptera, Pieridae). *Linneana Belg.* 19 (1): 4-8, figs. [[available in Cesa Library](#)]
- 3802. Hofmann,P.J. & W.Eckweiler**, 2001, Eine neue Unterart von *Aporia crataegi* (Linnaeus,1758) aus Zentraliran (Lepidoptera, Pieridae). *Nachr. ent. Ver. Apollo*, N.F. 22 (3): 137-140, 14 Abb. [[available in Cesa Library](#)]
- 3803. Hogenes,W. & C.G.Treadaway**, 1993, New Hawk Moths from the Philippines (Lepidoptera, Sphingidae). *Nachr. ent. Ver. Apollo* (N.F.) 13 (4): 533-552, 13 figs. [[available in Cesa Library](#)]
- 3804. Hogenes,W. & C.G.Treadaway**, 1996, New taxa of Sphingidae (Lepidoptera) from the Philippines. *Nachr. ent. Ver. Apollo* (N.F.) 17 (2): 117-122, 9 figs. [[available in Cesa Library](#)]
- 3805. Hogenes,W. & C.G.Treadaway**, 1998, The Sphingidae (Lepidoptera) of the Philippines. *Nachr. ent. Ver. Apollo* Suppl. 17: 17-132, figs. [[available in Cesa Library](#)]
- 3806. Holik,O. & L. Sheljuzhko**, 1955, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 44/45: 26-158. [[available in Cesa Library](#)]
- 3807. Holik,O. & L. Sheljuzhko**, 1956, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 46: 93-239. [[available in Cesa Library](#)]
- 3808. Holik,O. & L. Sheljuzhko**, 1957, Über die Zygaenen-Fauna Osteuropas, Kleinasien, Irans, Zentralasien und Sibiriens. *Mitt. münch. ent. Ges.* 47: 143-185. [[available in Cesa Library](#)]

- 3809. Holik,O.**, 1935, *Zygaena sogdiana* Ersch. (scovitzi Mén.) var. *tshimganica* m. (nov.var.). Ent. Rdsch. 53 (1): 5-7. [\[available in Cesa Library\]](#)
- 3810. Holik,O.**, 1936, *Zyg. olivieri* Bsd. und ihre Biologie. Ent. Rdsch. 53: 506-509. [\[available in Cesa Library\]](#)
- 3811. Holik,O.**, 1937, *Zygaena lonicerae* ssp. *kindermanni* Obth. und andere kaukasische und asiatische *Zygaena lonicerae*-Rassen. Festschr. Prof. Dr. Embrik Strand 3: 420-430, Taf.xvii. [\[available in Cesa Library\]](#)
- 3812. Holik,O.**, 1938, Bemerkungen zur beabsichtigten Neueinteilung der Gattung *Zygaena* F. Ent. Rdsch. 55: 349-354, 382-384. [\[available in Cesa Library\]](#)
- 3813. Holik,O.**, 1938, Biologische Notizen über einige vorderasiatische *Zygaenen*arten. Mitt. münch. ent. Ges. 28: 388-394, Taf.viii-ix. [\[available in Cesa Library\]](#)
- 3814. Holik,O.**, 1938, "Lavanduloide" *Zygaenen*. Ent. Rdsch. 55: 320-323, 331-333. [\[available in Cesa Library\]](#)
- 3815. Holik,O.**, 1939, *Zyg. araratensis* Reiss und *Zyg. mana* Kirby. Ent. Rdsch. 56(8): 70-72, (12): 113-116, (15): 150-153. [\[available in Cesa Library\]](#)
- 3816. Holik,O.**, 1949, Über die Artberechtigung von *Satyrus paupera* Alph. Ent. Z., Frankf. a. M. 59: 70-72, 73-75, 85-86. [\[available in Cesa Library\]](#)
- 3817. Holik,O.**, 1949, Über die Gattung *Satyrus* I. Z. wien. ent. Ges. 34: 98-105. [\[available in Cesa Library\]](#)
- 3818. Holik,O.**, 1954, Nochmals *Satyrus* (Minois) *paupera* Alph. Ent. Z., Frankf. a. M. 64 (13): 145-150, 2 Abb. [\[available in Cesa Library\]](#)
- 3819. Holik,O.**, 1956, *Satyrus dryas* Scop. im ostpaläarktischen Raum (Lep., Satyridae). Bonn. zool. Beitr. 7 (1/3): 193-228, 5 Taf. [\[available in Cesa Library\]](#)
- 3820. Holik,O.**, 1958, *Zygaena* (Coelestis) *seitzi escaleraiana* n.spp. Ent. Z., Frankf. a.M. 68: 17.
- 3821. Holland,W.J.**, 1893, Descriptions of new species and genera of West African Lepidoptera. Psyche 6: 373-376, 393-400.
- 3822. Holland,W.J.**, 1893, Four new genera and species of West African Sesiidae. J. New York Ent. Soc. 1: 181-184, figs. [\[available in Cesa Library\]](#)
- 3823. Holland,W.J.**, 1895, List of the Lepidoptera collected in Kashmir by Dr. W. L. Abbott. Proc. U.S. nat. Mus. 18: 275-278. [\[available in Cesa Library\]](#)
- 3824. Holland,W.J.**, 1895, List of the Lepidoptera collected in Somaliland, East Africa, by Mr. William Astor Chanler and Lieut. von Hoehnel. Proc. U.S. nat. Mus. 18: 259-264. [\[available in Cesa Library\]](#)
- 3825. Holland,W.J.**, 1895, List of the Lepidoptera collected in Eastern Africa by Dr. W.L.Abbott, with descriptions of some apparently new species. Proc. U.S. nat. Mus. 18: 229-258, 2 Pls. [\[available in Cesa Library\]](#)
- 3826. Holland,W.J.**, 1896, List of the Lepidoptera collected in East Africa, 1894 by Mr. William Astor Chanler and Lieutenant Ludwig von Höhnel. Proc. U.S. nat. Mus. 18: 741-767. [\[available in Cesa Library\]](#)
- 3827. Holland,W.J.**, 1896, A preliminary revision and synonymic catalogue of the Hesperidae of Africa and the adjacent islands, with descriptions of some apparently new species. Proc. zool. Soc. Lond. 1896: 2-107, 5 pls.
- 3828. Holland,W.J.**, 1897, Two new species of the genus *Xanthospilopteryx* Wallengren. Ann. Mag. nat. Hist. (6) 20: 291-294, 2 figs. [\[available in Cesa Library\]](#)
- 3829. Holland,W.J.**, 1900, The Lepidoptera of Buru. Part II.Heterocera. Novit. zool. 7: 555-591.
- 3830. Holloway,J.D. & R.Bender**, 1990, The Lasiocampidae of Sumatra. Heterocera Sumatrana 6: 137-204, figs.
- 3831. Holloway,J.D. S.E.Miller**, 2003, The composition generic placement and host-plant repaltionships of the *joviana*-group in the *Parallelia* generic complex (Lepidoptera, Noctuidae, Catocalinae). Invertebrate Syst. 17: 111-118, figs. [\[available in Cesa Library\]](#)
- 3832. Holloway,J.D.**, 1973, The affinities within four butterfly groups (Lepidoptera, Rhopalocera) in relation to general patterns of butterfly distribution in the Indo-Australian area. Trans. R. ent. Soc. Lond. 125(2): 126-176, 23 figs.
- 3833. Holloway,J.D.**, 1974, The endemic Satyridae (Lepidoptera Rhopalocera) of New Caledonia. J. Ent. (B) 43(1): 89-101, 17 figs.
- 3834. Holloway,J.D.**, 1976, Moths of Borneo with special reference to Mount Kinabalu. xii ♀ 264 pp., 727 textfigs., 383 figs. Kuala Lumpur. [\[available in Cesa Library\]](#)

- 3835. Holloway, J.D.**, 1982, Taxonomic Appendix, [in] Barlow, H.S., An Introduction to the Moths of South East Asia. 174-305pp., pls. Kuala Lumpur. [\[available in Cesa Library\]](#)
- 3836. Holloway, J.D.**, 1983, The moths of Borneo: Family Notodontidae. Malay. Nat. J. 37: 1-107, 9 Pls. 98 figs. [\[available in Cesa Library\]](#)
- 3837. Holloway, J.D.**, 1986, The Moth of Borneo: Key to Families: Families Cossidae, Metarbelidae, Ratardidae, Dudgeoneidae, Epipyropidae and Limacodidae. Malay. Nat. J. 40: 1-166, 259 figs. 9 Pls. [\[available in Cesa Library\]](#)
- 3838. Holloway, J.D.**, 1987, The Moth of Borneo: Superfamily Bombycoidea: Families Lasiocampidae, Eupterotidae, Bombycidae, Brahmaeidae, Saturniidae, Sphingidae. 199pp. 163 figs. 20 Pls. Kuala Lumpur. [\[available in Cesa Library\]](#)
- 3839. Holloway, J.D.**, 1988, The Moths of Borneo Part 6 Arctiidae Syntominiinae Euchromiinae Arctiinae Aganainae (to Noctuidae). 101pp. figs. 6 Pls. Kuala Lumpur. [\[available in Cesa Library\]](#)
- 3840. Holloway, J.D.**, 1996, The butterflies (Lepidoptera) of the northern Aegean Island of Thasos. Entomologist's Gaz. 47(3): 143-149.
- 3841. Holloway, J.D.**, 1999, Moths of Borneo. Vol.5. Lymantriidae. 188 pp., 12 col. plates, 396 genitalia. [\[available in Cesa Library\]](#)
- 3842. Holloway, J.D.**, 2001, Moths of Borneo. Vol.7. Arctiidae, Lithosiinae. 486 pp., 8 col. plates, 450 genitalia. [\[available in Cesa Library\]](#)
- 3843. Holloway, J.D.**, 2003, Moths of Borneo. Vol.18. Nolidae. 279 pp., 10 col. plates, 611 genitalia. [\[available in Cesa Library\]](#)
- 3844. Holloway, J.D.**, 2005, The Moths of Borneo Parts 15 & 16 Family Noctuidae, Subfamily Catocalinae. Southene Sdn Bhd. [\[available in Cesa Library\]](#)
- 3845. Holloway, J.D.**, [1994], The Moth of Borneo: Family Geometridae, Subfamily Ennominae. 309pp. 593 figs. 19 Pls. Kuala Lumpur. [\[available in Cesa Library\]](#)
- 3846. Holloway, J.D., Cock, M.J.W. & N.R. Desmier de Chenon**, 1987, Systematic accounts of south-east Asian pest Limacodidae, pp.15-117, [in] Cock, W., Godfrey, H.C.J. & J.D. Holloway, Slug and Nettle Caterpillars: The Biology, Taxonomy and Control of the Limacodidae of Economic Importance on Palms in South-east Asia. Oxford.
- 3847. Holloway, J.D., Naumann, S. & W.A. Nässig**, 1996, The Antheraea Hübner (Lepidoptera, Saturniidae) of Sulawesi, with descriptions of new species Part 2. The species of the frithi-group. Nachr. ent. Ver. Apollo N.F. 17 (3): 225-258, figs. [\[available in Cesa Library\]](#)
- 3848. Holtz, M.**, 1897, Die Macrolepidopteren-Fauna Ciliciens. Ein Beitrag zur Insektenfauna Kleinasiens. Illte Wschr. Ent. 2: 42-47, 60-63, 77-79, 88-93. [\[available in Cesa Library\]](#)
- 3849. Homberg, R.**, 1909, Description d'une nouvelle Acidalia (Lep., Geometridae). Bull. Soc. ent. Fr. 1909: 229-230. [\[available in Cesa Library\]](#)
- 3850. Honrath, E.G.**, 1882, Über eine Lokalform des Parnassius actius Eversm. und über Parnassius delius Esp. var. corybas Fisch. Berl. ent. Z. 26 (1): 178-180, Taf.2 f.6 [\[available in Cesa Library\]](#)
- 3851. Honrath, E.G.**, 1885, Neue Rhopalocera III. Berl. ent. Z. 29 (2): 272-278, Taf.viii. [\[available in Cesa Library\]](#)
- 3852. Honrath, E.G.**, 1888, Neue Rhopalocera VII. Berl. ent. Z. 32 (1): 247-252, Taf.V. [\[available in Cesa Library\]](#)
- 3853. Honrath, E.G.**, 1888, Wenig bekannte Tagfalter II. Berl. ent. Z. 32 (1): 253-254. [\[available in Cesa Library\]](#)
- 3854. Honrath, E.G.**, 1889, Neue Rhopalocera VIII. Berl. ent. Z. 33 (1): 161-166, Taf.II. [\[available in Cesa Library\]](#)
- 3855. Honrath, E.G.**, 1889, Wenig bekannte Tagfalter III. Berl. ent. Z. 33 (1): 167-168, Taf.II. [\[available in Cesa Library\]](#)
- 3856. Honrath, E.G.**, 1891, Neue Rhopalocera X. Berl. ent. Z. 36 (2): 429-440, Taf.xv. [\[available in Cesa Library\]](#)
- 3857. Honrath, E.G.**, 1891, Wenig bekannte Tagfalter V. Berl. ent. Z. 36 (2): 441-444. [\[available in Cesa Library\]](#)
- 3858. Honrath, E.G.**, 1891, Eine neue Notodonta. Berl. ent. Z. 36 (2): 445, Taf.xv fig.8. [\[available in Cesa Library\]](#)
- 3859. Hopffer, C.**, 1857, [Diagnosen der von Peters aus Mossambique mitgebrachten Lepidoptera]. Mber. K. preuss. Akad. Wiss. 1857: 421-423. [\[available in Cesa Library\]](#)
- 3860. Hopffer, C.**, 1865, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 26: 382-398.

- 3861. Hopffer, C.**, 1869, Bericht über Felder's Lepidoptera der Reise der Fregatte Novara. Stettin ent. Ztg. 30: 427-453.
- 3862. Hopffer, C.**, 1874, Beitrag zur Lepidopteren-Fauna von Celebes. Stettin ent. Ztg. 35: 17-47. [[available in Cesa Library](#)]
- 3863. Hornemann, A.**, 2009, Die Praeimagonalstadien des Nelkenwicklers *Cacoecimorpha pronubana* (Hübner, 1799) in Südhessen auch an Oleander gefunden (Lepidoptera, Tortricidae). Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 21-22, 2 Abb. [[available in Cesa Library](#)]
- 3864. Horsfield, T. & F. Moore**, [1860], A Catalogue of the lepidopterous insects in the Museum of Natural History at East-India House vol.2, W.H.Allen, London. [[available in Cesa Library](#)]
- 3865. Horsfield, T.**, 1828-1829, A descriptive catalogue of the lepidopterous insects contained in the Museum of the honourable East-India Company. 1: ii+80+2 pp., 4 Pls. [24.3.1828] 2: 81-144, Pls.5-8 [24.6.1829]. London. [[available in Cesa Library](#)]
- 3866. Hosseinpour, Y.**, 1996, 1994 Yılında Kuzey İran ve Türkmenistan'a Yapılan Entomoloji Ekspedisyonunun Sonuçları II. Lokalitelerin Listesi. Cent. ent. Stud., Misc. Pap. 29: 1-5. [[available in Cesa Library](#)]
- 3867. Hosseinpour, Y.**, 1996, 1995 Yılında İran'a Yapılan Lepidoptera Ekspedisyonunun Sonuçları I. Giriş. Cent. ent. Stud., Misc. Pap. 29: 6-8. [[available in Cesa Library](#)]
- 3868. Hosseinpour, Y.**, 1996, İran (Azarbayejan) Lepidoptera faunası üzerine araştırmalar. Cent. ent. Stud., Priamus 7(3): 65-93, 1 fig. [[available in Cesa Library](#)]
- 3869. Houhun, L. & Z. Zhemin**, 1997, Two new species of the genus *Chionodes* Hübner (Lepidoptera, Gelechiidae) from China. Entomotaxonomia 19(1): 43-46, 2 figs. [in English, Chinese summary]. [[available in Cesa Library](#)]
- 3870. Howarth, T.G. & D. Povolny**, 1973, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas. morav. Mus. Brno 58: 131-158, figs. [[available in Cesa Library](#)]
- 3871. Howarth, T.G. & D. Povolny**, 1976, Beiträge zur Kenntnis der Fauna Afghanistans. Lepidoptera Rhopalocera. Cas. morav. Mus. Brno 61: 139-170. [[available in Cesa Library](#)]
- 3872. Howarth, T.G.**, 1951, Prison camp Entomology in the Far East, 1941/45. Proc. Trans. S. Lond. ent. nat. Hist. Soc. 1949/50: 94-110.
- 3873. Howarth, T.G.**, 1957, A revision of the genus *Neozephyrus* Sibatani & Ito. Bull. Br. Mus. nat. Hist. (Ent.) 5 (6): 235-285, figs. [[available in Cesa Library](#)]
- 3874. Howarth, T.G.**, 1966, Revisional notes on the genus *Antanartia* (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18: 21-43, 21 textfigs., 5 Pls. [[available in Cesa Library](#)]
- 3875. Howarth, T.G.**, 1977, A list of the type-specimens of Ornithoptera in the British Museum (Nat. Hist.). Bull. Br. Mus. (Nat. Hist.) Ent. 36 (3): 153-169.
- 3876. Howell, A.D. & S.J. Howell**, 1986, In search of the giant Grayling *Berberia abdelkader* abdelkader Pierret (Lepidoptera, Satyridae) in Morocco. Bull. amat. ent. Soc. 45: 137-142.
- 3877. Hreblay, M. & J. Plante**, 1994, New taxa of the genus *Orthosia* Ochsenheimer, 1816 (s.l.) III (Lepidoptera, Noctuidae). Acta zool. hung. 40 (1): 21-27, 20 figs. [[available in Cesa Library](#)]
- 3878. Hreblay, M. & L. Ronkay**, 1995, On the taxonomy of the genus *Himalistra* Hacker & Ronkay, 1993 and *Estagrotis* Nye, 1975 (Lepidoptera, Noctuidae). Acta zool. hung. 41 (3): 235-250, figs.
- 3879. Hreblay, M. & L. Ronkay**, 1995, New species of *Dasypolia* Guenée, 1852 (s.l.) from the Himalayan Region (Lepidoptera, Noctuidae, Xylenini). Acta zool. hung. 41 (4): 349-378, figs.
- 3880. Hreblay, M. & L. Ronkay**, 1998, Noctuidae [in] Moths of Nepal Part V. Tinea 15 (Suppl.1): 117-310, figs.
- 3881. Hreblay, M. & L. Ronkay**, 1999, Neue trifide Noctuidae aus dem himalayischen Raum und der südostasiatischen Region (Lepidoptera, Noctuidae). Esperiana 7: 485-620, pls xiv-xxi. [[available in Cesa Library](#)]
- 3882. Hreblay, M. & V.S. Kononenko**, 1999, The Chinese species of the *Diphtherocome pallida* and *discibrunnea* species-groups (Lepidoptera, Noctuidae, Acronyctinae) in the collection of the Zoologisches Forschungsinstitut und Museum Alexander Koenig, Bonn. Esperiana 7: 669-686, figs. [[available in Cesa Library](#)]
- 3883. Hreblay, M.**, 1992, Revision der Gattung *Valerietta* Draudt, 1938. Esperiana 3: 235-241, 14 Abb. [[available in Cesa Library](#)]
- 3884. Hreblay, M.**, 1992, Paläarktische Taxa der *Mythimna (Aletia) pallens* L.-*impura* Hb.-Artengruppe (Lepidoptera, Noctuidae). Esperiana 3: 513-529, Taf., figs. [[available in Cesa Library](#)]
- 3885. Hreblay, M.**, 1992, Neue Taxa und Synonyme der Gattung *Conistra* Hübner, [1821] (Lepidoptera, Noctuidae). Esperiana 3: 531-544, figs. [[available in Cesa Library](#)]

- 3886. Hreblay, M.**, 1994, New taxa of the tribe Orthosiini, IV (Lepidoptera, Noctuidae). *Acta zool. hung.* 40 (3): 241-252, figs. [[available in Cesa Library](#)]
- 3887. Hreblay, M.**, 1996, Revision der *Mythimna consanguis*-, *languida*-, *madensis*-, *natalensis*-Artengruppe (Morphopoliana sugben.n.). (Lepidoptera, Noctuidae). *Esperiana* 4: 133-158, 83 figs., 2 Pls. [[available in Cesa Library](#)]
- 3888. Hreblay, M.**, 1996, Neue paläarktische Taxa aus der Gattung *Perigrapha* Lederer, 1857 (Lepidoptera, Noctuidae). *Esperiana* 4: 65-94, 90 Abb., Taf. [[available in Cesa Library](#)]
- 3889. Hreblay, M., Legrain, A. & S.-I. Yoshimatsu**, 1998, Beschreibung von achtundzwanzig neuen Arten und einer Unterart mit Übersicht der Artengruppen aus dem *Mythimna Ochs.*, 1816-Komplex aus der südostasiatischen Region. festlegung von vierzehn Lectotypen, zwei Neotypen, neuen Synonymen und Kombinationen (I.) *Esperiana* 6: 381-432, Taf. P-S. [[available in Cesa Library](#)]
- 3890. Hreblay, M., Legrain, A. & S.-I. Yoshimatsu**, 1999, Beschreibung von zwölf neuen Arten und zwei Unterarten mit einer Übersicht über die Artengruppen des *Mythimna Ochs.*, 1816 - Komplexes der südostasiatischen Region (II) (Lepidoptera, Noctuidae). *Esperiana* 7: 377-398, figs. [[available in Cesa Library](#)]
- 3891. Hreblay, M., Peregovits, L. & L. Ronkay**, 1999, New genera and species of Noctuidae from Vietnam, Thailand and Nepal (Lepidoptera). *Acta zool. hung.* 45 (1): 1-96, figs.
- 3892. Hreblay, M., Plante, J. & L. Ronkay**, 1994, New taxa of the genus *Himalistra* Hacker & Ronkay, 1993 (Lepidoptera, Noctuidae). *Acta zool. hung.* 40 (3): 253-263, figs.
- 3893. Hreblay, M., Plante, J. & L. Ronkay**, 1995, New taxa of the genus *Himalistra* Hacker & Ronkay, 1993 (Lepidoptera, Noctuidae). *Acta zool. hung.* 41 (1): 47-62, figs.
- 3894. Hreblay, M., Ronkay, L. & J. Plante**, 1998, A systematic survey of the Tibetan Noctuidae fauna based on the material of the Schäfer-expedition (1938-1939) and recent expeditions (1993-1997) (Lepidoptera, Noctuidae). *Esperiana* 6: 69-184, Taf. [[available in Cesa Library](#)]
- 3895. Hsueh-Tsu, C., Shao-Lai, C. & W. Yung-Jen**, 1958, A preliminary study on the codling moth in Xinjiang. *Acta ent. sinica* 8 (2): 136-151, figs. [[available in Cesa Library](#)]
- 3896. Hu, S.-J., Zhang, X., Cotton, A.M. & H. Ye**, 2014, Discovery of a third species of *Lamproptera* Gray, 1832 (Lepidoptera, Papilionidae). *Zootaxa* 3786 (4): 469-482, figs. [[available in Cesa Library](#)]
- 3897. Huang, H. & W.P. Liu**, 2000, A new species of the genus *Ypthima* Hübner, 1818 from China. *Lambillionea* 100 (3): 454-457.
- 3898. Huang, H. & Y.-P. Xue**, 2004, A contribution to the butterfly fauna of Southern Yunnan (Lepidoptera, Rhopalocera). *Neue ent. Nachr.* 57: 135-160, figs. [[available in Cesa Library](#)]
- 3899. Huang, H.**, 1998, Two new butterflies from northwestern Tibet. *Ent. Z., Frankf. a. M.* 108 (6): 249-255.
- 3900. Huang, H.**, 1998, Research on the butterflies of the Namjagbarwa region, SE. Tibet. *Neue ent. Nachr.* 41: 207-263, figs. [[available in Cesa Library](#)]
- 3901. Huang, H.**, 1998, Two new Rhopalocera from Central Tibet (Lepidoptera, Rhopalocera) *Neue ent. Nachr.* 41: 265-269, figs. [[available in Cesa Library](#)]
- 3902. Huang, H.**, 1998, Five new butterflies from N.W. Tibet (Lepidoptera, Rhopalocera) *Neue ent. Nachr.* 41: 271-281, figs. [[available in Cesa Library](#)]
- 3903. Huang, H.**, 1998, New Lycaenidae butterflies from Tsangpo basin, SE Tibet. *Lambillionea* 98 (4): 499-508.
- 3904. Huang, H.**, 1999, *Lethe wui* sp. nov. from Metok, SE Tibet. *Lambillionea* 99 (1): 129-131.
- 3905. Huang, H.**, 1999, Some new butterflies from China I. *Lambillionea* 99 (4): 642-676.
- 3906. Huang, H.**, 2000, A list of butterflies collected from Tibet during 1993-1996, with new descriptions revisional notes and discussions on zoogeography 1, Part 1. *Lambillionea* 100 (1): 141-158.
- 3907. Huang, H.**, 2000, A list of butterflies collected from Tibet during 1993-1996, with new descriptions revisional notes and discussions on zoogeography 1. Part 2. *Lambillionea* 100 (2): 238-259.
- 3908. Huang, H.**, 2002, Some new butterflies from China -2 (Lepidoptera, Hesperidae). *Atalanta* 33 (1-2): 109-122, figs. [[available in Cesa Library](#)]
- 3909. Huang, R., Zhou, H. & X. Li**, 2000, Butterflies in Xinjiang. 105 pp. 44 Pls. Urumtschi [in Chinese]. [[available in Cesa Library](#)]
- 3910. Huang, R.-X. & S. Murayama**, 1992, Butterflies of Xinjiang Province, China. *Tyo to Ga* 43 (1): 1-22.

- 3911. Huber, K. & D. Stengel**, [1990], Eine neue Subspezies von *Chelis maculosa* (Gerning, 1780) aus Griechenland (Lepidoptera, Arctiidae). *Atalanta* 20 (1989): 191-196, figs. [[available in Cesa Library](#)]
- 3912. Huemer, P. & C. Wieser**, 2004, *Aethes shakibai* sp.n., eine neue Wickler Art aus dem Nordirak (Lepidoptera, Tortricidae). *Carinthia* II 114(2): 389-394, figs. [[available in Cesa Library](#)]
- 3913. Huemer, P. & G. C. Luquet**, 1995, Beitrag zur Kenntnis der Gattung *Pleurota* in Frankreich (Lepidoptera, Oecophoridae). *Alexandria* 19 (1): 55-63, figs. [[available in Cesa Library](#)]
- 3914. Huemer, P. & G. Tarmann**, 1991, Westpaläarktische Gespinnstmotten der Gattung *Kessleria* Nowicki: Taxonomie, Ökologie, Verbreitung (Lepidoptera, Yponomeutidae). *Mitt. münch. ent. Ges.* 81: 5-110, 248 Abb, Pl. [[available in Cesa Library](#)]
- 3915. Huemer, P. & G. Tarmann**, 1993, Die Schmetterlinge Österreichs (Lepidoptera). 224pp. Innsbruck.
- 3916. Huemer, P. & G. Timossi**, 2014, *Sattleria* revisited: unexpected cryptic diversity on the Balkan Peninsula and in the south-eastern Alps (Lepidoptera, Gelechiidae). *Zootaxa* 3780 (2): 282-296, figs. [[available in Cesa Library](#)]
- 3917. Huemer, P. & J. C. Koster**, 2006, *Cosmopterix atthesiae* sp.n., a widespread new species from Europe and Africa (Lepidoptera, Cosmopterigidae, Cosmopteriginae). *Veröff. Tiroler Landesmus. Ferdinandeum* 86: 75-82, figs. [[available in Cesa Library](#)]
- 3918. Huemer, P. & K. Sattler**, 1992, Ergänzende Bemerkungen zur Speziation alpiner *Sattleria* (Lepidoptera, Gelechiidae). *Z. ArbGem. Öst. Ent.* 44: 59-73, figs. [[available in Cesa Library](#)]
- 3919. Huemer, P. & L. A. Gozmany**, 1992, Südostalpine *Symmoca*-Arten der caliginella-Gruppe (Lepidoptera, Symmocidae). *Mitt. münch. ent. Ges.* 82: 35-46, 46 Abb. [[available in Cesa Library](#)]
- 3920. Huemer, P. & O. Karsholt**, 1996, *Megacraspedus bilineatella* n.sp., from Alpi Orobie (Italy) (Lepidoptera). *Boll. Soc. ent. Ital.* 127: 251-256.
- 3921. Huemer, P. & O. Karsholt**, 1998, A review of palaearctic *Scrobipalpula* with special reference to Central and Northern Europe (Lepidoptera, Gelechiidae). *Nota lepid.* 21: 37-65.
- 3922. Huemer, P. & O. Karsholt**, 1999, Gelechiidae I (Gelechiinae: Teleiodini, Gelechiini), [in] Huemer, P., Karsholt, O. & L. Lyneborg, *Microlepidoptera of Europe* vol.3., 356pp., Pls., Stenstrup. [[available in Cesa Library](#)]
- 3923. Huemer, P. & O. Karsholt**, 2001, Additions to the fauna of Gelechiidae (Gelechiinae, Teleiodini and Gelechiini) of Europe. *Nota lepid.* 24 (3): 41-55, figs. [[available in Cesa Library](#)]
- 3924. Huemer, P. & O. Karsholt**, 2002, A review of the genus *Acompsia* Hübner, 1825, with description of new species (Gelechiidae). *Nota lepid.* 25 (2/3): 109-151, figs. [[available in Cesa Library](#)]
- 3925. Huemer, P. & O. Karsholt**, 2010, Gelechiidae II (Gelechiinae: Gnorimoschemini), [in] Huemer, P., Karsholt, O. & M. Nuss, *Microlepidoptera of Europe* vol.6., 587pp., Pls., Stenstrup.
- 3926. Huemer, P. & P. D. N. Hebert**, 2011, Cryptic diversity and phylogeography of high alpine *Sattleria* - a case study combining DNA barcodes and morphology (Lepidoptera, Gelechiidae). *Zootaxa* 2981: 1-22, figs. [[available in Cesa Library](#)]
- 3927. Huemer, P.**, 1988, A taxonomic revision of *Caryocolum* (Lepidoptera, Gelechiidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 57 (3): 439-571, figs. [[available in Cesa Library](#)]
- 3928. Huemer, P.**, 1988, Kleinschmetterlinge an Rosaceae unter besonderer Berücksichtigung ihrer Vertikalverbreitung (excl. Hepialidae, Cossidae, Zygaenidae, Psychidae und Sesiidae). *Neue ent. Nachr.* 20: 1-376, 81 Abb. [[available in Cesa Library](#)]
- 3929. Huemer, P.**, 1989, Neue und wenig bekannte Arten der Gattung *Caryocolum* Gregor & Povolny, 1954 aus Südwestasien (Lepidoptera, Gelechiidae). *Mitt. münch. ent. Ges.* 79: 127-142, 46 Abb. [[available in Cesa Library](#)]
- 3930. Huemer, P.**, 1990, *Phtheochroa rugosana* auct. - ein Artenkomplex (Lepidoptera, Tortricidae). *Nota lepid.* 12 (4): 269-289, figs. [[available in Cesa Library](#)]
- 3931. Huemer, P.**, 1991, *Gelechia sestertiella* auct.- ein Artenkomplex (Lepidoptera, Gelechiidae). *Nota lepid.* 14 (2): 115-130, figs. [[available in Cesa Library](#)]
- 3932. Huemer, P.**, 1992, *Gelechia aspoecki* sp.n. aus Südfrankreich. *Alexandria* 17: 391-394, figs. [[available in Cesa Library](#)]
- 3933. Huemer, P.**, 1992, Der *Teleiodes vulgella*-Artenkomplex in Europa (Lepidoptera, Gelechiidae). *Z. ArbGem. öst. Ent.* 44(1/2): 1-14, 33 Abb. [[available in Cesa Library](#)]
- 3934. Huemer, P.**, 1997, *Sattleria basistrigella* (Müller-Rutz, 1934), ein invalider Name (Lepidoptera, Gelechiidae). *Mitt. schweiz. ent. Ges.* 70: 285-288, figs. [[available in Cesa Library](#)]

- 3935. Huemer,P.**, 1998, Neue Erkenntnisse zur Identität und Verbreitung europäischer *Oegoconia* Arten (Lepidoptera, Autostichidae). Mitt. münch. ent. Ges. 88: 99-117, figs. [[available in Cesa Library](#)]
- 3936. Huemer,P., Elsner,G. & O.Karsholt**, 2013, Review of the *Eulamprotes wilkella* species-group based on morphology and DNA barcodes, with descriptions of new taxa (Lepidoptera, Gelechiidae). Zootaxa 3746 (1): 69-100, figs. [[available in Cesa Library](#)]
- 3937. Huemer,P., Karsholt,O. & W.Sauter**, 1996, The genus *Epiparasia* Rebel, 1914 in Spain (Lepidoptera, Gelechiidae). Shilap 24(96): 341-345, 9 figs. [[available in Cesa Library](#)]
- 3938. Hufnagel**, 1766, Tabelle von den Tagvögeln der Gegend um Berlin. Berl. Mag. 2: 54-90. [[available in Cesa Library](#)]
- 3939. Hufnagel**, 1766, Dritte Tabelle von den Nachtvögeln (*Bombyx*) der Gegend um Berlin. Berl. Mag. 2: 391-437. [[available in Cesa Library](#)]
- 3940. Hufnagel**, 1767, Vierte Tabelle von den Nachtvögeln (*Noctua*) der Gegend um Berlin. Berl. Mag. 3: 202-215, 279-309, 393-426. [[available in Cesa Library](#)]
- 3941. Hufnagel**, 1768, Fortsetzung der Tabelle von den Nachtvögeln (*Geometra*). Berl. Mag. 4: 504-527, 599-626. [[available in Cesa Library](#)]
- 3942. Huisman,K.J. & J.C.Koster**, 2000, Nieuwe en interessante Microlepidoptera uit Nederland in hoofdzaak van de jaren 1997 en 1998 (Lepidoptera). Ent. Ber., Amst. 60 (11): 193-216, 8 figs. [[available in Cesa Library](#)]
- 3943. Hulstaert,G.**, 1923, On Lepidoptera from New Guinea, Kei, Tenimber, the Philippines, and the Australia. Ann. Mag. nat. Hist. 9 (11): 178-190. [[available in Cesa Library](#)]
- 3944. Hulstaert,G.**, 1923, On Lepidoptera from New Guinea, Kei, Tanimber, the Philippines, and Australia. Ann. Mag. nat. Hist. (9) 11: 178-190. [[available in Cesa Library](#)]
- 3945. Hulstaert,G.**, 1924, New Indo-Australian Noctuidae. Ann. Mag. nat. Hist. 9 (13): 97-127.
- 3946. Hulstaert,G.**, 1924, New moths from New Guinea, Kei, and Tenimber. Ann. Mag. nat. Hist. 9 (13): 127-139.
- 3947. Hundsdoerfer, A.K., Kitching,I. & M.Wink**, 2005, A molecular phylogeny of the Hawkmoth genus *Hyles* (Lepidoptera, Sphingidae, Macroglossinae). Mol. Phylog. Evol. 35: 442-458, figs.
- 3948. Hutacharern,C. & N.Tubtim**, 1995, Checklist of forest insects in Thailand. 392 pp., figs. Office of Environmental Policy and Planning, Biodiversity Series volume one, Bangkok. [[available in Cesa Library](#)]
- 3949. Huwe,A.**, 1895, Verzeichniss der von Hans Fruhstorfer während seines Aufenthalts auf Java in den Jahren 1891 bis 1893 erbeuteten Sphingiden. Berl. ent. Z. 40 (3): 356-372, Taf III. [[available in Cesa Library](#)]
- 3950. Hübner,J.**, 1790, Beiträge zur Geschichte der Schmetterlinge [134 pp.], 16 pls. Augsburg. [[available in Cesa Library](#)]
- 3951. Hübner,J.**, 1793, Sammlung auserlesener Vögel und Schmetterlinge. 16pp., 100 Pls., Augsburg. [[available in Cesa Library](#)]
- 3952. Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 7, Tortrices: 53 Pls., Augsburg. [[available in Cesa Library](#)]
- 3953. Hübner,J.**, 1796-[1833], Sammlung europäischer Schmetterlinge. vol. 6, Pyralides: 32 Pls., Augsburg. [[available in Cesa Library](#)]
- 3954. Hübner,J.**, 1796-[1836], Sammlung europäischer Schmetterlinge. vol. 8, Tineae: 71 Pls., Augsburg. [[available in Cesa Library](#)]
- 3955. Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 2, Sphinges: 38 Pls., Augsburg. [[available in Cesa Library](#)]
- 3956. Hübner,J.**, 1796-[1838], Sammlung europäischer Schmetterlinge. vol. 5, Geometrae: 113 Pls., Augsburg. [[available in Cesa Library](#)]
- 3957. Hübner,J.**, 1799-[1838], Sammlung europäischer Schmetterlinge. vol. 1, Papilios: 207 Pls., Augsburg. [[available in Cesa Library](#)]
- 3958. Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 4, Noctuae: 181 Pls., Augsburg. [[available in Cesa Library](#)]
- 3959. Hübner,J.**, 1800-[1836], Sammlung europäischer Schmetterlinge. vol. 9, Alucitae: 7 Pls., Augsburg. [[available in Cesa Library](#)]
- 3960. Hübner,J.**, 1800-[1838], Sammlung europäischer Schmetterlinge. vol. 3, Bombyces: 83 Pls., Augsburg. [[available in Cesa Library](#)]

- 3961. Hübner,J.,** 1806-[1832], Sammlung exotischer Schmetterlinge 1: [36] pp., [213] Pls. Augsburg.
- 3962. Hübner,J.,** 1816-[1826], Verzeichnis bekannter Schmetterlinge. 431 pp., Augsburg. [[available in Cesa Library](#)]
- 3963. Hübner,J.,** 1818, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 1: 1-40, figs.1-200. Augsburg.
- 3964. Hübner,J.,** 1822, Systematisch -alphabetisches Verzeichniss aller bisher bei den Fürbildungen zur Sammlung europäischer Schmetterlinge ausgegebenen Benennungen mit Vormerkung auch Augsburscher Gattungen. 81 pp. Augsburg. [[available in Cesa Library](#)]
- 3965. Hübner,J.,** 1823, Zuträge zur Sammlung exotischer Schmetterlinge bestehend in Bekundigung einzelner Fleigmuster neuer oder rarer nichteuropäischer Gattungen. 2: 1-40, figs.201-400. Augsburg.
- 3966. Hüseyinoğlu,Y. & M.Akyol,** 2013, Lepidoptera fauna in Akdağmadeni region of Yozgat, Turkey. J. Ent. Nem. 5 (1): 10-18. [[available in Cesa Library](#)]
- 3967. Hüseyinoğlu,Y.,** 1999, Sincanlı (Afyon) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 60: 1-8. [[available in Cesa Library](#)]
- 3968. Hüseyinoğlu,Y.,** 2013, Faunistic study on Papilionoidea and Hesperioidea (Lepidoptera) of Göksu valley in Mut, southern Turkey. Pakistan J. Zool. 45 (5): 1291-1297. [[available in Cesa Library](#)]
- 3969. Hüseyinoğlu,Y.,** 2013, A faunistic study on Papilionoidea and Hesperioidea (Lepidoptera) of Murat Mountain in Banaz, Uşak Province, Turkey. Pakistan J. Zool. 45 (2): 437-445. [[available in Cesa Library](#)]
- 3970. Hüseyinoğlu,Y.,** 2014, A faunistic study of Papilionoidea (Lepidoptera) of the Western Taurus Mountains, Turkey. J. Kansas Ent. Soc. 87 (1): 74-83. [a weak paper, with numerous spelling errors] [[available in Cesa Library](#)]
- 3971. Hättenschwiler,P. & H.Alemansoor,** 2006, A new species of *Amicta* Heylaerts,1881 from the South of Iran (Lepidoptera, Psychidae). Nota lepid. 29 (1/2): 79-87, figs.
- 3972. Hättenschwiler,P.,** 1984, Die Gattung *Leptopteryx* und *Oreopsyche* ardanazi Agenjo (Lepidoptera, Psychidae). Nota lepid. 7 (2): 143-147, 3 Abb. [[available in Cesa Library](#)]
- 3973. Hättenschwiler,P.,** 1985, Zwei neue Psychiden aus dem West-Himalaya (Lepidoptera, Psychidae) Nota lepid. 8(1): 25-28, 4 Abb. [[available in Cesa Library](#)]
- 3974. Häuser,C. & K.G.Schurian,** 1977, Bemerkungen zur Biologie von *Kirinia roxelana* Cramer (Lep., Satyridae). Ent. Z., Frankf. a. M. 87 (12): 121-126. [[available in Cesa Library](#)]
- 3975. Häuser,C. & K.G.Schurian,** 1980, Zur Kenntnis des Areals von *Colias chlorocoma* Christoph,1888 (Pieridae). Nota lepid. 3(1/2): 41-50, figs. [[available in Cesa Library](#)]
- 3976. Häuser,C.,** 1982, Zur Verbreitung, Biologie, und Taxonomie von *Ochlodes hyrcanus* (Christoph,1893) (Hesperiidae). Nota lepid. 5 (2/3): 86-102, figs. A-C, 1-4.
- 3977. Häuser,C.,** 1993, An Annotated checklist of the species of the Parnassiinae (Lepidoptera, Papilionidae). Tijdschr. Ent. 136: 137-146. [[available in Cesa Library](#)]
- 3978. Häuser,C.,** 2004, Clas Michael Naumann zu Königsbrück 26.06.1939 - 15.02.2004. Nota lepid. 27 (1): 3-10. [[available in Cesa Library](#)]
- 3979. Häuser,C.L. & M.Boppré,** 1997, A revision of the Afrotropical taxa of the genus *Amerila* Walker (Lepidoptera, Arctiidae). Syst. Ent. 22: 1-44, figs. [[available in Cesa Library](#)]
- 3980. Häuser,C.L. & W.Eckweiler,** 1997, A catalogue of the species-group taxa in *Agrodiaetus* Hübner,1822, a subgenus of *Polyommatus* Latreille,1804 (Lep., Lycaenidae), [in] Eckweiler & Häuser, Contributions to the systematics and biology of the *Polyommatus* (*Agrodiaetus*) species-group (Lep.). Nachr. Ent. Ver. Apollo, Suppl. 16: 53-112. [[available in Cesa Library](#)]
- 3981. Häuser,C.L.,** 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43. [[available in Cesa Library](#)]
- 3982. Häuser,C.L., Naumann,C.M. & A.V.-A.Kreuzberg,** 1993, Zur taxonomischen und phylogenetischen Bedeutung der Feinstruktur der Eischale der Parnassiinae (Lepidoptera, Papilionidae). Zool. Meded. 67: 239-264, figs.
- 3983. Häuser,C.L., Naumann,C.M. & W.G.Tremewan,** 1985, On the biology of *Parnassius charltonius* Gray,1852 (Lepidoptera, Papilionidae). Entomologist's Gaz. 36: 5-13, 11 figs. [[available in Cesa Library](#)]
- 3984. Häuser,C.L., Stüning,D. & W.A.Nässig,** 1996, Observations on the early stages of *Archaeoattacus staudingeri* (Rothschild,1895) in Northern Borneo (Sabah, Malaysia)

- (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 17 (2): 169-182, 16 figs. [[available in Cesa Library](#)]
- 3985. Häussler**, 1920, Anthocharis charlonia Donz. in Europa? Ent. Rdsch. 37: 9.
- 3986. Hızal, E., Köse, M., Yeşil, C. & D. Kaynar**, 2011, The new pest *Cydalima perspectalis* (Walker, 1859) (Lepidoptera, Crambidae) in Turkey. J. Anim. Vet. Adv. 11 (3): 400-403.
- 3987. Höltzermann, F.**, 1902, *Pyrrhia aconiti* spec. nov. aus der Umgegend von Perm in Russland (Ural). Allg. Z. Ent. 7: 212-214, 4 Abb. [[available in Cesa Library](#)]
- 3988. Höne, H.**, 1938, Brief aus China. Ent. Rdsch. 55: 385-388, 413-415. [[available in Cesa Library](#)]
- 3989. Hörhammer, C.**, 1937, Zur systematischen Stellung von *Lycaena aedon* Christ. Ent. Z., Frankf. a. M. 51: 114. [[available in Cesa Library](#)]
- 3990. Igarashi, S.**, 1971, *Protapatura iwasei*; a new Nymphalid butterfly from Kurdistan, the Northern Iraq (Nymphalidae). Tyo to Ga 22 (1/2): 14-17, 6 figs. [[available in Cesa Library](#)]
- 3991. Igarashi, S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
- 3992. Igarashi, S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34: 41-96.
- 3993. Ignatyev, N.N. & T.J. Witt**, 2007, A review of *Eilema* Hübner, 1819 of Russia and adjacent territories, Part 1. The *Eilema griseola* (Hübner, 1803) species group (Arctiidae, Lithosiinae). Nota lepid. 30 (1): 25-43, figs. [[available in Cesa Library](#)]
- 3994. Ignatyev, N.N. & V.V. Zolotuhin**, 2005, A review of syntomids (Lepidoptera, Syntomidae) of Russia and adjacent territories. Part 1. Genus *Syntomis* Ochsenheimer, 1808. Eversmannia 2005 (3/4): 28-54, figs. [[available in Cesa Library](#)]
- 3995. Iltschev, D. & I. Buresch**, 1915, Zweiter Beitrag zur Erforschung der Lepidopterenfauna von Thrazien und Mazedonien und Nachbarländer. Trud. bulg. prir. Druzh. 8: 151-197.
- 3996. Iltschev, D. & I. Buresch**, 1921, Dritter Beitrag zur Erforschung der Lepidopterenfauna von Thrazien und Mazedonien. Trud. bulg. prir. Druzh. 9: 61-86.
- 3997. Iltschev, D.**, 1913, Das Credna-Gora-Gebirge und seine Lepidopterenfauna. Spis. bulg. Akad. Nauk. 7: 81-112.
- 3998. Iltschev, D.**, 1915, Beitrag zur Lepidopterenfauna des zentralen Rhodope Gebirges. Trud. bulg. prir. Druzh. 7: 161-169.
- 3999. Iltschev, D.**, 1921, Beitrag zur Lepidopterenfauna der Kresna-Schlucht in Mazedonien. Spis. bulg. Akad. Nauk. 23: 85-110.
- 4000. Iltschev, D.**, 1923, Beitrag zur Lepidopterenfauna der Gegend von Aitos (S.O. Bulgarien). Trud. bulg. prir. Druzh. 10: 49-53.
- 4001. Inayatullah, M., Tuzov, V., Rafi, M.A. & M. Ahmad**, 2002, Butterflies of Malakand Agency and Lower Swat, Pakistan. Helios 3: 94-96.
- 4002. Inayoshi, Y. & M. Nishimura**, 1997, A review of the belladonna group the genus *Delias*. (Lepidoptera, Pieridae). Butterflies 16: 18-33, 19 pls.
- 4003. Inoue, H.**, 1976, Some new and unrecorded moths belonging to the families of Bombyces and Sphinges. Bull. Otsuma Women Univ. 12: 153-199, 116 figs.
- 4004. Inoue, H.**, 1979, Revision of the genus *Eupithecia* of Japan Part I. Bull. Otsuma Women Univ. 15: 157-224.
- 4005. Inoue, H.**, 1980, Revision of the genus *Eupithecia* of Japan Part II. Bull. Otsuma Women Univ. 16: 153-213, figs.
- 4006. Inoue, H.**, 1982, Geometridae of eastern Nepal based on the collection of the lepidopterological research expedition to Nepal Himalaya by the Lepidopterological Society of Japan in 1963 Part II. Bull. Otsuma Women Univ. 18: 129-190, 51 figs.
- 4007. Inoue, H.**, 1984, The genus *Abraxas* of Taiwan. Bull. Otsuma Women Univ. 20: 93-128, 115 figs.
- 4008. Inoue, H.**, 1985, The genus *Ourapteryx* and *Tristophis* of Taiwan. Bull. Otsuma Women Univ. 21: 75-124, 116 figs.
- 4009. Inoue, H.**, 1986, Further new and unrecorded species of the Geometridae from Taiwan, with some synonymic notes. Bull. Otsuma Women Univ. 22: 211-267, 67 figs.
- 4010. Inoue, H.**, 1987, Geometridae of eastern Nepal based on the collection of the lepidopterological research expedition to Nepal Himalaya by the Lepidopterological Society of Japan in 1963 Part III. Bull. Otsuma Women Univ. 23: 215-270, 52-81 figs.

- 4011. Inoue, H.**, 1988, The genus *Eupithecia* Curtis from Taiwan. Bull. Otsuma Women Univ. 24: 323-375, 31 figs.
- 4012. Inoue, H.**, 1989, The genus *Gelasma* Warren from Taiwan. Bull. Otsuma Women Univ. 25: 245-271, 53 figs.
- 4013. Inoue, H.**, 1990, A revision of the genus *Dindica* Moore (Geometridae). Bull. Otsuma Women Univ. 26: 121-161, 123 figs. [[available in Cesa Library](#)]
- 4014. Inoue, H.**, 1991, Records of the Sphingidae (Lepidoptera) from Thailand with descriptions of four new species. Tinea 13 (14): 121-144, figs.
- 4015. Inoue, H.**, 1992, Twenty-four new species, one new subspecies and two new genera of the Geometridae from East Asia. Bull. Otsuma Women Univ. 28: 149-183, 87 figs. [[available in Cesa Library](#)]
- 4016. Inoue, H.**, 1993, The genus *Ourapteryx* Leach (Geometridae, Ennominae) from Thailand with descriptions of six new species. Tinea 13 (26): 261-271, figs. [[available in Cesa Library](#)]
- 4017. Inoue, H.**, 1993, A new species of *Menophra* Moore from Pakistan (Lepidoptera, Geometridae). Jap. J. Ent. 61 (4): 832-834, figs.
- 4018. Inoue, H.**, 1994, Two new genera and two new species of the Geometridae from Thailand. Tinea 14 (1): 5-9, figs. [[available in Cesa Library](#)]
- 4019. Inoue, H.**, 1994, Description of a new species of *Ourapteryx* Leach (Geometridae, Ennominae) from Central Nepal. Tinea 14 (1): 10-12, figs.
- 4020. Inoue, H.**, 1994, The Geometridae of the Ogasawara (Bonin) Islands. Bull. Otsuma Women Univ. 30: 195-223, 16 figs.
- 4021. Inoue, H.**, 1994, The genus *Abraxas* Leach (Geometridae, Ennominae) from Thailand. Tinea 14 (1): 20-26. [[available in Cesa Library](#)]
- 4022. Inoue, H.**, 1995, The genera *Abraxas* and *Ourapteryx* from Nepal (Geometridae, Ennominae), [in] Haruta, T., Moths of Nepal, pt.4. Tinea 14 (Suppl.2): 119-139.
- 4023. Inoue, H.**, 1996, The Pyralidae of the Ogasawara (Bonin) Islands. Bull. Otsuma Women Univ. 32: 75-111, 21 figs.
- 4024. Inoue, H.**, 1996, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 1: Group A (Annulifer-group). Tinea 15 (1): 12-46, figs.
- 4025. Inoue, H.**, 1996, Four new species of the genus *Eupithecia* (Geometridae, Larentiinae) from Kashmir and Pakistan. Trans. lepid. Soc. Japan 47 (4): 237-242, figs. [[available in Cesa Library](#)]
- 4026. Inoue, H.**, 1997, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 2: Group B. Tinea 15 (2): 131-182, figs.
- 4027. Inoue, H.**, 1998, Notes on *Pseudobiston pinratanai* Inoue (Geometridae, Geometrinae). Tinea 15 (4): 310-311.
- 4028. Inoue, H.**, 1999, A new species of the genus *Celerena* Walker (Lepidoptera, Geometridae) from Palawan, Philippines. Tinea 16 (1): 1-3.
- 4029. Inoue, H.**, 1999, Revision of the genus *Palpita* Hübner (Crambidae, Pyraustinae) from the Eastern Palaearctic, Oriental and Australian Regions. Part 3: Additional and Corrections. Tinea 16 (1): 52-60.
- 4030. Inoue, H.**, 1999, Revision of the genus *Herochroma* Swinhoe (Geometridae, Geometrinae). Tinea 16 (2): 76-105.
- 4031. Inoue, H.**, 19??, Records of the Sphingidae from the Philippines, with descriptions of a new species and a new subspecies. Bull. nat. Sci. Mus. Tokyo (Ser.A) 22 (2): 81-106, 26 figs.
- 4032. Inoue, H.**, 2000, Three new species of the genus *Milionia* Walker (Geometridae, Ennominae). Tinea 16 (4): 213-217.
- 4033. Inoue, H.**, 2000, Descriptions of a new species and a new subspecies of the genus *Biston* Leach from the Philippines, with notes on the two known species (Geometridae, Ennominae). Tinea 16 (4): 226-230.
- 4034. Inoue, H., Kennett, R.D. & Kitching, I.J.**, 1997, Moths of Thailand vol.2 Sphingidae. vi+149 pp. 44 Pls. Chock Chai Press / Brothers of St. Gabriel in Thailand, Bangkok. [[available in Cesa Library](#)]
- 4035. Inoue, S. & A.Kawazoe**, 1964, Hesperiid butterflies from South Vietnam. Tyo to Ga 15 (4): 84-105, fig.
- 4036. Inoue, S. & A.Kawazoe**, 1964, Riodinidae, Curetidae and Lycaenidae (Lepidoptera, Rhopalocera) from South Vietnam. Nature life southeast Asia 1964 (4): 317-394, 20 pls. 1 map.

- 4037. International Commission of Zoological Nomenclature**, 1985, International Code of Zoological Nomenclature. 3rd edn. International Trust for Zoological Nomenclature, London. [\[available in Cesa Library\]](#)
- 4038. International Commission of Zoological Nomenclature**, 1999, International Code of Zoological Nomenclature. 4th edn. International Trust for Zoological Nomenclature, 306pp. London. [\[available in Cesa Library\]](#)
- 4039. Ishkov, E.V. & J.L. Sukhareva**, 1986, On the Noctuid fauna (Lepidoptera, Noctuidae) of the Aksu Dzhagabaglinsk Nature Reserve (Kazakhstan). Trudy vses. ent. Obsch. 67: 111-125.
- 4040. Ivinskis, P. & A. Saldaitis**, 2008, New data on Tiger Moths of the genus *Siccia* (Lepidoptera, Arctiidae) with description of two new species. Acta zool. Lithuanica 18 (4): 256-260, figs. [\[available in Cesa Library\]](#)
- 4041. Ivinskis, P. & V. Piskunov**, 1980, Description of gelechiid moth genus *Ivanauskiella* Ivinskis et Piskunov gen.n. and species *Ivanauskiella turkmenica* Ivinskis et Piskunov sp.nov. from the Turkmenian SSR. Trudy Akad. Nauk Litov. SSR (Ser. C) 1980(2): 23-27, figs.
- 4042. Ivinskis, P.**, 1993, Checklist of Lithuanian Lepidoptera. 210pp. Vilnius.
- 4043. Ivinskis, P., Rimsaite, I., Saldaitis, A. & R. Yakovlev**, 2012, Description of two new species of Cossidae (Lepidoptera) from China. Zookeys 192: 35-49, figs. [\[available in Cesa Library\]](#)
- 4044. Ivonin, V.V. & O.E. Kosterin**, 2000, A new subspecies of *Polyommatus icadius* (Groum-Grzhimailo, 1890) from the Russian Altai (Lepidoptera Lycaenidae). Atalanta 31 (1/2): 171-177, pl. xiii. [\[available in Cesa Library\]](#)
- 4045. Ivonin, V.V., Dubatolov, V.V. & S.A. Knyazev**, 2013, New data on the Macroheterocera fauna (Lepidoptera) of the south-eastern part of West Siberia. Euras. Ent. J. 12 (4): 407-414, figs. [\[available in Cesa Library\]](#)
- 4046. Izenbek, B.A.**, 1980, The butterflies of the Lithuanian SSR. Nota lepid. 3(3/4): 126-135, 4 figs. [\[available in Cesa Library\]](#)
- 4047. Jachontov, A.A.**, 1935, Our Butterflies. Moscow.
- 4048. Jaech, M.A., Aspöck, U., Contreras-Lichtenberg, R., Gaal, S., Lödl, M., Schillhammer**, 1996, Comments on the "Discussion Draft of the Fourth Edition of the International Code of Zoological Nomenclature". Annln. naturh. Mus. Wien 98B: 569-571. [\[available in Cesa Library\]](#)
- 4049. Jakes, O.**, 1967, Beiträge zur Kenntnis der Fauna Afghanistans (Sammelergebnisse von O. Jakes 1963-64, D. Povolny 1965, D. Povolny & Fr. Tenora 1966, J. Simek 1965-66) Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brno 52 (suppl.): 9-11, figs. [\[available in Cesa Library\]](#)
- 4050. Jaksic, P.**, 1988, Provisional Distribution maps of the butterflies of Yugoslavia (Lepidoptera, Rhopalocera). 213pp., 195 maps. Societas Entomologica Jugoslavica, Zagreb. [\[available in Cesa Library\]](#)
- 4051. Janet, A.**, 1909, Familie: Epicopeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 35-36, pls., Stuttgart. [\[available in Cesa Library\]](#)
- 4052. Janse, A.J.T.**, 1917, Check-List of the South African Lepidoptera Heterocera. 219 ♀ xii pp., Pretoria. [\[available in Cesa Library\]](#)
- 4053. Janse, A.J.T.**, 1925, A revision of the South African Metarbelinae. South Afr. J. nat. Hist. 5: 61-100, 5 pls.
- 4054. Janse, A.J.T.**, 1931, A Contribution towards the study of the genera of the Epipaschiinae (Family Pyralidae). Trans. ent. Soc. London 79 (3): 439-492, Pls. [\[available in Cesa Library\]](#)
- 4055. Janse, A.J.T.**, 1932, The moths of South Africa vol.1 Sematuridae and Geometridae. xi ♀ 376pp., 15 Pls. Pretoria. [\[available in Cesa Library\]](#)
- 4056. Janse, A.J.T.**, 1935, The moths of South Africa vol.2 Geometridae. 448pp., Pretoria. [\[available in Cesa Library\]](#)
- 4057. Janse, A.J.T.**, 1949-1954, The moths of South Africa vol.5 Gelechiidae. iv ♀ 464pp., 202 Pls. Pretoria. [\[available in Cesa Library\]](#)
- 4058. Janse, A.J.T.**, 1958-1963, The moths of South Africa vol.6 Gelechiidae. 284pp., 138 Pls. Pretoria. [\[available in Cesa Library\]](#)
- 4059. Janse, J.A.**, 1969, Eine Schmetterlingsausbeute von der Insel Elba. Ent. Ber., Amst. 29: 208-212.
- 4060. Janzon, L.-A.**, 1977, Beiträge zur Kenntnis der Noctuiden Irans I. Beitrag: *Zethes brandti* n.sp. from Iran (Lepidoptera, Noctuidae). Ent. scand. 8: 173-176, 3 figs. [\[available in Cesa Library\]](#)

- 4061. Janzon,L.-A.**, 1987, Some records of Cypriot butterflies. Entomologist's Gaz. 38: 91-92. [[available in Cesa Library](#)]
- 4062. Jarvis,F.V.L.**, 1958-1959, Biological notes on *Aricia agestis* (Schiff.) in Britain, Part I-III. Entomologist's Rec. J. Var. 70: 1-18; 71: 169-179.
- 4063. Jaworski,T.**, 2009, *Caloptilia robustella* Jäckh,1972 and *Caloptilia* (Povolnya) *leucapennella* (Stephens,1835) in Turkey (Lepidoptera, Gracillariidae). Cesa News 49: 42-44, 3 figs. [[available in Cesa Library](#)]
- 4064. Jeratthitikul,E., Lewvanich,A., Butcher,B.A: & C. Lekprayoon**, 2009, A taxonomic study of the genus *Eurema* Hübner,[1819] (Lepidoptera, Pieridae) in Thailand. Nat. Hist. J. Chulalongkorn Univ. 9 (1): 1-20, figs. [[available in Cesa Library](#)]
- 4065. Jianzhong,Z., Honggui,Q. & F.Wenjun**, 1997, Summer fruit Tortrix *Adoxophyes orana* should be classified as two subspecies (Lepidoptera, Tortricoidea, Tortridae [sic]). Entomotaxonomia 19(2): 130-134, 7 figs. [in Chinese, english summary]. [[available in Cesa Library](#)]
- 4066. Joannis,J.de & R.Verity**, 1913, Materiali per lo studio della fauna Eritrea raccolti nel 1901-03 dal Dott.A. Andreini tenente medico principalmente nelle regioni circostanti ad Adi-Ugri ed ad Adi-Caiè. Lepidopteres Rhopalocera. Boll. Soc. ent. Ital. 44: 115-122.
- 4067. Joannis,J.de**, 1903, Description d'un Hépialide nouveau d'Algérie (Lep.). Bull. Soc. ent. Fr. 1903: 222-223. [[available in Cesa Library](#)]
- 4068. Joannis,J.de**, 1921, Note sur *Stagmatophora serratella* Tr. (Lep., Tineidae). Bull. Soc. ent. Fr. 1921: 265-267. [[available in Cesa Library](#)]
- 4069. Joannis,J.de**, 1928, Lépidoptères Hétérocères du Tonkin. Annls Soc. ent. Fr. 47: 241-368. [[available in Cesa Library](#)]
- 4070. Joannis,J.de**, 1929, Lépidoptères Hétérocères du Tonkin (2 partie). Annls Soc. ent. Fr. 48: 129-320, pls. [[available in Cesa Library](#)]
- 4071. Joannis,J.de**, 1929, Lépidoptères Hétérocères du Tonkin (3 partie). Annls Soc. ent. Fr. 48: 321-596. [[available in Cesa Library](#)]
- 4072. Joannou,J.G. & A.V.Gurkovich**, 2009, A review of the genus *Bombycomorpha* C.Felder & R.Felder,1874 with descriptions of a new species and a new subspecies (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 103-117, figs. [[available in Cesa Library](#)]
- 4073. Johansson,R.**, 1971, Notes on the Nepticulidae (Lepidoptera) I. A revision of the *Nepticula ruficapitella* group. Ent. scand. 2: 241-262, figs.
- 4074. John,E. & C.Markis**, 2001, *Libythea celtis* (Laicharting,1782) (Lepidoptera, Libytheidae): Presence of a breeding colony in the Troodos Mountains, Cyprus. Entomologist's Gaz. 52: 173-180. [[available in Cesa Library](#)]
- 4075. John,E. & R.Parker**, 2002, Dispersal of *Hipparchia cypriensis* (Holik,1949) (Lepidoptera, Nymphalidae, Satyrinae) in Cyprus. with notes on its ecology and life-history. Entomologist's Gaz. 53: 3-18. [[available in Cesa Library](#)]
- 4076. John,E.**, 2000, Butterflies of Cyprus 1998 (Records of a year's sightings). 46 pp., 1 Tb., 52 maps. Pamphlet no.15, The Amateur Entomologists' Society, London. [[available in Cesa Library](#)]
- 4077. John,E.**, 2001, Migration of *Vanessa cardui* (L.) (Lep., Nymphalidae) through Cyprus, March 2001. Entomologist's Rec. J. Var. 113: 269-281. [[available in Cesa Library](#)]
- 4078. John,O.**, 1909, Description of a new lasiocampid moth from Turkestan. Entomologist 42: 175-176. [[available in Cesa Library](#)]
- 4079. John,O.**, 1910, Eine Revision der Gattung *Leucanitis* Gn. Horae Soc. ent. ross. 39: 585-633, Taf. xvi-xxiii, 5 textfigs. [[available in Cesa Library](#)]
- 4080. Johnson,G.**, 1967, Butterfly Expedition to Iran, 1966. Entomologist's Rec. J. Var. 79: 35-42. [[available in Cesa Library](#)]
- 4081. Johnson,K.**, 1992, The Palaearctic "Elfin" Butterflies (Lycaenidae, Theclinae). Neue ent. Nachr. 29: 1-141, 99 figs. [[available in Cesa Library](#)]
- 4082. Joicey,J.J. & A.Noakes**, 1915, New butterflies and a moth from Biak. Trans. ent. Soc. London 1915: 177-197, 8 Pls. [[available in Cesa Library](#)]
- 4083. Joicey,J.J. & G.Talbot**, 1918, New butterflies from Africa and the East. Proc. zool. Soc. Lond. 1917: 271-272. [[available in Cesa Library](#)]
- 4084. Joicey,J.J. & G.Talbot**, 1918, A gynandromorph of *Papilio lycophron* Hbn. Proc. zool. Soc. Lond. 1917: 273, Pl.II. [[available in Cesa Library](#)]
- 4085. Joicey,J.J. & G.Talbot**, 1921, Descriptions of new forms of Lepidoptera from the Island of Hainan. Bull. Hill Mus. 1 (1): 167-177, pls. 19-24.

- 4086. Joicey, J.J. & G. Talbot**, 1925, Notes on some Lepidoptera, with descriptions of new forms. *Ann. Mag. nat. Hist.* (9) 16: 633-653. [\[available in Cesa Library\]](#)
- 4087. Joicey, J.J. & G. Talbot**, 1926, A new Nymphalid from the Congo. *Entomologist* 59: 248. [\[available in Cesa Library\]](#)
- 4088. Jong, R. de & O. Karsholt**, 1998, Comment on the proposed conservation of the specific name *Papilio sylvanus* Esper, [1777] (currently *Ochlodes venata* or *Augiades sylvanus*; Insecta, Lepidoptera). *Bull. Zool. Nom.* 55: 169-171.
- 4089. Jong, R. de & C.G. Treadaway**, 1992, Notizen über einige Erionota-Arten nebst Beschreibung einer neuen Art (Lepidoptera, HesperIIDae). *Ent. Z., Frankf. a. M.* 102(8): 133-142, 16 Abb. [\[available in Cesa Library\]](#)
- 4090. Jong, R. de & C.G. Treadaway**, 1993, Neue Arten der Gattung *Halpe* von den Philippinen (Lepidoptera, HesperIIDae). *Ent. Z., Frankf. a. M.* 103: 145-152, 15 Abb. [\[available in Cesa Library\]](#)
- 4091. Jong, R. de & C.G. Treadaway**, 1993, Notes on South East Asiatic *Coeliadinae* (Lepidoptera, HesperIIDae). *Nachr. ent. Ver. Apollo (N.F.)* 13(4): 447-455, 15 Abb. [\[available in Cesa Library\]](#)
- 4092. Jong, R. de & C.G. Treadaway**, 1993, The geographic variation of *Pyroneura liburnia* (Hewitson [1868]) (Lepidoptera, HesperIIDae). *Nachr. ent. Ver. Apollo (N.F.)* 14(1): 23-32, 13 figs. [\[available in Cesa Library\]](#)
- 4093. Jong, R. de & C.G. Treadaway**, 1993, The HesperIIDae (Lepidoptera) of the Philippines. *Zool. Verh.* 288: 1-125, 139 figs. [\[available in Cesa Library\]](#)
- 4094. Jong, R. de**, 1972, Systematics and geographic history of the genus *Pyrgus* in the Palaearctic Region (Lepidoptera, HesperIIDae). *Tijdschr. Ent.* 115 (1): 1-121, 60 textfigs., 6 Pls. [\[available in Cesa Library\]](#)
- 4095. Jong, R. de**, 1974, Notes on the genus *Carcharodus* (Lepidoptera, HesperIIDae). *Zool. Meded.* 48: 1-9, figs. [\[available in Cesa Library\]](#)
- 4096. Jong, R. de**, 1974, Systematic and evolution of the Palaearctic *Spialia* species (Lepidoptera, HesperIIDae). *Tijdschr. Ent.* 117 (6): 225-271, 37 figs. [\[available in Cesa Library\]](#)
- 4097. Jong, R. de**, 1975, Notes on the genus *Pyrgus* (Lepidoptera, HesperIIDae). *Zool. Meded.* 49(1): 1-11, 1 Pl. 5 figs. [\[available in Cesa Library\]](#)
- 4098. Jong, R. de**, 1976, Two new species of HesperIIDae from Western Kenya (Lepidoptera, HesperIIDae). *Zool. Meded.* 49(24): 299-306, 1 Pl. 7 figs. [\[available in Cesa Library\]](#)
- 4099. Jong, R. de**, 1976, Affinities between the West palaearctic and Ethiopian butterfly faunas. *Tijdschr. Ent.* 119: 165-215, maps. [\[available in Cesa Library\]](#)
- 4100. Jong, R. de**, 1978, *Carcharodus tripolinus* Verity, stat. nov., une nouvelle espèce pour la faune d'Europe. Remarques au sujet de la notion d'espèce (Lepidoptera, HesperIIDae). *Linneana Belg.* 7 (4): 117-122. [\[available in Cesa Library\]](#)
- 4101. Jong, R. de**, 1978, Monograph of the genus *Spialia* Swinhoe (Lepidoptera, HesperIIDae). *Tijdschr. Ent.* 121 (3): 23-146, 119 figs. 7 Pls. [\[available in Cesa Library\]](#)
- 4102. Jong, R. de**, 1979, The use of phylogenetic data in a biogeographic study. *Nota lepid.* 2(1/2): 41-43. [\[available in Cesa Library\]](#)
- 4103. Jong, R. de**, 1980, Neue Taxa der Gattung *Choaspes* aus den Philippinen (Lep., HesperIIDae). *Ent. Z., Frankf. a. M.* 90(23): 263-267, 7 Abb. [\[available in Cesa Library\]](#)
- 4104. Jong, R. de**, 1980, Distribution and variation of *Pyrgus badachschanus* Alberti (Lepidoptera, HesperIIDae). *Ent. Ber., Amst.* 40(8): 119-121.
- 4105. Jong, R. de**, 1981, Character displacement in butterflies - fiction? *Nota lepid.* 4(4): 155-158, map. [\[available in Cesa Library\]](#)
- 4106. Jong, R. de**, 1982, Neue und wenig bekannte Taxa der Gattung *Hasora* Moore (Lep., HesperIIDae). *Ent. Z., Frankf. a. M.* 92(4): 33-40, 2 Abb. [\[available in Cesa Library\]](#)
- 4107. Jong, R. de**, 1984, Notes on the genus *Thymelicus* Hübner (Lepidoptera, HesperIIDae). *Nota lepid.* 7 (2): 148-163, 31 figs. [\[available in Cesa Library\]](#)
- 4108. Jong, R. de**, 2006, Revision of the Oriental genus *Odontoptilum* Nicéville (Lepidoptera, HesperIIDae, Pyrginae). *Tijdschr. Ent.* 149: 145-159, 54 figs. [\[available in Cesa Library\]](#)
- 4109. Jordan, K.**, 1885, Die Schmetterlinge Göttingens. vi+52+1 pp. Alfeld. (Inaug. Dissert. Erlangung der phil. Doctorwürde Univ. Göttingen).
- 4110. Jordan, K.**, 1886, Die Schmetterlingsfauna Nordwest-Deutschlands. *Zool. Jb. Suppl.* 1: xviii+164 pp.
- 4111. Jordan, K.**, 1898, An examination of the classificatory and some other results of Eimer's researches on eastern *Papilios*. *Novit. zool.* 5: 435-455. [\[available in Cesa Library\]](#)

- 4112. Jordan, K.**, 1898, Contributions to the morphology of Lepidoptera I. The antennae of butterflies. Novit. zool. 5: 374-415, Pls. 14,15. [\[available in Cesa Library\]](#)
- 4113. Jordan, K.**, 1907, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-17, pls. 1-3.
- 4114. Jordan, K.**, 1907, Familie: Agaristidae. [in] Seitz, A., Die Gross-Schmett. Erde 3: 5-8, pl.1.
- 4115. Jordan, K.**, 1907, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 5: 11-45, pls. 1-17.
- 4116. Jordan, K.**, 1908-1909, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 9: 11-109, 112-118, pls. 1-49.
- 4117. Jordan, K.**, 1909, Familie: Zygaenidae, Widderchen. [in] Seitz, A., Die Gross-Schmett. Erde 2: 3-34, pls., Stuttgart. [\[available in Cesa Library\]](#)
- 4118. Jordan, K.**, 1912, Some New Oriental Zygaenidae. Novit. zool. 19: 146-149. [\[available in Cesa Library\]](#)
- 4119. Jordan, K.**, 1913, Notes on Palaearctic Zygaenidae. Novit. zool. 20: 442-443. [\[available in Cesa Library\]](#)
- 4120. Jordan, K.**, 1915, Some new or little-known Heterocera. Novit. zool. 22: 274-280, 2 figs. [\[available in Cesa Library\]](#)
- 4121. Jordan, K.**, 1915, On the two Algerian species of Cerocala, a genus of Noctuidae. Novit. zool. 22: 267-270, 10 figs. [\[available in Cesa Library\]](#)
- 4122. Jordan, K.**, 1916, Fam. Sphingidae, [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 140-141. [\[available in Cesa Library\]](#)
- 4123. Jordan, K.**, 1916, On the species of Somabrachys in the Tring Museum. Novit. zool. 23: 350-358, Pls. vii, viii. [\[available in Cesa Library\]](#)
- 4124. Jordan, K.**, 1923, On Anaitis efformata Guen. (1858), a species distinct from A. plagiata L. (1758). Novit. zool. 30: 243-246, 9 figs.
- 4125. Jordan, K.**, 1925, On Delias belladonna and allied species. Novit. zool. 32: 227-287.
- 4126. Jordan, K.**, 1928, On the latreillei-group of eastern Papilios. Novit. zool. 34: 159-172, pls. 6,7.
- 4127. Jordan, K.**, 1932, Resemblances between Arctiids and Syntomids. Proc. ent. Soc. Lond. 7: 16-18, 1 fig.
- 4128. Jordan, K.**, 1935, On some Aethiopian Arctiidae. Novit. zool. 39: 80-85, 11 figs.
- 4129. Jordan, K.**, 1937, Obituary. Lord Rothschild, F.R.S. (1868-1937). British Birds 31: 146-148.
- 4130. Jordan, K.**, 1937, Lord Rothschild, 1869-1937. Obituary notices of the Royal Society of London 2: 385-386, 1 pl.
- 4131. Jordan, K.**, 1937, Spolia Mentawiensis: Papilionidae. Novit. zool. 40: 316-322, pl. 14 figs. 5-8.
- 4132. Jordan, K.**, 1938, Austrian specimens of Pieris bryoniae Ochs., 1808. Proc. R. ent. Soc. Lond. (A) 13: 84.
- 4133. Jordan, K.**, 1938, In Memory of Lord Rothschild, Ph.D., F.R.S., J.P. Born the 8th February, 1868, died the 27th August 1937. Novit. zool. 41: 1-11, 13 figs.
- 4134. Jordan, K.**, 1939, On some Old-World Agaristidae (Lepid.). Novit. zool. 41: 248-250, 2 figs.
- 4135. Jordan, K.**, 1939, On the constancy and variability of the differences between the Old World species of Utetheisa (Lepid., Arctiidae). Novit. zool. 41: 251-291, 30 figs.
- 4136. Jordan, K.**, 1939, Zur Nomenklatur der beiden deutschen Procris-Arten mit spitzen Fühlern. Novit. zool. 41: 212-216.
- 4137. Jugan, D.**, 1998, Sur la répartition en France de deux hotes de l'Arbousier: Charaxes jasius L. et Callophrys avis Chapman (Lepidoptera, Nymphalidae et Lycaenidae). Alexanor 20(5): 259-270, figs. [\[available in Cesa Library\]](#)
- 4138. Jumalon, J.N.**, 1966, Notes on two Philippine Birdwings. Junior Philip. Sci. 1966: 13-22.
- 4139. Jumalon, J.N.**, 1971, Four new Philippine danaids. Philipp. Sci. 8: 11-19.
- 4140. Jumalon, J.N.**, 1975, New Philippine butterflies. Tyo to Ga 26(2): 45-66, figs.
- 4141. Junge, G., Naumann, C.M. & K. Rose**, 1977, Ein weiterer Beitrag zur Zygaenen-Fauna Kappadokiens (Lep., Zygaenidae). Atalanta 8 (4): 282-289, 8 figs. [\[available in Cesa Library\]](#)
- 4142. Junnilainen, J. & K. Nupponen**, 2010, The gelechiid fauna of the southern Ural Mountains, part I: descriptions of seventeen new species (Lepidoptera, Gelechiidae). Zootaxa 2366: 1-34, figs. [\[available in Cesa Library\]](#)

- 4143. Junnilainen, J.**, 2002, Three new species of Scythrididae from Central Turkey (Lepidoptera, Scythrididae). Ent. fenn. 13: 146-152, figs. [[available in Cesa Library](#)]
- 4144. Junnilainen, J., Karsholt, O., Nupponen, K., Kaitila, J.-P., Nupponen, T. & V.Olschwang**, 2010, The gelechiid fauna of the southern Ural Mountains, part II: list of recorded species with taxonomic notes (Lepidoptera, Gelechiidae). Zootaxa 2367: 1-68, figs. [[available in Cesa Library](#)]
- 4145. Jutzeler, D. & R.Leestmans**, 1994, Les états préimaginaux et l'écologie de *Satyrus actaea* Esper (1780) dans le S.-E. de la France. Considérations sur la taxinomie et la géonémie des taxons du genre *Satyrus* (s.str.) (Lepidoptera: Nymphalidae, Satyrinae). Linneana Belgica 14(5): 275-288, figs. [[available in Cesa Library](#)]
- 4146. Jutzeler, D. et al.**, 1998, A comparison between *Hipparchia pellucida* (Stauder, 1923) from Georgia and *Hipparchia semele* (Linnaeus, 1758) from NW Germany (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(7): 277-284, figs. [[available in Cesa Library](#)]
- 4147. Jutzeler, D. et al.**, 1999, Breeding experiments with *Erebia claudina* (Borkhausen, 1779) from the Radstädter Tauern (Salzburg, Austria) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 17(1): 11-21, figs. [[available in Cesa Library](#)]
- 4148. Jutzeler, D.**, 1998, *Lasiommata paramegaera* (Hübner, 1824) des Iles Tyrrhénienes: une "bonne espèce" (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(7): 267-276, 6 Pls. [[available in Cesa Library](#)]
- 4149. Jutzeler, D.**, 1998, Ecology and rearing of *Hipparchia statilinus* (Hufnagel, 1766) from Mout Faito (Campania, Italy) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(6): 236-241, figs. [[available in Cesa Library](#)]
- 4150. Jutzeler, D.**, 1998, Etudes sur *Anthocharis damone* (Boisduval, 1836) et *Euchloe ausonia* (Hübner, 1804) de l'Italie méridionale (Lepidoptera, Pieridae). Linneana Belgica 16(6): 227-235, figs. [[available in Cesa Library](#)]
- 4151. Jutzeler, D.**, 1998, Au sujet de la biologie de *Pyronia cecilia* (Vallantin, 1894) (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belgica 16(8): 303-306, 2 pls. [[available in Cesa Library](#)]
- 4152. Jäckh, E.**, 1977, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) 1. Die "grandipennis-Gruppe". Dt. ent. Z. (N.F.) 24(1/3): 261-271, 11 Taf.
- 4153. Jäckh, E.**, 1978, Bearbeitung der Gattung *Scythris* Hübner (Lepidoptera, Scythrididae) (Fortsetzung). Dt. ent. Z. (N.F.) 25: 71-89, 21 Taf. [[available in Cesa Library](#)]
- 4154. Kaabak, L.V. & V.V.Lesin**, 1994, On two subspecies of *Parnassius charltonius* Gray, 1853: ssp. *anjuta* Stshetkin, Kaabak & Stshetkina, 1987 and ssp. *ljudmilae* Stshetkin & Kaabak, 1985 (Lepidoptera, Papilionidae). Atalanta 25(1/2): 161-162, pl. iv. [[available in Cesa Library](#)]
- 4155. Kaabak, L.V., Sotshivko, A.V. & V.V.Titov**, 1996, A new subspecies of *Parnassius charltonius* Gray, 1853 from the Sarykolsky Mountain Ridge in Tadzhikistan (Lepidoptera, Papilionidae). Atalanta 27 (1/2): 195-198, Pl. [[available in Cesa Library](#)]
- 4156. Kaabak, L.V., Tarasov, E.A. & V.K.Tusov**, 1997, Family: Papilionidae, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [[available in Cesa Library](#)]
- 4157. Kaaber, S. & I.Norgaard**, 1962, Fund af storsommerfugle fra Danmark i 1961. Flora Fauna Silkeborg 68: 180-184.
- 4158. Kaaber, S. & I.Norgaard**, 1964, Fund af storsommerfugle fra Danmark i 1963. Flora Fauna Silkeborg 70: 84-88.
- 4159. Kaaber, S. & I.Norgaard**, 1965, Rettelser og tillæg til "Fund af storsommerfugle fra Danmark i 1961, 1962 og 1963". Flora Fauna Silkeborg 71: 69-70.
- 4160. Kaaber, S. & I.Norgaard**, 1965, Fund af storsommerfugle fra Danmark i 1964. Flora Fauna Silkeborg 71: 99-105.
- 4161. Kaaber, S. & I.Norgaard**, 1966, Fund af storsommerfugle fra Danmark i 1965. Flora Fauna Silkeborg 72: 119-124.
- 4162. Kaaber, S. & I.Norgaard**, 1967, Fund af storsommerfugle fra Danmark i 1966. Flora Fauna Silkeborg 73: 99-104.
- 4163. Kaaber, S. & I.Norgaard**, 1968, Fund af storsommerfugle fra Danmark i 1967. Flora Fauna Silkeborg 74: 107-112.
- 4164. Kaaber, S. & I.Norgaard**, 1969, Fund af storsommerfugle fra Danmark i 1968. Flora Fauna Silkeborg 75: 111-116.
- 4165. Kaaber, S. & I.Norgaard**, 1970, Fund af storsommerfugle fra Danmark i 1969. Flora Fauna Silkeborg 76: 114-122.

- 4166. Kaaber,S. & I.Norgaard**, 1971, Fund af storsommerfugle fra Danmark i 1970. Flora Fauna Silkeborg 77: 77-85.
- 4167. Kaaber,S. & O. Hoegh-Guldberg**, 1961, *Aricia allous* Hb. ssp. *vandalica* nov. Flora Fauna Silkeborg 67: 122-128.
- 4168. Kaaber,S.**, 1960, *Aricia allous* Hb. i Jylland. Flora Fauna Silkeborg 66: 81-88.
- 4169. Kaaber,S.**, 1964, Studies on *Maculinea alcon* (Schiff.) - *rebeli* (Hir.) with reference to the taxonomy, distribution and phylogeny of the group. Ent. Meddr. 32: 277-319.
- 4170. Kaaber,S.**, 1973, Fund af storsommerfugle fra Danmark i 1972. Flora Fauna Silkeborg 79: 69-78.
- 4171. Kaaber,S.**, 1974, Fund af storsommerfugle fra Danmark i 1973. Flora Fauna Silkeborg 80: 105-112.
- 4172. Kaaber,S.**, 1976, Danske traeksommerfugle fra 1974. Flora Fauna Silkeborg 82: 43-47.
- 4173. Kaaber,S.**, 1977, Danske traeksommerfugle fra 1975. Flora Fauna Silkeborg 83: 3-8.
- 4174. Kaaber,S.**, 1977, Danske traeksommerfugle fra 1976. Fund af migrende pyralider og migrende og fluktuerende storsommerfugle. Flora Fauna Silkeborg 83: 57-64.
- 4175. Kaaber,S.**, 1979, Danske traeksommerfugle fra 1977. Flora Fauna Silkeborg 85: 12-18.
- 4176. Kaaber,S.**, 1980, Danske traeksommerfugle fra 1978. Flora Fauna Silkeborg 86: 3-10.
- 4177. Kaaber,S.**, 1981, Danske traeksommerfugle fra 1980. Flora Fauna Silkeborg 87: 73-79.
- 4178. Kaaber,S.**, 1982, Danske traeksommerfugle fra 1981. Flora Fauna Silkeborg 88: 61-67.
- 4179. Kaaber,S.**, 1983, Danske traeksommerfugle fra 1982. Flora Fauna Silkeborg 89: 77-83.
- 4180. Kaeser,O.**, 1954, Die Gross-Schmetterlinge des Stadtkreises Augsburg und seiner Umgebung. Ber. naturf. Ges. Augsburg 6 (1953/54): 7-51.
- 4181. Kaijadowe,I.A.**, 1966, Het gedrag in gevangenschap van rupsen van *Vanessa cardui* L. Ent. Ber., Amst. 26: 41-42.
- 4182. Kaila,L. & A.Albrecht**, 1994, The classification of the *Timandra griseata* group (Lepidoptera, Geometridae, Sterrhinae). Ent. scand. 25: 461-479, figs.
- 4183. Kaila,L. & J.Jalava**, 1994, *Elachista adelpha* sp.n., *Elachista coeneni titanella* ssp.n., and other Elachistidae (Lepidoptera) from North Caucasus. Ent. fenn. 5 (2): 97-102, 5figs. [available in Cesa Library]
- 4184. Kaila,L. & J.Jalava**, 1994, *Elachista adelpha* sp.n. *E. coeneni titanella* ssp.n. and other Elachistidae (Lepidoptera) from North Caucasus. Ent. fenn. 5 (2): 125-128, figs.
- 4185. Kaila,L. & P.G.Varalda**, 2004, The *Elachista juliensis* complex revisited (Elachistidae). Nota lepid. 27 (2/3): 217-237, figs. [available in Cesa Library]
- 4186. Kaila,L.**, 2008, Order Lepidoptera, family Elachistidae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 411-417, figs. [available in Cesa Library]
- 4187. Kaila,L.**, 2009, Notes on the genus *Perittia* of the West Palaearctic region with descriptions of three new species (Lepidoptera, Elachistidae). Zootaxa 2230: 16-28, figs. [available in Cesa Library]
- 4188. Kaila,L., Viidalepp,J., Mikkola,K. & V.Mironov**, 1996, Geometridae (Lepidoptera) from the Tian-Shan Mountains in Kazakhstan and Kyrgyzstan, with descriptions of three new species and one new subspecies. Acta zool. fenn. 200: 57-82, figs. [available in Cesa Library]
- 4189. Kaiser,O.**, 1917, Zur Stammgeschichte der Papilioniden . Mitt. münch. ent. Ges. 8: 3-19, 25-26.
- 4190. Kaisila,J. & O.Peltonen**, 1955, *Philotes vicrama* Moore in Finnland. Suomen hyoent. Aikak. 21: 9-12.
- 4191. Kaisila,J.**, 1947, Die Makrolepidopterenfauna des Aunus-Gebietes. Acta ent. fenn. 1: 1-112.
- 4192. Kaisila,J.**, 1950, Über die vermuteten Bastarde zwischen *Colias hecla sulitelma* und *C. nastes werdandi*. Suomen hyoent. Aikak. 16: 112-121.
- 4193. Kaisila,J.**, 1952, Insects from arctic mountain snows. Suomen hyoent. Aikak. 18: 8-25.
- 4194. Kaisila,J.**, 1954, Über das Vorkommen zweier Generationen bei den finnischen Grossschmetterlingen im allgemeinen und besonders im Sommer 1953. Suomen hyoent. Aikak. 20: 20-40.
- 4195. Kaisila,J.**, 1961, The influence of the culture on the Finnish butterfly and moth fauna. Fennia 85: 106-111.
- 4196. Kaisila,J.**, 1967, Teratologisches über Schmetterlinge. Suomen hyoent. Aikak. 33: 164-176.
- 4197. Kaisila,J.**, 1970, Professori Esko Suomalainen 60- vuotias. Suomen hyoent. Aikak. 36: 49-51.

- 4198. Kakar, A. & A.H. Hazara**, 2009, Non-chemical treatments for control of Codling Moth *Cydia pomonella* L. (Lepidoptera, Tortricidae) in Quetta valley, Balochistan, Pakistan. *Pakistan J. Zool.* 41 (3): 189-196. [[available in Cesa Library](#)]
- 4199. Kalali, G.-H.**, 1976, A List of Lepidoptera from Province of Khorasan (Iran). *J. ent. Soc. Iran* 3(1/2): 131-135. [[available in Cesa Library](#)]
- 4200. Kalchberg, A.F.**, [1897], Ueber die Lepidopteren-Fauna von Haifa in Syrien. *Dt. ent. Z., Iris* 10: 161-190. [[available in Cesa Library](#)]
- 4201. Kalchberg, A.v.**, 1876, Beiträge zur Lepidopteren-Fauna Sicilien's. *Stettin ent. Ztg.* 36: 137-150. [[available in Cesa Library](#)]
- 4202. Kaleka, A.S. & J.S. Kirti**, 2001, A new genus *Mangina* along with the taxonomy of *Argina* Hübner (Arctiinae, Arctiidae, Lepidoptera). *J. Bombay nat. Hist. Soc.* 98 (2): 250-253.
- 4203. Kaleka, A.S.**, 2005, The multiguttata complex of the genus *Spilarctia* Butler (Arctiinae, Arctiidae, Lepidoptera) from India. *Entomon* 30 (3): 207-220.
- 4204. Kalis, J.P.A.**, 1938, Über indoaustralische Rhopaloceren I. Drei neue *Lycaeniden*-rassen von den Kangean-Inseln. *Ent. Rdsch.* 55: 197-198. [[available in Cesa Library](#)]
- 4205. Kalis, J.P.A.**, 1939, Über *Delias zebuda* Hew. Mit Beschreibung der ersten Stadien. *Ent. Rdsch.* 56(31): 351-352. [[available in Cesa Library](#)]
- 4206. Kalis, J.P.A.**, 1939, Meine Sammelreise auf der Insel Saleyer. *Ent. Rdsch.* 56: 380-383. [[available in Cesa Library](#)]
- 4207. Kalis, J.P.A.**, 1939, *Gynantocera philomela* ssp. *celebensis* Rothschild. Mit Beschreibung des Gespinstes und der Puppe. *Ent. Rdsch.* 56(23): 246. [[available in Cesa Library](#)]
- 4208. Kallies, A. & K. Spatenka**, 2002, Four species of Brachodidae new to the fauna of Europe (Sesiioidea). *Nota lepid.* 25 (2/3): 155-160, pl. [[available in Cesa Library](#)]
- 4209. Kallies, A. & K. Spatenka**, 2003, The Clearwing Moths of Iran (Lepidoptera, Sesiidae). *Linneana Belg.* 19 (2): 81-94; 19 (3): 119-126, 22 figs. [[available in Cesa Library](#)]
- 4210. Kallies, A. & M. Petersen**, 1995, *Chamaesphracia tahira* sp.n. - eine neue Glasflüglerart aus Ostanatolien (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 75-80, figs. [[available in Cesa Library](#)]
- 4211. Kallies, A. & Y. Arita**, 1998, New and little known clearwing moths (Lepidoptera, Sesiidae) from the Philippine Islands. *Trans. lepid. Soc. Japan* 49 (4): 245-270, figs. [[available in Cesa Library](#)]
- 4212. Kallies, A. & Y. Arita**, 2003, A note on the genus *Melittia* Hübner from New Guinea, with the description of a new species, *Melittia propria* sp.nov. (Lepidoptera, Sesiidae). *Tinea* 17 (4): 173-175, figs. [[available in Cesa Library](#)]
- 4213. Kallies, A. & Y. Arita**, 2004, A survey of the clearwing moths of the tribe Sesiini (Lepidoptera, Sesiidae) from Vietnam and adjacent countries with a synopsis of the Oriental Sesiini fauna. *Tinea* 18 (1): 65-95, figs. [[available in Cesa Library](#)]
- 4214. Kallies, A. & Y. Arita**, 2005, Systematic position of the genus *Dasysphracia* (Lepidoptera, Sesiidae, Cissuvorini), with descriptions of two new bumble bee mimicking species from northern Vietnam. *Trans. lepid. Soc. Japan* 56 (2): 85-92, figs. [[available in Cesa Library](#)]
- 4215. Kallies, A.**, 1997, Eine neue und bemerkenswerte *Synanthedon*-Art aus Griechenland (Lepidoptera, Sesiidae). *Nachr. ent. Ver. Apollo (N.F.)* 18(1): 59-66, 4 figs. [[available in Cesa Library](#)]
- 4216. Kallies, A.**, 1998, Erster Beitrag zur Kenntnis der palaearktischen Brachodidae. Revision von *Brachodes fallax* mit Beschreibung neuer zentralasiatischer Arten (Sesiioidea). *Nota lepid.* 21 (3): 170-193, figs. [[available in Cesa Library](#)]
- 4217. Kallies, A.**, 2000, Review of the Tinthiini of the Ethiopian region (Lepidoptera, Sesiidae, Tinthiinae). *Tinea* 16 (3): 161-169.
- 4218. Kallies, A.**, 2001, Revision of the *Brachodes pumila* (Ochsenheimer, 1808) species-group (Sesiioidea, Brachodidae). *Nota lepid.* 24 (1/2): 7-19, figs. [[available in Cesa Library](#)]
- 4219. Kallies, A.**, 2002, *Brachodes flagellatus* sp.n. from Tibet (Lepidoptera, Sesiioidea, Brachodidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (3): 159-160; 23 (4): 166. [[available in Cesa Library](#)]
- 4220. Kallies, A.**, 2003, Two new species of Sesiini from the Oriental Region (Lepidoptera, Sesiidae, Sesiinae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (4): 166-161, figs. [[available in Cesa Library](#)]
- 4221. Kallies, A.**, 2003, *Synanthedon pamphyla* sp.n. from Southern Turkey with a comparative analysis of mitochondrial DNA of related species (Sesiidae). *Nota lepid.* 26 (1/2): 27-34, figs. [[available in Cesa Library](#)]
- 4222. Kallies, A.**, 2003, Two new species of Sesiini from the Oriental Region (Lepidoptera, Sesiidae, Sesiini). *Nachr. ent. Ver. Apollo (n.s.)* 23: 161-166, figs. [[available in Cesa Library](#)]

- 4223. Kallies,A.**, 2004, The Brachodidae of the Oriental Region and adjacent territories (Lepidoptera, Sesiioidea). Tijdschr. Ent. 147 (1): 1-20, 35 figs. [\[available in Cesa Library\]](#)
- 4224. Kallies,A.**, 2011, New species and taxonomic changes in Sesiini from Asia and Europe (Sesiidae). Nota lepid. 34 (2): 151-161, figs. [\[available in Cesa Library\]](#)
- 4225. Kallies,A., Petersen,M. & H.G.Riefenstahl**, 1998, Drei neue Glasflüglerarten aus Anatolien (Lepidoptera, Sesiidae). Esperiana 6: 56-62, Taf. [\[available in Cesa Library\]](#)
- 4226. Kalshoven,L.G.E.**, 1966, Appendix. The Biology of Casmara kalshoveni Diakonoff, an Oecophorid Borer [in] Diakonoff,A., Records and descriptions of south Asiatic Microlepidoptera. Tijdschr. Ent. 109 (3): 87-88, Pl. [\[available in Cesa Library\]](#)
- 4227. Kaltenbach,T. & P.V.Küppers**, 1987, Kleinschmetterlinge. 288 S. Taf., Neumann-Neudamm, Melsungen.
- 4228. Kaltenbach,T. & R.-U.,Roesler**, 1989, Die Arten der Pyraliden Gattungen Vitessa Moore,1860 (Pyralinae) und Heortia Lederer,1863 (Odontiinae) von Sumatra (Lepidoptera, Pyraloidea). Atalanta 19: 219-233, 26 Abb. [\[available in Cesa Library\]](#)
- 4229. Kamaluddin,S. & S.N.Viqar**, 2004, Redescription of Chionaema perigrina Walker (Lepidoptera, Arctiidae, Lithosiinae) from Pakistan and its cladistic relationship. Pakistan J. Zool. 36 (1): 27-30, figs. [\[available in Cesa Library\]](#)
- 4230. Kames,P.**, 1969, A. artaxerxes ssp. nov. hercynica (Aricia Studies No.11). Natura Jutlandica 15: 107-119, Pls. [\[available in Cesa Library\]](#)
- 4231. Kames,P.**, 1973, Verzeichnis der Tagfalter (Rhopalocera und Hesperidae) der DDR. Ent. Nachr. Dresden 17: 17-22.
- 4232. Kames,P.**, 1975, Das erste Insekten-Schongebiet der DDR für den Schwarzapollo Parnassius mnemosyne L. im Harz. Ent. Nachr. Dresden 19: 117-123.
- 4233. Kames,P.**, 1976, Die Aufklärung des Differenzierungsgrades und der Phylogenese der beiden Aricia-Arten agestis Den. et Schiff. und artaxerxes Fabr. (allous G.-Hb.) mit Hilfe von Erzüchten und Kreuzungsversuchen, Teil 1. Mitt. ent. Ges. Basel 26: 7-13.
- 4234. Kames,P.**, 1978, Melitaea britomartis Assm. und Aricia artaxerxes ssp. hercynica Ks. im Gebiet zwischen Mulde und Mainz. Ent. Ber., Berl. 1978: 20-25.
- 4235. Kames,P.**, 1978, Aricia artaxerxes Fabr. ssp. issekutzi Balogh im Porac-Tal bei Rudnany (Slovenske Rudohorie). Zbor. slov. narod. Muz. 23: 161-167.
- 4236. Kames,P.**, 1979, Aricia artaxerxes F. hercynica Kames bei Jena durch Eizucht bestätigt. Ent. Ber., Berl. 1979: 17-18.
- 4237. Kammel,J.E.**, 1943, Zur Rassenfrage des Parnassius apollo L. aus den nördlichen und zentralen Ostalpengebieten. Z. wien. ent. Ges. 28: 279-304. [\[available in Cesa Library\]](#)
- 4238. Kamp,H.-G. & M.Treimer**, 1974, Gross-Schmetterlinge in Schwelm und Umgebung. Beitr. Heimatkde. Stadt Schwelm Umbeg. (N.F.) 24: 100-122.
- 4239. Kamper,E., Lödl,M. & W.Waitzbauer**, 1981, Biozönosenuntersuchungen in Lunz. IV. Ergebnisse von Licht- und Saugfallenfangen in der Seeau des Lunzer Untersees. Jb. biol. Stat. Lunz 4 (1981): 270-284.
- 4240. Kandul,N.P. & V.A.Lukhtanov**, 1997, Karyotype variability and systematics of the blue butterflies of the species groups Polyommatus (Agrodiaetus) poseidon and P. (A.) dama (Lepidoptera, Lycaenidae). Zool. Zh. 76 (1): 63-69.
- 4241. Kandul,N.P., et al.**, 2004, Phylogeny of Agrodiaetus Hübner,1822 (Lepidoptera, Lycaenidae) inferred from mtDNA sequences of COI and COII and nuclear sequences of EF1- α : Karyotype diversification and species radiation. Syst. Biol. 53 (2): 278-298. [\[available in Cesa Library\]](#)
- 4242. Kansu,İ.A.**, 1955, Orta Anadolu Meyva Ağaçlarına Zarar Veren Bazı Makrolepidoptera Türlerinin Evsafı ve Kısa Biyolojileri Üzerine Araştırmalar. Ziraat Vekaleti Neşriyatı ve Haberleşme Müdürlüğü, yayın no.704, Ankara. [\[available in Cesa Library\]](#)
- 4243. Kansu,İ.A.**, 1961, Lepidoptera pest of fruit trees in Ankara and its vicinity. Yb. Fac. Agric. Univ. Ankara 1961: 57-68.
- 4244. Kansu,İ.A.**, 1961, Türkiye Lepidoptera faunası için ilkel liste - I. Bitki Koruma Bült. 2 (10): 3-6, şekil. [\[available in Cesa Library\]](#)
- 4245. Kansu,İ.A.**, 1962, Meyva ağaçlarına zarar veren bir tür Amorphogynia necessaria Z. Yb. Fac. Agric. Univ. Ankara 1962 (3/4): 300-310. [\[available in Cesa Library\]](#)
- 4246. Kansu,İ.A.**, 1963, Türkiye Lepidoptera faunası için ilkel liste - V. Bitki Koruma Bült. 3 (3): 208-223, 65-94 şekil. [\[available in Cesa Library\]](#)

- 4247. Kansu,İ.A.**, 1963, Türkiye'de tespit edilen *Arctia* türlerinin yapı özellikleri üzerine bir inceleme. Türk. Biol. Derg. 13 (4): 125-135, şekil. [\[available in Cesa Library\]](#)
- 4248. Kansu,İ.A.**, 1963, Murgul'da tespit edilen *Lepidoptera* türleri üzerine araştırmalar. Ank. Üniv. Zir. Fak., Yay. No.212, 91 S.
- 4249. Kansu,İ.A.**, 1963, Türkiye *Lepidoptera* faunası için ilkel liste - II. Bitki Koruma Bült. 3 (1): 3-7. [\[available in Cesa Library\]](#)
- 4250. Kansu,İ.A.**, 1963, Türkiye *Lepidoptera* faunası için ilkel liste - III. Bitki Koruma Bült. 3 (2): 83-99, 40 şekil. [\[available in Cesa Library\]](#)
- 4251. Kansu,İ.A.**, 1963, Türkiye *Lepidoptera* faunası için ilkel liste - IV. Bitki Koruma Bült. 3 (3): 195-207, 64 şekil. [\[available in Cesa Library\]](#)
- 4252. Kansu,İ.A.**, 1964, Biological notes on Microlepidoptera from Ankara. Univ. Ankara Yb. Fac. Agric. 1963: 157-165.
- 4253. Kansu,İ.A.**, 1964, Türkiye *Pyralidae* (*Lepidoptera*) faunasının tespiti için yapılan toplamalara ait bazı notlar. Türk Biol. Derg. 14 (3): 13-19.
- 4254. Kansu,İ.A.**, 1965, Short notes on some *Pyralids* from Turkey. YB. Fac. Agric. Univ. Ankara 1965: 32-40.
- 4255. Kansu,İ.A.**, 1966, Türkiye *Lepidoptera* faunası için ilkel liste - VI. Bitki Koruma Bült. 6 (2): 73-75. [\[available in Cesa Library\]](#)
- 4256. Karaca,U.**, 2008, List of the butterflies of the Kırklareli Province (N.W.Turkey). Cesa News 29: 11-14. [\[available in Cesa Library\]](#)
- 4257. Karami,M., Naumann,C.M. & W.G.Tremewan**, 1999, The systematics and distribution of *Zygaena* Fabricius,1775 (*Lepidoptera*, *Zygaenidae*) in Iran. J. ent. Soc. Iran 15: 1-22.
- 4258. Karami,M., Naumann,C.M. & W.G.Tremewan**, 1999, The biology and ecology of *Zygaena* Fabricius,1775 (*Lepidoptera*, *Zygaenidae*) in Iran. J. ent. Soc. Iran 15: 23-46.
- 4259. Karatepe,Y.**, 2003, Gelibolu Yarımadası Tarihi Milli Parkının *Lepidoptera* türleri. Süleyman Demirel Univ. Orman Fak. Derg. (A) 1: 167-180. [\[available in Cesa Library\]](#)
- 4260. Karacetin,E. & H.J.Welch**, 2011, Türkiye'deki kelebeklerin kırmızı kitabı. Doğa Koruma Merkezi, Ankara. [Seemingly popular book written untimely by inexperienced authors. Its bibliography has a value to some degree. Misleading and non-scientific sides will be dealt with by us later].
- 4261. Karbalaye,A. & A.H.Harandi**, 2007, The description of a new species of *Glaucopsyche* Scudder,1872 from Central Iran (*Lepidoptera*, *Lycaenidae*). Atalanta 38 (1/2): 177-179, figs. [\[available in Cesa Library\]](#)
- 4262. Karbalaye,A.**, 2008, A new species of the subgenus *Agrodiaetus* Hübner,1822 from Iran: *Polyommatus* (*Agrodiaetus*) *sephidarensis* spec. nov. (*Lepidoptera*, *Lycaenidae*). Atalanta 39 (1-4): 311-313, figs. [\[available in Cesa Library\]](#)
- 4263. Kardakoff,N.J.**, 1928, Zur Kenntnis der Lepidopteren aus der Ussuri Gebietes. Ent. Mitt. zool. StInst. 17(4,6): 261-273, 415-425.
- 4264. Karisch,T. & M.Stanescu**, 2005, On the presence of *Acleris boscanoides* Razowski,1959 and *Dichrorampha baixerana* Trematerra,1991 (*Lepidoptera*, *Tortricidae*) in Romania. Trav. Mus. Nat. Hist. Nat. "Grigore Antipa" 48: 203-211, figs. [\[available in Cesa Library\]](#)
- 4265. Karisch,T. U.Dall'Asta**, 2010, New species and subspecies of *Cyana* Walker,1854 (*Lepidoptera*, *Arctiidae*, *Lithosiinae*) from the collection of the Royal Museum for Central Africa. J. Afrotrop. Zool. 6: 117-127, figs.
- 4266. Karisch,T.**, 1992, Notes on *Cochylinae* from Near and Middle East with description of a new species (*Lepidoptera*, *Tortricidae*). Dt. ent. Z., (N.F.) 39 (1/3): 203-207, figs.
- 4267. Karisch,T.**, 1999, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VI. Die *Cochylini* (*Lepidoptera*, *Tortricidae*) der Sammlung Dr. W. Thomas. Naturw. Beitr. Mus. Dessau 11: 214-234. [\[available in Cesa Library\]](#)
- 4268. Karisch,T.**, 2003, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VII. Die *Cochylini* (*Lepidoptera*, *Tortricidae*) der Sammlung Dr. W. Thomas (Nachtrag) mit Beschreibung von zwei neuen Arten. Naturw. Beitr. Mus. Dessau 15: 121-129, Taf.8. [\[available in Cesa Library\]](#)
- 4269. Karisch,T.**, 2003, Eine neue *Geodena*-Art aus Aethiopien (*Lepidoptera*, *Geometridae*, *Ennominae*). Nachr. ent. Ver., Apollo (N.F.) 24 (1/2): 77-78, 2 Abb. [\[available in Cesa Library\]](#)
- 4270. Karisch,T.**, 2003, Beitrag zur Kenntnis der Gattung *Cyana* Walker,1854 in Afrika (*Lepidoptera*, *Arctiidae*). Atalanta 34 (1-2): 167-178, figs. [\[available in Cesa Library\]](#)

- 4271. Karisch,T.,** 2003, Zwei neue afrikanische Cyana-Arten (Lepidoptera, Arctiidae). *Lambillionia* 103 (1): 119-122, figs.
- 4272. Karisch,T.,** 2004, On the identity of *Epinotia berolinensis* (Amsel,1932) (Tortricidae, Olethreutinae). *Nota lepid.* 27 (2/3): 193-194, 2 figs. [[available in Cesa Library](#)]
- 4273. Karisch,T.,** 2004, Zum Vorkommen von *Nola cicatricalis* (Treitschke,1835) in der Elbaue bei Dessau nebst Anmerkungen zur Genitalmorphologie von *Nola cicatricalis* und *N. confusalis* (Herrich-Schäffer,1847) (Lep., Nolidae) *Ent. Nachr. Ber.* 48 (3/4): 199-202, figs. [[available in Cesa Library](#)]
- 4274. Karisch,T.,** 2004, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau VIII. Die Chlidanotinae (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas. *Naturw. Beitr. Mus. Dessau* 16: 67-69. [[available in Cesa Library](#)]
- 4275. Karisch,T.,** 2004, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau IX. Die Tortricini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas. *Naturw. Beitr. Mus. Dessau* 16: 70-74. [[available in Cesa Library](#)]
- 4276. Karisch,T.,** 2005, Die Sammlungen des Museums für Naturkunde und Vorgeschichte Dessau X. Die Cnephasiini (Lepidoptera, Tortricidae) der Sammlung Dr. W. Thomas (Teil 1). *Naturw. Beitr. Mus. Dessau* 17: 91-94. [[available in Cesa Library](#)]
- 4277. Karisch,T.,** 2005, Zur Kenntnis von *Aethes cremonana* (Ragonot,1894) und ähnlicher Arten der Gattung *Aethes* Billberg,1825 [sic] (Lepidoptera, Tortricidae, Cochylini). *Entomofauna* 26 (5): 45-56, figs. [[available in Cesa Library](#)]
- 4278. Karisch,T.,** 2005, Übersicht über die Gattung *Dracontogena* Diakonoff,1970 (Lepidoptera, Tortricidae, Olethreutinae, Grapholitini). *Linzer biol. Beitr.* 37 (1): 457-476, figs. [[available in Cesa Library](#)]
- 4279. Karl,K.,** 1987, Tagaktive Grossschmetterlinge als Bioindikatoren für landwirtschaftliche Nutzflächen der Zentralschweizer Voralpen. *Ent. Ber., Luzern Suppl.*, 138 S. Luzern. [[available in Cesa Library](#)]
- 4280. Karnoschitzky,N.,** 1954, New and rare Lepidoptera of the Bulgarian Black Sea coast. *Izv. zool. Inst. Sof.* 3: 161-200.
- 4281. Karsch,F.,** 1894, Einige neue afrikanische Tagfalter aus den Familien der Nymphaliden, Acraeiden, Danaiden und Satyriden. *Ent. Nachr., Berlin* 20: 209-240.
- 4282. Karsch,F.,** 1899, Neue aethiopische Limakodiden des Berliner Museums. *Ent. Nachr.* 25 (9): 129-144. [[available in Cesa Library](#)]
- 4283. Karsholt,O. & A.Kun,** 2003, A new species of *Ethmia* Hübner,[1819] from the Greece Island of Rhodes (Ethmiidae). *Nota lepid.* 25 (4): 207-212, fig.
- 4284. Karsholt,O. & C.Gielis,** 1995, The Pterophoridae described by J. C. Fabricius, with remarks on type material of Fabrician Lepidoptera. *Steenstrupia* 21: 31-35.
- 4285. Karsholt,O. & E.Palm,** 1979, Oversigt over viklernes udbredelse i Danmark (Lepidoptera: Tortricidae). *Ent. Meddr* 47: 49-61.
- 4286. Karsholt,O. & E.S.Nielsen,** 1974, A new species of *Gnorimoschema* Busck from Northern Europe (Lepidoptera, Gelechiidae). *Notulae Entomol.* 54: 91-96.
- 4287. Karsholt,O. & E.S.Nielsen,** 1976, *Nemapogon wolffiella* nom. nov. for *N. albipunctella* (Haworth) and *Scythris empetrella* nom. nov. for *S. variella* (Stephens) (Lepidoptera: Tineidae and Scythrididae). *Ent. scand.* 7: 152-153.
- 4288. Karsholt,O. & E.S.Nielsen,** 1976, Notes on some Lepidoptera described by Linnaeus, Fabricius, and Ström. *Ent. scand.* 7: 241-251.
- 4289. Karsholt,O. & E.S.Nielsen,** 1976, Systematisk fortegnelse over Danmarks sommerfugle. 128 pp. Scandinavian Science Press Ltd., Klampenborg. [[available in Cesa Library](#)]
- 4290. Karsholt,O. & E.S.Nielsen,** 1978, Nogle for den danske fauna nye smasommerfugle, med en oversigt over *Coleophora milvipennis*-grupper. *Ent. Meddr* 46: 1-16.
- 4291. Karsholt,O. & E.S.Nielsen,** 1984, A taxonomic review of the Stem Moths, *Ochsenheimeria* Hübner, of northern Europe (Lepidoptera: Ochsenheimeriidae). *Ent. scand.* 15: 233-247.
- 4292. Karsholt,O. & E.S.Nielsen,** 1986, The Lepidoptera described by C.P.Thunberg. *Ent. scand.* 16: 433-463. [[available in Cesa Library](#)]
- 4293. Karsholt,O. & J.Razowski (eds),** 1996, The Lepidoptera of Europe, A Distributional Checklist. 380 pp., Apollo Books, Stenstrup. [[available in Cesa Library](#)]
- 4294. Karsholt,O. & K.Larsen,** 1986, *Aterpia corticana* (Den. & Schiff.) og andre sommerfugle meldt fra Ringedal på Bornholm (Lepidoptera). *Ent. Meddr* 53: 89-95. [[available in Cesa Library](#)]

- 4295. Karsholt, O. & K. Petersen**, 1977, Tre arter af Microlepidoptera nye for Danmark. Ent. Meddr 45: 37-43.
- 4296. Karsholt, O. & K. Sattler**, 1998, A new brachypterous Ephysteris Meyrick from the island of Madeira (Lepidoptera, Gelechiidae). Entomologist's Gaz. 49 (1): 35-47, figs. [[available in Cesa Library](#)]
- 4297. Karsholt, O. & K. Schnack**, 1978, To arter af Cochylidae nye for Danmark (Lepidoptera). Lepidoptera, Kbh. N. S. 3: 141-152.
- 4298. Karsholt, O. & N. P. Kristensen**, 1974, Undersogelser over sommerfuglefaunaen pa Hesselø. Ent. Meddr 42: 33-47.
- 4299. Karsholt, O. & N. P. Kristensen**, 1995, Book review [af J. H. Kuchlein] (collaborator J. H. Donner): De Kleine Vlinders. Handboek voor Faunistik van de Nederlandse Microlepidoptera. Ent. scand. 26: 473-474.
- 4300. Karsholt, O. & P. Huemer**, 1995, Additions and corrections to the Gelechiidae fauna of Italy (Lepidoptera). Boll. Zool. agr. Bachic. Ser. II, 27.
- 4301. Karsholt, O. & P. Nielsen**, 1998, Revideret katalog over de danske Sommerfugle. Revised catalogue of the Lepidoptera of Denmark. 144 pp. Kobenhavn.
- 4302. Karsholt, O. & P. Skou**, 1987, Sommerfugle (Lepidoptera) fra Skallingen. Ent. Meddr 54: 67-92. [[available in Cesa Library](#)]
- 4303. Karsholt, O. & S. Y. Sinev**, 2004, Contribution to the Lepidoptera fauna of the Madeira Islands Part 4. Blastobasidae Beitr. Ent. 54 (2): 387-463, 104 figs. [[available in Cesa Library](#)]
- 4304. Karsholt, O. & T. Rutten**, 2005, The genus Bryotropha Heinemann in the Western Palaearctic (Lepidoptera, Gelechiidae). Tijdschr. Ent. 148: 77-207, 422 figs. [[available in Cesa Library](#)]
- 4305. Karsholt, O.**, 1973, Et dansk fund af Syncopacma vinella Bankes (Lep., Gelechiidae). Ent. Meddr 41: 174-176.
- 4306. Karsholt, O.**, 1974, Et dansk fund af Catoptria maculalis Zett. (Lepidoptera, Pyralidae). Ent. Meddr 42: 142-144.
- 4307. Karsholt, O.**, 1976, Om en ny dansk og en sjalden smasommerfugleart fra Vemmetofteskovene. Lepidoptera, Kbh. N. S. 3: 61-63.
- 4308. Karsholt, O.**, 1977, 14 for Norges fauna nye Microlepidoptera. Atalanta Norvegica 3: 36-40.
- 4309. Karsholt, O.**, 1978, Anmeldelse af E. Traugott-Olsen & E. Schmidt-Nielsen, 1977: The Elachistidae (Lepidoptera) of Fennoscandia and Denmark. Ent. Meddr 46: 16-18.
- 4310. Karsholt, O.**, 1978, Nogle indslæbte sommerfugle i Zoologisk Museums samling (Lepidoptera: Tineidae, Pyralidae). Ent. Meddr 46: 65-67.
- 4311. Karsholt, O.**, 1981, Northern European species of the genus Caryocolum Gregor & Povolny, 1954, feeding on Cerastium and Stellaria, with description of a new species (Lepidoptera: Gelechiidae). Ent. scand. 12: 251-270.
- 4312. Karsholt, O.**, 1984, Staengelmollenes udbredelse i Danmark (Lepidoptera, Ochsenheimeriidae). Ent. Meddr 51: 93-96. [[available in Cesa Library](#)]
- 4313. Karsholt, O.**, 1987, Anmeldelse af 1) Eivind Palm: Nordeuropas pyralider-med saerligt henblik pa den danske fauna (Lepidoptera, Pyralidae), and 2) Barry Goater: British Pyralid Moths - A Guide to their Identification. Ent. Meddr 55: 65-68. [[available in Cesa Library](#)]
- 4314. Karsholt, O.**, 1988, On butterflies from Madeira, with a check list. Entomologist's Rec. J. Var. 100: 115-117.
- 4315. Karsholt, O.**, 1988, Anmeldelse af Bernard D'Abrera, 1987: Sphingidae Mundi-Hawk Moths of the World. Ent. Meddr 56: 63-64. [[available in Cesa Library](#)]
- 4316. Karsholt, O.**, 1989, Anmeldelse af Tremewann, W. G., 1989: A Bibliography of the Zygaeninae (Lepidoptera: Zygaenidae). Ent. Meddr 57: 176. [[available in Cesa Library](#)]
- 4317. Karsholt, O.**, 1990, Verdens mindste sommerfugle. DYR i natur og museum 1990 (1): 6-9.
- 4318. Karsholt, O.**, 1990, Om betydningen af museumssamlinger, belyst ved et par eksempler (Lepidoptera). Ent. Tidskr. 111: 75-77.
- 4319. Karsholt, O.**, 1992, Caryocolum jaspidella (Chrétien, 1908): Male genitalia, distribution and notes on its biology (Lepidoptera, Gelechiidae). Nota lepid. 14: 302-307.
- 4320. Karsholt, O.**, 1992, Anmeldelse af Johansson, R., E. S. Nielsen, E. J. van Nieukerken & B. Gustavsson, 1990. The Nepticulidae and Opostegidae of North West Europe. Ent. Meddr 60: 59-60. [[available in Cesa Library](#)]

- 4321. Karsholt, O.**, 1992, Anmeldelse af 1) Kryzhanovskii, O.L.(ed.): Lepidopterous Fauna of the USSR and Adjacent Countries, 2) Medvedev, G.S.(ed.): Key to the Insects of the European Part of the USSR. IV. Lepidoptera. Part 1-2., 3) Zagulajev, A.K.: Clothes Moths (Myrmecozelinae). Ent. Meddr 60: 100, 124. [\[available in Cesa Library\]](#)
- 4322. Karsholt, O.**, 1992, Gelechiidae collected during 13 years of regular light trapping near a farm in southern Denmark (Lepidoptera). Nota lepid. Suppl. 4: 109-117.
- 4323. Karsholt, O.**, 1992, Anmeldelse af 1) Kryzhanovskii, O.L.(ed.): Lepidopterous Fauna of the USSR and Adjacent Countries, 2) Medvedev, G.S.(ed.): Key to the Insects of the European Part of the USSR. IV. Lepidoptera. Part 1-2., 3) Zagulajev, A.K.: Clothes Moths (Myrmecozelinae). Ent. Meddr 60: 100, 124.
- 4324. Karsholt, O.**, 1992, Gelechiidae collected during 13 years of regular light trapping near a farm in southern Denmark (Lepidoptera). Nota lepid. Suppl. 4: 109-117.
- 4325. Karsholt, O.**, 1994, Nogle indslæbte sommerfugle i Danmark, samt bemaerkninger om dette emne (Lepidoptera). Ent. Meddr 62: 1-6. [\[available in Cesa Library\]](#)
- 4326. Karsholt, O.**, 1994, Anmeldelse af Emmet, A.M. & J. Heath (Eds): The Moths and Butterflies of Great Britain and Ireland. Bind 7, del 2: Lasiocampidae to Thyatiridae, with life history chart of the British Lepidoptera. Ent. Meddr 62: 31-32. [\[available in Cesa Library\]](#)
- 4327. Karsholt, O.**, 1994, Anmeldelse af Huemer, P. & Tarmann, G., 1993: Die Schmetterlinge Österreichs (Lepidoptera). Ent. Meddr 62: 94. [\[available in Cesa Library\]](#)
- 4328. Karsholt, O.**, 1994, Nogle indslæbte sommerfugle i Danmark, samt bemaerkninger om dette emne (Lepidoptera). Ent. Meddr 62: 1-6.
- 4329. Karsholt, O.**, 1994, Anmeldelse af Emmet, A.M. & J. Heath (Eds): The Moths and Butterflies of Great Britain and Ireland. Bind 7, del 2: Lasiocampidae to Thyatiridae, with life history chart of the British Lepidoptera. Ent. Meddr 62: 31-32.
- 4330. Karsholt, O.**, 1994, Anmeldelse af Huemer, P. & Tarmann, G., 1993: Die Schmetterlinge Österreichs (Lepidoptera). Ent. Meddr 62: 94.
- 4331. Karsholt, O.**, 1994, Anmeldelse af A. R. Pittaway, 1993: the Hawkmoths of the Western Palaearctic. Ent. Meddr 62: 100, 116.
- 4332. Karsholt, O.**, 1995, Ny dansk smosommerfugl i museets lysfælde. DRY i natur og museum 1995 (1): 10-12.
- 4333. Karsholt, O.**, 1995, Kommentiertes Verzeichnis der Symmocidae, Blastobasidae und Gelechiidae Ostdeutschlands. Beitr. Ent. 45: 137-154. [\[available in Cesa Library\]](#)
- 4334. Karsholt, O.**, 1995, Kommentiertes Verzeichnis der Symmocidae, Blastobasidae und Gelechiidae Ostdeutschlands. Beitr. Ent. 45: 137-154.
- 4335. Karsholt, O.**, 1996, Coleophora zukowskii Toll, 1959 rediscovered in Denmark, with description of its hitherto unknown female (Lepidoptera). Ent. Meddr 64: 311-315.
- 4336. Karsholt, O.**, 1997, Anmeldelse af Hannemann, H.-J., 1995: Kleinschmetterlinge oder Microlepidoptera IV. Flachleibmotten (Depressariidae). Tierwelt Deutschlands 69: 1-192. Ent. Meddr 65: 159-160.
- 4337. Karsholt, O.**, 1997, The genus Chrysoclista Stainton, 1854 in Europe (Lepidoptera, Agonoxenidae). Ent. Meddr. 65 (1): 29-33, 4 figs. [\[available in Cesa Library\]](#)
- 4338. Karsholt, O.**, 1998, En oversigt over aeldre angivelser af Iphiclides podalirius L. fra Danmark. Lepidoptera 7: 184-187.
- 4339. Karsholt, O.**, [1975], Om en ny dansk og en sjalden smasommerfugleart fra Vemmetofteskovene. Midtsjællands naturhistoriske Forening 1950-1975: 23-24.
- 4340. Karsholt, O., Kozlov, M.V. & N.P. Kristensen**, 1994, Eriocrania cicatricella (Zetterstedt, 1839), the correct name of the moth currently known as Eriocrania haworthi Bradley, 1966. Ent. Meddr 62: 91-93. [\[available in Cesa Library\]](#)
- 4341. Karsholt, O., Larsen, K. & L. Aarvik**, 1986, A remarkable disjunction: Scrobipalpa reiprichi Povolny, 1984 discovered in Norway, with remarks on the characteristic of the species (Lepidoptera, Gelechiidae). Nota lepid. 9: 191-199.
- 4342. Karsholt, O., Nieukerken, E.J.v., Whitebread, S. & S. Zangheri**, 1995, Lepidoptera Zeugloptera, Dacnonypha, Monotrysis (=Micropterygoidea, Eriocranioidea, Hepialoidea, Nepticoloidea, Incurvarioidea, Tischerioidea). Checklist delle specie della fauna Italiana, fasc. 80: 1-12.
- 4343. Kaspar, A.**, 1908, Beiträge zur Tagfalterfauna Nordmährens. Mitt. Komm. naturwiss. Durchforsch. zool. Abt. 12: 1-15.

- 4344. Kasperek, M.**, 1993, A record of the plain tiger, *Danaus chrysippus* in Western Anatolia. Zool. Middle East 9: 81-82.
- 4345. Kasy, F.**, 1954, Die Raupe von *Gnophos stevenaria* Bsd. (Lepidoptera, Geometridae). Fragm. balcan. 1 (13): 115-116. [[available in Cesa Library](#)]
- 4346. Kasy, F.**, 1956, Über die Präimaginalstadien von *Amphipyra stix* H. Schöff. (Lepidoptera, Agrotidae). Fragm. balcan. 1 (33): 247-255, 6 Abb. [[available in Cesa Library](#)]
- 4347. Kasy, F.**, 1957, Über eine Zucht und die Präimaginalstadien von *Maraschia grisescens* Osth. (Lepidoptera, Phalaenidae). Fragm. balcan. 2 (4): 17-25, 9 Abb. [[available in Cesa Library](#)]
- 4348. Kasy, F.**, 1958, Die Präimaginalstadien und die Biologie von *Amphipyra micans* Ld. (Lepidoptera, Phalaenidae). Fragm. balcan. 2 (5): 27-36, 15 Abb. [[available in Cesa Library](#)]
- 4349. Kasy, F.**, 1959, Zur Biologie und über die Präimaginalstadien von *Apatele* (= *Acronycta*) *orientalis* (Mn.) (Lepidoptera, Noctuidae, Apatelinae). Fragm. balcan. 2 (17): 145-154, 13 Abb. [[available in Cesa Library](#)]
- 4350. Kasy, F.**, 1961, Beiträge zur Kenntnis der Micro- und Macroheteroceren-Fauna Westmazedoniens. Z. ArbGem. öst. Ent. 13 (3): 65-82. [[available in Cesa Library](#)]
- 4351. Kasy, F.**, 1961, Bemerkswerte wärmeliebende Schmetterlingsarten in schon bestehenden und projektierten Naturschutzgebieten im östlichen Oesterreich. Int. Congr. Ent. (11) 1 (1960): 519-525.
- 4352. Kasy, F.**, 1963, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XIII. Lepidoptera: Noctuidae-Quadrifinae, Lasiocampidae, Sphingidae, Arctiidae. Annln naturh. Mus. Wien 66: 463-467, 1 Abb. [[available in Cesa Library](#)]
- 4353. Kasy, F.**, 1965, Zur Kenntnis der Schmetterlingsfauna des östlichen Neusiedlersee-Gebietes. Wiss. Arb. Burgenld. 34: 75-211.
- 4354. Kasy, F.**, 1968, Ergebnisse der zoologischen Nubien-Expedition 1962 Teil XXXV. Lepidoptera: Walshiidae. Annln naturh. Mus. Wien 72: 497-525, 26 Textabb. [[available in Cesa Library](#)]
- 4355. Kasy, F.**, 1969, Vorläufige Revision der Gattung *Ascalenia* Wocke (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 73: 339-375, figs. [[available in Cesa Library](#)]
- 4356. Kasy, F.**, 1970, Beitrag zur Kenntnis der Gattung *Bifascia* Amsel, *Bifascioides* Kasy, und *Gisilia* Kasy (Lepidoptera, Walshiidae). Annln naturh. Mus. Wien 74: 187-194, 6 Abb. [[available in Cesa Library](#)]
- 4357. Kasy, F.**, 1974, Das Naturhistorische Museum in Wien und seine Lepidopterenammlung. J. Res. Lepid. 13: 63-65.
- 4358. Kasy, F.**, 1974, Walshiidae aus der Umgebung von Bandar-Abbas, Südiran (Lepidopt.). Annln naturh. Mus. Wien 78: 303-312, figs. [[available in Cesa Library](#)]
- 4359. Kasy, F.**, 1979, Die Schmetterlingsfauna des Naturschutzgebietes Hackelsberg, Nordburgenland. Z. ArbGem. öst. Ent. (Suppl.) 30 (1978): 1-44. [[available in Cesa Library](#)]
- 4360. Kasy, F.**, 1979, Beitrag zur Kenntnis der Gattung *Tortilia* Chrétien (Lepidoptera, Oecophoridae). Annln naturh. Mus. Wien 82: 533-539, figs. [[available in Cesa Library](#)]
- 4361. Kasy, F.**, 1981, Naturschutzgebiete im östlichen Österreich als Refugien bemerkenswerter Lepidopterenarten. Beih. Veröff. Natursch. Landschaftspfl. Bad.-Württ. 21: 109-120.
- 4362. Kasy, F.**, 1983, Die Schmetterlingsfauna des WWF Naturreservates "Hundsheimer Berge" in Niederösterreich. Z. ArbGem. öst. Ent. 34 (Suppl.): 1-48. [[available in Cesa Library](#)]
- 4363. Katayama, T.**, 1988, Notes on *Pazala glycerion* (Gray), with description of a new subspecies from North-West India. Gekkan-Mushi 203: 8-9, pl.1
- 4364. Katbeh-Bader, A., Amr, Z.S. & S.Isma'el**, 2003, The butterflies of Jordan. J. Res. Lepid. 37 (1998): 11-26. [[available in Cesa Library](#)]
- 4365. Kato, S.-I.**, 1980, Notes on the Satyridae Amathusiidae from Ambon Island, Indonesia. Trans. lepid. Soc. Japan 30(3/4): 239-244, figs.
- 4366. Kattoulas, M. & A.Koutsaftikis**, 1977, Systematische, oekologische und ethologische Untersuchungen der Lepidopterenfauna der Insel Kastelloriso. Biologia gallo-hellen. 7: 151-161.
- 4367. Kattoulas, M. & A.Koutsaftikis**, 1977, Lepidopterenfauna der Insel Kythera. Annls. Mus. Goulandris 3: 115-120.
- 4368. Katwijk, D.v.**, 1949, Overzicht van de lichtvangst op Lepidoptera in 1948. Ent. Ber., Amst. 12: 400-401.
- 4369. Katwijk, D.v.**, 1958, De vlinders uit "Het Staelduin". Ent. Ber., Amst. 18: 1-8.
- 4370. Katwijk, D.v.**, 1978, On the flight of *Oeneis jutta* (Hübner, 1806) (Satyridae). Nota lepid. 1(3): 137-138. [[available in Cesa Library](#)]

- 4371. Kauffmann, G.**, 1951, Die HesperIIDae der Schweiz. Mitt. schweiz. ent. Ges. 24: 329-376.
- 4372. Kauffmann, G.**, 1951, Die HesperIIDae der Schweiz. Mitt. schweiz. ent. Ges. 24: 329-376.
- 4373. Kauffmann, G.**, 1955, *Reverdinus floccifer habiba* n. ssp. (Lepidopt., HesperIIDae). Mitt. Schweiz. ent. Ges. 28 (3): 288-290.
- 4374. Kauffmann, H. & G. Schmid**, 1966, Schmetterlingsfauna (Macrolepidoptera) von Tübingen mit besonderer Berücksichtigung des Spitzbergs. Die Natur- und Landschaftsschutzgebiete Baden-Wuerttembergs 3: 946-971; Ludwigsburg.
- 4375. Kautt, P. & A. Saidaitis**, 1997, Beschreibung einer neuen Art der Gattung *Carcinopyga* Felder, 1874 (Lepidoptera, ArctIIDae) und Anmerkungen zur Verbreitung und Bionomie der drei Arten der Gruppe. Nachr. ent. Ver. Apollo (N.F.) 18 (2/3): 129-140, figs. [\[available in Cesa Library\]](#)
- 4376. Kautt, P.**, 1996, *Palaearctia hauensteini* sp.n., eine neue Bärenspinnerart aus Südtibet (Lepidoptera, ArctIIDae). Nachr. ent. Ver. Apollo N.F. 17(1): 41-49, 12 Abb. [\[available in Cesa Library\]](#)
- 4377. Kautz, H.**, 1927, *Pieris napi* L. Verh. zool.-bot. Ges. Wien 77 (1926): 44-79.
- 4378. Kautz, H.**, 1936, Zweibrütige *Pieris bryoniae* O.-Rassen. Z. oest. EntVer. 21: 29-35, 37-41. [\[available in Cesa Library\]](#)
- 4379. Kautz, H.**, 1950, Die gelben Formen von *Pieris napi* L. Z. wien. ent. Ges. 35: 42-50. [\[available in Cesa Library\]](#)
- 4380. Kautz, H.**, 1952, Richtigstellung und Ergänzungen zum Aufsatz "Die gelben Formen von *Pieris napi* L." Z. wien. ent. Ges. 37: 43-44. [\[available in Cesa Library\]](#)
- 4381. Kautz, H.**, 1953, Bemerkungen zu der Arten *Pieris napi* L., *bryoniae* O., *adalwinda* Fruhst. und zur mod. *hibernica* Schmidt. Z. wien. ent. Ges. 38: 285-261. [\[available in Cesa Library\]](#)
- 4382. Kautz, H.**, 1954, Benennung der nordeuropäischen *Pieris bryoniae* O. Z. wien. ent. Ges. 39: 296-297. [\[available in Cesa Library\]](#)
- 4383. Kautz, H.**, 1955, Die Rückschlags- und Zukunftsformen von *Pieris napi* L. Z. wien. ent. Ges. 40: 151-156. [\[available in Cesa Library\]](#)
- 4384. Kawabe, A.**, 1985, Notes on the Tortricidae (Lepidoptera) from Taiwan I. *Tinea* 12 (1): 1-10.
- 4385. Kawabe, A.**, 1987, Records and descriptions of the subtribe *Sycacanthae* (Lepidoptera, Tortricidae) from Thailand. [in] Kuroko, H. & S. Moriuti, *Microlepidoptera of Thailand* 1: 61-68, figs. University of Osaka. [\[available in Cesa Library\]](#)
- 4386. Kawabe, A.**, 1987, Records of seven species of the *Cochylinae* (Lepidoptera, Tortricidae) from Thailand, with a new species, [in] Kuroko, H. & S. Moriuti, *Microlepidoptera of Thailand* 1: 69-74, figs. University of Osaka. [\[available in Cesa Library\]](#)
- 4387. Kawabe, A.**, 1989, Records and descriptions of the subfamily *Olethreutinae* (Lepidoptera, Tortricidae) from Thailand. [in] Moriuti, S., *Microlepidoptera of Thailand* 2: 23-82, University of Osaka. [\[available in Cesa Library\]](#)
- 4388. Kawazoe, A. & M. Wakabaishi**, 1979, Coloured illustration of the butterflies of Japan. 422 pp., 72 pls., figs.; Hoikusha Publishing Co., Osaka.
- 4389. Kawazoe, A.**, 1973, A revisional note on some Philippine *Lycaenidae* and *HesperIIDae* reported by Murayama and Okamura. *Tyo to Ga* 24: 91-98.
- 4390. Kayci, L. & M. Fidan**, 2010, *Chazaria incarnata* (Freyer, 1838) türünün biyolojisi ve yayılış hakkında notlar (Lepidoptera, Noctuidae). *Cesa News* 59: 55-59, 6 şekil. [\[available in Cesa Library\]](#)
- 4391. Kayci, L.**, 2007, Studies on the fauna and ecology of *Papilionoidea* and *Hesperioidea* in Ereğ Mountain (Van). *Cent. ent. Stud., Priamus* (suppl.) 6: 1-47. [\[available in Cesa Library\]](#)
- 4392. Kaye, W. J.**, 1901, Progress in the classification of the *Sphingides* during a century and a half. *Entomologist's Rec. J. Var.* 13: 62-66. [\[available in Cesa Library\]](#)
- 4393. Kaye, W. J.**, 1918, Descriptions from the Joicey Collection of new species of *Syntomidae*, *Nymphalidae*, and *Hesperidae*, and two genera of *Syntomidae*. *Ann. Mag. nat. Hist.* (9) 2: 225-232. [\[available in Cesa Library\]](#)
- 4394. Kaye, W. J.**, 1918, On a new genus and two new species of *Amatidae* (*Syntomidae*) in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 1: 325-327, figs. [\[available in Cesa Library\]](#)
- 4395. Kaye, W. J.**, 1919, New species and genera of *Nymphalidae*, *Syntomidae*, and *Sphingidae* in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 4: 84-94. [\[available in Cesa Library\]](#)
- 4396. Kaye, W. J.**, 1931, Additions and corrections to the author's "Butterflies of Jamaica (1926)". *Trans. ent. Soc. London* 79 (3): 531-537, pl. [\[available in Cesa Library\]](#)
- 4397. Kazemi, E. & A. Shirvani**, 2012, *Albocosta herculea* (Corti & Draudt, 1933) (Lepidoptera, Noctuidae), new to Iran. *Zool. & Ecol.* 22 (3/4): 233-235, figs.

- 4398. Kazemi,E., Shirvani,A. Ronkay,L. & M.Asadi,** 2012, A new *Diadochia* Püngeler,1914 species from Iran (Lepidoptera, Noctuidae, Xyleninae). *Acta zool. hung.* 58 (2): 163-168, figs. [[available in Cesa Library](#)]
- 4399. Kaçar,G. & M.R.Ulusoy,** 2008, Doğu Akdeniz Bölgesi'nde yeni bir zeytin zararlısı karanfil yaprakbükeni, *Cacoecimorpha pronubana* (Hübner) 1796-1799 (Lepidoptera, Tortricidae). *Türk. ent. Derg.* 32 (3): 211-223, figs. [[available in Cesa Library](#)]
- 4400. Kaçar,G. & M.R.Ulusoy,** 2011, *Zelleria oleastrella* (Milliere) (Lepidoptera, Yponomeutidae), a new record for the fauna of Turkey. *Turk. J. Zool.* 35 (6): 891-892, figs. [[available in Cesa Library](#)]
- 4401. Keil,N.,** 1996, Entomologische Eindrücke von der Insel Korsika (Insecta, Lepidoptera). *Nachr. ent. Ver. Apollo N.F.* 17(1): 93-110, Abb. [[available in Cesa Library](#)]
- 4402. Keil,T. & G.M.Tarmann,** 2003, New data on the biology of *Zygaenoprocris* (Molletia) *persepolis* (Alberti,1938) (Lepidoptera, Zygaenidae, Procrinae). *Abstr. VIII Int. Symp. Zygaenidae*, Dresden, 10-14 Sept. 2003: 28. [[available in Cesa Library](#)]
- 4403. Keil,T.,** 1998, Eine neue Unterart von *Jordanita* (Praviela) *anatolica* (Naufock,1929) aus dem westlichen Iran und biologische Beobachtungen an *Procrinae* aus dem Iran (Lep., Zygaenidae, Procrinae). *Ent. Nachr. Ber.*, 42: 113-118, 13 figs.
- 4404. Keil,T.,** 1999, Beitrag zur Kenntnis von *Procrinae* aus dem Iran (Lep., Zygaenidae, Procrinae). *Ent. Nachr. Ber.*, 43: 73-78, 12 figs.
- 4405. Keler,S.v.,** 1956, Entomologisches Wörterbuch. 679 pp., 33 pls., Akademie-Verlag, Berlin.
- 4406. Keller,R.,** 1988, Über das Aufweichen empfindlichen Lepidopteren. *Ent. Z., Frankf. a. M.* 98: 410-411. [[available in Cesa Library](#)]
- 4407. Kemal,M. & A.Ö.Koçak,** 2004, *Pyalidae* Araştırmaları Hakkında (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 88/89: 14-15. [[available in Cesa Library](#)]
- 4408. Kemal,M. & A.Ö.Koçak,** 2004, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) -III. *Cent. ent. Stud., Misc. Pap.* 90: 1-5. [[available in Cesa Library](#)]
- 4409. Kemal,M. & A.Ö.Koçak,** 2004, Two nomenclatural cases in the genera *Phtheochroa* Stephens and *Abrepagoge* Razowski (Tortricidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 90: 5-6. [[available in Cesa Library](#)]
- 4410. Kemal,M. & A.Ö.Koçak,** 2004, Nomenclatural note on a *Lasiocampid* species in Surinam (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 90: 6-7. [[available in Cesa Library](#)]
- 4411. Kemal,M. & A.Ö.Koçak,** 2005, Nomenclatural notes on the *Papilionidae* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 10-11. [[available in Cesa Library](#)]
- 4412. Kemal,M. & A.Ö.Koçak,** 2005, Butterflies and their living places at Medike, Soutpansberg Mts. (Transvaal, South Africa) [in] Kemal,M. & A.Ö.Koçak (Ed.), Short Video Films on Insect Diversity in the World. Audiovisual clips of 22 habitats & 56 butterflies films, 3 maps & ref. Duration: 8'45". Format: ♂.m2p. Scientific Series Archive no:SS0001. Cesa & Soutpansberg Concervancy. (c) Cesa,2005. [[available in Cesa Library](#)]
- 4413. Kemal,M. & A.Ö.Koçak,** 2005, Butterflies of Medike (Soutpansberg Mountains, South Africa) with some notes on spring butterflies (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 1-9, 1 Tab. [[available in Cesa Library](#)]
- 4414. Kemal,M. & A.Ö.Koçak,** 2005, Nomenclatural notes on various taxa of the moths (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 11-14. [[available in Cesa Library](#)]
- 4415. Kemal,M. & A.Ö.Koçak,** 2005, Nomenclatural corrections on some Neotropical *Sphingidae* (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 91/92: 14. [[available in Cesa Library](#)]
- 4416. Kemal,M. & A.Ö.Koçak,** 2005, Nomenclatural notes on the South African Lepidoptera (*Gelechiidae*, *Lymantriidae*). *Cent. ent. Stud., Misc. Pap.* 91/92: 15. [[available in Cesa Library](#)]
- 4417. Kemal,M. & A.Ö.Koçak,** 2005, Annotated Checklist of the Lepidoptera of Çatak Valley (Van Province, Turkey), Part I. *Cent. ent. Stud., Priamus* 11 (3): 29-58. [[available in Cesa Library](#)]
- 4418. Kemal,M. & A.Ö.Koçak,** 2006, List of the butterflies of Urfa Province (South Turkey) (Lepidoptera, *Papilionoidea*, *Hesperioidea*). *Cent. ent. Stud., Misc. Pap.* 94: 3-8. [[available in Cesa Library](#)]
- 4419. Kemal,M. & A.Ö.Koçak,** 2006, List of the butterflies of Mardin Province (South Turkey) (Lepidoptera, *Papilionoidea*, *Hesperioidea*). *Cent. ent. Stud., Misc. Pap.* 96: 1-7. [[available in Cesa Library](#)]

- 4420. Kemal,M. & A.Ö.Koçak**, 2006, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) - IV. Cent. ent. Stud., Misc. Pap. 97: 6-7. [\[available in Cesa Library\]](#)
- 4421. Kemal,M. & A.Ö.Koçak**, 2006, A new genus and a new species of Ascalaphidae for the fauna of Turkey (Planipennia). Cent. ent. Stud., Misc. Pap. 99: 1-3, 2 figs. [\[available in Cesa Library\]](#)
- 4422. Kemal,M. & A.Ö.Koçak**, 2006, List of Elachistidae species in South Africa (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 3-5. [\[available in Cesa Library\]](#)
- 4423. Kemal,M. & A.Ö.Koçak**, 2006, Diurnal Lepidoptera in the Nemrut Crater (East Turkey). Cent. ent. Stud., Misc. Pap. 101: 1-8, 10 figs. [\[available in Cesa Library\]](#)
- 4424. Kemal,M. & A.Ö.Koçak**, 2006, Nemophora eretna n.sp. from Turkey (Adelidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 100: 1-4, 3 figs. [\[available in Cesa Library\]](#)
- 4425. Kemal,M. & A.Ö.Koçak**, 2006, Nomenclatural notes on the Palaearctic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 4-5. [\[available in Cesa Library\]](#)
- 4426. Kemal,M. & A.Ö.Koçak**, 2006, Nomenclatural notes on the Australic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 6-7. [\[available in Cesa Library\]](#)
- 4427. Kemal,M. & A.Ö.Koçak**, 2006, Nomenclatural notes on the Nearctic Lepidoptera. Cent. ent. Stud., Misc. Pap. 100: 7-8. [\[available in Cesa Library\]](#)
- 4428. Kemal,M. & A.Ö.Koçak**, 2007, A replacement name for a Neotropical butterfly (Acraeidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 3-4. [\[available in Cesa Library\]](#)
- 4429. Kemal,M. & A.Ö.Koçak**, 2007, Annotated check-list of the butterflies of the Uighur Ili (Lepidoptera). Priamus 11 (4): 61-80. [\[available in Cesa Library\]](#)
- 4430. Kemal,M. & A.Ö.Koçak**, 2007, South African Noctuidae species in the fauna of Turkey (Lepidoptera). http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view [\[available in Cesa Library\]](#)
- 4431. Kemal,M. & A.Ö.Koçak**, 2007, Synonymous checklist of the South African Lepidoptera. http://www.metafro.be/Members/Cesa/Cesapublafriz2.pdf/base_view [\[available in Cesa Library\]](#)
- 4432. Kemal,M. & A.Ö.Koçak**, 2007, A nomenclatural note on Erebia magdalena Strecker in U.S.A. (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 137: 1. [\[available in Cesa Library\]](#)
- 4433. Kemal,M. & A.Ö.Koçak**, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Uighur language. Cent. ent. Stud., Misc. Pap. 137: 1-12. [\[available in Cesa Library\]](#)
- 4434. Kemal,M. & A.Ö.Koçak**, 2007, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) - V. Cent. ent. Stud., Misc. Pap. 136: 1-2. [\[available in Cesa Library\]](#)
- 4435. Kemal,M. & A.Ö.Koçak**, 2007, Revised and expanded list of the vernacular names of the Lepidoptera in Turkish language. Cent. ent. Stud., Priamus 12 (4): 95-125. [\[available in Cesa Library\]](#)
- 4436. Kemal,M. & A.Ö.Koçak**, 2007, Chapter 8: Illustrated list of the Lepidoptera recorded in Uighur Ili, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1685-1717, figs. [\[available in Cesa Library\]](#)
- 4437. Kemal,M. & A.Ö.Koçak**, 2007, Chapter 9: List of the Lepidoptera recorded in Iraq, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1718-1739. [\[available in Cesa Library\]](#)
- 4438. Kemal,M. & A.Ö.Koçak**, 2008, First scientific trip to the South West Van lake Region (6-8 March,2008). Cesa News 7: 1-15, 25 figs. [\[available in Cesa Library\]](#)
- 4439. Kemal,M. & A.Ö.Koçak**, 2008, Further record of pre-imaginal stages of Esperarge (s.str.) clymene ssp. valentinae (Miller) from Van Province (East Turkey). Cesa News 19: 1-5, 5 figs. 1 map. [\[available in Cesa Library\]](#)
- 4440. Kemal,M. & A.Ö.Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-I. Cesa News 20: 1-15, 26 figs.; ibid. 21: 1-15, 28 figs.; ibid. 22: 1-13, 25 figs. [\[available in Cesa Library\]](#)
- 4441. Kemal,M. & A.Ö.Koçak**, 2008, Second attempt for determining the Lepidoptera fauna of Kozluk with notes on some other insects of the district (Batman Prov., East Turkey)-II. Cesa News 23: 1-4. [\[available in Cesa Library\]](#)
- 4442. Kemal,M. & A.Ö.Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-I. Tahir Pass (Ağrı Province). Cesa News 24: 1-12, 1 map, 20 figs. [\[available in Cesa Library\]](#)
- 4443. Kemal,M. & A.Ö.Koçak**, 2008, Illustrated notes on the entomological trips to various provinces of East Turkey-II. Kop Dağı and Vauk Dağı (Erzurum and Gümüşhane Provinces). Cesa News 25: 1-19, 3 maps 31 figs. [\[available in Cesa Library\]](#)

4444. **Kemal,M. & A.Ö.Koçak**, 2008, Announcement [about Biological Station and Research Laboratory (BSRL) of the Cesa]. Cesa News 26: 1-11, 20 figs. [\[available in Cesa Library\]](#)
4445. **Kemal,M. & A.Ö.Koçak**, 2008, *Orthosia rubricosa* (Esper) in Oak Woodland of Buğlan Pass (Muş Province) (Lepidoptera, Noctuidae). Cesa News 12 : 1-5, figs. [\[available in Cesa Library\]](#)
4446. **Kemal,M. & A.Ö.Koçak**, 2008, Brief field notes on the Insecta observed in South and East Turkey in late August 2008. Cesa News 30: 1-17, 27 figs. [\[available in Cesa Library\]](#)
4447. **Kemal,M. & A.Ö.Koçak**, 2008, Biodiversity of Soutpansberg Mountains South Africa I. Butterflies - Behaviours of some *Acraea* species. Icon. Insect. (A), <http://www.archive.org/details/BiodiversityOfSoutpansbergMountainTheSouthAfricaI.Butterflies> [\[available in Cesa Library\]](#)
4448. **Kemal,M. & A.Ö.Koçak**, 2010, Miscellaneous notes on the pterygot insects of Kato Mountains with illustrations their spring aspects (South East Turkey). Cesa News 57: 1-67, 107 figs. 1 map. [\[available in Cesa Library\]](#)
4449. **Kemal,M. & A.Ö.Koçak**, 2010, Winter trips to South Van Lake and the cynipid galls on oaks (Hymenoptera, Cynipidae). Cesa News 56: 1-66, 90 figs. [\[available in Cesa Library\]](#)
4450. **Kemal,M. & A.Ö.Koçak**, 2010, Illustrated list of the *Zygaena* Fabr. species in Turkey based upon the Info-system of the Cesa (Lepidoptera, Zygaenidae, Zygaeninae). Cesa News 54: 1-35, 53 figs. [\[available in Cesa Library\]](#)
4451. **Kemal,M. & A.Ö.Koçak**, 2011, A synonymical and distributional checklist of the Papilionoidea and Hesperioidea of East Mediterranean countries, including Turkey (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 25: 1-162, 42 pls. [\[available in Cesa Library\]](#)
4452. **Kemal,M. & A.Ö.Koçak**, 2012, Insect life in Turkey at night I- Upper Dez Valley, Hakkari Province, SE Turkey (Lepidoptera). Cesa News 72: 1-12, 45 figs. [\[available in Cesa Library\]](#)
4453. **Kemal,M. & A.Ö.Koçak**, 2012, List of the species and subspecies illustrated in the Cesa publications on the Old World Lepidoptera. Cesa News 73: 3-44. [\[available in Cesa Library\]](#)
4454. **Kemal,M. & A.Ö.Koçak**, 2012, On the occurrence of *Syncopacma polychromella* (Rbl.) in Turkey (Lepidoptera, Gelechiidae). Cesa News 82: 19-21, 3 figs. 1 map. [\[available in Cesa Library\]](#)
4455. **Kemal,M. & A.Ö.Koçak**, 2013, Notes on the subgenus *Polyommatus* (*Neolysandra*) Koçak in East Turkey, with descriptions of new taxa (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 160: 5-6. [\[available in Cesa Library\]](#)
4456. **Kemal,M. & A.Ö.Koçak**, 2013, *Zygaena peschmerga* in Van Province (East Turkey) (Zygaenidae, Lepidoptera). Cesa News 92: 12-14, 4 figs. [\[available in Cesa Library\]](#)
4457. **Kemal,M. & A.Ö.Koçak**, 2013, *Stamnodes depeculata* (Geometridae, Lepidoptera) in Van Province (East Turkey) with faunistical, ecological and taxonomical notes including accompanied species. Cesa News 92: 15-40, 44 figs. [\[available in Cesa Library\]](#)
4458. **Kemal,M. & A.Ö.Koçak**, 2013, On a small moth collection of Yusufeli (Artvin Prov., NE Turkey) made by the authors in 2003 (Lepidoptera). Cesa News 92: 49-50. [\[available in Cesa Library\]](#)
4459. **Kemal,M. & A.Ö.Koçak**, 2013, On the occurrence of *Pyraustimorpha inexpectata* in East Turkey (Lepidoptera, Pyralidae). Cesa News 92: 51-52, 2 figs. [\[available in Cesa Library\]](#)
4460. **Kemal,M. & A.Ö.Koçak**, 2013, *Ptocheuusa paupella* in Van Province (East Turkey) (Lepidoptera, Gelechiidae). Cesa News 92: 53-56, 6 figs. [\[available in Cesa Library\]](#)
4461. **Kemal,M. & A.Ö.Koçak**, 2013, On the occurrence of *Talis renetae* in East Turkey (Lepidoptera, Pyralidae). Cesa News 92: 57-59, 3 figs. [\[available in Cesa Library\]](#)
4462. **Kemal,M. & A.Ö.Koçak**, 2013, Synonymous list of the western Azerbaidjan Province (Iran). Cesa News 93: 38-52, 1 graph. [\[available in Cesa Library\]](#)
4463. **Kemal,M. & A.Ö.Koçak**, 2013, Results of the late summer entomological trip from Van to Ankara in 2013 (Insecta, Pterygota). Cesa News 93: 6-25, figs. 10-33. [\[available in Cesa Library\]](#)
4464. **Kemal,M. & A.Ö.Koçak**, 2014, A planned faunistical survey on the Lepidoptera of Erciş district (Van Province, East Turkey). Cesa News 98: 3-10, 10 figs. [\[available in Cesa Library\]](#)
4465. **Kemal,M. & A.Ö.Koçak**, 2014, Illustrated and annotated list on the Entomofauna of Gören Mount (Van Province, East Turkey), with ecological remarks I- Period of April-June 2014. Priamus (Suppl.) 33: 5-206, 273 figs. 1 Table. [\[available in Cesa Library\]](#)
4466. **Kemal,M. & A.Ö.Koçak**, 2014, A short entomo-faunistical visit to Bey Dağı Natural Park, Malatya Province (East Turkey). Cesa News 100: 1-16, 28 figs. [\[available in Cesa Library\]](#)
4467. **Kemal,M. & A.Ö.Koçak**, 2015, On the Pterygota fauna of Hatay Province (S.Turkey), based upon the info-system of the Cesa. Cesa News 102: 16-233, 100 [+1] figs. 34 maps. [\[available in Cesa Library\]](#)

- 4468. Kemal,M. & A.Ö.Koçak,** 2015, Preliminary list of the Pterygota of Vargözü- Yeşiltaş area (Yüksekova, Hakkari Province, SE Turkey). Cesa News 103: 1-26, 6 figs. [\[available in Cesa Library\]](#)
- 4469. Kemal,M. & A.Ö.Koçak,** 2015, Stomopteryx gaesata (Meyrick), little known species in Van and Bitlis Provinces (Lepidoptera, Gelechiidae). Cesa News 104: 1-4, 5 figs. [\[available in Cesa Library\]](#)
- 4470. Kemal,M. & A.Ö.Koçak,** 2015, Syringopais temperatella (Led.) in South Turkey (Lepidoptera, Gelechioidea). Cesa News 106: 5-12, 10 figs. 1 map. [\[available in Cesa Library\]](#)
- 4471. Kemal,M. & A.Ö.Koçak,** 2015, On the occurrence of Scythris aristidella Rebel in Turkey (Lepidoptera, Scythridae). Cesa News 106: 1-4, 6 figs. [\[available in Cesa Library\]](#)
- 4472. Kemal,M. & A.Ö.Koçak,** 2015, First annotated list of the Lepidoptera recorded in Hazro district (Diyarbakır Prov., SE Turkey). Cesa News 109: 1-91, 69 figs. 87 maps [\[available in Cesa Library\]](#)
- 4473. Kemal,M. & A.Ö.Koçak,** 2015, A pictorial forest pest report of Leucoma salicis (Lymantriidae, Lepidoptera) at Nemrut Caldera (Bitlis Prov., East Turkey). Cesa News 110: 10-13, 9 figs. [\[available in Cesa Library\]](#)
- 4474. Kemal,M. & A.Ö.Koçak,** 2015, Pictorial notes on the early stages of Heptapotamia eustratii Alph. in East Turkey (Lepidoptera, Noctuidae). Cesa News 112: 1-6, 14 figs. [\[available in Cesa Library\]](#)
- 4475. Kemal,M. & A.Ö.Koçak,** 2015, Eugnorisma persago Gyulai & L.Ronkay in East Turkey (Noctuidae, Lepidoptera). Cesa News 112: 7-8, 2 figs. 1 map 1 tab. [\[available in Cesa Library\]](#)
- 4476. Kemal,M. & A.Ö.Koçak,** 2015, A new Phycitine to the fauna of Diyarbakır Province (SE Turkey) (Lepidoptera, Pyralidae). Cesa News 112: 15-16, 2 figs. 1 map. [\[available in Cesa Library\]](#)
- 4477. Kemal,M. & A.Ö.Koçak,** 2015, Preliminary annotated list of the Lepidoptera of Sivas Province (East Turkey). Cesa News 113: 1-101, 23 maps. [\[available in Cesa Library\]](#)
- 4478. Kemal,M. & E.Seven,** 2008, Spring aspect of the diurnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). Cesa News 10: 1-14, 21 figs. [\[available in Cesa Library\]](#)
- 4479. Kemal,M. & E.Seven,** 2013, Siirt ilinde Şirvan'ın Geometridae türlerinin ekolojisi ve faunası üzerine araştırmalar (Lepidoptera). Priamus (Suppl.) 29: vi^o 1-41, figs. [\[available in Cesa Library\]](#)
- 4480. Kemal,M. & I.Akdeniz,** 2008, Scientific note: On the Early Stages of Princeps demoleus (Linnaeus,1758) in South East Turkey (Lepidoptera, Papilionidae). Cesa News 2: 9-13, 17 figs. [\[available in Cesa Library\]](#)
- 4481. Kemal,M. & K.Akın,** 2011, Choreutis muhabbet: New provincial record in Turkey and its early stages (Lepidoptera, Choreutidae). Cesa News 62: 6-12, 12 şekil. [\[available in Cesa Library\]](#)
- 4482. Kemal,M. & M.Aydın,** 2008, List of the Lepidoptera of Diyarbakır Province (East Turkey). Cesa News 15: 1-6. [\[available in Cesa Library\]](#)
- 4483. Kemal,M. & M.Aydın,** 2008, Spring aspects of the diurnal Lepidoptera of Kulp District with new faunal records (Diyarbakır Province, East Turkey). Cesa News 14: 1-12, 15 figs. [\[available in Cesa Library\]](#)
- 4484. Kemal,M. & M.Mükemre,** 2011, New larval food-plant and pupa of the species Satyrium abdominalis in East Turkey (Lepidoptera, Lycaenidae). Cesa News 64: 1-3, 3 figs.; corrigendum: ibid. 66: 37. [\[available in Cesa Library\]](#)
- 4485. Kemal,M. & O.Karabacak,** 2008, Ephelis cruentalis'in Biyolojisi Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 139-140: 6-10, 9 şekil. [\[available in Cesa Library\]](#)
- 4486. Kemal,M. & Özkol,H. & L.Kayci,** 2008, Xylena Ochsenheimer in East Turkey with new provincial records and larval food-plants (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 139-140: 10-14, 12 figs. [\[available in Cesa Library\]](#)
- 4487. Kemal,M. Seven,S. & A.Ö.Koçak,** 2007, List of the Irano-Anatolian Noctuidae with some faunal and zoogeographical remarks based upon the Info-System of the Cesa (Lepidoptera). Priamus Suppl. 9: 1-88, 1 map, 1 table. [\[available in Cesa Library\]](#)
- 4488. Kemal,M.,** 1998, Melitaea asteroida Staudinger,1881 ile yakın türlerinin taksonomik durumu ve nomenklatürü (Lepidoptera, Argynniidae). Cent. ent. Stud., Misc. Pap. 55/56: 3-11. [\[available in Cesa Library\]](#)
- 4489. Kemal,M.,** 1999, Tuxentius Larsen,1982 cinsi içinde yeni bir isim teklifi (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 59: 7-8. [\[available in Cesa Library\]](#)
- 4490. Kemal,M.,** 2000, Orta Asya kelekleri üzerine bazı nomenklatür notları-I. Chazara heydenreichi (Lederer) (Lepidoptera, Satyridae). Centr. ent. Stud., Misc. Pap. 61: 1-2. [\[available in Cesa Library\]](#)

- 4491. Kemal,M.,** 2000, Orta Asya kelebekleri üzerine bazı nomenklatür notları-II. 'Scolitantides orion ornata (Staudinger,1892)' alttür isminin geçerliliği hakkında (Lepidoptera, Lycaenidae). Centr. ent. Stud., Misc. Pap. 61: 2-4. [\[available in Cesa Library\]](#)
- 4492. Kemal,M.,** 2000, Tomares (nogelii) dobrogensis ssp. uighurica (ssp.n.) [in] Koçak,A., Enkhère vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14. [\[available in Cesa Library\]](#)
- 4493. Kemal,M.,** 2000, Tomares (nogelii) nogelii ssp. cesa (ssp.n.) [in] Koçak,A., Enkhère vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14. [\[available in Cesa Library\]](#)
- 4494. Kemal,M.,** 2004, On the butterflies of the Soutpansberg Mountains (South Africa) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 88/89: 1-13. [\[available in Cesa Library\]](#)
- 4495. Kemal,M.,** 2006, Tanrı Dağlarının Papilionoidea ve Hesperioidea (Lepidoptera) Faunası ve Zoocoğrafyası Üzerine Araştırmalar. Cent. ent. Stud., Priamus Suppl. 2: 1-122, 34 Çizelge, 8 Tablo. [\[available in Cesa Library\]](#)
- 4496. Kemal,M.,** 2006, Bilimsel gezilerimden anılar I-Norduz Yaylası. Cent. ent. Stud., Priamus Suppl.4: 1-25, 52 figs. [\[available in Cesa Library\]](#)
- 4497. Kemal,M.,** 2006, Bir Dünya Mirası - A World Inheritance. A Documentary film on DVD format. Narrated in Turkish by Muhabbet Kemal, subtitle in English. 28 minutes, 10 seconds. A Cesa Production. [\[available in Cesa Library\]](#)
- 4498. Kemal,M.,** 2008, Van Gölü havzasında kelebek çeşitliliği (Diversity of the butterflies in Van Lake Basin East Turkey). Cesa News 9: 1-6, 5 figs. [\[available in Cesa Library\]](#)
- 4499. Kemal,M.,** 2008, Images from the Cesa Expeditions and Studies within the frame of the Cesa Project Diversity of the Lepidoptera in the World (DLW). Cesa News 1: 2-11, figs. [\[available in Cesa Library\]](#)
- 4500. Kemal,M.,** 2008, Illustrations concerning the activities in 2005 on research and education in Chiang Mai University North Thailand. Part I - Queen Sirikit Botanic Garden 8Chiang Mai Thailand) (QSBG). Cesa News 3: 13-16, 8 figs. [\[available in Cesa Library\]](#)
- 4501. Kemal,M.,** 2008, Illustrations concerning the activities in 2005 on research and education in Chiang Mai University North Thailand. Part II - Chiang Mai University Campus and Educational Activities (Chiang Mai Thailand). Cesa News 4: 1-12, 23 figs. [\[available in Cesa Library\]](#)
- 4502. Kemal,M.,** 2008, Corrigenda. Cent. ent. Stud., Misc. Pap. 138: 11. [\[available in Cesa Library\]](#)
- 4503. Kemal,M.,** 2008, Publications of the Cesa in 2008 (I,II). Cesa News 8: 1-4; 9: 7-8. [\[available in Cesa Library\]](#)
- 4504. Kemal,M.,** 2008, A new record of Neurergus crocatus (Cope,1862) in South East Turkey (Salamandridae, Caudata). Cesa News 12: 6-11, 10 figs. [\[available in Cesa Library\]](#)
- 4505. Kemal,M.,** 2008, Pieris ergane [in] Butterflies at Artos Mountain, Van Province, East Turkey. Icon. Insect. (A), <http://www.archive.org/details/PierisErganeInButterfliesAtArtosMountVanProvinceEastTurkey> [\[available in Cesa Library\]](#)
- 4506. Kemal,M.,** 2008, Acraea natalica [in] Butterflies of South Africa. Icon. Insect. (A), <http://www.archive.org/details/AcraeaNatalicaInButterfliesOfSouthAfrica> [\[available in Cesa Library\]](#)
- 4507. Kemal,M.,** 2008, A hunting Camel Spider at Çatak, Van Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), <http://www.archive.org/details/IconographiaArachnidorumSeriesABByTheCesa> [\[available in Cesa Library\]](#)
- 4508. Kemal,M.,** 2008, A Camel Spider at Kemaliye, Erzincan Province, East Turkey (Galeodidae, Solifugae). Icon. Arachn. (A), <http://www.archive.org/details/IconographiaArachnidorumSeriesAnr.2ByTheCesa> [\[available in Cesa Library\]](#)
- 4509. Kemal,M.,** 2008, Abstracts of the recent publications of the Cesa. Cesa News 3: 2-12. [\[available in Cesa Library\]](#)
- 4510. Kemal,M.,** 2008, Information about the scientific activities of the Cesa in Africa. A short note on the studies of the Lepidoptera on the Soutpansberg Mountains (Limpopo, South Africa). Cesa News 6: 1-12, 60 figs. [\[available in Cesa Library\]](#)
- 4511. Kemal,M.,** 2008, On the nomenclatural status of Colias alpherakii pakistana Koçak,1980 (Lepidoptera, Pieridae). Cent. ent. Stud., Misc. Pap. 138: 3. [\[available in Cesa Library\]](#)
- 4512. Kemal,M.,** 2009, Biodiversity in Erek Mountain and its rarest butterfly Callophrys mystaphia (Lepidoptera, Lycaenidae).

- <http://www.archive.org/details/BiodiversityInErekMountainAndItsRarestButterflyCallophrysMystaphiaeg> [available in Cesa Library]
4513. **Kemal,M.,** 2010, Gürcistan Gezisinden Doğa Gözlemleri. 45s. 31 Levha. <http://www.archive.org/details/TravelGeorgia>
http://avam.yyu.edu.tr/metinler/MuhabbetKemal_GürcistanGezisi.pdf [access 20.3.2011]. [available in Cesa Library]
4514. **Kemal,M., Koçak,A.Ö. & E.Seven,** 2008, Spring aspect of the nocturnal Lepidoptera fauna of Şirvan District (Siirt Province) (South East Turkey). Cesa News 11: 1-6, 6 figs. [available in Cesa Library]
4515. **Kemal,M., Koçak,A.Ö. & E.Seven,** 2010, Occurrence of *Colotis fausta* in South East Turkey (Lepidoptera, Pieridae). Cesa News 61: 2-8, 10 figs. [available in Cesa Library]
4516. **Kemal,M., Koçak,A.Ö. & E.Seven,** 2011, *Calophasia lunula* in South East Turkey (Lepidoptera, Noctuidae). Cesa News 64: 4-6, 5 figs. [available in Cesa Library]
4517. **Kemal,M., Koçak,A.Ö. & E.Seven,** 2013, *Lehmannodes guneyi* in South East Turkey (Lepidoptera, Geometridae). Cesa News 92: 60-62, 3 figs. 1 map. [available in Cesa Library]
4518. **Kemal,M., Koçak,A.Ö. & K.Akın,** 2008, List of the Lepidoptera of Mardin Province (South East Turkey) with some faunistical remarks. Cesa News 16: 1-10, 8 figs. [available in Cesa Library]
4519. **Kemal,M., Koçak,A.Ö. & K.Akın,** 2008, Butterflies of Batman Province (East Turkey) (Lepidoptera). Cesa News 17: 1-6, 7 figs. [available in Cesa Library]
4520. **Kemal,M., Koçak,A.Ö. & M.Aydın,** 2011, On the nocturnal spring moths of Kulp district (Diyarbakır Prov., SE Turkey) (Lepidoptera). Cesa News 63: 10-20, 1 tab., 2 graphs, 13 figs. [available in Cesa Library]
4521. **Kemal,M., Koçak,A.Ö. & P.Leksawasdi,** 2007, On the occurrence of *Psychothoe duvauceli* (Bsd.) in North Thailand (Ctenuchidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 1-3, 3 figs. [available in Cesa Library]
4522. **Kemal,M., Koçak,A.Ö. & P.Leksawasdi,** 2007, Chapter 11: Illustrated list of the Lepidoptera recorded Chiang Dao (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1745-1759, figs. [available in Cesa Library]
4523. **Kemal,M., Koçak,A.Ö., Akın,K., Yalçın,M. Bakan,B. & D.Çelikkaya,** 2010, Spring aspect of the pterygot insects of Mutki (Bitlis Prov., South East Turkey). Cesa News 58: 1-78, 150 figs. 1 graph. [available in Cesa Library]
4524. **Kemal,M., Leksawasdi,P. & A.Ö.Koçak,** 2006, *Wittstrotia flavannamica* Behounek & Speidel in Thailand (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 5-6. [available in Cesa Library]
4525. **Kemal,M., Leksawasdi,P. & A.Ö.Koçak,** 2006, *Ascalaphidae* species in Chiang Mai (North Thailand) (Planipennia). Cent. ent. Stud., Misc. Pap. 98: 6-8, 4 figs. [available in Cesa Library]
4526. **Kemal,M., Leksawasdi,P. & A.Ö.Koçak,** 2007, On the Pieridae fauna of Chiang Mai Province in North Thailand (Lepidoptera). Cent. ent. Stud., Misc. Pap. 134: 1-8, 21 figs. [available in Cesa Library]
4527. **Kemal,M., Malati,N., Turdush,M. & A.Ö.Koçak,** 2014, Results of the two entomological trips in summer around Van Lake (East Turkey). Cesa News 97: 4-12, 36 figs. [available in Cesa Library]
4528. **Kemal,M., Seven,E. & A.Ö.Koçak,** 2013, *Epimetasia eoa* (Meyrick), new to the fauna of Turkey (Pyrilidae, Lepidoptera). Cesa News 92: 4-6, 3 figs. [available in Cesa Library]
4529. **Kemal,M., Seven,E. & A.Ö.Koçak,** 2013, *Leucoma wiltshirei*, new to the fauna of Turkey (Lymantriidae, Lepidoptera). Cesa News 92: 7-9, 2 figs. [available in Cesa Library]
4530. **Kemal,M., Seven,S. & A.Ö.Koçak,** 2007, Chapter 2: Valid genus group names (genera, subgenera, and sections) recorded in the Databank of the CESA, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 23-142. [available in Cesa Library]
4531. **Kemal,M., Watanasit,S. & A.Ö.Koçak,** 2007, Annotated list of the species of Lepidoptera recorded in Southernmost Provinces of Thailand. Cent. ent. Stud., Priamus 12 (3): 63-93, 1 map, 3 pls (22 figs). [available in Cesa Library]
4532. **Kemal,M., Çelikkaya,D., Bozacı,V. & A.Ö.Koçak,** 2009, Stray notes on the insects of the vicinity İzmir (West Turkey). Cesa News 47: 1-42, 71 figs. [available in Cesa Library]

- 4533. Kemal,M., Özkol,H. & L.Kayci,** 2008, Diurnal Lepidoptera of Sarmaç village Ereğ Mountain (Van Province, East Turkey). Cesa News 19: 5-17, 20 figs. [\[available in Cesa Library\]](#)
- 4534. Kennel,J.,** 1899, Neue Tortriciden. Dt. ent. Z., Iris 12: 1-42, Taf.1 [\[available in Cesa Library\]](#)
- 4535. Kennel,J.,** 1900, Neue Palaearktische Tortriciden, nebst Bemerkungen über einige bereits beschriebene Arten. Dt. ent. Z., Iris 13: 124-159, Taf.v. [\[available in Cesa Library\]](#)
- 4536. Kennel,J.,** 1901, Neue Wickler des palaearktischen Gebietes. Dt. ent. Z., Iris 13: 205-305. [\[available in Cesa Library\]](#)
- 4537. Kennel,J.,** 1908-1921, Die Palaearktische Tortriciden. Zoologica 21 (54) (1908): 1-100; Taf.1-6; (1910): 101-232, Taf.7-12; (1913): 233-397, Taf.13-16; (1916): 398-546, Taf. 17-20; (1921): 545-742, Taf.21-24. [\[available in Cesa Library\]](#)
- 4538. Kennel,J.,** 1919, Mittelasiatische und andere neue Tortriciden. Mitt. münch. ent. Ges. 8: 50-95.
- 4539. Kershaw,S.H.,** 1952, Collecting in the Isle of Man. Entomologist's Rec. J. Var. 64: 44-46.
- 4540. Keskula,T.,** 1997, A new subspecies of *Colias alpherakii* Staudinger, 1882 from Uzbekistan (Lepidoptera, Pieridae). Atalanta 28(1/2): 33-34, Pl. [\[available in Cesa Library\]](#)
- 4541. Kettlewell,H.B.D.,** 1931, Collecting 1930. (Lepidoptera). Entomologist's Rec. J. Var. 43: 93-96, 113-115, 129-131. [\[available in Cesa Library\]](#)
- 4542. Kettlewell,H.B.D.,** 1955, The natural history of *Papilio hospiton* in Corsica. Entomologist 88: 280-283.
- 4543. Kettlewell,H.B.D.,** 1956, A southern migration of *Vanessa atalanta* L. - the Red Admiral butterfly. Entomologist 89: 18-19.
- 4544. Keynes,G.L.,** 1907, Butterflies in South-Germany during the spring and early summer of 1916. Entomologist's Rec. J. Var. 19: 88-90. [\[available in Cesa Library\]](#)
- 4545. Keynes,J.N. & G.L.Keynes,** 1907, Butterflies in eastern Switzerland in 1906. Entomologist's Rec. J. Var. 19: 42-45. [\[available in Cesa Library\]](#)
- 4546. Keynes,J.N. & G.L.Keynes,** 1911, Butterflies in Hungary in 1910. Entomologist's Rec. J. Var. 23: 161-164, 189-193. [\[available in Cesa Library\]](#)
- 4547. Keynes,J.N.,** 1906, Butterflies in Switzerland in 1905. Entomologist's Rec. J. Var. 18: 174-178.
- 4548. Khanal,B. & C.Smith,** 1997?, The Butterflies of Kathmandu Valley Nepal. 112pp. figs. Bangkok. [\[available in Cesa Library\]](#)
- 4549. Khatri,T.C.,** [1996], Butterflies of the Andaman and Nicobar Islands: Conservation concerns. J. Res. Lepid. 32 (1993): 170-184. [\[available in Cesa Library\]](#)
- 4550. Kheil,N.M.,** 1884, Die Rhopalocera der Insel Nias. 38pp. 5pls. Berlin.
- 4551. Kheil,N.M.,** 1890, Über geschlechtlichen Dimorphismus des abessinischen Pap. *Antinorii* Oberthür. Dt. ent. Z., Iris 3: 333-336, 2 Abb. [\[available in Cesa Library\]](#)
- 4552. Kheil,N.M.,** 1910, Los Lepidopteros de la Sierra de Espuna. Bol. Soc. Arag. Cienc. Nat. 9: 98-121. [\[available in Cesa Library\]](#)
- 4553. Kheil,N.M.,** 1911, *Parnassius nordmanni*, nebst einer Einleitung über die "Parnassiiden als Handelsartikel". Int. ent. Z. 5: 83-86.
- 4554. Kheyri,M. Naiim,A., et al.,** 1980, Some studies on *Scrobipalpa ocellatella* in Iran. Ent. phytopath. appl. 48(1): 1-39, figs.
- 4555. Kielland,J.,** 1982, Revision of the genus *Ypthima* in the Ethiopian Region excluding Madagascar (Lepidoptera, Satyridae). Tijdschr. Ent. 125 (5): 99-154, Pls.8. [\[available in Cesa Library\]](#)
- 4556. Kielland,J.,** 1990, Butterflies of Tanzania. 363 pp., Pls., 179 text-figs., Hill House Melbourne / London. [\[available in Cesa Library\]](#)
- 4557. Kielland,J.,** 1994, A Revision of the genus *Henotesia* (excluding Madagascar and other Indian Ocean Islands) (Lepidoptera, Satyridae). Lambillionea 94 (2,1): 235-274, figs.
- 4558. Kierer,H.,** 1908, Makrolepidopterenfauna des steierischen Ennstales. Ent. Wbl. 25: 138, 142, 153-154, 158, 162, 165-166, 169-170, 172-173.
- 4559. Kierer,H.,** 1914, Beitrag zur Makrolepidopterenfauna des oberen Murtales. Ent. Jb. 23: 112-118.
- 4560. Kimura,Y.,** 1994, Newly recorded nymphalid butterflies from Thailand since 1979. Butterflies 7: 18-26, 3 pls.
- 4561. Kinkler,H. & G.Swoboda,** 1980, Beitrag ueber die Gross-Schmetterlinge (Macrolepidoptera) und Köcherfliegen (Trichoptera) des Elmpfer Bruches (Ndrh.). Niederrhein. Jb. 14: 53-72.

- 4562. Kinkler, H.**, 1977, Bericht über die Exkursion der Entomologischen Gesellschaft Düsseldorf gegr. 1866 in die Dollendorfer und Blankenheimer Kalkmulde am 12. und 13. Juni 1976. Mitt. ArbGem. rhein.-westf. Lepid. 1: 1-9. [\[available in Cesa Library\]](#)
- 4563. Kinkler, H.**, 1978, Die Tagfalter (Diurna) und Widderchen (Zygaenidae) der Kalkmagerrasen der Nordeifel (Nordrhein-Westfalen). Mitt. ArbGem. rhein.-westf. Lepid. 1: 74-77. [\[available in Cesa Library\]](#)
- 4564. Kinkler, H.**, 1978, Gross-Schmetterlinge des Gelpetales in Wuppertal. Jber. naturw. Ver. Wuppertal 31: 69-80.
- 4565. Kinkler, H.**, 1979, Seit 1975 für das Sammelgebiet der Arbeitsgemeinschaft rheinisch-westfälischer Lepidopterologen erstmals gemeldete Schmetterlingsarten. Mitt. ArbGem. rhein.-westf. Lepid. 2: 2-8. [\[available in Cesa Library\]](#)
- 4566. Kinkler, H.**, 1979, Die Schmetterlinge des Nonnebachtales bei Blankenheim/Eifel. Mitt. ArbGem. rhein.-westf. Lepid. 2: 9-13. [\[available in Cesa Library\]](#)
- 4567. Kinkler, H., Schmitz, W. & F.Nippel**, 1971, Die Talfalter des Bergischen Landes. Jber. naturw. Ver. Wuppertal 24: 20-63.
- 4568. Kinneer, P.K.**, 1976, Unusual numbers of Peacocks (*Inachis io* L.) in Shetland. Entomologist's Gaz. 27: 137.
- 4569. Kirby, W.F.**, 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London. [\[available in Cesa Library\]](#)
- 4570. Kirby, W.F.**, 1876, Lepidoptera, [in] Zoological Records 13: 140-191. [\[available in Cesa Library\]](#)
- 4571. Kirby, W.F.**, 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London. [\[available in Cesa Library\]](#)
- 4572. Kirby, W.F.**, 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii+951 pp., London. [\[available in Cesa Library\]](#)
- 4573. Kirby, W.F.**, 1894, Notes on Dr. Buckell's Paper on Classification. Entomologist's Rec. J. Var. 5: 6-7. [\[available in Cesa Library\]](#)
- 4574. Kirby, W.F.G.**, 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
- 4575. Kiriakoff, S.G. & S.Talhok**, 1975, *Thaumetopoea libanotica* sp.nov. (Lepidoptera, Thaumetopoeidae). Opusc. zool. 137: 1-5, fig. [\[available in Cesa Library\]](#)
- 4576. Kiriakoff, S.G.**, 1945, L'Espece et ses subdivisions. Lambillionea 45: 6-10.
- 4577. Kiriakoff, S.G.**, 1946, Notes Systématiques III. Position Systématique des Lépidoptères et les divisions primaires de l'ordre. Lambillionea 46(2/3): 21-26.
- 4578. Kiriakoff, S.G.**, 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
- 4579. Kiriakoff, S.G.**, 1948, The nomenclature of the specific complex. The Lepidopterists' News 2: 15.
- 4580. Kiriakoff, S.G.**, 1949, Over de phylogenie der Thyretidae, fam.nov. (Lepidoptera). Natuurwet. Tijdschr. 31: 3-10.
- 4581. Kiriakoff, S.G.**, 1952, *Anapsia* gen.nov. (Arctiidae, Lepidoptera). Rev. Zool. Bot. Afr. 46: 173-178.
- 4582. Kiriakoff, S.G.**, 1952, Thyretidae nouveaux du Congo Belge (Lepidoptera Notodontoidea). Rev. Zool. Bot. Afr. 46: 396-406.
- 4583. Kiriakoff, S.G.**, 1953, Arctiidae nouveau du Musee Royal du Congo Belge. Lambillionea 53 (7/8): 50-54, 53 (9/10): 65-69, 53 (11/12): 93-96.
- 4584. Kiriakoff, S.G.**, 1953, Les Thyretidae du Musee Royal du Congo Belge (Lepidoptera, Notodontoidea). Ann. Mus. R. Congo Belge Tevuren (Serie Sci. Zool.) vol.26, 91pp. Tevuren.
- 4585. Kiriakoff, S.G.**, 1953, On the genera *Tarsolepis* and *Dudusa* (Notodontidae). Ent. Ber., Amst. 15: 15.
- 4586. Kiriakoff, S.G.**, 1954, Heteroceres nouveaux ou peu connus du Katanga. Rev. Zool. Bot. Afr. 50: 169-188, 293-325.
- 4587. Kiriakoff, S.G.**, 1955, Die Thyretidae (Lepidoptera, Notodontoidea) aus der Zoologischen Staatssammlung München. Mitt. münch. ent. Ges. 44/45: 250-266, Taf.iv, 8 Abb. [\[available in Cesa Library\]](#)
- 4588. Kiriakoff, S.G.**, 1955, New genera and species of African Notodontidae (Lepidoptera). Rev. Zool. Bot. Afr. 52 (3/4): 326-348.

- 4589. Kiriakoff, S.G.**, 1956, *Psalis africana* (Lymantriidae), a new African moth. Ent. Ber., Amst. 16: 127-129.
- 4590. Kiriakoff, S.G.**, 1956, In memoriam Frans G. Overlaet (1887-1956). Bull. Ann. Soc. R. ent. Belg. 92: 105-106.
- 4591. Kiriakoff, S.G.**, 1957, Notes sur les Thyretidae (Lepidoptera, Notodontoidea). Bull. Ann. Soc. R. ent. Belg. 93: 121-160.
- 4592. Kiriakoff, S.G.**, 1957, New Thyretidae (Lepidoptera, Notodontoidea). Tijdschr. Ent. 100 (1): 95-114, Pls. figs. [\[available in Cesa Library\]](#)
- 4593. Kiriakoff, S.G.**, 1958, Arctiidae (except Nolinae), Thyretidae and Notodontidae. Brit. Mus. (Nat. Hist.), Ruwenzori Expedition 1952, I (2/3): 53 pp. London.
- 4594. Kiriakoff, S.G.**, 1959, Notes sur les Notodontoidea (Lepidoptera) du Congo Belge. Lambillionea 59: 24-34.
- 4595. Kiriakoff, S.G.**, 1959, On the typical specimens of Thyretidae (Lepidoptera, Notodontoidea) in the Zoological Museum Humboldt University Berlin. Ent. Ber., Amst. 19: 186-190.
- 4596. Kiriakoff, S.G.**, 1959, Entomological results of the Swedish expedition 1934 to Burma and British India. Lepidoptera: Family Notodontidae. Ark. Zool. (1) 12 (20): 313-333.
- 4597. Kiriakoff, S.G.**, 1961, Thyretidae nouveaux (Lepidoptera, Notodontoidea) Lambillionea 61: 7-12.
- 4598. Kiriakoff, S.G.**, 1961, Die Thyretidae (Lepidoptera, Notodontoidea) der Zoologischen Staatssammlung München II. Beitrag. Mitt. münch. ent. Ges. 51: 96-110.
- 4599. Kiriakoff, S.G.**, 1962, Die Notodontiden der Ausbeuten H.Hönes aus Ostasien (Lepidoptera, Notodontoidea). Bonner zool. Beitr. 13(1/3): 219-236.
- 4600. Kiriakoff, S.G.**, 1963, Die Notodontiden der Ausbeuten H.Hönes aus Ostasien (Lepidoptera, Notodontoidea), 2. Teil. Bonner zool. Beitr. 14(3/4): 248-293.
- 4601. Kiriakoff, S.G.**, 1963, La faune éthiopienne de Notodontidae. Lambillionea 63: 1-4.
- 4602. Kiriakoff, S.G.**, 1964, Over de Ethiopische Notodontidenfauna (Lepidoptera, Notodontoidea). Een bijdrage tot de dierenaardrijkskunde van Afrika. Biol. Jb. Dodonaea 32: 324-330.
- 4603. Kiriakoff, S.G.**, 1967, New genera and species of Oriental Notodontidae (Lepidoptera). Tijdschr. Ent. 110 (3): 37-64, 29 figs. [\[available in Cesa Library\]](#)
- 4604. Kiriakoff, S.G.**, 1969, Über die Klassifikation der Notodontidae (Lepidoptera, Notodontoidea). Mitt. münch. ent. Ges. 59: 157-162.
- 4605. Kiriakoff, S.G.**, 1970, Über die Taxonomie der Thaumetopoeidae (Lep., Notodontoidea). Ent. Z., Frankf. a. M. 80(8): 61-66. [\[available in Cesa Library\]](#)
- 4606. Kiriakoff, S.G.**, 1970, Die Stellung von *Diloba caeruleocephala* (L.). NachrBl. bayer. Ent. 19(6): 101-104.
- 4607. Kiriakoff, S.G.**, 1970, *Danielita* nom. nov. Lepidoptera, Notodontoidea. NachrBl. bayer. Ent. 19(6): 124.
- 4608. Kiriakoff, S.G.**, 1971, *Saigonita paradoxa* gen. nov. sp. nov. (Lepidoptera, Agaristidae). Lambillionea 71(1/2): 5-11.
- 4609. Kiriakoff, S.G.**, 1973, Notodontoidea (Lepidoptera) aus der Staatssammlung München. Mitt. münch. ent. Ges. 63: 67-92.
- 4610. Kiriakoff, S.G.**, 1973, Neue oder wenig bekannte Thyretidae (Lepidoptera, Notodontoidea). Mitt. münch. ent. Ges. 63: 49-66.
- 4611. Kiriakoff, S.G.**, 1974, Neue und wenig bekannte asiatische Notodontidae (Lepidoptera). Veröff. zool. stSamml. Münch. 17: 371-421, 30 Abb. 5 Taf. [\[available in Cesa Library\]](#)
- 4612. Kiriakoff, S.G.**, 1975, *Thaumetopoea libanotica* sp. nov. (Lepidoptera, Thaumetopoeidae). Opusc. Zool. 137: 1-5, fig. [\[available in Cesa Library\]](#)
- 4613. Kiriakoff, S.G.**, 1977, Neue asiatische Notodontidae (Lepidoptera) nebst Beschreibung zweier Neallotypen. Mitt. münch. ent. Ges. 66: 29-35, 4 Abb. [\[available in Cesa Library\]](#)
- 4614. Kiriakoff, S.G.**, 1979, Neue aethiopische Notodontoidea (Lepidoptera) aus der Zoologischen Staatssammlung München. Spixiana 2 (3): 215-251.
- 4615. Kiriakoff, S.G.**, 1981, New and known Notodontidae from East and South Africa (Lepidoptera, Notodontoidea). Entomofauna 2 (2): 11-31, figs. [\[available in Cesa Library\]](#)
- 4616. Kiriakov, D.**, 1988, Die Tagfalterfauna des Saka-Gebirges in Südost-Bulgarien (Lepidoptera, Rhopalocera und Gypocera). Articulata 3 (4): 155-160.

- 4617. Kirti, J.S. & A.S. Kaleka**, 2002, A new genus and two new species of Arctiinae, Arctiidae, Lepidoptera from India. *J. Bombay Nat. Hist. Soc.* 99 (1): 79-85.
- 4618. Kirti, J.S. & N.S. Gill**, 2010, Studies on external genitalia of seven Indian species of the genus *Spilarctia* Butler (Lepidoptera, Arctiidae, Arctiinae) along with the description of a new species. *J. Threat. Taxa* 2 (6): 948-960, figs. [[available in Cesa Library](#)]
- 4619. Kirti, J.S. & N. Singh Gill**, 2009, Two new species of *Garudinia* Moore (Lepidoptera, Arctiidae, Lithosiinae) from India. *J. Asia-Pac. Ent.* 12: 9-13, figs. [[available in Cesa Library](#)]
- 4620. Kirti, J.S., Joshi, R. & N. Singh**, 2014, A new species of genus *Teulisna* Walker (Lepidoptera, Erebidae, Arctiinae) from India. *Acta zool. cracov.* 57 (1/2): 11-19, figs. [[available in Cesa Library](#)]
- 4621. Kirti, J.S., Singh, N. & R. Joshi**, 2014, Two new genera of Lithosiini (Lepidoptera, Erebidae, Arctiinae). *Tinea* 23 (1): 41-46, figs. [[available in Cesa Library](#)]
- 4622. Kishida, Y. & T. Endo**, 1999, Descriptions of new species and new subspecies of the Chalcosiinae (Lepidoptera, Zygaenidae) from South East Asia, with some notes on new synonymies. *Tinea* 16 (1): 41-49.
- 4623. Kishida, Y.**, 1991, The genus *Cyana* (Lepidoptera, Arctiidae) from the Philippines. *Tinea* 13 (8): 61-70.
- 4624. Kishida, Y.**, 1993, *Lymantriidae* in Moths of Nepal 2. *Tinea* 13 (Suppl.3): 80-95, figs.
- 4625. Kishida, Y.**, 1994, *Lymantriidae* (Euproctis with *S. Sugi*) in Moths of Nepal 3. *Tinea* 14 (Suppl.1): 72-82, figs.
- 4626. Kishida, Y.**, 1994, The browni-group of *Nyctemera* (Lepidoptera, Arctiidae) from the Philippines, with descriptions of three new species. *Tinea* 14 (1): 13-19, figs.
- 4627. Kishida, Y.**, 1995, *Lymantriidae* in Moths of Nepal 4. *Tinea* 14 (Suppl.2): 44-46.
- 4628. Kishida, Y.**, 1996, *Neocifuna* Inoue, 1982, a junior synonym of *Ilema* Moore, [1860] (*Lymantriidae*). *Japan Heterocerists J.* 188: 212-213.
- 4629. Kishida, Y.**, 1997, A new species of *Camptoloma* (Lepidoptera, Noctuidae) from Thailand. *Tinea* 14 (4): 268-270, figs.
- 4630. Kishida, Y.**, 1998, A new species of the genus *Churinga* (Lepidoptera, Arctiidae, Lithosiinae) from Thailand. *Trans. lepid. Soc. Japan* 49 (4): 242-244, 8 figs. [[available in Cesa Library](#)]
- 4631. Kitching, I.J. & J-M. Cadiou**, 2000, Hawkmoths of the World. An annotated and illustrated revisionary checklist (Lepidoptera, Sphingidae). x+226pp., 8 Pls. Natural History Museum, London. [[available in Cesa Library](#)]
- 4632. Kitching, I.J. & J.E. Rawlins**, 1999, The Noctuoidea, [in] N.P. Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M. Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York. [[available in Cesa Library](#)]
- 4633. Kitching, I.J. & K. Spitzer**, 1995, An annotated checklist of the Sphingidae of Vietnam. *Tinea* 14 (3): 171-195.
- 4634. Kitching, I.J. & K. Tuck**, 1996, Butterflies [in] Leksawasdi, P., The study and survey of biodiversity at Chiang Dao Wildlife Sanctuary. Final Report: 168-180. The Environmental Policy and Plan Office, Bangkok [unpublished]. [[available in Cesa Library](#)]
- 4635. Kitching, I.J. & R. Brechlin**, 1996, New Species of the genera *Rhodoprasina* Rothschild & Jordan and *Acosmeryx* Boisduval from Thailand and Vietnam, with a redescription of *R. corolla* Cadiou & Kitching (Lepidoptera, Sphingidae). *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 17 (1): 51-66, 22 figs. [[available in Cesa Library](#)]
- 4636. Kitching, I.J. & R. Zahiri**, 2007, Taxonomic notes and new records of the genus *Sphingonaepiopsis* Wallengren, 1858 (Lepidoptera, Sphingidae) in Iran. *Zootaxa* 1610: 41-52, 10 pls. [[available in Cesa Library](#)]
- 4637. Kitching, I.J. & S.A. Rudge**, 1993, First record of *Darapsa myron* (Sphingidae) from Thailand. *J. Lepid. Soc.* 47: 240-242.
- 4638. Kitching, I.J.**, 1984, An historical review of the higher classification of Noctuidae (Lepidoptera). *Bull. Br. Mus. (Nat. Hist.) Ent.* 49 (3): 153-234. [[available in Cesa Library](#)]
- 4639. Kitching, I.J., Owada, M. & R. Brechlin**, 1997, A revision of the genus *Pentateucha* (Lepidoptera, Sphingidae) with the description of two new species from eastern China and Taiwan. *Tinea* 15 (2): 79-93, figs. [[available in Cesa Library](#)]
- 4640. Kitschelt, R.**, 1925, Zusammenstellung der bisher in dem ehemaligen Gebiete von Südtirol beobachteten Gross-Schmetterlinge. 17 + 421 pp.; published by the author, Wien.

- 4641. Kitt,M.**, 1910, *Parnassius apollo* L. aus Oetztal. Int. ent. Z. 4: 157-158, 163-164.
- 4642. Kitt,M.**, 1912, Über die Lepidopterenfauna des Oetztals. Verh. zool.-bot. Ges. Wien 62: 320-416. [[available in Cesa Library](#)]
- 4643. Kitt,M.**, 1923, *Thais meta* Meigen. Z. öst. EntVer. 8: 44-46. [[available in Cesa Library](#)]
- 4644. Kitt,M.**, 1924, *Colias edusa* F. Z. Öst. EntVer. 9: 8-20. [[available in Cesa Library](#)]
- 4645. Kitt,M.**, 1927, Typen, Cotypen und andres. Z. Öst. EntVer. 12: 89-92, 93-95. [[available in Cesa Library](#)]
- 4646. Kjellander,E.**, 1943, *Pararge achine* Scop. (*deianira* L.), en fjaeril som kanske foersvunnit fran vart land, jaemte anknyttande djugeografiska reflexioner. Opusc. ent. 8: 30-38.
- 4647. Kjellander,E.**, 1944, Lepidopterologiska notiser II. Opusc. ent. 9: 53-55.
- 4648. Klapperich,J.**, 1954, Auf Forschungsreisen in Afghanistan. Ent. Blatt. 50: 107-118.
- 4649. Klaue,W.**, 1962, Über Parasitierung bei *Papilio machaon* in Spanien. Ent. Z., Frankf. a. M. 72: 251-252.
- 4650. Klein,A.**, 1950, *Colias F. alfacariensis* Ribbe, forme calida Verity. Un gynandromorphe biparti. Bull. Soc. ent. Mulhouse 1950: 33-34.
- 4651. Klein,H.J.**, 1988, Entomologische Beobachtungen in der Umgebung von Wad Medani, Gezira, Sudan 1984-1986 (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 9(3): 187-198, 3 Abb. [[available in Cesa Library](#)]
- 4652. Klein,H.Z.**, 1928, Beitrag zur Kenntnis von *Ocnogyna loewi* Z. (Lep.). Z. wiss. InsektBiol. 32 (5/7): 144-150, 3 Abb. [[available in Cesa Library](#)]
- 4653. Kleindienst,K.**, 1976, Zum Migrationsverhalten von *Lycaena phlaeas* (Linne, 1761). Atalanta 7: 24-27. [[available in Cesa Library](#)]
- 4654. Kleindienst,K.**, 1978, Arealerweiterung und Migration von *Lycaeniden* im Wolfsburger Raum. Beitrag zur Kenntnis der Wolfsburger *Lycaeniden*fauna. Atalanta 9: 156-164. [[available in Cesa Library](#)]
- 4655. Kleinkuhle, J.**, 1995, Zru Indigenität und Ausbreitung des afrikanischen Bläulings *Cacyreus marshallii* Butler, 1898 in Südeuropa. Atalanta 26(1/2): 209-214. [[available in Cesa Library](#)]
- 4656. Klemensiewicz,S.**, 1906, Lepidopterologische Beiträge aus Galizien. Verh. zool.-bot. Ges. Wien 56: 168-173. [[available in Cesa Library](#)]
- 4657. Klemstein,J.**, 1966, Gefriertrocknung - eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
- 4658. Kleopov,Y.D.**, 1926, A few notes on the Lepidoptera of Ckerkassey area. Zbirn. Prats zool. Mus. 1: 61-63.
- 4659. Klima,A.**, 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk,F. (ed.), *Lepidopterorum Catalogus Pars.84.* 226pp. W.Junk, Berlin & The Hague [[available in Cesa Library](#)]
- 4660. Klima,A.**, 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk,F. (ed.), *Lepidopterorum Catalogus Pars.89.* 1-224pp. W.Junk, Berlin & The Hague [[available in Cesa Library](#)]
- 4661. Klima,A.**, 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk,F. (ed.), *Lepidopterorum Catalogus Pars.94.* 225-384pp. W.Junk, Berlin & The Hague [[available in Cesa Library](#)]
- 4662. Klima,F.**, 1975, Beitrag zur Kenntnis der Macrolepidopteren-Fauna Südwestthüringens. Ent. Nachr. Dresden 19: 81-87.
- 4663. Klimesch,J.**, 1956, Über einige für die mazedonische Fauna bemerkenswerte Microlepidopteren. Fragm. balcan. 1(27): 209-219, 11 Abb.
- 4664. Klimesch,J.**, 1968, Die Lepidopterenfauna Mazedoniens IV. Microlepidoptera. 204S. 10 Abb. Prirodonaucen Muzej Skopje [[available in Cesa Library](#)]
- 4665. Klimesch,J.**, 1975, Über neue mediterrane und kanarische Nepticuliden (Lepidoptera, Nepticulidae). Mitt. münch. ent. Ges. 65: 1-28, 41 Abb. [[available in Cesa Library](#)]
- 4666. Klimesch,J.**, 1978, *Fomoria luisae* n.sp. (Lep., Nepticulidae). Z. ArbGem. öst. Ent. 29(3/4): 89-91, 6 Abb. [[available in Cesa Library](#)]
- 4667. Klimesch,J.**, 1978, Beitrag zur Kenntnis der Nepticulidenfauna von Anatolien und der Insel Rhodos (Lepidoptera, Nepticulidae). Tijdschr. Ent. 121 (5): 239-278, 82 figs. [[available in Cesa Library](#)]
- 4668. Klinsri,T.**, 1998, Insect diversity in Chiang Dao Wildlife Sanctuary Chiang Mai. Unpublished thesis. 77 pp. Chiang Mai University.
- 4669. Klir,J.**, 1984, Beitrag zur Kenntnis der Populationen von *Zygaena sogdiana* Erschoff im Tianshan-Gebirge (Lepidoptera, Zygaenidae). Atalanta 15 (1/2): 119-123, figs. [[available in Cesa Library](#)]

- 4670. Kloet, G.S. & W.D. Hincks**, 1972, A check list of British Insects. 2. Lepidoptera. Handbk. Ident. Br. Insects 11 (2): 1-153. [\[available in Cesa Library\]](#)
- 4671. Kломann, U.**, 1975, Das Computerprogramm zur Erfassung der westpalaearktischen Tierarten in der BRD. Atalanta 6: 232-237. [\[available in Cesa Library\]](#)
- 4672. Klopppers, J. & G. Van Son**, 1978, Butterflies of the Krüger National Park. 109pp. 353 col. figs. 1 map. National Parks Board of South Africa. Sigma Press. Pretoria. [\[available in Cesa Library\]](#)
- 4673. Klos, R.**, 1908, Ein Vergleich der Schmetterlingsfauna Steiermarks und Kärntens. Verh. zool.-bot. Ges. Wien 58: 271-276. [\[available in Cesa Library\]](#)
- 4674. Klots, A.B.**, 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
- 4675. Klots, A.B.**, 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
- 4676. Klots, A.B.**, 1937, Some notes on Colias and Brenthis. Jl. N.Y. ent. Soc. 45: 311-333.
- 4677. Klots, A.B.**, 1970, Lepidoptera. [In] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2). [\[available in Cesa Library\]](#)
- 4678. Klug, F.**, 1829-1845, Insecta [in] Ehrenberg, C.G., Symbole Physicae, seu icones et descriptiones corporum naturalium novarum aut minus cognitorum [183] pp., 50 Pls. Berolini.
- 4679. Klyuchko, Z.F.**, 1985, A new species of the genus Autographa (Lepidoptera, Noctuidae). Zool. Zh. 64(8): 1265-1267, figs.
- 4680. Klyuchko, Z.F.**, 1993, On the fauna of Plusiinae (Lepidoptera, Noctuidae) of Vietnam. Ent. Obozr. 72(2): 378-387 [engl. transl. Ent. rev. 73(4): 22-28, 5 figs., 1994]
- 4681. Klyucko, Z.F. & A.Y. Matov**, 2006, The first record of the Catocala orientalis (Lepidoptera, Noctuidae). Vestnik Zool. 40 (1): 89-93, figs. [\[available in Cesa Library\]](#)
- 4682. Knaben, N.**, 1976, The Eupithecia group (Lep., Geometridae) in Norway. Norw. J. Ent. 24: 43-82, figs. [\[available in Cesa Library\]](#)
- 4683. Kneucker, A.**, 1909, Zoologische Ergebnisse zweier in den Jahren 1902 und 1904 durch die Sinaihalbinsel unternommener botanischer Studienreisen nebst zoologischen Beobachtungen aus Aegypten, Palästina und Syrien I. Teil. 90 S., 5 Taf., Karlsruhe. [\[available in Cesa Library\]](#)
- 4684. Knoch, V.**, 1933, Wie sich die Schmetterlingsfauna einer Gegend im Laufe der Jahre verändert. Int. ent. Z. 27: 89-92.
- 4685. Knoerzer, A.**, 1924, Bemerkswerte Erscheinungen unter der Insektenwelt des oberbayerischen Inntals. Mitt. münch. ent. Ges. 14: 10-17.
- 4686. Knölke, S.**, 2007, A revision of the European representatives of the Microlepidopteran genus Dioryctria Zeller, 1846 (Insecta, Lepidoptera, Pyralidae, Phycitinae). Dissertation. Ludwig-Maximilians-Universität, München. edoc.ub.uni-muenchen.de/8425/1/Knoelke_Sonja.pdf [\[available in Cesa Library\]](#)
- 4687. Kobes, L.**, 1982, Beitrag zur Kenntnis der Noctuidenfauna von Sumatra, mit Beschreibung zweier Eutelia-Arten (Lep., Noctuidae, Euteliinae). Ent. Z., Frankf. a. M. 92 (14): 194-199, 2 Abb. [\[available in Cesa Library\]](#)
- 4688. Kobes, L.W.R. & L. Ronkay**, 1990, The Ratardidae of Sumatra. Heterocera Sumatrana 6: 79-100.
- 4689. Kobes, L.W.R. & M. Fibiger**, 2003, A new species of the genus Gripesia Tams, 1939 from the Ponto-Mediterranean area (Lepidoptera, Noctuidae, Hadeninae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 211-214, figs. [\[available in Cesa Library\]](#)
- 4690. Kobes, L.W.R.**, 1980, Saturnia pyri in der Türkei, mit Beschreibung einer neuen Subspecies (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 90 (19): 209-214, Abb. [\[available in Cesa Library\]](#)
- 4691. Kobes, L.W.R.**, 1983, 3 neue Arten aus dem Regenwald (Lep., Noctuidae, Acronictinae, Chloephorinae, Ophiderinae). Heterocera Sumatrana 2: 4-8, 5 Abb. [\[available in Cesa Library\]](#)
- 4692. Koca, G.**, 1901, Prilog fauni leptira (Lepidoptera) hrvatske i slavonske. Glasn. hrv. naravosl. Drust. 13:
- 4693. Koch, G.**, 1865, Die Indo-Australische Lepidopteren-Fauna in ihrem Zusammenhang mit der europäischen nebst den drei Hauptfaunen der Erde. xii+119 pp., 1 Pl. Leipzig.
- 4694. Koch, M.**, 1934, Eine neue Zygaena purpuralis-Rasse aus dem armenischen Bergland. Dt. ent. Z., Iris 48: 191-194. [\[available in Cesa Library\]](#)
- 4695. Koch, M.**, 1937, Zygaena Fabr. I. Ent. Z., Frankf. a. M. 51: 19-20, 36-39, 46, 61-63, 71-72, 47 figs. [\[available in Cesa Library\]](#)
- 4696. Koch, M.**, 1937, Zygaena Fabr. II. Ent. Z., Frankf. a. M. 51: 345-347. [\[available in Cesa Library\]](#)

- 4697. Koch, M.**, 1937, *Zygaena* Fabr. III. Ent. Z., Frankf. a. M. 51: 398-401. [[available in Cesa Library](#)]
- 4698. Koch, M.**, 1939, *Zygaena* Fab.V. Eine *Zygaenenausbeute* aus Georgien. Mitt. münch. ent. Ges. 29: 397-415. [[available in Cesa Library](#)]
- 4699. Koch, M.**, 1963, *Wir Bestimmen Schmetterlinge* Bd.I Tagfalter. Neumann Verlag, Radebeul-Berlin. [[available in Cesa Library](#)]
- 4700. Koda, N.**, 1987, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs.
- 4701. Koda, N.**, 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs.
- 4702. Kodandaramaiah, U. & N.Wahlberg**, 2009, Phylogeny and biogeography of *Coenonympha* butterflies (Nymphalidae, Satyrinae)- patterns of colonization in the Holarctic. Syst. Ent. 34: 315-323. [[available in Cesa Library](#)]
- 4703. Koiwaya, S.**, 1987, A new species of the genus *Parnassius* from Kunlun Mts., China. Gekkan-Mushi, Tokio 201: 3-6
- 4704. Koiwaya, S.**, 1993, *Studies of Chinese Butterflies* vol.2. 230pp. Tokyo.
- 4705. Kolar, H.**, 1922, *Parnassius apollo* L. in Salzburg. Ent. Anz. 2: 41-43.
- 4706. Kolar, H.**, 1934, *Parnassius apollo* L. auf dem Olymp. Int. ent. Z. 28: 41-43.
- 4707. Kolbe, H.J.**, 1883, Beitrag zur Systematik der Lepidoptera. Berl. ent. Z. 27 (2): 217-224. [[available in Cesa Library](#)]
- 4708. Kolenati, F.A.**, 1846, Meletemata Entomologica Insecta Caucasi: Coleoptera, Dermaptera, Lepidoptera, Neuroptera, Mutiliidae, Aphaniptera, Anoplura. Petropoli, Typis Imp. Acad. Sci., Fasc. 5, 3+170pp., 3 Pls.
- 4709. Kolesnichenko, K.A.**, 1999, A review of the East Palaearctic taxa of the *Melitaea didyma* (Esper, 1779) group 1. The *M.ala* Staudinger, 1881 - *M.chitralensis* Moore, 1901 complex (Lepidoptera, Nymphalidae). Atalanta 30 (1/4): 87-117, figs. [[available in Cesa Library](#)]
- 4710. Kolev, Z. & D. van der Poorten**, 1997, Review of the distribution of the Balkan endemic *Polyommatus (Agrodiaetus) aroaniensis* (Lepidoptera, Lycaenidae), with notes on its sympatry with related species. Phegea 25 (1): 35-40, 11 figs. [[available in Cesa Library](#)]
- 4711. Kolev, Z. & D. van der Poorten**, 1997, Review of the distribution of the Balkan endemic *Polyommatus (Agrodiaetus) aroaniensis* (Lepidoptera: Lycaenidae), with notes on its sympatry with related species. Phegea 25: 35-40. [[available in Cesa Library](#)]
- 4712. Kolev, Z.**, 1994, Two *Polyommatus (Agrodiaetus)* species new to Bulgaria, with notes on the related Bulgarian taxa (Lepidoptera, Lycaenidae). Phegea 22 (2): 61-71, 2 figs [[available in Cesa Library](#)]
- 4713. Kolev, Z.**, 1994, *Euchloe penia* (Freyer, 1852) from SW Bulgaria (Lepidoptera, Pieridae) Phegea 22 (3): 81-83, 1fig. [[available in Cesa Library](#)]
- 4714. Kolev, Z.**, 1994, *Spialia phlomidis* (Herrich-Schäffer, 1845) confirmed for Bulgaria (Lepidoptera, Hesperidae). Phegea 22 (4): 151-155, 2 figs. [[available in Cesa Library](#)]
- 4715. Kolev, Z.**, 1998, *Maculinea arion* (L.) in Finland - distribution, state of knowledge and conservation. J. Insect Cons. 2: 91-93.
- 4716. Kolev, Z.**, 2005, *Polyommatus dantchenkoi* (Lukhtanov & Wiemers, 2003) tentatively identified as new to Europe, with a description of a new taxon from the Balkan Peninsula (Lycaenidae). Nota lepid. 28 (1): 25-34, figs.
- 4717. Kollar, V. & L.Redtenbacher**, [1849], Über den Charakter der Insecten-Fauna von Süd-Persien. Denkschr. Akad. Wiss. Wien 1 (1): 42-53. [[available in Cesa Library](#)]
- 4718. Kollar, V.**, [1844], Lepidoptera. [in] Kollar, V. & L.Redtenbacher, Aufzählung und Beschreibung der von Freiherrn Carl v.Hügel auf seiner Reise durch Kaschmir und das Himalayagebirge gesammelten Insecten. 403-496pp., 22pls., [In] Hügel, C. Freiherrn von 1842-1848, Kaschmir und das Reich der Siek 4: 871 pp., Pls. 1 map, Stuttgart.
- 4719. Kononenko, V.S. & A.Y.Matov**, 2009, A review of Palaearctic *Metachrostis* Hübner, [1820] with description of three new species (Lepidoptera, Noctuidae, Eublemminae). Zootaxa 2026: 1-17, figs. [[available in Cesa Library](#)]
- 4720. Kononenko, V.S. & B.A.Pinratana**, 2005, Moths of Thailand. vol.3. Noctuidae (Part I). 261 pp., 45 Pls. Bangkok. [[available in Cesa Library](#)]
- 4721. Kononenko, V.S. & K.Mikkola**, 1997, *Apamaea yunnana* sp.n. (Lepidoptera, Noctuidae) from northern Yunnan, China. Ent. Fennica 8: 83-85, figs. [[available in Cesa Library](#)]

- 4722. Kononenko, V.S.**, 1990, Synonymic Checklist of the Noctuidae of the Primorye Territory, the Far East of U.S.S.R. Tinea 13 (Suppl.1): 1-40. [\[available in Cesa Library\]](#)
- 4723. Kononenko, V.S.**, 1997, A revision of the genus *Belciades* Kozhanchikov, 1950 (Lepidoptera, Noctuidae, Acronyctinae), with description of three new species from China, Laos and Thailand. Tinea 15 (2): 106-118, figs.
- 4724. Kopij, G.**, 2006, Lepidoptera fauna of Lesotho. Acta zool. cracov. 49B (1-2): 137-180. [\[available in Cesa Library\]](#)
- 4725. Korb, M.**, 1899, *Brahmaea christophi* Stgr. Dt. ent. Z., Iris 12: 168-170, Taf.iii fig.1-4. [\[available in Cesa Library\]](#)
- 4726. Korb, M.**, 1900, *Epicimelia theresiae* nov. spec. Dt. ent. Z., Iris 12: 300-302, Taf.7. [\[available in Cesa Library\]](#)
- 4727. Korb, M.**, 1903, Eine neue *Zygaena*. Dt. ent. Z., Iris 15: 326-327. [\[available in Cesa Library\]](#)
- 4728. Korb, M.**, 1910-1924, Über die von mir beobachteten palaearktischen Lepidopteren (Vorkommen, Lebensweise etc.). Mitt. münch. ent. Ges. 1 (1910): 2-5; (2): 15-16; (3-4): 17-19; (9-10): 66-70; 2 (1911): 17-22, 55-59, 88-91; 3 (1912): 17-20; 4 (1913): 5-8, 49-54; 6 (1915): 35-42; 7 (1916): 25-30, 91-99; 9 (1919): 57-64; 11 (1921): 4-14; 14 (1924): 18-24. [\[available in Cesa Library\]](#)
- 4729. Korb, M.**, 1916, Reise in den Hohen Alai. Mitt. münch. ent. Ges. 7: 7-24.
- 4730. Korb, M.**, 1934, Eine neue *Zygaena purpuralis*-Rasse aus dem armenischen Bergland. Dt. ent. Z., Iris 48: 191-194. [\[available in Cesa Library\]](#)
- 4731. Korb, M.**, 1936, Neues über asiatische Zygaenen. Ent. Z., Frankf. a. M. 50: 398-401. [\[available in Cesa Library\]](#)
- 4732. Korb, S.K. & L.V.Bolshakov**, 2010, Taxonomical notes to the publication: Lastukhin, A.A. 2008. Taxonomic notes of the tribe Euphydryini Higgins, 1978 (Melitaeinae, Nymphalidae, Lepidoptera) // [Scientific papers of the "Prisursky" State Nat. Res.] T.19.P.47-63. Eversmannia 21-22: 30-36. [\[available in Cesa Library\]](#)
- 4733. Korb, S.K. & R.V.Yakovlev**, 1997, Description d'un taxon nouveau de Russie: *Boloria angarensis shelkovnikovi* ssp.n. (Lepidoptera, Nymphalidae). Alexanor 20(1): 45-46. [\[available in Cesa Library\]](#)
- 4734. Korb, S.K. & R.V.Yakovlev**, 2000, *Colias mongola ukokana* nov.ssp. Alexanor 21 (1): 3-6, fig.1. [\[available in Cesa Library\]](#)
- 4735. Korb, S.K.**, 1994, Vertical distribution of *Rhopalocera* (Lepidoptera) within the Kirghiz Mountains. Ent. Obozr. 73 (7/8): 123-129 [engl. transl. Ent. rev. 74(2): 120-127, 1995]
- 4736. Korb, S.K.**, 1997, Description d'un *Lycene* nouveau d'Asie Moyenne: *Maculineaalconalconides* ssp.n. (Lepidoptera, Lycaenidae). Alexanor 20 (1): 61-64, 4 figs. [\[available in Cesa Library\]](#)
- 4737. Korb, S.K.**, 1997, Nomina Lepidopterorum nova (Lepidoptera, Papilionidae et Nymphalidae). Alexanor 19 (7): 485-487. [\[available in Cesa Library\]](#)
- 4738. Korb, S.K.**, 1998, Le complexe d'*Oeneis bore* (Schneider, 1792) en région paléarctique. Description d'une nouvelle sous-espèce d'*O.ammon* (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 20 (5): 305-309, 19 figs. [\[available in Cesa Library\]](#)
- 4739. Korb, S.K.**, 1999, Contribution à la connaissance du genre *Coenonympha* Hübner, [1819]: *Coenonympha tullia tshonkurtshakus* ssp.n. des monts Alexandre (Kirghizistan) (Lepidoptera, Nymphalidae, Satyrinae). Alexanor 20 (7) (1998): 387-389, 2 figs. [\[available in Cesa Library\]](#)
- 4740. Korb, S.K.**, 1999, Nouvelles données taxinomiques sur quelques genres de Parnassiinae et sur le genre *Colias* (Lepidoptera Papilionidae, Pieridae). Alexanor 20 (8) (1998): 452-454, 5 figs. [\[available in Cesa Library\]](#)
- 4741. Korb, S.K.**, 2000, Nouveaux taxa des genres *Hyponephele* Muschamp, 1915, et *Polyommatus* Latreille, 1804, du Nord-Est asiatique (Lepidoptera Nymphalidae Satyrinae et Lycaenidae). Alexanor 21 (1): 512-59, 18 figs. [\[available in Cesa Library\]](#)
- 4742. Korb, S.K.**, 2000, Une sous-espèce nouvelle de *Pyrgus alpinus* (Erschoff) du T'ien-chan septentrional (Lepidoptera Hesperidae). Alexanor 21 (1): 83-87. [\[available in Cesa Library\]](#)
- 4743. Korb, S.K.**, 2011, *Catocala afghana* Swinhoe, 1885, a new species for the Kyrgyzian fauna (Lepidoptera, Erebididae, Catocalinae). Nota lepid. 34 (2): 169-170, figs. [\[available in Cesa Library\]](#)
- 4744. Korb, S.K.**, 2013, The status of *Satyrus abramovi* var. *korlana* Staudinger, 1901 (Nymphalidae). Nota lepid. 36 (1): 47-52, figs. [\[available in Cesa Library\]](#)
- 4745. Korb, S.K., Perounov, Y.E. & R.V.Yakovlev**, 2000, Les *Rhopalocères* de l'Altai planitière (Lepidoptera, Rhopalocera). Alexanor 21 (1): 71-77, fig.1. [\[available in Cesa Library\]](#)
- 4746. Kornoşor, S. & M.Lödl**, 1990, New records of Noctuidae (Lepidoptera) from Turkey. Z. ArbGem. Öst. Ent. 42 (1/2): 58-60, 10 figs. [\[available in Cesa Library\]](#)

4747. **Kornoşor,S. & M.Lödl**, 1990, Two new species of the genera *Orthosia* Ochsenheimer,1816 and *Simyra* Ochsenheimer,1816 from Turkey (Noctuidae,Lepidoptera). *Z. ArbGem. Öst. Ent.* 42 (3/4): 68-72. [\[available in Cesa Library\]](#)
4748. **Kornoşor,S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste ?? Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): ??-94.
4749. **Kornoşor,S.**, 1982, Türkiye Noctuidae (Lepidoptera) türleri ve yayılışlarına ait ön liste II. Quadrifinae grubu. Çukurova Univ. Fen-Ed. Fak. Yıll. 1 (1/2): 95-102. [\[available in Cesa Library\]](#)
4750. **Kornoşor,S.**, 1989, Three new *Euxoa* Hübner,1821 (Lepidoptera, Noctuidae) species from Turkey. *Türk ent. derg.* 13 (4): 205-216. [\[available in Cesa Library\]](#)
4751. **Korolev,V.A. & V.S.Murzin**, 1997, Historical review, [in] Tusov,V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [\[available in Cesa Library\]](#)
4752. **Korshunov,J.P.**, 1982, New form of club-shaped Lepidoptera (Lepidoptera, Rhopalocera) from northern Asia. *Gelminty Kleshchi i nasekomye Novosibirsk*: 86-91.
4753. **Korshunov,Y.P. & A.P.Kumakov**, 1979, Lepidoptera of the Saratov Region. 240pp. Saratov.
4754. **Korshunov,Y.P. & J.R.Viidalepp**, 1980, A new species of the genus *Pseudophilotes* Beuret,1958 (Lepidoptera, Lycaenidae) from Yakutia. *Novye maloizvestnye vidy fauny Sibiri*, Novosibirsk 14: 154-157.
4755. **Korshunov,Y.P. & P.Gorbunov**, 1995, The butterflies of the Asian part of Russia. Rhopalocera. 202 pp., 421 maps, 5 Pls. [in Russian]. [\[available in Cesa Library\]](#)
4756. **Korshunov,Y.P. & V.P.Soljanikov**, 1976, Butterflies (Lepidoptera, Diurna) of Mongolian People's Republic. *Nasekomye Mongolii* 4: 403-458.
4757. **Korshunov,Y.P.**, 1964, Butterflies (Lepidoptera, Rhopalocera) of the mountainous part and the southern coast of Crimea. *Ent. Obozr.* 43 (3): 592-604.
4758. **Korshunov,Y.P.**, 1972, A Catalogue of diurnal butterflies (Lepidoptera, Rhopalocera) of the fauna of the U.S.S.R. *Ent. Obozr.* 51 (1): 136-154; (2): 352-362. [\[available in Cesa Library\]](#)
4759. **Korshunov,Y.P.**, 1973, Butterflies of Tuva. *Fauna Sibiri* (Pt.2) Novosibirsk 1973: 204-220.
4760. **Korshunov,Y.P.**, 1973, Lepidoptera from the collection of the Tobolsk Museum of Local Lore. *Fauna Sibiri* (Pt.2) Novosibirsk 1973: 181-203.
4761. **Korshunov,Y.P.**, 1974, Butterflies (Lepidoptera, Diurna) of Mongolia. *Voprosy ent. Sibiri* Novosibirsk 1974: 46-47.
4762. **Korshunov,Y.P.**, 1977, Butterflies (Lepidoptera, Diurna) of Mongolian People's Republic. *Nasekomye Mongolii* 5: 649-681.
4763. **Korshunov,Y.P.**, 1982, New taxa of butterflies (Lepidoptera, Rhopalocera) from Northern Asia. *Novye maloizvestnye vidy fauny Sibiri*, Novosibirsk 16: 86-91.
4764. **Korshunov,Y.P.**, 1982, Butterflies (Lepidoptera, Diurna) of the Yenisei and Taimyr, north of Polar circle. *Poleznye i vrednye nasekomye Sibiri*, Novosibirsk 1982: 75-87.
4765. **Korshunov,Y.P.**, 1984, New subspecies of *Argynnis sagana* Bdl. from Siberia. *Vestnik Zool.* 17: 58-62.
4766. **Korshunov,Y.P.**, 1984, The type-locality of *Agriades pyrenaicus ergane* Higgins,1980 (Lepidoptera, Lycaenidae). *Vestnik Zool.* 1984 (3): 10.
4767. **Korshunov,Y.P.**, 1984, The Red Book of the USSR. Moscow. [\[available in Cesa Library\]](#)
4768. **Korshunov,Y.P.**, 1986, Species and subspecies of Lepidoptera new to the fauna of the USSR. *Vestn. Zool.* 1986 (3): 87.
4769. **Korshunov,Y.P.**, 1988, Neue Tagfalter (Lepidoptera, Rhopalocera) aus Chakassien, Tuwa und Jakutien. [in] Zolotarenko,G.S., *Taksonomija Zhiwotnych Sibiri*: 65-80, 9 figs. Novosibirsk, Nauka.
4770. **Korshunov,Y.P.**, 1996, Corrigenda and Addenda "The butterflies of the Asian part of Russia. Rhopalocera". 66pp. ETA Grp., Novosibirsk [in Russian].
4771. **Koster,J.C. & S.Y.Sinev**, 2003, Microlepidoptera of Europe volume 5. Momphidae, Batrachedridae, Stathmopodidae, Agonoxenidae, Cosmopterigidae, Chrysopeleidae. Apollo Books, Stenstrup. [\[available in Cesa Library\]](#)
4772. **Koster,J.C.**, 2008, Notes on the Cosmopterigidae (Lepidoptera) of Afghanistan and Jammu & Kashmir, India with descriptions of two new species. *Zool. Meded.* 82 (1): 91-102, figs. [\[available in Cesa Library\]](#)

- 4773. Koster,J.C., Özbek,H., Aslan,I. & T.Rutten,** 2004, *Blastodacna libanotica* Diakonoff,1939 - a pest on Pear in Turkey (Agonoxenidae). *Nota lepid.* 27 (1): 33-40, figs. [[available in Cesa Library](#)]
- 4774. Kosterin,O.E.,** 1994, Butterflies (Lepidoptera) of the Katunskii mountain range, Central Altai. *Actias* 1 (1/2): 45-76. [[available in Cesa Library](#)]
- 4775. Kosterin,O.E.,** 1994, Butterflies (Lepidoptera, Diurna) of the Koni Peninsula (Magadan region). *Actias* 1 (1/2): 77-81. [[available in Cesa Library](#)]
- 4776. Kosterin,O.E.,** 2000, Description of a new subspecies of the *Boloria pales* ([Denis & Schiffermüller],1775) sensu Warren (1944) (Lepidoptera, Nymphalidae) from Altai. *Far Eastern Ent.* 86: 1-10, 3 figs. [[available in Cesa Library](#)]
- 4777. Kostjuk,I.J.,** 2009, *Agriopis budashkini* sp.n. - a new species of geometrid moths (Lepidoptera, Geometridae, Ennominae) from Crimea. *Proc. zool. Mus. Kiev* 5: 61-64, figs. [[available in Cesa Library](#)]
- 4778. Kostrowicki,A.S.,** 1961, Studies on the Palaearctic species of the subfamily Plusiinae (Lepidoptera). *Acta zool. cracov.* 6: 367-472, pls. [[available in Cesa Library](#)]
- 4779. Kostrowicki,A.S.,** 1969, Geography of the Palaearctic Papilionoidea (Lepidoptera). 380 pp., 125 figs. *Panstowe Wyd. Nauk., Warschaw.* [[available in Cesa Library](#)]
- 4780. Kotzsch,H.,** 1928, Ein neuer *Colias* aus dem Richthofengebirge. *Ent. Z., Frankf. a. M.* 43 (19): 236-237. [[available in Cesa Library](#)]
- 4781. Kotzsch,H.,** 1929, Neue Falter aus dem Richthofengebirge usw. *Ent. Z., Frankf. a. M.* 43: 204-206, figs.1-10. [[available in Cesa Library](#)]
- 4782. Kotzsch,H.,** 1934, Neues über *Colias chlorocoma*. *Ent. Rdsch.* 51 (29): 228.
- 4783. Kotzsch,H.,** 1935, *Colias* Studien meiner Armenien Reise 1934. *Ent. Z., Frankf. a. M.* 49: 97-101. [[available in Cesa Library](#)]
- 4784. Kotzsch,H.,** 1936, Ein Sommer unter den Kurden. *Ent. Rdsch.* 53: 313-317, 352-359, 372-376, 393-396, 414-418, 9 Abb. [[available in Cesa Library](#)]
- 4785. Kotzsch,H.,** 1936, Die Parnassier meiner Hindukush-Expedition 1936. *Parnassiana* 4: 4-9, figs.1-8.
- 4786. Kotzsch,H.,** 1936, *Parnassius autocrator* eine eigene Art. *Ent. Rdsch.* 54: 50-52, Pl.1 [[available in Cesa Library](#)]
- 4787. Kotzsch,H.,** 1937, Weitere Falterneuheiten aus meiner Hindukusch-Expedition 1936. *Ent. Rdsch.* 55: 9-10. [[available in Cesa Library](#)]
- 4788. Kotzsch,H.,** 1938, *Argynnis argyrosplata* sp.n. *Ent. Rdsch.* 55: 360, Abb. [[available in Cesa Library](#)]
- 4789. Kotzsch,H.,** 1940, Eine neue Noctuide aus Iran. *Eustrotia* Hb. (*Erastria* O.) *iranica* sp. nov. *Ent. Z., Frankf. a. M.* 54: 73-74, figs. [[available in Cesa Library](#)]
- 4790. Kotzsch,H.,** 1940, *Parnassius inopinatus*, ein überraschende neue Art. *Ent. Tidskr.* 54: 17-21, 2 figs.
- 4791. Koutroubas,A.G.,** 1993, *Pseudochazara geyeri occidentalis* (Rebel & Zerny,1931) espèce nouvelle pour la Grèce (Lepidoptera, Nymphalidae). *Phegea* 21 (2): 45-46. [[available in Cesa Library](#)]
- 4792. Koutroubas,A.G.,** 1994, *Erebia rhodopensis* (Nicholl,1900) espee nouvelle pour la Grece (Lepidoptera, Nymphalidae, Satyrinae). *Phegea* 22 (1): 9-13, 1 Pl., 3figs. [[available in Cesa Library](#)]
- 4793. Koutsaftikis,A.,** 1973, Die Papilionides Griechenlands. *Annls Mus. Goulandris* 1: 239-244. [[available in Cesa Library](#)]
- 4794. Koutsaftikis,A.,** 1980, Ökologische Beobachtungen an einer abweichenden Form von *Pontia daplidice* (Linnaeus) (Pieridae) in Attika. *Nota lepid.* 2 (4): 51-52. [[available in Cesa Library](#)]
- 4795. Kovtunovich,V., Ustjuzhanin,P. & R.Murphy,** 2014, Plume moths of Malawi (Lepidoptera, Pterophoridae). *Zootaxa* 3847 (4): 452-494, figs. [[available in Cesa Library](#)]
- 4796. Kozhantschikov,I.V.,** 1928, Beitrag zur Kenntnis der Agrotiden. Übersicht der Gattung *Triphaena* Hb. *Encycl. ent. (B3)* 3: 67-87, 7 figs. [[available in Cesa Library](#)]
- 4797. Kozhantschikov,I.V.,** 1950, *Volnyiaki* (Orgyidae). *Fauna SSSR*, 12: 1-581 pp. Moskva-Leningrad.
- 4798. Kozhantshikov,I.V.,** 1937, Insectes Lepidopteres Fam. Noctuidae (subfam. Agrotinae), [in] Stackelberg,A.A. [ed.], *Faune de l'URSS* vol.xiii, no.3, *Inst. Zool. Acad. Sci. URSS, Moscou & Leningrad* [in Russian with English Summary]. [[available in Cesa Library](#)]
- 4799. Kozhantshikov,I.V.,** 1956, Lepidoptera Psychidae (Chekhlonosy-meshechnitsy), [in] Stackelberg,A.A. [ed.] *Faune of the USSR* vol.iii, no.2, *Zool. Inst. Acad. Sci. USSR, Moskva-Leningrad*, [Israel Program for Scientific Translations, Jerusalem, 1969]. [[available in Cesa Library](#)]

- 4800. Kozlov, M.V. & E.L.Zvereva**, 2006, Aggregation of *Micropterix maschukella* moths on inflorescences of common elder: mating at foraging sites (Lepidoptera Micropterigidae). *Ethology Ecology & Evolution* 18: 147-158, figs. [\[available in Cesa Library\]](#)
- 4801. Kozlov, M.V.**, 1985, New and little known Opostegid moths (Lepidoptera, Opostegidae) from the asiatic parts of the USSR. *Proc. zool. Inst. USSR* 134: 49-58, 20 figs. [\[available in Cesa Library\]](#)
- 4802. Kozlov, M.V.**, 1985, The morphology biology and systematic position of *Mirina christophi* Stgr. (Lepidoptera, Bombycoidea, Endromididae). *Vestn. Biol., Leningrad Univ.* 1985 (4): 3-9.
- 4803. Kozlov, M.V.**, 1994, Geographical variation in wing pattern of *Micropterix maschukella* Alpheraky, 1876 (Lepidoptera, Micropterigidae). *Nota lepid.* 17 (1/2): 45-52, figs. [\[available in Cesa Library\]](#)
- 4804. Kozlov, M.V.**, 1997, A taxonomic revision of the divina species-group of the genus *Nemophora* Hoffmannsegg (Lepidoptera, Adelidae). *Dt. ent. Z. (N.F.)* 44 (2): 137-145, figs. [\[available in Cesa Library\]](#)
- 4805. Kozlov, M.V.**, 2003, Annotated checklist of the European species of *Nemophora* (Adelidae). *Nota lepid.* 26 (3/4): 115-126.
- 4806. Kozlov, M.V.**, 2004, Records of the genus *Nemophora* Hoffmannsegg, 1798 from Spain: critical re-examination of the collections of the Museo Nacional de Ciencias Naturales (Madrid) (Lepidoptera, Adelidae). *Shilap Revta. lepid.* 32 (126): 95-98. [\[available in Cesa Library\]](#)
- 4807. Kozlov, M.V.**, 2006, *Adela alurgis* sp.n. from Syria (Adelidae). *Nota lepid.* 28 (3/4): 193-196, figs.
- 4808. Kozlov, M.V., Kullberg, J. & V.E.Zverev**, 2014, Lepidoptera of Arkhangelsk oblast of Russia: a regional checklist. *Ent. fenn.* 25: 113-141. [\[available in Cesa Library\]](#)
- 4809. Kozlov, M.V., Kullberg, J. & V.V.Dubatolov**, 2006, Lepidoptera of the Taymyr peninsula, northwestern Siberia. *Ent. fenn.* 17: 136-152, [\[available in Cesa Library\]](#)
- 4810. Koçak, A.Ö. & K.Akın**, 2011, Clytie haifae (Habisch), new to the fauna of Turkey (Lepidoptera, Noctuidae). *Cesa News* 63: 6-7, 1 fig. [\[available in Cesa Library\]](#)
- 4811. Koçak, A.Ö. & M.Kemal**, 1999, Addenda and corrigenda to the work entitled "Genetical Fund Cadastre of Kyrgyzstan, volume III Superclassis Hexapoda (Entognatha and Insecta)" edited by E.Dzh. Shukurov et al., Bishkek, 1996, 406pp. *Cent. ent. Stud., Misc. Pap.* 59: 1-3. [\[available in Cesa Library\]](#)
- 4812. Koçak, A.Ö. & M.Kemal**, 2000, A replacement name in the section *Agrodiaetus* Hbn. of the genus *Polyommatus* Latreille (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 62: 7-8. [\[available in Cesa Library\]](#)
- 4813. Koçak, A.Ö. & M.Kemal**, 2000, Kazakhstan Lepidoptera faunası için yeni bir tür kaydı (Lycaenidae). *Cent. ent. Stud., Misc. Pap.* 64: 6. [\[available in Cesa Library\]](#)
- 4814. Koçak, A.Ö. & M.Kemal**, 2000, Nomenclatural notes on some taxa (Papilionoidea, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 10-12. [\[available in Cesa Library\]](#)
- 4815. Koçak, A.Ö. & M.Kemal**, 2000, *Chazara briseis* (Linnaeus) üzerine revizyon notları (Satyridae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 65/66: 1-5. [\[available in Cesa Library\]](#)
- 4816. Koçak, A.Ö. & M.Kemal**, 2000, Entomological expedition of the Cesa to the Kazakhstan and Kyrgyzstan in 1999. *Cent. ent. Stud., Misc. Pap.* 70: 1-5. [\[available in Cesa Library\]](#)
- 4817. Koçak, A.Ö. & M.Kemal**, 2000, *Euphydryas Scudder* cinsi içinde "sareptana Staudinger" in taksonomik durumu hakkında (Argynnidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 70: 5-6. [\[available in Cesa Library\]](#)
- 4818. Koçak, A.Ö. & M.Kemal**, 2000, Şerqi Asiye ve Pasipiktiki bezi taksonlar heqqide nomenklatur hatiriliri (Papilionidae, Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 71: 1-7 [in Uighur language]. [\[available in Cesa Library\]](#)
- 4819. Koçak, A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. *Cent. ent. Stud., Stud., Misc. Pap.* 74: 1-3. [\[available in Cesa Library\]](#)
- 4820. Koçak, A.Ö. & M.Kemal**, 2001, Yeni Kaledonya'daki bir *Graphium* türünün nomenklaturu hakkında (Lepidoptera, Papilionidae). *Cent. ent. Stud., Misc. Pap.* 74: 3-4, 1 fig. [\[available in Cesa Library\]](#)
- 4821. Koçak, A.Ö. & M.Kemal**, 2001, Lepidoptera coğrafyası üzerine araştırmalar 1. Ankara vilayeti keleklerinin zoocoğrafik analizi. *Cent. ent. Stud., Priamus* 10 (3/4): 105-111. [\[available in Cesa Library\]](#)

- 4822. Koçak,A.Ö. & M.Kemal**, 2001, Lepidoptera coğrafiyesi üstide tetqiqatlar 2.Qazaqistan k pineklirining zoocoğrafiyesi ve taksonomiyesi üstide tetqiqatlar (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Priamus 10 (3/4): 111-163 [in Uighur language]. [[available in Cesa Library](#)]
- 4823. Koçak,A.Ö. & M.Kemal**, 2001, Lepidoptera coğrafiyesi üstide tetqiqatlar 3.İraq k pinekliri üstide zoocoğrafiyelik hatiriler (Lepidoptera, Papilionoidea, Hesperioidea). Cent. ent. Stud., Priamus 10 (3/4): 164-173 [in Uighur language]. [[available in Cesa Library](#)]
- 4824. Koçak,A.Ö. & M.Kemal**, 2001, Addenda and Corrigenda to the work entitled: "Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhoplocera) volume 2" edited by Tusov, V.K. et al., Sofia - Moscow, 2000. Cent. ent. Stud., Misc. Pap. 75: 1-3. [[available in Cesa Library](#)]
- 4825. Koçak,A.Ö. & M.Kemal**, 2001, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) I. Cent. ent. Stud., Misc. Pap. 77: 1-8. [[available in Cesa Library](#)]
- 4826. Koçak,A.Ö. & M.Kemal**, 2001, Türkiye kelebeklerinin anadillerdeki isimlerinin listesi. Cent. ent. Stud., Misc. Pap. 72/73: 1-15. [[available in Cesa Library](#)]
- 4827. Koçak,A.Ö. & M.Kemal**, 2001, Checklist of the butterflies of Afghanistan. <http://www.members.tripod.com/entlep/Af.htm> [access March 2006]. [[available in Cesa Library](#)]
- 4828. Koçak,A.Ö. & M.Kemal**, 2002, Corrections and additions to the work entitled "Geometrid Moths of the World", edited by M.J.Scoble (Lepidoptera) II. Cent. ent. Stud., Misc. Pap. 86: 1-2. [[available in Cesa Library](#)]
- 4829. Koçak,A.Ö. & M.Kemal**, 2002, Türkiye'de bir Karakuşaklı Güzel Colobochyla platyzona (Lederer,1870) (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 86: 2-5, figs. [[available in Cesa Library](#)]
- 4830. Koçak,A.Ö. & M.Kemal**, 2002, Euapatura mirza'nın besin bitkisi hakkında (Lepidoptera, Argynniidae). Cent. ent. Stud., Misc. Pap. 86: 5-7, figs. [[available in Cesa Library](#)]
- 4831. Koçak,A.Ö. & M.Kemal**, 2002, Bazı taksonomik ve zoocoğrafik notlarla birlikte Hyponephele Muschamp cinsinin kataloğı (Lepidoptera, Satyridae). Cent. ent. Stud., Misc. Pap. 80/81: 1-15, 1 Tab. [[available in Cesa Library](#)]
- 4832. Koçak,A.Ö. & M.Kemal**, 2002, Aethria Hübner,[1821] cins isminin geçerliliğı hakkında (Noctuidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 80/81: 15-16. [[available in Cesa Library](#)]
- 4833. Koçak,A.Ö. & M.Kemal**, 2002, Faunistik taksonomik ve zoocoğrafik notlarla Çatak kelebekleri (Papilionoidea, Hesperioidea, Lepidoptera). Cent. ent. Stud., Misc. Pap. 82/85: 1-32, figs. [[available in Cesa Library](#)]
- 4834. Koçak,A.Ö. & M.Kemal**, 2002, Van'da üç nadir Sinirkanath türü hakkında (Planipennia, Ascalaphidae, Nemopteridae). Cent. ent. Stud., Misc. Pap. 87: 5-8, 6 figs. [[available in Cesa Library](#)]
- 4835. Koçak,A.Ö. & M.Kemal**, 2005, Nomenclature note on the Australic Geometridae (Lepidoptera). Cent. ent. Stud., Priamus 11 (3): 59-60. [[available in Cesa Library](#)]
- 4836. Koçak,A.Ö. & M.Kemal**, 2006, Checklist of the family Notodontidae in Thailand (Lepidoptera). Cent. ent. Stud., Misc. Pap. 104: 1-8. [[available in Cesa Library](#)]
- 4837. Koçak,A.Ö. & M.Kemal**, 2006, Notes on the nomenclature of some species group taxa in the genus Euproctis (s.l.) (Lepidoptera, Lymantriidae) [in Turkish]. Cent. ent. Stud., Misc. Pap. 102-103: 13-14. [[available in Cesa Library](#)]
- 4838. Koçak,A.Ö. & M.Kemal**, 2006, Notes on the nomenclature of some species group taxa in the family Geometridae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 102-103: 15-16. [[available in Cesa Library](#)]
- 4839. Koçak,A.Ö. & M.Kemal**, 2006, Corrections on the publication entitled "Moths of Thailand vol. two, Sphingidae" published in 1997 by H. Inoue, R.D.Kennett and I.J.Kitching (Lepidoptera). Cent. ent. Stud., Misc. Pap. 94: 1-2. [[available in Cesa Library](#)]
- 4840. Koçak,A.Ö. & M.Kemal**, 2006, A nomenclature note on the Asiatic Acarina (Eriophyoidea). Cent. ent. Stud., Misc. Pap. 97: 6. [[available in Cesa Library](#)]
- 4841. Koçak,A.Ö. & M.Kemal**, 2006, Nomenclatural notes on the Neotropical Pyralidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 97: 7-8. [[available in Cesa Library](#)]
- 4842. Koçak,A.Ö. & M.Kemal**, 2006, Checklist of Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 1: 1-196. [[available in Cesa Library](#)]
- 4843. Koçak,A.Ö. & M.Kemal**, 2006, Corrections on the publication entitled "Moths of Thailand, vol.Three, Noctuidae, Part I" published in 2005 by V.S.Kononenko and Bro.Pinratana (Lepidoptera). Cent. ent. Stud., Misc. Pap. 93: 1-8, 1 Tab. [[available in Cesa Library](#)]

- 4844. Koçak,A.Ö. & M.Kemal**, 2006, List of the species in the genus *Pelochrista* Lederer, with some remarks (Lepidoptera, Tortricidae). Cent. ent. Stud., Misc. Pap. 98: 1-6. [\[available in Cesa Library\]](#)
- 4845. Koçak,A.Ö. & M.Kemal**, 2006, Proposal of a replacement name in the Lasiocampidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 7-8. [\[available in Cesa Library\]](#)
- 4846. Koçak,A.Ö. & M.Kemal**, 2006, On the nomenclature of some Arachnida. Cent. ent. Stud., Misc. Pap. 100: 5-6. [\[available in Cesa Library\]](#)
- 4847. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Şırnak Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 127: 1-8. [\[available in Cesa Library\]](#)
- 4848. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ardahan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 128: 1-8. [\[available in Cesa Library\]](#)
- 4849. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Iğdır Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 129/130: 1-12. [\[available in Cesa Library\]](#)
- 4850. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of İçel Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 131-133: 1-20. [\[available in Cesa Library\]](#)
- 4851. Koçak,A.Ö. & M.Kemal**, 2007, A replacement name for a Hawaiian moth (Tortricidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 3-4. [\[available in Cesa Library\]](#)
- 4852. Koçak,A.Ö. & M.Kemal**, 2007, Notes on the nomenclature of Asiatic butterflies (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 5-6. [\[available in Cesa Library\]](#)
- 4853. Koçak,A.Ö. & M.Kemal**, 2007, Replacement names for some Microlepidoptera (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 5-7. [\[available in Cesa Library\]](#)
- 4854. Koçak,A.Ö. & M.Kemal**, 2007, Notes on the nomenclature of Asiatic Noctuidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 7-8. [\[available in Cesa Library\]](#)
- 4855. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa I- Democratic Republic of Congo (Zaire) stand 18.7.2007 [totally 2683 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri3.pdf/base_view [\[available in Cesa Library\]](#)
- 4856. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 2- Rwanda stand 18.7.2007 [totally 359 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri4.pdf/base_view [\[available in Cesa Library\]](#)
- 4857. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 3- Nigeria stand 18.7.2007 [totally 1341 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri5.pdf/base_view [\[available in Cesa Library\]](#)
- 4858. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 4- Cameroon stand 18.7.2007 [totally 1791 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri6.pdf/base_view [\[available in Cesa Library\]](#)
- 4859. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 5- Tanzania stand 19.7.2007 [totally 1945 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri7.pdf/base_view [\[available in Cesa Library\]](#)
- 4860. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 6- Uganda stand 19.7.2007 [totally 1891 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri8.pdf/base_view [\[available in Cesa Library\]](#)
- 4861. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 7- Zimbabwe stand 19.7.2007 [totally 1386 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri9.pdf/base_view [\[available in Cesa Library\]](#)
- 4862. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 8- Malawi stand 19.7.2007 [totally 900 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri10.pdf/base_view [\[available in Cesa Library\]](#)

- 4863. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 9- Algeria stand 19.7.2007 [totally 1482 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri11.pdf/base_view [available in Cesa Library]
- 4864. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 10- Ethiopia stand 19.7.2007 [totally 940 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri12.pdf/base_view [available in Cesa Library]
- 4865. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 11- Kenia and Somalia stand 19.7.2007 [totally 2032 and 326 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri13.pdf/base_view [available in Cesa Library]
- 4866. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 12- Sudan stand 19.7.2007 [totally 764 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri14.pdf/base_view [available in Cesa Library]
- 4867. Koçak,A.Ö. & M.Kemal**, 2007, Report on the temporary results of the faunal lists of African states basen upon the Databank of the Cesa 13- Angola stand 19.7.2007 [totally 919 sp. & ssp. listed]. http://www.metafro.be/Members/Cesa/Cesapublafri15.pdf/base_view [available in Cesa Library]
- 4868. Koçak,A.Ö. & M.Kemal**, 2007, Preliminary checklist of *Loxostege* Hbn., with some taxonomical and geographical notes (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 136: 2-8. [available in Cesa Library]
- 4869. Koçak,A.Ö. & M.Kemal**, 2007, Revised and annotated checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 8: 1-150, 2 Tables. [available in Cesa Library]
- 4870. Koçak,A.Ö. & M.Kemal**, 2007, Annotated List of the *Lycaena* Fabr. (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 135: 1-8. [available in Cesa Library]
- 4871. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 10: Illustrated list of the Lepidoptera recorded in Doi Intanon (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1740-1744, figs. [available in Cesa Library]
- 4872. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 12: Illustrated list of the Lepidoptera recorded in Chiang Mai University Campus (North Thailand), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1760-1765, figs. [available in Cesa Library]
- 4873. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 13: List of the Lepidoptera in Afghanistan, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1766-1789. [available in Cesa Library]
- 4874. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 16: Lepidoptera fauna of Eretna Sultanate in Asia Minor (LER), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1919-1989, 49 Pls. [for all chapters of Memoirs 3-4] [available in Cesa Library]
- 4875. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 4: Bibliography of the Lepidoptera (BL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1117-1267. [available in Cesa Library]
- 4876. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 6: Results of the researches on the animal-plant interaction: Food-plants of the Lepidoptera (FL), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1589-1644, figs. [available in Cesa Library]
- 4877. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 7: Illustrated list of the Lepidoptera recorded in the Transvaal (South Africa), [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1645-1684, figs. [available in Cesa Library]
- 4878. Koçak,A.Ö. & M.Kemal**, 2007, Chapter 15: Illustrated list of the Lepidoptera recorded in the Philippines, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1849-1918, figs. [available in Cesa Library]
- 4879. Koçak,A.Ö. & M.Kemal**, 2007, A replacement name for a Hawaiian moth (Tortricidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 4. [available in Cesa Library]

- 4880. Koçak,A.Ö. & M.Kemal**, 2007, Replacement names for some Microlepidoptera (Lepidoptera). Cent. ent. Stud., Misc. Pap. 105: 6-7. [[available in Cesa Library](#)]
- 4881. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bursa Province (North West Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (5): 81-111. [[available in Cesa Library](#)]
- 4882. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Kars Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (6): 113-131. [[available in Cesa Library](#)]
- 4883. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Kahramanmaraş Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 11 (7): 133-171. [[available in Cesa Library](#)]
- 4884. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ankara Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (1): 1-32. [[available in Cesa Library](#)]
- 4885. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Konya Province (Central Turkey) (Lepidoptera). Cent. ent. Stud., Priamus 12 (2): 33-62. [[available in Cesa Library](#)]
- 4886. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Adıyaman Province (South East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 106: 3-8. [[available in Cesa Library](#)]
- 4887. Koçak,A.Ö. & M.Kemal**, 2007, Replacement names for Neotropical Moths (Geometridae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 106: 1-2. [[available in Cesa Library](#)]
- 4888. Koçak,A.Ö. & M.Kemal**, 2007, A replacement name for a Neotropical butterfly (Acraeidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 106: 2-3. [[available in Cesa Library](#)]
- 4889. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Ağrı Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 107/108: 1-12. [[available in Cesa Library](#)]
- 4890. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Artvin Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 109/110: 1-16. [[available in Cesa Library](#)]
- 4891. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Elazığ Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 113/114: 1-12. [[available in Cesa Library](#)]
- 4892. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bitlis Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 111/112: 1-12. [[available in Cesa Library](#)]
- 4893. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Erzincan Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 115/116: 1-16. [[available in Cesa Library](#)]
- 4894. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Erzurum Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 117/119: 1-20. [[available in Cesa Library](#)]
- 4895. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Hatay Province (South Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 120/121: 1-16. [[available in Cesa Library](#)]
- 4896. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Malatya Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 122/123: 1-12. [[available in Cesa Library](#)]
- 4897. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Tunceli Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 124/125: 1-12. [[available in Cesa Library](#)]
- 4898. Koçak,A.Ö. & M.Kemal**, 2007, Synonymical and distributional list of the species of Bayburt Province (North East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 126: 1-8. [[available in Cesa Library](#)]
- 4899. Koçak,A.Ö. & M.Kemal**, 2008, Geometridae of South Africa with revised species list of Transvaal (Limpopo, Mpumalanga, Gauteng), a temporary results of the Cesa Project Lepidoptera of South Africa (LZA), 27 pp. (pdf) <<http://www.members.tripod.com/entcesa/zageom.pdf>> [referenced by Zoologisches Staatssammlung München in FORUM HERBULOT, Identification Tools/Inventories,

- Afrotropical Region: South Africa/Transvaal:
<http://www.herbulo.de/Herbulot_Reg/links.htm> [\[available in Cesa Library\]](#)
- 4900. Koçak,A.Ö. & M.Kemal**, 2008, Notes on the nomenclature of some genus group names in Arthropoda. Cent. ent. Stud., Misc. Pap. 138: 2. [\[available in Cesa Library\]](#)
- 4901. Koçak,A.Ö. & M.Kemal**, 2008, A replacement name for a genus in Diapsididae from Borneo, Sarawak (Homoptera, Coccoidea). Cent. ent. Stud., Misc. Pap. 138: 6. [\[available in Cesa Library\]](#)
- 4902. Koçak,A.Ö. & M.Kemal**, 2008, Josefrazowskia nom. nov. in Afrotropical Tortricidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 138: 9. [\[available in Cesa Library\]](#)
- 4903. Koçak,A.Ö. & M.Kemal**, 2008, A replacement name Ahoyemenia nom.nov. from Yemen (Lepidoptera, Noctuidae). Cent. ent. Stud., Misc. Pap. 138: 10. [\[available in Cesa Library\]](#)
- 4904. Koçak,A.Ö. & M.Kemal**, 2008, Synonymical and distributional list of the Lepidoptera of Turkey -I.Tortricidae. Cent. ent. Stud., Priamus Suppl. 13: 1-39. [\[available in Cesa Library\]](#)
- 4905. Koçak,A.Ö. & M.Kemal**, 2008, Patronymic names in Lepidoptera I- A list of the scientific names referring to the persons based upon the Info-System of the Cesa. 212 pp. 32 figs. Cesa & YYU Publication. [\[available in Cesa Library\]](#)
- 4906. Koçak,A.Ö. & M.Kemal**, 2008, Announcement with illustrations: "Studies on the Lepidoptera Fauna of Artos Mountain (Van Province, East Turkey)". Cesa News 27: 1-10, 18 figs. [\[available in Cesa Library\]](#)
- 4907. Koçak,A.Ö. & M.Kemal**, 2008, On the late summer butterflies of Artos Mountain (Van Province, East Turkey). Cesa News 29: 1-11, 17 figs. [\[available in Cesa Library\]](#)
- 4908. Koçak,A.Ö. & M.Kemal**, 2008, A replacement name for a subspecies of Spargania magnoliata (Gn.) in the U.S.A. (Hydriomenini, Larentiinae, Geometridae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 138: 7. [\[available in Cesa Library\]](#)
- 4909. Koçak,A.Ö. & M.Kemal**, 2008, Diversity of the Lepidoptera in the World (DLW), A project supported by the Cesa. Cesa News 2: 1-9. [\[available in Cesa Library\]](#)
- 4910. Koçak,A.Ö. & M.Kemal**, 2008, New synonyms in the genus group names of some Moths (Lepidoptera, Noctuidae, Geometridae). Cent. ent. Stud., Misc. Pap. 138: 1. [\[available in Cesa Library\]](#)
- 4911. Koçak,A.Ö. & M.Kemal**, 2008, Some nomenclatural notes on the Geometridae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 138: 8-9. [\[available in Cesa Library\]](#)
- 4912. Koçak,A.Ö. & M.Kemal**, 2008, First attempt for a list of the patronyms in the Lepidopterology based upon the Info-System of the Cesa. Priamus Suppl. 12: 1-89. [\[available in Cesa Library\]](#)
- 4913. Koçak,A.Ö. & M.Kemal**, 2008, Synonymical and distributional list of the species of Muş Province (East Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 1-6. [\[available in Cesa Library\]](#)
- 4914. Koçak,A.Ö. & M.Kemal**, 2008, Second report on the temporary results of the Lepidopteran list of Africa Continent based upon the Databank of the Cesa. stand 4.8.2008. Cesa Publ. on African Lepid. 24: 1-1068, 7 maps. [\[available in Cesa Library\]](#)
- 4915. Koçak,A.Ö. & M.Kemal**, 2008, Reports on the temporary results of the Lepidopteran lists of the Asian Continent based upon the Info-system of the Cesa - I. Russia. Cent. ent. Stud., Priamus Suppl. 14: 1-466. [\[available in Cesa Library\]](#)
- 4916. Koçak,A.Ö. & M.Kemal**, 2008, Checklist of the diurnal Lepidoptera of Turkey. Cent. ent. Stud., Priamus Suppl. 15: 1-41. [\[available in Cesa Library\]](#)
- 4917. Koçak,A.Ö. & M.Kemal**, 2009, Revised checklist of the Lepidoptera of Turkey. Cent. ent. Stud., Priamus (suppl.) 17: 1-253. [\[available in Cesa Library\]](#)
- 4918. Koçak,A.Ö. & M.Kemal**, 2009, Report of the Project "Lepidoptera of Indo-China (LIC)" 1- Temporary index of the species group names of the Lepidoptera. Cent. ent. Stud., Priamus (suppl.) 16: 1-330, 81 figs. [totally 11474 species are listed]. [\[available in Cesa Library\]](#)
- 4919. Koçak,A.Ö. & M.Kemal**, 2010, Stray notes of a life devoted to Entomology. Cesa News 59: 1-54, 101 figs. [\[available in Cesa Library\]](#)
- 4920. Koçak,A.Ö. & M.Kemal**, 2010, Pterygot insects of Afghanistan. A tentative synonymic list of the species known in Afghanistan (Results of the Entomofauna of the World, based upon infosystem of the Cesa) [Lepidoptera is represented here as 1649 species]. Cent. ent. Stud., Priamus (suppl.) 19: 1-98. [\[available in Cesa Library\]](#)
- 4921. Koçak,A.Ö. & M.Kemal**, 2010, Lepidoptera of Thailand. Cesa News 60: 1-184, 37 figs. [\[available in Cesa Library\]](#)

- 4922. Koçak, A.Ö. & M. Kemal**, 2010, Evaluation of the lepidopterological bibliography based upon the info-system of the Cesa. Cent. ent. Stud., Priamus (Suppl.) 21: 1-1185, 39 figs. 3 graphs. [\[available in Cesa Library\]](#)
- 4923. Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Middle East (Results of the Entomofauna of the World based upon info-system of the Cesa) - 88, Part 2: List of the valid names of the order Lepidoptera. Cent. ent. Stud., Priamus (Suppl.) 18: 3077-3186. [\[available in Cesa Library\]](#)
- 4924. Koçak, A.Ö. & M. Kemal**, 2010, Synonymic and distributional list of the pterygot insects of Cyprus (Results of the Entomofauna of the World based upon info-system of the Cesa) - 4, Synonymic and distributional list of the order Lepidoptera of Cyprus. Cent. ent. Stud., Priamus (Suppl.) 18: 420-476. [\[available in Cesa Library\]](#)
- 4925. Koçak, A.Ö. & M. Kemal**, 2011, Ethiopia gigantea Owada in Palawan Island, The Philippines (Lepidoptera, Pyralidae). Cesa News 69: 1-2, figs. [\[available in Cesa Library\]](#)
- 4926. Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey III. Cesa News 68: 1-17, 21 figs. [\[available in Cesa Library\]](#)
- 4927. Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey II. Cesa News 67: 1-26. [\[available in Cesa Library\]](#)
- 4928. Koçak, A.Ö. & M. Kemal**, 2011, Notes on the Insecta in the collection of the Cesa. Lepidoptera of Turkey I. Cesa News 66: 1-37. [\[available in Cesa Library\]](#)
- 4929. Koçak, A.Ö. & M. Kemal**, 2012, Occurrence of Stiphrometasia monialis in Northern Pakistan (Lepidoptera, Pyralidae). Cesa News 76: 2-4, 2 figs. 1 map. [\[available in Cesa Library\]](#)
- 4930. Koçak, A.Ö. & M. Kemal**, 2012, On a faunistic record of Corcobara angulipennis Moore in the Philippines (Lepidoptera, Noctuidae). Cesa News 73: 1-2, 1 fig. 1 map. [\[available in Cesa Library\]](#)
- 4931. Koçak, A.Ö. & M. Kemal**, 2012, On the occurrence of Tatargina pannosa (Moore) in North Pakistan (Lepidoptera, Arctiidae). Cesa News 74: 5-6, 2 figs. 1 map. [\[available in Cesa Library\]](#)
- 4932. Koçak, A.Ö. & M. Kemal**, 2012, A new species and a genus for the Lepidoptera fauna of Pakistan (Pyralidae). Cesa News 74: 3-5, 2 figs. 1 map. [\[available in Cesa Library\]](#)
- 4933. Koçak, A.Ö. & M. Kemal**, 2012, Lepidoptera of Afghanistan. Annotated bibliography and synonymical checklist of the known species. Cent. ent. Stud., Priamus (Suppl.) 26: 1-134, 17 figs. [\[available in Cesa Library\]](#)
- 4934. Koçak, A.Ö. & M. Kemal**, 2012, Preliminary list of the Lepidoptera of Sri Lanka. Cesa News 79: 1-57. [\[available in Cesa Library\]](#)
- 4935. Koçak, A.Ö. & M. Kemal**, 2012, Revised list of the scientific names referring to the persons based upon the info-system of the Cesa 1-Lepidoptera. Cesa News 84: 15-120. [\[available in Cesa Library\]](#)
- 4936. Koçak, A.Ö. & M. Kemal**, 2012, Number of the species of the Lepidoptera fauna of the selected countries with sample lists of some classical localities in the Old World. Cesa News 83: 8-55. [\[available in Cesa Library\]](#)
- 4937. Koçak, A.Ö. & M. Kemal**, 2012, Iğdır kelekleri (Lepidoptera). Cent. ent. Stud., Priamus (Suppl.) 27: ix + 1-253, 194 figs., 190 maps. [\[available in Cesa Library\]](#)
- 4938. Koçak, A.Ö. & M. Kemal**, 2013, A regrettable case for the Lepidopterology caused by a dipterist, a report on an article, published in an university journal in Turkey. Cesa News 87: 1-5, figs. [\[available in Cesa Library\]](#)
- 4939. Koçak, A.Ö. & M. Kemal**, 2014, Lepidoptera of Pakistan based upon the Info-system of the Cesa II- Preliminary annotated checklist of the species recorded in Pakistan. Cesa News 96: 1-160, 12 pls. [\[available in Cesa Library\]](#)
- 4940. Koçak, A.Ö. & M. Kemal**, 2014, Lepidoptera of Iran based upon the info-system of the Cesa. Priamus (Suppl.) 31: 1-487. [\[available in Cesa Library\]](#)
- 4941. Koçak, A.Ö. & M. Kemal**, 2014, Faunistic list of the Lepidoptera of the provinces of Turkey, together with the recorded pterygots. Cesa News 97: 1-3. [\[available in Cesa Library\]](#)
- 4942. Koçak, A.Ö. & M. Kemal**, 2014, Faunal list of the Lepidoptera of Kahramanmaraş province in Turkey, together with the recorded pterygots, based upon the info-system of the Cesa. Cesa News 99: 1-178, 54 figs. [\[available in Cesa Library\]](#)
- 4943. Koçak, A.Ö. & M. Kemal**, 2015, Annotated lists of the Lepidoptera of Algeria, based upon the info-system of the Cesa. Priamus (Suppl.) 34: 1-794, 436 maps. [\[available in Cesa Library\]](#)
- 4944. Koçak, A.Ö. & M. Kemal**, 2015, List of the Lepidoptera of Mardin Province (SE Turkey). Cesa News 103: 27-37. [\[available in Cesa Library\]](#)

- 4945. Koçak,A.Ö. & M.Kemal**, 2015, A preliminary list of the Pterygota of Muş Province, based upon the info-system of the Cesa. Cesa News 104: 9-69, 1 fig. 18 maps. [[available in Cesa Library](#)]
- 4946. Koçak,A.Ö. & M.Kemal**, 2015, Initial list of the Pterygota of Malatya Province, based upon the info-system of the Cesa (East Turkey). Cesa News 105: 1-150, 30 figs. 58 maps. [[available in Cesa Library](#)]
- 4947. Koçak,A.Ö. & M.Kemal**, 2015, Nemrut Kalderası'nın diurnal Lepidopterlerinin habitat tercihlerinin karşılaştırmalı analizi (Bitlis, Türkiye). Priamus Suppl. 37: ix ♀ 1-57, şekiller. [[available in Cesa Library](#)]
- 4948. Koçak,A.Ö. & M.Kemal**, 2015, Annotated list of the Arctiidae of Turkey (Lepidoptera). Cesa News 111: 1-60, 36 figs. 30 maps. [[available in Cesa Library](#)]
- 4949. Koçak,A.Ö. & M.Kemal**, 2015, List of the genera of Pyralidae of Turkey (Lepidoptera). Cesa News 114: 1-19. [[available in Cesa Library](#)]
- 4950. Koçak,A.Ö. & M.Kemal**, 2015, List of the genus group names of Noctuidae of Algeria (Lepidoptera). Cesa News 115: 1-20. [[available in Cesa Library](#)]
- 4951. Koçak,A.Ö. & M.Kemal**, 2015, List of the genus group names of the family Noctuidae of Turkey (Lepidoptera). Priamus (Suppl.) 40: 1-30. [[available in Cesa Library](#)]
- 4952. Koçak,A.Ö. & M.Kemal**, 2015, Annotated list of the Lepidoptera of Hakkari Province (SE Turkey). Cesa News 116: 1-146, 69 figs. 18 maps. [[available in Cesa Library](#)]
- 4953. Koçak,A.Ö. & M.Kemal**, 2015, List of the genera of the Geometridae of Turkey (Lepidoptera). Cesa News 118: 1-16. [[available in Cesa Library](#)]
- 4954. Koçak,A.Ö. & M.Kemal**, 2015, List of the genera of the Hesperioidea and Papilionoidea of Turkey (Lepidoptera). Cesa News 117: 1-17. [[available in Cesa Library](#)]
- 4955. Koçak,A.Ö. & M.Kemal**, 2015, Annotated list of the genera of Afghanistan Lepidoptera and numerical evaluations with some other countries. Priamus 13 (1): 1-73, 4 Tab. [[available in Cesa Library](#)]
- 4956. Koçak,A.Ö. & M.Vural**, 1998, Türkiye'deki bazı Lepidopter'lerin biyonomisi hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 51: 6-7. [[available in Cesa Library](#)]
- 4957. Koçak,A.Ö. & S.Seven**, 1990, Anthocharis cardamines (Linnaeus) türünün erken gelişme safhaları üzerine bir çalışma (Lepidoptera, Pieridae). Cent. ent. Stud., Misc. Pap. 8: 5-7, şek.1. [[available in Cesa Library](#)]
- 4958. Koçak,A.Ö. & S.Seven**, 1991, Faunistische Notizen über Türkisch-Thrazien Lepidopteren. Cent. ent. Stud., Misc. Pap. 10: 4-12, 4 Abb. [[available in Cesa Library](#)]
- 4959. Koçak,A.Ö. & S.Seven**, 1991, Lepidopterlerin erken gelişme safhaları ve beslenme biyolojisine katkılar-I. Cent. ent. Stud., Priamus 5 (4): 149-156, 9 şekil. [[available in Cesa Library](#)]
- 4960. Koçak,A.Ö. & S.Seven**, 1991, Faunistisch- ökologische Notizen über Tagfalterfauna von Kızılcahamam (Prov. Ankara, Türkei) (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 105-122, 3 Abb. [[available in Cesa Library](#)]
- 4961. Koçak,A.Ö. & S.Seven**, 1993, Türkiye Kod Listesi İle İlgili Taksonomik Notlar-I (Lepidoptera). Cent. ent. Stud., Misc. Pap. 18: 1-4. [[available in Cesa Library](#)]
- 4962. Koçak,A.Ö. & S.Seven**, 1993, Über die Tagfalterfauna des Gebirges Hodulca bei Kızılcahamam (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 97-113. [[available in Cesa Library](#)]
- 4963. Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera Bibliyografyası. Cent. ent. Stud., Memoirs 2: 1-141. [[available in Cesa Library](#)]
- 4964. Koçak,A.Ö. & S.Seven**, 1994, "Türkiye Kod Listesi" ile ilgili taksonomik notlar-II (Lepidoptera). Cent. ent. Stud., Misc. Pap. 19: 5-8. [[available in Cesa Library](#)]
- 4965. Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera faunasına katkılar-II. Cent. ent. Stud., Misc. Pap. 21: 1-8. [[available in Cesa Library](#)]
- 4966. Koçak,A.Ö. & S.Seven**, 1994, Türkiye Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 20: 1-8. [[available in Cesa Library](#)]
- 4967. Koçak,A.Ö. & S.Seven**, 1995, Türkiye'den Yeni Bir Lycaenidae Taksonu Hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 25: 1-5, 1 harita. [[available in Cesa Library](#)]
- 4968. Koçak,A.Ö. & S.Seven**, 1995, Yeni Bir Pyralidae Cinsi ve Türü Hakkında (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 23/24: 13-16, 2 şekil. [[available in Cesa Library](#)]
- 4969. Koçak,A.Ö. & S.Seven**, 1995, Tokat Papilionoidea ve Hesperioidea Faunası ve Ekolojisi Hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (3): 93-116. [[available in Cesa Library](#)]
- 4970. Koçak,A.Ö. & S.Seven**, 1996, Anadolunun Diurnal Lepidoptera Birlikleri ve Ekolojisi. Cent. ent. Stud., Priamus 8 (3/4): 53-167. [[available in Cesa Library](#)]

- 4971. Koçak,A.Ö. & S.Seven,** 1997, Negros Papilionoidea, Hesperioidea faunası ve taksonomisi üzerine araştırmalar (Lepidoptera) (Filipin entomolojik ekspedisyonu sonuçları-IV). Cent. ent. Stud., Priamus 9 (2/3): 57-114, 1 harita. [\[available in Cesa Library\]](#)
- 4972. Koçak,A.Ö. & S.Seven,** 1997, Türkiye Crambinae Faunası Üzerine Araştırmalar (Lepidoptera, Pyralidae). Cent. ent. Stud., Misc. Pap. 39/40: 1-16. [\[available in Cesa Library\]](#)
- 4973. Koçak,A.Ö. & S.Seven,** 1997, Palaearktik Noctuid'lerin taksonomisi ve nomenklatürü üzerine notlar VI. Avrupa Noctuid'lerinin familya grubu taksonlarının nomenklatürü hakkında. Cent. ent. Stud., Misc. Pap. 37: 3-8. [\[available in Cesa Library\]](#)
- 4974. Koçak,A.Ö. & S.Seven,** 1997, Negros ve Panay adalarından bazı Sarrothripinae türleri hakkında (Lepidoptera, Noctuidae) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları III). Centr. ent. Stud., Misc. Pap. 46: 5-8, 4 harita. [\[available in Cesa Library\]](#)
- 4975. Koçak,A.Ö. & S.Seven,** 1997, Etiyopya ile komşu ülkelerinin Hesperioidea türleri ve dağılımları hakkında (Lepidoptera) Cent. ent. Stud., Misc. Pap. 48: 3-7. [\[available in Cesa Library\]](#)
- 4976. Koçak,A.Ö. & S.Seven,** 1997, Etiyopya ile komşu ülkelerinin Argynnidae türleri ve bazı taksonomik notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 46: 1-4. [\[available in Cesa Library\]](#)
- 4977. Koçak,A.Ö. & S.Seven,** 1997, Balabak adasından (Filipinler) küçük bir Lepidoptera koleksiyonu hakkında. Cent. ent. Stud., Misc. Pap. 47: 1-6, 1 harita. [\[available in Cesa Library\]](#)
- 4978. Koçak,A.Ö. & S.Seven,** 1997, Lacydes spectabilis sheljuzhkoii Dubatolov'un Türkiye'de bulunuşu hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 1-2, 1 harita. [\[available in Cesa Library\]](#)
- 4979. Koçak,A.Ö. & S.Seven,** 1998, Negros Panay ve Bohol adalarından bazı Noctuidae türleri hakkında (Lepidoptera) (Filipin Adaları Entomolojik Ekspedisyonunun Sonuçları-V) Cent. ent. Stud., Misc. Pap. 50: 1-6, 1 harita. [\[available in Cesa Library\]](#)
- 4980. Koçak,A.Ö. & S.Seven,** 1998, Eski Dünya Polyommata alttribusuna ait taksonların nomenklatürü ve sınıflandırması hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 1-5, 1 grafik. [\[available in Cesa Library\]](#)
- 4981. Koçak,A.Ö. & S.Seven,** 1998, A tentative list of the threatened butterflies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 3-8. [\[available in Cesa Library\]](#)
- 4982. Koçak,A.Ö. & S.Seven,** 1998, On the Papilionoidea and Hesperioidea fauna of the Mount Karsağı (Turkey) (Lepidoptera). Cent. ent. Stud., Misc. Pap. 53/54: 1-12. [\[available in Cesa Library\]](#)
- 4983. Koçak,A.Ö. & Seven,S. & M.Kemal,** 2007, Chapter 3: Valid species group names (species, and subspecies) recorded in the Databank of the CESA, [in] Koçak,A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 143-1116. [\[available in Cesa Library\]](#)
- 4984. Koçak,A.Ö. & Y.Hosseinpour,** 1996, Bazı tür grubu taksonlarının nomenklatürü hakkında (Lepidoptera, Lycaenidae). Cent. ent. Stud., Priamus 7 (3): 117-119. [\[available in Cesa Library\]](#)
- 4985. Koçak,A.Ö.,** 1975, New Lepidoptera from Turkey-I. Atalanta 6 (1): 24-30, figs. [\[available in Cesa Library\]](#)
- 4986. Koçak,A.Ö.,** 1975, A new species of genus Lysandra from Turkey (Lepidoptera, Lycaenidae). Atalanta 6 (1): 31-34, 6 figs. [\[available in Cesa Library\]](#)
- 4987. Koçak,A.Ö.,** 1975, New Lepidoptera from Turkey-II. Atalanta 6 (1): 50-55, 10 figs. [\[available in Cesa Library\]](#)
- 4988. Koçak,A.Ö.,** 1976, A new subspecies of Melanargia larissa from Turkey (Lepidoptera, Satyridae). Atalanta 7 (1): 40-41, 2 figs. [\[available in Cesa Library\]](#)
- 4989. Koçak,A.Ö.,** 1977, Studies on the family Lycaenidae (Lep.) I. New taxa and records from East Turkey. Atalanta 8 (1): 41-62, 24 figs. [\[available in Cesa Library\]](#)
- 4990. Koçak,A.Ö.,** 1977, New Lepidoptera from Turkey V. Atalanta 7 (2): 126-146, 47 Abb, 1 map. [\[available in Cesa Library\]](#)
- 4991. Koçak,A.Ö.,** 1977, New Lepidoptera from Turkey IV. Description of a new subspecies of Archon apollinus (Herbst,1789) (Parnasiidae). NachrBl. Bayer. Ent. 26 (3): 54-60, 7 figs. [\[available in Cesa Library\]](#)
- 4992. Koçak,A.Ö.,** 1978, Pseudochazara mamurra Herrich-Schäffer aus dem Libanon mit Beschreibung einer neuen Unterart (Lep., Satyridae). Atalanta 9 (4a): 372-375, 4 Abb. [\[available in Cesa Library\]](#)
- 4993. Koçak,A.Ö.,** 1979, Studies on the family Lycaenidae II. New Taxa and Records from Turkey. Atalanta 10 (4a): 309-325, 37 figs. [\[available in Cesa Library\]](#)

- 4994. Koçak, A.Ö.**, 1980, Studies on the family Lycaenidae III. A review of the subspecies of *Agrodiaetus* (Sublysandria) *myrrhus* (H.-S., 1852). *Atalanta* 11 (4): 262-272, 14 figs. [[available in Cesa Library](#)]
- 4995. Koçak, A.Ö.**, 1980, Changes in the generic names of some West-Palaearctic Lepidoptera (Part 1). *Communs Fac. Sci. Univ. Ankara, (Ser C3, Zool.)* 24: 27-41. [[available in Cesa Library](#)]
- 4996. Koçak, A.Ö.**, 1980, Some notes on the nomenclature of Lepidoptera. *Communs Fac. Sci. Univ. Ankara, (Ser C3, Zool.)* 24: 7-25. [[available in Cesa Library](#)]
- 4997. Koçak, A.Ö.**, 1980, On the nomenclature of some genus- and species-group names of Lepidoptera. *Nota lepid.* 2 (4): 139-146. [[available in Cesa Library](#)]
- 4998. Koçak, A.Ö.**, 1981, On the criticisms made by Dr. I.W.B. Nye regarding my two recent papers published in this journal in 1980. *Communs Fac. Sci. Univ. Ankara, (Ser C3, Zool.)* 25: 11-23. [[available in Cesa Library](#)]
- 4999. Koçak, A.Ö.**, 1981, *Buszkoiana* nom. nov. A Replacement name in the family Pterophoridae (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 10. [[available in Cesa Library](#)]
- 5000. Koçak, A.Ö.**, 1981, On the nomenclature of some genera of the family Psychidae (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 7-10; 1(3): 122-123. [[available in Cesa Library](#)]
- 5001. Koçak, A.Ö.**, 1981, On the status of the family names Nymphalidae and Heliconiidae described by Swainson. *Cent. ent. Stud., Priamus* 1 (2): 93-96. [[available in Cesa Library](#)]
- 5002. Koçak, A.Ö.**, 1981, Nomenclatural note on the genus *Petersenia* Gozmany, 1960 (Tineidae). *Cent. ent. Stud., Priamus* 1 (2): 45. [[available in Cesa Library](#)]
- 5003. Koçak, A.Ö.**, 1981, On the type-species of the genus *Proterebia* Roos & Arnscheid, 1980 (Satyridae, Lepidoptera). *Cent. ent. Stud., Priamus* 1 (1): 6-7. [[available in Cesa Library](#)]
- 5004. Koçak, A.Ö.**, 1981, On the nomenclature of some genera of Lepidoptera. *Cent. ent. Stud., Priamus* 1(1): 18-23; 1(3): 97-109, 112-122. [[available in Cesa Library](#)]
- 5005. Koçak, A.Ö.**, 1981-1984, Critical Check-list of European Papilionoidea (Lepidoptera). *Cent. ent. Stud., Priamus* 1 (2): 46-90; 1 (4): 155-167; 2 (2): 69-92; 3 (1): 11-37. [[available in Cesa Library](#)]
- 5006. Koçak, A.Ö.**, 1982, Notes on *Archon apollinus* (Herbst, 1798) (Papilionidae, Lepidoptera). *Cent. ent. Stud., Priamus* 2 (1): 44-63, figs., map. [[available in Cesa Library](#)]
- 5007. Koçak, A.Ö.**, 1982, On the date of publication of "Nachtrag" of Heydenreich's *Lepidopterorum Europaeorum Catalogus Methodicus* (3.ed.), 130pp. 1851. *Cent. ent. Stud., Priamus* 2 (2): 92-95. [[available in Cesa Library](#)]
- 5008. Koçak, A.Ö.**, 1982-1983, Additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut, 1980. *Cent. ent. Stud., Priamus* 2 (3): 97-133; 2 (4): 137-157. [[available in Cesa Library](#)]
- 5009. Koçak, A.Ö.**, 1982-1987, On the validity of the species group names proposed by Denis & Schiffermüller, 1775 in "Ankündigung (sic!) eines systematischen Werkes von den Schmetterlingen der Wiener Gegend". *Cent. ent. Stud., Priamus* 2 (1): 4-42; 3 (3): 98-130; 3 (4): 133-154; 4 (1/2): 22-36; 4 (3): 81-86. [[available in Cesa Library](#)]
- 5010. Koçak, A.Ö.**, 1983, Some notes on "Classification of the superfamily Sesiioidea (Lepidoptera, Ditrysia)" by J. P. Heppner & W. D. Duckworth, 1981. *Cent. ent. Stud., Priamus* 2 (4): 169-170. [[available in Cesa Library](#)]
- 5011. Koçak, A.Ö.**, 1983, On the nomenclature of the genus *Hipparchia* Fabricius, 1807 (Lepidoptera, Satyridae). *Cent. ent. Stud., Priamus* 2 (4): 166-169. [[available in Cesa Library](#)]
- 5012. Koçak, A.Ö.**, 1983, Foodplants of the adults of Turkish Butterflies -I. *Cent. ent. Stud., Priamus* 3 (2): 86-92. [[available in Cesa Library](#)]
- 5013. Koçak, A.Ö.**, 1983, On the nomenclature of *Thersamonia thersamon* (Esper, 1784) from the West Palaearctic Region (Lycaenidae, Lepidoptera). *Cent. ent. Stud., Priamus* 3 (1): 3-5. [[available in Cesa Library](#)]
- 5014. Koçak, A.Ö.**, 1983, Ecological Notes. *Cent. ent. Stud., Priamus* 3 (1): 6. [[available in Cesa Library](#)]
- 5015. Koçak, A.Ö.**, 1983-1986, More notes on the homonymy of the specific names of Lepidoptera. *Cent. ent. Stud., Priamus* 2 (1983) (4): 164-166; 3 (1983) (2): 41-42; 4 (1986) (1/2): 55-60. [[available in Cesa Library](#)]
- 5016. Koçak, A.Ö.**, 1984, More additions and corrections to the names published in "Systematic and Synonymic List of the Lepidoptera of France, Belgium and Corsica" by Leraut 1980. *Cent. ent. Stud., Priamus* 3 (4): 155-168. [[available in Cesa Library](#)]

- 5017. Koçak, A.Ö.**, 1986, On the paper "Lepidoptera names of Denis & Schifferrmüller - A case for stability" by K.Sattler & W.G. Tremewan in 1984. Cent. ent. Stud., Priamus 4 (1): 3-12. [\[available in Cesa Library\]](#)
- 5018. Koçak, A.Ö.**, 1986, A New Species of the genus *Ethmia* Hübner from Turkey (Lep., Azinidae). Cent. ent. Stud., Priamus 4 (1/2): 62-64, figs. [\[available in Cesa Library\]](#)
- 5019. Koçak, A.Ö.**, 1986, Türkiye Lepidopter'lerinin Dağılışı Haritaları Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 48-51, harita. [\[available in Cesa Library\]](#)
- 5020. Koçak, A.Ö.**, 1986, Ayaş Dağları Lepidopterleri Hakkında. Cent. ent. Stud., Priamus 4 (1/2): 66-77. [\[available in Cesa Library\]](#)
- 5021. Koçak, A.Ö.**, 1986, *Charaxes jasius* Linn.'un gece uçuşu ve Anadoludaki yayılışı. Cent. ent. Stud., Priamus 4 (1/2): 45-46. [\[available in Cesa Library\]](#)
- 5022. Koçak, A.Ö.**, 1986, On the foodplants of Turkish Lepidoptera-I. Cent. ent. Stud., Priamus 4 (1/2): 13-18. [\[available in Cesa Library\]](#)
- 5023. Koçak, A.Ö.**, 1986, *Pseudozarba bipartita* H.-Sch. Türkiye'den yeni bir Noctuidae Türü (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 19-20. [\[available in Cesa Library\]](#)
- 5024. Koçak, A.Ö.**, 1986, On the nomenclature of the species *Mirificarma interruptella* (Hübner, 1793). Cent. ent. Stud., Priamus 4 (1/2): 65-66. [\[available in Cesa Library\]](#)
- 5025. Koçak, A.Ö.**, 1986, *Eratophyes aleatrix* Diakonoff. Türkiye'den yeni bir Epigraphiidae (=Oecophoridae) cins ve türünün ilk kaydı hakkında (Lepidoptera). Cent. ent. Stud., Priamus 4 (1/2): 52-54. [\[available in Cesa Library\]](#)
- 5026. Koçak, A.Ö.**, 1987, Diurnal Lepidoptera of Çal Dağı (Central Anatolia) 1. Remarks on the Ecology of the species. Cent. ent. Stud., Priamus 4 (3): 87-114. [\[available in Cesa Library\]](#)
- 5027. Koçak, A.Ö.**, 1987, *Chersotis* (Cyrebia) *adili* sp.n. Description of a new species from N.E. Turkey, with some notes on other closely related species (Lepidoptera, Noctuidae). Cent. ent. Stud., Priamus 4 (3): 121-125, figs. [\[available in Cesa Library\]](#)
- 5028. Koçak, A.Ö.**, 1987, *Panstegia meciti* sp.n. Description of a new species in the family Pyralidae (Lepidoptera). Cent. ent. Stud., Priamus 4 (3): 115-116, figs. [\[available in Cesa Library\]](#)
- 5029. Koçak, A.Ö.**, 1987, *Sultania lophotalis* (Hampson) Koçak in Turkey, with a description of a new genus (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 4 (3): 117-120, figs. [\[available in Cesa Library\]](#)
- 5030. Koçak, A.Ö.**, 1989, *Geometra purissima* Wiltshire in North Pakistan (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 100-102, 2 figs. 1 map. [\[available in Cesa Library\]](#)
- 5031. Koçak, A.Ö.**, 1989, Autobiography of Prof. Dr. Ahmet Ö. Koçak. Cent. ent. Stud., Misc. Pap. 1: 1-4. [\[available in Cesa Library\]](#)
- 5032. Koçak, A.Ö.**, 1989, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera)-I. Cent. ent. Stud., Priamus 5 (3): 103-104. [\[available in Cesa Library\]](#)
- 5033. Koçak, A.Ö.**, 1989, On the Lepidoptera taken from Elmadağ (Central Anatolia). Cent. ent. Stud., Priamus 5 (1/2): 23-25. [\[available in Cesa Library\]](#)
- 5034. Koçak, A.Ö.**, 1989, *Croesia bergmanniana* (Linn.). New to the fauna of Turkey (Lepidoptera, Tortricidae). Cent. ent. Stud., Priamus 4 (4): 161. [\[available in Cesa Library\]](#)
- 5035. Koçak, A.Ö.**, 1989, Provision of a valid name for the type-species of the genus *Sideridis* Hübner, 1821 (Noctuidae, Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 1-2. [\[available in Cesa Library\]](#)
- 5036. Koçak, A.Ö.**, 1989, On the authorship of the family name Lemoniidae with some nomenclatural notes on other related groups (Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 147-149. [\[available in Cesa Library\]](#)
- 5037. Koçak, A.Ö.**, 1989, *Pseudochazara lydia nesrin* (ssp.n.). A new subspecies from Turkey (Lepidoptera, Satyridae). Cent. ent. Stud., Priamus 5 (1/2): 69-71, figs. [\[available in Cesa Library\]](#)
- 5038. Koçak, A.Ö.**, 1989, Results of the Lepidopterological Expedition to North Pakistan in 1987, Part 1: Introduction. Cent. ent. Stud., Priamus 4 (4): 129-140, 1 map. [\[available in Cesa Library\]](#)
- 5039. Koçak, A.Ö.**, 1989, On the Lepidoptera of Ayaş District (C. Anatolia). Cent. ent. Stud., Priamus 4 (4): 150-161, figs. [\[available in Cesa Library\]](#)
- 5040. Koçak, A.Ö.**, 1989, *Hyponphele lycaonoides* Weiss in Turkey, with descriptions of new subspecies (Lep., Satyridae). Cent. ent. Stud., Priamus 4 (4): 142-146, 6 figs. [\[available in Cesa Library\]](#)
- 5041. Koçak, A.Ö.**, 1989, On the butterflies of Yugoslavia (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 3-22, 1 map [\[available in Cesa Library\]](#)

- 5042. Koçak,A.Ö.**, 1989, Migration of *Ephesia nymphaea* Esp.,1788 (Noctuidae). Cent. ent. Stud., Priamus 4 (4): 149. [\[available in Cesa Library\]](#)
- 5043. Koçak,A.Ö.**, 1989, On the butterflies of Taurus Mountains in the provinces Antalya and Konya (S.Turkey), with some taxonomic descriptions and remarks (Lepidoptera). Cent. ent. Stud., Priamus 5 (1/2): 33-68, 1 fig. [\[available in Cesa Library\]](#)
- 5044. Koçak,A.Ö.**, 1989, More notes on the homonymy of the specific names of Lepidoptera. Cent. ent. Stud., Priamus 4 (4): 141-142. [\[available in Cesa Library\]](#)
- 5045. Koçak,A.Ö.**, 1989, Description of the genus *Adoritis* (gen.n.) with notes on other closely related groups in Parnassiinae (Papilionidae, Lepidoptera). Cent. ent. Stud., Priamus 4 (4): 163-170, figs. [\[available in Cesa Library\]](#)
- 5046. Koçak,A.Ö.**, 1989, *Discoloxia blomeri* (Curtis) in Turkey (Lepidoptera, Geometridae). Cent. ent. Stud., Priamus 5 (3): 92-94, 1 fig. [\[available in Cesa Library\]](#)
- 5047. Koçak,A.Ö.**, 1989, Notes on the Lepidoptera of Erzurum Province (East Turkey). Cent. ent. Stud., Priamus 5 (3): 73-91, 6 figs. [\[available in Cesa Library\]](#)
- 5048. Koçak,A.Ö.**, 1989, On the early stages of *Parnassius apollo* L. from North Turkey. Cent. ent. Stud., Priamus 5 (1/2): 31-32. [\[available in Cesa Library\]](#)
- 5049. Koçak,A.Ö.**, 1989, Migration of *Parahipparchia algerica* Obth.,1876 (Satyridae). Cent. ent. Stud., Priamus 4 (4): 149. [\[available in Cesa Library\]](#)
- 5050. Koçak,A.Ö.**, 1989, On the early stages of *Cynaeda gigantea* (Stgr.) in Central Turkey (Lepidoptera, Pyralidae). Cent. ent. Stud., Priamus 5 (3): 95-97, 2 figs. [\[available in Cesa Library\]](#)
- 5051. Koçak,A.Ö.**, 1990, Kızılcahamam Lepidoptera faunasına katkılar-I. Cent. ent. Stud., Misc. Pap. 8: 1-4. [\[available in Cesa Library\]](#)
- 5052. Koçak,A.Ö.**, 1990, Additional faunistical and ecological notes to the Lepidoptera of Ayaş district (Central Turkey). Cent. ent. Stud., Misc. Pap. 4: 3-7. [\[available in Cesa Library\]](#)
- 5053. Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -II. Cent. ent. Stud., Misc. Pap. 5: 4. [\[available in Cesa Library\]](#)
- 5054. Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -IV. Cent. ent. Stud., Misc. Pap. 8: 4-5. [\[available in Cesa Library\]](#)
- 5055. Koçak,A.Ö.**, 1990, Seyahat Defterimden. Cent. ent. Stud., Misc. Pap. 2: 2-3; 6: 11-12. [\[available in Cesa Library\]](#)
- 5056. Koçak,A.Ö.**, 1990, Notes on the taxonomy and nomenclature of the Palaearctic Noctuidae (Lepidoptera) -III. Cent. ent. Stud., Misc. Pap. 7: 7. [\[available in Cesa Library\]](#)
- 5057. Koçak,A.Ö.**, 1990, On the full grown caterpillar of *Hyles euphorbiae* L. from SW. Turkey (Lepidoptera, Sphingidae). Cent. ent. Stud., Misc. Pap. 2: 1. [\[available in Cesa Library\]](#)
- 5058. Koçak,A.Ö.**, 1990, A new species to the fauna of Turkey *Archiearis notha* (Hübner,1803) (Lep., Geometridae). Cent. ent. Stud., Misc. Pap. 8: 7-8, fig. [\[available in Cesa Library\]](#)
- 5059. Koçak,A.Ö.**, 1990, On the butterflies of Bilecik province (NW. Turkey). Cent. ent. Stud., Misc. Pap. 2: 6-7. [\[available in Cesa Library\]](#)
- 5060. Koçak,A.Ö.**, 1990, An annotated list of the Lepidoptera of Karadere and Bolu district (Prov. Bolu, N.Turkey). Cent. ent. Stud., Misc. Pap. 6: 1-11. [\[available in Cesa Library\]](#)
- 5061. Koçak,A.Ö.**, 1990, An annotated list of the Lepidoptera collected from Işık Dağı (N.Turkey) in 1988. Cent. ent. Stud., Misc. Pap. 3: 1-7. [\[available in Cesa Library\]](#)
- 5062. Koçak,A.Ö.**, 1990, Ecological notes on the Turkish Lepidoptera. Cent. ent. Stud., Misc. Pap. 4: 1. [\[available in Cesa Library\]](#)
- 5063. Koçak,A.Ö.**, 1990, Additional notes to the Lepidoptera fauna of Işık Dağı (N.Turkey). Cent. ent. Stud., Misc. Pap. 5: 4-8. [\[available in Cesa Library\]](#)
- 5064. Koçak,A.Ö.**, 1990, Additional notes to the butterfly fauna of Taurus Mountains in the provinces Antalya and Konya (S.Turkey). Cent. ent. Stud., Misc. Pap. 2: 4-5. [\[available in Cesa Library\]](#)
- 5065. Koçak,A.Ö.**, 1991, Introductions and Remarks, [in] Seven,S. & S.Bulguer, A Bibliographical list of the homonymous generic names in Zoology based on S.A. Neave's Nomenclator Zoologicus (Vols. I-VII). Cent. ent. Stud., Memoirs 1: v-x, 82-83. Ankara. [\[available in Cesa Library\]](#)
- 5066. Koçak,A.Ö.**, 1991, Notes on the taxonomy and nomenclature of the palaearctic Noctuidae (Lepidoptera)-V. Cent. ent. Stud., Misc. Pap. 10: 1-3. [\[available in Cesa Library\]](#)
- 5067. Koçak,A.Ö.**, 1991, Über Lepidopterenfauna von Kızılcahamam mit taxonomischen Notizen (Lepidoptera). Cent. ent. Stud., Misc. Pap. 9: 1-10, 3 figs. [\[available in Cesa Library\]](#)

- 5068. Koçak, A.Ö.**, 1991, On the Arctiidae of Turkey in the collection of CES with some taxonomical and ecological notes (Lepidoptera). Cent. ent. Stud., Priamus 5 (4): 122-149, 7 figs. [\[available in Cesa Library\]](#)
- 5069. Koçak, A.Ö.**, 1992 Further notes on the Lepidoptera of Bilecik Province (NW.Turkey). Cent. ent. Stud., Misc. Pap. 13: 4-8. [\[available in Cesa Library\]](#)
- 5070. Koçak, A.Ö.**, 1992, M. ve W. Glaser tarafından Kızılcahamam'dan toplanan Lepidopterlerin listesi-I. Cent. ent. Stud., Misc. Pap. 14: 6-8; 15: 1-8. [\[available in Cesa Library\]](#)
- 5071. Koçak, A.Ö.**, 1992, *Lysandra syriaca* ssp. *burak* (n.ssp.), Güney Anadolu'dan yeni bir *Lycaenidae* alttürü (Lepidoptera). Cent. ent. Stud., Misc. Pap. 16: 6-8. [\[available in Cesa Library\]](#)
- 5072. Koçak, A.Ö.**, 1992, *Lycaenidae* familyasında yeni bir altcins *Alciphronia*'nın tanımı ve Türkiye'deki taksonlarına ait bazı taksonomik notlar (Lepidoptera, *Lycaenidae*). Cent. ent. Stud., Misc. Pap. 16: 1-5. [\[available in Cesa Library\]](#)
- 5073. Koçak, A.Ö.**, 1993, Trakyanın ilkbahar lepidopterleri hakkında faunistik notlar. Cent. ent. Stud., Misc. Pap. 17: 1-8. [\[available in Cesa Library\]](#)
- 5074. Koçak, A.Ö.**, 1993, Über die Schmetterlinge von Beypazarı (Prov. Ankara, Türkei). Cent. ent. Stud., Priamus 6 (3/4): 113-131. [\[available in Cesa Library\]](#)
- 5075. Koçak, A.Ö.**, 1995, Lepidoptera palaeo-tropica araştırma programı hakkında (LPT). Cent. ent. Stud., Misc. Pap. 22: 1-5. [\[available in Cesa Library\]](#)
- 5076. Koçak, A.Ö.**, 1995, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan Entomolojik ve Botanik Ekspedisyonunun Sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 22: 6-8, 1 harita. [\[available in Cesa Library\]](#)
- 5077. Koçak, A.Ö.**, 1996, [On the butterflies of Northern Addis Ababa (Ethiopia)]. Ethiop. Wildl. Nat. Hist. Soc., Newsl. 8: 6-7. [\[available in Cesa Library\]](#)
- 5078. Koçak, A.Ö.**, 1996, Filipin keleklerinin nomenklatürü üzerine notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 7-9. [\[available in Cesa Library\]](#)
- 5079. Koçak, A.Ö.**, 1996, 1996 Şubat ayında Etiyopya'ya yapılan lepidopterolojik ekspedisyonun sonuçları 1.Giriş. Cent. ent. Stud., Misc. Pap. 27/28: 1-7. [\[available in Cesa Library\]](#)
- 5080. Koçak, A.Ö.**, 1996, "Carcasson's African Butterflies" adlı yayına tamamlayıcı notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 27/28: 10-16. [\[available in Cesa Library\]](#)
- 5081. Koçak, A.Ö.**, 1996, Güney Batı Asya Polyommatae taksonlarının listesi ve bazı nomenklatür notları (Lepidoptera, *Lycaenidae*). Cent. ent. Stud., Misc. Pap. 30/33: 1-32. [\[available in Cesa Library\]](#)
- 5082. Koçak, A.Ö.**, 1996, Belucistan'ın (Pakistan) Papilionoidea ve Hesperioidea faunası üzerine araştırmalar (Lepidoptera). Cent. ent. Stud., Priamus 7 (4): 121-156. [\[available in Cesa Library\]](#)
- 5083. Koçak, A.Ö.**, 1997, 1996 Eylül ve Ekim aylarında Etiyopya'ya yapılan Entomolojik ekspedisyonun sonuçları I. Giriş. Cent. ent. Stud., Misc. Pap. 35/36: 1-4, 2 harita. [\[available in Cesa Library\]](#)
- 5084. Koçak, A.Ö.**, 1997, *Pieris brassicae* (Linnaeus, 1758) türünün Eritre'de bulunuşu hakkında (Lepidoptera, Pieridae). Cent. ent. Stud., Misc. Pap. 35/36: 4-6, 1 harita. [\[available in Cesa Library\]](#)
- 5085. Koçak, A.Ö.**, 1997, Filipin adalarına yapılan entomolojik ekspedisyon I.Giriş. Cent. ent. Stud., Misc. Pap. 45: 1-7, 1 harita. [\[available in Cesa Library\]](#)
- 5086. Koçak, A.Ö.**, 1997, Editörden mektup. Cent. ent. Stud., Priamus 9 (2/3): 115. [\[available in Cesa Library\]](#)
- 5087. Koçak, A.Ö.**, 1998, On the nomenclature of a taxon in the family Pieridae (Lepidoptera) with remarks on the taxonomical studies in Turkey. Cent. ent. Stud., Misc. Pap. 52: 1-3. [\[available in Cesa Library\]](#)
- 5088. Koçak, A.Ö.**, 1998, Doğu Anadolu'dan yeni bir *lycaenid* alttürü *Rubrapterus bavius* masal (subsp.n.) (Lepidoptera, *Lycaenidae*). Cent. ent. Stud., Misc. Pap. 57: 7-8. [\[available in Cesa Library\]](#)
- 5089. Koçak, A.Ö.**, 1998, Amur Bölgesinden Bir *Muschampia cribrellum* (Ev.) alttürü hakkında (Lepidoptera, Hesperidae). Cent. ent. Stud., Misc. Pap. 50: 6-7. [\[available in Cesa Library\]](#)
- 5090. Koçak, A.Ö.**, 1998, *Zhdankoana* (nom.nov.) in the family *Lycaenidae* (Lepidoptera). Cent. ent. Stud., Misc. Pap. 49: 7. [\[available in Cesa Library\]](#)
- 5091. Koçak, A.Ö.**, 1998, On a new synonym in the family *Lycaenidae* of Central Asia (Lepidoptera). Cent. ent. Stud., Misc. Pap. 50: 7-8. [\[available in Cesa Library\]](#)
- 5092. Koçak, A.Ö.**, 1999, Orta Anadolu'da yeni bir *Agrodiaetus* Hbn. türünün tanımı (Lepidoptera, *Lycaenidae*). Cent. ent. Stud., Misc. Pap. 59: 3-7, 4 figs. [\[available in Cesa Library\]](#)
- 5093. Koçak, A.Ö.**, 2000, Enkhore vilayitidiki kepineklirining sinonimik tizimliğı (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 1-22 [in Uighur language]. [\[available in Cesa Library\]](#)

- 5094. Koçak, A.Ö.**, 2000, Circular letter. Cent. ent. Stud., Misc. Pap. 67/69: 22-24. [[available in Cesa Library](#)]
- 5095. Koçak, A.Ö.**, 2000, Bookreview: Forester Moths. Cent. ent. Stud., Misc. Pap. 64: 7-8. [[available in Cesa Library](#)]
- 5096. Koçak, A.Ö.**, 2000, Bookreview: The western Palaearctic Zygaenidae. Cent. ent. Stud., Misc. Pap. 64: 7. [[available in Cesa Library](#)]
- 5097. Koçak, A.Ö.**, 2000, Revisional notes on the taxonomy of 'eurypilos Gerhard' and 'surakovi Dantchenko & Lukhtanov' in the genus *Latreille* (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 65/66: 8-10. [[available in Cesa Library](#)]
- 5098. Koçak, A.Ö.**, 2005, Nomenclatural note on the Nearctic Lepidoptera. Cent. ent. Stud., Priamus 11 (3): 59. [[available in Cesa Library](#)]
- 5099. Koçak, A.Ö.**, 2005, Centre for Entomological Studies Ankara (CESA). http://www.metafro.be/Members/Cesa/Cesa/base_view [[available in Cesa Library](#)]
- 5100. Koçak, A.Ö.**, 2006, A nomenclatural note on the Nearctic Noctuidae. Cent. ent. Stud., Misc. Pap. 98: 1. [[available in Cesa Library](#)]
- 5101. Koçak, A.Ö.**, 2006, Proposal of a replacement name in the Tortricidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 99: 6-7. [[available in Cesa Library](#)]
- 5102. Koçak, A.Ö.**, 2007, Project of the Cesa: Lepidoptera of Africa (LAF) (beginning: 2003). http://www.metafro.be/Members/Cesa/project.2007-07-18.3820575445/base_view [[available in Cesa Library](#)]
- 5103. Koçak, A.Ö.**, 2007, Project of the Cesa: Catalogue of South African Lepidoptera (LZA) (beginning: 2003). http://www.metafro.be/Members/Cesa/project.2007-07-16.3668615978/base_view [[available in Cesa Library](#)]
- 5104. Koçak, A.Ö.**, 2007, Chapter 1: General Information, [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 2-22, figs. [[available in Cesa Library](#)]
- 5105. Koçak, A.Ö.**, 2008, Illustration of *Choreutis muhabbet* Koçak, 2008 described in Miscellaneous Papers Nr. 142 pages 6-7 of the Cesa. Cesa News 30: 17, fig.1. [[available in Cesa Library](#)]
- 5106. Koçak, A.Ö.**, 2008, Description of *Choreutis muhabbet* sp.n. (Choreutidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 6-7. [[available in Cesa Library](#)]
- 5107. Koçak, A.Ö.**, 2008, Scientific note: A nomenclatural note on the preoccupied geometrid species in Far Eastern Russia (Lepidoptera). Cent. ent. Stud., Misc. Pap. 142: 7. [[available in Cesa Library](#)]
- 5108. [Koçak, A.Ö.]**, 2008, Irregular meeting of the Cesa. Cesa News 5: 1-4, 7 figs. [[available in Cesa Library](#)]
- 5109. Koçak, A.Ö.**, 2013, Nomenclatural notes in the family Lasiocampidae (Lepidoptera). Cent. ent. Stud., Misc. Pap. 160: 1-5. [[available in Cesa Library](#)]
- 5110. Koçak, A.Ö., Hüseyinoğlu, Y. & S.Seven**, 1997, 1995 yılında İran'a yapılan Lepidoptera ekspedisyonunun sonuçları III. Argynnidae, Lycaenidae, Hesperidae. Cent. ent. Stud., Misc. Pap. 44: 2-8. [[available in Cesa Library](#)]
- 5111. Koçak, A.Ö., Hüseyinoğlu, Y. & S.Seven**, 1997, 1995 yılında İran'a yapılan Lepidoptera ekspedisyonunun sonuçları II. Papilionidae, Pieridae, Coliadidae, Libytheidae, Danaidae, Satyridae. Cent. ent. Stud., Misc. Pap. 41: 1-8, 1 harita. [[available in Cesa Library](#)]
- 5112. Koçak, A.Ö., Kemal, M. & I.Akdeniz**, 2006, A new genus and species to the Lepidoptera fauna of Turkey and Syria (Papilionidae). Cent. ent. Stud., Misc. Pap. 97: 1-6, 2 figs. [[available in Cesa Library](#)]
- 5113. Koçak, A.Ö., Kemal, M. & L.Kayci**, 2011, List of the species of the Lepidoptera of Van Province (East Turkey). Cent. ent. Stud., Priamus (Suppl.) 23: 1-43, 9 figs. [[available in Cesa Library](#)]
- 5114. Koçak, A.Ö., Kemal, M. & P.Leksawasdi**, 2006, Annotated checklist of the Tortricidae of Thailand (Lepidoptera). Cent. ent. Stud., Misc. Pap. 102-103: 1-13. [[available in Cesa Library](#)]
- 5115. Koçak, A.Ö., Kemal, M. & S.Seven**, 2007, Chapter 14: Illustrated list of the Lepidoptera recorded in Iran, [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1790-1848, figs. [[available in Cesa Library](#)]
- 5116. Koçak, A.Ö., Kemal, M. & S.Seven**, 2007, Chapter 5: Original references to the genus- and species group names of the Lepidoptera, [in] Koçak, A.Ö. & M.Kemal, Results of the International Project of the CESA on the Lepidoptera of the World-I. Cent. ent. Stud., Memoirs 3-4: 1268-1588. [[available in Cesa Library](#)]

- 5117. Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci,** 2007, Selected bibliography on the Lepidoptera of Caucasus Region. Cent. ent. Stud., Priamus Suppl. 10: 1-44, 1 map. [\[available in Cesa Library\]](#)
- 5118. Koçak,A.Ö., Kemal,M. Seven,S. Özkol,H. & L.Kayci,** 2008, Noctuidae fauna of the Caucasus Region (Lepidoptera). Cent. ent. Stud., Priamus Suppl. 11: 1-128, 7 tables, 10 maps, 11 figs. [\[available in Cesa Library\]](#)
- 5119. Koçak,A.Ö., Kemal,M., Aydın,M. & Güngen,A.,** 2008, Two days in an oak woodland in Bingöl Province (East Turkey). Cesa News 28: 1-16, 29 figs. [\[available in Cesa Library\]](#)
- 5120. Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, *Eucharia festiva* ssp. *nivea* (Bang-Haas,1927)'nın taksonomisi ve dağılışı Hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 5-8, 2 harita. [\[available in Cesa Library\]](#)
- 5121. Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, 1994 yılında Kuzey İran ve Türkmenistan'a yapılan entomolojik ekspedisyonun sonuçları III. Horasan Eyaleti Papilionoidea ve Hesperioidea Faunası Hakkında. Cent. ent. Stud., Misc. Pap. 42: 1-7. [\[available in Cesa Library\]](#)
- 5122. Koçak,A.Ö., Seven,S. & Y.Hüseyinoğlu,** 1997, Kuzey İran'da *Epicallia villica* (Linnaeus)'nın varlığı hakkında (Lepidoptera, Arctiidae). Cent. ent. Stud., Misc. Pap. 38: 3-5, 1 harita. [\[available in Cesa Library\]](#)
- 5123. Koçak,B.,** 1998, A review on the nomenclature of *Polyommatus* (Agriades) *pherecydes* (Groum-Grshimailo,1890) (Lepidoptera, Lycaenidae). Cent. ent. Stud., Misc. Pap. 49: 6-7. [\[available in Cesa Library\]](#)
- 5124. Koçak,E., Özdemir,M. & V.V.Zlobin,** 2009, Insects associated with the endemic species *Heracleum platytaenium* Boiss. (Apiaceae) with new records for the Turkish fauna. Turk. J. Zool. 33: 245-247. [\[available in Cesa Library\]](#)
- 5125. Koçak,Ö.,** 2009, Karaman Kelebekleri. Cesa News 50: 1-18, 39 resim 37 harita. [\[available in Cesa Library\]](#)
- 5126. Kraus,W.,** 1999, Beobachtungen zur Macrolepidopterenfauna der Iberischen Halbinsel Teil 1. Allgemeiner Teil und Artenliste bis Tagfalter. Nachr. ent. Ver. Apollo (N.F.) 20 (1): 41-104, figs. [\[available in Cesa Library\]](#)
- 5127. Kraus,W.,** 1999, Beobachtungen zur Macrolepidopterenfauna der Iberischen Halbinsel Teil 2. Artenliste Drepanidae bis Notodontidae. Nachr. ent. Ver. Apollo (N.F.) 20 (2): 231-263. [\[available in Cesa Library\]](#)
- 5128. Kravchenko,V.D., Fibiger,M. et al.,** 2007, The Eublemminae of Israel (Lepidoptera, Erebiidae). Shilap Revta lepid. 35 (140): 513-519. [\[available in Cesa Library\]](#)
- 5129. Kravchenko,V.D., Fibiger,M., Hausmann,A. & G.C.Müller,** 2007, Noctuidae, [in] Müller et al. (eds.), The Lepidoptera of Israel. 320 pp. Pensoft Publ. Sofia-Moscow. [\[available in Cesa Library\]](#)
- 5130. Kravchenko,V.D., Fibiger,M., Mooser,J. & G.C.Müller,** 2006, The Noctuidae of Israel (Lepidoptera, Noctuidae). Shilap Revta lepid. 34 (136): 353-370, 21 figs. [\[available in Cesa Library\]](#)
- 5131. Kravchenko,V.D., Fibiger,M., Mooser,J., Junnila,A. & G.C.Müller,** 2008, The Apameini of Israel (Lepidoptera, Noctuidae). Shilap Revta lepid. 36 (142): 253-259. [\[available in Cesa Library\]](#)
- 5132. Kravchenko,V.D., Fibiger,M., Ronkay,L., Orlova,O.B., Mooser,J. Li,C. & G.C.Müller,** 2005, The Plusiinae of Israel (Lepidoptera, Noctuidae). Shilap Revta lepid. 33 (132): 449-459, figs. maps. [\[available in Cesa Library\]](#)
- 5133. Kravchenko,V.D., Hacker,H. & A.Nevo,** 2001, List of Noctuoidea (Lepidoptera) collected in Israel. Esperiana 9: 459-474. [\[available in Cesa Library\]](#)
- 5134. Kravchenko,V.D., Hausmann,A. & G.C.Müller,** 2006, Deserticolous Noctuidae from Israel: New host-plant records and description of larval habitats (Lepidoptera, Noctuidae). Mitt. münch. ent. Ges. 96: 29-42, figs. [\[available in Cesa Library\]](#)
- 5135. Kravchenko,V.D., Müller,G.C., Fibiger,M., Mooser,J. & L.Ronkay,** 2006, A new *Euchalcia* Hübner,[1821] species in Israel (Lepidoptera, Noctuidae). Shilap Revta lepid. 34 (136): 345-352, figs. [\[available in Cesa Library\]](#)
- 5136. Kravchenko,V.D., Müller,G.C., Orlova,O.B. & V.N.Septyarskaya,** 2004, The Catocalinae (Lepidoptera, Noctuidae) of Israel. Russian ent. J. 13 (3): 175-186. [\[available in Cesa Library\]](#)
- 5137. Kravchenko,V.D., Orlova,O., Fibiger,M., Mooser,J., Li,C. & G.C.Müller,** 2006, The Acronictinae, Bryophilinae, Hypenodinae and Hypeninae of Israel (Lepidoptera, Noctuidae). Shilap Revta. lepid. 34 (135): 255-264, figs. [\[available in Cesa Library\]](#)

- 5138. Kravchenko,V.D., Ronkay,L. Speidel,W., Witt,T. et al.,** 2007, Contribution to the Noctuidae fauna of Ethiopia (Lepidoptera, Noctuidae). *Atalanta* 38 (3/4): 385-393, figs. [[available in Cesa Library](#)]
- 5139. Kravchenko,V.D., Speidel,W., Witt,T.J., Mooser,J., Seplyarsky,V.N., Saidaitis,A., Junnila,A. & G.C.Müller,** 2008, A new species of *Catocala* from Israel (Lepidoptera, Noctuidae). *Acta zool. Lituanica* 18 (2): 127-129, figs. [[available in Cesa Library](#)]
- 5140. Kravchenko,V.D., Witt,T., Speidel,W., Mooser,J., Junnila,A. & G.C.Müller,** 2009, The Eariadinae and Chloephorinae (Lepidoptera, Noctuoidea, Nolidae) of Israel: distribution, phenology and ecology. *Russian Ent. J.* 18 (2): 117-121. [[available in Cesa Library](#)]
- 5141. Kreuzberg,A.V.-A. & I.G.Pljushch,** 1989, The distribution, ecology and biology of *Parnassius loxias* Püngeler,1901 (Lepidoptera: Papilionidae). *Entomologist's Gaz.* 40: 271-280, pls., figs. [[available in Cesa Library](#)]
- 5142. Kreuzberg,A.V.-A. & R.A.Danov,** 1985, Fauna of swallowtails (Lepidoptera, Papilionidae) in Turkmenistan. *Ylym, Ashkhabad* 1985: 249-261.
- 5143. Kreuzberg,A.V.-A.,** 1985, A contribution to the ecology of *Parnassius loxias* (Lepidoptera,Papilionidae) a new for the fauna of the U.S.S.R. species. *Zool. Zh.* 64 (1): 150-151.
- 5144. Kreuzberg,A.V.-A.,** 1986, New species of the *Parnassius simo* group (Lepidoptera, Papilionidae) of Middle Asia. *Vestn. Zool.* 1986 (2): 85-87.
- 5145. Kreuzberg,A.V.-A.,** 1986, Papilionid butterflies of the *Parnassius delphius* group (Lepidoptera, Papilionidae) in the fauna of Kirgizia. *Vestn. Zool.* 1986 (3): 87.
- 5146. Kreuzberg,A.V.-A.,** 1987, Stenophagy in *Parnassius* (Lepidoptera: Papilionidae) of Central Asia and Altai. *Entomologist's Gaz.* 38: 95-102. [[available in Cesa Library](#)]
- 5147. Kristal,P.M. & E.Brockmann,** 1989, "Rote Liste" der hessischen Tagfalter Papilionoidea und Hesperioidea (Erste Fassung, Stand 1.4.1989). *Nachr. ent. Ver. Apollo (N.F.)* 10(2): 103-124. [[available in Cesa Library](#)]
- 5148. Kristal,P.M. & W.A.Nässig,** 1996, Korrektur zur Meldung über das Vorkommen von *Leptidea reali* Reissinger 1989 in Deutschland und einigen anderen Ländern (Lepidoptera, Pieridae). *Nachr. ent. Ver. Apollo (N.F.)* 17(3): 259-261. [[available in Cesa Library](#)]
- 5149. Kristensen,N.P.,** 1967, Erection of a new family in the lepidopterous suborder Dacnonympa. *Ent. Meddr.* 35: 341-345, 1 fig.
- 5150. Kristensen,N.P.,** 1975, The phylogeny of hexapod orders. A critical review of recent accounts. *Z. zool. Syst. Evolut-forsch.* 14: 1-44, 8 figs.
- 5151. Kristensen,N.P.,** 1975, Remarks on the family-level phylogeny of butterflies (Insecta, Lepidoptera, Rhopalocera). *Z. zool. Syst. Evolut-forsch.* 14: 25-33. [[available in Cesa Library](#)]
- 5152. Kristensen,N.P., Scoble,M.J. & O.Karsholt,** 2007, Lepidoptera phylogeny and systematics: the state of inventorying moth and butterfly diversity [in] Zhang,Z.Q. & W.A.Shear (eds), *Linnaeus Tercentenary: Progress in Invertebrate Taxonomy*. *Zootaxa* 1668: 699-747, figs. [[available in Cesa Library](#)]
- 5153. Krodell,E.,** 1904, *Lycaena icarus* Rott., ab.persica Bien. *Ent. Z., Stuttgart* 17(21): 80-81. [[available in Cesa Library](#)]
- 5154. Kroon,D.M.,** 1999, Lepidoptera of South Africa. Host-plants & other associations. A Catalogue. ix+160pp. 3 maps. Lepidopterist's Soc. of Africa, Sasolburg. [[available in Cesa Library](#)]
- 5155. Krpac,V.T. & B.Mihajlova,** 1997, *Gonepteryx cleopatra* (Linnaeus 1767), a new species of the butterfly fauna in Macedonia (Lepidoptera: Pieridae). *Acta ent. Slovenica* 5(2): 113-116.
- 5156. Krulikowsky,L.,** 1904, *Sarrothripus revayana* var.asiatica. *Rev. russk. Ent.* 4:91-92.
- 5157. Krulikowsky,L.,** 1908, Neues Verzeichnis der Lepidopteren des Gouvernements Kasan. *Dt. ent. Z., Iris* 21: 20-272. [[available in Cesa Library](#)]
- 5158. Krupitsky,A.V. & K.A.Kolesnichenko,** 2013, A new species of the *Callophrys mystaphia* Miller,1913 - group from Iran (Lepidoptera, Lycaenidae, Eumaeini). *Zootaxa* 3619 (4): 460-466, figs. [[available in Cesa Library](#)]
- 5159. Krupitsky,A.V., Pljushtch,I.G. & O.Pak,** 2015, A new species of *Callophrys paulae* Pfeiffer,1932 species group from Afghanistan (Lepidoptera, Lycaenidae). *Zootaxa* 4027 (2): 281-286, figs. [[available in Cesa Library](#)]
- 5160. Krupitsky,A.V., Pljushtch,I.G. & O.V.Pak,** 2012, Taxonomic studies on the *Callophrys suaveola* Staudinger,1881 - species group: a new species from Central Afghanistan (Lepidoptera, Lycaenidae). *Atalanta* 43 (1/2): 145-148, figs. [[available in Cesa Library](#)]

- 5161. Krupitsky, A.V., Pljushtch, I.G. & O.V. Pak**, 2015, Taxonomic notes on the genus *Satyrrium* Scudder, 1876 (Lepidoptera, Lycaenidae) of Afghanistan with description of two new taxa. *Zootaxa* 3985 (3): 421-431, figs. [[available in Cesa Library](#)]
- 5162. Krzywicki, M.**, 1967, Fauna Papilionoidea i Hesperioidea (Lepidoptera) Puszczy Białowieskiej. *Ann. zool. Warszawa* 25 (1): 1-213.
- 5163. Krzywicki, M.**, 1981, Anmerkungen zur Tagfalterfauna Bulgariens. *Nota lepid.* 4(1/2): 29-46. [[available in Cesa Library](#)]
- 5164. Krüger, M.**, 1997, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus *Hebdomophruda* Warren, Part 1 (Lepidoptera, Geometridae). *Ann. Transv. Mus.* 36 (21): 257-295, 9 figs. [[available in Cesa Library](#)]
- 5165. Krüger, M.**, 1998, Revision of the genus *Hypotephrina* Janse, 1932 (Lepidoptera, Geometridae, Ennominae). *Ann. Transv. Mus.* 36 (26): 351-372, 32 figs. [[available in Cesa Library](#)]
- 5166. Krüger, M.**, 1998, Revision of Afrotropical Ennominae of the Drepanogynis Group II. The genus *Hebdomophruda* Warren, Part 2 (Lepidoptera, Geometridae). *Ann. Transv. Mus.* 36 (25): 333-349, 23 figs. [[available in Cesa Library](#)]
- 5167. Krüger, M.**, 1999, Revision of Afrotropical Ennominae of the Drepanogynis Group III. The genera *Argyrophora* Guenée, *Pseudomaenas* Prout and *Micrologia* Warren (Lepidoptera, Geometridae, Ennominae). *Ann. Transv. Mus.* 36 (32): 427-496, 109 figs. [[available in Cesa Library](#)]
- 5168. Krüger, M.**, 2001, A revision of the tribe Macariini (Lepidoptera: Geometridae: Ennominae) of Africa, Madagascar and Arabia. *Bull. nat. Hist. Mus. Lond. (Ent.)* 70 (1): 1-502, 1040 figs., 14 Tab. & App. [[available in Cesa Library](#)]
- 5169. Krüger, M.**, 2002, Revision of Afrotropical Ennominae of the Drepanogynis Group IV. The genus *Drepanogynis* Guenée (Lepidoptera, Geometridae). *Transvaal Museum Monograph* 13: 1-224, 441 figs., 54 maps. [[available in Cesa Library](#)]
- 5170. Kuang, D.-H. & H. Li**, 2009, One new species and three new record species of the genus *Diorcytria* Zeller in China (Lepidoptera, Pyralidae, Phycitinae). *Acta zootax. sinica* 34 (1): 42-45, figs. [[available in Cesa Library](#)]
- 5171. Kuchlein, J.H. & R. de Vos**, 1999, Geannoteerde naamlijst van de Nederlandse vlinders. 302pp. Backhuys, Leiden.
- 5172. Kudrna, O. & E. Balleto**, 1984, An Annotated Catalogue of the Skippers (Lepidoptera: Hesperidae) named by Roger Verity. *J. Res. Lepid.* 23(1): 35-49. [[available in Cesa Library](#)]
- 5173. Kudrna, O. & Z. Mracek**, 1994, A new species of the genus *Melitaea* Fabricius, 1807 from Tibet (Lepidoptera, Nymphalidae). *Entomologist's Gaz.* 45: 251-253, 5 figs.
- 5174. Kudrna, O.**, 1972, On some Moroccan butterflies. *Entomologist's Rec. J. Var.* 84: 267-268.
- 5175. Kudrna, O.**, 1973, On the status of *Pieris cheiranthi* Hübner. *Entomologist's Gaz.* 24: 299-304.
- 5176. Kudrna, O.**, 1974, On the taxonomy of some asiatic forms of the genus *Brenthis* Hbn. (Lep., Nymphalidae). *Entomologist's Gaz.* 25: 93-96. [[available in Cesa Library](#)]
- 5177. Kudrna, O.**, 1974, *Artogeia* Verity, 1947, gen. rev. for *Papilio napi* Linnaeus (Lepidoptera, Pieridae). *Entomologist's Gaz.* 25: 9-12, 7 figs. [[available in Cesa Library](#)]
- 5178. Kudrna, O.**, 1974, A distribution list of the butterflies of Czechoslovakia. *Entomologist's Gaz.* 25: 161-177. [[available in Cesa Library](#)]
- 5179. Kudrna, O.**, 1974, An annotated list of Japanese Butterflies. *Atalanta B* 5(2/3): 92-120. [[available in Cesa Library](#)]
- 5180. Kudrna, O.**, 1974, On the taxonomy and distribution of some Spanish *Rhopalocera*. *Entomologist's Gaz.* 25: 15-28.
- 5181. Kudrna, O.**, 1975, A revision of the genus *Gonepteryx* Leach (Lep., Pieridae). *Entomologist's Gaz.* 26: 3-37, 50 figs. [[available in Cesa Library](#)]
- 5182. Kudrna, O.**, 1975, On a hitherto undescribed European species of the genus *Hipparchia* Fabricius (Lep., Satyridae). *Entomologist's Gaz.* 26: 197-207, 15 figs. [[available in Cesa Library](#)]
- 5183. Kudrna, O.**, 1977, On the nomenclature of some taxa of the genus *Artogeia* Verity (Lep., Pieridae). *Z. ArbGem. Öst. Ent.* 29(1/2): 63-64. [[available in Cesa Library](#)]
- 5184. Kudrna, O.**, 1977, A revision of the genus *Hipparchia* Fabricius. *Classey*. [[available in Cesa Library](#)]
- 5185. Kudrna, O.**, 1980, The subspecies: a personal view. *Nota lepid.* 2(4): 53-54. [[available in Cesa Library](#)]

- 5186. Kudrna,O.**, 1981, An annotated list of the butterflies named bu Colin W.Wyatt (Lepidoptera, Papilionoidea, Hesperioidea). Bonn. zool. Beitr. 32 (1/2): 221-236. [\[available in Cesa Library\]](#)
- 5187. Kudrna,O.**, 1982, On the nomenclature of *Colias alfacariensis* Berger, 1948 (Lepidoptera, Pieridae). J. Res. Lepid. 20: 103-110. [\[available in Cesa Library\]](#)
- 5188. Kudrna,O.**, 1983, An Annotated Catalogue of the Butterflies (Lepidoptera, Papilionoidea) named by Roger Verity. J. Res. Lepid. 21: 1-106. [\[available in Cesa Library\]](#)
- 5189. Kudrna,O.**, 1985, Concise bibliography of European butterflies. [in] Kudrna,O., Butterflies of Europe 1: 1-448. [\[available in Cesa Library\]](#)
- 5190. Kudrna,O.**, 1985, European butterflies (Lepidoptera, Papilionoidea) named by Hans Fruhstorfer. Nachr. ent. Ver. Apollo, Suppl. 5: 1-60. [\[available in Cesa Library\]](#)
- 5191. Kudrna,O.**, 1986, Grundlagen zu einem Artenschutzprogramm für die Tagfalterfauna in Bayern und Analyse der Schutzproblematik in der Bundesrepublik Deutschland. Nachr. ent. Ver. Apollo, Suppl. 6: 1-90. [\[available in Cesa Library\]](#)
- 5192. Kudrna,O.**, 1986, Aspects of the conservation of butterflies in Europe. [in] Kudrna,O., Butterflies of Europe 8: 1-323. [\[available in Cesa Library\]](#)
- 5193. Kudrna,O.**, 1989, An annotated checklist of taxa referable to the genus *Arethusana* Lesse,1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 40: 23-30. [\[available in Cesa Library\]](#)
- 5194. Kudrna,O.**, 1994, Kommentierter Verbreitungsatlas der Tagfalter Tschechiens. Oedippus 8: 1-137.
- 5195. Kuhna,P. & B.Schmitz**, 1997, Eine neue Art der Gattung *Valeria* aus der Süd-Türkei (Lepidoptera, Noctuidae). Jb. Naturw. Ver. Wuppertal 5: 94-99.
- 5196. Kuhna,P.**, 1977, Über *Allancastris* in Kleinasien (Lepidoptera, Papilionidae). Atalanta 8(2): 99-107, 11 figs. [\[available in Cesa Library\]](#)
- 5197. Kulfan,J. & M.Kulfan**, 1991, Die Tagfalterfauna dwer Slowakai und ihrer Schutz unter besonderer Berücksichtigung der Gebirgsökosysteme. Oedippus 3: 75-102.
- 5198. Kumata,T. & H.Kuroko**, 1988, Japanese species of the *Acrocercops*-group (Lepidoptera, Gracillariidae), Part I. Insecta matsumurana (Ser. Ent.) (n.s.) 38: 1-111, figs. [\[available in Cesa Library\]](#)
- 5199. Kumata,T. Kuroko,H. & Ermolaev,V.P.**, 1988, Japanese species of the *Acrocercops*-group (Lepidoptera, Gracillariidae) Part I. Insecta Matsumurana (N.S.) 38: 1-111, figs. [\[available in Cesa Library\]](#)
- 5200. Kumata,T. Kuroko,H. & Ermolaev,V.P.**, 1988, Japanese species of the *Acrocercops*-group (Lepidoptera, Gracillariidae) Part II. Insecta Matsumurana (N.S.) 40: 1-133, figs. [\[available in Cesa Library\]](#)
- 5201. Kumata,T.**, 1956, A revision of the Japanese species of the genus *Leucoma* Stephens (Lepidoptera, Lymantriidae). Insecta Matsumurana (N.S.) 20 (3/4): 107-113, figs. [\[available in Cesa Library\]](#)
- 5202. Kumata,T.**, 1963, Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera, Gracillariidae) Part I. Insecta Matsumurana (N.S.) 25 (2): 53-90, figs. [\[available in Cesa Library\]](#)
- 5203. Kumata,T.**, 1963, Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera, Gracillariidae) Part II. Insecta Matsumurana (N.S.) 26 (1): 1-48, figs. [\[available in Cesa Library\]](#)
- 5204. Kumata,T.**, 1963, Taxonomic studies on the Lithocolletinae of Japan (Lepidoptera, Gracillariidae) Part III. Insecta Matsumurana (N.S.) 26 (2): 69-88, figs. [\[available in Cesa Library\]](#)
- 5205. Kumata,T.**, 1966, Descriptions of twenty new species of the genus *Caloptilia* Hübner from Japan including the Ryukyu Islands (Lepidoptera, Gracillariidae). Insecta Matsumurana (N.S.) 29 (1): 1-21, figs. [\[available in Cesa Library\]](#)
- 5206. Kumata,T.**, 1979, Discovery of the genus *Ectropina* from India with description of a new species (Lepidoptera, Gracillariidae). Insecta Matsumurana (N.S.) 18 (1): 1-15, figs. [\[available in Cesa Library\]](#)
- 5207. Kumata,T.**, 1992, Descriptions of thirteen new species of the genus *Chrysocercops* Kumata & Kuroko,1988 from Malaysia and Nepal (Lepidoptera, Gracillariidae). Insecta Matsumurana (N.S.) 46: 73-131, figs. [\[available in Cesa Library\]](#)
- 5208. Kumata,T.**, 1995, Some species of the subfamily Lithocolletinae (Gracillariidae, Lepidoptera) collected in the Philippines. Insecta Matsumurana (N.S.) 52: 105-131, figs. [\[available in Cesa Library\]](#)
- 5209. Kumata,T.**, 1995, Discovery of the genus *Artifodina* from Thailand, with descriptions of two new species (Lepidoptera, Gracillariidae). Microlepid. Thailand 3: 67-77, figs. [\[available in Cesa Library\]](#)

- 5210. Kun,A.**, 2004, A review of the *Ethmia lineatonotella* species group, with description of two new species (Lepidoptera, Ethmiidae). *Acta zool. hung.* 50 (4): 337-351, figs. [[available in Cesa Library](#)]
- 5211. Kun,A.**, 2007, Studies on Palaearctic *Ethmia* Hübner,1819 (Lepidoptera, Elachistidae). *Annls hist.-nat. Mus. natn. hung.* 99: 101-114, figs. [incomplete references!] [[available in Cesa Library](#)]
- 5212. Kunte,K., Kalesh,S. & U.Kodandaramaiah (eds.)**, 2013, *Butterflies of India v.2.0.* Indian Foundation for Butterflies [Access 10 March,2014].
- 5213. Kupido,F.J.**, 1825, *Neuentdecktes europäisches Nacht-Pfauen-Auge. Saturnia caecigena* Nro.4. 11 pp., 1 pl. Brönn. [[available in Cesa Library](#)]
- 5214. Kuprijanov,A.V.**, 1994, Towards a natural system of the Incurvarioidea. Part 3.Excurvaria gen.nov. for *Incurvaria praelatella* ([Denis & Schiffermüller],1775) (Lepidoptera, Incurvariidae s.str.). *Atalanta* 25(1/2):391-398 10 figs. [[available in Cesa Library](#)]
- 5215. Kuprijanov,A.V.**, 1994, *Cauchas terskella*- a new species of Adelidae s.str. from Middle Asia (Lepidoptera, Incurvarioidea). *Atalanta* 25(1/2):399-403, 8figs. [[available in Cesa Library](#)]
- 5216. Kurentsov,A.I.**, 1949, *Butterflies of the Maritime Province (Primorskiy Kray).* Moscow.
- 5217. Kurentsov,A.I.**, 1970, *The butterflies of the Far East USSR.* Acad. Sci. U.S.S.R. 1970: 1-163, 14 pls. Leningrad.
- 5218. Kuroko,H. & A.Lewvanich**, 1993, *Lepidopterous pests of tropical fruit trees in Thailand.* 134 pp. 55 pls. Japan Int. Coop. Agency.
- 5219. Kuroko,H.**, 1987, *Cosmopterigidae of Thailand.* [in] Kuroko,H. & S.Moriuti, *Microlepidoptera of Thailand 1:* 75-85, figs. University of Osaka. [[available in Cesa Library](#)]
- 5220. Kuroko,H.**, 1989, *Cosmopterigidae of Thailand (Lepidoptera) II.* First record of a leaf miner of teak, *Stagmatophora callistrepta* (Meyrick) from Thailand. [in] Moriuti,S., *Microlepidoptera of Thailand 2:* 83-85, figs. University of Osaka. [[available in Cesa Library](#)]
- 5221. Kurshanov,P.A. & V.V.Zolotuhin**, 2013, A review of the genus *Ectropa* Wallengren,1863 with descriptions of a new genus and six new species (Lepidoptera, Chrysopolomidae). *Shilap Revta lepid.* 41 (164): 431-447, figs. [[available in Cesa Library](#)]
- 5222. Kuwayama,S.**, 1967, *Insect Fauna of the southern Kuril Islands.* 225pp.
- 5223. Kuznetsov,V.I. & N.I.Tristan**, 1985, A review of the leaf blotch miners of the genus *Micrurapteryx* Spuler (Lepidoptera, Gracillariidae) of the Palaearctic fauna. *Ent. Obozr.* 64 (1): 177-192, figs.
- 5224. Kuznetsov,V.I. & S.V.Baryshnikova**, 2001, Review of the Palaearctic genera of the family Gracillariidae (Lepidoptera) with description of a new subfamily Ornixolinae Kuznetsov & Baryshnikova, subfam.n. *Ent. Obozr.* 80 (1): 96-120, figs. [[available in Cesa Library](#)]
- 5225. Kuznetsov,V.I.**, 1960, *Materialy po faunie i biologii cheshuyekrylych (Lepidoptera) Zapadnovo Kopet-Daga* [On the fauna and biology of Lepidoptera of the Western Kopet-Dagh]. *Trudy zool. Inst., Leningr.* 27: 11-93. Moskva & Leningrad. [[available in Cesa Library](#)]
- 5226. Kuznetsov,V.I.**, 1962, *Bucculatrix ulmicola* Kuzn. sp.n. *Akad. Wiss. armSSR.* 35: 81-83, figs.
- 5227. Kuznetsov,V.I.**, 1962, *Neue palaearktische Arten der Gattung Laspeyresia* Hb. (Lepidoptera, Tortricidae). *Ent. Obozr.* 41: 627-642, figs.
- 5228. Kuznetsov,V.I.**, 1964, *Neue Blattroller-Arten aus Kasachstan.* *Arb. Zool. Inst.* 34: 258-265, figs.
- 5229. Kuznetsov,V.I.**, 1972, *New species of the leaf-rollers (Lepidoptera, Tortricidae) from Iran and Caucasus* *Trudy zool. Inst. Leningrad* 1972: 311-318, 8 figs.
- 5230. Kuznetsov,V.I.**, 1976, *New species and subspecies of the Leafrollers (Lepidoptera, Tortricidae) of the fauna of the Palaearctic.* *Proc. zool. Inst. USSR* 64: 3-33, 33 figs. [[available in Cesa Library](#)]
- 5231. Kuznetsov,V.I.**, 1986, *New Palaearctic species of the leaf roller tribes Eucosmini and Laspeyresiinae (Lepidoptera, Tortricidae).* *Vestn. Zool.* 1986(4): 11-52, figs.
- 5232. Kuznetsov,V.I.**, 1997, *Little known and new species of Tortricid moths (Lepidoptera, Tortricidae) of the fauna of Vietnam.* *Ent. Obozr.* 76 (1): 186-202, figs. [[available in Cesa Library](#)]
- 5233. Kyrki,J.**, 1990, *Tentative reclassification of holarctic Yponomeutoidea (Lepidoptera).* *Nota lepid.* 13(1): 28-42. [[available in Cesa Library](#)]
- 5234. Kühne,L. & W.Speidel**, 2004, *The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae).* *Beitr. Ent.* 54 (1): 147-184. [[available in Cesa Library](#)]

- 5235. Kühne, L.**, 1998, Ein Beitrag zur Kenntnis der Makrolepidopterenfauna Usbekistans, insbesondere des Nuratau-Schutzgebiets und des angrenzenden Areals. Nachr. ent. Ver. Apollo (N.F.) 19 (2): 149-160. [\[available in Cesa Library\]](#)
- 5236. Kühne, L.**, 2007, A new snouted tiger species from Eastern Africa (Lepidoptera, Aganaiidae). Esperiana Memoir 3: 351-352.
- 5237. Kühne, L.**, 2014, Revision der Gattung Nanna Birket-Smith, 1965 (Lepidoptera, Arctiidae, Lithosiinae). Beitr. Ent. 64 (1): 111-133, figs. [\[available in Cesa Library\]](#)
- 5238. Küppers, P.V. & L. Janikorn**, 2007, Tagesperiodische Wanderungen von *Losaria coon* (Fabricius, 1793) in Khao Lak (Lepidoptera, Papilionidae). Atalanta 38 (3/4): 321-324, figs. [\[available in Cesa Library\]](#)
- 5239. Küppers, P.V. & L. Janikorn**, 2007, Anmerkungen zu zwei thailändischen *Amathus*-Arten (Lepidoptera, Morphinae Newman, 1834) [sic!]. Atalanta 38 (3/4): 329-334, figs. [\[available in Cesa Library\]](#)
- 5240. Küppers, P.V. & L. Janikorn**, 2007, Anmerkungen zu einigen Nachtfalterarten aus S-Thailand (Lepidoptera, Heterocera, Limacodidae, Saturniidae, Sphingidae, Arctiidae et Noctuidae). Atalanta 38 (3/4): 335-341, figs. [\[available in Cesa Library\]](#)
- 5241. Küppers, P.V.**, 2007, Ist *Dryas iulia* (Fabricius, 1775) mittlerweile ein fester Bestandteil der thailändischen Lepidopterenfauna? (Lepidoptera, Nymphalidae) Atalanta 38 (3/4): 325-328, figs. [\[available in Cesa Library\]](#)
- 5242. Kılıç, T.**, 2010, First record of *Tuta absoluta* in Turkey. Phytoparasitica 38 (3): 243-244. [\[available in Cesa Library\]](#)
- 5243. Kılıç, Y.**, 1987, The Lepidoptera fauna of Gökçeada. Anadolu Univ. Fen Ed. Fak. Derg. 1: 5-13.
- 5244. Köhler, J.**, 1991, *Paranthrene novaki* auch in Deutschland (Lep., Sesiidae). Ent. Z., Frankf. a. M. 101 (15): 273-278.
- 5245. König, F.**, 1938, Die erste Zucht von *Pararge roxelana* Cr. Folia ent. hung. 3: 151-154.
- 5246. König, F.**, 1938, Beiträge zur Kenntnis der Makrolepidopterenfauna des rumänischen Banates. Folia ent. hung. 4(1/2): 49-53.
- 5247. König, F.**, 1959, Der Entwicklungskreis von *Coenonympha leander* Esp. Ent. Z., Frankf. a. M. 69(6): 84-89.
- 5248. König, F.**, 1975, Catalogul colectiei de lepidoptere a Muzeului Banatutului. Ed. Com. Cult. Ed. Soc. 284S. 20 Taf.
- 5249. König, F.**, 1998, Lepidopterologische Forschungen im Banater Karstgebiet. Nachr. ent. Ver. Apollo N.F. 19(1): 89-100, 2 Tab., 1 Karte, Abb. [\[available in Cesa Library\]](#)
- 5250. Köppel, C.**, 1990, Die Rasterelektronische Darstellung des Eies von *Colias palaeno* europae (Esper, 1777) (Lepidoptera, Pieridae). Atalanta 21(3/4): 207-211, Abb. [\[available in Cesa Library\]](#)
- 5251. Köstler, W.**, 1993, Beobachtungen zur Biologie und Ökologie einer Population von *Archon apollinus* (Herbst, 1798) in Nordost-Griechenland. Galathea 9 (2): 40-48, Abb. [\[available in Cesa Library\]](#)
- 5252. Köstler, W.**, 1993, *Papilio alexanor maccabaeus* Staudinger, 1882 [sic!] (Lepidoptera, Papilionidae). Galathea 7 (3): 82-89, 1 col. pl. [\[available in Cesa Library\]](#)
- 5253. Ladell, W.R.S.**, 1927, Some injurious insects in Siam. J. Siam Soc. Nat. Hist., Suppl. 7 (2): 101-105. [\[available in Cesa Library\]](#)
- 5254. Lagnel, M.**, 1966, Note sur l'armature génitale male et femelle du sous-genre *Pieris* Schrank (Lep., Pieridae). Bull. Soc. ent. Fr. 71: 91-94, 12 figs. [\[available in Cesa Library\]](#)
- 5255. Laicharting, J.N.v.**, 1782, *Papilio celtis*, der Zürgel-Falter [in] Fuessly, Arch. Insectengesch. 1782 (2): 1-3.
- 5256. Lajonquière, Y.de**, 1968, Un nouveau *Gastropacha* Paléarctique (Lep. Lasiocampidae). Entomops 11: 73-76, 4 figs. [\[available in Cesa Library\]](#)
- 5257. Lajonquière, Y.de**, 1972, 11. Contribution à l'étude des Lasiocampidae. Espèces et formes asiatiques du Genre *Malacosoma* Hübner (Lep.). Bull. Soc. ent. Fr. 77: 297-307, 8 figs., 1 Pl. [\[available in Cesa Library\]](#)
- 5258. Lajonquière, Y.de**, 1973, Genres *Dendrolimus* Germar, *Hoënimnema*, n.gen., *Cyclophragma* Turner. 10. Contribution à l'étude des Lasiocampides. Annls Soc. ent. Fr. (N.S.) 9(3): 509-592, 69 figs., 3 Pls. [\[available in Cesa Library\]](#)

- 5259. Lajonqui re,Y.de**, 1973, Deux especes nouvelles des genres *Syrastrena* Moore et *Somadasy* Gaede, ainsi qu'une sous-espece nouvelle du Genre *Takanea* Nagano. 13.Contribution a l'etude des Lasiocampides. Bull. Soc. ent. Fr. 78: 259-267, 6 figs., 1 Pl. [[available in Cesa Library](#)]
- 5260. Lajonqui re,Y.de**, 1974, 17.Contribution a l'etude des Lasiocampides. Formes asiatiques du Genre *Cosmotriche* H bner (= *Selenephra* Rambur = *Selenepherides* Daniel = *Wilemaniella* Matsumura) (Lep.). Bull. Soc. ent. Fr. 79: 132-146, 11 figs., Pl. [[available in Cesa Library](#)]
- 5261. Lajonqui re,Y.de**, 1975, 14.Contribution a l'etude des Lasiocampides un *Dendrolimus* et un *Eriogaster* nouveaux. *Alexanor* 9: 17-22, 9 figs., 4 Pl. [[available in Cesa Library](#)]
- 5262. Lajonqui re,Y.de**, 1975, Le Genre *Bhima* Moore,1888 (Lep. Lasiocampidae) 19.Contribution a l'etude des Lasiocampides. Bull. Soc. ent. Fr. 80: 141-153, 8 figs., 2 Pls. [[available in Cesa Library](#)]
- 5263. Lajonqui re,Y.de**, 1976, Le genre *Gastropacha* Ochsenheimer en Asie et le genre *Paradoxopla* nov. gen. 16.Contribution a l'etude des Lasiocampides (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 12(1): 151-177, 25 figs., 1 Pl. [[available in Cesa Library](#)]
- 5264. Lajonqui re,Y.de**, 1977, Essai sur les genres *Beralade* Walker, *Sena* Walker, *Chilena* Walker, *Ergolea* Dumont. 20.Contribution a l'etude des Lasiocampidae (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 13 (2): 243-295, 60 figs., 5 Pls. [[available in Cesa Library](#)]
- 5265. Lajonqui re,Y.de**, 1977, Les Genres *Arguda* Moore et *Radhica* Moore. 24.Contribution a l'etude des Lasiocampides (Lep.). Bull. Soc. ent. Fr. 82: 174-191, 15 figs., 2 Pls. [[available in Cesa Library](#)]
- 5266. Lajonqui re,Y.de**, 1977, Le Genre *Gastropacha* en Asie (Note compl mentaire et rectificative) 21.Contribution a l'etude des Lasiocampides (Lep.). Bull. Soc. ent. Fr. 82: 138-145, 7 figs., 1 Pl., map. [[available in Cesa Library](#)]
- 5267. Lajonqui re,Y.de**, 1978, Le genre *Philudoria* Kirby,1892. 25.Contribution a l'etude des Lasiocampidae (Lepidoptera). *Annls Soc. ent. Fr. (N.S.)* 14(3): 381-413, 36 figs., 3 Pls. [[available in Cesa Library](#)]
- 5268. Lajonqui re,Y.de**, 1978, Un nouveau *Takanea*. 27.Contribution a l'etude des Lasiocampides (Lep. Lasiocampidae). *Atalanta* 9(3): 234-236, 2 figs. [[available in Cesa Library](#)]
- 5269. Lajonqui re,Y.de**, 1978, Deux *Cyclophragma*...marginiaux! 28.Contribution a l'etude des Lasiocampides (Lep. Heter.). *Entomops* 47: 259-264, 3 figs. [[available in Cesa Library](#)]
- 5270. Lajonqui re,Y.de**, 1979, Les Genres asiatiques *Cosmeptera* novum et *Eteinopla* novum. (Lep. Lasiocampidae) 26.Contribution a l'etude des Lasiocampides. Bull. Soc. ent. Fr. 84: 10-19, 8 figs., 2 Pls. [[available in Cesa Library](#)]
- 5271. Lajonqui re,Y.de**, 1980, Le genre *Paralebeda* Aurivillius,1894. 25. Contribution a l' tude des Lasiocampides. *Z.ArbGem.  st. Ent.* 32 (1/2): 18-28, figs. [[available in Cesa Library](#)]
- 5272. Lamas,G. & E.P rez**, 1983, Las mariposas del Parque Nacional Huascaran (Ancash, Peru) y su medio ambiente: Sector Llanganuco. *Bol. de Lima* 5: 27-37.
- 5273. Lamas,G.**, 2005, A bibliography of the zoological publications of Hans Fruhstorfer (1866-1922). *Entomofauna* 26 (6): 57-100. [[available in Cesa Library](#)]
- 5274. Lamas,G.**, 2007, Four new names for Afrotropical Lycaenidae. *Metamorphosis* 18 (4): 128-130. [[available in Cesa Library](#)]
- 5275. Lamas,G.**, 2008, Twelve new species-group replacement names and further nomenclatural notes on Lycaenidae (Lepidoptera). *Zootaxa* 1848: 47-56. [[available in Cesa Library](#)]
- 5276. Lambert,B. & C.M.Naumann**, 1992, *Zygaena* (*Zygaena*) *nevadensis* Rambur, 1844 - new for Turkey (*Zygaenidae*, *Lepidoptera*). In Dutreix, C. et al. (eds): Recent advances in burnet moth research (Lep., *Zygaenidae*). Proc. of the 4th Symposium on *Zygaenidae*, Nantes 11-13 Sept. 1987. pp.184-186.
- 5277. Lampe,R.E.J. & W.A.N ssig**, 1994, Zuchtbericht der thail ndischen *Saturnia* (*Saturnia*) *pinratanai* (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo (N.F.)* 15 (3): 305-314, figs. [[available in Cesa Library](#)]
- 5278. Lampe,R.E.J.**, 1984, Die Saturniiden der Cameron- und Genting-Highlands in Wets-Malaysia (Lepidoptera, Saturniidae). *Neue ent Nachr.* 11: 2-15, figs.
- 5279. Lampe,R.E.J.**, 1989, *Saturnia* (*Eriogyna*) *pinratanai* n.sp., eine neue Saturniide aus dem thail ndischen Hochland (Lepidoptera). *Ent. Z., Frankf. a. M.* 99: 179-180, 1 Abb. [[available in Cesa Library](#)]
- 5280. Lampe,R.E.J.,N ssig,W.A. & C.G.Treadaway**, 1997, Anmerkungen zu *Antheraea halconensis* Paukstadt & Brosch,1996 von den Philippinen (Lepidoptera, Saturniidae). *Ent. Z., Essen* 107(3): 89-109.

- 5281. Lampert, K.**, 1907, Die Gross-Schmetterlinge und Raupen Mitteleuropas. 8^o 346S. 95 Taf. Schreiber- Verlag, Esslingen & München. [\[available in Cesa Library\]](#)
- 5282. Landry, B. & Roque-Albelo, L.**, 2004, First report of Tischeriidae (Lepidoptera) on the Galapagos Islands, with descriptions of two new endemic species. Rev. Suisse Zool. 111 (3): 599-609, figs.
- 5283. Landry, J.-F.**, 1991, Systematic of Nearctic Scythrididae (Lepidoptera, Gelechioidea): phylogeny and classification of suprageneric taxa, with a review of described species. Mem. Ent. Soc. Canada 160: 3-341, figs.
- 5284. Landry, J.-F., Nazari, V., Dewaard, J.R., Mutanen, M., Lopez-Vaamonde, C., Huemer, P. & P.D.N. Hebert**, 2013, Shared but overlooked: 30 species of Holarctic Microlepidoptera revealed by DNA barcodes and morphology. Zootaxa 3749 (1): 1-93, figs. [\[available in Cesa Library\]](#)
- 5285. Lang, A.M. & F. Moore**, 1864, Notes in the diurnal Lepidoptera of North-Western India. Entomologist's mon. Mag. 1: 101-104, 131-133, 181-183. [\[available in Cesa Library\]](#)
- 5286. Lang, A.M.**, 1868, Description of Aulocera werang, a new species of butterfly belonging to the family Satyridae. Entomologist's mon. Mag. 4: 246-247. [\[available in Cesa Library\]](#)
- 5287. Laporte, B. & P.-C. Rougeot**, 1981, Description d'une nouvelle espece de Batuana (Lep., Noctuidae, Trifinae) d'Ethiopie. Bull. mens. Soc. linn. Lyon 50(4): 126-127, 2 figs. [\[available in Cesa Library\]](#)
- 5288. Laporte, B.**, 1974, Diagnoses de nouveaux genres et de plusieurs especes inédites de Noctuidae Trifinae (Lépidopteres) d'Ethiopie. Bull. mens. Soc. linn. Lyon 43(6): 216-224 (7): 246-251, 45 figs.
- 5289. Laporte, B.**, 1974, Noctuidae du Territoire français des Afars et des Issas (Lepidoptera). Bull. Soc. ent. Fr. 79: 91-94.
- 5290. Laporte, B.**, 1975, Diagnoses de 17 nouvelles especes de Noctuidae d'Ethiopie et du Kenya (Lépidopteres). Bull. mens. Soc. linn. Lyon 44(8): 277-287, 32 figs.
- 5291. Laporte, B.**, 1976, Diagnoses de nouveaux genres et de plusieurs especes inédites de Noctuidae Trifinae (Lépidopteres) d'Ethiopie (3e note). Bull. mens. Soc. linn. Lyon 45(3): 131-136, 9 figs.
- 5292. Laporte, B.**, 1977, Noctuidae (sauf les Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 51-67, Pls. [\[available in Cesa Library\]](#)
- 5293. Laporte, B.**, 1984, Noctuidae (Sauf les Plusiinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 14-41, 38 figs., Pls. [\[available in Cesa Library\]](#)
- 5294. Larsen, K.**, 1987, Droseraceae, [in] Smitinard, T. & K. Larsen, Flora of Thailand 5 (1): 67-69. Bangkok. [\[available in Cesa Library\]](#)
- 5295. Larsen, K.**, 1987, Epacridaceae, [in] Smitinard, T. & K. Larsen, Flora of Thailand 5 (1): 70-71, 1 fig. Bangkok. [\[available in Cesa Library\]](#)
- 5296. Larsen, K.**, 2010, The distribution of Cydia pyrivora (Lepidoptera, Tortricidae). Phegea 38 (1): 1-4, figs. [\[available in Cesa Library\]](#)
- 5297. Larsen, K.**, 2010, The genus Clavigesta (Lepidoptera, Tortricidae) with description of two new species. Phegea 38 (2): 41-54, figs. [\[available in Cesa Library\]](#)
- 5298. Larsen, T.**, 2008, Forest butterflies in West Africa have resisted extinction...so far (Lepidoptera, Papilionoidea, Hesperioidea). Biodivers. conserv. 2008: 15 pp. [\[available in Cesa Library\]](#)
- 5299. Larsen, T.B. & A.R. Pittaway**, 1982, Notes on the ecology, biology and taxonomy of Aphantis acamas (Klug) (Lepidoptera, Lycaenidae). Entomologist's Gaz. 33: 163-168, 2 figs. [\[available in Cesa Library\]](#)
- 5300. Larsen, T.B. & I. Nakamura**, 1983, The butterflies of East Jordan. Entomologist's Gaz. 34 (3): 135-208, 3 figs. 2 Pl.
- 5301. Larsen, T.B.**, 1973, Two species of Allancastris (Lepidoptera, Papilionidae) in Lebanon. Entomologist 106: 145-152, figs. [\[available in Cesa Library\]](#)
- 5302. Larsen, T.B.**, 1974, Butterflies of Lebanon. 255pp. Pls. National Council for Scientific Research, Beirut. [\[available in Cesa Library\]](#)
- 5303. Larsen, T.B.**, 1974, Une espèce et deux sous-espèces nouvelles de Lycaenidae du Liban. Alexanor 8: 301-307, 3 figs. [\[available in Cesa Library\]](#)

- 5304. Larsen, T.B.**, 1975, Provisional notes on migrant butterflies in Lebanon. *Atalanta* 6(2): 62-74. [[available in Cesa Library](#)]
- 5305. Larsen, T.B.**, 1975, Chromosome numbers and testicular morphology of some Lebanese Rhopalocera (Insecta, Lepidoptera). *Ent. scand.* 6: 218-225.
- 5306. Larsen, T.B.**, 1975, Collecting in Jordan, March 1975. *Proc. Br. ent. Nat. Hist. Soc.* 1975: 83-86.
- 5307. Larsen, T.B.**, 1976, The importance of migration to the butterfly faunas of Lebanon, East Jordan and Egypt (Lepidoptera, Rhopalocera). *Notul. ent.* 56: 73-83.
- 5308. Larsen, T.B.**, 1977, The butterflies of eastern Oman and their zoogeographic composition. *J. Oman Studies* 1977: 179-208.
- 5309. Larsen, T.B.**, 1977, Recent expansion in the range of *Aporia crataegi* (Linnaeus) in east Jordan (Pieridae). *Nota lepid.* 1(1): 19-21, fig. [[available in Cesa Library](#)]
- 5310. Larsen, T.B.**, 1978, Butterfly Collecting in Afghanistan. *Entomologist's Rec. J. Var.* 90: 191-199, 3 figs. [[available in Cesa Library](#)]
- 5311. Larsen, T.B.**, 1979, Insects of Saudi Arabia. Lepidoptera: Fam. Papilionidae, Pieridae, Danaidae, Nymphalidae, Lycaenidae. *Fauna Saudi Arabia* 1: 342-344, figs.
- 5312. Larsen, T.B.**, 1980, The two subspecies of *Polyommatus icarus* (Rottemburg) in Lebanon; a probable case of multiple invasion (Lep., Lycaenidae). *Nota lepid.* 2 (4): 147-153. [[available in Cesa Library](#)]
- 5313. Larsen, T.B.**, 1980, *Chilades lempkei* Blom, 1979, a synonym of *Chilades parrhasius* (Fabricius, 1793) (Lepidoptera, Lycaenidae). *Ent. Ber., Amst.* 40(3): 47. [[available in Cesa Library](#)]
- 5314. Larsen, T.B.**, 1980, The Zygaenidae of Lebanon with notes on their parasites (Lepidoptera). *Mitt. münch. ent. Ges.* 70: 95-117, figs. [[available in Cesa Library](#)]
- 5315. Larsen, T.B.**, 1980, The butterflies of Dhofar and their zoogeographic composition. *J. Oman Stud., Sp. Rept.* 2: 153-186.
- 5316. Larsen, T.B.**, 1980, Butterflies of Oman. 80 pp. John Bartholomew and Son Ltd. [[available in Cesa Library](#)]
- 5317. Larsen, T.B.**, 1982, The butterflies of the Yemen Arab Republic. *Biol. Skr. Dan. Vid. Selsk.* 23 (3): 1-61, 5 Pls., textfigs. [[available in Cesa Library](#)]
- 5318. Larsen, T.B.**, 1982, *Gegenes pumilio* Hoffmannsegg, 1804; a review with cytological evidence that two species are involved (Hesperiidae). *Nota lepid.* 5 (2/3): 103-110, 1 fig. [[available in Cesa Library](#)]
- 5319. Larsen, T.B.**, 1983, Insects of Saudi Arabia. Lepidoptera: Rhopalocera. *Fauna Saudi Arabia* 5: 333-478, figs. [[available in Cesa Library](#)]
- 5320. Larsen, T.B.**, 1984, A tropical migrant butterfly new to eastern Mediterranean *Junonia orithya* here Lang (Lepidoptera, Nymphalidae). *Atalanta* 15(1/2): 101-102. [[available in Cesa Library](#)]
- 5321. Larsen, T.B.**, 1984, The zoogeographical composition and distribution of the Arabian butterflies (Lep., Rhopalocera). *J. Biogeogr.* 11 (2): 119-158.
- 5322. Larsen, T.B.**, 1986, Tropical Butterflies of the Mediterranean. *Nota lepid.* 9(1/2): 63-77.
- 5323. Larsen, T.B.**, 1987, Butterflies in India. Oxford University Press. New Delhi.
- 5324. Larsen, T.B.**, 1987-1988, The butterflies of the Nilgiri Mountains of southern India (Lepidoptera, Rhopalocera). *J. Bombay nat. Hist. Soc.* 84 (1): 26-54; (2): 291-316; (3): 560-584; 85 (1): 26-43.
- 5325. Larsen, T.B.**, 1990, The Butterflies of Egypt. 112 pp. 8 Pls. Svendborg.
- 5326. Larsen, T.B.**, 1995, *Aricia crassipuncta bassoni* Larsen, 1974 from Lebanon raised to species rank (Lepidoptera, Lycaenidae). *Nota lepid.* 17(3/4): 121-123, 1 fig. [[available in Cesa Library](#)]
- 5327. Larsen, T.B.**, 1996, The Butterflies of Kenya and their natural history. 500 pp. 64 pls. Oxford University Press. [[available in Cesa Library](#)]
- 5328. Larsen, T.B.**, 1997, A revision of the *Hypolycaena lebona* group of African Lycaenidae (Lepidoptera), with description of two new species and a new subspecies. *Metamorphosis* 8(4): 172-182. [[available in Cesa Library](#)]
- 5329. Larsen, T.B.**, 2002, The butterflies of Delhi, India, an annotated check-list (Insecta, Rhopalocera). *Esperiana* 9: 459-479. [[available in Cesa Library](#)]
- 5330. Larsen, T.B., Riley, J. & M.A. Cornes**, 1980, The butterfly fauna of a secondary bush locality in Nigeria. *J. Res. Lepid.* 18 (1): 4-23, figs. [[available in Cesa Library](#)]
- 5331. Larsen, T.B., Vane-Wright, R.I., Kunte, K. & V. Nazari**, 2009, Case 3488. *Papilio danae* Fabricius, 1775 (currently *Colotis danae*; Insecta Lepidoptera, Pieridae): proposed

- conservation of prevailin usage by the suppression of *Papilio danae* Hufnagel, 1766. Bull. Zool. Nom. 66 (3): 250-255. [\[available in Cesa Library\]](#)
5332. **Lasan, M.**, 1997, Nekaj novih vrst v favni metuljev (Lepidoptera) Slovenije. [Some Lepidoptera species new to the fauna of Slovenia]. Acta ent. Slovenica 5(1): 51-58.
5333. **Laslio, G.M., Ronkay, G. & T.J.Witt**, 2010, Contribution to the Nolinae (Lepidoptera, Noctuidae) fauna of North Thailand. Esperiana 15: 7-126, figs.
5334. **Lastuchin, A.**, 1994, Eine kommentierte Artenliste der Tagfalter der Tschuvaschia (Lepidoptera, Rhopalocera). Atalanta 25(1/2): 229-239. [\[available in Cesa Library\]](#)
5335. **Lastuvka, A. & P.Huemer**, 2002, Stigmella gutlebiella sp.n., eine neue Schmetterlingsart aus dem Iran (Lepidoptera, Nepticulidae). Carinthia II 192: 603-606, figs. [\[available in Cesa Library\]](#)
5336. **Lastuvka, Z. & A.Lastuvka**, 1998, Beitrag zur Kenntnis der Nepticulidenfauna Griechenlands (Lepidoptera, Nepticulidae). Stapfia 55: 313-326, figs.
5337. **Lastuvka, Z.**, 1998, Checklist of Lepidoptera of the Czech and Slovak Republics. 117pp.
5338. **Lastuvka, Z., Malicky, H., Hüttinger, E., Rausch, H. & F.Ressl**, 1990, Sesien-Funde aus Europa und dem Mittelmeergebiet (Lepidoptera, Sesiidae). Z. ArbGem. öst. Ent. 41(3/4): 105-110. [\[available in Cesa Library\]](#)
5339. **Lastuvka, Z., et al.**, 2000, Zur Kenntnis der Glasflügler Spaniens (Lepidoptera, Sesiidae). Shilap Revta lepid. 28 (110): 227-237, figs. [\[available in Cesa Library\]](#)
5340. **Laszlo, G.M. & B.Herczig**, 1995, A general survey of the Geometridae (Lepidoptera) fauna of the Checheno-Ingush Republic (Russia, NE Caucasus). Folia ent. hung. 56: 75-84. [\[available in Cesa Library\]](#)
5341. **Laszlo, G.M. Ronkay, G. & T.J.Witt**, 2004, New species in the genus *Sarbena* Walker, 1862. Investigations on Asian Nolidae I (Lepidoptera, Nolidae). Entomofauna 25 (18): 281-296, figs. [\[available in Cesa Library\]](#)
5342. **Laszlo, G.M.**, 2003, New species of the genus *Erannis* Hübner, [1825] 1816 from the North-West Himalaya and Iran (Lepidoptera, Geometridae). Acta zool. hung. 49: 153-158, figs. [\[available in Cesa Library\]](#)
5343. **Laszlo, G.M., G.Ronkay, & T.J.Witt**, 2007, New species of the *Meganola nitida* (Hampson, 1894) species group (Lepidoptera, Nolidae) Investigations on Asian Nolidae V Entomofauna 28 (14): 157-170, 22 figs. [\[available in Cesa Library\]](#)
5344. **Laszlo, G.M., Ronkay, G., Ronkay, L. & T.Witt**, 2007, The Thyatiridae of Eurasia including the Sundaland and New Guinea (Lepidoptera). Esperiana 13: 1-683, figs. [\[available in Cesa Library\]](#)
5345. **Lathy, P.I.**, 1901, An account of a collection of Rhopalocera made at Zomba in British Central Africa. Trans. ent. Soc. London 1901 (1): 19-36, pl.iii. [\[available in Cesa Library\]](#)
5346. **Lathy, P.I.**, 1913, New butterflies from Nias. Entomologist 46: 98-101.
5347. **Latreille, P.A.**, 1809, Genera Crustaceorum et Insectorum vol. 4, 1-399, pls. 13-16. Amand Koenig, Paris. [\[available in Cesa Library\]](#)
5348. **Latreille, P.A.**, 1810, Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes avec un tableau methodique de leurs genres disposés en familles. 444 pp. Paris.
5349. **Lattin, G.de**, 1941, Eine neue *Parnassius apollo* L. Rasse aus Anatolien. Z. Wien. entVer. 26: 145-148. [\[available in Cesa Library\]](#)
5350. **Lattin, G.de**, 1944, Einige bemerkenswerte Lepidopterenfunde aus der Türkei. Z. wien. ent. Ges. 29: 74-78. [\[available in Cesa Library\]](#)
5351. **Lattin, G.de**, 1949, Über die Artfrage in der *Hipparchia semele* L.-Gruppe. Ent. Z., Frankf. a. M. 59: 113-118, 124-126, 131-132. [\[available in Cesa Library\]](#)
5352. **Lattin, G.de**, 1950, Türkische Lepidopteren -I. Ist. Univ. Fen Fak. Mec. (Ser B) 15 (4): 301-328, Taf. I, II. [\[available in Cesa Library\]](#)
5353. **Lattin, G.de**, 1951, Türkische Lepidopteren -II. Ist. Univ. Fen Fak. Mec. (Ser B) 16 (1): 45-73, Taf. III. [\[available in Cesa Library\]](#)
5354. **Lattin, G.de**, 1951, Über die Arten der Gattung *Cynaeda* Hb. (Pyrilidae). Z. Lepidopt. 1 (2): 65-84, pl.3 [erratum. ibid. 2 (1): 23].
5355. **Lattin, G.de**, 1952, Zur Evolution der westpaläarktischen Lepidopterenfauna. Decheniana 105/106: 115-164.
5356. **Lattin, G.de**, 1959, Beiträge zur Kenntnis der Gattung *Cynaeda* Hb. (Lepid., Pyralidae). Beitr. naturk. Forsch. SwDtl. 18 (1): 106-111.

- 5357. Lattin, G.de**, 1963, Über die Arten der *Ethmia pusiella* L.- Gruppe (Lepidoptera, Ethmiidae). Beitr. naturk. Forsch. SüdwDtl. 22: 45-64, Tab.2-5. [[available in Cesa Library](#)]
- 5358. Lattin, G.de**, 1967, Grundriss der Zoogeographie. [In] Borriß, H. & Gersch, M., Hochschullehrbücher für Biologie, Band 12. 602 S. 170 Abb. 25 Tab. VEB Gustav Fischer Verlag, Jena. [[available in Cesa Library](#)]
- 5359. Lattin, G.de, Becker, M. & R.-U.Roesler**, 1974, Zwei neue Subspecies aus dem *Cerura vinula*-Kreis (Lepidoptera, Notodontidae). Ent. Z., Frankf. a. M. 84(9): 85-93, 12 Abb. [[available in Cesa Library](#)]
- 5360. Lattin, G.de, Jöst, H. & R.Heuser**, 1957, Die Lepidopteren-Fauna der Pfalz I. Teil. A. Systematisch-chorologischer Teil. Mitt. Pollichia pfälz. Ver. Naturk. NatSchutz, III. Reihe, 4: 51-167.
- 5361. Lawrence, J.M., Brown, M., Lawrence, P.D. & C.J.Ballantyne**, 1998, Butterflies of the Pietermaritzburg National Botanic Gardens South Africa: A conservation perspective. Metamorphosis 9 (4): 149-155. [[available in Cesa Library](#)]
- 5362. Lay, J. & K.Rose**, 1979, Eine neue subspecies von *Coenonympha vaucheri* Blachier aus Südmarokko (Lepidoptera, Satyridae). Ent. Z., Frankf. a. M. 89: 142-144.
- 5363. Leach, W.E.**, 1817, The zoological Miscellany. 3.vol. 151 pp., 5 Pls. London.
- 5364. Leach, W.E.**, [1815], Entomology [In] Brewster, D., Edinburgh Encyclopaedia 9.vol., pt.1. 57-172 pp., Edinburgh.
- 5365. Lecompte, C.**, 1976, First observations on the biology and damage caused by the leek tineid *Acrolepiopsis* (*Acrolepia*) *assectella* Zeller (Microlepidoptera, Plutellidae) on the coast of Algeria. Bull. Soc. Hist. nat. Afr. Nord 67 (3/4): 49-56.
- 5366. Lederer, G.**, 1960, Zur Biologie von *Lemonia balcanica* Herrich-Schäffer, 1844 (= *bremeri* Kolenati, 1846) (Lep., Lemoniidae). Ent. Z., Frankf. a. M. 70: 194-199. [[available in Cesa Library](#)]
- 5367. Lederer, J.**, 1853, Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool. bot. Ver. 2 (1852): 14-34, 65-126. [[available in Cesa Library](#)]
- 5368. Lederer, J.**, 1853, Die Spanner. Versuch die europäischen Lepidopteren in möglichst natürliche Reihenfolge zu stellen. Verh. zool.- bot. Ver. Wien 3: 165-269, pls. [[available in Cesa Library](#)]
- 5369. Lederer, J.**, 1853, Lepidopterologisches aus Sibirien. Verh. zool.- bot. Ver. Wien 3: 351-386, Tab.7. [[available in Cesa Library](#)]
- 5370. Lederer, J.**, 1855, Beitrag zur Schmetterlings-Fauna von Cypern, Beirut und einem Theile Klein-Asiens. Verh. zool.- bot. Ver. Wien 5: 177-254, 5 Taf. [[available in Cesa Library](#)]
- 5371. Lederer, J.**, 1855, Weiterer Beitrag zur Schmetterlings-Fauna des Altai-Gebirges in Sibirien. Verh. zool.- bot. Ver. Wien 5: 97-121, Tab.2. [[available in Cesa Library](#)]
- 5372. Lederer, J.**, 1857, Nachtrag zur Schmetterlingsfauna von Beirut. Wien. ent. Monatschr. 1: 90-95, 97-102. [[available in Cesa Library](#)]
- 5373. Lederer, J.**, 1857, Die Noctuiden Europas, mit Zuziehung einiger bisher meist dazu gezählten Arten des asiatischen Russlands, Kleinasien, Syriens und Labradors. 16⁺252pp., 4 Pls. Wien. [[available in Cesa Library](#)]
- 5374. Lederer, J.**, 1857, Die körperlichen Auszeichnungen der europäischen Hesperiden. Wien. ent. Monatschr. 1: 75-80. [[available in Cesa Library](#)]
- 5375. Lederer, J.**, 1857, Über die *Lycaeniden*-Gattungen der europäischen Fauna. Wien. ent. Monatschr. 1: 25-32. [[available in Cesa Library](#)]
- 5376. Lederer, J.**, 1858, Noch einige syrische Schmetterlinge. Wien. ent. Monatschr. 2 (5): 135-152, 3 Taf. [[available in Cesa Library](#)]
- 5377. Lederer, J.**, 1859, Classification der europäischen Tortriciden. Wien. ent. Monatschr. 3: 118-126, 141-155, 241-255, 273-288, 328-346, 366-389, 2 Pls. [[available in Cesa Library](#)]
- 5378. Lederer, J.**, 1861, Ueber Alb. Kindermanns letzte lepidopterologische Ausbeute. Wien. ent. Monatschr. 5: 144-155, 2 Taf. [[available in Cesa Library](#)]
- 5379. Lederer, J.**, 1863, Beitrag zur Kenntniss der Pyraliden. Wien. ent. Monatschr. 7 (8): 243-280, 7(10): 331-378, 7(11): 380-426, 7(12): 427-502, Taf. 2-18. [[available in Cesa Library](#)]
- 5380. Lederer, J.**, 1864, Zur Lepidopterenfauna von Imeritien und Grusien. Wien. ent. Monatschr. 8: 165-172, Taf.3. [[available in Cesa Library](#)]
- 5381. Lederer, J.**, 1865, Excursion Lépidoptérologique en Anatolie. Annls Soc. ent. Belg. 9: 49-81, Pl.3. [[available in Cesa Library](#)]
- 5382. Lederer, J.**, 1869, Verzeichnis der von Herrn Jos.Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 6: 73-93, pls. [[available in Cesa Library](#)]

- 5383. Lederer, J.**, 1870, Contributions a la Faune des Lépidoptères de la Transcaucasie. Annls. Soc. ent. Belg. 13: 17-54, 2 Taf. [\[available in Cesa Library\]](#)
- 5384. Lederer, J.**, 1871, Nachtrag zum Verzeichnisse der von Herrn Jos. Haberhauer bei Astrabad in Persien gesammelten Schmetterlinge. Horae Soc. ent. ross. 8: 3-28, 2 Taf. [\[available in Cesa Library\]](#)
- 5385. Lee, C.L.**, 1958, Butterflies. Dept. Ent. Academia Sinica, Publ. no.4, 198 pp. 4 pls., 198 figs. Pekin.
- 5386. Lee, S. & R.L. Brown**, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs. [\[available in Cesa Library\]](#)
- 5387. Leech, J.H.**, 1887, On the Lepidoptera of Japan and Corea. Proc. zool. Soc. Lond. 1887: 398-431.
- 5388. Leech, J.H.**, 1889, Description of a new Luehdorfia from Japan. Entomologist 22: 25-26.
- 5389. Leech, J.H.**, 1892-1894, Butterflies from China, Japan and Korea 2 Vols, 680 pp., 43 Pls. London.
- 5390. Leech, J.H.**, 1897, On Lepidoptera Heterocera from China, Japan, and Corea, [Part I]. Ann. Mag. nat. Hist. (6) 19: 180-235, 297-349, 414-463, Pls. vi, vii. [\[available in Cesa Library\]](#)
- 5391. Leech, J.H.**, 1897, On Lepidoptera Heterocera from China, Japan, and Corea, Part II. Family Geometridae; Subfamilies Oenochrominae, Orthostixinae, Larentiinae, Acidaliinae, and Geometrinae. Ann. Mag. nat. Hist. (6) 19: 543-573, 640-679; 6(20): 65-110, 228-248, Pls. [\[available in Cesa Library\]](#)
- 5392. Leestmans, R. & R. Mazel**, 1996, Sur la répartition géographique et l'écologie de *Leptidea morsei* (Fenton, 1882) espece nouvelle pour la faune de Turquie (Lepidoptera, Pieridae). Linneana Belgica 15(7): 293-300, figs. [\[available in Cesa Library\]](#)
- 5393. Leestmans, R. & W. Back**, 2001, Discovery of a new *Euchloe* species and additional data on the distribution of the taxa of the subgenus *Elphinstonia* in Iran. Linneana Belg. 18 (3): 137-144, figs. [\[available in Cesa Library\]](#)
- 5394. Leestmans, R.**, 1975, Etude biographique et ecologique des Lépidopteres des isles Canaries (Lepidoptera, Insecta). Vieraea 4(1/2): 9-116. [\[available in Cesa Library\]](#)
- 5395. Leestmans, R., Mottet, P., Verhulst, J. & F. Carbonell**, 1986, Contributions a la connaissance de la faune printanière des Lépidoptères du Sud de l'Asie Mineure (Insecta, Lepidoptera). Linn. Belg. 10 (8): 334-381, figs. [\[available in Cesa Library\]](#)
- 5396. Lefèbvre, M.A.**, 1927, Description de divers insectes inédits recueillis en Sicile. Mém. Soc. linn. Paris 6: 94-108, pl. 5. [\[available in Cesa Library\]](#)
- 5397. Legrain, A. & E.P. Wiltshire**, 1998, Provisional checklist of the Macro-heterocera (Lepidoptera) of UAE. Tribulus 8 (2): 5-8, Abu Dhabi. [\[available in Cesa Library\]](#)
- 5398. Legrain, A., Yela, J.L. & M. Fibiger**, 1988, *Evisa schawerdai* Reisser, 1930 espece nouvelle pour la faune de la Peninsule Ibérique (Noctuidae, Cuculliinae). Nota lepid. 11 (4): 265-273, figs. [\[available in Cesa Library\]](#)
- 5399. Legrand, H.**, 1966, Lépidopteres de îles Seychelles et d'Aldabra. Mém. Mus. nat. Hist. nat. (A) 37 (1965): 1-210, 16 pls.
- 5400. Lehmann, I. & E. Kioko**, 2000, Preliminary survey on butterflies and moths and their habitats in two Kaya Forests of the Kenya Coast. Metamorphosis Occ. Suppl. 4: 1-51, figs. [\[available in Cesa Library\]](#)
- 5401. Lehmann, I. & H.S. Rajaei**, 2013, Description of a new genus and three new species of Metarbelidae (Lepidoptera, Cossioidea) from East and Central Africa, with notes on biogeography. Bonn. zool. Bull. 62 (1): 100-110, figs. [\[available in Cesa Library\]](#)
- 5402. Lehmann, I.**, 1997, *Metarbela haberlandorum* sp. nov., a new moth from Kenya (Lepidoptera, Metarbelidae). Nachr. ent. Ver. Apollo (N.F.) 18(1): 45-53, 3 figs. [\[available in Cesa Library\]](#)
- 5403. Lehmann, I.**, 2008, Ten new species of Metarbelidae (Lepidoptera, Cossioidea) from the coastal forests and the eastern arc mountains of Kenya and Tanzania, including one species from two upland forests. J. East Afr. nat. Hist. 97 (1): 43-82, figs. [\[available in Cesa Library\]](#)
- 5404. Lehmann, I.**, 2008, Six new species of Metarbelidae (Lepidoptera, Cossioidea) from the coastal forests and the eastern arc mountains of Tanzania, including one new species from Marenji Forest in Southeast coastal Kenya. J. East Afr. nat. Hist. 97 (1): 187-206, figs. [\[available in Cesa Library\]](#)

- 5405. Lehmann, L. & R. Zahiri**, 2011, Results of a lepidopterological expedition to North and Northwes Iran in summer 2007 with new records for Iran (Lepidoptera). *Esperiana* 16: 135-165, pls. [\[available in Cesa Library\]](#)
- 5406. Lehmann, L.**, 1990, Beitrag zur Makrolepidopterenfauna Südwestbulgariens mit Bemerkungen zur subspezifischen Gliederung (Lepidoptera). *Atalanta* 21(1/2): 121-138. [\[available in Cesa Library\]](#)
- 5407. Lehmann, L.**, 1998, Eine neue Subspezies von *Archanara dissoluta* (Treitschke, 1825) aus der Türkei (Lepidoptera, Noctuidae). *Esperiana* 6: 374-375, fig. [\[available in Cesa Library\]](#)
- 5408. Lehmann, L.**, 2000, Beitrag zur Kenntnis der Macrolepidopterenfauna des Kirgisischen Gebirges. *Nachr. ent. Ver. Apollo (N.F.)* 21 (2): 91-98. [\[available in Cesa Library\]](#)
- 5409. Lehmann, L.**, 2011, *Lithostege stadiei* sp.n. from North Iran (Geometridae, Larentiinae). *Nota lepid.* 33 (2): 249-251, figs.
- 5410. Lehmann, L., Hacker, H., Kallies, A., Kljutschko, Z. & M. Petersen**, 1998, Noctuoidea (Lepidoptera) aus Zentralasien. *Esperiana* 6: 472-532, Taf. [\[available in Cesa Library\]](#)
- 5411. Lehmann, L., Stadie, D. & R. Zahiri**, 2009, Zum Winteraspekt der Makrolepidopterenfauna Südirans mit Anmerkungen zur Biologie einiger Arten (Lepidoptera, Bombycoidea, Papilionoidea, Geometroidea, Noctuoidea). *Nachr. ent. Ver. Apollo (N.F.)* 30 (3): 105-119, figs. [\[available in Cesa Library\]](#)
- 5412. Leigheb, G.**, 1978, Notes on Sicilian species of the genus *Hipparchia* Fabricius (Satyridae). *Nota lepid.* 1(3): 119-124, 2 figs. [\[available in Cesa Library\]](#)
- 5413. Leigheb, G., Jutzeler, D. & V. Cameron-Curry**, 2000, *Linneana Belg.* 17 (6): 239-246, figs. [\[available in Cesa Library\]](#)
- 5414. Lekagul, B., Askins, K., Nabhitabhata, J. & Samruadkit, A.**, 1977, Field Guide to the Butterflies of Thailand. [\[available in Cesa Library\]](#)
- 5415. Leksawasdi, P. (ed.)**, 1996, The study and survey of biodiversity at Chiang Dao Wildlife Sanctuary. Final Report The Environmental Policy and Plan Office, Bangkok [unpublished]. [\[available in Cesa Library\]](#)
- 5416. Leksawasdi, P., Kemal, M. & A. Ö. Koçak**, 2006, List of the species in the Insect Collection of the Chiang Mai University (Thailand) I. Lepidoptera, Sphingidae. *Cent. ent. Stud., Misc. Pap.* 95: 1-7. [\[available in Cesa Library\]](#)
- 5417. Leksawasdi, P.**, 1994, Life history and natural enemy of a Bamboo Borer (*Omphisa* sp. [fuscidentalis Hampsn.], Pyralidae, Lepidoptera). The Second National Plant Protection Conference 1: 96-102, figs. [\[available in Cesa Library\]](#)
- 5418. Lelièvre, T.**, 1981, *Lycaenidae* capturés a Chateauneuf-de-Chabre (Hautes-Alpes). *Alexandor* 12 (4): 152-154, 1 fig. [\[available in Cesa Library\]](#)
- 5419. Lemaire, C.**, 1962, Description d'un *Attacidae* d'Abyssinie: *Imbrasia ellisoni* n.sp. (Lep.). *Bull. IFAN* 24 A2.
- 5420. Lemann, F. C.**, 1895, Reminiscences of the Tyrol II. A July holiday. *Entomologist's Rec. J. Var.* 7: 221-224. [\[available in Cesa Library\]](#)
- 5421. Lemann, F. C.**, 1898, The butterflies of Carinthia. *Entomologist's Rec. J. Var.* 10: 12-15. [\[available in Cesa Library\]](#)
- 5422. Lemeé, A.**, 1950, Contribution a l'étude Lepidopteres du Haut Tonkin (Nord Vietnam) et de Saigon. 82pp. 1 pl. Lechevalier, Paris.
- 5423. Lempke, B. J.**, 1969, *Iphiclides podalirius* L. in den Niederlanden. *Atalanta* 2(7): 225-226, map. [\[available in Cesa Library\]](#)
- 5424. Lempke, B. J.**, 1976, Naamlijst van de Nederlandse Lepidoptera. *Konin. Ned. Nat. Ver.* 21: 1-100.
- 5425. Leneveu, J., Chichvarkhin, A. & N. Wahlberg**, 2009, Varying rates of diversification in the genus *Melitaea* (Lepidoptera, Nymphalidae) during the past 20 million years. *Biol. J. Linn. Soc.* 97: 346-361, 3 figs. [\[available in Cesa Library\]](#)
- 5426. Lenz, F.**, 1927, Zur Lebensweise der Schmetterlinge. *Mitt. münch. ent. Ges.* 17: 19-31. [\[available in Cesa Library\]](#)
- 5427. Lenz, J. & A. Hausmann**, 1992, *Idaea blaesii* sp.n., eine neue Sterrhine aus Portugal (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 82: 47-53, 10 Abb. [\[available in Cesa Library\]](#)
- 5428. Lepiforum, e. V.**, 2013, Bestimmung von Schmetterlingen (Lepidoptera) und ihren Präimaginalstadien. <http://www.lepiforum.de> [access 1 March, 2014].
- 5429. Leraut, P.** 2005, Étude de quelques genres et espèces de Pyrales (Lepidoptera, Pyraloidea). *Revue fr. Ent. (n.s.)* 27 (1): 21-44, figs. [\[available in Cesa Library\]](#)

- 5430. Leraut, P. & G.C. Luquet**, 1982, Statut de quelques genres et espèces d'Odontiinae paléarctiques et description de quatre nouveaux taxa (Lep., Crambidae). *Linneana belg.* 8 (12): 527-555, 28 figs. [[available in Cesa Library](#)]
- 5431. Leraut, P. & G.C. Luquet**, 1996, *Archips xylosteana sabrinae* ssp. nov. en France méridionale (Lepidoptera, Tortricidae). *Alexanor* 19 (4): 249-251. [[available in Cesa Library](#)]
- 5432. Leraut, P.**, 1980, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse. 334pp. Paris. [[available in Cesa Library](#)]
- 5433. Leraut, P.**, 1982, Contribution à l'étude des Scopariinae 3. *Scoparia perplexella dufayi* ssp. n. (Lep., Crambidae). *Alexanor* 12 (7): 335-336, 2 figs. [[available in Cesa Library](#)]
- 5434. Leraut, P.**, 1984, Contribution à l'étude des Scopariinae 4. Révision des types décrits de la région paléarctique occidentale, description de dix nouveaux taxa et ébauche d'une liste des espèces de cette région (Lep., Crambidae). *Alexanor* 13 (4): 157-192, 37 figs. [[available in Cesa Library](#)]
- 5435. Leraut, P.**, 1985, Contribution à l'étude des Scopariinae 5. Quatre nouveaux taxa d'Afghanistan (Lepidoptera, Crambidae). *Nouv. Revue Ent. (n.s.)* 2 (3): 325-329, figs.
- 5436. Leraut, P.**, 1988, Contribution à l'étude des Scopariinae 7. Cinq espèces et deux genres nouveaux de Guyane française et de Guadeloupe (Lepidoptera, Crambidae). *Alexanor* 15 (3) (1987): 176-182, 12 figs. [[available in Cesa Library](#)]
- 5437. Leraut, P.**, 1990, Contribution à l'étude des Satyrinae de France (Lep., Nymphalidae). *Ent. gall.* 2(1): 8-19, 50 figs.
- 5438. Leraut, P.**, 1990, Quelle sous-espèce d'*Erynnis tages* (L.) en Cerdagne française? (Lep., Hesperiidae). *Ent. gall.* 2(1): 19.
- 5439. Leraut, P.**, 1996, *Zophodia robineaui* sp. n., espèce nouvelle pour la science en France (Lepidoptera, Pyralidae). *Alexanor* 19 (6): 350-352. [[available in Cesa Library](#)]
- 5440. Leraut, P.**, 1997, Liste systématique et synonymique des Lépidoptères de France, Belgique et Corse (deuxième édition). 526pp. Paris. [[available in Cesa Library](#)]
- 5441. Leraut, P.**, 2003, Nouvelles contributions à l'étude des Pyrales paléarctiques (Lepidoptera, Pyraloidea). *Revue fr. Ent. (n.s.)* 25 (2): 67-79, figs. [[available in Cesa Library](#)]
- 5442. Leraut, P.**, 2003, Étude de quelques pyrales paléarctiques (Lepidoptera, Crambidae). *Nouv. Revue Ent. (n.s.)* 20 (2): 133-147.
- 5443. Leraut, P.**, 2006, Contribution à l'étude du genre *Hypsopygia* Hübner (Lepidoptera, Pyralidae). *Revue fr. Ent. (n.s.)* 28 (1): 5-30, figs. [[available in Cesa Library](#)]
- 5444. Leraut, P.**, 2013, Espèces et genres nouveaux de Pyralinae (Lepidoptera, Pyraloidea, Pyralidae). *Bull. Soc. ent. Fr.* 118 (1): 41-72, figs. [[available in Cesa Library](#)]
- 5445. Leraut, P.**, 2014, Moths of Europe. Volume 4 Pyralids 2. 441pp. 190 text-figs., 69 pls. N.A.P. ed., Verrières-le-Buisson. [[available in Cesa Library](#)]
- 5446. Lesar, T.**, 1998, *Coenonympha tullia* O. F. Müller, 1764, na slovenskem Koroškem (Lepidoptera: Satyridae). *Acta ent. Slovenica* 6(1): 16.
- 5447. Lesar, T.**, 1998, *Lomographa dilectaria* Hübner, 1799, v severovzhodni Sloveniji (Lepidoptera: Geometridae). *Acta ent. Slovenica* 6(1): 46.
- 5448. Leslie, G.A. & W.H. Evans**, 1903, The butterflies of Chitral. *J. Bombay nat. Hist. Soc.* 14: 666-678. [[available in Cesa Library](#)]
- 5449. Lesse, H. de & M. Condamin**, 1962, Formules chromosomiques de quelques Lépidoptères Rhopaloceres du Sénégal. *Bull. Inst. fr. Afr. noire Ser. A Sci. nat.* 24 (2): 464-473.
- 5450. Lesse, H. de**, 1949, Contribution à l'étude du genre *Erebia*. Description des armures génitales femelles. *Revue fr. Ent.* 16 (4): 165-198.
- 5451. Lesse, H. de**, 1951, Divisions génériques et subgénériques des anciens genres *Satyrus* et *Eumenis* (sensu lato). *Revue fr. lépid.* 13 (3/4): 39-43. [[available in Cesa Library](#)]
- 5452. Lesse, H. de**, 1952, Révision des *Neohipparchia* (Lepidoptera, Satyridae) d'Afrique du Nord. *Bull. Soc. sci. Nat. Maroc* 32: 91-105.
- 5453. Lesse, H. de**, 1952, Révision de l'ancien genre *Satyrus* (s.l.). *Annls Soc. ent. Fr.* 120 (1951): 77-101, 28 figs.
- 5454. Lesse, H. de**, 1952, Note sur le genre *Kanetisa* (Satyridae) *Revue fr. Lépidopt.* 13 (15/17): 257-259, Taf. 13.
- 5455. Lesse, H. de**, 1952, Révision des anciens genres *Pararge* (s.l.) et *Maniola* (= *Epinephele* auct.). *Annls Soc. ent. Fr.* 121 (1952): 61-76, 24 figs.

5456. **Lesse, H.de**, 1952, Quelques formules chromosomiques chez les Lycaenidae (Lépid. Rhopal.). C. r. hebd. Seanc. Acad. Sci. Paris 235 (25): 1692-1694.
5457. **Lesse, H.de**, 1953, Formules chromosomiques nouvelles chez les Lycaenidae (Lépid. Rhopal.). C. r. hebd. Seanc. Acad. Sci. Paris 237 (25): 1781-1783.
5458. **Lesse, H.de**, 1954, Discussion de certains caractères morphologiques d'*Arethusana arethusana* Schiff. et des formes *boabdil* Rambur et *dentata* Stgr. Revue fr. Lepidopt. 16: 140-142.
5459. **Lesse, H.de**, 1955, Distribution holarctique d'un groupe d'espèces du genre *Erebia* (Lépidoptères) récemment séparées d'après leurs formules chromosomiques. C. r. Soc. Biogéogr. 276: 12-18.
5460. **Lesse, H.de**, 1956, Etude cytologique des *Lysandra* fixés par M.H.Beuret. Mitt. ent. Ges. Basel (N.F.) 6: 77-80.
5461. **Lesse, H.de**, 1956, Fixation de lectotypes et description d'une nouvelle sous espèce dans le groupe d'*Erebia tyndarus* Esp. (Lepid. Nymphalidae, Satyrinae). Revue fr. Lepidopt. 15 (6): 147-150.
5462. **Lesse, H.de**, 1957, Description deux nouvelles espèces d'*Agrodiaetus* (Lep., Lycaenidae) séparées à la suite découverte de leurs formules chromosomiques. Lambillionea 57 (6): 65-71. [available in Cesa Library]
5463. **Lesse, H.de**, 1959, Description d'une nouvelle sous-espèce d'*Agrodiaetus dama* Stgr. (Lep., Lycaenidae) et de sa formule chromosomique. Bull. Soc. ent. Mulhouse 1959: 13-15. [available in Cesa Library]
5464. **Lesse, H.de**, 1959, Note sur deux espèces d'*Agrodiaetus* (Lep., Lycaenidae) récemment séparées d'après leurs formules chromosomiques. Bull. Soc. ent. Mulhouse 1959 (1/2): 5-10, 9 figs. [available in Cesa Library]
5465. **Lesse, H.de**, 1959, Description d'une nouvelle sous-espèce d'*Agrodiaetus hopfferi* H.S. (Lep., Lycaenidae) et de sa formule chromosomique particulière. Bull. mens. Soc. linn. Lyon 28 (5): 149-151. [available in Cesa Library]
5466. **Lesse, H.de**, 1959, Lépidoptères Rhopalocères récoltés en Iran. Alexanor 1 (1): 39-46, Taf.2-3. [available in Cesa Library]
5467. **Lesse, H.de**, 1959, Séparation spécifique d'un *Lysandra* d'Afrique du Nord à la suite de la découverte de sa formule chromosomique (Lycaenidae). Alexanor 1 (1): 61-64, 1 fig.
5468. **Lesse, H.de**, 1959, Nouvelle étude chorologique et cytologique conduisant à changer l'application du nom d'*Agrodiaetus iphigenia* H.S. (Lep., Lycaenidae). Lambillionea 59 (7/8): 56-61. [available in Cesa Library]
5469. **Lesse, H.de**, 1959, Sur la valeur spécifique de deux sous-espèces d'*Agrodiaetus* (Lep., Lycaenidae) récemment décrites. Bull. mens. Soc. linn. Lyon 28 (10): 312-315, 5 figs., 1 tab. [available in Cesa Library]
5470. **Lesse, H.de**, 1959, Caractères externes et formule chromosomique d'*Agrodiaetus baytopi* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1959: 44-48, 6 figs. [available in Cesa Library]
5471. **Lesse, H.de**, 1960, *Agrodiaetus iphigenia* H.S. et son espèce jumelle *Agrodiaetus tankeri* n.sp. (Lep., Lycaenidae). Bull. Soc. ent. Mulhouse 1960: 75-78. [available in Cesa Library]
5472. **Lesse, H.de**, 1960, Spéciation et variation chromosomique chez les Lépidoptères Rhopalocères. Annls. Sci. nat. (2.ser) Zool. 2: 1-223, 222 figs. [available in Cesa Library]
5473. **Lesse, H.de**, 1960, Les nombres de chromosomes dans la classification du groupe d'*Agrodiaetus ripartii* Freyer (Lepidoptera, Lycaenidae). Revue fr. Ent. 27 (3): 240-264, 10 figs. 6 tab. Taf.1-2. [available in Cesa Library]
5474. **Lesse, H.de**, 1961, Les hybrides naturels entre *Lysandra coridon* Poda et *L. bellargus* Rott. (Lycaenidae). Alexanor 2 (1): 22-30, fig.1.
5475. **Lesse, H.de**, 1961, Les nombres de chromosomes chez *Agrodiaetus dolus* Hübner et les espèces voisines (Lycaenidae). Alexanor 2 (2): 57-63; 2 (3): 72; Tab. 3, figs.1-6. [available in Cesa Library]
5476. **Lesse, H.de**, 1961, Signification supraspécifique des formules chromosomiques chez les Lépidoptères. Bull. Soc. ent. Fr. 66 (1961): 71-83.
5477. **Lesse, H.de**, 1961, Variations géographiques des caractères externes chez les espèces autrefois réunies sous le nom d'*Agrodiaetus ripartii* Freyer (Lep., Lycaenidae). Revue fr. Ent. 28 (2): 93-100. [available in Cesa Library]
5478. **Lesse, H.de**, 1961, Cohabitation en Espagne d'*Agrodiaetus ripartii* Freyer et *A. fabressei* Oberthür (Lepidoptera, Lycaenidae). Revue fr. Ent. 28 (1): 50-53, 1 fig. [available in Cesa Library]

- 5479. Lesse, H.de**, 1962, Variation chromosomique chez *Agrodiaetus actis* H.S. et *A. altivagans* Forst. (Lep., Lycaenidae). *Revue fr. Ent.* 29 (1): 66-76, 6 figs. [[available in Cesa Library](#)]
- 5480. Lesse, H.de**, 1962, Variation chromosomique chez *Agrodiaetus dolus* Hb. *Alexanor* 2 (7): 283-286, 1 fig.
- 5481. Lesse, H.de**, 1962-1963, Lépidoptères Lycaenidae récoltes en Iran en 1961. *Alexanor* 2 (8): 305-312; 3 (1): 33-38. [[available in Cesa Library](#)]
- 5482. Lesse, H.de**, 1963, Variation chromosomique chez *Agrodiaetus carmon* H.S. et *A. cyanea* Stgr. (Lep., Lycaenidae). *Revue fr. Ent.* 30 (3): 177-181, 2 figs. 2 tab. [[available in Cesa Library](#)]
- 5483. Lesse, H.de**, 1963, Variation chromosomique chez les *Agrodiaetus* (Lep., Lycaenidae). *Revue fr. Ent.* 30 (3): 182-189, 4 figs. [[available in Cesa Library](#)]
- 5484. Lesse, H.de**, 1964, Une nouvelle sous-espece d'*Agrodiaetus altivagans* Forster (Lep., Lycaenidae). *Alexanor* 3 (1963): 167-168. [[available in Cesa Library](#)]
- 5485. Lesse, H.de**, 1964, Les nombres de chromosomes chez quelques *Erebia* femelles. *Revue fr. Ent.* 31 (2): 112-115.
- 5486. Lesse, H.de**, 1969, Les nombres de chromosomes dans le groupe de *Lysandra coridon* (Lep., Lycaenidae). *Annls Soc. ent. Fr. (n.s.)* 5 (2): 469-522, 18 figs., 6 tab. [[available in Cesa Library](#)]
- 5487. Lesse, H.de**, 1970, Formules chromosomiques de quelques *Rhopaloceres* paléarctiques (Lep.). *Bull. Soc. ent. Fr.* 75 (7/8): 214-216.
- 5488. Lesse, H.de**, 1970, Les nombres de chromosomes a l'appui d'une systematique du groupe de *Lysandra coridon* (Lycaenidae). *Alexanor* 6 (5): 203-224, tab. 8-9, 9 figs.
- 5489. Lesse, H.de**, 1970, Les nombres de chromosomes dans le groupe de *Lysandra argester* et leur incidence sur sa taxonomie (Lep., Lycaenidae). *Bull. Soc. ent. Fr.* 75: 64-68, 2 figs. [[available in Cesa Library](#)]
- 5490. Lesse, H.de**, 1971, Une nouvelle sous-espèce de *Melanargia galathea* L. (Nymphalidae, Satyrinae). *Alexanor* 7: 156-157, 2 figs. [[available in Cesa Library](#)]
- 5491. Lesse, H.de**, 1972, Variations géographiques des nombres chromosomiques chez les Lycaenidae. *C. r. somm. Seanc. Soc. Biogeogr.* 48 (407/421): 33-38.
- 5492. Lewandowski, S. & H. Fischer**, 2005, Revision der Artengruppen von *Lasiocampa trifolii* und *L. serrula* der Gattung *Lasiocampa* von Paula Schrank, 1802 (Lepidoptera, Lasiocampidae). *Nachr. ent. Ver. Apollo (N.F.)* 26 (4): 183-196, figs. [[available in Cesa Library](#)]
- 5493. Lewandowski, S. & K. Tober**, 2008, *Catocala olgaorlova* *duchara* subsp. nov. aus Jordanien (Lepidoptera, Noctuidae). *Atalanta* 39 (1/4): 377-378, figs. [[available in Cesa Library](#)]
- 5494. Lewandowski, S. & K. Tober**, 2011, *Idaea sordida horus* subsp. nov., eine neue Unterart der Gattung *Idaea* Treitschke, 1825 aus Aegypten (Lepidoptera, Geometridae). *Atalanta* 42 (1/4): 249-250, figs. [[available in Cesa Library](#)]
- 5495. Lewvanich, A.**, 1981, A revision of the Old World species of *Scirpophaga* (Lepidoptera, Pyralidae). *Bull. Br. Mus. (Nat. Hist.) Ent.* 42: 185-298, 188 figs. [[available in Cesa Library](#)]
- 5496. Lewvanich, A.**, 1981, Two new species of the genus *Scirpophaga* from Nepal (Lepidoptera, Pyralidae, Schoenobiinae). *Insecta Matsumurana (N.S.)* 24: 17-27, figs. [[available in Cesa Library](#)]
- 5497. Lewvanich, A.**, 2001, Lepidopterous adults and larvae. 230 pp. Dept. Agriculture, Bangkok. [[available in Cesa Library](#)]
- 5498. Lhomme, L.**, 1923-1935, Catalogue des Lépidoptères de France et de Belgique. 1. Macrolépidoptères. 800pp. Leon Lhomme, Le Carriol.
- 5499. Li, H. & K. Sattler**, 2012, A taxonomic revision of the genus *Mesophleps* Hübner, 1825 (Lepidoptera, Gelechiidae). *Zootaxa* 3373: 1-82, figs. [[available in Cesa Library](#)]
- 5500. Li, H.**, 1991, A study on the chinese species of *Ornativulva* Gozmany (Lepidoptera, Gelechiidae). *Entomotaxonomia* 13 (2): 87-92, 12 figs. [[available in Cesa Library](#)]
- 5501. Li, H., Li, Z. & P. You**, 2003, The genus *Ornativulva* from Inner Mongolia and Tianjin of China (Lepidoptera, Gelechiidae). *Acta zootax. sinica* 28 (4): 767-772, 9 figs. [[available in Cesa Library](#)]
- 5502. Li, H., Zhen, H. & W. Mey**, 2013, Notes on *Dichomeris* Hübner, 1818 from Southern Africa and Kenya, with description of seven new species (Lepidoptera, Gelechiidae, Dichomerinae). *Zootaxa* 3608 (7): 561-574, figs. [[available in Cesa Library](#)]
- 5503. Li, H.H. & H. Zhen**, 2011, Review of the genus *Helcystogramma* Zeller (Lepidoptera, Gelechiidae, Dichomeridinae) from China. *J. Nat. Hist.* 45 (17-18): 1035-1087, figs. [[available in Cesa Library](#)]
- 5504. Libert, M. & S.C. Collins**, 1997, A new species of *Cymothoe* Hübner from Cameroon (Lepidoptera, Nymphalidae). *Metamorphosis* 8(4): 183-190, 2 Pls., 3 figs. [[available in Cesa Library](#)]

- 5505. Libert, M.**, 2005, Une nouvelle sous-espèce de *Deudorix* (*Virachola*) *livia* d'Oman (Lep., Lycaenidae). Bull. Soc. ent. Fr. 110 (3): 297-298.
- 5506. Libert, M.**, 2006, Note sur le genre *Henotesia* Butler (Lepidoptera, Satyridae). Lambillionia 106 (1): 1-14, figs. [\[available in Cesa Library\]](#)
- 5507. Lienig, F. & P.C. Zeller**, 1846, Anmerkungen, [in] Lienig, F., Lepidopterologische Fauna von Livland und Kurland. Isis 1846 (3): 175-302.
- 5508. Lindler, E.**, 1934, Anatolienfahrt. Ent. Rdsch. 51: 221-225, 231-237.
- 5509. Linnaeus, C.**, 1758, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. ed. decima reformata. Tom.1, 823 pp. Holmiae. [\[available in Cesa Library\]](#)
- 5510. Linnaeus, C.**, 1758, Pandora Insectorum. 31pp. Upsaliae. [\[available in Cesa Library\]](#)
- 5511. Linnaeus, C.**, 1761, Fauna Suecica sistens animalia Sueciae regni: quadrupedia, aves, amphibia, pisces, insecta, vermes, distributa per classes, et ordines, genera et species, cum differentiis specierum, synonymis autorum, nominibus incolarum, ... 578pp. Stockholmiae. [\[available in Cesa Library\]](#)
- 5512. Linnaeus, C.**, 1763, Centuria Insectorum, quam praesidae Car. von Linne, proposuit Boas Johansson. Amoen. Acad. 6: 384-415.
- 5513. Linnaeus, C.**, 1764, Museum S.R.M. Ludovicae Ulrica Reginae etc. in quo animalia rariora, exotica, imprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. 720pp., Holmiae.
- 5514. Linnaeus, C.**, 1767, Systema Naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis. editio duodecima reformata. Tom. 1, P.2: 553-1327 pp. Holmiae.
- 5515. Longstaff, G.B.**, 1916, Butterflies of southern Kordofan, collected by Captain R.S. Wilson, Lancashire Regiment. Trans. ent. Soc. London 1916 (2): 269-288, map. [\[available in Cesa Library\]](#)
- 5516. Lorkovic, Z.**, 1927, Leptidea sinapis ab. major Grund zasebna vrsta Rhopalocera iz Hroatske. Acta Soc. ent. jugosl. 2(1): 11-16.
- 5517. Lorkovic, Z.**, 1962, The genetics and reproductive isolating-mechanisms of the *Pieris napi*-bryoniae group. J. lepid. Soc. 16: 5-19, 105-127.
- 5518. Lorkovic, Z.**, 1968, Karyologische Beitrag zur Frage der Fortpflanzungsverhältnisse südeuropäischer Taxone von *Pieris napi* (L.) (Lepidoptera, Pieridae). Bioloski Glasnik 21: 95-136.
- 5519. Lorkovic, Z.**, 1972, Karyological identification of the Caucasian species of the *Erebia tyndarus* Group (Lepidopt., Satyridae). Acta ent. Jugosl. 8 (1/2): 111-121, 19 figs. [\[available in Cesa Library\]](#)
- 5520. Lorkovic, Z.**, 1977, Dvije nove vrste Satyridae za SR Makedoniju i Jugoslaviju. Acta ent. Jugosl. 13: 92.
- 5521. Lorkovic, Z.**, 1982, Bemerkungen zu dem Fund von *Leptidea morsei* in Griechenland. Nota lepid. 5 (2/3): 111-113. [\[available in Cesa Library\]](#)
- 5522. Lorkovic, Z.**, 1982, Berichtigung zu dem Aufsatz: Bemerkungen zu dem Fund von *Leptidea morsei* Fent. in Griechenland (Pieridae). Nota lepid. 5 (4): 169-170. [\[available in Cesa Library\]](#)
- 5523. Lovtrup, S.**, 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs. [\[available in Cesa Library\]](#)
- 5524. Lowe, F.E.**, 1900, Lepidopterological notes from Orta in Piedmont and neighbourhood. Entomologist's Rec. J. Var. 12: 324-328. [\[available in Cesa Library\]](#)
- 5525. Lucas, D.**, 1907, Lépidoptères nouveaux de Tunisie. Bull. Soc. ent. Fr. 1907: 180-181. [\[available in Cesa Library\]](#)
- 5526. Lucas, D.**, 1910, Lépidoptères nouveaux ou peu connus de France, d'Algérie et de Tunisie. Annls Soc. ent. Fr. 79: 473-495, pl. 18 [\[available in Cesa Library\]](#)
- 5527. Lucas, H.**, 1835, Histoire naturelle des Lépidoptères (exotiques) étrangers. 40 pls. Pauquet. Paris.
- 5528. Lucas, H.**, 1849, Histoire naturelle des animaux articulés 3: Insectes: Sixième ordre Les Lépidoptères, [in] Exploration scientifique de l'Algérie, pendant les années 1840, 1841, 1842: 345-413. Paris. [\[available in Cesa Library\]](#)
- 5529. Lucas, H.**, 1852, Description de nouvelles espèces de Lépidoptères appartenant aux collections entomologiques de Musée de Paris. Revue Mag. Zool. Pure & App. 4: 324-345, 422-432.

- 5530. Lucas, H.**, 1866, Quelques remarques sur une variété du *Chrysophanus phlaeas*, Lépidoptère Acalinoptère de la tribu des Eryciniens et de la famille des Lycénides. *Annls Soc. ent. Fr.* (4)5: 499-500.
- 5531. Luig, J. Miatleuski, J. & A. Saldaitis**, 1997, A new species of the genus *Polymixis* Hübner, [1820] from Western Turkmenistan (Lepidoptera, Noctuidae). *Atalanta* 28(1/2): 153-156, Pl. [\[available in Cesa Library\]](#)
- 5532. Lukhtanov, A. I.**, 1984, Revision of the palaearctic species of *Oeneis* Hübner (Lepidoptera, Satyridae). I. hora- group. *Ent. Obozr.* 62: 776-789, figs. [in Russian]. [\[available in Cesa Library\]](#)
- 5533. Lukhtanov, V. A. & A. A. Dantchenko**, 2005, *Lasiommata zagrossica* spec. nov. from Iran (Lepidoptera, Nymphalidae, Satyrinae). *Atalanta* 35 (3/4): 315-321, figs. [\[available in Cesa Library\]](#)
- 5534. Lukhtanov, V. A. & A. G. Lukhtanov**, 1994, Eine neue Unterart aus der Gattung *Paralasa* aus dem Boguty-Gebirge in Südostkasachstan (Lepidoptera, Satyridae). *Atalanta* 25(1/2): 167-169, Taf. Vb. [\[available in Cesa Library\]](#)
- 5535. Lukhtanov, V. A. & A. V. Dantchenko**, 2003, Two new chromosome races of *Agrodiaetus altivagans-wagneri* complex (Lepidoptera, Lycaenidae) *Atalanta* 34 (3/4): 421-428, pl. xxviii. [\[available in Cesa Library\]](#)
- 5536. Lukhtanov, V. A. & V. C. Kuznetsova**, 1988, Karyotype structure in higher Lepidoptera (Papilionomorpha). *Ent. Obozr.* 1988 (3): 480-495, 4 figs., 3 Tab. [\[available in Cesa Library\]](#)
- 5537. Lukhtanov, V. A.**, 1983, Review of the Satyrids of genus *Oeneis* Hübner, 1816 (Lepidoptera, Satyridae) of Polar Ural. *Ent. Obozr.* 62: 763-772 [in Russian].
- 5538. Lukhtanov, V. A.**, 1987, Revision of the palaearctic species of *Oeneis* Hübner (Lepidoptera, Satyridae). II. The jutta group. *Ent. Obozr.* 66: 142-157, figs. [in Russian]. [\[available in Cesa Library\]](#)
- 5539. Lukhtanov, V. A.**, 1989, Karyotypes of some blue butterflies of the *Agrodiaetus* species groups (Lepidoptera, Lycaenidae). *Ann. ent. fenn.* 55: 137-144, 6 figs. [\[available in Cesa Library\]](#)
- 5540. Lukhtanov, V. A.**, 1990, New Taxa of Satyrid and Blue Butterflies (Lepidoptera, Satyridae, Lycaenidae) from Middle Asia and Kazakhstan. *Vestn. Zool.* 1990(6): 13-23, figs. [\[available in Cesa Library\]](#)
- 5541. Lukhtanov, V. A.**, 1991, Karyotype evolution and systematics of higher taxa of Pieridae (Lepidoptera) of the World. *Ent. Obozr.* 70(3): 619-636, 3 figs. [\[available in Cesa Library\]](#)
- 5542. Lukhtanov, V. A.**, 1993, *Athamanthia eitschbergeri* spec. nov., eine neue Art aus Kirghisien (Lepidoptera, Lycaenidae, Lycaeninae). *Atalanta* 24(1/2): 71-74, Pl. III. [\[available in Cesa Library\]](#)
- 5543. Lukhtanov, V. A.**, 1993, Eine Übersicht die Arten der Gattung *Neolycaena* mit den Beschreibungen einer neuen Art und einer neuen Unterart aus Kasachstan (Lepidoptera, Lycaenidae, Theclinae). *Atalanta* 24(1/2): 61-70, Pl. II. [\[available in Cesa Library\]](#)
- 5544. Lukhtanov, V. A.**, 1994, Eine neue Art der Gattung *Neolycaena* aus dem Dshungarischen Alatau in Kasachstan (Lepidoptera, Lycaenidae, Theclinae). *Atalanta* 25(1/2): 199-202, Taf. VIIa. [\[available in Cesa Library\]](#)
- 5545. Lukhtanov, V. A.**, 1995, *Hyponephele carbonelli* spec. nov. eine neue Satyriden-Art aus Pakistan (Lepidoptera, Satyridae). *Atalanta* 26 (1/2): 197-200, Pl. [\[available in Cesa Library\]](#)
- 5546. Lukhtanov, V. A.**, 1995, Eine Übersicht über die Arten der Untergattung *Satyrrium* (Superflua Strand, 1910) mit der Beschreibung einer neuen Art aus Südwestgissar, Usbekistan (Lepidoptera, Lycaenidae, Theclinae). *Nachr. ent. Ver. Apollo N.F.* 16(1): 47-58, figs. [\[available in Cesa Library\]](#)
- 5547. Lukhtanov, V. A.**, 1996, Eine neue Art der Gattung *Pieris* Schrank, 1801 aus Kirgisien (Lepidoptera, Pieridae). *Atalanta* 27 (1/2): 211-221, 12 figs. [\[available in Cesa Library\]](#)
- 5548. Lukhtanov, V. A.**, 1996, Neue Taxa der Gattung *Hyponephele* Muschamp, 1915 aus Mittelasien (Lepidoptera, Satyridae). *Atalanta* 27 (3/4): 581-590, figs., Pl. ix. [\[available in Cesa Library\]](#)
- 5549. Lukhtanov, V. A.**, 1997, Eine neue Unterart von *Parnassius apollo* (Linnaeus, 1758) aus Kasachstan (Lepidoptera, Papilionidae). *Atalanta* 28 (1/2): 13-16, 1 Taf. [\[available in Cesa Library\]](#)
- 5550. Lukhtanov, V. A.**, 1999, *Chazara eitschbergeri* spec. nov., eine neue Satyriden-Art aus Kirgisien (Lepidoptera, Nymphalidae, Satyrini). *Atalanta* 30 (1/4): 119-123, figs. [\[available in Cesa Library\]](#)
- 5551. Lukhtanov, V. A.**, 1999, Eine neue ungewöhnliche Art der Gattung *Neolycaena* aus Kirgisien (Lepidoptera, Lycaenidae). *Atalanta* 30 (1/4): 129-134, figs. [\[available in Cesa Library\]](#)
- 5552. Lukhtanov, V. A.**, 1999, Neue taxa und synonyma zentralasiatischer Tagfalter (Lepidoptera, Papilionoidea). *Atalanta* 30 (1/4): 135-150, figs. [\[available in Cesa Library\]](#)

- 5553. Lukhtanov, V.A.**, 2000, Zur Systematik und Verbreitung der Taxa *Athamanthia dimorpha*-Gruppe (Lepidoptera, Lycaenidae). *Atalanta* 31 (1/2): 179-192, pl.xiv. [[available in Cesa Library](#)]
- 5554. Lukhtanov, V.A., Kandul, N.P., Prins, W.O.de & D.v.d.Poorten**, 1998, Karyology of species of *Polyommatus* (*Agrodiaetus*) from Turkey: new data and their taxonomic consequences (Lepidoptera, Lycaenidae). *Holarct. Lepid.* 5 (1): 1-8, 15 figs. [[available in Cesa Library](#)]
- 5555. Lukhtanov, V.A., Wiemers, M. & K.Meusemann**, 2003, Description of a new species of the "brown" *Agrodiaetus* complex from south-east Turkey (Lycaenidae). *Nota lepid.* 26 (1/2): 65-71, figs.
- 5556. Lvovsky, A.L. & N.V. Arutjunova**, 1992, A new subspecies and a new species of Oecophorid moths (Lepidoptera, Oecophoridae) from Tajikistan. *Ent. Obozr.* 71 (1): 139-142 [engl. transl. *Ent. rev.* 72 (2): 6-9, 6 figs., 1993]
- 5557. Lvovsky, A.L.**, 1992, New species and subspecies of Oecophorid moths of the genus *Pleurota* Hübner, 1825 (Lepidoptera, Oecophoridae). *Ent. Obozr.* 71 (3): 630-639 [engl. transl. *Ent. rev.* 72 (6): 67-76, 14 figs., 1993] [[available in Cesa Library](#)]
- 5558. Lvovsky, A.L.**, 1993, A new subgenus of *Polyommatus* (Lepidoptera, Lycaenidae). *Zoosyst. ross.* 2(1): 175-176.
- 5559. Lvovsky, A.L.**, 1995, New and little known genera and species of the broad-winged moths (Lepidoptera, Oecophoridae, Depressariidae) of the Palearctic fauna. *Ent. Obozr.* 74 (1): 138-152, figs. [engl. text: *Ent. Rev.* 75 (3): 41-55, 25 figs., 1996]. [[available in Cesa Library](#)]
- 5560. Lvovsky, A.L.**, 1996, A Review of the genus *Lamprystica* Meyrick, 1914 with the description of a new subfamily (Lepidoptera, Agonoxenidae). *Atalanta* 27 (1/2): 427-432, 7 figs. [[available in Cesa Library](#)]
- 5561. Lvovsky, A.L.**, 1996, New and little known species of *Depressaria* Haworth, 1811 (Lepidoptera, Oecophoridae). *Atalanta* 27 (1/2): 421-425, 11 figs. [[available in Cesa Library](#)]
- 5562. Lvovsky, A.L.**, 1996, Composition of the genus *Odites* Wlsm. and status of the genus in the taxonomic system of Gelechioidea s.l. (Lepidoptera). *Ent. Obozr.* 75 (3): 650-659, figs. [engl. text: *Ent. Rev.* 76(4): 529-536, 21 figs., 1996]. [[available in Cesa Library](#)]
- 5563. Lvovsky, A.L.**, 1997, Two new subspecies of *Anchinia laureolella* Herrich-Schäffer, 1854 from South-Western Asia (Lepidoptera, Amphibastidae). *Atalanta* 28(1/2): 173-176, 4 figs. [[available in Cesa Library](#)]
- 5564. Lvovsky, A.L.**, 2000, New and little known species of Oecophorid moths of the genera *Epicallima* Dyar, 1903 and *Promalactis* Meyrick, 1908 (Lepidoptera, Oecophoridae) from Southeast Asia. *Ent. Obozr.* 79 (3): 664-691, figs. [[available in Cesa Library](#)]
- 5565. Lvovsky, A.L.**, 2001, A review of Flat Moths of the genus *Depressaria* Haworth, 1811 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries I. *Ent. Obozr.* 80 (3): 680-705, figs. [[available in Cesa Library](#)]
- 5566. Lvovsky, A.L.**, 2003, Check-list of the Broad-winged Moths (Oecophoridae s.l.) of Russia and adjacent countries. *Nota lepid.* 25 (4) (2002): 213-220.
- 5567. Lvovsky, A.L.**, 2008, The genus *Ashinaga* Matsumura, 1929 and its position in the classification of the Gelechioid moths (Lepidoptera, Gelechioformes). *Ent. Obozr.* 87(1): 147-151, figs. [*Ent. Rev.* 88 (1): 46-49, figs.] [[available in Cesa Library](#)]
- 5568. Lvovsky, A.L.**, 2013, A review of flat moths of the genus *Exaeretia* Stainton, 1849 (Lepidoptera, Depressariidae) of the fauna of Russia and neighboring countries. *Ent. Obozr.* 92 (4): 780-801, figs. [*Ent. rev.* 94 (2) (2014): 254-271] [[available in Cesa Library](#)]
- 5569. Lüttgen, M.**, 1988, Faunistische Notizen zur Tagfalter-Fauna der nordägäischen Insel Thassos. *Nachr. ent. Ver. Apollo* 9(4): 225-229, 3 Abb. [[available in Cesa Library](#)]
- 5570. Lének, O.**, 1966, Österreichische Entomologische Iran-Afghanistan-Expedition Beiträge zur Lepidopterenfauna, Teil 7. *Phragmatobia fuliginosa* ssp. nova paghmani. *Z. wien. ent. Ges.* 51: 105-106. [[available in Cesa Library](#)]
- 5571. Lének, O.**, 1969, Eine Zucht von *Harpyia leucotera* Stichel (bona species). *Z. wien. ent. Ges.* 54: 48-50. [[available in Cesa Library](#)]
- 5572. Löbel, H. & T.Drechsel**, 1996, Zur Lebensweise der Raupe von *Euchalcia emichi* (Rogenhofer, 1873) in Zentralanatolien (Türkei) (Lepidoptera, Noctuidae, Plusiinae). *Nota lepid.* 18 (2): 179-180.
- 5573. Löbel, H., Stadie, D. & T.Drechsel**, 2001, Beitrag zur Lepidopterenfauna Syriens. *Esperiana* 8: 507-514, Taf.24. [with important spelling errors]. [[available in Cesa Library](#)]

5574. **Lödl, M. & B. Mayerl**, 1998, Revision der Gattung *Zekelita* Walker, 1863 (= *Rhynchodontodes* Warren, 1913) (Lepidoptera, Noctuidae, Hypeninae). *Quadrifina* 1: 115-230, figs. [[available in Cesa Library](#)]
5575. **Lödl, M. & E. Arenberger**, 1994, Bemerkungen zum Artbegriff anhand einiger *Pterophoridae*-Arten (Lepidoptera). *Z. ArbGem. Öst. Ent.* 46 (3/4): 103-110. [[available in Cesa Library](#)]
5576. **Lödl, M. & R. Goht**, 1993, Bemerkungen zur Anlage von taxonomischen Karteien auf ADV-Basis. *Ent. Z., Frankf. a. M.* 103 (4): 54-62.
5577. **Lödl, M. & R. Imb**, 1988, Die Noctuiden-Sammlung von Dipl. Ing. Rudolf Pinker im Naturhistorischen Museum Wien. *Z. ArbGem. öst. Ent.* 40(1/2): 53-59. [[available in Cesa Library](#)]
5578. **Lödl, M. & S. Gaal**, 1996, Description of *Hypena variofuscocolorata* n.sp., a new Hypeninae species from East Africa with some notes on the subgenus *Jussalpena* Lödl, 1994 (Lepidoptera: Noctuidae). *Lambillionea* 1996: 88-94.
5579. **Lödl, M. & S. Gaal**, 1996, *Hypena vanschuytbroeckii* sp.n., eine neue Hypeninen-Art aus Zaire aus der Verwandtschaft von *Hypena prionodes* Fletcher, 1961 (Lepidoptera: Noctuidae). *Z. ArbGem. Öst. Ent.* 48 (1-2): 9-12. [[available in Cesa Library](#)]
5580. **Lödl, M.**, 1980, Ökologisch-faunistische Erfassung der Nachtfalter des Leopolds- und Bisamberges: 2. Eulen. Arbeit zur Erlangung des Magister-Diploms, 177 pp. Wien.
5581. **Lödl, M.**, 1983, Beitrag zur Macroheterocerfauna des Spitzerberges (östliches Niederösterreich). *Verh. zool.-bot. Ges. Öst.* 121: 39-43.
5582. **Lödl, M.**, 1984, Kritische Darstellung des Lichtfanges, seiner Methoden und seine Bedeutung für die ökologisch-faunistische Entomologie, Band 1 (Text): 244 pp., Band 2 (Literatur): 157 pp. Dissertation, Universität Wien.
5583. **Lödl, M.**, 1985, Die Anasthetika in der Lichtfallentechnik. *Ent. Z., Frankf. a. M.* 95 (22): 321-336.
5584. **Lödl, M.**, 1987, Die Bedeutung des Lichtfanges in der zoologischen Forschung. *Beitr. Ent.* 37 (1): 29-33. [[available in Cesa Library](#)]
5585. **Lödl, M.**, 1987, *Noctua warreni* sp.n., a new sibling species of *Noctua comes* Hbn., 1813 from Cyprus (Lepidoptera, Noctuidae). *Nota lepid.* 10(2): 163-174, 12 figs.
5586. **Lödl, M.**, 1988, Das entomologische Lebenswerk von Dr. Franz Burgermeister. *Z. ArbGem. Öst. Ent.* 40 (1/2): 60-62. [[available in Cesa Library](#)]
5587. **Lödl, M.**, 1988, Buchbesprechung: Die Liebe, Psychologie eines Phänomens (von Peter Lauster). *Agemus. Nachr. Wien* 16: 8-11.
5588. **Lödl, M.**, 1989, Die Noctuiden-Fauna des Bisamberges (östliches Niederösterreich) (Insecta: Lepidoptera). *Annln naturh. Mus. Wien* 91B: 57-83. [[available in Cesa Library](#)]
5589. **Lödl, M.**, 1989, Die historische Entwicklung des Lichtfanges. *Beitr. Ent.* 38(2): 189-195.
5590. **Lödl, M.**, 1989, Die Grundlagen des vergleichenden Lichtfanges. *Beitr. Ent.* 39: 413-424.
5591. **Lödl, M.**, 1993, Die Flügelzeichnung der Gattungsgruppe *Hypena* Schrank, 1802 (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 103 (4): 453-459.
5592. **Lödl, M.**, 1993, Notes on the synonymy of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854 and *Harita* Moore, 1882 (Lepidoptera, Noctuidae). *Z. ArbGem. Öst. Ent.* 45 (1/2): 11-14. [[available in Cesa Library](#)]
5593. **Lödl, M.**, 1993, *Hypena martinae* n.sp., eine neue Hypeninen-Art aus dem äquatorialen Afrika (Lepidoptera, Noctuidae). *Ent. Z., Frankf. a. M.* 103 (24): 453-459.
5594. **Lödl, M.**, 1993, *Hypena paliscia* (Bethune-Baker, 1911) [Rhynchina] comb. nov. a misinterpreted African deltoid moth (Lepidoptera: Noctuidae). *Annln naturh. Mus. Wien* 94/95: 547-549. [[available in Cesa Library](#)]
5595. **Lödl, M.**, 1993, The Malaysian Hawkmoths: an annotated and illustrated checklist (Lepidoptera, Sphingidae). *Tropical lepid.* 4 (1): 3-6, 12 figs.
5596. **Lödl, M.**, 1994, Zur Wiederauffindung der Type von *Rhynchina obliquialis* (Kollar, 1844) [*Hypena*] Comb. Nov. im Naturhistorischen Museum Wien, nebst Bemerkungen zur Synonymie (Lepidoptera: Noctuidae). *Annln naturh. Mus. Wien* 96B: 369-372. [[available in Cesa Library](#)]
5597. **Lödl, M.**, 1994, *Hypena erikae* n.sp., eine neue Hypeninen-Art aus Madagaskar (Lepidoptera: Noctuidae). *Ent. Z., Frankf. a. M.* 104 (9): 161-167.
5598. **Lödl, M.**, 1994, *Hypena extremipalpis* sp.n., eine neue Hypeninen-Art aus Zaire (Lepidoptera: Noctuidae). *Ent. NachrBl.* 1 (1) (N.F.): 10-16.

- 5599. Lödl, M.**, 1994, *Hypena veronikae* n.sp., eine neue, madagassische Hypeninen-Art aus der Verwandtschaft von *Hypena bonaberi* Strand, 1915. Ent. Z., Frankf. a. M. 104 (11): 204-211.
- 5600. Lödl, M.**, 1994, *Hypena sabinis* n.sp. aus Madagaskar, eine neue Hypenine aus der Verwandtschaft von *Hypena prionodes* Fletcher, 1961 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (14): 277-282.
- 5601. Lödl, M.**, 1994, Zum Angedenken an Emil Vospel. Ent. NachrBl. 1 (2) (N.F.): 15.
- 5602. Lödl, M.**, 1994, Zum Wesen der Solidarität. Agemus Nachr. Wien 34: 6-8.
- 5603. Lödl, M.**, 1994, *Hypena monikae* n.sp. aus Fernando Poo, eine neue Hypenine aus der Verwandtschaft von *Hypena leucosticta* BETHUNE-BEKER, 1909 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 104 (22): 429-448.
- 5604. Lödl, M.**, 1994, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 1 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 96B: 373-590, 400 Abb. [[available in Cesa Library](#)]
- 5605. Lödl, M.**, 1994, *Hypena evamariae* n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena polycyma* Hampson 1902 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 104(6): 105-112, 8 Abb. [[available in Cesa Library](#)]
- 5606. Lödl, M.**, 1994, Remarks on the classification of the genera *Hypena* Schrank, 1802, *Dichromia* Guenée, 1854, und *Harita* Moore, 1882 (Lepidoptera, Noctuidae). Nota lepid. 16(3/4): 241-250, figs. [[available in Cesa Library](#)]
- 5607. Lödl, M.**, 1995, Revision der Gattung *Hypena* Schrank, 1802 s.l., der äthiopischen und madagassischen Region, Teil 2 (Insecta: Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 97B: 255-393, 533 Abb. [[available in Cesa Library](#)]
- 5608. Lödl, M.**, 1995, *Hypena padelekorum* n.sp., eine neue äthiopische Hypeninen-Art aus der Verwandtschaft von *Hypena polycyma* Hampson 1902 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 105: 308-314, 12 Abb. [[available in Cesa Library](#)]
- 5609. Lödl, M.**, 1995, *Hypena mariachristinae* n.sp., eine neue ostafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena evamariae* Lödl, 1994 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (1/2): 17-24.
- 5610. Lödl, M.**, 1995, *Hypena eleonora* n.sp. aus Kenya, eine weitere neue Hypeninen-Art aus der Verwandtschaft von *Hypena bonaberi* Strand 1915 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (8): 141-146.
- 5611. Lödl, M.**, 1995, A new *Hypena* deltoid moth from Zaire (Lepidoptera: Noctuidae: Hypeninae). Tropical Lepid. 6 (1): 53-54.
- 5612. Lödl, M.**, 1995, *Hypena ovalimacula* n.sp., eine neue westafrikanische Hypeninen-Art aus der Verwandtschaft von *Hypena phricocyma* Fletcher, 1961 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 105 (12): 245-249.
- 5613. Lödl, M.**, 1995, Revision der afrikanischen Gattung *Phanaspa* Walker, [1866] 1865 (Lepidoptera: Noctuidae: Hypeninae). Z. ArbGem. Öst. Ent. 47 (3/4): 97-111. [[available in Cesa Library](#)]
- 5614. Lödl, M.**, 1995, Beschreibung des Weibchens von *Dichromia* (*Camhypena*) *thomensis* (A.E. Prout, 1927) aus Sao Thome (Lepidoptera: Noctuidae: Hypeninae). Mitt. schweiz. ent. Ges. 68: 79-82.
- 5615. Lödl, M.**, 1995, *Hypena josefinae* aus der Verwandtschaft von *Hypena rudolfi* Lödl, 1994 (Lepidoptera, Noctuidae). Ent. Z., Frankf. a. M. 105 (20): 416-420.
- 5616. Lödl, M.**, 1995, *Hypena cherylae* n.sp., a new deltoid moth from South Africa (Lepidoptera: Noctuidae: Hypeninae). Tropical Lepid. 6 (2): 144-145.
- 5617. Lödl, M.**, 1995, *Hypena* (*Jussalypena*) *abyssinalis* Guenée, 1854 in West-Afrika (Lepidoptera, Noctuidae, Hypeninae). Atalanta 26 (1/2): 297-298. [[available in Cesa Library](#)]
- 5618. Lödl, M.**, 1996, Wiedrbeschreibung von [*Hypena*] *fuscomaculalis* Saalmüller 1880 nebst Bemerkungen zur systematischen Stellung dieses Taxons (Lepidoptera: Noctuidae: Herminiinae). Senckenbergiana biol. 75 (1/2): 193-202.
- 5619. Lödl, M.**, 1996, Rediscription of *Eugorna vidua* Holland, 1894 and provisional transfer to the subfamily Catocalinae (Lepidoptera: Noctuidae). Z. ArbGem. Öst. Ent. 48 (1-2): 3-8. [[available in Cesa Library](#)]
- 5620. Lödl, M.**, 1996, The Vartian collection at the Museum of Natural History in Vienna - a milestone in the research on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30: 1421-1422.

- 5621. Lödl, M.**, 1996, Vartian Collection to the Museum of Natural History, Vienna. J. Lepid. Soc. 50 (1): 90-91.
- 5622. Lödl, M.**, 1996, Die Schmetterlingssammlung Vartian-nunmehr Bestandteil der Bestände des Naturhistorischen Museums Wien. Ent. Z., Frankf. a. M. 106(5): 206-208.
- 5623. Lödl, M.**, 1996, *Hypena lisae* n.sp., eine neue aequatorialafrikanische Hypeninae aus der Untergattung *Trichypena* Joannis, 1915 (Lepidoptera: Noctuidae). Ent. Z., Frankf. a. M. 106 (11): 461-468.
- 5624. Lödl, M.**, 1996, Zur Kenntnis von *Ctenypena tenuis* A.E.Prout, 1927 und Erstbeschreibung des Weibchens (Lepidoptera: Noctuidae: Herminiinae). Annln naturh. Mus. Wien 98B: 501-506, figs. [[available in Cesa Library](#)]
- 5625. Lödl, M.**, 1996, Wiederbeschreibung von *Aulocheta violacea* A.E.Prout, 1927 (Lepidoptera: Noctuidae: Herminiinae). Z. ArbGem. Öst. Ent. 48 (3-4): 99-105. [[available in Cesa Library](#)]
- 5626. Lödl, M.**, 1996, *Hypena binae* sp.n., eine neue Hypeninae aus Ostafrika aus der Verwandtschaft von *Hypena polycyma* Hampson, 1902 (Lepidoptera, Noctuidae). Beitr. Ent. 46(1): 95-102, 10 figs. [[available in Cesa Library](#)]
- 5627. Lödl, M.**, 1996, *Hypena* (*Trichypena*) *leopardina* sp.n., eine neu Hypeninae von der Insel nebst Bemerkungen zu den nächst verwandten Arten *Hypena fuscalis*- Gruppe (Lepidoptera, Noctuidae). Beitr. Ent. 46(1): 103-108, 8 figs. [[available in Cesa Library](#)]
- 5628. Lödl, M.**, 1996, A note on the Vartian collection at the Museum of Natural History in Vienna - a milestone on Lepidoptera of the Near and Middle East (Insecta). J. Nat. Hist. 30 (9): 1421-1422. [[available in Cesa Library](#)]
- 5629. Lödl, M.**, 1997, Definition der Gattung *Harita* Moore, 1882, Wiederbeschreibung der Typenart *Harita rectilinea* Moore, 1882 und Bemerkungen zur Synonymie (Lepidoptera: Noctuidae: Hypeninae). Esperiana 4: 459-466.
- 5630. Lödl, M.**, 1997, Bemerkungen zur Gattung *Xoria* Nye, 1975 und Erstbeschreibung des Weibchen von *X. filifera* (Walker, 1869) [*Orixa*] (Lepidoptera, Noctuidae, Hypeninae). Annln naturh. Mus. Wien 99B: 343-350, figs. [[available in Cesa Library](#)]
- 5631. Lödl, M.**, 1997, Wiederbeschreibung von *Ableptina delospila* A.E.Prout, 1927 und Transfer in die Unterfamilie Herminiinae (Lepidoptera, Noctuidae). Annln naturh. Mus. Wien 99B: 337-342, figs. [[available in Cesa Library](#)]
- 5632. Lödl, M.**, 1997, *Acidon paradoxa* Hampson, 1896 (Insecta, Lepidoptera, Noctuidae, Hypeninae). Annln. naturh. Mus. Wien 99B: 351-354, figs. [[available in Cesa Library](#)]
- 5633. Lödl, M.**, 1998, *Zekelita shamssiae* sp.n., eine neue Hypeninae aus Ghana (Insecta, Lepidoptera, Noctuidae). Annln. naturh. Mus. Wien 100B: 297-300, figs. [[available in Cesa Library](#)]
- 5634. Lödl, M.**, 1999, *Rhynchina angustata* Butler, 1889 - jüngeres, subjektives Synonym von *R. rivuligera* Butler, 1889 und Bemerkungen zu inressanten Neufunden aus Thailand (Insecta, Lepidoptera, Noctuidae). Annln. naturh. Mus. Wien 101B: 355-357, figs. [[available in Cesa Library](#)]
- 5635. Lödl, M.**, 1999, *Rhynchina martohreblayi* sp.n., eine bemerkenswerte neue Hypeninae aus Thailand (Insecta, Lepidoptera, Noctuidae). Annln. naturh. Mus. Wien 101B: 349-353, figs. [[available in Cesa Library](#)]
- 5636. Lödl, M., Kerbaci, R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta: Lepidoptera). Ent. Nachrbl. 3 (2-3)(N.F.): 1-5.
- 5637. Lödl, M., Kerbaci, R. & S.Gaal**, 1996, Die Sammlung Vartian am Naturhistorischen Museum Wien - ein Meilenstein in der Erforschung der Grossschmetterlingsfauna des Mittleren Ostens (Insecta, Lepidoptera). Ent. NachrBl. 3 (2/3) (N.F.): 1-5, 3 Abb. [[available in Cesa Library](#)]
- 5638. Lödl, M., Lödl, E.M. & R.Kerbaci**, 1994, Zum Angedenken an Walter Schreier. Ent. NachrBl. 1 (3/4) (N.F.): 24.
- 5639. Maassen, J.P.**, 1872], Beiträge zur Schmetterlingskunde. 1p. 10 Pls. Elberfeld.
- 5640. Mabille, M.P.**, 1876, Sur la classification des Hespériens avec la description de plusieurs especes nouvelles. Annls Soc. ent. Fr. (5)6: 251-274.
- 5641. Mabille, M.P.**, 1880, Note sur une collection de Lépidopteres recueillis a Madagascar. Annls Soc. ent. Belg. 23: Bull., civ-cix.
- 5642. Mabille, M.P.**, 1881, Note sur plusieurs envois de Lépidopteres provenant de Madagascar. Annls Soc. ent. Belg. 25: Bull., lv-lxiii.
- 5643. Mabille, M.P.**, 1883, Description d'Héséries. Annls Soc. ent. Belg. 27: Bull., li-lxxviii.

- 5644. Mabille, M.P.**, 1888, Description de quelques Lépidoptères nouveaux de Tunisie et d'Algérie. *Annls Soc. ent. Fr.* (6) 8 (Bull.): xlii-xliii, lviii-lix. li-lii. [\[available in Cesa Library\]](#)
- 5645. Mabille, M.P.**, 1891, Description d'Hespérides nouvelles. *Annls Soc. ent. Belg.* 35: Bull., lix-lxxxviii, cvi-cxxi, clxviii-clxxxvii. [\[available in Cesa Library\]](#)
- 5646. Mabille, M.P.**, 1893, Description de Lépidoptères nouveaux. *Annls Soc. ent. Belg.* 37: 50-65. [\[available in Cesa Library\]](#)
- 5647. Mabille, M.P.**, 1909, Hesperidae, [in] Seitz, A., *Die Gross-Schmetterlinge der Erde*, vol. 1: 330-354S., Taf. 84-89. Alfred Kerner Verlag. Stuttgart. [\[available in Cesa Library\]](#)
- 5648. Mabille, P.**, 1888, Descriptions d'espèces nouvelles de Lépidoptères de Tunisie et d'Algérie. *Bull. Soc. ent. Fr.* 1888: 42-43, 51-52, 58-59.
- 5649. Mabille, P.**, 1904, *Lepidoptera*. [in] Wytsman, P., *Genera Insectorum Fasc. 17. Hesperidae*. Bruxelles.
- 5650. Mabille, P.**, 1906, Notes sur plusieurs Lépidoptères de la faune paléarctique. *Annls Soc. ent. Fr.* 75: 31-36, pl.3. [\[available in Cesa Library\]](#)
- 5651. Mabille, P.**, 1907, Description d'un Lépidoptère nouveau de Tunisie. *Bull. Soc. ent. Fr.* 1907: 308. [\[available in Cesa Library\]](#)
- 5652. Mabille, P.**, 1912, Fam. Hesperidae: Subf. Pyrrhopyginae, [in] Wagner, H., *Lepidopterorum Catalogus Pars 9*. [\[available in Cesa Library\]](#)
- 5653. Mabille, P.**, 1913, Les genres *Charmion* de Nicév. et *Oerane* Elw. (Hesperidae). *Dt. ent. Z., Iris* 27: 8-11. [\[available in Cesa Library\]](#)
- 5654. Mace, H.**, 1919, Balkan Butterflies. *Entomologist's mon. Mag.* 55: 255-258. [\[available in Cesa Library\]](#)
- 5655. Mace, H.**, 1920, Butterflies in Macedonia. *Entomologist* 53: 40-42, 60-64, 102-106. [\[available in Cesa Library\]](#)
- 5656. Maechler, J.**, 2000, Nouvelles captures de *Cacyreus marshalli* Butler, 1897 dans le Var (Lepidoptera, Lycaenidae). *Alexandria* 21 (1): 63-64, figs. [\[available in Cesa Library\]](#)
- 5657. Maes, K.**, 1984, Some remarks on the genus *Euproctis* Hübner, [1819] 1816 (Lepidoptera, Lymantriidae). *Nota lepid.* 7: 55-58, figs. [\[available in Cesa Library\]](#)
- 5658. Maes, K.**, 1985, In memoriam Prof. S.G. Kiriakoff. *Nota lepid.* 8(1): 29-41. [\[available in Cesa Library\]](#)
- 5659. Maes, K.**, 1986, Pyralidae from Turkey. *Nota lepid.* 9 (1/2): 78-80. [\[available in Cesa Library\]](#)
- 5660. Maes, K.**, 2006, Thivolleo, a new genus with two new species from Africa (Lepidoptera, Pyraloidea, Crambidae, Pyraustinae). *Revue Suisse. Zool.* 113 (4):
- 5661. Maes, K.V.N.**, 2002, On the systematic position of some Palaearctic Pyraustinae (Pyraloidea, Crambidae). *Nota lepid.* 24 (4) (2001): 51-58. [\[available in Cesa Library\]](#)
- 5662. Mairiaux, J. & J. Hustebaut**, 1997, The identification of *Apatura metis* and *Apatura ilia* and their distribution in Greece and Turkey (Lepidoptera, Nymphalidae). *Phegea* 25(2): 65-79, figs., Pls. [\[available in Cesa Library\]](#)
- 5663. Makris, C.**, 2003, Butterflies of Cyprus. 329pp. 53 Pls. Bank of Cyprus Cultural Foundation. [\[available in Cesa Library\]](#)
- 5664. Malicky, H.**, 1969, Übersicht über Präimaginalstadien, Bionomie und Ökologie der mitteleuropäischen Lycaenidae (Lepidoptera). *Mitt. ent. Ges. Basel* 19:
- 5665. Malicky, H.**, 1969, Das Erkennen von Wanderfaltern mit der Lichtfangmethode. *Atalanta* 2(7): 227-233. [\[available in Cesa Library\]](#)
- 5666. Malicky, H.**, 1992, Faunistische Meldungen von Lepidopteren aus Griechenland und Zypern. *Esperia* 3: 391-407. [\[available in Cesa Library\]](#)
- 5667. Manil, L.**, 1990, Les Rhopalceres de Chypre (Lepidoptera: Papilionoidea et Hesperioidea). *Linneana Belgica* 12: 313-391, figs. [\[available in Cesa Library\]](#)
- 5668. Manin, B. & L. Masin**, 1976, Die typischen Tagfalter der oberen Lagen einiger Gebirge Mittelasiens und Kasachstans. *Sovr. probl. zoologii i sovershenctvovanie metodiki ee prepodovaniya v vuze i shkole*, Perm: 103-105.
- 5669. Manley, W.B.L. & H.G. Allcard**, 1970, A field guide to the butterflies and burnets of Spain. E.W. Classey Ltd. Hampton.
- 5670. Manley, W.B.L.**, 1972, Notes on some butterflies and burnets of Catalonia. *Entomologist's Gaz.* 23: 79-89.
- 5671. Mann, J.**, 1859, Verzeichnis der im Jahre 1858 in Sicilien gesammelten Schmetterlinge. *Wien. ent. Monatschr.* 3: 78-96, 97-106, 161-178, . [\[available in Cesa Library\]](#)

- 5672. Mann, J.**, 1861, Zur Lepidopterenfauna von Amasia. Wien. ent. Monatschr. 5: 155-162, 183-193. [\[available in Cesa Library\]](#)
- 5673. Mann, J.**, 1862, Verzeichniss der im Jahre 1851 bei Brussa in Kleinasien gesammelten Schmetterlinge. Wien. ent. Monatschr. 6: 356-409, Taf. [\[available in Cesa Library\]](#)
- 5674. Mann, J.**, 1864, Nachtrag zur Schmetterlings-Fauna von Brussa. Wien. ent. Monatschr. 8: 173-190, Taf.4-5. [\[available in Cesa Library\]](#)
- 5675. Mann, J.**, 1866, Aufzählung der im Jahre 1865 in der Dobrudscha gesammelten Schmetterlinge. Verh. zool.- bot. Ges. Wien 16: 321-360.
- 5676. Maobin, G.**, 1997, Butterflies in Hainan Island. 355 pp.
- 5677. Marciniak, B. & L. Przybyłowicz**, 2000, A new record of *Utetheisa pulchella* (Linnaeus, 1758) from Poland (Lepidoptera, Arctiidae). *Atalanta* 31 (1/2): 75-76. [\[available in Cesa Library\]](#)
- 5678. Mariani, M.**, 1938, Fauna Lepidopterorum Siciliae. Mem. Soc. ent. ital. 17: 129-187.
- 5679. Marion, H.**, 1952, Ebauche d'une classification nouvelle des Pyraustidae. *Revue fr. Lépidopt.* 13: 260-270, 5 figs. [\[available in Cesa Library\]](#)
- 5680. Marion, H.**, 1953-1958, Révision des Pyraustidae de France. *Revue fr. Lépidopt.* 14 (1953-54): 123-128, 221-227; 15 (1955-56): 41-58, 181-188; 16 (1957-58): 60-63, pl. [\[available in Cesa Library\]](#)
- 5681. Marion, H.**, 1957, Complément à la classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 129-130. [\[available in Cesa Library\]](#)
- 5682. Marion, H.**, 1957, Classification et nomenclature des Pyraustidae d'Europe. *Entomologiste* 13: 75-87. [\[available in Cesa Library\]](#)
- 5683. Marion, H.**, 1959-1976, Révision des Pyraustidae de France. *Alexanor* 1 (1959/60): 15-22, 103-110, 175-182; 2 (1961/62): 11-18, 83-90, 173-180, 224-226, 297-304; 4 (1965/66): 329-372; 8 (1973/74): 71-78, 129-136, 177-184; 9 (1975/76): 209-219, 338-344, Pls. 2-8. Paris. [\[available in Cesa Library\]](#)
- 5684. Marion, H.**, 1977, *Staudingeria morbosella* Stgr., 1879 (= *Euzophera lafauryella* Rag., 1880) Synonyme nouvelle (Phycitidae). *Alexanor* 10 (2): 65-68, 5 figs. [\[available in Cesa Library\]](#)
- 5685. Marko, K. & R. Verovnik**, 2009, First record of *Cacyreus marshalli* (Lycaenidae) from the Balkan Peninsula. *Nota lepid.* 32 (1): 81-82, map. [\[available in Cesa Library\]](#)
- 5686. Marten, W.**, 1937, Zur Kenntnis der Axiidae. *Ent. Rdsch.* 55: 15-17, 21-23, 45-48, 61-66, 25 Abb. [\[available in Cesa Library\]](#)
- 5687. Martin, E. L.**, 1954, African species of the genus *Pardomima* Warren (Pyralidae, Pyraustinae). *Bull. Brit. Mus. nat. Hist. Ent.* 3 (14): 505-521, 1 pl., 43 figs. [\[available in Cesa Library\]](#)
- 5688. Martin, L.**, 1903, Das Genus *Cyrestis*. *Dt. ent. Z., Iris* 16: 71-169. [\[available in Cesa Library\]](#)
- 5689. Martin, L.**, 1928, Die Tagfalter der Insel Celebes, Teil 8. *Satyridae*. *Mitt. münch. ent. Ges.* 19: 117-164.
- 5690. Martin, M. O.**, 1987, Ecology and peculiarities of dispersal of Pyraustidae (Lepidoptera) of the Western Palearctic Region. *Ent. Obozr.* 1987 (2): 279-289, 2 Tab., 4 figs. [\[available in Cesa Library\]](#)
- 5691. Masin, L.**, 1989, Die Tagfalter (Rhopalocera) des Tarbagatai. *Ekologicheskije issledovaniya v zapovednikakh Yuzhnoi Sibiri*, Moskau: 116-127.
- 5692. Maso, A.**, 1993, Biogéographie des Drepaninae de la Péninsule Ibérique (Lepidoptera). *Nota lepid.* 15 (3/4): 241-256, 3 figs. [\[available in Cesa Library\]](#)
- 5693. Masui, A. & J. Uehara**, 1994, Butterflies recently collected in Laos R.D.P. An illustrated catalogue complementary to the work by Motono & Negishi (1989). *Gekkan Mushi* (1994) 276: 3-9.
- 5694. Masui, A. & J. Uehara**, 1995, Butterflies recently collected in Laos R.D.P. *Gekkan Mushi* (1995) 294: 3-5.
- 5695. Mathew, G. F.**, 1881, List of Lepidoptera observed in the neighbourhood of Gallipoli, Turkey in 1878. *Entomologist's mon. Mag.* 17: 10-13. [\[available in Cesa Library\]](#)
- 5696. Mathew, G. F.**, 1887, Descriptions of some new species of *Rhopalocera* from the Solomon Islands. *Trans. ent. Soc. London* 1887 (1): 37-49, Pl. iv. [\[available in Cesa Library\]](#)
- 5697. Mathew, G. F.**, 1889, Descriptions and life-histories of new species of *Rhopalocera* from the Western Pacific. *Trans. ent. Soc. London* 1889 (2): 311-315. [\[available in Cesa Library\]](#)
- 5698. Matosevic, D.**, 2013, Box Tree Moth (*Cydalima perspectalis*, Lepidoptera, Crambidae), new invasive insect pest in Croatia. *South-East Eur. For.* 4 (2): 1-6, figs. [\[available in Cesa Library\]](#)

- 5699. Matov,A., Zahiri,R. & J.D.Holloway**, 2008, The Heliethinae of Iran (Lepidoptera, Noctuidae). Zootaxa 1763: 1-37, figs. [[available in Cesa Library](#)]
- 5700. Matsuda,S.**, 1996, Life History of Thecla betulae in Europe. Yadoriga 165: 30-36.
- 5701. Matsumoto,K.**, 2002, Papilio demoleus (Papilionidae) in Borneo and Bali. J. Lepidopterists Soc. 56 (2): 108-111, figs. [[available in Cesa Library](#)]
- 5702. Matsumura,S.**, 1909, Die Danaiden und Satyriden Japans. Ent. Z., Stuttgart 23 (19): 91-92. [[available in Cesa Library](#)]
- 5703. Matsumura,S.**, 1909, Zwei neue Rhopaloceren aus Formosa. Ent. Z., Stuttgart 23 (19): 92. [[available in Cesa Library](#)]
- 5704. Matsumura,S.**, 1910, Neue Rhopaloceren aus Formosa. Ent. Z., Stuttgart 23 (47): 209. [[available in Cesa Library](#)]
- 5705. Matsumura,S.**, 1925, An enumeration of the butterflies and moths from Sachalien. J. Coll. Agric. Hokkaido Imp. Univ. 15 (3): 83-196.
- 5706. Matsumura,S.**, 1926, New species of Noctuidae from Japan and Formosa. Insecta Matsumurana 1 (1): 1-17, Pl. [[available in Cesa Library](#)]
- 5707. Matsumura,S.**, 1926, New and unrecorded butterflies from Mt. Daisetsu. Insecta Matsumurana 1 (2): 103-107, figs. [[available in Cesa Library](#)]
- 5708. Matsumura,S.**, 1927, Some new butterflies. Insecta Matsumurana 2 (2): 114-118. [[available in Cesa Library](#)]
- 5709. Matsumura,S.**, 1927, Geometrid Moths collected on Mt. Daisetsu with descriptions of new species. Insecta Matsumurana 1 (4): 182-187. [[available in Cesa Library](#)]
- 5710. Matsumura,S.**, 1927, About a new subspecies of Oeneis. Insecta Matsumurana 1 (3): 128-129, fig. [[available in Cesa Library](#)]
- 5711. Matsumura,S.**, 1927, A list of the butterflies of Corea with description of new species subspecies and aberrations. Insecta Matsumurana 1: 159-170, pl.v. [[available in Cesa Library](#)]
- 5712. Matsumura,S.**, 1928, A new moth from Hokkaido. Insecta Matsumurana 3 (1): 35. [[available in Cesa Library](#)]
- 5713. Matsumura,S.**, 1928, New butterflies especially from the Kuriles. Insecta Matsumurana 3 (1): 191-201. [[available in Cesa Library](#)]
- 5714. Matsumura,S.**, 1929, New Noctuid Moths from Formosa. Insecta Matsumurana 3 (2/3): 114-119. [[available in Cesa Library](#)]
- 5715. Matsumura,S.**, 1929, New moths from Kuriles. Insecta Matsumurana 3 (4): 165-168. [[available in Cesa Library](#)]
- 5716. Matsumura,S.**, 1929, Generic revision of the Palaearctic Notodontidae. Insecta Matsumurana 4 (1/2): 78-93, 1 Pl.. [[available in Cesa Library](#)]
- 5717. Matsumura,S.**, 1929, One new species and one new subspecies of moths from Saghalien. Insecta Matsumurana 4 (1/2): 64-65, 2 figs. [[available in Cesa Library](#)]
- 5718. Matsumura,S.**, 1929, A new family, a new genus, and a new species of the moth from Formosa. Insecta Matsum. 3 (3): 129-138, figs.
- 5719. Matsumura,S.**, 1930, New and rare moths from Japan. Insecta Matsumurana 4 (3): 132-136, Pl.II. [[available in Cesa Library](#)]
- 5720. Matsumura,S.**, 1930, A new butterfly from Japan. Insecta Matsumurana 5 (1/2): 100. [[available in Cesa Library](#)]
- 5721. Matsumura,S.**, 1930, A catalogue of the Arctiidae of the Japan Empire. Insecta Matsumurana 5 (1/2): 58-94. [[available in Cesa Library](#)]
- 5722. Matsumura,S.**, 1931, A new species and a new genus of Noctuidae from Japan. Insecta Matsumurana 5 (4): 210-211, fig. [[available in Cesa Library](#)]
- 5723. Matsumura,S.**, 1931, New species and new forms of butterflies from Japan. Insecta Matsumurana 6 (1/2): 43-45. [[available in Cesa Library](#)]
- 5724. Matsumura,S.**, 1932, Adelidae in Japan. Insecta Matsumurana 6 (3): 121-128, Pl.IV. [[available in Cesa Library](#)]
- 5725. Matsumura,S.**, 1932, New genera and new species described in "6000 Illustrated Insects of Japan Empire". Insecta Matsumurana 6 (4): 199-200. [[available in Cesa Library](#)]
- 5726. Matsumura,S.**, 1932, New species and genera of Insects from Japan described during the year of 1931. Insecta Matsumurana 6 (4): 192-198. [[available in Cesa Library](#)]
- 5727. Matsumura,S.**, 1932, Lasiocampid-Moths in the Japan Empire. Insecta Matsumurana 7 (1/2): 33-54, fig. [[available in Cesa Library](#)]
- 5728. Matsumura,S.**, 1933, Lymantriidae of Japan-Empire. Insecta Matsumurana 7 (3): 111-152, Pl.III [[available in Cesa Library](#)]

- 5729. Matsumura, S.**, 1933, New species of Cymatophoridae of Japan and Formosa. *Insecta Matsumurana* 7 (4): 190-201. [[available in Cesa Library](#)]
- 5730. Matsumura, S.**, 1933, A list of Cymatophoridae in Japan, Korea and Formosa with a generic key. *Insecta Matsumurana* 8 (2): 89-103, 2 figs. [[available in Cesa Library](#)]
- 5731. Matsumura, S.**, 1933, Two new genera, four new species and one new form of Notodontidae from Japan and Formosa. *Insecta Matsumurana* 8 (3): 152-155, figs. [[available in Cesa Library](#)]
- 5732. Matsumura, S.**, 1934, Review of the Notodontid-Moths in the "6000 illustrated Insects of the Japan-Empire". *Insecta Matsumurana* 8 (4): 157-181. [[available in Cesa Library](#)]
- 5733. Matthews, M.**, 1987, The African species of *Heliocheilus* Grote (Lepidoptera, Noctuidae). *Syst. Ent.* 12: 459-473, figs. [[available in Cesa Library](#)]
- 5734. Matthews, M.**, 1991, Classification of the Heliethinae. *Nat. Res. Inst. Bull.* 44: 198 pp.
- 5735. Mattoni, R.H.T.**, 1981, The Scolitantidini II. The World's smallest butterfly? Notes on *Turanana*, and a new genus and species from Afghanistan (Lycaenidae). *J. Res. Lepid.* 18 (4): 256-264, figs. [[available in Cesa Library](#)]
- 5736. Mayer, J.**, 1851, *Pont[ia] Mannii* n.sp. *Stettin ent. Ztg.* 12: 151. [[available in Cesa Library](#)]
- 5737. Mayer, R.V.**, 1937, *Agrotis petrina* n.sp. *Ent. Z., Frankf. a. M.* 51(21): 273-274, 2 Abb. [[available in Cesa Library](#)]
- 5738. Mayerl, B. & M.Lödl**, 1997, Checkliste aller Arten der Gattungen *Zekelita* Walker, 1863 und *Rhynchina* Guenée, 1854 der paläarktischen und indo-australischen Region (Insecta, Lepidoptera, Noctuidae). *Annln. naturh. Mus. Wien* 99B: 377-386. [[available in Cesa Library](#)]
- 5739. Mayerl, B. & M.Lödl**, 1999, Revision der Gattung *Rhynchina* Guenée, 1854 (Lepidoptera, Noctuidae, Hypeninae). *Quadrifina* 2: 1-124, figs. [[available in Cesa Library](#)]
- 5740. Mayr, E.**, 1970, Population, Species and Evolution. Belknap Press, Cambridge, Mass.
- 5741. Mazel, R. & R.Leestmans**, 1999, Séparataion biométriques des *Leptidea sinapis* L., *morsei* Fenton et *reali* Reissinger. *Linneana Belgica* 17(1): 46-52, figs. [[available in Cesa Library](#)]
- 5742. Mazel, R. & R.Leestmans**, 1999, Seconde contribution a l'etude des relations entre *Leptidea sinapis* Linné et *L. reali* Reissinger en France, Belgique et quelques autre contrées européennes (Lepidoptera, Pieridae). *Linneana Belg.* 17 (4): 155-168, map. [[available in Cesa Library](#)]
- 5743. Mazel, R.**, 1982, Interets biogeographique et phylétique de deux sous-espèces nouvelles d'*Eurodryas aurinia* Rott. (Lep., Nymphalidae). *Alexanor* 12(7): 303-316, figs. [[available in Cesa Library](#)]
- 5744. Mazel, R.**, 1995, Sur quelques *Idaea* de Roussillon, dont *Idaea bustilloi* Agenjo, 1967, espèces nouvelle pour la France (Lepidoptera, Geometridae). *Alexanor* 18 (7) (1994): 401-408, figs. [[available in Cesa Library](#)]
- 5745. Mazel, R.**, 2000, Le polymorphisme de deux "espèces-jumelles" *Leptidea sinapis* L. et *L. reali* Reissinger en France (Lepidoptera, Pieridae). *Linneana Belg.* 17 (7): 277-288, 26 figs. [[available in Cesa Library](#)]
- 5746. McCall, W.A.**, 2000, British European & Asian butterfly Vernacular names. Vol. 2. 51 pp., Fact and Fiction Publishers. [[available in Cesa Library](#)]
- 5747. McQuillan, P.B.**, 2004, An overview of the Tasmanian geometrid moth fauna (Lepidoptera, Geometridae) and its conservation status. *J. Insect Conserv.* 8: 209-220. [[available in Cesa Library](#)]
- 5748. Meado-Waldo, E.G.D.**, 1906, On a collection of butterflies made in Morocco in 1900-01-02. *Trans. ent. Soc. London* 53 (4): 369-381, 2 Pls.
- 5749. Meerman, J. & T.Boomsma**, 1986, Der wenig bekannte Schwalbenschwanz aus Nord-Jemen, *Papilio saharae rathjensi* Warnecke 1932- Freilandbeobachtungen und Zucht (Lepidoptera, Papilionidae). *Ent. Z., Frankf. a. M.* 96 (13): 177-182, 3 Abb. [[available in Cesa Library](#)]
- 5750. Mehmood, K., Yousuf, M. & M.Naeem**, 1996, The Sphingidae (Lepidoptera) of the Punjab Province of Pakistan. *Entomologist's Rec. J. Var.* 108: 211-215. [[available in Cesa Library](#)]
- 5751. Mehrnejad, M.R. & W.Speidel**, 2011, The Pistachio Fruit Hull Borer Moth *Arimania komaroffi* Ragonot, 1888 (Lepidoptera, Pyralidae). *Entomofauna* 32 (2): 17-28, figs. [[available in Cesa Library](#)]
- 5752. Meigen, J.W.**, 1829-1832, Systematische Bearbeitung der europäischen Schmetterlinge. [[available in Cesa Library](#)]
- 5753. Meinhard, A.**, 1908, Verzeichnis einer Lepidopterenausbeute aus dem Semiretschjegebiet. *Trans. Tomsk St. Univ.* 1908: 1-39.
- 5754. Mell, R.**, 1922, Biologie und Systematik der südchinesischen Sphingiden. xxii ♀ 331 S. 35 Taf., Berlin.

- 5755. Mell, R.**, 1929, Beiträge zur Fauna Sinica V. Die Brahmaeiden und Eupterotiden Chinas. Dt. ent. Z. 1929: 337-490.
- 5756. Mell, R.**, 1938, Beiträge zur Fauna Sinica xvii. Inventur und ökologisches Material zur einer Biologie der südchinesischen Lepidopteren. Dt. ent. Z. 1938(2): 197-345, 8 Taf. [[available in Cesa Library](#)]
- 5757. Mentzer, E.v.**, 1974-1975, *Sphingonaepiopsis pfeifferi* Zerny bona species und *Sphingonaepiopsis pfeifferi* ssp. nova chloroptera aus Jugoslawien (Lep., Sphingidae). Acta ent. Jugosl. 10(1/2): 147-155, 4 Taf.; 11(1/2): 53-54, figs. [[available in Cesa Library](#)]
- 5758. Mentzer, E.v.**, 1981, *Paradrina suscianja* n.sp. (Lepidoptera, Noctuidae). Ent. scand. 12: 403-404.
- 5759. Mentzer, E.v.**, 1981, The group *Aplocera lythoxylata* (Hübner) with *A. dervendaria* n.sp. and *A. palumbata* n.sp. (Lepidoptera, Geometridae). Ent. scand. 12: 49-56, figs.
- 5760. Mentzer, E.v.**, 1984, Die Genera bei Denis & Schiffermüller als Nomenklaturfrage (Lepidoptera). Nota lepid. 7 (1): 59-70. [[available in Cesa Library](#)]
- 5761. Mentzer, E.v., Moberg, A. & M. Fibiger**, 1991, *Noctua janthina* ([Denis & Schiffermüller]) sensu auctorum a complex of three species (Lepidoptera, Noctuidae). Nota lepid. 14 (1): 25-40; (3): 288, figs. [[available in Cesa Library](#)]
- 5762. Merrifield, F.**, 1899, Gradual formation of pigment on the dark pupa of *Papilio machaon*. Entomologist's Rec. J. Var. 11: 262-264. [[available in Cesa Library](#)]
- 5763. Merrin, J.**, 1899, The "Extinct" *Chrysophanus dispar*. Entomologist's Rec. J. Var. 11: 208-209. [[available in Cesa Library](#)]
- 5764. Merschevskaja, O.I. et al.**, 1976, Lepidoptera von Belorußland. Minsk.
- 5765. Metaye, R.**, 1957, Contribution a l'etude des Lepidopteres du Viet-Nam (Rhopalocera). Annls. Fac. Sci. Saigon 1957: 69-106, 3pls.
- 5766. Metaye, R.**, 1958, Les Danaidae du Viet-Nam (Lep., Nymphalidae). Annls. Fac. Sci. Saigon 1958: 149-170, 3 pls.
- 5767. Metaye, R.**, 1958, Contribution a l'etude des Lepidopteres du Viet-Nam (Rhopalocera) (2.note). Annls. Fac. Sci. Saigon 1958: 171-176.
- 5768. Metzner, E.**, 1957, *Plebejus pylaon* Fisch.-Wald. (*sephyrus* Friv.) ssp. *angustanus* ssp. nova (Lep., Lycaenidae). Ent. Tidskr. 77: 125-129, figs. [[available in Cesa Library](#)]
- 5769. Mey, W. & M.J.C. Ceniza**, 1993, *Chedra fimbristylis* n.sp.- ein minierender Kleinschmetterling an *Fimbristylis* spp. (Cyperaceae) auf Leyte, Philippinen (Lepidoptera, Batrachedridae). Dt. ent. Z. (N.F.) 40: 181-186, 11 Abb.
- 5770. Mey, W. & W. Speidel**, 2005, Two new species of *Eoophyla* Swinhoe, 1900 from Continental South East Asia (Lepidoptera, Crambidae, Acentropinae). Bonner zool. Beitr. 53 (1/2): 115-119, figs. [[available in Cesa Library](#)]
- 5771. Mey, W. & W. Speidel**, 2008, Global diversity of butterflies (Lepidoptera) in freshwater. Hydrobiologia 595: 521-528, figs. [[available in Cesa Library](#)]
- 5772. Mey, W.**, 1993, Zur Kenntnis von *Phyllonorycter pumilae* (Ermolaev, 1981) in den Oasen von Xinjiang, China (Lepidoptera, Gracillariidae). Nota lepid. 16(1): 57-62, 7 Abb. [[available in Cesa Library](#)]
- 5773. Mey, W.**, 1994, Taxonomische Bearbeitung der westpaläarktischen Arten der Gattung *Leucoptera* Hübner, [1825], s.l. (Lepidoptera, Lyonetidae). Dt. ent. Z. (N.F.) 41: 173-234, 125 Abb. [[available in Cesa Library](#)]
- 5774. Mey, W.**, 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Microlepidoptera 2: Eriocottidae (Lepidoptera, Ditrysia, Tineoidea). Entomofauna Suppl. 9 (3): 21-32, 21 figs. [[available in Cesa Library](#)]
- 5775. Mey, W.**, 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Microlepidoptera 1: Micropterigidae/Urmotten (Lepidoptera, Zeugloptera). Entomofauna Suppl. 9(2): 13-20, 6 figs., 1 Pl. [[available in Cesa Library](#)]
- 5776. Mey, W.**, 2005, *Metarbela naumanni* sp. nov. from southern Africa (Lepidoptera, Cossidae, Metarbelinae). Ent. Z. 115: 110-112.
- 5777. Mey, W.**, 2006, Revision of the genus *Phyllobrostis* Staudinger, 1859 (Lepidoptera, Lyonetiidae). Dt. ent. Z. 53 (1): 114-147, figs. [[available in Cesa Library](#)]
- 5778. Mey, W.**, 2010, *Umkulunkula* gen. nov. - a new genus of Pyralinae (Insecta, Lepidoptera, Pyraloidea) from southern Africa. Ent. roman. 15: 5-10, figs. [[available in Cesa Library](#)]

- 5779. Meyer, M. & A. Pelles**, 1981, Atlas provisoire des Insectes du Grand-Duché du Luxembourg. Lepidoptera, Première partie: Rhopalocera. 147pp. 109 maps. Luxemburg (ISSN 0251-2424).
- 5780. Meyer, M.**, 1991, Les Lépidoptères de la région macaronésienne I. Papilionoidea des Açores: "Checklist et observations en juillet-août 1990 (Lepidoptera, Rhopalocera). Linneana Belgica 13(3): 99-116, figs. [\[available in Cesa Library\]](#)
- 5781. Meyer, M.**, 1991, Les Lépidoptères de la région macaronésienne II. Liste des Macro-Hétérocères observés en juillet-août 1990 aux Açores (Lepidoptera, Geometridae, Sphingidae, Noctuidae). Linneana Belgica 13(3): 117-134, figs. [\[available in Cesa Library\]](#)
- 5782. Meyer, M.**, 1993, Die Lepidoptera der makaronesischen Region III. Die Tagfalter des nördlichen Makaronesiens (MAdeira, Azoren) aus biogeographischer Sicht (Papilionoidea). Atalanta 24(1/2): 121-162, Taf.vi-xiii. [\[available in Cesa Library\]](#)
- 5783. Meyrick, E.**, 1884, On the classification of Australian Pyralidina. Trans. ent. Soc. London 1884: 61-80.
- 5784. Meyrick, E.**, 1886, Descriptions of Lepidoptera from the South Pacific. Trans. ent. Soc. London 1886 (3): 189-296. [\[available in Cesa Library\]](#)
- 5785. Meyrick, E.**, 1887, On Pyralidina from Australia and the South Pacific. Trans. ent. Soc. London 1887 (3): 185-268. [\[available in Cesa Library\]](#)
- 5786. Meyrick, E.**, 1887, Description of some exotic Micro-Lepidoptera. Trans. ent. Soc. Lond. 1887 (3): 269-280. [\[available in Cesa Library\]](#)
- 5787. Meyrick, E.**, 1889, On some Lepidoptera from New Guinea. Trans. ent. Soc. London (4): 455-522. [\[available in Cesa Library\]](#)
- 5788. Meyrick, E.**, 1890, On the classification of the Pyralidina of the European fauna. Trans. ent. Soc. London 1890: 429-492, Pl.xv [\[available in Cesa Library\]](#)
- 5789. Meyrick, E.**, 1891, A fortnight in Algeria, with descriptions of new Lepidoptera. Entomologist's mon. Mag. 27: 9-13, 55-62. [\[available in Cesa Library\]](#)
- 5790. Meyrick, E.**, 1892, On the classification of the Geometrina of the European fauna. Trans. ent. Soc. London 1892: 53-140, Tab.iii. [\[available in Cesa Library\]](#)
- 5791. Meyrick, E.**, 1892, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106. [\[available in Cesa Library\]](#)
- 5792. Meyrick, E.**, 1894, On a collection of Lepidoptera from Upper Burma. Trans. ent. Soc. London 1894: 1-29. [\[available in Cesa Library\]](#)
- 5793. Meyrick, E.**, 1897, On Lepidoptera from the Malay Archipelago. Trans. ent. Soc. London 1897 (1): 69-92. [\[available in Cesa Library\]](#)
- 5794. Meyrick, E.**, 1902, Three new Lepidoptera from Aden. Entomologist's mon. Mag. 38: 175-176. [\[available in Cesa Library\]](#)
- 5795. Meyrick, E.**, 1906, Descriptions of Indian Micro-Lepidoptera, Part II. J. Bombay nat. Hist. Soc. 17 (1): 133-153; (2): 403-417. [\[available in Cesa Library\]](#)
- 5796. Meyrick, E.**, 1907, Descriptions of Indian Micro-Lepidoptera III-IV. J. Bombay nat. Hist. Soc. 17 (3): 730-754; (4): 976-994. [\[available in Cesa Library\]](#)
- 5797. Meyrick, E.**, 1908, Descriptions of African Micro-Lepidoptera. Proc. zool. Soc. London. 1908: 716-756. [\[available in Cesa Library\]](#)
- 5798. Meyrick, E.**, 1909, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 5: 349-379. [\[available in Cesa Library\]](#)
- 5799. Meyrick, E.**, 1909, Descriptions of Indian Micro-Lepidoptera IX. J. Bombay nat. Hist. Soc. 19 (2): 410-437. [\[available in Cesa Library\]](#)
- 5800. Meyrick, E.**, 1910, Descriptions of Transvaal Microlepidoptera 1. Ann. Transv. Mus. 2: 1-28, 8pls. [\[available in Cesa Library\]](#)
- 5801. Meyrick, E.**, 1910, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 5: 411-417. [\[available in Cesa Library\]](#)
- 5802. Meyrick, E.**, 1912, Descriptions of Transvaal Microlepidoptera. Ann. Trans. Mus. 3: 63-83. [\[available in Cesa Library\]](#)
- 5803. Meyrick, E.**, 1912, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 10: 53-74. [\[available in Cesa Library\]](#)
- 5804. Meyrick, E.**, 1912, Adelidae, Micropterygidae, Gracilariidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 6. 68pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 5805. Meyrick, E.**, 1912-1916, Exotic Microlepidoptera, vol.1. 640pp. [\[available in Cesa Library\]](#)

- 5806. Meyrick, E.**, 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 13. 53pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 5807. Meyrick, E.**, 1913, Descriptions of South African Micro-Lepidoptera IV. Ann. Transv. Mus. 3: 267-336. [\[available in Cesa Library\]](#)
- 5808. Meyrick, E.**, 1914, New South African Micro-Lepidoptera. Ann. S. Afr. Mus. 10: 243-257. [\[available in Cesa Library\]](#)
- 5809. Meyrick, E.**, 1916-1923, Exotic Microlepidoptera, vol. 2. 640pp. [\[available in Cesa Library\]](#)
- 5810. Meyrick, E.**, 1917, Descriptions of South African Micro-Lepidoptera. Ann. S. Afr. Mus. 17: 1-21. [\[available in Cesa Library\]](#)
- 5811. Meyrick, E.**, 1920, Descriptions of South African Micro-Lepidoptera. Ann. S. Afr. Mus. 17: 273-315. [\[available in Cesa Library\]](#)
- 5812. Meyrick, E.**, 1923, Three new Microlepidoptera from Cyprus. Entomologist 56: 277-278. [\[available in Cesa Library\]](#)
- 5813. Meyrick, E.**, 1923-1930, Exotic Microlepidoptera, vol. 3. 640 pp. [\[available in Cesa Library\]](#)
- 5814. Meyrick, E.**, 1925, Descriptions of twenty-four new Egyptian Microlepidoptera. Bull. Soc. ent. Egypte 1925: 206-219.
- 5815. Meyrick, E.**, 1925, Descriptions of twentyfour new Egyptian Microlepidoptera. Bull. Soc. ent. Egypt 9: 214-.
- 5816. Meyrick, E.**, 1926, Microlepidoptera from Northern Sarawak. J. Sarawak Mus. 3: 147-168.
- 5817. Meyrick, E.**, 1926, New South African Microlepidoptera. Ann. S. Afr. Mus. 23: 325-351. [\[available in Cesa Library\]](#)
- 5818. Meyrick, E.**, 1927, A new genus and a new species of Tineidae from Italian Somaliland. Boll. Soc. ent. ital. 59: 161.
- 5819. Meyrick, E.**, 1928, A revised handbook of British Lepidoptera. 914 pp. Biddles Ltd. Great Britain. [\[available in Cesa Library\]](#)
- 5820. Meyrick, E.**, 1930, Microlepidoptera of Maritius. Trans. ent. Soc. London 78 (2): 309-323.
- 5821. Meyrick, E.**, 1930-1936, Exotic Microlepidoptera, vol. 4. 642pp. [\[available in Cesa Library\]](#)
- 5822. Meyrick, E.**, 1932, Entomological Expedition to Abyssinia, 1926-7. Trans. R. ent. Soc. Lond. 80 (1): 107-120. [\[available in Cesa Library\]](#)
- 5823. Meyrick, E.**, 1936-1937, Exotic Microlepidoptera, vol. 5. 160pp. [\[available in Cesa Library\]](#)
- 5824. Meyrick, E.**, 1938, New Javanese Lepidoptera. Dt. ent. Z., Iris 52: 73-88.
- 5825. Meyrick, E.**, 1938, Papuan Microlepidoptera. Trans. R. ent. Soc. Lond. 87: 503-528.
- 5826. Meyrick, E.**, 1939, New Microlepidoptera, with notes on others. Trans. R. ent. Soc. Lond. 89: 47-62. [\[available in Cesa Library\]](#)
- 5827. Miatleuski, J., Ivinskis, P. & V. Karalius**, 2002, *Smerinthus cinerascens* Staudinger, 1879 status novus (Lepidoptera, Sphingidae). Esperiana 9: 49-53, pl. 5. [\[available in Cesa Library\]](#)
- 5828. Michener, C. D.**, 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls.
- 5829. Migdoll, I.**, 1987, Veldgids tot die Skoenlappers van Suider-Afrika. 256pp. Struik House, Kaapstad. [\[available in Cesa Library\]](#)
- 5830. Migranov, M.**, 1991, Die Tagfalter Baschkiriens. 132pp. Ufa.
- 5831. Migranov, M.**, 1992, A new species of genus *Callophrys* (Lepidoptera, Lycaenidae) from the Southern Urals. Zool. zhurn. 71: 135-139.
- 5832. Mikkola, K. & K. Spitzer**, 1983, Lepidoptera associated with peatlands in central and northern Europe: a synthesis. Nota lepid. 6 (4): 216-229, 4 figs. [\[available in Cesa Library\]](#)
- 5833. Mikkola, K.**, 1960, *Laphygma exigua* Hb. (Lep., Agrotidae) -vaeltajayökönen tavattu Suomessa vv. 1958-1959. Ann. ent. Fenn. 26: 81-83.
- 5834. Mikkola, K.**, 1967, Immigrations of Lepidoptera recorded in Finland in the years 1946-66, in relation to air currents. Ann. ent. Fenn. 33: 65-99.
- 5835. Mikkola, K.**, 1968, Transportation by air of *Nomophila noctuella* Schiff. (Lep., Pyralidae) to Greenland from North America in 1954. Ent. Medd. 36: 413-414.
- 5836. Mikkola, K.**, 1968, *Hydroecia ultima* Holst (Lep., Noctuidae) in Finland. Ann. ent. Fenn. 34: 474-477.
- 5837. Mikkola, K.**, 1970, The interpretation of long-range migrations of *Spodoptera exigua* Hb. (Lepidoptera, Noctuidae). J. Anim. Ecol. 39: 593-598.
- 5838. Mikkola, K.**, 1971, The migratory habit of *Lymantria dispar* (Lep., Lymantriidae) adults of continental Eurasia in the light of a flight to Finland. Acta ent. Fenn. 28: 107-120.

- 5839. Mikkola, K.**, 1975, Frequencies of melanic forms of *Oligia* moths (Lepidoptera, Noctuidae) as a measure of atmospheric pollution in Finland. *Ann. zool. Fenn.* 12: 197-204.
- 5840. Mikkola, K.**, 1977, The flight speed of *Charaxes jasius* (Lepidoptera, Nymphalidae). *Notul. ent.* 57: 125-126.
- 5841. Mikkola, K.**, 1977, Local polymorphism in *Xanthia togata* (Lepidoptera, Noctuidae). *Notul. ent.* 57: 19-20.
- 5842. Mikkola, K.**, 1979, Resting site selection by *Oligia* and *Biston* moths (Lepidoptera, Noctuidae, Geometridae). *Ann. ent. Fenn.* 45: 81-87.
- 5843. Mikkola, K.**, 1980, Apollo takaisin istuttamalla? (Reimplantation of *Parnassius apollo*?). *Suomen Luonto* 39: 203.
- 5844. Mikkola, K.**, 1980, Origin and genetics of industrial melanism of *Oligia strigilis* (L.) in Finland (Lepidoptera, Noctuidae). *Ent. scand.* 11: 1-8.
- 5845. Mikkola, K.**, 1980, Two new noctuid species from Northern Europe: *Polia sabmeana* n. sp. and *Xylomoia strix* n. sp. (Lepidoptera, Noctuidae: Hadeninae and Amphipyrinae). *Notulae Ent.* 60: 217-222.
- 5846. Mikkola, K.**, 1980, Bericht über die Insektenwanderungen im Jahre 1979 in Finland. *Atalanta* 11: 176-180. [[available in Cesa Library](#)]
- 5847. Mikkola, K.**, 1980, Sää ja perhosten vaellukset kesällä 1980 (Weather and migrations of Lepidoptera in 1980). *Baptia* 5: 88-97.
- 5848. Mikkola, K.**, 1981, Ausgestorbene und abnehmende Schmetterlinge Finnlands. *Beih. Veröff. Naturschutz Landschaftspflege Bad. Württ.* 21: 19-22.
- 5849. Mikkola, K.**, 1981, Notes on some Geometrid and Noctuid species described by J. F. Fabricius (Lepidoptera). *Ent. scand.* 12: 433-436.
- 5850. Mikkola, K.**, 1982, *Eupithecia expallidata* (Lepidoptera, Geometridae) new to Fennoscandia with notes on the taxonomy of the *E. absinthiata* - complex. *Notul. ent.* 62: 13-23.
- 5851. Mikkola, K.**, 1982, Bericht über die Insektenwanderungen im Jahre 1980 in Finland. *Atalanta* 13: 27-33. [[available in Cesa Library](#)]
- 5852. Mikkola, K.**, 1982, Bericht über die Insektenwanderungen im Jahre 1981 in Finland. *Atalanta* 13: 91-95. [[available in Cesa Library](#)]
- 5853. Mikkola, K.**, 1983, Bericht über die Insektenwanderungen im Jahre 1982 in Finland. *Atalanta* 14: 96-103. [[available in Cesa Library](#)]
- 5854. Mikkola, K.**, 1983, Perhostutkimuksia Länsi-Siperiassa (Lepidopterological investigations in western Siberia). *Baptia* 8: 1-6.
- 5855. Mikkola, K.**, 1983, *Scoliopteryx aksuana* Sheljuzhko, 1955 - species (Lepidoptera, Noctuidae). *Ent. scand.* 14: 81-84.
- 5856. Mikkola, K.**, 1984, Bericht über die Insektenwanderungen im Jahre 1983 in Finland. *Atalanta* 15: 73-78. [[available in Cesa Library](#)]
- 5857. Mikkola, K.**, 1985, The Geometroidea and Noctuoidea described by Carl Clerck (Lepidoptera). *Ent. scand.* 16: 121-129.
- 5858. Mikkola, K.**, 1986, Tower spreading, a handy method for provisional field-preparation of Microlepidoptera. *Notulae Ent.* 66: 101-102.
- 5859. Mikkola, K.**, 1987, *Selidosema plumarium* new to northern Europe (Lepidoptera, Geometridae). *Notulae Ent.* 67: 147-150.
- 5860. Mikkola, K.**, 1987, Pattern of noctuid species common between the extremities of the Palaearctic Zone: a result of glacial and postglacial movements. *Tinea* 12: 310-315.
- 5861. Mikkola, K.**, 1992, Lock-and-key mechanisms in the inner genitalia of *Apamea* moths (Lepidoptera, Noctuidae). *Syst. Ent.* 17: 145-153.
- 5862. Mikkola, K.**, 1993, *Lithophane hepatica* (Clerck, 1759) - a valid combination (Lepidoptera, Noctuidae). *Nota lepid.* 16: 139-144.
- 5863. Mikkola, K.**, 1994, Inferences about the function of genitalia in the genus *Eupithecia*, with description of a new organ (Lepidoptera, Geometridae). *Nota lepid. (suppl.)* 5: 73-78.
- 5864. Mikkola, K.**, 1996, Diversities and zoogeographic relationships of Noctuidae from the Northern Palaearctic: The Finnish fauna.- International moth monitoring scheme. *Tema-Nord* 1996: 630, 8-12.
- 5865. Mikkola, K.**, 1997, Population trends of Finnish Lepidoptera during 1961-1996. *Ent. fenn.* 8: 121-143.

- 5866. Mikkola, K.**, 1997, *Apamea yunnana* sp. n. (Lepidoptera, Noctuidae) from Northern Yunnan, China. Ent. fenn. 8: 83-85, figs.
- 5867. Mikkola, K.**, 1998, Revision of the genus *Xylomoia* Staudinger (Lepidoptera, Noctuidae) with descriptions of two new species Syst. Ent. 23: 173-186, 2 Tab., 28 figs. [[available in Cesa Library](#)]
- 5868. Mikkola, K., Lafontaine, J.D. & P.Grotenfelt**, 1987, A revision of the Holarctic *Chersotis andereggii* complex (Lepidoptera, Noctuidae). Nota lepid. 10 (3): 140-157, 6 figs. [[available in Cesa Library](#)]
- 5869. Mikkola, K., Varga, Z. & P.Gyulai**, 1995, *Apamea nekrasovi*, a new species of Noctuidae (Lepidoptera) from the Pamir Mountains. Folia ent. hung. 56: 115-118, figs. [[available in Cesa Library](#)]
- 5870. Miljanowsky, Y.S.**, 1964, Lepidopterous fauna of Abchasiya. Proc. Sukhumi eth. oil. cult. res. station. 5: 91-190.
- 5871. Miller, A.**, 1994, Eine neue Subspecies von *Euthalia aconthea* Cramer aus Sulawesi (Lepidoptera, Nymphalidae) Ent. Z., Frankf. a. M. 104(5): 102-104, 2 Abb. [[available in Cesa Library](#)]
- 5872. Miller, E.**, 1913, Neue Rhopalocera aus Transkaukasien. Dt. ent. Z., Iris 26 [31.12.1912] (4): 220-223. [[available in Cesa Library](#)]
- 5873. Miller, E.**, 1923, Lépidoptères, rapportes des environs de Kagysman dans le district de Cars. Bull. Soc. ent. Moscou 2: 81-118.
- 5874. Miller, J.S.**, 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.
- 5875. Miller, L.D. & S.C.Collins**, 1997, A review of the genus *Gamia* Holland, 1896 (Lepidoptera, Hesperidae, Hesperinae), with the description of a new species. Metamorphosis 8(4): 147-159, 2 Pls., 18 figs. [[available in Cesa Library](#)]
- 5876. Millière, M.P.**, 1859-1864, Iconographie et description de Chénilles et Lépidoptères inédits. Tome I. Lyon.
- 5877. Millière, M.P.**, 1864-1868, Iconographie et description de Chénilles et Lépidoptères inédits. Tome II. Lyon.
- 5878. Millière, M.P.**, 1869-1874, Iconographie et description de Chénilles et Lépidoptères inédits. Tome III. Lyon.
- 5879. Millière, M.P.**, 1886, Chénilles nouvelles Lépidoptères nouveaux ou peu connus. Annls Soc. ent. Fr. 1886: 5-10, pl.1. [[available in Cesa Library](#)]
- 5880. Millière, M.P.**, 1887, Lépidoptères nouveaux ou peu connus Chénilles nouvelles. Annls Soc. ent. Fr. 1887: 215-221, pl.5. [[available in Cesa Library](#)]
- 5881. Minet, J.**, 1986, Ebauche d'une classification moderne de l'ordre des Lépidoptères. Alexanor 14: 291-313. [[available in Cesa Library](#)]
- 5882. Minet, J.**, 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs. [[available in Cesa Library](#)]
- 5883. Minet, J.**, 1991, Tentative reconstruction of the ditrysiian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95. [[available in Cesa Library](#)]
- 5884. Mironov, V. & U.Ratzel**, 2012, New species of *Eupithecia* Curtis (Geometridae, Larentiinae) from Syria. Nota lepid. 35 (1): 19-26, figs. [[available in Cesa Library](#)]
- 5885. Mironov, V. & U.Ratzel**, 2012, *Eupithecia* Curtis, 1825 of Afghanistan (Geometridae, Larentiinae). Nota lepid. 34 (2): 197-231, figs. [[available in Cesa Library](#)]
- 5886. Mironov, V.**, 1991, *Eupithecia pinkeri* spec.nov. (Lepidoptera, Geometridae) from Anatolia and Transcaucasia. Beitr. Ent. 41 (2): 371-373, 9 figs. [[available in Cesa Library](#)]
- 5887. Mironov, V.**, 2013, New species and checklist of Turkish *Eupithecia* Curtis (Geometridae, Larentiinae). Zootaxa 3717 (1): 39-52, figs. [[available in Cesa Library](#)]
- 5888. Mironov, V.G.**, 1986, New and little known species of Geometrid moths (Lepidoptera, Geometridae) from the centre of Tien Shan. Trudy vses. ent. Obshch. 67: 94-100, figs.
- 5889. Mironov, V.G.**, 1988, A new species of *Eupithecia* Curt. from Transcaucasia (Lepidoptera, Geometridae). Ent. Obozr. 1988 (2): 369-371, 4 figs. [[available in Cesa Library](#)]
- 5890. Mironov, V.G.**, 1989, New and less known species of *Eupithecia* Curt. (Lepidoptera, Geometridae) from Central Asia. Ent. Obozr. 1989 (2): 369-375 figs. [[available in Cesa Library](#)]
- 5891. Mironov, V.G.**, 2001, New and scarce European *Eupithecia* species (Geometridae). Nota lepid. 24 (1/2): 21-28, figs.
- 5892. Mironov, V.G.**, 2003, The Geometrid Moths of Europe Vol. 4 Larentiinae II. 462 pp., figs. Pls. Apollo Books.

- 5893. Mironov,V.G., Galsworthy,A.C. & Y.Katsumi**, 2009, A survey of the genus *Eupithecia* (Lepidoptera, Geometridae) in mainland South East Asia, Part 1. Trans. lepid. Soc. Japan 60 (2): 93-116, figs.
- 5894. Mironov,V.G., Galsworthy,A.C. & Y.Katsumi**, 2009, A survey of the genus *Eupithecia* (Lepidoptera, Geometridae) in mainland South East Asia, Part 2. Trans. lepid. Soc. Japan 60 (3): 167-188, figs.
- 5895. Mironov,V.G., Galsworthy,A.C. & Y.Sakamaki**, 2010, Further notes on *Eupithecia* (Lepidoptera, Geometridae) from Nepal and Indian subcontinent. Trans. lepid. Soc. Japan 61 (2): 137-172, figs.
- 5896. Mironov,V.G., Glasworthy,A.C. & U.Ratzel**, 2008, A survey of the *Eupithecia* fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part III. Trans. lepid. Soc. Japan 59 (3): 201-224, figs. [[available in Cesa Library](#)]
- 5897. Mironov,V.G., Glasworthy,A.C. & U.Ratzel**, 2008, A survey of the *Eupithecia* fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part II. Trans. lepid. Soc. Japan 59 (2): 117-143, figs. [[available in Cesa Library](#)]
- 5898. Mironov,V.G., Glasworthy,A.C. & U.Ratzel**, 2008, A survey of the *Eupithecia* fauna (Lepidoptera, Geometridae) of the Western Himalayas, Part I. Trans. lepid. Soc. Japan 59 (1): 55-77, figs. [[available in Cesa Library](#)]
- 5899. Mirzayans,H. & M.Abai**, 1974, The Oak trees Lepidoptera in Iran. J. ent. Soc. Iran 1: 161-167.
- 5900. Miskin,W.H.**, 1876, Descriptions of new species of Australian diurnal Lepidoptera. Trans. ent. Soc. London 1876 (3): 451-457. [[available in Cesa Library](#)]
- 5901. Mitter,C. & E.Silverfine**, 1987, On the systematic position of *Catocala* Schrank (Noctuidae). Syst. Ent. 13: 67-84, figs.
- 5902. Mohanty,P.K. & B.Nayak**, 1982, Chromosomal studies in sixteen species of Indian Pyralid moths (Pyralidae). J. Res. Lepid. 20 (2): 86-96, figs. [[available in Cesa Library](#)]
- 5903. Mohanty,P.K. & B.Nayak**, 1983, Chromosomes of seven species of Indian Sphingid moths. J. Res. Lepid. 21 (4): 238-244, figs. [[available in Cesa Library](#)]
- 5904. Mohanty,P.K. & B.Nayak**, 1984, Karyotypes of some Indian Noctuid moths (Lepidoptera). J. Res. Lepid. 22 (4): 238-248, 34 figs. [[available in Cesa Library](#)]
- 5905. Mokhles,A.**, 1984, Calendrier des périodes de vol des Rhopalocères du Maroc. Nota lepid. 7 (3): 257-263. [[available in Cesa Library](#)]
- 5906. Mollet,B.**, 2001, A new subgenus of the genus *Zygaenoprocris* Hampson,1900 (Lepidoptera, Zygaenidae, Procrinae). Entomologist's Gaz. 52: 51-53, 3 figs.
- 5907. Moltrecht,A.**, 1909, Neues aus dem Amurland. Ent. Z., Stuttgart 22: 184. [[available in Cesa Library](#)]
- 5908. Monastyrskii,A.L. & A.L.Devyatkin**, 2000, New taxa and new records of butterflies from Vietnam (Lepidoptera, Rhopalocera). Atalanta 31 (3/4): 471-492, figs. [[available in Cesa Library](#)]
- 5909. Monastyrskii,A.L. & A.L.Devyatkin**, 2003, New taxa and new records of butterflies from Vietnam, 2 (Lepidoptera, Rhopalocera). Atalanta 34 (1/2): 75-109, figs. [[available in Cesa Library](#)]
- 5910. Monfort,A.**, 1987, Distribution et statut des Papilionidae du Rwanda. Lambillionea 87: 145-153.
- 5911. Monoz Sariat,G.M.**, 1995, Mariposas diurnas de la provincia de Granada. 165 pp. 209 figs. Granada.
- 5912. Moore,F.**, 1857, Descriptions of some new species of Lepidopterous Insects from Northern India. Proc. zool. Soc. London 1857: 102-104, pls.xliv-xlv. [[available in Cesa Library](#)]
- 5913. Moore,F.**, 1865, List of Diurnal Lepidoptera collected by Capt. A. M. Lang in the N.W. Himalayas. Proc. zool. Soc. London 35: 486-509, Pl. 30-31. [[available in Cesa Library](#)]
- 5914. Moore,F.**, 1865, Descriptions of new species of Bombyces from North Eastern India. Trans. ent. Soc. London (3): 2: 423-425, Pl.xxii. [[available in Cesa Library](#)]
- 5915. Moore,F.**, 1874, List of Diurnal Lepidoptera collected in Cashmere Territory by Capt. R.B.Reed, 12th Regt., with descriptions of new species. Proc. zool. Soc. Lond. 1874: 264-274, Pl.xliii. [[available in Cesa Library](#)]
- 5916. Moore,F.**, 1877, Descriptions of Asiatic diurnal Lepidoptera. Ann. Mag. nat. Hist. (4) 20: 43-52. [[available in Cesa Library](#)]

- 5917. Moore, F.**, 1877, The lepidopterous fauna of the Andaman and Nicobar Islands. Proc. zool. Soc. Lond. 1877: 580-632, Pls. [\[available in Cesa Library\]](#)
- 5918. Moore, F.**, 1877, Descriptions of Ceylon Lepidoptera. Ann. Mag. nat. Hist. (4) 20: 339-348. [\[available in Cesa Library\]](#)
- 5919. Moore, F.**, 1878, List of Lepidopterous insects collected by the late R.Swinhoe in the island of Hainan. Proc. zool. Soc. Lond. 1878: 695-705. [\[available in Cesa Library\]](#)
- 5920. Moore, F.**, 1878, A list of the lepidopterous insects collected by Mr.Ossian Limborg in Upper Tenasserim. Proc. zool. Soc. London 1878: 821-859, pls.I-III. [\[available in Cesa Library\]](#)
- 5921. Moore, F.**, 1878, Descriptions of new species of Lepidoptera collected by the late Dr. F.Stoliczka during the Indian-Government Mission to Yarkund in 1873. Ann. Mag. nat. Hist. 1878: 227-237. [\[available in Cesa Library\]](#)
- 5922. Moore, F.**, 1879, Descriptions of new genera and species of Asiatic Lepidoptera Heterocera. Proc. zool. Soc. London 1879: 387-417, pls. xxxii-xxxiv. [\[available in Cesa Library\]](#)
- 5923. Moore, F.**, 1881, Descriptions of new Asiatic diurnal Lepidoptera. Trans. ent. Soc. London 1881 (3): 305-313. [\[available in Cesa Library\]](#)
- 5924. Moore, F.**, 1881, Description of new genera and species of asiatic Nocturnal Lepidoptera. Proc. zool. Soc. London 1881: 326-380. [\[available in Cesa Library\]](#)
- 5925. Moore, F.**, 1881, Lepidoptera of Ceylon vol.i xii+190pp. pls.1-71. London. [\[available in Cesa Library\]](#)
- 5926. Moore, F.**, 1882, Descriptions of new Indian lepidopterous insects from the collection of the late Mr.W.S.Atkinson, M.A., F.L.S., &c director of public instruction, Bengal. Heterocera (Sphingidae - Hepialidae). Calcutta. [\[available in Cesa Library\]](#)
- 5927. Moore, F.**, 1882-1883, Lepidoptera of Ceylon vol.ii. viii+162pp. pls. 72-143. London. [\[available in Cesa Library\]](#)
- 5928. Moore, F.**, 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt.I. Limnaina. Proc. zool. Soc. Lond. 53: 201-252, Pls.29-32. [\[available in Cesa Library\]](#)
- 5929. Moore, F.**, 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt.II. Euploeina. Proc. zool. Soc. Lond. 53: 253-324.
- 5930. Moore, F.**, 1884-1887, Lepidoptera of Ceylon vol.iii. xv+578pp. pls. 144-215. London. [\[available in Cesa Library\]](#)
- 5931. Moore, F.**, 1890-1892, Lepidoptera Indica 1. Rhopalocera Nymphalidae Euploeinae and Satyrinae. xii+317 pp. Plates 1-94. London.
- 5932. Moore, F.**, 1893-1896, Lepidoptera Indica 2. Rhopalocera Nymphalidae Satyrinae (continued) Elymninae Amathusiinae Nymphalinae (Group Charaxina). vii+248 pp. Plates 95-190. London.
- 5933. Moore, F.**, 1896-1899, Lepidoptera Indica 3. Rhopalocera Nymphalidae Nymphalinae (continued), Potanina, Euthaliina, Limenitina. viii+254 pp. Plates 191-286. London.
- 5934. Moore, F.**, 1899-1900, Lepidoptera Indica 4. Rhopalocera Nymphalidae Nymphalinae (continued), Limenitina, Nymphalina, and Argynnina. viii+260 pp. Plates 287-378. London.
- 5935. Moore, F.**, 1901-1903, Lepidoptera Indica 5. Rhopalocera; Nymphalidae, Riudinidae, Papilionidae. vii+248 pp., Plates 379-466. London.
- 5936. Moore, F.**, 1903-1905, Lepidoptera Indica 6. Rhopalocera Papilionidae Papilioninae (continued), Pieridae Pierinae. viii+240 pp., Plates 467-550. London.
- 5937. Morishita, K.**, 1979, On Evans' The Identification of Indian Butterflies 1932. Chou Chou 2 (6): 1-74, 4 pls.
- 5938. Morishita, K.**, 1994, Notes on the butterflies of Thailand and southern part of Vietnam. Tyo to Ga 45 (2): 121-123.
- 5939. Moriuti, S. & K.Yashuda**, 1983, Stathmopoda masinissa Meyrick and Eretmocera impactella (Walker) (Lepidoptera, Stathmopodidae) new to the fauna of Thailand. Appl. Ent. Zool. 18: 431-432.
- 5940. Moriuti, S.**, 1971, A revision of the world species of Thecobathra (Lepidoptera, Yponomeutidae). Kontyu 39: 230-251.
- 5941. Moriuti, S.**, 1977, Fauna Japonica: Yponomeutidae s.lat. (Insecta, Yponomeutidae). iv+327 pp. 95 pls. 583 figs. Keigaku Publishing Co., Tokyo.

5942. **Moriuti, S.**, 1982, A new and an unrecorded species of *Thecobathra* Meyrick (Lepidoptera, Yponomeutidae) from Thailand. *Tyo To Ga* 33: 61-64.
5943. **Moriuti, S.**, 1982, A redescription of *Callithrinca* Meyrick (Lepidoptera, Yponomeutidae), with a new species from Thailand. *Tyo to Ga* 33: 65-69, fig.
5944. **Moriuti, S.**, 1982, A new *Argyresthia* (Lepidoptera, Argyresthiidae) from Thailand. *Akitu* (n.ser.) (48): 1-4, figs.
5945. **Moriuti, S.**, 1983, *Angoonopteryx siamensis*, a new genus and species of Yponomeutidae (Lepidoptera), from Thailand. *Bull. Univ. Osaka Pref. (B)* 35: 11-15, figs.
5946. **Moriuti, S.**, 1984, A new *Acrolepiopsis* (Lepidoptera, Acrolepiidae) from Thailand. *Tyo to Ga* 35: 28-32, figs.
5947. **Moriuti, S.**, 1984, A new *Agriothera* (Lepidoptera, Amphitheridae) from Thailand. *Kontyu*, Tokyo 52: 407-410, figs.
5948. **Moriuti, S.**, 1985, Records of four species of *Aeolanthos* (Lepidoptera, Gelechioidea) from Thailand. *Tyo to Ga* 36: 91-96, figs.
5949. **Moriuti, S.**, 1985, A new and unrecorded species of *Casmara* Walker (Lepidoptera, Oecophoridae) from Thailand. *Tinea* 12 (2): 11-16.
5950. **Moriuti, S.**, 1987, Two new species of *Ypsolopha* Latreille (Lepidoptera, Yponomeutidae) from Thailand. [in] Kuroko, H. & S. Moriuti, *Microlepidoptera of Thailand* 1: 97-102, figs. University of Osaka.
5951. **Moriuti, S.**, 1989, Eleven new species of *Gerontha* from Southeast Asia, with notes on others (Lepidoptera, Tineidae). [in] Moriuti, S., *Microlepidoptera of Thailand* 2: 87-112, 45 figs. [available in Cesa Library]
5952. **Moriuti, S.**, 1996, Aganaine Moths (Lepidoptera, Noctuidae) from Thailand in the Collection of Entomological Laboratory, University of Osaka Prefecture. *Bull. Univ. Osaka Pref. (Ser. B)* 48: 25-43, 54 figs. [available in Cesa Library]
5953. **Moriuti, S., Saito, T. & A. Lewvanich**, 1985, Thai species of *Periacma* Meyrick and its allied two new genera (Lepidoptera, Oecophoridae). *Bull. Univ. Osaka Pref. (B)* 37: 19-50, figs.
5954. **Moriuti, S., Saito, T. & A. Lewvanich**, 1989, Thai species of the Oecophorinae genera *Periacma*, *Irepacma* and *Ripeacma* (Lepidoptera, Oecophoridae). [in] Moriuti, S., *Microlepidoptera of Thailand* 2: 113-152, University of Osaka. [available in Cesa Library]
5955. **Morkzecki, S.**, 1902, *Naturgeschichte der Cledeobia moldavica* Esp. (Microlepidoptera). *Allg. Z. Ent.* 7: 85-89, 5 figs. [available in Cesa Library]
5956. **Mortera, H.**, 1996, *Catalogo de los Lepidopteros Ropaloceros de Asturias*. *Bol. Soc. ent. Aragon.* 13: 3-5.
5957. **Mosher, E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. *Bull. Ill. St. Lab. nat. Hist.* 12: 1-158, figs. [available in Cesa Library]
5958. **Motono, A. & N. Negishi**, 1989, *Butterflies of Laos*. 215pp. Kiriara Shoten, Tokyo.
5959. **Mottet, P.**, 1985, Nouvelle localité de *M. deserticola* dans le Haut Atlas. *Bull. Cercle lepid. belges* 14: 13-17, 64-65.
5960. **Moucha, J. & J. Zahradnik**, 1969, *Papilio machaon* L. et *Chaerocampa alecto* L. deux Lépidoptères nuisibles et remarques sur d'autres espèces de l'île de Chypre. *Alexandria* 6: 146-149, 2 figs. [available in Cesa Library]
5961. **Moucha, J.**, 1953, La distribution géographique de la *Leptidea morsei* Fent. en Europe (Lep., Pieridae). *Bull. Soc. ent. Mulhouse* 1953: 1-5.
5962. **Moucha, J.**, 1954, Contribution à la connaissance du *Papilio machaon* L. de Palestine- Lep. Papilionidae. *Bull. Soc. ent. Mulhouse* 1954: 69-75, 7 figs.
5963. **Moucha, J.**, 1954, *Insecta Houskeana: Lepidoptera*. *Acta ent. Mus. natn. Pragae* 28 [1952]: 185-207. [available in Cesa Library]
5964. **Moucha, J.**, 1957, Über *Papilio machaon* L. im Nahen Osten (Lepidoptera, Papilionidae). *Acta ent. Mus. natn. Pragae* 31: 167-170. [available in Cesa Library]
5965. **Moucha, J.**, 1966, Zur Kenntnis der Schmetterlingsfauna Jugoslawiens (Lepidoptera). *Ent. Nachr., Dresden* 10(4): 49-53. [available in Cesa Library]
5966. **Moulton, J. C.**, 1923, On butterflies from Pulo Condore. *J. Nat. Hist. Soc. Siam* 6 (1): 127-134.
5967. **Moyhuddin, A. I.**, 1980, Phytophages associated with *Acacia nilotica* in Pakistan and possibilities of their introduction into Australia. *Proc. V. Int. Symp. Biol. Contr. Weeds, Brisbane, Austr.* 1980: 161-166. [available in Cesa Library]

- 5968. Mracek, Z. & A. Schulte**, 1991, *Colias grumi* burchana nov. ssp., eine neue Unterart von *Colias grumi* Alpherakyi [sic] aus der Provinz Qinghai (China) (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 12 (3): 163-165, 4 Abb. [[available in Cesa Library](#)]
- 5969. Mracek, Z.**, 1989, Contribution a la connaissance des Lépidoptères diurnes de la Iakoutie (Lepidoptera, Rhopalocera et Hesperiiidae). Linneana Belgica 12 (4): 138-188, figs. [[available in Cesa Library](#)]
- 5970. Muche, W. H.**, 1960, Eindrücke einer Sammelreise nach der Türkei. Ent. Z., Frankf. a. M. 70: 176-180, 181-188, 199-201, 207-210, 7 Abb.
- 5971. Munroe, E. & A. Mutuura**, 1971, Geographical distribution of Pyraustinae (Lepidoptera, Pyralidae) of temperate East Asia. Tyo to Ga 22(1/2): 1-6, 6 maps. [[available in Cesa Library](#)]
- 5972. Munroe, E. & M. Schaffer**, 1980, A Revision of Vitessidia Rothschild & Jordan and Vitessa Moore (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 39 (4): 241-360, 318 figs. [[available in Cesa Library](#)]
- 5973. Munroe, E.**, 1959, Canadian species of Dioryctria Zeller (Lepidoptera: Pyralidae). Can. Ent. 91 (2): 65-72, 12 figs. [[available in Cesa Library](#)]
- 5974. Munroe, E.**, 1960, New Tropical Pyraustinae (Lepidoptera, Pyralidae). Can. Ent. 92: 164-173, figs. [[available in Cesa Library](#)]
- 5975. Munroe, E.**, 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
- 5976. Munroe, E.**, 1968, New Pyralidae (Lepidoptera) from the Papuan region II. Can. Ent. 100: 394-401, 12 figs. [[available in Cesa Library](#)]
- 5977. Munroe, E.**, 1970, Types of Nymphulinae, Scopariinae, Cybalomiinae, Odontiinae, Evergestinae, and Pyraustinae (Lepidoptera, Pyralidae) in the Zoological Institute, Academy of Sciences of the USSR, Leningrad, with selections of lectotypes. Can. ent. 102: 1025-1035. [[available in Cesa Library](#)]
- 5978. Munroe, E.**, 1977, Synopsis of Heortia Lederer, with descriptions of a new species and a new subspecies (Lepidoptera, Pyralidae: Odontiinae). Can. ent. 109: 429-441, 20 figs. [[available in Cesa Library](#)]
- 5979. Munroe, E.**, 1977, Two species of Palpita Hübner described by Janse, with descriptions of new species (Lepidoptera, Pyralidae, Pyraustinae). Can. ent. 109: 67-76, 15 figs. [[available in Cesa Library](#)]
- 5980. Munroe, E., Diakonoff, A. & E. L. Martin**, 1958, Catalogue of Snellen's types of Pyralidae, with selections of Lectotypes. Tijdschr. Ent. 101 (2): 65-88. [[available in Cesa Library](#)]
- 5981. Murayama, S.**, 1984, Notes on some butterflies of North Thailand and China. New Ent. 31 (4): 1-6.
- 5982. Murria, E. & G. King**, 1999, Observaciones sobre la biología de Antigastra catalaunalis (Duponchel, 1833) en el valle medio del Ebro, España (Lepidoptera, Pyralidae, Pyraustinae). Shilap Revta lepid. 27 (105): 139-143, figs. [[available in Cesa Library](#)]
- 5983. Murzin, V. S.**, 1986, Butterflies (Lepidoptera, Rhopalocera) of the Badkhyz Nature Reserve (Turkmenistan). Trudy vses. ent. Obshch. 67: 125-130.
- 5984. Murzin, V. S.**, 2003, The tiger moths of the former Soviet Union (Insecta, Lepidoptera, Arctiidae). 254pp. Pensoft Publ. Sofia-Moscow. [[available in Cesa Library](#)]
- 5985. Mutuura, A. & E. Munroe**, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus Ostrinia (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs. [[available in Cesa Library](#)]
- 5986. Mutuura, A.**, 1972, Morphology of the female genitalia in Lepidoptera, and its taxonomic significance. Can. ent. 104(7): 1055-1071, 24 figs.
- 5987. Müller, A.**, 1992, Eine neue Idea und ein Hybrid zwischen Hebomoia leucippe und H. glaucippe (Lepidoptera, Danaidae, Pieridae). Ent. Z., Frankf. a. M. 102: 302-304, 3 Abb. [[available in Cesa Library](#)]
- 5988. Müller, C. J.**, 2014, Six new species of Philiris Röber, 1891 (Lepidoptera, Lycaenidae) from Papua New Guinea. Zookeys 395: 33-55, figs. [[available in Cesa Library](#)]
- 5989. Müller, G.**, 1992, Winterbeobachtungen von Tagfaltern auf Zypern. Atalanta 23(1/2): 81-83. [[available in Cesa Library](#)]
- 5990. Müller, G.**, 2001, Winterbeobachtungen von Tagfaltern auf Zypern (Lepidoptera, Diurna). Atalanta 32 (1/2): 80-82, figs. [[available in Cesa Library](#)]

- 5991. Müller, G.C., Kravchenko, V.D., Revay, E.E., Speidel, W., Mooser, J., Beredin, S. & T. Witt**, 2010, The Nolidae of Jordan: Distribution, phenology and ecology. *Entomofauna* 31 (8): 69-84. [\[available in Cesa Library\]](#)
- 5992. Müller, G.C., Kravchenko, V.D., Witt, T.J., Junnila, A., Mooser, J., Saldaitis, A., Reshöft, K., Ivinskis, P., Zahiri, R. & W. Speidel**, 2008, New underwing taxa of the section of *Catocala lesbia* Christoph, 1887 (Lepidoptera, Noctuidae). *Acta zool. Lituanica* 18 (1): 30-49, figs. [\[available in Cesa Library\]](#)
- 5993. Müller, G.C., Laszlo, G.M., Ronkay, G., Ronkay, L. Speidel, W., Kravchenko, V.D., Mooser, J. & T.J. Witt**, 2006, The Drepanoidea of Israel: Distribution, phenology and ecology (Lepidoptera, Thyatiridae and Drepanidae), with description of a new species. *Entomofauna* 27 (4): 57-76, figs. [\[available in Cesa Library\]](#)
- 5994. Müller, O.F.**, 1764, *Fauna insectorum Fridrichsdalina sive methodica descriptio insectorum agri Fridrichsdalensis...* xxiv+96pp. Hafniae et Lipsiae. [\[available in Cesa Library\]](#)
- 5995. Müting, D. & E. Müting**, 1980, Reiseeindrücke aus Nordwest-Pakistan (Chitral und oberes Kaghan-Tal). *Ent. Z., Frankf. a. M.* 90 (3): 17-28, 3 Abb. [\[available in Cesa Library\]](#)
- 5996. Müting, D.**, 1970, Hindukusch-Expedition zum autocrator. 300km zu Fuss und Pferd durch das Hochgebirge Afghanistans auf der Suche nach einem seltenen Schmetterling. *Deutsche Aerzteblatt- Aerztliche Mitteilungen* 67 (20): 1548-1555, 8 Abb. [\[available in Cesa Library\]](#)
- 5997. Müting, D.**, 1971, *Colias*-Fang in Iran und Afghanistan (Lep., Pieridae). *Ent. Z., Frankf. a. M.* 81 (19): 209-216, 3 Abb. [\[available in Cesa Library\]](#)
- 5998. Ménétériés, E.**, 1848, Description des insectes recueillis par feu Lehmann. *Mém. Acad. Sci. St.-Petersb.* 6: 273-300, Pl.vi., St.-Petersbourg. [\[available in Cesa Library\]](#)
- 5999. Ménétériés, E.**, 1855, Enumeratio corporum animalium musei imperialis academie scientiarum Petropolitanae, Classis Insectorum, Ordo Lepidopterorum 1: xvi + 97 + [3] pp. 6 Pls. St. Petersburg.
- 6000. Ménétériés, E.**, 1857, Enumeratio corporum animalium musei imperialis academie scientiarum Petropolitanae, Classis Insectorum, Ordo Lepidopterorum 2: 98 pp. 8 Pls. Petropoli.
- 6001. Ménétériés, E.**, 1858, Sur quelques Lépidoptères du gouvernement Jakoutsk. *Bull. phys. math. Acad. Sci. St. Petersburg.* 17: 213-220.
- 6002. Ménétériés, E.**, 1859, Verzeichniss von Insecten aus der Gegend Nachitschewan und dem nördlichen Persien. *Nouv. Mém. Soc. imp. Nat. Mosc.* 12: 247. [\[available in Cesa Library\]](#)
- 6003. Ménétériés, E.**, 1859, Sur les Lépidoptères de Lenkoran et de Talyche. *Bull. phys. Acad. Sci. St.-Petersb.* 17: 313-316. [\[available in Cesa Library\]](#)
- 6004. Ménétériés, E.**, 1859, Sur quelques Lépidoptères du gouvernement Jakoutsk. *Bull. phys. Acad. Sci. St.-Petersb.* 17: 494-500.
- 6005. Mérit, X. & V. Mérit**, 1998, Contribution a la connaissance lépidoptérique de d'Ile de Crete (Lepidoptera). *Linneana Belgica* 16(7): 291-297, figs. [\[available in Cesa Library\]](#)
- 6006. Mérit, X. & V. Mérit**, 1998, L'élevage de *Dysauxes famula* (Freyer, 1836) (Lepidoptera, Syntomidae). *Linneana Belgica* 16(7): 298-300, 3 figs. [\[available in Cesa Library\]](#)
- 6007. Mérit, X. & V. Mérit**, 2007, Rediscovery of *Hypolimnas misippus* (Linnaeus, 1764) as a unique female in Lebanon during spring 2003 (Lepidoptera, Nymphalidae). *Atalanta* 38 (3/4): 319-320, figs. [\[available in Cesa Library\]](#)
- 6008. Möschler, H.B.**, 1862, Neue südrussische Schmetterlinge. *Wien. ent. Monatschr.* 6: 139-143, Taf.1. [\[available in Cesa Library\]](#)
- 6009. Naderi, A. & W. Ten Hagen**, 2006, Description of a new subspecies of *Polyommatus ciloicus* De Freina & Witt, 1983: *alamuticus* ssp.n. from North Iran (Alburz Mts.) (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 27 (3): 171-175, figs. [\[available in Cesa Library\]](#)
- 6010. Nakamura, I. & S.A. Ae**, 1977, Prolonged pupal diapause of *Papilio alexanor*: arid zone adaptation directed by larval host plant. *Ann. ent. Soc. Am.* 70: 481-484. [\[available in Cesa Library\]](#)
- 6011. Nakamura, I.**, 1975, Descriptions of two new species of butterflies (Lepidoptera, Lycaenidae) from the South Sinai. *J. Ent.(B)* 44 (3): 283-295, 29 figs. [\[available in Cesa Library\]](#)
- 6012. Nakamura, I.**, 1977, On the identity of some of the Lycaenidae species (Lep.) described by Francis Walker (1870) from the Egypt and the Sinai. *Entomologist's Gaz.* 28: 9-14. [\[available in Cesa Library\]](#)
- 6013. Nakamura, I.**, 1979, On the supposed distribution of *Euchloe falloui* (Allard) (Pieridae) in Somaliland: a critical review. *Nota lepid.* 2 (1/2): 45-48. [\[available in Cesa Library\]](#)

- 6014. Nakamura,M.**, 1976, Some Notodontidae from Malaysia and Brunei (Lepidoptera). Tyo to Ga 27: 35-42.
- 6015. Nakano,S.**, 1989, Some remarkable butterflies from Thailand (3). Gekhan Mushi 217: 20-21.
- 6016. Nakano,S.**, 1990, Some remarkable butterflies from Thailand (4). Gekhan Mushi 236: 18-19, pl.1.
- 6017. Namvar,P. & H.Alipanah**, 2002, *Diaphania indica* (Saunders) (Pyralidae, Pyraustinae) as a first report for Lepidoptera fauna of Iran. Appl. Ent. phytopath. 70 (1): 92-93.
- 6018. Nardelli,U. & B.Giandolfo**, 2000, Biologische und ethologische Angaben über eine der am wenigsten bekannten Lymantriiden von Sizilien: *Orgyia dubia acerii* Ragusa,1923 (Lepidoptera, Lymantriidae). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 123-128, figs. [[available in Cesa Library](#)]
- 6019. Nardelli,U.**, 1993, Zur Biologie einer wenig bekannten Zerynthiinae: *Allancastrica caucasica tkatshukovi* Sheljuzhko (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 103(22): 409-415, 7 Abb. [[available in Cesa Library](#)]
- 6020. Nasu,Y.**, 2007, Two additions to the Nepalese fauna of Olethreutinae (Tortricidae). Nota lepid. 30 (1): 173-174, figs. [[available in Cesa Library](#)]
- 6021. Naufock,A.**, 1929, *Procris anatolica* sp.n. Mitt. münch. ent. Ges. 19: 94-96, 2 figs. [[available in Cesa Library](#)]
- 6022. Naufock,A.**, 1935, *Procris pfeifferi* sp.n. Mitt. münch. ent. Ges. 25(1): 7-8. [[available in Cesa Library](#)]
- 6023. Naumann,C.**, 1969, Zur Kenntnis der Mesembrynus-Arten Afghanistans (Lep., Zygaenidae). Bonn. zool. Beitr. 20 (1/3): 266-278, Abb. [[available in Cesa Library](#)]
- 6024. Naumann,C.**, 1970, Bemerkungen zur Biologie und zur systematischen Stellung von *Zygaena graslini* Lederer,1855 (Lep., Zygaenidae). Bonn. zool. Beitr. 21 (1/2): 133-136, 1 Abb. [[available in Cesa Library](#)]
- 6025. Naumann,C.**, 1974, Neue *Zygaena*- Unterarten aus Afghanistan. Ent. Z., Frankf. a.M. 84: 29-36.
- 6026. Naumann,C.M. & S.Naumann**, 1980, Neue *Zygaenen* aus den Aufsammlungen W. Eckweiler's aus dem Iran (Lepidoptera, Zygaenidae). Mitt. ent. Ges. Basel 30(2): 47-54, 16 Abb. [[available in Cesa Library](#)]
- 6027. Naumann,C.M. & S.Naumann**, 1985, Zur morphologischen Differenzierung asiatischer Populationen des *Zygaena purpuralis* -Komplexes (Lepidoptera, Zygaenidae). Entomofauna 6 (20): 265-358, 286 figs. [[available in Cesa Library](#)]
- 6028. Naumann,C.M. & W.G.Tremewan**, 1984, Das Biospecies-Konzept in seiner Anwendung auf die Gattung *Zygaena* Fabricius,1775 (Insecta, Lepidoptera, Zygaenidae). Spixiana 7 (2): 161-193, 24 figs. [[available in Cesa Library](#)]
- 6029. Naumann,C.M. & W.G.Tremewan**, 1991, A new subspecies of *Zygaena* (*Zygaena*) *rhadamanthus* (Esper, [1789]) from southern Portugal (Lepidoptera: Zygaenidae). Entomologist's Gaz. 42: 85-88.
- 6030. Naumann,C.M. & W.G.Tremewan**, 1991, The type-material and type-locality of *Zygaena* (*Agrumenia*) *fausta faustina* Ochsenheimer, 1808 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 42: 157-160.
- 6031. Naumann,C.M. & W.G.Tremewan**, 1994, The holotype of *Zygaena glasunovi* Grun-Grshimailo, 1893 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 45: 123-126.
- 6032. Naumann,C.M.**, 1966, *Zygaena* (Subg. *Zygaena* F.) *problematica* nov.sp. Z. wien. ent. Ges. 51: 10-19, Pls., fig. [[available in Cesa Library](#)]
- 6033. Naumann,C.M.**, 1974, Beobachtungen über den Verlauf einer Lepidopteren- Immigration in Afghanistan 1972. Atalanta 5 (2/3): 82-88, 1 map. [[available in Cesa Library](#)]
- 6034. Naumann,C.M.**, 1977, Biologie, Verbreitung und Morphologie von *Praezygaena* (*Epizygaenella*) *cashmirensis* (Kollar,1848) (Lepidoptera, Zygaenidae). Spixiana 1: 45-84, figs. [[available in Cesa Library](#)]
- 6035. Naumann,C.M.**, 1978, Zur Systematik, Verbreitung und Biologie von *Zygaena pamira* Sheljuzhko,1919 (Lepidoptera, Zygaenidae). Atalanta 9 (4a): 355-372, 29 Abb. [[available in Cesa Library](#)]
- 6036. Naumann,C.M.**, 1985, Zur Ökologie und Biologie von *Zygaena christa* Reiss & Schulte,1967. Nota lepid. 8: 42-50, figs. [[available in Cesa Library](#)]

- 6037. Naumann,C.M., Ockenfels,P., Francke,W., Schmidt,F. & J.Schmitz,** 1991, Reactions of *Zygaena* moths (Lepidoptera: Zygaenidae) to volatile compounds of *Knautia arvensis*. Ent. gen. 15: 255-264
- 6038. Naumann,C.M., Schurian,K.G. & J.-C.Weiss,** 1993, Notes on the ecology and early stages of *Zygaena* (*Mesembrynus*) *lydia* Staudinger,1887 (Lepidoptera, Zygaenidae). Entomologist's Gaz. 44: 225-229, 2 figs.
- 6039. Naumann,C.M., Tarmann,G.M. & W.G.Tremewan,** 1999, The western Palaearctic Zygaenidae. 304pp., 12 pls. Apollo Books. [see review: Koçak,A.Ö., 2000, Cent. ent. Stud., Misc. Pap. 64: 7]. [\[available in Cesa Library\]](#)
- 6040. Naumann,S. & C.M.Naumann,** 1978, Eine neue ostanatolische Unterart der *Zygaena* (*Zygaena*) *loti* (Denis & Schiffermüller, 1775) (Lep., Zygaenidae). Ent. Z., Frankf. a.M. 88: 37-40, figs. [\[available in Cesa Library\]](#)
- 6041. Naumann,S. & C.M.Naumann,** 1980, Ein Beitrag zur Kenntnis der Zygaenen-Fauna Nord- und Ost- Anatoliens (Lep., Zygaenidae). Entomofauna 1: 302-353, figs. [\[available in Cesa Library\]](#)
- 6042. Naumann,S. & U.Brosch,** 2005, Zur Verbreitung der *hearseyi*-Gruppe (Lepidoptera, Brahmaeidae, *Brahmaea* Walker,1855) in Indonesien und auf den Philippinen. Galathea 21 (2): 97-104, figs. [\[available in Cesa Library\]](#)
- 6043. Naumann,S. & W.A.Nässig,** 1995, *Samia peigleri* n.sp., eine neue Saturniide von Sulawesi, Indonesien (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 16(1): 13-27, figs. [\[available in Cesa Library\]](#)
- 6044. Naumann,S. & W.A.Nässig,** 1998, Two new species of *Antheraea* (*Antheraea*) of the *helferi*-group from Eastern Indonesia (Lepidoptera, Saturniidae). Neue ent. Ver. Apollo N.F. 18(4): 319-330, 9 figs. [\[available in Cesa Library\]](#)
- 6045. Naumann,S.,** 1994, Bemerkungen zu einer rotbraunen Form von *Antheraea brunei* Allen & Holloway,1985 sowie zu den Präimaginalstadien der Art (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15(3): 359-362, 2 Abb. [\[available in Cesa Library\]](#)
- 6046. Naumann,S.,** 1998, *Loepa obscurumarginata* n.sp., eine neue Saturniide aus der Volksrepublik China (Lepidoptera, Saturniidae). Ent. Z., Essen 108 (2): 49-56, figs.
- 6047. Naumann,S.,** 2001, A new species of the genus *Rhodinia* from Tibet (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 21 (4): 201-206, figs. [\[available in Cesa Library\]](#)
- 6048. Naumann,S.,** 2003, Two new *Loepa* species from Tibet and Shaanxi, China (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 161-165, figs. [\[available in Cesa Library\]](#)
- 6049. Naumann,S.,** 2009, Notes on the Chinese *Calliprogonos miraculosa* Mell,1937 (Lepidoptera, Brahmaeidae). Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 5-8, 8 figs. [\[available in Cesa Library\]](#)
- 6050. Naumann,S., Brosch,U. & W.Nässig,** 2003, A Catalogue and annotated checklist of the subfamily Agliinae Packard,1893 (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 24 (4): 173-182, figs. [\[available in Cesa Library\]](#)
- 6051. Navickaite,A., Diskus,A. & J.R.Stonis,** 2014, An updated checklist of Nepticulidae (Lepidoptera) of the Crimea, Sub-mediterranean SE Europe. Zootaxa 3847 (2): 151-202, figs. [\[available in Cesa Library\]](#)
- 6052. Navickaite,A., Diskus,A., Stonis,J.R. & V.Dobrynina,** 2011, Taxonomic catalogue of the world Nepticuloidea and Tischerioidea (Lepidoptera) described by members of the biosystematics research group (Lithuania) up to 2009. Acta zool. Lithuanica 21 (2): 113-132, figs. [\[available in Cesa Library\]](#)
- 6053. Naz,F., Ilyas,M., Ashfaq,M. & A.Shahzad,** 2010, The genus *Junonia* (Lepidoptera, Nymphalidae) in Pakistan. Sarhad J. Agric. 26 (2): 267-270. [\[available in Cesa Library\]](#)
- 6054. Naz,F., Rafi,M.A., Inayatullah,M. & V.Tuzov,** 2000, The butterflies of Buner district, North-West Frontier Province, Pakistan. Helios 2: 123-130, Pls.xi,xii.
- 6055. Nazari,V.,** 2003, Butterflies of Iran. 598pp., 74 Pls., maps. National Museum of Natural History, Department of Environment I.R.Iran [in Persian]. [\[available in Cesa Library\]](#)
- 6056. Neave,S.A.,** 1904, On a large collection of *Rhopalocera* from the shores of the Victoria Zyanza. Novit. zool. 11: 323-363, 1 Pl.
- 6057. Nedoshivina,S.V.,** 2010, A catalogue of type specimens of the Tortricidae described by V.I.Kuznetsov from Vietnam and deposited in the Zoological Institute, St.Petersburg. Atalanta 41 (3/4): 335-347, pls. [\[available in Cesa Library\]](#)

- 6058. Nekrutenko, Y.P. & G.Pljushch**, 1986, Ein neuer Fundort von *Agrodiaetus poseidon* (Herrich-Schäffer, 1851) im Krim. Vestn. zool. 1986(4): 41.
- 6059. Nekrutenko, Y.P. & R.M.E.Effendi**, 1980, A new species of *Tomares* from Talysh Mountains (Lycaenidae). Nota lepid. 3(1/2): 69-72, 8 figs. [[available in Cesa Library](#)]
- 6060. Nekrutenko, Y.P. & R.M.E.Effendi**, 1983, A review of *Lycaena phoenicurus* - group (Lepidoptera, Lycaenidae) with description of a new species from Azerbaidjan. Vestn. zool. 1983 (4): 8-15.
- 6061. Nekrutenko, Y.P.**, 1973, On the taxonomic position of the Caucasian form of *Callophrys rubi* L. (Lycaenidae). Dopov. Akad. Nauk. ukr. RSR. (B) (10): 949-952 [[available in Cesa Library](#)]
- 6062. Nekrutenko, Y.P.**, 1974, Comparative notes on certain West-Palaeartic species of *Agriades*, with description of a new subspecies *Agriades pyrenaicus* from Turkey. J. Lepid. Soc. 28: 278-288, figs. [[available in Cesa Library](#)]
- 6063. Nekrutenko, Y.P.**, 1975, A new species of *Melitaea* (Nymphalidae) from Armenia. J. Lepid. Soc. 29 (2): 102-105, 7 figs. [[available in Cesa Library](#)]
- 6064. Nekrutenko, Y.P.**, 1977, An undescribed taxon of *Polyommatus eros-eroides* group from Caucasus major. Dokl. Akad. Nauk. UkrSSR 6: 183-185, figs. [[available in Cesa Library](#)]
- 6065. Nekrutenko, Y.P.**, 1978, Two new subspecies of the lycaenid butterfly Subfamily Strymoninae (Lepidoptera, Lycaenidae) from East Georgia and West Azerbaijan. Dopov. Akad. Nauk UkrRSR (Ser.B) 1: 82-87, figs.
- 6066. Nekrutenko, Y.P.**, 1980, Revisional notes on lycaenid butterfly species assigned to *Ultraaricia Beuret* (Lycaenidae). Nota lepid. 2(4): 55-68, 16 figs. [[available in Cesa Library](#)]
- 6067. Nekrutenko, Y.P.**, 1983, Revisiya roda *Hyrceanana* (Lepidoptera, Lycaenidae). Vestn. zool. 1983 (3): 7-16, figs.
- 6068. Nekrutenko, Y.P.**, 1983, Obsor golubianok gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae) s opisaniem novogo vida is Azerbaidjana. Vestn. zool. 1983 (4): 8-15, figs.
- 6069. Nekrutenko, Y.P.**, 1983, *Neolysandra alticola* (Christoph, 1893) comb. et stat.n. = *Albulina alexander* Higgins, 1981, syn.n. Vestn. Zool. 1: 52.
- 6070. Nekrutenko, Y.P.**, 1984, Revisiya tipovich eksempliarov gruppy *Lycaena phoenicurus* (Lepidoptera, Lycaenidae). Vestn. zool. 1984 (6): 43-49, figs.
- 6071. Nekrutenko, Y.P.**, 1985, The Lepidoptera Rhopalocera of Crimea. 152pp. Pls. Kiev [in Ukrain.]. [[available in Cesa Library](#)]
- 6072. Nekrutenko, Y.P.**, 1985, New blue butterfly taxa from Transcaucasia and Middle Asia. Vestn. Zool. 1985 (4): 29-35, figs. [in Ukrain.]
- 6073. Nekrutenko, Y.P.**, 1987, A new genus of the subfamily Lethinae (Lepidoptera, Satyridae). Vestn. Zool. 1987 (2): 83-85.
- 6074. Nekrutenko, Y.P.**, 1987, *Esperella* Nekrutenko, nom n. pro *Esperia* Nekrutenko. Vestn. Zool. 3: 62.
- 6075. Nekrutenko, Y.P.**, 1988, *Esperarge* Nekrutenko (Lepidoptera, Satyridae), nom.n. pro *Esperella* Nekrutenko 1987. Vestn. Zool. 1988(1): 50.
- 6076. Nekrutenko, Y.P.**, 1990, Kafkasya Kelebekleri-I. 213 pp., 32 pls., 106 figs. [[available in Cesa Library](#)]
- 6077. Nekrutenko, Y.P.**, 2000, A catalogue of the type specimens of Palaeartic Riodinidae and Lycaenidae (Lepidoptera) deposited in the collection of the Museum für Naturkunde der Humboldt Universitaet zu Berlin. Nota lepid. 23 (3/4): 192-352. [[available in Cesa Library](#)]
- 6078. Nel, J. & G.C.Luquet**, 1981, La veritable plante-hote de *Brenthis hecate* Schiff.: *Filipendula vulgaris* Moench (Lep., Nymphalidae). Alexanor 12 (2): 77-83, figs. [[available in Cesa Library](#)]
- 6079. Nel, J.**, 1982, Sur la biologie de *Pseudophilotes baton* Bergstr. en Provence (Lep., Lycaenidae). Alexanor 12(7): 327-329, figs. [[available in Cesa Library](#)]
- 6080. Nel, J.**, 1991, Sur la plasticité écologique et la biologie de quelques Lépidoptères (Rhopalocera) du sud-est méditerranéen de la France (premiere partie). Linneana Belgica 13(4): 159-220, 22 figs. [[available in Cesa Library](#)]
- 6081. Nel, J.**, 1995, Sur les premiers états et la biologie d'*Oxyptilus jaeckhi* Bigot & Picard, 1991 (Lepidoptera, Pterophoridae). Alexanor 18 (7) (1994): 411-414, 1A-B figs. [[available in Cesa Library](#)]
- 6082. Nel, J.**, 1995, Découverte d'authentiques *Stenoptilia mannii* (Zeller, 1852) en France (Lepidoptera, Pterophoridae). Alexanor 18 (7) (1994): 433-439, 6 figs. [[available in Cesa Library](#)]
- 6083. Nel, J.**, 2000, Le statut et la protection de deux sous-espèces de Rhopalocères en Provence maritime (Lepidoptera Papilionidae et Lycaenidae). Alexanor 21(1): 43-49. [[available in Cesa Library](#)]

- 6084. Neuburger, W.**, 1900, *Lycaena menalcas* ab. *amasina*. Illte. Z. Ent. (23): 370. [\[available in Cesa Library\]](#)
- 6085. Neuburger, W.**, 1903, *Chrysophanus ochimus* H.S.var.*hyrcana* Neubgr. Societas ent.: 59. [\[available in Cesa Library\]](#)
- 6086. Neukirchen, W.M.**, 1992, Ein neues Taxon der Gattung *Polyura* (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 102: 286-288, 1 Abb. [\[available in Cesa Library\]](#)
- 6087. Neukirchen, W.M.**, 1992, Zwei neue Papilionidae (Lepidoptera) aus Indonesien. Ent. Z., Frankf. a. M. 102: 259-263, 2 Abb. [\[available in Cesa Library\]](#)
- 6088. Neukirchen, W.M.**, 1993, *Trogonoptera brookiana mariae* n.subsp., eine neue Subspecies von den Batu-Inseln, Indonesien (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 103: 335-338, 2 Abb. [\[available in Cesa Library\]](#)
- 6089. Neunzig, H.H.**, 1986, The moths of America North of Mexico including Greenland. Pyraloidea. Pyralidae (part) Phycitinae (part) - *Acrobasis* and allies. Fasc. 15 (2): xii ♀ 113 pp. 11 Taf. 23 Textfigs. Washington.
- 6090. Neustetter, H.**, 1938, Eine neue *Lycaena* aus Dalmatien. Ent. Rdsch. 55: 315-316. [\[available in Cesa Library\]](#)
- 6091. Newland, C.B.**, 1898, The hybernating stage of *Dryas paphia*. Entomologist's Rec. J. Var. 10: 280. [\[available in Cesa Library\]](#)
- 6092. Newland, C.B.**, 1901, Lepidoptera in the Frensham district. Entomologist's Rec. J. Var. 13: 107-109. [\[available in Cesa Library\]](#)
- 6093. Newnham, F.B.**, 1894, Larvae of *Macroglossum stellatarum*. Entomologist's Rec. J. Var. 5: 14. [\[available in Cesa Library\]](#)
- 6094. Newnham, F.B.**, 1894, A probable new species of *Euchloe*. Entomologist's Rec. J. Var. 5: 97. [\[available in Cesa Library\]](#)
- 6095. Niceville, L.**, 1897, Notes on Javan Lepidoptera Rhopalocera. Berl. ent. Z. 42 (1/2): 127-128. [\[available in Cesa Library\]](#)
- 6096. Nicholl, M.de la B.**, 1899, Butterfly hunting in Dalmatia, Montenegro, Bosnia and Hercegovina. Entomologist's Rec. J. Var. 11: 1-8. [\[available in Cesa Library\]](#)
- 6097. Nicholl, M.de la B.**, 1900, Bulgarian Butterflies. Entomologist's Rec. J. Var. 12: 29-34, 64-69. [\[available in Cesa Library\]](#)
- 6098. Nicholl, M.de la B.**, 1901, Butterflies of the Lebanon. Trans. ent. Soc. Lond. 1901: 75-97. [\[available in Cesa Library\]](#)
- 6099. Nicholl, M.de la B.**, 1901, Butterflies in the Lebanon. Entomologist's Rec. J. Var. 13: 169-173, 205-209. map. [\[available in Cesa Library\]](#)
- 6100. Nicholl, M.de la B.**, 1902, The Lepidoptera of Bosnia and Montenegro. Entomologist's Rec. J. Var. 14: 141-146. [\[available in Cesa Library\]](#)
- 6101. Nicholl, M.de la B.**, 1902, Algerian butterflies in February, March and April 1902. Entomologist's mon. Mag. 38: 274-280. [\[available in Cesa Library\]](#)
- 6102. Nicholson, C.**, 1893, Autumnal collecting in the New Forest. Entomologist's Rec. J. Var. 4: 10-12. [\[available in Cesa Library\]](#)
- 6103. Nicholson, C.**, 1893, Aberrations of British butterflies. Entomologist's Rec. J. Var. 4: 189-191, pl. [\[available in Cesa Library\]](#)
- 6104. Nicholson, C.**, 1894, The life history of *Ocneria dispar*. Entomologist's Rec. J. Var. 5: 236-240. [\[available in Cesa Library\]](#)
- 6105. Nicholson, W.E.**, 1895, Note on the life-history of *Thecla roboris* Esp. Entomologist's Rec. J. Var. 7: 186-187. [\[available in Cesa Library\]](#)
- 6106. Nicholson, W.E.**, 1896, Lepidoptera from Lapland. Entomologist's Rec. J. Var. 8: 294-295. [\[available in Cesa Library\]](#)
- 6107. Nickerl, F.A.**, 1846, Beschreibung einer neuen Gattung und Art als Beitrag zur europäischen Lepidoptern-Fauna. Stettin ent. Ztg. 7: 207-209, figs. [\[available in Cesa Library\]](#)
- 6108. Niculescu, E.V.**, 1981, Sur la position du genre *Archon* Hübner dans la classification. Bull. Soc. ent. Mulhouse 1981: 59-60.
- 6109. Nicéville, L.de**, 1897, Description of a new *Papilio* from Bali of the *nox* group. Ann. Mag. nat. Hist. (6) 20: 225-226. [\[available in Cesa Library\]](#)
- 6110. Nielsen, E.S.**, 1979, A review of cladistic classification as applied to Lepidoptera. Nota lepid. 2(1/2): 49-52, fig. [\[available in Cesa Library\]](#)
- 6111. Nielsen, E.S.**, 1982, *Incurvariidae* and *Prodoxidae* from the Himalayan Area (Lepidoptera, *Incurvarioidea*). Insecta Matsumurana (N.S.) 26: 187-200, figs. [\[available in Cesa Library\]](#)

- 6112. Nielsen, E.S., Robinson, G.S. & D.L. Wagner**, 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). *J. nat. Hist.* 34: 823-878. [[available in Cesa Library](#)]
- 6113. Nielsen, S.E.**, 1981, A taxonomic revision of the species of *Alloclemensia* n.gen. (Lepidoptera: Incurvariidae s.str.). *Ent. scand.* 12: 271-294, 66 figs. [[available in Cesa Library](#)]
- 6114. Niepelt, W.**, 1911, Neue palaearktische Macrolepidopteren. *Int. ent. Z.* 5(38): 274-275. [[available in Cesa Library](#)]
- 6115. Niepelt, W.**, 1926, Eine neue *Antheraea* von Celebes. *Int. ent. Z.* 19(48): 386-387.
- 6116. Niepelt, W.**, 1931, Neue Formen exotischer Lepidopteren. *Int. ent. Z.* 24: 485-486, 1 Taf. [[available in Cesa Library](#)]
- 6117. Nieukerken, E.J.v. & A. Lastuvka**, 2002, *Ectoedemia* (*Etainia*) *obtusa* Puplesis & Diskus, new for Europe: taxonomy, distribution and biology (Lepidoptera, Nepticulidae). *Nota lepid.* 25: 87-95, figs. [[available in Cesa Library](#)]
- 6118. Nieukerken, E.J.v. & R. Johansson**, 1987, Identity of hitherto doubtful species names in European Nepticulidae (Lepidoptera). *Zool. Meded.* 61 (32): 459-474. [[available in Cesa Library](#)]
- 6119. Nieukerken, E.J.v. & R. Johansson**, 2003, The *Quercus* feeding *Stigmella* species of West Palaearctic: New species, key and distribution (Lepidoptera, Nepticulidae). *Tijdschr. Ent.* 146: 307-370, 3 Tab., 179 figs. [[available in Cesa Library](#)]
- 6120. Nieukerken, E.J.v.**, 1986, A provisional phylogenetic check-list of the western palaearctic Nepticulidae, with data on hostplants (Lepidoptera). *Ent. scand.* 17: 1-27. [[available in Cesa Library](#)]
- 6121. Nieukerken, E.J.v.**, 1986, Systematics and philogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). *Zool. Verh.* 236: 1-93, figs. [[available in Cesa Library](#)]
- 6122. Nieukerken, E.J.v.**, 2007, *Acalyptis* Meyrick: revision of the platani and staticis groups in Europe and the Mediterranean (Lepidoptera, Nepticulidae). *Zootaxa* 1436: 1-48, figs. [[available in Cesa Library](#)]
- 6123. Nieukerken, E.J.v.**, 2007, Review of the subgenus *Trifurca* (Levarchama), with two new species (Lepidoptera, Nepticulidae). *Acta zool. hung.* 53 (Suppl.1) 101-140, figs. [[available in Cesa Library](#)]
- 6124. Nieukerken, E.J.v., Lastuvka, A. & Z. Lastuvka**, 2004, Annotated catalogue of the Nepticulidae and Opostegidae of the Iberian Peninsula (Lepidoptera, Nepticuloidea). *Shilap Revta. lepid.* 32 (127): 211-260, 30 figs. [[available in Cesa Library](#)]
- 6125. Nieukerken, E.J.v., Lastuvka, A. & Z. Lastuvka**, 2010, Western palaearctic *Ectoedemia* (*Zimmermania*) *Hering* and *Ectoedemia* *Busck* s.str. (Lepidoptera, Nepticulidae): five new species and new data on distribution, hostplants and recognition. *Zookeys* 32 (Special issue): 1-82, figs.
- 6126. Nieuwenhuis, E.J.**, 1969, A New *Danaus* species from Central Celebes. *Ent. Ber., Amst.* 29: 18-19.
- 6127. Nihira, I., Hashimoto, S. & S. Kawamura**, 1986, Several new subspecies of butterflies from Sulu islands, southern Philippines. *Cho Cho* 9(6): 27-35, figs.
- 6128. Nishimura, M.**, 1995, Notes on some Papilionidae from Indo-China (1). *Trans. lepid. Soc. Japan* 46 (3): 153-158.
- 6129. Nishimura, M.**, 1999, A review of the genus *Aemona* Hewitson (Lepidoptera, Nymphalidae) with descriptions of a new genus and a new species from north Myanmar. *Trans. lepid. Soc. Japan* 50 (1): 1-15.
- 6130. Noack, H.**, 1939, Über die echte *Hemerophila serraria* Costa (Lep., Geom.). *Ent. Rdsch.* 56 (25): 265-268, 8 Abb. [[available in Cesa Library](#)]
- 6131. Noel-Davidson, D.M. & J.J. Macbeth**, 1938, The butterflies of Siam. *J. Nat. Hist. Soc. Siam*, Suppl. 11 (2): 67-111. [[available in Cesa Library](#)]
- 6132. Noori, P.**, 1988, Codling moth in Bakhtaran Province (1981-1983). *Ent. phyt. Appl.* 55(1/2): 17-23; 83-91 (persian pages). [[available in Cesa Library](#)]
- 6133. Nordmann, A. von**, 1851, Die im Gebiete der Fauna taurico-caucasica beobachteten Schmetterlinge. *Bull. Soc. imp. Nat. Moscou* 24: 395-428. [[available in Cesa Library](#)]
- 6134. Nordström, F., Opheim, M. & K.J. Valle**, 1955, De fennoskandiska dagfjärilarnas utbredning. *Lunds Univ. Arsskr. N.F. Avd. 2*, 51(1): 1-177.
- 6135. Nordström, F., Wahlgren, E. & D. Tullgren**, 1941, Svenska Fjärilar. Stockholm.
- 6136. Nordström, F.**, 1928, Entomologische Ergebnisse der Schwedische kamtschatka-Expedition 1920-1922. *Lepidoptera. I. Diurna. Arch. Zool.* 19A, 21: 1-10.

- 6137. Nordström, F.**, 1935, Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas 21. Lepidoptera 1. Diurna, 2. Sphinges. Ark. Zool. 27A (7): 1-37. [[available in Cesa Library](#)]
- 6138. Noreika, R. & R. Puplesis**, 1992, Salicaceae feeding Gracillariidae (Lepidoptera) of Central Asia. Tijdschr. Ent. 135: 27-41, figs. [[available in Cesa Library](#)]
- 6139. Noreika, R.**, 1998, Phyllonorycter issikii (Kumata) (Lepidoptera, Gracillariidae) in Lithuania. Acta zool. Lituanica
- 6140. Noreyka, R.V. & R.K. Puplesis**, 1992, Description of new species of moths of the family Gracillariidae (Lepidoptera) from Azerbaijan and Central Asia and the synonymy of Gracillaria impictipennella Grsm. Ent. Obozr. 71 (2): 414-421 [engl. transl. Ent. rev. 74(5): 43-51, 13 figs., 1995]
- 6141. Noreyka, R.V.**, 1991, Review of the fauna of Leafblotch Miners (Lepidoptera, Gracillariidae) of Turkmenia. Ent. Obozr. 1991 (2): 429-443, 10 figs. [transl. Ent. Rev. 1993: 17-34, 10 figs.] [[available in Cesa Library](#)]
- 6142. Nupponen, K. & P. Sihvonen**, 2013, Dorsispina furcicornaria, a new geometrid species and new genus from Kazakhstan (Lepidoptera, Geometridae, Ennominae). Nota lepid. 36 (2): 179-187, figs. [[available in Cesa Library](#)]
- 6143. Nupponen, K.**, 2005, Notes on Palaearctic Scythrididae, with description of two new species (Lepidoptera, Scythrididae). Ent. fennica 16 (3): 165-174, figs.
- 6144. Nupponen, K.**, 2005, The description of Scythris arenicola sp.n., from the Southern Ural Mountains (Lepidoptera, Scythrididae). Ent. fennica 16 (3): 179-182, figs.
- 6145. Nupponen, K.**, 2009, New records of Scythrididae from the Turanian region, with descriptions of seven new species (Lepidoptera, Scythrididae). Shilap Revta lepid. 37 (147): 341-362, figs. [[available in Cesa Library](#)]
- 6146. Nupponen, K.**, 2010, Notes on Scythrididae from the Turanian region, with descriptions of six new species (Lepidoptera, Scythrididae). Shilap Revta lepid. 38 (151): 267-285, figs. [[available in Cesa Library](#)]
- 6147. Nupponen, K.**, 2011, Notes on Scythrididae from the Turanian region, with one new synonym and descriptions of seven new species (Lepidoptera, Scythrididae). Shilap Revta lepid. 39 (155): 301-319, figs. [[available in Cesa Library](#)]
- 6148. Nupponen, K.**, 2013, Noteworthy records of Scythrididae from the palaearctic region, with descriptions of two new species from Spain (Lepidoptera, Scythrididae). Shilap Revta lepid. 41 (164): 495-510, figs. [[available in Cesa Library](#)]
- 6149. Nupponen, K.**, 2014, Notes on Scythrididae recorded during 2012 in southern and western Kazakhstan, with descriptions of six new species (Lepidoptera, Scythrididae). Shilap Revta lepid. 42 (166): 237-255, figs. [[available in Cesa Library](#)]
- 6150. Nupponen, K. & P. Ivinskis**, 2008, Notes on Scythrididae (Lepidoptera) of the former USSR. Acta Zool. Lituanica 18 (1): 24-29, figs. [[available in Cesa Library](#)]
- 6151. Nupponen, K., Jürivete, U. & Pototski, A.**, 2005, Records of scythridids from Southeastern Kazakhstan, with description of five new species (Lepidoptera, Scythrididae). Ent. fennica 16 (2): 65-73, figs.
- 6152. Nupponen, K., Nupponen, T., Saarela, E. & L. Sippola**, 2003, New records on Microlepidoptera from the western Mediterranean region (Lepidoptera, Nepticulidae, Scythrididae, Tortricidae). Shilap Revta. lepid. 31 (123): 229-233, figs. [[available in Cesa Library](#)]
- 6153. Nurse, C.G.**, 1904, Papilio machaon in Baluchistan. J. Bomb. nat. Hist. Soc. 15: 723. [[available in Cesa Library](#)]
- 6154. Nuss, M. & A. Kallies**, 2001, Titanio caradjae (Rebel, 1902) comb.n., transferred from Brachodidae (Sesiioidea) to Crambidae (Pyraloidea). Nota lepid. 24 (3): 33-39, figs. [[available in Cesa Library](#)]
- 6155. Nuss, M. & A. Stübner**, 2003, Coleophora variicornis Toll, 1952 stat. rev. is a distinct species occurring in Central Europe (Coleophoridae). Nota lepid. 26 (1/2): 27-34, figs. [[available in Cesa Library](#)]
- 6156. Nuss, M. & W. Speidel**, 1999, A new crambid moth species from the north-eastern part of Turkey (Crambidae, Crambinae). Nota lepid. 22 (2): 155-159, figs. [[available in Cesa Library](#)]
- 6157. Nuss, M.**, 1998, The Scopariinae and Heliothelinae stat.rev. (Lepidoptera, Pyraloidea, Crambidae) of the Oriental Region - a revisional synopsis with descriptions of new species from the Philippines and Sumatra. Nachr. ent. Ver. Apollo Suppl. 17: 475-528, figs. [[available in Cesa Library](#)]

- 6158. Nuss, M.**, 2003, Afriscoparia - a new genus of Scopariine from southern Africa (Insecta, Lepidoptera, Pyraloidea, Crambidae). Ent. Abh. 61 (1): 109-115, figs. [[available in Cesa Library](#)]
- 6159. Nuss, M.**, 2005, Revision of Evergestis anartalis (Staudinger, 1892) comb. rev. from Central Asia (Pyraloidea, Crambidae, Evergestinae). Nota lepid. 28 (1): 17-23.
- 6160. Nuss, M., Karsholt, O. & M. Meyer**, 1997, A taxonomic revision of the Scopariinae from the Macaronesian Region (Lepidoptera, Pyraloidea, Crambidae). Ent. Scand. 65: 159-163.
- 6161. Nuss, M., Sobczyk, T. & R. Bläsius**, 2006, The taxonomy and life history of Epimetasia monotona (Amsel, 1953) (comb.n.) from Northwest Africa (Pyraloidea, Crambidae, Odontiinae, Odontiini). Nota lepid. 29 (1/2): 37-47, figs. [[available in Cesa Library](#)]
- 6162. Nuyda, J. & Y. Takanami**, 1990, A new Arhopala from Luzon in the Philippines (Lepidoptera, Lycaenidae). Futao 5: 8-9, 1 fig. [[available in Cesa Library](#)]
- 6163. Nye, I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. [[available in Cesa Library](#)]
- 6164. Nye, I.W.B., Karsholt, O. & E.S. Nielsen**, 1977, Proposed conservation of Tinea bjerckandrella Thunberg, 1783 and Phalaena (Noctua) cardui Hübner, 1790, by suppression of Phalaena (Tortrix) cardui Ström, 1783 (Insecta, Lepidoptera). Z.N.(S.) 2204. Bull. zool. Nom. 34: 106-108. [See also Opinion 1227 in Bull. zool. Nom. 39: 233-234, 1982].
- 6165. Nässig, W.A. & C.G. Treadaway**, 1988, Bemerkungen über die Loepa-Arten der Philippinen (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 9(3): 159-176, 14 Abb. [[available in Cesa Library](#)]
- 6166. Nässig, W.A. & C.G. Treadaway**, 1997, Neue Saturniiden von den Philippinen (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 17 (4): 323-366, figs. [[available in Cesa Library](#)]
- 6167. Nässig, W.A. & C.G. Treadaway**, 1997, Eine neue Unterart aus der selene-Gruppe der Gattung Actias von den Philippinen (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 18(1): 89-100, 16 Abb. [[available in Cesa Library](#)]
- 6168. Nässig, W.A. & C.G. Treadaway**, 1998, The Saturniidae (Lepidoptera) of the Philippines. Nachr. ent. Ver. Apollo, Suppl. 17: 223-424, figs. [[available in Cesa Library](#)]
- 6169. Nässig, W.A. & C.G. Treadaway**, 2009, The genus Pseudoganisa Schultze, 1910, an endemic to the Philippine islands (Lepidoptera, Eupterotidae). Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 83-92, 30 figs. [[available in Cesa Library](#)]
- 6170. Nässig, W.A. & R.E.J. Lampe**, 1989, Neue Erkenntnisse über die Gattung Lemaireia: 2. Eine neue Art der Gattung Lemaireia von Mindanao (Philippinen). Nachr. ent. Ver. Apollo (N.F.) 10(3): 239-250, 31 Abb. [[available in Cesa Library](#)]
- 6171. Nässig, W.A. & R.G. Oberprieler**, 1994, Notes on the systematic position of Sinobirma malaisei (Bryk, 1944) and the genera Tagoropsis, Maltagorea, and Pseudantharaea (Lepidoptera, Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 15 (3): 369-382, figs. [[available in Cesa Library](#)]
- 6172. Nässig, W.A. & R.G. Oberprieler**, 2008, An annotated catalogue of the genera of Eupterotidae (Insecta, Lepidoptera, Bombycoidea) Senckenbergiana biol. 88 (1): 53-80, 2 pls. 1 fig. [[available in Cesa Library](#)]
- 6173. Nässig, W.A. & R.S. Peigler**, 1984, The life-history of Actias maenas (Saturniidae). J. Lepid. Soc. 38(2): 114-123.
- 6174. Nässig, W.A.**, 1980, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) I. Brahmaeidae. Nachr. ent. Ver. Apollo (N.F.) 1 (3/4): 77-91, figs. [[available in Cesa Library](#)]
- 6175. Nässig, W.A.**, 1981, Ein Beitrag zur Kenntnis der Saturniidae und Brahmaeidae des Irans und der Türkei (Lepidoptera) 2. Saturniidae. Nachr. ent. Ver. Apollo (N.F.) 2 (1): 1-39, figs. [[available in Cesa Library](#)]
- 6176. Nässig, W.A.**, 1983, Die Praeimaginalstadien von Attacus casesar [sic] Maassen im Vergleich mit einigen verwandten Arten sowie deren Wehrdrüsen (Lep. Saturniidae). Nachr. ent. Ver. Apollo (N.F.) 3(4): 129-152, 7 Abb. [[available in Cesa Library](#)]
- 6177. Nässig, W.A.**, 1983, Ergänzende Bemerkungen zur Verbreitung von Aglia tau L. in Südeuropa (Lepidoptera: Saturniidae, Agliinae). Neue ent. Nachr. 6: 67-68. [[available in Cesa Library](#)]
- 6178. Nässig, W.A.**, 1989, Systematisches Verzeichnis der Gattung Cricula Walker, 1855 (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 99: 181-192, 193-207, Abb. [[available in Cesa Library](#)]

- 6179. Nässig, W.A.**, 1994, Vorschlag für ein neues Konzept der Gattung *Saturnia* Schrank, 1802 (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo* (N.F.) 15(3): 253-266. [[available in Cesa Library](#)]
- 6180. Nässig, W.A.**, 1994, Notes on the systematics of the *maenas*-group of the genus *Actias* Leach, 1815 (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo* (N.F.) 15(3): 327-338. [[available in Cesa Library](#)]
- 6181. Nässig, W.A.**, 1994, Vorläufige Anmerkungen zur Saturniiden- und Brahmaeidenfauna von Vietnam mit Neubeschreibungen (Lepidoptera). *Nachr. ent. Ver. Apollo* (N.F.) 15(3): 339-358. [[available in Cesa Library](#)]
- 6182. Nässig, W.A.**, 1994, Zur Präimaginalmorphologie von *Saturnia* (Rinaca) *zuleika* und *S. (R.) thibeta* sowie Anmerkungen zu den *Salassinae* (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo* (N.F.) 15 (3): 409-438, 35 figs. [[available in Cesa Library](#)]
- 6183. Nässig, W.A.**, 1995, Revisional notes on Philippine Eupterotidae: *Sarmalia* Walker, 1866 another new synonym of *Eupterote* Hübner [1822] (Lepidoptera, Eupterotidae). *Nachr. ent. Ver. Apollo* (N.F.) Suppl. 14: 119-124, 1 fig. [[available in Cesa Library](#)]
- 6184. Nässig, W.A.**, 1996, A new, unexpected species of *Lemaireia* Nässig & Holloway, 1987 from the South of Vietnam (Lepidoptera, Saturniidae). *Nachr. ent. Ver. Apollo* (N.F.) 17(3): 275-282, figs. [[available in Cesa Library](#)]
- 6185. Nässig, W.A.**, 2002, Anmerkungen über *Saturnia* (*Perisomena*) *caecigena* mit Beschreibung einer neuen Unternart von Zypern (Lepidoptera, Saturniidae, Saturniinae). *Nachr. ent. Ver. Apollo* (N.F.) 23 (1/2): 43-48, figs. [[available in Cesa Library](#)]
- 6186. Nässig, W.A.**, 2003, Künstliche Sexuallockstoffe in der Faunistik: Ergebnisse einer Studie an Wicklern in Hessen (Lepidoptera, Tortricidae) 1. Allgemeiner Teil *Nachr. ent. Ver. Apollo* (N.F.) 24 (3): 155-160. [[available in Cesa Library](#)]
- 6187. Nässig, W.A.**, 2004, Künstliche Sexuallockstoffe in der Faunistik: Ergebnisse einer Studie an Wicklern in Hessen (Lepidoptera, Tortricidae) 1. Allgemeiner Teil, 1. Fortsetzung. *Nachr. ent. Ver. Apollo* (N.F.) 25 (3): 121-126. [[available in Cesa Library](#)]
- 6188. Nässig, W.A.**, 2005, Künstliche Sexuallockstoffe in der Faunistik: Ergebnisse einer Studie an Wicklern in Hessen (Lepidoptera, Tortricidae) 1. Allgemeiner Teil, 2. Fortsetzung. *Nachr. ent. Ver. Apollo* (N.F.) 26 (3): 137-146. [[available in Cesa Library](#)]
- 6189. Nässig, W.A.**, 2008, Künstliche Sexuallockstoffe in der Faunistik: Ergebnisse einer Studie an Wicklern in Hessen (Lepidoptera, Tortricidae) 2. Systematischer Teil, Tortricinae. *Nachr. ent. Ver. Apollo* (N.F.) 29 (3): 127-148. [[available in Cesa Library](#)]
- 6190. Nässig, W.A.**, 2009, Künstliche Sexuallockstoffe in der Faunistik: Ergebnisse einer Studie an Wicklern in Hessen (Lepidoptera, Tortricidae) 3. Systematischer Teil: Tortricidae, Olethreutinae. *Nachr. ent. Ver. Apollo* (N.F.) 30 (1/2): 31-76. [[available in Cesa Library](#)]
- 6191. Nässig, W.A., Brechlin, R. & S. Naumann**, 1999, Notes on the *Cricula* Walker, 1855 of Vietnam, with description of a new species (Insecta, Lepidoptera, Saturniidae). *Senckenbergiana biol.* 78 (1/2): 183-192, figs. [[available in Cesa Library](#)]
- 6192. Oberprieler, R.G. & N.J. Duke**, 1994, The life history and immature stages of *Spiramiopsis comma* Hampson, 1901 (Lepidoptera, Bombycoidea), with comments on its taxonomic position and on preimaginal characters of the Bombycoidea. *Nachr. ent. Ver. Apollo* (N.F.) 15(3): 199-244, 16 figs. [[available in Cesa Library](#)]
- 6193. Oberthür, C.**, 1869, *Thais deyrollei*. *Petites Nouv. Ent.* 1869: 7. [[available in Cesa Library](#)]
- 6194. Oberthür, C.**, 1872, Catalogue raisonné des Lépidoptères rapportés par M. Théophile Deyrolle de son exploration scientifique en Asie Mineure. *Revue Mag. zool.* 23: 480-488. [[available in Cesa Library](#)]
- 6195. Oberthür, C.**, 1876, Etude sur la fauna des Lépidoptères de l'Algérie. *Etud. Ent.* 1: 1-74, 4 Pls. [[available in Cesa Library](#)]
- 6196. Oberthür, C.**, 1876, Espèces nouvelles de Lépidoptères recueillis en Chine par M. l'abbé A. David. *Etud. Ent.* 2: 1-34, 4 Pls. [[available in Cesa Library](#)]
- 6197. Oberthür, C.**, 1876, Lépidoptères du Sebdo (Algérie). *Annls Soc. ent. Fr.* 1883: xlvii-xlix. [[available in Cesa Library](#)]
- 6198. Oberthür, C.**, 1878, Etude sur la Faune des Lépidoptères de la cote orientale D'Afrique. *Etud. Ent.* 3: 1-36, Pls. [[available in Cesa Library](#)]
- 6199. Oberthür, C.**, 1878, Catalogue raisonné des Papilionidae de la collection de Ch. Oberthür. *Etud. Ent.* 4: 1-117, Pls. [[available in Cesa Library](#)]
- 6200. Oberthür, C.**, 1879, Diagnoses espèces nouvelles Lépidoptères d'île Askold.

- 6201. Oberthür, C.**, 1880, Faune des Lépidoptères de l'île Askold (prem. partie). *Etud. Ent.* 5: 1-88, 9 Pls.
- 6202. Oberthür, C.**, 1880, Spedizione Italiana nell'Africa Equatoriale. *Annali Mus. civ. Stor. nat. Giacomo Doria* 15: 129-186, 1 Pl., 1 map.
- 6203. Oberthür, C.**, 1881, Lépidoptères de Chine. *Etud. Ent.* 6: 9-22, Pls. 7-9. [[available in Cesa Library](#)]
- 6204. Oberthür, C.**, 1881, Lépidoptères d'Algérie. *Etud. Ent.* 6 (3): 41-96, Pls. 2,3,11. [[available in Cesa Library](#)]
- 6205. Oberthür, C.**, 1883, Spedizione Italiana nell'Africa Equatoriale. *Annali Mus. civ. Stor. nat. Giacomo Doria* 18: 709-740, 1 Pl.
- 6206. Oberthür, C.**, 1884, *Smerinthus davidi* sp.n. *Annls Soc. ent. Fr.* 1884: xi-xii. [[available in Cesa Library](#)]
- 6207. Oberthür, C.**, 1884, Observations sur les Lépidoptères des Pyrénées. *Etud. Ent.* 8: 7-51, Pl.1. [[available in Cesa Library](#)]
- 6208. Oberthür, C.**, 1884, Lépidoptères du Thibet. *Etud. Ent.* 9: 7-22, Pl.1,2. [[available in Cesa Library](#)]
- 6209. Oberthür, C.**, 1884, Lépidoptères de Mantschourie. *Etud. Ent.* 9: 23-26, Pl.2 figs.7,8. [[available in Cesa Library](#)]
- 6210. Oberthür, C.**, 1884, Sphingide de nouveau d'Asie Mineure. *Etud. Ent.* 9: 29-30. [[available in Cesa Library](#)]
- 6211. Oberthür, C.**, 1884, Lépidoptères d'Algérie. *Etud. Ent.* 9: 33-40, Pl.3. [[available in Cesa Library](#)]
- 6212. Oberthür, C.**, 1887, Nouvelles Lépidoptères du Thibet. *Etud. Ent.* 11: 13-35, 7 Pls. [[available in Cesa Library](#)]
- 6213. Oberthür, C.**, 1887, Descriptions d'espèces ou de variétés nouvelles de Lépidoptères d'Algerie. *Annls Soc. ent. Fr.* (6) 7 (Bull.): xlviii-xlix, lvii-lix, lxvii-lxviii, lxxvi, lxxxiii-lxxiv, xcix-c. [[available in Cesa Library](#)]
- 6214. Oberthür, C.**, 1888, Lépidoptères d'Europe et d'Algérie. *Etud. Ent.* 12: 21-46, pls. [[available in Cesa Library](#)]
- 6215. Oberthür, C.**, 1890, Lépidoptères d'Algérie. *Etud. Ent.* 13 (2): 17-33. [[available in Cesa Library](#)]
- 6216. Oberthür, C.**, 1890, Lépidoptères du Chine. *Etud. Ent.* 13: 35-45, Pls. [[available in Cesa Library](#)]
- 6217. Oberthür, C.**, 1891, Lépidoptères du genre *Parnassius*. *Etud. Ent.* 14: 1-18, Pls. [[available in Cesa Library](#)]
- 6218. Oberthür, C.**, 1891, Nouveaux Lépidoptères d'Asie. *Etud. Ent.* 15: 1-25, Pls. [[available in Cesa Library](#)]
- 6219. Oberthür, C.**, 1893, Lépidoptères recueillis au Tonkin. *Etud. Ent.* 17: 1-15. [[available in Cesa Library](#)]
- 6220. Oberthür, C.**, 1893, Lépidoptères d'Afrique. *Etud. Ent.* 17: 17-33, Pls. [[available in Cesa Library](#)]
- 6221. Oberthür, C.**, 1893, Lépidoptères d'Asie. *Etud. Ent.* 18: 11-49, Pls. [[available in Cesa Library](#)]
- 6222. Oberthür, C.**, 1894, Lépidoptères d'Europe, d'Algérie, d'Asie et d'Océanie. *Etud. Ent.* 19: 1-41, Pls. [[available in Cesa Library](#)]
- 6223. Oberthür, C.**, 1899, Spring Lepidoptera in North-West France. *Entomologist's Rec. J. Var.* 11: 194. [[available in Cesa Library](#)]
- 6224. Oberthür, C.**, 1909, Notes pour servir a établir la Faune Française et Algérienne des Lépidoptères. *Etud. lepid. comp.* 3: 101-400, Pls. xi-xxvi. [[available in Cesa Library](#)]
- 6225. Oberthür, C.**, 1910, Notes pour servir a etablir la faune française et algérienne des Lépidoptères. *Etud. lepid. comp.* 4: 232, Pl.50. [[available in Cesa Library](#)]
- 6226. Oberthür, C.**, 1910, Description d'une nouvelle espèce de Lépidoptère Hétérocère de la province de Cosnatntine (Algérie). *Bull. Soc. ent. Fr.* 1910 (19): 353-354. [[available in Cesa Library](#)]
- 6227. Oberthür, C.**, 1914-1916, Faune des Lépidoptères de la Barbarie. *Etud. lepid. comp.* 10: 42-45; *ibid.* 12: 179-367. [[available in Cesa Library](#)]
- 6228. Oberthür, C.**, 1918, Faune des Lépidoptères de Barbarie Noctuidae. *Etud. lepid. comp.* 16: 1-251, Pls. [[available in Cesa Library](#)]
- 6229. Oberthür, C.**, 1922, Les Lépidoptères du Maroc. *Etud. lepid. comp.* 19 (1): 1-403, pls. [[available in Cesa Library](#)]
- 6230. Obratzov, N.**, 1949, Three new *Ceryx* Wallgr. from Java and Sumatra (Lepidoptera, Amatidae). *Tijdschr. Ent.* 90 (1946): 57-60, figs. [published 1 July 1949] [[available in Cesa Library](#)]
- 6231. Obratzov, N.S.**, 1931, *Acidalia orientalis* Alph. bona species. *Int. ent. Z.* 25(23): 235-238, 5 Abb. [[available in Cesa Library](#)]

- 6232. Obratzov, N.S.**, 1935, *Lycaena* (*Aricia*) *allous* Hb. und östlichen Rassen. *Folia zool. hydrobiol.* 8: 141-150.
- 6233. Obratzov, N.S.**, 1936, Nouvelles races de *Lycaena* (*Lysandra*) *thersites* Cant. *Lambillionea* 36: 11-18. [[available in Cesa Library](#)]
- 6234. Obratzov, N.S.**, 1937, Studien über die paläarktischen *Amatiden* V. Zur geographischen Variabilität von *Amata nigricornis* Alph. *Ent. Rdsch.* 54: 449-452, 462-466, 14 figs.
- 6235. Obratzov, N.S.**, 1952, Zur Revision der *Synaphe*-Arten der *moldavica*- und *bombycalis*-Gruppe (Lepidoptera, Pyralidae). *Mitt. münch. ent. Ges.* 42: 87-109, 10 Abb. Taf.1. [[available in Cesa Library](#)]
- 6236. Obratzov, N.S.**, 1952, Neue palaearktische *Eucosmini*-Arten (Lepidoptera, Tortricidae). *Z. wien. ent. Ges.* 37: 122-129, 5 Abb. [[available in Cesa Library](#)]
- 6237. Obratzov, N.S.**, 1953, Systematische Aufstellung und Bemerkungen über die palaearktischen Arten der Gattung *Dichrorampha* Gn. (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 43: 10-100, 50 Abb. [[available in Cesa Library](#)]
- 6238. Obratzov, N.S.**, 1957, Some new species of *Ceryx* Wallengren (Lepidoptera, Ctenuchidae). *Tijdschr. Ent.* 100 (1): 67-71. [[available in Cesa Library](#)]
- 6239. Obratzov, N.S.**, 1961, *Osthelderiella amardiana* neue Gattung und Art der Tribus *Laspeyresiini* (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 51: 150-153, Taf.xii figs. 3-4, 2 Abb. [[available in Cesa Library](#)]
- 6240. Obratzov, N.S.**, 1961, Zwei neue und zwei wenig bekannte palaearktische *Argyroploce*-Arten (Lepidoptera, Tortricidae). *Mitt. münch. ent. Ges.* 51: 154-158, Taf.xii-xv. [[available in Cesa Library](#)]
- 6241. Obratzov, N.S.**, 1966, On the correct usage of two names of the genus-group in the Tortricidae, with the proposal of a new generic name (Lepidoptera). *Entomologist's Gaz.* 17: 141-147. [[available in Cesa Library](#)]
- 6242. Obratzov, N.S.**, 1966, Die palaearktischen *Amata*-Arten (Lepidoptera, Ctenuchidae). *Veröff. zool. Stsaml. München* 10: 1-383, Taf. [[available in Cesa Library](#)]
- 6243. Ochseneimer, F.**, 1808, Die Schmetterlinge von Europa. Bd.1, Abth.2. Falter oder Tagschmetterlinge. 240+30 pp. Leipzig. [[available in Cesa Library](#)]
- 6244. Ockenfels, P., Naumann, C.M. & W.Francke**, 1993, Die Rolle von Blüteninhaltsstoffen und ihren Derivaten im Paarungsverhalten von *Zygaena trifolii* (Lepidoptera: Zygaenidae). *Verh. Dt. zool. Ges.* 86: 266.
- 6245. Ockenfels, P., Prinz, J. & C.M.Naumann**, 1993, Reactions of *Aleioides* cf. *assimilis* (Hymenoptera: Braconidae) to the larval foodplant of its host *Zygaena trifolii* (Esper, 1783) (Lepidoptera: Zygaenidae). *Entomologist's Gaz.* 44: 125-133.
- 6246. Oemig, S.**, 1978, Eine neue Subspecies von *Satyrus favonius* aus dem Iran (Lepidoptera, Satyridae). *Ent. Z., Frankf. a. M.* 88(22): 251-253, 1 Abb. [[available in Cesa Library](#)]
- 6247. Oemig, S.**, 1982, Obituary- Nachruf- In Memoriam Willem L. Blom, 3.11.1906 - 29.3.1982. *Nota lepid.* 5 (4): 207-208, fig. [[available in Cesa Library](#)]
- 6248. Ohya, A. & T.Inomata**, 1988, Geographical and individual variation of the genus *Parnassius* Latreille, 1804.- *Illustration of selected insects in the World. Series A: 18-29.* Tokio (Mushi-Sha, Nakano).
- 6249. Ohya, A.**, 1988, Description of a new subspecies of the genus *Parnassius* Latreille from Tien-Shan Mts. *U.S.S.R. Gekkan-Mushi* 203:10-11, figs.
- 6250. Okagaki, H., Sibatani, A., Ogata, M. & Okada, Y.**, 1955, Male genitalia of Lepidoptera: Morphology and Nomenclature II. Morphological significance of sacculus and furca. *Ann. ent. Soc. Am.* 48: 438-443, Pl.1-2, 13 figs. [[available in Cesa Library](#)]
- 6251. Okano, M.**, 1964, New and little known moths from Formosa (5). *Tohoku Konchu Kenkyu* 1: 41-45.
- 6252. Okuba, K.**, 1980, A new butterfly of the genus *Elymnias* from Mindanao, the Philippines (Lepidoptera, Satyridae). *Trans. lepid. Soc. Japan* 31(1/2): 60-62, figs.
- 6253. Okubu, K.**, 1983, Butterflies of Tioman Island, West Malaysia, with the description of new subspecies. *Tyo to Ga* 33: 168-184, 47 figs.
- 6254. Okyar, Z. & M.Yurtcan**, 2007, Phytophagous Noctuidae (Lepidoptera) of the western Black Sea Region and their ichneumonid parasitoids. *Entomofauna* 28 (28): 377-388. [[available in Cesa Library](#)]

- 6255. Okyar,Z. & N.Aktaç,** 1999, Trakya Bölgesi Geometridae Türlerinin Taksonomik ve Faunistik Yönden Araştırılması Tr. J. Zoology 23 (Ek 1) (1996): 99-132, figs. [A study with numerous nomenclatural errors!] [[available in Cesa Library](#)]
- 6256. Okyar,Z. & N.Aktaç,** 2006, Identification of butterfly (Lepidoptera, Rhopalocera) fauna of Gökçeada and Bozcaada, Turkey. Pak. J. Biol. Sci. 9 (1): 76-79. [[available in Cesa Library](#)]
- 6257. Okyar,Z. & V.Mironov,** 2008, Checklist of the Geometridae of European Turkey with new records (Lepidoptera). Zootaxa 1789: 1-56. [[available in Cesa Library](#)]
- 6258. Okyar,Z.,** 2010, A study on geometrid moths (Lepidoptera) of the Eastern Black Sea Region (Ayder plateau-Kaçkar mountain, Turkey) with three new records. J. Kansas ent. Soc. 83 (3): 193-200.
- 6259. Olivares,J., Jutzeler,D. & R.Leestmans,** 1999, *Arethusana boabdil* (Rambur,1840) de la prov. de Grenade, Andalousie: une bonne espece ! (Lepidoptera, Nymphalidae, Satyrinae). Linneana Belg. 17 (4): 135-154, pls., figs. [[available in Cesa Library](#)]
- 6260. Olivier,A. & J.G.Coutsis,** 1995, Rhopalocera of Turkey 13.Sympatry and supposed gene exchange between *Maniola telmessia* (Zeller,1847) and *Maniola halicarnassus* Thomson,1990 on the Bodrum Peninsula (SW.Turkey) vs. evidence for their specific distinctness: two sides of the same coin(Lep.) Entomobrochure 7: 1-60, figs. [[available in Cesa Library](#)]
- 6261. Olivier,A. & J.G.Coutsis,** 1997, A revision of the superspecies *Hipparchia azorina* and of the *Hipparchia aristaeus* group (Nymphalidae, Satyrinae). Nota lepid. 20 (3/4): 150-292.
- 6262. Olivier,A. & R.de Prins,** 1996, The butterflies of the Greek island of Kos: a synthesis (Lepidoptera, Hesperioidea, Papilionoidea). Nota lepid. 19(3/4): 185-211.
- 6263. Olivier,A. & W.de Prins,** 1989, Taxonomy and geographical variation of *Hipparchia mersina* (Staudinger, 1871) with notes on its ecology and phenology (Lepidoptera, Nymphalidae, Satyrinae). Phegea 17(4): 169-221, 69 figs. [[available in Cesa Library](#)]
- 6264. Olivier,A. & Y.P.Nekrutenko,** 2000, The butterflies described by Johann Christoph Friedrich Klug (1775-1856) in his *Symbolae Physicae, Insecta* (Lep., Pieridae, Lycaenidae, Nymphalidae): An annotated review, with catalogue of the existing types. Dt. ent. Z. 47: 95-104. [[available in Cesa Library](#)]
- 6265. Olivier,A.,** 1987, Catalogue of the butterflies of the Greek islands in the collection of the Instituut voor Taxonomische Zoölogie (Zoologisch Museum) Amsterdam (Lepidoptera, Hesperioidea & Papilionoidea). Phegea 15 (2): 77-88; 15 (3): 165-170. [[available in Cesa Library](#)]
- 6266. Olivier,A.,** 1988, The butterflies of the Greek island of Limnos (Lepidoptera: Hesperioidea & Papilionoidea). Phegea 16 (2): 33-42, 1 fig., 1 Tab. [[available in Cesa Library](#)]
- 6267. Olivier,A.,** 1993, The Butterflies of the Greek Island of Rodos: taxonomy,faunistics,ecology and phenology with a tentative synthesis on the biogeography of the butterflies of Kriti, Karpathos, Rodos, the Eastern Aegean islands and Kypros...Antwerpen.
- 6268. Olivier,A.,** 1994, New data on the butterflies of the Greek island of Simi (Lepidoptera: Hesperioidea & Papilionoidea). Phegea 22(3): 85-88. [[available in Cesa Library](#)]
- 6269. Olivier,A.,** 1996, Notes on the taxonomic status and supposed biogeographic affinity of the *Pseudochazara anthele* (Hübner,[1824]) populations from Kipros (Cyprus) and from the Greek island of Kos (Lepidoptera, Nymphalidae Satyrinae). Phegea 24 (1): 5-12, 2 Pls. [[available in Cesa Library](#)]
- 6270. Olivier,A.,** 1996, The butterflies of the Greek island of Kalimnos (Lepidoptera: Hesperioidea & Papilionoidea). Phegea 24 (4): 149-156, 1 fig. [[available in Cesa Library](#)]
- 6271. Olivier,A.,** 1997, The butterflies of the Greek Island of Léros (Lepidoptera, Hesperioidea, Papilionoidea). Phegea 25 (3): 123-128, 1 fig. [[available in Cesa Library](#)]
- 6272. Olivier,A.,** 1998, The Butterflies of the Bodrum Peninsula (Province of Muğla, Turkey): a review. Entomologist's Gaz. 49 (1): 21-34. [[available in Cesa Library](#)]
- 6273. Olivier,A.,** 2000, Discovery of the types of *Polyommatus (Agrodiaetus) actis* and its taxonomic consequences (Lycaenidae). Nota lepid. 23 (2): 86-118, figs. [[available in Cesa Library](#)]
- 6274. Olivier,A., Poorten,D.v.d. & W.de Prins,** 1998, Rhopalocera and Grypocera of Turkey 16. Taxonomic notes on *Plebeius christophi* and *Plebeius idas* in northeastern Turkey (Lepidoptera, Lycaenidae). Phegea 26 (3): 87-102, 2 Pls. [[available in Cesa Library](#)]
- 6275. Olivier,A., Poorten,D.v.d., & W.de Prins,** 1994, Conspicuous aberrations and gynandromorphs of some Greek and Turkish butterflies (Lepidoptera, Pieridae, Lycaenidae). Phegea 22(3): 102-104, pl. [[available in Cesa Library](#)]

- 6276. Olivier,A., Prins de,W., Poorten,D.v.d. & J.Puplesiene**, 1999, On the identity of *Polyommatus* (*Agrodiaetus*) *dama*, with lectotype designation and redescription of its karyotype (*Lycaenidae*). *Nota lepid.* 22 (3): 197-211, figs. [[available in Cesa Library](#)]
- 6277. Olivier,A., Puplesiene,J., Poorten,D.v.d., Prins de,W. & Wiemer,M.**, 1999, Revision of some taxa of the *Polyommatus* (*Agrodiaetus*) *transcaspicus* group with description of a new species from Central Anatolia (*Lepidoptera*, *Lycaenidae*). *Phegea* 27 (1): 1-24, 2 Pls. [[available in Cesa Library](#)]
- 6278. Olivier,A., Puplesiene,J., Poorten,D.v.d., Prins de,W. & Wiemer,M.**, 1999, Additions and corrections to "Revision of some taxa of the *Polyommatus* (*Agrodiaetus*) *transcaspicus* group with description of a new species from Central Anatolia (*Lepidoptera*, *Lycaenidae*)". *Phegea* 27 (2): 79. [[available in Cesa Library](#)]
- 6279. Oorschot,H.v. & H.v.d.Brink**, 1989, *Rhopalocera* of Turkey 4. The specific problem of *Melitaea didyma* (Esper,1779) and *M. transcaucasica* (Turati,1919) (*Lepidoptera*, *Nymphalidae*). *Nota lepid.* 12 (3): 183-186. [[available in Cesa Library](#)]
- 6280. Oorschot,H.v. & H.v.d.Brink**, 1994, *Rhopalocera* of Turkey 12. On the geographical variation of *Melitaea collina* Lederer,1861 with description of *Melitaea collina lokmani* n.ssp. from South East Turkey (*Lepidoptera*, *Nymphalidae*). *Phegea* 22(2): 53-60, 2 pls., 5 figs. [[available in Cesa Library](#)]
- 6281. Oorschot,H.v. & J.G.Coutsis**, 2014, The genus *Melitaea* Fabricius,1807. Taxonomy and systematics with species reference to the male genitalia (*Lepidoptera*, *Nymphalidae*). 360pp., 24 Pls. Tshikolovets Publ. [Plate explanations were placed far from the related figures. This causes discomfort]. [[available in Cesa Library](#)]
- 6282. Oorschot,H.v. & S.Wagener**, 1990, *Rhopalocera* of Turkey 5. *Boloria caucasica* and *Boloria graeca* in Turkey (*Lepidoptera*, *Nymphalidae*). *Ent. Ber., Amst.* 50 (9): 113-121, 18 figs. 2 Tab. [[available in Cesa Library](#)]
- 6283. Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1984, *Rhopalocera* of Turkey. 1.Records of *Cupido minimus* (Fuessly, 1775) and description of *C.minimus albocilia* n.ssp. (*Lepidoptera*, *Lycaenidae*). *Ent. Ber., Amst.* 44 (9): 140-144,figs. [[available in Cesa Library](#)]
- 6284. Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1985, *Rhopalocera* of Turkey. 2.Records *Satyrrium marcidus* (Riley, 1921) and description of *S.marcidus mardinus* n.ssp. (*Lepidoptera*, *Lycaenidae*). *Ent. Ber., Amst.* 45(10): 45-149, figs. [[available in Cesa Library](#)]
- 6285. Oorschot,H.v., Brink,H.v.d. & B.v.Oorschot**, 1987, *Rhopalocera* of Turkey. 3. Geographical variation of *Pseudochazara anthelea* (Hübner) and description of *P.anthelea selcuki* n.ssp. (*Lepidoptera*, *Satyridae*). *Ent. Ber., Amst.* 47 (6): 91-95, figs. [[available in Cesa Library](#)]
- 6286. Oorschot,H.v., Brink,H.v.d.**, 1991, *Rhopalocera* of Turkey. 6. On the geographical variation of *Satyrrium ilicis* (Esper) with description of *S.ilicis zabni* n. ssp. from South East Turkey (*Lepidoptera*, *Lycaenidae*). *Ent. Ber., Amst.* 51(3): 38-43, figs. [[available in Cesa Library](#)]
- 6287. Opheim,M.**, 1951, Macro-Lepidoptera from Central Norway. *Norsk ent. Tidskr.* 8: 91-123.
- 6288. Opheim,M.**, 1953, Notes on the genus *Pyrgus* Hb. (*Lepidoptera*, *Grypocera*). *Astarte* 4:1-13, 6 figs. [[available in Cesa Library](#)]
- 6289. Opheim,M.**, 1956, Notes on the subgenus *Ateleomorpha* Warren (*Lepidoptera*, *Hesperiidae*). *Astarte* 14: 1-14, 29 figs. [[available in Cesa Library](#)]
- 6290. Orhant,G.E.R.J.**, 1996, A contribution to knowledge of the moth fauna of Malaysia (*Lepidoptera*, *Notodontidae*). *Tinea* 14 (4): 254-255.
- 6291. Orhant,G.E.R.J.**, 2000, Description of a new species of the genus *Ganisa* Walker (*Eupterotidae*) from Thailand. *Tinea* 16 (3): 149-150.
- 6292. Orhant,G.E.R.J.**, 2000, Two new Indo-Australian *Lithosiinae* (*Lepidoptera*, *Arctiidae*). *Tinea* 16 (4): 246-249.
- 6293. Orhant,G.E.R.J.**, 2001, Une nouvelle espece de *Lasiocampidae* de Thaïlande (*Lepidoptera*, *Lasiocampidae*). *Bull. Soc. ent. Mulhouse* 57 (1): 6-7.
- 6294. Orhant,G.E.R.J.**, 2001, Un nouvel *Ennominae* oriental: *Psilalcis stueningi* n.sp. (*Lepidoptera*, *Geometridae*). *Bonn. zool. Beitr.* 50 (1/2): 73-77, figs. [[available in Cesa Library](#)]
- 6295. Osada,S., Uemura,Y. & J.Uehara**, 1999, An illustrated checklist of the butterflies of Laos P.D.R. 240pp. 143pls. Mokuyo-sha. Tokyo.
- 6296. Osthelder,L.**, 1931, *Hepialus adriaticus* nova species. Eine verkannte europäische *Hepialide*. *Mitt. münch. ent. Ges.* 21 (2): 47-51. [[available in Cesa Library](#)]

- 6297. Osthelder, L.,** 1932, Noctuidae Acronyctinae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 22 (2): 83-87. [[available in Cesa Library](#)]
- 6298. Osthelder, L.,** 1933, Noctuidae (Fortsetzung und Schluß). [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 23 (2): 45-102. [[available in Cesa Library](#)]
- 6299. Osthelder, L.,** 1935, Microlepidopteren (Fortsetzung). [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 25(2): 56-58; 25(3): 67-90. [[available in Cesa Library](#)]
- 6300. Osthelder, L.,** 1935, Pyralidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 24 (3): 73-104. [[available in Cesa Library](#)]
- 6301. Osthelder, L.,** 1938, Neue Kleinfalter aus dem Tahte Soleiman in Nord-Persien (Lep.). Mitt. münch. ent. Ges. 28: 17-29. [[available in Cesa Library](#)]
- 6302. Osthelder, L.,** 1940, Microlepidopteren. [In] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 30 (1): 112-116. [[available in Cesa Library](#)]
- 6303. Osthelder, L.,** 1940, Nachtrag Noctuidae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 30 (1): 107-111. [[available in Cesa Library](#)]
- 6304. Osthelder, L.,** 1941, Beitrag zur Kleinschmetterlingsfauna Kretas. Mitt. münch. ent. Ges. 31 (2): 365-370, Taf.v. [[available in Cesa Library](#)]
- 6305. Osthelder, L.,** 1951, Pyralidae- Tineidae, [in] Daniel, F., Forster, W. & L. Osthelder, Beiträge zur Lepidopterenfauna Mazedoniens. Veröff. zool. StSamml. Münch. 2: 55-77. [[available in Cesa Library](#)]
- 6306. Ounap, E., Viidalepp, J. & U. Saarma,** 2008, Systematic position of Lythriini revised: transferred from Larentiinae to Sterrhinae (Lepidoptera, Geometridae). Zool. Scripta 37 (4): 405-413, 1 fig. 4 Table. [[available in Cesa Library](#)]
- 6307. Overlaet, F. G.,** 1955, Danaidae, Satyridae, Nymphalidae, Acraeidae. Exploration du Parc National de l'Upemba 27: 1-106.
- 6308. Owada, M. & Y. Kishida,** 1989, Moths of the genus Trabala (Lepidoptera, Lasiocampidae) from Thailand. Bull. natn. Sci. Mus. Tokyo 15 (1): 33-45, 22 figs.
- 6309. Owada, M.,** 1985, Descriptions of three new species of Hermonassa (Lepidoptera, Noctuidae) from Thailand. Tinea 12 (3): 11-16.
- 6310. Owada, M.,** 1986, A new Gallerine moth of Ethiopia (Lepidoptera, Pyralidae) from Palawan, the Philippines. Kontyu, Tokyo 54 (4): 618-623, 8 figs. [[available in Cesa Library](#)]
- 6311. Owada, M., Horie, K. & D. Xue,** 1999, Three new chalcosiine moths of the genus Achelura (Lepidoptera, Zygaenidae) from the northern Indo-Chinese Peninsula and southwestern China. Tinea 16 (1): 20-28.
- 6312. Owen, D. F. & D. A. S. Smith,** 1992, A new subspecies of Hipparchia wyssii Christ (Lepidoptera, Nymphalidae, Satyrinae) from Gran Canaria, Canary Islands. Entomologist's Gaz. 42: 253-256, figs.
- 6313. Ozbek, H., Güçlü, Ş., R. Hayat,** 1996, Kuzeydoğu tarım bölgesinde taş çekirdekli meyve ağaçlarında bulunan fitofag ve predatör böcek türleri. Tr. J. Agric. Forestry 20: 267-282. [[available in Cesa Library](#)]
- 6314. Özbek, H.,** 2009, Eretmocera medinella (Staudinger) (Lepidoptera, Scythrididae), a species new to Turkey. J. ent. Res. Soc. 11 (2): 57-59.
- 6315. Özdemir, M. & A. Özdemir,** 2012, A new genus and species for Turkish fauna: Zeiraphera isertana (Fabricius, 1794) (Lep. Tortricidae). Turk J. Zool. 36 (1): [[available in Cesa Library](#)]
- 6316. Özdemir, M. & S. S. Çalışkan,** 2014, Contribution to knowledge of the leafroller fauna (Lepidoptera, Tortricidae) of Turkey. Zool. Middle East 60 (3): 236-245, figs. [[available in Cesa Library](#)]
- 6317. Özdemir, M. & S. Seven,** 2007, Interrelation between some butterflies and plant associations (Turkey). Pak. J. Biol. Sci. 10 (1): 112-116, Tab. [[available in Cesa Library](#)]
- 6318. Özdemir, M.,** 2007, Studies on the Geometridae fauna of the provinces Bolu and Düzce in North -West Turkey (Lepidoptera). Cent. ent. Stud., Priamus (suppl.) 7: 1-154, figs. [[available in Cesa Library](#)]
- 6319. Özdemir, M., Özdemir, Y., Seven, S. & V. Bozkurt,** 2005, Orta Anadolu Bölgesinde kültür bitkilerine zararlı Tortricidae (Lepidoptera) faunası üzerine araştırmalar. Bitki kor. bült. 45 (1/4): 17-44. [[available in Cesa Library](#)]

- 6320. Özdikmen, H. & S.Seven**, 2006, New substitute names for two Ennominae genera (Lepidoptera, Geometridae). *Munis Ent. Zool.* 1 (2): 253-256. [[available in Cesa Library](#)]
- 6321. Özdikmen, H. & S.Seven**, 2006, Objective replacement names for *Eriocera* Guenée, 1852, *Lobocheilos* Hampson, 1891 and *Himella* Grote, 1874 (Lepidoptera, Noctuidae). *Munis Ent. Zool.* 1 (1): 123-128. [[available in Cesa Library](#)]
- 6322. Özdikmen, H.**, 2005, *Clarkeophlebia* nom. nov., a replacement name for the genus *Acanthophlebia* Clarke, 1986 (Lepidoptera, Gelechioidea) non Towns, 1983. *New Zealand J. Zool.* 32: 53-54. [[available in Cesa Library](#)]
- 6323. Özdikmen, H.**, 2008, Replacement names for two preoccupied butterfly genus group names (Lepidoptera, Papilionoidea). *Munis Entomology & Zoology* 3 (1): 321-322. [[available in Cesa Library](#)]
- 6324. Özkol, H. & A.Sefali**, 2009, New data on the biology of *Pieris* (Artogeia) *persis* Verity (Pieridae, Lepidoptera). *Cesa News* 42: 38-44, 7 figs. [[available in Cesa Library](#)]
- 6325. Özkol, H. & Kayci, L. & S.M.Pinar**, 2009, Notes on the biology of *Zygaena* (Mesembrynus) *tamara placida* A.Bang-Haas (Lepidoptera, Zygaenidae). *Cesa News* 41: 47-50, 5 figs. [[available in Cesa Library](#)]
- 6326. Özkol, H. & L.Kayci**, 2009, Some diurnal Lepidoptera species attracted to the light trap in East Anatolia (Papilionoidea, Zygaenoidea). *Cesa News* 40: 1-4, 6 figs. [[available in Cesa Library](#)]
- 6327. Özkol, H.**, 2007, Studies on the fauna and ecology of Papilionoidea and Hesperioidea of Gevaş district (Van). *Cent. ent. Stud., Priamus* (suppl.) 5: 1-55. [[available in Cesa Library](#)]
- 6328. Özkol, H.**, 2009, Van Gölü Havzası Noctuinae, Hadeninae, Cucullinae, Acronictinae, Bryophilinae ve Heliethinae faunası ve ekolojisi üzerine araştırmalar (Noctuidae, Lepidoptera). 417s., şekil, harita. Yükseköğretim Kurulu Ulusal Tez Merkezi, 179409[1].pdf <<http://tez2.yok.gov.tr/>> [accessed 15.9.2009]. [[available in Cesa Library](#)]
- 6329. Packard, A.S.**, 1890, Notes on some points in the external structure and phylogeny of lepidopterous larvae. *Proc. Boston Soc. nat. Hist.* 25: 83-114, 2 Pls.
- 6330. Packard, A.S.**, 1895, On a new classification of the Lepidoptera. *Amer. Nat.* 1895: 636-647, 788-803, 15 figs.
- 6331. Packard, A.S.**, 1895, On the phylogeny of the Lepidoptera. *Zool. Anz.* 18: 228-236, 1 pl.
- 6332. Page, M.**, 1987, Notes on the classification of the antiphates group of *Graphium* Scopoli, 1777. *Papilio Int.* 4: 229-250, 5 Pls.
- 6333. Page, M.G.P. & C.G.Treadaway**, 1995, Revision of the classification of *Pachliopta aristolochiae* (Fabricius, 1775) (Lepidoptera, Papilionidae) with special reference to the Philippine Islands. *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 14: 125-148, 23 figs. [[available in Cesa Library](#)]
- 6334. Page, M.G.P. & C.G.Treadaway**, 1997, Revision of the classification of *Pachliopta phlegon* (C. & R. Felder, 1864), *P. buraki* Koçak, 1983 and *P. leytensis* Murayama, 1978 (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo N.F.* 17(4): 377-392, figs. [[available in Cesa Library](#)]
- 6335. Pagenstecher, A.**, 1886, Heteroceren der Insel Ceram. *Dt. ent. Z., Iris* 1: 41-44. [[available in Cesa Library](#)]
- 6336. Pagenstecher, A.**, 1886, Dr. Adolf Roessler. *Nekrolog. Stettin ent. Ztg.* 47: 19-22. [[available in Cesa Library](#)]
- 6337. Pagenstecher, A.**, 1890, Heteroceren der Insel Palawan. *Dt. ent. Z., Iris* 3: 1-33. [[available in Cesa Library](#)]
- 6338. Pagenstecher, A.**, 1897, Lepidopteren. [in] Kükenthal, Ergebnisse einer zoologischen Forschungsreise in den Molluken und in Borneo. *Abh. Senkenb. naturf. Ges.* 23: 353-467, 3 Taf. [[available in Cesa Library](#)]
- 6339. Pagenstecher, A.**, 1900, Über die geographische Verbreitung der Tagfalter im malayischen Archipel. *Jb. nassau. Ver. Naturk.* 53: 87-200.
- 6340. Pagenstecher, A.**, 1902, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Tagfalter. *Jb. nassau. Ver. Naturk.* 55: 113-204, Taf. II. [[available in Cesa Library](#)]
- 6341. Pagenstecher, A.**, 1903, Wissenschaftliche Resultate der Reise des Freiherrn Carlo von Erlanger durch Süd-Schoa, die Galla und Somaliländer in 1900 und 1901. Sphingiden und Bombyciden. *Jb. nassau. Ver. Naturk.* 56: 3-28, Taf. I. [[available in Cesa Library](#)]
- 6342. Pagenstecher, A.**, 1909, *Parnassius apollo* L. im Jura. *Ent. Z., Stuttgart* 22: 185-187, 188-190.

- 6343. Pagenstecher, A.**, 1911, Libytheidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 3. 12pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 6344. Pagenstecher, A.**, 1911, Callidulidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 2. 14pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 6345. Pages, J. & J.-F. Charmeux**, 1997, *Apatura ilia*, "nouvelle" espece pour la faune turquie (Lepidoptera, Nymphalidae). *Alexandor* 19(7): 454. [\[available in Cesa Library\]](#)
- 6346. Pages, J.**, 1994, Description d'un Lycène nouveau de Turquie: *Agrodiaetus charmeuxi* sp.n. (Lepidoptera, Lycaenidae). *Alexandor* 18(4): 194-196, 8 figs. [\[available in Cesa Library\]](#)
- 6347. Pagès, J. & J.-F. Charmeux**, 1997, Description d'un Lycène nouveau du Pakistan: *Albulina farazi* sp.n. *Alexandor* 19 (7): 483-484, 1 fig. [\[available in Cesa Library\]](#)
- 6348. Pagès, J.**, 2007, Une nouvelle espèce d'*Hyponephele* du Pakistan (Nymphalidae, Satyridae). *Nota lepid.* 30 (2): 355-359, figs. [\[available in Cesa Library\]](#)
- 6349. Pagès, J.**, 2007, Une nouvelle espèce de *Pseudochazara* du Pakistan (Nymphalidae, Satyridae). *Nota lepid.* 30 (2): 361-365, figs. [\[available in Cesa Library\]](#)
- 6350. Pai, J.W. & H.Y. Wang**, 1998, Swallowtail butterflies in China. 256pp. pls.
- 6351. Palik, E.**, 1980, The protection and reintroduction in Poland [sic] of *Parnassius apollo* Linnaeus (Papilionidae). *Nota lepid.* 2(4): 163-164. [\[available in Cesa Library\]](#)
- 6352. Palm, E.**, 1986, Nordeuropas pyralider. *Danmarks Dyreliv* 3: 287 pp., Pls. [\[available in Cesa Library\]](#)
- 6353. Palm, E.**, 1989, Nordeuropas Prydvinger (Lepidoptera, Oecophoridae) - med saerligt henblik pa den dansk fauna. *Danmarks Dyreliv* 4: 247 pp., Pls. [\[available in Cesa Library\]](#)
- 6354. Pamperis, L.N.**, 1997, The Butterflies of Greece. 574 pp., A. Bastas, D. Plessas Graphic Arts, Athen (ISBN 960-7418-20-4).
- 6355. Pandharipande, T.N.**, 1991, Butterflies from Nagpur City, Central India (Lepidoptera, Rhopalocera). *J. Res. Lepid.* 29 (1/2): 157-160. [\[available in Cesa Library\]](#)
- 6356. Parenti, U.**, 2000, A Guide to the Microlepidoptera of Europe. 426pp. 156 Pls. 43 figs. Museo Regionale di Scienze Naturali, Torino. [\[available in Cesa Library\]](#)
- 6357. Parenti, U.**, 2001, The Elachistid moths of the Löbbecke Museum of Düsseldorf (Lepidoptera, Elachistidae). *Revtalepid.* 29 (115): 249-254, figs. [\[available in Cesa Library\]](#)
- 6358. Parenti, U.**, 2002, Corrections and additions to the Checklist of European Elachistidae (Lepidoptera, Elachistidae). *Revtalepid.* 30 (118): 149-153, figs. [\[available in Cesa Library\]](#)
- 6359. Parenzan, P.**, 1975, Contributi alla conoscenza della lepidotterofauna dell'italia meridionale. I. Rhopalocera di Puglia e di Lucania. *Entomologica*, Bari 11: 87-154.
- 6360. Park, K.-T. & B.-K. Byun**, 2008, A new genus *Pectinimura* (Lepidoptera, Gelechioidea, Lecithoceridae), with four new species from Thailand and the Philippines. *Florida Ent.* 91 (1): 110-115, figs. [\[available in Cesa Library\]](#)
- 6361. Park, K.-T. & B.K. Byun**, 2007, Review of *Homaloxestis* Meyrick (Lepidoptera, Lecithoceridae) of the Philippine Islands, with descriptions of two new species. *Zootaxa* 1449: 57-64, figs. [\[available in Cesa Library\]](#)
- 6362. Park, K.-T. & C.S. Wu**, 2003, A revision of the genus *Autosticha* Meyrick (Lepidoptera, Oecophoridae) in Eastern Asia. *Insecta Koreana* 20 (2): 195-225, figs.
- 6363. Park, K.-T. & C. Wu**, 2009, Notes on five little known genera of Lecithoceridae (Lepidoptera), with three new species from Thailand. *J. Asia-Pacific Ent.* 12 (4): 261-267, figs. [\[available in Cesa Library\]](#)
- 6364. Park, K.-T. & M.G. Ponomarenko**, 1996, Genus *Anarsia* Hübner (Lepidoptera, Gelechiidae) from Thailand, with description of nine new species. *Insecta Koreana* 13: 39-58, figs.
- 6365. Park, K.-T. & M.G. Ponomarenko**, 1998, Two new species of the genus *Dichomeris* Hübner from Thailand (Lepidoptera, Gelechiidae). *Spec. Divers.* 3: 163-167, figs. [\[available in Cesa Library\]](#)
- 6366. Park, K.-T. & M.G. Ponomarenko**, 1999, Genus *Hypatima* Hübner and allied genera from Thailand (Lepidoptera, Gelechiidae). *Spec. Divers.* 4: 321-337, figs. [\[available in Cesa Library\]](#)
- 6367. Park, K.-T. & S.-Y. Sim**, 2000, New records of Blastobasidae (Lepidoptera) from Korea with description of a new species. *Korean J. Biol. Sci.* 4: 245-250, figs. [\[available in Cesa Library\]](#)
- 6368. Park, K.-T. & S.-S. Kim**, 1998, Atlas of butterflies in Korea. 381pp. 467 figs., maps.
- 6369. Park, K.-T.**, 1999, Lecithoceridae (Lepidoptera) of Taiwan (II): Subfamily Lecithocerinae: Genera *Homaloxestis* Meyrick and *Lecithocera* Herrich-Schäffer. *Zool. Studies* 38 (2): 238-256, figs. [\[available in Cesa Library\]](#)

- 6370. Park, K.-T.**, 2000, Lecithoceridae (Lepidoptera) of Taiwan (III): Subfamily Lecithocerinae: Genus *Lecithocera* Herrich-Schäffer and its allies. Zool. Studies 39 (4): 360-374, figs. [[available in Cesa Library](#)]
- 6371. Park, K.-T.**, 2001, A new species of the genus *Tisis* (Lepidoptera, Lecithoceridae) from Thailand. Korean J. Syst. Zool. 17: 59-63, figs.
- 6372. Park, K.-T.**, 2002, A revision of the genus *Nosphistica* Meyrick (Lepidoptera, Lecithoceridae). Zool. Stud. 41 (3): 251-262, figs. [[available in Cesa Library](#)]
- 6373. Park, K.-T.**, 2002, Taxonomic review of the genus *Torodora* Meyrick in Thailand, with descriptions of fifteen new species (Lepidoptera, Lecithoceridae). Insecta Koreana 19 (2): 147-166, figs.
- 6374. Park, K.-T.**, 2002, Four new species of the genus *Antiochtha* Meyrick (Lepidoptera, Lecithoceridae) from Thailand. J. Asia-Pac. Ent. 5 (2): 139-143, figs. [[available in Cesa Library](#)]
- 6375. Park, K.-T.**, 2003, Thubana species (Lepidoptera, Lecithoceridae) in Thailand, with descriptions of twelve new species. J. Asia-Pac. Ent. 6: 137-150, figs. [[available in Cesa Library](#)]
- 6376. Park, K.-T.**, 2003, Three new species of the genus *Tisis* Walker from Malaysia (Sarawak), with notes on some little known species (Lepidoptera, Lecithoceridae). Insecta Koreana 20 (1): 51-58, figs.
- 6377. Park, K.-T.**, 2003, Two new species of the genus *Tisis* from Thailand and notes on *Tisis elegans* (Insecta Lepidoptera, Lecithoceridae). Species Divers. 8 (3):
- 6378. Park, K.-T.**, 2003, Three new species of genus *Hygroplasta* Meyrick (Lepidoptera, Lecithoceridae) from the Philippines and Thailand. J. Asia-Pacific Ent. 6 (2): 131-135, figs. [[available in Cesa Library](#)]
- 6379. Park, K.-T.**, 2004, Genus *Homaloxestis* Meyrick of Thailand, with description of five new species (Lepidoptera, Lecithoceridae). J. Asia-Pac. Ent. 7 (1): 33-43, figs. [[available in Cesa Library](#)]
- 6380. Park, K.-T.**, 2005, Genus *Tisis* Walker in the Malaysian Borneo, with descriptions of three new species (Lepidoptera, Lecithoceridae). J. Asia-Pac. Ent. 8 (1): 37-51, figs. [[available in Cesa Library](#)]
- 6381. Park, K.-T.**, 2005, Genus *Lecithocera* Herrich-Schäffer of Thailand (1): Descriptions of three new species (Lepidoptera, Lecithoceridae). J. Asia - Pacific Ent. 8 (3): 233-237, figs. [Serious error in a peer reviewed journal: *Lecithocera montana* proposed as nomen nudum!] [[available in Cesa Library](#)]
- 6382. Park, K.-T.**, 2006, Genus *Lecithocera* Herrich-Schäffer of Thailand (III): New records of five species of the genus (Lepidoptera, Lecithoceridae). J. Asia - Pacific Ent. 9 (4): 313-316, figs. [Another serious error in a peer reviewed journal: *Lecithocera montana*, proposed as nomen nudum, is considered here as valid name!] [[available in Cesa Library](#)]
- 6383. Park, K.-T.**, 2006, Genus *Lecithocera* Herrich-Schäffer of Thailand (II): Descriptions of four new species (Lepidoptera, Lecithoceridae). Tinea 19 (2): 98-103, figs.
- 6384. Park, K.-T.**, 2007, A review of the *Torodora manoconta* species-group (Lepidoptera, Lecithoceridae), with descriptions of three new species. Zootaxa 1465: 55-64, figs. [[available in Cesa Library](#)]
- 6385. Park, K.-T.**, 2007, Three new species of *Torodora* Meyrick from Thailand (Lepidoptera). Shilap 35 (137): 23-28, 7 figs. [[available in Cesa Library](#)]
- 6386. Park, K.-T.**, 2010, Two new genera *Caveana* gen.nov. and *Triviola* gen.nov. and two new *Torodora* species from Thailand (Lepidoptera, Lecithoceridae). Ent. Sci. 13 (2): 250-257, figs.
- 6387. Park, K.-T.**, 2011, A new species of *Halolaguna* Gozmany from Thailand (Lepidoptera, Lecithoceridae). J. Asia-Pacific Ent. 14 (2): 201-203, figs. [[available in Cesa Library](#)]
- 6388. Park, K.-T., Sugisima, K. & F. Abang**, 2005, Genus *Thubana* Walker of the Malaysian Borneo (Lepidoptera, Lecithoceridae), with descriptions of seven new species. J. Asia-Pac. Ent. 8 (2): 133-141, figs. [[available in Cesa Library](#)]
- 6389. Parker, R.**, 1983, The butterflies of Cyprus. Entomologist's Gaz. 34: 17-53.
- 6390. Parsons, M.**, 1991, Butterflies of the Bulolo-Wau Valley. 280pp., Pls. Bishop Museum, Honolulu. [[available in Cesa Library](#)]
- 6391. Parsons, M.**, 1999, Butterflies of Papua New Guinea. Their systematics and biology. vi+737pp., m26+139 Pls. Academic Press, San Diego & London.
- 6392. Passerin d'Entreves, P. & A. Roggero**, 2003, Description of two new species of *Apostibes* Walsingham, 1907 with some synonymic and phylogenetic accounts of the genus (Lepidoptera, Scythrididae). Ital. J. Zool. 70 (4): 347-352, figs. [[available in Cesa Library](#)]

- 6393. Passerin d'Entreves, P. & A. Roggero**, 2010, Notes on the distribution of Palearctic Scythrididae (Lepidoptera, Gelechioidea). *Shilap Revta lepid.* 38 (152): 443-450, figs. [\[available in Cesa Library\]](#)
- 6394. Passerin d'Entreves, P. & A. Roggero**, 2012, Taxonomic account of *Scythris caramani* species-group, with the description of a new species from Turkey (Lepidoptera, Gelechioidea, Scythrididae). *Shilap Revta lepid.* 40 (160): 409-418, figs. [\[available in Cesa Library\]](#)
- 6395. Passerin d'Entrèves, P. & A. Roggero**, 2004, Four new species, a new synonymy and some new records of *Scythris* Hübner, [1825] (Gelechioidea, Scythrididae). *Nota lepid.* 26 (3/4): 153-164, figs. [\[available in Cesa Library\]](#)
- 6396. Passerin d'Entrèves, P. & A. Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner, J.B., *Lepidopterorum Catalogus* (New Series), 85pp. Scientific Publishers, Gainesville &c. [\[available in Cesa Library\]](#)
- 6397. Passerin d'Entrèves, P. & A. Roggero**, 2007, Contribution to the knowledge of Eastern Palaearctic scythridids (Lepidoptera, Gelechioidea, Scythrididae). *Dt. ent. Z.* 54 (1): 115-125, 5 figs. 3 tab. [\[available in Cesa Library\]](#)
- 6398. Passerin d'Entrèves, P. & A. Roggero**, 2009, Eastern Palaearctic Scythrididae (Lepidoptera, Gelechioidea): description of a new genus and some new species. *Zootaxa* 2263: 1-20, figs.
- 6399. Passerin d'Entrèves, P. & A. Roggero**, 2011, Four new species of Scythrididae (Lepidoptera, Gelechioidea) from Irano-Turanian area, with notes on taxonomy and distribution. *Ent. Sci.* 14 (2): 203-209, figs. [\[available in Cesa Library\]](#)
- 6400. Passerin d'Entrèves, P. & A. Roggero**, 2012, New Scythrididae (Lepidoptera, Gelechioidea) from Middle and Far East. *Italian J. Zool.* 79 (3): 319-328, figs. [\[available in Cesa Library\]](#)
- 6401. Passerin d'Entrèves, P.**, 1976, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici II. - I tipi di *Scythris* del Muséum National Histoire Naturelle di Parigi. *Boll. Mus. Zool. Univ. Torino* 3: 27-70, figs. [\[available in Cesa Library\]](#)
- 6402. Passerin d'Entrèves, P.**, 1979, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici IV. - I tipi di *Scythris* dell'Istituto Espanol de Entomologia di Madrid. *Boll. Mus. Zool. Univ. Torino* 3: 83-90, figs. [\[available in Cesa Library\]](#)
- 6403. Passerin d'Entrèves, P.**, 1980, Revisione degli Scitrididi (Lepidoptera, Scythrididae) paleartici V. - I tipi di *Scythris* del Naturhistorisches Museum di Vienna. *Boll. Mus. Zool. Univ. Torino* 5: 41-60, figs. [\[available in Cesa Library\]](#)
- 6404. Passerin d'Entrèves, P.**, 1986, Lepidoptera: Scythrididae of Saudi Arabia (Part 1). *Fauna Saudi Arabia* 8: 256-261.
- 6405. Passerin d'Entrèves, P.**, 1990, Una nueva especie del genero *Episcythris* Amsel, 1939: *Episcythris zuninoi* n.sp. (Lepidoptera, Scythrididae). *Shilap Revta lepid.* 18 (71): 223-226, 2 figs. [\[available in Cesa Library\]](#)
- 6406. Patocka, J.**, 1994, Die Puppen der mittel- und westeuropäischen Spanner aus der Tribus Lobophorini (Lepidoptera, Geometridae, Larentiinae). *Ent. Ber., Amst.* 54(12): 217-223, 46 Abb. [\[available in Cesa Library\]](#)
- 6407. Patocka, J.**, 1994, Die Puppen der mittel- und westeuropäischen Spanner aus der Tribus Asthenini (Lepidoptera, Geometridae, Larentiinae). *Ent. Ber., Amst.* 54(2): 13-19, Abb. [\[available in Cesa Library\]](#)
- 6408. Paukstadt, U. & L.H. Paukstadt**, 1986, Die Präimaginalstadien von *Brahmidia hearseyi* (White, 1861) (Lep., Brahmaeidae). *Ent. Z., Frankf. a. M.* 96(11): 145-160.
- 6409. Paukstadt, U. & L.H. Paukstadt**, 1990, Beschreibung des bisher unbekannten Männchens von *Saturnia (Eriogyna) pinratanai* Lampe, 1989 aus Thailand (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 100 (13): 250-252.
- 6410. Paukstadt, U. & L.H. Paukstadt**, 1993, Beitrag zur Kenntnis der Variabilität von *Attacus dohertyi*-Faltern von Timor, Indonesien (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 103(24): 459-464, 3 Abb. [\[available in Cesa Library\]](#)
- 6411. Paukstadt, U. & L.H. Paukstadt**, 1999, *Antheraea (Antheraea) ulrichbroschi* n.sp., eine neue Saturniide von West Malaysia (Lepidoptera, Saturniidae). *Galathea Suppl.* 6: 90-98, figs.
- 6412. Paukstadt, U. & U. Brosch**, 1996, Zwei neue Arten der Gattung *Antheraea* Hübner, [1819] von der Insel Mindoro Philippinen (Lepidoptera, Saturniidae). *Ent. Z., Frankf. a. M.* 106(12): 513-519, Abb.

- 6413. Paukstadt,U.**, 1994, Wegen *Attacus dohertyi* (Lepidoptera, Saturniidae) nach Timor, östliche Kleine Sundainseln- ein entomologischer Reisebericht. Ent. Z., Frankf. a. M. 104(7): 125-140, 9 Abb. [\[available in Cesa Library\]](#)
- 6414. Paukstadt,U.**, 1996, Beobachtungen zu Sphingiden-Wanderungen im Golf von Thailand, Südchinesisches Meer (Lepidoptera, Sphingidae). Atalanta 27(1/2): 109-110. [\[available in Cesa Library\]](#)
- 6415. Paukstadt,U., Naumann,S., Paukstadt,L.H. & T.Bouyer**, 1995, Beschreibung des unbekannten Weibchens von *Samia peigleri* Naumann & Nässig 1995 von Sulawesi, Indonesien (Lepidoptera, Saturniidae). Ent. Z., Frankf. a. M. 105: 485-487, 2 Abb. [\[available in Cesa Library\]](#)
- 6416. Paukstadt,U., Paukstadt,L.H. & U. Brosch**, 1998, *Antheraea* (Antheraea) *myanmarensis* n.sp., eine neue Saturniide von Südostasien (Lepidoptera, Saturniidae). Ent. Z., Essen 108 (2): 57-64, figs.
- 6417. Paukstadt,U., Paukstadt,L.H. & U. Brosch**, 1999, *Antheraea* (Antheraea) *steinkeorum* n.sp. eine neue Saturniide von Südostasien (Lepidoptera, Saturniidae). Galathea Suppl. 6: 81-89, figs.
- 6418. Paukstadt,U., Peigler,R.S. & L.H.Paukstadt**, 1993, *Samia yayukae* n.sp., eine neue Saturniidae (Lepidoptera) von Flores, Indonesien. Ent. Z., Frankf. a. M. 103(13): 229-235, 5 Abb. [\[available in Cesa Library\]](#)
- 6419. Paulus,H.F. & K.Rose**, 1971, Zur *Lycaeniden*fauna des Libanon. Ent. Z., Frankf. a. M. 81 (1/3): 1-21, 10 Abb. [\[available in Cesa Library\]](#)
- 6420. Pazuki,A.**, 1976, The male genitalia of Lepidoptera and its taxonomic value. J. ent. Soc. Iran 3(1/2): 9-13, 18 figs in persian text. [\[available in Cesa Library\]](#)
- 6421. Pearson,D.H.**, 1898, Pupation of *Aglais urticae*. Entomologist's Rec. J. Var. 10: 310. [\[available in Cesa Library\]](#)
- 6422. Peigler,R.S. & H.Y.Wang**, 1996, Saturniid moths of Southeastern Asia. 262 pp. Taiwan Museum, Taipei.
- 6423. Peigler,R.S.**, 1989, A Revision of the Indo-Australian genus *Attacus*. xi+167pp. Lepid. Res. Found. California.
- 6424. Peile,H.D.**, 1921, The Butterflies of Mesopotamia. J. Bomb. nat. Hist. Soc. 28: 50-70, 345-369, Pl. [\[available in Cesa Library\]](#)
- 6425. Peile,H.D.**, 1937, A Guide to the collecting Butterflies of India. 283 pp. Staples Press Ltd. London. [\[available in Cesa Library\]](#)
- 6426. Pekarsky,O.**, 2011, A new *Stenoloba* Staudinger species from China (Lepidoptera, Noctuidae, Bryophilinae). Zookeys 108: 67-72, figs. [\[available in Cesa Library\]](#)
- 6427. Pekarsky,O.**, 2012, Two new species of *Pseudohadena* Alpheraky,1889 from Kazakhstan (Lepidoptera, Noctuidae, Xyleninae). Zookeys 187: 9-34, figs. [\[available in Cesa Library\]](#)
- 6428. Pekarsky,O.**, 2012, Taxonomic overview of *Polymixis serpentina* (Treitschke,1825) species-group, with the description of a new species (Lepidoptera, Noctuidae, Xyleninae). Zookeys 201: 15-26, figs. [\[available in Cesa Library\]](#)
- 6429. Pekarsky,O.**, 2013, Taxonomic and morphological survey of the *Lygephila lusoria* (Linnaeus,1758) species-group with description of a new species (Lepidoptera, Erebidae, Toxocampinae). Zookeys 351: 49-81, figs. [\[available in Cesa Library\]](#)
- 6430. Pekarsky,O.**, 2015, A new species of *Bryoleuca* Hampson,908 from Afghanistan (Lepidoptera, Noctuidae, Bryophilinae). Zootaxa 4040 (5): 596-599, figs. [\[available in Cesa Library\]](#)
- 6431. Peks,H.**, 1990, Das Noctuidae-Typenmaterial der Sammlung Peks (Lepidoptera). Esperiana 1: 421-426. [\[available in Cesa Library\]](#)
- 6432. Pelletier,J.**, 1978, Révision des especes du genre *Marcipa* Walker (Lepidoptera, Noctuidae, Ophiderinae). Mém. Mus. nat. Hist. Nat. (N.S.) (Ser.A., Zool.) 110: 1-143, 158 figs., 6 Pls.
- 6433. Pellinen,M.J. & A.V.Solovyev**, 2015, A new species of *Canon* Solovyev,2014 (Lepidoptera, Limacodidae) from Thailand. Zootaxa 3964 (2): 294-297, figs.
- 6434. Pelzer,A.**, 1982, Zur Kenntnis der frühen Stände von *Hyles centralasiae* siehei (Püngeler) (Sphingidae). Nota lepid. 5 (2/3): 134-140, 10 figs. [\[available in Cesa Library\]](#)
- 6435. Pendlebury,H.M.**, 1923, Notes on the Lepidoptera Rhopalocera taken in Nakon Sri Tamarat, Peninsular Siam. J. fed. Malay. St. Mus. 11: 21-48.
- 6436. Pendlebury,H.M.**, 1933, Notes and new records of butterflies from the Malay Peninsula. J. fed. Malay. St. Mus. 17 (2): 377-401.

- 6437. Perrette, L.**, 1998, Sur la présence de *Rheumaptera subhastata* (Nolken, 1870) dans le massif vosgien (Lepidoptera, Geometridae). *Linneana Belgica* 16(8): 341-342, figs. [[available in Cesa Library](#)]
- 6438. Perveen, F. & A. Ahmad**, 2012, Exploring butterfly fauna (Lepidoptera) of Kohat, Khyber Pakhtunkhwa, Pakistan. *SOAJ Ent.* 1: 119-129. [faunistically a very weak study] [[available in Cesa Library](#)]
- 6439. Perveen, F. & F. Fazal**, 2013, Biology and distribution of butterfly fauna of Hazara University, Garden Campus, Mansehra, Pakistan. *J. anim. Sci.* 3 (2A): 28-36, figs. [faunistically a very weak study, with some incorrect identifications] [[available in Cesa Library](#)]
- 6440. Peschke, R. & C. Eisner**, 1934, *P. delphioides* Ev. subsp. affinis (subsp. nova). *Parnassiana* 3: 40-41, figs. 5-6.
- 6441. Peschke, R.**, 1934, Neubeschreibungen und Ergänzungen der palaearktischen Lepidopterenfauna I. *Int. ent. Z.* 28 (34): 430-432. [[available in Cesa Library](#)]
- 6442. Peschke, R.**, 1938, Neubeschreibungen. *Ent. Rdsch.* 55: 155. [[available in Cesa Library](#)]
- 6443. Peschke, R.**, 1938, Neubeschreibungen. *Ent. Rdsch.* 55: 228. [[available in Cesa Library](#)]
- 6444. Petersen, G. & R. Gaedike**, 1975, Beiträge zur Insektenfauna der DDR: Lepidoptera Nachträge I (Tineidae, Epermeniidae, Acrolepiidae). *Ent. Ber. Berlin* 1975: 75 - 79.
- 6445. Petersen, G. & R. Gaedike**, 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Tineidae. *Fauna Saudi Arabia* 4: 333-346, figs.
- 6446. Petersen, G. & R. Gaedike**, 1985, Die Microlepidopteren Zyperns 2. Teil: Tineidae (Lepidoptera). *Reichenbachia* 23 (7): 29-34, 12 Abb.
- 6447. Petersen, G. & R. Gaedike**, 1993, Tineiden aus China und Japan aus der Höne-Sammlung des Museums Koenig (Lepidoptera, Tineidae). *Bonn. zool. Beitr.* 44 (3/4): 241-250, figs. [[available in Cesa Library](#)]
- 6448. Petersen, G.**, 1959, Ergebnisse der Untersuchung indeterminierter paläarktischer Tineiden aus dem Zoologischen Museum Berlin und der Sammlung H.G. Amsel/Karlsruhe (Lep.). *Dt. ent. Z. (N.F.)* 6(1/3): 152-159, 3 Abb. [[available in Cesa Library](#)]
- 6449. Petersen, G.**, 1959, Tineidae [in] Amsel, H.G., Irakische Kleinschmetterlinge II. *Bull. Soc. ent. Egypte* 43: 70-73, Taf. ix. [[available in Cesa Library](#)]
- 6450. Petersen, G.**, 1959, Tineiden aus Afghanistan, mit einer Revision der paläarktischen Scardiinen (Lepidoptera, Tineidae). *Beitr. Ent.* 9: 558-579, figs.
- 6451. Petersen, G.**, 1960, Zwei neue paläarktische Tineiden aus dem Iran (Lepidoptera). *Stuttg. Beitr. Naturk.* 34: 1-3, 1 Abb. [[available in Cesa Library](#)]
- 6452. Petersen, G.**, 1962, Beitrag zur Kenntnis der südeuropäischen Tineiden (Lepidoptera, Tineidae). *Beitr. naturk. Forsch. SWDtl.* 21(2): 205-220, 15 Abb.
- 6453. Petersen, G.**, 1963, Revision der paläarktischen Arten der Gattung *Catabola* Durr. (Lepidoptera, Tineidae). *Beitr. Ent.* 13(1/2): 168-173, 2 Taf. [[available in Cesa Library](#)]
- 6454. Petersen, G.**, 1963, 2. Beitrag zur Kenntnis der Tineiden von Afghanistan (Lepidoptera, Tineidae). *Beitr. Ent.* 13(1/2): 176-188, 7 figs. [[available in Cesa Library](#)]
- 6455. Petersen, G.**, 1964, Tineiden von Karatschi (Pakistan), Fars (SW-Iran) und den Bahrein-Inseln (Lepidoptera, Tineidae). *Beitr. naturk. Forsch. SWDtl.* 23(2): 111-122, 11 Abb. [[available in Cesa Library](#)]
- 6456. Petersen, G.**, 1965, Revision der Gattungen *Rhodobates* Ragonot und *Pachyarthra* Amsel (Lepidoptera, Tineidae). *Beitr. Ent.* 15(1/2): 87-100, 23 figs. [[available in Cesa Library](#)]
- 6457. Petersen, G.**, 1968, Beitrag zur Kenntnis der ostmediterranen Tineiden (Lepidoptera, Tineidae, exclus. *Nemapogoninae*). *Acta ent. bohemoslov.* 65: 52-66, 15 figs. [[available in Cesa Library](#)]
- 6458. Petersen, G.**, 1971, Beitrag zur Kenntnis der Tineiden von Iran und Pakistan (Lepidoptera, Tineidae). *Beitr. Ent.* 21(3/6): 267-271, 2 figs. [[available in Cesa Library](#)]
- 6459. Petersen, G.**, 1986, Revision der Gattung *Gephyristis* Meyrick (Lepidoptera, Tineidae, *Hieroxestinae*). *Beitr. Ent.* 36: 53-62, figs. [[available in Cesa Library](#)]
- 6460. Petersen, G.**, 1991, Zur Taxonomie und Verbreitung der Hapsiferinae (Lepidoptera, Tineidae). *Dt. ent. Z. (n.f.)* 38 (1/3): 27-33, figs.
- 6461. Petersen, M. & D. Bartsch**, 1998, Ein Beitrag zur Sesienfauna Griechenlands (Lepidoptera, Sesiidae). *Esperiana* 6: 50-55. [[available in Cesa Library](#)]
- 6462. Petersen, W.**, 1887, Die Lepidopteren-Fauna des arktischen Gebietes von Europa und die Eiszeit. 141 S., St. Petersburg. [[available in Cesa Library](#)]

- 6463. Petersen, W.**, 1901, Zum Morphogenese der doppelten Bursa copulatrix bei Schmetterlingen. Allg. Z. Ent. 6: 323-325, 4 figs. [\[available in Cesa Library\]](#)
- 6464. Petersen, W.**, 1902, Lepidopterenfauna von Esthland mit Berücksichtigung der benachbarten Gebiete. 217 pp., Reval.
- 6465. Petersen, W.**, 1902, Bemerkungen zur Systematik der Schmetterlinge. Allg. Z. Ent. 7: 500-506, 534-539. [\[available in Cesa Library\]](#)
- 6466. Petersen, W.**, 1924, Lepidopterenfauna von Estland (Esti). Bde 1,2. Reval.
- 6467. Pfeiffer, E.**, 1926-1927, Ein Beitrag zur Insektenfauna von Kleinasien (Anatolien). Mitt. münch. ent. Ges. 16: 99-110; 17: 35-55, 76-91. [\[available in Cesa Library\]](#)
- 6468. Pfeiffer, E.**, 1931, Einleitung. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 68-81. [\[available in Cesa Library\]](#)
- 6469. Pfeiffer, E.**, 1931-1932, Diurnae. [in] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. Mitt. münch. ent. Ges. 21 (2): 81-86; 22 (1): 17-32, 22(2): 38-51 Taf.ii-iv. [\[available in Cesa Library\]](#)
- 6470. Pfeiffer, E.**, 1938, Notizen über persische Lycaenidae (Lepid.). Mitt. münch. ent. Ges. 28: 188-195, 395, Taf.iv. [\[available in Cesa Library\]](#)
- 6471. Pfeiffer, H.**, 1938, Hesperia sao Hb. ab.extrema ab.nov.m. Ent. Rdsch. 55: 244, 6 Abb. [\[available in Cesa Library\]](#)
- 6472. Pfister, H.**, 1961, Beiträge zur Kenntnis der Phaloniden- und Tortricidenfauna Nordbayerns. Mitt. münch. ent. Ges. 51: 1-57.
- 6473. Pholboon, P.**, 1965, A host list of the insects of Thailand. 149pp. Thai Dept. Agriculture & U.S. Operations Mission to Thailand, Bangkok.
- 6474. Phuphathanaphong, L.**, 1987, Aristolochiaceae, [in] Smitinand, T. & K. Larsen, Flora of Thailand 5 (1): 1-31, 19 figs. Bangkok. [\[available in Cesa Library\]](#)
- 6475. Picard, J.**, 1948, Nouvelles races d'Hesperiidae françaises. Revue fr. lépid. 11: 324-328.
- 6476. Picard, J.**, 1950, Hespérides du Maroc. Bull. Soc. Sci. nat. Maroc 28: 110-135.
- 6477. Piepers, M.C. & P.C.T. Snellen**, 1879, Lepidoptera van Celebes. Tijdschr. Ent. 22: 1-66, Pl.6-10. [\[available in Cesa Library\]](#)
- 6478. Piepers, M.C. & P.C.T. Snellen**, 1880, Nieuwe Pyraliden op het eiland Celebes gevonden. Tijdschr. Ent. 23: 1-54. [\[available in Cesa Library\]](#)
- 6479. Piepers, M.C.**, 1900, Enumeration des Lépidoptères Heteroceres recueillis à Java. Tijdschr. Ent. 43: 12-18, 4 Taf.
- 6480. Pierce, F.N.**, 1914, The Genitalia of the Group Geometridae of the Lepidoptera of the British Islands. An account of the morphology of the male clasping organs and the corresponding organs of the female. xxvii+84pp. 48 Pls. Middlesex, England. [\[available in Cesa Library\]](#)
- 6481. Pierrat, V. & T. Porion**, 1988, Parnassius przewalskii humboldti subspecies nova. Bull. Soc. Sci. Nat., Venette 59: 1-2.
- 6482. Pierrat, V.**, 1990, Une nouvelle race de Parnassius imperator: Parnassius imperator jiyetiani subsp. nova. Bull. Soc. Sci. Nat., Venette 67: 5-6.
- 6483. Pierre, J.**, 1977, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 109-110. [\[available in Cesa Library\]](#)
- 6484. Pierre, J.**, 1984, Nymphalidae (Acraeinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 62-63. [\[available in Cesa Library\]](#)
- 6485. Pierret, M.**, 1837, Description de trois nouvelles espèces de lépidoptères. Annls Soc. ent. Fr. 6: 19-23, pl.1. [\[available in Cesa Library\]](#)
- 6486. Pierret, M.**, 1837, Description de deux nouvelles espèces du genre Satyre (Latr.). Annls Soc. ent. Fr. 6: 303-307, pl.12. [\[available in Cesa Library\]](#)
- 6487. Pinkaew, N. & A. Zhang**, 2012, Two new species of Fibuloides Kuznetsov, 1997 (Lepidoptera, Tortricidae) from Thailand. Zootaxa 3256: 51-57, figs. [\[available in Cesa Library\]](#)
- 6488. Pinkaew, N.**, 2007, New records and known species of the tribe Olethreutini (Lepidoptera, Tortricidae, Olethreutinae) from Thong Pha Phum National Park, Thailand. Thai. nat. Hist. Mus. J. 2 (1): 1-18, figs. [\[available in Cesa Library\]](#)
- 6489. Pinkaew, N.**, 2008, A new species and two new combinations in the genus Fibuloides Kuznetsov (Lepidoptera, Tortricidae, Eucosmini) from Thailand. Zootaxa 1988: 61-65, figs.

- 6490. Pinkaew,N., Chandrapatya,A. & R.L.Brown,** 2005, Two new species and a new record of *Eucoenogenes* Meyrick (Lepidoptera, Tortricidae) from Thailand with a discussion of characters defining the genus. *Proc. ent. Soc. Wash.* 107 (4): 869-882, figs. [\[available in Cesa Library\]](#)
- 6491. Pinker,R.,** 1954, Eine interessante Sesie aus Mazedonien. *Z. wien. ent. Ges.* 39: 182-185, 1 Abb. [\[available in Cesa Library\]](#)
- 6492. Pinker,R.,** 1956, Erkenntnisse, Gewonnen bei Beobachtungen mazedonischer Psychiden. *Fragm. balcan.* 1 (25): 201-205, Abb. [\[available in Cesa Library\]](#)
- 6493. Pinker,R.,** 1956, *Orhodiella ragusae* Failla-Ted. in Mazedonien. *Fragm. balcan.* 1 (24): 197-200, Abb. [\[available in Cesa Library\]](#)
- 6494. Pinker,R.,** 1956, Beschreibung der Raupen einiger pontischer und mediterraner Heteroceren. *Z. wien. ent. Ges.* 41 (10): 265-270, 1 Taf., 6 Abb. [\[available in Cesa Library\]](#)
- 6495. Pinker,R.,** 1957, Lebensraum und Verhalten von *Euchloe charlonia* Donz. in Mazedonien. *Z. wien. ent. Ges.* 42 (6): 81-85 1 Taf., 2 Abb. [\[available in Cesa Library\]](#)
- 6496. Pinker,R.,** 1958, Beobachtungen in der Treska Schlucht in Macedonien; Beschreibung einer neuen *Eupithecia* Curt. *Fragm. balcan.* 2 (12): 91-96, 9 figs. [\[available in Cesa Library\]](#)
- 6497. Pinker,R.,** 1968, Die Lepidopterenfauna Mazedoniens III. Geometridae. 72S. Prirodonaucen Muzej Skopje. [\[available in Cesa Library\]](#)
- 6498. Pinker,R.,** 1968, Der Lebensraum von *Pieris cheiranthi* Hbn. und die Einwanderung und Ausbreitung der *Catopsilia florella* F. auf den Kanaren. *ArbGem. öst. Ent.* 20: 22-25. [\[available in Cesa Library\]](#)
- 6499. Pinker,R.,** 1976, Über kleinasiatische *Eupitheci*en und deren Zusammenhänge mit jenen aus Macedonien (Lepidoptera, Geometridae). *Z. ArbGem. öst. Ent.* 28 (1/3): 1-6, 23 figs. [\[available in Cesa Library\]](#)
- 6500. Pinratana,B.A. & J.N.Eliot,** 1992, Butterflies in Thailand Vol. One Papilionidae and Danaidae. Third & revised Edn. vi+78 pp. 92 Pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6501. Pinratana,B.A. & J.N.Eliot,** 1996, Butterflies in Thailand Vol. Three Nymphalidae (Second and revised Edition). vii+140 pp., 84 pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6502. Pinratana,B.A. & R.E.J.Lampe,** 1990, Moths of Thailand Vol. One Saturniidae. iv+47pp., 44 Pls. Brothers of St.Gabriel in Thailand, Bangkok. [\[available in Cesa Library\]](#)
- 6503. Pinratana,B.A.,** 1981, Butterflies in Thailand Vol. Four Lycaenidae. viii+216 pp. 36 pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6504. Pinratana,B.A.,** 1983, Butterflies in Thailand Vol. Two Pieridae and Amathusiidae (Revised Edition). v+71 pp., 48 pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6505. Pinratana,B.A.,** 1985, Butterflies in Thailand Vol. Five Hesperidae. vi+152 pp., 40 pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6506. Pinratana,B.A.,** 1988, Butterflies in Thailand Vol. Six Satyridae Libytheidae and Riodinidae. viii+61 pp., 44 pls. Brothers of St.Gabriel in Thailand. [\[available in Cesa Library\]](#)
- 6507. Piskunov,V.I.,** 1987, A review of the genus *Neofriseria* (Lepidoptera, Gelechiidae) with description of a new species from Turkmen S.S.R. *Vestn. Zool.* 1987(2): 8-14, figs.
- 6508. Piskunov,V.I.,** 1987, Three new species of gelechiid moths (Lepidoptera, Gelechiidae) from the fauna of the U.S.S.R. *Zool. Zh.* 66(1): 147-150, figs.
- 6509. Pitkin,B. & P.Jenkins (compilers),** 2008, Butterflies and moths of the world. Generic names and their type species. - <http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml> [last accessed: 22.xi.2008].
- 6510. Pitkin,L.M. & K.Sattler,** 1991, Sattleria: a european genus of brachypterous alpine moths (Lepidoptera, Gelechiidae). *Bull. Br. Mus. nat. Hist. (Ent.)* 60 (2): 205-241, figs. [\[available in Cesa Library\]](#)
- 6511. Pitkin,L.M.,** 1984, Gelechiid moths of the genus *Mirificarma*. *Bull. Br. Mus. (Nat. Hist.)* 48: 1-70, figs. [\[available in Cesa Library\]](#)
- 6512. Pitkin,L.M., Han,H. & S.James,** 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. *Zool. J. Linn. Soc.* 150: 343-412, figs. [\[available in Cesa Library\]](#)
- 6513. Pittaway,A.R. & I.J. Kitching,** 2000, Notes on selected species of hawkmoths (Lepidoptera: Sphingidae) from China, Mongolia and the Korean Peninsula. *Tinea* 16 (3): 170-211.

- 6514. Pittaway,A.R.**, 1976, Hyles (Celerio) tithymali (Lep., Sphingidae). Bull. Amat. Ent. Soc.,35: 54-57.
- 6515. Pittaway,A.R.**, 1976, Great Peacocks. Bull. Amat. Ent. Soc.,35: 142-144
- 6516. Pittaway,A.R.**, 1979, Arabian Novelty. Bull. Amat. Ent. Soc. 38: 126-128.
- 6517. Pittaway,A.R.**, 1979, On Rethera komarovi manifica (Brandt) (Lep., Sphingidae). Entomologist's Gaz. 30: 3-6.
- 6518. Pittaway,A.R.**, 1979, The butterflies and Hawk-Moths of eastern Saudi Arabia. Proc. Br. ent. Nat. Hist. Soc. 12: 90-101, Pl. 7, 1 map. [\[available in Cesa Library\]](#)
- 6519. Pittaway,A.R.**, 1980, Butterflies (Lepidoptera) of Qatar, April-June, 1979. Entomologist's Gaz. 31: 103-111, Pl. [\[available in Cesa Library\]](#)
- 6520. Pittaway,A.R.**, 1981, Further notes on the butterflies and Hawkmoths (Lepidoptera) of Eastern Saudi Arabia. Entomologist's Gaz. 32: 27-35, 1 fig. [\[available in Cesa Library\]](#)
- 6521. Pittaway,A.R.**, 1982, Hyles hippophaes hippophaes (Esper) (Lep., Sphingidae). Entomologist's Gaz. 33: 97-99.
- 6522. Pittaway,A.R.**, 1982, Notes on the subspecies and biology of *Clarina kotschy* (Kollar, [1849]), (Lep., Sphingidae). Entomologist's Gaz. 33: 173-174.
- 6523. Pittaway,A.R.**, 1983, Of foodplants and Hawkmoths. Bull. Amat. Ent. Soc. 42: 64-69.
- 6524. Pittaway,A.R.**, 1983, An Annotated Checklist of the Western Palaearctic Sphingidae (Lepidoptera). Entomologist's Gaz. 34: 67-85, 39 maps, figs. [\[available in Cesa Library\]](#)
- 6525. Pittaway,A.R.**, 1985, Lepidoptera: Rhopalocera of western Saudi Arabia. Fauna Saudi Arabia 7: 172-197, figs.
- 6526. Pittaway,A.R.**, 1986, Butterfly beauties of the Arabian desert - swallowtails. Al Diyafah 1(2): 46-51.
- 6527. Pittaway,A.R.**, 1987, The Arabian Sphinx. Ahlan Wasahlan 11 (7): 42-45.
- 6528. Pittaway,A.R.**, 1993, Winged jewels of the desert. Ahlan Wasahlan 11 (12): 26-30.
- 6529. Pittaway,A.R.**, 1993, The Hawkmoths of the Western Palaearctic. 240 pp. 20 pls. 60 figs., 58 maps. Harley Books, London.
- 6530. Pittaway,A.R.**, 1995, Sphingidae of the western Palaearctic; their ecology and biogeography. London, UK; PhD Thesis, Imperial College of Science, Technology & Medicine.
- 6531. Pittaway,A.R.**, 1996, Observations on the hostplant preferences of *Laotloe populi* (Linnaeus, 1758) (Lepidoptera: Sphingidae) Entomologist 115 (2): 124-128.
- 6532. Pittaway,A.R., Larsen,T.B., Clarke,C.A., Smith,C.R.,et al.**, 1994, *Papilio saharae* Oberthür,1879 specifically distinct from *P.machaon* Linnaeus,1758 (Lepidoptera, Papilionidae). Entomologist's Gaz. 45: 223-249, 24 figs.
- 6533. Plante,J.**, 1983, Deux nouvelles Bryopolia Brsn. d'Afghanistan (Lepidoptera, Noctuidae, Cuclinae). Lambillionia 82: 86-89.
- 6534. Plante,J.**, 1991, Un nouveau Cryphia Hübner du Pakistan (Lep., Noctuidae, Acronictinae). Alexanor 17 (1): 57-58, figs. [\[available in Cesa Library\]](#)
- 6535. Plante,J.**, 1992, Two new species of the placida-group of the genus *Aletia* Hübner (Lepidoptera, Noctuidae, Hadeninae). Tyo to Ga 43 (3): 217-220, figs.
- 6536. Plantrou,J. & P.-C.Rougeot**, 1984, Description de nouvelles formes ♀ de *Charaxes galawadiwosi* Plantrou & Rougeot, [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 65-67, Pl. [\[available in Cesa Library\]](#)
- 6537. Platt,E.E.**, 1921, List of food-plants of some South African lepidopterous larvae. South Afr. J. Nat. Hist. 3: 65-138.
- 6538. Plötz,C.**, 1879, Hesperina Herr.-Sch. Stettin ent. Ztg. 40: 175-180. [\[available in Cesa Library\]](#)
- 6539. Plötz,C.**, 1881, Die Hesperinen-Gattung Eudamus und ihre Arten. Stettin ent. Ztg. 42: 500-504, [\[available in Cesa Library\]](#)
- 6540. Plötz,C.**, 1882, Einige Hesperinen-Gattungen und deren Arten. Berl. ent. Z. 26 (1): 71-82. [\[available in Cesa Library\]](#)
- 6541. Plötz,C.**, 1882-1883, Die Hesperinen-Gattung *Hesperia* Aut. und ihre Arten. Stettin ent. Ztg. 43: 314-344, 436-456: 44: 26-64, 195-233. [\[available in Cesa Library\]](#)
- 6542. Plötz,C.**, 1884, Die Hesperinen-Gattung *Telesto* Bsd. und ihre Arten. Stettin ent. Ztg. 44: 376-384. [\[available in Cesa Library\]](#)
- 6543. Plötz,C.**, 1884, Die Gattung *Cyclopides* Hübn. und ihre Arten. Stettin ent. Ztg. 44: 389. [\[available in Cesa Library\]](#)

6544. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Ismene* Sw. und ihre Arten. Stettin ent. Ztg. 44: 51-66. [[available in Cesa Library](#)]
6545. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Thymelicus* Hüb. und ihre Arten. Stettin ent. Ztg. 44: 284-290. [[available in Cesa Library](#)]
6546. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Apaustus* Hüb. und ihre Arten. Stettin ent. Ztg. 44: 151-166. [[available in Cesa Library](#)]
6547. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Plastingia* Butl. und ihre Arten. Stettin ent. Ztg. 44: 145-150. [[available in Cesa Library](#)]
6548. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Isoteinon* Feld. und ihre Arten. Stettin ent. Ztg. 44: 385-386. [[available in Cesa Library](#)]
6549. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Carterocephalus* Led. und ihre Arten. Stettin ent. Ztg. 44: 386-388. [[available in Cesa Library](#)]
6550. **Plötz,C.**, 1884, Die Gattung *Abantis* Hopf. Stettin ent. Ztg. 44: 388-389. [[available in Cesa Library](#)]
6551. **Plötz,C.**, 1884, Die Hesperiiinen-Gattung *Butleria* Kirby und ihre Arten. Stettin ent. Ztg. 44: 290-295. [[available in Cesa Library](#)]
6552. **Plötz,C.**, 1886, Nachtrag und Berichtigungen zu den Hesperiiinen. Stettin ent. Ztg. 47: 83-117. [[available in Cesa Library](#)]
6553. **Poda,N.**, 1761, *Insecta Musei Graecensis*. 139 pp., 2 pls. Graz. [[available in Cesa Library](#)]
6554. **Pogue,M.G. & P.W.Schaeffer**, 2007, A review of selected species of *Lymantria* Hübner,[1819] (Lepidoptera, Noctuidae, *Lymantriinae*) from subtropical and temperate regions of Asia, including the descriptions of three new species, some potentially invasive to North America. 232 pp. FHTET. [[available in Cesa Library](#)]
6555. **Pohier,F.**, 1981, Les especes du groupe de *Lysandra coridon* Poda dans la région de Jaca (Province de Huesca, Espagne) (suite) (Lep., *Lycaenidae*). *Alexanor* 12 (2): 87-94; 12(4): 184-192. [[available in Cesa Library](#)]
6556. **Pohl,G. Anweiler,G.G., Schmidt,B.C. & N.G.Kondla**, 2010, An annotated list of the Lepidoptera of Alberta, Canada. *Zookeys* 38: 1-549. [[available in Cesa Library](#)]
6557. **Polak,S. & R. Verovnik**, 1998, A contribution to the knowledge of the butterfly fauna of Dhofar - Sultanate of Oman (Lepidoptera: *Rhopalocera*). *Acta ent. Slovenica* 6(1): 55-65, 2 figs. [[available in Cesa Library](#)]
6558. **Poltavsky,A.N. & A.V.Nekrasov**, 2002, The Noctuid moths of the South of Russia and Northern Caucasus (Lepidoptera). *Esperiana* 9: 21-47, pls. [[available in Cesa Library](#)]
6559. **Poltavsky,A.N. & B.V.Stradomsky**, 2004, *Hemaris croatica* (Lepidoptera, *Sphingidae*) in the Rostov-on-Don Region (South Russia). *Phegea* 32 (2): 59-62, figs. [[available in Cesa Library](#)]
6560. **Poltavsky,A.N., Nekrasov,A.V., Petchen,V.I. & E.A.Hatchikov**, 1997, The Noctuidae fauna of Turkmenia (Lepidoptera). *Phegea* 25(4): 173-183, 4 figs. [[available in Cesa Library](#)]
6561. **Ponomarenko,M.G. & E.A.Beljaev**, 2000, New species of the genus *Micropterix* Hubner (Lepidoptera, *Micropterigidae*) from the Sikhote-Alin Range. *Tinea* 16 (4): 250-251.
6562. **Ponomarenko,M.G.**, 1989, Review of moths of the genus *Anarsia* Z. (Lepidoptera, *Gelechiidae*) of the USSR. *Ent. Obozr.* 1989 (3): 628-641, 22 figs. [[available in Cesa Library](#)]
6563. **Ponomarenko,M.G.**, 1997, Catalogue of the subfamily *Dichomeridinae* (Lepidoptera, *Gelechiidae*) of the Asia. *Far Eastern Ent.* 50: 1-67. [[available in Cesa Library](#)]
6564. **Ponomarenko,M.G.**, 2000, New species and new synonym of the genus *Metanarsia* Staudinger (Lepidoptera, *Gelechiidae*). *Tinea* 16 (4): 218-221.
6565. **Poole,R.W.**, 1989, *Noctuidae* (Parts 1-3) [in] Heppner,J.B., *Lepidopterorum Catalogus* (New Series). Fascicle 118. xii + 1314 pp. E.J.Brill / Flora & Fauna Publications, Leiden. New York. Kobenhavn. Köln. [[available in Cesa Library](#)]
6566. **Poorten,D.v.d. & S.Cuvelier**, 1997, *Melitaea aurelia* new for Greece (Lepidoptera, *Nymphalidae*). *Phegea* 25(2): 89-90, 3 figs. [[available in Cesa Library](#)]
6567. **Poorten,D.v.d., Dils,J. & J.Ganev**, 1987, *Gonepteryx farinosa* Zeller,1847, new to Bulgaria (Lepidoptera, *Pieridae*). *Phegea* 15(2):89. [[available in Cesa Library](#)]
6568. **Poorten,D.van der**, 1982, Interessante dagvlingerwaarnemingen in Griekenland, Juli 1981. *Phegea* 10: 77-87. [[available in Cesa Library](#)]
6569. **Poorten,D.van der**, 1984, On the occurrence of *Kretania eurypilus* Freyer on the peloponesos (*Lycaenidae*, *Plebejinae*). *Nota lepid.* 7 (2): 164-170, 8 figs. [[available in Cesa Library](#)]

- 6570. Popescu-Gorj, A. & A. Constantinescu**, 1973, New Subspecies of *Euclasta* (Lep., Pyraustinae) from Madagascar and China. Trav. Mus. Hist. nat. "Gr. Antipa" 14: 173-183, 7 figs. [[available in Cesa Library](#)]
- 6571. Popescu-Gorj, A. & A. Constantinescu**, 1977, Revision of the Genus *Euclasta* Lederer (Lepidoptera, Pyraustinae) A Taxonomic and Zoogeographic Study. Trav. Mus. Hist. nat. "Gr. Antipa" 18: 157-245, 97 figs. [[available in Cesa Library](#)]
- 6572. Popescu-Gorj, A. & I. Capuse**, 1964, *Microsphecia myrmosaeformis* Herrich-Schäffer en Roumanie (Lepidoptera-Aegeriidae). Bull. Annl. Soc. r. ent. Belg. 100(26): 331-345, 10 figs. [[available in Cesa Library](#)]
- 6573. Popescu-Gorj, A. & I. Capuse**, 1969, Revision de *Paranthrene tabaniformis* Rott. (Lepidoptera, Aegeriidae) et des especes Europeennes apparentees. Bull. mens. Soc. linn. Lyon 38 (9): 315-328, 11 figs. [[available in Cesa Library](#)]
- 6574. Popescu-Gorj, A.**, 1977, Nouvelles données pour la connaissance des Lépidoptères de la Fam. Noctuidae de Roumanie. Trav. Mus. Hist. nat. "Gr. Antipa" 18: 141-156, 13 figs. [[available in Cesa Library](#)]
- 6575. Popescu-Gorj, A.**, 1984, *Crossotocera wagnerella* Zerny a less known species new to Romania's fauna. Trav. Mus. Hist. nat. "Gr. Antipa" 26: 107-109, figs.
- 6576. Por, F. D.**, 1975, An outline of the zoogeography of the Levant. Zool. script. 4: 5-20.
- 6577. Postaus, R.**, 1897, *Polyommatus iolas* in Switzerland. Entomologist's Rec. J. Var. 9: 40-41. [[available in Cesa Library](#)]
- 6578. Postaus, R.**, 1900, Butterflies of the Rhone Valley. Entomologist's Rec. J. Var. 12: 50-51. [[available in Cesa Library](#)]
- 6579. Poulton, E. B.**, 1899, *Hypolimnas misippus* Linn., taken in the Atlantic Ocean. Entomologist's Rec. J. Var. 11: 80-81. [[available in Cesa Library](#)]
- 6580. Poulton, E. B.**, 1900, *Hypolimnas misippus* captured at sea. Entomologist's Rec. J. Var. 12: 315-316. [[available in Cesa Library](#)]
- 6581. Poulton, E. B.**, 1916, On a collection of moths made in Somaliland by Mr. W. Feather. Proc. zool. Soc. Lond. 1916: 91: 91-182, 2 Pls. [[available in Cesa Library](#)]
- 6582. Povolny, D. & J. D. Bradley**, 1965, Two new species of *Scrobipalpa* Janse (Lep., Gelechiidae) from Algeria. Ann. Mag. nat. Hist. (13) 7: 553-557, figs.
- 6583. Povolny, D. & Z. Sustek**, 1988, Versuch einer numerisch-taxonomischen Lösung der phylogenetischen Beziehungen im Rahmen des Gelechioiden Tribus *Gnorimoschemini* (Lepidoptera). Staphia 16: 209-247.
- 6584. Povolny, D.**, 1956, Die äusseren Genitalien der Lepidopteren und ihre taxonomische Bedeutung. Pr. brn. Zakl. csl. Akad. Ved. 28: 315-345, 4 figs.
- 6585. Povolny, D.**, 1966, Die taxonomisch geklärten palaearktischen *Gnorimoschema*-Arten (Lep. Gel.) nebst Beschreibung einer neuen Art. Arkiv Zool. (2) 18 (15): 393-404, 11 Taf. [[available in Cesa Library](#)]
- 6586. Povolny, D.**, 1967, Ein kritischer Beitrag zur taxonomischen Klärung einiger palaearktischer Arten der Gattung *Scrobipalpa* (Lepidoptera, Gelechiidae). Acta Sci. nat. Brno (n.s.) 1: 209-250, figs. [[available in Cesa Library](#)]
- 6587. Povolny, D.**, 1967, Die Stammesgeschichtlichen Beziehungen der Tribus *Gnorimoschemini* im Weltraum (Lepidoptera, Gelechiidae). Acta ent. Mus. Nat. Pragae 37: 161-232, figs. [[available in Cesa Library](#)]
- 6588. Povolny, D.**, 1967, Reisebericht und Charakteristik des Sammelgebietes. Cas. morav. Mus. Brne 52 (suppl.): 12-31, figs. [[available in Cesa Library](#)]
- 6589. Povolny, D.**, 1972, Zur Fauna der Tribus *Gnorimoschemini* (Lepidoptera, Gelechiidae) im Iran Acta ent. bohemoslov. 69(3): 186-206, 22 Abb. [[available in Cesa Library](#)]
- 6590. Povolny, D.**, 1976, Zur Synonymie einiger Arten der Tribus *Gnorimoschemini* (Lepidoptera, Gelechiidae). Acta zool. Acad. Sci. Hung. 22: 145-154, figs. [[available in Cesa Library](#)]
- 6591. Povolny, D.**, 1977, Neue Funde von *Gnorimoschemini* (Lepidoptera, Gelechiidae) aus Iran und Afghanistan. Acta ent. bohemoslov. 74(5): 322-338, 26 figs.
- 6592. Povolny, D.**, 1980, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus *Gnorimoschemini*. Fauna Saudi Arabia 2: 241-251, figs.
- 6593. Povolny, D.**, 1981, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus *Gnorimoschemini* (Part 2). Fauna Saudi Arabia 3: 417-424, figs.
- 6594. Povolny, D.**, 1982, Zur artspezifischen Identität mancher westpaläarktischer *Gnorimoschemini* (Gelechiidae). Nota lepid. 5 (2/3): 121-132, 8 Abb. [[available in Cesa Library](#)]

- 6595. Povolny, D.**, 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Oecophoridae. Fauna Saudi Arabia 5: 288-292, figs.
- 6596. Povolny, D.**, 1984, Drei neue Arten der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae) aus Asien. Nota lepid. 7 (3): 264-270, 3 Abb. [[available in Cesa Library](#)]
- 6597. Povolny, D.**, 1986, Insects of Saudi Arabia. Lepidoptera: Fam. Gelechiidae. Tribus Gnorimoschemini (Part 3). Fauna Saudi Arabia 8: 249-255, figs.
- 6598. Povolny, D.**, 1991, Zur heutigen Kenntnis von Nahrungspflanzen der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Univ. Agric. (Brno) 38: 191-204.
- 6599. Povolny, D.**, 1991, Morphologie, Systematik und Phylogenie der Tribus Gnorimoschemini (Lepidoptera, Gelechiidae). Acta Sci. Natur. Acad. Sci. Bohemoslov. Brno (N.S.) 25: 1-61.
- 6600. Povolny, D.**, 1994, New taxa and records of Gnorimoschema Busck and Gobipalpa Povolny from Palaearctic Asia (Lepidoptera, Gelechiidae). Ent. fenn. 5(1): 57-64, 11 figs. [[available in Cesa Library](#)]
- 6601. Povolny, D.**, 2000, Four new Nearctic species of the genus Tuta Strand, 1910 (Lepidoptera, Gelechiidae). Shilap Revta lepid. 28 (110): 213-225, pls. [[available in Cesa Library](#)]
- 6602. Povolny, D.**, 2003, Description of twenty five new Nearctic species of the genus Gnorimoschema Busck, 1900 (Lepidoptera, Gelechiidae). Shilap Revta lepid. 31 (124): 285-315, pls. [[available in Cesa Library](#)]
- 6603. Prideaux, R.M.**, 1901, Some notes on sexual dimorphism in the scaling of Colias edusa. Entomologist's Rec. J. Var. 13: 141-142, pl. iv. [[available in Cesa Library](#)]
- 6604. Prins, W. de & D. v. d. Poorten**, 1996, Additions and corrections to "Die Tagfalter der Türkei". 2. Interesting observations of butterflies in Turkey during the 38th expedition of the "Werkgroep Grieks-Turkse dagvlinders" (Lepidoptera: Lycaenidae). Phegea 24(1): 25-32, 4 figs. Pl. 2. [[available in Cesa Library](#)]
- 6605. Prins, J. de & A. Y. Kawahara**, 2012, Systematics, revisionary taxonomy, and biodiversity of Afrotropical Lithocolletinae (Lepidoptera, Gracillariidae). Zootaxa 3594: 1-283, figs. [[available in Cesa Library](#)]
- 6606. Prins, J. de & W. de Prins**, 2007, Two new Phyllonorycter species (Lepidoptera, Gracillariidae) from West Africa. Acta zool. hung. 53 (Suppl. 1): 47-60, figs. [[available in Cesa Library](#)]
- 6607. Prins, J. de & W. de Prins**, 2012, Afromoths, online database of Afrotropical moth species (Lepidoptera). www.afromoths.net [access on 17 Sept., 2013].
- 6608. Prins, J. de, Davis, D. R., Coninck, E. de, Sohn, J.-C. & P. Triberti**, 2013, Systematics, phylogeny and biology of a new genus of Lithocolletinae (Lepidoptera, Gracillariidae) associated with Cistaceae. Zootaxa 3741 (2): 201-227, figs. [[available in Cesa Library](#)]
- 6609. Prins, W. O. de, Kok, N. J. J. & F. Turelinckx**, 1984, A fortnight's visit to Morocco in April 1983. Nota lepid. 7 (1): 71-83, 5 figs. [[available in Cesa Library](#)]
- 6610. Prins, W. de & D. v. d. Poorten**, 1981, Een nieuwe Pseudochazara-soort voor de wetenschap uit Noordoost-Griekenland. Phegea 10: 7-21. [[available in Cesa Library](#)]
- 6611. Prins, W. de & D. v. d. Poorten**, 1995, Rhopalocera and Gypocera of Turkey 14. Taxonomic Revision of the Pyrgus alveus (Hübner, [1803]) complex from Greece to West China, with description of two new species from southern Turkey (Lepidoptera, Hesperidae). Phegea 23 (1): 1-44, pls., figs. [[available in Cesa Library](#)]
- 6612. Prins, W. de & J. de Prins**, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [[available in Cesa Library](#)]
- 6613. Prins, W. de**, 1984, A new Tischeria species from Morocco (Lepidoptera, Tischeriidae). Nota lepid. 7 (2): 171-177, 10 figs. [[available in Cesa Library](#)]
- 6614. Prins, W. de**, 1998, Catalogue of the Lepidoptera of Belgium. 236 pp.
- 6615. Prins, W. de, Poorten, D. v. d. & A. Riemis**, 1994, Nymphalis vaualbum ([Denis & Schiffermüller], 1775) confirmed for the fauna of Turkey (Lepidoptera, Nymphalidae). Phegea 22 (3): 99-100, pl. [[available in Cesa Library](#)]
- 6616. Prins, W. de, Poorten, D. v. d., et al.**, 1991, Rhopalocera of Turkey. 7. On a new species of Polyommatus Latreille, 1804 subgenus Agrodiaetus Hübner, [1822] from north-eastern Turkey (Lepidoptera, Lycaenidae). Phegea 19 (4): 141-148, 18 figs. [[available in Cesa Library](#)]
- 6617. Prokolov, V. V. & S. Z. Karayeva**, 2013, New and interesting Lepidoptera records from Chechen Republic (Russia). Cauc. ent. Bull. 9 (2): 281-282, figs. [[available in Cesa Library](#)]
- 6618. Prola, C., Provera, P., Racheli, T. & V. Sbordoni**, 1978, I. Macrolepidotteri della Appennino Centrale Parte I. Diurna, Bombyces e Sphinges. Fragm. ent., Roma 14: 1-217. [[available in Cesa Library](#)]

- 6619. Prout, A.E.**, 1921, Notes on some Noctuidae in the Joicey collection with descriptions of new species. *Ann. Mag. nat. Hist.* (9) 8: 1-33, 7 pls. [[available in Cesa Library](#)]
- 6620. Prout, A.E.**, 1925, Some Malayan Noctuidae from the Raffles Museum, Singapore. *Ann. Mag. nat. Hist.* (9) 16: 395-405. [[available in Cesa Library](#)]
- 6621. Prout, A.E.**, 1926, Noctuidae from central Buru. *Entomologist* 59: 62-81.
- 6622. Prout, A.E.**, 1926, Noctuid moths from some of the mountains of Sarawak. *J. Sarawak Mus.* 3: 211-241, 1 Pl.
- 6623. Prout, A.E.**, 1928, Noctuid moths from some of the mountains of Sarawak. *J. Sarawak Mus.* 3: 461-503, 2 Pls.
- 6624. Prout, A.E.**, 1929, Three new Noctuidae from Fiji. *Ann. Mag. nat. Hist.* 10 (3): 597-599.
- 6625. Prout, A.E.**, 1933, A new *Simplicia* (Lep., Noct.) from Fiji. *Stylops* 2: 85.
- 6626. Prout, L.B.**, 1954, New species of African Geometridae. *Entomologist* 87: 182-189. [[available in Cesa Library](#)]
- 6627. Prout, L.B.**, 1894, *Coremia ferrugaria* Haw. and *C. unidentaria* Haw. *Entomologist's Rec. J. Var.* 5: 111-112, 115-123. [[available in Cesa Library](#)]
- 6628. Prout, L.B.**, 1894, Apterous females and winter emergence. *Entomologist's Rec. J. Var.* 5: 147-148. [[available in Cesa Library](#)]
- 6629. Prout, L.B.**, 1894, Notes on the life-history of *Melanippe rivata* and *M. sociata*. *Entomologist's Rec. J. Var.* 5: 294-296. [[available in Cesa Library](#)]
- 6630. Prout, L.B.**, 1895, The British representatives of the genus *Caradrina*. *Entomologist's Rec. J. Var.* 6: 198-204, 223-228. [[available in Cesa Library](#)]
- 6631. Prout, L.B.**, 1895, Synonymic notes on *Acidalia humiliata* and *A. dilutaria*. *Entomologist's Rec. J. Var.* 6: 131-134. [[available in Cesa Library](#)]
- 6632. Prout, L.B.**, 1901, Corrections in generic nomenclature. *Entomologist's Rec. J. Var.* 13: 183-184. [[available in Cesa Library](#)]
- 6633. Prout, L.B.**, 1901, Some new Geometrid varieties and aberrations. *Entomologist's Rec. J. Var.* 13: 336. [[available in Cesa Library](#)]
- 6634. Prout, L.B.**, 1901, The lepidopterological books of the nineteenth century. *Entomologist's Rec. J. Var.* 13: 20-26. [[available in Cesa Library](#)]
- 6635. Prout, L.B.**, 1901, Sesiidae or Aegeriidae. *Entomologist's Rec. J. Var.* 13: 122-124. [[available in Cesa Library](#)]
- 6636. Prout, L.B.**, 1912-1916, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd.4: 1-479, 25 Taf. Alfred Kernen Verlag. Stuttgart. [[available in Cesa Library](#)]
- 6637. Prout, L.B.**, 1913, Contributions to a knowledge of the subfamilies Oenochrominae and Hemitheinae of Geometridae. *Novit. zool.* 20: 388-443. [[available in Cesa Library](#)]
- 6638. Prout, L.B.**, 1913, New South African Geometridae. *Ann. Transv. Mus.* 3 (4): 194-225, Pl. xii. [[available in Cesa Library](#)]
- 6639. Prout, L.B.**, 1914, H. Sauter's Formosa-Ausbeute. *Geometridae* (Lep.). *Ent. Mitt.* 3(7/8): 236-249, (9): 259-273. [[available in Cesa Library](#)]
- 6640. Prout, L.B.**, 1916, Fam. Geometridae, [in] Poulton, E.B., On a collection of moths made in Somaliland by Mr. W. Feather. *Proc. zool. Soc. Lond.* 1916: 141-163, Pl. [[available in Cesa Library](#)]
- 6641. Prout, L.B.**, 1917, New African Geometridae. *Novit. zool.* 24: 428-436. [[available in Cesa Library](#)]
- 6642. Prout, L.B.**, 1917, On new and insufficiently known Indo-Australian Geometridae. *Novit. zool.* 24: 293-317. [[available in Cesa Library](#)]
- 6643. Prout, L.B.**, 1918, New Lepidoptera in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 2: 412-418. [[available in Cesa Library](#)]
- 6644. Prout, L.B.**, 1918, New Lepidoptera in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 1: 18-32. [[available in Cesa Library](#)]
- 6645. Prout, L.B.**, 1918, New Heterocera in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 1: 312-318. [[available in Cesa Library](#)]
- 6646. Prout, L.B.**, 1918, New Lepidoptera in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 2: 412-418. [[available in Cesa Library](#)]
- 6647. Prout, L.B.**, 1919, New and insufficiently-known moths in the Joicey Collection. *Ann. Mag. nat. Hist.* (9) 3: 165-190. [[available in Cesa Library](#)]
- 6648. Prout, L.B.**, 1920, New moths in the Joicey collection. *Ann. Mag. nat. Hist.* (9) 5: 286-293. [[available in Cesa Library](#)]

- 6649. Prout, L.B.**, 1921, Moths of Mesopotamia and N.W. Persia, Pt. III. Geometridae. J. Bombay nat. Hist. Soc. 28 (1): 187-191. [[available in Cesa Library](#)]
- 6650. Prout, L.B.**, 1929, New Geometridae from Fiji. Ann. Mag. nat. Hist. (10) 3: 595-597. [[available in Cesa Library](#)]
- 6651. Prout, L.B.**, 1929, Three new Noctuidae from Fiji. Ann. Mag. nat. Hist. 10 (3): 597-599. [[available in Cesa Library](#)]
- 6652. Prout, L.B.**, 1929, New Palaearctic Geometridae. Novit. zool. 35: 142-149. [[available in Cesa Library](#)]
- 6653. Prout, L.B.**, 1929-1938, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd. 16. Alfred Kernen Verlag. Stuttgart. [[available in Cesa Library](#)]
- 6654. Prout, L.B.**, 1931, A new palaearctic Chesias (Lepidoptera, Geometridae). Ann. Mag. nat. Hist. (10) 8: 554. [[available in Cesa Library](#)]
- 6655. Prout, L.B.**, 1933, The Geometridae of Christmas Island, Indian Ocean. Bull. Raffles Mus. 8: 88-93. [[available in Cesa Library](#)]
- 6656. Prout, L.B.**, 1934-1939, Die Spannerartigen Nachtfalter [in] Seitz, A., Die Gross-Schmetterlinge der Erde Bd. 4 (suppl.): 1-253, Taf. Alfred Kernen Verlag. Stuttgart. [[available in Cesa Library](#)]
- 6657. Prout, L.B.**, 1958, New Species of Indo-Australian Geometridae. Bull. Br. Mus. (Nat. Hist.) Ent. 6 (12): 365-463, 72 figs. [[available in Cesa Library](#)]
- 6658. Prozorov, A.**, 2011, Typhonoya gen. nov. and Weberolegra gen. nov. two new genera for African Gastropacha Ochsenheimer, 1810 (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 67: 97-106.
- 6659. Prozorov, A.M. & V.V. Zolotuhin**, 2012, Seven new monotypic genera of African Lasiocampidae (Lepidoptera). Zool. Zh. 91 (8) [2012]: 950-960, figs. [Ent. rev. 93: 214-224, figs.]
- 6660. Prozorov, A.M. & V.V. Zolotuhin**, 2013, Notes on synonymy of African Lasiocampidae (Lepidoptera). Zool. Zh. 92 (2): 1-12, figs. [Ent. rev. 93 (4): 496-507] [[available in Cesa Library](#)]
- 6661. Prozorov, A.M. & Zolotuhin, V.V.**, 2012, A new genus of African Lasiocampidae (Lepidoptera). Zool. Zh. 91 (4): 435-445, figs. [Ent. rev. 92 (5): 548-558, figs.]
- 6662. Przegendza, [A.]**, 1936, Beschreibung der Raupe von Zyg. dorycnii O. subsp. wagneriana Reiss. Ent. Rdsch. 53: 351-352. [[available in Cesa Library](#)]
- 6663. Przybyłowicz, L. & L. Kühne**, 2008, Subfamily Syntomini (Noctuoidea, Arctiidae), [in] L. Kühne (ed.), Butterflies and moth diversity of the Kakamega forest (Kenya): 145-156, figs. [[available in Cesa Library](#)]
- 6664. Pröse, H.**, 1982, Neue Ergebnisse zur Faunistik der Microlepidoptera in Bayern. Nachr. Bl. Bayer. Ent. 31 (1): 3-12. [[available in Cesa Library](#)]
- 6665. Pröse, H.**, 1988, Bemerkungen zur Cydia succendana-Gruppe im Alpen- und Mediterranraum (Lepidoptera, Tortricidae). Staphia 16: 257-271, 11 Abb.
- 6666. Pugaev, S.N. & V.V. Zolotuhin**, 2006, Geometrid moths of the genus Dyscia Hübner, [1825] (Lepidoptera, Geometridae) from the Lower and Middle Volga. Eversmannia 6: 3-12, figs. [[available in Cesa Library](#)]
- 6667. Puplesiene, J. & A. Olivier**, 2000, The karyotype and chromosome number of Polyommatus buzulmavi (Lycaenidae). Nota lepid. 23 (1): 71-77, figs.
- 6668. Puplesiene, J. & R. Noreika**, 1993, A brief karyological review of the Gracillariidae (Lepidoptera). Phegea 21 (2): 55-63, 23 figs. [[available in Cesa Library](#)]
- 6669. Puplesiene, Y.V.**, 1993, Brief survey of karyotypes of mining moths (Lepidoptera). Ent. Obozr. 72 (2): 295-303 [engl. transl. Ent. rev. 73 (1): 17-25, 3 figs., 1994]
- 6670. Puplesis, R. & A. Diskus**, 1996, First record of the genus Etainia Beirne from Central Asia with descriptions of two new species and some provisional notes on the world fauna (Lepidoptera, Nepticulidae). Phegea 24 (1): 41-48, 10 figs. [[available in Cesa Library](#)]
- 6671. Puplesis, R. & A. Diskus**, 1996, A review of the Stigmella sorbi species-group with descriptions of two new species from Turkmenistan and Tadzhikistan (Lepidoptera, Nepticulidae). Phegea 24 (4): 171-182, 15 figs. [[available in Cesa Library](#)]
- 6672. Puplesis, R. & A. Diskus**, 2005, Checklist of African Tischeriidae (Insecta, Lepidoptera) with a redescription of the formerly neglected Tischeria urticolella from Equatorial Africa. Zool. Sci. 22 (9): 1051-1055, figs. [[available in Cesa Library](#)]
- 6673. Puplesis, R.K. & G.D. Robinson**, 1999, Revision of the Oriental Opostegidae (Lepidoptera) with general comments on phylogeny within the family. Bull. nat. Hist. Mus. Lond. (Ent.) 68 (1): 1-92, 179 figs. [[available in Cesa Library](#)]

- 6674. Puplesis, R.K.**, 1986, New species of the nepticulid moths (Lep., Opostegidae) from southern Far East and Tadzhikistan. Trudy zool. Inst. Leningr. 134(1985): 59-72, figs. [[available in Cesa Library](#)]
- 6675. Puplesis, R.K.**, 1988, New species of plant mining Lepidoptera (Nepticulidae, Tischeriidae) from Central Asia. Staphia 16: 273-290, 24 figs.
- 6676. Puplesis, R.K.**, 1990, The genus *Acalyptris* Meyrick (Lepidoptera, Nepticulidae) in the USSR. Distribution and taxonomy. Nota lepid. 13 (1): 62-88, 41 figs.
- 6677. Puplesis, R.K., Diskus, A. & E.J. van Nieukerken**, 1997, *Stigmella divina* sp.n., a remarkable species from Turkmenistan and Turkey (Lepidoptera, Nepticulidae). Tijdschr. Ent. 140: 55-58, figs. [[available in Cesa Library](#)]
- 6678. Puplesis, R.K., Seksjaeva, S., Noreika, R. & J. Puplesiene**, 1992, Some leaf-mining Lepidoptera from the Aksu Dzhabagly Reserve (western Tian Shan) with descriptions of four new species (Lepidoptera, Nepticulidae, Bucculatricidae). Nota lepid. 15 (1): 47-64, 29 figs. [[available in Cesa Library](#)]
- 6679. Pühringer, F. & A. Kallies**, 2004, Provisional checklist of the Sesiidae of the world (Lepidoptera, Ditrysia). Mitt. Ent. ArbGem. Salzkammergut 4: 1-85 [Among valid specific names, numerous contradictions with updated results of the Global Lepidoptera Names Index by Natural History Museum, London]. See for updated list: <http://www.sesiidae.net/Checklst.htm> [[available in Cesa Library](#)]
- 6680. Pühringer, F. & S. Safian**, 2011, Two new species of Sesiini from Ghana, with description of a new genus (Lepidoptera, Sesiidae, Sesiini). Nachr. ent. Ver. Apollo (n.f.) 31 (4): 231-235, figs.
- 6681. Püngeler, R.**, 1898, Diagnosen neuer Lepidopteren aus Centralasien. Societas ent. 13 (8): 57-58. [[available in Cesa Library](#)]
- 6682. Püngeler, R.**, 1899, Neue Macrolepidopteren aus Central-Asien. Dt. ent. Z., Iris 12: 95-106, 288-299, Taf. 8 & 9. [[available in Cesa Library](#)]
- 6683. Püngeler, R.**, 1900, Neue Macrolepidopteren aus Central-Asien. Dt. ent. Z., Iris 13: 115-123, Taf. iv. [[available in Cesa Library](#)]
- 6684. Püngeler, R.**, 1901, Neue Macrolepidopteren aus Central-Asien. Dt. ent. Z., Iris 14: 177-191, Taf. i-iii. [[available in Cesa Library](#)]
- 6685. Püngeler, R.**, 1902, Neue Macrolepidopteren aus Central-Asien. Dt. ent. Z., Iris 15: 147-160, Taf. [[available in Cesa Library](#)]
- 6686. Püngeler, R.**, 1903, *Deilephila siehei* n.sp. Berl. ent. Z. 47 (1902): 235-238, Taf. iii. [[available in Cesa Library](#)]
- 6687. Püngeler, R.**, 1903, Zur Naturgeschichte der *Lygris peloponnesiaca* Rbl. Berl. ent. Z. 48: 321-322. [[available in Cesa Library](#)]
- 6688. Püngeler, R.**, 1903, Neue palaearktische Macrolepidopteren. Dt. ent. Z., Iris 16: 286-301, Taf. vi. [[available in Cesa Library](#)]
- 6689. Püngeler, R.**, 1906, Neue Palaearktische Macrolepidopteren. Dt. ent. Z., Iris 19: 78-98, 216-226. [[available in Cesa Library](#)]
- 6690. Püngeler, R.**, 1907, *Euprepia libyssa* n.sp. Societas Ent. 22 (4): 25-26. [[available in Cesa Library](#)]
- 6691. Püngeler, R.**, 1914, Neue Palaearktische Macrolepidopteren. Dt. ent. Z., Iris 28: 37-55, 2 Taf. [[available in Cesa Library](#)]
- 6692. Püngeler, R.**, 1925, *Chondrostega osthelderi* Püng. n.sp. Mitt. münch. ent. Ges. 15: 96. [[available in Cesa Library](#)]
- 6693. Püngeler, R.**, 1925, Neue palaearktische Makrolepidopteren. Dt. ent. Z., Iris 39: 231-233, Taf. III. [[available in Cesa Library](#)]
- 6694. Quail, A.**, 1897, Neururation of the Rhopalocera. Entomologist's Rec. J. Var. 9: 4-5, Pl. [[available in Cesa Library](#)]
- 6695. Quail, A.**, 1903, On the antennae of Hepialidae - Lepidoptera Jugatae. Trans. Ent. Soc. Lond. 1903 (4): 499-509, Pl. 19. [[available in Cesa Library](#)]
- 6696. Quivron, D.**, 1993, Prospections en juillet 1989 dans le massif du Mont Ventoux et sur ses entreforts septentrionaux (Lepidoptera, Rhopalocera). Alexanor 18(1): 3-6. [[available in Cesa Library](#)]
- 6697. Quivron, D.**, 2000, *Cacyreus marshalli* Btlr en Haute-Provence (Lepidoptera Lycaenidae). Alexanor 21 (1): 79-80, fig. 1. [[available in Cesa Library](#)]
- 6698. Rabieh, M.M., Esfandiari, M., Seraj, A.A. & H.S. Rajaei**, 2013, A new record of *Chersotis curvispina* Boursin, 1961 (Lepidoptera, Noctuidae) in Iran. Zool. & Ecol. 23 (2): 111-114, figs.

- 6699. Rabieh, M.M., Seraj, A.A., Gyulai, P. & M.Esfandiari,** 2013, Checklist of the genus *Eugnorisma* Boursin, 1946 of Iran with new records and distributional data (Lepidoptera, Noctuidae, Noctuinae). *Shilap Revta lepid.* 41 (163): 399-413, figs. [[available in Cesa Library](#)]
- 6700. Racheli, L. & T. Racheli,** 2006, Distributional records of Brahmaeidae and Saturniidae species from Laos (Lepidoptera, Brahmaeidae, Saturniidae). *Shilap Revta lepid.* 34 (133): 81-82.
- 6701. Racheli, T. & L. Pariset,** 1992, II. Genere Battus Tassonomia e Storia Naturale (Lepidoptera, Papilionidae). *Fragm. Ent., Roma* 23 (suppl.): 1-163, 27 Tav. [[available in Cesa Library](#)]
- 6702. Racheli, T.,** 1980, Papilionoidea and Hesperioidea (Lepidoptera) collected during 1976 in Fars, south Iran. *Nota lepid.* 3(1/2): 73-89.
- 6703. Racheli, T.,** 1989, On a new subspecies of *Parides anchises* from the Huallaga region Peru (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 21 (2): 137-144, figs. [[available in Cesa Library](#)]
- 6704. Racheli, T.,** 1990, Una nuova sottospecie di *Zygaena sedi* (Fabricius, 1787) di Turchia (Lepidoptera, Zygaenidae). *Fragm. ent., Roma* 22 (2): 289-293, figs. [[available in Cesa Library](#)]
- 6705. Racheli, T.,** 1991, Notes on Venezuelan *Parides* with description of new subspecies (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 23 (1): 45-52, figs. [[available in Cesa Library](#)]
- 6706. Racheli, T.,** 1992, Distributional and taxonomic notes on *Parides phosphorus* (Bates, 1861) (Lepidoptera, Papilionidae). *Fragm. ent., Roma* 23 (2): 287-297, figs. [[available in Cesa Library](#)]
- 6707. Radzhabova, Z.,** 1986, Preliminary communication on moths (Lepidoptera, Noctuidae) occurring in the regions of Leninabad. *Izv. Akad. Nauk. TadzhSSR. Oth. Biol. Nauk* 1986(2): 65-67, figs.
- 6708. Ragonot, E.L. & G.F. Hampson,** 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff, N.M., *Mém. lépid.* 8: xiv + 602 pp. 31 Taf. St. Petersburg. [[available in Cesa Library](#)]
- 6709. Ragonot, E.L. & L. de Joannis,** 1910, Trois espèces de Microlépidoptères paléarctiques. *Annls Soc. ent. Fr.* 79: 495-496, Pl. 18. [[available in Cesa Library](#)]
- 6710. Ragonot, E.L.,** 1887, Diagnoses d'espèces nouvelles de Phycitidae d'Europe et des pays limitrophes. *Annls Soc. ent. Fr.* 7 (6): 225-260. [[available in Cesa Library](#)]
- 6711. Ragonot, E.L.,** 1887, Note sur la *Coleophora amethystinella* Rag. et sur les espèces de son groupe. *Annls Soc. ent. Fr.* 1887: 222-224, pl. 5. [[available in Cesa Library](#)]
- 6712. Ragonot, E.L.,** 1888, Nouveaux genres et espèces de Phycitidae et des Galleriidae. 52pp. Paris.
- 6713. Ragonot, E.L.,** 1890, Essai sur la classification des Pyralites. *Annls Soc. ent. Fr.* (6) 10: 435-546, Taf. 5-8. [[available in Cesa Library](#)]
- 6714. Ragonot, E.L.,** 1890, Notes sur la Pyralites. *Bull. Soc. ent. Fr.* (6) 10 (2): xcii-xciii. [[available in Cesa Library](#)]
- 6715. Ragonot, E.L.,** 1890, Diagnoses suivantes de plusieurs espèces nouvelles de Phycites de la collection de M. Ed. Meyrick. *Annls Soc. ent. Fr. Bull.* (6) 10: ccxii-ccxiv. [[available in Cesa Library](#)]
- 6716. Ragonot, E.L.,** 1891, Essai sur la classification des Pyralites. Note supplémentaire et rectificative. *Annls Soc. ent. Fr.* (6) 11: 599-662. [[available in Cesa Library](#)]
- 6717. Ragonot, E.L.,** 1892, Descriptions de trois espèces inédites de Microlépidoptères (Tineites) prises par M. le capitaine Dattin à Gabes (Tunisie). *Bull. Soc. ent. Fr.* 1892: lxxxii-lxxxiii. [[available in Cesa Library](#)]
- 6718. Ragonot, E.L.,** 1892, Diagnoses d'un genre nouveau et deux espèces nouvelles de Phycites provenant de Kenter (Sibérie). *Bull. Soc. ent. Fr.* 1892: ccxxxv-ccxxxvi. [[available in Cesa Library](#)]
- 6719. Ragonot, E.L.,** 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff, N.M., *Mém. lépid.* 7: lvi + 658 pp. 26 Taf. St. Petersburg. [[available in Cesa Library](#)]
- 6720. Ragonot, E.L.,** 1894, Notes synonymiques sur les Microlépidoptères et descriptions d'espèces peu connues ou inédites. *Annls Soc. ent. Fr.* 1894: 161-226, 1 Pl. [[available in Cesa Library](#)]
- 6721. Ragonot, E.L.,** 1895, Microlépidoptères de la Haute-Syrie récoltés par M. Ch. Delagrangé, et descriptions des espèces nouvelles. *Bull. Soc. ent. Fr.* 1895: xciv-cix. [[available in Cesa Library](#)]
- 6722. Raineri, V.,** 1989, *Idaea predotaria* (Hartig, 1951) stat.n., comb.n., the valid senior synonym of *I. griseanova* Rezbamyai-Reser, 1987 (Lepidoptera, Geometridae). *Nota lepid.* 12 (3): 187-191, figs. [[available in Cesa Library](#)]
- 6723. Raineri, V.,** 1994, Some considerations on the genus *Thetidia* and description of a new genus *Antonechloris* gen. nov. (Lepidoptera, Geometridae). *Atalanta* 25 (1/2): 365-372, 13 figs. [[available in Cesa Library](#)]
- 6724. Rajaei, H. & D. Stünig,** 2012, *Scotopteryx kuznetzovi* (Wardikhan, 1957) (Lepidoptera, Geometridae, Larentiinae), a new species for the fauna of Iran and Turkey. *Bonn zool. Bull.* 61 (1): 135-139, figs. [[available in Cesa Library](#)]

6725. **Rajaei, H. & D. Stüning**, 2013, *Lehmannodes* gen. nov., a new genus of Larentiinae from Turkey and Iran (Lepidoptera, Geometridae). *Zool. Anz.* 252 (4): 562-571, figs. [[available in Cesa Library](#)]
6726. **Rajaei, H. & R. Trusch**, 2011, Redescription of *Rhodostrophia lenis* Wiltshire, 1966 and *R. vartianae* Wiltshire, 1966, with new distributional data (Lepidoptera, Geometridae, Sterrhinae). *Zootaxa* 2935: 59-63, figs. [[available in Cesa Library](#)]
6727. **Rajaei, H.**, 2010, Life-history of *Gnopharmia kasrunensis* Wehrli, 1939 and *G. colchidaria* Lederer, 1870 (Geometridae, Ennominae) and their distribution in Iran, with first host-plant records for the genus. *Bonn zool. Bull.* 57 (1): 65-73, figs. [[available in Cesa Library](#)]
6728. **Rajaei, H., Abaii, M. & A. Hausmann**, 2010, First record of the winter moth *Operophtera brumata* (Linnaeus, 1758) (Lepidoptera, Geometridae) in northern Iran. *Iranian J. Anim. Biosyst.* 6 (2): 63-68, figs. [[available in Cesa Library](#)]
6729. **Rajaei, H., Stüning, D. & J. Viidalepp**, 2011, A review of the species of *Lithostege* Hübner, [1825] 1816 (Lepidoptera, Geometridae, Larentiinae), occurring in Iran and adjacent countries, with description of two new species from Iran and Pakistan. *Zootaxa* 3105: 1-46, figs. [[available in Cesa Library](#)]
6730. **Rajaei, H., Stüning, D. & R. Trusch**, 2012, Taxonomic revision and zoogeographical patterns of the species of *Gnopharmia* Staudinger, 1892 (Geometridae, Ennominae). *Zootaxa* 3360: 1-52, figs. [[available in Cesa Library](#)]
6731. **Rajaei, H. S. & G. M. Laszlo**, 2014, *Scotopteryx kurmanjiana*, a new species from the Kopet-Dagh Mountains (Lepidoptera, Geometridae, Larentiinae). *Nota lepid.* 37 (1): 37-42, figs. [[available in Cesa Library](#)]
6732. **Rakosy, L.**, 1997, *Die Noctuiden Rumäniens* (Lepidoptera, Noctuidae). 648 pp., 821 Abb., 651 Karte, 30 Taf. [[available in Cesa Library](#)]
6733. **Rambur, M. P.**, 1837-1842, *Faune entomologique de l'Andalusie*. Bertrand, Paris.
6734. **Rambur, M. P.**, 1858, *Catalogue systématique des Lépidoptères de l'Andalusie*. Ballière, Paris.
6735. **Ramos, V. E. & B. Morallo-Rejesus**, 1980, The occurrence of *Helicoverpa assulta* (Guenée) in the Philippines. *Philippine Ent.* 4(3): 141-148, figs.
6736. **Rangnow, H.**, 1911, Lebensweise und Zucht einer neuen palaearktischen Noctuide. *Polia philippsi* Püng. *Int. ent. Z.* 4(43): 231-233. [[available in Cesa Library](#)]
6737. **Rappaz, R.**, 1979, *Les Papillons du Valais*. 377 pp. Pillet, Martigny.
6738. **Razowski, J. & J. W. Brown**, 2012, Descriptions of new Tortricidae (Lepidoptera) reared from native fruit in Kenya. *Zootaxa* 3222: 1-27, figs. [[available in Cesa Library](#)]
6739. **Razowski, J. & J. Wojtusik**, 2006, Tortricidae from Venezuela (Lepidoptera, Tortricidae). *Shilap Revta lepid.* 34 (133): 35-79, figs.
6740. **Razowski, J. & P. Trematerra**, 2010, Tortricidae (Lepidoptera) from Ethiopia. *J. ent. Acarol. Res. (II)* 42 (2): 47-79, figs. [[available in Cesa Library](#)]
6741. **Razowski, J. & P. Trematerra**, 2010, Tortricidae (Lepidoptera) from Ethiopia. *J. ent. Acarol. Res. (II)* 42 (2): 47-79, figs. [[available in Cesa Library](#)]
6742. **Razowski, J. & V. Becker**, 1993, Revision of the cochyline genus *Lasiothyris* Meyrick (Lepidoptera, Tortricidae), with a description of 8 new species. *Acta zool. cracov.* 36 (1): 121-136, 23 figs. [[available in Cesa Library](#)]
6743. **Razowski, J. & Z. Tokar**, 2003, *Dichrorampha pastoralis* Razowski & Tokar, sp. n., a new species from Southern Europe (Lepidoptera, Tortricidae, Olethreutinae). *Shilap Revta. lepid.* 31 (123): 221-223, figs. [[available in Cesa Library](#)]
6744. **Razowski, J.**, 1957, Neue Wickler-Arten aus der Sammlung Amsel. *Beitr. naturk. Forsch. Südwtl.* 16 (2): 101-104, Taf. ii. [[available in Cesa Library](#)]
6745. **Razowski, J.**, 1958, *Acleris heringi* n. sp. (Lepidoptera, Tortricidae) - a new species from Central Asia. *Polskie Pismo ent.* 27: 139-140, fig.
6746. **Razowski, J.**, 1959, European species of *Cnephasiini* (Lepidoptera, Tortricidae). *Acta zool. cracov.* 4: 179-423, pls. 27-67. [[available in Cesa Library](#)]
6747. **Razowski, J.**, 1959, Some remarks on *Phaloniidae* (Lepidoptera). *Polski Pismo ent.* 29: 437-446, figs. [[available in Cesa Library](#)]
6748. **Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part II. The genera of the Palearctic *Cochylidae*. *Polski Pismo ent.* 30: 281-356, figs. [[available in Cesa Library](#)]
6749. **Razowski, J.**, 1960, Studies on the *Cochylidae* (Lepidoptera) Part III. On some species from the collection of Dr. S. Toll. *Polski Pismo ent.* 30: 397-402, figs. [[available in Cesa Library](#)]

- 6750. Razowski, J.,** 1960, The genitalia of some Asiatic Tortricidae (Lepidoptera) described by E. Meyrick. *Polski Pismo ent.* 30: 381-396, figs. [[available in Cesa Library](#)]
- 6751. Razowski, J.,** 1960, Remarks on the types of some African Tortricidae (Lepidoptera). *Polski Pismo ent.* 30: 169-172, figs. [[available in Cesa Library](#)]
- 6752. Razowski, J.,** 1961, Studies on Cochylidae (Lepidoptera) Part VI. Remarks on types of some Cochylidae. *Polski Pismo ent.* 31: 301-319, figs. [[available in Cesa Library](#)]
- 6753. Razowski, J.,** 1961, Studien über die Cochylidae (Lepidoptera) Teil V. Cochylidae Typen im Naturhistorischen Museum in Wien. *Z. wien. ent. Ges.* 46: 23-28, 14 Abb. [[available in Cesa Library](#)]
- 6754. Razowski, J.,** 1963, Tortricoidea (Lepidoptera) from Iran. *Acta zool. cracov.* 8: 251-277, figs. [[available in Cesa Library](#)]
- 6755. Razowski, J.,** 1965, The Palaearctic Cnephasiini (Lepidoptera, Tortricidae). *Acta zool. cracov.* 10 (3): 199-343, pls. 12-26. [[available in Cesa Library](#)]
- 6756. Razowski, J.,** 1966, Ergebnisse einer österreichischen lepidopterologischen Sammelreise nach Syrien und dem Libanon Teil IV. Tortricoidea. *Z. wien. ent. Ges.* 51: 72-79, 9 Abb. [[available in Cesa Library](#)]
- 6757. Razowski, J.,** 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). *Panstwowe Wydawnictwo Naukowe, Krakowie.* [[available in Cesa Library](#)]
- 6758. Razowski, J.,** 1967, Afghanische Wickler-Arten (Lepidoptera, Tortricidae und Cochylidae). *Beitr. naturk. SWDtl.* 26(3): 91-108, 50Abb. [[available in Cesa Library](#)]
- 6759. Razowski, J.,** 1968, Revision of the generic group *Agapeta* Hübner (Lepidoptera, Cochylidae). *Acta zool. cracov.* 13: 73-102, figs. [[available in Cesa Library](#)]
- 6760. Razowski, J.,** 1968, Revision of the generic group *Eupoecilia* Stephens (Lepidoptera, Cochylidae). *Acta zool. cracov.* 13: 103-130, figs. [[available in Cesa Library](#)]
- 6761. Razowski, J.,** 1968, Revision of the generic group *Cochylis* Treitschke (Lepidoptera, Cochylidae). *Acta zool. cracov.* 13: 131-148, figs. [[available in Cesa Library](#)]
- 6762. Razowski, J.,** 1968, Revision of the generic group *Cochylidia* Obraztsov (Lepidoptera, Cochylidae). *Polski Pismo ent.* 38: 3-8, figs. [[available in Cesa Library](#)]
- 6763. Razowski, J.,** 1970, Cochylidae, [in] Amsel, H.E. et al., *Microlepidoptera Palaearctica* 3: xiv + 529 pp., 161 Taf., Wien. [[available in Cesa Library](#)]
- 6764. Razowski, J.,** 1970, A short catalogue of the Palaearctic Cochylidae (Lepidoptera). *Acta zool. cracov.* 15: 341-400. [[available in Cesa Library](#)]
- 6765. Razowski, J.,** 1972, The results of Dr. Z. Kaszab Zoological Expedition to Mongolia Nr. 273. Tortricidae and Cochylidae (Lepidoptera). *Acta zool. cracov.* 17 (6): 131-161. [[available in Cesa Library](#)]
- 6766. Razowski, J.,** 1972, Manchurian Tortricoidea (Lepidoptera). *Acta zool. cracov.* 17 (5): 123-129, figs. [[available in Cesa Library](#)]
- 6767. Razowski, J.,** 1974, Descriptions of four new species of the Tortricini (Lepidoptera, Tortricidae). *Acta zool. cracov.* 19 (8): 147-154, 9 figs. [[available in Cesa Library](#)]
- 6768. Razowski, J.,** 1974, Phylogeny and classification of Lepidoptera. *Acta zool. cracov.* 19(1): 1-18, 1 fig. [[available in Cesa Library](#)]
- 6769. Razowski, J.,** 1977, Monograph of the genus *Archips* Hübner (Lepidoptera, Tortricidae). *Acta zool. cracov.* 22 (5): 55-206, 223 text-figs. [[available in Cesa Library](#)]
- 6770. Razowski, J.,** 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). *Acta zool. cracov.* 22 (6): 207-296. [[available in Cesa Library](#)]
- 6771. Razowski, J.,** 1978, Notes on *Pandemis* Hübner (Lepidoptera, Tortricidae) with descriptions of new species. *Acta zool. cracov.* 23 (4): 55-66, 29 figs. [[available in Cesa Library](#)]
- 6772. Razowski, J.,** 1981, Nigerian Tortricini (Lepidoptera, Tortricidae). *Acta zool. cracov.* 25: 319-340, figs. [[available in Cesa Library](#)]
- 6773. Razowski, J.,** 1982, The Cochylidii Fauna of the Palaearctic Region in relation to that of the remaining regions (Tortricidae). *Nota lepid.* 5 (4): 171-176. [[available in Cesa Library](#)]
- 6774. Razowski, J.,** 1983, The Cnephasia Group of genera (Tortricidae) with description of new taxa. *Nota lepid.* 6 (4): 230-234, 4 figs. [[available in Cesa Library](#)]
- 6775. Razowski, J.,** 1983, Descriptions of new Cnephasia Curtis (Tortricidae). *Nota lepid.* 6 (4): 235-238, 10 figs. [[available in Cesa Library](#)]
- 6776. Razowski, J.,** 1983, New species of *Aethes* Billberg (Tortricidae). *Nota lepid.* 6 (4): 239-243, 10 figs. [[available in Cesa Library](#)]

6777. **Razowski, J.**, 1983, Notes on Fulvoclysia Obr. (Tortricidae) with description of one new species. *Nota lepid.* 6 (1): 38-40, 2 figs. [[available in Cesa Library](#)]
6778. **Razowski, J.**, 1984, Tortricini, [in] Amsel, H.E. et al., *Microlepidoptera Palaearctica* 6: xvi + 376 pp., 101 Taf., Wien. [[available in Cesa Library](#)]
6779. **Razowski, J.**, 1987, The genera of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae. *Acta zool. cracov.* 30 (11): 141-355. [[available in Cesa Library](#)]
6780. **Razowski, J.**, 1989, Miscellaneous notes on Tortricidae. *Nota lepid.* 11 (4): 285-289, 6 figs. [[available in Cesa Library](#)]
6781. **Razowski, J.**, 1989, The genera of Tortricidae Part II. Palaearctic Olethreutinae. *Acta zool. cracov.* 32 (7): 107-328. [[available in Cesa Library](#)]
6782. **Razowski, J.**, 1991, The catalogue of the species of Tortricidae (Lepidoptera), Part I. Palaearctic Chlidanotinae and Tortricinae: Cochylini, Tortricini, Ceracini, Cnephasiini. *Acta zool. cracov.* 34 (1): 99-162. [[available in Cesa Library](#)]
6783. **Razowski, J.**, 1991, Notes on cochyline genus *Phtheochroa* Stephens (Lepidoptera, Tortricidae) with descriptions of new American species. *Acta zool. cracov.* 34 (1): 163-187, figs. [[available in Cesa Library](#)]
6784. **Razowski, J.**, 1991, Second revision of *Henricus* Busck, 1943 (Lepidoptera, Tortricidae). *Shilap Revta lepid.* 19 (73): 53-66, figs. [[available in Cesa Library](#)]
6785. **Razowski, J.**, 1992, Palaearctic elements in the Cochylini fauna of the Oriental Region (Lepidoptera, Tortricidae). *Nota lepid.* 14 (4) (1991): 324-331.
6786. **Razowski, J.**, 1992, Tortricidae (Lepidoptera) from Vietnam Contribution I. *Shilap Revta lepid.* 20 (78): 107-119, figs. [[available in Cesa Library](#)]
6787. **Razowski, J.**, 1993, The catalogue of the species of Tortricidae (Lepidoptera), Part II. Palaearctic Sparganothini Euliini Ramapesiini and Archipini. *Acta zool. cracov.* 35 (3): 665-703. [[available in Cesa Library](#)]
6788. **Razowski, J.**, 1993, Cochylini (Lepidoptera, Tortricidae) of the Ethiopian Region. *Acta zool. cracov.* 36 (1): 137-159, 40 figs. [[available in Cesa Library](#)]
6789. **Razowski, J.**, 1993, Cochylini (Lepidoptera, Tortricidae) from Peru and Bolivia. *Acta zool. cracov.* 36 (1): 161-181, 41 figs. [[available in Cesa Library](#)]
6790. **Razowski, J.**, 1993, Revision of the *Apotoforma* Busck, 1934 (Lepidoptera, Tortricidae), with descriptions of four other Tortricini species. *Acta zool. cracov.* 36 (1): 183-197, 19 figs. [[available in Cesa Library](#)]
6791. **Razowski, J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part III. Afrotropical Chlidanotinae and Tortricinae: Phricanthini, Cochylini and Tortricini. *Acta zool. cracov.* 38 (2): 183-193. [[available in Cesa Library](#)]
6792. **Razowski, J.**, 1995, The catalogue of the species of Tortricidae (Lepidoptera), Part IV. Palaearctic Olethreutinae: Microcorsini, Bactrini, Endotheniini and Olethreutini. *Acta zool. cracov.* 38 (2): 285-324. [[available in Cesa Library](#)]
6793. **Razowski, J.**, 1995, *Proeulia* Clarke, 1962, the Western Neotropical Tortricidae genus (Lepidoptera), with descriptions of five new species and two allied genera. *Acta zool. cracov.* 38 (2): 271-283, figs. [[available in Cesa Library](#)]
6794. **Razowski, J.**, 1999, Catalogue of the species of Tortricidae Part V. Palaearctic Eucosmina and Enarmoniina (Insecta, Lepidoptera). *Shilap Revta lepid.* 27 (108): 437-506. [[available in Cesa Library](#)]
6795. **Razowski, J.**, 1999, Discovery of *Rhopobota* Lederer, 1859 (Lepidoptera, Tortricidae) in the Neotropical Region, with description of four new species. *Acta zool. Cracov.* 42 (2): 349-353, figs. [[available in Cesa Library](#)]
6796. **Razowski, J.**, 2000, Catalogue of the species of Tortricidae Part VI: Nearctic Chlidanotinae and Tortricinae (Lepidoptera, Tortricidae). *Shilap Revta lepid.* 28 (109): 5-62. [[available in Cesa Library](#)]
6797. **Razowski, J.**, 2001, Die Tortriciden (Lepidoptera, Tortricidae) Mitteleuropas. Bestimmung Verbreitung Flugstandort Lebensweise der Raupen. 319 S., 151 Taf., 24 Farbtaf. Bratislava [[available in Cesa Library](#)]
6798. **Razowski, J.**, 2004, Notes on *Brachioxena* Diakonoff, 1968 with list of its species (Lepidoptera, Tortricidae). *Shilap Revta. lepid.* 32 (127): 179-181, 1 fig. [[available in Cesa Library](#)]
6799. **Razowski, J.**, 2005, Description and rectifications in Asian Cochylini (Lep., Tortricidae). *Polskie pismo Ent.* 74: 431-438, figs.

- 6800. Razowski, J.,** 2006, Tortricidae [sic!] (Lepidoptera) from South Africa. 2: Three new genera of Tortricinae. *Polskie pismo Ent.* 75 (3): 417-425, figs. [[available in Cesa Library](#)]
- 6801. Razowski, J.,** 2006, Tortricidae [sic!] (Lepidoptera) from South Africa. 3. Hectaphelia gen.n., Aphelia Hübner and Clepsia Guenée. *Polskie pismo Ent.* 75: 427-438, figs. [[available in Cesa Library](#)]
- 6802. Razowski, J.,** 2006, Tortricidae (Lepidoptera) from Kashmir and Ladakh. *Acta zool. cracov.* 49B (1/2): 115-135, figs. [[available in Cesa Library](#)]
- 6803. Razowski, J.,** 2008, Tortricidae (Lepidoptera) from South Africa. 6. Choristoneura Hübner and Procris Diakonoff. *Polskie pismo Ent.* 77: 245-254, figs. [[available in Cesa Library](#)]
- 6804. Razowski, J.,** 2008, Tortricidae (Lepidoptera) from Vietnam in the collection of the Berlin Museum 4. Choristoneura, Homona and Meridemis. *Polski pismo. Ent.* 77: 233-243, figs. [[available in Cesa Library](#)]
- 6805. Razowski, J.,** 2009, Oriental Arotrophora Meyrick (Lepidoptera, Tortricidae) and its species. *Polski pismo. Ent.* 78: 33-57, figs. [[available in Cesa Library](#)]
- 6806. Razowski, J.,** 2009, The Old World Hilarographini (Lepidoptera, Tortricidae). *Shilap Revta lepid.* 37 (147): 261-287, figs. [[available in Cesa Library](#)]
- 6807. Razowski, J.,** 2012, Tortricidae from the Tervuren Museum, 2. Olethreutini (Insecta, Lepidoptera). *Genus* 23 (1): 163-182, figs. [[available in Cesa Library](#)]
- 6808. Rebel, H. & A. Rogenhofer,** 1894, Zur Lepidopterenfauna der Canaren. *Annl. naturh. Mus. Wien* 9(1): 43-44.
- 6809. Rebel, H. & H. Zerny,** 1916, Wissenschaftliche Ergebnisse der mit Unterstützung der kaiserlichen Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner unternommenen zoologischen Expedition nach dem Anglo-Aegyptischen Sudan (Kordofan) 1914 I. Lepidoptera. *Denkschr. Akad. Wiss. Wien* 93: 423-446, Taf. [[available in Cesa Library](#)]
- 6810. Rebel, H. & H. Zerny,** 1931, Die Lepidopterenfauna Albaniens (mit Berücksichtigung der Nachbargebiete). *Denkschr. Akad. Wiss. Wien* 103: 37-161, 1 Taf., 1 Karte, 10 textfigs. [[available in Cesa Library](#)]
- 6811. Rebel, H. (□),** 1948, Neue Heteroceren aus Aegypten [together with an introduction by H. Reisser]. *Z. Wien. ent. Ges.* 32 (1947): 49-60. [[available in Cesa Library](#)]
- 6812. Rebel, H.,** 1891, Beitrag zur Microlepidopteren-Fauna Dalmatiens. *Verh. zool.- bot. Ges. Wien* 41: 610-639. [[available in Cesa Library](#)]
- 6813. Rebel, H.,** 1891, Meyrick's Pyralidinen Classification. *Stettin ent. Ztg.* 52 (4/6): 103-116. [[available in Cesa Library](#)]
- 6814. Rebel, H.,** 1892, Zwei Geometriden Classificationen. *Stettin ent. Ztg.* 53: 247-268. [[available in Cesa Library](#)]
- 6815. Rebel, H.,** 1893, Neue oder wenig gekannte Microlepidopteren des palaearktischen Faunengebietes. *Stettin ent. Ztg.* 54 (1/3): 37-59. [[available in Cesa Library](#)]
- 6816. Rebel, H.,** 1895, Eine Heteroceren-Ausbeute aus der Sahara I. *Verh. zool.-bot. Ges. Wien* 45: 347-352. [[available in Cesa Library](#)]
- 6817. Rebel, H.,** 1898, Über eine Rhopaloceren-Ausbeute aus Deutsch-Neu-Guinea. *Termés füzetek* 21: 368-379, Tab. xvi-xix. [[available in Cesa Library](#)]
- 6818. Rebel, H.,** 1899, Beitrag zur Lepidopterenfauna Unter-Aegyptens. *Dt. ent. Z., Iris* 26: 65-92, 11 figs. [[available in Cesa Library](#)]
- 6819. Rebel, H.,** 1899, Diagnosen neuer Lepidopteren aus Südarabien und von der Insel Sokotra. *Sber. Akad. Wiss. Wien* 1899(27): 359-361.
- 6820. Rebel, H.,** 1900, Zur Auffassung der Lemoniiden als selbständige Lepidopteren-familie. *Ent. Nachr.* 26 (4): 49-51. [[available in Cesa Library](#)]
- 6821. Rebel, H.,** 1900, *Acidalia metohiensis* nov. spec. *Verh. zool.- bot. Ges. Wien* 50: 451-452. [[available in Cesa Library](#)]
- 6822. Rebel, H.,** 1900, *Cledeobia hampsoni*, eine neue palaearktische Pyralidine. *Verh. zool.- bot. Ges. Wien* 50: 304-305. [[available in Cesa Library](#)]
- 6823. Rebel, H.,** 1901, Über eine neue von Herrn Max Korb in Westasien gesammelte Lepidopterenformen. *Annl. naturh. Mus. Wien* 16: 165-169. [[available in Cesa Library](#)]
- 6824. Rebel, H.,** 1901, Neue palaearktische Tineen. *Dt. ent. Z., Iris* 13(2): 161-188. [[available in Cesa Library](#)]
- 6825. Rebel, H.,** 1901, Eine neue Noctuide von der Sinai-Halbinsel *Dt. ent. Z., Iris* 13: 68-70, Taf. 2 [[available in Cesa Library](#)]
- 6826. Rebel, H.,** 1901, *Colias aurorina taurica*. *Verh. zool.- bot. Ges. Wien* 51: 310-311. [[available in Cesa Library](#)]

- 6827. Rebel, H.**, 1901, II. Theil: Famil. Pyralidae-Micropterygidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. 368S. Berlin. [\[available in Cesa Library\]](#)
- 6828. Rebel, H.**, 1901, Neue palaearktische Tineen. Dt. ent. Z., Iris 13: 169-174. [\[available in Cesa Library\]](#)
- 6829. Rebel, H.**, 1902, Euxoa (Agrotis) canariensis, eine neue Noctuide von den Canarischen Inseln. Annln naturh. Mus. Wien. 17: 58-60.
- 6830. Rebel, H.**, 1902, Neue Pyraliden, Pterophoriden und Tineen des palaearktischen Faunengebietes. Dt. ent. Z., Iris 15 (1): 100-126, Taf. iv [Plate published on May 1st 1903]. [\[available in Cesa Library\]](#)
- 6831. Rebel, H.**, 1902-1905, Lepidopteren aus Morea. Berl. ent. Z. 47 (1902): 83-110; 48 (1903): 243-249; 50 (1905): 291-314. [\[available in Cesa Library\]](#)
- 6832. Rebel, H.**, 1903, Neue Pyraliden aus Algerien und Westasien. Dt. ent. Z., Iris 16: 1-8, figs. [\[available in Cesa Library\]](#)
- 6833. Rebel, H.**, 1903, Studien über die Lepidopterenfauna der Balkanländer I. Teil. Bulgarien und Ostrumelien. Annln naturh. Mus. Wien 18: 117-346. [\[available in Cesa Library\]](#)
- 6834. Rebel, H.**, 1903, Eine Heteroceren-Ausbeute aus der Sahara II. Verh. zool.-bot. Ges. Wien 53: 404-415, Abb. [\[available in Cesa Library\]](#)
- 6835. Rebel, H.**, 1904, Studien über die Lepidopterenfauna der Balkanländer II. Teil. Bosnien-Herzegowina. Annln naturh. Mus. Wien 19: 97-377. [\[available in Cesa Library\]](#)
- 6836. Rebel, H.**, 1904, Sitematski spisak Lepidoptera (Lepirova) Bosnei Hercegovine. Glasn. zemalj. Mus. Bosni Herceg. 16: 375-416.
- 6837. Rebel, H.**, 1905, Lepidopteren, [in] Penther, A. & Zedebauer, E., Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias-Dagh (Kleinasien). Annln naturh. Mus. Wien 20 (2/3): 189-219. [\[available in Cesa Library\]](#)
- 6838. Rebel, H.**, 1906, [Beschreibungen lepidopterischen Arten von Kreta, Aegypten und Teneriffe]. Verh. zool.- bot. Ver. Wien 56: 232-238, Abb. [\[available in Cesa Library\]](#)
- 6839. Rebel, H.**, 1907, Lepidopteren aus Südarabien und von der Insel Sokotra. Denkschr. Akad. Wiss. Wien 71(2): 31-130, 1 Taf., 39 Abb. [\[available in Cesa Library\]](#)
- 6840. Rebel, H.**, 1908, Eine Lepidopterenausbeute welche vom Herrn Karl Ritter v. Blumencron im Hochsommer des verflossenen Jahres im nordöstlichen Kleinasien (Pontus) namentlich in der Umgebung Trapezunts gemacht wurde. Verh. zool.- bot. Ges. Wien 58:(82)- (85). [\[available in Cesa Library\]](#)
- 6841. Rebel, H.**, 1909, Bericht über eine kleine Lepidopterenausbeute, welche Herr Karl Ritter v. Blumencron im Juni 1908 in Fol. Maden bei Trapezunt gemacht. Verh. zool.- bot. Ges. Wien 59: (235)-(236). [\[available in Cesa Library\]](#)
- 6842. Rebel, H.**, 1910, Beitrag zur Lepidopterenfauna der Ionischen Inseln. Verh. zool.- bot. Ges. Wien 1910: 418-431. [\[available in Cesa Library\]](#)
- 6843. Rebel, H.**, 1910, Lepidopteren aus dem Monte Maggiore in Istrien. Jb. Ent. Ver. Wien 21: 97-110.
- 6844. Rebel, H.**, 1910, Neue palaearktische Pyraliden, Tortriciden und Tineen. Dt. ent. Z., Iris 24: 1-14, Taf. 1. [\[available in Cesa Library\]](#)
- 6845. Rebel, H.**, 1911, Die Lepidopterenfauna von Herkulesbad und Orşova. Annln naturh. Mus. Wien 25 (3/4): 253-430.
- 6846. Rebel, H.**, 1911, Lepidopteren aus dem Monte Maggiore in Istrien. I. Nachtrag. Jb. Ent. Ver. Wien 22: 227-240.
- 6847. Rebel, H.**, 1911, Die Lepidopterenfauna von Herkulesbad und Orsov. Annln naturh. Mus. Wien 25: 253-430, Taf. vii.
- 6848. Rebel, H.**, 1911, Parnassius apollo auerspergi nov. subspec. Verh. zool.- bot. Ges. Wien 61:(44)-(46). [\[available in Cesa Library\]](#)
- 6849. Rebel, H.**, 1911, Nachtrag zur Lepidopterenfauna von Korfu. Verh. zool.- bot. Ges. Wien 1911: 12-15. [\[available in Cesa Library\]](#)
- 6850. Rebel, H.**, 1911, Beitrag zur Lepidopterenfauna von Syrien. Verh. zool.- bot. Ges. Wien 61: (142)-(156), figs. [\[available in Cesa Library\]](#)
- 6851. Rebel, H.**, 1912, Lepidopteren aus dem Monte Maggiore in Istrien. II. Nachtrag. Jb. Ent. Ver. Wien 23: 177-205.

- 6852. Rebel,H.**, 1913, Studien über die Lepidopterenfauna der Balkanländer III.Teil. Sammelergebnisse aus Montenegro, Albanien, Mazedonien und Thrazien. Annln naturh. Mus. Wien 28: 281-334. [[available in Cesa Library](#)]
- 6853. Rebel,H.**, 1914, Über eine Mikrolepidopterenausbeute aus dem westlichen Thian-Shan-Gebiet. Dt. ent. Z., Iris 28: 271-278. [[available in Cesa Library](#)]
- 6854. Rebel,H.**, 1914, Zur Lepidopterenfauna Albaniens. Jber. naturw. Orient. Ver. 18/19: 37-43.
- 6855. Rebel,H.**, 1914, Wissenschaftliche Ergebnisse der Expedition R. Grauer nach Zentralafrika Dezember 1909-Februar 1911. Lepidopteren. Annln naturh. Mus. Wien 28: 219-294, 8 Taf. [[available in Cesa Library](#)]
- 6856. Rebel,H.**, 1915, Über Lepidopterenfauna Cyperns. Jb. Wien. ent Ver. 1915: 93-110, 1 Karte. [[available in Cesa Library](#)]
- 6857. Rebel,H.**, 1915, Neuer Beitrag zur Lepidopterenfauna der Samoa-Inseln. Jb. Hamb. wiss. Aust. 32, Beiheft 2: 121-157, 1 Taf. [[available in Cesa Library](#)]
- 6858. Rebel,H.**, 1916, Die Lepidopterenfauna Kretas. Annln naturh. Mus. Wien 30: 66-172. [[available in Cesa Library](#)]
- 6859. Rebel,H.**, 1917, Eine Lepidopterenausbeute aus dem Amanusgebirge (Alman Dag). Sb. Akad. Wiss. Wien Abt.I: 126 (4/5): 243-282. [[available in Cesa Library](#)]
- 6860. Rebel,H.**, 1917, Lepidopteren aus Neu-Montenegro. Sb. Akad. wiss. Wien A.I. 126: 765-813. [[available in Cesa Library](#)]
- 6861. Rebel,H.**, 1917, Beschreibung einer Anzahl neuer Mikrolepidopterenarten aus der Familie der Gelechiiden. Verh. zool.- bot. Ges. Wien 67: (49)-(55). [[available in Cesa Library](#)]
- 6862. Rebel,H.**, 1918, Lepidopteren aus Mittelalbanien. Z. öst. EntVer. 3(8): 1-15. [[available in Cesa Library](#)]
- 6863. Rebel,H.**, 1919, Axia (Cimelia) margarita Hb. und eine neue Lepidopterenfamilie Axiidae. Verh. zool.- bot. Ges. Wien 69: (111)-(114). [[available in Cesa Library](#)]
- 6864. Rebel,H.**, 1920, Lepidopterologische Nachträge zu einigen ostmediterranen Insularfaunen. Jber. Wien. ent. Ver. 30: 37-
- 6865. Rebel,H.**, 1927, Beitrag zur Lepidopterenfauna der Insel Cypern. Verh. zool.- bot. Ges. Wien 1927: (58)-(63), Abb.
- 6866. Rebel,H.**, 1928, Zur Lepidopterenfauna Cyperns V. Verh. zool.- bot. Ges. Wien 1928: (29)-(34), Abb. [[available in Cesa Library](#)]
- 6867. Rebel,H.**, 1932, Pyralidae-Gelechiidae, [in] Wagner,F., Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26 (18): 187-191. [[available in Cesa Library](#)]
- 6868. Rebel,H.**, 1932, Griechische Lepidopteren. Z. öst. EntVer. 17(8): 53-56. [[available in Cesa Library](#)]
- 6869. Rebel,H.**, 1933, Lepidopteren aus der Umgebung Ankaras. 1.Teil Annln naturh. Mus. Wien 46: 1-13, 1 pl., 2 figs. [[available in Cesa Library](#)]
- 6870. Rebel,H.**, 1933, Neue Lepidopteren aus Ankara. Z. öst. EntVer. 18: 23-24. [[available in Cesa Library](#)]
- 6871. Rebel,H.**, 1934, Neue Lepidopteren aus Mazedonien. Z. öst. EntVer. 19(4): ,Taf.2. [[available in Cesa Library](#)]
- 6872. Rebel,H.**, 1935, Neue Microlepidopteren aus Kleinasien. Mitt. münch. ent. Ges. 25: 39-41. [[available in Cesa Library](#)]
- 6873. Rebel,H.**, 1935, Revision der Dissocteninae und Beschreibung einer neue Gattung und Art der Fumeinae. Dt. ent. Z., Iris 48: 145-161, figs.
- 6874. Rebel,H.**, 1936, Lepidopteren aus der Umgebung Ankaras. 2.Teil Annln naturh. Mus. Wien 47: 43-58. [[available in Cesa Library](#)]
- 6875. Rebel,H.**, 1936, Zoologische Ergebnisse einer Dodekanesreise von O.Wittstein 1935. Lepidoptera. Sitz. Akad. Wiss. Wien Kl.I 145: 19-33. [[available in Cesa Library](#)]
- 6876. Rebel,H.**, 1937, Neue europäische Tortriciden und Tineiden. Z. öst. EntVer. 22(5): 41-48, Taf.ii, 10 figs. [[available in Cesa Library](#)]
- 6877. Rebel,H.**, 1937, Griechische Lepidopteren V. Z. öst. EntVer. 22(10):93-95. [[available in Cesa Library](#)]
- 6878. Rebel,H.**, 1938, Zur Lepidopterenfauna Kretas. Dt. ent. Z., Iris 52: 30-36. [[available in Cesa Library](#)]
- 6879. Rebel,H.**, 1939, Zur Lepidopterenfauna Cyperns. Mitt. münch. ent. Ges. 29: 487-564, Taf.xv. [[available in Cesa Library](#)]
- 6880. Rebel,H.**, 1940, Zur Kenntniss einiger Subfamilien der Psychiden. Z. wien. entVer. 25: 59-65, 73-76, Taf.xi. [[available in Cesa Library](#)]

- 6881. Reche, C.**, 1978, *Opopanax chironium* Koch, plante nourriciere de *Papilio alexanor* Esper. Entomops 45: 145-146.
- 6882. Redondo, V.**, 1990, Las Mariposas y Falenas en Aragon. 228pp. 24 figs. 26 Pls. 194 Cartes. Zaragoza, Espagne.
- 6883. Reeves, P.A.**, 1966-1967, Notes on the butterflies of Khao Yai National Park. Parts I, II. Nat. Hist. Bull. Siam Soc. 21: 1-20; *ibid.* 22: 119-135. [[available in Cesa Library](#)]
- 6884. Reeves, P.A.**, 1967, Notes on the butterflies along the Kwai Noi between Sai Yok and Wang Po. Nat. Hist. Bull. Siam Soc. 22: 143-149. [[available in Cesa Library](#)]
- 6885. Reh, L.**, 1925, Handbuch der Pflanzenkrankheiten. Vierter Band Tierische Schädlinge an Nutzpflanzen. Erster Teil, Vierte Auflage. 483 S., 218 Abb. Berlin. [[available in Cesa Library](#)]
- 6886. Rehnelts, K.**, 1983, Notiz über *Colias*-Fundorte (Pieridae, Lep.). Nota lepid. 6 (4): 244-245. [[available in Cesa Library](#)]
- 6887. Rehnelts, S. & K.Rehnelts**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Ent. Z., Frankf. a. M. 82(14): 159-160. [[available in Cesa Library](#)]
- 6888. Rehnelts, S. & K.Rehnelts**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Ent. Z., Frankf. a. M. 82(14): 159-160. [[available in Cesa Library](#)]
- 6889. Reich, P.**, 1935, *Callimorpha dominula* L. (Lepidoptera, Callimorphinae). Ent. Rdsch. 53(1): 8-10, (2): 30-31. [[available in Cesa Library](#)]
- 6890. Reich, P.**, 1936, Neue Arctiidae. Ent. Rdsch. 53: 418-424. [[available in Cesa Library](#)]
- 6891. Reich, P.**, 1938, Neue Arctiiden. Ent. Rdsch. 55: 192-195, 205-207, 8 Abb. [[available in Cesa Library](#)]
- 6892. Reid, W.**, 1892, Times of flight of the species in the genus *Crambus*. Entomologist's Rec. J. Var. 3: 16, 140-141. [[available in Cesa Library](#)]
- 6893. Reinhardt, K.**, 1992, Tagfalterbeobachtungen auf Korsika mit einem Fund von *Danaus chrysippus* L. Atalanta 23 (1/2): 75-79. [[available in Cesa Library](#)]
- 6894. Reinhardt, R.**, 1969, Eine indirekte Beobachtung einer *Pieris*-Wanderung. Atalanta 2(7): 209-210. [[available in Cesa Library](#)]
- 6895. Reinhardt, R.**, 1982, Übersicht zur Tagfalterfauna der DDR. Nota lepid. 5 (4): 177-190. [[available in Cesa Library](#)]
- 6896. Reinhardt, R.**, 2001, Kleine Ergänzungen zur Tagfalterfauna der Türkei (Lepidoptera, Rhopalocera). Atalanta 32 (3/4): 399-400. [[available in Cesa Library](#)]
- 6897. Reiss, G.**, 1976, A New Subspecies of *Zygaena* (*Zygaena*) *osterodensis* Reiss (Lep., Zygaenidae) from the Region of Lake Van, Turkey. Entomologist's Gaz. 27: 31-32, pl.2, figs.3-4. [[available in Cesa Library](#)]
- 6898. Reiss, G.**, 1978, Beiträge zur Kenntnis der Bombyces und Sphinges des Iran 3. Beitrag: *Zygaena* (*Mesembrynus*) *tamara* Christoph im Westiran (Lep., Zygaenidae). Atalanta 9 (4a): 345-354, figs. [[available in Cesa Library](#)]
- 6899. Reiss, H. & A.Schulte**, 1964, Beitrag zur Zygaenenfauna Afghanistans (Lep.). Ent. Z., Frankf. a. M. 74 (14): 153-162, 12 Abb. [[available in Cesa Library](#)]
- 6900. Reiss, H. & G.Reiss**, 1969, Beitrag zur Verbreitung der *Zygaena* (*Agrumenia*) *ganymedes* H.-S., und der *Zygaena* (*A.*) *laetifica* H.-S. der *olivieri* Gruppe (Lep.). Stuttg. Beitr. Naturk. 205: 1-7, Pls. [[available in Cesa Library](#)]
- 6901. Reiss, H. & G.Reiss**, 1973, On the *Zygaena* Fauna of the Neighbourhood of Lake Van in Asia Minor (Lep., Zygaenidae). Entomologist's Rec. J. Var. 85: 191-196, pls.14-15. [[available in Cesa Library](#)]
- 6902. Reiss, H. & W.G.Tremewan**, 1960, On the synonymy of some *Zygaena* species, with descriptions of a new species and subspecies from Morocco, Lep., Zygaenidae. Bull. Br. Mus. nat. Hist. (Ent.) 9 (10): 459-468, pl.22. [[available in Cesa Library](#)]
- 6903. Reiss, H. & W.G.Tremewan**, 1967, A Systematic Catalogue of the genus *Zygaena* Fabricius (Lepidoptera, Zygaenidae). [In] Schimitschek, E., Series Entomologica vol. 2, xvi+329 pp. Dr. W. Junk-Den Haag. [[available in Cesa Library](#)]
- 6904. Reiss, H.**, 1929, Neue Zygaenen Rassen von Kleinasien. Int. ent. Z. 23: 148, 151-152. [[available in Cesa Library](#)]
- 6905. Reiss, H.**, 1930-1931, Familie Zygaenidae. [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 1-50. Stuttgart.
- 6906. Reiss, H.**, 1932, Altes und neuer über *Zygaena corycia*, *Z. graslini*, *Z. cambysea* und *Z. cuvieri*. Int. ent. Z. 26: 269-280, Pl. [[available in Cesa Library](#)]

- 6907. Reiss, H.**, 1933, Nachträge und Berichtigungen zum Supplementband 2. Familie Zygaenidae, [in] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 249-278. Stuttgart.
- 6908. Reiss, H.**, 1935, Neues über asiatische Zygaenen, im besonderen die Zygaenen-Fauna von Ak-Schehir in Kleinasien. Int. ent. Z. 29: 121-124, 139-142, 149-151, 159-161, 186-192, 207-209, 221-223, 229-232, 1 Pl. [\[available in Cesa Library\]](#)
- 6909. Reiss, H.**, 1935, *Zygaena formosa* H.-S., kotschi nov.subsp. Int. ent. Z. 28: 489-491. [\[available in Cesa Library\]](#)
- 6910. Reiss, H.**, 1936, Ein Zygaenenfund aus der Tertiärzeit. Ent. Rdsch. 53: 554-556, Taf.vii. [\[available in Cesa Library\]](#)
- 6911. Reiss, H.**, 1937-1938, Neues über die Zygaenenfauna des Elbursgebirges und ihre Beziehungen zu den Faunen Nordafrikas und der Pyrenäen-Halbinsel- Nachtrag. Ent. Rdsch. 55: 18-19, 30-32, 40-42, figs. [\[available in Cesa Library\]](#)
- 6912. Reiss, H.**, 1938, Die Zygaenen der Umgebung von Chiraz (Provinz Fars) in Südiran. Ent. Rdsch. 55: 249-254, 290-292, 310-314, Abb. [\[available in Cesa Library\]](#)
- 6913. Reiss, H.**, 1938, Weiterer Ausschnitt über die Zygaenen-Fauna des Elbursgebirges. Mitt. münch. ent. Ges. 38: 164-169.
- 6914. Reiss, H.**, 1953, Über drei Zygaenen die als regressive Endemiten bezeichnet werden können, deren Entstehung vermutlich in der Pliozänzeit erfolgte. Z. wien. ent. Ges. 38: 131-141, Taf.8-10. [\[available in Cesa Library\]](#)
- 6915. Reiss, H.**, 1960, *Zygaena manlia* Lep., subsp. *taftanica* subsp.n. (Lepidoptera). Ent. Z., Frankf. a. M. 70(7): 76-79, 6 Abb. [\[available in Cesa Library\]](#)
- 6916. Reiss, H.**, 1961, Über *Zygaena araratensis* Reiss im besonderen Festlegung des Lectotypus. Ent. Z., Frankf. a. M. 71: 205-208, 242-245. [\[available in Cesa Library\]](#)
- 6917. Reiss, H.**, 1965, On *Zygaena* (*Agrumenia*) *fraxini* Ménétriés and a new subspecies from Transcaucasia (Lep., Zygaenidae). Entomologist's Rec. J. Var. 77: 165-168, pl.ii. [\[available in Cesa Library\]](#)
- 6918. Reisser, H.**, 1930, Eine neue europäische Noctuide. Z. öst. Ent.Ver. 15 (1): 1-6, Taf.1. [\[available in Cesa Library\]](#)
- 6919. Reisser, H.**, 1936, Neue Heteroceren aus der Sierra de Gredos. Ent. Rdsch. 53: 37-42, 60-63, 77-80, 89-93, 106-109, 125-128, 135-138, 145-147, 152-156, 7 figs., 4 Taf. [\[available in Cesa Library\]](#)
- 6920. Reisser, H.**, 1939, Beiträge zur Kenntnis der Sterrhinae (Lep., Geom.) I. *Sterrhapa palaestinis* (Stck.) *peluraria* subsp.nov. Z. öst. EntVer. 24: 26-27. [\[available in Cesa Library\]](#)
- 6921. Reisser, H.**, 1954, G. de Lattin: Türkiye Kelebekleri Hakkında I.(Türkische Lepidopteren I.), Ist.Üniv.Fen Fak. Mecmuasi (Rev. de la faculté des sciences de l'Univ. d'Istanbul 1950, p.301-331, 2 Taf. 9 Abb.(Sep.) und dto., II., ibid., Tome xvi, Fasc.I, 1951, p.45-73, 1 Taf., 8 Ab Z. wien. ent. Ges. 39: 44-45. [\[available in Cesa Library\]](#)
- 6922. Reisser, H.**, 1957, Beiträge zur Kenntnis der Sterrhinae (Lepidoptera, Geometridae) III. Über *Problepsis ocellata* Friv. und ihre ersten Stände. Z. wien. ent. Ges. 42: 161-172. [\[available in Cesa Library\]](#)
- 6923. Reisser, H.**, 1958, Ergebnisse der Österreichischen Iran-Expedition 1949/50 Lepidoptera I. (Macrolepidoptera). Sber. Akad. Wiss. Wien, Abt.1 167: 519-551, 9 Taf., 1 Karte. [\[available in Cesa Library\]](#)
- 6924. Reisser, H.**, 1971, Beiträge zur Kenntnis der Sterrhinae (Lep., Geometridae), VIII. Liste der von Dr.U. Roesler in Nordgriechenland und im westlichen Kleinasien gesammelten Arten. Ent. Z., Frankf. a. M. 81(3): 21-24. [\[available in Cesa Library\]](#)
- 6925. Reissinger, E.**, 1959, Zur Taxonomie einiger Formen von *Colias australis*, insbesondere des Lectotypus von *Colias hyale australis* Verity (1911). NachrBl. bayer. Ent. 8 (12): 113-122.
- 6926. Reissinger, E.**, 1960, Die Unterscheidung von *Colias hyale* L. und *Colias australis* Verity.- Zugleich ein Beitrag zum Wanderfalterproblem. Ent. Z., Frankf. a. M. 70(11/14): 117-131, 133-140, 148-156, 160-162.
- 6927. Reissinger, E.**, 1962, Eine neue Methode zur Festlegung von Wanderbewegungen am Beispiel von *Colias hyale* (L.) und *Colias australis* Verity.- 2. Beitrag zum Wanderfalterproblem. NachrBl. bayer. Ent. 11 (10/11): 97-100, 106-111.
- 6928. Reissinger, E.**, 1963, Ergänzungen und Berichtigungen zum Thema *Colias hyale* (L.) und *Colias australis* Verity.- 3. Beitrag zum Wanderfalterproblem. Ent. Z., Frankf. a. M. 73(3): 23-28.
- 6929. Reissinger, E.**, 1964, Beobachtungen und Nachweis eines gerichteten Wanderfluges von *Colias hyale* (L.) und *Colias australis* Verity (Lep., Pierid.) am 15. und 16.September 1962 bei Heilbronn durch H.Wanner. Atalanta 1(2): 49-53, Abb. [\[available in Cesa Library\]](#)

- 6930. Reissinger, E.**, [1990], Checkliste Pieridae Duponchel, 1835 (Lepidoptera) der Westpaläarktis (Europa, Nordwestafrika, Kaukasus, Kleinasien). *Atalanta* 20 (1989): 149-185. [[available in Cesa Library](#)]
- 6931. Ren, Y., Liu, S. & H. Li**, 2011, Review of the genus *Merulempista* Roesler, 1967 (Lepidoptera, Pyralidae) from China, with description of two new species. *Zookeys* 77: 65-75, figs. [[available in Cesa Library](#)]
- 6932. Retzlaff, H.**, 1973, Ein Beitrag zur Psychiden-Fauna Jugoslawisch-Mazedoniens. *Ent. Z., Frankf. a. M.* 83: 77-80.
- 6933. Retzlaff, H.**, 1991, Zur Verbreitung von *Cerocala sana* Staudinger, 1901, in der Türkei (Lep., Noctuidae). *Mitt. Arb. Gem. Ostwestf. - Lipp. Ent.* 7 (2): 75-76.
- 6934. Reverdin, J. L.**, 1909, *Pieris rapae*, L., and *P. manni*, Mayer. *Entomologist's Rec. J. Var.* 21: 149-150, Pl. xiii. [[available in Cesa Library](#)]
- 6935. Reverdin, J. L.**, 1910, *Carcharodus althaeae* Hb. et *Carcharodus baeticus* Rambur. *Bull. Soc. ent. Fr.* 1910: 335-336.
- 6936. Reverdin, J. L.**, 1913, Notes sur les genres *Hesperia* et *Carcharodus*. *Bull. Soc. lepid. Genève* 2: 212-237. [[available in Cesa Library](#)]
- 6937. Reverdin, J. L.**, 1916, *Adopea nova*, mihi, species nov. *Bull. Soc. lepid. Genève* 3: 122-128, pl. 7, 8.
- 6938. Rezbanyai, L. & A. Hausmann**, 2000, Über *Mythimna* (*Morphopoliana*) *languida* (Walker, 1858), eine neue, tropische Wanderfalterart Europas und ihre Fundangaben in Nord- und Süditalien (Lepidoptera, Noctuidae). *Atalanta* 31 (1/2): 77-85, 4 Abb. [[available in Cesa Library](#)]
- 6939. Rezbanyai, L.**, 1978, Eine Lösung für die *Horisme* (*Phibalapteryx*) *tersata-testaceata*-Frage: *Horisme laurinata* Schawerda 1919 bona species mit der forma nova *griseata*. *Mitt. ent. Ges. Basel* 28 (3): 57-71.
- 6940. Rezbanyai, L.**, 1980, *Horisme laurinata* Schawerda, 1919 bona species auch in Ungarn nachgewiesen. *Folia ent. hung.* 41(33): 371-373.
- 6941. Rezbanyai, L.**, 1980, Die Genitalien von *Scotopteryx bipunctaria* und *S. octodurensis*, sowie allerlei Wissenswertes über die letztgenannte Art (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 90(4): 33-46, 6 Abb. [[available in Cesa Library](#)]
- 6942. Rezbanyai, L.**, 1981, Zur Verbreitung der *Horisme*-Arten *tersata* Denis & Schiffermüller 1775 und *laurinata* Schawerda 1919 in Europa (Geometridae). *Nota lepid.* 4(4): 159-166, 1 Foto, 4 Karte. [[available in Cesa Library](#)]
- 6943. Rezbanyai-Reser, L. & A. Exposito-Hermosa**, 1988, Zum Vorkommen von *Gnophos* (*Kemtrognophos*) *predotae* Schawerda, 1929, in Spanien und zur Morphologie der Arten *predotae* Schaw., *ambiguatus* Dup. und *onustarius* H.-Sch. (Lep., Geometridae). *Nota lepid.* 11 (3): 207-222, figs. [[available in Cesa Library](#)]
- 6944. Rezbanyai-Reser, L.**, 1984, Fauna Centrohelvética. Zur Insektenfauna von Gersau-Oberholz, Kanton Schwyz III. Lepidoptera I. "Macrolepidoptera". *Ent. Ber., Luzern* 12: 1-127. [[available in Cesa Library](#)]
- 6945. Rezbanyai-Reser, L.**, 1997, Chersotis-Studien 1. Revision de transiens-stridula-Gruppe (Süd-Ural und Mittelasien) mit der Beschreibung von sp. n. *cortifera* und *altajensis* sowie ssp. n. *uralica* (Lepidoptera, Noctuidae). *Ent. Ber., Luzern* 38: 155-170, Abb. [[available in Cesa Library](#)]
- 6946. Rezbanyai-Reser, L.**, 1997, Vier neue *Oligia*-Arten, *pseudodubia* (NW-Kaukasus) und *turcia* (Türkei), sowie *suleiman* und *vandarban* (Nord-Iran) (Lepidoptera, Noctuidae). *Ent. Ber., Luzern* 37: 149-169, Abb. [[available in Cesa Library](#)]
- 6947. Rhe-Philipe, G. W. V. de**, 1917, Butterflies of Lahore. *J. Bomb. nat. Hist. Soc.* 25: 136-142. [[available in Cesa Library](#)]
- 6948. Ribbe, C.**, 1886, Beitrag zur Kenntnis der Lepidopteren-Fauna der Aru-Inseln. *Dt. ent. Z., Iris* 1: 73-90. [[available in Cesa Library](#)]
- 6949. Ribbe, C.**, 1887, Beitrag zur Kenntnis der Lepidopteren-Fauna von Batjan. *Dt. ent. Z., Iris* 1: 203-205. [[available in Cesa Library](#)]
- 6950. Ribbe, C.**, 1889, Beiträge zur Lepidopteren-Fauna von Gross-Ceram. *Dt. ent. Z., Iris* 2: 187-265. [[available in Cesa Library](#)]
- 6951. Ribbe, C.**, 1905, Einige neue Formen von Schmetterlingen aus Andalusien. *Soc. Ent.* 20 (18): 137-138.
- 6952. Ribbe, C.**, 1910, Beiträge zu einer Lepidopteren-Fauna von Andalusien (Süd Spanien). Macrolepidopteren. *Dt. ent. Z., Iris* 23 (Beiheft 2): 97-228. [[available in Cesa Library](#)]

- 6953. Richter, W.**, 1963, Bericht über eine Sammelreise in Aethiopien 1959/60 (Ergebnisse der Entomologischen Reise Willi Richter, Stuttgart, in Aethiopien 1959/60- Nr.5). Stuttg. Beitr. Naturk. 111: 1-12, 8 Abb. [[available in Cesa Library](#)]
- 6954. Riding, W.S.**, 1893, Life history of *Dasycampa rubiginea*. Entomologist's Rec. J. Var. 4: 1-3. [[available in Cesa Library](#)]
- 6955. Riding, W.S.**, 1895, Notes on a specimen of *Orrhodia erythrocephala* var. *glabra* recently taken in Devonshire. Entomologist's Rec. J. Var. 6: 51-53. [[available in Cesa Library](#)]
- 6956. Riedl, T.**, 1966, Materieux pour la connaissance des Mommphides paléarctiques (Lepidoptera) Part IV. Mommphides nouveaux ou peu connues de la region paléarctique occidentale. Bull. ent. pol. 36: 75-84, figs.
- 6957. Riedl, T.**, 1978, Sur la repartition de certains Mommphidae s.l. dans la region Mediterraneenne (Lepidoptera). Mitt. ent. Ges. Basel 28: 72-75. [[available in Cesa Library](#)]
- 6958. Riemis, A.**, 1992 Geometridae of Turkey 2. *Lomaspilis opis bithynica* ssp.n. a new for Turkey (Lepidoptera, Geometridae). Phegea 20 (4): 131-135, figs. [[available in Cesa Library](#)]
- 6959. Riemis, A.**, 1992, Geometridae of Turkey 1. Description of a new species from Eastern Turkey in the genus *Aplocera* Fletcher [sic!] (Lepidoptera, Geometridae). Phegea 20 (2): 75-78, 3 figs. [[available in Cesa Library](#)]
- 6960. Riemis, A.**, 1993, A short visit to Syria in May 1992 (Lepidoptera). Phegea 21 (3): 93-95. [[available in Cesa Library](#)]
- 6961. Riemis, A.**, 1994, Geometridae of Turkey 3. A provisional list of the Geometridae of Turkey (Lepidoptera). Phegea 22 (1): 15-22. [[available in Cesa Library](#)]
- 6962. Riemis, A.**, 1995, Geometridae of Turkey 4. *Menophra trypanaria* (Wiltshire, 1948), a new species for the Turkish fauna, with description of the male (Lepidoptera). Phegea 23 (3): 137-140, 10 figs. [[available in Cesa Library](#)]
- 6963. Riemis, A.**, 1996, Geometridae of Turkey, 5. Data on 38 new Turkish Geometridae species (Lepidoptera). Phegea 24 (2): 83-87. [[available in Cesa Library](#)]
- 6964. Riemis, A.**, 1997, Geometridae of Turkey 6. Description of a new species from eastern Turkey in the genus *Scotopteryx* Hübner (Lepidoptera, Geometridae). Phegea 25 (1): 31-34, 3 figs. [[available in Cesa Library](#)]
- 6965. Riesen, A.**, 1891, Zur systematische Stellung der Gattung *Namangana* Stgr. Stettin ent.Ztg. 52 (1/3): 14-15.
- 6966. Riley, J.**, 1971, A checklist of the Nigerian Sphingidae. Occ. Publ. ent. Soc. Nigeria 5: 1-9.
- 6967. Riley, J.**, 1971, A checklist of the Nigerian Lymantriidae. Occ. Publ. ent. Soc. Nigeria 6: 1-10.
- 6968. Riley, N.D. & Corbet, A.S.**, 1938, A revision of the Malayan species of *Jamides* Hübner (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 87 (5): 147-158, 17 figs. 1 Pl. [[available in Cesa Library](#)]
- 6969. Riley, N.D. & E.J. Godfrey**, 1921, Some undescribed *Rhopalocera* from Siam. J. nat. Hist. Soc. Siam 4 (3): 167-190. [[available in Cesa Library](#)]
- 6970. Riley, N.D.**, 1920, A note on some African *Rhopalocera*. Entomologist 53: 73-75. [[available in Cesa Library](#)]
- 6971. Riley, N.D.**, 1921, Some undescribed *Rhopalocera* from Mesopotamia and N.W. Persia; and other notes. Ann. Mag. nat. Hist. (9) 8: 590-600. [[available in Cesa Library](#)]
- 6972. Riley, N.D.**, 1922, The genus *Amblypodia* auctorum (de Niceville, Moore, Swinhoe, etc.) nec Horsfield. Entomologist 55: 25-29, 51-53. [[available in Cesa Library](#)]
- 6973. Riley, N.D.**, 1923, The *Rhopalocera* of the Mount Everest 1921 Expedition, with Appendix I, II. Trans. ent. Soc. London 1922: 461-477, 478-483, pls. xxxvi, xxxvii. [[available in Cesa Library](#)]
- 6974. Riley, N.D.**, 1925, The species usually referred to the genus *Cigaritis* Bois. Novit. zool. 32: 70-95, figs. [[available in Cesa Library](#)]
- 6975. Riley, N.D.**, 1925, New *Rhopalocera* from Siam and Hainan. Entomologist 58: 140-143.
- 6976. Riley, N.D.**, 1926, Descriptions of three new Lepidoptera. Entomologist's mon. Mag. 62: 277-279, pls. 2, 3.
- 6977. Riley, N.D.**, 1926, Descriptions of the new *Rhopalocera* obtained. Entomologist's mon. Mag. 1926: 277-279, Pls. ii, iii. [[available in Cesa Library](#)]
- 6978. Riley, N.D.**, 1927, The *Rhopalocera* of the third Mount Everest Expedition (1924). Trans. ent. Soc. London 75: 119-129. [[available in Cesa Library](#)]
- 6979. Riley, N.D.**, 1928, Two new local races of *Euchloe*. Entomologist 61: 136-137.
- 6980. Riley, N.D.**, 1931, Two new *Charaxes* from Southern Arabia. Entomologist 64: 279-280.

- 6981. Riley, N.D.**, 1932, New African and Arabian Butterflies. *Ann. Mag. nat. Hist.* (10) 10: 137-152, Pl. 8,9. [\[available in Cesa Library\]](#)
- 6982. Riley, N.D.**, 1932, Descriptions of new Siamese Rhopalocera. *J. Siam Soc. Nat. Hist.*, Suppl. 8 (4): 249-254, pl.22. [\[available in Cesa Library\]](#)
- 6983. Riley, N.D.**, 1934, Report on the Insecta collected by Colonel R. Meinertz-Hagen in the Ahaggar Mountains. IV. Lepidoptera. *Ann. Mag. nat. Hist.* (10) 13: 175-181.
- 6984. Riley, N.D.**, 1938, Descriptions of new or little known South African Rhopalocera (Lepidoptera). *Trans. R. ent. Soc. London* 87 (10): 233-245, 2 pls. [\[available in Cesa Library\]](#)
- 6985. Riley, N.D.**, 1939, Notes on Oriental Theclinae (Lep., Lycaenidae) with descriptions of new species. *Novit. Zool.* 41: 355-361. [\[available in Cesa Library\]](#)
- 6986. Riley, N.D.**, 1939, A new species of *Armandia* (Lep., Papilionidae). *Entomologist* 72: 207-208, 1 pl.
- 6987. Riley, N.D.**, 1939, *Armandia mansfieldi* (nota). *Entomologist* 72: 267.
- 6988. Riotte, J.C.E.**, 1974, Kurze Notiz zur Kenntnis der nordamerikanischen *Orgyia* (Lep., Lymantriidae) nebst Designation einer neuen Art. *Ent. Z., Frankf. a. M.* 84 (9): 94-95. [\[available in Cesa Library\]](#)
- 6989. Riotte, J.C.E.**, 1976, Kurze Notiz zur Kenntnis einer neuen Art der Gattung *Orgyia* von Papua New Guinea und Australien (Lep., Lymantriidae). *Ent. Z., Frankf. a. M.* 86 (9): 89-93, 1 Abb. [\[available in Cesa Library\]](#)
- 6990. Riotte, J.C.E.**, 1978, Bemerkungen zur Kenntnis einiger endemischer Spanner von Hawaii (Lep., Geometridae). *Ent. Z., Frankf. a. M.* 88 (8): 77-82, Abb.
- 6991. Riotte, J.C.E.**, 1979, Zur Gattungszugehörigkeit von "*Theretra*" *brunnea* (Lep., Sphingidae). *Ent. Z., Frankf. a. M.* 89 (20): 225-230, 3 Abb. [\[available in Cesa Library\]](#)
- 6992. Riotte, J.C.E.**, 1980, Eine weitere neue Art der Gattung *Kauaiina* (Lep., Geometridae). *Ent. Z., Frankf. a. M.* 90 (16): 173-175, 2 Abb. [\[available in Cesa Library\]](#)
- 6993. Riotte, J.C.E.**, 1989, Anmerkungen zur Nomenklatur einiger nordamerikanischer *Orgyia* (Lepidoptera, Lymantriidae). *Ent. Z., Frankf. a. M.* 99 (13): 177-178. [\[available in Cesa Library\]](#)
- 6994. Riotte, J.C.E.**, 1989, Eine neue Art der Gattung *Kauaiina* vom Alakai Swamp, Kauai, Hawaii (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 99: 318-320, 2 Abb. [\[available in Cesa Library\]](#)
- 6995. Riotte, J.C.E.**, 1990, Noch eine neue Art der Gattung *Kauaiina* von der Insel Maui (Hawaiian Islands) (Lepidoptera, Geometridae). *Ent. Z., Frankf. a. M.* 100: 62-65, 3 Abb. [\[available in Cesa Library\]](#)
- 6996. Riotte, J.C.E.**, 1994, Eine neue Art des *Hippotion velox*-Species-Komplexes (Lepidoptera, Sphingidae). *Ent. Z., Frankf. a. M.* 104 (15): 293-299, 8 Abb. [\[available in Cesa Library\]](#)
- 6997. Robbe, H.**, 1892, Insectes du Bengale Occidental 17. Liste d'une collection de Lépidoptères. *Annls Soc. ent. Belg.* 36: 122-131. [\[available in Cesa Library\]](#)
- 6998. Robbe, H.**, 1892, Lépidoptères du Congo. Description de deux nouvelles espèces et de deux nouvelles variétés. *Annls Soc. ent. Belg.* 36: 132-134. [\[available in Cesa Library\]](#)
- 6999. Roberts, T.J.**, 2001, The butterflies of Pakistan. 200pp. 65 pls. Oxford Univ. Press, Karachi.
- 7000. Robertson, R.B.**, 1895, Lepidoptera in the Cheltenham district. *Entomologist's Rec. J.* Var. 6: 239-240. [\[available in Cesa Library\]](#)
- 7001. Robinet, J.**, 1984, Contribution aux connaissances biologiques et éthologiques sur *Lemonia dumi* (Lep., Lemoniidae). *Nota lepid.* 7 (3): 286-296, figs. [\[available in Cesa Library\]](#)
- 7002. Robinson, G.S. & E.S.Nielsen**, 1983, The Microlepidoptera described by Linnaeus and Clerck. *Syst. Ent.* 8: 191-242. [\[available in Cesa Library\]](#)
- 7003. Robinson, G.S. & E.S.Nielsen**, 1993, Tineid genera of Australia (Lepidoptera). *Monographs on Australian Lepidoptera* 2: xv+344 pp. 734 figs. CSIRO Publ., Melbourne.
- 7004. Robinson, G.S. & K.R.Tuck**, 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). *Syst. Ent.* 22: 363-396, figs. [\[available in Cesa Library\]](#)
- 7005. Robinson, G.S.**, 1975, Macrolepidoptera of Fiji and Rotuma: A Taxonomic and Biogeographic Study. 362 pp. Maps, figs. Classey. [\[available in Cesa Library\]](#)
- 7006. Robinson, G.S.**, 1976, The preparation of slides of Lepidoptera genitalia with special reference to the Microlepidoptera. *Entomologist's Gaz.* 27: 127-132. [\[available in Cesa Library\]](#)
- 7007. Robinson, G.S.**, 1977, Sesiidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.)* 105: 20. [\[available in Cesa Library\]](#)

- 7008. Robinson, G.S.**, 1979, Clothes moths of the *Tinea pellionella* complex: a revision of the world's species (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (3): 57-128, figs. [[available in Cesa Library](#)]
- 7009. Robinson, G.S.**, 1982, The Palaearctic Tineidae (Lepidoptera) described by Daniel Lucas. Entomologist's Gaz. 33: 175-180. [[available in Cesa Library](#)]
- 7010. Robinson, G.S.**, 1985, The white Tineidae of North Africa and the Middle East: A revision of the *Episcardia lardatella*-complex (Lepidoptera). Entomologist's Gaz. 36: 269-281, figs.
- 7011. Robinson, G.S.**, 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs. [[available in Cesa Library](#)]
- 7012. Robinson, G.S., Ackery, P.R., Kitching, I.J., Beccaloni, G.W. & L.M.Hernandez**, 2005, Hosts - a database of hostplants of the World's Lepidoptera (<http://intern.nhm.ac.uk/jdsml/research-curation/projects/hostplants/index.dsml>)> Natural History Museum, London. [[available in Cesa Library](#)]
- 7013. Robinson, G.S., Tuck, K.R. & M.Shaffer**, 1994, A field guide to the smaller moths of south-east Asia. 306 pp. 51 figs., 31 pls. Malaysian Nature Society, Kuala Lumpur. [[available in Cesa Library](#)]
- 7014. Robinson, R.**, 1971, Lepidoptera Genetics. Pergamon Press. Oxford. [[available in Cesa Library](#)]
- 7015. Robson, J.E.**, 1892, The genus *Hepialus*. Entomologist's Rec. J. Var. 3: 52-56, 77-79, 100-101. [[available in Cesa Library](#)]
- 7016. Rociené, A. & J.R.Stonis**, 2013, Nepticulidae (Lepidoptera) of East Asia (2). Study of a collection sample deposited at the Russian Academy of Sciences, with descriptions of new species and a checklist. Zootaxa 3652 (2): 75-116, figs. [[available in Cesa Library](#)]
- 7017. Roeber, J.**, 1896, Ein neuer *Trypanus* aus dem paläarktischen Gebiete. Ent. Nachr. 22: 3-4. [[available in Cesa Library](#)]
- 7018. Roell, L.**, 1956, Unter mazedonischen und griechischen Schmetterlingen. Ent. Z., Frankf. a. M. 66: 161-168, 170-182. [[available in Cesa Library](#)]
- 7019. Roepke, W.**, 1909, Lebensweise und Zucht von *Polyommatus baeticus* L. auf Java. Ent. Z., Stuttgart 23(39): 170-171. [[available in Cesa Library](#)]
- 7020. Roepke, W.**, 1943, On the genera *Dudusa* Walk. and *Tarsolepis* Butl. in the Dutch East Indies (Lepidoptera, Notodontidae). Tijdschr. Ent. 86: 77-83.
- 7021. Roepke, W.**, 1946, Revisional notes on the genus *Cyana* Wlk. (Lep., Lithosiidae). Tijdschr. Ent. 87: 26-36, figs. [[available in Cesa Library](#)]
- 7022. Roepke, W.**, 1946, The Lithosiids, collected by Dr. L.J.Toxopeus in Central Celebes, with remarks on some allied species. Tijdschr. Ent. 87: 77-91, figs. [[available in Cesa Library](#)]
- 7023. Roepke, W.**, 1949, The Genus *Nyctemera* Hübner. Trans. R. ent. Soc. Lond. 100(2): 47-70, 14 figs., 2 Pls. [[available in Cesa Library](#)]
- 7024. Roepke, W.**, 1953, Four Lasiocampids from Java (Lepidoptera, Heterocera). Tijdschr. Ent. 96: 95-97.
- 7025. Roepke, W.**, 1956, Some new or little known Lepidoptera Heterocera from Indonesia and New Guinea, II. Tijdschr. Ent. 99(1/2): 23-29, 2 Pls., figs. [[available in Cesa Library](#)]
- 7026. Roepke, W.**, 1957, The Genus *Nyctemera* Huebner II. Tijdschr. Ent. 100 (2): 147-178, 12 figs. Pls. 8-9. [[available in Cesa Library](#)]
- 7027. Roepke, W.**, 1957, The Cossids of the Malay Region (Lepidoptera, Heterocera). Verh. Akad. Wet. Amst. (Afd. Natuurk). (2) 52: 3-60.
- 7028. Roesler, R.-U. & P.V.Küppers**, 1975, Beiträge zur Kenntnis der Insektenfauna Sumatras Teil 3: Drei neue Schwärmer-Formen (Lepidoptera, Sphingidae). Ent. Z., Frankf. a. M. 85 (16): 177-186, 5 Abb. [[available in Cesa Library](#)]
- 7029. Roesler, R.-U. & P.V.Küppers**, 1976, Beiträge zur Kenntnis der Insektenfauna Sumatras Teil 4: Fünf neue *Cyana*-Arten (Lepidoptera, Arctiidae). Ent. Z., Frankf. a. M. 86 (15): 161-170, 6 Abb. [[available in Cesa Library](#)]
- 7030. Roesler, R.-U. & P.V.Küppers**, 1977, Beiträge zur Kenntnis der Insektenfauna Sumatras: Zur Ethologie und Geobiologie der Schwärmer Sumatras (Lepidoptera, Sphingidae). Bonn. zool. Beitr. 28: 160-197, 19 Abb. [[available in Cesa Library](#)]
- 7031. Roesler, R.-U. & P.V.Küppers**, 1979, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil A. Beitr. naturk. Forsch. Südwdtl. Beih. 3: 1-249, 7 Abb. 36 Taf. [[available in Cesa Library](#)]

- 7032. Roesler,R.-U. & P.V.Küppers,** 1981, Die Phycitinae (Lepidoptera: Pyralidae) von Sumatra; Taxonomie Teil B, Ökologie und Geobiologie. Beitr. naturk. Forsch. Südwdtl. Beih. 4: 1-282, 4 Abb. 42 Taf. [\[available in Cesa Library\]](#)
- 7033. Roesler,R.-U.,** 1967, Beschreibung einiger neuer Taxa der Lithosiinae (Lepidoptera) aus der Paläarkt. Z. wien. ent. Ges. 52: 67-76, 1 Taf, 14 Abb. [\[available in Cesa Library\]](#)
- 7034. Roesler,R.-U.,** 1967, Phycitinen-Studien (Lepidoptera) II. Ent. Z., Frankf. a. M. 77: 273-282, Abb. [\[available in Cesa Library\]](#)
- 7035. Roesler,R.-U.,** 1968, Phycitinen-Studien IV (Lep., Pyralidae). Ent. Z., Frankf. a. M. 78 (20): 225-239, 14 Abb. [\[available in Cesa Library\]](#)
- 7036. Roesler,R.-U.,** 1969, Phycitinen-Studien (Lepidoptera) III. Bonn. zool. Beitr. 20 (1/3): 257-265, figs. [\[available in Cesa Library\]](#)
- 7037. Roesler,R.-U.,** 1971, In Memoriam Dozent Dr. Stanislav Bleszynski. Ent. NachrBl. 18 (1): 33-36. [\[available in Cesa Library\]](#)
- 7038. Roesler,R.-U.,** 1973, Trifine Acrobasiina (1. Teilband der Phycitinae). [in] Amsel,H.G. et al., Microlepidoptera Palaearctica vol.4. Textband, xvi ♀ 752 S., 145 Abb.; Tafelband 137 S., 37 Abb., 38 Farbtaf., 121 SW-Taf., 11 Verbreitungstab. Verlag G. Fromme Co. Wien. [\[available in Cesa Library\]](#)
- 7039. Roesler,R.-U.,** 1978, Die Wertigkeit von Merkmalen bei phylogenetischen Untersuchungen am Beispiel der Pyraloidea. Nota lepid. 1(3): 99-105, 4 Abb. [\[available in Cesa Library\]](#)
- 7040. Roesler,R.-U.,** 1983, Die Phycitinae von Sumatra (Lepidoptera, Pyralidae). [in] Diehl,E.W., Heterocera Sumatrana 3: 1-136, 69 Taf. [\[available in Cesa Library\]](#)
- 7041. Roesler,R.-U.,** 1987, Taxonomische Neuorientierung für einige Genera der Phycitinae (Pyraloidea). Articulata 2 (10): 393-398. [\[available in Cesa Library\]](#)
- 7042. Roesler,R.-U.,** 1987, Die Gattung Conobathra Meyrick,1886 (Lepidoptera, Pyraloidea: Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (3): 17-26, 4 Abb. [\[available in Cesa Library\]](#)
- 7043. Roesler,R.-U.,** 1987, Die bisher als Rhodophaea geläufige Gattung Trachycera Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung neuer Taxa. Ent. Z., Frankf. a. M. 97 (21): 305-319, 10 Abb. [\[available in Cesa Library\]](#)
- 7044. Roesler,R.-U.,** 1988, Die Gattung Eurhodope Hübner,[1825] 1816 (Lepidoptera, Pyraloidea, Phycitinae) in der Palaearktis - Taxonomische Neuorientierung und Beschreibung einer neuen Art. Ent. Z., Frankf. a. M. 98 (1/2): 1-11, 8 Abb. [\[available in Cesa Library\]](#)
- 7045. Roesler,R.-U.,** 1988, Die Gattung Acrobasis Zeller,1839 in der Palaearktis (Lepidoptera, Pyraloidea, Phycitinae) Taxonomische Neuorientierung und Beschreibung neuer Taxa. Entomofauna 9 (8): 201-223, 10 Abb. [\[available in Cesa Library\]](#)
- 7046. Roesler,R.-U.,** 1988, Die bisher als Pristophorodes gelaufenen Genera Asalebria Amsel,1953, Ocrisiodes Amsel,1950 in der Palaearktis. Taxonomische Neuorientierung und Beschreibung neuer Taxa (Lepidoptera, Pyraloidea, Phycitinae). Entomofauna 9 (24): 461-492, 22 Abb. [\[available in Cesa Library\]](#)
- 7047. Roesler,R.-U.,** 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). Beitr. Ent. 38: 65-73, figs. [\[available in Cesa Library\]](#)
- 7048. Roesler,R.-U.,** 1989, Die Artengruppe um die als Christophia beschriebene Epiparthia dattinella (Ragonot 1887) (Lepidoptera: Pyraloidea, Phycitinae) mit Beschreibung dreier neuer Taxa. Ent. Z., Frankf. a. M. 99(1/2): 1-15, 13 Abb. [\[available in Cesa Library\]](#)
- 7049. Roesler,R.-U.,** 1989, Zwei neue Phycitinen-Arten (Lepidoptera, Pyraloidea) der Gattung Amechedia Amsel,1961 aus Afghanistan und dem Iran. Ent. Z., Frankf. a. M. 99: 169-176, 5 Abb. [\[available in Cesa Library\]](#)
- 7050. Roesler,R.-U.,** 1989, Drei neue Phycitinen-Arten (Lepidoptera, Pyraloidea) der Gattung Dentitegumia Amsel,1961 aus Turkestan und dem Iran. Ent. Z., Frankf. a. M. 99(20): 289-300, 10 Abb. [\[available in Cesa Library\]](#)
- 7051. Roesler,R.-U.,** 1990, Drei neue Taxa für die quadrifinen Acrobasiina sowie die neue Check-Liste für Arsisia Ragonot,1893 (Lepidoptera, Pyraloidea, Phycitinae). Ent. Z., Frankf. a. M. 100 (3): 33-52, figs. [\[available in Cesa Library\]](#)
- 7052. Roesler,R.-U.,** 1993, Quadrifine Acrobasiina Erster Teil (2. Teilband der Phycitinae). [in] Amsel,H.G., Microlepidoptera Palaearctica vol.8 (Text & Tafeln). Verlag G.Braun, Karlsruhe. [\[available in Cesa Library\]](#)

- 7053. Roessler,A.**, 1866, Verzeichniss der Schmetterlinge Herzogthums Nassau, mit besonderer Berücksichtigung der biologischen Verhältnisse und der Entwicklungsgesichte. 342S., Wiesbaden (Nieder).
- 7054. Roessler,A.**, 1877, Verzeichniss um Bilbao gefundener Schmetterlinge. Stettin ent. Ztg. 38: 255.
- 7055. Roessler,A.**, 1881, Die Schuppenflügler (Lepidopteren) des kgl. Regierungsbezirks Wiesbaden und ihre Entwicklungsgeschichte. Jb. nassau. Ver. Naturk. 33/34: 1-393.
- 7056. Rogenhofer,A.F. & J.Mann**, 1873, Neue Lepidopteren gesammelt von Herrn J. Haberhauer. Verh. zool.-bot. Ges. Wien 23: 569-574. [[available in Cesa Library](#)]
- 7057. Rogenhofer,A.F.**, 1881, Sarrothripa nilotica m. Eine neue Nycteolide aus Egypten. Verh. zool.- bot. Ges. Wien 31: 26-27. [[available in Cesa Library](#)]
- 7058. Rogenhofer,A.F.**, 1895, Dr.Cajetan Freiherr v..Felder. Dt. ent. Z., Iris 7: 336. [[available in Cesa Library](#)]
- 7059. Roine,A.**, 2000, Butterflies of Europe 2.0. CD-ROM. [[available in Cesa Library](#)]
- 7060. Roland,R. & Boulet,V. (ed.)**, 2005, Mayotte biodiversité et évaluation patrimoniale. 324pp. http://etic.univ-reunion.fr/get/images/Mayotte/mayotte_inventaire_20znief.pdf [access 12 2 2013]. [[available in Cesa Library](#)]
- 7061. Romanoff,N.M.**, 1879, Quelques observations sur les Lépidoptères de la partie du Haut-Plateau Armenien, comprise entre Alexandropol, Kars et Erzeroum. Horae Soc. ent. ross. 14: 483-495, Taf.iii. [[available in Cesa Library](#)]
- 7062. Romanoff,N.M.**, 1884-1887, Les Lépidoptères de la Transcaucasie I-III. [in] Romanoff, Mém. lépid. 1: 1-92, Pls.; 2: 1-118, Pls.; 3: 1-49, Pls. [[available in Cesa Library](#)]
- 7063. Romei,E.**, 1925, Remarks to notes on collecting in Spain. Entomologist's Rec. J. Var. 37: 46. [[available in Cesa Library](#)]
- 7064. Romei,E.**, 1927, Notes of collecting in Spain in 1925-1926. Entomologist's Rec. J. Var. 39: 107-109, 127-129, 136-138.
- 7065. Romei,E.**, 1927, Contribuzione alla conoscenza alcuni Lepidotteri della Tripolitania. Boll. Lab. Zool. gen. agr. R. Scuola Agric. Portici 20: 270-281.
- 7066. Romei,E.**, 1943, Le farfalle diurne dell'Alto Appennino. Atti Soc. tosc. Sci. nat. 52: 1-24.
- 7067. Rondou,J.P.**, 1903, Catalogue raisonne des Lepidopteres des Pyrenees. Acta Soc. linn. Bordeaux 57: 177-355.
- 7068. Rondou,J.P.**, 1916, Lepidopteres nouveaux pur la faune Pyreneenne. Acta Soc. linn. Bordeaux 69: 1-179.
- 7069. Rondou,J.P.**, 1932, Catalogue des Lépidoptères des Pyrénées. Annls Soc. ent. Fr. 101: 165-244.
- 7070. Ronkay,G. & L.Ronkay**, 1988, Taxonomic studies on the Palaearctic Cuculliae (Lepidoptera, Noctuidae), Part IV. Annls hist.-nat. Mus. natn. hung. 80: 91-103, figs. [[available in Cesa Library](#)]
- 7071. Ronkay,G. & L.Ronkay**, 1992, Taxonomic studies on the Palaearctic Cuculliae Part V. The stigmatophora-Group (Lepidoptera, Noctuidae). Acta zool. hung. 38 (3/4): 345-358, 28 figs. [[available in Cesa Library](#)]
- 7072. Ronkay,G.,Ronkay,L.,Gyulai,P. & H.Hacker**, 2010, New Xylenini (Lepidoptera, Noctuidae, Xyleninae) species and genera from the wide sense Himalayan region. Esperiana 15: 245-358, pls. [[available in Cesa Library](#)]
- 7073. Ronkay,G.,Ronkay,L.,Gyulai,P. & H.Hacker**, 2010, New Orthosiini (Lepidoptera, Noctuidae, Hadeninae) species and genera from the wide sense Himalayan region. Esperiana 15: 127-222, figs. [[available in Cesa Library](#)]
- 7074. Ronkay,G.,Ronkay,L.,Gyulai,P. & H.Hacker**, 2010, New Psaphidinae and Oncocnemidinae (Lepidoptera, Noctuidae) species and genera from the wide sense Himalayan region. Esperiana 15: 223-244, figs. [[available in Cesa Library](#)]
- 7075. Ronkay,L. & G.Behounek**, 1996, Revision of the Thysanoplusia intermixta-group (Thysanoplusia Ichinose,1973, s.str.) (Lepidoptera, Noctuidae, Plusiinae). Esperiana 4: 39-51, Abb., Taf. [[available in Cesa Library](#)]
- 7076. Ronkay,L. & P.Gyulai**, 2006, New Noctuidae (Lepidoptera) species from Iran and Tibet. Esperiana 12: 209-240, figs. [[available in Cesa Library](#)]
- 7077. Ronkay,L. & P.Gyulai**, 2006, Two new Noctuidae (Lepidoptera) species from Iran. Esperiana 12: 241-246, figs. [[available in Cesa Library](#)]

- 7078. Ronkay, L. & P. Gyulai**, 2009, Three new Noctuidae species from Western and Central Asia (Lepidoptera). *Folia ent. hung.* 70: 189-198, figs. [[available in Cesa Library](#)]
- 7079. Ronkay, L. & Z. Varga**, 1985, Neue Noctuiden aus Armenien bzw. aus dem Kaukasus-Raum (Lepidoptera, Noctuidae). *Z. ArbGem. öst. Ent.* 36 (3/4): 86-94, 1 Taf., 5 Abb. [[available in Cesa Library](#)]
- 7080. Ronkay, L. & Z. Varga**, 1985, *Luperina diversa* (Staudinger, 1891) bona species, mit der Beschreibung zwei neuer subspecies (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 77: 207-216, 27 Abb., 1 Pl. [[available in Cesa Library](#)]
- 7081. Ronkay, L. & Z. Varga**, 1989, Studies on the Palaearctic Noctuidae. Sect. Amphipyridae, I. The genus *Pseudohadena* Alpheraky, 1889. The *laciniosa* group. *Acta zool. hung.* 35(3/4): 339-353, 19 figs. Pl. [[available in Cesa Library](#)]
- 7082. Ronkay, L. & Z. Varga**, 1990, Studies on the Palaearctic Noctuidae. Sect. Amphipyridae II. Investigations on the genus *Auchmis* Hübner (1821) 1816 with two new taxa (Lepidoptera, Noctuidae). *Acta zool. Hung.* 36: 121-134, figs.
- 7083. Ronkay, L. & Z. Varga**, 1993, Taxonomic studies on the genera *Pseudohadena* Alpheraky, 1889 and *Auchmis* Hübner, [1821] (Lepidoptera, Noctuidae) Part IV. *Acta zool. hung.* 39(1/4): 211-248, figs. [[available in Cesa Library](#)]
- 7084. Ronkay, L. & Z. Varga**, 1994, On the taxonomy of the genus *Ostheldera* Nye, 1975 (Lepidoptera, Noctuidae, Cuculliinae). *Acta zool. hung.* 40 (2): 157-170, figs. [[available in Cesa Library](#)]
- 7085. Ronkay, L.**, 1984, Notes on the genus *Agrochola* Hübner, 1821 (Lepidoptera, Noctuidae). Part II. *Acta zool. hung.* 30 (1/2): 179-187, 9 figs. [[available in Cesa Library](#)]
- 7086. Ronkay, L.**, 1986, Taxonomic Studies on the genus *Autophila* Hübner, 1823. I. *Acta zool. hung.* 32(1/2): 141-159, 38 figs. [[available in Cesa Library](#)]
- 7087. Ronkay, L.**, 1986, On the taxonomy and zoogeography of some Palaearctic and Indo-Australian *Plusiinae* (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 78: 205-218, figs. [[available in Cesa Library](#)]
- 7088. Ronkay, L.**, 1989, *Plusiinae* (Lepidoptera, Noctuidae) from Vietnam. *Folia ent. hung.* 50: 119-135, 30 figs. [[available in Cesa Library](#)]
- 7089. Ronkay, L.**, 1989, Taxonomic Studies on the genus *Autophila* Hübner, 1823 (Lepidoptera, Noctuidae), II. *Acta zool. hung.* 35(1/2): 111-141, 74 figs. [[available in Cesa Library](#)]
- 7090. Ronkay, L.**, 1990, New Noctuidae taxa from Asia Minor and the Caucasus (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 82: 155-162, 17 figs. [[available in Cesa Library](#)]
- 7091. Ronkay, L.**, 1990, Taxonomic and zoogeographical studies on the subfamily Cuculliinae (Lepidoptera, Noctuidae). Part II. *Esperiana* 1: 471-497, 69 figs., pls. [[available in Cesa Library](#)]
- 7092. Ronkay, L.**, 1990, New taxa of the genus *Metalopha* Staudinger, 1892 (Lepidoptera, Noctuidae). *Esperiana* 1: 199-212, 26 figs., pl. 8. [[available in Cesa Library](#)]
- 7093. Ronkay, L.**, 1997, Contribution to the knowledge of the Noctuidae fauna of Kuwait (Lepidoptera). *Folia ent. hung.* 58: 169-171. [[available in Cesa Library](#)]
- 7094. Ronkay, L.**, 1997, A new *Brachygalea* Hampson, 1906 species from Iran (Lepidoptera, Noctuidae). *Annls hist.-nat. Mus. natn. hung.* 89: 137-140, 3 figs. [[available in Cesa Library](#)]
- 7095. Ronkay, L.**, 2005, Revision of the genus *Lophoterges* Hampson, 1906 (s.l.) (Lepidoptera, Noctuidae, Cuculliinae) Part II. The Genus *Lophoterges* s.str. *Acta zool. hung.* 51 (1): 1-57, figs. [[available in Cesa Library](#)]
- 7096. Ronkay, L., Fabian, G., Herczig, B. & C. Szaboky**, 1990, Contributions to the Noctuidae fauna of Turkey (Lepidoptera). *Annls hist.-nat. Mus. natn. hung.* (1989) 81: 115-123, figs. [[available in Cesa Library](#)]
- 7097. Ronkay, L., Ronkay, G. & G. Behounek**, 2008, The Witt Catalogue A taxonomic atlas of the Eurasian and north African Noctuoidea *Plusiinae* I, 348 pp., Pls. Heterocera Press. [[available in Cesa Library](#)]
- 7098. Ronkay, L., Varga, Z. & G. Behounek**, 1991, Two new Cuculliinae species from the Pamir Mountains (Lepidoptera, Noctuidae). *Entomofauna* 12 (8): 105-116, 16 figs. [[available in Cesa Library](#)]
- 7099. Roos, P. H. & W. Arnscheid**, 1984, Zur Nomenklatur der nearktischen Arten des *Erebia youngi* / *dabanensis*-Komplexes (Lepidoptera, Satyridae). *Beiträge zur Kenntnis der Erebieen*, xvi. *Nota lepid.* 7 (2): 178-179. [[available in Cesa Library](#)]
- 7100. Roos, P. H.**, 1977, Beitrag zur Biologie von *Hipparchia statilius*. *Ent. Z., Frankf. a. M.* 87: 113-117.

- 7101. Roos, P.H.**, 1981, Die Präimaginalstadien der Satyriden 6. *Coenonympha arcania* (Linnaeus) (Lep., Satyridae). Ent. Z., Frankf. a. M. 91: 256-264, 4 Abb. [\[available in Cesa Library\]](#)
- 7102. Roos, P.H.**, 1993, Verbreitungsnachweise von Rhopalocera-Arten der Insel Sulawesi, Indonesien, außerhalb ihrer bis jetzt bekannten Areale 1. Papilionidae, Danaidae, Satyridae (Lepidoptera). Ent. Z., Frankf. a. M. 103(15): 261-280, 1 Abb. [\[available in Cesa Library\]](#)
- 7103. Roos, P.H.**, 1995, Verbreitungsnachweise von Rhopalocera-Arten der Insel Sulawesi, Indonesien, außerhalb ihrer bis jetzt bekannten Areale 2. (Lepidoptera: Papilionidae, Pieridae, Nymphalidae, Danaidae, Satyridae). Ent. Z., Frankf. a. M. 105(4): 57-76, 2 Abb. [\[available in Cesa Library\]](#)
- 7104. Roos, P.H.**, 1996, Eine neue Art der Gattung *Cirrochroa* Doubleday aus Südost-Sulawesi Indonesien (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 106(1): 30-36, 6 Abb. [\[available in Cesa Library\]](#)
- 7105. Rose, H.S. & H.S. Pooni**, 2004, Taxonomic studies on the family Tortricidae (Tortricoidea, Lepidoptera) from North-West India I. Tribe Archipini. Entomon 29: 137-181, figs.
- 7106. Rose, K. & A. Schulte**, 1992, Ein Beitrag zur systematischen Stellung und subspezifischen Gliederung von *Colias arida* Alpheraky, 1889 (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 13(2): 93-104, Taf. [\[available in Cesa Library\]](#)
- 7107. Rose, K. & K.G. Schurian**, 1976, Beiträge zur Kenntnis der Rhopaloceren Irans 6. Beitrag: Bemerkungen zu *Meleageria daphnis marcida* Led. J. ent. Soc. Iran 3(1/2): 81-83. [\[available in Cesa Library\]](#)
- 7108. Rose, K. & K.G. Schurian**, [1978], Beiträge zur Kenntnis der Rhopaloceren Irans. 8. Beitrag. Ein neues Lycaeniden-Genus (Lep., Lycaenidae) J. ent. Soc. Iran 4(1/2): 65-69. [\[available in Cesa Library\]](#)
- 7109. Rose, K.**, 1976, Entomologische Beobachtungen im Libanon. Nachr. ent. Ver. Apollo 1: 16-25. [\[available in Cesa Library\]](#)
- 7110. Rose, K.**, 1976, Lepidopterologische Beobachtungen auf La Palma (Kanarische Inseln). Atalanta 7(1): 31-33, 3 Abb. [\[available in Cesa Library\]](#)
- 7111. Rose, K.**, 1977, *Vacciniina alcedo* in Zentralanatolien, nebst Beschreibung einer neuen Unterart (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 87: 62-65, figs. [\[available in Cesa Library\]](#)
- 7112. Rose, K.**, 1978, Zwei neue Unterarten von *Agrodiaetus carmon* aus der Türkei (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 88 (22): 245-251, 3 Abb. [\[available in Cesa Library\]](#)
- 7113. Rose, K.**, 1981, Auf Falterfang im Norden Pakistans. Nachr. ent. Ver. Apollo (N.F.) 2(2): 68-71. [\[available in Cesa Library\]](#)
- 7114. Rose, K.**, 1986, Zur Tagfalterfauna Israels und der besetzten Gebiete Westjordanis (Lep., Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 7 (1): 1-9, 2 Abb. [\[available in Cesa Library\]](#)
- 7115. Rose, K.**, 1988, Zur Tagfalterfauna Israels: Eine Ergänzung (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo (N.F.) 8 (3/4): 93-96. [\[available in Cesa Library\]](#)
- 7116. Rose, K.**, 1990, Eine neue Unterart von *Parnassius staudingeri* (Bang-Haas, 1882) aus China (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 11(3): 151-154, 1 Taf. [\[available in Cesa Library\]](#)
- 7117. Rose, K.**, 1991, Bemerkungen zu "*Agrodiaetus* (Sublysandra) *eberti*" Koçak, 1979 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 11(4): 185-188. [\[available in Cesa Library\]](#)
- 7118. Rose, K.**, 1992, Eine neue Unterart von *Parnassius patricius* (Niepelt, 1911) aus Kasachstan. Atalanta 23 (1/2): 119-122, 6 Abb. [\[available in Cesa Library\]](#)
- 7119. Rose, K.**, 1995, Zur Unterarten-Inflation in der Gattung *Parnassius* (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 16(2/3): 243-252, 1 Abb. [\[available in Cesa Library\]](#)
- 7120. Rose, K.**, 1997, Zur Verbreitung und subspezifischen Gliederung von *Parnassius cephalus* Grun-Grshimailo, 1891 und *P. acdestis* Grun-Grshimailo, 1891 in Tibet (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 17(4): 393-404, figs. [\[available in Cesa Library\]](#)
- 7121. Rose, K.**, 2000, Zur Verbreitung und Generationenfolge von *Cigaritis myrmecophila* Dumont, 1922 in Iran: ein saisonaler Dimorphismus? (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 79-81, figs. [\[available in Cesa Library\]](#)
- 7122. Rose, K.**, 2001, Eine neue Unterart von *Colias wiskotti* Staudinger, 1882 aus Chitral (Nordpakistan) und Probleme der Unterartenabgrenzung im südsüdöstlichen Verbreitungsgebiet (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 22 (1): 5-11, figs. [\[available in Cesa Library\]](#)

- 7123. Rose, K.**, 2002, Zur Verbreitung und Subspezifischen Gliederung von *Parnassius cephalus* Grun-Grshimailo, 1891 in China (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 23 (1/2): 33-42, 36 Abb. [\[available in Cesa Library\]](#)
- 7124. Rose, K.**, 2004, Zur Verbreitung und subspezifischen Gliederung von *Parnassius szechenyi* Frivaldsky, 1886 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 25 (3): 97-103, figs. [\[available in Cesa Library\]](#)
- 7125. Rose, K.**, 2004, Zur Verbreitung und subspezifischen Gliederung von *Parnassius imperator* Oberthür, 1883 und *P. augustus* Fruhstorfer, 1903 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 25 (3): 105-120, figs. [\[available in Cesa Library\]](#)
- 7126. Rose, K., Schurian, K.G. & W. Eckweiler**, 1992, A further new subspecies of *Polyommatus* (*Aricia*) *hyacinthus* (Herrich-Schäffer, 1847) (Lepidoptera, Lycaenidae). Linneana Belgica 13 (6): 341-346, figs. [\[available in Cesa Library\]](#)
- 7127. Rosen, K. von**, 1921, Die Rhopaloceren-Ausbeute der Pamir-Expedition des deutsch-oesterreichischen Alpenvereins. Mitt. münch. ent. Ges. 11: 83-100. [\[available in Cesa Library\]](#)
- 7128. Rosen, K. von**, 1929, Familie Papilio[nidae]. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 1: 7-20. Stuttgart. [\[available in Cesa Library\]](#)
- 7129. Rostagno, F.**, 1900, Classificazione descrittiva dei Lepidotteri Italiani. Boll. Soc. zool. ital. 1900: 117-140, 222-239.
- 7130. Rota, J. & S.E. Miller**, 2013, A new genus of metalmark moths (Lepidoptera, Choreutidae) with Afrotropical and Australasian distribution. Zookeys 355: 29-47, figs. [\[available in Cesa Library\]](#)
- 7131. Rothschild, L.**, 1917-1920, Supplemental notes to Mr. Charles Oberthür's Faune des Lépidoptères de la Barbarie, with lists of the specimens contained in the Tring Museum. Parts 1-3. Novit. zool. 24: 61-120, 325-373, 393-409; 27: 1-127, Pls. [\[available in Cesa Library\]](#)
- 7132. Rothschild, L.**, 1925, On the Lepidoptera collected in Morocco. Bull. Soc. Sci. nat. Maroc 5: 126-152. [\[available in Cesa Library\]](#)
- 7133. Rothschild, L.**, 1925, Critical list of the collection of Algerian Lepidoptera of the late Captain N.J.E. Holl. Novit. Zool. 32: 195-229. [\[available in Cesa Library\]](#)
- 7134. Rothschild, N.C.**, 1921, Moths of Mesopotamia and N. W. Persia Part I. Noctuidae, Lemoniidae and Pyralidae. J. Bomb. nat. Hist. Soc. 28: 170-183. [\[available in Cesa Library\]](#)
- 7135. Rothschild, W.** 1932, On some new Eupterotidae. Novit. zool. 32: 250-252. [\[available in Cesa Library\]](#)
- 7136. Rothschild, W. & K. Jordan**, 1893, Two new species of Lepidoptera from German New Guinea. Ann. Mag. nat. Hist. (6) 12: 455-457. [\[available in Cesa Library\]](#)
- 7137. Rothschild, W. & K. Jordan**, 1895, Some new forms of the genera Bizarda and Millionia. Novit. zool. 2: 464-465. [\[available in Cesa Library\]](#)
- 7138. Rothschild, W. & K. Jordan**, 1896-1897, Notes on Heterocera with descriptions of new genera and species. Novit. zool. 3: 21-62, 185-208; *ibid.* 4: 314-365, pl. iv. [\[available in Cesa Library\]](#)
- 7139. Rothschild, W. & K. Jordan**, 1899, On some new Lepidoptera from the east. Novit. zool. 6 (3): 429-444. [\[available in Cesa Library\]](#)
- 7140. Rothschild, W. & K. Jordan**, 1901, On some Lepidoptera. Novit. zool. 8 (4): 401-407, pls. ix, x. [\[available in Cesa Library\]](#)
- 7141. Rothschild, W. & K. Jordan**, 1901, On some new or rare Oriental Lithosiinae. Novit. zool. 8: 409-424.
- 7142. Rothschild, W. & K. Jordan**, 1903, A revision of the lepidopterous family Sphingidae. Novit. zool. 9, suppl.: cxxv + 972 pp., 67 pls. [\[available in Cesa Library\]](#)
- 7143. Rothschild, W. & K. Jordan**, 1903, Some new African Papilios. Novit. zool. 10: 488-490.
- 7144. Rothschild, W. & K. Jordan**, 1903, Lepidoptera collected by Oscar Neumann in north-east Africa. Novit. zool. 10: 491-542; 12: 175-191. [\[available in Cesa Library\]](#)
- 7145. Rothschild, W. & K. Jordan**, 1905, Lepidoptera collected by Oscar Neumann in north-east Africa (continued). Novit. zool. 12: 175-191.
- 7146. Rothschild, W. & K. Jordan**, 1907, Lepidoptera aus Neu-Guinea. Dt. ent. Z. 1907: 189-198.
- 7147. Rothschild, W. & K. Jordan**, 1916, Corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 115-123, 3 figs.
- 7148. Rothschild, W. & K. Jordan**, 1916, Further corrections of and additions to our "Revision of the Sphingidae". Novit. zool. 23: 247-263, 14 figs.

- 7149. Rothschild, W.**, 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463. [\[available in Cesa Library\]](#)
- 7150. Rothschild, W.**, 1895, Some notes on my revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 503-504. [\[available in Cesa Library\]](#)
- 7151. Rothschild, W.**, 1895, Two new species of Rhopalocera from the Solomon Islands. Novit. zool. 2: 161-162. [\[available in Cesa Library\]](#)
- 7152. Rothschild, W.**, 1895, Notes on Saturniidae; with a preliminary revision of the family down to the genus Automeris and descriptions of some new species. Novit. zool. 2: 35-51. [\[available in Cesa Library\]](#)
- 7153. Rothschild, W.**, 1895, On Millionia and some allied genera of Geometridae. Novit. zool. 2: 493-498. [\[available in Cesa Library\]](#)
- 7154. Rothschild, W.**, 1895, On two moths and an aberration. Novit. zool. 2: 482. [\[available in Cesa Library\]](#)
- 7155. Rothschild, W.**, 1896, Further notes on my revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 3: 63-68.
- 7156. Rothschild, W.**, 1896, Descriptions of some new species of Lepidoptera, with remarks on some previously described forms. Novit. zool. 3: 600-603.
- 7157. Rothschild, W.**, 1896, Notes on Heterocera, with descriptions of new genera and species. Novit. zool. 3: 21-63, Pl.
- 7158. Rothschild, W.**, 1898, On some new or rare Lepidoptera of the Old World regions. Novit. zool. 5 (1): 96-102. [\[available in Cesa Library\]](#)
- 7159. Rothschild, W.**, 1908, New Oriental Papilionidae. Entomologist 41: 1-4. [\[available in Cesa Library\]](#)
- 7160. Rothschild, W.**, 1908, New Subspecies of Parnassius apollo. Novit. zool. 15: 390. [\[available in Cesa Library\]](#)
- 7161. Rothschild, W.**, 1908, New forms of Oriental Papilios. Novit. zool. 15: 165-174.
- 7162. Rothschild, W.**, 1909, Catalogue of the collection of Parnassiinae in the Tring Museum, with systematic notes. Novit. zool. 16 (1): 1-20. [\[available in Cesa Library\]](#)
- 7163. Rothschild, W.**, 1909, Mauretanisches. Ent. Z., Stuttg. 23 (32): 142. [\[available in Cesa Library\]](#)
- 7164. Rothschild, W.**, 1910, Catalogue of the Arctianae in the Tring Museum, with notes and descriptions of new species. Novit. zool. 17 (1): 1-85; 17 (2): 113-171. [\[available in Cesa Library\]](#)
- 7165. Rothschild, W.**, 1910, Descriptions of new species of Arctianae in the Tring Museum. Novit. zool. 17 (1): 172-188. [\[available in Cesa Library\]](#)
- 7166. Rothschild, W.**, 1911, A new Madagascar Arctiid. Ann. Mag. nat. Hist. (8) 8: 235. [\[available in Cesa Library\]](#)
- 7167. Rothschild, W.**, 1911, Two new Lepidoptera from New Guinea. Ann. Mag. nat. Hist. (8) 8: 233-234. [\[available in Cesa Library\]](#)
- 7168. Rothschild, W.**, 1911, Some new Algerian Lepidoptera. Ann. Mag. nat. Hist. (8) 8: 231-233. [\[available in Cesa Library\]](#)
- 7169. Rothschild, W.**, 1912, Verbesserungen und Zusätze zu den Cossiden. [in] Seitz, A., Die Gross-Schmetterlinge der Erde, Band 2. pp.450-452. Stuttgart.
- 7170. Rothschild, W.**, 1912, New Lithosianae. Novit. zool. 19: 212-246. [\[available in Cesa Library\]](#)
- 7171. Rothschild, W.**, 1912, New Syntomidae. Novit. zool. 19 (2): 151-186. [\[available in Cesa Library\]](#)
- 7172. Rothschild, W.**, 1913, Notes on Ixias undatus Butler with the description of the unknown female. Novit. zool. 20: 279. [\[available in Cesa Library\]](#)
- 7173. Rothschild, W.**, 1913, New Lithosianae. Novit. zool. 20: 192-226. [\[available in Cesa Library\]](#)
- 7174. Rothschild, W.**, 1913, Some new Lepidoptera from German New Guinea. Novit. zool. 20: 278-279. [\[available in Cesa Library\]](#)
- 7175. Rothschild, W.**, 1913, VII. Lepidoptera, [in] Hartert, E., Expedition to the Central Western Sahara. Novit. zool. 20: 103-143, 469. [\[available in Cesa Library\]](#)
- 7176. Rothschild, W.**, 1914-1915, A preliminary account of the lepidopterous fauna of Guelt-es-Stel, Central Algeria. Novit. zool. 21: 299-357; ibid. 22: 186-191. [\[available in Cesa Library\]](#)
- 7177. Rothschild, W.**, 1915, Lepidoptera of the M'Zab country, south Algeria, collected by Dr Ernst Hartert and Carl Hilgert in 1914. Novit. zool. 22: 228-243 [for localities, see also ibid. 22: 61-64] [\[available in Cesa Library\]](#)
- 7178. Rothschild, W.**, 1915, On the Lepidoptera in the Tring Museum sent by Mr. A. S. Meek from the Admiralty Islands, Dampier, and Vulcan Islands. Novit. zool. 22: 192-208, 387-402. [\[available in Cesa Library\]](#)

- 7179. Rothschild, W.**, 1915, On Lepidoptera from the Islands of Ceram (Seran), Buru, Bali, and Misol. Novit. zool. 22: 105-144, 209-227. [\[available in Cesa Library\]](#)
- 7180. Rothschild, W.**, 1915, On the Lepidoptera collected in 1913-1914 by Herr Geyr von Schweppenburg on a journey to the Hoggar Mountains. Ann. Mag. nat. Hist. (8) 16: 247-258, 392-402. [\[available in Cesa Library\]](#)
- 7181. Rothschild, W.**, 1916, Some new Arctiidae. Novit. zool. 23 (2): 264-271. [\[available in Cesa Library\]](#)
- 7182. Rothschild, W.**, 1917, Some new moths of the families Arctiidae and Eupterotidae. Novit. zool. 24: 475-492. [\[available in Cesa Library\]](#)
- 7183. Rothschild, W.**, 1919, Description of a new genus and two new species of Heterocera. Ann. Mag. nat. Hist. (9) 3: 487-488. [\[available in Cesa Library\]](#)
- 7184. Rothschild, W.**, 1920, Supplemental notes to Mr. Charles Oberthür's Faune des Lépidoptères de la Barbarie, with lists of the specimens in the Tring Museum (Noctuidae). Novit. zool. 27: 1-127, pls. 14-17. [\[available in Cesa Library\]](#)
- 7185. Rothschild, W.**, 1925, Description of a new Aegeriid Moth of the Genus Trilochana. Ann. Mag. nat. Hist. (9) 16: 208. [\[available in Cesa Library\]](#)
- 7186. Rothschild, W.**, 1925, Description of a new species of Eligma (Subfamily Sarrothripinae). Ann. Mag. nat. Hist. (9) 16: 269. [\[available in Cesa Library\]](#)
- 7187. Rothschild, W.**, 1925, List of Lepidoptera collected by Dr. E. Hartert and Herr Carl Hilgert in Cyrenaica in March, April, and May 1922. Ann. Mag. nat. Hist. (9) 16: 200-208. [\[available in Cesa Library\]](#)
- 7188. Rothschild, W.**, 1936, New species and subspecies of Zygaenosia. Ann. Mag. nat. Hist. (10) 17: 483-485. [\[available in Cesa Library\]](#)
- 7189. Rothschild, W.**, 1936, New species of Chionaema, Asura and Miltochrista. Ann. Mag. nat. Hist. (10) 17: 485-490. [\[available in Cesa Library\]](#)
- 7190. Rothschild, W.**, [1892], Notes on a collection of Lepidoptera made by William Doherty in Southern Celebes during August and September, 1891. Part I, Rhopalocera. Dt. ent. Z., Iris 5 (2): 429-442, Taf. [\[available in Cesa Library\]](#)
- 7191. Rothschild, W.**, [1894], Zwei neue Charaxes-Formen. Dt. ent. Z., Iris 6: 348-350. [\[available in Cesa Library\]](#)
- 7192. Rottemburg, S.A. von**, 1775, Anmerkungen zu den Hufnagelschen Tabellen der Schmetterlinge (Diurna). Naturforscher 6: 1-34.
- 7193. Rougeot, P.-C. & P. Capdeville**, 1967, Remarques sur les Apollons d'Espagne. Alexanor 5(2): 81-86.
- 7194. Rougeot, P.-C. & P. Capdeville**, 1968, Nouvelles observations sur Parnassius apollo L. en Espagne. Alexanor 5(7): 289-296.
- 7195. Rougeot, P.-C. & P. Capdeville**, 1969, Nouvelles remarques sur les Apollons d'Espagne (Papilionidae). Alexanor 6(1): 24-31.
- 7196. Rougeot, P.-C. & P. Capdeville**, 1972, Description d'une nouvelle sous-espece d'Apollon espagnol (Papilionidae). Alexanor 7(5): 204-206.
- 7197. Rougeot, P.-C. & P. Capdeville**, 1972, Bilan de six années de recherches sur les races ibériques de Parnassius apollo (Papilionidae). Alexanor 7(6): 243-252.
- 7198. Rougeot, P.-C.**, 1969, Contribution à l'étude des Lépidoptères Attacides d'Afghanistan description d'une sous-espece nouvelle. Entomops 13: 165-168, 2 figs. [\[available in Cesa Library\]](#)
- 7199. Rougeot, P.-C.**, 1971, Les Bombycoïdes (Lepidoptera-Bombycoidea) de l'Europe et du Bassin Méditerranéen. Tome 1. Lemoniidae, Bombycidae, Brahmaeidae, Attacidae, Endromididae. Faune de l'Europe et du Bassin Méditerranéen 5: 1-159, 197 figs., 2 pls. Paris.
- 7200. Rougeot, P.-C.**, 1973, Sur deux nouvelles espèces d'Attacides d'Afrique orientale (Lepidoptera, Attacidae). Bull. Soc. ent. Fr. 78: 334-336, 1 fig.
- 7201. Rougeot, P.-C.**, 1973, Paques entomologiques au Liban. l'Entomologiste 29 (1): 1-6, 5 figs. [\[available in Cesa Library\]](#)
- 7202. Rougeot, P.-C.**, 1975, Description de la femelle de Charaxes brutus somalicus Rothschild (Lep., Nymphalidae). Bull. Soc. ent. Fr. 80: 32. [\[available in Cesa Library\]](#)
- 7203. Rougeot, P.-C.**, 1975, Diagnoses de 3 nouvelles espèces de Lépidoptères Heteroceres d'Afrique orientale. Lambillionea 75(9/10): 68-71, 3 figs. [\[available in Cesa Library\]](#)
- 7204. Rougeot, P.-C.**, 1977, Cossidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 17-19, Pl.2. [\[available in Cesa Library\]](#)

- 7205. Rougeot, P.-C.**, 1977, Nymphalidae (Charaxinae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 110-112, Pl.19. [\[available in Cesa Library\]](#)
- 7206. Rougeot, P.-C.**, 1977, Cochlididae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 20, Pl.15. [\[available in Cesa Library\]](#)
- 7207. Rougeot, P.-C.**, 1977, Papilionidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 95-96. [\[available in Cesa Library\]](#)
- 7208. Rougeot, P.-C.**, 1977, Eupterotidae, Brahmaeidae, Attacidae, Lasiocampidae, Sphingidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 83-94, Pls. [\[available in Cesa Library\]](#)
- 7209. Rougeot, P.-C.**, 1977, Description des especes et sous-especes nouvelles [Pyrilidae] [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 25-29, Pls. [\[available in Cesa Library\]](#)
- 7210. Rougeot, P.-C.**, 1977, Ctenuchidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 81-82, Pl.2. [\[available in Cesa Library\]](#)
- 7211. Rougeot, P.-C.**, 1977, Uraniidae (Epipleminae) [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 36. [\[available in Cesa Library\]](#)
- 7212. Rougeot, P.-C.**, 1977, Thyrididae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 30. [\[available in Cesa Library\]](#)
- 7213. Rougeot, P.-C.**, 1977, Chrysopolomidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 21, Pl.2. [\[available in Cesa Library\]](#)
- 7214. Rougeot, P.-C.**, 1979, Note sur les Micragone du groupe de *M.nenia* (Westwood) (Lepidoptera, Attacidae). Bull. mens. Soc. linn. Lyon 48(6): [\[available in Cesa Library\]](#)
- 7215. Rougeot, P.-C.**, 1979, Diagnoses de trois Attacidae (Lepidoptera) Africains inédits. Bull. mens. Soc. linn. Lyon 48(5): 306-309, 6 figs. [\[available in Cesa Library\]](#)
- 7216. Rougeot, P.-C.**, 1980, On the Distribution of *Pieris brassicoides* Guérin (Lepidoptera, Pieridae) in Ethiopia. Sinet 3(2): 153-154. [\[available in Cesa Library\]](#)
- 7217. Rougeot, P.-C.**, 1983, Description d'un nouveau Batuana (Lepidoptera, Noctuidae, Trifinae) d'Ethiopie. Bull. mens. Soc. linn. Lyon 52(5): 167-168, 2 figs. [\[available in Cesa Library\]](#)
- 7218. Rougeot, P.-C.**, 1983, Lepidopteres du Haut-Simyen (Ethiopie du Nord). Bull. mens. Soc. linn. Lyon 52(7): 219-232, 18 figs. [\[available in Cesa Library\]](#)
- 7219. Rougeot, P.-C.**, 1984, Thyrididae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 10. [\[available in Cesa Library\]](#)
- 7220. Rougeot, P.-C.**, 1984, Cochlididae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 7. [\[available in Cesa Library\]](#)
- 7221. Rougeot, P.-C.**, 1984, Satyridae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 69-70. [\[available in Cesa Library\]](#)
- 7222. Rougeot, P.-C.**, 1984, Pyralidae descriptions des especes nouvelles [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 8-9, pl.3. [\[available in Cesa Library\]](#)
- 7223. Rougeot, P.-C.**, 1984, Ctenuchidae, Zygaenidae, Eupterotidae, Saturniidae, Lasiocampidae, Bombycidae, Drepanidae, Sphingidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 52-58, Pl. [\[available in Cesa Library\]](#)
- 7224. Rougeot, P.-C.**, 1984, Papilionidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 60. [\[available in Cesa Library\]](#)
- 7225. Rougeot, P.-C.**, 1984, Nymphalidae (Charaxinae), 1) Liste des Especes [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 63-65. [\[available in Cesa Library\]](#)
- 7226. Rougeot, P.-C.**, 1984, Epipleminidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 12. [\[available in Cesa Library\]](#)
- 7227. Rougeot, P.-C., Bourgogne, J. & B.Laporte**, 1991, Les Lépidopteres Hétérocères d'Afrique Orientale. Annls Soc. ent. Fr. (N.S.) 27(4): 407-463, 171 figs. [\[available in Cesa Library\]](#)
- 7228. Rowland-Brown, H.R.**, 1899, Susa in June: A further contribution to the fauna of Piedmont. Entomologist's Rec. J. Var. 11: 290-293. [\[available in Cesa Library\]](#)

- 7229. Rowland-Brown, H.R.**, 1899, *Chrysophanus dispar*. Entomologist's Rec. J. Var. 11: 277-278. [[available in Cesa Library](#)]
- 7230. Rowland-Brown, H.R.**, 1900, Digne Revisited. Entomologist's Rec. J. Var. 12: 57-59, 93-95. [[available in Cesa Library](#)]
- 7231. Rowland-Brown, H.R.**, 1901, A butterfly hunt in the Cevennes. Entomologist's Rec. J. Var. 13: 309-313. [[available in Cesa Library](#)]
- 7232. Rowland-Brown, H.R.**, 1917, Some remarks on the distribution and development of species and subspecies of the Satyrine genus *Melanargia* Meigen in Italy, France, Spain and Algeria. Entomologist 50: 123-127, 157-160. [[available in Cesa Library](#)]
- 7233. Rowland-Brown, H.R.**, 1920, A supplementary note on the butterflies of south Macedonia. Entomologist 53: 106-109. [[available in Cesa Library](#)]
- 7234. Rowland-Brown, H.R.**, 1921, *Satyrus hermione* in Macedonia and some other Balkan butterflies. Entomologist 54: 123-124.
- 7235. Rubin, N.I. & R.V. Yakovlev**, 2013, Checklist of the butterflies (Papilionoidea) of the Saur Mountains and adjacent territories (Kazakhstan), including systematic notes about the *Erebia callias* group. Nota lepid. 36 (2): 137-170, figs. [[available in Cesa Library](#)]
- 7236. Rungs, C.**, 1958, Lépidoptères du Tassili d'Ajjer. Inst. Rech. Sahar. Alger 1958: 167-176.
- 7237. Rungs, C.**, 1972, Lépidoptères nouveaux du Maroc et de la Mauretanie. Bull. Mus. natn. Hist. nat. Paris Serie 3, Zoologie 46: 669-698.
- 7238. Rungs, C.**, 1981, Catalogue raisonné des Lépidoptères du Maroc - II. Trav. Inst. Sci. (Ser. Zool.), Rabat. 40: 223-588.
- 7239. Rungs, C.**, 1988, Liste-inventaire systématique et synonymique des Lépidoptères de Corse. Alexonor 15, suppl.: 1-86. [[available in Cesa Library](#)]
- 7240. Russell, A.**, 1901, Pupation of *Sphinx ligustri* larvae. Entomologist's Rec. J. Var. 13: 137-138. [[available in Cesa Library](#)]
- 7241. Russell, S.G.C.**, 1895, Varieties of *Argynnis selene*. Entomologist's Rec. J. Var. 6: 269-270. [[available in Cesa Library](#)]
- 7242. Russell, S.G.C.**, 1896, Habits of larva and pupa of *Thecla pruni*. Entomologist's Rec. J. Var. 8: 104. [[available in Cesa Library](#)]
- 7243. Rutjan, E.V.**, 2003, *Reisseronia tschetverikovi* - little known species of Bagworm Moth (Lepidoptera, Psychidae) fauna of Ukraine. Vestnik Zool. 37 (1): 89-94, figs. [[available in Cesa Library](#)]
- 7244. Rutten, T. & O. Karsholt**, 1998, *Bryotropha mundella* (Douglas): a new synonym of *Bryotropha umbrosella* (Zeller) (Lepidoptera, Gelechiidae). Tijdschr. Ent. 141: 109-114.
- 7245. Rydon, A.H.B.**, 1971, The systematics of the Charaxidae (Lepidoptera, Nymphaloidea). Entomologist's Rec. J. Var. 83: 219-233, 283-287, 310-316, 336-341, 384-388, 3 Pls.
- 7246. Rydon, A.H.B.**, 1982, Appendix. Taxonomic notes on some members of the *Charaxes viola* group, with descriptions of three new species from Yemen Arab Republic and Ethiopia (Lepidoptera, Nymphalidae, Charaxinae), [in], Larsen, T.B., The butterflies of the Yemen Arab Republic. Biol. Skr. Dan. Vid. Selsk. 23 (3): 63-76, 5 Pls. [[available in Cesa Library](#)]
- 7247. Rydon, A.H.B.**, 1989, A new species of *Charaxes* from Southern Sudan. Lambillionea 89: 62-67.
- 7248. Rühl, F.**, 1892-[1893], Die palaearktischen Grossschmetterlinge und ihre Naturgeschichte. Erster Band: Tagfalter. 1-384S. Leipzig. [[available in Cesa Library](#)]
- 7249. Röber, J.**, 1886, *Papilio alcidinus*. Dt. ent. Z., Iris 1: 30-31, Taf. I fig. 1 [[available in Cesa Library](#)]
- 7250. Röber, J.**, 1886, Ein neuer Nachtschmetterling von Ceram. Dt. ent. Z., Iris 1: 40, Taf. II. [[available in Cesa Library](#)]
- 7251. Röber, J.**, 1886, Ein paar neue Heterocera von Süd-Celebes. Dt. ent. Z., Iris 1: 29-30, Taf. I. [[available in Cesa Library](#)]
- 7252. Röber, J.**, 1886, Neue Tagschmetterlinge der indo-australischen Fauna. Dt. ent. Z., Iris 1: 45-72, Taf. II-v. [[available in Cesa Library](#)]
- 7253. Röber, J.**, 1891, Beitrag zur Kenntniss der Indo-Australischen Lepidopterenfauna. Tijdschr. Ent. 34: 261-334. [[available in Cesa Library](#)]
- 7254. Röber, J.**, 1896, Neue Schmetterlinge aus dem cilicischen Taurus. Ent. Nachr. 22: 81-84. [[available in Cesa Library](#)]
- 7255. Röber, J.**, 1907, 2. Familie Pieridae Weisslinge, [in] Seitz, A., Die Gross-Schmetterlinge der Erde 1: 39-74, Taf. [[available in Cesa Library](#)]

7256. **Röber, J.**, 1936, Über einige afrikanische Charaxes-Arten und andere exotische Falter. Ent. Rdsch. 53: 575-580, 7 Abb. [[available in Cesa Library](#)]
7257. **Röber, J.**, 1939, Die Tagfalter der Insel Celebes. Dt. ent. Z., Iris 53: 89-117.
7258. **Röber, J.**, 1939, Über einige neue exotische Falter. Ent. Rdsch. 56(32): 357-358. [[available in Cesa Library](#)]
7259. **Rössler, R.**, 1900, Die Raupen der Grossschmetterlinge Deutschlands. 170pp. 2 Tab. B.G.Teubner, Leipzig.
7260. **Saalmüller, M.**, 1881, *Oecophora schmidii* n.sp. Stettin ent. Ztg. 42: 218-220. [[available in Cesa Library](#)]
7261. **Saalmüller, M.**, 1885, *Crambus kobelti* n.sp. Stettin ent. Ztg. 46 (7/9): 335-336. [[available in Cesa Library](#)]
7262. **Sabariego de la Plaza, E. & J. Aragonéz de Inés**, 1978, Los Papilionidae de Espana. Cuaderno 6: 1-42, 7 pl.
7263. **Sachkov, S. A.**, 2002, A new and a little-known species of *Scythris* Hübner, 1825 (Lepidoptera, Scythrididae) from Kazakhstan and the Middle Volga, and three species of *Scythris* newly synonymised. Entomologist's Gaz. 53: 259-264, figs. [[available in Cesa Library](#)]
7264. **Safian, S., Libert, M. & S. C. Collins**, 2013, Two new *Aphnaeus* (Lepidoptera, Lycaenidae, Theclinae) species from Liberia. Zootaxa 3718 (2): 193-199, figs.
7265. **Saigusa, T., Nakanishi, H. S., Shima, H. & O. Yata**, 1977, Phylogeny and biogeography of the subgenus *Graphium* Scopoli (Lepidoptera, Papilionidae, *Graphium*). Acta Rhopalocerologica 1: 2-32.
7266. **Saito, T.**, 1989, A new genus and species of Oecophoridae (Lepidoptera) from Thailand. [in] Moriuti, S., Microlepidoptera of Thailand 2: 153-156, figs. University of Osaka. [[available in Cesa Library](#)]
7267. **Saitoh, K. & V. A. Lukhtanov**, 1988, Some chromosomal aspects of *Brenthis hecate* [Denis & Schiffermüller], 1775 from South Altai USSR (Lepidoptera, Nymphalidae). Nota lepid. 11 (3): 234-236, 2 figs. [[available in Cesa Library](#)]
7268. **Sakai, S.**, 1978, Butterflies from the Hindukush, Karakorum, Kashmir and Ladak, with Descriptions of two new [sic!] Species and six Subspecies. Atalanta 9(1): 104-131, 69 figs. [[available in Cesa Library](#)]
7269. **Sakai, S.**, 1981, Butterflies of Afghanistan. 278pp. Tokyo.
7270. **Sala, G. & M. Bollino**, 1991, *Papilio alexanor* Esper from Italian Maritime Alps: a new subspecies (Lepidoptera, Papilionidae). Atalanta 22(2/4): 75-79, Pls. xvii-xviii. [[available in Cesa Library](#)]
7271. **Sala, G. & M. Bollino**, 1992, A new subspecies of *Parnassius mnemosyne* L. from Tosco-Emilian Apennines and considerations about populations of the same range (Lepidoptera, Papilionidae). Atalanta 23(1/2): 123-125, Pl. vi. [[available in Cesa Library](#)]
7272. **Sala, G. & M. Bollino**, 1994, *Allancastris cerisyi* Godart, 1822 in the Balkans: New subspecies and critical notes on the existing populations (Lepidoptera, Papilionidae). Atalanta 25(1/2): 151-160, 2 pls. [[available in Cesa Library](#)]
7273. **Sala, G. & M. Bollino**, 1997, A contribution to the knowledge of the Papilionidae of Kriti Island (Lepidoptera, Papilionidae). Atalanta 28(1/2): 35-41. [[available in Cesa Library](#)]
7274. **Sala, G. & M. Bollino**, 1997, A contribution to the knowledge of the Papilionidae of Rhodes Island (Lepidoptera, Papilionidae). Atalanta 28(1/2): 43-47. [[available in Cesa Library](#)]
7275. **Sala, G.**, 1997? I Lepidotteri Diurni del comprensorio Gardesano. 160pp. 32 col. pls. 169 maps. Sem Editrice, Salò, Italy.
7276. **Salazar, J. A. & L. M. Constantino**, 2001, Synthesis of the colombian Charaxidae and description of new genera of South America: *Rydonia*, *Annagrapha*, *Pseudocharaxes*, *Muyshondtia*, *Zikania* (Lep., Nymphaloidea). Lambillionea 101 (2) Suppl.3: 344-366.
7277. **Salazar, J. A.**, 1989, Estudio preliminar sobre el registro de las especies y subespecies del genero *Prepona* B., 1836 (Lepidoptera, Nymphalidae) en Colombia (Parte I). Revta. lepid. 17 (68): 381-395. [[available in Cesa Library](#)]
7278. **Salazar, J. A.**, 1990, Estudio preliminar sobre el registro de las especies y subespecies del genero *Prepona* B., 1836 (Lepidoptera, Nymphalidae) en Colombia (Parte II). Revta. lepid. 18 (71): 267-272. [[available in Cesa Library](#)]
7279. **Salazar, J. A.**, 1990, Breves notas sobre dos poblaciones de *Papilio cacicus* Lucas, 1852 en Colombia (Lepidoptera, Papilionidae). Shilap Revta lepid. 18 (71): 217-221, figs. [[available in Cesa Library](#)]

- 7280. Salazar, J.A.**, 1991, Algunos Papilionidos miméticos de Colombia (Lepidoptera, Papilionidae). *Revta. lepid.* 19 (74): 93-110. [\[available in Cesa Library\]](#)
- 7281. Salazar, J.A.**, 1991, Estudio preliminar sobre el registro de especies y subespecies pertenecientes a las subfamilias Zaretidinae y Anaeinae (sensu Rydon, 1971) en Colombia (Parte I) (Lepidoptera, Charaxidae). *Revta. lepid.* 19 (75): 217-228. [\[available in Cesa Library\]](#)
- 7282. Salazar, J.A.**, 1998, Estudio preliminar sobre el registro de especies y subespecies pertenecientes al genero Memphis Hübner, [1819] en Colombia (Lepidoptera, Nymphalidae). *Revta. lepid.* 26 (103): 165-173. [\[available in Cesa Library\]](#)
- 7283. Salazar, J.A.**, 1999, Datos de recoleccion para 16 especies de Castnidos colombianos (Lep., Castniidae). *Bol. cient. Mus. Hist. nat. U. Caldas* 3: 43-51.
- 7284. Salazar, J.A.**, 2001, Semblanzas lepidopterologicas con E. W. Schmitt-Mumm y su coleccion de mariposas. *Bol. cient. Mus. Hist. nat. U. Caldas* 5: 26-32.
- 7285. Salazar, J.A.**, 2001, Las especies de los generos Callicore Hübner, [1819] Paulogramma Dillon, 1948 y Catacore Dillon, 1948, depositadas en la coleccion E. W. Schmidt-Mumm, Bogota, Colombia. *Revta. lepid.* 29 (114): 179-182. [\[available in Cesa Library\]](#)
- 7286. Salazar, J.A.**, 2002, II. Los Papilionidae de la coleccion E.W.Schmidt-Mumm, Bogota, Colombia (Lepidoptera, Papilionidae). *Revta. lepid.* 30 (120): 301-310. [\[available in Cesa Library\]](#)
- 7287. Salazar, J.A.**, 2002, IV. Pieridae de la coleccion E.W.Schmidt-Mumm y descripcion de tres nuevas subespecies (Lepidoptera, Pieridae). *Revta. lepid.* 30 (120): 325-340, figs. [\[available in Cesa Library\]](#)
- 7288. Salazar, J.A.**, 2004, VII. Especies del genero Caligo Hübner, [1818] depositadas en la coleccion E.W.Schmidt-Mumm, Bogota, Colombia (Lepidoptera, Nymphalidae, Brassolinae). *Revta lepid.* 32 (125): 23-26, fig. [\[available in Cesa Library\]](#)
- 7289. Saldaitis, A. & R.V. Yakovlev**, 2008, Cossidae (Lepidoptera) of the Canary Islands. *Atalanta* 39 (1/4): 396-398, figs. [\[available in Cesa Library\]](#)
- 7290. Saldaitis, A., Ivinskis, P. & J. Rimsaite**, 2013, Notodonta valeria, a new species (Lepidoptera, Notodontidae) from China, with taxonomic remarks on Notodonta ziczia (Linnaeus, 1758) *Zootaxa* 3681 (5): 589-594, figs. [\[available in Cesa Library\]](#)
- 7291. Saldaitis, A., Ivinskis, P., Witt, T. & O. Pekarsky**, 2012, Review of the Eospilartia yuennanica group (Lepidoptera, Erebidae, Arctiinae) from the Indo-Himalayan region, with description of two new species and one subspecies. *Zookeys* 204: 53-70, figs. [\[available in Cesa Library\]](#)
- 7292. Salk, A. & J.-C. Weiss**, 1998, Description d'un nouveau Cupido du nord du Pakistan (Lepidoptera, Lycaenidae). *Linneana Belgica* 16(6): 242-244, figs. [\[available in Cesa Library\]](#)
- 7293. Salvin, O. & F.D. Godman**, 1877, On a collection of Lepidoptera made by the Rev. G. Brown on Duke-of-York Island and its neighbourhood. *Proc. zool. Soc. London* 1877: 139-151. [\[available in Cesa Library\]](#)
- 7294. Salvin, O.**, 1893, Description of a new genus and species of Papilionidae from Mexico. *Trans. ent. Soc. London* 1893 (3): 331-332. [\[available in Cesa Library\]](#)
- 7295. Samet, K.**, 1985, The life cycle of Arimania komaroffi (Ragonot, 1893) (Lepidoptera, Pyralidae), a new pest of Pistacia vera in Iran. *Entomologist's Gaz.* 36: 113-115, figs.
- 7296. Sammut, P.**, 1984, A systematic and synonymic list of the Lepidoptera of the Maltese Islands. *Neue ent. Nachr.* 13: 1-124.
- 7297. Sammut, P.**, 2004, Capperia hellenica Adamczewski, 1951, new to the Maltese Islands (Lepidoptera, Pterophoridae). *Shilap Revta. lepid.* 32 (127): 195-197, fig. [\[available in Cesa Library\]](#)
- 7298. Sammut, P.**, 2007, Cacyreus marshalli Butler, [1898] reaches the Maltese Islands (Lepidoptera, Lycaenidae). *Shilap Revta lepid.* 35 (139): 317-319, figs. [\[available in Cesa Library\]](#)
- 7299. Samodurov, G.D., Korolev, V.A. & W.W. Tshikolovez**, 1996, Neue Taxa der Satyrinen-Gattung Hyponephele Muschamp, 1915 (Lepidoptera, Nymphalidae, Satyrinae) aus Mittelasien und Transkaukasien. *Nachr. ent. Ver. Apollo (N.F.)* 17(1): 21-40, 24 Abb. [\[available in Cesa Library\]](#)
- 7300. Samodurov, G.D., Korolev, V.A. & W.W. Tshikolovez**, 2001, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 VII. Die Arten Hyponephele lycaon (Rott., 1775), H. pasimelas (Stgr., 1886), H. lycaonoides D. Weiss, 1978, H. przhewalskyi Dub. Sergeev & Zhdanko, 1994... (Lepidoptera, Satyridae). *Atalanta* 32 (1/2): 111-186, pls. [\[available in Cesa Library\]](#)
- 7301. Samodurov, G.D., Korolev, W.A. & W.W. Tshikolovez**, 1996, Eine Übersicht über die Satyriden der Gattung Hyponephele Muschamp, 1915 II. Die Arten Hyponephele dysdora

- (Lederer,1870), *H.tristis* (Grum-Grshimailo,1899), *H.prasolowi* Lukhtanov,1990, *H.murzini* Dubatolov,1989 und *H.jasavi* Lukhtanov,1990 (Lep.) *Atalanta* 27 (1/2): 223-252, Pls. [[available in Cesa Library](#)]
- 7302. Samodurov,G.D., Korolew,W.A. & W.W.Tshikolovez**, 1997, Eine Übersicht über die Satyriden der Gattung *Hyponephele* Muschamp,1915 III. Die Arten *Hyponephele cadusia* (Lederer,1869), *H.cadusina* (Stgr.,1881), *H.laeta* (Stgr.,1886), *H.pamira* Lukh.,1990, *H.kirghisa* (Alph.,1881), *H.sheljuzhkoii* Sam.& Tsh.,1996... *Atalanta* 28(1/2): 49-96, Taf., figs. [[available in Cesa Library](#)]
- 7303. Samodurov,G.D., Tshikolovez,W.W. & W.A.Korolev**, 1995, Eine Übersicht über die Satyriden der Gattung *Hyponephele* Muschamp,1915 I.Die Arten *Hyponephele haberhaueri* (Stgr.,1886), *H.germana* (Stgr.,1887), *H.maureri* (Stgr.,1886), *H.rueckbeili* (Stgr.,1887) und *H.interposita* (Ersch.,1874) (Lep.,Satyridae). *Atalanta* 26(1/2): 157-195, Pls. [[available in Cesa Library](#)]
- 7304. Samodurov,G.D., Korolew,W.A. & W.W.Tschikolowez**, 2000, Eine Übersicht über die Satyriden der Gattung *Hyponephele* Muschamp,1915 VI.Die Arten *Hyponephele capella* (Christoph,1877), *H.narica* (Hübner,[1808-1813]), *H.naricina* (Staudinger,1870), *H.fusca* (Stsh.,1960) und *H.naricoides* Gross,1977 (Lep., Satyridae). *Atalanta* 31 (1/2): 135-170, figs., pls. x-xii. [[available in Cesa Library](#)]
- 7305. Samodurov,G.D., Korolew,W.A. & W.W.Tschikolowez**, 2000, Eine neue Unterart von *Hyponephele hilaris* (Staudinger,1886) aus Kirgisien (Lepidoptera, Satyridae). *Atalanta* 31 (1/2): 160-162, figs. [[available in Cesa Library](#)]
- 7306. Samraoui,B.**, 1998, Status and seasonal patterns of adult *Rhopalocera* (Lepidoptera) in north-eastern Algeria. *Nachr. ent. Ver. Apollo* (N.F.) 19(3/4): 285-298. [[available in Cesa Library](#)]
- 7307. Samson,C.**, 1980, The butterflies of Santa Ana Island, with descriptions of new taxa from San Christobal Island, Solomon Islands. *Tyo to Ga* 30: 211-236.
- 7308. Samuels,K.D.Z.**, 1986, *Rhopalocera* recorded in Andorra during 1981 and 1983. *Entomologist's Rec. J. Var.* 98: 11-21.
- 7309. Sanetra,M. & C.David**, 1995, Rejoinder to Bollino's & Sala's considerations about proposed synonymy of some *Papilio alexanor* subspecies. *Nachr. ent. Ver. Apollo* (N.F.) 16(2/3): 259-262. [[available in Cesa Library](#)]
- 7310. Sanetra,M. & K.Fiedler**, 1996, Behaviour and morphology of an aphytophagous lycaenid caterpillar *Cigaritis* (*Apharitis*) *acamas* Klug,1834 (Lepidoptera, Lycaenidae). *Nota lepid.* 18 (1) (1995) 57-76.
- 7311. Sanetra,M. & W.Peuker**, 1993, Über die Zucht des Erdbeerbaumfalters *Charaxes jasius* (Linnaeus,1767) (Lepidoptera, Nymphalidae). *Nachr. ent. Ver. Apollo* (N.F.) 13: 507-529, figs. [[available in Cesa Library](#)]
- 7312. Sannino,L. & B.Espinosa**, 2000, Comparative morphological study on pupae of *Plusiinae* and observations on the vice-like abdominal structures (Lepidoptera, Noctuidae). *Atalanta* 31 (1/2): 229-243, 8 figs. [[available in Cesa Library](#)]
- 7313. Santisuk,T**, 1987, *Bignoniaceae*, [in] Smitinand,T. & K.Larsen, *Flora of Thailand* 5 (1): 32-66, figs. Bangkok. [[available in Cesa Library](#)]
- 7314. Sarıgül,T. et al.**, 2008, List of the butterflies observed around Dereköy (Kırklareli Province, Turkey). *Cesa News* 28: 17-19. [[available in Cesa Library](#)]
- 7315. Sarıkaya,O. & M.Avcı**, 2006, The occurrence of *Choristoneura murinana* in *Abies cilicica* forests in Asia Minor. *Munis Ent. Zool.* 1 (2): 289-296, figs. [[available in Cesa Library](#)]
- 7316. Sasaki,A.**, 1999, Some additional notes on the scopariine moths from Taiwan, with description of a new species (Lepidoptera, Crambidae). *Tinea* 16 (1): 12-15.
- 7317. Sato,R.**, 1991, Records of the genera *Hypomecis*, *Cleora* and *Alcis* (Geometridae, Ennominae) from Thailand, with descriptions of three new species and one new subspecies. *Tyo to Ga* 42 (4): 272-288, figs. [[available in Cesa Library](#)]
- 7318. Sato,R.**, 1992, The genus *Rikiosatoa* (Lepidoptera, Geometridae) from Thailand, with taxonomic notes on two chinese species. *Jpn. J. Ent.* 60 (3): 559-566, figs. [[available in Cesa Library](#)]
- 7319. Sato,R.**, 1992, A new species of *Menophra* Moore (Lepidoptera, Geometridae) from Malaysia, with some taxonomic notes on the allied species. *Tinea* 13 (16): 165-170.
- 7320. Sato,R.**, 1993, Further taxonomic notes on *Amraica recursaria* (Walker) (Lepidoptera, Geometridae) and its allies, with descriptions of two new species from Southeast Asia. *Tyo to Ga* 44 (2): 68-74, figs. [[available in Cesa Library](#)]

- 7321. Sato,R.**, 1995, Records of the Boarmiini (Geometridae, Ennominae) from Thailand II. Trans. lepid. Soc. Japan 46 (4): 209-227, figs. [[available in Cesa Library](#)]
- 7322. Sato,R.**, 1995, The genus *Racotis* Moore (Lepidoptera, Geometridae) from the Philippines, with descriptions of two new species. Tinea 14 (2): 89-92, figs.
- 7323. Sato,R.**, 1996, Description of a new species closely related to *Hypomecis cineracea* (Moore) (Geometridae, Ennominae) from the Philippines. Tinea 14 (4): 256-259, figs.
- 7324. Sato,R.**, 1996, Six new species of the genus *Psilalcis* Warren from Indo-Malayan region, with some taxonomic notes on the allied species. Tinea 15 (1): 55-68, figs.
- 7325. Sato,R.**, 1996, Records of the Boarmiini (Geometridae, Ennominae) from Thailand III. Trans. lepid. Soc. Japan 47 (4): 223-236, figs. [[available in Cesa Library](#)]
- 7326. Sato,R.**, 1999, Notes on some species of the Boarmiini (Geometridae, Ennominae) from Taiwan, with description of one new species. Tinea 16 (1): 29-40..
- 7327. Sato,R.**, 2001, Type specimens of the Geometridae (Lepidoptera) described by Matsumura in the Hokkaido University Insect Collection, Japan. Insecta Matsumurana (Ent.) N.S. 58: 115-138, figs. [[available in Cesa Library](#)]
- 7328. Sato,R.**, 2005, Records of the Boarmiini (Geometridae, Ennominae) from Thailand IV. Trans. lepid. Soc. Japan 56 (1): 63-72, figs. [[available in Cesa Library](#)]
- 7329. Sato,R.**, 2006, The genus *Diplurodes* Warren (Geometridae, Ennominae) of Sumatra. Trans. lepid. Soc. Japan 57 (2): 92-104, figs. [[available in Cesa Library](#)]
- 7330. Sattler,K. & W.G.Tremewan**, 1984, The Lepidoptera names of Denis & Schiffermüller-a case for stability. Nota lepid. 7 (3): 282-285. [[available in Cesa Library](#)]
- 7331. Sattler,K.**, 1967, Ethmiidae, [in] Amsel,H.G., Gregor,F. H.Reisser (Ed.), Microlepidoptera Palaearctica vol. 2 (Text & Tafeln). Verlag Georg Fromme & Co. Wien. [[available in Cesa Library](#)]
- 7332. Sattler,K.**, 1967, Die Gattungen *Ornathalva* Gozmany und *Horridovalva* gen.n. Beitr. naturk. Forsch. SüdwDtl. 26 (3): 33-90, 19 Pls. [[available in Cesa Library](#)]
- 7333. Sattler,K.**, 1968, Die systematische Stellung einiger Gelechiidae (Lep.). Dt. ent. Z. (N.F.) 15: 111-131, figs. [[available in Cesa Library](#)]
- 7334. Sattler,K.**, 1969, Bemerkungen zur Microlepidopterenfauna von Karachi (Pakistan). Z. ArbGem. öst. Ent. 21(4): 99-102. [[available in Cesa Library](#)]
- 7335. Sattler,K.**, 1972, Anmerkungen zu Razowski, 1970, Cochylidae, Microlepidoptera Palaearctica, Band 3. Dt. ent. Z. N.F. 19 (4/5): 287-299. [[available in Cesa Library](#)]
- 7336. Sattler,K.**, 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282. [[available in Cesa Library](#)]
- 7337. Sattler,K.**, 1976, A taxonomic revision of the genus *Ornathalva* Gozmany,1955 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 34 (2): 87-152, figs. [[available in Cesa Library](#)]
- 7338. Sattler,K.**, 1979, A taxonomic revision of the genus *Deltophora* Janxse,1950 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (6): 263-322, figs. [[available in Cesa Library](#)]
- 7339. Sattler,K.**, 1982, A review of the western palaearctic Gelechiidae (Lepidoptera) associated with *Pistacia*, *Rhus* and *Cotinus* (Anacardiaceae). Entomologist's Gaz. 33: 13-32, 3 figs. [[available in Cesa Library](#)]
- 7340. Sattler,K.**, 1999, The systematic position of the genus *Bagdadia* (Gelechiidae). Nota lepid. 22 (4): 234-240.
- 7341. Sauter,W. & P. Hättenschwiler**, 1991, Zum System der palaearktischen Psychiden (Lep., Psychidae). I. Teil: Liste der palaearktischen Arten. Nota lepid. 14 (1): 69-89. [[available in Cesa Library](#)]
- 7342. Sauter,W. & P. Hättenschwiler**, 1999, Zum System der palaearktischen Psychiden (Lep., Psychidae). 2.Teil.: Bestimmungsschlüssel für die Gattungen. Nota lepid. 22 (4): 262-295, figs. [[available in Cesa Library](#)]
- 7343. Sauter,W.**, 1968, Hilfstabellen zur Bestimmung europäischer Lycaeniden (Lep., Lycaenidae). Mitt. ent. Ges. Basel (N.F.) 18: 1-18, figs. [[available in Cesa Library](#)]
- 7344. Sauter,W.**, 1981, Interessante Neufunde von Microlepidopteren aus der Schweiz und Süddeutschland. Nota lepid. 4(3): 103-106. [[available in Cesa Library](#)]
- 7345. Sauter,W.**, 1987, Zum System der westpalaearktischen Gracillariidae. Mitt. schweiz. ent. Ges. 60: 307-314.
- 7346. Sauter,W.**, 1990, Zur Systematik der Gnophos-Gruppe (Lepidoptera, Geometridae). Nota lepid. 12 (4): 328-343, 6 Abb. [[available in Cesa Library](#)]

- 7347. Sauter, W.**, 1992, Zur systematischen Stellung von *Halia berytaria* Stgr. (Lepidoptera, Geometridae). *Nota lepid. (Suppl.)* 4: 159-163, figs. [[available in Cesa Library](#)]
- 7348. Schadewald, G.**, 1992, Beitrag zur Klärung der *Melitaea britomartis*-Gruppe (Lep., Nymphalidae). *Esperiana* 3: 545-551, Abb. [[available in Cesa Library](#)]
- 7349. Schaefer, P.W., Suasa-ard, W., Kernasa, O. & B.Napompeth**, 2005, Northernmost collection record of *Lymantria narinda* (Lepidoptera, Lymantriidae) in Thailand: Males captured in (♂)-Disparlure-Baited Traps. *J. ent. Sci.* 40 (2): 234-236. [[available in Cesa Library](#)]
- 7350. Schaffer, J.C.**, 1974, A synonymic catalogue of the genera of *Anerastiinae* (auctorum) and *Peoriinae* of the world (Lepidoptera, Pyralidae). *Proc. ent. Soc. Wash.* 76: 467-475. [[available in Cesa Library](#)]
- 7351. Schaffer, J.C.**, 1997, A preliminary revision and cladistic analysis of the Ethiopian species of *Ematheudes* (Lepidoptera, Pyralidae, Phycitinae, Peoriini). *Ent. Scand.* 28 (4): 403-444, figs. [[available in Cesa Library](#)]
- 7352. Schaffer, P.W. & Y.Kishida**, 1999, Capture of *Lymantria lucescens* males (Lepidoptera, Lymantriidae) in traps baited with sex pheromone components of *Lymantria monacha*. *Tinea* 16 (1): 50-51.
- 7353. Schaider, P. & P.Jaksic**, 1989, Die Tagfalter von jugoslawisch Mazedonien *Diurna* (Rhopalocera und Hesperidae). 82 S., 46 Taf., 199 Karte. Ljubljana.
- 7354. Schaider, P.**, 1980, Zur Verbreitung von *Gonepteryx farinosa* (Zeller, 1847) in jugoslawisch-Mazedonien. *Atalanta* 11: 66-68. [[available in Cesa Library](#)]
- 7355. Schaider, P.**, 1983, Wanderfalterbeobachtungen in jugoslawisch Mazedonien im Frühjahr 1982 und 1983. *Atalanta* 14: 241-244. [[available in Cesa Library](#)]
- 7356. Schaider, P.**, 1984, Ergänzungen zur Lepidopterenfauna der SR Mazedonien. *Fragm. balcan.* 12: 21-30.
- 7357. Schaus, W.**, 1892, Descriptions of new species of Lepidoptera Heterocera from Brazil, Mexico and Peru. *Proc. zool. Soc. London* 1892: 272-291. [[available in Cesa Library](#)]
- 7358. Schaus, W.**, 1902, Descriptions of new American butterflies. *Proc. U. S. nat. Mus.* 24 (1262): 383-460. [[available in Cesa Library](#)]
- 7359. Schaus, W.**, 1936, New species of *Lasiocampidae* from Neotropical countries. *Ann. Mag. nat. Hist.* (10) 7: 47-66, 192-210. [[available in Cesa Library](#)]
- 7360. Schawerda, K.**, 1908, Zur Lepidopterenfauna Bosniens und der Herzegowina. *Verh. zool.-bot. Ges. Wien* 58: 250-256. [[available in Cesa Library](#)]
- 7361. Schawerda, K.**, 1910, Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. *Verh. zool.-bot. Ges. Wien* 60: 19-34. [[available in Cesa Library](#)]
- 7362. Schawerda, K.**, 1911-1921, Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. *Verh. zool.-bot. Ges. Wien* 61: 80-90; 62: 138-148; 63: 141-178; 64: 349-378; 66: 227-254, 481-488; 68: 19-36; 71: 145-170. [[available in Cesa Library](#)]
- 7363. Schawerda, K.**, 1918, Elfter Nachtrag zur Lepidopterenfauna Bosniens und der Herzegowina. *Verh. zool.-bot. Ges. Wien* 68: 19-36.
- 7364. Schawerda, K.**, 1919, Neue Formen aus meiner Sammlung. *Z. öst. EntVer.* 4: 32. [[available in Cesa Library](#)]
- 7365. Schawerda, K.**, 1920, Lepidopteren-Ausbeute aus der Gegend von Lovrana und vom Monte Maggiore. *Z. öst. EntVer.* 5: 10-11, 20-31, 28-39, 36-43. [[available in Cesa Library](#)]
- 7366. Schawerda, K.**, 1923, *Neoris haraldi* species nova. *Mitt. münch. ent. Ges.* 13(6-10): 40.
- 7367. Schawerda, K.**, 1924, Neue Arten und Formen aus Mesopotamien. *Ver. zool.-bot. Ges. Wien* 73 (1923): (158)-(164), 25 figs. [[available in Cesa Library](#)]
- 7368. Schawerda, K.**, 1927, Kreuz und quer durch die schöne Insel Korsika. *Dt. ent. Z., Iris* 41: 205-235.
- 7369. Schawerda, K.**, 1928, Meine dritte Lepidopteren-Ausbeute aus den Hochgebirgen Korsikas. *Z. öst. EntVer.* 13: 41-49. [[available in Cesa Library](#)]
- 7370. Schawerda, K.**, 1929, Meine vierte Lepidopteren-Ausbeute aus den Hochgebirgen Korsikas. *Z. öst. EntVer.* 14: 28-29. [[available in Cesa Library](#)]
- 7371. Schawerda, K.**, 1932, *Phlyctaenodes osthelderi* species nova. *Mitt. münch. ent. Ges.* 22: 12-13; *Z. öst. EntVer.* 17: Taf.III fig.16 [recte 15]. [[available in Cesa Library](#)]
- 7372. Schawerda, K.**, 1934, Neue Heteroceren aus Algerien. *Int. ent. Z.* 28: 285-287.
- 7373. Schawerda, K.**, 1937, Zwei neue Mikroheteroceren aus Mazedonien. *Z. öst. EntVer.* 22: 55-56. [[available in Cesa Library](#)]

- 7374. Schawerda, K.**, 1938, Miscellanea Lepidopterologica, Neubeschreibungen. Ent. Rdsch. 55: 469-471, 523-524, 554-555, 582-584. [[available in Cesa Library](#)]
- 7375. Schilde, J.**, 1886, Betrachtungen über die Variabilität in der Schmetterlings-Gattung *Pyrgus*. Berl. ent. Z. 30(1): 39-62, Taf.II. [[available in Cesa Library](#)]
- 7376. Schintlmeister, A. & A. Pinratana**, 2007, Moths of Thailand, volume 5 Notodontidae. 4⁺320 pp, 45 Pls. Brothers of St. Gabriel, Bangkok.
- 7377. Schintlmeister, A. & J. Lourens**, 2010, The Philippine Notodontidae (Lepidoptera). *Quadrifina* 8: 1-349, figs. [[available in Cesa Library](#)]
- 7378. Schintlmeister, A. & T. Witt**, 2013, *Polymona schellhorni* sp. nov., a new lymantrid moth from Jordania (Lepidoptera, Lymantriidae). *Zootaxa* 3745 (2): 296-298, figs. [[available in Cesa Library](#)]
- 7379. Schintlmeister, A.**, 1981, Fünf neue Notodontidae aus Sumatra. *Atalanta* 12: 285-291, figs. [[available in Cesa Library](#)]
- 7380. Schintlmeister, A.**, 1982, Verzeichnis der Notodontidae Europas und einiger angrenzender Gebiete. *Nota lepid.* 5 (4): 194-206. [[available in Cesa Library](#)]
- 7381. Schintlmeister, A.**, 1987, Beiträge zur Insektenfauna der DDR: Lepidoptera - Notodontidae. *Beitr. Ent.* 37 (1): 35-82. [[available in Cesa Library](#)]
- 7382. Schintlmeister, A.**, 1987, Ein Beitrag zur Nachtfalterfauna von Vietnam (Lepidoptera, Lymantriidae, Notodontidae). *Entomofauna* 8 (5): 53-67, 20 Abb. [[available in Cesa Library](#)]
- 7383. Schintlmeister, A.**, 1989, Zoogeographie der palaearktischen Notodontidae (Lepidoptera). *Neue ent. Nachr.* 25: 1-117, 20 Abb. [[available in Cesa Library](#)]
- 7384. Schintlmeister, A.**, 1989, A contribution to knowledge of the moths fauna of Thailand (Lepidoptera, Notodontidae, Lymantriidae). *Tinea* 12 (25): 215-230.
- 7385. Schintlmeister, A.**, 1993, Die Zahnspinner der Philippinen- Ergebnisse zweier Sammelreisen 1988 (Lepidoptera, Notodontidae). *Nachr. ent. Ver. Apollo (N.F.) Suppl.* 13: 99-174, 32 Taf. [[available in Cesa Library](#)]
- 7386. Schintlmeister, A.**, 1994, An annotated and illustrated check-list of the Lymantriidae of Sumatra with descriptions of new species (Lepidoptera, Lymantriidae). *Heterocera Sumatr.* 7: 113-180, figs.
- 7387. Schintlmeister, A.**, 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Family: Notodontidae. *Entomofauna Suppl.* 9 (4): 33-248, 22 genital pls., 36 col. pls. [[available in Cesa Library](#)]
- 7388. Schintlmeister, A.**, 1997, Moths of Vietnam with special reference to Mt. Fan-si-pan Introduction and collecting localities. *Entomofauna Suppl.* 9 (1): 1-12, figs. [[available in Cesa Library](#)]
- 7389. Schintlmeister, A.**, 1998, Notes on some asiatic *Furcula* Lamarck, 1816 (Lepidoptera, Notodontidae). *Entomofauna* 19 (2): 77-108, 4 Pls., textfigs., 4 maps. [[available in Cesa Library](#)]
- 7390. Schintlmeister, A.**, 2002, Das Genus *Paracerura* gen.n. und seine Arten in der orientalischen Region (Lepidoptera, Notodontidae). *Nachr. ent. Ver. Apollo (N.F.)* 23 (3): 105-117, figs. [[available in Cesa Library](#)]
- 7391. Schintlmeister, A.**, 2003, Die Gattung *Stauropus* Germar, 1812 (Lepidoptera, Notodontidae). *Nachr. ent. Ver. Apollo (N.F.)* 24 (3): 97-118, figs. [[available in Cesa Library](#)]
- 7392. Schintlmeister, A.**, 2004, The Taxonomy of the genus *Lymantria* Hübner, [1819] (Lepidoptera, Lymantriidae). *Quadrifina* 7: 1-248, figs. [[available in Cesa Library](#)]
- 7393. Schintlmeister, A.**, 2006, Die Gattung *Netria* Walker, 1855 (Lepidoptera, Notodontidae). *Nachr. ent. Ver. Apollo (N.F.)* 27 (1/2): 65-94, figs. [[available in Cesa Library](#)]
- 7394. Schintlmeister, A.**, 2008, Palearctic Macrolepidoptera Vol. 1 Notodontidae. 480pp. 40 Pls. Apollo Books.
- 7395. Schintlmeister, A.**, 2013, World Catalogue of Insects vol.11. Notodontidae & Oenosandridae (Lepidoptera). 608pp. Brill.
- 7396. Schintlmeister, A.**, [1992], Die Zahnspinner Chinas (Lepidoptera, Notodontidae). *Nachr. ent. Ver. Apollo, Suppl.* 11: 1-343, 759 figs., 21 Karte. [[available in Cesa Library](#)]
- 7397. Schintlmeister, A., Dubatolov, V.V., Sviridov, A.V., et al.**, 1987, Verzeichnis und Verbreitung der Notodontidae der UdSSR (Lepidoptera). *Nota lepid.* 10 (2): 94-111, 4 Abb. [[available in Cesa Library](#)]
- 7398. Schleich**, 1886, Nekrolog [Prof. Hermann Conrad Wilhelm Hering]. *Stettin ent. Ztg.* 47: 178-182. [[available in Cesa Library](#)]
- 7399. Schmidlin, A.**, 1948-1949, Die Schmetterlingsfamilie HesperIIDae (Dickkopffalter). *Ent. Nachrbl. Burgdorf.* 2: 63-70, 84-86, 88-91; 3: 3-11.

- 7400. Schmidlin, A.**, 1964, Übersicht über die europäischen Arten der Familie Geometridae (Lep.) Mitt. ent. Ges. Basel 14: 77-137. [\[available in Cesa Library\]](#)
- 7401. Schmidt, A. & M. Hassler**, 1986, Entomologische Eindrücke aus Mazedonien und Griechenland (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 7(2/3): 91-124, 19 Abb. [\[available in Cesa Library\]](#)
- 7402. Schmidt, A.**, 1997, Zur aktuellen Situation des Mosel-Apollofalters *Parnassius apollo* ssp. *vinningensis* Stichel, 1899 (Lep., Papilionidae). *Melanargia* 9(2): 38-47.
- 7403. Schmidt, E.**, 1989, Eine neue Subspecies von *Papilio alexanor* (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 99(20): 300-302, 3 Abb. [\[available in Cesa Library\]](#)
- 7404. Schmidt-Koehl, W.**, 1969, Geographisch-faunistische u. systematisch-nomenklatorische Studien zur Macrolepidopteren-Fauna des Libanon sowie einzelner Gebiete der nordwestlichen und mittleren Türkei unter Berücksichtigung einer vergl. Betrachtung der Frühjahrsfauna von Ostsizilien. Abh. ArbGem. tier.-pflanz. geogr. Heimatf. Saarland 1: 32-88, 9 Abb. [\[available in Cesa Library\]](#)
- 7405. Schmidt-Koehl, W.**, 1978, Tagfalterbeobachtungen in Marokko (Mittlerer Atlas, Hohen Atlas) und in Südspanien (Sierra Nevada) im Juli und August 1977 (Insecta, Lepidoptera). Mitt. ent. Ges. Basel (N.F.) 28: 25-50, figs.
- 7406. Schmidt-Koehl, W.**, 1980, Geographisch- entomologische Studienreise nach Südgriechenland im Juli 1979. *Atalanta* 11(3): 212-233, 1 Abb. [\[available in Cesa Library\]](#)
- 7407. Schmidt-Koehl, W.**, 1984, Kurzbericht zu einigen Tagfalterarten des nordwestlichen Teiles der Türkei Mitte August 1983 (Insecta, Lepidoptera). *Atalanta* 15 (1/2): 104-108. [\[available in Cesa Library\]](#)
- 7408. Schnaider, J.**, 1939, *Paranthrene polonica* sp.n. *Polskie pismo Ent.* 16/17: 140-143.
- 7409. Schnaider, J., Schnaider, J. & Z. Schnaider**, 1961, Klucze do Oznaczania Owadow Polski XXVII. Motyle- Lepidoptera Zeszyt 37. Aegeriidae. 42pp., 6 Tab., 53 rys. [\[available in Cesa Library\]](#)
- 7410. Schneider, D., Legal, L., Dierl, W. & M. Wink**, 1999, Androconial hairbushes of the *Syntomis* (*Amata*) *phegea* (L.) group (Lepidoptera, Ctenuchidae): A synapomorphic character supported by sequence data of the mitochondrial 16S rRNA Gene. *Z. Naturforsch* 54C: 1119-1139. [\[available in Cesa Library\]](#)
- 7411. Schneider, D. H.**, 1794, Lapplandische Schmetterlinge. *Schneider Magaz.* 4: 409-440; 5: 583-593.
- 7412. Scholz, A. & E. Jäckh**, 1994, Taxonomie und Verbreitung der westpaläarktischen *Alucita*-Arten (Lepidoptera, Alucitidae). *Alexanor* 18 (4): [3]-[63], 65 figs. [\[available in Cesa Library\]](#)
- 7413. Scholz, A.**, 1996, Ein Beitrag zur Biologie und Verbreitung von *Capperia lorana* (Fuchs, 1895) (Lepidoptera Pterophoridae). *Atalanta* 27 (1/2): 411-419, [\[available in Cesa Library\]](#)
- 7414. Scholz, A.**, 1997, Zwei neue, paläarktische *Alucita*-Arten (Lepidoptera, Alucitidae). *Alexanor* 20(1): 51-58, 13 figs. [\[available in Cesa Library\]](#)
- 7415. Schoorl, J. W.**, 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. *Zool. Verh.* 263: 1-295, 138 figs., 1 pl., 33 tab. [\[available in Cesa Library\]](#)
- 7416. Schoorl, J. W.**, 2001, On the distinction between *Eremocossus* and *Dyspessa*, with notes on the former (Lepidoptera, Cossidae). *Nachr. ent. Ver. Apollo* (N.F.) 22 (2): 88. [\[available in Cesa Library\]](#)
- 7417. Schouten, R. T. A.**, 1988, Revision of the species of the genus *Euchromius* Guenée, 1845 (Lepidoptera, Pyralidae, Crambinae) occurring in the Afrotropical Region. *Zool. Verh.* 244: 1-64, 91 figs. [\[available in Cesa Library\]](#)
- 7418. Schouten, R. T. A.**, 1992, Revision of the genera *Euchromius* Guenée and *Miyakea* Marumo (Lepidoptera, Crambidae, Crambinae). *Tijdschr. Ent.* 135: 191-274, 198 figs. [\[available in Cesa Library\]](#)
- 7419. Schroth, M.**, 1984 Die Makrolepidopteren aus der Umgebung von Hanau am Main (Hessen) *Nachr. ent. Ver. Apollo*, Suppl. 3: 1-83. [\[available in Cesa Library\]](#)
- 7420. Schröder, C.**, 1901, Experimentelle Untersuchungen zur Vererbung von Charakteren im Larvenzustande I. *Thephroclysia* (*Eupithecia*) *vulgata* Hw. *Allg. Z. Ent.* 6: 255-258, 2 figs. [\[available in Cesa Library\]](#)
- 7421. Schröder, C.**, 1902, Die Untersuchung der männlichen Genitalanhänge als Kriterium für die Artberechtigung im Genus *Eupithecia* Curt. (Lep., Geometrae). *Allg. Z. Ent.* 7: 526-529, 10 figs. [\[available in Cesa Library\]](#)
- 7422. Schröder, H. & C. G. Treadaway**, 1978, Neues zur Gattung *Deramas* (Lepidoptera, Lycaenidae). *Ent. Z., Frankf. a. M.* 88(16): 173-178, 3 Abb. [\[available in Cesa Library\]](#)

- 7423. Schröder, H. & C.G. Treadaway**, 1978, Neue Lepidoptera von den Philippinen, 4. Ent. Z., Frankf. a. M. 88(24): 269-279, 6 Abb. [[available in Cesa Library](#)]
- 7424. Schröder, H. & C.G. Treadaway**, 1978, Neue Lepidoptera von den Philippinen, 3. Ent. Z., Frankf. a. M. 88(14): 149-161, 6 Abb. [[available in Cesa Library](#)]
- 7425. Schröder, H. & C.G. Treadaway**, 1978, Beitrag zur Kenntnis zweier philippinischer Euploea-Arten (Lep., Danaidae). Ent. Z., Frankf. a. M. 88(23): 263-267, 2 Abb. [[available in Cesa Library](#)]
- 7426. Schröder, H. & C.G. Treadaway**, 1979, Neue Lepidoptera von den Philippinen, 5. Ent. Z., Frankf. a. M. 89(23): 260-264, 2 Abb. [[available in Cesa Library](#)]
- 7427. Schröder, H. & C.G. Treadaway**, 1979, Neue Lepidoptera von den Philippinen, 6. Ent. Z., Frankf. a. M. 89(24): 268-276, 4 Abb. [[available in Cesa Library](#)]
- 7428. Schröder, H. & C.G. Treadaway**, 1979, Eine weitere Unterart von *Atrophaneura semperi* (Lep., Papilionidae). Ent. Z., Frankf. a. M. 89(22): 249-251, 1 Abb. [[available in Cesa Library](#)]
- 7429. Schröder, H. & C.G. Treadaway**, 1979, *Athyma obsoleta* n.sp., eine bemerkenswerte Nymphalide von Mindanao, S-Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 89(22): 254-256, 1 Abb. [[available in Cesa Library](#)]
- 7430. Schröder, H. & C.G. Treadaway**, 1980, Neue Lepidoptera von den Philippinen, 7. Ent. Z., Frankf. a. M. 90(21): 233-243, 5 Abb. [[available in Cesa Library](#)]
- 7431. Schröder, H. & C.G. Treadaway**, 1980, Ein weiteres Taxon der *Amathuxidia amythaon* von den Philippinen (Lep., Amathusiidae). Ent. Z., Frankf. a. M. 90(22): 254-256, 1 Abb. [[available in Cesa Library](#)]
- 7432. Schröder, H. & C.G. Treadaway**, 1980, Zur Kenntnis von *Parantica phyle* in SE-Luzon (Lep., Danaidae). Ent. Z., Frankf. a. M. 90(16): 169-172, 2 Abb. [[available in Cesa Library](#)]
- 7433. Schröder, H. & C.G. Treadaway**, 1980, Zwei neue Nymphaliden-Taxa von den Philippinen (Lep.). Ent. Z., Frankf. a. M. 90(24): 281-284, 2 Abb. [[available in Cesa Library](#)]
- 7434. Schröder, H. & C.G. Treadaway**, 1981, *Tanaecia cocytus visayana* n.subsp. von den zentralen Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 91(23): 253-255, 1 Abb. [[available in Cesa Library](#)]
- 7435. Schröder, H. & C.G. Treadaway**, 1981, Eine bemerkenswerte Amathusiide (Lep.) von der Insel Negros, Philippinen. Ent. Z., Frankf. a. M. 91(24): 275-276, 1 Abb. [[available in Cesa Library](#)]
- 7436. Schröder, H. & C.G. Treadaway**, 1981, Neue Lepidoptera von den Philippinen, 8. Ent. Z., Frankf. a. M. 91(5): 41-45, 2 Abb. [[available in Cesa Library](#)]
- 7437. Schröder, H. & C.G. Treadaway**, 1982, *Parantica sita santomasi* n.subsp., ein bemerkenswerter Falter aus dem nördlichen Luzon, Philippinen (Lepidoptera, Danaidae). Ent. Z., Frankf. a. M. 92(24): 345-346, 1 Abb. [[available in Cesa Library](#)]
- 7438. Schröder, H. & C.G. Treadaway**, 1982, Neue *Delias*-Formen aus West Irian, Neuguinea (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 92(23): 334-338, 3 Abb. [[available in Cesa Library](#)]
- 7439. Schröder, H. & C.G. Treadaway**, 1982, Zwei bemerkenswerte Lepidopteren-Taxa aus Palawan (Lepidoptera, Pieridae, Lycaenidae). Ent. Z., Frankf. a. M. 92(21): 309-312, 2 Abb. [[available in Cesa Library](#)]
- 7440. Schröder, H. & C.G. Treadaway**, 1982, Zur Kenntnis von *Euthalia alpheda* Godart (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(19): 275-280, 4 Abb. [[available in Cesa Library](#)]
- 7441. Schröder, H. & C.G. Treadaway**, 1982, Zwei weitere neue Unterarten von *Euthalia alpheda* (Godart) (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(20): 293-296, 2 Abb. [[available in Cesa Library](#)]
- 7442. Schröder, H. & C.G. Treadaway**, 1982, Neue *Charaxes*-Formen von den Philippinen (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 92(13): 169-178, 6 Abb. [[available in Cesa Library](#)]
- 7443. Schröder, H. & C.G. Treadaway**, 1983, Neue Lepidoptera von den Philippinen, 9. Ent. Z., Frankf. a. M. 93(11): 154-160, 4 Abb. [[available in Cesa Library](#)]
- 7444. Schröder, H. & C.G. Treadaway**, 1983, *Neptis felisimilis* n.sp. von Palawan (Philippinen) (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 93(23): 349-351, 1 Abb. [[available in Cesa Library](#)]
- 7445. Schröder, H. & C.G. Treadaway**, 1983, Zwei neue Euploea-Formen von der Insel Panay, Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 93(24): 353-356, 2 Abb. [[available in Cesa Library](#)]
- 7446. Schröder, H. & C.G. Treadaway**, 1984, Neue Lepidoptera von den Philippinen, 10. Ent. Z., Frankf. a. M. 94(23): 341-345, 3 Abb. [[available in Cesa Library](#)]
- 7447. Schröder, H. & C.G. Treadaway**, 1984, Die Population von *Atrophaneura semperi* der Insel Panay, Philippinen (Lep., Papilionidae). Ent. Z., Frankf. a. M. 94(24): 357-360, 1 Abb. [[available in Cesa Library](#)]

- 7448. Schröder, H. & C.G. Treadaway**, 1984, Eine neue Form von *Delias levicki* Rothschild (Lep., Pieridae). Ent. Z., Frankf. a. M. 94(4): 36-38, 1 Abb. [[available in Cesa Library](#)]
- 7449. Schröder, H. & C.G. Treadaway**, 1984, *Terinos romeo* n.sp. von der Insel Panay, Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 94(18): 269-272, 2 Abb. [[available in Cesa Library](#)]
- 7450. Schröder, H. & C.G. Treadaway**, 1984, Zwei neue Lepidopteren-Taxa der Romblon-Gruppe, Philippinen (Lep., Papilionidae, Lycaenidae). Ent. Z., Frankf. a. M. 94(12): 168-172, 3 Abb. [[available in Cesa Library](#)]
- 7451. Schröder, H. & C.G. Treadaway**, 1985, Zur Kenntnis philippinischer Lycaenidae, 2 (Lepidoptera). Ent. Z., Frankf. a. M. 95(23): 347-350, 3 Abb. [[available in Cesa Library](#)]
- 7452. Schröder, H. & C.G. Treadaway**, 1986, Neue Taxa in den Gattungen *Eliotia*, *Deramas* und *Una* (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 96: 312-319, 6 Abb. [[available in Cesa Library](#)]
- 7453. Schröder, H. & C.G. Treadaway**, 1986, Zur Kenntnis philippinischer Lycaenidae, 3 (Lepidoptera). Ent. Z., Frankf. a. M. 96(22): 331-336, 4 Abb. [[available in Cesa Library](#)]
- 7454. Schröder, H. & C.G. Treadaway**, 1986, *Choaspes estrella pallens* n.subsp. von den zentralen Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 96: 349-351, 1 Abb. [[available in Cesa Library](#)]
- 7455. Schröder, H. & C.G. Treadaway**, 1987, Eine weitere Form der *Pyrroneura liburnia* von den Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 97: 285-287, 2 Abb. [[available in Cesa Library](#)]
- 7456. Schröder, H. & C.G. Treadaway**, 1987, Ein weiterer Fund und Revalidierung von *Elymnas beza kochi* Semper, 1887 (Lepidoptera, Nymphalidae, Satyrinae). Ent. Z., Frankf. a. M. 97: 260-263, 1 Abb. [[available in Cesa Library](#)]
- 7457. Schröder, H. & C.G. Treadaway**, 1987, *Gangara lebadea* (Hewitson): erster Nachweis für die Philippinen (Lepidoptera, Hesperidae). Ent. Z., Frankf. a. M. 97: 295-297, 1 Abb. [[available in Cesa Library](#)]
- 7458. Schröder, H. & C.G. Treadaway**, 1987, Der Lectotypus von *Bassarona piratica* (Semper, 1887): Designation und taxonomische Konsequenzen innerhalb der Art (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 97: 345-350, 1 Abb. [[available in Cesa Library](#)]
- 7459. Schröder, H. & C.G. Treadaway**, 1988, Zur Kenntnis philippinischer Lycaenidae, 4 (Lepidoptera). Ent. Z., Frankf. a. M. 98(24): 353-360, 5 Abb. [[available in Cesa Library](#)]
- 7460. Schröder, H. & C.G. Treadaway**, 1988, Neue Lepidoptera von den Philippinen, 11. Ent. Z., Frankf. a. M. 98: 313-320, 4 Abb. [[available in Cesa Library](#)]
- 7461. Schröder, H. & C.G. Treadaway**, 1988, Neue philippinische Taxa der Gattung *Athyma* Westwood 1850 (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98: 464-468, 5 Abb. [[available in Cesa Library](#)]
- 7462. Schröder, H. & C.G. Treadaway**, 1988, *Charaxes sangana* n.sp. von den Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98(22): 321-324, 2 Abb. [[available in Cesa Library](#)]
- 7463. Schröder, H. & C.G. Treadaway**, 1988, *Agatasa calydonia* (Hewitson) auf Luzon, Philippinen (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 98(23): 346-348, 1 Abb. [[available in Cesa Library](#)]
- 7464. Schröder, H. & C.G. Treadaway**, 1989, Zur Kenntnis philippinischer Lycaenidae, 5 (Lepidoptera). Ent. Z., Frankf. a. M. 99(19): 273-282, 8 Abb. [[available in Cesa Library](#)]
- 7465. Schröder, H. & C.G. Treadaway**, 1989, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel. Ent. Z., Frankf. a. M. 99(22): 321-328, 6 Abb. [[available in Cesa Library](#)]
- 7466. Schröder, H. & C.G. Treadaway**, 1989, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 2. Ent. Z., Frankf. a. M. 99(24): 353-364, 8 Abb. [[available in Cesa Library](#)]
- 7467. Schröder, H. & C.G. Treadaway**, 1989, Bemerkungen zu einigen Taxa der Gattung *Dacalana* Moore, 1884 (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 99: 216-222, 7 Abb. [[available in Cesa Library](#)]
- 7468. Schröder, H. & C.G. Treadaway**, 1989, Zwei neue *Charaxes*-Formen von den Philippinen (Lepidoptera Nymphalidae). Ent. Z., Frankf. a. M. 99: 350-352, 2 Abb. [[available in Cesa Library](#)]
- 7469. Schröder, H. & C.G. Treadaway**, 1990, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 4. Ent. Z., Frankf. a. M. 100: 461-467, 5 Abb. [[available in Cesa Library](#)]
- 7470. Schröder, H. & C.G. Treadaway**, 1990, Vier neue Taxa in der Gattung *Euthalia* Hübner (Lepidoptera, Nymphalidae). Ent. Z., Frankf. a. M. 100: 437-443, 4 Abb. [[available in Cesa Library](#)]

- 7471. Schröder, H. & C.G. Treadaway**, 1990, Neue Lepidopteren, insbesondere vom südlichen Sulu-Archipel, 3. Ent. Z., Frankf. a. M. 100: 380-384, 3 Abb. [[available in Cesa Library](#)]
- 7472. Schröder, H. & C.G. Treadaway**, 1990, Zur Kenntnis philippinischer Lycaenidae, 6 (Lepidoptera). Ent. Z., Frankf. a. M. 100: 168-171, 2 Abb. [[available in Cesa Library](#)]
- 7473. Schröder, H. & C.G. Treadaway**, 1990, Zur Kenntnis philippinischer Lycaenidae, 7 (Lepidoptera). Ent. Z., Frankf. a. M. 100: 404-407, 2 Abb. [[available in Cesa Library](#)]
- 7474. Schröder, H. & C.G. Treadaway**, 1991, Drei bemerkenswerte Papilioniden-Taxa von den Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 101: 67-72, 5 Abb. [[available in Cesa Library](#)]
- 7475. Schröder, H. & C.G. Treadaway**, 1992, Zwei Nymphaliden-Neunachweise innerhalb der Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 102: 453-456, 2 Abb. [[available in Cesa Library](#)]
- 7476. Schröder, H. & C.G. Treadaway**, 1993, Neue Lepidoptera von den Philippinen, 12. Ent. Z., Frankf. a. M. 103: 465-471, 5 Abb. [[available in Cesa Library](#)]
- 7477. Schröder, H. & C.G. Treadaway**, 1994, Vorläufige Charakterisierung der *Delias* hapalina-Population der Owen Stanley Range, Papua Neuguinea (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 104: 480-482, 1 Abb. [[available in Cesa Library](#)]
- 7478. Schröder, H. & C.G. Treadaway**, 1994, Zur Kenntnis der Gattung *Cyaniriodes* auf den Philippinen (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 104: 473-475, 2 Abb. [[available in Cesa Library](#)]
- 7479. Schröder, H. & C.G. Treadaway**, 1995, *Abisara* vom südlichen Sulu-Archipel (Lepidoptera, Riodinidae). Ent. Z., Frankf. a. M. 105: 192-194, 4 Abb. [[available in Cesa Library](#)]
- 7480. Schröder, H. & C.G. Treadaway**, 1996, Neue Lepidoptera von den Philippinen, 13. Ent. Z., Frankf. a. M. 106(9): 368-374, 5 Abb. [[available in Cesa Library](#)]
- 7481. Schröder, H. & C.G. Treadaway**, 2005, Eine weitere Unterart *Delias nuydaorum* Schröder, 1975 von Süd-Mindanao, Philippinen (Lepidoptera, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 26 (1/2): 15-16, 5 Abb. [[available in Cesa Library](#)]
- 7482. Schröder, H.**, 1975, Neue *Delias* aus Mindanao (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(24): 265-269, 2 Abb. [[available in Cesa Library](#)]
- 7483. Schröder, H.**, 1975, Eine bemerkenswerte *Appias*-Form von Mindanao (Lepidoptera, Pieridae). Ent. Z., Frankf. a. M. 85(22): 249-252, 4 Abb. [[available in Cesa Library](#)]
- 7484. Schröder, H.**, 1975, *Danaus sita* von den Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 85(24): 270-272, 2 Abb. [[available in Cesa Library](#)]
- 7485. Schröder, H.**, 1975, Eine neue afghanische Unterart des *Parnassius mnemosyne* (Lep., Parnassiidae). Ent. Z., Frankf. a. M. 85: 53-56, Abb. [[available in Cesa Library](#)]
- 7486. Schröder, H.**, 1976, Neue Lepidoptera von den Philippinen. Ent. Z., Frankf. a. M. 86(24): 265-270, 3 Abb. [[available in Cesa Library](#)]
- 7487. Schröder, H.**, 1976, *Danaus davidi* n.sp. von der Insel Negros, Philippinen (Lep., Danaidae). Ent. Z., Frankf. a. M. 86(11): 105-108, 1 Abb. [[available in Cesa Library](#)]
- 7488. Schröder, H.**, 1976, Eine neue *Mycalesis*-Art aus Mindanao, Philippinen (Lep., Satyridae). Ent. Z., Frankf. a. M. 86(13): 137-141, 1 Abb. [[available in Cesa Library](#)]
- 7489. Schröder, H.**, 1977, Zwei neue *Delias* der *sagessa*-Gruppe aus Neuguinea (Lep., Pieridae). Ent. Z., Frankf. a. M. 87(23): 265-271, 3 Abb. [[available in Cesa Library](#)]
- 7490. Schröder, H.**, 1977, Zur Lepidopterenfauna der Inseln Sibuyan und Marinduque, Philippinen. Ent. Z., Frankf. a. M. 87(20): 221-230, 4 Abb. [[available in Cesa Library](#)]
- 7491. Schröder, H.**, 1977, Neue Lepidoptera von den Philippinen, 2. Ent. Z., Frankf. a. M. 87(16): 177-183, 4 Abb. [[available in Cesa Library](#)]
- 7492. Schröder, H.**, 1977, Zur Nomenklatur von *Papilio annae* Felder & Felder 1861 (Lep., Papilionidae). Ent. Z., Frankf. a. M. 87(14): 158-159. [[available in Cesa Library](#)]
- 7493. Schröder, H.**, 1977, Neue und wenig bekannte Pieriden-Taxa von den Philippinen (Lep.). Ent. Z., Frankf. a. M. 87(15): 161-168, 4 Abb. [[available in Cesa Library](#)]
- 7494. Schröder, H., C.G. Treadaway & H. Hayashi**, 1981, Zur Kenntnis philippinischer Lycaenidae (Lep.). Ent. Z., Frankf. a. M. 91(24): 265-272, 5 Abb. [[available in Cesa Library](#)]
- 7495. Schröder, H., Treadaway, C.G. & J. Nuyda**, 1988, Zwei bislang unbekannte Nymphaliden-Taxa von den Philippinen (Lepidoptera). Ent. Z., Frankf. a. M. 98: 407-410, 2 Abb. [[available in Cesa Library](#)]
- 7496. Schröder, H.G., C.G. Treadaway, Mohagan, A. & D. Mohagan**, 2009, Drei neue Lepidopteren-Taxa von den südlichen Philippinen (Lepidoptera, Nymphalidae, Pieridae). Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 77-80, 24 Abb. [[available in Cesa Library](#)]

- 7497. Schulte, A.,** 1958, *Philotes bavius macedonica* ssp. nov. (Lep., Rhopalocera). Biol. Glasn. 11: 73-75, fig. [[available in Cesa Library](#)]
- 7498. Schulte, A.,** 1977, Une sous-espece nouvelle de *Colias marcopolo* Gr.-Grsh. Entomops 42: 35-36.
- 7499. Schulte, A.,** 1988, Bemerkungen über *Colias*-Arten aus dem Alai. 1. *Colias christophi helialaica* n.ssp., eine neue Pieriden-Unterart aus dem östlichen Alai (UdSSR) Nachr. ent. Ver. Apollo (N.F.) 9(3): 149-150, Abb. [[available in Cesa Library](#)]
- 7500. Schulte, A.,** 1988, Bemerkungen über *Colias*-Arten aus dem Alai. 2. Gibt es Freiland-Hybriden zwischen *Colias eogene* Fldr. 1865 und *Colias cocandica* Ersch. 1874? Nachr. ent. Ver. Apollo (N.F.) 9(3): 151-158, Abb. [[available in Cesa Library](#)]
- 7501. Schulte, A.,** 1989, Einige neue Pieriden-Taxa aus dem Kaukasus, dem Pamir und Afghanistan. Nachr. ent. Ver. Apollo (N.F.) 10(4): 291-297, 1 Taf. [[available in Cesa Library](#)]
- 7502. Schulte, A.,** 1991, Neue *Parnassius*-Unterarten aus der UdSSR (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 12 (2): 99-105, 10 Abb. [[available in Cesa Library](#)]
- 7503. Schulte, A.,** 1991, Zwei neue *Parnassius*-Unterarten aus einer China-Ausbeute 1990 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 12 (3): 181-186, Taf. [[available in Cesa Library](#)]
- 7504. Schulte, A.,** 1992, Beschreibung einiger neuer *Parnassius*-Unterarten aus mehreren China-Ausbeuten 1991 (Lepidoptera, Papilionidae). Nachr. ent. Ver. Apollo (N.F.) 13(2a): 165-177, Taf. [[available in Cesa Library](#)]
- 7505. Schultz, O.,** 1901, Aberrationen von *Jaspidea celsia* L. Allg. Z. Ent. 6: 183-185, fig. [[available in Cesa Library](#)]
- 7506. Schultz, O.,** 1904, Gynandromorphe (hermaphroditische) Macrolepidopteren der palaearctischen Fauna IV. Berl. ent. Z. 49: 71-116. [[available in Cesa Library](#)]
- 7507. Schultz, O.,** 1908, Über einige Färbungs -und Zeichnungsanomalien aus dem Genus *Melitaea*. Ent. Z., Stuttgart 22(23): 89-92.
- 7508. Schultze, W.,** 1907, New Lepidoptera of the Philippine Islands. Philipp. J. Sci. 2(A): 361-375, 1Pl.
- 7509. Schultze, W.,** 1908, New and little known Lepidoptera of the Philippine Islands. Philipp. J. Sci. 3A (1): 27-37, 1 pl., 13 figs. [[available in Cesa Library](#)]
- 7510. Schultze, W.,** 1910, Contributions to the lepidopterous fauna of the Philippines. Philipp. J. Sci. 5D (3): 161-180, pl.1. [[available in Cesa Library](#)]
- 7511. Schultze, W.,** 1925, New and rare Philippine Lepidoptera. Philipp. J. Sci. 28(4): 567-575, 2 pls.
- 7512. Schulze, S.,** 1904, Eine seltsame Ornithoptera. Ent. Z., Stuttgart 17(20): 77. [[available in Cesa Library](#)]
- 7513. Schumacher, H.,** 1991, *Paranthrene novaki* auch im Arbeitsgebiet der Arbeitsgemeinschaft rheinisch-westfälischer Lepidopterologen. *Melanargia* 3 (3): 91-94.
- 7514. Schurian, K. & W.Ten Hagen,** 2000, Beitrag zur Biologie von *Polyommatus (Agrodiaetus) glaucias* (Lederer, 1871) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 21 (1): 19-23, figs. [[available in Cesa Library](#)]
- 7515. Schurian, K.G. & A.Hornemann,** 1992, Eine neue Bläulingsart für die Kanarischen Inseln: *Azanus ubaldus* Cramer, 1782 (Lep., Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 13: 187-190. [[available in Cesa Library](#)]
- 7516. Schurian, K.G. & C.Häuser,** 1981, Zoogeographie und subspezifische Gliederung der zentral- und ostanatolischen, sowie der iranischen *Meleageria*-Formen (Lepidoptera, Lycaenidae). *Atalanta* 12 (2): 101-111, 4 Abb. [[available in Cesa Library](#)]
- 7517. Schurian, K.G. & K.Fiedler,** 1994, Zur Biologie von *Polyommatus (Lysandra) dezinus* (de Freina & Witt) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 14(4): 339-353, 9 figs., pl. [[available in Cesa Library](#)]
- 7518. Schurian, K.G. & K.Fiedler,** 1996, Adult behaviour and early stages of *Lycaena ochimus* (Herrich-Schäffer [1851]) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 16(4): 329-343, 18 figs. [[available in Cesa Library](#)]
- 7519. Schurian, K.G. & K.Rose,** 1991, Contribution to the knowledge of *Polyommatus (Aricia) hyacinthus* (Herrich-Schäffer, 1847) and the description of a new subspecies (Lepidoptera, Lycaenidae). *Linneana Belg.* 13 (2): 80-93, Pls. [[available in Cesa Library](#)]
- 7520. Schurian, K.G. & P.Hofmann,** 1982, Die *Thersamonina*-Gruppe (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo, Suppl. 2: 1-59, 8 Abb. 2 Taf. [[available in Cesa Library](#)]

- 7521. Schurian, K.G. & P. Hofmann**, 1983, Entomologische Aufsammlungen und Beobachtungen bei Kızılcahamam (Türkei). Nachr. ent. Ver. Apollo. (n.f.) 3(4): 111-127, 4 Abb. [[available in Cesa Library](#)]
- 7522. Schurian, K.G. & W. Eckweiler**, 1997, Wiederfund von *Polyommatus* (*Agrodiaetus*) *dama* Staudinger, 1892 in der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.), Suppl. 16: 49-52. [[available in Cesa Library](#)]
- 7523. Schurian, K.G. & W. Eckweiler**, 1999, Eine neue Art des Subgenus *Agrodiaetus* Hübner, 1822 aus Ost-Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 119-126, figs. [[available in Cesa Library](#)]
- 7524. Schurian, K.G. & W. Ten Hagen**, 2003, *Polyommatus* (*Agrodiaetus*) *urmiaensis* sp.n. aus Nordwestiran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (n.s.) 24 (1/2): 1-5, figs. [[available in Cesa Library](#)]
- 7525. Schurian, K.G. & W. Ten Hagen**, 2005, Beitrag zur Biologie von *Argynnis alexandra* Ménétries, 1832 (Lepidoptera, Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 26 (3): 97-102, figs. [[available in Cesa Library](#)]
- 7526. Schurian, K.G. et al.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). Nachr. ent. Ver. Apollo N.F. 12 (1): 57-67. [[available in Cesa Library](#)]
- 7527. Schurian, K.G.**, 1973, Zur Biologie von *Lysandra hispana* H.-S. (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 83 (22): 251-256.
- 7528. Schurian, K.G.**, 1974, Die Artzugehörigkeit von *Lysandra arragonensis* Gerh. und *L. bolivari* Romei (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 84 (5): 37-40.
- 7529. Schurian, K.G.**, 1975, Zur Biologie von *Lysandra caelestissima* (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 84 (3): 34-38.
- 7530. Schurian, K.G.**, 1975, Bemerkungen über *Pieris cheiranthi* (Lep., Pieridae). Ent. Z., Frankf. a. M. 85(22): 252-254. [[available in Cesa Library](#)]
- 7531. Schurian, K.G.**, 1975, Bemerkungen über *Pieris cheiranthi*. Ent. Z., Frankf. a. M. 85: 252-256.
- 7532. Schurian, K.G.**, 1976, Taxonomie und Biologie der *Vanessa indica vulcania* (Godart, 1819) (Lep., Nymphalidae). Atalanta 7(2): 85-87, 4 Abb. [[available in Cesa Library](#)]
- 7533. Schurian, K.G.**, 1976, Zur Biologie von *Lysandra coridon manleyi* De Lesse (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 86 (6): 49-53.
- 7534. Schurian, K.G.**, 1978, Zur Biologie von *Lysandra caucasica* (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 88(22): 254-257. [[available in Cesa Library](#)]
- 7535. Schurian, K.G.**, 1980, Beiträge zur Kenntnis der Rhopaloceren Irans 15. Beitrag: Bemerkungen zu den Präimaginalstadien von *Melanargia meda* Grun-Grushimailo (Lepi., Satyridae). Ent. Z., Frankf. a. M. 90(18): 199-202, 2 Abb. [[available in Cesa Library](#)]
- 7536. Schurian, K.G.**, 1980, Auf *Colias*-Fang in den Bergen Aserbaidschans. Nachr. ent. Ver. Apollo (N.F.) 1(1): 15-18. [[available in Cesa Library](#)]
- 7537. Schurian, K.G.**, 1980, Lepidopterologische Aufsammlungen im Elbursgebirge. Nachr. ent. Ver. Apollo (N.F.) 1(2): 32-38. [[available in Cesa Library](#)]
- 7538. Schurian, K.G.**, 1982, Beiträge zur Kenntnis der Rhopaloceren Irans: 18. Beitrag. Eine neue *Agrodiaetus*-Art aus Nordiran (Lep., Lycaenidae). Ent. Z., Frankf. a. M. 92(7): 92-96, 3 Abb. [[available in Cesa Library](#)]
- 7539. Schurian, K.G.**, 1988, Neueinteilung des Subgenus *Lysandra* der Gattung *Polyommatus* Latreille (Lepidoptera, Lycaenidae). Ent. Z., Frankf. a. M. 98 (10): 129-144. [[available in Cesa Library](#)]
- 7540. Schurian, K.G.**, 1989, Revision der *Lysandra*-Gruppe des Genus *Polyommatus* Latr. (Lepidoptera, Lycaenidae). Neue ent. Nachr. 24: 1-181, 29 Taf. [[available in Cesa Library](#)]
- 7541. Schurian, K.G.**, 1995, Die Biologie von *Polyommatus* (*Aricia*) *cramera* (Eschscholtz, 1821) von den Kanarischen Inseln (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo N.F. 16 (1): 63-74, figs. [[available in Cesa Library](#)]
- 7542. Schurian, K.G.**, 1996, A contribution to the biology of *Brenthis mofidii* (Wyatt, 1968). Linneana Belgica 15(8): 311-314, 8 figs. [[available in Cesa Library](#)]
- 7543. Schurian, K.G.**, 1996, Beobachtungen zum Eiablageverhalten von *Cigaritis cilissa* (Lederer, 1861) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 17 (1): 111-112. [[available in Cesa Library](#)]
- 7544. Schurian, K.G.**, 1999, Eiablagestrategien bei Bläulingen (Lepidoptera, Lycaenidae) 2. Das Eiablageverhalten von *Polyommatus* (*Agrodiaetus*) *admetus* (Esper, [1783]). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 189-194, figs. [[available in Cesa Library](#)]

7545. **Schurian, K.G.**, 2001, Reisen in die Türkei Neue ent. Nachr. 51: 3-63, figs. [[available in Cesa Library](#)]
7546. **Schurian, K.G.**, 2002, Beobachtungen bei der Zucht von *Polyommatus* (*Aricia*) *torulensis* (Lepidoptera, Lycaenidae). Phegea 30 (2): 55-60, figs. [[available in Cesa Library](#)]
7547. **Schurian, K.G., Hofmann, P. & A.Reif, A.**, 1991, Ergänzungen zur Tagfalterfauna von Kızılcahamam (Türkei). Nachr. ent. Ver. Apollo. (n.f.) 12 (1): 57-67, 4 Abb. [[available in Cesa Library](#)]
7548. **Schurian, K.G., Oorschot, H.v. & H.v.d. Brink**, 1992, *Polyommatus* (*Agrodiaetus*) *theresia* sp. nov. aus der Türkei (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 12 (4): 217-232, Pl.1, Abb.9-10. [[available in Cesa Library](#)]
7549. **Schurian, K.G., Ten Hagen, W. & H.-G. Mark**, 1999, Beitrag zur Biologie sowie Versuch einer taxonomischen Einordnung von *Plebeius* (*Vacciniina*) *loewii* (Zeller, 1847) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20 (1): 1-16, figs. [[available in Cesa Library](#)]
7550. **Schurian, K.G., Ten Hagen, W. & W.Eckweiler**, 2005, Beitrag zur Biologie und Ökologie von *Polyommatus* (*Agrodiaetus*) *peilei* Bethune-Baker, 1921 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 26 (4): 197-206, figs. [[available in Cesa Library](#)]
7551. **Schuermans, J.**, 1976, De dagvlinders van Marokko. Phegea 4 (3): 33-55. [[available in Cesa Library](#)]
7552. **Schweitzer, A.**, 1912, Zwei neue Lokalrassen aus der Gattung *Parnassius*. Ent. Z., Stuttgart 25: 249-250.
7553. **Schwingenschuss, L.**, 1938-1939, Sechster Beitrag zur Lepidopterenfauna Inner-Anatoliens. Ent. Rdsch. 55: 141-147, 157-164, 173-177, 181-184, 199-202, 223-226, 299-300, 337-340, 411-412, 454-457, 532, 700; 56: 133-135, 250-252. [[available in Cesa Library](#)]
7554. **Schwingenschuss, L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Rdsch. 56 (29): 325-328, (32): 358-360, (34): 383-384. [[available in Cesa Library](#)]
7555. **Schwingenschuss, L.**, 1939, Beitrag zur Fauna von Bithynien, besonders von Boli (jetzt Bolu). Ent. Z., Frankf. a. M. 49: 273-274, 281-283. [[available in Cesa Library](#)]
7556. **Schwingenschuss, L.**, 1939, Kleiner Beitrag zur Fauna der Umgebung Erzerums in Kleinasien. Z. öst. EntVer. 24 (7): 97-100. [[available in Cesa Library](#)]
7557. **Schwingenschuss, L.**, 1942, Eine Falterausbeute aus Sizilien. Z. Wien. entVer. 27: 177-184.
7558. **Schüssler, H.**, 1933, Saturniidae: 1.Subfam. Attacinae. [in] Strand, E., Lepidopterorum Catalogus Pars 55. 81pp. Dr. W. Junk Berlin. [[available in Cesa Library](#)]
7559. **Schütze, E.**, 1956, Eupitheciiden Studien VIII. Über *Eupithecia* mesogrammata Dietze und einige andere Eupitheciiden aus Nordiran (Lepidoptera, Geometridae). Z. wien. ent. Ges. 41: 324-339. [[available in Cesa Library](#)]
7560. **Schütze, E.**, 1956, Eupitheciiden Studien VII. Die semigraphata-Gruppe (Lepidoptera, Geometridae). Z. wien. ent. Ges. 41: 306-320, 328-334, Abb. [[available in Cesa Library](#)]
7561. **Schütze, E.**, 1958, Eupitheciiden Studien X. Die graphata-Gruppe (Lepidoptera, Geometridae). Ent. Z., Frankf. a. M. 68: 49-64, 71-72, 82-88, 27 figs. [[available in Cesa Library](#)]
7562. **Schütze, E.**, 1961, Weitere Eupitheciiden aus Iran und Arabien (Lepidoptera, Geometridae). Mitt. münch. ent. Ges. 51: 58-71, 8 Taf. [[available in Cesa Library](#)]
7563. **Scater, P.L.**, 1858, On the general geographical distribution of the class Aves. J. Proc. linn. Soc. Zool. 2: 130-145.
7564. **Scoble, M.J. & M.Krüger**, 2002, A review of the genera of Macariini with a revised classification of the tribe. Zool. J. Linn. Soc. Lond. 134: 257-315. [[available in Cesa Library](#)]
7565. **Scoble, M.J., Pitkin, L.M., Parsons, M., Honey, M.R. & B.R.Pitkin**, 1999, Geometrid Moths of the World. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup. [[available in Cesa Library](#)]
7566. **Scopoli, J.A.**, 1763, Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates, methodo Linn. xxxvi+420 pp., 37 pls., Vindobonae, Trattner. [[available in Cesa Library](#)]
7567. **Scopoli, J.A.**, 1772, Observationes zoologicae. Ann. hist. nat. 5: 75-125.
7568. **Scopoli, J.A.**, 1786, Deliciae faunae et florae insubricae. 3 vols. Monast. St. Salvaoris.
7569. **Scudder, S.H.**, 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
7570. **Sedykh, K.F.**, 1980, Butterflies (Lepidoptera, Rhopalocera) of Transilvanian Alatau. Ent. Obozr. 59 (4): 788-795, figs.

- 7571. Seebolds,T.**, 1898, Beiträge zur Microlepidopterenfauna des Kaukasus, Taurus und Syriens. Dt. ent. Z., Iris 11: 20-32. [\[available in Cesa Library\]](#)
- 7572. Seeldrayers,E.**, 1896, Lépidoptères nouveaux du Congo. Annls Soc. ent. Belg. 40: 499-503.
- 7573. Segerer,A.H. & H.Pröse**, 1997, Dioryctria resiniphila sp.n., eine neue Pyralide auf Abies cephalonica Loud. in Griechenland (Lepidoptera, Pyralidae, Phycitinae). NachrBl. bayer. Ent. 46 (3/4): 57-67, Abb. [\[available in Cesa Library\]](#)
- 7574. Seitz,A.**, 1909, Familie: Syntomidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 37-42, pls., Stuttgart. [\[available in Cesa Library\]](#)
- 7575. Seitz,A.**, 1910, Familie: Arctiidae, [in] Seitz,A., Die Gross-Schmett. Erde 2: 43-108, pls., Stuttgart. [\[available in Cesa Library\]](#)
- 7576. Seitz,A.**, 1912, Berichtigungen und Zusätze zu Band 2. [In] Seitz,A.,Die Gross-Schmetterlinge der Erde. Band 2. pp.444-447. Stuttgart. [\[available in Cesa Library\]](#)
- 7577. Seitz,A.**, 1930, Familie Satyridae. Gattung: Mandarinia Leech, Mycalesis Hbn., Lethe Hbn. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 129. Stuttgart. [\[available in Cesa Library\]](#)
- 7578. Seitz,A.**, 1930, Familie Satyridae. Gattung: Argestina Ril. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 132. Stuttgart. [\[available in Cesa Library\]](#)
- 7579. Seitz,A.**, 1930, Familie Danaidae. [In] Seitz,A., Gross-Schmett. Erde, Suppl. 1: 127. Stuttgart. [\[available in Cesa Library\]](#)
- 7580. Seitz,A.**, 1933, Familie Cymatophoridae. In Seitz,A., Gross-Schmett. Erde, Suppl. 2: 187-195. Stuttgart. [\[available in Cesa Library\]](#)
- 7581. Seitz,A.**, 1936, Über Zygänenvorkommen. Ent. Rdsch. 53 (21):291-294, (22):302-304, (27):384-387; (28): 397-400. [\[available in Cesa Library\]](#)
- 7582. Seitz,A.**, 1936, Über Syntomidenvorkommen. Ent. Rdsch. 53: 523-528, 548-552. [\[available in Cesa Library\]](#)
- 7583. Seki,Y. & Y.Takanami**, 1990, Descriptions of new Lycaenidae (Lepidoptera) from Borneo and Sumatra. Gekkan-Mushi 231: 4-9, 21 figs. [\[available in Cesa Library\]](#)
- 7584. Seki,Y.**, 1986, Lycaenidae of Ranong, Peninsular Thailand (Poritiinae, Theclinae & Curetinae). Yadoriga 125: 10-23.
- 7585. Seksjaeva,S.V.**, 1994, New intrageneric groups within the genus Bucculatrix (Lepidoptera, Bucculatricidae) designated on the basis of the morphology of male genitalia. Ent. Obozr. 73(7/8): 114-122 [engl. transl. Ent. rev. 74(2): 111-119, 5 figs.,1995]
- 7586. Semper,G.**, 1878, Diagnosen einiger neuer Tagfalter von den Philippinen und Bemerkungen über die Verbreitung einiger derselben. Verh. Ver. naturw. unterh. Hamburg 3: 106-116.
- 7587. Semper,G.**, 1886-1892, Die Schmetterlinge der Philippinischen Inseln. Erster Band Die Tagfalter. Rhopalocera. 380 pp. 49♂+2 pls. C.W.Kreidel's Vlg. Wiesbaden.
- 7588. Semper,G.**, 1899-1902, Die Schmetterlinge der Philippinischen Inseln 2: Die Nachtfalter, Heterocera, Pls. C.W.Kreidel's Vlg. Wiesbaden. [\[available in Cesa Library\]](#)
- 7589. Seok,D.M.**, 1939, A synonymic list of the butterflies of Korea. xxxi♀ 391 pp., 2 Pls. Seoul.
- 7590. Seriziat**, 1879, Catalogue des Lépidoptères des environs de Collo (Algérie). Bellac.
- 7591. Seven Çalışkan,S. & V.Bozacı**, 2015, A new form of Melitaea phoebe (Goeze,1779) (Lepidoptera) from the Mediterranean Region (Turkey). Turk J. Zool. 39: 625-629, figs. [\[available in Cesa Library\]](#)
- 7592. Seven Çalışkan,S.**, 2014, A checklist of Turkey Cosmopterigidae (Lepidoptera). GU J. Sci. 27 (4): 1115-1121 [with editorial errors]. [\[available in Cesa Library\]](#)
- 7593. Seven Çalışkan,S.**, 2014, Review of the genus Chrysoclista Stainton,1854 (Lepidoptera, Agonoxenidae) in Turkey with a new species. J. Ent. Res. Soc. 16 (3): 67-73, figs. [\[available in Cesa Library\]](#)
- 7594. Seven,E.**, 2010, Studies on the fauna and ecology of Papilionoidea and Hesperioidea (Lepidoptera) in Şirvan district (Siirt Prov., SE Turkey) [in Turkish]. Cent. ent. Stud., Priamus (suppl.) 20: 1-118, figs. [\[available in Cesa Library\]](#)
- 7595. Seven,E., Kemal,M. & A.Ö.Koçak**, 2015, On the occurrence of Idia calvaria meridiorientalis in Siirt Province of SE Turkey (Lepidoptera, Noctuidae). Cesa News 102: 13-15, 5 figs. [\[available in Cesa Library\]](#)
- 7596. Seven,S. & H.Özdikmen**, 2005, Turnerella nom. nov., a replacement name for the genus Amblyzancla Turner,1939 (Lepidoptera, Yponomeutoidea). New Zealand J. Zool. 32: 235. [\[available in Cesa Library\]](#)

- 7597. Seven,S. & M.Bakowski**, 1996, Soğuksu Milli Parkı (Ankara) Lepidoptera faunasına katkılar. Cent. ent. Stud., Priamus 7 (4): 156-170. [\[available in Cesa Library\]](#)
- 7598. Seven,S. & M.Kemal**, 2000, Additions to the local faunas of the diurnal Lepidoptera in the Province of Ankara (North Turkey). Cent. ent. Stud., Misc. Pap. 62: 1-7. [\[available in Cesa Library\]](#)
- 7599. Seven,S. & M.Kemal**, 2000, Additions to the diurnal lepidoptera fauna of the districts Çubuk and Kalecik (Ankara Prov., North Turkey). Cent. ent. Stud., Misc. Pap. 63: 1-5. [\[available in Cesa Library\]](#)
- 7600. Seven,S. & M.Özdemir**, 2007, Acleris lacordairana (Duponchel,1836) (Lepidoptera, Tortricidae). Zoology in the Middle East 40: 113-114, 1 fig. [\[available in Cesa Library\]](#)
- 7601. Seven,S. & M.Özdemir**, 2007, Review of the genus Celypha Hübner,[1825] in Turkey with a new record (Lepidoptera, Tortricidae). J. Kansas ent. Soc. 80 (1): 65-71, figs. [\[available in Cesa Library\]](#)
- 7602. Seven,S. & M.Özdemir**, 2007, The genus Dichelia Guenee,1845 (Lepidoptera, Tortricidae) in Turkey. Acta ent. slovenica 15 (2): 185-188, 2 figs. [\[available in Cesa Library\]](#)
- 7603. Seven,S. & S.Bulguer**, 1991, A Bibliographical List of the homonymous generic names in Zoology based on S. A. Neave's Nomenclator Zoologicus (Vols.I-VII). Memoirs of the Centre for Entomological Studies 1:x^o 114pp. Ankara. [\[available in Cesa Library\]](#)
- 7604. Seven,S.**, 1991, Trakya Lepidoptera faunası üzerine bibliyografik araştırmalar. Cent. ent. Stud., Priamus 6(1/2): 1-95. [\[available in Cesa Library\]](#)
- 7605. Seven,S.**, 1993, Trakya Lepidoptera'sı Üzerine faunistik notlar. Cent. ent. Stud., Misc. Pap. 18: 4-8. [\[available in Cesa Library\]](#)
- 7606. Seven,S.**, 1994, Kızılcahamam Kocaçay vadisi'nin diurnal Lepidopterlerinin ekolojisi ve faunası. Cent. ent. Stud., Priamus 7 (1/2): 3-62. [\[available in Cesa Library\]](#)
- 7607. Seven,S.**, 1995, Trakya Lepidoptera faunasına katkılar. Cent. ent. Stud., Misc. Pap. 23/24: 1-13, 3 figs. [\[available in Cesa Library\]](#)
- 7608. Seven,S.**, 1996, Türkiye Lepidoptera faunası ve ekolojisi Üzerine araştırmalar-I. Cent. ent. Stud., Priamus 8 (1/2): 1-52. [\[available in Cesa Library\]](#)
- 7609. Seven,S.**, 1996, Uzak Doğudan bir Pterophoridae cinsinin nomenklatürü hakkında (Lepidoptera). Cent. ent. Stud., Priamus 7 (4): 171-172. [\[available in Cesa Library\]](#)
- 7610. Seven,S.**, 1997, Afrika'dan bir Lycaenidae türünün nomenklatürü hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 48: 1-2, 1 harita. [\[available in Cesa Library\]](#)
- 7611. Seven,S.**, 1997, Papilio machaon Linnaeus,1758 türüyle ilgili bazı nomenklatür sorunları hakkında (Lepidoptera, Papilionidae). Cent. ent. Stud., Misc. Pap. 37: 1-3. [\[available in Cesa Library\]](#)
- 7612. Seven,S.**, 1997, Batı Asya'da bulunan bazı Lycaenid taksonlarındaki sinonimler hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 1-3. [\[available in Cesa Library\]](#)
- 7613. Seven,S.**, 1997, Etiyopya ile Komşu Ülkelerinin Lycaenidae Türleri ve Bazı Taksonomik Notlar (Lepidoptera). Cent. ent. Stud., Misc. Pap. 43: 3-8. [\[available in Cesa Library\]](#)
- 7614. Seven,S.**, 1997, Negros (Filipinler) adasından yeni bir Noctuidae türü Donda sailendra Kobes,1983 hakkında (Lepidoptera). Cent. ent. Stud., Misc. Pap. 44: 1-2, 1 harita. [\[available in Cesa Library\]](#)
- 7615. Seven,S.**, 1997, Bazı Orta Asya Noctuidae taksonlarına ait nomenklatür notları (Lepidoptera). Cent. ent. Stud., Misc. Pap. 47: 6-8. [\[available in Cesa Library\]](#)
- 7616. Seven,S.**, 1997, Metisella Hemming cinsinin Afrika'daki bir türünün nomenklatürü hakkında (Lepidoptera, Hesperidae). Cent. ent. Stud., Misc. Pap. 48: 2-3. [\[available in Cesa Library\]](#)
- 7617. Seven,S.**, 2000, Tomares (nogelii) nogelii ssp. cesa (ssp.n.) [in] Koçak,A., Enkhere vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14. [\[available in Cesa Library\]](#)
- 7618. Seven,S.**, 2000, Tomares (nogelii) dobrogensis ssp. uighurica (ssp.n.) [in] Koçak,A., Enkhere vilayitidiki kepineklirining sinonumik tizimliği (Lepidoptera). Cent. ent. Stud., Misc. Pap. 67/69: 14. [\[available in Cesa Library\]](#)
- 7619. Seven,S.**, 2000, Kırıkkale Lepidoptera faunası ekolojisi ve taksonomisi üzerine araştırmalar. Cent. ent. Stud., Priamus 10 (1/2): 1-101, 1 harita. [\[available in Cesa Library\]](#)
- 7620. Seven,S.**, 2006, Preliminary survey on the butterfly fauna of Kazdağı National Park (Turkey). Bull. lépidopteristes Paris. 15 (34): 74-80, 8 figs. [\[available in Cesa Library\]](#)
- 7621. Seven,S.**, 2007, Preliminary work on the moth fauna (Lepidoptera, Heterocera) of Kazdağı National Park -II (Turkey). Phegea 35 (3): 85-91. [\[available in Cesa Library\]](#)
- 7622. Seven,S.**, 2014, A new species of blue from Turkey, Neolycaena soezen Seven, sp.n. (Lepidoptera, Lycaenidae). Shilap Revta lepid. 42 (166): 311-317, figs. [\[available in Cesa Library\]](#)

- 7623. Seven, S., Hüseyinoğlu, Y., Kemal, M. & M. Özdemir**, 2000, Recent collections of the diurnal Lepidoptera of the Soğuksu N.P. Işık Dağı (Kızılcahamam, Ankara Prov., N.Turkey). Cent. ent. Stud., Misc. Pap. 64: 1-6. [[available in Cesa Library](#)]
- 7624. Seven, S., Özdemir, M., Özdemir, Y. & V. Bozkurt**, 2005, On the species of *Rhyacionia Hübner*, [1825] (Lepidoptera, Tortricidae) in Turkey. Phytoparasitica 33 (2): 123-128, 2 Pls. [[available in Cesa Library](#)]
- 7625. Seven, S.Ç. & M. Özdemir**, 2011, Two new records for the Olethreutinae fauna of Turkey (Lepidoptera, Tortricidae). Zool. Middle East 53: 133-134, figs. [[available in Cesa Library](#)]
- 7626. Seyer, H.**, 1938, Einige Erlebnisse von meiner Jugoslawienfahrt und der Fang einer neuen *Papilio podalirius* L.- Monstrosität (partitus)). Ent. Rdsch. 55: 629-632, 656. [[available in Cesa Library](#)]
- 7627. Seyer, H.**, 1980, Ein bekannter Falter des südöstlichen Balkans bisher ohne Unterartnamen: *Anthocharis damone* n.ssp. *hollaenderi*. Mitt. ent. Ges. Basel 30: 1-3.
- 7628. Seyer, H.**, 1984, Der Rassenkreis von *Anthocharis damone* im Mittelmeerraum und eine neue Subspezies aus der Türkei (Lep., Pieridae). Ent. Z., Frankf. a. M. 94: 233-237, Abb. 2. [[available in Cesa Library](#)]
- 7629. Seyer, H.**, 1985, Der Rassenkreis von *Anthocharis damone* im Vorderen Orient und eine neue Subspezies von dort (Lep., Pieridae). Ent. Z., Frankf. a. M. 95: 20-23, 2 Abb. [[available in Cesa Library](#)]
- 7630. Seyer, H.**, 1988, *Euchloe belemia moslemi* ssp.n. de l'Iraq (Lepidoptera, Pieridae). Linneana Belgica 11: 329-332, figs. [[available in Cesa Library](#)]
- 7631. Seyer, H.**, 1990, *Papilio machaon saharae* Obth., 1879 (= *Papilio machaon rathjensi* Warnecke, 1932, syn.n.) auch für SW Marocco und Südjemen nachgewiesen. Paiperlek 12: 21-22.
- 7632. Seymour, P.R.**, 1972, A revision of the genus *Masalia* (Lepidoptera, Heliethridinae). Bull. Br. Mus. nat. Hist. (Ent.) 27: 1-100, 10 pls. 11 maps. [[available in Cesa Library](#)]
- 7633. Shaffer, M.**, 1977, Pyralidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 22-24. [[available in Cesa Library](#)]
- 7634. Shaffer, M.**, 1984, Pyralidae, Déterminations [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 8. [[available in Cesa Library](#)]
- 7635. Shah, M. & M. Inayatullah**, 2001, Some pierid butterflies of Kohat district. Sarhad J. Agric. 17 (3): 408-413.
- 7636. Shank, C.C.**, 2008, Biodiversity profile of Afghanistan. 149 pp. UNEP Programme, Kabul. [access 2 October 2011]. [[available in Cesa Library](#)]
- 7637. Sharpe, E.M.**, 1897, Descriptions of some new species of Acraeidae collected by Mr. F.J. Jackson at Ntebi, Uganda. Ann. Mag. nat. Hist. (6) 19: 581-582. [[available in Cesa Library](#)]
- 7638. Shchurov, V.I. & V.A. Lukhtanov**, 2001, Notes on the taxonomy of the genus *Kretania* (Beuret, 1959) with the description of a new species from the Black Sea Coast of Russia (Lepidoptera, Lycaenidae). Atalanta 32 (1/2): 217-225, figs., pls. xv, xvi. [[available in Cesa Library](#)]
- 7639. Sheldon, W.G.**, 1899, The Lepidoptera of Oban and District. Entomologist's Rec. J. Var. 11: 13-14. [[available in Cesa Library](#)]
- 7640. Sheldon, W.G.**, 1901, Lepidoptera in the Western Highlands. Entomologist's Rec. J. Var. 13: 135-136. [[available in Cesa Library](#)]
- 7641. Sheldon, W.G.**, 1901, *Colias hyale* hibernated and bred. Entomologist's Rec. J. Var. 13: 222-223. [[available in Cesa Library](#)]
- 7642. Sheljuzhko, L.**, 1908, Quelques formes nouvelles des Lépidoptères. Russk. ent. Obozr. 7 (1907): 232-233. [[available in Cesa Library](#)]
- 7643. Sheljuzhko, L.**, 1919, Neue palaearktische Lepidopteren-Formen. Neue Beitr. syst. Insektenk. 1: 129-132.
- 7644. Sheljuzhko, L.**, 1924, Uebersicht der kaukasischen Rassen von *Parnassius apollo* L. Mitt. münch. ent. Ges. 14: 42-54. [[available in Cesa Library](#)]
- 7645. Sheljuzhko, L.**, 1925, Neue Pieriden-Formen. Mitt. münch. ent. Ges. 15: 96-101. [[available in Cesa Library](#)]
- 7646. Sheljuzhko, L.**, 1926, Neue palaearktische Heteroceren. Dt. ent. Z., Iris 40: 1-10, 4 Abb. [[available in Cesa Library](#)]
- 7647. Sheljuzhko, L.**, 1928, Neue palaearktische Lycaeniden. Lepid. Rdsch. 2: 44-46, 9 figs. [[available in Cesa Library](#)]
- 7648. Sheljuzhko, L.**, 1929, Einige neue palaearktische Lepidopteren-Formen. Mitt. münch. ent. Ges. 19: 347-362, 14 Abb. [[available in Cesa Library](#)]

- 7649. Sheljuzhko, L.**, 1929, Einige Bemerkungen über *Melitaea ala* Stgr. Mitt. münch. ent. Ges. 19: 363-, 4 Abb., Taf.xxvii figs. 1-4. [\[available in Cesa Library\]](#)
- 7650. Sheljuzhko, L.**, 1931, Einige Randbemerkungen zum "Supplement" zu den "Gross-Schmetterlingen der Erde" herausgegeben von Dr.A.Seitz. Papilionidae und Pieridae. Int. ent. Z. 25: 69-74. [\[available in Cesa Library\]](#)
- 7651. Sheljuzhko, L.**, 1934, Eine neue *Callimorpha dominula*-Rasse aus dem Kaukasus. *Callimorpha dominula teberdina* (ssp.nov.). Ent. Z., Frankf. a. M. 48 (10): 73-75. [\[available in Cesa Library\]](#)
- 7652. Sheljuzhko, L.**, 1935, Einige neue und wenig bekannte Lepidopteren aus dem westlichen Tian-Shan. Mitt. münch. ent. Ges. 25 (2): 27-38, Taf.iii. [\[available in Cesa Library\]](#)
- 7653. Sheljuzhko, L.**, 1935, Ergänzende Notizen über *Zygaena sogdiana tshimganica* Holik. Ent. Rdsch. 53(1): 7-8. [\[available in Cesa Library\]](#)
- 7654. Sheljuzhko, L.**, 1935, Zwei neue *Parnassius*-Rassen aus Transkaukasien. Z. öst. EntVer. 20: 22-24, Taf. [\[available in Cesa Library\]](#)
- 7655. Sheljuzhko, L.**, 1935, Drei neue *Aegeriiden*arten aus Centralasien. Z. öst. EntVer. 20(7/8): 53-55, 64. [\[available in Cesa Library\]](#)
- 7656. Sheljuzhko, L.**, 1937, Lepidopterologische Ergebnisse meiner Reise nach dem Teberda-Gebiete (Nordwest-Kaukasus) Folia zool. Hydrobiol. 8: 117-140, Taf. 6. [\[available in Cesa Library\]](#)
- 7657. Sheljuzhko, L.**, 1941, Eine neue *Zygaena* aus Zentralasien. *Zygaena (Coelestis) ferganae*, spec. nova. Z. Wien. EntVer. 26: 6-9, 4 figs. [\[available in Cesa Library\]](#)
- 7658. Sheljuzhko, L.**, 1956, Über *Parnassius mnemosyne teberdaensis* Eisner. Ent. Z., Frankf. a. M. 66: 213-214. [\[available in Cesa Library\]](#)
- 7659. Shibuya, J.**, 1927, Descriptions of two new species of Phycitinae from Japan (Lepid.). Insecta Matsumurana 2 (1): 23-25, 2 figs. [\[available in Cesa Library\]](#)
- 7660. Shibuya, J.**, 1927, Some new and unrecorded species of Pyralidae from Corea (Lepid.). Insecta Matsumurana 2 (2): 87-102. [\[available in Cesa Library\]](#)
- 7661. Shibuya, J.**, 1928, The Systematic Study on the Formosan Pyralidae. J. Coll. Agric. Hokkaido Imp. Univ. 22 (1): 1-300, 9 Pls. [\[available in Cesa Library\]](#)
- 7662. Shibuya, J.**, 1929, On the Pyralidae from the Bonin Islands. Insecta Matsumurana 3 (2/3): 111-114. [\[available in Cesa Library\]](#)
- 7663. Shibuya, J.**, 1929, On the Japanese Hydrocampinae. Insecta Matsumurana 3 (2/3): 120-136. [\[available in Cesa Library\]](#)
- 7664. Shibuya, J.**, 1931, The Endotrichinae of Japan. Insecta Matsumurana 5 (4): 161-170. [\[available in Cesa Library\]](#)
- 7665. Shields, O. & J.F.Emmel**, 1973, A review of carrying pair behavior and mating times in butterflies. J. Res. Lepid. 12 (1): 25-64, 5 figs. [\[available in Cesa Library\]](#)
- 7666. Shields, O.**, 1996, Geographic isolation in southwestern North American Butterflies (Lepidoptera, Rhopalocera). Nachr. ent. Ver. Apollo N.F. 17(1): 71-92. [\[available in Cesa Library\]](#)
- 7667. Shipp, J.W.**, 1894, Notes on some varieties of British Rhopalocera. Entomologist's Rec. J. Var. 5: 98-100. [\[available in Cesa Library\]](#)
- 7668. Shirozu, T. & H.Yamamoto**, 1956, A generic revision and phylogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
- 7669. Shirozu, T. & T.Saigusa**, 1971, A New Genus of the Subfamily Apaturinae (Nymphalidae). Butterfl. Moths 22 (1/2): 7-13, 4 figs. [\[available in Cesa Library\]](#)
- 7670. Shirozu, T.**, 1960, The butterflies of Formosa in colour. 8 ♀ 479 pp. 76 pls. 479 text-figs. Osaka.
- 7671. Shirvani, A., Kamali, K., Ronkay, L. & A.A.Talebi**, 2008, New records of three Noctuidae species with description of the female *Hadula osmana* Hacker, 1998 from Iran (Lepidoptera, Noctuidae, Hadeninae). Esperiana 14: 559-564, figs. [\[available in Cesa Library\]](#)
- 7672. Shirvani, A., Ronkay, L. & A.A.Talebi**, 2008, A new *Brachygalea* Hampson, 1906 species from Iran (Lepidoptera, Noctuidae, Oncocnemidinae). Esperiana 14: 573-576, figs. [\[available in Cesa Library\]](#)
- 7673. Shirvani, A., Ronkay, L., Kamali, K. & A.A.Talebi**, 2008, A new *Pseudohadena* Alpheraky, 1897 species from Iran (Lepidoptera, Noctuidae, Xyleninae). Esperiana 14: 577-580, figs. [\[available in Cesa Library\]](#)
- 7674. Shirvani, A., Ronkay, L., Kamali, K. & A.A.Talebi**, 2008, Taxonomic and faunistic notes of certain Noctuidae species (Lepidoptera) for Iran. Esperiana 14: 565-571, figs. [\[available in Cesa Library\]](#)

7675. **Shirvani,A., Sheykhnejad,H. & M.A.Shoghali**, 2012, *Eremohadena afzalipouri* sp.nov. from Iran. J. Ins. Sci. 12 (137): 1-7, 2 figs. [[available in Cesa Library](#)]
7676. **Shirvani,A., Shoghali,M.A. & S.Feizpoor**, 2012, A survey of the Perigrapha Lederer (Lepidoptera, Noctuidae, Hadeninae) species of Iran. Turk. J. Zool. 36 (6): 752-758, figs. [[available in Cesa Library](#)]
7677. **Shlykov,O.V.**, 1988, List of Macrolepidoptera of Penza Province. Ent. Obozr. 1988: 48-61. [[available in Cesa Library](#)]
7678. **Shshetkin,Y.L.**, 1980, *Guntia chorogica* gen. et sp.n. (Lepidoptera, Noctuidae, Cuculliinae) from West Pamir. Zool. Zh. 59: 1254-1256.
7679. **Shshetkin,Y.L.**, 1980, A new genus and a new species of Notodontidae (Lepidoptera) from Tajikistan. Ent. Obozr. 59(1): 161-165, figs.
7680. **Shshetkin,Y.L.**, 1980, A new species of blue butterflies (Lepidoptera, Lycaenidae) from Tadjikistan. Zool. Zh. 59(2): 303-305, figs.
7681. **Shshetkin,Y.L.**, 1980, A new species of Nola (Lepidoptera, Nolidae) from Tadzhikistan. Izvestiya Akad. Nauk tadjhik.SSR 1980(4): 98-100, figs.
7682. **Shshetkin,Y.Y.**, 1984, Two new subspecies of *Pseudothecla cyri*. Zool. Zh. 63(9): 1430-1432.
7683. **Shshetkin,Y.Y.,Kaabak,L.V. & P.G.Shshetkina**, 1986, Contribution to the Rhopalocera (Lepidoptera) of the Eastern Pamirs. Ent. Obozr. 66(1): 87-95. [[available in Cesa Library](#)]
7684. **Shtandel,A.E.**, 1957, The diurnal butterflies (Lepidoptera, Rhopalocera) of Altai. Ent. Obozr. 36: 134-141 [in Russian].
7685. **Shuxia,W. & Z.Zhemín**, 1997, Two new species and two new records of the genus *Ethmia* Hubner (Lepidoptera, Oecophoridae) from China. Entomotaxonomia 19(2): 135-138, 2 figs. [in Chinese, english summary]. [[available in Cesa Library](#)]
7686. **Sibatani,A.**, 1974, A new genus for two species of Lycaeninae (s.str.) (Lepidoptera, Lycaenidae). from Papua New Guinea. J. Aust. ent. Soc. 13: 95-110, 23 figs. [[available in Cesa Library](#)]
7687. **Sich,A.**, 1901, Illustrations of Lepidoptera being imprints of impressions. Entomologist's Rec. J. Var. 13: 66-72. [[available in Cesa Library](#)]
7688. **Sichel,G.**, 1962, *Hipparchia semele* (L.) ed *Hipparchia aristaeus* (Bon.) in Sicilia. Fragm. ent. 4: 43-47. [[available in Cesa Library](#)]
7689. **Sick,H.**, 1941, Neue Cymatophoridae der Höneschen Ausbeuten (Lepid.). Dt. ent. Z. 1941: 1-9.
7690. **Sieder,L. & F.Loebel**, 1951, *Psychidea bombycella* Schiff. und ihre Rassen. Z. wien. ent. Ges. 36: 33-44, 8 figs. 1 Taf. [[available in Cesa Library](#)]
7691. **Sieder,L.**, 1956, *Reisseronia* gen.nov. (Lepidoptera, Psychidae). Z. wien. ent. Ges. 41: 162-170. [[available in Cesa Library](#)]
7692. **Sieder,L.**, 1959, Neue palaearktische Psychiden (Lepidoptera, Psychidae). II.Eine neue Psychide aus dem Chelmosgebiet (Griechenland). Z. wien. ent. Ges. 44: 147-150, 7 figs. [[available in Cesa Library](#)]
7693. **Sieder,L.**, 1959, Neue palaearktische Psychiden (Lepidoptera, Psychidae). I. Eine neue Psychide aus Afghanistan: *Sciopetris amseli* spec.nov. Z. wien. ent. Ges. 44: 145-147, figs.8-10. [[available in Cesa Library](#)]
7694. **Sieder,L.**, 1961, Eine neue Psychide aus dem Chelmosgebiet in Griechenland (Lepidoptera, Psychidae). Helleniinae subfam. nov., *Hellenia* gen. nov. *culminella* spec. nov. Z. wien. ent. Ges. 46(9): 121-126, 3 figs. 1 Taf. [[available in Cesa Library](#)]
7695. **Sieder,L.**, 1975, Eine neue Psychide auf der Insel Büyük-Ada (Türkei) (Lepidoptera, Psychidae), *Massonia rassei* spec.nov. Ent. Ber., Amst. 35: 150-153, figs. [[available in Cesa Library](#)]
7696. **Siegler,K.**, 1958, Sammelfahrt auf dem Balkan und in Kleinasien. Ent. Z., Frankf. a. M. 68: 65-71. [[available in Cesa Library](#)]
7697. **Sieglinde & K.Rehnelt**, 1972, Ein Fund von *Colias erate* in Griechenland (Lep., Pieridae). Societas ent. 82(14): 159-160. [[available in Cesa Library](#)]
7698. **Siepe,W.**, 1995, Die Praeimagonalstadien und die Aufzucht von *Polyommatus* (*Aricia*) *torulensis* Hesselbarth & Siepe,1993 (Lepidoptera, Lycaenidae). Phegea 23 (3): 167-172, figs. [[available in Cesa Library](#)]
7699. **Sievers,G.**, 1895, Hugo Christoph. Dt. ent. Z., Iris 7: 361-362. [[available in Cesa Library](#)]

- 7700. Sihvonon,P. & K.Mikkola,** 2002, Taxonomical characters of *Selidosema plumarium* and *S. brunnearium* (Lepidoptera, Geometridae, Ennominae) and the function of the internal genitalia during copulation. Ent. fenn. 13: 13-19, figs. [[available in Cesa Library](#)]
- 7701. Sihvonon,P. & K.Nupponen,** 2005, Taxonomy of *Rhodostrophia jacularia* (Hübner,1813) - a Sterrhinae moth with variable female wing shape (Lepidoptera, Geometridae). Nota lepid. 28 (2): 113-122, figs. [[available in Cesa Library](#)]
- 7702. Sihvonon,P.,** 2005, Check-list of chinese Scopula Schrank species and an analysis of species diversity (Lepidoptera, Geometridae, Sterrhinae). J. Asia-Pacific Ent. 8 (1): 29-36. [[available in Cesa Library](#)]
- 7703. Sihvonon,P., Skou,P., Flamigni,C., Fiumi,G. & A.Hausmann,** 2014, Revision of the *Hylaea fasciaria* (Linnaeus,1758) species group in the western Palaearctic (Lepidoptera, Geometridae, Ennominae). Zootaxa 3768 (4): 469-498, figs. [[available in Cesa Library](#)]
- 7704. Simonyi,S,** 1996, A new species of the genus *Rusina* Stephens,1829 from Turkey (Lepidoptera, Noctuidae). Folia ent. hung. 57: 271-275, 12 figs. [[available in Cesa Library](#)]
- 7705. Simonyi,S.J., Ronkay,L. & P.Gyulai,** 2015, A revision of the genus *Heliophobus* Boisduval,1828 (Lepidoptera, Noctuidae, Hadeninae). Acta Zool. Acad. Sci. Hung. 61 (2): 147-188, figs. [[available in Cesa Library](#)]
- 7706. Sinev,S.Y. & V.A.Sruoga,** 1995, New species of mining moths (Lepidoptera, Elachistidae) from the Russian Far East. Ent. Obozr. 74 (1): 120-137, figs. [engl. text: Ent. Rev. 75 (3): 21-140, 27 figs., 1996]. [[available in Cesa Library](#)]
- 7707. Sinev,S.Y.,** 1986, A List of Momphid moths (Lepidoptera, Momphidae) of the USSR fauna. Trudy vses. ent. Obshch. 67: 19-74.
- 7708. Sinev,S.Y.,** 1986, A review of blastobasid moths (Lepidoptera, Blastobasidae) in the fauna of U.S.S.R. Trudy zool. Inst., Leningrad 145: 53-71, figs.
- 7709. Sinev,S.Y.,** 1992, On the systematics and phylogeny of the Gelechioidea s.l. (Lepidoptera). Ent. Obozr. 71(1): 143-159 [engl. transl. Ent. rev. 72(2): 10-25,1993].
- 7710. Sinev,S.Y.,** 1993, New and little known species of Blastobasidae (Lepidoptera) of the Palaearctic Region. Ent. Obozr. 72(2): 368-377 [engl. transl. Ent. rev. 73(1): 72-81, 8 figs.,1994]
- 7711. Sinev,S.Y.,** 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). Proc. zool. Inst., St. Petersburg 293: 1-182. [[available in Cesa Library](#)]
- 7712. Sinev,S.Y.,** 2007, New and little known species of gray moths (Lepidoptera, Gelechioidea, Blastobasidae) from Eurasia. Ent. rev. 87 (8): 1064-1073, 12 figs. [Ent. Obozr. 86 (4): 883-894] [[available in Cesa Library](#)]
- 7713. Sipahi,R.,** 1959, Antep Fıstıklarında *Pachypasa otus* Drury. Bitki Koruma Bült. 1(2): 46-49, 6 figs. [[available in Cesa Library](#)]
- 7714. Sişli,M.N.,** 1968, Ankara da *Aporia crataegi* L.'nin (Lepidoptera, Pieridae) göçü. Bitki Koruma Bülteni 8(1): 74-76, şek. [[available in Cesa Library](#)]
- 7715. Sjaak,J.C. et al.,** 2004, *Blastodacna libanotica* Diakonoff,1939 - a pest on Pear in Turkey (Agonoxenidae). Nota lepid. 27 (1): 33-40.
- 7716. Skala,H.,** 1943, *Nepticula groschkei* spec. nov. Z. wien. ent. Ges. 28: 86. [[available in Cesa Library](#)]
- 7717. Skala,P.,** 2001, New taxa of the subgenus *Agrodiaetus* Hübner,1822 from Iran: *Polyommatus* (*Agrodiaetus*) *faramarzii* sp.n., *P.(A.) shahrami* sp.n., and *P.(A.) pfeifferi astyages* ssp.n. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 22 (2): 101-108, figs. [[available in Cesa Library](#)]
- 7718. Skala,P.,** 2002, Contributions to the knowledge of *Polyommatus* (*Agrodiaetus*) *pfeifferi* (Brandt,1938) and its relatives (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 23 (3): 119-134, figs. [[available in Cesa Library](#)]
- 7719. Skala,P.,** 2003, A new species of the genus *Satyrus* Latreille,1810 from Iran (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 35-40, figs. [[available in Cesa Library](#)]
- 7720. Skala,P.,** 2003, New taxa of the genus *Hyponephele* Muschamp,1915 from Iran and Turkey (Lepidoptera, Nymphalidae). Linneana Belg. 19 (1): 41-50, figs. [[available in Cesa Library](#)]
- 7721. Skell,F.,** 1955, Ludwig Osthelder. Mitt. münch. ent. Ges. 45: 526-531. [[available in Cesa Library](#)]
- 7722. Skou,P.,** 1986, The Geometrid Moths of North Europe (Lepidoptera, Drepanidae and Geometridae). Entomonograph 6: 1-48, 24 Pls., Leiden & Copenhagen. [[available in Cesa Library](#)]
- 7723. Slamka,F.,** 1995, Die Zünslerfalter (Pyraloidea) Mitteleuropas. 112 pp. Pls. Prunella, Poprad-Tatry (Slovakia).

7724. **Slivov,A.V.**, 1985, *Noctua haywardi balcanica* subsp.n. (Lepidoptera, Noctuidae). *Acta zool. bulg.* 27: 52-56.
7725. **Slivov,A.V.**, 1995, A review of the species of the genus *Boloria* Moore,1900 (Lepidoptera, Nymphalidae) from Bulgaria and description of a new subgenus and a new species. *Acta zool. bulg.* 48: 62-67.
7726. **Smetacek,P.**, 2003, Descriptions of new Lepidoptera from the Kumaon Himalaya. *J. Bombay Nat. Hist. Soc.* 101 (2): 269-276. [[available in Cesa Library](#)]
7727. **Smetacek,P.**, 2005, The Epipleminae (Lepidoptera, Uraniidae) of the Kumaon Himalaya. *J. Bombay Nat. Hist. Soc.* 102 (2): 186-194.
7728. **Smetacek,P.**, 2008, Moths recorded from different elevations in Nainital district, Kumaon Himalaya, India. *Bionotes* 10 (1): 5-15. [[available in Cesa Library](#)]
7729. **Smetacek,P.**, 2010, A new species of *Ceryx* Wallengren (Lepidoptera, Arctiidae, Syntominiinae) from the Kumaon Himalaya, India. *J. threat. Taxa* 2 (5): 894-895. [[available in Cesa Library](#)]
7730. **Smetacek,P.**, 2011, Four new lycaenid butterfly records from the Kumaon Himalaya, India. *J. threat. Taxa* 3 (2): 1555-1558, figs. [[available in Cesa Library](#)]
7731. **Smetacek,P.**, 2011, A review of west Himalayan Neptini (Nymphalidae). *J. lepid. Soc.* 65 (3): 153-161, figs. [[available in Cesa Library](#)]
7732. **Smiles,K.H.**, 1972, A revision of the genus *Naroma* (Lepidoptera, Lymantriidae). *J. Ent. (B)* 41: 163-174, 22 figs. [[available in Cesa Library](#)]
7733. **Smiles,K.H.**, 1979, A revision of the subgenus *Dysgnophos* (Lepidoptera, Geometridae). *J. nat. Hist.* 13: 99-119, figs. [[available in Cesa Library](#)]
7734. **Smith, C.**, 1994, *Butterflies of Nepal* (revised edn.). Bangkok, Thailand. [[available in Cesa Library](#)]
7735. **Smith,C.**, 1997, *Butterflies of Royal Chitwan National Park Nepal*. 8opp., figs. Bangkok. [[available in Cesa Library](#)]
7736. **Smith,C.R. & R.I.Vane-Wright**, 2001, A review of the afrotropical species of the genus *Graphium* (Lepidoptera, Rhopalocera, Papilionidae). *Bull. nat. Hist. Mus. Lond. (Ent.)* 70 (2): 503-719, figs. [[available in Cesa Library](#)]
7737. **Smith,C.R., Liseki,S. & R.I.Vane-Wright**, 2008, On the status of *Papilio sjoestedti* Aurivillius,1908, the "Kilimanjaro swallowtail" (Lepidoptera, Papilionidae). *J. nat. Hist.* 42 (19-20): 1349-1359.
7738. **Smith,D.S., Naseer,G., Balint,Z. & S.A.Hasan**, 2007, *Butterflies of the Hunza region, northern Pakistan, and adjacent Afghanistan*. *Holarct. Lepid.* 11 (1/2) (2004): 1-57, figs. [[available in Cesa Library](#)]
7739. **Smith,J.B.**, 1900, A hundred new moths of the family Noctuidae. *Proc. U. S. natn. Mus.* Vol.22, N.1203: 413-495. [[available in Cesa Library](#)]
7740. **Smith,W.**, 1853, *Dictionary of Greek and Roman Biography and Mythology* 1: 1-1093. London. [[available in Cesa Library](#)]
7741. **Snellen,P.C.T.**, 1875, Drie nieuwe Choreutinen. *Tijdschr. Ent.* 18: 10-18, Pl.6 figs.5-7. [[available in Cesa Library](#)]
7742. **Snellen,P.C.T.**, 1875, Vier nieuwe soorten van het genus *Nola* Leach. *Tijdschr. Ent.* 18: 1-9, Pl.6 figs.1-4. [[available in Cesa Library](#)]
7743. **Snellen,P.C.T.**, 1877, Heterocera op Java verzameld door Mr.M.C.Piepers, met aantekeningen en beschrijvingen der nieuwe soorten. *Tijdschr. Ent.* 20: 1-50, 3 pls. [[available in Cesa Library](#)]
7744. **Snellen,P.C.T.**, 1877, Lepidoptera op Sumatra verzameld, voornamelijk in Atchin door J.J.Korndörffer, Kapitein 1st klasse, Oud-Kommandant van het Detachement Mariniers in Atchin, met beschrijving van eenige nieuwe soorten. *Tijdschr. Ent.* 20: 65-79, 2 pls. [[available in Cesa Library](#)]
7745. **Snellen,P.C.T.**, 1879 Lepidoptera van Celebes verzameld door Mr.M.C.Piepers, met aantekeningen en beschrijvng der nieuwe soorten. *Tijdschr. Ent.* 22: 61-138, 5 Pls. [[available in Cesa Library](#)]
7746. **Snellen,P.C.T.**, 1881, Aanteekening over eenige Lepidoptera van Amboina en de Philippijnsche eilanden. *Tijdschr. Ent.* 24: 127-131.
7747. **Snellen,P.C.T.**, 1882, *De vlinders van Nederland, Microlepidoptera*, 2 delen: xiii ♀ 1196 pp. Brill, Leiden.
7748. **Snellen,P.C.T.**, 1888, Bijdrage tot de kennis van de Aganaidea Herrich-Schaffer (Lepidoptera, Heterocera, Familie Lithosina). *Tijdschr. Ent.* 31: 109-146. [[available in Cesa Library](#)]

- 7749. Snellen, P.C.T.**, 1890, A catalogue of the Pyralidina of Sikkim collected by Henry J. Elwes and the late Otto Möller. Trans. ent. Soc. London 1890 (4): 557-647, pls. xix, xx. [[available in Cesa Library](#)]
- 7750. Sobczyk, T. & M. Nuss**, 2013, Revision der paläarktischen Arten der Gattung *Placodoma* Chrétien, 1915 (Lepidoptera, Psychidae, Placodominae). Entomofauna 34 (35): 557-608, figs. [[available in Cesa Library](#)]
- 7751. Sobczyk, T.**, 2004, Beitrag zur Kenntnis der Typhoniini mit der Beschreibung von *Kalliesia irana* gen. et sp. n. aus dem Iran (Psychidae). Nota lepid. 27 (1): 19-31, figs.
- 7752. Sobczyk, T.**, 2004, Beitrag zur Kenntnis der Typhoniini mit der Beschreibung von *Kalliesia irana* gen. et sp. n. aus dem Iran (Psychidae). Nota lepid. 27 (1): 19-31.
- 7753. Sodoffsky, W.**, 1849, *Heliothis victorina*. Stettin ent. Ztg. 10: 130-131. [[available in Cesa Library](#)]
- 7754. Soffner, J.**, 1961, Entomologisches aus Nessebar (Bulgarien). Ent. Z., Frankf. a. M. 71(21): 237-241, 2 Abb. [[available in Cesa Library](#)]
- 7755. Soffner, J.**, 1965, *Lasiocampa eversmanni* in Bulgarien (Lepidoptera, Lasiocampidae). Ent. Z., Frankf. a. M. 75: 70. [[available in Cesa Library](#)]
- 7756. Soffner, J.**, 1967, Kleinschmetterlinge aus Bulgarien (Lep.). Mitt. münch. ent. Ges. 57: 102-122, Taf. V-VI. [[available in Cesa Library](#)]
- 7757. Sohn J.-C. & C.-S. Wu**, 2013, A taxonomic review of *Attevidae* (Lepidoptera, Yponomeutoidea) from China with descriptions of two species and a revised identity of the *Ailanthus* webworm moth, *Atteva fabriella*, from the Asian tropics. J. Ins. Sci. 13 (66): 1-16, figs. [[available in Cesa Library](#)]
- 7758. Sohn, J.C., Ronkay, L. & S.W. Choi**, 2005, First report of five Noctuid species (Lepidoptera, Noctuidae) from Korea. J. Asia-Pac. Ent. 8 (2): 147-152, figs. [[available in Cesa Library](#)]
- 7759. Sohn, J.-C. & H.-R. Tzuoo**, 2012, Two new species of *Stenoloba* (Lepidoptera, Noctuidae) from East Asia with the first description of *S. nora* female genitalia. J. Asia-Pacific Ent. 15 (2): 241-244, figs. [[available in Cesa Library](#)]
- 7760. Solis, M.A.**, 1992, Checklist of the old world *Epipaschiinae* and related new world genera *Macalla* and *Epipaschia* (Pyralidae). J. Lep. Soc. 46 (4): 280-297. [[available in Cesa Library](#)]
- 7761. Solis, M.A.**, 2003, *Pyraloidea* specimens labelled as Rebel types from Egypt at the National Museum of Natural History, Smithsonian Institution, Washington, D.C. Nota lepid. 26 (1/2): 59-63, figs. [[available in Cesa Library](#)]
- 7762. Solis, M.A., Shen-Horn, Y., Goolsby, J.H., Wright, T., Pemberton, R., Winotai, A., Chattrukul, U., Thagong, A. & S. Rimbut**, 2005, *Siamusotima aranea*, a new Stem-Boring Musotimine (Lepidoptera, Crambidae) from Thailand feeding on *Lygodium flexuosum* (Schizaeaceae). Annls ent. Soc. Am. 98 (6): 887-899.
- 7763. Solovyev, A.V.**, 2008, Review of the genus *Phocoderma* Butler, 1886 (Zygaenoidea, Limacodidae). Nota lepid. 31 (1): 53-63, figs. [[available in Cesa Library](#)]
- 7764. Solovyev, A.V.**, 2009, Notes on South-East Asian Limacodidae (Lepidoptera, Zygaenoidea) with one new genus and eleven new species. Tijdschr. Ent. 152: 167-183, figs. [[available in Cesa Library](#)]
- 7765. Solovyev, A.V.**, 2010, A review of the genus *Aphendala* Walker, 1865 with notes on confusing genera (Lepidoptera, Limacodidae). Atalanta 41 (3/4): 349-360, pl. 10. [[available in Cesa Library](#)]
- 7766. Solyanikov, V.P.**, 1986, A new species of the psychid genus *Eumasia* Chret. (Lepidoptera, Psychidae) from Tajikistan. Ent. Obozr. 65(2): 403-406, figs.
- 7767. Soljanikov, V.P.**, 1991, New species of the genus *Fumea* Haw. (Lepidoptera, Psychidae). Ent. Obozr. 1991 (4): 920-927, figs. [in Russian] [[available in Cesa Library](#)]
- 7768. Solyanikov, V.P.**, 1993, New species of Bag Worm Moths (Lepidoptera, Psychidae) from Central Asia. Ent. Obozr. 72(3): 637-643 [engl. transl. Ent. rev. 73(4): 22-28, 5 figs., 1994]
- 7769. Someren, V.G.L. van & T.H.E. Jackson**, 1952, The *Charaxes etheocles-ethalion* complex: A tentative reclassification of the group (Lepidoptera, Nymphalidae). Trans. R. ent. Soc. Lond. 103(8): 257-284. [[available in Cesa Library](#)]
- 7770. Sommerer, M.**, 1997, *Thalassodes mohrae* spec. nov., ein neuer Grünspanner aus Sumatra (Lepidoptera, Geometridae). Spixiana 20 (3): 277-280, figs. [[available in Cesa Library](#)]
- 7771. Sommerer, M.D. & D. Stünig**, 1997, *Spolia Sumatrensis*: A new species of *Arichanna* Moore, 1868 and a new species of *Bracca exul* Herrich-Schäffer [1856] (Lep., Geometridae, Ennominae). Heteroc. Sumatr. 12: 17-27, 21 figs. [[available in Cesa Library](#)]

7772. **Son,G.van**, 1939, A new species of the genus *Leptoneura* Wallengren (Lepidoptera, Rhopalocera) from the Zoutpansberg district. Ann. Transv. Mus. 20: 47-51, pl.1. [\[available in Cesa Library\]](#)
7773. **Son,G.van**, 1939, Notes on the menestheus group of *Papilio* L. and the South African races of *Papilio ophidicephalus* Oberthür and a new variety. Ann. Transv. Mus. 20: 53-64, pls. 2-4. [\[available in Cesa Library\]](#)
7774. **Son,G.van**, 1940, A new subspecies of *Leptoneura dingana* Trim. (Lepidoptera, Rhopalocera) from the Northern Transvaal. J. ent. Soc. sth. Afr. 3. 57-61.
7775. **Son,G.van**, 1949, The butterflies of Southern Africa. Part 1. Papilionidae and Pieridae (Transvaal Museum Memoirs nr.3): vi ♀ 237pp. 41 Pls. Pretoria. [\[available in Cesa Library\]](#)
7776. **Song,S.-M., Wu,C.S. & Z.-H.Yang**, 2007, First record of the genus *Ethopia* Walker from China, with descriptions of two new species (Lepidoptera, Pyralidae, Galleriinae). Acta Zootaxonomica Sinica 32 (1): 85-89, figs. [\[available in Cesa Library\]](#)
7777. **Sonnenburg,F. & Kordges**, 1997, Zur Verbreitung und Gefährdungssituation von *Maculinea nausithous* Bergsträsser,1779 und *Maculinea teleius* Bergsträsser,1779 in Nordrhein-Westfalen (Lepidoptera, Lycaenidae). Decheniana 150: 293-307.
7778. **Sorhagen,L.**, 1901-1902, Grabowiana. Ein Nachtrag zu den Kleinschmetterlinge der Mark Brandenburg. Allg. Z. Ent. 6 (1901): 241-245, 276-279, 296-298, 311-314, 327-332, 343-347; 7 (1902): 19-25, 51-57, 77-81, 97-100. [\[available in Cesa Library\]](#)
7779. **Sotshivko,A.V. & L.V.Kaabak**, 1996, A new subspecies of *Parnassius staudingeri* A.Bang-Haas,1882 from the Sarykolsky Mountain Ridge in Tadjikistan (Lepidoptera, Papilionidae). Atalanta 27(1/2): 199-202, Pl. [\[available in Cesa Library\]](#)
7780. **South,R.**, 1962, The Butterflies of the British Isles. 212pp. 127 Pls. Fredrerick Warne Co. Ltd., London [originally published in 1906, with numerous subsequent reprints]. [\[available in Cesa Library\]](#)
7781. **Sovinsky,V.**, 1905, *Callophrys rubi chalybeitincta* n.ssp. Russk. ent. Obozr. 5: 109. [\[available in Cesa Library\]](#)
7782. **Sovinsky,V.**, 1915, Notice sur les races caucasiens de *Lycaena damon* Schiff. Russk. ent. Obozr. 15: 383-391. [\[available in Cesa Library\]](#)
7783. **Soyhan,T., Başer,S. & V.Nazari**, 2013, First record of *Cacyreus marshalli* Butler,1898 (Lycaenidae) from Turkey. Nota lepid. 36 (2): 189-190, figs. [\[available in Cesa Library\]](#)
7784. **Spatenka,K. & I.Tosevski**, 1994, *Bembecia guesnoni* spec.nov., a new species of clearwing moth from North India (Lepidoptera, Sesiidae). Atalanta 25(1/2): 313-316, Pl.XIIIa. [\[available in Cesa Library\]](#)
7785. **Spatenka,K. & K.Reshöft**, 1989, Eine neue Art der Gattung *Bembecia* Hübner,1819 aus Ost-Afghanistan (Lepidoptera, Sesiidae). Entomofauna 10 (10): 177-186, 4 figs. [\[available in Cesa Library\]](#)
7786. **Spatenka,K. & O.Gorbunov**, 1992, Vier neue palaearktische Glasflügler (Sesiidae, Lepidoptera). Entomofauna 13 (23): 377-396, figs. [\[available in Cesa Library\]](#)
7787. **Spatenka,K. & Z.Lastuvka**, 1997, Zur Verbreitung und Variabilität von *Paranthrene insolita* Le Cerf,1914 (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) 18 (1): 13-21, 6 figs. [\[available in Cesa Library\]](#)
7788. **Spatenka,K.**, 1987, Fünf neue paläarktische Glasflügler (Lepidoptera, Sesiidae). Z. ArbGem. öst. Ent. 39(1-2): 12-26, 4 Abb, 2 Tab. [\[available in Cesa Library\]](#)
7789. **Spatenka,K.**, 1992, Weitere neue palaearktische Sesiiden (Lepidoptera, Sesiidae). Alexanor 17 (7): 427-446, 19 figs. D [\[available in Cesa Library\]](#)
7790. **Spatenka,K.**, 1997, Neue Glasflügler (Lepidoptera, Sesiidae) aus dem Pamir und dem Hindukusch. Bonn. zool. Beitr. 47 (1/2): 31-41, figs. [\[available in Cesa Library\]](#)
7791. **Spatenka,K.**, 1997, Neue Glasflügler-Arten und Unterarten aus Europa und der Türkei (Sesiidae, Lepidoptera). Bonn. zool. Beitr. 47 (1/2): 43-57, figs. [\[available in Cesa Library\]](#)
7792. **Spatenka,K.**, 2001, Some new Palaearctic clearwing moths (Lepidoptera, Sesiidae). Ent. Z. 111 (3): 75-80, figs.
7793. **Spatenka,K., Gorbunov,O., Lastuvka,Z., Tosevki,I. & Y.Arita**, 1996, Die Futterpflanzen der paläarktischen Glasflügler (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 17 (1): 1-20. [\[available in Cesa Library\]](#)

- 7794. Spatenka,K., Gorbunov,O., Lastuvka,Z., Tosevski,I. & Y.Arita**, 1999, Sesiidae - Clearwings, [in] de Jong, et al. (ed.). Handbook of Palaearctic Macrolepidoptera, vol.1, xvi+569pp. 504 figs. & maps. Gem Publishing, England. [\[available in Cesa Library\]](#)
- 7795. Spatenka,K., Petersen,M. & A.Kallies**, 1997, Ergebnisse einer sesiidologischen Expedition 1994 nach Kasachstan und Kirgistan (Lepidoptera, Sesiidae). Nachr. ent. Ver. Apollo N.F. 17 (4): 405-422, figs. [\[available in Cesa Library\]](#)
- 7796. Speidel,W. & C.M.Naumann**, 2005, The systematic position of the genus *Cetola* Walker,1855 (Lepidoptera, Noctuidae). Ent. Z., Stutt. 115 (1): 25-28, figs. [\[available in Cesa Library\]](#)
- 7797. Speidel,W. & D.Stünig**, 2005, *Ambia naumanni* sp.n., a new species of Musotiminae from Yunnan (Lepidoptera, Crambidae). Bonner zool. Beitr. 53 (1/2): 221-225, figs. [\[available in Cesa Library\]](#)
- 7798. Speidel,W. & G.Behounek**, 2005, The genus *Wittstrotia* gen.nov. (Lepidoptera, Noctuidae, Eustrotiinae). Entomofauna 26 (23): 393-408, figs. [\[available in Cesa Library\]](#)
- 7799. Speidel,W. & L.Aarvik**, 2002, Synonyms of European Tortricidae and Noctuidae, with special reference to the publications of Hübner, Geyer & Fröhlich. Nota lepid. 25 (1): 17-22.
- 7800. Speidel,W. & M.Hassler**, 1990, Die Schmetterlingsfauna der südlichen algerischen Sahara und ihrer Hochgebirge Hoggar und Tassili n'Ajjer (Lepidoptera). Nachr. ent. Ver. Apollo N.F. Suppl. 8 (1989): 1-156. Pls. [\[available in Cesa Library\]](#)
- 7801. Speidel,W. & T.J.Witt**, 2007, A new genus of Galleriinae from South-East Asia (Lepidoptera, Pyralidae). Entomofauna 28 (17): 201-212, figs. [\[available in Cesa Library\]](#)
- 7802. Speidel,W. & V.S.Kononenko**, 1998, A review of the subfamilies Pantheinae and Acronictinae from North Vietnam with description of new species of *Tambana* Moore,1882 and *Anacronicta* Warren,1909 (Lepidoptera, Noctuidae). Esperiana 6: 547-566, Taf. [\[available in Cesa Library\]](#)
- 7803. Speidel,W. & W.Mey**, 1999, Catalogue of the Oriental Acentropinae (Lepidoptera, Crambidae). Tijdschr. Ent. 142: 125-142, 3 figs. [\[available in Cesa Library\]](#)
- 7804. Speidel,W.**, 1982, Zwei neue Arten der Gattung *Parapoynx* Hübner,1825 (Lepidoptera, Pyraloidea, Acentropinae). Neue ent. Nachr. 2: 12-17, figs. [\[available in Cesa Library\]](#)
- 7805. Speidel,W.**, 1984, Revision der Acentropinae des palaearktischen Faunengebietes (Lepidoptera, Crambidae). Neue ent Nachr. 12: 1-157, figs.
- 7806. Speidel,W.**, 1989, Die Synonymie von *Pyrausta aerealis* (Hübner) (Lepidoptera, Crambidae). Nachr. ent. Ver. Apollo (N.F.) 10(2): 175-177. [\[available in Cesa Library\]](#)
- 7807. Speidel,W.**, 1992, New Synonyms of Chinese Noctuids (Lep., Noctuidae). Esperiana 3: 9-15. [\[available in Cesa Library\]](#)
- 7808. Speidel,W.**, 1998, The genus *Nymphicula* Snellen,[1880] in the Philippines (Lepidoptera, Crambidae, Acentropinae). Esperiana 6: 533-546, Taf., 22 figs., map. [\[available in Cesa Library\]](#)
- 7809. Speidel,W.**, 2003, New species of aquatic moths from the Philippines (Lepidoptera, Crambidae). Ins. Koreana 20 (1): 7-49, figs. [\[available in Cesa Library\]](#)
- 7810. Speidel,W.**, 2005, *Cetola naumanni* sp.n. from Thailand (Lepidoptera, Noctuidae). Ent. Z., Stutt. 115 (1): 13-14, figs. [\[available in Cesa Library\]](#)
- 7811. Speidel,W., Fänger,H. & C.M.Naumann**, 1997, On the systematic position of *Cocytia Boisduval*,1828 (Lepidoptera, Noctuidae). Dt. ent. Z. (N.F.) 44 (1): 27-31, 6 figs. [\[available in Cesa Library\]](#)
- 7812. Speidel,W., Hassler,M. & K.Kuchler**, 1991, Die Schmetterlingsfauna der südlichen algerischen Sahara I. Nachtrag. Nachr. ent. Ver. Apollo 12 (2): 121-135.
- 7813. Speidel,W., Nieukerken, E.J.v., Honey,M.R. & S.J.C.Koster**, 2007, The exotic pyraloid moth *Diplopseustis perieresalis* (Walker) expanding in the West Palaearctic Region (Crambidae, Spilomelinae). Nota lepid. 29 (3/4): 185-192, 6 figs. [\[available in Cesa Library\]](#)
- 7814. Speidel,W., Nieukerken, E.J.v., Honey,M.R. & S.J.C.Koster**, 2007, The exotic pyralid moth *Diplopseustis perieresalis* (Walker) expanding in the West Palaearctic Region (Crambidae, Spilomelinae). Nota lepid. 29 (3/4): 185-92, figs. [\[available in Cesa Library\]](#)
- 7815. Speyer,A. & A.Speyer**, 1858, Die geographische Verbreitung der Schmetterlinge Deutschlands und der Schweiz. Erster Theil. Die Tagfalter, Schwärmer und Spinner (*Papilio*, *Sphinx* et *Bombyx* s.l.). Engelmann, Leipzig.
- 7816. Speyer,A.**, 1879, Die Hesperiden-Gattungen des europäischen Faunengebiets II.Nachträge Das Flügelgeäder. Stettin ent. Ztg. 40: 477-500. [\[available in Cesa Library\]](#)
- 7817. Speyer,A.**, 1879, Neue Hesperiden des paläarktischen Faunengebiets. Stettin ent. Ztg. 40: 342-352. [\[available in Cesa Library\]](#)

- 7818. Spiller, A.J.**, 1880, Notes on the Rhopalocera of Natal. Entomologist 13: 1-5, 55-58, 80-83.
- 7819. Spiller, A.J.**, 1882, Notes on the Rhopalocera of Natal. Entomologist 15: 5-10.
- 7820. Spitzer, K.**, 1984, Notes on taxonomy and distribution of the genus *Gynaephora* Hübner, 1819 (Lymantriidae). Nota lepid. 7 (2): 180-183, 2 figs. [[available in Cesa Library](#)]
- 7821. Spronck, R.**, 2001, *Buszkoiana capnodactylus*, une nouvelle espèce pour la faune belge (Lepidoptera, Pterophoridae). Phegea 29 (2): 73-75, 2 figs. [important references are missing - non ethical approach]. [[available in Cesa Library](#)]
- 7822. Spuler, A.**, 1910, Die Raupen der Schmetterlinge Europas. 60 Taf., Stuttgart.
- 7823. Späth, M.**, 1992, Zwei neue Taxa der Gattung *Papilio* Linnaeus 1758 aus Indonesien (Lepidoptera, Papilionidae). Ent. Z., Frankf. a. M. 102(16): 289-293, 2 Abb. [[available in Cesa Library](#)]
- 7824. Sruoga, V. & A. Diskus**, 2001, *Stephensia brunnichella* (Lepidoptera: Elachistidae) new species for Lithuania. Acta zool. Lituanica 11 (1): 73-77, 10 figs. [[available in Cesa Library](#)]
- 7825. Sruoga, V. & A. Diskus**, 2006, Redescription of the type specimens of *Elachista freyerella* group (Lepidoptera, Elachistidae, Elachistinae) from India and Sri Lanka. Zootaxa 1350: 33-43, 6 pls.
- 7826. Sruoga, V.**, 1997, A new species of *Perittia* Stainton (Lepidoptera, Elachistidae) from Central Asia. Phegea 25 (3): 129-134, 16 figs. [[available in Cesa Library](#)]
- 7827. Sruoga, V.**, 2003, A remarkable new species of *Stephensia* Stainton (Insecta, Lepidoptera, Elachistidae) from Belize Rainforest (Central America). Zool. Sci. 20 (10): 1273-1277, figs.
- 7828. Stainton, H.T.**, 1853, *Nepticula viscerella* Stainton. Zoologist 1853: 3958.
- 7829. Stainton, H.T.**, 1854, Catalogue of British Micro-Lepidoptera-III. [In] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 16: 1-199. London. [[available in Cesa Library](#)]
- 7830. Stainton, H.T.**, 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304.
- 7831. Stainton, H.T.**, 1860, Description of South African Tineina collected by R. Trimen in 1858-9. Trans. ent. Soc. London 5(2): 220-223. [[available in Cesa Library](#)]
- 7832. Stainton, H.T.**, 1867, The Tineina of Syria and Asia Minor. 84pp. John van Voorst. London. [[available in Cesa Library](#)]
- 7833. Stamm, K.**, 1963, Beitrag zur Lepidopterenfauna der Kanaren. Ent. Z., Frankf. a. M. 73: 45-52.
- 7834. Stammeshaus, H.J.L.T.**, 1971, Some notes on the female genitalia of *Pieris rapae* L. and *Pieris manni* Mayer (Lepidoptera, Pieridae). Ent. Ber. 31: 13-16, 36 figs. [[available in Cesa Library](#)]
- 7835. Standel, A.E.**, 1960, On some butterflies (Lepidoptera) of the Palearctic Fauna. Ent. Obozr. 39: 693-696. [[available in Cesa Library](#)]
- 7836. Standfuss, M.**, 1888, Lepidopterologisches. Berl. ent. Z. 32 (1): 233-246, Taf.iii. [[available in Cesa Library](#)]
- 7837. Standfuss, M.**, 1888, Alte und neue Agrotiden der europäischen Fauna. Dt. ent. Z. Iris 1: 211-219, Taf. 10-11, 4 figs. [[available in Cesa Library](#)]
- 7838. Standfuss, M.**, 1892, Lepidopterologisches [in] Romanoff, N.M., Mém. Lépid. 6: 659-669, Pl. [[available in Cesa Library](#)]
- 7839. Stangelmaier, G., Wieser, C. & M. Fibiger**, 2003, Ergänzungen zum Exkursionsbericht Nordiran 2001 mit Beschreibung von *Dichagyris ilseae* n.sp. (Lepidoptera, Lymantriidae, Geometridae, Noctuidae). Carinthia II 193/113: 561-572, figs. [[available in Cesa Library](#)]
- 7840. Stanta, R.**, 1995, *Dryobotodes tenebrosa* Esper, 1789 - nova vrsta za slovensko favno metuljev, najdena na goriškem krasu (Lepidoptera: Noctuidae). [Dryobotodes tenebrosa Esper, 1789 - a new species to the Slovenian moth fauna, found in the karst near Gorica (Lep., Noctuidae)]. Acta ent. Slovenica 3 (2): 105-108.
- 7841. Stanta, R.**, 1996, *Dryobota labecula* Esper, 1788 - nova vrsta v slovenski favni metuljev (Lepidoptera: Noctuidae). [Dryobota labecula Esper, 1788 - new species to the Slovenian moth fauna (Lepidoptera: Noctuidae)]. Acta ent. Slovenica 4 (1): 37-39.
- 7842. Stauder, H.**, 1913-1914, Lepidopterologische Ergebnisse zweier Sammelreisen in den algerischen Atlas und die nördliche Sahara. Z. wiss. InsektBiol. 9: 175-183, 227-236, 289-294, 337-341, 353-360, 2 Tafeln; 10: 81-85, 125-129, 167-175. [[available in Cesa Library](#)]
- 7843. Stauder, H.**, 1921, Die Schmetterlingsfauna der illyro-adriatischen Festland- und Inselzone (faunula illyro-adriatica). Z. wiss. InsektBiol. 16: 143-153, 11 figs.

7844. **Stauder, H.**, 1922, *Parnassius apollo julianus* Stdr. subspec.n. Ent. Anz. 2: 135-136.
7845. **Stauder, H.**, 1924, Das Weib von *Syntomis herthula* Stdr. und eine zweite Generation der Art. Mitt. münch. ent. Ges. 14: 56-59. [[available in Cesa Library](#)]
7846. **Stauder, H.**, 1924, Neue Palaearktenformen II. Mitt. münch. ent. Ges. 14: 59-66. [[available in Cesa Library](#)]
7847. **Staudinger, O. & A. Bang-Haas**, 1882, Über einige neue *Parnassius*- und andere Tagfalter-Arten Central Asiens. Berl. ent. Z. 26 (1): 161-177, 2 Taf. [[available in Cesa Library](#)]
7848. **Staudinger, O. & E. Schatz**, 1884-1888, Exotische Schmetterlinge (21 parts). Exotische Tagfalter 1 (Text): vi + 333 pp. 2 (Plates): 100 pls.
7849. **Staudinger, O. & H. Rebel**, 1901, I. Theil: Famil. Papilionidae-Hepialidae. [in] Staudinger, O. & H. Rebel, Catalog der Lepidopteren des palaearctischen Faunengebietes. xxxii + 411 S. Berlin. [[available in Cesa Library](#)]
7850. **Staudinger, O.**, 1859, Diagnosen nebst kurzen Beschreibungen neuer andalusischer Lepidopteren. Stettin ent. Ztg. 20 (7/9): 211-259. [[available in Cesa Library](#)]
7851. **Staudinger, O.**, 1860, *Pieris krueperi*. Ein neuer europäischer Tagfalter. Wien. ent. Monatschr. 4: 19-20. [[available in Cesa Library](#)]
7852. **Staudinger, O.**, 1861, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. xvi + 84 S. Dresden. [[available in Cesa Library](#)]
7853. **Staudinger, O.**, 1862, Die Arten der Lepidopteren-Gattung "*Ino* Leach" nebst einigen Vorbemerkungen über Localvarietäten. Stettin ent. Ztg. 23: 341-359. [[available in Cesa Library](#)]
7854. **Staudinger, O.**, 1862, Über einige neue griechische Lepidopteren. Stettin ent. Ztg. 23: 257-271. [[available in Cesa Library](#)]
7855. **Staudinger, O.**, 1871, Beitrag zur Lepidopterenfauna Griechenlands. Horae Soc. ent. ross. 7 (1870): 3-304, 3 Taf. [[available in Cesa Library](#)]
7856. **Staudinger, O.**, 1871, Macrolepidoptera. [in] Staudinger, O. & M. Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. xxxviii + 200 S. Dresden. [[available in Cesa Library](#)]
7857. **Staudinger, O.**, 1874, Einige neue Lepidopteren des europäischen Faunengebiets. Stettin ent. Ztg. 35: 87-98. [[available in Cesa Library](#)]
7858. **Staudinger, O.**, 1878-1881, Lepidopteren-Fauna Kleinasien's. Horae Soc. ent. ross. 14: 176-482; 15: 159-435; 16: 65-135. [[available in Cesa Library](#)]
7859. **Staudinger, O.**, 1879, Ueber die Lepidopteren südöstlichen europäischen Russlands. Stettin ent. Ztg. 40: 315-328. [[available in Cesa Library](#)]
7860. **Staudinger, O.**, 1881, Beitrag zur Lepidopteren-Fauna Central-Asiens. Stettin ent. Ztg. 42(7/9): 253-275. [[available in Cesa Library](#)]
7861. **Staudinger, O.**, 1881, Beitrag zur Lepidopteren-Fauna Central-Asiens. Heterocera. Stettin ent. Ztg. 42(10/12): 393-424. [[available in Cesa Library](#)]
7862. **Staudinger, O.**, 1881, Rhopaloceren von Lepsa und dem Ala Tau. Stettin ent. Ztg. 42(7/9): 275-300. [[available in Cesa Library](#)]
7863. **Staudinger, O.**, 1882, Beitrag zur Lepidopteren-Fauna Central-Asiens. Heterocera. Stettin ent. Ztg. 43: 35-78. [[available in Cesa Library](#)]
7864. **Staudinger, O.**, 1886, Centralasiatische Lepidopteren. Stettin ent. Ztg. 47: 193-215, 225-256. [[available in Cesa Library](#)]
7865. **Staudinger, O.**, 1887, Einige neue Arten und Varietäten der Gattungen *Sesia* und *Zygaena*. Berl. ent. Z. 31 (1): 29-42. [[available in Cesa Library](#)]
7866. **Staudinger, O.**, 1887, Centralasiatische Lepidopteren. Stettin ent. Ztg. 48: 49-102. [[available in Cesa Library](#)]
7867. **Staudinger, O.**, 1888, Centralasiatische Lepidopteren. Stettin ent. Ztg. 49: 1-65. [[available in Cesa Library](#)]
7868. **Staudinger, O.**, 1888, Neue Noctuiden des Amurgebietes. Stettin ent. Ztg. 49: 245-283. [[available in Cesa Library](#)]
7869. **Staudinger, O.**, 1889, Lepidopteren der Insel Palawan. Dt. ent. Z., Iris 2: 3-180, 2 Taf. [[available in Cesa Library](#)]
7870. **Staudinger, O.**, 1889, Centralasiatische Lepidopteren. Stettin ent. Ztg. 50: 16-60. [[available in Cesa Library](#)]
7871. **Staudinger, O.**, 1889, Einige neue *Cymothoe*-Arten. Stettin ent. Ztg. 50: 412-422. [[available in Cesa Library](#)]
7872. **Staudinger, O.**, 1892, Neue Arten und Varietäten von palaarktischen Geometriden aus meiner Sammlung. Dt. ent. Z., Iris 5 (1): 141-260. [[available in Cesa Library](#)]

- 7873. Staudinger, O.**, 1892, Neue Arten und Varietäten von Lepidopteren des paläarktischen Faunengebietes. Dt. ent. Z., Iris 4: 224-339, Taf. [\[available in Cesa Library\]](#)
- 7874. Staudinger, O.**, 1892, Zwei neue Charaxes-Arten. Dt. ent. Z., Iris 5 (1): 260-264. [\[available in Cesa Library\]](#)
- 7875. Staudinger, O.**, 1892, Lepidopteren aus Tunis. Dt. ent. Z., Iris 5 (1): 277-300, Taf.III. [\[available in Cesa Library\]](#)
- 7876. Staudinger, O.**, 1892, Lepidopteren des Kentei-Gebirges. Dt. ent. Z., Iris 5 (1): 300-393. [\[available in Cesa Library\]](#)
- 7877. Staudinger, O.**, 1892, Die Macrolepidopteren des Amurgebietes. [in] Romanoff, Mém. lépid. 6: 83-658, Pls. [\[available in Cesa Library\]](#)
- 7878. Staudinger, O.**, 1893, Beschreibung neuer palaearktischer Pyraliden. Dt. ent. Z., Iris 6: 71-82; ibid. 5: Taf.III. [\[available in Cesa Library\]](#)
- 7879. Staudinger, O.**, 1894, Über Namens-Aenderungen. Dt. ent. Z., Iris 6: 368-369. [\[available in Cesa Library\]](#)
- 7880. Staudinger, O.**, 1895, Neue Lepidopteren-Arten und Varietäten dem paläarktischen Faunengebiet. Dt. ent. Z., Iris 7 (1894): 241-296, Taf. [publication date 5 Jan.,1895] [\[available in Cesa Library\]](#)
- 7881. Staudinger, O.**, 1895, Über einige neuere und neue Tagfalter des indo-malayischen Faunengebiets. Dt. ent. Z., Iris 7: 341-358. [\[available in Cesa Library\]](#)
- 7882. Staudinger, O.**, 1895, Berichtigungen. Dt. ent. Z., Iris 7: 376. [\[available in Cesa Library\]](#)
- 7883. Staudinger, O.**, 1896, Neue exotische Schmetterlinge. Dt. ent. Z., Iris 8: 366-379, 2 Pls. [\[available in Cesa Library\]](#)
- 7884. Staudinger, O.**, 1896, Neue paläarktische Lepidopteren. Dt. ent. Z., Iris 8 (1895): 288-299, Taf.v. [publication date 2 Jan. 1896] [\[available in Cesa Library\]](#)
- 7885. Staudinger, O.**, 1897, Drei neue paläarktische Lepidopteren. Dt. ent. Z., Iris 10: 152-156, Taf.V. [\[available in Cesa Library\]](#)
- 7886. Staudinger, O.**, 1897, Lepidopteren des Apfelgebirges. Dt ent. Z., Iris 10: 320-344. [\[available in Cesa Library\]](#)
- 7887. Staudinger, O.**, 1898, Vier neue Heteroceren aus Algerien und Tunesien. Dt. ent. Z., Iris 10: 265-270. Taf.IV. [\[available in Cesa Library\]](#)
- 7888. Staudinger, O.**, 1898, Neue Lepidopteren aus Palestina. Dt. ent. Z., Iris 10: 271-319, Taf.IV [\[available in Cesa Library\]](#)
- 7889. Staudinger, O.**, 1900, Über Lepidopteren aus dem östlichen Thian Shan Gebiet. Dt. ent. Z., Iris 12 (1899): 331-351. [\[available in Cesa Library\]](#)
- 7890. Staudinger, O.**, 1900, Zwei neue Palaearktische Heterocera. Dt. ent. Z., Iris 13: 112-114. [\[available in Cesa Library\]](#)
- 7891. Staudinger, O.**, 1900, Neue Lepidopteren des palaearktischen Faunengebiets. Dt. ent. Z., Iris 12: 352-403, Taf. [wrong citation by Hausmann (1994: 78) as "paläarktischen Faunengebietes"] [\[available in Cesa Library\]](#)
- 7892. Staudinger, O.**, [1896], Beschreibung neuer Lepidopteren aus Tibet. Dt. ent. Z., Iris 8 (2) [2 Jan.,1896]: 300-343. [\[available in Cesa Library\]](#)
- 7893. Stchetkin, J.J. & J.Bohac**, 1986, A study of the vertical distribution of diurnal moths in the Pamiro-Alai Region. Ziva 34(4): 146-149, figs.
- 7894. Stchetkin, J.J.**, 1986, Turanana jurileontyi sp.n., eine neue Blauling-Art aus Tadshikistan (Insecta, Lepidoptera, Lycaenidae). Senckenbergiana biol. 66(4/6): 251-254, figs.
- 7895. Stchetkin, Y.L.**, 1979, Eine neue Pheosia aus Tadshikistan. Zool. Zh. 58(12): 1891-1893.
- 7896. Stchetkin, Y.L.**, 1980, Eine neue Art und eine neue Gattung Zahnspinner (Lep., Notodontidae) aus Tadshikistan. Ent. Obozr. 59: 161-165.
- 7897. Stchetkin, Y.Y. & L.V. Kaabak**, 1985, A new subspecies of Parnassius charltonius Gray (Lepidoptera, Papilionidae) from eastern Pamir. Byulleten' Mosk. Obshch. Ispyt. Prir. (Otd. Biol.) 90(5): 41-44, figs.
- 7898. Stchetkin, Y.Y.**, 1986, Exotic species new to the USSR territory, and new species of satyr butterflies (Lepidoptera, Satyridae) from the Pamirs. Byulleten' Mosk. Obshch. Ispyt. Prir. 91(3): 66-70, figs.
- 7899. Stchetkin, Y.Y.**, 1986, New species of the blues (Lepidoptera, Lycaenidae) from Tadzhikistan. Zool. Zh. 65(7): 1092-1095, figs.
- 7900. Stchetkin, Y.Y.**, 1986, Karanasa ansobica sp.n. (Lepidoptera, Satyridae) from Tajikistan. Zool. Zh. 65(5): 804-807, figs.

- 7901. Stchetkin, Y.Y.**, 1988, A description of a new subspecies of *Parnassius honrathi* Stgr. (Lepidoptera, Papilionidae) from central Tajikistan. Ent. Obozr. 67(1): 160-161, figs.
- 7902. Stearn, W.T.**, 1978, Botanical Latin. History, Grammar, Syntax, Terminology and Vocabulary (2nd ed.). xv+566pp. David & Charles Ltd. Newton Abbot. Devon.
- 7903. Stefanelli, P.**, 1900, Nuovo catalogo illustrativo dei Lepidotteri Ropaloceri della Toscana. Bull. Soc. ent. ital. 32: 103pp.
- 7904. Steiner, R. & G. Hermann**, 1999, Freilandbeobachtungen zu Eiablageverhalten und -habitat des Wald-Wiesenvögelchens, *Coenonympha hero* (Linnaeus, 1761), and einer Flugstelle in Baden-Württemberg (Lepidoptera, Nymphalidae). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 111-118, figs. [[available in Cesa Library](#)]
- 7905. Steiniger, H.**, 1972, Wanderfalterbeobachtungen im Herbst 1970 und 1971 in Portugal. Atalanta 4(1): 43-56, 2 Abb. [[available in Cesa Library](#)]
- 7906. Steiniger, H.**, 1984, Anmerkungen über den Beitrag zur Lepidopteren-Fauna des Großen Kaukasus von Alberti & Fritsch (1983) (Lep., Lycaenidae). Nota lepid. 7 (2): 98-100. [[available in Cesa Library](#)]
- 7907. Stempffer, H.**, 1931, Contribution a l'etude de quelques especes du genre *Lycaeides* Hübner. Annls Soc. ent. Fr. 1931: 121-132, 3 Pls. [[available in Cesa Library](#)]
- 7908. Stempffer, H.**, 1948, Contribution a l'étude des Lycaenidae de la faune éthiopienne. Revue fr. Ent. 15: 185-196.
- 7909. Stempffer, H.**, 1967, The genera of the African Lycaenidae (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 10: 1-322, figs. [[available in Cesa Library](#)]
- 7910. Stempffer, H.**, 1977, Lycaenidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 102-103. [[available in Cesa Library](#)]
- 7911. Stengel, D.**, [1990], Drei neue Psychidae-Arten aus Griechenland und ein neuer Status für *Peloponnesia glaphyrella culminella* Sieder (Lepidoptera, Psychidae). Atalanta 20 (1989): 211-217, Abb. [[available in Cesa Library](#)]
- 7912. Stephens, J.F.**, 1827, [No title]. The retrospective Rev. hist. Antiq. Mag. (2) 1:230-245.
- 7913. Stephens, J.F.**, 1827-1835, Illustrations of British entomology; or, a synopsis of indigenous insects...Haustellata. 1 (1827-1828): 152pp., pls.1-12; 2 (1828-1829): 203pp., pls.13-24; 3 (1829-1831): 337pp., pls.25-32; 4 (1831-1835): 436pp., pls. 33-41. Baldwin & Cradock, London. [[available in Cesa Library](#)]
- 7914. Stephens, J.F.**, 1852, Catalogue of British Micro-Lepidoptera-II, [in] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 12: 1-51. London. [[available in Cesa Library](#)]
- 7915. Stephens, J.F.**, 1852, Catalogue of British Micro-Lepidoptera-I. [in] British Museum, List of the Specimens of British Animals in the Collection of the British Museum 10: 1-103. London. [[available in Cesa Library](#)]
- 7916. Sterling, M.J. & R.C. Kendrick**, 2011, Species of moth (Lepidoptera) new to Hong Kong, recorded during September and October 2010: Part 2, Pyraloidea. Hong Kong ent. Bull. 3 (2): 9-15, figs. [[available in Cesa Library](#)]
- 7917. Sterneck, J.**, 1929, Prodrum der Schmetterlingsfauna Böhmens. Karlsbad.
- 7918. Sterneck, J.**, 1932, Studien über Acidaliinae (Geometr.) I. Z. öst. EntVer. 17: 82-84. [[available in Cesa Library](#)]
- 7919. Sterneck, J.**, 1933, Studien über Acidaliinae (Geometr.) II. Z. öst. EntVer. 18: 63-68, Taf. xii. [[available in Cesa Library](#)]
- 7920. Sterneck, J.**, 1940, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VII, I.Teil: Der Gattung Sterrha und deren nächste Verwandte. Z. Wien. Ent.-Ver. 25: 6-17, 25-36, 56-59, 77-79, 98-107, 126-128, 136-142, 152-159, 161-176, pl.1-10. [[available in Cesa Library](#)]
- 7921. Sterneck, J.**, 1940-1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) VIII, II.Teil: Der Gattung Scopula und deren nahe Verwandte. Z. Wien. Ent.-Ver. 25 (1940): 200-208, 214-218, pl.23-28; ibid. 26 (1941): 17-31, 41-55, 88-96, 105-116. [[available in Cesa Library](#)]
- 7922. Sterneck, J.**, 1941, Versuch einer Darstellung der systematischen Beziehungen bei den palaearktischen Sterrhinae (Acidaliinae), Studien über Acidaliinae (Sterrhinae) IX, III-VI.Teil. Z. Wien. Ent.-Ver. 26: 150-159, 176-183, 191-198, 211-216, 217-222, 222-230, 248-262, pls.12-25. [[available in Cesa Library](#)]

- 7923. Stertz, O.**, 1915, Mitteilungen über palaearktische Heteroceren. Dt. ent. Z., Iris 29: 123-132, Taf.iii. [\[available in Cesa Library\]](#)
- 7924. Steuer, H.**, 1973, Beiträge zur Kenntnis der Elachistiden (Lepidoptera) I. Dt. ent. Z. (N.F.) 20: 153-169. [\[available in Cesa Library\]](#)
- 7925. Stichel, H.**, 1904, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 20. Brassolinae. Bruxelles.
- 7926. Stichel, H.**, 1905, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 31. Discophorinae. Bruxelles.
- 7927. Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 59. Zerynthiinae. Bruxelles. [\[available in Cesa Library\]](#)
- 7928. Stichel, H.**, 1907, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 58. Parnassiinae. Bruxelles. [\[available in Cesa Library\]](#)
- 7929. Stichel, H.**, 1907, Parnassius davidis alburnus n.subspec. Ent. Z., Stuttgart 21: 132.
- 7930. Stichel, H.**, 1908, Die Lepidopteren-Gattung Parnassius Latreille mit besonderer Berücksichtigung der historischen, morphologischen und biologischen Verhältnisse. Berl. ent. Z. (Sitzb. 1906) 52: (15)-(26). [\[available in Cesa Library\]](#)
- 7931. Stichel, H.**, 1910-1911, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 112. Riodinidae. Bruxelles.
- 7932. Stichel, H.**, 1911, Kritische Sichtung der Variationsstufen von Pieris napi L. im palaearktischen Gebiet (Lep., Rhop.). Berl. ent. Z. 55 (1910): 233-251. [\[available in Cesa Library\]](#)
- 7933. Stitz, H.**, 1899-1900, Der Genitalapparat der Microlepidopteren. Zool. Jb. (Abt. Anat.) 14: 135-176; 15: 385-434, taf.xx-xxiv.
- 7934. Stoll, C.**, 1780-[1782], [in] Cramer, P., Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4 (part): 29-252 pp., 305-400 Pls. Amsterdam & Utrecht. [\[available in Cesa Library\]](#)
- 7935. Stoll, C.**, 1787-[1790] Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America [supplement] viii^o [184] pp., 4 Pls. Amsterdam. [\[available in Cesa Library\]](#)
- 7936. Stonis, J.R. & A.Rocienė**, 2013, Nepticulidae (Lepidoptera) of East Asia (1). Re-examination of the male genitalia of types deposited at the Russian Academy of Sciences. Zootaxa 3652 (1): 1-59, figs. [\[available in Cesa Library\]](#)
- 7937. Storace, L.**, 1947, Papilio dardanus antinorii Oberth. forma vaccaroï nova. Annali Mus. civ. Stro. nat. Giacomo Doria 63: 116-119, 1 Pl.
- 7938. Storace, L.**, 1948, Descrizione di nuove forme di Pieridae dell'Africa Orientale. Annali Mus. civ. Stro. nat. Giacomo Doria 63: 263-265.
- 7939. Storace, L.**, 1948, Descrizione di nuove forme Africane del Gen. Charaxes O. (Lepidoptera, Nymphalidae). Annali Mus. civ. Stro. nat. Giacomo Doria 63: 132-141.
- 7940. Storace, L.**, 1949, Lepidotteri diurni. Annali Mus. civ. Stro. nat. Giacomo Doria 64: 12-29.
- 7941. Storace, L.**, 1950, La sottospecie Abissina di Euchrysops mauensis Bethune-Baker (Lepidoptera, Lycaenidae). Doriana 1 (7): 2pp.
- 7942. Storace, L.**, 1952, Osservazioni su Papilio aethiops R. & J. e Papilio nireus pseudonireus Felder, con descrizioni di nuove forme. Annali Mus. civ. Stro. nat. Giacomo Doria 66: 33-52.
- 7943. Storace, L.**, 1953, Appunti critici su alcuni Graphiini Africani. Annali Mus. civ. Stro. nat. Giacomo Doria 66: 252-264.
- 7944. Storace, L.**, 1953, Su alcune Lycaenidae Abissine del Museo di Genova (Lepidoptera). Doriana 1 (35): 4pp.
- 7945. Storace, L.**, 1953, Ropaloceri dell'Africa Orientale, III su alcune Pieridae dell'Africa Orientale de Museo di Genova. Doriana 1 (46): 7pp.
- 7946. Storace, L.**, 1954, Ropaloceri dell'Africa orientale- IV. sulla validità di Anthene butleri (Obth.) e sue razze (Lepidoptera, Lycaenidae). Annali Mus. civ. Stro. nat. Giacomo Doria 66: 313-323.
- 7947. Storace, L.**, 1955, Su alcune Papilionidae Africane, con descrizioni di nuove forme (Lepidoptera, Diurna). Mem. Soc. ent. ital. 33: 120-137.
- 7948. Storace, L.**, 1956, Ropaloceri dell'Africa orientale. VIII Su alcune Pieridae, con descrizioni di nuove forme. Annali Mus. civ. Stro. nat. Giacomo Doria 68: 335-350.
- 7949. Storace, L.**, 1962, L'Eserge antinorii Oberthür di Papilio dardanus Brown. Boll. Soc. ent. ital. 92: 68-73.

- 7950. Storage, L.**, 1962, Ropaloceri dell'Africa orientale IX. Le popolazioni nord-orientali di *Papilio dardanus antinorii* Oberthür. *Doriana* 3(120): 4pp.
- 7951. Storage, L.**, 1963, Note sul *Papilio dardanus antinorii* Oberthür, con descrizione di 8 Homotipi e d'una aberrazione Feminita inedita. *Boll. Soc. ent. ital.* 93: 21-30.
- 7952. Stradomsky, B.V.**, 2006, *Polyommatus shchurovi* sp.n. (Lepidoptera, Lycaenidae) from the altitude areas of Western Caucasus. *Caucasian Ent. Bull.* 2 (2): 215-216, figs. [[available in Cesa Library](#)]
- 7953. Strand, E.**, 1901, Beitrag zur Schmetterlingsfauna Norwegens I. *Nyt. Mag. Naturvid.* 39:
- 7954. Strand, E.**, 1902, Beitrag zur Schmetterlingsfauna Norwegens II. *Nyt. Mag. Naturvid.* 40: 135-192.
- 7955. Strand, E.**, 1909, Lepidoptera von Eregli und Taurus in Kleinasien, gesammelt von Herrn J.Niedieck. *Int. ent. Z.* 3: 78-81. [[available in Cesa Library](#)]
- 7956. Strand, E.**, 1909, Lepidoptera aus Deutsch Ost-Afrika, gesammelt von Herrn Dr.C.Uhlig. *Int. ent. Z.* 3. 128-129. [[available in Cesa Library](#)]
- 7957. Strand, E.**, 1909, Zwei neue afrikanische Hesperiden. *Int. ent. Z.* 3: 176-177. [[available in Cesa Library](#)]
- 7958. Strand, E.**, 1909, Zum Vorkommen der Gattung *Thaumatopoea* Hb. in Afrika: *Thaumatopoea apologetica* Strand n.sp. *Int. ent. Z.* 3: 196-197. [[available in Cesa Library](#)]
- 7959. Strand, E.**, 1910, Familie: Lymantriidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 109-141, pls., Stuttgart. [[available in Cesa Library](#)]
- 7960. Strand, E.**, 1911, Familie: Thaumatopoeidae, [in] Seitz, A., Die Gross-Schmett. Erde 2: 143-145, pls., Stuttgart. [[available in Cesa Library](#)]
- 7961. Strand, E.**, 1911, Neue Grossschmetterlinge aus Abyssinien, gesammelt von Herrn A.Kostlan. *Ent. Rdsch.* 28(18): 137-141. [[available in Cesa Library](#)]
- 7962. Strand, E.**, 1911, Zwei neue afrikanische Heterocera der Gattungen *Phasicnecus* und *Thaumatopoea*. *Int. ent. Z.* 5(3): 17. [[available in Cesa Library](#)]
- 7963. Strand, E.**, 1911, Eine neue afrikanische Psychide. *Int. ent. Z.* 5(3): 17-18. [[available in Cesa Library](#)]
- 7964. Strand, E.**, 1912, Noctuidae: Agaristinae. [in] Aurivillius, C. & H.Wagner, *Lepidopterorum Catalogus Pars 5.* 82pp. Dr.W.Junk Berlin. [[available in Cesa Library](#)]
- 7965. Strand, E.**, 1912, Zur Kenntnis äthiopischer Lithosiinae. *Archiv. Naturg.* 78A (7): 171-195. [[available in Cesa Library](#)]
- 7966. Strand, E.**, 1914, Lepidoptera aus Ober-Aegypten und dem aegyptischen Sudan. *Arch. Naturg.* 1914 (A10): 95-112.
- 7967. Strand, E.**, 1914, H.Sauter's Formosa Ausbeute: Lymantriidae (Lep.) II. *Ent. Mitt.* 3 (11/12): 328-338. [[available in Cesa Library](#)]
- 7968. Strand, E.**, 1919, H.Sauter's Formosa Ausbeute: Pyralididae, Subfam. Sterictinae, Endotrichinae, Pyralidinae und Hydrocampinae (Lep.). *Ent. Mitt.* 8 (1/3): 49-62, 102-110, 129-135. [[available in Cesa Library](#)]
- 7969. Strand, E.**, 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner, F., *Lepidopterorum Catalogus Pars 22.* 1-416 s. W.Junk, Berlin. [[available in Cesa Library](#)]
- 7970. Strand, E.**, 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner, F., *Lepidopterorum Catalogus Pars 26.* 501-899 s. W.Junk, Berlin.
- 7971. Strand, E.**, [1913], Zoologische Ergebnisse der Expedition des Herrn G.Tessmann nach Süd-Kamerun und Spanisch-Guinea. Lepidoptera IV. (Die Familien Psychidae, Metarbelidae, Cossidae, Limacodidae, Hesperidae, Zygaenidae, Thyrididae, Orneodidae, Pterophoridae, Aegeriidae...) *Archiv. Naturg.* 78A (12): 30-84, 2 pls. [[available in Cesa Library](#)]
- 7972. Streltsov, A.N. & V.V.Dubatolov**, 1997, A new subspecies of *Syrichthus cribrillum* (Eversmann, 1841) from the Amur Province (Lepidoptera, Hesperidae). *Atalanta* 28 (1/2): 125-128, 4 figs. [[available in Cesa Library](#)]
- 7973. Stringer, H.**, 1929, Two new species of Tortricina (Lepidoptera). *Ann. Mag. nat. Hist.* 10 (3): 26-28. [[available in Cesa Library](#)]
- 7974. Ströhle, M.**, 1996, *Paranthrene insolita* Le Cerf, 1914 auch im Regensburger Jura, Oberpfalz, Bayern (Lepidoptera, Sesiidae). *Atalanta* 27 (1/2): 343-344. [[available in Cesa Library](#)]
- 7975. Stshetkin, Y.Y.**, 1984, Two new subspecies of *Pseudothecle cyri*. *Zool. Zh.* 63(9): 1430-1432.
- 7976. Stshetkin, Y.Y.**, 1985, A New species of *Satyrus* Latr., from Tajikistan (Lepidoptera, Satyridae). *Ent. Obozr.* 1985(3): 584-587, 3 figs. [[available in Cesa Library](#)]

7977. **Stübner, A.**, 2007, Taxonomische Revision der Coleophora frischella-Artengruppe (Coleophoridae). *Nota lepid.* 30: 121-172, figs. [[available in Cesa Library](#)]
7978. **Stünig, D. & A. Hausmann**, 2002, Abraxas (Calospilos) breueri spec. nov., eine neue Geometridenart von den Philippinen. *Spixiana* 25 (2): 157-161, 4 figs. [[available in Cesa Library](#)]
7979. **Stünig, D. & A. Hausmann**, 2002, Inouea gen. nov., a new genus from Philippines, with the type species I. cyclobalia (West, 1929) and two new species (Insecta, Lepidoptera, Geometridae, Ennominae). *Spixiana* 25 (2): 163-171, 17 figs. [[available in Cesa Library](#)]
7980. **Stünig, D. & S. Wagener**, 1989, Eine neue Unterart von Archon apollinus (Herbst, 1798) aus der europäischen Türkei (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 10(2): 133-142, 2 Taf. [[available in Cesa Library](#)]
7981. **Stünig, D.**, 1994, On the identity of Ourapteryx ebuleata Guenée, 1857, O. multistrigaria Walker, 1866, and O. caschmirensis Bastelberger, 1911, with description of two new species (Lepidoptera, Geometridae, Ennominae). *Nachr. ent. Ver. Apollo (N.F.)* 15 (1/2): 109-134, 37 figs. [[available in Cesa Library](#)]
7982. **Stünig, D.**, 2000, Additional notes on the Ennominae of Nepal, with descriptions of eight new species (Geometridae). [in] Haruta, T., *Moths of Nepal* 6: 94-152, figs. [[available in Cesa Library](#)]
7983. **Stünig, D.**, 2005, Plutodes hermanowskii sp. n., a new species of the P. costatus-group from the Philippines. *Tinea* 21: 9-22, figs.
7984. **Stünig, D.**, 2010, Two new species of the Plutodes costatus-group from the Philippines and Indonesia (Lepidoptera, Geometridae, Ennominae). *Bonn zool. Bull.* 57 (1): 75-83, figs. [[available in Cesa Library](#)]
7985. **Suffert, E.**, 1900, Eine neue Aberration des Danaus dorippus Klug. aus Deutsch-Ostafrika. *Berl. ent. Z.* 45 (1900): 115-116. [[available in Cesa Library](#)]
7986. **Sugi, S.**, 1961, On the Japanese species of the genus Calpe Treit. (Lepidoptera, Noctuidae). *Kontyu* 29: 94-105.
7987. **Sugi, S.**, 1987, The Thailand Notodontidae 1. *Tinea* 12 (Suppl.): 303-307.
7988. **Sugisawa, S.**, 1991, Parnassius epaphus. Notes on a new subspecies of Parnassius epaphus Oberthür from Qinghai, China. *Gekkan-Mushi, Tokio* 247: 1-2, 8-10.
7989. **Sugisima, K.**, 2004, A new Idioglossa species (Lepidoptera, Batrachedridae, Batrachedrinae) from Thailand. *Trans. lepid. Soc. Japan* 55 (1): 29-33, figs. [[available in Cesa Library](#)]
7990. **Sukhareva, I. L.**, 1976, New species of the noctuid moths (Lepidoptera, Noctuidae) from the Asiatic part of the USSR. *Proc. zool. Inst. USSR* 64: 58-67, 10 figs. [[available in Cesa Library](#)]
7991. **Sulcs, A. & J. Viidalepp**, 1974, Verbreitung der Grossschmetterlinge im Baltikum. *Dt. ent. Z.* 21: 353-403.
7992. **Sun, Y. & H. Li**, 2013, Review of the Chinese species of Gynnidomorpha Turner, 1916 (Lepidoptera, Tortricidae, Cochylini). *Zootaxa* 3646 (5): 545-560, figs. [[available in Cesa Library](#)]
7993. **Sun, Y. & H. Li**, 2013, Cochylimorpha Razowski (Lepidoptera, Tortricidae, Cochylini) in China: one new species, three newly recorded species and description of the female of three species. *Ent. fenn.* 24: 193-203, figs. [[available in Cesa Library](#)]
7994. **Sun, Y. & H. Li**, 2013, A brief summary of tribe Cochylini from China (Lepidoptera, Tortricidae, Tortricinae). *Hong Kong Ent. Soc.* 5 (1): 13-18, 1 map. [[available in Cesa Library](#)]
7995. **Suschkin, P. P.** 1906, Über eine neue Argynnis-Form aus Tarbagatai. *Russk. ent. Obozr.* 6: 5-7.
7996. **Suschkin, P. P.** 1909, Lycaena cyane tarbagata n. subsp. *Ent. Rdsch.* 26: 59.
7997. **Suschkin, P. P. & S. S. Tschetverikov**, 1907, Die Lepidopteren des Kreises Minussinsk, des westlichen Sajan und der westlichen Urjanchai-Steppe. *Horae Soc. ent. ross.* 38: 3-31. [[available in Cesa Library](#)]
7998. **Sushkin, P.**, 1906, Über eine neue Argynnis-Form aus Tarbagatai. *Russk. ent. Obozr.* 6: 5-7.
7999. **Sushkin, P.**, 1909, Lycaena cyane tarbagata, n. subsp. *Ent. Rdsch.* 26: 59.
8000. **Sushkin, P.**, 1913, Zur anatomischen Begründung einiger paläarktischen Arten der Gattung Melitaea F. *Z. Wiss. Insektenbiol.* 9: 169-175, 285-289, 321-325, figs.
8001. **Sutter, R. & J. Liska**, 2002, Oegoconia uralskella corsa ssp. n. (Insecta, Lepidoptera, Autostichidae). *Ent. Abh.* 60: 73-78.
8002. **Sutter, R. & T. Karisch**, 2004, Aethes eberti n. sp. aus dem Iran (Lep., Tortricidae). *Ent. Nachr. Ber.* 48: 213-214, figs. [[available in Cesa Library](#)]

- 8003. Sutter, R. & T. Karisch**, 2006, Zur Identität von *Aethes scabidulana* (Lederer, 1855) und *A. capnospila* (Meyrick, 1912) (Lepidoptera, Tortricidae, Cochylini). Ent. Nachr. Ber. 50 (3): 113-117, figs. [[available in Cesa Library](#)]
- 8004. Sutter, R.**, 1991, Beiträge zur Insektenfauna der DDR: Lepidoptera-Pterophoridae. Beitr. Ent. 41: 27-121, Abb.
- 8005. Sutter, R.**, 1994, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera Scythrididae. Beitr. Ent. 44(2): 261-318, 196 figs., 1 Diagr. [[available in Cesa Library](#)]
- 8006. Sutter, R.**, 1997, Beiträge zur Insektenfauna Ostdeutschlands: Lepidoptera-Ochsenheimeriidae. Beitr. Ent. 47 (1): 3-12, 27 figs. [[available in Cesa Library](#)]
- 8007. Sutter, R.**, 2003, Die Arten der Gattung *Oegoconia* Stainton, 1854 in Deutschland und ihre Verbreitung in Ostdeutschland Beitr. Ent. 53 (2): 437-447, figs. [[available in Cesa Library](#)]
- 8008. Sutter, R.**, 2007, Neue Arten der Gattung *Oegoconia* (Autostichidae). Nota lepid. 30 (1): 189-201, figs.
- 8009. Sutton, S. L.**, 1963, South Caspian Insect Fauna 1961. Ann. Mag. nat. Hist. (13) 6: 353-374, 8 figs., pl. xiv. [[available in Cesa Library](#)]
- 8010. Suwarnsak, K.**, 2005, Handbook of Butterflies (3rd. edn.). 224 pp., figs. Bangkok. [[available in Cesa Library](#)]
- 8011. Svendsen, P. & M. Fibiger**, 1998, New endemic taxa from Crete: *Cryphia omalosi*, sp. n. and *Chersotis larixia idai* subsp. n. (Noctuidae, Bryophilinae, Noctuinae). Esperiana 6: 469-471, figs. [[available in Cesa Library](#)]
- 8012. Svendsen, P.**, 1992, *Polymixis bischoffi* (Herrich-Schaeffer, 1850) - a species new to Europe (Lepidoptera, Noctuidae). Nota lepid. 14 (3) [31.xii.1991]: 244-254, figs. [[available in Cesa Library](#)]
- 8013. Svensson, I., et al.**, 1987, Catalogue Lepidopterorum Suecicae. Stockholm. [[available in Cesa Library](#)]
- 8014. Sviridov, A. V., Speidel, W. & K. Reshöft**, 1996, Eine neue *Catocala*-Art aus Afghanistan (Lepidoptera, Noctuidae). Nachr. ent. Ver. Apollo (N.F.) 17 (2): 191-199, 2 Abb. [[available in Cesa Library](#)]
- 8015. Swainson, W.**, 1820-1821, Zoological Illustrations, or original figures and descriptions of new, rare or interesting animals selected chiefly from the Classes of Ornithology, Entomology and Conchology, and arranged on the principles of Cuvier... vol. 1, London.
- 8016. Swainson, W.**, 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188. [[available in Cesa Library](#)]
- 8017. Swanepoel, D. A.**, 1949, A new species of *Cupido* (Lycaenidae) from Zoutspansberg. J. ent. Soc. Sth. Afr. 12: 123-125, figs.
- 8018. Swinhoe, C.**, 1884, On Lepidoptera collected at Kurrachee. Proc. zool. Soc. Lond. 54: 503-529, 2 Pls. [[available in Cesa Library](#)]
- 8019. Swinhoe, C.**, 1885, List of Lepidoptera collected in southern Afghanistan. Trans. ent. Soc. London 1885: 337-355, pl. ix. [[available in Cesa Library](#)]
- 8020. Swinhoe, C.**, 1885, On the Lepidoptera of Bombay and the Deccan. Part I. Rhopalocera. Proc. zool. Soc. Lond. 1885: 124-148, pl. ix. [[available in Cesa Library](#)]
- 8021. Swinhoe, C.**, 1885, On the Lepidoptera of Bombay and the Deccan. Part II. Heterocera. Proc. zool. Soc. Lond. 1885: 287-307, pls. xx, xxi. [[available in Cesa Library](#)]
- 8022. Swinhoe, C.**, 1885, On the Lepidoptera of Bombay and the Deccan. Part III. Heterocera (continued). Proc. zool. Soc. Lond. 1885: 447-476, pls. xxvii, xxviii. [[available in Cesa Library](#)]
- 8023. Swinhoe, C.**, 1885, On the Lepidoptera of Bombay and the Deccan. Part IV. Heterocera (continued). Proc. zool. Soc. Lond. 1885: 852-886, pls. lvi, lvii. [[available in Cesa Library](#)]
- 8024. Swinhoe, C.**, 1886, On the Lepidoptera of Mhow, in Central India. Proc. zool. Soc. Lond. 1886: 421-465, pls. xl, xli. [[available in Cesa Library](#)]
- 8025. Swinhoe, C.**, 1887, On the Lepidoptera of Karachi and its neighbourhood. J. Bomb. nat. Hist. Soc. 2: 269-280. [[available in Cesa Library](#)]
- 8026. Swinhoe, C.**, 1889, On new Indian Lepidoptera, chiefly Heterocera. Proc. zool. Soc. Lond. 1889: 396-432, pls. xliii, xliv. [[available in Cesa Library](#)]
- 8027. Swinhoe, C.**, 1890, The moths of Burma, Parts I, II. Trans. ent. Soc. London 1890 (1): 161-296, Pls. vi-viii. [[available in Cesa Library](#)]
- 8028. Swinhoe, C.**, 1891, New species of Heterocera from the Khasia Hills Part I. Trans. ent. Soc. Lond. 1891 (4): 473-495, pl. xix. [[available in Cesa Library](#)]

- 8029. Swinhoe, C.**, 1891, New species of moths from Southern India. Trans. ent. Soc. Lond. 1891 (1): 133-154, pl.viii. [\[available in Cesa Library\]](#)
- 8030. Swinhoe, C.**, 1892, Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 1: 1-324, 8 Pls. [\[available in Cesa Library\]](#)
- 8031. Swinhoe, C.**, 1893, A list of the Lepidoptera of the Khasi Hills. Trans. ent. Soc. London 1893 (3): 267-330. [\[available in Cesa Library\]](#)
- 8032. Swinhoe, C.**, 1893, New species of Oriental moths. Ann. Mag. nat. Hist. (6) 12: 210-225. [\[available in Cesa Library\]](#)
- 8033. Swinhoe, C.**, 1897, New Eastern Heterocera. Ann. Mag. nat. Hist. (6) 19: 164-170. [\[available in Cesa Library\]](#)
- 8034. Swinhoe, C.**, 1897, New Eastern Lepidoptera. Ann. Mag. nat. Hist. (6) 19: 407-410. [\[available in Cesa Library\]](#)
- 8035. Swinhoe, C.**, 1899, New species of Oriental Lepidoptera. Ann. Mag. nat. Hist. 7 (3): 102-116. [\[available in Cesa Library\]](#)
- 8036. Swinhoe, C.**, 1900, [in] Swinhoe, C., Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 2: 1-540 pp., Pls. [\[available in Cesa Library\]](#)
- 8037. Swinhoe, C.**, 1903, A revision of the Old World Lymantriidae in the National Collection. Trans. ent. Soc. London 1903: 375-498. [\[available in Cesa Library\]](#)
- 8038. Swinhoe, C.**, 1904, New Species of Eastern, Australian and African Heterocera in the National Collection. Trans. ent. Soc. London 1904 (1): 139-158. [\[available in Cesa Library\]](#)
- 8039. Swinhoe, C.**, 1905, On new and little-known species of Eastern and Australian Lepidoptera. Ann. Mag. nat. Hist. (7) 16: 612-629. [\[available in Cesa Library\]](#)
- 8040. Swinhoe, C.**, 1905-1910, Lepidoptera Indica 7. Rhopalocera Papilionidae Pierinae (continued) Lycaenidae Gerydinae Lycaenopsinae and Everinae. x ♀ 286 pp. Plates 551-639. London.
- 8041. Swinhoe, C.**, 1906, New and little-known species of Heterocera from the East. Ann. Mag. nat. Hist. (7) 17: 379-383. [\[available in Cesa Library\]](#)
- 8042. Swinhoe, C.**, 1908, On the species of Hesperidae from the Indo-Malayan and African Regions, described by Herr Plötz, with descriptions of some new species. Trans. ent. Soc. London 1908 (1): 1-36, 3 Pls. [\[available in Cesa Library\]](#)
- 8043. Swinhoe, C.**, 1910-1911, Lepidoptera Indica 8. Rhopalocera Lycaenidae Lycaeninae Plebeinae Lampidinae Chrysophaninae Poritinae Amblypodiinae Curetinae Liphyrinae Ruralinae. x ♀ 293 pp. Plates 640-705. London.
- 8044. Swinhoe, C.**, 1911-1912, Lepidoptera Indica 9. Rhopalocera Lycaenidae (continued) Horaginae Deudorixinae Hypolycaeninae Zesiusinae Aphnaeinae Biduandinae Cheritrinae Loxurinae, Hesperidae Ismeneinae Achalarinae. viii ♀ 278 pp. Plates 706-756. London.
- 8045. Swinhoe, C.**, 1912-1913, Lepidoptera Indica 10. Rhopalocera Hesperidae (continued) Celaenorrhinae Hesperinae Pamphilinae Astictopterinae Suastinae Erionotinae Matapinae Notocryptinae Platingiinae Erynninae. Addenda x ♀ 361 pp. Plates 757-835. London.
- 8046. Swinhoe, C.**, 1916, New Indo-Malayan Lepidoptera. Ann. Mag. nat. Hist. (8) 18: 209-221. [\[available in Cesa Library\]](#)
- 8047. Swinhoe, C.**, 1918, New species of Indo-Malayan Heterocera, and descriptions of genitalia, with reference to the geographical distribution of species resembling each other. Ann. Mag. nat. Hist. (9) 2: 65-95, Pl. vii-xi. [\[available in Cesa Library\]](#)
- 8048. Swinhoe, C.**, 1919, New Lycaenids Hesperids and two new species of the Noctuid family Acontiidae. Ann. Mag. nat. Hist. (9) 3: 314-319. [\[available in Cesa Library\]](#)
- 8049. Swinhoe, C.**, 1919, Indo-Malayan and Australian Noctuidae. Ann. Mag. nat. Hist. (9) 4: 118-127. [\[available in Cesa Library\]](#)
- 8050. Swinhoe, C.**, 1919, On the geographical distribution of the genus *Cosmophila*, a Noctuid of the family Gonopteridae. Ann. Mag. nat. Hist. (9) 3: 309-314, 2 Pls. [\[available in Cesa Library\]](#)
- 8051. Swinhoe, C.**, 1922-1923, A revision of the genera of the family Liparidae. Ann. Mag. nat. Hist. (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442. [\[available in Cesa Library\]](#)
- 8052. Swinton, A.H.**, 1898, Butterflies seen in and around Jerusalem. Entomologist's mon. Mag. 34: 118-184.
- 8053. Szaboky, C.**, 2003, New data to the Microlepidoptera fauna of Hungary VI (Lepidoptera, Totricidae, Gelechiidae). Folia ent. hung. 64: 356-357, 2 figs. [\[available in Cesa Library\]](#)

- 8054. Szent-Ivany, J.**, 1940, Zoologische Ergebnisse der Forschungsreise N.Vasvari's in Kleinasien, III. Lepidoptera. Sitzung III. Klasse Ungar. Akad. Wiss. 1940: 356-359.
- 8055. Tabell, J. & G. Baldizzone**, 2014, *Coleophora mareki* Tabell & Baldizzone, sp.n., a new coleophorid moth of serpyllatorum species-group (Lepidoptera, Coleophoridae). Shilap Revta lepid. 42 (167): 399-408, figs. [\[available in Cesa Library\]](#)
- 8056. Takanami, Y. & A. Ballantine**, 1987, A new species of genus *Arhopala* from Luzon Island (Lepidoptera, Lycaenidae). Tyo to Ga 38(1): 1-3, 5 figs. [\[available in Cesa Library\]](#)
- 8057. Takanami, Y. & Y. Seki**, 1990, Notes on Lycaenidae from Borneo and Sumatra with description of a new species of genus *Allotinus* (Lepidoptera). Futao 5: 1-7, 1 Pl. [\[available in Cesa Library\]](#)
- 8058. Takanami, Y.**, 1984, Descriptions of four new subspecies of Lycaenidae from the Philippine. Acta Rhopalocerologica 6/7: 51-59, Pls. [\[available in Cesa Library\]](#)
- 8059. Takanami, Y.**, 1985, A new species of genus *Arhopala* and some other species from the Philippines (Lepidoptera, Lycaenidae). Cho Cho 8(8): 14-20, 8 figs. [\[available in Cesa Library\]](#)
- 8060. Takanami, Y.**, 1986, New records of *Una usta* (Distant) and *Loxura atymnus* (Stoll) from Sulawesi (Lepidoptera, Lycaenidae). Gekkan-Mushi 189: 23-25, 12 figs. [\[available in Cesa Library\]](#)
- 8061. Takanami, Y.**, 1986, Designation of Lectotype of *Deudorix diopites* Hewitson from the Philippines, with new status of *Rapala alcetas* (Staudinger) (Lepidoptera, Lycaenidae). Tyo to Ga 36(4): 185-189. [\[available in Cesa Library\]](#)
- 8062. Takanami, Y.**, 1987, A list of Lycaenidae (Lepidoptera) from Kepulauan Talaud in Indonesia. Gekkan-Mushi 191: 27-31, 13 figs. [\[available in Cesa Library\]](#)
- 8063. Takanami, Y.**, 1988, A list of Lycaenidae (Lepidoptera) captured by Mr. Syun-Ichi Kawamura in Sulu Archipelago, the Philippines. Gekkan-Mushi 208: 17-21, 17 figs. [\[available in Cesa Library\]](#)
- 8064. Takanami, Y.**, 1988, A new species and a new subspecies of Lycaenidae (Lepidoptera) from the Philippines. xxxxxx 23(4): 38-40, 5 figs. [\[available in Cesa Library\]](#)
- 8065. Takanami, Y.**, 1989, [A list of Lycaenidae from Sumbawa in the Lesser Sunda Islands, captured by Mr. K. Maruyama]. xxxxxx 24(3): 36-40, 18 figs. [\[available in Cesa Library\]](#)
- 8066. Takanami, Y.**, 1990, Miscellaneous notes on Lycaenidae (Lepidoptera) from South-east Asia (I). Tyo to Ga 41(2): 67-78, 25 figs. [\[available in Cesa Library\]](#)
- 8067. Takanami, Y.**, 1992, Notes on some species of the genus *Rapala* (Lepidoptera, Lycaenidae) from Sulawesi, with the description of a new species. Tyo to Ga 43(3): 193-202, 26 figs. [\[available in Cesa Library\]](#)
- 8068. Takanami, Y.**, 1992, A new species of genus *Rapala* (Lepidoptera, Lycaenidae) from Sumba, Indonesia. Tyo to Ga 43(2): 147-148, 3 figs. [\[available in Cesa Library\]](#)
- 8069. Takanami, Y.**, 1992, A new subspecies of *Jamides abdul* (Distant) (Lepidoptera, Lycaenidae) from Simeulue Island, Indonesia. Tyo to Ga 43(1): 83-85, 4 figs. [\[available in Cesa Library\]](#)
- 8070. Takanami, Y.**, 1992, On some type specimens of *Nacaduba* and *Prosotas* (Lepidoptera, Lycaenidae) preserved in Staatliches Museum für Tierkunde, Dresden. Tyo to Ga 43(1): 47-52, 11 figs. [\[available in Cesa Library\]](#)
- 8071. Takanami, Y.**, 1992, An additional catalogue on the type specimens of Lycaenidae (Lepidoptera) from South East Asia, preserved in Museum für Naturkunde der Humboldt-Universität zu Berlin. Tyo to Ga 43(1): 35-46, 25 figs. [\[available in Cesa Library\]](#)
- 8072. Takanami, Y.**, 1994, A new species of genus *Sinthusia* (Lepidoptera, Lycaenidae) from Sumatra. Tyo to Ga 45(1): 17-20, 5 figs. [\[available in Cesa Library\]](#)
- 8073. Takanami, Y.**, 1994, Three new species of Lycaenidae (Lepidoptera) from Sulawesi. Tyo to Ga 45(1): 5-10, 11 figs. [\[available in Cesa Library\]](#)
- 8074. Talbot, G.**, 1926, On some families of Heterocera collected in Sarawak. J. Sarawak Mus. 3: 129-146, 1 Pl.
- 8075. Talbot, G.**, 1928-1937, A Monograph of the Pierine Genus *Delias*. 656 pp. 71 Pls. London.
- 8076. Talbot, G.**, 1932, Lepidoptera from British Somaliland collected by C.L. Collenette. Bull. Hill Mus., Witley 4: 182-188.
- 8077. Talbot, G.**, 1935, New Species and Forms of African Lycaenidae (Lep., Rhopalocera). Entomologist's mon. Mag. 71: 69-78, 115-127, 147-153, 3 Pls. [\[available in Cesa Library\]](#)
- 8078. Talbot, G.**, 1936, Notes upon some butterflies from Siam, with descriptions of new races and form. Entomologist 69: 56-60.

- 8079. Talbot, G.**, 1939, Revisional notes on the genus *Colotis* Hübn. (Lepid., Pieridae) with a systematic list. Trans. R. ent. Soc. Lond. 88: 173-233. [[available in Cesa Library](#)]
- 8080. Talbot, G.**, 1939, Butterflies, [in] Sewell, R.B.S., The Fauna of British India including Ceylon and Burma. Volume 1. xxix + 600 pp., 3 Pls. Taylor and Francis, London. [[available in Cesa Library](#)]
- 8081. Talbot, G.**, 1940, Revisional notes on the genus *Amauris* Hübner (Lepidoptera). Trans. R. ent. Soc. Lond. 90 (10): 319-336.
- 8082. Talbot, G.**, 1941, Revisional notes on the genus *Idea* Fabr. (Lep., Rhop. Danaidae). Trans. R. ent. Soc. Lond. 91 (4): 105-117. [[available in Cesa Library](#)]
- 8083. Talbot, G.**, 1943, Revisional notes on *Anaphaeis* Hübn. and *Belenois* Hübn., with descriptions of some new forms (Lep., Rhop., Pieridae). Ann. Mag. nat. Hist. (11) 10: 305-336. [[available in Cesa Library](#)]
- 8084. Talbot, G.**, 1943, On some types of Pieridae described by Boisduval. Ann. Mag. nat. Hist. (11) 10: 136-139. [[available in Cesa Library](#)]
- 8085. Talbot, G.**, 1943, The species of the cocythus group of the genus *Euthalia* Hbn. Entomologist 76: 7-10.
- 8086. Talbot, G.**, 1944, A preliminary revision of the genus *Mylothris* Hübn. (1819) (Lep., Rhop. Pieridae) Trans. R. ent. Soc. Lond. 94 (2): 155-185, Tab.1, Pl.1 [[available in Cesa Library](#)]
- 8087. Tams, W.H.T. & J.Bowden**, 1953, A revision of the African species of *Sesamia* Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
- 8088. Tams, W.H.T.**, 1922, Description of a new species of *Epipyrops* from South India. Bull. Ent. Res. 12 (4): 468-469.
- 8089. Tams, W.H.T.**, 1924, List of the moth collected in Siam by E.J. Godfrey B.Sc., F.E.S. J. Nat. Hist. Soc. Siam 6 (3): 229-289, pl.17. [[available in Cesa Library](#)]
- 8090. Tams, W.H.T.**, 1925, African Lasiocampidae: Notes and new species. Ann. Mag. nat. Hist. (9) 16: 552-561. [[available in Cesa Library](#)]
- 8091. Tams, W.H.T.**, 1925, List of the moths collected in Arabia by Captain R.E. Cheseman, with descriptions of four new species. Ann. Mag. nat. Hist. 9 (15): 144-152, 1 Pl.
- 8092. Tams, W.H.T.**, 1926, A New species of *Lycophotia* (Noctuidae, Agrotinae) from Cyprus. Entomologist's Rec. J. Var. 38: 129-130, 1 Pl. [[available in Cesa Library](#)]
- 8093. Tams, W.H.T.**, 1927, The elucidation of a muddle in the genus *Fentonia* (Notodontidae). Entomologist 60: 52-53.
- 8094. Tams, W.H.T.**, 1928, New Species of Lepidoptera Heterocera in the Collections of the British Museum (Natural History). Ann. Mag. nat. Hist. (10) 1: 624-633. [[available in Cesa Library](#)]
- 8095. Tams, W.H.T.**, 1929, A new species of the African genus *Mallocampa* (Lasiocampidae). Ann. Mag. nat. Hist. (10) 3: 211-212, figs. [[available in Cesa Library](#)]
- 8096. Tams, W.H.T.**, 1929, New African Lasiocampidae. Ann. Mag. nat. Hist. (10) 3: 145-162. [[available in Cesa Library](#)]
- 8097. Tams, W.H.T.**, 1931, African Lasiocampidae: a correction, and the description of a new species of *Pachypasa*. Ann. Mag. nat. Hist. (10) 8: 36-37, Pl.I. [[available in Cesa Library](#)]
- 8098. Tams, W.H.T.**, 1935, Heterocera (Exclusive of Geometridae and the Microlepidoptera) [in] Insects of Samoa and Other Samoan Terrestrial Arthropoda. Part III, Fasc.4. British Museum (Natural History), London. [[available in Cesa Library](#)]
- 8099. Tams, W.H.T.**, 1936, Dr. Karl Jordan's expedition to south-west Africa and Angola: Lasiocampidae. Novit. zool. 40 (1): 95-114, 9 pls. [[available in Cesa Library](#)]
- 8100. Tams, W.H.T.**, 1938, Three new moths (Agrotidae, Pyralidae) of economic importance. Bull. ent. Res. 29 (1): 9-10, 1 Pl. [[available in Cesa Library](#)]
- 8101. Tarmann, G.**, 1977, Beschreibung einer neuen Grünzygaene, *Procris* (*Procris*) *storaiae* n.sp., aus der südöstlichen Türkei, nebst einiger kurzer Bemerkungen zur Systematik und Biologie der statices-Gruppe des Genus *Procris* (Lepidoptera, Zygaenidae). NachrBl. bayer. Ent. 26 (2): 97-108, figs. [[available in Cesa Library](#)]
- 8102. Tarmann, G.**, 1977, Neue Funde von *Procris* (*Lucasiterna*) *horni* Alberti, 1937 (Lepidoptera, Zygaenidae). Mitt. münch. ent. Ges. 67: 91-94, 5 Abb. [[available in Cesa Library](#)]
- 8103. Tarmann, G.**, 1979, Die statices-Gruppe des Genus *Procris* F. (Lepidoptera, Zygaenidae). Mitt. münch. ent. Ges. 68: 45-108, figs. [[available in Cesa Library](#)]
- 8104. Tarmann, G.**, 1985, *Adscita* (*Gregorita*) *benderi* n.sp., eine neue Zygaenide aus Marokko (Lepidoptera). Z. ArbGem. öst. Ent. 37 (1/2): 17-25, figs. [[available in Cesa Library](#)]

- 8105. Tarrier, M. & R. Leestmans**, 1993, La répartition, l'habitat, la biocénose et l'écologie d'*Euchloe falloui* Allard (1867) Une nouvelle station au sud du Maroc (Lepidoptera, Pieridae). *Linneana Belgica* 14 (2): 63-72, 2 figs. [[available in Cesa Library](#)]
- 8106. Tarrier, M. & R. Leestmans**, 1994, *Euchloe falloui* Allard (1867) au Maroc (Lepidoptera, Pieridae) (seconde note). *Linneana Belgica* 14 (5): 257-268, figs. [[available in Cesa Library](#)]
- 8107. Tarrier, M.**, 1993, La Sierra de La Sagra: un écosystème-moèle du refuge méditerranéen (Lepidoptera, Rhopalocera et Zygaenidae). *Alexanor* 18 (1): 13-42. [[available in Cesa Library](#)]
- 8108. Tarrier, M.**, 1993, Catalogue commenté des Rhopalocères Papilionoidea et des Zygaènes de la Province de Granade (Espagne). *Lambillionea* 2(2): 228-245.
- 8109. Tarrier, M.**, 1993, Catalogue des Lépidoptères de la sierra de Javalambre (Teruel, Espagne) I. La vallée de Camarena (Lepidoptera, Papilionoidea et Zygaenidae). *Alexanor* 18(5): 259-264. [[available in Cesa Library](#)]
- 8110. Tarrier, M.**, 1993, Nouvelles observations de *Chazara prieuri* Pierret (1837) au Maroc (Lepidoptera, Nymphalidae, Satyridae). *Linneana Belg.* 14 (4): 217-226, figs. [[available in Cesa Library](#)]
- 8111. Tarrier, M.**, 1994, Notes ibériques (Lepidoptera, Papilionoidea et Zygaenidae). *Alexanor* 18(5): 259-264. [[available in Cesa Library](#)]
- 8112. Tarrier, M.**, 1995, Etat de conservation des populations ibériques repérées de *Parnassius apollo* L. (relevés 1985-1990) (Lepidoptera, Papilionidae). *Alexanor* 18(8): 451-463. [[available in Cesa Library](#)]
- 8113. Tarrier, M.**, 1996, Nouveaux taxa des Atlas marocains (Lepidoptera, Rhopalocera). *Alexanor* 19(4): 195-213, figs. [[available in Cesa Library](#)]
- 8114. Tarrier, M.**, 1996, Protection des habitats Feu la sierra d'Alfacar (?1834-1993) Une réserve naturelle tristement récréative. *Alexanor* 19(4): 252-256. [[available in Cesa Library](#)]
- 8115. Tarrier, M.**, 1998, *Cacyreus marshalli* Butler, 1898, espèce nouvelle pour la France, le Portugal et le Maroc (Lepidoptera, Lycaenidae). *Alexanor* 20 (3): 143-144. [[available in Cesa Library](#)]
- 8116. Tarrier, M.**, 2000, Cartographie des Rhopalocères Papilionoidea du Maroc. *Linneana Belg.* 17 (6): 255-264; 17 (7): 301-304, figs., maps. [[available in Cesa Library](#)]
- 8117. Tarrier, M., Arahou, M. & R. Leestmans**, 1994, Découverte de *Zerynthia rumina* (Linné, 1758) dans l'Anti-Atlas subsaharien marocain et contribution à une meilleure connaissance de l'espèce en Afrique du Nord (Lepidoptera, Papilionidae) *Linneana Belgica* 14 (8): 427-438, 2 Pls., figs. [[available in Cesa Library](#)]
- 8118. Tarrier, M.R.**, 1998, Une nouvelle localisation de *Plebejus* (Maurus) *vogelii* (Oberthür, 1920) dans le Haut Atlas (Maroc) (Lepidoptera, Lycaenidae). *Linneana Belgica* 16 (8): 338-339, 2 figs. [[available in Cesa Library](#)]
- 8119. Tarrier, M.R.**, 2000, *Danaus plexippus* L. au Maroc (Lepidoptera, Nymphalidae Danainae). *Alexanor* 21 (1): 61-62. [[available in Cesa Library](#)]
- 8120. Tauber, A.F.**, 1970, Glaziale Reliktformen der Gattung *Maniola* (Lep. Satyridae) in Vorderasien. *Z. ArbGem. öst. Ent.* 22(4): 101-119, 13 Abb. [[available in Cesa Library](#)]
- 8121. Tax, M.H.**, 1989, Atlas van de Nederlandse dagvlinders. Vlinderstichting/ Wageningen.
- 8122. Tekten, H.**, 2012, Sivas gündüz kelekleri (Lepidoptera, Papilionoidea, Hesperioidea). 181s. Yüksek lisans tezi. Trakya Üniv. Fen Bilim. Enst., Edirne [The thesis contains serious scientific and spelling errors. The specimens havenot been prepared but damaged seriously.] [[available in Cesa Library](#)]
- 8123. Ten Hagen, W. & K.G. Schurian**, 1998, Observations on the biology of *Polyommatus* (*Aricia*) *bassoni* Larsen, 1974 (Lepidoptera, Lycaenidae). *Linneana Belgica* 16(7): 285-289, 9 figs. [[available in Cesa Library](#)]
- 8124. Ten Hagen, W. & K.G. Schurian**, 2000, Eine neue Unterart von *Polyommatus* (*Agrodiaetus*) *darius* Eckweiler & Ten Hagen, 1998 aus Nordwestiran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 21 (2): 113-115, figs. [[available in Cesa Library](#)]
- 8125. Ten Hagen, W. & K.G. Schurian**, 2000, Eine Zucht von *Callimorpha splendidior* (Tams, 1922) (Lepidoptera, Arctiidae). *Nachr. ent. Ver. Apollo* (N.F.) 21 (1): 1-4, figs. [[available in Cesa Library](#)]
- 8126. Ten Hagen, W. & K.G. Schurian**, 2009, *Polyommatus* (*Aricia*) *crassipunctus varicolor* ssp.n., eine neue Unterart aus Iran (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo* (N.F.) 30 (1/2): 9-17, figs. [[available in Cesa Library](#)]
- 8127. Ten Hagen, W. & M.A. Miller**, 2010, Molekulargenetische Untersuchungen der paläarktischen Arten des Genus *Callophrys* Billberg, 1820 mit Hilfe von MtDNA-COI-Barcodes

- und taxonomische Überlegungen (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 30 (4): 177-197, figs. [\[available in Cesa Library\]](#)
- 8128. Ten Hagen, W. & W. Eckweiler**, 1998, Beitrag zur Biologie von *Polyommatus* (*Aricia*) *vandarbani* (Pfeiffer, 1937) (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 19 (2): 119-128, figs. [\[available in Cesa Library\]](#)
- 8129. Ten Hagen, W. & W. Eckweiler**, 2000, Zur Taxonomie von *Lycaena* (*Thersamonia*) *lampon* (Lederer, 1870) und *L. (T.) lamponides* (Staudinger, 1901) stat. nov. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 49-54, 19 Abb. [\[available in Cesa Library\]](#)
- 8130. Ten Hagen, W. & W. Eckweiler**, 2000, Tagfalterbeobachtungen in Syrien (4. Beitrag) (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 21 (2): 65-70. [\[available in Cesa Library\]](#)
- 8131. Ten Hagen, W. & W. Eckweiler**, 2001, Eine neue Art von *Polyommatus* (*Agrodiaetus*) aus Zentraliran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 22 (2): 53-56, figs. [\[available in Cesa Library\]](#)
- 8132. Ten Hagen, W.**, 1995, Tagfalterbeobachtungen in Syrien und Jordanien im Frühling (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 16 (2/3): 195-212. [\[available in Cesa Library\]](#)
- 8133. Ten Hagen, W.**, 1996, Massenvermehrung und Wanderungen von *Vanessa cardui* (Linnaeus, 1758) in Syrien (Lepidoptera, Nymphalidae). *Atalanta* 27 (1/2): 101-106 4 figs. [\[available in Cesa Library\]](#)
- 8134. Ten Hagen, W.**, 1996, Tagfalterbeobachtungen in Syrien und Jordanien (2. Beitrag) (Lepidoptera, Papilionoidea, Hesperioidea). Nachr. ent. Ver. Apollo (N.F.) 17(2): 123-142, Abb. [\[available in Cesa Library\]](#)
- 8135. Ten Hagen, W.**, 1998, Eine neue Art des Subgenus *Agrodiaetus* Hübner, 1822 aus dem Iran (Lepidoptera, Lycaenidae). Neue ent. Ver. Apollo N.F. 18 (4): 315-318, 15 Abb. [\[available in Cesa Library\]](#)
- 8136. Ten Hagen, W.**, 1998, Tagfalterbeobachtungen in Syrien und Jordanien (3. Beitrag) (Lepidoptera, Hesperioidea, Papilionoidea). Nachr. ent. Ver. Apollo (N.F.) 19 (3/4): 247-268, 2 Abb. [\[available in Cesa Library\]](#)
- 8137. Ten Hagen, W.**, 1999, Eine neue Art der Gattung *Polyommatus* Latreille, 1804 aus Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 20 (1): 19-24, figs. [\[available in Cesa Library\]](#)
- 8138. Ten Hagen, W.**, 2002, *Plebejus* (*Vacciniina*) *euryпилus* (Freyer, [1851]) und verwandte Taxa in Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 23 (3): 141-146, figs. [\[available in Cesa Library\]](#)
- 8139. Ten Hagen, W.**, 2003, Freilandhybriden bei Bläulingen aus Ostanatolien und Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 23 (4): 199-203, figs. [\[available in Cesa Library\]](#)
- 8140. Ten Hagen, W.**, 2008, Beitrag zur Kenntnis des Genus *Callophrys* Billberg, 1820: eine neue Art aus Südiran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 29 (1/2): 9-14, Abb. [\[available in Cesa Library\]](#)
- 8141. Ten Hagen, W.**, 2008, Taxonomie von *Cupido staudingeri* (Christoph, 1873) in Iran (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 28 (3/4): 165-171, figs. [\[available in Cesa Library\]](#)
- 8142. Ten Hagen, W.**, 2009, Mit *Onobrychis cornuta* (Fabaceae) assoziierte *Callophrys*-Arten: *Callophrys paulae* Pfeiffer, 1932 und *C. farsica* sp.n. (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 30 (3): 131-142, figs. [\[available in Cesa Library\]](#)
- 8143. Ten Hagen, W., Eckweiler, W. & H.-G. Mark**, 2006, Eine Zucht von *Polyommatus* (*Agrodiaetus*) *tenhageni* Schurian & Eckweiler, 1999 (Lepidoptera, Lycaenidae). Nachr. ent. Ver. Apollo (N.F.) 27 (1/2): 1-7, figs. [\[available in Cesa Library\]](#)
- 8144. Tengström, J.M.J. von**, 1848, Bidrag till Finnlands Fjäril-Fauna. Notis. Sällsk. Faun. Fl. fenn. Förh. 1: 69-164.
- 8145. Tengström, J.M.J. von**, 1859, Geometridae, Crambidae et Pyralidae Faunae Fenninae. Notis. Sällsk. Faun. Fl. fenn. Förh. 4: 145-154.
- 8146. Tengström, J.M.J. von**, 1859, Anmärkningar och Tilläg till Finnlands Småfjäril-Fauna. Notis. Sällsk. Faun. Fl. fenn. Förh. 4: 155-226.
- 8147. Tennent, J.**, 1996, The butterflies of Morocco, Algeria and Tunisia. xxxvi+217pp. Pls. Swindon Press Ltd., England. [\[available in Cesa Library\]](#)

- 8148. Tennent, W.J.**, 1985, Some records of spring butterflies in Cyprus in 1984. *Entomologist's Gaz.* 36: 105-109.
- 8149. Tennent, W.J.**, 1988, Some observations on the Brown and Blue forms of female *Lysandra punctifera* Oberthür and *Agrodiaetus amanda* Abdelaziz Blachier (Lepidoptera, Lycaenidae). *Entomologist's Gaz.* 39: 13-14.
- 8150. Tennent, W.J.**, 1991, Notes on some Borneo hawk moths (Lepidoptera, Sphingidae) including *Eupanacra hollowayi* sp.n. and *Macroglossum amoenum* Rothschild & Jordan new to Borneo. *Entomologist's Rec. J. Var.* 103: 223-235.
- 8151. Tennent, W.J.**, 1992, The hawk moths (Lepidoptera, Sphingidae) of Hong-Kong and Southeast China. *Entomologist's Rec. J. Var.* 104: 88-112, pl.1-5.
- 8152. Tennent, W.J.**, 1993, Notes on some Moroccan butterflies in late summer 1991. *Entomologist's Gaz.* 44(1): 21-29.
- 8153. Tennent, W.J.**, 1993, An illustrated note on the genus *Lasiommata* Westwood, 1841 (Lepidoptera, Satyridae) in North Africa. *Entomologist's Gaz.* 44(4): 265-270.
- 8154. Tennent, W.J.**, 1993, Selected notes on some Algerian and Moroccan butterflies in 1992 including *Coenonympha austauti* Oberthür, 1881, new to Morocco. *Entomologist's Gaz.* 44: 257-262.
- 8155. Tennent, W.J.**, 1994, Previously unrecorded hostplants of three endemic North African Lycaenid butterflies (Lepidoptera, Lycaenidae). *Linneana Belgica* 14(8): 421-426, 4 figs. [[available in Cesa Library](#)]
- 8156. Tennent, W.J.**, 1994, The *Berberia* Abdelkader (Pierret, 1837) enigma: a review of named forms; comments; a solution offered (Satyridae). *Nota lepid.* 16(3/4): 295-320.
- 8157. Tennent, W.J.**, 1994, Butterflies in the Hoggar mountains, Southern Algeria in April 1993 (Lepidoptera, Rhopalocera). *Entomologist's Rec. J. Var.* 106: 21-24. [[available in Cesa Library](#)]
- 8158. Tennent, W.J.**, 1995, A new subspecies of *Plebejus martini* Allard, 1867 (Lepidoptera, Lycaenidae) from the Rif Mountains of Morocco. *Entomologist's Gaz.* 46(2): 121-124.
- 8159. Tennent, W.J.**, 1995, Field observations of the "hilltopping" phenomenon in north-west Africa and an introduction to "ravining" (Lepidoptera, Rhopalocera). *Entomologist's Rec. J. Var.* 106: 57-68.
- 8160. Tennent, W.J.**, 1995, *Danaus chrysippus* Linnaeus, 1758: a review of records and present status in the Maghreb countries of Morocco, Algeria and Tunisia (Danainae). *Nota lepid.* 17 (3/4): 201-216.
- 8161. Tennent, W.J.**, 1995, Further notes on *Berberia* de Lesse species in North Africa and confirmation that *B. abdelkader* Pierret, 1837 and *B. lambessanus* Staudinger, 1901 are significantly distinct (Satyridae). *Nota lepid.* 17 (3/4): 217-219.
- 8162. Tennent, W.J.**, 1996, The Tunisian Rhopalocera (Lepidoptera) of Alexandre Chnéour (1884-1977). *Entomologist's Gaz.* 47(3): 157-168.
- 8163. Tennent, W.J.**, 1999, Two new *Arhopala* Boisduval taxa from the Solomon Islands, and resolution of the status of *A. tindali* Ribbe and *A. styx* Evans (Lepidoptera, Lycaenidae). *Nachr. ent. Ver. Apollo (N.F.)* 20 (2): 195-206, figs. [[available in Cesa Library](#)]
- 8164. Tennent, W.J.**, 1999, Notes on some Solomon Islands *Papilio* Linnaeus, with descriptions of four new subspecies (Lepidoptera, Papilionidae). *Nachr. ent. Ver. Apollo (N.F.)* 20 (2): 207-230, figs. [[available in Cesa Library](#)]
- 8165. Tennent, W.J.**, 2008, A checklist of the satyrine genus *Erebia* (Lepidoptera) (1758-2006). *Zootaxa* 1990: 1-109, figs. [[available in Cesa Library](#)]
- 8166. Teobaldelli, A.**, 1976, I Macrolepidotteri del Maceratese e dei Monti Sibillini (Appennino Umbro-Marchigiano). *Note Appunti sperimentali Ent. Agr.* 16: 81-346, 1 carte, 40 figs. 10 Pls., Perugia.
- 8167. Teobaldelli, A.**, 1978, Macrolepidotteri della Riserva Naturale di Torricchio. *La Riserva Naturale di Torricchio* 3: 1-181.
- 8168. Teobaldelli, A.**, 1979, Lépidoptères capturés en Val d'Aoste. *Alexandria* 11(3): 98-104.
- 8169. Terzani, F.**, 1982, *Coenonympha elbana* Staudinger. *Boll. Soc. ent. ital.* 114 (4/7): 117.
- 8170. Thapanya, D.**, 2004, Biodiversity of riparian Insects and their conversation in montane Chiang Mai Thailand. xxvi+178 pp. Doctoral Thesis, Chiang Mai University, [unpublished]. [[available in Cesa Library](#)]
- 8171. The International Commission on Zoological Nomenclature**, 1985, International Code of Zoological Nomenclature (3rd edn). Adopted by the XX. General Assembly of the International Union of Biological Sciences. London. [[available in Cesa Library](#)]

- 8172. Theobaldelli,A.**, 1976, Macrolepidotteri del Maceratese e dei Monti Sibillini. Note Sper. ent. Agrar. 16: 81-346.
- 8173. Thiaucourt,P.**, 1977, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 36-39, Pl.18. [[available in Cesa Library](#)]
- 8174. Thiaucourt,P.**, 1984, Notodontidae [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc.II. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 128: 12-13, Pl.8. [[available in Cesa Library](#)]
- 8175. Thiaucourt,P.**, 2003, Note sur le genre *Hemipecteros* Schaus,1920 (Lepidoptera, Notodontidae). Alexanor 22 (6) (2002): 339-356, pls., figs. [[available in Cesa Library](#)]
- 8176. Thieme,O.**, 1904, Zwei unbeschriebene Euploeen der Insel Nias. Berl. ent. Z. 49: 163-164. [[available in Cesa Library](#)]
- 8177. Thieme,O.**, 1904, Eine neue Alaena aus Deutsch Ost-Afrika. Berl. ent. Z. 49: 164, Taf.I, fig.2. [[available in Cesa Library](#)]
- 8178. Thieme,O.**, 1907, Familiae Lemoniidarum supplementa cum notis (Lepidoptera, Rhopalocera). Berl. ent. Z. 51 (1): 1-16, pl.1 [[available in Cesa Library](#)]
- 8179. Thierry-Mieg,P.**, 1910, Descriptions de Lépidoptères nouveaux. Naturaliste 32: 34-119.
- 8180. Thierry-Mieg,P.**, 1911, Descriptions de Lépidoptères nouveaux. Annls Soc. ent. Belg. 54 (1910): 465-469.
- 8181. Thomas,C.D. & H.C.Mallory**, 1985, Oviposition records and larval foodplants of butterflies in the Atlas Mountains of Morocco. J. Res. lepid. 24(1): 76-79.
- 8182. Thomas,W. & D.Goodger**, 1993, Aloa Walker,1855 and Amsacta Walker,1855 two distinct genera of Arctiidae (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 297-305, 6 figs. [[available in Cesa Library](#)]
- 8183. Thomas,W. & K.Cerny**, 1993, Die Arctiiden von Ladakh und Sanskar (Lepidoptera). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 279-284. [[available in Cesa Library](#)]
- 8184. Thomas,W. & K.Cerny**, 1993, Revision der punctata-Gruppe der Gattung *Spilosoma* (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 13 (3a): 285-296, 4 Abb. [[available in Cesa Library](#)]
- 8185. Thomas,W. & Reshöft,K.**, 1983, Zur Biologie von *Ocnogyna afghanicola* Ebert 1974 (Lepidoptera, Arctiidae). Andrias 3: 71-72. [[available in Cesa Library](#)]
- 8186. Thomas,W.**, 1983, Eine neue *Callimorpha dominula* Unterart aus der Osttürkei (Lep., Arctiidae). Ent. Z., Frankf. a. M. 93 (8): 107-110, Abb. [[available in Cesa Library](#)]
- 8187. Thomas,W.**, 1987, *Gonerda watsoni* spec. nov. (Lep., Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 7 (4): 125-131, 6 Abb. [[available in Cesa Library](#)]
- 8188. Thomas,W.**, 1988, *Callimorpha splendidior* Tams eine eigene Art (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) 9 (3): 177-186, 4 Abb. [[available in Cesa Library](#)]
- 8189. Thomas,W.**, 1989, Bemerkungen zur Gattung *Carcinopyga* (Lep., Arctiidae) und zu *Carcinopyga lichenigera* Felder (Beiträge zur Arctiiden Systematik-4). Atalanta 19: 139-147, 3 Abb. [[available in Cesa Library](#)]
- 8190. Thomas,W.**, 1990, Die Gattung *Lemyra* (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 1-83, 105 Abb. [[available in Cesa Library](#)]
- 8191. Thomson,G.**, 1959, *Maniola* (*Epinephele*) *jurtina* (L.) (Lep. Satyridae) and its forms. Entomologist's Rec. J. Var. 81: 7-14, 51-58, 83-90, Pl. [[available in Cesa Library](#)]
- 8192. Thomson,G.**, 1973, Geographical variation of *Maniola jurtina* (L.) (Lepidoptera, Satyridae). Tijdschr. Ent. 116 (12): 185-227, 2 Pl. [[available in Cesa Library](#)]
- 8193. Thomson,G.**, 1992, Egg surface morphology of Manioline butterflies (Lepidoptera, Nymphalidae, Satyrinae). Atalanta 23(1/2): 195-214, 42 figs. [[available in Cesa Library](#)]
- 8194. Thureau,F.**, 1903, Neue Lepidopteren aus Ost- und Central Afrika in Königl. zoologischen Museum zu Berlin. Berl. ent. Z. 48: 301-314. [[available in Cesa Library](#)]
- 8195. Thureau,F.**, 1904, *Busseola sorghicida*, eine neue Ost-Afrikanische Noctuide. Berl. ent. Z. 49: 55-58. [[available in Cesa Library](#)]
- 8196. Thurner,J.**, 1936, Einige bemerkenswerte Lepidopterenfunde aus Mazedonien. Z. öst. EntVer. 21: 6-7, [[available in Cesa Library](#)]
- 8197. Thurner,J.**, 1938, Die Schmetterlinge der Orchid-Gegend in Macedonien. Izv. tsarsk. prirodnauch. Inst. Sof. 11: 121-179. [[available in Cesa Library](#)]
- 8198. Thurner,J.**, 1948, Die Schmetterlinge Kärntens und Osttirols. Faunistik und Ökologie. Carinthia II, 10. Sonderheft: 1-200, figs. [[available in Cesa Library](#)]

- 8199. Thurner, J.**, 1964, Die Lepidopterenfauna jugoslavisch Mazedoniens I. Rhopalocera, Grypocera und Noctuidae. 159 S. Prirodonaucen Muzej Skopje. [\[available in Cesa Library\]](#)
- 8200. Thurner, J.**, 1967, Lepidopteren aus Morea. Ein weiterer Beitrag zur Fauna des Peloponnes (Griechenland). Z. wien. ent. Ges. 52: 5-23, 50-58. [\[available in Cesa Library\]](#)
- 8201. Thust, R. & E. Brockmann**, 1993, Nachweis von *Pyrgus trevevicensis germanicus* Renner, 1991 (Lepidoptera, Hesperidae) in Südthüringen. Nachr. ent. Ver. Apollo N.F. 14(3): 281-288, Abb. [\[available in Cesa Library\]](#)
- 8202. Thöny, H.**, 1995, Beitrag zur Schmetterlingsfauna der Region Ingolstadt/Eichsätt. Facetta Suppl. 1: 1-255 S. Abb. [\[available in Cesa Library\]](#)
- 8203. Thöny, H.**, 1996, Zwei neue Arten aus Nord Vietnam, *Trisuloides gerri* sp.n. und *Panthea ronnyi* sp.n. (Lepidoptera, Noctuidae, Pantheinae). Facetta 13 (2): 31-36, figs. [\[available in Cesa Library\]](#)
- 8204. Tikhonov, V.**, 1994, Neue und wenig bekannte Entephria-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 381-388, Taf. XVIa. [\[available in Cesa Library\]](#)
- 8205. Tikhonov, V.**, 1994, Zwei neue Geometriden-Arten aus dem Kaukasus (Lepidoptera, Geometridae). Atalanta 25(1/2): 373-379, Pl. XVIb. [\[available in Cesa Library\]](#)
- 8206. Tillyard, R. J.**, 1917, The wing-venation of Lepidoptera (preliminary report). Proc. linn. Soc. N. S. Wales 42: 167-174, 7 figs. 1 pl.
- 8207. Tillyard, R. J.**, 1918, The Micropterygidae not of the Jugate type (Lep.). Ent. News. 29(3): 90, [1] fig.
- 8208. Tillyard, R. J.**, 1918, The Panorpoid Complex, Part I. The wing-coupling apparatus with special references to the Lepidoptera. Proc. linn. Soc. N. S. Wales 43: 26-319, 16 figs., pl.
- 8209. Tillyard, R. J.**, 1918, Jugo-frenate genera of Micropterygidae. Proc. ent. Soc. Lond. 1918: liii-liv. figs. a, b.
- 8210. Tillyard, R. J.**, 1919, On the morphology and systematic position of the family Micropterygidae (sens. lat.). Proc. linn. Soc. N. S. Wales 44: 95-136, 1 Pl., 4 figs.
- 8211. Tillyard, R. J.**, 1923, On the mouth-parts of the Micropterygidae (Order Lepidoptera). Trans. ent. Soc. London 1923: 181-206, 12 figs.
- 8212. Tite, G. E.**, 1959, The genus *Catochrysops*. Entomologist 92: 201-212.
- 8213. Tite, G. E.**, 1959, New species of, and notes on, the genus *Lepidochrysops* (Lepidoptera, Lycaenidae). Entomologist 92: 158-163, figs.
- 8214. Tite, G. E.**, 1961, A new species of the genus *Cacyreus* (Lepidoptera, Lycaenidae). Entomologist 94: 112-113, 5 figs.
- 8215. Tite, G. E.**, 1963, A revision of the genus *Candalides* and allied genera (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 14: 197-259, 4 pls. 119 textfigs. [\[available in Cesa Library\]](#)
- 8216. Tite, G. E.**, 1966, A revision of the genus *Anthene* from the Oriental Region (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18 (8): 255-275, figs. [\[available in Cesa Library\]](#)
- 8217. Titova, V.**, 1976, Die Tagfalter der Saisan-Gegend und des Tschilikinski-Tales. Sovremennye problemy zoologii i sovershenstvovanie metodiki ee prepodavaniya, Perm: 149-150.
- 8218. Tokar, Z. & L. Gozmany**, 2004, Review of the palaearctic species of *Dirhinosis* Rebel, 1905 (Lepidoptera, Gelechiidae). Acta zool. hung. 50 (1): 63-74, figs. [\[available in Cesa Library\]](#)
- 8219. Toll, S. & H. G. Amsel**, 1967, Coleophoriden aus Afghanistan (Lepidoptera, Coleophoridae). Beitr. naturk. SWDtl. 26(3): 5-16, Taf. [\[available in Cesa Library\]](#)
- 8220. Toll, S.**, 1948, Beitrag zur Mikrolepidopterenfauna von Nordost-Persien. Z. wien. ent. Ges. 32 (1947): 107-116, 3 Taf., 44 figs. [\[available in Cesa Library\]](#)
- 8221. Toll, S.**, 1959, Neue Coleophora-Arten aus Iran (Lepidoptera) (Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr. 38). Stuttg. Beitr. Naturk. 29: 1-6, 5 Abb. [\[available in Cesa Library\]](#)
- 8222. Toll, S.**, 1959, Coleophoriden aus Iran und Iraq der Ausbeute E. P. Wiltshire (Lepidoptera, Coleophoridae). Bull. Soc. ent. Egypte 43: 331-346, 53 Abb. [\[available in Cesa Library\]](#)
- 8223. Toll, S.**, 1961, Studien über die Genitalien einigen Coleophoridae XX. Beschreibung neuer Coleophoridae aus Österreich, Bulgarien, Spanien und Portugal. Z. wien. ent. Ges. 46: 161-168, 23 Abb. [\[available in Cesa Library\]](#)
- 8224. Toll, S.**, 1962, Materialien zur Kenntnis der palaearktischen Arten der Familie Coleophoridae. Acta zool. cracov. 7 (16): 577-720, 133 figs. [\[available in Cesa Library\]](#)

- 8225. Tolman, T. & R. Lewington**, 1997, Butterflies of Britain and Europe. 320pp., 104 pls., 429 maps. Harper Collins Publ. London.
- 8226. Tolman, T.**, 1993, The natural history, ecology and distribution of *Turanana panagaea* (Herrich-Schäffer, [1851]) and *Lycaena thetis* (Klug, 1834) in Greece (Lepidoptera, Lycaenidae). *Phegea* 21(3): 81-92, 1 Pl. [\[available in Cesa Library\]](#)
- 8227. Tolman, T.**, 1994, The larval host-plant of *Kretania euryphilus* (Freyer, 1852) in the Taygetos mountains of the Peloponnese, Greece (Lepidoptera, Lycaenidae). *Linneana Belgica* 14(7): 363-366, 6 figs. [\[available in Cesa Library\]](#)
- 8228. Tolman, T.**, 1994, The larval host-plant of *Satyrium ledereri* (Boisduval, 1848) on the Greek island of Samos (Lepidoptera: Lycaenidae). *Phegea* 22(3): 89-95, 6 figs. [\[available in Cesa Library\]](#)
- 8229. Tomonaga, M.**, 1998, *Anthocharis* of the World. *Yadoriga* 176: 2-19, figs. 21-24.
- 8230. Toropov, S. A.**, 1996, *Rhopalocera* (Diurna), [in] Shukurov, E. D. et al., Genetical Fund Cadastre of Kyrgyzstan. Volume III, 216-228 pp. Bishkek. [\[available in Cesa Library\]](#)
- 8231. Tosevski, I.**, 1987, A supplement to the present knowledge of the genus *Paranthrene* Hübner, 1819 on the territory of Yugoslavia. *Acta Mus. maced. sci. nat.* 18 (7/153): 177-197.
- 8232. Toth, J. P.**, 2012, Taxonomy, distribution and ecology of *Melitaea ornata* (Lepidoptera, Nymphalidae). PhD Thesis, 117pp. Debrecen. [access 20 9 2014]. [\[available in Cesa Library\]](#)
- 8233. Toulgoet, H. de**, 1977, *Arctiidae* et *Nolidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 105: 68-81, Pls. [\[available in Cesa Library\]](#)
- 8234. Toulgoet, H. de**, 1978, Description de nouvelles *Arctiides* africaines et révision partielle du genre *Galtara* F. Walker (Lep., *Arctiidae*, *Arctiidae*, *Nyctemerinae*). *Bull. Soc. ent. Fr.* 83: 213-224, 16 figs. [\[available in Cesa Library\]](#)
- 8235. Toulgoet, H. de**, 1978, Description de Nouvelles *Arctiides* Africaines (Lepidopteres, *Arctiidae*) (3e note). *Nouv. Rev. Ent.* 8: 219-230, 11 figs. [\[available in Cesa Library\]](#)
- 8236. Toulgoet, H. de**, 1978, *Arctiidae* Arfcains - Note de Nomenclature. *Nouv. Rev. Ent.* 8: 377. [\[available in Cesa Library\]](#)
- 8237. Toulgoet, H. de**, 1979, Remarques sur la variation de la structure Génitale chez *Galtara elongata* (Swinhoe) (Lep., *Arctiidae*, *Nyctemerinae*). *Alexanor* 9(4): 171-175, 5 figs. [\[available in Cesa Library\]](#)
- 8238. Toulgoet, H. de**, 1980, Un curieux cas de Convergence (Lepidopteres, *Arctiidae*, *Arctiinae*). *Alexanor* 11(8): 351-353, 6 figs. [\[available in Cesa Library\]](#)
- 8239. Toulgoet, H. de**, 1981, Description d'une nouvelle *Arctiide* d'Amérique Centrale avec creation d'un genre nouveau (Lepidoptera, *Arctiidae*). *Alexanor* 12 (2): 63-66, 4 figs. [\[available in Cesa Library\]](#)
- 8240. Toulgoet, H. de**, 1984, *Arctiidae* [in] Rougeot, Missions Entomologiques en Ethiopie 1976-1982. Fasc. II. *Mém. Mus. nat. Hist. Nat. Paris* (Ser. A., Zool.) 128: 50-51. [\[available in Cesa Library\]](#)
- 8241. Trankner, A., Li, H. & M. Nuss**, 2009, On the systematics of *Anania* Hübner, 1823 (*Pyraloidea*, *Crambidae*, *Pyraustinae*). *Nota lepid.* 32 (1): 63-60, figs. [\[available in Cesa Library\]](#)
- 8242. Traugott-Olsen, E.**, 1990, Descriptions of four new species of *Elachistidae* (Lepidoptera) and diagnoses of *Elachista pollutella* Duponchel, 1843 and *E. constitella* Frey, 1859. *Shilap Revta lepid.* 18 (71): 273-285, figs. [\[available in Cesa Library\]](#)
- 8243. Traugott-Olsen, E.**, 1992, The *Elachista dispunctella* (Duponchel, 1843) complex with descriptions of new taxa (Lepidoptera, *Elachistidae*). *Shilap Revta lepid.* 20 (79): 197-316, figs. [\[available in Cesa Library\]](#)
- 8244. Trautmann, W.**, 1903, Zwei neue Macro-Lepidopterenformen. *Ent. Z., Stuttgart* 16(20): 78-79. [\[available in Cesa Library\]](#)
- 8245. Treadaway, C. G. & W. A. Nässig**, 1997, Anmerkungen zur *larissa*-Gruppe und zu *Antheraea mindoroensis* Brosch & Paukstadt, 1996 auf den Philippinen (Lepidoptera, *Saturniidae*). *Ent. Z., Essen* 107:
- 8246. Treadaway, C. G.**, 1986, Einige Beobachtungen zur Larvalbiologie philippinischer *Cricula trifenestrata* Helfer (Lep., *Saturniidae*). *Ent. Z., Frankf. a. M.* 96(13): 190-192.
- 8247. Treadaway, C. G.**, 1995, Checklist of the butterflies of the Philippine Islands (Lepidoptera, *Rhopalocera*). *Nachr. ent. Ver. Apollo* (N.F.) Suppl. 14: 7-118, 91 figs. [\[available in Cesa Library\]](#)
- 8248. Treitschke, F.**, 1825, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (1), 414 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8249. Treitschke, F.**, 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (2), 417 pp. Leipzig. [\[available in Cesa Library\]](#)

- 8250. Treitschke, F.**, 1826, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom V (3), 419 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8251. Treitschke, F.**, 1827, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (1), 444 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8252. Treitschke, F.**, 1828, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VI (2), 319 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8253. Treitschke, F.**, 1829, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 257 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8254. Treitschke, F.**, 1830, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom VII, 312 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8255. Treitschke, F.**, 1832, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (1), 272 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8256. Treitschke, F.**, 1833, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom IX (2), 294 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8257. Treitschke, F.**, 1834, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (1), 286 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8258. Treitschke, F.**, 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (2), 340 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8259. Treitschke, F.**, 1835, Die Schmetterlinge von Europa (Fortsetzung von Ochsenheimers Werk). Tom X (3), 302 pp. Leipzig. [\[available in Cesa Library\]](#)
- 8260. Trematerra, P. & O. Karsholt**, [1997], New records for the Greek and Spanish fauna (Lepidoptera, Tortricidae). Boll. Zool. agr. Bachic. Ser. II, 28 (1996): 141-147.
- 8261. Trematerra, P.**, 2010, *Clepsis trifasciata* sp.n. with notes on some Lepidoptera Tortricidae from Kirgizstan. J. Ent. Acar. Res. (II) 42 (1): 1-10, figs. [\[available in Cesa Library\]](#)
- 8262. Tremewan, W.G. & C.M. Naumann**, 1989, A revision of *Zygaena* (*Agrumenia*) *magiana* Staudinger, 1889 (Lepidoptera: Zygaenidae). Entomologist's Gaz. 40: 114-123, Pl. 11-12, 8 figs. [\[available in Cesa Library\]](#)
- 8263. Tremewan, W.G. & C.M. Naumann**, 1999, Notes on the biology and ecology of *Zygaena* (*Mesembrynus*) *centaureae* Fischer von Waldheim, 1832 (Lepidoptera, Zygaenidae). Linneana Belgica 17(1): 42-45, 6 figs. [\[available in Cesa Library\]](#)
- 8264. Tremewan, W.G. & D. Povolny**, 1968, Beiträge zur Kenntnis der Fauna Afghanistans: Zygaenidae, Lepidoptera. Acta morav. Mus. Brne (Sci. Nat.) 53 (suppl.): 161-172.
- 8265. Tremewan, W.G. & W.B.L. Manley**, 1965, Notes on species of the genus *Zygaena* Fabricius (Lepidoptera: Zygaenidae) from South-west France and Spain with descriptions of new subspecies. Entomologist's Rec. J. Var. 77: 3-11. [\[available in Cesa Library\]](#)
- 8266. Tremewan, W.G.**, 1961, Notes on *Zygaena* species with descriptions of new subspecies from Spain (Lepidoptera, Zygaenidae). Entomologist's Rec. J. Var. 73: 1-8. [\[available in Cesa Library\]](#)
- 8267. Tremewan, W.G.**, 1961, The subgenera of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Entomologist's Rec. J. Var. 73: 200-203. [\[available in Cesa Library\]](#)
- 8268. Tremewan, W.G.**, 1961, A Catalogue of the types and other specimens in the British Museum (Natural History) of the genus *Zygaena* Fabricius, Lepidoptera: Zygaenidae. Bull. Brit. Mus. (Nat. Hist.) Ent. 10 (7): 239-314, Pls. 50-64. [\[available in Cesa Library\]](#)
- 8269. Tremewan, W.G.**, 1963, A new subspecies and further records of the genus *Zygaena* Fabricius (Lepidoptera: Zygaenidae) from south-west France and Spain. Entomologist's Rec. J. Var. 75: 251-254. [\[available in Cesa Library\]](#)
- 8270. Tremewan, W.G.**, 1963, Notes on *Zygaena* species from south-west France and Spain with descriptions of three new subspecies (Lepidoptera: Zygaenidae). Entomologist's Rec. J. Var. 75: 1-10, Pl. 1, 21 figs. [\[available in Cesa Library\]](#)
- 8271. Tremewan, W.G.**, 1963, On a small collection of *Zygaena* Fabricius from the Lebanon (Lepidoptera: Zygaenidae). Entomologist's Rec. J. Var. 75: 168-170, fig. 1. [\[available in Cesa Library\]](#)
- 8272. Tremewan, W.G.**, 1964, The *Silvicola* Burgeff group of the genus *Zygaena* Fabricius (Lep. Zygaenidae). Entomologist's Rec. J. Var. 76: 1-10, 46-54, 74-82. [\[available in Cesa Library\]](#)
- 8273. Tremewan, W.G.**, 1966, On some type specimens of the genus *Zygaena* Fabricius (Lepidoptera: Zygaenidae) in the British Museum (Natural History). Entomologist's Rec. J. Var. 78: 28-37, Pl. 1, 18 figs. [\[available in Cesa Library\]](#)
- 8274. Tremewan, W.G.**, 1969, Further records of *Zygaena* Fabricius (Lep. Zygaenidae) from Turkey. Proc. Br. ent. Nat. Hist. Soc. 1969: 103-106. [\[available in Cesa Library\]](#)

- 8275. Tremewan, W.G.**, 1973, A catalogue of the genus-group names of the Zygaenidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 28 (3): 111-151. [\[available in Cesa Library\]](#)
- 8276. Tremewan, W.G.**, 1975, On Zygaena Fabricius (Lep. Zygaenidae) from Iran. Entomologist's Gaz. 26: 229-248, Pl.6, 12 figs. [\[available in Cesa Library\]](#)
- 8277. Tremewan, W.G.**, 1976, Nomenclatural notes on British Zygaenidae (Lepidoptera). Entomologist's Gaz. 27: 149-154. [\[available in Cesa Library\]](#)
- 8278. Tremewan, W.G.**, 1976, Further notes on Zygaena Fabricius Lep., Zygaenidae) from Iran. Entomologist's Gaz. 27: 215-220, 8 figs. [\[available in Cesa Library\]](#)
- 8279. Tremewan, W.G.**, 1977, On Zygaena Fabricius (Lep., Zygaenidae) collected in Iran in 1976. Entomologist's Gaz. 28: 223-227, 5 figs. [\[available in Cesa Library\]](#)
- 8280. Tremewan, W.G.**, 1977, On the biology of Zygaena (Mesembrynus) cuvieri Boisduval (Lep., Zygaenidae). Entomologist's Gaz. 28: 17-19, 6 figs. [\[available in Cesa Library\]](#)
- 8281. Tremewan, W.G.**, 1978, On the biology of Zygaena (Mesembrynus) cambysea Lederer (Lepidoptera, Zygaenidae). Entomologist's Gaz. 29: 47-50, 8 figs. [\[available in Cesa Library\]](#)
- 8282. Tremewan, W.G.**, 1979, On Zygaena Fabricius (Lepidoptera, Zygaenidae) from Iran. Entomologist's Gaz. 30: 249-256, 31 figs. [\[available in Cesa Library\]](#)
- 8283. Tremewan, W.G.**, 1980, On the systematic position of Zygaena (Agrumenia) essenii Blom (Lepidoptera, Zygaenidae). Entomologist's Gaz. 31: 126-128, 9 figs. [\[available in Cesa Library\]](#)
- 8284. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus Zygaena Fabr., 1775 (Sg. Mesembrynus Hbn., [1819]) (Lep., Zygaenidae) The identity of the numinal taxon Sphinx minos [Denis & Schiff., 1775. Entomofauna 2(21): 239-244, 2 figs. [\[available in Cesa Library\]](#)
- 8285. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus Zygaena Fabr., 1775 (Sg. Mesembrynus Hbn., [1819]) (Lep., Zygaenidae) On the correct authors of two species-group taxa in the genus Zygaena Fabr. Entomofauna 2(20): 231-237. [\[available in Cesa Library\]](#)
- 8286. Tremewan, W.G.**, 1981, Ergebnisse d. 2.Innsbrucker Lepidopterologengespr. 4./5.Oktober 1980 zum Thema "Die purpuralis-Gruppe des Genus Zygaena Fabr., 1775 (Sg. Mesembrynus Hbn., [1819]) (Lep., Zygaenidae) On the validity of the genus-group name Mesembrynus Hübner, [1819]. Entomofauna 2(19): 223-227. [\[available in Cesa Library\]](#)
- 8287. Tremewan, W.G.**, 1988, A bibliography of the Zygaeninae (Lepidoptera, Zygaenidae). 188pp. Colchester. [\[available in Cesa Library\]](#)
- 8288. Triberti, P.**, 1984, Notes on some species of Caloptilia Hb. described by O. Staudinger (Lep., Gracillariidae). Dt. ent. Z. (N.F.) 31 (1/3): 9-14, 5 figs. [\[available in Cesa Library\]](#)
- 8289. Triberti, P.**, 1985, A revision of the genus Aspilapteryx Spuler (Lepidoptera, Gracillariidae). Z. ArbGem. öst. Ent. 37 (1/2): 1-16, 8 Pls. [\[available in Cesa Library\]](#)
- 8290. Triberti, P.**, 1987, Parornix compsumpta sp.n., a new species of Gracillariidae from South-eastern Europa (Lepidoptera, Gracillariidae). NachrBl. bayer. Ent. 36 (2): 50-52, 6 Abb.
- 8291. Triberti, P.**, 1990, Three new Palaearctic species of the subfamily Gracillariinae (Lepidoptera, Gracillariidae). Z. ArbGem. öst. Ent. 41 (3/4): 65-70, figs. [\[available in Cesa Library\]](#)
- 8292. Triberti, P.**, 2001, Acrocercops tacita n.sp. from the Eastern Mediterranean region (Lepidoptera, Gracillariidae). Boll. Mus. civic. Stor. Nat. Verona 25: 95-100.
- 8293. Trimen, R.**, 1862, On some new species of South African butterflies. Trans. ent. Soc. London (3) 1: 279-291, 1 pl.
- 8294. Trimen, R.**, 1862, On some new species of South African butterflies, collected in British Kaffraria by W.S.M. D'Urban Esq., during 1860-1861. Trans. ent. Soc. London (3) 1: 398-406.
- 8295. Trimen, R.**, 1862, Rhopalocera Africae Australis. 1: xii+190pp. 1pl. Cape Town. [\[available in Cesa Library\]](#)
- 8296. Trimen, R.**, 1865, Rhopalocera Africae Australis. 2: 225-340 pp. 1pl. Cape Town. [\[available in Cesa Library\]](#)
- 8297. Trimen, R.**, 1870, Notes on butterflies collected by J.H.Bowker, Esq., in Basuto-Land, south Africa; with descriptions of some new species. Trans. ent. Soc. London 1870: 341-390, 1 pl. [\[available in Cesa Library\]](#)
- 8298. Trimen, R.**, 1879, On some hitherto undescribed butterflies inhabiting Southern Africa. Trans. ent. Soc. London 1879 (4): 323-346. [\[available in Cesa Library\]](#)
- 8299. Trimen, R.**, 1881, On some new species of Rhopalocera from Southern Africa. Trans. ent. Soc. London 1881 (3): 433-445. [\[available in Cesa Library\]](#)

- 8300. Trimen,R.**, 1881, On some new species of Rhopalocera from South Africa. Trans. ent. Soc. London 1881: 433-445.
- 8301. Trimen,R.**, 1883, Descriptions of twelve new species of South African Lepidoptera Rhopalocera. Trans. ent. Soc. London 1883: 347-363.
- 8302. Trimen,R.**, 1887-1889, South African Butterflies. 3 vols. [\[available in Cesa Library\]](#)
- 8303. Trimen,R.**, 1891, On some recent additions to the list of South African butterflies. Trans. ent. Soc. London 1891 (1): 169-178. [\[available in Cesa Library\]](#)
- 8304. Trimen,R.**, 1898, On some new or little-known species of African butterflies. Trans. ent. Soc. London 1898: 1-16, 1 pl. [\[available in Cesa Library\]](#)
- 8305. Trimen,R.**, 1912, On some hitherto imperfectly-known South African Lepidoptera. Trans. ent. Soc. London 1912 (2): 384-393, pl. xvii. [\[available in Cesa Library\]](#)
- 8306. Trofimova,T.A.**, 2009, Atomorpha punctistrigaria (Christoph,1893) (Geometridae, Ennominae) - a new geometrid species for the fauna of Europe. Nota lepid. 32 (1): 55-62, figs. [\[available in Cesa Library\]](#)
- 8307. Trusch,R. & A.Hausmann**, 2007, A new species of the genus Rhodostrophia Hübner,1823 from Iran (Geometridae, Sterrhinae). Nota lepid. 30 (1): 7-16, figs. [\[available in Cesa Library\]](#)
- 8308. Trusch,R. & S.Erlacher**, 2001, Zur Morphologie, Verbreitung, Bionomie und Identifikation der Dyscia-Arten. Bonner zool. Monogr. 49: 1-116, 12 Pls.
- 8309. Trusch,R. & S.Erlacher**, [2003], Taxonomic changes in the geometrid moths taxon Dyscia Hübner,[1825] (Lepidoptera, Geometridae, Ennominae). Eur. J. Ent. 99 (4): 529-541. [\[available in Cesa Library\]](#)
- 8310. Tschugunov,S.**, 1916, Zur Lepidopteren-Fauna der Vorberge des Kusnezki-Alatau. Russk. ent. Obozr. 16: 97-105. [\[available in Cesa Library\]](#)
- 8311. Tshikolovets,V., Naderi,A. & W.Eckweiler**, 2014, The butterflies of Iran and Iraq. 440pp. 72 pls.
- 8312. Tshikolovets,V.V.**, 1991, Verzeichnis der Tagfalter Usbekistans (Lepidoptera, Rhopalocera). Atalanta 22(2/4): 93-116. [\[available in Cesa Library\]](#)
- 8313. Tshikolovets,V.V.**, 1992, Eine übersicht über das Lycaeniden-Subgenus Paragrodiaetus in Kirgisien, Usbekistan und Tadshikistan mit der Beschreibung von Polyommatus (Paragrodiaetus) pulchra chaburobata subspec.nov. (Lepidoptera, Lycaenidae, Polyommatainae). Atalanta 23(1/2): 159-168, pl.ix. [\[available in Cesa Library\]](#)
- 8314. Tshikolovets,V.V.**, 1992, Eine kommentierte Artenliste der Tagfalter des Transalaj-Gebirges (Pamir-Alaj) nebst Beschreibung der Erebia progne samodurovi subspec.nov. (Lepidoptera, Rhopalocera). Atalanta 23(1/2): 169-193, pl.x. [\[available in Cesa Library\]](#)
- 8315. Tshikolovets,V.V.**, 1992, Eine kommentierte Artenliste der Tagfalter des Vantsch-Gebirges (Pamir) (Lepidoptera, Rhopalocera). Atalanta 23(1/2): 139-157, Taf.viii. [\[available in Cesa Library\]](#)
- 8316. Tshikolovets,V.V.**, 1997, The Butterflies of Pamir (Lepidoptera, Rhopalocera). 282 pp. 36 pls. Frantisek Slamka Ed. Bratislava, Rep. Slovakia.
- 8317. Tshikolovets,V.V.**, 1997, New blue butterfly taxa from Central Asia (Lepidoptera, Lycaenidae) - Communication 4. Phegea 25(3): 117-121, 17 figs. [\[available in Cesa Library\]](#)
- 8318. Tshikolovets,V.V.**, 1998, The butterflies of Turkmenistan. 240 pp., 24 pls. 157 maps. Kiev & Brno.
- 8319. Tshikolovets,V.V.**, 2011, Butterflies of Europe and the Mediterranean area. 544pp. Pardubice, Czeck Republik.
- 8320. Tshistjakov,Y.A. & K.-T.Park**, 1999, New species of Sericophara Christoph (Lepidoptera, Thyrididae) from Korea. Tinea 16 (2): 73-75.
- 8321. Tshistjakov,Y.A. & V.V.Zolotuhin**, 1994, Species of Lasiocampidae of Russia and adjacent countries. Ent. Obozr. 73(2): 321-330 [engl. transl. Ent. rev. 74(3): 69-79, 25 figs.,1995]
- 8322. Tshistjakov,Y.A.**, 1998, New data on the Lappet-moths (Lepidoptera, Lasiocampidae) of the Russian Far East. Far eastern Ent. 66: 1-8, figs. [\[available in Cesa Library\]](#)
- 8323. Tshistjakov,Y.A.**, 2008, Far Eastern species of the genus Achyla Billberg,1820 (Lepidoptera, Drepanidae, Thyatirinae) with notes on their synonymy. Far Eastern Ent. 180: 1-10, figs. [\[available in Cesa Library\]](#)
- 8324. Tsou,T.H.**, 1914, Homology of the body setae of some lepidopterous larvae. Trans. Am. mic. Soc. 33: 223-260, 4 pls.
- 8325. Tsukiyama,H.**, 1979, Hesperiidae from the Philippines. Tsu-i-So 226: 1-6.

- 8326. Tuck, K.R.**, 1988, A taxonomic revision of the genera *Polemograptis* Meyrick, and *Archigraptis* Razowski (Lepidoptera, Tortricidae). Syst. Ent. 13: 115-129, figs. [[available in Cesa Library](#)]
- 8327. Tuck, K.R.**, 1990, A taxonomic revision of the Malaysian and Indonesian species of *Archips* Hübner (Lepidoptera, Tortricidae). Ent. scand. 21: 179-196, figs.
- 8328. Turati, E. & A. Fiori**, 1930, Lepidotteri di Rodi. Mem. Soc. ent. ital. 9: 196-214. [[available in Cesa Library](#)]
- 8329. Turati, E.**, 1921, Lepidotteri di Cirenaica. Atti Soc. ital. Sci. nat. 60: 211-229.
- 8330. Turner, A.J.**, 1904, A Classification of the Australian Lymantriadae. Trans. ent. Soc. London 1904 (3): 469-481. [[available in Cesa Library](#)]
- 8331. Turner, H.J.**, 1916, A note on the circumstances of the act of pairing in some diurnal Lepidoptera. Entomologist's Rec. J. Var. 28: 88-89. [[available in Cesa Library](#)]
- 8332. Turner, H.J.**, 1920, Butterflies of Cyprus. Trans. ent. Soc. London 1920: 170-207. [[available in Cesa Library](#)]
- 8333. Turner, H.J.**, 1925, A new form of *Sarrothripus revayana* race *columbana* nova. Entomologist's Rec. J. Var. 37: 77-78. [[available in Cesa Library](#)]
- 8334. Turner, J.**, 1914, Notes on the Coleophoridae. Entomologist's Rec. J. Var. 26: 193. [[available in Cesa Library](#)]
- 8335. Turner, J.**, 1964, Die Lepidopterenfauna Jugoslavisch Mazedoniens I. Rhopalocera, Grypocera und Noctuidae. Prirodonaucen Muzej, Skopje. [[available in Cesa Library](#)]
- 8336. Turner, J.R.G.**, 1963, Geographical variation and evolution in the males of the butterfly *Papilio dardanus* Brown (Lepidoptera, Papilionidae). Trans. R. ent. Soc. Lond. 115(9): 239-259, 9 figs. [[available in Cesa Library](#)]
- 8337. Tusov, V.K. [ed.]**, 2000, Families Libytheidae - Lycaenidae. Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 2. 579pp., Pls. Pensoft Publ., Sofia. [[available in Cesa Library](#)]
- 8338. Tusov, V.K.**, 1993, The synonymic list of butterflies from the ex-USSR. 74pp., Rosagroservice, Moskau.
- 8339. Tusov, V.K.**, 1997, Family: Pieridae, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [[available in Cesa Library](#)]
- 8340. Tusov, V.K.**, 1997, Introduction, [in] Tusov, V.K., Guide to the butterflies of Russia and adjacent territories (Lepidoptera, Rhopalocera) 1. 480 pp., Pls. Pensoft Publ., Sofia. [[available in Cesa Library](#)]
- 8341. Tutt, J.W.**, 1892, The Pterophorina. Entomologist's Rec. J. Var. 3: 32-35. [[available in Cesa Library](#)]
- 8342. Tutt, J.W.**, 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51. [[available in Cesa Library](#)]
- 8343. Tutt, J.W.**, 1892, [Reply to "Classification by structure of imago by E. Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111. [[available in Cesa Library](#)]
- 8344. Tutt, J.W.**, 1893, The genus *Xanthia*: with notes on variation, habits and affinities. Entomologist's Rec. J. Var. 4: 25-28, 69-71, 93-96. [[available in Cesa Library](#)]
- 8345. Tutt, J.W.**, 1893, The pupae of Satyridae, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 191-192. [[available in Cesa Library](#)]
- 8346. Tutt, J.W.**, 1893, On the pupal wing in butterflies, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 193-195. [[available in Cesa Library](#)]
- 8347. Tutt, J.W.**, 1893, The antennae of *Gonepteryx rhamni*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 195. [[available in Cesa Library](#)]
- 8348. Tutt, J.W.**, 1893, Pupae of *Parnassius apollo*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169. [[available in Cesa Library](#)]
- 8349. Tutt, J.W.**, 1893, Succinti occasionally changed into *Suspensi*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169. [[available in Cesa Library](#)]
- 8350. Tutt, J.W.**, 1893, Gregarious habit in *Melitaea cinxia*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169. [[available in Cesa Library](#)]
- 8351. Tutt, J.W.**, 1893, Contraction of abdominal segments ventrally in *Argynnis aglaia*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169. [[available in Cesa Library](#)]
- 8352. Tutt, J.W.**, 1893, Tubercles in young larvae, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 169-170. [[available in Cesa Library](#)]

- 8353. Tutt, J.W.**, 1893, The segmental condition of the head in young larvae of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170. [[available in Cesa Library](#)]
- 8354. Tutt, J.W.**, 1893, Embryo in egg of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170. [[available in Cesa Library](#)]
- 8355. Tutt, J.W.**, 1893, Improbability of regular hybernation of *Cynthia cardui* in Britain, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170. [[available in Cesa Library](#)]
- 8356. Tutt, J.W.**, 1893, Effect of high spring temperature on the eggs, larvae and pupae of butterflies, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 170-171. [[available in Cesa Library](#)]
- 8357. Tutt, J.W.**, 1893, Slow colour changes in the pupal wing of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 217-218. [[available in Cesa Library](#)]
- 8358. Tutt, J.W.**, 1893, Pupal wing of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218. [[available in Cesa Library](#)]
- 8359. Tutt, J.W.**, 1893, Sudden emergence of the imago and dehiscence of the pupa of *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218. [[available in Cesa Library](#)]
- 8360. Tutt, J.W.**, 1893, Dehiscence of Satyrid pupae, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 218-219. [[available in Cesa Library](#)]
- 8361. Tutt, J.W.**, 1893, Dimorphism in pupae of *L. aegeria* and *L. megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 219. [[available in Cesa Library](#)]
- 8362. Tutt, J.W.**, 1893, The imaginal and pupal antennae of *Lasiommata megera*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 219-220. [[available in Cesa Library](#)]
- 8363. Tutt, J.W.**, 1893, Pupal wing of *Vanessa atalanta*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220. [[available in Cesa Library](#)]
- 8364. Tutt, J.W.**, 1893, Medio-dorsal row of tubercular points in pupa of *Vanessa atalanta*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220. [[available in Cesa Library](#)]
- 8365. Tutt, J.W.**, 1893, Dehiscence of spines, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220. [[available in Cesa Library](#)]
- 8366. Tutt, J.W.**, 1893, Newly-hatched larva of *Vanessa urticae*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 220. [[available in Cesa Library](#)]
- 8367. Tutt, J.W.**, 1893, A day's entomologizing in the Paris environs (Bagneux). Entomologist's Rec. J. Var. 4: 238-240. [[available in Cesa Library](#)]
- 8368. Tutt, J.W.**, 1893, A few days' collecting in the Western Highlands. Entomologist's Rec. J. Var. 4: 285-288. [[available in Cesa Library](#)]
- 8369. Tutt, J.W.**, 1893, Chrysalides of *Melitaeidi*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 290. [[available in Cesa Library](#)]
- 8370. Tutt, J.W.**, 1893, Chrysalides of *Argynnidi*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 290. [[available in Cesa Library](#)]
- 8371. Tutt, J.W.**, 1893, Pupa of *Argynnis niobe*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291. [[available in Cesa Library](#)]
- 8372. Tutt, J.W.**, 1893, Chrysalides of *Vanessidi*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291. [[available in Cesa Library](#)]
- 8373. Tutt, J.W.**, 1893, Third brood of *Chrysophanus phlaeas*, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291. [[available in Cesa Library](#)]
- 8374. Tutt, J.W.**, 1893, Second broods of some *Vanessa* species, [in] Stray notes on certain species of butterflies. Entomologist's Rec. J. Var. 4: 291. [[available in Cesa Library](#)]
- 8375. Tutt, J.W.**, 1893, Pupal development and colour of imago. Entomologist's Rec. J. Var. 4: 311-315. [[available in Cesa Library](#)]
- 8376. Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92. [[available in Cesa Library](#)]
- 8377. Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. I. The ovum or Egg. Entomologist's Rec. J. Var. 5: 113-115, 137-146, 165-169. [[available in Cesa Library](#)]

- 8378. Tutt, J.W.**, 1894, John Jenner Weir. Entomologist's Rec. J. Var. 5: 103-105. [[available in Cesa Library](#)]
- 8379. Tutt, J.W.**, 1894, [Anonymous]. Entomologist's Rec. J. Var. 5: 173-174. [[available in Cesa Library](#)]
- 8380. Tutt, J.W.**, 1894, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology IV. Embryology. Entomologist's Rec. J. Var. 5: 192-195, 210-217, 241-247. [[available in Cesa Library](#)]
- 8381. Tutt, J.W.**, 1894, Notes on the variation of *Spilosoma mendica* with some thoughts on the ancestral type of the genus. Entomologist's Rec. J. Var. 5: 185-189. [[available in Cesa Library](#)]
- 8382. Tutt, J.W.**, 1894, Butterfly catching in the neighbourhood of Mont Blanc. Entomologist's Rec. J. Var. 5: 233-235. [[available in Cesa Library](#)]
- 8383. Tutt, J.W.**, 1895, The classification of the British butterflies. Entomologist's Rec. J. Var. 7: 250-253. [[available in Cesa Library](#)]
- 8384. Tutt, J.W.**, 1895, How *Colias edusa* winters. Entomologist's Rec. J. Var. 7: 250-253. [[available in Cesa Library](#)]
- 8385. Tutt, J.W.**, 1895, The genera in the subfamily Lycaeninae applied to British species. Entomologist's Rec. J. Var. 7: 219-221. [[available in Cesa Library](#)]
- 8386. Tutt, J.W.**, 1895, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology. V. The larva or Caterpillar. Entomologist's Rec. J. Var. 6: 81-83, [[available in Cesa Library](#)]
- 8387. Tutt, J.W.**, 1895, The life-history of a lepidopterous Insect, comparing some account of its morphology and physiology III. Parthenogenesis or Agamogenesis. Entomologist's Rec. J. Var. 5 (1894): 289-294; 6 (1895): 4-8. [[available in Cesa Library](#)]
- 8388. Tutt, J.W.**, 1895, Above Lake Bourget. Entomologist's Rec. J. Var. 6: 168-172. [[available in Cesa Library](#)]
- 8389. Tutt, J.W.**, 1895, Notes on the habits and variation of *Lithosia lutarella* and its variety *pygmeola*. Entomologist's Rec. J. Var. 6: 217-222. [[available in Cesa Library](#)]
- 8390. Tutt, J.W.**, 1896, Egg of *Enodia hyperanthus*. Entomologist's Rec. J. Var. 8: 213-214. [[available in Cesa Library](#)]
- 8391. Tutt, J.W.**, 1896, Egg of *Epinephele janira*. Entomologist's Rec. J. Var. 8: 214. [[available in Cesa Library](#)]
- 8392. Tutt, J.W.**, 1896, Egg of *Hipparchia semele*. Entomologist's Rec. J. Var. 8: 214. [[available in Cesa Library](#)]
- 8393. Tutt, J.W.**, 1896, Egg of *Pamphila comma*. Entomologist's Rec. J. Var. 8: 239-240. [[available in Cesa Library](#)]
- 8394. Tutt, J.W.**, 1896, Newly hatched larva of *Hipparchia semele*. Entomologist's Rec. J. Var. 8: 265-266. [[available in Cesa Library](#)]
- 8395. Tutt, J.W.**, 1896, The Blue Butterflies of a Kentish hillside. Entomologist's Rec. J. Var. 8: 49-51. [[available in Cesa Library](#)]
- 8396. Tutt, J.W.**, 1896, The Large Copper Butterfly (*Chrysophanus dispar*). Entomologist's Rec. J. Var. 8: 57-65. [[available in Cesa Library](#)]
- 8397. Tutt, J.W.**, 1896, The hibernating stages of British butterflies. Entomologist's Rec. J. Var. 8: 97-102. [[available in Cesa Library](#)]
- 8398. Tutt, J.W.**, 1896, The pupa of *Coenonympha pamphilus*, with notes on its colour changes just previous to the emergence of the imago. Entomologist's Rec. J. Var. 8: 161-162. [[available in Cesa Library](#)]
- 8399. Tutt, J.W.**, 1896, Notes on the life-history of *Enodia hyperanthus*. Entomologist's Rec. J. Var. 8: 164-167. [[available in Cesa Library](#)]
- 8400. Tutt, J.W.**, 1896, On a small collection of Lepidoptera made in the neighbourhood of Aix-les-Bains. Entomologist's Rec. J. Var. 8: 233-236. [[available in Cesa Library](#)]
- 8401. Tutt, J.W.**, 1896, Contributions to the fauna of Dauphiné Alps-I. Entomologist's Rec. J. Var. 8: 253-260. [[available in Cesa Library](#)]
- 8402. Tutt, J.W.**, 1896, A small collection of Lepidoptera from Lapland. Entomologist's Rec. J. Var. 8: 289-293. [[available in Cesa Library](#)]
- 8403. Tutt, J.W.**, 1896, On the hibernation of certain British butterflies in the imago state [sic]. Entomologist's Rec. J. Var. 8: 210-204. [[available in Cesa Library](#)]
- 8404. Tutt, J.W.**, 1896, Entomological reminiscences of the Tyrol. I. A day in the Mendel Pass. Entomologist's Rec. J. Var. 7(3): 49-52. [[available in Cesa Library](#)]

- 8405.** Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-II. Entomologist's Rec. J. Var. 9: 13-16. [\[available in Cesa Library\]](#)
- 8406.** Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-III. Entomologist's Rec. J. Var. 9: 52-55. [\[available in Cesa Library\]](#)
- 8407.** Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-IV. Entomologist's Rec. J. Var. 9: 79-82. [\[available in Cesa Library\]](#)
- 8408.** Tutt, J.W., 1897, Contributions to the fauna of Dauphiné Alps-VIII. Entomologist's Rec. J. Var. 9: 202-203. [\[available in Cesa Library\]](#)
- 8409.** Tutt, J.W., 1897, The Rhopalocera found in the Basses-Alpes (Digne) in April. Entomologist's Rec. J. Var. 9: 221-226. [\[available in Cesa Library\]](#)
- 8410.** Tutt, J.W., 1897, On a collection of spring Rhopalocera made in the Riviera, with some considerations concerning the hybernating of certain butterflies. Entomologist's Rec. J. Var. 9: 249-255, 279-282. [\[available in Cesa Library\]](#)
- 8411.** Tutt, J.W., 1897, Notes on the larva of *Saturnia pyri*. Entomologist's Rec. J. Var. 9: 112-114. [\[available in Cesa Library\]](#)
- 8412.** Tutt, J.W., 1897, Hybernating stage of *Argynnis aglaia*. Entomologist's Rec. J. Var. 9: 116-117. [\[available in Cesa Library\]](#)
- 8413.** Tutt, J.W., 1897, Description of lepidopterous eggs. Entomologist's Rec. J. Var. 9: 117. [\[available in Cesa Library\]](#)
- 8414.** Tutt, J.W., 1897, The development of the wing, wing-scales and their pigments in butterflies and moths. Entomologist's Rec. J. Var. 9: 131-135, 159-162, 198-200, Pl.3. [\[available in Cesa Library\]](#)
- 8415.** Tutt, J.W., 1897, Description of eggs of Lepidoptera. Entomologist's Rec. J. Var. 9: 146-148. [\[available in Cesa Library\]](#)
- 8416.** Tutt, J.W., 1897, *Gonepteryx cleopatra*, *Gonepteryx rhamni*, *Leucophasia duponcheli*, *Leucophasia sinapis*. Entomologist's Rec. J. Var. 9: 205-207. [\[available in Cesa Library\]](#)
- 8417.** Tutt, J.W., 1897, Notes on the eggs of certain Lepidoptera. Entomologist's Rec. J. Var. 9: 236-237. [\[available in Cesa Library\]](#)
- 8418.** Tutt, J.W., 1897, Descriptions of eggs of Lepidoptera. Entomologist's Rec. J. Var. 9: 261-264. [\[available in Cesa Library\]](#)
- 8419.** Tutt, J.W., 1897, Descriptions of lepidopterous eggs. Entomologist's Rec. J. Var. 9: 290-292. [\[available in Cesa Library\]](#)
- 8420.** Tutt, J.W., 1898, Descriptions of lepidopterous eggs. Entomologist's Rec. J. Var. 10: 15-16. [\[available in Cesa Library\]](#)
- 8421.** Tutt, J.W., 1898, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 183-184. [\[available in Cesa Library\]](#)
- 8422.** Tutt, J.W., 1898, Descriptions of eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 276-277. [\[available in Cesa Library\]](#)
- 8423.** Tutt, J.W., 1898, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 10: 305-306. [\[available in Cesa Library\]](#)
- 8424.** Tutt, J.W., 1898, Collecting in the forest of Fontainebleau in June 1897. Entomologist's Rec. J. Var. 10: 65-68. [\[available in Cesa Library\]](#)
- 8425.** Tutt, J.W., 1898, Contributions to the fauna of Piedmont-I. Entomologist's Rec. J. Var. 10: 89-91, 118-120. [\[available in Cesa Library\]](#)
- 8426.** Tutt, J.W., 1899, Contributions to the fauna of Piedmont. The butterflies of Pre St. Didier. Entomologist's Rec. J. Var. 11: 226-230. [\[available in Cesa Library\]](#)
- 8427.** Tutt, J.W., 1899, The Lepidoptera of Simplon Pass. Entomologist's Rec. J. Var. 11: 253-255. [\[available in Cesa Library\]](#)
- 8428.** Tutt, J.W., 1899, *Plebeius argus* and *Plebeius aegon*. Entomologist's Rec. J. Var. 11: 38-39. [\[available in Cesa Library\]](#)
- 8429.** Tutt, J.W., 1899, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 11: 219-220. [\[available in Cesa Library\]](#)
- 8430.** Tutt, J.W., 1899, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 11: 246-247. [\[available in Cesa Library\]](#)
- 8431.** Tutt, J.W., 1899, The Lepidoptera of St. Michel de Maurienne. Entomologist's Rec. J. Var. 11: 168-172. [\[available in Cesa Library\]](#)
- 8432.** Tutt, J.W., 1899, The Lepidoptera of the little St. Bernard Pass. Entomologist's Rec. J. Var. 11: 197-200. [\[available in Cesa Library\]](#)
- 8433.** Tutt, J.W., 1899-1900, British Lepidoptera. 2 vols. London.

- 8434. Tutt, J.W.**, 1899-1901, Migration and dispersal of Insects: Lepidoptera. Entomologist's Rec. J. Var. 11 (1899): 319-324; 12 (1900): 13-16, 69-72, 127-128, 154-159, 182-186, 206-209, 236-238, 253-257; 13 (1901): 97-102, 124-125, 145-147, 198-201. [\[available in Cesa Library\]](#)
- 8435. Tutt, J.W.**, 1899-1914, A natural history of the British Lepidoptera. 11 vols. London.
- 8436. Tutt, J.W.**, 1900, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 12: 356-357. [\[available in Cesa Library\]](#)
- 8437. Tutt, J.W.**, 1900, On the generic name Micropterix (Micropteryx), Hub. Entomologist's Rec. J. Var. 12: 314-315. [\[available in Cesa Library\]](#)
- 8438. Tutt, J.W.**, 1900, The Lepidoptera in the Hautes-Alpes: Abries. Entomologist's Rec. J. Var. 12: 226-229, 258-262, 318-320. [\[available in Cesa Library\]](#)
- 8439. Tutt, J.W.**, 1901, Eggs of Lepidoptera. Entomologist's Rec. J. Var. 13: 137. [\[available in Cesa Library\]](#)
- 8440. Tutt, J.W.**, 1901, Reported hybridity among the Sesiides. Entomologist's Rec. J. Var. 13: 174-175. [\[available in Cesa Library\]](#)
- 8441. Tutt, J.W.**, 1901, The position of Lemonia (Crateronyx) dumi. Entomologist's Rec. J. Var. 13: 167-168. [\[available in Cesa Library\]](#)
- 8442. Tutt, J.W.**, 1901, Abundance of Lepidoptera at Gresy-sur-Aix in August 1900. Entomologist's Rec. J. Var. 13: 88-91. [\[available in Cesa Library\]](#)
- 8443. Tutt, J.W.**, 1901, Lasiocampa quercus var. meridionalis n.var. Entomologist's Rec. J. Var. 13: 113-114. [\[available in Cesa Library\]](#)
- 8444. Tutt, J.W.**, 1901, Practical hints for the field lepidopterist. 116pp. Elliot Stock, London.
- 8445. Tutt, J.W.**, 1904, Coenonympha mathewi n.sp. Entomologist's Rec. J. Var. 16: 308-309. [\[available in Cesa Library\]](#)
- 8446. Tutt, J.W.**, 1908, Everes alcetas (coretas) as a distinct species from Everes argiades. Entomologist's Rec. J. Var. 20(10): 231-237, 264-266. [\[available in Cesa Library\]](#)
- 8447. Tutt, J.W.**, 1908, Notes on Everes argiades, and its ab.alcetas Hb. (=coretas Ochs.). Entomologist's Rec. J. Var. 18: 129-132. [\[available in Cesa Library\]](#)
- 8448. Tutt, J.W.**, 1909, The generic subdivision of the Lycaenid tribe Plebeidi. Entomologist's Rec. J. Var. 21: 107-180. [\[available in Cesa Library\]](#)
- 8449. Ubolcholaket, A.**, 1987, Gentianaceae, [in] Smitinand, T. & K. Larsen, Flora of Thailand 5 (1): 72-92, figs. Bangkok. [\[available in Cesa Library\]](#)
- 8450. Urbahn, E. & H. Urbahn**, 1939, Die Schmetterlinge Pommerns mit einem vergleichenden Überblick über den Ostseeraum. Stettin ent. Ztg. 100: 185-826.
- 8451. Urbahn, E.**, 1966, Ergebnisse der Albanien-Expedition 1961 des Deutschen Entomologischen Institutes (Lepidoptera: Geometridae). Beitr. Ent. Bd.16, Nr.(3/4): 407-446, fig.1. [\[available in Cesa Library\]](#)
- 8452. Urbahn, E.**, 1971, Lithostege obliquata- eine neue Geometride aus Turkmenien (Lep., Geometridae). Ent. Z., Frankf. a. M. 81(17): 193-196, 2 Abb. [\[available in Cesa Library\]](#)
- 8453. Urbahn, E.**, 1971, Eine neue Anaitis-Art aus Transkaukasien: Anaitis uniformata n.sp. Ent. Z., Frankf. a. M. 81 (21): 244-247, Abb. [\[available in Cesa Library\]](#)
- 8454. Urbahn, E.**, 1974, Neues über Anaitis uniformata Urbahn und A.praeformata Hbn. (Lep., Geometridae). Ent. Z., Frankf. a. M. 84 (6): 53-58, 3 Abb. [\[available in Cesa Library\]](#)
- 8455. Ustjuzhanin, P. & V. Kovtunovich**, 2014, A new species of Agdistis Hübner, 1825 (Lepidoptera, Pterophoridae) from Kazakhstan. Entomologist's Gaz. 65: 241-244, figs. [\[available in Cesa Library\]](#)
- 8456. Ustjuzhanin, P. & V. Kovtunovitch**, 2010, On the fauna of the plume moths (Lepidoptera, Pterophoridae) of KwaZulu Natal province (South-African Republic). Euroas. Ent. J. 9 (4): 689-719, figs. [\[available in Cesa Library\]](#)
- 8457. Ustjuzhanin, P. & V. Kovtunovitch**, 2011, A revision of the genus Microschismus Fletcher, 1909 (Lepidoptera, Alucitidae). African Invertebr. 52 (2): 557-570, figs. [\[available in Cesa Library\]](#)
- 8458. Ustjuzhanin, P.Y.**, 1996, Plume moths of Siberia and the Russian Far East (Lepidoptera, Pterophoridae). Atalanta 27 (1/2): 345-409, 6 Pls. [\[available in Cesa Library\]](#)
- 8459. Ustjuzhanin, P.Y.**, 2001, New species, distribution records and synonymies of Plume Moths (Lepidoptera, Pterophoridae) from the Palaearctic Region. Nota lepid. 24 (3): 11-32.
- 8460. Uygun, N., et al.**, 1995, A serious citrus pest: Citrus leafminer, Phyllocnistis citrella Stainton (Lepidoptera, Gracillariidae). Turk. J. Ent. 19: 247-252.

- 8461. Uygun, N., et al.**, 1997, Studies on biological control of *Phyllocnistis citrella* Stainton (Lepidoptera, Gracillariidae) in Turkey. Integrated Control in Citrus Fruit Crops, IOBC wprs Bulletin 20: 96-101.
- 8462. Uzun, S.**, 1987, Parasites of *Pieris brassicae* (L.) (Lepidoptera, Pieridae) which is harmful on cabbage and cauliflower around Izmir. *Türk Bitki Koruma Derg.* 11(4): 237-245, figs. [\[available in Cesa Library\]](#)
- 8463. Uémura, Y. & S. Yamaguchi**, 1982, A Revisional study on the genus *Acrophtalmia* Felder (C.) & Felder (R.) (Lepidoptera, Satyridae). *Mem. Tsukada Coll.* 4: 26-37, 8 figs., Pls. 5-6. [\[available in Cesa Library\]](#)
- 8464. Uémura, Y.**, 1982, Studies on the Celebesian *Pandocus*-Group Shirozu & Shima, 1979, Section of the Satyrid Genus *Ypthima* Hübner (Lepidoptera). *Mem. Tsukada Coll.* 4: 38-44, figs., Pl. [\[available in Cesa Library\]](#)
- 8465. Uémura, Y.**, 1984, A Synonymic List of the Formosan species of the genus *Mycalesis* Hübner (Lepidoptera, Satyridae). *Trans. Shikoku Ent. Soc.* 16(4): 45-51. [\[available in Cesa Library\]](#)
- 8466. Uémura, Y.**, 1984, A List of the *Ypthima* species (Lepidoptera, Satyridae) described by Matsumura, with Lectotype designations. *Tyo to Ga* 35(3): 135-137. [\[available in Cesa Library\]](#)
- 8467. Uémura, Y.**, 1985, A Revision of the Asian asterope-Group of the genus *Ypthima* Hübner (Lepidoptera, Satyridae). *Tyo to Ga* 35(4): 174-188, 17 figs. [\[available in Cesa Library\]](#)
- 8468. Uémura, Y.**, 1985, Identification guide to the Thai-Malayan species of the mineus-group of *Mycalesis* (Lepidoptera, Satyridae) *Yadoriga* 123: 2-9, 5 figs. [\[available in Cesa Library\]](#)
- 8469. Uémura, Y.**, 1986, Identification guide to the species of the genus *Ypthima* (Lepidoptera, Satyridae) from Thailand and Nepal. *Yadoriga* 127: 26-133, 21 figs. [\[available in Cesa Library\]](#)
- 8470. Uémura, Y.**, 1986, Identification guide to the species of the genus *Amathusia* (Lepidoptera, Satyridae, Amathusiinae). *Yadoriga* 125: 2-8, 6 figs. [\[available in Cesa Library\]](#)
- 8471. Uémura, Y.**, 1987, Description of a new species of the genus *Bletogona* Felder (C) & Felder (R.) (Lepidoptera, Satyridae). *Mem. Tsukada Coll.* 5: 17-22, 6 figs., Pl. [\[available in Cesa Library\]](#)
- 8472. Uémura, Y.**, 1992, Description of a new species of the genus *Acrophtalmia* Felder (C) & Felder (R.) (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 1: 1-4, figs. [\[available in Cesa Library\]](#)
- 8473. Uémura, Y.**, 1993, Descriptions of two hitherto unknown females of Satyrid Butterflies from Sulawesi (Celebes) and Kabaena, Indonesia (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 2: 1-4, figs. [\[available in Cesa Library\]](#)
- 8474. Uémura, Y.**, 1994, Redescription and Lectotype Designation of *Ypthima argillosa* Snellen (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 3: 1-4, figs. [\[available in Cesa Library\]](#)
- 8475. Uémura, Y.**, 1995, Two new subspecies of *Morphopsis* (Lepidoptera, Satyridae) from Irian Jaya. *Bull. Toyosato Mus. Ent.* 4: 1-4, figs. [\[available in Cesa Library\]](#)
- 8476. Uémura, Y.**, 1996, Description of a new satyrid genus allied to *Ypthima* Hübner and *Austroypthima* Holloway (Lepidoptera, Satyridae). *Bull. Toyosato Mus. Ent.* 5: 1-2, 4 figs. [\[available in Cesa Library\]](#)
- 8477. Ünlü, L. & S. Kornoşor**, 2003, Şanhurfa ilinde saptanan Noctuidae (Lepidoptera) familyası türleri ve morfolojik özellikleri. *J. Agric. Fac. HR U.* 7 (3/4): 19-28. [\[available in Cesa Library\]](#)
- 8478. Ünlü, L.**, 2012, Potato: A new host plant of *Tuta absoluta* Povolny (Lepidoptera, Gelechiidae) in Turkey. *Pakistan J. Zool.* 44 (4): 1183-1184. [\[available in Cesa Library\]](#)
- 8479. Valentine, P.** 1991, Australian Tropical Butterflies. iii+71pp. Frith & Frith Books, Queensland [\[available in Cesa Library\]](#)
- 8480. Vallantin, H.**, 1894, Lépidoptère nouveau d'Algerie. *Epinephele* Ida, var. *Cecilia*. *Naturaliste, Paris* 16(2) 8(185): 260.
- 8481. Valletta, A.**, 1980, The butterflies of Maltese Islands and their dwindling habitats. *Nota lepid.* 2(4): 165-166. [\[available in Cesa Library\]](#)
- 8482. Valletta, A.**, 1980, The butterflies of the Maltese Islands and their dwindling habitats. *Nota lepid.* 2 (4): 165-166. [\[available in Cesa Library\]](#)
- 8483. Vane-Wright, R.I. & H. Gaonkar**, 2006, The *Arrhopala* butterflies described by Fabricius: *A. centaurus* is from Java, *A. democritus* from Phuket (Lepidoptera, Lycaenidae). *Ent. Sci.* 9 (3): 295-311, figs.
- 8484. Vane-Wright, R.I. & P.R. Ackery**, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
- 8485. Vane-Wright, R.I. & R. de Jong**, 2003, The butterflies of Sulawesi: annotated checklist for a critical island fauna. *Zool. Verh., Leiden* 343: 1-267, figs. [\[available in Cesa Library\]](#)

- 8486. Vane-Wright, R.I. & R.L. Smiles**, 1975, The species of the genus *Zethera* Felder (Lepidoptera, Nymphalidae, Satyrinae). *J. Ent. (B)* 44: 81-100.
- 8487. Vanholder, B.**, 1999, *Cacyreus marshalli* ontgint nieuwe biotopen. *Nieuwsbrief Belgisch Trekvlinderonderzoek* 13 (1): 5-6.
- 8488. Vardikyan, S.A.**, 1985, New geometrid species of the genus *Eupithecia* Curt. (Lepidoptera, Geometridae) from the SSR of Armenia. *Doklady Akad. Nauk. armyan SSR* 81 (1): 45-48.
- 8489. Vardikyan, S.A.**, 1985, Atlas of the genital apparatus of geometrid Moths (Geometridae, Lepidoptera) of the Armenian SSR. *Akad. Nauk. Arm. Inst. Zool.*, 136pp., 99 Pls. Erevan [in Russian].
- 8490. Varga, Z. & G. Santha**, 1973, Verbreitung und taxonomische Gliederung der *Euphydryas maturna* L. (Lep.: Nymphalidae) in SO-Europa (*Euphydryas-Studien, I.*) *Acta univ. debrecen (Ser.2) Biologica* 10/11: 213-231, figs. [[available in Cesa Library](#)]
- 8491. Varga, Z. & I. Gyulai**, 1978, Die Faunenelemente-Einteilung der Noctuiden Ungarns und die Verteilung der Faunenelemente in den Lokalfaunen. *Acta univ. debrecen (Ser.2) Biologica* 15: 257-295. [[available in Cesa Library](#)]
- 8492. Varga, Z. & L. Ronkay**, 1989, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae) I. The description of a new subgenus two new species and a new subspecies. *Nota lepid.* 12 (1): 65-82, figs. [[available in Cesa Library](#)]
- 8493. Varga, Z. & L. Ronkay**, 1991, Taxonomic Studies on the palaearctic Noctuidae (Lepidoptera) I. New taxa from Asia. *Acta zool. hung.* 37(3/4): 263-312, 113 figs. Pls. 1-3. [[available in Cesa Library](#)]
- 8494. Varga, Z. & L. Ronkay**, 1991, Taxonomical notes on the genus *Victrix* Staudinger, 1879 (Lepidoptera, Noctuidae), II. The subgenus *Rasihia* Kocak. *Nota lepid.* 14 (2): 144-170, figs. [[available in Cesa Library](#)]
- 8495. Varga, Z. & L. Ronkay**, 1996, New and revised taxa of the genera *Chersotis* Boisduval, 1840 and *Dichagyris* Lederer, 1857 from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 4: 103-132, 83 figs., 2 Pls. [[available in Cesa Library](#)]
- 8496. Varga, Z. & L. Ronkay**, 2007, On the taxonomy of the genus *Diarsia* Hübner, [1821] 1816 (Lepidoptera, Noctuidae): The Holarctic species group of the genus. *Acta zool. hung.* 53 (Suppl.1): 141-209, figs. [[available in Cesa Library](#)]
- 8497. Varga, Z. & P. Gyulai**, 1995, A new subspecies of *Bryopolia tsvetaevi* Varga et Ronkay from the Hissar Mountains. *Folia ent. hung.* 56: 211-214, figs. [[available in Cesa Library](#)]
- 8498. Varga, Z. & P. Gyulai**, 2001, New species of the genera: *Euxoa*, *Dichagyris* and *Chersotis* from Central Asia (Lepidoptera, Noctuidae, Noctuinae). *Esperiana* 8: 771-790, figs. [[available in Cesa Library](#)]
- 8499. Varga, Z. & P. Gyulai**, 2002, New taxa of Noctuidae, Hadeninae from West and Central Asia. *Esperiana* 9: 229-230, 517, Pl. 20. [[available in Cesa Library](#)]
- 8500. Varga, Z.**, 1967, Contribution to the taxonomy of *Melitaea phoebe* Schiff. in Southeastern Europe, with description two new subspecies. *Acta univ. debrecen (Ser.2) Biologica* 5: 119-137, 31 figs. [[available in Cesa Library](#)]
- 8501. Varga, Z.**, 1972, Die Erebie (Lepidoptera, Satyridae) der Balkanhalbinsel und der Karpaten III. Die Verbreitung und subspezifische Gliederung von *Erebia pandrose* (Bkh., 1788), nebst Beschreibung einer neuen Unterart: *E. pandrose ambicolorata* ssp. nova. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 227-235, 8 Abb. [[available in Cesa Library](#)]
- 8502. Varga, Z.**, 1972, *Boloria pales* (Denis & Schiffermüller) und *Boloria graeca* (Stgr.); ihre Verbreitung und taxonomische Gliederung in der Balkanhalbinsel. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 211-220. [[available in Cesa Library](#)]
- 8503. Varga, Z.**, 1972, Die Erebie (Lepidoptera, Satyridae) der Balkanhalbinsel und der Karpaten II. Die Verbreitung und subspezifische Gliederung von *Erebia epiphron* Knoch, 1783 mit Beschreibung einer neuen Unterart: *E. epiphron infernalis* ssp. nova. *Acta univ. debrecen (Ser.2) Biologica* (1971) 9: 221-226. [[available in Cesa Library](#)]
- 8504. Varga, Z.**, 1975, Eine Noctuiden-Ausbeute aus Ost-Anatolien (Lep.). *Ent. Z., Frankf. a. M.* 85: 172-174. [[available in Cesa Library](#)]
- 8505. Varga, Z.**, 1975, Zoogeographische Gliederung der palaearktischen Orealfauna. *Verh. des Sechsten Int. Symp. über Entomofaunistik in Mitteleuropa*: pp. 263-284, 6 Abb. Junk & The Hague. [[available in Cesa Library](#)]
- 8506. Varga, Z.**, 1975, Geographische Isolation und Subspeziation bei den Hochgebirgslepidopteren der Balkanhalbinsel. *Acta ent. Jugosl.* 11: 5-39. [[available in Cesa Library](#)]

- 8507. Varga,Z.**, 1977, Das Prinzip der areal-analytischen Methode in der Zoogeographie und die Faunenelemente-Einleitung der europäischen Tagsschmetterlinge (Lepidoptera, Diurna). Acta univ. debrecen (Ser.2) Biologica 14: 223-285, 33 Abb. [\[available in Cesa Library\]](#)
- 8508. Varga,Z.**, 1979, Neue Noctuiden aus der Sammlung Vartian (Wien), II. Z. ArbGem. öst. Ent. 31 (1/2): 1-12, 7 Abb. 1 Taf. [\[available in Cesa Library\]](#)
- 8509. Varga,Z.**, 1980, Ein neuer Fundort von *Hipparchia volgensis delattini* Kudrna, 1975 (Satyridae). Nota lepid. 2(4): 167-168. [\[available in Cesa Library\]](#)
- 8510. Varga,Z.**, 1982, Eine neue *Dasypolia* aus dem Pamir-Gebiet (Lepidoptera, Noctuidae, Cuculliinae). NachrBl. bayer. Ent. 31 (3): 70-72, 2 Abb. [\[available in Cesa Library\]](#)
- 8511. Varga,Z.**, 1985, Beiträge zur Kenntnis der Gattung *Xenophysa* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung drei neuer Arten. Z. ArbGem. öst. Ent. 37 (1/2): 26-36, 6 Abb. 1 Taf. [\[available in Cesa Library\]](#)
- 8512. Varga,Z.**, 1986, Désignation du lectotype de *Rhyacia elegans anatolica* Draudt, 1936 = *Chersotis anatolica* (Draudt) *bona* sp. Nota lepid. 9 (1/2): 55. [\[available in Cesa Library\]](#)
- 8513. Varga,Z.**, 1989, Zweiter Beitrag zur Kenntnis der Gattung *Xenophysa* Boursin, 1969 (Lepidoptera, Noctuidae), mit der Beschreibung fünf neuer Arten. Z. ArbGem. öst. Ent. 41 (1/2): 1-18, figs. [\[available in Cesa Library\]](#)
- 8514. Varga,Z.**, 1990, Zwei neue Noctuidae-Arten aus Zentralasien (Lepidoptera, Noctuidae). Esperiana 1: 499-502, 5 figs. [\[available in Cesa Library\]](#)
- 8515. Varga,Z.**, 1990, New species of Noctuidae from Afghanistan and adjacent territories I. The genera *Euxoa* Hübner [1821] 1816, *Dichagyris* Lederer 1857, *Rhyacia* Hübner [1821] 1816 and *Chersotis* Boisduval 1840 (Lepidoptera, Noctuidae, Noctuinae). Esperiana 1: 167-198, 188 figs., 7 pls. [\[available in Cesa Library\]](#)
- 8516. Varga,Z.**, 1992, Taxonomic notes on the genus *Haderonia* Staudinger, 1896, with descriptions of one new genus and four new species (Lepidoptera, Noctuidae). Acta zool. hung. 38(1/2): 95-112, 60 figs. [\[available in Cesa Library\]](#)
- 8517. Varga,Z.**, 1993, Beiträge zur Kenntnis der Gattung *Dichagyris* Lederer, 1857 (Lepidoptera, Noctuidae) I. Acta zool. hung. 39(1/4): 289-300, figs. [\[available in Cesa Library\]](#)
- 8518. Varga,Z.**, 1995, Geographical patterns of the biological diversity in the Palaearctic Region and the Carpathian Basin. Acta zool. hung. 41 (2): 71-92, 3 figs., 2 Tab. [\[available in Cesa Library\]](#)
- 8519. Varga,Z.**, 1996, Biogeography and evolution of oreo Lepidoptera in the Palaearctic. Acta zool. hung. 42 (4): 289-330, 12 figs. [\[available in Cesa Library\]](#)
- 8520. Varga,Z.**, 1996, New species and subspecies of *Dichagyris*, *Chersotis* and *Rhyacia* (Lepidoptera, Noctuidae) from Central Asia. Acta zool. hung. 42 (3): 195-230, figs. [\[available in Cesa Library\]](#)
- 8521. Varga,Z., Gyulai,P. & J.Miatleuski**, 2002, New species of Noctuidae, Noctuinae from Iran and Central Asia. Esperiana 9: 207-225, 516, pls. 19, 20. [\[available in Cesa Library\]](#)
- 8522. Varga,Z., Ronkay,L. & H.Hacker**, 1990, Revision of the genus *Bryopolia* Boursin, 1954 (Lepidoptera, Noctuidae). Esperiana 1: 427-469, 121 figs. [\[available in Cesa Library\]](#)
- 8523. Vari,L.**, 1961, South African Lepidoptera Vol.1. Lithocolletidae. xx+238pp., 112pls. Transvaal Museum, Pretoria. [\[available in Cesa Library\]](#)
- 8524. Vari,L., Kroon,D.M & M.Krüger**, 2002, Classification and checklist of the species of Lepidoptera recorded in Southern Africa. 384pp. Simple Solution Ltd. Australia. [\[available in Cesa Library\]](#)
- 8525. Varin,G.**, 1961, *Fabriciana auresiana* Fruhstorfer et sa sous-espèce marocaine *buckwelli* Varin (Lepidopteres, Nymphalidae). C.R. Soc. Sci. nat. phys. Maroc. 6: 125-126.
- 8526. Vartian,E.**, 1963, Eine neue *Celama* Hb. aus Afghanistan (Lepidoptera, Nolidae). Z. wien. ent. Ges. 48: 131-132. [\[available in Cesa Library\]](#)
- 8527. Vartian,E.**, 1964, Österreichische entomologische Iran- Afghanistan - Expeditionen. Beiträge zur Lepidopterenfauna 3. Eine neue *Ephesia* Hb. aus Afghanistan (Lep., Catocalinae). Z. wien. ent. Ges. 49: 117-118, Taf. 15 fig. 1. [\[available in Cesa Library\]](#)
- 8528. Vasilenko,S.V.**, 1993, Drei seltene Spannerarten (Lepidoptera, Geometridae) aus Turkmenistan. Actias 1: 119-120.
- 8529. Vasilenko,S.V.**, 1995, Neue Arten der *Aplocera plagiata* (Linnaeus, 1758) Gruppe aus den Gebirgen Mittelasiens (Lepidoptera, Geometridae). Atalanta 26 (1/2): 303-310, 3 Abb. [\[available in Cesa Library\]](#)

- 8530. Vasilenko, S.V.**, 1995, Review of Geometer species of the *Xanthorhoe sajanaria* group (Lepidoptera, Geometridae). Ent. Obozr. 74(3): 662-668, figs. [engl. text: Ent. Rev. 75(9): 12-18, 18 figs., 1996]. [[available in Cesa Library](#)]
- 8531. Vasilenko, S.V.**, 1999, Die seltenen Spannerarten (Lepidoptera: Geometridae) aus Turkmenistan. Russ. ent. J. 7 (1998) (3/4): 221-224.
- 8532. Vasilenko, S.V.**, 2001, New and little known Geometrid Moths (Lepidoptera, Geometridae) from Russian Altai. Ent. Obozr. 80 (5): 538-544, figs. [[available in Cesa Library](#)]
- 8533. Vasilenko, S.V.**, 2001, *Scopula subtilata* (Lepidoptera, Geometridae) - the New species for Fauna of Siberia. Vestnik Zool. 35 (5): 89-91, figs. [[available in Cesa Library](#)]
- 8534. Vavra, J.**, 2008, Proposal for natural habitats quality evaluation methodology using the lepidopteran taxocenose analysis. Fauna Bohemiae Septentrionalis Suppl.5: 1-230. [[available in Cesa Library](#)]
- 8535. Veenakumari, K. Mohanraj, R. & W.A. Nässig**, 1996, *Cricula andamanica* Jordan, 1909 (Lepidoptera, Saturniidae) - an endemic wild silk moth from the Andaman islands, India. Nachr. ent. Ver. Apollo N.F. 17(3): 225-258, figs. [[available in Cesa Library](#)]
- 8536. Velez, J.H. & J.A. Salazar**, 1991, Mariposas de Colombia. 167pp. Villegas Eds. Bogota.
- 8537. Verhulst, J.**, 1991, Description d'une nouvelle espèce de *Colias* de Chine. Lambillionea 91(2): 113-126.
- 8538. Verhulst, J.**, 1993, Fiches spécifiques des *Colias* F. (*Colias* Data sheets) (Lepidoptera, Pieridae). Dixieme fiche. *Colias chlorocoma*. Lambillionea 93: 39-50, 11 figs. 2 Pls. 1 map.
- 8539. Verhulst, J.**, 1994, Expedition entomologique au nord-est de la Turquie, du 3 au 26 Juillet 1991. Bull. Cerc. Lépid. Belg. 23(24): 71-94, 1 Map, 20 figs.
- 8540. Verhulst, J.**, 1994, Contribution a la connaissance des Lépidopteres de l'île de Gran Canaria dans l'archipel canarien (Lepidoptera, Rhopalocera, Hesperiiidae, Sphingidae). Linneana Belgica 14(6): 303-314, Pls. [[available in Cesa Library](#)]
- 8541. Verity, R. & E. Turati**, 1911, Faunula Valderiensis nell'alta valle del Gesso (Alpi Maritime). Boll. Soc. ent. ital. 42 (1910): 171-265.
- 8542. Verity, R. & E. Turati**, 1912, Faunula Valderiensis nell'alta valle del Gesso (Alpi Maritime). Boll. Soc. ent. ital. 43 (1911): 168-236.
- 8543. Verity, R.**, 1903, Lepidotteri Ropaloceri scoperti recentemente in Toscana. Riv. Ist. Domenge-Rossi 1(1/2): 3-10.
- 8544. Verity, R.**, 1904, Elenco di Lepidotteri raccolti nell'Appennino Pistoises (700 metri) (15 Luglio- 3 Settembre 1903). Boll. Soc. ent. ital. 36: 58-93.
- 8545. Verity, R.**, 1905, Elenco di Lepidotteri raccolti sul litorale del Lucchese (Forte dei Marmi). Boll. Soc. ent. ital. 36 (1904): 123-170.
- 8546. Verity, R.**, 1905-1911, Rhopalocera palaeartica. Papilionidae et Pieridae. 86+368 pp. 2+12+72 pls. Firenze. [[available in Cesa Library](#)]
- 8547. Verity, R.**, 1906, Elenco di Lepidotteri raccolti della Vallombrosa (Appennino-Toscano) (800-900 metri). Boll. Soc. ent. ital. 38: 20-51.
- 8548. Verity, R.**, 1909, Elenco di Lepidotteri Ropaloceri raccolti nell'Isola Elba. Boll. Soc. ent. ital. 40: 106-116.
- 8549. Verity, R.**, 1911, Alcuni Lepidotteri inediti o non ancora figurati. Boll. Soc. ent. ital. 42 (1910): 266-281.
- 8550. Verity, R.**, 1911, Races inedites de Satyridae europeens. Bull. Soc. ent. Fr. 1911: 311-314.
- 8551. Verity, R.**, 1913, Revision of the Linnean types of palaeartctic Rhopalocera. J. Linn. Soc. (Zool.) 32: 173-191. [[available in Cesa Library](#)]
- 8552. Verity, R.**, 1914, Dates of Publication of "Rhopalocera Palaeartica". Novit. zool. 21: 426. [[available in Cesa Library](#)]
- 8553. Verity, R.**, 1915, Elenco di Lepidotteri Ropaloceri raccolti dell'Alto Appennino Pistoises (900-2000 m. circa). Boll. Soc. ent. ital. 45 (1913): 139-154.
- 8554. Verity, R.**, 1916, Le variazioni geografiche della "*Lycaena coridon*" Poda nell'Italia centrale. Boll. Soc. ent. ital. 46 (1914): 128-133.
- 8555. Verity, R.**, 1916, Faunula della provincia di Macerata (Marche). Boll. Soc. ent. ital. 47 (1915): 45-78.
- 8556. Verity, R.**, 1916, The British races of butterflies: their relationship and nomenclature. Entomologist's Rec. J. Var. 28: 73-80, 97-102, 128-133, 165-174. [[available in Cesa Library](#)]
- 8557. Verity, R.**, 1917, Nuove osservazioni sui Lepidotteri Ropaloceri dell'Isola d'Elba. Boll. Soc. ent. ital. 48 (1916): 175-192.

- 8558. Verity, R.**, 1919-1922, Seasonal polymorphism and races of some European Grypocera and Rhopalocera. Entomologist's Rec. J. Var. 31 (1919): 26-33, 43-48, 87-89, 121-129, 178, 184, 193-201; 32 (1920): 3-8, 140-152; 33 (1921): 170-176, 190-193, 210-214; 34 (1922): 12-15, 68-73, 89-93, 124-142. [\[available in Cesa Library\]](#)
- 8559. Verity, R.**, 1925, New races and forms of Palaearctic Grypocera. Entomologist's Rec. J. Var. 37: 41-44, 54-57, 72-76. [\[available in Cesa Library\]](#)
- 8560. Verity, R.**, 1929, The asiatic origins of the Western palaearctic Rhopalocera exemplified by *Melitaea didyma* Esp. Entomologist's Rec. J. Var. 41: 31-34, 39-43, 63-67, 72-76, 89-91, 111-118, 127-132. [\[available in Cesa Library\]](#)
- 8561. Verity, R.**, 1931, On the geographical variations and evolution of *Lycaeides argus* L. (Lycaenidae). Dt. ent. Z., Iris 45: 30-69. [\[available in Cesa Library\]](#)
- 8562. Verity, R.**, 1932, The geographical Variations of *Boloria euphrosyne* L. Entomologist's Rec. J. Var. 44: 110-115, 119-121. [\[available in Cesa Library\]](#)
- 8563. Verity, R.**, 1934-1936, The lowland races of butterflies of the Upper Rhone Valley. Entomologist's Rec. J. Var. 46 (suppl.): 1-40; 47 (suppl.): 41-76; 48 (suppl.): 77-90. [\[available in Cesa Library\]](#)
- 8564. Verity, R.**, 1935, Races de *Lysandra thersites* (Lep., Cant.) Champ. et de *Plebeius sephyrus* Friv. de l'Asie Mineure. Bull. Soc. ent. Fr. 40: 243-245. [\[available in Cesa Library\]](#)
- 8565. Verity, R.**, 1936, *Polyommatus parameleager*, another "blue" from Persia. Entomologist's Rec. J. Var. 48: 130. [\[available in Cesa Library\]](#)
- 8566. Verity, R.**, 1936, *Lysandra corona*, a new "blue" from Persia. Entomologist's Rec. J. Var. 48: 106-107. [\[available in Cesa Library\]](#)
- 8567. Verity, R.**, 1936-1937, The butterfly races of Macedonia. Entomologist's Rec. J. Var. (suppl.) 48 (1936): 1-8; 49 (1937): 9-22. [\[available in Cesa Library\]](#)
- 8568. Verity, R.**, 1937, Variation of *Eumenis allionii* G.H.: *fatua* Freyer. Entomologist's Rec. J. Var. 49: 99-101. [\[available in Cesa Library\]](#)
- 8569. Verity, R.**, 1937, Des variations géographiques de l'*Eumenis briseis* L. *Lambillionea* 37: 4-14, 50-63. [\[available in Cesa Library\]](#)
- 8570. Verity, R.**, 1937-1938, Variation of some butterflies in Anterior Asia and in Morocco. Entomologist's Rec. J. Var. 49 (11) (suppl.): (1)-(4); (12) (suppl.): (5)-(8); 50 (5) (suppl.): (9)-(12); (6) (suppl.): (13)-(15). [\[available in Cesa Library\]](#)
- 8571. Verity, R.**, 1938, Butterfly races and *Zygaenae* of Macedonia. Entomologist's Rec. J. Var. 50 (suppl.): 1-16.
- 8572. Verity, R.**, 1938-1939, Supplement to the "Butterfly races and *Zygaenae* of Macedonia". Entomologist's Rec. J. Var. (suppl.) 50 (1938): 1-16; 51 (1939): 17-20. [\[available in Cesa Library\]](#)
- 8573. Verity, R.**, 1939, Race persane du *Palaeoloweia tityrus* Poda, 1761 = *dorilas* Hufnagel, 1766 = *dorilis* (par lapsus) Stdgr., 1861. *Lambillionea* 39: 183-186. [\[available in Cesa Library\]](#)
- 8574. Verity, R.**, 1939, Essai sur la distinction des especes du groupe de *Lysandra coridon* Poda. *Lambillionea* 39: 210-222. [\[available in Cesa Library\]](#)
- 8575. Verity, R.**, 1940, *Le Farfalle Diurne d'Italia*. vol.1. Firenze.
- 8576. Verovnik, R.**, 1997, Notes on butterflies collected in Indonesia in September and October 1992 (Lepidoptera, Papilionidae, Pieridae, Danaidae, Lycaenidae). Opusc. zool. flumin. 156: 1-14. [\[available in Cesa Library\]](#)
- 8577. Vicent, J.**, 1913, Description d'une nouvelle *Catocala* de Syrie. Bull. Soc. ent. Fr. (1913): 431-432. [\[available in Cesa Library\]](#)
- 8578. Vidal Fernandez, E.H.**, 1991, *Guia de las Mariposas Diurnas de Galicia*. 219pp. 144 figs. Diputacion Provincial de A Coruna, Espagne.
- 8579. Vieira, V.**, 2008, Lepidoptera fauna from the Sal Island, Cape Verde (Insecta, Lepidoptera). *Shilap Revta lepid.* 36 (142): 243-252. [\[available in Cesa Library\]](#)
- 8580. Viejo, J.L. & J. Templado**, 1986, Los pieridos, satiridos y ninfalidos (Lep.) de la region de Madrid en Relacion con las formaciones vegetales. *Graellsia* 42: 237-265. [\[available in Cesa Library\]](#)
- 8581. Viette, P. & D.S. Fletcher**, 1968, The types of Lepidoptera Heterocera described by P. Mabille. Bull. Br. Mus. (Nat. Hist.) Ent. 21 (8): 391-425. [\[available in Cesa Library\]](#)
- 8582. Viette, P.**, 1949, Les Ophideres du Pacifique (Lepidoptera, Noctuidae). *Revue fr. Ent.* 15: 209-220, figs.
- 8583. Viette, P.**, 1970, Note sur *Digama sagittata* Gaede (Lep., Aganaidae). Bull. Soc. ent. Fr. 75: 43-45.

- 8584. Viette, P.**, 1977, Hepialidae [in] Rougeot, Missions Entomologiques en Ethiopie 1973-1975. Mém. Mus. nat. Hist. Nat. Paris (Ser. A., Zool.) 105: 16. [\[available in Cesa Library\]](#)
- 8585. Viette, P.**, 1979, Réflexions sur les classifications en sous-ordres de l'Ordre des Lepidoptera. Bull. Soc. ent. Fr. 84 (3/4): 68-78. [\[available in Cesa Library\]](#)
- 8586. Viette, P.E.L.**, 1951, Les Noctuidae Noctuinae (Lep.) de la Nouvelle Calédonie et des Nouvelles Hébrides. Annls Soc. ent. Fr. 118: 29-50.
- 8587. Viidalepp, J. & V. Mironov**, 2006, *Pasiphila hyrcanica* sp.n. (Geometridae, Larentiinae) - a new species from Azerbaijan and Iran. Nota lepid. 28 (3/4): 197-201, figs.
- 8588. Viidalepp, J.**, 1990, On the geographical distribution of the tribe Chesiadini (Lepidoptera, Geometridae) with the description of a new genus. Uch. Zap. Tartu Gos. Univ. 875: 25-37, figs. [\[available in Cesa Library\]](#)
- 8589. Viidalepp, J.**, 2011, A morphological review of tribes in Larentiinae (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs. [\[available in Cesa Library\]](#)
- 8590. Viidalepp, J.R.**, 1977, A list of Geometridae (Lepidoptera) of the USSR, II. Ent. Obozr. 56 (3): 564-576. [\[available in Cesa Library\]](#)
- 8591. Viidalepp, J.R.**, 1986, The subfamily Alsophilinae (Lepidoptera, Geometridae) of the U.S.S.R. fauna I. Akad. Nauk S.S.S.R., Vladivostok 1986: 57-69, figs.
- 8592. Viidalepp, J.R.**, 1988, [in] H. Remm, Fauna Pyadenis gor Credney Azii [The Geometrid fauna of the mountains of Central Asia]. Institut Zoologii & Botaniki 1988: 1-211, Tab.1-3, 8 Pls., 42 figs. [in Russian]. [\[available in Cesa Library\]](#)
- 8593. Viidalepp, J.R.**, 2003, Two new species of the genus *Biston* (Lepidoptera, Geometridae, Ennominae) from Central Asia. Vestnik Zool. 37 (3): 89-92, figs. [\[available in Cesa Library\]](#)
- 8594. Vinciguerra, R.**, 2005, Contributo alla conoscenza dei Saturnidi della Repubblica Popolare Cinese (Lepidoptera, Saturniidae). Fragm. ent., Roma 37 (1): 151-158, figs. [\[available in Cesa Library\]](#)
- 8595. Vis, R. & H.A.Coene**, 1987, Lepidopterological investigations in Kashmir and Ladakh (India). Nota lepid. 10 (1): 5-24, 9 figs. [\[available in Cesa Library\]](#)
- 8596. Vives Moreno, A.**, 1988, Catalogo Mundial Sistemático y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196. [\[available in Cesa Library\]](#)
- 8597. Vives Moreno, A.**, 1994, Catalogo sistemático y sinonímico de los lepidópteros de la península Ibérica y Baleares (Insecta, Lepidoptera) (segunda Parte) 775pp. Ministerio de Agricultura, Pesca y Alimentación. Madrid.
- 8598. Vives Moreno, A.**, 1999, Contribucion al conocimiento de la familia Pterolonchidae Meyrick, 1920. Los tipos de Edward Meyrick conservados en el Transvaal Museum de Pretoria y en el British Museum (Natural History) de Londres (Lepidoptera, Pterolonchidae, Holcopogonidae). Revta lepid. 27 (108): 539-547, figs. [\[available in Cesa Library\]](#)
- 8599. Voelschow, A.**, 1902, Die Zucht der Seidenspinner. 83pp. 45 Abb. 7 Taf., Schwerin.
- 8600. Vojnits, A.M. & E. de Laever**, 1978, Eupithecini from Korea and China (Lepidoptera). Acta zool. hung. 24 (1/2): 225-252, 27 figs. [\[available in Cesa Library\]](#)
- 8601. Vojnits, A.M.**, 1969, A new Central European Gnophos subspecies *Gnophos ambiguata tatrensis* n.ssp. (Lepidoptera, Geometridae). Opusc. zool., Budapest 9: 375-377.
- 8602. Vojnits, A.M.**, 1973, *Eupithecia submelanochroa* sp.n. A new Eupithecia species from Asia (Lepidoptera, Geometridae). Folia ent. hung. 26: 209-215, figs.
- 8603. Vojnits, A.M.**, 1982, New Eupithecia species from the Asiatic regions of the Soviet Union and Iran. Acta zool. hung. 28 (3/4): 403-420, 21 figs. [\[available in Cesa Library\]](#)
- 8604. Vojnits, A.M.**, 1982, A revision of the "Eupithecia innotata group", I. (Lepidoptera, Geometridae). Annls. hist. nat. Mus. natn. Hung. 74: 217-239, figs. [\[available in Cesa Library\]](#)
- 8605. Vojnits, A.M.**, 1987, Notes on Eupithecia (Lepidoptera, Geometridae). Articulata 3 (1): 33-39.
- 8606. Volynkin, A.**, 2015, First record of *Nola crambiformis* Rebel, 1902 (Insecta, Lepidoptera, Nolidae) from the Russian Altai. Check List 11 (1) 1547: 1-3, figs. [\[available in Cesa Library\]](#)
- 8607. Volynkin, A., Matov, A.Y., Gyulai, P. & G.Behounek**, 2014, A revision of the genus *Protarchanara* Beck, 1999 with description of a new genus and three new species (Lepidoptera, Noctuidae, Xyleninae). Zootaxa 3755 (2): 165-178, figs. [\[available in Cesa Library\]](#)
- 8608. Vorbrodt, C. & J.Müller-Rutz**, 1911, 1914 Die Schmetterlinge der Schweiz. Bde. 1, 2. Verlag Wyss. Bern.

- 8609. Vorbrodt,C.**, 1921, Die Schmetterlinge der Schweiz. Mitt. schweiz. ent. Ges. 13(3/4): 175-206.
- 8610. Vorbrodt,C.**, 1928, Alpine Bestandteile der Schmetterlingsfauna des Hochjura. Int. ent. Z. 22: 217-234.
- 8611. Vorbrodt,C.**, 1928, Die Schmetterlinge von Zermatt. Dt. ent. Z., Iris 42: 7-130.
- 8612. Vorbrodt,C.**, 1931, Tessiner und Misoxer Schmetterlinge. 193 S., 2 Taf., Bern.
- 8613. Vos,R.de & K.Cerny**, 1999, A review of the Philippine species of the genus *Nyctemera* Hübner,[1820] with descriptions of new species and subspecies (Lepidoptera, Arctiidae, Nyctemerinae). Nachr. ent. Ver. Apollo (N.F.) 20 (2): 133-188, 49 figs. [\[available in Cesa Library\]](#)
- 8614. Vos,R.de**, 1995, A revision of *Nyctemera consobrina* (Hopffer,1874) with redescriptions of three subspecies (Lepidoptera, Arctiidae, Nyctemerinae). Nachr. ent. Ver. Apollo N.F. 16(1): 81-93, figs. [\[available in Cesa Library\]](#)
- 8615. Vos,R.de**, 1996, *Nyctemera pseudokala* sp.nov. and *N.mastrigti* sp.nov., two new species from Indonesia (Lepidoptera, Arctiidae, Nyctemerinae). Nachr. ent. Ver. Apollo N.F. 17 (3): 301-311, figs. [\[available in Cesa Library\]](#)
- 8616. Vos,R.de**, 1997, A revision of *Nyctemera kebeae* (Bethune-Baker,1904) (with descriptions of two new subspecies) and *N.warmasina* (Bethune-Baker,1910) (Lepidoptera, Arctiidae, Nyctemerinae). Nachr. ent. Ver. Apollo (N.F.) 18 (1): 1-12, 10 figs. [\[available in Cesa Library\]](#)
- 8617. Vos,R.de**, 1999, Trekvlinders in 1998 (negenvijftigste jaarverslag). Ent. Ber., Amst. 59: 173-185. [\[available in Cesa Library\]](#)
- 8618. Vos,R.de**, 2000, Trekvlinders in 1999 (zestigste jaarverslag). Ent. Ber., Amst. 60 (12): 217-230, Tab., 2 figs. [\[available in Cesa Library\]](#)
- 8619. Wadhawan,D. & V.K.Walia**, 2006, Taxonomic studies on Indian Gelechiidae VIII. A new species of genus *Pityocona* Meyrick from North India (Lepidoptera, Gelechioidea). Polski pismo Ent. 75: 465-469, figs. [\[available in Cesa Library\]](#)
- 8620. Wagener,S. & F.J.Gross**, 1976, Eine neue Unterart von *Melitaea arduinna* aus Ostanatolien (Lep., Nymphalidae). Ent. Z., Frankf. a. M. 86 (20): 229-232, 1 Abb. [\[available in Cesa Library\]](#)
- 8621. Wagener,S.**, 1952, Beitrag zur Lepidopterenfauna des Hohen Atlas in Marokko. Ent. Z., Frankf. a. M. 62: 97-102.
- 8622. Wagener,S.**, 1974, Ergebnisse der tschechoslowakisch-iranischen entomologischen Expedition nach dem Iran 1970 (mit Angaben über einige Sammelresultate in Anatolien) Nr. 9. Lepidoptera, Satyridae: Genus *Melanargia* Meigen,1828. Acta ent. Mus. natn. Pragae (suppl.) 6: 99-104, 2 Abb. [\[available in Cesa Library\]](#)
- 8623. Wagener,S.**, 1975, 4. Beitrag. Die vorderasiatischen Formen der *Melanargia russiae* (Esper,1784), [in] Ebert,G. et al., Beiträge zur Kenntnis der Rhopaloceren Irans. J. ent. Soc. Iran, Suppl. 1: 47-62, figs. [\[available in Cesa Library\]](#)
- 8624. Wagener,S.**, 1976, Beiträge zur Kenntnis der Rhopaloceren Irans 5.Beitrag: *Melanargia evartianae* species nova aus Nord-Iran (Lepidoptera, Satyridae). J. ent. Soc. Iran 3(1/2): 75-80, 3 Abb. [\[available in Cesa Library\]](#)
- 8625. Wagener,S.**, 1976, *Melanargia larissa lesbina* subspecies nova (Lepidoptera, Satyridae). NachrBl. bayer. Ent. 25(3): 40-43, fig. [\[available in Cesa Library\]](#)
- 8626. Wagener,S.**, 1977, Bemerkungen zu den *Parnassius*-Formen des Apennin aus geographisch-ökologischer Sicht (Papilionidae). Nota lepid. 1(1): 23-37, map. [\[available in Cesa Library\]](#)
- 8627. Wagener,S.**, 1983, Zwei neue *Melanargia*-Formen aus Anatolien. Atalanta 14 (3): 247-299, Abb. [\[available in Cesa Library\]](#)
- 8628. Wagener,S.**, 1983, *Brenthis ino schmitzi* ssp.n. aus Nordost-Anatolien (Lepidoptera, Nymphalidae). Entomofauna 4(7):109-117,figs. [\[available in Cesa Library\]](#)
- 8629. Wagener,S.**, 1983, Zur Taxonomie, Nomenklatur und Verbreitung von *Melanargia titea* (Klug,1832) (Lepidoptera, Satyridae). Nota lepid. 6 (2/3): 175-188, 32 figs. [\[available in Cesa Library\]](#)
- 8630. Wagener,S.**, 1984, Struktur und Skulptur der Eihüllen einiger *Melanargia*-Arten (Lepidoptera, Satyridae). Andrias 3: 73-96, Abb. [\[available in Cesa Library\]](#)
- 8631. Wagener,S.**, 1988, What are the valid names for the two genetically different taxa currently included within *Pontia daplidice* (Linnaeus,1758)? (Lepidoptera, Pieridae). Nota lepid. 11(1): 21-38. [\[available in Cesa Library\]](#)
- 8632. Wagener,S.**, 1988, Wer hat als Autor des Gattungsnamens *Parnassius* (Lepidoptera, Papilionidae) zu gelten ? Nota lepid. 11(3): 237-238. [\[available in Cesa Library\]](#)

- 8633. Wagener, S.**, 2006, Butterfly diversity and protection in Turkey. Bonn. zool. Beitr. 54 (1) (2005): 2-23, 4 maps. [\[available in Cesa Library\]](#)
- 8634. Wagener, S.**, [1990], 10 Thesen zum Arten- und Biotopschutz der Schmetterlinge. Atalanta 20 (1989): 131-133. [\[available in Cesa Library\]](#)
- 8635. Wagner, F.**, 1913, Neue Heteroceren aus Centralasien. Int. ent. Z. 7: 2-7. [\[available in Cesa Library\]](#)
- 8636. Wagner, F.**, 1913, Beitrag zur Lepidopterenfauna des Ilgebiets sowie des Sary-Dschas (Asia centr.). Ent. Mitt. 2: 22-30, 50-62, 88-95, 112-126, 153-158, 185-190, 244-254, 285-288, 15 figs. [\[available in Cesa Library\]](#)
- 8637. Wagner, F.**, 1929, Weiterer Beitrag zur Lepidopteren-Fauna Inner Anatoliens. Mitt. münch. ent. Ges. 19: 1-28, 57-80, 175-206, 2 Taf. [\[available in Cesa Library\]](#)
- 8638. Wagner, F.**, 1930, Zweiter (III.) Beitrag zur Lepidopterenfauna Inner-Anatoliens. Int. ent. Z. 23: 545-555, Taf. [\[available in Cesa Library\]](#)
- 8639. Wagner, F.**, 1931, Dritter (IV.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 24(45): 467-474; (46): 475-485; (47): 487-492, Taf. [\[available in Cesa Library\]](#)
- 8640. Wagner, F.**, 1931, Neue Heteroceren aus Kleinasien. Int. ent. Z. 25: 367-371, 388. [\[available in Cesa Library\]](#)
- 8641. Wagner, F.**, 1932, Vierter (V.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 26: 178-183, 185-187, figs. Taf. [\[available in Cesa Library\]](#)
- 8642. Wagner, F.**, 1933, Die ersten Stände zweier kleinasiatischer Lepidopteren und Beschreibung einer neuen Form. Z. öst. EntVer. 18: 88-90. [\[available in Cesa Library\]](#)
- 8643. Wagner, F.**, 1936, Zwei neue Noctuiden aus Nordpersien. Z. öst. EntVer. 21: 73-75. [\[available in Cesa Library\]](#)
- 8644. Wagner, F.**, 1937, Drei weitere Neuheiten aus Nord-Persien. Z. öst. EntVer. 22: 21-24, 5 figs. [\[available in Cesa Library\]](#)
- 8645. Wagner, F.**, 1937, Einige weitere persische Neuheiten (Lep.) Z. öst. EntVer. 22: 61-63, 5 figs. [\[available in Cesa Library\]](#)
- 8646. Wagner, H. & R. Pfitzner**, 1911, Hepialidae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 4. 26pp. Dr. W. Junk Berlin. [\[available in Cesa Library\]](#)
- 8647. Wagner, H.**, 1913-1919, Sphingidae, [in] Wagner, H., Lepid. Cat., Pars 12 (1913), Pars 18 (1914), Pars 21 (1915), Pars 23 (1919). 440 pp., Berlin. [\[available in Cesa Library\]](#)
- 8648. Wagner, M.**, 1848, Reise nach dem Ararat und dem Hochland Armenien. Mit einem Anhang: Beiträge zur Naturgeschichte des Hochlandes Armenien. 12⁺331 Seiten Stuttgart & Tübingen. [\[available in Cesa Library\]](#)
- 8649. Wagner, W.**, 2009, Zur Freiland-Raupennahrung von *Pyrgus onopordi* (Rambur, 1839) in Andalusien (Lepidoptera, Hesperidae). Nachr. ent. Ver. Apollo (N.F.) 30 (1/2): 1-4, 7 Abb. [\[available in Cesa Library\]](#)
- 8650. Wagner, W. H. & D. F. Grether**, 1948, The butterflies of the Admiralty Islands. Proc. U.S. Nat. Mus. 98 (3227): 163-186.
- 8651. Wahlberg, N. & M. Zimmermann**, 2000, Pattern of phylogenetic relationships among members of the tribe Melitaeini (Lepidoptera, Nymphalidae) inferred from mitochondrial DNA sequences. Cladistics 16: 347-363, figs. [\[available in Cesa Library\]](#)
- 8652. Wahlberg, N.**, 2000, The ecology and evolution of Melitaeine butterflies. PhD Thesis. Univ. Helsinki, Finland. [access 20 9 2014]. [\[available in Cesa Library\]](#)
- 8653. Wakedam-Dawson, A. & P. Spurdens**, 1994, Anomalous blue butterflies of the genus *Agrodiaetus* Hübner (Lepidoptera, Lycaenidae) in southern Greece. Entomologist's Gaz. 45: 13-20, 5 figs.
- 8654. Wakeham-Dawson, A.**, 1996, How useful are male genitalia as taxonomic characters in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae)? Entomologist's Gaz. 47: 227-237, 9 figs. 3 Tab.
- 8655. Wakeham-Dawson, A.**, 1996, Interesting butterflies in northern Greece, June 1996. Entomologist's Gaz. 47: 247-251.
- 8656. Wakeham-Dawson, A.**, 1997, Discriminant analysis of androconia in the genus *Pseudochazara* de Lesse, 1951 (Lepidoptera, Satyridae). Entomologist's Gaz. 48: 37-46.
- 8657. Wakeham-Dawson, A., Parker, R., John, E. & R. L. H. Dennis**, 2003, Comparison of the male genitalia and androconia of *Pseudochazara anthelea acamanthis* (Rebel, 1916) from Cyprus *Pseudochazara anthelea anthelea* (Hübner, 1824) from mainland Turkey and

- Pseudochazara anthelea amalthea* (Friv.,1845) from mainland Greece... *Nota lepid.* 25 (4): 251-263, 4 Tab., 6 figs. [[available in Cesa Library](#)]
- 8658. Walker,F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London.
- 8659. Walker,F.**, 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London.
- 8660. Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London. [[available in Cesa Library](#)]
- 8661. Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London.
- 8662. Walker,F.**, 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London.
- 8663. Walker,F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London.
- 8664. Walker,F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London. [[available in Cesa Library](#)]
- 8665. Walker,F.**, 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London. [[available in Cesa Library](#)]
- 8666. Walker,F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London.
- 8667. Walker,F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982. London. [[available in Cesa Library](#)]
- 8668. Walker,F.**, 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London.
- 8669. Walker,F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London.
- 8670. Walker,F.**, 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London.
- 8671. Walker,F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London.
- 8672. Walker,F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London.
- 8673. Walker,F.**, 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036. London.
- 8674. Walker,F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London. [[available in Cesa Library](#)]
- 8675. Walker,F.**, 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London.
- 8676. Walker,F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London.
- 8677. Walker,F.**, 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London. [[available in Cesa Library](#)]
- 8678. Walker,F.**, 1862, Characters of undescribed Lepidoptera in the collection of W.W.Saunders, Esq. *Trans. ent. Soc. London (Ser.3)* 1: 70-128.
- 8679. Walker,F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London.
- 8680. Walker,F.**, 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London.
- 8681. Walker,F.**, 1863, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286. London. [[available in Cesa Library](#)]
- 8682. Walker,F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London.
- 8683. Walker,F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London.
- 8684. Walker,F.**, 1864, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London.

- 8685. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London. [\[available in Cesa Library\]](#)
- 8686. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London. [\[available in Cesa Library\]](#)
- 8687. Walker, F.**, 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London. [\[available in Cesa Library\]](#)
- 8688. Walker, F.**, 1866, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London.
- 8689. Walker, F.**, 1870, A list of the Lepidoptera collected by J.K. Lord, Esq., in Egypt, along the African shore of the Red Sea, and in Arabia; with description of the species new to science. Entomologist 5: 123-134.
- 8690. Walker, F.**, [1857], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London.
- 8691. Walker, F.**, [1859], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoidea 16: 1-253. London.
- 8692. Walker, F.**, [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London.
- 8693. Walker, F.**, [1866], List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London. [\[available in Cesa Library\]](#)
- 8694. Walker, F.A.**, 1885, Oriental Entomology. Entomologist 18: 6-9, 39-41, 91-94. [\[available in Cesa Library\]](#)
- 8695. Walker, J.J.**, 1879, Notes on the butterflies of Port Balkar, Turkey. Entomologist's mon. Mag. 15: 193-196. [\[available in Cesa Library\]](#)
- 8696. Walker, J.J.**, 1879, Notes on the butterflies of Port Baklar, Turkey. Entomologist's mon. Mag. 15: 193-196. [\[available in Cesa Library\]](#)
- 8697. Walker, J.J.**, 1898, The Butterflies of the Chatham district. Entomologist's Rec. J. Var. 10: 100-103. [\[available in Cesa Library\]](#)
- 8698. Wallace, A.R.**, 1865, On the phenomena of variation and geographical distribution as illustrated by the Papilionidae of the Malay Region. Trans. linn. Soc. London 25 (1): 1-71.
- 8699. Wallengren, H.D.J.**, 1856, Kafferlandets Macrolepidopter-Fauna. Akad. Afh. Lund. 1856: 1-78. [\[available in Cesa Library\]](#)
- 8700. Wallengren, H.D.J.**, 1857, Lepidoptera Rhopalocera in terra caffrorum Annis 1838-1845 collecta af J.A. Wahlberg. K. svenska VetenskAkad. Handl. 2(4): 1-55. [\[available in Cesa Library\]](#)
- 8701. Wallengren, H.D.J.**, 1858, Nya fjäril-släkten. Öfvers. VetenskAkad. Förh. Stockholm 15: 75-84, 135-142, 209-215. [\[available in Cesa Library\]](#)
- 8702. Wallengren, H.D.J.**, 1860, Lepidopteralogische Mittheilungen. Wien. ent. Monatschr. 4 (2): 33-46. [\[available in Cesa Library\]](#)
- 8703. Wallengren, H.D.J.**, 1865, Heterocer-Fjaerilar samlade i Kafferlandet af J.A. Wahlberg. K. svenska VetenskAkad. Handl. 5(4): 1-157. [\[available in Cesa Library\]](#)
- 8704. Wallengren, H.D.J.**, 1872, Bidrag till Södra Afrikas Fjaerilfauna. Öfvers. K. VetenskAkad. Förh. 29 (3): 41-61. [\[available in Cesa Library\]](#)
- 8705. Wallengren, H.D.J.**, 1875, Insecta Transvaaliensia. Öfvers. K. VetenskAkad. Förh. 32 (1): 83-137. [\[available in Cesa Library\]](#)
- 8706. Wallengren, H.D.J.**, 1875, Insecta Transvaaliensia- Bidrag till Transvaalska Republikens; Södra Afrika insektfauna. Öfversigt af Kongl. Vetensk. Akad. Förh. 32: 83-137.
- 8707. Walsingham, L. & J.H. Durrant**, 1900, [in] Swinhoe, C., Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 2: Pterophoridae and Tineina. 541-630 pp., Pls. [\[available in Cesa Library\]](#)
- 8708. Walsingham, L.**, 1904-1911, Algerian Microlepidoptera. Entomologist's mon. Mag. 40 (1904): 214-223, 265-273; 41 (1905): 37-41, 124-128; 43 (1907): 6-10, 55-58, 125-129, 147-154, 187-195; 47 (1911): 12-15, 187-191. [\[available in Cesa Library\]](#)
- 8709. Walsingham, L.**, 1907, Descriptions of new species of Stagmatophora, H.-S. (Lepidoptera, Tineina). Entomologist's mon. Mag. 43: 177-181. [\[available in Cesa Library\]](#)
- 8710. Walsingham, L.**, 1907, Tinea flavescensella, Hw. (nec Stn), n.syn., = Tinea [↑]merdella, Stn. (nec Z.). Entomologist's mon. Mag. 43: 265-270. [\[available in Cesa Library\]](#)
- 8711. Walsingham, M.A. & G.F. Hampson**, 1896, On moths collected at Aden and in Somaliland. Proc. zool. Soc. Lond. 1896: 257-283, Pl. 10. [\[available in Cesa Library\]](#)

- 8712. Walsingham, M.A.**, 1881, On the Tortricidae, Tineidae, and Pterophoridae of South Africa. Trans. ent. Soc. London 1881: 219-288, pl.x-xiii. [[available in Cesa Library](#)]
- 8713. Walsingham, M.A.**, 1891, African Micro-Lepidoptera. Trans. ent. Soc. London 1891: 63-132, Pls.3-7. [[available in Cesa Library](#)]
- 8714. Walsingham, M.A.**, 1898, Descriptions of a new Micropterygid genus and species, and a new Eriocraniad species from N.America. Entomologist's Rec. J. Var. 10 (7): 162-163, Pl.2. [[available in Cesa Library](#)]
- 8715. Walsingham, M.A.**, 1900, Descriptions of the new Microlepidoptera from Sokotra and "Abd el Kuri". Bull. Lpool. Mus. 3: 1-7.
- 8716. Walsingham, M.A.**, 1900, Asiatic Tortricidae. Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448. [[available in Cesa Library](#)]
- 8717. Walsingham, R.H. & J.H.Durrant**, 1898, Note on Goeze's Beiträge. Entomologist's mon. Mag. 34: 180. [[available in Cesa Library](#)]
- 8718. Walther, K., Camillo, R.A. & S.Stänz**, 1997, A preliminary and annotated list of Lepidoptera-Butterflies (Papilionoidea) and moths (Hesperiidae, Sphingidae, Saturniidae) - recorded from the Kingdom of Lesotho, Southern Africa. Metamorphosis 8(3): 109-130. [[available in Cesa Library](#)]
- 8719. Wang, J.-J., S.-X.Wang**, 2012, One new species and two new synonyms in the genus *Ethmia* (Lepidoptera, Elachistidae, Ethmiinae). Zootaxa 3260: 47-52, figs. [[available in Cesa Library](#)]
- 8720. Wang, M. & M.Gu**, 1997, Butterflies in Hainan Island. China Forestry Publishing, Beijing.
- 8721. Wang, M. G.-H.Huang**, 2005, Two new species of the genus *Camptoloma* (Lepidoptera, Noctuidae) from China. Florida Ent. 88 (1): 34-37, figs. [[available in Cesa Library](#)]
- 8722. Wang, S. & H.Li**, 2005, The genus *Irepacma* (Lepidoptera, Oecophoridae) from China, checklist, key to the species and descriptions of new species. Acta zool. hung. 51 (2): 125-133, figs. [[available in Cesa Library](#)]
- 8723. Wang, S.S. & H.Li**, 2005, A taxonomic study on *Endotricha* Zeller (Lepidoptera, Pyralidae, Pyralinae) in China. Insect Sci. 12: 297-305, figs. [[available in Cesa Library](#)]
- 8724. Ward, C.**, 1871, Descriptions of new species of African diurnal Lepidoptera. Entomologist's mon. Mag. 8: 34-36, 58-60, 81-82, 118-122.
- 8725. Ward, C.**, 1873, Descriptions of new species of African Lepidoptera. Entomologist's mon. Mag. 10: 59-60, 151-152.
- 8726. Wardikjan, S.A.**, 1957, A new geometrid moth species of the genus *Ortholitha* Hb. (Lepidoptera, Geometridae) from Armenian SSR. Proc. Acad. Sci. ArmSSR 25 (5): 281-283, figs. [in Russian, Summary Armenian]. [[available in Cesa Library](#)]
- 8727. Warnecke, G.**, 1925, Noch einmal über *Gonepteryx aspasia* Mén. Mitt. münch. ent. Ges. 15: 100-101. [[available in Cesa Library](#)]
- 8728. Warnecke, G.**, 1929, Eine neue Pararge-Art aus Süd-Arabien: *Pararge felix* n.spec. Warn. (Lep., Rhopalocera). Int. ent. Z. 22: 365-367, 2 Abb. [[available in Cesa Library](#)]
- 8729. Warnecke, G.**, 1930, Die Gross-Schmetterlinge der hamburgischen Sud-Arabien Expedition C.Rathjens - H. von Wissmann. Mitt. münch. ent. Ges. 20: 21-40.
- 8730. Warnecke, G.**, 1932, Über eine Rasse der *Papilio machaon* L. aus Arabien - einer neuen, dem ersten mit Fluggebiet südlich des Wendekreises, n. ssp. *rathjensi* Warnecke aus Südwest-Arabien. Int. ent. Z. 25: 473-476.
- 8731. Warnecke, G.**, 1933, Ein zweiter Beitrag zur Kenntnis der Macrolepidopteren-Fauna Südwest-Arabiens. (Ergebnisse einer 2.Expedition Dr.Rathjens nahe dem Jemen und einer Expedition Dr. v. Wißmann nach dem Wadi Hadramaut 1931). Mitt. münch. ent. Ges. 23: 27-32. [[available in Cesa Library](#)]
- 8732. Warnecke, G.**, 1935, Über das Ei von *Parnassius nordmanni* Mén. Parnassiana 3: 65-66.
- 8733. Warnecke, G.**, 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae) II.Beitrag. Ent. Rdsch. 55: 472-476. [[available in Cesa Library](#)]
- 8734. Warnecke, G.**, 1938, Bemerkungen zu einigen Arten der Nolinae (Lepidoptera, Arctiidae). Ent. Rdsch. 55: 293-297, Abb. [[available in Cesa Library](#)]
- 8735. Warnecke, G.**, 1938, *Lycaena amanda* Schn., ein in Norddeutschland in der Ausbreitung befindlicher Tagfalter. Ent. Rdsch. 55: 245-249, Karte. [[available in Cesa Library](#)]
- 8736. Warnecke, G.**, 1940-1941, Zur Kenntnis der Gattung *Dyscia* Hb. (Lep., Geom.). Mitt. münch. ent. Ges. 30: 1047-1051; ibid. 31 (1941): pl.4. [[available in Cesa Library](#)]

- 8737. Warnecke, G.**, 1941, Ein weiterer Beitrag zur Kenntnis der *Dyscia conspersaria* F.-Gruppe (Lep., Geometr.). Z. Wien. EntVer. 26: 208-211, 231-235, 241-246, pls.27,28. [\[available in Cesa Library\]](#)
- 8738. Warnecke, G.**, 1941, Über *Calamia* (Luceria) *virens* (Lep., Noctuidae) und ihre "Form" *immaculata* Stgr. Z. wien. entVer. 26: 99-104. [\[available in Cesa Library\]](#)
- 8739. Warnecke, G.**, 1943, Über die Lepidopterologische Literatur des Kaukasus. Z. wien. ent. Ges. 28: 169-176. [\[available in Cesa Library\]](#)
- 8740. Warnecke, G.**, 1954, Über postglaziale Arealdisjunktionen europäischer Makrolepidopteren. Dt. ent. Tagung, Hamburg: 33-47.
- 8741. Warnecke, G.**, 1959, Verzeichnis der borealpinen Lepidopteren. Z. wien. ent. Ges. 44: 17-26. [\[available in Cesa Library\]](#)
- 8742. Warnecke, G.**, 1959, *Colias hyale* L. als "Wanderfalter". NachrBl. bayer. Ent. 8 (9): 81-84.
- 8743. Warnecke, G.**, 1961, Rezente Arealvergrößerungen bei Schmetterlingen. Bonn. Zool. Beitr. 12: 113-141.
- 8744. Warren, A.D.**, 2003, Partial list of the literature related to Mexican butterflies. Corvallis, Oregon, Published by the Author. 34pp.
- 8745. Warren, B.C.S.** 1920, Some records of, and observations on, the flying-habit of butterflies when paired. Entomologist's Rec. J. Var. 32: 218-223. [\[available in Cesa Library\]](#)
- 8746. Warren, B.C.S.**, 1910, Some butterflies of the Black Forest and Rhine Plain. Entomologist's Rec. J. Var. 22: 1-93. [\[available in Cesa Library\]](#)
- 8747. Warren, B.C.S.**, 1913, *Agriades thersites*, its distribution and variation in the Rhone Valley. Entomologist's Rec. J. Var. 25: 253-256. [\[available in Cesa Library\]](#)
- 8748. Warren, B.C.S.**, 1913, Notes on *Pieris manni* and other entomological subjects. Entomologist's Rec. J. Var. 25: 305-306. [\[available in Cesa Library\]](#)
- 8749. Warren, B.C.S.**, 1920, The Swiss species of the genus *Hesperia*. Entomologist's Rec. J. Var. 32: 45-52, 78-83, 85-88, 117-121, 125-130, pl.3
- 8750. Warren, B.C.S.**, 1923, Six weeks among the butterflies of Eastern Switzerland. Entomologist's Rec. J. Var. 35: 73-79, 96-101, pl.1.
- 8751. Warren, B.C.S.**, 1924, A new European Skipper *Hesperia freija* sp.n. Proc. ent. Soc. Lond. 1924: lvi-lvii. Pl.B.
- 8752. Warren, B.C.S.**, 1925, Preliminary description of a new Spanish race of *Powellia* *sao*. Entomologist's Rec. J. Var. 37: 77. [\[available in Cesa Library\]](#)
- 8753. Warren, B.C.S.**, 1926, Monograph of the tribe *Hesperiidi* (European species) with revised classification of the subfamily *Hesperiinae* (Palearctic species) based on the genital armatures of the males. Trans. ent. Soc. Lond. 74: 1-170, Pls. [\[available in Cesa Library\]](#)
- 8754. Warren, B.C.S.**, 1927, Notes on the Spanish form of *Hesperia cinarae* Rbr. Entomologist's Rec. J. Var. 39: 81-82.
- 8755. Warren, B.C.S.**, 1928, Notes on the proposed substitution of *Erebia alecto* Hb for *E. nerine* Frr. Entomologist's Rec. J. Var. 40: 129-130.
- 8756. Warren, B.C.S.**, 1928, Notes on a migration of *Colias croceus*. Entomologist's Rec. J. Var. 40: 140-141.
- 8757. Warren, B.C.S.**, 1930, A definition of the satyrid genera *Erebia*, *Callerebia*, *Paralasa* and *Erebomorpha*. Entomologist's Rec. J. Var. 42: 103-107. [\[available in Cesa Library\]](#)
- 8758. Warren, B.C.S.**, 1931, *Melitaea varia* Meyer-Dür. Entomologist's Rec. J. Var. 43: 6-8. [\[available in Cesa Library\]](#)
- 8759. Warren, B.C.S.**, 1935, Supplementary notes on the structural characteristics of *Pyrgus freija* (Warren, 1924). Trans. R. ent. Soc. Lond. 83: 127-129, Pl.vii.
- 8760. Warren, B.C.S.**, 1935, Notes on a new subspecies of *Erebia callias*. Entomologist's Rec. J. Var. 47: 3-4. [\[available in Cesa Library\]](#)
- 8761. Warren, B.C.S.**, 1936, Monograph of the genus *Erebia*. vii+407 pp. 104 Pls. British Museum (Nat. Hist.), London. [\[available in Cesa Library\]](#)
- 8762. Warren, B.C.S.**, 1938, The flying-habits of butterflies when paired. Entomologist 71: 114-117.
- 8763. Warren, B.C.S.**, 1938, On the racial variability of *Erebia melancholica* H.-S. Entomologist 71: 246-250.
- 8764. Warren, B.C.S.**, 1939, On the names given to *Erebia* species by de Prunner. Dt. ent. Z., Iris 53: 32-35.

- 8765. Warren, B.C.S.**, 1942, Genus *Pandoriana* gen. nov. A preliminary description. Entomologist 75: 245-246.
- 8766. Warren, B.C.S.**, 1944, Review of the classification of the Argynnidi: with a systematic revision of the genus *Boloria*. Trans. R. ent. Soc. Lond. 94: 1-101, Pls. [\[available in Cesa Library\]](#)
- 8767. Warren, B.C.S.**, 1948, On the race of *Erebia epiphron* indigenous in the British Isles. Entomologist 81: 181-186.
- 8768. Warren, B.C.S.**, 1949, A note on the central European races of *Papilio machaon* and their nomenclature. Entomologist 82: 150-153.
- 8769. Warren, B.C.S.**, 1949, A note on *Erebia dromulus* Stgr. Entomologist 82: 190.
- 8770. Warren, B.C.S.**, 1951, *Erebia simo* Grun-Grshimailo: a species distinct from *Erebia fasciata* Butler. Entomologist 84: 73-77.
- 8771. Warren, B.C.S.**, 1951, Speciation in the genus *Colias*: with special reference to *C. hyale* and *C. australis*. Lambillionea 50 (1950): 90-98, pls.v-vi.
- 8772. Warren, B.C.S.**, 1952, A new species of *Erebia* from S.E.Tibet. Entomologist 85: 17-18.
- 8773. Warren, B.C.S.**, 1953, Three unrecognized species of the *Pyrgus*. Entomologist 86: 90-103.
- 8774. Warren, B.C.S.**, 1954, A note on the genitalia of *Colias australis*. Entomologist's Rec. J. Var. 66: 36, pl.1.
- 8775. Warren, B.C.S.**, 1954, *Erebia tyndarus* Esp. and *Erebia cassioides* Rein. & Hohenw. two distinct species. Entomologist's mon. Mag. 90: 129-131.
- 8776. Warren, B.C.S.**, 1955, *Erebia tyndarus* and allied species: the solution of some long-outstanding problems. Entomologist 88: 227-231, 252-259.
- 8777. Warren, B.C.S.**, 1957, Hitherto overlooked anatomical data concerning the genital structure in *Rhopalocera*. Trans. R. ent. Soc. Lond. 109: 361-377, pls.1-3.
- 8778. Warren, B.C.S.**, 1961, *Erebia melas carpathicola* Popescu-Gorj & Alexinschi in west Transylvania. Entomologist 94: 171-172.
- 8779. Warren, B.C.S.**, 1961, Structural characteristics of *Erebia sudetica* and *Erebia melampus*. Entomologist's Rec. J. Var. 73: 188-189, pl.vi. [\[available in Cesa Library\]](#)
- 8780. Warren, B.C.S.**, 1961, The androconial scales and their bearing on the question of speciation in the genus *Pieris*. Ent. Tidskr. 82: 121-148, pls.1-3.
- 8781. Warren, B.C.S.**, 1963, *Pieris bryoniae dubiosa* Röber and notes on the variation in the androconia of *Pieris* species. Entomologist's Rec. J. Var. 75: 125-129, pl.3.
- 8782. Warren, B.C.S.**, 1970, On three North African species of *Pieris*: *P. maura* Vty., *P. atlantica* Roths., *P. segonzaci* Le Cerf. Entomologist's Rec. J. Var. 82: 221-230, pls.xi-xii.
- 8783. Warren, B.C.S.**, 1971, On the Persian forms of *Pieris pseudorapae* Vty. Entomologist's Rec. J. Var. 83: 365-369, pl.xiii.
- 8784. Warren, B.C.S.**, 1978, Autobiography with an autobiographical note. Nota lepid. 1(2): 77-81. [\[available in Cesa Library\]](#)
- 8785. Warren, E.J.M.**, 1983, A note on *Pyrgus warrenensis* Verity its history and distribution (Hesperiidae). Nota lepid. 6 (1): 61-64, fig. [\[available in Cesa Library\]](#)
- 8786. Warren, W. & N.C.Rothschild**, 1905, Lepidoptera from the Sudan. Novit. zool. 12: 21-33, figs.
- 8787. Warren, W.**, 1888, On Lepidoptera collected by Major Yerbury in Western India in 1886 and 1887. Proc. zool. Soc. Lond. 1888: 292-339. [\[available in Cesa Library\]](#)
- 8788. Warren, W.**, 1891, Descriptions of new genera and species of Pyralidae contained in the British Museum Collection. Ann. Mag. nat. Hist. (6) 7: 423-438, 494-501; (6) 8: 61-70. [\[available in Cesa Library\]](#)
- 8789. Warren, W.**, 1893, On new genera and species of moths of the family Geometridae from India in the collection of H.J.Elwes. Proc. zool. Soc. Lond. 1893: 341-434, pls.
- 8790. Warren, W.**, 1894, New genera and species of Geometridae. Novit. zool. 1: 366-466.
- 8791. Warren, W.**, 1894, New genera and species of Indian Geometridae. Novit. zool. 1: 678-682.
- 8792. Warren, W.**, 1895, New species and genera of Geometridae in the Tring Museum. Novit. zool. 2: 82-159. [\[available in Cesa Library\]](#)
- 8793. Warren, W.**, 1896, New Geometridae in the Tring Museum. Novit. zool. 3: 99-148.
- 8794. Warren, W.**, 1896, New Indian Epiplemidae and Geometridae. Novit. zool. 3: 307-321.

- 8795. Warren, W.**, 1896, New species of Drepanulidae, Thyrididae, Uraniidae, Epiplemididae and Geometridae in the Tring Museum. Novit. zool. 3: 335-419.
- 8796. Warren, W.**, 1896, New genera and species of Pyralidae, Thyrididae and Epiplemididae. Ann. Mag. nat. Hist. (6) 17: 94-106, 131-150, 202-216. [[available in Cesa Library](#)]
- 8797. Warren, W.**, 1896, New species of Pyralidae &c. from the Khasia Hills. Ann. Mag. nat. Hist. (6) 18 (105): 214-232. [[available in Cesa Library](#)]
- 8798. Warren, W.**, 1897, New genera and species of Drepanulidae, Thyrididae, Epiplemididae, Uraniidae and Geometridae in the Tring Museum. Novit. zool. 4: 195-262.
- 8799. Warren, W.**, 1903, Two new species of the Wady el Natron, Egypt. Entomologist 36: 225-226.
- 8800. Warren, W.**, 1909-1913, Familia Noctuidae, [in] Seitz, A., Die Gross-Schmett. Erde 3: pp. 9-444, Taf., Stuttgart. [[available in Cesa Library](#)]
- 8801. Warren, W.**, 1911, Descriptions of some new Geometridae and Pyralididae from South Africa. Ann. S. Afr. Mus. 10 (1): 19-30. [[available in Cesa Library](#)]
- 8802. Warren, W.**, 1914, Descriptions of new species of Lepidoptera Heterocera in the South African Museum. Ann. S. Afr. Mus. 10: 467-508, 2 pls. [[available in Cesa Library](#)]
- 8803. Warren, W.**, 1915, New Palaearctic and Eastern Noctuidae in the Tring Museum. Novit. zool. 22: 147-153. [[available in Cesa Library](#)]
- 8804. Wasala, R.**, 2009, *Depressaria libanotidella* (Schläger, 1849) - first record from Poland (Lepidoptera, Depressariidae). Polski pismo Ent. 78: 337-339, figs. [[available in Cesa Library](#)]
- 8805. Watanabe, M.**, 1992, Egg maturation in laboratory-reared females of the Swallowtail butterfly, *Papilio xuthus* L. (Lepidoptera, Papilionidae), feeding on different concentration solutions of sugar. Zool. Sci. 9 (1): 133-141. [[available in Cesa Library](#)]
- 8806. Watanabe, Y.**, 1990, A new species of genus *Parnassius* Latreille from Tibet, China (Lepidoptera, Papilionidae). Notes Eurasian Insects 1: 2-6.
- 8807. Watanasit, S.**, 1984, A survey of the butterflies at Tarutao National Park, Satun. Songklanakarin J. Sci. Technol. 6: 47-52.
- 8808. Watanasit, S.**, 1995, Survey of insects in peat swamp of Phuket Island, Southern Thailand. Songklanakarin J. Sci. Technol. 17 (3): 299-311.
- 8809. Watanasit, S., Pramual, C., Permkam, S. & S.Thong-Aree**, 2004, Geometrid moths (Lepidoptera, Geometridae) in Hala-Bala Wildlife Sanctuary, Narathiwat Province. Songklanakarin J. Sci. Technol. 26 (2): 197-210, figs. [[available in Cesa Library](#)]
- 8810. Waterhouse, G.A.**, 1904, On three collections of Rhopalocera from Fiji, and one from Samoa. Trans. ent. Soc. London 1904 (3): 491-495. [[available in Cesa Library](#)]
- 8811. Watkins, H.T.G.**, 1921, Moths of Mesopotamia and N. W. Persia Part II. Sphinges & Bombyces. J. Bomb. nat. Hist. Soc. 28: 184-186. [[available in Cesa Library](#)]
- 8812. Watkins, H.T.G.**, 1927, Butterflies from N.W. Yunnan. Ann. Mag. nat. Hist. (9) 19: 313-344, 512.
- 8813. Watkins, H.T.G.**, 1928, New species of *Parhestina* (Lep., Nymphalidae). Ann. Mag. nat. Hist. (10) 2: 91-93. [[available in Cesa Library](#)]
- 8814. Watson, A.**, 1957, A revision of the genus *Tridrepana* Swinhoe (Lepidoptera, Drepanidae). Bull. Br. Mus. (Nat. Hist.) Ent. 4 (9): 409-500, 155 figs. 2 pls. [[available in Cesa Library](#)]
- 8815. Watson, A.**, 1961, A Taxonomic Study of some Indo-Australian Drepanidae (Lepidoptera). Bull. Br. Mus. (Nat. Hist.) Ent. 10 (8): 315-348, 69 figs., Pls. 65-66. [[available in Cesa Library](#)]
- 8816. Watson, A.**, 1965, A revision of the Ethiopian Drepanidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 3: 1-177, 18 pls. 7 maps. [[available in Cesa Library](#)]
- 8817. Watson, A.**, 1967, A survey of the extra-Ethiopian Oretinae (Lepidoptera, Drepanidae). Bull. Br. Mus. (Nat. Hist.) Ent. 19 (3): 151-220, 9 Pls., text-figs. [[available in Cesa Library](#)]
- 8818. Watson, A.**, 1971, An illustrated Catalog of the Neotropical Arctiinae types in the United States National Museum (Lepidoptera, Arctiidae). Part 1. Smith. Contr. Zool. 50: 1-361.
- 8819. Watson, A.**, 1973, An illustrated Catalog of the Neotropical Arctiinae types in the United States National Museum (Lepidoptera, Arctiidae). Part 2. Smith. Contr. Zool. 128: 1-160, 106 Pls.
- 8820. Watson, E.Y.**, 1893, A proposed classification of the Hesperidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls. [[available in Cesa Library](#)]
- 8821. Watson, L. & M.J. Dallwitz**, 2007, British insects the genera of Lepidoptera Noctuidae. <http://delta-intkey.com/> [access 10 10 2010] [[available in Cesa Library](#)]

- 8822. Watson, L. & M.J. Dallwitz**, 2007, British insects the genera of Lepidoptera Geometridae. <http://delta-intkey.com/> [access 1 10 2010] [[available in Cesa Library](#)]
- 8823. Wegner, H.**, 2002, Herbst- und Frühjahrsbeobachtungen zur Noctuidae-Fauna in Nord-Griechenland (Lepidoptera, Noctuidae). *Esperiana* 9: 7-20. [[available in Cesa Library](#)]
- 8824. Wehrli, E. & H. Zerny**, 1933, [in] Zerny, H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Geometridae- Sarothripidae. *Dt. ent. Z., Iris* 47: 85-102. [[available in Cesa Library](#)]
- 8825. Wehrli, E.**, 1926, Eine neue Gnophosart aus Anatolien. *Mitt. münch. ent. Ges.* 16: 95-98. [[available in Cesa Library](#)]
- 8826. Wehrli, E.**, 1929, Zwei neue Nychiodes-Arten (Lepid., Geometridae). *Int. ent. Z.* 22 (42): 385-387. [[available in Cesa Library](#)]
- 8827. Wehrli, E.**, 1929, Über die Arten und Formen der Gattung Nychiodes Led. *Mitt. münch. ent. Ges.* 19: 29-35, 38-56, 96, 171-172, Taf. III, IV. [[available in Cesa Library](#)]
- 8828. Wehrli, E.**, 1929, Ueber die paläarktischen Arten der Gattung Ellopia Tr. (Lepidopt., Geometr.). *Mitt. münch. ent. Ges.* 19: 311-323, 2 Taf. [[available in Cesa Library](#)]
- 8829. Wehrli, E.**, 1929, Zwei neue Eupitheciiden aus der Ausbeute des Herrn E. Pfeiffer, München, aus dem Taurus (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 19: 324-328, Taf. xxiv, xxv, 4 figs. [[available in Cesa Library](#)]
- 8830. Wehrli, E.**, 1931, Einige neue paläarktische Geometriden aus Syrien, Algerien und Sicilien (Lepid., Het.). *Mitt. münch. ent. Ges.* 21 (2): 41-46. [wrong page citation by Hausmann (1994: 78) as "41-51"; see Osthelder, L., 1931] [[available in Cesa Library](#)]
- 8831. Wehrli, E.**, 1932, Neue Psychiden und Geometriden (Lepidopteren). *Ent. Rdsch.* 49: 454-457. [[available in Cesa Library](#)]
- 8832. Wehrli, E.**, 1932, Neue Geometriden-Arten und -Rassen (Lepid. Het.) von der Maras-Expedition L. Osthelder u. E. Pfeiffer, München. *Mitt. münch. ent. Ges.* 22: 3-11. [[available in Cesa Library](#)]
- 8833. Wehrli, E.**, 1932, Psychidae. [In] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. *Mitt. münch. ent. Ges.* 22(2): 74. [[available in Cesa Library](#)]
- 8834. Wehrli, E.**, 1933, Die neuen Geometriden-Arten der holländischen Karakorum-Expedition 1929-1930. *Ent. Rdsch.* 50: 102-104, 121-122, 6 figs. [[available in Cesa Library](#)]
- 8835. Wehrli, E.**, 1933, Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 211-226. Stuttgart. [[available in Cesa Library](#)]
- 8836. Wehrli, E.**, 1934, Nachträge und Berichtigungen zum Supplementband 2. Familie Psychidae. [In] Seitz, A., Gross-Schmett. Erde, Suppl. 2: 286-287. Stuttgart. [[available in Cesa Library](#)]
- 8837. Wehrli, E.**, 1934, Über unbekannte alte und neue Sterrhinae (Acidaliinae) (Lepid. Het.). *Ent. Z., Frankf. a. M.* 47: 156, 159-161, 166-167, 12 figs. [[available in Cesa Library](#)]
- 8838. Wehrli, E.**, 1934, Über neue palaearktische Geometrinae und ein neues Subgenus. *Int. ent. Z.* 27: 533-536, pl. [[available in Cesa Library](#)]
- 8839. Wehrli, E.**, 1934, Die Geometriden der Ausbeute des Herrn Ernst Pfeiffer und Herrn L. Osthelder München aus Marasch und Bertiz Jaila, Achyr Dag, Südost Taurus. [In] Osthelder, L. & E. Pfeiffer, Lepidopteren-Fauna von Marasch in türkisch Nordsyrien. *Mitt. münch. ent. Ges.* 24 (1): 1-18, 2 Pls. [[available in Cesa Library](#)]
- 8840. Wehrli, E.**, 1936, Neue Gattungen, Subgenera, Arten und Rassen. *Ent. Rdsch.* 53: 513-516, 562-568, 11 figs. [[available in Cesa Library](#)]
- 8841. Wehrli, E.**, 1936, Einige neue Arten und Rassen aus den Ausbeuten des Herrn Ernst Pfeiffer, München. *Mitt. münch. ent. Ges.* 26: 33-37, Taf. ii. [[available in Cesa Library](#)]
- 8842. Wehrli, E.**, 1936, Nouvelles especes et races de Geometridae peuvénant des monts Elburs, du Caucase et de l'Asie Mineure. *Amat. Papillons* 1936: 151-155. [[available in Cesa Library](#)]
- 8843. Wehrli, E.**, 1938, Nachtrag zu meiner Arbeit in Nr. 31 d. J. Seite 354. *Ent. Rdsch.* 55: 433-435. [[available in Cesa Library](#)]
- 8844. Wehrli, E.**, 1938, Neue Gattungen, Untergattungen, Arten und Rassen von Geometriden (Lep.). *Ent. Rdsch.* 55: 354-360. [[available in Cesa Library](#)]
- 8845. Wehrli, E.**, 1939, Neue Gattungen, Arten und Rassen aus China und Transkaukasien. *Ent. Rdsch.* 56 (33): 363-366. [[available in Cesa Library](#)]
- 8846. Wehrli, E.**, 1939, Einige neue Arten und Rassen aus dem südwestlichen Iran und aus dem Irak, sowie ein neues Subgenus aus dem letzteren (Lepidoptera, Geometridae). *Mitt. münch. ent. Ges.* 29 (1): 69-77. [[available in Cesa Library](#)]

- 8847. Wehrli, E.**, 1939-1954, Subfamilie: Geometrinae. [In] Seitz, A., Die Gross-Schmetterlinge der Erde (Suppl.) 4: 254-685, Pls. Stuttgart. [\[available in Cesa Library\]](#)
- 8848. Wehrli, E.**, 1941, Neue Arten und Rassen aus dem Iran und aus China (Lep., Geometridae). Mitt. münch. ent. Ges. 31: 1064-1071. [\[available in Cesa Library\]](#)
- 8849. Wehrli, E.**, 1950, Die Einteilung der Gattung *Dyscia* Hbn. Ent. Ber., Amst. 13: 77-80, 6 figs. [\[available in Cesa Library\]](#)
- 8850. Wei, C.-H., Kun, A. & S.-H. Yen**, 2007, A preliminary analyses [sic!] of the phylogeny of the Ethmiinae moths (Lepidoptera, Gelechioidea) with special reference to the evolutionary patterns of host use. Acta zool. hung. 53 (Suppl.1): 61-100, figs. [\[available in Cesa Library\]](#)
- 8851. Weidemann, H. J.**, 1986, 1988, Tagfalter. Entwicklung, Lebensweise, Biologie, Ökologie, Biotopschutz. Band 1 (1986). Papilionidae, Pieridae, Lycaenidae. 286S. 240 Farbfotos. Band 2 (1988). Lycaenidae, Riodinidae, Nymphalidae, Satyridae, Hesperidae. 372S. 360 Farbfotos. JNN-Naturführer [\[available in Cesa Library\]](#)
- 8852. Weidenhoffer, Z. & J. Klir**, 2000, A new species of *Plebejus* Kluk, 1780 from Iran (Lepidoptera, Lycaenidae). Linneana Belg. 17 (7): 289-292, figs. [\[available in Cesa Library\]](#)
- 8853. Weidenhoffer, Z. & J. Vanek**, 1977, Beitrag zur Biologie von *Tomares romanovi* und *Tomares callimachus* (Lep.: Lycaenidae). Ent. Z., Frankf. a. M. 87 (12): 131-134, 3 Abb. [\[available in Cesa Library\]](#)
- 8854. Weidenhoffer, Z. & W. Eckweiler**, 1988, Notes on the status of *Armenia hyrcanica* (Riley, 1939) (Lepidoptera, Lycaenidae). Nota lepid. 10 (4): 241-246, 3 figs. [\[available in Cesa Library\]](#)
- 8855. Weidlich, M.**, 1989, Abriss der Psychidenfauna bulgarisch Mazedoniens mit der Erstbeschreibung des Weibchen und Sackes von *Reisseronia nigriciliella* (Rebel, 1934) (Lepidoptera, Psychidae). NachrBl. bayer. Ent. 38: 1-12.
- 8856. Weidner, H.**, 1936, Die Beziehungen zwischen Stammesgeschichte und Eigenentwicklung der Schmetterlinge. Ent. Rdsch. 53: 581-588, 589-591, 6 Abb. [\[available in Cesa Library\]](#)
- 8857. Weigel, K.-H.**, 1984, *Zygaena (Mesembrynus) lydia* (Staudinger, 1887), mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5: 53-67, 26 figs. 1 map.
- 8858. Weir, J. J.**, 1893, Professor John O. Westwood. Entomologist's Rec. J. Var. 4: 24. [\[available in Cesa Library\]](#)
- 8859. Weisert, F.**, 1993, Liste der europäischen Noctuidae unter Einbeziehung der Kanarischen Inseln und der Türkei mit kritischen Anmerkungen zur Literatur (1). Z. ArbGem. Öst. Ent. 45: 57-62. [\[available in Cesa Library\]](#)
- 8860. Weisert, F.**, 1998, *Catocala catei* sp.nov., eine neue Noctuide aus der Türkei (Lepidoptera, Noctuidae). Z. ArbGem. öst. Ent. 50 (3/4): 125-126, figs. [\[available in Cesa Library\]](#)
- 8861. Weisert, F.**, 1998, Österreichische Turkmenistan-Expedition 1993 und 1996. Beitrag zur Kenntnis der Lepidopterenfauna Zentralasien (2 & 3. Teil). Z. ArbGem. öst. Ent. 50 (3/4): 53-58, 119-123, figs. [\[available in Cesa Library\]](#)
- 8862. Weisert, F.**, 2000, *Zethes pistazina* sp.nov., eine neue Noctuide aus Kirgisistan (Lepidoptera, Noctuidae). Z. ArbGem. Öst. Ent. 52: 61-64, Abb. [\[available in Cesa Library\]](#)
- 8863. Weisert, F.**, 2009, Neue iranische Geometriden aus der Unterfamilie Ennominae (Lepidoptera, Geometridae, Ennominae). Z. ArbGem. Öst. Ent. 61: 123-128, 12 Abb. [\[available in Cesa Library\]](#)
- 8864. Weiss, D. & P. Skala**, 2000, A new subspecies of *Hyponephele* Muschamp, 1915 from western Turkey (Lepidoptera, Satyridae). Atalanta 31 (1/2): 129-133, pls.viii-ix. [\[available in Cesa Library\]](#)
- 8865. Weiss, D. & V. Major**, 2000, A new species of the genus *Melitaea* Fabricius, 1807 from Iran (Lepidoptera, Nymphalidae). Atalanta 31 (1/2): 123-128, pls.v-vii. [\[available in Cesa Library\]](#)
- 8866. Weiss, D. & Z. Mracek**, 1989, A new species of the genus *Colias* (Lepidoptera, Pieridae) from Yakutia. Nachr. ent. Ver. Apollo (N.F.) 10(4): 281-290, Taf. [\[available in Cesa Library\]](#)
- 8867. Weiss, D.**, 1978, A new species of the genus *Hyponephele* Muschamp 1915 from West Iran (Lepidoptera, Satyridae). Atalanta 9(3): 230-233, figs. [\[available in Cesa Library\]](#)
- 8868. Weiss, D.**, 1980, Eine neue Unterart von *Parnassius tienschanicus* Oberthür aus Kirgisien. Atalanta 11: 18-19, fig. [\[available in Cesa Library\]](#)
- 8869. Weiss, D.**, 1990, Results of the Czechoslovak-Iranian entomological expeditions to Iran 1970, 1973 and 1977. Together with results of collection made in Anatolia (Lepidoptera, Rhopalocera). Acta ent. Mus. natn. Pragae 43: 215-236.

- 8870. Weiss,D.**, 1990, Results of Czechoslovak-Iranian Entomological Expeditions to 1970, 1973 and 1977 (together with results of collections made in Anatolia). *Lepidoptera Rhopalocera*. Acta ent. Mus. natn. Praga 43: 215-235, 4 Taf.
- 8871. Weiss,D.**, 1990, A new species of *Parnassius* Latreille from the Himalayas (Lepidoptera, Papilionidae, Parnassiinae). Acta ent. Mus. natn. Praga 43: 329-333.
- 8872. Weiss,J.-C. & F.Michel**, 1989, Description de nouveaux taxa du genre *Parnassius* provenant du Tibet (Chine) (Lepidoptera, Papilionidae). Bull. Soc. Sci. Nat. 61: 5-19.
- 8873. Weiss,J.-C.**, 1975, Neufjours de chases en Macedonie Yugoslave et au Montenegro. Alexanor 9: 125-131. [[available in Cesa Library](#)]
- 8874. Weiss,J.-C.**, 1977, *Lycaena helle* Schiff. et *Procllossiana eunomia* Esper dans lesa Vosges. Description d'une nouvelle sous-espèce de *Lycaena helle* Schiff. (Lepidoptera, Lycaenidae). Linneana Belgica 6(10): 253-256, figs. [[available in Cesa Library](#)]
- 8875. Weiss,J.-C.**, 1980, Le genre *Pseudochazara* de Lesse en Europe et en Afrique du Nord Description d'une sous-espèce nouvelle de *Ps. hippolyte* Esper (Lepidoptera Satyridae). Linneana Belgica 8(3): 98-108, 3 Pls. [[available in Cesa Library](#)]
- 8876. Weiss,J.-C.**, 1985, Liste commentée des Lépidoptères d'Alsace-Lorraine (2.note). Linneana Belgica 10(3): 125-141. [[available in Cesa Library](#)]
- 8877. Weiss,J.-C.**, 1991, Etude des conséquences écologiques de la déprise agricole dans les vallés du Parc Naturel Régional des Vosges du Nord. Etude comparative de l'entomofaune (Lepidoptera). Linneana Belgica 13(3): 135-156, figs. [[available in Cesa Library](#)]
- 8878. Weiss,J.-C.**, 1991-1992, The Parnassiinae of the World. 2 pts. 48pp ♀ 87pp. Pls.
- 8879. Werneburg,A.**, 1865, Über das Lepidopteren-Genus *Colias*, wie es in Staudinger's Catalog aufgestellt ist. Stettin ent. Ztg. 26: 272-288.
- 8880. Werny,K.**, [1967], Untersuchen über die Systematik der Tribus Thyatirini, Macrothyatirini, Habrosynini und Tetheini (Lepidoptera, Thyatiridae). Inaugural-Dissertation, Universität des Saarlandes.
- 8881. West,R.J.**, 1929, Description of a new species of Siberian Arctiidae. Ann. Mag. nat. Hist. (10) 3: 194. [[available in Cesa Library](#)]
- 8882. West,R.J.**, 1929, Descriptions of new species of Japanese Formosan and Philippine Geometridae. Novit. zool. 35: 105-131.
- 8883. West,R.J.**, 1931, Descriptions of new species of Japanese, Formosan and Philippine Pyralidae. Novit. zool. 36: 206-219. [[available in Cesa Library](#)]
- 8884. West,R.J.**, 1932, Further descriptions of new species of Japanese, Formosan and Philippine Heterocera. Novit. zool. 37: 207-228. [[available in Cesa Library](#)]
- 8885. West,R.J.**, 1937, Descriptions of new species of Limacodidae. Ann. Mag. nat. Hist. (10) 20: 77-87, Pl.II. [[available in Cesa Library](#)]
- 8886. Westwood,J.O.**, 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London. [[available in Cesa Library](#)]
- 8887. Westwood,J.O.**, 1841-1845, Arcana Entomologica, or illustrations of new, rare, and interesting exotic insects. Tom. 1 (1841-1843), 188 pp., 48 pls.; Tom. 2 (1843-1845), 191 pp., 48 pls. London.
- 8888. Westwood,J.O.**, 1842, Insectorum novorum Centuria. Ann. Mag. nat. Hist. 9: 36-39, 118-120. [[available in Cesa Library](#)]
- 8889. Weymer,G.**, 1885, Exotische Schmetterlingen (3): Beitrag zur Lepidopteren-Fauna von Nias. Stettin ent. Ztg. 46: 257-285, Taf.i,ii. [[available in Cesa Library](#)]
- 8890. Weymer,G.**, 1902, Zwei neue Tagfalter aus Neuguinea. Ent. Z., Stuttgart 16(2): 5-6. [[available in Cesa Library](#)]
- 8891. Whalley,P.E.S.**, 1961, A Revision of two species complexes in the Pyraustinae (Lepidoptera, Pyralidae) 1. histricalis Complex of the genus *Cotachena* Moore. Bull. Br. Mus. (Nat. Hist.) Ent. 10 (3): 99-104, 3 figs., Pl.3. [[available in Cesa Library](#)]
- 8892. Whalley,P.E.S.**, 1961, A Revision of the *Syngamia floralis* Zell. complex with the description of a new species. Bull. Br. Mus. (Nat. Hist.) Ent. 10 (3): 105-111, 4 figs, Pl.4. [[available in Cesa Library](#)]
- 8893. Whalley,P.E.S.**, 1963, A Revision of the World species of the genus *Endotricha* Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs. [[available in Cesa Library](#)]

- 8894. Whalley, P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs. [\[available in Cesa Library\]](#)
- 8895. Whalley, P.E.S.**, 1964, A new genus and species of Pyralinae from Africa (Lepidoptera, Pyralidae). Jl. E. Africa nat. Hist. Soc. 24: 47-52, 3 pls. [\[available in Cesa Library\]](#)
- 8896. Whalley, P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London. [\[available in Cesa Library\]](#)
- 8897. Whalley, P.E.S.**, 1971, The Thyrididae of Africa and its islands. A taxonomic and zoogeographic study. Bull. Br. Mus. nat. Hist. (Ent.) Suppl. 17: 1-198, 68 pls. 73 maps. [\[available in Cesa Library\]](#)
- 8898. Whalley, P.E.S.**, 1971, A revision of the genus Canaea Walker (Lepidoptera, Thyrididae). Bull. Br. Mus. (Nat. Hist.) Ent. 26 (3): 161-179, 12 Pls. [\[available in Cesa Library\]](#)
- 8899. Whalley, P.E.S.**, 1973, The genus Etiella Zeller (Lepidoptera, Pyralidae): A zoogeographic and taxonomic study. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (1): 1-21, 1 textfig., 7 maps, 15 Pls. [\[available in Cesa Library\]](#)
- 8900. Whalley, P.E.S.**, 1976, Tropical Leaf Moths. A monograph of the subfamily Striglininae (Lepidoptera, Thyridae). 194 pp. 68 pls., 1 fig. 2 tab., 8 maps. Brit. Mus. Nat. Hist. London.
- 8901. Wheeler, G.**, 1899-1900, Three seasons among Swiss butterflies. Entomologist's Rec. J. Var. 11(1899): 309-315, 12(1900): 4-9. [\[available in Cesa Library\]](#)
- 8902. Wheeler, G.**, 1901, A fourth season among Swiss butterflies. Entomologist's Rec. J. Var. 13: 117-121. [\[available in Cesa Library\]](#)
- 8903. Wheeler, G.**, 1903, The butterflies of Switzerland and the Alps of the Central Europe. Elliott Stock, London.
- 8904. Wheeler, G.**, 1913, What is Polyommatus ariana Moore? Ent. Rec. 1913: 198-200. [\[available in Cesa Library\]](#)
- 8905. Wheeler, G.**, 1916, The "carrying" habits of the sexes in paired butterflies. Entomologist's Rec. J. Var. 28: 204-205. [\[available in Cesa Library\]](#)
- 8906. White, A.**, 1842, Notice of two new species of Papilio (P.varuna and Iswara) from Penang. Entomologist 1: 280.
- 8907. Whitebread, S.E.**, 1984, A new species of Perittia Stainton from Switzerland (Elachistidae). Nota lepid. 7 (3): 271-281, 15 figs. [\[available in Cesa Library\]](#)
- 8908. Whittle, P.A.**, 1985, An annotated check-list of the butterflies of Lesotho. National University of Lesotho, Roma. [\[available in Cesa Library\]](#)
- 8909. Wiegel, K.-H.**, 1984, Zygaena (Mesembrynus) lydia (Staudinger, 1887) mit Beschreibung einer neuen Unterart (Lepidoptera, Zygaenidae). Entomofauna 5(5): 53-67, 26 figs. [\[available in Cesa Library\]](#)
- 8910. Wiemers, M. & J. de Prins**, 2004, Polyommatus (Agrodiaetus) paulae sp.nov. (Lepidoptera, Lycaenidae) from Northwest Iran, discovered by means of molecular, karyological and morphological methods. Ent. Z. 114 (4): 155-162, figs.
- 8911. Wiemers, M.**, 1982, Tagfalterbeobachtungen in Dalmatien/Jugoslawien. Atalanta 13(3): 217-224, Abb. [\[available in Cesa Library\]](#)
- 8912. Wiemers, M.**, 1983, Tagfalterbeobachtungen in Mittelgriechenland im August 1982. Nachr. ent. Ver. Apollo (N.F.) 4(2): 25-58, 16 Abb. [\[available in Cesa Library\]](#)
- 8913. Wiemers, M.**, 1987, Eine Zucht von Erebia styx triglites Fruhst. (Lep., Satyridae) vom Monte Baldo. Nachr. ent. Ver. Apollo (N.F.) 7 (4): 143-148, 13 Abb. [\[available in Cesa Library\]](#)
- 8914. Wiemers, M.**, 1991, Hipparchia wyssii (Christ, 1889) Komplex: Beitrag zur Morphologie, Biologie, Ökologie und Verbreitung auf den Kanarischen Inseln (Lepidoptera, Satyridae). Nota lepid. 14(3): 255-278.
- 8915. Wiemers, M.**, 1992, Pieris brassicae brassicae (Linnaeus, 1758) auf Lanzarote- Erstnachweis für die Kanarischen Inseln. Atalanta 23(1/2): 103-106, 4 Abb. [\[available in Cesa Library\]](#)
- 8916. Wiemers, M.**, 2003, Chromosome differentiation and the radiation of the butterfly subgenus Agrodiaetus (Lepidoptera, Lycaenidae, Polyommatus) - a molecular phylogenetic approach. Dissertation. Bonn. [\[available in Cesa Library\]](#)
- 8917. Wiemers, M., Stradomsky, B.V. & D.I. Vodolazhky**, 2010, A molecular phylogeny of Polyommatus s.str. and Plebicula based on mitochondrial COI and nuclear ITS2 sequences (Lepidoptera, Lycaenidae). Eur. J. Ent. 107: 325-336, figs. [important references are missing! Obviously non ethical approach.]. [\[available in Cesa Library\]](#)

- 8918. Wiener, L.**, 2003, Butterfly list Queen Sirikit Botanical Garden, July-August 2003. BGO Newsletter 11: 11-12. [[available in Cesa Library](#)]
- 8919. Wieser, C. & G. Stangelmaier**, 2005, Zwischenergebnisse einer lepidopterologischen Forschungsreise in den Nordiran, Oktober 2003 (Insecta, Lepidoptera). Carinthia II 195/115: 659-674, figs. [[available in Cesa Library](#)]
- 8920. Wieser, C., Huemer, P. & G. Stangelmaier**, 2002, Schmetterlinge (Lepidoptera, [in] Gutleb, B. & C. Wieser (eds.), Ergebnisse einer zoologischen Exkursion in den Nordiran, 2001. Carinthia II 192/112: 52-81. [[available in Cesa Library](#)]
- 8921. Wileman, A.E. & H. Stringer**, 1929, Seven new species of Tortricina from Formosa and the Philippine Islands. Entomologist 62: 65-68.
- 8922. Wileman, A.E. & R.J. West**, 1928, New species of Heterocera from Formosa and the Philippines. Ann. Mag. nat. Hist. (10) 2: 214-224. [[available in Cesa Library](#)]
- 8923. Wileman, A.E. & R.J. West**, 1928, New species of Philippine Noctuidae. Ann. Mag. nat. Hist. (10) 2: 526-535. [[available in Cesa Library](#)]
- 8924. Wileman, A.E. & R.J. West**, 1928, Descriptions of a new genus of Nolinae from the Philippine Islands. Entomologist 61: 203-207.
- 8925. Wileman, A.E. & R.J. West**, 1928, Descriptions of a new genus and five new species of Nolinae (Lepidoptera, Heterocera) from Formosa and the Philippine Islands. Entomologist 61: 275-278.
- 8926. Wileman, A.E. & R.J. West**, 1929, Descriptions of eight new species of Formosan, Indian, Japanese, and the Philippine Nolinae (Lepidoptera, Heterocera, Family Arctiidae). Ann. Mag. nat. Hist. (10) 3: 187-194. [[available in Cesa Library](#)]
- 8927. Wileman, A.E. & R.J. West**, 1930, Descriptions of new species of Japanese, Formosan, and Philippine Noctuidae (Heterocera). Entomologist 63: 35-38, 62-65, 108-110, 161-163.
- 8928. Wileman, A.E. & R. South**, 1916, New species of Notodontidae from Japan. Entomologist 49: 133-134. [[available in Cesa Library](#)]
- 8929. Wileman, A.E. & R. South**, 1917, New species of Geometridae from the Philippines. Entomologist 50: 100-102. [[available in Cesa Library](#)]
- 8930. Wileman, A.E. & R. South**, 1917, New species of Pyralidae from Formosa. Entomologist 50: 175-178. [[available in Cesa Library](#)]
- 8931. Wileman, A.E. & R. South**, 1917, New species of Lepidoptera from Japan and Formosa. Entomologist 50: 145-148. [[available in Cesa Library](#)]
- 8932. Wileman, A.E. & R. South**, 1917, Five new species of Pyralidae belonging to sub-family Epipaschianae from Formosa. Entomologist 50: 127-129. [[available in Cesa Library](#)]
- 8933. Wileman, A.E. & R. South**, 1918, A new species of the genus *Parallelia* Hübn. from the Philippines. Entomologist 51: 193. [[available in Cesa Library](#)]
- 8934. Wileman, A.E. & R. South**, 1919, New species of Pyralidae from Formosa. Entomologist 52: 267-268. [[available in Cesa Library](#)]
- 8935. Wileman, A.E. & R. South**, 1919, New species of Lithosiadae from the Philippines. Entomologist 52: 49-51, 268-271. [[available in Cesa Library](#)]
- 8936. Wileman, A.E. & R. South**, 1920, New species of Noctuidae from the Philippines. Entomologist 53: 121-124, 271-274. [[available in Cesa Library](#)]
- 8937. Wileman, A.E. & R. South**, 1921, Seven new moths from the Philippines. Entomologist 54: 273-274. [[available in Cesa Library](#)]
- 8938. Wileman, A.E. & R. South**, 1921, Four new moths from the Philippines. Entomologist 54: 237-238. [[available in Cesa Library](#)]
- 8939. Wileman, A.E. & R. South**, 1921, New species of Noctuinae and Hypeninae from the Philippines. Entomologist 54: 202-205. [[available in Cesa Library](#)]
- 8940. Wileman, A.E.**, 1910-1911, New Lepidoptera- Heterocera from Formosa. Entomologist 43: 136-139, 285-291, 309-313, 344-349; 44: 174-176. [[available in Cesa Library](#)]
- 8941. Wileman, A.E.**, 1912, New species of Boarmiinae from Formosa. Entomologist 45: 69-73, 90-92. [[available in Cesa Library](#)]
- 8942. Wileman, A.E.**, 1914, Some new species of Lepidoptera from Formosa. Entomologist 47: 266-268.
- 8943. Wileman, A.E.**, 1914, New species of Heterocera from Formosa. Entomologist 47: 318-323.

- 8944. Wileman, A.E.**, 1915, New species of Noctuidae from Formosa. *Entomologist* 48: 143-146, 159-164. [[available in Cesa Library](#)]
- 8945. Wileman, A.E.**, 1915, A new genus and five new species of Heterocera from the Philippines. *Entomologist* 48: 110-112. [[available in Cesa Library](#)]
- 8946. Wileman, A.E.**, 1915, New species of Heterocera from Formosa. *Entomologist* 48: 12-19. [[available in Cesa Library](#)]
- 8947. Wileman, A.E.**, 1915, New species of Heterocera from Formosa. *Entomologist* 48: 34-40. [[available in Cesa Library](#)]
- 8948. Wileman, A.E.**, 1915, New species of Heterocera from Formosa. *Entomologist* 48: 58-61. [[available in Cesa Library](#)]
- 8949. Wileman, A.E.**, 1915, New species of Heterocera from Formosa. *Entomologist* 48: 80-82. [[available in Cesa Library](#)]
- 8950. Wileman, A.E.**, 1915, New species of Noctuidae from Formosa. *Entomologist* 48: 191-196, 235-239. [[available in Cesa Library](#)]
- 8951. Wileman, A.E.**, 1915-1916, New species of Geometridae from Formosa. *Entomologist* 48 (1915): 281-283; *ibid.* 49 (1916): 34-37. [[available in Cesa Library](#)]
- 8952. Wileman, A.E.**, 1916, Three new species of Lepidoptera from the Philippines. *Entomologist* 49: 132-133. [[available in Cesa Library](#)]
- 8953. Wileman, A.E.**, 1922, On a new species of genus *Calpe* from Japan. *Entomologist* 55: 197-199. [[available in Cesa Library](#)]
- 8954. Willemse, L.**, 1975, Distribution records of Rhopalocera in the Greek mainland and Crete. *Ent. Ber., Amst.* 35: 141-149.
- 8955. Willemse, L.**, 1977, *Kirinia climene* (Esper, 1786), new to Greece (Lep., Satyridae). *Ent. Ber., Amst.* 37: 148-151, 2 figs. [[available in Cesa Library](#)]
- 8956. Willemse, L.**, 1980, Some interesting faunistic data of Rhopalocera in Greece. *Ent. Ber., Amst.* 40: 156-158.
- 8957. Willemse, L.**, 1981, More about the distribution of Rhopalocera in Greece. *Ent. Ber., Amst.* 41: 41-47.
- 8958. Williams, M.C.**, 1996, New larval foodplant records for some South African Butterflies. *Metamorphosis* 7(3): 131-135. [[available in Cesa Library](#)]
- 8959. Willmott, K.R.**, 2003, Cladistic analysis of the Neotropical butterfly genus *Adelpha* (Lepidoptera, Nymphalidae), with comments on the subtribal classification of *Limenitini*. *Syst. Ent.* 28: 279-322, figs. [[available in Cesa Library](#)]
- 8960. Wilson, E.O. W.L. Brown**, 1953, The subspecies concept and its taxonomic application. *Syst. zool.* 2: 97-110.
- 8961. Wiltshire, E.P. & A. Legrain**, 1997, *Bufoidea* n.gen. (Lepidoptera, Lasiocampidae), its Arabian taxa, and their affinity to other moths of the family Lasiocampidae. *Fauna of Saudi Arabia* 16: 327-339.
- 8962. Wiltshire, E.P.**, 1935, Notes on the early stages of some Syrian Lepidoptera, with description of a new ichneumon by Claude Morley. *Entomologist's Rec. J. Var.* 47 (suppl.): (1)-(8), pl.iii. [[available in Cesa Library](#)]
- 8963. Wiltshire, E.P.**, 1936, A new species of *Earias* Hb. (Lepidoptera, Noctuidae). *Entomologist* 69: 239-240.
- 8964. Wiltshire, E.P.**, 1936, More notes on the early stages of Syrian Lepidoptera. *Entomologist's Rec. J. Var.* 48 (Suppl.): (9)-(11). [[available in Cesa Library](#)]
- 8965. Wiltshire, E.P.**, 1937, Autumnal Lepidoptera in Kurdistan. Preliminary notes on some excursions in the Rowanduz Chai Valley, Iraq. *Entomologist's Rec. J. Var.* 49: 91-94, 107-109, pl.vii. [[available in Cesa Library](#)]
- 8966. Wiltshire, E.P.**, 1938, Notes on the winter flight; in mild climates, of vernal and autumnal moths. *Entomologist's Rec. J. Var.* 50: 144-146. [[available in Cesa Library](#)]
- 8967. Wiltshire, E.P.**, 1939, Lepidoptera of a Bagdad Orchard. *Entomologist's Rec. J. Var.* 51: 13-17. [[available in Cesa Library](#)]
- 8968. Wiltshire, E.P.**, 1939, [in] Ellison, R.E. & E.P. Wiltshire, The Lepidoptera of the Lebanon: with notes on their season and distribution Part II. Heterocera and Part III. Pyralidae and Microlepidoptera. *Trans. R. ent. Soc. Lond.* 88 (1): 23-56, Pl.1 [[available in Cesa Library](#)]
- 8969. Wiltshire, E.P.**, 1939, More notes on Kurdish Lepidoptera, with description of a new race and comparisons with Luristan and Alvand, Iran. *Entomologist's Rec. J. Var.* 51: 97-103, 133-138. [[available in Cesa Library](#)]

- 8970. Wiltshire, E.P.**, 1939, A third contribution to the knowledge of the early stages of Oriental Lepidoptera. Mitt. münch. ent. Ges. 29: 4-12, pl.1. [\[available in Cesa Library\]](#)
- 8971. Wiltshire, E.P.**, 1940, Insect biotops in Syria, Iraq, and Iran. Ecological first impressions. Entomologist's Rec. J. Var. 52: 43-52. [\[available in Cesa Library\]](#)
- 8972. Wiltshire, E.P.**, 1940, The Lepidoptera of the Lebanon. Addendum. Proc. R. ent. Soc. Lond. (B) 9: 79-82. [\[available in Cesa Library\]](#)
- 8973. Wiltshire, E.P.**, 1940, Some notes on migrant Lepidoptera in Syria, Iraq and Iran. Entomologist 73: 231-234.
- 8974. Wiltshire, E.P.**, 1940, Early stages of oriental palaearctic Lepidoptera, IV. Entomologist's Rec. J. Var. 52: 69-74, pl. iv. [\[available in Cesa Library\]](#)
- 8975. Wiltshire, E.P.**, 1941, The summer flight; in cold climates of vernal and autumnal Lepidoptera. Entomologist's Rec. J. Var. 53: 4-7. [\[available in Cesa Library\]](#)
- 8976. Wiltshire, E.P.**, 1941, The phenological classification of Palaearctic Lepidoptera. A preliminary essay. Entomologist's Rec. J. Var. 53: 101-106. [\[available in Cesa Library\]](#)
- 8977. Wiltshire, E.P.**, 1941, New Lepidoptera from S.W. Iran. J. Bomb. nat. Hist. Soc. 42 (2): 472-477, 1 pl. [\[available in Cesa Library\]](#)
- 8978. Wiltshire, E.P.**, 1941, Mesopotamian Desert Lepidoptera. J. Bomb. Nat. Hist. Soc. 42 (4): 826-842. [\[available in Cesa Library\]](#)
- 8979. Wiltshire, E.P.**, 1943, Substitute food-plants. Entomologist's Rec. J. Var. 55: 79-85. [\[available in Cesa Library\]](#)
- 8980. Wiltshire, E.P.**, 1943, Some more new Lepidoptera from S.W. Iran, with their life histories. J. Bomb. nat. Hist. Soc. 44 (2): 247-251, 1 Pl. [\[available in Cesa Library\]](#)
- 8981. Wiltshire, E.P.**, 1943, Early stages of Oriental Palaearctic Lepidoptera V. J. Bomb. nat. Hist. Soc. 43 (4): 621-634, 2 pls. [\[available in Cesa Library\]](#)
- 8982. Wiltshire, E.P.**, 1944, Two visit to the Hammar lake, with a discussion of S. Iraqi marsh fauna. Entomologist's Rec. J. Var. 56: 14-16.
- 8983. Wiltshire, E.P.**, 1944, The butterflies and moths (Lepidoptera) of Iraq. Baghdad.
- 8984. Wiltshire, E.P.**, 1946, Middle East Lepidoptera: New forms and species, vii. Entomologist's Rec. J. Var. 58: 25-31, Pls. [\[available in Cesa Library\]](#)
- 8985. Wiltshire, E.P.**, 1946, Middle East Lepidoptera, V. A new genus, a new species, and two new races from Iran, with taxonomic notes on other Persian Heterocera. Proc. R. ent. Soc. Lond. (B) 15 (9/10): 118-128, pl.1 [\[available in Cesa Library\]](#)
- 8986. Wiltshire, E.P.**, 1947, New species and forms from Egypt and Arabia. Bull. Soc. Fouad Ier Ent. 31(1): 3-11, 15 figs. [\[available in Cesa Library\]](#)
- 8987. Wiltshire, E.P.**, 1947, Middle East Lepidoptera VI. Two fine new species from Southern Sinai. Bull. Soc. Fouad Ier Ent. 31(1): 1-2, 1 Pl. [\[available in Cesa Library\]](#)
- 8988. Wiltshire, E.P.**, 1947, Middle East Lepidoptera, VII. Some more new species and forms from Iran. Entomologist's Rec. J. Var. 59: 109-111, 125-127, pl. v. [\[available in Cesa Library\]](#)
- 8989. Wiltshire, E.P.**, 1948, The Lepidoptera of the Kingdom of Egypt, Part I. Bull. Soc. Fouad Ier Ent. 32: 203-298, Pls. [\[available in Cesa Library\]](#)
- 8990. Wiltshire, E.P.**, 1948, Middle East Lepidoptera IX. Two new forms of species and thirty-five new records from Cyprus. Entomologist's Rec. J. Var. 60: 79-87. [\[available in Cesa Library\]](#)
- 8991. Wiltshire, E.P.**, 1949, The Lepidoptera of the Kingdom of Egypt, Part II. Bull. Soc. Fouad Ier Ent. 33: 381-460, Pls. [\[available in Cesa Library\]](#)
- 8992. Wiltshire, E.P.**, 1949, Middle East Lepidoptera, IX [X]. New species and forms from Arabia and Persia, with a description of the genus *Tamsola* from Iraq. Bull. Soc. Fouad I Ent. 33: 353-372, Pls., figs. [\[available in Cesa Library\]](#)
- 8993. Wiltshire, E.P.**, 1949, Some more new records of Lepidoptera from Cyprus, Iraq and Iran. Entomologist's Rec. J. Var. 61: 73-76. [\[available in Cesa Library\]](#)
- 8994. Wiltshire, E.P.**, 1951, A year on a Tigris Island. J. Bomb. nat. Hist. Soc. 49(4): 637-660, 3 pls., figs. map.
- 8995. Wiltshire, E.P.**, 1952, Early stages of Palaearctic Lepidoptera, X. Bull. Soc. Fouad Ier Ent. 36: 175-186, Pl. [\[available in Cesa Library\]](#)
- 8996. Wiltshire, E.P.**, 1952, Middle East Lepidoptera, X. More new species and forms from Persia (Iran) and Syria. Bull. Soc. Fouad Ier Ent. 36: 187-210, Pl. [\[available in Cesa Library\]](#)
- 8997. Wiltshire, E.P.**, 1952, Lepidoptera recently taken in Arabia. Bull. Soc. Fouad Ier Ent. 36: 135-174, Pl., 5 text-figs. [\[available in Cesa Library\]](#)

- 8998. Wiltshire, E.P.**, 1953, Narrative of a trek and of natural history observations in Kashmir in May-June 1942. J. Bomb. nat. Hist. Soc. 51(4): 825-838, 2 Pls. [[available in Cesa Library](#)]
- 8999. Wiltshire, E.P.**, 1953, Middle East Lepidoptera, XII. Two new species from South-West Persia (Iran). Proc. R. ent. Soc. Lond. (B) 22 (11/12): 217-219, 2 figs. [[available in Cesa Library](#)]
- 9000. Wiltshire, E.P.**, 1956, Middle East Lepidoptera, XIII. Two new species from Jordan. Entomologist 89: 237-240, pl.v. [[available in Cesa Library](#)]
- 9001. Wiltshire, E.P.**, 1957, Erste Stände palaearktischer Lepidopteren. XI. Z. wien. ent. Ges. 42: 149-155, Taf.12. [[available in Cesa Library](#)]
- 9002. Wiltshire, E.P.**, 1957, The Lepidoptera of Iraq. Nicholas Kaye Ltd. London. [[available in Cesa Library](#)]
- 9003. Wiltshire, E.P.**, 1958, New species and forms of Lepidoptera from Afghanistan and Iraq. J. Bomb. nat. Hist. Soc. 55 (2): 228-237, 1 Pl., figs. [[available in Cesa Library](#)]
- 9004. Wiltshire, E.P.**, 1961, A new genus, eight new species, seven new forms, and notes on the Lepidoptera of Saudi Arabia, Bahrain, and Iran. J. Bomb. nat. Hist. Soc. 58 (3): 608-631, 3 figs., 4 Pls. [[available in Cesa Library](#)]
- 9005. Wiltshire, E.P.**, 1961, Ergebnisse der Deutschen Afghanistan Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe. Middle East Lepidoptera XV. A second contribution to the Lepidoptera of Afghanistan. Beitr. naturk. Forsch. SWDtl. 191 (3): 337-371, figs. [[available in Cesa Library](#)]
- 9006. Wiltshire, E.P.**, 1962, Early stages of old world Lepidoptera- XII. J. Bomb. nat. Hist. Soc. 59 (3): 778-779, 4 pls. [[available in Cesa Library](#)]
- 9007. Wiltshire, E.P.**, 1964, The Lepidoptera of Bahrain. J. Bomb. nat. Hist. Soc. 61 (1): 119-141, 3 pls. [[available in Cesa Library](#)]
- 9008. Wiltshire, E.P.**, 1964, Geometridae new for Turkey discovered in 1939-1942 by J. Romieux (Middle East Lepidoptera xvii). Mitt. ent. Ges. Basel 14: 151-153. [[available in Cesa Library](#)]
- 9009. Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 10. Subfamilien Larentiinae und Ennomiinae (s.l.) (Lep., Geometridae). Middle East Lepidoptera XXIII. Z. wien. ent. Ges. 51: 138-151, 2 Taf., 20 figs. [[available in Cesa Library](#)]
- 9010. Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan Expeditionen. Beiträge zur Lepidopterenfauna, Teil 9. Subfamilie Sterrhinae (Lep., Geometridae). Middle East Lepidoptera XXII. Z. wien. ent. Ges. 51: 113-138, 4 Taf., 32 figs. [[available in Cesa Library](#)]
- 9011. Wiltshire, E.P.**, 1966, Österreichische entomologische Iran-Afghanistan-Expeditionen. Beiträge zur Lepidopterenfauna 6. Subfamilien Alsophilinae und Geometrinae (Lepidoptera, Geometridae) Middle East Lepidoptera xxi. Z. wien. ent. Ges. 51: 27-32, Taf.2. [[available in Cesa Library](#)]
- 9012. Wiltshire, E.P.**, 1967, Middle East Lepidoptera XX. A third contribution to the fauna of Afghanistan. Beitr. naturk. Forsch. SWDtl. 26(3): 137-169, 16 pls. [[available in Cesa Library](#)]
- 9013. Wiltshire, E.P.**, 1967, Middle East Lepidoptera XXIV. Beihania, a new noctuid genus from Southern Arabia, with two new species from Arabia and Somaliland. J. Bomb. nat. Hist. Soc. 64(2): 232-237, 6 figs. [[available in Cesa Library](#)]
- 9014. Wiltshire, E.P.**, 1968, Middle East Lepidoptera, xxviii. Three new species and a new race, from the Lebanon, Sudan and Karakoram. Entomologist 101: 162-167, 4 figs. Pl.II. [[available in Cesa Library](#)]
- 9015. Wiltshire, E.P.**, 1969, Beiträge zur Kenntnis der Fauna Afghanistans. Quadrifinae, Noctuidae (Lep.) (Middle East Lepidoptera XXX). Cas. morav. Mus. Brne 54 (suppl.): 431-446, 3 figs. [[available in Cesa Library](#)]
- 9016. Wiltshire, E.P.**, 1970, A review of the genus *Pericyma* Herrich-Schäffer and neighbouring genera (Noctuidae). Veröff. zool. St. Samml. München 14: 92-111, figs. [[available in Cesa Library](#)]
- 9017. Wiltshire, E.P.**, 1970, Some new Jaspidiinae and Catocalinae mainly from the Sudan (Noctuidae). Veröff. zool. St. Samml. München 14: 112-119, figs. [[available in Cesa Library](#)]
- 9018. Wiltshire, E.P.**, 1970, Österreichische entomologische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 13. Unterfamilie Ennominae (Lepidoptera, Geometridae) (Middle East Lepidoptera, XXVI). Annln naturh. Mus. Wien 74: 387-398, 1 Taf. [[available in Cesa Library](#)]
- 9019. Wiltshire, E.P.**, 1970, Österreichische entomologische Expeditionen nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 12. Unterfamilien Larentiinae und

- Rhodometrinae (Lepidoptera, Geometridae) (Middle East Lepidoptera, XXV). *Annln naturh. Mus. Wien* 74: 371-386, 3 Taf. [\[available in Cesa Library\]](#)
- 9020. Wiltshire, E.P.**, 1971, Österreichische Expedition nach Persien und Afghanistan. Beiträge zur Lepidopterenfauna, Teil 15. Noctuidae-Quadrifinae (Middle East Lepidoptera, XXVII). *Annln naturh. Mus. Wien* 75: 627-649, 2 pls. [\[available in Cesa Library\]](#)
- 9021. Wiltshire, E.P.**, 1971, Middle East Lepidoptera xxix. Noctuidae Quadrifinae. *Beitr. naturk. Forsch. SüdwDtl.* 30 (1): 57-63, figs. [\[available in Cesa Library\]](#)
- 9022. Wiltshire, E.P.**, 1976, Early stages of Palaearctic Lepidoptera, XIV. *Cucullia minogenica* Rebel (Noctuidae), and some closely relatives; with a provisional key to the known larvae of the *C. verbasci* L. group. *Proc. Br. ent. Nat. Hist. Soc.* 1976: 26-32, 2 pls. [\[available in Cesa Library\]](#)
- 9023. Wiltshire, E.P.**, 1976, Middle East Lepidoptera, xxxiii. Some new Lasiocampidae, Noctuidae, Geometridae and Limacodidae. *Z. ArbGem. öst. Ent.* (1975) 27 (3/4): 73-84, 7 figs. 2 Pls. [\[available in Cesa Library\]](#)
- 9024. Wiltshire, E.P.**, 1977, Middle East Lepidoptera, XXXVII. Notes on the *Spodoptera litura* (F.)- Group (Noctuidae-Trifinae). *Proc. Br. ent. Nat. Hist. Soc.* 1977: 92-96, 7 figs. [\[available in Cesa Library\]](#)
- 9025. Wiltshire, E.P.**, 1977, Early stages of Palaearctic Lepidoptera, XV. Notes on certain closely related european *Eriogaster* (Germ.) (Lasiocampidae) larvae. *Proc. Br. ent. Nat. Hist. Soc.* 1977: 98-99, pl.12 [\[available in Cesa Library\]](#)
- 9026. Wiltshire, E.P.**, 1977, Middle East Lepidoptera xxxiv: More new species of Noctuidae (Lep.) from Africa and Arabia, with further records of Lepidoptera from the Sudan. *Mitt. münch. ent. Ges.* 66: 127-140, figs. [\[available in Cesa Library\]](#)
- 9027. Wiltshire, E.P.**, 1980, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae. *Fauna Saudi Arabia* 2: 179-240, figs. [\[available in Cesa Library\]](#)
- 9028. Wiltshire, E.P.**, 1980, A hermaphrodite Large Blue (*Maculinea arion* (L.)- Lep., Lycaenidae). *Proc. Br. ent. nat. Hist. Soc.* 1980: 30-32, 3 figs., Pl.8. [\[available in Cesa Library\]](#)
- 9029. Wiltshire, E.P.**, 1982, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae (Part 2). *Fauna Saudi Arabia* 4: 271-332, figs. [\[available in Cesa Library\]](#)
- 9030. Wiltshire, E.P.**, 1983, Insects of Saudi Arabia. Lepidoptera: Fam. Cossidae, Zygaenidae, Sesiidae, Lasiocampidae, Bombycidae, Sphingidae, Thaumetopoeidae, Thyretidae, Notodontidae, Geometridae, Lymantriidae, Noctuidae, Ctenuchidae (Part 3). *Fauna Saudi Arabia* 5: 293-332, figs. [\[available in Cesa Library\]](#)
- 9031. Wiltshire, E.P.**, 1985, Middle East Lepidoptera xlv. *Eupithecia penultimaria* sp.n. (Geometridae) from central Iraq. *Entomologist's Gaz.* 36: 263-267, Pl.9, 6 figs. [\[available in Cesa Library\]](#)
- 9032. Wiltshire, E.P.**, 1985, New Geometridae from Africa, with a list of additions to the Lepidoptera fauna of the Sudan (Lepidoptera, Geometridae). *Entomofauna* 6 (2): 9-22, 8[♀]+10 figs. [\[available in Cesa Library\]](#)
- 9033. Wiltshire, E.P.**, 1990, *Dyscia senecai* sp.n. from Libya, with notes on some other N. African *Dyscia* species (Geometridae, Ennominae). *Nota lepid.* 12 (4): 354-365, 17 figs., 1 Tab. [\[available in Cesa Library\]](#)
- 9034. Wiltshire, E.P.**, 1990, An illustrated annotated catalogue of the Macro-Heterocera of Saudi Arabia. *Fauna Saudi Arabia* 11: 91-250, 561 figs. [\[available in Cesa Library\]](#)
- 9035. Wiltshire, E.P.**, 1993, Middle East Lepidoptera 50: Notes on some hitherto misunderstood forms near *Polymixis bischoffii* (Herrich-Schäffer, 1850) (Noctuidae). *Nota lepid.* 15 (3/4): 257-267, 13 figs. [\[available in Cesa Library\]](#)
- 9036. Wiltshire, E.P.**, 1994, Arabian Lepidoptera: A Supplement to the Catalogue of Saudi Arabian Macro-Heterocera. *Fauna Saudi Arabia* 14: 113-136, figs.
- 9037. Wipking, W. & C.M. Naumann**, 1992, Diapause and related phenomena in zygaenid moths. In Dutreix, C. et al. (eds): *Recent advances in burnet moth research* (Lepidoptera, Zygaenidae). *Proc. of the 4th Symposium on Zygaenidae*, Nantes 11-13 Sept. 1987. pp.197-228.
- 9038. Witt, T. & W. Speidel**, 2007, Eine neue *Rodneya*-Art aus Pakistan (Lepidoptera, Notodontidae). *Entomofauna* 28 (13): 149-156, figs. [\[available in Cesa Library\]](#)

- 9039. Witt,T. & W.Speidel**, 2007, Eine neue Art der Gattung Polymona Walker,1855 aus Algerien (Lepidoptera, Lymantriidae). Entomofauna 28 (3): 33-42, Abb. [\[available in Cesa Library\]](#)
- 9040. Witt,T.**, 1974, Peridea korbi Rebel, bona species, und ihre Rassen (Lep., Notodontidae). Z. ArbGem. öst. Ent. 24(3): 89-102, 2 Taf. [\[available in Cesa Library\]](#)
- 9041. Witt,T.**, 1979, Lemonia pia friedeli n.ssp. (Lepidoptera, Lemoniidae). Z. ArbGem. öst. Ent. 31 (1/2): 17-20, figs. [\[available in Cesa Library\]](#)
- 9042. Witt,T.**, 1980, Melanismus und geographische Variabilität bei Notodonta dromedarius (Linné,1767) (Lepidoptera, Notodontidae). Entomofauna 1(7): 73-91, Abb. [\[available in Cesa Library\]](#)
- 9043. Witt,T.**, 1980, Die Verbreitung und Rassenbildung von Ocnogyna parasita (Hübner, 1790) (Lepidoptera, Arctiidae). Mitt. münch. ent. Ges. 69: 133-165, 59 figs. [\[available in Cesa Library\]](#)
- 9044. Witt,T.**, 1981, Trichiura verena sp.n. (Lepidoptera, Lasiocampidae). Entomofauna 2(23): 263-284, figs. [\[available in Cesa Library\]](#)
- 9045. Witt,T.**, 1982, Die Verbreitung von Lasiocampa grandis (Rogenhofer,1891) in Europa (Lepidoptera, Lasiocampidae). NachrBl. bayer. Ent. 31(2): 27-31, map. [\[available in Cesa Library\]](#)
- 9046. Witt,T., Kravchenko,V.D., Speidel,W., Mooser,J., Junnila,A. & G.C.Müller**, 2007, A new Amata species from Israel (Arctiidae, Syntomini). Nota lepid. 30 (2): 367-373, figs. [\[available in Cesa Library\]](#)
- 9047. Witt,T.J., Müller,G.C., Kravchenko,V.D., Miller,M.A., Hausmann,A. & W.Speidel**, 2005, A new Olepa species from Israel (Lepidoptera, Arctiidae). NachrBl. bayer. Ent. 54 (3/4): 101-115, figs. [\[available in Cesa Library\]](#)
- 9048. Wlofe,J.**, 1896, The egg-laying of Hipparchia semele. Entomologist's Rec. J. Var. 8: 266-267. [\[available in Cesa Library\]](#)
- 9049. Wnukowsky,W. & W.Ermolajew**, 1935, Beiträge zur Lepidopteren-Fauna des Gebietes der oberen Stromung des Flusses Obj (West Sibirien). Folia zool. hydrobiol. 7(2): 269-282.
- 9050. Wnukowsky,W.**, 1929, Einige Nomenklatur-Notizen über die paläarktischen Lepidopteren. Zool. Anz. 83: 221-224. [\[available in Cesa Library\]](#)
- 9051. Wnukowsky,W.**, 1935, Neue Angaben über die Lepidopteren-Fauna des Tomscher Bezirks (West-Sibirien). Folia zool. hydrobiol. 7(2): 221-238.
- 9052. Wnukowsky,W.**, 1935, Contribution a la faune des Lepidopteres de la Sibirie. Lambillionea 6: 129-139.
- 9053. Wocke,M.**, 1861, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren Europa's und der angrenzenden Länder. 85-192S. Dresden. [\[available in Cesa Library\]](#)
- 9054. Wocke,M.**, 1864, Ein Beitrag zur Lepidopterenfauna Norwegens. Stettin ent. Ztg. 25: 166-192, 201-220.
- 9055. Wocke,M.**, 1871, Microlepidoptera. [in] Staudinger,O. & M.Wocke, Catalog der Lepidopteren des europäischen Faunengebiets. 201-426S. Dresden. [\[available in Cesa Library\]](#)
- 9056. Wojtusiak,R.J. & W.Niesiolowski**, 1947, Lepidoptera of the Central Caucasus, collected during the Polish Alpine Expedition in 1935, with ecological and zoogeographical remarks. I. Part. Macrolepidoptera. Pr. Muz. przyr., Krakow 6: 1-74, Pls. xi,xii. [\[available in Cesa Library\]](#)
- 9057. Wolf,H.W.v.d.**, 2008, Order Lepidoptera, family Coleophoridae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 430-441, figs. [\[available in Cesa Library\]](#)
- 9058. Wolf,H.v.d.**, 2008, Order Lepidoptera, family Scythrididae, [in] A.v.Harten, Arthropod fauna of the UAE 1: 418-427, figs. [\[available in Cesa Library\]](#)
- 9059. Wolf,P.**, 1927, Die Großschmetterlinge Schlesiens. Breslau.
- 9060. Wolf,W.**, 1988, Prodromus der Lepidopterenfauna Nordbayerns. Neue ent. Nachr. 23: 5-161. [\[available in Cesa Library\]](#)
- 9061. Wolfe,J.J.**, 1896, Notes on the early-stages of some British butterflies. Entomologist's Rec. J. Var. 8: 4-5. [\[available in Cesa Library\]](#)
- 9062. Wolff,N.L.**, 1958, Further notes on the Stomopteryx group (Lepid., Gelechiidae). Ent. Medd. 28: 224-281, 2 pls. 62 figs. [\[available in Cesa Library\]](#)
- 9063. Wolfsberger,J.**, 1966, Die Macrolepidopterenfauna des Gardaseegebietes. (6.Beitrag zur Kenntnis der Lepidopterenfauna der Südalpen). Mem. Mus. civic. Stor. Nat. Verona 13: 1-385, xvi Taf. [\[available in Cesa Library\]](#)
- 9064. Wolfsberger,J.**, 1971, Die Macrolepidopteren-Fauna des Monte Baldo in Oberitalien. Mem. Mus. civic. Stor. Nat. Verona, Mem. Serie 4: 1-335, 20 Taf. [\[available in Cesa Library\]](#)

- 9065. Wollaston, T.F.**, 1879, Notes on the Lepidoptera of St. Helena, with descriptions of new species. Ann. Mag. nat. Hist. (5) 3: 219-235, 329-343, 415-441. [\[available in Cesa Library\]](#)
- 9066. Woltusiak, R.J. & H. Wojtusiak**, 1947, Przycznek do znajomosci fauny motyli wschodniej czesci Litwy. Fragm. faun. Mus. zool. Pol. 5 (11): 159-182. [\[available in Cesa Library\]](#)
- 9067. Wood, H.L.**, 1896, Description of the ovum of Zephyrus betulae. Entomologist's Rec. J. Var. 8: 186-187. [\[available in Cesa Library\]](#)
- 9068. Wood, H.L.**, 1897, Pupa of Nemeobius lucina. Entomologist's Rec. J. Var. 9: 336-337. [\[available in Cesa Library\]](#)
- 9069. Worms, C.G.M.de**, 1967, Three weeks in Cyprus, April-May 1967. Entomologist's Rec. J. Var. 79: 245-249. [\[available in Cesa Library\]](#)
- 9070. Wu, C. & K.-T. Park** 1999, A taxonomic review of the family Lecithoceridae (Lepidoptera) in Sri Lanka. 1. The subfamily Torodorinae: Genera Torodora and allies. Tinea 16 (1): 61-72.
- 9071. Wu, C. & Y. Liu**, 1994, A study of the genus Torodora Meyrick, 1894 and description of new species. Sinozoologica 11: 155-173, figs.
- 9072. Wu, C.**, 1998, Genus Tisis Walker from Malaysia and Indonesia (Lepidoptera, Lecithoceridae), with description of three new species. Zool. Stud. 37 (3):
- 9073. Wu, C.-S. & A.V. Solovyev**, 2011, A review of the genus Miresa Walker in China (Lepidoptera, Limacodidae). J. Ins. Sci. 11 (34): 1-16, 33 figs. [\[available in Cesa Library\]](#)
- 9074. Wu, C.-S. & C.-L. Fang**, 2008, A review of the genera Phlossa Walker and Iragoides Hering in China (Lepidoptera, Limacodidae). Acta ent. sinica 51 (7): 753-760, figs. [\[available in Cesa Library\]](#)
- 9075. Wu, S. & C.-M. Fu**, 2013, The genus Asuridia Hampson, 1900 in Taiwan, with descriptions of two new species (Erebidae, Arctiinae, Lithosiini). Zootaxa 3737 (5): 595-599, figs. [\[available in Cesa Library\]](#)
- 9076. Wyatt, C.W. & K. Omoto**, 1963, Auf der Jagd nach Parnassius autocrator Avin. Z. wien. ent. Ges. 48: 163-170, 3 Abb. [\[available in Cesa Library\]](#)
- 9077. Wyatt, C.W. & K. Omoto**, 1966, New Lepidoptera from Afghanistan. Entomops 5: 138-167, figs. [\[available in Cesa Library\]](#)
- 9078. Wyatt, C.W. & K. Omoto**, 1967, New Lepidoptera from Afghanistan. Entomops 6: 170-200, figs. [\[available in Cesa Library\]](#)
- 9079. Wyatt, C.W.**, 1952, Einige neue Tagfalterformen aus Marokko. Z. wien. ent. Ges. 37: 173-176, Taf. 21-24. [\[available in Cesa Library\]](#)
- 9080. Wyatt, C.W.**, 1952, Einige neue Tagfalterrassen aus Spanien. [\[available in Cesa Library\]](#)
- 9081. Wyatt, C.W.**, 1954, Eine neue Rasse von Parnassius apollo L. aus Nordspanien. Z. wien. ent. Ges. 49: 154-156. [\[available in Cesa Library\]](#)
- 9082. Wyatt, C.W.**, 1956, Lepidoptera collecting in the Atlas mountain of Morocco. Lepidopterists' News 10 (6): 214-222.
- 9083. Wyatt, C.W.**, 1959, Eine neue Rasse von Papilio machaon L. vom Mt. Everest-Gebiet. Z. wien. ent. Ges. 44: 97-98, Taf. 4. [\[available in Cesa Library\]](#)
- 9084. Wyatt, C.W.**, 1960, Eine neue Rasse von Parnassius simo Gray. Z. wien. ent. Ges. 45: 18-19, Taf. 6. [\[available in Cesa Library\]](#)
- 9085. Wyatt, C.W.**, 1961, Additions to the Rhopalocera of Afghanistan with descriptions of new species and subspecies. J. Lepidopterist's Soc. 15 (1): 1-18, 3 Pls. [\[available in Cesa Library\]](#)
- 9086. Wyatt, C.W.**, 1961, Zwei für das paläarktische Faunengebiet neue Tagfalterarten. Z. wien. ent. Ges. 46: 97-100, Taf. 5. [\[available in Cesa Library\]](#)
- 9087. Wyatt, C.W.**, 1961, Eine neue Parnassius-Rasse aus Nordamerika. Z. wien. ent. Ges. 46: 144-146, Taf. 11. [\[available in Cesa Library\]](#)
- 9088. Wyatt, C.W.**, 1964, Eine neue Rasse von Parnassius apollo L. aus Nordspanien. Z. wien. ent. Ges. 49: 154-156, Taf. 17. [\[available in Cesa Library\]](#)
- 9089. Wyatt, C.W.**, 1964, Further additions to the Rhopalocera of Afghanistan. J. Lepidopterist's Soc. 18: 78.
- 9090. Wyatt, C.W.**, 1966, Eine neue Erebia-Art aus Alaska. Z. wien. ent. Ges. 51: 93-94, 2 Abb. [\[available in Cesa Library\]](#)
- 9091. Wyatt, C.W.**, 1968, Eine neue Rasse von Brenthis hecate W.V. aus Iran. Z. wien. ent. Ges. 53: 29-30, 4 figs. [\[available in Cesa Library\]](#)
- 9092. Wyatt, C.W.**, 1968, Huit jours en automne au Maroc. Alexanor 5: 327-329. [\[available in Cesa Library\]](#)

- 9093. Wyatt,C.W.**, 1969, Eine neue Rasse von *Parnassius phoebus* L. aus Kanada. Z. wien. ent. Ges. 54: 132-133, Taf.15. [\[available in Cesa Library\]](#)
- 9094. Wyatt,C.W.**, 1975, Description de deux nouvelles races d'Afghanistan de *Parnassius* (Lep., Papilionidae). Entomops 36: 105-109, 3 figs. [\[available in Cesa Library\]](#)
- 9095. Wynter-Blyth,M.A.**, 1944, The butterflies of the Nilgiris. J. Bombay nat. Hist. Soc. 44: 536-549.
- 9096. Wynter-Blyth,M.A.**, 1946, Addenda and corrigenda to the butterflies of the Nilgiris. J. Bombay nat. Hist. Soc. 45: 613-615.
- 9097. Wynter-Blyth,M.A.**, 1947, Additions to the butterflies of the Nilgiris. J. Bombay nat. Hist. Soc. 46: 736.
- 9098. Wynter-Blyth,M.A.**, 1957, Butterflies of the Indian Region. Bombay nat. Hist. Soc., Bombay. [\[available in Cesa Library\]](#)
- 9099. Wytzman,P.**, 1902, Lepidoptera. [in] Wytzman,P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles.
- 9100. Wüst,P.**, 1996, Wanderfalter im Nestos-Delta, Mazedonien, Griechenland, 1988-1993. Migrant Lepidoptera species in the Nestos-Delta, Macedonia, Greece, 1988-1993 (Insecta, Lepidoptera). Atalanta 27 (1/2): 165-173. [\[available in Cesa Library\]](#)
- 9101. Xiao,Y. & H.Li**, 2010, Taxonomic study of the genus *Nemapogon* Schrank from China (Lepidoptera, Tineidae). Zootaxa 2401: 41-51, figs. [\[available in Cesa Library\]](#)
- 9102. Ximei,F. & H.Li**, 2008, The genus *Issikiapteryx* (Lepidoptera, Lecithoceridae): Checklist and descriptions of new species. Zootaxa 1725: 53-60, figs. [\[available in Cesa Library\]](#)
- 9103. Xue,D., Wang,X. & H.Han**, 2009, A revision of *Episothalma* Swinhoe,1893, with descriptions of two new species and one new genus (Lepidoptera, Geometridae, Geometrinae). Zootaxa 2033: 12-25, figs. [\[available in Cesa Library\]](#)
- 9104. Yaacoby,T. & V.Septyarsky**, 2011, *Epiblema strenuana* (Walker,1863) (Lepidoptera, Tortricidae), a new species in Israel. EPPO Bull. 41 (2): 243-246.
- 9105. Yagishita,A. & S.Morita**, 1996, On the genus *Delias* from Mindanao Island, Philippines. Butterflies 13: 46-59, fig.
- 9106. Yakovlev,R., Ivinskis,P., Rimsaite,J. & A.Saldaitis**, 2013, Description of two species of *Meharia* Chrétien,1915 (Lepidoptera, Cossidae) from East Africa. Zootaxa 3635 (5): 587-590, figs.
- 9107. Yakovlev,R.V. & A.Saldaitis**, 2008, *Rambuasalama augustasi* gen. nov. & spec. nov. of Cossidae from Madagascar (Lepidoptera, Cossidae). Atalanta 39 (1/4): 401-403, figs. [\[available in Cesa Library\]](#)
- 9108. Yakovlev,R.V. & V.V.Doroshkin**, 2005, New data of Macrolepidoptera for the fauna of Mongolia II (Insecta, Lepidoptera). Atalanta 35 (3/4): 390-398, figs. [\[available in Cesa Library\]](#)
- 9109. Yakovlev,R.V. & V.V.Doroshkin**, 2006, On the fauna of butterflies (Lepidoptera, Rhopalocera) of upper stream of Kara-Irtysh river (W. Mongolia). Eversmannia 6: 13-26, figs. [\[available in Cesa Library\]](#)
- 9110. Yakovlev,R.V.**, 2005, Cossidae of Thailand, Part I. Atalanta 35 (3/4): 335-351, figs. [\[available in Cesa Library\]](#)
- 9111. Yakovlev,R.V.**, 2005, Cossidae of Thailand, Part 2 (Lepidoptera, Cossidae). Atalanta 35 (3/4): 383-389, figs. [\[available in Cesa Library\]](#)
- 9112. Yakovlev,R.V.**, 2005, New taxa of Cossidae from SE.Asia (Lepidoptera, Cossidae). Atalanta 35 (3/4): 369-382, figs. [\[available in Cesa Library\]](#)
- 9113. Yakovlev,R.V.**, 2005, New data about Carpenter Moths of China (Lepidoptera, Cossidae). Atalanta 35 (3/4): 353-356, figs. [\[available in Cesa Library\]](#)
- 9114. Yakovlev,R.V.**, 2005, Two new genera of Carpenter Moths from the Palaearctic (Lepidoptera, Cossidae). Atalanta 35 (3/4): 357-368, figs. [\[available in Cesa Library\]](#)
- 9115. Yakovlev,R.V.**, 2005, Cossidae (Lepidoptera) of Andaman Islands (India). Tinea 18 (4): 261-269, figs.
- 9116. Yakovlev,R.V.**, 2006, A revision of carpenter moths of the genus *Holcocerus* Staudinger,1884 (s.l.). Eversmannia Suppl. 1: 1-104, figs. Tula. [\[available in Cesa Library\]](#)
- 9117. Yakovlev,R.V.**, 2006, New Cossidae (Lepidoptera) from Asia, Africa, and Macaronesia. Tinea 19 (3): 188-213, figs. [\[available in Cesa Library\]](#)
- 9118. Yakovlev,R.V.**, 2007, New replacement names in the family Cossidae (Lepidoptera) in Southern Asia. Zool. Zh. 86 (7): 893. [\[available in Cesa Library\]](#)

- 9119. Yakovlev, R.V.**, 2007, Two new genera of Cossidae (Lepidoptera) from Western Palaearctic. *Eversmannia* 11-12: 3-9, 13 figs. [[available in Cesa Library](#)]
- 9120. Yakovlev, R.V.**, 2008, *Afroarabiella* gen.nov. - a new genus of Cossidae (Lepidoptera) from the African and Arabian Peninsula. *Atalanta* 39 (1/4): 389-395, figs. [[available in Cesa Library](#)]
- 9121. Yakovlev, R.V.**, 2008, A new species of the genus *Sundacossus* Yakovlev, 2006. *Atalanta* 39 (1/4): 399-400, figs. [[available in Cesa Library](#)]
- 9122. Yakovlev, R.V.**, 2008, Notes about the genus *Eremocossus* Hampson, 1892 (Lepidoptera, Cossidae). *Atalanta* 39 (1/4): 404-411, figs. [[available in Cesa Library](#)]
- 9123. Yakovlev, R.V.**, 2009, Catoptinae subfam.n., a new subfamily of Carpenter-moths (Lepidoptera, Cossidae). *Ent. rev.* 89 (8): 927-932 [*Zool. Zh.* 88 (10): 1207-1212] [[available in Cesa Library](#)]
- 9124. Yakovlev, R.V.**, 2010, Cossidae of Israel. *Atalanta* 41 (3/4): 465-469. [[available in Cesa Library](#)]
- 9125. Yakovlev, R.V.**, 2011, Catalogue of the family Cossidae of the Old World. *Neue ent. Nachr.* 66: 1-129.
- 9126. Yakovlev, R.V.**, 2012, Checklist of butterflies (Papilionoidea) of the Mongolian Altai mountains, including descriptions of new taxa. *Nota lepid.* 35 (1): 51-96, figs. [[available in Cesa Library](#)]
- 9127. Yakovlev, R.V.**, 2015, A new species of *Isoceras* Turati, 1924 (Lepidoptera, Cossidae) from Armenia. *Zootaxa* 3990 (1): 147-150, figs. [[available in Cesa Library](#)]
- 9128. Yakovlev, R.V., Pljustch, I.G., Skrylnik, Y., Pak, O. & T.J. Witt**, 2015, The Cossidae (Lepidoptera) of Afghanistan with description of three new species and special notes on the fauna of Bande-Amir National Park. *Zootaxa* 3990 (1): 41-72, figs. [[available in Cesa Library](#)]
- 9129. Yakovlev, R.V., Saidaitis, A. & P. Ivinkis**, 2007, *Holcocerus witti* - a new species from NW Iran (Lepidoptera, Cossidae). *Atalanta* 38 (3/4): 381-383, figs. [[available in Cesa Library](#)]
- 9130. Yamamoto, A. & S. Takei**, 1982, A New Species of the Genus *Delias* from Mindanao, the Philippines (Lepidoptera, Pieridae). *Tyo to Ga* 32 (3/4): 160-163.
- 9131. Yamanaka, H.**, 2000, The Japanese species of the genus *Trachycera* Ragonot (Lepidoptera, Phycitinae), with descriptions of three new species. *Tinea* 16 (4): 232-239.
- 9132. Yang, J.**, 1994, Description of a new pear pest from Kurla (Lepidoptera, Pyralidae). *J. Huazhong Agr. Univ.* 13 (6): 560-562, figs. [[available in Cesa Library](#)]
- 9133. Yang, L., Wang, S. & H. Li**, 2014, A taxonomic revision of the genus *Edosa* Walker, 1886 [recte 1866] from China (Lepidoptera, Tineidae, Perissomastichinae). *Zootaxa* 3777 (1): 1-102, figs. [[available in Cesa Library](#)]
- 9134. Yang, L., Zhu, Y. & H. Li**, 2010, Review of the genus *Thubana* Walker (Lepidoptera, Lecithoceridae) from China, with description of one new species. *Zookeys* 53: 33-44, figs. [[available in Cesa Library](#)]
- 9135. Yano, K.**, 1963, Taxonomic and biological studies of Pterophoridae of Japan (Lep.). *Pacific Ins. (Honolulu)* 5 (1): 65-209, figs.
- 9136. Yano, K.**, 1963, Notes on South Pacific Pterophoridae (Lepidoptera). *Pacific Ins.* 5 (4): 849-871, figs. [[available in Cesa Library](#)]
- 9137. Yaroklev, R.V.**, 1998, Record of *Neolycaena falkovitshi* (Zhdanko et Korshunov, 1985) (Lepidoptera, Lycaenidae) in the north-east of the Altai Republic. *Russ. ent. J.* 6 (1997) (1/2): 126.
- 9138. Yata, O.**, 1989, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part I. Phylogeny and zoogeography of the subgenus *Terias* Swainson and descriptions of the subgenus *Eurema* Hübner. *Bull. Kitakyushu Mus. Nat. Hist.* 9: 1-103, 24 pls.
- 9139. Yata, O.**, 1991, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 2. Descriptions of the *smila*, the *hapale*, the *ada*, and the *sari* (part) groups. *Bull. Kitakyushu Mus. Nat. Hist.* 10: 1-51, 21 pls.
- 9140. Yata, O.**, 1992, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 3. Description of the *sari* group (part). *Bull. Kitakyushu Mus. Nat. Hist.* 11: 1-77, 30 pls.
- 9141. Yata, O.**, 1994, A revision of the Old World species of the genus *Eurema* Hübner (Lepidoptera, Pieridae). Part 4. Description of the *hecabe* group (part). *Bull. Kitakyushu Mus. Nat. Hist.* 13: 59-105, pls. 5-35.

- 9142. Yates, J.A.**, 1935, The butterflies of the Nilgiri District. J. Bombay nat. Hist. Soc. 38: 330-340.
- 9143. Yates, J.A.**, 1946, The butterflies of the Nilgiris. - a supplementary note. J. Bombay nat. Hist. Soc. 46: 197-198.
- 9144. Yazaki, K.**, 1995, The genus *Tanaorhinus* Butler (Lepidoptera, Geometridae) from Wallacea. Tinea 14 (2): 123-129, figs.
- 9145. Yazaki, K.**, 1996, The genus *Agathia* (Lepidoptera, Geometridae) of Wallacea. Tinea 14 (4): 237-253, figs.
- 9146. Yazaki, K.**, 1997, Three new species of *Dooabia* Warren (Geometridae). Tinea 15 (2): 106-118, figs.
- 9147. Yazaki, K.**, 1999, Two new species of *Spaniocentra* (Lepidoptera, Geometridae). Tinea 16 (1): 16-19.
- 9148. Yen, S.-H., Jean, J. & P.-S. Yang**, 1996, On two *Artona* species from Taiwan (Lepidoptera, Zygaenidae, Procrinae) Entomologist's Gaz. 47: 99-108, 26 figs.
- 9149. Yen, S.-H. & J. Minet**, 2007, Cimelioidea: A new superfamily name for the Gold Moths (Lepidoptera, Glossata). Zoological Studies 46 (3): 262-271, figs. [[available in Cesa Library](#)]
- 9150. Yen, S.-H. & P.-S. Yang**, 1997, Two new genera of Chalcosiinae (Zygaenidae) from eastern Palaearctic Asia. Trans. lepid. Soc. Jpn. 48: 243-263, figs.
- 9151. Yen, S.-H. & P.-S. Yang**, 1998, The genus *Soritia* of Taiwan (Zygaenidae, Chalcosiinae, Chalcosiini). Tinea 15: 207-220, figs.
- 9152. Yen, S.-H.**, 2003, A new species of *Eterusia* Hope, 1841 (Lepidoptera, Zygaenidae, Chalcosiinae) from Mindanao and Seram. Ent. Z. 2003: 121-126, figs.
- 9153. Yen, S.-H.**, 2003, Phylogenetic reconstruction and systematics of Chalcosiinae (Lepidoptera, Zygaenidae). PhD disst. Dept. Biol. Sci. Imp. College London. UK.
- 9154. Yen, S.-H.**, 2004, Nomenclatural and systematic problems surrounding *Eterusia aedeia* (Linnaeus, 1763) (Lepidoptera: Zygaenidae, Chalcosiinae). Zool. Stud. 43 (1): 20-34, figs. [[available in Cesa Library](#)]
- 9155. Yerbury, J.W.**, 1892, The butterflies of Aden and neighbourhood, with some notes on their habits. J. Bombay nat. Hist. Soc. 7: 207-218. [[available in Cesa Library](#)]
- 9156. Yermolayev, V.P.**, 1993, Moth of the genus *Parornix* Spuler (Lepidoptera, Gracilariidae) of the Far East. Ent. Obozr. 72 (3): 644-647 [engl. transl. Ent. rev. 73(4): 29-33, fig., 1994].
- 9157. Ylla, J., Zilli, A. & R. Macia**, 2012, *Polyocha cremoricosta* Ragonot, 1895 en la Península Ibérica (Lepidoptera, Pyralidae, Phycitinae, Anerastiini). Shilap Revta. lepid. 40 (159): 299-310, figs. [[available in Cesa Library](#)]
- 9158. Yokohama, M. & M. Wakabayashi**, 1968, Coloured illustrations of the butterflies of Japan. 178 pp., 74 Pls. Osaka.
- 9159. Yoshimatsu, S.-I., M. Hreblay**, 1996, A new species of the genus *Mythimna* Ochsenheimer (Lepidoptera, Noctuidae) from Thailand. Trans. lepid. Soc. Japan 47 (1): 13-16, figs. [[available in Cesa Library](#)]
- 9160. Yoshimoto, H.**, 1982, Notes on the genus *Chandata*, with descriptions of three new species from Nepal and Taiwan (Lepidoptera, Noctuidae). Tyo to Ga 32: 138-146.
- 9161. Yoshimoto, H.**, 1987, Discovery of *Chaopsestis ludovicae* Le Cerf, 1941 from North Thailand, with a redescription of the genus (Lepidoptera, Thyatiridae). Tyo to Ga 38: 239-242.
- 9162. Yoshimoto, H.**, 1996, Records of Thyatiridae from Thailand (Lepidoptera). Tinea 14 (4): 279-286.
- 9163. Yoshimoto, H.**, 1999, Descriptions of three new species of *Diehlea* Kobes (Noctuidae, Chloephorinae) from Wallacea. Trans. lepid. Soc. Japan 50 (2): 122-127, figs.
- 9164. Yoshimoto, H.**, 1999, Description of a new species of *Artena* Walker (Noctuidae, Catocalinae) from the Philippines. Tinea 16 (1): 9-11.
- 9165. Yoshimoto, H.**, 1999, A new species of the genus *Othreis* Hübner (Noctuidae, Ophiderinae) from Myanmar. Trans. lepid. Soc. Japan 50 (1): 60-62.
- 9166. Yoshimoto, H.**, 2000, A new species of *Episparis* Walker (Noctuidae, Ophiderinae) from the Philippines. Tinea 16 (1): 4-8.
- 9167. Yoshimoto, H.**, 2001, Description of a new species of *Brana* Walker (Lepidoptera, Noctuidae, Ophiderinae) from Thailand. Trans. lepid. Soc. Japan 52 (4): 250-252, figs. [[available in Cesa Library](#)]
- 9168. Yoshiyasu, Y.**, 1980, A systematic study of the genus *Nymphicula* Snellen from Japan (Lepidoptera, Pyralidae). Tyo to Ga 31 (1/2): 1-28, figs.

- 9169. Yoshiyasu, Y.**, 1983, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) (1) Description of *Paracataclysta* n.gen. *Akitu* (n.ser.) (5): 1-6.
- 9170. Yoshiyasu, Y.**, 1983, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) 2. Notes on genera *Nymphula* and *Parapoynx*. *Tinea* 11 (13): 117-124.
- 9171. Yoshiyasu, Y.**, 1984, A study of Thailand Nymphulinae (Lepidoptera, Pyralidae) (3) Two new species of *Eristena* Warren. *Tyo to Ga* 35: 1-9, figs.
- 9172. Yoshiyasu, Y.**, 1985, A new species from Thailand and redescription of the genus *Cymoriza* (Lepidoptera, Pyralidae). *Akitu* (n.ser.) (76): 1-6.
- 9173. Yoshiyasu, Y.**, 1987, The Nymphulinae (Lepidoptera, Pyralidae) from Thailand, with descriptions of a new genus and six new species. [in] Kuroko, H. & S. Moriuti, *Microlepidoptera of Thailand* 1: 133-184, University of Osaka.
- 9174. Yoshiyasu, Y.**, 1989, The genus *Endotricha* of Thailand (Lepidoptera, Pyralidae), with descriptions of two new species. [in] Moriuti, S., *Microlepidoptera of Thailand* 2: 113-152, University of Osaka. [[available in Cesa Library](#)]
- 9175. Yoshiyasu, Y.**, 1989, *Agassiziella* nom. nov., a replacement name for *Agassizia* Yoshiyasu, 1987 (Lepidoptera, Pyralidae). [in] Moriuti, S., *Microlepidoptera of Thailand* 2: 113-152, University of Osaka. [[available in Cesa Library](#)]
- 9176. Yoshiyasu, Y.**, 1997, Descriptions of three *Nymphicula* species from the Philippines (Lepidoptera, Crambidae). *Esakia* (37): 161-172, figs.
- 9177. Yu Feng, H. & J.A. Powell**, 2004, Phylogenetic relationships within *Heliodinidae* and Systematics of Moths formerly assigned to *Heliodines* Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press.
- 9178. Yuan, D. & G.S. Robinson**, 1993, *Caloptilia* leaf-miner moths (Gracillariidae) of South-East Asia. *Bull. nat. Hist. Mus. Lond. (Ent.)* 62 (1): 1-37, figs. [[available in Cesa Library](#)]
- 9179. Yurtcan, M. & Z. Okyar**, 2008, *Nothris verbascella* (Denis & Schiffermüller, 1775) (Lepidoptera, Gelechiidae) from Turkey and its two new ichneumonid parasitoids. *Ent. News* 119 (3): 318-321.
- 9180. Zagulyaev, A.K. & N.A. Blumental**, 1994, New species of the genus *Agdistis* Hübner (Lepidoptera, Pterophoridae) from Central Asia. *Ent. Obozr.* 73 (1): 128-135 [engl. transl. *Ent. rev.* 74(1): 25-32, 3 figs., 1995]
- 9181. Zagulyaev, A.K. & V.V. Filippova**, 1976, The new and little known species of the Plume Moths (Lepidoptera, Pterophoridae) of the fauna of the USSR. *Proc. zool. Inst. USSR* 64: 36-40, figs. [[available in Cesa Library](#)]
- 9182. Zagulyaev, A.K.**, 1961, The moths of the genus *Triaxomera* Zag. (Lepidoptera, Tineidae, Nemapogoninae). *Zool. Zh.* 40: 36-51, figs.
- 9183. Zagulyaev, A.K.**, 1962, Revision of the palaearctic species of the genus *Nemapogon* Schr. (Lepidoptera, Tineidae). *Ent. Obozr.* 41: 182-189, figs.
- 9184. Zagulyaev, A.K.**, 1962, A new genus of fungal moths. *Archinemapogon* gen.n. and its new species (Lepidoptera, Tineidae). *Zool. Zh.* 41: 1041-1047, figs.
- 9185. Zagulyaev, A.K.**, 1965, A Revision of palaearctic moths of the tribe *Cephimallotini* (Lepidoptera, Tineidae). *Zool. Zh.* 44: 386-395, figs.
- 9186. Zagulyaev, A.K.**, 1965, New species of the genus *Scardia* (Lepidoptera, Tineidae). *Ent. Obozr.* 44: 411-413, figs.
- 9187. Zagulyaev, A.K.**, 1966, New moths of the family Tineidae and the *Ochsenheimeriidae* (Lepidoptera). *Trans. Zool. Inst. Acad. Sci. USSR* 37: 148-176, figs.
- 9188. Zagulyaev, A.K.**, 1975, Fauna of the U.S.S.R. *Nasekomye Cheshuekrylye*, vol. 4 no 5 *Nastoyashchie Moli* (Tineidae). 547pp., figs. Nauka Publishers, Leningrad. [[available in Cesa Library](#)]
- 9189. Zagulyaev, A.K.**, 1982, New and little known species of moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) of the USSR and adjacent territories. *Ent. Obozr.* 1982: [engl. transl. *Ent. Rev.* 1983 (1): 93-109, 20 figs. [[available in Cesa Library](#)]
- 9190. Zagulyaev, A.K.**, 1983, New and little known species of the moths (Lepidoptera, Tineidae, Micropterigidae, Pterophoridae) from the USSR and adjacent territories. *Ent. Obozr.* 62 (1): 106-122, figs.
- 9191. Zagulyaev, A.K.**, 1985, New species of moths (Lepidoptera: Psychidae, Thyrididae, Pterophoridae) from the U.S.S.R. *Ent. Obozr.* 64 (4): 773-788, figs. [[available in Cesa Library](#)]
- 9192. Zagulyaev, A.K.**, 1986, On the fauna of pterophorids (Lepidoptera, Pterophoridae) of Central Asia. *Trudy vses. ent. Obshch.* 67: 76-94, figs. [[available in Cesa Library](#)]

- 9193. Zagulyaev, A.K.**, 1987, New and little known moths (Lepidoptera; Micropterigidae, Psychidae, Thyrididae, Pterophoridae) of the fauna of the U.S.S.R. -III. Ent. Obozr. 66 (2): 353-368, figs. [[available in Cesa Library](#)]
- 9194. Zagulyaev, A.K.**, 1993, New species of Microlepidoptera (Lepidoptera, Micropterigidae, Tineidae and Psychidae) of the fauna of Russia and adjacent countries, VI. Ent. Obozr. 72 (1): 119-133 [engl. transl. Ent. rev. 74(4): 1-16, 12 figs., 1995]
- 9195. Zagulyaev, A.K.**, 1994, New and little known species of moths (Lepidoptera, Micropterigidae, Eriocraniidae, Psychidae, Tineidae, and Alucitidae) of the fauna of Russia and adjacent countries, VII. Ent. Obozr. 73 (1): 114-127 [engl. transl. Ent. rev. 74(1): 11-24, 9 figs., 1995]
- 9196. Zagulyaev, A.K.**, 1995, New and little known moths (Lepidoptera, Eriocottidae, Alucitidae, Thyridae) of the fauna of Russia and neighboring territories, VIII. Ent. Obozr. 74 (1): 105-119, figs. [engl. text: Ent. Rev. 75(3): 6-20, 8 figs., 1996]. [[available in Cesa Library](#)]
- 9197. Zagulyaev, A.K.**, 1995, New and little-known species of moth-like Lepidopterans (Lepidoptera: Psychidae, Tineidae, Pterophoridae, Alucitidae) of the fauna of Russia and neighboring territories, IX. Ent. Obozr. 74 (1): 105-119, figs. [in Russian] [[available in Cesa Library](#)]
- 9198. Zagulyaev, A.K.**, 1999, New and little known moths (Lepidoptera, Thyrididae, Brachodidae) of the fauna of Russia and neighboring territories XI. Ent. Obozr. 78 (4): 896-909, figs. [[available in Cesa Library](#)]
- 9199. Zahiri, R. & M. Fibiger**, 2006, A new species of Amphipoea Billberg, 1820 from northwestern Iran (Lepidoptera, Noctuidae). Zootaxa 1244: 33-39, figs. [[available in Cesa Library](#)]
- 9200. Zahiri, R. & M. Fibiger**, 2008, The Plusiinae of Iran (Lepidoptera, Noctuidae). Shilap Revta lepid. 36 (143): 301-339. [[available in Cesa Library](#)]
- 9201. Zaidi, M.I. & I. Salleh**, 1997, Butterflies from Banggi Island, Sabah (Lepidoptera, Rhopalocera). Serangga 2(2): 209-211. [[available in Cesa Library](#)]
- 9202. Zangheri, P.**, 1923, Fauna di Romagna. Lepidotteri. Mém. Soc. ent. Genova 2: 13-49.
- 9203. Zaspel, J.M. & M.A. Branham**, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15. [[available in Cesa Library](#)]
- 9204. Zeller, P.C.**, 1839, Kritische Bestimmung der in DeGeers Memoiren enthaltenen Schmetterlinge Isis 1839 (3): 243-349. [[available in Cesa Library](#)]
- 9205. Zeller, P.C.**, 1839, Versuch einer naturgemässen Eintheilung der Schaben. Tinea. Isis 32 (2): 167-222. [[available in Cesa Library](#)]
- 9206. Zeller, P.C.**, 1841, Vorläufer einer vollständigen Naturgeschichte der Pterophoriden. Isis 1841: 755-795, 827-893. [[available in Cesa Library](#)]
- 9207. Zeller, P.C.**, 1843, Asopia lienigialis und Crambus lienigiellus zwei neue Falterarten. Stettin ent. Ztg. 3: 139-143. [[available in Cesa Library](#)]
- 9208. Zeller, P.C.**, 1844, Monographie des Genus Hyponomeuta. Isis 1844 (3): 198-238, 2 Pls. [[available in Cesa Library](#)]
- 9209. Zeller, P.C.**, 1846, Die knotenhornigen Phyciden. Isis 1846 (10): 175-302. [[available in Cesa Library](#)]
- 9210. Zeller, P.C.**, 1847, Verzeichnis der vom Professor Dr. Loew in der Türkei und Asien gesammelten Lepidoptera. Isis, Leipzig 1847: 3-39. [[available in Cesa Library](#)]
- 9211. Zeller, P.C.**, 1847, Bemerkungen über die auf einer Reise nach Italien und Sicilien gesammelten Schmetterlingsarten. Isis 1847: 121-159, 213-233, 284-308, 401-457, 483-522, 561-594, 639-673, 721-771, 800-859, 880-914. [[available in Cesa Library](#)]
- 9212. Zeller, P.C.**, 1848, Die Gallerien und nachthornigen Phycideen. Isis 1848: 569-618, 641-691, 721-754. Leipzig. [[available in Cesa Library](#)]
- 9213. Zeller, P.C.**, 1849, Beitrag zur Kenntniss der Coleophoren. Linn. Ent. 4: 191-416. [[available in Cesa Library](#)]
- 9214. Zeller, P.C.**, 1849, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 10: 200-223, 231-256, 275-287, 312-317.
- 9215. Zeller, P.C.**, 1850, Verzeichniss der von Herrn Jos. Mann beobachteten Toscanischen Microlepidopteren. Stettin ent. Ztg. 11: 59-64, 134-136, 139-162, 195-212.
- 9216. Zeller, P.C.**, 1851, Drei Schabengattungen: Incurvaria, Micropteryx und Nemophora. Linn. Ent. 5: 301-362.
- 9217. Zeller, P.C.**, 1852, Lepidoptera Microptera quae J.A. Wahlberg in Caffrorum terra collegit. K. svenska Vetensk. Akad. Handl. 1852: 1-120. [[available in Cesa Library](#)]

- 9218. Zeller, P.C.**, 1854, Die Depressarien und einige ihnen nahe stehenden Gattungen. Linn. Ent. 9: 189-403, Tab.2.
- 9219. Zeller, P.C.**, 1867, Einige von Herrn Pickard Cambridge, besonders in Aegypten und Palaestina gesammelte Mikrolepidopteren. Stettin ent. Ztg. 28: 365-387. [[available in Cesa Library](#)]
- 9220. Zeller-Lukashort, H.C., Kurz, M.E., Lees, D.C. & M.A.Kurz**, 2007, A review of *Micropterix* Hübner, 1825 from northern and central Europe (Micropterigidae). Nota lepid. 30 (2): 235-298, figs. [[available in Cesa Library](#)]
- 9221. Zeller-Lukashort, H.C., Werno, A. & M.A.Kurz**, 2013, A new species of *Micropterix* Hübner, [1825] from southern Spain (Lepidoptera, Micropterigidae). Shilap Revta lepid. 41 (164): 489-494, figs. [[available in Cesa Library](#)]
- 9222. Zerkowicz, A.**, 1946, The Lepidoptera of Portugal. Jl. N. Y. ent. Soc. 54: 51-261.
- 9223. Zerny, H.**, 1914, Über paläarktische Pyraliden des k. k. naturhistorischen Hofmuseums in Wien. Annln. naturh. Mus. Wien 28: 295-348, 2 Taf. [[available in Cesa Library](#)]
- 9224. Zerny, H.**, 1914, Liste der erbeuteten Lepidopteren, [in] Werner, F., Ergebnisse einer von Prof. Franz Werner im Sommer 1910 mit Unterstützung aus dem Legate Wedl ausgeführten zoologischen Forschungsreise nach Algerien. Sb. Akad. Wiss. Wien 123: 263-266. [[available in Cesa Library](#)]
- 9225. Zerny, H.**, 1915, Zwei neue paläarktische Noctuiden. Verh. zool.- bot. Ges. Wien 65: (222)-(225), 2 figs. [[available in Cesa Library](#)]
- 9226. Zerny, H.**, 1916, Die Beschreibung einer neuen paläarktischen Pyralide. Verh. zool.- bot. Ges. Wien 66: (147)-(149), 2 figs. [[available in Cesa Library](#)]
- 9227. Zerny, H.**, 1916, Neue Heteroceren aus der Sammlung des k. k. naturhistorischen Hofmuseums in Wien. Annln naturh. Mus. Wien. 30: 173-195, 1 Pl.
- 9228. Zerny, H.**, 1916, Beschreibung einer neuen palaeatktischen Pyralide: *Tegostoma stangei* n.sp. Verh. zool.- bot. Ges. Wien 66: (147)-(149), figs. [[available in Cesa Library](#)]
- 9229. Zerny, H.**, 1927, Die Lepidopteren-Fauna von Albarracin in Aragonien. Eos 3: 299-488, 2 Pls.
- 9230. Zerny, H.**, 1927, Die Lepidopterenfauna von Algeciras und Gibraltar in Süd-Andalusien. Dt. ent. Z., Iris 41: 83-146.
- 9231. Zerny, H.**, 1927, *Pammene cupressana* nov. spec. Verh. zool.- bot. Ges. Wien 77: (4)-(5). [[available in Cesa Library](#)]
- 9232. Zerny, H.**, 1930, Pyralidae-Tineidae. [In] Wagner, F., Zweiter (III.) Beitrag zur Lepidopteren-Fauna Inner-Anatoliens. Int. ent. Z. 25 (2): 16-22. [[available in Cesa Library](#)]
- 9233. Zerny, H.**, 1932, Lepidopteren aus dem nördlichen Libanon. Dt. ent. Z., Iris 46: 157-191. [[available in Cesa Library](#)]
- 9234. Zerny, H.**, 1933, Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Sphingidae-Drepanidae. Dt. ent. Z., Iris 47: 60-66. [[available in Cesa Library](#)]
- 9235. Zerny, H.**, 1933, [in] Zerny, H., Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Zygaenidae-Aegeriidae. Dt. ent. Z., Iris 47: 104-106. [[available in Cesa Library](#)]
- 9236. Zerny, H.**, 1934, Lepidopteren aus dem nördlichen Libanon (Fortsetzung) Pyralidae-Adelidae. Dt. ent. Z., Iris 48: 1-28. [[available in Cesa Library](#)]
- 9237. Zerny, H.**, 1935, Eine neue Noctuide von der Balkanhalbinsel. Z. öst. EntVer. 20: 74-75. [[available in Cesa Library](#)]
- 9238. Zerny, H.**, 1935, Die Lepidopterenfauna des Grossen Atlas in Marokko und seiner Randgebiete. Mém. Soc. Sci. nat. Maroc. 42: 1-157.
- 9239. Zerny, H.**, 1939-1940, Mikrolepidopteren aus dem Elburs-Gebirge in Nord-Iran. Z. Wien. ent. Ver. 24 (1939): 129-160, 24 (1939): 171-175, 24 (1940): 20-24, 42-47, Taf.xi. [[available in Cesa Library](#)]
- 9240. Zetterstedt, J.W.**, 1839-1840, *Insecta Lapponica descripta*, iv+1140 pp., [1839] pp.1-1014; 1840 pp.1015-1140. Lipsiae.
- 9241. Zeuner, F.E.**, 1943, On recent and fossil *Pseudonacalia* Butler (Lep., Amatidae). Ann. Mag. nat. Hist. (11) 10: 140-144, 2 figs. [[available in Cesa Library](#)]
- 9242. Zhang, A.H. & H.H.Li**, 2004, A systematic study on Gibberifera Obraztsov, 1946 from China (Lepidoptera, Tortricidae, Olethreutinae). Shilap Revta Lepid. 32 (128): 289-295. [[available in Cesa Library](#)]
- 9243. Zhang, X., Li, H.H. & S.C.Yan**, 2008, Review of the genus *Ancylis* Hübner from China (Lepidoptera, Tortricidae, Olethreutinae). J. Nat. Hist. 42 (27/28): 1805-1839, figs. [[available in Cesa Library](#)]

- 9244. Zhdanko, A.B.**, 1977, Die Tagfalter (Lepidoptera, Rhopalocera) des nordwestlichen Teils des Ketmen-Gebirges. Poleznye nasekomye Kasachstana, Alma-Ata: 135-142 [in Russian].
- 9245. Zhdanko, A.B.**, 1977, Seltene und endemische Tagfalterarten des Nordtienschan und ihr Schutz. Poleznye nasekomye Kasachstana, Alma-Ata: 143-148 [in Russian].
- 9246. Zhdanko, A.B.**, 1977, Einige Besonderheiten der Biologie von *Papilio machaon* L. Poleznye nasekomye Kasachstana, Alma-Ata: 149-151 [in Russian]. [[available in Cesa Library](#)]
- 9247. Zhdanko, A.B.**, 1979, Altitudinal distribution of the butterflies (Lepidoptera, Rhopalocera) in Transili-Alatau. Novosti entomologii Kasachstana, Alma-Ata: 79-84 [in Russian]. [[available in Cesa Library](#)]
- 9248. Zhdanko, A.B.**, 1980, Eine ökologisch-faunistische Übersicht der Tagfalter (Lepidoptera, Rhopalocera) Südostkasachstans. Trudy inst. zool. AN KazSSR 39: 67-76 [in Russian]. [[available in Cesa Library](#)]
- 9249. Zhdanko, A.B.**, 1983, Altitudinal distribution of the butterflies (Lepidoptera, Rhopalocera) in the mountains of northern Tien Schan and southern Altai. Ent. Obozr. 62: 716-727 [in Russian].
- 9250. Zhdanko, A.B.**, 1983, A key to the lycaenid genera (Lepidoptera, Lycaenidae) of the USSR, based on the characters of the male genitalia. Ent. Obozr. 62 (1): 131-152, figs., engl. summ. [in Russian]. [[available in Cesa Library](#)]
- 9251. Zhdanko, A.B.**, 1984, Review of the genus *Turanana* Bet.-Bak. with descriptions *T. tatjana* sp.n. and *Otaria* subgen.n. (Lepidoptera, Lycaenidae) from Kazakhstan. Trudy zool. Inst. Leningr. 122: 98-105, figs. [in Russian].
- 9252. Zhdanko, A.B.**, 1986, Seltene Tagfalter Kasachstans. Redkie zhivotnye Kasachstana: 232-237 [in Russian]. [[available in Cesa Library](#)]
- 9253. Zhdanko, A.B.**, 1990, Evolution der palaearktischen Lycaeniden der Unterfamilie Lycaenidae.- Uspekhi entomologii SSSR: nasekomye pereponchatokrylye i cheshuekrylye, Leningrad: 162-164.
- 9254. Zhdanko, A.B.**, 1990, New species and subspecies of the Lycaenidae (Lepidoptera) from Asiatic part of the USSR and North Iran. Ent. Obozr. 69 (1): 134-143, figs. [in Russian]. [[available in Cesa Library](#)]
- 9255. Zhdanko, A.B.**, 1992, Noviy vid *Tolostogolovki* roda *Spialia* Swinh. (Lepidoptera, Hesperidae) iz Kazakstana Proc. Zool. Inst. St. Petersburg 248: 184-186, 2 figs. [in Russian]. [[available in Cesa Library](#)]
- 9256. Zhdanko, A.B.**, 1993, Systematics biology and distribution of the lycaenids of the genus *Athamanthia* Zhd. (Lepidoptera, Lycaenidae). Ent. Obozr. 72 (3): 664-674, figs., engl. summ. [in Russian]. [[available in Cesa Library](#)]
- 9257. Zhdanko, A.B.**, 1993, Systematics and distribution of *Thersamonolycaena* Vrtý. (Lepidoptera, Lycaenidae). Ent. Obozr. 72(1): 134-142, 18 figs. [in Russian]. [[available in Cesa Library](#)]
- 9258. Zhdanko, A.B.**, 1994, Systematics and distribution of Lycaenidae of the genus *Thersamon* (Lepidoptera) [sic]. Ent. Obozr. 73(1): 144-152, 21 figs. [in Russian]. [[available in Cesa Library](#)]
- 9259. Zhdanko, A.B.**, 1994, *Farsia* subgen.n.- A new subgenus of the genus *Vacciniina* (Lycaenidae, Lepidoptera) from the Middle Asia. Ent. Obozr. 73: 151-154, figs. [in Russian]. [[available in Cesa Library](#)]
- 9260. Zhdanko, A.B.**, 1994, *Polyommatus icadius* (Lepidoptera, Lycaenidae), its taxonomy, biology and distribution. Zool. Zh. 73(4): 80-83, 2 figs. [in Russian]. [[available in Cesa Library](#)]
- 9261. Zhdanko, A.B.**, 1994, New genera and species of the Lycaenidae (Lepidoptera) from Asia. Selevinia 2: 94-95. [[available in Cesa Library](#)]
- 9262. Zhdanko, A.B.**, 1994, New species of the Lycaenidae (Lepidoptera) from Asia. Selevinia 1: 73-74. [[available in Cesa Library](#)]
- 9263. Zhdanko, A.B.**, 1994, Noviye nakodki dnevnih baboček (Rhopalocera) v semireçe. Selevinia 2: 69 [in Russian]. [[available in Cesa Library](#)]
- 9264. Zhdanko, A.B.**, 1995, New genus and species of Hairstreaks (Lycaenidae, Lepidoptera) from Central Asia. Zool. Zh. 74 (10): 120- 124, 2 figs., engl. summ. [in Russian]. [[available in Cesa Library](#)]
- 9265. Zhdanko, A.B.**, 1995, On the systematics of the genera *Lycaena* F. and *Heliophorus* Geyer (Lepidoptera, Lycaenidae). Ent. Obozr. 74 (3): 652-661, figs. engl. summ. [in Russian]. [[available in Cesa Library](#)]

- 9266. Zhdanko, A.B.**, 1996, A new genus of Hairstreaks (Lepidoptera, Lycaenidae) from Eastern Asia. Zool. Zh. 75 (5): [engl. text: Ent. Rev. 76 (2): 296-298, 1996]. [\[available in Cesa Library\]](#)
- 9267. Zhdanko, A.B.**, 1996, A new genus of Atara (Lepidoptera, Lycaenidae) from Eastern Asia. Zool. Zh. 75: 783-786, 4 figs. [in Russian]. [\[available in Cesa Library\]](#)
- 9268. Zhdanko, A.B.**, 1996, New species of the genus Callophrys (Lepidoptera, Lycaenidae) from Kopet Dag. Selevinia 1996:....
- 9269. Zhdanko, A.B.**, 1997, Lycaenid foodplants in Kazakhstan and Middle Asia (Lepidoptera, Lycaenidae). Atalanta 28 (1/2): 97-110. [\[available in Cesa Library\]](#)
- 9270. Zhdanko, A.B.**, 1997, On nomenclature of some Palaearctic Lycaenidae. Zoosyst. ross. 5 (2): 312. [\[available in Cesa Library\]](#)
- 9271. Zhdanko, A.B.**, 1998, New species of the genera Callophrys Billb. and Polyommatus Latr. (Lepidoptera, Lycaenidae) from Asia and Caucasus. Vestn. Kaz. Univ. 5: 46-52, figs. [in Russian]. [\[available in Cesa Library\]](#)
- 9272. Zhdanko, A.B.**, 1998, Type specimens of Bidaspa caerulea and Atara micans (Lepidoptera, Lycaenidae) and taxonomy of some genera from the tribe Deudorini. Zool. Zh. 77 (11): 1297-1304, figs. [in Russian]. [\[available in Cesa Library\]](#)
- 9273. Zhdanko, A.B.**, 1998, Review of the nominative subgenus Neolycaena (Lepidoptera, Lycaenidae) with description of a new species from Tadjikistan. Zool. Zh. 77 (2): 196-201, figs., engl. summ. [in Russian]. [\[available in Cesa Library\]](#)
- 9274. Zhdanko, A.B.**, 1998, A review of the lycaenid genus Neolycaena de Niceville, 1890 (Lepidoptera, Lycaenidae) with description of new subspecies. Ent. Obozr. 77 (3): 639-662, figs. [in Russian]. [\[available in Cesa Library\]](#)
- 9275. Zhuravlev, S.**, 1910, Materialien zur lepidopterologischen Fauna von Uralsk und anderen Gegenden des Uralsk-Gebietes. Horae Soc. ent. ross. 39: 415-463. [\[available in Cesa Library\]](#)
- 9276. Ziegler, F.**, 1911, August Riesen. Berl. ent. Z. 55 (1910): 264. [\[available in Cesa Library\]](#)
- 9277. Ziegler, H.**, 1989, Biologie und Verbreitung von "Euchloe simplonia" (Boisduval, 1828) in der Schweiz (Lep., Pieridae). Atalanta 19: 53-69, Taf. [\[available in Cesa Library\]](#)
- 9278. Ziegler, H.**, 1990, Beitrag zur Kenntnis der Biologie sowie Beschreibung der ersten Stände von Gonepteryx eversi Rehnelt, 1974 (Lep., Pieridae). Atalanta 21 (1/2): 109-119, Taf. [\[available in Cesa Library\]](#)
- 9279. Zilli, A.**, 1992, Remarks on the taxonomic value of male abdominal brush-organs: the case of Apamea moroccana (Zerny, 1934), bona sp. (Lepidoptera, Noctuidae). Esperiana 3: 19-32, figs. [\[available in Cesa Library\]](#)
- 9280. Zilli, A.**, 1992, Autophila rosea (Staudinger, 1888) new for the European fauna (Lepidoptera, Noctuidae). Folia ent. hung. 52: 187-188. [\[available in Cesa Library\]](#)
- 9281. Zilli, A.**, 1994, Remarks on European Myxinia Species (Lepidoptera, Noctuidae). Atalanta 25 (1/2): 359-364. [\[available in Cesa Library\]](#)
- 9282. Zincken, J.L.T.F.**, 1831, Beitrag zur Insekten-Fauna von Java. Nova Acta physico-med. [Leop. Carol.] 15 (1): 129-194, pls. 14-16.
- 9283. Zlatkov, B. & Y. Budashkin**, 2012, Taxonomic and distributional remarks on some Palaearctic Cydia of the succedana-group with descriptions of two new species (Tortricidae). Nota lepid. 35 (1): 97-107, figs. [\[available in Cesa Library\]](#)
- 9284. Zolotarev, G.S. & V.V. Dubatolov**, 2000, A checklist of Noctuidae (Lepidoptera) of the Russian part of the West Siberian Plain. Far Eastern Ent. 94: 1-23. [\[available in Cesa Library\]](#)
- 9285. Zolotuhin, V.V. & A.A. Perekrasnov**, 2010, A review of the Euthrix laeta (Walker, 1855) complex with description of a new species and two new subspecies (Lepidoptera, Lasiocampidae). Atalanta 41 (3/4): 367-374, figs. [\[available in Cesa Library\]](#)
- 9286. Zolotuhin, V.V. & A.M. Prozorov**, 2010, A review of the genera Opisthodontia Aurivillius, 1895, and Stenophatna Aurivillius, 1909, with erection of 8 new genera and descriptions of 37 new species and 2 new subspecies (Lepidoptera, Lasiocampidae). Atalanta 41 (3/4): 397-460, figs. [\[available in Cesa Library\]](#)
- 9287. Zolotuhin, V.V. & A.V. Gurkovich**, 2009, A review of the genus Pachypasa Walker, 1855 sensu lato in Africa (Lepidoptera, Lasiocampidae). Neue ent. Nachr. 63: 1-75, 21 pls. [\[available in Cesa Library\]](#)
- 9288. Zolotuhin, V.V. & A.V. Gurkovich**, 2009, Synonymic notes on African Lasiocampidae (Insecta, Lepidoptera). Entomofauna 30 (17): 273-288, figs. [\[available in Cesa Library\]](#)
- 9289. Zolotuhin, V.V. & Bro. A. Pinratana**, 2005, Moths of Thailand vol. Four Lasiocampidae. 205 pp., 28 Pls. Bangkok. [\[available in Cesa Library\]](#)

- 9290. Zolotuhin, V.V. & I.Y. Kostjuk**, 2000, *Phantosoma witti* gen. et sp. nov., a new autumn lasiocampid moth from Turkmenistan (Lasiocampidae). *Nota lepid.* 141-146, figs. [[available in Cesa Library](#)]
- 9291. Zolotuhin, V.V. & R. Zahiri**, 2008, The Lasiocampidae of Iran (Lepidoptera). *Zootaxa* 1791: 1-52, figs. [[available in Cesa Library](#)]
- 9292. Zolotuhin, V.V. & S. Ihle**, 2008, The Lasiocampidae (Lepidoptera) of Laos. *Tinea* 20 (4): 1-19, figs. [[available in Cesa Library](#)]
- 9293. Zolotuhin, V.V. & T.J. Witt**, 2000, The Camptolominae of Vietnam and adjacent territories (Lepidoptera, Noctuidae). *Entomofauna Suppl.* 11 (1): 1-10, 2 pls. [[available in Cesa Library](#)]
- 9294. Zolotuhin, V.V. & T.J. Witt**, 2000, The Mirinidae of Vietnam (Lepidoptera) *Entomofauna Suppl.* 11 (2): 13-23, 30 figs. [[available in Cesa Library](#)]
- 9295. Zolotuhin, V.V. & T.J. Witt**, 2000, The Lasiocampidae of Vietnam. *Entomofauna Suppl.* 11 (3): 25-104, 28 figs., 14 pls. [[available in Cesa Library](#)]
- 9296. Zolotuhin, V.V. & T.J. Witt**, 2005, Contribution to the knowledge of Indonesian Lasiocampidae (Lepidoptera). *Tinea* 19 (1): 59-68, figs.
- 9297. Zolotuhin, V.V. & V.V. Dubatolov**, 1992, A new species of Lasiocampidae from Tajikistan (Lepidoptera). *Atalanta* 23 (1/2): 215-217, 4 figs. [[available in Cesa Library](#)]
- 9298. Zolotuhin, V.V.**, 1991, On new and little known Lasiocampidae from Armenia, USSR. *Atalanta* 22 (2/4): 117-123, figs. [[available in Cesa Library](#)]
- 9299. Zolotuhin, V.V.**, 1992, An annotated Checklist of the Lasiocampidae of the Caucasus (Lepidoptera). *Atalanta* 23 (1/2): 225-243, 18 map. [[available in Cesa Library](#)]
- 9300. Zolotuhin, V.V.**, 1993, Lemoniidae (Lepidoptera) of the Caucasus. *Ent. Obozr.* 73 (2): 94-101 [engl. transl. *Ent. rev.* 73 (5): 148-155, 3 figs., 1994]
- 9301. Zolotuhin, V.V.**, 1994, New and little known species of the genus *Phyllodesma* Hbn. (Lepidoptera, Lasiocampidae). *Ent. Obozr.* 73 (1): 136-143 [engl. transl. *Ent. rev.* 74(1): 33-40, 4 figs., 1995]
- 9302. Zolotuhin, V.V.**, 1994, New and little known Lepidoptera Heterocera (Lasiocampidae, Nolidae) from Russia and adjacent territories. *Zool. Zh.* 73 (10): 62-71 [engl. transl. *Ent. rev.* 74(8): 84-93, 6 figs., 1995]
- 9303. Zolotuhin, V.V.**, 1994, To the biology and morphology of *Sphingonaepiopsis kuldjaensis* Graeser, 1892 (Lepidoptera, Sphingidae). *Atalanta* 25 (1/2): 245-259, 21 figs. [[available in Cesa Library](#)]
- 9304. Zolotuhin, V.V.**, 1995, An annotated checklist of the Lasiocampidae of Kazakhstan and Middle Asia (Lepidoptera). *Atalanta* 26 (1/2): 273-290, 5 figs., 14 maps. [[available in Cesa Library](#)]
- 9305. Zolotuhin, V.V.**, 1995, To a study of asiatic Lasiocampidae 1. The Lasiocampidae of Thailand. *Tinea* 14 (3): 157-170, figs.
- 9306. Zolotuhin, V.V.**, 1996, Notes on Chinese Lepidoptera (Lasiocampidae, Endromididae, Bombycidae) with description of a new species. *Nachr. ent. Ver. Apollo (N.F.)* 16 (4): 373-386, 14 figs. [[available in Cesa Library](#)]
- 9307. Zolotuhin, V.V.**, 1996, *Thumatha monochroa* spec. nov. a new species of arctiid moth from south-eastern Kazakhstan (Lepidoptera, Arctiidae). *Atalanta* 27 (1/2): 339-341, 2 figs. [[available in Cesa Library](#)]
- 9308. Zolotuhin, V.V.**, 1996, Studies in Asiatic Lasiocampidae 2. On the status of *Stenophylloides javanus* Draeseke, 1941 (Lepidoptera, Lasiocampidae). *Atalanta* 27 (1/2): 335-338, Pl. figs. [[available in Cesa Library](#)]
- 9309. Zolotuhin, V.V.**, 1997, Die Verbreitung von *Proserpinus proserpina* (Pallas, 1772) in Osteuropa und Mittelasien (Lepidoptera, Sphingidae). *Atalanta* 28 (1/2): 129-134. [[available in Cesa Library](#)]
- 9310. Zolotuhin, V.V.**, 1997, To a study of asiatic Lasiocampidae 3. Short taxonomic notes on *Paralebeda Aurivillius*, 1894 (Lepidoptera). *Entomofauna* 17 (13): 245-256, 5 figs., 2 Pls. [[available in Cesa Library](#)]
- 9311. Zolotuhin, V.V.**, 1997, New and little known moths (Lepidoptera, Carposinidae, Drepanidae, Thyatiridae) in fauna of Russia and adjacent territories. *Ent. Obozr.* 76 (3). [[available in Cesa Library](#)]
- 9312. Zolotuhin, V.V.**, 1998, Further synonymic notes in the Lasiocampidae with the description of a new *Euthrix*-species (Lepidoptera, Lasiocampidae). *Entomofauna* 19 (2): 53-74, 23 figs. [[available in Cesa Library](#)]

- 9313. Zolotuhin, V.V.**, 1999, Bhima Moore, 1888 is junior subjective synonym of *Pyrosis Oberthür*, 1880 (Lepidoptera, Lasiocampidae). *Atalanta* 29 (1/4): 283-284. [[available in Cesa Library](#)]
- 9314. Zolotuhin, V.V.**, 2000, To a study of Asiatic Lasiocampidae (Lepidoptera) 4. Genus *Micropacha* Roepke, 1953. *Tinea* 16 (3): 151-160.
- 9315. Zolotuhin, V.V.**, 2001, Contributions to the study of Asiatic Lasiocampidae. 5. Descriptions of new species of *Euthrix* Meigen, 1830 and of related genera, with a synonymic note (Lepidoptera, Lasiocampidae). *Atalanta* 32 (3/4): 453-471, figs. [[available in Cesa Library](#)]
- 9316. Zolotuhin, V.V.**, 2007, An annotated distributional checklist of the genus *Trichiura* Stephens, 1828 with description of six new taxa especially from Asia Minor (Lepidoptera, Lasiocampidae). *Nachr. ent. Ver., Apollo Suppl.* 19: 37-48, figs. [with serious geographical errors in the text]. [[available in Cesa Library](#)]
- 9317. Zolotuhin, V.V.**, 2007, On the identity of the Turkish species of *Eriogaster rimicola*-group (Lasiocampidae). *Nota lepid.* 30: 45-50, figs. [[available in Cesa Library](#)]
- 9318. Zolotuhin, V.V.**, 2010, A review of the genus *Chionopsyche* Aurivillius, 1909 with the description of a new species (Lepidoptera, Lasiocampidae, Chionopsychinae). *Atalanta* 41 (3/4): 361-366, figs. [[available in Cesa Library](#)]
- 9319. Zolotuhin, V.V., Treadaway, C.G. & T.J. Witt**, 1998, The Lasiocampidae (Lepidoptera) of the Philippines. *Nachr. ent. Ver. Apollo, Suppl.* 17: 133-222, figs. [[available in Cesa Library](#)]
- 9320. Zukowsky, B.**, 1929, Neue europäische Aegeriidae. *Int. ent. Z.* 23: 20-22. [[available in Cesa Library](#)]
- 9321. Zukowsky, B.**, 1935, Sammelfahrt ins bulgarische Macedonien 1931 (Lep.). *Int. ent. Z.* 28 (48): 587-591, 29 (1): 3-8, 29 (3): 33-36, 29 (4): 45-48, 29 (6): 70-72, 29 (7): 77-78. [[available in Cesa Library](#)]
- 9322. Zukowsky, B.**, 1936, Neue Arten und Formen der paläarktischen Familien Aegeriidae und Cossidae (Lep.). *Ent. Rdsch.* 53: 534-537, Abb. [[available in Cesa Library](#)]
- 9323. Zukowsky, B.**, 1937, Zwei Reisen nach Griechenland. II. Parnassos- und Vjeluchigebirge 1933 (Lep.). *Ent. Z., Frankf. a. M.* 51: 257-261, 268-272, 287-288. [[available in Cesa Library](#)]
- 9324. Zukowsky, B.**, 1937, Reisebericht über entomologische Aufsammlungen im nordöstlichen Anatolien (westliches Armenien) 1934 (Lep.). *Ent. Rdsch.* 55: 1-6, 13-14, 27-30, 37-40. [[available in Cesa Library](#)]
- 9325. Zukowsky, B.**, 1937, Zwei Reisen nach Griechenland. I. Vjeluchigebirge 1932 (Lep.). *Ent. Z., Frankf. a. M.* 51: 109-113, 128-131, 141-144, 152-155.
- 9326. Zukowsky, B.**, 1938, Herbstreise nach Kleinasien, Nordost-Anatolien und zilizischer Taurus (Lep.). *Ent. Rdsch.* 55: 529-531, 623-627, 648-651, 657-659, 708. [[available in Cesa Library](#)]
- 9327. Zukowsky, B.**, 1941, Siwas und Akschehir 1937 (Lep.). *Ent. Z., Frankf. a. M.* 54: 266-272. [[available in Cesa Library](#)]
- 9328. Züllich, R.**, 1936-1937, Beitrag zur Macrolepidopterenfauna des Rilgebirges in Bulgarien. *Z. öst. EntVer.* 21 (1936): 17-19, 24-28, 35-36, 49-55, 68-73; 22 (1937): 16-19. [[available in Cesa Library](#)]

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus (print and online versions) & Priamus Supplement (online)¹, Miscellaneous Papers (ISSN 1015-8235) (print and online versions)², Memoirs (ISSN-8227) (online)³, DVD Films (online)⁴, Iconographia Insectorum (online)⁵, Cesa News (online)⁶, Cesa Books (online)⁷

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. em. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Mural Ünal – Asst. Prof. Dr. Mesut Pınar (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All serials are archived regularly by the Internet Archive, since 2008
<https://archive.org/>

also recorded regularly by the Zoological Record,
Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom
ts-emea-york.dcsadmins@thomson.com

¹ <http://www.cesa-tr.org/Pri.htm> - pdf of *Priamus* Supplement (online) are available at the Internet Archive.

² <http://www.cesa-tr.org/Miscell.htm> - pdf of *Miscellaneous Papers* (online) are available at the Internet Archive.

³ <http://www.cesa-tr.org/Memoirs.htm> - pdf of the last numbers of the *Memoirs* are available at the Internet Archive.

⁴ <http://www.cesa-tr.org/CDF.htm>

⁵ <http://www.cesa-tr.org/Icon.htm>

⁶ <http://www.cesa-tr.org/Cesanews.htm> Cesa News are completely available at the Internet Archive.

⁷ <http://www.cesa-tr.org/Cesabooks.htm>